


MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

*** PROJECT INFORMATION

Project Name :
Date : 2013/3/28

*** CONTROL DATA

Panel Zone Effect : Do not Calculate
 Unit System : KN, MM
 Definition of Frame
 - X Direction of Frame : Unbraced I Sway
 - Y Direction of Frame : Unbraced I Sway
 - Design Type : 3-D
 Design Code
 - Steel : Eurocode3:05
 - Concrete : Eurocode2:04
 - SRC : SSRC79

*** LOAD CASE DATA


NO	NAME	TYPE	SELF WEIGHT FACTOR			DESCRIPTION
			X	Y	Z	
1	G1	USER	0.000	0.000	-1.000	peso proprio della s
2	G2	USER	0.000	0.000	0.000	carichi permanenti p
3	Q3	USER	0.000	0.000	0.000	frenamento
4	Q5_pc	USER	0.000	0.000	0.000	vento a ponte carico
5	Q5_ps	USER	0.000	0.000	0.000	vento a ponte scaric

*** MATERIAL PROPERTY DATA

NO	NAME	TYPE	MODULUS OF ELASTICITY	SHEAR MODULUS	THERMAL COEFF.	POISSON RATIO	DENSITY
3	rigid	USER	3e+005	1.5e+005	0	0	0
4	C35/45	USER	34.63	14.43	1e-005	0.2	0
5	Fittizio	USER	0.001	0.0005	0	0	0

NO	NAME	TYPE	STRENGTH OF DESIGN MATERIAL			
			STEEL	CONCRETE	MAIN REBAR	SUB REBAR
2	S355	STEEL	0.355	-	-	-

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

-

*** NODE DATA


NO	X	Y	Z	TEMPERATURE
2	0	2400	0	0
3	0	-2400	0	0
5	0	2400	2500	0
6	0	-2400	2500	0
8	3100	2400	0	0
9	3100	-2400	0	0
11	3100	2400	2500	0
12	3100	-2400	2500	0
13	0	2400	260	0
14	0	-2400	260	0
15	3100	2400	260	0
16	3100	-2400	260	0
17	0	2400	2320	0
18	0	-2400	2320	0
19	3100	2400	2320	0
20	3100	-2400	2320	0
22	3100	0	260	0
23	7100	-2400	260	0
24	7100	0	260	0
25	7100	2400	260	0
26	7100	-2400	2320	0
28	7100	2400	2320	0
29	7100	-2400	0	0
30	7100	-2400	2500	0
31	7100	2400	2500	0
32	7100	2400	0	0
33	1550	0	260	0
34	5100	0	260	0
35	1550	0	2320	0
36	5100	0	2320	0
37	-600	2400	0	0
38	-600	-2400	0	0
39	-600	2400	2500	0
40	-600	-2400	2500	0
41	-600	2400	260	0
42	-600	-2400	260	0
43	-600	2400	2320	0
44	-600	-2400	2320	0
45	1.11e+004	-2400	260	0
46	1.11e+004	0	260	0
47	1.11e+004	2400	260	0
48	1.11e+004	-2400	2320	0
49	1.11e+004	2400	2320	0
50	1.11e+004	-2400	0	0
51	1.11e+004	-2400	2500	0
52	1.11e+004	2400	2500	0
53	1.11e+004	2400	0	0
54	9100	0	260	0
55	9100	0	2320	0
56	1.51e+004	-2400	260	0
57	1.51e+004	0	260	0
58	1.51e+004	2400	260	0
59	1.51e+004	-2400	2320	0
60	1.51e+004	2400	2320	0
61	1.51e+004	-2400	0	0
62	1.51e+004	-2400	2500	0
63	1.51e+004	2400	2500	0
64	1.51e+004	2400	0	0
65	1.31e+004	0	260	0

PROJECT TITLE :

	Company			Client
	Author			File Name
				PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


66	1.31e+004	0	2320	0
67	1.91e+004	-2400	260	0
68	1.91e+004	0	260	0
69	1.91e+004	2400	260	0
70	1.91e+004	-2400	2320	0
71	1.91e+004	2400	2320	0
72	1.91e+004	-2400	0	0
73	1.91e+004	-2400	2500	0
74	1.91e+004	2400	2500	0
75	1.91e+004	2400	0	0
76	1.71e+004	0	260	0
77	1.71e+004	0	2320	0
111	9100	-2400	0	0
112	9100	2400	0	0
113	9100	2400	2500	0
114	9100	-2400	2500	0
115	9100	-2400	260	0
116	9100	-2400	2320	0
117	9100	2400	260	0
118	9100	2400	2320	0
1453	3600	-2400	0	0
1454	4100	-2400	0	0
1455	4600	-2400	0	0
1456	5100	-2400	0	0
1457	5600	-2400	0	0
1458	6100	-2400	0	0
1459	6600	-2400	0	0
1460	3600	2400	0	0
1461	4100	2400	0	0
1462	4600	2400	0	0
1463	5100	2400	0	0
1464	5600	2400	0	0
1465	6100	2400	0	0
1466	6600	2400	0	0
1467	3600	2400	2500	0
1468	4100	2400	2500	0
1469	4600	2400	2500	0
1470	5100	2400	2500	0
1471	5600	2400	2500	0
1472	6100	2400	2500	0
1473	6600	2400	2500	0
1474	3600	-2400	2500	0
1475	4100	-2400	2500	0
1476	4600	-2400	2500	0
1477	5100	-2400	2500	0
1478	5600	-2400	2500	0
1479	6100	-2400	2500	0
1480	6600	-2400	2500	0
1481	1.16e+004	-2400	0	0
1482	1.21e+004	-2400	0	0
1483	1.26e+004	-2400	0	0
1484	1.31e+004	-2400	0	0
1485	1.36e+004	-2400	0	0
1486	1.41e+004	-2400	0	0
1487	1.46e+004	-2400	0	0
1488	1.16e+004	2400	0	0
1489	1.21e+004	2400	0	0
1490	1.26e+004	2400	0	0
1491	1.31e+004	2400	0	0
1492	1.36e+004	2400	0	0
1493	1.41e+004	2400	0	0
1494	1.46e+004	2400	0	0
1495	1.16e+004	2400	2500	0
1496	1.21e+004	2400	2500	0
1497	1.26e+004	2400	2500	0
1498	1.31e+004	2400	2500	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

1499	1.36e+004	2400	2500	0
1500	1.41e+004	2400	2500	0
1501	1.46e+004	2400	2500	0
1502	1.16e+004	-2400	2500	0
1503	1.21e+004	-2400	2500	0
1504	1.26e+004	-2400	2500	0
1505	1.31e+004	-2400	2500	0
1506	1.36e+004	-2400	2500	0
1507	1.41e+004	-2400	2500	0
1508	1.46e+004	-2400	2500	0
1509	1.56e+004	-2400	0	0
1510	1.61e+004	-2400	0	0
1511	1.66e+004	-2400	0	0
1512	1.71e+004	-2400	0	0
1513	1.76e+004	-2400	0	0
1514	1.81e+004	-2400	0	0
1515	1.86e+004	-2400	0	0
1516	1.56e+004	2400	0	0
1517	1.61e+004	2400	0	0
1518	1.66e+004	2400	0	0
1519	1.71e+004	2400	0	0
1520	1.76e+004	2400	0	0
1521	1.81e+004	2400	0	0
1522	1.86e+004	2400	0	0
1523	1.56e+004	2400	2500	0
1524	1.61e+004	2400	2500	0
1525	1.66e+004	2400	2500	0
1526	1.71e+004	2400	2500	0
1527	1.76e+004	2400	2500	0
1528	1.81e+004	2400	2500	0
1529	1.86e+004	2400	2500	0
1530	1.56e+004	-2400	2500	0
1531	1.61e+004	-2400	2500	0
1532	1.66e+004	-2400	2500	0
1533	1.71e+004	-2400	2500	0
1534	1.76e+004	-2400	2500	0
1535	1.81e+004	-2400	2500	0
1536	1.86e+004	-2400	2500	0
1537	516.7	-2400	0	0
1538	1033	-2400	0	0
1539	1550	-2400	0	0
1540	2067	-2400	0	0
1541	2583	-2400	0	0
1542	516.7	2400	0	0
1543	1033	2400	0	0
1544	1550	2400	0	0
1545	2067	2400	0	0
1546	2583	2400	0	0
1547	516.7	2400	2500	0
1548	1033	2400	2500	0
1549	1550	2400	2500	0
1550	2067	2400	2500	0
1551	2583	2400	2500	0
1552	516.7	-2400	2500	0
1553	1033	-2400	2500	0
1554	1550	-2400	2500	0
1555	2067	-2400	2500	0
1556	2583	-2400	2500	0
1557	7600	-2400	0	0
1558	8100	-2400	0	0
1559	8600	-2400	0	0
1560	7600	2400	0	0
1561	8100	2400	0	0
1562	8600	2400	0	0
1563	7600	2400	2500	0
1564	8100	2400	2500	0

PROJECT TITLE :

	Company	Client		
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	


1565	8600	2400	2500	0
1566	7600	-2400	2500	0
1567	8100	-2400	2500	0
1568	8600	-2400	2500	0
1575	9600	-2400	0	0
1576	1.01e+004	-2400	0	0
1577	1.06e+004	-2400	0	0
1578	9600	2400	0	0
1579	1.01e+004	2400	0	0
1580	1.06e+004	2400	0	0
1581	9600	2400	2500	0
1582	1.01e+004	2400	2500	0
1583	1.06e+004	2400	2500	0
1584	9600	-2400	2500	0
1585	1.01e+004	-2400	2500	0
1586	1.06e+004	-2400	2500	0
1605	516.7	-2400	260	0
1606	1033	-2400	260	0
1607	1550	-2400	260	0
1608	2067	-2400	260	0
1609	2583	-2400	260	0
1610	516.7	-2400	2320	0
1611	1033	-2400	2320	0
1612	1550	-2400	2320	0
1613	2067	-2400	2320	0
1614	2583	-2400	2320	0
1615	516.7	2400	260	0
1616	1033	2400	260	0
1617	1550	2400	260	0
1618	2067	2400	260	0
1619	2583	2400	260	0
1620	516.7	2400	2320	0
1621	1033	2400	2320	0
1622	1550	2400	2320	0
1623	2067	2400	2320	0
1624	2583	2400	2320	0
1625	3600	-2400	260	0
1626	4100	-2400	260	0
1627	4600	-2400	260	0
1628	5100	-2400	260	0
1629	5600	-2400	260	0
1630	6100	-2400	260	0
1631	6600	-2400	260	0
1632	3600	-2400	2320	0
1633	4100	-2400	2320	0
1634	4600	-2400	2320	0
1635	5100	-2400	2320	0
1636	5600	-2400	2320	0
1637	6100	-2400	2320	0
1638	6600	-2400	2320	0
1639	3600	2400	260	0
1640	4100	2400	260	0
1641	4600	2400	260	0
1642	5100	2400	260	0
1643	5600	2400	260	0
1644	6100	2400	260	0
1645	6600	2400	260	0
1646	3600	2400	2320	0
1647	4100	2400	2320	0
1648	4600	2400	2320	0
1649	5100	2400	2320	0
1650	5600	2400	2320	0
1651	6100	2400	2320	0
1652	6600	2400	2320	0
1653	1.16e+004	-2400	260	0
1654	1.21e+004	-2400	260	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


1655	1.26e+004	-2400	260	0
1656	1.31e+004	-2400	260	0
1657	1.36e+004	-2400	260	0
1658	1.41e+004	-2400	260	0
1659	1.46e+004	-2400	260	0
1660	1.16e+004	-2400	2320	0
1661	1.21e+004	-2400	2320	0
1662	1.26e+004	-2400	2320	0
1663	1.31e+004	-2400	2320	0
1664	1.36e+004	-2400	2320	0
1665	1.41e+004	-2400	2320	0
1666	1.46e+004	-2400	2320	0
1667	1.16e+004	2400	260	0
1668	1.21e+004	2400	260	0
1669	1.26e+004	2400	260	0
1670	1.31e+004	2400	260	0
1671	1.36e+004	2400	260	0
1672	1.41e+004	2400	260	0
1673	1.46e+004	2400	260	0
1674	1.16e+004	2400	2320	0
1675	1.21e+004	2400	2320	0
1676	1.26e+004	2400	2320	0
1677	1.31e+004	2400	2320	0
1678	1.36e+004	2400	2320	0
1679	1.41e+004	2400	2320	0
1680	1.46e+004	2400	2320	0
1681	1.56e+004	-2400	260	0
1682	1.61e+004	-2400	260	0
1683	1.66e+004	-2400	260	0
1684	1.71e+004	-2400	260	0
1685	1.76e+004	-2400	260	0
1686	1.81e+004	-2400	260	0
1687	1.86e+004	-2400	260	0
1688	1.56e+004	-2400	2320	0
1689	1.61e+004	-2400	2320	0
1690	1.66e+004	-2400	2320	0
1691	1.71e+004	-2400	2320	0
1692	1.76e+004	-2400	2320	0
1693	1.81e+004	-2400	2320	0
1694	1.86e+004	-2400	2320	0
1695	1.56e+004	2400	260	0
1696	1.61e+004	2400	260	0
1697	1.66e+004	2400	260	0
1698	1.71e+004	2400	260	0
1699	1.76e+004	2400	260	0
1700	1.81e+004	2400	260	0
1701	1.86e+004	2400	260	0
1702	1.56e+004	2400	2320	0
1703	1.61e+004	2400	2320	0
1704	1.66e+004	2400	2320	0
1705	1.71e+004	2400	2320	0
1706	1.76e+004	2400	2320	0
1707	1.81e+004	2400	2320	0
1708	1.86e+004	2400	2320	0
1709	7600	-2400	260	0
1710	8100	-2400	260	0
1711	8600	-2400	260	0
1712	7600	-2400	2320	0
1713	8100	-2400	2320	0
1714	8600	-2400	2320	0
1715	7600	2400	260	0
1716	8100	2400	260	0
1717	8600	2400	260	0
1718	7600	2400	2320	0
1719	8100	2400	2320	0
1720	8600	2400	2320	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

1721	9600	-2400	260	0
1722	1.01e+004	-2400	260	0
1723	1.06e+004	-2400	260	0
1724	9600	-2400	2320	0
1725	1.01e+004	-2400	2320	0
1726	1.06e+004	-2400	2320	0
1727	9600	2400	260	0
1728	1.01e+004	2400	260	0
1729	1.06e+004	2400	260	0
1730	9600	2400	2320	0
1731	1.01e+004	2400	2320	0
1732	1.06e+004	2400	2320	0
1841	0	1920	0	0
1842	0	1920	260	0
1843	0	1920	2320	0
1844	0	1920	2500	0
1845	0	-1920	2500	0
1846	0	-1920	0	0
1847	0	-1440	2500	0
1848	0	-960	2500	0
1849	0	-480	2500	0
1850	0	0	2500	0
1851	0	480	2500	0
1852	0	960	2500	0
1853	0	1440	2500	0
1854	0	-1440	0	0
1855	0	-960	0	0
1856	0	-480	0	0
1857	0	0	0	0
1858	0	480	0	0
1859	0	960	0	0
1860	0	1440	0	0
1861	0	1440	260	0
1862	0	960	260	0
1863	0	480	260	0
1864	0	0	260	0
1865	0	-480	260	0
1866	0	-960	260	0
1867	0	-1440	260	0
1868	0	-1920	260	0
1869	0	1440	2320	0
1870	0	960	2320	0
1871	0	480	2320	0
1872	0	0	2320	0
1873	0	-480	2320	0
1874	0	-960	2320	0
1875	0	-1440	2320	0
1876	0	-1920	2320	0
2302	9100	-952	2680	0
2303	6600	-475	2680	0
2307	1.81e+004	1432	2680	0
2309	1.11e+004	952	2680	0
2311	1.36e+004	475	2680	0
2312	9600	-476	2680	0
2551	9100	-1432	2680	0
2555	6600	475	2680	0
2556	6600	952	2680	0
2557	6600	1432	2680	0
2563	4099	-1431	2680	0
2568	1.61e+004	-476	2680	0
2569	1.61e+004	-952	2680	0
2570	1.61e+004	-1432	2680	0
2581	1.16e+004	-952	2680	0
2582	1.16e+004	-1432	2680	0
2583	1.36e+004	-475	2680	0
2584	1.36e+004	-952	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


2585	1.36e+004	-1432	2680	0
2594	4099	1431	2680	0
2599	6600	-952	2680	0
2600	6600	-1432	2680	0
2607	1.81e+004	952	2680	0
2638	0	1920	2680	0
2639	0	-1920	2680	0
2640	0	-1440	2680	0
2641	0	-960	2680	0
2642	0	-480	2680	0
2643	0	0	2680	0
2644	0	480	2680	0
2645	0	960	2680	0
2646	0	1440	2680	0
2647	1.96e+004	2400	0	0
2648	1.96e+004	-2400	0	0
2649	7.898e+004	-3306	0	0
2650	7.956e+004	-3470	0	0
2651	2.308e+004	2396	0	0
2652	2.358e+004	2399	0	0
2653	2.408e+004	2402	0	0
2654	2.458e+004	2403	0	0
2655	2.508e+004	2405	0	0
2656	2.558e+004	2405	0	0
2657	2.608e+004	2405	0	0
2658	2.658e+004	2404	0	0
2659	2.708e+004	2403	0	0
2660	7.533e+004	-2332	0	0
2661	7.585e+004	-2465	0	0
2662	7.637e+004	-2600	0	0
2663	7.689e+004	-2737	0	0
2665	7.742e+004	-2876	0	0
2666	7.794e+004	-3018	0	0
2667	7.846e+004	-3161	0	0
2668	5.48e+004	-3561	0	0
2669	5.529e+004	-3613	0	0
2670	5.578e+004	-3666	0	0
2671	5.628e+004	-3722	0	0
2672	5.677e+004	-3779	0	0
2673	5.726e+004	-3838	0	0
2674	5.775e+004	-3898	0	0
2675	5.824e+004	-3961	0	0
2676	5.873e+004	-4025	0	0
2677	6.735e+004	-562	0	0
2678	6.785e+004	-659	0	0
2679	6.835e+004	-757.8	0	0
2680	6.885e+004	-858.5	0	0
2681	6.935e+004	-960.9	0	0
2682	6.985e+004	-1065	0	0
2683	7.035e+004	-1171	0	0
2684	7.085e+004	-1279	0	0
2685	7.135e+004	-1389	0	0
2686	5.086e+004	-3211	0	0
2687	5.135e+004	-3249	0	0
2688	5.185e+004	-3288	0	0
2689	5.234e+004	-3329	0	0
2690	5.283e+004	-3372	0	0
2691	5.332e+004	-3417	0	0
2692	5.382e+004	-3463	0	0
2693	5.431e+004	-3511	0	0
2694	2.308e+004	-2404	0	0
2695	2.361e+004	-2401	0	0
2696	2.41e+004	-2398	0	0
2697	2.46e+004	-2397	0	0
2698	2.509e+004	-2395	0	0
2699	2.559e+004	-2395	0	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


2700	2.609e+004	-2395	0	0
2701	2.658e+004	-2396	0	0
2702	2.708e+004	-2397	0	0
2703	5.922e+004	-4091	0	0
2704	5.971e+004	-4158	0	0
2705	6.019e+004	-4228	0	0
2706	6.068e+004	-4299	0	0
2707	6.117e+004	-4372	0	0
2708	6.166e+004	-4446	0	0
2709	6.214e+004	-4523	0	0
2710	6.263e+004	-4601	0	0
2711	4.691e+004	-2976	0	0
2712	4.744e+004	-3001	0	0
2713	4.793e+004	-3026	0	0
2714	4.842e+004	-3053	0	0
2715	4.891e+004	-3081	0	0
2716	4.939e+004	-3111	0	0
2717	4.988e+004	-3143	0	0
2718	5.037e+004	-3176	0	0
2719	4.722e+004	1814	0	0
2720	4.77e+004	1792	0	0
2721	4.821e+004	1766	0	0
2722	4.871e+004	1738	0	0
2723	4.922e+004	1709	0	0
2724	4.973e+004	1678	0	0
2725	5.023e+004	1645	0	0
2726	5.074e+004	1610	0	0
2727	5.126e+004	1572	0	0
2728	3.513e+004	2292	0	0
2729	3.563e+004	2280	0	0
2730	3.613e+004	2267	0	0
2731	3.662e+004	2253	0	0
2732	3.712e+004	2239	0	0
2733	3.762e+004	2224	0	0
2734	3.812e+004	2209	0	0
2735	3.861e+004	2193	0	0
2736	3.911e+004	2176	0	0
2737	7.031e+004	-6076	0	0
2738	7.079e+004	-6183	0	0
2739	7.127e+004	-6291	0	0
2740	7.174e+004	-6401	0	0
2741	7.222e+004	-6513	0	0
2742	7.27e+004	-6627	0	0
2743	7.317e+004	-6742	0	0
2744	7.364e+004	-6859	0	0
2745	7.412e+004	-6978	0	0
2746	7.185e+004	-1500	0	0
2747	7.235e+004	-1614	0	0
2748	7.284e+004	-1729	0	0
2749	7.334e+004	-1846	0	0
2750	7.384e+004	-1965	0	0
2751	7.433e+004	-2085	0	0
2752	7.483e+004	-2207	0	0
2753	2.758e+004	2401	0	0
2754	2.808e+004	2398	0	0
2755	2.858e+004	2395	0	0
2756	2.909e+004	2391	0	0
2757	2.959e+004	2386	0	0
2758	3.009e+004	2381	0	0
2759	3.059e+004	2375	0	0
2760	3.109e+004	2368	0	0
2761	6.311e+004	-4680	0	0
2762	6.36e+004	-4761	0	0
2763	6.408e+004	-4844	0	0
2764	6.456e+004	-4928	0	0
2765	6.504e+004	-5014	0	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


2766	6.552e+004	-5102	0	0
2767	6.6e+004	-5192	0	0
2768	6.648e+004	-5283	0	0
2769	5.529e+004	1213	0	0
2770	5.58e+004	1161	0	0
2771	5.63e+004	1106	0	0
2772	5.68e+004	1049	0	0
2773	5.73e+004	991.1	0	0
2774	5.781e+004	931	0	0
2775	5.831e+004	869.1	0	0
2776	5.881e+004	805.4	0	0
2777	5.931e+004	739.9	0	0
2778	7.462e+004	-7105	0	0
2779	7.512e+004	-7234	0	0
2780	7.562e+004	-7365	0	0
2781	7.612e+004	-7498	0	0
2782	7.662e+004	-7633	0	0
2783	7.712e+004	-7770	0	0
2784	7.761e+004	-7909	0	0
2785	7.821e+004	-8077	0	0
2786	4.319e+004	2015	0	0
2787	4.369e+004	1993	0	0
2788	4.419e+004	1969	0	0
2789	4.47e+004	1945	0	0
2790	4.52e+004	1920	0	0
2791	4.57e+004	1895	0	0
2792	4.621e+004	1869	0	0
2793	4.671e+004	1842	0	0
2794	3.962e+004	2158	0	0
2795	4.013e+004	2140	0	0
2796	4.064e+004	2121	0	0
2797	4.115e+004	2101	0	0
2798	4.166e+004	2081	0	0
2799	4.217e+004	2060	0	0
2800	4.268e+004	2038	0	0
2801	3.16e+004	2361	0	0
2802	3.21e+004	2353	0	0
2803	3.261e+004	2345	0	0
2804	3.311e+004	2335	0	0
2805	3.362e+004	2326	0	0
2806	3.412e+004	2315	0	0
2807	3.463e+004	2304	0	0
2808	2.758e+004	-2399	0	0
2809	2.807e+004	-2402	0	0
2810	2.857e+004	-2405	0	0
2811	2.907e+004	-2409	0	0
2812	2.957e+004	-2414	0	0
2813	3.007e+004	-2419	0	0
2814	3.056e+004	-2425	0	0
2815	3.106e+004	-2432	0	0
2816	3.156e+004	-2439	0	0
2817	3.205e+004	-2447	0	0
2818	3.255e+004	-2455	0	0
2819	3.304e+004	-2464	0	0
2820	3.354e+004	-2474	0	0
2821	3.403e+004	-2484	0	0
2822	3.453e+004	-2495	0	0
2823	3.502e+004	-2507	0	0
2824	6.333e+004	149.1	0	0
2825	6.383e+004	66.63	0	0
2826	6.433e+004	-17.7	0	0
2827	6.484e+004	-103.9	0	0
2828	6.534e+004	-191.8	0	0
2829	6.584e+004	-281.6	0	0
2830	6.635e+004	-373.3	0	0
2831	6.685e+004	-466.7	0	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


2832	3.904e+004	-2624	0	0
2833	3.953e+004	-2641	0	0
2834	4.002e+004	-2659	0	0
2835	4.051e+004	-2678	0	0
2836	4.1e+004	-2697	0	0
2837	4.149e+004	-2716	0	0
2838	4.198e+004	-2737	0	0
2839	4.247e+004	-2758	0	0
2840	4.296e+004	-2779	0	0
2841	5.175e+004	1534	0	0
2842	5.226e+004	1494	0	0
2843	5.277e+004	1452	0	0
2844	5.327e+004	1408	0	0
2845	5.378e+004	1362	0	0
2846	5.428e+004	1314	0	0
2847	5.479e+004	1265	0	0
2848	6.696e+004	-5376	0	0
2849	6.744e+004	-5471	0	0
2850	6.792e+004	-5568	0	0
2851	6.84e+004	-5666	0	0
2852	6.888e+004	-5766	0	0
2853	6.936e+004	-5867	0	0
2854	6.984e+004	-5971	0	0
2855	3.553e+004	-2519	0	0
2856	3.603e+004	-2532	0	0
2857	3.653e+004	-2546	0	0
2858	3.703e+004	-2560	0	0
2859	3.753e+004	-2575	0	0
2860	3.804e+004	-2591	0	0
2861	3.854e+004	-2607	0	0
2862	5.981e+004	672.4	0	0
2863	6.032e+004	603.1	0	0
2864	6.082e+004	531.9	0	0
2865	6.132e+004	459	0	0
2866	6.182e+004	384.2	0	0
2867	6.232e+004	307.7	0	0
2868	6.283e+004	229.3	0	0
2869	4.346e+004	-2802	0	0
2870	4.396e+004	-2825	0	0
2871	4.446e+004	-2849	0	0
2872	4.496e+004	-2874	0	0
2873	4.545e+004	-2899	0	0
2874	4.595e+004	-2925	0	0
2875	4.645e+004	-2951	0	0
2876	2.308e+004	2396	2320	0
2877	2.308e+004	-2404	2320	0
2878	2.708e+004	2403	2320	0
2879	2.708e+004	-2397	2320	0
2880	3.109e+004	2368	2320	0
2881	3.106e+004	-2432	2320	0
2882	3.513e+004	2292	2320	0
2883	3.502e+004	-2507	2320	0
2884	4.319e+004	2015	2320	0
2885	4.296e+004	-2779	2320	0
2886	4.722e+004	1814	2320	0
2887	4.691e+004	-2976	2320	0
2888	5.126e+004	1572	2320	0
2889	5.086e+004	-3211	2320	0
2890	5.529e+004	1213	2320	0
2891	5.48e+004	-3561	2320	0
2892	5.931e+004	739.9	2320	0
2893	5.873e+004	-4025	2320	0
2894	6.333e+004	149.1	2320	0
2895	6.263e+004	-4601	2320	0
2896	6.735e+004	-562	2320	0
2897	6.648e+004	-5283	2320	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

2898	7.135e+004	-1389	2320	0
2899	7.031e+004	-6076	2320	0
2900	7.533e+004	-2332	2320	0
2901	7.412e+004	-6978	2320	0
2902	2.308e+004	2396	260	0
2903	2.308e+004	-3.87	260	0
2904	2.708e+004	2403	260	0
2905	2.708e+004	2.78	260	0
2906	3.109e+004	2368	260	0
2907	3.108e+004	-31.71	260	0
2908	3.513e+004	2292	260	0
2909	3.508e+004	-107.5	260	0
2910	4.319e+004	2015	260	0
2911	4.307e+004	-382	260	0
2912	4.722e+004	1814	260	0
2913	4.707e+004	-580.9	260	0
2914	5.126e+004	1572	260	0
2915	5.106e+004	-819.9	260	0
2916	5.529e+004	1213	260	0
2917	5.505e+004	-1174	260	0
2918	5.931e+004	739.9	260	0
2919	5.902e+004	-1643	260	0
2920	6.333e+004	149.1	260	0
2921	6.298e+004	-2226	260	0
2922	6.735e+004	-562	260	0
2923	6.692e+004	-2923	260	0
2924	7.135e+004	-1389	260	0
2925	7.083e+004	-3732	260	0
2926	7.533e+004	-2332	260	0
2927	7.472e+004	-4655	260	0
2928	2.308e+004	-2404	260	0
2929	2.708e+004	-2397	260	0
2930	3.106e+004	-2432	260	0
2931	3.502e+004	-2507	260	0
2932	4.296e+004	-2779	260	0
2933	4.691e+004	-2976	260	0
2934	5.086e+004	-3211	260	0
2935	5.48e+004	-3561	260	0
2936	5.873e+004	-4025	260	0
2937	6.263e+004	-4601	260	0
2938	6.648e+004	-5283	260	0
2939	7.031e+004	-6076	260	0
2940	7.412e+004	-6978	260	0
2941	2.109e+004	-1.935	2320	0
2942	2.508e+004	-0.545	2320	0
2943	2.908e+004	-24.54	2320	0
2944	3.308e+004	-91.47	2320	0
2945	3.708e+004	-155.1	2320	0
2946	3.911e+004	2176	2320	0
2947	3.904e+004	-2624	2320	0
2948	4.107e+004	-349.9	2320	0
2949	4.507e+004	-507.7	2320	0
2950	4.906e+004	-727.1	2320	0
2951	5.305e+004	-1024	2320	0
2952	5.703e+004	-1434	2320	0
2953	6.099e+004	-1969	2320	0
2954	6.494e+004	-2626	2320	0
2955	6.886e+004	-3378	2320	0
2956	7.276e+004	-4245	2320	0
2957	7.65e+004	-5182	2320	0
2958	7.898e+004	-3306	2320	0
2959	7.761e+004	-7909	2320	0
2960	2.508e+004	-0.545	260	0
2961	2.908e+004	-24.54	260	0
2962	3.308e+004	-91.47	260	0
2963	3.708e+004	-155.1	260	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


2964	3.911e+004	2176	260	0
2965	3.904e+004	-2624	260	0
2966	4.107e+004	-349.9	260	0
2967	4.507e+004	-507.7	260	0
2968	4.906e+004	-727.1	260	0
2969	5.305e+004	-1024	260	0
2970	5.703e+004	-1434	260	0
2971	6.099e+004	-1969	260	0
2972	6.494e+004	-2626	260	0
2973	6.886e+004	-3378	260	0
2974	7.276e+004	-4245	260	0
2975	7.65e+004	-5182	260	0
2976	7.898e+004	-3306	260	0
2977	7.761e+004	-7909	260	0
2978	2.109e+004	-1.935	260	0
2979	2.109e+004	2398	0	0
2980	2.159e+004	2398	0	0
2981	2.109e+004	-2402	0	0
2982	2.159e+004	-2402	0	0
2983	7.898e+004	-3306	2500	0
2984	7.956e+004	-3470	2500	0
2985	2.308e+004	2396	2500	0
2986	2.358e+004	2399	2500	0
2987	2.408e+004	2402	2500	0
2988	2.458e+004	2403	2500	0
2989	2.508e+004	2405	2500	0
2990	2.558e+004	2405	2500	0
2991	2.608e+004	2405	2500	0
2992	2.658e+004	2404	2500	0
2993	2.708e+004	2403	2500	0
2994	7.533e+004	-2332	2500	0
2995	7.585e+004	-2465	2500	0
2996	7.637e+004	-2600	2500	0
2997	7.689e+004	-2737	2500	0
2999	7.742e+004	-2876	2500	0
3000	7.794e+004	-3018	2500	0
3001	7.846e+004	-3161	2500	0
3002	5.48e+004	-3561	2500	0
3003	5.529e+004	-3613	2500	0
3004	5.578e+004	-3666	2500	0
3005	5.628e+004	-3722	2500	0
3006	5.677e+004	-3779	2500	0
3007	5.726e+004	-3838	2500	0
3008	5.775e+004	-3898	2500	0
3009	5.824e+004	-3961	2500	0
3010	5.873e+004	-4025	2500	0
3011	6.735e+004	-562	2500	0
3012	6.785e+004	-659	2500	0
3013	6.835e+004	-757.8	2500	0
3014	6.885e+004	-858.5	2500	0
3015	6.935e+004	-960.9	2500	0
3016	6.985e+004	-1065	2500	0
3017	7.035e+004	-1171	2500	0
3018	7.085e+004	-1279	2500	0
3019	7.135e+004	-1389	2500	0
3020	5.086e+004	-3211	2500	0
3021	5.135e+004	-3249	2500	0
3022	5.185e+004	-3288	2500	0
3023	5.234e+004	-3329	2500	0
3024	5.283e+004	-3372	2500	0
3025	5.332e+004	-3417	2500	0
3026	5.382e+004	-3463	2500	0
3027	5.431e+004	-3511	2500	0
3028	2.308e+004	-2404	2500	0
3029	2.361e+004	-2401	2500	0
3030	2.41e+004	-2398	2500	0

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


3031	2.46e+004	-2397	2500	0
3032	2.509e+004	-2395	2500	0
3033	2.559e+004	-2395	2500	0
3034	2.609e+004	-2395	2500	0
3035	2.658e+004	-2396	2500	0
3036	2.708e+004	-2397	2500	0
3037	5.922e+004	-4091	2500	0
3038	5.971e+004	-4158	2500	0
3039	6.019e+004	-4228	2500	0
3040	6.068e+004	-4299	2500	0
3041	6.117e+004	-4372	2500	0
3042	6.166e+004	-4446	2500	0
3043	6.214e+004	-4523	2500	0
3044	6.263e+004	-4601	2500	0
3045	4.691e+004	-2976	2500	0
3046	4.744e+004	-3001	2500	0
3047	4.793e+004	-3026	2500	0
3048	4.842e+004	-3053	2500	0
3049	4.891e+004	-3081	2500	0
3050	4.939e+004	-3111	2500	0
3051	4.988e+004	-3143	2500	0
3052	5.037e+004	-3176	2500	0
3053	4.722e+004	1814	2500	0
3054	4.77e+004	1792	2500	0
3055	4.821e+004	1766	2500	0
3056	4.871e+004	1738	2500	0
3057	4.922e+004	1709	2500	0
3058	4.973e+004	1678	2500	0
3059	5.023e+004	1645	2500	0
3060	5.074e+004	1610	2500	0
3061	5.126e+004	1572	2500	0
3062	3.513e+004	2292	2500	0
3063	3.563e+004	2280	2500	0
3064	3.613e+004	2267	2500	0
3065	3.662e+004	2253	2500	0
3066	3.712e+004	2239	2500	0
3067	3.762e+004	2224	2500	0
3068	3.812e+004	2209	2500	0
3069	3.861e+004	2193	2500	0
3070	3.911e+004	2176	2500	0
3071	7.031e+004	-6076	2500	0
3072	7.079e+004	-6183	2500	0
3073	7.127e+004	-6291	2500	0
3074	7.174e+004	-6401	2500	0
3075	7.222e+004	-6513	2500	0
3076	7.27e+004	-6627	2500	0
3077	7.317e+004	-6742	2500	0
3078	7.364e+004	-6859	2500	0
3079	7.412e+004	-6978	2500	0
3080	7.185e+004	-1500	2500	0
3081	7.235e+004	-1614	2500	0
3082	7.284e+004	-1729	2500	0
3083	7.334e+004	-1846	2500	0
3084	7.384e+004	-1965	2500	0
3085	7.433e+004	-2085	2500	0
3086	7.483e+004	-2207	2500	0
3087	2.758e+004	2401	2500	0
3088	2.808e+004	2398	2500	0
3089	2.858e+004	2395	2500	0
3090	2.909e+004	2391	2500	0
3091	2.959e+004	2386	2500	0
3092	3.009e+004	2381	2500	0
3093	3.059e+004	2375	2500	0
3094	3.109e+004	2368	2500	0
3095	6.311e+004	-4680	2500	0
3096	6.36e+004	-4761	2500	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

3097	6.408e+004	-4844	2500	0
3098	6.456e+004	-4928	2500	0
3099	6.504e+004	-5014	2500	0
3100	6.552e+004	-5102	2500	0
3101	6.6e+004	-5192	2500	0
3102	6.648e+004	-5283	2500	0
3103	5.529e+004	1213	2500	0
3104	5.58e+004	1161	2500	0
3105	5.63e+004	1106	2500	0
3106	5.68e+004	1049	2500	0
3107	5.73e+004	991.1	2500	0
3108	5.781e+004	931	2500	0
3109	5.831e+004	869.1	2500	0
3110	5.881e+004	805.4	2500	0
3111	5.931e+004	739.9	2500	0
3112	7.462e+004	-7105	2500	0
3113	7.512e+004	-7234	2500	0
3114	7.562e+004	-7365	2500	0
3115	7.612e+004	-7498	2500	0
3116	7.662e+004	-7633	2500	0
3117	7.712e+004	-7770	2500	0
3118	7.761e+004	-7909	2500	0
3119	7.821e+004	-8077	2500	0
3120	4.319e+004	2015	2500	0
3121	4.369e+004	1993	2500	0
3122	4.419e+004	1969	2500	0
3123	4.47e+004	1945	2500	0
3124	4.52e+004	1920	2500	0
3125	4.57e+004	1895	2500	0
3126	4.621e+004	1869	2500	0
3127	4.671e+004	1842	2500	0
3128	3.962e+004	2158	2500	0
3129	4.013e+004	2140	2500	0
3130	4.064e+004	2121	2500	0
3131	4.115e+004	2101	2500	0
3132	4.166e+004	2081	2500	0
3133	4.217e+004	2060	2500	0
3134	4.268e+004	2038	2500	0
3135	3.16e+004	2361	2500	0
3136	3.21e+004	2353	2500	0
3137	3.261e+004	2345	2500	0
3138	3.311e+004	2335	2500	0
3139	3.362e+004	2326	2500	0
3140	3.412e+004	2315	2500	0
3141	3.463e+004	2304	2500	0
3142	2.758e+004	-2399	2500	0
3143	2.807e+004	-2402	2500	0
3144	2.857e+004	-2405	2500	0
3145	2.907e+004	-2409	2500	0
3146	2.957e+004	-2414	2500	0
3147	3.007e+004	-2419	2500	0
3148	3.056e+004	-2425	2500	0
3149	3.106e+004	-2432	2500	0
3150	3.156e+004	-2439	2500	0
3151	3.205e+004	-2447	2500	0
3152	3.255e+004	-2455	2500	0
3153	3.304e+004	-2464	2500	0
3154	3.354e+004	-2474	2500	0
3155	3.403e+004	-2484	2500	0
3156	3.453e+004	-2495	2500	0
3157	3.502e+004	-2507	2500	0
3158	6.333e+004	149.1	2500	0
3159	6.383e+004	66.63	2500	0
3160	6.433e+004	-17.7	2500	0
3161	6.484e+004	-103.9	2500	0
3162	6.534e+004	-191.8	2500	0

PROJECT TITLE :


	Company	Client		
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	
3163	6.584e+004	-281.6	2500	0
3164	6.635e+004	-373.3	2500	0
3165	6.685e+004	-466.7	2500	0
3166	3.904e+004	-2624	2500	0
3167	3.953e+004	-2641	2500	0
3168	4.002e+004	-2659	2500	0
3169	4.051e+004	-2678	2500	0
3170	4.1e+004	-2697	2500	0
3171	4.149e+004	-2716	2500	0
3172	4.198e+004	-2737	2500	0
3173	4.247e+004	-2758	2500	0
3174	4.296e+004	-2779	2500	0
3175	5.175e+004	1534	2500	0
3176	5.226e+004	1494	2500	0
3177	5.277e+004	1452	2500	0
3178	5.327e+004	1408	2500	0
3179	5.378e+004	1362	2500	0
3180	5.428e+004	1314	2500	0
3181	5.479e+004	1265	2500	0
3182	6.696e+004	-5376	2500	0
3183	6.744e+004	-5471	2500	0
3184	6.792e+004	-5568	2500	0
3185	6.84e+004	-5666	2500	0
3186	6.888e+004	-5766	2500	0
3187	6.936e+004	-5867	2500	0
3188	6.984e+004	-5971	2500	0
3189	3.553e+004	-2519	2500	0
3190	3.603e+004	-2532	2500	0
3191	3.653e+004	-2546	2500	0
3192	3.703e+004	-2560	2500	0
3193	3.753e+004	-2575	2500	0
3194	3.804e+004	-2591	2500	0
3195	3.854e+004	-2607	2500	0
3196	5.981e+004	672.4	2500	0
3197	6.032e+004	603.1	2500	0
3198	6.082e+004	531.9	2500	0
3199	6.132e+004	459	2500	0
3200	6.182e+004	384.2	2500	0
3201	6.232e+004	307.7	2500	0
3202	6.283e+004	229.3	2500	0
3203	4.346e+004	-2802	2500	0
3204	4.396e+004	-2825	2500	0
3205	4.446e+004	-2849	2500	0
3206	4.496e+004	-2874	2500	0
3207	4.545e+004	-2899	2500	0
3208	4.595e+004	-2925	2500	0
3209	4.645e+004	-2951	2500	0
3210	1.96e+004	2400	2500	0
3211	1.96e+004	-2400	2500	0
3212	2.109e+004	2398	2500	0
3213	2.159e+004	2398	2500	0
3214	2.109e+004	-2402	2500	0
3215	2.159e+004	-2402	2500	0
3216	2.009e+004	2399	0	0
3217	2.059e+004	2399	0	0
3218	2.009e+004	-2401	0	0
3219	2.059e+004	-2401	0	0
3220	2.208e+004	2397	0	0
3221	2.258e+004	2397	0	0
3222	2.208e+004	-2403	0	0
3223	2.258e+004	-2403	0	0
3224	2.009e+004	2399	2500	0
3225	2.059e+004	2399	2500	0
3226	2.009e+004	-2401	2500	0
3227	2.059e+004	-2401	2500	0
3228	2.208e+004	2397	2500	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


3229	2.258e+004	2397	2500	0
3230	2.208e+004	-2403	2500	0
3231	2.258e+004	-2403	2500	0
3232	3.905e+004	-2144	0	0
3233	3.905e+004	-2144	260	0
3234	3.905e+004	-2144	2320	0
3235	3.905e+004	-2144	2500	0
3236	7.775e+004	-7449	0	0
3237	7.775e+004	-7449	260	0
3238	7.775e+004	-7449	2320	0
3239	7.775e+004	-7449	2500	0
3240	3.905e+004	-1664	0	0
3241	3.905e+004	-1664	260	0
3242	3.906e+004	-1184	0	0
3243	3.906e+004	-1184	260	0
3244	3.907e+004	-704.1	0	0
3245	3.907e+004	-704.1	260	0
3246	3.908e+004	-224.1	0	0
3247	3.908e+004	-224.1	260	0
3248	3.908e+004	255.9	0	0
3249	3.908e+004	255.9	260	0
3250	3.909e+004	736	0	0
3251	3.909e+004	736	260	0
3252	3.91e+004	1216	0	0
3253	3.91e+004	1216	260	0
3254	3.91e+004	1696	0	0
3255	3.91e+004	1696	260	0
3256	3.905e+004	-1664	2320	0
3257	3.906e+004	-1184	2320	0
3258	3.907e+004	-704.1	2320	0
3259	3.908e+004	-224.1	2320	0
3260	3.908e+004	255.9	2320	0
3261	3.909e+004	736	2320	0
3262	3.91e+004	1216	2320	0
3263	3.91e+004	1696	2320	0
3264	3.905e+004	-1664	2500	0
3265	3.906e+004	-1184	2500	0
3266	3.907e+004	-704.1	2500	0
3267	3.908e+004	-224.1	2500	0
3268	3.908e+004	255.9	2500	0
3269	3.909e+004	736	2500	0
3270	3.91e+004	1216	2500	0
3271	3.91e+004	1696	2500	0
3272	7.789e+004	-6988	0	0
3273	7.789e+004	-6988	260	0
3274	7.802e+004	-6528	0	0
3275	7.802e+004	-6528	260	0
3276	7.816e+004	-6068	0	0
3277	7.816e+004	-6068	260	0
3278	7.83e+004	-5608	0	0
3279	7.83e+004	-5608	260	0
3280	7.843e+004	-5147	0	0
3281	7.843e+004	-5147	260	0
3282	7.857e+004	-4687	0	0
3283	7.857e+004	-4687	260	0
3284	7.871e+004	-4227	0	0
3285	7.871e+004	-4227	260	0
3286	7.884e+004	-3767	0	0
3287	7.884e+004	-3767	260	0
3288	7.789e+004	-6988	2320	0
3289	7.802e+004	-6528	2320	0
3290	7.816e+004	-6068	2320	0
3291	7.83e+004	-5608	2320	0
3292	7.843e+004	-5147	2320	0
3293	7.857e+004	-4687	2320	0
3294	7.871e+004	-4227	2320	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


3295	7.884e+004	-3767	2320	0
3296	7.789e+004	-6988	2500	0
3297	7.802e+004	-6528	2500	0
3298	7.816e+004	-6068	2500	0
3299	7.83e+004	-5608	2500	0
3300	7.843e+004	-5147	2500	0
3301	7.857e+004	-4687	2500	0
3302	7.871e+004	-4227	2500	0
3303	7.884e+004	-3767	2500	0
3304	1.96e+004	2400	260	0
3305	1.96e+004	-2400	260	0
3306	7.956e+004	-3470	260	0
3307	2.358e+004	2399	260	0
3308	2.408e+004	2402	260	0
3309	2.458e+004	2403	260	0
3310	2.508e+004	2405	260	0
3311	2.558e+004	2405	260	0
3312	2.608e+004	2405	260	0
3313	2.658e+004	2404	260	0
3314	7.585e+004	-2465	260	0
3315	7.637e+004	-2600	260	0
3316	7.689e+004	-2737	260	0
3318	7.742e+004	-2876	260	0
3319	7.794e+004	-3018	260	0
3320	7.846e+004	-3161	260	0
3321	5.529e+004	-3613	260	0
3322	5.578e+004	-3666	260	0
3323	5.628e+004	-3722	260	0
3324	5.677e+004	-3779	260	0
3325	5.726e+004	-3838	260	0
3326	5.775e+004	-3898	260	0
3327	5.824e+004	-3961	260	0
3328	6.785e+004	-659	260	0
3329	6.835e+004	-757.8	260	0
3330	6.885e+004	-858.5	260	0
3331	6.935e+004	-960.9	260	0
3332	6.985e+004	-1065	260	0
3333	7.035e+004	-1171	260	0
3334	7.085e+004	-1279	260	0
3335	5.135e+004	-3249	260	0
3336	5.185e+004	-3288	260	0
3337	5.234e+004	-3329	260	0
3338	5.283e+004	-3372	260	0
3339	5.332e+004	-3417	260	0
3340	5.382e+004	-3463	260	0
3341	5.431e+004	-3511	260	0
3342	2.361e+004	-2401	260	0
3343	2.41e+004	-2398	260	0
3344	2.46e+004	-2397	260	0
3345	2.509e+004	-2395	260	0
3346	2.559e+004	-2395	260	0
3347	2.609e+004	-2395	260	0
3348	2.658e+004	-2396	260	0
3349	5.922e+004	-4091	260	0
3350	5.971e+004	-4158	260	0
3351	6.019e+004	-4228	260	0
3352	6.068e+004	-4299	260	0
3353	6.117e+004	-4372	260	0
3354	6.166e+004	-4446	260	0
3355	6.214e+004	-4523	260	0
3356	4.744e+004	-3001	260	0
3357	4.793e+004	-3026	260	0
3358	4.842e+004	-3053	260	0
3359	4.891e+004	-3081	260	0
3360	4.939e+004	-3111	260	0
3361	4.988e+004	-3143	260	0

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


3362	5.037e+004	-3176	260	0
3363	4.77e+004	1792	260	0
3364	4.821e+004	1766	260	0
3365	4.871e+004	1738	260	0
3366	4.922e+004	1709	260	0
3367	4.973e+004	1678	260	0
3368	5.023e+004	1645	260	0
3369	5.074e+004	1610	260	0
3370	3.563e+004	2280	260	0
3371	3.613e+004	2267	260	0
3372	3.662e+004	2253	260	0
3373	3.712e+004	2239	260	0
3374	3.762e+004	2224	260	0
3375	3.812e+004	2209	260	0
3376	3.861e+004	2193	260	0
3377	7.079e+004	-6183	260	0
3378	7.127e+004	-6291	260	0
3379	7.174e+004	-6401	260	0
3380	7.222e+004	-6513	260	0
3381	7.27e+004	-6627	260	0
3382	7.317e+004	-6742	260	0
3383	7.364e+004	-6859	260	0
3384	7.185e+004	-1500	260	0
3385	7.235e+004	-1614	260	0
3386	7.284e+004	-1729	260	0
3387	7.334e+004	-1846	260	0
3388	7.384e+004	-1965	260	0
3389	7.433e+004	-2085	260	0
3390	7.483e+004	-2207	260	0
3391	2.758e+004	2401	260	0
3392	2.808e+004	2398	260	0
3393	2.858e+004	2395	260	0
3394	2.909e+004	2391	260	0
3395	2.959e+004	2386	260	0
3396	3.009e+004	2381	260	0
3397	3.059e+004	2375	260	0
3398	6.311e+004	-4680	260	0
3399	6.36e+004	-4761	260	0
3400	6.408e+004	-4844	260	0
3401	6.456e+004	-4928	260	0
3402	6.504e+004	-5014	260	0
3403	6.552e+004	-5102	260	0
3404	6.6e+004	-5192	260	0
3405	5.58e+004	1161	260	0
3406	5.63e+004	1106	260	0
3407	5.68e+004	1049	260	0
3408	5.73e+004	991.1	260	0
3409	5.781e+004	931	260	0
3410	5.831e+004	869.1	260	0
3411	5.881e+004	805.4	260	0
3412	7.462e+004	-7105	260	0
3413	7.512e+004	-7234	260	0
3414	7.562e+004	-7365	260	0
3415	7.612e+004	-7498	260	0
3416	7.662e+004	-7633	260	0
3417	7.712e+004	-7770	260	0
3418	7.821e+004	-8077	260	0
3419	4.369e+004	1993	260	0
3420	4.419e+004	1969	260	0
3421	4.47e+004	1945	260	0
3422	4.52e+004	1920	260	0
3423	4.57e+004	1895	260	0
3424	4.621e+004	1869	260	0
3425	4.671e+004	1842	260	0
3426	3.962e+004	2158	260	0
3427	4.013e+004	2140	260	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

3428	4.064e+004	2121	260	0
3429	4.115e+004	2101	260	0
3430	4.166e+004	2081	260	0
3431	4.217e+004	2060	260	0
3432	4.268e+004	2038	260	0
3433	3.16e+004	2361	260	0
3434	3.21e+004	2353	260	0
3435	3.261e+004	2345	260	0
3436	3.311e+004	2335	260	0
3437	3.362e+004	2326	260	0
3438	3.412e+004	2315	260	0
3439	3.463e+004	2304	260	0
3440	2.758e+004	-2399	260	0
3441	2.807e+004	-2402	260	0
3442	2.857e+004	-2405	260	0
3443	2.907e+004	-2409	260	0
3444	2.957e+004	-2414	260	0
3445	3.007e+004	-2419	260	0
3446	3.056e+004	-2425	260	0
3447	3.156e+004	-2439	260	0
3448	3.205e+004	-2447	260	0
3449	3.255e+004	-2455	260	0
3450	3.304e+004	-2464	260	0
3451	3.354e+004	-2474	260	0
3452	3.403e+004	-2484	260	0
3453	3.453e+004	-2495	260	0
3454	6.383e+004	66.63	260	0
3455	6.433e+004	-17.7	260	0
3456	6.484e+004	-103.9	260	0
3457	6.534e+004	-191.8	260	0
3458	6.584e+004	-281.6	260	0
3459	6.635e+004	-373.3	260	0
3460	6.685e+004	-466.7	260	0
3461	3.953e+004	-2641	260	0
3462	4.002e+004	-2659	260	0
3463	4.051e+004	-2678	260	0
3464	4.1e+004	-2697	260	0
3465	4.149e+004	-2716	260	0
3466	4.198e+004	-2737	260	0
3467	4.247e+004	-2758	260	0
3468	5.175e+004	1534	260	0
3469	5.226e+004	1494	260	0
3470	5.277e+004	1452	260	0
3471	5.327e+004	1408	260	0
3472	5.378e+004	1362	260	0
3473	5.428e+004	1314	260	0
3474	5.479e+004	1265	260	0
3475	6.696e+004	-5376	260	0
3476	6.744e+004	-5471	260	0
3477	6.792e+004	-5568	260	0
3478	6.84e+004	-5666	260	0
3479	6.888e+004	-5766	260	0
3480	6.936e+004	-5867	260	0
3481	6.984e+004	-5971	260	0
3482	3.553e+004	-2519	260	0
3483	3.603e+004	-2532	260	0
3484	3.653e+004	-2546	260	0
3485	3.703e+004	-2560	260	0
3486	3.753e+004	-2575	260	0
3487	3.804e+004	-2591	260	0
3488	3.854e+004	-2607	260	0
3489	5.981e+004	672.4	260	0
3490	6.032e+004	603.1	260	0
3491	6.082e+004	531.9	260	0
3492	6.132e+004	459	260	0
3493	6.182e+004	384.2	260	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


3494	6.232e+004	307.7	260	0
3495	6.283e+004	229.3	260	0
3496	4.346e+004	-2802	260	0
3497	4.396e+004	-2825	260	0
3498	4.446e+004	-2849	260	0
3499	4.496e+004	-2874	260	0
3500	4.545e+004	-2899	260	0
3501	4.595e+004	-2925	260	0
3502	4.645e+004	-2951	260	0
3503	2.159e+004	2398	260	0
3504	2.109e+004	2398	260	0
3505	2.159e+004	-2402	260	0
3506	2.109e+004	-2402	260	0
3507	2.009e+004	2399	260	0
3508	2.059e+004	2399	260	0
3509	2.009e+004	-2401	260	0
3510	2.059e+004	-2401	260	0
3511	2.208e+004	2397	260	0
3512	2.258e+004	2397	260	0
3513	2.208e+004	-2403	260	0
3514	2.258e+004	-2403	260	0
3515	1.96e+004	2400	2320	0
3516	1.96e+004	-2400	2320	0
3517	7.956e+004	-3470	2320	0
3518	2.358e+004	2399	2320	0
3519	2.408e+004	2402	2320	0
3520	2.458e+004	2403	2320	0
3521	2.508e+004	2405	2320	0
3522	2.558e+004	2405	2320	0
3523	2.608e+004	2405	2320	0
3524	2.658e+004	2404	2320	0
3525	7.585e+004	-2465	2320	0
3526	7.637e+004	-2600	2320	0
3527	7.689e+004	-2737	2320	0
3529	7.742e+004	-2876	2320	0
3530	7.794e+004	-3018	2320	0
3531	7.846e+004	-3161	2320	0
3532	5.529e+004	-3613	2320	0
3533	5.578e+004	-3666	2320	0
3534	5.628e+004	-3722	2320	0
3535	5.677e+004	-3779	2320	0
3536	5.726e+004	-3838	2320	0
3537	5.775e+004	-3898	2320	0
3538	5.824e+004	-3961	2320	0
3539	6.785e+004	-659	2320	0
3540	6.835e+004	-757.8	2320	0
3541	6.885e+004	-858.5	2320	0
3542	6.935e+004	-960.9	2320	0
3543	6.985e+004	-1065	2320	0
3544	7.035e+004	-1171	2320	0
3545	7.085e+004	-1279	2320	0
3546	5.135e+004	-3249	2320	0
3547	5.185e+004	-3288	2320	0
3548	5.234e+004	-3329	2320	0
3549	5.283e+004	-3372	2320	0
3550	5.332e+004	-3417	2320	0
3551	5.382e+004	-3463	2320	0
3552	5.431e+004	-3511	2320	0
3553	2.361e+004	-2401	2320	0
3554	2.41e+004	-2398	2320	0
3555	2.46e+004	-2397	2320	0
3556	2.509e+004	-2395	2320	0
3557	2.559e+004	-2395	2320	0
3558	2.609e+004	-2395	2320	0
3559	2.658e+004	-2396	2320	0
3560	5.922e+004	-4091	2320	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


3561	5.971e+004	-4158	2320	0
3562	6.019e+004	-4228	2320	0
3563	6.068e+004	-4299	2320	0
3564	6.117e+004	-4372	2320	0
3565	6.166e+004	-4446	2320	0
3566	6.214e+004	-4523	2320	0
3567	4.744e+004	-3001	2320	0
3568	4.793e+004	-3026	2320	0
3569	4.842e+004	-3053	2320	0
3570	4.891e+004	-3081	2320	0
3571	4.939e+004	-3111	2320	0
3572	4.988e+004	-3143	2320	0
3573	5.037e+004	-3176	2320	0
3574	4.77e+004	1792	2320	0
3575	4.821e+004	1766	2320	0
3576	4.871e+004	1738	2320	0
3577	4.922e+004	1709	2320	0
3578	4.973e+004	1678	2320	0
3579	5.023e+004	1645	2320	0
3580	5.074e+004	1610	2320	0
3581	3.563e+004	2280	2320	0
3582	3.613e+004	2267	2320	0
3583	3.662e+004	2253	2320	0
3584	3.712e+004	2239	2320	0
3585	3.762e+004	2224	2320	0
3586	3.812e+004	2209	2320	0
3587	3.861e+004	2193	2320	0
3588	7.079e+004	-6183	2320	0
3589	7.127e+004	-6291	2320	0
3590	7.174e+004	-6401	2320	0
3591	7.222e+004	-6513	2320	0
3592	7.27e+004	-6627	2320	0
3593	7.317e+004	-6742	2320	0
3594	7.364e+004	-6859	2320	0
3595	7.412e+004	-6977	2320	0
3596	7.459e+004	-7095	2320	0
3597	7.506e+004	-7213	2320	0
3598	7.553e+004	-7331	2320	0
3599	7.600e+004	-7449	2320	0
3600	7.647e+004	-7567	2320	0
3601	7.694e+004	-7685	2320	0
3602	2.758e+004	2401	2320	0
3603	2.808e+004	2398	2320	0
3604	2.858e+004	2395	2320	0
3605	2.909e+004	2391	2320	0
3606	2.959e+004	2386	2320	0
3607	3.009e+004	2381	2320	0
3608	3.059e+004	2375	2320	0
3609	6.311e+004	-4680	2320	0
3610	6.36e+004	-4761	2320	0
3611	6.408e+004	-4844	2320	0
3612	6.456e+004	-4928	2320	0
3613	6.504e+004	-5014	2320	0
3614	6.552e+004	-5102	2320	0
3615	6.6e+004	-5192	2320	0
3616	5.58e+004	1161	2320	0
3617	5.63e+004	1106	2320	0
3618	5.68e+004	1049	2320	0
3619	5.73e+004	991.1	2320	0
3620	5.781e+004	931	2320	0
3621	5.831e+004	869.1	2320	0
3622	5.881e+004	805.4	2320	0
3623	7.462e+004	-7105	2320	0
3624	7.512e+004	-7234	2320	0
3625	7.562e+004	-7365	2320	0
3626	7.612e+004	-7498	2320	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

3627	7.662e+004	-7633	2320	0
3628	7.712e+004	-7770	2320	0
3629	7.821e+004	-8077	2320	0
3630	4.369e+004	1993	2320	0
3631	4.419e+004	1969	2320	0
3632	4.47e+004	1945	2320	0
3633	4.52e+004	1920	2320	0
3634	4.57e+004	1895	2320	0
3635	4.621e+004	1869	2320	0
3636	4.671e+004	1842	2320	0
3637	3.962e+004	2158	2320	0
3638	4.013e+004	2140	2320	0
3639	4.064e+004	2121	2320	0
3640	4.115e+004	2101	2320	0
3641	4.166e+004	2081	2320	0
3642	4.217e+004	2060	2320	0
3643	4.268e+004	2038	2320	0
3644	3.16e+004	2361	2320	0
3645	3.21e+004	2353	2320	0
3646	3.261e+004	2345	2320	0
3647	3.311e+004	2335	2320	0
3648	3.362e+004	2326	2320	0
3649	3.412e+004	2315	2320	0
3650	3.463e+004	2304	2320	0
3651	2.758e+004	-2399	2320	0
3652	2.807e+004	-2402	2320	0
3653	2.857e+004	-2405	2320	0
3654	2.907e+004	-2409	2320	0
3655	2.957e+004	-2414	2320	0
3656	3.007e+004	-2419	2320	0
3657	3.056e+004	-2425	2320	0
3658	3.156e+004	-2439	2320	0
3659	3.205e+004	-2447	2320	0
3660	3.255e+004	-2455	2320	0
3661	3.304e+004	-2464	2320	0
3662	3.354e+004	-2474	2320	0
3663	3.403e+004	-2484	2320	0
3664	3.453e+004	-2495	2320	0
3665	6.383e+004	66.63	2320	0
3666	6.433e+004	-17.7	2320	0
3667	6.484e+004	-103.9	2320	0
3668	6.534e+004	-191.8	2320	0
3669	6.584e+004	-281.6	2320	0
3670	6.635e+004	-373.3	2320	0
3671	6.685e+004	-466.7	2320	0
3672	3.953e+004	-2641	2320	0
3673	4.002e+004	-2659	2320	0
3674	4.051e+004	-2678	2320	0
3675	4.1e+004	-2697	2320	0
3676	4.149e+004	-2716	2320	0
3677	4.198e+004	-2737	2320	0
3678	4.247e+004	-2758	2320	0
3679	5.175e+004	1534	2320	0
3680	5.226e+004	1494	2320	0
3681	5.277e+004	1452	2320	0
3682	5.327e+004	1408	2320	0
3683	5.378e+004	1362	2320	0
3684	5.428e+004	1314	2320	0
3685	5.479e+004	1265	2320	0
3686	6.696e+004	-5376	2320	0
3687	6.744e+004	-5471	2320	0
3688	6.792e+004	-5568	2320	0
3689	6.84e+004	-5666	2320	0
3690	6.888e+004	-5766	2320	0
3691	6.936e+004	-5867	2320	0
3692	6.984e+004	-5971	2320	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


3693	3.553e+004	-2519	2320	0
3694	3.603e+004	-2532	2320	0
3695	3.653e+004	-2546	2320	0
3696	3.703e+004	-2560	2320	0
3697	3.753e+004	-2575	2320	0
3698	3.804e+004	-2591	2320	0
3699	3.854e+004	-2607	2320	0
3700	5.981e+004	672.4	2320	0
3701	6.032e+004	603.1	2320	0
3702	6.082e+004	531.9	2320	0
3703	6.132e+004	459	2320	0
3704	6.182e+004	384.2	2320	0
3705	6.232e+004	307.7	2320	0
3706	6.283e+004	229.3	2320	0
3707	4.346e+004	-2802	2320	0
3708	4.396e+004	-2825	2320	0
3709	4.446e+004	-2849	2320	0
3710	4.496e+004	-2874	2320	0
3711	4.545e+004	-2899	2320	0
3712	4.595e+004	-2925	2320	0
3713	4.645e+004	-2951	2320	0
3714	2.159e+004	2398	2320	0
3715	2.109e+004	2398	2320	0
3716	2.159e+004	-2402	2320	0
3717	2.109e+004	-2402	2320	0
3718	2.009e+004	2399	2320	0
3719	2.059e+004	2399	2320	0
3720	2.009e+004	-2401	2320	0
3721	2.059e+004	-2401	2320	0
3722	2.208e+004	2397	2320	0
3723	2.258e+004	2397	2320	0
3724	2.208e+004	-2403	2320	0
3725	2.258e+004	-2403	2320	0
3726	6100	476	2680	0
3732	1.06e+004	476	2680	0
3734	1.41e+004	-476	2680	0
3743	6100	-953	2680	0
3745	1.61e+004	952	2680	0
3757	6100	-476	2680	0
3760	7100	-476	2680	0
3761	1.76e+004	-476	2680	0
3762	1.81e+004	-1432	2680	0
3772	1.81e+004	-952	2680	0
3774	1.91e+004	-953	2680	0
3776	1.91e+004	953	2680	0
3786	9600	-953	2680	0
3787	9100	952	2680	0
3788	9600	953	2680	0
3791	6100	953	2680	0
3804	1.16e+004	952	2680	0
3820	1.06e+004	-476	2680	0
3822	1.21e+004	-1433	2680	0
3823	1.21e+004	-476	2680	0
3824	1.31e+004	-476	2680	0
3844	1.76e+004	476	2680	0
3845	1.66e+004	476	2680	0
3846	1.61e+004	1432	2680	0
3848	1.11e+004	-952	2680	0
3876	1.41e+004	476	2680	0
3879	1.31e+004	476	2680	0
3886	1.66e+004	-476	2680	0
3887	1.21e+004	476	2680	0
3888	1.16e+004	1432	2680	0
3955	9600	476	2680	0
3956	9100	1432	2680	0
3958	1.36e+004	952	2680	0

PROJECT TITLE :


	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

3959	1.36e+004	1432	2680	0
3961	7100	476	2680	0
3967	3.91e+004	1696	2680	0
3968	3.91e+004	1216	2680	0
3969	3.909e+004	736	2680	0
3970	3.908e+004	255.9	2680	0
3971	3.908e+004	-224.1	2680	0
3972	3.907e+004	-704.1	2680	0
3973	3.906e+004	-1184	2680	0
3974	3.905e+004	-1664	2680	0
3975	3.905e+004	-2144	2680	0
3976	7.884e+004	-3767	2680	0
3977	7.871e+004	-4227	2680	0
3978	7.857e+004	-4687	2680	0
3979	7.843e+004	-5147	2680	0
3980	7.83e+004	-5608	2680	0
3981	7.816e+004	-6068	2680	0
3982	7.802e+004	-6528	2680	0
3983	7.789e+004	-6988	2680	0
3984	7.775e+004	-7449	2680	0
4166	1.91e+004	1915	2680	0
4167	1.86e+004	1914	2680	0
4168	1.81e+004	1914	2680	0
4169	1.76e+004	1914	2680	0
4170	1.71e+004	1914	2680	0
4171	1.66e+004	1914	2680	0
4172	1.61e+004	1914	2680	0
4173	1.56e+004	1914	2680	0
4174	1.51e+004	1914	2680	0
4175	1.46e+004	1914	2680	0
4176	1.41e+004	1914	2680	0
4177	1.36e+004	1914	2680	0
4178	1.31e+004	1914	2680	0
4179	1.26e+004	1914	2680	0
4180	1.21e+004	1914	2680	0
4181	1.16e+004	1914	2680	0
4182	1.11e+004	1914	2680	0
4183	1.06e+004	1914	2680	0
4184	1.01e+004	1914	2680	0
4185	9600	1914	2680	0
4186	9100	1914	2680	0
4187	8600	1914	2680	0
4188	8100	1914	2680	0
4189	7600	1914	2680	0
4190	7100	1914	2680	0
4191	6600	1914	2680	0
4192	6100	1914	2680	0
4193	5600	1914	2680	0
4194	5100	1914	2680	0
4195	4600	1914	2680	0
4219	4600	-1914	2680	0
4220	5100	-1914	2680	0
4221	5600	-1914	2680	0
4222	6100	-1914	2680	0
4223	6600	-1914	2680	0
4224	7100	-1914	2680	0
4225	7600	-1914	2680	0
4226	8100	-1914	2680	0
4227	8600	-1914	2680	0
4228	9100	-1914	2680	0
4229	9600	-1914	2680	0
4230	1.01e+004	-1914	2680	0
4231	1.06e+004	-1914	2680	0
4232	1.11e+004	-1914	2680	0
4233	1.16e+004	-1914	2680	0
4234	1.21e+004	-1914	2680	0

PROJECT TITLE :


	Company	Client		
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	
4235	1.26e+004	-1914	2680	0
4236	1.31e+004	-1914	2680	0
4237	1.36e+004	-1914	2680	0
4238	1.41e+004	-1914	2680	0
4239	1.46e+004	-1914	2680	0
4240	1.51e+004	-1914	2680	0
4241	1.56e+004	-1914	2680	0
4242	1.61e+004	-1914	2680	0
4243	1.66e+004	-1914	2680	0
4244	1.71e+004	-1914	2680	0
4245	1.76e+004	-1914	2680	0
4246	1.81e+004	-1914	2680	0
4247	1.86e+004	-1914	2680	0
4248	1.91e+004	-1915	2680	0
4337	1.01e+004	952	2680	0
4339	1.01e+004	-3.109e-011	2680	0
4341	1.01e+004	-952	2680	0
4350	5600	1432	2680	0
4353	5601	-3.109e-011	2680	0
4356	5600	-1432	2680	0
4357	1.46e+004	-1432	2680	0
4360	1.46e+004	-3.109e-011	2680	0
4363	1.46e+004	1432	2680	0
4381	3082	-3.109e-011	2680	0
4385	7600	-1432	2680	0
4388	7600	-3.109e-011	2680	0
4391	7600	1432	2680	0
4392	1.71e+004	-1432	2680	0
4395	1.71e+004	-3.109e-011	2680	0
4398	1.71e+004	1432	2680	0
4399	1.26e+004	1432	2680	0
4400	1.26e+004	952	2680	0
4402	1.26e+004	-3.109e-011	2680	0
4404	1.26e+004	-952	2680	0
4405	1.26e+004	-1432	2680	0
4434	2563	-3.109e-011	2680	0
4440	4601	-3.109e-011	2680	0
4441	5101	-3.109e-011	2680	0
4442	8100	-3.109e-011	2680	0
4443	8600	-3.109e-011	2680	0
4444	9100	-3.109e-011	2680	0
4445	9600	-3.109e-011	2680	0
4446	7100	-3.109e-011	2680	0
4447	6600	-3.109e-011	2680	0
4448	6100	-3.109e-011	2680	0
4449	1.76e+004	-3.109e-011	2680	0
4450	1.81e+004	-3.109e-011	2680	0
4451	1.86e+004	-3.109e-011	2680	0
4452	1.91e+004	-3.109e-011	2680	0
4453	1.66e+004	-3.109e-011	2680	0
4454	1.61e+004	-3.109e-011	2680	0
4455	1.56e+004	-3.109e-011	2680	0
4456	1.51e+004	-3.109e-011	2680	0
4457	1.21e+004	-3.109e-011	2680	0
4458	1.16e+004	-3.109e-011	2680	0
4459	1.11e+004	-3.109e-011	2680	0
4460	1.06e+004	-3.109e-011	2680	0
4461	1.31e+004	-3.109e-011	2680	0
4462	1.36e+004	-3.109e-011	2680	0
4463	1.41e+004	-3.109e-011	2680	0
4483	2.258e+004	-3.109e-011	2680	0
4500	-600	-2400	2680	0
4501	0	-2400	2680	0
4502	516.7	-2400	2680	0
4503	1033	-2400	2680	0
4504	1550	-2400	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


4505	2067	-2400	2680	0
4506	2583	-2400	2680	0
4507	3100	-2400	2680	0
4508	3600	-2400	2680	0
4509	4100	-2400	2680	0
4510	4600	-2400	2680	0
4511	5100	-2400	2680	0
4512	5600	-2400	2680	0
4513	6100	-2400	2680	0
4514	6600	-2400	2680	0
4515	7100	-2400	2680	0
4516	7600	-2400	2680	0
4517	8100	-2400	2680	0
4518	8600	-2400	2680	0
4519	9100	-2400	2680	0
4520	9600	-2400	2680	0
4521	1.01e+004	-2400	2680	0
4522	1.06e+004	-2400	2680	0
4523	1.11e+004	-2400	2680	0
4524	1.16e+004	-2400	2680	0
4525	1.21e+004	-2400	2680	0
4526	1.26e+004	-2400	2680	0
4527	1.31e+004	-2400	2680	0
4528	1.36e+004	-2400	2680	0
4529	1.41e+004	-2400	2680	0
4530	1.46e+004	-2400	2680	0
4531	1.51e+004	-2400	2680	0
4532	1.56e+004	-2400	2680	0
4533	1.61e+004	-2400	2680	0
4534	1.66e+004	-2400	2680	0
4535	1.71e+004	-2400	2680	0
4536	1.76e+004	-2400	2680	0
4537	1.81e+004	-2400	2680	0
4538	1.86e+004	-2400	2680	0
4539	1.91e+004	-2400	2680	0
4540	1.96e+004	-2400	2680	0
4541	2.009e+004	-2401	2680	0
4542	2.059e+004	-2401	2680	0
4543	2.109e+004	-2402	2680	0
4544	2.159e+004	-2402	2680	0
4545	2.208e+004	-2403	2680	0
4546	2.258e+004	-2403	2680	0
4547	2.308e+004	-2404	2680	0
4548	2.361e+004	-2401	2680	0
4549	2.41e+004	-2398	2680	0
4550	2.46e+004	-2397	2680	0
4551	2.509e+004	-2395	2680	0
4552	2.559e+004	-2395	2680	0
4553	2.609e+004	-2395	2680	0
4554	2.658e+004	-2396	2680	0
4555	2.708e+004	-2397	2680	0
4556	2.758e+004	-2399	2680	0
4557	2.807e+004	-2402	2680	0
4558	2.857e+004	-2405	2680	0
4559	2.907e+004	-2409	2680	0
4560	2.957e+004	-2414	2680	0
4561	3.007e+004	-2419	2680	0
4562	3.056e+004	-2425	2680	0
4563	3.106e+004	-2432	2680	0
4564	3.156e+004	-2439	2680	0
4565	3.205e+004	-2447	2680	0
4566	3.255e+004	-2455	2680	0
4567	3.304e+004	-2464	2680	0
4568	3.354e+004	-2474	2680	0
4569	3.403e+004	-2484	2680	0
4570	3.453e+004	-2495	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

4571	3.502e+004	-2507	2680	0
4572	3.553e+004	-2519	2680	0
4573	3.603e+004	-2532	2680	0
4574	3.653e+004	-2546	2680	0
4575	3.703e+004	-2560	2680	0
4576	3.753e+004	-2575	2680	0
4577	3.804e+004	-2591	2680	0
4578	3.854e+004	-2607	2680	0
4579	3.904e+004	-2624	2680	0
4580	3.953e+004	-2641	2680	0
4581	4.002e+004	-2659	2680	0
4582	4.051e+004	-2678	2680	0
4583	4.1e+004	-2697	2680	0
4584	4.149e+004	-2716	2680	0
4585	4.198e+004	-2737	2680	0
4586	4.247e+004	-2758	2680	0
4587	4.296e+004	-2779	2680	0
4588	4.346e+004	-2802	2680	0
4589	4.396e+004	-2825	2680	0
4590	4.446e+004	-2849	2680	0
4591	4.496e+004	-2874	2680	0
4592	4.545e+004	-2899	2680	0
4593	4.595e+004	-2925	2680	0
4594	4.645e+004	-2951	2680	0
4595	4.691e+004	-2976	2680	0
4596	4.744e+004	-3001	2680	0
4597	4.793e+004	-3026	2680	0
4598	4.842e+004	-3053	2680	0
4599	4.891e+004	-3081	2680	0
4600	4.939e+004	-3111	2680	0
4601	4.988e+004	-3143	2680	0
4602	5.037e+004	-3176	2680	0
4603	5.086e+004	-3211	2680	0
4604	5.135e+004	-3249	2680	0
4605	5.185e+004	-3288	2680	0
4606	5.234e+004	-3329	2680	0
4607	5.283e+004	-3372	2680	0
4608	5.332e+004	-3417	2680	0
4609	5.382e+004	-3463	2680	0
4610	5.431e+004	-3511	2680	0
4611	5.48e+004	-3561	2680	0
4612	5.529e+004	-3613	2680	0
4613	5.578e+004	-3666	2680	0
4614	5.628e+004	-3722	2680	0
4615	5.677e+004	-3779	2680	0
4616	5.726e+004	-3838	2680	0
4617	5.775e+004	-3898	2680	0
4618	5.824e+004	-3961	2680	0
4619	5.873e+004	-4025	2680	0
4620	5.922e+004	-4091	2680	0
4621	5.971e+004	-4158	2680	0
4622	6.019e+004	-4228	2680	0
4623	6.068e+004	-4299	2680	0
4624	6.117e+004	-4372	2680	0
4625	6.166e+004	-4446	2680	0
4626	6.214e+004	-4523	2680	0
4627	6.263e+004	-4601	2680	0
4628	6.311e+004	-4680	2680	0
4629	6.36e+004	-4761	2680	0
4630	6.408e+004	-4844	2680	0
4631	6.456e+004	-4928	2680	0
4632	6.504e+004	-5014	2680	0
4633	6.552e+004	-5102	2680	0
4634	6.6e+004	-5192	2680	0
4635	6.648e+004	-5283	2680	0
4636	6.696e+004	-5376	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

4637	6.744e+004	-5471	2680	0
4638	6.792e+004	-5568	2680	0
4639	6.84e+004	-5666	2680	0
4640	6.888e+004	-5766	2680	0
4641	6.936e+004	-5867	2680	0
4642	6.984e+004	-5971	2680	0
4643	7.031e+004	-6076	2680	0
4644	7.079e+004	-6183	2680	0
4645	7.127e+004	-6291	2680	0
4646	7.174e+004	-6401	2680	0
4647	7.222e+004	-6513	2680	0
4648	7.27e+004	-6627	2680	0
4649	7.317e+004	-6742	2680	0
4650	7.364e+004	-6859	2680	0
4651	7.412e+004	-6978	2680	0
4652	7.462e+004	-7105	2680	0
4653	7.512e+004	-7234	2680	0
4654	7.562e+004	-7365	2680	0
4655	7.612e+004	-7498	2680	0
4656	7.662e+004	-7633	2680	0
4657	7.712e+004	-7770	2680	0
4658	7.761e+004	-7909	2680	0
4659	7.821e+004	-8077	2680	0
4660	-600	2400	2680	0
4661	0	2400	2680	0
4662	516.7	2400	2680	0
4663	1033	2400	2680	0
4664	1550	2400	2680	0
4665	2067	2400	2680	0
4666	2583	2400	2680	0
4667	3100	2400	2680	0
4668	3600	2400	2680	0
4669	4100	2400	2680	0
4670	4600	2400	2680	0
4671	5100	2400	2680	0
4672	5600	2400	2680	0
4673	6100	2400	2680	0
4674	6600	2400	2680	0
4675	7100	2400	2680	0
4676	7600	2400	2680	0
4677	8100	2400	2680	0
4678	8600	2400	2680	0
4679	9100	2400	2680	0
4680	9600	2400	2680	0
4681	1.01e+004	2400	2680	0
4682	1.06e+004	2400	2680	0
4683	1.11e+004	2400	2680	0
4684	1.16e+004	2400	2680	0
4685	1.21e+004	2400	2680	0
4686	1.26e+004	2400	2680	0
4687	1.31e+004	2400	2680	0
4688	1.36e+004	2400	2680	0
4689	1.41e+004	2400	2680	0
4690	1.46e+004	2400	2680	0
4691	1.51e+004	2400	2680	0
4692	1.56e+004	2400	2680	0
4693	1.61e+004	2400	2680	0
4694	1.66e+004	2400	2680	0
4695	1.71e+004	2400	2680	0
4696	1.76e+004	2400	2680	0
4697	1.81e+004	2400	2680	0
4698	1.86e+004	2400	2680	0
4699	1.91e+004	2400	2680	0
4700	1.96e+004	2400	2680	0
4701	2.009e+004	2399	2680	0
4702	2.059e+004	2399	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


4703	2.109e+004	2398	2680	0
4704	2.159e+004	2398	2680	0
4705	2.208e+004	2397	2680	0
4706	2.258e+004	2397	2680	0
4707	2.308e+004	2396	2680	0
4708	2.358e+004	2399	2680	0
4709	2.408e+004	2402	2680	0
4710	2.458e+004	2403	2680	0
4711	2.508e+004	2405	2680	0
4712	2.558e+004	2405	2680	0
4713	2.608e+004	2405	2680	0
4714	2.658e+004	2404	2680	0
4715	2.708e+004	2403	2680	0
4716	2.758e+004	2401	2680	0
4717	2.808e+004	2398	2680	0
4718	2.858e+004	2395	2680	0
4719	2.909e+004	2391	2680	0
4720	2.959e+004	2386	2680	0
4721	3.009e+004	2381	2680	0
4722	3.059e+004	2375	2680	0
4723	3.109e+004	2368	2680	0
4724	3.16e+004	2361	2680	0
4725	3.21e+004	2353	2680	0
4726	3.261e+004	2345	2680	0
4727	3.311e+004	2335	2680	0
4728	3.362e+004	2326	2680	0
4729	3.412e+004	2315	2680	0
4730	3.463e+004	2304	2680	0
4731	3.513e+004	2292	2680	0
4732	3.563e+004	2280	2680	0
4733	3.613e+004	2267	2680	0
4734	3.662e+004	2253	2680	0
4735	3.712e+004	2239	2680	0
4736	3.762e+004	2224	2680	0
4737	3.812e+004	2209	2680	0
4738	3.861e+004	2193	2680	0
4739	3.911e+004	2176	2680	0
4740	3.962e+004	2158	2680	0
4741	4.013e+004	2140	2680	0
4742	4.064e+004	2121	2680	0
4743	4.115e+004	2101	2680	0
4744	4.166e+004	2081	2680	0
4745	4.217e+004	2060	2680	0
4746	4.268e+004	2038	2680	0
4747	4.319e+004	2015	2680	0
4748	4.369e+004	1993	2680	0
4749	4.419e+004	1969	2680	0
4750	4.47e+004	1945	2680	0
4751	4.52e+004	1920	2680	0
4752	4.57e+004	1895	2680	0
4753	4.621e+004	1869	2680	0
4754	4.671e+004	1842	2680	0
4755	4.722e+004	1814	2680	0
4756	4.77e+004	1792	2680	0
4757	4.821e+004	1766	2680	0
4758	4.871e+004	1738	2680	0
4759	4.922e+004	1709	2680	0
4760	4.973e+004	1678	2680	0
4761	5.023e+004	1645	2680	0
4762	5.074e+004	1610	2680	0
4763	5.126e+004	1572	2680	0
4764	5.175e+004	1534	2680	0
4765	5.226e+004	1494	2680	0
4766	5.277e+004	1452	2680	0
4767	5.327e+004	1408	2680	0
4768	5.378e+004	1362	2680	0

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

4769	5.428e+004	1314	2680	0
4770	5.479e+004	1265	2680	0
4771	5.529e+004	1213	2680	0
4772	5.58e+004	1161	2680	0
4773	5.63e+004	1106	2680	0
4774	5.68e+004	1049	2680	0
4775	5.73e+004	991.1	2680	0
4776	5.781e+004	931	2680	0
4777	5.831e+004	869.1	2680	0
4778	5.881e+004	805.4	2680	0
4779	5.931e+004	739.9	2680	0
4780	5.981e+004	672.4	2680	0
4781	6.032e+004	603.1	2680	0
4782	6.082e+004	531.9	2680	0
4783	6.132e+004	459	2680	0
4784	6.182e+004	384.2	2680	0
4785	6.232e+004	307.7	2680	0
4786	6.283e+004	229.3	2680	0
4787	6.333e+004	149.1	2680	0
4788	6.383e+004	66.63	2680	0
4789	6.433e+004	-17.7	2680	0
4790	6.484e+004	-103.9	2680	0
4791	6.534e+004	-191.8	2680	0
4792	6.584e+004	-281.6	2680	0
4793	6.635e+004	-373.3	2680	0
4794	6.685e+004	-466.7	2680	0
4795	6.735e+004	-562	2680	0
4796	6.785e+004	-659	2680	0
4797	6.835e+004	-757.8	2680	0
4798	6.885e+004	-858.5	2680	0
4799	6.935e+004	-960.9	2680	0
4800	6.985e+004	-1065	2680	0
4801	7.035e+004	-1171	2680	0
4802	7.085e+004	-1279	2680	0
4803	7.135e+004	-1389	2680	0
4804	7.185e+004	-1500	2680	0
4805	7.235e+004	-1614	2680	0
4806	7.284e+004	-1729	2680	0
4807	7.334e+004	-1846	2680	0
4808	7.384e+004	-1965	2680	0
4809	7.433e+004	-2085	2680	0
4810	7.483e+004	-2207	2680	0
4811	7.533e+004	-2332	2680	0
4812	7.585e+004	-2465	2680	0
4813	7.637e+004	-2600	2680	0
4814	7.689e+004	-2737	2680	0
4815	7.742e+004	-2876	2680	0
4816	7.794e+004	-3018	2680	0
4817	7.846e+004	-3161	2680	0
4818	7.898e+004	-3306	2680	0
4819	7.956e+004	-3470	2680	0
4825	1.61e+004	476	2680	0
4830	1.21e+004	1433	2680	0
7036	2.109e+004	-1916	2680	0
7037	2.159e+004	-1916	2680	0
7038	2.059e+004	-1916	2680	0
7039	2.009e+004	-1916	2680	0
7040	1.96e+004	-1915	2680	0
7041	4100	-1913	2680	0
7042	3597	-1912	2680	0
7043	3092	-1910	2680	0
7044	2577	-1909	2680	0
7045	2059	-1908	2680	0
7046	1540	-1910	2680	0
7047	1024	-1913	2680	0
7048	510	-1917	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


7049	506	-1434	2680	0
7050	502	-954	2680	0
7051	501	-476	2680	0
7052	499	1	2680	0
7053	499	478	2680	0
7054	500	955	2680	0
7055	505	1434	2680	0
7056	510	1916	2680	0
7057	1023	1913	2680	0
7058	1540	1911	2680	0
7059	2058	1910	2680	0
7060	2576	1911	2680	0
7061	3090	1911	2680	0
7062	3596	1913	2680	0
7063	4099	1913	2680	0
7064	1.96e+004	1914	2680	0
7065	2.009e+004	1914	2680	0
7066	2.059e+004	1914	2680	0
7067	2.109e+004	1913	2680	0
7068	2.159e+004	1913	2680	0
7069	2.208e+004	1912	2680	0
7070	2.258e+004	1912	2680	0
7071	2.308e+004	1912	2680	0
7072	2.358e+004	1914	2680	0
7073	2.408e+004	1916	2680	0
7074	2.458e+004	1917	2680	0
7075	2.508e+004	1918	2680	0
7076	2.558e+004	1918	2680	0
7077	2.608e+004	1918	2680	0
7078	2.658e+004	1917	2680	0
7079	2.708e+004	1916	2680	0
7080	2.758e+004	1913	2680	0
7081	2.808e+004	1911	2680	0
7082	2.858e+004	1907	2680	0
7083	2.908e+004	1903	2680	0
7084	2.958e+004	1898	2680	0
7085	3.009e+004	1893	2680	0
7086	3.059e+004	1886	2680	0
7087	3.109e+004	1879	2680	0
7088	3.159e+004	1871	2680	0
7089	3.21e+004	1864	2680	0
7090	3.26e+004	1855	2680	0
7091	3.31e+004	1846	2680	0
7092	3.361e+004	1836	2680	0
7093	3.411e+004	1826	2680	0
7094	3.461e+004	1816	2680	0
7095	3.512e+004	1805	2680	0
7096	3.562e+004	1794	2680	0
7097	3.612e+004	1782	2680	0
7098	3.662e+004	1768	2680	0
7099	3.712e+004	1754	2680	0
7101	3.761e+004	1739	2680	0
7102	3.811e+004	1725	2680	0
7103	3.861e+004	1710	2680	0
7104	3.86e+004	1229	2680	0
7105	3.86e+004	748	2680	0
7106	3.859e+004	270	2680	0
7107	3.858e+004	-208	2680	0
7108	3.858e+004	-685	2680	0
7109	3.857e+004	-1163	2680	0
7110	3.856e+004	-1643	2680	0
7111	3.855e+004	-2124	2680	0
7112	3.805e+004	-2105	2680	0
7113	3.755e+004	-2088	2680	0
7114	3.705e+004	-2072	2680	0
7115	3.654e+004	-2059	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


7116	3.604e+004	-2045	2680	0
7117	3.554e+004	-2034	2680	0
7118	3.504e+004	-2022	2680	0
7119	3.454e+004	-2011	2680	0
7120	3.404e+004	-2001	2680	0
7121	3.355e+004	-1991	2680	0
7122	3.305e+004	-1982	2680	0
7123	3.255e+004	-1973	2680	0
7124	3.206e+004	-1965	2680	0
7125	3.156e+004	-1956	2680	0
7126	3.106e+004	-1949	2680	0
7127	3.057e+004	-1942	2680	0
7128	3.007e+004	-1935	2680	0
7129	2.957e+004	-1930	2680	0
7130	2.907e+004	-1925	2680	0
7131	2.857e+004	-1921	2680	0
7132	2.808e+004	-1918	2680	0
7133	2.758e+004	-1915	2680	0
7134	2.708e+004	-1913	2680	0
7135	2.658e+004	-1912	2680	0
7136	2.609e+004	-1911	2680	0
7137	2.559e+004	-1911	2680	0
7138	2.509e+004	-1911	2680	0
7139	2.459e+004	-1910	2680	0
7140	2.41e+004	-1911	2680	0
7141	2.359e+004	-1913	2680	0
7142	2.308e+004	-1914	2680	0
7143	2.258e+004	-1916	2680	0
7144	2.208e+004	-1917	2680	0
7145	2564	-472	2680	0
7146	3083	-473	2680	0
7147	3085	-948	2680	0
7148	2568	-946	2680	0
7149	2054	-1425	2680	0
7150	1535	-1425	2680	0
7151	1528	-944	2680	0
7152	2049	-944	2680	0
7153	1019	-1431	2680	0
7154	1013	-950	2680	0
7155	1011	-473	2680	0
7156	1008	2	2680	0
7157	1521	2	2680	0
7158	1524	-470	2680	0
7159	1009	476	2680	0
7160	1010	952	2680	0
7161	2569	1428	2680	0
7162	2566	947	2680	0
7163	2044	946	2680	0
7164	2051	1426	2680	0
7165	3085	1427	2680	0
7166	3083	947	2680	0
7167	2563	473	2680	0
7168	3082	472	2680	0
7169	2041	1	2680	0
7170	2042	472	2680	0
7171	3592	474	2680	0
7172	3594	-1	2680	0
7173	3593	950	2680	0
7174	4600	1431	2680	0
7175	4601	951	2680	0
7176	4099	951	2680	0
7177	5100	1432	2680	0
7178	5101	952	2680	0
7179	5601	952	2680	0
7180	5101	475	2680	0
7181	5601	475	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


7182	4601	475	2680	0
7183	5101	-476	2680	0
7184	5601	-476	2680	0
7185	5600	-953	2680	0
7186	5101	-953	2680	0
7187	4600	-1432	2680	0
7188	4100	-951	2680	0
7189	4601	-952	2680	0
7190	3595	-1430	2680	0
7191	3594	-950	2680	0
7192	3088	-1427	2680	0
7193	3592	-475	2680	0
7194	4099	-1	2680	0
7195	4099	-475	2680	0
7196	8100	476	2680	0
7197	7600	476	2680	0
7198	7600	953	2680	0
7199	8100	953	2680	0
7200	8600	1432	2680	0
7201	8600	952	2680	0
7202	9600	1433	2680	0
7203	1.01e+004	1432	2680	0
7204	1.01e+004	475	2680	0
7205	9100	475	2680	0
7206	1.01e+004	-476	2680	0
7207	8600	-1431	2680	0
7208	8600	-951	2680	0
7209	8100	-1432	2680	0
7210	8100	-952	2680	0
7211	7600	-952	2680	0
7212	8100	-475	2680	0
7213	7600	-475	2680	0
7214	8600	-475	2680	0
7215	7100	-952	2680	0
7216	7100	-1432	2680	0
7217	6100	-1432	2680	0
7218	6100	1433	2680	0
7219	7100	1433	2680	0
7220	7100	953	2680	0
7221	1.71e+004	476	2680	0
7222	1.71e+004	953	2680	0
7223	1.76e+004	953	2680	0
7224	1.86e+004	1432	2680	0
7225	1.86e+004	952	2680	0
7226	1.91e+004	1433	2680	0
7227	1.96e+004	1432	2680	0
7228	1.96e+004	952	2680	0
7229	1.91e+004	476	2680	0
7230	1.96e+004	475	2680	0
7231	1.96e+004	-1	2680	0
7232	1.86e+004	475	2680	0
7233	1.91e+004	-477	2680	0
7234	1.96e+004	-477	2680	0
7235	1.96e+004	-954	2680	0
7236	1.86e+004	-1433	2680	0
7237	1.86e+004	-953	2680	0
7238	1.76e+004	-1432	2680	0
7239	1.76e+004	-952	2680	0
7240	1.71e+004	-952	2680	0
7241	1.71e+004	-475	2680	0
7242	1.81e+004	-475	2680	0
7243	1.66e+004	-952	2680	0
7244	1.56e+004	-1431	2680	0
7245	1.56e+004	-951	2680	0
7246	1.51e+004	-1432	2680	0
7247	1.51e+004	-952	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


7248	1.46e+004	-952	2680	0
7249	1.51e+004	-475	2680	0
7250	1.46e+004	-475	2680	0
7251	1.56e+004	-475	2680	0
7252	1.51e+004	476	2680	0
7253	1.46e+004	476	2680	0
7254	1.46e+004	953	2680	0
7255	1.51e+004	953	2680	0
7256	1.56e+004	1432	2680	0
7257	1.56e+004	952	2680	0
7258	1.66e+004	1433	2680	0
7259	1.66e+004	953	2680	0
7260	1.26e+004	-476	2680	0
7261	1.21e+004	-953	2680	0
7262	1.11e+004	-1431	2680	0
7263	1.06e+004	-1432	2680	0
7264	1.06e+004	-952	2680	0
7265	1.01e+004	-1431	2680	0
7266	1.11e+004	-475	2680	0
7267	1.06e+004	953	2680	0
7268	1.11e+004	1432	2680	0
7269	1.21e+004	952	2680	0
7270	1.26e+004	475	2680	0
7271	1.16e+004	475	2680	0
7272	1.31e+004	953	2680	0
7273	1.31e+004	1433	2680	0
7274	1.41e+004	1433	2680	0
7275	1.41e+004	953	2680	0
7276	1.41e+004	-952	2680	0
7277	1.41e+004	-1432	2680	0
7278	1.31e+004	-1432	2680	0
7279	1.31e+004	-952	2680	0
7280	3.711e+004	1272	2680	0
7281	3.761e+004	1257	2680	0
7282	3.761e+004	777	2680	0
7283	3.711e+004	792	2680	0
7284	3.811e+004	1243	2680	0
7285	3.81e+004	763	2680	0
7286	3.76e+004	300	2680	0
7287	3.759e+004	-175	2680	0
7288	3.709e+004	-159	2680	0
7289	3.71e+004	316	2680	0
7290	3.66e+004	331	2680	0
7291	3.659e+004	-144	2680	0
7292	3.608e+004	-131	2680	0
7293	3.609e+004	344	2680	0
7294	3.61e+004	821	2680	0
7295	3.66e+004	807	2680	0
7296	3.756e+004	-1606	2680	0
7297	3.706e+004	-1589	2680	0
7298	3.707e+004	-1108	2680	0
7299	3.757e+004	-1125	2680	0
7300	3.708e+004	-633	2680	0
7301	3.758e+004	-649	2680	0
7302	3.655e+004	-1577	2680	0
7303	3.657e+004	-1096	2680	0
7304	3.605e+004	-1563	2680	0
7305	3.606e+004	-1082	2680	0
7306	3.658e+004	-620	2680	0
7307	3.607e+004	-606	2680	0
7308	3.557e+004	-596	2680	0
7309	3.558e+004	-120	2680	0
7310	3.556e+004	-1072	2680	0
7311	3.505e+004	-1541	2680	0
7312	3.455e+004	-1531	2680	0
7313	3.456e+004	-1052	2680	0

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

7314	3.506e+004	-1062	2680	0
7315	3.405e+004	-1522	2680	0
7316	3.406e+004	-1044	2680	0
7317	3.355e+004	-1512	2680	0
7318	3.356e+004	-1034	2680	0
7319	3.407e+004	-568	2680	0
7320	3.357e+004	-559	2680	0
7321	3.358e+004	-84	2680	0
7322	3.408e+004	-93	2680	0
7323	3.458e+004	-101	2680	0
7324	3.457e+004	-576	2680	0
7325	3.409e+004	384	2680	0
7326	3.358e+004	392	2680	0
7327	3.359e+004	870	2680	0
7328	3.409e+004	861	2680	0
7329	3.46e+004	1333	2680	0
7330	3.511e+004	1322	2680	0
7331	3.51e+004	842	2680	0
7332	3.46e+004	851	2680	0
7333	3.561e+004	1312	2680	0
7334	3.611e+004	1300	2680	0
7335	3.56e+004	832	2680	0
7336	3.559e+004	356	2680	0
7337	3.508e+004	-110	2680	0
7338	3.509e+004	365	2680	0
7339	3.107e+004	-517	2680	0
7340	3.108e+004	-42	2680	0
7341	3.158e+004	-50	2680	0
7342	3.157e+004	-525	2680	0
7343	3.157e+004	-1000	2680	0
7344	3.107e+004	-993	2680	0
7345	3.057e+004	-1463	2680	0
7346	3.007e+004	-1455	2680	0
7347	3.007e+004	-977	2680	0
7348	3.057e+004	-984	2680	0
7349	2.957e+004	-1450	2680	0
7350	2.957e+004	-971	2680	0
7351	2.907e+004	-1444	2680	0
7352	2.908e+004	-965	2680	0
7353	2.958e+004	-495	2680	0
7354	2.908e+004	-489	2680	0
7355	2.908e+004	-14	2680	0
7356	2.958e+004	-19	2680	0
7357	3.008e+004	-26	2680	0
7358	3.008e+004	-501	2680	0
7359	2.958e+004	457	2680	0
7360	2.908e+004	462	2680	0
7361	2.908e+004	939	2680	0
7362	2.958e+004	934	2680	0
7363	3.008e+004	1409	2680	0
7364	3.059e+004	1401	2680	0
7365	3.058e+004	920	2680	0
7366	3.008e+004	927	2680	0
7367	3.109e+004	1395	2680	0
7368	3.108e+004	913	2680	0
7369	3.159e+004	1386	2680	0
7370	3.158e+004	904	2680	0
7371	3.108e+004	435	2680	0
7372	3.158e+004	426	2680	0
7373	3.058e+004	-34	2680	0
7374	3.058e+004	442	2680	0
7375	3.208e+004	418	2680	0
7376	3.209e+004	896	2680	0
7377	3.259e+004	887	2680	0
7378	3.258e+004	409	2680	0
7379	3.258e+004	-67	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


7380	3.208e+004	-58	2680	0
7381	3.209e+004	1379	2680	0
7382	3.259e+004	1369	2680	0
7383	3.31e+004	1361	2680	0
7384	3.309e+004	879	2680	0
7385	3.36e+004	1351	2680	0
7386	3.308e+004	401	2680	0
7387	3.308e+004	-75	2680	0
7388	3.307e+004	-550	2680	0
7389	3.307e+004	-1026	2680	0
7390	3.257e+004	-1016	2680	0
7391	3.257e+004	-542	2680	0
7392	3.306e+004	-1503	2680	0
7393	3.256e+004	-1494	2680	0
7394	3.206e+004	-1486	2680	0
7395	3.207e+004	-1009	2680	0
7396	3.157e+004	-1477	2680	0
7397	3.207e+004	-533	2680	0
7398	2.159e+004	-477	2680	0
7399	2.159e+004	-1	2680	0
7400	2.208e+004	-1	2680	0
7401	2.208e+004	-476	2680	0
7402	2.208e+004	-953	2680	0
7403	2.159e+004	-954	2680	0
7404	2.109e+004	-1434	2680	0
7405	2.059e+004	-1434	2680	0
7406	2.059e+004	-954	2680	0
7407	2.109e+004	-954	2680	0
7408	2.009e+004	-1434	2680	0
7409	2.009e+004	-954	2680	0
7410	1.96e+004	-1433	2680	0
7411	2.009e+004	-477	2680	0
7412	2.009e+004	-1	2680	0
7413	2.059e+004	-1	2680	0
7414	2.059e+004	-477	2680	0
7415	2.009e+004	475	2680	0
7416	2.009e+004	952	2680	0
7417	2.059e+004	1432	2680	0
7418	2.109e+004	1431	2680	0
7419	2.109e+004	951	2680	0
7420	2.059e+004	952	2680	0
7421	2.159e+004	1431	2680	0
7422	2.159e+004	951	2680	0
7423	2.208e+004	1431	2680	0
7424	2.208e+004	951	2680	0
7425	2.159e+004	475	2680	0
7426	2.208e+004	474	2680	0
7427	2.109e+004	-1	2680	0
7428	2.109e+004	474	2680	0
7429	2.258e+004	476	2680	0
7430	2.258e+004	952	2680	0
7431	2.308e+004	1431	2680	0
7432	2.358e+004	1432	2680	0
7433	2.358e+004	952	2680	0
7434	2.308e+004	952	2680	0
7435	2.408e+004	1434	2680	0
7436	2.408e+004	954	2680	0
7437	2.458e+004	1434	2680	0
7438	2.458e+004	954	2680	0
7439	2.408e+004	477	2680	0
7440	2.458e+004	477	2680	0
7441	2.459e+004	2	2680	0
7442	2.409e+004	2	2680	0
7443	2.359e+004	2	2680	0
7444	2.358e+004	476	2680	0
7445	2.409e+004	-473	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


7446	2.459e+004	-473	2680	0
7447	2.459e+004	-949	2680	0
7448	2.409e+004	-949	2680	0
7449	2.258e+004	-1433	2680	0
7450	2.258e+004	-952	2680	0
7451	2.309e+004	-949	2680	0
7452	2.309e+004	-1430	2680	0
7453	2.208e+004	-1433	2680	0
7454	2.258e+004	-475	2680	0
7455	2.308e+004	2	2680	0
7456	2.308e+004	-473	2680	0
7457	2.708e+004	475	2680	0
7458	2.708e+004	-1	2680	0
7459	2.658e+004	1	2680	0
7460	2.658e+004	477	2680	0
7461	2.658e+004	954	2680	0
7462	2.708e+004	953	2680	0
7463	2.758e+004	1430	2680	0
7464	2.808e+004	1427	2680	0
7465	2.808e+004	947	2680	0
7466	2.758e+004	950	2680	0
7467	2.858e+004	1424	2680	0
7468	2.858e+004	944	2680	0
7469	2.908e+004	1419	2680	0
7470	2.858e+004	466	2680	0
7471	2.858e+004	-9	2680	0
7472	2.808e+004	-6	2680	0
7473	2.808e+004	470	2680	0
7474	2.858e+004	-485	2680	0
7475	2.858e+004	-962	2680	0
7476	2.808e+004	-1437	2680	0
7477	2.758e+004	-1434	2680	0
7478	2.758e+004	-954	2680	0
7479	2.808e+004	-958	2680	0
7480	2.708e+004	-1433	2680	0
7481	2.708e+004	-953	2680	0
7482	2.658e+004	-1431	2680	0
7483	2.658e+004	-951	2680	0
7484	2.708e+004	-477	2680	0
7485	2.658e+004	-475	2680	0
7486	2.758e+004	-3	2680	0
7487	2.758e+004	-478	2680	0
7488	2.608e+004	-474	2680	0
7489	2.608e+004	-951	2680	0
7490	2.559e+004	-950	2680	0
7491	2.558e+004	-474	2680	0
7492	2.558e+004	2	2680	0
7493	2.608e+004	2	2680	0
7494	2.608e+004	-1431	2680	0
7495	2.559e+004	-1430	2680	0
7496	2.509e+004	-1430	2680	0
7497	2.509e+004	-950	2680	0
7498	2.459e+004	-1428	2680	0
7499	2.509e+004	-474	2680	0
7500	2.508e+004	2	2680	0
7501	2.508e+004	478	2680	0
7502	2.508e+004	955	2680	0
7503	2.558e+004	955	2680	0
7504	2.558e+004	478	2680	0
7505	2.508e+004	1436	2680	0
7506	2.558e+004	1435	2680	0
7507	2.608e+004	1436	2680	0
7508	2.608e+004	955	2680	0
7509	2.658e+004	1434	2680	0
7510	2.608e+004	478	2680	0
7511	2045	-471	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

7512	2572	-1427	2680	0
7513	1524	475	2680	0
7514	1524	949	2680	0
7515	1017	1431	2680	0
7516	1533	1429	2680	0
7517	4098	475	2680	0
7518	3593	1430	2680	0
7519	4601	-476	2680	0
7520	5100	-1433	2680	0
7521	8600	476	2680	0
7522	8100	1433	2680	0
7523	9100	-476	2680	0
7524	9600	-1432	2680	0
7525	1.81e+004	476	2680	0
7526	1.76e+004	1433	2680	0
7527	1.86e+004	-476	2680	0
7528	1.91e+004	-1433	2680	0
7529	1.66e+004	-1432	2680	0
7530	1.56e+004	476	2680	0
7531	1.51e+004	1433	2680	0
7532	1.16e+004	-476	2680	0
7533	1.11e+004	476	2680	0
7534	1.06e+004	1433	2680	0
7535	3.661e+004	1287	2680	0
7536	3.81e+004	286	2680	0
7537	3.809e+004	-191	2680	0
7538	3.808e+004	-666	2680	0
7539	3.807e+004	-1144	2680	0
7540	3.806e+004	-1625	2680	0
7541	3.507e+004	-586	2680	0
7542	3.555e+004	-1552	2680	0
7543	3.459e+004	375	2680	0
7544	3.41e+004	1343	2680	0
7545	3.057e+004	-509	2680	0
7546	3.107e+004	-1470	2680	0
7547	3.008e+004	450	2680	0
7548	2.958e+004	1415	2680	0
7549	2.109e+004	-478	2680	0
7550	2.159e+004	-1435	2680	0
7551	2.059e+004	475	2680	0
7552	2.009e+004	1433	2680	0
7553	2.308e+004	476	2680	0
7554	2.258e+004	1432	2680	0
7555	2.359e+004	-473	2680	0
7556	2.359e+004	-949	2680	0
7557	2.409e+004	-1429	2680	0
7558	2.359e+004	-1430	2680	0
7559	2.758e+004	473	2680	0
7560	2.708e+004	1433	2680	0
7561	2.808e+004	-482	2680	0
7562	2.857e+004	-1441	2680	0
7567	4.398e+004	-2340	2680	0
7568	4.349e+004	-2309	2680	0
7569	4.299e+004	-2297	2680	0
7570	4.249e+004	-2279	2680	0
7571	4.2e+004	-2259	2680	0
7572	4.15e+004	-2239	2680	0
7573	4.101e+004	-2219	2680	0
7574	4.052e+004	-2199	2680	0
7575	4.003e+004	-2180	2680	0
7576	3.954e+004	-2162	2680	0
7577	3.955e+004	-1682	2680	0
7578	3.955e+004	-1203	2680	0
7579	3.956e+004	-725	2680	0
7580	3.957e+004	-247	2680	0
7581	3.958e+004	232	2680	0

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


7582	3.959e+004	711	2680	0
7583	3.96e+004	1193	2680	0
7584	3.961e+004	1675	2680	0
7586	4.012e+004	1654	2680	0
7587	4.062e+004	1632	2680	0
7588	4.113e+004	1612	2680	0
7589	4.164e+004	1591	2680	0
7590	4.215e+004	1570	2680	0
7591	4.265e+004	1549	2680	0
7592	4.316e+004	1526	2680	0
7593	4.366e+004	1502	2680	0
7594	4.417e+004	1475	2680	0
7595	4.468e+004	1443	2680	0
7596	4.52e+004	1411	2680	0
7597	4.573e+004	1378	2680	0
7598	4.62e+004	1349	2680	0
7599	4.666e+004	1320	2680	0
7600	4.714e+004	1290	2680	0
7601	4.765e+004	1258	2680	0
7602	4.817e+004	1236	2680	0
7603	4.868e+004	1206	2680	0
7604	4.918e+004	1174	2680	0
7605	4.969e+004	1142	2680	0
7606	5.02e+004	1109	2680	0
7607	5.07e+004	1074	2680	0
7608	5.121e+004	1038	2680	0
7609	5.171e+004	1000	2680	0
7610	5.221e+004	960	2680	0
7611	5.272e+004	918	2680	0
7612	5.322e+004	875	2680	0
7613	5.373e+004	829	2680	0
7614	5.423e+004	782	2680	0
7615	5.473e+004	733	2680	0
7616	5.524e+004	682	2680	0
7618	5.574e+004	629	2680	0
7619	5.624e+004	575	2680	0
7620	5.674e+004	518	2680	0
7621	5.724e+004	460	2680	0
7622	5.774e+004	400	2680	0
7623	5.824e+004	338	2680	0
7625	5.874e+004	274	2680	0
7626	5.924e+004	209	2680	0
7627	5.975e+004	141	2680	0
7628	6.025e+004	72	2680	0
7629	6.075e+004	1	2680	0
7630	6.125e+004	-72	2680	0
7631	6.175e+004	-147	2680	0
7632	6.225e+004	-223	2680	0
7633	6.275e+004	-302	2680	0
7634	6.325e+004	-383	2680	0
7635	6.375e+004	-465	2680	0
7636	6.425e+004	-549	2680	0
7637	6.475e+004	-636	2680	0
7638	6.525e+004	-723	2680	0
7640	6.575e+004	-813	2680	0
7641	6.625e+004	-904	2680	0
7642	6.675e+004	-997	2680	0
7643	6.725e+004	-1092	2680	0
7644	6.775e+004	-1189	2680	0
7645	6.825e+004	-1287	2680	0
7647	6.875e+004	-1387	2680	0
7648	6.924e+004	-1489	2680	0
7649	6.974e+004	-1593	2680	0
7650	7.024e+004	-1698	2680	0
7651	7.074e+004	-1806	2680	0
7652	7.123e+004	-1915	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


7653	7.173e+004	-2026	2680	0
7654	7.222e+004	-2139	2680	0
7655	7.272e+004	-2253	2680	0
7656	7.321e+004	-2369	2680	0
7657	7.371e+004	-2485	2680	0
7658	7.42e+004	-2601	2680	0
7659	7.469e+004	-2718	2680	0
7660	7.518e+004	-2834	2680	0
7661	7.572e+004	-2968	2680	0
7662	7.624e+004	-3094	2680	0
7663	7.676e+004	-3227	2680	0
7665	7.728e+004	-3351	2680	0
7666	7.78e+004	-3488	2680	0
7667	7.832e+004	-3625	2680	0
7741	4.263e+004	1062	2680	0
7742	4.314e+004	1039	2680	0
7743	4.311e+004	555	2680	0
7744	4.261e+004	578	2680	0
7745	4.209e+004	120	2680	0
7746	4.207e+004	-358	2680	0
7747	4.157e+004	-337	2680	0
7748	4.158e+004	140	2680	0
7749	4.16e+004	620	2680	0
7750	4.211e+004	599	2680	0
7751	4.201e+004	-1783	2680	0
7752	4.152e+004	-1763	2680	0
7753	4.153e+004	-1287	2680	0
7754	4.203e+004	-1308	2680	0
7755	4.255e+004	-853	2680	0
7756	4.257e+004	-378	2680	0
7757	4.307e+004	-401	2680	0
7758	4.305e+004	-874	2680	0
7759	4.303e+004	-1347	2680	0
7760	4.253e+004	-1328	2680	0
7772	4.351e+004	-1829	2680	0
7773	4.301e+004	-1821	2680	0
7774	4.352e+004	-1363	2680	0
7775	4.405e+004	-919.9	2680	0
7776	4.407e+004	-445.4	2680	0
7780	4.403e+004	-1391	2680	0
7781	4.414e+004	981.1	2680	0
7783	4.412e+004	492.6	2680	0
7784	4.358e+004	48	2680	0
7785	4.356e+004	-426	2680	0
7786	4.309e+004	76	2680	0
7787	4.361e+004	529	2680	0
7788	4.102e+004	-1742	2680	0
7789	4.053e+004	-1722	2680	0
7790	4.054e+004	-1244	2680	0
7791	4.104e+004	-1266	2680	0
7792	4.004e+004	-1702	2680	0
7793	4.005e+004	-1224	2680	0
7794	4.006e+004	-747	2680	0
7795	4.055e+004	-768	2680	0
7796	4.007e+004	-270	2680	0
7797	4.056e+004	-292	2680	0
7798	4.105e+004	-790	2680	0
7799	4.107e+004	-315	2680	0
7800	4.155e+004	-812	2680	0
7801	4.008e+004	208	2680	0
7802	4.009e+004	688	2680	0
7803	4.01e+004	1170	2680	0
7804	4.061e+004	1147	2680	0
7805	4.059e+004	664	2680	0
7806	4.058e+004	184	2680	0
7807	4.111e+004	1126	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


7808	4.11e+004	642	2680	0
7809	4.162e+004	1104	2680	0
7810	4.108e+004	163	2680	0
7811	4.213e+004	1084	2680	0
7812	4.259e+004	99	2680	0
7813	4.251e+004	-1803	2680	0
7814	4.205e+004	-833	2680	0
7829	4.4e+004	-1862	2680	0
7830	4.353e+004	-895	2680	0
7831	4.364e+004	1013	2680	0
7832	4.41e+004	30.11	2680	0
8225	2.157e+004	-2903	2680	0
8226	2.107e+004	-2903	2680	0
8227	2.057e+004	-2902	2680	0
8228	2.007e+004	-2902	2680	0
8229	1.957e+004	-2901	2680	0
8230	1.908e+004	-2901	2680	0
8231	1.858e+004	-2901	2680	0
8232	1.808e+004	-2901	2680	0
8233	1.758e+004	-2901	2680	0
8234	1.708e+004	-2901	2680	0
8235	1.658e+004	-2901	2680	0
8236	1.608e+004	-2901	2680	0
8237	1.558e+004	-2901	2680	0
8238	1.508e+004	-2901	2680	0
8239	1.458e+004	-2901	2680	0
8240	1.408e+004	-2901	2680	0
8241	1.358e+004	-2901	2680	0
8242	1.308e+004	-2901	2680	0
8243	1.258e+004	-2901	2680	0
8244	1.208e+004	-2901	2680	0
8245	1.158e+004	-2901	2680	0
8246	1.108e+004	-2901	2680	0
8247	1.058e+004	-2901	2680	0
8248	1.008e+004	-2901	2680	0
8249	9576	-2901	2680	0
8250	9076	-2901	2680	0
8251	8576	-2901	2680	0
8252	8076	-2901	2680	0
8253	7576	-2901	2680	0
8254	7076	-2901	2680	0
8255	6576	-2901	2680	0
8256	6076	-2901	2680	0
8257	5576	-2900	2680	0
8258	5076	-2900	2680	0
8259	4576	-2900	2680	0
8260	4075	-2900	2680	0
8261	3574	-2901	2680	0
8262	3070	-2902	2680	0
8263	2561	-2902	2680	0
8264	2049	-2902	2680	0
8265	1536	-2900	2680	0
8266	1024	-2898	2680	0
8267	511	-2895	2680	0
8268	-1	-2893	2680	0
8269	506	-3390	2680	0
8270	-1	-3387	2680	0
8271	502	-3885	2680	0
8272	-2	-3881	2680	0
8273	-2	-4375	2680	0
8274	498	-4379	2680	0
8275	1006	-3889	2680	0
8276	998	-4382	2680	0
8277	1510	-3893	2680	0
8278	1498	-4386	2680	0
8279	2015	-3895	2680	0

PROJECT TITLE :

	Company			Client
	Author			File Name
				PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


8280	1999	-4389	2680	0
8281	2518	-3897	2680	0
8282	2499	-4391	2680	0
8283	3021	-3898	2680	0
8284	2999	-4394	2680	0
8285	3523	-3898	2680	0
8286	3499	-4396	2680	0
8287	4024	-3899	2680	0
8288	4000	-4398	2680	0
8289	4524	-3900	2680	0
8290	4500	-4400	2680	0
8291	5024	-3901	2680	0
8292	5000	-4401	2680	0
8293	5524	-3902	2680	0
8294	5500	-4403	2680	0
8295	6025	-3903	2680	0
8296	6001	-4404	2680	0
8297	6525	-3903	2680	0
8298	6501	-4405	2680	0
8299	7025	-3904	2680	0
8300	7001	-4405	2680	0
8301	7525	-3904	2680	0
8302	7501	-4406	2680	0
8303	8025	-3905	2680	0
8304	8002	-4406	2680	0
8305	8525	-3905	2680	0
8306	8502	-4407	2680	0
8307	9026	-3905	2680	0
8308	9002	-4407	2680	0
8309	9526	-3905	2680	0
8310	9502	-4407	2680	0
8311	1.003e+004	-3905	2680	0
8312	1e+004	-4407	2680	0
8313	1.053e+004	-3905	2680	0
8314	1.05e+004	-4407	2680	0
8315	1.103e+004	-3905	2680	0
8316	1.1e+004	-4407	2680	0
8317	1.153e+004	-3905	2680	0
8318	1.15e+004	-4406	2680	0
8319	1.203e+004	-3904	2680	0
8320	1.2e+004	-4406	2680	0
8321	1.253e+004	-3904	2680	0
8322	1.25e+004	-4406	2680	0
8323	1.303e+004	-3904	2680	0
8324	1.3e+004	-4405	2680	0
8325	1.353e+004	-3904	2680	0
8326	1.35e+004	-4405	2680	0
8327	1.403e+004	-3903	2680	0
8328	1.4e+004	-4405	2680	0
8329	1.453e+004	-3903	2680	0
8330	1.45e+004	-4404	2680	0
8331	1.503e+004	-3903	2680	0
8332	1.5e+004	-4404	2680	0
8333	1.553e+004	-3903	2680	0
8334	1.55e+004	-4404	2680	0
8335	1.603e+004	-3903	2680	0
8336	1.6e+004	-4404	2680	0
8337	1.653e+004	-3903	2680	0
8338	1.651e+004	-4404	2680	0
8339	1.703e+004	-3903	2680	0
8340	1.701e+004	-4404	2680	0
8341	1.753e+004	-3903	2680	0
8342	1.751e+004	-4404	2680	0
8343	1.803e+004	-3903	2680	0
8344	1.801e+004	-4404	2680	0
8345	1.853e+004	-3903	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

8346	1.851e+004	-4404	2680	0
8347	1.903e+004	-3903	2680	0
8348	1.901e+004	-4405	2680	0
8349	1.953e+004	-3904	2680	0
8350	1.951e+004	-4405	2680	0
8351	2.003e+004	-3905	2680	0
8352	2.001e+004	-4406	2680	0
8353	2.053e+004	-3905	2680	0
8354	2.051e+004	-4407	2680	0
8355	2.103e+004	-3906	2680	0
8356	2.101e+004	-4408	2680	0
8357	2.153e+004	-3908	2680	0
8358	2.151e+004	-4410	2680	0
8359	2.203e+004	-3909	2680	0
8360	2.201e+004	-4411	2680	0
8361	2.253e+004	-3910	2680	0
8362	2.251e+004	-4413	2680	0
8363	2.303e+004	-3912	2680	0
8364	2.301e+004	-4415	2680	0
8365	2.353e+004	-3913	2680	0
8366	2.351e+004	-4418	2680	0
8367	2.403e+004	-3915	2680	0
8368	2.401e+004	-4420	2680	0
8369	2.453e+004	-3916	2680	0
8370	2.451e+004	-4423	2680	0
8371	2.503e+004	-3918	2680	0
8372	2.501e+004	-4426	2680	0
8373	2.553e+004	-3921	2680	0
8374	2.551e+004	-4430	2680	0
8375	2.603e+004	-3924	2680	0
8376	2.601e+004	-4434	2680	0
8377	2.653e+004	-3927	2680	0
8378	2.651e+004	-4438	2680	0
8379	2.703e+004	-3931	2680	0
8380	2.701e+004	-4442	2680	0
8381	2.753e+004	-3935	2680	0
8382	2.751e+004	-4447	2680	0
8383	2.803e+004	-3940	2680	0
8384	2.801e+004	-4452	2680	0
8385	2.853e+004	-3945	2680	0
8386	2.851e+004	-4458	2680	0
8387	2.903e+004	-3951	2680	0
8388	2.901e+004	-4464	2680	0
8389	2.953e+004	-3957	2680	0
8390	2.951e+004	-4470	2680	0
8391	3.002e+004	-3963	2680	0
8392	3.001e+004	-4477	2680	0
8393	3.052e+004	-3970	2680	0
8394	3.051e+004	-4484	2680	0
8395	3.102e+004	-3977	2680	0
8396	3.101e+004	-4492	2680	0
8397	3.152e+004	-3985	2680	0
8398	3.151e+004	-4500	2680	0
8399	3.202e+004	-3993	2680	0
8400	3.201e+004	-4509	2680	0
8401	3.252e+004	-4003	2680	0
8402	3.251e+004	-4519	2680	0
8403	3.302e+004	-4012	2680	0
8404	3.301e+004	-4529	2680	0
8405	3.352e+004	-4023	2680	0
8406	3.351e+004	-4540	2680	0
8407	3.402e+004	-4034	2680	0
8408	3.401e+004	-4551	2680	0
8409	3.452e+004	-4046	2680	0
8410	3.451e+004	-4563	2680	0
8411	3.502e+004	-4059	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


8412	3.501e+004	-4575	2680	0
8413	3.552e+004	-4072	2680	0
8414	3.551e+004	-4589	2680	0
8415	3.602e+004	-4086	2680	0
8416	3.601e+004	-4602	2680	0
8417	3.652e+004	-4101	2680	0
8418	3.651e+004	-4617	2680	0
8419	3.702e+004	-4116	2680	0
8420	3.701e+004	-4632	2680	0
8421	3.752e+004	-4131	2680	0
8422	3.751e+004	-4648	2680	0
8423	3.802e+004	-4147	2680	0
8424	3.801e+004	-4664	2680	0
8425	3.852e+004	-4164	2680	0
8426	3.851e+004	-4682	2680	0
8427	3.901e+004	-4700	2680	0
8428	3.902e+004	-4181	2680	0
8429	3.852e+004	-3645	2680	0
8430	3.903e+004	-3662	2680	0
8431	3.853e+004	-3126	2680	0
8432	3.903e+004	-3143	2680	0
8433	3.803e+004	-3110	2680	0
8434	3.753e+004	-3094	2680	0
8435	3.703e+004	-3079	2680	0
8436	3.652e+004	-3064	2680	0
8437	3.602e+004	-3050	2680	0
8438	3.552e+004	-3036	2680	0
8439	3.502e+004	-3023	2680	0
8440	3.453e+004	-3011	2680	0
8441	3.403e+004	-2999	2680	0
8442	3.353e+004	-2989	2680	0
8443	3.304e+004	-2979	2680	0
8444	3.254e+004	-2969	2680	0
8445	3.204e+004	-2961	2680	0
8446	3.155e+004	-2953	2680	0
8447	3.105e+004	-2946	2680	0
8448	3.055e+004	-2939	2680	0
8449	3.005e+004	-2933	2680	0
8450	2.955e+004	-2927	2680	0
8451	2.906e+004	-2922	2680	0
8452	2.856e+004	-2918	2680	0
8453	2.806e+004	-2914	2680	0
8454	2.756e+004	-2910	2680	0
8455	2.706e+004	-2907	2680	0
8456	2.657e+004	-2905	2680	0
8457	2.607e+004	-2903	2680	0
8458	2.557e+004	-2902	2680	0
8459	2.507e+004	-2902	2680	0
8460	2.458e+004	-2903	2680	0
8461	2.408e+004	-2904	2680	0
8462	2.358e+004	-2904	2680	0
8463	2.307e+004	-2905	2680	0
8464	2.256e+004	-2905	2680	0
8465	2.207e+004	-2904	2680	0
8466	1523	-3397	2680	0
8467	2032	-3400	2680	0
8468	2539	-3400	2680	0
8469	3045	-3400	2680	0
8470	4550	-3400	2680	0
8471	4049	-3400	2680	0
8472	3548	-3400	2680	0
8473	9551	-3403	2680	0
8474	9051	-3403	2680	0
8475	8551	-3403	2680	0
8476	8051	-3403	2680	0
8477	6550	-3402	2680	0

PROJECT TITLE :

	Company	Client		
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	


8478	7051	-3403	2680	0
8479	7551	-3403	2680	0
8480	1.905e+004	-3402	2680	0
8481	1.855e+004	-3402	2680	0
8482	1.805e+004	-3402	2680	0
8483	1.755e+004	-3402	2680	0
8484	1.605e+004	-3402	2680	0
8485	1.655e+004	-3402	2680	0
8486	1.705e+004	-3402	2680	0
8487	1.155e+004	-3403	2680	0
8488	1.205e+004	-3403	2680	0
8489	1.255e+004	-3403	2680	0
8490	1.305e+004	-3403	2680	0
8491	1.455e+004	-3402	2680	0
8492	1.405e+004	-3402	2680	0
8493	1.505e+004	-3402	2680	0
8494	1.355e+004	-3402	2680	0
8495	3.752e+004	-3613	2680	0
8496	3.702e+004	-3598	2680	0
8497	3.652e+004	-3583	2680	0
8498	3.602e+004	-3568	2680	0
8499	3.452e+004	-3528	2680	0
8500	3.502e+004	-3541	2680	0
8501	3.552e+004	-3554	2680	0
8502	3.004e+004	-3448	2680	0
8503	3.054e+004	-3454	2680	0
8504	3.104e+004	-3462	2680	0
8505	3.153e+004	-3469	2680	0
8506	3.303e+004	-3496	2680	0
8507	3.253e+004	-3486	2680	0
8508	3.353e+004	-3506	2680	0
8509	3.203e+004	-3477	2680	0
8510	2.105e+004	-3405	2680	0
8511	2.155e+004	-3405	2680	0
8512	2.205e+004	-3406	2680	0
8513	2.255e+004	-3407	2680	0
8514	2.305e+004	-3408	2680	0
8515	2.355e+004	-3409	2680	0
8516	2.405e+004	-3409	2680	0
8517	2.455e+004	-3409	2680	0
8518	2.804e+004	-3427	2680	0
8519	2.754e+004	-3423	2680	0
8520	2.705e+004	-3419	2680	0
8521	2.655e+004	-3416	2680	0
8522	2.505e+004	-3410	2680	0
8523	2.555e+004	-3411	2680	0
8524	2.605e+004	-3414	2680	0
8525	1015	-3393	2680	0
8526	5050	-3401	2680	0
8527	5550	-3401	2680	0
8528	1.005e+004	-3403	2680	0
8529	1.055e+004	-3403	2680	0
8530	6050	-3402	2680	0
8531	1.955e+004	-3403	2680	0
8532	2.005e+004	-3403	2680	0
8533	1.555e+004	-3402	2680	0
8534	1.105e+004	-3403	2680	0
8535	3.802e+004	-3629	2680	0
8536	3.402e+004	-3517	2680	0
8537	2.954e+004	-3442	2680	0
8538	2.904e+004	-3437	2680	0
8539	2.055e+004	-3404	2680	0
8540	2.854e+004	-3432	2680	0
8541	2.358e+004	2888	2680	0
8542	2.408e+004	2889	2680	0
8543	2.458e+004	2890	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

8544	2.508e+004	2891	2680	0
8545	2.558e+004	2891	2680	0
8546	2.608e+004	2891	2680	0
8547	2.658e+004	2890	2680	0
8548	2.708e+004	2888	2680	0
8549	2.759e+004	2886	2680	0
8550	2.809e+004	2884	2680	0
8551	2.859e+004	2881	2680	0
8552	2.909e+004	2877	2680	0
8553	2.959e+004	2873	2680	0
8554	3.01e+004	2868	2680	0
8555	3.06e+004	2863	2680	0
8556	3.11e+004	2857	2680	0
8557	3.16e+004	2850	2680	0
8558	3.211e+004	2843	2680	0
8559	3.261e+004	2836	2680	0
8560	3.312e+004	2827	2680	0
8561	3.362e+004	2818	2680	0
8562	3.412e+004	2808	2680	0
8563	3.463e+004	2798	2680	0
8564	3.513e+004	2787	2680	0
8565	3.563e+004	2775	2680	0
8566	3.613e+004	2763	2680	0
8567	3.663e+004	2750	2680	0
8568	3.713e+004	2737	2680	0
8569	3.762e+004	2723	2680	0
8570	3.812e+004	2708	2680	0
8571	3.862e+004	2694	2680	0
8572	3.912e+004	2679	2680	0
8573	3.863e+004	3195	2680	0
8574	3.913e+004	3181	2680	0
8575	3.863e+004	3697	2680	0
8576	3.914e+004	3683	2680	0
8577	3.914e+004	4186	2680	0
8578	3.864e+004	4199	2680	0
8579	3.813e+004	3710	2680	0
8580	3.814e+004	4212	2680	0
8581	3.763e+004	3722	2680	0
8582	3.764e+004	4223	2680	0
8583	3.713e+004	3734	2680	0
8584	3.714e+004	4235	2680	0
8585	3.663e+004	3746	2680	0
8586	3.663e+004	4245	2680	0
8587	3.613e+004	3757	2680	0
8588	3.613e+004	4255	2680	0
8589	3.563e+004	3767	2680	0
8590	3.563e+004	4264	2680	0
8591	3.513e+004	3777	2680	0
8592	3.513e+004	4273	2680	0
8593	3.463e+004	3786	2680	0
8594	3.463e+004	4281	2680	0
8595	3.413e+004	3794	2680	0
8596	3.413e+004	4288	2680	0
8597	3.362e+004	3802	2680	0
8598	3.362e+004	4295	2680	0
8599	3.312e+004	3809	2680	0
8600	3.312e+004	4301	2680	0
8601	3.262e+004	3816	2680	0
8602	3.262e+004	4307	2680	0
8603	3.212e+004	3822	2680	0
8604	3.212e+004	4312	2680	0
8605	3.161e+004	3827	2680	0
8606	3.162e+004	4317	2680	0
8607	3.111e+004	3832	2680	0
8608	3.112e+004	4321	2680	0
8609	3.061e+004	3837	2680	0

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


8610	3.061e+004	4325	2680	0
8611	3.011e+004	3841	2680	0
8612	3.011e+004	4329	2680	0
8613	2.96e+004	3845	2680	0
8614	2.961e+004	4332	2680	0
8615	2.91e+004	3848	2680	0
8616	2.911e+004	4335	2680	0
8617	2.86e+004	3851	2680	0
8618	2.861e+004	4338	2680	0
8619	2.81e+004	3854	2680	0
8620	2.81e+004	4340	2680	0
8621	2.76e+004	3856	2680	0
8622	2.76e+004	4342	2680	0
8623	2.71e+004	3858	2680	0
8624	2.71e+004	4344	2680	0
8625	2.659e+004	3859	2680	0
8626	2.66e+004	4346	2680	0
8627	2.609e+004	3861	2680	0
8628	2.61e+004	4347	2680	0
8629	2.559e+004	3862	2680	0
8630	2.56e+004	4349	2680	0
8631	2.509e+004	3863	2680	0
8632	2.509e+004	4350	2680	0
8633	2.459e+004	3863	2680	0
8634	2.459e+004	4351	2680	0
8635	2.409e+004	3864	2680	0
8636	2.409e+004	4352	2680	0
8637	2.358e+004	3864	2680	0
8638	2.359e+004	4353	2680	0
8639	2.308e+004	3864	2680	0
8640	2.309e+004	4354	2680	0
8641	2.258e+004	3864	2680	0
8642	2.258e+004	4354	2680	0
8643	2.208e+004	3864	2680	0
8644	2.208e+004	4355	2680	0
8645	2.158e+004	3865	2680	0
8646	2.158e+004	4355	2680	0
8647	2.108e+004	3865	2680	0
8648	2.108e+004	4356	2680	0
8649	2.058e+004	3865	2680	0
8650	2.058e+004	4356	2680	0
8651	2.008e+004	3866	2680	0
8652	2.007e+004	4356	2680	0
8653	1.958e+004	3866	2680	0
8654	1.957e+004	4356	2680	0
8655	1.908e+004	3866	2680	0
8656	1.907e+004	4356	2680	0
8657	1.858e+004	3866	2680	0
8658	1.857e+004	4356	2680	0
8659	1.807e+004	3866	2680	0
8660	1.807e+004	4355	2680	0
8661	1.757e+004	3866	2680	0
8662	1.757e+004	4355	2680	0
8663	1.707e+004	3865	2680	0
8664	1.706e+004	4355	2680	0
8665	1.657e+004	3865	2680	0
8666	1.656e+004	4354	2680	0
8667	1.607e+004	3865	2680	0
8668	1.606e+004	4354	2680	0
8669	1.557e+004	3864	2680	0
8670	1.556e+004	4354	2680	0
8671	1.507e+004	3864	2680	0
8672	1.506e+004	4353	2680	0
8673	1.457e+004	3864	2680	0
8674	1.455e+004	4353	2680	0
8675	1.406e+004	3863	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


8676	1.405e+004	4352	2680	0
8677	1.356e+004	3863	2680	0
8678	1.355e+004	4352	2680	0
8679	1.306e+004	3863	2680	0
8680	1.305e+004	4351	2680	0
8681	1.256e+004	3862	2680	0
8682	1.255e+004	4351	2680	0
8683	1.206e+004	3862	2680	0
8684	1.205e+004	4350	2680	0
8685	1.156e+004	3862	2680	0
8686	1.154e+004	4350	2680	0
8687	1.106e+004	3862	2680	0
8688	1.104e+004	4350	2680	0
8689	1.055e+004	3861	2680	0
8690	1.054e+004	4350	2680	0
8691	1.005e+004	3861	2680	0
8692	1.004e+004	4349	2680	0
8693	9552	3861	2680	0
8694	9537	4349	2680	0
8695	9050	3861	2680	0
8696	9035	4349	2680	0
8697	8549	3861	2680	0
8698	8533	4350	2680	0
8699	8047	3862	2680	0
8700	8031	4350	2680	0
8701	7546	3862	2680	0
8702	7529	4350	2680	0
8703	7045	3862	2680	0
8704	7027	4351	2680	0
8705	6543	3863	2680	0
8706	6525	4351	2680	0
8707	6042	3863	2680	0
8708	6024	4352	2680	0
8709	5540	3864	2680	0
8710	5522	4353	2680	0
8711	5039	3865	2680	0
8712	5020	4354	2680	0
8713	4537	3866	2680	0
8714	4518	4355	2680	0
8715	4036	3867	2680	0
8716	4016	4356	2680	0
8717	3534	3869	2680	0
8718	3514	4358	2680	0
8719	3031	3871	2680	0
8720	3013	4360	2680	0
8721	2527	3874	2680	0
8722	2511	4362	2680	0
8723	2021	3876	2680	0
8724	2009	4364	2680	0
8725	1515	3878	2680	0
8726	1507	4366	2680	0
8727	1009	3879	2680	0
8728	1005	4369	2680	0
8729	505	3881	2680	0
8730	503	4372	2680	0
8731	2	4375	2680	0
8732	1	3881	2680	0
8733	508	3389	2680	0
8734	1	3388	2680	0
8735	512	2895	2680	0
8736	-5.684e-011	2894	2680	0
8737	1025	2896	2680	0
8738	1538	2896	2680	0
8739	2051	2895	2680	0
8740	2564	2894	2680	0
8741	3073	2892	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


8742	3577	2891	2680	0
8743	4079	2890	2680	0
8744	4580	2889	2680	0
8745	5080	2889	2680	0
8746	5581	2889	2680	0
8747	6081	2888	2680	0
8748	6582	2888	2680	0
8749	7082	2888	2680	0
8750	7583	2888	2680	0
8751	8083	2888	2680	0
8752	8583	2888	2680	0
8753	9084	2888	2680	0
8754	9584	2888	2680	0
8755	1.008e+004	2888	2680	0
8756	1.058e+004	2888	2680	0
8757	1.109e+004	2888	2680	0
8758	1.159e+004	2888	2680	0
8759	1.209e+004	2888	2680	0
8760	1.259e+004	2888	2680	0
8761	1.309e+004	2888	2680	0
8762	1.359e+004	2888	2680	0
8763	1.409e+004	2888	2680	0
8764	1.459e+004	2888	2680	0
8765	1.509e+004	2889	2680	0
8766	1.559e+004	2889	2680	0
8767	1.609e+004	2889	2680	0
8768	1.659e+004	2889	2680	0
8769	1.709e+004	2889	2680	0
8770	1.759e+004	2889	2680	0
8771	1.809e+004	2889	2680	0
8772	1.859e+004	2889	2680	0
8773	1.909e+004	2889	2680	0
8774	1.959e+004	2888	2680	0
8775	2.009e+004	2888	2680	0
8776	2.059e+004	2888	2680	0
8777	2.109e+004	2887	2680	0
8778	2.158e+004	2887	2680	0
8779	2.208e+004	2886	2680	0
8780	2.258e+004	2886	2680	0
8781	2.308e+004	2886	2680	0
8782	1526	3387	2680	0
8783	2036	3386	2680	0
8784	2544	3384	2680	0
8785	3051	3382	2680	0
8786	4558	3378	2680	0
8787	4057	3379	2680	0
8788	3555	3380	2680	0
8789	9568	3374	2680	0
8790	9067	3374	2680	0
8791	8566	3375	2680	0
8792	8065	3375	2680	0
8793	6562	3375	2680	0
8794	7063	3375	2680	0
8795	7564	3375	2680	0
8796	1.908e+004	3377	2680	0
8797	1.858e+004	3377	2680	0
8798	1.808e+004	3377	2680	0
8799	1.758e+004	3377	2680	0
8800	1.608e+004	3377	2680	0
8801	1.658e+004	3377	2680	0
8802	1.708e+004	3377	2680	0
8803	1.157e+004	3375	2680	0
8804	1.207e+004	3375	2680	0
8805	1.257e+004	3375	2680	0
8806	1.307e+004	3375	2680	0
8807	1.458e+004	3376	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


8808	1.508e+004	3376	2680	0
8809	1.408e+004	3376	2680	0
8810	1.357e+004	3376	2680	0
8811	3.763e+004	3222	2680	0
8812	3.713e+004	3235	2680	0
8813	3.663e+004	3248	2680	0
8814	3.613e+004	3259	2680	0
8815	3.463e+004	3292	2680	0
8816	3.513e+004	3281	2680	0
8817	3.563e+004	3271	2680	0
8818	3.01e+004	3354	2680	0
8819	3.06e+004	3350	2680	0
8820	3.111e+004	3344	2680	0
8821	3.161e+004	3339	2680	0
8822	3.312e+004	3318	2680	0
8823	3.362e+004	3310	2680	0
8824	3.262e+004	3326	2680	0
8825	3.211e+004	3332	2680	0
8826	2.108e+004	3376	2680	0
8827	2.158e+004	3375	2680	0
8828	2.208e+004	3375	2680	0
8829	2.258e+004	3375	2680	0
8830	2.408e+004	3376	2680	0
8831	2.458e+004	3377	2680	0
8832	2.358e+004	3376	2680	0
8833	2.308e+004	3375	2680	0
8834	2.809e+004	3369	2680	0
8835	2.759e+004	3371	2680	0
8836	2.709e+004	3373	2680	0
8837	2.659e+004	3374	2680	0
8838	2.508e+004	3377	2680	0
8839	2.559e+004	3376	2680	0
8840	2.609e+004	3376	2680	0
8841	1017	3388	2680	0
8842	5059	3377	2680	0
8843	5560	3376	2680	0
8844	1.007e+004	3375	2680	0
8845	1.057e+004	3375	2680	0
8846	6061	3376	2680	0
8847	1.958e+004	3377	2680	0
8848	2.008e+004	3377	2680	0
8849	1.558e+004	3376	2680	0
8850	1.107e+004	3375	2680	0
8851	3.813e+004	3209	2680	0
8852	3.412e+004	3301	2680	0
8853	2.96e+004	3359	2680	0
8854	2.91e+004	3362	2680	0
8855	2.058e+004	3376	2680	0
8856	2.86e+004	3366	2680	0
8857	4.596e+004	-3452	2680	0
8858	4.547e+004	-3426	2680	0
8859	4.497e+004	-3400	2680	0
8860	4.447e+004	-3375	2680	0
8861	4.397e+004	-3350	2680	0
8862	4.347e+004	-3325	2680	0
8863	4.297e+004	-3301	2680	0
8864	4.248e+004	-3278	2680	0
8865	4.199e+004	-3256	2680	0
8866	4.15e+004	-3235	2680	0
8867	4.101e+004	-3214	2680	0
8868	4.051e+004	-3195	2680	0
8869	4.002e+004	-3178	2680	0
8870	3.953e+004	-3161	2680	0
8871	3.953e+004	-3681	2680	0
8872	3.952e+004	-4200	2680	0
8873	3.951e+004	-4718	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

8874	4.002e+004	-4218	2680	0
8875	4.001e+004	-4738	2680	0
8876	4.052e+004	-4237	2680	0
8877	4.051e+004	-4758	2680	0
8878	4.101e+004	-4258	2680	0
8879	4.101e+004	-4780	2680	0
8880	4.151e+004	-4279	2680	0
8881	4.151e+004	-4802	2680	0
8882	4.201e+004	-4302	2680	0
8883	4.201e+004	-4825	2680	0
8884	4.25e+004	-4326	2680	0
8885	4.251e+004	-4849	2680	0
8886	4.3e+004	-4350	2680	0
8887	4.301e+004	-4874	2680	0
8888	4.35e+004	-4376	2680	0
8889	4.351e+004	-4900	2680	0
8890	4.4e+004	-4403	2680	0
8891	4.401e+004	-4926	2680	0
8892	4.45e+004	-4430	2680	0
8893	4.451e+004	-4954	2680	0
8894	4.5e+004	-4458	2680	0
8895	4.501e+004	-4983	2680	0
8896	4.55e+004	-4486	2680	0
8897	4.551e+004	-5013	2680	0
8898	4.599e+004	-4516	2680	0
8899	4.601e+004	-5045	2680	0
8900	4.649e+004	-4546	2680	0
8901	4.65e+004	-5077	2680	0
8902	4.691e+004	-4575	2680	0
8903	4.69e+004	-5103	2680	0
8904	4.734e+004	-4593	2680	0
8905	4.73e+004	-5132	2680	0
8909	4.87e+004	-5233	2680	0
8911	4.91e+004	-5264	2680	0
8913	4.95e+004	-5295	2680	0
8915	5e+004	-5336	2680	0
8917	5.049e+004	-5378	2680	0
8919	5.099e+004	-5421	2680	0
8921	5.149e+004	-5466	2680	0
8923	5.199e+004	-5512	2680	0
8925	5.249e+004	-5560	2680	0
8927	5.298e+004	-5609	2680	0
8929	5.348e+004	-5659	2680	0
8931	5.398e+004	-5711	2680	0
8933	5.448e+004	-5764	2680	0
8935	5.497e+004	-5819	2680	0
8937	5.547e+004	-5875	2680	0
8939	5.597e+004	-5932	2680	0
8941	5.646e+004	-5991	2680	0
8943	5.696e+004	-6052	2680	0
8945	5.746e+004	-6114	2680	0
8947	5.795e+004	-6178	2680	0
8949	5.845e+004	-6243	2680	0
8951	5.894e+004	-6309	2680	0
8953	5.944e+004	-6377	2680	0
8955	5.993e+004	-6447	2680	0
8957	6.043e+004	-6519	2680	0
8959	6.092e+004	-6592	2680	0
8961	6.142e+004	-6667	2680	0
8963	6.191e+004	-6744	2680	0
8978	6.601e+004	-6898	2680	0
8979	6.585e+004	-7425	2680	0
8980	6.65e+004	-6987	2680	0
8981	6.635e+004	-7518	2680	0
8982	6.698e+004	-7074	2680	0
8983	6.684e+004	-7614	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


8984	6.747e+004	-7174	2680	0
8985	6.733e+004	-7711	2680	0
8986	6.796e+004	-7274	2680	0
8987	6.782e+004	-7811	2680	0
8988	6.845e+004	-7376	2680	0
8989	6.831e+004	-7913	2680	0
8990	6.894e+004	-7479	2680	0
8991	6.88e+004	-8016	2680	0
8992	6.942e+004	-7584	2680	0
8993	6.929e+004	-8122	2680	0
8994	6.991e+004	-7691	2680	0
8995	6.977e+004	-8230	2680	0
8996	7.039e+004	-7800	2680	0
8997	7.026e+004	-8339	2680	0
8998	7.088e+004	-7911	2680	0
8999	7.075e+004	-8451	2680	0
9000	7.136e+004	-8024	2680	0
9001	7.124e+004	-8564	2680	0
9002	7.185e+004	-8138	2680	0
9003	7.172e+004	-8679	2680	0
9004	7.233e+004	-8254	2680	0
9005	7.221e+004	-8796	2680	0
9006	7.282e+004	-8372	2680	0
9007	7.27e+004	-8914	2680	0
9008	7.33e+004	-8493	2680	0
9009	7.318e+004	-9034	2680	0
9010	7.378e+004	-8616	2680	0
9011	7.367e+004	-9155	2680	0
9012	7.427e+004	-8740	2680	0
9013	7.415e+004	-9278	2680	0
9014	7.476e+004	-8867	2680	0
9015	7.464e+004	-9402	2680	0
9016	7.524e+004	-8993	2680	0
9017	7.512e+004	-9527	2680	0
9018	7.573e+004	-9119	2680	0
9019	7.56e+004	-9654	2680	0
9020	7.621e+004	-9247	2680	0
9021	7.609e+004	-9782	2680	0
9022	7.67e+004	-9377	2680	0
9023	7.657e+004	-9912	2680	0
9024	7.705e+004	-1.004e+004	2680	0
9025	7.719e+004	-9509	2680	0
9026	7.684e+004	-8841	2680	0
9027	7.733e+004	-8976	2680	0
9028	7.698e+004	-8305	2680	0
9029	7.747e+004	-8442	2680	0
9030	7.648e+004	-8171	2680	0
9031	7.598e+004	-8039	2680	0
9032	7.549e+004	-7909	2680	0
9033	7.5e+004	-7778	2680	0
9034	7.45e+004	-7649	2680	0
9035	7.401e+004	-7523	2680	0
9036	7.353e+004	-7400	2680	0
9037	7.305e+004	-7281	2680	0
9038	7.257e+004	-7165	2680	0
9039	7.21e+004	-7050	2680	0
9040	7.162e+004	-6937	2680	0
9041	7.114e+004	-6827	2680	0
9042	7.066e+004	-6717	2680	0
9043	7.018e+004	-6610	2680	0
9044	6.97e+004	-6504	2680	0
9045	6.922e+004	-6400	2680	0
9046	6.874e+004	-6298	2680	0
9047	6.826e+004	-6198	2680	0
9048	6.778e+004	-6099	2680	0
9049	6.729e+004	-6000	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


9050	6.681e+004	-5893	2680	0
9051	6.634e+004	-5799	2680	0
9090	4.741e+004	-3513	2680	0
9091	4.691e+004	-3501	2680	0
9092	4.646e+004	-3479	2680	0
9093	7.585e+004	-8580	2680	0
9094	7.536e+004	-8452	2680	0
9095	7.488e+004	-8323	2680	0
9096	7.342e+004	-7947	2680	0
9097	7.39e+004	-8070	2680	0
9098	7.293e+004	-7826	2680	0
9099	7.635e+004	-8709	2680	0
9100	7.439e+004	-8196	2680	0
9101	7.245e+004	-7709	2680	0
9102	7.197e+004	-7594	2680	0
9103	7.149e+004	-7480	2680	0
9108	4.15e+004	-3757	2680	0
9109	4.101e+004	-3735	2680	0
9110	4.2e+004	-3778	2680	0
9111	4.349e+004	-3851	2680	0
9112	4.398e+004	-3876	2680	0
9113	4.299e+004	-3826	2680	0
9114	4.249e+004	-3802	2680	0
9115	4.648e+004	-4011	2680	0
9116	4.598e+004	-3984	2680	0
9117	4.691e+004	-4035	2680	0
9118	4.737e+004	-4045	2680	0
9120	4.448e+004	-3902	2680	0
9121	4.498e+004	-3929	2680	0
9122	4.548e+004	-3956	2680	0
9157	7.101e+004	-7369	2680	0
9158	7.053e+004	-7258	2680	0
9159	7.005e+004	-7151	2680	0
9160	6.956e+004	-7044	2680	0
9161	6.811e+004	-6736	2680	0
9162	6.859e+004	-6836	2680	0
9163	6.762e+004	-6635	2680	0
9164	6.908e+004	-6940	2680	0
9168	6.618e+004	-6335	2680	0
9169	6.666e+004	-6434	2680	0
9170	6.713e+004	-6531	2680	0
9171	4.052e+004	-3716	2680	0
9172	4.002e+004	-3698	2680	0
9224	6.748e+004	-70.63	2680	0
9225	6.8e+004	-163.2	2680	0
9226	6.849e+004	-255	2680	0
9227	6.9e+004	-356	2680	0
9228	6.949e+004	-458	2680	0
9229	6.999e+004	-561	2680	0
9230	7.049e+004	-667	2680	0
9231	7.099e+004	-774	2680	0
9232	7.148e+004	-883	2680	0
9233	7.198e+004	-994	2680	0
9234	7.247e+004	-1107	2680	0
9235	7.297e+004	-1222	2680	0
9236	7.346e+004	-1338	2680	0
9237	7.396e+004	-1457	2680	0
9238	7.445e+004	-1578	2680	0
9239	7.494e+004	-1702	2680	0
9240	7.542e+004	-1826	2680	0
9241	7.595e+004	-1960	2680	0
9248	7.914e+004	-2818	2680	0
9250	7.93e+004	-2331	2680	0
9252	7.947e+004	-1843	2680	0
9253	7.963e+004	-1356	2680	0
9265	7.615e+004	-940.1	2680	0

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

9266	7.626e+004	-427	2680	0
9267	7.565e+004	-810	2680	0
9268	7.577e+004	-302	2680	0
9269	7.517e+004	-685	2680	0
9270	7.529e+004	-179	2680	0
9271	7.468e+004	-563	2680	0
9272	7.48e+004	-58	2680	0
9273	7.42e+004	-443	2680	0
9274	7.432e+004	62	2680	0
9275	7.371e+004	-325	2680	0
9276	7.383e+004	179	2680	0
9277	7.322e+004	-209	2680	0
9278	7.334e+004	294	2680	0
9279	7.273e+004	-95	2680	0
9280	7.286e+004	407	2680	0
9281	7.224e+004	16	2680	0
9282	7.237e+004	519	2680	0
9283	7.175e+004	126	2680	0
9284	7.188e+004	628	2680	0
9285	7.126e+004	234	2680	0
9286	7.139e+004	736	2680	0
9287	7.077e+004	340	2680	0
9288	7.091e+004	842	2680	0
9289	7.028e+004	445	2680	0
9290	7.042e+004	945	2680	0
9291	6.979e+004	547	2680	0
9292	6.993e+004	1047	2680	0
9293	6.93e+004	647	2680	0
9294	6.944e+004	1147	2680	0
9295	6.88e+004	744	2680	0
9296	6.895e+004	1245	2680	0
9297	6.831e+004	845	2680	0
9298	6.846e+004	1341	2680	0
9299	6.774e+004	941	2680	0
9300	6.787e+004	1454	2680	0
9318	6.353e+004	2194	2680	0
9320	6.304e+004	2270	2680	0
9322	6.255e+004	2343	2680	0
9324	6.205e+004	2415	2680	0
9326	6.156e+004	2485	2680	0
9328	6.106e+004	2553	2680	0
9330	6.057e+004	2620	2680	0
9332	6.007e+004	2685	2680	0
9334	5.957e+004	2748	2680	0
9336	5.908e+004	2810	2680	0
9338	5.858e+004	2870	2680	0
9340	5.809e+004	2928	2680	0
9342	5.759e+004	2985	2680	0
9344	5.709e+004	3041	2680	0
9346	5.66e+004	3095	2680	0
9348	5.61e+004	3147	2680	0
9350	5.56e+004	3198	2680	0
9369	5.072e+004	3129	2680	0
9370	5.072e+004	3623	2680	0
9371	5.014e+004	3183	2680	0
9372	5.013e+004	3666	2680	0
9373	4.964e+004	3206	2680	0
9374	4.963e+004	3701	2680	0
9375	4.915e+004	3233	2680	0
9376	4.913e+004	3735	2680	0
9377	4.865e+004	3262	2680	0
9378	4.863e+004	3767	2680	0
9379	4.815e+004	3291	2680	0
9380	4.813e+004	3798	2680	0
9381	4.765e+004	3319	2680	0
9382	4.763e+004	3828	2680	0

PROJECT TITLE :


	Company	Client		
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	
9383	4.715e+004	3348	2680	0
9384	4.713e+004	3857	2680	0
9385	4.665e+004	3375	2680	0
9386	4.663e+004	3885	2680	0
9387	4.615e+004	3402	2680	0
9388	4.613e+004	3912	2680	0
9389	4.565e+004	3428	2680	0
9390	4.564e+004	3938	2680	0
9391	4.515e+004	3453	2680	0
9392	4.514e+004	3962	2680	0
9393	4.465e+004	3477	2680	0
9394	4.464e+004	3986	2680	0
9395	4.415e+004	3500	2680	0
9396	4.414e+004	4009	2680	0
9397	4.365e+004	3522	2680	0
9398	4.364e+004	4031	2680	0
9399	4.315e+004	3544	2680	0
9400	4.314e+004	4051	2680	0
9401	4.265e+004	3565	2680	0
9402	4.264e+004	4071	2680	0
9403	4.215e+004	3585	2680	0
9404	4.214e+004	4090	2680	0
9405	4.165e+004	3604	2680	0
9406	4.164e+004	4108	2680	0
9407	4.114e+004	3621	2680	0
9408	4.114e+004	4125	2680	0
9409	4.064e+004	3638	2680	0
9410	4.064e+004	4142	2680	0
9411	4.014e+004	3654	2680	0
9412	4.014e+004	4157	2680	0
9413	3.964e+004	3669	2680	0
9414	3.964e+004	4172	2680	0
9415	3.963e+004	3166	2680	0
9416	3.963e+004	2662	2680	0
9417	4.013e+004	2646	2680	0
9418	4.064e+004	2628	2680	0
9419	4.115e+004	2609	2680	0
9420	4.165e+004	2590	2680	0
9421	4.216e+004	2569	2680	0
9422	4.267e+004	2548	2680	0
9423	4.317e+004	2526	2680	0
9424	4.368e+004	2503	2680	0
9425	4.418e+004	2480	2680	0
9426	4.468e+004	2456	2680	0
9427	4.519e+004	2431	2680	0
9428	4.569e+004	2406	2680	0
9429	4.619e+004	2380	2680	0
9430	4.669e+004	2353	2680	0
9431	4.719e+004	2326	2680	0
9432	4.769e+004	2301	2680	0
9433	4.819e+004	2274	2680	0
9434	4.869e+004	2247	2680	0
9435	4.92e+004	2219	2680	0
9436	4.97e+004	2197	2680	0
9437	5.022e+004	2183	2680	0
9438	5.073e+004	2131	2680	0
9462	7.457e+004	-1071	2680	0
9463	7.505e+004	-1194	2680	0
9464	4.014e+004	3150	2680	0
9465	4.064e+004	3134	2680	0
9466	4.115e+004	3115	2680	0
9467	4.165e+004	3097	2680	0
9468	4.316e+004	3035	2680	0
9469	4.266e+004	3057	2680	0
9470	4.366e+004	3013	2680	0
9471	4.215e+004	3077	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


9472	4.717e+004	2837	2680	0
9473	4.667e+004	2864	2680	0
9474	4.767e+004	2810	2680	0
9475	4.617e+004	2891	2680	0
9476	4.567e+004	2917	2680	0
9477	4.417e+004	2990	2680	0
9478	4.467e+004	2967	2680	0
9479	4.517e+004	2942	2680	0
9495	7.408e+004	-951	2680	0
9496	7.359e+004	-831	2680	0
9497	7.554e+004	-1319	2680	0
9498	7.605e+004	-1451	2680	0
9503	7.112e+004	-270	2680	0
9504	7.162e+004	-378	2680	0
9516	4.817e+004	2782	2680	0
9517	4.867e+004	2755	2680	0
9518	4.917e+004	2728	2680	0
9519	4.967e+004	2706	2680	0
9520	5.017e+004	2694	2680	0
9521	5.072e+004	2636	2680	0
9545	7.309e+004	-716	2680	0
9546	7.26e+004	-601	2680	0
9547	7.211e+004	-489	2680	0
9548	7.063e+004	-164	2680	0
9549	7.014e+004	-58	2680	0
9552	6.761e+004	440.2	2680	0
9553	6.816e+004	345	2680	0
9554	6.964e+004	44	2680	0
9555	6.914e+004	146	2680	0
9556	6.863e+004	249	2680	0
9570	4.875e+004	-4695	2680	0
9571	4.917e+004	-4726	2680	0
9572	4.88e+004	-4157	2680	0
9573	4.925e+004	-4187	2680	0
9574	4.885e+004	-3619	2680	0
9575	4.932e+004	-3649	2680	0
9576	4.959e+004	-4757	2680	0
9577	4.969e+004	-4219	2680	0
9578	4.979e+004	-3681	2680	0
9579	5.009e+004	-4796	2680	0
9580	5.018e+004	-4256	2680	0
9581	5.028e+004	-3716	2680	0
9582	5.059e+004	-4836	2680	0
9583	5.068e+004	-4295	2680	0
9584	5.077e+004	-3753	2680	0
9585	5.108e+004	-4878	2680	0
9586	5.117e+004	-4335	2680	0
9587	5.126e+004	-3792	2680	0
9588	5.158e+004	-4922	2680	0
9589	5.167e+004	-4377	2680	0
9590	5.176e+004	-3833	2680	0
9591	5.208e+004	-4966	2680	0
9592	5.216e+004	-4421	2680	0
9593	5.225e+004	-3875	2680	0
9594	5.257e+004	-5013	2680	0
9595	5.266e+004	-4466	2680	0
9596	5.275e+004	-3919	2680	0
9597	5.307e+004	-5061	2680	0
9598	5.315e+004	-4513	2680	0
9599	5.324e+004	-3965	2680	0
9600	5.357e+004	-5110	2680	0
9601	5.365e+004	-4561	2680	0
9602	5.373e+004	-4012	2680	0
9603	5.406e+004	-5161	2680	0
9604	5.414e+004	-4611	2680	0
9605	5.423e+004	-4061	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


9606	5.456e+004	-5213	2680	0
9607	5.464e+004	-4663	2680	0
9608	5.472e+004	-4112	2680	0
9609	5.505e+004	-5267	2680	0
9610	5.513e+004	-4716	2680	0
9611	5.521e+004	-4164	2680	0
9612	5.555e+004	-5323	2680	0
9613	5.563e+004	-4771	2680	0
9614	5.571e+004	-4219	2680	0
9615	5.604e+004	-5379	2680	0
9616	5.612e+004	-4827	2680	0
9617	5.62e+004	-4274	2680	0
9618	5.654e+004	-5438	2680	0
9619	5.662e+004	-4885	2680	0
9620	5.669e+004	-4332	2680	0
9621	5.703e+004	-5498	2680	0
9622	5.711e+004	-4945	2680	0
9623	5.718e+004	-4391	2680	0
9624	5.753e+004	-5560	2680	0
9625	5.76e+004	-5006	2680	0
9626	5.768e+004	-4452	2680	0
9627	5.802e+004	-5624	2680	0
9628	5.81e+004	-5069	2680	0
9629	5.817e+004	-4515	2680	0
9630	5.852e+004	-5689	2680	0
9631	5.859e+004	-5134	2680	0
9632	5.866e+004	-4580	2680	0
9633	5.901e+004	-5754	2680	0
9634	5.908e+004	-5200	2680	0
9635	5.915e+004	-4645	2680	0
9636	5.951e+004	-5822	2680	0
9637	5.957e+004	-5268	2680	0
9638	5.964e+004	-4713	2680	0
9639	6e+004	-5892	2680	0
9640	6.006e+004	-5337	2680	0
9641	6.013e+004	-4783	2680	0
9642	6.049e+004	-5964	2680	0
9643	6.056e+004	-5409	2680	0
9644	6.062e+004	-4854	2680	0
9645	6.099e+004	-6037	2680	0
9646	6.105e+004	-5482	2680	0
9647	6.111e+004	-4927	2680	0
9648	6.148e+004	-6112	2680	0
9649	6.154e+004	-5557	2680	0
9650	6.16e+004	-5001	2680	0
9651	6.197e+004	-6189	2680	0
9652	6.203e+004	-5633	2680	0
9653	6.209e+004	-5078	2680	0
9654	4.789e+004	-3548	2680	0
9655	4.837e+004	-3584	2680	0
9656	4.785e+004	-4082	2680	0
9657	4.833e+004	-4120	2680	0
9658	4.781e+004	-4627	2680	0
9659	4.828e+004	-4661	2680	0
9660	4.777e+004	-5165	2680	0
9661	4.823e+004	-5199	2680	0
9662	6.235e+004	-6820	2680	0
9663	6.279e+004	-6895	2680	0
9664	6.323e+004	-6971	2680	0
9665	6.366e+004	-7047	2680	0
9666	6.41e+004	-7122	2680	0
9667	6.454e+004	-7198	2680	0
9668	6.498e+004	-7274	2680	0
9669	6.542e+004	-7349	2680	0
9670	6.242e+004	-6267	2680	0
9671	6.287e+004	-6346	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


9672	6.332e+004	-6424	2680	0
9673	6.377e+004	-6503	2680	0
9674	6.422e+004	-6581	2680	0
9675	6.466e+004	-6660	2680	0
9676	6.511e+004	-6738	2680	0
9677	6.556e+004	-6817	2680	0
9678	6.249e+004	-5709	2680	0
9679	6.295e+004	-5785	2680	0
9680	6.341e+004	-5861	2680	0
9681	6.387e+004	-5936	2680	0
9682	6.434e+004	-6012	2680	0
9683	6.48e+004	-6088	2680	0
9684	6.526e+004	-6164	2680	0
9685	6.572e+004	-6239	2680	0
9686	6.256e+004	-5156	2680	0
9687	6.303e+004	-5235	2680	0
9688	6.35e+004	-5313	2680	0
9689	6.398e+004	-5391	2680	0
9690	6.445e+004	-5470	2680	0
9691	6.492e+004	-5548	2680	0
9692	6.539e+004	-5627	2680	0
9693	6.586e+004	-5705	2680	0
9694	5.147e+004	3564	2680	0
9695	5.206e+004	3519	2680	0
9696	5.257e+004	3478	2680	0
9697	5.308e+004	3436	2680	0
9698	5.358e+004	3392	2680	0
9699	5.409e+004	3346	2680	0
9700	5.459e+004	3299	2680	0
9701	5.51e+004	3249	2680	0
9702	6.404e+004	2111	2680	0
9703	6.454e+004	2027	2680	0
9704	6.505e+004	1941	2680	0
9705	6.555e+004	1853	2680	0
9706	6.605e+004	1763	2680	0
9707	6.655e+004	1672	2680	0
9708	6.716e+004	1572	2680	0
9710	5.132e+004	2070	2680	0
9711	5.183e+004	2030	2680	0
9712	5.137e+004	2568	2680	0
9713	5.191e+004	2527	2680	0
9714	5.142e+004	3066	2680	0
9715	5.199e+004	3023	2680	0
9716	5.234e+004	1990	2680	0
9717	5.241e+004	2486	2680	0
9718	5.249e+004	2982	2680	0
9719	5.284e+004	1948	2680	0
9720	5.292e+004	2444	2680	0
9721	5.3e+004	2940	2680	0
9722	5.335e+004	1904	2680	0
9723	5.343e+004	2400	2680	0
9724	5.35e+004	2896	2680	0
9725	5.385e+004	1858	2680	0
9726	5.393e+004	2354	2680	0
9727	5.401e+004	2850	2680	0
9728	5.436e+004	1810	2680	0
9729	5.444e+004	2307	2680	0
9730	5.451e+004	2803	2680	0
9731	5.487e+004	1761	2680	0
9732	5.494e+004	2257	2680	0
9733	5.502e+004	2753	2680	0
9734	5.537e+004	1710	2680	0
9735	5.545e+004	2206	2680	0
9736	5.553e+004	2702	2680	0
9737	5.587e+004	1658	2680	0
9738	5.595e+004	2154	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

9739	5.602e+004	2650	2680	0
9740	5.637e+004	1603	2680	0
9741	5.645e+004	2100	2680	0
9742	5.652e+004	2598	2680	0
9743	5.687e+004	1547	2680	0
9744	5.695e+004	2045	2680	0
9745	5.702e+004	2543	2680	0
9746	5.737e+004	1490	2680	0
9747	5.745e+004	1988	2680	0
9748	5.752e+004	2487	2680	0
9749	5.788e+004	1430	2680	0
9750	5.795e+004	1930	2680	0
9751	5.802e+004	2429	2680	0
9752	5.838e+004	1369	2680	0
9753	5.845e+004	1870	2680	0
9754	5.851e+004	2370	2680	0
9755	5.888e+004	1307	2680	0
9756	5.894e+004	1808	2680	0
9757	5.901e+004	2309	2680	0
9758	5.938e+004	1242	2680	0
9759	5.944e+004	1744	2680	0
9760	5.951e+004	2246	2680	0
9761	5.988e+004	1176	2680	0
9762	5.994e+004	1679	2680	0
9763	6.001e+004	2182	2680	0
9764	6.038e+004	1107	2680	0
9765	6.044e+004	1612	2680	0
9766	6.05e+004	2116	2680	0
9767	6.088e+004	1037	2680	0
9768	6.094e+004	1542	2680	0
9769	6.1e+004	2048	2680	0
9770	6.138e+004	965.5	2680	0
9771	6.144e+004	1472	2680	0
9772	6.15e+004	1978	2680	0
9773	6.188e+004	891.9	2680	0
9774	6.194e+004	1400	2680	0
9775	6.199e+004	1907	2680	0
9776	6.238e+004	816.5	2680	0
9777	6.244e+004	1325	2680	0
9778	6.249e+004	1834	2680	0
9779	6.288e+004	739.5	2680	0
9780	6.293e+004	1250	2680	0
9781	6.299e+004	1760	2680	0
9782	6.338e+004	660.4	2680	0
9783	6.343e+004	1172	2680	0
9784	6.348e+004	1683	2680	0
9785	6.388e+004	577.8	2680	0
9786	6.393e+004	1089	2680	0
9787	6.399e+004	1600	2680	0
9788	6.439e+004	493.5	2680	0
9789	6.444e+004	1005	2680	0
9790	6.449e+004	1516	2680	0
9791	6.489e+004	407.4	2680	0
9792	6.494e+004	918.6	2680	0
9793	6.499e+004	1430	2680	0
9794	6.539e+004	319.4	2680	0
9795	6.545e+004	830.6	2680	0
9796	6.55e+004	1342	2680	0
9797	6.59e+004	230.1	2680	0
9798	6.595e+004	741.1	2680	0
9799	6.6e+004	1252	2680	0
9800	6.64e+004	137.9	2680	0
9801	6.645e+004	649.2	2680	0
9802	6.65e+004	1160	2680	0
9803	6.693e+004	39.93	2680	0
9804	6.7e+004	546.6	2680	0

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


9805	6.708e+004	1053	2680	0
9806	7.671e+004	-1091	2680	0
9807	7.726e+004	-1241	2680	0
9808	7.781e+004	-1392	2680	0
9809	7.836e+004	-1542	2680	0
9810	7.891e+004	-1693	2680	0
9811	7.659e+004	-1598	2680	0
9812	7.714e+004	-1744	2680	0
9813	7.768e+004	-1891	2680	0
9814	7.822e+004	-2038	2680	0
9815	7.876e+004	-2184	2680	0
9816	7.648e+004	-2103	2680	0
9817	7.701e+004	-2246	2680	0
9818	7.755e+004	-2389	2680	0
9819	7.808e+004	-2532	2680	0
9820	7.861e+004	-2675	2680	0
9821	7.682e+004	-577.2	2680	0
9822	7.738e+004	-726.7	2680	0
9823	7.795e+004	-880.6	2680	0
9824	7.851e+004	-1037	2680	0
9825	7.907e+004	-1195	2680	0
9827	4.448e+004	-2372	2680	0
9829	4.451e+004	-1895	2680	0
9831	4.453e+004	-1418	2680	0
9833	4.456e+004	-941.4	2680	0
9835	4.458e+004	-464.5	2680	0
9837	4.461e+004	12.37	2680	0
9839	4.463e+004	489.3	2680	0
9841	4.466e+004	966.2	2680	0
9842	4.498e+004	-2398	2680	0
9843	4.501e+004	-1922	2680	0
9844	4.504e+004	-1446	2680	0
9845	4.507e+004	-969.5	2680	0
9846	4.509e+004	-493.5	2680	0
9847	4.512e+004	-17.47	2680	0
9848	4.515e+004	458.5	2680	0
9849	4.518e+004	934.6	2680	0
9850	4.549e+004	-2424	2680	0
9851	4.552e+004	-1948	2680	0
9852	4.555e+004	-1473	2680	0
9853	4.558e+004	-998.1	2680	0
9854	4.561e+004	-523	2680	0
9855	4.564e+004	-47.79	2680	0
9856	4.567e+004	427.4	2680	0
9857	4.57e+004	902.5	2680	0
9858	4.598e+004	-2450	2680	0
9859	4.601e+004	-1975	2680	0
9860	4.603e+004	-1500	2680	0
9861	4.606e+004	-1025	2680	0
9862	4.609e+004	-550.5	2680	0
9863	4.611e+004	-75.72	2680	0
9864	4.614e+004	399.1	2680	0
9865	4.617e+004	873.9	2680	0
9866	4.647e+004	-2477	2680	0
9867	4.65e+004	-2002	2680	0
9868	4.652e+004	-1527	2680	0
9869	4.654e+004	-1053	2680	0
9870	4.657e+004	-578.2	2680	0
9871	4.659e+004	-103.7	2680	0
9872	4.661e+004	370.9	2680	0
9873	4.663e+004	845.5	2680	0
9874	4.694e+004	-2502	2680	0
9875	4.696e+004	-2028	2680	0
9876	4.699e+004	-1554	2680	0
9877	4.701e+004	-1080	2680	0
9878	4.704e+004	-606	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


9879	4.706e+004	-132	2680	0
9880	4.709e+004	342	2680	0
9881	4.711e+004	816	2680	0
9882	4.746e+004	-2528	2680	0
9883	4.749e+004	-2055	2680	0
9884	4.751e+004	-1581	2680	0
9885	4.753e+004	-1108	2680	0
9886	4.756e+004	-635	2680	0
9887	4.758e+004	-161.7	2680	0
9888	4.76e+004	311.5	2680	0
9889	4.763e+004	784.8	2680	0
9890	4.796e+004	-2552	2680	0
9891	4.798e+004	-2079	2680	0
9892	4.801e+004	-1605	2680	0
9893	4.803e+004	-1132	2680	0
9894	4.806e+004	-658.2	2680	0
9895	4.809e+004	-184.7	2680	0
9896	4.811e+004	288.9	2680	0
9897	4.814e+004	762.4	2680	0
9898	4.845e+004	-2579	2680	0
9899	4.848e+004	-2106	2680	0
9900	4.85e+004	-1633	2680	0
9901	4.853e+004	-1160	2680	0
9902	4.856e+004	-686.7	2680	0
9903	4.859e+004	-213.5	2680	0
9904	4.862e+004	259.7	2680	0
9905	4.865e+004	732.8	2680	0
9906	4.894e+004	-2608	2680	0
9907	4.897e+004	-2135	2680	0
9908	4.9e+004	-1663	2680	0
9909	4.903e+004	-1190	2680	0
9910	4.906e+004	-717	2680	0
9911	4.909e+004	-244.3	2680	0
9912	4.912e+004	228.5	2680	0
9913	4.915e+004	701.2	2680	0
9914	4.943e+004	-2638	2680	0
9915	4.946e+004	-2166	2680	0
9916	4.949e+004	-1693	2680	0
9917	4.953e+004	-1221	2680	0
9918	4.956e+004	-748.2	2680	0
9919	4.959e+004	-275.6	2680	0
9920	4.962e+004	196.9	2680	0
9921	4.966e+004	669.5	2680	0
9922	4.992e+004	-2670	2680	0
9923	4.995e+004	-2198	2680	0
9924	4.999e+004	-1725	2680	0
9925	5.002e+004	-1253	2680	0
9926	5.006e+004	-780.6	2680	0
9927	5.009e+004	-308.2	2680	0
9928	5.013e+004	164.2	2680	0
9929	5.016e+004	636.6	2680	0
9930	5.041e+004	-2704	2680	0
9931	5.044e+004	-2232	2680	0
9932	5.048e+004	-1759	2680	0
9933	5.052e+004	-1287	2680	0
9934	5.055e+004	-815	2680	0
9935	5.059e+004	-342.7	2680	0
9936	5.063e+004	129.5	2680	0
9937	5.067e+004	601.8	2680	0
9938	5.09e+004	-2739	2680	0
9939	5.094e+004	-2267	2680	0
9940	5.098e+004	-1795	2680	0
9941	5.102e+004	-1323	2680	0
9942	5.105e+004	-850.7	2680	0
9943	5.109e+004	-378.5	2680	0
9944	5.113e+004	93.67	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

9945	5.117e+004	565.8	2680	0
9946	5.139e+004	-2777	2680	0
9947	5.143e+004	-2305	2680	0
9948	5.147e+004	-1833	2680	0
9949	5.151e+004	-1361	2680	0
9950	5.155e+004	-888.4	2680	0
9951	5.159e+004	-416.3	2680	0
9952	5.163e+004	55.79	2680	0
9953	5.167e+004	527.9	2680	0
9954	5.189e+004	-2816	2680	0
9955	5.193e+004	-2344	2680	0
9956	5.197e+004	-1872	2680	0
9957	5.201e+004	-1400	2680	0
9958	5.205e+004	-928.1	2680	0
9959	5.209e+004	-456.1	2680	0
9960	5.213e+004	15.96	2680	0
9961	5.217e+004	488	2680	0
9962	5.238e+004	-2857	2680	0
9963	5.242e+004	-2385	2680	0
9964	5.246e+004	-1913	2680	0
9965	5.251e+004	-1442	2680	0
9966	5.255e+004	-969.6	2680	0
9967	5.259e+004	-497.7	2680	0
9968	5.263e+004	-25.82	2680	0
9969	5.268e+004	446.1	2680	0
9970	5.287e+004	-2900	2680	0
9971	5.292e+004	-2428	2680	0
9972	5.296e+004	-1956	2680	0
9973	5.3e+004	-1484	2680	0
9974	5.305e+004	-1013	2680	0
9975	5.309e+004	-540.7	2680	0
9976	5.314e+004	-68.78	2680	0
9977	5.318e+004	403.1	2680	0
9978	5.337e+004	-2945	2680	0
9979	5.341e+004	-2473	2680	0
9980	5.346e+004	-2001	2680	0
9981	5.35e+004	-1530	2680	0
9982	5.355e+004	-1058	2680	0
9983	5.359e+004	-586.2	2680	0
9984	5.364e+004	-114.5	2680	0
9985	5.368e+004	357.3	2680	0
9986	5.386e+004	-2991	2680	0
9987	5.391e+004	-2520	2680	0
9988	5.395e+004	-2048	2680	0
9989	5.4e+004	-1576	2680	0
9990	5.405e+004	-1105	2680	0
9991	5.409e+004	-633	2680	0
9992	5.414e+004	-161.3	2680	0
9993	5.418e+004	310.3	2680	0
9994	5.436e+004	-3040	2680	0
9995	5.44e+004	-2568	2680	0
9996	5.445e+004	-2096	2680	0
9997	5.45e+004	-1625	2680	0
9998	5.454e+004	-1153	2680	0
9999	5.459e+004	-681.7	2680	0
10000	5.464e+004	-210.2	2680	0
10001	5.469e+004	261.4	2680	0
10002	5.485e+004	-3090	2680	0
10003	5.49e+004	-2618	2680	0
10004	5.495e+004	-2147	2680	0
10005	5.499e+004	-1675	2680	0
10006	5.504e+004	-1204	2680	0
10007	5.509e+004	-732.4	2680	0
10008	5.514e+004	-260.9	2680	0
10009	5.519e+004	210.5	2680	0
10010	5.534e+004	-3142	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


10011	5.539e+004	-2670	2680	0
10012	5.544e+004	-2199	2680	0
10013	5.549e+004	-1728	2680	0
10014	5.554e+004	-1256	2680	0
10015	5.559e+004	-785	2680	0
10016	5.564e+004	-313.6	2680	0
10017	5.569e+004	157.7	2680	0
10018	5.583e+004	-3195	2680	0
10019	5.589e+004	-2724	2680	0
10020	5.594e+004	-2253	2680	0
10021	5.599e+004	-1781	2680	0
10022	5.604e+004	-1310	2680	0
10023	5.609e+004	-838.8	2680	0
10024	5.614e+004	-367.5	2680	0
10025	5.619e+004	103.7	2680	0
10026	5.633e+004	-3251	2680	0
10027	5.638e+004	-2780	2680	0
10028	5.643e+004	-2309	2680	0
10029	5.648e+004	-1837	2680	0
10030	5.653e+004	-1366	2680	0
10031	5.659e+004	-895.3	2680	0
10032	5.664e+004	-424.2	2680	0
10033	5.669e+004	46.91	2680	0
10034	5.682e+004	-3308	2680	0
10035	5.687e+004	-2837	2680	0
10036	5.693e+004	-2366	2680	0
10037	5.698e+004	-1895	2680	0
10038	5.703e+004	-1424	2680	0
10039	5.708e+004	-953	2680	0
10040	5.714e+004	-482	2680	0
10041	5.719e+004	-10.99	2680	0
10042	5.731e+004	-3367	2680	0
10043	5.737e+004	-2896	2680	0
10044	5.742e+004	-2425	2680	0
10045	5.747e+004	-1954	2680	0
10046	5.753e+004	-1483	2680	0
10047	5.758e+004	-1013	2680	0
10048	5.764e+004	-541.7	2680	0
10049	5.769e+004	-70.87	2680	0
10050	5.78e+004	-3428	2680	0
10051	5.786e+004	-2957	2680	0
10052	5.791e+004	-2486	2680	0
10053	5.797e+004	-2016	2680	0
10054	5.802e+004	-1545	2680	0
10055	5.808e+004	-1074	2680	0
10056	5.813e+004	-603.4	2680	0
10057	5.819e+004	-132.7	2680	0
10058	5.83e+004	-3490	2680	0
10059	5.835e+004	-3020	2680	0
10060	5.841e+004	-2549	2680	0
10061	5.846e+004	-2079	2680	0
10062	5.852e+004	-1608	2680	0
10063	5.858e+004	-1138	2680	0
10064	5.863e+004	-667.1	2680	0
10065	5.869e+004	-196.5	2680	0
10066	5.879e+004	-3555	2680	0
10067	5.884e+004	-3084	2680	0
10068	5.89e+004	-2614	2680	0
10069	5.896e+004	-2143	2680	0
10070	5.902e+004	-1673	2680	0
10071	5.907e+004	-1202	2680	0
10072	5.913e+004	-731.9	2680	0
10073	5.919e+004	-261.5	2680	0
10074	5.928e+004	-3621	2680	0
10075	5.934e+004	-3151	2680	0
10076	5.939e+004	-2680	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


10077	5.945e+004	-2210	2680	0
10078	5.951e+004	-1740	2680	0
10079	5.957e+004	-1270	2680	0
10080	5.963e+004	-799.4	2680	0
10081	5.969e+004	-329.2	2680	0
10082	5.977e+004	-3688	2680	0
10083	5.983e+004	-3218	2680	0
10084	5.989e+004	-2748	2680	0
10085	5.995e+004	-2278	2680	0
10086	6.001e+004	-1808	2680	0
10087	6.007e+004	-1338	2680	0
10088	6.013e+004	-868.1	2680	0
10089	6.019e+004	-398.1	2680	0
10090	6.026e+004	-3758	2680	0
10091	6.032e+004	-3288	2680	0
10092	6.038e+004	-2818	2680	0
10093	6.044e+004	-2348	2680	0
10094	6.05e+004	-1878	2680	0
10095	6.056e+004	-1409	2680	0
10096	6.062e+004	-938.7	2680	0
10097	6.069e+004	-468.9	2680	0
10098	6.075e+004	-3829	2680	0
10099	6.081e+004	-3360	2680	0
10100	6.087e+004	-2890	2680	0
10101	6.093e+004	-2420	2680	0
10102	6.1e+004	-1951	2680	0
10103	6.106e+004	-1481	2680	0
10104	6.112e+004	-1011	2680	0
10105	6.119e+004	-541.7	2680	0
10106	6.123e+004	-3902	2680	0
10107	6.13e+004	-3433	2680	0
10108	6.136e+004	-2963	2680	0
10109	6.143e+004	-2494	2680	0
10110	6.149e+004	-2025	2680	0
10111	6.156e+004	-1555	2680	0
10112	6.162e+004	-1086	2680	0
10113	6.168e+004	-616.4	2680	0
10114	6.172e+004	-3977	2680	0
10115	6.179e+004	-3508	2680	0
10116	6.185e+004	-3039	2680	0
10117	6.192e+004	-2569	2680	0
10118	6.199e+004	-2100	2680	0
10119	6.205e+004	-1631	2680	0
10120	6.212e+004	-1162	2680	0
10121	6.218e+004	-692.3	2680	0
10122	6.221e+004	-4054	2680	0
10123	6.228e+004	-3585	2680	0
10124	6.235e+004	-3116	2680	0
10125	6.241e+004	-2647	2680	0
10126	6.248e+004	-2178	2680	0
10127	6.255e+004	-1709	2680	0
10128	6.261e+004	-1240	2680	0
10129	6.268e+004	-771	2680	0
10130	6.27e+004	-4132	2680	0
10131	6.277e+004	-3663	2680	0
10132	6.284e+004	-3195	2680	0
10133	6.291e+004	-2726	2680	0
10134	6.297e+004	-2258	2680	0
10135	6.304e+004	-1789	2680	0
10136	6.311e+004	-1320	2680	0
10137	6.318e+004	-851.6	2680	0
10138	6.318e+004	-4212	2680	0
10139	6.325e+004	-3743	2680	0
10140	6.333e+004	-3275	2680	0
10141	6.34e+004	-2807	2680	0
10142	6.347e+004	-2338	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


10143	6.354e+004	-1870	2680	0
10144	6.361e+004	-1402	2680	0
10145	6.368e+004	-933.3	2680	0
10146	6.367e+004	-4293	2680	0
10147	6.374e+004	-3825	2680	0
10148	6.381e+004	-3357	2680	0
10149	6.389e+004	-2889	2680	0
10150	6.396e+004	-2421	2680	0
10151	6.403e+004	-1953	2680	0
10152	6.41e+004	-1485	2680	0
10153	6.418e+004	-1017	2680	0
10154	6.415e+004	-4376	2680	0
10155	6.423e+004	-3909	2680	0
10156	6.43e+004	-3441	2680	0
10157	6.438e+004	-2974	2680	0
10158	6.445e+004	-2506	2680	0
10159	6.453e+004	-2039	2680	0
10160	6.46e+004	-1571	2680	0
10161	6.468e+004	-1104	2680	0
10162	6.464e+004	-4461	2680	0
10163	6.471e+004	-3994	2680	0
10164	6.479e+004	-3526	2680	0
10165	6.487e+004	-3059	2680	0
10166	6.494e+004	-2592	2680	0
10167	6.502e+004	-2125	2680	0
10168	6.51e+004	-1657	2680	0
10169	6.518e+004	-1190	2680	0
10170	6.512e+004	-4548	2680	0
10171	6.52e+004	-4081	2680	0
10172	6.528e+004	-3614	2680	0
10173	6.536e+004	-3147	2680	0
10174	6.544e+004	-2680	2680	0
10175	6.551e+004	-2213	2680	0
10176	6.559e+004	-1747	2680	0
10177	6.567e+004	-1280	2680	0
10178	6.56e+004	-4636	2680	0
10179	6.568e+004	-4169	2680	0
10180	6.577e+004	-3703	2680	0
10181	6.585e+004	-3236	2680	0
10182	6.593e+004	-2770	2680	0
10183	6.601e+004	-2303	2680	0
10184	6.609e+004	-1837	2680	0
10185	6.617e+004	-1370	2680	0
10186	6.609e+004	-4726	2680	0
10187	6.617e+004	-4260	2680	0
10188	6.625e+004	-3794	2680	0
10189	6.634e+004	-3327	2680	0
10190	6.642e+004	-2861	2680	0
10191	6.65e+004	-2395	2680	0
10192	6.659e+004	-1929	2680	0
10193	6.667e+004	-1463	2680	0
10194	6.657e+004	-4817	2680	0
10195	6.665e+004	-4352	2680	0
10196	6.674e+004	-3886	2680	0
10197	6.682e+004	-3420	2680	0
10198	6.691e+004	-2955	2680	0
10199	6.7e+004	-2489	2680	0
10200	6.708e+004	-2023	2680	0
10201	6.717e+004	-1558	2680	0
10202	6.705e+004	-4911	2680	0
10203	6.714e+004	-4446	2680	0
10204	6.723e+004	-3980	2680	0
10205	6.731e+004	-3515	2680	0
10206	6.74e+004	-3050	2680	0
10207	6.749e+004	-2585	2680	0
10208	6.758e+004	-2119	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


10209	6.766e+004	-1654	2680	0
10210	6.753e+004	-5006	2680	0
10211	6.762e+004	-4541	2680	0
10212	6.771e+004	-4076	2680	0
10213	6.78e+004	-3611	2680	0
10214	6.789e+004	-3147	2680	0
10215	6.798e+004	-2682	2680	0
10216	6.807e+004	-2217	2680	0
10217	6.816e+004	-1752	2680	0
10218	6.801e+004	-5103	2680	0
10219	6.811e+004	-4639	2680	0
10220	6.82e+004	-4174	2680	0
10221	6.829e+004	-3710	2680	0
10222	6.838e+004	-3245	2680	0
10223	6.847e+004	-2781	2680	0
10224	6.856e+004	-2316	2680	0
10225	6.866e+004	-1852	2680	0
10226	6.85e+004	-5202	2680	0
10227	6.859e+004	-4738	2680	0
10228	6.868e+004	-4274	2680	0
10229	6.878e+004	-3809	2680	0
10230	6.887e+004	-3345	2680	0
10231	6.896e+004	-2881	2680	0
10232	6.906e+004	-2417	2680	0
10233	6.915e+004	-1953	2680	0
10234	6.898e+004	-5302	2680	0
10235	6.907e+004	-4838	2680	0
10236	6.917e+004	-4375	2680	0
10237	6.926e+004	-3911	2680	0
10238	6.936e+004	-3448	2680	0
10239	6.946e+004	-2984	2680	0
10240	6.955e+004	-2520	2680	0
10241	6.965e+004	-2057	2680	0
10242	6.946e+004	-5404	2680	0
10243	6.955e+004	-4941	2680	0
10244	6.965e+004	-4478	2680	0
10245	6.975e+004	-4014	2680	0
10246	6.985e+004	-3551	2680	0
10247	6.995e+004	-3088	2680	0
10248	7.004e+004	-2625	2680	0
10249	7.014e+004	-2161	2680	0
10250	6.994e+004	-5508	2680	0
10251	7.004e+004	-5045	2680	0
10252	7.014e+004	-4583	2680	0
10253	7.024e+004	-4120	2680	0
10254	7.034e+004	-3657	2680	0
10255	7.044e+004	-3194	2680	0
10256	7.054e+004	-2732	2680	0
10257	7.064e+004	-2269	2680	0
10258	7.042e+004	-5614	2680	0
10259	7.052e+004	-5151	2680	0
10260	7.062e+004	-4689	2680	0
10261	7.072e+004	-4227	2680	0
10262	7.082e+004	-3764	2680	0
10263	7.093e+004	-3302	2680	0
10264	7.103e+004	-2840	2680	0
10265	7.113e+004	-2377	2680	0
10266	7.09e+004	-5721	2680	0
10267	7.1e+004	-5259	2680	0
10268	7.11e+004	-4797	2680	0
10269	7.121e+004	-4335	2680	0
10270	7.131e+004	-3873	2680	0
10271	7.142e+004	-3412	2680	0
10272	7.152e+004	-2950	2680	0
10273	7.162e+004	-2488	2680	0
10274	7.137e+004	-5830	2680	0

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

10275	7.148e+004	-5368	2680	0
10276	7.159e+004	-4907	2680	0
10277	7.169e+004	-4446	2680	0
10278	7.18e+004	-3984	2680	0
10279	7.191e+004	-3523	2680	0
10280	7.201e+004	-3062	2680	0
10281	7.212e+004	-2600	2680	0
10282	7.185e+004	-5940	2680	0
10283	7.196e+004	-5479	2680	0
10284	7.207e+004	-5018	2680	0
10285	7.218e+004	-4558	2680	0
10286	7.229e+004	-4097	2680	0
10287	7.239e+004	-3636	2680	0
10288	7.25e+004	-3175	2680	0
10289	7.261e+004	-2714	2680	0
10290	7.233e+004	-6053	2680	0
10291	7.244e+004	-5592	2680	0
10292	7.255e+004	-5132	2680	0
10293	7.266e+004	-4671	2680	0
10294	7.277e+004	-4211	2680	0
10295	7.288e+004	-3750	2680	0
10296	7.299e+004	-3290	2680	0
10297	7.31e+004	-2829	2680	0
10298	7.281e+004	-6166	2680	0
10299	7.292e+004	-5706	2680	0
10300	7.303e+004	-5246	2680	0
10301	7.315e+004	-4786	2680	0
10302	7.326e+004	-4326	2680	0
10303	7.337e+004	-3866	2680	0
10304	7.348e+004	-3405	2680	0
10305	7.36e+004	-2945	2680	0
10306	7.328e+004	-6282	2680	0
10307	7.34e+004	-5822	2680	0
10308	7.351e+004	-5362	2680	0
10309	7.363e+004	-4902	2680	0
10310	7.374e+004	-4441	2680	0
10311	7.386e+004	-3981	2680	0
10312	7.397e+004	-3521	2680	0
10313	7.409e+004	-3061	2680	0
10314	7.376e+004	-6399	2680	0
10315	7.388e+004	-5939	2680	0
10316	7.399e+004	-5479	2680	0
10317	7.411e+004	-5019	2680	0
10318	7.423e+004	-4558	2680	0
10319	7.434e+004	-4098	2680	0
10320	7.446e+004	-3638	2680	0
10321	7.458e+004	-3178	2680	0
10322	7.424e+004	-6517	2680	0
10323	7.435e+004	-6057	2680	0
10324	7.447e+004	-5596	2680	0
10325	7.459e+004	-5136	2680	0
10326	7.471e+004	-4676	2680	0
10327	7.482e+004	-4215	2680	0
10328	7.494e+004	-3755	2680	0
10329	7.506e+004	-3294	2680	0
10330	7.474e+004	-6645	2680	0
10331	7.486e+004	-6186	2680	0
10332	7.499e+004	-5726	2680	0
10333	7.511e+004	-5266	2680	0
10334	7.523e+004	-4806	2680	0
10335	7.535e+004	-4347	2680	0
10336	7.547e+004	-3887	2680	0
10337	7.559e+004	-3427	2680	0
10338	7.524e+004	-6774	2680	0
10339	7.537e+004	-6314	2680	0
10340	7.549e+004	-5854	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


10341	7.562e+004	-5394	2680	0
10342	7.574e+004	-4934	2680	0
10343	7.587e+004	-4474	2680	0
10344	7.599e+004	-4014	2680	0
10345	7.611e+004	-3554	2680	0
10346	7.575e+004	-6905	2680	0
10347	7.587e+004	-6446	2680	0
10348	7.6e+004	-5986	2680	0
10349	7.613e+004	-5526	2680	0
10350	7.625e+004	-5066	2680	0
10351	7.638e+004	-4606	2680	0
10352	7.651e+004	-4146	2680	0
10353	7.663e+004	-3687	2680	0
10354	7.625e+004	-7038	2680	0
10355	7.638e+004	-6577	2680	0
10356	7.651e+004	-6116	2680	0
10357	7.664e+004	-5655	2680	0
10358	7.677e+004	-5194	2680	0
10359	7.69e+004	-4733	2680	0
10360	7.702e+004	-4273	2680	0
10361	7.715e+004	-3812	2680	0
10362	7.675e+004	-7173	2680	0
10363	7.688e+004	-6712	2680	0
10364	7.701e+004	-6251	2680	0
10365	7.715e+004	-5791	2680	0
10366	7.728e+004	-5330	2680	0
10367	7.741e+004	-4870	2680	0
10368	7.754e+004	-4409	2680	0
10369	7.767e+004	-3948	2680	0
10370	7.725e+004	-7309	2680	0
10371	7.738e+004	-6849	2680	0
10372	7.752e+004	-6388	2680	0
10373	7.765e+004	-5928	2680	0
10374	7.779e+004	-5467	2680	0
10375	7.792e+004	-5007	2680	0
10376	7.806e+004	-4546	2680	0
10377	7.819e+004	-4086	2680	0
10378	7.942e+004	-3935	2680	0
10379	7.929e+004	-4396	2680	0
10380	7.915e+004	-4857	2680	0
10381	7.902e+004	-5318	2680	0
10382	7.888e+004	-5778	2680	0
10383	7.875e+004	-6239	2680	0
10384	7.861e+004	-6700	2680	0
10385	7.848e+004	-7161	2680	0
10386	7.834e+004	-7622	2680	0
10387	7.759e+004	-1.02e+004	2680	0
10388	7.775e+004	-9671	2680	0
10389	7.79e+004	-9142	2680	0
10390	7.806e+004	-8612	2680	0
10391	7.97e+004	-2981	2680	0
10392	7.984e+004	-2489	2680	0
10393	7.999e+004	-1995	2680	0
10394	8.013e+004	-1503	2680	0
10395	-600	1920	2680	0
10396	-600	-1920	2680	0
10397	-600	-1440	2680	0
10398	-600	-960	2680	0
10399	-600	-480	2680	0
10400	-600	0	2680	0
10401	-600	480	2680	0
10402	-600	960	2680	0
10403	-600	1440	2680	0
10404	-600	-2893	2680	0
10405	-600	-3387	2680	0
10406	-600	-3881	2680	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


10407	-600	-4375	2680	0
10408	-600	4375	2680	0
10409	-600	3881	2680	0
10410	-600	3388	2680	0
10411	-600	2894	2680	0
10412	0	2400	775	0
10413	516.7	2400	775	0
10414	0	2400	1290	0
10415	516.7	2400	1290	0
10416	0	2400	1805	0
10417	516.7	2400	1805	0
10418	0	-2400	775	0
10419	516.7	-2400	775	0
10420	0	-2400	1290	0
10421	516.7	-2400	1290	0
10422	0	-2400	1805	0
10423	516.7	-2400	1805	0
10424	3100	2400	775	0
10425	3600	2400	775	0
10426	3100	2400	1290	0
10427	3600	2400	1290	0
10428	3100	2400	1805	0
10429	3600	2400	1805	0
10430	3100	-2400	775	0
10431	3600	-2400	775	0
10432	3100	-2400	1290	0
10433	3600	-2400	1290	0
10434	3100	-2400	1805	0
10435	3600	-2400	1805	0
10436	-600	2400	775	0
10437	-600	2400	1290	0
10438	-600	2400	1805	0
10439	-600	-2400	775	0
10440	-600	-2400	1290	0
10441	-600	-2400	1805	0
10442	7100	2400	775	0
10443	7600	2400	775	0
10444	7100	2400	1290	0
10445	7600	2400	1290	0
10446	7100	2400	1805	0
10447	7600	2400	1805	0
10448	7100	-2400	775	0
10449	7600	-2400	775	0
10450	7100	-2400	1290	0
10451	7600	-2400	1290	0
10452	7100	-2400	1805	0
10453	7600	-2400	1805	0
10454	1.11e+004	2400	775	0
10455	1.16e+004	2400	775	0
10456	1.11e+004	2400	1290	0
10457	1.16e+004	2400	1290	0
10458	1.11e+004	2400	1805	0
10459	1.16e+004	2400	1805	0
10460	1.11e+004	-2400	775	0
10461	1.16e+004	-2400	775	0
10462	1.11e+004	-2400	1290	0
10463	1.16e+004	-2400	1290	0
10464	1.11e+004	-2400	1805	0
10465	1.16e+004	-2400	1805	0
10466	1.51e+004	2400	775	0
10467	1.56e+004	2400	775	0
10468	1.51e+004	2400	1290	0
10469	1.56e+004	2400	1290	0
10470	1.51e+004	2400	1805	0
10471	1.56e+004	2400	1805	0
10472	1.51e+004	-2400	775	0

PROJECT TITLE :

	Company			Client
	Author			File Name
				PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

10473	1.56e+004	-2400	775	0
10474	1.51e+004	-2400	1290	0
10475	1.56e+004	-2400	1290	0
10476	1.51e+004	-2400	1805	0
10477	1.56e+004	-2400	1805	0
10478	9100	2400	775	0
10479	9600	2400	775	0
10480	9100	2400	1290	0
10481	9600	2400	1290	0
10482	9100	2400	1805	0
10483	9600	2400	1805	0
10484	9100	-2400	775	0
10485	9600	-2400	775	0
10486	9100	-2400	1290	0
10487	9600	-2400	1290	0
10488	9100	-2400	1805	0
10489	9600	-2400	1805	0
10490	1033	2400	775	0
10491	1033	2400	1290	0
10492	1033	2400	1805	0
10493	1550	2400	775	0
10494	1550	2400	1290	0
10495	1550	2400	1805	0
10496	2067	2400	775	0
10497	2067	2400	1290	0
10498	2067	2400	1805	0
10499	2583	2400	775	0
10500	2583	2400	1290	0
10501	2583	2400	1805	0
10502	1033	-2400	775	0
10503	1033	-2400	1290	0
10504	1033	-2400	1805	0
10505	1550	-2400	775	0
10506	1550	-2400	1290	0
10507	1550	-2400	1805	0
10508	2067	-2400	775	0
10509	2067	-2400	1290	0
10510	2067	-2400	1805	0
10511	2583	-2400	775	0
10512	2583	-2400	1290	0
10513	2583	-2400	1805	0
10514	4100	2400	775	0
10515	4100	2400	1290	0
10516	4100	2400	1805	0
10517	4600	2400	775	0
10518	4600	2400	1290	0
10519	4600	2400	1805	0
10520	5100	2400	775	0
10521	5100	2400	1290	0
10522	5100	2400	1805	0
10523	5600	2400	775	0
10524	5600	2400	1290	0
10525	5600	2400	1805	0
10526	6100	2400	775	0
10527	6100	2400	1290	0
10528	6100	2400	1805	0
10529	6600	2400	775	0
10530	6600	2400	1290	0
10531	6600	2400	1805	0
10532	4100	-2400	775	0
10533	4100	-2400	1290	0
10534	4100	-2400	1805	0
10535	4600	-2400	775	0
10536	4600	-2400	1290	0
10537	4600	-2400	1805	0
10538	5100	-2400	775	0

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


10539	5100	-2400	1290	0
10540	5100	-2400	1805	0
10541	5600	-2400	775	0
10542	5600	-2400	1290	0
10543	5600	-2400	1805	0
10544	6100	-2400	775	0
10545	6100	-2400	1290	0
10546	6100	-2400	1805	0
10547	6600	-2400	775	0
10548	6600	-2400	1290	0
10549	6600	-2400	1805	0
10550	1.21e+004	2400	775	0
10551	1.21e+004	2400	1290	0
10552	1.21e+004	2400	1805	0
10553	1.26e+004	2400	775	0
10554	1.26e+004	2400	1290	0
10555	1.26e+004	2400	1805	0
10556	1.31e+004	2400	775	0
10557	1.31e+004	2400	1290	0
10558	1.31e+004	2400	1805	0
10559	1.36e+004	2400	775	0
10560	1.36e+004	2400	1290	0
10561	1.36e+004	2400	1805	0
10562	1.41e+004	2400	775	0
10563	1.41e+004	2400	1290	0
10564	1.41e+004	2400	1805	0
10565	1.46e+004	2400	775	0
10566	1.46e+004	2400	1290	0
10567	1.46e+004	2400	1805	0
10568	1.21e+004	-2400	775	0
10569	1.21e+004	-2400	1290	0
10570	1.21e+004	-2400	1805	0
10571	1.26e+004	-2400	775	0
10572	1.26e+004	-2400	1290	0
10573	1.26e+004	-2400	1805	0
10574	1.31e+004	-2400	775	0
10575	1.31e+004	-2400	1290	0
10576	1.31e+004	-2400	1805	0
10577	1.36e+004	-2400	775	0
10578	1.36e+004	-2400	1290	0
10579	1.36e+004	-2400	1805	0
10580	1.41e+004	-2400	775	0
10581	1.41e+004	-2400	1290	0
10582	1.41e+004	-2400	1805	0
10583	1.46e+004	-2400	775	0
10584	1.46e+004	-2400	1290	0
10585	1.46e+004	-2400	1805	0
10586	1.61e+004	2400	775	0
10587	1.61e+004	2400	1290	0
10588	1.61e+004	2400	1805	0
10589	1.66e+004	2400	775	0
10590	1.66e+004	2400	1290	0
10591	1.66e+004	2400	1805	0
10592	1.71e+004	2400	775	0
10593	1.71e+004	2400	1290	0
10594	1.71e+004	2400	1805	0
10595	1.76e+004	2400	775	0
10596	1.76e+004	2400	1290	0
10597	1.76e+004	2400	1805	0
10598	1.81e+004	2400	775	0
10599	1.81e+004	2400	1290	0
10600	1.81e+004	2400	1805	0
10601	1.86e+004	2400	775	0
10602	1.86e+004	2400	1290	0
10603	1.86e+004	2400	1805	0
10604	1.91e+004	2400	775	0

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


10605	1.91e+004	2400	1290	0
10606	1.91e+004	2400	1805	0
10607	1.61e+004	-2400	775	0
10608	1.61e+004	-2400	1290	0
10609	1.61e+004	-2400	1805	0
10610	1.66e+004	-2400	775	0
10611	1.66e+004	-2400	1290	0
10612	1.66e+004	-2400	1805	0
10613	1.71e+004	-2400	775	0
10614	1.71e+004	-2400	1290	0
10615	1.71e+004	-2400	1805	0
10616	1.76e+004	-2400	775	0
10617	1.76e+004	-2400	1290	0
10618	1.76e+004	-2400	1805	0
10619	1.81e+004	-2400	775	0
10620	1.81e+004	-2400	1290	0
10621	1.81e+004	-2400	1805	0
10622	1.86e+004	-2400	775	0
10623	1.86e+004	-2400	1290	0
10624	1.86e+004	-2400	1805	0
10625	1.91e+004	-2400	775	0
10626	1.91e+004	-2400	1290	0
10627	1.91e+004	-2400	1805	0
10628	8100	2400	775	0
10629	8100	2400	1290	0
10630	8100	2400	1805	0
10631	8600	2400	775	0
10632	8600	2400	1290	0
10633	8600	2400	1805	0
10634	8100	-2400	775	0
10635	8100	-2400	1290	0
10636	8100	-2400	1805	0
10637	8600	-2400	775	0
10638	8600	-2400	1290	0
10639	8600	-2400	1805	0
10640	1.01e+004	2400	775	0
10641	1.01e+004	2400	1290	0
10642	1.01e+004	2400	1805	0
10643	1.06e+004	2400	775	0
10644	1.06e+004	2400	1290	0
10645	1.06e+004	2400	1805	0
10646	1.01e+004	-2400	775	0
10647	1.01e+004	-2400	1290	0
10648	1.01e+004	-2400	1805	0
10649	1.06e+004	-2400	775	0
10650	1.06e+004	-2400	1290	0
10651	1.06e+004	-2400	1805	0
10652	0	-1920	775	0
10653	0	-1920	1290	0
10654	0	-1920	1805	0
10655	3.904e+004	-2624	775	0
10656	3.905e+004	-2144	775	0
10657	3.904e+004	-2624	1290	0
10658	3.905e+004	-2144	1290	0
10659	3.904e+004	-2624	1805	0
10660	3.905e+004	-2144	1805	0
10661	7.761e+004	-7909	775	0
10662	7.775e+004	-7449	775	0
10663	7.761e+004	-7909	1290	0
10664	7.775e+004	-7449	1290	0
10665	7.761e+004	-7909	1805	0
10666	7.775e+004	-7449	1805	0
10667	0	-1440	775	0
10668	0	-1440	1290	0
10669	0	-1440	1805	0
10670	0	-960	775	0

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


10671	0	-960	1290	0
10672	0	-960	1805	0
10673	0	-480	775	0
10674	0	-480	1290	0
10675	0	-480	1805	0
10676	0	0	775	0
10677	0	0	1290	0
10678	0	0	1805	0
10679	0	480	775	0
10680	0	480	1290	0
10681	0	480	1805	0
10682	0	960	775	0
10683	0	960	1290	0
10684	0	960	1805	0
10685	0	1440	775	0
10686	0	1440	1290	0
10687	0	1440	1805	0
10688	0	1920	775	0
10689	0	1920	1290	0
10690	0	1920	1805	0
10691	3.905e+004	-1664	775	0
10692	3.905e+004	-1664	1290	0
10693	3.905e+004	-1664	1805	0
10694	3.906e+004	-1184	775	0
10695	3.906e+004	-1184	1290	0
10696	3.906e+004	-1184	1805	0
10697	3.907e+004	-704.1	775	0
10698	3.907e+004	-704.1	1290	0
10699	3.907e+004	-704.1	1805	0
10700	3.908e+004	-224.1	775	0
10701	3.908e+004	-224.1	1290	0
10702	3.908e+004	-224.1	1805	0
10703	3.908e+004	255.9	775	0
10704	3.908e+004	255.9	1290	0
10705	3.908e+004	255.9	1805	0
10706	3.909e+004	736	775	0
10707	3.909e+004	736	1290	0
10708	3.909e+004	736	1805	0
10709	3.91e+004	1216	775	0
10710	3.91e+004	1216	1290	0
10711	3.91e+004	1216	1805	0
10712	3.91e+004	1696	775	0
10713	3.91e+004	1696	1290	0
10714	3.91e+004	1696	1805	0
10715	3.911e+004	2176	775	0
10716	3.911e+004	2176	1290	0
10717	3.911e+004	2176	1805	0
10718	7.789e+004	-6988	775	0
10719	7.789e+004	-6988	1290	0
10720	7.789e+004	-6988	1805	0
10721	7.802e+004	-6528	775	0
10722	7.802e+004	-6528	1290	0
10723	7.802e+004	-6528	1805	0
10724	7.816e+004	-6068	775	0
10725	7.816e+004	-6068	1290	0
10726	7.816e+004	-6068	1805	0
10727	7.83e+004	-5608	775	0
10728	7.83e+004	-5608	1290	0
10729	7.83e+004	-5608	1805	0
10730	7.843e+004	-5147	775	0
10731	7.843e+004	-5147	1290	0
10732	7.843e+004	-5147	1805	0
10733	7.857e+004	-4687	775	0
10734	7.857e+004	-4687	1290	0
10735	7.857e+004	-4687	1805	0
10736	7.871e+004	-4227	775	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


10737	7.871e+004	-4227	1290	0
10738	7.871e+004	-4227	1805	0
10739	7.884e+004	-3767	775	0
10740	7.884e+004	-3767	1290	0
10741	7.884e+004	-3767	1805	0
10742	7.898e+004	-3306	775	0
10743	7.898e+004	-3306	1290	0
10744	7.898e+004	-3306	1805	0
10745	1.96e+004	2400	775	0
10746	1.96e+004	2400	1290	0
10747	1.96e+004	2400	1805	0
10748	1.96e+004	-2400	775	0
10749	1.96e+004	-2400	1290	0
10750	1.96e+004	-2400	1805	0
10751	7.956e+004	-3470	775	0
10752	7.956e+004	-3470	1290	0
10753	7.956e+004	-3470	1805	0
10754	2.308e+004	2396	775	0
10755	2.358e+004	2399	775	0
10756	2.308e+004	2396	1290	0
10757	2.358e+004	2399	1290	0
10758	2.308e+004	2396	1805	0
10759	2.358e+004	2399	1805	0
10760	2.408e+004	2402	775	0
10761	2.408e+004	2402	1290	0
10762	2.408e+004	2402	1805	0
10763	2.458e+004	2403	775	0
10764	2.458e+004	2403	1290	0
10765	2.458e+004	2403	1805	0
10766	2.508e+004	2405	775	0
10767	2.508e+004	2405	1290	0
10768	2.508e+004	2405	1805	0
10769	2.558e+004	2405	775	0
10770	2.558e+004	2405	1290	0
10771	2.558e+004	2405	1805	0
10772	2.608e+004	2405	775	0
10773	2.608e+004	2405	1290	0
10774	2.608e+004	2405	1805	0
10775	2.658e+004	2404	775	0
10776	2.658e+004	2404	1290	0
10777	2.658e+004	2404	1805	0
10778	2.708e+004	2403	775	0
10779	2.708e+004	2403	1290	0
10780	2.708e+004	2403	1805	0
10781	7.533e+004	-2332	775	0
10782	7.585e+004	-2465	775	0
10783	7.533e+004	-2332	1290	0
10784	7.585e+004	-2465	1290	0
10785	7.533e+004	-2332	1805	0
10786	7.585e+004	-2465	1805	0
10787	7.637e+004	-2600	775	0
10788	7.637e+004	-2600	1290	0
10789	7.637e+004	-2600	1805	0
10790	7.689e+004	-2737	775	0
10791	7.689e+004	-2737	1290	0
10792	7.689e+004	-2737	1805	0
10793	7.742e+004	-2876	775	0
10794	7.794e+004	-3018	775	0
10795	7.742e+004	-2876	1290	0
10796	7.794e+004	-3018	1290	0
10797	7.742e+004	-2876	1805	0
10798	7.794e+004	-3018	1805	0
10799	7.846e+004	-3161	775	0
10800	7.846e+004	-3161	1290	0
10801	7.846e+004	-3161	1805	0
10802	5.48e+004	-3561	775	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

10803	5.529e+004	-3613	775	0
10804	5.48e+004	-3561	1290	0
10805	5.529e+004	-3613	1290	0
10806	5.48e+004	-3561	1805	0
10807	5.529e+004	-3613	1805	0
10808	5.578e+004	-3666	775	0
10809	5.578e+004	-3666	1290	0
10810	5.578e+004	-3666	1805	0
10811	5.628e+004	-3722	775	0
10812	5.628e+004	-3722	1290	0
10813	5.628e+004	-3722	1805	0
10814	5.677e+004	-3779	775	0
10815	5.677e+004	-3779	1290	0
10816	5.677e+004	-3779	1805	0
10817	5.726e+004	-3838	775	0
10818	5.726e+004	-3838	1290	0
10819	5.726e+004	-3838	1805	0
10820	5.775e+004	-3898	775	0
10821	5.775e+004	-3898	1290	0
10822	5.775e+004	-3898	1805	0
10823	5.824e+004	-3961	775	0
10824	5.824e+004	-3961	1290	0
10825	5.824e+004	-3961	1805	0
10826	5.873e+004	-4025	775	0
10827	5.873e+004	-4025	1290	0
10828	5.873e+004	-4025	1805	0
10829	6.735e+004	-562	775	0
10830	6.785e+004	-659	775	0
10831	6.735e+004	-562	1290	0
10832	6.785e+004	-659	1290	0
10833	6.735e+004	-562	1805	0
10834	6.785e+004	-659	1805	0
10835	6.835e+004	-757.8	775	0
10836	6.835e+004	-757.8	1290	0
10837	6.835e+004	-757.8	1805	0
10838	6.885e+004	-858.5	775	0
10839	6.885e+004	-858.5	1290	0
10840	6.885e+004	-858.5	1805	0
10841	6.935e+004	-960.9	775	0
10842	6.935e+004	-960.9	1290	0
10843	6.935e+004	-960.9	1805	0
10844	6.985e+004	-1065	775	0
10845	6.985e+004	-1065	1290	0
10846	6.985e+004	-1065	1805	0
10847	7.035e+004	-1171	775	0
10848	7.035e+004	-1171	1290	0
10849	7.035e+004	-1171	1805	0
10850	7.085e+004	-1279	775	0
10851	7.085e+004	-1279	1290	0
10852	7.085e+004	-1279	1805	0
10853	7.135e+004	-1389	775	0
10854	7.135e+004	-1389	1290	0
10855	7.135e+004	-1389	1805	0
10856	5.086e+004	-3211	775	0
10857	5.135e+004	-3249	775	0
10858	5.086e+004	-3211	1290	0
10859	5.135e+004	-3249	1290	0
10860	5.086e+004	-3211	1805	0
10861	5.135e+004	-3249	1805	0
10862	5.185e+004	-3288	775	0
10863	5.185e+004	-3288	1290	0
10864	5.185e+004	-3288	1805	0
10865	5.234e+004	-3329	775	0
10866	5.234e+004	-3329	1290	0
10867	5.234e+004	-3329	1805	0
10868	5.283e+004	-3372	775	0

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


10869	5.283e+004	-3372	1290	0
10870	5.283e+004	-3372	1805	0
10871	5.332e+004	-3417	775	0
10872	5.332e+004	-3417	1290	0
10873	5.332e+004	-3417	1805	0
10874	5.382e+004	-3463	775	0
10875	5.382e+004	-3463	1290	0
10876	5.382e+004	-3463	1805	0
10877	5.431e+004	-3511	775	0
10878	5.431e+004	-3511	1290	0
10879	5.431e+004	-3511	1805	0
10880	2.308e+004	-2404	775	0
10881	2.361e+004	-2401	775	0
10882	2.308e+004	-2404	1290	0
10883	2.361e+004	-2401	1290	0
10884	2.308e+004	-2404	1805	0
10885	2.361e+004	-2401	1805	0
10886	2.41e+004	-2398	775	0
10887	2.41e+004	-2398	1290	0
10888	2.41e+004	-2398	1805	0
10889	2.46e+004	-2397	775	0
10890	2.46e+004	-2397	1290	0
10891	2.46e+004	-2397	1805	0
10892	2.509e+004	-2395	775	0
10893	2.509e+004	-2395	1290	0
10894	2.509e+004	-2395	1805	0
10895	2.559e+004	-2395	775	0
10896	2.559e+004	-2395	1290	0
10897	2.559e+004	-2395	1805	0
10898	2.609e+004	-2395	775	0
10899	2.609e+004	-2395	1290	0
10900	2.609e+004	-2395	1805	0
10901	2.658e+004	-2396	775	0
10902	2.658e+004	-2396	1290	0
10903	2.658e+004	-2396	1805	0
10904	2.708e+004	-2397	775	0
10905	2.708e+004	-2397	1290	0
10906	2.708e+004	-2397	1805	0
10907	5.922e+004	-4091	775	0
10908	5.922e+004	-4091	1290	0
10909	5.922e+004	-4091	1805	0
10910	5.971e+004	-4158	775	0
10911	5.971e+004	-4158	1290	0
10912	5.971e+004	-4158	1805	0
10913	6.019e+004	-4228	775	0
10914	6.019e+004	-4228	1290	0
10915	6.019e+004	-4228	1805	0
10916	6.068e+004	-4299	775	0
10917	6.068e+004	-4299	1290	0
10918	6.068e+004	-4299	1805	0
10919	6.117e+004	-4372	775	0
10920	6.117e+004	-4372	1290	0
10921	6.117e+004	-4372	1805	0
10922	6.166e+004	-4446	775	0
10923	6.166e+004	-4446	1290	0
10924	6.166e+004	-4446	1805	0
10925	6.214e+004	-4523	775	0
10926	6.214e+004	-4523	1290	0
10927	6.214e+004	-4523	1805	0
10928	6.263e+004	-4601	775	0
10929	6.263e+004	-4601	1290	0
10930	6.263e+004	-4601	1805	0
10931	4.691e+004	-2976	775	0
10932	4.744e+004	-3001	775	0
10933	4.691e+004	-2976	1290	0
10934	4.744e+004	-3001	1290	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


10935	4.691e+004	-2976	1805	0
10936	4.744e+004	-3001	1805	0
10937	4.793e+004	-3026	775	0
10938	4.793e+004	-3026	1290	0
10939	4.793e+004	-3026	1805	0
10940	4.842e+004	-3053	775	0
10941	4.842e+004	-3053	1290	0
10942	4.842e+004	-3053	1805	0
10943	4.891e+004	-3081	775	0
10944	4.891e+004	-3081	1290	0
10945	4.891e+004	-3081	1805	0
10946	4.939e+004	-3111	775	0
10947	4.939e+004	-3111	1290	0
10948	4.939e+004	-3111	1805	0
10949	4.988e+004	-3143	775	0
10950	4.988e+004	-3143	1290	0
10951	4.988e+004	-3143	1805	0
10952	5.037e+004	-3176	775	0
10953	5.037e+004	-3176	1290	0
10954	5.037e+004	-3176	1805	0
10955	4.722e+004	1814	775	0
10956	4.77e+004	1792	775	0
10957	4.722e+004	1814	1290	0
10958	4.77e+004	1792	1290	0
10959	4.722e+004	1814	1805	0
10960	4.77e+004	1792	1805	0
10961	4.821e+004	1766	775	0
10962	4.821e+004	1766	1290	0
10963	4.821e+004	1766	1805	0
10964	4.871e+004	1738	775	0
10965	4.871e+004	1738	1290	0
10966	4.871e+004	1738	1805	0
10967	4.922e+004	1709	775	0
10968	4.922e+004	1709	1290	0
10969	4.922e+004	1709	1805	0
10970	4.973e+004	1678	775	0
10971	4.973e+004	1678	1290	0
10972	4.973e+004	1678	1805	0
10973	5.023e+004	1645	775	0
10974	5.023e+004	1645	1290	0
10975	5.023e+004	1645	1805	0
10976	5.074e+004	1610	775	0
10977	5.074e+004	1610	1290	0
10978	5.074e+004	1610	1805	0
10979	5.126e+004	1572	775	0
10980	5.126e+004	1572	1290	0
10981	5.126e+004	1572	1805	0
10982	3.513e+004	2292	775	0
10983	3.563e+004	2280	775	0
10984	3.513e+004	2292	1290	0
10985	3.563e+004	2280	1290	0
10986	3.513e+004	2292	1805	0
10987	3.563e+004	2280	1805	0
10988	3.613e+004	2267	775	0
10989	3.613e+004	2267	1290	0
10990	3.613e+004	2267	1805	0
10991	3.662e+004	2253	775	0
10992	3.662e+004	2253	1290	0
10993	3.662e+004	2253	1805	0
10994	3.712e+004	2239	775	0
10995	3.712e+004	2239	1290	0
10996	3.712e+004	2239	1805	0
10997	3.762e+004	2224	775	0
10998	3.762e+004	2224	1290	0
10999	3.762e+004	2224	1805	0
11000	3.812e+004	2209	775	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

11001	3.812e+004	2209	1290	0
11002	3.812e+004	2209	1805	0
11003	3.861e+004	2193	775	0
11004	3.861e+004	2193	1290	0
11005	3.861e+004	2193	1805	0
11006	7.031e+004	-6076	775	0
11007	7.079e+004	-6183	775	0
11008	7.031e+004	-6076	1290	0
11009	7.079e+004	-6183	1290	0
11010	7.031e+004	-6076	1805	0
11011	7.079e+004	-6183	1805	0
11012	7.127e+004	-6291	775	0
11013	7.127e+004	-6291	1290	0
11014	7.127e+004	-6291	1805	0
11015	7.174e+004	-6401	775	0
11016	7.174e+004	-6401	1290	0
11017	7.174e+004	-6401	1805	0
11018	7.222e+004	-6513	775	0
11019	7.222e+004	-6513	1290	0
11020	7.222e+004	-6513	1805	0
11021	7.27e+004	-6627	775	0
11022	7.27e+004	-6627	1290	0
11023	7.27e+004	-6627	1805	0
11024	7.317e+004	-6742	775	0
11025	7.317e+004	-6742	1290	0
11026	7.317e+004	-6742	1805	0
11027	7.364e+004	-6859	775	0
11028	7.364e+004	-6859	1290	0
11029	7.364e+004	-6859	1805	0
11030	7.412e+004	-6978	775	0
11031	7.412e+004	-6978	1290	0
11032	7.412e+004	-6978	1805	0
11033	7.185e+004	-1500	775	0
11034	7.185e+004	-1500	1290	0
11035	7.185e+004	-1500	1805	0
11036	7.235e+004	-1614	775	0
11037	7.235e+004	-1614	1290	0
11038	7.235e+004	-1614	1805	0
11039	7.284e+004	-1729	775	0
11040	7.284e+004	-1729	1290	0
11041	7.284e+004	-1729	1805	0
11042	7.334e+004	-1846	775	0
11043	7.334e+004	-1846	1290	0
11044	7.334e+004	-1846	1805	0
11045	7.384e+004	-1965	775	0
11046	7.384e+004	-1965	1290	0
11047	7.384e+004	-1965	1805	0
11048	7.433e+004	-2085	775	0
11049	7.433e+004	-2085	1290	0
11050	7.433e+004	-2085	1805	0
11051	7.483e+004	-2207	775	0
11052	7.483e+004	-2207	1290	0
11053	7.483e+004	-2207	1805	0
11054	2.758e+004	2401	775	0
11055	2.758e+004	2401	1290	0
11056	2.758e+004	2401	1805	0
11057	2.808e+004	2398	775	0
11058	2.808e+004	2398	1290	0
11059	2.808e+004	2398	1805	0
11060	2.858e+004	2395	775	0
11061	2.858e+004	2395	1290	0
11062	2.858e+004	2395	1805	0
11063	2.909e+004	2391	775	0
11064	2.909e+004	2391	1290	0
11065	2.909e+004	2391	1805	0
11066	2.959e+004	2386	775	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


11067	2.959e+004	2386	1290	0
11068	2.959e+004	2386	1805	0
11069	3.009e+004	2381	775	0
11070	3.009e+004	2381	1290	0
11071	3.009e+004	2381	1805	0
11072	3.059e+004	2375	775	0
11073	3.059e+004	2375	1290	0
11074	3.059e+004	2375	1805	0
11075	3.109e+004	2368	775	0
11076	3.109e+004	2368	1290	0
11077	3.109e+004	2368	1805	0
11078	6.311e+004	-4680	775	0
11079	6.311e+004	-4680	1290	0
11080	6.311e+004	-4680	1805	0
11081	6.36e+004	-4761	775	0
11082	6.36e+004	-4761	1290	0
11083	6.36e+004	-4761	1805	0
11084	6.408e+004	-4844	775	0
11085	6.408e+004	-4844	1290	0
11086	6.408e+004	-4844	1805	0
11087	6.456e+004	-4928	775	0
11088	6.456e+004	-4928	1290	0
11089	6.456e+004	-4928	1805	0
11090	6.504e+004	-5014	775	0
11091	6.504e+004	-5014	1290	0
11092	6.504e+004	-5014	1805	0
11093	6.552e+004	-5102	775	0
11094	6.552e+004	-5102	1290	0
11095	6.552e+004	-5102	1805	0
11096	6.6e+004	-5192	775	0
11097	6.6e+004	-5192	1290	0
11098	6.6e+004	-5192	1805	0
11099	6.648e+004	-5283	775	0
11100	6.648e+004	-5283	1290	0
11101	6.648e+004	-5283	1805	0
11102	5.529e+004	1213	775	0
11103	5.58e+004	1161	775	0
11104	5.529e+004	1213	1290	0
11105	5.58e+004	1161	1290	0
11106	5.529e+004	1213	1805	0
11107	5.58e+004	1161	1805	0
11108	5.63e+004	1106	775	0
11109	5.63e+004	1106	1290	0
11110	5.63e+004	1106	1805	0
11111	5.68e+004	1049	775	0
11112	5.68e+004	1049	1290	0
11113	5.68e+004	1049	1805	0
11114	5.73e+004	991.1	775	0
11115	5.73e+004	991.1	1290	0
11116	5.73e+004	991.1	1805	0
11117	5.781e+004	931	775	0
11118	5.781e+004	931	1290	0
11119	5.781e+004	931	1805	0
11120	5.831e+004	869.1	775	0
11121	5.831e+004	869.1	1290	0
11122	5.831e+004	869.1	1805	0
11123	5.881e+004	805.4	775	0
11124	5.881e+004	805.4	1290	0
11125	5.881e+004	805.4	1805	0
11126	5.931e+004	739.9	775	0
11127	5.931e+004	739.9	1290	0
11128	5.931e+004	739.9	1805	0
11129	7.462e+004	-7105	775	0
11130	7.462e+004	-7105	1290	0
11131	7.462e+004	-7105	1805	0
11132	7.512e+004	-7234	775	0

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


11133	7.512e+004	-7234	1290	0
11134	7.512e+004	-7234	1805	0
11135	7.562e+004	-7365	775	0
11136	7.562e+004	-7365	1290	0
11137	7.562e+004	-7365	1805	0
11138	7.612e+004	-7498	775	0
11139	7.612e+004	-7498	1290	0
11140	7.612e+004	-7498	1805	0
11141	7.662e+004	-7633	775	0
11142	7.662e+004	-7633	1290	0
11143	7.662e+004	-7633	1805	0
11144	7.712e+004	-7770	775	0
11145	7.712e+004	-7770	1290	0
11146	7.712e+004	-7770	1805	0
11147	7.821e+004	-8077	775	0
11148	7.821e+004	-8077	1290	0
11149	7.821e+004	-8077	1805	0
11150	4.319e+004	2015	775	0
11151	4.369e+004	1993	775	0
11152	4.319e+004	2015	1290	0
11153	4.369e+004	1993	1290	0
11154	4.319e+004	2015	1805	0
11155	4.369e+004	1993	1805	0
11156	4.419e+004	1969	775	0
11157	4.419e+004	1969	1290	0
11158	4.419e+004	1969	1805	0
11159	4.47e+004	1945	775	0
11160	4.47e+004	1945	1290	0
11161	4.47e+004	1945	1805	0
11162	4.52e+004	1920	775	0
11163	4.52e+004	1920	1290	0
11164	4.52e+004	1920	1805	0
11165	4.57e+004	1895	775	0
11166	4.57e+004	1895	1290	0
11167	4.57e+004	1895	1805	0
11168	4.621e+004	1869	775	0
11169	4.621e+004	1869	1290	0
11170	4.621e+004	1869	1805	0
11171	4.671e+004	1842	775	0
11172	4.671e+004	1842	1290	0
11173	4.671e+004	1842	1805	0
11174	3.962e+004	2158	775	0
11175	3.962e+004	2158	1290	0
11176	3.962e+004	2158	1805	0
11177	4.013e+004	2140	775	0
11178	4.013e+004	2140	1290	0
11179	4.013e+004	2140	1805	0
11180	4.064e+004	2121	775	0
11181	4.064e+004	2121	1290	0
11182	4.064e+004	2121	1805	0
11183	4.115e+004	2101	775	0
11184	4.115e+004	2101	1290	0
11185	4.115e+004	2101	1805	0
11186	4.166e+004	2081	775	0
11187	4.166e+004	2081	1290	0
11188	4.166e+004	2081	1805	0
11189	4.217e+004	2060	775	0
11190	4.217e+004	2060	1290	0
11191	4.217e+004	2060	1805	0
11192	4.268e+004	2038	775	0
11193	4.268e+004	2038	1290	0
11194	4.268e+004	2038	1805	0
11195	3.16e+004	2361	775	0
11196	3.16e+004	2361	1290	0
11197	3.16e+004	2361	1805	0
11198	3.21e+004	2353	775	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


11199	3.21e+004	2353	1290	0
11200	3.21e+004	2353	1805	0
11201	3.261e+004	2345	775	0
11202	3.261e+004	2345	1290	0
11203	3.261e+004	2345	1805	0
11204	3.311e+004	2335	775	0
11205	3.311e+004	2335	1290	0
11206	3.311e+004	2335	1805	0
11207	3.362e+004	2326	775	0
11208	3.362e+004	2326	1290	0
11209	3.362e+004	2326	1805	0
11210	3.412e+004	2315	775	0
11211	3.412e+004	2315	1290	0
11212	3.412e+004	2315	1805	0
11213	3.463e+004	2304	775	0
11214	3.463e+004	2304	1290	0
11215	3.463e+004	2304	1805	0
11216	2.758e+004	-2399	775	0
11217	2.758e+004	-2399	1290	0
11218	2.758e+004	-2399	1805	0
11219	2.807e+004	-2402	775	0
11220	2.807e+004	-2402	1290	0
11221	2.807e+004	-2402	1805	0
11222	2.857e+004	-2405	775	0
11223	2.857e+004	-2405	1290	0
11224	2.857e+004	-2405	1805	0
11225	2.907e+004	-2409	775	0
11226	2.907e+004	-2409	1290	0
11227	2.907e+004	-2409	1805	0
11228	2.957e+004	-2414	775	0
11229	2.957e+004	-2414	1290	0
11230	2.957e+004	-2414	1805	0
11231	3.007e+004	-2419	775	0
11232	3.007e+004	-2419	1290	0
11233	3.007e+004	-2419	1805	0
11234	3.056e+004	-2425	775	0
11235	3.056e+004	-2425	1290	0
11236	3.056e+004	-2425	1805	0
11237	3.106e+004	-2432	775	0
11238	3.106e+004	-2432	1290	0
11239	3.106e+004	-2432	1805	0
11240	3.156e+004	-2439	775	0
11241	3.156e+004	-2439	1290	0
11242	3.156e+004	-2439	1805	0
11243	3.205e+004	-2447	775	0
11244	3.205e+004	-2447	1290	0
11245	3.205e+004	-2447	1805	0
11246	3.255e+004	-2455	775	0
11247	3.255e+004	-2455	1290	0
11248	3.255e+004	-2455	1805	0
11249	3.304e+004	-2464	775	0
11250	3.304e+004	-2464	1290	0
11251	3.304e+004	-2464	1805	0
11252	3.354e+004	-2474	775	0
11253	3.354e+004	-2474	1290	0
11254	3.354e+004	-2474	1805	0
11255	3.403e+004	-2484	775	0
11256	3.403e+004	-2484	1290	0
11257	3.403e+004	-2484	1805	0
11258	3.453e+004	-2495	775	0
11259	3.453e+004	-2495	1290	0
11260	3.453e+004	-2495	1805	0
11261	3.502e+004	-2507	775	0
11262	3.502e+004	-2507	1290	0
11263	3.502e+004	-2507	1805	0
11264	6.333e+004	149.1	775	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


11265	6.383e+004	66.63	775	0
11266	6.333e+004	149.1	1290	0
11267	6.383e+004	66.63	1290	0
11268	6.333e+004	149.1	1805	0
11269	6.383e+004	66.63	1805	0
11270	6.433e+004	-17.7	775	0
11271	6.433e+004	-17.7	1290	0
11272	6.433e+004	-17.7	1805	0
11273	6.484e+004	-103.9	775	0
11274	6.484e+004	-103.9	1290	0
11275	6.484e+004	-103.9	1805	0
11276	6.534e+004	-191.8	775	0
11277	6.534e+004	-191.8	1290	0
11278	6.534e+004	-191.8	1805	0
11279	6.584e+004	-281.6	775	0
11280	6.584e+004	-281.6	1290	0
11281	6.584e+004	-281.6	1805	0
11282	6.635e+004	-373.3	775	0
11283	6.635e+004	-373.3	1290	0
11284	6.635e+004	-373.3	1805	0
11285	6.685e+004	-466.7	775	0
11286	6.685e+004	-466.7	1290	0
11287	6.685e+004	-466.7	1805	0
11288	3.953e+004	-2641	775	0
11289	3.953e+004	-2641	1290	0
11290	3.953e+004	-2641	1805	0
11291	4.002e+004	-2659	775	0
11292	4.002e+004	-2659	1290	0
11293	4.002e+004	-2659	1805	0
11294	4.051e+004	-2678	775	0
11295	4.051e+004	-2678	1290	0
11296	4.051e+004	-2678	1805	0
11297	4.1e+004	-2697	775	0
11298	4.1e+004	-2697	1290	0
11299	4.1e+004	-2697	1805	0
11300	4.149e+004	-2716	775	0
11301	4.149e+004	-2716	1290	0
11302	4.149e+004	-2716	1805	0
11303	4.198e+004	-2737	775	0
11304	4.198e+004	-2737	1290	0
11305	4.198e+004	-2737	1805	0
11306	4.247e+004	-2758	775	0
11307	4.247e+004	-2758	1290	0
11308	4.247e+004	-2758	1805	0
11309	4.296e+004	-2779	775	0
11310	4.296e+004	-2779	1290	0
11311	4.296e+004	-2779	1805	0
11312	5.175e+004	1534	775	0
11313	5.175e+004	1534	1290	0
11314	5.175e+004	1534	1805	0
11315	5.226e+004	1494	775	0
11316	5.226e+004	1494	1290	0
11317	5.226e+004	1494	1805	0
11318	5.277e+004	1452	775	0
11319	5.277e+004	1452	1290	0
11320	5.277e+004	1452	1805	0
11321	5.327e+004	1408	775	0
11322	5.327e+004	1408	1290	0
11323	5.327e+004	1408	1805	0
11324	5.378e+004	1362	775	0
11325	5.378e+004	1362	1290	0
11326	5.378e+004	1362	1805	0
11327	5.428e+004	1314	775	0
11328	5.428e+004	1314	1290	0
11329	5.428e+004	1314	1805	0
11330	5.479e+004	1265	775	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

11331	5.479e+004	1265	1290	0
11332	5.479e+004	1265	1805	0
11333	6.696e+004	-5376	775	0
11334	6.696e+004	-5376	1290	0
11335	6.696e+004	-5376	1805	0
11336	6.744e+004	-5471	775	0
11337	6.744e+004	-5471	1290	0
11338	6.744e+004	-5471	1805	0
11339	6.792e+004	-5568	775	0
11340	6.792e+004	-5568	1290	0
11341	6.792e+004	-5568	1805	0
11342	6.84e+004	-5666	775	0
11343	6.84e+004	-5666	1290	0
11344	6.84e+004	-5666	1805	0
11345	6.888e+004	-5766	775	0
11346	6.888e+004	-5766	1290	0
11347	6.888e+004	-5766	1805	0
11348	6.936e+004	-5867	775	0
11349	6.936e+004	-5867	1290	0
11350	6.936e+004	-5867	1805	0
11351	6.984e+004	-5971	775	0
11352	6.984e+004	-5971	1290	0
11353	6.984e+004	-5971	1805	0
11354	3.553e+004	-2519	775	0
11355	3.553e+004	-2519	1290	0
11356	3.553e+004	-2519	1805	0
11357	3.603e+004	-2532	775	0
11358	3.603e+004	-2532	1290	0
11359	3.603e+004	-2532	1805	0
11360	3.653e+004	-2546	775	0
11361	3.653e+004	-2546	1290	0
11362	3.653e+004	-2546	1805	0
11363	3.703e+004	-2560	775	0
11364	3.703e+004	-2560	1290	0
11365	3.703e+004	-2560	1805	0
11366	3.753e+004	-2575	775	0
11367	3.753e+004	-2575	1290	0
11368	3.753e+004	-2575	1805	0
11369	3.804e+004	-2591	775	0
11370	3.804e+004	-2591	1290	0
11371	3.804e+004	-2591	1805	0
11372	3.854e+004	-2607	775	0
11373	3.854e+004	-2607	1290	0
11374	3.854e+004	-2607	1805	0
11375	5.981e+004	672.4	775	0
11376	5.981e+004	672.4	1290	0
11377	5.981e+004	672.4	1805	0
11378	6.032e+004	603.1	775	0
11379	6.032e+004	603.1	1290	0
11380	6.032e+004	603.1	1805	0
11381	6.082e+004	531.9	775	0
11382	6.082e+004	531.9	1290	0
11383	6.082e+004	531.9	1805	0
11384	6.132e+004	459	775	0
11385	6.132e+004	459	1290	0
11386	6.132e+004	459	1805	0
11387	6.182e+004	384.2	775	0
11388	6.182e+004	384.2	1290	0
11389	6.182e+004	384.2	1805	0
11390	6.232e+004	307.7	775	0
11391	6.232e+004	307.7	1290	0
11392	6.232e+004	307.7	1805	0
11393	6.283e+004	229.3	775	0
11394	6.283e+004	229.3	1290	0
11395	6.283e+004	229.3	1805	0
11396	4.346e+004	-2802	775	0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

11397	4.346e+004	-2802	1290	0
11398	4.346e+004	-2802	1805	0
11399	4.396e+004	-2825	775	0
11400	4.396e+004	-2825	1290	0
11401	4.396e+004	-2825	1805	0
11402	4.446e+004	-2849	775	0
11403	4.446e+004	-2849	1290	0
11404	4.446e+004	-2849	1805	0
11405	4.496e+004	-2874	775	0
11406	4.496e+004	-2874	1290	0
11407	4.496e+004	-2874	1805	0
11408	4.545e+004	-2899	775	0
11409	4.545e+004	-2899	1290	0
11410	4.545e+004	-2899	1805	0
11411	4.595e+004	-2925	775	0
11412	4.595e+004	-2925	1290	0
11413	4.595e+004	-2925	1805	0
11414	4.645e+004	-2951	775	0
11415	4.645e+004	-2951	1290	0
11416	4.645e+004	-2951	1805	0
11417	2.109e+004	2398	775	0
11418	2.159e+004	2398	775	0
11419	2.109e+004	2398	1290	0
11420	2.159e+004	2398	1290	0
11421	2.109e+004	2398	1805	0
11422	2.159e+004	2398	1805	0
11423	2.109e+004	-2402	775	0
11424	2.159e+004	-2402	775	0
11425	2.109e+004	-2402	1290	0
11426	2.159e+004	-2402	1290	0
11427	2.109e+004	-2402	1805	0
11428	2.159e+004	-2402	1805	0
11429	2.009e+004	2399	775	0
11430	2.009e+004	2399	1290	0
11431	2.009e+004	2399	1805	0
11432	2.059e+004	2399	775	0
11433	2.059e+004	2399	1290	0
11434	2.059e+004	2399	1805	0
11435	2.009e+004	-2401	775	0
11436	2.009e+004	-2401	1290	0
11437	2.009e+004	-2401	1805	0
11438	2.059e+004	-2401	775	0
11439	2.059e+004	-2401	1290	0
11440	2.059e+004	-2401	1805	0
11441	2.208e+004	2397	775	0
11442	2.208e+004	2397	1290	0
11443	2.208e+004	2397	1805	0
11444	2.258e+004	2397	775	0
11445	2.258e+004	2397	1290	0
11446	2.258e+004	2397	1805	0
11447	2.208e+004	-2403	775	0
11448	2.208e+004	-2403	1290	0
11449	2.208e+004	-2403	1805	0
11450	2.258e+004	-2403	775	0
11451	2.258e+004	-2403	1290	0
11452	2.258e+004	-2403	1805	0

*** SUPPORT / SPECIFIED DISPLACEMENT / POINT SPRING SUPPORT

** SUPPORT / SPECIFIED DISPLACEMENT

NODE	SUPPORT	SPECIFIED DISPLACEMENT					
		Dx	Dy	Dz	Rx	Ry	Rz
	DDDRRR						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


2	101000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
3	111000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
2649	001000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
2736	001000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
2784	011000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
2832	011000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

*** SECTION PROPERTY DATA

NO	NAME	SHAPE	H	B	tw	tf1	r1
1	Irrig cor~	SB	18	300	0	0	0
2	Irrig tra~	SB	30	300	0	0	0
3	Fittizio	SR	10	0	0	0	0
4	el rigido	SR	1e+003	0	0	0	0
5	800x40+60~	SB	55	800	0	0	0
6	HEB300	H	300	300	11	19	27
48	Fittizia S	SR	10	0	0	0	0
62	600x30	SB	30	650	0	0	0
63	700x30	SB	30	700	0	0	0
64	2L160x15	2L	160	160	15	15	0
65	2L 180x16	2L	180	180	16	16	0
66	2L 180x16	2L	180	180	16	16	0
67	600x40	SB	40	600	0	0	0
68	500x20	SB	20	500	0	0	0
69	800x40	SB	40	800	0	0	0
70	800x30	SB	30	800	0	0	0
71	2L140x12	2L	140	140	12	12	0
72	2L140x10	2L	140	140	10	10	0
73	2L110x10	2L	110	110	10	10	0
74	2L110x12	2L	110	110	12	12	0
75	600x35	SB	35	600	0	0	0
76	L100x12	L	100	100	12	12	0
77	L110x12	L	110	110	12	12	0
78	2L120x12	2L	120	120	12	12	0
79	2L100x10	2L	100	100	10	10	0
80	2L130x12	2L	130	130	12	12	0
81	2L130x12	2L	130	130	12	12	0
82	900x60	SB	60	900	0	0	0

NO	NAME	STIFFNESS SCALE FACTOR							Boundary Group
		A	Asy	Asz	Ix	Iy	Iz	W	
1	Irrig cor~								
2	Irrig tra~								
3	Fittizio								
4	el rigido								
5	800x40+60~								
6	HEB300								
48	Fittizia S								
62	600x30								
63	700x30								
64	2L160x15								
65	2L 180x16								


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

- 66 2L 180x16
- 67 600x40
- 68 500x20
- 69 800x40
- 70 800x30
- 71 2L140x12
- 72 2L140x10
- 73 2L110x10
- 74 2L110x12
- 75 600x35
- 76 L100x12
- 77 L110x12
- 78 2L120x12
- 79 2L100x10
- 80 2L130x12
- 81 2L130x12
- 82 900x60

CTOR	NO	NAME	AREA	MOMENT OF INERTIA			SHAPE FA
				Ix	Iy	Iz	
			[SRC:EQIV.]				
							k-Y
							k-Z
	1	Irrig_cor~	5400	5.612e+005	1.458e+005	4.05e+007	0.8333
0.8333	2	Irrig_tra~	9000	2.53e+006	6.75e+005	6.75e+007	0.8333
0.8333	3	Fittizio	78.54	981.7	490.9	490.9	0.9
0.9	4	el rigido	7.854e+005	9.817e+010	4.909e+010	4.909e+010	0.9
0.9	5	800x40+60~	4.4e+004	4.245e+007	1.109e+007	2.347e+009	0.8333
0.8333	6	HEB300	1.49e+004	1.496e+006	2.517e+008	8.56e+007	0.6376
0.2215	48	Fittizia S	78.54	981.7	490.9	490.9	0.9
0.9	62	600x30	1.95e+004	5.68e+006	1.462e+006	6.866e+008	0.8333
0.8333	63	700x30	2.1e+004	6.13e+006	1.575e+006	8.575e+008	0.8333
0.8333	64	2L160x15	9150	6.862e+005	2.232e+007	4.854e+007	0.4372
0.4372	65	2L 180x16	1.101e+004	9.393e+005	3.413e+007	6.853e+007	0.436
0.436	66	2L 180x16	1.101e+004	9.393e+005	3.413e+007	7.233e+007	0.436
0.436	67	600x40	2.4e+004	1.226e+007	3.2e+006	7.2e+008	0.8333
0.8333	68	500x20	1e+004	1.3e+006	3.333e+005	2.083e+008	0.8333
0.8333	69	800x40	3.2e+004	1.653e+007	4.267e+006	1.707e+009	0.8333
0.8333	70	800x30	2.4e+004	7.03e+006	1.8e+006	1.28e+009	0.8333
0.8333	71	2L140x12	6432	3.087e+005	1.21e+007	2.537e+007	0.4353
0.4353	72	2L140x10	5400	1.8e+005	1.029e+007	2.061e+007	0.4321
0.4321	73	2L110x10	4200	1.4e+005	4.854e+006	1.036e+007	0.4365
0.4365	74	2L110x12	4992	2.396e+005	5.677e+006	1.445e+007	0.4407
0.4407	75	600x35	2.1e+004	8.26e+006	2.144e+006	6.3e+008	0.8333

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

0.8333	76	L100x12	2256	1.083e+005	2.1e+006	2.1e+006	0.4433
0.4433	77	L110x12	2496	1.198e+005	2.838e+006	2.838e+006	0.4407
0.4407	78	2L120x12	5472	2.627e+005	7.465e+006	1.731e+007	0.4386
0.4386	79	2L100x10	3800	1.267e+005	3.6e+006	9.287e+006	0.4386
0.4386	80	2L130x12	5952	2.857e+005	9.596e+006	2.27e+007	0.4368
0.4368	81	2L130x12	5952	2.857e+005	9.596e+006	2.006e+007	0.4368
0.4368	82	900x60	5.4e+004	6.208e+007	1.62e+007	3.645e+009	0.8333
0.8333							

NO	NAME	SECTION I or CONC.	MODULUS Sy J or STEEL	SECTION I or CONC.	MODULUS Sz J or STEEL
1	Irrig cor~	1.62e+004	1.62e+004	2.7e+005	2.7e+005
2	Irrig tra~	4.5e+004	4.5e+004	4.5e+005	4.5e+005
3	Fittizio	98.17	98.17	98.17	98.17
4	el rigido	9.817e+007	9.817e+007	9.817e+007	9.817e+007
5	800x40+60~	4.033e+005	4.033e+005	5.867e+006	5.867e+006
6	HEB300	1.68e+006	1.68e+006	5.71e+005	5.71e+005
48	Fittizia S	98.17	98.17	98.17	98.17
62	600x30	9.75e+004	9.75e+004	2.112e+006	2.112e+006
63	700x30	1.05e+005	1.05e+005	2.45e+006	2.45e+006
64	2L160x15	1.95e+005	1.95e+005	2.889e+005	2.889e+005
65	2L 180x16	2.644e+005	2.644e+005	3.705e+005	3.705e+005
66	2L 180x16	2.644e+005	2.644e+005	3.847e+005	3.847e+005
67	600x40	1.6e+005	1.6e+005	2.4e+006	2.4e+006
68	500x20	3.333e+004	3.333e+004	8.333e+005	8.333e+005
69	800x40	2.133e+005	2.133e+005	4.267e+006	4.267e+006
70	800x30	1.2e+005	1.2e+005	3.2e+006	3.2e+006
71	2L140x12	1.203e+005	1.203e+005	1.738e+005	1.738e+005
72	2L140x10	1.016e+005	1.016e+005	1.421e+005	1.421e+005
73	2L110x10	6.159e+004	6.159e+004	9.004e+004	9.004e+004
74	2L110x12	7.27e+004	7.27e+004	1.204e+005	1.204e+005
75	600x35	1.225e+005	1.225e+005	2.1e+006	2.1e+006
76	L100x12	2.975e+004	2.975e+004	2.975e+004	2.975e+004
77	L110x12	3.635e+004	3.635e+004	3.635e+004	3.635e+004
78	2L120x12	8.723e+004	8.723e+004	1.353e+005	1.353e+005
79	2L100x10	5.048e+004	5.048e+004	8.442e+004	8.442e+004
80	2L130x12	1.031e+005	1.031e+005	1.622e+005	1.622e+005
81	2L130x12	1.031e+005	1.031e+005	1.486e+005	1.486e+005
82	900x60	5.4e+005	5.4e+005	8.1e+006	8.1e+006

*** BEAM MEMBER DATA

ENGTH	NO	NODAL CONNECTIVITY	BEAM END RELEASE	MATERIAL	SECTION	L
		I J	I J			
2400	9	15 22	000011 000000	S355	2L130x12	
2400	10	22 16	000000 000011	S355	2L130x12	
4800	13	19 20	000011 000011	S355	2L100x10	
	15	22 20	000011 000011	S355	2L110x12	

MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

3163							
	16	22	19	000011	000011	S355	2L110x12
3163							
	17	15	8	-	-	S355	Irrig_traversi
260							
	18	19	10428	-	-	S355	Irrig_traversi
515							
	19	11	19	-	-	S355	Irrig_traversi
180							
	20	20	12	-	-	S355	Irrig_traversi
180							
	21	16	10430	-	-	S355	Irrig_traversi
515							
	22	9	16	-	-	S355	Irrig_traversi
260							
	23	25	24	000011	000000	S355	2L130x12
2400							
	24	24	23	000000	000011	S355	2L130x12
2400							
	25	28	26	000011	000011	S355	2L100x10
4800							
	27	24	26	000011	000011	S355	2L110x12
3163							
	28	24	28	000011	000011	S355	2L110x12
3163							
	29	25	32	-	-	S355	Irrig_traversi
260							
	30	28	10446	-	-	S355	Irrig_traversi
515							
	31	31	28	-	-	S355	Irrig_traversi
180							
	32	26	30	-	-	S355	Irrig_traversi
180							
	33	23	10448	-	-	S355	Irrig_traversi
515							
	34	29	23	-	-	S355	Irrig_traversi
260							
	35	2	1542	-	-	S355	700x30
516.7							
	36	3	1537	-	-	S355	700x30
516.7							
	37	8	1460	-	-	S355	700x30
500							
	38	9	1453	-	-	S355	700x30
500							
	39	6	1552	-	-	S355	600x30
516.7							
	40	12	1474	-	-	S355	600x30
500							
	41	5	1547	-	-	S355	600x30
516.7							
	42	11	1467	-	-	S355	600x30
500							
	43	13	33	000011	000011	S355	2L 180x16
2857							
	44	14	33	000011	000000	S355	2L 180x16
2857							
	45	33	15	000000	000011	S355	2L 180x16
2857							
	46	33	16	000011	000011	S355	2L 180x16
2857							
	47	15	34	000011	000011	S355	2L 180x16
3124							
	48	16	34	000011	000000	S355	2L 180x16
3124							
	49	34	25	000000	000011	S355	2L 180x16

PROJECT TITLE :

MIDAS	Company					Client		
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	

3124								
	50	34	23	000011	000011	S355	2L 180x16	
3124								
	57	18	35	000011	000000	S355	2L130x12	
2857								
	58	17	35	000011	000011	S355	2L130x12	
2857								
	59	35	20	000011	000011	S355	2L130x12	
2857								
	60	35	19	000000	000011	S355	2L130x12	
2857								
	61	20	36	000011	000000	S355	2L130x12	
3124								
	62	19	36	000011	000011	S355	2L130x12	
3124								
	63	36	26	000011	000011	S355	2L130x12	
3124								
	64	36	28	000000	000011	S355	2L130x12	
3124								
	71	39	5	-	-	S355	600x30	
600								
	72	40	6	-	-	S355	600x30	
600								
	73	37	2	-	-	S355	700x30	
600								
	74	38	3	-	-	S355	700x30	
600								
	75	47	46	000011	000000	S355	2L130x12	
2400								
	76	46	45	000000	000011	S355	2L130x12	
2400								
	77	49	48	000011	000011	S355	2L100x10	
4800								
	78	46	48	000011	000011	S355	2L110x12	
3163								
	79	46	49	000011	000011	S355	2L110x12	
3163								
	80	47	53	-	-	S355	Irrig_traversi	
260								
	81	49	10458	-	-	S355	Irrig_traversi	
515								
	82	52	49	-	-	S355	Irrig_traversi	
180								
	83	48	51	-	-	S355	Irrig_traversi	
180								
	84	45	10460	-	-	S355	Irrig_traversi	
515								
	85	50	45	-	-	S355	Irrig_traversi	
260								
	86	32	1560	-	-	S355	700x30	
500								
	87	29	1557	-	-	S355	700x30	
500								
	88	30	1566	-	-	S355	600x30	
500								
	89	31	1563	-	-	S355	600x30	
500								
	90	25	54	000011	000011	S355	2L 180x16	
3124								
	91	23	54	000011	000000	S355	2L 180x16	
3124								
	92	54	47	000000	000011	S355	2L 180x16	
3124								
	93	54	45	000011	000011	S355	2L 180x16	
3124								
	100	26	55	000011	000000	S355	2L130x12	


PROJECT TITLE :

MIDAS	Company					Client		
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	
3124	101	28	55	000011	000011	S355	2L130x12	
3124	102	55	48	000011	000011	S355	2L130x12	
3124	103	55	49	000000	000011	S355	2L130x12	
3124	104	58	57	000011	000000	S355	2L130x12	
2400	105	57	56	000000	000011	S355	2L130x12	
2400	106	60	59	000011	000011	S355	2L100x10	
4800	107	57	59	000011	000011	S355	2L110x12	
3163	108	57	60	000011	000011	S355	2L110x12	
3163	109	58	64	-	-	S355	Irrig_traversi	
260	110	60	10470	-	-	S355	Irrig_traversi	
515	111	63	60	-	-	S355	Irrig_traversi	
180	112	59	62	-	-	S355	Irrig_traversi	
180	113	56	10472	-	-	S355	Irrig_traversi	
515	114	61	56	-	-	S355	Irrig_traversi	
260	115	53	1488	-	-	S355	800x30	
500	116	50	1481	-	-	S355	800x30	
500	117	51	1502	-	-	S355	600x30	
500	118	52	1495	-	-	S355	600x30	
500	119	47	65	000011	000011	S355	2L 180x16	
3124	120	45	65	000011	000000	S355	2L 180x16	
3124	121	65	58	000000	000011	S355	2L 180x16	
3124	122	65	56	000011	000011	S355	2L 180x16	
3124	129	48	66	000011	000000	S355	2L130x12	
3124	130	49	66	000011	000011	S355	2L130x12	
3124	131	66	59	000011	000011	S355	2L130x12	
3124	132	66	60	000000	000011	S355	2L130x12	
3124	133	69	68	000011	000000	S355	2L130x12	
2400	134	68	67	000000	000011	S355	2L130x12	
2400	135	71	70	000011	000011	S355	2L100x10	
4800	136	68	70	000011	000011	S355	2L110x12	
3163	137	68	71	000011	000011	S355	2L110x12	
3163	138	69	75	-	-	S355	Irrig_traversi	
260	139	71	10606	-	-	S355	Irrig_traversi	

PROJECT TITLE :


MIDAS	Company						Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	
515								
140	74	71	-	-	S355	Irrig_traversi		
180								
141	70	73	-	-	S355	Irrig_traversi		
180								
142	67	10625	-	-	S355	Irrig_traversi		
515								
143	72	67	-	-	S355	Irrig_traversi		
260								
144	64	1516	-	-	S355	800x30		
500								
145	61	1509	-	-	S355	800x30		
500								
146	62	1530	-	-	S355	600x30		
500								
147	63	1523	-	-	S355	600x30		
500								
148	58	76	000011	000011	S355	2L 180x16		
3124								
149	56	76	000011	000000	S355	2L 180x16		
3124								
150	76	69	000000	000011	S355	2L 180x16		
3124								
151	76	67	000011	000011	S355	2L 180x16		
3124								
158	59	77	000011	000000	S355	2L130x12		
3124								
159	60	77	000011	000011	S355	2L130x12		
3124								
160	77	70	000011	000011	S355	2L130x12		
3124								
161	77	71	000000	000011	S355	2L130x12		
3124								
173	75	2647	-	-	S355	800x30		
497.3								
174	72	2648	-	-	S355	800x30		
497.3								
249	112	1578	-	-	S355	800x30		
500								
250	111	1575	-	-	S355	800x30		
500								
251	114	1584	-	-	S355	600x30		
500								
252	113	1581	-	-	S355	600x30		
500								
259	2649	2650	-	-	S355	700x30		
600								
261	2651	2652	-	-	S355	800x30		
500								
262	2652	2653	-	-	S355	800x30		
500								
263	2653	2654	-	-	S355	800x30		
500								
264	2654	2655	-	-	S355	800x30		
500								
265	2655	2656	-	-	S355	800x30		
500								
266	2656	2657	-	-	S355	800x30		
500								
267	2657	2658	-	-	S355	800x30		
500								
268	2658	2659	-	-	S355	800x30		
500								
279	2660	2661	-	-	S355	700x30		
540.2								
280	2661	2662	-	-	S355	700x30		

PROJECT TITLE :


	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

540.2	281	2662	2663	-	-	S355	700x30
540.2	284	2665	2666	-	-	S355	700x30
540.2	285	2666	2667	-	-	S355	700x30
540.2	286	2667	2649	-	-	S355	700x30
540.2	297	2668	2669	-	-	S355	800x30
494.7	298	2669	2670	-	-	S355	800x30
494.7	299	2670	2671	-	-	S355	800x30
494.7	300	2671	2672	-	-	S355	800x30
494.7	301	2672	2673	-	-	S355	800x30
494.7	302	2673	2674	-	-	S355	800x30
494.7	303	2674	2675	-	-	S355	800x30
494.7	304	2675	2676	-	-	S355	800x30
494.7	325	2677	2678	-	-	S355	800x30
510.5	326	2678	2679	-	-	S355	800x30
510.5	327	2679	2680	-	-	S355	800x30
510.5	328	2680	2681	-	-	S355	800x30
510.5	329	2681	2682	-	-	S355	700x30
510.5	330	2682	2683	-	-	S355	700x30
510.5	331	2683	2684	-	-	S355	700x30
510.5	332	2684	2685	-	-	S355	700x30
510.5	333	2686	2687	-	-	S355	800x30
494.6	334	2687	2688	-	-	S355	800x30
494.6	335	2688	2689	-	-	S355	800x30
494.6	336	2689	2690	-	-	S355	800x30
494.6	337	2690	2691	-	-	S355	800x30
494.6	338	2691	2692	-	-	S355	800x30
494.6	339	2692	2693	-	-	S355	800x30
494.6	340	2693	2668	-	-	S355	800x30
494.6	341	2694	2695	-	-	S355	800x30
528.5	342	2695	2696	-	-	S355	800x30
496	343	2696	2697	-	-	S355	800x30
496	344	2697	2698	-	-	S355	800x30
495.9	345	2698	2699	-	-	S355	800x30

PROJECT TITLE :


	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
496	346	2699	2700	-	-	S355	800x30
496	347	2700	2701	-	-	S355	800x30
496	348	2701	2702	-	-	S355	800x30
495.9	349	2676	2703	-	-	S355	800x30
492.9	350	2703	2704	-	-	S355	800x30
492.9	351	2704	2705	-	-	S355	800x30
492.9	352	2705	2706	-	-	S355	800x30
492.9	353	2706	2707	-	-	S355	800x30
492.9	354	2707	2708	-	-	S355	800x30
492.9	355	2708	2709	-	-	S355	800x30
492.9	356	2709	2710	-	-	S355	800x30
492.9	357	2711	2712	-	-	S355	800x30
531	358	2712	2713	-	-	S355	800x30
489.4	359	2713	2714	-	-	S355	800x30
489.4	360	2714	2715	-	-	S355	800x30
489.4	361	2715	2716	-	-	S355	800x30
489.4	362	2716	2717	-	-	S355	800x30
489.4	363	2717	2718	-	-	S355	800x30
489.4	364	2718	2686	-	-	S355	800x30
489.4	365	2719	2720	-	-	S355	800x30
475.6	366	2720	2721	-	-	S355	800x30
507.8	367	2721	2722	-	-	S355	800x30
507.8	368	2722	2723	-	-	S355	800x30
507.8	369	2723	2724	-	-	S355	800x30
507.8	370	2724	2725	-	-	S355	800x30
507.8	371	2725	2726	-	-	S355	800x30
507.8	372	2726	2727	-	-	S355	800x30
523.7	373	2728	2729	-	-	S355	900x60
497.8	374	2729	2730	-	-	S355	900x60
497.8	375	2730	2731	-	-	S355	900x60
497.8	376	2731	2732	-	-	S355	900x60
497.8	377	2732	2733	-	-	S355	900x60
497.8	378	2733	2734	-	-	S355	900x60

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
497.8	379	2734	2735	-	-	S355	900x60
497.8	380	2735	2736	-	-	S355	900x60
497.8	381	2737	2738	-	-	S355	700x30
488.8	382	2738	2739	-	-	S355	700x30
488.8	383	2739	2740	-	-	S355	700x30
488.8	384	2740	2741	-	-	S355	700x30
488.8	385	2741	2742	-	-	S355	700x30
488.8	386	2742	2743	-	-	S355	700x30
488.8	387	2743	2744	-	-	S355	700x30
488.8	388	2744	2745	-	-	S355	700x30
488.8	389	2685	2746	-	-	S355	700x30
510.8	390	2746	2747	-	-	S355	700x30
510.8	391	2747	2748	-	-	S355	700x30
510.8	392	2748	2749	-	-	S355	700x30
510.8	393	2749	2750	-	-	S355	700x30
510.8	394	2750	2751	-	-	S355	700x30
510.8	395	2751	2752	-	-	S355	700x30
510.8	396	2752	2660	-	-	S355	700x30
510.8	407	2659	2753	-	-	S355	800x30
502.1	408	2753	2754	-	-	S355	800x30
502.1	409	2754	2755	-	-	S355	800x30
502.1	410	2755	2756	-	-	S355	800x30
502.1	411	2756	2757	-	-	S355	800x30
502.1	412	2757	2758	-	-	S355	800x30
502.1	413	2758	2759	-	-	S355	800x30
502.1	414	2759	2760	-	-	S355	800x30
502.1	415	2710	2761	-	-	S355	800x30
489.1	416	2761	2762	-	-	S355	800x30
489.1	417	2762	2763	-	-	S355	800x30
489.1	418	2763	2764	-	-	S355	800x30
489	419	2764	2765	-	-	S355	800x30
489.1	420	2765	2766	-	-	S355	800x30
489.1	421	2766	2767	-	-	S355	800x30

MIDAS

PROJECT TITLE :


	Company		Client		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	
	Author						
489.1	422	2767	2768	-	-	S355	800x30
489.1	433	2769	2770	-	-	S355	800x30
505.6	434	2770	2771	-	-	S355	800x30
505.6	435	2771	2772	-	-	S355	800x30
505.7	436	2772	2773	-	-	S355	800x30
505.7	437	2773	2774	-	-	S355	800x30
505.6	438	2774	2775	-	-	S355	800x30
505.7	439	2775	2776	-	-	S355	800x30
505.6	440	2776	2777	-	-	S355	800x30
505.6	441	2745	2778	-	-	S355	700x30
516.8	442	2778	2779	-	-	S355	700x30
516.8	443	2779	2780	-	-	S355	700x30
516.8	444	2780	2781	-	-	S355	700x30
516.8	445	2781	2782	-	-	S355	700x30
516.8	446	2782	2783	-	-	S355	700x30
516.8	447	2783	2784	-	-	S355	700x30
516.9	468	2784	2785	-	-	S355	700x30
620.3	470	2786	2787	-	-	S355	900x60
504.3	471	2787	2788	-	-	S355	900x60
504.3	472	2788	2789	-	-	S355	900x60
504.3	473	2789	2790	-	-	S355	900x60
504.3	474	2790	2791	-	-	S355	800x30
504.3	475	2791	2792	-	-	S355	800x30
504.3	476	2792	2793	-	-	S355	800x30
504.3	477	2793	2719	-	-	S355	800x30
513.6	478	2736	2794	-	-	S355	900x60
509.7	479	2794	2795	-	-	S355	900x60
509.7	480	2795	2796	-	-	S355	900x60
509.7	481	2796	2797	-	-	S355	900x60
509.7	482	2797	2798	-	-	S355	900x60
509.7	483	2798	2799	-	-	S355	900x60
509.7	484	2799	2800	-	-	S355	900x60
509.7	485	2800	2786	-	-	S355	900x60

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	


509.7	486	2760	2801	-	-	S355	800x30
504.6	487	2801	2802	-	-	S355	800x30
504.6	488	2802	2803	-	-	S355	800x30
504.6	489	2803	2804	-	-	S355	800x30
504.6	490	2804	2805	-	-	S355	900x60
504.6	491	2805	2806	-	-	S355	900x60
504.6	492	2806	2807	-	-	S355	900x60
504.6	493	2807	2728	-	-	S355	900x60
504.6	504	2702	2808	-	-	S355	800x30
498.1	505	2808	2809	-	-	S355	800x30
498	506	2809	2810	-	-	S355	800x30
498	507	2810	2811	-	-	S355	800x30
498	508	2811	2812	-	-	S355	800x30
498	509	2812	2813	-	-	S355	800x30
498	510	2813	2814	-	-	S355	800x30
498	511	2814	2815	-	-	S355	800x30
497.4	512	2815	2816	-	-	S355	800x30
495.9	513	2816	2817	-	-	S355	800x30
495.4	514	2817	2818	-	-	S355	800x30
495.4	515	2818	2819	-	-	S355	800x30
495.4	516	2819	2820	-	-	S355	900x60
495.4	517	2820	2821	-	-	S355	900x60
495.4	518	2821	2822	-	-	S355	900x60
495.4	519	2822	2823	-	-	S355	900x60
495.3	520	2824	2825	-	-	S355	800x30
510.8	521	2825	2826	-	-	S355	800x30
510.8	522	2826	2827	-	-	S355	800x30
510.8	523	2827	2828	-	-	S355	800x30
510.8	524	2828	2829	-	-	S355	800x30
510.8	525	2829	2830	-	-	S355	800x30
510.8	526	2830	2831	-	-	S355	800x30
510.8	527	2831	2677	-	-	S355	800x30
510.8	538	2832	2833	-	-	S355	900x60

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
488.9	539	2833	2834	-	-	S355	900x60
490.3	540	2834	2835	-	-	S355	900x60
490.3	541	2835	2836	-	-	S355	900x60
490.3	542	2836	2837	-	-	S355	900x60
490.3	543	2837	2838	-	-	S355	900x60
490.3	544	2838	2839	-	-	S355	900x60
490.3	545	2839	2840	-	-	S355	900x60
490.3	556	2727	2841	-	-	S355	800x30
491.9	557	2841	2842	-	-	S355	800x30
507.8	558	2842	2843	-	-	S355	800x30
507.8	559	2843	2844	-	-	S355	800x30
507.8	560	2844	2845	-	-	S355	800x30
507.8	561	2845	2846	-	-	S355	800x30
507.8	562	2846	2847	-	-	S355	800x30
507.8	563	2847	2769	-	-	S355	800x30
489	574	2768	2848	-	-	S355	800x30
489	575	2848	2849	-	-	S355	800x30
489	576	2849	2850	-	-	S355	800x30
489	577	2850	2851	-	-	S355	800x30
489	578	2851	2852	-	-	S355	700x30
489	579	2852	2853	-	-	S355	700x30
489	580	2853	2854	-	-	S355	700x30
489	581	2854	2737	-	-	S355	700x30
502.2	612	2823	2855	-	-	S355	900x60
502.1	613	2855	2856	-	-	S355	900x60
502.1	614	2856	2857	-	-	S355	900x60
502.1	615	2857	2858	-	-	S355	900x60
502.1	616	2858	2859	-	-	S355	900x60
502.1	617	2859	2860	-	-	S355	900x60
502.1	618	2860	2861	-	-	S355	900x60
503.5	619	2861	2832	-	-	S355	900x60
507.5	620	2777	2862	-	-	S355	800x30
	621	2862	2863	-	-	S355	800x30


MIDAS

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

507.5	622	2863	2864	-	-	S355	800x30
507.5	623	2864	2865	-	-	S355	800x30
507.5	624	2865	2866	-	-	S355	800x30
507.5	625	2866	2867	-	-	S355	800x30
507.5	626	2867	2868	-	-	S355	800x30
507.4	627	2868	2824	-	-	S355	800x30
507.5	628	2840	2869	-	-	S355	900x60
499.7	629	2869	2870	-	-	S355	900x60
499.7	630	2870	2871	-	-	S355	900x60
499.7	631	2871	2872	-	-	S355	900x60
499.7	632	2872	2873	-	-	S355	800x30
499.7	633	2873	2874	-	-	S355	800x30
499.7	634	2874	2875	-	-	S355	800x30
499.7	635	2875	2711	-	-	S355	800x30
458.1	636	2876	2877	000011	000011	S355	2L100x10
4800	637	2902	2651	-	-	S355	Irrig_traversi
260	638	2876	10758	-	-	S355	Irrig_traversi
515	639	2985	2876	-	-	S355	Irrig_traversi
180	640	2877	3028	-	-	S355	Irrig_traversi
180	641	2928	10880	-	-	S355	Irrig_traversi
515	642	2694	2928	-	-	S355	Irrig_traversi
260	643	2878	2879	000011	000011	S355	2L100x10
4800	644	2904	2659	-	-	S355	Irrig_traversi
260	645	2878	10780	-	-	S355	Irrig_traversi
515	646	2993	2878	-	-	S355	Irrig_traversi
180	647	2879	3036	-	-	S355	Irrig_traversi
180	648	2929	10904	-	-	S355	Irrig_traversi
515	649	2702	2929	-	-	S355	Irrig_traversi
260	650	2880	2881	000011	000011	S355	2L100x10
4800	651	2906	2760	-	-	S355	Irrig_traversi
260	652	2880	11077	-	-	S355	Irrig_traversi
515	653	3094	2880	-	-	S355	Irrig_traversi
180	654	2881	3149	-	-	S355	Irrig_traversi

PROJECT TITLE :

	Company						Client	
	Author						File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
180								
655	2930	11237	-	-		S355	Irrig_traversi	
515	656	2815 2930	-	-		S355	Irrig_traversi	
260	657	2882 2883 000011 000011				S355	2L100x10	
4800	658	2908 2728	-	-		S355	Irrig_traversi	
260	659	2882 10986	-	-		S355	Irrig_traversi	
515	660	3062 2882	-	-		S355	Irrig_traversi	
180	661	2883 3157	-	-		S355	Irrig_traversi	
180	662	2931 11261	-	-		S355	Irrig_traversi	
515	663	2823 2931	-	-		S355	Irrig_traversi	
260	671	2884 2885 000011 000011				S355	2L100x10	
4800	672	2910 2786	-	-		S355	Irrig_traversi	
260	673	2884 11154	-	-		S355	Irrig_traversi	
515	674	3120 2884	-	-		S355	Irrig_traversi	
180	675	2885 3174	-	-		S355	Irrig_traversi	
180	676	2932 11309	-	-		S355	Irrig_traversi	
515	677	2840 2932	-	-		S355	Irrig_traversi	
260	678	2886 2887 000011 000011				S355	2L100x10	
4800	679	2912 2719	-	-		S355	Irrig_traversi	
260	680	2886 10959	-	-		S355	Irrig_traversi	
515	681	3053 2886	-	-		S355	Irrig_traversi	
180	682	2887 3045	-	-		S355	Irrig_traversi	
180	683	2933 10931	-	-		S355	Irrig_traversi	
515	684	2711 2933	-	-		S355	Irrig_traversi	
260	685	2888 2889 000011 000011				S355	2L100x10	
4800	686	2914 2727	-	-		S355	Irrig_traversi	
260	687	2888 10981	-	-		S355	Irrig_traversi	
515	688	3061 2888	-	-		S355	Irrig_traversi	
180	689	2889 3020	-	-		S355	Irrig_traversi	
180	690	2934 10856	-	-		S355	Irrig_traversi	
515	691	2686 2934	-	-		S355	Irrig_traversi	
260	692	2890 2891 000011 000011				S355	2L100x10	
4800	693	2916 2769	-	-		S355	Irrig_traversi	
260	694	2890 11106	-	-		S355	Irrig_traversi	

PROJECT TITLE :


	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D		
515	695	3103	2890	-	-	S355 Irrig_traversi
180	696	2891	3002	-	-	S355 Irrig_traversi
180	697	2935	10802	-	-	S355 Irrig_traversi
515	698	2668	2935	-	-	S355 Irrig_traversi
260	699	2892	2893	000011	000011	S355 2L100x10
4800	700	2918	2777	-	-	S355 Irrig_traversi
260	701	2892	11128	-	-	S355 Irrig_traversi
515	702	3111	2892	-	-	S355 Irrig_traversi
180	703	2893	3010	-	-	S355 Irrig_traversi
180	704	2936	10826	-	-	S355 Irrig_traversi
515	705	2676	2936	-	-	S355 Irrig_traversi
260	706	2894	2895	000011	000011	S355 2L100x10
4801	707	2920	2824	-	-	S355 Irrig_traversi
260	708	2894	11268	-	-	S355 Irrig_traversi
515	709	3158	2894	-	-	S355 Irrig_traversi
180	710	2895	3044	-	-	S355 Irrig_traversi
180	711	2937	10928	-	-	S355 Irrig_traversi
515	712	2710	2937	-	-	S355 Irrig_traversi
260	713	2896	2897	000011	000011	S355 2L100x10
4800	714	2922	2677	-	-	S355 Irrig_traversi
260	715	2896	10833	-	-	S355 Irrig_traversi
515	716	3011	2896	-	-	S355 Irrig_traversi
180	717	2897	3102	-	-	S355 Irrig_traversi
180	718	2938	11099	-	-	S355 Irrig_traversi
515	719	2768	2938	-	-	S355 Irrig_traversi
260	720	2898	2899	000011	000011	S355 2L100x10
4800	721	2924	2685	-	-	S355 Irrig_traversi
260	722	2898	10855	-	-	S355 Irrig_traversi
515	723	3019	2898	-	-	S355 Irrig_traversi
180	724	2899	3071	-	-	S355 Irrig_traversi
180	725	2939	11006	-	-	S355 Irrig_traversi
515	726	2737	2939	-	-	S355 Irrig_traversi
260	727	2900	2901	000011	000011	S355 2L100x10

PROJECT TITLE :

	Company			Client	
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


4800	728	2926	2660	-	-	S355	Irrig_traversi
260	729	2900	10785	-	-	S355	Irrig_traversi
515	730	2994	2900	-	-	S355	Irrig_traversi
180	731	2901	3079	-	-	S355	Irrig_traversi
180	732	2940	11030	-	-	S355	Irrig_traversi
515	733	2745	2940	-	-	S355	Irrig_traversi
260	741	2902	2903	000011	000000	S355	2L130x12
2400	742	2904	2905	000011	000000	S355	2L130x12
2400	743	2906	2907	000011	000000	S355	2L130x12
2400	744	2908	2909	000011	000000	S355	2L130x12
2400	746	2910	2911	000011	000000	S355	2L130x12
2400	747	2912	2913	000011	000000	S355	2L130x12
2400	748	2914	2915	000011	000000	S355	2L130x12
2400	749	2916	2917	000011	000000	S355	2L130x12
2400	750	2918	2919	000011	000000	S355	2L130x12
2400	751	2920	2921	000011	000000	S355	2L130x12
2400	752	2922	2923	000011	000000	S355	2L130x12
2400	753	2924	2925	000011	000000	S355	2L130x12
2400	754	2926	2927	000011	000000	S355	2L130x12
2400	756	2903	2928	000000	000011	S355	2L130x12
2400	757	2905	2929	000000	000011	S355	2L130x12
2400	758	2907	2930	000000	000011	S355	2L130x12
2400	759	2909	2931	000000	000011	S355	2L130x12
2400	761	2911	2932	000000	000011	S355	2L130x12
2400	762	2913	2933	000000	000011	S355	2L130x12
2400	763	2915	2934	000000	000011	S355	2L130x12
2400	764	2917	2935	000000	000011	S355	2L130x12
2400	765	2919	2936	000000	000011	S355	2L130x12
2400	766	2921	2937	000000	000011	S355	2L130x12
2400	767	2923	2938	000000	000011	S355	2L130x12
2400	768	2925	2939	000000	000011	S355	2L130x12
2400	769	2927	2940	000000	000011	S355	2L130x12
2400	771	2903	2876	000011	000011	S355	2L110x12

PROJECT TITLE :

	Company				Client		
	Author				File Name		
					PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D		

3163	772	2903	2877	000011	000011	S355	2L110x12
3163	773	2905	2878	000011	000011	S355	2L110x12
3163	774	2905	2879	000011	000011	S355	2L110x12
3163	775	2907	2880	000011	000011	S355	2L110x12
3163	776	2907	2881	000011	000011	S355	2L110x12
3163	777	2909	2882	000011	000011	S355	2L110x12
3163	778	2909	2883	000011	000011	S355	2L110x12
3163	781	2911	2884	000011	000011	S355	2L110x12
3163	782	2911	2885	000011	000011	S355	2L110x12
3163	783	2913	2886	000011	000011	S355	2L110x12
3163	784	2913	2887	000011	000011	S355	2L110x12
3163	785	2915	2888	000011	000011	S355	2L110x12
3163	786	2915	2889	000011	000011	S355	2L110x12
3163	787	2917	2890	000011	000011	S355	2L110x12
3163	788	2917	2891	000011	000011	S355	2L110x12
3163	789	2919	2892	000011	000011	S355	2L110x12
3163	790	2919	2893	000011	000011	S355	2L110x12
3163	791	2921	2894	000011	000011	S355	2L110x12
3163	792	2921	2895	000011	000011	S355	2L110x12
3163	793	2923	2896	000011	000011	S355	2L110x12
3163	794	2923	2897	000011	000011	S355	2L110x12
3163	795	2925	2898	000011	000011	S355	2L110x12
3163	796	2925	2899	000011	000011	S355	2L110x12
3163	797	2927	2900	000011	000011	S355	2L110x12
3163	798	2927	2901	000011	000011	S355	2L110x12
3163	801	71	2941	000011	000011	S355	2L130x12
3119	802	70	2941	000011	000000	S355	2L130x12
3116	803	2941	2876	000000	000011	S355	2L130x12
3116	804	2941	2877	000011	000011	S355	2L130x12
3119	805	2876	2942	000011	000011	S355	2L130x12
3122	806	2877	2942	000011	000000	S355	2L130x12
3127	807	2942	2878	000000	000011	S355	2L130x12
3127	808	2942	2879	000011	000011	S355	2L130x12

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


3122	809	2878	2943	000011	000011	S355	2L130x12
3145	810	2879	2943	000011	000000	S355	2L130x12
3103	811	2943	2880	000000	000011	S355	2L130x12
3129	812	2943	2881	000011	000011	S355	2L130x12
3119	813	2880	2944	000011	000011	S355	2L130x12
3159	814	2881	2944	000011	000000	S355	2L130x12
3089	815	2944	2882	000000	000011	S355	2L130x12
3146	816	2944	2883	000011	000011	S355	2L130x12
3103	817	2882	2945	000011	000011	S355	2L130x12
3127	818	2883	2945	000011	000000	S355	2L130x12
3122	819	2945	2946	000000	000011	S355	2L130x12
3094	820	2945	2947	000011	000011	S355	2L130x12
3155	821	2946	2948	000011	000011	S355	2L130x12
3198	822	2947	2948	000011	000000	S355	2L130x12
3050	823	2948	2884	000000	000011	S355	2L130x12
3172	824	2948	2885	000011	000011	S355	2L130x12
3076	825	2884	2949	000011	000011	S355	2L130x12
3148	826	2885	2949	000011	000000	S355	2L130x12
3100	827	2949	2886	000000	000011	S355	2L130x12
3169	828	2949	2887	000011	000011	S355	2L130x12
3080	829	2886	2950	000011	000011	S355	2L130x12
3136	830	2887	2950	000011	000000	S355	2L130x12
3113	831	2950	2888	000000	000011	S355	2L130x12
3182	832	2950	2889	000011	000011	S355	2L130x12
3066	833	2888	2951	000011	000011	S355	2L130x12
3152	834	2889	2951	000011	000000	S355	2L130x12
3097	835	2951	2890	000000	000011	S355	2L130x12
3167	836	2951	2891	000011	000011	S355	2L130x12
3082	837	2890	2952	000011	000011	S355	2L130x12
3167	838	2891	2952	000011	000000	S355	2L130x12
3082	839	2952	2892	000000	000011	S355	2L130x12
3150	840	2952	2893	000011	000011	S355	2L130x12
3099	841	2892	2953	000011	000011	S355	2L130x12

PROJECT TITLE :

	Company				Client		
	Author				File Name		
					PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D		

3190	842	2893	2953	000011	000000	S355	2L130x12
3059	843	2953	2894	000000	000011	S355	2L130x12
3150	844	2953	2895	000011	000011	S355	2L130x12
3099	845	2894	2954	000011	000011	S355	2L130x12
3209	846	2895	2954	000011	000000	S355	2L130x12
3038	847	2954	2896	000000	000011	S355	2L130x12
3174	848	2954	2897	000011	000011	S355	2L130x12
3074	849	2896	2955	000011	000011	S355	2L130x12
3197	850	2897	2955	000011	000000	S355	2L130x12
3049	851	2955	2898	000000	000011	S355	2L130x12
3183	852	2955	2899	000011	000011	S355	2L130x12
3063	853	2898	2956	000011	000011	S355	2L130x12
3187	854	2899	2956	000011	000000	S355	2L130x12
3059	855	2956	2900	000000	000011	S355	2L130x12
3196	856	2956	2901	000011	000011	S355	2L130x12
3050	857	2900	2957	000011	000011	S355	2L130x12
3082	858	2901	2957	000011	000000	S355	2L130x12
2978	859	2957	2958	000000	000011	S355	2L130x12
3112	860	2957	2959	000011	000011	S355	2L130x12
2947	861	2902	2960	000011	000011	S355	2L 180x16
3122	862	2928	2960	000011	000000	S355	2L 180x16
3127	863	2960	2904	000000	000011	S355	2L 180x16
3127	864	2960	2929	000011	000011	S355	2L 180x16
3122	865	2904	2961	000011	000011	S355	2L 180x16
3145	866	2929	2961	000011	000000	S355	2L 180x16
3103	867	2961	2906	000000	000011	S355	2L 180x16
3129	868	2961	2930	000011	000011	S355	2L 180x16
3119	869	2906	2962	000011	000011	S355	2L 180x16
3159	870	2930	2962	000011	000000	S355	2L 180x16
3089	871	2962	2908	000000	000011	S355	2L 180x16
3146	872	2962	2931	000011	000011	S355	2L 180x16
3103	873	2908	2963	000011	000011	S355	2L 180x16
3127	874	2931	2963	000011	000000	S355	2L 180x16


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

3122	875	2963	2964	000000	000011	S355	2L 180x16
3094	876	2963	2965	000011	000011	S355	2L 180x16
3155	877	2964	2966	000011	000011	S355	2L 180x16
3198	878	2965	2966	000011	000000	S355	2L 180x16
3050	879	2966	2910	000000	000011	S355	2L 180x16
3172	880	2966	2932	000011	000011	S355	2L 180x16
3076	881	2910	2967	000011	000011	S355	2L 180x16
3148	882	2932	2967	000011	000000	S355	2L 180x16
3100	883	2967	2912	000000	000011	S355	2L 180x16
3169	884	2967	2933	000011	000011	S355	2L 180x16
3080	885	2912	2968	000011	000011	S355	2L 180x16
3136	886	2933	2968	000011	000000	S355	2L 180x16
3113	887	2968	2914	000000	000011	S355	2L 180x16
3182	888	2968	2934	000011	000011	S355	2L 180x16
3066	889	2914	2969	000011	000011	S355	2L 180x16
3152	890	2934	2969	000011	000000	S355	2L 180x16
3097	891	2969	2916	000000	000011	S355	2L 180x16
3167	892	2969	2935	000011	000011	S355	2L 180x16
3082	893	2916	2970	000011	000011	S355	2L 180x16
3167	894	2935	2970	000011	000000	S355	2L 180x16
3082	895	2970	2918	000000	000011	S355	2L 180x16
3150	896	2970	2936	000011	000011	S355	2L 180x16
3099	897	2918	2971	000011	000011	S355	2L 180x16
3190	898	2936	2971	000011	000000	S355	2L 180x16
3059	899	2971	2920	000000	000011	S355	2L 180x16
3150	900	2971	2937	000011	000011	S355	2L 180x16
3099	901	2920	2972	000011	000011	S355	2L 180x16
3209	902	2937	2972	000011	000000	S355	2L 180x16
3038	903	2972	2922	000000	000011	S355	2L 180x16
3174	904	2972	2938	000011	000011	S355	2L 180x16
3074	905	2922	2973	000011	000011	S355	2L 180x16
3197	906	2938	2973	000011	000000	S355	2L 180x16
3049	907	2973	2924	000000	000011	S355	2L 180x16

MIDAS


PROJECT TITLE :

	Company					Client		
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	

3183								
	908	2973	2939	000011	000011	S355	2L	180x16
3063								
	909	2924	2974	000011	000011	S355	2L	180x16
3187								
	910	2939	2974	000011	000000	S355	2L	180x16
3059								
	911	2974	2926	000000	000011	S355	2L	180x16
3196								
	912	2974	2940	000011	000011	S355	2L	180x16
3050								
	913	2926	2975	000011	000011	S355	2L	180x16
3082								
	914	2940	2975	000011	000000	S355	2L	180x16
2978								
	915	2975	2976	000000	000011	S355	2L	180x16
3112								
	916	2975	2977	000011	000011	S355	2L	180x16
2947								
	917	69	2978	000011	000011	S355	2L	180x16
3119								
	918	67	2978	000011	000000	S355	2L	180x16
3116								
	919	2978	2902	000000	000011	S355	2L	180x16
3116								
	920	2978	2928	000011	000011	S355	2L	180x16
3119								
	921	2979	2980	-	-	S355		800x30
497.3								
	922	2981	2982	-	-	S355		800x30
497.3								
	923	2983	2984	-	-	S355		600x30
600								
	925	2985	2986	-	-	S355		800x30
500								
	926	2986	2987	-	-	S355		800x30
500								
	927	2987	2988	-	-	S355		800x30
500								
	928	2988	2989	-	-	S355		800x30
500								
	929	2989	2990	-	-	S355		800x30
500								
	930	2990	2991	-	-	S355		800x30
500								
	931	2991	2992	-	-	S355		800x30
500								
	932	2992	2993	-	-	S355		800x30
500								
	933	2994	2995	-	-	S355		600x30
540.2								
	934	2995	2996	-	-	S355		600x30
540.2								
	935	2996	2997	-	-	S355		600x30
540.2								
	938	2999	3000	-	-	S355		600x30
540.2								
	939	3000	3001	-	-	S355		600x30
540.2								
	940	3001	2983	-	-	S355		600x30
540.2								
	941	3002	3003	-	-	S355		800x30
494.7								
	942	3003	3004	-	-	S355		800x30
494.7								
	943	3004	3005	-	-	S355		800x30


MIDAS

PROJECT TITLE :

	Company		Client		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	
	Author						
494.7	944	3005	3006	-	-	S355	800x30
494.7	945	3006	3007	-	-	S355	600x30
494.7	946	3007	3008	-	-	S355	600x30
494.7	947	3008	3009	-	-	S355	600x30
494.7	948	3009	3010	-	-	S355	600x30
494.7	949	3011	3012	-	-	S355	600x30
510.5	950	3012	3013	-	-	S355	600x30
510.5	951	3013	3014	-	-	S355	600x30
510.5	952	3014	3015	-	-	S355	600x30
510.5	953	3015	3016	-	-	S355	600x30
510.5	954	3016	3017	-	-	S355	600x30
510.5	955	3017	3018	-	-	S355	600x30
510.5	956	3018	3019	-	-	S355	600x30
510.5	957	3020	3021	-	-	S355	800x30
494.6	958	3021	3022	-	-	S355	800x30
494.6	959	3022	3023	-	-	S355	800x30
494.6	960	3023	3024	-	-	S355	800x30
494.6	961	3024	3025	-	-	S355	800x30
494.6	962	3025	3026	-	-	S355	800x30
494.6	963	3026	3027	-	-	S355	800x30
494.6	964	3027	3002	-	-	S355	800x30
494.6	965	3028	3029	-	-	S355	800x30
528.5	966	3029	3030	-	-	S355	800x30
496	967	3030	3031	-	-	S355	800x30
496	968	3031	3032	-	-	S355	800x30
495.9	969	3032	3033	-	-	S355	800x30
496	970	3033	3034	-	-	S355	800x30
496	971	3034	3035	-	-	S355	800x30
496	972	3035	3036	-	-	S355	800x30
495.8	973	3010	3037	-	-	S355	600x30
492.9	974	3037	3038	-	-	S355	600x30
492.9	975	3038	3039	-	-	S355	600x30
492.9	976	3039	3040	-	-	S355	600x30

MIDAS

PROJECT TITLE :

	Company		Client		File Name		
	Author				PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D		
492.9	977	3040	3041	-	-	S355	600x30
492.9	978	3041	3042	-	-	S355	600x30
492.9	979	3042	3043	-	-	S355	600x30
492.9	980	3043	3044	-	-	S355	600x30
492.9	981	3045	3046	-	-	S355	800x30
531	982	3046	3047	-	-	S355	800x30
489.4	983	3047	3048	-	-	S355	800x30
489.4	984	3048	3049	-	-	S355	800x30
489.4	985	3049	3050	-	-	S355	800x30
489.4	986	3050	3051	-	-	S355	800x30
489.4	987	3051	3052	-	-	S355	800x30
489.4	988	3052	3020	-	-	S355	800x30
489.4	989	3053	3054	-	-	S355	800x30
475.6	990	3054	3055	-	-	S355	800x30
507.8	991	3055	3056	-	-	S355	800x30
507.8	992	3056	3057	-	-	S355	800x30
507.8	993	3057	3058	-	-	S355	800x30
507.8	994	3058	3059	-	-	S355	800x30
507.8	995	3059	3060	-	-	S355	800x30
507.8	996	3060	3061	-	-	S355	800x30
523.7	997	3062	3063	-	-	S355	900x60
497.8	998	3063	3064	-	-	S355	900x60
497.8	999	3064	3065	-	-	S355	900x60
497.8	1000	3065	3066	-	-	S355	900x60
497.8	1001	3066	3067	-	-	S355	900x60
497.8	1002	3067	3068	-	-	S355	900x60
497.8	1003	3068	3069	-	-	S355	900x60
497.8	1004	3069	3070	-	-	S355	900x60
497.8	1005	3071	3072	-	-	S355	600x30
488.8	1006	3072	3073	-	-	S355	600x30
488.8	1007	3073	3074	-	-	S355	600x30
488.8	1008	3074	3075	-	-	S355	600x30
488.8	1009	3075	3076	-	-	S355	600x30

MIDAS


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

488.8	1010	3076	3077	-	-	S355	600x30
488.8	1011	3077	3078	-	-	S355	600x30
488.8	1012	3078	3079	-	-	S355	600x30
488.8	1013	3019	3080	-	-	S355	600x30
510.8	1014	3080	3081	-	-	S355	600x30
510.8	1015	3081	3082	-	-	S355	600x30
510.8	1016	3082	3083	-	-	S355	600x30
510.8	1017	3083	3084	-	-	S355	600x30
510.8	1018	3084	3085	-	-	S355	600x30
510.8	1019	3085	3086	-	-	S355	600x30
510.8	1020	3086	2994	-	-	S355	600x30
510.8	1021	2993	3087	-	-	S355	800x30
502.1	1022	3087	3088	-	-	S355	800x30
502.1	1023	3088	3089	-	-	S355	800x30
502.1	1024	3089	3090	-	-	S355	800x30
502.1	1025	3090	3091	-	-	S355	800x30
502.1	1026	3091	3092	-	-	S355	800x30
502.1	1027	3092	3093	-	-	S355	800x30
502.1	1028	3093	3094	-	-	S355	800x30
502.1	1029	3044	3095	-	-	S355	600x30
489.1	1030	3095	3096	-	-	S355	600x30
489.1	1031	3096	3097	-	-	S355	600x30
489.1	1032	3097	3098	-	-	S355	600x30
489	1033	3098	3099	-	-	S355	600x30
489.1	1034	3099	3100	-	-	S355	600x30
489.1	1035	3100	3101	-	-	S355	600x30
489.1	1036	3101	3102	-	-	S355	600x30
489.1	1037	3103	3104	-	-	S355	800x30
505.6	1038	3104	3105	-	-	S355	800x30
505.6	1039	3105	3106	-	-	S355	800x30
505.7	1040	3106	3107	-	-	S355	800x30
505.7	1041	3107	3108	-	-	S355	600x30
505.6	1042	3108	3109	-	-	S355	600x30


MIDAS

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

505.7	1043	3109	3110	-	-	S355	600x30
505.6	1044	3110	3111	-	-	S355	600x30
505.6	1045	3079	3112	-	-	S355	600x30
516.8	1046	3112	3113	-	-	S355	600x30
516.8	1047	3113	3114	-	-	S355	600x30
516.8	1048	3114	3115	-	-	S355	600x30
516.8	1049	3115	3116	-	-	S355	600x30
516.8	1050	3116	3117	-	-	S355	600x30
516.8	1051	3117	3118	-	-	S355	600x30
516.9	1052	3118	3119	-	-	S355	600x30
620.3	1054	3120	3121	-	-	S355	900x60
504.3	1055	3121	3122	-	-	S355	900x60
504.3	1056	3122	3123	-	-	S355	900x60
504.3	1057	3123	3124	-	-	S355	900x60
504.3	1058	3124	3125	-	-	S355	800x30
504.3	1059	3125	3126	-	-	S355	800x30
504.3	1060	3126	3127	-	-	S355	800x30
504.3	1061	3127	3053	-	-	S355	800x30
513.6	1062	3070	3128	-	-	S355	900x60
509.7	1063	3128	3129	-	-	S355	900x60
509.7	1064	3129	3130	-	-	S355	900x60
509.7	1065	3130	3131	-	-	S355	900x60
509.7	1066	3131	3132	-	-	S355	900x60
509.7	1067	3132	3133	-	-	S355	900x60
509.7	1068	3133	3134	-	-	S355	900x60
509.7	1069	3134	3120	-	-	S355	900x60
509.7	1070	3094	3135	-	-	S355	800x30
504.6	1071	3135	3136	-	-	S355	800x30
504.6	1072	3136	3137	-	-	S355	800x30
504.6	1073	3137	3138	-	-	S355	800x30
504.6	1074	3138	3139	-	-	S355	900x60
504.6	1075	3139	3140	-	-	S355	900x60
504.6	1076	3140	3141	-	-	S355	900x60


PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


504.6	1077	3141	3062	-	-	S355	900x60
504.6	1078	3036	3142	-	-	S355	800x30
498.1	1079	3142	3143	-	-	S355	800x30
498	1080	3143	3144	-	-	S355	800x30
498	1081	3144	3145	-	-	S355	800x30
498	1082	3145	3146	-	-	S355	800x30
498	1083	3146	3147	-	-	S355	800x30
498	1084	3147	3148	-	-	S355	800x30
498	1085	3148	3149	-	-	S355	800x30
497.4	1086	3149	3150	-	-	S355	800x30
495.9	1087	3150	3151	-	-	S355	800x30
495.4	1088	3151	3152	-	-	S355	800x30
495.4	1089	3152	3153	-	-	S355	800x30
495.4	1090	3153	3154	-	-	S355	900x60
495.4	1091	3154	3155	-	-	S355	900x60
495.4	1092	3155	3156	-	-	S355	900x60
495.4	1093	3156	3157	-	-	S355	900x60
495.3	1094	3158	3159	-	-	S355	600x30
510.8	1095	3159	3160	-	-	S355	600x30
510.8	1096	3160	3161	-	-	S355	600x30
510.8	1097	3161	3162	-	-	S355	600x30
510.8	1098	3162	3163	-	-	S355	600x30
510.8	1099	3163	3164	-	-	S355	600x30
510.8	1100	3164	3165	-	-	S355	600x30
510.8	1101	3165	3011	-	-	S355	600x30
510.8	1102	3166	3167	-	-	S355	900x60
488.9	1103	3167	3168	-	-	S355	900x60
490.3	1104	3168	3169	-	-	S355	900x60
490.3	1105	3169	3170	-	-	S355	900x60
490.3	1106	3170	3171	-	-	S355	900x60
490.3	1107	3171	3172	-	-	S355	900x60
490.3	1108	3172	3173	-	-	S355	900x60
490.3	1109	3173	3174	-	-	S355	900x60

MIDAS


PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
490.3	1110	3061	3175	-	-	S355	800x30
491.9	1111	3175	3176	-	-	S355	800x30
507.8	1112	3176	3177	-	-	S355	800x30
507.8	1113	3177	3178	-	-	S355	800x30
507.8	1114	3178	3179	-	-	S355	800x30
507.8	1115	3179	3180	-	-	S355	800x30
507.8	1116	3180	3181	-	-	S355	800x30
507.8	1117	3181	3103	-	-	S355	800x30
507.8	1118	3102	3182	-	-	S355	600x30
489	1119	3182	3183	-	-	S355	600x30
489	1120	3183	3184	-	-	S355	600x30
489	1121	3184	3185	-	-	S355	600x30
489	1122	3185	3186	-	-	S355	600x30
489	1123	3186	3187	-	-	S355	600x30
489	1124	3187	3188	-	-	S355	600x30
489	1125	3188	3071	-	-	S355	600x30
489	1126	3157	3189	-	-	S355	900x60
502.2	1127	3189	3190	-	-	S355	900x60
502.1	1128	3190	3191	-	-	S355	900x60
502.1	1129	3191	3192	-	-	S355	900x60
502.1	1130	3192	3193	-	-	S355	900x60
502.1	1131	3193	3194	-	-	S355	900x60
502.1	1132	3194	3195	-	-	S355	900x60
502.1	1133	3195	3166	-	-	S355	900x60
503.5	1134	3111	3196	-	-	S355	600x30
507.5	1135	3196	3197	-	-	S355	600x30
507.5	1136	3197	3198	-	-	S355	600x30
507.5	1137	3198	3199	-	-	S355	600x30
507.5	1138	3199	3200	-	-	S355	600x30
507.5	1139	3200	3201	-	-	S355	600x30
507.5	1140	3201	3202	-	-	S355	600x30
507.4	1141	3202	3158	-	-	S355	600x30
507.5	1142	3174	3203	-	-	S355	900x60


PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
499.7	1143	3203	3204	-	-	S355	900x60
499.7	1144	3204	3205	-	-	S355	900x60
499.7	1145	3205	3206	-	-	S355	900x60
499.7	1146	3206	3207	-	-	S355	800x30
499.7	1147	3207	3208	-	-	S355	800x30
499.7	1148	3208	3209	-	-	S355	800x30
499.7	1149	3209	3045	-	-	S355	800x30
458.1	1150	74	3210	-	-	S355	600x30
497.3	1151	73	3211	-	-	S355	600x30
497.3	1152	3212	3213	-	-	S355	800x30
497.3	1153	3214	3215	-	-	S355	800x30
497.3	1154	1460	1461	-	-	S355	700x30
500	1155	1461	1462	-	-	S355	700x30
500	1156	1462	1463	-	-	S355	700x30
500	1157	1463	1464	-	-	S355	700x30
500	1158	1464	1465	-	-	S355	700x30
500	1159	1465	1466	-	-	S355	700x30
500	1160	1466	32	-	-	S355	700x30
500	1161	1453	1454	-	-	S355	700x30
500	1162	1454	1455	-	-	S355	700x30
500	1163	1455	1456	-	-	S355	700x30
500	1164	1456	1457	-	-	S355	700x30
500	1165	1457	1458	-	-	S355	700x30
500	1166	1458	1459	-	-	S355	700x30
500	1167	1459	29	-	-	S355	700x30
500	1168	1474	1475	-	-	S355	600x30
500	1169	1475	1476	-	-	S355	600x30
500	1170	1476	1477	-	-	S355	600x30
500	1171	1477	1478	-	-	S355	600x30
500	1172	1478	1479	-	-	S355	600x30
500	1173	1479	1480	-	-	S355	600x30
500	1174	1480	30	-	-	S355	600x30
500	1175	1467	1468	-	-	S355	600x30

PROJECT TITLE :


	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
500	1176	1468	1469	-	-	S355	600x30
500	1177	1469	1470	-	-	S355	600x30
500	1178	1470	1471	-	-	S355	600x30
500	1179	1471	1472	-	-	S355	600x30
500	1180	1472	1473	-	-	S355	600x30
500	1181	1473	31	-	-	S355	600x30
500	1182	1488	1489	-	-	S355	800x30
500	1183	1489	1490	-	-	S355	800x30
500	1184	1490	1491	-	-	S355	800x30
500	1185	1491	1492	-	-	S355	800x30
500	1186	1492	1493	-	-	S355	800x30
500	1187	1493	1494	-	-	S355	800x30
500	1188	1494	64	-	-	S355	800x30
500	1189	1481	1482	-	-	S355	800x30
500	1190	1482	1483	-	-	S355	800x30
500	1191	1483	1484	-	-	S355	800x30
500	1192	1484	1485	-	-	S355	800x30
500	1193	1485	1486	-	-	S355	800x30
500	1194	1486	1487	-	-	S355	800x30
500	1195	1487	61	-	-	S355	800x30
500	1196	1502	1503	-	-	S355	600x30
500	1197	1503	1504	-	-	S355	600x30
500	1198	1504	1505	-	-	S355	600x30
500	1199	1505	1506	-	-	S355	600x30
500	1200	1506	1507	-	-	S355	600x30
500	1201	1507	1508	-	-	S355	600x30
500	1202	1508	62	-	-	S355	600x30
500	1203	1495	1496	-	-	S355	600x30
500	1204	1496	1497	-	-	S355	600x30
500	1205	1497	1498	-	-	S355	600x30
500	1206	1498	1499	-	-	S355	600x30
500	1207	1499	1500	-	-	S355	600x30
500	1208	1500	1501	-	-	S355	600x30

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
500	1209	1501	63	-	-	S355	600x30
500	1210	1516	1517	-	-	S355	800x30
500	1211	1517	1518	-	-	S355	800x30
500	1212	1518	1519	-	-	S355	800x30
500	1213	1519	1520	-	-	S355	800x30
500	1214	1520	1521	-	-	S355	800x30
500	1215	1521	1522	-	-	S355	800x30
500	1216	1522	75	-	-	S355	800x30
500	1217	1509	1510	-	-	S355	800x30
500	1218	1510	1511	-	-	S355	800x30
500	1219	1511	1512	-	-	S355	800x30
500	1220	1512	1513	-	-	S355	800x30
500	1221	1513	1514	-	-	S355	800x30
500	1222	1514	1515	-	-	S355	800x30
500	1223	1515	72	-	-	S355	800x30
500	1224	1530	1531	-	-	S355	600x30
500	1225	1531	1532	-	-	S355	600x30
500	1226	1532	1533	-	-	S355	600x30
500	1227	1533	1534	-	-	S355	600x30
500	1228	1534	1535	-	-	S355	600x30
500	1229	1535	1536	-	-	S355	600x30
500	1230	1536	73	-	-	S355	600x30
500	1231	1523	1524	-	-	S355	600x30
500	1232	1524	1525	-	-	S355	600x30
500	1233	1525	1526	-	-	S355	600x30
500	1234	1526	1527	-	-	S355	600x30
500	1235	1527	1528	-	-	S355	600x30
500	1236	1528	1529	-	-	S355	600x30
500	1237	1529	74	-	-	S355	600x30
500	1238	1542	1543	-	-	S355	700x30
516.7	1239	1543	1544	-	-	S355	700x30
516.7	1240	1544	1545	-	-	S355	700x30
516.7	1241	1545	1546	-	-	S355	700x30


MIDAS

PROJECT TITLE :


	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

516.7	1242	1546	8	-	-	S355	700x30
516.7	1243	1537	1538	-	-	S355	700x30
516.7	1244	1538	1539	-	-	S355	700x30
516.7	1245	1539	1540	-	-	S355	700x30
516.7	1246	1540	1541	-	-	S355	700x30
516.7	1247	1541	9	-	-	S355	700x30
516.7	1248	1552	1553	-	-	S355	600x30
516.7	1249	1553	1554	-	-	S355	600x30
516.7	1250	1554	1555	-	-	S355	600x30
516.7	1251	1555	1556	-	-	S355	600x30
516.7	1252	1556	12	-	-	S355	600x30
516.7	1253	1547	1548	-	-	S355	600x30
516.7	1254	1548	1549	-	-	S355	600x30
516.7	1255	1549	1550	-	-	S355	600x30
516.7	1256	1550	1551	-	-	S355	600x30
516.7	1257	1551	11	-	-	S355	600x30
516.7	1258	1560	1561	-	-	S355	700x30
500	1259	1561	1562	-	-	S355	700x30
500	1260	1562	112	-	-	S355	700x30
500	1261	1557	1558	-	-	S355	700x30
500	1262	1558	1559	-	-	S355	700x30
500	1263	1559	111	-	-	S355	700x30
500	1264	1566	1567	-	-	S355	600x30
500	1265	1567	1568	-	-	S355	600x30
500	1266	1568	114	-	-	S355	600x30
500	1267	1563	1564	-	-	S355	600x30
500	1268	1564	1565	-	-	S355	600x30
500	1269	1565	113	-	-	S355	600x30
500	1270	2647	3216	-	-	S355	800x30
497.3	1271	3216	3217	-	-	S355	800x30
497.3	1272	3217	2979	-	-	S355	800x30
497.3	1273	2648	3218	-	-	S355	800x30
497.3	1274	3218	3219	-	-	S355	800x30


PROJECT TITLE :

	Company			Client			
	Author			File Name			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
497.3	1275	3219	2981	-	-	S355	800x30
497.3	1276	1578	1579	-	-	S355	800x30
500	1277	1579	1580	-	-	S355	800x30
500	1278	1580	53	-	-	S355	800x30
500	1279	1575	1576	-	-	S355	800x30
500	1280	1576	1577	-	-	S355	800x30
500	1281	1577	50	-	-	S355	800x30
500	1282	1584	1585	-	-	S355	600x30
500	1283	1585	1586	-	-	S355	600x30
500	1284	1586	51	-	-	S355	600x30
500	1285	1581	1582	-	-	S355	600x30
500	1286	1582	1583	-	-	S355	600x30
500	1287	1583	52	-	-	S355	600x30
500	1288	2980	3220	-	-	S355	800x30
497.3	1289	3220	3221	-	-	S355	800x30
497.3	1290	3221	2651	-	-	S355	800x30
497.3	1291	2982	3222	-	-	S355	800x30
497.3	1292	3222	3223	-	-	S355	800x30
497.3	1293	3223	2694	-	-	S355	800x30
497.3	1294	3210	3224	-	-	S355	600x30
497.3	1295	3224	3225	-	-	S355	600x30
497.3	1296	3225	3212	-	-	S355	600x30
497.3	1297	3211	3226	-	-	S355	600x30
497.3	1298	3226	3227	-	-	S355	600x30
497.3	1299	3227	3214	-	-	S355	600x30
497.3	1300	3213	3228	-	-	S355	800x30
497.3	1301	3228	3229	-	-	S355	800x30
497.3	1302	3229	2985	-	-	S355	800x30
497.3	1303	3215	3230	-	-	S355	800x30
497.3	1304	3230	3231	-	-	S355	800x30
497.3	1305	3231	3028	-	-	S355	800x30
497.3	1501	1844	5	-	-	S355	500x20
480	1502	1841	2	-	-	S355	500x20

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
480							
480.1	1506	3254	2736	-	-	S355	500x20
480.1	1507	3271	3070	-	-	S355	500x20
480.1	1508	3286	2649	-	-	S355	500x20
480	1509	3303	2983	-	-	S355	500x20
480	1513	1853	1844	-	-	S355	500x20
480	1514	1852	1853	-	-	S355	500x20
480	1515	1851	1852	-	-	S355	500x20
480	1516	1850	1851	-	-	S355	500x20
480	1517	1849	1850	-	-	S355	500x20
480	1518	1848	1849	-	-	S355	500x20
480	1519	1847	1848	-	-	S355	500x20
480	1520	1845	1847	-	-	S355	500x20
480	1521	6	1845	-	-	S355	500x20
480	1522	1860	1841	-	-	S355	500x20
480	1523	1859	1860	-	-	S355	500x20
480	1524	1858	1859	-	-	S355	500x20
480	1525	1857	1858	-	-	S355	500x20
480	1526	1856	1857	-	-	S355	500x20
480	1527	1855	1856	-	-	S355	500x20
480	1528	1854	1855	-	-	S355	500x20
480	1529	1846	1854	-	-	S355	500x20
480	1530	3	1846	-	-	S355	500x20
480	1531	3252	3254	-	-	S355	500x20
480.1	1532	3250	3252	-	-	S355	500x20
480.1	1533	3248	3250	-	-	S355	500x20
480.1	1534	3246	3248	-	-	S355	500x20
480.1	1535	3244	3246	-	-	S355	500x20
480.1	1536	3242	3244	-	-	S355	500x20
480.1	1537	3240	3242	-	-	S355	500x20
480.1	1538	3232	3240	-	-	S355	500x20
480.1	1539	2832	3232	-	-	S355	500x20
480.1	1540	3270	3271	-	-	S355	500x20
480.1	1541	3269	3270	-	-	S355	500x20

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	


480.1	1542	3268	3269	-	-	S355	500x20
480.1	1543	3267	3268	-	-	S355	500x20
480.1	1544	3266	3267	-	-	S355	500x20
480.1	1545	3265	3266	-	-	S355	500x20
480.1	1546	3264	3265	-	-	S355	500x20
480.1	1547	3235	3264	-	-	S355	500x20
480.1	1548	3166	3235	-	-	S355	500x20
480.1	1549	3284	3286	-	-	S355	500x20
480	1550	3282	3284	-	-	S355	500x20
480	1551	3280	3282	-	-	S355	500x20
480	1552	3278	3280	-	-	S355	500x20
480	1553	3276	3278	-	-	S355	500x20
480	1554	3274	3276	-	-	S355	500x20
480	1555	3272	3274	-	-	S355	500x20
480	1556	3236	3272	-	-	S355	500x20
480	1557	2784	3236	-	-	S355	500x20
480	1558	3302	3303	-	-	S355	500x20
480	1559	3301	3302	-	-	S355	500x20
480	1560	3300	3301	-	-	S355	500x20
480	1561	3299	3300	-	-	S355	500x20
480	1562	3298	3299	-	-	S355	500x20
480	1563	3297	3298	-	-	S355	500x20
480	1564	3296	3297	-	-	S355	500x20
480	1565	3239	3296	-	-	S355	500x20
480	1566	3118	3239	-	-	S355	500x20
180	2853	6	4501	-	-	rigid	el rigido
180	2854	5	4661	-	-	rigid	el rigido
180	2855	12	4507	-	-	rigid	el rigido
180	2856	11	4667	-	-	rigid	el rigido
180	2857	31	4675	-	-	rigid	el rigido
180	2858	30	4515	-	-	rigid	el rigido
180	2859	40	4500	-	-	rigid	el rigido
180	2860	39	4660	-	-	rigid	el rigido

PROJECT TITLE :


	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

180							
180	2861	52	4683	-	-	rigid	el rigido
180	2862	51	4523	-	-	rigid	el rigido
180	2863	63	4691	-	-	rigid	el rigido
180	2864	62	4531	-	-	rigid	el rigido
180	2865	74	4699	-	-	rigid	el rigido
180	2866	73	4539	-	-	rigid	el rigido
180	2867	114	4519	-	-	rigid	el rigido
180	2868	113	4679	-	-	rigid	el rigido
180	2869	2985	4707	-	-	rigid	el rigido
180	2870	3028	4547	-	-	rigid	el rigido
180	2871	2993	4715	-	-	rigid	el rigido
180	2872	3036	4555	-	-	rigid	el rigido
180	2873	3094	4723	-	-	rigid	el rigido
180	2874	3149	4563	-	-	rigid	el rigido
180	2875	3062	4731	-	-	rigid	el rigido
180	2876	3157	4571	-	-	rigid	el rigido
180	2877	3070	4739	-	-	rigid	el rigido
180	2878	3166	4579	-	-	rigid	el rigido
180	2879	3120	4747	-	-	rigid	el rigido
180	2880	3174	4587	-	-	rigid	el rigido
180	2881	3053	4755	-	-	rigid	el rigido
180	2882	3045	4595	-	-	rigid	el rigido
180	2883	3061	4763	-	-	rigid	el rigido
180	2884	3020	4603	-	-	rigid	el rigido
180	2885	3103	4771	-	-	rigid	el rigido
180	2886	3002	4611	-	-	rigid	el rigido
180	2887	3111	4779	-	-	rigid	el rigido
180	2888	3010	4619	-	-	rigid	el rigido
180	2889	3158	4787	-	-	rigid	el rigido
180	2890	3044	4627	-	-	rigid	el rigido
180	2891	3011	4795	-	-	rigid	el rigido
180	2892	3102	4635	-	-	rigid	el rigido
180	2893	3019	4803	-	-	rigid	el rigido

PROJECT TITLE :


	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
180							
180	2894	3071	4643	-	-	rigid	el rigido
180	2895	2994	4811	-	-	rigid	el rigido
180	2896	3079	4651	-	-	rigid	el rigido
180	2897	2983	4818	-	-	rigid	el rigido
180	2898	3118	4658	-	-	rigid	el rigido
180	2899	2984	4819	-	-	rigid	el rigido
180	2900	2986	4708	-	-	rigid	el rigido
180	2901	2987	4709	-	-	rigid	el rigido
180	2902	2988	4710	-	-	rigid	el rigido
180	2903	2989	4711	-	-	rigid	el rigido
180	2904	2990	4712	-	-	rigid	el rigido
180	2905	2991	4713	-	-	rigid	el rigido
180	2906	2992	4714	-	-	rigid	el rigido
180	2907	2995	4812	-	-	rigid	el rigido
180	2908	2996	4813	-	-	rigid	el rigido
180	2909	2997	4814	-	-	rigid	el rigido
180	2911	2999	4815	-	-	rigid	el rigido
180	2912	3000	4816	-	-	rigid	el rigido
180	2913	3001	4817	-	-	rigid	el rigido
180	2914	3003	4612	-	-	rigid	el rigido
180	2915	3004	4613	-	-	rigid	el rigido
180	2916	3005	4614	-	-	rigid	el rigido
180	2917	3006	4615	-	-	rigid	el rigido
180	2918	3007	4616	-	-	rigid	el rigido
180	2919	3008	4617	-	-	rigid	el rigido
180	2920	3009	4618	-	-	rigid	el rigido
180	2921	3012	4796	-	-	rigid	el rigido
180	2922	3013	4797	-	-	rigid	el rigido
180	2923	3014	4798	-	-	rigid	el rigido
180	2924	3015	4799	-	-	rigid	el rigido
180	2925	3016	4800	-	-	rigid	el rigido
180	2926	3017	4801	-	-	rigid	el rigido
180	2927	3018	4802	-	-	rigid	el rigido

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	


180							
180	2928	3021	4604	-	-	rigid	el rigido
180	2929	3022	4605	-	-	rigid	el rigido
180	2930	3023	4606	-	-	rigid	el rigido
180	2931	3024	4607	-	-	rigid	el rigido
180	2932	3025	4608	-	-	rigid	el rigido
180	2933	3026	4609	-	-	rigid	el rigido
180	2934	3027	4610	-	-	rigid	el rigido
180	2935	3029	4548	-	-	rigid	el rigido
180	2936	3030	4549	-	-	rigid	el rigido
180	2937	3031	4550	-	-	rigid	el rigido
180	2938	3032	4551	-	-	rigid	el rigido
180	2939	3033	4552	-	-	rigid	el rigido
180	2940	3034	4553	-	-	rigid	el rigido
180	2941	3035	4554	-	-	rigid	el rigido
180	2942	3037	4620	-	-	rigid	el rigido
180	2943	3038	4621	-	-	rigid	el rigido
180	2944	3039	4622	-	-	rigid	el rigido
180	2945	3040	4623	-	-	rigid	el rigido
180	2946	3041	4624	-	-	rigid	el rigido
180	2947	3042	4625	-	-	rigid	el rigido
180	2948	3043	4626	-	-	rigid	el rigido
180	2949	3046	4596	-	-	rigid	el rigido
180	2950	3047	4597	-	-	rigid	el rigido
180	2951	3048	4598	-	-	rigid	el rigido
180	2952	3049	4599	-	-	rigid	el rigido
180	2953	3050	4600	-	-	rigid	el rigido
180	2954	3051	4601	-	-	rigid	el rigido
180	2955	3052	4602	-	-	rigid	el rigido
180	2956	3054	4756	-	-	rigid	el rigido
180	2957	3055	4757	-	-	rigid	el rigido
180	2958	3056	4758	-	-	rigid	el rigido
180	2959	3057	4759	-	-	rigid	el rigido
180	2960	3058	4760	-	-	rigid	el rigido

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

180							
180	2961	3059	4761	-	-	rigid	el rigido
180	2962	3060	4762	-	-	rigid	el rigido
180	2963	3063	4732	-	-	rigid	el rigido
180	2964	3064	4733	-	-	rigid	el rigido
180	2965	3065	4734	-	-	rigid	el rigido
180	2966	3066	4735	-	-	rigid	el rigido
180	2967	3067	4736	-	-	rigid	el rigido
180	2968	3068	4737	-	-	rigid	el rigido
180	2969	3069	4738	-	-	rigid	el rigido
180	2970	3072	4644	-	-	rigid	el rigido
180	2971	3073	4645	-	-	rigid	el rigido
180	2972	3074	4646	-	-	rigid	el rigido
180	2973	3075	4647	-	-	rigid	el rigido
180	2974	3076	4648	-	-	rigid	el rigido
180	2975	3077	4649	-	-	rigid	el rigido
180	2976	3078	4650	-	-	rigid	el rigido
180	2977	3080	4804	-	-	rigid	el rigido
180	2978	3081	4805	-	-	rigid	el rigido
180	2979	3082	4806	-	-	rigid	el rigido
180	2980	3083	4807	-	-	rigid	el rigido
180	2981	3084	4808	-	-	rigid	el rigido
180	2982	3085	4809	-	-	rigid	el rigido
180	2983	3086	4810	-	-	rigid	el rigido
180	2984	3087	4716	-	-	rigid	el rigido
180	2985	3088	4717	-	-	rigid	el rigido
180	2986	3089	4718	-	-	rigid	el rigido
180	2987	3090	4719	-	-	rigid	el rigido
180	2988	3091	4720	-	-	rigid	el rigido
180	2989	3092	4721	-	-	rigid	el rigido
180	2990	3093	4722	-	-	rigid	el rigido
180	2991	3095	4628	-	-	rigid	el rigido
180	2992	3096	4629	-	-	rigid	el rigido
180	2993	3097	4630	-	-	rigid	el rigido

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	


180							
180	2994	3098	4631	-	-	rigid	el rigido
180	2995	3099	4632	-	-	rigid	el rigido
180	2996	3100	4633	-	-	rigid	el rigido
180	2997	3101	4634	-	-	rigid	el rigido
180	2998	3104	4772	-	-	rigid	el rigido
180	2999	3105	4773	-	-	rigid	el rigido
180	3000	3106	4774	-	-	rigid	el rigido
180	3001	3107	4775	-	-	rigid	el rigido
180	3002	3108	4776	-	-	rigid	el rigido
180	3003	3109	4777	-	-	rigid	el rigido
180	3004	3110	4778	-	-	rigid	el rigido
180	3005	3112	4652	-	-	rigid	el rigido
180	3006	3113	4653	-	-	rigid	el rigido
180	3007	3114	4654	-	-	rigid	el rigido
180	3008	3115	4655	-	-	rigid	el rigido
180	3009	3116	4656	-	-	rigid	el rigido
180	3010	3117	4657	-	-	rigid	el rigido
180	3011	3119	4659	-	-	rigid	el rigido
180	3012	3121	4748	-	-	rigid	el rigido
180	3013	3122	4749	-	-	rigid	el rigido
180	3014	3123	4750	-	-	rigid	el rigido
180	3015	3124	4751	-	-	rigid	el rigido
180	3016	3125	4752	-	-	rigid	el rigido
180	3017	3126	4753	-	-	rigid	el rigido
180	3018	3127	4754	-	-	rigid	el rigido
180	3019	3128	4740	-	-	rigid	el rigido
180	3020	3129	4741	-	-	rigid	el rigido
180	3021	3130	4742	-	-	rigid	el rigido
180	3022	3131	4743	-	-	rigid	el rigido
180	3023	3132	4744	-	-	rigid	el rigido
180	3024	3133	4745	-	-	rigid	el rigido
180	3025	3134	4746	-	-	rigid	el rigido
180	3026	3135	4724	-	-	rigid	el rigido

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


180							
180	3027	3136	4725	-	-	rigid	el rigido
180	3028	3137	4726	-	-	rigid	el rigido
180	3029	3138	4727	-	-	rigid	el rigido
180	3030	3139	4728	-	-	rigid	el rigido
180	3031	3140	4729	-	-	rigid	el rigido
180	3032	3141	4730	-	-	rigid	el rigido
180	3033	3142	4556	-	-	rigid	el rigido
180	3034	3143	4557	-	-	rigid	el rigido
180	3035	3144	4558	-	-	rigid	el rigido
180	3036	3145	4559	-	-	rigid	el rigido
180	3037	3146	4560	-	-	rigid	el rigido
180	3038	3147	4561	-	-	rigid	el rigido
180	3039	3148	4562	-	-	rigid	el rigido
180	3040	3150	4564	-	-	rigid	el rigido
180	3041	3151	4565	-	-	rigid	el rigido
180	3042	3152	4566	-	-	rigid	el rigido
180	3043	3153	4567	-	-	rigid	el rigido
180	3044	3154	4568	-	-	rigid	el rigido
180	3045	3155	4569	-	-	rigid	el rigido
180	3046	3156	4570	-	-	rigid	el rigido
180	3047	3159	4788	-	-	rigid	el rigido
180	3048	3160	4789	-	-	rigid	el rigido
180	3049	3161	4790	-	-	rigid	el rigido
180	3050	3162	4791	-	-	rigid	el rigido
180	3051	3163	4792	-	-	rigid	el rigido
180	3052	3164	4793	-	-	rigid	el rigido
180	3053	3165	4794	-	-	rigid	el rigido
180	3054	3167	4580	-	-	rigid	el rigido
180	3055	3168	4581	-	-	rigid	el rigido
180	3056	3169	4582	-	-	rigid	el rigido
180	3057	3170	4583	-	-	rigid	el rigido
180	3058	3171	4584	-	-	rigid	el rigido
180	3059	3172	4585	-	-	rigid	el rigido

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


180							
180	3060	3173	4586	-	-	rigid	el rigido
180	3061	3175	4764	-	-	rigid	el rigido
180	3062	3176	4765	-	-	rigid	el rigido
180	3063	3177	4766	-	-	rigid	el rigido
180	3064	3178	4767	-	-	rigid	el rigido
180	3065	3179	4768	-	-	rigid	el rigido
180	3066	3180	4769	-	-	rigid	el rigido
180	3067	3181	4770	-	-	rigid	el rigido
180	3068	3182	4636	-	-	rigid	el rigido
180	3069	3183	4637	-	-	rigid	el rigido
180	3070	3184	4638	-	-	rigid	el rigido
180	3071	3185	4639	-	-	rigid	el rigido
180	3072	3186	4640	-	-	rigid	el rigido
180	3073	3187	4641	-	-	rigid	el rigido
180	3074	3188	4642	-	-	rigid	el rigido
180	3075	3189	4572	-	-	rigid	el rigido
180	3076	3190	4573	-	-	rigid	el rigido
180	3077	3191	4574	-	-	rigid	el rigido
180	3078	3192	4575	-	-	rigid	el rigido
180	3079	3193	4576	-	-	rigid	el rigido
180	3080	3194	4577	-	-	rigid	el rigido
180	3081	3195	4578	-	-	rigid	el rigido
180	3082	3196	4780	-	-	rigid	el rigido
180	3083	3197	4781	-	-	rigid	el rigido
180	3084	3198	4782	-	-	rigid	el rigido
180	3085	3199	4783	-	-	rigid	el rigido
180	3086	3200	4784	-	-	rigid	el rigido
180	3087	3201	4785	-	-	rigid	el rigido
180	3088	3202	4786	-	-	rigid	el rigido
180	3089	3203	4588	-	-	rigid	el rigido
180	3090	3204	4589	-	-	rigid	el rigido
180	3091	3205	4590	-	-	rigid	el rigido
180	3092	3206	4591	-	-	rigid	el rigido

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	

180							
180	3093	3207	4592	-	-	rigid	el rigido
180	3094	3208	4593	-	-	rigid	el rigido
180	3095	3209	4594	-	-	rigid	el rigido
180	3096	3212	4703	-	-	rigid	el rigido
180	3097	3214	4543	-	-	rigid	el rigido
180	3098	1474	4508	-	-	rigid	el rigido
180	3099	1475	4509	-	-	rigid	el rigido
180	3100	1476	4510	-	-	rigid	el rigido
180	3101	1477	4511	-	-	rigid	el rigido
180	3102	1478	4512	-	-	rigid	el rigido
180	3103	1479	4513	-	-	rigid	el rigido
180	3104	1480	4514	-	-	rigid	el rigido
180	3105	1467	4668	-	-	rigid	el rigido
180	3106	1468	4669	-	-	rigid	el rigido
180	3107	1469	4670	-	-	rigid	el rigido
180	3108	1470	4671	-	-	rigid	el rigido
180	3109	1471	4672	-	-	rigid	el rigido
180	3110	1472	4673	-	-	rigid	el rigido
180	3111	1473	4674	-	-	rigid	el rigido
180	3112	1502	4524	-	-	rigid	el rigido
180	3113	1503	4525	-	-	rigid	el rigido
180	3114	1504	4526	-	-	rigid	el rigido
180	3115	1505	4527	-	-	rigid	el rigido
180	3116	1506	4528	-	-	rigid	el rigido
180	3117	1507	4529	-	-	rigid	el rigido
180	3118	1508	4530	-	-	rigid	el rigido
180	3119	1495	4684	-	-	rigid	el rigido
180	3120	1496	4685	-	-	rigid	el rigido
180	3121	1497	4686	-	-	rigid	el rigido
180	3122	1498	4687	-	-	rigid	el rigido
180	3123	1499	4688	-	-	rigid	el rigido
180	3124	1500	4689	-	-	rigid	el rigido
180	3125	1501	4690	-	-	rigid	el rigido


PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
180	3126	1530	4532	-	-	rigid	el rigido
180	3127	1531	4533	-	-	rigid	el rigido
180	3128	1532	4534	-	-	rigid	el rigido
180	3129	1533	4535	-	-	rigid	el rigido
180	3130	1534	4536	-	-	rigid	el rigido
180	3131	1535	4537	-	-	rigid	el rigido
180	3132	1536	4538	-	-	rigid	el rigido
180	3133	1523	4692	-	-	rigid	el rigido
180	3134	1524	4693	-	-	rigid	el rigido
180	3135	1525	4694	-	-	rigid	el rigido
180	3136	1526	4695	-	-	rigid	el rigido
180	3137	1527	4696	-	-	rigid	el rigido
180	3138	1528	4697	-	-	rigid	el rigido
180	3139	1529	4698	-	-	rigid	el rigido
180	3140	1552	4502	-	-	rigid	el rigido
180	3141	1553	4503	-	-	rigid	el rigido
180	3142	1554	4504	-	-	rigid	el rigido
180	3143	1555	4505	-	-	rigid	el rigido
180	3144	1556	4506	-	-	rigid	el rigido
180	3145	1547	4662	-	-	rigid	el rigido
180	3146	1548	4663	-	-	rigid	el rigido
180	3147	1549	4664	-	-	rigid	el rigido
180	3148	1550	4665	-	-	rigid	el rigido
180	3149	1551	4666	-	-	rigid	el rigido
180	3150	1566	4516	-	-	rigid	el rigido
180	3151	1567	4517	-	-	rigid	el rigido
180	3152	1568	4518	-	-	rigid	el rigido
180	3153	1563	4676	-	-	rigid	el rigido
180	3154	1564	4677	-	-	rigid	el rigido
180	3155	1565	4678	-	-	rigid	el rigido
180	3156	1584	4520	-	-	rigid	el rigido
180	3157	1585	4521	-	-	rigid	el rigido
180	3158	1586	4522	-	-	rigid	el rigido


PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
180	3159	1581	4680	-	-	rigid	el rigido
180	3160	1582	4681	-	-	rigid	el rigido
180	3161	1583	4682	-	-	rigid	el rigido
180	3162	3210	4700	-	-	rigid	el rigido
180	3163	3224	4701	-	-	rigid	el rigido
180	3164	3225	4702	-	-	rigid	el rigido
180	3165	3211	4540	-	-	rigid	el rigido
180	3166	3226	4541	-	-	rigid	el rigido
180	3167	3227	4542	-	-	rigid	el rigido
180	3168	3213	4704	-	-	rigid	el rigido
180	3169	3228	4705	-	-	rigid	el rigido
180	3170	3229	4706	-	-	rigid	el rigido
180	3171	3215	4544	-	-	rigid	el rigido
180	3172	3230	4545	-	-	rigid	el rigido
180	3173	3231	4546	-	-	rigid	el rigido
180	3174	3271	3967	-	-	rigid	el rigido
180	3175	3270	3968	-	-	rigid	el rigido
180	3176	3269	3969	-	-	rigid	el rigido
180	3177	3268	3970	-	-	rigid	el rigido
180	3178	3267	3971	-	-	rigid	el rigido
180	3179	3266	3972	-	-	rigid	el rigido
180	3180	3265	3973	-	-	rigid	el rigido
180	3181	3264	3974	-	-	rigid	el rigido
180	3182	3235	3975	-	-	rigid	el rigido
180	3183	3303	3976	-	-	rigid	el rigido
180	3184	3302	3977	-	-	rigid	el rigido
180	3185	3301	3978	-	-	rigid	el rigido
180	3186	3300	3979	-	-	rigid	el rigido
180	3187	3299	3980	-	-	rigid	el rigido
180	3188	3298	3981	-	-	rigid	el rigido
180	3189	3297	3982	-	-	rigid	el rigido
180	3190	3296	3983	-	-	rigid	el rigido
180	3191	3239	3984	-	-	rigid	el rigido

PROJECT TITLE :


	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
180	3192	1845	2639	-	-	rigid	el rigido
180	3193	1844	2638	-	-	rigid	el rigido
180	3194	1853	2646	-	-	rigid	el rigido
180	3195	1852	2645	-	-	rigid	el rigido
180	3196	1851	2644	-	-	rigid	el rigido
180	3197	1850	2643	-	-	rigid	el rigido
180	3198	1849	2642	-	-	rigid	el rigido
180	3199	1848	2641	-	-	rigid	el rigido
180	3200	1847	2640	-	-	rigid	el rigido
180	6347	2997	2999	-	-	S355	600x30
540.4	6348	2663	2665	-	-	S355	700x30
540.4	7200	4500	4501	-	-	Fittizio	Fittizio
600	7201	4501	4502	-	-	Fittizio	Fittizio
516.7	7202	4502	4503	-	-	Fittizio	Fittizio
516.7	7203	4503	4504	-	-	Fittizio	Fittizio
516.7	7204	4504	4505	-	-	Fittizio	Fittizio
516.7	7205	4505	4506	-	-	Fittizio	Fittizio
516.7	7206	4506	4507	-	-	Fittizio	Fittizio
516.7	7207	4507	4508	-	-	Fittizio	Fittizio
500	7208	4508	4509	-	-	Fittizio	Fittizio
500	7209	4509	4510	-	-	Fittizio	Fittizio
500	7210	4510	4511	-	-	Fittizio	Fittizio
500	7211	4511	4512	-	-	Fittizio	Fittizio
500	7212	4512	4513	-	-	Fittizio	Fittizio
500	7213	4513	4514	-	-	Fittizio	Fittizio
500	7214	4514	4515	-	-	Fittizio	Fittizio
500	7215	4515	4516	-	-	Fittizio	Fittizio
500	7216	4516	4517	-	-	Fittizio	Fittizio
500	7217	4517	4518	-	-	Fittizio	Fittizio
500	7218	4518	4519	-	-	Fittizio	Fittizio
500	7219	4519	4520	-	-	Fittizio	Fittizio
500	7220	4520	4521	-	-	Fittizio	Fittizio
500	7221	4521	4522	-	-	Fittizio	Fittizio

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
500	7222	4522	4523	-	-	Fittizio	Fittizio
500	7223	4523	4524	-	-	Fittizio	Fittizio
500	7224	4524	4525	-	-	Fittizio	Fittizio
500	7225	4525	4526	-	-	Fittizio	Fittizio
500	7226	4526	4527	-	-	Fittizio	Fittizio
500	7227	4527	4528	-	-	Fittizio	Fittizio
500	7228	4528	4529	-	-	Fittizio	Fittizio
500	7229	4529	4530	-	-	Fittizio	Fittizio
500	7230	4530	4531	-	-	Fittizio	Fittizio
500	7231	4531	4532	-	-	Fittizio	Fittizio
500	7232	4532	4533	-	-	Fittizio	Fittizio
500	7233	4533	4534	-	-	Fittizio	Fittizio
500	7234	4534	4535	-	-	Fittizio	Fittizio
500	7235	4535	4536	-	-	Fittizio	Fittizio
500	7236	4536	4537	-	-	Fittizio	Fittizio
500	7237	4537	4538	-	-	Fittizio	Fittizio
500	7238	4538	4539	-	-	Fittizio	Fittizio
500	7239	4539	4540	-	-	Fittizio	Fittizio
497.3	7240	4540	4541	-	-	Fittizio	Fittizio
497.3	7241	4541	4542	-	-	Fittizio	Fittizio
497.3	7242	4542	4543	-	-	Fittizio	Fittizio
497.3	7243	4543	4544	-	-	Fittizio	Fittizio
497.3	7244	4544	4545	-	-	Fittizio	Fittizio
497.3	7245	4545	4546	-	-	Fittizio	Fittizio
497.3	7246	4546	4547	-	-	Fittizio	Fittizio
497.3	7247	4547	4548	-	-	Fittizio	Fittizio
528.5	7248	4548	4549	-	-	Fittizio	Fittizio
496	7249	4549	4550	-	-	Fittizio	Fittizio
496	7250	4550	4551	-	-	Fittizio	Fittizio
495.9	7251	4551	4552	-	-	Fittizio	Fittizio
496	7252	4552	4553	-	-	Fittizio	Fittizio
496	7253	4553	4554	-	-	Fittizio	Fittizio
496	7254	4554	4555	-	-	Fittizio	Fittizio


MIDAS

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D			
495.8	7255	4555	4556	-	-	Fittizio	Fittizio
498.1	7256	4556	4557	-	-	Fittizio	Fittizio
498	7257	4557	4558	-	-	Fittizio	Fittizio
498	7258	4558	4559	-	-	Fittizio	Fittizio
498	7259	4559	4560	-	-	Fittizio	Fittizio
498	7260	4560	4561	-	-	Fittizio	Fittizio
498	7261	4561	4562	-	-	Fittizio	Fittizio
498	7262	4562	4563	-	-	Fittizio	Fittizio
497.4	7263	4563	4564	-	-	Fittizio	Fittizio
495.9	7264	4564	4565	-	-	Fittizio	Fittizio
495.4	7265	4565	4566	-	-	Fittizio	Fittizio
495.4	7266	4566	4567	-	-	Fittizio	Fittizio
495.4	7267	4567	4568	-	-	Fittizio	Fittizio
495.4	7268	4568	4569	-	-	Fittizio	Fittizio
495.4	7269	4569	4570	-	-	Fittizio	Fittizio
495.4	7270	4570	4571	-	-	Fittizio	Fittizio
495.3	7271	4571	4572	-	-	Fittizio	Fittizio
502.2	7272	4572	4573	-	-	Fittizio	Fittizio
502.1	7273	4573	4574	-	-	Fittizio	Fittizio
502.1	7274	4574	4575	-	-	Fittizio	Fittizio
502.1	7275	4575	4576	-	-	Fittizio	Fittizio
502.1	7276	4576	4577	-	-	Fittizio	Fittizio
502.1	7277	4577	4578	-	-	Fittizio	Fittizio
502.1	7278	4578	4579	-	-	Fittizio	Fittizio
503.5	7279	4579	4580	-	-	Fittizio	Fittizio
488.9	7280	4580	4581	-	-	Fittizio	Fittizio
490.3	7281	4581	4582	-	-	Fittizio	Fittizio
490.3	7282	4582	4583	-	-	Fittizio	Fittizio
490.3	7283	4583	4584	-	-	Fittizio	Fittizio
490.3	7284	4584	4585	-	-	Fittizio	Fittizio
490.3	7285	4585	4586	-	-	Fittizio	Fittizio
490.3	7286	4586	4587	-	-	Fittizio	Fittizio
490.3	7287	4587	4588	-	-	Fittizio	Fittizio


MIDAS

PROJECT TITLE :


	Company				Client		
	Author				File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
499.7	7288	4588	4589	-	-	Fittizio	Fittizio
499.7	7289	4589	4590	-	-	Fittizio	Fittizio
499.7	7290	4590	4591	-	-	Fittizio	Fittizio
499.7	7291	4591	4592	-	-	Fittizio	Fittizio
499.7	7292	4592	4593	-	-	Fittizio	Fittizio
499.7	7293	4593	4594	-	-	Fittizio	Fittizio
499.7	7294	4594	4595	-	-	Fittizio	Fittizio
458.1	7295	4595	4596	-	-	Fittizio	Fittizio
531	7296	4596	4597	-	-	Fittizio	Fittizio
489.4	7297	4597	4598	-	-	Fittizio	Fittizio
489.4	7298	4598	4599	-	-	Fittizio	Fittizio
489.4	7299	4599	4600	-	-	Fittizio	Fittizio
489.4	7300	4600	4601	-	-	Fittizio	Fittizio
489.4	7301	4601	4602	-	-	Fittizio	Fittizio
489.4	7302	4602	4603	-	-	Fittizio	Fittizio
489.4	7303	4603	4604	-	-	Fittizio	Fittizio
494.6	7304	4604	4605	-	-	Fittizio	Fittizio
494.6	7305	4605	4606	-	-	Fittizio	Fittizio
494.6	7306	4606	4607	-	-	Fittizio	Fittizio
494.6	7307	4607	4608	-	-	Fittizio	Fittizio
494.6	7308	4608	4609	-	-	Fittizio	Fittizio
494.6	7309	4609	4610	-	-	Fittizio	Fittizio
494.6	7310	4610	4611	-	-	Fittizio	Fittizio
494.6	7311	4611	4612	-	-	Fittizio	Fittizio
494.7	7312	4612	4613	-	-	Fittizio	Fittizio
494.7	7313	4613	4614	-	-	Fittizio	Fittizio
494.7	7314	4614	4615	-	-	Fittizio	Fittizio
494.7	7315	4615	4616	-	-	Fittizio	Fittizio
494.7	7316	4616	4617	-	-	Fittizio	Fittizio
494.7	7317	4617	4618	-	-	Fittizio	Fittizio
494.7	7318	4618	4619	-	-	Fittizio	Fittizio
494.7	7319	4619	4620	-	-	Fittizio	Fittizio
492.9	7320	4620	4621	-	-	Fittizio	Fittizio

MIDAS


PROJECT TITLE :

	Company				Client		
	Author				File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
492.9	7321	4621	4622	-	-	Fittizio	Fittizio
492.9	7322	4622	4623	-	-	Fittizio	Fittizio
492.9	7323	4623	4624	-	-	Fittizio	Fittizio
492.9	7324	4624	4625	-	-	Fittizio	Fittizio
492.9	7325	4625	4626	-	-	Fittizio	Fittizio
492.9	7326	4626	4627	-	-	Fittizio	Fittizio
492.9	7327	4627	4628	-	-	Fittizio	Fittizio
489.1	7328	4628	4629	-	-	Fittizio	Fittizio
489.1	7329	4629	4630	-	-	Fittizio	Fittizio
489.1	7330	4630	4631	-	-	Fittizio	Fittizio
489	7331	4631	4632	-	-	Fittizio	Fittizio
489.1	7332	4632	4633	-	-	Fittizio	Fittizio
489.1	7333	4633	4634	-	-	Fittizio	Fittizio
489.1	7334	4634	4635	-	-	Fittizio	Fittizio
489.1	7335	4635	4636	-	-	Fittizio	Fittizio
489	7336	4636	4637	-	-	Fittizio	Fittizio
489	7337	4637	4638	-	-	Fittizio	Fittizio
489	7338	4638	4639	-	-	Fittizio	Fittizio
489	7339	4639	4640	-	-	Fittizio	Fittizio
489	7340	4640	4641	-	-	Fittizio	Fittizio
489	7341	4641	4642	-	-	Fittizio	Fittizio
489	7342	4642	4643	-	-	Fittizio	Fittizio
489	7343	4643	4644	-	-	Fittizio	Fittizio
488.8	7344	4644	4645	-	-	Fittizio	Fittizio
488.8	7345	4645	4646	-	-	Fittizio	Fittizio
488.8	7346	4646	4647	-	-	Fittizio	Fittizio
488.8	7347	4647	4648	-	-	Fittizio	Fittizio
488.8	7348	4648	4649	-	-	Fittizio	Fittizio
488.8	7349	4649	4650	-	-	Fittizio	Fittizio
488.8	7350	4650	4651	-	-	Fittizio	Fittizio
488.8	7351	4651	4652	-	-	Fittizio	Fittizio
516.8	7352	4652	4653	-	-	Fittizio	Fittizio
516.8	7353	4653	4654	-	-	Fittizio	Fittizio

PROJECT TITLE :


	Company				Client		
	Author				File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
516.8							
	7354	4654	4655	-	-	Fittizio	Fittizio
516.8							
	7355	4655	4656	-	-	Fittizio	Fittizio
516.8							
	7356	4656	4657	-	-	Fittizio	Fittizio
516.8							
	7357	4657	4658	-	-	Fittizio	Fittizio
516.9							
	7358	4658	4659	-	-	Fittizio	Fittizio
620.3							
	7359	4660	4661	-	-	Fittizio	Fittizio
600							
	7360	4661	4662	-	-	Fittizio	Fittizio
516.7							
	7361	4662	4663	-	-	Fittizio	Fittizio
516.7							
	7362	4663	4664	-	-	Fittizio	Fittizio
516.7							
	7363	4664	4665	-	-	Fittizio	Fittizio
516.7							
	7364	4665	4666	-	-	Fittizio	Fittizio
516.7							
	7365	4666	4667	-	-	Fittizio	Fittizio
516.7							
	7366	4667	4668	-	-	Fittizio	Fittizio
500							
	7367	4668	4669	-	-	Fittizio	Fittizio
500							
	7368	4669	4670	-	-	Fittizio	Fittizio
500							
	7369	4670	4671	-	-	Fittizio	Fittizio
500							
	7370	4671	4672	-	-	Fittizio	Fittizio
500							
	7371	4672	4673	-	-	Fittizio	Fittizio
500							
	7372	4673	4674	-	-	Fittizio	Fittizio
500							
	7373	4674	4675	-	-	Fittizio	Fittizio
500							
	7374	4675	4676	-	-	Fittizio	Fittizio
500							
	7375	4676	4677	-	-	Fittizio	Fittizio
500							
	7376	4677	4678	-	-	Fittizio	Fittizio
500							
	7377	4678	4679	-	-	Fittizio	Fittizio
500							
	7378	4679	4680	-	-	Fittizio	Fittizio
500							
	7379	4680	4681	-	-	Fittizio	Fittizio
500							
	7380	4681	4682	-	-	Fittizio	Fittizio
500							
	7381	4682	4683	-	-	Fittizio	Fittizio
500							
	7382	4683	4684	-	-	Fittizio	Fittizio
500							
	7383	4684	4685	-	-	Fittizio	Fittizio
500							
	7384	4685	4686	-	-	Fittizio	Fittizio
500							
	7385	4686	4687	-	-	Fittizio	Fittizio
500							
	7386	4687	4688	-	-	Fittizio	Fittizio

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
500							
500	7387	4688	4689	-	-	Fittizio	Fittizio
500	7388	4689	4690	-	-	Fittizio	Fittizio
500	7389	4690	4691	-	-	Fittizio	Fittizio
500	7390	4691	4692	-	-	Fittizio	Fittizio
500	7391	4692	4693	-	-	Fittizio	Fittizio
500	7392	4693	4694	-	-	Fittizio	Fittizio
500	7393	4694	4695	-	-	Fittizio	Fittizio
500	7394	4695	4696	-	-	Fittizio	Fittizio
500	7395	4696	4697	-	-	Fittizio	Fittizio
500	7396	4697	4698	-	-	Fittizio	Fittizio
500	7397	4698	4699	-	-	Fittizio	Fittizio
500	7398	4699	4700	-	-	Fittizio	Fittizio
497.3	7399	4700	4701	-	-	Fittizio	Fittizio
497.3	7400	4701	4702	-	-	Fittizio	Fittizio
497.3	7401	4702	4703	-	-	Fittizio	Fittizio
497.3	7402	4703	4704	-	-	Fittizio	Fittizio
497.3	7403	4704	4705	-	-	Fittizio	Fittizio
497.3	7404	4705	4706	-	-	Fittizio	Fittizio
497.3	7405	4706	4707	-	-	Fittizio	Fittizio
497.3	7406	4707	4708	-	-	Fittizio	Fittizio
500	7407	4708	4709	-	-	Fittizio	Fittizio
500	7408	4709	4710	-	-	Fittizio	Fittizio
500	7409	4710	4711	-	-	Fittizio	Fittizio
500	7410	4711	4712	-	-	Fittizio	Fittizio
500	7411	4712	4713	-	-	Fittizio	Fittizio
500	7412	4713	4714	-	-	Fittizio	Fittizio
500	7413	4714	4715	-	-	Fittizio	Fittizio
500	7414	4715	4716	-	-	Fittizio	Fittizio
502.1	7415	4716	4717	-	-	Fittizio	Fittizio
502.1	7416	4717	4718	-	-	Fittizio	Fittizio
502.1	7417	4718	4719	-	-	Fittizio	Fittizio
502.1	7418	4719	4720	-	-	Fittizio	Fittizio
502.1	7419	4720	4721	-	-	Fittizio	Fittizio


MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
502.1	7420	4721	4722	-	-	Fittizio	Fittizio
502.1	7421	4722	4723	-	-	Fittizio	Fittizio
502.1	7422	4723	4724	-	-	Fittizio	Fittizio
504.6	7423	4724	4725	-	-	Fittizio	Fittizio
504.6	7424	4725	4726	-	-	Fittizio	Fittizio
504.6	7425	4726	4727	-	-	Fittizio	Fittizio
504.6	7426	4727	4728	-	-	Fittizio	Fittizio
504.6	7427	4728	4729	-	-	Fittizio	Fittizio
504.6	7428	4729	4730	-	-	Fittizio	Fittizio
504.6	7429	4730	4731	-	-	Fittizio	Fittizio
504.6	7430	4731	4732	-	-	Fittizio	Fittizio
497.8	7431	4732	4733	-	-	Fittizio	Fittizio
497.8	7432	4733	4734	-	-	Fittizio	Fittizio
497.8	7433	4734	4735	-	-	Fittizio	Fittizio
497.8	7434	4735	4736	-	-	Fittizio	Fittizio
497.8	7435	4736	4737	-	-	Fittizio	Fittizio
497.8	7436	4737	4738	-	-	Fittizio	Fittizio
497.8	7437	4738	4739	-	-	Fittizio	Fittizio
497.8	7438	4739	4740	-	-	Fittizio	Fittizio
509.7	7439	4740	4741	-	-	Fittizio	Fittizio
509.7	7440	4741	4742	-	-	Fittizio	Fittizio
509.7	7441	4742	4743	-	-	Fittizio	Fittizio
509.7	7442	4743	4744	-	-	Fittizio	Fittizio
509.7	7443	4744	4745	-	-	Fittizio	Fittizio
509.7	7444	4745	4746	-	-	Fittizio	Fittizio
509.7	7445	4746	4747	-	-	Fittizio	Fittizio
509.7	7446	4747	4748	-	-	Fittizio	Fittizio
504.3	7447	4748	4749	-	-	Fittizio	Fittizio
504.3	7448	4749	4750	-	-	Fittizio	Fittizio
504.3	7449	4750	4751	-	-	Fittizio	Fittizio
504.3	7450	4751	4752	-	-	Fittizio	Fittizio
504.3	7451	4752	4753	-	-	Fittizio	Fittizio
504.3	7452	4753	4754	-	-	Fittizio	Fittizio

MIDAS


PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


504.3							
	7453	4754	4755	-	-	Fittizio	Fittizio
513.6							
	7454	4755	4756	-	-	Fittizio	Fittizio
475.6							
	7455	4756	4757	-	-	Fittizio	Fittizio
507.8							
	7456	4757	4758	-	-	Fittizio	Fittizio
507.8							
	7457	4758	4759	-	-	Fittizio	Fittizio
507.8							
	7458	4759	4760	-	-	Fittizio	Fittizio
507.8							
	7459	4760	4761	-	-	Fittizio	Fittizio
507.8							
	7460	4761	4762	-	-	Fittizio	Fittizio
507.8							
	7461	4762	4763	-	-	Fittizio	Fittizio
523.7							
	7462	4763	4764	-	-	Fittizio	Fittizio
491.9							
	7463	4764	4765	-	-	Fittizio	Fittizio
507.8							
	7464	4765	4766	-	-	Fittizio	Fittizio
507.8							
	7465	4766	4767	-	-	Fittizio	Fittizio
507.8							
	7466	4767	4768	-	-	Fittizio	Fittizio
507.8							
	7467	4768	4769	-	-	Fittizio	Fittizio
507.8							
	7468	4769	4770	-	-	Fittizio	Fittizio
507.8							
	7469	4770	4771	-	-	Fittizio	Fittizio
507.8							
	7470	4771	4772	-	-	Fittizio	Fittizio
505.6							
	7471	4772	4773	-	-	Fittizio	Fittizio
505.6							
	7472	4773	4774	-	-	Fittizio	Fittizio
505.7							
	7473	4774	4775	-	-	Fittizio	Fittizio
505.7							
	7474	4775	4776	-	-	Fittizio	Fittizio
505.6							
	7475	4776	4777	-	-	Fittizio	Fittizio
505.7							
	7476	4777	4778	-	-	Fittizio	Fittizio
505.6							
	7477	4778	4779	-	-	Fittizio	Fittizio
505.6							
	7478	4779	4780	-	-	Fittizio	Fittizio
507.5							
	7479	4780	4781	-	-	Fittizio	Fittizio
507.5							
	7480	4781	4782	-	-	Fittizio	Fittizio
507.5							
	7481	4782	4783	-	-	Fittizio	Fittizio
507.5							
	7482	4783	4784	-	-	Fittizio	Fittizio
507.5							
	7483	4784	4785	-	-	Fittizio	Fittizio
507.5							
	7484	4785	4786	-	-	Fittizio	Fittizio
507.4							
	7485	4786	4787	-	-	Fittizio	Fittizio

MIDAS


PROJECT TITLE :

	Company				Client		
	Author				File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
507.5	7486	4787	4788	-	-	Fittizio	Fittizio
510.8	7487	4788	4789	-	-	Fittizio	Fittizio
510.8	7488	4789	4790	-	-	Fittizio	Fittizio
510.8	7489	4790	4791	-	-	Fittizio	Fittizio
510.8	7490	4791	4792	-	-	Fittizio	Fittizio
510.8	7491	4792	4793	-	-	Fittizio	Fittizio
510.8	7492	4793	4794	-	-	Fittizio	Fittizio
510.8	7493	4794	4795	-	-	Fittizio	Fittizio
510.8	7494	4795	4796	-	-	Fittizio	Fittizio
510.5	7495	4796	4797	-	-	Fittizio	Fittizio
510.5	7496	4797	4798	-	-	Fittizio	Fittizio
510.5	7497	4798	4799	-	-	Fittizio	Fittizio
510.5	7498	4799	4800	-	-	Fittizio	Fittizio
510.5	7499	4800	4801	-	-	Fittizio	Fittizio
510.5	7500	4801	4802	-	-	Fittizio	Fittizio
510.5	7501	4802	4803	-	-	Fittizio	Fittizio
510.5	7502	4803	4804	-	-	Fittizio	Fittizio
510.8	7503	4804	4805	-	-	Fittizio	Fittizio
510.8	7504	4805	4806	-	-	Fittizio	Fittizio
510.8	7505	4806	4807	-	-	Fittizio	Fittizio
510.8	7506	4807	4808	-	-	Fittizio	Fittizio
510.8	7507	4808	4809	-	-	Fittizio	Fittizio
510.8	7508	4809	4810	-	-	Fittizio	Fittizio
510.8	7509	4810	4811	-	-	Fittizio	Fittizio
510.8	7510	4811	4812	-	-	Fittizio	Fittizio
540.2	7511	4812	4813	-	-	Fittizio	Fittizio
540.2	7512	4813	4814	-	-	Fittizio	Fittizio
540.2	7513	4814	4815	-	-	Fittizio	Fittizio
540.4	7514	4815	4816	-	-	Fittizio	Fittizio
540.2	7515	4816	4817	-	-	Fittizio	Fittizio
540.2	7516	4817	4818	-	-	Fittizio	Fittizio
540.2	7517	4818	4819	-	-	Fittizio	Fittizio
600	7519	8278	8280	-	-	Fittizio	Fittizio

PROJECT TITLE :


	Company				Client		
	Author				File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
501	7520	8280	8282	-	-	Fittizio	Fittizio
500	7521	8282	8284	-	-	Fittizio	Fittizio
500	7522	8284	8286	-	-	Fittizio	Fittizio
500	7523	8286	8288	-	-	Fittizio	Fittizio
501	7524	8288	8290	-	-	Fittizio	Fittizio
500	7525	8290	8292	-	-	Fittizio	Fittizio
500	7526	8292	8294	-	-	Fittizio	Fittizio
500	7527	8294	8296	-	-	Fittizio	Fittizio
501	7528	8296	8298	-	-	Fittizio	Fittizio
500	7529	8298	8300	-	-	Fittizio	Fittizio
500	7530	8300	8302	-	-	Fittizio	Fittizio
500	7531	8302	8304	-	-	Fittizio	Fittizio
501	7532	8304	8306	-	-	Fittizio	Fittizio
500	7533	8306	8308	-	-	Fittizio	Fittizio
500	7534	8308	8310	-	-	Fittizio	Fittizio
500	7535	8310	8312	-	-	Fittizio	Fittizio
500	7536	8312	8314	-	-	Fittizio	Fittizio
501	7537	8314	8316	-	-	Fittizio	Fittizio
500	7538	8316	8318	-	-	Fittizio	Fittizio
500	7539	8318	8320	-	-	Fittizio	Fittizio
500	7540	8320	8322	-	-	Fittizio	Fittizio
501	7541	8322	8324	-	-	Fittizio	Fittizio
500	7542	8324	8326	-	-	Fittizio	Fittizio
500	7543	8326	8328	-	-	Fittizio	Fittizio
500	7544	8328	8330	-	-	Fittizio	Fittizio
501	7545	8330	8332	-	-	Fittizio	Fittizio
500	7546	8332	8334	-	-	Fittizio	Fittizio
500	7547	8334	8336	-	-	Fittizio	Fittizio
500	7548	8336	8338	-	-	Fittizio	Fittizio
501	7549	8338	8340	-	-	Fittizio	Fittizio
500	7550	8340	8342	-	-	Fittizio	Fittizio
500	7551	8342	8344	-	-	Fittizio	Fittizio
500	7552	8344	8346	-	-	Fittizio	Fittizio

PROJECT TITLE :

	Company				Client		
	Author				File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
501	7553	8346	8348	-	-	Fittizio	Fittizio
500	7554	8348	8350	-	-	Fittizio	Fittizio
500	7555	8350	8352	-	-	Fittizio	Fittizio
500	7556	8352	8354	-	-	Fittizio	Fittizio
501	7557	8354	8356	-	-	Fittizio	Fittizio
500	7558	8356	8358	-	-	Fittizio	Fittizio
500	7559	8358	8360	-	-	Fittizio	Fittizio
500	7560	8360	8362	-	-	Fittizio	Fittizio
500	7561	8362	8364	-	-	Fittizio	Fittizio
501	7562	8364	8366	-	-	Fittizio	Fittizio
500	7563	8366	8368	-	-	Fittizio	Fittizio
500	7564	8368	8370	-	-	Fittizio	Fittizio
500	7565	8370	8372	-	-	Fittizio	Fittizio
501	7566	8372	8374	-	-	Fittizio	Fittizio
500	7567	8374	8376	-	-	Fittizio	Fittizio
500	7568	8376	8378	-	-	Fittizio	Fittizio
500	7569	8378	8380	-	-	Fittizio	Fittizio
501	7570	8380	8382	-	-	Fittizio	Fittizio
500	7571	8382	8384	-	-	Fittizio	Fittizio
500	7572	8384	8386	-	-	Fittizio	Fittizio
500	7573	8386	8388	-	-	Fittizio	Fittizio
500	7574	8388	8390	-	-	Fittizio	Fittizio
501	7575	8390	8392	-	-	Fittizio	Fittizio
500	7576	8392	8394	-	-	Fittizio	Fittizio
500	7577	8394	8396	-	-	Fittizio	Fittizio
500.1	7578	8396	8398	-	-	Fittizio	Fittizio
500.1	7579	8398	8400	-	-	Fittizio	Fittizio
501.1	7580	8400	8402	-	-	Fittizio	Fittizio
500.1	7581	8402	8404	-	-	Fittizio	Fittizio
500.1	7582	8404	8406	-	-	Fittizio	Fittizio
500.1	7583	8406	8408	-	-	Fittizio	Fittizio
500.1	7584	8408	8410	-	-	Fittizio	Fittizio
500.1	7585	8410	8412	-	-	Fittizio	Fittizio

MIDAS


PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	

500.1	7586	8412	8414	-	-	Fittizio	Fittizio
500.2	7587	8414	8416	-	-	Fittizio	Fittizio
500.2	7588	8416	8418	-	-	Fittizio	Fittizio
500.2	7589	8418	8420	-	-	Fittizio	Fittizio
500.2	7590	8420	8422	-	-	Fittizio	Fittizio
500.3	7591	8422	8424	-	-	Fittizio	Fittizio
500.3	7592	8424	8426	-	-	Fittizio	Fittizio
500.3	7593	8426	8427	-	-	Fittizio	Fittizio
500.3	7594	8427	8873	-	-	Fittizio	Fittizio
500.3	7595	8873	8875	-	-	Fittizio	Fittizio
500.4	7596	8875	8877	-	-	Fittizio	Fittizio
499.4	7597	8877	8879	-	-	Fittizio	Fittizio
500.5	7598	8879	8881	-	-	Fittizio	Fittizio
500.5	7599	8881	8883	-	-	Fittizio	Fittizio
499.5	7600	8883	8885	-	-	Fittizio	Fittizio
500.6	7601	8885	8887	-	-	Fittizio	Fittizio
499.6	7602	8887	8889	-	-	Fittizio	Fittizio
500.7	7603	8889	8891	-	-	Fittizio	Fittizio
499.7	7604	8891	8893	-	-	Fittizio	Fittizio
499.8	7605	8893	8895	-	-	Fittizio	Fittizio
500.8	7606	8895	8897	-	-	Fittizio	Fittizio
499.9	7607	8897	8899	-	-	Fittizio	Fittizio
500	7608	8899	8901	-	-	Fittizio	Fittizio
500	7609	8901	8903	-	-	Fittizio	Fittizio
400.1	7610	8903	8905	-	-	Fittizio	Fittizio
400.2	7611	8905	9660	-	-	Fittizio	Fittizio
466.5	7612	9660	9661	-	-	Fittizio	Fittizio
466.5	7613	9661	8909	-	-	Fittizio	Fittizio
466.5	7614	8909	8911	-	-	Fittizio	Fittizio
400.5	7615	8911	8913	-	-	Fittizio	Fittizio
400.5	7616	8913	8915	-	-	Fittizio	Fittizio
499.7	7617	8915	8917	-	-	Fittizio	Fittizio
499.8	7618	8917	8919	-	-	Fittizio	Fittizio

MIDAS

PROJECT TITLE :


	Company				Client		
	Author				File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
500.8							
500	7619	8919	8921	-	-	Fittizio	Fittizio
500.1	7620	8921	8923	-	-	Fittizio	Fittizio
500.3	7621	8923	8925	-	-	Fittizio	Fittizio
499.4	7622	8925	8927	-	-	Fittizio	Fittizio
500.5	7623	8927	8929	-	-	Fittizio	Fittizio
499.7	7624	8929	8931	-	-	Fittizio	Fittizio
500.8	7625	8931	8933	-	-	Fittizio	Fittizio
500	7626	8933	8935	-	-	Fittizio	Fittizio
500.1	7627	8935	8937	-	-	Fittizio	Fittizio
499.3	7628	8937	8939	-	-	Fittizio	Fittizio
500.5	7629	8939	8941	-	-	Fittizio	Fittizio
499.7	7630	8941	8943	-	-	Fittizio	Fittizio
500.9	7631	8943	8945	-	-	Fittizio	Fittizio
500.1	7632	8945	8947	-	-	Fittizio	Fittizio
500.2	7633	8947	8949	-	-	Fittizio	Fittizio
499.4	7634	8949	8951	-	-	Fittizio	Fittizio
500.6	7635	8951	8953	-	-	Fittizio	Fittizio
499.9	7636	8953	8955	-	-	Fittizio	Fittizio
500.2	7637	8955	8957	-	-	Fittizio	Fittizio
499.4	7638	8957	8959	-	-	Fittizio	Fittizio
500.6	7639	8959	8961	-	-	Fittizio	Fittizio
500	7640	8961	8963	-	-	Fittizio	Fittizio
444.5	7641	8963	9662	-	-	Fittizio	Fittizio
444.5	7642	9662	9663	-	-	Fittizio	Fittizio
444.5	7643	9663	9664	-	-	Fittizio	Fittizio
444.5	7644	9664	9665	-	-	Fittizio	Fittizio
444.5	7645	9665	9666	-	-	Fittizio	Fittizio
444.5	7646	9666	9667	-	-	Fittizio	Fittizio
444.5	7647	9667	9668	-	-	Fittizio	Fittizio
444.5	7648	9668	9669	-	-	Fittizio	Fittizio
444.5	7649	9669	8979	-	-	Fittizio	Fittizio
500.7	7650	8979	8981	-	-	Fittizio	Fittizio
	7651	8981	8983	-	-	Fittizio	Fittizio

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

500.3	7652	8983	8985	-	-	Fittizio	Fittizio
499.5	7653	8985	8987	-	-	Fittizio	Fittizio
500.1	7654	8987	8989	-	-	Fittizio	Fittizio
500.5	7655	8989	8991	-	-	Fittizio	Fittizio
499.7	7656	8991	8993	-	-	Fittizio	Fittizio
500.4	7657	8993	8995	-	-	Fittizio	Fittizio
499.8	7658	8995	8997	-	-	Fittizio	Fittizio
500	7659	8997	8999	-	-	Fittizio	Fittizio
500.7	7660	8999	9001	-	-	Fittizio	Fittizio
499.9	7661	9001	9003	-	-	Fittizio	Fittizio
499.4	7662	9003	9005	-	-	Fittizio	Fittizio
500.9	7663	9005	9007	-	-	Fittizio	Fittizio
500.1	7664	9007	9009	-	-	Fittizio	Fittizio
499.6	7665	9009	9011	-	-	Fittizio	Fittizio
499.9	7666	9011	9013	-	-	Fittizio	Fittizio
500.4	7667	9013	9015	-	-	Fittizio	Fittizio
500.6	7668	9015	9017	-	-	Fittizio	Fittizio
499.9	7669	9017	9019	-	-	Fittizio	Fittizio
500.4	7670	9019	9021	-	-	Fittizio	Fittizio
499.7	7671	9021	9023	-	-	Fittizio	Fittizio
500.2	7672	9023	9024	-	-	Fittizio	Fittizio
500.4	7673	9024	10387	-	-	Fittizio	Fittizio
561.3	7674	10407	8273	-	-	Fittizio	Fittizio
598	7675	8273	8274	-	-	Fittizio	Fittizio
500	7676	8274	8276	-	-	Fittizio	Fittizio
500	7677	8276	8278	-	-	Fittizio	Fittizio
500	7684	10424	15	-	-	S355	Irrig_traversi
515	7685	10426	10424	-	-	S355	Irrig_traversi
515	7686	10428	10426	-	-	S355	Irrig_traversi
515	7690	10430	10432	-	-	S355	Irrig_traversi
515	7691	10432	10434	-	-	S355	Irrig_traversi
515	7692	10434	20	-	-	S355	Irrig_traversi
515	7702	10442	25	-	-	S355	Irrig_traversi


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
515	7703	10444	10442	-	-	S355 Irrig_traversi
515	7704	10446	10444	-	-	S355 Irrig_traversi
515	7708	10448	10450	-	-	S355 Irrig_traversi
515	7709	10450	10452	-	-	S355 Irrig_traversi
515	7710	10452	26	-	-	S355 Irrig_traversi
515	7714	10454	47	-	-	S355 Irrig_traversi
515	7715	10456	10454	-	-	S355 Irrig_traversi
515	7716	10458	10456	-	-	S355 Irrig_traversi
515	7720	10460	10462	-	-	S355 Irrig_traversi
515	7721	10462	10464	-	-	S355 Irrig_traversi
515	7722	10464	48	-	-	S355 Irrig_traversi
515	7726	10466	58	-	-	S355 Irrig_traversi
515	7727	10468	10466	-	-	S355 Irrig_traversi
515	7728	10470	10468	-	-	S355 Irrig_traversi
515	7732	10472	10474	-	-	S355 Irrig_traversi
515	7733	10474	10476	-	-	S355 Irrig_traversi
515	7734	10476	59	-	-	S355 Irrig_traversi
515	7876	10604	69	-	-	S355 Irrig_traversi
515	7877	10605	10604	-	-	S355 Irrig_traversi
515	7878	10606	10605	-	-	S355 Irrig_traversi
515	7900	10625	10626	-	-	S355 Irrig_traversi
515	7901	10626	10627	-	-	S355 Irrig_traversi
515	7902	10627	70	-	-	S355 Irrig_traversi
515	8041	10754	2902	-	-	S355 Irrig_traversi
515	8042	10756	10754	-	-	S355 Irrig_traversi
515	8043	10758	10756	-	-	S355 Irrig_traversi
515	8065	10778	2904	-	-	S355 Irrig_traversi
515	8066	10779	10778	-	-	S355 Irrig_traversi
515	8067	10780	10779	-	-	S355 Irrig_traversi
515	8071	10781	2926	-	-	S355 Irrig_traversi
515	8072	10783	10781	-	-	S355 Irrig_traversi
515	8073	10785	10783	-	-	S355 Irrig_traversi
515	8092	10802	10804	-	-	S355 Irrig_traversi


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
515	8093	10804	10806	-	-	S355 Irrig_traversi
515	8094	10806	2891	-	-	S355 Irrig_traversi
515	8116	10826	10827	-	-	S355 Irrig_traversi
515	8117	10827	10828	-	-	S355 Irrig_traversi
515	8118	10828	2893	-	-	S355 Irrig_traversi
515	8122	10829	2922	-	-	S355 Irrig_traversi
515	8123	10831	10829	-	-	S355 Irrig_traversi
515	8124	10833	10831	-	-	S355 Irrig_traversi
515	8146	10853	2924	-	-	S355 Irrig_traversi
515	8147	10854	10853	-	-	S355 Irrig_traversi
515	8148	10855	10854	-	-	S355 Irrig_traversi
515	8152	10856	10858	-	-	S355 Irrig_traversi
515	8153	10858	10860	-	-	S355 Irrig_traversi
515	8154	10860	2889	-	-	S355 Irrig_traversi
515	8179	10880	10882	-	-	S355 Irrig_traversi
515	8180	10882	10884	-	-	S355 Irrig_traversi
515	8181	10884	2877	-	-	S355 Irrig_traversi
515	8203	10904	10905	-	-	S355 Irrig_traversi
515	8204	10905	10906	-	-	S355 Irrig_traversi
515	8205	10906	2879	-	-	S355 Irrig_traversi
515	8230	10928	10929	-	-	S355 Irrig_traversi
515	8231	10929	10930	-	-	S355 Irrig_traversi
515	8232	10930	2895	-	-	S355 Irrig_traversi
515	8236	10931	10933	-	-	S355 Irrig_traversi
515	8237	10933	10935	-	-	S355 Irrig_traversi
515	8238	10935	2887	-	-	S355 Irrig_traversi
515	8263	10955	2912	-	-	S355 Irrig_traversi
515	8264	10957	10955	-	-	S355 Irrig_traversi
515	8265	10959	10957	-	-	S355 Irrig_traversi
515	8287	10979	2914	-	-	S355 Irrig_traversi
515	8288	10980	10979	-	-	S355 Irrig_traversi
515	8289	10981	10980	-	-	S355 Irrig_traversi
515	8293	10982	2908	-	-	S355 Irrig_traversi


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
515	8294	10984	10982	-	-	S355 Irrig_traversi
515	8295	10986	10984	-	-	S355 Irrig_traversi
515	8320	11006	11008	-	-	S355 Irrig_traversi
515	8321	11008	11010	-	-	S355 Irrig_traversi
515	8322	11010	2899	-	-	S355 Irrig_traversi
515	8344	11030	11031	-	-	S355 Irrig_traversi
515	8345	11031	11032	-	-	S355 Irrig_traversi
515	8346	11032	2901	-	-	S355 Irrig_traversi
515	8395	11075	2906	-	-	S355 Irrig_traversi
515	8396	11076	11075	-	-	S355 Irrig_traversi
515	8397	11077	11076	-	-	S355 Irrig_traversi
515	8422	11099	11100	-	-	S355 Irrig_traversi
515	8423	11100	11101	-	-	S355 Irrig_traversi
515	8424	11101	2897	-	-	S355 Irrig_traversi
515	8428	11102	2916	-	-	S355 Irrig_traversi
515	8429	11104	11102	-	-	S355 Irrig_traversi
515	8430	11106	11104	-	-	S355 Irrig_traversi
515	8452	11126	2918	-	-	S355 Irrig_traversi
515	8453	11127	11126	-	-	S355 Irrig_traversi
515	8454	11128	11127	-	-	S355 Irrig_traversi
515	8482	11150	2910	-	-	S355 Irrig_traversi
515	8483	11152	11150	-	-	S355 Irrig_traversi
515	8484	11154	11152	-	-	S355 Irrig_traversi
515	8578	11237	11238	-	-	S355 Irrig_traversi
515	8579	11238	11239	-	-	S355 Irrig_traversi
515	8580	11239	2881	-	-	S355 Irrig_traversi
515	8605	11261	11262	-	-	S355 Irrig_traversi
515	8606	11262	11263	-	-	S355 Irrig_traversi
515	8607	11263	2883	-	-	S355 Irrig_traversi
515	8611	11264	2920	-	-	S355 Irrig_traversi
515	8612	11266	11264	-	-	S355 Irrig_traversi
515	8613	11268	11266	-	-	S355 Irrig_traversi
515	8659	11309	11310	-	-	S355 Irrig_traversi


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
515	8660	11310	11311	-	-	S355 Irrig_traversi
515	8661	11311	2885	-	-	S355 Irrig_traversi
515	8830	10408	8731	-	-	Fittizio Fittizio
602	8831	8731	8730	-	-	Fittizio Fittizio
501	8832	8730	8728	-	-	Fittizio Fittizio
502	8833	8728	8726	-	-	Fittizio Fittizio
502	8834	8726	8724	-	-	Fittizio Fittizio
502	8835	8724	8722	-	-	Fittizio Fittizio
502	8836	8722	8720	-	-	Fittizio Fittizio
502	8837	8720	8718	-	-	Fittizio Fittizio
501	8838	8718	8716	-	-	Fittizio Fittizio
502	8839	8716	8714	-	-	Fittizio Fittizio
502	8840	8714	8712	-	-	Fittizio Fittizio
502	8841	8712	8710	-	-	Fittizio Fittizio
502	8842	8710	8708	-	-	Fittizio Fittizio
502	8843	8708	8706	-	-	Fittizio Fittizio
501	8844	8706	8704	-	-	Fittizio Fittizio
502	8845	8704	8702	-	-	Fittizio Fittizio
502	8846	8702	8700	-	-	Fittizio Fittizio
502	8847	8700	8698	-	-	Fittizio Fittizio
502	8848	8698	8696	-	-	Fittizio Fittizio
502	8849	8696	8694	-	-	Fittizio Fittizio
502	8850	8694	8692	-	-	Fittizio Fittizio
501	8851	8692	8690	-	-	Fittizio Fittizio
502	8852	8690	8688	-	-	Fittizio Fittizio
502	8853	8688	8686	-	-	Fittizio Fittizio
502	8854	8686	8684	-	-	Fittizio Fittizio
502	8855	8684	8682	-	-	Fittizio Fittizio
502	8856	8682	8680	-	-	Fittizio Fittizio
501	8857	8680	8678	-	-	Fittizio Fittizio
502	8858	8678	8676	-	-	Fittizio Fittizio
502	8859	8676	8674	-	-	Fittizio Fittizio
502	8860	8674	8672	-	-	Fittizio Fittizio


PROJECT TITLE :

	Company				Client		
	Author				File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
502	8861	8672	8670	-	-	Fittizio	Fittizio
502	8862	8670	8668	-	-	Fittizio	Fittizio
501	8863	8668	8666	-	-	Fittizio	Fittizio
502	8864	8666	8664	-	-	Fittizio	Fittizio
502	8865	8664	8662	-	-	Fittizio	Fittizio
502	8866	8662	8660	-	-	Fittizio	Fittizio
502	8867	8660	8658	-	-	Fittizio	Fittizio
502	8868	8658	8656	-	-	Fittizio	Fittizio
502	8869	8656	8654	-	-	Fittizio	Fittizio
501	8870	8654	8652	-	-	Fittizio	Fittizio
502	8871	8652	8650	-	-	Fittizio	Fittizio
502	8872	8650	8648	-	-	Fittizio	Fittizio
502	8873	8648	8646	-	-	Fittizio	Fittizio
502	8874	8646	8644	-	-	Fittizio	Fittizio
502	8875	8644	8642	-	-	Fittizio	Fittizio
501	8876	8642	8640	-	-	Fittizio	Fittizio
502	8877	8640	8638	-	-	Fittizio	Fittizio
502	8878	8638	8636	-	-	Fittizio	Fittizio
502	8879	8636	8634	-	-	Fittizio	Fittizio
502	8880	8634	8632	-	-	Fittizio	Fittizio
502	8881	8632	8630	-	-	Fittizio	Fittizio
502	8882	8630	8628	-	-	Fittizio	Fittizio
501	8883	8628	8626	-	-	Fittizio	Fittizio
502	8884	8626	8624	-	-	Fittizio	Fittizio
502	8885	8624	8622	-	-	Fittizio	Fittizio
502	8886	8622	8620	-	-	Fittizio	Fittizio
502	8887	8620	8618	-	-	Fittizio	Fittizio
502	8888	8618	8616	-	-	Fittizio	Fittizio
501	8889	8616	8614	-	-	Fittizio	Fittizio
502	8890	8614	8612	-	-	Fittizio	Fittizio
502	8891	8612	8610	-	-	Fittizio	Fittizio
502	8892	8610	8608	-	-	Fittizio	Fittizio
502	8893	8608	8606	-	-	Fittizio	Fittizio

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
502	8894	8606	8604	-	-	Fittizio	Fittizio
501	8895	8604	8602	-	-	Fittizio	Fittizio
502	8896	8602	8600	-	-	Fittizio	Fittizio
502	8897	8600	8598	-	-	Fittizio	Fittizio
502	8898	8598	8596	-	-	Fittizio	Fittizio
502	8899	8596	8594	-	-	Fittizio	Fittizio
501	8900	8594	8592	-	-	Fittizio	Fittizio
502.1	8901	8592	8590	-	-	Fittizio	Fittizio
502.1	8902	8590	8588	-	-	Fittizio	Fittizio
502.1	8903	8588	8586	-	-	Fittizio	Fittizio
501.1	8904	8586	8584	-	-	Fittizio	Fittizio
502.1	8905	8584	8582	-	-	Fittizio	Fittizio
502.1	8906	8582	8580	-	-	Fittizio	Fittizio
502.1	8907	8580	8578	-	-	Fittizio	Fittizio
501.2	8908	8578	8577	-	-	Fittizio	Fittizio
502.2	8909	8577	9414	-	-	Fittizio	Fittizio
499.2	8910	9414	9412	-	-	Fittizio	Fittizio
500.2	8911	9412	9410	-	-	Fittizio	Fittizio
500.2	8912	9410	9408	-	-	Fittizio	Fittizio
499.3	8913	9408	9406	-	-	Fittizio	Fittizio
500.3	8914	9406	9404	-	-	Fittizio	Fittizio
499.3	8915	9404	9402	-	-	Fittizio	Fittizio
499.4	8916	9402	9400	-	-	Fittizio	Fittizio
500.4	8917	9400	9398	-	-	Fittizio	Fittizio
499.4	8918	9398	9396	-	-	Fittizio	Fittizio
499.5	8919	9396	9394	-	-	Fittizio	Fittizio
500.5	8920	9394	9392	-	-	Fittizio	Fittizio
499.6	8921	9392	9390	-	-	Fittizio	Fittizio
499.6	8922	9390	9388	-	-	Fittizio	Fittizio
499.7	8923	9388	9386	-	-	Fittizio	Fittizio
499.7	8924	9386	9384	-	-	Fittizio	Fittizio
499.8	8925	9384	9382	-	-	Fittizio	Fittizio
499.8	8926	9382	9380	-	-	Fittizio	Fittizio

PROJECT TITLE :

	Company				Client		
	Author				File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
499.9							
500	8927	9380	9378	-	-	Fittizio	Fittizio
499	8928	9378	9376	-	-	Fittizio	Fittizio
500.2	8929	9376	9374	-	-	Fittizio	Fittizio
500.2	8930	9374	9372	-	-	Fittizio	Fittizio
599.3	8931	9372	9370	-	-	Fittizio	Fittizio
751.7	8932	9370	9694	-	-	Fittizio	Fittizio
591.9	8933	9694	9695	-	-	Fittizio	Fittizio
507.8	8934	9695	9696	-	-	Fittizio	Fittizio
507.8	8935	9696	9697	-	-	Fittizio	Fittizio
507.8	8936	9697	9698	-	-	Fittizio	Fittizio
507.8	8937	9698	9699	-	-	Fittizio	Fittizio
507.8	8938	9699	9700	-	-	Fittizio	Fittizio
507.8	8939	9700	9701	-	-	Fittizio	Fittizio
507.8	8940	9701	9350	-	-	Fittizio	Fittizio
507.8	8941	9350	9348	-	-	Fittizio	Fittizio
499.6	8942	9348	9346	-	-	Fittizio	Fittizio
499.7	8943	9346	9344	-	-	Fittizio	Fittizio
499.9	8944	9344	9342	-	-	Fittizio	Fittizio
499.2	8945	9342	9340	-	-	Fittizio	Fittizio
500.3	8946	9340	9338	-	-	Fittizio	Fittizio
499.4	8947	9338	9336	-	-	Fittizio	Fittizio
499.6	8948	9336	9334	-	-	Fittizio	Fittizio
499.9	8949	9334	9332	-	-	Fittizio	Fittizio
500	8950	9332	9330	-	-	Fittizio	Fittizio
500.2	8951	9330	9328	-	-	Fittizio	Fittizio
499.5	8952	9328	9326	-	-	Fittizio	Fittizio
499.6	8953	9326	9324	-	-	Fittizio	Fittizio
499.9	8954	9324	9322	-	-	Fittizio	Fittizio
499.2	8955	9322	9320	-	-	Fittizio	Fittizio
500.4	8956	9320	9318	-	-	Fittizio	Fittizio
499.8	8957	9318	9702	-	-	Fittizio	Fittizio
510.8	8958	9702	9703	-	-	Fittizio	Fittizio
510.8	8959	9703	9704	-	-	Fittizio	Fittizio

MIDAS

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

510.8							
	8960	9704	9705	-	-	Fittizio	Fittizio
510.8	8961	9705	9706	-	-	Fittizio	Fittizio
510.8	8962	9706	9707	-	-	Fittizio	Fittizio
510.8	8963	9707	9708	-	-	Fittizio	Fittizio
610.7	8964	9708	9300	-	-	Fittizio	Fittizio
722.2	8965	9300	9298	-	-	Fittizio	Fittizio
599.9	8966	9298	9296	-	-	Fittizio	Fittizio
499.3	8967	9296	9294	-	-	Fittizio	Fittizio
499.7	8968	9294	9292	-	-	Fittizio	Fittizio
500.1	8969	9292	9290	-	-	Fittizio	Fittizio
499.5	8970	9290	9288	-	-	Fittizio	Fittizio
499.7	8971	9288	9286	-	-	Fittizio	Fittizio
499.4	8972	9286	9284	-	-	Fittizio	Fittizio
500.8	8973	9284	9282	-	-	Fittizio	Fittizio
499	8974	9282	9280	-	-	Fittizio	Fittizio
499.7	8975	9280	9278	-	-	Fittizio	Fittizio
499.9	8976	9278	9276	-	-	Fittizio	Fittizio
499.4	8977	9276	9274	-	-	Fittizio	Fittizio
499.9	8978	9274	9272	-	-	Fittizio	Fittizio
500.6	8979	9272	9270	-	-	Fittizio	Fittizio
498.9	8980	9270	9268	-	-	Fittizio	Fittizio
500.4	8981	9268	9266	-	-	Fittizio	Fittizio
499.9	8982	9266	9821	-	-	Fittizio	Fittizio
582.9	8983	9821	9822	-	-	Fittizio	Fittizio
583	8984	9822	9823	-	-	Fittizio	Fittizio
583.3	8985	9823	9824	-	-	Fittizio	Fittizio
583.3	8986	9824	9825	-	-	Fittizio	Fittizio
583.1	8987	9825	9253	-	-	Fittizio	Fittizio
582.2	8988	9253	10394	-	-	Fittizio	Fittizio
523.4							


*** PLATE MEMBER DATA

NO	NODAL CONNECTIVITY				MATERIAL	THICKNESS	AREA
	1	2	3	4			


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
3	2	1542	1615	13	S355	16 1.343e+005
4	13	1615	10413	10412	S355	16 2.661e+005
5	17	1620	1547	5	S355	16 9.3e+004
6	3	1537	1605	14	S355	16 1.343e+005
7	14	1605	10419	10418	S355	16 2.661e+005
8	18	1610	1552	6	S355	16 9.3e+004
51	8	1460	1639	15	S355	16 1.3e+005
52	15	1639	10425	10424	S355	16 2.575e+005
53	19	1646	1467	11	S355	16 9e+004
54	9	1453	1625	16	S355	16 1.3e+005
55	16	1625	10431	10430	S355	16 2.575e+005
56	20	1632	1474	12	S355	16 9e+004
65	37	2	13	41	S355	16 1.56e+005
66	41	13	10412	10436	S355	16 3.09e+005
67	43	17	5	39	S355	16 1.08e+005
68	38	3	14	42	S355	16 1.56e+005
69	42	14	10418	10439	S355	16 3.09e+005
70	44	18	6	40	S355	16 1.08e+005
94	32	1560	1715	25	S355	16 1.3e+005
95	25	1715	10443	10442	S355	16 2.575e+005
96	28	1718	1563	31	S355	16 9e+004
97	29	1557	1709	23	S355	16 1.3e+005
98	23	1709	10449	10448	S355	16 2.575e+005
99	26	1712	1566	30	S355	16 9e+004
123	53	1488	1667	47	S355	14 1.3e+005
124	47	1667	10455	10454	S355	14 2.575e+005
125	49	1674	1495	52	S355	14 9e+004
126	50	1481	1653	45	S355	14 1.3e+005
127	45	1653	10461	10460	S355	14 2.575e+005
128	48	1660	1502	51	S355	14 9e+004
152	64	1516	1695	58	S355	14 1.3e+005
153	58	1695	10467	10466	S355	14 2.575e+005
154	60	1702	1523	63	S355	14 9e+004
155	61	1509	1681	56	S355	14 1.3e+005
156	56	1681	10473	10472	S355	14 2.575e+005
157	59	1688	1530	62	S355	14 9e+004
253	112	1578	1727	117	S355	14 1.3e+005
254	117	1727	10479	10478	S355	14 2.575e+005
255	118	1730	1581	113	S355	14 9e+004
256	111	1575	1721	115	S355	14 1.3e+005
257	115	1721	10485	10484	S355	14 2.575e+005
258	116	1724	1584	114	S355	14 9e+004
1306	1542	1543	1616	1615	S355	16 1.343e+005
1307	1543	1544	1617	1616	S355	16 1.343e+005
1308	1544	1545	1618	1617	S355	16 1.343e+005
1309	1545	1546	1619	1618	S355	16 1.343e+005
1310	1546	8	15	1619	S355	16 1.343e+005
1311	1615	1616	10490	10413	S355	16 2.661e+005
1312	1616	1617	10493	10490	S355	16 2.661e+005
1313	1617	1618	10496	10493	S355	16 2.661e+005
1314	1618	1619	10499	10496	S355	16 2.661e+005
1315	1619	15	10424	10499	S355	16 2.661e+005
1316	1620	1621	1548	1547	S355	16 9.3e+004
1317	1621	1622	1549	1548	S355	16 9.3e+004
1318	1622	1623	1550	1549	S355	16 9.3e+004
1319	1623	1624	1551	1550	S355	16 9.3e+004
1320	1624	19	11	1551	S355	16 9.3e+004
1321	1537	1538	1606	1605	S355	16 1.343e+005
1322	1538	1539	1607	1606	S355	16 1.343e+005
1323	1539	1540	1608	1607	S355	16 1.343e+005
1324	1540	1541	1609	1608	S355	16 1.343e+005
1325	1541	9	16	1609	S355	16 1.343e+005
1326	1605	1606	10502	10419	S355	16 2.661e+005
1327	1606	1607	10505	10502	S355	16 2.661e+005
1328	1607	1608	10508	10505	S355	16 2.661e+005
1329	1608	1609	10511	10508	S355	16 2.661e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
1330	1609	16	10430	10511	S355	16 2.661e+005
1331	1610	1611	1553	1552	S355	16 9.3e+004
1332	1611	1612	1554	1553	S355	16 9.3e+004
1333	1612	1613	1555	1554	S355	16 9.3e+004
1334	1613	1614	1556	1555	S355	16 9.3e+004
1335	1614	20	12	1556	S355	16 9.3e+004
1336	1460	1461	1640	1639	S355	16 1.3e+005
1337	1461	1462	1641	1640	S355	16 1.3e+005
1338	1462	1463	1642	1641	S355	16 1.3e+005
1339	1463	1464	1643	1642	S355	16 1.3e+005
1340	1464	1465	1644	1643	S355	16 1.3e+005
1341	1465	1466	1645	1644	S355	16 1.3e+005
1342	1466	32	25	1645	S355	16 1.3e+005
1343	1639	1640	10514	10425	S355	16 2.575e+005
1344	1640	1641	10517	10514	S355	16 2.575e+005
1345	1641	1642	10520	10517	S355	16 2.575e+005
1346	1642	1643	10523	10520	S355	16 2.575e+005
1347	1643	1644	10526	10523	S355	16 2.575e+005
1348	1644	1645	10529	10526	S355	16 2.575e+005
1349	1645	25	10442	10529	S355	16 2.575e+005
1350	1646	1647	1468	1467	S355	16 9e+004
1351	1647	1648	1469	1468	S355	16 9e+004
1352	1648	1649	1470	1469	S355	16 9e+004
1353	1649	1650	1471	1470	S355	16 9e+004
1354	1650	1651	1472	1471	S355	16 9e+004
1355	1651	1652	1473	1472	S355	16 9e+004
1356	1652	28	31	1473	S355	16 9e+004
1357	1453	1454	1626	1625	S355	16 1.3e+005
1358	1454	1455	1627	1626	S355	16 1.3e+005
1359	1455	1456	1628	1627	S355	16 1.3e+005
1360	1456	1457	1629	1628	S355	16 1.3e+005
1361	1457	1458	1630	1629	S355	16 1.3e+005
1362	1458	1459	1631	1630	S355	16 1.3e+005
1363	1459	29	23	1631	S355	16 1.3e+005
1364	1625	1626	10532	10431	S355	16 2.575e+005
1365	1626	1627	10535	10532	S355	16 2.575e+005
1366	1627	1628	10538	10535	S355	16 2.575e+005
1367	1628	1629	10541	10538	S355	16 2.575e+005
1368	1629	1630	10544	10541	S355	16 2.575e+005
1369	1630	1631	10547	10544	S355	16 2.575e+005
1370	1631	23	10448	10547	S355	16 2.575e+005
1371	1632	1633	1475	1474	S355	16 9e+004
1372	1633	1634	1476	1475	S355	16 9e+004
1373	1634	1635	1477	1476	S355	16 9e+004
1374	1635	1636	1478	1477	S355	16 9e+004
1375	1636	1637	1479	1478	S355	16 9e+004
1376	1637	1638	1480	1479	S355	16 9e+004
1377	1638	26	30	1480	S355	16 9e+004
1378	1488	1489	1668	1667	S355	14 1.3e+005
1379	1489	1490	1669	1668	S355	14 1.3e+005
1380	1490	1491	1670	1669	S355	14 1.3e+005
1381	1491	1492	1671	1670	S355	14 1.3e+005
1382	1492	1493	1672	1671	S355	14 1.3e+005
1383	1493	1494	1673	1672	S355	14 1.3e+005
1384	1494	64	58	1673	S355	14 1.3e+005
1385	1667	1668	10550	10455	S355	14 2.575e+005
1386	1668	1669	10553	10550	S355	14 2.575e+005
1387	1669	1670	10556	10553	S355	14 2.575e+005
1388	1670	1671	10559	10556	S355	14 2.575e+005
1389	1671	1672	10562	10559	S355	14 2.575e+005
1390	1672	1673	10565	10562	S355	14 2.575e+005
1391	1673	58	10466	10565	S355	14 2.575e+005
1392	1674	1675	1496	1495	S355	14 9e+004
1393	1675	1676	1497	1496	S355	14 9e+004
1394	1676	1677	1498	1497	S355	14 9e+004
1395	1677	1678	1499	1498	S355	14 9e+004


PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	
1396	1678	1679	1500	1499	S355	14	9e+004
1397	1679	1680	1501	1500	S355	14	9e+004
1398	1680	60	63	1501	S355	14	9e+004
1399	1481	1482	1654	1653	S355	14	1.3e+005
1400	1482	1483	1655	1654	S355	14	1.3e+005
1401	1483	1484	1656	1655	S355	14	1.3e+005
1402	1484	1485	1657	1656	S355	14	1.3e+005
1403	1485	1486	1658	1657	S355	14	1.3e+005
1404	1486	1487	1659	1658	S355	14	1.3e+005
1405	1487	61	56	1659	S355	14	1.3e+005
1406	1653	1654	10568	10461	S355	14	2.575e+005
1407	1654	1655	10571	10568	S355	14	2.575e+005
1408	1655	1656	10574	10571	S355	14	2.575e+005
1409	1656	1657	10577	10574	S355	14	2.575e+005
1410	1657	1658	10580	10577	S355	14	2.575e+005
1411	1658	1659	10583	10580	S355	14	2.575e+005
1412	1659	56	10472	10583	S355	14	2.575e+005
1413	1660	1661	1503	1502	S355	14	9e+004
1414	1661	1662	1504	1503	S355	14	9e+004
1415	1662	1663	1505	1504	S355	14	9e+004
1416	1663	1664	1506	1505	S355	14	9e+004
1417	1664	1665	1507	1506	S355	14	9e+004
1418	1665	1666	1508	1507	S355	14	9e+004
1419	1666	59	62	1508	S355	14	9e+004
1420	1516	1517	1696	1695	S355	14	1.3e+005
1421	1517	1518	1697	1696	S355	14	1.3e+005
1422	1518	1519	1698	1697	S355	14	1.3e+005
1423	1519	1520	1699	1698	S355	14	1.3e+005
1424	1520	1521	1700	1699	S355	14	1.3e+005
1425	1521	1522	1701	1700	S355	14	1.3e+005
1426	1522	75	69	1701	S355	14	1.3e+005
1427	1695	1696	10586	10467	S355	14	2.575e+005
1428	1696	1697	10589	10586	S355	14	2.575e+005
1429	1697	1698	10592	10589	S355	14	2.575e+005
1430	1698	1699	10595	10592	S355	14	2.575e+005
1431	1699	1700	10598	10595	S355	14	2.575e+005
1432	1700	1701	10601	10598	S355	14	2.575e+005
1433	1701	69	10604	10601	S355	14	2.575e+005
1434	1702	1703	1524	1523	S355	14	9e+004
1435	1703	1704	1525	1524	S355	14	9e+004
1436	1704	1705	1526	1525	S355	14	9e+004
1437	1705	1706	1527	1526	S355	14	9e+004
1438	1706	1707	1528	1527	S355	14	9e+004
1439	1707	1708	1529	1528	S355	14	9e+004
1440	1708	71	74	1529	S355	14	9e+004
1441	1509	1510	1682	1681	S355	14	1.3e+005
1442	1510	1511	1683	1682	S355	14	1.3e+005
1443	1511	1512	1684	1683	S355	14	1.3e+005
1444	1512	1513	1685	1684	S355	14	1.3e+005
1445	1513	1514	1686	1685	S355	14	1.3e+005
1446	1514	1515	1687	1686	S355	14	1.3e+005
1447	1515	72	67	1687	S355	14	1.3e+005
1448	1681	1682	10607	10473	S355	14	2.575e+005
1449	1682	1683	10610	10607	S355	14	2.575e+005
1450	1683	1684	10613	10610	S355	14	2.575e+005
1451	1684	1685	10616	10613	S355	14	2.575e+005
1452	1685	1686	10619	10616	S355	14	2.575e+005
1453	1686	1687	10622	10619	S355	14	2.575e+005
1454	1687	67	10625	10622	S355	14	2.575e+005
1455	1688	1689	1531	1530	S355	14	9e+004
1456	1689	1690	1532	1531	S355	14	9e+004
1457	1690	1691	1533	1532	S355	14	9e+004
1458	1691	1692	1534	1533	S355	14	9e+004
1459	1692	1693	1535	1534	S355	14	9e+004
1460	1693	1694	1536	1535	S355	14	9e+004
1461	1694	70	73	1536	S355	14	9e+004


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
1462	1560	1561	1716	1715	S355	16 1.3e+005
1463	1561	1562	1717	1716	S355	16 1.3e+005
1464	1562	112	117	1717	S355	16 1.3e+005
1465	1715	1716	10628	10443	S355	16 2.575e+005
1466	1716	1717	10631	10628	S355	16 2.575e+005
1467	1717	117	10478	10631	S355	16 2.575e+005
1468	1718	1719	1564	1563	S355	16 9e+004
1469	1719	1720	1565	1564	S355	16 9e+004
1470	1720	118	113	1565	S355	16 9e+004
1471	1557	1558	1710	1709	S355	16 1.3e+005
1472	1558	1559	1711	1710	S355	16 1.3e+005
1473	1559	111	115	1711	S355	16 1.3e+005
1474	1709	1710	10634	10449	S355	16 2.575e+005
1475	1710	1711	10637	10634	S355	16 2.575e+005
1476	1711	115	10484	10637	S355	16 2.575e+005
1477	1712	1713	1567	1566	S355	16 9e+004
1478	1713	1714	1568	1567	S355	16 9e+004
1479	1714	116	114	1568	S355	16 9e+004
1480	1578	1579	1728	1727	S355	14 1.3e+005
1481	1579	1580	1729	1728	S355	14 1.3e+005
1482	1580	53	47	1729	S355	14 1.3e+005
1483	1727	1728	10640	10479	S355	14 2.575e+005
1484	1728	1729	10643	10640	S355	14 2.575e+005
1485	1729	47	10454	10643	S355	14 2.575e+005
1486	1730	1731	1582	1581	S355	14 9e+004
1487	1731	1732	1583	1582	S355	14 9e+004
1488	1732	49	52	1583	S355	14 9e+004
1489	1575	1576	1722	1721	S355	14 1.3e+005
1490	1576	1577	1723	1722	S355	14 1.3e+005
1491	1577	50	45	1723	S355	14 1.3e+005
1492	1721	1722	10646	10485	S355	14 2.575e+005
1493	1722	1723	10649	10646	S355	14 2.575e+005
1494	1723	45	10460	10649	S355	14 2.575e+005
1495	1724	1725	1585	1584	S355	14 9e+004
1496	1725	1726	1586	1585	S355	14 9e+004
1497	1726	48	51	1586	S355	14 9e+004
1498	3	1846	1868	14	S355	20 1.248e+005
1499	14	1868	10652	10418	S355	20 2.472e+005
1500	18	1876	1845	6	S355	20 8.64e+004
1503	2832	3232	3233	2965	S355	20 1.248e+005
1504	2965	3233	10656	10655	S355	20 2.472e+005
1505	2947	3234	3235	3166	S355	20 8.642e+004
1510	2784	3236	3237	2977	S355	20 1.248e+005
1511	2977	3237	10662	10661	S355	20 2.472e+005
1512	2959	3238	3239	3118	S355	20 8.641e+004
1567	1846	1854	1867	1868	S355	20 1.248e+005
1568	1854	1855	1866	1867	S355	20 1.248e+005
1569	1855	1856	1865	1866	S355	20 1.248e+005
1570	1856	1857	1864	1865	S355	20 1.248e+005
1571	1857	1858	1863	1864	S355	20 1.248e+005
1572	1858	1859	1862	1863	S355	20 1.248e+005
1573	1859	1860	1861	1862	S355	20 1.248e+005
1574	1860	1841	1842	1861	S355	20 1.248e+005
1575	1841	2	13	1842	S355	20 1.248e+005
1576	1868	1867	10667	10652	S355	20 2.472e+005
1577	1867	1866	10670	10667	S355	20 2.472e+005
1578	1866	1865	10673	10670	S355	20 2.472e+005
1579	1865	1864	10676	10673	S355	20 2.472e+005
1580	1864	1863	10679	10676	S355	20 2.472e+005
1581	1863	1862	10682	10679	S355	20 2.472e+005
1582	1862	1861	10685	10682	S355	20 2.472e+005
1583	1861	1842	10688	10685	S355	20 2.472e+005
1584	1842	13	10412	10688	S355	20 2.472e+005
1585	1876	1875	1847	1845	S355	20 8.64e+004
1586	1875	1874	1848	1847	S355	20 8.64e+004
1587	1874	1873	1849	1848	S355	20 8.64e+004


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
1588	1873	1872	1850	1849	S355	20 8.64e+004
1589	1872	1871	1851	1850	S355	20 8.64e+004
1590	1871	1870	1852	1851	S355	20 8.64e+004
1591	1870	1869	1853	1852	S355	20 8.64e+004
1592	1869	1843	1844	1853	S355	20 8.64e+004
1593	1843	17	5	1844	S355	20 8.64e+004
1594	3232	3240	3241	3233	S355	20 1.248e+005
1595	3240	3242	3243	3241	S355	20 1.248e+005
1596	3242	3244	3245	3243	S355	20 1.248e+005
1597	3244	3246	3247	3245	S355	20 1.248e+005
1598	3246	3248	3249	3247	S355	20 1.248e+005
1599	3248	3250	3251	3249	S355	20 1.248e+005
1600	3250	3252	3253	3251	S355	20 1.248e+005
1601	3252	3254	3255	3253	S355	20 1.248e+005
1602	3254	2736	2964	3255	S355	20 1.248e+005
1603	3233	3241	10691	10656	S355	20 2.472e+005
1604	3241	3243	10694	10691	S355	20 2.472e+005
1605	3243	3245	10697	10694	S355	20 2.472e+005
1606	3245	3247	10700	10697	S355	20 2.472e+005
1607	3247	3249	10703	10700	S355	20 2.472e+005
1608	3249	3251	10706	10703	S355	20 2.472e+005
1609	3251	3253	10709	10706	S355	20 2.472e+005
1610	3253	3255	10712	10709	S355	20 2.472e+005
1611	3255	2964	10715	10712	S355	20 2.472e+005
1612	3234	3256	3264	3235	S355	20 8.642e+004
1613	3256	3257	3265	3264	S355	20 8.642e+004
1614	3257	3258	3266	3265	S355	20 8.642e+004
1615	3258	3259	3267	3266	S355	20 8.642e+004
1616	3259	3260	3268	3267	S355	20 8.642e+004
1617	3260	3261	3269	3268	S355	20 8.642e+004
1618	3261	3262	3270	3269	S355	20 8.642e+004
1619	3262	3263	3271	3270	S355	20 8.642e+004
1620	3263	2946	3070	3271	S355	20 8.642e+004
1621	3236	3272	3273	3237	S355	20 1.248e+005
1622	3272	3274	3275	3273	S355	20 1.248e+005
1623	3274	3276	3277	3275	S355	20 1.248e+005
1624	3276	3278	3279	3277	S355	20 1.248e+005
1625	3278	3280	3281	3279	S355	20 1.248e+005
1626	3280	3282	3283	3281	S355	20 1.248e+005
1627	3282	3284	3285	3283	S355	20 1.248e+005
1628	3284	3286	3287	3285	S355	20 1.248e+005
1629	3286	2649	2976	3287	S355	20 1.248e+005
1630	3237	3273	10718	10662	S355	20 2.472e+005
1631	3273	3275	10721	10718	S355	20 2.472e+005
1632	3275	3277	10724	10721	S355	20 2.472e+005
1633	3277	3279	10727	10724	S355	20 2.472e+005
1634	3279	3281	10730	10727	S355	20 2.472e+005
1635	3281	3283	10733	10730	S355	20 2.472e+005
1636	3283	3285	10736	10733	S355	20 2.472e+005
1637	3285	3287	10739	10736	S355	20 2.472e+005
1638	3287	2976	10742	10739	S355	20 2.472e+005
1639	3238	3288	3296	3239	S355	20 8.641e+004
1640	3288	3289	3297	3296	S355	20 8.641e+004
1641	3289	3290	3298	3297	S355	20 8.641e+004
1642	3290	3291	3299	3298	S355	20 8.641e+004
1643	3291	3292	3300	3299	S355	20 8.641e+004
1644	3292	3293	3301	3300	S355	20 8.641e+004
1645	3293	3294	3302	3301	S355	20 8.641e+004
1646	3294	3295	3303	3302	S355	20 8.641e+004
1647	3295	2958	2983	3303	S355	20 8.641e+004
2130	75	2647	3304	69	S355	14 1.293e+005
2131	72	2648	3305	67	S355	14 1.293e+005
2132	2649	2650	3306	2976	S355	16 1.56e+005
2133	2651	2652	3307	2902	S355	16 1.3e+005
2134	2652	2653	3308	3307	S355	16 1.3e+005
2135	2653	2654	3309	3308	S355	16 1.3e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
2136	2654	2655	3310	3309	S355	16 1.3e+005
2137	2655	2656	3311	3310	S355	16 1.3e+005
2138	2656	2657	3312	3311	S355	16 1.3e+005
2139	2657	2658	3313	3312	S355	16 1.3e+005
2140	2658	2659	2904	3313	S355	16 1.3e+005
2141	2660	2661	3314	2926	S355	16 1.404e+005
2142	2661	2662	3315	3314	S355	16 1.404e+005
2143	2662	2663	3316	3315	S355	16 1.404e+005
2146	2665	2666	3319	3318	S355	16 1.404e+005
2147	2666	2667	3320	3319	S355	16 1.404e+005
2148	2667	2649	2976	3320	S355	16 1.404e+005
2149	2668	2669	3321	2935	S355	16 1.286e+005
2150	2669	2670	3322	3321	S355	16 1.286e+005
2151	2670	2671	3323	3322	S355	16 1.286e+005
2152	2671	2672	3324	3323	S355	16 1.286e+005
2153	2672	2673	3325	3324	S355	14 1.286e+005
2154	2673	2674	3326	3325	S355	14 1.286e+005
2155	2674	2675	3327	3326	S355	14 1.286e+005
2156	2675	2676	2936	3327	S355	14 1.286e+005
2157	2677	2678	3328	2922	S355	14 1.327e+005
2158	2678	2679	3329	3328	S355	14 1.327e+005
2159	2679	2680	3330	3329	S355	14 1.327e+005
2160	2680	2681	3331	3330	S355	14 1.327e+005
2161	2681	2682	3332	3331	S355	16 1.327e+005
2162	2682	2683	3333	3332	S355	16 1.327e+005
2163	2683	2684	3334	3333	S355	16 1.327e+005
2164	2684	2685	2924	3334	S355	16 1.327e+005
2165	2686	2687	3335	2934	S355	16 1.286e+005
2166	2687	2688	3336	3335	S355	16 1.286e+005
2167	2688	2689	3337	3336	S355	16 1.286e+005
2168	2689	2690	3338	3337	S355	16 1.286e+005
2169	2690	2691	3339	3338	S355	16 1.286e+005
2170	2691	2692	3340	3339	S355	16 1.286e+005
2171	2692	2693	3341	3340	S355	16 1.286e+005
2172	2693	2668	2935	3341	S355	16 1.286e+005
2173	2694	2695	3342	2928	S355	16 1.374e+005
2174	2695	2696	3343	3342	S355	16 1.289e+005
2175	2696	2697	3344	3343	S355	16 1.289e+005
2176	2697	2698	3345	3344	S355	16 1.289e+005
2177	2698	2699	3346	3345	S355	16 1.289e+005
2178	2699	2700	3347	3346	S355	16 1.289e+005
2179	2700	2701	3348	3347	S355	16 1.289e+005
2180	2701	2702	2929	3348	S355	16 1.289e+005
2181	2676	2703	3349	2936	S355	14 1.282e+005
2182	2703	2704	3350	3349	S355	14 1.282e+005
2183	2704	2705	3351	3350	S355	14 1.281e+005
2184	2705	2706	3352	3351	S355	14 1.282e+005
2185	2706	2707	3353	3352	S355	14 1.281e+005
2186	2707	2708	3354	3353	S355	14 1.282e+005
2187	2708	2709	3355	3354	S355	14 1.282e+005
2188	2709	2710	2937	3355	S355	14 1.281e+005
2189	2711	2712	3356	2933	S355	16 1.38e+005
2190	2712	2713	3357	3356	S355	16 1.272e+005
2191	2713	2714	3358	3357	S355	16 1.272e+005
2192	2714	2715	3359	3358	S355	16 1.272e+005
2193	2715	2716	3360	3359	S355	16 1.272e+005
2194	2716	2717	3361	3360	S355	16 1.272e+005
2195	2717	2718	3362	3361	S355	16 1.272e+005
2196	2718	2686	2934	3362	S355	16 1.272e+005
2197	2719	2720	3363	2912	S355	16 1.236e+005
2198	2720	2721	3364	3363	S355	16 1.32e+005
2199	2721	2722	3365	3364	S355	16 1.32e+005
2200	2722	2723	3366	3365	S355	16 1.32e+005
2201	2723	2724	3367	3366	S355	16 1.32e+005
2202	2724	2725	3368	3367	S355	16 1.32e+005
2203	2725	2726	3369	3368	S355	16 1.32e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
2204	2726	2727	2914	3369	S355	16 1.362e+005
2205	2728	2729	3370	2908	S355	18 1.294e+005
2206	2729	2730	3371	3370	S355	18 1.294e+005
2207	2730	2731	3372	3371	S355	18 1.294e+005
2208	2731	2732	3373	3372	S355	18 1.294e+005
2209	2732	2733	3374	3373	S355	18 1.294e+005
2210	2733	2734	3375	3374	S355	18 1.294e+005
2211	2734	2735	3376	3375	S355	18 1.294e+005
2212	2735	2736	2964	3376	S355	18 1.294e+005
2213	2737	2738	3377	2939	S355	16 1.271e+005
2214	2738	2739	3378	3377	S355	16 1.271e+005
2215	2739	2740	3379	3378	S355	16 1.271e+005
2216	2740	2741	3380	3379	S355	16 1.271e+005
2217	2741	2742	3381	3380	S355	16 1.271e+005
2218	2742	2743	3382	3381	S355	16 1.271e+005
2219	2743	2744	3383	3382	S355	16 1.271e+005
2220	2744	2745	2940	3383	S355	16 1.271e+005
2221	2685	2746	3384	2924	S355	16 1.328e+005
2222	2746	2747	3385	3384	S355	16 1.328e+005
2223	2747	2748	3386	3385	S355	16 1.328e+005
2224	2748	2749	3387	3386	S355	16 1.328e+005
2225	2749	2750	3388	3387	S355	16 1.328e+005
2226	2750	2751	3389	3388	S355	16 1.328e+005
2227	2751	2752	3390	3389	S355	16 1.328e+005
2228	2752	2660	2926	3390	S355	16 1.328e+005
2229	2659	2753	3391	2904	S355	16 1.305e+005
2230	2753	2754	3392	3391	S355	16 1.305e+005
2231	2754	2755	3393	3392	S355	16 1.305e+005
2232	2755	2756	3394	3393	S355	16 1.306e+005
2233	2756	2757	3395	3394	S355	16 1.305e+005
2234	2757	2758	3396	3395	S355	16 1.305e+005
2235	2758	2759	3397	3396	S355	16 1.305e+005
2236	2759	2760	2906	3397	S355	16 1.305e+005
2237	2710	2761	3398	2937	S355	14 1.272e+005
2238	2761	2762	3399	3398	S355	14 1.272e+005
2239	2762	2763	3400	3399	S355	14 1.272e+005
2240	2763	2764	3401	3400	S355	14 1.272e+005
2241	2764	2765	3402	3401	S355	14 1.272e+005
2242	2765	2766	3403	3402	S355	14 1.272e+005
2243	2766	2767	3404	3403	S355	14 1.272e+005
2244	2767	2768	2938	3404	S355	14 1.272e+005
2245	2769	2770	3405	2916	S355	16 1.315e+005
2246	2770	2771	3406	3405	S355	16 1.315e+005
2247	2771	2772	3407	3406	S355	16 1.315e+005
2248	2772	2773	3408	3407	S355	16 1.315e+005
2249	2773	2774	3409	3408	S355	14 1.315e+005
2250	2774	2775	3410	3409	S355	14 1.315e+005
2251	2775	2776	3411	3410	S355	14 1.315e+005
2252	2776	2777	2918	3411	S355	14 1.315e+005
2253	2745	2778	3412	2940	S355	16 1.344e+005
2254	2778	2779	3413	3412	S355	16 1.344e+005
2255	2779	2780	3414	3413	S355	16 1.344e+005
2256	2780	2781	3415	3414	S355	16 1.344e+005
2257	2781	2782	3416	3415	S355	16 1.344e+005
2258	2782	2783	3417	3416	S355	16 1.344e+005
2259	2783	2784	2977	3417	S355	16 1.344e+005
2260	2784	2785	3418	2977	S355	16 1.613e+005
2261	2786	2787	3419	2910	S355	18 1.311e+005
2262	2787	2788	3420	3419	S355	18 1.311e+005
2263	2788	2789	3421	3420	S355	18 1.311e+005
2264	2789	2790	3422	3421	S355	18 1.311e+005
2265	2790	2791	3423	3422	S355	16 1.311e+005
2266	2791	2792	3424	3423	S355	16 1.311e+005
2267	2792	2793	3425	3424	S355	16 1.311e+005
2268	2793	2719	2912	3425	S355	16 1.335e+005
2269	2736	2794	3426	2964	S355	18 1.325e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
2270	2794	2795	3427	3426	S355	18 1.325e+005
2271	2795	2796	3428	3427	S355	18 1.325e+005
2272	2796	2797	3429	3428	S355	18 1.325e+005
2273	2797	2798	3430	3429	S355	18 1.325e+005
2274	2798	2799	3431	3430	S355	18 1.325e+005
2275	2799	2800	3432	3431	S355	18 1.325e+005
2276	2800	2786	2910	3432	S355	18 1.325e+005
2277	2760	2801	3433	2906	S355	16 1.312e+005
2278	2801	2802	3434	3433	S355	16 1.312e+005
2279	2802	2803	3435	3434	S355	16 1.312e+005
2280	2803	2804	3436	3435	S355	16 1.312e+005
2281	2804	2805	3437	3436	S355	18 1.312e+005
2282	2805	2806	3438	3437	S355	18 1.312e+005
2283	2806	2807	3439	3438	S355	18 1.312e+005
2284	2807	2728	2908	3439	S355	18 1.312e+005
2285	2702	2808	3440	2929	S355	16 1.295e+005
2286	2808	2809	3441	3440	S355	16 1.295e+005
2287	2809	2810	3442	3441	S355	16 1.295e+005
2288	2810	2811	3443	3442	S355	16 1.295e+005
2289	2811	2812	3444	3443	S355	16 1.295e+005
2290	2812	2813	3445	3444	S355	16 1.295e+005
2291	2813	2814	3446	3445	S355	16 1.295e+005
2292	2814	2815	2930	3446	S355	16 1.293e+005
2293	2815	2816	3447	2930	S355	16 1.289e+005
2294	2816	2817	3448	3447	S355	16 1.288e+005
2295	2817	2818	3449	3448	S355	16 1.288e+005
2296	2818	2819	3450	3449	S355	16 1.288e+005
2297	2819	2820	3451	3450	S355	18 1.288e+005
2298	2820	2821	3452	3451	S355	18 1.288e+005
2299	2821	2822	3453	3452	S355	18 1.288e+005
2300	2822	2823	2931	3453	S355	18 1.288e+005
2301	2824	2825	3454	2920	S355	14 1.328e+005
2302	2825	2826	3455	3454	S355	14 1.328e+005
2303	2826	2827	3456	3455	S355	14 1.328e+005
2304	2827	2828	3457	3456	S355	14 1.328e+005
2305	2828	2829	3458	3457	S355	14 1.328e+005
2306	2829	2830	3459	3458	S355	14 1.328e+005
2307	2830	2831	3460	3459	S355	14 1.328e+005
2308	2831	2677	2922	3460	S355	14 1.328e+005
2309	2832	2833	3461	2965	S355	18 1.271e+005
2310	2833	2834	3462	3461	S355	18 1.275e+005
2311	2834	2835	3463	3462	S355	18 1.275e+005
2312	2835	2836	3464	3463	S355	18 1.275e+005
2313	2836	2837	3465	3464	S355	18 1.275e+005
2314	2837	2838	3466	3465	S355	18 1.275e+005
2315	2838	2839	3467	3466	S355	18 1.275e+005
2316	2839	2840	2932	3467	S355	18 1.275e+005
2317	2727	2841	3468	2914	S355	16 1.279e+005
2318	2841	2842	3469	3468	S355	16 1.32e+005
2319	2842	2843	3470	3469	S355	16 1.32e+005
2320	2843	2844	3471	3470	S355	16 1.32e+005
2321	2844	2845	3472	3471	S355	16 1.32e+005
2322	2845	2846	3473	3472	S355	16 1.32e+005
2323	2846	2847	3474	3473	S355	16 1.32e+005
2324	2847	2769	2916	3474	S355	16 1.32e+005
2325	2768	2848	3475	2938	S355	14 1.271e+005
2326	2848	2849	3476	3475	S355	14 1.272e+005
2327	2849	2850	3477	3476	S355	14 1.272e+005
2328	2850	2851	3478	3477	S355	14 1.272e+005
2329	2851	2852	3479	3478	S355	16 1.272e+005
2330	2852	2853	3480	3479	S355	16 1.272e+005
2331	2853	2854	3481	3480	S355	16 1.272e+005
2332	2854	2737	2939	3481	S355	16 1.272e+005
2333	2823	2855	3482	2931	S355	18 1.306e+005
2334	2855	2856	3483	3482	S355	18 1.305e+005
2335	2856	2857	3484	3483	S355	18 1.305e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
2336	2857	2858	3485	3484	S355	18 1.305e+005
2337	2858	2859	3486	3485	S355	18 1.305e+005
2338	2859	2860	3487	3486	S355	18 1.305e+005
2339	2860	2861	3488	3487	S355	18 1.305e+005
2340	2861	2832	2965	3488	S355	18 1.309e+005
2341	2777	2862	3489	2918	S355	14 1.319e+005
2342	2862	2863	3490	3489	S355	14 1.319e+005
2343	2863	2864	3491	3490	S355	14 1.319e+005
2344	2864	2865	3492	3491	S355	14 1.319e+005
2345	2865	2866	3493	3492	S355	14 1.319e+005
2346	2866	2867	3494	3493	S355	14 1.319e+005
2347	2867	2868	3495	3494	S355	14 1.319e+005
2348	2868	2824	2920	3495	S355	14 1.319e+005
2349	2840	2869	3496	2932	S355	18 1.299e+005
2350	2869	2870	3497	3496	S355	18 1.299e+005
2351	2870	2871	3498	3497	S355	18 1.299e+005
2352	2871	2872	3499	3498	S355	18 1.299e+005
2353	2872	2873	3500	3499	S355	16 1.299e+005
2354	2873	2874	3501	3500	S355	16 1.299e+005
2355	2874	2875	3502	3501	S355	16 1.299e+005
2356	2875	2711	2933	3502	S355	16 1.191e+005
2357	2979	2980	3503	3504	S355	16 1.293e+005
2358	2981	2982	3505	3506	S355	16 1.293e+005
2359	2647	3216	3507	3304	S355	14 1.293e+005
2360	3216	3217	3508	3507	S355	14 1.293e+005
2361	3217	2979	3504	3508	S355	14 1.293e+005
2362	2648	3218	3509	3305	S355	14 1.293e+005
2363	3218	3219	3510	3509	S355	14 1.293e+005
2364	3219	2981	3506	3510	S355	14 1.293e+005
2365	2980	3220	3511	3503	S355	16 1.293e+005
2366	3220	3221	3512	3511	S355	16 1.293e+005
2367	3221	2651	2902	3512	S355	16 1.293e+005
2368	2982	3222	3513	3505	S355	16 1.293e+005
2369	3222	3223	3514	3513	S355	16 1.293e+005
2370	3223	2694	2928	3514	S355	16 1.293e+005
2371	69	3304	10745	10604	S355	14 2.561e+005
2372	67	3305	10748	10625	S355	14 2.561e+005
2373	2976	3306	10751	10742	S355	16 3.09e+005
2374	2902	3307	10755	10754	S355	16 2.575e+005
2375	3307	3308	10760	10755	S355	16 2.575e+005
2376	3308	3309	10763	10760	S355	16 2.575e+005
2377	3309	3310	10766	10763	S355	16 2.575e+005
2378	3310	3311	10769	10766	S355	16 2.575e+005
2379	3311	3312	10772	10769	S355	16 2.575e+005
2380	3312	3313	10775	10772	S355	16 2.575e+005
2381	3313	2904	10778	10775	S355	16 2.575e+005
2382	2926	3314	10782	10781	S355	16 2.782e+005
2383	3314	3315	10787	10782	S355	16 2.782e+005
2384	3315	3316	10790	10787	S355	16 2.782e+005
2387	3318	3319	10794	10793	S355	16 2.782e+005
2388	3319	3320	10799	10794	S355	16 2.782e+005
2389	3320	2976	10742	10799	S355	16 2.782e+005
2390	2935	3321	10803	10802	S355	16 2.548e+005
2391	3321	3322	10808	10803	S355	16 2.548e+005
2392	3322	3323	10811	10808	S355	16 2.548e+005
2393	3323	3324	10814	10811	S355	16 2.548e+005
2394	3324	3325	10817	10814	S355	14 2.548e+005
2395	3325	3326	10820	10817	S355	14 2.548e+005
2396	3326	3327	10823	10820	S355	14 2.548e+005
2397	3327	2936	10826	10823	S355	14 2.547e+005
2398	2922	3328	10830	10829	S355	14 2.629e+005
2399	3328	3329	10835	10830	S355	14 2.629e+005
2400	3329	3330	10838	10835	S355	14 2.629e+005
2401	3330	3331	10841	10838	S355	14 2.629e+005
2402	3331	3332	10844	10841	S355	16 2.629e+005
2403	3332	3333	10847	10844	S355	16 2.629e+005


PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	
2404	3333	3334	10850	10847	S355	16	2.629e+005
2405	3334	2924	10853	10850	S355	16	2.629e+005
2406	2934	3335	10857	10856	S355	16	2.547e+005
2407	3335	3336	10862	10857	S355	16	2.547e+005
2408	3336	3337	10865	10862	S355	16	2.547e+005
2409	3337	3338	10868	10865	S355	16	2.547e+005
2410	3338	3339	10871	10868	S355	16	2.547e+005
2411	3339	3340	10874	10871	S355	16	2.547e+005
2412	3340	3341	10877	10874	S355	16	2.547e+005
2413	3341	2935	10802	10877	S355	16	2.547e+005
2414	2928	3342	10881	10880	S355	16	2.722e+005
2415	3342	3343	10886	10881	S355	16	2.554e+005
2416	3343	3344	10889	10886	S355	16	2.554e+005
2417	3344	3345	10892	10889	S355	16	2.554e+005
2418	3345	3346	10895	10892	S355	16	2.554e+005
2419	3346	3347	10898	10895	S355	16	2.554e+005
2420	3347	3348	10901	10898	S355	16	2.554e+005
2421	3348	2929	10904	10901	S355	16	2.554e+005
2422	2936	3349	10907	10826	S355	14	2.538e+005
2423	3349	3350	10910	10907	S355	14	2.538e+005
2424	3350	3351	10913	10910	S355	14	2.538e+005
2425	3351	3352	10916	10913	S355	14	2.538e+005
2426	3352	3353	10919	10916	S355	14	2.538e+005
2427	3353	3354	10922	10919	S355	14	2.538e+005
2428	3354	3355	10925	10922	S355	14	2.538e+005
2429	3355	2937	10928	10925	S355	14	2.538e+005
2430	2933	3356	10932	10931	S355	16	2.734e+005
2431	3356	3357	10937	10932	S355	16	2.52e+005
2432	3357	3358	10940	10937	S355	16	2.52e+005
2433	3358	3359	10943	10940	S355	16	2.52e+005
2434	3359	3360	10946	10943	S355	16	2.52e+005
2435	3360	3361	10949	10946	S355	16	2.52e+005
2436	3361	3362	10952	10949	S355	16	2.52e+005
2437	3362	2934	10856	10952	S355	16	2.52e+005
2438	2912	3363	10956	10955	S355	16	2.449e+005
2439	3363	3364	10961	10956	S355	16	2.615e+005
2440	3364	3365	10964	10961	S355	16	2.615e+005
2441	3365	3366	10967	10964	S355	16	2.615e+005
2442	3366	3367	10970	10967	S355	16	2.615e+005
2443	3367	3368	10973	10970	S355	16	2.615e+005
2444	3368	3369	10976	10973	S355	16	2.615e+005
2445	3369	2914	10979	10976	S355	16	2.697e+005
2446	2908	3370	10983	10982	S355	18	2.564e+005
2447	3370	3371	10988	10983	S355	18	2.564e+005
2448	3371	3372	10991	10988	S355	18	2.564e+005
2449	3372	3373	10994	10991	S355	18	2.564e+005
2450	3373	3374	10997	10994	S355	18	2.564e+005
2451	3374	3375	11000	10997	S355	18	2.564e+005
2452	3375	3376	11003	11000	S355	18	2.564e+005
2453	3376	2964	10715	11003	S355	18	2.564e+005
2454	2939	3377	11007	11006	S355	16	2.517e+005
2455	3377	3378	11012	11007	S355	16	2.517e+005
2456	3378	3379	11015	11012	S355	16	2.517e+005
2457	3379	3380	11018	11015	S355	16	2.517e+005
2458	3380	3381	11021	11018	S355	16	2.517e+005
2459	3381	3382	11024	11021	S355	16	2.517e+005
2460	3382	3383	11027	11024	S355	16	2.517e+005
2461	3383	2940	11030	11027	S355	16	2.517e+005
2462	2924	3384	11033	10853	S355	16	2.631e+005
2463	3384	3385	11036	11033	S355	16	2.63e+005
2464	3385	3386	11039	11036	S355	16	2.631e+005
2465	3386	3387	11042	11039	S355	16	2.63e+005
2466	3387	3388	11045	11042	S355	16	2.631e+005
2467	3388	3389	11048	11045	S355	16	2.631e+005
2468	3389	3390	11051	11048	S355	16	2.63e+005
2469	3390	2926	10781	11051	S355	16	2.631e+005

PROJECT TITLE :


	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
2470	2904	3391	11054	10778	S355	16 2.586e+005
2471	3391	3392	11057	11054	S355	16 2.586e+005
2472	3392	3393	11060	11057	S355	16 2.586e+005
2473	3393	3394	11063	11060	S355	16 2.586e+005
2474	3394	3395	11066	11063	S355	16 2.586e+005
2475	3395	3396	11069	11066	S355	16 2.586e+005
2476	3396	3397	11072	11069	S355	16 2.586e+005
2477	3397	2906	11075	11072	S355	16 2.586e+005
2478	2937	3398	11078	10928	S355	14 2.519e+005
2479	3398	3399	11081	11078	S355	14 2.519e+005
2480	3399	3400	11084	11081	S355	14 2.519e+005
2481	3400	3401	11087	11084	S355	14 2.519e+005
2482	3401	3402	11090	11087	S355	14 2.519e+005
2483	3402	3403	11093	11090	S355	14 2.519e+005
2484	3403	3404	11096	11093	S355	14 2.519e+005
2485	3404	2938	11099	11096	S355	14 2.519e+005
2486	2916	3405	11103	11102	S355	16 2.604e+005
2487	3405	3406	11108	11103	S355	16 2.604e+005
2488	3406	3407	11111	11108	S355	16 2.604e+005
2489	3407	3408	11114	11111	S355	16 2.604e+005
2490	3408	3409	11117	11114	S355	14 2.604e+005
2491	3409	3410	11120	11117	S355	14 2.604e+005
2492	3410	3411	11123	11120	S355	14 2.604e+005
2493	3411	2918	11126	11123	S355	14 2.604e+005
2494	2940	3412	11129	11030	S355	16 2.661e+005
2495	3412	3413	11132	11129	S355	16 2.661e+005
2496	3413	3414	11135	11132	S355	16 2.661e+005
2497	3414	3415	11138	11135	S355	16 2.661e+005
2498	3415	3416	11141	11138	S355	16 2.661e+005
2499	3416	3417	11144	11141	S355	16 2.661e+005
2500	3417	2977	10661	11144	S355	16 2.662e+005
2501	2977	3418	11147	10661	S355	16 3.195e+005
2502	2910	3419	11151	11150	S355	18 2.597e+005
2503	3419	3420	11156	11151	S355	18 2.597e+005
2504	3420	3421	11159	11156	S355	18 2.597e+005
2505	3421	3422	11162	11159	S355	18 2.597e+005
2506	3422	3423	11165	11162	S355	16 2.597e+005
2507	3423	3424	11168	11165	S355	16 2.597e+005
2508	3424	3425	11171	11168	S355	16 2.597e+005
2509	3425	2912	10955	11171	S355	16 2.645e+005
2510	2964	3426	11174	10715	S355	18 2.625e+005
2511	3426	3427	11177	11174	S355	18 2.625e+005
2512	3427	3428	11180	11177	S355	18 2.625e+005
2513	3428	3429	11183	11180	S355	18 2.625e+005
2514	3429	3430	11186	11183	S355	18 2.625e+005
2515	3430	3431	11189	11186	S355	18 2.625e+005
2516	3431	3432	11192	11189	S355	18 2.625e+005
2517	3432	2910	11150	11192	S355	18 2.625e+005
2518	2906	3433	11195	11075	S355	16 2.599e+005
2519	3433	3434	11198	11195	S355	16 2.599e+005
2520	3434	3435	11201	11198	S355	16 2.599e+005
2521	3435	3436	11204	11201	S355	16 2.599e+005
2522	3436	3437	11207	11204	S355	18 2.599e+005
2523	3437	3438	11210	11207	S355	18 2.599e+005
2524	3438	3439	11213	11210	S355	18 2.599e+005
2525	3439	2908	10982	11213	S355	18 2.599e+005
2526	2929	3440	11216	10904	S355	16 2.565e+005
2527	3440	3441	11219	11216	S355	16 2.564e+005
2528	3441	3442	11222	11219	S355	16 2.565e+005
2529	3442	3443	11225	11222	S355	16 2.565e+005
2530	3443	3444	11228	11225	S355	16 2.565e+005
2531	3444	3445	11231	11228	S355	16 2.564e+005
2532	3445	3446	11234	11231	S355	16 2.565e+005
2533	3446	2930	11237	11234	S355	16 2.562e+005
2534	2930	3447	11240	11237	S355	16 2.554e+005
2535	3447	3448	11243	11240	S355	16 2.551e+005

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	

2536	3448	3449	11246	11243	S355	16	2.551e+005
2537	3449	3450	11249	11246	S355	16	2.551e+005
2538	3450	3451	11252	11249	S355	18	2.551e+005
2539	3451	3452	11255	11252	S355	18	2.551e+005
2540	3452	3453	11258	11255	S355	18	2.551e+005
2541	3453	2931	11261	11258	S355	18	2.551e+005
2542	2920	3454	11265	11264	S355	14	2.631e+005
2543	3454	3455	11270	11265	S355	14	2.631e+005
2544	3455	3456	11273	11270	S355	14	2.631e+005
2545	3456	3457	11276	11273	S355	14	2.631e+005
2546	3457	3458	11279	11276	S355	14	2.631e+005
2547	3458	3459	11282	11279	S355	14	2.631e+005
2548	3459	3460	11285	11282	S355	14	2.631e+005
2549	3460	2922	10829	11285	S355	14	2.631e+005
2550	2965	3461	11288	10655	S355	18	2.518e+005
2551	3461	3462	11291	11288	S355	18	2.525e+005
2552	3462	3463	11294	11291	S355	18	2.525e+005
2553	3463	3464	11297	11294	S355	18	2.525e+005
2554	3464	3465	11300	11297	S355	18	2.525e+005
2555	3465	3466	11303	11300	S355	18	2.525e+005
2556	3466	3467	11306	11303	S355	18	2.525e+005
2557	3467	2932	11309	11306	S355	18	2.525e+005
2558	2914	3468	11312	10979	S355	16	2.533e+005
2559	3468	3469	11315	11312	S355	16	2.615e+005
2560	3469	3470	11318	11315	S355	16	2.615e+005
2561	3470	3471	11321	11318	S355	16	2.615e+005
2562	3471	3472	11324	11321	S355	16	2.615e+005
2563	3472	3473	11327	11324	S355	16	2.615e+005
2564	3473	3474	11330	11327	S355	16	2.615e+005
2565	3474	2916	11102	11330	S355	16	2.615e+005
2566	2938	3475	11333	11099	S355	14	2.519e+005
2567	3475	3476	11336	11333	S355	14	2.519e+005
2568	3476	3477	11339	11336	S355	14	2.519e+005
2569	3477	3478	11342	11339	S355	14	2.519e+005
2570	3478	3479	11345	11342	S355	16	2.519e+005
2571	3479	3480	11348	11345	S355	16	2.519e+005
2572	3480	3481	11351	11348	S355	16	2.519e+005
2573	3481	2939	11006	11351	S355	16	2.519e+005
2574	2931	3482	11354	11261	S355	18	2.586e+005
2575	3482	3483	11357	11354	S355	18	2.586e+005
2576	3483	3484	11360	11357	S355	18	2.586e+005
2577	3484	3485	11363	11360	S355	18	2.586e+005
2578	3485	3486	11366	11363	S355	18	2.586e+005
2579	3486	3487	11369	11366	S355	18	2.586e+005
2580	3487	3488	11372	11369	S355	18	2.586e+005
2581	3488	2965	10655	11372	S355	18	2.593e+005
2582	2918	3489	11375	11126	S355	14	2.613e+005
2583	3489	3490	11378	11375	S355	14	2.613e+005
2584	3490	3491	11381	11378	S355	14	2.613e+005
2585	3491	3492	11384	11381	S355	14	2.613e+005
2586	3492	3493	11387	11384	S355	14	2.613e+005
2587	3493	3494	11390	11387	S355	14	2.613e+005
2588	3494	3495	11393	11390	S355	14	2.613e+005
2589	3495	2920	11264	11393	S355	14	2.613e+005
2590	2932	3496	11396	11309	S355	18	2.573e+005
2591	3496	3497	11399	11396	S355	18	2.573e+005
2592	3497	3498	11402	11399	S355	18	2.573e+005
2593	3498	3499	11405	11402	S355	18	2.573e+005
2594	3499	3500	11408	11405	S355	16	2.573e+005
2595	3500	3501	11411	11408	S355	16	2.573e+005
2596	3501	3502	11414	11411	S355	16	2.573e+005
2597	3502	2933	10931	11414	S355	16	2.359e+005
2598	3504	3503	11418	11417	S355	16	2.561e+005
2599	3506	3505	11424	11423	S355	16	2.561e+005
2600	3304	3507	11429	10745	S355	14	2.561e+005
2601	3507	3508	11432	11429	S355	14	2.561e+005

PROJECT TITLE :


	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
2602	3508	3504	11417	11432	S355	14 2.561e+005
2603	3305	3509	11435	10748	S355	14 2.561e+005
2604	3509	3510	11438	11435	S355	14 2.561e+005
2605	3510	3506	11423	11438	S355	14 2.561e+005
2606	3503	3511	11441	11418	S355	16 2.561e+005
2607	3511	3512	11444	11441	S355	16 2.561e+005
2608	3512	2902	10754	11444	S355	16 2.561e+005
2609	3505	3513	11447	11424	S355	16 2.561e+005
2610	3513	3514	11450	11447	S355	16 2.561e+005
2611	3514	2928	10880	11450	S355	16 2.561e+005
2612	71	3515	3210	74	S355	14 8.951e+004
2613	70	3516	3211	73	S355	14 8.951e+004
2614	2958	3517	2984	2983	S355	16 1.08e+005
2615	2876	3518	2986	2985	S355	16 9e+004
2616	3518	3519	2987	2986	S355	16 9e+004
2617	3519	3520	2988	2987	S355	16 9e+004
2618	3520	3521	2989	2988	S355	16 9e+004
2619	3521	3522	2990	2989	S355	16 9e+004
2620	3522	3523	2991	2990	S355	16 9e+004
2621	3523	3524	2992	2991	S355	16 9e+004
2622	3524	2878	2993	2992	S355	16 9e+004
2623	2900	3525	2995	2994	S355	16 9.723e+004
2624	3525	3526	2996	2995	S355	16 9.723e+004
2625	3526	3527	2997	2996	S355	16 9.723e+004
2628	3529	3530	3000	2999	S355	16 9.723e+004
2629	3530	3531	3001	3000	S355	16 9.723e+004
2630	3531	2958	2983	3001	S355	16 9.723e+004
2631	2891	3532	3003	3002	S355	16 8.904e+004
2632	3532	3533	3004	3003	S355	16 8.904e+004
2633	3533	3534	3005	3004	S355	16 8.904e+004
2634	3534	3535	3006	3005	S355	16 8.904e+004
2635	3535	3536	3007	3006	S355	14 8.904e+004
2636	3536	3537	3008	3007	S355	14 8.904e+004
2637	3537	3538	3009	3008	S355	14 8.904e+004
2638	3538	2893	3010	3009	S355	14 8.904e+004
2639	2896	3539	3012	3011	S355	14 9.189e+004
2640	3539	3540	3013	3012	S355	14 9.189e+004
2641	3540	3541	3014	3013	S355	14 9.189e+004
2642	3541	3542	3015	3014	S355	14 9.189e+004
2643	3542	3543	3016	3015	S355	16 9.189e+004
2644	3543	3544	3017	3016	S355	16 9.189e+004
2645	3544	3545	3018	3017	S355	16 9.189e+004
2646	3545	2898	3019	3018	S355	16 9.189e+004
2647	2889	3546	3021	3020	S355	16 8.903e+004
2648	3546	3547	3022	3021	S355	16 8.903e+004
2649	3547	3548	3023	3022	S355	16 8.903e+004
2650	3548	3549	3024	3023	S355	16 8.903e+004
2651	3549	3550	3025	3024	S355	16 8.903e+004
2652	3550	3551	3026	3025	S355	16 8.903e+004
2653	3551	3552	3027	3026	S355	16 8.903e+004
2654	3552	2891	3002	3027	S355	16 8.903e+004
2655	2877	3553	3029	3028	S355	16 9.512e+004
2656	3553	3554	3030	3029	S355	16 8.927e+004
2657	3554	3555	3031	3030	S355	16 8.927e+004
2658	3555	3556	3032	3031	S355	16 8.927e+004
2659	3556	3557	3033	3032	S355	16 8.927e+004
2660	3557	3558	3034	3033	S355	16 8.927e+004
2661	3558	3559	3035	3034	S355	16 8.927e+004
2662	3559	2879	3036	3035	S355	16 8.925e+004
2663	2893	3560	3037	3010	S355	14 8.872e+004
2664	3560	3561	3038	3037	S355	14 8.872e+004
2665	3561	3562	3039	3038	S355	14 8.872e+004
2666	3562	3563	3040	3039	S355	14 8.872e+004
2667	3563	3564	3041	3040	S355	14 8.872e+004
2668	3564	3565	3042	3041	S355	14 8.872e+004
2669	3565	3566	3043	3042	S355	14 8.872e+004

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	

2670	3566	2895	3044	3043	S355	14	8.872e+004
2671	2887	3567	3046	3045	S355	16	9.557e+004
2672	3567	3568	3047	3046	S355	16	8.809e+004
2673	3568	3569	3048	3047	S355	16	8.808e+004
2674	3569	3570	3049	3048	S355	16	8.808e+004
2675	3570	3571	3050	3049	S355	16	8.809e+004
2676	3571	3572	3051	3050	S355	16	8.809e+004
2677	3572	3573	3052	3051	S355	16	8.809e+004
2678	3573	2889	3020	3052	S355	16	8.808e+004
2679	2886	3574	3054	3053	S355	16	8.56e+004
2680	3574	3575	3055	3054	S355	16	9.14e+004
2681	3575	3576	3056	3055	S355	16	9.14e+004
2682	3576	3577	3057	3056	S355	16	9.14e+004
2683	3577	3578	3058	3057	S355	16	9.14e+004
2684	3578	3579	3059	3058	S355	16	9.14e+004
2685	3579	3580	3060	3059	S355	16	9.14e+004
2686	3580	2888	3061	3060	S355	16	9.426e+004
2687	2882	3581	3063	3062	S355	18	8.96e+004
2688	3581	3582	3064	3063	S355	18	8.96e+004
2689	3582	3583	3065	3064	S355	18	8.96e+004
2690	3583	3584	3066	3065	S355	18	8.96e+004
2691	3584	3585	3067	3066	S355	18	8.96e+004
2692	3585	3586	3068	3067	S355	18	8.96e+004
2693	3586	3587	3069	3068	S355	18	8.96e+004
2694	3587	2946	3070	3069	S355	18	8.96e+004
2695	2899	3588	3072	3071	S355	16	8.798e+004
2696	3588	3589	3073	3072	S355	16	8.798e+004
2697	3589	3590	3074	3073	S355	16	8.798e+004
2698	3590	3591	3075	3074	S355	16	8.798e+004
2699	3591	3592	3076	3075	S355	16	8.798e+004
2700	3592	3593	3077	3076	S355	16	8.798e+004
2701	3593	3594	3078	3077	S355	16	8.798e+004
2702	3594	2901	3079	3078	S355	16	8.798e+004
2703	2898	3595	3080	3019	S355	16	9.194e+004
2704	3595	3596	3081	3080	S355	16	9.194e+004
2705	3596	3597	3082	3081	S355	16	9.194e+004
2706	3597	3598	3083	3082	S355	16	9.194e+004
2707	3598	3599	3084	3083	S355	16	9.194e+004
2708	3599	3600	3085	3084	S355	16	9.194e+004
2709	3600	3601	3086	3085	S355	16	9.194e+004
2710	3601	2900	2994	3086	S355	16	9.194e+004
2711	2878	3602	3087	2993	S355	16	9.038e+004
2712	3602	3603	3088	3087	S355	16	9.038e+004
2713	3603	3604	3089	3088	S355	16	9.038e+004
2714	3604	3605	3090	3089	S355	16	9.038e+004
2715	3605	3606	3091	3090	S355	16	9.038e+004
2716	3606	3607	3092	3091	S355	16	9.038e+004
2717	3607	3608	3093	3092	S355	16	9.038e+004
2718	3608	2880	3094	3093	S355	16	9.038e+004
2719	2895	3609	3095	3044	S355	14	8.803e+004
2720	3609	3610	3096	3095	S355	14	8.803e+004
2721	3610	3611	3097	3096	S355	14	8.803e+004
2722	3611	3612	3098	3097	S355	14	8.803e+004
2723	3612	3613	3099	3098	S355	14	8.803e+004
2724	3613	3614	3100	3099	S355	14	8.803e+004
2725	3614	3615	3101	3100	S355	14	8.803e+004
2726	3615	2897	3102	3101	S355	14	8.803e+004
2727	2890	3616	3104	3103	S355	16	9.102e+004
2728	3616	3617	3105	3104	S355	16	9.102e+004
2729	3617	3618	3106	3105	S355	16	9.102e+004
2730	3618	3619	3107	3106	S355	16	9.102e+004
2731	3619	3620	3108	3107	S355	14	9.102e+004
2732	3620	3621	3109	3108	S355	14	9.102e+004
2733	3621	3622	3110	3109	S355	14	9.102e+004
2734	3622	2892	3111	3110	S355	14	9.102e+004
2735	2901	3623	3112	3079	S355	16	9.302e+004


PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	
2736	3623	3624	3113	3112	S355	16	9.302e+004
2737	3624	3625	3114	3113	S355	16	9.302e+004
2738	3625	3626	3115	3114	S355	16	9.302e+004
2739	3626	3627	3116	3115	S355	16	9.302e+004
2740	3627	3628	3117	3116	S355	16	9.302e+004
2741	3628	2959	3118	3117	S355	16	9.304e+004
2742	2959	3629	3119	3118	S355	16	1.117e+005
2743	2884	3630	3121	3120	S355	18	9.078e+004
2744	3630	3631	3122	3121	S355	18	9.078e+004
2745	3631	3632	3123	3122	S355	18	9.078e+004
2746	3632	3633	3124	3123	S355	18	9.078e+004
2747	3633	3634	3125	3124	S355	16	9.077e+004
2748	3634	3635	3126	3125	S355	16	9.078e+004
2749	3635	3636	3127	3126	S355	16	9.078e+004
2750	3636	2886	3053	3127	S355	16	9.245e+004
2751	2946	3637	3128	3070	S355	18	9.174e+004
2752	3637	3638	3129	3128	S355	18	9.174e+004
2753	3638	3639	3130	3129	S355	18	9.174e+004
2754	3639	3640	3131	3130	S355	18	9.174e+004
2755	3640	3641	3132	3131	S355	18	9.174e+004
2756	3641	3642	3133	3132	S355	18	9.174e+004
2757	3642	3643	3134	3133	S355	18	9.174e+004
2758	3643	2884	3120	3134	S355	18	9.174e+004
2759	2880	3644	3135	3094	S355	16	9.082e+004
2760	3644	3645	3136	3135	S355	16	9.082e+004
2761	3645	3646	3137	3136	S355	16	9.082e+004
2762	3646	3647	3138	3137	S355	16	9.082e+004
2763	3647	3648	3139	3138	S355	18	9.082e+004
2764	3648	3649	3140	3139	S355	18	9.082e+004
2765	3649	3650	3141	3140	S355	18	9.082e+004
2766	3650	2882	3062	3141	S355	18	9.082e+004
2767	2879	3651	3142	3036	S355	16	8.965e+004
2768	3651	3652	3143	3142	S355	16	8.963e+004
2769	3652	3653	3144	3143	S355	16	8.963e+004
2770	3653	3654	3145	3144	S355	16	8.963e+004
2771	3654	3655	3146	3145	S355	16	8.963e+004
2772	3655	3656	3147	3146	S355	16	8.963e+004
2773	3656	3657	3148	3147	S355	16	8.963e+004
2774	3657	2881	3149	3148	S355	16	8.954e+004
2775	2881	3658	3150	3149	S355	16	8.927e+004
2776	3658	3659	3151	3150	S355	16	8.917e+004
2777	3659	3660	3152	3151	S355	16	8.918e+004
2778	3660	3661	3153	3152	S355	16	8.917e+004
2779	3661	3662	3154	3153	S355	18	8.918e+004
2780	3662	3663	3155	3154	S355	18	8.918e+004
2781	3663	3664	3156	3155	S355	18	8.917e+004
2782	3664	2883	3157	3156	S355	18	8.916e+004
2783	2894	3665	3159	3158	S355	14	9.194e+004
2784	3665	3666	3160	3159	S355	14	9.194e+004
2785	3666	3667	3161	3160	S355	14	9.194e+004
2786	3667	3668	3162	3161	S355	14	9.194e+004
2787	3668	3669	3163	3162	S355	14	9.194e+004
2788	3669	3670	3164	3163	S355	14	9.194e+004
2789	3670	3671	3165	3164	S355	14	9.194e+004
2790	3671	2896	3011	3165	S355	14	9.194e+004
2791	2947	3672	3167	3166	S355	18	8.801e+004
2792	3672	3673	3168	3167	S355	18	8.826e+004
2793	3673	3674	3169	3168	S355	18	8.826e+004
2794	3674	3675	3170	3169	S355	18	8.826e+004
2795	3675	3676	3171	3170	S355	18	8.826e+004
2796	3676	3677	3172	3171	S355	18	8.826e+004
2797	3677	3678	3173	3172	S355	18	8.826e+004
2798	3678	2885	3174	3173	S355	18	8.826e+004
2799	2888	3679	3175	3061	S355	16	8.854e+004
2800	3679	3680	3176	3175	S355	16	9.14e+004
2801	3680	3681	3177	3176	S355	16	9.14e+004


PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D		
2802	3681	3682	3178	3177	S355	16	9.14e+004	
2803	3682	3683	3179	3178	S355	16	9.14e+004	
2804	3683	3684	3180	3179	S355	16	9.14e+004	
2805	3684	3685	3181	3180	S355	16	9.14e+004	
2806	3685	2890	3103	3181	S355	16	9.14e+004	
2807	2897	3686	3182	3102	S355	14	8.803e+004	
2808	3686	3687	3183	3182	S355	14	8.803e+004	
2809	3687	3688	3184	3183	S355	14	8.803e+004	
2810	3688	3689	3185	3184	S355	14	8.803e+004	
2811	3689	3690	3186	3185	S355	16	8.803e+004	
2812	3690	3691	3187	3186	S355	16	8.803e+004	
2813	3691	3692	3188	3187	S355	16	8.803e+004	
2814	3692	2899	3071	3188	S355	16	8.803e+004	
2815	2883	3693	3189	3157	S355	18	9.039e+004	
2816	3693	3694	3190	3189	S355	18	9.037e+004	
2817	3694	3695	3191	3190	S355	18	9.038e+004	
2818	3695	3696	3192	3191	S355	18	9.038e+004	
2819	3696	3697	3193	3192	S355	18	9.038e+004	
2820	3697	3698	3194	3193	S355	18	9.038e+004	
2821	3698	3699	3195	3194	S355	18	9.038e+004	
2822	3699	2947	3166	3195	S355	18	9.063e+004	
2823	2892	3700	3196	3111	S355	14	9.134e+004	
2824	3700	3701	3197	3196	S355	14	9.134e+004	
2825	3701	3702	3198	3197	S355	14	9.134e+004	
2826	3702	3703	3199	3198	S355	14	9.134e+004	
2827	3703	3704	3200	3199	S355	14	9.134e+004	
2828	3704	3705	3201	3200	S355	14	9.134e+004	
2829	3705	3706	3202	3201	S355	14	9.134e+004	
2830	3706	2894	3158	3202	S355	14	9.134e+004	
2831	2885	3707	3203	3174	S355	18	8.994e+004	
2832	3707	3708	3204	3203	S355	18	8.994e+004	
2833	3708	3709	3205	3204	S355	18	8.994e+004	
2834	3709	3710	3206	3205	S355	18	8.994e+004	
2835	3710	3711	3207	3206	S355	16	8.994e+004	
2836	3711	3712	3208	3207	S355	16	8.995e+004	
2837	3712	3713	3209	3208	S355	16	8.994e+004	
2838	3713	2887	3045	3209	S355	16	8.246e+004	
2839	3715	3714	3213	3212	S355	16	8.951e+004	
2840	3717	3716	3215	3214	S355	16	8.951e+004	
2841	3515	3718	3224	3210	S355	14	8.951e+004	
2842	3718	3719	3225	3224	S355	14	8.951e+004	
2843	3719	3715	3212	3225	S355	14	8.951e+004	
2844	3516	3720	3226	3211	S355	14	8.951e+004	
2845	3720	3721	3227	3226	S355	14	8.951e+004	
2846	3721	3717	3214	3227	S355	14	8.951e+004	
2847	3714	3722	3228	3213	S355	16	8.951e+004	
2848	3722	3723	3229	3228	S355	16	8.951e+004	
2849	3723	2876	2985	3229	S355	16	8.951e+004	
2850	3716	3724	3230	3215	S355	16	8.951e+004	
2851	3724	3725	3231	3230	S355	16	8.951e+004	
2852	3725	2877	3028	3231	S355	16	8.951e+004	
3201	4543	4544	7037	7036	C35/45	240	2.417e+005	
3202	4542	4543	7036	7038	C35/45	240	2.415e+005	
3203	4541	4542	7038	7039	C35/45	240	2.415e+005	
3204	4540	4541	7039	7040	C35/45	240	2.415e+005	
3205	4539	4540	7040	4248	C35/45	240	2.415e+005	
3206	4538	4539	4248	4247	C35/45	240	2.425e+005	
3207	4537	4538	4247	4246	C35/45	240	2.43e+005	
3208	4536	4537	4246	4245	C35/45	240	2.428e+005	
3209	4535	4536	4245	4244	C35/45	240	2.43e+005	
3210	4534	4535	4244	4243	C35/45	240	2.43e+005	
3211	4533	4534	4243	4242	C35/45	240	2.43e+005	
3212	4532	4533	4242	4241	C35/45	240	2.43e+005	
3213	4531	4532	4241	4240	C35/45	240	2.43e+005	
3214	4530	4531	4240	4239	C35/45	240	2.43e+005	
3215	4529	4530	4239	4238	C35/45	240	2.43e+005	

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	
3216	4528	4529	4238	4237	C35/45	240	2.43e+005
3217	4527	4528	4237	4236	C35/45	240	2.43e+005
3218	4526	4527	4236	4235	C35/45	240	2.43e+005
3219	4525	4526	4235	4234	C35/45	240	2.43e+005
3220	4524	4525	4234	4233	C35/45	240	2.43e+005
3221	4523	4524	4233	4232	C35/45	240	2.43e+005
3222	4522	4523	4232	4231	C35/45	240	2.43e+005
3223	4521	4522	4231	4230	C35/45	240	2.43e+005
3224	4520	4521	4230	4229	C35/45	240	2.43e+005
3225	4519	4520	4229	4228	C35/45	240	2.43e+005
3226	4518	4519	4228	4227	C35/45	240	2.43e+005
3227	4517	4518	4227	4226	C35/45	240	2.43e+005
3228	4516	4517	4226	4225	C35/45	240	2.43e+005
3229	4515	4516	4225	4224	C35/45	240	2.43e+005
3230	4514	4515	4224	4223	C35/45	240	2.43e+005
3231	4513	4514	4223	4222	C35/45	240	2.43e+005
3232	4512	4513	4222	4221	C35/45	240	2.43e+005
3233	4511	4512	4221	4220	C35/45	240	2.43e+005
3234	4510	4511	4220	4219	C35/45	240	2.43e+005
3235	4509	4510	4219	7041	C35/45	240	2.433e+005
3236	4508	4509	7041	7042	C35/45	240	2.445e+005
3237	4507	4508	7042	7043	C35/45	240	2.457e+005
3238	4506	4507	7043	7044	C35/45	240	2.53e+005
3239	4505	4506	7044	7045	C35/45	240	2.543e+005
3240	4504	4505	7045	7046	C35/45	240	2.543e+005
3241	4503	4504	7046	7047	C35/45	240	2.522e+005
3242	4502	4503	7047	7048	C35/45	240	2.5e+005
3243	4501	4502	7048	2639	C35/45	240	2.472e+005
3244	2639	7048	7049	2640	C35/45	240	2.446e+005
3245	2640	7049	7050	2641	C35/45	240	2.419e+005
3246	2641	7050	7051	2642	C35/45	240	2.402e+005
3247	2642	7051	7052	2643	C35/45	240	2.393e+005
3248	2643	7052	7053	2644	C35/45	240	2.388e+005
3249	2644	7053	7054	2645	C35/45	240	2.39e+005
3250	2645	7054	7055	2646	C35/45	240	2.41e+005
3251	2646	7055	7056	2638	C35/45	240	2.441e+005
3252	2638	7056	4662	4661	C35/45	240	2.474e+005
3253	7056	7057	4663	4662	C35/45	240	2.5e+005
3254	7057	7058	4664	4663	C35/45	240	2.522e+005
3255	7058	7059	4665	4664	C35/45	240	2.532e+005
3256	7059	7060	4666	4665	C35/45	240	2.532e+005
3257	7060	7061	4667	4666	C35/45	240	2.52e+005
3258	7061	7062	4668	4667	C35/45	240	2.455e+005
3259	7062	7063	4669	4668	C35/45	240	2.442e+005
3260	7063	4195	4670	4669	C35/45	240	2.435e+005
3261	4195	4194	4671	4670	C35/45	240	2.43e+005
3262	4194	4193	4672	4671	C35/45	240	2.43e+005
3263	4193	4192	4673	4672	C35/45	240	2.43e+005
3264	4192	4191	4674	4673	C35/45	240	2.43e+005
3265	4191	4190	4675	4674	C35/45	240	2.43e+005
3266	4190	4189	4676	4675	C35/45	240	2.43e+005
3267	4189	4188	4677	4676	C35/45	240	2.43e+005
3268	4188	4187	4678	4677	C35/45	240	2.43e+005
3269	4187	4186	4679	4678	C35/45	240	2.43e+005
3270	4186	4185	4680	4679	C35/45	240	2.43e+005
3271	4185	4184	4681	4680	C35/45	240	2.43e+005
3272	4184	4183	4682	4681	C35/45	240	2.43e+005
3273	4183	4182	4683	4682	C35/45	240	2.43e+005
3274	4182	4181	4684	4683	C35/45	240	2.43e+005
3275	4181	4180	4685	4684	C35/45	240	2.43e+005
3276	4180	4179	4686	4685	C35/45	240	2.43e+005
3277	4179	4178	4687	4686	C35/45	240	2.43e+005
3278	4178	4177	4688	4687	C35/45	240	2.43e+005
3279	4177	4176	4689	4688	C35/45	240	2.43e+005
3280	4176	4175	4690	4689	C35/45	240	2.43e+005
3281	4175	4174	4691	4690	C35/45	240	2.43e+005

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	

3282	4174	4173	4692	4691	C35/45	240	2.43e+005
3283	4173	4172	4693	4692	C35/45	240	2.43e+005
3284	4172	4171	4694	4693	C35/45	240	2.43e+005
3285	4171	4170	4695	4694	C35/45	240	2.43e+005
3286	4170	4169	4696	4695	C35/45	240	2.43e+005
3287	4169	4168	4697	4696	C35/45	240	2.428e+005
3288	4168	4167	4698	4697	C35/45	240	2.43e+005
3289	4167	4166	4699	4698	C35/45	240	2.425e+005
3290	4166	7064	4700	4699	C35/45	240	2.415e+005
3291	7064	7065	4701	4700	C35/45	240	2.415e+005
3292	7065	7066	4702	4701	C35/45	240	2.41e+005
3293	7066	7067	4703	4702	C35/45	240	2.413e+005
3294	7067	7068	4704	4703	C35/45	240	2.41e+005
3295	7068	7069	4705	4704	C35/45	240	2.413e+005
3296	7069	7070	4706	4705	C35/45	240	2.413e+005
3297	7070	7071	4707	4706	C35/45	240	2.41e+005
3298	7071	7072	4708	4707	C35/45	240	2.423e+005
3299	7072	7073	4709	4708	C35/45	240	2.427e+005
3300	7073	7074	4710	4709	C35/45	240	2.428e+005
3301	7074	7075	4711	4710	C35/45	240	2.432e+005
3302	7075	7076	4712	4711	C35/45	240	2.434e+005
3303	7076	7077	4713	4712	C35/45	240	2.433e+005
3304	7077	7078	4714	4713	C35/45	240	2.435e+005
3305	7078	7079	4715	4714	C35/45	240	2.435e+005
3306	7079	7080	4716	4715	C35/45	240	2.444e+005
3307	7080	7081	4717	4716	C35/45	240	2.447e+005
3308	7081	7082	4718	4717	C35/45	240	2.444e+005
3309	7082	7083	4719	4718	C35/45	240	2.449e+005
3310	7083	7084	4720	4719	C35/45	240	2.447e+005
3311	7084	7085	4721	4720	C35/45	240	2.45e+005
3312	7085	7086	4722	4721	C35/45	240	2.452e+005
3313	7086	7087	4723	4722	C35/45	240	2.456e+005
3314	7087	7088	4724	4723	C35/45	240	2.467e+005
3315	7088	7089	4725	4724	C35/45	240	2.469e+005
3316	7089	7090	4726	4725	C35/45	240	2.466e+005
3317	7090	7091	4727	4726	C35/45	240	2.469e+005
3318	7091	7092	4728	4727	C35/45	240	2.466e+005
3319	7092	7093	4729	4728	C35/45	240	2.468e+005
3320	7093	7094	4730	4729	C35/45	240	2.462e+005
3321	7094	7095	4731	4730	C35/45	240	2.455e+005
3322	7095	7096	4732	4731	C35/45	240	2.428e+005
3323	7096	7097	4733	4732	C35/45	240	2.42e+005
3324	7097	7098	4734	4733	C35/45	240	2.421e+005
3325	7098	7099	4735	4734	C35/45	240	2.421e+005
3326	7099	7101	4736	4735	C35/45	240	2.419e+005
3327	7101	7102	4737	4736	C35/45	240	2.413e+005
3328	7102	7103	4738	4737	C35/45	240	2.402e+005
3329	7103	3967	4739	4738	C35/45	240	2.391e+005
3330	7104	3968	3967	7103	C35/45	240	2.376e+005
3331	7105	3969	3968	7104	C35/45	240	2.366e+005
3332	7106	3970	3969	7105	C35/45	240	2.354e+005
3333	7107	3971	3970	7106	C35/45	240	2.354e+005
3334	7108	3972	3971	7107	C35/45	240	2.354e+005
3335	7109	3973	3972	7108	C35/45	240	2.366e+005
3336	7110	3974	3973	7109	C35/45	240	2.382e+005
3337	7111	3975	3974	7110	C35/45	240	2.397e+005
3338	4578	4579	3975	7111	C35/45	240	2.417e+005
3339	4577	4578	7111	7112	C35/45	240	2.43e+005
3340	4576	4577	7112	7113	C35/45	240	2.442e+005
3341	4575	4576	7113	7114	C35/45	240	2.45e+005
3342	4574	4575	7114	7115	C35/45	240	2.452e+005
3343	4573	4574	7115	7116	C35/45	240	2.446e+005
3344	4572	4573	7116	7117	C35/45	240	2.442e+005
3345	4571	4572	7117	7118	C35/45	240	2.432e+005
3346	4570	4571	7118	7119	C35/45	240	2.408e+005
3347	4569	4570	7119	7120	C35/45	240	2.401e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
3348	4568	4569	7120	7121	C35/45	240 2.395e+005
3349	4567	4568	7121	7122	C35/45	240 2.392e+005
3350	4566	4567	7122	7123	C35/45	240 2.393e+005
3351	4565	4566	7123	7124	C35/45	240 2.389e+005
3352	4564	4565	7124	7125	C35/45	240 2.391e+005
3353	4563	4564	7125	7126	C35/45	240 2.397e+005
3354	4562	4563	7126	7127	C35/45	240 2.404e+005
3355	4561	4562	7127	7128	C35/45	240 2.409e+005
3356	4560	4561	7128	7129	C35/45	240 2.411e+005
3357	4559	4560	7129	7130	C35/45	240 2.414e+005
3358	4558	4559	7130	7131	C35/45	240 2.412e+005
3359	4557	4558	7131	7132	C35/45	240 2.411e+005
3360	4556	4557	7132	7133	C35/45	240 2.413e+005
3361	4555	4556	7133	7134	C35/45	240 2.412e+005
3362	4554	4555	7134	7135	C35/45	240 2.403e+005
3363	4553	4554	7135	7136	C35/45	240 2.4e+005
3364	4552	4553	7136	7137	C35/45	240 2.403e+005
3365	4551	4552	7137	7138	C35/45	240 2.401e+005
3366	4550	4551	7138	7139	C35/45	240 2.413e+005
3367	4549	4550	7139	7140	C35/45	240 2.422e+005
3368	4548	4549	7140	7141	C35/45	240 2.433e+005
3369	4547	4548	7141	7142	C35/45	240 2.536e+005
3370	4546	4547	7142	7143	C35/45	240 2.441e+005
3371	4545	4546	7143	7144	C35/45	240 2.424e+005
3372	4544	4545	7144	7037	C35/45	240 2.419e+005
3373	7145	7146	4381	4434	C35/45	240 2.452e+005
3374	7148	7147	7146	7145	C35/45	240 2.458e+005
3375	7046	7045	7149	7150	C35/45	240 2.512e+005
3376	7150	7149	7152	7151	C35/45	240 2.501e+005
3377	7047	7046	7150	7153	C35/45	240 2.495e+005
3378	7048	7047	7153	7049	C35/45	240 2.478e+005
3379	7049	7153	7154	7050	C35/45	240 2.46e+005
3380	7153	7150	7151	7154	C35/45	240 2.48e+005
3381	7051	7155	7156	7052	C35/45	240 2.425e+005
3382	7155	7158	7157	7156	C35/45	240 2.429e+005
3383	7154	7151	7158	7155	C35/45	240 2.444e+005
3384	7050	7154	7155	7051	C35/45	240 2.438e+005
3385	7052	7156	7159	7053	C35/45	240 2.423e+005
3386	7053	7159	7160	7054	C35/45	240 2.43e+005
3387	7163	7162	7161	7164	C35/45	240 2.499e+005
3388	7164	7161	7060	7059	C35/45	240 2.504e+005
3389	7161	7165	7061	7060	C35/45	240 2.49e+005
3390	7162	7166	7165	7161	C35/45	240 2.482e+005
3391	7167	7168	7166	7162	C35/45	240 2.458e+005
3392	4434	4381	7168	7167	C35/45	240 2.452e+005
3393	7169	4434	7167	7170	C35/45	240 2.461e+005
3394	7170	7167	7162	7163	C35/45	240 2.472e+005
3395	4381	7172	7171	7168	C35/45	240 2.42e+005
3396	7168	7171	7173	7166	C35/45	240 2.425e+005
3397	2594	7174	4195	7063	C35/45	240 2.417e+005
3398	7176	7175	7174	2594	C35/45	240 2.407e+005
3399	7175	7178	7177	7174	C35/45	240 2.4e+005
3400	7174	7177	4194	4195	C35/45	240 2.412e+005
3401	7177	4350	4193	4194	C35/45	240 2.41e+005
3402	7178	7179	4350	7177	C35/45	240 2.4e+005
3403	7180	7181	7179	7178	C35/45	240 2.385e+005
3404	4441	4353	7181	7180	C35/45	240 2.375e+005
3405	4440	4441	7180	7182	C35/45	240 2.375e+005
3406	7182	7180	7178	7175	C35/45	240 2.383e+005
3407	7183	7184	4353	4441	C35/45	240 2.38e+005
3408	7186	7185	7184	7183	C35/45	240 2.383e+005
3409	7041	4219	7187	2563	C35/45	240 2.412e+005
3410	2563	7187	7189	7188	C35/45	240 2.405e+005
3411	7190	2563	7188	7191	C35/45	240 2.424e+005
3412	7042	7041	2563	7190	C35/45	240 2.427e+005
3413	7043	7042	7190	7192	C35/45	240 2.441e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
3414	7192	7190	7191	7147	C35/45	240 2.436e+005
3415	7147	7191	7193	7146	C35/45	240 2.418e+005
3416	7146	7193	7172	4381	C35/45	240 2.417e+005
3417	7193	7195	7194	7172	C35/45	240 2.398e+005
3418	7191	7188	7195	7193	C35/45	240 2.408e+005
3419	4388	4442	7196	7197	C35/45	240 2.38e+005
3420	7197	7196	7199	7198	C35/45	240 2.385e+005
3421	7200	3956	4186	4187	C35/45	240 2.41e+005
3422	7201	3787	3956	7200	C35/45	240 2.4e+005
3423	3787	3788	7202	3956	C35/45	240 2.4e+005
3424	3956	7202	4185	4186	C35/45	240 2.407e+005
3425	7202	7203	4184	4185	C35/45	240 2.407e+005
3426	3788	4337	7203	7202	C35/45	240 2.4e+005
3427	3955	7204	4337	3788	C35/45	240 2.385e+005
3428	4445	4339	7204	3955	C35/45	240 2.378e+005
3429	4444	4445	3955	7205	C35/45	240 2.378e+005
3430	7205	3955	3788	3787	C35/45	240 2.385e+005
3431	2312	7206	4339	4445	C35/45	240 2.38e+005
3432	3786	4341	7206	2312	C35/45	240 2.383e+005
3433	4227	4228	2551	7207	C35/45	240 2.412e+005
3434	7207	2551	2302	7208	C35/45	240 2.4e+005
3435	7209	7207	7208	7210	C35/45	240 2.4e+005
3436	4226	4227	7207	7209	C35/45	240 2.413e+005
3437	4225	4226	7209	4385	C35/45	240 2.41e+005
3438	4385	7209	7210	7211	C35/45	240 2.4e+005
3439	7211	7210	7212	7213	C35/45	240 2.385e+005
3440	7213	7212	4442	4388	C35/45	240 2.375e+005
3441	7212	7214	4443	4442	C35/45	240 2.375e+005
3442	7210	7208	7214	7212	C35/45	240 2.382e+005
3443	2599	7215	3760	2303	C35/45	240 2.383e+005
3444	2303	3760	4446	4447	C35/45	240 2.377e+005
3445	3760	7213	4388	4446	C35/45	240 2.377e+005
3446	7215	7211	7213	3760	C35/45	240 2.382e+005
3447	7216	4385	7211	7215	C35/45	240 2.4e+005
3448	4224	4225	4385	7216	C35/45	240 2.41e+005
3449	4223	4224	7216	2600	C35/45	240 2.41e+005
3450	2600	7216	7215	2599	C35/45	240 2.4e+005
3451	7217	2600	2599	3743	C35/45	240 2.397e+005
3452	4222	4223	2600	7217	C35/45	240 2.41e+005
3453	4221	4222	7217	4356	C35/45	240 2.41e+005
3454	4356	7217	3743	7185	C35/45	240 2.395e+005
3455	7185	3743	3757	7184	C35/45	240 2.383e+005
3456	7184	3757	4448	4353	C35/45	240 2.375e+005
3457	3757	2303	4447	4448	C35/45	240 2.377e+005
3458	3743	2599	2303	3757	C35/45	240 2.385e+005
3459	3726	2555	2556	3791	C35/45	240 2.385e+005
3460	4448	4447	2555	3726	C35/45	240 2.378e+005
3461	4353	4448	3726	7181	C35/45	240 2.373e+005
3462	7181	3726	3791	7179	C35/45	240 2.38e+005
3463	7179	3791	7218	4350	C35/45	240 2.398e+005
3464	4350	7218	4192	4193	C35/45	240 2.407e+005
3465	7218	2557	4191	4192	C35/45	240 2.407e+005
3466	3791	2556	2557	7218	C35/45	240 2.4e+005
3467	2556	7220	7219	2557	C35/45	240 2.4e+005
3468	2557	7219	4190	4191	C35/45	240 2.407e+005
3469	7219	4391	4189	4190	C35/45	240 2.407e+005
3470	7220	7198	4391	7219	C35/45	240 2.397e+005
3471	3961	7197	7198	7220	C35/45	240 2.385e+005
3472	4446	4388	7197	3961	C35/45	240 2.38e+005
3473	4447	4446	3961	2555	C35/45	240 2.378e+005
3474	2555	3961	7220	2556	C35/45	240 2.385e+005
3475	4395	4449	3844	7221	C35/45	240 2.38e+005
3476	7221	3844	7223	7222	C35/45	240 2.385e+005
3477	2307	7224	4167	4168	C35/45	240 2.408e+005
3478	2607	7225	7224	2307	C35/45	240 2.395e+005
3479	7224	7226	4166	4167	C35/45	240 2.405e+005

PROJECT TITLE :


	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
3480	7226	7227	7064	4166	C35/45	240 2.403e+005
3481	3776	7228	7227	7226	C35/45	240 2.395e+005
3482	7225	3776	7226	7224	C35/45	240 2.395e+005
3483	7229	7230	7228	3776	C35/45	240 2.38e+005
3484	4452	7231	7230	7229	C35/45	240 2.375e+005
3485	4451	4452	7229	7232	C35/45	240 2.373e+005
3486	7232	7229	3776	7225	C35/45	240 2.38e+005
3487	7233	7234	7231	4452	C35/45	240 2.378e+005
3488	3774	7235	7234	7233	C35/45	240 2.378e+005
3489	4246	4247	7236	3762	C35/45	240 2.408e+005
3490	3762	7236	7237	3772	C35/45	240 2.398e+005
3491	7238	3762	3772	7239	C35/45	240 2.4e+005
3492	4245	4246	3762	7238	C35/45	240 2.408e+005
3493	4244	4245	7238	4392	C35/45	240 2.408e+005
3494	4392	7238	7239	7240	C35/45	240 2.398e+005
3495	7240	7239	3761	7241	C35/45	240 2.382e+005
3496	7241	3761	4449	4395	C35/45	240 2.377e+005
3497	3761	7242	4450	4449	C35/45	240 2.377e+005
3498	7239	3772	7242	3761	C35/45	240 2.382e+005
3499	3886	7241	4395	4453	C35/45	240 2.373e+005
3500	7243	7240	7241	3886	C35/45	240 2.378e+005
3501	4241	4242	2570	7244	C35/45	240 2.412e+005
3502	7244	2570	2569	7245	C35/45	240 2.4e+005
3503	7246	7244	7245	7247	C35/45	240 2.4e+005
3504	4240	4241	7244	7246	C35/45	240 2.413e+005
3505	4239	4240	7246	4357	C35/45	240 2.41e+005
3506	4357	7246	7247	7248	C35/45	240 2.4e+005
3507	7248	7247	7249	7250	C35/45	240 2.385e+005
3508	7250	7249	4456	4360	C35/45	240 2.375e+005
3509	7249	7251	4455	4456	C35/45	240 2.375e+005
3510	7247	7245	7251	7249	C35/45	240 2.382e+005
3511	4360	4456	7252	7253	C35/45	240 2.38e+005
3512	7253	7252	7255	7254	C35/45	240 2.385e+005
3513	7256	3846	4172	4173	C35/45	240 2.41e+005
3514	7257	3745	3846	7256	C35/45	240 2.4e+005
3515	3745	7259	7258	3846	C35/45	240 2.4e+005
3516	3846	7258	4171	4172	C35/45	240 2.407e+005
3517	7258	4398	4170	4171	C35/45	240 2.407e+005
3518	7259	7222	4398	7258	C35/45	240 2.395e+005
3519	3845	7221	7222	7259	C35/45	240 2.38e+005
3520	4453	4395	7221	3845	C35/45	240 2.375e+005
3521	4454	4453	3845	4825	C35/45	240 2.38e+005
3522	4825	3845	7259	3745	C35/45	240 2.382e+005
3523	3823	7260	4402	4457	C35/45	240 2.38e+005
3524	7261	4404	7260	3823	C35/45	240 2.382e+005
3525	4232	4233	2582	7262	C35/45	240 2.412e+005
3526	7262	2582	2581	3848	C35/45	240 2.397e+005
3527	7263	7262	3848	7264	C35/45	240 2.397e+005
3528	4231	4232	7262	7263	C35/45	240 2.413e+005
3529	4230	4231	7263	7265	C35/45	240 2.413e+005
3530	7265	7263	7264	4341	C35/45	240 2.397e+005
3531	4341	7264	3820	7206	C35/45	240 2.38e+005
3532	7206	3820	4460	4339	C35/45	240 2.38e+005
3533	3820	7266	4459	4460	C35/45	240 2.377e+005
3534	7264	3848	7266	3820	C35/45	240 2.382e+005
3535	4339	4460	3732	7204	C35/45	240 2.378e+005
3536	7204	3732	7267	4337	C35/45	240 2.385e+005
3537	7268	3888	4181	4182	C35/45	240 2.41e+005
3538	2309	3804	3888	7268	C35/45	240 2.4e+005
3539	3804	7269	4830	3888	C35/45	240 2.402e+005
3540	3888	4830	4180	4181	C35/45	240 2.407e+005
3541	4830	4399	4179	4180	C35/45	240 2.407e+005
3542	7269	4400	4399	4830	C35/45	240 2.402e+005
3543	3887	7270	4400	7269	C35/45	240 2.382e+005
3544	4457	4402	7270	3887	C35/45	240 2.378e+005
3545	4458	4457	3887	7271	C35/45	240 2.378e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	


3546	7271	3887	7269	3804	C35/45	240	2.382e+005
3547	3879	2311	3958	7272	C35/45	240	2.385e+005
3548	4461	4462	2311	3879	C35/45	240	2.378e+005
3549	4402	4461	3879	7270	C35/45	240	2.378e+005
3550	7270	3879	7272	4400	C35/45	240	2.385e+005
3551	4400	7272	7273	4399	C35/45	240	2.4e+005
3552	4399	7273	4178	4179	C35/45	240	2.407e+005
3553	7273	3959	4177	4178	C35/45	240	2.407e+005
3554	7272	3958	3959	7273	C35/45	240	2.4e+005
3555	3958	7275	7274	3959	C35/45	240	2.4e+005
3556	3959	7274	4176	4177	C35/45	240	2.407e+005
3557	7274	4363	4175	4176	C35/45	240	2.407e+005
3558	7275	7254	4363	7274	C35/45	240	2.397e+005
3559	3876	7253	7254	7275	C35/45	240	2.385e+005
3560	4463	4360	7253	3876	C35/45	240	2.38e+005
3561	4462	4463	3876	2311	C35/45	240	2.378e+005
3562	2311	3876	7275	3958	C35/45	240	2.385e+005
3563	2584	7276	3734	2583	C35/45	240	2.383e+005
3564	2583	3734	4463	4462	C35/45	240	2.377e+005
3565	3734	7250	4360	4463	C35/45	240	2.377e+005
3566	7276	7248	7250	3734	C35/45	240	2.382e+005
3567	7277	4357	7248	7276	C35/45	240	2.4e+005
3568	4238	4239	4357	7277	C35/45	240	2.41e+005
3569	4237	4238	7277	2585	C35/45	240	2.41e+005
3570	2585	7277	7276	2584	C35/45	240	2.4e+005
3571	7278	2585	2584	7279	C35/45	240	2.4e+005
3572	4236	4237	2585	7278	C35/45	240	2.41e+005
3573	4235	4236	7278	4405	C35/45	240	2.41e+005
3574	4405	7278	7279	4404	C35/45	240	2.4e+005
3575	4404	7279	3824	7260	C35/45	240	2.38e+005
3576	7260	3824	4461	4402	C35/45	240	2.38e+005
3577	3824	2583	4462	4461	C35/45	240	2.377e+005
3578	7279	2584	2583	3824	C35/45	240	2.383e+005
3579	7280	7281	7101	7099	C35/45	240	2.411e+005
3580	7283	7282	7281	7280	C35/45	240	2.405e+005
3581	7281	7284	7102	7101	C35/45	240	2.399e+005
3582	7284	7104	7103	7102	C35/45	240	2.389e+005
3583	7285	7105	7104	7284	C35/45	240	2.382e+005
3584	7282	7285	7284	7281	C35/45	240	2.386e+005
3585	7288	7287	7286	7289	C35/45	240	2.379e+005
3586	7289	7286	7282	7283	C35/45	240	2.386e+005
3587	7292	7291	7290	7293	C35/45	240	2.397e+005
3588	7293	7290	7295	7294	C35/45	240	2.403e+005
3589	7290	7289	7283	7295	C35/45	240	2.395e+005
3590	7291	7288	7289	7290	C35/45	240	2.395e+005
3591	7114	7113	7296	7297	C35/45	240	2.424e+005
3592	7297	7296	7299	7298	C35/45	240	2.414e+005
3593	7300	7301	7287	7288	C35/45	240	2.376e+005
3594	7298	7299	7301	7300	C35/45	240	2.384e+005
3595	7302	7297	7298	7303	C35/45	240	2.421e+005
3596	7115	7114	7297	7302	C35/45	240	2.426e+005
3597	7116	7115	7302	7304	C35/45	240	2.424e+005
3598	7304	7302	7303	7305	C35/45	240	2.421e+005
3599	7305	7303	7306	7307	C35/45	240	2.396e+005
3600	7307	7306	7291	7292	C35/45	240	2.398e+005
3601	7306	7300	7288	7291	C35/45	240	2.398e+005
3602	7303	7298	7300	7306	C35/45	240	2.4e+005
3603	7308	7307	7292	7309	C35/45	240	2.393e+005
3604	7310	7305	7307	7308	C35/45	240	2.393e+005
3605	7119	7118	7311	7312	C35/45	240	2.396e+005
3606	7312	7311	7314	7313	C35/45	240	2.394e+005
3607	7315	7312	7313	7316	C35/45	240	2.386e+005
3608	7120	7119	7312	7315	C35/45	240	2.386e+005
3609	7121	7120	7315	7317	C35/45	240	2.379e+005
3610	7317	7315	7316	7318	C35/45	240	2.379e+005
3611	7318	7316	7319	7320	C35/45	240	2.371e+005

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	

3612	7320	7319	7322	7321	C35/45	240	2.373e+005
3613	7319	7324	7323	7322	C35/45	240	2.376e+005
3614	7316	7313	7324	7319	C35/45	240	2.378e+005
3615	7321	7322	7325	7326	C35/45	240	2.386e+005
3616	7326	7325	7328	7327	C35/45	240	2.395e+005
3617	7329	7330	7095	7094	C35/45	240	2.423e+005
3618	7332	7331	7330	7329	C35/45	240	2.411e+005
3619	7330	7333	7096	7095	C35/45	240	2.416e+005
3620	7333	7334	7097	7096	C35/45	240	2.411e+005
3621	7335	7294	7334	7333	C35/45	240	2.406e+005
3622	7331	7335	7333	7330	C35/45	240	2.406e+005
3623	7336	7293	7294	7335	C35/45	240	2.393e+005
3624	7309	7292	7293	7336	C35/45	240	2.39e+005
3625	7337	7309	7336	7338	C35/45	240	2.386e+005
3626	7338	7336	7335	7331	C35/45	240	2.39e+005
3627	7339	7342	7341	7340	C35/45	240	2.373e+005
3628	7344	7343	7342	7339	C35/45	240	2.371e+005
3629	7128	7127	7345	7346	C35/45	240	2.388e+005
3630	7346	7345	7348	7347	C35/45	240	2.386e+005
3631	7349	7346	7347	7350	C35/45	240	2.388e+005
3632	7129	7128	7346	7349	C35/45	240	2.393e+005
3633	7130	7129	7349	7351	C35/45	240	2.398e+005
3634	7351	7349	7350	7352	C35/45	240	2.39e+005
3635	7352	7350	7353	7354	C35/45	240	2.378e+005
3636	7354	7353	7356	7355	C35/45	240	2.378e+005
3637	7353	7358	7357	7356	C35/45	240	2.375e+005
3638	7350	7347	7358	7353	C35/45	240	2.375e+005
3639	7355	7356	7359	7360	C35/45	240	2.382e+005
3640	7360	7359	7362	7361	C35/45	240	2.39e+005
3641	7363	7364	7086	7085	C35/45	240	2.432e+005
3642	7366	7365	7364	7363	C35/45	240	2.415e+005
3643	7365	7368	7367	7364	C35/45	240	2.415e+005
3644	7364	7367	7087	7086	C35/45	240	2.432e+005
3645	7367	7369	7088	7087	C35/45	240	2.435e+005
3646	7368	7370	7369	7367	C35/45	240	2.418e+005
3647	7371	7372	7370	7368	C35/45	240	2.393e+005
3648	7340	7341	7372	7371	C35/45	240	2.383e+005
3649	7373	7340	7371	7374	C35/45	240	2.385e+005
3650	7374	7371	7368	7365	C35/45	240	2.395e+005
3651	7375	7378	7377	7376	C35/45	240	2.398e+005
3652	7380	7379	7378	7375	C35/45	240	2.383e+005
3653	7341	7380	7375	7372	C35/45	240	2.383e+005
3654	7372	7375	7376	7370	C35/45	240	2.398e+005
3655	7370	7376	7381	7369	C35/45	240	2.423e+005
3656	7369	7381	7089	7088	C35/45	240	2.44e+005
3657	7381	7382	7090	7089	C35/45	240	2.443e+005
3658	7376	7377	7382	7381	C35/45	240	2.425e+005
3659	7377	7384	7383	7382	C35/45	240	2.423e+005
3660	7382	7383	7091	7090	C35/45	240	2.445e+005
3661	7383	7385	7092	7091	C35/45	240	2.438e+005
3662	7384	7327	7385	7383	C35/45	240	2.415e+005
3663	7386	7326	7327	7384	C35/45	240	2.395e+005
3664	7387	7321	7326	7386	C35/45	240	2.383e+005
3665	7379	7387	7386	7378	C35/45	240	2.383e+005
3666	7378	7386	7384	7377	C35/45	240	2.398e+005
3667	7390	7389	7388	7391	C35/45	240	2.368e+005
3668	7391	7388	7387	7379	C35/45	240	2.373e+005
3669	7388	7320	7321	7387	C35/45	240	2.373e+005
3670	7389	7318	7320	7388	C35/45	240	2.371e+005
3671	7392	7317	7318	7389	C35/45	240	2.376e+005
3672	7122	7121	7317	7392	C35/45	240	2.379e+005
3673	7123	7122	7392	7393	C35/45	240	2.381e+005
3674	7393	7392	7389	7390	C35/45	240	2.376e+005
3675	7394	7393	7390	7395	C35/45	240	2.381e+005
3676	7124	7123	7393	7394	C35/45	240	2.381e+005
3677	7125	7124	7394	7396	C35/45	240	2.379e+005

PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
3678	7396	7394	7395	7343	C35/45	240 2.373e+005
3679	7343	7395	7397	7342	C35/45	240 2.371e+005
3680	7342	7397	7380	7341	C35/45	240 2.373e+005
3681	7397	7391	7379	7380	C35/45	240 2.373e+005
3682	7395	7390	7391	7397	C35/45	240 2.371e+005
3683	7398	7401	7400	7399	C35/45	240 2.368e+005
3684	7403	7402	7401	7398	C35/45	240 2.375e+005
3685	7038	7036	7404	7405	C35/45	240 2.396e+005
3686	7405	7404	7407	7406	C35/45	240 2.386e+005
3687	7408	7405	7406	7409	C35/45	240 2.39e+005
3688	7039	7038	7405	7408	C35/45	240 2.4e+005
3689	7040	7039	7408	7410	C35/45	240 2.4e+005
3690	7410	7408	7409	7235	C35/45	240 2.388e+005
3691	7235	7409	7411	7234	C35/45	240 2.375e+005
3692	7234	7411	7412	7231	C35/45	240 2.37e+005
3693	7411	7414	7413	7412	C35/45	240 2.368e+005
3694	7409	7406	7414	7411	C35/45	240 2.375e+005
3695	7231	7412	7415	7230	C35/45	240 2.37e+005
3696	7230	7415	7416	7228	C35/45	240 2.375e+005
3697	7417	7418	7067	7066	C35/45	240 2.4e+005
3698	7420	7419	7418	7417	C35/45	240 2.39e+005
3699	7419	7422	7421	7418	C35/45	240 2.388e+005
3700	7418	7421	7068	7067	C35/45	240 2.396e+005
3701	7421	7423	7069	7068	C35/45	240 2.398e+005
3702	7422	7424	7423	7421	C35/45	240 2.39e+005
3703	7425	7426	7424	7422	C35/45	240 2.373e+005
3704	7399	7400	7426	7425	C35/45	240 2.368e+005
3705	7427	7399	7425	7428	C35/45	240 2.368e+005
3706	7428	7425	7422	7419	C35/45	240 2.373e+005
3707	7400	4483	7429	7426	C35/45	240 2.375e+005
3708	7426	7429	7430	7424	C35/45	240 2.378e+005
3709	7431	7432	7072	7071	C35/45	240 2.408e+005
3710	7434	7433	7432	7431	C35/45	240 2.398e+005
3711	7433	7436	7435	7432	C35/45	240 2.398e+005
3712	7432	7435	7073	7072	C35/45	240 2.408e+005
3713	7435	7437	7074	7073	C35/45	240 2.41e+005
3714	7436	7438	7437	7435	C35/45	240 2.4e+005
3715	7439	7440	7438	7436	C35/45	240 2.385e+005
3716	7442	7441	7440	7439	C35/45	240 2.375e+005
3717	7443	7442	7439	7444	C35/45	240 2.373e+005
3718	7444	7439	7436	7433	C35/45	240 2.383e+005
3719	7445	7446	7441	7442	C35/45	240 2.375e+005
3720	7448	7447	7446	7445	C35/45	240 2.38e+005
3721	7449	7452	7451	7450	C35/45	240 2.41e+005
3722	7143	7142	7452	7449	C35/45	240 2.425e+005
3723	7144	7143	7449	7453	C35/45	240 2.415e+005
3724	7453	7449	7450	7402	C35/45	240 2.403e+005
3725	7401	7454	4483	7400	C35/45	240 2.375e+005
3726	7454	7456	7455	4483	C35/45	240 2.375e+005
3727	7450	7451	7456	7454	C35/45	240 2.385e+005
3728	7402	7450	7454	7401	C35/45	240 2.385e+005
3729	7459	7458	7457	7460	C35/45	240 2.378e+005
3730	7460	7457	7462	7461	C35/45	240 2.387e+005
3731	7463	7464	7081	7080	C35/45	240 2.425e+005
3732	7466	7465	7464	7463	C35/45	240 2.402e+005
3733	7465	7468	7467	7464	C35/45	240 2.405e+005
3734	7464	7467	7082	7081	C35/45	240 2.422e+005
3735	7467	7469	7083	7082	C35/45	240 2.425e+005
3736	7468	7361	7469	7467	C35/45	240 2.402e+005
3737	7470	7360	7361	7468	C35/45	240 2.388e+005
3738	7471	7355	7360	7470	C35/45	240 2.378e+005
3739	7472	7471	7470	7473	C35/45	240 2.375e+005
3740	7473	7470	7468	7465	C35/45	240 2.39e+005
3741	7474	7354	7355	7471	C35/45	240 2.375e+005
3742	7475	7352	7354	7474	C35/45	240 2.378e+005
3743	7133	7132	7476	7477	C35/45	240 2.4e+005

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	

3744	7477	7476	7479	7478	C35/45	240	2.393e+005
3745	7480	7477	7478	7481	C35/45	240	2.393e+005
3746	7134	7133	7477	7480	C35/45	240	2.393e+005
3747	7135	7134	7480	7482	C35/45	240	2.388e+005
3748	7482	7480	7481	7483	C35/45	240	2.388e+005
3749	7483	7481	7484	7485	C35/45	240	2.37e+005
3750	7485	7484	7458	7459	C35/45	240	2.373e+005
3751	7484	7487	7486	7458	C35/45	240	2.373e+005
3752	7481	7478	7487	7484	C35/45	240	2.375e+005
3753	7490	7489	7488	7491	C35/45	240	2.371e+005
3754	7491	7488	7493	7492	C35/45	240	2.37e+005
3755	7488	7485	7459	7493	C35/45	240	2.375e+005
3756	7489	7483	7485	7488	C35/45	240	2.375e+005
3757	7494	7482	7483	7489	C35/45	240	2.39e+005
3758	7136	7135	7482	7494	C35/45	240	2.388e+005
3759	7137	7136	7494	7495	C35/45	240	2.388e+005
3760	7495	7494	7489	7490	C35/45	240	2.386e+005
3761	7496	7495	7490	7497	C35/45	240	2.39e+005
3762	7138	7137	7495	7496	C35/45	240	2.391e+005
3763	7139	7138	7496	7498	C35/45	240	2.398e+005
3764	7498	7496	7497	7447	C35/45	240	2.39e+005
3765	7447	7497	7499	7446	C35/45	240	2.375e+005
3766	7446	7499	7500	7441	C35/45	240	2.373e+005
3767	7499	7491	7492	7500	C35/45	240	2.373e+005
3768	7497	7490	7491	7499	C35/45	240	2.37e+005
3769	7501	7504	7503	7502	C35/45	240	2.378e+005
3770	7500	7492	7504	7501	C35/45	240	2.373e+005
3771	7441	7500	7501	7440	C35/45	240	2.375e+005
3772	7440	7501	7502	7438	C35/45	240	2.383e+005
3773	7438	7502	7505	7437	C35/45	240	2.398e+005
3774	7437	7505	7075	7074	C35/45	240	2.41e+005
3775	7505	7506	7076	7075	C35/45	240	2.412e+005
3776	7502	7503	7506	7505	C35/45	240	2.4e+005
3777	7503	7508	7507	7506	C35/45	240	2.398e+005
3778	7506	7507	7077	7076	C35/45	240	2.408e+005
3779	7507	7509	7078	7077	C35/45	240	2.412e+005
3780	7508	7461	7509	7507	C35/45	240	2.4e+005
3781	7510	7460	7461	7508	C35/45	240	2.38e+005
3782	7493	7459	7460	7510	C35/45	240	2.375e+005
3783	7492	7493	7510	7504	C35/45	240	2.373e+005
3784	7504	7510	7508	7503	C35/45	240	2.38e+005
3785	7151	7152	7511	7158	C35/45	240	2.467e+005
3786	7158	7511	7169	7157	C35/45	240	2.457e+005
3787	7511	7145	4434	7169	C35/45	240	2.457e+005
3788	7152	7148	7145	7511	C35/45	240	2.457e+005
3789	7512	7192	7147	7148	C35/45	240	2.479e+005
3790	7044	7043	7192	7512	C35/45	240	2.487e+005
3791	7045	7044	7512	7149	C35/45	240	2.499e+005
3792	7149	7512	7148	7152	C35/45	240	2.494e+005
3793	7513	7170	7163	7514	C35/45	240	2.46e+005
3794	7157	7169	7170	7513	C35/45	240	2.45e+005
3795	7156	7157	7513	7159	C35/45	240	2.434e+005
3796	7159	7513	7514	7160	C35/45	240	2.444e+005
3797	7055	7515	7057	7056	C35/45	240	2.47e+005
3798	7515	7516	7058	7057	C35/45	240	2.49e+005
3799	7516	7164	7059	7058	C35/45	240	2.502e+005
3800	7514	7163	7164	7516	C35/45	240	2.491e+005
3801	7160	7514	7516	7515	C35/45	240	2.47e+005
3802	7054	7160	7515	7055	C35/45	240	2.448e+005
3803	7517	7182	7175	7176	C35/45	240	2.392e+005
3804	7194	4440	7182	7517	C35/45	240	2.389e+005
3805	7172	7194	7517	7171	C35/45	240	2.404e+005
3806	7171	7517	7176	7173	C35/45	240	2.409e+005
3807	7173	7176	2594	7518	C35/45	240	2.429e+005
3808	7166	7173	7518	7165	C35/45	240	2.443e+005
3809	7165	7518	7062	7061	C35/45	240	2.451e+005


PROJECT TITLE :

MIDAS	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
3810	7518	2594	7063	7062	C35/45	240 2.434e+005
3811	7188	7189	7519	7195	C35/45	240 2.387e+005
3812	7195	7519	4440	7194	C35/45	240 2.385e+005
3813	7519	7183	4441	4440	C35/45	240 2.38e+005
3814	7189	7186	7183	7519	C35/45	240 2.382e+005
3815	7520	4356	7185	7186	C35/45	240 2.395e+005
3816	4220	4221	4356	7520	C35/45	240 2.408e+005
3817	4219	4220	7520	7187	C35/45	240 2.408e+005
3818	7187	7520	7186	7189	C35/45	240 2.4e+005
3819	7521	7205	3787	7201	C35/45	240 2.383e+005
3820	4443	4444	7205	7521	C35/45	240 2.377e+005
3821	4442	4443	7521	7196	C35/45	240 2.38e+005
3822	7196	7521	7201	7199	C35/45	240 2.383e+005
3823	7198	7199	7522	4391	C35/45	240 2.397e+005
3824	4391	7522	4188	4189	C35/45	240 2.407e+005
3825	7522	7200	4187	4188	C35/45	240 2.407e+005
3826	7199	7201	7200	7522	C35/45	240 2.4e+005
3827	7208	2302	7523	7214	C35/45	240 2.38e+005
3828	7214	7523	4444	4443	C35/45	240 2.378e+005
3829	7523	2312	4445	4444	C35/45	240 2.38e+005
3830	2302	3786	2312	7523	C35/45	240 2.383e+005
3831	7524	7265	4341	3786	C35/45	240 2.395e+005
3832	4229	4230	7265	7524	C35/45	240 2.413e+005
3833	4228	4229	7524	2551	C35/45	240 2.41e+005
3834	2551	7524	3786	2302	C35/45	240 2.397e+005
3835	7525	7232	7225	2607	C35/45	240 2.378e+005
3836	4450	4451	7232	7525	C35/45	240 2.373e+005
3837	4449	4450	7525	3844	C35/45	240 2.38e+005
3838	3844	7525	2607	7223	C35/45	240 2.382e+005
3839	7222	7223	7526	4398	C35/45	240 2.395e+005
3840	4398	7526	4169	4170	C35/45	240 2.405e+005
3841	7526	2307	4168	4169	C35/45	240 2.405e+005
3842	7223	2607	2307	7526	C35/45	240 2.4e+005
3843	3772	7237	7527	7242	C35/45	240 2.38e+005
3844	7242	7527	4451	4450	C35/45	240 2.373e+005
3845	7527	7233	4452	4451	C35/45	240 2.378e+005
3846	7237	3774	7233	7527	C35/45	240 2.378e+005
3847	7236	7528	3774	7237	C35/45	240 2.395e+005
3848	7528	7410	7235	3774	C35/45	240 2.39e+005
3849	4248	7040	7410	7528	C35/45	240 2.4e+005
3850	4247	4248	7528	7236	C35/45	240 2.403e+005
3851	7245	2569	2568	7251	C35/45	240 2.38e+005
3852	7251	2568	4454	4455	C35/45	240 2.377e+005
3853	2568	3886	4453	4454	C35/45	240 2.38e+005
3854	2569	7243	3886	2568	C35/45	240 2.38e+005
3855	7529	4392	7240	7243	C35/45	240 2.398e+005
3856	4243	4244	4392	7529	C35/45	240 2.41e+005
3857	4242	4243	7529	2570	C35/45	240 2.41e+005
3858	2570	7529	7243	2569	C35/45	240 2.4e+005
3859	7530	4825	3745	7257	C35/45	240 2.38e+005
3860	4455	4454	4825	7530	C35/45	240 2.38e+005
3861	4456	4455	7530	7252	C35/45	240 2.38e+005
3862	7252	7530	7257	7255	C35/45	240 2.383e+005
3863	7254	7255	7531	4363	C35/45	240 2.397e+005
3864	4363	7531	4174	4175	C35/45	240 2.407e+005
3865	7531	7256	4173	4174	C35/45	240 2.407e+005
3866	7255	7257	7256	7531	C35/45	240 2.4e+005
3867	3848	2581	7532	7266	C35/45	240 2.382e+005
3868	7266	7532	4458	4459	C35/45	240 2.378e+005
3869	7532	3823	4457	4458	C35/45	240 2.38e+005
3870	2581	7261	3823	7532	C35/45	240 2.382e+005
3871	3822	4405	4404	7261	C35/45	240 2.4e+005
3872	4234	4235	4405	3822	C35/45	240 2.407e+005
3873	4233	4234	3822	2582	C35/45	240 2.407e+005
3874	2582	3822	7261	2581	C35/45	240 2.4e+005
3875	7533	7271	3804	2309	C35/45	240 2.383e+005

PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
3876	4459	4458	7271	7533	C35/45	240 2.377e+005
3877	4460	4459	7533	3732	C35/45	240 2.38e+005
3878	3732	7533	2309	7267	C35/45	240 2.382e+005
3879	4337	7267	7534	7203	C35/45	240 2.4e+005
3880	7203	7534	4183	4184	C35/45	240 2.407e+005
3881	7534	7268	4182	4183	C35/45	240 2.407e+005
3882	7267	2309	7268	7534	C35/45	240 2.4e+005
3883	7294	7295	7535	7334	C35/45	240 2.41e+005
3884	7334	7535	7098	7097	C35/45	240 2.411e+005
3885	7535	7280	7099	7098	C35/45	240 2.411e+005
3886	7295	7283	7280	7535	C35/45	240 2.408e+005
3887	7536	7106	7105	7285	C35/45	240 2.365e+005
3888	7537	7107	7106	7536	C35/45	240 2.365e+005
3889	7287	7537	7536	7286	C35/45	240 2.367e+005
3890	7286	7536	7285	7282	C35/45	240 2.372e+005
3891	7538	7108	7107	7537	C35/45	240 2.36e+005
3892	7539	7109	7108	7538	C35/45	240 2.375e+005
3893	7112	7111	7110	7540	C35/45	240 2.402e+005
3894	7540	7110	7109	7539	C35/45	240 2.395e+005
3895	7113	7112	7540	7296	C35/45	240 2.409e+005
3896	7296	7540	7539	7299	C35/45	240 2.405e+005
3897	7301	7538	7537	7287	C35/45	240 2.362e+005
3898	7299	7539	7538	7301	C35/45	240 2.38e+005
3899	7313	7314	7541	7324	C35/45	240 2.383e+005
3900	7324	7541	7337	7323	C35/45	240 2.383e+005
3901	7541	7308	7309	7337	C35/45	240 2.386e+005
3902	7314	7310	7308	7541	C35/45	240 2.386e+005
3903	7311	7542	7310	7314	C35/45	240 2.403e+005
3904	7542	7304	7305	7310	C35/45	240 2.413e+005
3905	7117	7116	7304	7542	C35/45	240 2.421e+005
3906	7118	7117	7542	7311	C35/45	240 2.411e+005
3907	7543	7338	7331	7332	C35/45	240 2.388e+005
3908	7323	7337	7338	7543	C35/45	240 2.383e+005
3909	7322	7323	7543	7325	C35/45	240 2.386e+005
3910	7325	7543	7332	7328	C35/45	240 2.39e+005
3911	7327	7328	7544	7385	C35/45	240 2.42e+005
3912	7385	7544	7093	7092	C35/45	240 2.438e+005
3913	7544	7329	7094	7093	C35/45	240 2.428e+005
3914	7328	7332	7329	7544	C35/45	240 2.421e+005
3915	7347	7348	7545	7358	C35/45	240 2.373e+005
3916	7358	7545	7373	7357	C35/45	240 2.373e+005
3917	7545	7339	7340	7373	C35/45	240 2.375e+005
3918	7348	7344	7339	7545	C35/45	240 2.375e+005
3919	7546	7396	7343	7344	C35/45	240 2.376e+005
3920	7126	7125	7396	7546	C35/45	240 2.383e+005
3921	7127	7126	7546	7345	C35/45	240 2.386e+005
3922	7345	7546	7344	7348	C35/45	240 2.383e+005
3923	7547	7374	7365	7366	C35/45	240 2.39e+005
3924	7357	7373	7374	7547	C35/45	240 2.38e+005
3925	7356	7357	7547	7359	C35/45	240 2.38e+005
3926	7359	7547	7366	7362	C35/45	240 2.387e+005
3927	7361	7362	7548	7469	C35/45	240 2.407e+005
3928	7469	7548	7084	7083	C35/45	240 2.422e+005
3929	7548	7363	7085	7084	C35/45	240 2.425e+005
3930	7362	7366	7363	7548	C35/45	240 2.412e+005
3931	7406	7407	7549	7414	C35/45	240 2.368e+005
3932	7414	7549	7427	7413	C35/45	240 2.371e+005
3933	7549	7398	7399	7427	C35/45	240 2.373e+005
3934	7407	7403	7398	7549	C35/45	240 2.373e+005
3935	7550	7453	7402	7403	C35/45	240 2.393e+005
3936	7037	7144	7453	7550	C35/45	240 2.403e+005
3937	7036	7037	7550	7404	C35/45	240 2.395e+005
3938	7404	7550	7403	7407	C35/45	240 2.393e+005
3939	7551	7428	7419	7420	C35/45	240 2.375e+005
3940	7413	7427	7428	7551	C35/45	240 2.368e+005
3941	7412	7413	7551	7415	C35/45	240 2.366e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	


3942	7415	7551	7420	7416	C35/45	240	2.371e+005
3943	7228	7416	7552	7227	C35/45	240	2.393e+005
3944	7227	7552	7065	7064	C35/45	240	2.398e+005
3945	7552	7417	7066	7065	C35/45	240	2.393e+005
3946	7416	7420	7417	7552	C35/45	240	2.388e+005
3947	7553	7444	7433	7434	C35/45	240	2.38e+005
3948	7455	7443	7444	7553	C35/45	240	2.372e+005
3949	4483	7455	7553	7429	C35/45	240	2.375e+005
3950	7429	7553	7434	7430	C35/45	240	2.378e+005
3951	7424	7430	7554	7423	C35/45	240	2.395e+005
3952	7423	7554	7070	7069	C35/45	240	2.395e+005
3953	7554	7431	7071	7070	C35/45	240	2.395e+005
3954	7430	7434	7431	7554	C35/45	240	2.393e+005
3955	7451	7556	7555	7456	C35/45	240	2.39e+005
3956	7456	7555	7443	7455	C35/45	240	2.382e+005
3957	7555	7445	7442	7443	C35/45	240	2.377e+005
3958	7556	7448	7445	7555	C35/45	240	2.387e+005
3959	7140	7139	7498	7557	C35/45	240	2.408e+005
3960	7141	7140	7557	7558	C35/45	240	2.422e+005
3961	7142	7141	7558	7452	C35/45	240	2.449e+005
3962	7452	7558	7556	7451	C35/45	240	2.419e+005
3963	7558	7557	7448	7556	C35/45	240	2.412e+005
3964	7557	7498	7447	7448	C35/45	240	2.398e+005
3965	7559	7473	7465	7466	C35/45	240	2.385e+005
3966	7486	7472	7473	7559	C35/45	240	2.38e+005
3967	7458	7486	7559	7457	C35/45	240	2.375e+005
3968	7457	7559	7466	7462	C35/45	240	2.385e+005
3969	7461	7462	7560	7509	C35/45	240	2.4e+005
3970	7509	7560	7079	7078	C35/45	240	2.415e+005
3971	7560	7463	7080	7079	C35/45	240	2.417e+005
3972	7462	7466	7463	7560	C35/45	240	2.4e+005
3973	7478	7479	7561	7487	C35/45	240	2.375e+005
3974	7487	7561	7472	7486	C35/45	240	2.375e+005
3975	7561	7474	7471	7472	C35/45	240	2.378e+005
3976	7479	7475	7474	7561	C35/45	240	2.38e+005
3977	7562	7351	7352	7475	C35/45	240	2.39e+005
3978	7131	7130	7351	7562	C35/45	240	2.395e+005
3979	7132	7131	7562	7476	C35/45	240	2.393e+005
3980	7476	7562	7475	7479	C35/45	240	2.388e+005
3985	4588	4589	7567	7568	C35/45	240	2.418e+005
3986	4587	4588	7568	7569	C35/45	240	2.456e+005
3987	4586	4587	7569	7570	C35/45	240	2.376e+005
3988	4585	4586	7570	7571	C35/45	240	2.355e+005
3989	4584	4585	7571	7572	C35/45	240	2.351e+005
3990	4583	4584	7572	7573	C35/45	240	2.35e+005
3991	4582	4583	7573	7574	C35/45	240	2.35e+005
3992	4581	4582	7574	7575	C35/45	240	2.354e+005
3993	4580	4581	7575	7576	C35/45	240	2.353e+005
3994	4579	4580	7576	3975	C35/45	240	2.347e+005
3995	3975	7576	7577	3974	C35/45	240	2.352e+005
3996	3974	7577	7578	3973	C35/45	240	2.354e+005
3997	3973	7578	7579	3972	C35/45	240	2.356e+005
3998	3972	7579	7580	3971	C35/45	240	2.363e+005
3999	3971	7580	7581	3970	C35/45	240	2.378e+005
4000	3970	7581	7582	3969	C35/45	240	2.389e+005
4001	3969	7582	7583	3968	C35/45	240	2.411e+005
4002	3968	7583	7584	3967	C35/45	240	2.427e+005
4003	3967	7584	4740	4739	C35/45	240	2.446e+005
4004	7584	7586	4741	4740	C35/45	240	2.463e+005
4005	7586	7587	4742	4741	C35/45	240	2.48e+005
4006	7587	7588	4743	4742	C35/45	240	2.49e+005
4007	7588	7589	4744	4743	C35/45	240	2.493e+005
4008	7589	7590	4745	4744	C35/45	240	2.492e+005
4009	7590	7591	4746	4745	C35/45	240	2.493e+005
4010	7591	7592	4747	4746	C35/45	240	2.488e+005
4011	7592	7593	4748	4747	C35/45	240	2.477e+005

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	

4012	7593	7594	4749	4748	C35/45	240	2.486e+005
4013	7594	7595	4750	4749	C35/45	240	2.537e+005
4014	7595	7596	4751	4750	C35/45	240	2.593e+005
4015	7596	7597	4752	4751	C35/45	240	2.642e+005
4016	7597	7598	4753	4752	C35/45	240	2.509e+005
4017	7598	7599	4754	4753	C35/45	240	2.519e+005
4018	7599	7600	4755	4754	C35/45	240	2.622e+005
4019	7600	7601	4756	4755	C35/45	240	2.633e+005
4020	7601	7602	4757	4756	C35/45	240	2.731e+005
4021	7602	7603	4758	4757	C35/45	240	2.712e+005
4022	7603	7604	4759	4758	C35/45	240	2.716e+005
4023	7604	7605	4760	4759	C35/45	240	2.722e+005
4024	7605	7606	4761	4760	C35/45	240	2.724e+005
4025	7606	7607	4762	4761	C35/45	240	2.725e+005
4026	7607	7608	4763	4762	C35/45	240	2.771e+005
4027	7608	7609	4764	4763	C35/45	240	2.665e+005
4028	7609	7610	4765	4764	C35/45	240	2.713e+005
4029	7610	7611	4766	4765	C35/45	240	2.715e+005
4030	7611	7612	4767	4766	C35/45	240	2.713e+005
4031	7612	7613	4768	4767	C35/45	240	2.713e+005
4032	7613	7614	4769	4768	C35/45	240	2.713e+005
4033	7614	7615	4770	4769	C35/45	240	2.711e+005
4034	7615	7616	4771	4770	C35/45	240	2.708e+005
4035	7616	7618	4772	4771	C35/45	240	2.7e+005
4036	7618	7619	4773	4772	C35/45	240	2.697e+005
4037	7619	7620	4774	4773	C35/45	240	2.701e+005
4038	7620	7621	4775	4774	C35/45	240	2.7e+005
4039	7621	7622	4776	4775	C35/45	240	2.698e+005
4040	7622	7623	4777	4776	C35/45	240	2.702e+005
4041	7623	7625	4778	4777	C35/45	240	2.704e+005
4042	7625	7626	4779	4778	C35/45	240	2.702e+005
4043	7626	7627	4780	4779	C35/45	240	2.711e+005
4044	7627	7628	4781	4780	C35/45	240	2.713e+005
4045	7628	7629	4782	4781	C35/45	240	2.711e+005
4046	7629	7630	4783	4782	C35/45	240	2.716e+005
4047	7630	7631	4784	4783	C35/45	240	2.716e+005
4048	7631	7632	4785	4784	C35/45	240	2.716e+005
4049	7632	7633	4786	4785	C35/45	240	2.719e+005
4050	7633	7634	4787	4786	C35/45	240	2.724e+005
4051	7634	7635	4788	4787	C35/45	240	2.739e+005
4052	7635	7636	4789	4788	C35/45	240	2.74e+005
4053	7636	7637	4790	4789	C35/45	240	2.745e+005
4054	7637	7638	4791	4790	C35/45	240	2.746e+005
4055	7638	7640	4792	4791	C35/45	240	2.745e+005
4056	7640	7641	4793	4792	C35/45	240	2.749e+005
4057	7641	7642	4794	4793	C35/45	240	2.744e+005
4058	7642	7643	4795	4794	C35/45	240	2.748e+005
4059	7643	7644	4796	4795	C35/45	240	2.747e+005
4060	7644	7645	4797	4796	C35/45	240	2.745e+005
4061	7645	7647	4798	4797	C35/45	240	2.747e+005
4062	7647	7648	4799	4798	C35/45	240	2.743e+005
4063	7648	7649	4800	4799	C35/45	240	2.747e+005
4064	7649	7650	4801	4800	C35/45	240	2.744e+005
4065	7650	7651	4802	4801	C35/45	240	2.745e+005
4066	7651	7652	4803	4802	C35/45	240	2.744e+005
4067	7652	7653	4804	4803	C35/45	240	2.746e+005
4068	7653	7654	4805	4804	C35/45	240	2.748e+005
4069	7654	7655	4806	4805	C35/45	240	2.745e+005
4070	7655	7656	4807	4806	C35/45	240	2.743e+005
4071	7656	7657	4808	4807	C35/45	240	2.737e+005
4072	7657	7658	4809	4808	C35/45	240	2.716e+005
4073	7658	7659	4810	4809	C35/45	240	2.69e+005
4074	7659	7660	4811	4810	C35/45	240	2.654e+005
4075	7660	7661	4812	4811	C35/45	240	2.854e+005
4076	7661	7662	4813	4812	C35/45	240	2.781e+005
4077	7662	7663	4814	4813	C35/45	240	2.748e+005

PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
4080	7665	7666	4816	4815	C35/45	240 2.646e+005
4081	7666	7667	4817	4816	C35/45	240 2.62e+005
4082	7667	3976	4818	4817	C35/45	240 2.596e+005
4157	7741	7742	7592	7591	C35/45	240 2.465e+005
4158	7744	7743	7742	7741	C35/45	240 2.442e+005
4159	7747	7746	7745	7748	C35/45	240 2.403e+005
4160	7748	7745	7750	7749	C35/45	240 2.42e+005
4161	7572	7571	7751	7752	C35/45	240 2.355e+005
4162	7752	7751	7754	7753	C35/45	240 2.364e+005
4163	7755	7758	7757	7756	C35/45	240 2.363e+005
4164	7760	7759	7758	7755	C35/45	240 2.359e+005
4170	7569	7568	7772	7773	C35/45	240 2.401e+005
4171	7773	7772	7774	7759	C35/45	240 2.328e+005
4176	7757	7785	7784	7786	C35/45	240 2.351e+005
4177	7786	7784	7787	7743	C35/45	240 2.395e+005
4178	7789	7788	7791	7790	C35/45	240 2.366e+005
4179	7788	7752	7753	7791	C35/45	240 2.366e+005
4180	7573	7572	7752	7788	C35/45	240 2.357e+005
4181	7574	7573	7788	7789	C35/45	240 2.356e+005
4182	7575	7574	7789	7792	C35/45	240 2.351e+005
4183	7576	7575	7792	7577	C35/45	240 2.358e+005
4184	7577	7792	7793	7578	C35/45	240 2.363e+005
4185	7792	7789	7790	7793	C35/45	240 2.359e+005
4186	7793	7790	7795	7794	C35/45	240 2.361e+005
4187	7578	7793	7794	7579	C35/45	240 2.366e+005
4188	7579	7794	7796	7580	C35/45	240 2.373e+005
4189	7794	7795	7797	7796	C35/45	240 2.368e+005
4190	7798	7800	7747	7799	C35/45	240 2.378e+005
4191	7791	7753	7800	7798	C35/45	240 2.373e+005
4192	7790	7791	7798	7795	C35/45	240 2.369e+005
4193	7795	7798	7799	7797	C35/45	240 2.378e+005
4194	7580	7796	7801	7581	C35/45	240 2.383e+005
4195	7581	7801	7802	7582	C35/45	240 2.4e+005
4196	7583	7803	7586	7584	C35/45	240 2.442e+005
4197	7582	7802	7803	7583	C35/45	240 2.427e+005
4198	7803	7804	7587	7586	C35/45	240 2.452e+005
4199	7802	7805	7804	7803	C35/45	240 2.43e+005
4200	7796	7797	7806	7801	C35/45	240 2.381e+005
4201	7801	7806	7805	7802	C35/45	240 2.408e+005
4202	7805	7808	7807	7804	C35/45	240 2.445e+005
4203	7804	7807	7588	7587	C35/45	240 2.465e+005
4204	7807	7809	7589	7588	C35/45	240 2.47e+005
4205	7808	7749	7809	7807	C35/45	240 2.448e+005
4206	7810	7748	7749	7808	C35/45	240 2.418e+005
4207	7799	7747	7748	7810	C35/45	240 2.401e+005
4208	7797	7799	7810	7806	C35/45	240 2.398e+005
4209	7806	7810	7808	7805	C35/45	240 2.418e+005
4210	7749	7750	7811	7809	C35/45	240 2.453e+005
4211	7809	7811	7590	7589	C35/45	240 2.468e+005
4212	7811	7741	7591	7590	C35/45	240 2.471e+005
4213	7750	7744	7741	7811	C35/45	240 2.451e+005
4214	7812	7786	7743	7744	C35/45	240 2.407e+005
4215	7756	7757	7786	7812	C35/45	240 2.385e+005
4216	7746	7756	7812	7745	C35/45	240 2.396e+005
4217	7745	7812	7744	7750	C35/45	240 2.414e+005
4218	7813	7773	7759	7760	C35/45	240 2.364e+005
4219	7570	7569	7773	7813	C35/45	240 2.372e+005
4220	7571	7570	7813	7751	C35/45	240 2.36e+005
4221	7751	7813	7760	7754	C35/45	240 2.364e+005
4222	7753	7754	7814	7800	C35/45	240 2.374e+005
4223	7800	7814	7746	7747	C35/45	240 2.383e+005
4224	7814	7755	7756	7746	C35/45	240 2.374e+005
4225	7754	7760	7755	7814	C35/45	240 2.367e+005
4248	7568	7567	7829	7772	C35/45	240 2.359e+005
4249	7772	7829	7780	7774	C35/45	240 2.358e+005
4250	7759	7774	7830	7758	C35/45	240 2.311e+005

PROJECT TITLE :


	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
4251	7758	7830	7785	7757	C35/45	240 2.313e+005
4252	7830	7775	7776	7785	C35/45	240 2.444e+005
4253	7774	7780	7775	7830	C35/45	240 2.412e+005
4254	7743	7787	7831	7742	C35/45	240 2.436e+005
4255	7742	7831	7593	7592	C35/45	240 2.468e+005
4256	7831	7781	7594	7593	C35/45	240 2.485e+005
4257	7787	7783	7781	7831	C35/45	240 2.469e+005
4260	7785	7776	7832	7784	C35/45	240 2.451e+005
4261	7784	7832	7783	7787	C35/45	240 2.415e+005
4726	8226	8225	4544	4543	C35/45	240 2.492e+005
4727	8227	8226	4543	4542	C35/45	240 2.492e+005
4728	8228	8227	4542	4541	C35/45	240 2.495e+005
4729	8229	8228	4541	4540	C35/45	240 2.492e+005
4730	8230	8229	4540	4539	C35/45	240 2.492e+005
4731	8231	8230	4539	4538	C35/45	240 2.505e+005
4732	8232	8231	4538	4537	C35/45	240 2.505e+005
4733	8233	8232	4537	4536	C35/45	240 2.505e+005
4734	8234	8233	4536	4535	C35/45	240 2.505e+005
4735	8235	8234	4535	4534	C35/45	240 2.505e+005
4736	8236	8235	4534	4533	C35/45	240 2.505e+005
4737	8237	8236	4533	4532	C35/45	240 2.505e+005
4738	8238	8237	4532	4531	C35/45	240 2.505e+005
4739	8239	8238	4531	4530	C35/45	240 2.505e+005
4740	8240	8239	4530	4529	C35/45	240 2.505e+005
4741	8241	8240	4529	4528	C35/45	240 2.505e+005
4742	8242	8241	4528	4527	C35/45	240 2.505e+005
4743	8243	8242	4527	4526	C35/45	240 2.505e+005
4744	8244	8243	4526	4525	C35/45	240 2.508e+005
4745	8245	8244	4525	4524	C35/45	240 2.505e+005
4746	8246	8245	4524	4523	C35/45	240 2.505e+005
4747	8247	8246	4523	4522	C35/45	240 2.505e+005
4748	8248	8247	4522	4521	C35/45	240 2.505e+005
4749	8249	8248	4521	4520	C35/45	240 2.505e+005
4750	8250	8249	4520	4519	C35/45	240 2.505e+005
4751	8251	8250	4519	4518	C35/45	240 2.505e+005
4752	8252	8251	4518	4517	C35/45	240 2.505e+005
4753	8253	8252	4517	4516	C35/45	240 2.505e+005
4754	8254	8253	4516	4515	C35/45	240 2.505e+005
4755	8255	8254	4515	4514	C35/45	240 2.505e+005
4756	8256	8255	4514	4513	C35/45	240 2.505e+005
4757	8257	8256	4513	4512	C35/45	240 2.503e+005
4758	8258	8257	4512	4511	C35/45	240 2.5e+005
4759	8259	8258	4511	4510	C35/45	240 2.5e+005
4760	8260	8259	4510	4509	C35/45	240 2.503e+005
4761	8261	8260	4509	4508	C35/45	240 2.505e+005
4762	8262	8261	4508	4507	C35/45	240 2.517e+005
4763	8263	8262	4507	4506	C35/45	240 2.574e+005
4764	8264	8263	4506	4505	C35/45	240 2.582e+005
4765	8265	8264	4505	4504	C35/45	240 2.579e+005
4766	8266	8265	4504	4503	C35/45	240 2.567e+005
4767	8267	8266	4503	4502	C35/45	240 2.556e+005
4768	8268	8267	4502	4501	C35/45	240 2.541e+005
4769	8270	8269	8267	8268	C35/45	240 2.52e+005
4770	8272	8271	8269	8270	C35/45	240 2.5e+005
4771	8273	8274	8271	8272	C35/45	240 2.48e+005
4772	8274	8276	8275	8271	C35/45	240 2.478e+005
4773	8276	8278	8277	8275	C35/45	240 2.475e+005
4774	8278	8280	8279	8277	C35/45	240 2.483e+005
4775	8280	8282	8281	8279	C35/45	240 2.478e+005
4776	8282	8284	8283	8281	C35/45	240 2.483e+005
4777	8284	8286	8285	8283	C35/45	240 2.49e+005
4778	8286	8288	8287	8285	C35/45	240 2.498e+005
4779	8288	8290	8289	8287	C35/45	240 2.498e+005
4780	8290	8292	8291	8289	C35/45	240 2.5e+005
4781	8292	8294	8293	8291	C35/45	240 2.503e+005
4782	8294	8296	8295	8293	C35/45	240 2.51e+005

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	

4783	8296	8298	8297	8295	C35/45	240	2.508e+005
4784	8298	8300	8299	8297	C35/45	240	2.508e+005
4785	8300	8302	8301	8299	C35/45	240	2.508e+005
4786	8302	8304	8303	8301	C35/45	240	2.51e+005
4787	8304	8306	8305	8303	C35/45	240	2.508e+005
4788	8306	8308	8307	8305	C35/45	240	2.513e+005
4789	8308	8310	8309	8307	C35/45	240	2.51e+005
4790	8310	8312	8311	8309	C35/45	240	2.51e+005
4791	8312	8314	8313	8311	C35/45	240	2.513e+005
4792	8314	8316	8315	8313	C35/45	240	2.51e+005
4793	8316	8318	8317	8315	C35/45	240	2.507e+005
4794	8318	8320	8319	8317	C35/45	240	2.51e+005
4795	8320	8322	8321	8319	C35/45	240	2.513e+005
4796	8322	8324	8323	8321	C35/45	240	2.507e+005
4797	8324	8326	8325	8323	C35/45	240	2.505e+005
4798	8326	8328	8327	8325	C35/45	240	2.507e+005
4799	8328	8330	8329	8327	C35/45	240	2.51e+005
4800	8330	8332	8331	8329	C35/45	240	2.508e+005
4801	8332	8334	8333	8331	C35/45	240	2.505e+005
4802	8334	8336	8335	8333	C35/45	240	2.505e+005
4803	8336	8338	8337	8335	C35/45	240	2.508e+005
4804	8338	8340	8339	8337	C35/45	240	2.505e+005
4805	8340	8342	8341	8339	C35/45	240	2.508e+005
4806	8342	8344	8343	8341	C35/45	240	2.505e+005
4807	8344	8346	8345	8343	C35/45	240	2.508e+005
4808	8346	8348	8347	8345	C35/45	240	2.508e+005
4809	8348	8350	8349	8347	C35/45	240	2.508e+005
4810	8350	8352	8351	8349	C35/45	240	2.503e+005
4811	8352	8354	8353	8351	C35/45	240	2.51e+005
4812	8354	8356	8355	8353	C35/45	240	2.51e+005
4813	8356	8358	8357	8355	C35/45	240	2.508e+005
4814	8358	8360	8359	8357	C35/45	240	2.51e+005
4815	8360	8362	8361	8359	C35/45	240	2.513e+005
4816	8362	8364	8363	8361	C35/45	240	2.52e+005
4817	8364	8366	8365	8363	C35/45	240	2.525e+005
4818	8366	8368	8367	8365	C35/45	240	2.528e+005
4819	8368	8370	8369	8367	C35/45	240	2.53e+005
4820	8370	8372	8371	8369	C35/45	240	2.541e+005
4821	8372	8374	8373	8371	C35/45	240	2.541e+005
4822	8374	8376	8375	8373	C35/45	240	2.546e+005
4823	8376	8378	8377	8375	C35/45	240	2.553e+005
4824	8378	8380	8379	8377	C35/45	240	2.556e+005
4825	8380	8382	8381	8379	C35/45	240	2.556e+005
4826	8382	8384	8383	8381	C35/45	240	2.561e+005
4827	8384	8386	8385	8383	C35/45	240	2.563e+005
4828	8386	8388	8387	8385	C35/45	240	2.563e+005
4829	8388	8390	8389	8387	C35/45	240	2.568e+005
4830	8390	8392	8391	8389	C35/45	240	2.566e+005
4831	8392	8394	8393	8391	C35/45	240	2.571e+005
4832	8394	8396	8395	8393	C35/45	240	2.571e+005
4833	8396	8398	8397	8395	C35/45	240	2.576e+005
4834	8398	8400	8399	8397	C35/45	240	2.578e+005
4835	8400	8402	8401	8399	C35/45	240	2.578e+005
4836	8402	8404	8403	8401	C35/45	240	2.581e+005
4837	8404	8406	8405	8403	C35/45	240	2.583e+005
4838	8406	8408	8407	8405	C35/45	240	2.583e+005
4839	8408	8410	8409	8407	C35/45	240	2.583e+005
4840	8410	8412	8411	8409	C35/45	240	2.583e+005
4841	8412	8414	8413	8411	C35/45	240	2.581e+005
4842	8414	8416	8415	8413	C35/45	240	2.586e+005
4843	8416	8418	8417	8415	C35/45	240	2.581e+005
4844	8418	8420	8419	8417	C35/45	240	2.578e+005
4845	8420	8422	8421	8419	C35/45	240	2.58e+005
4846	8422	8424	8423	8421	C35/45	240	2.588e+005
4847	8424	8426	8425	8423	C35/45	240	2.591e+005
4848	8426	8427	8428	8425	C35/45	240	2.599e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
4849	8425	8428	8430	8429	C35/45	240 2.612e+005
4850	8429	8430	8432	8431	C35/45	240 2.617e+005
4851	8431	8432	4579	4578	C35/45	240 2.613e+005
4852	8433	8431	4578	4577	C35/45	240 2.606e+005
4853	8434	8433	4577	4576	C35/45	240 2.603e+005
4854	8435	8434	4576	4575	C35/45	240 2.602e+005
4855	8436	8435	4575	4574	C35/45	240 2.6e+005
4856	8437	8436	4574	4573	C35/45	240 2.598e+005
4857	8438	8437	4573	4572	C35/45	240 2.595e+005
4858	8439	8438	4572	4571	C35/45	240 2.587e+005
4859	8440	8439	4571	4570	C35/45	240 2.559e+005
4860	8441	8440	4570	4569	C35/45	240 2.557e+005
4861	8442	8441	4569	4568	C35/45	240 2.556e+005
4862	8443	8442	4568	4567	C35/45	240 2.553e+005
4863	8444	8443	4567	4566	C35/45	240 2.553e+005
4864	8445	8444	4566	4565	C35/45	240 2.549e+005
4865	8446	8445	4565	4564	C35/45	240 2.552e+005
4866	8447	8446	4564	4563	C35/45	240 2.554e+005
4867	8448	8447	4563	4562	C35/45	240 2.559e+005
4868	8449	8448	4562	4561	C35/45	240 2.559e+005
4869	8450	8449	4561	4560	C35/45	240 2.56e+005
4870	8451	8450	4560	4559	C35/45	240 2.554e+005
4871	8452	8451	4559	4558	C35/45	240 2.553e+005
4872	8453	8452	4558	4557	C35/45	240 2.554e+005
4873	8454	8453	4557	4556	C35/45	240 2.547e+005
4874	8455	8454	4556	4555	C35/45	240 2.542e+005
4875	8456	8455	4555	4554	C35/45	240 2.529e+005
4876	8457	8456	4554	4553	C35/45	240 2.525e+005
4877	8458	8457	4553	4552	C35/45	240 2.52e+005
4878	8459	8458	4552	4551	C35/45	240 2.516e+005
4879	8460	8459	4551	4550	C35/45	240 2.517e+005
4880	8461	8460	4550	4549	C35/45	240 2.52e+005
4881	8462	8461	4549	4548	C35/45	240 2.514e+005
4882	8463	8462	4548	4547	C35/45	240 2.605e+005
4883	8464	8463	4547	4546	C35/45	240 2.505e+005
4884	8465	8464	4546	4545	C35/45	240 2.498e+005
4885	8225	8465	4545	4544	C35/45	240 2.493e+005
4886	8277	8279	8467	8466	C35/45	240 2.513e+005
4887	8466	8467	8264	8265	C35/45	240 2.543e+005
4888	8281	8283	8469	8468	C35/45	240 2.51e+005
4889	8468	8469	8262	8263	C35/45	240 2.527e+005
4890	8467	8468	8263	8264	C35/45	240 2.537e+005
4891	8279	8281	8468	8467	C35/45	240 2.505e+005
4892	8471	8470	8259	8260	C35/45	240 2.505e+005
4893	8287	8289	8470	8471	C35/45	240 2.5e+005
4894	8469	8472	8261	8262	C35/45	240 2.51e+005
4895	8283	8285	8472	8469	C35/45	240 2.502e+005
4896	8285	8287	8471	8472	C35/45	240 2.498e+005
4897	8472	8471	8260	8261	C35/45	240 2.502e+005
4898	8474	8473	8249	8250	C35/45	240 2.51e+005
4899	8307	8309	8473	8474	C35/45	240 2.51e+005
4900	8475	8474	8250	8251	C35/45	240 2.51e+005
4901	8476	8475	8251	8252	C35/45	240 2.51e+005
4902	8303	8305	8475	8476	C35/45	240 2.51e+005
4903	8305	8307	8474	8475	C35/45	240 2.513e+005
4904	8297	8299	8478	8477	C35/45	240 2.508e+005
4905	8477	8478	8254	8255	C35/45	240 2.51e+005
4906	8299	8301	8479	8478	C35/45	240 2.505e+005
4907	8301	8303	8476	8479	C35/45	240 2.508e+005
4908	8479	8476	8252	8253	C35/45	240 2.51e+005
4909	8478	8479	8253	8254	C35/45	240 2.51e+005
4910	8481	8480	8230	8231	C35/45	240 2.505e+005
4911	8345	8347	8480	8481	C35/45	240 2.505e+005
4912	8482	8481	8231	8232	C35/45	240 2.505e+005
4913	8483	8482	8232	8233	C35/45	240 2.505e+005
4914	8341	8343	8482	8483	C35/45	240 2.505e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
4915	8343	8345	8481	8482	C35/45	240 2.505e+005
4916	8335	8337	8485	8484	C35/45	240 2.505e+005
4917	8484	8485	8235	8236	C35/45	240 2.505e+005
4918	8337	8339	8486	8485	C35/45	240 2.505e+005
4919	8339	8341	8483	8486	C35/45	240 2.508e+005
4920	8486	8483	8233	8234	C35/45	240 2.505e+005
4921	8485	8486	8234	8235	C35/45	240 2.505e+005
4922	8317	8319	8488	8487	C35/45	240 2.51e+005
4923	8487	8488	8244	8245	C35/45	240 2.51e+005
4924	8319	8321	8489	8488	C35/45	240 2.508e+005
4925	8321	8323	8490	8489	C35/45	240 2.505e+005
4926	8489	8490	8242	8243	C35/45	240 2.51e+005
4927	8488	8489	8243	8244	C35/45	240 2.515e+005
4928	8327	8329	8491	8492	C35/45	240 2.505e+005
4929	8329	8331	8493	8491	C35/45	240 2.508e+005
4930	8491	8493	8238	8239	C35/45	240 2.505e+005
4931	8492	8491	8239	8240	C35/45	240 2.505e+005
4932	8494	8492	8240	8241	C35/45	240 2.505e+005
4933	8490	8494	8241	8242	C35/45	240 2.507e+005
4934	8323	8325	8494	8490	C35/45	240 2.507e+005
4935	8325	8327	8492	8494	C35/45	240 2.507e+005
4936	8496	8495	8434	8435	C35/45	240 2.598e+005
4937	8419	8421	8495	8496	C35/45	240 2.588e+005
4938	8497	8496	8435	8436	C35/45	240 2.598e+005
4939	8498	8497	8436	8437	C35/45	240 2.596e+005
4940	8415	8417	8497	8498	C35/45	240 2.59e+005
4941	8417	8419	8496	8497	C35/45	240 2.588e+005
4942	8409	8411	8500	8499	C35/45	240 2.588e+005
4943	8499	8500	8439	8440	C35/45	240 2.578e+005
4944	8411	8413	8501	8500	C35/45	240 2.588e+005
4945	8413	8415	8498	8501	C35/45	240 2.593e+005
4946	8501	8498	8437	8438	C35/45	240 2.593e+005
4947	8500	8501	8438	8439	C35/45	240 2.59e+005
4948	8391	8393	8503	8502	C35/45	240 2.576e+005
4949	8502	8503	8448	8449	C35/45	240 2.568e+005
4950	8395	8397	8505	8504	C35/45	240 2.573e+005
4951	8504	8505	8446	8447	C35/45	240 2.568e+005
4952	8503	8504	8447	8448	C35/45	240 2.571e+005
4953	8393	8395	8504	8503	C35/45	240 2.573e+005
4954	8401	8403	8506	8507	C35/45	240 2.573e+005
4955	8403	8405	8508	8506	C35/45	240 2.575e+005
4956	8506	8508	8442	8443	C35/45	240 2.57e+005
4957	8507	8506	8443	8444	C35/45	240 2.57e+005
4958	8505	8509	8445	8446	C35/45	240 2.568e+005
4959	8397	8399	8509	8505	C35/45	240 2.573e+005
4960	8399	8401	8507	8509	C35/45	240 2.576e+005
4961	8509	8507	8444	8445	C35/45	240 2.568e+005
4962	8355	8357	8511	8510	C35/45	240 2.505e+005
4963	8510	8511	8225	8226	C35/45	240 2.502e+005
4964	8357	8359	8512	8511	C35/45	240 2.513e+005
4965	8359	8361	8513	8512	C35/45	240 2.515e+005
4966	8512	8513	8464	8465	C35/45	240 2.508e+005
4967	8511	8512	8465	8225	C35/45	240 2.503e+005
4968	8361	8363	8514	8513	C35/45	240 2.523e+005
4969	8363	8365	8515	8514	C35/45	240 2.535e+005
4970	8367	8369	8517	8516	C35/45	240 2.535e+005
4971	8365	8367	8516	8515	C35/45	240 2.53e+005
4972	8513	8514	8463	8464	C35/45	240 2.52e+005
4973	8519	8518	8453	8454	C35/45	240 2.558e+005
4974	8381	8383	8518	8519	C35/45	240 2.561e+005
4975	8520	8519	8454	8455	C35/45	240 2.553e+005
4976	8521	8520	8455	8456	C35/45	240 2.548e+005
4977	8377	8379	8520	8521	C35/45	240 2.553e+005
4978	8379	8381	8519	8520	C35/45	240 2.553e+005
4979	8522	8523	8458	8459	C35/45	240 2.532e+005
4980	8517	8522	8459	8460	C35/45	240 2.525e+005

PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
4981	8369	8371	8522	8517	C35/45	240 2.533e+005
4982	8371	8373	8523	8522	C35/45	240 2.54e+005
4983	8373	8375	8524	8523	C35/45	240 2.543e+005
4984	8375	8377	8521	8524	C35/45	240 2.548e+005
4985	8524	8521	8456	8457	C35/45	240 2.543e+005
4986	8523	8524	8457	8458	C35/45	240 2.538e+005
4987	8269	8525	8266	8267	C35/45	240 2.53e+005
4988	8271	8275	8525	8269	C35/45	240 2.51e+005
4989	8275	8277	8466	8525	C35/45	240 2.51e+005
4990	8525	8466	8265	8266	C35/45	240 2.53e+005
4991	8289	8291	8526	8470	C35/45	240 2.5e+005
4992	8291	8293	8527	8526	C35/45	240 2.503e+005
4993	8526	8527	8257	8258	C35/45	240 2.505e+005
4994	8470	8526	8258	8259	C35/45	240 2.503e+005
4995	8309	8311	8528	8473	C35/45	240 2.51e+005
4996	8311	8313	8529	8528	C35/45	240 2.51e+005
4997	8528	8529	8247	8248	C35/45	240 2.51e+005
4998	8473	8528	8248	8249	C35/45	240 2.51e+005
4999	8530	8477	8255	8256	C35/45	240 2.505e+005
5000	8527	8530	8256	8257	C35/45	240 2.505e+005
5001	8293	8295	8530	8527	C35/45	240 2.508e+005
5002	8295	8297	8477	8530	C35/45	240 2.505e+005
5003	8347	8349	8531	8480	C35/45	240 2.503e+005
5004	8349	8351	8532	8531	C35/45	240 2.503e+005
5005	8531	8532	8228	8229	C35/45	240 2.5e+005
5006	8480	8531	8229	8230	C35/45	240 2.5e+005
5007	8533	8484	8236	8237	C35/45	240 2.508e+005
5008	8493	8533	8237	8238	C35/45	240 2.505e+005
5009	8331	8333	8533	8493	C35/45	240 2.505e+005
5010	8333	8335	8484	8533	C35/45	240 2.508e+005
5011	8534	8487	8245	8246	C35/45	240 2.51e+005
5012	8529	8534	8246	8247	C35/45	240 2.51e+005
5013	8313	8315	8534	8529	C35/45	240 2.51e+005
5014	8315	8317	8487	8534	C35/45	240 2.51e+005
5015	8421	8423	8535	8495	C35/45	240 2.596e+005
5016	8423	8425	8429	8535	C35/45	240 2.599e+005
5017	8535	8429	8431	8433	C35/45	240 2.604e+005
5018	8495	8535	8433	8434	C35/45	240 2.601e+005
5019	8536	8499	8440	8441	C35/45	240 2.575e+005
5020	8508	8536	8441	8442	C35/45	240 2.575e+005
5021	8405	8407	8536	8508	C35/45	240 2.578e+005
5022	8407	8409	8499	8536	C35/45	240 2.58e+005
5023	8537	8502	8449	8450	C35/45	240 2.571e+005
5024	8538	8537	8450	8451	C35/45	240 2.568e+005
5025	8387	8389	8537	8538	C35/45	240 2.571e+005
5026	8389	8391	8502	8537	C35/45	240 2.571e+005
5027	8539	8510	8226	8227	C35/45	240 2.503e+005
5028	8532	8539	8227	8228	C35/45	240 2.503e+005
5029	8351	8353	8539	8532	C35/45	240 2.505e+005
5030	8353	8355	8510	8539	C35/45	240 2.503e+005
5031	8516	8517	8460	8461	C35/45	240 2.53e+005
5032	8515	8516	8461	8462	C35/45	240 2.53e+005
5033	8514	8515	8462	8463	C35/45	240 2.553e+005
5034	8383	8385	8540	8518	C35/45	240 2.563e+005
5035	8385	8387	8538	8540	C35/45	240 2.563e+005
5036	8540	8538	8451	8452	C35/45	240 2.565e+005
5037	8518	8540	8452	8453	C35/45	240 2.563e+005
5038	4708	4709	8542	8541	C35/45	240 2.44e+005
5039	4709	4710	8543	8542	C35/45	240 2.437e+005
5040	4710	4711	8544	8543	C35/45	240 2.433e+005
5041	4711	4712	8545	8544	C35/45	240 2.433e+005
5042	4712	4713	8546	8545	C35/45	240 2.43e+005
5043	4713	4714	8547	8546	C35/45	240 2.432e+005
5044	4714	4715	8548	8547	C35/45	240 2.43e+005
5045	4715	4716	8549	8548	C35/45	240 2.436e+005
5046	4716	4717	8550	8549	C35/45	240 2.438e+005

PROJECT TITLE :


	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
5047	4717	4718	8551	8550	C35/45	240 2.441e+005
5048	4718	4719	8552	8551	C35/45	240 2.442e+005
5049	4719	4720	8553	8552	C35/45	240 2.443e+005
5050	4720	4721	8554	8553	C35/45	240 2.446e+005
5051	4721	4722	8555	8554	C35/45	240 2.451e+005
5052	4722	4723	8556	8555	C35/45	240 2.452e+005
5053	4723	4724	8557	8556	C35/45	240 2.465e+005
5054	4724	4725	8558	8557	C35/45	240 2.466e+005
5055	4725	4726	8559	8558	C35/45	240 2.474e+005
5056	4726	4727	8560	8559	C35/45	240 2.479e+005
5057	4727	4728	8561	8560	C35/45	240 2.481e+005
5058	4728	4729	8562	8561	C35/45	240 2.485e+005
5059	4729	4730	8563	8562	C35/45	240 2.486e+005
5060	4730	4731	8564	8563	C35/45	240 2.488e+005
5061	4731	4732	8565	8564	C35/45	240 2.469e+005
5062	4732	4733	8566	8565	C35/45	240 2.47e+005
5063	4733	4734	8567	8566	C35/45	240 2.474e+005
5064	4734	4735	8568	8567	C35/45	240 2.478e+005
5065	4735	4736	8569	8568	C35/45	240 2.481e+005
5066	4736	4737	8570	8569	C35/45	240 2.484e+005
5067	4737	4738	8571	8570	C35/45	240 2.493e+005
5068	4738	4739	8572	8571	C35/45	240 2.5e+005
5069	8571	8572	8574	8573	C35/45	240 2.501e+005
5070	8573	8574	8576	8575	C35/45	240 2.511e+005
5071	8575	8576	8577	8578	C35/45	240 2.521e+005
5072	8579	8575	8578	8580	C35/45	240 2.516e+005
5073	8581	8579	8580	8582	C35/45	240 2.513e+005
5074	8583	8581	8582	8584	C35/45	240 2.513e+005
5075	8585	8583	8584	8586	C35/45	240 2.505e+005
5076	8587	8585	8586	8588	C35/45	240 2.498e+005
5077	8589	8587	8588	8590	C35/45	240 2.495e+005
5078	8591	8589	8590	8592	C35/45	240 2.49e+005
5079	8593	8591	8592	8594	C35/45	240 2.487e+005
5080	8595	8593	8594	8596	C35/45	240 2.48e+005
5081	8597	8595	8596	8598	C35/45	240 2.48e+005
5082	8599	8597	8598	8600	C35/45	240 2.472e+005
5083	8601	8599	8600	8602	C35/45	240 2.467e+005
5084	8603	8601	8602	8604	C35/45	240 2.465e+005
5085	8605	8603	8604	8606	C35/45	240 2.458e+005
5086	8607	8605	8606	8608	C35/45	240 2.46e+005
5087	8609	8607	8608	8610	C35/45	240 2.452e+005
5088	8611	8609	8610	8612	C35/45	240 2.45e+005
5089	8613	8611	8612	8614	C35/45	240 2.447e+005
5090	8615	8613	8614	8616	C35/45	240 2.445e+005
5091	8617	8615	8616	8618	C35/45	240 2.442e+005
5092	8619	8617	8618	8620	C35/45	240 2.442e+005
5093	8621	8619	8620	8622	C35/45	240 2.44e+005
5094	8623	8621	8622	8624	C35/45	240 2.437e+005
5095	8625	8623	8624	8626	C35/45	240 2.442e+005
5096	8627	8625	8626	8628	C35/45	240 2.442e+005
5097	8629	8627	8628	8630	C35/45	240 2.437e+005
5098	8631	8629	8630	8632	C35/45	240 2.445e+005
5099	8633	8631	8632	8634	C35/45	240 2.445e+005
5100	8635	8633	8634	8636	C35/45	240 2.447e+005
5101	8637	8635	8636	8638	C35/45	240 2.452e+005
5102	8639	8637	8638	8640	C35/45	240 2.455e+005
5103	8641	8639	8640	8642	C35/45	240 2.457e+005
5104	8643	8641	8642	8644	C35/45	240 2.455e+005
5105	8645	8643	8644	8646	C35/45	240 2.46e+005
5106	8647	8645	8646	8648	C35/45	240 2.46e+005
5107	8649	8647	8648	8650	C35/45	240 2.462e+005
5108	8651	8649	8650	8652	C35/45	240 2.457e+005
5109	8653	8651	8652	8654	C35/45	240 2.457e+005
5110	8655	8653	8654	8656	C35/45	240 2.455e+005
5111	8657	8655	8656	8658	C35/45	240 2.457e+005
5112	8659	8657	8658	8660	C35/45	240 2.457e+005

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	

5113	8661	8659	8660	8662	C35/45	240	2.452e+005
5114	8663	8661	8662	8664	C35/45	240	2.455e+005
5115	8665	8663	8664	8666	C35/45	240	2.457e+005
5116	8667	8665	8666	8668	C35/45	240	2.452e+005
5117	8669	8667	8668	8670	C35/45	240	2.452e+005
5118	8671	8669	8670	8672	C35/45	240	2.457e+005
5119	8673	8671	8672	8674	C35/45	240	2.452e+005
5120	8675	8673	8674	8676	C35/45	240	2.455e+005
5121	8677	8675	8676	8678	C35/45	240	2.452e+005
5122	8679	8677	8678	8680	C35/45	240	2.45e+005
5123	8681	8679	8680	8682	C35/45	240	2.45e+005
5124	8683	8681	8682	8684	C35/45	240	2.45e+005
5125	8685	8683	8684	8686	C35/45	240	2.45e+005
5126	8687	8685	8686	8688	C35/45	240	2.447e+005
5127	8689	8687	8688	8690	C35/45	240	2.452e+005
5128	8691	8689	8690	8692	C35/45	240	2.45e+005
5129	8693	8691	8692	8694	C35/45	240	2.445e+005
5130	8695	8693	8694	8696	C35/45	240	2.45e+005
5131	8697	8695	8696	8698	C35/45	240	2.45e+005
5132	8699	8697	8698	8700	C35/45	240	2.452e+005
5133	8701	8699	8700	8702	C35/45	240	2.447e+005
5134	8703	8701	8702	8704	C35/45	240	2.45e+005
5135	8705	8703	8704	8706	C35/45	240	2.452e+005
5136	8707	8705	8706	8708	C35/45	240	2.447e+005
5137	8709	8707	8708	8710	C35/45	240	2.455e+005
5138	8711	8709	8710	8712	C35/45	240	2.452e+005
5139	8713	8711	8712	8714	C35/45	240	2.455e+005
5140	8715	8713	8714	8716	C35/45	240	2.452e+005
5141	8717	8715	8716	8718	C35/45	240	2.454e+005
5142	8719	8717	8718	8720	C35/45	240	2.454e+005
5143	8721	8719	8720	8722	C35/45	240	2.457e+005
5144	8723	8721	8722	8724	C35/45	240	2.459e+005
5145	8725	8723	8724	8726	C35/45	240	2.459e+005
5146	8727	8725	8726	8728	C35/45	240	2.464e+005
5147	8729	8727	8728	8730	C35/45	240	2.467e+005
5148	8732	8729	8730	8731	C35/45	240	2.475e+005
5149	8734	8733	8729	8732	C35/45	240	2.49e+005
5150	8736	8735	8733	8734	C35/45	240	2.517e+005
5151	4661	4662	8735	8736	C35/45	240	2.543e+005
5152	4662	4663	8737	8735	C35/45	240	2.551e+005
5153	4663	4664	8738	8737	C35/45	240	2.554e+005
5154	4664	4665	8739	8738	C35/45	240	2.551e+005
5155	4665	4666	8740	8739	C35/45	240	2.546e+005
5156	4666	4667	8741	8740	C35/45	240	2.528e+005
5157	4667	4668	8742	8741	C35/45	240	2.467e+005
5158	4668	4669	8743	8742	C35/45	240	2.457e+005
5159	4669	4670	8744	8743	C35/45	240	2.45e+005
5160	4670	4671	8745	8744	C35/45	240	2.445e+005
5161	4671	4672	8746	8745	C35/45	240	2.447e+005
5162	4672	4673	8747	8746	C35/45	240	2.442e+005
5163	4673	4674	8748	8747	C35/45	240	2.442e+005
5164	4674	4675	8749	8748	C35/45	240	2.44e+005
5165	4675	4676	8750	8749	C35/45	240	2.442e+005
5166	4676	4677	8751	8750	C35/45	240	2.44e+005
5167	4677	4678	8752	8751	C35/45	240	2.44e+005
5168	4678	4679	8753	8752	C35/45	240	2.442e+005
5169	4679	4680	8754	8753	C35/45	240	2.44e+005
5170	4680	4681	8755	8754	C35/45	240	2.442e+005
5171	4681	4682	8756	8755	C35/45	240	2.44e+005
5172	4682	4683	8757	8756	C35/45	240	2.442e+005
5173	4683	4684	8758	8757	C35/45	240	2.44e+005
5174	4684	4685	8759	8758	C35/45	240	2.442e+005
5175	4685	4686	8760	8759	C35/45	240	2.44e+005
5176	4686	4687	8761	8760	C35/45	240	2.442e+005
5177	4687	4688	8762	8761	C35/45	240	2.44e+005
5178	4688	4689	8763	8762	C35/45	240	2.44e+005

PROJECT TITLE :


	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
5179	4689	4690	8764	8763	C35/45	240 2.442e+005
5180	4690	4691	8765	8764	C35/45	240 2.443e+005
5181	4691	4692	8766	8765	C35/45	240 2.447e+005
5182	4692	4693	8767	8766	C35/45	240 2.445e+005
5183	4693	4694	8768	8767	C35/45	240 2.447e+005
5184	4694	4695	8769	8768	C35/45	240 2.445e+005
5185	4695	4696	8770	8769	C35/45	240 2.447e+005
5186	4696	4697	8771	8770	C35/45	240 2.445e+005
5187	4697	4698	8772	8771	C35/45	240 2.445e+005
5188	4698	4699	8773	8772	C35/45	240 2.445e+005
5189	4699	4700	8774	8773	C35/45	240 2.435e+005
5190	4700	4701	8775	8774	C35/45	240 2.432e+005
5191	4701	4702	8776	8775	C35/45	240 2.437e+005
5192	4702	4703	8777	8776	C35/45	240 2.434e+005
5193	4703	4704	8778	8777	C35/45	240 2.437e+005
5194	4704	4705	8779	8778	C35/45	240 2.434e+005
5195	4705	4706	8780	8779	C35/45	240 2.434e+005
5196	4706	4707	8781	8780	C35/45	240 2.439e+005
5197	4707	4708	8541	8781	C35/45	240 2.447e+005
5198	8738	8739	8783	8782	C35/45	240 2.511e+005
5199	8782	8783	8723	8725	C35/45	240 2.492e+005
5200	8740	8741	8785	8784	C35/45	240 2.489e+005
5201	8784	8785	8719	8721	C35/45	240 2.474e+005
5202	8783	8784	8721	8723	C35/45	240 2.484e+005
5203	8739	8740	8784	8783	C35/45	240 2.504e+005
5204	8787	8786	8713	8715	C35/45	240 2.445e+005
5205	8743	8744	8786	8787	C35/45	240 2.45e+005
5206	8785	8788	8717	8719	C35/45	240 2.462e+005
5207	8741	8742	8788	8785	C35/45	240 2.467e+005
5208	8742	8743	8787	8788	C35/45	240 2.455e+005
5209	8788	8787	8715	8717	C35/45	240 2.452e+005
5210	8790	8789	8693	8695	C35/45	240 2.442e+005
5211	8753	8754	8789	8790	C35/45	240 2.432e+005
5212	8792	8791	8697	8699	C35/45	240 2.44e+005
5213	8751	8752	8791	8792	C35/45	240 2.437e+005
5214	8752	8753	8790	8791	C35/45	240 2.437e+005
5215	8791	8790	8695	8697	C35/45	240 2.437e+005
5216	8748	8749	8794	8793	C35/45	240 2.437e+005
5217	8793	8794	8703	8705	C35/45	240 2.445e+005
5218	8750	8751	8792	8795	C35/45	240 2.437e+005
5219	8795	8792	8699	8701	C35/45	240 2.44e+005
5220	8794	8795	8701	8703	C35/45	240 2.44e+005
5221	8749	8750	8795	8794	C35/45	240 2.44e+005
5222	8797	8796	8655	8657	C35/45	240 2.45e+005
5223	8772	8773	8796	8797	C35/45	240 2.442e+005
5224	8799	8798	8659	8661	C35/45	240 2.45e+005
5225	8770	8771	8798	8799	C35/45	240 2.442e+005
5226	8771	8772	8797	8798	C35/45	240 2.44e+005
5227	8798	8797	8657	8659	C35/45	240 2.45e+005
5228	8767	8768	8801	8800	C35/45	240 2.445e+005
5229	8800	8801	8665	8667	C35/45	240 2.445e+005
5230	8769	8770	8799	8802	C35/45	240 2.445e+005
5231	8802	8799	8661	8663	C35/45	240 2.447e+005
5232	8801	8802	8663	8665	C35/45	240 2.447e+005
5233	8768	8769	8802	8801	C35/45	240 2.442e+005
5234	8758	8759	8804	8803	C35/45	240 2.44e+005
5235	8803	8804	8683	8685	C35/45	240 2.442e+005
5236	8760	8761	8806	8805	C35/45	240 2.44e+005
5237	8805	8806	8679	8681	C35/45	240 2.445e+005
5238	8804	8805	8681	8683	C35/45	240 2.44e+005
5239	8759	8760	8805	8804	C35/45	240 2.437e+005
5240	8764	8765	8808	8807	C35/45	240 2.44e+005
5241	8807	8808	8671	8673	C35/45	240 2.445e+005
5242	8809	8807	8673	8675	C35/45	240 2.445e+005
5243	8763	8764	8807	8809	C35/45	240 2.445e+005
5244	8806	8810	8677	8679	C35/45	240 2.44e+005

PROJECT TITLE :


	Company			Client	
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

5245	8761	8762	8810	8806	C35/45	240	2.438e+005
5246	8762	8763	8809	8810	C35/45	240	2.442e+005
5247	8810	8809	8675	8677	C35/45	240	2.44e+005
5248	8812	8811	8581	8583	C35/45	240	2.501e+005
5249	8568	8569	8811	8812	C35/45	240	2.488e+005
5250	8814	8813	8585	8587	C35/45	240	2.493e+005
5251	8566	8567	8813	8814	C35/45	240	2.483e+005
5252	8567	8568	8812	8813	C35/45	240	2.485e+005
5253	8813	8812	8583	8585	C35/45	240	2.49e+005
5254	8563	8564	8816	8815	C35/45	240	2.48e+005
5255	8815	8816	8591	8593	C35/45	240	2.485e+005
5256	8565	8566	8814	8817	C35/45	240	2.478e+005
5257	8817	8814	8587	8589	C35/45	240	2.488e+005
5258	8816	8817	8589	8591	C35/45	240	2.485e+005
5259	8564	8565	8817	8816	C35/45	240	2.478e+005
5260	8554	8555	8819	8818	C35/45	240	2.445e+005
5261	8818	8819	8609	8611	C35/45	240	2.445e+005
5262	8556	8557	8821	8820	C35/45	240	2.455e+005
5263	8820	8821	8605	8607	C35/45	240	2.452e+005
5264	8819	8820	8607	8609	C35/45	240	2.45e+005
5265	8555	8556	8820	8819	C35/45	240	2.448e+005
5266	8560	8561	8823	8822	C35/45	240	2.475e+005
5267	8822	8823	8597	8599	C35/45	240	2.47e+005
5268	8824	8822	8599	8601	C35/45	240	2.465e+005
5269	8559	8560	8822	8824	C35/45	240	2.47e+005
5270	8821	8825	8603	8605	C35/45	240	2.457e+005
5271	8557	8558	8825	8821	C35/45	240	2.46e+005
5272	8558	8559	8824	8825	C35/45	240	2.467e+005
5273	8825	8824	8601	8603	C35/45	240	2.467e+005
5274	8777	8778	8827	8826	C35/45	240	2.438e+005
5275	8826	8827	8645	8647	C35/45	240	2.447e+005
5276	8779	8780	8829	8828	C35/45	240	2.438e+005
5277	8828	8829	8641	8643	C35/45	240	2.443e+005
5278	8827	8828	8643	8645	C35/45	240	2.45e+005
5279	8778	8779	8828	8827	C35/45	240	2.438e+005
5280	8542	8543	8831	8830	C35/45	240	2.44e+005
5281	8830	8831	8633	8635	C35/45	240	2.44e+005
5282	8832	8830	8635	8637	C35/45	240	2.445e+005
5283	8541	8542	8830	8832	C35/45	240	2.437e+005
5284	8829	8833	8639	8641	C35/45	240	2.447e+005
5285	8780	8781	8833	8829	C35/45	240	2.443e+005
5286	8781	8541	8832	8833	C35/45	240	2.445e+005
5287	8833	8832	8637	8639	C35/45	240	2.447e+005
5288	8835	8834	8619	8621	C35/45	240	2.435e+005
5289	8549	8550	8834	8835	C35/45	240	2.435e+005
5290	8837	8836	8623	8625	C35/45	240	2.432e+005
5291	8547	8548	8836	8837	C35/45	240	2.427e+005
5292	8548	8549	8835	8836	C35/45	240	2.435e+005
5293	8836	8835	8621	8623	C35/45	240	2.432e+005
5294	8831	8838	8631	8633	C35/45	240	2.435e+005
5295	8543	8544	8838	8831	C35/45	240	2.435e+005
5296	8544	8545	8839	8838	C35/45	240	2.432e+005
5297	8838	8839	8629	8631	C35/45	240	2.437e+005
5298	8546	8547	8837	8840	C35/45	240	2.43e+005
5299	8840	8837	8625	8627	C35/45	240	2.435e+005
5300	8839	8840	8627	8629	C35/45	240	2.432e+005
5301	8545	8546	8840	8839	C35/45	240	2.427e+005
5302	8841	8782	8725	8727	C35/45	240	2.492e+005
5303	8733	8841	8727	8729	C35/45	240	2.489e+005
5304	8735	8737	8841	8733	C35/45	240	2.519e+005
5305	8737	8738	8782	8841	C35/45	240	2.512e+005
5306	8745	8746	8843	8842	C35/45	240	2.442e+005
5307	8842	8843	8709	8711	C35/45	240	2.445e+005
5308	8786	8842	8711	8713	C35/45	240	2.447e+005
5309	8744	8745	8842	8786	C35/45	240	2.445e+005
5310	8755	8756	8845	8844	C35/45	240	2.437e+005

PROJECT TITLE :


	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
5311	8844	8845	8689	8691	C35/45	240 2.435e+005
5312	8789	8844	8691	8693	C35/45	240 2.437e+005
5313	8754	8755	8844	8789	C35/45	240 2.437e+005
5314	8843	8846	8707	8709	C35/45	240 2.445e+005
5315	8746	8747	8846	8843	C35/45	240 2.44e+005
5316	8747	8748	8793	8846	C35/45	240 2.442e+005
5317	8846	8793	8705	8707	C35/45	240 2.442e+005
5318	8774	8775	8848	8847	C35/45	240 2.44e+005
5319	8847	8848	8651	8653	C35/45	240 2.447e+005
5320	8796	8847	8653	8655	C35/45	240 2.447e+005
5321	8773	8774	8847	8796	C35/45	240 2.44e+005
5322	8808	8849	8669	8671	C35/45	240 2.447e+005
5323	8765	8766	8849	8808	C35/45	240 2.44e+005
5324	8766	8767	8800	8849	C35/45	240 2.44e+005
5325	8849	8800	8667	8669	C35/45	240 2.445e+005
5326	8845	8850	8687	8689	C35/45	240 2.44e+005
5327	8756	8757	8850	8845	C35/45	240 2.44e+005
5328	8757	8758	8803	8850	C35/45	240 2.437e+005
5329	8850	8803	8685	8687	C35/45	240 2.44e+005
5330	8569	8570	8851	8811	C35/45	240 2.493e+005
5331	8570	8571	8573	8851	C35/45	240 2.503e+005
5332	8851	8573	8575	8579	C35/45	240 2.511e+005
5333	8811	8851	8579	8581	C35/45	240 2.501e+005
5334	8823	8852	8595	8597	C35/45	240 2.477e+005
5335	8561	8562	8852	8823	C35/45	240 2.48e+005
5336	8562	8563	8815	8852	C35/45	240 2.48e+005
5337	8852	8815	8593	8595	C35/45	240 2.477e+005
5338	8854	8853	8613	8615	C35/45	240 2.44e+005
5339	8552	8553	8853	8854	C35/45	240 2.437e+005
5340	8553	8554	8818	8853	C35/45	240 2.44e+005
5341	8853	8818	8611	8613	C35/45	240 2.442e+005
5342	8848	8855	8649	8651	C35/45	240 2.443e+005
5343	8775	8776	8855	8848	C35/45	240 2.438e+005
5344	8776	8777	8826	8855	C35/45	240 2.438e+005
5345	8855	8826	8647	8649	C35/45	240 2.447e+005
5346	8551	8552	8854	8856	C35/45	240 2.435e+005
5347	8856	8854	8615	8617	C35/45	240 2.437e+005
5348	8834	8856	8617	8619	C35/45	240 2.435e+005
5349	8550	8551	8856	8834	C35/45	240 2.435e+005
5350	8858	8857	4593	4592	C35/45	240 2.626e+005
5351	8859	8858	4592	4591	C35/45	240 2.626e+005
5352	8860	8859	4591	4590	C35/45	240 2.623e+005
5353	8861	8860	4590	4589	C35/45	240 2.619e+005
5354	8862	8861	4589	4588	C35/45	240 2.609e+005
5355	8863	8862	4588	4587	C35/45	240 2.599e+005
5356	8864	8863	4587	4586	C35/45	240 2.56e+005
5357	8865	8864	4586	4585	C35/45	240 2.552e+005
5358	8866	8865	4585	4584	C35/45	240 2.543e+005
5359	8867	8866	4584	4583	C35/45	240 2.536e+005
5360	8868	8867	4583	4582	C35/45	240 2.536e+005
5361	8869	8868	4582	4581	C35/45	240 2.545e+005
5362	8870	8869	4581	4580	C35/45	240 2.554e+005
5363	8432	8870	4580	4579	C35/45	240 2.551e+005
5364	8430	8871	8870	8432	C35/45	240 2.58e+005
5365	8428	8872	8871	8430	C35/45	240 2.596e+005
5366	8427	8873	8872	8428	C35/45	240 2.596e+005
5367	8873	8875	8874	8872	C35/45	240 2.594e+005
5368	8875	8877	8876	8874	C35/45	240 2.593e+005
5369	8877	8879	8878	8876	C35/45	240 2.598e+005
5370	8879	8881	8880	8878	C35/45	240 2.602e+005
5371	8881	8883	8882	8880	C35/45	240 2.604e+005
5372	8883	8885	8884	8882	C35/45	240 2.606e+005
5373	8885	8887	8886	8884	C35/45	240 2.608e+005
5374	8887	8889	8888	8886	C35/45	240 2.612e+005
5375	8889	8891	8890	8888	C35/45	240 2.609e+005
5376	8891	8893	8892	8890	C35/45	240 2.612e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	


5377	8893	8895	8894	8892	C35/45	240	2.617e+005
5378	8895	8897	8896	8894	C35/45	240	2.622e+005
5379	8897	8899	8898	8896	C35/45	240	2.631e+005
5380	8899	8901	8900	8898	C35/45	240	2.641e+005
5381	8901	8903	8902	8900	C35/45	240	2.147e+005
5382	8903	8905	8904	8902	C35/45	240	2.223e+005
5420	8979	8981	8980	8978	C35/45	240	2.738e+005
5421	8981	8983	8982	8980	C35/45	240	2.731e+005
5422	8983	8985	8984	8982	C35/45	240	2.79e+005
5423	8985	8987	8986	8984	C35/45	240	2.776e+005
5424	8987	8989	8988	8986	C35/45	240	2.77e+005
5425	8989	8991	8990	8988	C35/45	240	2.766e+005
5426	8991	8993	8992	8990	C35/45	240	2.77e+005
5427	8993	8995	8994	8992	C35/45	240	2.767e+005
5428	8995	8997	8996	8994	C35/45	240	2.771e+005
5429	8997	8999	8998	8996	C35/45	240	2.771e+005
5430	8999	9001	9000	8998	C35/45	240	2.767e+005
5431	9001	9003	9002	9000	C35/45	240	2.766e+005
5432	9003	9005	9004	9002	C35/45	240	2.773e+005
5433	9005	9007	9006	9004	C35/45	240	2.771e+005
5434	9007	9009	9008	9006	C35/45	240	2.764e+005
5435	9009	9011	9010	9008	C35/45	240	2.76e+005
5436	9011	9013	9012	9010	C35/45	240	2.76e+005
5437	9013	9015	9014	9012	C35/45	240	2.757e+005
5438	9015	9017	9016	9014	C35/45	240	2.738e+005
5439	9017	9019	9018	9016	C35/45	240	2.745e+005
5440	9019	9021	9020	9018	C35/45	240	2.753e+005
5441	9021	9023	9022	9020	C35/45	240	2.771e+005
5442	9023	9024	9025	9022	C35/45	240	2.78e+005
5443	9022	9025	9027	9026	C35/45	240	2.816e+005
5444	9026	9027	9029	9028	C35/45	240	2.846e+005
5445	9028	9029	4658	4657	C35/45	240	2.853e+005
5446	9030	9028	4657	4656	C35/45	240	2.855e+005
5447	9031	9030	4656	4655	C35/45	240	2.861e+005
5448	9032	9031	4655	4654	C35/45	240	2.866e+005
5449	9033	9032	4654	4653	C35/45	240	2.867e+005
5450	9034	9033	4653	4652	C35/45	240	2.856e+005
5451	9035	9034	4652	4651	C35/45	240	2.842e+005
5452	9036	9035	4651	4650	C35/45	240	2.726e+005
5453	9037	9036	4650	4649	C35/45	240	2.711e+005
5454	9038	9037	4649	4648	C35/45	240	2.704e+005
5455	9039	9038	4648	4647	C35/45	240	2.702e+005
5456	9040	9039	4647	4646	C35/45	240	2.697e+005
5457	9041	9040	4646	4645	C35/45	240	2.698e+005
5458	9042	9041	4645	4644	C35/45	240	2.698e+005
5459	9043	9042	4644	4643	C35/45	240	2.697e+005
5460	9044	9043	4643	4642	C35/45	240	2.697e+005
5461	9045	9044	4642	4641	C35/45	240	2.694e+005
5462	9046	9045	4641	4640	C35/45	240	2.696e+005
5463	9047	9046	4640	4639	C35/45	240	2.699e+005
5464	9048	9047	4639	4638	C35/45	240	2.699e+005
5465	9049	9048	4638	4637	C35/45	240	2.706e+005
5466	9050	9049	4637	4636	C35/45	240	2.648e+005
5467	9051	9050	4636	4635	C35/45	240	2.597e+005
5507	9091	9090	4596	4595	C35/45	240	2.671e+005
5508	9092	9091	4595	4594	C35/45	240	2.378e+005
5509	8857	9092	4594	4593	C35/45	240	2.628e+005
5510	9094	9093	9031	9032	C35/45	240	2.833e+005
5511	9016	9018	9093	9094	C35/45	240	2.795e+005
5512	9014	9016	9094	9095	C35/45	240	2.792e+005
5513	9095	9094	9032	9033	C35/45	240	2.832e+005
5514	9008	9010	9097	9096	C35/45	240	2.787e+005
5515	9096	9097	9035	9036	C35/45	240	2.78e+005
5516	9098	9096	9036	9037	C35/45	240	2.761e+005
5517	9006	9008	9096	9098	C35/45	240	2.775e+005
5518	9018	9020	9099	9093	C35/45	240	2.804e+005

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	

5519	9020	9022	9026	9099	C35/45	240	2.812e+005
5520	9099	9026	9028	9030	C35/45	240	2.834e+005
5521	9093	9099	9030	9031	C35/45	240	2.835e+005
5522	9097	9100	9034	9035	C35/45	240	2.82e+005
5523	9010	9012	9100	9097	C35/45	240	2.798e+005
5524	9012	9014	9095	9100	C35/45	240	2.806e+005
5525	9100	9095	9033	9034	C35/45	240	2.833e+005
5526	9101	9098	9037	9038	C35/45	240	2.75e+005
5527	9102	9101	9038	9039	C35/45	240	2.749e+005
5528	9103	9102	9039	9040	C35/45	240	2.749e+005
5529	9000	9002	9102	9103	C35/45	240	2.769e+005
5530	9002	9004	9101	9102	C35/45	240	2.77e+005
5531	9004	9006	9098	9101	C35/45	240	2.774e+005
5534	8878	8880	9108	9109	C35/45	240	2.58e+005
5535	8880	8882	9110	9108	C35/45	240	2.59e+005
5536	9108	9110	8865	8866	C35/45	240	2.569e+005
5537	9109	9108	8866	8867	C35/45	240	2.559e+005
5538	8888	8890	9112	9111	C35/45	240	2.619e+005
5539	9111	9112	8861	8862	C35/45	240	2.616e+005
5540	9113	9111	8862	8863	C35/45	240	2.611e+005
5541	8886	8888	9111	9113	C35/45	240	2.609e+005
5542	9114	9113	8863	8864	C35/45	240	2.593e+005
5543	9110	9114	8864	8865	C35/45	240	2.581e+005
5544	8882	8884	9114	9110	C35/45	240	2.597e+005
5545	8884	8886	9113	9114	C35/45	240	2.601e+005
5546	8898	8900	9115	9116	C35/45	240	2.658e+005
5547	8900	8902	9117	9115	C35/45	240	2.255e+005
5549	8902	8904	9118	9117	C35/45	240	2.446e+005
5550	9116	9115	9092	8857	C35/45	240	2.648e+005
5551	9120	9121	8859	8860	C35/45	240	2.631e+005
5552	9112	9120	8860	8861	C35/45	240	2.623e+005
5553	8890	8892	9120	9112	C35/45	240	2.631e+005
5554	8892	8894	9121	9120	C35/45	240	2.633e+005
5555	8894	8896	9122	9121	C35/45	240	2.638e+005
5556	8896	8898	9116	9122	C35/45	240	2.645e+005
5557	9122	9116	8857	8858	C35/45	240	2.643e+005
5558	9121	9122	8858	8859	C35/45	240	2.638e+005
5585	8996	8998	9157	9158	C35/45	240	2.767e+005
5586	8998	9000	9103	9157	C35/45	240	2.767e+005
5587	9157	9103	9040	9041	C35/45	240	2.749e+005
5588	9158	9157	9041	9042	C35/45	240	2.747e+005
5589	9159	9158	9042	9043	C35/45	240	2.749e+005
5590	9160	9159	9043	9044	C35/45	240	2.746e+005
5591	8992	8994	9159	9160	C35/45	240	2.758e+005
5592	8994	8996	9158	9159	C35/45	240	2.766e+005
5593	9161	9162	9046	9047	C35/45	240	2.748e+005
5594	9163	9161	9047	9048	C35/45	240	2.752e+005
5595	8984	8986	9161	9163	C35/45	240	2.78e+005
5596	8986	8988	9162	9161	C35/45	240	2.767e+005
5597	8988	8990	9164	9162	C35/45	240	2.768e+005
5598	8990	8992	9160	9164	C35/45	240	2.766e+005
5599	9164	9160	9044	9045	C35/45	240	2.748e+005
5600	9162	9164	9045	9046	C35/45	240	2.748e+005
5606	8978	8980	9169	9168	C35/45	240	2.855e+005
5607	8980	8982	9170	9169	C35/45	240	2.732e+005
5608	8982	8984	9163	9170	C35/45	240	2.832e+005
5609	9170	9163	9048	9049	C35/45	240	2.783e+005
5610	9169	9170	9049	9050	C35/45	240	2.691e+005
5611	9168	9169	9050	9051	C35/45	240	2.716e+005
5612	9171	9109	8867	8868	C35/45	240	2.565e+005
5613	9172	9171	8868	8869	C35/45	240	2.574e+005
5614	8871	9172	8869	8870	C35/45	240	2.572e+005
5615	8872	8874	9172	8871	C35/45	240	2.582e+005
5616	8874	8876	9171	9172	C35/45	240	2.584e+005
5617	8876	8878	9109	9171	C35/45	240	2.584e+005
5619	9115	9117	9091	9092	C35/45	240	2.329e+005

PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
5620	9117	9118	9090	9091	C35/45	240 2.573e+005
5718	4795	4796	9225	9224	C35/45	240 2.664e+005
5719	4796	4797	9226	9225	C35/45	240 2.606e+005
5720	4797	4798	9227	9226	C35/45	240 2.671e+005
5721	4798	4799	9228	9227	C35/45	240 2.657e+005
5722	4799	4800	9229	9228	C35/45	240 2.658e+005
5723	4800	4801	9230	9229	C35/45	240 2.659e+005
5724	4801	4802	9231	9230	C35/45	240 2.66e+005
5725	4802	4803	9232	9231	C35/45	240 2.661e+005
5726	4803	4804	9233	9232	C35/45	240 2.663e+005
5727	4804	4805	9234	9233	C35/45	240 2.661e+005
5728	4805	4806	9235	9234	C35/45	240 2.661e+005
5729	4806	4807	9236	9235	C35/45	240 2.661e+005
5730	4807	4808	9237	9236	C35/45	240 2.66e+005
5731	4808	4809	9238	9237	C35/45	240 2.653e+005
5732	4809	4810	9239	9238	C35/45	240 2.633e+005
5733	4810	4811	9240	9239	C35/45	240 2.608e+005
5734	4811	4812	9241	9240	C35/45	240 2.782e+005
5751	9267	9265	9266	9268	C35/45	240 2.654e+005
5752	9269	9267	9268	9270	C35/45	240 2.6e+005
5753	9271	9269	9270	9272	C35/45	240 2.592e+005
5754	9273	9271	9272	9274	C35/45	240 2.599e+005
5755	9275	9273	9274	9276	C35/45	240 2.598e+005
5756	9277	9275	9276	9278	C35/45	240 2.596e+005
5757	9279	9277	9278	9280	C35/45	240 2.594e+005
5758	9281	9279	9280	9282	C35/45	240 2.597e+005
5759	9283	9281	9282	9284	C35/45	240 2.598e+005
5760	9285	9283	9284	9286	C35/45	240 2.6e+005
5761	9287	9285	9286	9288	C35/45	240 2.6e+005
5762	9289	9287	9288	9290	C35/45	240 2.6e+005
5763	9291	9289	9290	9292	C35/45	240 2.593e+005
5764	9293	9291	9292	9294	C35/45	240 2.6e+005
5765	9295	9293	9294	9296	C35/45	240 2.617e+005
5766	9297	9295	9296	9298	C35/45	240 2.588e+005
5767	9299	9297	9298	9300	C35/45	240 3.062e+005
5803	9371	9369	9370	9372	C35/45	240 2.886e+005
5804	9373	9371	9372	9374	C35/45	240 2.429e+005
5805	9375	9373	9374	9376	C35/45	240 2.475e+005
5806	9377	9375	9376	9378	C35/45	240 2.505e+005
5807	9379	9377	9378	9380	C35/45	240 2.52e+005
5808	9381	9379	9380	9382	C35/45	240 2.53e+005
5809	9383	9381	9382	9384	C35/45	240 2.535e+005
5810	9385	9383	9384	9386	C35/45	240 2.538e+005
5811	9387	9385	9386	9388	C35/45	240 2.543e+005
5812	9389	9387	9388	9390	C35/45	240 2.541e+005
5813	9391	9389	9390	9392	C35/45	240 2.544e+005
5814	9393	9391	9392	9394	C35/45	240 2.539e+005
5815	9395	9393	9394	9396	C35/45	240 2.542e+005
5816	9397	9395	9396	9398	C35/45	240 2.54e+005
5817	9399	9397	9398	9400	C35/45	240 2.538e+005
5818	9401	9399	9400	9402	C35/45	240 2.533e+005
5819	9403	9401	9402	9404	C35/45	240 2.529e+005
5820	9405	9403	9404	9406	C35/45	240 2.522e+005
5821	9407	9405	9406	9408	C35/45	240 2.525e+005
5822	9409	9407	9408	9410	C35/45	240 2.522e+005
5823	9411	9409	9410	9412	C35/45	240 2.523e+005
5824	9413	9411	9412	9414	C35/45	240 2.521e+005
5825	8576	9413	9414	8577	C35/45	240 2.518e+005
5826	8574	9415	9413	8576	C35/45	240 2.534e+005
5827	8572	9416	9415	8574	C35/45	240 2.551e+005
5828	4739	4740	9416	8572	C35/45	240 2.561e+005
5829	4740	4741	9417	9416	C35/45	240 2.567e+005
5830	4741	4742	9418	9417	C35/45	240 2.575e+005
5831	4742	4743	9419	9418	C35/45	240 2.579e+005
5832	4743	4744	9420	9419	C35/45	240 2.584e+005
5833	4744	4745	9421	9420	C35/45	240 2.588e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	


5834	4745	4746	9422	9421	C35/45	240	2.587e+005
5835	4746	4747	9423	9422	C35/45	240	2.589e+005
5836	4747	4748	9424	9423	C35/45	240	2.57e+005
5837	4748	4749	9425	9424	C35/45	240	2.568e+005
5838	4749	4750	9426	9425	C35/45	240	2.569e+005
5839	4750	4751	9427	9426	C35/45	240	2.566e+005
5840	4751	4752	9428	9427	C35/45	240	2.569e+005
5841	4752	4753	9429	9428	C35/45	240	2.567e+005
5842	4753	4754	9430	9429	C35/45	240	2.566e+005
5843	4754	4755	9431	9430	C35/45	240	2.589e+005
5844	4755	4756	9432	9431	C35/45	240	2.469e+005
5845	4756	4757	9433	9432	C35/45	240	2.56e+005
5846	4757	4758	9434	9433	C35/45	240	2.565e+005
5847	4758	4759	9435	9434	C35/45	240	2.563e+005
5848	4759	4760	9436	9435	C35/45	240	2.595e+005
5849	4760	4761	9437	9436	C35/45	240	2.721e+005
5850	4761	4762	9438	9437	C35/45	240	2.676e+005
5877	9238	9239	9463	9462	C35/45	240	2.619e+005
5878	9462	9463	9269	9271	C35/45	240	2.615e+005
5879	9464	9465	9409	9411	C35/45	240	2.538e+005
5880	9415	9464	9411	9413	C35/45	240	2.533e+005
5881	9416	9417	9464	9415	C35/45	240	2.548e+005
5882	9417	9418	9465	9464	C35/45	240	2.556e+005
5883	9418	9419	9466	9465	C35/45	240	2.558e+005
5884	9419	9420	9467	9466	C35/45	240	2.562e+005
5885	9466	9467	9405	9407	C35/45	240	2.55e+005
5886	9465	9466	9407	9409	C35/45	240	2.54e+005
5887	9422	9423	9468	9469	C35/45	240	2.568e+005
5888	9423	9424	9470	9468	C35/45	240	2.56e+005
5889	9468	9470	9397	9399	C35/45	240	2.55e+005
5890	9469	9468	9399	9401	C35/45	240	2.553e+005
5891	9471	9469	9401	9403	C35/45	240	2.551e+005
5892	9467	9471	9403	9405	C35/45	240	2.549e+005
5893	9420	9421	9471	9467	C35/45	240	2.564e+005
5894	9421	9422	9469	9471	C35/45	240	2.564e+005
5895	9430	9431	9472	9473	C35/45	240	2.554e+005
5896	9431	9432	9474	9472	C35/45	240	2.521e+005
5897	9472	9474	9381	9383	C35/45	240	2.534e+005
5898	9473	9472	9383	9385	C35/45	240	2.547e+005
5899	9475	9473	9385	9387	C35/45	240	2.552e+005
5900	9476	9475	9387	9389	C35/45	240	2.55e+005
5901	9428	9429	9475	9476	C35/45	240	2.558e+005
5902	9429	9430	9473	9475	C35/45	240	2.557e+005
5903	9477	9478	9393	9395	C35/45	240	2.549e+005
5904	9470	9477	9395	9397	C35/45	240	2.549e+005
5905	9424	9425	9477	9470	C35/45	240	2.559e+005
5906	9425	9426	9478	9477	C35/45	240	2.559e+005
5907	9426	9427	9479	9478	C35/45	240	2.561e+005
5908	9427	9428	9476	9479	C35/45	240	2.561e+005
5909	9479	9476	9389	9391	C35/45	240	2.556e+005
5910	9478	9479	9391	9393	C35/45	240	2.553e+005
5923	9496	9495	9273	9275	C35/45	240	2.624e+005
5924	9236	9237	9495	9496	C35/45	240	2.637e+005
5925	9237	9238	9462	9495	C35/45	240	2.631e+005
5926	9495	9462	9271	9273	C35/45	240	2.625e+005
5927	9239	9240	9497	9463	C35/45	240	2.594e+005
5928	9240	9241	9498	9497	C35/45	240	2.784e+005
5931	9497	9498	9265	9267	C35/45	240	2.734e+005
5932	9463	9497	9267	9269	C35/45	240	2.602e+005
5935	9231	9232	9504	9503	C35/45	240	2.645e+005
5936	9503	9504	9283	9285	C35/45	240	2.627e+005
5949	9516	9517	9377	9379	C35/45	240	2.534e+005
5950	9474	9516	9379	9381	C35/45	240	2.537e+005
5951	9432	9433	9516	9474	C35/45	240	2.539e+005
5952	9433	9434	9517	9516	C35/45	240	2.547e+005
5953	9434	9435	9518	9517	C35/45	240	2.541e+005

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	

5954	9435	9436	9519	9518	C35/45	240	2.544e+005
5955	9518	9519	9373	9375	C35/45	240	2.491e+005
5956	9517	9518	9375	9377	C35/45	240	2.521e+005
5957	9436	9437	9520	9519	C35/45	240	2.619e+005
5958	9437	9438	9521	9520	C35/45	240	2.669e+005
5964	9519	9520	9371	9373	C35/45	240	2.47e+005
5965	9520	9521	9369	9371	C35/45	240	2.783e+005
5985	9234	9235	9545	9546	C35/45	240	2.644e+005
5986	9235	9236	9496	9545	C35/45	240	2.643e+005
5987	9545	9496	9275	9277	C35/45	240	2.628e+005
5988	9546	9545	9277	9279	C35/45	240	2.63e+005
5989	9547	9546	9279	9281	C35/45	240	2.627e+005
5990	9504	9547	9281	9283	C35/45	240	2.626e+005
5991	9232	9233	9547	9504	C35/45	240	2.645e+005
5992	9233	9234	9546	9547	C35/45	240	2.641e+005
5993	9548	9503	9285	9287	C35/45	240	2.627e+005
5994	9549	9548	9287	9289	C35/45	240	2.631e+005
5995	9229	9230	9548	9549	C35/45	240	2.643e+005
5996	9230	9231	9503	9548	C35/45	240	2.64e+005
6000	9224	9225	9553	9552	C35/45	240	2.862e+005
6002	9227	9228	9554	9555	C35/45	240	2.652e+005
6003	9228	9229	9549	9554	C35/45	240	2.646e+005
6004	9554	9549	9289	9291	C35/45	240	2.63e+005
6005	9555	9554	9291	9293	C35/45	240	2.638e+005
6006	9556	9555	9293	9295	C35/45	240	2.665e+005
6007	9553	9556	9295	9297	C35/45	240	2.559e+005
6008	9225	9226	9556	9553	C35/45	240	2.583e+005
6009	9226	9227	9555	9556	C35/45	240	2.701e+005
6043	9552	9553	9297	9299	C35/45	240	2.918e+005
6055	8905	9660	9658	8904	C35/45	240	2.535e+005
6056	8904	9658	9656	9118	C35/45	240	2.601e+005
6057	9118	9656	9654	9090	C35/45	240	2.568e+005
6058	9090	9654	4597	4596	C35/45	240	2.522e+005
6059	9660	9661	9659	9658	C35/45	240	2.535e+005
6060	9658	9659	9657	9656	C35/45	240	2.588e+005
6061	9656	9657	9655	9654	C35/45	240	2.58e+005
6062	9654	9655	4598	4597	C35/45	240	2.57e+005
6063	9661	8909	9570	9659	C35/45	240	2.536e+005
6064	9659	9570	9572	9657	C35/45	240	2.574e+005
6065	9657	9572	9574	9655	C35/45	240	2.592e+005
6066	9655	9574	4599	4598	C35/45	240	2.61e+005
6067	8909	8911	9571	9570	C35/45	240	2.228e+005
6068	8911	8913	9576	9571	C35/45	240	2.235e+005
6069	9570	9571	9573	9572	C35/45	240	2.348e+005
6070	9571	9576	9577	9573	C35/45	240	2.355e+005
6071	9572	9573	9575	9574	C35/45	240	2.468e+005
6072	9573	9577	9578	9575	C35/45	240	2.475e+005
6073	9574	9575	4600	4599	C35/45	240	2.587e+005
6074	9575	9578	4601	4600	C35/45	240	2.595e+005
6075	8913	8915	9579	9576	C35/45	240	2.716e+005
6076	8915	8917	9582	9579	C35/45	240	2.725e+005
6077	9576	9579	9580	9577	C35/45	240	2.701e+005
6078	9579	9582	9583	9580	C35/45	240	2.71e+005
6079	9577	9580	9581	9578	C35/45	240	2.686e+005
6080	9580	9583	9584	9581	C35/45	240	2.695e+005
6081	9578	9581	4602	4601	C35/45	240	2.671e+005
6082	9581	9584	4603	4602	C35/45	240	2.68e+005
6083	8917	8919	9585	9582	C35/45	240	2.741e+005
6084	9582	9585	9586	9583	C35/45	240	2.731e+005
6085	9583	9586	9587	9584	C35/45	240	2.722e+005
6086	9584	9587	4604	4603	C35/45	240	2.713e+005
6087	8919	8921	9588	9585	C35/45	240	2.744e+005
6088	9585	9588	9589	9586	C35/45	240	2.736e+005
6089	9586	9589	9590	9587	C35/45	240	2.728e+005
6090	9587	9590	4605	4604	C35/45	240	2.72e+005
6091	8921	8923	9591	9588	C35/45	240	2.751e+005

PROJECT TITLE :


	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
6092	9588	9591	9592	9589	C35/45	240 2.743e+005
6093	9589	9592	9593	9590	C35/45	240 2.735e+005
6094	9590	9593	4606	4605	C35/45	240 2.727e+005
6095	8923	8925	9594	9591	C35/45	240 2.758e+005
6096	9591	9594	9595	9592	C35/45	240 2.75e+005
6097	9592	9595	9596	9593	C35/45	240 2.742e+005
6098	9593	9596	4607	4606	C35/45	240 2.733e+005
6099	8925	8927	9597	9594	C35/45	240 2.76e+005
6100	9594	9597	9598	9595	C35/45	240 2.753e+005
6101	9595	9598	9599	9596	C35/45	240 2.746e+005
6102	9596	9599	4608	4607	C35/45	240 2.739e+005
6103	8927	8929	9600	9597	C35/45	240 2.77e+005
6104	9597	9600	9601	9598	C35/45	240 2.761e+005
6105	9598	9601	9602	9599	C35/45	240 2.753e+005
6106	9599	9602	4609	4608	C35/45	240 2.744e+005
6107	8929	8931	9603	9600	C35/45	240 2.77e+005
6108	9600	9603	9604	9601	C35/45	240 2.763e+005
6109	9601	9604	9605	9602	C35/45	240 2.756e+005
6110	9602	9605	4610	4609	C35/45	240 2.748e+005
6111	8931	8933	9606	9603	C35/45	240 2.779e+005
6112	9603	9606	9607	9604	C35/45	240 2.771e+005
6113	9604	9607	9608	9605	C35/45	240 2.762e+005
6114	9605	9608	4611	4610	C35/45	240 2.753e+005
6115	8933	8935	9609	9606	C35/45	240 2.779e+005
6116	9606	9609	9610	9607	C35/45	240 2.772e+005
6117	9607	9610	9611	9608	C35/45	240 2.764e+005
6118	9608	9611	4612	4611	C35/45	240 2.757e+005
6119	8935	8937	9612	9609	C35/45	240 2.783e+005
6120	9609	9612	9613	9610	C35/45	240 2.775e+005
6121	9610	9613	9614	9611	C35/45	240 2.767e+005
6122	9611	9614	4613	4612	C35/45	240 2.76e+005
6123	8937	8939	9615	9612	C35/45	240 2.781e+005
6124	9612	9615	9616	9613	C35/45	240 2.774e+005
6125	9613	9616	9617	9614	C35/45	240 2.768e+005
6126	9614	9617	4614	4613	C35/45	240 2.761e+005
6127	8939	8941	9618	9615	C35/45	240 2.788e+005
6128	9615	9618	9619	9616	C35/45	240 2.78e+005
6129	9616	9619	9620	9617	C35/45	240 2.772e+005
6130	9617	9620	4615	4614	C35/45	240 2.764e+005
6131	8941	8943	9621	9618	C35/45	240 2.787e+005
6132	9618	9621	9622	9619	C35/45	240 2.779e+005
6133	9619	9622	9623	9620	C35/45	240 2.772e+005
6134	9620	9623	4616	4615	C35/45	240 2.765e+005
6135	8943	8945	9624	9621	C35/45	240 2.793e+005
6136	9621	9624	9625	9622	C35/45	240 2.785e+005
6137	9622	9625	9626	9623	C35/45	240 2.776e+005
6138	9623	9626	4617	4616	C35/45	240 2.767e+005
6139	8945	8947	9627	9624	C35/45	240 2.791e+005
6140	9624	9627	9628	9625	C35/45	240 2.783e+005
6141	9625	9628	9629	9626	C35/45	240 2.776e+005
6142	9626	9629	4618	4617	C35/45	240 2.768e+005
6143	8947	8949	9630	9627	C35/45	240 2.792e+005
6144	9627	9630	9631	9628	C35/45	240 2.784e+005
6145	9628	9631	9632	9629	C35/45	240 2.776e+005
6146	9629	9632	4619	4618	C35/45	240 2.769e+005
6147	8949	8951	9633	9630	C35/45	240 2.786e+005
6148	9630	9633	9634	9631	C35/45	240 2.777e+005
6149	9631	9634	9635	9632	C35/45	240 2.768e+005
6150	9632	9635	4620	4619	C35/45	240 2.759e+005
6151	8951	8953	9636	9633	C35/45	240 2.791e+005
6152	9633	9636	9637	9634	C35/45	240 2.78e+005
6153	9634	9637	9638	9635	C35/45	240 2.77e+005
6154	9635	9638	4621	4620	C35/45	240 2.759e+005
6155	8953	8955	9639	9636	C35/45	240 2.787e+005
6156	9636	9639	9640	9637	C35/45	240 2.777e+005
6157	9637	9640	9641	9638	C35/45	240 2.767e+005

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	

6158	9638	9641	4622	4621	C35/45	240	2.757e+005
6159	8955	8957	9642	9639	C35/45	240	2.788e+005
6160	9639	9642	9643	9640	C35/45	240	2.778e+005
6161	9640	9643	9644	9641	C35/45	240	2.767e+005
6162	9641	9644	4623	4622	C35/45	240	2.757e+005
6163	8957	8959	9645	9642	C35/45	240	2.783e+005
6164	9642	9645	9646	9643	C35/45	240	2.774e+005
6165	9643	9646	9647	9644	C35/45	240	2.765e+005
6166	9644	9647	4624	4623	C35/45	240	2.756e+005
6167	8959	8961	9648	9645	C35/45	240	2.788e+005
6168	9645	9648	9649	9646	C35/45	240	2.777e+005
6169	9646	9649	9650	9647	C35/45	240	2.766e+005
6170	9647	9650	4625	4624	C35/45	240	2.755e+005
6171	8961	8963	9651	9648	C35/45	240	2.783e+005
6172	9648	9651	9652	9649	C35/45	240	2.773e+005
6173	9649	9652	9653	9650	C35/45	240	2.763e+005
6174	9650	9653	4626	4625	C35/45	240	2.754e+005
6175	8963	9662	9670	9651	C35/45	240	2.505e+005
6176	9651	9670	9678	9652	C35/45	240	2.583e+005
6177	9652	9678	9686	9653	C35/45	240	2.635e+005
6178	9653	9686	4627	4626	C35/45	240	2.714e+005
6179	9662	9663	9671	9670	C35/45	240	2.501e+005
6180	9670	9671	9679	9678	C35/45	240	2.605e+005
6181	9678	9679	9687	9686	C35/45	240	2.631e+005
6182	9686	9687	4628	4627	C35/45	240	2.711e+005
6183	9663	9664	9672	9671	C35/45	240	2.497e+005
6184	9671	9672	9680	9679	C35/45	240	2.627e+005
6185	9679	9680	9688	9687	C35/45	240	2.627e+005
6186	9687	9688	4629	4628	C35/45	240	2.711e+005
6187	9664	9665	9673	9672	C35/45	240	2.492e+005
6188	9672	9673	9681	9680	C35/45	240	2.649e+005
6189	9680	9681	9689	9688	C35/45	240	2.624e+005
6190	9688	9689	4630	4629	C35/45	240	2.703e+005
6191	9665	9666	9674	9673	C35/45	240	2.488e+005
6192	9673	9674	9682	9681	C35/45	240	2.671e+005
6193	9681	9682	9690	9689	C35/45	240	2.62e+005
6194	9689	9690	4631	4630	C35/45	240	2.686e+005
6195	9666	9667	9675	9674	C35/45	240	2.484e+005
6196	9674	9675	9683	9682	C35/45	240	2.693e+005
6197	9682	9683	9691	9690	C35/45	240	2.616e+005
6198	9690	9691	4632	4631	C35/45	240	2.66e+005
6199	9667	9668	9676	9675	C35/45	240	2.48e+005
6200	9675	9676	9684	9683	C35/45	240	2.715e+005
6201	9683	9684	9692	9691	C35/45	240	2.612e+005
6202	9691	9692	4633	4632	C35/45	240	2.627e+005
6203	9668	9669	9677	9676	C35/45	240	2.476e+005
6204	9676	9677	9685	9684	C35/45	240	2.737e+005
6205	9684	9685	9693	9692	C35/45	240	2.608e+005
6206	9692	9693	4634	4633	C35/45	240	2.585e+005
6207	9669	8979	8978	9677	C35/45	240	2.466e+005
6208	9677	8978	9168	9685	C35/45	240	2.74e+005
6209	9685	9168	9051	9693	C35/45	240	2.657e+005
6210	9693	9051	4635	4634	C35/45	240	2.592e+005
6212	4763	4764	9711	9710	C35/45	240	2.525e+005
6213	4764	4765	9716	9711	C35/45	240	2.543e+005
6214	4765	4766	9719	9716	C35/45	240	2.543e+005
6215	4766	4767	9722	9719	C35/45	240	2.544e+005
6216	4767	4768	9725	9722	C35/45	240	2.544e+005
6217	4768	4769	9728	9725	C35/45	240	2.545e+005
6218	4769	4770	9731	9728	C35/45	240	2.546e+005
6219	4770	4771	9734	9731	C35/45	240	2.546e+005
6220	4771	4772	9737	9734	C35/45	240	2.532e+005
6221	4772	4773	9740	9737	C35/45	240	2.538e+005
6222	4773	4774	9743	9740	C35/45	240	2.538e+005
6223	4774	4775	9746	9743	C35/45	240	2.54e+005
6224	4775	4776	9749	9746	C35/45	240	2.544e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
6225	4776	4777	9752	9749	C35/45	240 2.547e+005
6226	4777	4778	9755	9752	C35/45	240 2.55e+005
6227	4778	4779	9758	9755	C35/45	240 2.558e+005
6228	4779	4780	9761	9758	C35/45	240 2.567e+005
6229	4780	4781	9764	9761	C35/45	240 2.572e+005
6230	4781	4782	9767	9764	C35/45	240 2.575e+005
6231	4782	4783	9770	9767	C35/45	240 2.579e+005
6232	4783	4784	9773	9770	C35/45	240 2.584e+005
6233	4784	4785	9776	9773	C35/45	240 2.588e+005
6234	4785	4786	9779	9776	C35/45	240 2.593e+005
6235	4786	4787	9782	9779	C35/45	240 2.597e+005
6236	4787	4788	9785	9782	C35/45	240 2.62e+005
6237	4788	4789	9788	9785	C35/45	240 2.619e+005
6238	4789	4790	9791	9788	C35/45	240 2.619e+005
6239	4790	4791	9794	9791	C35/45	240 2.618e+005
6240	4791	4792	9797	9794	C35/45	240 2.617e+005
6241	4792	4793	9800	9797	C35/45	240 2.619e+005
6242	4793	4794	9803	9800	C35/45	240 2.68e+005
6243	9710	9711	9713	9712	C35/45	240 2.65e+005
6244	9712	9713	9715	9714	C35/45	240 2.775e+005
6245	9714	9715	9695	9694	C35/45	240 2.9e+005
6246	9711	9716	9717	9713	C35/45	240 2.543e+005
6247	9713	9717	9718	9715	C35/45	240 2.543e+005
6248	9715	9718	9696	9695	C35/45	240 2.543e+005
6249	9716	9719	9720	9717	C35/45	240 2.543e+005
6250	9717	9720	9721	9718	C35/45	240 2.543e+005
6251	9718	9721	9697	9696	C35/45	240 2.543e+005
6252	9719	9722	9723	9720	C35/45	240 2.544e+005
6253	9720	9723	9724	9721	C35/45	240 2.544e+005
6254	9721	9724	9698	9697	C35/45	240 2.544e+005
6255	9722	9725	9726	9723	C35/45	240 2.544e+005
6256	9723	9726	9727	9724	C35/45	240 2.544e+005
6257	9724	9727	9699	9698	C35/45	240 2.544e+005
6258	9725	9728	9729	9726	C35/45	240 2.545e+005
6259	9726	9729	9730	9727	C35/45	240 2.545e+005
6260	9727	9730	9700	9699	C35/45	240 2.545e+005
6261	9728	9731	9732	9729	C35/45	240 2.546e+005
6262	9729	9732	9733	9730	C35/45	240 2.546e+005
6263	9730	9733	9701	9700	C35/45	240 2.546e+005
6264	9731	9734	9735	9732	C35/45	240 2.546e+005
6265	9732	9735	9736	9733	C35/45	240 2.546e+005
6266	9733	9736	9350	9701	C35/45	240 2.546e+005
6267	9734	9737	9738	9735	C35/45	240 2.522e+005
6268	9735	9738	9739	9736	C35/45	240 2.516e+005
6269	9736	9739	9348	9350	C35/45	240 2.509e+005
6270	9737	9740	9741	9738	C35/45	240 2.53e+005
6271	9738	9741	9742	9739	C35/45	240 2.522e+005
6272	9739	9742	9346	9348	C35/45	240 2.513e+005
6273	9740	9743	9744	9741	C35/45	240 2.531e+005
6274	9741	9744	9745	9742	C35/45	240 2.524e+005
6275	9742	9745	9344	9346	C35/45	240 2.517e+005
6276	9743	9746	9747	9744	C35/45	240 2.532e+005
6277	9744	9747	9748	9745	C35/45	240 2.524e+005
6278	9745	9748	9342	9344	C35/45	240 2.516e+005
6279	9746	9749	9750	9747	C35/45	240 2.537e+005
6280	9747	9750	9751	9748	C35/45	240 2.53e+005
6281	9748	9751	9340	9342	C35/45	240 2.523e+005
6282	9749	9752	9753	9750	C35/45	240 2.539e+005
6283	9750	9753	9754	9751	C35/45	240 2.531e+005
6284	9751	9754	9338	9340	C35/45	240 2.523e+005
6285	9752	9755	9756	9753	C35/45	240 2.54e+005
6286	9753	9756	9757	9754	C35/45	240 2.534e+005
6287	9754	9757	9336	9338	C35/45	240 2.527e+005
6288	9755	9758	9759	9756	C35/45	240 2.55e+005
6289	9756	9759	9760	9757	C35/45	240 2.542e+005
6290	9757	9760	9334	9336	C35/45	240 2.533e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
6291	9758	9761	9762	9759	C35/45	240 2.558e+005
6292	9759	9762	9763	9760	C35/45	240 2.548e+005
6293	9760	9763	9332	9334	C35/45	240 2.539e+005
6294	9761	9764	9765	9762	C35/45	240 2.562e+005
6295	9762	9765	9766	9763	C35/45	240 2.553e+005
6296	9763	9766	9330	9332	C35/45	240 2.544e+005
6297	9764	9767	9768	9765	C35/45	240 2.565e+005
6298	9765	9768	9769	9766	C35/45	240 2.555e+005
6299	9766	9769	9328	9330	C35/45	240 2.545e+005
6300	9767	9770	9771	9768	C35/45	240 2.57e+005
6301	9768	9771	9772	9769	C35/45	240 2.56e+005
6302	9769	9772	9326	9328	C35/45	240 2.55e+005
6303	9770	9773	9774	9771	C35/45	240 2.575e+005
6304	9771	9774	9775	9772	C35/45	240 2.565e+005
6305	9772	9775	9324	9326	C35/45	240 2.556e+005
6306	9773	9776	9777	9774	C35/45	240 2.577e+005
6307	9774	9777	9778	9775	C35/45	240 2.567e+005
6308	9775	9778	9322	9324	C35/45	240 2.557e+005
6309	9776	9779	9780	9777	C35/45	240 2.584e+005
6310	9777	9780	9781	9778	C35/45	240 2.575e+005
6311	9778	9781	9320	9322	C35/45	240 2.566e+005
6312	9779	9782	9783	9780	C35/45	240 2.587e+005
6313	9780	9783	9784	9781	C35/45	240 2.578e+005
6314	9781	9784	9318	9320	C35/45	240 2.568e+005
6315	9782	9785	9786	9783	C35/45	240 2.62e+005
6316	9783	9786	9787	9784	C35/45	240 2.62e+005
6317	9784	9787	9702	9318	C35/45	240 2.62e+005
6318	9785	9788	9789	9786	C35/45	240 2.619e+005
6319	9786	9789	9790	9787	C35/45	240 2.619e+005
6320	9787	9790	9703	9702	C35/45	240 2.619e+005
6321	9788	9791	9792	9789	C35/45	240 2.619e+005
6322	9789	9792	9793	9790	C35/45	240 2.619e+005
6323	9790	9793	9704	9703	C35/45	240 2.619e+005
6324	9791	9794	9795	9792	C35/45	240 2.618e+005
6325	9792	9795	9796	9793	C35/45	240 2.618e+005
6326	9793	9796	9705	9704	C35/45	240 2.618e+005
6327	9794	9797	9798	9795	C35/45	240 2.614e+005
6328	9795	9798	9799	9796	C35/45	240 2.615e+005
6329	9796	9799	9706	9705	C35/45	240 2.617e+005
6330	9797	9800	9801	9798	C35/45	240 2.619e+005
6331	9798	9801	9802	9799	C35/45	240 2.618e+005
6332	9799	9802	9707	9706	C35/45	240 2.617e+005
6333	9800	9803	9804	9801	C35/45	240 2.808e+005
6334	9801	9804	9805	9802	C35/45	240 2.936e+005
6335	9802	9805	9708	9707	C35/45	240 3.101e+005
6336	4762	4763	9710	9438	C35/45	240 2.833e+005
6337	9438	9710	9712	9521	C35/45	240 3.1e+005
6338	9521	9712	9714	9369	C35/45	240 3.341e+005
6339	9369	9714	9694	9370	C35/45	240 3.6e+005
6340	4794	4795	9224	9803	C35/45	240 2.733e+005
6341	9803	9224	9552	9804	C35/45	240 3.068e+005
6342	9804	9552	9299	9805	C35/45	240 3.317e+005
6343	9805	9299	9300	9708	C35/45	240 3.665e+005
6344	2663	2665	3318	3316	S355	16 1.405e+005
6345	3316	3318	10793	10790	S355	16 2.783e+005
6346	3527	3529	2999	2997	S355	16 9.727e+004
6349	7663	7665	4815	4814	C35/45	240 2.698e+005
6350	4812	4813	9816	9241	C35/45	240 2.788e+005
6351	9241	9816	9811	9498	C35/45	240 2.878e+005
6352	9498	9811	9806	9265	C35/45	240 2.943e+005
6353	9265	9806	9821	9266	C35/45	240 3.025e+005
6354	4813	4814	9817	9816	C35/45	240 2.764e+005
6355	9816	9817	9812	9811	C35/45	240 2.873e+005
6356	9811	9812	9807	9806	C35/45	240 2.937e+005
6357	9806	9807	9822	9821	C35/45	240 3.046e+005
6358	4814	4815	9818	9817	C35/45	240 2.753e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
6359	9817	9818	9813	9812	C35/45	240 2.867e+005
6360	9812	9813	9808	9807	C35/45	240 2.931e+005
6361	9807	9808	9823	9822	C35/45	240 3.056e+005
6362	4815	4816	9819	9818	C35/45	240 2.753e+005
6363	9818	9819	9814	9813	C35/45	240 2.862e+005
6364	9813	9814	9809	9808	C35/45	240 2.926e+005
6365	9808	9809	9824	9823	C35/45	240 3.046e+005
6366	4816	4817	9820	9819	C35/45	240 2.764e+005
6367	9819	9820	9815	9814	C35/45	240 2.857e+005
6368	9814	9815	9810	9809	C35/45	240 2.92e+005
6369	9809	9810	9825	9824	C35/45	240 3.022e+005
6370	4817	4818	9248	9820	C35/45	240 2.788e+005
6371	9820	9248	9250	9815	C35/45	240 2.852e+005
6372	9815	9250	9252	9810	C35/45	240 2.914e+005
6373	9810	9252	9253	9825	C35/45	240 2.981e+005
6374	4589	4590	9827	7567	C35/45	240 2.412e+005
6375	7567	9827	9829	7829	C35/45	240 2.404e+005
6376	7829	9829	9831	7780	C35/45	240 2.393e+005
6377	7780	9831	9833	7775	C35/45	240 2.398e+005
6378	7775	9833	9835	7776	C35/45	240 2.414e+005
6379	7776	9835	9837	7832	C35/45	240 2.426e+005
6380	7832	9837	9839	7783	C35/45	240 2.399e+005
6381	7783	9839	9841	7781	C35/45	240 2.473e+005
6382	7781	9841	7595	7594	C35/45	240 2.495e+005
6383	4590	4591	9842	9827	C35/45	240 2.39e+005
6384	4591	4592	9850	9842	C35/45	240 2.388e+005
6385	4592	4593	9858	9850	C35/45	240 2.369e+005
6386	4593	4594	9866	9858	C35/45	240 2.365e+005
6387	4594	4595	9874	9866	C35/45	240 2.182e+005
6388	4595	4596	9882	9874	C35/45	240 2.514e+005
6389	4596	4597	9890	9882	C35/45	240 2.327e+005
6390	4597	4598	9898	9890	C35/45	240 2.326e+005
6391	4598	4599	9906	9898	C35/45	240 2.324e+005
6392	4599	4600	9914	9906	C35/45	240 2.323e+005
6393	4600	4601	9922	9914	C35/45	240 2.323e+005
6394	4601	4602	9930	9922	C35/45	240 2.323e+005
6395	4602	4603	9938	9930	C35/45	240 2.323e+005
6396	4603	4604	9946	9938	C35/45	240 2.345e+005
6397	4604	4605	9954	9946	C35/45	240 2.346e+005
6398	4605	4606	9962	9954	C35/45	240 2.346e+005
6399	4606	4607	9970	9962	C35/45	240 2.347e+005
6400	4607	4608	9978	9970	C35/45	240 2.347e+005
6401	4608	4609	9986	9978	C35/45	240 2.347e+005
6402	4609	4610	9994	9986	C35/45	240 2.347e+005
6403	4610	4611	10002	9994	C35/45	240 2.347e+005
6404	4611	4612	10010	10002	C35/45	240 2.347e+005
6405	4612	4613	10018	10010	C35/45	240 2.347e+005
6406	4613	4614	10026	10018	C35/45	240 2.347e+005
6407	4614	4615	10034	10026	C35/45	240 2.347e+005
6408	4615	4616	10042	10034	C35/45	240 2.347e+005
6409	4616	4617	10050	10042	C35/45	240 2.347e+005
6410	4617	4618	10058	10050	C35/45	240 2.347e+005
6411	4618	4619	10066	10058	C35/45	240 2.347e+005
6412	4619	4620	10074	10066	C35/45	240 2.339e+005
6413	4620	4621	10082	10074	C35/45	240 2.339e+005
6414	4621	4622	10090	10082	C35/45	240 2.339e+005
6415	4622	4623	10098	10090	C35/45	240 2.339e+005
6416	4623	4624	10106	10098	C35/45	240 2.338e+005
6417	4624	4625	10114	10106	C35/45	240 2.338e+005
6418	4625	4626	10122	10114	C35/45	240 2.338e+005
6419	4626	4627	10130	10122	C35/45	240 2.338e+005
6420	4627	4628	10138	10130	C35/45	240 2.321e+005
6421	4628	4629	10146	10138	C35/45	240 2.321e+005
6422	4629	4630	10154	10146	C35/45	240 2.321e+005
6423	4630	4631	10162	10154	C35/45	240 2.321e+005
6424	4631	4632	10170	10162	C35/45	240 2.32e+005

PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
6425	4632	4633	10178	10170	C35/45	240 2.321e+005
6426	4633	4634	10186	10178	C35/45	240 2.32e+005
6427	4634	4635	10194	10186	C35/45	240 2.321e+005
6428	4635	4636	10202	10194	C35/45	240 2.32e+005
6429	4636	4637	10210	10202	C35/45	240 2.32e+005
6430	4637	4638	10218	10210	C35/45	240 2.321e+005
6431	4638	4639	10226	10218	C35/45	240 2.32e+005
6432	4639	4640	10234	10226	C35/45	240 2.321e+005
6433	4640	4641	10242	10234	C35/45	240 2.32e+005
6434	4641	4642	10250	10242	C35/45	240 2.321e+005
6435	4642	4643	10258	10250	C35/45	240 2.32e+005
6436	4643	4644	10266	10258	C35/45	240 2.319e+005
6437	4644	4645	10274	10266	C35/45	240 2.319e+005
6438	4645	4646	10282	10274	C35/45	240 2.319e+005
6439	4646	4647	10290	10282	C35/45	240 2.32e+005
6440	4647	4648	10298	10290	C35/45	240 2.32e+005
6441	4648	4649	10306	10298	C35/45	240 2.321e+005
6442	4649	4650	10314	10306	C35/45	240 2.323e+005
6443	4650	4651	10322	10314	C35/45	240 2.324e+005
6444	4651	4652	10330	10322	C35/45	240 2.466e+005
6445	4652	4653	10338	10330	C35/45	240 2.465e+005
6446	4653	4654	10346	10338	C35/45	240 2.469e+005
6447	4654	4655	10354	10346	C35/45	240 2.475e+005
6448	4655	4656	10362	10354	C35/45	240 2.48e+005
6449	4656	4657	10370	10362	C35/45	240 2.483e+005
6450	9827	9842	9843	9829	C35/45	240 2.402e+005
6451	9829	9843	9844	9831	C35/45	240 2.414e+005
6452	9831	9844	9845	9833	C35/45	240 2.426e+005
6453	9833	9845	9846	9835	C35/45	240 2.438e+005
6454	9835	9846	9847	9837	C35/45	240 2.45e+005
6455	9837	9847	9848	9839	C35/45	240 2.462e+005
6456	9839	9848	9849	9841	C35/45	240 2.474e+005
6457	9841	9849	7596	7595	C35/45	240 2.486e+005
6458	9842	9850	9851	9843	C35/45	240 2.404e+005
6459	9843	9851	9852	9844	C35/45	240 2.419e+005
6460	9844	9852	9853	9845	C35/45	240 2.434e+005
6461	9845	9853	9854	9846	C35/45	240 2.449e+005
6462	9846	9854	9855	9847	C35/45	240 2.465e+005
6463	9847	9855	9856	9848	C35/45	240 2.48e+005
6464	9848	9856	9857	9849	C35/45	240 2.495e+005
6465	9849	9857	7597	7596	C35/45	240 2.51e+005
6466	9850	9858	9859	9851	C35/45	240 2.351e+005
6467	9851	9859	9860	9852	C35/45	240 2.333e+005
6468	9852	9860	9861	9853	C35/45	240 2.315e+005
6469	9853	9861	9862	9854	C35/45	240 2.297e+005
6470	9854	9862	9863	9855	C35/45	240 2.279e+005
6471	9855	9863	9864	9856	C35/45	240 2.262e+005
6472	9856	9864	9865	9857	C35/45	240 2.244e+005
6473	9857	9865	7598	7597	C35/45	240 2.226e+005
6474	9858	9866	9867	9859	C35/45	240 2.344e+005
6475	9859	9867	9868	9860	C35/45	240 2.324e+005
6476	9860	9868	9869	9861	C35/45	240 2.303e+005
6477	9861	9869	9870	9862	C35/45	240 2.283e+005
6478	9862	9870	9871	9863	C35/45	240 2.262e+005
6479	9863	9871	9872	9864	C35/45	240 2.242e+005
6480	9864	9872	9873	9865	C35/45	240 2.221e+005
6481	9865	9873	7599	7598	C35/45	240 2.2e+005
6482	9866	9874	9875	9867	C35/45	240 2.195e+005
6483	9867	9875	9876	9868	C35/45	240 2.208e+005
6484	9868	9876	9877	9869	C35/45	240 2.221e+005
6485	9869	9877	9878	9870	C35/45	240 2.234e+005
6486	9870	9878	9879	9871	C35/45	240 2.247e+005
6487	9871	9879	9880	9872	C35/45	240 2.26e+005
6488	9872	9880	9881	9873	C35/45	240 2.273e+005
6489	9873	9881	7600	7599	C35/45	240 2.286e+005
6490	9874	9882	9883	9875	C35/45	240 2.505e+005

PROJECT TITLE :


	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
6491	9875	9883	9884	9876	C35/45	240 2.497e+005
6492	9876	9884	9885	9877	C35/45	240 2.488e+005
6493	9877	9885	9886	9878	C35/45	240 2.479e+005
6494	9878	9886	9887	9879	C35/45	240 2.471e+005
6495	9879	9887	9888	9880	C35/45	240 2.462e+005
6496	9880	9888	9889	9881	C35/45	240 2.454e+005
6497	9881	9889	7601	7600	C35/45	240 2.445e+005
6498	9882	9890	9891	9883	C35/45	240 2.341e+005
6499	9883	9891	9892	9884	C35/45	240 2.356e+005
6500	9884	9892	9893	9885	C35/45	240 2.37e+005
6501	9885	9893	9894	9886	C35/45	240 2.384e+005
6502	9886	9894	9895	9887	C35/45	240 2.398e+005
6503	9887	9895	9896	9888	C35/45	240 2.413e+005
6504	9888	9896	9897	9889	C35/45	240 2.427e+005
6505	9889	9897	7602	7601	C35/45	240 2.441e+005
6506	9890	9898	9899	9891	C35/45	240 2.337e+005
6507	9891	9899	9900	9892	C35/45	240 2.349e+005
6508	9892	9900	9901	9893	C35/45	240 2.36e+005
6509	9893	9901	9902	9894	C35/45	240 2.371e+005
6510	9894	9902	9903	9895	C35/45	240 2.383e+005
6511	9895	9903	9904	9896	C35/45	240 2.394e+005
6512	9896	9904	9905	9897	C35/45	240 2.405e+005
6513	9897	9905	7603	7602	C35/45	240 2.417e+005
6514	9898	9906	9907	9899	C35/45	240 2.334e+005
6515	9899	9907	9908	9900	C35/45	240 2.344e+005
6516	9900	9908	9909	9901	C35/45	240 2.353e+005
6517	9901	9909	9910	9902	C35/45	240 2.363e+005
6518	9902	9910	9911	9903	C35/45	240 2.373e+005
6519	9903	9911	9912	9904	C35/45	240 2.383e+005
6520	9904	9912	9913	9905	C35/45	240 2.393e+005
6521	9905	9913	7604	7603	C35/45	240 2.403e+005
6522	9906	9914	9915	9907	C35/45	240 2.332e+005
6523	9907	9915	9916	9908	C35/45	240 2.341e+005
6524	9908	9916	9917	9909	C35/45	240 2.351e+005
6525	9909	9917	9918	9910	C35/45	240 2.36e+005
6526	9910	9918	9919	9911	C35/45	240 2.369e+005
6527	9911	9919	9920	9912	C35/45	240 2.379e+005
6528	9912	9920	9921	9913	C35/45	240 2.388e+005
6529	9913	9921	7605	7604	C35/45	240 2.397e+005
6530	9914	9922	9923	9915	C35/45	240 2.332e+005
6531	9915	9923	9924	9916	C35/45	240 2.341e+005
6532	9916	9924	9925	9917	C35/45	240 2.351e+005
6533	9917	9925	9926	9918	C35/45	240 2.36e+005
6534	9918	9926	9927	9919	C35/45	240 2.369e+005
6535	9919	9927	9928	9920	C35/45	240 2.379e+005
6536	9920	9928	9929	9921	C35/45	240 2.388e+005
6537	9921	9929	7606	7605	C35/45	240 2.397e+005
6538	9922	9930	9931	9923	C35/45	240 2.332e+005
6539	9923	9931	9932	9924	C35/45	240 2.341e+005
6540	9924	9932	9933	9925	C35/45	240 2.351e+005
6541	9925	9933	9934	9926	C35/45	240 2.36e+005
6542	9926	9934	9935	9927	C35/45	240 2.37e+005
6543	9927	9935	9936	9928	C35/45	240 2.379e+005
6544	9928	9936	9937	9929	C35/45	240 2.388e+005
6545	9929	9937	7607	7606	C35/45	240 2.398e+005
6546	9930	9938	9939	9931	C35/45	240 2.334e+005
6547	9931	9939	9940	9932	C35/45	240 2.344e+005
6548	9932	9940	9941	9933	C35/45	240 2.355e+005
6549	9933	9941	9942	9934	C35/45	240 2.365e+005
6550	9934	9942	9943	9935	C35/45	240 2.376e+005
6551	9935	9943	9944	9936	C35/45	240 2.386e+005
6552	9936	9944	9945	9937	C35/45	240 2.397e+005
6553	9937	9945	7608	7607	C35/45	240 2.407e+005
6554	9938	9946	9947	9939	C35/45	240 2.349e+005
6555	9939	9947	9948	9940	C35/45	240 2.354e+005
6556	9940	9948	9949	9941	C35/45	240 2.358e+005

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	

6557	9941	9949	9950	9942	C35/45	240	2.362e+005
6558	9942	9950	9951	9943	C35/45	240	2.366e+005
6559	9943	9951	9952	9944	C35/45	240	2.37e+005
6560	9944	9952	9953	9945	C35/45	240	2.374e+005
6561	9945	9953	7609	7608	C35/45	240	2.378e+005
6562	9946	9954	9955	9947	C35/45	240	2.351e+005
6563	9947	9955	9956	9948	C35/45	240	2.356e+005
6564	9948	9956	9957	9949	C35/45	240	2.362e+005
6565	9949	9957	9958	9950	C35/45	240	2.367e+005
6566	9950	9958	9959	9951	C35/45	240	2.372e+005
6567	9951	9959	9960	9952	C35/45	240	2.377e+005
6568	9952	9960	9961	9953	C35/45	240	2.383e+005
6569	9953	9961	7610	7609	C35/45	240	2.388e+005
6570	9954	9962	9963	9955	C35/45	240	2.352e+005
6571	9955	9963	9964	9956	C35/45	240	2.358e+005
6572	9956	9964	9965	9957	C35/45	240	2.364e+005
6573	9957	9965	9966	9958	C35/45	240	2.37e+005
6574	9958	9966	9967	9959	C35/45	240	2.376e+005
6575	9959	9967	9968	9960	C35/45	240	2.381e+005
6576	9960	9968	9969	9961	C35/45	240	2.387e+005
6577	9961	9969	7611	7610	C35/45	240	2.393e+005
6578	9962	9970	9971	9963	C35/45	240	2.352e+005
6579	9963	9971	9972	9964	C35/45	240	2.358e+005
6580	9964	9972	9973	9965	C35/45	240	2.364e+005
6581	9965	9973	9974	9966	C35/45	240	2.37e+005
6582	9966	9974	9975	9967	C35/45	240	2.376e+005
6583	9967	9975	9976	9968	C35/45	240	2.382e+005
6584	9968	9976	9977	9969	C35/45	240	2.388e+005
6585	9969	9977	7612	7611	C35/45	240	2.394e+005
6586	9970	9978	9979	9971	C35/45	240	2.353e+005
6587	9971	9979	9980	9972	C35/45	240	2.359e+005
6588	9972	9980	9981	9973	C35/45	240	2.365e+005
6589	9973	9981	9982	9974	C35/45	240	2.371e+005
6590	9974	9982	9983	9975	C35/45	240	2.377e+005
6591	9975	9983	9984	9976	C35/45	240	2.383e+005
6592	9976	9984	9985	9977	C35/45	240	2.389e+005
6593	9977	9985	7613	7612	C35/45	240	2.395e+005
6594	9978	9986	9987	9979	C35/45	240	2.353e+005
6595	9979	9987	9988	9980	C35/45	240	2.359e+005
6596	9980	9988	9989	9981	C35/45	240	2.365e+005
6597	9981	9989	9990	9982	C35/45	240	2.371e+005
6598	9982	9990	9991	9983	C35/45	240	2.377e+005
6599	9983	9991	9992	9984	C35/45	240	2.383e+005
6600	9984	9992	9993	9985	C35/45	240	2.39e+005
6601	9985	9993	7614	7613	C35/45	240	2.396e+005
6602	9986	9994	9995	9987	C35/45	240	2.353e+005
6603	9987	9995	9996	9988	C35/45	240	2.36e+005
6604	9988	9996	9997	9989	C35/45	240	2.366e+005
6605	9989	9997	9998	9990	C35/45	240	2.372e+005
6606	9990	9998	9999	9991	C35/45	240	2.378e+005
6607	9991	9999	10000	9992	C35/45	240	2.384e+005
6608	9992	10000	10001	9993	C35/45	240	2.391e+005
6609	9993	10001	7615	7614	C35/45	240	2.397e+005
6610	9994	10002	10003	9995	C35/45	240	2.353e+005
6611	9995	10003	10004	9996	C35/45	240	2.359e+005
6612	9996	10004	10005	9997	C35/45	240	2.364e+005
6613	9997	10005	10006	9998	C35/45	240	2.37e+005
6614	9998	10006	10007	9999	C35/45	240	2.376e+005
6615	9999	10007	10008	10000	C35/45	240	2.382e+005
6616	10000	10008	10009	10001	C35/45	240	2.388e+005
6617	10001	10009	7616	7615	C35/45	240	2.393e+005
6618	10002	10010	10011	10003	C35/45	240	2.352e+005
6619	10003	10011	10012	10004	C35/45	240	2.358e+005
6620	10004	10012	10013	10005	C35/45	240	2.363e+005
6621	10005	10013	10014	10006	C35/45	240	2.368e+005
6622	10006	10014	10015	10007	C35/45	240	2.374e+005

PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
6623	10007	10015	10016	10008	C35/45	240 2.379e+005
6624	10008	10016	10017	10009	C35/45	240 2.384e+005
6625	10009	10017	7618	7616	C35/45	240 2.39e+005
6626	10010	10018	10019	10011	C35/45	240 2.352e+005
6627	10011	10019	10020	10012	C35/45	240 2.357e+005
6628	10012	10020	10021	10013	C35/45	240 2.362e+005
6629	10013	10021	10022	10014	C35/45	240 2.366e+005
6630	10014	10022	10023	10015	C35/45	240 2.371e+005
6631	10015	10023	10024	10016	C35/45	240 2.376e+005
6632	10016	10024	10025	10017	C35/45	240 2.381e+005
6633	10017	10025	7619	7618	C35/45	240 2.386e+005
6634	10018	10026	10027	10019	C35/45	240 2.353e+005
6635	10019	10027	10028	10020	C35/45	240 2.358e+005
6636	10020	10028	10029	10021	C35/45	240 2.364e+005
6637	10021	10029	10030	10022	C35/45	240 2.37e+005
6638	10022	10030	10031	10023	C35/45	240 2.375e+005
6639	10023	10031	10032	10024	C35/45	240 2.381e+005
6640	10024	10032	10033	10025	C35/45	240 2.386e+005
6641	10025	10033	7620	7619	C35/45	240 2.392e+005
6642	10026	10034	10035	10027	C35/45	240 2.352e+005
6643	10027	10035	10036	10028	C35/45	240 2.357e+005
6644	10028	10036	10037	10029	C35/45	240 2.362e+005
6645	10029	10037	10038	10030	C35/45	240 2.367e+005
6646	10030	10038	10039	10031	C35/45	240 2.372e+005
6647	10031	10039	10040	10032	C35/45	240 2.378e+005
6648	10032	10040	10041	10033	C35/45	240 2.383e+005
6649	10033	10041	7621	7620	C35/45	240 2.388e+005
6650	10034	10042	10043	10035	C35/45	240 2.351e+005
6651	10035	10043	10044	10036	C35/45	240 2.356e+005
6652	10036	10044	10045	10037	C35/45	240 2.361e+005
6653	10037	10045	10046	10038	C35/45	240 2.366e+005
6654	10038	10046	10047	10039	C35/45	240 2.37e+005
6655	10039	10047	10048	10040	C35/45	240 2.375e+005
6656	10040	10048	10049	10041	C35/45	240 2.38e+005
6657	10041	10049	7622	7621	C35/45	240 2.384e+005
6658	10042	10050	10051	10043	C35/45	240 2.352e+005
6659	10043	10051	10052	10044	C35/45	240 2.358e+005
6660	10044	10052	10053	10045	C35/45	240 2.363e+005
6661	10045	10053	10054	10046	C35/45	240 2.368e+005
6662	10046	10054	10055	10047	C35/45	240 2.374e+005
6663	10047	10055	10056	10048	C35/45	240 2.379e+005
6664	10048	10056	10057	10049	C35/45	240 2.384e+005
6665	10049	10057	7623	7622	C35/45	240 2.39e+005
6666	10050	10058	10059	10051	C35/45	240 2.352e+005
6667	10051	10059	10060	10052	C35/45	240 2.358e+005
6668	10052	10060	10061	10053	C35/45	240 2.363e+005
6669	10053	10061	10062	10054	C35/45	240 2.369e+005
6670	10054	10062	10063	10055	C35/45	240 2.374e+005
6671	10055	10063	10064	10056	C35/45	240 2.38e+005
6672	10056	10064	10065	10057	C35/45	240 2.385e+005
6673	10057	10065	7625	7623	C35/45	240 2.391e+005
6674	10058	10066	10067	10059	C35/45	240 2.352e+005
6675	10059	10067	10068	10060	C35/45	240 2.357e+005
6676	10060	10068	10069	10061	C35/45	240 2.362e+005
6677	10061	10069	10070	10062	C35/45	240 2.367e+005
6678	10062	10070	10071	10063	C35/45	240 2.372e+005
6679	10063	10071	10072	10064	C35/45	240 2.377e+005
6680	10064	10072	10073	10065	C35/45	240 2.382e+005
6681	10065	10073	7626	7625	C35/45	240 2.387e+005
6682	10066	10074	10075	10067	C35/45	240 2.346e+005
6683	10067	10075	10076	10068	C35/45	240 2.352e+005
6684	10068	10076	10077	10069	C35/45	240 2.359e+005
6685	10069	10077	10078	10070	C35/45	240 2.366e+005
6686	10070	10078	10079	10071	C35/45	240 2.372e+005
6687	10071	10079	10080	10072	C35/45	240 2.379e+005
6688	10072	10080	10081	10073	C35/45	240 2.386e+005

PROJECT TITLE :


	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
6689	10073	10081	7627	7626	C35/45	240 2.392e+005
6690	10074	10082	10083	10075	C35/45	240 2.346e+005
6691	10075	10083	10084	10076	C35/45	240 2.352e+005
6692	10076	10084	10085	10077	C35/45	240 2.359e+005
6693	10077	10085	10086	10078	C35/45	240 2.366e+005
6694	10078	10086	10087	10079	C35/45	240 2.373e+005
6695	10079	10087	10088	10080	C35/45	240 2.379e+005
6696	10080	10088	10089	10081	C35/45	240 2.386e+005
6697	10081	10089	7628	7627	C35/45	240 2.393e+005
6698	10082	10090	10091	10083	C35/45	240 2.345e+005
6699	10083	10091	10092	10084	C35/45	240 2.351e+005
6700	10084	10092	10093	10085	C35/45	240 2.358e+005
6701	10085	10093	10094	10086	C35/45	240 2.364e+005
6702	10086	10094	10095	10087	C35/45	240 2.371e+005
6703	10087	10095	10096	10088	C35/45	240 2.377e+005
6704	10088	10096	10097	10089	C35/45	240 2.383e+005
6705	10089	10097	7629	7628	C35/45	240 2.39e+005
6706	10090	10098	10099	10091	C35/45	240 2.346e+005
6707	10091	10099	10100	10092	C35/45	240 2.353e+005
6708	10092	10100	10101	10093	C35/45	240 2.36e+005
6709	10093	10101	10102	10094	C35/45	240 2.367e+005
6710	10094	10102	10103	10095	C35/45	240 2.374e+005
6711	10095	10103	10104	10096	C35/45	240 2.381e+005
6712	10096	10104	10105	10097	C35/45	240 2.388e+005
6713	10097	10105	7630	7629	C35/45	240 2.395e+005
6714	10098	10106	10107	10099	C35/45	240 2.345e+005
6715	10099	10107	10108	10100	C35/45	240 2.352e+005
6716	10100	10108	10109	10101	C35/45	240 2.358e+005
6717	10101	10109	10110	10102	C35/45	240 2.365e+005
6718	10102	10110	10111	10103	C35/45	240 2.372e+005
6719	10103	10111	10112	10104	C35/45	240 2.379e+005
6720	10104	10112	10113	10105	C35/45	240 2.385e+005
6721	10105	10113	7631	7630	C35/45	240 2.392e+005
6722	10106	10114	10115	10107	C35/45	240 2.345e+005
6723	10107	10115	10116	10108	C35/45	240 2.352e+005
6724	10108	10116	10117	10109	C35/45	240 2.359e+005
6725	10109	10117	10118	10110	C35/45	240 2.366e+005
6726	10110	10118	10119	10111	C35/45	240 2.372e+005
6727	10111	10119	10120	10112	C35/45	240 2.379e+005
6728	10112	10120	10121	10113	C35/45	240 2.386e+005
6729	10113	10121	7632	7631	C35/45	240 2.393e+005
6730	10114	10122	10123	10115	C35/45	240 2.345e+005
6731	10115	10123	10124	10116	C35/45	240 2.352e+005
6732	10116	10124	10125	10117	C35/45	240 2.359e+005
6733	10117	10125	10126	10118	C35/45	240 2.366e+005
6734	10118	10126	10127	10119	C35/45	240 2.373e+005
6735	10119	10127	10128	10120	C35/45	240 2.38e+005
6736	10120	10128	10129	10121	C35/45	240 2.387e+005
6737	10121	10129	7633	7632	C35/45	240 2.394e+005
6738	10122	10130	10131	10123	C35/45	240 2.345e+005
6739	10123	10131	10132	10124	C35/45	240 2.352e+005
6740	10124	10132	10133	10125	C35/45	240 2.36e+005
6741	10125	10133	10134	10126	C35/45	240 2.367e+005
6742	10126	10134	10135	10127	C35/45	240 2.374e+005
6743	10127	10135	10136	10128	C35/45	240 2.381e+005
6744	10128	10136	10137	10129	C35/45	240 2.388e+005
6745	10129	10137	7634	7633	C35/45	240 2.395e+005
6746	10130	10138	10139	10131	C35/45	240 2.331e+005
6747	10131	10139	10140	10132	C35/45	240 2.341e+005
6748	10132	10140	10141	10133	C35/45	240 2.35e+005
6749	10133	10141	10142	10134	C35/45	240 2.36e+005
6750	10134	10142	10143	10135	C35/45	240 2.37e+005
6751	10135	10143	10144	10136	C35/45	240 2.38e+005
6752	10136	10144	10145	10137	C35/45	240 2.389e+005
6753	10137	10145	7635	7634	C35/45	240 2.399e+005
6754	10138	10146	10147	10139	C35/45	240 2.331e+005

PROJECT TITLE :


	Company			Client	
	Author			File Name	
					PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

6755	10139	10147	10148	10140	C35/45	240	2.341e+005
6756	10140	10148	10149	10141	C35/45	240	2.351e+005
6757	10141	10149	10150	10142	C35/45	240	2.361e+005
6758	10142	10150	10151	10143	C35/45	240	2.371e+005
6759	10143	10151	10152	10144	C35/45	240	2.381e+005
6760	10144	10152	10153	10145	C35/45	240	2.391e+005
6761	10145	10153	7636	7635	C35/45	240	2.401e+005
6762	10146	10154	10155	10147	C35/45	240	2.331e+005
6763	10147	10155	10156	10148	C35/45	240	2.341e+005
6764	10148	10156	10157	10149	C35/45	240	2.351e+005
6765	10149	10157	10158	10150	C35/45	240	2.362e+005
6766	10150	10158	10159	10151	C35/45	240	2.372e+005
6767	10151	10159	10160	10152	C35/45	240	2.382e+005
6768	10152	10160	10161	10153	C35/45	240	2.392e+005
6769	10153	10161	7637	7636	C35/45	240	2.403e+005
6770	10154	10162	10163	10155	C35/45	240	2.331e+005
6771	10155	10163	10164	10156	C35/45	240	2.341e+005
6772	10156	10164	10165	10157	C35/45	240	2.351e+005
6773	10157	10165	10166	10158	C35/45	240	2.362e+005
6774	10158	10166	10167	10159	C35/45	240	2.372e+005
6775	10159	10167	10168	10160	C35/45	240	2.382e+005
6776	10160	10168	10169	10161	C35/45	240	2.392e+005
6777	10161	10169	7638	7637	C35/45	240	2.402e+005
6778	10162	10170	10171	10163	C35/45	240	2.33e+005
6779	10163	10171	10172	10164	C35/45	240	2.34e+005
6780	10164	10172	10173	10165	C35/45	240	2.35e+005
6781	10165	10173	10174	10166	C35/45	240	2.36e+005
6782	10166	10174	10175	10167	C35/45	240	2.37e+005
6783	10167	10175	10176	10168	C35/45	240	2.38e+005
6784	10168	10176	10177	10169	C35/45	240	2.39e+005
6785	10169	10177	7640	7638	C35/45	240	2.4e+005
6786	10170	10178	10179	10171	C35/45	240	2.331e+005
6787	10171	10179	10180	10172	C35/45	240	2.342e+005
6788	10172	10180	10181	10173	C35/45	240	2.352e+005
6789	10173	10181	10182	10174	C35/45	240	2.363e+005
6790	10174	10182	10183	10175	C35/45	240	2.374e+005
6791	10175	10183	10184	10176	C35/45	240	2.384e+005
6792	10176	10184	10185	10177	C35/45	240	2.395e+005
6793	10177	10185	7641	7640	C35/45	240	2.405e+005
6794	10178	10186	10187	10179	C35/45	240	2.33e+005
6795	10179	10187	10188	10180	C35/45	240	2.34e+005
6796	10180	10188	10189	10181	C35/45	240	2.35e+005
6797	10181	10189	10190	10182	C35/45	240	2.359e+005
6798	10182	10190	10191	10183	C35/45	240	2.369e+005
6799	10183	10191	10192	10184	C35/45	240	2.379e+005
6800	10184	10192	10193	10185	C35/45	240	2.389e+005
6801	10185	10193	7642	7641	C35/45	240	2.398e+005
6802	10186	10194	10195	10187	C35/45	240	2.331e+005
6803	10187	10195	10196	10188	C35/45	240	2.342e+005
6804	10188	10196	10197	10189	C35/45	240	2.352e+005
6805	10189	10197	10198	10190	C35/45	240	2.362e+005
6806	10190	10198	10199	10191	C35/45	240	2.373e+005
6807	10191	10199	10200	10192	C35/45	240	2.383e+005
6808	10192	10200	10201	10193	C35/45	240	2.394e+005
6809	10193	10201	7643	7642	C35/45	240	2.404e+005
6810	10194	10202	10203	10195	C35/45	240	2.33e+005
6811	10195	10203	10204	10196	C35/45	240	2.341e+005
6812	10196	10204	10205	10197	C35/45	240	2.351e+005
6813	10197	10205	10206	10198	C35/45	240	2.361e+005
6814	10198	10206	10207	10199	C35/45	240	2.371e+005
6815	10199	10207	10208	10200	C35/45	240	2.381e+005
6816	10200	10208	10209	10201	C35/45	240	2.391e+005
6817	10201	10209	7644	7643	C35/45	240	2.401e+005
6818	10202	10210	10211	10203	C35/45	240	2.33e+005
6819	10203	10211	10212	10204	C35/45	240	2.34e+005
6820	10204	10212	10213	10205	C35/45	240	2.349e+005


PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
6821	10205	10213	10214	10206	C35/45	240 2.359e+005
6822	10206	10214	10215	10207	C35/45	240 2.369e+005
6823	10207	10215	10216	10208	C35/45	240 2.378e+005
6824	10208	10216	10217	10209	C35/45	240 2.388e+005
6825	10209	10217	7645	7644	C35/45	240 2.398e+005
6826	10210	10218	10219	10211	C35/45	240 2.331e+005
6827	10211	10219	10220	10212	C35/45	240 2.342e+005
6828	10212	10220	10221	10213	C35/45	240 2.352e+005
6829	10213	10221	10222	10214	C35/45	240 2.362e+005
6830	10214	10222	10223	10215	C35/45	240 2.373e+005
6831	10215	10223	10224	10216	C35/45	240 2.383e+005
6832	10216	10224	10225	10217	C35/45	240 2.394e+005
6833	10217	10225	7647	7645	C35/45	240 2.404e+005
6834	10218	10226	10227	10219	C35/45	240 2.33e+005
6835	10219	10227	10228	10220	C35/45	240 2.339e+005
6836	10220	10228	10229	10221	C35/45	240 2.349e+005
6837	10221	10229	10230	10222	C35/45	240 2.359e+005
6838	10222	10230	10231	10223	C35/45	240 2.368e+005
6839	10223	10231	10232	10224	C35/45	240 2.378e+005
6840	10224	10232	10233	10225	C35/45	240 2.388e+005
6841	10225	10233	7648	7647	C35/45	240 2.397e+005
6842	10226	10234	10235	10227	C35/45	240 2.331e+005
6843	10227	10235	10236	10228	C35/45	240 2.341e+005
6844	10228	10236	10237	10229	C35/45	240 2.352e+005
6845	10229	10237	10238	10230	C35/45	240 2.362e+005
6846	10230	10238	10239	10231	C35/45	240 2.372e+005
6847	10231	10239	10240	10232	C35/45	240 2.383e+005
6848	10232	10240	10241	10233	C35/45	240 2.393e+005
6849	10233	10241	7649	7648	C35/45	240 2.403e+005
6850	10234	10242	10243	10235	C35/45	240 2.33e+005
6851	10235	10243	10244	10236	C35/45	240 2.34e+005
6852	10236	10244	10245	10237	C35/45	240 2.35e+005
6853	10237	10245	10246	10238	C35/45	240 2.36e+005
6854	10238	10246	10247	10239	C35/45	240 2.37e+005
6855	10239	10247	10248	10240	C35/45	240 2.38e+005
6856	10240	10248	10249	10241	C35/45	240 2.39e+005
6857	10241	10249	7650	7649	C35/45	240 2.4e+005
6858	10242	10250	10251	10243	C35/45	240 2.331e+005
6859	10243	10251	10252	10244	C35/45	240 2.341e+005
6860	10244	10252	10253	10245	C35/45	240 2.351e+005
6861	10245	10253	10254	10246	C35/45	240 2.362e+005
6862	10246	10254	10255	10247	C35/45	240 2.372e+005
6863	10247	10255	10256	10248	C35/45	240 2.382e+005
6864	10248	10256	10257	10249	C35/45	240 2.393e+005
6865	10249	10257	7651	7650	C35/45	240 2.403e+005
6866	10250	10258	10259	10251	C35/45	240 2.33e+005
6867	10251	10259	10260	10252	C35/45	240 2.34e+005
6868	10252	10260	10261	10253	C35/45	240 2.35e+005
6869	10253	10261	10262	10254	C35/45	240 2.36e+005
6870	10254	10262	10263	10255	C35/45	240 2.37e+005
6871	10255	10263	10264	10256	C35/45	240 2.38e+005
6872	10256	10264	10265	10257	C35/45	240 2.389e+005
6873	10257	10265	7652	7651	C35/45	240 2.399e+005
6874	10258	10266	10267	10259	C35/45	240 2.329e+005
6875	10259	10267	10268	10260	C35/45	240 2.34e+005
6876	10260	10268	10269	10261	C35/45	240 2.35e+005
6877	10261	10269	10270	10262	C35/45	240 2.36e+005
6878	10262	10270	10271	10263	C35/45	240 2.37e+005
6879	10263	10271	10272	10264	C35/45	240 2.381e+005
6880	10264	10272	10273	10265	C35/45	240 2.391e+005
6881	10265	10273	7653	7652	C35/45	240 2.401e+005
6882	10266	10274	10275	10267	C35/45	240 2.33e+005
6883	10267	10275	10276	10268	C35/45	240 2.34e+005
6884	10268	10276	10277	10269	C35/45	240 2.351e+005
6885	10269	10277	10278	10270	C35/45	240 2.361e+005
6886	10270	10278	10279	10271	C35/45	240 2.372e+005

PROJECT TITLE :


	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
6887	10271	10279	10280	10272	C35/45	240 2.382e+005
6888	10272	10280	10281	10273	C35/45	240 2.393e+005
6889	10273	10281	7654	7653	C35/45	240 2.403e+005
6890	10274	10282	10283	10275	C35/45	240 2.329e+005
6891	10275	10283	10284	10276	C35/45	240 2.339e+005
6892	10276	10284	10285	10277	C35/45	240 2.349e+005
6893	10277	10285	10286	10278	C35/45	240 2.36e+005
6894	10278	10286	10287	10279	C35/45	240 2.37e+005
6895	10279	10287	10288	10280	C35/45	240 2.38e+005
6896	10280	10288	10289	10281	C35/45	240 2.39e+005
6897	10281	10289	7655	7654	C35/45	240 2.4e+005
6898	10282	10290	10291	10283	C35/45	240 2.33e+005
6899	10283	10291	10292	10284	C35/45	240 2.34e+005
6900	10284	10292	10293	10285	C35/45	240 2.351e+005
6901	10285	10293	10294	10286	C35/45	240 2.361e+005
6902	10286	10294	10295	10287	C35/45	240 2.371e+005
6903	10287	10295	10296	10288	C35/45	240 2.382e+005
6904	10288	10296	10297	10289	C35/45	240 2.392e+005
6905	10289	10297	7656	7655	C35/45	240 2.402e+005
6906	10290	10298	10299	10291	C35/45	240 2.331e+005
6907	10291	10299	10300	10292	C35/45	240 2.341e+005
6908	10292	10300	10301	10293	C35/45	240 2.351e+005
6909	10293	10301	10302	10294	C35/45	240 2.362e+005
6910	10294	10302	10303	10295	C35/45	240 2.372e+005
6911	10295	10303	10304	10296	C35/45	240 2.382e+005
6912	10296	10304	10305	10297	C35/45	240 2.393e+005
6913	10297	10305	7657	7656	C35/45	240 2.403e+005
6914	10298	10306	10307	10299	C35/45	240 2.331e+005
6915	10299	10307	10308	10300	C35/45	240 2.34e+005
6916	10300	10308	10309	10301	C35/45	240 2.349e+005
6917	10301	10309	10310	10302	C35/45	240 2.359e+005
6918	10302	10310	10311	10303	C35/45	240 2.368e+005
6919	10303	10311	10312	10304	C35/45	240 2.377e+005
6920	10304	10312	10313	10305	C35/45	240 2.387e+005
6921	10305	10313	7658	7657	C35/45	240 2.396e+005
6922	10306	10314	10315	10307	C35/45	240 2.331e+005
6923	10307	10315	10316	10308	C35/45	240 2.338e+005
6924	10308	10316	10317	10309	C35/45	240 2.346e+005
6925	10309	10317	10318	10310	C35/45	240 2.354e+005
6926	10310	10318	10319	10311	C35/45	240 2.362e+005
6927	10311	10319	10320	10312	C35/45	240 2.37e+005
6928	10312	10320	10321	10313	C35/45	240 2.378e+005
6929	10313	10321	7659	7658	C35/45	240 2.386e+005
6930	10314	10322	10323	10315	C35/45	240 2.329e+005
6931	10315	10323	10324	10316	C35/45	240 2.334e+005
6932	10316	10324	10325	10317	C35/45	240 2.339e+005
6933	10317	10325	10326	10318	C35/45	240 2.345e+005
6934	10318	10326	10327	10319	C35/45	240 2.35e+005
6935	10319	10327	10328	10320	C35/45	240 2.355e+005
6936	10320	10328	10329	10321	C35/45	240 2.36e+005
6937	10321	10329	7660	7659	C35/45	240 2.365e+005
6938	10322	10330	10331	10323	C35/45	240 2.486e+005
6939	10323	10331	10332	10324	C35/45	240 2.506e+005
6940	10324	10332	10333	10325	C35/45	240 2.526e+005
6941	10325	10333	10334	10326	C35/45	240 2.545e+005
6942	10326	10334	10335	10327	C35/45	240 2.565e+005
6943	10327	10335	10336	10328	C35/45	240 2.585e+005
6944	10328	10336	10337	10329	C35/45	240 2.604e+005
6945	10329	10337	7661	7660	C35/45	240 2.624e+005
6946	10330	10338	10339	10331	C35/45	240 2.476e+005
6947	10331	10339	10340	10332	C35/45	240 2.488e+005
6948	10332	10340	10341	10333	C35/45	240 2.499e+005
6949	10333	10341	10342	10334	C35/45	240 2.51e+005
6950	10334	10342	10343	10335	C35/45	240 2.521e+005
6951	10335	10343	10344	10336	C35/45	240 2.532e+005
6952	10336	10344	10345	10337	C35/45	240 2.543e+005

PROJECT TITLE :

	Company			Client	
	Author			File Name	
					PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

6953	10337	10345	7662	7661	C35/45	240	2.554e+005
6954	10338	10346	10347	10339	C35/45	240	2.48e+005
6955	10339	10347	10348	10340	C35/45	240	2.491e+005
6956	10340	10348	10349	10341	C35/45	240	2.502e+005
6957	10341	10349	10350	10342	C35/45	240	2.513e+005
6958	10342	10350	10351	10343	C35/45	240	2.524e+005
6959	10343	10351	10352	10344	C35/45	240	2.536e+005
6960	10344	10352	10353	10345	C35/45	240	2.547e+005
6961	10345	10353	7663	7662	C35/45	240	2.558e+005
6962	10346	10354	10355	10347	C35/45	240	2.486e+005
6963	10347	10355	10356	10348	C35/45	240	2.497e+005
6964	10348	10356	10357	10349	C35/45	240	2.508e+005
6965	10349	10357	10358	10350	C35/45	240	2.52e+005
6966	10350	10358	10359	10351	C35/45	240	2.531e+005
6967	10351	10359	10360	10352	C35/45	240	2.542e+005
6968	10352	10360	10361	10353	C35/45	240	2.553e+005
6969	10353	10361	7665	7663	C35/45	240	2.564e+005
6970	10354	10362	10363	10355	C35/45	240	2.491e+005
6971	10355	10363	10364	10356	C35/45	240	2.502e+005
6972	10356	10364	10365	10357	C35/45	240	2.514e+005
6973	10357	10365	10366	10358	C35/45	240	2.525e+005
6974	10358	10366	10367	10359	C35/45	240	2.536e+005
6975	10359	10367	10368	10360	C35/45	240	2.547e+005
6976	10360	10368	10369	10361	C35/45	240	2.558e+005
6977	10361	10369	7666	7665	C35/45	240	2.569e+005
6978	10362	10370	10371	10363	C35/45	240	2.494e+005
6979	10363	10371	10372	10364	C35/45	240	2.505e+005
6980	10364	10372	10373	10365	C35/45	240	2.516e+005
6981	10365	10373	10374	10366	C35/45	240	2.528e+005
6982	10366	10374	10375	10367	C35/45	240	2.539e+005
6983	10367	10375	10376	10368	C35/45	240	2.55e+005
6984	10368	10376	10377	10369	C35/45	240	2.561e+005
6985	10369	10377	7667	7666	C35/45	240	2.572e+005
6986	4657	4658	3984	10370	C35/45	240	2.486e+005
6987	10370	3984	3983	10371	C35/45	240	2.497e+005
6988	10371	3983	3982	10372	C35/45	240	2.508e+005
6989	10372	3982	3981	10373	C35/45	240	2.519e+005
6990	10374	3980	3979	10375	C35/45	240	2.542e+005
6991	10375	3979	3978	10376	C35/45	240	2.553e+005
6992	10376	3978	3977	10377	C35/45	240	2.564e+005
6993	10377	3977	3976	7667	C35/45	240	2.575e+005
6994	10373	3981	3980	10374	C35/45	240	2.53e+005
6995	9024	10387	10388	9025	C35/45	240	3.14e+005
6996	9025	10388	10389	9027	C35/45	240	3.217e+005
6997	9027	10389	10390	9029	C35/45	240	3.305e+005
6998	9029	10390	4659	4658	C35/45	240	3.396e+005
6999	4658	4659	10386	3984	C35/45	240	2.956e+005
7000	3984	10386	10385	3983	C35/45	240	2.963e+005
7001	3983	10385	10384	3982	C35/45	240	2.953e+005
7002	3982	10384	10383	3981	C35/45	240	2.944e+005
7003	3981	10383	10382	3980	C35/45	240	2.934e+005
7004	3980	10382	10381	3979	C35/45	240	2.924e+005
7005	3979	10381	10380	3978	C35/45	240	2.914e+005
7006	3978	10380	10379	3977	C35/45	240	2.905e+005
7007	3977	10379	10378	3976	C35/45	240	2.895e+005
7008	3976	10378	4819	4818	C35/45	240	2.9e+005
7009	4818	4819	10391	9248	C35/45	240	3.021e+005
7010	9248	10391	10392	9250	C35/45	240	2.933e+005
7011	9250	10392	10393	9252	C35/45	240	2.84e+005
7012	9252	10393	10394	9253	C35/45	240	2.734e+005
7013	10407	8273	8272	10406	C35/45	240	2.954e+005
7014	10406	8272	8270	10405	C35/45	240	2.957e+005
7015	10405	8270	8268	10404	C35/45	240	2.959e+005
7016	10404	8268	4501	4500	C35/45	240	2.956e+005
7017	4500	4501	2639	10396	C35/45	240	2.88e+005
7018	10396	2639	2640	10397	C35/45	240	2.88e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	


7019	10397	2640	2641	10398	C35/45	240	2.88e+005
7020	10398	2641	2642	10399	C35/45	240	2.88e+005
7021	10399	2642	2643	10400	C35/45	240	2.88e+005
7022	10400	2643	2644	10401	C35/45	240	2.88e+005
7023	10401	2644	2645	10402	C35/45	240	2.88e+005
7024	10402	2645	2646	10403	C35/45	240	2.88e+005
7025	10403	2646	2638	10395	C35/45	240	2.88e+005
7026	10395	2638	4661	4660	C35/45	240	2.88e+005
7027	4660	4661	8736	10411	C35/45	240	2.964e+005
7028	10411	8736	8734	10410	C35/45	240	2.966e+005
7029	10410	8734	8732	10409	C35/45	240	2.963e+005
7030	10409	8732	8731	10408	C35/45	240	2.971e+005
7678	10412	10413	10415	10414	S355	16	2.661e+005
7679	10414	10415	10417	10416	S355	16	2.661e+005
7680	10416	10417	1620	17	S355	16	2.661e+005
7681	10418	10419	10421	10420	S355	16	2.661e+005
7682	10420	10421	10423	10422	S355	16	2.661e+005
7683	10422	10423	1610	18	S355	16	2.661e+005
7687	10424	10425	10427	10426	S355	16	2.575e+005
7688	10426	10427	10429	10428	S355	16	2.575e+005
7689	10428	10429	1646	19	S355	16	2.575e+005
7693	10430	10431	10433	10432	S355	16	2.575e+005
7694	10432	10433	10435	10434	S355	16	2.575e+005
7695	10434	10435	1632	20	S355	16	2.575e+005
7696	10436	10412	10414	10437	S355	16	3.09e+005
7697	10437	10414	10416	10438	S355	16	3.09e+005
7698	10438	10416	17	43	S355	16	3.09e+005
7699	10439	10418	10420	10440	S355	16	3.09e+005
7700	10440	10420	10422	10441	S355	16	3.09e+005
7701	10441	10422	18	44	S355	16	3.09e+005
7705	10442	10443	10445	10444	S355	16	2.575e+005
7706	10444	10445	10447	10446	S355	16	2.575e+005
7707	10446	10447	1718	28	S355	16	2.575e+005
7711	10448	10449	10451	10450	S355	16	2.575e+005
7712	10450	10451	10453	10452	S355	16	2.575e+005
7713	10452	10453	1712	26	S355	16	2.575e+005
7717	10454	10455	10457	10456	S355	14	2.575e+005
7718	10456	10457	10459	10458	S355	14	2.575e+005
7719	10458	10459	1674	49	S355	14	2.575e+005
7723	10460	10461	10463	10462	S355	14	2.575e+005
7724	10462	10463	10465	10464	S355	14	2.575e+005
7725	10464	10465	1660	48	S355	14	2.575e+005
7729	10466	10467	10469	10468	S355	14	2.575e+005
7730	10468	10469	10471	10470	S355	14	2.575e+005
7731	10470	10471	1702	60	S355	14	2.575e+005
7735	10472	10473	10475	10474	S355	14	2.575e+005
7736	10474	10475	10477	10476	S355	14	2.575e+005
7737	10476	10477	1688	59	S355	14	2.575e+005
7738	10478	10479	10481	10480	S355	14	2.575e+005
7739	10480	10481	10483	10482	S355	14	2.575e+005
7740	10482	10483	1730	118	S355	14	2.575e+005
7741	10484	10485	10487	10486	S355	14	2.575e+005
7742	10486	10487	10489	10488	S355	14	2.575e+005
7743	10488	10489	1724	116	S355	14	2.575e+005
7744	10413	10490	10491	10415	S355	16	2.661e+005
7745	10415	10491	10492	10417	S355	16	2.661e+005
7746	10417	10492	1621	1620	S355	16	2.661e+005
7747	10490	10493	10494	10491	S355	16	2.661e+005
7748	10491	10494	10495	10492	S355	16	2.661e+005
7749	10492	10495	1622	1621	S355	16	2.661e+005
7750	10493	10496	10497	10494	S355	16	2.661e+005
7751	10494	10497	10498	10495	S355	16	2.661e+005
7752	10495	10498	1623	1622	S355	16	2.661e+005
7753	10496	10499	10500	10497	S355	16	2.661e+005
7754	10497	10500	10501	10498	S355	16	2.661e+005
7755	10498	10501	1624	1623	S355	16	2.661e+005

PROJECT TITLE :

	Company			Client	
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


7756	10499	10424	10426	10500	S355	16	2.661e+005
7757	10500	10426	10428	10501	S355	16	2.661e+005
7758	10501	10428	19	1624	S355	16	2.661e+005
7759	10419	10502	10503	10421	S355	16	2.661e+005
7760	10421	10503	10504	10423	S355	16	2.661e+005
7761	10423	10504	1611	1610	S355	16	2.661e+005
7762	10502	10505	10506	10503	S355	16	2.661e+005
7763	10503	10506	10507	10504	S355	16	2.661e+005
7764	10504	10507	1612	1611	S355	16	2.661e+005
7765	10505	10508	10509	10506	S355	16	2.661e+005
7766	10506	10509	10510	10507	S355	16	2.661e+005
7767	10507	10510	1613	1612	S355	16	2.661e+005
7768	10508	10511	10512	10509	S355	16	2.661e+005
7769	10509	10512	10513	10510	S355	16	2.661e+005
7770	10510	10513	1614	1613	S355	16	2.661e+005
7771	10511	10430	10432	10512	S355	16	2.661e+005
7772	10512	10432	10434	10513	S355	16	2.661e+005
7773	10513	10434	20	1614	S355	16	2.661e+005
7774	10425	10514	10515	10427	S355	16	2.575e+005
7775	10427	10515	10516	10429	S355	16	2.575e+005
7776	10429	10516	1647	1646	S355	16	2.575e+005
7777	10514	10517	10518	10515	S355	16	2.575e+005
7778	10515	10518	10519	10516	S355	16	2.575e+005
7779	10516	10519	1648	1647	S355	16	2.575e+005
7780	10517	10520	10521	10518	S355	16	2.575e+005
7781	10518	10521	10522	10519	S355	16	2.575e+005
7782	10519	10522	1649	1648	S355	16	2.575e+005
7783	10520	10523	10524	10521	S355	16	2.575e+005
7784	10521	10524	10525	10522	S355	16	2.575e+005
7785	10522	10525	1650	1649	S355	16	2.575e+005
7786	10523	10526	10527	10524	S355	16	2.575e+005
7787	10524	10527	10528	10525	S355	16	2.575e+005
7788	10525	10528	1651	1650	S355	16	2.575e+005
7789	10526	10529	10530	10527	S355	16	2.575e+005
7790	10527	10530	10531	10528	S355	16	2.575e+005
7791	10528	10531	1652	1651	S355	16	2.575e+005
7792	10529	10442	10444	10530	S355	16	2.575e+005
7793	10530	10444	10446	10531	S355	16	2.575e+005
7794	10531	10446	28	1652	S355	16	2.575e+005
7795	10431	10532	10533	10433	S355	16	2.575e+005
7796	10433	10533	10534	10435	S355	16	2.575e+005
7797	10435	10534	1633	1632	S355	16	2.575e+005
7798	10532	10535	10536	10533	S355	16	2.575e+005
7799	10533	10536	10537	10534	S355	16	2.575e+005
7800	10534	10537	1634	1633	S355	16	2.575e+005
7801	10535	10538	10539	10536	S355	16	2.575e+005
7802	10536	10539	10540	10537	S355	16	2.575e+005
7803	10537	10540	1635	1634	S355	16	2.575e+005
7804	10538	10541	10542	10539	S355	16	2.575e+005
7805	10539	10542	10543	10540	S355	16	2.575e+005
7806	10540	10543	1636	1635	S355	16	2.575e+005
7807	10541	10544	10545	10542	S355	16	2.575e+005
7808	10542	10545	10546	10543	S355	16	2.575e+005
7809	10543	10546	1637	1636	S355	16	2.575e+005
7810	10544	10547	10548	10545	S355	16	2.575e+005
7811	10545	10548	10549	10546	S355	16	2.575e+005
7812	10546	10549	1638	1637	S355	16	2.575e+005
7813	10547	10448	10450	10548	S355	16	2.575e+005
7814	10548	10450	10452	10549	S355	16	2.575e+005
7815	10549	10452	26	1638	S355	16	2.575e+005
7816	10455	10550	10551	10457	S355	14	2.575e+005
7817	10457	10551	10552	10459	S355	14	2.575e+005
7818	10459	10552	1675	1674	S355	14	2.575e+005
7819	10550	10553	10554	10551	S355	14	2.575e+005
7820	10551	10554	10555	10552	S355	14	2.575e+005
7821	10552	10555	1676	1675	S355	14	2.575e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	

7822	10553	10556	10557	10554	S355	14	2.575e+005
7823	10554	10557	10558	10555	S355	14	2.575e+005
7824	10555	10558	1677	1676	S355	14	2.575e+005
7825	10556	10559	10560	10557	S355	14	2.575e+005
7826	10557	10560	10561	10558	S355	14	2.575e+005
7827	10558	10561	1678	1677	S355	14	2.575e+005
7828	10559	10562	10563	10560	S355	14	2.575e+005
7829	10560	10563	10564	10561	S355	14	2.575e+005
7830	10561	10564	1679	1678	S355	14	2.575e+005
7831	10562	10565	10566	10563	S355	14	2.575e+005
7832	10563	10566	10567	10564	S355	14	2.575e+005
7833	10564	10567	1680	1679	S355	14	2.575e+005
7834	10565	10466	10468	10566	S355	14	2.575e+005
7835	10566	10468	10470	10567	S355	14	2.575e+005
7836	10567	10470	60	1680	S355	14	2.575e+005
7837	10461	10568	10569	10463	S355	14	2.575e+005
7838	10463	10569	10570	10465	S355	14	2.575e+005
7839	10465	10570	1661	1660	S355	14	2.575e+005
7840	10568	10571	10572	10569	S355	14	2.575e+005
7841	10569	10572	10573	10570	S355	14	2.575e+005
7842	10570	10573	1662	1661	S355	14	2.575e+005
7843	10571	10574	10575	10572	S355	14	2.575e+005
7844	10572	10575	10576	10573	S355	14	2.575e+005
7845	10573	10576	1663	1662	S355	14	2.575e+005
7846	10574	10577	10578	10575	S355	14	2.575e+005
7847	10575	10578	10579	10576	S355	14	2.575e+005
7848	10576	10579	1664	1663	S355	14	2.575e+005
7849	10577	10580	10581	10578	S355	14	2.575e+005
7850	10578	10581	10582	10579	S355	14	2.575e+005
7851	10579	10582	1665	1664	S355	14	2.575e+005
7852	10580	10583	10584	10581	S355	14	2.575e+005
7853	10581	10584	10585	10582	S355	14	2.575e+005
7854	10582	10585	1666	1665	S355	14	2.575e+005
7855	10583	10472	10474	10584	S355	14	2.575e+005
7856	10584	10474	10476	10585	S355	14	2.575e+005
7857	10585	10476	59	1666	S355	14	2.575e+005
7858	10467	10586	10587	10469	S355	14	2.575e+005
7859	10469	10587	10588	10471	S355	14	2.575e+005
7860	10471	10588	1703	1702	S355	14	2.575e+005
7861	10586	10589	10590	10587	S355	14	2.575e+005
7862	10587	10590	10591	10588	S355	14	2.575e+005
7863	10588	10591	1704	1703	S355	14	2.575e+005
7864	10589	10592	10593	10590	S355	14	2.575e+005
7865	10590	10593	10594	10591	S355	14	2.575e+005
7866	10591	10594	1705	1704	S355	14	2.575e+005
7867	10592	10595	10596	10593	S355	14	2.575e+005
7868	10593	10596	10597	10594	S355	14	2.575e+005
7869	10594	10597	1706	1705	S355	14	2.575e+005
7870	10595	10598	10599	10596	S355	14	2.575e+005
7871	10596	10599	10600	10597	S355	14	2.575e+005
7872	10597	10600	1707	1706	S355	14	2.575e+005
7873	10598	10601	10602	10599	S355	14	2.575e+005
7874	10599	10602	10603	10600	S355	14	2.575e+005
7875	10600	10603	1708	1707	S355	14	2.575e+005
7879	10601	10604	10605	10602	S355	14	2.575e+005
7880	10602	10605	10606	10603	S355	14	2.575e+005
7881	10603	10606	71	1708	S355	14	2.575e+005
7882	10473	10607	10608	10475	S355	14	2.575e+005
7883	10475	10608	10609	10477	S355	14	2.575e+005
7884	10477	10609	1689	1688	S355	14	2.575e+005
7885	10607	10610	10611	10608	S355	14	2.575e+005
7886	10608	10611	10612	10609	S355	14	2.575e+005
7887	10609	10612	1690	1689	S355	14	2.575e+005
7888	10610	10613	10614	10611	S355	14	2.575e+005
7889	10611	10614	10615	10612	S355	14	2.575e+005
7890	10612	10615	1691	1690	S355	14	2.575e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	


7891	10613	10616	10617	10614	S355	14	2.575e+005
7892	10614	10617	10618	10615	S355	14	2.575e+005
7893	10615	10618	1692	1691	S355	14	2.575e+005
7894	10616	10619	10620	10617	S355	14	2.575e+005
7895	10617	10620	10621	10618	S355	14	2.575e+005
7896	10618	10621	1693	1692	S355	14	2.575e+005
7897	10619	10622	10623	10620	S355	14	2.575e+005
7898	10620	10623	10624	10621	S355	14	2.575e+005
7899	10621	10624	1694	1693	S355	14	2.575e+005
7903	10622	10625	10626	10623	S355	14	2.575e+005
7904	10623	10626	10627	10624	S355	14	2.575e+005
7905	10624	10627	70	1694	S355	14	2.575e+005
7906	10443	10628	10629	10445	S355	16	2.575e+005
7907	10445	10629	10630	10447	S355	16	2.575e+005
7908	10447	10630	1719	1718	S355	16	2.575e+005
7909	10628	10631	10632	10629	S355	16	2.575e+005
7910	10629	10632	10633	10630	S355	16	2.575e+005
7911	10630	10633	1720	1719	S355	16	2.575e+005
7912	10631	10478	10480	10632	S355	16	2.575e+005
7913	10632	10480	10482	10633	S355	16	2.575e+005
7914	10633	10482	118	1720	S355	16	2.575e+005
7915	10449	10634	10635	10451	S355	16	2.575e+005
7916	10451	10635	10636	10453	S355	16	2.575e+005
7917	10453	10636	1713	1712	S355	16	2.575e+005
7918	10634	10637	10638	10635	S355	16	2.575e+005
7919	10635	10638	10639	10636	S355	16	2.575e+005
7920	10636	10639	1714	1713	S355	16	2.575e+005
7921	10637	10484	10486	10638	S355	16	2.575e+005
7922	10638	10486	10488	10639	S355	16	2.575e+005
7923	10639	10488	116	1714	S355	16	2.575e+005
7924	10479	10640	10641	10481	S355	14	2.575e+005
7925	10481	10641	10642	10483	S355	14	2.575e+005
7926	10483	10642	1731	1730	S355	14	2.575e+005
7927	10640	10643	10644	10641	S355	14	2.575e+005
7928	10641	10644	10645	10642	S355	14	2.575e+005
7929	10642	10645	1732	1731	S355	14	2.575e+005
7930	10643	10454	10456	10644	S355	14	2.575e+005
7931	10644	10456	10458	10645	S355	14	2.575e+005
7932	10645	10458	49	1732	S355	14	2.575e+005
7933	10485	10646	10647	10487	S355	14	2.575e+005
7934	10487	10647	10648	10489	S355	14	2.575e+005
7935	10489	10648	1725	1724	S355	14	2.575e+005
7936	10646	10649	10650	10647	S355	14	2.575e+005
7937	10647	10650	10651	10648	S355	14	2.575e+005
7938	10648	10651	1726	1725	S355	14	2.575e+005
7939	10649	10460	10462	10650	S355	14	2.575e+005
7940	10650	10462	10464	10651	S355	14	2.575e+005
7941	10651	10464	48	1726	S355	14	2.575e+005
7942	10418	10652	10653	10420	S355	20	2.472e+005
7943	10420	10653	10654	10422	S355	20	2.472e+005
7944	10422	10654	1876	18	S355	20	2.472e+005
7945	10655	10656	10658	10657	S355	20	2.472e+005
7946	10657	10658	10660	10659	S355	20	2.472e+005
7947	10659	10660	3234	2947	S355	20	2.472e+005
7948	10661	10662	10664	10663	S355	20	2.472e+005
7949	10663	10664	10666	10665	S355	20	2.472e+005
7950	10665	10666	3238	2959	S355	20	2.472e+005
7951	10652	10667	10668	10653	S355	20	2.472e+005
7952	10653	10668	10669	10654	S355	20	2.472e+005
7953	10654	10669	1875	1876	S355	20	2.472e+005
7954	10667	10670	10671	10668	S355	20	2.472e+005
7955	10668	10671	10672	10669	S355	20	2.472e+005
7956	10669	10672	1874	1875	S355	20	2.472e+005
7957	10670	10673	10674	10671	S355	20	2.472e+005
7958	10671	10674	10675	10672	S355	20	2.472e+005
7959	10672	10675	1873	1874	S355	20	2.472e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	


7960	10673	10676	10677	10674	S355	20	2.472e+005
7961	10674	10677	10678	10675	S355	20	2.472e+005
7962	10675	10678	1872	1873	S355	20	2.472e+005
7963	10676	10679	10680	10677	S355	20	2.472e+005
7964	10677	10680	10681	10678	S355	20	2.472e+005
7965	10678	10681	1871	1872	S355	20	2.472e+005
7966	10679	10682	10683	10680	S355	20	2.472e+005
7967	10680	10683	10684	10681	S355	20	2.472e+005
7968	10681	10684	1870	1871	S355	20	2.472e+005
7969	10682	10685	10686	10683	S355	20	2.472e+005
7970	10683	10686	10687	10684	S355	20	2.472e+005
7971	10684	10687	1869	1870	S355	20	2.472e+005
7972	10685	10688	10689	10686	S355	20	2.472e+005
7973	10686	10689	10690	10687	S355	20	2.472e+005
7974	10687	10690	1843	1869	S355	20	2.472e+005
7975	10688	10412	10414	10689	S355	20	2.472e+005
7976	10689	10414	10416	10690	S355	20	2.472e+005
7977	10690	10416	17	1843	S355	20	2.472e+005
7978	10656	10691	10692	10658	S355	20	2.472e+005
7979	10658	10692	10693	10660	S355	20	2.472e+005
7980	10660	10693	3256	3234	S355	20	2.472e+005
7981	10691	10694	10695	10692	S355	20	2.472e+005
7982	10692	10695	10696	10693	S355	20	2.472e+005
7983	10693	10696	3257	3256	S355	20	2.472e+005
7984	10694	10697	10698	10695	S355	20	2.472e+005
7985	10695	10698	10699	10696	S355	20	2.472e+005
7986	10696	10699	3258	3257	S355	20	2.472e+005
7987	10697	10700	10701	10698	S355	20	2.472e+005
7988	10698	10701	10702	10699	S355	20	2.472e+005
7989	10699	10702	3259	3258	S355	20	2.472e+005
7990	10700	10703	10704	10701	S355	20	2.472e+005
7991	10701	10704	10705	10702	S355	20	2.472e+005
7992	10702	10705	3260	3259	S355	20	2.472e+005
7993	10703	10706	10707	10704	S355	20	2.472e+005
7994	10704	10707	10708	10705	S355	20	2.472e+005
7995	10705	10708	3261	3260	S355	20	2.472e+005
7996	10706	10709	10710	10707	S355	20	2.472e+005
7997	10707	10710	10711	10708	S355	20	2.472e+005
7998	10708	10711	3262	3261	S355	20	2.472e+005
7999	10709	10712	10713	10710	S355	20	2.472e+005
8000	10710	10713	10714	10711	S355	20	2.472e+005
8001	10711	10714	3263	3262	S355	20	2.472e+005
8002	10712	10715	10716	10713	S355	20	2.472e+005
8003	10713	10716	10717	10714	S355	20	2.472e+005
8004	10714	10717	2946	3263	S355	20	2.472e+005
8005	10662	10718	10719	10664	S355	20	2.472e+005
8006	10664	10719	10720	10666	S355	20	2.472e+005
8007	10666	10720	3288	3238	S355	20	2.472e+005
8008	10718	10721	10722	10719	S355	20	2.472e+005
8009	10719	10722	10723	10720	S355	20	2.472e+005
8010	10720	10723	3289	3288	S355	20	2.472e+005
8011	10721	10724	10725	10722	S355	20	2.472e+005
8012	10722	10725	10726	10723	S355	20	2.472e+005
8013	10723	10726	3290	3289	S355	20	2.472e+005
8014	10724	10727	10728	10725	S355	20	2.472e+005
8015	10725	10728	10729	10726	S355	20	2.472e+005
8016	10726	10729	3291	3290	S355	20	2.472e+005
8017	10727	10730	10731	10728	S355	20	2.472e+005
8018	10728	10731	10732	10729	S355	20	2.472e+005
8019	10729	10732	3292	3291	S355	20	2.472e+005
8020	10730	10733	10734	10731	S355	20	2.472e+005
8021	10731	10734	10735	10732	S355	20	2.472e+005
8022	10732	10735	3293	3292	S355	20	2.472e+005
8023	10733	10736	10737	10734	S355	20	2.472e+005
8024	10734	10737	10738	10735	S355	20	2.472e+005
8025	10735	10738	3294	3293	S355	20	2.472e+005

PROJECT TITLE :

	Company			Client	
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


8026	10736	10739	10740	10737	S355	20	2.472e+005
8027	10737	10740	10741	10738	S355	20	2.472e+005
8028	10738	10741	3295	3294	S355	20	2.472e+005
8029	10739	10742	10743	10740	S355	20	2.472e+005
8030	10740	10743	10744	10741	S355	20	2.472e+005
8031	10741	10744	2958	3295	S355	20	2.472e+005
8032	10604	10745	10746	10605	S355	14	2.561e+005
8033	10605	10746	10747	10606	S355	14	2.561e+005
8034	10606	10747	3515	71	S355	14	2.561e+005
8035	10625	10748	10749	10626	S355	14	2.561e+005
8036	10626	10749	10750	10627	S355	14	2.561e+005
8037	10627	10750	3516	70	S355	14	2.561e+005
8038	10742	10751	10752	10743	S355	16	3.09e+005
8039	10743	10752	10753	10744	S355	16	3.09e+005
8040	10744	10753	3517	2958	S355	16	3.09e+005
8044	10754	10755	10757	10756	S355	16	2.575e+005
8045	10756	10757	10759	10758	S355	16	2.575e+005
8046	10758	10759	3518	2876	S355	16	2.575e+005
8047	10755	10760	10761	10757	S355	16	2.575e+005
8048	10757	10761	10762	10759	S355	16	2.575e+005
8049	10759	10762	3519	3518	S355	16	2.575e+005
8050	10760	10763	10764	10761	S355	16	2.575e+005
8051	10761	10764	10765	10762	S355	16	2.575e+005
8052	10762	10765	3520	3519	S355	16	2.575e+005
8053	10763	10766	10767	10764	S355	16	2.575e+005
8054	10764	10767	10768	10765	S355	16	2.575e+005
8055	10765	10768	3521	3520	S355	16	2.575e+005
8056	10766	10769	10770	10767	S355	16	2.575e+005
8057	10767	10770	10771	10768	S355	16	2.575e+005
8058	10768	10771	3522	3521	S355	16	2.575e+005
8059	10769	10772	10773	10770	S355	16	2.575e+005
8060	10770	10773	10774	10771	S355	16	2.575e+005
8061	10771	10774	3523	3522	S355	16	2.575e+005
8062	10772	10775	10776	10773	S355	16	2.575e+005
8063	10773	10776	10777	10774	S355	16	2.575e+005
8064	10774	10777	3524	3523	S355	16	2.575e+005
8068	10775	10778	10779	10776	S355	16	2.575e+005
8069	10776	10779	10780	10777	S355	16	2.575e+005
8070	10777	10780	2878	3524	S355	16	2.575e+005
8074	10781	10782	10784	10783	S355	16	2.782e+005
8075	10783	10784	10786	10785	S355	16	2.782e+005
8076	10785	10786	3525	2900	S355	16	2.782e+005
8077	10782	10787	10788	10784	S355	16	2.782e+005
8078	10784	10788	10789	10786	S355	16	2.782e+005
8079	10786	10789	3526	3525	S355	16	2.782e+005
8080	10787	10790	10791	10788	S355	16	2.782e+005
8081	10788	10791	10792	10789	S355	16	2.782e+005
8082	10789	10792	3527	3526	S355	16	2.782e+005
8083	10793	10794	10796	10795	S355	16	2.782e+005
8084	10795	10796	10798	10797	S355	16	2.782e+005
8085	10797	10798	3530	3529	S355	16	2.782e+005
8086	10794	10799	10800	10796	S355	16	2.782e+005
8087	10796	10800	10801	10798	S355	16	2.782e+005
8088	10798	10801	3531	3530	S355	16	2.782e+005
8089	10799	10742	10743	10800	S355	16	2.782e+005
8090	10800	10743	10744	10801	S355	16	2.782e+005
8091	10801	10744	2958	3531	S355	16	2.782e+005
8095	10802	10803	10805	10804	S355	16	2.548e+005
8096	10804	10805	10807	10806	S355	16	2.548e+005
8097	10806	10807	3532	2891	S355	16	2.548e+005
8098	10803	10808	10809	10805	S355	16	2.548e+005
8099	10805	10809	10810	10807	S355	16	2.548e+005
8100	10807	10810	3533	3532	S355	16	2.548e+005
8101	10808	10811	10812	10809	S355	16	2.548e+005
8102	10809	10812	10813	10810	S355	16	2.548e+005
8103	10810	10813	3534	3533	S355	16	2.548e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	


8104	10811	10814	10815	10812	S355	16	2.548e+005
8105	10812	10815	10816	10813	S355	16	2.548e+005
8106	10813	10816	3535	3534	S355	16	2.548e+005
8107	10814	10817	10818	10815	S355	14	2.548e+005
8108	10815	10818	10819	10816	S355	14	2.548e+005
8109	10816	10819	3536	3535	S355	14	2.548e+005
8110	10817	10820	10821	10818	S355	14	2.548e+005
8111	10818	10821	10822	10819	S355	14	2.548e+005
8112	10819	10822	3537	3536	S355	14	2.548e+005
8113	10820	10823	10824	10821	S355	14	2.548e+005
8114	10821	10824	10825	10822	S355	14	2.548e+005
8115	10822	10825	3538	3537	S355	14	2.548e+005
8119	10823	10826	10827	10824	S355	14	2.547e+005
8120	10824	10827	10828	10825	S355	14	2.547e+005
8121	10825	10828	2893	3538	S355	14	2.547e+005
8125	10829	10830	10832	10831	S355	14	2.629e+005
8126	10831	10832	10834	10833	S355	14	2.629e+005
8127	10833	10834	3539	2896	S355	14	2.629e+005
8128	10830	10835	10836	10832	S355	14	2.629e+005
8129	10832	10836	10837	10834	S355	14	2.629e+005
8130	10834	10837	3540	3539	S355	14	2.629e+005
8131	10835	10838	10839	10836	S355	14	2.629e+005
8132	10836	10839	10840	10837	S355	14	2.629e+005
8133	10837	10840	3541	3540	S355	14	2.629e+005
8134	10838	10841	10842	10839	S355	14	2.629e+005
8135	10839	10842	10843	10840	S355	14	2.629e+005
8136	10840	10843	3542	3541	S355	14	2.629e+005
8137	10841	10844	10845	10842	S355	16	2.629e+005
8138	10842	10845	10846	10843	S355	16	2.629e+005
8139	10843	10846	3543	3542	S355	16	2.629e+005
8140	10844	10847	10848	10845	S355	16	2.629e+005
8141	10845	10848	10849	10846	S355	16	2.629e+005
8142	10846	10849	3544	3543	S355	16	2.629e+005
8143	10847	10850	10851	10848	S355	16	2.629e+005
8144	10848	10851	10852	10849	S355	16	2.629e+005
8145	10849	10852	3545	3544	S355	16	2.629e+005
8149	10850	10853	10854	10851	S355	16	2.629e+005
8150	10851	10854	10855	10852	S355	16	2.629e+005
8151	10852	10855	2898	3545	S355	16	2.629e+005
8155	10856	10857	10859	10858	S355	16	2.547e+005
8156	10858	10859	10861	10860	S355	16	2.547e+005
8157	10860	10861	3546	2889	S355	16	2.547e+005
8158	10857	10862	10863	10859	S355	16	2.547e+005
8159	10859	10863	10864	10861	S355	16	2.547e+005
8160	10861	10864	3547	3546	S355	16	2.547e+005
8161	10862	10865	10866	10863	S355	16	2.547e+005
8162	10863	10866	10867	10864	S355	16	2.547e+005
8163	10864	10867	3548	3547	S355	16	2.547e+005
8164	10865	10868	10869	10866	S355	16	2.547e+005
8165	10866	10869	10870	10867	S355	16	2.547e+005
8166	10867	10870	3549	3548	S355	16	2.547e+005
8167	10868	10871	10872	10869	S355	16	2.547e+005
8168	10869	10872	10873	10870	S355	16	2.547e+005
8169	10870	10873	3550	3549	S355	16	2.547e+005
8170	10871	10874	10875	10872	S355	16	2.547e+005
8171	10872	10875	10876	10873	S355	16	2.547e+005
8172	10873	10876	3551	3550	S355	16	2.547e+005
8173	10874	10877	10878	10875	S355	16	2.547e+005
8174	10875	10878	10879	10876	S355	16	2.547e+005
8175	10876	10879	3552	3551	S355	16	2.547e+005
8176	10877	10802	10804	10878	S355	16	2.547e+005
8177	10878	10804	10806	10879	S355	16	2.547e+005
8178	10879	10806	2891	3552	S355	16	2.547e+005
8182	10880	10881	10883	10882	S355	16	2.722e+005
8183	10882	10883	10885	10884	S355	16	2.722e+005
8184	10884	10885	3553	2877	S355	16	2.722e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	

8185	10881	10886	10887	10883	S355	16	2.554e+005
8186	10883	10887	10888	10885	S355	16	2.554e+005
8187	10885	10888	3554	3553	S355	16	2.554e+005
8188	10886	10889	10890	10887	S355	16	2.554e+005
8189	10887	10890	10891	10888	S355	16	2.554e+005
8190	10888	10891	3555	3554	S355	16	2.554e+005
8191	10889	10892	10893	10890	S355	16	2.554e+005
8192	10890	10893	10894	10891	S355	16	2.554e+005
8193	10891	10894	3556	3555	S355	16	2.554e+005
8194	10892	10895	10896	10893	S355	16	2.554e+005
8195	10893	10896	10897	10894	S355	16	2.554e+005
8196	10894	10897	3557	3556	S355	16	2.554e+005
8197	10895	10898	10899	10896	S355	16	2.554e+005
8198	10896	10899	10900	10897	S355	16	2.554e+005
8199	10897	10900	3558	3557	S355	16	2.554e+005
8200	10898	10901	10902	10899	S355	16	2.554e+005
8201	10899	10902	10903	10900	S355	16	2.554e+005
8202	10900	10903	3559	3558	S355	16	2.554e+005
8206	10901	10904	10905	10902	S355	16	2.554e+005
8207	10902	10905	10906	10903	S355	16	2.554e+005
8208	10903	10906	2879	3559	S355	16	2.554e+005
8209	10826	10907	10908	10827	S355	14	2.538e+005
8210	10827	10908	10909	10828	S355	14	2.538e+005
8211	10828	10909	3560	2893	S355	14	2.538e+005
8212	10907	10910	10911	10908	S355	14	2.538e+005
8213	10908	10911	10912	10909	S355	14	2.538e+005
8214	10909	10912	3561	3560	S355	14	2.538e+005
8215	10910	10913	10914	10911	S355	14	2.538e+005
8216	10911	10914	10915	10912	S355	14	2.538e+005
8217	10912	10915	3562	3561	S355	14	2.538e+005
8218	10913	10916	10917	10914	S355	14	2.538e+005
8219	10914	10917	10918	10915	S355	14	2.538e+005
8220	10915	10918	3563	3562	S355	14	2.538e+005
8221	10916	10919	10920	10917	S355	14	2.538e+005
8222	10917	10920	10921	10918	S355	14	2.538e+005
8223	10918	10921	3564	3563	S355	14	2.538e+005
8224	10919	10922	10923	10920	S355	14	2.538e+005
8225	10920	10923	10924	10921	S355	14	2.538e+005
8226	10921	10924	3565	3564	S355	14	2.538e+005
8227	10922	10925	10926	10923	S355	14	2.538e+005
8228	10923	10926	10927	10924	S355	14	2.538e+005
8229	10924	10927	3566	3565	S355	14	2.538e+005
8233	10925	10928	10929	10926	S355	14	2.538e+005
8234	10926	10929	10930	10927	S355	14	2.538e+005
8235	10927	10930	2895	3566	S355	14	2.538e+005
8239	10931	10932	10934	10933	S355	16	2.734e+005
8240	10933	10934	10936	10935	S355	16	2.734e+005
8241	10935	10936	3567	2887	S355	16	2.734e+005
8242	10932	10937	10938	10934	S355	16	2.52e+005
8243	10934	10938	10939	10936	S355	16	2.52e+005
8244	10936	10939	3568	3567	S355	16	2.52e+005
8245	10937	10940	10941	10938	S355	16	2.52e+005
8246	10938	10941	10942	10939	S355	16	2.52e+005
8247	10939	10942	3569	3568	S355	16	2.52e+005
8248	10940	10943	10944	10941	S355	16	2.52e+005
8249	10941	10944	10945	10942	S355	16	2.52e+005
8250	10942	10945	3570	3569	S355	16	2.52e+005
8251	10943	10946	10947	10944	S355	16	2.52e+005
8252	10944	10947	10948	10945	S355	16	2.52e+005
8253	10945	10948	3571	3570	S355	16	2.52e+005
8254	10946	10949	10950	10947	S355	16	2.52e+005
8255	10947	10950	10951	10948	S355	16	2.52e+005
8256	10948	10951	3572	3571	S355	16	2.52e+005
8257	10949	10952	10953	10950	S355	16	2.52e+005
8258	10950	10953	10954	10951	S355	16	2.52e+005
8259	10951	10954	3573	3572	S355	16	2.52e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	


8260	10952	10856	10858	10953	S355	16	2.52e+005
8261	10953	10858	10860	10954	S355	16	2.52e+005
8262	10954	10860	2889	3573	S355	16	2.52e+005
8266	10955	10956	10958	10957	S355	16	2.449e+005
8267	10957	10958	10960	10959	S355	16	2.449e+005
8268	10959	10960	3574	2886	S355	16	2.449e+005
8269	10956	10961	10962	10958	S355	16	2.615e+005
8270	10958	10962	10963	10960	S355	16	2.615e+005
8271	10960	10963	3575	3574	S355	16	2.615e+005
8272	10961	10964	10965	10962	S355	16	2.615e+005
8273	10962	10965	10966	10963	S355	16	2.615e+005
8274	10963	10966	3576	3575	S355	16	2.615e+005
8275	10964	10967	10968	10965	S355	16	2.615e+005
8276	10965	10968	10969	10966	S355	16	2.615e+005
8277	10966	10969	3577	3576	S355	16	2.615e+005
8278	10967	10970	10971	10968	S355	16	2.615e+005
8279	10968	10971	10972	10969	S355	16	2.615e+005
8280	10969	10972	3578	3577	S355	16	2.615e+005
8281	10970	10973	10974	10971	S355	16	2.615e+005
8282	10971	10974	10975	10972	S355	16	2.615e+005
8283	10972	10975	3579	3578	S355	16	2.615e+005
8284	10973	10976	10977	10974	S355	16	2.615e+005
8285	10974	10977	10978	10975	S355	16	2.615e+005
8286	10975	10978	3580	3579	S355	16	2.615e+005
8290	10976	10979	10980	10977	S355	16	2.697e+005
8291	10977	10980	10981	10978	S355	16	2.697e+005
8292	10978	10981	2888	3580	S355	16	2.697e+005
8296	10982	10983	10985	10984	S355	18	2.564e+005
8297	10984	10985	10987	10986	S355	18	2.564e+005
8298	10986	10987	3581	2882	S355	18	2.564e+005
8299	10983	10988	10989	10985	S355	18	2.564e+005
8300	10985	10989	10990	10987	S355	18	2.564e+005
8301	10987	10990	3582	3581	S355	18	2.564e+005
8302	10988	10991	10992	10989	S355	18	2.564e+005
8303	10989	10992	10993	10990	S355	18	2.564e+005
8304	10990	10993	3583	3582	S355	18	2.564e+005
8305	10991	10994	10995	10992	S355	18	2.564e+005
8306	10992	10995	10996	10993	S355	18	2.564e+005
8307	10993	10996	3584	3583	S355	18	2.564e+005
8308	10994	10997	10998	10995	S355	18	2.564e+005
8309	10995	10998	10999	10996	S355	18	2.564e+005
8310	10996	10999	3585	3584	S355	18	2.564e+005
8311	10997	11000	11001	10998	S355	18	2.564e+005
8312	10998	11001	11002	10999	S355	18	2.564e+005
8313	10999	11002	3586	3585	S355	18	2.564e+005
8314	11000	11003	11004	11001	S355	18	2.564e+005
8315	11001	11004	11005	11002	S355	18	2.564e+005
8316	11002	11005	3587	3586	S355	18	2.564e+005
8317	11003	10715	10716	11004	S355	18	2.564e+005
8318	11004	10716	10717	11005	S355	18	2.564e+005
8319	11005	10717	2946	3587	S355	18	2.564e+005
8323	11006	11007	11009	11008	S355	16	2.517e+005
8324	11008	11009	11011	11010	S355	16	2.517e+005
8325	11010	11011	3588	2899	S355	16	2.517e+005
8326	11007	11012	11013	11009	S355	16	2.517e+005
8327	11009	11013	11014	11011	S355	16	2.517e+005
8328	11011	11014	3589	3588	S355	16	2.517e+005
8329	11012	11015	11016	11013	S355	16	2.517e+005
8330	11013	11016	11017	11014	S355	16	2.517e+005
8331	11014	11017	3590	3589	S355	16	2.517e+005
8332	11015	11018	11019	11016	S355	16	2.517e+005
8333	11016	11019	11020	11017	S355	16	2.517e+005
8334	11017	11020	3591	3590	S355	16	2.517e+005
8335	11018	11021	11022	11019	S355	16	2.517e+005
8336	11019	11022	11023	11020	S355	16	2.517e+005
8337	11020	11023	3592	3591	S355	16	2.517e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	


8338	11021	11024	11025	11022	S355	16	2.517e+005
8339	11022	11025	11026	11023	S355	16	2.517e+005
8340	11023	11026	3593	3592	S355	16	2.517e+005
8341	11024	11027	11028	11025	S355	16	2.517e+005
8342	11025	11028	11029	11026	S355	16	2.517e+005
8343	11026	11029	3594	3593	S355	16	2.517e+005
8347	11027	11030	11031	11028	S355	16	2.517e+005
8348	11028	11031	11032	11029	S355	16	2.517e+005
8349	11029	11032	2901	3594	S355	16	2.517e+005
8350	10853	11033	11034	10854	S355	16	2.631e+005
8351	10854	11034	11035	10855	S355	16	2.631e+005
8352	10855	11035	3595	2898	S355	16	2.631e+005
8353	11033	11036	11037	11034	S355	16	2.63e+005
8354	11034	11037	11038	11035	S355	16	2.63e+005
8355	11035	11038	3596	3595	S355	16	2.63e+005
8356	11036	11039	11040	11037	S355	16	2.631e+005
8357	11037	11040	11041	11038	S355	16	2.631e+005
8358	11038	11041	3597	3596	S355	16	2.631e+005
8359	11039	11042	11043	11040	S355	16	2.63e+005
8360	11040	11043	11044	11041	S355	16	2.63e+005
8361	11041	11044	3598	3597	S355	16	2.63e+005
8362	11042	11045	11046	11043	S355	16	2.631e+005
8363	11043	11046	11047	11044	S355	16	2.631e+005
8364	11044	11047	3599	3598	S355	16	2.631e+005
8365	11045	11048	11049	11046	S355	16	2.631e+005
8366	11046	11049	11050	11047	S355	16	2.631e+005
8367	11047	11050	3600	3599	S355	16	2.631e+005
8368	11048	11051	11052	11049	S355	16	2.63e+005
8369	11049	11052	11053	11050	S355	16	2.63e+005
8370	11050	11053	3601	3600	S355	16	2.63e+005
8371	11051	10781	10783	11052	S355	16	2.631e+005
8372	11052	10783	10785	11053	S355	16	2.631e+005
8373	11053	10785	2900	3601	S355	16	2.631e+005
8374	10778	11054	11055	10779	S355	16	2.586e+005
8375	10779	11055	11056	10780	S355	16	2.586e+005
8376	10780	11056	3602	2878	S355	16	2.586e+005
8377	11054	11057	11058	11055	S355	16	2.586e+005
8378	11055	11058	11059	11056	S355	16	2.586e+005
8379	11056	11059	3603	3602	S355	16	2.586e+005
8380	11057	11060	11061	11058	S355	16	2.586e+005
8381	11058	11061	11062	11059	S355	16	2.586e+005
8382	11059	11062	3604	3603	S355	16	2.586e+005
8383	11060	11063	11064	11061	S355	16	2.586e+005
8384	11061	11064	11065	11062	S355	16	2.586e+005
8385	11062	11065	3605	3604	S355	16	2.586e+005
8386	11063	11066	11067	11064	S355	16	2.586e+005
8387	11064	11067	11068	11065	S355	16	2.586e+005
8388	11065	11068	3606	3605	S355	16	2.586e+005
8389	11066	11069	11070	11067	S355	16	2.586e+005
8390	11067	11070	11071	11068	S355	16	2.586e+005
8391	11068	11071	3607	3606	S355	16	2.586e+005
8392	11069	11072	11073	11070	S355	16	2.586e+005
8393	11070	11073	11074	11071	S355	16	2.586e+005
8394	11071	11074	3608	3607	S355	16	2.586e+005
8398	11072	11075	11076	11073	S355	16	2.586e+005
8399	11073	11076	11077	11074	S355	16	2.586e+005
8400	11074	11077	2880	3608	S355	16	2.586e+005
8401	10928	11078	11079	10929	S355	14	2.519e+005
8402	10929	11079	11080	10930	S355	14	2.519e+005
8403	10930	11080	3609	2895	S355	14	2.519e+005
8404	11078	11081	11082	11079	S355	14	2.519e+005
8405	11079	11082	11083	11080	S355	14	2.519e+005
8406	11080	11083	3610	3609	S355	14	2.519e+005
8407	11081	11084	11085	11082	S355	14	2.519e+005
8408	11082	11085	11086	11083	S355	14	2.519e+005
8409	11083	11086	3611	3610	S355	14	2.519e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	

8410	11084	11087	11088	11085	S355	14	2.519e+005
8411	11085	11088	11089	11086	S355	14	2.519e+005
8412	11086	11089	3612	3611	S355	14	2.519e+005
8413	11087	11090	11091	11088	S355	14	2.519e+005
8414	11088	11091	11092	11089	S355	14	2.519e+005
8415	11089	11092	3613	3612	S355	14	2.519e+005
8416	11090	11093	11094	11091	S355	14	2.519e+005
8417	11091	11094	11095	11092	S355	14	2.519e+005
8418	11092	11095	3614	3613	S355	14	2.519e+005
8419	11093	11096	11097	11094	S355	14	2.519e+005
8420	11094	11097	11098	11095	S355	14	2.519e+005
8421	11095	11098	3615	3614	S355	14	2.519e+005
8425	11096	11099	11100	11097	S355	14	2.519e+005
8426	11097	11100	11101	11098	S355	14	2.519e+005
8427	11098	11101	2897	3615	S355	14	2.519e+005
8431	11102	11103	11105	11104	S355	16	2.604e+005
8432	11104	11105	11107	11106	S355	16	2.604e+005
8433	11106	11107	3616	2890	S355	16	2.604e+005
8434	11103	11108	11109	11105	S355	16	2.604e+005
8435	11105	11109	11110	11107	S355	16	2.604e+005
8436	11107	11110	3617	3616	S355	16	2.604e+005
8437	11108	11111	11112	11109	S355	16	2.604e+005
8438	11109	11112	11113	11110	S355	16	2.604e+005
8439	11110	11113	3618	3617	S355	16	2.604e+005
8440	11111	11114	11115	11112	S355	16	2.604e+005
8441	11112	11115	11116	11113	S355	16	2.604e+005
8442	11113	11116	3619	3618	S355	16	2.604e+005
8443	11114	11117	11118	11115	S355	14	2.604e+005
8444	11115	11118	11119	11116	S355	14	2.604e+005
8445	11116	11119	3620	3619	S355	14	2.604e+005
8446	11117	11120	11121	11118	S355	14	2.604e+005
8447	11118	11121	11122	11119	S355	14	2.604e+005
8448	11119	11122	3621	3620	S355	14	2.604e+005
8449	11120	11123	11124	11121	S355	14	2.604e+005
8450	11121	11124	11125	11122	S355	14	2.604e+005
8451	11122	11125	3622	3621	S355	14	2.604e+005
8455	11123	11126	11127	11124	S355	14	2.604e+005
8456	11124	11127	11128	11125	S355	14	2.604e+005
8457	11125	11128	2892	3622	S355	14	2.604e+005
8458	11030	11129	11130	11031	S355	16	2.661e+005
8459	11031	11130	11131	11032	S355	16	2.661e+005
8460	11032	11131	3623	2901	S355	16	2.661e+005
8461	11129	11132	11133	11130	S355	16	2.661e+005
8462	11130	11133	11134	11131	S355	16	2.661e+005
8463	11131	11134	3624	3623	S355	16	2.661e+005
8464	11132	11135	11136	11133	S355	16	2.661e+005
8465	11133	11136	11137	11134	S355	16	2.661e+005
8466	11134	11137	3625	3624	S355	16	2.661e+005
8467	11135	11138	11139	11136	S355	16	2.661e+005
8468	11136	11139	11140	11137	S355	16	2.661e+005
8469	11137	11140	3626	3625	S355	16	2.661e+005
8470	11138	11141	11142	11139	S355	16	2.661e+005
8471	11139	11142	11143	11140	S355	16	2.661e+005
8472	11140	11143	3627	3626	S355	16	2.661e+005
8473	11141	11144	11145	11142	S355	16	2.661e+005
8474	11142	11145	11146	11143	S355	16	2.661e+005
8475	11143	11146	3628	3627	S355	16	2.661e+005
8476	11144	10661	10663	11145	S355	16	2.662e+005
8477	11145	10663	10665	11146	S355	16	2.662e+005
8478	11146	10665	2959	3628	S355	16	2.662e+005
8479	10661	11147	11148	10663	S355	16	3.195e+005
8480	10663	11148	11149	10665	S355	16	3.195e+005
8481	10665	11149	3629	2959	S355	16	3.195e+005
8485	11150	11151	11153	11152	S355	18	2.597e+005
8486	11152	11153	11155	11154	S355	18	2.597e+005
8487	11154	11155	3630	2884	S355	18	2.597e+005

PROJECT TITLE :

	Company				Client	
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D
8488	11151	11156	11157	11153	S355	18 2.597e+005
8489	11153	11157	11158	11155	S355	18 2.597e+005
8490	11155	11158	3631	3630	S355	18 2.597e+005
8491	11156	11159	11160	11157	S355	18 2.597e+005
8492	11157	11160	11161	11158	S355	18 2.597e+005
8493	11158	11161	3632	3631	S355	18 2.597e+005
8494	11159	11162	11163	11160	S355	18 2.597e+005
8495	11160	11163	11164	11161	S355	18 2.597e+005
8496	11161	11164	3633	3632	S355	18 2.597e+005
8497	11162	11165	11166	11163	S355	16 2.597e+005
8498	11163	11166	11167	11164	S355	16 2.597e+005
8499	11164	11167	3634	3633	S355	16 2.597e+005
8500	11165	11168	11169	11166	S355	16 2.597e+005
8501	11166	11169	11170	11167	S355	16 2.597e+005
8502	11167	11170	3635	3634	S355	16 2.597e+005
8503	11168	11171	11172	11169	S355	16 2.597e+005
8504	11169	11172	11173	11170	S355	16 2.597e+005
8505	11170	11173	3636	3635	S355	16 2.597e+005
8506	11171	10955	10957	11172	S355	16 2.645e+005
8507	11172	10957	10959	11173	S355	16 2.645e+005
8508	11173	10959	2886	3636	S355	16 2.645e+005
8509	10715	11174	11175	10716	S355	18 2.625e+005
8510	10716	11175	11176	10717	S355	18 2.625e+005
8511	10717	11176	3637	2946	S355	18 2.625e+005
8512	11174	11177	11178	11175	S355	18 2.625e+005
8513	11175	11178	11179	11176	S355	18 2.625e+005
8514	11176	11179	3638	3637	S355	18 2.625e+005
8515	11177	11180	11181	11178	S355	18 2.625e+005
8516	11178	11181	11182	11179	S355	18 2.625e+005
8517	11179	11182	3639	3638	S355	18 2.625e+005
8518	11180	11183	11184	11181	S355	18 2.625e+005
8519	11181	11184	11185	11182	S355	18 2.625e+005
8520	11182	11185	3640	3639	S355	18 2.625e+005
8521	11183	11186	11187	11184	S355	18 2.625e+005
8522	11184	11187	11188	11185	S355	18 2.625e+005
8523	11185	11188	3641	3640	S355	18 2.625e+005
8524	11186	11189	11190	11187	S355	18 2.625e+005
8525	11187	11190	11191	11188	S355	18 2.625e+005
8526	11188	11191	3642	3641	S355	18 2.625e+005
8527	11189	11192	11193	11190	S355	18 2.625e+005
8528	11190	11193	11194	11191	S355	18 2.625e+005
8529	11191	11194	3643	3642	S355	18 2.625e+005
8530	11192	11150	11152	11193	S355	18 2.625e+005
8531	11193	11152	11154	11194	S355	18 2.625e+005
8532	11194	11154	2884	3643	S355	18 2.625e+005
8533	11075	11195	11196	11076	S355	16 2.599e+005
8534	11076	11196	11197	11077	S355	16 2.599e+005
8535	11077	11197	3644	2880	S355	16 2.599e+005
8536	11195	11198	11199	11196	S355	16 2.599e+005
8537	11196	11199	11200	11197	S355	16 2.599e+005
8538	11197	11200	3645	3644	S355	16 2.599e+005
8539	11198	11201	11202	11199	S355	16 2.599e+005
8540	11199	11202	11203	11200	S355	16 2.599e+005
8541	11200	11203	3646	3645	S355	16 2.599e+005
8542	11201	11204	11205	11202	S355	16 2.599e+005
8543	11202	11205	11206	11203	S355	16 2.599e+005
8544	11203	11206	3647	3646	S355	16 2.599e+005
8545	11204	11207	11208	11205	S355	18 2.599e+005
8546	11205	11208	11209	11206	S355	18 2.599e+005
8547	11206	11209	3648	3647	S355	18 2.599e+005
8548	11207	11210	11211	11208	S355	18 2.599e+005
8549	11208	11211	11212	11209	S355	18 2.599e+005
8550	11209	11212	3649	3648	S355	18 2.599e+005
8551	11210	11213	11214	11211	S355	18 2.599e+005
8552	11211	11214	11215	11212	S355	18 2.599e+005
8553	11212	11215	3650	3649	S355	18 2.599e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	


8554	11213	10982	10984	11214	S355	18	2.599e+005
8555	11214	10984	10986	11215	S355	18	2.599e+005
8556	11215	10986	2882	3650	S355	18	2.599e+005
8557	10904	11216	11217	10905	S355	16	2.565e+005
8558	10905	11217	11218	10906	S355	16	2.565e+005
8559	10906	11218	3651	2879	S355	16	2.565e+005
8560	11216	11219	11220	11217	S355	16	2.564e+005
8561	11217	11220	11221	11218	S355	16	2.564e+005
8562	11218	11221	3652	3651	S355	16	2.564e+005
8563	11219	11222	11223	11220	S355	16	2.565e+005
8564	11220	11223	11224	11221	S355	16	2.565e+005
8565	11221	11224	3653	3652	S355	16	2.565e+005
8566	11222	11225	11226	11223	S355	16	2.565e+005
8567	11223	11226	11227	11224	S355	16	2.565e+005
8568	11224	11227	3654	3653	S355	16	2.565e+005
8569	11225	11228	11229	11226	S355	16	2.565e+005
8570	11226	11229	11230	11227	S355	16	2.565e+005
8571	11227	11230	3655	3654	S355	16	2.565e+005
8572	11228	11231	11232	11229	S355	16	2.564e+005
8573	11229	11232	11233	11230	S355	16	2.564e+005
8574	11230	11233	3656	3655	S355	16	2.564e+005
8575	11231	11234	11235	11232	S355	16	2.565e+005
8576	11232	11235	11236	11233	S355	16	2.565e+005
8577	11233	11236	3657	3656	S355	16	2.565e+005
8581	11234	11237	11238	11235	S355	16	2.562e+005
8582	11235	11238	11239	11236	S355	16	2.562e+005
8583	11236	11239	2881	3657	S355	16	2.562e+005
8584	11237	11240	11241	11238	S355	16	2.554e+005
8585	11238	11241	11242	11239	S355	16	2.554e+005
8586	11239	11242	3658	2881	S355	16	2.554e+005
8587	11240	11243	11244	11241	S355	16	2.551e+005
8588	11241	11244	11245	11242	S355	16	2.551e+005
8589	11242	11245	3659	3658	S355	16	2.551e+005
8590	11243	11246	11247	11244	S355	16	2.551e+005
8591	11244	11247	11248	11245	S355	16	2.551e+005
8592	11245	11248	3660	3659	S355	16	2.551e+005
8593	11246	11249	11250	11247	S355	16	2.551e+005
8594	11247	11250	11251	11248	S355	16	2.551e+005
8595	11248	11251	3661	3660	S355	16	2.551e+005
8596	11249	11252	11253	11250	S355	18	2.551e+005
8597	11250	11253	11254	11251	S355	18	2.551e+005
8598	11251	11254	3662	3661	S355	18	2.551e+005
8599	11252	11255	11256	11253	S355	18	2.551e+005
8600	11253	11256	11257	11254	S355	18	2.551e+005
8601	11254	11257	3663	3662	S355	18	2.551e+005
8602	11255	11258	11259	11256	S355	18	2.551e+005
8603	11256	11259	11260	11257	S355	18	2.551e+005
8604	11257	11260	3664	3663	S355	18	2.551e+005
8608	11258	11261	11262	11259	S355	18	2.551e+005
8609	11259	11262	11263	11260	S355	18	2.551e+005
8610	11260	11263	2883	3664	S355	18	2.551e+005
8614	11264	11265	11267	11266	S355	14	2.631e+005
8615	11266	11267	11269	11268	S355	14	2.631e+005
8616	11268	11269	3665	2894	S355	14	2.631e+005
8617	11265	11270	11271	11267	S355	14	2.631e+005
8618	11267	11271	11272	11269	S355	14	2.631e+005
8619	11269	11272	3666	3665	S355	14	2.631e+005
8620	11270	11273	11274	11271	S355	14	2.631e+005
8621	11271	11274	11275	11272	S355	14	2.631e+005
8622	11272	11275	3667	3666	S355	14	2.631e+005
8623	11273	11276	11277	11274	S355	14	2.631e+005
8624	11274	11277	11278	11275	S355	14	2.631e+005
8625	11275	11278	3668	3667	S355	14	2.631e+005
8626	11276	11279	11280	11277	S355	14	2.631e+005
8627	11277	11280	11281	11278	S355	14	2.631e+005
8628	11278	11281	3669	3668	S355	14	2.631e+005

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	


8629	11279	11282	11283	11280	S355	14	2.631e+005
8630	11280	11283	11284	11281	S355	14	2.631e+005
8631	11281	11284	3670	3669	S355	14	2.631e+005
8632	11282	11285	11286	11283	S355	14	2.631e+005
8633	11283	11286	11287	11284	S355	14	2.631e+005
8634	11284	11287	3671	3670	S355	14	2.631e+005
8635	11285	10829	10831	11286	S355	14	2.631e+005
8636	11286	10831	10833	11287	S355	14	2.631e+005
8637	11287	10833	2896	3671	S355	14	2.631e+005
8638	10655	11288	11289	10657	S355	18	2.518e+005
8639	10657	11289	11290	10659	S355	18	2.518e+005
8640	10659	11290	3672	2947	S355	18	2.518e+005
8641	11288	11291	11292	11289	S355	18	2.525e+005
8642	11289	11292	11293	11290	S355	18	2.525e+005
8643	11290	11293	3673	3672	S355	18	2.525e+005
8644	11291	11294	11295	11292	S355	18	2.525e+005
8645	11292	11295	11296	11293	S355	18	2.525e+005
8646	11293	11296	3674	3673	S355	18	2.525e+005
8647	11294	11297	11298	11295	S355	18	2.525e+005
8648	11295	11298	11299	11296	S355	18	2.525e+005
8649	11296	11299	3675	3674	S355	18	2.525e+005
8650	11297	11300	11301	11298	S355	18	2.525e+005
8651	11298	11301	11302	11299	S355	18	2.525e+005
8652	11299	11302	3676	3675	S355	18	2.525e+005
8653	11300	11303	11304	11301	S355	18	2.525e+005
8654	11301	11304	11305	11302	S355	18	2.525e+005
8655	11302	11305	3677	3676	S355	18	2.525e+005
8656	11303	11306	11307	11304	S355	18	2.525e+005
8657	11304	11307	11308	11305	S355	18	2.525e+005
8658	11305	11308	3678	3677	S355	18	2.525e+005
8662	11306	11309	11310	11307	S355	18	2.525e+005
8663	11307	11310	11311	11308	S355	18	2.525e+005
8664	11308	11311	2885	3678	S355	18	2.525e+005
8665	10979	11312	11313	10980	S355	16	2.533e+005
8666	10980	11313	11314	10981	S355	16	2.533e+005
8667	10981	11314	3679	2888	S355	16	2.533e+005
8668	11312	11315	11316	11313	S355	16	2.615e+005
8669	11313	11316	11317	11314	S355	16	2.615e+005
8670	11314	11317	3680	3679	S355	16	2.615e+005
8671	11315	11318	11319	11316	S355	16	2.615e+005
8672	11316	11319	11320	11317	S355	16	2.615e+005
8673	11317	11320	3681	3680	S355	16	2.615e+005
8674	11318	11321	11322	11319	S355	16	2.615e+005
8675	11319	11322	11323	11320	S355	16	2.615e+005
8676	11320	11323	3682	3681	S355	16	2.615e+005
8677	11321	11324	11325	11322	S355	16	2.615e+005
8678	11322	11325	11326	11323	S355	16	2.615e+005
8679	11323	11326	3683	3682	S355	16	2.615e+005
8680	11324	11327	11328	11325	S355	16	2.615e+005
8681	11325	11328	11329	11326	S355	16	2.615e+005
8682	11326	11329	3684	3683	S355	16	2.615e+005
8683	11327	11330	11331	11328	S355	16	2.615e+005
8684	11328	11331	11332	11329	S355	16	2.615e+005
8685	11329	11332	3685	3684	S355	16	2.615e+005
8686	11330	11102	11104	11331	S355	16	2.615e+005
8687	11331	11104	11106	11332	S355	16	2.615e+005
8688	11332	11106	2890	3685	S355	16	2.615e+005
8689	11099	11333	11334	11100	S355	14	2.519e+005
8690	11100	11334	11335	11101	S355	14	2.519e+005
8691	11101	11335	3686	2897	S355	14	2.519e+005
8692	11333	11336	11337	11334	S355	14	2.519e+005
8693	11334	11337	11338	11335	S355	14	2.519e+005
8694	11335	11338	3687	3686	S355	14	2.519e+005
8695	11336	11339	11340	11337	S355	14	2.519e+005
8696	11337	11340	11341	11338	S355	14	2.519e+005
8697	11338	11341	3688	3687	S355	14	2.519e+005

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D	


8698	11339	11342	11343	11340	S355	14	2.519e+005
8699	11340	11343	11344	11341	S355	14	2.519e+005
8700	11341	11344	3689	3688	S355	14	2.519e+005
8701	11342	11345	11346	11343	S355	16	2.519e+005
8702	11343	11346	11347	11344	S355	16	2.519e+005
8703	11344	11347	3690	3689	S355	16	2.519e+005
8704	11345	11348	11349	11346	S355	16	2.519e+005
8705	11346	11349	11350	11347	S355	16	2.519e+005
8706	11347	11350	3691	3690	S355	16	2.519e+005
8707	11348	11351	11352	11349	S355	16	2.519e+005
8708	11349	11352	11353	11350	S355	16	2.519e+005
8709	11350	11353	3692	3691	S355	16	2.519e+005
8710	11351	11006	11008	11352	S355	16	2.519e+005
8711	11352	11008	11010	11353	S355	16	2.519e+005
8712	11353	11010	2899	3692	S355	16	2.519e+005
8713	11261	11354	11355	11262	S355	18	2.586e+005
8714	11262	11355	11356	11263	S355	18	2.586e+005
8715	11263	11356	3693	2883	S355	18	2.586e+005
8716	11354	11357	11358	11355	S355	18	2.586e+005
8717	11355	11358	11359	11356	S355	18	2.586e+005
8718	11356	11359	3694	3693	S355	18	2.586e+005
8719	11357	11360	11361	11358	S355	18	2.586e+005
8720	11358	11361	11362	11359	S355	18	2.586e+005
8721	11359	11362	3695	3694	S355	18	2.586e+005
8722	11360	11363	11364	11361	S355	18	2.586e+005
8723	11361	11364	11365	11362	S355	18	2.586e+005
8724	11362	11365	3696	3695	S355	18	2.586e+005
8725	11363	11366	11367	11364	S355	18	2.586e+005
8726	11364	11367	11368	11365	S355	18	2.586e+005
8727	11365	11368	3697	3696	S355	18	2.586e+005
8728	11366	11369	11370	11367	S355	18	2.586e+005
8729	11367	11370	11371	11368	S355	18	2.586e+005
8730	11368	11371	3698	3697	S355	18	2.586e+005
8731	11369	11372	11373	11370	S355	18	2.586e+005
8732	11370	11373	11374	11371	S355	18	2.586e+005
8733	11371	11374	3699	3698	S355	18	2.586e+005
8734	11372	10655	10657	11373	S355	18	2.593e+005
8735	11373	10657	10659	11374	S355	18	2.593e+005
8736	11374	10659	2947	3699	S355	18	2.593e+005
8737	11126	11375	11376	11127	S355	14	2.613e+005
8738	11127	11376	11377	11128	S355	14	2.613e+005
8739	11128	11377	3700	2892	S355	14	2.613e+005
8740	11375	11378	11379	11376	S355	14	2.613e+005
8741	11376	11379	11380	11377	S355	14	2.613e+005
8742	11377	11380	3701	3700	S355	14	2.613e+005
8743	11378	11381	11382	11379	S355	14	2.613e+005
8744	11379	11382	11383	11380	S355	14	2.613e+005
8745	11380	11383	3702	3701	S355	14	2.613e+005
8746	11381	11384	11385	11382	S355	14	2.613e+005
8747	11382	11385	11386	11383	S355	14	2.613e+005
8748	11383	11386	3703	3702	S355	14	2.613e+005
8749	11384	11387	11388	11385	S355	14	2.613e+005
8750	11385	11388	11389	11386	S355	14	2.613e+005
8751	11386	11389	3704	3703	S355	14	2.613e+005
8752	11387	11390	11391	11388	S355	14	2.613e+005
8753	11388	11391	11392	11389	S355	14	2.613e+005
8754	11389	11392	3705	3704	S355	14	2.613e+005
8755	11390	11393	11394	11391	S355	14	2.613e+005
8756	11391	11394	11395	11392	S355	14	2.613e+005
8757	11392	11395	3706	3705	S355	14	2.613e+005
8758	11393	11264	11266	11394	S355	14	2.613e+005
8759	11394	11266	11268	11395	S355	14	2.613e+005
8760	11395	11268	2894	3706	S355	14	2.613e+005
8761	11309	11396	11397	11310	S355	18	2.573e+005
8762	11310	11397	11398	11311	S355	18	2.573e+005
8763	11311	11398	3707	2885	S355	18	2.573e+005

PROJECT TITLE :

	Company			Client	
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

8764	11396	11399	11400	11397	S355	18	2.573e+005
8765	11397	11400	11401	11398	S355	18	2.573e+005
8766	11398	11401	3708	3707	S355	18	2.573e+005
8767	11399	11402	11403	11400	S355	18	2.573e+005
8768	11400	11403	11404	11401	S355	18	2.573e+005
8769	11401	11404	3709	3708	S355	18	2.573e+005
8770	11402	11405	11406	11403	S355	18	2.573e+005
8771	11403	11406	11407	11404	S355	18	2.573e+005
8772	11404	11407	3710	3709	S355	18	2.573e+005
8773	11405	11408	11409	11406	S355	16	2.573e+005
8774	11406	11409	11410	11407	S355	16	2.573e+005
8775	11407	11410	3711	3710	S355	16	2.573e+005
8776	11408	11411	11412	11409	S355	16	2.573e+005
8777	11409	11412	11413	11410	S355	16	2.573e+005
8778	11410	11413	3712	3711	S355	16	2.573e+005
8779	11411	11414	11415	11412	S355	16	2.573e+005
8780	11412	11415	11416	11413	S355	16	2.573e+005
8781	11413	11416	3713	3712	S355	16	2.573e+005
8782	11414	10931	10933	11415	S355	16	2.359e+005
8783	11415	10933	10935	11416	S355	16	2.359e+005
8784	11416	10935	2887	3713	S355	16	2.359e+005
8785	11417	11418	11420	11419	S355	16	2.561e+005
8786	11419	11420	11422	11421	S355	16	2.561e+005
8787	11421	11422	3714	3715	S355	16	2.561e+005
8788	11423	11424	11426	11425	S355	16	2.561e+005
8789	11425	11426	11428	11427	S355	16	2.561e+005
8790	11427	11428	3716	3717	S355	16	2.561e+005
8791	10745	11429	11430	10746	S355	14	2.561e+005
8792	10746	11430	11431	10747	S355	14	2.561e+005
8793	10747	11431	3718	3515	S355	14	2.561e+005
8794	11429	11432	11433	11430	S355	14	2.561e+005
8795	11430	11433	11434	11431	S355	14	2.561e+005
8796	11431	11434	3719	3718	S355	14	2.561e+005
8797	11432	11417	11419	11433	S355	14	2.561e+005
8798	11433	11419	11421	11434	S355	14	2.561e+005
8799	11434	11421	3715	3719	S355	14	2.561e+005
8800	10748	11435	11436	10749	S355	14	2.561e+005
8801	10749	11436	11437	10750	S355	14	2.561e+005
8802	10750	11437	3720	3516	S355	14	2.561e+005
8803	11435	11438	11439	11436	S355	14	2.561e+005
8804	11436	11439	11440	11437	S355	14	2.561e+005
8805	11437	11440	3721	3720	S355	14	2.561e+005
8806	11438	11423	11425	11439	S355	14	2.561e+005
8807	11439	11425	11427	11440	S355	14	2.561e+005
8808	11440	11427	3717	3721	S355	14	2.561e+005
8809	11418	11441	11442	11420	S355	16	2.561e+005
8810	11420	11442	11443	11422	S355	16	2.561e+005
8811	11422	11443	3722	3714	S355	16	2.561e+005
8812	11441	11444	11445	11442	S355	16	2.561e+005
8813	11442	11445	11446	11443	S355	16	2.561e+005
8814	11443	11446	3723	3722	S355	16	2.561e+005
8815	11444	10754	10756	11445	S355	16	2.561e+005
8816	11445	10756	10758	11446	S355	16	2.561e+005
8817	11446	10758	2876	3723	S355	16	2.561e+005
8818	11424	11447	11448	11426	S355	16	2.561e+005
8819	11426	11448	11449	11428	S355	16	2.561e+005
8820	11428	11449	3724	3716	S355	16	2.561e+005
8821	11447	11450	11451	11448	S355	16	2.561e+005
8822	11448	11451	11452	11449	S355	16	2.561e+005
8823	11449	11452	3725	3724	S355	16	2.561e+005
8824	11450	10880	10882	11451	S355	16	2.561e+005
8825	11451	10882	10884	11452	S355	16	2.561e+005
8826	11452	10884	2877	3725	S355	16	2.561e+005
8827	10790	10793	10795	10791	S355	16	2.783e+005
8828	10791	10795	10797	10792	S355	16	2.783e+005
8829	10792	10797	3529	3527	S355	16	2.783e+005

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

*** TOTAL WEIGHT / VOLUME / SURFACE AREA SUMMARY

SECTION TRUSS NUMBER	SECCION NAME	SURFACE AREA	VOLUMN	WEIGHT	FRAME NUMBER
001	Irrig_correnti	0	0	0	0
002	Irrig_traversi	5.94e+007	8.1e+008	62.35	216
003	Fittizio	1.005e+007	2.513e+007	0	636
004	el rigido	1.962e+008	4.906e+010	0	347
005	800x40+600x20	0	0	0	0
006	HEB300	0	0	0	0
048	Fittizia S	0	0	0	0
062	600x30	1.197e+008	1.716e+009	132.1	174
063	700x30	5.842e+007	8.403e+008	64.69	78
064	2L160x15	0	0	0	0
065	2L 180x16	3.578e+008	2.735e+009	210.5	80
066	2L 180x16	0	0	0	0
067	600x40	0	0	0	0
068	500x20	2.995e+007	2.88e+008	22.17	60
069	800x40	0	0	0	0
070	800x30	2.389e+008	3.454e+009	265.9	288
071	2L140x12	0	0	0	0
072	2L140x10	0	0	0	0
073	2L110x10	0	0	0	0
074	2L110x12	1.002e+008	5.684e+008	43.76	36
075	600x35	0	0	0	0
076	L100x12	0	0	0	0
077	L110x12	0	0	0	0
078	2L120x12	0	0	0	0
079	2L100x10	6.912e+007	3.283e+008	25.27	18
080	2L130x12	8.986e+007	5.143e+008	39.59	36
081	2L130x12	2.584e+008	1.479e+009	113.8	80
082	900x60	9.222e+007	2.594e+009	199.7	96

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

0

*** LOAD DATA

; Self Weight, Nodal Load, Specified Displacement, Beam Load, Floor Load, Finishing Material Load,
 System Temperature, Nodal Temperature, Element Temperature, Beam Section Temperature,
 Wind Load, Static Seismic Load, Time History Analysis Data

[LOAD CASE : G1]


** SELF WEIGHT DATA

; X=0, Y=0, Z=-1


** BEAM LOAD DATA

MEMBER		P4	TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3	D4									
0	7200	0	Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	7201	0	Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	7202	0	Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	7203	0	Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	7204	0	Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	7205	0	Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	7206	0	Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	7207	0	Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	7208	0	Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	7209	0	Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	7210	0	Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	7211	0	Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	7212	0	Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	7213	0	Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	7214	0	Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	7215	0	Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	7216	0	Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	7217	0	Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	7218	0	Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	7219	0	Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	7220	0	Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D		
0	0	0								
	7221		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7222		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7223		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7224		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7225		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7226		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7227		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7228		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7229		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7230		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7231		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7232		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7233		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7234		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7235		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7236		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7237		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7238		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7239		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7240		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7241		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7242		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7243		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7244		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7245		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7246		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7247		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7248		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7249		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7250		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7251		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7252		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7253		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D		
0	0	0								
	7254		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7255		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7256		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7257		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7258		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7259		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7260		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7261		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7262		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7263		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7264		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7265		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7266		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7267		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7268		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7269		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7270		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7271		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7272		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7273		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7274		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7275		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7276		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7277		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7278		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7279		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7280		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7281		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7282		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7283		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7284		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7285		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7286		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D		
0	0	0								
	7287		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7288		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7289		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7290		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7291		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7292		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7293		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7294		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7295		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7296		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7297		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7298		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7299		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7300		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7301		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7302		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7303		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7304		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7305		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7306		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7307		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7308		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7309		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7310		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7311		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7312		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7313		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7314		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7315		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7316		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7317		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7318		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7319		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D		
0	0	0								
	7320		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7321		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7322		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7323		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7324		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7325		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7326		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7327		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7328		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7329		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7330		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7331		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7332		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7333		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7334		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7335		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7336		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7337		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7338		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7339		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7340		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7341		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7342		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7343		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7344		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7345		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7346		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7347		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7348		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7349		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7350		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7351		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7352		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D		
0	0	0								
	7353		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7354		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7355		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7356		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7357		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7358		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7359		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7360		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7361		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7362		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7363		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7364		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7365		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7366		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7367		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7368		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7369		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7370		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7371		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7372		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7373		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7374		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7375		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7376		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7377		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7378		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7379		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7380		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7381		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7382		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7383		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7384		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7385		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D		
0	0	0								
	7386		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7387		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7388		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7389		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7390		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7391		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7392		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7393		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7394		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7395		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7396		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7397		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7398		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7399		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7400		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7401		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7402		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7403		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7404		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7405		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7406		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7407		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7408		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7409		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7410		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7411		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7412		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7413		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7414		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7415		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7416		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7417		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7418		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D		
0	0	0								
	7419		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7420		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7421		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7422		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7423		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7424		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7425		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7426		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7427		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7428		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7429		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7430		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7431		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7432		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7433		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7434		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7435		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7436		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7437		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7438		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7439		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7440		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7441		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7442		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7443		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7444		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7445		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7446		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7447		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7448		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7449		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7450		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7451		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D		
0	0	0								
	7452		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7453		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7454		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7455		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7456		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7457		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7458		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7459		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7460		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7461		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7462		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7463		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7464		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7465		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7466		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7467		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7468		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7469		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7470		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7471		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7472		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7473		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7474		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7475		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7476		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7477		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7478		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7479		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7480		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7481		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7482		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7483		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7484		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0

PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D		
0	0	0								
	7485		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7486		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7487		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7488		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7489		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7490		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7491		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7492		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7493		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7494		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7495		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7496		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7497		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7498		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7499		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7500		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7501		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7502		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7503		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7504		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7505		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7506		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7507		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7508		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7509		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7510		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7511		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7512		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7513		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7514		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7515		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7516		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0
0	0	0								
	7517		Uniform Load	GZ	NO	0	-0.0351	1	-0.0351	0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


0 0 0

[LOAD CASE : G2]


** BEAM LOAD DATA

MEMBER		P4	TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3	D4									
0	7519	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7520	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7521	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7522	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7523	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7524	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7525	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7526	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7527	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7528	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7529	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7530	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7531	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7532	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7533	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7534	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7535	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7536	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7537	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7538	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7539	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7540	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7541	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7542	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7543	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7544	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7545	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D		
0	7546	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7547	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7548	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7549	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7550	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7551	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7552	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7553	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7554	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7555	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7556	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7557	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7558	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7559	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7560	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7561	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7562	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7563	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7564	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7565	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7566	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7567	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7568	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7569	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7570	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7571	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7572	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7573	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7574	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7575	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7576	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7577	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7578	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D		
0	7579	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7580	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7581	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7582	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7583	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7584	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7585	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7586	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7587	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7588	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7589	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7590	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7591	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7592	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7593	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7594	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7595	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7596	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7597	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7598	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7599	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7600	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7601	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7602	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7603	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7604	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7605	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7606	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7607	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7608	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7609	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7610	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7611	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D		
0	7612	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7613	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7614	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7615	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7616	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7617	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7618	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7619	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7620	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7621	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7622	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7623	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7624	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7625	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7626	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7627	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7628	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7629	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7630	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7631	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7632	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7633	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7634	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7635	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7636	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7637	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7638	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7639	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7640	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7641	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7642	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7643	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7644	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D		
0	7645	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7646	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7647	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7648	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7649	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7650	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7651	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7652	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7653	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7654	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7655	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7656	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7657	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7658	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7659	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7660	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7661	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7662	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7663	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7664	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7665	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7666	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7667	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7668	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7669	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7670	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7671	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7672	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7673	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7674	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7675	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7676	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	7677	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D		
0	8830	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8831	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8832	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8833	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8834	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8835	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8836	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8837	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8838	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8839	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8840	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8841	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8842	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8843	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8844	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8845	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8846	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8847	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8848	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8849	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8850	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8851	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8852	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8853	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8854	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8855	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8856	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8857	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8858	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8859	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8860	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8861	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8862	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D		
0	8863	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8864	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8865	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8866	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8867	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8868	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8869	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8870	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8871	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8872	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8873	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8874	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8875	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8876	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8877	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8878	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8879	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8880	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8881	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8882	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8883	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8884	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8885	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8886	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8887	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8888	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8889	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8890	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8891	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8892	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8893	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8894	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	8895	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0

PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D		
0	8896	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8897	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8898	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8899	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8900	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8901	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8902	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8903	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8904	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8905	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8906	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8907	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8908	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8909	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8910	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8911	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8912	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8913	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8914	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8915	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8916	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8917	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8918	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8919	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8920	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8921	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8922	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8923	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8924	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8925	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8926	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8927	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8928	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								

PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D		
0	8929	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8930	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8931	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8932	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8933	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8934	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8935	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8936	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8937	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8938	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8939	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8940	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8941	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8942	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8943	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8944	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8945	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8946	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8947	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8948	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8949	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8950	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8951	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8952	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8953	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8954	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8955	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8956	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8957	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8958	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8959	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8960	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8961	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


0	8962	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8963	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8964	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8965	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8966	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8967	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8968	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8969	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8970	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8971	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8972	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8973	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8974	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8975	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8976	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8977	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8978	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8979	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8980	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8981	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8982	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8983	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8984	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8985	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8986	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8987	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								
0	8988	0	Uniform Load	GZ	NO	0	-0.0023	1	-0.0023	0
0	0	0								

[LOAD CASE : Q5_pc]


** BEAM LOAD DATA

MEMBER	TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3 D4 P4								
7519	Uniform Load	GY	YES	0	0.019	1	0.019	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D		
0	0	0								
	7520	0	Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7521	0	Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7522	0	Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7523	0	Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7524	0	Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7525	0	Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7526	0	Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7527	0	Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7528	0	Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7529	0	Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7530	0	Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7531	0	Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7532	0	Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7533	0	Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7534	0	Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7535	0	Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7536	0	Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7537	0	Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7538	0	Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7539	0	Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7540	0	Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7541	0	Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7542	0	Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7543	0	Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7544	0	Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7545	0	Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7546	0	Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7547	0	Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7548	0	Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7549	0	Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7550	0	Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7551	0	Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7552	0	Uniform Load	GY	YES	0	0.019	1	0.019	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D		
0	0	0								
	7553		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7554		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7555		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7556		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7557		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7558		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7559		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7560		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7561		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7562		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7563		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7564		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7565		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7566		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7567		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7568		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7569		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7570		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7571		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7572		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7573		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7574		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7575		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7576		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7577		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7578		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7579		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7580		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7581		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7582		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7583		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7584		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7585		Uniform Load	GY	YES	0	0.019	1	0.019	0

PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D		
0	0	0								
	7586		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7587		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7588		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7589		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7590		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7591		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7592		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7593		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7594		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7595		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7596		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7597		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7598		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7599		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7600		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7601		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7602		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7603		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7604		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7605		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7606		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7607		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7608		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7609		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7610		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7611		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7612		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7613		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7614		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7615		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7616		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7617		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7618		Uniform Load	GY	YES	0	0.019	1	0.019	0

PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D		
0	0	0								
	7619		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7620		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7621		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7622		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7623		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7624		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7625		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7626		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7627		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7628		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7629		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7630		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7631		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7632		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7633		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7634		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7635		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7636		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7637		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7638		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7639		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7640		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7641		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7642		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7643		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7644		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7645		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7646		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7647		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7648		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7649		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7650		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7651		Uniform Load	GY	YES	0	0.019	1	0.019	0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


0	0	0								
	7652		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7653		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7654		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7655		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7656		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7657		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7658		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7659		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7660		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7661		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7662		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7663		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7664		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7665		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7666		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7667		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7668		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7669		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7670		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7671		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7672		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7673		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7674		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7675		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7676		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								
	7677		Uniform Load	GY	YES	0	0.019	1	0.019	0
0	0	0								

[LOAD CASE : Q5_ps]


** BEAM LOAD DATA

MEMBER		TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3	D4								
0	7519	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D		
0	7520	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7521	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7522	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7523	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7524	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7525	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7526	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7527	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7528	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7529	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7530	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7531	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7532	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7533	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7534	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7535	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7536	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7537	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7538	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7539	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7540	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7541	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7542	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7543	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7544	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7545	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7546	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7547	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7548	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7549	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7550	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7551	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7552	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D		
0	7553	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7554	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7555	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7556	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7557	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7558	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7559	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7560	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7561	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7562	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7563	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7564	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7565	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7566	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7567	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7568	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7569	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7570	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7571	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7572	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7573	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7574	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7575	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7576	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7577	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7578	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7579	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7580	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7581	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7582	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7583	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7584	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7585	0	Uniform Load	GY	YES	0	0.018	1	0.018	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D		
0	7586	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7587	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7588	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7589	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7590	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7591	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7592	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7593	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7594	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7595	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7596	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7597	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7598	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7599	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7600	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7601	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7602	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7603	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7604	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7605	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7606	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7607	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7608	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7609	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7610	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7611	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7612	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7613	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7614	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7615	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7616	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7617	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7618	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								

PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D		
0	7619	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7620	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7621	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7622	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7623	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7624	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7625	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7626	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7627	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7628	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7629	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7630	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7631	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7632	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7633	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7634	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7635	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7636	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7637	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7638	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7639	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7640	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7641	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7642	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7643	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7644	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7645	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7646	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7647	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7648	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7649	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7650	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								
0	7651	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	0	0								

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D


0	7652	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7653	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7654	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7655	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7656	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7657	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7658	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7659	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7660	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7661	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7662	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7663	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7664	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7665	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7666	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7667	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7668	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7669	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7670	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7671	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7672	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7673	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7674	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7675	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7676	0	Uniform Load	GY	YES	0	0.018	1	0.018	0
0	7677	0	Uniform Load	GY	YES	0	0.018	1	0.018	0

*** LOAD COMBINATION DATA

** GENERAL


NO	NAME	TYPE	ACTIVE	DESCRIPTION
1	Q1k	Envelope	ACTIVE	
2	Q1f	Envelope	ACTIVE	
3	SLU1	Add	ACTIVE	
4	SLU2	Add	ACTIVE	
5	SLU3	Add	ACTIVE	

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_D

6	SLU4	Add	ACTIVE
7	SLR1	Add	ACTIVE
8	SLR2	Add	ACTIVE
9	SLR3	Add	ACTIVE
10	SLR4	Add	ACTIVE
11	INVSLU	Envelope	ACTIVE
12	INVSLE	Envelope	ACTIVE
13	DL+creep	Add	ACTIVE
14	ritiro	Add	ACTIVE

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

 ** Gen 2011 Modeling, Integrated Design & Analysis Software
 **
 ** GENERAL STRUCTURE DESIGN SYSTEM
 **


```

      XXX  XXX  XX  XXXXXXXX  XXXXXXXX  XXXXXXXX
    XXXX XXXX  XX  XX  XX  XX  XX  XX  XX
  XX XXX XX  XX  XX  XX  XX  XX  XX
  XX X XX  XX  XX  XX  XXXXXXXX  XXXXXXXX
  XXX  XX  XXX  XXX  XX  XX  XX  XXX
  XXX  XX  XXX  XXX  XX  XXX  XX  XX  XXX
  XXX  XX  XXX  XXXXXXXX  XXX  XX  XXXXXXXX /Gen
  
```

Gen 2011

COPYRIGHT (C) SINCE 1989. MIDAS Information Technology Co.,Ltd.

ALL RIGHTS RESERVED.

MIDAS TEAM

ANALYSIS RESULT OUTPUT

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

LOAD SET FOR DISPLACEMENT OUTPUT - Load Set 1

<< LOAD COMB/CASE/ENVEL ABBREVIATION TABLE >>

ABBREVIATION	FULL NAME	TYPE	DESCRIPTION
C1-C2;~1	C1-C2; caratteristico	Moving	
C3-C4;~1	C3-C4; caratteristico	Moving	
C1-C2;~2	C1-C2; psi	Moving	
C3-C4;~2	C3-C4; psi	Moving	

<< SELECTED LOAD CASE/COMBINATION DETAIL LIST >>

[[Selected Load Cases]]


LOAD CASE ASE DETAIL TYPE	ANAL. TYPE	DESCRIPTION	STATIC LOAD C
C1-C2;~1	Moving		
C3-C4;~1	Moving		
C1-C2;~2	Moving		
C3-C4;~2	Moving		
G1 ad (USER)	Static	peso proprio della struttura	User Defined Lo
G2 ad (USER)	Static	carichi permanenti portati	User Defined Lo
Q3 ad (USER)	Static	frenamento	User Defined Lo
Q5 pc ad (USER)	Static	vento a ponte carico	User Defined Lo
Q5 ps ad (USER)	Static	vento a ponte scarico	User Defined Lo

[[Selected Load Combinations]]

L. COMB	TYPE	COMBINATION DETAIL			
INVSLU 1.000 x SLU4	Gen.Envl	1.000 x SLU1	, 1.000 x SLU2	, 1.000 x SLU3	,
INVSLE 1.000 x SLR4	Gen.Envl	1.000 x SLR1	, 1.000 x SLR2	, 1.000 x SLR3	,

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

LOAD SET FOR REACTION OUTPUT - Load Set 1

<< LOAD COMB/CASE/ENVEL ABBREVIATION TABLE >>

ABBREVIATION	FULL NAME	TYPE	DESCRIPTION
C1-C2;~1	C1-C2; caratteristico	Moving	
C3-C4;~1	C3-C4; caratteristico	Moving	
C1-C2;~2	C1-C2; psi	Moving	
C3-C4;~2	C3-C4; psi	Moving	

<< SELECTED LOAD CASE/COMBINATION DETAIL LIST >>

[[Selected Load Cases]]


LOAD CASE ASE DETAIL TYPE	ANAL. TYPE	DESCRIPTION	STATIC LOAD C
C1-C2;~1	Moving		
C3-C4;~1	Moving		
C1-C2;~2	Moving		
C3-C4;~2	Moving		
G1 ad (USER)	Static	peso proprio della struttura	User Defined Lo
G2 ad (USER)	Static	carichi permanenti portati	User Defined Lo
Q3 ad (USER)	Static	frenamento	User Defined Lo
Q5 pc ad (USER)	Static	vento a ponte carico	User Defined Lo
Q5 ps ad (USER)	Static	vento a ponte scarico	User Defined Lo

[[Selected Load Combinations]]

L. COMB	TYPE	COMBINATION DETAIL			
INVSLU 1.000 x SLU4	Gen.Envl	1.000 x SLU1	, 1.000 x SLU2	, 1.000 x SLU3	,
INVSLE 1.000 x SLR4	Gen.Envl	1.000 x SLR1	, 1.000 x SLR2	, 1.000 x SLR3	,

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

LOAD SET FOR ELEMENT OUTPUT - Load Set 1

<< LOAD COMB/CASE/ENVEL ABBREVIATION TABLE >>

ABBREVIATION	FULL NAME	TYPE	DESCRIPTION
C1-C2;~1	C1-C2; caratteristico	Moving	
C3-C4;~1	C3-C4; caratteristico	Moving	
C1-C2;~2	C1-C2; psi	Moving	
C3-C4;~2	C3-C4; psi	Moving	

<< SELECTED LOAD CASE/COMBINATION DETAIL LIST >>


[[Selected Load Cases]]

LOAD CASE ASE DETAIL TYPE	ANAL. TYPE	DESCRIPTION	STATIC LOAD C
C1-C2;~1	Moving		
C3-C4;~1	Moving		
C1-C2;~2	Moving		
C3-C4;~2	Moving		
G1 ad (USER)	Static	peso proprio della struttura	User Defined Lo
G2 ad (USER)	Static	carichi permanenti portati	User Defined Lo
Q3 ad (USER)	Static	frenamento	User Defined Lo
Q5 pc ad (USER)	Static	vento a ponte carico	User Defined Lo
Q5 ps ad (USER)	Static	vento a ponte scarico	User Defined Lo

[[Selected Load Combinations]]

L. COMB	TYPE	COMBINATION DETAIL			
INVSLU 1.000 x SLU4	Gen.Envl	1.000 x SLU1	, 1.000 x SLU2	, 1.000 x SLU3	,
INVSLE 1.000 x SLR4	Gen.Envl	1.000 x SLR1	, 1.000 x SLR2	, 1.000 x SLR3	,

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

NODE DISPLACEMENT AND ROTATIONS DEFAULT PRINTOUT
kN , mm

Unit System :

NODE RZ	LC		UX	UY	UZ	RX	RY
2	C1-C2;~1	Max	0.000	0.237	0.000	0.0	0.0
0.0		Min	0.000	-0.021	0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.000	0.246	0.000	0.0	0.0
0.0		Min	0.000	-0.020	0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.000	0.156	0.000	0.0	0.0
0.0		Min	0.000	-0.012	0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.000	0.159	0.000	0.0	0.0
0.0		Min	0.000	-0.012	0.000	-0.0	-0.0
-0.0							
-0.0	G1		0.000	0.105	0.000	0.0	0.0
-0.0	G2		0.000	0.038	0.000	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.000	0.186	0.000	0.0	-0.0
0.0	Q5_ps		0.000	0.174	0.000	0.0	-0.0
0.0							
0.0	INVSLU	Max	0.000	0.784	0.000	0.0	0.0
0.0		Min	0.000	0.007	0.000	0.0	0.0
-0.0							
0.0	INVSLE	Max	0.000	0.580	0.000	0.0	0.0
0.0		Min	0.000	0.036	0.000	0.0	0.0
-0.0							
3	C1-C2;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	0.000	0.000	0.000	-0.0	-0.0
-0.0							

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	C3-C4 ; ~2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	0.000	0.000	0.000	-0.0	-0.0
0.0	G1		0.000	0.000	0.000	-0.0	0.0
0.0	G2		0.000	0.000	0.000	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.000	0.000	0.000	-0.0	0.0
0.0	Q5_ps		0.000	0.000	0.000	-0.0	0.0
0.0	INVS LU	Max	0.000	0.000	0.000	-0.0	0.0
-0.0		Min	0.000	0.000	0.000	-0.0	0.0
0.0	INVS LE	Max	0.000	0.000	0.000	-0.0	0.0
-0.0		Min	0.000	0.000	0.000	-0.0	0.0
0.0	5 C1-C2 ; ~1	Max	4.464	0.311	0.056	0.0	0.0
-0.0		Min	-1.485	-0.093	-0.547	-0.0	-0.0
0.0	C3-C4 ; ~1	Max	4.657	0.229	0.055	0.0	0.0
-0.0		Min	-1.461	-0.151	-0.440	-0.0	-0.0
0.0	C1-C2 ; ~2	Max	2.571	0.180	0.031	0.0	0.0
-0.0		Min	-0.846	-0.045	-0.336	-0.0	-0.0
0.0	C3-C4 ; ~2	Max	2.640	0.126	0.030	0.0	0.0
-0.0		Min	-0.832	-0.081	-0.261	-0.0	-0.0
0.0	G1		3.256	0.057	-0.267	-0.0	0.0
-0.0	G2		1.257	0.013	-0.104	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.130	0.241	-0.059	-0.0	-0.0
0.0	Q5_ps		-0.121	0.217	-0.048	-0.0	-0.0
0.0	INVS LU	Max	20.084	0.412	-0.187	0.0	0.0
-0.0		Min	11.559	-0.660	-1.109	-0.0	0.0
0.0	INVS LE	Max	15.185	0.260	-0.130	0.0	0.0
-0.0		Min	8.887	-0.494	-0.805	-0.0	0.0


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


6	C1-C2;~1	Max	4.443	0.315	0.055	0.0	0.0
0.0		Min	-1.482	-0.092	-0.326	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.650	0.245	0.044	0.0	0.0
0.0		Min	-1.465	-0.149	-0.429	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.554	0.181	0.028	0.0	0.0
0.0		Min	-0.845	-0.045	-0.186	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.639	0.138	0.024	0.0	0.0
0.0		Min	-0.834	-0.081	-0.253	-0.0	-0.0
-0.0							
	G1		3.304	0.062	-0.262	0.0	0.0
0.0	G2		1.277	0.027	-0.104	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.100	0.254	0.024	0.0	0.0
0.0	Q5_ps		0.102	0.231	0.013	0.0	0.0
0.0							
	INVSLU	Max	20.142	1.131	-0.241	-0.0	0.0
0.0		Min	11.684	0.022	-0.937	-0.0	0.0
-0.0							
	INVSLE	Max	15.227	0.859	-0.169	-0.0	0.0
0.0		Min	8.975	0.080	-0.681	-0.0	0.0
-0.0							
	8 C1-C2;~1	Max	0.217	0.274	1.963	0.0	0.0
0.0		Min	-0.055	-0.528	-6.495	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	0.249	0.419	1.932	0.0	0.0
0.0		Min	-0.037	-0.384	-6.596	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.128	0.141	1.119	0.0	0.0
0.0		Min	-0.030	-0.301	-3.733	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.147	0.231	1.100	0.0	0.0
0.0		Min	-0.019	-0.215	-3.723	-0.0	-0.0
-0.0							
	G1		0.143	0.022	-4.672	0.0	0.0
-0.0	G2		0.057	0.018	-1.800	0.0	0.0
-0.0							

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.061	0.345	0.045	-0.0	-0.0
0.0	Q5_ps		-0.053	0.353	0.061	-0.0	-0.0
0.0	INVS LU	Max	0.803	0.888	-14.868	0.0	0.0
0.0		Min	0.283	-1.011	-26.504	-0.0	0.0
-0.0							
0.0	INVS LE	Max	0.599	0.633	-11.369	0.0	0.0
0.0		Min	0.221	-0.727	-19.982	-0.0	0.0
-0.0							
9	C1-C2;~1	Max	0.294	0.389	1.929	0.0	0.0
0.0		Min	-0.040	-0.442	-6.107	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.272	0.538	1.905	0.0	0.0
0.0		Min	-0.043	-0.294	-6.416	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.174	0.207	1.100	0.0	0.0
0.0		Min	-0.022	-0.252	-3.477	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.159	0.297	1.085	0.0	0.0
0.0		Min	-0.023	-0.163	-3.649	-0.0	-0.0
-0.0							
0.0	G1		0.171	0.153	-4.696	-0.0	0.0
0.0	G2		0.066	0.056	-1.818	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.046	0.350	-0.044	-0.0	0.0
0.0	Q5_ps		0.039	0.352	-0.072	-0.0	0.0
0.0	INVS LU	Max	0.858	1.462	-15.063	0.0	0.0
0.0		Min	0.320	-0.491	-26.407	-0.0	0.0
-0.0							
0.0	INVS LE	Max	0.638	1.069	-11.513	0.0	0.0
0.0		Min	0.246	-0.331	-19.910	-0.0	0.0
-0.0							
11	C1-C2;~1	Max	4.443	0.279	1.967	0.0	0.0
0.0		Min	-1.482	-0.050	-6.519	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.637	0.282	1.936	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-0.0	Min	-1.458	-0.061	-6.613	-0.0	-0.0
0.0	C1-C2;~2 Max	2.560	0.166	1.121	0.0	0.0
-0.0	Min	-0.845	-0.025	-3.745	-0.0	-0.0
0.0	C3-C4;~2 Max	2.629	0.166	1.102	0.0	0.0
-0.0	Min	-0.830	-0.030	-3.733	-0.0	-0.0
0.0	G1	3.237	0.094	-4.700	-0.0	0.0
0.0	G2	1.250	0.022	-1.817	-0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	-0.126	0.419	0.045	-0.0	-0.0
0.0	Q5_ps	-0.117	0.386	0.061	-0.0	-0.0
0.0	INVSLU Max	19.251	0.578	-14.795	0.0	0.0
-0.0	Min	10.765	-0.845	-26.459	0.0	0.0
0.0	INVSLE Max	14.518	0.344	-11.305	0.0	0.0
-0.0	Min	8.248	-0.624	-19.939	0.0	0.0
0.0	12 C1-C2;~1 Max	4.425	0.254	1.933	0.0	0.0
-0.0	Min	-1.479	-0.156	-6.125	-0.0	-0.0
0.0	C3-C4;~1 Max	4.633	0.197	1.909	0.0	0.0
-0.0	Min	-1.461	-0.132	-6.435	-0.0	-0.0
0.0	C1-C2;~2 Max	2.545	0.150	1.102	0.0	0.0
-0.0	Min	-0.843	-0.100	-3.488	-0.0	-0.0
0.0	C3-C4;~2 Max	2.629	0.114	1.088	0.0	0.0
-0.0	Min	-0.832	-0.079	-3.660	-0.0	-0.0
0.0	G1	3.285	0.091	-4.724	0.0	0.0
0.0	G2	1.270	0.046	-1.836	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	0.097	0.446	-0.053	0.0	0.0
0.0	Q5_ps	0.099	0.424	-0.085	0.0	0.0
0.0	INVSLU Max	19.312	1.346	-14.982	-0.0	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	10.887	-0.265	-26.376	-0.0	0.0
0.0	INVSLE	Max	14.562	0.996	-11.444	-0.0	0.0
-0.0		Min	8.334	-0.102	-19.877	-0.0	0.0
0.0	29 C1-C2;~1	Max	0.996	0.780	4.266	0.0	0.0
-0.0		Min	-0.144	-0.931	-12.997	-0.0	-0.0
0.0	C3-C4;~1	Max	1.006	1.068	4.211	0.0	0.0
-0.0		Min	-0.144	-0.622	-13.642	-0.0	-0.0
0.0	C1-C2;~2	Max	0.591	0.415	2.432	0.0	0.0
-0.0		Min	-0.082	-0.530	-7.427	-0.0	-0.0
0.0	C3-C4;~2	Max	0.590	0.586	2.399	0.0	0.0
-0.0		Min	-0.082	-0.346	-7.788	-0.0	-0.0
0.0	G1		0.738	0.286	-9.681	-0.0	0.0
0.0	G2		0.288	0.112	-3.746	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.064	0.627	-0.088	-0.0	0.0
0.0	Q5_ps		0.056	0.639	-0.143	-0.0	0.0
0.0	INVSLE	Max	3.164	2.713	-30.401	0.0	0.0
-0.0		Min	1.497	-1.114	-54.734	-0.0	0.0
0.0	INVSLE	Max	2.356	1.975	-23.210	0.0	0.0
-0.0		Min	1.130	-0.776	-41.223	-0.0	0.0
0.0	30 C1-C2;~1	Max	4.345	0.220	4.274	0.0	0.0
-0.0		Min	-1.464	-0.139	-13.032	-0.0	-0.0
0.0	C3-C4;~1	Max	4.556	0.202	4.220	0.0	0.0
-0.0		Min	-1.447	-0.102	-13.680	-0.0	-0.0
0.0	C1-C2;~2	Max	2.501	0.132	2.437	0.0	0.0
-0.0		Min	-0.834	-0.088	-7.448	-0.0	-0.0
	C3-C4;~2	Max	2.586	0.120	2.404	0.0	0.0

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


0.0		Min	-0.824	-0.059	-7.810	-0.0	-0.0
-0.0	G1		3.210	0.130	-9.729	0.0	0.0
0.0	G2		1.241	0.062	-3.772	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.085	0.664	-0.095	0.0	0.0
0.0	Q5_ps		0.087	0.636	-0.155	0.0	0.0
0.0	INVSLU	Max	17.369	1.501	-30.301	-0.0	0.0
0.0		Min	9.090	-0.703	-54.710	-0.0	0.0
-0.0	INVSLE	Max	13.045	1.086	-23.125	-0.0	0.0
0.0		Min	6.924	-0.406	-41.193	-0.0	0.0
-0.0							
31	C1-C2;~1	Max	4.352	0.330	4.346	0.0	0.0
0.0		Min	-1.467	-0.052	-13.879	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.547	0.304	4.280	0.0	0.0
0.0		Min	-1.444	-0.063	-14.088	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.509	0.205	2.478	0.0	0.0
0.0		Min	-0.836	-0.028	-8.006	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.579	0.176	2.437	0.0	0.0
0.0		Min	-0.822	-0.035	-7.982	-0.0	-0.0
-0.0							
0.0	G1		3.160	0.143	-9.697	-0.0	0.0
0.0	G2		1.221	0.040	-3.740	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.113	0.632	0.095	-0.0	-0.0
0.0	Q5_ps		-0.104	0.590	0.124	-0.0	-0.0
0.0							
0.0	INVSLU	Max	17.294	1.114	-29.900	0.0	0.0
0.0		Min	8.971	-0.981	-54.956	0.0	0.0
-0.0							
0.0	INVSLE	Max	12.990	0.716	-22.826	0.0	0.0
0.0		Min	6.840	-0.705	-41.374	0.0	0.0
-0.0							

PROJECT TITLE :

		Company					Client
		Author					File Name
32	C1-C2;~1	Max	0.904	0.537	4.337	0.0	0.0
0.0		Min	-0.132	-1.141	-13.832	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.942	0.812	4.271	0.0	0.0
0.0		Min	-0.128	-0.848	-14.052	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.540	0.275	2.473	0.0	0.0
0.0		Min	-0.075	-0.650	-7.981	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.558	0.442	2.432	0.0	0.0
0.0		Min	-0.072	-0.475	-7.961	-0.0	-0.0
-0.0							
0.0	G1		0.692	-0.010	-9.649	0.0	0.0
0.0	G2		0.273	0.011	-3.715	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.088	0.640	0.098	0.0	-0.0
0.0	Q5_ps		-0.077	0.659	0.128	0.0	-0.0
0.0							
0.0	INVSLU	Max	3.087	1.594	-29.991	0.0	0.0
0.0		Min	1.479	-2.196	-54.993	-0.0	0.0
-0.0							
0.0	INVSLE	Max	2.301	1.135	-22.906	0.0	0.0
0.0		Min	1.121	-1.587	-41.413	-0.0	0.0
-0.0							
37	C1-C2;~1	Max	0.011	0.303	0.902	0.0	0.0
0.0		Min	-0.001	-0.038	-0.406	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.010	0.308	0.954	0.0	0.0
0.0		Min	-0.001	-0.038	-0.374	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.007	0.184	0.516	0.0	0.0
0.0		Min	-0.001	-0.020	-0.240	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.006	0.191	0.546	0.0	0.0
0.0		Min	-0.001	-0.019	-0.218	-0.0	-0.0
-0.0							
-0.0	G1		0.006	0.122	0.597	0.0	0.0
-0.0	G2		0.002	0.043	0.232	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	Q5_pc	-0.000	0.167	-0.087	0.0	-0.0
0.0	Q5_ps	-0.000	0.152	-0.076	0.0	-0.0
0.0	INVSLU	Max	0.023	0.907	4.319	0.0
-0.0		Min	0.005	0.086	2.326	0.0
0.0	INVSLE	Max	0.017	0.675	3.269	0.0
-0.0		Min	0.004	0.095	1.805	0.0
38 0.0	C1-C2;~1	Max	0.008	0.066	1.001	0.0
-0.0		Min	-0.001	-0.067	-0.356	-0.0
0.0	C3-C4;~1	Max	0.010	0.043	1.007	0.0
-0.0		Min	-0.001	-0.088	-0.381	-0.0
0.0	C1-C2;~2	Max	0.004	0.038	0.578	0.0
-0.0		Min	-0.001	-0.036	-0.204	-0.0
0.0	C3-C4;~2	Max	0.006	0.024	0.572	0.0
-0.0		Min	-0.001	-0.049	-0.223	-0.0
0.0	G1	0.006	-0.028	0.618	-0.0	0.0
0.0	G2	0.002	-0.010	0.238	-0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	0.001	-0.059	0.061	-0.0	0.0
0.0	Q5_ps	0.001	-0.059	0.053	-0.0	0.0
0.0	INVSLU	Max	0.022	0.064	4.378	-0.0
-0.0		Min	0.006	-0.251	2.393	-0.0
0.0	INVSLE	Max	0.016	0.041	3.313	-0.0
-0.0		Min	0.004	-0.184	1.851	-0.0
39 0.0	C1-C2;~1	Max	4.464	0.334	0.862	0.0
-0.0		Min	-1.485	-0.119	-0.592	-0.0
0.0	C3-C4;~1	Max	4.658	0.243	0.913	0.0
-0.0		Min	-1.461	-0.177	-0.526	-0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	


0.0	C1-C2;~2	Max	2.572	0.195	0.493	0.0	0.0
-0.0		Min	-0.846	-0.061	-0.377	-0.0	-0.0
0.0	C3-C4;~2	Max	2.640	0.135	0.522	0.0	0.0
-0.0		Min	-0.832	-0.096	-0.330	-0.0	-0.0
0.0	G1		3.256	0.048	0.538	-0.0	0.0
0.0	G2		1.257	0.007	0.209	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.130	0.211	-0.081	-0.0	-0.0
0.0	Q5_ps		-0.121	0.188	-0.069	-0.0	-0.0
0.0	INVSLU	Max	20.124	0.362	4.479	0.0	0.0
-0.0		Min	11.597	-0.708	2.302	-0.0	0.0
0.0	INVSLE	Max	15.217	0.223	3.416	0.0	0.0
-0.0		Min	8.919	-0.542	1.814	-0.0	0.0
40 0.0	C1-C2;~1	Max	4.443	0.347	0.950	0.0	0.0
-0.0		Min	-1.482	-0.105	-0.433	-0.0	-0.0
0.0	C3-C4;~1	Max	4.651	0.264	0.955	0.0	0.0
-0.0		Min	-1.465	-0.169	-0.530	-0.0	-0.0
0.0	C1-C2;~2	Max	2.555	0.201	0.550	0.0	0.0
-0.0		Min	-0.845	-0.052	-0.262	-0.0	-0.0
0.0	C3-C4;~2	Max	2.639	0.148	0.543	0.0	0.0
-0.0		Min	-0.834	-0.092	-0.334	-0.0	-0.0
0.0	G1		3.304	0.058	0.550	0.0	0.0
0.0	G2		1.277	0.028	0.212	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.099	0.223	0.043	0.0	0.0
0.0	Q5_ps		0.102	0.202	0.035	0.0	0.0
0.0	INVSLU	Max	20.181	1.191	4.505	-0.0	0.0
-0.0		Min	11.722	0.092	2.423	-0.0	0.0

PROJECT TITLE :


MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	INVSLE	Max	15.259	0.908	3.437	-0.0	0.0
-0.0		Min	9.007	0.124	1.900	-0.0	0.0
50	C1-C2;~1	Max	1.978	1.075	6.332	0.0	0.0
0.0		Min	-0.335	-1.313	-18.400	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.056	1.473	6.250	0.0	0.0
0.0		Min	-0.333	-0.877	-19.339	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.169	0.575	3.610	0.0	0.0
0.0		Min	-0.191	-0.745	-10.546	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.200	0.809	3.561	0.0	0.0
0.0		Min	-0.190	-0.485	-11.080	-0.0	-0.0
-0.0							
0.0	G1		1.557	0.372	-13.199	-0.0	0.0
0.0	G2		0.607	0.148	-5.101	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.055	0.842	-0.103	-0.0	0.0
0.0	Q5_ps		0.050	0.861	-0.181	-0.0	0.0
0.0							
0.0	INVSLU	Max	6.350	3.611	-39.830	0.0	0.0
0.0		Min	3.024	-1.665	-74.671	-0.0	0.0
-0.0							
0.0	INVSLE	Max	4.722	2.623	-30.387	0.0	0.0
0.0		Min	2.265	-1.173	-56.181	-0.0	0.0
-0.0							
51	C1-C2;~1	Max	4.215	0.224	6.346	0.0	0.0
0.0		Min	-1.437	-0.129	-18.439	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.428	0.245	6.264	0.0	0.0
0.0		Min	-1.421	-0.119	-19.383	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.427	0.133	3.618	0.0	0.0
0.0		Min	-0.819	-0.079	-10.568	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.513	0.140	3.568	0.0	0.0
0.0		Min	-0.809	-0.073	-11.104	-0.0	-0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0	G1	3.100	0.174	-13.261	0.0	0.0	
0.0	G2	1.198	0.080	-5.133	0.0	0.0	
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	0.064	0.839	-0.110	0.0	0.0	
0.0	Q5_ps	0.067	0.804	-0.194	0.0	0.0	
0.0	INVSLU	Max	14.846	1.699	-39.711	-0.0	0.0
-0.0		Min	6.814	-1.008	-74.643	-0.0	0.0
0.0	INVSLE	Max	11.097	1.209	-30.286	-0.0	0.0
-0.0		Min	5.156	-0.617	-56.147	-0.0	0.0
0.0	52 C1-C2;~1	Max	4.205	0.401	6.461	0.0	0.0
-0.0		Min	-1.441	-0.091	-19.737	-0.0	-0.0
0.0	C3-C4;~1	Max	4.402	0.384	6.362	0.0	0.0
-0.0		Min	-1.418	-0.087	-19.991	-0.0	-0.0
0.0	C1-C2;~2	Max	2.424	0.242	3.684	0.0	0.0
-0.0		Min	-0.822	-0.051	-11.431	-0.0	-0.0
0.0	C3-C4;~2	Max	2.497	0.228	3.623	0.0	0.0
-0.0		Min	-0.807	-0.048	-11.364	-0.0	-0.0
0.0	G1	3.048	0.192	-13.233	-0.0	0.0	
0.0	G2	1.178	0.059	-5.094	-0.0	0.0	
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	-0.091	0.805	0.103	-0.0	-0.0	
0.0	Q5_ps	-0.083	0.757	0.146	0.0	-0.0	
0.0	INVSLU	Max	14.753	1.525	-39.113	0.0	0.0
-0.0		Min	6.700	-1.141	-75.009	-0.0	0.0
0.0	INVSLE	Max	11.029	1.001	-29.840	0.0	0.0
-0.0		Min	5.076	-0.805	-56.415	0.0	0.0
0.0	53 C1-C2;~1	Max	1.908	0.758	6.446	0.0	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	-0.323	-1.589	-19.673	-0.0	-0.0
0.0	C3-C4;~1	Max	1.964	1.140	6.349	0.0	0.0
-0.0		Min	-0.316	-1.183	-19.947	-0.0	-0.0
0.0	C1-C2;~2	Max	1.135	0.386	3.676	0.0	0.0
-0.0		Min	-0.184	-0.905	-11.395	-0.0	-0.0
0.0	C3-C4;~2	Max	1.158	0.618	3.615	0.0	0.0
-0.0		Min	-0.180	-0.664	-11.340	-0.0	-0.0
0.0	G1		1.504	0.007	-13.172	0.0	0.0
0.0	G2		0.589	0.021	-5.063	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.087	0.859	0.109	0.0	-0.0
0.0	Q5_ps		-0.076	0.885	0.153	0.0	-0.0
0.0	INVSLU	Max	6.241	2.268	-39.222	0.0	0.0
-0.0		Min	2.996	-2.963	-75.050	-0.0	0.0
0.0	INVSLE	Max	4.642	1.618	-29.933	0.0	0.0
-0.0		Min	2.250	-2.142	-56.458	-0.0	0.0
61	C1-C2;~1	Max	3.091	1.276	7.987	0.0	0.0
0.0		Min	-0.605	-1.563	-21.800	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.247	1.748	7.884	0.0	0.0
-0.0		Min	-0.600	-1.041	-22.947	-0.0	-0.0
0.0	C1-C2;~2	Max	1.815	0.682	4.554	0.0	0.0
-0.0		Min	-0.345	-0.885	-12.525	-0.0	-0.0
0.0	C3-C4;~2	Max	1.885	0.960	4.491	0.0	0.0
-0.0		Min	-0.342	-0.573	-13.186	-0.0	-0.0
0.0	G1		2.479	0.432	-14.924	-0.0	0.0
0.0	G2		0.966	0.174	-5.756	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.035	0.981	-0.108	-0.0	0.0

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	Q5_ps		0.034	1.005	-0.201	-0.0	0.0
0.0	INVSLU	Max	9.811	4.190	-42.524	0.0	0.0
-0.0		Min	4.549	-2.046	-84.479	-0.0	-0.0
0.0	INVSLE	Max	7.284	3.039	-32.442	0.0	0.0
-0.0		Min	3.391	-1.449	-63.504	-0.0	-0.0
62 0.0	C1-C2;~1	Max	4.047	0.262	8.005	0.0	0.0
-0.0		Min	-1.398	-0.114	-21.834	-0.0	-0.0
0.0	C3-C4;~1	Max	4.259	0.310	7.902	0.0	0.0
-0.0		Min	-1.384	-0.134	-23.005	-0.0	-0.0
0.0	C1-C2;~2	Max	2.328	0.148	4.565	0.0	0.0
-0.0		Min	-0.797	-0.065	-12.542	-0.0	-0.0
0.0	C3-C4;~2	Max	2.413	0.175	4.502	0.0	0.0
-0.0		Min	-0.788	-0.078	-13.219	-0.0	-0.0
0.0	G1		2.975	0.221	-14.987	0.0	0.0
0.0	G2		1.150	0.098	-5.789	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.037	0.959	-0.114	0.0	0.0
0.0	Q5_ps		0.041	0.919	-0.214	0.0	0.0
0.0	INVSLU	Max	12.065	1.932	-42.395	-0.0	0.0
-0.0		Min	4.360	-1.165	-84.465	-0.0	-0.0
0.0	INVSLE	Max	8.958	1.366	-32.333	-0.0	0.0
-0.0		Min	3.255	-0.723	-63.481	-0.0	-0.0
63 0.0	C1-C2;~1	Max	4.017	0.451	8.165	0.0	0.0
-0.0		Min	-1.406	-0.100	-23.520	-0.0	-0.0
0.0	C3-C4;~1	Max	4.217	0.462	8.040	0.0	0.0
-0.0		Min	-1.383	-0.113	-23.756	-0.0	-0.0
	C1-C2;~2	Max	2.311	0.267	4.656	0.0	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0		Min	-0.802	-0.053	-13.671	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.389	0.271	4.579	0.0	0.0
0.0		Min	-0.787	-0.062	-13.546	-0.0	-0.0
-0.0		G1	2.923	0.240	-14.967	-0.0	0.0
0.0		G2	1.130	0.078	-5.747	-0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0		Q5_pc	-0.064	0.925	0.090	-0.0	0.0
0.0		Q5_ps	-0.056	0.871	0.143	0.0	0.0
0.0							
0.0	INVSLU	Max	11.957	1.771	-41.619	0.0	0.0
0.0		Min	4.251	-1.293	-84.875	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	8.879	1.168	-31.751	0.0	0.0
0.0		Min	3.179	-0.908	-63.781	-0.0	-0.0
-0.0							
64	C1-C2;~1	Max	3.049	0.913	8.146	0.0	0.0
0.0		Min	-0.595	-1.868	-23.418	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.181	1.366	8.022	0.0	0.0
0.0		Min	-0.584	-1.393	-23.698	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.811	0.462	4.646	0.0	0.0
0.0		Min	-0.339	-1.061	-13.608	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.856	0.737	4.569	0.0	0.0
0.0		Min	-0.332	-0.781	-13.513	-0.0	-0.0
-0.0							
0.0		G1	2.425	0.046	-14.904	0.0	0.0
0.0		G2	0.947	0.039	-5.715	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0		Q5_pc	-0.072	0.996	0.097	0.0	0.0
0.0		Q5_ps	-0.061	1.026	0.150	0.0	0.0
0.0							
0.0	INVSLU	Max	9.741	2.790	-41.737	0.0	0.0
0.0		Min	4.515	-3.368	-84.901	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	7.233	1.995	-31.852	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0		Min	3.371	-2.433	-63.813	-0.0	-0.0
-0.0							
72	C1-C2;~1	Max	4.232	1.361	9.072	0.0	0.0
0.0		Min	-0.957	-1.662	-22.738	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.455	1.857	8.957	0.0	0.0
0.0		Min	-0.948	-1.105	-23.947	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.480	0.727	5.173	0.0	0.0
0.0		Min	-0.545	-0.941	-13.065	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.570	1.018	5.103	0.0	0.0
0.0		Min	-0.540	-0.607	-13.764	-0.0	-0.0
-0.0							
0.0	G1		3.383	0.462	-14.740	-0.0	-0.0
0.0	G2		1.317	0.186	-5.669	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.010	1.035	-0.104	-0.0	-0.0
0.0	Q5_ps		0.014	1.060	-0.204	-0.0	-0.0
0.0							
0.0	INVSLU	Max	13.120	4.388	-38.650	0.0	-0.0
0.0		Min	5.796	-2.227	-83.413	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	9.728	3.179	-29.511	0.0	-0.0
0.0		Min	4.304	-1.583	-62.656	-0.0	-0.0
-0.0							
73	C1-C2;~1	Max	3.883	0.301	9.096	0.0	0.0
0.0		Min	-1.349	-0.107	-22.782	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.080	0.352	8.980	0.0	0.0
0.0		Min	-1.335	-0.140	-24.020	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.232	0.168	5.187	0.0	0.0
0.0		Min	-0.769	-0.058	-13.089	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.308	0.196	5.116	0.0	0.0
0.0		Min	-0.761	-0.079	-13.809	-0.0	-0.0
-0.0							
0.0	G1		2.851	0.268	-14.798	0.0	-0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0		G2	1.102	0.116	-5.699	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0		Q5_pc	0.008	1.019	-0.110	0.0	-0.0
0.0		Q5_ps	0.012	0.975	-0.216	0.0	-0.0
0.0		INVS LU Max	9.388	2.145	-38.510	-0.0	-0.0
0.0		Min	2.045	-1.151	-83.416	-0.0	-0.0
-0.0							
0.0		INVS LE Max	6.899	1.517	-29.395	-0.0	-0.0
0.0		Min	1.461	-0.708	-62.644	-0.0	-0.0
-0.0							
74	C1-C2;~1	Max	3.824	0.479	9.302	0.0	0.0
0.0		Min	-1.360	-0.108	-24.623	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.024	0.512	9.158	0.0	0.0
0.0		Min	-1.336	-0.137	-24.843	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.196	0.278	5.305	0.0	0.0
0.0		Min	-0.775	-0.058	-14.322	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.276	0.298	5.216	0.0	0.0
0.0		Min	-0.761	-0.076	-14.174	-0.0	-0.0
-0.0							
0.0		G1	2.800	0.286	-14.784	-0.0	-0.0
0.0		G2	1.083	0.095	-5.657	-0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0		Q5_pc	-0.035	0.985	0.063	-0.0	0.0
0.0		Q5_ps	-0.027	0.928	0.121	0.0	0.0
0.0							
0.0		INVS LU Max	9.278	1.837	-37.574	0.0	-0.0
0.0		Min	1.947	-1.451	-83.785	-0.0	-0.0
-0.0							
0.0		INVS LE Max	6.818	1.207	-28.692	0.0	-0.0
0.0		Min	1.392	-1.022	-62.914	-0.0	-0.0
-0.0							
75	C1-C2;~1	Max	4.245	1.010	9.278	0.0	0.0
0.0		Min	-0.951	-1.944	-24.499	-0.0	-0.0
-0.0							

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	C3-C4;~1	Max	4.421	1.490	9.134	0.0	0.0
-0.0		Min	-0.935	-1.447	-24.770	-0.0	-0.0
0.0	C1-C2;~2	Max	2.498	0.514	5.291	0.0	0.0
-0.0		Min	-0.542	-1.102	-14.242	-0.0	-0.0
0.0	C3-C4;~2	Max	2.557	0.804	5.202	0.0	0.0
-0.0		Min	-0.532	-0.810	-14.129	-0.0	-0.0
0.0	G1		3.332	0.117	-14.725	0.0	-0.0
0.0	G2		1.298	0.069	-5.627	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.049	1.050	0.070	0.0	0.0
0.0	Q5_ps		-0.041	1.081	0.128	0.0	0.0
0.0	INVSLU	Max	13.096	3.166	-37.703	0.0	-0.0
-0.0		Min	5.755	-3.360	-83.793	-0.0	-0.0
0.0	INVSLE	Max	9.710	2.269	-28.802	0.0	-0.0
-0.0		Min	4.278	-2.425	-62.933	-0.0	-0.0
111 0.0	C1-C2;~1	Max	1.479	0.935	5.336	0.0	0.0
-0.0		Min	-0.232	-1.134	-15.888	-0.0	-0.0
0.0	C3-C4;~1	Max	1.520	1.282	5.268	0.0	0.0
-0.0		Min	-0.231	-0.759	-16.686	-0.0	-0.0
0.0	C1-C2;~2	Max	0.876	0.499	3.042	0.0	0.0
-0.0		Min	-0.132	-0.644	-9.093	-0.0	-0.0
0.0	C3-C4;~2	Max	0.889	0.703	3.001	0.0	0.0
-0.0		Min	-0.132	-0.421	-9.543	-0.0	-0.0
0.0	G1		1.137	0.333	-11.628	-0.0	0.0
0.0	G2		0.444	0.132	-4.500	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.061	0.740	-0.101	-0.0	0.0
0.0	Q5_ps		0.054	0.756	-0.170	-0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	INVS LU	Max	4.738	3.191	-35.885	0.0	0.0
-0.0		Min	2.264	-1.402	-65.796	-0.0	0.0
0.0	INVS LE	Max	3.526	2.320	-27.384	0.0	0.0
-0.0		Min	1.701	-0.984	-49.527	-0.0	0.0
112 0.0	C1-C2;~1	Max	1.393	0.654	5.428	0.0	0.0
-0.0		Min	-0.219	-1.382	-16.950	-0.0	-0.0
0.0	C3-C4;~1	Max	1.431	0.986	5.346	0.0	0.0
-0.0		Min	-0.214	-1.028	-17.199	-0.0	-0.0
0.0	C1-C2;~2	Max	0.830	0.334	3.095	0.0	0.0
-0.0		Min	-0.125	-0.787	-9.798	-0.0	-0.0
0.0	C3-C4;~2	Max	0.847	0.536	3.044	0.0	0.0
-0.0		Min	-0.122	-0.577	-9.760	-0.0	-0.0
0.0	G1		1.087	-0.005	-11.598	0.0	0.0
0.0	G2		0.427	0.015	-4.465	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.090	0.762	0.108	0.0	-0.0
0.0	Q5_ps		-0.077	0.784	0.145	0.0	-0.0
0.0	INVS LU	Max	4.632	1.947	-35.377	0.0	0.0
-0.0		Min	2.242	-2.622	-66.118	-0.0	0.0
0.0	INVS LE	Max	3.448	1.388	-27.006	0.0	0.0
-0.0		Min	1.690	-1.895	-49.763	-0.0	0.0
113 0.0	C1-C2;~1	Max	4.284	0.487	5.444	0.0	0.0
-0.0		Min	-1.456	-0.108	-17.036	-0.0	-0.0
0.0	C3-C4;~1	Max	4.480	0.457	5.362	0.0	0.0
-0.0		Min	-1.432	-0.080	-17.290	-0.0	-0.0
0.0	C1-C2;~2	Max	2.470	0.304	3.104	0.0	0.0
		Min	-0.830	-0.061	-9.847	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

-0.0							
0.0	C3-C4;~2	Max	2.542	0.283	3.053	0.0	0.0
-0.0		Min	-0.815	-0.043	-9.811	-0.0	-0.0
0.0	G1		3.107	0.169	-11.675	-0.0	0.0
0.0	G2		1.200	0.040	-4.496	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.103	0.721	0.106	-0.0	-0.0
0.0	Q5_ps		-0.094	0.673	0.143	-0.0	-0.0
0.0	INVSLU	Max	16.082	1.329	-35.333	0.0	0.0
-0.0		Min	7.884	-1.182	-66.215	-0.0	0.0
0.0	INVSLE	Max	12.054	0.857	-26.967	0.0	0.0
-0.0		Min	5.995	-0.853	-49.828	-0.0	0.0
114	C1-C2;~1	Max	4.285	0.230	5.352	0.0	0.0
0.0		Min	-1.451	-0.279	-15.974	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.497	0.219	5.283	0.0	0.0
-0.0		Min	-1.435	-0.216	-16.774	-0.0	-0.0
0.0	C1-C2;~2	Max	2.467	0.136	3.051	0.0	0.0
-0.0		Min	-0.827	-0.183	-9.141	-0.0	-0.0
0.0	C3-C4;~2	Max	2.553	0.128	3.010	0.0	0.0
-0.0		Min	-0.817	-0.138	-9.593	-0.0	-0.0
0.0	G1		3.158	0.151	-11.706	0.0	0.0
0.0	G2		1.221	0.082	-4.531	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.075	0.778	-0.099	0.0	0.0
0.0	Q5_ps		0.078	0.753	-0.168	0.0	0.0
0.0	INVSLU	Max	16.168	1.749	-35.842	0.0	0.0
-0.0		Min	8.001	-0.940	-65.890	-0.0	0.0
0.0	INVSLE	Max	12.116	1.263	-27.345	0.0	0.0
-0.0		Min	6.077	-0.562	-49.590	-0.0	0.0

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-0.0

1453 C1-C2;~1 Max 0.363 0.445 2.230 0.0 0.0
 0.0 Min -0.047 -0.512 -7.023 -0.0 -0.0

-0.0

C3-C4;~1 Max 0.341 0.618 2.203 0.0 0.0
 0.0 Min -0.050 -0.341 -7.378 -0.0 -0.0

-0.0

C1-C2;~2 Max 0.216 0.236 1.272 0.0 0.0
 0.0 Min -0.026 -0.292 -4.001 -0.0 -0.0

-0.0

C3-C4;~2 Max 0.200 0.341 1.255 0.0 0.0
 0.0 Min -0.027 -0.190 -4.198 -0.0 -0.0

-0.0

G1 0.223 0.174 -5.376 -0.0 0.0

0.0

G2 0.086 0.065 -2.082 -0.0 0.0

0.0

Q3 0.000 0.000 0.000 0.0 0.0

0.0

Q5_pc 0.049 0.396 -0.055 -0.0 0.0

0.0

Q5_ps 0.043 0.399 -0.088 -0.0 0.0

0.0

INVSLU Max 1.081 1.665 -17.234 0.0 0.0

0.0

Min 0.435 -0.575 -30.305 -0.0 0.0

-0.0

INVSLE Max 0.805 1.217 -13.171 0.0 0.0

0.0

Min 0.333 -0.390 -22.846 -0.0 0.0

-0.0

1454 C1-C2;~1 Max 0.439 0.498 2.530 0.0 0.0
 0.0 Min -0.056 -0.580 -7.926 -0.0 -0.0

-0.0

C3-C4;~1 Max 0.417 0.694 2.498 0.0 0.0
 0.0 Min -0.058 -0.386 -8.322 -0.0 -0.0

-0.0

C1-C2;~2 Max 0.261 0.264 1.442 0.0 0.0
 0.0 Min -0.031 -0.330 -4.518 -0.0 -0.0

-0.0

C3-C4;~2 Max 0.245 0.382 1.423 0.0 0.0
 0.0 Min -0.032 -0.215 -4.738 -0.0 -0.0


-0.0

G1 0.280 0.194 -6.043 -0.0 0.0


0.0

G2 0.109 0.072 -2.341 -0.0 0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.052	0.438	-0.062	-0.0	0.0
0.0	Q5_ps		0.045	0.442	-0.098	-0.0	0.0
0.0	INVS LU	Max	1.324	1.850	-19.343	0.0	0.0
0.0		Min	0.560	-0.657	-34.104	-0.0	0.0
-0.0	INVS LE	Max	0.987	1.352	-14.780	0.0	0.0
0.0		Min	0.427	-0.447	-25.706	-0.0	0.0
-0.0							
1455	C1-C2;~1	Max	0.519	0.551	2.827	0.0	0.0
0.0		Min	-0.067	-0.644	-8.815	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	0.499	0.764	2.791	0.0	0.0
0.0		Min	-0.068	-0.429	-9.253	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.308	0.292	1.612	0.0	0.0
0.0		Min	-0.038	-0.367	-5.027	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.293	0.421	1.590	0.0	0.0
0.0		Min	-0.038	-0.239	-5.271	-0.0	-0.0
-0.0							
	G1		0.343	0.212	-6.695	-0.0	0.0
0.0	G2		0.133	0.080	-2.594	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.055	0.476	-0.069	-0.0	0.0
0.0	Q5_ps		0.047	0.481	-0.108	-0.0	0.0
0.0	INVS LU	Max	1.585	2.020	-21.382	0.0	0.0
0.0		Min	0.693	-0.737	-37.814	-0.0	0.0
-0.0							
	INVS LE	Max	1.181	1.475	-16.336	0.0	0.0
0.0		Min	0.528	-0.504	-28.498	-0.0	0.0
-0.0							
1456	C1-C2;~1	Max	0.604	0.601	3.121	0.0	0.0
0.0		Min	-0.079	-0.705	-9.688	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	0.588	0.831	3.082	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0		Min	-0.080	-0.470	-10.168	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.359	0.319	1.779	0.0	0.0
0.0		Min	-0.045	-0.402	-5.528	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.345	0.458	1.755	0.0	0.0
0.0		Min	-0.045	-0.262	-5.795	-0.0	-0.0
-0.0							
0.0	G1		0.411	0.229	-7.330	-0.0	0.0
0.0	G2		0.160	0.087	-2.840	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.057	0.510	-0.074	-0.0	0.0
0.0	Q5_ps		0.049	0.517	-0.117	-0.0	0.0
0.0							
0.0	INVSLU	Max	1.864	2.177	-23.348	0.0	0.0
0.0		Min	0.837	-0.815	-41.421	-0.0	0.0
-0.0							
0.0	INVSLE	Max	1.389	1.589	-17.835	0.0	0.0
0.0		Min	0.636	-0.560	-31.213	-0.0	0.0
-0.0							
1457	C1-C2;~1	Max	0.694	0.649	3.412	0.0	0.0
0.0		Min	-0.093	-0.765	-10.543	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.683	0.894	3.369	0.0	0.0
0.0		Min	-0.094	-0.510	-11.065	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.412	0.345	1.945	0.0	0.0
0.0		Min	-0.053	-0.435	-6.018	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.401	0.492	1.919	0.0	0.0
0.0		Min	-0.053	-0.284	-6.309	-0.0	-0.0
-0.0							
0.0	G1		0.485	0.245	-7.946	-0.0	0.0
0.0	G2		0.189	0.094	-3.078	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.059	0.541	-0.079	-0.0	0.0
0.0	Q5_ps		0.052	0.550	-0.125	-0.0	0.0
0.0							
0.0	INVSLU	Max	2.160	2.322	-25.234	0.0	0.0


MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0		Min	0.989	-0.891	-44.919	-0.0	0.0
-0.0							
0.0	INVSLE	Max	1.609	1.694	-19.273	0.0	0.0
0.0		Min	0.750	-0.615	-33.844	-0.0	0.0
-0.0							
1458	C1-C2;~1	Max	0.789	0.695	3.700	0.0	0.0
0.0		Min	-0.108	-0.822	-11.379	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.783	0.954	3.653	0.0	0.0
0.0		Min	-0.109	-0.549	-11.942	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.469	0.370	2.109	0.0	0.0
0.0		Min	-0.062	-0.468	-6.498	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.460	0.524	2.081	0.0	0.0
0.0		Min	-0.062	-0.305	-6.812	-0.0	-0.0
-0.0							
0.0	G1		0.565	0.259	-8.543	-0.0	0.0
0.0	G2		0.220	0.100	-3.308	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.061	0.571	-0.082	-0.0	0.0
0.0	Q5_ps		0.054	0.581	-0.132	-0.0	0.0
0.0							
0.0	INVSLU	Max	2.473	2.459	-27.039	0.0	0.0
0.0		Min	1.150	-0.966	-48.303	-0.0	0.0
-0.0							
0.0	INVSLE	Max	1.843	1.792	-20.648	0.0	0.0
0.0		Min	0.871	-0.669	-36.389	-0.0	0.0
-0.0							
1459	C1-C2;~1	Max	0.889	0.738	3.984	0.0	0.0
0.0		Min	-0.125	-0.877	-12.194	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.891	1.012	3.934	0.0	0.0
0.0		Min	-0.126	-0.586	-12.796	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.528	0.393	2.272	0.0	0.0
0.0		Min	-0.071	-0.499	-6.966	-0.0	-0.0
-0.0							

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	C3-C4;~2	Max	0.523	0.556	2.241	0.0	0.0
		Min	-0.072	-0.326	-7.303	-0.0	-0.0
-0.0	0.0	G1	0.649	0.273	-9.119	-0.0	0.0
0.0		G2	0.253	0.106	-3.530	-0.0	0.0
0.0	0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0		Q5_pc	0.063	0.599	-0.083	-0.0	0.0
0.0	0.0	Q5_ps	0.056	0.610	-0.136	-0.0	0.0
0.0		INVS LU	Max	2.806	2.588	-28.759	0.0
-0.0	0.0	Min	1.319	-1.040	-51.562	-0.0	0.0
0.0		INVS LE	Max	2.090	1.885	-21.959	0.0
-0.0	0.0	Min	0.997	-0.722	-38.839	-0.0	0.0
1460		0.0	Max	0.280	0.309	2.269	0.0
-0.0	Min		-0.052	-0.621	-7.473	-0.0	-0.0
0.0	C3-C4;~1	Max	0.314	0.473	2.234	0.0	0.0
		Min	-0.042	-0.455	-7.586	-0.0	-0.0
-0.0	0.0	Max	0.166	0.159	1.294	0.0	0.0
-0.0		Min	-0.027	-0.354	-4.297	-0.0	-0.0
0.0	C3-C4;~2	Max	0.186	0.259	1.272	0.0	0.0
		Min	-0.023	-0.254	-4.284	-0.0	-0.0
-0.0	0.0	G1	0.192	0.013	-5.350	0.0	0.0
-0.0		G2	0.077	0.015	-2.062	0.0	0.0
0.0	0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0		Q5_pc	-0.066	0.380	0.057	-0.0	-0.0
0.0	0.0	Q5_ps	-0.057	0.391	0.075	-0.0	-0.0
0.0		INVS LU	Max	1.022	0.965	-17.010	0.0
-0.0	0.0	Min	0.409	-1.196	-30.418	-0.0	0.0
0.0		INVS LE	Max	0.763	0.687	-13.005	0.0
-0.0	0.0	Min	0.317	-0.862	-22.929	-0.0	0.0

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

1461	C1-C2;~1	Max	0.349	0.344	2.572	0.0	0.0
0.0		Min	-0.055	-0.708	-8.427	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	0.386	0.526	2.533	0.0	0.0
0.0		Min	-0.048	-0.521	-8.559	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.208	0.177	1.467	0.0	0.0
0.0		Min	-0.029	-0.404	-4.848	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.229	0.288	1.442	0.0	0.0
0.0		Min	-0.027	-0.291	-4.836	-0.0	-0.0
-0.0							
	G1		0.246	0.006	-6.016	0.0	0.0
-0.0							
	G2		0.098	0.014	-2.319	0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc		-0.070	0.417	0.064	-0.0	-0.0
0.0							
	Q5_ps		-0.061	0.429	0.084	0.0	-0.0
0.0							
	INVSLU	Max	1.261	1.048	-19.094	0.0	0.0
0.0		Min	0.539	-1.368	-34.238	-0.0	0.0
-0.0							
	INVSLE	Max	0.941	0.745	-14.596	0.0	0.0
0.0		Min	0.415	-0.988	-25.804	-0.0	0.0
-0.0							
1462	C1-C2;~1	Max	0.425	0.379	2.874	0.0	0.0
0.0		Min	-0.062	-0.790	-9.371	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	0.464	0.577	2.830	0.0	0.0
0.0		Min	-0.056	-0.583	-9.520	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.253	0.194	1.639	0.0	0.0
0.0		Min	-0.034	-0.451	-5.394	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.275	0.315	1.611	0.0	0.0
0.0		Min	-0.031	-0.326	-5.382	-0.0	-0.0
-0.0							
	G1		0.307	0.000	-6.666	0.0	0.0
-0.0							
	G2		0.122	0.012	-2.570	0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0						
	Q5_pc	-0.074	0.454	0.072	-0.0	-0.0
0.0						
	Q5_ps	-0.064	0.468	0.093	0.0	-0.0
0.0						
	INVSLU	Max	1.519	1.135	-21.107	0.0
0.0		Min	0.676	-1.529	-37.968	-0.0
-0.0						
	INVSLE	Max	1.134	0.807	-16.132	0.0
0.0		Min	0.519	-1.105	-28.612	-0.0
-0.0						
1463	C1-C2;~1	Max	0.507	0.412	3.173	0.0
0.0		Min	-0.072	-0.868	-10.300	-0.0
-0.0						
	C3-C4;~1	Max	0.547	0.627	3.124	0.0
0.0		Min	-0.066	-0.642	-10.464	-0.0
-0.0						
	C1-C2;~2	Max	0.303	0.211	1.809	0.0
0.0		Min	-0.040	-0.495	-5.931	-0.0
-0.0						
	C3-C4;~2	Max	0.324	0.342	1.779	0.0
0.0		Min	-0.037	-0.359	-5.918	-0.0
-0.0						
	G1		0.373	-0.004	-7.300	0.0
-0.0						
	G2		0.148	0.011	-2.814	0.0
-0.0						
	Q3		0.000	0.000	0.000	0.0
0.0						
	Q5_pc		-0.077	0.492	0.079	-0.0
0.0						
	Q5_ps		-0.067	0.507	0.102	0.0
0.0						
	INVSLU	Max	1.796	1.225	-23.045	0.0
0.0		Min	0.822	-1.679	-41.597	-0.0
-0.0						
	INVSLE	Max	1.340	0.871	-17.610	0.0
0.0		Min	0.629	-1.215	-31.342	-0.0
-0.0						
1464	C1-C2;~1	Max	0.597	0.444	3.469	0.0
0.0		Min	-0.083	-0.941	-11.211	-0.0
-0.0						
	C3-C4;~1	Max	0.636	0.675	3.416	0.0
0.0		Min	-0.079	-0.697	-11.389	-0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

-0.0							
0.0	C1-C2;~2	Max	0.356	0.228	1.978	0.0	0.0
-0.0		Min	-0.047	-0.537	-6.459	-0.0	-0.0
0.0	C3-C4;~2	Max	0.377	0.368	1.945	0.0	0.0
-0.0		Min	-0.044	-0.390	-6.444	-0.0	-0.0
-0.0	G1		0.445	-0.007	-7.916	0.0	0.0
-0.0	G2		0.176	0.011	-3.051	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.081	0.531	0.085	-0.0	-0.0
0.0	Q5_ps		-0.070	0.547	0.109	0.0	-0.0
0.0	INVSLU	Max	2.091	1.317	-24.904	0.0	0.0
-0.0		Min	0.975	-1.820	-45.115	-0.0	0.0
0.0	INVSLE	Max	1.560	0.936	-19.028	0.0	0.0
-0.0		Min	0.744	-1.317	-33.988	-0.0	0.0
1465	C1-C2;~1	Max	0.692	0.476	3.762	0.0	0.0
0.0		Min	-0.097	-1.011	-12.103	-0.0	-0.0
-0.0	C3-C4;~1	Max	0.732	0.722	3.704	0.0	0.0
0.0		Min	-0.093	-0.749	-12.296	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.413	0.244	2.145	0.0	0.0
0.0		Min	-0.055	-0.576	-6.976	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.434	0.394	2.109	0.0	0.0
0.0		Min	-0.053	-0.420	-6.960	-0.0	-0.0
-0.0	G1		0.522	-0.009	-8.512	0.0	0.0
-0.0	G2		0.206	0.011	-3.280	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.084	0.568	0.090	0.0	-0.0
0.0	Q5_ps		-0.072	0.585	0.116	0.0	-0.0
0.0	INVSLU	Max	2.405	1.409	-26.682	0.0	0.0
0.0		Min	1.135	-1.953	-48.521	-0.0	0.0

MIDAS


PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


-0.0							
0.0	INVSLE	Max	1.793	1.002	-20.384	0.0	0.0
-0.0		Min	0.864	-1.412	-36.548	-0.0	0.0
1466	C1-C2;~1	Max	0.794	0.507	4.050	0.0	0.0
0.0		Min	-0.114	-1.077	-12.969	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.833	0.768	3.989	0.0	0.0
-0.0		Min	-0.110	-0.799	-13.179	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	0.474	0.259	2.310	0.0	0.0
0.0		Min	-0.064	-0.614	-7.479	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.494	0.418	2.271	0.0	0.0
-0.0		Min	-0.062	-0.448	-7.463	-0.0	-0.0
-0.0	G1		0.605	-0.010	-9.088	0.0	0.0
0.0	G2		0.239	0.011	-3.500	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.086	0.605	0.093	0.0	-0.0
0.0	Q5_ps		-0.075	0.623	0.121	0.0	-0.0
0.0							
0.0	INVSLU	Max	2.736	1.502	-28.377	0.0	0.0
-0.0		Min	1.303	-2.078	-51.804	-0.0	0.0
0.0							
-0.0	INVSLE	Max	2.040	1.069	-21.676	0.0	0.0
0.0		Min	0.990	-1.502	-39.016	-0.0	0.0
-0.0							
1467	C1-C2;~1	Max	4.435	0.309	2.274	0.0	0.0
0.0		Min	-1.480	-0.056	-7.499	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.629	0.348	2.239	0.0	0.0
-0.0		Min	-1.457	-0.062	-7.616	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	2.556	0.198	1.297	0.0	0.0
0.0		Min	-0.844	-0.027	-4.310	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.625	0.210	1.275	0.0	0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
		Min	-0.830	-0.031	-4.301	-0.0	-0.0
-0.0		G1	3.230	0.101	-5.388	-0.0	0.0
0.0		G2	1.248	0.018	-2.080	-0.0	0.0
-0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0		Q5_pc	-0.125	0.447	0.056	-0.0	-0.0
0.0		Q5_ps	-0.116	0.411	0.073	-0.0	-0.0
0.0		INVS LU Max	19.048	0.638	-16.964	0.0	0.0
0.0		Min	10.576	-0.920	-30.417	-0.0	0.0
-0.0		INVS LE Max	14.358	0.380	-12.963	0.0	0.0
0.0		Min	8.099	-0.682	-22.921	-0.0	0.0
-0.0							
1468	C1-C2;~1	Max	4.426	0.352	2.579	0.0	0.0
0.0		Min	-1.479	-0.059	-8.465	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.620	0.383	2.539	0.0	0.0
0.0		Min	-1.456	-0.061	-8.602	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.551	0.226	1.471	0.0	0.0
0.0		Min	-0.843	-0.029	-4.868	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.620	0.234	1.446	0.0	0.0
0.0		Min	-0.829	-0.031	-4.859	-0.0	-0.0
-0.0							
0.0	G1		3.222	0.107	-6.060	-0.0	0.0
0.0	G2		1.245	0.018	-2.338	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.123	0.474	0.066	-0.0	-0.0
0.0	Q5_ps		-0.115	0.436	0.085	-0.0	-0.0
0.0							
0.0	INVS LU Max		18.833	0.691	-19.057	0.0	0.0
0.0		Min	10.377	-0.975	-34.269	-0.0	0.0
-0.0							
0.0	INVS LE Max		14.188	0.414	-14.562	0.0	0.0
0.0		Min	7.942	-0.724	-25.822	-0.0	0.0
-0.0							
1469	C1-C2;~1	Max	4.416	0.380	2.882	0.0	0.0

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0		Min	-1.477	-0.061	-9.416	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.610	0.401	2.837	0.0	0.0
0.0		Min	-1.454	-0.061	-9.570	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.545	0.244	1.643	0.0	0.0
0.0		Min	-0.842	-0.030	-5.418	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.614	0.246	1.616	0.0	0.0
0.0		Min	-0.828	-0.032	-5.409	-0.0	-0.0
-0.0							
0.0	G1		3.214	0.114	-6.716	-0.0	0.0
0.0	G2		1.242	0.019	-2.591	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.122	0.501	0.074	-0.0	-0.0
0.0	Q5_ps		-0.113	0.462	0.095	-0.0	-0.0
0.0							
0.0	INVSLU	Max	18.605	0.748	-21.074	0.0	0.0
0.0		Min	10.167	-1.011	-38.016	-0.0	0.0
-0.0							
0.0	INVSLE	Max	14.010	0.451	-16.101	0.0	0.0
0.0		Min	7.776	-0.750	-28.642	-0.0	0.0
-0.0							
1470	C1-C2;~1	Max	4.405	0.398	3.182	0.0	0.0
0.0		Min	-1.476	-0.062	-10.351	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.600	0.408	3.133	0.0	0.0
0.0		Min	-1.452	-0.062	-10.520	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.539	0.255	1.814	0.0	0.0
0.0		Min	-0.841	-0.031	-5.959	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.609	0.250	1.784	0.0	0.0
0.0		Min	-0.827	-0.032	-5.948	-0.0	-0.0
-0.0							
0.0	G1		3.204	0.120	-7.353	-0.0	0.0
0.0	G2		1.238	0.021	-2.836	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.120	0.528	0.081	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0						
0.0	Q5_ps		-0.112	0.487	0.103	-0.0 -0.0
0.0	INVS LU	Max	18.365	0.816	-23.012	0.0 0.0
-0.0		Min	9.946	-1.032	-41.654	-0.0 0.0
0.0	INVS LE	Max	13.822	0.498	-17.580	0.0 0.0
-0.0		Min	7.603	-0.763	-31.378	-0.0 0.0
1471	C1-C2;~1	Max	4.393	0.406	3.478	0.0 0.0
0.0		Min	-1.474	-0.063	-11.267	-0.0 -0.0
-0.0						
0.0	C3-C4;~1	Max	4.588	0.406	3.425	0.0 0.0
-0.0		Min	-1.451	-0.063	-11.449	-0.0 -0.0
0.0	C1-C2;~2	Max	2.532	0.259	1.983	0.0 0.0
-0.0		Min	-0.840	-0.031	-6.490	-0.0 -0.0
0.0	C3-C4;~2	Max	2.602	0.249	1.950	0.0 0.0
-0.0		Min	-0.826	-0.033	-6.477	-0.0 -0.0
0.0	G1		3.194	0.126	-7.972	-0.0 0.0
0.0	G2		1.234	0.024	-3.074	-0.0 0.0
0.0	Q3		0.000	0.000	0.000	0.0 0.0
0.0	Q5_pc		-0.119	0.554	0.086	-0.0 -0.0
0.0	Q5_ps		-0.110	0.513	0.111	-0.0 -0.0
0.0	INVS LU	Max	18.113	0.891	-24.868	0.0 0.0
-0.0		Min	9.716	-1.041	-45.176	-0.0 0.0
0.0	INVS LE	Max	13.626	0.551	-18.995	0.0 0.0
-0.0		Min	7.422	-0.766	-34.026	-0.0 0.0
1472	C1-C2;~1	Max	4.380	0.403	3.772	0.0 0.0
0.0		Min	-1.472	-0.063	-12.162	-0.0 -0.0
-0.0						
0.0	C3-C4;~1	Max	4.576	0.394	3.714	0.0 0.0
-0.0		Min	-1.448	-0.064	-12.356	-0.0 -0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	C1-C2;~2	Max	2.525	0.256	2.151	0.0	0.0
		Min	-0.839	-0.031	-7.009	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.595	0.240	2.115	0.0	0.0
		Min	-0.825	-0.034	-6.993	-0.0	-0.0
-0.0							
0.0	G1		3.184	0.132	-8.570	-0.0	0.0
0.0	G2		1.230	0.027	-3.304	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.117	0.580	0.091	-0.0	-0.0
0.0	Q5_ps		-0.108	0.538	0.117	-0.0	-0.0
0.0							
0.0	INVSLU	Max	17.850	0.969	-26.638	0.0	0.0
		Min	9.476	-1.036	-48.574	-0.0	0.0
-0.0							
0.0	INVSLE	Max	13.422	0.607	-20.344	0.0	0.0
		Min	7.234	-0.758	-36.581	-0.0	0.0
-0.0							
1473	C1-C2;~1	Max	4.367	0.383	4.061	0.0	0.0
0.0		Min	-1.470	-0.060	-13.034	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.562	0.364	3.999	0.0	0.0
		Min	-1.446	-0.064	-13.238	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.517	0.241	2.316	0.0	0.0
		Min	-0.838	-0.030	-7.515	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.588	0.220	2.277	0.0	0.0
		Min	-0.823	-0.035	-7.496	-0.0	-0.0
-0.0							
0.0	G1		3.172	0.138	-9.146	-0.0	0.0
0.0	G2		1.225	0.032	-3.526	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.115	0.606	0.094	-0.0	-0.0
0.0	Q5_ps		-0.106	0.564	0.122	-0.0	-0.0
0.0							
0.0	INVSLU	Max	17.578	1.048	-28.314	0.0	0.0
		Min	9.228	-1.015	-51.837	-0.0	0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	INVSLE	Max	13.210	0.666	-21.621	0.0	0.0
		Min	7.041	-0.737	-39.032	-0.0	0.0
-0.0							
1474 0.0	C1-C2;~1	Max	4.417	0.254	2.236	0.0	0.0
		Min	-1.477	-0.227	-7.057	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.626	0.194	2.209	0.0	0.0
		Min	-1.460	-0.183	-7.409	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.541	0.150	1.275	0.0	0.0
		Min	-0.842	-0.149	-4.020	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.625	0.112	1.258	0.0	0.0
		Min	-0.832	-0.115	-4.215	-0.0	-0.0
-0.0							
0.0	G1		3.279	0.096	-5.415	0.0	0.0
0.0	G2		1.268	0.054	-2.101	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.096	0.487	-0.057	0.0	0.0
0.0	Q5_ps		0.098	0.468	-0.091	0.0	0.0
0.0							
0.0	INVSLU	Max	19.110	1.453	-17.183	-0.0	0.0
		Min	10.699	-0.355	-30.307	-0.0	0.0
-0.0							
0.0	INVSLE	Max	14.403	1.075	-13.126	-0.0	0.0
		Min	8.185	-0.160	-22.840	-0.0	0.0
-0.0							
1475 0.0	C1-C2;~1	Max	4.410	0.252	2.537	0.0	0.0
		Min	-1.476	-0.261	-7.970	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.619	0.191	2.505	0.0	0.0
		Min	-1.459	-0.212	-8.364	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.536	0.149	1.446	0.0	0.0
		Min	-0.841	-0.172	-4.543	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.621	0.110	1.427	0.0	0.0
		Min	-0.831	-0.136	-4.761	-0.0	-0.0
-0.0							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	G1	3.271	0.101	-6.089	0.0	0.0	
0.0	G2	1.265	0.059	-2.361	0.0	0.0	
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	0.094	0.522	-0.064	0.0	0.0	
0.0	Q5_ps	0.097	0.504	-0.100	0.0	0.0	
0.0	INVSLU	Max	18.897	1.525	-19.305	0.0	0.0
-0.0		Min	10.499	-0.419	-34.136	-0.0	0.0
0.0	INVSLE	Max	14.235	1.128	-14.746	0.0	0.0
-0.0		Min	8.027	-0.200	-25.723	-0.0	0.0
1476 0.0	C1-C2;~1	Max	4.401	0.248	2.835	0.0	0.0
-0.0		Min	-1.474	-0.278	-8.866	-0.0	-0.0
0.0	C3-C4;~1	Max	4.610	0.193	2.799	0.0	0.0
-0.0		Min	-1.457	-0.225	-9.303	-0.0	-0.0
0.0	C1-C2;~2	Max	2.532	0.147	1.616	0.0	0.0
-0.0		Min	-0.840	-0.184	-5.056	-0.0	-0.0
0.0	C3-C4;~2	Max	2.617	0.112	1.595	0.0	0.0
-0.0		Min	-0.830	-0.145	-5.299	-0.0	-0.0
0.0	G1	3.263	0.106	-6.746	0.0	0.0	
0.0	G2	1.261	0.062	-2.615	0.0	0.0	
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	0.093	0.552	-0.069	0.0	0.0	
0.0	Q5_ps	0.096	0.534	-0.109	0.0	0.0	
0.0	INVSLU	Max	18.671	1.571	-21.349	0.0	0.0
-0.0		Min	10.289	-0.479	-37.861	-0.0	0.0
0.0	INVSLE	Max	14.058	1.160	-16.306	0.0	0.0
-0.0		Min	7.862	-0.240	-28.527	-0.0	0.0
1477 0.0	C1-C2;~1	Max	4.392	0.244	3.130	0.0	0.0
		Min	-1.473	-0.281	-9.744	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

-0.0							
0.0	C3-C4;~1	Max	4.601	0.195	3.091	0.0	0.0
-0.0		Min	-1.456	-0.228	-10.224	-0.0	-0.0
0.0	C1-C2;~2	Max	2.527	0.145	1.784	0.0	0.0
-0.0		Min	-0.839	-0.186	-5.559	-0.0	-0.0
0.0	C3-C4;~2	Max	2.612	0.113	1.761	0.0	0.0
-0.0		Min	-0.829	-0.147	-5.826	-0.0	-0.0
0.0	G1		3.254	0.111	-7.385	0.0	0.0
0.0	G2		1.258	0.065	-2.863	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.092	0.581	-0.075	0.0	0.0
0.0	Q5_ps		0.094	0.562	-0.118	0.0	0.0
0.0	INVSLU	Max	18.432	1.596	-23.315	0.0	0.0
-0.0		Min	10.068	-0.536	-41.478	-0.0	0.0
0.0	INVSLE	Max	13.872	1.176	-17.805	0.0	0.0
-0.0		Min	7.688	-0.279	-31.249	-0.0	0.0
1478	C1-C2;~1	Max	4.382	0.240	3.422	0.0	0.0
0.0		Min	-1.471	-0.275	-10.602	-0.0	-0.0
-0.0	C3-C4;~1	Max	4.592	0.198	3.379	0.0	0.0
0.0		Min	-1.454	-0.221	-11.125	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.521	0.142	1.951	0.0	0.0
0.0		Min	-0.838	-0.181	-6.051	-0.0	-0.0
-0.0	C3-C4;~2	Max	2.606	0.115	1.925	0.0	0.0
0.0		Min	-0.828	-0.142	-6.342	-0.0	-0.0
-0.0	G1		3.244	0.115	-8.004	0.0	0.0
0.0	G2		1.254	0.067	-3.102	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.090	0.607	-0.080	0.0	0.0
0.0	Q5_ps		0.093	0.588	-0.126	0.0	0.0


MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


0.0							
	INVSLU	Max	18.182	1.605	-25.198	0.0	0.0
0.0		Min	9.837	-0.594	-44.979	-0.0	0.0
-0.0							
	INVSLE	Max	13.677	1.178	-19.240	0.0	0.0
0.0		Min	7.507	-0.320	-33.882	-0.0	0.0
-0.0							
1479	C1-C2;~1	Max	4.371	0.234	3.710	0.0	0.0
0.0		Min	-1.468	-0.255	-11.438	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.581	0.200	3.663	0.0	0.0
0.0		Min	-1.452	-0.203	-12.003	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.515	0.139	2.115	0.0	0.0
0.0		Min	-0.837	-0.167	-6.531	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.600	0.117	2.087	0.0	0.0
0.0		Min	-0.827	-0.130	-6.846	-0.0	-0.0
-0.0							
	G1		3.233	0.120	-8.602	0.0	0.0
0.0	G2		1.250	0.067	-3.334	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.088	0.631	-0.084	0.0	0.0
0.0	Q5_ps		0.091	0.610	-0.134	0.0	0.0
0.0							
	INVSLU	Max	17.922	1.596	-26.995	0.0	0.0
0.0		Min	9.596	-0.647	-48.358	-0.0	0.0
-0.0							
	INVSLE	Max	13.474	1.167	-20.609	0.0	0.0
0.0		Min	7.319	-0.359	-36.422	-0.0	0.0
-0.0							
1480	C1-C2;~1	Max	4.359	0.228	3.994	0.0	0.0
0.0		Min	-1.466	-0.216	-12.250	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.569	0.201	3.944	0.0	0.0
0.0		Min	-1.449	-0.168	-12.857	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.508	0.135	2.277	0.0	0.0
0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	-0.836	-0.140	-6.997	-0.0	-0.0
0.0	C3-C4;~2	Max	2.593	0.119	2.247	0.0	0.0
-0.0		Min	-0.825	-0.105	-7.337	-0.0	-0.0
0.0	G1		3.222	0.125	-9.178	0.0	0.0
-0.0	G2		1.246	0.066	-3.557	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.087	0.651	-0.088	0.0	0.0
0.0	Q5_ps		0.089	0.628	-0.142	0.0	0.0
0.0	INVSLU	Max	17.651	1.563	-28.695	0.0	0.0
-0.0		Min	9.347	-0.692	-51.602	-0.0	0.0
0.0	INVSLE	Max	13.264	1.137	-21.904	-0.0	0.0
-0.0		Min	7.124	-0.394	-38.860	-0.0	0.0
1481	C1-C2;~1	Max	2.113	1.106	6.562	0.0	0.0
0.0		Min	-0.364	-1.353	-18.927	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.200	1.516	6.477	0.0	0.0
-0.0		Min	-0.362	-0.902	-19.902	-0.0	-0.0
0.0	C1-C2;~2	Max	1.248	0.591	3.741	0.0	0.0
-0.0		Min	-0.207	-0.768	-10.851	-0.0	-0.0
0.0	C3-C4;~2	Max	1.283	0.832	3.690	0.0	0.0
-0.0		Min	-0.206	-0.498	-11.407	-0.0	-0.0
0.0	G1		1.669	0.381	-13.506	-0.0	0.0
0.0	G2		0.651	0.152	-5.220	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.053	0.864	-0.107	-0.0	0.0
0.0	Q5_ps		0.048	0.884	-0.188	-0.0	0.0
0.0	INVSLU	Max	6.776	3.703	-40.518	0.0	0.0
-0.0		Min	3.220	-1.725	-76.437	-0.0	0.0
0.0	INVSLE	Max	5.037	2.689	-30.910	0.0	0.0


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	2.410	-1.216	-57.502	-0.0	0.0
1482	C1-C2;~1	Max	2.250	1.134	6.787	0.0	0.0
0.0		Min	-0.394	-1.391	-19.433	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.346	1.556	6.700	0.0	0.0
0.0		Min	-0.393	-0.926	-20.437	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.328	0.606	3.870	0.0	0.0
0.0		Min	-0.225	-0.790	-11.145	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.368	0.854	3.817	0.0	0.0
0.0		Min	-0.223	-0.511	-11.719	-0.0	-0.0
-0.0							
0.0	G1		1.782	0.389	-13.793	-0.0	0.0
0.0	G2		0.695	0.156	-5.331	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.051	0.885	-0.109	-0.0	0.0
0.0	Q5_ps		0.046	0.905	-0.193	-0.0	0.0
0.0							
0.0	INVSLU	Max	7.204	3.789	-41.113	0.0	0.0
0.0		Min	3.414	-1.781	-78.061	-0.0	0.0
-0.0							
0.0	INVSLE	Max	5.355	2.751	-31.362	0.0	0.0
0.0		Min	2.554	-1.257	-58.717	-0.0	0.0
-0.0							
1483	C1-C2;~1	Max	2.388	1.162	7.006	0.0	0.0
0.0		Min	-0.426	-1.426	-19.909	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.493	1.593	6.915	0.0	0.0
0.0		Min	-0.424	-0.948	-20.942	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.409	0.621	3.995	0.0	0.0
0.0		Min	-0.243	-0.810	-11.422	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.453	0.875	3.939	0.0	0.0
0.0		Min	-0.241	-0.523	-12.013	-0.0	-0.0
-0.0							
0.0	G1		1.896	0.398	-14.052	-0.0	0.0

MIDAS

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	G2	0.739	0.159	-5.430	-0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	0.048	0.904	-0.110	-0.0	0.0
0.0	Q5_ps	0.044	0.925	-0.197	-0.0	0.0
0.0	INVSLU	Max	7.636	3.870	-41.605	0.0
-0.0		Min	3.608	-1.835	-79.533	0.0
0.0	INVSLE	Max	5.674	2.809	-31.737	0.0
-0.0		Min	2.697	-1.296	-59.817	0.0
1484	C1-C2;~1	Max	2.527	1.187	7.217	0.0
0.0		Min	-0.459	-1.459	-20.352	-0.0
-0.0						
0.0	C3-C4;~1	Max	2.642	1.629	7.124	0.0
-0.0		Min	-0.457	-0.970	-21.411	-0.0
0.0	C1-C2;~2	Max	1.490	0.634	4.115	0.0
-0.0		Min	-0.262	-0.828	-11.680	-0.0
0.0	C3-C4;~2	Max	1.538	0.894	4.058	0.0
-0.0		Min	-0.260	-0.534	-12.287	-0.0
0.0	G1	2.011	0.406	-14.283	-0.0	0.0
0.0	G2	0.784	0.163	-5.518	-0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	0.046	0.922	-0.111	-0.0	0.0
0.0	Q5_ps	0.042	0.944	-0.200	-0.0	0.0
0.0	INVSLU	Max	8.069	3.945	-41.993	0.0
-0.0		Min	3.800	-1.884	-80.842	0.0
0.0	INVSLE	Max	5.995	2.863	-32.033	0.0
-0.0		Min	2.839	-1.332	-60.794	0.0
1485	C1-C2;~1	Max	2.667	1.212	7.421	0.0
0.0		Min	-0.494	-1.490	-20.761	-0.0
-0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	C3-C4;~1	Max	2.792	1.661	7.325	0.0	0.0
-0.0		Min	-0.491	-0.990	-21.846	-0.0	-0.0
0.0	C1-C2;~2	Max	1.571	0.648	4.231	0.0	0.0
-0.0		Min	-0.281	-0.845	-11.918	-0.0	-0.0
0.0	C3-C4;~2	Max	1.624	0.912	4.173	0.0	0.0
-0.0		Min	-0.279	-0.545	-12.541	-0.0	-0.0
0.0	G1		2.128	0.413	-14.484	-0.0	0.0
0.0	G2		0.830	0.166	-5.594	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.043	0.939	-0.111	-0.0	-0.0
0.0	Q5_ps		0.040	0.961	-0.202	-0.0	0.0
0.0	INVSLU	Max	8.504	4.014	-42.277	0.0	0.0
-0.0		Min	3.991	-1.930	-81.987	-0.0	0.0
0.0	INVSLE	Max	6.317	2.912	-32.250	0.0	0.0
-0.0		Min	2.980	-1.365	-61.650	-0.0	0.0
1486 0.0	C1-C2;~1	Max	2.807	1.235	7.617	0.0	0.0
-0.0		Min	-0.530	-1.517	-21.138	-0.0	-0.0
0.0	C3-C4;~1	Max	2.942	1.693	7.518	0.0	0.0
-0.0		Min	-0.526	-1.008	-22.245	-0.0	-0.0
0.0	C1-C2;~2	Max	1.645	0.660	4.343	0.0	0.0
-0.0		Min	-0.302	-0.860	-12.138	-0.0	-0.0
0.0	C3-C4;~2	Max	1.710	0.929	4.283	0.0	0.0
-0.0		Min	-0.299	-0.555	-12.774	-0.0	-0.0
0.0	G1		2.244	0.420	-14.657	-0.0	0.0
0.0	G2		0.875	0.169	-5.659	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.040	0.954	-0.111	-0.0	-0.0
0.0	Q5_ps		0.038	0.977	-0.203	-0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	INVSLU	Max	8.939	4.079	-42.458	0.0	0.0
		Min	4.179	-1.973	-82.970	-0.0	0.0
-0.0							
0.0	INVSLE	Max	6.639	2.959	-32.388	0.0	0.0
		Min	3.119	-1.396	-62.382	-0.0	0.0
-0.0							
1487 0.0	C1-C2;~1	Max	2.948	1.257	7.805	0.0	0.0
		Min	-0.566	-1.542	-21.482	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.094	1.722	7.704	0.0	0.0
		Min	-0.562	-1.026	-22.609	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.729	0.672	4.450	0.0	0.0
		Min	-0.323	-0.874	-12.339	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.797	0.945	4.389	0.0	0.0
		Min	-0.320	-0.564	-12.988	-0.0	-0.0
-0.0							
0.0	G1		2.362	0.426	-14.800	-0.0	0.0
0.0	G2		0.921	0.172	-5.712	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.038	0.968	-0.109	-0.0	-0.0
0.0	Q5_ps		0.036	0.992	-0.202	-0.0	-0.0
0.0							
0.0	INVSLU	Max	9.375	4.137	-42.536	0.0	0.0
		Min	4.365	-2.011	-83.791	-0.0	0.0
-0.0							
0.0	INVSLE	Max	6.961	3.001	-32.449	0.0	0.0
		Min	3.256	-1.424	-62.993	-0.0	0.0
-0.0							
1488 0.0	C1-C2;~1	Max	2.047	0.781	6.683	0.0	0.0
		Min	-0.352	-1.633	-20.262	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.111	1.174	6.581	0.0	0.0
		Min	-0.345	-1.216	-20.531	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.208	0.397	3.811	0.0	0.0
		Min	-0.201	-0.929	-11.742	-0.0	-0.0
-0.0							

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	C3-C4 ; ~2	Max	1.243	0.636	3.748	0.0	0.0
-0.0		Min	-0.196	-0.683	-11.677	-0.0	-0.0
0.0	G1		1.615	0.011	-13.480	0.0	0.0
0.0	G2		0.632	0.023	-5.181	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.086	0.881	0.110	0.0	0.0
0.0	Q5_ps		-0.075	0.907	0.155	0.0	-0.0
0.0	INVS LU	Max	6.672	2.342	-39.885	0.0	0.0
-0.0		Min	3.191	-3.033	-76.821	-0.0	0.0
0.0	INVS LE	Max	4.961	1.672	-30.438	0.0	0.0
-0.0		Min	2.394	-2.192	-57.783	-0.0	0.0
1489 0.0	C1-C2 ; ~1	Max	2.187	0.803	6.913	0.0	0.0
-0.0		Min	-0.383	-1.674	-20.816	-0.0	-0.0
0.0	C3-C4 ; ~1	Max	2.259	1.206	6.808	0.0	0.0
-0.0		Min	-0.375	-1.248	-21.086	-0.0	-0.0
0.0	C1-C2 ; ~2	Max	1.292	0.408	3.942	0.0	0.0
-0.0		Min	-0.218	-0.952	-12.068	-0.0	-0.0
0.0	C3-C4 ; ~2	Max	1.328	0.653	3.877	0.0	0.0
-0.0		Min	-0.213	-0.700	-11.998	-0.0	-0.0
0.0	G1		1.728	0.015	-13.768	0.0	0.0
0.0	G2		0.676	0.025	-5.291	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.084	0.901	0.108	0.0	0.0
0.0	Q5_ps		-0.073	0.928	0.154	0.0	0.0
0.0	INVS LU	Max	7.104	2.413	-40.460	0.0	0.0
-0.0		Min	3.385	-3.097	-78.454	-0.0	0.0
0.0	INVS LE	Max	5.282	1.723	-30.875	0.0	0.0
-0.0		Min	2.538	-2.239	-59.004	-0.0	0.0


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


1490	C1-C2;~1	Max	2.328	0.824	7.137	0.0	0.0
0.0		Min	-0.415	-1.712	-21.341	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.409	1.237	7.029	0.0	0.0
0.0		Min	-0.407	-1.277	-21.610	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.377	0.419	4.070	0.0	0.0
0.0		Min	-0.236	-0.974	-12.378	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.415	0.669	4.003	0.0	0.0
0.0		Min	-0.231	-0.716	-12.300	-0.0	-0.0
-0.0							
0.0	G1		1.842	0.019	-14.028	0.0	0.0
0.0	G2		0.721	0.027	-5.390	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.082	0.920	0.107	0.0	0.0
0.0	Q5_ps		-0.071	0.947	0.154	0.0	-0.0
0.0							
	INVSLU	Max	7.540	2.482	-40.930	0.0	0.0
0.0		Min	3.579	-3.155	-79.931	-0.0	0.0
-0.0							
	INVSLE	Max	5.604	1.772	-31.233	0.0	0.0
0.0		Min	2.681	-2.280	-60.108	-0.0	0.0
-0.0							
1491	C1-C2;~1	Max	2.470	0.844	7.354	0.0	0.0
0.0		Min	-0.448	-1.748	-21.827	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	2.561	1.265	7.242	0.0	0.0
0.0		Min	-0.440	-1.303	-22.098	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.463	0.429	4.193	0.0	0.0
0.0		Min	-0.255	-0.993	-12.665	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	1.501	0.684	4.124	0.0	0.0
0.0		Min	-0.250	-0.731	-12.583	-0.0	-0.0
-0.0							
0.0	G1		1.957	0.024	-14.259	0.0	0.0
0.0	G2		0.766	0.029	-5.478	0.0	0.0
0.0							

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.080	0.938	0.105	0.0	0.0
0.0	Q5_ps		-0.069	0.966	0.154	0.0	0.0
0.0	INVS LU	Max	7.977	2.548	-41.297	0.0	0.0
-0.0		Min	3.771	-3.208	-81.246	-0.0	0.0
0.0	INVS LE	Max	5.928	1.820	-31.512	0.0	0.0
-0.0		Min	2.823	-2.318	-61.090	-0.0	0.0
1492	C1-C2;~1	Max	2.597	0.863	7.563	0.0	0.0
0.0		Min	-0.483	-1.781	-22.279	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.714	1.293	7.448	0.0	0.0
-0.0		Min	-0.474	-1.328	-22.550	-0.0	-0.0
0.0	C1-C2;~2	Max	1.549	0.438	4.313	0.0	0.0
-0.0		Min	-0.275	-1.012	-12.933	-0.0	-0.0
0.0	C3-C4;~2	Max	1.589	0.698	4.242	0.0	0.0
-0.0		Min	-0.269	-0.744	-12.845	-0.0	-0.0
0.0	G1		2.073	0.029	-14.461	0.0	0.0
0.0	G2		0.811	0.032	-5.554	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.078	0.954	0.104	0.0	0.0
0.0	Q5_ps		-0.067	0.983	0.154	0.0	0.0
0.0	INVS LU	Max	8.417	2.612	-41.558	0.0	0.0
-0.0		Min	3.961	-3.255	-82.397	-0.0	0.0
0.0	INVS LE	Max	6.254	1.866	-31.712	0.0	0.0
-0.0		Min	2.963	-2.353	-61.949	-0.0	0.0
1493	C1-C2;~1	Max	2.747	0.881	7.765	0.0	0.0
0.0		Min	-0.519	-1.813	-22.692	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	2.868	1.318	7.646	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	-0.509	-1.352	-22.965	-0.0	-0.0
0.0	C1-C2;~2	Max	1.635	0.447	4.428	0.0	0.0
-0.0		Min	-0.295	-1.030	-13.177	-0.0	-0.0
0.0	C3-C4;~2	Max	1.677	0.712	4.355	0.0	0.0
-0.0		Min	-0.290	-0.758	-13.087	-0.0	-0.0
0.0	G1		2.190	0.034	-14.635	0.0	0.0
0.0	G2		0.856	0.034	-5.618	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.076	0.969	0.102	0.0	0.0
0.0	Q5_ps		-0.065	0.998	0.153	0.0	0.0
0.0	INVSLU	Max	8.857	2.674	-41.716	0.0	0.0
-0.0		Min	4.148	-3.298	-83.384	-0.0	0.0
0.0	INVSLE	Max	6.579	1.911	-31.833	0.0	0.0
-0.0		Min	3.101	-2.383	-62.685	-0.0	0.0
1494	C1-C2;~1	Max	2.897	0.898	7.958	0.0	0.0
0.0		Min	-0.556	-1.842	-23.067	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.024	1.343	7.836	0.0	0.0
-0.0		Min	-0.546	-1.373	-23.345	-0.0	-0.0
0.0	C1-C2;~2	Max	1.723	0.455	4.538	0.0	0.0
-0.0		Min	-0.317	-1.046	-13.400	-0.0	-0.0
0.0	C3-C4;~2	Max	1.766	0.725	4.463	0.0	0.0
-0.0		Min	-0.311	-0.770	-13.308	-0.0	-0.0
0.0	G1		2.307	0.040	-14.779	0.0	0.0
0.0	G2		0.902	0.037	-5.671	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.074	0.983	0.099	0.0	0.0
0.0	Q5_ps		-0.063	1.013	0.151	0.0	0.0
0.0	INVSLU	Max	9.299	2.733	-41.774	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	4.332	-3.336	-84.211	-0.0	0.0
0.0	INVSLE	Max	6.906	1.954	-31.879	0.0	0.0
-0.0		Min	3.237	-2.411	-63.300	-0.0	0.0
1495	C1-C2;~1	Max	4.184	0.476	6.701	0.0	0.0
0.0		Min	-1.438	-0.115	-20.346	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.380	0.462	6.599	0.0	0.0
-0.0		Min	-1.414	-0.094	-20.612	-0.0	-0.0
0.0	C1-C2;~2	Max	2.411	0.290	3.821	0.0	0.0
-0.0		Min	-0.820	-0.065	-11.790	-0.0	-0.0
0.0	C3-C4;~2	Max	2.484	0.279	3.758	0.0	0.0
-0.0		Min	-0.805	-0.051	-11.722	-0.0	-0.0
0.0	G1		3.032	0.199	-13.558	-0.0	0.0
-0.0	G2		1.172	0.056	-5.215	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.088	0.821	0.104	-0.0	-0.0
0.0	Q5_ps		-0.080	0.770	0.149	-0.0	-0.0
0.0	INVSLE	Max	14.407	1.568	-39.806	0.0	0.0
-0.0		Min	6.395	-1.221	-76.866	-0.0	0.0
0.0	INVSLE	Max	10.763	1.027	-30.369	0.0	0.0
-0.0		Min	4.839	-0.867	-57.807	-0.0	0.0
1496	C1-C2;~1	Max	4.161	0.516	6.933	0.0	0.0
0.0		Min	-1.434	-0.128	-20.919	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.358	0.506	6.828	0.0	0.0
-0.0		Min	-1.410	-0.098	-21.186	-0.0	-0.0
0.0	C1-C2;~2	Max	2.398	0.316	3.954	0.0	0.0
-0.0		Min	-0.817	-0.073	-12.128	-0.0	-0.0
0.0	C3-C4;~2	Max	2.472	0.307	3.888	0.0	0.0


PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0		Min	-0.803	-0.054	-12.054	-0.0	-0.0
-0.0	G1		3.017	0.205	-13.851	-0.0	0.0
0.0	G2		1.166	0.055	-5.326	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.085	0.837	0.104	-0.0	-0.0
0.0	Q5_ps		-0.076	0.784	0.151	-0.0	-0.0
0.0	INVSLU	Max	14.061	1.597	-40.396	0.0	0.0
0.0		Min	6.089	-1.280	-78.545	-0.0	0.0
-0.0	INVSLE	Max	10.497	1.044	-30.819	0.0	0.0
0.0		Min	4.603	-0.912	-59.063	-0.0	0.0
-0.0							
1497	C1-C2;~1	Max	4.139	0.539	7.159	0.0	0.0
0.0		Min	-1.429	-0.135	-21.454	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.336	0.533	7.050	0.0	0.0
0.0		Min	-1.406	-0.102	-21.721	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.384	0.330	4.082	0.0	0.0
0.0		Min	-0.815	-0.076	-12.445	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.459	0.324	4.015	0.0	0.0
0.0		Min	-0.800	-0.056	-12.364	-0.0	-0.0
-0.0							
	G1		3.002	0.211	-14.113	-0.0	0.0
0.0	G2		1.160	0.056	-5.425	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.081	0.853	0.103	-0.0	0.0
0.0	Q5_ps		-0.073	0.799	0.151	-0.0	-0.0
0.0							
	INVSLU	Max	13.713	1.625	-40.872	0.0	0.0
0.0		Min	5.783	-1.319	-80.045	-0.0	0.0
-0.0							
	INVSLE	Max	10.229	1.062	-31.182	0.0	0.0
0.0		Min	4.365	-0.942	-60.185	-0.0	0.0
-0.0							


MIDAS

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
1498	C1-C2;~1	Max	4.115	0.550	7.376	0.0	0.0
0.0		Min	-1.425	-0.138	-21.953	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.314	0.547	7.264	0.0	0.0
0.0		Min	-1.402	-0.105	-22.217	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.370	0.337	4.206	0.0	0.0
0.0		Min	-0.812	-0.078	-12.741	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.446	0.332	4.137	0.0	0.0
0.0		Min	-0.798	-0.057	-12.652	-0.0	-0.0
-0.0							
	G1		2.986	0.217	-14.346	-0.0	0.0
0.0	G2		1.154	0.058	-5.513	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.078	0.868	0.102	-0.0	0.0
0.0	Q5_ps		-0.070	0.813	0.151	-0.0	-0.0
0.0							
	INVSLU	Max	13.363	1.655	-41.238	0.0	0.0
0.0		Min	5.476	-1.343	-81.373	-0.0	0.0
-0.0							
	INVSLE	Max	9.960	1.081	-31.461	0.0	0.0
0.0		Min	4.128	-0.959	-61.177	-0.0	0.0
-0.0							
1499	C1-C2;~1	Max	4.092	0.552	7.586	0.0	0.0
0.0		Min	-1.421	-0.138	-22.413	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.291	0.552	7.471	0.0	0.0
0.0		Min	-1.397	-0.108	-22.673	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.356	0.337	4.326	0.0	0.0
0.0		Min	-0.810	-0.077	-13.014	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.432	0.334	4.255	0.0	0.0
0.0		Min	-0.795	-0.059	-12.917	-0.0	-0.0
-0.0							
	G1		2.970	0.223	-14.548	-0.0	0.0
0.0	G2		1.148	0.061	-5.589	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	Q5_pc	-0.074	0.882	0.100	-0.0	0.0	
0.0	Q5_ps	-0.066	0.827	0.150	-0.0	0.0	
0.0	INVSLU	Max	13.013	1.686	-41.496	0.0	0.0
-0.0		Min	5.169	-1.354	-82.526	-0.0	0.0
0.0	INVSLE	Max	9.690	1.103	-31.658	0.0	0.0
-0.0		Min	3.890	-0.965	-62.037	-0.0	0.0
1500 0.0	C1-C2;~1	Max	4.067	0.542	7.788	0.0	0.0
-0.0		Min	-1.416	-0.134	-22.832	-0.0	-0.0
0.0	C3-C4;~1	Max	4.267	0.546	7.669	0.0	0.0
-0.0		Min	-1.392	-0.111	-23.087	-0.0	-0.0
0.0	C1-C2;~2	Max	2.341	0.329	4.441	0.0	0.0
-0.0		Min	-0.807	-0.075	-13.263	-0.0	-0.0
0.0	C3-C4;~2	Max	2.418	0.329	4.368	0.0	0.0
-0.0		Min	-0.793	-0.061	-13.158	-0.0	-0.0
0.0	G1	2.954	0.229	-14.719	-0.0	0.0	
0.0	G2	1.142	0.065	-5.653	-0.0	0.0	
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	-0.071	0.897	0.097	-0.0	0.0	
0.0	Q5_ps	-0.063	0.841	0.149	-0.0	0.0	
0.0	INVSLU	Max	12.662	1.718	-41.645	0.0	0.0
-0.0		Min	4.862	-1.350	-83.502	-0.0	0.0
0.0	INVSLE	Max	9.421	1.126	-31.772	0.0	0.0
-0.0		Min	3.652	-0.959	-62.764	-0.0	0.0
1501 0.0	C1-C2;~1	Max	4.042	0.514	7.981	0.0	0.0
-0.0		Min	-1.411	-0.123	-23.204	-0.0	-0.0
0.0	C3-C4;~1	Max	4.243	0.521	7.859	0.0	0.0
-0.0		Min	-1.388	-0.113	-23.455	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	


0.0	C1-C2;~2	Max	2.326	0.309	4.551	0.0	0.0
-0.0		Min	-0.804	-0.068	-13.485	-0.0	-0.0
0.0	C3-C4;~2	Max	2.404	0.311	4.476	0.0	0.0
-0.0		Min	-0.790	-0.062	-13.373	-0.0	-0.0
0.0	G1		2.939	0.235	-14.859	-0.0	0.0
0.0	G2		1.136	0.070	-5.705	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.067	0.911	0.094	-0.0	0.0
0.0	Q5_ps		-0.059	0.855	0.147	-0.0	0.0
0.0	INVSLU	Max	12.310	1.751	-41.683	0.0	0.0
-0.0		Min	4.556	-1.326	-84.292	-0.0	0.0
0.0	INVSLE	Max	9.151	1.152	-31.801	0.0	0.0
-0.0		Min	3.416	-0.938	-63.351	-0.0	0.0
1502	C1-C2;~1	Max	4.196	0.229	6.580	0.0	0.0
0.0		Min	-1.432	-0.205	-19.006	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.408	0.255	6.496	0.0	0.0
-0.0		Min	-1.417	-0.169	-19.981	-0.0	-0.0
0.0	C1-C2;~2	Max	2.415	0.134	3.752	0.0	0.0
-0.0		Min	-0.817	-0.131	-10.896	-0.0	-0.0
0.0	C3-C4;~2	Max	2.501	0.144	3.700	0.0	0.0
-0.0		Min	-0.807	-0.105	-11.452	-0.0	-0.0
0.0	G1		3.085	0.179	-13.584	0.0	0.0
0.0	G2		1.193	0.088	-5.254	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.061	0.868	-0.106	0.0	-0.0
0.0	Q5_ps		0.064	0.837	-0.190	0.0	0.0
0.0	INVSLU	Max	14.503	1.802	-40.433	0.0	0.0
-0.0		Min	6.508	-1.079	-76.482	-0.0	0.0

PROJECT TITLE :


	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	INVSLE	Max	10.833	1.285	-30.837	0.0	0.0
-0.0		Min	4.919	-0.663	-57.526	-0.0	0.0
1503	C1-C2;~1	Max	4.176	0.232	6.807	0.0	0.0
0.0		Min	-1.428	-0.244	-19.528	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.389	0.264	6.720	0.0	0.0
0.0		Min	-1.413	-0.194	-20.535	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.404	0.135	3.881	0.0	0.0
0.0		Min	-0.814	-0.157	-11.199	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.490	0.148	3.828	0.0	0.0
0.0		Min	-0.805	-0.121	-11.775	-0.0	-0.0
-0.0							
0.0	G1		3.070	0.185	-13.876	0.0	0.0
0.0	G2		1.187	0.093	-5.365	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.058	0.891	-0.106	0.0	0.0
0.0	Q5_ps		0.061	0.860	-0.191	0.0	0.0
0.0							
0.0	INVSLU	Max	14.160	1.876	-41.047	0.0	0.0
0.0		Min	6.203	-1.117	-78.149	-0.0	0.0
-0.0							
0.0	INVSLE	Max	10.568	1.340	-31.305	0.0	0.0
0.0		Min	4.682	-0.686	-58.774	-0.0	0.0
-0.0							
1504	C1-C2;~1	Max	4.156	0.234	7.027	0.0	0.0
0.0		Min	-1.424	-0.263	-20.012	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.369	0.272	6.936	0.0	0.0
0.0		Min	-1.408	-0.207	-21.051	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.392	0.136	4.007	0.0	0.0
0.0		Min	-0.812	-0.170	-11.481	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.478	0.152	3.951	0.0	0.0
0.0		Min	-0.802	-0.129	-12.076	-0.0	-0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0	G1	3.054	0.190	-14.138	0.0	0.0	
0.0	G2	1.181	0.097	-5.465	0.0	0.0	
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	0.055	0.909	-0.106	0.0	0.0	
0.0	Q5_ps	0.058	0.879	-0.193	0.0	0.0	
0.0	INVS LU	Max	13.813	1.929	-41.546	0.0	0.0
-0.0		Min	5.896	-1.144	-79.642	-0.0	0.0
0.0	INVS LE	Max	10.302	1.378	-31.685	0.0	0.0
-0.0		Min	4.445	-0.702	-59.890	-0.0	0.0
1505	C1-C2;~1	Max	4.135	0.236	7.239	0.0	0.0
0.0		Min	-1.419	-0.267	-20.461	-0.0	-0.0
-0.0	C3-C4;~1	Max	4.348	0.282	7.146	0.0	0.0
0.0		Min	-1.404	-0.211	-21.528	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.380	0.136	4.128	0.0	0.0
0.0		Min	-0.809	-0.172	-11.742	-0.0	-0.0
-0.0	C3-C4;~2	Max	2.466	0.158	4.071	0.0	0.0
0.0		Min	-0.800	-0.131	-12.355	-0.0	-0.0
-0.0	G1	3.039	0.196	-14.369	0.0	0.0	
0.0	G2	1.175	0.100	-5.553	0.0	0.0	
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	0.051	0.925	-0.107	0.0	0.0	
0.0	Q5_ps	0.054	0.895	-0.196	0.0	0.0	
0.0	INVS LU	Max	13.465	1.966	-41.935	0.0	0.0
-0.0		Min	5.588	-1.164	-80.963	-0.0	0.0
0.0	INVS LE	Max	10.035	1.404	-31.982	0.0	0.0
-0.0		Min	4.206	-0.715	-60.877	-0.0	0.0
1506	C1-C2;~1	Max	4.115	0.244	7.443	0.0	0.0
0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	-1.414	-0.259	-20.872	-0.0	-0.0
0.0	C3-C4;~1	Max	4.327	0.290	7.347	0.0	0.0
-0.0		Min	-1.399	-0.208	-21.967	-0.0	-0.0
0.0	C1-C2;~2	Max	2.368	0.136	4.244	0.0	0.0
-0.0		Min	-0.806	-0.167	-11.983	-0.0	-0.0
0.0	C3-C4;~2	Max	2.453	0.162	4.186	0.0	0.0
-0.0		Min	-0.797	-0.129	-12.612	-0.0	-0.0
0.0	G1		3.023	0.202	-14.571	0.0	0.0
0.0	G2		1.168	0.101	-5.629	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.048	0.939	-0.107	0.0	0.0
0.0	Q5_ps		0.051	0.908	-0.198	0.0	0.0
0.0	INVSLU	Max	13.116	1.988	-42.216	0.0	0.0
-0.0		Min	5.280	-1.179	-82.112	-0.0	0.0
0.0	INVSLE	Max	9.766	1.418	-32.196	0.0	0.0
-0.0		Min	3.968	-0.726	-61.735	-0.0	0.0
1507	C1-C2;~1	Max	4.093	0.248	7.640	0.0	0.0
0.0		Min	-1.409	-0.237	-21.244	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.305	0.298	7.541	0.0	0.0
-0.0		Min	-1.394	-0.196	-22.364	-0.0	-0.0
0.0	C1-C2;~2	Max	2.355	0.136	4.356	0.0	0.0
-0.0		Min	-0.803	-0.151	-12.200	-0.0	-0.0
0.0	C3-C4;~2	Max	2.441	0.167	4.296	0.0	0.0
-0.0		Min	-0.794	-0.121	-12.845	-0.0	-0.0
0.0	G1		3.007	0.208	-14.741	0.0	0.0
0.0	G2		1.162	0.102	-5.694	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.044	0.951	-0.108	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	Q5_ps		0.047	0.918	-0.201	0.0	0.0
0.0	INVSLU	Max	12.767	1.993	-42.386	0.0	0.0
-0.0		Min	4.973	-1.188	-83.085	-0.0	0.0
0.0	INVSLE	Max	9.497	1.419	-32.326	0.0	0.0
-0.0		Min	3.730	-0.733	-62.459	-0.0	0.0
1508	C1-C2;~1	Max	4.071	0.254	7.827	0.0	0.0
0.0		Min	-1.404	-0.193	-21.571	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.283	0.304	7.726	0.0	0.0
-0.0		Min	-1.389	-0.171	-22.720	-0.0	-0.0
0.0	C1-C2;~2	Max	2.343	0.142	4.463	0.0	0.0
-0.0		Min	-0.800	-0.120	-12.391	-0.0	-0.0
0.0	C3-C4;~2	Max	2.428	0.171	4.401	0.0	0.0
-0.0		Min	-0.791	-0.105	-13.054	-0.0	-0.0
0.0	G1		2.991	0.214	-14.880	0.0	0.0
-0.0	G2		1.156	0.102	-5.747	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.041	0.958	-0.109	0.0	0.0
0.0	Q5_ps		0.044	0.923	-0.205	0.0	0.0
0.0	INVSLU	Max	12.417	1.976	-42.443	0.0	0.0
-0.0		Min	4.666	-1.185	-83.879	-0.0	0.0
0.0	INVSLE	Max	9.228	1.403	-32.370	0.0	0.0
-0.0		Min	3.493	-0.733	-63.048	-0.0	0.0
1509	C1-C2;~1	Max	3.219	1.293	8.153	0.0	0.0
0.0		Min	-0.644	-1.582	-22.030	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.401	1.771	8.048	0.0	0.0
-0.0		Min	-0.640	-1.056	-23.197	-0.0	-0.0
0.0	C1-C2;~2	Max	1.900	0.691	4.649	0.0	0.0


PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0		Min	-0.367	-0.895	-12.657	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.973	0.972	4.585	0.0	0.0
0.0		Min	-0.364	-0.581	-13.331	-0.0	-0.0
-0.0							
0.0		G1	2.597	0.437	-14.992	-0.0	0.0
0.0		G2	1.012	0.176	-5.782	-0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0		Q5_pc	0.032	0.992	-0.110	-0.0	0.0
0.0		Q5_ps	0.031	1.016	-0.205	-0.0	0.0
0.0							
0.0	INVSLU	Max	10.245	4.236	-42.363	0.0	0.0
0.0		Min	4.727	-2.077	-84.883	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	7.605	3.072	-32.320	0.0	0.0
0.0		Min	3.522	-1.472	-63.802	-0.0	-0.0
-0.0							
1510	C1-C2;~1	Max	3.367	1.307	8.313	0.0	0.0
0.0		Min	-0.685	-1.599	-22.236	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.554	1.791	8.206	0.0	0.0
0.0		Min	-0.680	-1.069	-23.418	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.985	0.699	4.740	0.0	0.0
0.0		Min	-0.390	-0.905	-12.776	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.060	0.983	4.675	0.0	0.0
0.0		Min	-0.387	-0.587	-13.459	-0.0	-0.0
-0.0							
0.0		G1	2.713	0.441	-15.039	-0.0	0.0
0.0		G2	1.057	0.178	-5.800	-0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0		Q5_pc	0.029	1.002	-0.111	-0.0	0.0
0.0		Q5_ps	0.028	1.027	-0.208	-0.0	0.0
0.0							
0.0	INVSLU	Max	10.675	4.275	-42.112	0.0	0.0
0.0		Min	4.900	-2.107	-85.148	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	7.923	3.099	-32.131	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0		Min	3.649	-1.494	-63.994	-0.0	-0.0
-0.0							
1511	C1-C2;~1	Max	3.513	1.320	8.464	0.0	0.0
0.0		Min	-0.727	-1.617	-22.407	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.707	1.809	8.355	0.0	0.0
0.0		Min	-0.721	-1.080	-23.602	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.069	0.705	4.826	0.0	0.0
0.0		Min	-0.414	-0.915	-12.875	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.147	0.993	4.760	0.0	0.0
0.0		Min	-0.411	-0.593	-13.566	-0.0	-0.0
-0.0							
0.0	G1		2.828	0.445	-15.059	-0.0	0.0
0.0	G2		1.102	0.180	-5.806	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.026	1.011	-0.111	-0.0	0.0
0.0	Q5_ps		0.026	1.036	-0.210	-0.0	0.0
0.0							
0.0	INVSLU	Max	11.099	4.308	-41.765	0.0	0.0
0.0		Min	5.066	-2.138	-85.254	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	8.236	3.123	-31.868	0.0	0.0
0.0		Min	3.771	-1.517	-64.067	-0.0	-0.0
-0.0							
1512	C1-C2;~1	Max	3.659	1.331	8.605	0.0	0.0
0.0		Min	-0.771	-1.632	-22.544	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.859	1.823	8.494	0.0	0.0
0.0		Min	-0.764	-1.089	-23.746	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.153	0.711	4.907	0.0	0.0
0.0		Min	-0.439	-0.924	-12.954	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.234	1.001	4.839	0.0	0.0
0.0		Min	-0.435	-0.598	-13.650	-0.0	-0.0
-0.0							
0.0	G1		2.942	0.449	-15.049	-0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	G2	1.146	0.181	-5.800	-0.0	-0.0	
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	0.023	1.019	-0.111	-0.0	-0.0	
0.0	Q5_ps	0.024	1.043	-0.211	-0.0	0.0	
0.0	INVSLU	Max	11.518	4.334	-41.323	0.0	-0.0
-0.0		Min	5.227	-2.164	-85.197	-0.0	-0.0
0.0	INVSLE	Max	8.546	3.142	-31.534	0.0	-0.0
-0.0		Min	3.888	-1.536	-64.019	-0.0	-0.0
1513 0.0	C1-C2;~1	Max	3.804	1.341	8.736	0.0	0.0
-0.0		Min	-0.816	-1.645	-22.642	-0.0	-0.0
0.0	C3-C4;~1	Max	4.010	1.835	8.624	0.0	0.0
-0.0		Min	-0.808	-1.096	-23.851	-0.0	-0.0
0.0	C1-C2;~2	Max	2.236	0.716	4.982	0.0	0.0
-0.0		Min	-0.465	-0.931	-13.010	-0.0	-0.0
0.0	C3-C4;~2	Max	2.319	1.007	4.913	0.0	0.0
-0.0		Min	-0.460	-0.602	-13.710	-0.0	-0.0
0.0	G1	3.055	0.452	-15.011	-0.0	-0.0	
0.0	G2	1.190	0.183	-5.783	-0.0	-0.0	
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	0.020	1.025	-0.110	-0.0	-0.0	
0.0	Q5_ps	0.021	1.049	-0.211	-0.0	-0.0	
0.0	INVSLU	Max	11.930	4.355	-40.786	0.0	-0.0
-0.0		Min	5.380	-2.187	-84.977	-0.0	-0.0
0.0	INVSLE	Max	8.850	3.157	-31.128	0.0	-0.0
-0.0		Min	4.001	-1.553	-63.848	-0.0	-0.0
1514 0.0	C1-C2;~1	Max	3.948	1.349	8.858	0.0	0.0
-0.0		Min	-0.861	-1.654	-22.705	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	C3-C4;~1	Max	4.159	1.845	8.744	0.0	0.0
-0.0		Min	-0.854	-1.101	-23.916	-0.0	-0.0
0.0	C1-C2;~2	Max	2.318	0.721	5.051	0.0	0.0
-0.0		Min	-0.491	-0.936	-13.046	-0.0	-0.0
0.0	C3-C4;~2	Max	2.404	1.012	4.982	0.0	0.0
-0.0		Min	-0.486	-0.605	-13.747	-0.0	-0.0
0.0	G1		3.166	0.455	-14.946	-0.0	-0.0
0.0	G2		1.233	0.184	-5.755	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.017	1.030	-0.109	-0.0	-0.0
0.0	Q5_ps		0.019	1.054	-0.210	-0.0	-0.0
0.0	INVSLU	Max	12.334	4.371	-40.159	0.0	-0.0
-0.0		Min	5.526	-2.205	-84.600	-0.0	-0.0
0.0	INVSLE	Max	9.148	3.168	-30.653	0.0	-0.0
-0.0		Min	4.107	-1.567	-63.558	-0.0	-0.0
1515	C1-C2;~1	Max	4.091	1.355	8.969	0.0	0.0
0.0		Min	-0.908	-1.660	-22.735	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.308	1.852	8.854	0.0	0.0
-0.0		Min	-0.900	-1.104	-23.946	-0.0	-0.0
0.0	C1-C2;~2	Max	2.400	0.724	5.114	0.0	0.0
-0.0		Min	-0.518	-0.940	-13.064	-0.0	-0.0
0.0	C3-C4;~2	Max	2.487	1.015	5.044	0.0	0.0
-0.0		Min	-0.512	-0.606	-13.764	-0.0	-0.0
0.0	G1		3.275	0.458	-14.853	-0.0	-0.0
0.0	G2		1.275	0.185	-5.716	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.013	1.033	-0.107	-0.0	-0.0
0.0	Q5_ps		0.017	1.058	-0.207	-0.0	-0.0

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	INVSLE	Max	12.731	4.382	-39.443	0.0	-0.0
-0.0		Min	5.665	-2.219	-84.071	-0.0	-0.0
0.0	INVSLE	Max	9.441	3.175	-30.112	0.0	-0.0
-0.0		Min	4.209	-1.577	-63.156	-0.0	-0.0
1516 0.0	C1-C2;~1	Max	3.202	0.926	8.319	0.0	0.0
-0.0		Min	-0.635	-1.891	-23.689	-0.0	-0.0
0.0	C3-C4;~1	Max	3.339	1.387	8.191	0.0	0.0
-0.0		Min	-0.624	-1.409	-23.960	-0.0	-0.0
0.0	C1-C2;~2	Max	1.899	0.469	4.744	0.0	0.0
-0.0		Min	-0.362	-1.074	-13.768	-0.0	-0.0
0.0	C3-C4;~2	Max	1.946	0.748	4.665	0.0	0.0
-0.0		Min	-0.355	-0.790	-13.664	-0.0	-0.0
0.0	G1		2.543	0.053	-14.972	0.0	0.0
0.0	G2		0.993	0.042	-5.740	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.069	1.007	0.094	0.0	0.0
0.0	Q5_ps		-0.059	1.037	0.149	0.0	0.0
0.0	INVSLE	Max	10.182	2.844	-41.552	0.0	0.0
-0.0		Min	4.693	-3.394	-85.299	-0.0	-0.0
0.0	INVSLE	Max	7.559	2.035	-31.714	0.0	0.0
-0.0		Min	3.502	-2.452	-64.106	-0.0	-0.0
1517 0.0	C1-C2;~1	Max	3.353	0.938	8.484	0.0	0.0
-0.0		Min	-0.676	-1.910	-23.924	-0.0	-0.0
0.0	C3-C4;~1	Max	3.496	1.406	8.354	0.0	0.0
-0.0		Min	-0.664	-1.423	-24.192	-0.0	-0.0
0.0	C1-C2;~2	Max	1.987	0.475	4.838	0.0	0.0
		Min	-0.385	-1.084	-13.907	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-0.0							
0.0	C3-C4;~2	Max	2.035	0.758	4.758	0.0	0.0
-0.0		Min	-0.378	-0.798	-13.798	-0.0	-0.0
0.0	G1		2.659	0.060	-15.021	0.0	0.0
0.0	G2		1.038	0.045	-5.758	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.066	1.017	0.091	0.0	0.0
0.0	Q5_ps		-0.057	1.048	0.146	0.0	0.0
0.0	INVSLU	Max	10.617	2.896	-41.284	0.0	0.0
-0.0		Min	4.865	-3.412	-85.561	-0.0	-0.0
0.0	INVSLE	Max	7.880	2.072	-31.511	0.0	0.0
-0.0		Min	3.629	-2.465	-64.296	-0.0	-0.0
1518	C1-C2;~1	Max	3.504	0.949	8.640	0.0	0.0
0.0		Min	-0.719	-1.925	-24.122	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.652	1.424	8.508	0.0	0.0
-0.0		Min	-0.706	-1.435	-24.386	-0.0	-0.0
0.0	C1-C2;~2	Max	2.074	0.480	4.927	0.0	0.0
-0.0		Min	-0.409	-1.093	-14.023	-0.0	-0.0
0.0	C3-C4;~2	Max	2.124	0.768	4.845	0.0	0.0
-0.0		Min	-0.402	-0.804	-13.910	-0.0	-0.0
0.0	G1		2.775	0.068	-15.041	0.0	0.0
0.0	G2		1.083	0.048	-5.764	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.064	1.026	0.088	0.0	0.0
0.0	Q5_ps		-0.054	1.057	0.144	0.0	0.0
0.0	INVSLU	Max	11.047	2.945	-40.917	0.0	0.0
-0.0		Min	5.032	-3.423	-85.662	-0.0	-0.0
0.0	INVSLE	Max	8.198	2.108	-31.233	0.0	0.0
-0.0		Min	3.751	-2.472	-64.366	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-0.0

1519 C1-C2;~1 Max 3.655 0.960 8.787 0.0 0.0
 0.0 Min -0.762 -1.937 -24.279 -0.0 -0.0

-0.0

C3-C4;~1 Max 3.808 1.440 8.652 0.0 0.0
 0.0 Min -0.749 -1.443 -24.541 -0.0 -0.0

-0.0

C1-C2;~2 Max 2.161 0.484 5.011 0.0 0.0
 0.0 Min -0.434 -1.099 -14.115 -0.0 -0.0

-0.0

C3-C4;~2 Max 2.212 0.776 4.928 0.0 0.0
 0.0 Min -0.426 -0.809 -13.999 -0.0 -0.0

-0.0

G1 2.889 0.076 -15.032 0.0 -0.0

0.0

G2 1.127 0.052 -5.758 0.0 -0.0

0.0

Q3 0.000 0.000 0.000 0.0 0.0

0.0

Q5_pc -0.061 1.033 0.085 0.0 0.0

0.0

Q5_ps -0.052 1.064 0.141 0.0 0.0

0.0

INVSLU Max 11.471 2.992 -40.455 0.0 0.0

0.0

Min 5.191 -3.426 -85.602 -0.0 -0.0

-0.0

INVSLE Max 8.511 2.142 -30.884 0.0 0.0

0.0

Min 3.868 -2.474 -64.314 -0.0 -0.0

-0.0

1520 C1-C2;~1 Max 3.805 0.970 8.925 0.0 0.0
 0.0 Min -0.808 -1.944 -24.391 -0.0 -0.0

-0.0

C3-C4;~1 Max 3.963 1.454 8.787 0.0 0.0
 0.0 Min -0.794 -1.448 -24.654 -0.0 -0.0

-0.0

C1-C2;~2 Max 2.247 0.490 5.089 0.0 0.0
 0.0 Min -0.460 -1.103 -14.181 -0.0 -0.0

-0.0

C3-C4;~2 Max 2.300 0.784 5.004 0.0 0.0
 0.0 Min -0.452 -0.811 -14.064 -0.0 -0.0

-0.0


G1 3.003 0.085 -14.995 0.0 -0.0

0.0


G2 1.171 0.056 -5.741 0.0 -0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	-0.058	1.040	0.082	0.0	0.0	
0.0	Q5_ps	-0.049	1.070	0.138	0.0	0.0	
0.0	INVS LU	Max	11.889	3.037	-39.899	0.0	-0.0
0.0		Min	5.344	-3.422	-85.376	-0.0	-0.0
-0.0	INVS LE	Max	8.819	2.175	-30.463	0.0	-0.0
0.0		Min	3.979	-2.471	-64.139	-0.0	-0.0
-0.0							
1521	C1-C2;~1	Max	3.953	0.985	9.052	0.0	0.0
0.0		Min	-0.854	-1.948	-24.463	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.117	1.467	8.912	0.0	0.0
0.0		Min	-0.840	-1.451	-24.726	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.332	0.498	5.162	0.0	0.0
0.0		Min	-0.487	-1.105	-14.222	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.386	0.791	5.076	0.0	0.0
0.0		Min	-0.478	-0.813	-14.105	-0.0	-0.0
-0.0							
	G1		3.114	0.095	-14.930	0.0	-0.0
0.0	G2		1.214	0.060	-5.713	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.055	1.044	0.078	0.0	0.0
0.0	Q5_ps		-0.046	1.075	0.135	0.0	0.0
0.0	INVS LU	Max	12.298	3.081	-39.252	0.0	-0.0
0.0		Min	5.489	-3.409	-84.992	-0.0	-0.0
-0.0							
	INVS LE	Max	9.122	2.207	-29.973	0.0	-0.0
0.0		Min	4.085	-2.461	-63.845	-0.0	-0.0
-0.0							
1522	C1-C2;~1	Max	4.099	0.998	9.168	0.0	0.0
0.0		Min	-0.902	-1.947	-24.495	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.269	1.479	9.026	0.0	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0		Min	-0.887	-1.451	-24.762	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.415	0.506	5.228	0.0	0.0
0.0		Min	-0.514	-1.104	-14.240	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.472	0.798	5.141	0.0	0.0
0.0		Min	-0.505	-0.812	-14.126	-0.0	-0.0
-0.0							
0.0	G1		3.224	0.106	-14.838	0.0	-0.0
0.0	G2		1.257	0.064	-5.674	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.052	1.048	0.075	0.0	0.0
0.0	Q5_ps		-0.044	1.079	0.132	0.0	0.0
0.0							
0.0	INVSLU	Max	12.700	3.124	-38.518	0.0	-0.0
0.0		Min	5.625	-3.388	-84.458	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	9.418	2.239	-29.419	0.0	-0.0
0.0		Min	4.184	-2.446	-63.439	-0.0	-0.0
-0.0							
1523	C1-C2;~1	Max	3.993	0.524	8.343	0.0	0.0
0.0		Min	-1.401	-0.121	-23.843	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.191	0.537	8.215	0.0	0.0
0.0		Min	-1.377	-0.119	-24.105	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.297	0.313	4.758	0.0	0.0
0.0		Min	-0.799	-0.066	-13.866	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.373	0.320	4.679	0.0	0.0
0.0		Min	-0.784	-0.065	-13.756	-0.0	-0.0
-0.0							
0.0	G1		2.907	0.246	-15.052	-0.0	0.0
0.0	G2		1.124	0.074	-5.775	-0.0	0.0
-0.0							
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.060	0.933	0.089	-0.0	0.0
0.0	Q5_ps		-0.052	0.877	0.143	-0.0	0.0
0.0							
0.0	INVSLU	Max	11.605	1.795	-41.462	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0		Min	3.948	-1.355	-85.427	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	8.609	1.181	-31.636	0.0	0.0
0.0		Min	2.945	-0.958	-64.191	-0.0	-0.0
-0.0							
1524	C1-C2;~1	Max	3.969	0.562	8.511	0.0	0.0
0.0		Min	-1.396	-0.129	-24.111	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.167	0.579	8.380	0.0	0.0
0.0		Min	-1.372	-0.123	-24.375	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.283	0.338	4.853	0.0	0.0
0.0		Min	-0.796	-0.070	-14.028	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.360	0.347	4.773	0.0	0.0
0.0		Min	-0.781	-0.068	-13.915	-0.0	-0.0
-0.0							
0.0	G1		2.891	0.253	-15.105	-0.0	0.0
0.0	G2		1.118	0.074	-5.792	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.056	0.942	0.087	-0.0	0.0
0.0	Q5_ps		-0.049	0.884	0.142	-0.0	0.0
0.0							
0.0	INVSLU	Max	11.261	1.806	-41.208	0.0	0.0
0.0		Min	3.649	-1.409	-85.759	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	8.344	1.185	-31.445	0.0	0.0
0.0		Min	2.713	-1.000	-64.434	-0.0	-0.0
-0.0							
1525	C1-C2;~1	Max	3.946	0.582	8.669	0.0	0.0
0.0		Min	-1.390	-0.132	-24.323	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.144	0.601	8.535	0.0	0.0
0.0		Min	-1.366	-0.127	-24.587	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.269	0.350	4.943	0.0	0.0
0.0		Min	-0.792	-0.072	-14.154	-0.0	-0.0
-0.0							

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
0.0	C3-C4;~2	Max	2.346	0.361	4.861	0.0	0.0	
		Min	-0.778	-0.070	-14.039	-0.0	-0.0	
-0.0		G1	2.875	0.258	-15.126	-0.0	0.0	
0.0		G2	1.112	0.075	-5.798	-0.0	0.0	
0.0		Q3	0.000	0.000	0.000	0.0	0.0	
0.0		Q5_pc	-0.053	0.950	0.084	-0.0	0.0	
0.0		Q5_ps	-0.045	0.891	0.140	-0.0	0.0	
0.0	INVSLU	Max	10.920	1.814	-40.846	0.0	0.0	
		Min	3.353	-1.444	-85.892	-0.0	-0.0	
-0.0		INVSLE	Max	8.082	1.188	-31.172	0.0	0.0
0.0		Min	2.484	-1.027	-64.529	-0.0	-0.0	
-0.0								
1526	C1-C2;~1	Max	3.922	0.591	8.817	0.0	0.0	
0.0		Min	-1.385	-0.131	-24.485	-0.0	-0.0	
-0.0								
0.0	C3-C4;~1	Max	4.121	0.613	8.681	0.0	0.0	
		Min	-1.361	-0.130	-24.745	-0.0	-0.0	
-0.0								
0.0	C1-C2;~2	Max	2.255	0.355	5.028	0.0	0.0	
		Min	-0.789	-0.070	-14.250	-0.0	-0.0	
-0.0								
0.0	C3-C4;~2	Max	2.333	0.368	4.944	0.0	0.0	
		Min	-0.775	-0.071	-14.130	-0.0	-0.0	
-0.0								
0.0		G1	2.860	0.264	-15.117	-0.0	-0.0	
0.0		G2	1.106	0.076	-5.792	-0.0	-0.0	
0.0		Q3	0.000	0.000	0.000	0.0	0.0	
0.0		Q5_pc	-0.049	0.958	0.081	-0.0	0.0	
0.0		Q5_ps	-0.041	0.898	0.137	-0.0	0.0	
0.0								
0.0	INVSLU	Max	10.584	1.823	-40.384	0.0	-0.0	
		Min	3.062	-1.466	-85.838	-0.0	-0.0	
-0.0								
0.0	INVSLE	Max	7.823	1.193	-30.823	0.0	-0.0	
		Min	2.258	-1.043	-64.481	-0.0	-0.0	
-0.0								


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

1527	C1-C2;~1	Max	3.898	0.589	8.955	0.0	0.0
0.0		Min	-1.379	-0.127	-24.600	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.097	0.614	8.817	0.0	0.0
0.0		Min	-1.355	-0.133	-24.852	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.240	0.353	5.107	0.0	0.0
0.0		Min	-0.786	-0.068	-14.317	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.319	0.368	5.021	0.0	0.0
0.0		Min	-0.771	-0.073	-14.191	-0.0	-0.0
-0.0							
	G1		2.845	0.270	-15.079	-0.0	-0.0
0.0	G2		1.100	0.079	-5.775	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.046	0.965	0.077	-0.0	0.0
0.0	Q5_ps		-0.038	0.905	0.134	-0.0	0.0
0.0							
	INVSLU	Max	10.250	1.831	-39.823	0.0	-0.0
0.0		Min	2.775	-1.480	-85.601	-0.0	-0.0
-0.0							
	INVSLE	Max	7.566	1.198	-30.399	0.0	-0.0
0.0		Min	2.036	-1.053	-64.298	-0.0	-0.0
-0.0							
1528	C1-C2;~1	Max	3.873	0.576	9.082	0.0	0.0
0.0		Min	-1.373	-0.119	-24.665	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.073	0.604	8.942	0.0	0.0
0.0		Min	-1.349	-0.135	-24.905	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.225	0.344	5.179	0.0	0.0
0.0		Min	-0.783	-0.062	-14.355	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.305	0.361	5.093	0.0	0.0
0.0		Min	-0.768	-0.074	-14.219	-0.0	-0.0
-0.0							
	G1		2.830	0.275	-15.011	-0.0	-0.0
0.0	G2		1.094	0.082	-5.746	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0						
	Q5_pc	-0.042	0.972	0.073	-0.0	0.0
0.0						
	Q5_ps	-0.034	0.912	0.131	-0.0	0.0
0.0						
	INVSLU	Max	9.921	1.840	-39.167	0.0
0.0		Min	2.494	-1.483	-85.181	-0.0
-0.0						
	INVSLE	Max	7.313	1.205	-29.901	0.0
0.0		Min	1.817	-1.053	-63.976	-0.0
-0.0						
1529	C1-C2;~1	Max	3.848	0.545	9.198	0.0
0.0		Min	-1.367	-0.110	-24.675	-0.0
-0.0						
	C3-C4;~1	Max	4.049	0.575	9.056	0.0
0.0		Min	-1.343	-0.137	-24.909	-0.0
-0.0						
	C1-C2;~2	Max	2.211	0.322	5.246	0.0
0.0		Min	-0.779	-0.059	-14.358	-0.0
-0.0						
	C3-C4;~2	Max	2.290	0.340	5.158	0.0
0.0		Min	-0.764	-0.075	-14.218	-0.0
-0.0						
	G1		2.815	0.281	-14.913	-0.0
0.0						
	G2		1.088	0.087	-5.706	-0.0
0.0						
	Q3		0.000	0.000	0.000	0.0
0.0						
	Q5_pc		-0.038	0.978	0.069	-0.0
0.0						
	Q5_ps		-0.031	0.919	0.126	-0.0
0.0						
	INVSLU	Max	9.598	1.846	-38.414	0.0
0.0		Min	2.218	-1.472	-84.583	-0.0
-0.0						
	INVSLE	Max	7.064	1.211	-29.331	0.0
0.0		Min	1.603	-1.043	-63.520	-0.0
-0.0						
1530	C1-C2;~1	Max	4.023	0.267	8.177	0.0
0.0		Min	-1.393	-0.187	-22.141	-0.0
-0.0						
	C3-C4;~1	Max	4.236	0.320	8.072	0.0
0.0		Min	-1.378	-0.166	-23.341	-0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-0.0							
0.0	C1-C2;~2	Max	2.314	0.149	4.663	0.0	0.0
-0.0		Min	-0.794	-0.115	-12.725	-0.0	-0.0
0.0	C3-C4;~2	Max	2.399	0.179	4.598	0.0	0.0
-0.0		Min	-0.785	-0.102	-13.423	-0.0	-0.0
0.0	G1		2.959	0.226	-15.071	0.0	0.0
0.0	G2		1.144	0.106	-5.817	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.034	0.981	-0.109	0.0	-0.0
0.0	Q5_ps		0.037	0.944	-0.207	0.0	-0.0
0.0	INVSLU	Max	11.715	2.035	-42.266	0.0	0.0
-0.0		Min	4.056	-1.195	-85.012	-0.0	-0.0
0.0	INVSLE	Max	8.689	1.443	-32.238	0.0	0.0
-0.0		Min	3.020	-0.739	-63.887	-0.0	-0.0
1531	C1-C2;~1	Max	4.002	0.272	8.339	0.0	0.0
0.0		Min	-1.387	-0.225	-22.380	-0.0	-0.0
-0.0	C3-C4;~1	Max	4.214	0.328	8.232	0.0	0.0
0.0		Min	-1.373	-0.189	-23.598	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.302	0.152	4.755	0.0	0.0
0.0		Min	-0.791	-0.141	-12.866	-0.0	-0.0
-0.0	C3-C4;~2	Max	2.387	0.184	4.690	0.0	0.0
0.0		Min	-0.782	-0.116	-13.575	-0.0	-0.0
-0.0	G1		2.943	0.231	-15.123	0.0	0.0
0.0	G2		1.138	0.112	-5.834	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.030	0.996	-0.108	0.0	-0.0
0.0	Q5_ps		0.034	0.960	-0.206	0.0	-0.0
0.0	INVSLU	Max	11.371	2.110	-42.033	0.0	0.0
0.0		Min	3.756	-1.210	-85.343	-0.0	-0.0

MIDAS


PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


-0.0							
0.0	INVSLE	Max	8.424	1.500	-32.063	0.0	0.0
-0.0		Min	2.787	-0.746	-64.130	-0.0	-0.0
1532	C1-C2;~1	Max	3.982	0.277	8.491	0.0	0.0
0.0		Min	-1.381	-0.243	-22.568	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.192	0.335	8.382	0.0	0.0
-0.0		Min	-1.367	-0.198	-23.799	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	2.290	0.155	4.842	0.0	0.0
0.0		Min	-0.787	-0.153	-12.977	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.374	0.187	4.775	0.0	0.0
-0.0		Min	-0.779	-0.122	-13.693	-0.0	-0.0
0.0	G1		2.928	0.237	-15.144	0.0	0.0
0.0	G2		1.132	0.115	-5.840	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.027	1.007	-0.107	0.0	-0.0
0.0	Q5_ps		0.030	0.972	-0.206	0.0	0.0
0.0							
0.0	INVSLU	Max	11.031	2.162	-41.693	0.0	0.0
-0.0		Min	3.459	-1.213	-85.477	-0.0	-0.0
0.0							
-0.0	INVSLE	Max	8.163	1.538	-31.807	0.0	0.0
0.0		Min	2.558	-0.746	-64.225	-0.0	-0.0
-0.0							
1533	C1-C2;~1	Max	3.963	0.282	8.634	0.0	0.0
0.0		Min	-1.375	-0.246	-22.709	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.170	0.341	8.523	0.0	0.0
-0.0		Min	-1.361	-0.200	-23.947	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	2.279	0.157	4.923	0.0	0.0
0.0		Min	-0.784	-0.155	-13.058	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.361	0.190	4.855	0.0	0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
		Min	-0.775	-0.123	-13.779	-0.0	-0.0
-0.0	G1		2.912	0.243	-15.134	0.0	-0.0
0.0	G2		1.126	0.118	-5.835	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.023	1.015	-0.106	0.0	-0.0
0.0	Q5_ps		0.026	0.980	-0.207	0.0	0.0
	INVSLU	Max	10.694	2.196	-41.251	0.0	-0.0
0.0		Min	3.167	-1.210	-85.426	-0.0	-0.0
-0.0	INVSLE	Max	7.904	1.563	-31.473	0.0	-0.0
0.0		Min	2.331	-0.742	-64.181	-0.0	-0.0
-0.0							
1534	C1-C2;~1	Max	3.943	0.287	8.766	0.0	0.0
0.0		Min	-1.369	-0.238	-22.805	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.148	0.346	8.653	0.0	0.0
0.0		Min	-1.355	-0.194	-24.045	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.267	0.160	4.998	0.0	0.0
0.0		Min	-0.780	-0.149	-13.113	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.348	0.193	4.930	0.0	0.0
0.0		Min	-0.772	-0.119	-13.835	-0.0	-0.0
-0.0							
	G1		2.897	0.249	-15.095	0.0	-0.0
0.0	G2		1.120	0.120	-5.817	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.019	1.022	-0.106	0.0	0.0
0.0	Q5_ps		0.023	0.986	-0.207	0.0	0.0
0.0							
	INVSLU	Max	10.360	2.216	-40.711	0.0	-0.0
0.0		Min	2.879	-1.203	-85.195	-0.0	-0.0
-0.0							
	INVSLE	Max	7.647	1.577	-31.064	0.0	-0.0
0.0		Min	2.108	-0.736	-64.001	-0.0	-0.0
-0.0							
1535	C1-C2;~1	Max	3.923	0.291	8.887	0.0	0.0


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0		Min	-1.362	-0.215	-22.857	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.125	0.349	8.773	0.0	0.0
0.0		Min	-1.349	-0.180	-24.090	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.255	0.162	5.068	0.0	0.0
0.0		Min	-0.777	-0.133	-13.143	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.335	0.195	4.998	0.0	0.0
0.0		Min	-0.768	-0.110	-13.858	-0.0	-0.0
-0.0							
0.0	G1		2.881	0.255	-15.026	0.0	-0.0
0.0	G2		1.114	0.121	-5.789	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.015	1.026	-0.106	0.0	0.0
0.0	Q5_ps		0.019	0.988	-0.208	0.0	0.0
0.0							
0.0	INVSLU	Max	10.032	2.218	-40.073	0.0	-0.0
0.0		Min	2.596	-1.189	-84.782	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	7.394	1.576	-30.581	0.0	-0.0
0.0		Min	1.889	-0.728	-63.685	-0.0	-0.0
-0.0							
1536	C1-C2;~1	Max	3.903	0.295	8.997	0.0	0.0
0.0		Min	-1.355	-0.172	-22.858	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.103	0.351	8.882	0.0	0.0
0.0		Min	-1.342	-0.172	-24.090	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.244	0.164	5.131	0.0	0.0
0.0		Min	-0.773	-0.103	-13.140	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.322	0.196	5.060	0.0	0.0
0.0		Min	-0.765	-0.100	-13.855	-0.0	-0.0
-0.0							
0.0	G1		2.866	0.261	-14.927	0.0	-0.0
0.0	G2		1.108	0.120	-5.749	0.0	-0.0
-0.0							
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.012	1.026	-0.106	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-0.0						
	Q5_ps		0.015	0.986	-0.209	0.0
-0.0						
	INVS LU	Max	9.708	2.196	-39.337	0.0
0.0		Min	2.318	-1.165	-84.196	-0.0
-0.0						
	INVS LE	Max	7.145	1.557	-30.023	0.0
0.0		Min	1.673	-0.713	-63.238	-0.0
-0.0						
1537	C1-C2;~1	Max	0.039	0.061	0.342	0.0
0.0		Min	-0.017	-0.063	-1.164	-0.0
-0.0						
	C3-C4;~1	Max	0.030	0.081	0.338	0.0
0.0		Min	-0.026	-0.041	-1.253	-0.0
-0.0						
	C1-C2;~2	Max	0.022	0.033	0.195	0.0
0.0		Min	-0.009	-0.036	-0.656	-0.0
-0.0						
	C3-C4;~2	Max	0.017	0.045	0.192	0.0
0.0		Min	-0.015	-0.023	-0.707	-0.0
-0.0						
	G1		0.005	0.025	-0.940	-0.0
0.0						
	G2		0.002	0.009	-0.365	-0.0
0.0						
	Q3		0.000	0.000	0.000	0.0
0.0						
	Q5_pc		0.011	0.055	0.004	-0.0
0.0						
	Q5_ps		0.009	0.055	-0.006	-0.0
0.0						
	INVS LU	Max	0.075	0.230	-2.801	-0.0
0.0		Min	-0.034	-0.063	-4.961	-0.0
-0.0						
	INVS LE	Max	0.055	0.168	-2.134	-0.0
0.0		Min	-0.024	-0.041	-3.734	-0.0
-0.0						
1538	C1-C2;~1	Max	0.080	0.126	0.662	0.0
0.0		Min	-0.021	-0.133	-2.173	-0.0
-0.0						
	C3-C4;~1	Max	0.064	0.169	0.654	0.0
0.0		Min	-0.035	-0.087	-2.306	-0.0
-0.0						

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	C1-C2;~2	Max	0.046	0.068	0.378	0.0	0.0
		Min	-0.010	-0.075	-1.231	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.036	0.094	0.373	0.0	0.0
		Min	-0.019	-0.049	-1.306	-0.0	-0.0
-0.0							
0.0	G1		0.023	0.051	-1.717	-0.0	0.0
0.0	G2		0.009	0.018	-0.666	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.020	0.114	-0.008	-0.0	0.0
0.0	Q5_ps		0.017	0.114	-0.023	-0.0	0.0
0.0							
0.0	INVSLU	Max	0.180	0.474	-5.351	0.0	0.0
		Min	-0.012	-0.138	-9.372	-0.0	0.0
-0.0							
0.0	INVSLE	Max	0.133	0.348	-4.085	0.0	0.0
		Min	-0.007	-0.091	-7.063	-0.0	0.0
-0.0							
1539	C1-C2;~1	Max	0.126	0.193	0.982	0.0	0.0
0.0		Min	-0.025	-0.208	-3.174	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	0.105	0.261	0.970	0.0	0.0
		Min	-0.038	-0.137	-3.352	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.073	0.104	0.560	0.0	0.0
		Min	-0.012	-0.118	-1.802	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.060	0.145	0.552	0.0	0.0
		Min	-0.020	-0.076	-1.901	-0.0	-0.0
-0.0							
0.0	G1		0.050	0.077	-2.483	-0.0	0.0
0.0	G2		0.019	0.028	-0.963	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.027	0.175	-0.019	-0.0	0.0
0.0	Q5_ps		0.023	0.175	-0.037	-0.0	0.0
0.0							
0.0	INVSLU	Max	0.312	0.727	-7.861	0.0	0.0
		Min	0.042	-0.221	-13.745	-0.0	0.0
-0.0							

MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
							PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H
	INVSLE	Max	0.231	0.533	-6.006	0.0	0.0
0.0		Min	0.034	-0.146	-10.362	-0.0	0.0
-0.0							
1540	C1-C2;~1	Max	0.175	0.261	1.299	0.0	0.0
0.0		Min	-0.029	-0.286	-4.161	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	0.153	0.355	1.283	0.0	0.0
0.0		Min	-0.034	-0.189	-4.382	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.103	0.139	0.741	0.0	0.0
0.0		Min	-0.015	-0.163	-2.366	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.088	0.196	0.731	0.0	0.0
0.0		Min	-0.017	-0.105	-2.489	-0.0	-0.0
-0.0							
	G1		0.083	0.103	-3.232	-0.0	0.0
0.0	G2		0.032	0.037	-1.253	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.034	0.236	-0.029	-0.0	0.0
0.0	Q5_ps		0.030	0.236	-0.050	-0.0	0.0
0.0							
	INVSLU	Max	0.468	0.981	-10.316	0.0	0.0
0.0		Min	0.123	-0.309	-18.038	-0.0	0.0
-0.0							
	INVSLE	Max	0.347	0.718	-7.884	0.0	0.0
0.0		Min	0.096	-0.206	-13.600	-0.0	0.0
-0.0							
1541	C1-C2;~1	Max	0.230	0.326	1.615	0.0	0.0
0.0		Min	-0.033	-0.365	-5.137	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	0.207	0.448	1.595	0.0	0.0
0.0		Min	-0.038	-0.242	-5.400	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.136	0.174	0.921	0.0	0.0
0.0		Min	-0.018	-0.208	-2.924	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.121	0.248	0.909	0.0	0.0
0.0		Min	-0.020	-0.135	-3.069	-0.0	-0.0
-0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	G1		0.124	0.129	-3.968	-0.0	0.0
0.0	G2		0.048	0.047	-1.537	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.041	0.295	-0.035	-0.0	0.0
0.0	Q5_ps		0.035	0.296	-0.060	-0.0	0.0
0.0	INVSLU	Max	0.649	1.228	-12.717	0.0	0.0
-0.0		Min	0.214	-0.400	-22.250	-0.0	0.0
0.0	INVSLE	Max	0.483	0.899	-9.720	0.0	0.0
-0.0		Min	0.166	-0.268	-16.777	-0.0	0.0
1542 0.0	C1-C2;~1	Max	0.018	0.220	0.354	0.0	0.0
-0.0		Min	-0.038	-0.025	-1.296	-0.0	-0.0
0.0	C3-C4;~1	Max	0.028	0.225	0.348	0.0	0.0
-0.0		Min	-0.029	-0.020	-1.284	-0.0	-0.0
0.0	C1-C2;~2	Max	0.009	0.142	0.202	0.0	0.0
-0.0		Min	-0.022	-0.013	-0.742	-0.0	-0.0
0.0	C3-C4;~2	Max	0.015	0.144	0.198	0.0	0.0
-0.0		Min	-0.016	-0.011	-0.721	-0.0	-0.0
-0.0	G1		-0.002	0.090	-0.936	0.0	0.0
-0.0	G2		-0.000	0.034	-0.360	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.015	0.204	-0.018	0.0	0.0
0.0	Q5_ps		-0.013	0.195	-0.010	0.0	0.0
0.0	INVSLU	Max	0.061	0.722	-2.733	0.0	0.0
-0.0		Min	-0.055	-0.076	-4.994	0.0	0.0
0.0	INVSLE	Max	0.045	0.530	-2.085	0.0	0.0
-0.0		Min	-0.039	-0.026	-3.757	0.0	0.0
1543 0.0	C1-C2;~1	Max	0.042	0.214	0.679	0.0	0.0
		Min	-0.055	-0.111	-2.355	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-0.0							
0.0	C3-C4;~1	Max	0.059	0.234	0.668	0.0	0.0
-0.0		Min	-0.040	-0.073	-2.366	-0.0	-0.0
0.0	C1-C2;~2	Max	0.023	0.132	0.387	0.0	0.0
-0.0		Min	-0.032	-0.063	-1.350	-0.0	-0.0
0.0	C3-C4;~2	Max	0.033	0.141	0.380	0.0	0.0
-0.0		Min	-0.022	-0.040	-1.332	-0.0	-0.0
-0.0	G1		0.012	0.074	-1.708	0.0	0.0
-0.0	G2		0.005	0.030	-0.659	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.026	0.226	-0.006	0.0	-0.0
0.0	Q5_ps		-0.022	0.221	0.004	0.0	-0.0
0.0	INVSLU	Max	0.154	0.705	-5.270	0.0	0.0
-0.0		Min	-0.046	-0.232	-9.392	0.0	0.0
0.0	INVSLE	Max	0.114	0.512	-4.025	0.0	0.0
-0.0		Min	-0.031	-0.141	-7.077	0.0	0.0
1544	C1-C2;~1	Max	0.073	0.215	1.003	0.0	0.0
0.0		Min	-0.063	-0.212	-3.409	-0.0	-0.0
-0.0	C3-C4;~1	Max	0.096	0.258	0.986	0.0	0.0
0.0		Min	-0.043	-0.147	-3.442	-0.0	-0.0
-0.0	C1-C2;~2	Max	0.041	0.126	0.572	0.0	0.0
0.0		Min	-0.036	-0.121	-1.955	-0.0	-0.0
-0.0	C3-C4;~2	Max	0.055	0.148	0.562	0.0	0.0
0.0		Min	-0.024	-0.082	-1.939	-0.0	-0.0
-0.0	G1		0.033	0.060	-2.469	0.0	0.0
-0.0	G2		0.014	0.027	-0.952	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.036	0.251	0.007	-0.0	-0.0
0.0	Q5_ps		-0.031	0.250	0.019	-0.0	-0.0


MIDAS

PROJECT TITLE :


	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0							
	INVSLU	Max	0.275	0.711	-7.760	0.0	0.0
0.0		Min	-0.004	-0.403	-13.773	-0.0	0.0
-0.0							
	INVSLE	Max	0.204	0.514	-5.930	0.0	0.0
0.0		Min	0.003	-0.266	-10.383	-0.0	0.0
-0.0							
1545	C1-C2;~1	Max	0.112	0.221	1.324	0.0	0.0
0.0		Min	-0.064	-0.318	-4.446	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	0.139	0.310	1.303	0.0	0.0
0.0		Min	-0.042	-0.226	-4.502	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.065	0.121	0.755	0.0	0.0
0.0		Min	-0.036	-0.181	-2.552	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.081	0.174	0.742	0.0	0.0
0.0		Min	-0.023	-0.126	-2.538	-0.0	-0.0
-0.0							
	G1		0.063	0.046	-3.215	0.0	0.0
-0.0							
	G2		0.026	0.023	-1.240	0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc		-0.045	0.280	0.020	-0.0	-0.0
0.0							
	Q5_ps		-0.039	0.282	0.033	-0.0	-0.0
0.0							
	INVSLU	Max	0.424	0.760	-10.185	0.0	0.0
0.0		Min	0.069	-0.591	-18.087	-0.0	0.0
-0.0							
	INVSLE	Max	0.316	0.546	-7.786	0.0	0.0
0.0		Min	0.058	-0.417	-13.637	-0.0	0.0
-0.0							
	C1-C2;~1	Max	0.160	0.238	1.644	0.0	0.0
1546		Min	-0.060	-0.424	-5.469	-0.0	-0.0
0.0							
-0.0							
	C3-C4;~1	Max	0.190	0.364	1.618	0.0	0.0
0.0		Min	-0.037	-0.306	-5.551	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.094	0.124	0.937	0.0	0.0
0.0							

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	-0.033	-0.242	-3.141	-0.0	-0.0
0.0	C3-C4;~2	Max	0.111	0.202	0.921	0.0	0.0
-0.0		Min	-0.019	-0.171	-3.131	-0.0	-0.0
-0.0	G1		0.099	0.033	-3.948	0.0	0.0
-0.0	G2		0.040	0.020	-1.521	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.054	0.311	0.030	-0.0	-0.0
0.0	Q5_ps		-0.047	0.316	0.045	-0.0	-0.0
0.0	INVSLU	Max	0.600	0.819	-12.557	0.0	0.0
-0.0		Min	0.166	-0.805	-22.324	-0.0	0.0
0.0	INVSLE	Max	0.447	0.586	-9.601	0.0	0.0
-0.0		Min	0.133	-0.575	-16.832	-0.0	0.0
1547	C1-C2;~1	Max	4.464	0.305	0.364	0.0	0.0
0.0		Min	-1.485	-0.082	-1.380	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.657	0.247	0.358	0.0	0.0
-0.0		Min	-1.461	-0.134	-1.355	-0.0	-0.0
0.0	C1-C2;~2	Max	2.572	0.178	0.208	0.0	0.0
-0.0		Min	-0.846	-0.039	-0.788	-0.0	-0.0
0.0	C3-C4;~2	Max	2.640	0.139	0.204	0.0	0.0
-0.0		Min	-0.832	-0.071	-0.759	-0.0	-0.0
0.0	G1		3.256	0.059	-1.001	-0.0	0.0
-0.0	G2		1.258	0.007	-0.388	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.129	0.273	-0.034	-0.0	-0.0
0.0	Q5_ps		-0.121	0.246	-0.023	-0.0	-0.0
0.0	INVSLU	Max	20.010	0.363	-2.779	0.0	0.0
-0.0		Min	11.485	-0.759	-5.195	-0.0	0.0
0.0	INVSLE	Max	15.123	0.214	-2.117	0.0	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	8.826	-0.572	-3.902	-0.0	0.0
1548	C1-C2;~1	Max	4.463	0.316	0.684	0.0	0.0
0.0		Min	-1.485	-0.071	-2.399	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.656	0.285	0.673	0.0	0.0
0.0		Min	-1.461	-0.118	-2.406	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.571	0.187	0.390	0.0	0.0
0.0		Min	-0.846	-0.033	-1.373	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.640	0.165	0.383	0.0	0.0
0.0		Min	-0.832	-0.062	-1.352	-0.0	-0.0
-0.0							
0.0	G1		3.255	0.065	-1.747	-0.0	0.0
0.0	G2		1.257	0.006	-0.676	-0.0	0.0
-0.0							
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.129	0.303	-0.011	-0.0	-0.0
0.0	Q5_ps		-0.120	0.274	-0.000	-0.0	-0.0
0.0							
0.0	INVSLU	Max	19.906	0.364	-5.307	0.0	0.0
0.0		Min	11.384	-0.830	-9.498	-0.0	0.0
-0.0							
0.0	INVSLE	Max	15.039	0.207	-4.052	0.0	0.0
0.0		Min	8.744	-0.627	-7.155	-0.0	0.0
-0.0							
1549	C1-C2;~1	Max	4.460	0.324	1.006	0.0	0.0
0.0		Min	-1.484	-0.064	-3.431	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.654	0.315	0.989	0.0	0.0
0.0		Min	-1.461	-0.102	-3.465	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.570	0.194	0.573	0.0	0.0
0.0		Min	-0.846	-0.029	-1.967	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.638	0.187	0.563	0.0	0.0
0.0		Min	-0.832	-0.052	-1.951	-0.0	-0.0
-0.0							
0.0	G1		3.252	0.073	-2.496	-0.0	0.0

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	G2	1.256	0.007	-0.964	-0.0	0.0	
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	-0.128	0.332	0.008	-0.0	-0.0	
0.0	Q5_ps	-0.120	0.302	0.020	-0.0	-0.0	
0.0	INVSLU	Max	19.776	0.388	-7.772	0.0	0.0
-0.0		Min	11.259	-0.872	-13.822	-0.0	0.0
0.0	INVSLE	Max	14.934	0.220	-5.938	0.0	0.0
-0.0		Min	8.642	-0.657	-10.419	-0.0	0.0
1550	C1-C2;~1	Max	4.456	0.322	1.327	0.0	0.0
0.0		Min	-1.484	-0.061	-4.466	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.650	0.330	1.306	0.0	0.0
-0.0		Min	-1.460	-0.086	-4.524	-0.0	-0.0
0.0	C1-C2;~2	Max	2.567	0.193	0.757	0.0	0.0
-0.0		Min	-0.846	-0.029	-2.562	-0.0	-0.0
0.0	C3-C4;~2	Max	2.636	0.197	0.744	0.0	0.0
-0.0		Min	-0.831	-0.043	-2.549	-0.0	-0.0
0.0	G1	3.248	0.080	-3.240	-0.0	0.0	
0.0	G2	1.255	0.009	-1.252	-0.0	0.0	
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	-0.127	0.362	0.024	-0.0	-0.0	
0.0	Q5_ps	-0.119	0.330	0.036	-0.0	-0.0	
0.0	INVSLU	Max	19.622	0.437	-10.172	0.0	0.0
-0.0		Min	11.112	-0.886	-18.114	-0.0	0.0
0.0	INVSLE	Max	14.811	0.254	-7.774	0.0	0.0
-0.0		Min	8.525	-0.666	-13.654	-0.0	0.0
1551	C1-C2;~1	Max	4.451	0.309	1.648	0.0	0.0
0.0		Min	-1.483	-0.057	-5.497	-0.0	-0.0
-0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	C3-C4;~1	Max	4.644	0.325	1.622	0.0	0.0
		Min	-1.459	-0.070	-5.576	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.564	0.176	0.939	0.0	0.0
		Min	-0.845	-0.027	-3.156	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.633	0.194	0.923	0.0	0.0
		Min	-0.831	-0.034	-3.145	-0.0	-0.0
-0.0							
0.0	G1		3.243	0.087	-3.976	-0.0	0.0
0.0	G2		1.253	0.014	-1.536	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.127	0.390	0.036	-0.0	-0.0
0.0	Q5_ps		-0.118	0.358	0.050	-0.0	-0.0
0.0							
0.0	INVSLU	Max	19.446	0.506	-12.515	0.0	0.0
		Min	10.946	-0.874	-22.331	-0.0	0.0
-0.0							
0.0	INVSLE	Max	14.671	0.298	-9.564	0.0	0.0
		Min	8.392	-0.652	-16.831	-0.0	0.0
-0.0							
1552 0.0	C1-C2;~1	Max	4.443	0.301	0.349	0.0	0.0
		Min	-1.482	-0.119	-1.220	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.651	0.240	0.345	0.0	0.0
		Min	-1.465	-0.145	-1.322	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.555	0.173	0.199	0.0	0.0
		Min	-0.845	-0.066	-0.685	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.639	0.137	0.197	0.0	0.0
		Min	-0.834	-0.080	-0.744	-0.0	-0.0
-0.0							
0.0	G1		3.304	0.071	-1.003	0.0	0.0
0.0	G2		1.277	0.038	-0.392	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.100	0.294	0.007	0.0	0.0
0.0	Q5_ps		0.102	0.275	-0.007	0.0	0.0
0.0							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	INVSLU	Max	20.068	1.226	-2.864	-0.0	0.0
		Min	11.610	0.034	-5.133	-0.0	0.0
-0.0							
0.0	INVSLE	Max	15.166	0.934	-2.179	-0.0	0.0
		Min	8.914	0.101	-3.859	-0.0	0.0
-0.0							
1553 0.0	C1-C2;~1	Max	4.442	0.298	0.667	0.0	0.0
		Min	-1.482	-0.168	-2.206	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.649	0.234	0.659	0.0	0.0
		Min	-1.464	-0.163	-2.345	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.554	0.173	0.380	0.0	0.0
		Min	-0.845	-0.102	-1.248	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.638	0.134	0.375	0.0	0.0
		Min	-0.834	-0.094	-1.326	-0.0	-0.0
-0.0							
0.0	G1		3.303	0.076	-1.756	0.0	0.0
0.0	G2		1.277	0.044	-0.683	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.099	0.332	-0.008	0.0	0.0
0.0	Q5_ps		0.102	0.314	-0.024	0.0	0.0
-0.0							
0.0	INVSLU	Max	19.964	1.307	-5.395	0.0	0.0
		Min	11.509	-0.008	-9.475	-0.0	0.0
-0.0							
0.0	INVSLE	Max	15.082	0.993	-4.118	0.0	0.0
		Min	8.832	0.079	-7.139	-0.0	0.0
-0.0							
1554 0.0	C1-C2;~1	Max	4.439	0.293	0.985	0.0	0.0
		Min	-1.481	-0.204	-3.197	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.647	0.227	0.973	0.0	0.0
		Min	-1.464	-0.177	-3.376	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.553	0.171	0.561	0.0	0.0
		Min	-0.844	-0.129	-1.814	-0.0	-0.0
-0.0							

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	C3-C4;~2	Max	2.637	0.131	0.554	0.0	0.0
-0.0		Min	-0.834	-0.105	-1.914	-0.0	-0.0
0.0	G1		3.301	0.080	-2.510	0.0	0.0
0.0	G2		1.276	0.047	-0.975	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.099	0.366	-0.021	0.0	0.0
0.0	Q5_ps		0.101	0.350	-0.039	0.0	0.0
0.0	INVS LU	Max	19.834	1.375	-7.872	0.0	0.0
-0.0		Min	11.383	-0.079	-13.796	-0.0	0.0
0.0	INVS LE	Max	14.977	1.032	-6.013	0.0	0.0
-0.0		Min	8.730	0.033	-10.399	-0.0	0.0
1555 0.0	C1-C2;~1	Max	4.436	0.284	1.302	0.0	0.0
-0.0		Min	-1.481	-0.218	-4.185	-0.0	-0.0
0.0	C3-C4;~1	Max	4.643	0.218	1.286	0.0	0.0
-0.0		Min	-1.463	-0.180	-4.406	-0.0	-0.0
0.0	C1-C2;~2	Max	2.551	0.166	0.742	0.0	0.0
-0.0		Min	-0.844	-0.140	-2.378	-0.0	-0.0
0.0	C3-C4;~2	Max	2.635	0.126	0.733	0.0	0.0
-0.0		Min	-0.833	-0.109	-2.501	-0.0	-0.0
0.0	G1		3.297	0.084	-3.259	0.0	0.0
0.0	G2		1.274	0.049	-1.265	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.098	0.398	-0.032	0.0	0.0
0.0	Q5_ps		0.101	0.381	-0.054	0.0	0.0
0.0	INVS LU	Max	19.680	1.405	-10.304	0.0	0.0
-0.0		Min	11.236	-0.153	-18.067	-0.0	0.0
0.0	INVS LE	Max	14.854	1.051	-7.872	-0.0	0.0
-0.0		Min	8.612	-0.018	-13.618	-0.0	0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	


1556	C1-C2;~1	Max	4.431	0.271	1.619	0.0	0.0
0.0		Min	-1.480	-0.207	-5.163	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.639	0.208	1.599	0.0	0.0
0.0		Min	-1.462	-0.169	-5.428	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.548	0.159	0.923	0.0	0.0
0.0		Min	-0.844	-0.133	-2.937	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.632	0.120	0.911	0.0	0.0
0.0		Min	-0.833	-0.103	-3.084	-0.0	-0.0
-0.0							
0.0	G1		3.292	0.088	-3.998	0.0	0.0
0.0	G2		1.272	0.049	-1.552	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.097	0.426	-0.042	0.0	0.0
0.0	Q5_ps		0.100	0.407	-0.068	0.0	0.0
0.0							
	INVSLU	Max	19.505	1.396	-12.675	-0.0	0.0
0.0		Min	11.070	-0.221	-22.263	-0.0	0.0
-0.0							
	INVSLE	Max	14.714	1.039	-9.684	-0.0	0.0
0.0		Min	8.479	-0.068	-16.780	-0.0	0.0
-0.0							
1557	C1-C2;~1	Max	1.109	0.820	4.539	0.0	0.0
0.0		Min	-0.163	-0.984	-13.753	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	1.127	1.123	4.482	0.0	0.0
0.0		Min	-0.164	-0.658	-14.441	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	0.658	0.437	2.588	0.0	0.0
0.0		Min	-0.093	-0.560	-7.862	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	0.660	0.616	2.553	0.0	0.0
0.0		Min	-0.093	-0.365	-8.249	-0.0	-0.0
-0.0							
0.0	G1		0.832	0.299	-10.201	-0.0	0.0
0.0	G2		0.324	0.117	-3.948	-0.0	0.0
0.0							

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.064	0.656	-0.093	-0.0	0.0
0.0	Q5_ps		0.056	0.669	-0.153	-0.0	0.0
0.0	INVS LU	Max	3.537	2.837	-31.907	0.0	0.0
0.0		Min	1.681	-1.188	-57.700	-0.0	0.0
-0.0							
0.0	INVS LE	Max	2.634	2.065	-24.357	0.0	0.0
0.0		Min	1.267	-0.829	-43.450	-0.0	0.0
-0.0							
1558	C1-C2;~1	Max	1.228	0.859	4.810	0.0	0.0
0.0		Min	-0.184	-1.036	-14.492	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.252	1.177	4.749	0.0	0.0
0.0		Min	-0.185	-0.693	-15.216	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.728	0.458	2.743	0.0	0.0
0.0		Min	-0.105	-0.589	-8.288	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.734	0.646	2.705	0.0	0.0
0.0		Min	-0.105	-0.384	-8.695	-0.0	-0.0
-0.0							
0.0	G1		0.929	0.310	-10.703	-0.0	0.0
0.0	G2		0.362	0.122	-4.143	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.063	0.684	-0.096	-0.0	0.0
0.0	Q5_ps		0.055	0.699	-0.159	-0.0	0.0
0.0	INVS LU	Max	3.922	2.958	-33.330	0.0	0.0
0.0		Min	1.870	-1.260	-60.539	-0.0	0.0
-0.0							
0.0	INVS LE	Max	2.920	2.152	-25.439	0.0	0.0
0.0		Min	1.408	-0.882	-45.581	-0.0	0.0
-0.0							
1559	C1-C2;~1	Max	1.351	0.897	5.076	0.0	0.0
0.0		Min	-0.207	-1.086	-15.206	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.383	1.230	5.011	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-0.0	Min	-0.207	-0.727	-15.968	-0.0	-0.0
0.0	C1-C2;~2 Max	0.801	0.478	2.894	0.0	0.0
-0.0	Min	-0.118	-0.617	-8.699	-0.0	-0.0
0.0	C3-C4;~2 Max	0.810	0.675	2.855	0.0	0.0
-0.0	Min	-0.118	-0.403	-9.129	-0.0	-0.0
0.0	G1	1.031	0.322	-11.181	-0.0	0.0
0.0	G2	0.402	0.127	-4.327	-0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	0.062	0.712	-0.099	-0.0	0.0
0.0	Q5_ps	0.055	0.728	-0.165	-0.0	0.0
0.0	INVSLU Max	4.322	3.076	-34.659	0.0	0.0
-0.0	Min	2.064	-1.332	-63.247	-0.0	0.0
0.0	INVSLE Max	3.217	2.237	-26.451	0.0	0.0
-0.0	Min	1.553	-0.933	-47.614	-0.0	0.0
1560.0	C1-C2;~1 Max	1.019	0.567	4.617	0.0	0.0
-0.0	Min	-0.151	-1.204	-14.653	-0.0	-0.0
0.0	C3-C4;~1 Max	1.057	0.857	4.547	0.0	0.0
-0.0	Min	-0.147	-0.895	-14.878	-0.0	-0.0
0.0	C1-C2;~2 Max	0.608	0.290	2.633	0.0	0.0
-0.0	Min	-0.086	-0.686	-8.459	-0.0	-0.0
0.0	C3-C4;~2 Max	0.626	0.466	2.589	0.0	0.0
-0.0	Min	-0.083	-0.502	-8.432	-0.0	-0.0
0.0	G1	0.784	-0.010	-10.169	0.0	0.0
0.0	G2	0.309	0.011	-3.916	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	-0.089	0.674	0.103	0.0	-0.0
0.0	Q5_ps	-0.078	0.693	0.135	0.0	-0.0
0.0	INVSLU Max	3.453	1.685	-31.470	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	1.661	-2.310	-57.973	-0.0	0.0
0.0	INVSLE	Max	2.573	1.200	-24.032	0.0	0.0
-0.0		Min	1.258	-1.669	-43.650	-0.0	0.0
1561	C1-C2;~1	Max	1.138	0.597	4.893	0.0	0.0
0.0		Min	-0.172	-1.265	-15.444	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.177	0.901	4.818	0.0	0.0
-0.0		Min	-0.168	-0.941	-15.679	-0.0	-0.0
0.0	C1-C2;~2	Max	0.679	0.305	2.790	0.0	0.0
-0.0		Min	-0.098	-0.720	-8.919	-0.0	-0.0
0.0	C3-C4;~2	Max	0.697	0.490	2.744	0.0	0.0
-0.0		Min	-0.095	-0.527	-8.890	-0.0	-0.0
0.0	G1		0.880	-0.009	-10.672	0.0	0.0
0.0	G2		0.346	0.012	-4.109	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.090	0.705	0.104	0.0	-0.0
0.0	Q5_ps		-0.078	0.725	0.138	0.0	-0.0
0.0	INVSLE	Max	3.832	1.774	-32.870	0.0	0.0
-0.0		Min	1.849	-2.419	-60.830	-0.0	0.0
0.0	INVSLE	Max	2.854	1.264	-25.098	0.0	0.0
-0.0		Min	1.398	-1.748	-45.795	-0.0	0.0
1562	C1-C2;~1	Max	1.263	0.626	5.164	0.0	0.0
0.0		Min	-0.195	-1.324	-16.214	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.301	0.944	5.085	0.0	0.0
-0.0		Min	-0.190	-0.985	-16.456	-0.0	-0.0
0.0	C1-C2;~2	Max	0.753	0.320	2.944	0.0	0.0
-0.0		Min	-0.111	-0.754	-9.368	-0.0	-0.0
0.0	C3-C4;~2	Max	0.770	0.513	2.896	0.0	0.0


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0		Min	-0.108	-0.552	-9.335	-0.0	-0.0
-0.0	G1		0.981	-0.007	-11.150	0.0	0.0
0.0	G2		0.385	0.013	-4.293	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.090	0.734	0.106	0.0	-0.0
0.0	Q5_ps		-0.078	0.756	0.141	0.0	-0.0
0.0	INVSLU	Max	4.224	1.862	-34.176	0.0	0.0
0.0		Min	2.043	-2.523	-63.554	-0.0	0.0
-0.0	INVSLE	Max	3.145	1.327	-26.092	0.0	0.0
0.0		Min	1.542	-1.823	-47.839	-0.0	0.0
-0.0							
1563	C1-C2;~1	Max	4.336	0.406	4.628	0.0	0.0
0.0		Min	-1.464	-0.072	-14.710	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.531	0.367	4.558	0.0	0.0
0.0		Min	-1.441	-0.069	-14.936	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.500	0.254	2.639	0.0	0.0
0.0		Min	-0.835	-0.038	-8.490	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.570	0.227	2.595	0.0	0.0
0.0		Min	-0.820	-0.038	-8.465	-0.0	-0.0
-0.0							
0.0	G1		3.147	0.150	-10.230	-0.0	0.0
0.0	G2		1.216	0.037	-3.943	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.111	0.654	0.099	-0.0	-0.0
0.0	Q5_ps		-0.102	0.610	0.131	-0.0	-0.0
0.0							
0.0	INVSLU	Max	17.001	1.178	-31.410	0.0	0.0
0.0		Min	8.708	-1.046	-58.000	-0.0	0.0
-0.0							
0.0	INVSLE	Max	12.764	0.757	-23.979	0.0	0.0
0.0		Min	6.635	-0.755	-43.662	-0.0	0.0
-0.0							


MIDAS

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
1564	C1-C2;~1	Max	4.320	0.448	4.905	0.0	0.0
0.0		Min	-1.462	-0.089	-15.512	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.515	0.412	4.830	0.0	0.0
0.0		Min	-1.438	-0.073	-15.750	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.490	0.281	2.797	0.0	0.0
0.0		Min	-0.833	-0.049	-8.957	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.561	0.256	2.751	0.0	0.0
0.0		Min	-0.819	-0.040	-8.930	-0.0	-0.0
-0.0							
0.0	G1		3.134	0.157	-10.737	-0.0	0.0
0.0	G2		1.211	0.037	-4.136	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.108	0.677	0.102	-0.0	-0.0
0.0	Q5_ps		-0.099	0.631	0.136	-0.0	-0.0
0.0							
0.0	INVSLU	Max	16.702	1.228	-32.823	0.0	0.0
0.0		Min	8.439	-1.109	-60.892	-0.0	0.0
-0.0							
0.0	INVSLE	Max	12.532	0.789	-25.056	0.0	0.0
0.0		Min	6.426	-0.801	-45.834	-0.0	0.0
-0.0							
1565	C1-C2;~1	Max	4.302	0.474	5.177	0.0	0.0
0.0		Min	-1.459	-0.101	-16.288	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.498	0.440	5.098	0.0	0.0
0.0		Min	-1.435	-0.077	-16.534	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.480	0.296	2.952	0.0	0.0
0.0		Min	-0.832	-0.056	-9.409	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.552	0.273	2.903	0.0	0.0
0.0		Min	-0.817	-0.042	-9.378	-0.0	-0.0
-0.0							
0.0	G1		3.121	0.163	-11.218	-0.0	0.0
0.0	G2		1.206	0.038	-4.321	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	Q5_pc		-0.106	0.699	0.105	-0.0	-0.0
0.0	Q5_ps		-0.097	0.652	0.140	-0.0	-0.0
0.0	INVSLU	Max	16.396	1.278	-34.132	0.0	0.0
-0.0		Min	8.165	-1.153	-63.631	-0.0	0.0
0.0	INVSLE	Max	12.296	0.822	-26.053	0.0	0.0
-0.0		Min	6.213	-0.833	-47.890	-0.0	0.0
1566 0.0	C1-C2;~1	Max	4.331	0.225	4.551	0.0	0.0
-0.0		Min	-1.461	-0.212	-13.812	-0.0	-0.0
0.0	C3-C4;~1	Max	4.542	0.207	4.493	0.0	0.0
-0.0		Min	-1.444	-0.161	-14.499	-0.0	-0.0
0.0	C1-C2;~2	Max	2.493	0.134	2.595	0.0	0.0
-0.0		Min	-0.833	-0.138	-7.896	-0.0	-0.0
0.0	C3-C4;~2	Max	2.578	0.122	2.559	0.0	0.0
-0.0		Min	-0.823	-0.102	-8.281	-0.0	-0.0
0.0	G1		3.198	0.135	-10.262	0.0	0.0
0.0	G2		1.236	0.071	-3.975	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.083	0.701	-0.093	0.0	0.0
0.0	Q5_ps		0.086	0.675	-0.154	0.0	0.0
0.0	INVSLU	Max	17.079	1.601	-31.843	0.0	0.0
-0.0		Min	8.826	-0.791	-57.728	-0.0	0.0
0.0	INVSLE	Max	12.821	1.158	-24.300	-0.0	0.0
-0.0		Min	6.718	-0.464	-43.462	-0.0	0.0
1567 0.0	C1-C2;~1	Max	4.317	0.228	4.823	0.0	0.0
-0.0		Min	-1.458	-0.253	-14.561	-0.0	-0.0
0.0	C3-C4;~1	Max	4.528	0.211	4.761	0.0	0.0
-0.0		Min	-1.441	-0.196	-15.286	-0.0	-0.0

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	C1-C2;~2	Max	2.485	0.135	2.750	0.0	0.0
-0.0		Min	-0.831	-0.165	-8.327	-0.0	-0.0
0.0	C3-C4;~2	Max	2.570	0.125	2.712	0.0	0.0
-0.0		Min	-0.821	-0.125	-8.734	-0.0	-0.0
0.0	G1		3.185	0.140	-10.769	0.0	0.0
0.0	G2		1.231	0.076	-4.170	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.080	0.730	-0.095	0.0	0.0
0.0	Q5_ps		0.083	0.705	-0.158	0.0	0.0
0.0	INVSLU	Max	16.783	1.671	-33.281	0.0	0.0
-0.0		Min	8.557	-0.851	-60.600	-0.0	0.0
0.0	INVSLE	Max	12.591	1.209	-25.396	0.0	0.0
-0.0		Min	6.509	-0.502	-45.619	-0.0	0.0
1568	C1-C2;~1	Max	4.301	0.230	5.090	0.0	0.0
0.0		Min	-1.455	-0.273	-15.281	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.513	0.215	5.025	0.0	0.0
-0.0		Min	-1.438	-0.212	-16.045	-0.0	-0.0
0.0	C1-C2;~2	Max	2.476	0.136	2.902	0.0	0.0
-0.0		Min	-0.829	-0.179	-8.741	-0.0	-0.0
0.0	C3-C4;~2	Max	2.562	0.127	2.862	0.0	0.0
-0.0		Min	-0.819	-0.135	-9.171	-0.0	-0.0
0.0	G1		3.172	0.146	-11.250	0.0	0.0
0.0	G2		1.226	0.079	-4.356	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.078	0.755	-0.097	0.0	0.0
0.0	Q5_ps		0.081	0.731	-0.163	0.0	0.0
0.0	INVSLU	Max	16.480	1.719	-34.616	0.0	0.0
-0.0		Min	8.283	-0.899	-63.322	-0.0	0.0


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


0.0	INVSLE	Max	12.357	1.243	-26.412	0.0	0.0
-0.0		Min	6.295	-0.534	-47.663	-0.0	0.0
1575	C1-C2;~1	Max	1.598	0.972	5.592	0.0	0.0
0.0		Min	-0.255	-1.181	-16.550	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.647	1.332	5.520	0.0	0.0
0.0		Min	-0.255	-0.791	-17.385	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	0.946	0.519	3.188	0.0	0.0
0.0		Min	-0.145	-0.671	-9.475	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	0.963	0.731	3.145	0.0	0.0
0.0		Min	-0.145	-0.438	-9.947	-0.0	-0.0
-0.0							
0.0	G1		1.237	0.343	-12.054	-0.0	0.0
0.0	G2		0.482	0.136	-4.664	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.060	0.767	-0.103	-0.0	0.0
0.0	Q5_ps		0.053	0.784	-0.175	-0.0	0.0
0.0							
0.0	INVSLU	Max	5.123	3.302	-37.016	0.0	0.0
0.0		Min	2.448	-1.471	-68.220	-0.0	0.0
-0.0							
0.0	INVSLE	Max	3.811	2.400	-28.245	0.0	0.0
0.0		Min	1.838	-1.033	-51.345	-0.0	0.0
-0.0							
1576	C1-C2;~1	Max	1.721	1.008	5.844	0.0	0.0
0.0		Min	-0.280	-1.227	-17.191	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.778	1.381	5.769	0.0	0.0
0.0		Min	-0.279	-0.821	-18.062	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.018	0.538	3.332	0.0	0.0
0.0		Min	-0.159	-0.697	-9.846	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	1.039	0.758	3.286	0.0	0.0
0.0		Min	-0.159	-0.454	-10.339	-0.0	-0.0

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0	G1	1.341	0.353	-12.460	-0.0	0.0	
0.0	G2	0.523	0.140	-4.819	-0.0	0.0	
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	0.059	0.793	-0.104	-0.0	-0.0	
0.0	Q5_ps	0.053	0.811	-0.178	-0.0	0.0	
0.0	INVSLU	Max	5.521	3.410	-38.052	0.0	0.0
-0.0		Min	2.637	-1.538	-70.512	-0.0	0.0
0.0	INVSLE	Max	4.107	2.478	-29.034	0.0	0.0
-0.0		Min	1.978	-1.082	-53.064	-0.0	0.0
1577	C1-C2;~1	Max	1.847	1.043	6.090	0.0	0.0
0.0		Min	-0.307	-1.271	-17.805	-0.0	-0.0
-0.0	C3-C4;~1	Max	1.914	1.428	6.012	0.0	0.0
0.0		Min	-0.306	-0.850	-18.708	-0.0	-0.0
-0.0	C1-C2;~2	Max	1.092	0.557	3.472	0.0	0.0
0.0		Min	-0.175	-0.722	-10.202	-0.0	-0.0
-0.0	C3-C4;~2	Max	1.118	0.784	3.425	0.0	0.0
0.0		Min	-0.174	-0.470	-10.714	-0.0	-0.0
-0.0	G1	1.447	0.362	-12.839	-0.0	0.0	
0.0	G2	0.565	0.144	-4.964	-0.0	0.0	
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	0.057	0.818	-0.103	-0.0	-0.0	
0.0	Q5_ps	0.052	0.837	-0.179	-0.0	0.0	
0.0	INVSLU	Max	5.931	3.513	-38.986	0.0	0.0
-0.0		Min	2.829	-1.603	-72.648	-0.0	0.0
0.0	INVSLE	Max	4.410	2.552	-29.745	0.0	0.0
-0.0		Min	2.121	-1.128	-54.666	-0.0	0.0
1578	C1-C2;~1	Max	1.515	0.682	5.690	0.0	0.0
0.0							

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	-0.243	-1.437	-17.668	-0.0	-0.0
0.0	C3-C4;~1	Max	1.552	1.027	5.603	0.0	0.0
-0.0		Min	-0.237	-1.070	-17.923	-0.0	-0.0
0.0	C1-C2;~2	Max	0.903	0.348	3.244	0.0	0.0
-0.0		Min	-0.138	-0.819	-10.218	-0.0	-0.0
0.0	C3-C4;~2	Max	0.916	0.558	3.191	0.0	0.0
-0.0		Min	-0.135	-0.600	-10.176	-0.0	-0.0
0.0	G1		1.186	-0.003	-12.025	0.0	0.0
0.0	G2		0.465	0.016	-4.628	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.089	0.788	0.109	0.0	-0.0
0.0	Q5_ps		-0.077	0.811	0.147	0.0	-0.0
0.0	INVSLU	Max	5.009	2.031	-36.483	0.0	0.0
-0.0		Min	2.425	-2.715	-68.556	-0.0	0.0
0.0	INVSLE	Max	3.728	1.448	-27.848	0.0	0.0
-0.0		Min	1.826	-1.962	-51.592	-0.0	0.0
1579	C1-C2;~1	Max	1.642	0.708	5.947	0.0	0.0
0.0		Min	-0.268	-1.490	-18.362	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.681	1.066	5.857	0.0	0.0
-0.0		Min	-0.262	-1.110	-18.624	-0.0	-0.0
0.0	C1-C2;~2	Max	0.978	0.361	3.391	0.0	0.0
-0.0		Min	-0.153	-0.849	-10.625	-0.0	-0.0
0.0	C3-C4;~2	Max	0.994	0.579	3.335	0.0	0.0
-0.0		Min	-0.149	-0.623	-10.579	-0.0	-0.0
0.0	G1		1.289	0.000	-12.431	0.0	0.0
0.0	G2		0.506	0.018	-4.783	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.089	0.813	0.109	0.0	0.0

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	Q5_ps		-0.077	0.837	0.149	0.0	-0.0
0.0	INVSLU	Max	5.403	2.112	-37.495	0.0	0.0
-0.0		Min	2.612	-2.803	-70.863	-0.0	0.0
0.0	INVSLE	Max	4.021	1.506	-28.619	0.0	0.0
-0.0		Min	1.965	-2.026	-53.321	-0.0	0.0
1580	C1-C2;~1	Max	1.773	0.733	6.198	0.0	0.0
0.0		Min	-0.295	-1.541	-19.023	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	1.820	1.104	6.104	0.0	0.0
-0.0		Min	-0.289	-1.147	-19.294	-0.0	-0.0
0.0	C1-C2;~2	Max	1.055	0.374	3.534	0.0	0.0
-0.0		Min	-0.168	-0.878	-11.013	-0.0	-0.0
0.0	C3-C4;~2	Max	1.075	0.599	3.476	0.0	0.0
-0.0		Min	-0.164	-0.644	-10.964	-0.0	-0.0
0.0	G1		1.395	0.003	-12.811	0.0	0.0
0.0	G2		0.547	0.020	-4.927	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.088	0.837	0.109	0.0	0.0
0.0	Q5_ps		-0.077	0.861	0.150	0.0	-0.0
0.0	INVSLU	Max	5.817	2.191	-38.407	0.0	0.0
-0.0		Min	2.802	-2.886	-73.016	-0.0	0.0
0.0	INVSLE	Max	4.328	1.563	-29.313	0.0	0.0
-0.0		Min	2.106	-2.086	-54.935	-0.0	0.0
1581	C1-C2;~1	Max	4.265	0.491	5.707	0.0	0.0
0.0		Min	-1.452	-0.113	-17.761	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.461	0.464	5.621	0.0	0.0
-0.0		Min	-1.429	-0.083	-18.020	-0.0	-0.0
0.0	C1-C2;~2	Max	2.459	0.306	3.254	0.0	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0		Min	-0.828	-0.064	-10.271	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.531	0.286	3.201	0.0	0.0
0.0		Min	-0.813	-0.045	-10.230	-0.0	-0.0
-0.0		G1	3.092	0.175	-12.108	-0.0	0.0
0.0		G2	1.195	0.042	-4.661	-0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0		Q5_pc	-0.100	0.743	0.107	-0.0	-0.0
0.0		Q5_ps	-0.092	0.693	0.146	-0.0	-0.0
0.0							
0.0	INVSLU	Max	15.759	1.381	-36.435	0.0	0.0
0.0		Min	7.595	-1.197	-68.659	-0.0	0.0
-0.0							
0.0	INVSLE	Max	11.804	0.893	-27.805	0.0	0.0
0.0		Min	5.770	-0.862	-51.660	-0.0	0.0
-0.0							
1582	C1-C2;~1	Max	4.246	0.484	5.965	0.0	0.0
0.0		Min	-1.449	-0.114	-18.455	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.443	0.460	5.874	0.0	0.0
0.0		Min	-1.425	-0.085	-18.717	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.447	0.300	3.401	0.0	0.0
0.0		Min	-0.826	-0.064	-10.677	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.520	0.282	3.345	0.0	0.0
0.0		Min	-0.811	-0.046	-10.630	-0.0	-0.0
-0.0							
0.0		G1	3.078	0.181	-12.513	-0.0	0.0
0.0		G2	1.189	0.046	-4.816	-0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0		Q5_pc	-0.097	0.763	0.107	-0.0	-0.0
0.0		Q5_ps	-0.089	0.714	0.147	-0.0	-0.0
0.0							
0.0	INVSLU	Max	15.429	1.434	-37.436	0.0	0.0
0.0		Min	7.300	-1.198	-70.949	-0.0	0.0
-0.0							
0.0	INVSLE	Max	11.550	0.932	-28.567	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0		Min	5.542	-0.859	-53.376	-0.0	0.0
-0.0							
1583	C1-C2;~1	Max	4.226	0.459	6.216	0.0	0.0
0.0		Min	-1.445	-0.108	-19.114	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.423	0.438	6.122	0.0	0.0
0.0		Min	-1.422	-0.087	-19.377	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.436	0.282	3.545	0.0	0.0
0.0		Min	-0.824	-0.061	-11.065	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.509	0.265	3.486	0.0	0.0
0.0		Min	-0.809	-0.048	-11.010	-0.0	-0.0
-0.0							
0.0	G1		3.063	0.187	-12.888	-0.0	0.0
0.0	G2		1.183	0.051	-4.960	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.094	0.784	0.106	-0.0	-0.0
0.0	Q5_ps		-0.086	0.734	0.148	-0.0	-0.0
0.0							
0.0	INVSLU	Max	15.094	1.486	-38.326	0.0	0.0
0.0		Min	7.002	-1.180	-73.067	-0.0	0.0
-0.0							
0.0	INVSLE	Max	11.292	0.971	-29.243	0.0	0.0
0.0		Min	5.310	-0.841	-54.963	-0.0	0.0
-0.0							
1584	C1-C2;~1	Max	4.269	0.230	5.609	0.0	0.0
0.0		Min	-1.448	-0.273	-16.641	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.481	0.221	5.538	0.0	0.0
0.0		Min	-1.432	-0.211	-17.480	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.457	0.136	3.198	0.0	0.0
0.0		Min	-0.825	-0.179	-9.527	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.543	0.130	3.154	0.0	0.0
0.0		Min	-0.815	-0.133	-10.000	-0.0	-0.0
-0.0							
0.0	G1		3.144	0.156	-12.138	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	G2	1.215	0.084	-4.698	0.0	0.0	
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	0.073	0.799	-0.100	0.0	0.0	
0.0	Q5_ps	0.075	0.773	-0.173	0.0	0.0	
0.0	INVSLU	Max	15.846	1.765	-36.968	0.0	0.0
-0.0		Min	7.712	-0.977	-68.319	-0.0	0.0
0.0	INVSLE	Max	11.868	1.272	-28.202	0.0	0.0
-0.0		Min	5.852	-0.588	-51.412	-0.0	0.0
1585	C1-C2;~1	Max	4.252	0.230	5.861	0.0	0.0
0.0		Min	-1.444	-0.251	-17.278	-0.0	-0.0
-0.0	C3-C4;~1	Max	4.464	0.235	5.786	0.0	0.0
0.0		Min	-1.428	-0.194	-18.153	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.448	0.135	3.342	0.0	0.0
0.0		Min	-0.823	-0.164	-9.895	-0.0	-0.0
-0.0	C3-C4;~2	Max	2.533	0.131	3.296	0.0	0.0
0.0		Min	-0.813	-0.121	-10.390	-0.0	-0.0
-0.0	G1	3.130	0.162	-12.542	0.0	0.0	
0.0	G2	1.210	0.085	-4.854	0.0	0.0	
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	0.070	0.817	-0.102	0.0	0.0	
0.0	Q5_ps	0.072	0.789	-0.178	0.0	0.0	
0.0	INVSLU	Max	15.518	1.765	-37.993	0.0	0.0
0.0		Min	7.416	-1.006	-70.596	-0.0	0.0
-0.0	INVSLE	Max	11.615	1.267	-28.981	0.0	0.0
0.0		Min	5.623	-0.610	-53.118	-0.0	0.0
-0.0	C1-C2;~1	Max	4.235	0.228	6.107	0.0	0.0
1586		Min	-1.440	-0.209	-17.880	-0.0	-0.0
0.0							
-0.0							

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	C3-C4;~1	Max	4.447	0.241	6.028	0.0	0.0
-0.0		Min	-1.425	-0.166	-18.790	-0.0	-0.0
0.0	C1-C2;~2	Max	2.438	0.134	3.482	0.0	0.0
-0.0		Min	-0.821	-0.134	-10.244	-0.0	-0.0
0.0	C3-C4;~2	Max	2.524	0.137	3.434	0.0	0.0
-0.0		Min	-0.811	-0.103	-10.760	-0.0	-0.0
0.0	G1		3.115	0.168	-12.917	0.0	0.0
-0.0	G2		1.204	0.084	-4.998	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.067	0.831	-0.105	0.0	0.0
0.0	Q5_ps		0.069	0.801	-0.183	0.0	0.0
0.0	INVSLU	Max	15.185	1.746	-38.905	0.0	0.0
-0.0		Min	7.117	-1.024	-72.704	-0.0	0.0
0.0	INVSLE	Max	11.358	1.248	-29.674	0.0	0.0
-0.0		Min	5.391	-0.625	-54.696	-0.0	0.0
2647	C1-C2;~1	Max	4.388	1.021	9.367	0.0	0.0
0.0		Min	-1.002	-1.938	-24.416	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.570	1.499	9.221	0.0	0.0
-0.0		Min	-0.985	-1.442	-24.678	-0.0	-0.0
0.0	C1-C2;~2	Max	2.580	0.520	5.342	0.0	0.0
-0.0		Min	-0.571	-1.098	-14.190	-0.0	-0.0
0.0	C3-C4;~2	Max	2.641	0.809	5.252	0.0	0.0
-0.0		Min	-0.560	-0.807	-14.073	-0.0	-0.0
0.0	G1		3.437	0.130	-14.562	0.0	-0.0
0.0	G2		1.339	0.074	-5.563	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.046	1.051	0.065	0.0	0.0
0.0	Q5_ps		-0.038	1.082	0.124	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	INVS LU	Max	13.479	3.207	-36.773	0.0	-0.0
0.0		Min	5.874	-3.326	-82.852	-0.0	-0.0
0.0	INVS LE	Max	9.992	2.300	-28.097	0.0	-0.0
0.0		Min	4.365	-2.399	-62.221	-0.0	-0.0
2648 0.0	C1-C2;~1	Max	4.371	1.364	9.155	0.0	0.0
-0.0		Min	-1.007	-1.660	-22.647	-0.0	-0.0
0.0	C3-C4;~1	Max	4.599	1.861	9.038	0.0	0.0
-0.0		Min	-0.997	-1.105	-23.854	-0.0	-0.0
0.0	C1-C2;~2	Max	2.559	0.729	5.220	0.0	0.0
-0.0		Min	-0.574	-0.940	-13.009	-0.0	-0.0
0.0	C3-C4;~2	Max	2.652	1.019	5.149	0.0	0.0
-0.0		Min	-0.568	-0.606	-13.706	-0.0	-0.0
0.0	G1		3.487	0.465	-14.577	-0.0	-0.0
0.0	G2		1.357	0.188	-5.605	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.007	1.037	-0.104	-0.0	0.0
0.0	Q5_ps		0.011	1.061	-0.205	-0.0	0.0
0.0	INVS LU	Max	13.497	4.390	-37.739	0.0	-0.0
-0.0		Min	5.916	-2.229	-82.488	-0.0	-0.0
0.0	INVS LE	Max	10.006	3.180	-28.822	0.0	-0.0
-0.0		Min	4.391	-1.585	-61.955	-0.0	-0.0
2649 0.0	C1-C2;~1	Max	5.547	0.134	0.000	0.0	0.0
-0.0		Min	-0.079	-1.501	0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	5.518	0.135	0.000	0.0	0.0
-0.0		Min	-0.080	-1.495	0.000	-0.0	-0.0
0.0	C1-C2;~2	Max	2.949	0.096	0.000	0.0	0.0
		Min	-0.058	-0.796	0.000	-0.0	-0.0

MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

-0.0							
0.0	C3-C4;~2	Max	2.897	0.097	0.000	0.0	0.0
-0.0		Min	-0.059	-0.785	0.000	-0.0	-0.0
0.0	G1		7.310	-1.965	0.000	-0.0	-0.0
0.0	G2		2.906	-0.784	0.000	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.100	0.196	0.000	0.0	-0.0
-0.0	Q5_ps		-0.106	0.187	0.000	0.0	0.0
0.0	INVSLU	Max	16.812	-1.916	0.000	-0.0	-0.0
-0.0		Min	8.996	-4.531	0.000	-0.0	-0.0
0.0	INVSLE	Max	12.142	-1.342	0.000	-0.0	-0.0
0.0		Min	6.370	-3.245	0.000	-0.0	-0.0
2650	C1-C2;~1	Max	5.559	0.152	1.010	0.0	0.0
0.0		Min	-0.079	-1.426	-0.357	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	5.528	0.159	0.997	0.0	0.0
-0.0		Min	-0.080	-1.440	-0.354	-0.0	-0.0
0.0	C1-C2;~2	Max	2.957	0.109	0.582	0.0	0.0
-0.0		Min	-0.058	-0.752	-0.207	-0.0	-0.0
0.0	C3-C4;~2	Max	2.903	0.115	0.574	0.0	0.0
-0.0		Min	-0.058	-0.752	-0.199	-0.0	-0.0
0.0	G1		7.313	-1.920	0.695	0.0	-0.0
0.0	G2		2.907	-0.768	0.284	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.110	0.163	-0.042	0.0	0.0
-0.0	Q5_ps		-0.116	0.153	-0.040	0.0	0.0
0.0	INVSLU	Max	16.851	-1.851	4.827	-0.0	-0.0
-0.0		Min	8.995	-4.326	2.905	-0.0	-0.0
0.0	INVSLE	Max	12.171	-1.287	3.650	-0.0	-0.0
-0.0		Min	6.371	-3.092	2.232	-0.0	-0.0

MIDAS


PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0


2651	C1-C2;~1	Max	5.299	1.054	9.688	0.0	0.0
0.0		Min	-1.381	-1.831	-22.909	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	5.519	1.502	9.533	0.0	0.0
0.0		Min	-1.359	-1.358	-23.145	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	3.094	0.544	5.525	0.0	0.0
0.0		Min	-0.787	-1.037	-13.285	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	3.168	0.813	5.430	0.0	0.0
0.0		Min	-0.773	-0.760	-13.169	-0.0	-0.0
-0.0							
	G1		4.069	0.216	-12.841	0.0	-0.0
0.0	G2		1.581	0.107	-4.881	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.027	1.025	0.034	0.0	0.0
-0.0	Q5_ps		-0.021	1.053	0.091	0.0	0.0
-0.0							
	INVSLU	Max	15.742	3.410	-28.476	0.0	-0.0
0.0		Min	6.379	-2.934	-72.860	-0.0	-0.0
-0.0							
	INVSLE	Max	11.656	2.454	-21.803	0.0	-0.0
0.0		Min	4.723	-2.109	-54.676	-0.0	-0.0
-0.0							
2652	C1-C2;~1	Max	5.416	1.050	9.677	0.0	0.0
0.0		Min	-1.440	-1.813	-22.528	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	5.641	1.490	9.522	0.0	0.0
0.0		Min	-1.417	-1.347	-22.756	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	3.159	0.543	5.519	0.0	0.0
0.0		Min	-0.821	-1.027	-13.058	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	3.236	0.806	5.423	0.0	0.0
0.0		Min	-0.806	-0.754	-12.942	-0.0	-0.0
-0.0							
	G1		4.143	0.222	-12.497	0.0	-0.0
0.0	G2		1.610	0.110	-4.747	0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	-0.024	1.016	0.028	0.0	0.0
-0.0	Q5_ps	-0.018	1.043	0.085	0.0	0.0
-0.0						
0.0	INVSLU Max	16.003	3.417	-27.059	0.0	-0.0
0.0	Min	6.399	-2.869	-70.894	-0.0	-0.0
-0.0						
0.0	INVSLE Max	11.847	2.461	-20.727	0.0	-0.0
0.0	Min	4.736	-2.060	-53.194	-0.0	-0.0
-0.0						
2653	C1-C2;~1 Max	5.530	1.044	9.656	0.0	0.0
0.0	Min	-1.501	-1.793	-22.128	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	5.760	1.475	9.501	0.0	0.0
0.0	Min	-1.476	-1.338	-22.345	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	3.223	0.540	5.507	0.0	0.0
0.0	Min	-0.855	-1.016	-12.819	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	3.301	0.798	5.411	0.0	0.0
0.0	Min	-0.840	-0.750	-12.702	-0.0	-0.0
-0.0						
0.0	G1	4.213	0.229	-12.141	0.0	-0.0
0.0	G2	1.636	0.112	-4.608	0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	-0.022	1.006	0.024	0.0	0.0
-0.0	Q5_ps	-0.016	1.033	0.080	0.0	0.0
-0.0						
0.0	INVSLU Max	16.245	3.421	-25.606	0.0	-0.0
0.0	Min	6.404	-2.802	-68.851	-0.0	-0.0
-0.0						
0.0	INVSLE Max	12.024	2.466	-19.622	0.0	-0.0
0.0	Min	4.737	-2.010	-51.652	-0.0	-0.0
-0.0						
2654	C1-C2;~1 Max	5.640	1.038	9.622	0.0	0.0
0.0	Min	-1.562	-1.773	-21.695	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	5.874	1.459	9.467	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0		Min	-1.537	-1.325	-21.904	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	3.284	0.537	5.488	0.0	0.0
0.0		Min	-0.890	-1.005	-12.562	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	3.363	0.789	5.392	0.0	0.0
0.0		Min	-0.874	-0.744	-12.445	-0.0	-0.0
-0.0							
0.0	G1		4.277	0.237	-11.767	0.0	-0.0
0.0	G2		1.660	0.115	-4.463	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.020	0.995	0.019	0.0	0.0
-0.0	Q5_ps		-0.014	1.022	0.075	0.0	0.0
-0.0							
0.0	INVSLU	Max	16.468	3.425	-24.119	0.0	-0.0
0.0		Min	6.393	-2.729	-66.715	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	12.186	2.470	-18.492	0.0	-0.0
0.0		Min	4.726	-1.956	-50.042	-0.0	-0.0
-0.0							
2655	C1-C2;~1	Max	5.745	1.031	9.575	0.0	0.0
0.0		Min	-1.625	-1.747	-21.233	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	5.984	1.443	9.419	0.0	0.0
0.0		Min	-1.598	-1.307	-21.435	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	3.342	0.534	5.461	0.0	0.0
0.0		Min	-0.926	-0.991	-12.288	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	3.423	0.781	5.365	0.0	0.0
0.0		Min	-0.910	-0.734	-12.171	-0.0	-0.0
-0.0							
0.0	G1		4.336	0.248	-11.376	0.0	-0.0
0.0	G2		1.683	0.120	-4.310	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.018	0.983	0.014	0.0	0.0
-0.0	Q5_ps		-0.012	1.009	0.069	0.0	0.0
-0.0							
0.0	INVSLU	Max	16.669	3.430	-22.604	0.0	-0.0


MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0		Min	6.365	-2.646	-64.492	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	12.333	2.476	-17.340	0.0	-0.0
0.0		Min	4.702	-1.894	-48.366	-0.0	-0.0
-0.0							
2656	C1-C2;~1	Max	5.846	1.024	9.513	0.0	0.0
0.0		Min	-1.690	-1.714	-20.741	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.089	1.427	9.358	0.0	0.0
0.0		Min	-1.662	-1.283	-20.936	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	3.398	0.531	5.426	0.0	0.0
0.0		Min	-0.963	-0.973	-11.997	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	3.480	0.772	5.330	0.0	0.0
0.0		Min	-0.946	-0.721	-11.882	-0.0	-0.0
-0.0							
0.0	G1		4.389	0.262	-10.971	0.0	-0.0
0.0	G2		1.703	0.125	-4.152	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.015	0.970	0.009	0.0	0.0
-0.0	Q5_ps		-0.010	0.995	0.064	0.0	0.0
-0.0							
0.0	INVSLU	Max	16.849	3.437	-21.066	0.0	-0.0
0.0		Min	6.320	-2.549	-62.190	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	12.463	2.482	-16.170	0.0	-0.0
0.0		Min	4.666	-1.823	-46.630	-0.0	-0.0
-0.0							
2657	C1-C2;~1	Max	5.941	1.016	9.438	0.0	0.0
0.0		Min	-1.756	-1.675	-20.223	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.189	1.411	9.283	0.0	0.0
0.0		Min	-1.727	-1.253	-20.413	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	3.450	0.528	5.383	0.0	0.0
0.0		Min	-1.001	-0.952	-11.691	-0.0	-0.0
-0.0							

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	C3-C4;~2	Max	3.535	0.764	5.287	0.0	0.0
		Min	-0.983	-0.705	-11.579	-0.0	-0.0
-0.0		G1	4.437	0.279	-10.551	0.0	-0.0
0.0		G2	1.721	0.131	-3.988	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0		Q5_pc	-0.013	0.956	0.004	0.0	0.0
-0.0		Q5_ps	-0.008	0.980	0.058	0.0	0.0
-0.0							
0.0	INVSLU	Max	17.006	3.445	-19.511	0.0	-0.0
		Min	6.257	-2.441	-59.817	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	12.576	2.490	-14.986	0.0	-0.0
		Min	4.615	-1.743	-44.841	-0.0	-0.0
-0.0							
2658	C1-C2;~1	Max	6.032	1.009	9.347	0.0	0.0
0.0		Min	-1.824	-1.629	-19.682	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.285	1.394	9.193	0.0	0.0
		Min	-1.793	-1.218	-19.866	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	3.500	0.525	5.332	0.0	0.0
		Min	-1.039	-0.926	-11.372	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	3.586	0.755	5.236	0.0	0.0
		Min	-1.021	-0.686	-11.263	-0.0	-0.0
-0.0							
0.0		G1	4.478	0.297	-10.119	0.0	-0.0
0.0		G2	1.736	0.138	-3.819	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0		Q5_pc	-0.011	0.941	0.000	0.0	0.0
-0.0		Q5_ps	-0.006	0.964	0.054	0.0	0.0
-0.0							
0.0	INVSLU	Max	17.141	3.454	-17.948	0.0	-0.0
		Min	6.174	-2.321	-57.387	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	12.673	2.498	-13.795	0.0	-0.0
		Min	4.551	-1.655	-43.009	-0.0	-0.0
0.0							

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

2659	C1-C2;~1	Max	6.120	1.000	9.249	0.0	0.0
0.0		Min	-1.894	-1.580	-19.115	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.378	1.376	9.095	0.0	0.0
0.0		Min	-1.862	-1.179	-19.299	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	3.548	0.521	5.275	0.0	0.0
0.0		Min	-1.079	-0.899	-11.039	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	3.636	0.746	5.180	0.0	0.0
0.0		Min	-1.060	-0.665	-10.936	-0.0	-0.0
-0.0							
0.0	G1		4.514	0.316	-9.677	0.0	-0.0
0.0	G2		1.749	0.146	-3.646	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.009	0.925	-0.006	0.0	0.0
-0.0	Q5_ps		-0.004	0.947	0.046	0.0	0.0
-0.0							
0.0	INVSLU	Max	17.255	3.462	-16.355	0.0	-0.0
0.0		Min	6.073	-2.193	-54.906	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	12.754	2.505	-12.583	0.0	-0.0
0.0		Min	4.472	-1.561	-41.138	-0.0	-0.0
-0.0							
2660	C1-C2;~1	Max	5.117	0.071	2.375	0.0	0.0
0.0		Min	-0.081	-2.287	-9.143	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	5.184	0.073	2.491	0.0	0.0
0.0		Min	-0.082	-2.062	-8.703	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.698	0.046	1.362	0.0	0.0
0.0		Min	-0.059	-1.279	-5.234	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.708	0.048	1.406	0.0	0.0
0.0		Min	-0.060	-1.128	-4.960	-0.0	-0.0
-0.0							
0.0	G1		6.980	-2.280	-6.649	-0.0	-0.0
0.0	G2		2.776	-0.894	-2.680	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0						
-0.0	Q5_pc	-0.041	0.442	-0.005	-0.0	0.0
-0.0	Q5_ps	-0.042	0.448	0.042	0.0	0.0
	INVS LU	Max	15.490	-2.156	-21.416	-0.0
0.0		Min	8.309	-6.377	-37.130	-0.0
-0.0						
	INVS LE	Max	11.155	-1.557	-16.284	-0.0
0.0		Min	5.841	-4.605	-27.924	-0.0
-0.0						
2661	C1-C2;~1	Max	5.194	0.067	2.044	0.0
0.0		Min	-0.080	-2.164	-7.904	-0.0
-0.0						
	C3-C4;~1	Max	5.249	0.071	2.143	0.0
0.0		Min	-0.082	-1.973	-7.521	-0.0
-0.0						
	C1-C2;~2	Max	2.741	0.045	1.172	0.0
0.0		Min	-0.059	-1.204	-4.523	-0.0
-0.0						
	C3-C4;~2	Max	2.744	0.048	1.210	0.0
0.0		Min	-0.060	-1.075	-4.285	-0.0
-0.0						
	G1		7.052	-2.239	-5.765	-0.0
0.0	G2		2.805	-0.879	-2.324	-0.0
0.0	Q3		0.000	0.000	0.000	0.0
0.0	Q5_pc		-0.049	0.404	-0.011	-0.0
-0.0	Q5_ps		-0.052	0.407	0.030	0.0
-0.0						
	INVS LU	Max	15.756	-2.154	-18.571	-0.0
0.0		Min	8.468	-6.114	-32.156	-0.0
-0.0						
	INVS LE	Max	11.353	-1.551	-14.123	-0.0
0.0		Min	5.964	-4.412	-24.184	-0.0
-0.0						
2662	C1-C2;~1	Max	5.282	0.067	1.715	0.0
0.0		Min	-0.080	-2.044	-6.682	-0.0
-0.0						
	C3-C4;~1	Max	5.312	0.076	1.799	0.0
0.0		Min	-0.081	-1.887	-6.350	-0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

-0.0							
0.0	C1-C2;~2	Max	2.792	0.047	0.983	0.0	0.0
-0.0		Min	-0.059	-1.130	-3.822	-0.0	-0.0
0.0	C3-C4;~2	Max	2.778	0.053	1.015	0.0	0.0
-0.0		Min	-0.060	-1.023	-3.616	-0.0	-0.0
0.0	G1		7.119	-2.198	-4.881	-0.0	-0.0
0.0	G2		2.831	-0.865	-1.968	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.058	0.366	-0.016	-0.0	0.0
-0.0	Q5_ps		-0.062	0.367	0.020	0.0	0.0
0.0	INVSLU	Max	16.004	-2.141	-15.674	-0.0	-0.0
-0.0		Min	8.608	-5.852	-27.151	-0.0	-0.0
0.0	INVSLE	Max	11.538	-1.537	-11.920	-0.0	-0.0
-0.0		Min	6.070	-4.220	-20.420	-0.0	-0.0
2663	C1-C2;~1	Max	5.360	0.077	1.383	0.0	0.0
0.0		Min	-0.080	-1.924	-5.434	-0.0	-0.0
-0.0	C3-C4;~1	Max	5.367	0.084	1.450	0.0	0.0
0.0		Min	-0.081	-1.801	-5.156	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.838	0.054	0.793	0.0	0.0
0.0		Min	-0.059	-1.057	-3.106	-0.0	-0.0
-0.0	C3-C4;~2	Max	2.809	0.060	0.818	0.0	0.0
0.0		Min	-0.059	-0.971	-2.934	-0.0	-0.0
-0.0	G1		7.177	-2.154	-3.977	0.0	-0.0
0.0	G2		2.854	-0.850	-1.604	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.067	0.329	-0.021	-0.0	0.0
-0.0	Q5_ps		-0.071	0.328	0.010	0.0	0.0
0.0	INVSLU	Max	16.224	-2.116	-12.700	-0.0	-0.0
		Min	8.731	-5.583	-22.030	-0.0	-0.0

MIDAS


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


-0.0							
0.0	INVSLE	Max	11.702	-1.513	-9.658	-0.0	-0.0
0.0		Min	6.164	-4.022	-16.567	-0.0	-0.0
2665	C1-C2;~1	Max	5.427	0.089	1.049	0.0	0.0
0.0		Min	-0.080	-1.806	-4.170	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	5.417	0.094	1.099	0.0	0.0
0.0		Min	-0.081	-1.715	-3.948	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.877	0.064	0.601	0.0	0.0
0.0		Min	-0.058	-0.985	-2.383	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.837	0.068	0.621	0.0	0.0
0.0		Min	-0.059	-0.919	-2.245	-0.0	-0.0
-0.0							
0.0	G1		7.227	-2.107	-3.059	0.0	-0.0
0.0	G2		2.874	-0.834	-1.233	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.076	0.294	-0.025	0.0	0.0
-0.0	Q5_ps		-0.081	0.290	-0.000	0.0	0.0
-0.0							
0.0	INVSLU	Max	16.429	-2.077	-9.658	-0.0	-0.0
0.0		Min	8.834	-5.308	-16.818	-0.0	-0.0
0.0							
0.0	INVSLE	Max	11.855	-1.479	-7.344	-0.0	-0.0
0.0		Min	6.243	-3.819	-12.644	-0.0	-0.0
0.0							
2666	C1-C2;~1	Max	5.482	0.103	0.712	0.0	0.0
0.0		Min	-0.079	-1.694	-2.885	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	5.464	0.107	0.746	0.0	0.0
0.0		Min	-0.081	-1.633	-2.722	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.910	0.074	0.408	0.0	0.0
0.0		Min	-0.058	-0.916	-1.647	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.865	0.077	0.421	0.0	0.0

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
		Min	-0.059	-0.868	-1.546	-0.0	-0.0
-0.0		G1	7.267	-2.058	-2.121	0.0	-0.0
0.0		G2	2.890	-0.817	-0.854	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0		Q5_pc	-0.084	0.259	-0.029	0.0	0.0
-0.0		Q5_ps	-0.089	0.254	-0.010	0.0	0.0
-0.0							
	INVSLU	Max	16.607	-2.028	-6.554	-0.0	-0.0
0.0		Min	8.917	-5.034	-11.507	-0.0	-0.0
0.0							
	INVSLE	Max	11.988	-1.436	-4.981	-0.0	-0.0
0.0		Min	6.307	-3.617	-8.647	-0.0	-0.0
0.0							
2667	C1-C2;~1	Max	5.526	0.118	0.375	0.0	0.0
0.0		Min	-0.079	-1.591	-1.594	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	5.501	0.120	0.393	0.0	0.0
0.0		Min	-0.080	-1.556	-1.490	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.936	0.084	0.215	0.0	0.0
0.0		Min	-0.058	-0.852	-0.909	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.886	0.086	0.222	0.0	0.0
0.0		Min	-0.059	-0.821	-0.845	-0.0	-0.0
-0.0							
	G1		7.298	-2.011	-1.173	-0.0	-0.0
0.0							
	G2		2.902	-0.800	-0.471	-0.0	-0.0
0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc		-0.091	0.227	-0.030	0.0	-0.0
-0.0							
	Q5_ps		-0.097	0.220	-0.017	0.0	-0.0
-0.0							
	INVSLU	Max	16.743	-1.974	-3.414	-0.0	-0.0
0.0		Min	8.976	-4.772	-6.151	-0.0	-0.0
0.0							
	INVSLE	Max	12.089	-1.390	-2.592	-0.0	-0.0
0.0		Min	6.353	-3.424	-4.615	-0.0	-0.0
0.0							
2668	C1-C2;~1	Max	4.444	0.852	8.648	0.0	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0		Min	-2.318	-2.859	-21.602	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.665	0.823	9.101	0.0	0.0
0.0		Min	-2.266	-2.206	-22.136	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.562	0.459	4.959	0.0	0.0
0.0		Min	-1.339	-1.628	-12.358	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.648	0.435	5.139	0.0	0.0
0.0		Min	-1.309	-1.221	-12.707	-0.0	-0.0
-0.0							
-0.0	G1		2.561	-1.048	-13.906	-0.0	0.0
-0.0	G2		0.984	-0.401	-5.682	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.003	1.122	0.046	-0.0	0.0
0.0	Q5_ps		0.011	1.129	0.004	-0.0	0.0
0.0							
-0.0	INVSLU	Max	6.230	1.909	-33.716	-0.0	0.0
-0.0		Min	-3.201	-5.273	-75.969	-0.0	0.0
-0.0							
-0.0	INVSLE	Max	4.335	1.364	-25.729	-0.0	0.0
-0.0		Min	-2.651	-3.756	-57.021	-0.0	0.0
-0.0							
2669	C1-C2;~1	Max	4.393	0.846	8.653	0.0	0.0
0.0		Min	-2.203	-2.919	-21.931	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.612	0.811	9.105	0.0	0.0
0.0		Min	-2.148	-2.254	-22.476	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.533	0.456	4.962	0.0	0.0
0.0		Min	-1.273	-1.663	-12.550	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.618	0.428	5.142	0.0	0.0
0.0		Min	-1.242	-1.248	-12.908	-0.0	-0.0
-0.0							
-0.0	G1		2.636	-1.108	-14.236	0.0	0.0
-0.0	G2		1.014	-0.424	-5.817	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.006	1.131	0.043	-0.0	0.0

MIDAS

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0						
0.0	Q5_ps	0.008	1.139	-0.000	-0.0	0.0
-0.0	INVS LU	Max	6.270	1.854	-35.121	0.0
-0.0		Min	-2.941	-5.430	-77.833	0.0
-0.0	INVS LE	Max	4.362	1.324	-26.794	0.0
-0.0		Min	-2.460	-3.869	-58.427	0.0
2670	C1-C2;~1	Max	4.343	0.840	8.647	0.0
0.0		Min	-2.083	-2.981	-22.236	-0.0
-0.0	C3-C4;~1	Max	4.559	0.805	9.098	0.0
0.0		Min	-2.026	-2.303	-22.786	-0.0
-0.0	C1-C2;~2	Max	2.505	0.454	4.959	0.0
0.0		Min	-1.205	-1.699	-12.730	-0.0
-0.0	C3-C4;~2	Max	2.589	0.425	5.138	0.0
0.0		Min	-1.173	-1.275	-13.091	-0.0
-0.0	G1		2.717	-1.170	-14.551	0.0
-0.0	G2		1.048	-0.449	-5.946	0.0
-0.0	Q3		0.000	0.000	0.000	0.0
0.0	Q5_pc		-0.010	1.139	0.041	-0.0
0.0	Q5_ps		0.005	1.147	-0.002	-0.0
0.0						
-0.0	INVS LU	Max	6.324	1.794	-36.477	0.0
-0.0		Min	-2.661	-5.589	-79.595	0.0
-0.0	INVS LE	Max	4.400	1.281	-27.822	0.0
-0.0		Min	-2.254	-3.984	-59.756	0.0
2671	C1-C2;~1	Max	4.294	0.832	8.630	0.0
0.0		Min	-1.960	-3.034	-22.507	-0.0
-0.0	C3-C4;~1	Max	4.507	0.797	9.079	0.0
0.0		Min	-1.901	-2.345	-23.061	-0.0
-0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	C1-C2;~2	Max	2.477	0.450	4.949	0.0	0.0
		Min	-1.135	-1.730	-12.890	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.561	0.422	5.127	0.0	0.0
		Min	-1.101	-1.299	-13.254	-0.0	-0.0
-0.0							
-0.0	G1		2.802	-1.227	-14.841	0.0	0.0
-0.0	G2		1.083	-0.472	-6.064	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.013	1.146	0.040	-0.0	0.0
0.0	Q5_ps		0.002	1.154	-0.004	-0.0	0.0
-0.0							
-0.0	INVSLU	Max	6.389	1.734	-37.772	0.0	0.0
		Min	-2.365	-5.732	-81.233	-0.0	0.0
-0.0							
-0.0	INVSLE	Max	4.446	1.238	-28.804	0.0	0.0
		Min	-2.037	-4.088	-60.992	-0.0	0.0
-0.0							
2672	C1-C2;~1	Max	4.245	0.820	8.599	0.0	0.0
0.0		Min	-1.832	-3.075	-22.739	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.456	0.786	9.046	0.0	0.0
		Min	-1.772	-2.377	-23.298	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.450	0.444	4.931	0.0	0.0
		Min	-1.062	-1.754	-13.027	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.532	0.416	5.108	0.0	0.0
		Min	-1.027	-1.317	-13.394	-0.0	-0.0
-0.0							
-0.0	G1		2.893	-1.277	-15.103	0.0	0.0
-0.0	G2		1.120	-0.491	-6.171	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.017	1.151	0.038	-0.0	0.0
0.0	Q5_ps		-0.001	1.160	-0.006	-0.0	0.0
-0.0							
-0.0	INVSLU	Max	6.467	1.676	-39.002	0.0	0.0
		Min	-2.053	-5.849	-82.735	-0.0	0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0	INVSLE	Max	4.502	1.197	-29.737	0.0	0.0
-0.0		Min	-1.807	-4.172	-62.127	-0.0	0.0
2673 0.0	C1-C2;~1	Max	4.197	0.805	8.556	0.0	0.0
-0.0		Min	-1.701	-3.103	-22.944	-0.0	-0.0
0.0	C3-C4;~1	Max	4.405	0.770	9.000	0.0	0.0
-0.0		Min	-1.638	-2.399	-23.504	-0.0	-0.0
0.0	C1-C2;~2	Max	2.423	0.435	4.906	0.0	0.0
-0.0		Min	-0.988	-1.771	-13.149	-0.0	-0.0
0.0	C3-C4;~2	Max	2.504	0.408	5.082	0.0	0.0
-0.0		Min	-0.951	-1.330	-13.517	-0.0	-0.0
-0.0	G1		2.989	-1.319	-15.346	0.0	0.0
-0.0	G2		1.159	-0.508	-6.269	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.021	1.155	0.037	-0.0	0.0
0.0	Q5_ps		-0.005	1.163	-0.007	-0.0	0.0
0.0	INVSLU	Max	6.558	1.622	-40.175	0.0	0.0
-0.0		Min	-1.723	-5.939	-84.122	-0.0	0.0
0.0	INVSLE	Max	4.567	1.157	-30.626	0.0	0.0
-0.0		Min	-1.564	-4.237	-63.175	-0.0	0.0
2674 0.0	C1-C2;~1	Max	4.150	0.786	8.504	0.0	0.0
-0.0		Min	-1.567	-3.120	-23.120	-0.0	-0.0
0.0	C3-C4;~1	Max	4.355	0.751	8.945	0.0	0.0
-0.0		Min	-1.502	-2.412	-23.682	-0.0	-0.0
0.0	C1-C2;~2	Max	2.396	0.425	4.877	0.0	0.0
-0.0		Min	-0.911	-1.781	-13.255	-0.0	-0.0
0.0	C3-C4;~2	Max	2.476	0.397	5.051	0.0	0.0
-0.0		Min	-0.874	-1.337	-13.625	-0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0	G1	3.089	-1.353	-15.567	0.0	0.0	
-0.0	G2	1.200	-0.521	-6.358	0.0	0.0	
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	-0.025	1.156	0.037	-0.0	0.0	
0.0	Q5_ps	-0.008	1.165	-0.007	-0.0	0.0	
0.0	INVSLU	Max	6.662	1.569	-41.271	0.0	0.0
-0.0		Min	-1.378	-6.004	-85.384	-0.0	0.0
0.0	INVSLE	Max	4.642	1.120	-31.457	0.0	0.0
-0.0		Min	-1.311	-4.284	-64.129	-0.0	0.0
2675 0.0	C1-C2;~1	Max	4.104	0.764	8.441	0.0	0.0
-0.0		Min	-1.432	-3.129	-23.265	-0.0	-0.0
0.0	C3-C4;~1	Max	4.307	0.729	8.878	0.0	0.0
-0.0		Min	-1.365	-2.419	-23.826	-0.0	-0.0
0.0	C1-C2;~2	Max	2.370	0.413	4.840	0.0	0.0
-0.0		Min	-0.834	-1.786	-13.343	-0.0	-0.0
0.0	C3-C4;~2	Max	2.450	0.385	5.013	0.0	0.0
-0.0		Min	-0.795	-1.341	-13.713	-0.0	-0.0
-0.0	G1	3.193	-1.384	-15.762	0.0	0.0	
-0.0	G2	1.243	-0.533	-6.436	0.0	0.0	
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
-0.0	Q5_pc	-0.030	1.157	0.037	-0.0	0.0	
-0.0	Q5_ps	-0.012	1.166	-0.006	-0.0	0.0	
0.0	INVSLU	Max	6.778	1.515	-42.287	0.0	0.0
-0.0		Min	-1.023	-6.056	-86.505	-0.0	0.0
0.0	INVSLE	Max	4.726	1.080	-32.228	0.0	0.0
-0.0		Min	-1.049	-4.322	-64.977	-0.0	0.0
2676 0.0	C1-C2;~1	Max	4.061	0.743	8.369	0.0	0.0
		Min	-1.297	-3.138	-23.368	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-0.0							
0.0	C3-C4;~1	Max	4.262	0.707	8.801	0.0	0.0
-0.0		Min	-1.228	-2.428	-23.931	-0.0	-0.0
0.0	C1-C2;~2	Max	2.345	0.401	4.799	0.0	0.0
-0.0		Min	-0.757	-1.792	-13.407	-0.0	-0.0
0.0	C3-C4;~2	Max	2.424	0.374	4.970	0.0	0.0
-0.0		Min	-0.717	-1.346	-13.777	-0.0	-0.0
-0.0	G1		3.300	-1.418	-15.928	-0.0	0.0
-0.0	G2		1.286	-0.546	-6.501	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.034	1.156	0.037	-0.0	0.0
-0.0	Q5_ps		-0.016	1.165	-0.005	-0.0	0.0
-0.0	INVSLU	Max	6.908	1.453	-43.208	-0.0	0.0
-0.0		Min	-0.659	-6.113	-87.464	-0.0	0.0
-0.0	INVSLE	Max	4.819	1.035	-32.926	-0.0	0.0
-0.0		Min	-0.781	-4.363	-65.703	-0.0	0.0
2677	C1-C2;~1	Max	4.277	0.400	6.817	0.0	0.0
0.0		Min	-0.090	-3.515	-24.074	-0.0	-0.0
-0.0	C3-C4;~1	Max	4.453	0.376	7.150	0.0	0.0
0.0		Min	-0.089	-2.912	-22.957	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.371	0.228	3.909	0.0	0.0
0.0		Min	-0.064	-2.032	-13.879	-0.0	-0.0
-0.0	C3-C4;~2	Max	2.440	0.209	4.036	0.0	0.0
0.0		Min	-0.064	-1.646	-13.174	-0.0	-0.0
-0.0	G1		5.327	-2.370	-16.534	-0.0	-0.0
0.0	G2		2.108	-0.915	-6.669	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.034	0.959	0.068	0.0	0.0
-0.0	Q5_ps		0.041	0.975	0.175	0.0	0.0


MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


-0.0								
0.0	INVSLU	Max	10.865	-0.950	-50.363	-0.0	-0.0	
-0.0		Min	4.671	-8.329	-92.638	-0.0	-0.0	
0.0	INVSLE	Max	7.720	-0.716	-38.224	-0.0	-0.0	
-0.0		Min	3.136	-6.010	-69.530	-0.0	-0.0	
2678	C1-C2;~1	Max	4.322	0.375	6.572	0.0	0.0	
0.0		Min	-0.087	-3.477	-23.347	-0.0	-0.0	
-0.0	C3-C4;~1	Max	4.495	0.351	6.893	0.0	0.0	
0.0		Min	-0.087	-2.891	-22.264	-0.0	-0.0	
-0.0	C1-C2;~2	Max	2.384	0.214	3.768	0.0	0.0	
0.0		Min	-0.063	-2.008	-13.454	-0.0	-0.0	
-0.0	C3-C4;~2	Max	2.451	0.196	3.891	0.0	0.0	
0.0		Min	-0.063	-1.633	-12.770	-0.0	-0.0	
-0.0	G1		5.448	-2.397	-16.110	0.0	-0.0	
-0.0	G2		2.157	-0.927	-6.499	0.0	-0.0	
-0.0	Q3		0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc		0.032	0.936	0.065	0.0	-0.0	
-0.0	Q5_ps		0.039	0.951	0.168	0.0	-0.0	
-0.0	INVSLU	Max	11.173	-1.072	-49.370	-0.0	-0.0	
0.0		Min	4.930	-8.325	-90.310	-0.0	-0.0	
-0.0	INVSLE	Max	7.948	-0.804	-37.473	-0.0	-0.0	
0.0		Min	3.328	-6.008	-67.791	-0.0	-0.0	
-0.0								
2679	C1-C2;~1	Max	4.367	0.350	6.328	0.0	0.0	
0.0		Min	-0.084	-3.442	-22.620	-0.0	-0.0	
-0.0	C3-C4;~1	Max	4.536	0.327	6.637	0.0	0.0	
0.0		Min	-0.086	-2.872	-21.567	-0.0	-0.0	
-0.0	C1-C2;~2	Max	2.397	0.201	3.628	0.0	0.0	
0.0								

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-0.0	Min	-0.062	-1.986	-13.030	-0.0	-0.0
0.0	C3-C4;~2 Max	2.463	0.183	3.746	0.0	0.0
-0.0	Min	-0.063	-1.621	-12.365	-0.0	-0.0
-0.0	G1	5.565	-2.426	-15.675	0.0	-0.0
-0.0	G2	2.204	-0.939	-6.325	0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc	0.030	0.911	0.062	0.0	-0.0
-0.0	Q5_ps	0.036	0.926	0.162	0.0	-0.0
0.0	INVSLU Max	11.474	-1.199	-48.287	0.0	-0.0
-0.0	Min	5.181	-8.326	-87.895	-0.0	-0.0
0.0	INVSLE Max	8.171	-0.895	-36.653	-0.0	-0.0
-0.0	Min	3.513	-6.011	-65.985	-0.0	-0.0
2680	C1-C2;~1 Max	4.412	0.325	6.076	0.0	0.0
0.0	Min	-0.084	-3.399	-21.851	-0.0	-0.0
-0.0	C3-C4;~1 Max	4.578	0.303	6.373	0.0	0.0
0.0	Min	-0.085	-2.847	-20.834	-0.0	-0.0
-0.0	C1-C2;~2 Max	2.411	0.187	3.484	0.0	0.0
0.0	Min	-0.062	-1.960	-12.581	-0.0	-0.0
-0.0	C3-C4;~2 Max	2.475	0.170	3.597	0.0	0.0
0.0	Min	-0.063	-1.606	-11.940	-0.0	-0.0
-0.0	G1	5.680	-2.449	-15.209	0.0	-0.0
0.0	G2	2.251	-0.949	-6.137	0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	0.028	0.886	0.058	0.0	-0.0
-0.0	Q5_ps	0.033	0.901	0.156	0.0	-0.0
-0.0	INVSLU Max	11.772	-1.318	-47.085	0.0	-0.0
0.0	Min	5.427	-8.307	-85.292	-0.0	-0.0
-0.0	INVSLE Max	8.392	-0.980	-35.744	0.0	-0.0
0.0						


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	3.696	-5.998	-64.038	-0.0	-0.0
2681	C1-C2;~1	Max	4.457	0.300	5.820	0.0	0.0
0.0		Min	-0.083	-3.345	-21.055	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.619	0.279	6.105	0.0	0.0
0.0		Min	-0.085	-2.812	-20.075	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.424	0.174	3.337	0.0	0.0
0.0		Min	-0.062	-1.926	-12.117	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.487	0.158	3.446	0.0	0.0
0.0		Min	-0.062	-1.584	-11.500	-0.0	-0.0
-0.0							
0.0	G1		5.792	-2.463	-14.717	0.0	-0.0
0.0	G2		2.296	-0.956	-5.939	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.025	0.859	0.054	0.0	-0.0
-0.0	Q5_ps		0.030	0.874	0.148	0.0	-0.0
-0.0							
0.0	INVSLU	Max	12.064	-1.421	-45.771	0.0	-0.0
0.0		Min	5.670	-8.254	-82.533	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	8.609	-1.053	-34.750	0.0	-0.0
0.0		Min	3.875	-5.961	-61.974	-0.0	-0.0
-0.0							
2682	C1-C2;~1	Max	4.507	0.276	5.560	0.0	0.0
0.0		Min	-0.083	-3.276	-20.235	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.664	0.259	5.832	0.0	0.0
0.0		Min	-0.084	-2.764	-19.293	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.439	0.160	3.188	0.0	0.0
0.0		Min	-0.061	-1.885	-11.640	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.500	0.147	3.292	0.0	0.0
0.0		Min	-0.062	-1.555	-11.048	-0.0	-0.0
-0.0							
0.0	G1		5.915	-2.466	-14.202	0.0	-0.0

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	G2	2.346	-0.957	-5.731	0.0	-0.0	
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	0.023	0.832	0.049	0.0	-0.0	
-0.0	Q5_ps	0.027	0.845	0.141	0.0	-0.0	
-0.0	INVS LU	Max	12.387	-1.507	-44.346	0.0	-0.0
0.0		Min	5.937	-8.163	-79.625	-0.0	-0.0
-0.0	INVS LE	Max	8.848	-1.114	-33.670	0.0	-0.0
0.0		Min	4.073	-5.895	-59.797	-0.0	-0.0
-0.0							
2683	C1-C2;~1	Max	4.555	0.251	5.294	0.0	0.0
0.0		Min	-0.083	-3.192	-19.376	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.708	0.238	5.553	0.0	0.0
0.0		Min	-0.084	-2.701	-18.474	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.454	0.146	3.035	0.0	0.0
0.0		Min	-0.061	-1.833	-11.141	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.514	0.136	3.134	0.0	0.0
0.0		Min	-0.062	-1.517	-10.575	-0.0	-0.0
-0.0							
0.0	G1	6.034	-2.454	-13.651	0.0	-0.0	
0.0	G2	2.394	-0.953	-5.509	0.0	-0.0	
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	0.020	0.803	0.045	0.0	-0.0	
-0.0	Q5_ps	0.024	0.816	0.133	0.0	-0.0	
-0.0							
0.0	INVS LU	Max	12.703	-1.570	-42.797	0.0	-0.0
0.0		Min	6.199	-8.022	-76.532	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	9.082	-1.158	-32.498	-0.0	-0.0
0.0		Min	4.267	-5.793	-57.481	-0.0	-0.0
-0.0							
2684	C1-C2;~1	Max	4.602	0.227	5.024	0.0	0.0
0.0		Min	-0.083	-3.097	-18.494	-0.0	-0.0
-0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	C3-C4;~1	Max	4.751	0.218	5.269	0.0	0.0
-0.0		Min	-0.084	-2.630	-17.631	-0.0	-0.0
0.0	C1-C2;~2	Max	2.469	0.132	2.880	0.0	0.0
-0.0		Min	-0.061	-1.774	-10.630	-0.0	-0.0
0.0	C3-C4;~2	Max	2.527	0.125	2.974	0.0	0.0
-0.0		Min	-0.062	-1.473	-10.088	-0.0	-0.0
0.0	G1		6.150	-2.434	-13.076	0.0	-0.0
0.0	G2		2.441	-0.946	-5.275	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		0.016	0.772	0.041	0.0	-0.0
-0.0	Q5_ps		0.020	0.785	0.126	0.0	-0.0
0.0	INVSLU	Max	13.011	-1.621	-41.142	-0.0	-0.0
-0.0		Min	6.456	-7.852	-73.297	-0.0	-0.0
0.0	INVSLE	Max	9.312	-1.193	-31.245	-0.0	-0.0
-0.0		Min	4.458	-5.670	-55.058	-0.0	-0.0
2685 0.0	C1-C2;~1	Max	4.648	0.205	4.747	0.0	0.0
-0.0		Min	-0.082	-3.005	-17.571	-0.0	-0.0
0.0	C3-C4;~1	Max	4.793	0.199	4.979	0.0	0.0
-0.0		Min	-0.084	-2.562	-16.755	-0.0	-0.0
0.0	C1-C2;~2	Max	2.483	0.119	2.722	0.0	0.0
-0.0		Min	-0.061	-1.718	-10.095	-0.0	-0.0
0.0	C3-C4;~2	Max	2.539	0.115	2.810	0.0	0.0
-0.0		Min	-0.061	-1.431	-9.582	-0.0	-0.0
0.0	G1		6.263	-2.417	-12.476	-0.0	-0.0
0.0	G2		2.487	-0.940	-5.032	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		0.012	0.740	0.035	0.0	0.0
-0.0	Q5_ps		0.015	0.752	0.117	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	INVSLU	Max	13.314	-1.678	-39.400	-0.0	-0.0
		Min	6.709	-7.690	-69.906	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	9.537	-1.233	-29.926	-0.0	-0.0
		Min	4.646	-5.553	-52.519	-0.0	-0.0
-0.0							
2686 0.0	C1-C2;~1	Max	4.893	0.854	8.159	0.0	0.0
		Min	-3.108	-2.360	-17.810	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	5.140	0.895	8.582	0.0	0.0
		Min	-3.079	-1.817	-18.262	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.814	0.460	4.678	0.0	0.0
		Min	-1.786	-1.342	-10.145	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.911	0.462	4.848	0.0	0.0
		Min	-1.770	-1.007	-10.437	-0.0	-0.0
-0.0							
-0.0	G1		2.136	-0.652	-10.552	-0.0	0.0
-0.0	G2		0.807	-0.248	-4.319	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.018	1.006	0.051	-0.0	0.0
0.0	Q5_ps		0.028	1.009	0.012	-0.0	0.0
0.0							
-0.0	INVSLU	Max	6.502	2.049	-21.066	0.0	0.0
		Min	-4.666	-4.180	-57.398	-0.0	0.0
-0.0							
-0.0	INVSLE	Max	4.557	1.487	-16.111	0.0	0.0
		Min	-3.713	-2.974	-43.017	-0.0	0.0
-0.0							
2687 0.0	C1-C2;~1	Max	4.834	0.864	8.264	0.0	0.0
		Min	-3.026	-2.446	-18.363	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	5.077	0.893	8.693	0.0	0.0
		Min	-2.993	-1.884	-18.831	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.781	0.466	4.738	0.0	0.0
		Min	-1.740	-1.392	-10.466	-0.0	-0.0
-0.0							

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	C3-C4;~2	Max	2.876	0.463	4.910	0.0	0.0
-0.0		Min	-1.722	-1.044	-10.768	-0.0	-0.0
-0.0	G1		2.168	-0.710	-11.018	0.0	0.0
-0.0	G2		0.821	-0.270	-4.510	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.016	1.025	0.048	-0.0	0.0
0.0	Q5_ps		0.026	1.029	0.008	-0.0	0.0
-0.0	INVSLU	Max	6.409	2.041	-22.728	0.0	0.0
-0.0		Min	-4.559	-4.355	-59.971	-0.0	0.0
-0.0	INVSLE	Max	4.485	1.469	-17.376	0.0	0.0
-0.0		Min	-3.637	-3.100	-44.958	-0.0	0.0
2688	C1-C2;~1	Max	4.775	0.874	8.357	0.0	0.0
0.0		Min	-2.936	-2.531	-18.903	-0.0	-0.0
-0.0	C3-C4;~1	Max	5.015	0.866	8.793	0.0	0.0
0.0		Min	-2.901	-1.949	-19.380	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.748	0.472	4.792	0.0	0.0
0.0		Min	-1.689	-1.441	-10.780	-0.0	-0.0
-0.0	C3-C4;~2	Max	2.841	0.462	4.966	0.0	0.0
0.0		Min	-1.670	-1.080	-11.088	-0.0	-0.0
-0.0	G1		2.208	-0.767	-11.480	0.0	0.0
-0.0	G2		0.837	-0.293	-4.699	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.014	1.043	0.047	-0.0	0.0
0.0	Q5_ps		0.024	1.047	0.006	-0.0	0.0
-0.0	INVSLU	Max	6.334	2.037	-24.380	0.0	0.0
-0.0		Min	-4.424	-4.526	-62.498	-0.0	0.0
-0.0	INVSLE	Max	4.427	1.453	-18.633	0.0	0.0
-0.0		Min	-3.540	-3.222	-46.862	-0.0	0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	


2689	C1-C2;~1	Max	4.718	0.882	8.436	0.0	0.0
0.0		Min	-2.842	-2.609	-19.417	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.954	0.866	8.877	0.0	0.0
0.0		Min	-2.805	-2.009	-19.904	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.715	0.476	4.837	0.0	0.0
0.0		Min	-1.636	-1.486	-11.078	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.808	0.461	5.014	0.0	0.0
0.0		Min	-1.615	-1.113	-11.395	-0.0	-0.0
-0.0							
-0.0	G1		2.253	-0.823	-11.925	0.0	0.0
-0.0	G2		0.856	-0.314	-4.880	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.011	1.059	0.046	-0.0	0.0
0.0	Q5_ps		0.022	1.064	0.004	-0.0	0.0
0.0							
-0.0	INVSLU	Max	6.277	2.030	-26.014	0.0	0.0
-0.0		Min	-4.267	-4.686	-64.952	-0.0	0.0
-0.0							
-0.0	INVSLE	Max	4.382	1.449	-19.876	0.0	0.0
-0.0		Min	-3.428	-3.336	-48.713	-0.0	0.0
-0.0							
2690	C1-C2;~1	Max	4.661	0.884	8.503	0.0	0.0
0.0		Min	-2.745	-2.677	-19.906	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.894	0.862	8.948	0.0	0.0
0.0		Min	-2.705	-2.061	-20.404	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.684	0.478	4.876	0.0	0.0
0.0		Min	-1.580	-1.525	-11.364	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.775	0.458	5.054	0.0	0.0
0.0		Min	-1.558	-1.141	-11.687	-0.0	-0.0
-0.0							
-0.0	G1		2.304	-0.874	-12.356	0.0	0.0
-0.0	G2		0.878	-0.334	-5.055	0.0	0.0
-0.0							

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.008	1.075	0.045	-0.0	0.0
0.0	Q5_ps		0.020	1.080	0.003	-0.0	0.0
-0.0	INVS LU	Max	6.237	2.018	-27.624	0.0	0.0
-0.0		Min	-4.091	-4.828	-67.331	-0.0	0.0
-0.0	INVS LE	Max	4.349	1.442	-21.100	0.0	0.0
-0.0		Min	-3.300	-3.438	-50.507	-0.0	0.0
2691	C1-C2;~1	Max	4.605	0.882	8.556	0.0	0.0
0.0		Min	-2.643	-2.732	-20.370	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.835	0.855	9.005	0.0	0.0
-0.0		Min	-2.601	-2.104	-20.879	-0.0	-0.0
0.0	C1-C2;~2	Max	2.652	0.476	4.906	0.0	0.0
-0.0		Min	-1.523	-1.556	-11.635	-0.0	-0.0
0.0	C3-C4;~2	Max	2.742	0.453	5.086	0.0	0.0
-0.0		Min	-1.499	-1.165	-11.966	-0.0	-0.0
-0.0	G1		2.361	-0.920	-12.770	0.0	0.0
-0.0	G2		0.901	-0.351	-5.224	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.006	1.089	0.045	-0.0	0.0
0.0	Q5_ps		0.018	1.095	0.002	-0.0	0.0
0.0	INVS LU	Max	6.212	2.001	-29.205	0.0	0.0
-0.0		Min	-3.895	-4.952	-69.630	-0.0	0.0
0.0	INVS LE	Max	4.328	1.430	-22.301	0.0	0.0
-0.0		Min	-3.158	-3.526	-52.240	-0.0	0.0
2692	C1-C2;~1	Max	4.551	0.874	8.599	0.0	0.0
0.0		Min	-2.539	-2.778	-20.809	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.777	0.846	9.050	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-0.0	Min	-2.493	-2.140	-21.328	-0.0	-0.0
0.0	C1-C2;~2 Max	2.621	0.472	4.931	0.0	0.0
-0.0	Min	-1.464	-1.582	-11.892	-0.0	-0.0
0.0	C3-C4;~2 Max	2.710	0.448	5.111	0.0	0.0
-0.0	Min	-1.438	-1.185	-12.231	-0.0	-0.0
-0.0	G1	2.422	-0.962	-13.168	0.0	0.0
-0.0	G2	0.927	-0.368	-5.385	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	0.003	1.101	0.045	-0.0	0.0
0.0	Q5_ps	0.016	1.107	0.002	-0.0	0.0
0.0	INVSLU Max	6.201	1.978	-30.750	0.0	0.0
-0.0	Min	-3.681	-5.061	-71.842	-0.0	0.0
0.0	INVSLE Max	4.318	1.413	-23.476	0.0	0.0
-0.0	Min	-3.002	-3.604	-53.908	-0.0	0.0
2693	C1-C2;~1 Max	4.497	0.863	8.630	0.0	0.0
0.0	Min	-2.431	-2.818	-21.223	-0.0	-0.0
-0.0	C3-C4;~1 Max	4.721	0.835	9.082	0.0	0.0
0.0	Min	-2.382	-2.172	-21.749	-0.0	-0.0
-0.0	C1-C2;~2 Max	2.591	0.465	4.949	0.0	0.0
0.0	Min	-1.403	-1.604	-12.135	-0.0	-0.0
-0.0	C3-C4;~2 Max	2.679	0.442	5.129	0.0	0.0
0.0	Min	-1.375	-1.203	-12.479	-0.0	-0.0
-0.0	G1	2.489	-1.003	-13.549	-0.0	0.0
-0.0	G2	0.954	-0.384	-5.538	-0.0	0.0
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	0.001	1.112	0.046	-0.0	0.0
0.0	Q5_ps	0.014	1.119	0.004	-0.0	0.0
0.0	INVSLU Max	6.206	1.948	-32.260	0.0	0.0
-0.0						

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	-3.450	-5.163	-73.965	-0.0	0.0
-0.0	INVSLE	Max	4.319	1.392	-24.623	0.0	0.0
-0.0		Min	-2.833	-3.677	-55.509	-0.0	0.0
2694	C1-C2;~1	Max	5.253	1.329	9.436	0.0	0.0
0.0		Min	-1.379	-1.591	-21.198	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	5.516	1.805	9.319	0.0	0.0
-0.0		Min	-1.365	-1.062	-22.333	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	3.056	0.710	5.381	0.0	0.0
0.0		Min	-0.786	-0.900	-12.147	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	3.163	0.988	5.310	0.0	0.0
-0.0		Min	-0.777	-0.583	-12.802	-0.0	-0.0
-0.0	G1		4.112	0.464	-12.854	-0.0	-0.0
-0.0	G2		1.598	0.186	-4.923	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.011	1.009	-0.092	-0.0	-0.0
-0.0	Q5_ps		-0.003	1.031	-0.189	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	15.740	4.214	-29.549	0.0	-0.0
-0.0		Min	6.411	-2.187	-72.603	-0.0	-0.0
0.0							
-0.0	INVSLE	Max	11.654	3.049	-22.609	0.0	-0.0
0.0		Min	4.745	-1.558	-54.489	-0.0	-0.0
-0.0							
2695	C1-C2;~1	Max	5.373	1.307	9.418	0.0	0.0
0.0		Min	-1.440	-1.577	-20.812	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	5.640	1.775	9.302	0.0	0.0
-0.0		Min	-1.425	-1.055	-21.926	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	3.123	0.698	5.371	0.0	0.0
0.0		Min	-0.821	-0.892	-11.920	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	3.232	0.971	5.300	0.0	0.0


PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0		Min	-0.812	-0.580	-12.562	-0.0	-0.0
-0.0	G1		4.188	0.454	-12.490	0.0	-0.0
-0.0	G2		1.627	0.182	-4.781	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.014	1.000	-0.090	-0.0	0.0
-0.0	Q5_ps		-0.005	1.021	-0.187	-0.0	-0.0
-0.0	INVSLU	Max	16.013	4.138	-28.062	0.0	-0.0
0.0		Min	6.430	-2.188	-70.539	-0.0	-0.0
-0.0	INVSLE	Max	11.854	2.993	-21.479	0.0	-0.0
0.0		Min	4.757	-1.560	-52.932	-0.0	-0.0
-0.0							
2696	C1-C2;~1	Max	5.480	1.282	9.392	0.0	0.0
0.0		Min	-1.499	-1.562	-20.430	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	5.751	1.744	9.276	0.0	0.0
0.0		Min	-1.483	-1.047	-21.524	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	3.183	0.684	5.356	0.0	0.0
0.0		Min	-0.854	-0.884	-11.696	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	3.293	0.953	5.286	0.0	0.0
0.0		Min	-0.844	-0.576	-12.325	-0.0	-0.0
-0.0							
-0.0	G1		4.255	0.444	-12.136	0.0	-0.0
-0.0	G2		1.653	0.178	-4.643	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.016	0.990	-0.090	-0.0	-0.0
-0.0	Q5_ps		-0.006	1.011	-0.186	-0.0	-0.0
-0.0							
	INVSLU	Max	16.249	4.059	-26.627	0.0	-0.0
0.0		Min	6.433	-2.186	-68.526	-0.0	-0.0
-0.0							
	INVSLE	Max	12.026	2.934	-20.388	0.0	-0.0
0.0		Min	4.757	-1.559	-51.413	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
2697	C1-C2;~1	Max	5.584	1.257	9.353	0.0	0.0
0.0		Min	-1.558	-1.542	-20.022	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	5.859	1.711	9.238	0.0	0.0
0.0		Min	-1.542	-1.036	-21.094	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	3.240	0.670	5.334	0.0	0.0
0.0		Min	-0.888	-0.873	-11.456	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	3.352	0.935	5.264	0.0	0.0
0.0		Min	-0.878	-0.571	-12.072	-0.0	-0.0
-0.0							
	G1		4.317	0.435	-11.764	0.0	-0.0
-0.0							
	G2		1.677	0.175	-4.498	0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc		-0.017	0.979	-0.089	-0.0	-0.0
-0.0							
	Q5_ps		-0.007	0.999	-0.183	-0.0	-0.0
-0.0							
	INVSLU	Max	16.465	3.976	-25.160	0.0	-0.0
0.0		Min	6.421	-2.178	-66.422	-0.0	-0.0
-0.0							
	INVSLE	Max	12.184	2.874	-19.273	0.0	-0.0
0.0		Min	4.745	-1.554	-49.826	-0.0	-0.0
-0.0							
2698	C1-C2;~1	Max	5.684	1.232	9.300	0.0	0.0
0.0		Min	-1.619	-1.518	-19.588	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	5.963	1.678	9.187	0.0	0.0
0.0		Min	-1.602	-1.023	-20.636	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	3.295	0.656	5.304	0.0	0.0
0.0		Min	-0.923	-0.860	-11.202	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	3.409	0.916	5.235	0.0	0.0
0.0		Min	-0.912	-0.564	-11.803	-0.0	-0.0
-0.0							
	G1		4.374	0.427	-11.377	0.0	-0.0
-0.0							
	G2		1.698	0.172	-4.347	0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0	Q5_pc		-0.019	0.967	-0.087	-0.0	-0.0
-0.0	Q5_ps		-0.008	0.986	-0.179	-0.0	-0.0
0.0	INVSLU	Max	16.662	3.894	-23.665	0.0	-0.0
-0.0		Min	6.392	-2.162	-64.234	-0.0	-0.0
0.0	INVSLE	Max	12.326	2.813	-18.136	0.0	-0.0
-0.0		Min	4.722	-1.544	-48.176	-0.0	-0.0
2699 0.0	C1-C2;~1	Max	5.779	1.208	9.234	0.0	0.0
-0.0		Min	-1.681	-1.489	-19.130	-0.0	-0.0
0.0	C3-C4;~1	Max	6.062	1.647	9.122	0.0	0.0
-0.0		Min	-1.664	-1.005	-20.152	-0.0	-0.0
0.0	C1-C2;~2	Max	3.348	0.642	5.266	0.0	0.0
-0.0		Min	-0.958	-0.844	-10.934	-0.0	-0.0
0.0	C3-C4;~2	Max	3.463	0.898	5.198	0.0	0.0
-0.0		Min	-0.947	-0.555	-11.520	-0.0	-0.0
-0.0	G1		4.425	0.422	-10.975	0.0	-0.0
-0.0	G2		1.718	0.169	-4.189	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.021	0.954	-0.084	-0.0	-0.0
-0.0	Q5_ps		-0.009	0.972	-0.175	-0.0	-0.0
0.0	INVSLU	Max	16.838	3.813	-22.146	0.0	-0.0
-0.0		Min	6.347	-2.137	-61.967	-0.0	-0.0
0.0	INVSLE	Max	12.454	2.753	-16.980	0.0	-0.0
-0.0		Min	4.686	-1.527	-46.466	-0.0	-0.0
2700 0.0	C1-C2;~1	Max	5.871	1.186	9.154	0.0	0.0
-0.0		Min	-1.745	-1.456	-18.648	-0.0	-0.0
0.0	C3-C4;~1	Max	6.157	1.616	9.043	0.0	0.0
-0.0		Min	-1.727	-0.984	-19.643	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	


0.0	C1-C2;~2	Max	3.398	0.629	5.221	0.0	0.0
-0.0		Min	-0.994	-0.825	-10.653	-0.0	-0.0
0.0	C3-C4;~2	Max	3.515	0.881	5.154	0.0	0.0
-0.0		Min	-0.983	-0.544	-11.223	-0.0	-0.0
-0.0	G1		4.470	0.418	-10.559	0.0	-0.0
-0.0	G2		1.735	0.167	-4.026	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.023	0.939	-0.080	-0.0	-0.0
-0.0	Q5_ps		-0.011	0.957	-0.169	-0.0	-0.0
0.0	INVSLU	Max	16.993	3.733	-20.609	0.0	-0.0
-0.0		Min	6.284	-2.104	-59.630	-0.0	-0.0
0.0	INVSLE	Max	12.565	2.695	-15.810	0.0	-0.0
-0.0		Min	4.636	-1.504	-44.704	-0.0	-0.0
2701	C1-C2;~1	Max	5.958	1.164	9.059	0.0	0.0
0.0		Min	-1.810	-1.418	-18.143	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.248	1.584	8.951	0.0	0.0
-0.0		Min	-1.791	-0.961	-19.113	-0.0	-0.0
0.0	C1-C2;~2	Max	3.446	0.618	5.167	0.0	0.0
-0.0		Min	-1.031	-0.804	-10.360	-0.0	-0.0
0.0	C3-C4;~2	Max	3.564	0.863	5.101	0.0	0.0
-0.0		Min	-1.020	-0.531	-10.914	-0.0	-0.0
-0.0	G1		4.509	0.415	-10.131	0.0	-0.0
-0.0	G2		1.749	0.166	-3.858	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.025	0.924	-0.077	-0.0	-0.0
-0.0	Q5_ps		-0.012	0.941	-0.164	-0.0	-0.0
0.0	INVSLU	Max	17.126	3.654	-19.063	0.0	-0.0
-0.0		Min	6.204	-2.063	-57.234	-0.0	-0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	INVSLE	Max	12.661	2.636	-14.633	0.0	-0.0
-0.0		Min	4.573	-1.475	-42.898	-0.0	-0.0
2702	C1-C2;~1	Max	6.041	1.141	8.954	0.0	0.0
0.0		Min	-1.876	-1.379	-17.620	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.334	1.551	8.847	0.0	0.0
-0.0		Min	-1.857	-0.935	-18.559	-0.0	-0.0
0.0	C1-C2;~2	Max	3.492	0.606	5.107	0.0	0.0
-0.0		Min	-1.069	-0.782	-10.056	-0.0	-0.0
0.0	C3-C4;~2	Max	3.611	0.844	5.042	0.0	0.0
-0.0		Min	-1.057	-0.517	-10.592	-0.0	-0.0
-0.0	G1		4.543	0.413	-9.693	-0.0	-0.0
-0.0	G2		1.762	0.165	-3.686	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.026	0.908	-0.071	-0.0	-0.0
-0.0	Q5_ps		-0.013	0.924	-0.155	-0.0	-0.0
0.0	INVSLU	Max	17.236	3.574	-17.503	0.0	-0.0
-0.0		Min	6.105	-2.016	-54.773	-0.0	-0.0
0.0	INVSLE	Max	12.739	2.578	-13.444	0.0	-0.0
-0.0		Min	4.497	-1.442	-41.042	-0.0	-0.0
2703	C1-C2;~1	Max	4.022	0.725	8.284	0.0	0.0
0.0		Min	-1.166	-3.169	-23.401	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.221	0.690	8.712	0.0	0.0
-0.0		Min	-1.095	-2.453	-23.965	-0.0	-0.0
0.0	C1-C2;~2	Max	2.323	0.393	4.750	0.0	0.0
-0.0		Min	-0.682	-1.811	-13.426	-0.0	-0.0
0.0	C3-C4;~2	Max	2.400	0.365	4.919	0.0	0.0
		Min	-0.641	-1.361	-13.798	-0.0	-0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-0.0	G1	3.406	-1.472	-16.056	0.0	0.0
-0.0	G2	1.330	-0.568	-6.554	0.0	0.0
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	-0.039	1.155	0.034	-0.0	0.0
-0.0	Q5_ps	-0.021	1.164	-0.008	-0.0	0.0
-0.0	INVSLE Max	7.045	1.360	-44.036	0.0	0.0
-0.0	INVSLE Min	-0.297	-6.234	-88.212	-0.0	0.0
-0.0	INVSLE Max	4.920	0.968	-33.553	0.0	0.0
-0.0	INVSLE Min	-0.514	-4.451	-66.271	-0.0	0.0
-0.0						
2704	C1-C2;~1 Max	3.986	0.708	8.190	0.0	0.0
0.0	C1-C2;~1 Min	-1.035	-3.200	-23.398	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	4.182	0.672	8.612	0.0	0.0
-0.0	C3-C4;~1 Min	-0.964	-2.479	-23.964	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	2.301	0.384	4.696	0.0	0.0
-0.0	C1-C2;~2 Min	-0.606	-1.830	-13.425	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	2.378	0.357	4.863	0.0	0.0
-0.0	C3-C4;~2 Min	-0.565	-1.376	-13.798	-0.0	-0.0
-0.0	G1	3.515	-1.529	-16.160	0.0	0.0
-0.0	G2	1.374	-0.591	-6.598	0.0	0.0
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	-0.044	1.153	0.032	-0.0	0.0
-0.0	Q5_ps	-0.025	1.162	-0.011	-0.0	0.0
-0.0						
-0.0	INVSLE Max	7.194	1.262	-44.779	0.0	0.0
-0.0	INVSLE Min	0.072	-6.358	-88.814	-0.0	0.0
-0.0						
-0.0	INVSLE Max	5.028	0.897	-34.115	0.0	0.0
-0.0	INVSLE Min	-0.242	-4.541	-66.729	-0.0	0.0
-0.0						
2705	C1-C2;~1 Max	3.952	0.689	8.085	0.0	0.0
0.0						

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	-0.904	-3.225	-23.358	-0.0	-0.0
0.0	C3-C4;~1	Max	4.146	0.654	8.502	0.0	0.0
-0.0		Min	-0.833	-2.499	-23.925	-0.0	-0.0
0.0	C1-C2;~2	Max	2.281	0.375	4.636	0.0	0.0
-0.0		Min	-0.531	-1.845	-13.403	-0.0	-0.0
0.0	C3-C4;~2	Max	2.357	0.348	4.800	0.0	0.0
-0.0		Min	-0.490	-1.387	-13.776	-0.0	-0.0
-0.0	G1		3.627	-1.581	-16.234	0.0	-0.0
-0.0	G2		1.420	-0.612	-6.628	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.049	1.149	0.030	-0.0	0.0
-0.0	Q5_ps		-0.030	1.158	-0.013	-0.0	0.0
0.0	INVSLU	Max	7.352	1.167	-45.424	0.0	0.0
-0.0		Min	0.446	-6.464	-89.254	-0.0	0.0
0.0	INVSLE	Max	5.144	0.828	-34.603	0.0	0.0
-0.0		Min	0.035	-4.619	-67.066	-0.0	0.0
2706	C1-C2;~1	Max	3.926	0.668	7.972	0.0	0.0
0.0		Min	-0.775	-3.235	-23.284	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.112	0.633	8.382	0.0	0.0
-0.0		Min	-0.705	-2.509	-23.849	-0.0	-0.0
0.0	C1-C2;~2	Max	2.261	0.364	4.571	0.0	0.0
-0.0		Min	-0.456	-1.852	-13.360	-0.0	-0.0
0.0	C3-C4;~2	Max	2.337	0.337	4.733	0.0	0.0
-0.0		Min	-0.416	-1.393	-13.733	-0.0	-0.0
-0.0	G1		3.742	-1.623	-16.279	0.0	-0.0
-0.0	G2		1.467	-0.629	-6.646	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.055	1.144	0.028	-0.0	0.0
-0.0							

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0	Q5_ps		-0.035	1.153	-0.014	-0.0	0.0
0.0	INVSLU	Max	7.522	1.080	-45.971	0.0	0.0
-0.0		Min	0.826	-6.538	-89.534	-0.0	-0.0
0.0	INVSLE	Max	5.268	0.766	-35.017	0.0	0.0
-0.0		Min	0.315	-4.673	-67.282	-0.0	-0.0
2707 0.0	C1-C2;~1	Max	3.911	0.645	7.849	0.0	0.0
-0.0		Min	-0.647	-3.231	-23.172	-0.0	-0.0
0.0	C3-C4;~1	Max	4.082	0.610	8.253	0.0	0.0
-0.0		Min	-0.579	-2.508	-23.733	-0.0	-0.0
0.0	C1-C2;~2	Max	2.250	0.352	4.501	0.0	0.0
-0.0		Min	-0.383	-1.850	-13.296	-0.0	-0.0
0.0	C3-C4;~2	Max	2.318	0.325	4.660	0.0	0.0
-0.0		Min	-0.344	-1.393	-13.666	-0.0	-0.0
-0.0	G1		3.860	-1.655	-16.294	0.0	-0.0
-0.0	G2		1.515	-0.642	-6.651	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.060	1.137	0.027	-0.0	0.0
-0.0	Q5_ps		-0.040	1.146	-0.015	-0.0	0.0
0.0	INVSLU	Max	7.704	1.004	-46.416	0.0	0.0
-0.0		Min	1.210	-6.575	-89.647	-0.0	-0.0
0.0	INVSLE	Max	5.401	0.711	-35.354	0.0	0.0
-0.0		Min	0.599	-4.700	-67.373	-0.0	-0.0
2708 0.0	C1-C2;~1	Max	3.903	0.620	7.718	0.0	0.0
-0.0		Min	-0.524	-3.214	-23.023	-0.0	-0.0
0.0	C3-C4;~1	Max	4.057	0.585	8.115	0.0	0.0
-0.0		Min	-0.459	-2.499	-23.577	-0.0	-0.0
	C1-C2;~2	Max	2.240	0.338	4.425	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0		Min	-0.312	-1.841	-13.211	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.301	0.312	4.582	0.0	0.0
-0.0		Min	-0.274	-1.388	-13.575	-0.0	-0.0
-0.0	G1		3.981	-1.678	-16.279	0.0	-0.0
-0.0	G2		1.564	-0.651	-6.644	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.066	1.128	0.027	-0.0	0.0
-0.0	Q5_ps		-0.045	1.138	-0.015	-0.0	0.0
-0.0							
0.0	INVSLU	Max	7.899	0.936	-46.760	0.0	0.0
-0.0		Min	1.596	-6.582	-89.592	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	5.543	0.662	-35.614	0.0	0.0
-0.0		Min	0.884	-4.705	-67.338	-0.0	-0.0
-0.0							
2709	C1-C2;~1	Max	3.902	0.594	7.578	0.0	0.0
0.0		Min	-0.406	-3.190	-22.838	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.039	0.559	7.967	0.0	0.0
-0.0		Min	-0.347	-2.483	-23.384	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.233	0.324	4.345	0.0	0.0
-0.0		Min	-0.244	-1.827	-13.104	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.288	0.298	4.498	0.0	0.0
-0.0		Min	-0.209	-1.379	-13.464	-0.0	-0.0
-0.0	G1		4.102	-1.695	-16.234	0.0	-0.0
-0.0	G2		1.614	-0.659	-6.624	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.072	1.119	0.028	-0.0	0.0
-0.0	Q5_ps		-0.051	1.127	-0.013	-0.0	0.0
-0.0							
0.0	INVSLU	Max	8.108	0.871	-47.001	-0.0	0.0
-0.0		Min	1.977	-6.571	-89.374	-0.0	-0.0
-0.0							
	INVSLE	Max	5.697	0.615	-35.796	-0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0		Min	1.165	-4.698	-67.181	-0.0	-0.0
-0.0							
2710	C1-C2;~1	Max	3.908	0.568	7.431	0.0	0.0
0.0		Min	-0.300	-3.168	-22.620	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.030	0.533	7.812	0.0	0.0
0.0		Min	-0.248	-2.468	-23.154	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.229	0.310	4.260	0.0	0.0
0.0		Min	-0.181	-1.814	-12.979	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.278	0.284	4.411	0.0	0.0
0.0		Min	-0.150	-1.371	-13.330	-0.0	-0.0
-0.0							
-0.0	G1		4.224	-1.715	-16.160	-0.0	-0.0
-0.0	G2		1.663	-0.667	-6.592	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.078	1.108	0.028	-0.0	0.0
-0.0	Q5_ps		-0.056	1.116	-0.011	-0.0	0.0
-0.0							
0.0	INVSLU	Max	8.333	0.799	-47.131	-0.0	0.0
0.0		Min	2.347	-6.567	-88.986	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	5.863	0.563	-35.895	-0.0	0.0
0.0		Min	1.439	-4.695	-66.895	-0.0	-0.0
-0.0							
2711	C1-C2;~1	Max	5.437	0.716	6.682	0.0	0.0
0.0		Min	-3.596	-1.679	-12.460	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	5.718	0.799	7.020	0.0	0.0
0.0		Min	-3.588	-1.289	-12.800	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	3.121	0.385	3.831	0.0	0.0
0.0		Min	-2.058	-0.954	-7.065	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	3.232	0.431	3.967	0.0	0.0
0.0		Min	-2.054	-0.715	-7.281	-0.0	-0.0
-0.0							
-0.0	G1		2.142	-0.310	-6.468	-0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		G2	0.804	-0.118	-2.655	-0.0	0.0
-0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0		Q5_pc	0.028	0.830	0.053	-0.0	0.0
0.0		Q5_ps	0.035	0.827	0.022	-0.0	0.0
0.0		INVS LU Max	8.102	1.835	-8.642	0.0	0.0
-0.0		Min	-4.523	-3.006	-35.494	-0.0	0.0
0.0		INVS LE Max	5.782	1.334	-6.638	0.0	0.0
-0.0		Min	-3.566	-2.142	-26.521	-0.0	0.0
2712	C1-C2;~1	Max	5.358	0.750	6.955	0.0	0.0
0.0		Min	-3.552	-1.784	-13.253	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	5.634	0.820	7.308	0.0	0.0
-0.0		Min	-3.542	-1.372	-13.615	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	3.076	0.404	3.988	0.0	0.0
0.0		Min	-2.033	-1.014	-7.519	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	3.185	0.440	4.129	0.0	0.0
-0.0		Min	-2.029	-0.761	-7.750	-0.0	-0.0
-0.0							
-0.0		G1	2.109	-0.350	-7.025	-0.0	0.0
-0.0		G2	0.792	-0.133	-2.883	-0.0	0.0
-0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0		Q5_pc	0.028	0.857	0.050	-0.0	0.0
0.0		Q5_ps	0.034	0.855	0.017	-0.0	0.0
0.0							
0.0		INVS LU Max	7.796	1.905	-10.095	0.0	0.0
-0.0		Min	-4.654	-3.154	-38.430	-0.0	0.0
0.0							
0.0		INVS LE Max	5.549	1.388	-7.745	0.0	0.0
-0.0		Min	-3.670	-2.245	-28.727	-0.0	0.0
2713	C1-C2;~1	Max	5.286	0.782	7.188	0.0	0.0
0.0		Min	-3.501	-1.880	-13.974	-0.0	-0.0
-0.0							

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	C3-C4;~1	Max	5.557	0.836	7.554	0.0	0.0
-0.0		Min	-3.490	-1.447	-14.350	-0.0	-0.0
0.0	C1-C2;~2	Max	3.036	0.421	4.121	0.0	0.0
-0.0		Min	-2.005	-1.069	-7.934	-0.0	-0.0
0.0	C3-C4;~2	Max	3.143	0.446	4.268	0.0	0.0
-0.0		Min	-2.000	-0.802	-8.173	-0.0	-0.0
-0.0	G1		2.090	-0.388	-7.547	-0.0	0.0
-0.0	G2		0.784	-0.148	-3.097	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.026	0.881	0.050	-0.0	0.0
0.0	Q5_ps		0.033	0.880	0.015	-0.0	0.0
0.0	INVSLU	Max	7.540	1.963	-11.508	0.0	0.0
-0.0		Min	-4.736	-3.289	-41.168	-0.0	0.0
0.0	INVSLE	Max	5.353	1.434	-8.823	0.0	0.0
-0.0		Min	-3.737	-2.340	-30.786	-0.0	0.0
2714	C1-C2;~1	Max	5.216	0.808	7.398	0.0	0.0
0.0		Min	-3.446	-1.972	-14.671	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	5.483	0.850	7.775	0.0	0.0
-0.0		Min	-3.433	-1.519	-15.061	-0.0	-0.0
0.0	C1-C2;~2	Max	2.996	0.436	4.241	0.0	0.0
-0.0		Min	-1.974	-1.121	-8.334	-0.0	-0.0
0.0	C3-C4;~2	Max	3.101	0.451	4.393	0.0	0.0
-0.0		Min	-1.968	-0.842	-8.583	-0.0	-0.0
-0.0	G1		2.079	-0.427	-8.064	-0.0	0.0
-0.0	G2		0.781	-0.162	-3.308	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.025	0.904	0.049	-0.0	0.0
0.0	Q5_ps		0.032	0.904	0.013	-0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	INVSLE	Max	7.308	2.013	-12.995	0.0	0.0
-0.0		Min	-4.789	-3.427	-43.912	-0.0	0.0
0.0	INVSLE	Max	5.176	1.470	-9.956	0.0	0.0
-0.0		Min	-3.782	-2.436	-32.851	-0.0	0.0
2715 0.0	C1-C2;~1	Max	5.148	0.829	7.586	0.0	0.0
-0.0		Min	-3.386	-2.059	-15.345	-0.0	-0.0
0.0	C3-C4;~1	Max	5.410	0.861	7.975	0.0	0.0
-0.0		Min	-3.370	-1.587	-15.749	-0.0	-0.0
0.0	C1-C2;~2	Max	2.958	0.447	4.350	0.0	0.0
-0.0		Min	-1.941	-1.170	-8.722	-0.0	-0.0
0.0	C3-C4;~2	Max	3.061	0.449	4.505	0.0	0.0
-0.0		Min	-1.934	-0.879	-8.980	-0.0	-0.0
-0.0	G1		2.076	-0.468	-8.578	-0.0	0.0
-0.0	G2		0.781	-0.178	-3.518	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.024	0.926	0.048	-0.0	0.0
0.0	Q5_ps		0.031	0.927	0.011	-0.0	0.0
0.0	INVSLE	Max	7.100	2.040	-14.542	0.0	0.0
-0.0		Min	-4.817	-3.569	-46.655	-0.0	0.0
0.0	INVSLE	Max	5.017	1.494	-11.136	0.0	0.0
-0.0		Min	-3.807	-2.537	-34.917	-0.0	0.0
2716 0.0	C1-C2;~1	Max	5.081	0.842	7.755	0.0	0.0
-0.0		Min	-3.322	-2.139	-15.995	-0.0	-0.0
0.0	C3-C4;~1	Max	5.339	0.871	8.153	0.0	0.0
-0.0		Min	-3.304	-1.649	-16.412	-0.0	-0.0
0.0	C1-C2;~2	Max	2.920	0.454	4.446	0.0	0.0
		Min	-1.906	-1.216	-9.096	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

-0.0

0.0 C3-C4;~2 Max 3.021 0.454 4.606 0.0 0.0

0.0 Min -1.896 -0.914 -9.364 -0.0 -0.0

-0.0

-0.0 G1 2.081 -0.511 -9.084 -0.0 0.0

-0.0 G2 0.783 -0.194 -3.724 -0.0 0.0

-0.0

0.0 Q3 0.000 0.000 0.000 0.0 0.0

0.0 Q5_pc 0.023 0.947 0.048 -0.0 0.0

0.0

0.0 Q5_ps 0.030 0.949 0.011 -0.0 0.0

0.0

0.0 INVSLU Max 6.916 2.061 -16.136 0.0 0.0

0.0 Min -4.818 -3.715 -49.386 -0.0 0.0

-0.0

0.0 INVSLE Max 4.875 1.506 -12.352 0.0 0.0

0.0 Min -3.813 -2.640 -36.975 -0.0 0.0

-0.0

2717 C1-C2;~1 Max 5.017 0.849 7.906 0.0 0.0

0.0 Min -3.256 -2.214 -16.623 -0.0 -0.0

-0.0

0.0 C3-C4;~1 Max 5.271 0.881 8.313 0.0 0.0

0.0 Min -3.233 -1.706 -17.051 -0.0 -0.0

-0.0

0.0 C1-C2;~2 Max 2.884 0.458 4.533 0.0 0.0

0.0 Min -1.868 -1.259 -9.459 -0.0 -0.0

-0.0

0.0 C3-C4;~2 Max 2.983 0.458 4.696 0.0 0.0

0.0 Min -1.857 -0.946 -9.734 -0.0 -0.0

-0.0

-0.0 G1 2.092 -0.556 -9.583 -0.0 0.0

-0.0 G2 0.788 -0.211 -3.927 -0.0 0.0

-0.0

-0.0 Q3 0.000 0.000 0.000 0.0 0.0

0.0 Q5_pc 0.021 0.967 0.049 -0.0 0.0

0.0

0.0 Q5_ps 0.030 0.970 0.011 -0.0 0.0

0.0

0.0 INVSLU Max 6.755 2.067 -17.763 0.0 0.0

0.0 Min -4.794 -3.865 -52.093 -0.0 0.0

-0.0

0.0 INVSLE Max 4.752 1.508 -13.593 0.0 0.0

0.0 Min -3.800 -2.748 -39.016 -0.0 0.0

MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

-0.0

2718	C1-C2;~1	Max	4.954	0.852	8.041	0.0	0.0
0.0		Min	-3.185	-2.287	-17.231	-0.0	-0.0

-0.0

0.0	C3-C4;~1	Max	5.204	0.890	8.457	0.0	0.0
0.0		Min	-3.159	-1.761	-17.670	-0.0	-0.0

-0.0

0.0	C1-C2;~2	Max	2.848	0.459	4.611	0.0	0.0
0.0		Min	-1.829	-1.300	-9.811	-0.0	-0.0

-0.0

0.0	C3-C4;~2	Max	2.946	0.460	4.777	0.0	0.0
0.0		Min	-1.815	-0.976	-10.093	-0.0	-0.0

-0.0

0.0	G1		2.110	-0.603	-10.076	-0.0	0.0
-----	----	--	-------	--------	---------	------	-----

-0.0

0.0	G2		0.796	-0.229	-4.126	-0.0	0.0
-----	----	--	-------	--------	--------	------	-----

-0.0

0.0	Q3		0.000	0.000	0.000	0.0	0.0
-----	----	--	-------	-------	-------	-----	-----

0.0

0.0	Q5_pc		0.020	0.987	0.051	-0.0	0.0
-----	-------	--	-------	-------	-------	------	-----

0.0

0.0	Q5_ps		0.029	0.990	0.013	-0.0	0.0
-----	-------	--	-------	-------	-------	------	-----

0.0

0.0	INVSLU	Max	6.617	2.062	-19.412	0.0	0.0
-----	--------	-----	-------	-------	---------	-----	-----

-0.0

0.0		Min	-4.746	-4.020	-54.775	-0.0	0.0
-----	--	-----	--------	--------	---------	------	-----

-0.0

0.0	INVSLE	Max	4.645	1.501	-14.850	0.0	0.0
-----	--------	-----	-------	-------	---------	-----	-----

-0.0

0.0		Min	-3.768	-2.859	-41.038	-0.0	0.0
-----	--	-----	--------	--------	---------	------	-----

-0.0

2719	C1-C2;~1	Max	5.645	0.933	7.496	0.0	0.0
------	----------	-----	-------	-------	-------	-----	-----

0.0

0.0		Min	-4.040	-1.798	-15.290	-0.0	-0.0
-----	--	-----	--------	--------	---------	------	------

-0.0

0.0	C3-C4;~1	Max	5.920	0.925	7.840	0.0	0.0
-----	----------	-----	-------	-------	-------	-----	-----

0.0

0.0		Min	-3.888	-1.411	-14.594	-0.0	-0.0
-----	--	-----	--------	--------	---------	------	------

-0.0

0.0	C1-C2;~2	Max	3.239	0.512	4.300	0.0	0.0
-----	----------	-----	-------	-------	-------	-----	-----

0.0

0.0		Min	-2.318	-1.023	-8.738	-0.0	-0.0
-----	--	-----	--------	--------	--------	------	------

-0.0

0.0	C3-C4;~2	Max	3.345	0.498	4.426	0.0	0.0
-----	----------	-----	-------	-------	-------	-----	-----

0.0

0.0		Min	-2.222	-0.780	-8.304	-0.0	-0.0
-----	--	-----	--------	--------	--------	------	------

-0.0


0.0	G1		2.125	-0.210	-7.485	-0.0	0.0
-----	----	--	-------	--------	--------	------	-----

-0.0

0.0	G2		0.802	-0.063	-3.021	0.0	0.0
-----	----	--	-------	--------	--------	-----	-----


MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	-0.054	0.824	-0.010	-0.0	-0.0
0.0	Q5_ps	-0.033	0.828	0.064	-0.0	-0.0
0.0						
-0.0	INVSLU Max	8.113	2.645	-10.243	0.0	0.0
-0.0	Min	-5.431	-2.525	-41.486	-0.0	0.0
-0.0						
-0.0	INVSLE Max	5.782	1.953	-7.790	0.0	0.0
-0.0	Min	-4.243	-1.767	-30.932	-0.0	0.0
-0.0						
2720	C1-C2;~1 Max	5.575	0.962	7.765	0.0	0.0
0.0	Min	-4.002	-1.921	-16.164	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	5.848	0.952	8.122	0.0	0.0
-0.0	Min	-3.848	-1.510	-15.422	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	3.200	0.528	4.454	0.0	0.0
-0.0	Min	-2.298	-1.094	-9.242	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	3.305	0.513	4.586	0.0	0.0
-0.0	Min	-2.201	-0.837	-8.779	-0.0	-0.0
-0.0						
-0.0	G1	2.098	-0.276	-8.050	-0.0	0.0
-0.0	G2	0.792	-0.088	-3.250	-0.0	0.0
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	-0.053	0.854	-0.001	-0.0	-0.0
0.0	Q5_ps	-0.031	0.859	0.077	0.0	-0.0
0.0						
0.0	INVSLU Max	7.841	2.662	-11.694	-0.0	0.0
-0.0	Min	-5.552	-2.767	-44.483	-0.0	0.0
-0.0						
0.0	INVSLE Max	5.575	1.967	-8.892	-0.0	0.0
-0.0	Min	-4.339	-1.941	-33.179	-0.0	0.0
-0.0						
2721	C1-C2;~1 Max	5.504	0.991	8.029	0.0	0.0
0.0	Min	-3.957	-2.054	-17.054	-0.0	-0.0
-0.0						
	C3-C4;~1 Max	5.774	0.980	8.400	0.0	0.0

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0		Min	-3.801	-1.616	-16.270	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	3.160	0.544	4.606	0.0	0.0
0.0		Min	-2.274	-1.172	-9.757	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	3.264	0.528	4.742	0.0	0.0
0.0		Min	-2.175	-0.896	-9.267	-0.0	-0.0
-0.0							
-0.0	G1		2.077	-0.346	-8.642	-0.0	0.0
-0.0	G2		0.784	-0.115	-3.489	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.051	0.885	0.003	-0.0	-0.0
0.0	Q5_ps		-0.029	0.890	0.085	0.0	-0.0
0.0							
-0.0	INVSLU	Max	7.575	2.678	-13.289	-0.0	0.0
-0.0		Min	-5.653	-3.026	-47.656	-0.0	0.0
-0.0							
-0.0	INVSLE	Max	5.372	1.980	-10.102	-0.0	0.0
-0.0		Min	-4.420	-2.127	-35.559	-0.0	0.0
-0.0							
2722	C1-C2;~1	Max	5.434	1.016	8.270	0.0	0.0
0.0		Min	-3.903	-2.182	-17.925	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	5.701	1.003	8.653	0.0	0.0
0.0		Min	-3.746	-1.716	-17.099	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	3.121	0.558	4.744	0.0	0.0
0.0		Min	-2.245	-1.247	-10.261	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	3.224	0.541	4.885	0.0	0.0
0.0		Min	-2.145	-0.953	-9.744	-0.0	-0.0
-0.0							
-0.0	G1		2.067	-0.416	-9.236	-0.0	0.0
-0.0	G2		0.781	-0.142	-3.729	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.049	0.913	0.009	0.0	-0.0
0.0	Q5_ps		-0.027	0.919	0.094	0.0	-0.0
0.0							
	INVSLU	Max	7.336	2.678	-14.963	-0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-0.0		Min	-5.718	-3.282	-50.859	-0.0	0.0
-0.0							
-0.0	INVSLE	Max	5.189	1.982	-11.374	-0.0	0.0
-0.0		Min	-4.474	-2.311	-37.963	-0.0	0.0
-0.0							
2723	C1-C2;~1	Max	5.366	1.033	8.487	0.0	0.0
0.0		Min	-3.840	-2.300	-18.768	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	5.630	1.019	8.881	0.0	0.0
-0.0		Min	-3.682	-1.810	-17.900	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	3.082	0.568	4.868	0.0	0.0
-0.0		Min	-2.210	-1.316	-10.749	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	3.184	0.550	5.014	0.0	0.0
-0.0		Min	-2.110	-1.006	-10.206	-0.0	-0.0
-0.0							
-0.0	G1		2.066	-0.486	-9.825	-0.0	0.0
-0.0	G2		0.781	-0.169	-3.966	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.046	0.940	0.014	0.0	-0.0
0.0	Q5_ps		-0.024	0.946	0.103	0.0	-0.0
0.0							
-0.0	INVSLU	Max	7.123	2.656	-16.706	-0.0	0.0
-0.0		Min	-5.745	-3.536	-54.057	-0.0	0.0
-0.0							
-0.0	INVSLE	Max	5.025	1.967	-12.699	-0.0	0.0
-0.0		Min	-4.500	-2.494	-40.365	-0.0	0.0
-0.0							
2724	C1-C2;~1	Max	5.299	1.043	8.681	0.0	0.0
0.0		Min	-3.768	-2.409	-19.579	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	5.560	1.027	9.086	0.0	0.0
-0.0		Min	-3.610	-1.895	-18.673	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	3.044	0.573	4.979	0.0	0.0
-0.0		Min	-2.171	-1.379	-11.220	-0.0	-0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	C3-C4 ; ~2	Max	3.145	0.553	5.129	0.0	0.0
		Min	-2.070	-1.054	-10.652	-0.0	-0.0
-0.0		G1	2.075	-0.557	-10.405	-0.0	0.0
-0.0		G2	0.785	-0.196	-4.200	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0		Q5_pc	-0.044	0.964	0.019	0.0	-0.0
0.0		Q5_ps	-0.022	0.972	0.111	0.0	-0.0
-0.0	INVSLU	Max	6.937	2.607	-18.504	-0.0	0.0
-0.0		Min	-5.736	-3.788	-57.235	-0.0	0.0
-0.0	INVSLE	Max	4.882	1.931	-14.066	-0.0	0.0
-0.0		Min	-4.499	-2.677	-42.753	-0.0	0.0
2725	C1-C2 ; ~1	Max	5.234	1.044	8.855	0.0	0.0
0.0		Min	-3.689	-2.508	-20.360	-0.0	-0.0
-0.0							
0.0	C3-C4 ; ~1	Max	5.492	1.027	9.269	0.0	0.0
0.0		Min	-3.532	-1.972	-19.418	-0.0	-0.0
-0.0							
0.0	C1-C2 ; ~2	Max	3.008	0.574	5.079	0.0	0.0
0.0		Min	-2.127	-1.437	-11.674	-0.0	-0.0
-0.0							
0.0	C3-C4 ; ~2	Max	3.107	0.553	5.233	0.0	0.0
0.0		Min	-2.026	-1.097	-11.083	-0.0	-0.0
-0.0							
-0.0		G1	2.093	-0.627	-10.975	-0.0	0.0
-0.0		G2	0.793	-0.223	-4.429	0.0	0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0		Q5_pc	-0.042	0.987	0.024	0.0	-0.0
0.0		Q5_ps	-0.020	0.995	0.119	0.0	-0.0
0.0							
-0.0	INVSLU	Max	6.777	2.534	-20.339	-0.0	0.0
-0.0		Min	-5.693	-4.039	-60.381	-0.0	0.0
-0.0							
-0.0	INVSLE	Max	4.759	1.877	-15.461	-0.0	0.0
-0.0		Min	-4.472	-2.860	-45.118	-0.0	0.0
-0.0							


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

2726	C1-C2;~1	Max	5.171	1.041	9.010	0.0	0.0
0.0		Min	-3.604	-2.601	-21.106	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	5.425	1.022	9.433	0.0	0.0
0.0		Min	-3.448	-2.045	-20.132	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.972	0.572	5.168	0.0	0.0
0.0		Min	-2.079	-1.492	-12.108	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	3.071	0.550	5.325	0.0	0.0
0.0		Min	-1.979	-1.139	-11.496	-0.0	-0.0
-0.0							
	G1		2.118	-0.698	-11.530	-0.0	0.0
-0.0							
	G2		0.804	-0.251	-4.652	-0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc		-0.040	1.008	0.027	0.0	-0.0
0.0							
	Q5_ps		-0.018	1.017	0.126	0.0	-0.0
0.0							
	INVSLU	Max	6.643	2.442	-22.191	-0.0	0.0
-0.0		Min	-5.618	-4.290	-63.468	-0.0	0.0
-0.0							
	INVSLE	Max	4.655	1.809	-16.869	-0.0	0.0
-0.0		Min	-4.421	-3.043	-47.440	-0.0	0.0
-0.0							
2727	C1-C2;~1	Max	5.107	1.036	9.163	0.0	0.0
0.0		Min	-3.514	-2.697	-21.880	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	5.359	1.016	9.594	0.0	0.0
0.0		Min	-3.358	-2.121	-20.868	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.936	0.569	5.255	0.0	0.0
0.0		Min	-2.029	-1.547	-12.560	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	3.034	0.547	5.416	0.0	0.0
0.0		Min	-1.929	-1.182	-11.923	-0.0	-0.0
-0.0							
	G1		2.150	-0.774	-12.106	-0.0	0.0
-0.0							
	G2		0.817	-0.280	-4.883	-0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0						
	Q5_pc	-0.037	1.029	0.033	-0.0	-0.0
0.0						
	Q5_ps	-0.016	1.038	0.135	0.0	-0.0
0.0						
	INVSLU	Max	6.526	2.338	-24.110	-0.0
-0.0		Min	-5.518	-4.553	-66.660	-0.0
-0.0						
	INVSLE	Max	4.565	1.732	-18.327	-0.0
-0.0		Min	-4.352	-3.235	-49.840	-0.0
-0.0						
2728	C1-C2;~1	Max	6.762	0.671	4.346	0.0
0.0		Min	-3.165	-0.419	-6.745	-0.0
-0.0						
	C3-C4;~1	Max	7.055	0.813	4.272	0.0
0.0		Min	-3.095	-0.286	-6.800	-0.0
-0.0						
	C1-C2;~2	Max	3.876	0.359	2.481	0.0
0.0		Min	-1.805	-0.247	-3.861	-0.0
-0.0						
	C3-C4;~2	Max	3.980	0.441	2.435	0.0
0.0		Min	-1.761	-0.166	-3.821	-0.0
-0.0						
	G1		4.091	0.603	-2.412	0.0
0.0						
	G2		1.570	0.246	-0.871	0.0
-0.0						
	Q3		0.000	0.000	0.000	0.0
0.0						
	Q5_pc		-0.016	0.514	-0.088	-0.0
-0.0						
	Q5_ps		-0.009	0.514	-0.062	-0.0
-0.0						
	INVSLU	Max	15.589	2.846	0.544	0.0
0.0		Min	1.762	0.182	-14.661	-0.0
-0.0						
	INVSLE	Max	11.433	2.079	0.341	0.0
0.0		Min	1.193	0.197	-10.910	-0.0
-0.0						
2729	C1-C2;~1	Max	6.749	0.634	3.828	0.0
0.0		Min	-3.225	-0.332	-5.901	-0.0
-0.0						
	C3-C4;~1	Max	7.042	0.755	3.766	0.0
0.0		Min	-3.152	-0.226	-5.947	-0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

-0.0							
0.0	C1-C2;~2	Max	3.867	0.340	2.186	0.0	0.0
-0.0		Min	-1.838	-0.197	-3.376	-0.0	-0.0
0.0	C3-C4;~2	Max	3.972	0.409	2.147	0.0	0.0
-0.0		Min	-1.793	-0.132	-3.340	-0.0	-0.0
-0.0	G1		4.022	0.605	-2.087	0.0	-0.0
-0.0	G2		1.543	0.244	-0.752	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.019	0.495	-0.095	-0.0	0.0
-0.0	Q5_ps		-0.011	0.491	-0.071	-0.0	0.0
-0.0							
0.0	INVSLU	Max	15.360	2.725	0.699	0.0	-0.0
-0.0		Min	1.466	0.257	-12.669	-0.0	-0.0
0.0	INVSLE	Max	11.260	1.989	0.467	0.0	-0.0
-0.0		Min	0.970	0.249	-9.422	-0.0	-0.0
2730	C1-C2;~1	Max	6.733	0.596	3.300	0.0	0.0
0.0		Min	-3.285	-0.247	-5.073	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	7.026	0.697	3.249	0.0	0.0
-0.0		Min	-3.209	-0.168	-5.106	-0.0	-0.0
0.0	C1-C2;~2	Max	3.857	0.321	1.885	0.0	0.0
-0.0		Min	-1.873	-0.147	-2.901	-0.0	-0.0
0.0	C3-C4;~2	Max	3.962	0.377	1.853	0.0	0.0
-0.0		Min	-1.826	-0.099	-2.866	-0.0	-0.0
-0.0	G1		3.947	0.603	-1.781	0.0	-0.0
-0.0	G2		1.513	0.242	-0.640	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.022	0.479	-0.096	-0.0	0.0
-0.0	Q5_ps		-0.014	0.472	-0.073	-0.0	0.0
-0.0							
0.0	INVSLU	Max	15.113	2.598	0.768	0.0	-0.0
		Min	1.153	0.320	-10.753	-0.0	-0.0


MIDAS

PROJECT TITLE :


	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-0.0							
0.0	INVSLE	Max	11.072	1.895	0.529	0.0	-0.0
-0.0		Min	0.735	0.292	-7.992	-0.0	-0.0
2731	C1-C2;~1	Max	6.712	0.558	2.752	0.0	0.0
0.0		Min	-3.347	-0.167	-4.246	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	7.004	0.638	2.713	0.0	0.0
-0.0		Min	-3.268	-0.115	-4.268	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	3.844	0.301	1.572	0.0	0.0
0.0		Min	-1.908	-0.101	-2.426	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	3.949	0.345	1.548	0.0	0.0
-0.0		Min	-1.859	-0.069	-2.394	-0.0	-0.0
-0.0	G1		3.864	0.598	-1.498	0.0	-0.0
-0.0	G2		1.481	0.237	-0.538	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.025	0.465	-0.098	-0.0	0.0
-0.0	Q5_ps		-0.016	0.455	-0.077	-0.0	0.0
0.0	INVSLE	Max	14.844	2.466	0.729	0.0	0.0
-0.0		Min	0.825	0.367	-8.924	-0.0	-0.0
0.0	INVSLE	Max	10.869	1.797	0.508	0.0	0.0
-0.0		Min	0.487	0.324	-6.629	-0.0	-0.0
2732	C1-C2;~1	Max	6.685	0.520	2.184	0.0	0.0
0.0		Min	-3.410	-0.097	-3.426	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.977	0.591	2.158	0.0	0.0
-0.0		Min	-3.328	-0.071	-3.437	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	3.828	0.280	1.249	0.0	0.0
0.0		Min	-1.944	-0.058	-1.956	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	3.933	0.321	1.232	0.0	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	-1.893	-0.042	-1.926	-0.0	-0.0
-0.0	G1		3.775	0.588	-1.241	0.0	-0.0
-0.0	G2		1.445	0.231	-0.445	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.028	0.455	-0.099	-0.0	0.0
-0.0	Q5_ps		-0.019	0.441	-0.079	-0.0	0.0
-0.0							
0.0	INVSLU	Max	14.554	2.346	0.574	0.0	0.0
-0.0		Min	0.481	0.398	-7.192	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	10.649	1.708	0.401	0.0	0.0
-0.0		Min	0.228	0.344	-5.338	-0.0	-0.0
-0.0							
2733	C1-C2;~1	Max	6.653	0.486	1.600	0.0	0.0
0.0		Min	-3.474	-0.039	-2.612	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.945	0.555	1.587	0.0	0.0
-0.0		Min	-3.388	-0.050	-2.613	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	3.810	0.262	0.915	0.0	0.0
-0.0		Min	-1.981	-0.022	-1.490	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	3.915	0.304	0.907	0.0	0.0
-0.0		Min	-1.927	-0.028	-1.463	-0.0	-0.0
-0.0							
-0.0	G1		3.679	0.573	-1.006	0.0	-0.0
-0.0	G2		1.408	0.224	-0.362	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.031	0.447	-0.098	-0.0	-0.0
-0.0	Q5_ps		-0.021	0.430	-0.080	-0.0	-0.0
-0.0							
0.0	INVSLU	Max	14.243	2.239	0.315	0.0	0.0
-0.0		Min	0.121	0.406	-5.548	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	10.414	1.628	0.215	0.0	0.0
-0.0		Min	-0.042	0.348	-4.114	-0.0	-0.0
-0.0							
2734	C1-C2;~1	Max	6.616	0.477	0.999	0.0	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0		Min	-3.539	-0.033	-1.810	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.908	0.526	1.000	0.0	0.0
-0.0		Min	-3.449	-0.050	-1.801	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	3.788	0.261	0.573	0.0	0.0
-0.0		Min	-2.017	-0.017	-1.032	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	3.894	0.290	0.573	0.0	0.0
-0.0		Min	-1.962	-0.027	-1.007	-0.0	-0.0
0.0							
-0.0	G1		3.576	0.555	-0.800	0.0	-0.0
-0.0	G2		1.367	0.215	-0.289	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.034	0.442	-0.094	-0.0	0.0
-0.0	Q5_ps		-0.023	0.422	-0.078	-0.0	0.0
0.0							
0.0	INVSLU	Max	13.911	2.145	-0.062	0.0	0.0
-0.0		Min	-0.253	0.368	-4.027	-0.0	-0.0
0.0							
0.0	INVSLE	Max	10.164	1.559	-0.059	0.0	0.0
-0.0		Min	-0.323	0.319	-2.984	-0.0	-0.0
2735	C1-C2;~1	Max	6.573	0.473	0.440	0.0	0.0
0.0		Min	-3.605	-0.040	-0.993	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.866	0.504	0.449	0.0	0.0
-0.0		Min	-3.511	-0.052	-0.975	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	3.763	0.262	0.251	0.0	0.0
-0.0		Min	-2.055	-0.022	-0.564	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	3.870	0.280	0.257	0.0	0.0
-0.0		Min	-1.997	-0.029	-0.543	-0.0	-0.0
0.0							
-0.0	G1		3.466	0.535	-0.555	0.0	-0.0
-0.0	G2		1.324	0.206	-0.203	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.036	0.440	-0.078	-0.0	-0.0

MIDAS

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-0.0						
-0.0	Q5_ps		-0.024	0.418	-0.065	-0.0 -0.0
0.0	INVSLE	Max	13.557	2.070	-0.351	0.0 -0.0
-0.0		Min	-0.643	0.328	-2.439	-0.0 -0.0
0.0	INVSLE	Max	9.897	1.503	-0.269	0.0 -0.0
-0.0		Min	-0.616	0.288	-1.805	-0.0 -0.0
2736	C1-C2;~1	Max	6.523	0.475	0.000	0.0 0.0
0.0		Min	-3.678	-0.054	0.000	-0.0 -0.0
-0.0						
0.0	C3-C4;~1	Max	6.816	0.491	0.000	0.0 0.0
-0.0		Min	-3.579	-0.060	0.000	-0.0 -0.0
0.0	C1-C2;~2	Max	3.735	0.267	0.000	0.0 0.0
-0.0		Min	-2.097	-0.031	0.000	-0.0 -0.0
0.0	C3-C4;~2	Max	3.842	0.275	0.000	0.0 0.0
-0.0		Min	-2.036	-0.035	0.000	-0.0 -0.0
-0.0	G1		3.341	0.514	0.000	0.0 0.0
-0.0	G2		1.276	0.198	0.000	0.0 0.0
-0.0	Q3		0.000	0.000	0.000	0.0 0.0
0.0	Q5_pc		-0.040	0.441	0.000	-0.0 -0.0
0.0	Q5_ps		-0.027	0.418	0.000	-0.0 -0.0
0.0						
0.0	INVSLE	Max	13.165	2.024	0.000	0.0 0.0
-0.0		Min	-1.072	0.291	0.000	0.0 -0.0
0.0	INVSLE	Max	9.602	1.469	0.000	0.0 0.0
-0.0		Min	-0.939	0.261	0.000	0.0 -0.0
2737	C1-C2;~1	Max	4.457	0.199	4.149	0.0 0.0
0.0		Min	-0.077	-2.543	-14.105	-0.0 -0.0
-0.0						
0.0	C3-C4;~1	Max	4.544	0.192	4.361	0.0 0.0
-0.0		Min	-0.078	-2.134	-14.425	-0.0 -0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	C1-C2;~2	Max	2.371	0.116	2.379	0.0	0.0
		Min	-0.057	-1.448	-8.050	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.406	0.110	2.462	0.0	0.0
		Min	-0.058	-1.187	-8.254	-0.0	-0.0
-0.0							
0.0	G1		6.053	-2.019	-10.858	-0.0	-0.0
0.0	G2		2.407	-0.799	-4.427	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.205	0.780	0.019	-0.0	0.0
-0.0	Q5_ps		-0.178	0.779	-0.009	-0.0	0.0
-0.0							
0.0	INVSLU	Max	12.831	-0.694	-34.600	-0.0	-0.0
		Min	6.168	-6.153	-59.996	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	9.186	-0.502	-26.375	-0.0	-0.0
		Min	4.283	-4.407	-45.184	-0.0	-0.0
-0.0							
2738	C1-C2;~1	Max	4.489	0.182	3.901	0.0	0.0
0.0		Min	-0.077	-2.486	-13.325	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.576	0.175	4.100	0.0	0.0
		Min	-0.078	-2.103	-13.626	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.380	0.107	2.237	0.0	0.0
		Min	-0.057	-1.414	-7.602	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.415	0.102	2.315	0.0	0.0
		Min	-0.057	-1.168	-7.793	-0.0	-0.0
-0.0							
0.0	G1		6.147	-2.034	-10.294	-0.0	-0.0
0.0	G2		2.445	-0.806	-4.198	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.214	0.753	0.019	-0.0	0.0
-0.0	Q5_ps		-0.187	0.751	-0.008	-0.0	0.0
-0.0							
0.0	INVSLU	Max	13.086	-0.799	-32.929	-0.0	-0.0
		Min	6.360	-6.104	-56.893	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	INVSLE	Max	9.375	-0.577	-25.104	-0.0	-0.0
		Min	4.427	-4.373	-42.853	-0.0	-0.0
-0.0							
2739 0.0	C1-C2;~1	Max	4.519	0.165	3.646	0.0	0.0
		Min	-0.077	-2.432	-12.513	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.605	0.158	3.832	0.0	0.0
		Min	-0.078	-2.074	-12.801	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.389	0.099	2.090	0.0	0.0
		Min	-0.057	-1.381	-7.135	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.424	0.094	2.163	0.0	0.0
		Min	-0.057	-1.151	-7.318	-0.0	-0.0
-0.0							
0.0	G1		6.235	-2.052	-9.700	0.0	-0.0
0.0	G2		2.480	-0.815	-3.957	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.222	0.725	0.017	-0.0	0.0
-0.0	Q5_ps		-0.195	0.722	-0.010	-0.0	0.0
-0.0							
0.0	INVSLU	Max	13.327	-0.911	-31.162	0.0	-0.0
		Min	6.540	-6.064	-53.648	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	9.554	-0.656	-23.760	0.0	-0.0
		Min	4.563	-4.345	-40.414	-0.0	-0.0
-0.0							
2740 0.0	C1-C2;~1	Max	4.548	0.149	3.389	0.0	0.0
		Min	-0.077	-2.375	-11.684	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.633	0.142	3.562	0.0	0.0
		Min	-0.078	-2.042	-11.956	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.397	0.091	1.943	0.0	0.0
		Min	-0.056	-1.346	-6.659	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.432	0.086	2.011	0.0	0.0
		Min	-0.057	-1.133	-6.832	-0.0	-0.0
-0.0							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	G1	6.319	-2.067	-9.088	0.0	-0.0	
0.0	G2	2.514	-0.822	-3.708	0.0	-0.0	
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
-0.0	Q5_pc	-0.231	0.697	0.016	-0.0	0.0	
-0.0	Q5_ps	-0.204	0.693	-0.010	-0.0	0.0	
0.0	INVSLU	Max	13.558	-1.018	-29.306	0.0	-0.0
-0.0		Min	6.713	-6.013	-50.284	-0.0	-0.0
0.0	INVSLE	Max	9.725	-0.732	-22.348	0.0	-0.0
-0.0		Min	4.693	-4.309	-37.885	-0.0	-0.0
2741 0.0	C1-C2;~1	Max	4.575	0.133	3.128	0.0	0.0
-0.0		Min	-0.076	-2.310	-10.835	-0.0	-0.0
0.0	C3-C4;~1	Max	4.684	0.124	3.288	0.0	0.0
-0.0		Min	-0.077	-2.004	-11.091	-0.0	-0.0
0.0	C1-C2;~2	Max	2.405	0.083	1.793	0.0	0.0
-0.0		Min	-0.056	-1.307	-6.173	-0.0	-0.0
0.0	C3-C4;~2	Max	2.458	0.078	1.856	0.0	0.0
-0.0		Min	-0.057	-1.110	-6.334	-0.0	-0.0
0.0	G1	6.400	-2.074	-8.455	0.0	-0.0	
0.0	G2	2.548	-0.826	-3.451	0.0	-0.0	
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
-0.0	Q5_pc	-0.241	0.666	0.016	-0.0	0.0	
-0.0	Q5_ps	-0.213	0.661	-0.009	-0.0	0.0	
0.0	INVSLU	Max	13.816	-1.113	-27.362	0.0	-0.0
-0.0		Min	6.879	-5.935	-46.803	-0.0	-0.0
0.0	INVSLE	Max	9.917	-0.800	-20.869	0.0	-0.0
-0.0		Min	4.818	-4.254	-35.267	-0.0	-0.0
2742 0.0	C1-C2;~1	Max	4.611	0.116	2.865	0.0	0.0
		Min	-0.076	-2.235	-9.967	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

-0.0							
0.0	C3-C4;~1	Max	4.736	0.112	3.011	0.0	0.0
-0.0		Min	-0.077	-1.957	-10.207	-0.0	-0.0
0.0	C1-C2;~2	Max	2.419	0.075	1.642	0.0	0.0
-0.0		Min	-0.056	-1.262	-5.675	-0.0	-0.0
0.0	C3-C4;~2	Max	2.485	0.072	1.700	0.0	0.0
-0.0		Min	-0.057	-1.082	-5.826	-0.0	-0.0
0.0	G1		6.480	-2.071	-7.803	0.0	-0.0
0.0	G2		2.580	-0.826	-3.185	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.251	0.633	0.016	-0.0	0.0
-0.0	Q5_ps		-0.223	0.627	-0.008	-0.0	0.0
0.0	INVSLU	Max	14.070	-1.196	-25.333	0.0	-0.0
-0.0		Min	7.040	-5.825	-43.207	-0.0	-0.0
0.0	INVSLE	Max	10.105	-0.858	-19.325	0.0	-0.0
-0.0		Min	4.939	-4.175	-32.562	-0.0	-0.0
2743	C1-C2;~1	Max	4.662	0.105	2.599	0.0	0.0
0.0		Min	-0.076	-2.151	-9.081	-0.0	-0.0
-0.0	C3-C4;~1	Max	4.783	0.100	2.731	0.0	0.0
0.0		Min	-0.077	-1.902	-9.304	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.447	0.070	1.490	0.0	0.0
0.0		Min	-0.056	-1.210	-5.168	-0.0	-0.0
-0.0	C3-C4;~2	Max	2.509	0.067	1.542	0.0	0.0
0.0		Min	-0.057	-1.049	-5.308	-0.0	-0.0
-0.0	G1		6.557	-2.059	-7.132	0.0	-0.0
0.0	G2		2.611	-0.822	-2.911	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.262	0.597	0.017	-0.0	0.0
-0.0	Q5_ps		-0.234	0.590	-0.006	-0.0	0.0


MIDAS

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


-0.0							
0.0	INVSLU	Max	14.313	-1.264	-23.223	0.0	-0.0
-0.0		Min	7.192	-5.684	-39.501	-0.0	-0.0
0.0	INVSLE	Max	10.286	-0.905	-17.718	0.0	-0.0
-0.0		Min	5.055	-4.073	-29.774	-0.0	-0.0
2744	C1-C2;~1	Max	4.710	0.094	2.329	0.0	0.0
0.0		Min	-0.076	-2.059	-8.175	-0.0	-0.0
-0.0	C3-C4;~1	Max	4.826	0.089	2.448	0.0	0.0
0.0		Min	-0.077	-1.841	-8.383	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.472	0.064	1.335	0.0	0.0
0.0		Min	-0.056	-1.155	-4.649	-0.0	-0.0
-0.0	C3-C4;~2	Max	2.532	0.060	1.382	0.0	0.0
0.0		Min	-0.056	-1.012	-4.780	-0.0	-0.0
-0.0	G1		6.630	-2.040	-6.441	-0.0	-0.0
0.0	G2		2.641	-0.815	-2.628	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.274	0.557	0.017	-0.0	0.0
-0.0	Q5_ps		-0.246	0.549	-0.004	-0.0	0.0
-0.0	INVSLU	Max	14.543	-1.328	-21.033	-0.0	-0.0
0.0		Min	7.335	-5.520	-35.686	-0.0	-0.0
-0.0	INVSLE	Max	10.457	-0.949	-16.051	-0.0	-0.0
0.0		Min	5.163	-3.955	-26.903	-0.0	-0.0
-0.0	C1-C2;~1	Max	4.753	0.082	2.060	0.0	0.0
0.0		Min	-0.076	-1.963	-7.265	-0.0	-0.0
-0.0	C3-C4;~1	Max	4.865	0.077	2.165	0.0	0.0
0.0		Min	-0.077	-1.778	-7.451	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.494	0.057	1.181	0.0	0.0
0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	-0.056	-1.096	-4.130	-0.0	-0.0
0.0	C3-C4;~2	Max	2.551	0.053	1.222	0.0	0.0
-0.0		Min	-0.056	-0.974	-4.246	-0.0	-0.0
0.0	G1		6.695	-2.021	-5.743	-0.0	-0.0
0.0	G2		2.667	-0.808	-2.342	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.287	0.514	0.020	-0.0	0.0
-0.0	Q5_ps		-0.259	0.505	0.001	-0.0	0.0
0.0	INVSLU	Max	14.754	-1.400	-18.774	-0.0	-0.0
-0.0		Min	7.463	-5.347	-31.793	-0.0	-0.0
0.0	INVSLE	Max	10.613	-0.998	-14.330	-0.0	-0.0
-0.0		Min	5.261	-3.831	-23.970	-0.0	-0.0
2746	C1-C2;~1	Max	4.692	0.185	4.460	0.0	0.0
0.0		Min	-0.082	-2.940	-16.579	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.832	0.180	4.678	0.0	0.0
-0.0		Min	-0.083	-2.519	-15.809	-0.0	-0.0
0.0	C1-C2;~2	Max	2.496	0.109	2.557	0.0	0.0
-0.0		Min	-0.061	-1.677	-9.520	-0.0	-0.0
0.0	C3-C4;~2	Max	2.551	0.104	2.640	0.0	0.0
-0.0		Min	-0.061	-1.405	-9.038	-0.0	-0.0
0.0	G1		6.367	-2.423	-11.813	0.0	-0.0
0.0	G2		2.529	-0.943	-4.766	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		0.007	0.705	0.030	0.0	-0.0
-0.0	Q5_ps		0.009	0.717	0.107	0.0	0.0
0.0	INVSLU	Max	13.594	-1.784	-37.466	-0.0	-0.0
-0.0		Min	6.946	-7.609	-66.216	-0.0	-0.0
0.0	INVSLE	Max	9.745	-1.308	-28.460	-0.0	-0.0


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	4.822	-5.496	-49.753	-0.0	-0.0
2747	C1-C2;~1	Max	4.735	0.166	4.174	0.0	0.0
0.0		Min	-0.082	-2.879	-15.597	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.870	0.161	4.378	0.0	0.0
0.0		Min	-0.083	-2.482	-14.867	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.510	0.098	2.393	0.0	0.0
0.0		Min	-0.060	-1.639	-8.953	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.562	0.095	2.471	0.0	0.0
0.0		Min	-0.061	-1.381	-8.496	-0.0	-0.0
-0.0							
0.0	G1		6.466	-2.432	-11.145	0.0	-0.0
0.0	G2		2.569	-0.948	-4.497	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.000	0.669	0.026	0.0	-0.0
-0.0	Q5_ps		0.002	0.680	0.099	0.0	-0.0
-0.0							
0.0	INVSLU	Max	13.860	-1.899	-35.458	-0.0	-0.0
0.0		Min	7.172	-7.539	-62.470	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	9.944	-1.390	-26.938	-0.0	-0.0
0.0		Min	4.990	-5.447	-46.944	-0.0	-0.0
-0.0							
2748	C1-C2;~1	Max	4.776	0.147	3.882	0.0	0.0
0.0		Min	-0.082	-2.811	-14.578	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.907	0.143	4.072	0.0	0.0
0.0		Min	-0.083	-2.439	-13.893	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.522	0.087	2.226	0.0	0.0
0.0		Min	-0.060	-1.597	-8.365	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.573	0.085	2.298	0.0	0.0
0.0		Min	-0.061	-1.355	-7.937	-0.0	-0.0
-0.0							
0.0	G1		6.561	-2.436	-10.449	0.0	-0.0

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	G2	2.607	-0.950	-4.217	0.0	-0.0	
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	-0.006	0.631	0.021	0.0	-0.0	
-0.0	Q5_ps	-0.005	0.642	0.090	0.0	-0.0	
-0.0	INVS LU	Max	14.127	-2.002	-33.349	0.0	-0.0
0.0		Min	7.380	-7.447	-58.564	-0.0	-0.0
-0.0	INVS LE	Max	10.142	-1.463	-25.338	0.0	-0.0
0.0		Min	5.144	-5.382	-44.014	-0.0	-0.0
-0.0							
2749	C1-C2;~1	Max	4.815	0.129	3.587	0.0	0.0
0.0		Min	-0.081	-2.732	-13.535	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.942	0.126	3.763	0.0	0.0
0.0		Min	-0.083	-2.386	-12.896	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.535	0.077	2.057	0.0	0.0
0.0		Min	-0.060	-1.548	-7.763	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.584	0.075	2.124	0.0	0.0
0.0		Min	-0.061	-1.323	-7.364	-0.0	-0.0
-0.0							
	G1	6.652	-2.428	-9.730	0.0	-0.0	
0.0	G2	2.644	-0.948	-3.927	0.0	-0.0	
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	-0.013	0.593	0.016	0.0	-0.0	
-0.0	Q5_ps	-0.012	0.603	0.081	0.0	-0.0	
-0.0							
	INVS LU	Max	14.386	-2.084	-31.140	0.0	-0.0
0.0		Min	7.579	-7.315	-54.521	-0.0	-0.0
-0.0							
	INVS LE	Max	10.334	-1.520	-23.664	0.0	-0.0
0.0		Min	5.294	-5.288	-40.981	-0.0	-0.0
-0.0							
	C1-C2;~1	Max	4.894	0.112	3.288	0.0	0.0
2750		Min	-0.081	-2.638	-12.468	-0.0	-0.0
0.0							
-0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	C3-C4;~1	Max	4.981	0.110	3.449	0.0	0.0
-0.0		Min	-0.083	-2.320	-11.877	-0.0	-0.0
0.0	C1-C2;~2	Max	2.576	0.068	1.885	0.0	0.0
-0.0		Min	-0.060	-1.491	-7.148	-0.0	-0.0
0.0	C3-C4;~2	Max	2.598	0.066	1.947	0.0	0.0
-0.0		Min	-0.060	-1.283	-6.779	-0.0	-0.0
0.0	G1		6.740	-2.407	-8.989	0.0	-0.0
0.0	G2		2.680	-0.940	-3.627	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.019	0.555	0.011	0.0	-0.0
-0.0	Q5_ps		-0.019	0.564	0.072	0.0	-0.0
0.0	INVSLU	Max	14.643	-2.137	-28.837	0.0	-0.0
-0.0		Min	7.773	-7.136	-50.346	-0.0	-0.0
0.0	INVSLE	Max	10.525	-1.556	-21.916	-0.0	-0.0
-0.0		Min	5.439	-5.158	-37.847	-0.0	-0.0
2751	C1-C2;~1	Max	4.971	0.096	2.987	0.0	0.0
0.0		Min	-0.081	-2.529	-11.380	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	5.051	0.095	3.133	0.0	0.0
-0.0		Min	-0.082	-2.241	-10.837	-0.0	-0.0
0.0	C1-C2;~2	Max	2.618	0.059	1.712	0.0	0.0
-0.0		Min	-0.060	-1.425	-6.521	-0.0	-0.0
0.0	C3-C4;~2	Max	2.636	0.058	1.768	0.0	0.0
-0.0		Min	-0.060	-1.235	-6.183	-0.0	-0.0
0.0	G1		6.824	-2.372	-8.227	0.0	-0.0
0.0	G2		2.714	-0.928	-3.319	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.026	0.517	0.006	0.0	-0.0
-0.0	Q5_ps		-0.027	0.525	0.062	0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	INVSLU	Max	14.936	-2.164	-26.444	-0.0	-0.0
		Min	7.959	-6.910	-46.047	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	10.743	-1.571	-20.100	-0.0	-0.0
		Min	5.578	-4.994	-34.620	-0.0	-0.0
-0.0							
2752 0.0	C1-C2;~1	Max	5.044	0.082	2.684	0.0	0.0
		Min	-0.081	-2.410	-10.282	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	5.117	0.081	2.815	0.0	0.0
		Min	-0.082	-2.153	-9.786	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.658	0.051	1.539	0.0	0.0
		Min	-0.059	-1.353	-5.890	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.672	0.051	1.589	0.0	0.0
		Min	-0.060	-1.182	-5.581	-0.0	-0.0
-0.0							
0.0	G1		6.904	-2.328	-7.450	0.0	-0.0
0.0	G2		2.746	-0.911	-3.004	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.033	0.479	0.002	0.0	0.0
-0.0	Q5_ps		-0.034	0.486	0.054	0.0	0.0
-0.0							
0.0	INVSLU	Max	15.216	-2.167	-23.971	-0.0	-0.0
		Min	8.137	-6.650	-41.656	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	10.951	-1.569	-18.223	-0.0	-0.0
		Min	5.712	-4.804	-31.323	-0.0	-0.0
0.0							
2753 0.0	C1-C2;~1	Max	6.206	0.990	9.118	0.0	0.0
		Min	-1.966	-1.532	-18.497	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.467	1.355	8.966	0.0	0.0
		Min	-1.933	-1.143	-18.673	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	3.594	0.516	5.201	0.0	0.0
		Min	-1.121	-0.872	-10.676	-0.0	-0.0
-0.0							

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	C3-C4;~2	Max	3.684	0.734	5.107	0.0	0.0
-0.0		Min	-1.100	-0.645	-10.576	-0.0	-0.0
0.0	G1		4.544	0.334	-9.212	0.0	-0.0
0.0	G2		1.760	0.152	-3.467	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.007	0.907	-0.013	0.0	0.0
-0.0	Q5_ps		-0.003	0.928	0.038	0.0	0.0
0.0	INVSLU	Max	17.347	3.466	-14.766	0.0	-0.0
-0.0		Min	5.948	-2.063	-52.307	-0.0	-0.0
0.0	INVSLE	Max	12.818	2.511	-11.371	0.0	-0.0
-0.0		Min	4.376	-1.464	-39.178	-0.0	-0.0
2754 0.0	C1-C2;~1	Max	6.288	0.978	8.977	0.0	0.0
-0.0		Min	-2.041	-1.481	-17.873	-0.0	-0.0
0.0	C3-C4;~1	Max	6.552	1.332	8.826	0.0	0.0
-0.0		Min	-2.006	-1.104	-18.036	-0.0	-0.0
0.0	C1-C2;~2	Max	3.638	0.511	5.121	0.0	0.0
-0.0		Min	-1.163	-0.844	-10.310	-0.0	-0.0
0.0	C3-C4;~2	Max	3.729	0.721	5.027	0.0	0.0
-0.0		Min	-1.142	-0.623	-10.211	-0.0	-0.0
0.0	G1		4.568	0.353	-8.743	0.0	-0.0
0.0	G2		1.768	0.159	-3.286	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.007	0.888	-0.017	0.0	0.0
-0.0	Q5_ps		-0.002	0.908	0.033	0.0	0.0
0.0	INVSLU	Max	17.413	3.467	-13.188	0.0	-0.0
-0.0		Min	5.800	-1.928	-49.686	-0.0	-0.0
0.0	INVSLE	Max	12.863	2.513	-10.167	0.0	-0.0
-0.0		Min	4.262	-1.365	-37.201	-0.0	-0.0


PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	


2755	C1-C2;~1	Max	6.365	0.965	8.816	0.0	0.0
0.0		Min	-2.118	-1.427	-17.218	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	6.632	1.307	8.667	0.0	0.0
0.0		Min	-2.081	-1.066	-17.372	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	3.680	0.505	5.029	0.0	0.0
0.0		Min	-1.207	-0.814	-9.927	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	3.772	0.708	4.937	0.0	0.0
0.0		Min	-1.185	-0.603	-9.829	-0.0	-0.0
-0.0							
0.0	G1		4.584	0.372	-8.264	0.0	-0.0
0.0	G2		1.774	0.166	-3.101	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.006	0.867	-0.022	0.0	0.0
-0.0	Q5_ps		-0.001	0.886	0.027	0.0	0.0
-0.0							
	INVSLU	Max	17.450	3.462	-11.636	0.0	-0.0
0.0		Min	5.626	-1.789	-47.030	-0.0	-0.0
-0.0							
	INVSLE	Max	12.886	2.512	-8.983	0.0	-0.0
0.0		Min	4.128	-1.262	-35.198	-0.0	-0.0
-0.0							
2756	C1-C2;~1	Max	6.437	0.951	8.635	0.0	0.0
0.0		Min	-2.198	-1.369	-16.534	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	6.707	1.280	8.488	0.0	0.0
0.0		Min	-2.159	-1.022	-16.680	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	3.718	0.498	4.926	0.0	0.0
0.0		Min	-1.253	-0.781	-9.528	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	3.811	0.694	4.835	0.0	0.0
0.0		Min	-1.229	-0.579	-9.433	-0.0	-0.0
-0.0							
0.0	G1		4.592	0.391	-7.778	0.0	-0.0
0.0	G2		1.776	0.174	-2.913	0.0	-0.0
0.0							

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.005	0.845	-0.027	0.0	0.0
-0.0	Q5_ps		-0.001	0.863	0.021	0.0	0.0
0.0	INVS LU	Max	17.457	3.452	-10.128	0.0	-0.0
-0.0		Min	5.425	-1.645	-44.351	-0.0	-0.0
0.0	INVS LE	Max	12.885	2.506	-7.832	0.0	-0.0
-0.0		Min	3.974	-1.157	-33.179	-0.0	-0.0
2757	C1-C2;~1	Max	6.503	0.936	8.429	0.0	0.0
0.0		Min	-2.281	-1.307	-15.820	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.776	1.253	8.285	0.0	0.0
-0.0		Min	-2.240	-0.972	-15.959	-0.0	-0.0
0.0	C1-C2;~2	Max	3.753	0.491	4.809	0.0	0.0
-0.0		Min	-1.300	-0.748	-9.112	-0.0	-0.0
0.0	C3-C4;~2	Max	3.847	0.679	4.719	0.0	0.0
-0.0		Min	-1.275	-0.552	-9.021	-0.0	-0.0
0.0	G1		4.592	0.412	-7.286	0.0	-0.0
0.0	G2		1.775	0.181	-2.723	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.004	0.821	-0.032	-0.0	0.0
-0.0	Q5_ps		0.000	0.839	0.014	0.0	0.0
0.0	INVS LU	Max	17.431	3.437	-8.678	0.0	-0.0
-0.0		Min	5.197	-1.498	-41.660	-0.0	-0.0
0.0	INVS LE	Max	12.861	2.497	-6.725	0.0	-0.0
-0.0		Min	3.799	-1.049	-31.152	-0.0	-0.0
2758	C1-C2;~1	Max	6.561	0.919	8.199	0.0	0.0
0.0		Min	-2.367	-1.241	-15.077	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.838	1.224	8.057	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	-2.324	-0.917	-15.210	-0.0	-0.0
0.0	C1-C2;~2	Max	3.783	0.483	4.677	0.0	0.0
-0.0		Min	-1.349	-0.711	-8.679	-0.0	-0.0
0.0	C3-C4;~2	Max	3.879	0.663	4.590	0.0	0.0
-0.0		Min	-1.322	-0.521	-8.593	-0.0	-0.0
0.0	G1		4.582	0.434	-6.790	0.0	-0.0
0.0	G2		1.771	0.189	-2.532	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.004	0.796	-0.037	-0.0	0.0
-0.0	Q5_ps		0.001	0.812	0.007	0.0	0.0
0.0	INVSLU	Max	17.374	3.417	-7.302	0.0	-0.0
-0.0		Min	4.941	-1.345	-38.970	-0.0	-0.0
0.0	INVSLE	Max	12.813	2.484	-5.675	0.0	-0.0
-0.0		Min	3.604	-0.937	-29.128	-0.0	-0.0
2759	C1-C2;~1	Max	6.613	0.902	7.942	0.0	0.0
0.0		Min	-2.455	-1.169	-14.314	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.893	1.195	7.804	0.0	0.0
-0.0		Min	-2.409	-0.859	-14.437	-0.0	-0.0
0.0	C1-C2;~2	Max	3.810	0.475	4.531	0.0	0.0
-0.0		Min	-1.399	-0.671	-8.235	-0.0	-0.0
0.0	C3-C4;~2	Max	3.907	0.648	4.446	0.0	0.0
-0.0		Min	-1.371	-0.489	-8.152	-0.0	-0.0
0.0	G1		4.563	0.456	-6.295	0.0	-0.0
0.0	G2		1.762	0.198	-2.341	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.003	0.769	-0.041	-0.0	0.0
-0.0	Q5_ps		0.002	0.784	0.002	0.0	0.0
0.0	INVSLU	Max	17.283	3.394	-6.011	0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	4.658	-1.182	-36.296	-0.0	-0.0
0.0	INVSLE	Max	12.739	2.469	-4.690	0.0	-0.0
-0.0		Min	3.388	-0.818	-27.118	-0.0	-0.0
2760	C1-C2;~1	Max	6.659	0.885	7.663	0.0	0.0
0.0		Min	-2.546	-1.093	-13.517	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.942	1.165	7.529	0.0	0.0
-0.0		Min	-2.498	-0.800	-13.638	-0.0	-0.0
0.0	C1-C2;~2	Max	3.833	0.467	4.372	0.0	0.0
-0.0		Min	-1.451	-0.629	-7.772	-0.0	-0.0
0.0	C3-C4;~2	Max	3.932	0.632	4.289	0.0	0.0
-0.0		Min	-1.422	-0.456	-7.696	-0.0	-0.0
0.0	G1		4.535	0.481	-5.799	0.0	-0.0
0.0	G2		1.750	0.207	-2.150	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.003	0.740	-0.049	-0.0	0.0
-0.0	Q5_ps		0.002	0.755	-0.008	-0.0	0.0
0.0	INVSLE	Max	17.161	3.372	-4.784	0.0	-0.0
-0.0		Min	4.346	-1.009	-33.629	-0.0	-0.0
0.0	INVSLE	Max	12.643	2.455	-3.753	0.0	-0.0
-0.0		Min	3.150	-0.692	-25.114	-0.0	-0.0
2761	C1-C2;~1	Max	3.922	0.544	7.276	0.0	0.0
0.0		Min	-0.211	-3.167	-22.337	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.030	0.511	7.649	0.0	0.0
-0.0		Min	-0.173	-2.475	-22.861	-0.0	-0.0
0.0	C1-C2;~2	Max	2.229	0.298	4.171	0.0	0.0
-0.0		Min	-0.128	-1.815	-12.814	-0.0	-0.0
0.0	C3-C4;~2	Max	2.272	0.273	4.318	0.0	0.0


PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0		Min	-0.107	-1.377	-13.159	-0.0	-0.0
-0.0	G1		4.341	-1.758	-16.048	0.0	-0.0
-0.0	G2		1.711	-0.684	-6.547	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.085	1.096	0.026	-0.0	0.0
-0.0	Q5_ps		-0.062	1.105	-0.014	-0.0	0.0
-0.0							
0.0	INVSLU	Max	8.566	0.690	-47.154	-0.0	0.0
0.0		Min	2.689	-6.632	-88.389	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	6.034	0.485	-35.912	-0.0	0.0
0.0		Min	1.692	-4.743	-66.452	-0.0	-0.0
-0.0							
2762	C1-C2;~1	Max	3.942	0.521	7.111	0.0	0.0
0.0		Min	-0.149	-3.167	-22.014	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.040	0.488	7.476	0.0	0.0
0.0		Min	-0.120	-2.485	-22.531	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.232	0.286	4.077	0.0	0.0
0.0		Min	-0.093	-1.816	-12.625	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.271	0.261	4.221	0.0	0.0
0.0		Min	-0.076	-1.383	-12.965	-0.0	-0.0
-0.0							
-0.0	G1		4.459	-1.803	-15.906	0.0	-0.0
-0.0	G2		1.759	-0.703	-6.490	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.091	1.084	0.023	-0.0	0.0
-0.0	Q5_ps		-0.068	1.092	-0.017	-0.0	0.0
-0.0							
0.0	INVSLU	Max	8.813	0.575	-47.075	0.0	-0.0
0.0		Min	2.994	-6.701	-87.626	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	6.216	0.402	-35.851	0.0	0.0
0.0		Min	1.917	-4.794	-65.885	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
2763	C1-C2;~1	Max	3.970	0.498	6.939	0.0	0.0
0.0		Min	-0.110	-3.159	-21.660	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.063	0.465	7.295	0.0	0.0
0.0		Min	-0.102	-2.489	-22.165	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.237	0.274	3.979	0.0	0.0
0.0		Min	-0.071	-1.812	-12.419	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.274	0.250	4.119	0.0	0.0
0.0		Min	-0.069	-1.388	-12.750	-0.0	-0.0
-0.0							
	G1		4.577	-1.843	-15.734	0.0	-0.0
-0.0							
	G2		1.807	-0.719	-6.420	0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc		-0.097	1.070	0.022	-0.0	0.0
-0.0							
	Q5_ps		-0.074	1.078	-0.018	-0.0	0.0
-0.0							
	INVSLU	Max	9.081	0.464	-46.887	0.0	-0.0
0.0		Min	3.271	-6.751	-86.697	-0.0	-0.0
-0.0							
	INVSLE	Max	6.413	0.322	-35.707	0.0	-0.0
0.0		Min	2.123	-4.831	-65.193	-0.0	-0.0
-0.0							
2764	C1-C2;~1	Max	4.004	0.474	6.761	0.0	0.0
0.0		Min	-0.096	-3.140	-21.270	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.098	0.442	7.107	0.0	0.0
0.0		Min	-0.092	-2.485	-21.766	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.245	0.262	3.876	0.0	0.0
0.0		Min	-0.066	-1.802	-12.192	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.283	0.238	4.013	0.0	0.0
0.0		Min	-0.064	-1.386	-12.516	-0.0	-0.0
-0.0							
	G1		4.696	-1.874	-15.532	0.0	-0.0
-0.0							
	G2		1.856	-0.732	-6.338	0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0	Q5_pc		-0.104	1.055	0.020	-0.0	0.0
-0.0	Q5_ps		-0.081	1.062	-0.019	-0.0	0.0
0.0	INVSLU	Max	9.367	0.365	-46.589	0.0	-0.0
-0.0		Min	3.518	-6.770	-85.605	-0.0	-0.0
0.0	INVSLE	Max	6.624	0.251	-35.481	0.0	-0.0
-0.0		Min	2.305	-4.846	-64.379	-0.0	-0.0
2765 0.0	C1-C2;~1	Max	4.042	0.449	6.575	0.0	0.0
-0.0		Min	-0.089	-3.108	-20.848	-0.0	-0.0
0.0	C3-C4;~1	Max	4.136	0.418	6.912	0.0	0.0
-0.0		Min	-0.087	-2.469	-21.332	-0.0	-0.0
0.0	C1-C2;~2	Max	2.255	0.248	3.770	0.0	0.0
-0.0		Min	-0.063	-1.783	-11.947	-0.0	-0.0
0.0	C3-C4;~2	Max	2.292	0.225	3.902	0.0	0.0
-0.0		Min	-0.062	-1.378	-12.262	-0.0	-0.0
0.0	G1		4.817	-1.894	-15.301	0.0	-0.0
0.0	G2		1.905	-0.741	-6.243	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.111	1.038	0.020	-0.0	0.0
-0.0	Q5_ps		-0.087	1.045	-0.018	-0.0	0.0
0.0	INVSLU	Max	9.662	0.279	-46.182	0.0	-0.0
-0.0		Min	3.758	-6.755	-84.347	-0.0	-0.0
0.0	INVSLE	Max	6.842	0.189	-35.172	0.0	-0.0
-0.0		Min	2.484	-4.835	-63.439	-0.0	-0.0
2766 0.0	C1-C2;~1	Max	4.081	0.424	6.383	0.0	0.0
-0.0		Min	-0.085	-3.065	-20.393	-0.0	-0.0
0.0	C3-C4;~1	Max	4.175	0.393	6.710	0.0	0.0
-0.0		Min	-0.085	-2.443	-20.863	-0.0	-0.0

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	


0.0	C1-C2;~2	Max	2.266	0.235	3.660	0.0	0.0
-0.0		Min	-0.061	-1.758	-11.682	-0.0	-0.0
0.0	C3-C4;~2	Max	2.303	0.212	3.788	0.0	0.0
-0.0		Min	-0.061	-1.363	-11.989	-0.0	-0.0
0.0	G1		4.939	-1.905	-15.041	0.0	-0.0
0.0	G2		1.954	-0.746	-6.136	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.119	1.020	0.020	-0.0	0.0
-0.0	Q5_ps		-0.095	1.026	-0.017	-0.0	0.0
0.0	INVSLU	Max	9.961	0.203	-45.665	0.0	-0.0
-0.0		Min	3.993	-6.709	-82.926	-0.0	-0.0
0.0	INVSLE	Max	7.062	0.136	-34.779	0.0	-0.0
-0.0		Min	2.660	-4.802	-62.377	-0.0	-0.0
2767 0.0	C1-C2;~1	Max	4.121	0.399	6.184	0.0	0.0
-0.0		Min	-0.083	-3.015	-19.903	-0.0	-0.0
0.0	C3-C4;~1	Max	4.214	0.369	6.500	0.0	0.0
-0.0		Min	-0.083	-2.410	-20.361	-0.0	-0.0
0.0	C1-C2;~2	Max	2.276	0.221	3.545	0.0	0.0
-0.0		Min	-0.059	-1.728	-11.398	-0.0	-0.0
0.0	C3-C4;~2	Max	2.313	0.199	3.670	0.0	0.0
-0.0		Min	-0.061	-1.345	-11.696	-0.0	-0.0
0.0	G1		5.060	-1.912	-14.749	0.0	-0.0
0.0	G2		2.004	-0.749	-6.016	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.127	1.000	0.020	-0.0	0.0
-0.0	Q5_ps		-0.102	1.006	-0.016	-0.0	0.0
0.0	INVSLU	Max	10.261	0.132	-45.039	-0.0	-0.0
-0.0		Min	4.223	-6.644	-81.339	-0.0	-0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	INVSLE	Max	7.284	0.086	-34.305	-0.0	-0.0
-0.0		Min	2.831	-4.756	-61.190	-0.0	-0.0
2768	C1-C2;~1	Max	4.161	0.374	5.981	0.0	0.0
0.0		Min	-0.081	-2.963	-19.388	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.253	0.348	6.287	0.0	0.0
0.0		Min	-0.082	-2.378	-19.827	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.287	0.207	3.429	0.0	0.0
0.0		Min	-0.059	-1.698	-11.100	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.324	0.189	3.549	0.0	0.0
0.0		Min	-0.060	-1.326	-11.385	-0.0	-0.0
-0.0							
0.0	G1		5.178	-1.919	-14.434	-0.0	-0.0
0.0	G2		2.051	-0.753	-5.885	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.135	0.979	0.022	-0.0	0.0
-0.0	Q5_ps		-0.110	0.984	-0.013	-0.0	0.0
-0.0							
0.0	INVSLU	Max	10.559	0.056	-44.303	-0.0	-0.0
0.0		Min	4.450	-6.582	-79.597	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	7.504	0.031	-33.746	-0.0	-0.0
0.0		Min	3.000	-4.711	-59.887	-0.0	-0.0
-0.0							
2769	C1-C2;~1	Max	4.667	0.972	9.736	0.0	0.0
0.0		Min	-2.663	-3.331	-26.577	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.896	0.946	10.202	0.0	0.0
0.0		Min	-2.514	-2.652	-25.338	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.689	0.534	5.583	0.0	0.0
0.0		Min	-1.551	-1.920	-15.322	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.778	0.509	5.759	0.0	0.0
0.0		Min	-1.453	-1.488	-14.537	-0.0	-0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-0.0	G1	2.601	-1.333	-15.875	-0.0	0.0
-0.0	G2	1.002	-0.498	-6.401	-0.0	0.0
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	-0.011	1.134	0.065	0.0	-0.0
0.0	Q5_ps	0.008	1.149	0.184	0.0	-0.0
0.0	INVSLE					
-0.0	Max	6.293	1.617	-38.213	-0.0	0.0
-0.0	Min	-3.931	-6.344	-87.982	-0.0	0.0
-0.0	INVSLE					
-0.0	Max	4.370	1.150	-29.020	-0.0	0.0
-0.0	Min	-3.202	-4.543	-65.878	-0.0	0.0
2770	C1-C2;~1					
0.0	Max	4.617	0.961	9.738	0.0	0.0
-0.0	Min	-2.539	-3.413	-26.985	-0.0	-0.0
0.0	C3-C4;~1					
-0.0	Max	4.843	0.935	10.205	0.0	0.0
0.0	Min	-2.391	-2.723	-25.721	-0.0	-0.0
-0.0	C1-C2;~2					
0.0	Max	2.661	0.528	5.584	0.0	0.0
-0.0	Min	-1.481	-1.969	-15.563	-0.0	-0.0
0.0	C3-C4;~2					
-0.0	Max	2.749	0.503	5.761	0.0	0.0
0.0	Min	-1.384	-1.531	-14.762	-0.0	-0.0
-0.0	G1	2.680	-1.410	-16.242	0.0	0.0
-0.0	G2	1.034	-0.528	-6.550	0.0	0.0
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	-0.007	1.141	0.070	0.0	-0.0
0.0	Q5_ps	0.011	1.156	0.190	0.0	-0.0
0.0	INVSLE					
-0.0	Max	6.334	1.499	-39.773	-0.0	0.0
-0.0	Min	-3.645	-6.583	-90.105	-0.0	0.0
-0.0	INVSLE					
-0.0	Max	4.398	1.063	-30.202	-0.0	0.0
-0.0	Min	-2.993	-4.718	-67.475	-0.0	0.0
2771	C1-C2;~1					
0.0	Max	4.568	0.950	9.733	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	-2.415	-3.494	-27.360	-0.0	-0.0
0.0	C3-C4;~1	Max	4.791	0.924	10.201	0.0	0.0
-0.0		Min	-2.268	-2.796	-26.076	-0.0	-0.0
0.0	C1-C2;~2	Max	2.633	0.523	5.582	0.0	0.0
-0.0		Min	-1.410	-2.018	-15.786	-0.0	-0.0
0.0	C3-C4;~2	Max	2.720	0.498	5.759	0.0	0.0
-0.0		Min	-1.314	-1.574	-14.972	-0.0	-0.0
-0.0	G1		2.761	-1.488	-16.587	0.0	0.0
-0.0	G2		1.067	-0.559	-6.690	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.004	1.147	0.072	0.0	-0.0
0.0	Q5_ps		0.014	1.162	0.193	0.0	-0.0
-0.0	INVSLU	Max	6.385	1.379	-41.272	0.0	0.0
-0.0		Min	-3.350	-6.820	-92.110	-0.0	0.0
-0.0	INVSLE	Max	4.434	0.976	-31.336	0.0	0.0
-0.0		Min	-2.777	-4.892	-68.984	-0.0	0.0
2772 0.0	C1-C2;~1	Max	4.519	0.938	9.717	0.0	0.0
-0.0		Min	-2.285	-3.565	-27.701	-0.0	-0.0
0.0	C3-C4;~1	Max	4.740	0.912	10.185	0.0	0.0
-0.0		Min	-2.140	-2.860	-26.399	-0.0	-0.0
0.0	C1-C2;~2	Max	2.606	0.516	5.573	0.0	0.0
-0.0		Min	-1.337	-2.060	-15.989	-0.0	-0.0
0.0	C3-C4;~2	Max	2.692	0.492	5.750	0.0	0.0
-0.0		Min	-1.242	-1.612	-15.162	-0.0	-0.0
-0.0	G1		2.847	-1.561	-16.911	0.0	0.0
-0.0	G2		1.102	-0.588	-6.821	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.000	1.152	0.075	0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	Q5_ps		0.018	1.168	0.197	0.0	-0.0
-0.0	INVSLU	Max	6.450	1.264	-42.716	0.0	0.0
-0.0		Min	-3.035	-7.034	-93.997	-0.0	0.0
-0.0	INVSLE	Max	4.479	0.892	-32.429	0.0	0.0
-0.0		Min	-2.547	-5.049	-70.405	-0.0	0.0
2773	C1-C2;~1	Max	4.471	0.922	9.688	0.0	0.0
0.0		Min	-2.149	-3.620	-27.997	-0.0	-0.0
-0.0	C3-C4;~1	Max	4.689	0.896	10.155	0.0	0.0
0.0		Min	-2.006	-2.908	-26.679	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.579	0.508	5.556	0.0	0.0
0.0		Min	-1.260	-2.093	-16.165	-0.0	-0.0
-0.0	C3-C4;~2	Max	2.664	0.484	5.732	0.0	0.0
0.0		Min	-1.166	-1.641	-15.329	-0.0	-0.0
-0.0	G1		2.940	-1.625	-17.206	0.0	0.0
-0.0	G2		1.140	-0.614	-6.941	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.003	1.156	0.078	0.0	-0.0
0.0	Q5_ps		0.021	1.172	0.201	0.0	-0.0
-0.0	INVSLU	Max	6.534	1.156	-44.090	0.0	0.0
-0.0		Min	-2.702	-7.214	-95.734	-0.0	0.0
-0.0	INVSLE	Max	4.539	0.813	-33.469	0.0	0.0
-0.0		Min	-2.302	-5.180	-71.714	-0.0	0.0
2774	C1-C2;~1	Max	4.422	0.902	9.645	0.0	0.0
0.0		Min	-2.006	-3.657	-28.257	-0.0	-0.0
-0.0	C3-C4;~1	Max	4.638	0.876	10.110	0.0	0.0
0.0		Min	-1.865	-2.941	-26.929	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.552	0.497	5.531	0.0	0.0


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0		Min	-1.178	-2.115	-16.321	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.636	0.473	5.707	0.0	0.0
-0.0		Min	-1.086	-1.659	-15.478	-0.0	-0.0
-0.0	G1		3.039	-1.680	-17.481	0.0	0.0
-0.0	G2		1.180	-0.635	-7.051	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.006	1.158	0.080	0.0	-0.0
0.0	Q5_ps		0.023	1.175	0.204	0.0	-0.0
0.0							
-0.0	INVSLU	Max	6.635	1.057	-45.406	0.0	0.0
-0.0		Min	-2.346	-7.356	-97.346	-0.0	0.0
-0.0							
-0.0	INVSLE	Max	4.611	0.740	-34.465	0.0	0.0
-0.0		Min	-2.040	-5.284	-72.928	-0.0	0.0
-0.0							
2775	C1-C2;~1	Max	4.374	0.880	9.593	0.0	0.0
0.0		Min	-1.858	-3.678	-28.482	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.587	0.853	10.056	0.0	0.0
-0.0		Min	-1.720	-2.959	-27.145	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.525	0.485	5.501	0.0	0.0
-0.0		Min	-1.094	-2.127	-16.456	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.607	0.461	5.677	0.0	0.0
-0.0		Min	-1.003	-1.670	-15.607	-0.0	-0.0
-0.0	G1		3.143	-1.727	-17.732	0.0	0.0
-0.0	G2		1.223	-0.654	-7.152	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.009	1.160	0.082	0.0	-0.0
0.0	Q5_ps		0.026	1.177	0.207	0.0	-0.0
0.0							
-0.0	INVSLU	Max	6.749	0.964	-46.641	0.0	0.0
-0.0		Min	-1.968	-7.465	-98.814	-0.0	0.0
-0.0							
	INVSLE	Max	4.694	0.672	-35.400	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	-1.762	-5.364	-74.036	-0.0	0.0
-0.0							
2776	C1-C2;~1	Max	4.326	0.854	9.529	0.0	0.0
0.0		Min	-1.707	-3.689	-28.666	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.537	0.827	9.990	0.0	0.0
0.0		Min	-1.572	-2.968	-27.325	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.498	0.471	5.465	0.0	0.0
0.0		Min	-1.009	-2.133	-16.568	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.580	0.447	5.639	0.0	0.0
0.0		Min	-0.920	-1.675	-15.716	-0.0	-0.0
-0.0							
-0.0	G1		3.252	-1.769	-17.953	0.0	0.0
-0.0	G2		1.267	-0.670	-7.240	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.012	1.161	0.083	0.0	-0.0
-0.0	Q5_ps		0.029	1.177	0.209	0.0	-0.0
0.0							
-0.0	INVSLU	Max	6.876	0.873	-47.784	-0.0	0.0
-0.0		Min	-1.575	-7.554	-100.120	-0.0	0.0
-0.0							
-0.0	INVSLE	Max	4.785	0.605	-36.265	-0.0	0.0
-0.0		Min	-1.473	-5.429	-75.022	-0.0	0.0
-0.0							
2777	C1-C2;~1	Max	4.279	0.829	9.459	0.0	0.0
0.0		Min	-1.555	-3.703	-28.831	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.487	0.801	9.917	0.0	0.0
0.0		Min	-1.423	-2.981	-27.488	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.472	0.457	5.424	0.0	0.0
0.0		Min	-0.923	-2.141	-16.669	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.553	0.433	5.598	0.0	0.0
0.0		Min	-0.835	-1.682	-15.815	-0.0	-0.0
-0.0							
-0.0	G1		3.363	-1.813	-18.165	-0.0	0.0

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
-0.0	G2	1.312	-0.688	-7.324	-0.0	0.0		
-0.0	Q3	0.000	0.000	0.000	0.0	0.0		
0.0	Q5_pc	0.015	1.160	0.085	0.0	-0.0		
-0.0	Q5_ps	0.031	1.176	0.210	0.0	-0.0		
-0.0	INVS LU	Max	7.012	0.776	-48.869	-0.0	0.0	
-0.0		Min	-1.173	-7.649	-101.332	-0.0	0.0	
-0.0	INVS LE	Max	4.884	0.533	-37.086	-0.0	0.0	
-0.0		Min	-1.176	-5.499	-75.937	-0.0	0.0	
2778	C1-C2;~1	Max	4.790	0.068	1.773	0.0	0.0	
0.0		Min	-0.075	-1.869	-6.280	-0.0	-0.0	
-0.0	C3-C4;~1	Max	4.908	0.065	1.863	0.0	0.0	
0.0		Min	-0.077	-1.720	-6.444	-0.0	-0.0	
-0.0	C1-C2;~2	Max	2.514	0.048	1.016	0.0	0.0	
0.0		Min	-0.055	-1.037	-3.568	-0.0	-0.0	
-0.0	C3-C4;~2	Max	2.576	0.046	1.052	0.0	0.0	
0.0		Min	-0.056	-0.938	-3.670	-0.0	-0.0	
-0.0	G1	6.755	-2.010	-4.981	-0.0	-0.0		
0.0	G2	2.691	-0.804	-2.032	-0.0	-0.0		
0.0	Q3	0.000	0.000	0.000	0.0	0.0		
0.0	Q5_pc	-0.302	0.463	0.020	-0.0	0.0		
-0.0	Q5_ps	-0.274	0.453	0.002	-0.0	0.0		
-0.0	INVS LU	Max	14.959	-1.510	-16.302	-0.0	-0.0	
0.0		Min	7.575	-5.194	-27.552	-0.0	-0.0	
-0.0	INVS LE	Max	10.766	-1.076	-12.445	-0.0	-0.0	
0.0		Min	5.346	-3.723	-20.775	-0.0	-0.0	
-0.0	2779	C1-C2;~1	Max	4.834	0.056	1.480	0.0	0.0
0.0		Min	-0.075	-1.777	-5.272	-0.0	-0.0	
-0.0								

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	C3-C4;~1	Max	4.952	0.054	1.556	0.0	0.0
-0.0		Min	-0.077	-1.667	-5.421	-0.0	-0.0
0.0	C1-C2;~2	Max	2.539	0.039	0.849	0.0	0.0
-0.0		Min	-0.055	-0.980	-2.992	-0.0	-0.0
0.0	C3-C4;~2	Max	2.603	0.038	0.878	0.0	0.0
-0.0		Min	-0.056	-0.904	-3.085	-0.0	-0.0
0.0	G1		6.804	-2.002	-4.198	-0.0	-0.0
0.0	G2		2.711	-0.801	-1.714	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.317	0.408	0.018	-0.0	0.0
-0.0	Q5_ps		-0.289	0.397	0.001	-0.0	0.0
0.0	INVSLU	Max	15.147	-1.631	-13.754	-0.0	-0.0
-0.0		Min	7.666	-5.046	-23.205	-0.0	-0.0
0.0	INVSLE	Max	10.905	-1.161	-10.501	-0.0	-0.0
-0.0		Min	5.417	-3.620	-17.499	-0.0	-0.0
2780	C1-C2;~1	Max	4.878	0.043	1.188	0.0	0.0
0.0		Min	-0.075	-1.688	-4.257	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.990	0.043	1.249	0.0	0.0
-0.0		Min	-0.077	-1.615	-4.387	-0.0	-0.0
0.0	C1-C2;~2	Max	2.567	0.030	0.681	0.0	0.0
-0.0		Min	-0.055	-0.924	-2.413	-0.0	-0.0
0.0	C3-C4;~2	Max	2.626	0.030	0.705	0.0	0.0
-0.0		Min	-0.056	-0.871	-2.494	-0.0	-0.0
0.0	G1		6.847	-1.993	-3.404	-0.0	-0.0
0.0	G2		2.729	-0.797	-1.391	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.334	0.350	0.017	-0.0	0.0
-0.0	Q5_ps		-0.305	0.339	0.002	-0.0	0.0

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	INVSLE	Max	15.310	-1.757	-11.141	-0.0	-0.0
-0.0		Min	7.740	-4.900	-18.781	-0.0	-0.0
0.0	INVSLE	Max	11.025	-1.250	-8.507	-0.0	-0.0
-0.0		Min	5.474	-3.518	-14.163	-0.0	-0.0
2781 0.0	C1-C2;~1	Max	4.915	0.031	0.894	0.0	0.0
-0.0		Min	-0.075	-1.602	-3.233	-0.0	-0.0
0.0	C3-C4;~1	Max	5.020	0.030	0.940	0.0	0.0
-0.0		Min	-0.076	-1.565	-3.343	-0.0	-0.0
0.0	C1-C2;~2	Max	2.590	0.022	0.513	0.0	0.0
-0.0		Min	-0.055	-0.870	-1.830	-0.0	-0.0
0.0	C3-C4;~2	Max	2.645	0.022	0.531	0.0	0.0
-0.0		Min	-0.056	-0.839	-1.898	-0.0	-0.0
0.0	G1		6.883	-1.984	-2.599	-0.0	-0.0
0.0	G2		2.744	-0.793	-1.063	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.351	0.290	0.017	-0.0	0.0
-0.0	Q5_ps		-0.322	0.280	0.003	-0.0	0.0
0.0	INVSLE	Max	15.446	-1.881	-8.468	-0.0	-0.0
-0.0		Min	7.795	-4.755	-14.281	-0.0	-0.0
0.0	INVSLE	Max	11.126	-1.337	-6.465	-0.0	-0.0
-0.0		Min	5.518	-3.416	-10.769	-0.0	-0.0
2782 0.0	C1-C2;~1	Max	4.947	0.024	0.599	0.0	0.0
-0.0		Min	-0.075	-1.523	-2.196	-0.0	-0.0
0.0	C3-C4;~1	Max	5.044	0.026	0.630	0.0	0.0
-0.0		Min	-0.076	-1.518	-2.284	-0.0	-0.0
0.0	C1-C2;~2	Max	2.610	0.017	0.344	0.0	0.0
		Min	-0.055	-0.820	-1.240	-0.0	-0.0

MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

-0.0							
0.0	C3-C4;~2	Max	2.660	0.018	0.356	0.0	0.0
-0.0		Min	-0.056	-0.809	-1.294	-0.0	-0.0
0.0	G1		6.912	-1.975	-1.779	-0.0	-0.0
0.0	G2		2.756	-0.789	-0.728	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.368	0.231	0.017	-0.0	0.0
-0.0	Q5_ps		-0.339	0.220	0.005	-0.0	0.0
0.0	INVSLU	Max	15.556	-1.996	-5.737	-0.0	-0.0
-0.0		Min	7.831	-4.615	-9.702	-0.0	-0.0
0.0	INVSLE	Max	11.207	-1.418	-4.379	-0.0	-0.0
-0.0		Min	5.547	-3.318	-7.314	-0.0	-0.0
2783	C1-C2;~1	Max	4.971	0.021	0.303	0.0	0.0
0.0		Min	-0.075	-1.452	-1.150	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	5.060	0.021	0.319	0.0	0.0
-0.0		Min	-0.076	-1.476	-1.217	-0.0	-0.0
0.0	C1-C2;~2	Max	2.626	0.015	0.174	0.0	0.0
-0.0		Min	-0.055	-0.775	-0.644	-0.0	-0.0
0.0	C3-C4;~2	Max	2.671	0.015	0.180	0.0	0.0
-0.0		Min	-0.056	-0.781	-0.686	-0.0	-0.0
0.0	G1		6.933	-1.967	-0.947	-0.0	-0.0
0.0	G2		2.765	-0.785	-0.388	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.386	0.171	0.017	-0.0	0.0
-0.0	Q5_ps		-0.356	0.162	0.008	-0.0	0.0
0.0	INVSLU	Max	15.635	-2.108	-2.966	-0.0	-0.0
-0.0		Min	7.847	-4.518	-5.070	-0.0	-0.0
0.0	INVSLE	Max	11.265	-1.496	-2.262	-0.0	-0.0
-0.0		Min	5.561	-3.252	-3.818	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

-0.0

2784 C1-C2;~1 Max 4.982 0.021 0.000 0.0 0.0
 0.0 Min -0.075 -1.407 0.000 -0.0 -0.0

-0.0

C3-C4;~1 Max 5.101 0.022 0.000 0.0 0.0
 0.0 Min -0.076 -1.441 0.000 -0.0 -0.0

-0.0

C1-C2;~2 Max 2.635 0.015 0.000 0.0 0.0
 0.0 Min -0.055 -0.744 0.000 -0.0 -0.0

-0.0

C3-C4;~2 Max 2.675 0.016 0.000 0.0 0.0
 0.0 Min -0.056 -0.755 0.000 -0.0 -0.0

-0.0

G1 6.940 -1.960 0.000 -0.0 -0.0

0.0

G2 2.768 -0.782 0.000 -0.0 -0.0

0.0

Q3 0.000 0.000 0.000 0.0 0.0

0.0

Q5_pc -0.403 0.114 0.000 -0.0 0.0

-0.0

Q5_ps -0.373 0.105 0.000 -0.0 0.0

-0.0

INVSLU Max 15.714 -2.212 0.000 -0.0 -0.0

0.0

Min 7.831 -4.438 0.000 -0.0 -0.0

-0.0

INVSLE Max 11.322 -1.568 0.000 -0.0 -0.0

0.0

Min 5.551 -3.198 0.000 -0.0 -0.0

-0.0

2785 C1-C2;~1 Max 4.986 0.022 1.121 0.0 0.0

0.0

Min -0.075 -1.391 -0.346 -0.0 -0.0

-0.0

C3-C4;~1 Max 5.111 0.022 1.088 0.0 0.0

0.0

Min -0.076 -1.427 -0.364 -0.0 -0.0

-0.0

C1-C2;~2 Max 2.640 0.016 0.645 0.0 0.0

0.0

Min -0.055 -0.730 -0.196 -0.0 -0.0

-0.0

C3-C4;~2 Max 2.690 0.016 0.625 0.0 0.0

0.0

Min -0.056 -0.748 -0.205 -0.0 -0.0

-0.0


G1 6.938 -1.955 0.761 -0.0 -0.0

0.0


G2 2.767 -0.779 0.309 -0.0 -0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	-0.422	0.047	0.026	-0.0	-0.0	
-0.0	Q5_ps	-0.392	0.040	0.019	-0.0	0.0	
-0.0	INVS LU	Max	15.732	-2.336	4.926	-0.0	-0.0
0.0		Min	7.791	-4.386	2.875	-0.0	-0.0
-0.0	INVS LE	Max	11.334	-1.654	3.726	-0.0	-0.0
0.0		Min	5.523	-3.165	2.210	-0.0	-0.0
-0.0							
2786	C1-C2;~1	Max	6.134	0.744	4.269	0.0	0.0
0.0		Min	-4.059	-0.846	-7.659	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	6.425	0.748	4.465	0.0	0.0
0.0		Min	-3.927	-0.654	-7.308	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	3.515	0.412	2.450	0.0	0.0
0.0		Min	-2.319	-0.482	-4.358	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	3.625	0.407	2.523	0.0	0.0
0.0		Min	-2.236	-0.360	-4.140	-0.0	-0.0
-0.0							
-0.0	G1		2.572	0.270	-3.282	0.0	0.0
-0.0	G2		0.976	0.116	-1.322	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.057	0.560	-0.065	-0.0	-0.0
0.0	Q5_ps		-0.038	0.554	-0.022	-0.0	-0.0
0.0							
	INVS LU	Max	10.506	2.547	-2.217	0.0	0.0
0.0		Min	-3.750	-0.612	-18.702	-0.0	0.0
-0.0							
	INVS LE	Max	7.597	1.873	-1.700	0.0	0.0
0.0		Min	-2.955	-0.392	-13.903	-0.0	0.0
-0.0							
2787	C1-C2;~1	Max	6.090	0.773	4.739	0.0	0.0
0.0		Min	-4.081	-0.964	-8.622	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	6.379	0.776	4.956	0.0	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0		Min	-3.946	-0.747	-8.224	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	3.490	0.427	2.720	0.0	0.0
-0.0		Min	-2.332	-0.548	-4.908	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	3.600	0.421	2.799	0.0	0.0
-0.0		Min	-2.248	-0.411	-4.662	-0.0	-0.0
-0.0	G1		2.508	0.222	-3.750	0.0	0.0
-0.0	G2		0.951	0.099	-1.512	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.058	0.587	-0.056	-0.0	-0.0
0.0	Q5_ps		-0.038	0.583	-0.009	-0.0	-0.0
0.0							
0.0	INVSLU	Max	10.246	2.594	-2.883	0.0	0.0
-0.0		Min	-3.979	-0.812	-21.313	-0.0	0.0
0.0							
0.0	INVSLE	Max	7.401	1.910	-2.206	0.0	0.0
-0.0		Min	-3.128	-0.535	-15.851	-0.0	0.0
2788	C1-C2;~1	Max	6.047	0.800	5.190	0.0	0.0
0.0		Min	-4.100	-1.080	-9.564	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.335	0.802	5.427	0.0	0.0
-0.0		Min	-3.961	-0.839	-9.126	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	3.466	0.441	2.979	0.0	0.0
-0.0		Min	-2.344	-0.614	-5.448	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	3.575	0.434	3.065	0.0	0.0
-0.0		Min	-2.257	-0.462	-5.176	-0.0	-0.0
-0.0	G1		2.450	0.172	-4.224	0.0	0.0
-0.0	G2		0.928	0.081	-1.705	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.057	0.617	-0.051	-0.0	-0.0
0.0	Q5_ps		-0.037	0.615	-0.000	-0.0	-0.0
0.0							
	INVSLU	Max	10.001	2.632	-3.619	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0		Min	-4.189	-1.019	-23.949	-0.0	0.0
-0.0							
0.0	INVSLE	Max	7.216	1.939	-2.766	0.0	0.0
0.0		Min	-3.287	-0.683	-17.818	-0.0	0.0
-0.0							
2789	C1-C2;~1	Max	6.005	0.826	5.627	0.0	0.0
0.0		Min	-4.112	-1.194	-10.513	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.292	0.827	5.883	0.0	0.0
0.0		Min	-3.970	-0.932	-10.033	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	3.442	0.454	3.229	0.0	0.0
0.0		Min	-2.352	-0.678	-5.991	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	3.552	0.447	3.323	0.0	0.0
0.0		Min	-2.263	-0.514	-5.694	-0.0	-0.0
-0.0							
-0.0	G1		2.399	0.119	-4.716	-0.0	0.0
-0.0	G2		0.908	0.062	-1.904	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.056	0.648	-0.044	-0.0	-0.0
0.0	Q5_ps		-0.036	0.648	0.011	-0.0	-0.0
0.0							
0.0	INVSLU	Max	9.772	2.660	-4.444	0.0	0.0
0.0		Min	-4.376	-1.235	-26.658	-0.0	0.0
-0.0							
0.0	INVSLE	Max	7.043	1.961	-3.392	0.0	0.0
0.0		Min	-3.430	-0.838	-19.842	-0.0	0.0
-0.0							
2790	C1-C2;~1	Max	5.965	0.849	6.051	0.0	0.0
0.0		Min	-4.119	-1.308	-11.464	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.251	0.849	6.326	0.0	0.0
0.0		Min	-3.975	-1.025	-10.942	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	3.420	0.467	3.472	0.0	0.0
0.0		Min	-2.357	-0.741	-6.536	-0.0	-0.0
-0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	C3-C4;~2	Max	3.529	0.458	3.573	0.0	0.0
-0.0		Min	-2.266	-0.565	-6.212	-0.0	-0.0
-0.0	G1		2.354	0.062	-5.220	-0.0	0.0
-0.0	G2		0.891	0.041	-2.109	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.056	0.681	-0.037	-0.0	-0.0
0.0	Q5_ps		-0.035	0.682	0.022	-0.0	-0.0
0.0	INVSLU	Max	9.562	2.676	-5.338	0.0	0.0
-0.0		Min	-4.538	-1.461	-29.420	-0.0	0.0
0.0	INVSLE	Max	6.883	1.974	-4.071	0.0	0.0
-0.0		Min	-3.554	-1.000	-21.905	-0.0	0.0
2791	C1-C2;~1	Max	5.881	0.872	6.450	0.0	0.0
0.0		Min	-4.116	-1.428	-12.425	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.165	0.871	6.744	0.0	0.0
-0.0		Min	-3.968	-1.118	-11.860	-0.0	-0.0
0.0	C1-C2;~2	Max	3.372	0.479	3.700	0.0	0.0
-0.0		Min	-2.356	-0.810	-7.089	-0.0	-0.0
0.0	C3-C4;~2	Max	3.481	0.469	3.808	0.0	0.0
-0.0		Min	-2.263	-0.617	-6.737	-0.0	-0.0
-0.0	G1		2.277	0.001	-5.757	-0.0	0.0
-0.0	G2		0.861	0.018	-2.326	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.056	0.716	-0.030	-0.0	-0.0
0.0	Q5_ps		-0.034	0.718	0.033	-0.0	-0.0
0.0	INVSLU	Max	9.151	2.687	-6.377	0.0	0.0
-0.0		Min	-4.828	-1.706	-32.309	-0.0	0.0
-0.0	INVSLE	Max	6.571	1.982	-4.859	0.0	0.0
-0.0		Min	-3.776	-1.177	-24.064	-0.0	0.0


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

2792	C1-C2;~1	Max	5.800	0.892	6.820	0.0	0.0
0.0		Min	-4.100	-1.549	-13.382	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	6.081	0.889	7.131	0.0	0.0
0.0		Min	-3.950	-1.213	-12.774	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	3.327	0.489	3.912	0.0	0.0
0.0		Min	-2.349	-0.880	-7.639	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	3.434	0.479	4.027	0.0	0.0
0.0		Min	-2.255	-0.669	-7.260	-0.0	-0.0
-0.0							
	G1		2.215	-0.065	-6.316	-0.0	0.0
-0.0							
	G2		0.837	-0.007	-2.551	0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc		-0.056	0.752	-0.023	-0.0	-0.0
0.0							
	Q5_ps		-0.034	0.755	0.043	-0.0	-0.0
0.0							
	INVSLU	Max	8.777	2.678	-7.554	0.0	0.0
-0.0		Min	-5.068	-1.971	-35.288	-0.0	0.0
-0.0							
	INVSLE	Max	6.288	1.976	-5.751	0.0	0.0
-0.0		Min	-3.960	-1.368	-26.292	-0.0	0.0
-0.0							
2793	C1-C2;~1	Max	5.722	0.912	7.162	0.0	0.0
0.0		Min	-4.073	-1.672	-14.320	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	6.000	0.906	7.490	0.0	0.0
0.0		Min	-3.923	-1.309	-13.672	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	3.283	0.500	4.109	0.0	0.0
0.0		Min	-2.335	-0.950	-8.179	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	3.390	0.487	4.229	0.0	0.0
0.0		Min	-2.240	-0.723	-7.775	-0.0	-0.0
-0.0							
	G1		2.166	-0.136	-6.886	-0.0	0.0
-0.0							
	G2		0.818	-0.034	-2.781	0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0						
	Q5_pc	-0.056	0.788	-0.018	-0.0	-0.0
0.0						
	Q5_ps	-0.034	0.792	0.052	-0.0	-0.0
0.0						
	INVSLU	Max	8.435	2.660	-8.840	0.0
-0.0		Min	-5.264	-2.246	-38.316	-0.0
-0.0						
	INVSLE	Max	6.027	1.963	-6.727	0.0
-0.0		Min	-4.113	-1.566	-28.559	-0.0
-0.0						
2794	C1-C2;~1	Max	6.470	0.495	0.480	0.0
0.0		Min	-3.751	-0.098	-1.147	-0.0
-0.0						
	C3-C4;~1	Max	6.763	0.519	0.502	0.0
0.0		Min	-3.646	-0.090	-1.074	-0.0
-0.0						
	C1-C2;~2	Max	3.705	0.280	0.275	0.0
0.0		Min	-2.139	-0.057	-0.648	-0.0
-0.0						
	C3-C4;~2	Max	3.813	0.288	0.287	0.0
0.0		Min	-2.074	-0.052	-0.603	-0.0
-0.0						
	G1		3.213	0.498	-0.669	0.0
-0.0						
	G2		1.226	0.192	-0.261	0.0
-0.0						
	Q3		0.000	0.000	0.000	0.0
0.0						
	Q5_pc		-0.043	0.445	-0.076	-0.0
0.0						
	Q5_ps		-0.029	0.423	-0.061	-0.0
0.0						
	INVSLU	Max	12.763	2.072	-0.646	0.0
0.0		Min	-1.508	0.260	-3.009	-0.0
-0.0						
	INVSLE	Max	9.300	1.506	-0.486	0.0
0.0		Min	-1.266	0.240	-2.227	-0.0
-0.0						
2795	C1-C2;~1	Max	6.421	0.536	1.043	0.0
0.0		Min	-3.814	-0.173	-2.070	-0.0
-0.0						
	C3-C4;~1	Max	6.714	0.551	1.086	0.0
0.0		Min	-3.705	-0.146	-1.956	-0.0

MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

-0.0

0.0	C1-C2;~2	Max	3.677	0.302	0.598	0.0	0.0
-0.0		Min	-2.175	-0.099	-1.172	-0.0	-0.0

0.0	C3-C4;~2	Max	3.785	0.305	0.612	0.0	0.0
-0.0		Min	-2.107	-0.082	-1.102	-0.0	-0.0

-0.0	G1		3.099	0.480	-1.013	0.0	0.0
------	----	--	-------	-------	--------	-----	-----

-0.0	G2		1.182	0.186	-0.401	0.0	0.0
------	----	--	-------	-------	--------	-----	-----

-0.0	Q3		0.000	0.000	0.000	0.0	0.0
------	----	--	-------	-------	-------	-----	-----

0.0	Q5_pc		-0.045	0.453	-0.089	-0.0	-0.0
-----	-------	--	--------	-------	--------	------	------

0.0	Q5_ps		-0.031	0.432	-0.069	-0.0	-0.0
-----	-------	--	--------	-------	--------	------	------

0.0

0.0	INVSLU	Max	12.394	2.139	-0.656	0.0	0.0
-0.0		Min	-1.901	0.206	-5.078	-0.0	-0.0

0.0	INVSLE	Max	9.022	1.558	-0.498	0.0	0.0
-0.0		Min	-1.561	0.204	-3.762	-0.0	-0.0

2796	C1-C2;~1	Max	6.372	0.577	1.611	0.0	0.0
0.0		Min	-3.871	-0.263	-2.975	-0.0	-0.0

0.0	C3-C4;~1	Max	6.665	0.586	1.692	0.0	0.0
-0.0		Min	-3.757	-0.213	-2.822	-0.0	-0.0

0.0	C1-C2;~2	Max	3.650	0.325	0.926	0.0	0.0
-0.0		Min	-2.208	-0.150	-1.687	-0.0	-0.0

0.0	C3-C4;~2	Max	3.758	0.324	0.958	0.0	0.0
-0.0		Min	-2.137	-0.119	-1.593	-0.0	-0.0

-0.0	G1		2.994	0.458	-1.325	0.0	0.0
------	----	--	-------	-------	--------	-----	-----

-0.0	G2		1.140	0.179	-0.528	0.0	0.0
------	----	--	-------	-------	--------	-----	-----

-0.0	Q3		0.000	0.000	0.000	0.0	0.0
------	----	--	-------	-------	-------	-----	-----

0.0	Q5_pc		-0.048	0.463	-0.089	-0.0	0.0
-----	-------	--	--------	-------	--------	------	-----

0.0	Q5_ps		-0.032	0.444	-0.065	-0.0	-0.0
-----	-------	--	--------	-------	--------	------	------

0.0

0.0	INVSLU	Max	12.041	2.218	-0.628	0.0	0.0
		Min	-2.268	0.140	-7.089	-0.0	0.0

MIDAS


PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


-0.0							
0.0	INVSLE	Max	8.756	1.618	-0.482	0.0	0.0
-0.0		Min	-1.837	0.160	-5.255	-0.0	0.0
2797	C1-C2;~1	Max	6.324	0.616	2.168	0.0	0.0
0.0		Min	-3.921	-0.367	-3.894	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.616	0.622	2.280	0.0	0.0
-0.0		Min	-3.803	-0.290	-3.702	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	3.622	0.345	1.246	0.0	0.0
0.0		Min	-2.237	-0.210	-2.210	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	3.731	0.342	1.290	0.0	0.0
-0.0		Min	-2.164	-0.161	-2.092	-0.0	-0.0
-0.0	G1		2.895	0.430	-1.668	-0.0	0.0
-0.0	G2		1.102	0.170	-0.668	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.050	0.477	-0.088	-0.0	-0.0
0.0	Q5_ps		-0.033	0.460	-0.059	-0.0	-0.0
0.0							
0.0	INVSLU	Max	11.704	2.297	-0.727	0.0	0.0
-0.0		Min	-2.612	0.055	-9.220	-0.0	0.0
0.0							
-0.0	INVSLE	Max	8.502	1.680	-0.560	0.0	0.0
0.0		Min	-2.095	0.102	-6.840	-0.0	0.0
2798	C1-C2;~1	Max	6.276	0.652	2.719	0.0	0.0
0.0		Min	-3.965	-0.481	-4.822	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.568	0.656	2.853	0.0	0.0
-0.0		Min	-3.843	-0.374	-4.591	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	3.595	0.364	1.562	0.0	0.0
0.0		Min	-2.263	-0.275	-2.739	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	3.704	0.360	1.613	0.0	0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	-2.187	-0.207	-2.596	-0.0	-0.0
-0.0	G1		2.804	0.398	-2.034	-0.0	0.0
-0.0	G2		1.066	0.159	-0.817	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.052	0.494	-0.084	-0.0	-0.0
0.0	Q5_ps		-0.035	0.479	-0.052	-0.0	-0.0
0.0	INVSLU	Max	11.382	2.372	-0.933	0.0	0.0
-0.0		Min	-2.931	-0.051	-11.445	-0.0	0.0
-0.0	INVSLE	Max	8.259	1.738	-0.720	0.0	0.0
-0.0		Min	-2.336	0.008	-8.496	-0.0	0.0
2799	C1-C2;~1	Max	6.228	0.685	3.251	0.0	0.0
0.0		Min	-4.002	-0.601	-5.759	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.519	0.688	3.407	0.0	0.0
-0.0		Min	-3.876	-0.464	-5.488	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	3.568	0.382	1.867	0.0	0.0
-0.0		Min	-2.284	-0.343	-3.273	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	3.678	0.376	1.926	0.0	0.0
-0.0		Min	-2.206	-0.256	-3.106	-0.0	-0.0
-0.0	G1		2.720	0.360	-2.427	0.0	0.0
-0.0	G2		1.034	0.147	-0.976	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.054	0.513	-0.079	-0.0	-0.0
0.0	Q5_ps		-0.036	0.501	-0.043	-0.0	-0.0
0.0	INVSLU	Max	11.075	2.440	-1.257	0.0	0.0
-0.0		Min	-3.226	-0.224	-13.774	-0.0	0.0
-0.0	INVSLE	Max	8.027	1.790	-0.968	0.0	0.0
-0.0		Min	-2.559	-0.115	-10.230	-0.0	0.0
2800	C1-C2;~1	Max	6.180	0.716	3.765	0.0	0.0

PROJECT TITLE :


	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	Min	-4.032	-0.723	-6.698	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	6.472	0.719	3.942	0.0	0.0
0.0	Min	-3.904	-0.558	-6.389	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	3.541	0.397	2.161	0.0	0.0
0.0	Min	-2.303	-0.412	-3.809	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	3.651	0.392	2.227	0.0	0.0
0.0	Min	-2.222	-0.307	-3.618	-0.0	-0.0
-0.0						
-0.0	G1	2.643	0.316	-2.841	0.0	0.0
-0.0	G2	1.004	0.132	-1.144	0.0	0.0
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	-0.056	0.535	-0.075	-0.0	-0.0
0.0	Q5_ps	-0.037	0.526	-0.036	-0.0	-0.0
0.0						
0.0	INVSLU Max	10.783	2.498	-1.687	0.0	0.0
0.0	Min	-3.498	-0.412	-16.186	-0.0	0.0
-0.0						
0.0	INVSLE Max	7.807	1.835	-1.297	0.0	0.0
0.0	Min	-2.764	-0.249	-12.027	-0.0	0.0
-0.0						
2801	C1-C2;~1 Max	6.699	0.869	7.334	0.0	0.0
0.0	Min	-2.641	-1.017	-12.684	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	6.985	1.135	7.205	0.0	0.0
0.0	Min	-2.590	-0.740	-12.799	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	3.853	0.459	4.184	0.0	0.0
0.0	Min	-1.505	-0.586	-7.288	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	3.953	0.615	4.105	0.0	0.0
0.0	Min	-1.474	-0.422	-7.219	-0.0	-0.0
-0.0						
0.0	G1	4.495	0.509	-5.314	0.0	-0.0
0.0	G2	1.733	0.217	-1.966	0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	-0.004	0.709	-0.056	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-0.0	Q5_ps	0.001	0.722	-0.018	-0.0	0.0
-0.0	INVSLE Max	17.006	3.365	-3.726	0.0	-0.0
0.0	INVSLE Min	4.003	-0.816	-31.007	-0.0	-0.0
-0.0	INVSLE Max	12.521	2.452	-2.945	0.0	-0.0
0.0	INVSLE Min	2.890	-0.550	-23.146	-0.0	-0.0
-0.0	2802 C1-C2;~1 Max	6.733	0.852	6.987	0.0	0.0
0.0	2802 C1-C2;~1 Min	-2.739	-0.937	-11.854	-0.0	-0.0
-0.0	C3-C4;~1 Max	7.020	1.103	6.864	0.0	0.0
0.0	C3-C4;~1 Min	-2.684	-0.679	-11.958	-0.0	-0.0
-0.0	C1-C2;~2 Max	3.870	0.451	3.987	0.0	0.0
0.0	C1-C2;~2 Min	-1.561	-0.541	-6.808	-0.0	-0.0
-0.0	C3-C4;~2 Max	3.970	0.598	3.910	0.0	0.0
0.0	C3-C4;~2 Min	-1.528	-0.388	-6.741	-0.0	-0.0
-0.0	G1	4.444	0.536	-4.839	-0.0	-0.0
0.0	G2	1.712	0.227	-1.786	0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	-0.006	0.677	-0.059	-0.0	0.0
-0.0	Q5_ps	-0.001	0.689	-0.023	-0.0	0.0
-0.0	INVSLE Max	16.816	3.350	-2.753	0.0	-0.0
0.0	INVSLE Min	3.631	-0.621	-28.436	-0.0	-0.0
-0.0	INVSLE Max	12.373	2.444	-2.201	0.0	-0.0
0.0	INVSLE Min	2.607	-0.407	-21.218	-0.0	-0.0
-0.0	2803 C1-C2;~1 Max	6.759	0.831	6.610	0.0	0.0
0.0	2803 C1-C2;~1 Min	-2.840	-0.854	-11.006	-0.0	-0.0
-0.0	C3-C4;~1 Max	7.047	1.066	6.493	0.0	0.0
0.0	C3-C4;~1 Min	-2.782	-0.616	-11.102	-0.0	-0.0
-0.0						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	C1-C2;~2	Max	3.881	0.440	3.772	0.0	0.0
		Min	-1.619	-0.494	-6.317	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	3.983	0.578	3.699	0.0	0.0
		Min	-1.583	-0.353	-6.255	-0.0	-0.0
-0.0							
0.0	G1		4.381	0.559	-4.380	-0.0	-0.0
0.0	G2		1.686	0.236	-1.612	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.008	0.645	-0.064	-0.0	0.0
-0.0	Q5_ps		-0.003	0.656	-0.030	-0.0	0.0
-0.0							
0.0	INVSLU	Max	16.587	3.317	-1.901	0.0	-0.0
		Min	3.226	-0.434	-25.928	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	12.196	2.423	-1.549	0.0	-0.0
		Min	2.300	-0.271	-19.338	-0.0	-0.0
-0.0							
2804 0.0	C1-C2;~1	Max	6.774	0.805	6.200	0.0	0.0
		Min	-2.946	-0.768	-10.150	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	7.064	1.023	6.090	0.0	0.0
		Min	-2.884	-0.550	-10.238	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	3.888	0.428	3.538	0.0	0.0
		Min	-1.679	-0.445	-5.823	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	3.990	0.554	3.470	0.0	0.0
		Min	-1.641	-0.316	-5.765	-0.0	-0.0
-0.0							
0.0	G1		4.303	0.576	-3.943	0.0	-0.0
0.0	G2		1.655	0.241	-1.446	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.010	0.615	-0.069	-0.0	0.0
-0.0	Q5_ps		-0.004	0.624	-0.037	-0.0	0.0
-0.0							
0.0	INVSLU	Max	16.312	3.258	-1.195	0.0	-0.0
		Min	2.780	-0.266	-23.511	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company		Client			
		Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	INVSLE	Max	11.985	2.380	-1.007	0.0	-0.0
		Min	1.963	-0.148	-17.528	-0.0	-0.0
-0.0							
2805 0.0	C1-C2;~1	Max	6.778	0.775	5.760	0.0	0.0
		Min	-2.997	-0.681	-9.301	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	7.068	0.974	5.659	0.0	0.0
		Min	-2.934	-0.483	-9.379	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	3.888	0.412	3.287	0.0	0.0
		Min	-1.709	-0.396	-5.333	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	3.991	0.528	3.225	0.0	0.0
		Min	-1.669	-0.277	-5.279	-0.0	-0.0
-0.0							
0.0	G1		4.261	0.587	-3.539	0.0	-0.0
0.0	G2		1.638	0.244	-1.294	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.012	0.587	-0.074	-0.0	0.0
-0.0	Q5_ps		-0.005	0.594	-0.043	-0.0	0.0
0.0	INVSLU	Max	16.164	3.172	-0.641	0.0	-0.0
		Min	2.555	-0.119	-21.214	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	11.871	2.318	-0.580	0.0	-0.0
		Min	1.792	-0.041	-15.809	-0.0	-0.0
-0.0							
2806 0.0	C1-C2;~1	Max	6.777	0.742	5.306	0.0	0.0
		Min	-3.051	-0.593	-8.452	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	7.068	0.923	5.214	0.0	0.0
		Min	-2.986	-0.416	-8.521	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	3.886	0.395	3.029	0.0	0.0
		Min	-1.739	-0.346	-4.843	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	3.990	0.500	2.971	0.0	0.0
		Min	-1.699	-0.239	-4.793	-0.0	-0.0
-0.0							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	G1	4.211	0.595	-3.148	0.0	-0.0	
0.0	G2	1.618	0.246	-1.147	0.0	-0.0	
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
-0.0	Q5_pc	-0.013	0.561	-0.079	-0.0	0.0	
-0.0	Q5_ps	-0.006	0.566	-0.049	-0.0	0.0	
0.0	INVSLU	Max	15.993	3.074	-0.159	0.0	-0.0
-0.0		Min	2.308	0.009	-18.968	-0.0	-0.0
0.0	INVSLE	Max	11.741	2.247	-0.207	0.0	-0.0
-0.0		Min	1.606	0.058	-14.129	-0.0	-0.0
2807 0.0	C1-C2;~1	Max	6.771	0.707	4.836	0.0	0.0
-0.0		Min	-3.107	-0.506	-7.606	-0.0	-0.0
0.0	C3-C4;~1	Max	7.063	0.869	4.752	0.0	0.0
-0.0		Min	-3.040	-0.351	-7.664	-0.0	-0.0
0.0	C1-C2;~2	Max	3.882	0.378	2.761	0.0	0.0
-0.0		Min	-1.771	-0.296	-4.356	-0.0	-0.0
0.0	C3-C4;~2	Max	3.986	0.471	2.708	0.0	0.0
-0.0		Min	-1.730	-0.202	-4.309	-0.0	-0.0
0.0	G1	4.155	0.601	-2.773	0.0	-0.0	
-0.0	G2	1.596	0.247	-1.006	0.0	-0.0	
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
-0.0	Q5_pc	-0.014	0.536	-0.081	-0.0	0.0	
-0.0	Q5_ps	-0.007	0.539	-0.053	-0.0	0.0	
0.0	INVSLU	Max	15.800	2.965	0.234	0.0	-0.0
-0.0		Min	2.045	0.101	-16.788	-0.0	-0.0
0.0	INVSLE	Max	11.594	2.166	0.098	0.0	-0.0
-0.0		Min	1.407	0.141	-12.499	-0.0	-0.0
2808 0.0	C1-C2;~1	Max	6.121	1.113	8.826	0.0	0.0
		Min	-1.945	-1.343	-17.054	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

-0.0							
0.0	C3-C4;~1	Max	6.416	1.511	8.721	0.0	0.0
-0.0		Min	-1.925	-0.908	-17.961	-0.0	-0.0
0.0	C1-C2;~2	Max	3.535	0.590	5.034	0.0	0.0
-0.0		Min	-1.108	-0.762	-9.728	-0.0	-0.0
0.0	C3-C4;~2	Max	3.655	0.822	4.970	0.0	0.0
-0.0		Min	-1.096	-0.503	-10.246	-0.0	-0.0
-0.0	G1		4.570	0.409	-9.236	-0.0	-0.0
-0.0	G2		1.771	0.163	-3.509	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.027	0.891	-0.068	-0.0	-0.0
-0.0	Q5_ps		-0.014	0.906	-0.150	-0.0	-0.0
0.0	INVSLU	Max	17.321	3.489	-15.931	0.0	-0.0
-0.0		Min	5.985	-1.969	-52.215	-0.0	-0.0
0.0	INVSLE	Max	12.798	2.515	-12.244	0.0	-0.0
-0.0		Min	4.405	-1.408	-39.113	-0.0	-0.0
2809	C1-C2;~1	Max	6.196	1.081	8.683	0.0	0.0
0.0		Min	-2.015	-1.305	-16.470	-0.0	-0.0
-0.0	C3-C4;~1	Max	6.493	1.468	8.581	0.0	0.0
0.0		Min	-1.995	-0.881	-17.350	-0.0	-0.0
-0.0	C1-C2;~2	Max	3.575	0.573	4.953	0.0	0.0
0.0		Min	-1.148	-0.741	-9.390	-0.0	-0.0
-0.0	C3-C4;~2	Max	3.696	0.799	4.891	0.0	0.0
0.0		Min	-1.136	-0.488	-9.891	-0.0	-0.0
-0.0	G1		4.591	0.404	-8.772	-0.0	-0.0
-0.0	G2		1.779	0.161	-3.330	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.027	0.873	-0.067	-0.0	-0.0
-0.0	Q5_ps		-0.014	0.887	-0.147	-0.0	-0.0


MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


-0.0								
0.0	INVSLU	Max	17.378	3.399	-14.368	0.0	-0.0	
-0.0		Min	5.844	-1.916	-49.633	-0.0	-0.0	
0.0	INVSLE	Max	12.837	2.450	-11.051	0.0	-0.0	
-0.0		Min	4.296	-1.371	-37.164	-0.0	-0.0	
2810	C1-C2;~1	Max	6.266	1.049	8.522	0.0	0.0	
0.0		Min	-2.087	-1.263	-15.863	-0.0	-0.0	
-0.0	C3-C4;~1	Max	6.565	1.423	8.423	0.0	0.0	
0.0		Min	-2.067	-0.852	-16.712	-0.0	-0.0	
-0.0	C1-C2;~2	Max	3.613	0.555	4.861	0.0	0.0	
0.0		Min	-1.190	-0.718	-9.039	-0.0	-0.0	
-0.0	C3-C4;~2	Max	3.734	0.774	4.801	0.0	0.0	
0.0		Min	-1.177	-0.473	-9.522	-0.0	-0.0	
-0.0	G1		4.604	0.399	-8.300	-0.0	-0.0	
-0.0	G2		1.783	0.158	-3.147	-0.0	-0.0	
-0.0	Q3		0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc		-0.028	0.855	-0.064	-0.0	-0.0	
-0.0	Q5_ps		-0.014	0.868	-0.142	-0.0	-0.0	
-0.0	INVSLU	Max	17.407	3.305	-12.831	0.0	-0.0	
0.0		Min	5.678	-1.861	-47.012	-0.0	-0.0	
-0.0	INVSLE	Max	12.853	2.382	-9.877	0.0	-0.0	
0.0		Min	4.168	-1.331	-35.188	-0.0	-0.0	
-0.0	2811	C1-C2;~1	Max	6.332	1.015	8.341	0.0	0.0
0.0		Min	-2.162	-1.218	-15.231	-0.0	-0.0	
-0.0	C3-C4;~1	Max	6.632	1.378	8.245	0.0	0.0	
0.0		Min	-2.141	-0.824	-16.046	-0.0	-0.0	
-0.0	C1-C2;~2	Max	3.648	0.536	4.758	0.0	0.0	
0.0								

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	-1.232	-0.693	-8.674	-0.0	-0.0
0.0	C3-C4;~2	Max	3.770	0.748	4.699	0.0	0.0
-0.0		Min	-1.219	-0.458	-9.138	-0.0	-0.0
-0.0	G1		4.610	0.393	-7.820	-0.0	-0.0
-0.0	G2		1.785	0.156	-2.960	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.028	0.836	-0.061	-0.0	-0.0
-0.0	Q5_ps		-0.014	0.848	-0.136	-0.0	-0.0
0.0	INVSLU	Max	17.408	3.207	-11.334	0.0	-0.0
-0.0		Min	5.485	-1.802	-44.367	-0.0	-0.0
0.0	INVSLE	Max	12.849	2.310	-8.734	0.0	-0.0
-0.0		Min	4.021	-1.289	-33.194	-0.0	-0.0
2812	C1-C2;~1	Max	6.392	0.981	8.137	0.0	0.0
0.0		Min	-2.239	-1.169	-14.572	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.694	1.331	8.044	0.0	0.0
-0.0		Min	-2.218	-0.793	-15.353	-0.0	-0.0
0.0	C1-C2;~2	Max	3.680	0.517	4.642	0.0	0.0
-0.0		Min	-1.276	-0.666	-8.295	-0.0	-0.0
0.0	C3-C4;~2	Max	3.803	0.722	4.585	0.0	0.0
-0.0		Min	-1.263	-0.442	-8.738	-0.0	-0.0
-0.0	G1		4.607	0.387	-7.333	-0.0	-0.0
-0.0	G2		1.783	0.153	-2.771	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.028	0.817	-0.056	-0.0	-0.0
-0.0	Q5_ps		-0.014	0.828	-0.129	-0.0	-0.0
0.0	INVSLU	Max	17.377	3.104	-9.893	0.0	-0.0
-0.0		Min	5.266	-1.742	-41.708	-0.0	-0.0
0.0	INVSLE	Max	12.821	2.235	-7.633	0.0	-0.0


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	3.853	-1.245	-31.192	-0.0	-0.0
2813	C1-C2;~1	Max	6.447	0.947	7.909	0.0	0.0
0.0		Min	-2.319	-1.117	-13.889	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.751	1.284	7.819	0.0	0.0
0.0		Min	-2.297	-0.759	-14.633	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	3.708	0.499	4.512	0.0	0.0
0.0		Min	-1.321	-0.637	-7.901	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	3.832	0.695	4.457	0.0	0.0
0.0		Min	-1.308	-0.424	-8.324	-0.0	-0.0
-0.0							
-0.0	G1		4.596	0.381	-6.843	-0.0	-0.0
-0.0	G2		1.777	0.150	-2.581	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.029	0.797	-0.052	-0.0	-0.0
-0.0	Q5_ps		-0.014	0.806	-0.121	-0.0	-0.0
-0.0							
0.0	INVSLU	Max	17.316	2.998	-8.522	0.0	-0.0
0.0		Min	5.021	-1.679	-39.048	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	12.770	2.157	-6.586	0.0	-0.0
0.0		Min	3.666	-1.200	-29.190	-0.0	-0.0
-0.0							
2814	C1-C2;~1	Max	6.495	0.913	7.654	0.0	0.0
0.0		Min	-2.400	-1.062	-13.181	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.801	1.236	7.568	0.0	0.0
0.0		Min	-2.378	-0.724	-13.890	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	3.733	0.480	4.366	0.0	0.0
0.0		Min	-1.368	-0.606	-7.494	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	3.858	0.669	4.314	0.0	0.0
0.0		Min	-1.355	-0.405	-7.896	-0.0	-0.0
-0.0							
-0.0	G1		4.575	0.374	-6.353	-0.0	-0.0

MIDAS

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-0.0	G2	1.768	0.147	-2.391	-0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc	-0.029	0.777	-0.048	-0.0	-0.0
-0.0	Q5_ps	-0.014	0.785	-0.114	-0.0	-0.0
0.0	INVSLU Max	17.223	2.888	-7.234	0.0	-0.0
-0.0	Min	4.749	-1.613	-36.405	-0.0	-0.0
0.0	INVSLE Max	12.695	2.077	-5.602	0.0	-0.0
-0.0	Min	3.459	-1.153	-27.204	-0.0	-0.0
2815	C1-C2;~1 Max	6.536	0.883	7.379	0.0	0.0
0.0	Min	-2.482	-1.005	-12.456	-0.0	-0.0
-0.0	C3-C4;~1 Max	6.843	1.186	7.297	0.0	0.0
0.0	Min	-2.461	-0.687	-13.122	-0.0	-0.0
-0.0	C1-C2;~2 Max	3.754	0.464	4.210	0.0	0.0
0.0	Min	-1.415	-0.573	-7.078	-0.0	-0.0
-0.0	C3-C4;~2 Max	3.879	0.641	4.160	0.0	0.0
0.0	Min	-1.402	-0.384	-7.455	-0.0	-0.0
-0.0	G1	4.543	0.367	-5.864	0.0	-0.0
-0.0	G2	1.755	0.143	-2.202	-0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc	-0.029	0.756	-0.041	-0.0	-0.0
-0.0	Q5_ps	-0.014	0.762	-0.103	-0.0	-0.0
0.0	INVSLU Max	17.096	2.777	-6.020	0.0	-0.0
-0.0	Min	4.455	-1.541	-33.771	-0.0	-0.0
0.0	INVSLE Max	12.594	1.996	-4.674	0.0	-0.0
-0.0	Min	3.234	-1.102	-25.225	-0.0	-0.0
2816	C1-C2;~1 Max	6.569	0.847	7.070	0.0	0.0
0.0	Min	-2.566	-0.946	-11.707	-0.0	-0.0
-0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	C3-C4;~1	Max	6.877	1.133	6.991	0.0	0.0
		Min	-2.545	-0.647	-12.329	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	3.770	0.445	4.034	0.0	0.0
		Min	-1.462	-0.540	-6.649	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	3.896	0.611	3.986	0.0	0.0
		Min	-1.450	-0.363	-7.001	-0.0	-0.0
-0.0							
-0.0	G1		4.502	0.362	-5.385	-0.0	-0.0
-0.0	G2		1.737	0.141	-2.018	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.027	0.736	-0.032	-0.0	-0.0
-0.0	Q5_ps		-0.013	0.741	-0.092	-0.0	-0.0
-0.0							
0.0	INVSLU	Max	16.934	2.674	-4.935	0.0	-0.0
		Min	4.137	-1.459	-31.182	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	12.468	1.921	-3.844	0.0	-0.0
		Min	2.992	-1.042	-23.283	-0.0	-0.0
-0.0							
2817	C1-C2;~1	Max	6.595	0.806	6.736	0.0	0.0
0.0		Min	-2.650	-0.886	-10.946	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.902	1.078	6.662	0.0	0.0
		Min	-2.630	-0.606	-11.532	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	3.782	0.423	3.843	0.0	0.0
		Min	-1.511	-0.506	-6.214	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	3.908	0.581	3.798	0.0	0.0
		Min	-1.498	-0.340	-6.544	-0.0	-0.0
-0.0							
-0.0	G1		4.449	0.356	-4.917	-0.0	-0.0
-0.0	G2		1.716	0.137	-1.839	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.025	0.714	-0.029	-0.0	-0.0
-0.0	Q5_ps		-0.010	0.717	-0.086	-0.0	-0.0
-0.0							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	INVSLU	Max	16.735	2.565	-3.943	0.0	-0.0
		Min	3.794	-1.370	-28.658	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	12.314	1.842	-3.086	0.0	-0.0
		Min	2.731	-0.978	-21.390	-0.0	-0.0
-0.0							
2818 0.0	C1-C2;~1	Max	6.612	0.767	6.377	0.0	0.0
		Min	-2.737	-0.823	-10.176	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.919	1.020	6.307	0.0	0.0
		Min	-2.718	-0.563	-10.721	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	3.790	0.402	3.639	0.0	0.0
		Min	-1.560	-0.471	-5.773	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	3.915	0.549	3.596	0.0	0.0
		Min	-1.548	-0.316	-6.081	-0.0	-0.0
-0.0							
-0.0	G1		4.385	0.347	-4.463	-0.0	-0.0
-0.0	G2		1.689	0.134	-1.666	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.023	0.686	-0.024	-0.0	-0.0
-0.0	Q5_ps		-0.008	0.688	-0.078	-0.0	-0.0
-0.0							
0.0	INVSLU	Max	16.499	2.446	-3.064	0.0	-0.0
		Min	3.421	-1.277	-26.189	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	12.132	1.756	-2.413	0.0	-0.0
		Min	2.448	-0.911	-19.540	-0.0	-0.0
-0.0							
2819 0.0	C1-C2;~1	Max	6.621	0.726	5.989	0.0	0.0
		Min	-2.828	-0.758	-9.398	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.929	0.962	5.922	0.0	0.0
		Min	-2.809	-0.520	-9.902	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	3.793	0.381	3.417	0.0	0.0
		Min	-1.612	-0.434	-5.329	-0.0	-0.0
-0.0							

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	C3-C4;~2	Max	3.918	0.517	3.377	0.0	0.0
-0.0		Min	-1.600	-0.292	-5.613	-0.0	-0.0
-0.0	G1		4.306	0.337	-4.032	-0.0	-0.0
-0.0	G2		1.658	0.129	-1.501	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.021	0.651	-0.017	-0.0	-0.0
-0.0	Q5_ps		-0.006	0.651	-0.068	-0.0	-0.0
0.0	INVS LU	Max	16.220	2.313	-2.320	0.0	-0.0
-0.0		Min	3.011	-1.179	-23.804	-0.0	-0.0
0.0	INVS LE	Max	11.918	1.660	-1.842	0.0	-0.0
-0.0		Min	2.137	-0.840	-17.754	-0.0	-0.0
2820	C1-C2;~1	Max	6.622	0.685	5.576	0.0	0.0
0.0		Min	-2.871	-0.690	-8.625	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.930	0.901	5.513	0.0	0.0
-0.0		Min	-2.853	-0.475	-9.090	-0.0	-0.0
0.0	C1-C2;~2	Max	3.792	0.359	3.182	0.0	0.0
-0.0		Min	-1.637	-0.396	-4.888	-0.0	-0.0
0.0	C3-C4;~2	Max	3.917	0.485	3.144	0.0	0.0
-0.0		Min	-1.626	-0.268	-5.150	-0.0	-0.0
-0.0	G1		4.263	0.325	-3.631	-0.0	-0.0
-0.0	G2		1.640	0.124	-1.349	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.020	0.607	-0.010	-0.0	-0.0
-0.0	Q5_ps		-0.006	0.607	-0.057	-0.0	-0.0
0.0	INVS LU	Max	16.070	2.166	-1.717	0.0	-0.0
-0.0		Min	2.802	-1.075	-21.533	-0.0	-0.0
0.0	INVS LE	Max	11.804	1.553	-1.378	0.0	-0.0
-0.0		Min	1.979	-0.767	-16.055	-0.0	-0.0

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


2821	C1-C2;~1	Max	6.618	0.642	5.149	0.0	0.0
0.0		Min	-2.917	-0.621	-7.852	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	6.927	0.840	5.090	0.0	0.0
0.0		Min	-2.899	-0.429	-8.277	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	3.789	0.337	2.939	0.0	0.0
0.0		Min	-1.663	-0.357	-4.447	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	3.915	0.452	2.903	0.0	0.0
0.0		Min	-1.652	-0.242	-4.687	-0.0	-0.0
-0.0							
	G1		4.213	0.313	-3.242	-0.0	-0.0
-0.0							
	G2		1.620	0.119	-1.201	-0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc		-0.020	0.559	-0.002	-0.0	-0.0
-0.0							
	Q5_ps		-0.005	0.558	-0.046	-0.0	-0.0
-0.0							
	INVSLU	Max	15.900	2.012	-1.179	0.0	-0.0
0.0		Min	2.575	-0.966	-19.309	-0.0	-0.0
-0.0							
	INVSLE	Max	11.674	1.442	-0.963	0.0	-0.0
0.0		Min	1.807	-0.690	-14.392	-0.0	-0.0
-0.0							
2822	C1-C2;~1	Max	6.610	0.600	4.704	0.0	0.0
0.0		Min	-2.963	-0.551	-7.078	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	6.919	0.777	4.650	0.0	0.0
0.0		Min	-2.946	-0.382	-7.466	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	3.784	0.315	2.685	0.0	0.0
0.0		Min	-1.689	-0.318	-4.006	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	3.909	0.418	2.652	0.0	0.0
0.0		Min	-1.679	-0.216	-4.224	-0.0	-0.0
-0.0							
	G1		4.157	0.301	-2.870	0.0	-0.0
-0.0							
	G2		1.598	0.114	-1.060	-0.0	-0.0
-0.0							

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.020	0.505	0.006	-0.0	-0.0
-0.0	Q5_ps		-0.005	0.504	-0.034	-0.0	-0.0
0.0	INVS LU	Max	15.709	1.854	-0.720	0.0	-0.0
-0.0		Min	2.332	-0.850	-17.161	-0.0	-0.0
0.0	INVS LE	Max	11.529	1.328	-0.609	0.0	-0.0
-0.0		Min	1.623	-0.607	-12.786	-0.0	-0.0
2823	C1-C2;~1	Max	6.598	0.557	4.247	0.0	0.0
0.0		Min	-3.010	-0.479	-6.304	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.908	0.714	4.196	0.0	0.0
-0.0		Min	-2.994	-0.333	-6.649	-0.0	-0.0
0.0	C1-C2;~2	Max	3.776	0.293	2.424	0.0	0.0
-0.0		Min	-1.716	-0.277	-3.566	-0.0	-0.0
0.0	C3-C4;~2	Max	3.902	0.383	2.393	0.0	0.0
-0.0		Min	-1.706	-0.188	-3.760	-0.0	-0.0
-0.0	G1		4.094	0.290	-2.511	0.0	-0.0
-0.0	G2		1.573	0.110	-0.924	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.019	0.445	0.023	-0.0	-0.0
-0.0	Q5_ps		-0.005	0.443	-0.014	-0.0	-0.0
0.0	INVS LU	Max	15.500	1.692	-0.324	0.0	-0.0
-0.0		Min	2.076	-0.720	-15.074	-0.0	-0.0
0.0	INVS LE	Max	11.370	1.212	-0.302	0.0	-0.0
-0.0		Min	1.429	-0.515	-11.225	-0.0	-0.0
2824	C1-C2;~1	Max	4.054	0.624	8.442	0.0	0.0
0.0		Min	-0.466	-3.767	-28.028	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.246	0.595	8.853	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-0.0	Min	-0.387	-3.070	-26.719	-0.0	-0.0
0.0	C1-C2;~2 Max	2.327	0.349	4.841	0.0	0.0
-0.0	Min	-0.294	-2.183	-16.205	-0.0	-0.0
0.0	C3-C4;~2 Max	2.402	0.325	4.998	0.0	0.0
-0.0	Min	-0.241	-1.739	-15.373	-0.0	-0.0
-0.0	G1	4.319	-2.167	-18.468	-0.0	-0.0
-0.0	G2	1.699	-0.830	-7.448	-0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc	0.033	1.101	0.086	0.0	-0.0
-0.0	Q5_ps	0.045	1.118	0.208	0.0	-0.0
0.0	INVSLU Max	8.529	-0.104	-53.433	-0.0	0.0
-0.0	Min	2.109	-8.329	-103.377	-0.0	-0.0
0.0	INVSLE Max	5.995	-0.106	-40.541	-0.0	0.0
-0.0	Min	1.244	-6.001	-77.525	-0.0	-0.0
2825	C1-C2;~1 Max	4.064	0.597	8.262	0.0	0.0
0.0	Min	-0.379	-3.766	-27.658	-0.0	-0.0
-0.0	C3-C4;~1 Max	4.254	0.569	8.664	0.0	0.0
0.0	Min	-0.316	-3.076	-26.364	-0.0	-0.0
-0.0	C1-C2;~2 Max	2.325	0.335	4.737	0.0	0.0
0.0	Min	-0.241	-2.182	-15.986	-0.0	-0.0
-0.0	C3-C4;~2 Max	2.399	0.312	4.891	0.0	0.0
0.0	Min	-0.200	-1.743	-15.165	-0.0	-0.0
-0.0	G1	4.444	-2.214	-18.325	0.0	-0.0
-0.0	G2	1.750	-0.849	-7.392	0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc	0.034	1.087	0.085	0.0	-0.0
-0.0	Q5_ps	0.045	1.105	0.205	0.0	-0.0
0.0	INVSLU Max	8.789	-0.238	-53.444	-0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	2.475	-8.409	-102.631	-0.0	-0.0
0.0	INVSLE	Max	6.187	-0.204	-40.550	-0.0	0.0
-0.0		Min	1.514	-6.061	-76.974	-0.0	-0.0
2826	C1-C2;~1	Max	4.080	0.571	8.079	0.0	0.0
0.0		Min	-0.312	-3.767	-27.273	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.267	0.543	8.473	0.0	0.0
-0.0		Min	-0.254	-3.084	-25.993	-0.0	-0.0
0.0	C1-C2;~2	Max	2.325	0.321	4.633	0.0	0.0
-0.0		Min	-0.201	-2.183	-15.759	-0.0	-0.0
0.0	C3-C4;~2	Max	2.398	0.299	4.783	0.0	0.0
-0.0		Min	-0.162	-1.748	-14.947	-0.0	-0.0
-0.0	G1		4.568	-2.264	-18.166	0.0	-0.0
-0.0	G2		1.800	-0.870	-7.329	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		0.034	1.072	0.084	0.0	-0.0
-0.0	Q5_ps		0.045	1.089	0.202	0.0	-0.0
0.0	INVSLE	Max	9.057	-0.377	-53.359	0.0	0.0
-0.0		Min	2.813	-8.495	-101.767	-0.0	-0.0
0.0	INVSLE	Max	6.384	-0.305	-40.486	0.0	0.0
-0.0		Min	1.763	-6.125	-76.332	-0.0	-0.0
2827	C1-C2;~1	Max	4.101	0.545	7.888	0.0	0.0
0.0		Min	-0.252	-3.759	-26.843	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.286	0.517	8.272	0.0	0.0
-0.0		Min	-0.199	-3.086	-25.581	-0.0	-0.0
0.0	C1-C2;~2	Max	2.328	0.307	4.523	0.0	0.0
-0.0		Min	-0.164	-2.178	-15.505	-0.0	-0.0
0.0	C3-C4;~2	Max	2.400	0.285	4.669	0.0	0.0


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0		Min	-0.129	-1.749	-14.705	-0.0	-0.0
-0.0	G1		4.692	-2.307	-17.973	0.0	-0.0
-0.0	G2		1.851	-0.887	-7.252	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.035	1.056	0.082	0.0	-0.0
-0.0	Q5_ps		0.045	1.073	0.199	0.0	-0.0
-0.0							
0.0	INVSLU	Max	9.335	-0.509	-53.159	0.0	-0.0
0.0		Min	3.145	-8.557	-100.711	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	6.589	-0.400	-40.335	0.0	-0.0
0.0		Min	2.009	-6.172	-75.548	-0.0	-0.0
-0.0							
2828	C1-C2;~1	Max	4.127	0.517	7.688	0.0	0.0
0.0		Min	-0.198	-3.737	-26.370	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.310	0.490	8.063	0.0	0.0
0.0		Min	-0.150	-3.075	-25.130	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.333	0.292	4.408	0.0	0.0
0.0		Min	-0.131	-2.165	-15.227	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.404	0.271	4.551	0.0	0.0
0.0		Min	-0.099	-1.743	-14.441	-0.0	-0.0
-0.0							
-0.0	G1		4.818	-2.338	-17.748	0.0	-0.0
-0.0	G2		1.902	-0.901	-7.161	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.035	1.038	0.080	0.0	-0.0
-0.0	Q5_ps		0.045	1.055	0.195	0.0	-0.0
-0.0							
0.0	INVSLU	Max	9.623	-0.624	-52.837	0.0	-0.0
0.0		Min	3.474	-8.581	-99.465	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	6.802	-0.483	-40.092	0.0	-0.0
0.0		Min	2.251	-6.190	-74.620	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
2829	C1-C2;~1	Max	4.158	0.488	7.481	0.0	0.0
0.0		Min	-0.151	-3.698	-25.853	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.340	0.462	7.846	0.0	0.0
0.0		Min	-0.109	-3.048	-24.640	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.340	0.277	4.289	0.0	0.0
0.0		Min	-0.101	-2.142	-14.923	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.410	0.256	4.428	0.0	0.0
0.0		Min	-0.073	-1.727	-14.155	-0.0	-0.0
-0.0							
	G1		4.946	-2.357	-17.490	0.0	-0.0
0.0	G2		1.953	-0.909	-7.057	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.035	1.020	0.077	0.0	-0.0
-0.0	Q5_ps		0.044	1.037	0.191	0.0	-0.0
-0.0							
	INVSLU	Max	9.923	-0.720	-52.392	0.0	-0.0
0.0		Min	3.797	-8.559	-98.024	-0.0	-0.0
-0.0							
	INVSLE	Max	7.023	-0.552	-39.756	0.0	-0.0
0.0		Min	2.490	-6.175	-73.548	-0.0	-0.0
-0.0							
2830	C1-C2;~1	Max	4.194	0.459	7.266	0.0	0.0
0.0		Min	-0.111	-3.643	-25.295	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.374	0.433	7.620	0.0	0.0
0.0		Min	-0.099	-3.008	-24.111	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.348	0.260	4.166	0.0	0.0
0.0		Min	-0.076	-2.109	-14.595	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.419	0.240	4.301	0.0	0.0
0.0		Min	-0.069	-1.703	-13.846	-0.0	-0.0
-0.0							
	G1		5.074	-2.365	-17.198	0.0	-0.0
0.0	G2		2.005	-0.912	-6.939	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0	Q5_pc		0.035	1.001	0.075	0.0	-0.0
-0.0	Q5_ps		0.044	1.017	0.186	0.0	-0.0
0.0	INVSLU	Max	10.231	-0.801	-51.825	0.0	-0.0
-0.0		Min	4.113	-8.497	-96.395	-0.0	-0.0
0.0	INVSLE	Max	7.251	-0.609	-39.328	0.0	-0.0
-0.0		Min	2.724	-6.131	-72.333	-0.0	-0.0
2831 0.0	C1-C2;~1	Max	4.234	0.429	7.045	0.0	0.0
-0.0		Min	-0.095	-3.579	-24.704	-0.0	-0.0
0.0	C3-C4;~1	Max	4.412	0.404	7.389	0.0	0.0
-0.0		Min	-0.092	-2.959	-23.550	-0.0	-0.0
0.0	C1-C2;~2	Max	2.359	0.244	4.039	0.0	0.0
-0.0		Min	-0.067	-2.070	-14.249	-0.0	-0.0
0.0	C3-C4;~2	Max	2.429	0.224	4.171	0.0	0.0
-0.0		Min	-0.066	-1.674	-13.518	-0.0	-0.0
0.0	G1		5.201	-2.366	-16.878	0.0	-0.0
0.0	G2		2.057	-0.913	-6.809	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		0.035	0.981	0.072	0.0	-0.0
-0.0	Q5_ps		0.043	0.997	0.182	0.0	-0.0
0.0	INVSLU	Max	10.546	-0.873	-51.138	-0.0	-0.0
-0.0		Min	4.399	-8.411	-94.594	-0.0	-0.0
0.0	INVSLE	Max	7.484	-0.661	-38.809	-0.0	-0.0
-0.0		Min	2.935	-6.069	-70.989	-0.0	-0.0
2832 0.0	C1-C2;~1	Max	6.326	0.367	0.000	0.0	0.0
-0.0		Min	-3.396	-0.197	0.000	-0.0	-0.0
0.0	C3-C4;~1	Max	6.639	0.385	0.000	0.0	0.0
-0.0		Min	-3.394	-0.197	0.000	-0.0	-0.0

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	C1-C2;~2	Max	3.620	0.210	0.000	0.0	0.0
-0.0		Min	-1.936	-0.112	0.000	-0.0	-0.0
0.0	C3-C4;~2	Max	3.747	0.217	0.000	0.0	0.0
-0.0		Min	-1.934	-0.112	0.000	-0.0	-0.0
-0.0	G1		3.341	0.194	0.000	-0.0	0.0
-0.0	G2		1.275	0.074	0.000	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.010	-0.001	0.000	-0.0	0.0
0.0	Q5_ps		-0.000	-0.000	0.000	-0.0	0.0
0.0	INVSLU	Max	13.039	0.756	0.000	-0.0	0.0
-0.0		Min	-0.528	-0.031	0.000	-0.0	-0.0
0.0	INVSLE	Max	9.514	0.551	0.000	-0.0	0.0
-0.0		Min	-0.535	-0.031	0.000	-0.0	-0.0
2833	C1-C2;~1	Max	6.271	0.389	0.414	0.0	0.0
0.0		Min	-3.441	-0.250	-0.866	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.586	0.398	0.415	0.0	0.0
-0.0		Min	-3.444	-0.232	-0.919	-0.0	-0.0
0.0	C1-C2;~2	Max	3.590	0.222	0.239	0.0	0.0
-0.0		Min	-1.963	-0.143	-0.481	-0.0	-0.0
0.0	C3-C4;~2	Max	3.717	0.224	0.236	0.0	0.0
-0.0		Min	-1.965	-0.132	-0.514	-0.0	-0.0
-0.0	G1		3.220	0.175	-0.592	-0.0	0.0
-0.0	G2		1.227	0.067	-0.237	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.009	0.018	0.049	-0.0	-0.0
0.0	Q5_ps		0.000	0.018	0.038	-0.0	-0.0
0.0	INVSLU	Max	12.649	0.782	-0.674	-0.0	0.0
-0.0		Min	-0.906	-0.125	-2.565	-0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	INVSLE	Max	9.221	0.571	-0.511	-0.0	0.0
-0.0		Min	-0.819	-0.099	-1.905	-0.0	0.0
2834	C1-C2;~1	Max	6.220	0.411	0.918	0.0	0.0
0.0		Min	-3.484	-0.316	-1.622	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.534	0.413	0.945	0.0	0.0
-0.0		Min	-3.489	-0.277	-1.697	-0.0	-0.0
0.0	C1-C2;~2	Max	3.561	0.235	0.529	0.0	0.0
-0.0		Min	-1.987	-0.182	-0.908	-0.0	-0.0
0.0	C3-C4;~2	Max	3.688	0.232	0.536	0.0	0.0
-0.0		Min	-1.991	-0.157	-0.954	-0.0	-0.0
-0.0	G1		3.112	0.154	-0.894	-0.0	0.0
-0.0	G2		1.185	0.058	-0.361	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.007	0.056	0.058	-0.0	0.0
0.0	Q5_ps		0.001	0.056	0.044	-0.0	0.0
0.0	INVSLU	Max	12.291	0.827	-0.658	-0.0	0.0
-0.0		Min	-1.254	-0.259	-4.330	-0.0	-0.0
0.0	INVSLE	Max	8.951	0.604	-0.505	-0.0	0.0
-0.0		Min	-1.081	-0.193	-3.217	-0.0	-0.0
2835	C1-C2;~1	Max	6.169	0.434	1.428	0.0	0.0
0.0		Min	-3.523	-0.398	-2.365	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.484	0.431	1.487	0.0	0.0
-0.0		Min	-3.530	-0.334	-2.457	-0.0	-0.0
0.0	C1-C2;~2	Max	3.533	0.247	0.821	0.0	0.0
-0.0		Min	-2.010	-0.228	-1.327	-0.0	-0.0
0.0	C3-C4;~2	Max	3.659	0.241	0.842	0.0	0.0
		Min	-2.014	-0.189	-1.384	-0.0	-0.0

PROJECT TITLE :


MIDAS		Company		Client		
		Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-0.0	G1		3.012	0.129	-1.155	-0.0 0.0
-0.0	G2		1.145	0.048	-0.471	-0.0 0.0
-0.0	Q3		0.000	0.000	0.000	0.0 0.0
0.0	Q5_pc		-0.005	0.111	0.062	-0.0 0.0
0.0	Q5_ps		0.003	0.109	0.046	-0.0 0.0
0.0	INVS LU	Max	11.947	0.891	-0.582	0.0 0.0
-0.0		Min	-1.580	-0.432	-6.017	-0.0 0.0
0.0	INVS LE	Max	8.692	0.649	-0.454	-0.0 0.0
-0.0		Min	-1.327	-0.316	-4.472	-0.0 0.0
2836	C1-C2;~1	Max	6.120	0.457	1.923	0.0 0.0
0.0		Min	-3.558	-0.491	-3.118	-0.0 -0.0
-0.0	C3-C4;~1	Max	6.433	0.451	2.013	0.0 0.0
0.0		Min	-3.565	-0.401	-3.229	-0.0 -0.0
-0.0	C1-C2;~2	Max	3.505	0.258	1.105	0.0 0.0
0.0		Min	-2.030	-0.281	-1.753	-0.0 -0.0
-0.0	C3-C4;~2	Max	3.631	0.250	1.139	0.0 0.0
0.0		Min	-2.035	-0.226	-1.822	-0.0 -0.0
-0.0	G1		2.917	0.100	-1.443	-0.0 0.0
-0.0	G2		1.108	0.037	-0.590	-0.0 0.0
-0.0	Q3		0.000	0.000	0.000	0.0 0.0
0.0	Q5_pc		-0.002	0.177	0.065	-0.0 0.0
0.0	Q5_ps		0.006	0.174	0.048	-0.0 0.0
0.0	INVS LU	Max	11.615	0.961	-0.616	0.0 0.0
-0.0		Min	-1.886	-0.637	-7.808	-0.0 0.0
0.0	INVS LE	Max	8.443	0.699	-0.487	0.0 0.0
-0.0		Min	-1.558	-0.461	-5.806	-0.0 0.0
2837	C1-C2;~1	Max	6.070	0.478	2.406	0.0 0.0
0.0						

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	-3.588	-0.592	-3.878	-0.0	-0.0
0.0	C3-C4;~1	Max	6.384	0.470	2.525	0.0	0.0
-0.0		Min	-3.595	-0.475	-4.007	-0.0	-0.0
0.0	C1-C2;~2	Max	3.478	0.267	1.382	0.0	0.0
-0.0		Min	-2.047	-0.338	-2.183	-0.0	-0.0
0.0	C3-C4;~2	Max	3.603	0.258	1.429	0.0	0.0
-0.0		Min	-2.053	-0.266	-2.263	-0.0	-0.0
-0.0	G1		2.828	0.067	-1.751	-0.0	0.0
-0.0	G2		1.073	0.024	-0.718	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.002	0.251	0.066	-0.0	0.0
0.0	Q5_ps		0.009	0.247	0.048	-0.0	0.0
0.0	INVS LU	Max	11.301	1.031	-0.743	0.0	0.0
-0.0		Min	-2.174	-0.865	-9.681	-0.0	0.0
0.0	INVS LE	Max	8.206	0.748	-0.591	0.0	0.0
-0.0		Min	-1.776	-0.623	-7.202	-0.0	0.0
2838	C1-C2;~1	Max	6.022	0.497	2.874	0.0	0.0
0.0		Min	-3.614	-0.698	-4.646	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.335	0.489	3.021	0.0	0.0
-0.0		Min	-3.621	-0.552	-4.793	-0.0	-0.0
0.0	C1-C2;~2	Max	3.450	0.276	1.650	0.0	0.0
-0.0		Min	-2.063	-0.398	-2.618	-0.0	-0.0
0.0	C3-C4;~2	Max	3.576	0.267	1.709	0.0	0.0
-0.0		Min	-2.068	-0.309	-2.710	-0.0	-0.0
-0.0	G1		2.745	0.032	-2.083	-0.0	0.0
-0.0	G2		1.040	0.010	-0.855	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.006	0.330	0.068	-0.0	0.0

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	Q5_ps		0.013	0.325	0.049	-0.0	0.0
0.0	INVSLU	Max	11.004	1.098	-0.974	0.0	0.0
-0.0		Min	-2.447	-1.108	-11.646	-0.0	0.0
0.0	INVSLE	Max	7.982	0.795	-0.773	0.0	0.0
-0.0		Min	-1.981	-0.796	-8.668	-0.0	0.0
2839	C1-C2;~1	Max	5.974	0.515	3.330	0.0	0.0
0.0		Min	-3.635	-0.806	-5.423	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.286	0.508	3.503	0.0	0.0
-0.0		Min	-3.641	-0.632	-5.585	-0.0	-0.0
0.0	C1-C2;~2	Max	3.424	0.284	1.912	0.0	0.0
-0.0		Min	-2.075	-0.459	-3.059	-0.0	-0.0
0.0	C3-C4;~2	Max	3.549	0.275	1.981	0.0	0.0
-0.0		Min	-2.080	-0.353	-3.160	-0.0	-0.0
-0.0	G1		2.668	-0.005	-2.439	-0.0	0.0
-0.0	G2		1.010	-0.004	-1.001	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.010	0.409	0.072	-0.0	-0.0
0.0	Q5_ps		0.017	0.403	0.052	-0.0	0.0
0.0	INVSLU	Max	10.722	1.163	-1.304	0.0	0.0
-0.0		Min	-2.699	-1.356	-13.702	-0.0	0.0
0.0	INVSLE	Max	7.768	0.839	-1.029	0.0	0.0
-0.0		Min	-2.172	-0.972	-10.203	-0.0	0.0
2840	C1-C2;~1	Max	5.927	0.533	3.773	0.0	0.0
0.0		Min	-3.651	-0.913	-6.198	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.238	0.526	3.964	0.0	0.0
-0.0		Min	-3.657	-0.712	-6.381	-0.0	-0.0
0.0	C1-C2;~2	Max	3.397	0.292	2.165	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0		Min	-2.085	-0.520	-3.498	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	3.522	0.283	2.242	0.0	0.0
-0.0		Min	-2.090	-0.397	-3.613	-0.0	-0.0
-0.0	G1		2.599	-0.042	-2.811	-0.0	0.0
-0.0	G2		0.982	-0.019	-1.154	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.014	0.485	0.077	-0.0	0.0
0.0	Q5_ps		0.020	0.478	0.056	-0.0	0.0
0.0							
0.0	INVSLU	Max	10.454	1.227	-1.726	0.0	0.0
-0.0		Min	-2.930	-1.598	-15.831	-0.0	0.0
-0.0							
0.0	INVSLE	Max	7.566	0.884	-1.355	0.0	0.0
-0.0		Min	-2.346	-1.144	-11.793	-0.0	0.0
2841	C1-C2;~1	Max	5.050	1.039	9.273	0.0	0.0
0.0		Min	-3.427	-2.803	-22.548	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	5.299	1.019	9.710	0.0	0.0
-0.0		Min	-3.272	-2.208	-21.500	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.904	0.571	5.318	0.0	0.0
-0.0		Min	-1.981	-1.610	-12.950	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	3.001	0.548	5.482	0.0	0.0
-0.0		Min	-1.881	-1.232	-12.290	-0.0	-0.0
-0.0	G1		2.184	-0.853	-12.619	0.0	0.0
-0.0	G2		0.831	-0.311	-5.091	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.034	1.046	0.039	0.0	-0.0
0.0	Q5_ps		-0.013	1.056	0.143	0.0	-0.0
0.0							
-0.0	INVSLU	Max	6.438	2.260	-25.922	-0.0	0.0
-0.0		Min	-5.404	-4.819	-69.540	-0.0	0.0
-0.0							
	INVSLE	Max	4.496	1.668	-19.702	-0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	-4.271	-3.429	-52.006	-0.0	0.0
-0.0							
2842	C1-C2;~1	Max	4.994	1.042	9.377	0.0	0.0
0.0		Min	-3.337	-2.910	-23.205	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	5.240	1.021	9.821	0.0	0.0
0.0		Min	-3.181	-2.300	-22.123	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.873	0.572	5.378	0.0	0.0
0.0		Min	-1.931	-1.673	-13.335	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.968	0.550	5.544	0.0	0.0
0.0		Min	-1.830	-1.286	-12.654	-0.0	-0.0
-0.0							
-0.0	G1		2.224	-0.934	-13.130	0.0	0.0
-0.0	G2		0.848	-0.342	-5.298	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.031	1.062	0.042	0.0	-0.0
0.0	Q5_ps		-0.010	1.073	0.149	0.0	-0.0
0.0							
-0.0	INVSLU	Max	6.363	2.177	-27.758	0.0	0.0
-0.0		Min	-5.271	-5.089	-72.418	-0.0	0.0
-0.0							
-0.0	INVSLE	Max	4.438	1.600	-21.095	0.0	0.0
-0.0		Min	-4.176	-3.626	-54.171	-0.0	0.0
-0.0							
2843	C1-C2;~1	Max	4.938	1.041	9.469	0.0	0.0
0.0		Min	-3.241	-3.008	-23.841	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	5.181	1.020	9.918	0.0	0.0
0.0		Min	-3.085	-2.384	-22.728	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.841	0.573	5.431	0.0	0.0
0.0		Min	-1.877	-1.731	-13.708	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.935	0.550	5.599	0.0	0.0
0.0		Min	-1.776	-1.334	-13.006	-0.0	-0.0
-0.0							
-0.0	G1		2.271	-1.011	-13.631	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
-0.0		G2	0.867	-0.373	-5.500	0.0	0.0	
-0.0		Q3	0.000	0.000	0.000	0.0	0.0	
0.0		Q5_pc	-0.027	1.077	0.046	0.0	-0.0	
0.0		Q5_ps	-0.006	1.088	0.156	0.0	-0.0	
0.0								
-0.0		INVSLU	Max	6.307	2.092	-29.581	0.0	0.0
-0.0			Min	-5.111	-5.344	-75.239	-0.0	0.0
-0.0								
-0.0		INVSLE	Max	4.394	1.530	-22.478	0.0	0.0
-0.0			Min	-4.061	-3.812	-56.292	-0.0	0.0
-0.0								
2844		C1-C2;~1	Max	4.883	1.036	9.548	0.0	0.0
0.0			Min	-3.137	-3.093	-24.448	-0.0	-0.0
-0.0								
0.0		C3-C4;~1	Max	5.123	1.014	10.001	0.0	0.0
0.0			Min	-2.982	-2.455	-23.305	-0.0	-0.0
-0.0								
0.0		C1-C2;~2	Max	2.810	0.570	5.476	0.0	0.0
0.0			Min	-1.819	-1.780	-14.065	-0.0	-0.0
-0.0								
0.0		C3-C4;~2	Max	2.903	0.547	5.646	0.0	0.0
0.0			Min	-1.718	-1.375	-13.343	-0.0	-0.0
-0.0								
-0.0		G1		2.324	-1.084	-14.115	0.0	0.0
-0.0		G2		0.889	-0.401	-5.695	0.0	0.0
-0.0		Q3		0.000	0.000	0.000	0.0	0.0
0.0		Q5_pc		-0.024	1.091	0.051	0.0	-0.0
0.0		Q5_ps		-0.003	1.103	0.162	0.0	-0.0
0.0								
-0.0		INVSLU	Max	6.270	2.003	-31.379	0.0	0.0
-0.0			Min	-4.923	-5.577	-77.977	-0.0	0.0
-0.0								
-0.0		INVSLE	Max	4.363	1.456	-23.841	0.0	0.0
-0.0			Min	-3.925	-3.981	-58.352	-0.0	0.0
-0.0								
2845		C1-C2;~1	Max	4.828	1.025	9.612	0.0	0.0
0.0			Min	-3.027	-3.163	-25.024	-0.0	-0.0
-0.0								

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	C3-C4;~1	Max	5.065	1.003	10.070	0.0	0.0
-0.0		Min	-2.872	-2.514	-23.854	-0.0	-0.0
0.0	C1-C2;~2	Max	2.779	0.563	5.513	0.0	0.0
-0.0		Min	-1.756	-1.821	-14.404	-0.0	-0.0
0.0	C3-C4;~2	Max	2.871	0.540	5.685	0.0	0.0
-0.0		Min	-1.656	-1.409	-13.665	-0.0	-0.0
-0.0	G1		2.385	-1.151	-14.581	0.0	0.0
-0.0	G2		0.914	-0.427	-5.883	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.020	1.103	0.055	0.0	-0.0
0.0	Q5_ps		-0.000	1.116	0.168	0.0	-0.0
-0.0	INVSLU	Max	6.251	1.912	-33.146	0.0	0.0
-0.0		Min	-4.709	-5.786	-80.623	-0.0	0.0
-0.0	INVSLE	Max	4.346	1.378	-25.181	0.0	0.0
-0.0		Min	-3.770	-4.134	-60.341	-0.0	0.0
2846	C1-C2;~1	Max	4.774	1.009	9.664	0.0	0.0
0.0		Min	-2.910	-3.222	-25.569	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	5.008	0.986	10.126	0.0	0.0
-0.0		Min	-2.757	-2.562	-24.373	-0.0	-0.0
0.0	C1-C2;~2	Max	2.749	0.554	5.543	0.0	0.0
-0.0		Min	-1.690	-1.855	-14.725	-0.0	-0.0
0.0	C3-C4;~2	Max	2.840	0.531	5.716	0.0	0.0
-0.0		Min	-1.591	-1.436	-13.969	-0.0	-0.0
-0.0	G1		2.452	-1.212	-15.029	0.0	0.0
-0.0	G2		0.941	-0.451	-6.062	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.017	1.115	0.058	0.0	-0.0
0.0	Q5_ps		0.003	1.128	0.174	0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

-0.0	INVS LU	Max	6.250	1.818	-34.875	0.0	0.0
-0.0		Min	-4.470	-5.976	-83.168	-0.0	0.0
-0.0	INVS LE	Max	4.342	1.300	-26.491	0.0	0.0
-0.0		Min	-3.596	-4.274	-62.256	-0.0	0.0
2847 0.0	C1-C2;~1	Max	4.720	0.991	9.703	0.0	0.0
-0.0		Min	-2.787	-3.275	-26.076	-0.0	-0.0
0.0	C3-C4;~1	Max	4.952	0.966	10.167	0.0	0.0
-0.0		Min	-2.637	-2.605	-24.859	-0.0	-0.0
0.0	C1-C2;~2	Max	2.719	0.544	5.565	0.0	0.0
-0.0		Min	-1.621	-1.887	-15.025	-0.0	-0.0
0.0	C3-C4;~2	Max	2.809	0.520	5.740	0.0	0.0
-0.0		Min	-1.523	-1.461	-14.255	-0.0	-0.0
-0.0	G1		2.524	-1.271	-15.454	0.0	0.0
-0.0	G2		0.971	-0.474	-6.233	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.014	1.125	0.061	0.0	-0.0
0.0	Q5_ps		0.005	1.139	0.178	0.0	-0.0
-0.0	INVS LU	Max	6.265	1.720	-36.558	-0.0	0.0
-0.0		Min	-4.208	-6.157	-85.597	-0.0	0.0
-0.0	INVS LE	Max	4.351	1.227	-27.767	-0.0	0.0
-0.0		Min	-3.405	-4.406	-64.084	-0.0	0.0
2848 0.0	C1-C2;~1	Max	4.198	0.349	5.771	0.0	0.0
-0.0		Min	-0.080	-2.929	-18.826	-0.0	-0.0
0.0	C3-C4;~1	Max	4.290	0.327	6.066	0.0	0.0
-0.0		Min	-0.081	-2.363	-19.248	-0.0	-0.0
0.0	C1-C2;~2	Max	2.298	0.195	3.309	0.0	0.0
		Min	-0.059	-1.678	-10.775	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-0.0

0.0	C3-C4;~2	Max	2.334	0.178	3.425	0.0	0.0
-0.0		Min	-0.059	-1.319	-11.048	-0.0	-0.0
-0.0	G1		5.290	-1.948	-14.080	0.0	-0.0
-0.0	G2		2.097	-0.765	-5.742	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.143	0.957	0.020	-0.0	0.0
-0.0	Q5_ps		-0.118	0.962	-0.014	-0.0	0.0

-0.0	INVSLU	Max	10.844	-0.060	-43.458	-0.0	-0.0
0.0		Min	4.667	-6.582	-77.669	-0.0	-0.0
-0.0	INVSLE	Max	7.715	-0.052	-33.104	-0.0	-0.0
0.0		Min	3.161	-4.713	-58.443	-0.0	-0.0

2849	C1-C2;~1	Max	4.235	0.326	5.552	0.0	0.0
0.0		Min	-0.079	-2.896	-18.226	-0.0	-0.0

-0.0	C3-C4;~1	Max	4.327	0.306	5.836	0.0	0.0
0.0		Min	-0.080	-2.350	-18.637	-0.0	-0.0

-0.0	C1-C2;~2	Max	2.308	0.182	3.183	0.0	0.0
0.0		Min	-0.058	-1.658	-10.427	-0.0	-0.0

-0.0	C3-C4;~2	Max	2.345	0.168	3.295	0.0	0.0
0.0		Min	-0.059	-1.312	-10.693	-0.0	-0.0
-0.0	G1		5.398	-1.980	-13.695	0.0	-0.0
-0.0	G2		2.141	-0.779	-5.586	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.151	0.935	0.018	-0.0	0.0
-0.0	Q5_ps		-0.125	0.939	-0.016	-0.0	0.0

-0.0	INVSLU	Max	11.123	-0.182	-42.505	0.0	-0.0
0.0		Min	4.878	-6.588	-75.576	-0.0	-0.0
-0.0	INVSLE	Max	7.921	-0.140	-32.380	0.0	-0.0
0.0		Min	3.319	-4.718	-56.875	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

-0.0

2850 C1-C2;~1 Max 4.272 0.302 5.329 0.0 0.0
 0.0 Min -0.079 -2.858 -17.600 -0.0 -0.0

-0.0

C3-C4;~1 Max 4.363 0.286 5.602 0.0 0.0
 0.0 Min -0.080 -2.334 -17.997 -0.0 -0.0

-0.0

C1-C2;~2 Max 2.318 0.170 3.055 0.0 0.0
 0.0 Min -0.058 -1.636 -10.065 -0.0 -0.0

-0.0

C3-C4;~2 Max 2.355 0.158 3.162 0.0 0.0
 0.0 Min -0.059 -1.303 -10.320 -0.0 -0.0

-0.0

G1 5.505 -2.007 -13.283 0.0 -0.0

-0.0

G2 2.184 -0.790 -5.419 0.0 -0.0

-0.0

Q3 0.000 0.000 0.000 0.0 0.0

0.0

Q5_pc -0.159 0.912 0.017 -0.0 0.0

-0.0

Q5_ps -0.133 0.915 -0.017 -0.0 0.0

-0.0

INVSLU Max 11.399 -0.299 -41.442 0.0 -0.0

0.0

Min 5.087 -6.580 -73.330 -0.0 -0.0

-0.0

INVSLE Max 8.125 -0.223 -31.573 0.0 -0.0

0.0

Min 3.475 -4.714 -55.191 -0.0 -0.0

-0.0

2851 C1-C2;~1 Max 4.307 0.279 5.102 0.0 0.0
 0.0 Min -0.078 -2.813 -16.953 -0.0 -0.0

-0.0

C3-C4;~1 Max 4.398 0.266 5.363 0.0 0.0
 0.0 Min -0.079 -2.310 -17.335 -0.0 -0.0

-0.0

C1-C2;~2 Max 2.328 0.158 2.925 0.0 0.0
 0.0 Min -0.058 -1.609 -9.691 -0.0 -0.0

-0.0

C3-C4;~2 Max 2.365 0.148 3.028 0.0 0.0
 0.0 Min -0.059 -1.290 -9.936 -0.0 -0.0

-0.0


G1 5.609 -2.026 -12.850 0.0 -0.0

0.0

G2 2.227 -0.799 -5.243 0.0 -0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	-0.167	0.887	0.016	-0.0	0.0	
-0.0	Q5_ps	-0.141	0.890	-0.017	-0.0	0.0	
-0.0	INVS LU	Max	11.670	-0.403	-40.280	0.0	-0.0
0.0		Min	5.291	-6.547	-70.952	-0.0	-0.0
-0.0	INVS LE	Max	8.325	-0.298	-30.690	0.0	-0.0
0.0		Min	3.627	-4.691	-53.407	-0.0	-0.0
-0.0							
2852	C1-C2;~1	Max	4.347	0.256	4.872	0.0	0.0
0.0		Min	-0.078	-2.758	-16.285	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.436	0.246	5.121	0.0	0.0
0.0		Min	-0.079	-2.278	-16.652	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.339	0.145	2.793	0.0	0.0
0.0		Min	-0.058	-1.577	-9.305	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.376	0.138	2.891	0.0	0.0
0.0		Min	-0.058	-1.271	-9.541	-0.0	-0.0
-0.0							
	G1		5.725	-2.036	-12.395	0.0	-0.0
0.0	G2		2.274	-0.804	-5.057	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.176	0.861	0.017	-0.0	0.0
-0.0	Q5_ps		-0.150	0.863	-0.016	-0.0	0.0
-0.0							
	INVS LU	Max	11.970	-0.496	-39.017	0.0	-0.0
0.0		Min	5.518	-6.486	-68.440	-0.0	-0.0
-0.0							
	INVS LE	Max	8.547	-0.364	-29.730	0.0	-0.0
0.0		Min	3.797	-4.648	-51.523	-0.0	-0.0
-0.0							
2853	C1-C2;~1	Max	4.385	0.236	4.635	0.0	0.0
0.0		Min	-0.078	-2.692	-15.584	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.474	0.227	4.872	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0		Min	-0.079	-2.234	-15.936	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.350	0.135	2.657	0.0	0.0
0.0		Min	-0.057	-1.537	-8.901	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.386	0.128	2.750	0.0	0.0
0.0		Min	-0.058	-1.246	-9.127	-0.0	-0.0
-0.0							
0.0	G1		5.838	-2.034	-11.907	0.0	-0.0
0.0	G2		2.320	-0.804	-4.857	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.186	0.835	0.017	-0.0	0.0
-0.0	Q5_ps		-0.159	0.836	-0.014	-0.0	0.0
-0.0							
0.0	INVSLU	Max	12.265	-0.568	-37.643	0.0	-0.0
0.0		Min	5.741	-6.388	-65.765	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	8.766	-0.414	-28.687	0.0	-0.0
0.0		Min	3.963	-4.577	-49.516	-0.0	-0.0
-0.0							
2854	C1-C2;~1	Max	4.422	0.217	4.393	0.0	0.0
0.0		Min	-0.078	-2.617	-14.852	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.510	0.209	4.617	0.0	0.0
0.0		Min	-0.079	-2.184	-15.192	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.361	0.125	2.518	0.0	0.0
0.0		Min	-0.057	-1.492	-8.479	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.396	0.119	2.607	0.0	0.0
0.0		Min	-0.058	-1.216	-8.696	-0.0	-0.0
-0.0							
0.0	G1		5.949	-2.026	-11.390	0.0	-0.0
0.0	G2		2.365	-0.801	-4.646	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.195	0.807	0.017	-0.0	0.0
-0.0	Q5_ps		-0.168	0.807	-0.013	-0.0	0.0
-0.0							
0.0	INVSLU	Max	12.554	-0.629	-36.169	-0.0	-0.0


MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0		Min	5.959	-6.269	-62.942	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	8.980	-0.457	-27.567	-0.0	-0.0
0.0		Min	4.126	-4.491	-47.397	-0.0	-0.0
-0.0							
2855	C1-C2;~1	Max	6.581	0.515	3.767	0.0	0.0
0.0		Min	-3.057	-0.400	-5.521	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.891	0.648	3.717	0.0	0.0
0.0		Min	-3.043	-0.280	-5.823	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	3.766	0.271	2.150	0.0	0.0
0.0		Min	-1.743	-0.232	-3.121	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	3.892	0.348	2.121	0.0	0.0
0.0		Min	-1.734	-0.158	-3.291	-0.0	-0.0
-0.0							
-0.0	G1		4.024	0.284	-2.168	-0.0	-0.0
-0.0	G2		1.545	0.108	-0.796	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.019	0.373	0.024	-0.0	0.0
-0.0	Q5_ps		-0.005	0.371	-0.010	-0.0	0.0
-0.0							
0.0	INVSLU	Max	15.267	1.533	-0.035	0.0	-0.0
0.0		Min	1.803	-0.554	-13.024	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	11.194	1.099	-0.076	0.0	-0.0
0.0		Min	1.223	-0.397	-9.695	-0.0	-0.0
-0.0							
2856	C1-C2;~1	Max	6.559	0.473	3.264	0.0	0.0
0.0		Min	-3.105	-0.322	-4.740	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	6.869	0.589	3.218	0.0	0.0
0.0		Min	-3.091	-0.232	-5.006	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	3.753	0.250	1.864	0.0	0.0
0.0		Min	-1.770	-0.187	-2.678	-0.0	-0.0
-0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	C3-C4;~2	Max	3.879	0.317	1.836	0.0	0.0
		Min	-1.762	-0.131	-2.827	-0.0	-0.0
-0.0	G1		3.948	0.279	-1.849	-0.0	-0.0
-0.0	G2		1.515	0.106	-0.679	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.018	0.298	0.026	-0.0	0.0
-0.0	Q5_ps		-0.005	0.296	-0.005	-0.0	-0.0
0.0	INVSLU	Max	15.014	1.382	0.144	0.0	-0.0
		Min	1.517	-0.384	-11.068	-0.0	-0.0
0.0	INVSLE	Max	11.003	0.993	0.067	0.0	-0.0
		Min	1.007	-0.276	-8.235	-0.0	-0.0
2857 0.0	C1-C2;~1	Max	6.533	0.432	2.745	0.0	0.0
		Min	-3.152	-0.248	-3.966	-0.0	-0.0
0.0	C3-C4;~1	Max	6.843	0.538	2.702	0.0	0.0
		Min	-3.140	-0.207	-4.194	-0.0	-0.0
0.0	C1-C2;~2	Max	3.738	0.229	1.568	0.0	0.0
		Min	-1.797	-0.145	-2.238	-0.0	-0.0
0.0	C3-C4;~2	Max	3.863	0.292	1.542	0.0	0.0
		Min	-1.790	-0.115	-2.366	-0.0	-0.0
-0.0	G1		3.866	0.272	-1.553	-0.0	-0.0
-0.0	G2		1.482	0.103	-0.570	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.018	0.223	0.031	-0.0	-0.0
-0.0	Q5_ps		-0.005	0.222	0.003	-0.0	-0.0
0.0	INVSLU	Max	14.741	1.242	0.222	0.0	-0.0
		Min	1.215	-0.221	-9.200	-0.0	-0.0
0.0	INVSLE	Max	10.796	0.894	0.134	0.0	-0.0
		Min	0.779	-0.160	-6.842	-0.0	-0.0


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

2858	C1-C2;~1	Max	6.502	0.407	2.210	0.0	0.0
0.0		Min	-3.200	-0.189	-3.199	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	6.812	0.491	2.170	0.0	0.0
0.0		Min	-3.190	-0.185	-3.389	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	3.720	0.219	1.263	0.0	0.0
0.0		Min	-1.824	-0.106	-1.803	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	3.845	0.269	1.238	0.0	0.0
0.0		Min	-1.818	-0.101	-1.910	-0.0	-0.0
-0.0							
	G1		3.776	0.262	-1.283	-0.0	-0.0
-0.0							
	G2		1.446	0.100	-0.471	-0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc		-0.017	0.153	0.035	-0.0	0.0
-0.0							
	Q5_ps		-0.004	0.152	0.011	-0.0	-0.0
-0.0							
	INVSLU	Max	14.446	1.107	0.193	0.0	0.0
0.0		Min	0.899	-0.086	-7.429	-0.0	-0.0
-0.0							
	INVSLE	Max	10.574	0.799	0.119	0.0	0.0
0.0		Min	0.541	-0.064	-5.522	-0.0	-0.0
-0.0							
2859	C1-C2;~1	Max	6.466	0.389	1.659	0.0	0.0
0.0		Min	-3.249	-0.165	-2.438	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	6.777	0.450	1.622	0.0	0.0
0.0		Min	-3.240	-0.183	-2.590	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	3.699	0.213	0.949	0.0	0.0
0.0		Min	-1.852	-0.091	-1.372	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	3.825	0.249	0.926	0.0	0.0
0.0		Min	-1.847	-0.101	-1.458	-0.0	-0.0
-0.0							
	G1		3.679	0.250	-1.034	-0.0	-0.0
-0.0							
	G2		1.408	0.095	-0.380	-0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0						
-0.0	Q5_pc	-0.016	0.091	0.039	-0.0	0.0
-0.0	Q5_ps	-0.004	0.091	0.018	-0.0	-0.0
	INVS LU	Max	14.131	0.984	0.063	0.0
0.0		Min	0.568	-0.035	-5.744	-0.0
-0.0						
	INVS LE	Max	10.336	0.712	0.029	-0.0
0.0		Min	0.291	-0.030	-4.267	-0.0
-0.0						
2860	C1-C2;~1	Max	6.425	0.376	1.092	0.0
0.0		Min	-3.298	-0.165	-1.689	-0.0
-0.0						
	C3-C4;~1	Max	6.737	0.417	1.057	0.0
0.0		Min	-3.291	-0.185	-1.803	-0.0
-0.0						
	C1-C2;~2	Max	3.676	0.210	0.625	0.0
0.0		Min	-1.880	-0.091	-0.948	-0.0
-0.0						
	C3-C4;~2	Max	3.802	0.233	0.604	0.0
0.0		Min	-1.876	-0.103	-1.012	-0.0
-0.0						
	G1		3.576	0.233	-0.814	-0.0
-0.0						
	G2		1.367	0.089	-0.301	-0.0
-0.0						
	Q3		0.000	0.000	0.000	0.0
0.0						
	Q5_pc		-0.015	0.042	0.043	-0.0
-0.0						
	Q5_ps		-0.003	0.043	0.025	-0.0
-0.0						
	INVS LU	Max	13.796	0.877	-0.186	-0.0
0.0		Min	0.222	-0.011	-4.170	-0.0
-0.0						
	INVS LE	Max	10.083	0.637	-0.151	-0.0
0.0		Min	0.031	-0.015	-3.096	-0.0
-0.0						
2861	C1-C2;~1	Max	6.380	0.369	0.519	0.0
0.0		Min	-3.347	-0.178	-0.921	-0.0
-0.0						
	C3-C4;~1	Max	6.692	0.391	0.492	0.0
0.0		Min	-3.342	-0.190	-0.994	-0.0

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-0.0							
0.0	C1-C2;~2	Max	3.650	0.209	0.298	0.0	0.0
-0.0		Min	-1.908	-0.100	-0.514	-0.0	-0.0
0.0	C3-C4;~2	Max	3.777	0.221	0.281	0.0	0.0
-0.0		Min	-1.905	-0.107	-0.556	-0.0	-0.0
-0.0	G1		3.465	0.214	-0.560	-0.0	-0.0
-0.0	G2		1.324	0.082	-0.210	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.013	0.011	0.042	-0.0	0.0
-0.0	Q5_ps		-0.002	0.011	0.028	-0.0	0.0
-0.0							
0.0	INVSLU	Max	13.438	0.793	-0.412	-0.0	-0.0
-0.0		Min	-0.139	-0.010	-2.529	-0.0	-0.0
0.0	INVSLE	Max	9.814	0.578	-0.314	-0.0	-0.0
-0.0		Min	-0.241	-0.016	-1.877	-0.0	-0.0
2862	C1-C2;~1	Max	4.234	0.809	9.361	0.0	0.0
0.0		Min	-1.406	-3.748	-28.870	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.440	0.781	9.815	0.0	0.0
-0.0		Min	-1.277	-3.025	-27.518	-0.0	-0.0
0.0	C1-C2;~2	Max	2.446	0.447	5.368	0.0	0.0
-0.0		Min	-0.839	-2.168	-16.692	-0.0	-0.0
0.0	C3-C4;~2	Max	2.526	0.423	5.541	0.0	0.0
-0.0		Min	-0.753	-1.709	-15.833	-0.0	-0.0
-0.0	G1		3.474	-1.879	-18.300	0.0	0.0
-0.0	G2		1.357	-0.714	-7.380	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.018	1.156	0.087	0.0	-0.0
-0.0	Q5_ps		0.033	1.174	0.212	0.0	-0.0
-0.0							
-0.0	INVSLU	Max	7.155	0.644	-49.789	-0.0	0.0
		Min	-0.770	-7.820	-102.169	-0.0	0.0


MIDAS

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

-0.0							
	INVSLE	Max	4.988	0.437	-37.783	-0.0	0.0
-0.0		Min	-0.880	-5.625	-76.571	-0.0	0.0
-0.0							
2863	C1-C2;~1	Max	4.190	0.789	9.259	0.0	0.0
0.0		Min	-1.259	-3.794	-28.884	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.394	0.761	9.709	0.0	0.0
0.0		Min	-1.133	-3.071	-27.525	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.422	0.437	5.310	0.0	0.0
0.0		Min	-0.755	-2.197	-16.702	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.501	0.413	5.480	0.0	0.0
0.0		Min	-0.672	-1.737	-15.839	-0.0	-0.0
-0.0							
	G1		3.585	-1.946	-18.414	0.0	0.0
-0.0							
	G2		1.402	-0.741	-7.428	0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc		0.021	1.152	0.087	0.0	-0.0
-0.0							
	Q5_ps		0.035	1.169	0.213	0.0	-0.0
-0.0							
	INVSLU	Max	7.302	0.508	-50.621	0.0	0.0
-0.0		Min	-0.366	-7.993	-102.879	-0.0	0.0
-0.0							
	INVSLE	Max	5.095	0.339	-38.412	0.0	0.0
-0.0		Min	-0.582	-5.752	-77.109	-0.0	0.0
-0.0							
	C1-C2;~1	Max	4.148	0.767	9.147	0.0	0.0
2864		Min	-1.111	-3.830	-28.855	-0.0	-0.0
0.0							
-0.0							
	C3-C4;~1	Max	4.349	0.739	9.591	0.0	0.0
0.0		Min	-0.989	-3.108	-27.495	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.398	0.425	5.245	0.0	0.0
0.0		Min	-0.672	-2.219	-16.687	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.476	0.402	5.414	0.0	0.0
0.0							

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	-0.590	-1.760	-15.822	-0.0	-0.0
-0.0	G1		3.700	-2.006	-18.500	0.0	-0.0
-0.0	G2		1.449	-0.765	-7.463	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.023	1.146	0.088	0.0	-0.0
-0.0	Q5_ps		0.037	1.164	0.213	0.0	-0.0
-0.0	INVSLU	Max	7.460	0.379	-51.357	0.0	0.0
-0.0		Min	0.048	-8.143	-103.418	-0.0	0.0
-0.0	INVSLE	Max	5.211	0.245	-38.968	0.0	0.0
-0.0		Min	-0.277	-5.862	-77.520	-0.0	0.0
2865	C1-C2;~1	Max	4.109	0.743	9.024	0.0	0.0
0.0		Min	-0.963	-3.849	-28.779	-0.0	-0.0
-0.0	C3-C4;~1	Max	4.308	0.715	9.463	0.0	0.0
0.0		Min	-0.845	-3.128	-27.421	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.376	0.413	5.175	0.0	0.0
0.0		Min	-0.588	-2.231	-16.643	-0.0	-0.0
-0.0	C3-C4;~2	Max	2.453	0.389	5.342	0.0	0.0
0.0		Min	-0.509	-1.773	-15.780	-0.0	-0.0
-0.0	G1		3.819	-2.057	-18.555	0.0	-0.0
-0.0	G2		1.497	-0.785	-7.485	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.025	1.139	0.088	0.0	-0.0
-0.0	Q5_ps		0.039	1.157	0.213	0.0	-0.0
-0.0	INVSLU	Max	7.631	0.263	-51.987	0.0	0.0
0.0		Min	0.470	-8.251	-103.773	-0.0	0.0
-0.0	INVSLE	Max	5.336	0.160	-39.445	0.0	0.0
0.0		Min	0.035	-5.942	-77.793	-0.0	0.0
-0.0							
2866	C1-C2;~1	Max	4.076	0.715	8.892	0.0	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0		Min	-0.818	-3.848	-28.656	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.273	0.687	9.324	0.0	0.0
0.0		Min	-0.706	-3.131	-27.304	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.356	0.398	5.099	0.0	0.0
0.0		Min	-0.505	-2.231	-16.572	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.432	0.375	5.263	0.0	0.0
0.0		Min	-0.430	-1.775	-15.712	-0.0	-0.0
-0.0							
-0.0	G1		3.941	-2.095	-18.577	0.0	-0.0
-0.0	G2		1.546	-0.801	-7.494	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.028	1.131	0.088	0.0	-0.0
-0.0	Q5_ps		0.041	1.149	0.212	0.0	-0.0
-0.0							
0.0	INVSLU	Max	7.819	0.161	-52.508	0.0	0.0
0.0		Min	0.896	-8.313	-103.939	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	5.473	0.086	-39.840	0.0	0.0
0.0		Min	0.349	-5.988	-77.925	-0.0	-0.0
-0.0							
2867	C1-C2;~1	Max	4.059	0.686	8.750	0.0	0.0
0.0		Min	-0.689	-3.828	-28.483	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.254	0.657	9.175	0.0	0.0
0.0		Min	-0.583	-3.117	-27.142	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.342	0.382	5.017	0.0	0.0
0.0		Min	-0.429	-2.220	-16.471	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.418	0.359	5.179	0.0	0.0
0.0		Min	-0.357	-1.767	-15.618	-0.0	-0.0
-0.0							
-0.0	G1		4.065	-2.122	-18.568	0.0	-0.0
-0.0	G2		1.597	-0.812	-7.490	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.029	1.123	0.088	0.0	-0.0

MIDAS

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-0.0						
-0.0	Q5_ps		0.042	1.140	0.211	0.0
0.0	INVSLE	Max	8.037	0.072	-52.918	0.0
-0.0		Min	1.310	-8.334	-103.915	-0.0
0.0	INVSLE	Max	5.633	0.021	-40.150	0.0
-0.0		Min	0.654	-6.003	-77.914	-0.0
2868	C1-C2;~1	Max	4.052	0.655	8.600	0.0
0.0		Min	-0.572	-3.798	-28.271	-0.0
-0.0	C3-C4;~1	Max	4.246	0.626	9.018	0.0
0.0		Min	-0.472	-3.093	-26.944	-0.0
-0.0	C1-C2;~2	Max	2.333	0.365	4.931	0.0
0.0		Min	-0.359	-2.201	-16.347	-0.0
-0.0	C3-C4;~2	Max	2.408	0.342	5.091	0.0
0.0		Min	-0.291	-1.753	-15.503	-0.0
-0.0	G1		4.192	-2.143	-18.527	0.0
-0.0	G2		1.648	-0.820	-7.473	0.0
-0.0	Q3		0.000	0.000	0.000	0.0
0.0	Q5_pc		0.031	1.112	0.087	0.0
-0.0	Q5_ps		0.044	1.130	0.210	0.0
-0.0						
0.0	INVSLE	Max	8.275	-0.013	-53.214	-0.0
-0.0		Min	1.715	-8.329	-103.711	-0.0
0.0	INVSLE	Max	5.808	-0.040	-40.375	-0.0
-0.0		Min	0.953	-6.001	-77.769	-0.0
2869	C1-C2;~1	Max	5.880	0.555	4.202	0.0
0.0		Min	-3.662	-1.017	-6.987	-0.0
-0.0	C3-C4;~1	Max	6.190	0.554	4.415	0.0
0.0		Min	-3.668	-0.790	-7.194	-0.0
-0.0						

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	C1-C2;~2	Max	3.371	0.303	2.411	0.0	0.0
-0.0		Min	-2.092	-0.579	-3.945	-0.0	-0.0
0.0	C3-C4;~2	Max	3.495	0.298	2.496	0.0	0.0
-0.0		Min	-2.097	-0.440	-4.075	-0.0	-0.0
-0.0	G1		2.534	-0.075	-3.210	-0.0	0.0
-0.0	G2		0.957	-0.031	-1.319	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.016	0.550	0.066	-0.0	0.0
0.0	Q5_ps		0.023	0.543	0.044	-0.0	0.0
0.0	INVSLU	Max	10.196	1.300	-2.273	0.0	0.0
-0.0		Min	-3.142	-1.813	-18.064	-0.0	0.0
0.0	INVSLE	Max	7.370	0.936	-1.775	0.0	0.0
-0.0		Min	-2.507	-1.296	-13.463	-0.0	0.0
2870	C1-C2;~1	Max	5.834	0.577	4.620	0.0	0.0
0.0		Min	-3.669	-1.119	-7.784	-0.0	-0.0
-0.0	C3-C4;~1	Max	6.143	0.586	4.853	0.0	0.0
0.0		Min	-3.674	-0.865	-8.008	-0.0	-0.0
-0.0	C1-C2;~2	Max	3.345	0.314	2.650	0.0	0.0
0.0		Min	-2.097	-0.636	-4.399	-0.0	-0.0
-0.0	C3-C4;~2	Max	3.469	0.316	2.743	0.0	0.0
0.0		Min	-2.101	-0.481	-4.540	-0.0	-0.0
-0.0	G1		2.477	-0.107	-3.630	-0.0	0.0
-0.0	G2		0.935	-0.043	-1.493	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.019	0.609	0.063	-0.0	0.0
0.0	Q5_ps		0.025	0.602	0.039	-0.0	0.0
0.0	INVSLU	Max	9.953	1.385	-2.897	0.0	0.0
-0.0		Min	-3.334	-2.014	-20.373	-0.0	0.0


MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
							PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H
	INVSLE	Max	7.187	0.997	-2.253	0.0	0.0
0.0		Min	-2.653	-1.439	-15.190	-0.0	0.0
-0.0							
2871	C1-C2;~1	Max	5.789	0.600	5.021	0.0	0.0
0.0		Min	-3.671	-1.218	-8.579	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	6.097	0.633	5.273	0.0	0.0
0.0		Min	-3.675	-0.939	-8.823	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	3.320	0.325	2.879	0.0	0.0
0.0		Min	-2.098	-0.692	-4.851	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	3.443	0.340	2.981	0.0	0.0
0.0		Min	-2.102	-0.522	-5.005	-0.0	-0.0
-0.0							
	G1		2.426	-0.139	-4.065	-0.0	0.0
-0.0							
	G2		0.915	-0.055	-1.672	-0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc		0.021	0.662	0.060	-0.0	0.0
0.0							
	Q5_ps		0.027	0.656	0.035	-0.0	0.0
0.0							
	INVSLU	Max	9.727	1.486	-3.607	0.0	0.0
0.0		Min	-3.504	-2.205	-22.745	-0.0	0.0
-0.0							
	INVSLE	Max	7.015	1.072	-2.796	0.0	0.0
0.0		Min	-2.782	-1.574	-16.965	-0.0	0.0
-0.0							
2872	C1-C2;~1	Max	5.749	0.623	5.409	0.0	0.0
0.0		Min	-3.669	-1.315	-9.374	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	6.053	0.674	5.681	0.0	0.0
0.0		Min	-3.672	-1.012	-9.637	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	3.297	0.336	3.102	0.0	0.0
0.0		Min	-2.098	-0.747	-5.304	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	3.419	0.362	3.211	0.0	0.0
0.0		Min	-2.102	-0.562	-5.470	-0.0	-0.0
-0.0							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0	G1	2.382	-0.172	-4.510	-0.0	0.0	
-0.0	G2	0.897	-0.067	-1.855	-0.0	0.0	
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	0.024	0.711	0.058	-0.0	0.0	
0.0	Q5_ps	0.030	0.704	0.032	-0.0	0.0	
0.0	INVSLU	Max	9.519	1.575	-4.380	0.0	0.0
-0.0		Min	-3.652	-2.390	-25.164	-0.0	0.0
0.0	INVSLE	Max	6.858	1.137	-3.387	0.0	0.0
-0.0		Min	-2.895	-1.705	-18.775	-0.0	0.0
2873 0.0	C1-C2;~1	Max	5.665	0.647	5.772	0.0	0.0
-0.0		Min	-3.664	-1.410	-10.174	-0.0	-0.0
0.0	C3-C4;~1	Max	5.962	0.713	6.062	0.0	0.0
-0.0		Min	-3.657	-1.083	-10.457	-0.0	-0.0
0.0	C1-C2;~2	Max	3.249	0.349	3.310	0.0	0.0
-0.0		Min	-2.092	-0.801	-5.760	-0.0	-0.0
0.0	C3-C4;~2	Max	3.368	0.384	3.426	0.0	0.0
-0.0		Min	-2.094	-0.601	-5.939	-0.0	-0.0
-0.0	G1	2.302	-0.204	-4.986	-0.0	0.0	
-0.0	G2	0.866	-0.079	-2.050	-0.0	0.0	
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	0.026	0.751	0.057	-0.0	0.0	
0.0	Q5_ps	0.031	0.745	0.029	-0.0	0.0	
0.0	INVSLU	Max	9.108	1.659	-5.294	0.0	0.0
-0.0		Min	-3.934	-2.558	-27.697	-0.0	0.0
0.0	INVSLE	Max	6.546	1.200	-4.085	0.0	0.0
-0.0		Min	-3.111	-1.824	-20.673	-0.0	0.0
2874 0.0	C1-C2;~1	Max	5.584	0.669	6.107	0.0	0.0
		Min	-3.648	-1.502	-10.968	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

-0.0							
0.0	C3-C4;~1	Max	5.876	0.748	6.414	0.0	0.0
-0.0		Min	-3.645	-1.153	-11.271	-0.0	-0.0
0.0	C1-C2;~2	Max	3.204	0.360	3.502	0.0	0.0
-0.0		Min	-2.086	-0.853	-6.213	-0.0	-0.0
0.0	C3-C4;~2	Max	3.320	0.403	3.625	0.0	0.0
-0.0		Min	-2.083	-0.640	-6.405	-0.0	-0.0
-0.0	G1		2.236	-0.238	-5.483	-0.0	0.0
-0.0	G2		0.840	-0.092	-2.253	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.027	0.782	0.056	-0.0	0.0
0.0	Q5_ps		0.033	0.778	0.027	-0.0	0.0
0.0	INVSLU	Max	8.735	1.729	-6.341	0.0	0.0
-0.0		Min	-4.173	-2.717	-30.317	-0.0	0.0
0.0	INVSLE	Max	6.263	1.252	-4.884	0.0	0.0
-0.0		Min	-3.295	-1.937	-22.637	-0.0	0.0
2875	C1-C2;~1	Max	5.507	0.692	6.418	0.0	0.0
0.0		Min	-3.626	-1.594	-11.756	-0.0	-0.0
-0.0	C3-C4;~1	Max	5.793	0.777	6.742	0.0	0.0
0.0		Min	-3.620	-1.223	-12.075	-0.0	-0.0
-0.0	C1-C2;~2	Max	3.160	0.372	3.680	0.0	0.0
0.0		Min	-2.074	-0.905	-6.663	-0.0	-0.0
-0.0	C3-C4;~2	Max	3.274	0.419	3.810	0.0	0.0
0.0		Min	-2.072	-0.678	-6.866	-0.0	-0.0
-0.0	G1		2.181	-0.275	-5.997	-0.0	0.0
-0.0	G2		0.819	-0.105	-2.463	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.028	0.809	0.057	-0.0	0.0
0.0	Q5_ps		0.034	0.805	0.027	-0.0	0.0

MIDAS


PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0							
	INVSLU	Max	8.392	1.786	-7.501	0.0	0.0
0.0		Min	-4.375	-2.870	-33.007	-0.0	0.0
-0.0							
	INVSLE	Max	6.002	1.296	-5.768	0.0	0.0
0.0		Min	-3.451	-2.045	-24.654	-0.0	0.0
-0.0							
2979	C1-C2;~1	Max	4.802	1.045	9.577	0.0	0.0
0.0		Min	-1.159	-1.904	-23.979	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	5.000	1.516	9.427	0.0	0.0
0.0		Min	-1.139	-1.412	-24.223	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.815	0.536	5.462	0.0	0.0
0.0		Min	-0.660	-1.079	-13.925	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.881	0.819	5.369	0.0	0.0
0.0		Min	-0.648	-0.790	-13.801	-0.0	-0.0
-0.0							
	G1		3.733	0.171	-13.952	0.0	-0.0
0.0							
	G2		1.453	0.089	-5.321	0.0	-0.0
0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc		-0.038	1.047	0.053	0.0	0.0
-0.0							
	Q5_ps		-0.031	1.077	0.111	0.0	0.0
-0.0							
	INVSLU	Max	14.548	3.318	-33.559	0.0	-0.0
0.0		Min	6.166	-3.184	-79.284	-0.0	-0.0
0.0							
	INVSLE	Max	10.779	2.383	-25.659	0.0	-0.0
0.0		Min	4.575	-2.294	-59.523	-0.0	-0.0
0.0							
2980	C1-C2;~1	Max	4.932	1.050	9.624	0.0	0.0
0.0		Min	-1.213	-1.888	-23.769	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	5.135	1.517	9.472	0.0	0.0
0.0		Min	-1.193	-1.399	-24.009	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.888	0.540	5.488	0.0	0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	-0.691	-1.070	-13.799	-0.0	-0.0
0.0	C3-C4;~2	Max	2.956	0.820	5.395	0.0	0.0
-0.0		Min	-0.679	-0.783	-13.675	-0.0	-0.0
0.0	G1		3.823	0.184	-13.708	0.0	-0.0
0.0	G2		1.487	0.094	-5.224	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.035	1.043	0.048	0.0	0.0
-0.0	Q5_ps		-0.028	1.073	0.106	0.0	0.0
0.0	INVSLU	Max	14.871	3.349	-32.368	0.0	-0.0
0.0		Min	6.238	-3.126	-77.858	-0.0	-0.0
0.0	INVSLE	Max	11.016	2.406	-24.756	0.0	-0.0
0.0		Min	4.627	-2.251	-58.446	-0.0	-0.0
2981	C1-C2;~1	Max	4.771	1.366	9.348	0.0	0.0
0.0		Min	-1.161	-1.637	-22.206	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	5.015	1.860	9.230	0.0	0.0
-0.0		Min	-1.150	-1.093	-23.397	-0.0	-0.0
0.0	C1-C2;~2	Max	2.786	0.730	5.331	0.0	0.0
-0.0		Min	-0.662	-0.926	-12.742	-0.0	-0.0
0.0	C3-C4;~2	Max	2.884	1.019	5.259	0.0	0.0
-0.0		Min	-0.655	-0.599	-13.430	-0.0	-0.0
0.0	G1		3.780	0.473	-13.965	-0.0	-0.0
0.0	G2		1.470	0.191	-5.364	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.001	1.032	-0.103	-0.0	-0.0
-0.0	Q5_ps		0.005	1.056	-0.204	-0.0	-0.0
0.0	INVSLU	Max	14.549	4.368	-34.571	0.0	-0.0
-0.0		Min	6.209	-2.211	-78.961	-0.0	-0.0
0.0	INVSLE	Max	10.780	3.162	-26.419	0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	4.603	-1.573	-59.287	-0.0	-0.0
2982	C1-C2;~1	Max	4.897	1.362	9.389	0.0	0.0
0.0		Min	-1.214	-1.625	-22.001	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	5.146	1.853	9.270	0.0	0.0
0.0		Min	-1.202	-1.086	-23.184	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.857	0.728	5.354	0.0	0.0
0.0		Min	-0.692	-0.918	-12.620	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.957	1.015	5.282	0.0	0.0
0.0		Min	-0.684	-0.596	-13.304	-0.0	-0.0
-0.0							
-0.0	G1		3.869	0.474	-13.721	-0.0	-0.0
-0.0	G2		1.505	0.191	-5.267	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.003	1.028	-0.101	-0.0	-0.0
-0.0	Q5_ps		0.003	1.052	-0.202	-0.0	-0.0
-0.0							
0.0	INVSLU	Max	14.870	4.345	-33.395	0.0	-0.0
0.0		Min	6.278	-2.201	-77.550	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	11.016	3.146	-25.527	0.0	-0.0
0.0		Min	4.652	-1.566	-58.221	-0.0	-0.0
-0.0							
2983	C1-C2;~1	Max	4.410	0.685	0.059	0.0	0.0
0.0		Min	-1.074	-1.301	-0.559	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.632	0.612	0.061	0.0	0.0
0.0		Min	-1.078	-1.365	-0.463	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.543	0.385	0.033	0.0	0.0
0.0		Min	-0.606	-0.748	-0.334	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.630	0.339	0.034	0.0	0.0
0.0		Min	-0.608	-0.772	-0.271	-0.0	-0.0
-0.0							
-0.0	G1		3.631	-0.808	-0.340	-0.0	-0.0

MIDAS

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-0.0	G2	1.416	-0.326	-0.136	-0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc	-0.066	0.249	-0.053	-0.0	0.0
-0.0	Q5_ps	-0.057	0.222	-0.042	-0.0	0.0
-0.0	INVSLU	Max	0.165	3.040	-0.301	-0.0
-0.0		Min	-7.661	-0.176	-1.234	-0.0
-0.0	INVSLE	Max	-0.503	2.382	-0.212	-0.0
-0.0		Min	-6.292	0.033	-0.896	-0.0
2984	C1-C2;~1	Max	4.401	0.707	0.921	0.0
0.0		Min	-1.072	-1.335	-0.494	-0.0
-0.0	C3-C4;~1	Max	4.623	0.629	0.924	0.0
0.0		Min	-1.075	-1.399	-0.477	-0.0
-0.0	C1-C2;~2	Max	2.538	0.398	0.530	0.0
0.0		Min	-0.604	-0.767	-0.308	-0.0
-0.0	C3-C4;~2	Max	2.625	0.349	0.533	0.0
0.0		Min	-0.606	-0.791	-0.291	-0.0
-0.0	G1	3.627	-0.825	0.609	-0.0	-0.0
-0.0	G2	1.413	-0.336	0.250	-0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc	-0.075	0.214	-0.056	-0.0	0.0
-0.0	Q5_ps	-0.066	0.189	-0.051	-0.0	0.0
-0.0	INVSLU	Max	0.091	2.920	4.916	-0.0
-0.0		Min	-7.737	-0.309	2.900	-0.0
-0.0	INVSLE	Max	-0.563	2.295	3.744	-0.0
-0.0		Min	-6.351	-0.068	2.258	-0.0
2985	C1-C2;~1	Max	3.669	0.504	9.715	0.0
0.0		Min	-1.304	-0.119	-22.988	-0.0
-0.0						

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	C3-C4;~1	Max	3.865	0.538	9.560	0.0	0.0
-0.0		Min	-1.280	-0.160	-23.183	-0.0	-0.0
0.0	C1-C2;~2	Max	2.108	0.290	5.541	0.0	0.0
-0.0		Min	-0.743	-0.063	-13.333	-0.0	-0.0
0.0	C3-C4;~2	Max	2.186	0.311	5.445	0.0	0.0
-0.0		Min	-0.729	-0.089	-13.189	-0.0	-0.0
0.0	G1		2.699	0.328	-12.884	-0.0	-0.0
0.0	G2		1.044	0.110	-4.904	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.008	0.987	0.028	-0.0	0.0
-0.0	Q5_ps		-0.002	0.927	0.085	-0.0	0.0
0.0	INVSLU	Max	7.189	1.680	-28.358	0.0	-0.0
-0.0		Min	0.196	-1.641	-72.820	-0.0	-0.0
0.0	INVSLE	Max	5.200	1.084	-21.703	0.0	-0.0
-0.0		Min	0.021	-1.170	-54.634	-0.0	-0.0
2986 0.0	C1-C2;~1	Max	3.653	0.563	9.711	0.0	0.0
-0.0		Min	-1.296	-0.124	-22.630	-0.0	-0.0
0.0	C3-C4;~1	Max	3.847	0.595	9.556	0.0	0.0
-0.0		Min	-1.272	-0.166	-22.835	-0.0	-0.0
0.0	C1-C2;~2	Max	2.099	0.328	5.539	0.0	0.0
-0.0		Min	-0.739	-0.065	-13.119	-0.0	-0.0
0.0	C3-C4;~2	Max	2.177	0.348	5.443	0.0	0.0
-0.0		Min	-0.724	-0.091	-12.986	-0.0	-0.0
0.0	G1		2.688	0.332	-12.548	-0.0	-0.0
-0.0	G2		1.041	0.107	-4.770	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.006	0.980	0.025	-0.0	0.0
-0.0	Q5_ps		0.001	0.919	0.082	-0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	INVSLU	Max	6.984	1.656	-26.957	0.0	-0.0
		Min	0.031	-1.694	-70.939	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	5.040	1.063	-20.641	0.0	-0.0
		Min	-0.109	-1.215	-53.217	-0.0	-0.0
-0.0							
2987 0.0	C1-C2;~1	Max	3.639	0.598	9.693	0.0	0.0
		Min	-1.287	-0.128	-22.230	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.831	0.628	9.537	0.0	0.0
		Min	-1.264	-0.170	-22.434	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.091	0.351	5.529	0.0	0.0
		Min	-0.734	-0.067	-12.880	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.168	0.370	5.432	0.0	0.0
		Min	-0.719	-0.094	-12.752	-0.0	-0.0
-0.0							
0.0	G1		2.679	0.337	-12.191	-0.0	-0.0
-0.0	G2		1.037	0.106	-4.629	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.003	0.975	0.021	-0.0	0.0
-0.0	Q5_ps		0.004	0.912	0.077	-0.0	0.0
-0.0							
0.0	INVSLU	Max	6.792	1.628	-25.515	0.0	-0.0
		Min	-0.123	-1.735	-68.924	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	4.890	1.039	-19.546	0.0	-0.0
		Min	-0.232	-1.249	-51.699	-0.0	-0.0
-0.0							
2988 0.0	C1-C2;~1	Max	3.624	0.618	9.661	0.0	0.0
		Min	-1.279	-0.131	-21.793	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.815	0.647	9.505	0.0	0.0
		Min	-1.255	-0.175	-21.996	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.083	0.364	5.510	0.0	0.0
		Min	-0.729	-0.069	-12.620	-0.0	-0.0
-0.0							

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	C3-C4;~2	Max	2.160	0.382	5.414	0.0	0.0
-0.0		Min	-0.714	-0.096	-12.496	-0.0	-0.0
0.0	G1		2.670	0.342	-11.815	-0.0	-0.0
0.0	G2		1.034	0.106	-4.482	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.000	0.969	0.016	-0.0	0.0
-0.0	Q5_ps		0.006	0.906	0.072	-0.0	0.0
0.0	INVS LU	Max	6.613	1.601	-24.032	0.0	-0.0
-0.0		Min	-0.265	-1.762	-66.797	-0.0	-0.0
0.0	INVS LE	Max	4.749	1.018	-18.420	0.0	-0.0
-0.0		Min	-0.345	-1.272	-50.095	-0.0	-0.0
2989 0.0	C1-C2;~1	Max	3.611	0.627	9.614	0.0	0.0
-0.0		Min	-1.270	-0.134	-21.323	-0.0	-0.0
0.0	C3-C4;~1	Max	3.800	0.654	9.457	0.0	0.0
-0.0		Min	-1.246	-0.179	-21.522	-0.0	-0.0
0.0	C1-C2;~2	Max	2.076	0.369	5.483	0.0	0.0
-0.0		Min	-0.724	-0.070	-12.341	-0.0	-0.0
0.0	C3-C4;~2	Max	2.152	0.387	5.387	0.0	0.0
-0.0		Min	-0.709	-0.098	-12.221	-0.0	-0.0
0.0	G1		2.662	0.346	-11.421	-0.0	-0.0
0.0	G2		1.031	0.107	-4.328	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		0.002	0.963	0.011	-0.0	0.0
-0.0	Q5_ps		0.009	0.899	0.067	-0.0	0.0
0.0	INVS LU	Max	6.450	1.579	-22.519	0.0	-0.0
-0.0		Min	-0.397	-1.775	-64.573	-0.0	-0.0
0.0	INVS LE	Max	4.621	1.002	-17.269	0.0	-0.0
-0.0		Min	-0.451	-1.283	-48.418	-0.0	-0.0


PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	


2990	C1-C2;~1	Max	3.598	0.627	9.552	0.0	0.0
0.0		Min	-1.260	-0.136	-20.823	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.785	0.651	9.395	0.0	0.0
0.0		Min	-1.237	-0.182	-21.018	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.068	0.369	5.448	0.0	0.0
0.0		Min	-0.718	-0.072	-12.044	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.144	0.385	5.351	0.0	0.0
0.0		Min	-0.704	-0.100	-11.928	-0.0	-0.0
-0.0							
	G1		2.654	0.350	-11.011	-0.0	-0.0
0.0	G2		1.028	0.109	-4.169	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.004	0.956	0.006	-0.0	0.0
-0.0	Q5_ps		0.011	0.893	0.061	-0.0	0.0
-0.0							
	INVSLU	Max	6.302	1.562	-20.982	0.0	-0.0
0.0		Min	-0.517	-1.772	-62.261	-0.0	-0.0
-0.0							
	INVSLE	Max	4.503	0.991	-16.100	0.0	-0.0
0.0		Min	-0.548	-1.280	-46.676	-0.0	-0.0
-0.0							
2991	C1-C2;~1	Max	3.585	0.618	9.473	0.0	0.0
0.0		Min	-1.250	-0.139	-20.292	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.771	0.638	9.318	0.0	0.0
0.0		Min	-1.226	-0.185	-20.481	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.061	0.363	5.403	0.0	0.0
0.0		Min	-0.713	-0.073	-11.731	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.136	0.376	5.307	0.0	0.0
0.0		Min	-0.698	-0.102	-11.618	-0.0	-0.0
-0.0							
	G1		2.647	0.355	-10.586	-0.0	-0.0
0.0	G2		1.025	0.112	-4.003	-0.0	-0.0
0.0							

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		0.007	0.950	0.000	-0.0	0.0
-0.0	Q5_ps		0.013	0.887	0.055	-0.0	0.0
0.0	INVS LU	Max	6.168	1.553	-19.429	0.0	-0.0
-0.0		Min	-0.621	-1.752	-59.868	-0.0	-0.0
0.0	INVS LE	Max	4.396	0.988	-14.917	0.0	-0.0
-0.0		Min	-0.632	-1.264	-44.872	-0.0	-0.0
2992	C1-C2;~1	Max	3.572	0.596	9.379	0.0	0.0
0.0		Min	-1.239	-0.141	-19.732	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.756	0.610	9.224	0.0	0.0
-0.0		Min	-1.215	-0.188	-19.913	-0.0	-0.0
0.0	C1-C2;~2	Max	2.054	0.349	5.350	0.0	0.0
-0.0		Min	-0.706	-0.074	-11.400	-0.0	-0.0
0.0	C3-C4;~2	Max	2.128	0.356	5.254	0.0	0.0
-0.0		Min	-0.692	-0.104	-11.289	-0.0	-0.0
0.0	G1		2.641	0.359	-10.148	-0.0	-0.0
0.0	G2		1.023	0.116	-3.833	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		0.009	0.943	-0.005	-0.0	0.0
-0.0	Q5_ps		0.015	0.881	0.048	-0.0	0.0
0.0	INVS LU	Max	6.050	1.551	-17.854	0.0	-0.0
-0.0		Min	-0.708	-1.713	-57.408	-0.0	-0.0
0.0	INVS LE	Max	4.301	0.992	-13.719	0.0	-0.0
-0.0		Min	-0.704	-1.230	-43.017	-0.0	-0.0
2993	C1-C2;~1	Max	3.558	0.552	9.267	0.0	0.0
0.0		Min	-1.226	-0.142	-19.145	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.740	0.558	9.113	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	-1.203	-0.190	-19.308	-0.0	-0.0
0.0	C1-C2;~2	Max	2.047	0.320	5.286	0.0	0.0
-0.0		Min	-0.699	-0.075	-11.055	-0.0	-0.0
0.0	C3-C4;~2	Max	2.120	0.322	5.191	0.0	0.0
-0.0		Min	-0.685	-0.105	-10.941	-0.0	-0.0
0.0	G1		2.636	0.363	-9.696	-0.0	-0.0
0.0	G2		1.021	0.123	-3.661	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		0.011	0.936	-0.012	-0.0	0.0
-0.0	Q5_ps		0.017	0.877	0.040	-0.0	0.0
0.0	INVSLU	Max	5.946	1.551	-16.265	0.0	-0.0
-0.0		Min	-0.778	-1.655	-54.862	-0.0	-0.0
0.0	INVSLE	Max	4.217	0.998	-12.508	0.0	-0.0
-0.0		Min	-0.762	-1.181	-41.097	-0.0	-0.0
2994	C1-C2;~1	Max	4.459	0.583	2.379	0.0	0.0
0.0		Min	-1.077	-1.108	-9.172	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.681	0.528	2.495	0.0	0.0
-0.0		Min	-1.079	-1.161	-8.723	-0.0	-0.0
0.0	C1-C2;~2	Max	2.571	0.330	1.364	0.0	0.0
-0.0		Min	-0.607	-0.636	-5.250	-0.0	-0.0
0.0	C3-C4;~2	Max	2.658	0.291	1.408	0.0	0.0
-0.0		Min	-0.610	-0.657	-4.972	-0.0	-0.0
-0.0	G1		3.687	-0.708	-6.678	-0.0	-0.0
-0.0	G2		1.436	-0.295	-2.700	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.006	0.497	-0.007	-0.0	0.0
-0.0	Q5_ps		-0.001	0.456	0.039	-0.0	0.0
-0.0	INVSLU	Max	1.438	3.664	-21.335	-0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	-6.349	0.415	-37.099	-0.0	-0.0
-0.0	INVSLE	Max	0.500	2.794	-16.214	-0.0	-0.0
-0.0		Min	-5.267	0.453	-27.890	-0.0	-0.0
2995	C1-C2;~1	Max	4.453	0.630	2.050	0.0	0.0
0.0		Min	-1.079	-1.137	-7.953	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.675	0.575	2.150	0.0	0.0
-0.0		Min	-1.080	-1.193	-7.562	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	2.567	0.360	1.175	0.0	0.0
0.0		Min	-0.607	-0.653	-4.550	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.655	0.321	1.213	0.0	0.0
-0.0		Min	-0.610	-0.675	-4.307	-0.0	-0.0
-0.0	G1		3.675	-0.720	-5.804	-0.0	-0.0
-0.0	G2		1.429	-0.307	-2.344	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.014	0.461	-0.011	-0.0	0.0
-0.0	Q5_ps		-0.008	0.421	0.031	-0.0	0.0
-0.0							
-0.0	INVSLE	Max	1.172	3.544	-18.528	0.0	-0.0
-0.0		Min	-6.622	0.253	-32.186	-0.0	-0.0
-0.0							
-0.0	INVSLE	Max	0.291	2.707	-14.084	0.0	-0.0
-0.0		Min	-5.481	0.331	-24.200	-0.0	-0.0
-0.0							
2996	C1-C2;~1	Max	4.446	0.654	1.719	0.0	0.0
0.0		Min	-1.081	-1.167	-6.714	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.669	0.594	1.802	0.0	0.0
-0.0		Min	-1.081	-1.223	-6.379	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.564	0.374	0.985	0.0	0.0
-0.0		Min	-0.607	-0.669	-3.839	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.651	0.331	1.017	0.0	0.0


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0		Min	-0.611	-0.692	-3.631	-0.0	-0.0
-0.0	G1		3.665	-0.734	-4.912	-0.0	-0.0
-0.0	G2		1.424	-0.314	-1.983	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.021	0.426	-0.015	-0.0	0.0
-0.0	Q5_ps		-0.016	0.387	0.021	-0.0	0.0
-0.0	INVSLU	Max	0.926	3.421	-15.654	0.0	-0.0
-0.0		Min	-6.876	0.120	-27.179	-0.0	-0.0
-0.0	INVSLE	Max	0.098	2.619	-11.901	0.0	-0.0
-0.0		Min	-5.678	0.231	-20.436	-0.0	-0.0
-0.0							
2997	C1-C2;~1	Max	4.440	0.666	1.385	0.0	0.0
0.0		Min	-1.082	-1.196	-5.460	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.663	0.593	1.453	0.0	0.0
0.0		Min	-1.083	-1.252	-5.181	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.560	0.380	0.794	0.0	0.0
0.0		Min	-0.608	-0.686	-3.120	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.647	0.328	0.820	0.0	0.0
0.0		Min	-0.611	-0.708	-2.947	-0.0	-0.0
-0.0							
-0.0	G1		3.655	-0.748	-4.004	-0.0	-0.0
-0.0	G2		1.420	-0.320	-1.616	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.030	0.391	-0.020	-0.0	0.0
-0.0	Q5_ps		-0.023	0.354	0.010	-0.0	0.0
-0.0							
-0.0	INVSLU	Max	0.708	3.303	-12.694	0.0	-0.0
-0.0		Min	-7.102	0.010	-22.063	-0.0	-0.0
-0.0							
-0.0	INVSLE	Max	-0.074	2.537	-9.652	0.0	-0.0
-0.0		Min	-5.854	0.150	-16.589	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
2999	C1-C2;~1	Max	4.433	0.666	1.051	0.0	0.0
0.0		Min	-1.081	-1.223	-4.195	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.656	0.584	1.102	0.0	0.0
0.0		Min	-1.083	-1.281	-3.972	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.556	0.378	0.603	0.0	0.0
0.0		Min	-0.608	-0.702	-2.395	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.644	0.319	0.622	0.0	0.0
0.0		Min	-0.611	-0.725	-2.257	-0.0	-0.0
-0.0							
	G1		3.647	-0.764	-3.085	-0.0	-0.0
-0.0							
	G2		1.417	-0.325	-1.245	-0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc		-0.038	0.356	-0.026	-0.0	0.0
-0.0							
	Q5_ps		-0.031	0.321	-0.001	-0.0	0.0
-0.0							
	INVSLU	Max	0.518	3.190	-9.670	0.0	-0.0
-0.0		Min	-7.298	-0.080	-16.867	-0.0	-0.0
-0.0							
	INVSLE	Max	-0.223	2.460	-7.352	0.0	-0.0
-0.0		Min	-6.008	0.086	-12.680	-0.0	-0.0
-0.0							
3000	C1-C2;~1	Max	4.426	0.660	0.717	0.0	0.0
0.0		Min	-1.080	-1.250	-2.929	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.648	0.592	0.751	0.0	0.0
0.0		Min	-1.083	-1.309	-2.761	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.552	0.371	0.411	0.0	0.0
0.0		Min	-0.608	-0.717	-1.671	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.639	0.325	0.424	0.0	0.0
0.0		Min	-0.611	-0.740	-1.567	-0.0	-0.0
-0.0							
	G1		3.640	-0.780	-2.162	-0.0	-0.0
-0.0							
	G2		1.415	-0.329	-0.873	-0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-0.0	Q5_pc	-0.047	0.321	-0.033	-0.0	0.0
-0.0	Q5_ps	-0.039	0.289	-0.013	-0.0	0.0
-0.0	INVSLU	Max	0.361	3.089	-6.595	-0.0
-0.0		Min	-7.460	-0.146	-11.623	-0.0
-0.0	INVSLE	Max	-0.348	2.395	-5.012	-0.0
-0.0		Min	-6.135	0.041	-8.732	-0.0
3001	C1-C2;~1	Max	4.418	0.664	0.384	0.0
0.0		Min	-1.076	-1.275	-1.676	-0.0
-0.0	C3-C4;~1	Max	4.640	0.600	0.402	0.0
0.0		Min	-1.081	-1.337	-1.559	-0.0
-0.0	C1-C2;~2	Max	2.548	0.373	0.220	0.0
0.0		Min	-0.607	-0.732	-0.954	-0.0
-0.0	C3-C4;~2	Max	2.635	0.331	0.227	0.0
0.0		Min	-0.610	-0.756	-0.882	-0.0
-0.0	G1		3.634	-0.796	-1.243	-0.0
-0.0	G2		1.415	-0.330	-0.502	-0.0
0.0	Q3		0.000	0.000	0.000	0.0
0.0	Q5_pc		-0.056	0.285	-0.042	-0.0
-0.0	Q5_ps		-0.048	0.256	-0.027	-0.0
-0.0	INVSLU	Max	0.243	3.035	-3.478	-0.0
0.0		Min	-7.582	-0.179	-6.359	-0.0
-0.0	INVSLE	Max	-0.441	2.365	-2.637	-0.0
0.0		Min	-6.230	0.023	-4.766	-0.0
-0.0	C1-C2;~1	Max	4.266	0.214	8.675	0.0
3002		Min	-0.615	-0.363	-21.628	-0.0
0.0	C3-C4;~1	Max	4.480	0.153	9.128	0.0
-0.0		Min	-0.614	-0.367	-22.176	-0.0

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	C1-C2;~2	Max	2.462	0.121	4.974	0.0	0.0
-0.0		Min	-0.376	-0.208	-12.369	-0.0	-0.0
0.0	C3-C4;~2	Max	2.546	0.086	5.155	0.0	0.0
-0.0		Min	-0.376	-0.205	-12.728	-0.0	-0.0
-0.0	G1		4.178	-0.143	-13.950	-0.0	0.0
-0.0	G2		1.640	-0.041	-5.710	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.002	1.175	0.040	0.0	-0.0
0.0	Q5_ps		0.008	1.112	-0.007	0.0	-0.0
0.0	INVSLU	Max	13.056	4.252	-33.613	-0.0	0.0
-0.0		Min	6.173	0.472	-75.946	-0.0	0.0
0.0	INVSLE	Max	9.520	3.108	-25.640	-0.0	0.0
-0.0		Min	4.421	0.556	-56.993	-0.0	0.0
3003	C1-C2;~1	Max	4.269	0.211	8.683	0.0	0.0
0.0		Min	-0.629	-0.429	-22.010	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.483	0.151	9.136	0.0	0.0
-0.0		Min	-0.627	-0.420	-22.568	-0.0	-0.0
0.0	C1-C2;~2	Max	2.464	0.119	4.979	0.0	0.0
-0.0		Min	-0.383	-0.251	-12.597	-0.0	-0.0
0.0	C3-C4;~2	Max	2.548	0.084	5.159	0.0	0.0
-0.0		Min	-0.383	-0.239	-12.963	-0.0	-0.0
-0.0	G1		4.165	-0.158	-14.293	-0.0	0.0
-0.0	G2		1.635	-0.039	-5.845	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.001	1.188	0.045	0.0	-0.0
0.0	Q5_ps		0.007	1.128	-0.001	0.0	-0.0
0.0	INVSLU	Max	12.874	4.383	-35.030	-0.0	0.0
-0.0		Min	5.972	0.498	-77.911	-0.0	0.0


MIDAS

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	INVSLE	Max	9.377	3.209	-26.718	-0.0	0.0
-0.0		Min	4.264	0.582	-58.475	-0.0	0.0
3004 0.0	C1-C2;~1	Max	4.272	0.207	8.678	0.0	0.0
-0.0		Min	-0.642	-0.471	-22.341	-0.0	-0.0
0.0	C3-C4;~1	Max	4.486	0.148	9.130	0.0	0.0
-0.0		Min	-0.640	-0.451	-22.912	-0.0	-0.0
0.0	C1-C2;~2	Max	2.465	0.116	4.976	0.0	0.0
-0.0		Min	-0.390	-0.278	-12.793	-0.0	-0.0
0.0	C3-C4;~2	Max	2.550	0.081	5.156	0.0	0.0
-0.0		Min	-0.390	-0.259	-13.169	-0.0	-0.0
-0.0	G1		4.152	-0.174	-14.612	-0.0	0.0
-0.0	G2		1.631	-0.042	-5.974	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.002	1.196	0.045	0.0	-0.0
0.0	Q5_ps		0.005	1.138	-0.000	0.0	-0.0
0.0	INVSLU	Max	12.685	4.491	-36.393	0.0	0.0
-0.0		Min	5.758	0.545	-79.730	-0.0	0.0
0.0	INVSLE	Max	9.228	3.293	-27.752	0.0	0.0
-0.0		Min	4.098	0.623	-59.848	-0.0	0.0
3005 0.0	C1-C2;~1	Max	4.274	0.202	8.661	0.0	0.0
-0.0		Min	-0.654	-0.496	-22.633	-0.0	-0.0
0.0	C3-C4;~1	Max	4.488	0.145	9.112	0.0	0.0
-0.0		Min	-0.652	-0.469	-23.217	-0.0	-0.0
0.0	C1-C2;~2	Max	2.466	0.113	4.966	0.0	0.0
-0.0		Min	-0.396	-0.294	-12.967	-0.0	-0.0
0.0	C3-C4;~2	Max	2.551	0.080	5.145	0.0	0.0
		Min	-0.396	-0.270	-13.353	-0.0	-0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0	G1	4.139	-0.190	-14.906	-0.0	0.0	
-0.0	G2	1.626	-0.046	-6.093	0.0	0.0	
-0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	-0.005	1.202	0.045	0.0	-0.0	
0.0	Q5_ps	0.002	1.144	-0.000	0.0	-0.0	
0.0	INVS LU	Max	12.487	4.574	-37.687	0.0	0.0
-0.0		Min	5.535	0.592	-81.411	-0.0	0.0
0.0	INVS LE	Max	9.073	3.357	-28.735	0.0	0.0
-0.0		Min	3.925	0.662	-61.117	-0.0	0.0
3006	C1-C2;~1	Max	4.275	0.197	8.632	0.0	0.0
0.0		Min	-0.665	-0.512	-22.883	-0.0	-0.0
-0.0	C3-C4;~1	Max	4.490	0.143	9.081	0.0	0.0
0.0		Min	-0.663	-0.479	-23.477	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.467	0.110	4.950	0.0	0.0
0.0		Min	-0.402	-0.303	-13.116	-0.0	-0.0
-0.0	C3-C4;~2	Max	2.552	0.078	5.128	0.0	0.0
0.0		Min	-0.402	-0.274	-13.509	-0.0	-0.0
-0.0	G1	4.126	-0.207	-15.176	-0.0	0.0	
-0.0	G2	1.620	-0.051	-6.202	0.0	0.0	
-0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	-0.009	1.205	0.044	0.0	-0.0	
0.0	Q5_ps	-0.001	1.148	-0.001	0.0	-0.0	
0.0	INVS LU	Max	12.281	4.630	-38.915	0.0	0.0
-0.0		Min	5.306	0.630	-82.946	-0.0	0.0
0.0	INVS LE	Max	8.913	3.401	-29.665	0.0	0.0
-0.0		Min	3.747	0.693	-62.275	-0.0	0.0
3007	C1-C2;~1	Max	4.277	0.192	8.590	0.0	0.0
0.0							

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	-0.678	-0.518	-23.096	-0.0	-0.0
0.0	C3-C4;~1	Max	4.493	0.140	9.036	0.0	0.0
-0.0		Min	-0.677	-0.479	-23.693	-0.0	-0.0
0.0	C1-C2;~2	Max	2.468	0.106	4.926	0.0	0.0
-0.0		Min	-0.408	-0.305	-13.244	-0.0	-0.0
0.0	C3-C4;~2	Max	2.553	0.077	5.102	0.0	0.0
-0.0		Min	-0.409	-0.273	-13.639	-0.0	-0.0
-0.0	G1		4.110	-0.223	-15.423	-0.0	0.0
-0.0	G2		1.614	-0.058	-6.302	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.013	1.205	0.043	0.0	-0.0
-0.0	Q5_ps		-0.005	1.148	-0.002	0.0	-0.0
0.0	INVSLU	Max	12.023	4.660	-40.082	0.0	0.0
-0.0		Min	5.020	0.660	-84.344	-0.0	0.0
0.0	INVSLE	Max	8.711	3.425	-30.550	0.0	0.0
-0.0		Min	3.525	0.717	-63.330	-0.0	0.0
3008	C1-C2;~1	Max	4.279	0.186	8.536	0.0	0.0
0.0		Min	-0.690	-0.509	-23.263	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.495	0.137	8.978	0.0	0.0
-0.0		Min	-0.689	-0.469	-23.860	-0.0	-0.0
0.0	C1-C2;~2	Max	2.469	0.102	4.894	0.0	0.0
-0.0		Min	-0.414	-0.298	-13.344	-0.0	-0.0
0.0	C3-C4;~2	Max	2.554	0.075	5.069	0.0	0.0
-0.0		Min	-0.415	-0.264	-13.740	-0.0	-0.0
-0.0	G1		4.094	-0.240	-15.642	-0.0	0.0
-0.0	G2		1.608	-0.066	-6.391	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.018	1.203	0.041	0.0	-0.0

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0	Q5_ps		-0.010	1.146	-0.004	0.0	-0.0
0.0	INVSLU	Max	11.757	4.654	-41.177	0.0	0.0
-0.0		Min	4.726	0.677	-85.582	-0.0	0.0
0.0	INVSLE	Max	8.504	3.421	-31.379	0.0	0.0
-0.0		Min	3.298	0.729	-64.266	-0.0	0.0
3009	C1-C2;~1	Max	4.281	0.179	8.470	0.0	0.0
0.0		Min	-0.702	-0.483	-23.377	-0.0	-0.0
-0.0	C3-C4;~1	Max	4.496	0.133	8.908	0.0	0.0
0.0		Min	-0.702	-0.443	-23.975	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.470	0.099	4.856	0.0	0.0
0.0		Min	-0.421	-0.279	-13.412	-0.0	-0.0
-0.0	C3-C4;~2	Max	2.555	0.073	5.030	0.0	0.0
0.0		Min	-0.422	-0.243	-13.808	-0.0	-0.0
-0.0	G1		4.078	-0.257	-15.832	-0.0	0.0
-0.0	G2		1.601	-0.077	-6.469	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.023	1.197	0.038	0.0	-0.0
-0.0	Q5_ps		-0.015	1.138	-0.008	0.0	-0.0
0.0	INVSLU	Max	11.482	4.616	-42.186	-0.0	0.0
-0.0		Min	4.423	0.692	-86.647	-0.0	0.0
0.0	INVSLE	Max	8.290	3.393	-32.143	-0.0	0.0
-0.0		Min	3.064	0.739	-65.072	-0.0	0.0
3010	C1-C2;~1	Max	4.282	0.170	8.392	0.0	0.0
0.0		Min	-0.714	-0.427	-23.418	-0.0	-0.0
-0.0	C3-C4;~1	Max	4.498	0.127	8.826	0.0	0.0
0.0		Min	-0.715	-0.401	-24.015	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.471	0.095	4.812	0.0	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0		Min	-0.427	-0.239	-13.434	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.556	0.070	4.983	0.0	0.0
-0.0		Min	-0.428	-0.213	-13.828	-0.0	-0.0
0.0	G1		4.061	-0.276	-15.991	-0.0	0.0
-0.0	G2		1.593	-0.093	-6.537	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.028	1.185	0.032	0.0	-0.0
0.0	Q5_ps		-0.020	1.123	-0.016	0.0	-0.0
-0.0							
0.0	INVSLU	Max	11.200	4.557	-43.101	-0.0	0.0
-0.0		Min	4.111	0.739	-87.494	-0.0	0.0
0.0	INVSLE	Max	8.070	3.349	-32.834	-0.0	0.0
-0.0		Min	2.823	0.770	-65.713	-0.0	0.0
3011	C1-C2;~1	Max	4.512	0.344	6.826	0.0	0.0
0.0		Min	-0.963	-0.706	-24.122	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.735	0.354	7.160	0.0	0.0
-0.0		Min	-0.965	-0.735	-22.984	-0.0	-0.0
0.0	C1-C2;~2	Max	2.602	0.191	3.914	0.0	0.0
-0.0		Min	-0.554	-0.403	-13.906	-0.0	-0.0
0.0	C3-C4;~2	Max	2.689	0.206	4.041	0.0	0.0
-0.0		Min	-0.557	-0.417	-13.187	-0.0	-0.0
0.0	G1		3.938	-0.506	-16.584	-0.0	-0.0
-0.0	G2		1.536	-0.217	-6.698	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		0.045	0.945	0.063	-0.0	0.0
0.0	Q5_ps		0.047	0.881	0.169	-0.0	0.0
-0.0							
0.0	INVSLU	Max	6.433	4.637	-50.255	-0.0	-0.0
-0.0		Min	-1.343	1.152	-92.599	-0.0	-0.0
0.0	INVSLE	Max	4.355	3.399	-38.131	-0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0		Min	-1.399	1.010	-69.488	-0.0	-0.0
-0.0							
3012	C1-C2;~1	Max	4.511	0.399	6.589	0.0	0.0
0.0		Min	-0.973	-0.734	-23.443	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.733	0.431	6.911	0.0	0.0
0.0		Min	-0.974	-0.762	-22.346	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.601	0.245	3.778	0.0	0.0
0.0		Min	-0.560	-0.419	-13.508	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.688	0.257	3.901	0.0	0.0
0.0		Min	-0.561	-0.433	-12.816	-0.0	-0.0
-0.0							
-0.0	G1		3.920	-0.514	-16.190	-0.0	-0.0
-0.0	G2		1.528	-0.228	-6.536	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.044	0.920	0.060	-0.0	0.0
-0.0	Q5_ps		0.046	0.855	0.165	-0.0	0.0
-0.0							
0.0	INVSLU	Max	6.076	4.642	-49.296	0.0	-0.0
0.0		Min	-1.709	1.146	-90.382	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	4.080	3.405	-37.408	0.0	-0.0
0.0		Min	-1.681	0.979	-67.834	-0.0	-0.0
-0.0							
3013	C1-C2;~1	Max	4.509	0.445	6.344	0.0	0.0
0.0		Min	-0.983	-0.760	-22.719	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.732	0.476	6.654	0.0	0.0
0.0		Min	-0.983	-0.788	-21.660	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.600	0.274	3.637	0.0	0.0
0.0		Min	-0.565	-0.434	-13.085	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.687	0.285	3.756	0.0	0.0
0.0		Min	-0.566	-0.447	-12.417	-0.0	-0.0
-0.0							
-0.0	G1		3.903	-0.524	-15.761	-0.0	-0.0

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
-0.0		G2	1.520	-0.236	-6.362	-0.0	-0.0	
-0.0		Q3	0.000	0.000	0.000	0.0	0.0	
0.0		Q5_pc	0.043	0.895	0.057	-0.0	0.0	
-0.0		Q5_ps	0.045	0.831	0.159	-0.0	0.0	
-0.0		INVS LU	Max	5.727	4.645	-48.237	0.0	-0.0
0.0			Min	-2.066	1.144	-87.993	-0.0	-0.0
-0.0		INVS LE	Max	3.810	3.409	-36.608	0.0	-0.0
0.0			Min	-1.956	0.968	-66.050	-0.0	-0.0
-0.0								
3014	C1-C2;~1	Max	4.507	0.473	6.093	0.0	0.0	
0.0		Min	-0.993	-0.785	-21.954	-0.0	-0.0	
-0.0								
0.0	C3-C4;~1	Max	4.730	0.503	6.390	0.0	0.0	
-0.0		Min	-0.992	-0.812	-20.933	-0.0	-0.0	
-0.0								
0.0	C1-C2;~2	Max	2.599	0.291	3.493	0.0	0.0	
-0.0		Min	-0.569	-0.449	-12.639	-0.0	-0.0	
-0.0								
0.0	C3-C4;~2	Max	2.686	0.302	3.607	0.0	0.0	
-0.0		Min	-0.570	-0.462	-11.996	-0.0	-0.0	
-0.0								
-0.0		G1	3.885	-0.536	-15.297	-0.0	-0.0	
-0.0		G2	1.512	-0.242	-6.174	-0.0	-0.0	
-0.0		Q3	0.000	0.000	0.000	0.0	0.0	
0.0		Q5_pc	0.042	0.871	0.053	-0.0	0.0	
-0.0		Q5_ps	0.044	0.808	0.152	-0.0	0.0	
-0.0								
0.0	INVS LU	Max	5.382	4.637	-47.045	0.0	-0.0	
-0.0		Min	-2.420	1.136	-85.406	-0.0	-0.0	
-0.0								
0.0	INVS LE	Max	3.545	3.408	-35.707	0.0	-0.0	
-0.0		Min	-2.229	0.962	-64.115	-0.0	-0.0	
-0.0								
3015	C1-C2;~1	Max	4.505	0.489	5.835	0.0	0.0	
0.0		Min	-1.002	-0.810	-21.150	-0.0	-0.0	
-0.0								

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	C3-C4;~1	Max	4.728	0.520	6.120	0.0	0.0
-0.0		Min	-1.002	-0.837	-20.168	-0.0	-0.0
0.0	C1-C2;~2	Max	2.598	0.300	3.345	0.0	0.0
-0.0		Min	-0.574	-0.463	-12.170	-0.0	-0.0
0.0	C3-C4;~2	Max	2.685	0.312	3.454	0.0	0.0
-0.0		Min	-0.575	-0.476	-11.552	-0.0	-0.0
-0.0	G1		3.868	-0.549	-14.800	-0.0	-0.0
-0.0	G2		1.505	-0.248	-5.974	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		0.041	0.846	0.050	-0.0	0.0
-0.0	Q5_ps		0.043	0.784	0.145	-0.0	0.0
-0.0	INVSLU	Max	5.042	4.608	-45.735	0.0	-0.0
-0.0		Min	-2.768	1.119	-82.639	-0.0	-0.0
-0.0	INVSLE	Max	3.282	3.392	-34.716	0.0	-0.0
-0.0		Min	-2.497	0.951	-62.046	-0.0	-0.0
3016	C1-C2;~1	Max	4.503	0.495	5.572	0.0	0.0
0.0		Min	-1.012	-0.835	-20.316	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.726	0.528	5.845	0.0	0.0
-0.0		Min	-1.011	-0.861	-19.372	-0.0	-0.0
0.0	C1-C2;~2	Max	2.596	0.304	3.195	0.0	0.0
-0.0		Min	-0.578	-0.477	-11.685	-0.0	-0.0
0.0	C3-C4;~2	Max	2.683	0.315	3.299	0.0	0.0
-0.0		Min	-0.579	-0.490	-11.092	-0.0	-0.0
-0.0	G1		3.850	-0.562	-14.275	-0.0	-0.0
-0.0	G2		1.498	-0.252	-5.762	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		0.039	0.821	0.045	-0.0	0.0
-0.0	Q5_ps		0.041	0.760	0.138	-0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

-0.0	INVS LU	Max	4.707	4.555	-44.309	0.0	-0.0
-0.0		Min	-3.109	1.086	-79.708	-0.0	-0.0
-0.0	INVS LE	Max	3.025	3.358	-33.637	0.0	-0.0
-0.0		Min	-2.759	0.928	-59.852	-0.0	-0.0
3017 0.0	C1-C2;~1	Max	4.500	0.491	5.305	0.0	0.0
-0.0		Min	-1.020	-0.859	-19.449	-0.0	-0.0
0.0	C3-C4;~1	Max	4.723	0.526	5.564	0.0	0.0
-0.0		Min	-1.020	-0.890	-18.544	-0.0	-0.0
0.0	C1-C2;~2	Max	2.595	0.299	3.041	0.0	0.0
-0.0		Min	-0.582	-0.491	-11.182	-0.0	-0.0
0.0	C3-C4;~2	Max	2.682	0.312	3.140	0.0	0.0
-0.0		Min	-0.583	-0.504	-10.614	-0.0	-0.0
-0.0	G1		3.833	-0.575	-13.719	-0.0	-0.0
-0.0	G2		1.491	-0.256	-5.538	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		0.037	0.795	0.041	-0.0	0.0
-0.0	Q5_ps		0.039	0.736	0.130	-0.0	0.0
-0.0	INVS LU	Max	4.378	4.480	-42.757	0.0	-0.0
-0.0		Min	-3.442	1.037	-76.598	-0.0	-0.0
-0.0	INVS LE	Max	2.772	3.310	-32.461	0.0	-0.0
-0.0		Min	-3.016	0.895	-57.523	-0.0	-0.0
3018 0.0	C1-C2;~1	Max	4.497	0.468	5.032	0.0	0.0
-0.0		Min	-1.029	-0.882	-18.547	-0.0	-0.0
0.0	C3-C4;~1	Max	4.720	0.507	5.278	0.0	0.0
-0.0		Min	-1.029	-0.915	-17.682	-0.0	-0.0
0.0	C1-C2;~2	Max	2.593	0.284	2.885	0.0	0.0
		Min	-0.586	-0.505	-10.659	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-0.0							
0.0	C3-C4;~2	Max	2.680	0.297	2.979	0.0	0.0
-0.0		Min	-0.588	-0.517	-10.117	-0.0	-0.0
-0.0	G1		3.816	-0.589	-13.134	-0.0	-0.0
-0.0	G2		1.485	-0.258	-5.302	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		0.035	0.770	0.036	-0.0	0.0
-0.0	Q5_ps		0.037	0.713	0.121	-0.0	0.0
-0.0	INVSLU	Max	4.057	4.393	-41.090	0.0	-0.0
-0.0		Min	-3.768	0.995	-73.319	-0.0	-0.0
-0.0	INVSLE	Max	2.524	3.255	-31.198	0.0	-0.0
-0.0		Min	-3.267	0.868	-55.066	-0.0	-0.0
3019	C1-C2;~1	Max	4.494	0.462	4.754	0.0	0.0
0.0		Min	-1.037	-0.904	-17.612	-0.0	-0.0
-0.0	C3-C4;~1	Max	4.717	0.454	4.986	0.0	0.0
0.0		Min	-1.039	-0.938	-16.784	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.591	0.264	2.726	0.0	0.0
0.0		Min	-0.589	-0.518	-10.117	-0.0	-0.0
-0.0	C3-C4;~2	Max	2.679	0.259	2.814	0.0	0.0
0.0		Min	-0.592	-0.530	-9.600	-0.0	-0.0
-0.0	G1		3.798	-0.606	-12.518	-0.0	-0.0
-0.0	G2		1.480	-0.256	-5.057	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		0.033	0.745	0.031	-0.0	0.0
-0.0	Q5_ps		0.036	0.691	0.112	-0.0	0.0
-0.0	INVSLU	Max	3.743	4.307	-39.309	-0.0	-0.0
-0.0		Min	-4.088	0.976	-69.873	-0.0	-0.0
-0.0	INVSLE	Max	2.283	3.200	-29.847	-0.0	-0.0
-0.0		Min	-3.513	0.859	-52.482	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-0.0

3020 C1-C2;~1 Max 4.229 0.306 8.182 0.0 0.0
 0.0 Min -0.510 -0.359 -17.823 -0.0 -0.0

-0.0

C3-C4;~1 Max 4.441 0.235 8.607 0.0 0.0
 0.0 Min -0.514 -0.361 -18.281 -0.0 -0.0

-0.0

C1-C2;~2 Max 2.442 0.169 4.692 0.0 0.0
 0.0 Min -0.319 -0.215 -10.152 -0.0 -0.0

-0.0

C3-C4;~2 Max 2.525 0.128 4.861 0.0 0.0
 0.0 Min -0.320 -0.211 -10.447 -0.0 -0.0

-0.0

G1 4.259 0.002 -10.572 -0.0 0.0

-0.0

G2 1.671 0.015 -4.337 0.0 0.0

-0.0

Q3 0.000 0.000 0.000 0.0 0.0

0.0

Q5_pc 0.021 1.106 0.045 0.0 -0.0

0.0

Q5_ps 0.026 1.045 0.000 0.0 -0.0

0.0

INVSLU Max 14.119 3.726 -20.992 -0.0 0.0

0.0

Min 7.392 0.070 -57.371 -0.0 0.0

0.0

INVSLE Max 10.366 2.701 -16.048 -0.0 0.0

0.0

Min 5.386 0.225 -42.990 -0.0 0.0

0.0

3021 C1-C2;~1 Max 4.236 0.297 8.294 0.0 0.0

0.0

Min -0.528 -0.415 -18.411 -0.0 -0.0

-0.0

C3-C4;~1 Max 4.448 0.225 8.725 0.0 0.0

0.0

Min -0.530 -0.402 -18.879 -0.0 -0.0

-0.0

C1-C2;~2 Max 2.445 0.164 4.756 0.0 0.0

0.0

Min -0.329 -0.252 -10.493 -0.0 -0.0

-0.0

C3-C4;~2 Max 2.529 0.123 4.928 0.0 0.0

0.0

Min -0.329 -0.238 -10.794 -0.0 -0.0

-0.0


G1 4.251 -0.015 -11.051 -0.0 0.0

-0.0

G2 1.669 0.016 -4.528 0.0 0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.020	1.126	0.050	0.0	-0.0
0.0	Q5_ps		0.026	1.069	0.007	0.0	-0.0
0.0	INVS LU	Max	14.045	3.893	-22.646	-0.0	0.0
0.0		Min	7.288	0.125	-60.001	-0.0	0.0
0.0	INVS LE	Max	10.305	2.831	-17.309	-0.0	0.0
0.0		Min	5.303	0.277	-44.972	-0.0	0.0
3022	C1-C2;~1	Max	4.242	0.287	8.390	0.0	0.0
0.0		Min	-0.542	-0.449	-18.965	-0.0	-0.0
-0.0	C3-C4;~1	Max	4.454	0.215	8.828	0.0	0.0
0.0		Min	-0.544	-0.430	-19.444	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.449	0.159	4.811	0.0	0.0
0.0		Min	-0.337	-0.274	-10.814	-0.0	-0.0
-0.0	C3-C4;~2	Max	2.532	0.117	4.986	0.0	0.0
0.0		Min	-0.337	-0.256	-11.124	-0.0	-0.0
-0.0	G1		4.243	-0.033	-11.516	-0.0	0.0
-0.0	G2		1.666	0.013	-4.716	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.019	1.142	0.051	0.0	-0.0
0.0	Q5_ps		0.024	1.085	0.008	0.0	-0.0
0.0	INVS LU	Max	13.951	4.029	-24.295	0.0	0.0
0.0		Min	7.170	0.189	-62.553	-0.0	0.0
0.0	INVS LE	Max	10.229	2.937	-18.564	0.0	0.0
0.0		Min	5.209	0.334	-46.896	-0.0	0.0
3023	C1-C2;~1	Max	4.247	0.276	8.472	0.0	0.0
0.0		Min	-0.555	-0.470	-19.490	-0.0	-0.0
-0.0	C3-C4;~1	Max	4.460	0.205	8.915	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0		Min	-0.556	-0.447	-19.980	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.452	0.153	4.858	0.0	0.0
0.0		Min	-0.344	-0.287	-11.119	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.535	0.112	5.035	0.0	0.0
0.0		Min	-0.344	-0.266	-11.437	-0.0	-0.0
-0.0							
-0.0	G1		4.234	-0.051	-11.966	-0.0	0.0
-0.0	G2		1.663	0.007	-4.899	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.017	1.154	0.051	0.0	-0.0
0.0	Q5_ps		0.022	1.098	0.008	0.0	-0.0
0.0							
0.0	INVSLU	Max	13.839	4.133	-25.924	0.0	0.0
0.0		Min	7.038	0.246	-65.022	-0.0	0.0
-0.0							
0.0	INVSLE	Max	10.139	3.018	-19.803	0.0	0.0
0.0		Min	5.103	0.383	-48.758	-0.0	0.0
0.0							
3024	C1-C2;~1	Max	4.252	0.264	8.539	0.0	0.0
0.0		Min	-0.568	-0.477	-19.984	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.464	0.195	8.986	0.0	0.0
0.0		Min	-0.568	-0.453	-20.486	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.454	0.147	4.896	0.0	0.0
0.0		Min	-0.351	-0.291	-11.408	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.538	0.107	5.075	0.0	0.0
0.0		Min	-0.350	-0.269	-11.733	-0.0	-0.0
-0.0							
-0.0	G1		4.224	-0.069	-12.400	-0.0	0.0
-0.0	G2		1.659	0.001	-5.075	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.014	1.163	0.050	0.0	-0.0
0.0	Q5_ps		0.020	1.107	0.007	0.0	-0.0
0.0							
0.0	INVSLU	Max	13.711	4.209	-27.532	0.0	0.0


MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0		Min	6.891	0.296	-67.409	-0.0	0.0
-0.0							
0.0	INVSLE	Max	10.037	3.077	-21.025	0.0	0.0
0.0		Min	4.987	0.424	-50.557	-0.0	0.0
-0.0							
3025	C1-C2;~1	Max	4.256	0.252	8.592	0.0	0.0
0.0		Min	-0.580	-0.473	-20.449	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.469	0.185	9.043	0.0	0.0
0.0		Min	-0.580	-0.450	-20.962	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.456	0.141	4.927	0.0	0.0
0.0		Min	-0.357	-0.287	-11.679	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.540	0.102	5.107	0.0	0.0
0.0		Min	-0.357	-0.266	-12.013	-0.0	-0.0
-0.0							
-0.0	G1		4.214	-0.087	-12.817	-0.0	0.0
-0.0	G2		1.655	-0.007	-5.245	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.012	1.171	0.049	0.0	-0.0
0.0	Q5_ps		0.018	1.114	0.006	0.0	-0.0
0.0							
0.0	INVSLU	Max	13.567	4.257	-29.112	0.0	0.0
0.0		Min	6.731	0.337	-69.707	-0.0	0.0
-0.0							
0.0	INVSLE	Max	9.923	3.114	-22.225	0.0	0.0
0.0		Min	4.860	0.458	-52.289	-0.0	0.0
-0.0							
3026	C1-C2;~1	Max	4.259	0.241	8.632	0.0	0.0
0.0		Min	-0.591	-0.455	-20.881	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.473	0.175	9.085	0.0	0.0
0.0		Min	-0.591	-0.438	-21.406	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.458	0.135	4.950	0.0	0.0
0.0		Min	-0.363	-0.273	-11.932	-0.0	-0.0
-0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	C3-C4;~2	Max	2.542	0.097	5.131	0.0	0.0
		Min	-0.363	-0.256	-12.274	-0.0	-0.0
-0.0	G1		4.203	-0.105	-13.215	-0.0	0.0
-0.0	G2		1.650	-0.015	-5.407	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.009	1.176	0.048	0.0	-0.0
0.0	Q5_ps		0.015	1.118	0.004	0.0	-0.0
0.0	INVSLU	Max	13.410	4.279	-30.658	-0.0	0.0
		Min	6.557	0.373	-71.908	-0.0	0.0
-0.0							
0.0	INVSLE	Max	9.798	3.131	-23.400	-0.0	0.0
		Min	4.723	0.486	-53.949	-0.0	0.0
-0.0							
3027 0.0	C1-C2;~1	Max	4.263	0.228	8.660	0.0	0.0
		Min	-0.603	-0.421	-21.279	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.477	0.165	9.114	0.0	0.0
		Min	-0.603	-0.412	-21.815	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.460	0.128	4.966	0.0	0.0
		Min	-0.370	-0.248	-12.165	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.544	0.091	5.147	0.0	0.0
		Min	-0.369	-0.237	-12.515	-0.0	-0.0
-0.0							
-0.0	G1		4.191	-0.124	-13.594	-0.0	0.0
-0.0	G2		1.645	-0.026	-5.561	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.006	1.178	0.046	0.0	-0.0
0.0	Q5_ps		0.012	1.118	0.001	0.0	-0.0
-0.0							
0.0	INVSLU	Max	13.240	4.277	-32.164	-0.0	0.0
		Min	6.371	0.413	-74.000	-0.0	0.0
-0.0							
0.0	INVSLE	Max	9.664	3.128	-24.542	-0.0	0.0
		Min	4.577	0.515	-55.526	-0.0	0.0
-0.0							


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

3028	C1-C2;~1	Max	3.743	0.339	9.463	0.0	0.0
0.0		Min	-1.287	-0.117	-21.217	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.925	0.380	9.345	0.0	0.0
0.0		Min	-1.276	-0.155	-22.367	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.152	0.189	5.396	0.0	0.0
0.0		Min	-0.734	-0.062	-12.155	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.221	0.210	5.325	0.0	0.0
0.0		Min	-0.727	-0.085	-12.819	-0.0	-0.0
-0.0							
	G1		2.745	0.315	-12.896	0.0	-0.0
0.0	G2		1.062	0.134	-4.946	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.018	1.021	-0.099	0.0	-0.0
-0.0	Q5_ps		-0.014	0.976	-0.201	0.0	-0.0
-0.0							
	INVSLU	Max	7.315	2.355	-29.415	-0.0	-0.0
0.0		Min	0.246	-0.971	-72.564	-0.0	-0.0
-0.0							
	INVSLE	Max	5.291	1.675	-22.498	-0.0	-0.0
0.0		Min	0.057	-0.572	-54.446	-0.0	-0.0
-0.0							
3029	C1-C2;~1	Max	3.727	0.344	9.453	0.0	0.0
0.0		Min	-1.278	-0.179	-20.878	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.907	0.385	9.335	0.0	0.0
0.0		Min	-1.267	-0.184	-22.002	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.142	0.192	5.391	0.0	0.0
0.0		Min	-0.729	-0.104	-11.957	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.211	0.213	5.319	0.0	0.0
0.0		Min	-0.722	-0.103	-12.605	-0.0	-0.0
-0.0							
	G1		2.734	0.320	-12.539	0.0	-0.0
0.0	G2		1.057	0.142	-4.804	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0						
0.0	Q5_pc	-0.021	1.027	-0.092	0.0	-0.0
0.0	Q5_ps	-0.016	0.985	-0.190	0.0	-0.0
0.0						
0.0	INVSLU	Max	7.100	2.458	-27.954	0.0
-0.0		Min	0.063	-0.925	-70.583	-0.0
0.0						
0.0	INVSLE	Max	5.123	1.755	-21.390	0.0
-0.0		Min	-0.087	-0.532	-52.954	-0.0
3030	C1-C2;~1	Max	3.712	0.349	9.428	0.0
0.0		Min	-1.269	-0.216	-20.507	-0.0
-0.0						
0.0	C3-C4;~1	Max	3.891	0.392	9.312	0.0
-0.0		Min	-1.258	-0.203	-21.609	-0.0
0.0						
0.0	C1-C2;~2	Max	2.134	0.195	5.377	0.0
-0.0		Min	-0.724	-0.128	-11.739	-0.0
0.0						
0.0	C3-C4;~2	Max	2.202	0.216	5.306	0.0
-0.0		Min	-0.717	-0.115	-12.373	-0.0
0.0	G1		2.724	0.325	-12.184	0.0
0.0	G2		1.054	0.147	-4.664	0.0
0.0	Q3		0.000	0.000	0.000	0.0
0.0	Q5_pc		-0.023	1.027	-0.089	0.0
-0.0	Q5_ps		-0.019	0.987	-0.185	0.0
-0.0						
0.0	INVSLU	Max	6.912	2.531	-26.534	0.0
-0.0		Min	-0.097	-0.894	-68.594	-0.0
0.0						
0.0	INVSLE	Max	4.975	1.812	-20.312	0.0
-0.0		Min	-0.213	-0.507	-51.455	-0.0
3031	C1-C2;~1	Max	3.698	0.355	9.390	0.0
0.0		Min	-1.260	-0.237	-20.102	-0.0
-0.0						
0.0	C3-C4;~1	Max	3.875	0.397	9.275	0.0
		Min	-1.250	-0.214	-21.180	-0.0

MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

-0.0							
0.0	C1-C2;~2	Max	2.127	0.198	5.355	0.0	0.0
-0.0		Min	-0.718	-0.143	-11.502	-0.0	-0.0
0.0	C3-C4;~2	Max	2.193	0.219	5.285	0.0	0.0
-0.0		Min	-0.712	-0.121	-12.121	-0.0	-0.0
0.0	G1		2.714	0.331	-11.810	0.0	-0.0
0.0	G2		1.050	0.151	-4.517	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.026	1.025	-0.086	0.0	-0.0
-0.0	Q5_ps		-0.021	0.985	-0.181	0.0	-0.0
0.0	INVSLU	Max	6.735	2.581	-25.073	0.0	-0.0
-0.0		Min	-0.245	-0.863	-66.497	-0.0	-0.0
0.0	INVSLE	Max	4.836	1.850	-19.202	0.0	-0.0
-0.0		Min	-0.331	-0.482	-49.874	-0.0	-0.0
3032	C1-C2;~1	Max	3.684	0.360	9.337	0.0	0.0
0.0		Min	-1.251	-0.247	-19.667	-0.0	-0.0
-0.0	C3-C4;~1	Max	3.860	0.403	9.224	0.0	0.0
0.0		Min	-1.240	-0.220	-20.718	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.119	0.200	5.325	0.0	0.0
0.0		Min	-0.713	-0.149	-11.247	-0.0	-0.0
-0.0	C3-C4;~2	Max	2.185	0.222	5.256	0.0	0.0
0.0		Min	-0.707	-0.125	-11.850	-0.0	-0.0
-0.0	G1		2.705	0.336	-11.419	0.0	-0.0
0.0	G2		1.047	0.153	-4.364	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.029	1.019	-0.083	0.0	-0.0
-0.0	Q5_ps		-0.024	0.980	-0.177	0.0	-0.0
-0.0	INVSLU	Max	6.571	2.606	-23.580	0.0	-0.0
0.0		Min	-0.380	-0.835	-64.305	-0.0	-0.0

MIDAS


PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


-0.0							
0.0	INVSLE	Max	4.707	1.870	-18.066	0.0	-0.0
-0.0		Min	-0.439	-0.462	-48.222	-0.0	-0.0
3033	C1-C2;~1	Max	3.671	0.365	9.270	0.0	0.0
0.0		Min	-1.241	-0.246	-19.202	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.845	0.407	9.158	0.0	0.0
-0.0		Min	-1.230	-0.222	-20.227	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	2.112	0.203	5.287	0.0	0.0
-0.0		Min	-0.707	-0.148	-10.975	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	2.177	0.225	5.219	0.0	0.0
-0.0		Min	-0.701	-0.125	-11.563	-0.0	-0.0
0.0	G1		2.697	0.342	-11.013	0.0	-0.0
0.0	G2		1.044	0.155	-4.205	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.031	1.012	-0.081	0.0	-0.0
-0.0	Q5_ps		-0.026	0.973	-0.173	0.0	-0.0
0.0	INVSLE	Max	6.420	2.607	-22.062	0.0	-0.0
-0.0		Min	-0.501	-0.814	-62.029	-0.0	-0.0
0.0	INVSLE	Max	4.587	1.870	-16.911	0.0	-0.0
-0.0		Min	-0.536	-0.449	-46.506	-0.0	-0.0
3034	C1-C2;~1	Max	3.658	0.369	9.188	0.0	0.0
0.0		Min	-1.230	-0.233	-18.708	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.830	0.411	9.077	0.0	0.0
-0.0		Min	-1.220	-0.218	-19.707	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	2.104	0.205	5.240	0.0	0.0
-0.0		Min	-0.701	-0.139	-10.688	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	2.169	0.228	5.173	0.0	0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	-0.695	-0.123	-11.259	-0.0	-0.0
0.0	G1		2.689	0.348	-10.592	0.0	-0.0
0.0	G2		1.041	0.156	-4.041	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.033	1.003	-0.079	0.0	-0.0
-0.0	Q5_ps		-0.029	0.962	-0.169	0.0	-0.0
0.0	INVSLU	Max	6.284	2.582	-20.525	0.0	-0.0
-0.0		Min	-0.608	-0.800	-59.675	-0.0	-0.0
0.0	INVSLE	Max	4.478	1.848	-15.741	0.0	-0.0
-0.0		Min	-0.622	-0.443	-44.731	-0.0	-0.0
3035	C1-C2;~1	Max	3.644	0.375	9.090	0.0	0.0
0.0		Min	-1.218	-0.207	-18.187	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.815	0.415	8.981	0.0	0.0
-0.0		Min	-1.209	-0.209	-19.157	-0.0	-0.0
0.0	C1-C2;~2	Max	2.097	0.209	5.185	0.0	0.0
-0.0		Min	-0.695	-0.120	-10.385	-0.0	-0.0
0.0	C3-C4;~2	Max	2.161	0.230	5.118	0.0	0.0
-0.0		Min	-0.689	-0.117	-10.939	-0.0	-0.0
0.0	G1		2.682	0.354	-10.158	0.0	-0.0
-0.0	G2		1.038	0.156	-3.872	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.036	0.990	-0.077	0.0	-0.0
-0.0	Q5_ps		-0.031	0.948	-0.166	0.0	-0.0
0.0	INVSLU	Max	6.162	2.526	-18.975	0.0	-0.0
-0.0		Min	-0.698	-0.791	-57.248	-0.0	-0.0
0.0	INVSLE	Max	4.381	1.804	-14.561	0.0	-0.0
-0.0		Min	-0.696	-0.443	-42.900	-0.0	-0.0
3036	C1-C2;~1	Max	3.630	0.393	8.976	0.0	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0		Min	-1.205	-0.162	-17.631	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.799	0.417	8.869	0.0	0.0
0.0		Min	-1.196	-0.195	-18.574	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.090	0.214	5.120	0.0	0.0
0.0		Min	-0.687	-0.089	-10.062	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.153	0.233	5.055	0.0	0.0
0.0		Min	-0.681	-0.109	-10.600	-0.0	-0.0
-0.0							
0.0	G1		2.676	0.361	-9.711	0.0	-0.0
0.0	G2		1.036	0.153	-3.701	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.037	0.972	-0.080	0.0	-0.0
-0.0	Q5_ps		-0.033	0.927	-0.169	0.0	-0.0
-0.0							
0.0	INVSLU	Max	6.053	2.438	-17.407	0.0	-0.0
0.0		Min	-0.771	-0.803	-54.743	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	4.294	1.734	-13.365	0.0	-0.0
0.0		Min	-0.756	-0.461	-41.011	-0.0	-0.0
-0.0							
3037	C1-C2;~1	Max	4.283	0.175	8.309	0.0	0.0
0.0		Min	-0.728	-0.501	-23.521	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.499	0.131	8.739	0.0	0.0
0.0		Min	-0.728	-0.449	-24.112	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.472	0.096	4.765	0.0	0.0
0.0		Min	-0.434	-0.287	-13.501	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.557	0.072	4.934	0.0	0.0
0.0		Min	-0.435	-0.244	-13.892	-0.0	-0.0
-0.0							
-0.0	G1		4.045	-0.288	-16.132	-0.0	0.0
-0.0	G2		1.588	-0.089	-6.590	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.031	1.192	0.036	0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0						
0.0	Q5_ps		-0.023	1.133	-0.010	0.0 -0.0
0.0	INVS LU	Max	10.928	4.700	-43.945	-0.0 0.0
0.0		Min	3.814	0.782	-88.358	-0.0 0.0
-0.0						
0.0	INVS LE	Max	7.860	3.459	-33.475	-0.0 0.0
0.0		Min	2.594	0.809	-66.369	-0.0 0.0
-0.0						
3038	C1-C2;~1	Max	4.284	0.178	8.216	0.0 0.0
0.0		Min	-0.741	-0.544	-23.550	-0.0 -0.0
-0.0						
0.0	C3-C4;~1	Max	4.500	0.134	8.640	0.0 0.0
0.0		Min	-0.740	-0.481	-24.134	-0.0 -0.0
-0.0						
0.0	C1-C2;~2	Max	2.472	0.097	4.711	0.0 0.0
0.0		Min	-0.440	-0.314	-13.520	-0.0 -0.0
-0.0						
0.0	C3-C4;~2	Max	2.557	0.073	4.879	0.0 0.0
0.0		Min	-0.441	-0.263	-13.907	-0.0 -0.0
-0.0						
-0.0	G1		4.029	-0.302	-16.242	-0.0 0.0
-0.0	G2		1.582	-0.090	-6.634	0.0 0.0
-0.0	Q3		0.000	0.000	0.000	0.0 0.0
0.0	Q5_pc		-0.036	1.193	0.036	0.0 -0.0
-0.0	Q5_ps		-0.026	1.136	-0.008	0.0 -0.0
-0.0						
0.0	INVS LU	Max	10.650	4.817	-44.695	0.0 0.0
0.0		Min	3.509	0.854	-89.005	-0.0 0.0
-0.0						
0.0	INVS LE	Max	7.644	3.552	-34.044	0.0 0.0
0.0		Min	2.360	0.869	-66.862	-0.0 0.0
-0.0						
3039	C1-C2;~1	Max	4.285	0.179	8.113	0.0 0.0
0.0		Min	-0.753	-0.570	-23.527	-0.0 -0.0
-0.0						
0.0	C3-C4;~1	Max	4.501	0.137	8.531	0.0 0.0
0.0		Min	-0.752	-0.498	-24.114	-0.0 -0.0
-0.0						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	C1-C2;~2	Max	2.472	0.097	4.652	0.0	0.0
		Min	-0.446	-0.331	-13.509	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.558	0.075	4.817	0.0	0.0
		Min	-0.447	-0.273	-13.898	-0.0	-0.0
-0.0							
-0.0	G1		4.013	-0.316	-16.320	-0.0	0.0
-0.0	G2		1.576	-0.094	-6.665	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.041	1.189	0.035	0.0	-0.0
-0.0	Q5_ps		-0.031	1.134	-0.008	0.0	-0.0
-0.0							
0.0	INVSLU	Max	10.363	4.900	-45.342	0.0	0.0
		Min	3.196	0.921	-89.477	-0.0	0.0
-0.0							
0.0	INVSLE	Max	7.421	3.617	-34.534	0.0	0.0
		Min	2.119	0.922	-67.222	-0.0	0.0
-0.0							
3040	C1-C2;~1	Max	4.285	0.181	7.999	0.0	0.0
0.0		Min	-0.764	-0.584	-23.454	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.501	0.141	8.411	0.0	0.0
		Min	-0.764	-0.505	-24.049	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.472	0.098	4.587	0.0	0.0
		Min	-0.452	-0.338	-13.467	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.558	0.077	4.749	0.0	0.0
		Min	-0.453	-0.275	-13.862	-0.0	-0.0
-0.0							
-0.0	G1		3.996	-0.331	-16.367	-0.0	0.0
-0.0	G2		1.569	-0.099	-6.683	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.046	1.184	0.034	0.0	-0.0
-0.0	Q5_ps		-0.036	1.129	-0.009	0.0	-0.0
-0.0							
0.0	INVSLU	Max	10.066	4.946	-45.890	0.0	0.0
		Min	2.874	0.971	-89.773	-0.0	0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	INVSLE	Max	7.192	3.655	-34.949	0.0	0.0
		Min	1.871	0.961	-67.451	-0.0	0.0
-0.0							
3041 0.0	C1-C2;~1	Max	4.285	0.184	7.876	0.0	0.0
		Min	-0.776	-0.589	-23.337	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.502	0.145	8.281	0.0	0.0
		Min	-0.775	-0.508	-23.930	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.472	0.100	4.516	0.0	0.0
		Min	-0.457	-0.340	-13.400	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.558	0.079	4.675	0.0	0.0
		Min	-0.458	-0.275	-13.794	-0.0	-0.0
-0.0							
-0.0	G1		3.980	-0.346	-16.381	-0.0	0.0
-0.0	G2		1.563	-0.105	-6.689	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.052	1.176	0.033	0.0	-0.0
-0.0	Q5_ps		-0.041	1.121	-0.010	0.0	-0.0
-0.0							
0.0	INVSLU	Max	9.759	4.954	-46.337	0.0	0.0
		Min	2.542	0.998	-89.882	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	6.955	3.664	-35.288	0.0	0.0
		Min	1.615	0.983	-67.539	-0.0	-0.0
-0.0							
3042 0.0	C1-C2;~1	Max	4.285	0.187	7.743	0.0	0.0
		Min	-0.786	-0.582	-23.171	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.502	0.148	8.141	0.0	0.0
		Min	-0.786	-0.524	-23.760	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.472	0.102	4.439	0.0	0.0
		Min	-0.463	-0.333	-13.303	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.558	0.081	4.596	0.0	0.0
		Min	-0.464	-0.285	-13.694	-0.0	-0.0
-0.0							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0	G1	3.962	-0.361	-16.363	-0.0	-0.0	
-0.0	G2	1.556	-0.112	-6.681	0.0	-0.0	
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
-0.0	Q5_pc	-0.058	1.165	0.031	0.0	-0.0	
-0.0	Q5_ps	-0.047	1.110	-0.012	0.0	-0.0	
0.0	INVSLU	Max	9.445	4.925	-46.681	0.0	0.0
-0.0		Min	2.202	1.008	-89.803	-0.0	-0.0
0.0	INVSLE	Max	6.711	3.645	-35.547	0.0	0.0
-0.0		Min	1.354	0.990	-67.485	-0.0	-0.0
3043 0.0	C1-C2;~1	Max	4.285	0.189	7.600	0.0	0.0
-0.0		Min	-0.797	-0.557	-22.951	-0.0	-0.0
0.0	C3-C4;~1	Max	4.502	0.150	7.991	0.0	0.0
-0.0		Min	-0.798	-0.538	-23.532	-0.0	-0.0
0.0	C1-C2;~2	Max	2.472	0.103	4.358	0.0	0.0
-0.0		Min	-0.468	-0.314	-13.174	-0.0	-0.0
0.0	C3-C4;~2	Max	2.558	0.083	4.512	0.0	0.0
-0.0		Min	-0.470	-0.294	-13.558	-0.0	-0.0
-0.0	G1	3.945	-0.377	-16.313	-0.0	-0.0	
-0.0	G2	1.548	-0.123	-6.661	0.0	-0.0	
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
-0.0	Q5_pc	-0.064	1.151	0.029	0.0	-0.0	
-0.0	Q5_ps	-0.054	1.095	-0.015	0.0	-0.0	
0.0	INVSLU	Max	9.123	4.863	-46.914	-0.0	0.0
-0.0		Min	1.853	1.015	-89.521	-0.0	-0.0
0.0	INVSLE	Max	6.462	3.600	-35.723	-0.0	0.0
-0.0		Min	1.086	0.993	-67.279	-0.0	-0.0
3044 0.0	C1-C2;~1	Max	4.285	0.189	7.449	0.0	0.0
		Min	-0.808	-0.518	-22.664	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

-0.0							
0.0	C3-C4;~1	Max	4.502	0.151	7.831	0.0	0.0
-0.0		Min	-0.810	-0.546	-23.227	-0.0	-0.0
0.0	C1-C2;~2	Max	2.472	0.104	4.271	0.0	0.0
-0.0		Min	-0.474	-0.287	-13.002	-0.0	-0.0
0.0	C3-C4;~2	Max	2.558	0.084	4.421	0.0	0.0
-0.0		Min	-0.475	-0.302	-13.374	-0.0	-0.0
-0.0	G1		3.926	-0.394	-16.229	-0.0	-0.0
-0.0	G2		1.539	-0.138	-6.630	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.072	1.131	0.023	0.0	-0.0
-0.0	Q5_ps		-0.061	1.071	-0.022	0.0	-0.0
0.0	INVSLU	Max	8.799	4.779	-47.037	-0.0	0.0
-0.0		Min	1.500	1.017	-89.008	-0.0	-0.0
0.0	INVSLE	Max	6.211	3.540	-35.813	-0.0	0.0
-0.0		Min	0.814	0.991	-66.899	-0.0	-0.0
3045	C1-C2;~1	Max	4.053	0.441	6.699	0.0	0.0
0.0		Min	-0.289	-0.428	-12.460	-0.0	-0.0
-0.0	C3-C4;~1	Max	4.252	0.373	7.039	0.0	0.0
0.0		Min	-0.278	-0.420	-12.803	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.341	0.243	3.841	0.0	0.0
0.0		Min	-0.185	-0.266	-7.066	-0.0	-0.0
-0.0	C3-C4;~2	Max	2.420	0.202	3.977	0.0	0.0
0.0		Min	-0.177	-0.255	-7.284	-0.0	-0.0
-0.0	G1		4.286	0.151	-6.471	-0.0	0.0
-0.0	G2		1.682	0.069	-2.665	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.037	0.969	0.049	0.0	0.0
0.0	Q5_ps		0.042	0.913	0.012	0.0	0.0


MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


0.0							
	INVSLU	Max	13.557	2.947	-8.619	0.0	0.0
0.0		Min	7.358	-0.481	-35.493	-0.0	0.0
-0.0							
	INVSLE	Max	9.951	2.088	-6.618	0.0	0.0
0.0		Min	5.364	-0.248	-26.518	-0.0	0.0
-0.0							
3046	C1-C2;~1	Max	4.089	0.430	6.984	0.0	0.0
0.0		Min	-0.322	-0.561	-13.287	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.291	0.358	7.339	0.0	0.0
0.0		Min	-0.313	-0.517	-13.647	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.362	0.235	4.004	0.0	0.0
0.0		Min	-0.205	-0.360	-7.538	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.441	0.193	4.146	0.0	0.0
0.0		Min	-0.200	-0.324	-7.767	-0.0	-0.0
-0.0							
	G1		4.301	0.133	-7.036	-0.0	0.0
-0.0							
	G2		1.689	0.070	-2.890	0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc		0.036	1.005	0.055	0.0	0.0
0.0							
	Q5_ps		0.041	0.952	0.021	0.0	0.0
0.0							
	INVSLU	Max	13.756	3.063	-10.035	0.0	0.0
0.0		Min	7.463	-0.598	-38.464	-0.0	0.0
-0.0							
	INVSLE	Max	10.102	2.174	-7.698	0.0	0.0
0.0		Min	5.446	-0.326	-28.749	-0.0	0.0
-0.0							
3047	C1-C2;~1	Max	4.120	0.417	7.222	0.0	0.0
0.0		Min	-0.355	-0.633	-14.016	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.324	0.343	7.589	0.0	0.0
0.0		Min	-0.349	-0.574	-14.392	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.380	0.227	4.140	0.0	0.0
0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	-0.226	-0.411	-7.956	-0.0	-0.0
0.0	C3-C4;~2	Max	2.460	0.184	4.288	0.0	0.0
-0.0		Min	-0.222	-0.365	-8.196	-0.0	-0.0
-0.0	G1		4.308	0.116	-7.558	-0.0	0.0
-0.0	G2		1.692	0.070	-3.103	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.034	1.035	0.053	0.0	0.0
0.0	Q5_ps		0.040	0.983	0.018	0.0	0.0
0.0	INVSLU	Max	13.911	3.176	-11.432	0.0	0.0
-0.0		Min	7.532	-0.635	-41.202	-0.0	0.0
0.0	INVSLE	Max	10.220	2.261	-8.762	0.0	0.0
-0.0		Min	5.500	-0.344	-30.806	-0.0	0.0
3048	C1-C2;~1	Max	4.149	0.401	7.436	0.0	0.0
0.0		Min	-0.390	-0.658	-14.724	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.354	0.325	7.815	0.0	0.0
-0.0		Min	-0.386	-0.596	-15.116	-0.0	-0.0
0.0	C1-C2;~2	Max	2.396	0.218	4.263	0.0	0.0
-0.0		Min	-0.247	-0.428	-8.363	-0.0	-0.0
0.0	C3-C4;~2	Max	2.477	0.174	4.415	0.0	0.0
-0.0		Min	-0.245	-0.379	-8.613	-0.0	-0.0
-0.0	G1		4.306	0.099	-8.081	-0.0	0.0
-0.0	G2		1.691	0.066	-3.316	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.032	1.058	0.052	0.0	-0.0
0.0	Q5_ps		0.037	1.007	0.016	0.0	-0.0
0.0	INVSLU	Max	14.042	3.288	-12.900	0.0	0.0
-0.0		Min	7.580	-0.605	-43.951	-0.0	0.0
0.0	INVSLE	Max	10.320	2.348	-9.881	0.0	0.0


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	5.537	-0.312	-32.874	-0.0	0.0
3049	C1-C2;~1	Max	4.175	0.383	7.637	0.0	0.0
0.0		Min	-0.426	-0.640	-15.437	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.383	0.306	8.028	0.0	0.0
0.0		Min	-0.425	-0.583	-15.849	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.411	0.208	4.379	0.0	0.0
0.0		Min	-0.269	-0.415	-8.773	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.493	0.163	4.535	0.0	0.0
0.0		Min	-0.268	-0.370	-9.036	-0.0	-0.0
-0.0							
-0.0	G1		4.295	0.080	-8.619	-0.0	0.0
-0.0	G2		1.687	0.060	-3.535	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.030	1.076	0.052	0.0	-0.0
0.0	Q5_ps		0.035	1.024	0.015	0.0	-0.0
0.0							
0.0	INVSLU	Max	14.151	3.394	-14.376	0.0	0.0
0.0		Min	7.606	-0.517	-46.704	-0.0	0.0
0.0							
0.0	INVSLE	Max	10.404	2.433	-11.002	-0.0	0.0
0.0		Min	5.559	-0.237	-34.941	-0.0	0.0
0.0							
3050	C1-C2;~1	Max	4.196	0.363	7.783	0.0	0.0
0.0		Min	-0.457	-0.607	-16.040	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.405	0.286	8.183	0.0	0.0
0.0		Min	-0.457	-0.554	-16.460	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.423	0.197	4.462	0.0	0.0
0.0		Min	-0.287	-0.392	-9.121	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.505	0.152	4.622	0.0	0.0
0.0		Min	-0.287	-0.349	-9.389	-0.0	-0.0
-0.0							
-0.0	G1		4.283	0.062	-9.105	-0.0	0.0

MIDAS

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-0.0	G2	1.682	0.052	-3.735	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	0.027	1.088	0.051	0.0	-0.0
0.0	Q5_ps	0.032	1.035	0.013	0.0	-0.0
0.0	INVSLU Max	14.207	3.496	-16.092	-0.0	0.0
0.0	Min	7.593	-0.405	-49.451	-0.0	0.0
0.0	INVSLE Max	10.445	2.515	-12.316	-0.0	0.0
0.0	Min	5.550	-0.145	-37.020	-0.0	0.0
3051 0.0 -0.0	C1-C2;~1 Max	4.210	0.345	7.929	0.0	0.0
	Min	-0.479	-0.546	-16.655	-0.0	-0.0
0.0 -0.0	C3-C4;~1 Max	4.420	0.270	8.338	0.0	0.0
	Min	-0.481	-0.506	-17.086	-0.0	-0.0
0.0 -0.0	C1-C2;~2 Max	2.431	0.188	4.546	0.0	0.0
	Min	-0.299	-0.348	-9.476	-0.0	-0.0
0.0 -0.0	C3-C4;~2 Max	2.513	0.144	4.710	0.0	0.0
	Min	-0.301	-0.315	-9.752	-0.0	-0.0
-0.0	G1	4.275	0.043	-9.600	-0.0	0.0
-0.0	G2	1.678	0.042	-3.937	0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	0.025	1.098	0.050	0.0	-0.0
0.0	Q5_ps	0.030	1.044	0.011	0.0	-0.0
0.0	INVSLU Max	14.209	3.592	-17.727	-0.0	0.0
0.0	Min	7.547	-0.263	-52.139	-0.0	0.0
0.0	INVSLE Max	10.443	2.592	-13.563	-0.0	0.0
0.0	Min	5.512	-0.032	-39.047	-0.0	0.0
3052 0.0 -0.0	C1-C2;~1 Max	4.221	0.327	8.063	0.0	0.0
	Min	-0.495	-0.462	-17.254	-0.0	-0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	C3-C4;~1	Max	4.431	0.253	8.480	0.0	0.0
-0.0		Min	-0.499	-0.440	-17.697	-0.0	-0.0
0.0	C1-C2;~2	Max	2.437	0.179	4.623	0.0	0.0
-0.0		Min	-0.310	-0.287	-9.822	-0.0	-0.0
0.0	C3-C4;~2	Max	2.520	0.136	4.790	0.0	0.0
-0.0		Min	-0.311	-0.267	-10.107	-0.0	-0.0
-0.0	G1		4.267	0.023	-10.090	-0.0	0.0
-0.0	G2		1.675	0.031	-4.137	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.023	1.104	0.049	0.0	-0.0
0.0	Q5_ps		0.028	1.048	0.008	0.0	-0.0
0.0	INVSLU	Max	14.177	3.671	-19.361	-0.0	0.0
0.0		Min	7.479	-0.102	-54.789	-0.0	0.0
0.0	INVSLE	Max	10.414	2.656	-14.808	-0.0	0.0
0.0		Min	5.456	0.093	-41.044	-0.0	0.0
3053 0.0	C1-C2;~1	Max	4.205	0.470	7.504	0.0	0.0
-0.0		Min	-0.245	-0.191	-15.303	-0.0	-0.0
0.0	C3-C4;~1	Max	4.398	0.376	7.849	0.0	0.0
-0.0		Min	-0.256	-0.213	-14.597	-0.0	-0.0
0.0	C1-C2;~2	Max	2.423	0.274	4.305	0.0	0.0
-0.0		Min	-0.157	-0.105	-8.744	-0.0	-0.0
0.0	C3-C4;~2	Max	2.498	0.211	4.432	0.0	0.0
-0.0		Min	-0.164	-0.113	-8.306	-0.0	-0.0
-0.0	G1		4.463	0.103	-7.495	-0.0	0.0
-0.0	G2		1.748	0.019	-3.033	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.077	0.948	-0.013	-0.0	-0.0
0.0	Q5_ps		-0.072	0.880	0.061	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	INVSLU	Max	14.163	2.451	-10.226	0.0	0.0
-0.0		Min	7.742	-0.711	-41.505	-0.0	0.0
0.0	INVSLE	Max	10.384	1.720	-7.776	0.0	0.0
-0.0		Min	5.638	-0.426	-30.943	-0.0	0.0
3054 0.0	C1-C2;~1	Max	4.241	0.515	7.781	0.0	0.0
-0.0		Min	-0.277	-0.194	-16.174	-0.0	-0.0
0.0	C3-C4;~1	Max	4.437	0.443	8.140	0.0	0.0
-0.0		Min	-0.287	-0.209	-15.435	-0.0	-0.0
0.0	C1-C2;~2	Max	2.444	0.292	4.464	0.0	0.0
-0.0		Min	-0.178	-0.108	-9.247	-0.0	-0.0
0.0	C3-C4;~2	Max	2.520	0.260	4.596	0.0	0.0
-0.0		Min	-0.183	-0.110	-8.785	-0.0	-0.0
-0.0	G1		4.479	0.092	-8.054	-0.0	0.0
-0.0	G2		1.754	0.009	-3.254	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.075	0.968	-0.005	-0.0	-0.0
0.0	Q5_ps		-0.070	0.896	0.073	-0.0	-0.0
0.0	INVSLU	Max	14.348	2.517	-11.654	0.0	0.0
-0.0		Min	7.836	-0.714	-44.487	-0.0	0.0
0.0	INVSLE	Max	10.524	1.765	-8.858	0.0	0.0
-0.0		Min	5.710	-0.430	-33.179	-0.0	0.0
3055 0.0	C1-C2;~1	Max	4.277	0.513	8.054	0.0	0.0
-0.0		Min	-0.315	-0.194	-17.087	-0.0	-0.0
0.0	C3-C4;~1	Max	4.476	0.506	8.426	0.0	0.0
-0.0		Min	-0.324	-0.208	-16.303	-0.0	-0.0
0.0	C1-C2;~2	Max	2.465	0.337	4.620	0.0	0.0
-0.0		Min	-0.202	-0.107	-9.774	-0.0	-0.0

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	C3-C4;~2	Max	2.542	0.305	4.757	0.0	0.0
-0.0		Min	-0.206	-0.109	-9.284	-0.0	-0.0
-0.0	G1		4.488	0.080	-8.654	-0.0	0.0
-0.0	G2		1.757	-0.002	-3.496	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.072	0.987	0.002	-0.0	-0.0
0.0	Q5_ps		-0.067	0.912	0.084	-0.0	-0.0
0.0	INVS LU	Max	14.518	2.607	-13.230	0.0	0.0
-0.0		Min	7.910	-0.732	-47.676	-0.0	0.0
0.0	INVS LE	Max	10.653	1.825	-10.054	0.0	0.0
-0.0		Min	5.767	-0.445	-35.569	-0.0	0.0
3056 0.0	C1-C2;~1	Max	4.310	0.535	8.301	0.0	0.0
-0.0		Min	-0.357	-0.193	-17.975	-0.0	-0.0
0.0	C3-C4;~1	Max	4.511	0.530	8.686	0.0	0.0
-0.0		Min	-0.365	-0.207	-17.148	-0.0	-0.0
0.0	C1-C2;~2	Max	2.485	0.352	4.762	0.0	0.0
-0.0		Min	-0.227	-0.109	-10.288	-0.0	-0.0
0.0	C3-C4;~2	Max	2.563	0.324	4.904	0.0	0.0
-0.0		Min	-0.231	-0.107	-9.771	-0.0	-0.0
-0.0	G1		4.487	0.068	-9.256	-0.0	0.0
-0.0	G2		1.756	-0.010	-3.738	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.068	1.004	0.008	-0.0	-0.0
0.0	Q5_ps		-0.064	0.928	0.094	-0.0	-0.0
0.0	INVS LU	Max	14.658	2.653	-14.885	0.0	0.0
-0.0		Min	7.952	-0.754	-50.892	-0.0	0.0
0.0	INVS LE	Max	10.759	1.853	-11.311	0.0	0.0
-0.0		Min	5.800	-0.465	-37.981	-0.0	0.0


MIDAS

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

3057	C1-C2;~1	Max	4.341	0.525	8.538	0.0	0.0
0.0		Min	-0.404	-0.187	-18.877	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.545	0.518	8.935	0.0	0.0
0.0		Min	-0.411	-0.205	-18.006	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.504	0.346	4.897	0.0	0.0
0.0		Min	-0.256	-0.105	-10.811	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.583	0.317	5.044	0.0	0.0
0.0		Min	-0.259	-0.106	-10.266	-0.0	-0.0
-0.0							
	G1		4.475	0.054	-9.876	-0.0	0.0
-0.0							
	G2		1.751	-0.016	-3.987	-0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc		-0.065	1.021	0.013	-0.0	0.0
0.0							
	Q5_ps		-0.060	0.944	0.103	-0.0	0.0
0.0							
	INVSLU	Max	14.772	2.673	-16.555	0.0	0.0
0.0		Min	7.964	-0.767	-54.125	-0.0	0.0
-0.0							
	INVSLE	Max	10.844	1.861	-12.576	0.0	0.0
0.0		Min	5.810	-0.477	-40.403	-0.0	0.0
-0.0							
3058	C1-C2;~1	Max	4.365	0.488	8.702	0.0	0.0
0.0		Min	-0.445	-0.187	-19.626	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.572	0.483	9.108	0.0	0.0
0.0		Min	-0.450	-0.204	-18.718	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.518	0.321	4.992	0.0	0.0
0.0		Min	-0.280	-0.101	-11.246	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.598	0.295	5.142	0.0	0.0
0.0		Min	-0.282	-0.105	-10.677	-0.0	-0.0
-0.0							
	G1		4.462	0.040	-10.431	-0.0	0.0
-0.0							
	G2		1.746	-0.020	-4.212	-0.0	0.0
-0.0							

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.062	1.035	0.017	-0.0	-0.0
0.0	Q5_ps		-0.057	0.958	0.110	-0.0	-0.0
0.0	INVS LU	Max	14.826	2.681	-18.479	0.0	0.0
0.0		Min	7.935	-0.768	-57.301	-0.0	0.0
-0.0							
0.0	INVS LE	Max	10.883	1.861	-14.044	0.0	0.0
0.0		Min	5.787	-0.481	-42.799	-0.0	0.0
-0.0							
3059	C1-C2;~1	Max	4.382	0.435	8.872	0.0	0.0
0.0		Min	-0.474	-0.180	-20.397	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.591	0.428	9.287	0.0	0.0
0.0		Min	-0.478	-0.202	-19.451	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.528	0.285	5.089	0.0	0.0
0.0		Min	-0.297	-0.097	-11.694	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.609	0.258	5.243	0.0	0.0
0.0		Min	-0.299	-0.103	-11.101	-0.0	-0.0
-0.0							
-0.0	G1		4.452	0.024	-10.997	-0.0	0.0
-0.0	G2		1.742	-0.024	-4.440	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.059	1.049	0.021	-0.0	-0.0
0.0	Q5_ps		-0.054	0.972	0.117	-0.0	-0.0
0.0	INVS LU	Max	14.822	2.691	-20.317	0.0	0.0
0.0		Min	7.874	-0.750	-60.429	-0.0	0.0
-0.0							
0.0	INVS LE	Max	10.876	1.863	-15.441	0.0	0.0
0.0		Min	5.737	-0.470	-45.151	-0.0	0.0
-0.0							
3060	C1-C2;~1	Max	4.395	0.420	9.028	0.0	0.0
0.0		Min	-0.498	-0.172	-21.149	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.605	0.354	9.452	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-0.0	Min	-0.501	-0.201	-20.166	-0.0	-0.0
0.0	C1-C2;~2 Max	2.536	0.236	5.178	0.0	0.0
-0.0	Min	-0.311	-0.091	-12.132	-0.0	-0.0
0.0	C3-C4;~2 Max	2.617	0.208	5.336	0.0	0.0
-0.0	Min	-0.312	-0.102	-11.515	-0.0	-0.0
-0.0	G1	4.444	0.008	-11.556	-0.0	0.0
-0.0	G2	1.739	-0.026	-4.666	-0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	-0.056	1.063	0.025	-0.0	-0.0
0.0	Q5_ps	-0.051	0.987	0.124	-0.0	-0.0
0.0	INVSLU Max	14.783	2.706	-22.146	0.0	0.0
-0.0	Min	7.790	-0.710	-63.503	-0.0	0.0
0.0	INVSLE Max	10.842	1.871	-16.830	0.0	0.0
-0.0	Min	5.669	-0.440	-47.461	-0.0	0.0
3061	C1-C2;~1 Max	4.406	0.344	9.173	0.0	0.0
0.0	Min	-0.521	-0.163	-21.901	-0.0	-0.0
-0.0	C3-C4;~1 Max	4.617	0.265	9.605	0.0	0.0
0.0	Min	-0.523	-0.200	-20.874	-0.0	-0.0
-0.0	C1-C2;~2 Max	2.543	0.200	5.261	0.0	0.0
0.0	Min	-0.324	-0.084	-12.571	-0.0	-0.0
-0.0	C3-C4;~2 Max	2.624	0.149	5.423	0.0	0.0
0.0	Min	-0.325	-0.102	-11.926	-0.0	-0.0
-0.0	G1	4.436	-0.010	-12.123	-0.0	0.0
-0.0	G2	1.737	-0.026	-4.898	-0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	-0.053	1.077	0.028	-0.0	-0.0
0.0	Q5_ps	-0.048	1.003	0.129	-0.0	-0.0
0.0	INVSLU Max	14.720	2.770	-24.043	0.0	0.0

MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
-0.0		Min	7.686	-0.645	-66.626	-0.0	0.0
0.0	INVSLE	Max	10.788	1.916	-18.268	0.0	0.0
-0.0		Min	5.585	-0.391	-49.807	-0.0	0.0
3062	C1-C2;~1	Max	3.376	0.621	4.349	0.0	0.0
0.0		Min	-0.575	-0.195	-6.755	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.525	0.615	4.276	0.0	0.0
-0.0		Min	-0.566	-0.256	-6.795	-0.0	-0.0
0.0	C1-C2;~2	Max	1.964	0.353	2.483	0.0	0.0
-0.0		Min	-0.328	-0.101	-3.866	-0.0	-0.0
0.0	C3-C4;~2	Max	2.024	0.346	2.438	0.0	0.0
-0.0		Min	-0.323	-0.138	-3.820	-0.0	-0.0
-0.0	G1		2.982	0.342	-2.417	-0.0	-0.0
-0.0	G2		1.166	0.110	-0.881	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		0.004	0.683	-0.090	-0.0	0.0
-0.0	Q5_ps		0.011	0.630	-0.065	-0.0	0.0
0.0	INVSLU	Max	7.509	1.415	0.533	0.0	-0.0
-0.0		Min	1.967	-1.170	-14.674	-0.0	-0.0
0.0	INVSLE	Max	5.392	0.989	0.334	0.0	-0.0
-0.0		Min	1.287	-0.811	-10.918	-0.0	-0.0
3063	C1-C2;~1	Max	3.389	0.650	3.845	0.0	0.0
0.0		Min	-0.535	-0.199	-5.917	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.539	0.679	3.782	0.0	0.0
-0.0		Min	-0.528	-0.260	-5.956	-0.0	-0.0
0.0	C1-C2;~2	Max	1.971	0.393	2.196	0.0	0.0
-0.0		Min	-0.305	-0.103	-3.384	-0.0	-0.0
0.0	C3-C4;~2	Max	2.032	0.389	2.157	0.0	0.0


PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0		Min	-0.301	-0.139	-3.344	-0.0	-0.0
-0.0	G1		3.035	0.338	-2.082	-0.0	-0.0
-0.0	G2		1.187	0.105	-0.752	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.000	0.666	-0.088	-0.0	0.0
-0.0	Q5_ps		0.007	0.612	-0.063	-0.0	0.0
-0.0	INVSLU	Max	7.719	1.513	0.719	0.0	-0.0
0.0		Min	2.218	-1.108	-12.671	-0.0	-0.0
-0.0	INVSLE	Max	5.550	1.063	0.484	0.0	-0.0
0.0		Min	1.475	-0.767	-9.423	-0.0	-0.0
-0.0							
3064	C1-C2;~1	Max	3.404	0.715	3.320	0.0	0.0
0.0		Min	-0.494	-0.202	-5.081	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.555	0.753	3.268	0.0	0.0
0.0		Min	-0.489	-0.262	-5.112	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.981	0.440	1.897	0.0	0.0
0.0		Min	-0.282	-0.104	-2.904	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.042	0.442	1.864	0.0	0.0
0.0		Min	-0.278	-0.140	-2.868	-0.0	-0.0
-0.0							
-0.0	G1		3.093	0.334	-1.769	-0.0	-0.0
-0.0	G2		1.210	0.099	-0.637	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.005	0.649	-0.088	-0.0	0.0
-0.0	Q5_ps		0.002	0.595	-0.066	-0.0	0.0
-0.0							
	INVSLU	Max	7.954	1.644	0.801	0.0	0.0
0.0		Min	2.478	-1.038	-10.741	-0.0	-0.0
-0.0							
	INVSLE	Max	5.727	1.161	0.555	0.0	0.0
0.0		Min	1.671	-0.717	-7.983	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
3065	C1-C2;~1	Max	3.422	0.753	2.774	0.0	0.0
0.0		Min	-0.452	-0.204	-4.250	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.575	0.799	2.733	0.0	0.0
0.0		Min	-0.448	-0.263	-4.271	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.991	0.469	1.585	0.0	0.0
0.0		Min	-0.258	-0.105	-2.427	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.053	0.475	1.559	0.0	0.0
0.0		Min	-0.255	-0.140	-2.395	-0.0	-0.0
-0.0							
	G1		3.156	0.328	-1.482	-0.0	-0.0
-0.0							
	G2		1.235	0.095	-0.533	-0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc		-0.011	0.634	-0.089	-0.0	0.0
-0.0							
	Q5_ps		-0.004	0.579	-0.068	-0.0	0.0
-0.0							
	INVSLU	Max	8.209	1.746	0.768	0.0	0.0
0.0		Min	2.753	-0.960	-8.902	-0.0	-0.0
-0.0							
	INVSLE	Max	5.918	1.238	0.540	0.0	0.0
0.0		Min	1.878	-0.660	-6.612	-0.0	-0.0
-0.0							
3066	C1-C2;~1	Max	3.443	0.751	2.204	0.0	0.0
0.0		Min	-0.408	-0.204	-3.428	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.598	0.801	2.177	0.0	0.0
0.0		Min	-0.406	-0.263	-3.439	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.003	0.469	1.260	0.0	0.0
0.0		Min	-0.233	-0.105	-1.956	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.066	0.477	1.243	0.0	0.0
0.0		Min	-0.232	-0.140	-1.926	-0.0	-0.0
-0.0							
	G1		3.225	0.323	-1.225	-0.0	-0.0
-0.0							
	G2		1.262	0.092	-0.440	-0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0	Q5_pc		-0.017	0.619	-0.090	-0.0	0.0
-0.0	Q5_ps		-0.009	0.565	-0.070	-0.0	0.0
0.0	INVSLU	Max	8.484	1.797	0.612	0.0	0.0
-0.0		Min	3.046	-0.878	-7.168	-0.0	-0.0
0.0	INVSLE	Max	6.124	1.277	0.431	0.0	0.0
-0.0		Min	2.098	-0.600	-5.320	-0.0	-0.0
3067 0.0	C1-C2;~1	Max	3.467	0.709	1.610	0.0	0.0
-0.0		Min	-0.366	-0.203	-2.619	-0.0	-0.0
0.0	C3-C4;~1	Max	3.625	0.759	1.597	0.0	0.0
-0.0		Min	-0.368	-0.259	-2.620	-0.0	-0.0
0.0	C1-C2;~2	Max	2.017	0.442	0.921	0.0	0.0
-0.0		Min	-0.208	-0.104	-1.493	-0.0	-0.0
0.0	C3-C4;~2	Max	2.081	0.448	0.913	0.0	0.0
-0.0		Min	-0.209	-0.138	-1.465	-0.0	-0.0
-0.0	G1		3.300	0.316	-1.005	-0.0	-0.0
0.0	G2		1.291	0.091	-0.362	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.023	0.607	-0.092	-0.0	0.0
-0.0	Q5_ps		-0.015	0.554	-0.074	-0.0	0.0
0.0	INVSLU	Max	8.780	1.795	0.314	0.0	0.0
-0.0		Min	3.349	-0.793	-5.561	-0.0	-0.0
0.0	INVSLE	Max	6.346	1.277	0.216	0.0	0.0
-0.0		Min	2.326	-0.538	-4.124	-0.0	-0.0
3068 0.0	C1-C2;~1	Max	3.493	0.631	0.994	0.0	0.0
-0.0		Min	-0.325	-0.200	-1.832	-0.0	-0.0
0.0	C3-C4;~1	Max	3.655	0.679	0.997	0.0	0.0
-0.0		Min	-0.329	-0.254	-1.820	-0.0	-0.0

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	C1-C2;~2	Max	2.033	0.389	0.569	0.0	0.0
-0.0		Min	-0.184	-0.103	-1.042	-0.0	-0.0
0.0	C3-C4;~2	Max	2.098	0.393	0.571	0.0	0.0
-0.0		Min	-0.187	-0.135	-1.016	-0.0	-0.0
-0.0	G1		3.380	0.310	-0.833	-0.0	-0.0
0.0	G2		1.323	0.092	-0.303	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.029	0.598	-0.096	-0.0	0.0
-0.0	Q5_ps		-0.022	0.546	-0.079	-0.0	0.0
0.0	INVSLU	Max	9.095	1.743	-0.140	0.0	0.0
-0.0		Min	3.665	-0.712	-4.132	-0.0	-0.0
0.0	INVSLE	Max	6.582	1.240	-0.116	0.0	0.0
-0.0		Min	2.563	-0.479	-3.060	-0.0	-0.0
3069 0.0	C1-C2;~1	Max	3.523	0.600	0.380	0.0	0.0
-0.0		Min	-0.283	-0.198	-1.083	-0.0	-0.0
0.0	C3-C4;~1	Max	3.689	0.557	0.401	0.0	0.0
-0.0		Min	-0.290	-0.248	-1.054	-0.0	-0.0
0.0	C1-C2;~2	Max	2.050	0.340	0.216	0.0	0.0
-0.0		Min	-0.160	-0.103	-0.613	-0.0	-0.0
0.0	C3-C4;~2	Max	2.116	0.308	0.229	0.0	0.0
-0.0		Min	-0.165	-0.132	-0.585	-0.0	-0.0
-0.0	G1		3.466	0.303	-0.721	-0.0	-0.0
0.0	G2		1.357	0.094	-0.266	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.035	0.591	-0.107	-0.0	0.0
-0.0	Q5_ps		-0.028	0.542	-0.089	-0.0	0.0
0.0	INVSLU	Max	9.428	1.690	-0.716	0.0	0.0
-0.0		Min	3.993	-0.643	-2.913	-0.0	-0.0

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	INVSLE	Max	6.831	1.201	-0.541	0.0	0.0
-0.0		Min	2.809	-0.427	-2.153	-0.0	-0.0
3070	C1-C2;~1	Max	3.555	0.530	0.009	0.0	0.0
0.0		Min	-0.242	-0.192	-0.671	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.725	0.496	0.010	0.0	0.0
-0.0		Min	-0.252	-0.242	-0.578	-0.0	-0.0
0.0	C1-C2;~2	Max	2.068	0.291	0.004	0.0	0.0
-0.0		Min	-0.136	-0.100	-0.365	-0.0	-0.0
0.0	C3-C4;~2	Max	2.136	0.268	0.005	0.0	0.0
-0.0		Min	-0.143	-0.129	-0.305	-0.0	-0.0
-0.0	G1		3.555	0.296	-0.675	-0.0	0.0
-0.0	G2		1.392	0.096	-0.257	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.042	0.590	-0.125	-0.0	0.0
0.0	Q5_ps		-0.035	0.541	-0.106	-0.0	-0.0
0.0	INVSLU	Max	9.776	1.639	-1.151	0.0	0.0
-0.0		Min	4.330	-0.594	-2.335	-0.0	-0.0
0.0	INVSLE	Max	7.091	1.164	-0.866	0.0	0.0
-0.0		Min	3.062	-0.391	-1.722	-0.0	-0.0
3071	C1-C2;~1	Max	4.248	0.358	4.158	0.0	0.0
0.0		Min	-0.949	-0.865	-14.144	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.465	0.307	4.371	0.0	0.0
-0.0		Min	-0.955	-0.889	-14.468	-0.0	-0.0
0.0	C1-C2;~2	Max	2.451	0.198	2.384	0.0	0.0
-0.0		Min	-0.540	-0.493	-8.072	-0.0	-0.0
0.0	C3-C4;~2	Max	2.537	0.169	2.467	0.0	0.0
		Min	-0.544	-0.504	-8.278	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-0.0	G1		3.661	-0.591	-10.911	-0.0	-0.0
-0.0	G2		1.434	-0.215	-4.458	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.193	0.827	0.013	0.0	-0.0
-0.0	Q5_ps		-0.176	0.783	-0.020	0.0	-0.0
-0.0	INVS LU	Max	3.838	4.651	-34.531	-0.0	-0.0
0.0		Min	-3.827	1.267	-59.988	-0.0	-0.0
-0.0	INVS LE	Max	2.372	3.528	-26.313	-0.0	-0.0
0.0		Min	-3.280	1.163	-45.168	-0.0	-0.0
-0.0							
3072	C1-C2;~1	Max	4.244	0.377	3.909	0.0	0.0
0.0		Min	-0.957	-0.901	-13.374	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.461	0.323	4.108	0.0	0.0
0.0		Min	-0.962	-0.922	-13.682	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.448	0.208	2.241	0.0	0.0
0.0		Min	-0.544	-0.512	-7.629	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.534	0.177	2.319	0.0	0.0
0.0		Min	-0.548	-0.522	-7.824	-0.0	-0.0
-0.0							
-0.0	G1		3.647	-0.599	-10.349	-0.0	-0.0
-0.0	G2		1.430	-0.210	-4.225	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.199	0.809	0.017	0.0	-0.0
-0.0	Q5_ps		-0.181	0.770	-0.013	0.0	-0.0
-0.0							
	INVS LU	Max	3.577	4.708	-32.881	-0.0	-0.0
0.0		Min	-4.103	1.299	-56.929	-0.0	-0.0
-0.0							
	INVS LE	Max	2.170	3.579	-25.060	-0.0	-0.0
0.0		Min	-3.493	1.193	-42.871	-0.0	-0.0
-0.0							
3073	C1-C2;~1	Max	4.240	0.395	3.655	0.0	0.0
0.0							


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	-0.964	-0.930	-12.573	-0.0	-0.0
0.0	C3-C4;~1	Max	4.457	0.339	3.842	0.0	0.0
-0.0		Min	-0.969	-0.950	-12.865	-0.0	-0.0
0.0	C1-C2;~2	Max	2.446	0.218	2.096	0.0	0.0
-0.0		Min	-0.547	-0.528	-7.168	-0.0	-0.0
0.0	C3-C4;~2	Max	2.532	0.186	2.169	0.0	0.0
-0.0		Min	-0.550	-0.537	-7.353	-0.0	-0.0
-0.0	G1		3.634	-0.609	-9.761	-0.0	-0.0
-0.0	G2		1.426	-0.210	-3.985	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.207	0.786	0.018	0.0	-0.0
-0.0	Q5_ps		-0.188	0.750	-0.010	0.0	-0.0
0.0	INVSLU	Max	3.324	4.742	-31.121	-0.0	-0.0
-0.0		Min	-4.373	1.333	-53.708	-0.0	-0.0
0.0	INVSLE	Max	1.973	3.613	-23.723	-0.0	-0.0
-0.0		Min	-3.701	1.223	-40.452	-0.0	-0.0
3074	C1-C2;~1	Max	4.235	0.413	3.398	0.0	0.0
0.0		Min	-0.969	-0.956	-11.746	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.452	0.354	3.572	0.0	0.0
-0.0		Min	-0.974	-0.975	-12.021	-0.0	-0.0
0.0	C1-C2;~2	Max	2.443	0.228	1.948	0.0	0.0
-0.0		Min	-0.549	-0.543	-6.693	-0.0	-0.0
0.0	C3-C4;~2	Max	2.529	0.195	2.016	0.0	0.0
-0.0		Min	-0.553	-0.552	-6.867	-0.0	-0.0
-0.0	G1		3.620	-0.620	-9.149	-0.0	-0.0
-0.0	G2		1.421	-0.213	-3.735	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.216	0.760	0.019	0.0	-0.0

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0	Q5_ps		-0.196	0.726	-0.008	0.0	-0.0
0.0	INVSLU	Max	3.074	4.745	-29.269	-0.0	-0.0
-0.0		Min	-4.640	1.348	-50.354	-0.0	-0.0
0.0	INVSLE	Max	1.778	3.623	-22.315	-0.0	-0.0
-0.0		Min	-3.907	1.239	-37.930	-0.0	-0.0
3075	C1-C2;~1	Max	4.230	0.431	3.137	0.0	0.0
0.0		Min	-0.973	-0.980	-10.896	-0.0	-0.0
-0.0	C3-C4;~1	Max	4.447	0.370	3.298	0.0	0.0
0.0		Min	-0.979	-0.998	-11.154	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.440	0.238	1.799	0.0	0.0
0.0		Min	-0.551	-0.557	-6.206	-0.0	-0.0
-0.0	C3-C4;~2	Max	2.526	0.204	1.862	0.0	0.0
0.0		Min	-0.555	-0.565	-6.369	-0.0	-0.0
-0.0	G1		3.608	-0.631	-8.515	-0.0	-0.0
-0.0	G2		1.416	-0.217	-3.476	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.225	0.732	0.019	0.0	-0.0
-0.0	Q5_ps		-0.205	0.699	-0.007	0.0	-0.0
0.0	INVSLU	Max	2.824	4.715	-27.327	-0.0	-0.0
-0.0		Min	-4.906	1.338	-46.872	-0.0	-0.0
0.0	INVSLE	Max	1.583	3.608	-20.837	-0.0	-0.0
-0.0		Min	-4.113	1.233	-35.312	-0.0	-0.0
3076	C1-C2;~1	Max	4.225	0.448	2.873	0.0	0.0
0.0		Min	-0.977	-1.003	-10.024	-0.0	-0.0
-0.0	C3-C4;~1	Max	4.442	0.386	3.020	0.0	0.0
0.0		Min	-0.982	-1.021	-10.265	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.438	0.248	1.647	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0		Min	-0.552	-0.570	-5.707	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.524	0.213	1.705	0.0	0.0
-0.0		Min	-0.556	-0.579	-5.858	-0.0	-0.0
-0.0	G1		3.596	-0.643	-7.860	-0.0	-0.0
-0.0	G2		1.411	-0.222	-3.209	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.234	0.702	0.019	0.0	-0.0
-0.0	Q5_ps		-0.214	0.670	-0.006	0.0	-0.0
-0.0							
-0.0	INVSLU	Max	2.574	4.649	-25.299	-0.0	-0.0
-0.0		Min	-5.171	1.299	-43.268	-0.0	-0.0
-0.0							
-0.0	INVSLE	Max	1.388	3.566	-19.293	-0.0	-0.0
-0.0		Min	-4.318	1.206	-32.601	-0.0	-0.0
-0.0							
3077	C1-C2;~1	Max	4.220	0.466	2.606	0.0	0.0
0.0		Min	-0.979	-1.023	-9.131	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.437	0.402	2.739	0.0	0.0
-0.0		Min	-0.985	-1.047	-9.355	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.435	0.258	1.494	0.0	0.0
-0.0		Min	-0.553	-0.583	-5.196	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.521	0.222	1.546	0.0	0.0
-0.0		Min	-0.558	-0.591	-5.336	-0.0	-0.0
-0.0	G1		3.585	-0.654	-7.184	-0.0	-0.0
-0.0	G2		1.406	-0.229	-2.934	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.244	0.670	0.018	0.0	-0.0
-0.0	Q5_ps		-0.223	0.639	-0.005	0.0	-0.0
-0.0							
-0.0	INVSLU	Max	2.324	4.546	-23.187	-0.0	-0.0
-0.0		Min	-5.436	1.223	-39.549	-0.0	-0.0
-0.0							
	INVSLE	Max	1.193	3.495	-17.686	-0.0	-0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	-4.523	1.148	-29.803	-0.0	-0.0
-0.0							
3078	C1-C2;~1	Max	4.215	0.482	2.337	0.0	0.0
0.0		Min	-0.981	-1.040	-8.219	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.432	0.417	2.456	0.0	0.0
0.0		Min	-0.988	-1.070	-8.426	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.431	0.268	1.339	0.0	0.0
0.0		Min	-0.554	-0.594	-4.674	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.518	0.231	1.386	0.0	0.0
0.0		Min	-0.559	-0.606	-4.803	-0.0	-0.0
-0.0							
-0.0	G1		3.574	-0.666	-6.489	-0.0	-0.0
-0.0	G2		1.401	-0.237	-2.652	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.255	0.635	0.018	0.0	-0.0
-0.0	Q5_ps		-0.234	0.603	-0.005	0.0	-0.0
-0.0							
-0.0	INVSLU	Max	2.076	4.404	-20.988	-0.0	-0.0
-0.0		Min	-5.699	1.122	-35.709	-0.0	-0.0
-0.0							
-0.0	INVSLE	Max	0.999	3.394	-16.010	-0.0	-0.0
-0.0		Min	-4.727	1.071	-26.912	-0.0	-0.0
-0.0							
3079	C1-C2;~1	Max	4.209	0.498	2.064	0.0	0.0
0.0		Min	-0.981	-1.052	-7.286	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.426	0.434	2.170	0.0	0.0
0.0		Min	-0.990	-1.090	-7.477	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.428	0.278	1.183	0.0	0.0
0.0		Min	-0.554	-0.603	-4.142	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.514	0.240	1.225	0.0	0.0
0.0		Min	-0.559	-0.618	-4.260	-0.0	-0.0
-0.0							
-0.0	G1		3.563	-0.679	-5.776	-0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
-0.0		G2	1.395	-0.251	-2.364	-0.0	-0.0	
-0.0		Q3	0.000	0.000	0.000	0.0	0.0	
0.0		Q5_pc	-0.266	0.594	0.013	0.0	-0.0	
-0.0		Q5_ps	-0.246	0.561	-0.010	0.0	-0.0	
-0.0		INVS LU	Max	1.836	4.226	-18.720	-0.0	-0.0
-0.0			Min	-5.955	1.003	-31.767	-0.0	-0.0
-0.0		INVS LE	Max	0.810	3.281	-14.280	-0.0	-0.0
-0.0			Min	-4.926	0.980	-23.943	-0.0	-0.0
3080	C1-C2;~1	Max	4.491	0.517	4.471	0.0	0.0	
0.0		Min	-1.044	-0.932	-16.656	-0.0	-0.0	
-0.0								
0.0	C3-C4;~1	Max	4.714	0.526	4.690	0.0	0.0	
-0.0		Min	-1.044	-0.970	-15.877	-0.0	-0.0	
-0.0								
0.0	C1-C2;~2	Max	2.589	0.294	2.564	0.0	0.0	
-0.0		Min	-0.593	-0.534	-9.564	-0.0	-0.0	
-0.0								
0.0	C3-C4;~2	Max	2.676	0.306	2.647	0.0	0.0	
-0.0		Min	-0.595	-0.550	-9.076	-0.0	-0.0	
-0.0								
-0.0		G1	3.783	-0.615	-11.878	-0.0	-0.0	
-0.0		G2	1.472	-0.267	-4.796	-0.0	-0.0	
-0.0		Q3	0.000	0.000	0.000	0.0	0.0	
0.0		Q5_pc	0.029	0.713	0.027	-0.0	0.0	
-0.0		Q5_ps	0.032	0.660	0.105	-0.0	0.0	
-0.0								
-0.0		INVS LU	Max	3.416	4.238	-37.410	0.0	-0.0
-0.0			Min	-4.409	0.885	-66.277	-0.0	-0.0
-0.0								
-0.0		INVS LE	Max	2.030	3.152	-28.410	0.0	-0.0
-0.0			Min	-3.762	0.789	-49.789	-0.0	-0.0
-0.0								
3081	C1-C2;~1	Max	4.487	0.531	4.184	0.0	0.0	
0.0		Min	-1.050	-0.959	-15.668	-0.0	-0.0	
-0.0								

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	C3-C4;~1	Max	4.710	0.567	4.388	0.0	0.0
-0.0		Min	-1.049	-0.999	-14.934	-0.0	-0.0
0.0	C1-C2;~2	Max	2.587	0.322	2.399	0.0	0.0
-0.0		Min	-0.596	-0.550	-8.992	-0.0	-0.0
0.0	C3-C4;~2	Max	2.674	0.331	2.477	0.0	0.0
-0.0		Min	-0.597	-0.566	-8.533	-0.0	-0.0
-0.0	G1		3.767	-0.626	-11.209	-0.0	-0.0
-0.0	G2		1.465	-0.275	-4.525	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		0.025	0.683	0.023	-0.0	0.0
-0.0	Q5_ps		0.027	0.629	0.097	-0.0	0.0
-0.0	INVSLU	Max	3.100	4.173	-35.423	0.0	-0.0
-0.0		Min	-4.720	0.819	-62.540	-0.0	-0.0
-0.0	INVSLE	Max	1.786	3.123	-26.905	0.0	-0.0
-0.0		Min	-4.003	0.738	-46.988	-0.0	-0.0
3082	C1-C2;~1	Max	4.483	0.556	3.892	0.0	0.0
0.0		Min	-1.056	-0.985	-14.648	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.706	0.591	4.082	0.0	0.0
-0.0		Min	-1.055	-1.027	-13.960	-0.0	-0.0
0.0	C1-C2;~2	Max	2.585	0.337	2.231	0.0	0.0
-0.0		Min	-0.599	-0.565	-8.403	-0.0	-0.0
0.0	C3-C4;~2	Max	2.672	0.346	2.304	0.0	0.0
-0.0		Min	-0.600	-0.582	-7.973	-0.0	-0.0
-0.0	G1		3.753	-0.638	-10.513	-0.0	-0.0
-0.0	G2		1.459	-0.282	-4.243	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		0.020	0.652	0.018	-0.0	0.0
-0.0	Q5_ps		0.023	0.600	0.088	-0.0	0.0

MIDAS

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

-0.0	INVSLE	Max	2.796	4.119	-33.320	0.0	-0.0
-0.0		Min	-5.018	0.761	-58.639	-0.0	-0.0
-0.0	INVSLE	Max	1.551	3.095	-25.311	0.0	-0.0
-0.0		Min	-4.235	0.694	-44.063	-0.0	-0.0
3083 0.0	C1-C2;~1	Max	4.478	0.570	3.596	0.0	0.0
-0.0		Min	-1.061	-1.011	-13.600	-0.0	-0.0
0.0	C3-C4;~1	Max	4.701	0.604	3.772	0.0	0.0
-0.0		Min	-1.060	-1.055	-12.959	-0.0	-0.0
0.0	C1-C2;~2	Max	2.582	0.345	2.062	0.0	0.0
-0.0		Min	-0.601	-0.579	-7.798	-0.0	-0.0
0.0	C3-C4;~2	Max	2.669	0.352	2.129	0.0	0.0
-0.0		Min	-0.602	-0.597	-7.398	-0.0	-0.0
-0.0	G1		3.739	-0.651	-9.790	-0.0	-0.0
-0.0	G2		1.453	-0.287	-3.952	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		0.015	0.621	0.013	-0.0	0.0
-0.0	Q5_ps		0.019	0.571	0.079	-0.0	0.0
-0.0	INVSLE	Max	2.501	4.056	-31.114	0.0	-0.0
-0.0		Min	-5.305	0.698	-54.590	-0.0	-0.0
-0.0	INVSLE	Max	1.323	3.053	-23.638	0.0	-0.0
-0.0		Min	-4.458	0.648	-41.026	-0.0	-0.0
3084 0.0	C1-C2;~1	Max	4.474	0.606	3.296	0.0	0.0
-0.0		Min	-1.065	-1.036	-12.526	-0.0	-0.0
0.0	C3-C4;~1	Max	4.697	0.608	3.457	0.0	0.0
-0.0		Min	-1.064	-1.083	-11.933	-0.0	-0.0
0.0	C1-C2;~2	Max	2.579	0.346	1.890	0.0	0.0
		Min	-0.603	-0.594	-7.179	-0.0	-0.0

MIDAS

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-0.0

0.0	C3-C4;~2	Max	2.667	0.353	1.951	0.0	0.0
-0.0		Min	-0.604	-0.613	-6.810	-0.0	-0.0
-0.0	G1		3.725	-0.664	-9.044	-0.0	-0.0
-0.0	G2		1.448	-0.291	-3.651	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.010	0.590	0.008	-0.0	0.0
-0.0	Q5_ps		0.014	0.542	0.069	-0.0	0.0

-0.0	INVSLU	Max	2.215	3.970	-28.810	0.0	-0.0
-0.0		Min	-5.582	0.625	-50.402	-0.0	-0.0
-0.0	INVSLE	Max	1.102	2.995	-21.890	0.0	-0.0
-0.0		Min	-4.673	0.596	-37.883	-0.0	-0.0

3085	C1-C2;~1	Max	4.469	0.611	2.993	0.0	0.0
0.0		Min	-1.069	-1.061	-11.428	-0.0	-0.0

0.0	C3-C4;~1	Max	4.692	0.601	3.139	0.0	0.0
-0.0		Min	-1.069	-1.110	-10.884	-0.0	-0.0

0.0	C1-C2;~2	Max	2.577	0.354	1.716	0.0	0.0
-0.0		Min	-0.605	-0.608	-6.547	-0.0	-0.0

0.0	C3-C4;~2	Max	2.664	0.346	1.772	0.0	0.0
-0.0		Min	-0.606	-0.628	-6.208	-0.0	-0.0

-0.0	G1		3.712	-0.677	-8.276	-0.0	-0.0
-0.0	G2		1.443	-0.295	-3.341	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.005	0.559	0.003	-0.0	0.0
-0.0	Q5_ps		0.009	0.512	0.059	-0.0	0.0

-0.0	INVSLU	Max	1.939	3.876	-26.411	0.0	-0.0
-0.0		Min	-5.847	0.547	-46.084	-0.0	-0.0

-0.0	INVSLE	Max	0.889	2.932	-20.070	0.0	-0.0
-0.0		Min	-4.879	0.541	-34.641	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-0.0

3086 C1-C2;~1 Max 4.464 0.606 2.687 0.0 0.0
 0.0 Min -1.073 -1.085 -10.310 -0.0 -0.0

-0.0

C3-C4;~1 Max 4.687 0.578 2.818 0.0 0.0
 0.0 Min -1.073 -1.136 -9.814 -0.0 -0.0

-0.0

C1-C2;~2 Max 2.574 0.349 1.541 0.0 0.0
 0.0 Min -0.606 -0.622 -5.904 -0.0 -0.0

-0.0

C3-C4;~2 Max 2.661 0.328 1.591 0.0 0.0
 0.0 Min -0.608 -0.643 -5.596 -0.0 -0.0

-0.0

G1 3.700 -0.692 -7.487 -0.0 -0.0

-0.0

G2 1.439 -0.297 -3.023 -0.0 -0.0

-0.0

Q3 0.000 0.000 0.000 0.0 0.0

0.0

Q5_pc -0.000 0.528 -0.002 -0.0 0.0

-0.0

Q5_ps 0.004 0.484 0.049 -0.0 0.0

-0.0

INVSLU Max 1.678 3.774 -23.924 0.0 -0.0

-0.0

Min -6.098 0.472 -41.651 -0.0 -0.0

-0.0

INVSLE Max 0.686 2.865 -18.181 0.0 -0.0

-0.0

Min -5.074 0.490 -31.312 -0.0 -0.0

-0.0

3087 C1-C2;~1 Max 3.543 0.647 9.143 0.0 0.0
 0.0 Min -1.212 -0.148 -18.542 -0.0 -0.0

-0.0

C3-C4;~1 Max 3.723 0.649 8.990 0.0 0.0
 0.0 Min -1.189 -0.198 -18.708 -0.0 -0.0

-0.0

C1-C2;~2 Max 2.039 0.385 5.215 0.0 0.0
 0.0 Min -0.691 -0.078 -10.701 -0.0 -0.0

-0.0

C3-C4;~2 Max 2.111 0.385 5.121 0.0 0.0
 0.0 Min -0.677 -0.109 -10.595 -0.0 -0.0

-0.0


G1 2.630 0.366 -9.234 -0.0 -0.0

0.0

G2 1.019 0.118 -3.479 -0.0 -0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	0.012	0.925	-0.014	-0.0	0.0	
-0.0	Q5_ps	0.019	0.864	0.037	-0.0	0.0	
-0.0	INVS LU	Max	5.857	1.610	-14.705	0.0	-0.0
0.0		Min	-0.827	-1.647	-52.330	-0.0	-0.0
-0.0	INVS LE	Max	4.145	1.046	-11.320	0.0	-0.0
0.0		Min	-0.805	-1.175	-39.189	-0.0	-0.0
-0.0							
3088	C1-C2;~1	Max	3.527	0.721	9.001	0.0	0.0
0.0		Min	-1.194	-0.154	-17.914	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.704	0.721	8.849	0.0	0.0
0.0		Min	-1.171	-0.206	-18.076	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.030	0.436	5.135	0.0	0.0
0.0		Min	-0.681	-0.081	-10.333	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.102	0.435	5.041	0.0	0.0
0.0		Min	-0.667	-0.113	-10.232	-0.0	-0.0
-0.0							
	G1		2.625	0.368	-8.764	-0.0	-0.0
0.0	G2		1.018	0.115	-3.296	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.014	0.915	-0.018	-0.0	0.0
-0.0	Q5_ps		0.020	0.852	0.032	-0.0	0.0
-0.0							
	INVS LU	Max	5.788	1.674	-13.150	0.0	-0.0
0.0		Min	-0.850	-1.622	-49.737	-0.0	-0.0
-0.0							
	INVS LE	Max	4.088	1.099	-10.136	0.0	-0.0
0.0		Min	-0.827	-1.153	-37.235	-0.0	-0.0
-0.0							
3089	C1-C2;~1	Max	3.506	0.775	8.846	0.0	0.0
0.0		Min	-1.171	-0.160	-17.270	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.680	0.773	8.696	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0		Min	-1.148	-0.213	-17.425	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.019	0.474	5.046	0.0	0.0
0.0		Min	-0.668	-0.084	-9.956	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.089	0.472	4.953	0.0	0.0
0.0		Min	-0.653	-0.116	-9.858	-0.0	-0.0
-0.0							
0.0	G1		2.619	0.371	-8.288	-0.0	-0.0
0.0	G2		1.016	0.114	-3.112	-0.0	-0.0
-0.0							
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.015	0.904	-0.023	-0.0	0.0
-0.0							
0.0	Q5_ps		0.022	0.840	0.026	-0.0	0.0
-0.0							
0.0	INVSLU	Max	5.742	1.739	-11.596	0.0	-0.0
0.0		Min	-0.834	-1.579	-47.102	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	4.050	1.157	-8.950	0.0	-0.0
0.0		Min	-0.819	-1.117	-35.248	-0.0	-0.0
0.0							
3090	C1-C2;~1	Max	3.475	0.808	8.693	0.0	0.0
0.0		Min	-1.137	-0.166	-16.643	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.645	0.802	8.544	0.0	0.0
0.0		Min	-1.115	-0.220	-16.791	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.003	0.496	4.959	0.0	0.0
0.0		Min	-0.648	-0.087	-9.590	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.071	0.492	4.867	0.0	0.0
0.0		Min	-0.634	-0.120	-9.496	-0.0	-0.0
-0.0							
0.0	G1		2.610	0.373	-7.822	-0.0	-0.0
0.0	G2		1.013	0.114	-2.930	-0.0	-0.0
0.0							
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.016	0.893	-0.027	-0.0	0.0
-0.0							
0.0	Q5_ps		0.023	0.829	0.021	-0.0	0.0
-0.0							
0.0	INVSLU	Max	5.729	1.793	-9.964	0.0	-0.0

MIDAS


PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0		Min	-0.757	-1.525	-44.417	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	4.039	1.220	-7.699	0.0	-0.0
0.0		Min	-0.763	-1.072	-33.216	-0.0	-0.0
-0.0							
3091	C1-C2;~1	Max	3.440	0.820	8.469	0.0	0.0
0.0		Min	-1.093	-0.173	-15.876	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.604	0.810	8.323	0.0	0.0
0.0		Min	-1.072	-0.227	-16.018	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.984	0.505	4.831	0.0	0.0
0.0		Min	-0.623	-0.091	-9.143	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.051	0.498	4.741	0.0	0.0
0.0		Min	-0.610	-0.124	-9.053	-0.0	-0.0
-0.0							
0.0	G1		2.604	0.375	-7.304	-0.0	-0.0
0.0	G2		1.011	0.115	-2.731	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.018	0.880	-0.032	-0.0	0.0
-0.0	Q5_ps		0.025	0.816	0.014	-0.0	0.0
-0.0							
0.0	INVSLU	Max	5.755	1.830	-8.590	0.0	-0.0
0.0		Min	-0.617	-1.467	-41.705	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	4.061	1.263	-6.654	0.0	-0.0
0.0		Min	-0.657	-1.024	-31.180	-0.0	-0.0
-0.0							
3092	C1-C2;~1	Max	3.411	0.798	8.232	0.0	0.0
0.0		Min	-1.047	-0.177	-15.120	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.570	0.783	8.090	0.0	0.0
0.0		Min	-1.027	-0.232	-15.254	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.970	0.490	4.697	0.0	0.0
0.0		Min	-0.597	-0.093	-8.702	-0.0	-0.0
-0.0							

MIDAS

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	C3-C4;~2	Max	2.034	0.479	4.608	0.0	0.0
-0.0		Min	-0.584	-0.127	-8.617	-0.0	-0.0
0.0	G1		2.607	0.375	-6.803	-0.0	-0.0
0.0	G2		1.013	0.117	-2.538	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		0.019	0.866	-0.038	-0.0	0.0
-0.0	Q5_ps		0.026	0.804	0.006	-0.0	0.0
0.0	INVSLU	Max	5.814	1.834	-7.231	0.0	-0.0
-0.0		Min	-0.454	-1.411	-39.006	-0.0	-0.0
0.0	INVSLE	Max	4.106	1.269	-5.618	0.0	-0.0
-0.0		Min	-0.534	-0.978	-29.149	-0.0	-0.0
3093	C1-C2;~1	Max	3.388	0.731	7.968	0.0	0.0
0.0		Min	-0.999	-0.177	-14.338	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.543	0.727	7.829	0.0	0.0
-0.0		Min	-0.979	-0.235	-14.465	-0.0	-0.0
0.0	C1-C2;~2	Max	1.958	0.445	4.546	0.0	0.0
-0.0		Min	-0.570	-0.093	-8.247	-0.0	-0.0
0.0	C3-C4;~2	Max	2.021	0.429	4.460	0.0	0.0
-0.0		Min	-0.557	-0.129	-8.166	-0.0	-0.0
-0.0	G1		2.619	0.375	-6.304	-0.0	-0.0
0.0	G2		1.019	0.122	-2.347	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		0.020	0.851	-0.044	-0.0	0.0
-0.0	Q5_ps		0.027	0.791	-0.002	-0.0	0.0
0.0	INVSLU	Max	5.904	1.785	-5.960	0.0	-0.0
-0.0		Min	-0.263	-1.364	-36.324	-0.0	-0.0
0.0	INVSLE	Max	4.176	1.222	-4.648	0.0	-0.0
-0.0		Min	-0.390	-0.940	-27.134	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

3094	C1-C2;~1	Max	3.369	0.633	7.675	0.0	0.0
0.0		Min	-0.949	-0.178	-13.531	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.521	0.627	7.541	0.0	0.0
0.0		Min	-0.930	-0.236	-13.641	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.949	0.377	4.379	0.0	0.0
0.0		Min	-0.541	-0.093	-7.779	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.011	0.355	4.296	0.0	0.0
0.0		Min	-0.529	-0.130	-7.699	-0.0	-0.0
-0.0							
	G1		2.640	0.374	-5.809	-0.0	-0.0
0.0	G2		1.028	0.127	-2.161	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.020	0.835	-0.052	-0.0	0.0
-0.0	Q5_ps		0.027	0.778	-0.012	-0.0	0.0
-0.0							
	INVSLU	Max	6.025	1.688	-4.765	0.0	-0.0
0.0		Min	-0.045	-1.331	-33.635	-0.0	-0.0
-0.0							
	INVSLE	Max	4.268	1.149	-3.736	0.0	-0.0
0.0		Min	-0.226	-0.914	-25.114	-0.0	-0.0
-0.0							
3095	C1-C2;~1	Max	4.284	0.200	7.294	0.0	0.0
0.0		Min	-0.821	-0.576	-22.427	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.501	0.160	7.669	0.0	0.0
0.0		Min	-0.821	-0.576	-22.980	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.471	0.110	4.182	0.0	0.0
0.0		Min	-0.480	-0.323	-12.867	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.557	0.088	4.329	0.0	0.0
0.0		Min	-0.481	-0.318	-13.232	-0.0	-0.0
-0.0							
	G1		3.909	-0.404	-16.126	-0.0	-0.0
-0.0	G2		1.534	-0.133	-6.584	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0						
-0.0	Q5_pc	-0.076	1.129	0.027	0.0	-0.0
-0.0	Q5_ps	-0.065	1.074	-0.016	0.0	-0.0
	INVSLE Max	8.496	4.899	-47.077	-0.0	0.0
0.0	Min	1.174	1.094	-88.501	-0.0	-0.0
-0.0						
	INVSLE Max	5.977	3.635	-35.845	-0.0	0.0
0.0	Min	0.564	1.055	-66.526	-0.0	-0.0
-0.0						
3096	C1-C2;~1 Max	4.283	0.209	7.131	0.0	0.0
0.0	Min	-0.832	-0.620	-22.124	-0.0	-0.0
-0.0						
	C3-C4;~1 Max	4.500	0.168	7.497	0.0	0.0
0.0	Min	-0.832	-0.600	-22.661	-0.0	-0.0
-0.0						
	C1-C2;~2 Max	2.471	0.114	4.089	0.0	0.0
0.0	Min	-0.485	-0.350	-12.690	-0.0	-0.0
-0.0						
	C3-C4;~2 Max	2.557	0.092	4.233	0.0	0.0
0.0	Min	-0.486	-0.332	-13.044	-0.0	-0.0
-0.0						
	G1	3.892	-0.416	-15.991	-0.0	-0.0
-0.0						
	G2	1.528	-0.134	-6.528	0.0	-0.0
-0.0						
	Q3	0.000	0.000	0.000	0.0	0.0
0.0						
	Q5_pc	-0.082	1.121	0.027	0.0	-0.0
-0.0						
	Q5_ps	-0.070	1.068	-0.014	0.0	-0.0
-0.0						
	INVSLE Max	8.192	4.996	-47.005	0.0	-0.0
0.0	Min	0.846	1.165	-87.768	-0.0	-0.0
-0.0						
	INVSLE Max	5.742	3.713	-35.791	0.0	-0.0
0.0	Min	0.312	1.113	-65.982	-0.0	-0.0
-0.0						
3097	C1-C2;~1 Max	4.282	0.217	6.961	0.0	0.0
0.0	Min	-0.843	-0.648	-21.777	-0.0	-0.0
-0.0						
	C3-C4;~1 Max	4.499	0.175	7.317	0.0	0.0
0.0	Min	-0.843	-0.623	-22.296	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-0.0							
0.0	C1-C2;~2	Max	2.470	0.118	3.991	0.0	0.0
-0.0		Min	-0.490	-0.367	-12.487	-0.0	-0.0
0.0	C3-C4;~2	Max	2.556	0.096	4.131	0.0	0.0
-0.0		Min	-0.491	-0.345	-12.828	-0.0	-0.0
-0.0	G1		3.875	-0.428	-15.823	-0.0	-0.0
-0.0	G2		1.521	-0.137	-6.459	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.088	1.109	0.027	0.0	-0.0
-0.0	Q5_ps		-0.075	1.058	-0.014	0.0	-0.0
-0.0							
0.0	INVSLU	Max	7.882	5.060	-46.819	0.0	-0.0
-0.0		Min	0.513	1.232	-86.845	-0.0	-0.0
0.0	INVSLE	Max	5.503	3.767	-35.649	0.0	-0.0
-0.0		Min	0.056	1.166	-65.294	-0.0	-0.0
3098	C1-C2;~1	Max	4.280	0.224	6.782	0.0	0.0
0.0		Min	-0.852	-0.663	-21.386	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.497	0.182	7.130	0.0	0.0
-0.0		Min	-0.853	-0.644	-21.891	-0.0	-0.0
0.0	C1-C2;~2	Max	2.469	0.122	3.888	0.0	0.0
-0.0		Min	-0.495	-0.376	-12.260	-0.0	-0.0
0.0	C3-C4;~2	Max	2.555	0.100	4.025	0.0	0.0
-0.0		Min	-0.496	-0.357	-12.590	-0.0	-0.0
-0.0	G1		3.858	-0.441	-15.623	-0.0	-0.0
-0.0	G2		1.515	-0.141	-6.376	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.095	1.095	0.026	0.0	-0.0
-0.0	Q5_ps		-0.082	1.045	-0.014	0.0	-0.0
-0.0							
0.0	INVSLU	Max	7.566	5.086	-46.523	0.0	-0.0
		Min	0.173	1.280	-85.748	-0.0	-0.0

MIDAS


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-0.0							
0.0	INVSLE	Max	5.259	3.791	-35.424	0.0	-0.0
-0.0		Min	-0.205	1.203	-64.476	-0.0	-0.0
3099	C1-C2;~1	Max	4.279	0.232	6.596	0.0	0.0
0.0		Min	-0.862	-0.670	-20.957	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.496	0.188	6.934	0.0	0.0
-0.0		Min	-0.862	-0.664	-21.447	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	2.468	0.126	3.782	0.0	0.0
0.0		Min	-0.499	-0.377	-12.009	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.554	0.103	3.915	0.0	0.0
-0.0		Min	-0.501	-0.369	-12.330	-0.0	-0.0
-0.0	G1		3.841	-0.454	-15.391	-0.0	-0.0
-0.0	G2		1.508	-0.147	-6.281	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.102	1.079	0.025	0.0	-0.0
-0.0	Q5_ps		-0.089	1.029	-0.014	0.0	-0.0
0.0	INVSLE	Max	7.243	5.072	-46.117	0.0	-0.0
-0.0		Min	-0.174	1.305	-84.476	-0.0	-0.0
0.0	INVSLE	Max	5.009	3.784	-35.115	0.0	-0.0
-0.0		Min	-0.471	1.223	-63.527	-0.0	-0.0
3100	C1-C2;~1	Max	4.277	0.238	6.403	0.0	0.0
0.0		Min	-0.871	-0.664	-20.489	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.494	0.195	6.730	0.0	0.0
-0.0		Min	-0.872	-0.682	-20.964	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	2.467	0.130	3.671	0.0	0.0
0.0		Min	-0.504	-0.371	-11.737	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.553	0.106	3.800	0.0	0.0

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	-0.505	-0.380	-12.047	-0.0	-0.0
-0.0	G1		3.824	-0.467	-15.126	-0.0	-0.0
-0.0	G2		1.501	-0.154	-6.174	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.110	1.060	0.024	0.0	-0.0
-0.0	Q5_ps		-0.096	1.010	-0.015	0.0	-0.0
-0.0	INVS LU	Max	6.915	5.019	-45.599	0.0	-0.0
-0.0		Min	-0.526	1.298	-83.030	-0.0	-0.0
-0.0	INVS LE	Max	4.755	3.748	-34.722	0.0	-0.0
-0.0		Min	-0.742	1.217	-62.445	-0.0	-0.0
3101	C1-C2;~1	Max	4.275	0.245	6.202	0.0	0.0
0.0		Min	-0.879	-0.676	-19.983	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.492	0.201	6.519	0.0	0.0
-0.0		Min	-0.881	-0.698	-20.442	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.466	0.133	3.556	0.0	0.0
-0.0		Min	-0.508	-0.379	-11.443	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.552	0.110	3.681	0.0	0.0
-0.0		Min	-0.510	-0.391	-11.742	-0.0	-0.0
-0.0	G1		3.807	-0.481	-14.830	-0.0	-0.0
-0.0	G2		1.493	-0.163	-6.054	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.118	1.038	0.022	0.0	-0.0
-0.0	Q5_ps		-0.104	0.988	-0.017	0.0	-0.0
-0.0	INVS LU	Max	6.582	4.931	-44.964	-0.0	-0.0
0.0		Min	-0.884	1.261	-81.401	-0.0	-0.0
-0.0	INVS LE	Max	4.498	3.686	-34.239	-0.0	-0.0
0.0		Min	-1.017	1.187	-61.226	-0.0	-0.0
-0.0							
3102	C1-C2;~1	Max	4.273	0.250	5.995	0.0	0.0


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	Min	-0.888	-0.683	-19.431	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	4.490	0.207	6.302	0.0	0.0
0.0	Min	-0.891	-0.709	-19.877	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	2.465	0.137	3.437	0.0	0.0
0.0	Min	-0.512	-0.386	-11.123	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	2.551	0.113	3.558	0.0	0.0
0.0	Min	-0.514	-0.399	-11.411	-0.0	-0.0
-0.0						
-0.0	G1	3.789	-0.497	-14.501	-0.0	-0.0
-0.0	G2	1.485	-0.178	-5.923	-0.0	-0.0
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	-0.127	1.010	0.016	0.0	-0.0
-0.0	Q5_ps	-0.113	0.956	-0.024	0.0	-0.0
-0.0						
0.0	INVSLU Max	6.251	4.821	-44.220	-0.0	-0.0
0.0	Min	-1.241	1.228	-79.589	-0.0	-0.0
-0.0						
0.0	INVSLE Max	4.242	3.607	-33.673	-0.0	-0.0
0.0	Min	-1.292	1.159	-59.870	-0.0	-0.0
-0.0						
3103	C1-C2;~1 Max	4.461	0.248	9.753	0.0	0.0
0.0	Min	-0.643	-0.211	-26.627	-0.0	-0.0
-0.0						
0.0	C3-C4;~1 Max	4.678	0.187	10.221	0.0	0.0
0.0	Min	-0.642	-0.254	-25.355	-0.0	-0.0
-0.0						
0.0	C1-C2;~2 Max	2.574	0.147	5.593	0.0	0.0
0.0	Min	-0.393	-0.109	-15.350	-0.0	-0.0
-0.0						
0.0	C3-C4;~2 Max	2.658	0.105	5.770	0.0	0.0
0.0	Min	-0.391	-0.131	-14.544	-0.0	-0.0
-0.0						
-0.0	G1	4.355	-0.148	-15.911	-0.0	0.0
-0.0	G2	1.704	-0.078	-6.424	-0.0	0.0
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	-0.023	1.143	0.060	-0.0	-0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0						
0.0	Q5_ps		-0.019	1.067	0.179	-0.0 -0.0
0.0	INVS LU	Max	13.638	3.476	-38.103	0.0 0.0
0.0		Min	6.413	-0.099	-87.956	-0.0 0.0
0.0	INVS LE	Max	9.925	2.444	-28.926	0.0 0.0
0.0		Min	4.577	0.033	-65.846	-0.0 0.0
3104	C1-C2;~1	Max	4.467	0.279	9.764	0.0 0.0
0.0		Min	-0.655	-0.228	-27.080	-0.0 -0.0
-0.0						
0.0	C3-C4;~1	Max	4.683	0.240	10.232	0.0 0.0
0.0		Min	-0.655	-0.270	-25.795	-0.0 -0.0
-0.0						
0.0	C1-C2;~2	Max	2.577	0.161	5.599	0.0 0.0
0.0		Min	-0.400	-0.120	-15.622	-0.0 -0.0
-0.0						
0.0	C3-C4;~2	Max	2.661	0.142	5.776	0.0 0.0
0.0		Min	-0.399	-0.141	-14.806	-0.0 -0.0
-0.0						
-0.0	G1		4.342	-0.162	-16.291	-0.0 0.0
-0.0	G2		1.698	-0.090	-6.574	-0.0 0.0
-0.0	Q3		0.000	0.000	0.000	0.0 0.0
0.0	Q5_pc		-0.020	1.144	0.065	-0.0 -0.0
0.0	Q5_ps		-0.016	1.066	0.185	-0.0 -0.0
0.0						
0.0	INVS LU	Max	13.444	3.559	-39.683	0.0 0.0
0.0		Min	6.201	-0.047	-90.171	-0.0 0.0
0.0						
0.0	INVS LE	Max	9.773	2.506	-30.125	0.0 0.0
0.0		Min	4.410	0.071	-67.515	-0.0 0.0
0.0						
3105	C1-C2;~1	Max	4.471	0.281	9.761	0.0 0.0
0.0		Min	-0.669	-0.246	-27.489	-0.0 -0.0
-0.0						
0.0	C3-C4;~1	Max	4.688	0.272	10.230	0.0 0.0
0.0		Min	-0.665	-0.287	-26.184	-0.0 -0.0
-0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	C1-C2;~2	Max	2.580	0.182	5.598	0.0	0.0
-0.0		Min	-0.407	-0.130	-15.867	-0.0	-0.0
0.0	C3-C4;~2	Max	2.664	0.165	5.775	0.0	0.0
-0.0		Min	-0.406	-0.151	-15.037	-0.0	-0.0
-0.0	G1		4.329	-0.177	-16.647	-0.0	0.0
-0.0	G2		1.693	-0.099	-6.716	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.016	1.146	0.068	-0.0	0.0
0.0	Q5_ps		-0.013	1.067	0.190	-0.0	-0.0
0.0	INVSLU	Max	13.244	3.668	-41.197	0.0	0.0
0.0		Min	5.984	0.017	-92.240	-0.0	0.0
0.0	INVSLE	Max	9.616	2.586	-31.272	0.0	0.0
0.0		Min	4.240	0.119	-69.073	-0.0	0.0
3106 0.0	C1-C2;~1	Max	4.476	0.298	9.746	0.0	0.0
-0.0		Min	-0.682	-0.264	-27.851	-0.0	-0.0
0.0	C3-C4;~1	Max	4.693	0.289	10.215	0.0	0.0
-0.0		Min	-0.679	-0.304	-26.535	-0.0	-0.0
0.0	C1-C2;~2	Max	2.582	0.193	5.589	0.0	0.0
-0.0		Min	-0.414	-0.141	-16.084	-0.0	-0.0
0.0	C3-C4;~2	Max	2.666	0.177	5.767	0.0	0.0
-0.0		Min	-0.414	-0.162	-15.248	-0.0	-0.0
-0.0	G1		4.315	-0.193	-16.976	-0.0	0.0
-0.0	G2		1.687	-0.107	-6.849	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.012	1.147	0.071	-0.0	0.0
0.0	Q5_ps		-0.009	1.068	0.194	-0.0	0.0
0.0	INVSLU	Max	13.036	3.771	-42.646	0.0	0.0
0.0		Min	5.758	0.088	-94.162	-0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	INVSLE	Max	9.454	2.664	-32.369	0.0	0.0
		Min	4.065	0.173	-70.520	-0.0	0.0
0.0							
3107 0.0	C1-C2;~1	Max	4.480	0.305	9.718	0.0	0.0
		Min	-0.695	-0.282	-28.167	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.697	0.298	10.186	0.0	0.0
		Min	-0.693	-0.322	-26.846	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.584	0.198	5.573	0.0	0.0
		Min	-0.421	-0.152	-16.274	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.669	0.183	5.750	0.0	0.0
		Min	-0.421	-0.172	-15.435	-0.0	-0.0
-0.0							
-0.0	G1		4.301	-0.209	-17.280	-0.0	0.0
-0.0	G2		1.681	-0.114	-6.972	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.008	1.148	0.073	-0.0	0.0
0.0	Q5_ps		-0.005	1.069	0.197	-0.0	0.0
0.0							
0.0	INVSLU	Max	12.822	3.866	-44.022	0.0	0.0
		Min	5.527	0.160	-95.931	-0.0	0.0
0.0							
0.0	INVSLE	Max	9.287	2.737	-33.410	0.0	0.0
		Min	3.885	0.229	-71.852	-0.0	0.0
0.0							
3108 0.0	C1-C2;~1	Max	4.484	0.303	9.676	0.0	0.0
		Min	-0.710	-0.300	-28.445	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.702	0.298	10.143	0.0	0.0
		Min	-0.709	-0.339	-27.110	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.587	0.196	5.549	0.0	0.0
		Min	-0.429	-0.163	-16.442	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.671	0.183	5.726	0.0	0.0
		Min	-0.429	-0.183	-15.594	-0.0	-0.0
-0.0							

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-0.0	G1	4.284	-0.225	-17.559	-0.0	0.0
-0.0	G2	1.674	-0.120	-7.084	-0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	-0.004	1.148	0.075	-0.0	0.0
0.0	Q5_ps	-0.001	1.069	0.200	-0.0	0.0
0.0	INVSLU	Max	12.552	3.953	-45.333	0.0
0.0		Min	5.239	0.234	-97.562	-0.0
0.0	INVSLE	Max	9.078	2.805	-34.402	0.0
0.0		Min	3.661	0.288	-73.080	-0.0
3109 0.0	C1-C2;~1	Max	4.488	0.288	9.621	0.0
-0.0		Min	-0.725	-0.318	-28.667	-0.0
0.0	C3-C4;~1	Max	4.707	0.287	10.086	0.0
-0.0		Min	-0.725	-0.356	-27.320	-0.0
0.0	C1-C2;~2	Max	2.589	0.186	5.517	0.0
-0.0		Min	-0.437	-0.174	-16.576	-0.0
0.0	C3-C4;~2	Max	2.674	0.175	5.693	0.0
-0.0		Min	-0.437	-0.193	-15.720	-0.0
-0.0	G1	4.268	-0.241	-17.809	-0.0	0.0
-0.0	G2	1.667	-0.125	-7.185	-0.0	0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	0.000	1.148	0.077	-0.0	0.0
0.0	Q5_ps	0.003	1.069	0.203	-0.0	0.0
0.0	INVSLU	Max	12.276	4.025	-46.562	0.0
-0.0		Min	4.943	0.305	-99.018	-0.0
0.0	INVSLE	Max	8.864	2.863	-35.332	0.0
-0.0		Min	3.433	0.345	-74.178	-0.0
3110 0.0	C1-C2;~1	Max	4.492	0.257	9.554	0.0
		Min	-0.741	-0.335	-28.830	-0.0

MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

-0.0							
0.0	C3-C4;~1	Max	4.711	0.259	10.016	0.0	0.0
-0.0		Min	-0.740	-0.374	-27.473	-0.0	-0.0
0.0	C1-C2;~2	Max	2.591	0.164	5.479	0.0	0.0
-0.0		Min	-0.445	-0.184	-16.674	-0.0	-0.0
0.0	C3-C4;~2	Max	2.676	0.156	5.654	0.0	0.0
-0.0		Min	-0.445	-0.204	-15.812	-0.0	-0.0
-0.0	G1		4.251	-0.259	-18.027	-0.0	0.0
-0.0	G2		1.661	-0.128	-7.274	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		0.004	1.147	0.079	-0.0	0.0
0.0	Q5_ps		0.007	1.070	0.204	-0.0	0.0
0.0	INVSLU	Max	12.001	4.091	-47.693	0.0	0.0
-0.0		Min	4.634	0.384	-100.277	-0.0	0.0
0.0	INVSLE	Max	8.651	2.918	-36.187	0.0	0.0
-0.0		Min	3.194	0.409	-75.128	-0.0	0.0
3111	C1-C2;~1	Max	4.496	0.224	9.475	0.0	0.0
0.0		Min	-0.758	-0.352	-28.930	-0.0	-0.0
-0.0	C3-C4;~1	Max	4.715	0.198	9.934	0.0	0.0
0.0		Min	-0.758	-0.390	-27.545	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.593	0.131	5.433	0.0	0.0
0.0		Min	-0.454	-0.194	-16.733	-0.0	-0.0
-0.0	C3-C4;~2	Max	2.678	0.114	5.608	0.0	0.0
0.0		Min	-0.454	-0.214	-15.851	-0.0	-0.0
-0.0	G1		4.233	-0.280	-18.211	-0.0	0.0
-0.0	G2		1.655	-0.129	-7.352	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		0.009	1.147	0.079	-0.0	0.0
0.0	Q5_ps		0.011	1.072	0.204	-0.0	-0.0


MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


-0.0							
0.0	INVSLU	Max	11.722	4.166	-48.748	0.0	0.0
-0.0		Min	4.317	0.483	-101.357	-0.0	0.0
0.0	INVSLE	Max	8.435	2.980	-36.982	0.0	0.0
-0.0		Min	2.951	0.490	-75.941	-0.0	0.0
3112	C1-C2;~1	Max	4.203	0.522	1.775	0.0	0.0
0.0		Min	-0.984	-1.086	-6.302	-0.0	-0.0
-0.0	C3-C4;~1	Max	4.420	0.454	1.866	0.0	0.0
0.0		Min	-0.993	-1.122	-6.472	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.425	0.291	1.017	0.0	0.0
0.0		Min	-0.555	-0.621	-3.579	-0.0	-0.0
-0.0	C3-C4;~2	Max	2.511	0.251	1.053	0.0	0.0
0.0		Min	-0.560	-0.636	-3.685	-0.0	-0.0
-0.0	G1		3.553	-0.688	-5.010	-0.0	-0.0
-0.0	G2		1.393	-0.247	-2.048	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.274	0.569	0.017	0.0	-0.0
-0.0	Q5_ps		-0.252	0.540	-0.003	0.0	-0.0
-0.0	INVSLU	Max	1.626	4.222	-16.271	-0.0	-0.0
-0.0		Min	-6.174	0.977	-27.557	-0.0	-0.0
-0.0	INVSLE	Max	0.645	3.294	-12.415	-0.0	-0.0
-0.0		Min	-5.096	0.967	-20.773	-0.0	-0.0
3113	C1-C2;~1	Max	4.197	0.544	1.484	0.0	0.0
0.0		Min	-0.985	-1.113	-5.299	-0.0	-0.0
-0.0	C3-C4;~1	Max	4.414	0.474	1.560	0.0	0.0
0.0		Min	-0.994	-1.152	-5.450	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.421	0.303	0.851	0.0	0.0
0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	-0.555	-0.637	-3.006	-0.0	-0.0
0.0	C3-C4;~2	Max	2.507	0.262	0.880	0.0	0.0
-0.0		Min	-0.561	-0.652	-3.100	-0.0	-0.0
-0.0	G1		3.544	-0.699	-4.228	-0.0	-0.0
-0.0	G2		1.390	-0.249	-1.729	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.283	0.538	0.017	0.0	-0.0
-0.0	Q5_ps		-0.261	0.512	-0.000	0.0	-0.0
-0.0	INVSLU	Max	1.429	4.196	-13.736	-0.0	-0.0
-0.0		Min	-6.382	0.938	-23.231	-0.0	-0.0
-0.0	INVSLE	Max	0.490	3.283	-10.483	-0.0	-0.0
-0.0		Min	-5.258	0.942	-17.514	-0.0	-0.0
3114	C1-C2;~1	Max	4.191	0.565	1.191	0.0	0.0
0.0		Min	-0.985	-1.137	-4.283	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.407	0.493	1.252	0.0	0.0
-0.0		Min	-0.994	-1.179	-4.415	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.418	0.315	0.683	0.0	0.0
-0.0		Min	-0.555	-0.651	-2.427	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.504	0.273	0.707	0.0	0.0
-0.0		Min	-0.561	-0.668	-2.508	-0.0	-0.0
-0.0	G1		3.536	-0.710	-3.433	-0.0	-0.0
-0.0	G2		1.387	-0.253	-1.404	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.293	0.504	0.018	0.0	-0.0
-0.0	Q5_ps		-0.270	0.480	0.001	0.0	-0.0
-0.0							
-0.0	INVSLU	Max	1.240	4.139	-11.138	-0.0	-0.0
-0.0		Min	-6.579	0.878	-18.820	-0.0	-0.0
-0.0							
-0.0	INVSLE	Max	0.341	3.247	-8.502	-0.0	-0.0


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	-5.412	0.899	-14.189	-0.0	-0.0
3115	C1-C2;~1	Max	4.184	0.584	0.897	0.0	0.0
0.0		Min	-0.983	-1.158	-3.257	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.400	0.511	0.943	0.0	0.0
0.0		Min	-0.993	-1.205	-3.369	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.414	0.327	0.514	0.0	0.0
0.0		Min	-0.554	-0.664	-1.842	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.500	0.283	0.532	0.0	0.0
0.0		Min	-0.560	-0.682	-1.911	-0.0	-0.0
-0.0							
-0.0	G1		3.529	-0.721	-2.627	-0.0	-0.0
-0.0	G2		1.384	-0.259	-1.076	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.304	0.468	0.018	0.0	-0.0
-0.0	Q5_ps		-0.281	0.444	0.003	0.0	-0.0
-0.0							
-0.0	INVSLU	Max	1.063	4.053	-8.483	-0.0	-0.0
-0.0		Min	-6.765	0.796	-14.337	-0.0	-0.0
-0.0							
-0.0	INVSLE	Max	0.199	3.188	-6.475	-0.0	-0.0
-0.0		Min	-5.558	0.837	-10.809	-0.0	-0.0
-0.0							
3116	C1-C2;~1	Max	4.177	0.604	0.602	0.0	0.0
0.0		Min	-0.979	-1.177	-2.226	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.393	0.530	0.633	0.0	0.0
0.0		Min	-0.990	-1.230	-2.320	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.410	0.338	0.345	0.0	0.0
0.0		Min	-0.552	-0.676	-1.255	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.495	0.294	0.357	0.0	0.0
0.0		Min	-0.558	-0.697	-1.313	-0.0	-0.0
-0.0							
-0.0	G1		3.524	-0.733	-1.815	-0.0	-0.0
-0.0							

MIDAS

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-0.0	G2	1.380	-0.267	-0.745	-0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc	-0.315	0.429	0.018	0.0	-0.0
-0.0	Q5_ps	-0.292	0.406	0.004	0.0	-0.0
-0.0	INVSLU	Max	0.898	3.939	-5.780	-0.0
-0.0		Min	-6.936	0.691	-9.799	-0.0
-0.0	INVSLE	Max	0.068	3.106	-4.411	-0.0
-0.0		Min	-5.693	0.757	-7.385	-0.0
3117	C1-C2;~1	Max	4.169	0.622	0.308	0.0
0.0		Min	-0.974	-1.197	-1.195	-0.0
-0.0	C3-C4;~1	Max	4.385	0.549	0.323	0.0
0.0		Min	-0.986	-1.256	-1.274	-0.0
-0.0	C1-C2;~2	Max	2.405	0.349	0.176	0.0
0.0		Min	-0.550	-0.689	-0.668	-0.0
-0.0	C3-C4;~2	Max	2.491	0.304	0.182	0.0
0.0		Min	-0.557	-0.712	-0.716	-0.0
-0.0	G1	3.519	-0.747	-1.001	-0.0	-0.0
-0.0	G2	1.377	-0.278	-0.414	-0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc	-0.327	0.388	0.018	0.0	-0.0
-0.0	Q5_ps	-0.304	0.363	0.006	0.0	-0.0
-0.0	INVSLU	Max	0.751	3.797	-3.026	-0.0
-0.0		Min	-7.089	0.564	-5.216	-0.0
-0.0	INVSLE	Max	-0.051	3.001	-2.305	-0.0
-0.0		Min	-5.814	0.657	-3.925	-0.0
3118	C1-C2;~1	Max	4.161	0.639	0.080	0.0
0.0		Min	-0.970	-1.222	-0.282	-0.0
-0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	C3-C4;~1	Max	4.377	0.568	0.049	0.0	0.0
		Min	-0.983	-1.285	-0.393	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.401	0.358	0.044	0.0	0.0
		Min	-0.547	-0.703	-0.162	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.487	0.314	0.026	0.0	0.0
		Min	-0.555	-0.728	-0.237	-0.0	-0.0
-0.0							
-0.0	G1		3.514	-0.764	-0.195	-0.0	-0.0
-0.0	G2		1.373	-0.294	-0.085	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.339	0.344	0.021	0.0	-0.0
-0.0	Q5_ps		-0.317	0.316	0.009	0.0	-0.0
-0.0							
0.0	INVSLU	Max	0.627	3.632	-0.135	-0.0	-0.0
		Min	-7.219	0.417	-0.812	-0.0	-0.0
-0.0							
-0.0	INVSLE	Max	-0.151	2.876	-0.092	-0.0	-0.0
		Min	-5.918	0.540	-0.591	-0.0	-0.0
-0.0							
3119 0.0	C1-C2;~1	Max	4.153	0.672	1.133	0.0	0.0
		Min	-0.965	-1.257	-0.352	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.368	0.598	1.085	0.0	0.0
		Min	-0.979	-1.320	-0.400	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.396	0.377	0.652	0.0	0.0
		Min	-0.545	-0.723	-0.199	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.482	0.331	0.623	0.0	0.0
		Min	-0.553	-0.748	-0.231	-0.0	-0.0
-0.0							
-0.0	G1		3.511	-0.775	0.723	-0.0	-0.0
-0.0	G2		1.373	-0.295	0.291	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.349	0.308	0.022	0.0	-0.0
-0.0	Q5_ps		-0.325	0.283	0.012	0.0	-0.0
-0.0							

MIDAS

PROJECT TITLE :

		Company					Client		
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	INVSLU	Max	0.571	3.613	5.174	-0.0	-0.0		
		Min	-7.275	0.369	3.066	-0.0	-0.0		
-0.0									
0.0	INVSLE	Max	-0.196	2.869	3.937	-0.0	-0.0		
		Min	-5.961	0.507	2.378	-0.0	-0.0		
-0.0									
3120 0.0	C1-C2;~1	Max	3.867	0.547	4.271	0.0	0.0		
		Min	-0.119	-0.198	-7.669	-0.0	-0.0		
-0.0									
0.0	C3-C4;~1	Max	4.049	0.462	4.470	0.0	0.0		
		Min	-0.129	-0.245	-7.306	-0.0	-0.0		
-0.0									
0.0	C1-C2;~2	Max	2.238	0.313	2.452	0.0	0.0		
		Min	-0.076	-0.104	-4.363	-0.0	-0.0		
-0.0									
0.0	C3-C4;~2	Max	2.310	0.252	2.525	0.0	0.0		
		Min	-0.081	-0.131	-4.140	-0.0	-0.0		
-0.0									
-0.0	G1		4.134	0.191	-3.289	-0.0	0.0		
-0.0	G2		1.618	0.049	-1.332	-0.0	0.0		
-0.0	Q3		0.000	0.000	0.000	0.0	0.0		
0.0	Q5_pc		-0.080	0.746	-0.067	-0.0	-0.0		
0.0	Q5_ps		-0.074	0.686	-0.025	-0.0	-0.0		
0.0									
0.0	INVSLU	Max	12.227	1.774	-2.226	0.0	0.0		
		Min	6.442	-0.884	-18.734	-0.0	0.0		
-0.0									
0.0	INVSLE	Max	8.927	1.232	-1.706	0.0	0.0		
		Min	4.653	-0.584	-13.926	-0.0	0.0		
-0.0									
3121 0.0	C1-C2;~1	Max	3.905	0.596	4.748	0.0	0.0		
		Min	-0.119	-0.204	-8.622	-0.0	-0.0		
-0.0									
0.0	C3-C4;~1	Max	4.088	0.530	4.966	0.0	0.0		
		Min	-0.128	-0.245	-8.224	-0.0	-0.0		
-0.0									
0.0	C1-C2;~2	Max	2.258	0.328	2.725	0.0	0.0		
		Min	-0.076	-0.109	-4.907	-0.0	-0.0		
-0.0									

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	C3-C4 ; ~2	Max	2.330	0.302	2.805	0.0	0.0
-0.0		Min	-0.081	-0.130	-4.661	-0.0	-0.0
-0.0	G1		4.181	0.183	-3.746	-0.0	0.0
-0.0	G2		1.636	0.041	-1.513	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.082	0.770	-0.058	-0.0	-0.0
0.0	Q5_ps		-0.076	0.708	-0.011	-0.0	-0.0
0.0	INVS LU	Max	12.460	1.844	-2.866	0.0	0.0
-0.0		Min	6.621	-0.899	-21.315	-0.0	0.0
0.0	INVS LE	Max	9.102	1.305	-2.193	0.0	0.0
-0.0		Min	4.788	-0.591	-15.850	-0.0	0.0
3122 0.0	C1-C2 ; ~1	Max	3.941	0.607	5.205	0.0	0.0
-0.0		Min	-0.119	-0.213	-9.574	-0.0	-0.0
0.0	C3-C4 ; ~1	Max	4.125	0.612	5.443	0.0	0.0
-0.0		Min	-0.129	-0.244	-9.135	-0.0	-0.0
0.0	C1-C2 ; ~2	Max	2.278	0.389	2.987	0.0	0.0
-0.0		Min	-0.077	-0.116	-5.452	-0.0	-0.0
0.0	C3-C4 ; ~2	Max	2.349	0.362	3.074	0.0	0.0
-0.0		Min	-0.082	-0.130	-5.180	-0.0	-0.0
-0.0	G1		4.224	0.174	-4.222	-0.0	0.0
-0.0	G2		1.653	0.033	-1.706	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.083	0.795	-0.050	-0.0	-0.0
0.0	Q5_ps		-0.078	0.729	0.001	-0.0	-0.0
0.0	INVS LU	Max	12.677	1.986	-3.593	0.0	0.0
-0.0		Min	6.785	-0.902	-23.956	-0.0	0.0
0.0	INVS LE	Max	9.265	1.387	-2.745	0.0	0.0
-0.0		Min	4.912	-0.590	-17.821	-0.0	0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

3123	C1-C2;~1	Max	3.975	0.672	5.645	0.0	0.0
0.0		Min	-0.121	-0.222	-10.527	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.159	0.676	5.902	0.0	0.0
0.0		Min	-0.132	-0.243	-10.047	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.296	0.436	3.239	0.0	0.0
0.0		Min	-0.078	-0.122	-5.998	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.368	0.409	3.333	0.0	0.0
0.0		Min	-0.083	-0.129	-5.700	-0.0	-0.0
-0.0							
	G1		4.261	0.165	-4.714	-0.0	0.0
-0.0							
	G2		1.668	0.026	-1.905	-0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc		-0.083	0.819	-0.042	-0.0	-0.0
0.0							
	Q5_ps		-0.078	0.752	0.013	-0.0	-0.0
0.0							
	INVSLU	Max	12.875	2.122	-4.414	0.0	0.0
0.0		Min	6.933	-0.894	-26.669	-0.0	0.0
-0.0							
	INVSLE	Max	9.414	1.487	-3.368	0.0	0.0
0.0		Min	5.023	-0.581	-19.847	-0.0	0.0
-0.0							
3124	C1-C2;~1	Max	4.005	0.715	6.057	0.0	0.0
0.0		Min	-0.125	-0.227	-11.454	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.190	0.717	6.332	0.0	0.0
0.0		Min	-0.138	-0.241	-10.935	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.312	0.468	3.475	0.0	0.0
0.0		Min	-0.080	-0.126	-6.529	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.384	0.441	3.576	0.0	0.0
0.0		Min	-0.087	-0.128	-6.207	-0.0	-0.0
-0.0							
	G1		4.294	0.156	-5.212	-0.0	0.0
-0.0							
	G2		1.680	0.021	-2.106	-0.0	0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.083	0.845	-0.032	-0.0	-0.0
0.0	Q5_ps		-0.078	0.775	0.026	-0.0	-0.0
0.0	INVSLE	Max	13.051	2.251	-5.338	0.0	0.0
0.0		Min	7.060	-0.877	-29.406	-0.0	0.0
-0.0							
0.0	INVSLE	Max	9.547	1.581	-4.069	0.0	0.0
0.0		Min	5.120	-0.564	-21.894	-0.0	0.0
-0.0							
3125	C1-C2;~1	Max	4.064	0.709	6.464	0.0	0.0
0.0		Min	-0.144	-0.228	-12.442	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.250	0.707	6.758	0.0	0.0
0.0		Min	-0.157	-0.238	-11.876	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.344	0.466	3.709	0.0	0.0
0.0		Min	-0.092	-0.124	-7.097	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.416	0.437	3.816	0.0	0.0
0.0		Min	-0.100	-0.126	-6.745	-0.0	-0.0
-0.0							
-0.0	G1		4.355	0.144	-5.762	-0.0	0.0
-0.0	G2		1.704	0.016	-2.329	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.082	0.870	-0.027	-0.0	-0.0
0.0	Q5_ps		-0.077	0.799	0.035	-0.0	-0.0
0.0	INVSLE	Max	13.385	2.347	-6.361	0.0	0.0
0.0		Min	7.288	-0.850	-32.330	-0.0	0.0
-0.0							
0.0	INVSLE	Max	9.798	1.651	-4.845	0.0	0.0
0.0		Min	5.292	-0.540	-24.078	-0.0	0.0
-0.0							
3126	C1-C2;~1	Max	4.115	0.647	6.836	0.0	0.0
0.0		Min	-0.174	-0.222	-13.404	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.304	0.645	7.147	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	-0.185	-0.231	-12.794	-0.0	-0.0
0.0	C1-C2;~2	Max	2.372	0.425	3.922	0.0	0.0
-0.0		Min	-0.112	-0.124	-7.650	-0.0	-0.0
0.0	C3-C4;~2	Max	2.445	0.395	4.036	0.0	0.0
-0.0		Min	-0.118	-0.122	-7.270	-0.0	-0.0
-0.0	G1		4.401	0.131	-6.324	-0.0	0.0
0.0	G2		1.723	0.015	-2.556	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.080	0.897	-0.021	-0.0	-0.0
0.0	Q5_ps		-0.076	0.826	0.045	-0.0	-0.0
0.0	INVSLU	Max	13.676	2.410	-7.534	0.0	0.0
-0.0		Min	7.471	-0.809	-35.316	-0.0	0.0
0.0	INVSLE	Max	10.017	1.695	-5.734	0.0	0.0
-0.0		Min	5.431	-0.505	-26.311	-0.0	0.0
3127	C1-C2;~1	Max	4.162	0.529	7.180	0.0	0.0
0.0		Min	-0.207	-0.210	-14.354	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.353	0.524	7.509	0.0	0.0
-0.0		Min	-0.218	-0.220	-13.700	-0.0	-0.0
0.0	C1-C2;~2	Max	2.398	0.345	4.119	0.0	0.0
-0.0		Min	-0.133	-0.117	-8.196	-0.0	-0.0
0.0	C3-C4;~2	Max	2.472	0.313	4.240	0.0	0.0
-0.0		Min	-0.139	-0.116	-7.789	-0.0	-0.0
-0.0	G1		4.437	0.117	-6.899	-0.0	0.0
0.0	G2		1.737	0.017	-2.788	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.079	0.923	-0.015	-0.0	-0.0
0.0	Q5_ps		-0.074	0.853	0.055	-0.0	-0.0
0.0	INVSLU	Max	13.932	2.427	-8.813	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	7.620	-0.755	-38.356	-0.0	0.0
0.0	INVSLE	Max	10.210	1.706	-6.704	0.0	0.0
-0.0		Min	5.545	-0.462	-28.585	-0.0	0.0
3128	C1-C2;~1	Max	3.590	0.578	0.441	0.0	0.0
0.0		Min	-0.201	-0.198	-1.246	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.765	0.511	0.473	0.0	0.0
-0.0		Min	-0.216	-0.246	-1.160	-0.0	-0.0
0.0	C1-C2;~2	Max	2.087	0.325	0.252	0.0	0.0
-0.0		Min	-0.113	-0.104	-0.700	-0.0	-0.0
0.0	C3-C4;~2	Max	2.158	0.278	0.269	0.0	0.0
-0.0		Min	-0.123	-0.131	-0.648	-0.0	-0.0
-0.0	G1		3.646	0.281	-0.823	-0.0	0.0
-0.0	G2		1.427	0.085	-0.320	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.049	0.600	-0.104	-0.0	-0.0
0.0	Q5_ps		-0.043	0.550	-0.085	-0.0	-0.0
0.0	INVSLE	Max	10.133	1.704	-0.971	0.0	0.0
-0.0		Min	4.669	-0.616	-3.479	-0.0	-0.0
0.0	INVSLE	Max	7.358	1.212	-0.729	0.0	0.0
-0.0		Min	3.317	-0.406	-2.572	-0.0	-0.0
3129	C1-C2;~1	Max	3.625	0.647	1.039	0.0	0.0
0.0		Min	-0.173	-0.199	-2.089	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.806	0.617	1.080	0.0	0.0
-0.0		Min	-0.191	-0.251	-1.972	-0.0	-0.0
0.0	C1-C2;~2	Max	2.107	0.359	0.596	0.0	0.0
-0.0		Min	-0.098	-0.103	-1.181	-0.0	-0.0
0.0	C3-C4;~2	Max	2.180	0.355	0.611	0.0	0.0


PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0		Min	-0.109	-0.133	-1.110	-0.0	-0.0
-0.0	G1		3.733	0.266	-1.041	-0.0	0.0
-0.0	G2		1.461	0.074	-0.412	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.055	0.614	-0.090	-0.0	-0.0
0.0	Q5_ps		-0.049	0.561	-0.069	-0.0	-0.0
0.0	INVSLU	Max	10.480	1.790	-0.730	0.0	0.0
0.0		Min	4.985	-0.657	-5.171	-0.0	-0.0
-0.0	INVSLE	Max	7.618	1.275	-0.552	0.0	0.0
0.0		Min	3.555	-0.434	-3.829	-0.0	-0.0
-0.0							
3130	C1-C2;~1	Max	3.662	0.644	1.617	0.0	0.0
0.0		Min	-0.156	-0.202	-2.975	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.847	0.685	1.698	0.0	0.0
0.0		Min	-0.171	-0.254	-2.822	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.128	0.406	0.929	0.0	0.0
0.0		Min	-0.090	-0.105	-1.685	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.202	0.404	0.962	0.0	0.0
0.0		Min	-0.099	-0.134	-1.592	-0.0	-0.0
-0.0							
-0.0	G1		3.815	0.252	-1.321	-0.0	0.0
-0.0	G2		1.492	0.065	-0.528	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.060	0.631	-0.083	-0.0	-0.0
0.0	Q5_ps		-0.054	0.576	-0.059	-0.0	-0.0
0.0							
	INVSLU	Max	10.813	1.832	-0.631	0.0	0.0
0.0		Min	5.280	-0.706	-7.090	-0.0	-0.0
-0.0							
	INVSLE	Max	7.866	1.306	-0.482	0.0	0.0
0.0		Min	3.776	-0.468	-5.255	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
3131	C1-C2;~1	Max	3.703	0.676	2.182	0.0	0.0
0.0		Min	-0.143	-0.206	-3.889	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.887	0.715	2.293	0.0	0.0
0.0		Min	-0.155	-0.256	-3.697	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.150	0.430	1.254	0.0	0.0
0.0		Min	-0.085	-0.106	-2.206	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.223	0.426	1.297	0.0	0.0
0.0		Min	-0.092	-0.135	-2.088	-0.0	-0.0
-0.0							
	G1		3.891	0.239	-1.651	-0.0	0.0
-0.0							
	G2		1.522	0.058	-0.663	-0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc		-0.065	0.651	-0.078	-0.0	-0.0
0.0							
	Q5_ps		-0.059	0.594	-0.050	-0.0	-0.0
0.0							
	INVSLU	Max	11.128	1.869	-0.698	0.0	0.0
0.0		Min	5.554	-0.755	-9.184	-0.0	0.0
-0.0							
	INVSLE	Max	8.102	1.332	-0.537	0.0	0.0
0.0		Min	3.982	-0.502	-6.813	-0.0	0.0
-0.0							
3132	C1-C2;~1	Max	3.744	0.665	2.733	0.0	0.0
0.0		Min	-0.133	-0.206	-4.820	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.927	0.699	2.866	0.0	0.0
0.0		Min	-0.143	-0.255	-4.588	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.172	0.423	1.570	0.0	0.0
0.0		Min	-0.081	-0.107	-2.736	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.245	0.417	1.621	0.0	0.0
0.0		Min	-0.086	-0.134	-2.594	-0.0	-0.0
-0.0							
	G1		3.960	0.227	-2.019	-0.0	0.0
-0.0							
	G2		1.549	0.053	-0.812	-0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	Q5_pc		-0.070	0.673	-0.075	-0.0	-0.0
0.0	Q5_ps		-0.064	0.615	-0.043	-0.0	-0.0
0.0	INVSLU	Max	11.425	1.853	-0.905	0.0	0.0
-0.0		Min	5.806	-0.800	-11.416	-0.0	0.0
0.0	INVSLE	Max	8.325	1.320	-0.698	0.0	0.0
-0.0		Min	4.172	-0.533	-8.474	-0.0	0.0
3133 0.0	C1-C2;~1	Max	3.785	0.617	3.265	0.0	0.0
-0.0		Min	-0.125	-0.205	-5.763	-0.0	-0.0
0.0	C3-C4;~1	Max	3.967	0.647	3.420	0.0	0.0
-0.0		Min	-0.136	-0.252	-5.490	-0.0	-0.0
0.0	C1-C2;~2	Max	2.194	0.390	1.875	0.0	0.0
-0.0		Min	-0.079	-0.107	-3.274	-0.0	-0.0
0.0	C3-C4;~2	Max	2.266	0.381	1.933	0.0	0.0
-0.0		Min	-0.083	-0.133	-3.106	-0.0	-0.0
-0.0	G1		4.024	0.215	-2.417	-0.0	0.0
-0.0	G2		1.574	0.051	-0.974	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.074	0.697	-0.071	-0.0	-0.0
0.0	Q5_ps		-0.068	0.637	-0.036	-0.0	-0.0
0.0	INVSLU	Max	11.707	1.799	-1.235	0.0	0.0
-0.0		Min	6.035	-0.837	-13.761	-0.0	0.0
0.0	INVSLE	Max	8.537	1.278	-0.951	0.0	0.0
-0.0		Min	4.345	-0.557	-10.219	-0.0	0.0
3134 0.0	C1-C2;~1	Max	3.827	0.608	3.778	0.0	0.0
-0.0		Min	-0.121	-0.201	-6.714	-0.0	-0.0
0.0	C3-C4;~1	Max	4.009	0.557	3.955	0.0	0.0
-0.0		Min	-0.131	-0.249	-6.399	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	


0.0	C1-C2;~2	Max	2.217	0.333	2.169	0.0	0.0
-0.0		Min	-0.077	-0.105	-3.817	-0.0	-0.0
0.0	C3-C4;~2	Max	2.288	0.318	2.235	0.0	0.0
-0.0		Min	-0.082	-0.132	-3.623	-0.0	-0.0
-0.0	G1		4.082	0.203	-2.841	-0.0	0.0
-0.0	G2		1.597	0.050	-1.146	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.077	0.721	-0.068	-0.0	-0.0
0.0	Q5_ps		-0.072	0.662	-0.028	-0.0	-0.0
0.0	INVSLU	Max	11.974	1.775	-1.675	0.0	0.0
-0.0		Min	6.247	-0.866	-16.200	-0.0	0.0
0.0	INVSLE	Max	8.737	1.260	-1.286	0.0	0.0
-0.0		Min	4.505	-0.575	-12.036	-0.0	0.0
3135	C1-C2;~1	Max	3.356	0.767	7.358	0.0	0.0
0.0		Min	-0.895	-0.187	-12.717	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.505	0.760	7.229	0.0	0.0
-0.0		Min	-0.877	-0.247	-12.828	-0.0	-0.0
0.0	C1-C2;~2	Max	1.943	0.470	4.198	0.0	0.0
-0.0		Min	-0.510	-0.097	-7.306	-0.0	-0.0
0.0	C3-C4;~2	Max	2.004	0.453	4.118	0.0	0.0
-0.0		Min	-0.499	-0.134	-7.235	-0.0	-0.0
0.0	G1		2.669	0.375	-5.321	-0.0	-0.0
-0.0	G2		1.040	0.120	-1.971	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		0.019	0.815	-0.053	-0.0	0.0
-0.0	Q5_ps		0.027	0.756	-0.014	-0.0	0.0
0.0	INVSLU	Max	6.176	1.744	-3.690	0.0	-0.0
-0.0		Min	0.201	-1.341	-31.037	-0.0	-0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	INVSLE	Max	4.383	1.224	-2.915	0.0	-0.0
-0.0		Min	-0.040	-0.922	-23.165	-0.0	-0.0
3136 0.0	C1-C2;~1	Max	3.348	0.872	7.010	0.0	0.0
-0.0		Min	-0.839	-0.198	-11.880	-0.0	-0.0
0.0	C3-C4;~1	Max	3.495	0.870	6.886	0.0	0.0
-0.0		Min	-0.823	-0.255	-11.983	-0.0	-0.0
0.0	C1-C2;~2	Max	1.941	0.544	4.000	0.0	0.0
-0.0		Min	-0.478	-0.104	-6.822	-0.0	-0.0
0.0	C3-C4;~2	Max	2.000	0.530	3.923	0.0	0.0
-0.0		Min	-0.468	-0.138	-6.754	-0.0	-0.0
-0.0	G1		2.707	0.374	-4.845	-0.0	-0.0
-0.0	G2		1.055	0.114	-1.789	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		0.018	0.794	-0.057	-0.0	0.0
-0.0	Q5_ps		0.026	0.734	-0.020	-0.0	0.0
0.0	INVSLU	Max	6.359	1.826	-2.722	0.0	-0.0
-0.0		Min	0.475	-1.355	-28.466	-0.0	-0.0
0.0	INVSLE	Max	4.522	1.287	-2.175	0.0	-0.0
-0.0		Min	0.166	-0.934	-21.238	-0.0	-0.0
3137 0.0	C1-C2;~1	Max	3.346	0.930	6.631	0.0	0.0
-0.0		Min	-0.780	-0.206	-11.028	-0.0	-0.0
0.0	C3-C4;~1	Max	3.492	0.935	6.513	0.0	0.0
-0.0		Min	-0.765	-0.261	-11.124	-0.0	-0.0
0.0	C1-C2;~2	Max	1.941	0.585	3.784	0.0	0.0
-0.0		Min	-0.445	-0.108	-6.328	-0.0	-0.0
0.0	C3-C4;~2	Max	2.000	0.575	3.711	0.0	0.0
		Min	-0.436	-0.141	-6.266	-0.0	-0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0	G1	2.756	0.372	-4.384	-0.0	-0.0	
-0.0	G2	1.075	0.109	-1.614	-0.0	-0.0	
-0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	0.017	0.774	-0.061	-0.0	0.0	
-0.0	Q5_ps	0.024	0.713	-0.027	-0.0	0.0	
-0.0	INVS LU	Max	6.579	1.858	-1.875	0.0	-0.0
0.0		Min	0.781	-1.361	-25.955	-0.0	-0.0
-0.0	INVS LE	Max	4.689	1.312	-1.528	0.0	-0.0
0.0		Min	0.396	-0.941	-19.356	-0.0	-0.0
-0.0							
3138	C1-C2;~1	Max	3.350	0.922	6.213	0.0	0.0
0.0		Min	-0.718	-0.207	-10.150	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.497	0.933	6.103	0.0	0.0
-0.0		Min	-0.705	-0.264	-10.241	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.945	0.580	3.546	0.0	0.0
-0.0		Min	-0.409	-0.108	-5.821	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.005	0.572	3.477	0.0	0.0
-0.0		Min	-0.401	-0.142	-5.765	-0.0	-0.0
-0.0	G1	2.818	0.368	-3.937	-0.0	-0.0	
-0.0	G2	1.100	0.107	-1.445	-0.0	-0.0	
-0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	0.015	0.755	-0.064	-0.0	0.0	
-0.0	Q5_ps	0.022	0.694	-0.032	-0.0	0.0	
-0.0							
0.0	INVS LU	Max	6.842	1.820	-1.185	0.0	-0.0
-0.0		Min	1.125	-1.350	-23.514	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	4.887	1.285	-0.998	0.0	-0.0
-0.0		Min	0.655	-0.936	-17.529	-0.0	-0.0
-0.0							
3139	C1-C2;~1	Max	3.354	0.867	5.785	0.0	0.0
0.0							

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	-0.686	-0.202	-9.321	-0.0	-0.0
0.0	C3-C4;~1	Max	3.501	0.883	5.683	0.0	0.0
-0.0		Min	-0.674	-0.264	-9.401	-0.0	-0.0
0.0	C1-C2;~2	Max	1.949	0.541	3.302	0.0	0.0
-0.0		Min	-0.391	-0.104	-5.343	-0.0	-0.0
0.0	C3-C4;~2	Max	2.008	0.536	3.238	0.0	0.0
-0.0		Min	-0.384	-0.142	-5.290	-0.0	-0.0
-0.0	G1		2.852	0.363	-3.538	-0.0	-0.0
0.0	G2		1.114	0.107	-1.294	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		0.013	0.736	-0.072	-0.0	0.0
-0.0	Q5_ps		0.020	0.676	-0.041	-0.0	0.0
0.0	INVSLU	Max	6.982	1.740	-0.603	0.0	-0.0
-0.0		Min	1.305	-1.320	-21.234	-0.0	-0.0
0.0	INVSLE	Max	4.993	1.226	-0.549	0.0	-0.0
-0.0		Min	0.790	-0.916	-15.822	-0.0	-0.0
3140	C1-C2;~1	Max	3.360	0.794	5.328	0.0	0.0
0.0		Min	-0.651	-0.200	-8.468	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.507	0.813	5.234	0.0	0.0
-0.0		Min	-0.640	-0.262	-8.537	-0.0	-0.0
0.0	C1-C2;~2	Max	1.952	0.491	3.041	0.0	0.0
-0.0		Min	-0.371	-0.103	-4.851	-0.0	-0.0
0.0	C3-C4;~2	Max	2.012	0.486	2.983	0.0	0.0
-0.0		Min	-0.364	-0.141	-4.802	-0.0	-0.0
-0.0	G1		2.890	0.357	-3.146	-0.0	-0.0
0.0	G2		1.129	0.108	-1.148	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		0.011	0.718	-0.077	-0.0	0.0

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0	Q5_ps		0.018	0.660	-0.048	-0.0	0.0
0.0	INVSLU	Max	7.140	1.643	-0.127	0.0	-0.0
-0.0		Min	1.508	-1.281	-18.984	-0.0	-0.0
0.0	INVSLE	Max	5.113	1.156	-0.181	0.0	-0.0
-0.0		Min	0.942	-0.889	-14.139	-0.0	-0.0
3141	C1-C2;~1	Max	3.367	0.692	4.849	0.0	0.0
0.0		Min	-0.614	-0.197	-7.613	-0.0	-0.0
-0.0	C3-C4;~1	Max	3.515	0.714	4.766	0.0	0.0
0.0		Min	-0.604	-0.259	-7.672	-0.0	-0.0
-0.0	C1-C2;~2	Max	1.957	0.421	2.768	0.0	0.0
0.0		Min	-0.350	-0.102	-4.359	-0.0	-0.0
-0.0	C3-C4;~2	Max	2.017	0.415	2.716	0.0	0.0
0.0		Min	-0.344	-0.140	-4.313	-0.0	-0.0
-0.0	G1		2.934	0.350	-2.773	-0.0	-0.0
0.0	G2		1.147	0.109	-1.008	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		0.008	0.701	-0.083	-0.0	0.0
-0.0	Q5_ps		0.015	0.645	-0.056	-0.0	0.0
0.0	INVSLU	Max	7.316	1.519	0.253	0.0	-0.0
-0.0		Min	1.729	-1.230	-16.801	-0.0	-0.0
0.0	INVSLE	Max	5.246	1.065	0.114	0.0	-0.0
-0.0		Min	1.108	-0.854	-12.507	-0.0	-0.0
3142	C1-C2;~1	Max	3.615	0.409	8.849	0.0	0.0
0.0		Min	-1.190	-0.263	-17.082	-0.0	-0.0
-0.0	C3-C4;~1	Max	3.782	0.426	8.744	0.0	0.0
0.0		Min	-1.181	-0.244	-17.994	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.082	0.219	5.047	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0		Min	-0.679	-0.160	-9.743	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.144	0.237	4.984	0.0	0.0
0.0		Min	-0.673	-0.141	-10.263	-0.0	-0.0
-0.0		G1	2.669	0.367	-9.254	0.0	-0.0
0.0		G2	1.034	0.161	-3.521	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0		Q5_pc	-0.039	0.974	-0.072	0.0	-0.0
-0.0		Q5_ps	-0.034	0.932	-0.157	0.0	-0.0
-0.0							
0.0	INVSLU	Max	5.960	2.451	-15.868	0.0	-0.0
0.0		Min	-0.824	-0.881	-52.235	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	4.218	1.740	-12.193	0.0	-0.0
0.0		Min	-0.801	-0.521	-39.122	-0.0	-0.0
-0.0							
3143	C1-C2;~1	Max	3.599	0.425	8.705	0.0	0.0
0.0		Min	-1.172	-0.345	-16.502	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.763	0.434	8.603	0.0	0.0
0.0		Min	-1.164	-0.285	-17.384	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.073	0.232	4.965	0.0	0.0
0.0		Min	-0.668	-0.218	-9.407	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.134	0.241	4.903	0.0	0.0
0.0		Min	-0.663	-0.167	-9.909	-0.0	-0.0
-0.0							
0.0		G1	2.662	0.374	-8.789	0.0	-0.0
0.0		G2	1.031	0.167	-3.339	0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0		Q5_pc	-0.041	0.970	-0.068	0.0	-0.0
-0.0		Q5_ps	-0.036	0.930	-0.150	0.0	-0.0
-0.0							
0.0	INVSLU	Max	5.885	2.434	-14.333	0.0	-0.0
0.0		Min	-0.851	-0.976	-49.675	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	4.157	1.723	-11.022	0.0	-0.0


MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0		Min	-0.827	-0.596	-37.192	-0.0	-0.0
-0.0							
3144	C1-C2;~1	Max	3.577	0.440	8.549	0.0	0.0
0.0		Min	-1.149	-0.405	-15.907	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.739	0.440	8.449	0.0	0.0
0.0		Min	-1.140	-0.334	-16.758	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.062	0.240	4.876	0.0	0.0
0.0		Min	-0.655	-0.260	-9.063	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.121	0.244	4.816	0.0	0.0
0.0		Min	-0.650	-0.202	-9.548	-0.0	-0.0
-0.0							
0.0	G1		2.654	0.381	-8.320	0.0	-0.0
0.0	G2		1.028	0.172	-3.156	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.042	0.963	-0.064	0.0	-0.0
-0.0	Q5_ps		-0.037	0.925	-0.142	0.0	-0.0
-0.0							
0.0	INVSLU	Max	5.832	2.395	-12.793	0.0	-0.0
0.0		Min	-0.842	-1.060	-47.072	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	4.114	1.689	-9.847	0.0	-0.0
0.0		Min	-0.824	-0.664	-35.230	-0.0	-0.0
-0.0							
3145	C1-C2;~1	Max	3.547	0.454	8.397	0.0	0.0
0.0		Min	-1.115	-0.438	-15.328	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.704	0.445	8.300	0.0	0.0
0.0		Min	-1.107	-0.368	-16.152	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.046	0.247	4.789	0.0	0.0
0.0		Min	-0.635	-0.283	-8.729	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.103	0.247	4.731	0.0	0.0
0.0		Min	-0.630	-0.226	-9.198	-0.0	-0.0
-0.0							
0.0	G1		2.642	0.388	-7.862	0.0	-0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	G2	1.024	0.176	-2.976	0.0	-0.0	
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	-0.044	0.954	-0.058	0.0	-0.0	
-0.0	Q5_ps	-0.039	0.916	-0.134	0.0	-0.0	
-0.0	INVS LU	Max	5.813	2.341	-11.172	0.0	-0.0
0.0		Min	-0.771	-1.122	-44.418	-0.0	-0.0
-0.0	INVS LE	Max	4.099	1.644	-8.602	0.0	-0.0
0.0		Min	-0.772	-0.718	-33.221	-0.0	-0.0
-0.0							
3146	C1-C2;~1	Max	3.511	0.467	8.174	0.0	0.0
0.0		Min	-1.071	-0.452	-14.622	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.663	0.456	8.081	0.0	0.0
0.0		Min	-1.063	-0.378	-15.406	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.027	0.254	4.662	0.0	0.0
0.0		Min	-0.610	-0.293	-8.322	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.082	0.249	4.606	0.0	0.0
0.0		Min	-0.606	-0.233	-8.767	-0.0	-0.0
-0.0							
0.0	G1	2.631	0.395	-7.348	0.0	-0.0	
0.0	G2	1.021	0.178	-2.778	0.0	-0.0	
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	-0.046	0.940	-0.055	0.0	-0.0	
-0.0	Q5_ps	-0.042	0.902	-0.128	0.0	-0.0	
-0.0							
0.0	INVS LU	Max	5.832	2.283	-9.807	0.0	-0.0
0.0		Min	-0.641	-1.161	-41.739	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	4.116	1.596	-7.563	0.0	-0.0
0.0		Min	-0.673	-0.755	-31.209	-0.0	-0.0
-0.0							
3147	C1-C2;~1	Max	3.481	0.477	7.941	0.0	0.0
0.0		Min	-1.025	-0.424	-13.926	-0.0	-0.0
-0.0							

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	C3-C4;~1	Max	3.629	0.465	7.851	0.0	0.0
-0.0		Min	-1.019	-0.359	-14.672	-0.0	-0.0
0.0	C1-C2;~2	Max	2.012	0.260	4.530	0.0	0.0
-0.0		Min	-0.584	-0.274	-7.921	-0.0	-0.0
0.0	C3-C4;~2	Max	2.064	0.255	4.475	0.0	0.0
-0.0		Min	-0.580	-0.220	-8.345	-0.0	-0.0
0.0	G1		2.630	0.401	-6.851	0.0	-0.0
-0.0	G2		1.021	0.178	-2.586	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.048	0.920	-0.051	0.0	-0.0
-0.0	Q5_ps		-0.044	0.881	-0.121	0.0	-0.0
0.0	INVSLU	Max	5.883	2.217	-8.451	0.0	-0.0
-0.0		Min	-0.487	-1.147	-39.071	-0.0	-0.0
0.0	INVSLE	Max	4.156	1.543	-6.529	0.0	-0.0
-0.0		Min	-0.556	-0.753	-29.203	-0.0	-0.0
3148	C1-C2;~1	Max	3.456	0.485	7.682	0.0	0.0
0.0		Min	-0.978	-0.348	-13.207	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.600	0.473	7.596	0.0	0.0
-0.0		Min	-0.972	-0.293	-13.914	-0.0	-0.0
0.0	C1-C2;~2	Max	1.999	0.265	4.382	0.0	0.0
-0.0		Min	-0.557	-0.221	-7.509	-0.0	-0.0
0.0	C3-C4;~2	Max	2.050	0.260	4.330	0.0	0.0
-0.0		Min	-0.554	-0.174	-7.909	-0.0	-0.0
0.0	G1		2.638	0.407	-6.357	0.0	-0.0
-0.0	G2		1.025	0.175	-2.395	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.050	0.895	-0.045	0.0	-0.0
-0.0	Q5_ps		-0.046	0.853	-0.113	0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	INVSLE	Max	5.963	2.149	-7.181	0.0	-0.0
-0.0		Min	-0.307	-1.067	-36.417	-0.0	-0.0
0.0	INVSLE	Max	4.218	1.491	-5.559	0.0	-0.0
-0.0		Min	-0.420	-0.702	-27.210	-0.0	-0.0
3149 0.0	C1-C2;~1	Max	3.435	0.493	7.398	0.0	0.0
-0.0		Min	-0.929	-0.247	-12.457	-0.0	-0.0
0.0	C3-C4;~1	Max	3.576	0.482	7.315	0.0	0.0
-0.0		Min	-0.923	-0.240	-13.127	-0.0	-0.0
0.0	C1-C2;~2	Max	1.988	0.270	4.220	0.0	0.0
-0.0		Min	-0.529	-0.149	-7.080	-0.0	-0.0
0.0	C3-C4;~2	Max	2.038	0.265	4.170	0.0	0.0
-0.0		Min	-0.526	-0.138	-7.459	-0.0	-0.0
0.0	G1		2.654	0.412	-5.867	0.0	-0.0
0.0	G2		1.032	0.170	-2.211	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.052	0.865	-0.048	0.0	-0.0
-0.0	Q5_ps		-0.048	0.821	-0.116	0.0	-0.0
0.0	INVSLE	Max	6.072	2.087	-5.980	0.0	-0.0
-0.0		Min	-0.102	-0.940	-33.775	-0.0	-0.0
0.0	INVSLE	Max	4.302	1.445	-4.642	0.0	-0.0
-0.0		Min	-0.265	-0.615	-25.224	-0.0	-0.0
3150 0.0	C1-C2;~1	Max	3.418	0.512	7.090	0.0	0.0
-0.0		Min	-0.877	-0.424	-11.724	-0.0	-0.0
0.0	C3-C4;~1	Max	3.557	0.497	7.011	0.0	0.0
-0.0		Min	-0.872	-0.371	-12.351	-0.0	-0.0
0.0	C1-C2;~2	Max	1.980	0.279	4.045	0.0	0.0
		Min	-0.500	-0.273	-6.658	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

-0.0							
0.0	C3-C4;~2	Max	2.029	0.271	3.997	0.0	0.0
-0.0		Min	-0.497	-0.229	-7.012	-0.0	-0.0
0.0	G1		2.678	0.415	-5.387	0.0	-0.0
0.0	G2		1.042	0.179	-2.021	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.052	0.860	-0.037	0.0	-0.0
-0.0	Q5_ps		-0.049	0.821	-0.098	0.0	-0.0
0.0	INVSLU	Max	6.208	2.109	-4.894	0.0	-0.0
-0.0		Min	0.128	-1.098	-31.206	-0.0	-0.0
0.0	INVSLE	Max	4.406	1.460	-3.812	0.0	-0.0
-0.0		Min	-0.091	-0.734	-23.298	-0.0	-0.0
3151	C1-C2;~1	Max	3.406	0.530	6.755	0.0	0.0
0.0		Min	-0.825	-0.561	-10.963	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.543	0.510	6.680	0.0	0.0
-0.0		Min	-0.820	-0.493	-11.551	-0.0	-0.0
0.0	C1-C2;~2	Max	1.975	0.287	3.854	0.0	0.0
-0.0		Min	-0.470	-0.369	-6.222	-0.0	-0.0
0.0	C3-C4;~2	Max	2.023	0.277	3.809	0.0	0.0
-0.0		Min	-0.467	-0.314	-6.554	-0.0	-0.0
0.0	G1		2.710	0.418	-4.918	0.0	-0.0
0.0	G2		1.056	0.186	-1.841	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.052	0.852	-0.032	0.0	-0.0
-0.0	Q5_ps		-0.049	0.816	-0.090	0.0	-0.0
0.0	INVSLU	Max	6.375	2.132	-3.912	0.0	-0.0
-0.0		Min	0.385	-1.204	-28.682	-0.0	-0.0
0.0	INVSLE	Max	4.533	1.476	-3.061	0.0	-0.0
-0.0		Min	0.103	-0.813	-21.405	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

-0.0

3152	C1-C2;~1	Max	3.398	0.544	6.393	0.0	0.0
0.0		Min	-0.770	-0.619	-10.190	-0.0	-0.0

-0.0

0.0	C3-C4;~1	Max	3.535	0.520	6.323	0.0	0.0
-0.0		Min	-0.765	-0.553	-10.736	-0.0	-0.0

-0.0

0.0	C1-C2;~2	Max	1.972	0.295	3.648	0.0	0.0
-0.0		Min	-0.439	-0.408	-5.780	-0.0	-0.0

-0.0

0.0	C3-C4;~2	Max	2.020	0.282	3.605	0.0	0.0
-0.0		Min	-0.436	-0.355	-6.088	-0.0	-0.0

-0.0

0.0	G1		2.753	0.420	-4.463	0.0	-0.0
-----	----	--	-------	-------	--------	-----	------

0.0

0.0	G2		1.073	0.190	-1.667	0.0	-0.0
-----	----	--	-------	-------	--------	-----	------

0.0

0.0	Q3		0.000	0.000	0.000	0.0	0.0
-----	----	--	-------	-------	-------	-----	-----

0.0

-0.0	Q5_pc		-0.052	0.839	-0.026	0.0	-0.0
------	-------	--	--------	-------	--------	-----	------

-0.0

-0.0	Q5_ps		-0.048	0.806	-0.080	0.0	-0.0
------	-------	--	--------	-------	--------	-----	------

-0.0

0.0	INVSLU	Max	6.575	2.146	-3.038	0.0	-0.0
-----	--------	-----	-------	-------	--------	-----	------

0.0

-0.0		Min	0.670	-1.219	-26.210	-0.0	-0.0
------	--	-----	-------	--------	---------	------	------

-0.0

0.0	INVSLE	Max	4.685	1.488	-2.393	0.0	-0.0
-----	--------	-----	-------	-------	--------	-----	------

0.0

-0.0		Min	0.318	-0.826	-19.554	-0.0	-0.0
------	--	-----	-------	--------	---------	------	------

-0.0

3153	C1-C2;~1	Max	3.397	0.555	5.999	0.0	0.0
------	----------	-----	-------	-------	-------	-----	-----

0.0

-0.0		Min	-0.712	-0.621	-9.396	-0.0	-0.0
------	--	-----	--------	--------	--------	------	------

-0.0

0.0	C3-C4;~1	Max	3.533	0.527	5.933	0.0	0.0
-----	----------	-----	-------	-------	-------	-----	-----

0.0

-0.0		Min	-0.708	-0.560	-9.898	-0.0	-0.0
------	--	-----	--------	--------	--------	------	------

-0.0

0.0	C1-C2;~2	Max	1.973	0.300	3.423	0.0	0.0
-----	----------	-----	-------	-------	-------	-----	-----

0.0

-0.0		Min	-0.406	-0.409	-5.327	-0.0	-0.0
------	--	-----	--------	--------	--------	------	------

-0.0

0.0	C3-C4;~2	Max	2.021	0.286	3.383	0.0	0.0
-----	----------	-----	-------	-------	-------	-----	-----

0.0

-0.0		Min	-0.403	-0.359	-5.609	-0.0	-0.0
------	--	-----	--------	--------	--------	------	------

-0.0


0.0	G1		2.807	0.423	-4.020	0.0	-0.0
-----	----	--	-------	-------	--------	-----	------

0.0

	G2		1.095	0.192	-1.498	0.0	-0.0
--	----	--	-------	-------	--------	-----	------


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.052	0.821	-0.022	0.0	-0.0
-0.0	Q5_ps		-0.048	0.788	-0.072	0.0	-0.0
-0.0							
0.0	INVSLU	Max	6.816	2.147	-2.303	0.0	-0.0
-0.0		Min	0.991	-1.173	-23.804	-0.0	-0.0
0.0							
-0.0	INVSLE	Max	4.868	1.491	-1.830	0.0	-0.0
0.0		Min	0.560	-0.794	-17.753	-0.0	-0.0
-0.0							
3154	C1-C2;~1	Max	3.398	0.561	5.597	0.0	0.0
0.0		Min	-0.683	-0.568	-8.639	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.534	0.531	5.534	0.0	0.0
-0.0		Min	-0.679	-0.517	-9.105	-0.0	-0.0
0.0							
-0.0	C1-C2;~2	Max	1.974	0.304	3.194	0.0	0.0
0.0		Min	-0.389	-0.371	-4.895	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.023	0.288	3.156	0.0	0.0
-0.0		Min	-0.386	-0.328	-5.157	-0.0	-0.0
0.0	G1		2.838	0.426	-3.625	0.0	-0.0
-0.0	G2		1.108	0.191	-1.347	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.052	0.799	-0.013	0.0	-0.0
-0.0	Q5_ps		-0.048	0.765	-0.060	0.0	-0.0
0.0							
-0.0	INVSLU	Max	6.945	2.138	-1.675	0.0	-0.0
0.0		Min	1.158	-1.069	-21.546	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	4.966	1.487	-1.346	0.0	-0.0
-0.0		Min	0.686	-0.719	-16.063	-0.0	-0.0
3155	C1-C2;~1	Max	3.400	0.567	5.169	0.0	0.0
0.0		Min	-0.651	-0.491	-7.862	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.537	0.535	5.110	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0		Min	-0.647	-0.450	-8.289	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.976	0.307	2.950	0.0	0.0
0.0		Min	-0.371	-0.316	-4.452	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.025	0.290	2.914	0.0	0.0
0.0		Min	-0.368	-0.279	-4.692	-0.0	-0.0
-0.0							
0.0	G1		2.872	0.430	-3.235	0.0	-0.0
0.0	G2		1.121	0.189	-1.200	0.0	-0.0
-0.0							
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.051	0.775	-0.006	0.0	-0.0
-0.0							
0.0	Q5_ps		-0.047	0.740	-0.051	0.0	-0.0
-0.0							
0.0	INVSLU	Max	7.092	2.119	-1.140	0.0	-0.0
0.0		Min	1.346	-0.942	-19.319	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	5.078	1.477	-0.933	0.0	-0.0
0.0		Min	0.828	-0.627	-14.398	-0.0	-0.0
-0.0							
3156	C1-C2;~1	Max	3.404	0.570	4.724	0.0	0.0
0.0		Min	-0.618	-0.399	-7.083	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.541	0.537	4.669	0.0	0.0
0.0		Min	-0.613	-0.363	-7.471	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.979	0.310	2.696	0.0	0.0
0.0		Min	-0.352	-0.250	-4.009	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.028	0.292	2.663	0.0	0.0
0.0		Min	-0.349	-0.217	-4.226	-0.0	-0.0
-0.0							
0.0	G1		2.911	0.433	-2.862	0.0	-0.0
0.0	G2		1.137	0.185	-1.059	0.0	-0.0
-0.0							
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.050	0.749	0.001	0.0	-0.0
-0.0							
0.0	Q5_ps		-0.046	0.713	-0.041	0.0	-0.0
-0.0							
0.0	INVSLU	Max	7.256	2.093	-0.694	0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0		Min	1.551	-0.802	-17.158	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	5.202	1.460	-0.587	0.0	-0.0
0.0		Min	0.982	-0.525	-12.783	-0.0	-0.0
-0.0							
3157	C1-C2;~1	Max	3.410	0.574	4.261	0.0	0.0
0.0		Min	-0.584	-0.318	-6.295	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.548	0.540	4.208	0.0	0.0
0.0		Min	-0.579	-0.295	-6.645	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	1.983	0.313	2.432	0.0	0.0
0.0		Min	-0.333	-0.193	-3.562	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.032	0.294	2.400	0.0	0.0
0.0		Min	-0.330	-0.169	-3.758	-0.0	-0.0
-0.0							
0.0	G1		2.954	0.435	-2.505	0.0	-0.0
0.0	G2		1.154	0.182	-0.930	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.047	0.724	0.001	0.0	-0.0
-0.0	Q5_ps		-0.044	0.686	-0.041	0.0	-0.0
-0.0							
0.0	INVSLU	Max	7.435	2.060	-0.335	0.0	-0.0
0.0		Min	1.771	-0.681	-15.059	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	5.337	1.450	-0.309	0.0	-0.0
0.0		Min	1.148	-0.438	-11.215	-0.0	-0.0
-0.0							
3158	C1-C2;~1	Max	4.513	0.265	8.455	0.0	0.0
0.0		Min	-0.866	-0.519	-28.111	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.734	0.261	8.866	0.0	0.0
0.0		Min	-0.869	-0.552	-26.761	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.603	0.149	4.848	0.0	0.0
0.0		Min	-0.508	-0.294	-16.257	-0.0	-0.0
-0.0							

MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	


0.0	C3-C4;~2	Max	2.689	0.153	5.005	0.0	0.0
-0.0		Min	-0.510	-0.310	-15.398	-0.0	-0.0
-0.0	G1		4.088	-0.398	-18.518	-0.0	-0.0
-0.0	G2		1.597	-0.175	-7.477	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		0.034	1.082	0.080	-0.0	0.0
-0.0	Q5_ps		0.036	1.011	0.201	-0.0	0.0
0.0	INVSLU	Max	9.206	4.573	-53.319	0.0	0.0
-0.0		Min	1.579	0.915	-103.382	-0.0	-0.0
0.0	INVSLE	Max	6.491	3.312	-40.443	0.0	0.0
-0.0		Min	0.846	0.828	-77.516	-0.0	-0.0
3159	C1-C2;~1	Max	4.514	0.321	8.282	0.0	0.0
0.0		Min	-0.879	-0.545	-27.796	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.735	0.337	8.685	0.0	0.0
-0.0		Min	-0.880	-0.577	-26.476	-0.0	-0.0
0.0	C1-C2;~2	Max	2.603	0.201	4.749	0.0	0.0
-0.0		Min	-0.513	-0.309	-16.072	-0.0	-0.0
0.0	C3-C4;~2	Max	2.689	0.203	4.902	0.0	0.0
-0.0		Min	-0.516	-0.325	-15.232	-0.0	-0.0
-0.0	G1		4.070	-0.407	-18.403	-0.0	-0.0
-0.0	G2		1.588	-0.186	-7.427	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		0.036	1.065	0.080	-0.0	0.0
-0.0	Q5_ps		0.038	0.993	0.201	-0.0	0.0
0.0	INVSLU	Max	8.860	4.632	-53.360	0.0	-0.0
-0.0		Min	1.214	0.941	-102.754	-0.0	-0.0
0.0	INVSLE	Max	6.224	3.357	-40.478	0.0	-0.0
-0.0		Min	0.565	0.843	-77.055	-0.0	-0.0

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

3160	C1-C2;~1	Max	4.514	0.365	8.099	0.0	0.0
0.0		Min	-0.892	-0.570	-27.419	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.736	0.381	8.494	0.0	0.0
0.0		Min	-0.892	-0.601	-26.117	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.603	0.229	4.644	0.0	0.0
0.0		Min	-0.520	-0.323	-15.850	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.690	0.232	4.795	0.0	0.0
0.0		Min	-0.521	-0.339	-15.021	-0.0	-0.0
-0.0							
	G1		4.051	-0.418	-18.251	-0.0	-0.0
-0.0							
	G2		1.580	-0.194	-7.365	-0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc		0.038	1.049	0.079	-0.0	0.0
-0.0							
	Q5_ps		0.039	0.977	0.198	-0.0	0.0
-0.0							
	INVSLU	Max	8.518	4.688	-53.297	0.0	-0.0
0.0		Min	0.852	0.987	-101.922	-0.0	-0.0
-0.0							
	INVSLE	Max	5.960	3.400	-40.431	0.0	-0.0
0.0		Min	0.286	0.876	-76.439	-0.0	-0.0
-0.0							
3161	C1-C2;~1	Max	4.515	0.390	7.908	0.0	0.0
0.0		Min	-0.904	-0.594	-26.986	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.736	0.406	8.294	0.0	0.0
0.0		Min	-0.904	-0.624	-25.708	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.603	0.245	4.534	0.0	0.0
0.0		Min	-0.526	-0.337	-15.593	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.690	0.248	4.681	0.0	0.0
0.0		Min	-0.527	-0.352	-14.780	-0.0	-0.0
-0.0							
	G1		4.033	-0.431	-18.063	-0.0	-0.0
-0.0							
	G2		1.572	-0.201	-7.289	-0.0	-0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0						
-0.0	Q5_pc	0.040	1.033	0.077	-0.0	0.0
-0.0	Q5_ps	0.041	0.961	0.195	-0.0	0.0
	INVSLE Max	8.175	4.731	-53.104	0.0	-0.0
0.0	INVSLE Min	0.489	1.037	-100.871	-0.0	-0.0
-0.0						
	INVSLE Max	5.695	3.435	-40.287	0.0	-0.0
0.0	INVSLE Min	0.007	0.913	-75.659	-0.0	-0.0
-0.0						
3162	C1-C2;~1 Max	4.515	0.404	7.708	0.0	0.0
0.0	C1-C2;~1 Min	-0.916	-0.617	-26.505	-0.0	-0.0
-0.0						
	C3-C4;~1 Max	4.737	0.422	8.084	0.0	0.0
0.0	C3-C4;~1 Min	-0.916	-0.647	-25.252	-0.0	-0.0
-0.0						
	C1-C2;~2 Max	2.603	0.253	4.420	0.0	0.0
0.0	C1-C2;~2 Min	-0.532	-0.351	-15.308	-0.0	-0.0
-0.0						
	C3-C4;~2 Max	2.690	0.258	4.563	0.0	0.0
0.0	C3-C4;~2 Min	-0.533	-0.366	-14.512	-0.0	-0.0
-0.0						
	G1	4.014	-0.445	-17.839	-0.0	-0.0
-0.0	G2	1.564	-0.207	-7.199	-0.0	-0.0
-0.0	Q3	0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc	0.041	1.016	0.075	-0.0	0.0
-0.0	Q5_ps	0.042	0.945	0.191	-0.0	0.0
-0.0						
	INVSLE Max	7.828	4.752	-52.786	0.0	-0.0
0.0	INVSLE Min	0.124	1.075	-99.615	-0.0	-0.0
-0.0						
	INVSLE Max	5.428	3.455	-40.046	0.0	-0.0
0.0	INVSLE Min	-0.273	0.942	-74.725	-0.0	-0.0
-0.0						
3163	C1-C2;~1 Max	4.514	0.408	7.499	0.0	0.0
0.0	C1-C2;~1 Min	-0.927	-0.640	-25.974	-0.0	-0.0
-0.0						
	C3-C4;~1 Max	4.736	0.429	7.865	0.0	0.0
0.0	C3-C4;~1 Min	-0.927	-0.670	-24.751	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

-0.0							
0.0	C1-C2;~2	Max	2.603	0.254	4.300	0.0	0.0
-0.0		Min	-0.538	-0.364	-14.995	-0.0	-0.0
0.0	C3-C4;~2	Max	2.690	0.261	4.439	0.0	0.0
-0.0		Min	-0.539	-0.379	-14.219	-0.0	-0.0
-0.0	G1		3.996	-0.458	-17.578	-0.0	-0.0
-0.0	G2		1.557	-0.212	-7.094	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.042	0.998	0.073	-0.0	0.0
-0.0	Q5_ps		0.044	0.929	0.187	-0.0	0.0
-0.0							
0.0	INVSLU	Max	7.479	4.747	-52.341	0.0	-0.0
-0.0		Min	-0.244	1.096	-98.155	-0.0	-0.0
0.0	INVSLE	Max	5.159	3.457	-39.711	0.0	-0.0
-0.0		Min	-0.556	0.959	-73.637	-0.0	-0.0
3164	C1-C2;~1	Max	4.514	0.401	7.282	0.0	0.0
0.0		Min	-0.939	-0.663	-25.400	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.736	0.427	7.638	0.0	0.0
-0.0		Min	-0.939	-0.693	-24.207	-0.0	-0.0
0.0	C1-C2;~2	Max	2.603	0.249	4.176	0.0	0.0
-0.0		Min	-0.543	-0.378	-14.656	-0.0	-0.0
0.0	C3-C4;~2	Max	2.689	0.258	4.311	0.0	0.0
-0.0		Min	-0.544	-0.392	-13.901	-0.0	-0.0
-0.0	G1		3.977	-0.473	-17.282	-0.0	-0.0
-0.0	G2		1.550	-0.216	-6.975	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.043	0.980	0.070	-0.0	0.0
-0.0	Q5_ps		0.045	0.912	0.182	-0.0	0.0
-0.0							
-0.0	INVSLU	Max	7.127	4.719	-51.769	0.0	-0.0
		Min	-0.612	1.106	-96.495	-0.0	-0.0

MIDAS


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


-0.0							
	INVSLE	Max	4.889	3.443	-39.278	0.0	-0.0
-0.0		Min	-0.838	0.969	-72.399	-0.0	-0.0
-0.0							
3165	C1-C2;~1	Max	4.513	0.377	7.058	0.0	0.0
0.0		Min	-0.951	-0.685	-24.782	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.735	0.407	7.403	0.0	0.0
0.0		Min	-0.951	-0.714	-23.620	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.602	0.232	4.047	0.0	0.0
0.0		Min	-0.549	-0.391	-14.293	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.689	0.243	4.178	0.0	0.0
0.0		Min	-0.550	-0.405	-13.558	-0.0	-0.0
-0.0							
-0.0	G1		3.958	-0.488	-16.951	-0.0	-0.0
-0.0	G2		1.542	-0.218	-6.842	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.044	0.962	0.067	-0.0	0.0
-0.0	Q5_ps		0.046	0.896	0.176	-0.0	0.0
-0.0							
0.0	INVSLU	Max	6.778	4.680	-51.069	0.0	-0.0
0.0		Min	-0.978	1.118	-94.639	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	4.621	3.421	-38.748	0.0	-0.0
0.0		Min	-1.119	0.982	-71.013	-0.0	-0.0
-0.0							
3166	C1-C2;~1	Max	3.559	0.577	0.017	0.0	0.0
0.0		Min	-0.301	-0.207	-0.465	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.714	0.525	0.008	0.0	0.0
0.0		Min	-0.286	-0.223	-0.580	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.068	0.316	0.008	0.0	0.0
0.0		Min	-0.173	-0.114	-0.233	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.126	0.285	0.004	0.0	0.0

MIDAS


PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
-0.0		Min	-0.162	-0.118	-0.304	-0.0	-0.0	
	G1		3.485	0.384	-0.641	0.0	0.0	
-0.0		G2	1.365	0.156	-0.251	0.0	0.0	
-0.0		Q3	0.000	0.000	0.000	0.0	0.0	
0.0		Q5_pc	-0.011	0.617	0.056	-0.0	-0.0	
0.0		Q5_ps	-0.007	0.576	0.039	0.0	-0.0	
0.0		INVS LU Max	9.526	1.885	-1.288	0.0	0.0	
-0.0		Min	4.085	-0.474	-2.194	-0.0	-0.0	
-0.0		INVS LE Max	6.915	1.348	-0.965	0.0	0.0	
0.0		Min	2.886	-0.294	-1.629	-0.0	-0.0	
3167	C1-C2;~1	Max	3.588	0.581	0.385	0.0	0.0	
0.0		Min	-0.272	-0.342	-0.939	-0.0	-0.0	
-0.0		C3-C4;~1	Max	3.746	0.526	0.371	0.0	0.0
0.0		Min	-0.254	-0.338	-1.007	-0.0	-0.0	
-0.0		C1-C2;~2	Max	2.084	0.317	0.222	0.0	0.0
0.0		Min	-0.156	-0.210	-0.518	-0.0	-0.0	
-0.0		C3-C4;~2	Max	2.144	0.285	0.210	0.0	0.0
0.0		Min	-0.144	-0.200	-0.560	-0.0	-0.0	
-0.0		G1	3.566	0.375	-0.751	-0.0	0.0	
-0.0		G2	1.397	0.157	-0.299	0.0	0.0	
0.0		Q3	0.000	0.000	0.000	0.0	0.0	
0.0		Q5_pc	-0.005	0.633	0.057	0.0	0.0	
0.0		Q5_ps	-0.001	0.595	0.042	0.0	0.0	
0.0		INVS LU Max	9.842	1.935	-1.055	0.0	0.0	
-0.0		Min	4.408	-0.595	-3.037	-0.0	-0.0	
-0.0		INVS LE Max	7.153	1.384	-0.795	0.0	0.0	
0.0		Min	3.129	-0.381	-2.255	-0.0	-0.0	
-0.0		C1-C2;~1	Max	3.618	0.585	0.921	0.0	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0		Min	-0.245	-0.475	-1.640	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.780	0.526	0.945	0.0	0.0
0.0		Min	-0.226	-0.457	-1.717	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.101	0.318	0.530	0.0	0.0
0.0		Min	-0.141	-0.304	-0.916	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.162	0.284	0.535	0.0	0.0
0.0		Min	-0.128	-0.285	-0.963	-0.0	-0.0
-0.0							
0.0	G1		3.643	0.364	-0.923	-0.0	0.0
-0.0							
0.0	G2		1.428	0.158	-0.374	0.0	0.0
0.0							
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
0.0	Q5_pc		0.001	0.655	0.057	0.0	0.0
0.0							
0.0	Q5_ps		0.005	0.619	0.042	0.0	0.0
0.0							
0.0	INVSLU	Max	10.152	2.001	-0.740	0.0	0.0
0.0		Min	4.716	-0.716	-4.436	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	7.386	1.433	-0.565	0.0	0.0
0.0		Min	3.360	-0.468	-3.295	-0.0	-0.0
-0.0							
3169	C1-C2;~1	Max	3.648	0.586	1.440	0.0	0.0
0.0		Min	-0.226	-0.560	-2.369	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.813	0.524	1.499	0.0	0.0
0.0		Min	-0.208	-0.542	-2.462	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.117	0.318	0.828	0.0	0.0
0.0		Min	-0.131	-0.363	-1.328	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.180	0.282	0.849	0.0	0.0
0.0		Min	-0.119	-0.344	-1.386	-0.0	-0.0
-0.0							
0.0	G1		3.716	0.352	-1.150	-0.0	0.0
-0.0							
0.0	G2		1.457	0.157	-0.470	0.0	0.0
-0.0							
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
0.0	Q5_pc		0.007	0.679	0.058	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0						
0.0	Q5_ps		0.011	0.644	0.042	0.0
0.0						
0.0	INVSLE	Max	10.458	2.074	-0.580	0.0
0.0		Min	4.994	-0.783	-6.032	-0.0
-0.0						
0.0	INVSLE	Max	7.616	1.485	-0.452	0.0
0.0		Min	3.569	-0.514	-4.483	-0.0
-0.0						
3170	C1-C2;~1	Max	3.677	0.584	1.940	0.0
0.0		Min	-0.211	-0.604	-3.117	-0.0
-0.0						
0.0	C3-C4;~1	Max	3.845	0.519	2.031	0.0
0.0		Min	-0.192	-0.583	-3.228	-0.0
-0.0						
0.0	C1-C2;~2	Max	2.133	0.317	1.115	0.0
0.0		Min	-0.124	-0.393	-1.751	-0.0
-0.0						
0.0	C3-C4;~2	Max	2.197	0.279	1.149	0.0
0.0		Min	-0.112	-0.372	-1.820	-0.0
-0.0						
-0.0	G1		3.784	0.340	-1.423	-0.0
-0.0	G2		1.484	0.154	-0.584	0.0
-0.0	Q3		0.000	0.000	0.000	0.0
0.0	Q5_pc		0.013	0.702	0.060	0.0
0.0	Q5_ps		0.017	0.667	0.043	0.0
0.0						
0.0	INVSLE	Max	10.750	2.156	-0.575	0.0
0.0		Min	5.252	-0.802	-7.782	-0.0
-0.0						
0.0	INVSLE	Max	7.835	1.539	-0.456	0.0
0.0		Min	3.764	-0.525	-5.787	-0.0
-0.0						
3171	C1-C2;~1	Max	3.706	0.577	2.422	0.0
0.0		Min	-0.200	-0.605	-3.877	-0.0
-0.0						
0.0	C3-C4;~1	Max	3.877	0.511	2.544	0.0
0.0		Min	-0.180	-0.584	-4.007	-0.0
-0.0						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	C1-C2;~2	Max	2.149	0.313	1.391	0.0	0.0
		Min	-0.119	-0.392	-2.181	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.215	0.274	1.439	0.0	0.0
		Min	-0.106	-0.372	-2.262	-0.0	-0.0
-0.0							
-0.0	G1		3.846	0.327	-1.730	-0.0	0.0
-0.0	G2		1.508	0.149	-0.711	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.018	0.723	0.061	0.0	0.0
0.0	Q5_ps		0.022	0.687	0.043	0.0	0.0
0.0							
0.0	INVSLU	Max	11.026	2.244	-0.701	0.0	0.0
		Min	5.491	-0.770	-9.654	-0.0	0.0
-0.0							
0.0	INVSLE	Max	8.043	1.592	-0.559	0.0	0.0
		Min	3.945	-0.498	-7.182	-0.0	0.0
-0.0							
3172	C1-C2;~1	Max	3.734	0.567	2.889	0.0	0.0
0.0		Min	-0.191	-0.558	-4.645	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.907	0.501	3.039	0.0	0.0
		Min	-0.170	-0.541	-4.794	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.165	0.309	1.659	0.0	0.0
		Min	-0.115	-0.358	-2.617	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.231	0.269	1.719	0.0	0.0
		Min	-0.102	-0.341	-2.709	-0.0	-0.0
-0.0							
-0.0	G1		3.903	0.315	-2.065	-0.0	0.0
-0.0	G2		1.530	0.142	-0.850	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.022	0.743	0.062	0.0	0.0
0.0	Q5_ps		0.027	0.704	0.042	0.0	0.0
0.0							
0.0	INVSLU	Max	11.287	2.327	-0.941	0.0	0.0
		Min	5.714	-0.686	-11.626	-0.0	0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	INVSLE	Max	8.238	1.642	-0.746	0.0	0.0
		Min	4.113	-0.433	-8.653	-0.0	0.0
-0.0							
3173 0.0	C1-C2;~1	Max	3.762	0.555	3.344	0.0	0.0
		Min	-0.185	-0.479	-5.418	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.938	0.488	3.517	0.0	0.0
		Min	-0.164	-0.470	-5.586	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.180	0.303	1.920	0.0	0.0
		Min	-0.113	-0.302	-3.055	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.248	0.263	1.989	0.0	0.0
		Min	-0.099	-0.290	-3.160	-0.0	-0.0
-0.0							
-0.0	G1		3.954	0.302	-2.424	-0.0	0.0
-0.0	G2		1.551	0.133	-0.998	0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.026	0.761	0.062	0.0	0.0
0.0	Q5_ps		0.031	0.720	0.040	0.0	0.0
0.0							
0.0	INVSLU	Max	11.532	2.406	-1.288	0.0	0.0
		Min	5.918	-0.570	-13.688	-0.0	0.0
-0.0							
0.0	INVSLE	Max	8.423	1.699	-1.015	0.0	0.0
		Min	4.268	-0.345	-10.192	-0.0	0.0
-0.0							
3174 0.0	C1-C2;~1	Max	3.789	0.542	3.784	0.0	0.0
		Min	-0.182	-0.405	-6.188	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.967	0.476	3.977	0.0	0.0
		Min	-0.163	-0.409	-6.377	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.195	0.297	2.171	0.0	0.0
		Min	-0.112	-0.249	-3.493	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.264	0.257	2.249	0.0	0.0
		Min	-0.100	-0.247	-3.611	-0.0	-0.0
-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0	G1	4.001	0.288	-2.805	-0.0	0.0	
-0.0	G2	1.569	0.125	-1.160	0.0	0.0	
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	0.030	0.780	0.057	0.0	0.0	
0.0	Q5_ps	0.034	0.735	0.030	0.0	0.0	
0.0	INVSLU	Max	11.761	2.480	-1.739	0.0	0.0
-0.0		Min	6.106	-0.462	-15.819	-0.0	0.0
0.0	INVSLE	Max	8.595	1.754	-1.362	0.0	0.0
-0.0		Min	4.410	-0.263	-11.785	-0.0	0.0
3175 0.0	C1-C2;~1	Max	4.415	0.360	9.295	0.0	0.0
-0.0		Min	-0.536	-0.166	-22.586	-0.0	-0.0
0.0	C3-C4;~1	Max	4.627	0.287	9.734	0.0	0.0
-0.0		Min	-0.538	-0.198	-21.534	-0.0	-0.0
0.0	C1-C2;~2	Max	2.548	0.213	5.331	0.0	0.0
-0.0		Min	-0.333	-0.086	-12.971	-0.0	-0.0
0.0	C3-C4;~2	Max	2.630	0.165	5.495	0.0	0.0
-0.0		Min	-0.333	-0.100	-12.309	-0.0	-0.0
-0.0	G1	4.429	-0.025	-12.643	-0.0	0.0	
-0.0	G2	1.733	-0.038	-5.104	-0.0	0.0	
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	-0.050	1.085	0.033	-0.0	-0.0	
0.0	Q5_ps	-0.045	1.009	0.138	-0.0	-0.0	
0.0	INVSLU	Max	14.637	2.820	-25.849	0.0	0.0
-0.0		Min	7.576	-0.629	-69.540	-0.0	0.0
0.0	INVSLE	Max	10.719	1.948	-19.640	0.0	0.0
-0.0		Min	5.496	-0.383	-51.999	-0.0	0.0
3176 0.0	C1-C2;~1	Max	4.423	0.366	9.405	0.0	0.0
		Min	-0.551	-0.169	-23.266	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

-0.0							
0.0	C3-C4;~1	Max	4.635	0.307	9.851	0.0	0.0
-0.0		Min	-0.552	-0.199	-22.182	-0.0	-0.0
0.0	C1-C2;~2	Max	2.552	0.219	5.394	0.0	0.0
-0.0		Min	-0.342	-0.087	-13.369	-0.0	-0.0
0.0	C3-C4;~2	Max	2.634	0.180	5.561	0.0	0.0
-0.0		Min	-0.339	-0.098	-12.686	-0.0	-0.0
-0.0	G1		4.420	-0.041	-13.166	-0.0	0.0
-0.0	G2		1.730	-0.047	-5.314	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.046	1.094	0.039	-0.0	-0.0
0.0	Q5_ps		-0.042	1.017	0.146	-0.0	-0.0
0.0	INVSLU	Max	14.537	2.884	-27.685	0.0	0.0
-0.0		Min	7.451	-0.595	-72.461	-0.0	0.0
0.0	INVSLE	Max	10.638	1.992	-21.034	0.0	0.0
-0.0		Min	5.395	-0.359	-54.196	-0.0	0.0
3177	C1-C2;~1	Max	4.430	0.364	9.500	0.0	0.0
0.0		Min	-0.566	-0.172	-23.913	-0.0	-0.0
-0.0	C3-C4;~1	Max	4.643	0.313	9.951	0.0	0.0
0.0		Min	-0.567	-0.200	-22.799	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.556	0.212	5.449	0.0	0.0
0.0		Min	-0.350	-0.087	-13.748	-0.0	-0.0
-0.0	C3-C4;~2	Max	2.639	0.186	5.618	0.0	0.0
0.0		Min	-0.348	-0.098	-13.046	-0.0	-0.0
-0.0	G1		4.412	-0.058	-13.673	-0.0	0.0
-0.0	G2		1.726	-0.055	-5.518	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.043	1.103	0.043	-0.0	-0.0
0.0	Q5_ps		-0.038	1.025	0.153	-0.0	-0.0

MIDAS


PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0							
	INVSLU	Max	14.421	2.951	-29.507	0.0	0.0
0.0		Min	7.311	-0.542	-75.302	-0.0	0.0
0.0							
	INVSLE	Max	10.544	2.040	-22.416	0.0	0.0
0.0		Min	5.283	-0.320	-56.332	-0.0	0.0
0.0							
3178	C1-C2;~1	Max	4.437	0.356	9.580	0.0	0.0
0.0		Min	-0.580	-0.176	-24.529	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.651	0.312	10.035	0.0	0.0
0.0		Min	-0.581	-0.205	-23.384	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.560	0.211	5.494	0.0	0.0
0.0		Min	-0.359	-0.089	-14.110	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.643	0.186	5.665	0.0	0.0
0.0		Min	-0.356	-0.100	-13.388	-0.0	-0.0
-0.0							
-0.0	G1		4.402	-0.075	-14.162	-0.0	0.0
-0.0	G2		1.722	-0.062	-5.715	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.039	1.112	0.048	-0.0	-0.0
0.0	Q5_ps		-0.035	1.033	0.159	-0.0	-0.0
0.0							
	INVSLU	Max	14.290	3.043	-31.305	0.0	0.0
0.0		Min	7.157	-0.476	-78.052	-0.0	0.0
0.0							
	INVSLE	Max	10.439	2.108	-23.779	0.0	0.0
0.0		Min	5.161	-0.269	-58.400	-0.0	0.0
0.0							
3179	C1-C2;~1	Max	4.443	0.342	9.645	0.0	0.0
0.0		Min	-0.595	-0.186	-25.110	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.658	0.301	10.104	0.0	0.0
0.0		Min	-0.595	-0.215	-23.936	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.564	0.204	5.531	0.0	0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	-0.367	-0.094	-14.453	-0.0	-0.0
0.0	C3-C4;~2	Max	2.647	0.180	5.704	0.0	0.0
-0.0		Min	-0.365	-0.106	-13.711	-0.0	-0.0
-0.0	G1		4.392	-0.092	-14.632	-0.0	0.0
-0.0	G2		1.718	-0.068	-5.904	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.035	1.120	0.052	-0.0	-0.0
0.0	Q5_ps		-0.031	1.041	0.165	-0.0	-0.0
0.0	INVSLU	Max	14.144	3.140	-33.071	0.0	0.0
0.0		Min	6.989	-0.402	-80.703	-0.0	0.0
0.0	INVSLE	Max	10.323	2.182	-25.117	0.0	0.0
0.0		Min	5.028	-0.211	-60.393	-0.0	0.0
3180	C1-C2;~1	Max	4.449	0.322	9.695	0.0	0.0
0.0		Min	-0.610	-0.194	-25.655	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.664	0.280	10.158	0.0	0.0
-0.0		Min	-0.610	-0.228	-24.451	-0.0	-0.0
0.0	C1-C2;~2	Max	2.567	0.190	5.560	0.0	0.0
-0.0		Min	-0.375	-0.099	-14.775	-0.0	-0.0
0.0	C3-C4;~2	Max	2.651	0.167	5.734	0.0	0.0
-0.0		Min	-0.373	-0.114	-14.013	-0.0	-0.0
-0.0	G1		4.381	-0.110	-15.081	-0.0	0.0
-0.0	G2		1.713	-0.073	-6.085	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.031	1.127	0.055	-0.0	-0.0
0.0	Q5_ps		-0.028	1.049	0.171	-0.0	-0.0
0.0	INVSLU	Max	13.985	3.241	-34.797	0.0	0.0
0.0		Min	6.809	-0.317	-83.244	-0.0	0.0
0.0	INVSLE	Max	10.198	2.260	-26.425	0.0	0.0


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0		Min	4.886	-0.142	-62.304	-0.0	0.0
3181	C1-C2;~1	Max	4.455	0.293	9.731	0.0	0.0
0.0		Min	-0.625	-0.200	-26.162	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.671	0.245	10.197	0.0	0.0
0.0		Min	-0.625	-0.241	-24.929	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.571	0.176	5.581	0.0	0.0
0.0		Min	-0.383	-0.102	-15.075	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.654	0.144	5.756	0.0	0.0
0.0		Min	-0.382	-0.123	-14.294	-0.0	-0.0
-0.0							
-0.0	G1		4.369	-0.128	-15.508	-0.0	0.0
-0.0	G2		1.709	-0.077	-6.258	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.028	1.135	0.058	-0.0	-0.0
0.0	Q5_ps		-0.024	1.057	0.176	-0.0	-0.0
0.0							
0.0	INVSLU	Max	13.816	3.360	-36.469	0.0	0.0
0.0		Min	6.616	-0.216	-85.659	-0.0	0.0
0.0							
0.0	INVSLE	Max	10.065	2.352	-27.691	0.0	0.0
0.0		Min	4.735	-0.061	-64.120	-0.0	0.0
0.0							
3182	C1-C2;~1	Max	4.270	0.263	5.784	0.0	0.0
0.0		Min	-0.898	-0.719	-18.893	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.488	0.218	6.080	0.0	0.0
0.0		Min	-0.901	-0.741	-19.323	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.464	0.143	3.316	0.0	0.0
0.0		Min	-0.516	-0.405	-10.811	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.550	0.118	3.433	0.0	0.0
0.0		Min	-0.519	-0.416	-11.089	-0.0	-0.0
-0.0							
-0.0	G1		3.772	-0.506	-14.155	-0.0	-0.0

MIDAS

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-0.0	G2	1.480	-0.173	-5.778	-0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc	-0.132	0.999	0.020	0.0	-0.0
-0.0	Q5_ps	-0.118	0.951	-0.017	0.0	-0.0
0.0	INVSLU Max	5.949	4.908	-43.393	-0.0	-0.0
-0.0	Min	-1.564	1.300	-77.723	-0.0	-0.0
0.0	INVSLE Max	4.008	3.679	-33.046	-0.0	-0.0
-0.0	Min	-1.539	1.218	-58.473	-0.0	-0.0
3183 0.0	C1-C2;~1 Max	4.268	0.277	5.568	0.0	0.0
-0.0	Min	-0.908	-0.748	-18.311	-0.0	-0.0
0.0	C3-C4;~1 Max	4.485	0.230	5.853	0.0	0.0
-0.0	Min	-0.910	-0.768	-18.727	-0.0	-0.0
0.0	C1-C2;~2 Max	2.462	0.151	3.192	0.0	0.0
-0.0	Min	-0.521	-0.421	-10.474	-0.0	-0.0
0.0	C3-C4;~2 Max	2.548	0.125	3.304	0.0	0.0
-0.0	Min	-0.523	-0.431	-10.742	-0.0	-0.0
-0.0	G1	3.756	-0.516	-13.778	-0.0	-0.0
-0.0	G2	1.474	-0.173	-5.623	-0.0	-0.0
0.0	Q3	0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc	-0.139	0.983	0.021	0.0	-0.0
-0.0	Q5_ps	-0.124	0.937	-0.015	0.0	-0.0
0.0	INVSLU Max	5.651	4.976	-42.447	-0.0	-0.0
-0.0	Min	-1.884	1.378	-75.667	-0.0	-0.0
0.0	INVSLE Max	3.777	3.737	-32.329	-0.0	-0.0
-0.0	Min	-1.785	1.281	-56.934	-0.0	-0.0
3184 0.0	C1-C2;~1 Max	4.265	0.291	5.346	0.0	0.0
-0.0	Min	-0.916	-0.773	-17.694	-0.0	-0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	C3-C4;~1	Max	4.482	0.243	5.619	0.0	0.0
		Min	-0.918	-0.793	-18.094	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.460	0.159	3.065	0.0	0.0
		Min	-0.525	-0.435	-10.117	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.546	0.132	3.172	0.0	0.0
		Min	-0.527	-0.445	-10.375	-0.0	-0.0
-0.0							
-0.0	G1		3.740	-0.528	-13.370	-0.0	-0.0
-0.0	G2		1.468	-0.176	-5.456	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.147	0.963	0.021	0.0	-0.0
-0.0	Q5_ps		-0.131	0.920	-0.013	0.0	-0.0
-0.0							
0.0	INVSLU	Max	5.350	5.011	-41.390	0.0	-0.0
		Min	-2.205	1.438	-73.441	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	3.545	3.771	-31.527	0.0	-0.0
		Min	-2.032	1.322	-55.265	-0.0	-0.0
-0.0							
3185	C1-C2;~1	Max	4.262	0.304	5.118	0.0	0.0
0.0		Min	-0.924	-0.796	-17.043	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.479	0.255	5.379	0.0	0.0
		Min	-0.926	-0.816	-17.427	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.459	0.166	2.934	0.0	0.0
		Min	-0.528	-0.449	-9.741	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.545	0.139	3.037	0.0	0.0
		Min	-0.531	-0.459	-9.988	-0.0	-0.0
-0.0							
-0.0	G1		3.724	-0.540	-12.933	-0.0	-0.0
-0.0	G2		1.462	-0.180	-5.278	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.155	0.942	0.021	0.0	-0.0
-0.0	Q5_ps		-0.139	0.899	-0.013	0.0	-0.0
-0.0							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	INVSLE	Max	5.047	5.010	-40.231	0.0	-0.0
-0.0		Min	-2.530	1.470	-71.059	-0.0	-0.0
0.0	INVSLE	Max	3.310	3.776	-30.647	0.0	-0.0
-0.0		Min	-2.282	1.330	-53.479	-0.0	-0.0
3186 0.0	C1-C2;~1	Max	4.259	0.318	4.885	0.0	0.0
-0.0		Min	-0.931	-0.818	-16.364	-0.0	-0.0
0.0	C3-C4;~1	Max	4.476	0.268	5.135	0.0	0.0
-0.0		Min	-0.934	-0.838	-16.733	-0.0	-0.0
0.0	C1-C2;~2	Max	2.457	0.174	2.801	0.0	0.0
-0.0		Min	-0.532	-0.462	-9.349	-0.0	-0.0
0.0	C3-C4;~2	Max	2.543	0.146	2.899	0.0	0.0
-0.0		Min	-0.535	-0.471	-9.586	-0.0	-0.0
-0.0	G1		3.708	-0.552	-12.468	-0.0	-0.0
-0.0	G2		1.455	-0.185	-5.088	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.164	0.918	0.021	0.0	-0.0
-0.0	Q5_ps		-0.147	0.876	-0.012	0.0	-0.0
-0.0	INVSLE	Max	4.745	4.971	-38.970	0.0	-0.0
-0.0		Min	-2.854	1.466	-68.528	-0.0	-0.0
-0.0	INVSLE	Max	3.076	3.753	-29.689	0.0	-0.0
-0.0		Min	-2.531	1.315	-51.581	-0.0	-0.0
3187 0.0	C1-C2;~1	Max	4.255	0.331	4.648	0.0	0.0
-0.0		Min	-0.938	-0.838	-15.656	-0.0	-0.0
0.0	C3-C4;~1	Max	4.473	0.280	4.885	0.0	0.0
-0.0		Min	-0.942	-0.858	-16.009	-0.0	-0.0
0.0	C1-C2;~2	Max	2.455	0.182	2.665	0.0	0.0
-0.0		Min	-0.535	-0.474	-8.941	-0.0	-0.0

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	C3-C4;~2	Max	2.541	0.154	2.758	0.0	0.0
-0.0		Min	-0.538	-0.484	-9.168	-0.0	-0.0
-0.0	G1		3.693	-0.564	-11.976	-0.0	-0.0
-0.0	G2		1.449	-0.192	-4.888	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.173	0.892	0.020	0.0	-0.0
-0.0	Q5_ps		-0.156	0.850	-0.013	0.0	-0.0
-0.0	INVS LU	Max	4.441	4.895	-37.597	-0.0	-0.0
-0.0		Min	-3.179	1.414	-65.840	-0.0	-0.0
-0.0	INVS LE	Max	2.841	3.701	-28.645	-0.0	-0.0
-0.0		Min	-2.781	1.276	-49.564	-0.0	-0.0
3188 0.0	C1-C2;~1	Max	4.252	0.345	4.405	0.0	0.0
-0.0		Min	-0.944	-0.855	-14.917	-0.0	-0.0
0.0	C3-C4;~1	Max	4.469	0.293	4.630	0.0	0.0
-0.0		Min	-0.949	-0.876	-15.255	-0.0	-0.0
0.0	C1-C2;~2	Max	2.453	0.189	2.526	0.0	0.0
-0.0		Min	-0.538	-0.485	-8.516	-0.0	-0.0
0.0	C3-C4;~2	Max	2.539	0.161	2.614	0.0	0.0
-0.0		Min	-0.541	-0.495	-8.732	-0.0	-0.0
-0.0	G1		3.677	-0.577	-11.457	-0.0	-0.0
-0.0	G2		1.442	-0.201	-4.677	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.182	0.862	0.018	0.0	-0.0
-0.0	Q5_ps		-0.165	0.820	-0.014	0.0	-0.0
-0.0	INVS LU	Max	4.137	4.785	-36.112	-0.0	-0.0
-0.0		Min	-3.505	1.341	-62.990	-0.0	-0.0
-0.0	INVS LE	Max	2.604	3.623	-27.516	-0.0	-0.0
-0.0		Min	-3.032	1.220	-47.424	-0.0	-0.0

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

3189	C1-C2;~1	Max	3.419	0.586	3.778	0.0	0.0
0.0		Min	-0.549	-0.415	-5.519	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.558	0.547	3.729	0.0	0.0
0.0		Min	-0.543	-0.388	-5.827	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.988	0.318	2.157	0.0	0.0
0.0		Min	-0.313	-0.261	-3.119	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.038	0.297	2.127	0.0	0.0
0.0		Min	-0.309	-0.235	-3.292	-0.0	-0.0
-0.0							
	G1		3.002	0.433	-2.158	0.0	-0.0
-0.0							
	G2		1.174	0.185	-0.795	0.0	-0.0
0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc		-0.044	0.712	0.012	0.0	-0.0
-0.0							
	Q5_ps		-0.040	0.676	-0.023	0.0	-0.0
-0.0							
	INVSLU	Max	7.631	2.044	-0.026	0.0	-0.0
0.0		Min	2.008	-0.768	-13.013	-0.0	-0.0
-0.0							
	INVSLE	Max	5.486	1.448	-0.068	0.0	-0.0
0.0		Min	1.326	-0.503	-9.687	-0.0	-0.0
-0.0							
3190	C1-C2;~1	Max	3.430	0.596	3.276	0.0	0.0
0.0		Min	-0.513	-0.503	-4.738	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	3.570	0.553	3.231	0.0	0.0
0.0		Min	-0.507	-0.473	-5.006	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	1.995	0.323	1.870	0.0	0.0
0.0		Min	-0.292	-0.324	-2.675	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.045	0.299	1.844	0.0	0.0
0.0		Min	-0.289	-0.294	-2.826	-0.0	-0.0
-0.0							
	G1		3.055	0.430	-1.833	0.0	-0.0
-0.0							
	G2		1.195	0.187	-0.674	0.0	-0.0
0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.041	0.701	0.018	0.0	-0.0
-0.0	Q5_ps		-0.037	0.667	-0.013	0.0	-0.0
0.0	INVS LU	Max	7.844	2.023	0.167	0.0	-0.0
-0.0		Min	2.259	-0.852	-11.047	-0.0	-0.0
0.0	INVS LE	Max	5.647	1.441	0.085	0.0	-0.0
-0.0		Min	1.516	-0.567	-8.219	-0.0	-0.0
3191 0.0	C1-C2;~1	Max	3.444	0.603	2.758	0.0	0.0
-0.0		Min	-0.477	-0.552	-3.962	-0.0	-0.0
0.0	C3-C4;~1	Max	3.585	0.557	2.716	0.0	0.0
-0.0		Min	-0.470	-0.521	-4.191	-0.0	-0.0
0.0	C1-C2;~2	Max	2.003	0.327	1.575	0.0	0.0
-0.0		Min	-0.272	-0.358	-2.235	-0.0	-0.0
0.0	C3-C4;~2	Max	2.054	0.301	1.550	0.0	0.0
-0.0		Min	-0.268	-0.329	-2.363	-0.0	-0.0
-0.0	G1		3.114	0.426	-1.533	0.0	-0.0
-0.0	G2		1.219	0.188	-0.563	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.037	0.688	0.024	0.0	-0.0
-0.0	Q5_ps		-0.033	0.656	-0.004	0.0	-0.0
0.0	INVS LU	Max	8.077	2.003	0.254	0.0	0.0
-0.0		Min	2.527	-0.898	-9.169	-0.0	-0.0
0.0	INVS LE	Max	5.823	1.429	0.158	0.0	0.0
-0.0		Min	1.716	-0.602	-6.818	-0.0	-0.0
3192 0.0	C1-C2;~1	Max	3.462	0.605	2.222	0.0	0.0
-0.0		Min	-0.441	-0.561	-3.194	-0.0	-0.0
0.0	C3-C4;~1	Max	3.604	0.556	2.183	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	-0.433	-0.530	-3.384	-0.0	-0.0
0.0	C1-C2;~2	Max	2.013	0.328	1.270	0.0	0.0
-0.0		Min	-0.251	-0.365	-1.799	-0.0	-0.0
0.0	C3-C4;~2	Max	2.065	0.300	1.246	0.0	0.0
-0.0		Min	-0.246	-0.335	-1.906	-0.0	-0.0
-0.0	G1		3.178	0.421	-1.262	0.0	-0.0
-0.0	G2		1.244	0.186	-0.464	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.032	0.674	0.029	0.0	-0.0
-0.0	Q5_ps		-0.028	0.642	0.005	0.0	-0.0
0.0	INVSLU	Max	8.329	1.979	0.226	0.0	0.0
-0.0		Min	2.810	-0.900	-7.395	-0.0	-0.0
0.0	INVSLE	Max	6.013	1.412	0.145	0.0	0.0
-0.0		Min	1.929	-0.604	-5.497	-0.0	-0.0
3193	C1-C2;~1	Max	3.482	0.603	1.669	0.0	0.0
0.0		Min	-0.405	-0.520	-2.439	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.627	0.553	1.631	0.0	0.0
-0.0		Min	-0.396	-0.489	-2.591	-0.0	-0.0
0.0	C1-C2;~2	Max	2.025	0.327	0.954	0.0	0.0
-0.0		Min	-0.231	-0.336	-1.372	-0.0	-0.0
0.0	C3-C4;~2	Max	2.078	0.298	0.932	0.0	0.0
-0.0		Min	-0.225	-0.306	-1.457	-0.0	-0.0
-0.0	G1		3.247	0.414	-1.026	0.0	-0.0
-0.0	G2		1.271	0.181	-0.379	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.028	0.658	0.035	0.0	-0.0
-0.0	Q5_ps		-0.024	0.625	0.013	0.0	-0.0
0.0	INVSLU	Max	8.601	1.951	0.066	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	3.109	-0.847	-5.749	-0.0	-0.0
0.0	INVSLE	Max	6.218	1.392	0.032	0.0	0.0
-0.0		Min	2.154	-0.566	-4.270	-0.0	-0.0
3194	C1-C2;~1	Max	3.505	0.596	1.097	0.0	0.0
0.0		Min	-0.369	-0.443	-1.704	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.652	0.545	1.059	0.0	0.0
-0.0		Min	-0.358	-0.414	-1.821	-0.0	-0.0
0.0	C1-C2;~2	Max	2.038	0.324	0.628	0.0	0.0
-0.0		Min	-0.210	-0.283	-0.955	-0.0	-0.0
0.0	C3-C4;~2	Max	2.092	0.295	0.605	0.0	0.0
-0.0		Min	-0.204	-0.254	-1.021	-0.0	-0.0
-0.0	G1		3.322	0.406	-0.837	-0.0	-0.0
-0.0	G2		1.301	0.174	-0.312	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.023	0.641	0.041	0.0	-0.0
-0.0	Q5_ps		-0.019	0.607	0.022	0.0	-0.0
0.0	INVSLE	Max	8.893	1.921	-0.252	0.0	0.0
-0.0		Min	3.424	-0.752	-4.265	-0.0	-0.0
0.0	INVSLE	Max	6.439	1.372	-0.199	0.0	0.0
-0.0		Min	2.390	-0.498	-3.166	-0.0	-0.0
3195	C1-C2;~1	Max	3.531	0.586	0.508	0.0	0.0
0.0		Min	-0.335	-0.310	-0.999	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.682	0.535	0.469	0.0	0.0
-0.0		Min	-0.321	-0.292	-1.087	-0.0	-0.0
0.0	C1-C2;~2	Max	2.052	0.320	0.292	0.0	0.0
-0.0		Min	-0.191	-0.187	-0.554	-0.0	-0.0
0.0	C3-C4;~2	Max	2.108	0.290	0.268	0.0	0.0

MIDAS


PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0		Min	-0.182	-0.167	-0.604	-0.0	-0.0
-0.0	G1		3.402	0.396	-0.706	0.0	-0.0
-0.0	G2		1.332	0.165	-0.268	0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.017	0.626	0.049	0.0	-0.0
-0.0	Q5_ps		-0.013	0.589	0.032	0.0	-0.0
-0.0	INVSLU	Max	9.203	1.896	-0.748	0.0	0.0
0.0		Min	3.750	-0.595	-2.988	-0.0	-0.0
-0.0	INVSLE	Max	6.672	1.355	-0.565	0.0	0.0
0.0		Min	2.635	-0.383	-2.218	-0.0	-0.0
-0.0							
3196	C1-C2;~1	Max	4.499	0.264	9.386	0.0	0.0
0.0		Min	-0.770	-0.374	-29.041	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.718	0.269	9.841	0.0	0.0
0.0		Min	-0.771	-0.411	-27.661	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.595	0.168	5.382	0.0	0.0
0.0		Min	-0.460	-0.207	-16.804	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.680	0.162	5.555	0.0	0.0
0.0		Min	-0.461	-0.226	-15.925	-0.0	-0.0
-0.0							
-0.0	G1		4.216	-0.290	-18.370	-0.0	0.0
-0.0	G2		1.647	-0.141	-7.413	-0.0	0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.012	1.139	0.081	-0.0	0.0
-0.0	Q5_ps		0.014	1.063	0.207	-0.0	0.0
-0.0							
	INVSLU	Max	11.425	4.255	-49.694	0.0	0.0
0.0		Min	3.993	0.533	-102.331	-0.0	0.0
-0.0							
	INVSLE	Max	8.205	3.046	-37.701	0.0	0.0
0.0		Min	2.701	0.525	-76.680	-0.0	0.0
-0.0							


MIDAS

PROJECT TITLE :

	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
3197	C1-C2;~1	Max	4.502	0.303	9.285	0.0	0.0
0.0		Min	-0.783	-0.396	-29.084	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.721	0.309	9.735	0.0	0.0
0.0		Min	-0.785	-0.432	-27.695	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.597	0.194	5.324	0.0	0.0
0.0		Min	-0.467	-0.220	-16.833	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.682	0.189	5.495	0.0	0.0
0.0		Min	-0.468	-0.239	-15.948	-0.0	-0.0
-0.0							
	G1		4.199	-0.303	-18.495	-0.0	0.0
-0.0							
	G2		1.640	-0.149	-7.463	-0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							
	Q5_pc		0.015	1.132	0.082	-0.0	0.0
-0.0							
	Q5_ps		0.018	1.055	0.208	-0.0	0.0
-0.0							
	INVSLU	Max	11.128	4.350	-50.546	0.0	0.0
0.0		Min	3.667	0.600	-103.100	-0.0	0.0
-0.0							
	INVSLE	Max	7.974	3.117	-38.347	0.0	0.0
0.0		Min	2.449	0.574	-77.265	-0.0	0.0
-0.0							
3198	C1-C2;~1	Max	4.504	0.326	9.173	0.0	0.0
0.0		Min	-0.797	-0.417	-29.067	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.724	0.331	9.618	0.0	0.0
0.0		Min	-0.798	-0.452	-27.681	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.598	0.208	5.260	0.0	0.0
0.0		Min	-0.473	-0.233	-16.825	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.683	0.204	5.429	0.0	0.0
0.0		Min	-0.475	-0.251	-15.942	-0.0	-0.0
-0.0							
	G1		4.181	-0.317	-18.586	-0.0	0.0
-0.0							
	G2		1.632	-0.156	-7.499	-0.0	0.0
-0.0							
	Q3		0.000	0.000	0.000	0.0	0.0
0.0							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0	Q5_pc		0.019	1.125	0.083	-0.0	0.0
-0.0	Q5_ps		0.021	1.048	0.209	-0.0	0.0
0.0	INVSLU	Max	10.823	4.435	-51.291	0.0	0.0
-0.0		Min	3.334	0.670	-103.665	-0.0	0.0
0.0	INVSLE	Max	7.738	3.182	-38.911	0.0	0.0
-0.0		Min	2.193	0.627	-77.695	-0.0	0.0
3199 0.0	C1-C2;~1	Max	4.506	0.338	9.050	0.0	0.0
-0.0		Min	-0.811	-0.439	-28.991	-0.0	-0.0
0.0	C3-C4;~1	Max	4.727	0.343	9.489	0.0	0.0
-0.0		Min	-0.812	-0.473	-27.619	-0.0	-0.0
0.0	C1-C2;~2	Max	2.599	0.216	5.189	0.0	0.0
-0.0		Min	-0.480	-0.246	-16.781	-0.0	-0.0
0.0	C3-C4;~2	Max	2.685	0.211	5.357	0.0	0.0
-0.0		Min	-0.482	-0.263	-15.908	-0.0	-0.0
-0.0	G1		4.164	-0.332	-18.643	-0.0	0.0
-0.0	G2		1.625	-0.163	-7.522	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		0.022	1.117	0.083	-0.0	0.0
-0.0	Q5_ps		0.024	1.041	0.209	-0.0	0.0
0.0	INVSLU	Max	10.511	4.499	-51.924	0.0	0.0
-0.0		Min	2.995	0.730	-104.022	-0.0	0.0
0.0	INVSLE	Max	7.497	3.233	-39.391	0.0	0.0
-0.0		Min	1.932	0.673	-77.970	-0.0	0.0
3200 0.0	C1-C2;~1	Max	4.508	0.341	8.916	0.0	0.0
-0.0		Min	-0.824	-0.460	-28.859	-0.0	-0.0
0.0	C3-C4;~1	Max	4.729	0.347	9.349	0.0	0.0
-0.0		Min	-0.825	-0.494	-27.500	-0.0	-0.0

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	


0.0	C1-C2;~2	Max	2.600	0.217	5.113	0.0	0.0
-0.0		Min	-0.486	-0.258	-16.704	-0.0	-0.0
0.0	C3-C4;~2	Max	2.686	0.213	5.278	0.0	0.0
-0.0		Min	-0.488	-0.275	-15.839	-0.0	-0.0
-0.0	G1		4.146	-0.347	-18.665	-0.0	0.0
-0.0	G2		1.618	-0.168	-7.531	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		0.025	1.109	0.083	-0.0	0.0
-0.0	Q5_ps		0.027	1.033	0.208	-0.0	0.0
0.0	INVSLU	Max	10.191	4.538	-52.446	0.0	0.0
-0.0		Min	2.648	0.775	-104.178	-0.0	-0.0
0.0	INVSLE	Max	7.250	3.267	-39.785	0.0	0.0
-0.0		Min	1.666	0.709	-78.094	-0.0	-0.0
3201	C1-C2;~1	Max	4.510	0.332	8.772	0.0	0.0
0.0		Min	-0.838	-0.480	-28.673	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.731	0.340	9.199	0.0	0.0
-0.0		Min	-0.839	-0.514	-27.323	-0.0	-0.0
0.0	C1-C2;~2	Max	2.601	0.210	5.030	0.0	0.0
-0.0		Min	-0.493	-0.271	-16.594	-0.0	-0.0
0.0	C3-C4;~2	Max	2.687	0.208	5.192	0.0	0.0
-0.0		Min	-0.495	-0.287	-15.736	-0.0	-0.0
-0.0	G1		4.127	-0.362	-18.652	-0.0	0.0
-0.0	G2		1.611	-0.172	-7.526	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		0.028	1.100	0.083	-0.0	0.0
-0.0	Q5_ps		0.030	1.025	0.207	-0.0	0.0
0.0	INVSLU	Max	9.865	4.557	-52.852	0.0	0.0
-0.0		Min	2.295	0.811	-104.128	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	


0.0	INVSLE	Max	6.998	3.286	-40.092	0.0	0.0
-0.0		Min	1.395	0.739	-78.064	-0.0	-0.0
3202 0.0	C1-C2;~1	Max	4.512	0.304	8.618	0.0	0.0
-0.0		Min	-0.852	-0.500	-28.425	-0.0	-0.0
0.0	C3-C4;~1	Max	4.733	0.317	9.038	0.0	0.0
-0.0		Min	-0.853	-0.534	-27.084	-0.0	-0.0
0.0	C1-C2;~2	Max	2.602	0.192	4.942	0.0	0.0
-0.0		Min	-0.500	-0.283	-16.446	-0.0	-0.0
0.0	C3-C4;~2	Max	2.688	0.191	5.101	0.0	0.0
-0.0		Min	-0.502	-0.299	-15.593	-0.0	-0.0
-0.0	G1		4.108	-0.379	-18.603	-0.0	-0.0
-0.0	G2		1.603	-0.175	-7.508	-0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		0.031	1.090	0.082	-0.0	0.0
-0.0	Q5_ps		0.033	1.017	0.205	-0.0	0.0
0.0	INVSLU	Max	9.536	4.565	-53.136	0.0	0.0
-0.0		Min	1.938	0.852	-103.858	-0.0	-0.0
0.0	INVSLE	Max	6.745	3.298	-40.307	0.0	0.0
-0.0		Min	1.121	0.774	-77.868	-0.0	-0.0
3203 0.0	C1-C2;~1	Max	3.816	0.538	4.222	0.0	0.0
-0.0		Min	-0.182	-0.518	-6.997	-0.0	-0.0
0.0	C3-C4;~1	Max	3.997	0.468	4.436	0.0	0.0
-0.0		Min	-0.167	-0.502	-7.203	-0.0	-0.0
0.0	C1-C2;~2	Max	2.210	0.294	2.422	0.0	0.0
-0.0		Min	-0.113	-0.329	-3.951	-0.0	-0.0
0.0	C3-C4;~2	Max	2.280	0.252	2.508	0.0	0.0
		Min	-0.104	-0.313	-4.080	-0.0	-0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0	G1	4.043	0.270	-3.206	-0.0	0.0	
-0.0	G2	1.586	0.123	-1.321	0.0	0.0	
-0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	0.033	0.812	0.062	0.0	0.0	
0.0	Q5_ps	0.038	0.769	0.038	0.0	0.0	
0.0	INVS LU	Max	11.979	2.576	-2.245	0.0	0.0
-0.0		Min	6.278	-0.571	-18.071	-0.0	0.0
0.0	INVS LE	Max	8.760	1.821	-1.752	0.0	0.0
-0.0		Min	4.541	-0.339	-13.467	-0.0	0.0
3204	C1-C2;~1	Max	3.843	0.534	4.643	0.0	0.0
0.0		Min	-0.185	-0.635	-7.798	-0.0	-0.0
-0.0	C3-C4;~1	Max	4.026	0.461	4.877	0.0	0.0
0.0		Min	-0.173	-0.599	-8.023	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.225	0.291	2.663	0.0	0.0
0.0		Min	-0.116	-0.412	-4.406	-0.0	-0.0
-0.0	C3-C4;~2	Max	2.296	0.248	2.757	0.0	0.0
0.0		Min	-0.109	-0.382	-4.547	-0.0	-0.0
-0.0	G1	4.081	0.252	-3.624	-0.0	0.0	
-0.0	G2	1.602	0.120	-1.492	0.0	0.0	
-0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	0.036	0.844	0.061	0.0	0.0	
0.0	Q5_ps	0.041	0.802	0.037	0.0	0.0	
0.0	INVS LU	Max	12.181	2.665	-2.860	0.0	0.0
-0.0		Min	6.431	-0.690	-20.384	-0.0	0.0
0.0	INVS LE	Max	8.912	1.883	-2.223	0.0	0.0
-0.0		Min	4.657	-0.424	-15.196	-0.0	0.0
3205	C1-C2;~1	Max	3.868	0.528	5.045	0.0	0.0
0.0							


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0		Min	-0.196	-0.717	-8.596	-0.0	-0.0
0.0	C3-C4;~1	Max	4.053	0.453	5.299	0.0	0.0
-0.0		Min	-0.180	-0.669	-8.841	-0.0	-0.0
0.0	C1-C2;~2	Max	2.239	0.288	2.893	0.0	0.0
-0.0		Min	-0.124	-0.470	-4.860	-0.0	-0.0
0.0	C3-C4;~2	Max	2.311	0.243	2.995	0.0	0.0
-0.0		Min	-0.114	-0.431	-5.014	-0.0	-0.0
-0.0	G1		4.115	0.234	-4.059	-0.0	0.0
-0.0	G2		1.615	0.117	-1.671	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.038	0.875	0.060	0.0	0.0
0.0	Q5_ps		0.043	0.833	0.034	0.0	0.0
0.0	INVS LU	Max	12.366	2.745	-3.563	0.0	0.0
-0.0		Min	6.561	-0.778	-22.759	-0.0	0.0
0.0	INVS LE	Max	9.052	1.940	-2.762	0.0	0.0
-0.0		Min	4.757	-0.485	-16.973	-0.0	0.0
3206	C1-C2;~1	Max	3.892	0.520	5.425	0.0	0.0
0.0		Min	-0.207	-0.778	-9.380	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.079	0.444	5.698	0.0	0.0
-0.0		Min	-0.187	-0.720	-9.641	-0.0	-0.0
0.0	C1-C2;~2	Max	2.252	0.283	3.111	0.0	0.0
-0.0		Min	-0.132	-0.513	-5.306	-0.0	-0.0
0.0	C3-C4;~2	Max	2.324	0.238	3.220	0.0	0.0
-0.0		Min	-0.119	-0.468	-5.470	-0.0	-0.0
-0.0	G1		4.143	0.217	-4.501	-0.0	0.0
-0.0	G2		1.627	0.113	-1.853	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.040	0.904	0.056	0.0	0.0

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	Q5_ps		0.045	0.862	0.029	0.0	0.0
0.0	INVSLU	Max	12.531	2.816	-4.361	0.0	0.0
-0.0		Min	6.674	-0.843	-25.169	-0.0	0.0
0.0	INVSLE	Max	9.176	1.990	-3.373	0.0	0.0
-0.0		Min	4.843	-0.530	-18.778	-0.0	0.0
3207	C1-C2;~1	Max	3.938	0.506	5.792	0.0	0.0
0.0		Min	-0.227	-0.778	-10.191	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.129	0.430	6.083	0.0	0.0
-0.0		Min	-0.211	-0.719	-10.475	-0.0	-0.0
0.0	C1-C2;~2	Max	2.277	0.276	3.321	0.0	0.0
-0.0		Min	-0.145	-0.513	-5.768	-0.0	-0.0
0.0	C3-C4;~2	Max	2.352	0.231	3.437	0.0	0.0
-0.0		Min	-0.135	-0.467	-5.948	-0.0	-0.0
-0.0	G1		4.195	0.199	-4.985	-0.0	0.0
-0.0	G2		1.647	0.106	-2.052	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.040	0.928	0.056	0.0	0.0
0.0	Q5_ps		0.045	0.885	0.028	0.0	0.0
0.0	INVSLU	Max	12.843	2.866	-5.265	0.0	0.0
-0.0		Min	6.891	-0.854	-27.720	-0.0	0.0
0.0	INVSLE	Max	9.411	2.025	-4.062	0.0	0.0
-0.0		Min	5.008	-0.534	-20.688	-0.0	0.0
3208	C1-C2;~1	Max	3.980	0.488	6.128	0.0	0.0
0.0		Min	-0.248	-0.718	-10.986	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.174	0.414	6.436	0.0	0.0
-0.0		Min	-0.234	-0.657	-11.291	-0.0	-0.0
0.0	C1-C2;~2	Max	2.301	0.266	3.514	0.0	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0		Min	-0.159	-0.471	-6.222	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.376	0.222	3.637	0.0	0.0
-0.0		Min	-0.150	-0.423	-6.415	-0.0	-0.0
0.0	G1		4.235	0.182	-5.482	-0.0	0.0
-0.0	G2		1.663	0.095	-2.256	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.040	0.947	0.055	0.0	0.0
0.0	Q5_ps		0.045	0.900	0.025	0.0	0.0
0.0	INVSLU	Max	13.117	2.900	-6.308	0.0	0.0
-0.0		Min	7.076	-0.797	-30.340	-0.0	0.0
0.0	INVSLE	Max	9.618	2.050	-4.858	0.0	0.0
-0.0		Min	5.149	-0.489	-22.652	-0.0	0.0
3209	C1-C2;~1	Max	4.019	0.465	6.439	0.0	0.0
0.0		Min	-0.269	-0.584	-11.769	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.216	0.394	6.764	0.0	0.0
-0.0		Min	-0.257	-0.542	-12.094	-0.0	-0.0
0.0	C1-C2;~2	Max	2.323	0.255	3.692	0.0	0.0
-0.0		Min	-0.173	-0.376	-6.669	-0.0	-0.0
0.0	C3-C4;~2	Max	2.400	0.212	3.822	0.0	0.0
-0.0		Min	-0.164	-0.342	-6.875	-0.0	-0.0
0.0	G1		4.265	0.165	-5.994	-0.0	0.0
-0.0	G2		1.675	0.082	-2.465	0.0	0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.039	0.960	0.055	0.0	0.0
0.0	Q5_ps		0.044	0.909	0.023	0.0	0.0
0.0	INVSLU	Max	13.360	2.925	-7.464	0.0	0.0
-0.0		Min	7.235	-0.655	-33.021	-0.0	0.0
0.0	INVSLE	Max	9.802	2.069	-5.739	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0		Min	5.270	-0.381	-24.662	-0.0	0.0
-0.0							
3210	C1-C2;~1	Max	3.801	0.548	9.399	0.0	0.0
0.0		Min	-1.354	-0.112	-24.591	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.001	0.582	9.252	0.0	0.0
0.0		Min	-1.330	-0.142	-24.834	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.183	0.322	5.360	0.0	0.0
0.0		Min	-0.772	-0.060	-14.304	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.263	0.344	5.270	0.0	0.0
0.0		Min	-0.757	-0.078	-14.172	-0.0	-0.0
-0.0							
0.0	G1		2.786	0.292	-14.636	-0.0	-0.0
0.0	G2		1.078	0.091	-5.595	-0.0	-0.0
-0.0							
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.031	0.986	0.061	-0.0	0.0
0.0	Q5_ps		-0.024	0.926	0.119	-0.0	0.0
-0.0							
0.0	INVSLU	Max	8.968	1.827	-36.668	0.0	-0.0
0.0		Min	1.684	-1.520	-82.990	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	6.579	1.195	-28.007	0.0	-0.0
0.0		Min	1.187	-1.078	-62.312	-0.0	-0.0
-0.0							
3211	C1-C2;~1	Max	3.863	0.304	9.186	0.0	0.0
0.0		Min	-1.341	-0.172	-22.764	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.057	0.358	9.069	0.0	0.0
0.0		Min	-1.328	-0.173	-24.007	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.220	0.169	5.238	0.0	0.0
0.0		Min	-0.765	-0.102	-13.081	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.295	0.199	5.167	0.0	0.0
0.0		Min	-0.757	-0.099	-13.804	-0.0	-0.0
-0.0							
0.0	G1		2.837	0.273	-14.649	0.0	-0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	G2	1.097	0.125	-5.637	0.0	-0.0	
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	0.005	1.033	-0.104	0.0	-0.0	
0.0	Q5_ps	0.009	0.993	-0.208	0.0	-0.0	
0.0	INVS LU	Max	9.077	2.243	-37.627	0.0	-0.0
0.0		Min	1.780	-1.141	-82.626	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	6.659	1.592	-28.728	0.0	-0.0
0.0		Min	1.254	-0.695	-62.046	-0.0	-0.0
-0.0							
3212	C1-C2;~1	Max	3.737	0.609	9.613	0.0	0.0
0.0		Min	-1.333	-0.118	-24.167	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.937	0.645	9.461	0.0	0.0
0.0		Min	-1.309	-0.153	-24.410	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.145	0.361	5.482	0.0	0.0
0.0		Min	-0.760	-0.063	-14.046	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.226	0.384	5.389	0.0	0.0
0.0		Min	-0.745	-0.084	-13.921	-0.0	-0.0
-0.0							
0.0	G1	2.744	0.308	-14.024	-0.0	-0.0	
0.0	G2	1.061	0.093	-5.350	-0.0	-0.0	
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	-0.020	0.988	0.049	-0.0	0.0	
0.0	Q5_ps	-0.013	0.926	0.107	-0.0	0.0	
-0.0							
0.0	INVS LU	Max	8.086	1.759	-33.480	0.0	-0.0
0.0		Min	0.935	-1.650	-79.497	-0.0	-0.0
-0.0							
0.0	INVS LE	Max	5.897	1.138	-25.593	0.0	-0.0
0.0		Min	0.603	-1.182	-59.673	-0.0	-0.0
-0.0							
3213	C1-C2;~1	Max	3.718	0.604	9.658	0.0	0.0
0.0		Min	-1.326	-0.119	-23.935	-0.0	-0.0
-0.0							

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	C3-C4;~1	Max	3.919	0.640	9.505	0.0	0.0
-0.0		Min	-1.302	-0.155	-24.173	-0.0	-0.0
0.0	C1-C2;~2	Max	2.136	0.358	5.508	0.0	0.0
-0.0		Min	-0.756	-0.063	-13.906	-0.0	-0.0
0.0	C3-C4;~2	Max	2.216	0.381	5.414	0.0	0.0
-0.0		Min	-0.741	-0.086	-13.780	-0.0	-0.0
0.0	G1		2.732	0.313	-13.772	-0.0	-0.0
0.0	G2		1.057	0.096	-5.250	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.017	0.988	0.044	-0.0	0.0
-0.0	Q5_ps		-0.010	0.926	0.103	-0.0	0.0
0.0	INVSLU	Max	7.852	1.740	-32.289	0.0	-0.0
-0.0		Min	0.740	-1.667	-78.039	-0.0	-0.0
0.0	INVSLE	Max	5.716	1.123	-24.690	0.0	-0.0
-0.0		Min	0.450	-1.195	-58.573	-0.0	-0.0
3214	C1-C2;~1	Max	3.807	0.319	9.382	0.0	0.0
0.0		Min	-1.319	-0.228	-22.350	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.995	0.370	9.264	0.0	0.0
-0.0		Min	-1.306	-0.201	-23.578	-0.0	-0.0
0.0	C1-C2;~2	Max	2.188	0.178	5.350	0.0	0.0
-0.0		Min	-0.752	-0.139	-12.832	-0.0	-0.0
0.0	C3-C4;~2	Max	2.260	0.204	5.278	0.0	0.0
-0.0		Min	-0.744	-0.116	-13.548	-0.0	-0.0
0.0	G1		2.793	0.290	-14.035	0.0	-0.0
0.0	G2		1.080	0.136	-5.392	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.006	1.045	-0.099	0.0	-0.0
-0.0	Q5_ps		-0.002	1.007	-0.200	0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	INVS LU	Max	8.200	2.389	-34.492	0.0	-0.0
-0.0		Min	1.015	-1.094	-79.167	-0.0	-0.0
0.0	INVS LE	Max	5.980	1.704	-26.353	0.0	-0.0
-0.0		Min	0.659	-0.653	-59.432	-0.0	-0.0
3215 0.0	C1-C2;~1	Max	3.791	0.324	9.422	0.0	0.0
-0.0		Min	-1.311	-0.221	-22.128	-0.0	-0.0
0.0	C3-C4;~1	Max	3.978	0.372	9.303	0.0	0.0
-0.0		Min	-1.299	-0.199	-23.343	-0.0	-0.0
0.0	C1-C2;~2	Max	2.179	0.181	5.373	0.0	0.0
-0.0		Min	-0.748	-0.134	-12.699	-0.0	-0.0
0.0	C3-C4;~2	Max	2.250	0.205	5.301	0.0	0.0
-0.0		Min	-0.740	-0.115	-13.406	-0.0	-0.0
0.0	G1		2.781	0.296	-13.784	0.0	-0.0
0.0	G2		1.075	0.137	-5.293	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.009	1.044	-0.097	0.0	-0.0
-0.0	Q5_ps		-0.005	1.005	-0.199	0.0	-0.0
0.0	INVS LU	Max	7.969	2.404	-33.316	0.0	-0.0
-0.0		Min	0.813	-1.068	-77.723	-0.0	-0.0
0.0	INVS LE	Max	5.801	1.715	-25.461	0.0	-0.0
-0.0		Min	0.501	-0.633	-58.342	-0.0	-0.0
3216 0.0	C1-C2;~1	Max	4.529	1.030	9.448	0.0	0.0
-0.0		Min	-1.053	-1.930	-24.305	-0.0	-0.0
0.0	C3-C4;~1	Max	4.717	1.507	9.300	0.0	0.0
-0.0		Min	-1.035	-1.434	-24.560	-0.0	-0.0
0.0	C1-C2;~2	Max	2.660	0.526	5.388	0.0	0.0
		Min	-0.600	-1.093	-14.122	-0.0	-0.0

MIDAS

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-0.0							
0.0	C3-C4;~2	Max	2.723	0.813	5.297	0.0	0.0
-0.0		Min	-0.589	-0.803	-14.002	-0.0	-0.0
0.0	G1		3.539	0.143	-14.383	0.0	-0.0
0.0	G2		1.378	0.079	-5.492	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.044	1.051	0.062	0.0	0.0
-0.0	Q5_ps		-0.036	1.081	0.120	0.0	0.0
0.0	INVSLU	Max	13.850	3.246	-35.775	0.0	-0.0
0.0		Min	5.983	-3.285	-81.797	-0.0	-0.0
0.0	INVSLE	Max	10.266	2.329	-27.340	0.0	-0.0
0.0		Min	4.444	-2.369	-61.422	-0.0	-0.0
3217	C1-C2;~1	Max	4.667	1.038	9.518	0.0	0.0
0.0		Min	-1.105	-1.918	-24.159	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.860	1.513	9.368	0.0	0.0
-0.0		Min	-1.087	-1.423	-24.406	-0.0	-0.0
0.0	C1-C2;~2	Max	2.739	0.531	5.428	0.0	0.0
-0.0		Min	-0.630	-1.087	-14.033	-0.0	-0.0
0.0	C3-C4;~2	Max	2.803	0.817	5.336	0.0	0.0
-0.0		Min	-0.618	-0.797	-13.910	-0.0	-0.0
0.0	G1		3.638	0.157	-14.178	0.0	-0.0
0.0	G2		1.416	0.084	-5.411	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.041	1.050	0.057	0.0	0.0
-0.0	Q5_ps		-0.033	1.080	0.115	0.0	0.0
0.0	INVSLU	Max	14.207	3.284	-34.701	0.0	-0.0
0.0		Min	6.081	-3.237	-80.601	-0.0	-0.0
0.0	INVSLE	Max	10.528	2.357	-26.526	0.0	-0.0
0.0		Min	4.514	-2.334	-60.518	-0.0	-0.0

MIDAS


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0


3218	C1-C2;~1	Max	4.508	1.366	9.230	0.0	0.0
0.0		Min	-1.057	-1.655	-22.530	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.741	1.863	9.113	0.0	0.0
0.0		Min	-1.047	-1.102	-23.735	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.637	0.730	5.264	0.0	0.0
0.0		Min	-0.602	-0.937	-12.937	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.731	1.020	5.192	0.0	0.0
0.0		Min	-0.596	-0.604	-13.633	-0.0	-0.0
-0.0							
0.0	G1		3.588	0.469	-14.397	-0.0	-0.0
0.0	G2		1.396	0.189	-5.534	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.004	1.036	-0.105	-0.0	0.0
-0.0	Q5_ps		0.009	1.060	-0.206	-0.0	0.0
-0.0							
0.0	INVSLU	Max	13.861	4.389	-36.755	0.0	-0.0
0.0		Min	6.026	-2.226	-81.446	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	10.274	3.179	-28.076	0.0	-0.0
0.0		Min	4.471	-1.583	-61.166	-0.0	-0.0
-0.0							
3219	C1-C2;~1	Max	4.641	1.367	9.294	0.0	0.0
0.0		Min	-1.109	-1.647	-22.381	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	4.880	1.863	9.176	0.0	0.0
0.0		Min	-1.098	-1.098	-23.579	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.712	0.730	5.300	0.0	0.0
0.0		Min	-0.632	-0.932	-12.847	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.809	1.020	5.228	0.0	0.0
0.0		Min	-0.625	-0.602	-13.539	-0.0	-0.0
-0.0							
0.0	G1		3.686	0.471	-14.191	-0.0	-0.0
0.0	G2		1.434	0.190	-5.453	-0.0	-0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	Q3	0.000	0.000	0.000	0.0	0.0	
0.0	Q5_pc	0.002	1.035	-0.104	-0.0	-0.0	
-0.0	Q5_ps	0.007	1.059	-0.206	-0.0	-0.0	
-0.0	INVS LU	Max	14.212	4.382	-35.697	0.0	-0.0
0.0		Min	6.124	-2.220	-80.264	-0.0	-0.0
-0.0	INVS LE	Max	10.532	3.173	-27.274	0.0	-0.0
0.0		Min	4.542	-1.579	-60.272	-0.0	-0.0
-0.0							
3220	C1-C2;~1	Max	5.057	1.053	9.656	0.0	0.0
0.0		Min	-1.268	-1.870	-23.514	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	5.266	1.516	9.503	0.0	0.0
0.0		Min	-1.247	-1.385	-23.751	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.958	0.542	5.507	0.0	0.0
0.0		Min	-0.722	-1.060	-13.646	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	3.029	0.820	5.413	0.0	0.0
0.0		Min	-0.710	-0.775	-13.524	-0.0	-0.0
-0.0							
	G1		3.909	0.196	-13.439	0.0	-0.0
0.0	G2		1.520	0.099	-5.118	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.032	1.038	0.043	0.0	0.0
-0.0	Q5_ps		-0.026	1.067	0.101	0.0	0.0
-0.0							
	INVS LU	Max	15.177	3.375	-31.121	0.0	-0.0
0.0		Min	6.298	-3.065	-76.298	-0.0	-0.0
0.0							
	INVS LE	Max	11.241	2.426	-23.810	0.0	-0.0
0.0		Min	4.668	-2.206	-57.269	-0.0	-0.0
0.0							
3221	C1-C2;~1	Max	5.179	1.055	9.676	0.0	0.0
0.0		Min	-1.324	-1.851	-23.227	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	5.394	1.511	9.522	0.0	0.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0		Min	-1.302	-1.371	-23.462	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	3.027	0.544	5.518	0.0	0.0
0.0		Min	-0.754	-1.049	-13.474	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	3.099	0.817	5.423	0.0	0.0
0.0		Min	-0.741	-0.767	-13.355	-0.0	-0.0
-0.0							
0.0	G1		3.991	0.206	-13.148	0.0	-0.0
0.0	G2		1.552	0.103	-5.003	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.029	1.032	0.040	0.0	0.0
-0.0	Q5_ps		-0.023	1.061	0.097	0.0	0.0
-0.0							
0.0	INVSLU	Max	15.466	3.396	-29.824	0.0	-0.0
0.0		Min	6.344	-3.000	-74.631	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	11.453	2.442	-22.826	0.0	-0.0
0.0		Min	4.700	-2.158	-56.011	-0.0	-0.0
-0.0							
3222	C1-C2;~1	Max	5.019	1.355	9.415	0.0	0.0
0.0		Min	-1.268	-1.612	-21.761	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	5.273	1.842	9.297	0.0	0.0
0.0		Min	-1.255	-1.079	-22.930	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.925	0.724	5.369	0.0	0.0
0.0		Min	-0.723	-0.911	-12.478	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	3.028	1.009	5.297	0.0	0.0
0.0		Min	-0.715	-0.592	-13.154	-0.0	-0.0
-0.0							
-0.0	G1		3.954	0.473	-13.451	-0.0	-0.0
-0.0	G2		1.538	0.190	-5.160	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.006	1.023	-0.099	-0.0	-0.0
-0.0	Q5_ps		0.001	1.046	-0.199	-0.0	-0.0
-0.0							
0.0	INVSLU	Max	15.176	4.313	-32.162	0.0	-0.0


MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0		Min	6.335	-2.193	-76.006	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	11.240	3.122	-24.592	0.0	-0.0
0.0		Min	4.692	-1.561	-57.056	-0.0	-0.0
-0.0							
3223	C1-C2;~1	Max	5.137	1.345	9.430	0.0	0.0
0.0		Min	-1.323	-1.602	-21.489	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	5.396	1.827	9.312	0.0	0.0
0.0		Min	-1.309	-1.071	-22.645	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.992	0.719	5.378	0.0	0.0
0.0		Min	-0.754	-0.906	-12.319	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	3.097	1.000	5.306	0.0	0.0
0.0		Min	-0.746	-0.587	-12.986	-0.0	-0.0
-0.0							
-0.0	G1		4.035	0.469	-13.161	-0.0	-0.0
-0.0	G2		1.569	0.189	-5.045	-0.0	-0.0
-0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.009	1.017	-0.096	-0.0	-0.0
-0.0	Q5_ps		-0.001	1.039	-0.195	-0.0	-0.0
-0.0							
0.0	INVSLU	Max	15.466	4.270	-30.879	0.0	-0.0
0.0		Min	6.379	-2.189	-74.354	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	11.453	3.090	-23.619	0.0	-0.0
0.0		Min	4.723	-1.559	-55.809	-0.0	-0.0
-0.0							
3224	C1-C2;~1	Max	3.779	0.583	9.482	0.0	0.0
0.0		Min	-1.347	-0.115	-24.497	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.979	0.619	9.334	0.0	0.0
0.0		Min	-1.323	-0.147	-24.745	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.170	0.345	5.408	0.0	0.0
0.0		Min	-0.768	-0.061	-14.247	-0.0	-0.0
-0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	C3-C4;~2	Max	2.250	0.368	5.316	0.0	0.0
		Min	-0.753	-0.081	-14.120	-0.0	-0.0
-0.0		G1	2.772	0.297	-14.459	-0.0	-0.0
0.0		G2	1.072	0.091	-5.523	-0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0		Q5_pc	-0.027	0.987	0.057	-0.0	0.0
0.0		Q5_ps	-0.020	0.926	0.115	-0.0	0.0
-0.0							
0.0	INVSLU	Max	8.668	1.804	-35.684	0.0	-0.0
		Min	1.428	-1.578	-81.994	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	6.347	1.175	-27.263	0.0	-0.0
		Min	0.988	-1.125	-61.559	-0.0	-0.0
-0.0							
3225	C1-C2;~1	Max	3.758	0.602	9.554	0.0	0.0
0.0		Min	-1.340	-0.117	-24.356	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.958	0.639	9.404	0.0	0.0
		Min	-1.316	-0.150	-24.603	-0.0	-0.0
-0.0							
0.0	C1-C2;~2	Max	2.158	0.357	5.449	0.0	0.0
		Min	-0.764	-0.062	-14.161	-0.0	-0.0
-0.0							
0.0	C3-C4;~2	Max	2.238	0.380	5.356	0.0	0.0
		Min	-0.749	-0.082	-14.036	-0.0	-0.0
-0.0							
0.0		G1	2.758	0.303	-14.254	-0.0	-0.0
0.0		G2	1.067	0.091	-5.441	-0.0	-0.0
0.0		Q3	0.000	0.000	0.000	0.0	0.0
0.0		Q5_pc	-0.024	0.987	0.053	-0.0	0.0
0.0		Q5_ps	-0.017	0.926	0.111	-0.0	0.0
0.0							
0.0	INVSLU	Max	8.374	1.781	-34.617	0.0	-0.0
		Min	1.178	-1.621	-80.823	-0.0	-0.0
-0.0							
0.0	INVSLE	Max	6.120	1.155	-26.454	0.0	-0.0
		Min	0.793	-1.159	-60.674	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

3226	C1-C2;~1	Max	3.844	0.308	9.264	0.0	0.0
0.0		Min	-1.334	-0.207	-22.675	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.037	0.363	9.146	0.0	0.0
0.0		Min	-1.321	-0.190	-23.916	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.209	0.171	5.283	0.0	0.0
0.0		Min	-0.761	-0.125	-13.028	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.283	0.201	5.211	0.0	0.0
0.0		Min	-0.753	-0.110	-13.750	-0.0	-0.0
-0.0							
	G1		2.822	0.279	-14.471	0.0	-0.0
0.0	G2		1.091	0.130	-5.565	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		0.001	1.040	-0.102	0.0	-0.0
0.0	Q5_ps		0.006	1.002	-0.205	0.0	-0.0
0.0							
	INVSLU	Max	8.775	2.313	-36.662	0.0	-0.0
0.0		Min	1.522	-1.133	-81.638	-0.0	-0.0
-0.0							
	INVSLE	Max	6.426	1.645	-27.997	0.0	-0.0
0.0		Min	1.054	-0.684	-61.299	-0.0	-0.0
-0.0							
3227	C1-C2;~1	Max	3.826	0.314	9.329	0.0	0.0
0.0		Min	-1.327	-0.225	-22.536	-0.0	-0.0
-0.0							
	C3-C4;~1	Max	4.016	0.367	9.211	0.0	0.0
0.0		Min	-1.314	-0.199	-23.771	-0.0	-0.0
-0.0							
	C1-C2;~2	Max	2.198	0.175	5.320	0.0	0.0
0.0		Min	-0.756	-0.137	-12.944	-0.0	-0.0
-0.0							
	C3-C4;~2	Max	2.272	0.203	5.248	0.0	0.0
0.0		Min	-0.749	-0.115	-13.664	-0.0	-0.0
-0.0							
	G1		2.808	0.285	-14.266	0.0	-0.0
0.0	G2		1.086	0.133	-5.484	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0						
	Q5_pc	-0.002	1.044	-0.100	0.0	-0.0
0.0						
	Q5_ps	0.002	1.006	-0.202	0.0	-0.0
0.0						
	INVSLU	Max	8.484	2.360	-35.613	0.0
0.0		Min	1.267	-1.117	-80.478	-0.0
-0.0						
	INVSLE	Max	6.201	1.682	-27.202	0.0
0.0		Min	0.855	-0.670	-60.423	-0.0
-0.0						
3228	C1-C2;~1	Max	3.701	0.590	9.690	0.0
0.0		Min	-1.319	-0.120	-23.662	-0.0
-0.0						
	C3-C4;~1	Max	3.901	0.626	9.536	0.0
0.0		Min	-1.295	-0.158	-23.892	-0.0
-0.0						
	C1-C2;~2	Max	2.126	0.347	5.526	0.0
0.0		Min	-0.752	-0.063	-13.740	-0.0
-0.0						
	C3-C4;~2	Max	2.206	0.370	5.432	0.0
0.0		Min	-0.737	-0.087	-13.612	-0.0
-0.0						
	G1		2.721	0.318	-13.498	-0.0
0.0						
	G2		1.053	0.099	-5.143	-0.0
0.0						
	Q3		0.000	0.000	0.000	0.0
0.0						
	Q5_pc		-0.014	0.987	0.039	-0.0
-0.0						
	Q5_ps		-0.008	0.925	0.097	-0.0
-0.0						
	INVSLU	Max	7.623	1.722	-31.036	0.0
0.0		Min	0.551	-1.671	-76.441	-0.0
-0.0						
	INVSLE	Max	5.538	1.111	-23.739	0.0
0.0		Min	0.301	-1.197	-57.367	-0.0
-0.0						
3229	C1-C2;~1	Max	3.685	0.560	9.709	0.0
0.0		Min	-1.312	-0.120	-23.350	-0.0
-0.0						
	C3-C4;~1	Max	3.883	0.595	9.555	0.0
0.0		Min	-1.288	-0.159	-23.564	-0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-0.0							
0.0	C1-C2;~2	Max	2.117	0.327	5.537	0.0	0.0
-0.0		Min	-0.748	-0.063	-13.553	-0.0	-0.0
0.0	C3-C4;~2	Max	2.196	0.349	5.442	0.0	0.0
-0.0		Min	-0.733	-0.088	-13.417	-0.0	-0.0
0.0	G1		2.710	0.323	-13.202	-0.0	-0.0
0.0	G2		1.048	0.103	-5.027	-0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0	Q5_pc		-0.011	0.987	0.034	-0.0	0.0
-0.0	Q5_ps		-0.005	0.926	0.092	-0.0	0.0
0.0	INVSLU	Max	7.402	1.705	-29.724	0.0	-0.0
-0.0		Min	0.369	-1.662	-74.704	-0.0	-0.0
0.0	INVSLE	Max	5.366	1.100	-22.742	0.0	-0.0
-0.0		Min	0.158	-1.189	-56.056	-0.0	-0.0
3230	C1-C2;~1	Max	3.775	0.329	9.448	0.0	0.0
0.0		Min	-1.304	-0.202	-21.870	-0.0	-0.0
-0.0	C3-C4;~1	Max	3.960	0.375	9.330	0.0	0.0
0.0		Min	-1.292	-0.192	-23.064	-0.0	-0.0
-0.0	C1-C2;~2	Max	2.169	0.183	5.388	0.0	0.0
0.0		Min	-0.743	-0.121	-12.546	-0.0	-0.0
-0.0	C3-C4;~2	Max	2.240	0.207	5.316	0.0	0.0
0.0		Min	-0.736	-0.109	-13.238	-0.0	-0.0
-0.0	G1		2.769	0.302	-13.510	0.0	-0.0
0.0	G2		1.071	0.138	-5.185	0.0	-0.0
0.0	Q3		0.000	0.000	0.000	0.0	0.0
0.0	Q5_pc		-0.012	1.040	-0.096	0.0	-0.0
-0.0	Q5_ps		-0.008	1.000	-0.197	0.0	-0.0
-0.0	INVSLU	Max	7.744	2.406	-32.076	0.0	-0.0
0.0		Min	0.616	-1.036	-76.142	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

-0.0							
0.0	INVSLE	Max	5.626	1.715	-24.520	0.0	-0.0
-0.0		Min	0.347	-0.612	-57.148	-0.0	-0.0
3231	C1-C2;~1	Max	3.759	0.333	9.462	0.0	0.0
0.0		Min	-1.296	-0.169	-21.571	-0.0	-0.0
-0.0							
0.0	C3-C4;~1	Max	3.943	0.376	9.344	0.0	0.0
-0.0		Min	-1.284	-0.177	-22.741	-0.0	-0.0
0.0							
0.0	C1-C2;~2	Max	2.160	0.186	5.396	0.0	0.0
-0.0		Min	-0.739	-0.098	-12.367	-0.0	-0.0
0.0							
0.0	C3-C4;~2	Max	2.230	0.207	5.324	0.0	0.0
-0.0		Min	-0.732	-0.100	-13.044	-0.0	-0.0
0.0							
0.0	G1		2.757	0.308	-13.214	0.0	-0.0
-0.0							
0.0	G2		1.066	0.138	-5.069	0.0	-0.0
-0.0							
0.0	Q3		0.000	0.000	0.000	0.0	0.0
-0.0							
0.0	Q5_pc		-0.015	1.033	-0.096	0.0	-0.0
-0.0							
0.0	Q5_ps		-0.011	0.991	-0.197	0.0	-0.0
-0.0							
0.0	INVSLE	Max	7.526	2.389	-30.775	0.0	-0.0
-0.0		Min	0.427	-1.000	-74.422	-0.0	-0.0
0.0							
0.0	INVSLE	Max	5.456	1.702	-23.532	0.0	-0.0
-0.0		Min	0.199	-0.588	-55.850	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


BEAM ELEMENT FORCES & MOMENTS DEFAULT PRINTOUT.
kN , mm

Unit System :

ELEM MENT-y	MAT MOMENT-z	SEC	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MO
9	2	80	C1-C2;~1	Max	I	12.8	0.0	0.1	1.8
0.0	0.0			J	12.8	0.0	0.1	1.8	
97.1	0.1			Min	I	-55.3	-0.0	-0.0	-0.7
0.0	0.0			J	-55.3	-0.0	-0.0	-0.0	-0.7
-243.8	-0.1								
			C3-C4;~1	Max	I	9.6	0.0	0.1	1.3
0.0	0.0			J	9.6	0.0	0.1	1.3	
47.6	0.1			Min	I	-58.8	-0.0	-0.0	-1.1
0.0	0.0			J	-58.8	-0.0	-0.0	-0.0	-1.1
-205.2	-0.1								
			C1-C2;~2	Max	I	7.7	0.0	0.1	1.0
0.0	0.0			J	7.7	0.0	0.1	1.0	
57.4	0.0			Min	I	-33.6	-0.0	-0.0	-0.4
0.0	0.0			J	-33.6	-0.0	-0.0	-0.0	-0.4
-164.1	-0.0								
			C3-C4;~2	Max	I	5.4	0.0	0.1	0.8
0.0	0.0			J	5.4	0.0	0.1	0.8	
24.8	0.0			Min	I	-35.8	-0.0	-0.0	-0.6
0.0	0.0			J	-35.8	-0.0	-0.0	-0.0	-0.6
-134.8	-0.0								
			G1	I	-42.0	0.0	-0.4	0.1	
0.0	0.0			J	-42.0	0.0	0.7	0.1	
-287.5	-0.0								
			G2	I	-17.1	0.0	-0.0	0.0	
0.0	0.0			J	-17.1	0.0	-0.0	0.0	
39.4	-0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	-20.5	-0.0	-0.0	-0.4	
0.0	0.0			J	-20.5	-0.0	-0.0	-0.4	
26.1	0.0								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0	Q5_ps	I	-19.9	-0.0	-0.0	-0.4
37.6	0.0		J	-19.9	-0.0	-0.0	-0.4
0.0	0.0	INVS LU Max	I	-41.7	0.0	-0.4	2.4
-213.9	0.0		J	-41.7	0.0	1.0	2.4
0.0	0.0	Min	I	-179.7	-0.0	-0.7	-2.2
-721.2	-0.2		J	-179.7	-0.0	0.8	-2.2
0.0	0.0	INVS LE Max	I	-33.0	0.0	-0.3	1.8
-147.6	0.0		J	-33.0	0.0	0.8	1.8
0.0	0.0	Min	I	-131.7	-0.0	-0.5	-1.6
-519.9	-0.1		J	-131.7	-0.0	0.6	-1.6
10	2	80 C1-C2;~1 Max	I	7.8	0.0	0.0	1.5
97.1	0.1		J	7.8	0.0	0.0	1.5
0.0	0.0	Min	I	-66.8	-0.0	-0.1	-1.0
-243.8	-0.1		J	-66.8	-0.0	-0.1	-1.0
0.0	0.0	C3-C4;~1 Max	I	8.7	0.0	0.0	1.0
47.6	0.1		J	8.7	0.0	0.0	1.0
0.0	0.0	Min	I	-57.0	-0.0	-0.1	-1.4
-205.2	-0.1		J	-57.0	-0.0	-0.1	-1.4
0.0	0.0	C1-C2;~2 Max	I	4.2	0.0	0.0	0.8
57.4	0.0		J	4.2	0.0	0.0	0.8
0.0	0.0	Min	I	-42.4	-0.0	-0.1	-0.5
-164.1	-0.0		J	-42.4	-0.0	-0.1	-0.5
0.0	0.0	C3-C4;~2 Max	I	5.1	0.0	0.0	0.6
24.8	0.0		J	5.1	0.0	0.0	0.6
0.0	0.0	Min	I	-34.8	-0.0	-0.1	-0.8
-134.8	-0.0		J	-34.8	-0.0	-0.1	-0.8
0.0	0.0	G1	I	-38.2	0.0	-0.7	-0.3
-287.5	0.0		J	-38.2	0.0	0.4	-0.3
0.0	0.0	G2	I	-15.7	0.0	0.0	-0.1
39.4	0.0						

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	-15.7	0.0	0.0	-0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
26.1	-0.0	Q5_pc	I	9.2	-0.0	0.0	-0.4
0.0	0.0		J	9.2	-0.0	0.0	-0.4
37.6	-0.0	Q5_ps	I	8.5	-0.0	0.0	-0.4
0.0	0.0		J	8.5	-0.0	0.0	-0.4
-213.9	0.2	INVS LU Max	I	-61.6	0.0	-0.8	2.1
0.0	0.0		J	-61.6	0.0	0.7	2.1
-721.2	-0.0	Min	I	-180.1	-0.0	-1.0	-2.4
0.0	0.0		J	-180.1	-0.0	0.4	-2.4
-147.6	0.1	INVS LE Max	I	-46.5	0.0	-0.6	1.6
0.0	0.0		J	-46.5	0.0	0.5	1.6
-519.9	-0.0	Min	I	-133.1	-0.0	-0.8	-1.8
0.0	0.0		J	-133.1	-0.0	0.3	-1.8
13	2	79 C1-C2;~1 Max	I	65.3	0.0	0.0	0.4
0.0	0.0		J	65.3	0.0	0.0	0.4
0.0	0.0	Min	I	-18.4	-0.0	-0.0	-0.2
0.0	0.0		J	-18.4	-0.0	-0.0	-0.2
0.0	0.0	C3-C4;~1 Max	I	59.6	0.0	0.0	0.3
0.0	0.0		J	59.6	0.0	0.0	0.3
0.0	0.0	Min	I	-10.4	-0.0	-0.0	-0.3
0.0	0.0		J	-10.4	-0.0	-0.0	-0.3
0.0	0.0	C1-C2;~2 Max	I	44.1	0.0	0.0	0.2
0.0	0.0		J	44.1	0.0	0.0	0.2
0.0	0.0	Min	I	-10.8	-0.0	-0.0	-0.1
0.0	0.0		J	-10.8	-0.0	-0.0	-0.1
0.0	0.0	C3-C4;~2 Max	I	39.8	0.0	0.0	0.2
0.0	0.0		J	39.8	0.0	0.0	0.2

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


0.0	0.0		Min	I	-5.8	-0.0	-0.0	-0.2
0.0	0.0			J	-5.8	-0.0	-0.0	-0.2
0.0	0.0		G1	I	-2.1	-0.0	-0.7	-0.0
0.0	0.0			J	-2.1	0.0	0.7	-0.0
0.0	0.0		G2	I	-7.0	-0.0	0.0	-0.0
0.0	0.0			J	-7.0	0.0	-0.0	-0.0
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc	I	-6.3	0.0	0.0	-0.1
0.0	0.0			J	-6.3	0.0	0.0	-0.1
0.0	0.0		Q5_ps	I	-9.0	0.0	-0.0	-0.1
0.0	0.0			J	-9.0	0.0	-0.0	-0.1
0.0	0.0		INVSLU Max	I	57.6	-0.0	-0.9	0.5
0.0	0.0			J	57.6	0.0	0.9	0.5
0.0	0.0		Min	I	-66.7	-0.0	-0.9	-0.6
0.0	0.0			J	-66.7	0.0	0.9	-0.6
0.0	0.0		INVSLE Max	I	36.4	-0.0	-0.7	0.4
0.0	0.0			J	36.4	0.0	0.7	0.4
0.0	0.0		Min	I	-54.8	-0.0	-0.7	-0.4
0.0	0.0			J	-54.8	0.0	0.7	-0.4
15	2	74	C1-C2;~1 Max	I	37.3	0.0	0.0	0.4
0.0	0.0			J	37.3	0.0	0.0	0.4
0.0	0.0		Min	I	-24.4	0.0	-0.0	-0.1
0.0	0.0			J	-24.4	0.0	0.0	-0.1
0.0	0.0		C3-C4;~1 Max	I	27.8	0.0	0.0	0.4
0.0	0.0			J	27.8	0.0	0.0	0.4
0.0	0.0		Min	I	-29.6	0.0	-0.0	-0.1
0.0	0.0			J	-29.6	0.0	0.0	-0.1
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


0.0	0.0	C1-C2;~2	Max	I	24.5	0.0	0.0	0.2
				J	24.5	0.0	0.0	0.2
0.0	0.0		Min	I	-14.5	0.0	-0.0	-0.1
0.0	0.0			J	-14.5	0.0	0.0	-0.1
0.0	0.0							
0.0	0.0	C3-C4;~2	Max	I	18.0	0.0	0.0	0.3
				J	18.0	0.0	0.0	0.3
0.0	0.0		Min	I	-19.2	0.0	-0.0	-0.0
0.0	0.0			J	-19.2	0.0	0.0	-0.0
0.0	0.0							
0.0	0.0		G1	I	-1.0	0.0	-0.5	0.3
				J	-0.2	0.0	0.5	0.3
0.0	0.0							
0.0	0.0		G2	I	-0.9	0.0	0.0	0.1
				J	-0.9	0.0	0.0	0.1
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Q5_pc	I	-19.6	0.0	-0.0	0.0
				J	-19.6	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Q5_ps	I	-18.7	0.0	-0.0	0.0
				J	-18.7	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		INVSLU	Max	I	69.9	0.0	-0.6
				J	70.9	0.0	0.6	0.4
0.0	0.0		Min	I	-55.7	0.0	-0.6	-0.4
0.0	0.0			J	-54.7	0.0	0.6	-0.4
0.0	0.0							
0.0	0.0		INVSLE	Max	I	50.6	0.0	-0.5
				J	51.4	0.0	0.5	0.3
0.0	0.0		Min	I	-39.8	0.0	-0.5	-0.3
0.0	0.0			J	-39.0	0.0	0.5	-0.3
0.0	0.0							
16	2	74	C1-C2;~1	Max	I	24.5	0.0	0.0
0.0	0.0			J	24.5	0.0	0.0	0.1
0.0	0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0	Min	I	-37.3	0.0	-0.0	-0.4
			J	-37.3	0.0	0.0	-0.4
0.0	0.0	C3-C4;~1 Max	I	29.7	0.0	0.0	0.1
			J	29.7	0.0	0.0	0.1
0.0	0.0	Min	I	-27.6	0.0	-0.0	-0.4
			J	-27.6	0.0	0.0	-0.4
0.0	0.0	C1-C2;~2 Max	I	14.6	0.0	0.0	0.0
			J	14.6	0.0	0.0	0.0
0.0	0.0	Min	I	-24.6	0.0	-0.0	-0.2
			J	-24.6	0.0	0.0	-0.2
0.0	0.0	C3-C4;~2 Max	I	19.3	0.0	0.0	0.0
			J	19.3	0.0	0.0	0.0
0.0	0.0	Min	I	-17.9	0.0	-0.0	-0.2
			J	-17.9	0.0	0.0	-0.2
0.0	0.0	G1	I	4.1	0.0	-0.5	-0.3
			J	4.9	0.0	0.5	-0.3
0.0	0.0	G2	I	0.9	0.0	0.0	-0.1
			J	0.9	0.0	0.0	-0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	19.6	0.0	0.0	0.0
			J	19.6	0.0	0.0	0.0
0.0	0.0	Q5_ps	I	18.7	0.0	0.0	0.0
			J	18.7	0.0	0.0	0.0
0.0	0.0	INVSLU Max	I	60.1	0.0	-0.6	0.1
			J	61.1	0.0	0.6	0.1
0.0	0.0	Min	I	-65.7	0.0	-0.6	-0.6
			J	-64.6	0.0	0.6	-0.6


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
			INVSLE Max	I	43.0	0.0	-0.5	0.1
0.0	0.0			J	43.8	0.0	0.5	0.1
0.0	0.0		Min	I	-47.6	0.0	-0.5	-0.4
0.0	0.0			J	-46.8	0.0	0.5	-0.4
0.0	0.0							
23	2	80	C1-C2;~1 Max	I	19.1	0.0	0.1	1.8
0.0	0.0			J	19.1	0.0	0.1	1.8
110.1	0.1		Min	I	-109.1	-0.0	-0.0	-0.8
0.0	0.0			J	-109.1	-0.0	-0.0	-0.8
-279.6	-0.1							
			C3-C4;~1 Max	I	18.8	0.0	0.1	1.3
0.0	0.0			J	18.8	0.0	0.1	1.3
54.4	0.1		Min	I	-123.8	-0.0	-0.0	-1.2
0.0	0.0			J	-123.8	-0.0	-0.0	-1.2
-234.9	-0.1							
			C1-C2;~2 Max	I	10.8	0.0	0.1	1.0
0.0	0.0			J	10.8	0.0	0.1	1.0
62.9	0.1		Min	I	-64.3	-0.0	-0.0	-0.4
0.0	0.0			J	-64.3	-0.0	-0.0	-0.4
-185.0	-0.0							
			C3-C4;~2 Max	I	10.7	0.0	0.1	0.8
0.0	0.0			J	10.7	0.0	0.1	0.8
26.7	0.1		Min	I	-73.7	-0.0	-0.0	-0.6
0.0	0.0			J	-73.7	-0.0	-0.0	-0.6
-150.8	-0.1							
			G1	I	-86.2	-0.0	-0.4	0.1
0.0	0.0			J	-86.2	-0.0	0.7	0.1
-272.5	0.0							
			G2	I	-34.4	-0.0	-0.0	0.0
0.0	0.0			J	-34.4	-0.0	-0.0	0.0
47.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-12.6	-0.0	-0.0	-0.2
0.0	0.0			J	-12.6	-0.0	-0.0	-0.2
30.1	0.0							
			Q5_ps	I	-12.9	-0.0	-0.0	-0.2


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0			J	-12.9	-0.0	-0.0	-0.2
43.9	0.0							
			INVS LU Max	I	-122.2	0.0	-0.3	2.3
0.0	0.0			J	-122.2	0.0	1.2	2.3
-407.5	0.1		Min	I	-337.8	-0.0	-0.6	-2.0
0.0	0.0			J	-337.8	-0.0	0.9	-2.0
-987.8	-0.2							
			INVS LE Max	I	-90.3	0.0	-0.2	1.7
0.0	0.0			J	-90.3	0.0	0.9	1.7
-295.9	0.1		Min	I	-248.4	-0.0	-0.4	-1.5
0.0	0.0			J	-248.4	-0.0	0.7	-1.5
-721.7	-0.1							
24	2	80	C1-C2;~1 Max	I	17.8	0.0	0.0	1.5
110.1	0.1			J	17.8	0.0	0.0	1.5
0.0	0.0		Min	I	-140.2	-0.0	-0.1	-0.9
-279.6	-0.1			J	-140.2	-0.0	-0.1	-0.9
0.0	0.0							
			C3-C4;~1 Max	I	17.5	0.0	0.0	1.1
54.4	0.1			J	17.5	0.0	0.0	1.1
0.0	0.0		Min	I	-122.4	-0.0	-0.1	-1.4
-234.9	-0.1			J	-122.4	-0.0	-0.1	-1.4
0.0	0.0							
			C1-C2;~2 Max	I	10.1	0.0	0.0	0.9
62.9	0.0			J	10.1	0.0	0.0	0.9
0.0	0.0		Min	I	-86.7	-0.0	-0.1	-0.5
-185.0	-0.1			J	-86.7	-0.0	-0.1	-0.5
0.0	0.0							
			C3-C4;~2 Max	I	9.9	0.0	0.0	0.6
26.7	0.1			J	9.9	0.0	0.0	0.6
0.0	0.0		Min	I	-72.9	-0.0	-0.1	-0.8
-150.8	-0.1			J	-72.9	-0.0	-0.1	-0.8
0.0	0.0							
			G1	I	-82.8	-0.0	-0.7	-0.1
-272.5	-0.0			J	-82.8	-0.0	0.4	-0.1
0.0	0.0							
			G2	I	-32.9	-0.0	0.0	-0.1
47.0	-0.0			J	-32.9	-0.0	0.0	-0.1

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0						
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc	I	13.0	-0.0	0.0
30.1	-0.0			J	13.0	-0.0	-0.2
0.0	0.0						
			Q5_ps	I	12.4	-0.0	0.0
43.9	-0.0			J	12.4	-0.0	-0.2
0.0	0.0						
			INVS LU Max	I	-122.3	0.0	-0.9
-407.5	0.2			J	-122.3	0.0	2.1
0.0	0.0		Min	I	-359.0	-0.0	-1.2
-987.8	-0.1			J	-359.0	-0.0	-2.2
0.0	0.0						
			INVS LE Max	I	-90.6	0.0	-0.7
-295.9	0.1			J	-90.6	0.0	1.5
0.0	0.0		Min	I	-264.3	-0.0	-0.9
-721.7	-0.1			J	-264.3	-0.0	-1.6
0.0	0.0						
25	2	79	C1-C2;~1 Max	I	76.6	0.0	0.0
0.0	0.0			J	76.6	0.0	0.4
0.0	0.0		Min	I	-12.8	-0.0	-0.2
0.0	0.0			J	-12.8	-0.0	-0.2
0.0	0.0						
			C3-C4;~1 Max	I	71.0	0.0	0.0
0.0	0.0			J	71.0	0.0	0.3
0.0	0.0		Min	I	-6.7	-0.0	-0.3
0.0	0.0			J	-6.7	-0.0	-0.3
0.0	0.0						
			C1-C2;~2 Max	I	51.0	0.0	0.0
0.0	0.0			J	51.0	0.0	0.2
0.0	0.0		Min	I	-6.2	-0.0	-0.1
0.0	0.0			J	-6.2	-0.0	-0.1
0.0	0.0						
			C3-C4;~2 Max	I	46.6	0.0	0.0
0.0	0.0			J	46.6	0.0	0.2
0.0	0.0						


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0	Min	I	-2.9	-0.0	-0.0	-0.2
0.0	0.0		J	-2.9	-0.0	-0.0	-0.2
0.0	0.0	G1	I	-1.6	-0.0	-0.7	-0.0
0.0	0.0		J	-1.6	0.0	0.7	-0.0
0.0	0.0	G2	I	-7.2	-0.0	0.0	-0.0
0.0	0.0		J	-7.2	0.0	-0.0	-0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-7.3	0.0	-0.0	-0.0
0.0	0.0		J	-7.3	0.0	-0.0	-0.0
0.0	0.0	Q5_ps	I	-10.5	0.0	-0.0	-0.0
0.0	0.0		J	-10.5	0.0	-0.0	-0.0
0.0	0.0	INVS LU Max	I	128.2	-0.0	-0.9	0.5
0.0	0.0		J	128.2	0.0	0.9	0.5
0.0	0.0	Min	I	-5.9	-0.0	-0.9	-0.5
0.0	0.0		J	-5.9	0.0	0.9	-0.5
0.0	0.0	INVS LE Max	I	89.3	-0.0	-0.7	0.4
0.0	0.0		J	89.3	0.0	0.7	0.4
0.0	0.0	Min	I	-8.9	-0.0	-0.7	-0.4
0.0	0.0		J	-8.9	0.0	0.7	-0.4
27	2	74 C1-C2;~1 Max	I	63.7	0.0	0.0	0.3
0.0	0.0		J	63.7	0.0	0.0	0.3
0.0	0.0	Min	I	-31.2	0.0	-0.0	-0.1
0.0	0.0		J	-31.2	0.0	0.0	-0.1
0.0	0.0	C3-C4;~1 Max	I	46.6	0.0	0.0	0.3
0.0	0.0		J	46.6	0.0	0.0	0.3
0.0	0.0	Min	I	-49.6	0.0	-0.0	-0.1
0.0	0.0		J	-49.6	0.0	0.0	-0.1

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0	C1-C2;~2 Max	I	41.3	0.0	0.0	0.2
			J	41.3	0.0	0.0	0.2
0.0	0.0	Min	I	-18.8	0.0	-0.0	-0.1
0.0	0.0		J	-18.8	0.0	0.0	-0.1
0.0	0.0	C3-C4;~2 Max	I	29.7	0.0	0.0	0.2
0.0	0.0		J	29.7	0.0	0.0	0.2
0.0	0.0	Min	I	-31.3	0.0	-0.0	-0.1
0.0	0.0		J	-31.3	0.0	0.0	-0.1
0.0	0.0	G1	I	-0.7	0.0	-0.5	0.1
0.0	0.0		J	0.1	0.0	0.5	0.1
0.0	0.0	G2	I	-1.0	0.0	0.0	0.1
0.0	0.0		J	-1.0	0.0	0.0	0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-16.9	0.0	-0.0	0.0
0.0	0.0		J	-16.9	0.0	0.0	0.0
0.0	0.0	Q5_ps	I	-16.7	0.0	-0.0	0.0
0.0	0.0		J	-16.7	0.0	0.0	0.0
0.0	0.0	INVSLU Max	I	102.6	0.0	-0.6	0.3
0.0	0.0		J	103.7	0.0	0.6	0.3
0.0	0.0	Min	I	-80.8	0.0	-0.6	-0.4
0.0	0.0		J	-79.7	0.0	0.6	-0.4
0.0	0.0	INVSLE Max	I	75.0	0.0	-0.5	0.2
0.0	0.0		J	75.8	0.0	0.5	0.2
0.0	0.0	Min	I	-58.6	0.0	-0.5	-0.3
0.0	0.0		J	-57.8	0.0	0.5	-0.3
28	2	74 C1-C2;~1 Max	I	31.5	0.0	0.0	0.1
0.0	0.0		J	31.5	0.0	0.0	0.1
0.0	0.0	Min	I	-63.8	0.0	-0.0	-0.3

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	-63.8	0.0	0.0	-0.3
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	49.7	0.0	0.0	0.1
0.0	0.0		J	49.7	0.0	0.0	0.1
0.0	0.0	Min	I	-46.5	0.0	-0.0	-0.3
0.0	0.0		J	-46.5	0.0	0.0	-0.3
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	19.0	0.0	0.0	0.1
0.0	0.0		J	19.0	0.0	0.0	0.1
0.0	0.0	Min	I	-41.4	0.0	-0.0	-0.2
0.0	0.0		J	-41.4	0.0	0.0	-0.2
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	31.4	0.0	0.0	0.1
0.0	0.0		J	31.4	0.0	0.0	0.1
0.0	0.0	Min	I	-29.7	0.0	-0.0	-0.2
0.0	0.0		J	-29.7	0.0	0.0	-0.2
0.0	0.0						
0.0	0.0	G1	I	3.8	0.0	-0.5	-0.1
0.0	0.0		J	4.6	0.0	0.5	-0.1
0.0	0.0						
0.0	0.0	G2	I	0.9	0.0	0.0	-0.1
0.0	0.0		J	0.9	0.0	0.0	-0.1
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc	I	16.9	0.0	0.0	0.0
0.0	0.0		J	16.9	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_ps	I	16.7	0.0	0.0	0.0
0.0	0.0		J	16.7	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	INVSLU Max	I	85.4	0.0	-0.6	0.1
0.0	0.0		J	86.5	0.0	0.6	0.1
0.0	0.0	Min	I	-98.2	0.0	-0.6	-0.5
0.0	0.0		J	-97.2	0.0	0.6	-0.5
0.0	0.0						
0.0	0.0	INVSLE Max	I	62.0	0.0	-0.5	0.1


MIDAS

PROJECT TITLE :

MIDAS		Company				Client			
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0			J	62.8	0.0	0.5	0.1	
0.0	0.0		Min	I	-71.8	0.0	-0.5	-0.4	
0.0	0.0			J	-71.0	0.0	0.5	-0.4	
0.0	0.0								
35	2	63	C1-C2;~1	Max	I	154.3	1.8	0.6	26.7
198.9	3604.7				J	154.3	1.8	0.6	26.7
1030.4	2797.6		Min	I	-324.2	-4.7	-5.1	-166.8	-
1621.9	-8013.0			J	-324.2	-4.7	-5.1	-166.8	
-124.5	-5744.0								
			C3-C4;~1	Max	I	235.2	2.7	0.6	37.6
202.4	5507.4			J	235.2	2.7	0.6	37.6	
883.5	4217.1		Min	I	-245.2	-3.6	-4.4	-153.5	-
1392.3	-5768.8			J	-245.2	-3.6	-4.4	-153.5	
-125.1	-4131.8								
			C1-C2;~2	Max	I	80.4	0.9	0.3	12.8
107.1	1851.3			J	80.4	0.9	0.3	12.8	
613.1	1440.2		Min	I	-185.9	-2.8	-3.0	-98.7	
-960.0	-4611.3			J	-185.9	-2.8	-3.0	-98.7	
-66.9	-3287.5								
			C3-C4;~2	Max	I	130.4	1.5	0.3	19.0
106.6	3013.1			J	130.4	1.5	0.3	19.0	
511.7	2302.7		Min	I	-138.7	-2.0	-2.5	-89.1	
-801.9	-3230.1			J	-138.7	-2.0	-2.5	-89.1	
-64.9	-2318.2								
			G1	I	-14.6	-0.5	-3.3	-68.6	
-954.6	-202.8			J	-14.6	-0.5	-2.5	-68.6	
530.7	39.1								
			G2	I	-2.6	-0.1	-1.1	-18.7	
-342.7	29.1			J	-2.6	-0.1	-1.1	-18.7	
213.1	71.3								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	-128.0	0.5	-0.6	-17.7	
-204.7	2817.2			J	-128.0	0.5	-0.6	-17.7	
115.9	2582.7								
			Q5_ps	I	-109.5	0.6	-0.5	-11.8	
-165.5	3026.7								

MIDAS

PROJECT TITLE :

		Company		Client			
		Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
91.6	2702.9		J	-109.5	0.6	-0.5	-11.8
1082.3	8925.9	INVS LU Max	I	520.1	2.1	-3.8	-86.5 -
2354.3	7926.6		J	520.1	2.1	-2.7	-86.5
3913.7	-14397.7	Min	I	-465.5	-8.6	-12.7	-394.1 -
585.8	-10169.7		J	-465.5	-8.6	-11.6	-394.1
-803.5	6335.2	INVS LE Max	I	383.0	1.4	-2.8	-68.6
1728.2	5673.0		J	383.0	1.4	-2.0	-68.6
2873.5	-10565.9	Min	I	-330.0	-6.5	-9.3	-294.1 -
433.7	-7387.3		J	-330.0	-6.5	-8.5	-294.1
36	2	63 C1-C2;~1 Max	I	336.2	2.7	0.7	136.4
211.3	4350.1		J	336.2	2.7	0.7	136.4
679.5	3273.1	Min	I	-143.9	-3.1	-3.4	-54.3 -
1067.2	-6681.1		J	-143.9	-3.1	-3.4	-54.3
-130.4	-5147.2						
162.0	6329.3	C3-C4;~1 Max	I	255.3	3.5	0.5	149.4
862.9	4730.8		J	255.3	3.5	0.5	149.4
1350.9	-4611.4	Min	I	-222.8	-2.1	-4.3	-32.5 -
-100.0	-3579.9		J	-222.8	-2.1	-4.3	-32.5
107.3	2263.0	C1-C2;~2 Max	I	192.0	1.5	0.3	80.6
382.0	1720.4		J	192.0	1.5	0.3	80.6
-597.9	-3810.9	Min	I	-75.1	-1.8	-1.9	-30.1
-66.4	-2929.6		J	-75.1	-1.8	-1.9	-30.1
84.3	3461.0	C3-C4;~2 Max	I	143.1	2.0	0.3	86.9
498.1	2594.6		J	143.1	2.0	0.3	86.9
-776.1	-2580.7	Min	I	-124.2	-1.2	-2.5	-17.0
-52.2	-1995.3		J	-124.2	-1.2	-2.5	-17.0
-921.8	1107.3	G1	I	40.7	0.8	-3.2	67.8
519.6	716.5		J	40.7	0.8	-2.4	67.8
-339.2	439.6	G2	I	13.9	0.2	-1.1	19.5
214.4	311.3		J	13.9	0.2	-1.1	19.5

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
131.4	4107.2	Q5_pc	I	97.2	2.7	0.4	3.3	
-68.8	2718.5		J	97.2	2.7	0.4	3.3	
94.4	4200.8	Q5_ps	I	80.8	2.7	0.3	3.1	
-46.4	2823.1		J	80.8	2.7	0.3	3.1	
1194.2	15247.3	INVSLU Max	I	636.3	9.7	-4.2	371.3	-
2130.9	10505.1		J	636.3	9.7	-3.0	371.3	
3539.7	-9709.8	Min	I	-293.3	-4.0	-11.5	90.4	-
666.1	-7723.4		J	-293.3	-4.0	-10.4	90.4	
-885.4	11072.2	INVSLE Max	I	467.3	7.1	-3.1	278.4	
1567.9	7595.3		J	467.3	7.1	-2.2	278.4	
2605.3	-6866.9	Min	I	-208.3	-2.7	-8.5	70.8	-
492.1	-5544.8		J	-208.3	-2.7	-7.6	70.8	
37	2	63 C1-C2;~1 Max	I	589.5	1.5	0.1	13.4	
69.7	6969.0		J	589.5	1.5	0.1	13.4	
58.3	6227.7	Min	I	-77.0	-0.6	-0.1	-82.4	
-23.1	-1974.4		J	-77.0	-0.6	-0.1	-82.4	
-9.3	-1711.3							
77.4	5801.6	C3-C4;~1 Max	I	596.2	1.5	0.1	14.6	
42.6	5177.2		J	596.2	1.5	0.1	14.6	
-27.9	-2857.1	Min	I	-74.7	-0.7	-0.1	-87.9	
-13.5	-2530.9		J	-74.7	-0.7	-0.1	-87.9	
46.6	4322.8	C1-C2;~2 Max	I	354.6	0.9	0.1	6.1	
34.9	3855.1		J	354.6	0.9	0.1	6.1	
-14.1	-1092.6	Min	I	-43.6	-0.4	-0.1	-54.2	
-4.4	-936.8		J	-43.6	-0.4	-0.1	-54.2	
51.8	3503.9	C3-C4;~2 Max	I	362.9	0.9	0.1	7.4	
24.6	3125.0		J	362.9	0.9	0.1	7.4	
		Min	I	-42.3	-0.4	-0.0	-55.3	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-16.2	-1638.0		J	-42.3	-0.4	-0.0	-55.3
-7.0	-1446.2						
		G1	I	430.1	0.2	-0.4	-12.4
-30.3	1328.7		J	430.1	0.2	0.4	-12.4
-14.3	1212.7						
		G2	I	168.6	0.0	-0.0	0.1
-3.2	307.1		J	168.6	0.0	-0.0	0.1
8.6	293.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-49.0	0.7	-0.0	4.7
-24.0	1469.8		J	-49.0	0.7	-0.0	4.7
-5.5	1106.8						
		Q5_ps	I	-42.2	0.6	-0.0	7.0
-24.3	1143.4		J	-42.2	0.6	-0.0	7.0
-6.5	824.3						
		INVS LU Max	I	1967.1	3.8	-0.3	-15.2
164.6	15589.4		J	1967.1	3.8	0.7	-15.2
124.4	13718.0						
		Min	I	970.0	-0.5	-0.8	-161.9
-20.8	-321.4		J	970.0	-0.5	0.3	-161.9
17.6	-98.2						
		INVS LE Max	I	1470.0	2.8	-0.2	-12.8
127.1	11737.0		J	1470.0	2.8	0.6	-12.8
93.8	10331.0						
		Min	I	738.0	-0.2	-0.5	-120.9
-7.0	147.2		J	738.0	-0.2	0.3	-120.9
15.5	244.4						
38	2	63 C1-C2;~1 Max	I	625.6	0.7	0.1	98.6
75.7	2944.6		J	625.6	0.7	0.1	98.6
30.2	2699.9						
		Min	I	-84.2	-1.3	-0.1	-21.1
-32.8	-4794.1		J	-84.2	-1.3	-0.1	-21.1
-19.5	-4163.1						
		C3-C4;~1 Max	I	638.4	0.5	0.1	87.8
80.3	2164.8		J	638.4	0.5	0.1	87.8
43.5	1939.1						
		Min	I	-84.6	-1.4	-0.1	-14.0
-25.0	-5287.4		J	-84.6	-1.4	-0.1	-14.0
-11.9	-4699.2						
		C1-C2;~2 Max	I	374.2	0.4	0.1	64.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
50.4	1713.9			J	374.2	0.4	64.0
16.4	1575.6						
		Min		I	-47.8	-0.8	-11.2
-19.5	-2945.6						
				J	-47.8	-0.8	-11.2
-11.0	-2537.7						
		C3-C4;~2 Max		I	378.2	0.3	55.8
53.3	1274.0						
				J	378.2	0.3	55.8
24.8	1138.2						
		Min		I	-48.1	-0.9	-7.2
-14.7	-3215.3						
				J	-48.1	-0.9	-7.2
-6.3	-2845.2						
		G1		I	456.4	-0.2	13.3
-23.9	-1297.1						
				J	456.4	-0.2	13.3
-13.4	-1183.2						
		G2		I	177.0	-0.0	0.4
-0.6	-346.7						
				J	177.0	-0.0	0.4
9.5	-330.1						
		Q3		I	0.0	0.0	0.0
0.0	0.0						
				J	0.0	0.0	0.0
0.0	0.0						
		Q5_pc		I	33.2	-1.0	-1.1
7.7	-4047.5						
				J	33.2	-1.0	-1.1
8.5	-3525.9						
		Q5_ps		I	28.4	-1.0	-4.2
5.9	-3895.6						
				J	28.4	-1.0	-4.2
10.2	-3406.4						
		INVSLU Max		I	2015.8	0.9	180.8
164.0	3001.8						
				J	2015.8	0.9	180.8
112.6	2662.3						
		Min		I	979.8	-4.0	17.2
-2.6	-15936.1						
				J	979.8	-4.0	17.2
12.1	-14091.6						
		INVSLE Max		I	1505.3	0.4	135.1
127.4	1499.4						
				J	1505.3	0.4	135.1
84.9	1346.6						
		Min		I	742.4	-3.0	14.1
5.1	-11826.0						
				J	742.4	-3.0	14.1
11.6	-10450.1						
		62 C1-C2;~1 Max		I	18.6	17.1	140.5
39	2						
60.6	5864.5						
				J	18.6	17.1	140.5
350.2	3850.3						
		Min		I	-24.3	-54.2	-324.6
-366.3	-29497.4						


MIDAS

PROJECT TITLE :

		Company		Client			
		Author		File Name			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H
-56.4	-5925.7		J	-24.3	-54.2	-1.4	-324.6
158.3	10649.3	C3-C4;~1 Max	I	19.3	22.6	0.6	95.0
489.2	638.6		J	19.3	22.6	0.6	95.0
-475.3	-23143.0	Min	I	-12.9	-38.7	-1.9	-239.1
-143.3	-5264.1		J	-12.9	-38.7	-1.9	-239.1
35.2	3307.6	C1-C2;~2 Max	I	13.0	10.8	0.1	94.7
201.8	2750.8		J	13.0	10.8	0.1	94.7
-211.6	-20149.2	Min	I	-17.9	-37.5	-0.8	-224.5
-32.5	-3811.5		J	-17.9	-37.5	-0.8	-224.5
108.1	6931.7	C3-C4;~2 Max	I	13.4	14.6	0.4	58.2
298.2	305.5		J	13.4	14.6	0.4	58.2
-285.2	-15529.9	Min	I	-9.3	-26.2	-1.1	-162.1
-97.3	-3270.6		J	-9.3	-26.2	-1.1	-162.1
-354.3	-580.9	G1	I	1.6	2.2	-1.6	13.1
274.8	-1730.0		J	1.6	2.2	-0.8	13.1
-126.3	3359.6	G2	I	1.4	8.8	-0.5	33.8
124.0	-1203.3		J	1.4	8.8	-0.5	33.8
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-16.2	6418.2	Q5_pc	I	-1.1	12.8	-0.1	53.2
17.1	-218.1		J	-1.1	12.8	-0.1	53.2
-22.1	8244.6	Q5_ps	I	-0.8	16.9	-0.1	72.2
24.2	-461.6		J	-0.8	16.9	-0.1	72.2
450.8	72503.8	INVSLU Max	I	-562.7	151.9	1.9	410.5
98.3	929.8		J	-562.7	151.9	2.9	410.5
-433.8	5181.2	Min	I	-623.6	22.3	-1.6	-313.1
-786.4	-12660.3		J	-623.6	22.3	-0.5	-313.1
435.6	57174.2	INVSLE Max	I	-466.2	119.5	1.7	311.9

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-7.7	500.9		J	-466.2	119.5	2.5	311.9
		Min	I	-511.2	26.2	-0.8	-217.0
-217.5	8649.6		J	-511.2	26.2	-0.0	-217.0
-660.8	-9536.8						
40	2	62 C1-C2;~1 Max	I	10.7	20.1	0.3	63.5
84.8	8636.8		J	10.7	20.1	0.3	63.5
676.8	15839.1	Min	I	-86.8	-110.0	-2.7	-554.5
-652.8	-39601.6		J	-86.8	-110.0	-2.7	-554.5
-84.5	-1535.2						
		C3-C4;~1 Max	I	10.5	16.5	0.3	53.3
77.7	7294.4		J	10.5	16.5	0.3	53.3
868.2	11783.9	Min	I	-96.5	-93.0	-3.4	-428.1
-830.5	-34961.5		J	-96.5	-93.0	-3.4	-428.1
-79.5	-1357.9						
		C1-C2;~2 Max	I	6.1	11.0	0.2	32.7
45.6	4707.9		J	6.1	11.0	0.2	32.7
410.7	11157.3	Min	I	-52.7	-74.6	-1.6	-380.0
-395.5	-26429.9		J	-52.7	-74.6	-1.6	-380.0
-46.3	-837.7						
		C3-C4;~2 Max	I	6.1	9.0	0.2	24.8
42.7	4026.8		J	6.1	9.0	0.2	24.8
545.4	8190.5	Min	I	-59.0	-62.7	-2.1	-289.6
-520.2	-23289.9		J	-59.0	-62.7	-2.1	-289.6
-44.2	-708.2						
		G1	I	-56.7	1.1	-1.8	2.1
-384.0	564.1		J	-56.7	1.1	-1.1	2.1
349.2	13.9						
		G2	I	-20.8	9.5	-0.5	36.9
-122.9	4134.3		J	-20.8	9.5	-0.5	36.9
135.6	-635.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-6.7	17.5	0.1	73.7
37.8	7226.4		J	-6.7	17.5	0.1	73.7
-33.6	-1517.1						
		Q5_ps	I	-6.1	22.8	0.2	97.8
42.2	9454.8		J	-6.1	22.8	0.2	97.8

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-36.8	-1924.9							
		INVSLE Max	I	-1546.7	128.0	-0.6	422.9	
-19.2	57514.8		J	-1546.7	128.0	0.4	422.9	
1396.0	20210.8							
		Min	I	-1703.5	-85.3	-5.9	-582.9	-
1322.8	-22989.0		J	-1703.5	-85.3	-4.9	-582.9	
49.3	-6555.6							
		INVSLE Max	I	-1224.9	98.4	-0.5	317.0	
-11.1	44489.0		J	-1224.9	98.4	0.3	317.0	
1031.0	14727.7							
		Min	I	-1340.1	-55.8	-4.4	-412.2	
-971.7	-13611.2		J	-1340.1	-55.8	-3.6	-412.2	
37.9	-4784.2							
41	2	62 C1-C2;~1 Max	I	26.9	36.7	0.2	224.5	
62.2	21472.7		J	26.9	36.7	0.2	224.5	
468.2	9769.4							
		Min	I	-10.3	-80.4	-1.8	-187.2	
-477.7	-35043.6		J	-10.3	-80.4	-1.8	-187.2	
-59.9	-866.2							
		C3-C4;~1 Max	I	19.6	38.5	0.4	236.2	
122.7	23116.7		J	19.6	38.5	0.4	236.2	
479.0	5168.8							
		Min	I	-12.6	-22.8	-1.8	-82.0	
-465.4	-11178.9		J	-12.6	-22.8	-1.8	-82.0	
-105.6	-674.3							
		C1-C2;~2 Max	I	19.0	24.9	0.1	151.7	
35.3	14456.5		J	19.0	24.9	0.1	151.7	
281.8	6661.1							
		Min	I	-7.4	-57.0	-1.1	-123.1	
-286.5	-24747.3		J	-7.4	-57.0	-1.1	-123.1	
-35.1	-550.1							
		C3-C4;~2 Max	I	13.6	25.7	0.3	158.0	
80.5	15271.8		J	13.6	25.7	0.3	158.0	
291.6	3211.6							
		Min	I	-9.0	-15.3	-1.1	-51.6	
-278.5	-7572.8		J	-9.0	-15.3	-1.1	-51.6	
-68.3	-352.3							
		G1	I	1.8	-1.8	-1.6	-11.1	
-350.4	819.0		J	1.8	-1.8	-0.8	-11.1	
270.8	1735.3							
		G2	I	1.5	-8.6	-0.5	-32.0	
-122.9	-3222.4		J	1.5	-8.6	-0.5	-32.0	
120.6	1197.2							

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc	I	2.7	3.8	0.1
27.3	1901.5			J	2.7	3.8	0.1
-24.2	-48.6						
			Q5_ps	I	2.6	2.8	0.1
29.5	1341.8			J	2.6	2.8	0.1
-26.4	-87.1						
			INVS LU Max	I	-552.2	-51.9	1.7
414.2	-18971.2			J	-552.2	-51.9	2.8
87.8	16753.6		Min	I	-610.3	-219.2	-1.5
-445.4	-100910.2			J	-610.3	-219.2	-0.5
-744.9	2308.2						
			INVS LE Max	I	-458.5	-47.5	1.6
407.6	-18576.6			J	-458.5	-47.5	2.4
-15.8	12578.0		Min	I	-501.2	-170.9	-0.8
-225.5	-79018.7			J	-501.2	-170.9	0.0
-629.4	1884.2						
		62	C1-C2;~1 Max	I	11.3	88.7	0.4
42	2			J	11.3	88.7	0.4
96.8	33557.9		Min	I	-101.6	-34.3	-2.9
751.4	3401.4			J	-101.6	-34.3	-2.9
-723.0	-15792.7						
-97.1	-10978.0						
			C3-C4;~1 Max	I	10.9	93.7	0.4
91.3	35518.3			J	10.9	93.7	0.4
875.8	1183.8		Min	I	-99.6	-15.0	-3.4
-838.1	-6696.6			J	-99.6	-15.0	-3.4
-92.6	-11580.4						
			C1-C2;~2 Max	I	6.6	59.1	0.2
52.6	22130.0			J	6.6	59.1	0.2
460.5	2117.6		Min	I	-63.2	-20.8	-1.8
-442.3	-9756.2			J	-63.2	-20.8	-1.8
-53.4	-7581.0						
			C3-C4;~2 Max	I	6.3	62.3	0.2
50.0	23310.8			J	6.3	62.3	0.2
545.8	629.9		Min	I	-60.6	-8.5	-2.1
-520.4	-3842.0						

MIDAS

PROJECT TITLE :


MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-51.2	-7957.6		J	-60.6	-8.5	-2.1	-20.7
		G1	I	-58.1	0.3	-1.9	3.1
-392.7	42.4		J	-58.1	0.3	-1.1	3.1
357.0	-89.9						
		G2	I	-21.1	-8.8	-0.5	-33.4
-123.6	-3832.1		J	-21.1	-8.8	-0.5	-33.4
135.9	590.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	9.5	0.7	-0.0	-0.1
-10.8	157.2		J	9.5	0.7	-0.0	-0.1
9.2	-202.7						
		Q5_ps	I	9.9	-2.0	0.0	-10.2
1.2	-971.0		J	9.9	-2.0	0.0	-10.2
-2.1	10.3						
		INVS LU Max	I	-1541.4	48.5	-0.6	357.0
-24.5	11511.4		J	-1541.4	48.5	0.4	357.0
1375.5	7534.1	Min	I	-1711.0	-125.6	-5.9	-409.4
1306.2	-58041.4		J	-1711.0	-125.6	-4.9	-409.4
45.4	-13056.2						
		INVS LE Max	I	-1221.1	29.7	-0.5	249.7
-12.5	5554.5		J	-1221.1	29.7	0.3	249.7
1016.7	5713.0	Min	I	-1345.4	-99.2	-4.3	-318.0
-960.5	-45945.1		J	-1345.4	-99.2	-3.6	-318.0
32.7	-9512.1						
43	2	65 C1-C2;~1 Max	I	167.5	0.0	0.0	1.2
0.0	0.0		J	167.5	0.0	0.0	1.2
0.0	0.0						
		Min	I	-77.4	0.0	0.0	-8.0
0.0	0.0		J	-77.4	0.0	-0.0	-8.0
0.0	0.0						
		C3-C4;~1 Max	I	121.1	0.0	0.0	1.7
0.0	0.0		J	121.1	0.0	0.0	1.7
0.0	0.0						
		Min	I	-118.3	0.0	0.0	-6.5
0.0	0.0		J	-118.3	0.0	-0.0	-6.5
0.0	0.0						
		C1-C2;~2 Max	I	96.6	0.0	0.0	0.6
0.0	0.0						

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	96.6	0.0	0.0	0.6
0.0	0.0	Min	I	-39.9	0.0	0.0	-4.7
0.0	0.0		J	-39.9	0.0	-0.0	-4.7
0.0	0.0	C3-C4;~2 Max	I	68.4	0.0	0.0	0.9
0.0	0.0		J	68.4	0.0	0.0	0.9
0.0	0.0	Min	I	-64.9	0.0	0.0	-3.7
0.0	0.0		J	-64.9	0.0	-0.0	-3.7
0.0	0.0	G1	I	1.4	0.0	-1.2	-3.7
0.0	0.0		J	1.4	0.0	1.2	-3.7
0.0	0.0	G2	I	-1.4	0.0	0.0	-1.5
0.0	0.0		J	-1.4	0.0	-0.0	-1.5
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-43.1	0.0	0.0	-1.7
0.0	0.0		J	-43.1	0.0	0.0	-1.7
0.0	0.0	Q5_ps	I	-48.9	0.0	0.0	-1.4
0.0	0.0		J	-48.9	0.0	0.0	-1.4
0.0	0.0	INVSLU Max	I	280.5	0.0	-1.6	-0.7
0.0	0.0		J	280.5	0.0	1.6	-0.7
0.0	0.0	Min	I	-183.0	0.0	-1.6	-16.8
0.0	0.0		J	-183.0	0.0	1.6	-16.8
0.0	0.0	INVSLE Max	I	207.0	0.0	-1.2	-0.5
0.0	0.0		J	207.0	0.0	1.2	-0.5
0.0	0.0	Min	I	-130.6	0.0	-1.2	-12.2
0.0	0.0		J	-130.6	0.0	1.2	-12.2
44	2	65 C1-C2;~1 Max	I	85.4	0.2	0.0	1.5
0.0	0.0		J	85.4	0.2	0.0	1.5
6.4	75.7	Min	I	-148.4	-0.0	-0.0	-3.4
0.0	0.0		J	-148.4	-0.0	-0.0	-3.4

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-1.0	-509.4						
		C3-C4;~1 Max	I	129.0	0.2	0.0	1.9
0.0	0.0		J	129.0	0.2	0.0	1.9
5.2	68.4						
		Min	I	-103.7	-0.0	-0.0	-3.3
0.0	0.0		J	-103.7	-0.0	-0.0	-3.3
-1.3	-539.4						
		C1-C2;~2 Max	I	44.2	0.1	0.0	0.9
0.0	0.0		J	44.2	0.1	0.0	0.9
3.9	42.5						
		Min	I	-84.8	-0.0	-0.0	-2.0
0.0	0.0		J	-84.8	-0.0	-0.0	-2.0
-0.5	-305.8						
		C3-C4;~2 Max	I	71.1	0.1	0.0	1.1
0.0	0.0		J	71.1	0.1	0.0	1.1
3.0	38.3						
		Min	I	-58.2	-0.0	-0.0	-2.0
0.0	0.0		J	-58.2	-0.0	-0.0	-2.0
-0.6	-321.8						
		G1	I	13.7	0.1	-3.6	-0.3
0.0	0.0		J	13.7	0.1	-1.2	-0.3
6919.2	-350.0						
		G2	I	6.1	0.0	-0.0	0.2
0.0	0.0		J	6.1	0.0	-0.0	0.2
0.8	-141.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	65.4	0.1	0.0	0.6
0.0	0.0		J	65.4	0.1	0.0	0.6
-0.5	-161.8						
		Q5_ps	I	69.2	0.1	0.0	0.8
0.0	0.0		J	69.2	0.1	0.0	0.8
-0.7	-158.4						
		INVSLU Max	I	282.1	0.6	-4.9	-2.4
0.0	0.0		J	282.1	0.6	-1.6	-2.4
9353.1	-625.9						
		Min	I	-210.2	0.2	-4.9	-10.6
0.0	0.0		J	-210.2	0.2	-1.6	-10.6
9341.8	-1794.6						
		INVSLE Max	I	206.3	0.5	-3.6	-2.1
0.0	0.0		J	206.3	0.5	-1.2	-2.1

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
6928.3	-502.3		Min	I	-149.7	0.2	-3.6	-8.1
0.0	0.0			J	-149.7	0.2	-1.2	-8.1
6920.0	-1339.6							
45	2	65	C1-C2;~1	Max	I	85.3	0.0	3.8
1.0	75.7				J	85.3	0.0	3.8
0.0	0.0		Min	I	-148.5	-0.2	-0.0	-0.5
-6.4	-509.4			J	-148.5	-0.2	-0.0	-0.5
0.0	0.0							
1.3	68.4		C3-C4;~1	Max	I	128.9	0.0	2.7
0.0	0.0			J	128.9	0.0	0.0	2.7
0.0	0.0		Min	I	-103.7	-0.2	-0.0	-0.5
-5.2	-539.4			J	-103.7	-0.2	-0.0	-0.5
0.0	0.0							
0.5	42.5		C1-C2;~2	Max	I	44.1	0.0	2.4
0.0	0.0			J	44.1	0.0	0.0	2.4
0.0	0.0		Min	I	-84.8	-0.1	-0.0	-0.3
-3.9	-305.8			J	-84.8	-0.1	-0.0	-0.3
0.0	0.0							
0.6	38.3		C3-C4;~2	Max	I	71.1	0.0	1.7
0.0	0.0			J	71.1	0.0	0.0	1.7
0.0	0.0		Min	I	-58.2	-0.1	-0.0	-0.3
-3.0	-321.8			J	-58.2	-0.1	-0.0	-0.3
0.0	0.0							
6914.6	-350.0		G1	I	13.6	-0.1	1.2	1.8
0.0	0.0			J	13.6	-0.1	3.6	1.8
0.0	0.0							
-0.8	-141.7		G2	I	6.0	-0.0	-0.0	0.8
0.0	0.0			J	6.0	-0.0	-0.0	0.8
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
0.5	-161.8		Q5_pc	I	65.4	-0.1	0.0	0.2
0.0	0.0			J	65.4	-0.1	0.0	0.2
0.0	0.0							
0.7	-158.4		Q5_ps	I	69.2	-0.1	0.0	0.1
0.0	0.0			J	69.2	-0.1	0.0	0.1


MIDAS

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

9333.8	-625.9		INVS LU Max	I	281.6	-0.2	1.6	5.4
				J	281.6	-0.2	4.9	5.4
0.0	0.0							
9322.4	-1794.6		Min	I	-210.5	-0.6	1.6	-0.8
				J	-210.5	-0.6	4.9	-0.8
0.0	0.0							
6913.7	-502.3		INVS LE Max	I	205.9	-0.2	1.2	3.8
				J	205.9	-0.2	3.6	3.8
0.0	0.0							
6905.4	-1339.6		Min	I	-149.9	-0.5	1.2	-0.8
				J	-149.9	-0.5	3.6	-0.8
0.0	0.0							
46	2	65	C1-C2;~1 Max	I	167.3	0.0	0.0	6.6
0.0	0.0			J	167.3	0.0	0.0	6.6
0.0	0.0							
0.0	0.0		Min	I	-77.6	0.0	0.0	-1.2
0.0	0.0			J	-77.6	0.0	-0.0	-1.2
0.0	0.0							
0.0	0.0		C3-C4;~1 Max	I	120.9	0.0	0.0	5.6
				J	120.9	0.0	0.0	5.6
0.0	0.0							
0.0	0.0		Min	I	-118.6	0.0	0.0	-1.6
0.0	0.0			J	-118.6	0.0	-0.0	-1.6
0.0	0.0							
0.0	0.0		C1-C2;~2 Max	I	96.5	0.0	0.0	4.2
				J	96.5	0.0	0.0	4.2
0.0	0.0							
0.0	0.0		Min	I	-40.0	0.0	0.0	-0.6
0.0	0.0			J	-40.0	0.0	-0.0	-0.6
0.0	0.0							
0.0	0.0		C3-C4;~2 Max	I	68.3	0.0	0.0	3.4
				J	68.3	0.0	0.0	3.4
0.0	0.0							
0.0	0.0		Min	I	-65.0	0.0	0.0	-0.8
0.0	0.0			J	-65.0	0.0	-0.0	-0.8
0.0	0.0							
0.0	0.0		G1	I	1.1	0.0	-1.2	1.4
				J	1.1	0.0	1.2	1.4
0.0	0.0							
0.0	0.0		G2	I	-1.5	0.0	0.0	0.2
				J	-1.5	0.0	-0.0	0.2
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc	I	-43.2	0.0	0.0	-2.8
0.0	0.0		J	-43.2	0.0	-0.0	-2.8
0.0	0.0						
0.0	0.0	Q5_ps	I	-49.0	0.0	0.0	-3.0
0.0	0.0		J	-49.0	0.0	-0.0	-3.0
0.0	0.0						
0.0	0.0	INVS LU Max	I	279.6	0.0	-1.6	20.6
0.0	0.0		J	279.6	0.0	1.6	20.6
0.0	0.0						
0.0	0.0	Min	I	-184.2	0.0	-1.6	3.6
0.0	0.0		J	-184.2	0.0	1.6	3.6
0.0	0.0						
0.0	0.0	INVS LE Max	I	206.3	0.0	-1.2	15.5
0.0	0.0		J	206.3	0.0	1.2	15.5
0.0	0.0						
0.0	0.0	Min	I	-131.5	0.0	-1.2	3.4
0.0	0.0		J	-131.5	0.0	1.2	3.4
0.0	0.0						
47	2	65 C1-C2;~1 Max	I	220.7	0.0	0.0	5.7
0.0	0.0		J	220.7	0.0	0.0	5.7
0.0	0.0						
0.0	0.0	Min	I	-68.0	-0.0	-0.0	-2.4
0.0	0.0		J	-68.0	0.0	0.0	-2.4
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	166.6	0.0	0.0	5.7
0.0	0.0		J	166.6	0.0	0.0	5.7
0.0	0.0						
0.0	0.0	Min	I	-110.6	-0.0	-0.0	-1.2
0.0	0.0		J	-110.6	0.0	0.0	-1.2
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	127.6	0.0	0.0	3.8
0.0	0.0		J	127.6	0.0	0.0	3.8
0.0	0.0						
0.0	0.0	Min	I	-33.6	-0.0	-0.0	-1.4
0.0	0.0		J	-33.6	0.0	0.0	-1.4
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	93.6	0.0	0.0	3.6
0.0	0.0		J	93.6	0.0	0.0	3.6
0.0	0.0						
0.0	0.0	Min	I	-60.5	-0.0	-0.0	-0.7
0.0	0.0		J	-60.5	0.0	0.0	-0.7

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0						
		G1	I	42.3	-0.0	-1.3	0.7
0.0	0.0		J	42.3	0.0	1.3	0.7
0.0	0.0						
		G2	I	14.4	-0.0	0.0	-0.2
0.0	0.0		J	14.4	0.0	0.0	-0.2
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-44.5	-0.0	-0.0	0.2
0.0	0.0		J	-44.5	0.0	0.0	0.2
0.0	0.0						
		Q5_ps	I	-50.1	-0.0	-0.0	0.1
0.0	0.0		J	-50.1	0.0	0.0	0.1
0.0	0.0						
		INVSLE Max	I	422.4	-0.0	-1.8	20.3
0.0	0.0		J	422.4	0.0	1.8	20.3
0.0	0.0						
		Min	I	-105.0	-0.0	-1.8	8.9
0.0	0.0		J	-105.0	0.0	1.8	8.9
0.0	0.0						
		INVSLE Max	I	310.9	-0.0	-1.3	15.7
0.0	0.0		J	310.9	0.0	1.3	15.7
0.0	0.0						
		Min	I	-73.8	-0.0	-1.3	7.3
0.0	0.0		J	-73.8	0.0	1.3	7.3
0.0	0.0						
48	2	65 C1-C2;~1 Max	I	123.7	0.1	0.0	1.0
0.0	0.0		J	123.7	0.1	0.0	1.0
4.4	83.3						
		Min	I	-150.7	-0.0	-0.0	-7.4
0.0	0.0		J	-150.7	-0.0	-0.0	-7.4
-1.4	-436.7						
		C3-C4;~1 Max	I	174.7	0.1	0.0	0.8
0.0	0.0		J	174.7	0.1	0.0	0.8
3.7	74.1						
		Min	I	-101.2	-0.0	-0.0	-7.4
0.0	0.0		J	-101.2	-0.0	-0.0	-7.4
-1.4	-447.0						
		C1-C2;~2 Max	I	65.6	0.1	0.0	0.5
0.0	0.0		J	65.6	0.1	0.0	0.5

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
2.8	46.3		Min	I	-87.0	-0.0	-0.0	-4.6	
0.0	0.0			J	-87.0	-0.0	-0.0	-4.6	
-0.9	-268.9								
		C3-C4;~2	Max	I	96.5	0.1	0.0	0.4	
0.0	0.0			J	96.5	0.1	0.0	0.4	
2.3	40.9		Min	I	-57.0	-0.0	-0.0	-4.6	
0.0	0.0			J	-57.0	-0.0	-0.0	-4.6	
-0.9	-271.0								
		G1		I	51.3	0.1	-4.0	-2.4	
0.0	0.0			J	51.3	0.1	-1.3	-2.4	
8272.0	-268.5								
		G2		I	20.9	0.0	-0.0	-0.4	
0.0	0.0			J	20.9	0.0	-0.0	-0.4	
0.5	-105.0								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc		I	37.4	-0.0	0.0	0.4	
0.0	0.0			J	37.4	-0.0	0.0	0.4	
-0.9	84.9								
		Q5_ps		I	42.8	-0.0	0.0	0.6	
0.0	0.0			J	42.8	-0.0	0.0	0.6	
-1.1	75.7								
		INVS LU	Max	I	391.2	0.4	-5.4	-15.9	
0.0	0.0			J	391.2	0.4	-1.8	-15.9	1
1176.2	-307.0		Min	I	-115.4	0.1	-5.4	-28.0	
0.0	0.0			J	-115.4	0.1	-1.8	-28.0	1
1166.6	-1175.7								
		INVS LE	Max	I	288.2	0.3	-4.0	-12.5	
0.0	0.0			J	288.2	0.3	-1.3	-12.5	
8278.6	-227.9		Min	I	-82.0	0.1	-4.0	-21.5	
0.0	0.0			J	-82.0	0.1	-1.3	-21.5	
8271.7	-860.0								
		65 C1-C2;~1	Max	I	123.7	0.0	0.0	1.7	
49	2			J	123.7	0.0	0.0	1.7	
1.4	83.3								
0.0	0.0		Min	I	-150.7	-0.1	-0.0	-6.5	
-4.4	-436.7			J	-150.7	-0.1	-0.0	-6.5	
0.0	0.0								

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


1.4	74.1	C3-C4;~1	Max	I	174.6	0.0	0.0	0.8	
				J	174.6	0.0	0.0	0.8	
0.0	0.0		Min	I	-101.2	-0.1	-0.0	-6.9	
-3.7	-447.0			J	-101.2	-0.1	-0.0	-6.9	
0.0	0.0								
		C1-C2;~2	Max	I	65.6	0.0	0.0	1.0	
0.9	46.3			J	65.6	0.0	0.0	1.0	
0.0	0.0		Min	I	-87.0	-0.1	-0.0	-4.1	
-2.8	-268.9			J	-87.0	-0.1	-0.0	-4.1	
0.0	0.0								
		C3-C4;~2	Max	I	96.5	0.0	0.0	0.4	
0.9	40.9			J	96.5	0.0	0.0	0.4	
0.0	0.0		Min	I	-57.0	-0.1	-0.0	-4.3	
-2.3	-271.0			J	-57.0	-0.1	-0.0	-4.3	
0.0	0.0								
		G1		I	51.3	-0.1	1.3	-1.9	
8269.2	-268.5			J	51.3	-0.1	4.0	-1.9	
0.0	0.0								
		G2		I	20.9	-0.0	-0.0	-0.3	
-0.5	-105.0			J	20.9	-0.0	-0.0	-0.3	
0.0	0.0								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc		I	37.4	0.0	0.0	0.1	
0.9	84.9			J	37.4	0.0	0.0	0.1	
0.0	0.0								
		Q5_ps		I	42.8	0.0	0.0	0.2	
1.1	75.7			J	42.8	0.0	0.0	0.2	
0.0	0.0								
		INVSLU	Max	I	391.1	-0.1	1.8	-13.8	1
1164.0	-307.0			J	391.1	-0.1	5.4	-13.8	
0.0	0.0		Min	I	-115.5	-0.4	1.8	-25.5	1
1154.4	-1175.7			J	-115.5	-0.4	5.4	-25.5	
0.0	0.0								
		INVSLE	Max	I	288.1	-0.1	1.3	-10.9	
8269.5	-227.9			J	288.1	-0.1	4.0	-10.9	
0.0	0.0								

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


8262.5	-860.0		Min	I	-82.1	-0.3	1.3	-19.6
				J	-82.1	-0.3	4.0	-19.6
0.0	0.0							
50	2	65	C1-C2;~1	Max	I	220.6	0.0	0.0
0.0	0.0				J	220.6	0.0	0.0
0.0	0.0							
0.0	0.0		Min	I	-68.1	-0.0	-0.0	-1.3
0.0	0.0			J	-68.1	0.0	0.0	-1.3
0.0	0.0							
0.0	0.0		C3-C4;~1	Max	I	166.4	0.0	0.0
0.0	0.0			J	166.4	0.0	0.0	10.0
0.0	0.0							
0.0	0.0		Min	I	-110.8	-0.0	-0.0	-1.3
0.0	0.0			J	-110.8	0.0	0.0	-1.3
0.0	0.0							
0.0	0.0		C1-C2;~2	Max	I	127.5	0.0	0.0
0.0	0.0			J	127.5	0.0	0.0	6.8
0.0	0.0							
0.0	0.0		Min	I	-33.7	-0.0	-0.0	-0.6
0.0	0.0			J	-33.7	0.0	0.0	-0.6
0.0	0.0							
0.0	0.0		C3-C4;~2	Max	I	93.5	0.0	0.0
0.0	0.0			J	93.5	0.0	0.0	6.2
0.0	0.0							
0.0	0.0		Min	I	-60.6	-0.0	-0.0	-0.6
0.0	0.0			J	-60.6	0.0	0.0	-0.6
0.0	0.0							
0.0	0.0		G1	I	42.2	-0.0	-1.3	3.5
0.0	0.0			J	42.2	0.0	1.3	3.5
0.0	0.0							
0.0	0.0		G2	I	14.3	-0.0	0.0	0.8
0.0	0.0			J	14.3	0.0	0.0	0.8
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Q5_pc	I	-44.4	-0.0	-0.0	-1.7
0.0	0.0			J	-44.4	0.0	0.0	-1.7
0.0	0.0							
0.0	0.0		Q5_ps	I	-50.0	-0.0	-0.0	-2.0
0.0	0.0			J	-50.0	0.0	0.0	-2.0
0.0	0.0							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
			INVSLE Max	I	421.9	-0.0	-1.8	36.3
0.0	0.0			J	421.9	0.0	1.8	36.3
0.0	0.0		Min	I	-105.5	-0.0	-1.8	16.8
0.0	0.0			J	-105.5	0.0	1.8	16.8
0.0	0.0		INVSLE Max	I	310.6	-0.0	-1.3	27.5
0.0	0.0			J	310.6	0.0	1.3	27.5
0.0	0.0		Min	I	-74.2	-0.0	-1.3	13.4
0.0	0.0			J	-74.2	0.0	1.3	13.4
57	2	81	C1-C2;~1 Max	I	30.9	0.1	0.0	0.9
0.0	0.0			J	30.9	0.1	0.0	0.9
0.6	61.9		Min	I	-17.9	-0.0	-0.0	-1.0
0.0	0.0			J	-17.9	-0.0	-0.0	-1.0
-1.1	-285.8		C3-C4;~1 Max	I	33.5	0.1	0.0	0.8
0.0	0.0			J	33.5	0.1	0.0	0.8
0.3	40.6		Min	I	-9.4	-0.0	-0.0	-0.6
0.0	0.0			J	-9.4	-0.0	-0.0	-0.6
-0.8	-262.7		C1-C2;~2 Max	I	20.3	0.1	0.0	0.6
0.0	0.0			J	20.3	0.1	0.0	0.6
0.4	32.4		Min	I	-10.5	-0.0	-0.0	-0.6
0.0	0.0			J	-10.5	-0.0	-0.0	-0.6
-0.7	-193.4		C3-C4;~2 Max	I	21.9	0.1	0.0	0.5
0.0	0.0			J	21.9	0.1	0.0	0.5
0.2	22.6		Min	I	-5.1	-0.0	-0.0	-0.4
0.0	0.0			J	-5.1	-0.0	-0.0	-0.4
-0.5	-175.9		G1	I	-1.9	-0.0	2.0	-0.5
0.0	0.0			J	-1.9	-0.0	0.7	-0.5
3740.6	5.3		G2	I	-4.4	-0.0	0.0	-0.3
0.0	0.0			J	-4.4	-0.0	0.0	-0.3
-0.3	24.6		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0							

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	5.4	-0.0	-0.0	-0.0
0.1	24.5		J	5.4	-0.0	-0.0	-0.0
0.0	0.0	Q5_ps	I	4.8	-0.0	0.0	-0.0
-0.0	35.4		J	4.8	-0.0	0.0	-0.0
0.0	0.0	INVSLU Max	I	-95.2	0.2	2.7	1.8
5048.2	-47.8		J	-95.2	0.2	0.9	1.8
0.0	0.0	Min	I	-174.3	0.0	2.7	-0.9
5050.6	-561.3		J	-174.3	0.0	0.9	-0.9
0.0	0.0	INVSLE Max	I	-82.9	0.1	2.0	1.5
3739.3	-41.8		J	-82.9	0.1	0.7	1.5
0.0	0.0	Min	I	-140.7	0.0	2.0	-0.4
3741.1	-418.8		J	-140.7	0.0	0.7	-0.4
58	2	81 C1-C2;~1 Max	I	42.0	0.0	0.0	0.1
0.0	0.0		J	42.0	0.0	0.0	0.1
0.0	0.0	Min	I	-15.2	-0.0	0.0	-2.1
0.0	0.0		J	-15.2	-0.0	-0.0	-2.1
0.0	0.0	C3-C4;~1 Max	I	33.3	0.0	0.0	0.2
0.0	0.0		J	33.3	0.0	0.0	0.2
0.0	0.0	Min	I	-11.4	-0.0	0.0	-1.1
0.0	0.0		J	-11.4	-0.0	-0.0	-1.1
0.0	0.0	C1-C2;~2 Max	I	28.4	0.0	0.0	0.1
0.0	0.0		J	28.4	0.0	0.0	0.1
0.0	0.0	Min	I	-9.6	-0.0	0.0	-1.4
0.0	0.0		J	-9.6	-0.0	-0.0	-1.4
0.0	0.0	C3-C4;~2 Max	I	22.2	0.0	0.0	0.1
0.0	0.0		J	22.2	0.0	0.0	0.1
0.0	0.0	Min	I	-6.0	-0.0	0.0	-0.7
0.0	0.0		J	-6.0	-0.0	-0.0	-0.7


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0	G1	I	-2.8	-0.0	0.7	-0.5
0.0	0.0		J	-2.8	0.0	-0.7	-0.5
0.0	0.0	G2	I	-5.0	-0.0	0.0	-0.3
0.0	0.0		J	-5.0	0.0	0.0	-0.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-13.2	-0.0	0.0	0.1
0.0	0.0		J	-13.2	0.0	-0.0	0.1
0.0	0.0	Q5_ps	I	-15.7	-0.0	0.0	0.1
0.0	0.0		J	-15.7	0.0	-0.0	0.1
0.0	0.0	INVSLU Max	I	-64.2	-0.0	0.9	-0.5
0.0	0.0		J	-64.2	0.0	-0.9	-0.5
0.0	0.0	Min	I	-169.2	-0.0	0.9	-3.7
0.0	0.0		J	-169.2	0.0	-0.9	-3.7
0.0	0.0	INVSLE Max	I	-60.4	-0.0	0.7	-0.5
0.0	0.0		J	-60.4	0.0	-0.7	-0.5
0.0	0.0	Min	I	-135.6	-0.0	0.7	-2.8
0.0	0.0		J	-135.6	0.0	-0.7	-2.8
59	2	81 C1-C2;~1 Max	I	42.2	0.0	0.0	1.2
0.0	0.0		J	42.2	0.0	0.0	1.2
0.0	0.0	Min	I	-15.3	-0.0	0.0	-1.8
0.0	0.0		J	-15.3	-0.0	-0.0	-1.8
0.0	0.0	C3-C4;~1 Max	I	33.5	0.0	0.0	1.1
0.0	0.0		J	33.5	0.0	0.0	1.1
0.0	0.0	Min	I	-11.4	-0.0	0.0	-1.1
0.0	0.0		J	-11.4	-0.0	-0.0	-1.1
0.0	0.0	C1-C2;~2 Max	I	28.6	0.0	0.0	0.7
0.0	0.0		J	28.6	0.0	0.0	0.7


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		Min	I	-9.6	-0.0	0.0	-1.2
				J	-9.6	-0.0	-0.0	-1.2
0.0	0.0							
0.0	0.0	C3-C4;~2	Max	I	22.3	0.0	0.0	0.7
				J	22.3	0.0	0.0	0.7
0.0	0.0							
0.0	0.0		Min	I	-6.0	-0.0	0.0	-0.7
				J	-6.0	-0.0	-0.0	-0.7
0.0	0.0							
0.0	0.0		G1	I	-2.8	-0.0	0.7	0.9
				J	-2.8	0.0	-0.7	0.9
0.0	0.0							
0.0	0.0		G2	I	-5.0	-0.0	0.0	0.5
				J	-5.0	0.0	0.0	0.5
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Q5_pc	I	-13.2	-0.0	0.0	-0.1
				J	-13.2	0.0	0.0	-0.1
0.0	0.0							
0.0	0.0		Q5_ps	I	-15.7	-0.0	0.0	0.1
				J	-15.7	0.0	0.0	0.1
0.0	0.0							
0.0	0.0		INVSLU Max	I	-63.8	-0.0	0.9	1.1
				J	-63.8	0.0	-0.9	1.1
0.0	0.0							
0.0	0.0		Min	I	-169.2	-0.0	0.9	-3.0
				J	-169.2	0.0	-0.9	-3.0
0.0	0.0							
0.0	0.0		INVSLE Max	I	-60.1	-0.0	0.7	0.5
				J	-60.1	0.0	-0.7	0.5
0.0	0.0							
0.0	0.0		Min	I	-135.5	-0.0	0.7	-2.5
				J	-135.5	0.0	-0.7	-2.5
0.0	0.0							
60	2	81	C1-C2;~1	Max	30.9	0.0	0.0	0.6
1.1	61.9			J	30.9	0.0	0.0	0.6
0.0	0.0							
0.0	0.0		Min	I	-17.9	-0.1	-0.0	-0.4
-0.6	-285.8			J	-17.9	-0.1	-0.0	-0.4
0.0	0.0							

MIDAS

PROJECT TITLE :

		Company		Client					
		Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
		C3-C4;~1	Max	I	33.5	0.0	0.0	1.0	
0.8	40.6			J	33.5	0.0	0.0	1.0	
0.0	0.0		Min	I	-9.4	-0.1	-0.0	-0.2	
-0.3	-262.7			J	-9.4	-0.1	-0.0	-0.2	
0.0	0.0								
		C1-C2;~2	Max	I	20.4	0.0	0.0	0.4	
0.7	32.4			J	20.4	0.0	0.0	0.4	
0.0	0.0		Min	I	-10.5	-0.1	-0.0	-0.3	
-0.4	-193.4			J	-10.5	-0.1	-0.0	-0.3	
0.0	0.0								
		C3-C4;~2	Max	I	22.0	0.0	0.0	0.6	
0.5	22.6			J	22.0	0.0	0.0	0.6	
0.0	0.0		Min	I	-5.1	-0.1	-0.0	-0.1	
-0.2	-175.9			J	-5.1	-0.1	-0.0	-0.1	
0.0	0.0								
		G1		I	-1.9	0.0	-0.7	0.0	-
3739.3	5.3			J	-1.9	0.0	-2.0	0.0	
0.0	0.0								
		G2		I	-4.4	0.0	0.0	0.0	
0.3	24.6			J	-4.4	0.0	0.0	0.0	
0.0	0.0								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc		I	5.4	0.0	-0.0	-0.1	
-0.1	24.5			J	5.4	0.0	-0.0	-0.1	
0.0	0.0								
		Q5_ps		I	4.8	0.0	0.0	-0.0	
0.0	35.4			J	4.8	0.0	0.0	-0.0	
0.0	0.0								
		INVSLU	Max	I	-95.0	-0.0	-0.9	2.0	-
5047.2	-47.8			J	-95.0	-0.0	-2.7	2.0	
0.0	0.0		Min	I	-174.2	-0.2	-0.9	-0.0	-
5049.6	-561.3			J	-174.2	-0.2	-2.7	-0.0	
0.0	0.0								
		INVSLE	Max	I	-82.7	-0.0	-0.7	1.6	-
3738.8	-41.8			J	-82.7	-0.0	-2.0	1.6	
0.0	0.0		Min	I	-140.7	-0.1	-0.7	0.1	-

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


3740.5	-418.8			J	-140.7	-0.1	-2.0	0.1	
0.0	0.0								
61	2	81	C1-C2;~1	Max	I	48.8	0.1	0.0	1.7
0.0	0.0				J	48.8	0.1	0.0	1.7
1.0	148.7			Min	I	-20.4	-0.0	-0.0	-1.6
0.0	0.0				J	-20.4	-0.0	-0.0	-1.6
-1.2	-190.7								
			C3-C4;~1	Max	I	46.8	0.1	0.0	1.3
0.0	0.0				J	46.8	0.1	0.0	1.3
0.7	131.4			Min	I	-10.7	-0.0	-0.0	-1.2
0.0	0.0				J	-10.7	-0.0	-0.0	-1.2
-1.3	-176.1								
			C1-C2;~2	Max	I	31.5	0.0	0.0	1.1
0.0	0.0				J	31.5	0.0	0.0	1.1
0.7	100.2			Min	I	-11.4	-0.0	-0.0	-1.0
0.0	0.0				J	-11.4	-0.0	-0.0	-1.0
-0.7	-128.5								
			C3-C4;~2	Max	I	30.1	0.0	0.0	0.8
0.0	0.0				J	30.1	0.0	0.0	0.8
0.4	87.0			Min	I	-5.5	-0.0	-0.0	-0.7
0.0	0.0				J	-5.5	-0.0	-0.0	-0.7
-0.7	-115.4								
			G1		I	-5.2	0.0	2.1	-1.2
0.0	0.0				J	-5.2	0.0	0.7	-1.2
4472.6	-2.9								-
			G2		I	-7.8	-0.0	0.0	-0.7
0.0	0.0				J	-7.8	-0.0	0.0	-0.7
-0.3	0.3								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc		I	1.2	-0.0	0.0	-0.3
0.0	0.0				J	1.2	-0.0	0.0	-0.3
-0.0	11.3								
			Q5_ps		I	-1.6	-0.0	0.0	-0.4
0.0	0.0				J	-1.6	-0.0	0.0	-0.4
-0.1	13.3								
			INVSLU	Max	I	-151.0	0.1	2.9	2.7

MIDAS

PROJECT TITLE :


MIDAS		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0			J	-151.0	0.1	1.0	2.7	-
6036.5	48.1		Min	I	-246.7	-0.0	2.9	-2.3	
0.0	0.0			J	-246.7	-0.0	1.0	-2.3	-
6039.7	-430.6		INVSLE Max	I	-126.2	0.1	2.1	2.3	
0.0	0.0			J	-126.2	0.1	0.7	2.3	-
4471.4	32.8		Min	I	-196.9	-0.0	2.1	-1.3	
0.0	0.0			J	-196.9	-0.0	0.7	-1.3	-
4473.8	-320.2								
62	2	81	C1-C2;~1	Max	I	50.3	0.0	0.0	1.2
0.0	0.0			J	50.3	0.0	0.0	1.2	
0.0	0.0		Min	I	-18.4	-0.0	-0.0	-1.6	
0.0	0.0			J	-18.4	-0.0	-0.0	-1.6	
0.0	0.0		C3-C4;~1	Max	I	46.1	0.0	0.0	0.4
0.0	0.0			J	46.1	0.0	0.0	0.4	
0.0	0.0		Min	I	-11.8	-0.0	-0.0	-1.9	
0.0	0.0			J	-11.8	-0.0	-0.0	-1.9	
0.0	0.0		C1-C2;~2	Max	I	32.7	0.0	0.0	0.7
0.0	0.0			J	32.7	0.0	0.0	0.7	
0.0	0.0		Min	I	-10.5	-0.0	-0.0	-1.1	
0.0	0.0			J	-10.5	-0.0	-0.0	-1.1	
0.0	0.0		C3-C4;~2	Max	I	29.4	0.0	0.0	0.2
0.0	0.0			J	29.4	0.0	0.0	0.2	
0.0	0.0		Min	I	-6.0	-0.0	-0.0	-1.2	
0.0	0.0			J	-6.0	-0.0	-0.0	-1.2	
0.0	0.0		G1	I	-6.4	0.0	0.7	0.3	
0.0	0.0			J	-6.4	-0.0	-0.7	0.3	
0.0	0.0		G2	I	-8.4	0.0	0.0	0.4	
0.0	0.0			J	-8.4	-0.0	-0.0	0.4	
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0							
			Q5_pc	I	-13.7	0.0	-0.0	0.2
0.0	0.0			J	-13.7	-0.0	0.0	0.2
0.0	0.0							
			Q5_ps	I	-16.4	0.0	-0.0	0.2
0.0	0.0			J	-16.4	-0.0	0.0	0.2
0.0	0.0							
			INVS LU Max	I	-124.8	0.0	1.0	0.6
0.0	0.0			J	-124.8	-0.0	-1.0	0.6
0.0	0.0							
			Min	I	-243.7	0.0	1.0	-3.9
0.0	0.0			J	-243.7	-0.0	-1.0	-3.9
0.0	0.0							
			INVS LE Max	I	-107.5	0.0	0.7	0.1
0.0	0.0			J	-107.5	-0.0	-0.7	0.1
0.0	0.0							
			Min	I	-192.9	0.0	0.7	-3.2
0.0	0.0			J	-192.9	-0.0	-0.7	-3.2
0.0	0.0							
63	2	81	C1-C2;~1 Max	I	50.4	0.0	0.0	2.3
0.0	0.0			J	50.4	0.0	0.0	2.3
0.0	0.0							
			Min	I	-18.4	-0.0	0.0	-2.5
0.0	0.0			J	-18.4	0.0	-0.0	-2.5
0.0	0.0							
			C3-C4;~1 Max	I	46.1	0.0	0.0	2.1
0.0	0.0			J	46.1	0.0	0.0	2.1
0.0	0.0							
			Min	I	-11.8	-0.0	0.0	-1.6
0.0	0.0			J	-11.8	0.0	-0.0	-1.6
0.0	0.0							
			C1-C2;~2 Max	I	32.8	0.0	0.0	1.3
0.0	0.0			J	32.8	0.0	0.0	1.3
0.0	0.0							
			Min	I	-10.4	-0.0	0.0	-1.6
0.0	0.0			J	-10.4	0.0	-0.0	-1.6
0.0	0.0							
			C3-C4;~2 Max	I	29.4	0.0	0.0	1.2
0.0	0.0			J	29.4	0.0	0.0	1.2
0.0	0.0							
			Min	I	-6.0	-0.0	0.0	-0.9
0.0	0.0			J	-6.0	0.0	-0.0	-0.9
0.0	0.0							

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0	G1	I	-6.4	0.0	0.7	1.7
0.0	0.0		J	-6.4	0.0	-0.7	1.7
0.0	0.0	G2	I	-8.4	0.0	0.0	0.9
0.0	0.0		J	-8.4	0.0	-0.0	0.9
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-13.7	0.0	0.0	0.2
0.0	0.0		J	-13.7	0.0	-0.0	0.2
0.0	0.0	Q5_ps	I	-16.4	0.0	0.0	0.5
0.0	0.0		J	-16.4	0.0	-0.0	0.5
0.0	0.0	INVS LU Max	I	-124.6	0.0	1.0	3.8
0.0	0.0		J	-124.6	0.0	-1.0	3.8
0.0	0.0	Min	I	-243.6	0.0	1.0	-3.1
0.0	0.0		J	-243.6	0.0	-1.0	-3.1
0.0	0.0	INVS LE Max	I	-107.4	0.0	0.7	2.4
0.0	0.0		J	-107.4	0.0	-0.7	2.4
0.0	0.0	Min	I	-192.8	0.0	0.7	-2.6
0.0	0.0		J	-192.8	0.0	-0.7	-2.6
64	2	81 C1-C2;~1 Max	I	48.8	0.0	0.0	1.7
1.2	148.7		J	48.8	0.0	0.0	1.7
0.0	0.0	Min	I	-20.4	-0.1	-0.0	-1.4
-1.0	-190.7		J	-20.4	-0.1	-0.0	-1.4
0.0	0.0	C3-C4;~1 Max	I	46.8	0.0	0.0	1.5
1.3	131.4		J	46.8	0.0	0.0	1.5
0.0	0.0	Min	I	-10.7	-0.1	-0.0	-1.0
-0.7	-176.1		J	-10.7	-0.1	-0.0	-1.0
0.0	0.0	C1-C2;~2 Max	I	31.5	0.0	0.0	1.1
0.7	100.2		J	31.5	0.0	0.0	1.1
0.0	0.0	Min	I	-11.4	-0.0	-0.0	-0.8


MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-0.7	-128.5			J	-11.4	-0.0	-0.0	-0.8
0.0	0.0							
0.7	87.0		C3-C4;~2 Max	I	30.1	0.0	0.0	0.9
0.0	0.0			J	30.1	0.0	0.0	0.9
-0.4	-115.4		Min	I	-5.5	-0.0	-0.0	-0.5
0.0	0.0			J	-5.5	-0.0	-0.0	-0.5
4471.2	-2.9		G1	I	-5.2	-0.0	-0.7	-0.9
0.0	0.0			J	-5.2	-0.0	-2.1	-0.9
0.3	0.3		G2	I	-7.8	0.0	0.0	-0.6
0.0	0.0			J	-7.8	0.0	0.0	-0.6
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc	I	1.2	0.0	0.0	-0.3
0.0	11.3			J	1.2	0.0	0.0	-0.3
0.0	0.0		Q5_ps	I	-1.6	0.0	0.0	-0.3
0.1	13.3			J	-1.6	0.0	0.0	-0.3
0.0	0.0		INVSLE Max	I	-151.0	0.0	-1.0	3.0
6034.4	48.1			J	-151.0	0.0	-2.9	3.0
0.0	0.0		Min	I	-246.6	-0.1	-1.0	-1.6
6037.6	-430.6			J	-246.6	-0.1	-2.9	-1.6
0.0	0.0		INVSLE Max	I	-126.2	0.0	-0.7	2.6
4470.0	32.8			J	-126.2	0.0	-2.1	2.6
0.0	0.0		Min	I	-196.9	-0.1	-0.7	-0.8
4472.3	-320.2			J	-196.9	-0.1	-2.1	-0.8
0.0	0.0		62 C1-C2;~1 Max	I	39.1	52.7	0.8	312.9
71	2			J	39.1	52.7	0.8	312.9
258.3	2.1		Min	I	-19.4	-8.0	-0.5	-63.8
122.6	4821.7			J	-19.4	-8.0	-0.5	-63.8
-154.6	-9.6		C3-C4;~1 Max	I	13.2	16.2	0.9	130.3
-208.0	-31655.4							


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
254.2	1.3			J	13.2	16.2	0.9	130.3	
132.6	2535.7		Min	I	-22.4	-4.2	-0.5	-34.4	
-145.4	-4.8			J	-22.4	-4.2	-0.5	-34.4	
-257.6	-9716.2		C1-C2;~2	Max	I	28.1	37.1	0.6	225.1
186.4	1.5			J	28.1	37.1	0.6	225.1	
74.1	3358.9		Min	I	-12.8	-5.6	-0.3	-45.5	
-94.1	-6.7			J	-12.8	-5.6	-0.3	-45.5	
-150.1	-22240.7		C3-C4;~2	Max	I	9.2	10.4	0.6	87.2
184.7	0.9			J	9.2	10.4	0.6	87.2	
81.6	1673.8		Min	I	-14.8	-2.8	-0.3	-23.6	
-86.0	-3.2			J	-14.8	-2.8	-0.3	-23.6	
-188.2	-6258.9		G1	I	0.0	6.8	-0.7	5.5	
-113.0	-1.2			J	0.0	6.8	0.2	5.5	
9.1	-4071.0		G2	I	1.5	7.3	-0.1	11.4	
-22.8	-1.0			J	1.5	7.3	-0.1	11.4	
20.8	-4379.3		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Q5_pc	I	1.3	-3.1	-0.0	-7.7	
-4.7	0.5			J	1.3	-3.1	-0.0	-7.7	
9.4	1854.9		Q5_ps	I	1.6	-2.7	-0.0	-7.9	
-1.4	0.5			J	1.6	-2.7	-0.0	-7.9	
6.2	1647.7		INVSLE Max	I	-177.0	96.0	6.7	473.2	
3508.1	2.4			J	-177.0	96.0	7.6	473.2	
1410.1	-22267.8		Min	I	-292.2	37.1	6.7	95.5	
2942.3	-14.2			J	-292.2	37.1	7.9	95.5	
1953.6	-74850.6		INVSLE Max	I	-177.0	96.0	6.7	473.2	
2761.6	1.8			J	-177.0	96.0	7.6	473.2	
1152.7	-18889.8		Min	I	-240.1	31.5	5.4	87.4	
2343.2	-10.5								


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
1554.1	-57592.8			J	-240.1	31.5	6.3	87.4	-
72	2	62	C1-C2;~1	Max	I	12.7	27.1	0.3	194.4
81.9	4.5				J	12.7	27.1	0.3	194.4
86.3	5593.2			Min	I	-25.5	-9.3	-0.4	-151.0
-125.2	-5.9				J	-25.5	-9.3	-0.4	-151.0
-75.1	-16242.5								
			C3-C4;~1	Max	I	11.3	5.0	0.9	37.1
257.9	4.8				J	11.3	5.0	0.9	37.1
165.3	8182.2			Min	I	-22.2	-13.6	-0.6	-131.0
-176.5	-1.6				J	-22.2	-13.6	-0.6	-131.0
-263.6	-2986.2								
			C1-C2;~2	Max	I	8.7	19.7	0.2	141.7
56.5	2.9				J	8.7	19.7	0.2	141.7
48.8	2989.2			Min	I	-17.2	-5.0	-0.2	-102.7
-73.2	-4.3				J	-17.2	-5.0	-0.2	-102.7
-52.6	-11813.7								
			C3-C4;~2	Max	I	7.6	3.3	0.6	24.8
187.7	3.1				J	7.6	3.3	0.6	24.8
106.1	4892.4			Min	I	-14.9	-8.2	-0.4	-88.1
-109.7	-1.1				J	-14.9	-8.2	-0.4	-88.1
-193.1	-1972.0								
			G1		I	0.0	-7.0	-0.7	-5.0
-115.3	1.3				J	0.0	-7.0	0.2	-5.0
11.4	4187.7								
			G2		I	1.6	-7.4	-0.1	-10.8
-24.2	1.0				J	1.6	-7.4	-0.1	-10.8
22.2	4453.9								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc		I	3.5	-6.2	-0.0	1.1
1.6	0.5				J	3.5	-6.2	-0.0	1.1
2.6	3707.6								
			Q5_ps		I	5.0	-8.1	-0.0	1.9
2.1	0.7				J	5.0	-8.1	-0.0	1.9
5.2	4833.4								
			INVSLU	Max	I	-239.8	-8.7	8.5	76.4
3504.4	7.8								

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
1371.8	44846.7		J	-239.8	-8.7	9.7	76.4	-
		Min	I	-297.8	-74.7	6.5	-391.9	
2915.0	-7.6		J	-297.8	-74.7	7.8	-391.9	-
1955.4	5199.7							
		INVSLE Max	I	-201.6	-10.6	6.7	40.4	
2759.2	5.7		J	-201.6	-10.6	7.6	40.4	-
1124.0	35236.5							
		Min	I	-244.0	-58.7	5.3	-306.3	
2322.9	-5.6		J	-244.0	-58.7	6.2	-306.3	-
1556.0	6362.7							
73	2	63 C1-C2;~1 Max	I	9.8	0.0	2.4	26.9	
0.0	0.5		J	9.8	0.0	2.4	26.9	
181.6	18.2		Min	-84.2	-0.0	-0.3	-2.3	
-0.0	-2.4		J	-84.2	-0.0	-0.3	-2.3	-
1461.7	-23.1							
		C3-C4;~1 Max	I	9.4	0.0	2.1	21.2	
0.0	0.4		J	9.4	0.0	2.1	21.2	
184.5	18.1		Min	-71.8	-0.0	-0.3	-2.2	
-0.0	-2.0		J	-71.8	-0.0	-0.3	-2.2	-
1249.1	-18.7							
		C1-C2;~2 Max	I	5.3	0.0	1.4	17.1	
0.0	0.3		J	5.3	0.0	1.4	17.1	
97.6	11.2		Min	-51.1	-0.0	-0.2	-1.3	
-0.0	-1.5		J	-51.1	-0.0	-0.2	-1.3	
-863.8	-14.2							
		C3-C4;~2 Max	I	5.0	0.0	1.2	12.9	
0.0	0.3		J	5.0	0.0	1.2	12.9	
94.9	10.4		Min	-42.5	-0.0	-0.2	-1.2	
-0.0	-1.2		J	-42.5	-0.0	-0.2	-1.2	
-717.8	-11.5							
		G1	I	-43.4	-0.0	1.0	14.6	
-0.0	-0.9		J	-43.4	-0.0	1.9	14.6	
-871.8	2.1							
		G2	I	-16.4	-0.0	0.5	5.9	
-0.0	-0.4		J	-16.4	-0.0	0.5	5.9	
-309.0	1.8							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.3	Q5_pc	I	1.5	0.0	0.3	2.1	
-171.6	-1.9		J	1.5	0.0	0.3	2.1	
0.0	0.3	Q5_ps	I	2.9	0.0	0.2	1.8	
-136.4	-0.9		J	2.9	0.0	0.2	1.8	
-0.0	0.1	INVS LU Max	I	-38.6	0.1	5.2	54.8	
-987.1	16.9		J	-38.6	0.1	6.5	54.8	
-0.0	-4.2	Min	I	-168.3	-0.0	1.0	11.7	
3518.5	-42.3		J	-168.3	-0.0	2.3	11.7	-
-0.0	0.1	INVS LE Max	I	-26.9	0.1	3.8	39.9	
-730.8	11.7		J	-26.9	0.1	4.8	39.9	
-0.0	-3.1	Min	I	-122.7	-0.0	0.7	8.3	
2583.0	-31.9		J	-122.7	-0.0	1.7	8.3	-
74	2	63 C1-C2;~1 Max	I	8.9	0.0	1.6	1.8	
0.0	1.6		J	8.9	0.0	1.6	1.8	
194.7	17.6		I	-57.0	-0.0	-0.3	-16.4	
-0.0	-0.5	Min	J	-57.0	-0.0	-0.3	-16.4	
-957.5	-19.9							
0.0	2.0	C3-C4;~1 Max	I	7.6	0.0	2.0	1.8	
147.8	18.4		J	7.6	0.0	2.0	1.8	
-0.0	-0.4	Min	I	-72.3	-0.0	-0.2	-20.7	
1220.2	-15.7		J	-72.3	-0.0	-0.2	-20.7	-
0.0	1.0	C1-C2;~2 Max	I	4.6	0.0	0.9	1.0	
99.2	11.3		J	4.6	0.0	0.9	1.0	
-0.0	-0.3	Min	I	-32.4	-0.0	-0.2	-9.7	
-533.9	-11.8		J	-32.4	-0.0	-0.2	-9.7	
0.0	1.2	C3-C4;~2 Max	I	4.2	0.0	1.2	1.0	
76.9	11.3		J	4.2	0.0	1.2	1.0	
-0.0	-0.3	Min	I	-42.3	-0.0	-0.1	-12.6	
-699.3	-9.2		J	-42.3	-0.0	-0.1	-12.6	
		G1	I	-46.7	0.0	0.9	-14.1	


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-0.0	1.0			J	-46.7	0.0	1.9	-14.1
-850.2	-1.6							
			G2	I	-18.1	0.0	0.5	-5.8
-0.0	0.4			J	-18.1	0.0	0.5	-5.8
-308.9	-1.3							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-7.6	-0.0	-0.2	10.8
-0.0	0.3			J	-7.6	-0.0	-0.2	10.8
98.6	18.6							
			Q5_ps	I	-8.7	-0.0	-0.1	9.5
-0.0	0.3			J	-8.7	-0.0	-0.1	9.5
65.6	17.8							
			INVSLU Max	I	-40.9	0.1	4.7	-1.0
-0.0	3.9			J	-40.9	0.1	6.0	-1.0
1101.1	54.1							-
			Min	I	-164.6	-0.1	1.2	-54.4
-0.0	-0.0			J	-164.6	-0.1	2.5	-54.4
3188.6	-31.5							-
			INVSLE Max	I	-29.2	0.0	3.4	-1.3
-0.0	2.8			J	-29.2	0.0	4.4	-1.3
-813.6	39.2							
			Min	I	-119.5	-0.1	0.9	-39.1
-0.0	-0.0			J	-119.5	-0.1	1.8	-39.1
2346.8	-21.4							-
		80	C1-C2;~1 Max	I	28.0	0.0	0.1	1.5
75	2			J	28.0	0.0	0.1	1.5
0.0	0.0							
127.7	0.1							
			Min	I	-135.6	-0.0	-0.1	-0.7
0.0	0.0			J	-135.6	-0.0	-0.1	-0.7
-275.3	-0.1							
			C3-C4;~1 Max	I	27.5	0.0	0.1	1.2
0.0	0.0			J	27.5	0.0	0.1	1.2
63.6	0.1							
			Min	I	-159.0	-0.0	-0.0	-1.1
0.0	0.0			J	-159.0	-0.0	-0.0	-1.1
-223.0	-0.1							
			C1-C2;~2 Max	I	15.9	0.0	0.1	0.9
0.0	0.0			J	15.9	0.0	0.1	0.9
73.8	0.1							
			Min	I	-78.6	-0.0	-0.0	-0.4
0.0	0.0							

MIDAS


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-181.8	-0.0		J	-78.6	-0.0	-0.0	-0.4
0.0	0.0	C3-C4;~2 Max	I	15.7	0.0	0.1	0.7
31.9	0.0		J	15.7	0.0	0.1	0.7
0.0	0.0	Min	I	-93.7	-0.0	-0.0	-0.6
-141.9	-0.0		J	-93.7	-0.0	-0.0	-0.6
0.0	0.0	G1	I	-105.6	-0.0	-0.4	0.0
-259.0	0.0		J	-105.6	-0.0	0.7	0.0
0.0	0.0	G2	I	-42.0	-0.0	-0.0	0.0
53.1	0.0		J	-42.0	-0.0	-0.0	0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-9.7	-0.0	-0.0	-0.1
32.2	0.0		J	-9.7	-0.0	-0.0	-0.1
0.0	0.0	Q5_ps	I	-10.6	-0.0	-0.0	-0.1
46.5	0.0		J	-10.6	-0.0	-0.0	-0.1
0.0	0.0	INVSLE Max	I	-137.5	0.0	-0.3	1.9
-496.7	0.1		J	-137.5	0.0	1.2	1.9
0.0	0.0	Min	I	-407.3	-0.0	-0.5	-1.8
1098.8	-0.2		J	-407.3	-0.0	0.9	-1.8
0.0	0.0	INVSLE Max	I	-100.6	0.0	-0.2	1.4
-365.5	0.1		J	-100.6	0.0	0.9	1.4
0.0	0.0	Min	I	-299.2	-0.0	-0.4	-1.3
-807.2	-0.1		J	-299.2	-0.0	0.7	-1.3
76	2	80 C1-C2;~1 Max	I	27.5	0.0	0.1	1.4
127.7	0.1		J	27.5	0.0	0.1	1.4
0.0	0.0	Min	I	-181.4	-0.0	-0.1	-0.8
-275.3	-0.1		J	-181.4	-0.0	-0.1	-0.8
0.0	0.0						
63.6	0.1	C3-C4;~1 Max	I	27.0	0.0	0.0	1.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	27.0	0.0	0.0	1.0
-223.0	-0.1	Min	I	-159.5	-0.0	-0.1	-1.2
0.0	0.0		J	-159.5	-0.0	-0.1	-1.2
73.8	0.0	C1-C2;~2 Max	I	15.6	0.0	0.0	0.8
0.0	0.0		J	15.6	0.0	0.0	0.8
-181.8	-0.1	Min	I	-111.0	-0.0	-0.1	-0.5
0.0	0.0		J	-111.0	-0.0	-0.1	-0.5
31.9	0.0	C3-C4;~2 Max	I	15.4	0.0	0.0	0.6
0.0	0.0		J	15.4	0.0	0.0	0.6
-141.9	-0.0	Min	I	-94.2	-0.0	-0.1	-0.7
0.0	0.0		J	-94.2	-0.0	-0.1	-0.7
-259.0	-0.0	G1	I	-103.9	-0.0	-0.7	-0.1
0.0	0.0		J	-103.9	-0.0	0.4	-0.1
53.1	-0.0	G2	I	-40.9	-0.0	0.0	-0.0
0.0	0.0		J	-40.9	-0.0	0.0	-0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
32.2	-0.0	Q5_pc	I	9.3	-0.0	0.0	-0.1
0.0	0.0		J	9.3	-0.0	0.0	-0.1
46.5	-0.0	Q5_ps	I	9.3	-0.0	0.0	-0.1
0.0	0.0		J	9.3	-0.0	0.0	-0.1
-496.7	0.2	INVSLU Max	I	-136.7	0.0	-0.9	1.8
0.0	0.0		J	-136.7	0.0	0.5	1.8
1098.8	-0.1	Min	I	-435.5	-0.0	-1.2	-1.8
0.0	0.0		J	-435.5	-0.0	0.3	-1.8
-365.5	0.1	INVSLE Max	I	-100.1	0.0	-0.7	1.3
0.0	0.0		J	-100.1	0.0	0.4	1.3
-807.2	-0.1	Min	I	-320.2	-0.0	-0.9	-1.4
			J	-320.2	-0.0	0.2	-1.4

PROJECT TITLE :

		Company				Client			
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0								
77	2	79	C1-C2;~1	Max	I	76.3	0.0	0.0	0.4
0.0	0.0				J	76.3	0.0	0.0	0.4
0.0	0.0				Min	-13.4	-0.0	-0.0	-0.2
0.0	0.0				J	-13.4	-0.0	-0.0	-0.2
0.0	0.0								
0.0	0.0		C3-C4;~1	Max	I	71.2	0.0	0.0	0.3
0.0	0.0				J	71.2	0.0	0.0	0.3
0.0	0.0				Min	-6.6	-0.0	-0.0	-0.3
0.0	0.0				J	-6.6	-0.0	-0.0	-0.3
0.0	0.0								
0.0	0.0		C1-C2;~2	Max	I	50.6	0.0	0.0	0.2
0.0	0.0				J	50.6	0.0	0.0	0.2
0.0	0.0				Min	-6.5	-0.0	-0.0	-0.1
0.0	0.0				J	-6.5	-0.0	-0.0	-0.1
0.0	0.0								
0.0	0.0		C3-C4;~2	Max	I	46.6	0.0	0.0	0.2
0.0	0.0				J	46.6	0.0	0.0	0.2
0.0	0.0				Min	-2.7	-0.0	-0.0	-0.2
0.0	0.0				J	-2.7	-0.0	-0.0	-0.2
0.0	0.0								
0.0	0.0				G1	-1.9	-0.0	-0.7	0.0
0.0	0.0				J	-1.9	0.0	0.7	0.0
0.0	0.0								
0.0	0.0				G2	-7.4	-0.0	0.0	-0.0
0.0	0.0				J	-7.4	0.0	-0.0	-0.0
0.0	0.0								
0.0	0.0				Q3	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
0.0	0.0		Q5_pc		I	-7.6	0.0	-0.0	-0.0
0.0	0.0				J	-7.6	0.0	-0.0	-0.0
0.0	0.0								
0.0	0.0		Q5_ps		I	-10.9	0.0	-0.0	-0.0
0.0	0.0				J	-10.9	0.0	-0.0	-0.0
0.0	0.0								
0.0	0.0		INVS LU	Max	I	156.3	-0.0	-0.9	0.4
0.0	0.0				J	156.3	0.0	0.9	0.4


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


0.0	0.0		Min	I	21.2	-0.0	-0.9	-0.5
0.0	0.0			J	21.2	0.0	0.9	-0.5
0.0	0.0		INVSLE Max	I	110.6	-0.0	-0.7	0.3
0.0	0.0			J	110.6	0.0	0.7	0.3
0.0	0.0		Min	I	11.8	-0.0	-0.7	-0.3
0.0	0.0			J	11.8	0.0	0.7	-0.3
0.0	0.0							
78	2	74	C1-C2;~1 Max	I	80.2	0.0	0.0	0.3
0.0	0.0			J	80.2	0.0	0.0	0.3
0.0	0.0		Min	I	-36.5	0.0	-0.0	-0.2
0.0	0.0			J	-36.5	0.0	0.0	-0.2
0.0	0.0							
0.0	0.0		C3-C4;~1 Max	I	57.8	0.0	0.0	0.3
0.0	0.0			J	57.8	0.0	0.0	0.3
0.0	0.0		Min	I	-60.2	0.0	-0.0	-0.2
0.0	0.0			J	-60.2	0.0	0.0	-0.2
0.0	0.0							
0.0	0.0		C1-C2;~2 Max	I	51.2	0.0	0.0	0.2
0.0	0.0			J	51.2	0.0	0.0	0.2
0.0	0.0		Min	I	-21.2	0.0	-0.0	-0.1
0.0	0.0			J	-21.2	0.0	0.0	-0.1
0.0	0.0							
0.0	0.0		C3-C4;~2 Max	I	36.2	0.0	0.0	0.2
0.0	0.0			J	36.2	0.0	0.0	0.2
0.0	0.0		Min	I	-37.1	0.0	-0.0	-0.1
0.0	0.0			J	-37.1	0.0	0.0	-0.1
0.0	0.0							
0.0	0.0		G1	I	0.5	0.0	-0.5	0.1
0.0	0.0			J	1.3	0.0	0.5	0.1
0.0	0.0							
0.0	0.0		G2	I	-0.7	0.0	0.0	0.0
0.0	0.0			J	-0.7	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0	Q5_pc	I	-12.6	0.0	-0.0	0.0
0.0	0.0		J	-12.6	0.0	0.0	0.0
0.0	0.0	Q5_ps	I	-13.1	0.0	-0.0	0.0
0.0	0.0		J	-13.1	0.0	0.0	0.0
0.0	0.0	INVSLU Max	I	120.7	0.0	-0.6	0.3
0.0	0.0		J	121.8	0.0	0.6	0.3
0.0	0.0	Min	I	-91.4	0.0	-0.6	-0.4
0.0	0.0		J	-90.3	0.0	0.6	-0.4
0.0	0.0	INVSLE Max	I	88.6	0.0	-0.5	0.2
0.0	0.0		J	89.4	0.0	0.5	0.2
0.0	0.0	Min	I	-66.8	0.0	-0.5	-0.3
0.0	0.0		J	-66.0	0.0	0.5	-0.3
79	2	74 C1-C2;~1 Max	I	36.8	0.0	0.0	0.2
0.0	0.0		J	36.8	0.0	0.0	0.2
0.0	0.0	Min	I	-80.3	0.0	-0.0	-0.3
0.0	0.0		J	-80.3	0.0	0.0	-0.3
0.0	0.0	C3-C4;~1 Max	I	60.3	0.0	0.0	0.2
0.0	0.0		J	60.3	0.0	0.0	0.2
0.0	0.0	Min	I	-57.7	0.0	-0.0	-0.3
0.0	0.0		J	-57.7	0.0	0.0	-0.3
0.0	0.0	C1-C2;~2 Max	I	21.4	0.0	0.0	0.1
0.0	0.0		J	21.4	0.0	0.0	0.1
0.0	0.0	Min	I	-51.3	0.0	-0.0	-0.2
0.0	0.0		J	-51.3	0.0	0.0	-0.2
0.0	0.0	C3-C4;~2 Max	I	37.2	0.0	0.0	0.1
0.0	0.0		J	37.2	0.0	0.0	0.1
0.0	0.0	Min	I	-36.1	0.0	-0.0	-0.2
0.0	0.0		J	-36.1	0.0	0.0	-0.2
0.0	0.0	G1	I	2.6	0.0	-0.5	-0.1


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0		J	3.4	0.0	0.5	-0.1
0.0	0.0	G2	I	0.7	0.0	0.0	-0.0
0.0	0.0		J	0.7	0.0	0.0	-0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	12.5	0.0	0.0	0.0
0.0	0.0		J	12.5	0.0	0.0	0.0
0.0	0.0	Q5_ps	I	13.1	0.0	0.0	0.0
0.0	0.0		J	13.1	0.0	0.0	0.0
0.0	0.0	INVS LU Max	I	96.2	0.0	-0.6	0.2
0.0	0.0		J	97.2	0.0	0.6	0.2
0.0	0.0	Min	I	-116.2	0.0	-0.6	-0.4
0.0	0.0		J	-115.1	0.0	0.6	-0.4
0.0	0.0	INVS LE Max	I	70.3	0.0	-0.5	0.2
0.0	0.0		J	71.1	0.0	0.5	0.2
0.0	0.0	Min	I	-85.3	0.0	-0.5	-0.3
0.0	0.0		J	-84.5	0.0	0.5	-0.3
86	2	63 C1-C2;~1 Max	I	1137.1	0.8	0.2	14.8
141.8	2869.6		J	1137.1	0.8	0.2	14.8
51.6	2849.8	Min	I	-174.9	-1.0	-0.0	-82.0
-14.3	-1143.2		J	-174.9	-1.0	-0.0	-82.0
-10.7	-1071.9	C3-C4;~1 Max	I	1150.5	0.8	0.2	9.7
145.7	2167.7		J	1150.5	0.8	0.2	9.7
36.8	2114.6	Min	I	-171.9	-0.8	-0.0	-83.4
-21.3	-1363.2		J	-171.9	-0.8	-0.0	-83.4
-12.1	-1349.4	C1-C2;~2 Max	I	693.9	0.5	0.1	7.5
90.4	1881.0		J	693.9	0.5	0.1	7.5
31.4	1847.3	Min	I	-99.6	-0.7	-0.0	-53.9
-6.9	-718.5		J	-99.6	-0.7	-0.0	-53.9


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-5.7	-658.1								
			C3-C4;~2	Max	I	687.0	0.5	0.2	4.6
92.2	1373.8				J	687.0	0.5	0.2	4.6
21.7	1328.6								
				Min	I	-97.7	-0.5	-0.0	-52.7
-11.4	-867.5				J	-97.7	-0.5	-0.0	-52.7
-6.3	-840.8								
			G1		I	812.7	0.1	-0.3	-17.9
16.8	467.9				J	812.7	0.1	0.5	-17.9
-19.2	439.6								
			G2		I	316.3	0.0	0.0	-2.9
14.2	195.5				J	316.3	0.0	0.0	-2.9
7.0	182.7								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc		I	-10.2	-0.0	-0.0	4.6
-13.0	-1386.8				J	-10.2	-0.0	-0.0	4.6
-4.3	-1371.0								
			Q5_ps		I	-8.8	-0.0	-0.0	6.2
-14.8	-1365.1				J	-8.8	-0.0	-0.0	6.2
-5.0	-1358.7								
			INVSLU	Max	I	3415.8	1.2	0.0	-14.5
361.8	5943.6				J	3415.8	1.2	1.1	-14.5
115.9	5893.1								
				Min	I	1608.1	-1.4	-0.4	-155.4
113.1	-2397.4				J	1608.1	-1.4	0.7	-155.4
22.1	-2361.1								
			INVSLE	Max	I	2539.7	0.9	0.0	-11.5
274.6	4264.8				J	2539.7	0.9	0.8	-11.5
87.1	4234.8								
				Min	I	1202.0	-1.0	-0.3	-115.3
92.0	-1669.6				J	1202.0	-1.0	0.5	-115.3
18.1	-1637.0								
		63	C1-C2;~1	Max	I	1074.2	0.8	0.2	93.0
87	2				J	1074.2	0.8	0.2	93.0
132.4	1923.6								
				Min	I	-176.9	-1.0	-0.0	-15.7
25.5	1955.2				J	-176.9	-1.0	-0.0	-15.7
-28.9	-2337.8								
-18.4	-2154.0								
			C3-C4;~1	Max	I	1126.6	0.8	0.3	83.4
146.6	1466.2				J	1126.6	0.8	0.3	83.4

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
37.6	1430.9		Min	I	-175.4	-0.8	-0.0	-10.2
-18.1	-2228.4			J	-175.4	-0.8	-0.0	-10.2
-11.6	-2222.3							
		C1-C2;~2	Max	I	644.7	0.5	0.2	60.5
84.0	1258.1			J	644.7	0.5	0.2	60.5
14.1	1258.4		Min	I	-100.7	-0.6	-0.0	-8.5
-16.6	-1517.1			J	-100.7	-0.6	-0.0	-8.5
-10.6	-1376.6							
		C3-C4;~2	Max	I	678.5	0.5	0.2	53.2
93.0	934.7			J	678.5	0.5	0.2	53.2
21.8	897.3		Min	I	-99.8	-0.5	-0.0	-5.0
-9.9	-1399.1			J	-99.8	-0.5	-0.0	-5.0
-6.3	-1383.1							
		G1		I	824.8	-0.0	-0.3	18.4
20.9	-439.9			J	824.8	-0.0	0.5	18.4
-18.8	-421.3							
		G2		I	320.8	-0.0	0.0	3.2
16.4	-198.8			J	320.8	-0.0	0.0	3.2
7.7	-193.0							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-0.8	0.5	0.0	-7.7
9.1	228.1			J	-0.8	0.5	0.0	-7.7
4.6	0.6							
		Q5_ps		I	-0.3	0.4	0.0	-10.1
7.6	149.3			J	-0.3	0.4	0.0	-10.1
6.3	-75.2							
		INVSLU	Max	I	3377.4	1.5	0.0	177.5
371.8	2018.3			J	3377.4	1.5	1.1	177.5
102.3	1835.4		Min	I	1616.4	-1.7	-0.4	16.8
118.3	-4145.2			J	1616.4	-1.7	0.7	16.8
18.4	-3805.2							
		INVSLE	Max	I	2511.2	1.1	0.0	131.4
282.1	1524.4			J	2511.2	1.1	0.8	131.4
77.0	1398.5		Min	I	1206.8	-1.2	-0.3	13.4
95.5	-3010.7			J	1206.8	-1.2	0.6	13.4
15.5	-2779.6							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

88	2	62	C1-C2;~1	Max	I	22.5	15.9	0.4	50.1	
88.6	7123.5				J	22.5	15.9	0.4	50.1	
595.8	15861.3									
-546.6	-47664.0			Min	I	-147.3	-126.6	-2.3	-566.0	
-89.7	-1174.3				J	-147.3	-126.6	-2.3	-566.0	
96.6	5866.3		C3-C4;~1	Max	I	21.8	13.3	0.3	53.2	
775.0	11587.0				J	21.8	13.3	0.3	53.2	
-710.0	-42793.7			Min	I	-161.6	-108.3	-3.0	-455.8	
-85.7	-1488.5				J	-161.6	-108.3	-3.0	-455.8	
46.4	3361.3		C1-C2;~2	Max	I	12.8	7.4	0.2	22.2	
367.3	11176.0				J	12.8	7.4	0.2	22.2	
-336.7	-31328.7			Min	I	-88.1	-84.8	-1.4	-386.2	
-48.6	-594.2				J	-88.1	-84.8	-1.4	-386.2	
54.7	2591.4		C3-C4;~2	Max	I	12.4	5.8	0.2	23.1	
495.6	8057.5				J	12.4	5.8	0.2	23.1	
-453.6	-27718.3			Min	I	-97.4	-71.2	-1.9	-302.8	
-46.8	-766.0				J	-97.4	-71.2	-1.9	-302.8	
-239.4	-10.7			G1	I	-102.3	-0.2	-1.3	-3.5	
227.5	104.3				J	-102.3	-0.2	-0.6	-3.5	
-65.0	4483.2			G2	I	-38.5	10.2	-0.3	36.4	
86.8	-597.7				J	-38.5	10.2	-0.3	36.4	
0.0	0.0			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
39.9	8263.5			Q5_pc	I	-15.5	19.8	0.2	73.6	
-35.9	-1616.1				J	-15.5	19.8	0.2	73.6	
49.0	10981.9			Q5_ps	I	-14.6	26.0	0.2	98.3	
-43.1	-2005.7				J	-14.6	26.0	0.2	98.3	
72.1	60935.0			INVSLU	Max	I	-2161.9	127.5	-0.5	420.3
1311.1	23527.7				J	-2161.9	127.5	0.5	420.3	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
1088.5	-31859.1		Min	I	-2438.4	-110.2	-5.3	-588.6	-
				J	-2438.4	-110.2	-4.3	-588.6	
79.2	-3382.1								
		INVSLE	Max	I	-1684.5	97.5	-0.4	315.5	
45.6	46948.5			J	-1684.5	97.5	0.3	315.5	
977.5	17361.3								
			Min	I	-1887.3	-74.3	-3.9	-416.0	
-808.8	-20016.8			J	-1887.3	-74.3	-3.2	-416.0	
69.8	-2241.2								
89	2	62	C1-C2;~1	Max	I	21.6	105.3	0.4	443.2
116.9	41643.8			J	21.6	105.3	0.4	443.2	
641.2	3748.4								
			Min	I	-167.8	-35.9	-2.4	-155.6	
-583.0	-14836.1			J	-167.8	-35.9	-2.4	-155.6	
-105.5	-11231.3								
		C3-C4;~1	Max	I	21.7	104.9	0.4	441.4	
92.8	41475.0			J	21.7	104.9	0.4	441.4	
783.1	1320.5								
			Min	I	-167.0	-11.3	-3.0	-41.4	
-716.7	-5012.2			J	-167.0	-11.3	-3.0	-41.4	
-97.0	-11374.4								
		C1-C2;~2	Max	I	12.3	68.7	0.2	293.0	
64.6	26774.1			J	12.3	68.7	0.2	293.0	
399.1	2336.5								
			Min	I	-102.7	-20.8	-1.5	-92.8	
-362.2	-8467.3			J	-102.7	-20.8	-1.5	-92.8	
-56.9	-7722.8								
		C3-C4;~2	Max	I	12.4	69.7	0.2	296.1	
49.9	27229.0			J	12.4	69.7	0.2	296.1	
496.2	697.7								
			Min	I	-100.0	-5.1	-1.9	-18.1	
-453.5	-2276.7			J	-100.0	-5.1	-1.9	-18.1	
-53.1	-7773.5								
		G1		I	-104.5	1.5	-1.3	7.7	
-246.1	601.7			J	-104.5	1.5	-0.6	7.7	
234.0	-142.0								
		G2		I	-39.1	-9.3	-0.3	-32.7	
-66.0	-4099.9			J	-39.1	-9.3	-0.3	-32.7	
87.5	549.9								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc		I	19.0	-2.0	-0.0	-7.1	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-2.1	-1245.8			J	19.0	-2.0	-0.0	-7.1
2.2	-245.5							
			Q5_ps	I	19.3	-5.5	0.0	-18.4
7.9	-2764.5			J	19.3	-5.5	0.0	-18.4
-7.3	-24.0							
			INVSLE Max	I	-2156.5	66.2	-0.5	373.9
67.0	17814.3			J	-2156.5	66.2	0.5	373.9
1284.3	4616.7		Min	I	-2446.6	-127.9	-5.2	-447.3
1062.2	-60675.9			J	-2446.6	-127.9	-4.2	-447.3
80.8	-16241.0							
			INVSLE Max	I	-1680.7	42.9	-0.4	261.4
44.9	10064.6			J	-1680.7	42.9	0.3	261.4
959.3	3363.4		Min	I	-1893.0	-100.6	-3.9	-345.9
-791.3	-47910.2			J	-1893.0	-100.6	-3.1	-345.9
68.1	-12054.1							
90	2	65	C1-C2;~1 Max	I	223.8	0.0	0.0	8.1
0.0	0.0			J	223.8	0.0	0.0	8.1
0.0	0.0		Min	I	-51.7	-0.0	-0.0	-2.1
0.0	0.0			J	-51.7	0.0	0.0	-2.1
0.0	0.0							
			C3-C4;~1 Max	I	177.9	0.0	0.0	7.9
0.0	0.0			J	177.9	0.0	0.0	7.9
0.0	0.0		Min	I	-86.6	-0.0	-0.0	-0.8
0.0	0.0			J	-86.6	0.0	0.0	-0.8
0.0	0.0							
			C1-C2;~2 Max	I	131.2	0.0	0.0	5.2
0.0	0.0			J	131.2	0.0	0.0	5.2
0.0	0.0		Min	I	-24.8	-0.0	-0.0	-1.2
0.0	0.0			J	-24.8	0.0	0.0	-1.2
0.0	0.0							
			C3-C4;~2 Max	I	101.5	0.0	0.0	5.2
0.0	0.0			J	101.5	0.0	0.0	5.2
0.0	0.0		Min	I	-47.3	-0.0	-0.0	-0.4
0.0	0.0			J	-47.3	0.0	0.0	-0.4
0.0	0.0							
			G1	I	63.5	-0.0	-1.3	2.2
0.0	0.0			J	63.5	0.0	1.3	2.2

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0						
		G2	I	22.8	-0.0	0.0	0.3
0.0	0.0		J	22.8	0.0	0.0	0.3
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-22.7	-0.0	-0.0	0.2
0.0	0.0		J	-22.7	0.0	0.0	0.2
0.0	0.0						
		Q5_ps	I	-27.9	-0.0	-0.0	0.0
0.0	0.0		J	-27.9	0.0	0.0	0.0
0.0	0.0						
		INVSLE Max	I	436.1	-0.0	-1.8	30.9
0.0	0.0		J	436.1	0.0	1.8	30.9
0.0	0.0						
		Min	I	-23.9	-0.0	-1.8	16.9
0.0	0.0		J	-23.9	0.0	1.8	16.9
0.0	0.0						
		INVSLE Max	I	321.9	-0.0	-1.3	23.7
0.0	0.0		J	321.9	0.0	1.3	23.7
0.0	0.0						
		Min	I	-15.8	-0.0	-1.3	13.4
0.0	0.0		J	-15.8	0.0	1.3	13.4
0.0	0.0						
91	2	65 C1-C2;~1 Max	I	138.0	0.1	0.0	1.2
0.0	0.0		J	138.0	0.1	0.0	1.2
4.5	115.8						
		Min	I	-121.4	-0.0	-0.0	-8.7
0.0	0.0		J	-121.4	-0.0	-0.0	-8.7
-2.3	-370.1						
		C3-C4;~1 Max	I	179.4	0.1	0.0	1.0
0.0	0.0		J	179.4	0.1	0.0	1.0
3.6	154.5						
		Min	I	-79.2	-0.0	-0.0	-8.6
0.0	0.0		J	-79.2	-0.0	-0.0	-8.6
-2.5	-329.7						
		C1-C2;~2 Max	I	76.5	0.1	0.0	0.6
0.0	0.0		J	76.5	0.1	0.0	0.6
2.9	67.5						
		Min	I	-70.7	-0.0	-0.0	-5.4
0.0	0.0		J	-70.7	-0.0	-0.0	-5.4
-1.4	-236.0						

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


0.0	0.0	C3-C4;~2	Max	I	101.2	0.1	0.0	0.5	
2.2	94.5			J	101.2	0.1	0.0	0.5	
0.0	0.0		Min	I	-44.7	-0.0	-0.0	-5.4	
-1.5	-203.8			J	-44.7	-0.0	-0.0	-5.4	
0.0	0.0		G1	I	68.2	0.0	-4.0	-3.2	
8271.4	-124.2			J	68.2	0.0	-1.3	-3.2	
0.0	0.0		G2	I	27.2	0.0	-0.0	-0.7	
0.3	-47.9			J	27.2	0.0	-0.0	-0.7	
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Q5_pc	I	21.0	0.0	0.0	0.5	
-0.8	-30.7			J	21.0	0.0	0.0	0.5	
0.0	0.0		Q5_ps	I	25.6	0.0	0.0	0.7	
-0.9	-28.3			J	25.6	0.0	0.0	0.7	
0.0	0.0		INVSLU Max	I	409.7	0.2	-5.4	-20.5	
1174.0	78.8			J	409.7	0.2	-1.8	-20.5	1
0.0	0.0		Min	I	-34.0	-0.0	-5.4	-34.9	
1163.2	-684.6			J	-34.0	-0.0	-1.8	-34.9	1
0.0	0.0		INVSLE Max	I	302.7	0.2	-4.0	-16.0	
8277.0	62.0			J	302.7	0.2	-1.3	-16.0	
0.0	0.0		Min	I	-23.2	-0.0	-4.0	-26.6	
8269.1	-499.4			J	-23.2	-0.0	-1.3	-26.6	
92	2	65	C1-C2;~1	Max	I	138.0	0.0	0.0	1.6
2.3	115.8			J	138.0	0.0	0.0	1.6	
0.0	0.0		Min	I	-121.4	-0.1	-0.0	-8.3	
-4.5	-370.1			J	-121.4	-0.1	-0.0	-8.3	
0.0	0.0		C3-C4;~1	Max	I	179.4	0.0	0.0	1.0
2.5	154.5			J	179.4	0.0	0.0	1.0	
0.0	0.0								

MIDAS


PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
-3.6	-329.7		Min	I	-79.3	-0.1	-0.0	-8.5		
				J	-79.3	-0.1	-0.0	-8.5		
0.0	0.0									
1.4	67.5	C1-C2;~2	Max	I	76.5	0.0	0.0	0.8		
				J	76.5	0.0	0.0	0.8		
0.0	0.0									
-2.9	-236.0		Min	I	-70.7	-0.1	-0.0	-5.1		
				J	-70.7	-0.1	-0.0	-5.1		
0.0	0.0									
1.5	94.5	C3-C4;~2	Max	I	101.2	0.0	0.0	0.5		
				J	101.2	0.0	0.0	0.5		
0.0	0.0									
-2.2	-203.8		Min	I	-44.7	-0.1	-0.0	-5.3		
				J	-44.7	-0.1	-0.0	-5.3		
0.0	0.0									
8269.8	-124.2		G1	I	68.2	-0.0	1.3	-2.9		
				J	68.2	-0.0	4.0	-2.9		
0.0	0.0									
-0.3	-47.9		G2	I	27.2	-0.0	-0.0	-0.6		
				J	27.2	-0.0	-0.0	-0.6		
0.0	0.0									
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0		
				J	0.0	0.0	0.0	0.0		
0.0	0.0									
0.8	-30.7		Q5_pc	I	21.0	-0.0	0.0	0.2		
				J	21.0	-0.0	0.0	0.2		
0.0	0.0									
0.9	-28.3		Q5_ps	I	25.6	-0.0	0.0	0.4		
				J	25.6	-0.0	0.0	0.4		
0.0	0.0									
1167.4	78.8		INVSLU	Max	I	409.7	0.0	1.8	-19.6	1
				J	409.7	0.0	5.4	-19.6		
0.0	0.0									
1156.6	-684.6		Min	I	-34.0	-0.2	1.8	-33.6	1	
				J	-34.0	-0.2	5.4	-33.6		
0.0	0.0									
8272.1	62.0		INVSLE	Max	I	302.7	0.0	1.3	-15.3	
				J	302.7	0.0	4.0	-15.3		
0.0	0.0									
8264.2	-499.4		Min	I	-23.2	-0.2	1.3	-25.6		
				J	-23.2	-0.2	4.0	-25.6		
0.0	0.0									

PROJECT TITLE :

		Company				Client			
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
93	2	65	C1-C2;~1	Max	I	223.7	0.0	0.0	11.6
0.0	0.0				J	223.7	0.0	0.0	11.6
0.0	0.0			Min	I	-51.8	-0.0	-0.0	-1.6
0.0	0.0				J	-51.8	0.0	0.0	-1.6
0.0	0.0		C3-C4;~1	Max	I	177.8	0.0	0.0	11.2
0.0	0.0				J	177.8	0.0	0.0	11.2
0.0	0.0			Min	I	-86.7	-0.0	-0.0	-1.7
0.0	0.0				J	-86.7	0.0	0.0	-1.7
0.0	0.0		C1-C2;~2	Max	I	131.1	0.0	0.0	7.3
0.0	0.0				J	131.1	0.0	0.0	7.3
0.0	0.0			Min	I	-24.9	-0.0	-0.0	-0.9
0.0	0.0				J	-24.9	0.0	0.0	-0.9
0.0	0.0		C3-C4;~2	Max	I	101.4	0.0	0.0	6.9
0.0	0.0				J	101.4	0.0	0.0	6.9
0.0	0.0			Min	I	-47.4	-0.0	-0.0	-0.9
0.0	0.0				J	-47.4	0.0	0.0	-0.9
0.0	0.0		G1		I	63.4	-0.0	-1.3	3.8
0.0	0.0				J	63.4	0.0	1.3	3.8
0.0	0.0		G2		I	22.7	-0.0	0.0	0.9
0.0	0.0				J	22.7	0.0	0.0	0.9
0.0	0.0		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc		I	-22.7	-0.0	-0.0	-1.4
0.0	0.0				J	-22.7	0.0	0.0	-1.4
0.0	0.0		Q5_ps		I	-27.9	-0.0	0.0	-1.9
0.0	0.0				J	-27.9	0.0	0.0	-1.9
0.0	0.0		INVSLU	Max	I	435.9	-0.0	-1.8	40.8
0.0	0.0				J	435.9	0.0	1.8	40.8
0.0	0.0			Min	I	-24.1	-0.0	-1.8	19.8

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0			J	-24.1	0.0	1.8	19.8
0.0	0.0							
			INVSLE Max	I	321.8	-0.0	-1.3	30.8
0.0	0.0			J	321.8	0.0	1.3	30.8
0.0	0.0		Min	I	-15.9	-0.0	-1.3	15.6
0.0	0.0			J	-15.9	0.0	1.3	15.6
0.0	0.0							
100	2	81	C1-C2;~1 Max	I	53.0	0.1	0.0	1.6
0.0	0.0			J	53.0	0.1	0.0	1.6
1.1	184.5		Min	I	-21.9	-0.1	-0.0	-2.2
0.0	0.0			J	-21.9	-0.1	-0.0	-2.2
-1.3	-187.4							
			C3-C4;~1 Max	I	48.5	0.1	0.0	1.0
0.0	0.0			J	48.5	0.1	0.0	1.0
0.9	168.7		Min	I	-11.0	-0.1	-0.0	-1.6
0.0	0.0			J	-11.0	-0.1	-0.0	-1.6
-1.4	-172.3							
			C1-C2;~2 Max	I	33.9	0.0	0.0	1.0
0.0	0.0			J	33.9	0.0	0.0	1.0
0.7	123.0		Min	I	-12.1	-0.0	-0.0	-1.3
0.0	0.0			J	-12.1	-0.0	-0.0	-1.3
-0.7	-125.9							
			C3-C4;~2 Max	I	30.7	0.0	0.0	0.6
0.0	0.0			J	30.7	0.0	0.0	0.6
0.6	111.6		Min	I	-5.3	-0.0	-0.0	-0.9
0.0	0.0			J	-5.3	-0.0	-0.0	-0.9
-0.8	-112.7							
			G1	I	-6.9	-0.0	2.1	-1.6
0.0	0.0			J	-6.9	-0.0	0.7	-1.6
4472.3	0.0							-
			G2	I	-8.7	-0.0	0.0	-0.9
0.0	0.0			J	-8.7	-0.0	0.0	-0.9
-0.2	0.5							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-2.1	-0.0	0.0	-0.2
0.0	0.0							

MIDAS

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-0.0	18.0		J	-2.1	-0.0	0.0	-0.2
0.0	0.0	Q5_ps	I	-5.2	-0.0	0.0	-0.4
-0.2	18.0		J	-5.2	-0.0	0.0	-0.4
0.0	0.0	INVSLE Max	I	-162.3	0.1	2.9	1.6
6036.0	182.2		J	-162.3	0.1	1.0	1.6
0.0	0.0	Min	I	-267.2	-0.1	2.9	-4.0
6039.4	-352.2		J	-267.2	-0.1	1.0	-4.0
0.0	0.0	INVSLE Max	I	-134.4	0.1	2.1	1.6
4471.1	132.1		J	-134.4	0.1	0.7	1.6
0.0	0.0	Min	I	-211.9	-0.0	2.1	-2.5
4473.6	-261.3		J	-211.9	-0.0	0.7	-2.5
101	2	81 C1-C2;~1 Max	I	50.9	0.0	0.0	1.7
0.0	0.0		J	50.9	0.0	0.0	1.7
0.0	0.0	Min	I	-19.5	-0.0	0.0	-1.4
0.0	0.0		J	-19.5	0.0	-0.0	-1.4
0.0	0.0	C3-C4;~1 Max	I	48.2	0.0	0.0	1.1
0.0	0.0		J	48.2	0.0	0.0	1.1
0.0	0.0	Min	I	-11.7	-0.0	0.0	-1.7
0.0	0.0		J	-11.7	0.0	-0.0	-1.7
0.0	0.0	C1-C2;~2 Max	I	32.6	0.0	0.0	1.0
0.0	0.0		J	32.6	0.0	0.0	1.0
0.0	0.0	Min	I	-10.8	-0.0	0.0	-0.8
0.0	0.0		J	-10.8	0.0	-0.0	-0.8
0.0	0.0	C3-C4;~2 Max	I	30.6	0.0	0.0	0.6
0.0	0.0		J	30.6	0.0	0.0	0.6
0.0	0.0	Min	I	-5.7	-0.0	0.0	-1.0
0.0	0.0		J	-5.7	0.0	-0.0	-1.0
0.0	0.0	G1	I	-8.0	0.0	0.7	1.1
0.0	0.0		J	-8.0	0.0	-0.7	1.1


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


0.0	0.0	G2	I	-9.3	0.0	0.0	0.7
0.0	0.0		J	-9.3	0.0	-0.0	0.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-11.6	0.0	0.0	0.2
0.0	0.0		J	-11.6	0.0	0.0	0.2
0.0	0.0	Q5_ps	I	-14.6	0.0	0.0	0.2
0.0	0.0		J	-14.6	0.0	0.0	0.2
0.0	0.0	INVSLU Max	I	-145.4	0.0	1.0	2.7
0.0	0.0		J	-145.4	0.0	-1.0	2.7
0.0	0.0	Min	I	-261.3	0.0	1.0	-2.2
0.0	0.0		J	-261.3	0.0	-1.0	-2.2
0.0	0.0	INVSLE Max	I	-122.5	0.0	0.7	1.6
0.0	0.0		J	-122.5	0.0	-0.7	1.6
0.0	0.0	Min	I	-206.8	0.0	0.7	-2.0
0.0	0.0		J	-206.8	0.0	-0.7	-2.0
102	2	81 C1-C2;~1 Max	I	51.0	0.0	0.0	2.9
0.0	0.0		J	51.0	0.0	0.0	2.9
0.0	0.0	Min	I	-19.5	-0.0	0.0	-2.5
0.0	0.0		J	-19.5	0.0	-0.0	-2.5
0.0	0.0	C3-C4;~1 Max	I	48.2	0.0	0.0	2.4
0.0	0.0		J	48.2	0.0	0.0	2.4
0.0	0.0	Min	I	-11.7	-0.0	0.0	-1.6
0.0	0.0		J	-11.7	0.0	-0.0	-1.6
0.0	0.0	C1-C2;~2 Max	I	32.6	0.0	0.0	1.7
0.0	0.0		J	32.6	0.0	0.0	1.7
0.0	0.0	Min	I	-10.8	-0.0	0.0	-1.6
0.0	0.0		J	-10.8	0.0	-0.0	-1.6

MIDAS

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
			C3-C4;~2	Max	I	30.6	0.0	0.0	1.4
0.0	0.0				J	30.6	0.0	0.0	1.4
0.0	0.0			Min	I	-5.7	-0.0	0.0	-1.0
0.0	0.0				J	-5.7	0.0	-0.0	-1.0
0.0	0.0			G1	I	-8.0	0.0	0.7	1.9
0.0	0.0				J	-8.0	0.0	-0.7	1.9
0.0	0.0			G2	I	-9.3	0.0	0.0	1.0
0.0	0.0				J	-9.3	0.0	-0.0	1.0
0.0	0.0			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0			Q5_pc	I	-11.6	0.0	0.0	0.3
0.0	0.0				J	-11.6	0.0	-0.0	0.3
0.0	0.0			Q5_ps	I	-14.6	0.0	0.0	0.5
0.0	0.0				J	-14.6	0.0	-0.0	0.5
0.0	0.0			INVS LU Max	I	-145.2	0.0	1.0	5.3
0.0	0.0				J	-145.2	0.0	-1.0	5.3
0.0	0.0			Min	I	-261.2	0.0	1.0	-2.5
0.0	0.0				J	-261.2	0.0	-1.0	-2.5
0.0	0.0			INVS LE Max	I	-122.4	0.0	0.7	3.5
0.0	0.0				J	-122.4	0.0	-0.7	3.5
0.0	0.0			Min	I	-206.7	0.0	0.7	-2.2
0.0	0.0				J	-206.7	0.0	-0.7	-2.2
103	2	81	C1-C2;~1	Max	I	53.0	0.1	0.0	1.6
1.3	184.5				J	53.0	0.1	0.0	1.6
0.0	0.0			Min	I	-21.9	-0.1	-0.0	-1.9
-1.1	-187.4				J	-21.9	-0.1	-0.0	-1.9
0.0	0.0			C3-C4;~1	Max	48.5	0.1	0.0	1.1
1.4	168.7				J	48.5	0.1	0.0	1.1
0.0	0.0			Min	I	-11.0	-0.1	-0.0	-1.4

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-0.9	-172.3		J	-11.0	-0.1	-0.0	-1.4	
0.0	0.0							
0.7	123.0	C1-C2;~2 Max	I	33.9	0.0	0.0	1.0	
0.0	0.0		J	33.9	0.0	0.0	1.0	
-0.7	-125.9	Min	I	-12.1	-0.0	-0.0	-1.1	
0.0	0.0		J	-12.1	-0.0	-0.0	-1.1	
0.8	111.6	C3-C4;~2 Max	I	30.7	0.0	0.0	0.7	
0.0	0.0		J	30.7	0.0	0.0	0.7	
-0.6	-112.7	Min	I	-5.3	-0.0	-0.0	-0.8	
0.0	0.0		J	-5.3	-0.0	-0.0	-0.8	
4471.5	0.0	G1	I	-6.9	0.0	-0.7	-1.4	-
0.0	0.0		J	-6.9	0.0	-2.1	-1.4	
0.2	0.5	G2	I	-8.7	0.0	0.0	-0.8	
0.0	0.0		J	-8.7	0.0	0.0	-0.8	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Q5_pc	I	-2.1	0.0	0.0	-0.2	
0.0	18.0		J	-2.1	0.0	0.0	-0.2	
0.0	0.0	Q5_ps	I	-5.2	0.0	0.0	-0.3	
0.2	18.0		J	-5.2	0.0	0.0	-0.3	
0.0	0.0	INVSLE Max	I	-162.3	0.1	-1.0	1.7	-
6034.6	182.2		J	-162.3	0.1	-2.9	1.7	
0.0	0.0	Min	I	-267.2	-0.1	-1.0	-3.4	-
6038.1	-352.2		J	-267.2	-0.1	-2.9	-3.4	
0.0	0.0	INVSLE Max	I	-134.4	0.0	-0.7	1.6	-
4470.1	132.1		J	-134.4	0.0	-2.1	1.6	
0.0	0.0	Min	I	-211.9	-0.1	-0.7	-2.1	-
4472.7	-261.3		J	-211.9	-0.1	-2.1	-2.1	
0.0	0.0	80 C1-C2;~1 Max	I	37.3	0.0	0.1	1.2	
104	2							


MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		J	37.3	0.0	0.1	1.2
130.1	0.1	Min	I	-146.6	-0.0	-0.1	-0.7
0.0	0.0		J	-146.6	-0.0	-0.1	-0.7
-275.0	-0.1						
		C3-C4;~1 Max	I	36.8	0.0	0.1	1.0
0.0	0.0		J	36.8	0.0	0.1	1.0
63.3	0.1	Min	I	-175.4	-0.0	-0.0	-0.9
0.0	0.0		J	-175.4	-0.0	-0.0	-0.9
-220.8	-0.1						
		C1-C2;~2 Max	I	21.2	0.0	0.1	0.7
0.0	0.0		J	21.2	0.0	0.1	0.7
75.1	0.1	Min	I	-84.0	-0.0	-0.0	-0.4
0.0	0.0		J	-84.0	-0.0	-0.0	-0.4
-181.3	-0.0						
		C3-C4;~2 Max	I	20.9	0.0	0.1	0.6
0.0	0.0		J	20.9	0.0	0.1	0.6
31.4	0.0	Min	I	-102.8	-0.0	-0.0	-0.5
0.0	0.0		J	-102.8	-0.0	-0.0	-0.5
-140.0	-0.0						
		G1	I	-110.5	-0.0	-0.4	-0.0
0.0	0.0		J	-110.5	-0.0	0.7	-0.0
-258.4	0.0						
		G2	I	-43.8	-0.0	-0.0	-0.0
0.0	0.0		J	-43.8	-0.0	-0.0	-0.0
53.4	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-7.7	-0.0	-0.0	0.0
0.0	0.0		J	-7.7	-0.0	-0.0	0.0
32.3	0.0						
		Q5_ps	I	-9.0	-0.0	-0.0	-0.0
0.0	0.0		J	-9.0	-0.0	-0.0	-0.0
46.6	0.0						
		INVSLU Max	I	-122.7	0.0	-0.3	1.4
0.0	0.0		J	-122.7	0.0	1.2	1.4
-511.2	0.1	Min	I	-423.7	-0.0	-0.5	-1.4
0.0	0.0						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
1116.1	-0.2		J	-423.7	-0.0	1.0	-1.4	-
		INVSLE Max	I	-88.8	0.0	-0.2	1.1	
0.0	0.0		J	-88.8	0.0	0.9	1.1	
-376.5	0.1	Min	I	-310.7	-0.0	-0.4	-1.1	
0.0	0.0		J	-310.7	-0.0	0.7	-1.1	
-820.3	-0.1							
105	2	80 C1-C2;~1 Max	I	37.7	0.0	0.1	1.2	
130.1	0.1		J	37.7	0.0	0.1	1.2	
0.0	0.0	Min	I	-201.8	-0.0	-0.1	-0.7	
-275.0	-0.1		J	-201.8	-0.0	-0.1	-0.7	
0.0	0.0							
		C3-C4;~1 Max	I	37.0	0.0	0.0	0.9	
63.3	0.1		J	37.0	0.0	0.0	0.9	
0.0	0.0	Min	I	-177.6	-0.0	-0.1	-1.0	
-220.8	-0.1		J	-177.6	-0.0	-0.1	-1.0	
0.0	0.0							
		C1-C2;~2 Max	I	21.4	0.0	0.0	0.7	
75.1	0.0		J	21.4	0.0	0.0	0.7	
0.0	0.0	Min	I	-122.7	-0.0	-0.1	-0.4	
-181.3	-0.1		J	-122.7	-0.0	-0.1	-0.4	
0.0	0.0							
		C3-C4;~2 Max	I	21.1	0.0	0.0	0.6	
31.4	0.0		J	21.1	0.0	0.0	0.6	
0.0	0.0	Min	I	-104.2	-0.0	-0.1	-0.6	
-140.0	-0.0		J	-104.2	-0.0	-0.1	-0.6	
0.0	0.0							
		G1	I	-110.2	-0.0	-0.7	0.0	
-258.4	-0.0		J	-110.2	-0.0	0.4	0.0	
0.0	0.0							
		G2	I	-43.2	-0.0	0.0	-0.0	
53.4	-0.0		J	-43.2	-0.0	0.0	-0.0	
0.0	0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	6.6	-0.0	0.0	0.0	
32.3	-0.0		J	6.6	-0.0	0.0	0.0	


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0							
			Q5_ps	I	6.9	-0.0	0.0	-0.0
46.6	-0.0			J	6.9	-0.0	0.0	-0.0
0.0	0.0							
			INVSLU Max	I	-120.4	0.0	-1.0	1.4
-511.2	0.2			J	-120.4	0.0	0.5	1.4
0.0	0.0		Min	I	-455.6	-0.0	-1.2	-1.5
1116.1	-0.1			J	-455.6	-0.0	0.3	-1.5
0.0	0.0							
			INVSLE Max	I	-87.0	0.0	-0.7	1.0
-376.5	0.1			J	-87.0	0.0	0.4	1.0
0.0	0.0		Min	I	-334.4	-0.0	-0.9	-1.1
-820.3	-0.1			J	-334.4	-0.0	0.2	-1.1
0.0	0.0							
106	2	79	C1-C2;~1 Max	I	76.4	0.0	0.0	0.3
0.0	0.0			J	76.4	0.0	0.0	0.3
0.0	0.0		Min	I	-13.4	-0.0	-0.0	-0.2
0.0	0.0			J	-13.4	-0.0	-0.0	-0.2
0.0	0.0							
			C3-C4;~1 Max	I	71.4	0.0	0.0	0.3
0.0	0.0			J	71.4	0.0	0.0	0.3
0.0	0.0		Min	I	-6.6	-0.0	-0.0	-0.2
0.0	0.0			J	-6.6	-0.0	-0.0	-0.2
0.0	0.0							
			C1-C2;~2 Max	I	50.6	0.0	0.0	0.2
0.0	0.0			J	50.6	0.0	0.0	0.2
0.0	0.0		Min	I	-6.5	-0.0	-0.0	-0.1
0.0	0.0			J	-6.5	-0.0	-0.0	-0.1
0.0	0.0							
			C3-C4;~2 Max	I	46.6	0.0	0.0	0.2
0.0	0.0			J	46.6	0.0	0.0	0.2
0.0	0.0		Min	I	-2.7	-0.0	-0.0	-0.1
0.0	0.0			J	-2.7	-0.0	-0.0	-0.1
0.0	0.0							
			G1	I	-1.8	-0.0	-0.7	0.0
0.0	0.0			J	-1.8	0.0	0.7	0.0
0.0	0.0							

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0	G2	I	-7.4	-0.0	0.0	-0.0
0.0	0.0		J	-7.4	0.0	-0.0	-0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-7.6	0.0	-0.0	0.0
0.0	0.0		J	-7.6	0.0	-0.0	0.0
0.0	0.0	Q5_ps	I	-11.0	0.0	-0.0	-0.0
0.0	0.0		J	-11.0	0.0	-0.0	-0.0
0.0	0.0	INVS LU Max	I	160.4	-0.0	-0.9	0.3
0.0	0.0		J	160.4	0.0	0.9	0.3
0.0	0.0	Min	I	25.1	-0.0	-0.9	-0.4
0.0	0.0		J	25.1	0.0	0.9	-0.4
0.0	0.0	INVS LE Max	I	113.7	-0.0	-0.7	0.3
0.0	0.0		J	113.7	0.0	0.7	0.3
0.0	0.0	Min	I	14.7	-0.0	-0.7	-0.3
0.0	0.0		J	14.7	0.0	0.7	-0.3
107	2	74 C1-C2;~1 Max	I	89.0	0.0	0.0	0.2
0.0	0.0		J	89.0	0.0	0.0	0.2
0.0	0.0	Min	I	-38.8	0.0	-0.0	-0.2
0.0	0.0		J	-38.8	0.0	0.0	-0.2
0.0	0.0	C3-C4;~1 Max	I	63.8	0.0	0.0	0.2
0.0	0.0		J	63.8	0.0	0.0	0.2
0.0	0.0	Min	I	-65.0	0.0	-0.0	-0.2
0.0	0.0		J	-65.0	0.0	0.0	-0.2
0.0	0.0	C1-C2;~2 Max	I	56.2	0.0	0.0	0.1
0.0	0.0		J	56.2	0.0	0.0	0.1
0.0	0.0	Min	I	-22.0	0.0	-0.0	-0.1
0.0	0.0		J	-22.0	0.0	0.0	-0.1
0.0	0.0	C3-C4;~2 Max	I	39.5	0.0	0.0	0.1


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0			J	39.5	0.0	0.0	0.1
0.0	0.0		Min	I	-39.5	0.0	-0.0	-0.1
0.0	0.0			J	-39.5	0.0	0.0	-0.1
0.0	0.0		G1	I	1.4	0.0	-0.5	-0.0
0.0	0.0			J	2.2	0.0	0.5	-0.0
0.0	0.0		G2	I	-0.5	0.0	0.0	-0.0
0.0	0.0			J	-0.5	0.0	0.0	-0.0
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc	I	-9.4	0.0	-0.0	0.0
0.0	0.0			J	-9.4	0.0	0.0	0.0
0.0	0.0		Q5_ps	I	-10.5	0.0	-0.0	0.0
0.0	0.0			J	-10.5	0.0	0.0	0.0
0.0	0.0		INVSLU Max	I	129.0	0.0	-0.6	0.2
0.0	0.0			J	130.1	0.0	0.6	0.2
0.0	0.0		Min	I	-95.8	0.0	-0.6	-0.4
0.0	0.0			J	-94.8	0.0	0.6	-0.4
0.0	0.0		INVSLE Max	I	95.0	0.0	-0.5	0.2
0.0	0.0			J	95.7	0.0	0.5	0.2
0.0	0.0		Min	I	-70.4	0.0	-0.5	-0.3
0.0	0.0			J	-69.6	0.0	0.5	-0.3
108	2	74	C1-C2;~1 Max	I	39.1	0.0	0.0	0.2
0.0	0.0			J	39.1	0.0	0.0	0.2
0.0	0.0		Min	I	-89.1	0.0	-0.0	-0.2
0.0	0.0			J	-89.1	0.0	0.0	-0.2
0.0	0.0		C3-C4;~1 Max	I	65.2	0.0	0.0	0.2
0.0	0.0			J	65.2	0.0	0.0	0.2
0.0	0.0		Min	I	-63.7	0.0	-0.0	-0.2
0.0	0.0							

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	-63.7	0.0	0.0	-0.2
0.0	0.0	C1-C2;~2 Max	I	22.2	0.0	0.0	0.1
0.0	0.0		J	22.2	0.0	0.0	0.1
0.0	0.0	Min	I	-56.2	0.0	-0.0	-0.1
0.0	0.0		J	-56.2	0.0	0.0	-0.1
0.0	0.0	C3-C4;~2 Max	I	39.6	0.0	0.0	0.1
0.0	0.0		J	39.6	0.0	0.0	0.1
0.0	0.0	Min	I	-39.4	0.0	-0.0	-0.1
0.0	0.0		J	-39.4	0.0	0.0	-0.1
0.0	0.0	G1	I	1.7	0.0	-0.5	0.0
0.0	0.0		J	2.5	0.0	0.5	0.0
0.0	0.0	G2	I	0.4	0.0	0.0	0.0
0.0	0.0		J	0.4	0.0	0.0	0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	9.4	0.0	0.0	0.0
0.0	0.0		J	9.4	0.0	0.0	0.0
0.0	0.0	Q5_ps	I	10.4	0.0	0.0	0.0
0.0	0.0		J	10.4	0.0	0.0	0.0
0.0	0.0	INVSLE Max	I	100.6	0.0	-0.6	0.3
0.0	0.0		J	101.7	0.0	0.6	0.3
0.0	0.0	Min	I	-124.5	0.0	-0.6	-0.3
0.0	0.0		J	-123.4	0.0	0.6	-0.3
0.0	0.0	INVSLE Max	I	73.9	0.0	-0.5	0.2
0.0	0.0		J	74.7	0.0	0.5	0.2
0.0	0.0	Min	I	-91.6	0.0	-0.5	-0.3
0.0	0.0		J	-90.8	0.0	0.5	-0.3
115	2	70 C1-C2;~1 Max	I	1623.5	0.9	0.4	15.5
216.1	4486.6						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
53.2	4366.2		J	1623.5	0.9	0.4	15.5
		Min	I	-296.7	-1.0	-0.0	-83.2
-21.9	-1956.0		J	-296.7	-1.0	-0.0	-83.2
-18.7	-1810.0						
		C3-C4;~1 Max	I	1637.9	0.7	0.4	10.3
227.3	3384.6		J	1637.9	0.7	0.4	10.3
37.3	3343.2	Min	I	-292.2	-0.8	-0.0	-80.7
-21.2	-2391.3		J	-292.2	-0.8	-0.0	-80.7
-21.2	-2303.0						
		C1-C2;~2 Max	I	984.9	0.6	0.2	8.0
137.5	2846.0		J	984.9	0.6	0.2	8.0
32.8	2746.6	Min	I	-169.1	-0.6	-0.0	-54.8
-12.0	-1139.7		J	-169.1	-0.6	-0.0	-54.8
-10.6	-1033.9						
		C3-C4;~2 Max	I	973.0	0.5	0.3	5.1
143.0	2090.3		J	973.0	0.5	0.3	5.1
22.4	2060.8	Min	I	-166.3	-0.5	-0.0	-50.8
-11.6	-1384.5		J	-166.3	-0.5	-0.0	-50.8
-11.9	-1317.0						
		G1	I	1122.4	-0.0	-0.3	-19.6
63.7	305.1		J	1122.4	-0.0	0.7	-19.6
-31.5	320.0						
		G2	I	435.6	-0.0	0.1	-4.0
33.1	89.3		J	435.6	-0.0	0.1	-4.0
4.4	98.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	13.4	0.0	-0.0	1.9
-7.4	-1241.1		J	13.4	0.0	-0.0	1.9
-3.1	-1265.4						
		Q5_ps	I	12.1	0.0	-0.0	3.4
-9.4	-1297.0		J	12.1	0.0	-0.0	3.4
-3.9	-1321.2						
		INVSLU Max	I	4575.1	1.4	0.4	-6.0
573.4	8247.1		J	4575.1	1.4	1.6	-6.0
116.4	8050.5	Min	I	1939.3	-1.3	-0.2	-142.7
223.7	-3272.1		J	1939.3	-1.3	1.0	-142.7


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
10.3	-3230.7							
		INVSLE	Max	I	3389.3	1.0	0.3	-4.6
432.0	6051.6			J	3389.3	1.0	1.2	-4.6
87.9	5898.7							
		Min		I	1438.7	-0.9	-0.2	-105.6
173.9	-2315.7			J	1438.7	-0.9	0.8	-105.6
9.7	-2289.1							
116	2	70 C1-C2;~1	Max	I	1512.2	0.9	0.4	89.7
206.8	3435.3			J	1512.2	0.9	0.4	89.7
23.8	3319.2							
		Min		I	-295.8	-0.9	-0.0	-15.6
-23.1	-3346.3			J	-295.8	-0.9	-0.0	-15.6
-28.8	-3124.2							
		C3-C4;~1	Max	I	1593.1	0.9	0.4	79.5
224.6	2222.8			J	1593.1	0.9	0.4	79.5
37.4	2117.3							
		Min		I	-292.4	-0.7	-0.0	-10.0
-18.2	-3464.8			J	-292.4	-0.7	-0.0	-10.0
-21.0	-3438.0							
		C1-C2;~2	Max	I	903.3	0.6	0.3	58.3
130.5	2134.5			J	903.3	0.6	0.3	58.3
13.3	2043.1							
		Min		I	-168.6	-0.6	-0.0	-8.6
-12.7	-2120.1			J	-168.6	-0.6	-0.0	-8.6
-17.2	-1953.2							
		C3-C4;~2	Max	I	954.8	0.5	0.3	50.6
142.1	1304.3			J	954.8	0.5	0.3	50.6
22.1	1229.3							
		Min		I	-166.4	-0.4	-0.0	-4.9
-9.8	-2125.1			J	-166.4	-0.4	-0.0	-4.9
-12.1	-2098.2							
		G1		I	1126.4	0.1	-0.3	19.7
66.1	-346.2			J	1126.4	0.1	0.7	19.7
-31.2	-386.3							
		G2		I	437.8	0.0	0.1	4.1
34.5	-142.2			J	437.8	0.0	0.1	4.1
5.1	-162.3							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-22.7	-0.0	-0.0	-5.7
-3.5	-1513.7			J	-22.7	-0.0	-0.0	-5.7
6.2	-1507.3							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-5.3	-1540.9	Q5_ps	I	-19.0	-0.0	-0.0	-7.9
8.0	-1540.5		J	-19.0	-0.0	-0.0	-7.9
578.1	4761.9	INVS LU Max	I	4521.8	1.3	0.4	160.9
104.8	4577.7		J	4521.8	1.3	1.7	160.9
237.5	-7277.8	Min	I	1930.9	-1.2	-0.2	8.5
4.2	-7257.6		J	1930.9	-1.2	1.0	8.5
435.7	3407.1	INVS LE Max	I	3349.2	1.0	0.3	118.9
79.1	3277.0		J	3349.2	1.0	1.2	118.9
183.9	-5309.4	Min	I	1433.0	-0.9	-0.2	6.7
5.4	-5288.9		J	1433.0	-0.9	0.8	6.7
117	2	62 C1-C2;~1 Max	I	33.9	12.6	0.4	45.3
108.4	5612.1		J	33.9	12.6	0.4	45.3
537.2	15989.7	Min	I	-181.8	-127.3	-2.0	-572.9
-475.6	-47935.9		J	-181.8	-127.3	-2.0	-572.9
-101.8	-1232.8						
132.6	5665.6	C3-C4;~1 Max	I	32.9	13.3	0.5	55.1
713.4	11814.8		J	32.9	13.3	0.5	55.1
-633.0	-44534.8	Min	I	-196.2	-112.2	-2.7	-467.6
-104.9	-1645.3		J	-196.2	-112.2	-2.7	-467.6
56.8	2347.2	C1-C2;~2 Max	I	19.4	5.2	0.2	18.7
338.3	11257.3		J	19.4	5.2	0.2	18.7
-299.5	-31389.3	Min	I	-108.4	-85.1	-1.3	-390.5
-54.4	-610.3		J	-108.4	-85.1	-1.3	-390.5
76.3	2312.0	C3-C4;~2 Max	I	18.7	5.5	0.3	23.7
465.9	8078.9		J	18.7	5.5	0.3	23.7
-413.5	-28622.9	Min	I	-117.7	-73.2	-1.8	-309.0
-56.6	-844.2		J	-117.7	-73.2	-1.8	-309.0
-119.1	-438.9	G1	I	-124.4	-1.2	-0.9	-8.7
119.5	142.2		J	-124.4	-1.2	-0.1	-8.7
		G2	I	-46.9	10.0	-0.1	34.5


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-17.2	4406.4		J	-46.9	10.0	-0.1	34.5
43.8	-588.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-23.3	18.8	0.1	68.5
37.8	7745.3		J	-23.3	18.8	0.1	68.5
-33.7	-1647.9						
		Q5_ps	I	-21.8	25.3	0.2	93.7
49.4	10627.6		J	-21.8	25.3	0.2	93.7
-43.2	-2046.9						
		INVS LU Max	I	-2501.7	121.5	-0.1	406.0
231.1	57258.4		J	-2501.7	121.5	0.9	406.0
1168.9	23195.6						
		Min	I	-2854.3	-112.8	-4.6	-601.5
-870.5	-33535.9		J	-2854.3	-112.8	-3.6	-601.5
3.6	-4083.5						
		INVS LE Max	I	-1938.5	93.0	-0.1	305.4
162.1	44179.0		J	-1938.5	93.0	0.7	305.4
873.0	17117.1						
		Min	I	-2196.6	-76.5	-3.4	-426.0
-648.8	-21378.8		J	-2196.6	-76.5	-2.7	-426.0
14.2	-2752.3						
		62 C1-C2;~1 Max	I	31.9	108.0	0.6	451.3
118	2		J	31.9	108.0	0.6	451.3
173.2	42897.2						
		Min	I	-199.5	-38.4	-2.1	-162.7
566.6	4005.1		J	-199.5	-38.4	-2.1	-162.7
-494.0	-15922.9						
-152.1	-11317.5						
		C3-C4;~1 Max	I	32.0	108.4	0.5	450.8
127.0	43047.3		J	32.0	108.4	0.5	450.8
719.9	1459.9						
		Min	I	-201.3	-10.6	-2.7	-44.1
-637.3	-4577.7		J	-201.3	-10.6	-2.7	-44.1
-111.1	-11394.8						
		C1-C2;~2 Max	I	18.2	70.0	0.4	297.3
100.9	27373.8		J	18.2	70.0	0.4	297.3
359.7	2485.8						
		Min	I	-121.2	-22.3	-1.3	-96.9
-313.1	-9096.8		J	-121.2	-22.3	-1.3	-96.9
-86.9	-7752.5						
		C3-C4;~2 Max	I	18.2	71.5	0.3	301.0
70.6	28034.1						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
465.8	771.8		J	18.2	71.5	0.3	301.0
		Min	I	-120.0	-4.3	-1.8	-19.4
-412.2	-1874.7		J	-120.0	-4.3	-1.8	-19.4
-59.7	-7878.2						
		G1	I	-125.7	1.8	-0.9	10.5
-123.7	740.8		J	-125.7	1.8	-0.1	10.5
124.2	-152.8						
		G2	I	-47.1	-9.3	-0.1	-31.6
-18.1	-4086.2		J	-47.1	-9.3	-0.1	-31.6
44.5	545.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	26.8	-3.5	0.0	-12.2
1.9	-2041.0		J	26.8	-3.5	0.0	-12.2
-1.2	-273.3						
		Q5_ps	I	26.7	-7.0	0.0	-23.3
10.0	-3543.6		J	26.7	-7.0	0.0	-23.3
-8.9	-56.9						
		INVS LU Max	I	-2495.3	74.5	0.1	397.7
255.7	22288.0		J	-2495.3	74.5	1.1	397.7
1140.8	5493.2						
		Min	I	-2858.5	-130.1	-4.5	-453.2
-841.9	-60995.6		J	-2858.5	-130.1	-3.5	-453.2
-38.5	-15788.7						
		INVS LE Max	I	-1934.0	49.2	0.0	278.9
183.4	13435.0		J	-1934.0	49.2	0.8	278.9
853.7	4007.9						
		Min	I	-2199.4	-101.9	-3.3	-349.7
-629.4	-47984.4		J	-2199.4	-101.9	-2.6	-349.7
-19.8	-11720.1						
119	2	65 C1-C2;~1 Max	I	205.8	0.0	0.0	9.1
0.0	0.0		J	205.8	0.0	0.0	9.1
0.0	0.0						
		Min	I	-45.3	-0.0	-0.0	-2.3
0.0	0.0		J	-45.3	0.0	0.0	-2.3
0.0	0.0						
		C3-C4;~1 Max	I	174.5	0.0	0.0	9.3
0.0	0.0		J	174.5	0.0	0.0	9.3
0.0	0.0						
		Min	I	-65.6	-0.0	-0.0	-1.0
0.0	0.0		J	-65.6	0.0	0.0	-1.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0						
		C1-C2;~2	Max	I	122.6	0.0	5.7
0.0	0.0			J	122.6	0.0	5.7
0.0	0.0		Min	I	-22.2	-0.0	-1.4
0.0	0.0			J	-22.2	0.0	-1.4
0.0	0.0						
		C3-C4;~2	Max	I	101.5	0.0	5.9
0.0	0.0			J	101.5	0.0	5.9
0.0	0.0		Min	I	-35.6	-0.0	-0.5
0.0	0.0			J	-35.6	0.0	-0.5
0.0	0.0						
		G1		I	72.8	-0.0	3.0
0.0	0.0			J	72.8	0.0	3.0
0.0	0.0						
		G2		I	26.7	-0.0	0.7
0.0	0.0			J	26.7	0.0	0.7
0.0	0.0						
		Q3		I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
		Q5_pc		I	-8.7	-0.0	0.0
0.0	0.0			J	-8.7	0.0	0.0
0.0	0.0						
		Q5_ps		I	-12.5	-0.0	-0.1
0.0	0.0			J	-12.5	0.0	-0.1
0.0	0.0						
		INVS LU	Max	I	405.7	-0.0	36.0
0.0	0.0			J	405.7	0.0	36.0
0.0	0.0		Min	I	23.5	-0.0	20.3
0.0	0.0			J	23.5	0.0	20.3
0.0	0.0						
		INVS LE	Max	I	299.7	-0.0	27.5
0.0	0.0			J	299.7	0.0	27.5
0.0	0.0		Min	I	17.8	-0.0	15.8
0.0	0.0			J	17.8	0.0	15.8
0.0	0.0						
120	2	65	C1-C2;~1	Max	I	142.9	1.4
0.0	0.0			J	142.9	0.1	1.4

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
4.7	165.8		Min	I	-93.4	-0.1	-0.0	-9.2	
0.0	0.0			J	-93.4	-0.1	-0.0	-9.2	
-2.8	-334.9								
		C3-C4;~1	Max	I	170.2	0.1	0.0	1.3	
0.0	0.0			J	170.2	0.1	0.0	1.3	
3.6	210.1		Min	I	-61.3	-0.1	-0.0	-8.9	
0.0	0.0			J	-61.3	-0.1	-0.0	-8.9	
-3.0	-283.5								
		C1-C2;~2	Max	I	82.6	0.1	0.0	0.7	
0.0	0.0			J	82.6	0.1	0.0	0.7	
3.0	98.6		Min	I	-54.8	-0.0	-0.0	-5.8	
0.0	0.0			J	-54.8	-0.0	-0.0	-5.8	
-1.7	-215.7								
		C3-C4;~2	Max	I	98.6	0.1	0.0	0.7	
0.0	0.0			J	98.6	0.1	0.0	0.7	
2.2	129.2		Min	I	-34.6	-0.0	-0.0	-5.6	
0.0	0.0			J	-34.6	-0.0	-0.0	-5.6	
-1.9	-177.3								
		G1		I	75.3	0.0	-4.0	-3.4	
0.0	0.0			J	75.3	0.0	-1.3	-3.4	
8270.9	-35.8								
		G2		I	29.6	0.0	-0.0	-0.8	
0.0	0.0			J	29.6	0.0	-0.0	-0.8	
0.1	-12.5								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc		I	7.0	0.0	0.0	0.6	
0.0	0.0			J	7.0	0.0	0.0	0.6	
-0.6	-67.4								
		Q5_ps		I	10.2	0.0	0.0	0.9	
0.0	0.0			J	10.2	0.0	0.0	0.9	
-0.7	-61.8								
		INVSLU	Max	I	388.3	0.2	-5.4	-21.4	
0.0	0.0			J	388.3	0.2	-1.8	-21.4	1
1172.1	370.4		Min	I	19.9	-0.1	-5.4	-36.9	
0.0	0.0			J	19.9	-0.1	-1.8	-36.9	1
1160.6	-486.7								


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0	INVSLE	Max	I	287.2	0.1	-4.0	-16.6
8275.5	275.5			J	287.2	0.1	-1.3	-16.6
0.0	0.0		Min	I	15.3	-0.1	-4.0	-28.0
8267.1	-350.5			J	15.3	-0.1	-1.3	-28.0
121	2	65	C1-C2;~1	Max	I	142.9	0.1	0.0
2.8	165.8			J	142.9	0.1	0.0	1.4
0.0	0.0			Min	I	-93.4	-0.1	-0.0
-4.7	-334.9			J	-93.4	-0.1	-0.0	-8.9
0.0	0.0							
3.0	210.1		C3-C4;~1	Max	I	170.2	0.1	0.0
0.0	0.0			J	170.2	0.1	0.0	1.1
0.0	0.0			Min	I	-61.3	-0.1	-0.0
-3.6	-283.5			J	-61.3	-0.1	-0.0	-9.0
0.0	0.0							
1.7	98.6		C1-C2;~2	Max	I	82.6	0.0	0.0
0.0	0.0			J	82.6	0.0	0.0	0.7
0.0	0.0			Min	I	-54.8	-0.1	-0.0
-3.0	-215.7			J	-54.8	-0.1	-0.0	-5.5
0.0	0.0							
1.9	129.2		C3-C4;~2	Max	I	98.6	0.0	0.0
0.0	0.0			J	98.6	0.0	0.0	0.6
0.0	0.0			Min	I	-34.6	-0.1	-0.0
-2.2	-177.3			J	-34.6	-0.1	-0.0	-5.6
0.0	0.0							
8270.3	-35.8		G1	I	75.3	-0.0	1.3	-3.3
0.0	0.0			J	75.3	-0.0	4.0	-3.3
0.0	0.0							
-0.1	-12.5		G2	I	29.6	-0.0	-0.0	-0.8
0.0	0.0			J	29.6	-0.0	-0.0	-0.8
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
0.6	-67.4		Q5_pc	I	7.0	-0.0	0.0	0.4
0.0	0.0			J	7.0	-0.0	0.0	0.4


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.7	-61.8	Q5_ps	I	10.2	-0.0	0.0	0.6	
0.0	0.0		J	10.2	-0.0	0.0	0.6	
1169.9	370.4	INVS LU Max	I	388.3	0.1	1.8	-21.6	1
0.0	0.0		J	388.3	0.1	5.4	-21.6	
1158.5	-486.7	Min	I	19.9	-0.2	1.8	-36.4	1
0.0	0.0		J	19.9	-0.2	5.4	-36.4	
8274.0	275.5	INVS LE Max	I	287.2	0.1	1.3	-16.8	
0.0	0.0		J	287.2	0.1	4.0	-16.8	
8265.6	-350.5	Min	I	15.3	-0.1	1.3	-27.7	
0.0	0.0		J	15.3	-0.1	4.0	-27.7	
122	2	65 C1-C2;~1 Max	I	205.8	0.0	0.0	11.9	
0.0	0.0		J	205.8	0.0	0.0	11.9	
0.0	0.0	Min	I	-45.3	-0.0	-0.0	-2.0	
0.0	0.0		J	-45.3	0.0	0.0	-2.0	
0.0	0.0	C3-C4;~1 Max	I	174.4	0.0	0.0	11.4	
0.0	0.0		J	174.4	0.0	0.0	11.4	
0.0	0.0	Min	I	-65.6	-0.0	-0.0	-2.0	
0.0	0.0		J	-65.6	0.0	0.0	-2.0	
0.0	0.0	C1-C2;~2 Max	I	122.6	0.0	0.0	7.5	
0.0	0.0		J	122.6	0.0	0.0	7.5	
0.0	0.0	Min	I	-22.2	-0.0	-0.0	-1.0	
0.0	0.0		J	-22.2	0.0	0.0	-1.0	
0.0	0.0	C3-C4;~2 Max	I	101.5	0.0	0.0	7.0	
0.0	0.0		J	101.5	0.0	0.0	7.0	
0.0	0.0	Min	I	-35.7	-0.0	-0.0	-1.0	
0.0	0.0		J	-35.7	0.0	0.0	-1.0	
0.0	0.0	G1	I	72.8	-0.0	-1.3	3.6	
0.0	0.0		J	72.8	0.0	1.3	3.6	
0.0	0.0	G2	I	26.7	-0.0	0.0	0.8	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	26.7	0.0	0.0	0.8
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-8.8	-0.0	0.0	-1.1
0.0	0.0		J	-8.8	0.0	0.0	-1.1
0.0	0.0	Q5_ps	I	-12.6	-0.0	0.0	-1.6
0.0	0.0		J	-12.6	0.0	0.0	-1.6
0.0	0.0	INVS LU Max	I	405.6	-0.0	-1.8	40.5
0.0	0.0		J	405.6	0.0	1.8	40.5
0.0	0.0	Min	I	23.4	-0.0	-1.8	19.6
0.0	0.0		J	23.4	0.0	1.8	19.6
0.0	0.0	INVS LE Max	I	299.7	-0.0	-1.3	30.6
0.0	0.0		J	299.7	0.0	1.3	30.6
0.0	0.0	Min	I	17.7	-0.0	-1.3	15.4
0.0	0.0		J	17.7	0.0	1.3	15.4
129	2	81 C1-C2;~1 Max	I	51.7	0.1	0.0	1.6
0.0	0.0		J	51.7	0.1	0.0	1.6
1.3	185.5	Min	I	-22.1	-0.1	-0.0	-2.5
0.0	0.0		J	-22.1	-0.1	-0.0	-2.5
-1.3	-188.4	C3-C4;~1 Max	I	47.9	0.1	0.0	0.9
0.0	0.0		J	47.9	0.1	0.0	0.9
1.2	168.9	Min	I	-10.9	-0.1	-0.0	-1.7
0.0	0.0		J	-10.9	-0.1	-0.0	-1.7
-1.4	-171.2	C1-C2;~2 Max	I	33.0	0.0	0.0	1.0
0.0	0.0		J	33.0	0.0	0.0	1.0
0.8	123.5	Min	I	-12.3	-0.0	-0.0	-1.5
0.0	0.0		J	-12.3	-0.0	-0.0	-1.5
-0.7	-126.7	C3-C4;~2 Max	I	30.2	0.0	0.0	0.5
0.0	0.0		J	30.2	0.0	0.0	0.5

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.7	111.5		Min	I	-5.3	-0.0	-0.0	-1.0
0.0	0.0			J	-5.3	-0.0	-0.0	-1.0
-0.8	-112.0							
			G1	I	-7.6	0.0	2.1	-1.7
0.0	0.0			J	-7.6	0.0	0.7	-1.7
4472.0	-0.4							-
			G2	I	-9.1	-0.0	0.0	-0.9
0.0	0.0			J	-9.1	-0.0	0.0	-0.9
-0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-4.8	-0.0	0.0	-0.3
0.0	0.0			J	-4.8	-0.0	0.0	-0.3
-0.1	22.7							
			Q5_ps	I	-7.8	-0.0	0.0	-0.4
0.0	0.0			J	-7.8	-0.0	0.0	-0.4
-0.2	22.2							
			INVSLU Max	I	-168.2	0.1	2.9	1.2
0.0	0.0			J	-168.2	0.1	1.0	1.2
6035.2	262.2		Min	I	-276.5	-0.1	2.9	-4.7
0.0	0.0			J	-276.5	-0.1	1.0	-4.7
6038.9	-283.6							-
			INVSLE Max	I	-138.8	0.1	2.1	1.3
0.0	0.0			J	-138.8	0.1	0.7	1.3
4470.5	192.6		Min	I	-218.4	-0.1	2.1	-3.0
0.0	0.0			J	-218.4	-0.1	0.7	-3.0
4473.2	-208.7							-
130	2	81	C1-C2;~1 Max	I	50.5	0.0	0.0	2.0
0.0	0.0			J	50.5	0.0	0.0	2.0
0.0	0.0		Min	I	-21.1	-0.0	0.0	-1.1
0.0	0.0			J	-21.1	0.0	-0.0	-1.1
0.0	0.0							
			C3-C4;~1 Max	I	47.4	0.0	0.0	1.7
0.0	0.0			J	47.4	0.0	0.0	1.7
0.0	0.0		Min	I	-11.5	-0.0	0.0	-1.5
0.0	0.0			J	-11.5	0.0	-0.0	-1.5
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0	C1-C2;~2	Max	I	32.3	0.0	0.0	1.2
				J	32.3	0.0	0.0	1.2
0.0	0.0		Min	I	-11.9	-0.0	0.0	-0.7
0.0	0.0			J	-11.9	0.0	-0.0	-0.7
0.0	0.0	C3-C4;~2	Max	I	30.0	0.0	0.0	0.9
				J	30.0	0.0	0.0	0.9
0.0	0.0		Min	I	-5.6	-0.0	0.0	-0.9
0.0	0.0			J	-5.6	0.0	-0.0	-0.9
0.0	0.0	G1		I	-8.7	0.0	0.7	1.6
				J	-8.7	0.0	-0.7	1.6
0.0	0.0	G2		I	-9.6	0.0	0.0	0.9
				J	-9.6	0.0	-0.0	0.9
0.0	0.0	Q3		I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc		I	-9.3	0.0	0.0	0.2
				J	-9.3	0.0	0.0	0.2
0.0	0.0	Q5_ps		I	-12.3	0.0	0.0	0.2
				J	-12.3	0.0	-0.0	0.2
0.0	0.0	INVS LU	Max	I	-156.4	0.0	1.0	4.1
				J	-156.4	0.0	-1.0	4.1
0.0	0.0		Min	I	-269.9	0.0	1.0	-1.1
				J	-269.9	0.0	-1.0	-1.1
0.0	0.0	INVS LE	Max	I	-130.3	0.0	0.7	2.6
				J	-130.3	0.0	-0.7	2.6
0.0	0.0		Min	I	-213.1	0.0	0.7	-1.2
				J	-213.1	0.0	-0.7	-1.2
131	2	81 C1-C2;~1	Max	I	50.5	0.0	0.0	3.1
0.0	0.0			J	50.5	0.0	0.0	3.1
0.0	0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0	Min	I	-21.1	-0.0	0.0	-2.5
			J	-21.1	0.0	-0.0	-2.5
0.0	0.0	C3-C4;~1 Max	I	47.5	0.0	0.0	2.5
			J	47.5	0.0	0.0	2.5
0.0	0.0	Min	I	-11.5	-0.0	0.0	-1.7
			J	-11.5	0.0	-0.0	-1.7
0.0	0.0	C1-C2;~2 Max	I	32.3	0.0	0.0	1.8
			J	32.3	0.0	0.0	1.8
0.0	0.0	Min	I	-11.9	-0.0	0.0	-1.6
			J	-11.9	0.0	-0.0	-1.6
0.0	0.0	C3-C4;~2 Max	I	30.0	0.0	0.0	1.4
			J	30.0	0.0	0.0	1.4
0.0	0.0	Min	I	-5.6	-0.0	0.0	-1.0
			J	-5.6	0.0	-0.0	-1.0
0.0	0.0	G1	I	-8.7	0.0	0.7	1.8
			J	-8.7	0.0	-0.7	1.8
0.0	0.0	G2	I	-9.6	0.0	0.0	1.0
			J	-9.6	0.0	-0.0	1.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-9.3	0.0	0.0	0.3
			J	-9.3	0.0	-0.0	0.3
0.0	0.0	Q5_ps	I	-12.4	0.0	0.0	0.6
			J	-12.4	0.0	-0.0	0.6
0.0	0.0	INVSLU Max	I	-156.4	0.0	1.0	5.5
			J	-156.4	0.0	-1.0	5.5
0.0	0.0	Min	I	-269.8	0.0	1.0	-2.7
			J	-269.8	0.0	-1.0	-2.7

MIDAS

PROJECT TITLE :

MIDAS		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
			INVSLE Max	I	-130.3	0.0	0.7	3.6
0.0	0.0			J	-130.3	0.0	-0.7	3.6
0.0	0.0		Min	I	-213.1	0.0	0.7	-2.4
0.0	0.0			J	-213.1	0.0	-0.7	-2.4
0.0	0.0							
132	2	81	C1-C2;~1 Max	I	51.7	0.1	0.0	1.5
1.3	185.5			J	51.7	0.1	0.0	1.5
0.0	0.0		Min	I	-22.1	-0.1	-0.0	-2.2
-1.3	-188.4			J	-22.1	-0.1	-0.0	-2.2
0.0	0.0							
			C3-C4;~1 Max	I	47.9	0.1	0.0	0.9
1.4	168.9			J	47.9	0.1	0.0	0.9
0.0	0.0		Min	I	-10.9	-0.1	-0.0	-1.6
-1.2	-171.2			J	-10.9	-0.1	-0.0	-1.6
0.0	0.0							
			C1-C2;~2 Max	I	33.0	0.0	0.0	0.9
0.7	123.5			J	33.0	0.0	0.0	0.9
0.0	0.0		Min	I	-12.3	-0.0	-0.0	-1.3
-0.8	-126.7			J	-12.3	-0.0	-0.0	-1.3
0.0	0.0							
			C3-C4;~2 Max	I	30.2	0.0	0.0	0.5
0.8	111.5			J	30.2	0.0	0.0	0.5
0.0	0.0		Min	I	-5.3	-0.0	-0.0	-0.9
-0.7	-112.0			J	-5.3	-0.0	-0.0	-0.9
0.0	0.0							
			G1	I	-7.6	-0.0	-0.7	-1.7
4471.8	-0.4			J	-7.6	-0.0	-2.1	-1.7
0.0	0.0							
			G2	I	-9.1	0.0	0.0	-0.9
0.0	0.0			J	-9.1	0.0	0.0	-0.9
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-4.8	0.0	0.0	-0.2
0.1	22.7			J	-4.8	0.0	0.0	-0.2
0.0	0.0							
			Q5_ps	I	-7.8	0.0	0.0	-0.3

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.2	22.2			J	-7.8	0.0	0.0	-0.3
0.0	0.0							
6035.2	262.2		INVS LU Max	I	-168.2	0.1	-1.0	1.1 -
0.0	0.0			J	-168.2	0.1	-2.9	1.1
6038.9	-283.6		Min	I	-276.5	-0.1	-1.0	-4.3 -
0.0	0.0			J	-276.5	-0.1	-2.9	-4.3
4470.5	192.6		INVS LE Max	I	-138.8	0.1	-0.7	1.2 -
0.0	0.0			J	-138.8	0.1	-2.1	1.2
4473.3	-208.7		Min	I	-218.4	-0.1	-0.7	-2.7 -
0.0	0.0			J	-218.4	-0.1	-2.1	-2.7
133	2	80	C1-C2;~1 Max	I	45.6	0.0	0.1	1.0
0.0	0.0			J	45.6	0.0	0.1	1.0
129.6	0.1		Min	I	-142.6	-0.0	-0.1	-0.9
0.0	0.0			J	-142.6	-0.0	-0.1	-0.9
-276.5	-0.1							
0.0	0.0		C3-C4;~1 Max	I	45.2	0.0	0.1	0.8
61.8	0.1			J	45.2	0.0	0.1	0.8
0.0	0.0		Min	I	-172.6	-0.0	-0.0	-0.9
-221.3	-0.1			J	-172.6	-0.0	-0.0	-0.9
0.0	0.0		C1-C2;~2 Max	I	25.9	0.0	0.1	0.6
74.7	0.0			J	25.9	0.0	0.1	0.6
0.0	0.0		Min	I	-81.3	-0.0	-0.0	-0.6
-181.9	-0.0			J	-81.3	-0.0	-0.0	-0.6
0.0	0.0		C3-C4;~2 Max	I	25.7	0.0	0.1	0.5
30.2	0.0			J	25.7	0.0	0.1	0.5
0.0	0.0		Min	I	-100.8	-0.0	-0.0	-0.5
-139.8	-0.0			J	-100.8	-0.0	-0.0	-0.5
0.0	0.0		G1	I	-98.5	-0.0	-0.4	-0.1
-262.7	0.0			J	-98.5	-0.0	0.7	-0.1
0.0	0.0		G2	I	-39.0	-0.0	-0.0	-0.0
				J	-39.0	-0.0	-0.0	-0.0

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
51.5	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-6.7	0.0	-0.0	0.1
0.0	0.0			J	-6.7	0.0	-0.0	0.1
32.2	-0.0							
			Q5_ps	I	-8.1	0.0	-0.0	0.1
0.0	0.0			J	-8.1	0.0	-0.0	0.1
46.4	-0.0							
			INVS LU Max	I	-75.8	0.0	-0.3	1.2
0.0	0.0			J	-75.8	0.0	1.2	1.2
-430.5	0.0		Min	I	-382.3	-0.0	-0.6	-1.5
0.0	0.0			J	-382.3	-0.0	0.9	-1.5
1036.6	-0.2							
			INVS LE Max	I	-53.3	0.0	-0.2	0.9
0.0	0.0			J	-53.3	0.0	0.9	0.9
-316.1	0.0		Min	I	-279.4	-0.0	-0.4	-1.1
0.0	0.0			J	-279.4	-0.0	0.7	-1.1
-760.8	-0.1							
134	2	80	C1-C2;~1 Max	I	47.6	0.0	0.1	1.0
129.6	0.1			J	47.6	0.0	0.1	1.0
0.0	0.0		Min	I	-201.6	-0.0	-0.1	-0.8
-276.5	-0.1			J	-201.6	-0.0	-0.1	-0.8
0.0	0.0							
			C3-C4;~1 Max	I	46.5	0.0	0.0	0.9
61.8	0.1			J	46.5	0.0	0.0	0.9
0.0	0.0		Min	I	-176.5	-0.0	-0.1	-0.8
-221.3	-0.1			J	-176.5	-0.0	-0.1	-0.8
0.0	0.0							
			C1-C2;~2 Max	I	27.1	0.0	0.0	0.6
74.7	0.0			J	27.1	0.0	0.0	0.6
0.0	0.0		Min	I	-122.3	-0.0	-0.1	-0.5
-181.9	-0.0			J	-122.3	-0.0	-0.1	-0.5
0.0	0.0							
			C3-C4;~2 Max	I	26.4	0.0	0.0	0.5
30.2	0.0			J	26.4	0.0	0.0	0.5
0.0	0.0							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-139.8	-0.0		Min	I	-103.3	-0.0	-0.1	-0.5	
				J	-103.3	-0.0	-0.1	-0.5	
0.0	0.0								
-262.7	-0.0		G1	I	-99.6	-0.0	-0.7	0.1	
				J	-99.6	-0.0	0.4	0.1	
0.0	0.0								
51.5	-0.0		G2	I	-38.8	-0.0	0.0	0.0	
				J	-38.8	-0.0	0.0	0.0	
0.0	0.0								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
32.2	0.0		Q5_pc	I	5.4	0.0	0.0	0.1	
				J	5.4	0.0	0.0	0.1	
0.0	0.0								
46.4	0.0		Q5_ps	I	5.8	0.0	0.0	0.1	
				J	5.8	0.0	0.0	0.1	
0.0	0.0								
-430.5	0.2		INVSLU Max	I	-71.0	0.0	-0.9	1.2	
				J	-71.0	0.0	0.6	1.2	
0.0	0.0								
1036.6	-0.0		Min	I	-417.0	-0.0	-1.2	-1.3	-
				J	-417.0	-0.0	0.3	-1.3	
0.0	0.0								
-316.1	0.1		INVSLE Max	I	-49.6	0.0	-0.7	0.9	
				J	-49.6	0.0	0.4	0.9	
0.0	0.0								
-760.8	-0.0		Min	I	-305.2	-0.0	-0.9	-1.0	
				J	-305.2	-0.0	0.2	-1.0	
0.0	0.0								
135	2	79	C1-C2;~1 Max	I	76.1	0.0	0.0	0.2	
0.0	0.0			J	76.1	0.0	0.0	0.2	
0.0	0.0								
0.0	0.0		Min	I	-13.3	-0.0	-0.0	-0.2	
				J	-13.3	-0.0	-0.0	-0.2	
0.0	0.0								
0.0	0.0		C3-C4;~1 Max	I	71.1	0.0	0.0	0.2	
				J	71.1	0.0	0.0	0.2	
0.0	0.0								
0.0	0.0		Min	I	-6.6	-0.0	-0.0	-0.2	
				J	-6.6	-0.0	-0.0	-0.2	
0.0	0.0								

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0	C1-C2;~2 Max	I	50.5	0.0	0.0	0.2
			J	50.5	0.0	0.0	0.2
0.0	0.0	Min	I	-6.4	-0.0	-0.0	-0.1
0.0	0.0		J	-6.4	-0.0	-0.0	-0.1
0.0	0.0	C3-C4;~2 Max	I	46.5	0.0	0.0	0.1
0.0	0.0		J	46.5	0.0	0.0	0.1
0.0	0.0	Min	I	-2.7	-0.0	-0.0	-0.1
0.0	0.0		J	-2.7	-0.0	-0.0	-0.1
0.0	0.0	G1	I	-1.7	-0.0	-0.7	-0.0
0.0	0.0		J	-1.7	0.0	0.7	-0.0
0.0	0.0	G2	I	-7.3	-0.0	0.0	-0.0
0.0	0.0		J	-7.3	0.0	-0.0	-0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-7.6	0.0	-0.0	0.0
0.0	0.0		J	-7.6	0.0	-0.0	0.0
0.0	0.0	Q5_ps	I	-10.9	0.0	-0.0	0.0
0.0	0.0		J	-10.9	0.0	-0.0	0.0
0.0	0.0	INVSLU Max	I	137.0	-0.0	-0.9	0.3
0.0	0.0		J	137.0	0.0	0.9	0.3
0.0	0.0	Min	I	2.3	-0.0	-0.9	-0.4
0.0	0.0		J	2.3	0.0	0.9	-0.4
0.0	0.0	INVSLE Max	I	96.1	-0.0	-0.7	0.2
0.0	0.0		J	96.1	0.0	0.7	0.2
0.0	0.0	Min	I	-2.5	-0.0	-0.7	-0.3
0.0	0.0		J	-2.5	0.0	0.7	-0.3
136	2	74 C1-C2;~1 Max	I	92.0	0.0	0.0	0.2
0.0	0.0		J	92.0	0.0	0.0	0.2
0.0	0.0	Min	I	-39.8	0.0	-0.0	-0.2


PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	-39.8	0.0	0.0	-0.2
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	66.4	0.0	0.0	0.2
0.0	0.0		J	66.4	0.0	0.0	0.2
0.0	0.0	Min	I	-66.3	0.0	-0.0	-0.2
0.0	0.0		J	-66.3	0.0	0.0	-0.2
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	57.8	0.0	0.0	0.1
0.0	0.0		J	57.8	0.0	0.0	0.1
0.0	0.0	Min	I	-22.5	0.0	-0.0	-0.2
0.0	0.0		J	-22.5	0.0	0.0	-0.2
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	40.8	0.0	0.0	0.1
0.0	0.0		J	40.8	0.0	0.0	0.1
0.0	0.0	Min	I	-40.1	0.0	-0.0	-0.1
0.0	0.0		J	-40.1	0.0	0.0	-0.1
0.0	0.0						
0.0	0.0	G1	I	2.3	0.0	-0.5	-0.1
0.0	0.0		J	3.1	0.0	0.5	-0.1
0.0	0.0						
0.0	0.0	G2	I	-0.1	0.0	0.0	-0.0
0.0	0.0		J	-0.1	0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc	I	-8.0	0.0	-0.0	-0.0
0.0	0.0		J	-8.0	0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	Q5_ps	I	-9.2	0.0	-0.0	-0.0
0.0	0.0		J	-9.2	0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	INVSLU Max	I	131.6	0.0	-0.6	0.2
0.0	0.0		J	132.6	0.0	0.6	0.2
0.0	0.0	Min	I	-96.5	0.0	-0.6	-0.4
0.0	0.0		J	-95.5	0.0	0.6	-0.4
0.0	0.0						
0.0	0.0	INVSLE Max	I	96.9	0.0	-0.5	0.1

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0			J	97.7	0.0	0.5	0.1
0.0	0.0		Min	I	-71.0	0.0	-0.5	-0.3
0.0	0.0			J	-70.2	0.0	0.5	-0.3
0.0	0.0							
137	2	74	C1-C2;~1	Max	I	40.1	0.0	0.0
0.0	0.0			J	40.1	0.0	0.0	0.3
0.0	0.0		Min	I	-92.1	0.0	-0.0	-0.2
0.0	0.0			J	-92.1	0.0	0.0	-0.2
0.0	0.0							
0.0	0.0		C3-C4;~1	Max	I	66.4	0.0	0.0
0.0	0.0			J	66.4	0.0	0.0	0.2
0.0	0.0		Min	I	-66.3	0.0	-0.0	-0.2
0.0	0.0			J	-66.3	0.0	0.0	-0.2
0.0	0.0							
0.0	0.0		C1-C2;~2	Max	I	22.7	0.0	0.0
0.0	0.0			J	22.7	0.0	0.0	0.2
0.0	0.0		Min	I	-57.8	0.0	-0.0	-0.1
0.0	0.0			J	-57.8	0.0	0.0	-0.1
0.0	0.0							
0.0	0.0		C3-C4;~2	Max	I	40.2	0.0	0.0
0.0	0.0			J	40.2	0.0	0.0	0.1
0.0	0.0		Min	I	-40.7	0.0	-0.0	-0.1
0.0	0.0			J	-40.7	0.0	0.0	-0.1
0.0	0.0							
0.0	0.0		G1	I	0.8	0.0	-0.5	0.1
0.0	0.0			J	1.6	0.0	0.5	0.1
0.0	0.0							
0.0	0.0		G2	I	0.1	0.0	0.0	0.0
0.0	0.0			J	0.1	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Q5_pc	I	7.9	0.0	0.0	-0.0
0.0	0.0			J	7.9	0.0	0.0	-0.0
0.0	0.0							
0.0	0.0		Q5_ps	I	9.1	0.0	0.0	-0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	9.1	0.0	0.0	-0.0
0.0	0.0	INVSLE Max	I	101.2	0.0	-0.6	0.3
0.0	0.0		J	102.3	0.0	0.6	0.3
0.0	0.0	Min	I	-127.1	0.0	-0.6	-0.3
0.0	0.0		J	-126.0	0.0	0.6	-0.3
0.0	0.0	INVSLE Max	I	74.5	0.0	-0.5	0.2
0.0	0.0		J	75.3	0.0	0.5	0.2
0.0	0.0	Min	I	-93.6	0.0	-0.5	-0.3
0.0	0.0		J	-92.8	0.0	0.5	-0.3
144	2	70 C1-C2;~1 Max	I	1809.2	0.9	0.5	17.7
240.1	5038.3		J	1809.2	0.9	0.5	17.7
42.7	4946.9	Min	I	-403.2	-1.2	-0.1	-84.4
-30.4	-2101.0		J	-403.2	-1.2	-0.1	-84.4
-22.4	-1965.7						
257.3	3777.9	C3-C4;~1 Max	I	1824.8	0.7	0.5	10.7
			J	1824.8	0.7	0.5	10.7
28.9	3757.9	Min	I	-397.3	-1.0	-0.0	-79.6
-29.7	-2643.2		J	-397.3	-1.0	-0.0	-79.6
-22.5	-2502.7						
152.2	3146.5	C1-C2;~2 Max	I	1094.6	0.6	0.3	9.6
			J	1094.6	0.6	0.3	9.6
26.8	3065.2	Min	I	-229.8	-0.8	-0.0	-55.2
-17.2	-1201.5		J	-229.8	-0.8	-0.0	-55.2
-13.5	-1114.2						
160.8	2297.0	C3-C4;~2 Max	I	1081.5	0.4	0.3	5.4
			J	1081.5	0.4	0.3	5.4
17.7	2277.8	Min	I	-226.2	-0.7	-0.0	-50.4
-16.7	-1507.9		J	-226.2	-0.7	-0.0	-50.4
-13.4	-1416.0						
88.6	466.8	G1	I	1184.4	-0.2	-0.2	-20.2
			J	1184.4	-0.2	0.7	-20.2
-38.4	542.7						
42.8	155.4	G2	I	458.2	-0.1	0.1	-4.3
			J	458.2	-0.1	0.1	-4.3
1.8	186.9						

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.8	-1433.5	Q5_pc	I	25.3	-0.0	0.0	0.9
-1.4	-1421.7		J	25.3	-0.0	0.0	0.9
-2.5	-1491.2	Q5_ps	I	22.7	-0.0	-0.0	2.1
-1.8	-1479.2		J	22.7	-0.0	-0.0	2.1
649.6	8948.6	INVS LU Max	I	4803.0	0.9	0.6	2.9
85.5	8971.6		J	4803.0	0.9	1.9	2.9
259.7	-4001.8	Min	I	1749.8	-2.0	-0.1	-136.5
-5.0	-3644.5		J	1749.8	-2.0	1.1	-136.5
488.1	6526.8	INVS LE Max	I	3548.7	0.7	0.5	2.1
65.0	6546.1		J	3548.7	0.7	1.4	2.1
199.4	-2874.9	Min	I	1290.4	-1.5	-0.1	-101.0
-1.8	-2609.6		J	1290.4	-1.5	0.8	-101.0
145	2	70 C1-C2;~1 Max	I	1676.9	0.7	0.5	91.1
235.2	3659.4		J	1676.9	0.7	0.5	91.1
18.4	3586.2	Min	I	-399.9	-1.2	-0.0	-12.4
-26.4	-3871.0		J	-399.9	-1.2	-0.0	-12.4
-26.0	-3492.8						
249.8	2430.4	C3-C4;~1 Max	I	1767.5	0.5	0.5	79.1
29.3	2364.8		J	1767.5	0.5	0.5	79.1
-25.4	-4143.8	Min	I	-394.8	-1.0	-0.0	-10.6
-21.2	-3926.4		J	-394.8	-1.0	-0.0	-10.6
147.8	2230.0	C1-C2;~2 Max	I	999.5	0.4	0.3	59.5
10.5	2170.2		J	999.5	0.4	0.3	59.5
-14.7	-2397.2	Min	I	-227.9	-0.8	-0.0	-6.7
-15.8	-2143.0		J	-227.9	-0.8	-0.0	-6.7
157.6	1408.8	C3-C4;~2 Max	I	1056.9	0.3	0.3	50.6
17.6	1359.7		J	1056.9	0.3	0.3	50.6
		Min	I	-224.8	-0.7	-0.0	-5.2


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-14.3	-2486.0		J	-224.8	-0.7	-0.0	-5.2
-13.0	-2352.4						
		G1	I	1182.5	-0.2	-0.2	21.1
89.1	-706.4		J	1182.5	-0.2	0.7	21.1
-37.5	-591.8						
		G2	I	458.5	-0.1	0.1	4.6
43.3	-291.3		J	458.5	-0.1	0.1	4.6
2.5	-251.3						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-31.1	-0.0	-0.0	-7.4
-8.6	-1407.3		J	-31.1	-0.0	-0.0	-7.4
3.7	-1406.7						
		Q5_ps	I	-25.9	0.0	-0.0	-9.8
-10.8	-1460.0		J	-25.9	0.0	-0.0	-9.8
5.3	-1462.2						
		INVS LU Max	I	4728.4	0.6	0.6	155.8
655.0	4594.4		J	4728.4	0.6	1.9	155.8
77.1	4644.1						
		Min	I	1746.5	-1.9	-0.2	2.4
266.8	-8473.2		J	1746.5	-1.9	1.1	2.4
-4.1	-8029.9						
		INVS LE Max	I	3493.6	0.5	0.5	114.8
491.7	3324.2		J	3493.6	0.5	1.4	114.8
58.7	3358.1						
		Min	I	1288.9	-1.4	-0.1	2.5
205.3	-6167.8		J	1288.9	-1.4	0.8	2.5
-1.0	-5842.5						
146	2	62 C1-C2;~1 Max	I	46.2	12.1	0.6	45.4
159.8	5316.3		J	46.2	12.1	0.6	45.4
466.1	16025.9						
		Min	I	-201.3	-128.1	-1.7	-575.6
-403.0	-48277.5		J	-201.3	-128.1	-1.7	-575.6
-132.7	-1275.1						
		C3-C4;~1 Max	I	44.8	14.1	0.7	54.8
186.3	6014.2		J	44.8	14.1	0.7	54.8
632.3	11882.4						
		Min	I	-214.6	-113.8	-2.4	-471.2
-548.8	-45237.4		J	-214.6	-113.8	-2.4	-471.2
-153.7	-1715.6						
		C1-C2;~2 Max	I	26.3	4.9	0.3	18.7


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
91.6	2158.5			J	26.3	4.9	0.3	18.7
299.0	11277.7							
			Min	I	-119.9	-85.6	-1.1	-392.2
-258.6	-31623.6			J	-119.9	-85.6	-1.1	-392.2
-72.8	-626.9							
			C3-C4;~2 Max	I	25.5	5.9	0.4	23.3
108.2	2475.1			J	25.5	5.9	0.4	23.3
420.4	8079.9							
			Min	I	-128.3	-74.0	-1.6	-311.0
-365.1	-28981.4			J	-128.3	-74.0	-1.6	-311.0
-85.8	-876.7							
			G1	I	-132.1	-1.4	-0.4	-10.8
0.5	-566.1			J	-132.1	-1.4	0.4	-10.8
2.8	140.4							
			G2	I	-49.7	10.0	0.1	33.7
30.0	4386.7			J	-49.7	10.0	0.1	33.7
-2.3	-590.1							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-27.0	18.0	0.1	64.9
36.5	7333.2			J	-27.0	18.0	0.1	64.9
-32.2	-1649.8							
			Q5_ps	I	-25.4	24.7	0.2	90.3
50.0	10295.6			J	-25.4	24.7	0.2	90.3
-43.5	-2054.4							
			INVSLU Max	I	-2491.0	120.6	0.5	395.6
387.2	57034.6			J	-2491.0	120.6	1.5	395.6
991.5	23566.7							
			Min	I	-2891.8	-113.5	-3.8	-606.9
-670.9	-33524.8			J	-2891.8	-113.5	-2.8	-606.9
-127.6	-3818.2							
			INVSLE Max	I	-1929.1	92.3	0.3	297.9
277.0	44016.3			J	-1929.1	92.3	1.1	297.9
742.0	17392.8							
			Min	I	-2222.3	-77.1	-2.9	-430.3
-502.0	-21431.8			J	-2222.3	-77.1	-2.1	-430.3
-82.6	-2554.0							
			62 C1-C2;~1 Max	I	42.7	108.6	0.9	452.5
147	2			J	42.7	108.6	0.9	452.5
245.4	43119.8							
			Min	I	-213.0	-40.4	-1.8	-164.3
478.9	4109.4							
-403.7	-16785.3							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-204.8	-11375.8		J	-213.0	-40.4	-1.8	-164.3
188.8	43469.1	C3-C4;~1 Max	I	42.8	109.4	0.7	452.1
637.3	1515.9		J	42.8	109.4	0.7	452.1
-551.6	-4884.8	Min	I	-217.5	-11.5	-2.4	-44.2
-157.8	-11477.1		J	-217.5	-11.5	-2.4	-44.2
146.6	27454.1	C1-C2;~2 Max	I	24.4	70.2	0.5	297.9
309.1	2541.9		J	24.4	70.2	0.5	297.9
-260.0	-9619.3	Min	I	-128.9	-23.4	-1.1	-97.9
-118.9	-7779.8		J	-128.9	-23.4	-1.1	-97.9
108.9	28223.9	C3-C4;~2 Max	I	24.4	72.0	0.4	301.6
419.8	798.3		J	24.4	72.0	0.4	301.6
-363.3	-2045.1	Min	I	-129.2	-4.9	-1.6	-19.3
-87.7	-7917.8		J	-129.2	-4.9	-1.6	-19.3
-3.3	593.0	G1	I	-131.2	1.5	-0.4	10.8
6.7	-156.1		J	-131.2	1.5	0.4	10.8
28.9	-4159.1	G2	I	-49.2	-9.4	0.1	-31.6
-1.5	546.9		J	-49.2	-9.4	0.1	-31.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
3.3	-2542.0	Q5_pc	I	30.2	-4.5	0.0	-15.9
-2.7	-272.2		J	30.2	-4.5	0.0	-15.9
9.6	-3987.3	Q5_ps	I	29.9	-7.9	0.0	-26.8
-8.6	-60.4		J	29.9	-7.9	0.0	-26.8
440.9	23498.6	INVSLU Max	I	-2481.4	77.8	0.7	407.0
964.0	5350.4		J	-2481.4	77.8	1.7	407.0
-641.1	-62420.6	Min	I	-2887.3	-132.7	-3.7	-454.3
-177.7	-16181.3		J	-2887.3	-132.7	-2.7	-454.3
319.6	14348.6	INVSLE Max	I	-1922.4	51.6	0.5	285.8


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
723.1	3903.5		J	-1922.4	51.6	1.3	285.8
		Min	I	-2219.0	-103.7	-2.8	-350.1
-481.5	-48956.3		J	-2219.0	-103.7	-2.0	-350.1
-122.3	-12009.6						
148	2	65 C1-C2;~1	Max	I	177.4	0.0	9.9
0.0	0.0			J	177.4	0.0	9.9
0.0	0.0		Min	I	-48.1	-0.0	-2.5
0.0	0.0			J	-48.1	0.0	-2.5
0.0	0.0						
		C3-C4;~1	Max	I	162.5	0.0	10.5
0.0	0.0			J	162.5	0.0	10.5
0.0	0.0		Min	I	-50.7	-0.0	-1.2
0.0	0.0			J	-50.7	0.0	-1.2
0.0	0.0						
		C1-C2;~2	Max	I	107.3	0.0	6.2
0.0	0.0			J	107.3	0.0	6.2
0.0	0.0		Min	I	-25.2	-0.0	-1.5
0.0	0.0			J	-25.2	0.0	-1.5
0.0	0.0						
		C3-C4;~2	Max	I	96.3	0.0	6.6
0.0	0.0			J	96.3	0.0	6.6
0.0	0.0		Min	I	-27.1	-0.0	-0.6
0.0	0.0			J	-27.1	0.0	-0.6
0.0	0.0						
		G1		I	72.1	-0.0	3.8
0.0	0.0			J	72.1	0.0	3.8
0.0	0.0						
		G2		I	26.7	-0.0	1.0
0.0	0.0			J	26.7	0.0	1.0
0.0	0.0						
		Q3		I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
		Q5_pc		I	2.4	-0.0	0.0
0.0	0.0			J	2.4	0.0	0.0
0.0	0.0						
		Q5_ps		I	0.5	-0.0	-0.1
0.0	0.0			J	0.5	0.0	-0.1


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0							
		INVS LU	Max	I	352.1	-0.0	-1.8	38.6
0.0	0.0			J	352.1	0.0	1.8	38.6
0.0	0.0		Min	I	39.7	-0.0	-1.8	21.0
0.0	0.0			J	39.7	0.0	1.8	21.0
0.0	0.0							
		INVS LE	Max	I	259.9	-0.0	-1.3	29.4
0.0	0.0			J	259.9	0.0	1.3	29.4
0.0	0.0		Min	I	28.8	-0.0	-1.3	16.3
0.0	0.0			J	28.8	0.0	1.3	16.3
0.0	0.0							
149	2	65 C1-C2;~1	Max	I	143.8	0.1	0.0	1.6
0.0	0.0			J	143.8	0.1	0.0	1.6
4.4	224.3		Min	I	-70.8	-0.1	-0.0	-9.3
0.0	0.0			J	-70.8	-0.1	-0.0	-9.3
-3.2	-285.1							
		C3-C4;~1	Max	I	154.8	0.1	0.0	1.5
0.0	0.0			J	154.8	0.1	0.0	1.5
3.2	273.2		Min	I	-48.6	-0.1	-0.0	-9.2
0.0	0.0			J	-48.6	-0.1	-0.0	-9.2
-3.5	-225.6							
		C1-C2;~2	Max	I	85.4	0.1	0.0	0.9
0.0	0.0			J	85.4	0.1	0.0	0.9
2.8	134.6		Min	I	-41.3	-0.0	-0.0	-5.9
0.0	0.0			J	-41.3	-0.0	-0.0	-5.9
-1.9	-186.6							
		C3-C4;~2	Max	I	92.2	0.0	0.0	0.8
0.0	0.0			J	92.2	0.0	0.0	0.8
2.0	168.1		Min	I	-27.0	-0.1	-0.0	-5.7
0.0	0.0			J	-27.0	-0.1	-0.0	-5.7
-2.1	-143.7							
		G1		I	74.9	-0.0	-4.0	-3.2
0.0	0.0			J	74.9	-0.0	-1.3	-3.2
8270.1	70.5							
		G2		I	28.9	-0.0	0.0	-0.7
0.0	0.0			J	28.9	-0.0	0.0	-0.7
-0.2	29.3							

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		Q3	I	0.0	0.0	0.0
				J	0.0	0.0	0.0
0.0	0.0		Q5_pc	I	-4.1	0.0	0.7
				J	-4.1	0.0	0.7
-0.5	-77.6		Q5_ps	I	-2.7	0.0	0.9
				J	-2.7	0.0	0.9
0.0	0.0		INVSLU Max	I	352.4	0.1	-5.4
				J	352.4	0.1	-1.8
1169.4	676.5		Min	I	40.5	-0.2	-5.4
				J	40.5	-0.2	-1.8
1157.9	-217.0						1
			INVSLE Max	I	260.3	0.0	-4.0
0.0	0.0			J	260.3	0.0	-1.3
8273.6	501.4		Min	I	29.7	-0.2	-4.0
				J	29.7	-0.2	-1.3
8265.1	-150.1						-26.8
150	2	65	C1-C2;~1 Max	I	143.8	0.1	0.0
3.2	224.3			J	143.8	0.1	0.0
0.0	0.0		Min	I	-70.8	-0.1	-0.0
				J	-70.8	-0.1	-0.0
-4.4	-285.1						-9.2
0.0	0.0		C3-C4;~1 Max	I	154.8	0.1	0.0
				J	154.8	0.1	0.0
3.5	273.2		Min	I	-48.6	-0.1	-0.0
				J	-48.6	-0.1	-0.0
0.0	0.0						-9.1
			C1-C2;~2 Max	I	85.4	0.0	0.0
1.9	134.6			J	85.4	0.0	0.0
0.0	0.0		Min	I	-41.3	-0.1	-0.0
				J	-41.3	-0.1	-0.0
-2.8	-186.6						-5.7
0.0	0.0		C3-C4;~2 Max	I	92.2	0.1	0.0
				J	92.2	0.1	0.0
2.1	168.1		Min	I	-27.0	-0.0	-0.0
							-5.7
0.0	0.0						0.7
-2.0	-143.7						0.7

MIDAS

PROJECT TITLE :


MIDAS		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
	0.0	0.0		J	-27.0	-0.0	-0.0	-5.7	
8271.0		70.5	G1	I	74.9	0.0	1.3	-3.4	
	0.0	0.0		J	74.9	0.0	4.0	-3.4	
	0.2	29.3	G2	I	28.9	0.0	0.0	-0.8	
	0.0	0.0		J	28.9	0.0	0.0	-0.8	
	0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
	0.0	0.0		J	0.0	0.0	0.0	0.0	
	0.5	-77.6	Q5_pc	I	-4.1	-0.0	0.0	0.5	
	0.0	0.0		J	-4.1	-0.0	0.0	0.5	
	0.6	-70.5	Q5_ps	I	-2.7	-0.0	0.0	0.7	
	0.0	0.0		J	-2.7	-0.0	0.0	0.7	
1172.7		676.5	INVS LU Max	I	352.5	0.2	1.8	-20.4	1
	0.0	0.0		J	352.5	0.2	5.4	-20.4	
1161.2		-217.0	Min	I	40.5	-0.1	1.8	-35.8	1
	0.0	0.0		J	40.5	-0.1	5.4	-35.8	
8276.1		501.4	INVS LE Max	I	260.3	0.2	1.3	-15.9	
	0.0	0.0		J	260.3	0.2	4.0	-15.9	
8267.6		-150.1	Min	I	29.7	-0.0	1.3	-27.2	
	0.0	0.0		J	29.7	-0.0	4.0	-27.2	
151		2	65 C1-C2;~1 Max	I	177.4	0.0	0.0	11.3	
0.0		0.0		J	177.4	0.0	0.0	11.3	
0.0		0.0	Min	I	-48.1	-0.0	-0.0	-2.3	
0.0		0.0		J	-48.1	0.0	0.0	-2.3	
0.0		0.0	C3-C4;~1 Max	I	162.4	0.0	0.0	11.0	
0.0		0.0		J	162.4	0.0	0.0	11.0	
0.0		0.0	Min	I	-50.7	-0.0	-0.0	-2.3	
0.0		0.0		J	-50.7	0.0	0.0	-2.3	
0.0		0.0	C1-C2;~2 Max	I	107.3	0.0	0.0	7.3	

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	107.3	0.0	0.0	7.3
0.0	0.0	Min	I	-25.2	-0.0	-0.0	-1.2
0.0	0.0		J	-25.2	0.0	0.0	-1.2
0.0	0.0	C3-C4;~2 Max	I	96.3	0.0	0.0	6.8
0.0	0.0		J	96.3	0.0	0.0	6.8
0.0	0.0	Min	I	-27.1	-0.0	-0.0	-1.2
0.0	0.0		J	-27.1	0.0	0.0	-1.2
0.0	0.0	G1	I	72.1	-0.0	-1.3	2.9
0.0	0.0		J	72.1	0.0	1.3	2.9
0.0	0.0	G2	I	26.7	-0.0	0.0	0.5
0.0	0.0		J	26.7	0.0	0.0	0.5
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	2.4	-0.0	0.0	-1.0
0.0	0.0		J	2.4	0.0	0.0	-1.0
0.0	0.0	Q5_ps	I	0.5	-0.0	0.0	-1.4
0.0	0.0		J	0.5	0.0	0.0	-1.4
0.0	0.0	INVSLU Max	I	352.1	-0.0	-1.8	36.0
0.0	0.0		J	352.1	0.0	1.8	36.0
0.0	0.0	Min	I	39.9	-0.0	-1.8	15.9
0.0	0.0		J	39.9	0.0	1.8	15.9
0.0	0.0	INVSLE Max	I	259.9	-0.0	-1.3	27.3
0.0	0.0		J	259.9	0.0	1.3	27.3
0.0	0.0	Min	I	28.9	-0.0	-1.3	12.5
0.0	0.0		J	28.9	0.0	1.3	12.5
158	2	81 C1-C2;~1 Max	I	51.4	0.1	0.0	1.6
0.0	0.0		J	51.4	0.1	0.0	1.6
1.4	186.4	Min	I	-21.5	-0.1	-0.0	-2.5
0.0	0.0		J	-21.5	-0.1	-0.0	-2.5

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-1.1	-186.1						
		C3-C4;~1 Max	I	47.8	0.1	0.0	1.0
0.0	0.0		J	47.8	0.1	0.0	1.0
1.3	169.4						
		Min	I	-10.6	-0.1	-0.0	-1.8
0.0	0.0		J	-10.6	-0.1	-0.0	-1.8
-1.2	-168.7						
		C1-C2;~2 Max	I	32.8	0.0	0.0	1.0
0.0	0.0		J	32.8	0.0	0.0	1.0
0.9	124.1						
		Min	I	-12.0	-0.0	-0.0	-1.5
0.0	0.0		J	-12.0	-0.0	-0.0	-1.5
-0.7	-125.0						
		C3-C4;~2 Max	I	29.8	0.0	0.0	0.5
0.0	0.0		J	29.8	0.0	0.0	0.5
0.8	111.9						
		Min	I	-5.2	-0.0	-0.0	-1.0
0.0	0.0		J	-5.2	-0.0	-0.0	-1.0
-0.7	-110.4						
		G1	I	-7.5	-0.0	2.1	-1.6
0.0	0.0		J	-7.5	-0.0	0.7	-1.6
4471.7	0.3						
		G2	I	-9.0	-0.0	-0.0	-0.9
0.0	0.0		J	-9.0	-0.0	-0.0	-0.9
0.1	0.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-7.1	-0.0	0.0	-0.3
0.0	0.0		J	-7.1	-0.0	0.0	-0.3
-0.1	24.4						
		Q5_ps	I	-10.1	-0.0	0.0	-0.4
0.0	0.0		J	-10.1	-0.0	0.0	-0.4
-0.2	23.6						
		INVSLU Max	I	-161.0	0.1	2.9	1.9
0.0	0.0		J	-161.0	0.1	1.0	1.9
6034.4	349.2						
		Min	I	-272.1	-0.1	2.9	-4.2
0.0	0.0		J	-272.1	-0.1	1.0	-4.2
6038.2	-197.6						
		INVSLE Max	I	-133.6	0.0	2.1	1.8
0.0	0.0		J	-133.6	0.0	0.7	1.8

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

4469.9	257.8			Min	I	-214.9	-0.1	2.1	-2.7	
0.0	0.0				J	-214.9	-0.1	0.7	-2.7	-
4472.7	-144.0									
159	2	81	C1-C2;~1	Max	I	50.6	0.0	0.0	2.3	
0.0	0.0				J	50.6	0.0	0.0	2.3	
0.0	0.0			Min	I	-22.1	-0.0	0.0	-1.0	
0.0	0.0				J	-22.1	0.0	-0.0	-1.0	
0.0	0.0									
0.0	0.0			C3-C4;~1	Max	I	47.0	0.0	0.0	2.1
0.0	0.0				J	47.0	0.0	0.0	2.1	
0.0	0.0			Min	I	-11.0	-0.0	0.0	-1.5	
0.0	0.0				J	-11.0	0.0	-0.0	-1.5	
0.0	0.0									
0.0	0.0			C1-C2;~2	Max	I	32.3	0.0	0.0	1.4
0.0	0.0				J	32.3	0.0	0.0	1.4	
0.0	0.0			Min	I	-12.4	-0.0	0.0	-0.6	
0.0	0.0				J	-12.4	0.0	-0.0	-0.6	
0.0	0.0									
0.0	0.0			C3-C4;~2	Max	I	29.7	0.0	0.0	1.2
0.0	0.0				J	29.7	0.0	0.0	1.2	
0.0	0.0			Min	I	-5.4	-0.0	0.0	-0.9	
0.0	0.0				J	-5.4	0.0	-0.0	-0.9	
0.0	0.0									
0.0	0.0			G1	I	-8.6	0.0	0.7	1.9	
0.0	0.0				J	-8.6	0.0	-0.7	1.9	
0.0	0.0									
0.0	0.0			G2	I	-9.5	0.0	0.0	1.0	
0.0	0.0				J	-9.5	0.0	-0.0	1.0	
0.0	0.0									
0.0	0.0			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
0.0	0.0			Q5_pc	I	-7.0	0.0	0.0	0.2	
0.0	0.0				J	-7.0	0.0	-0.0	0.2	
0.0	0.0									
0.0	0.0			Q5_ps	I	-10.1	0.0	0.0	0.2	
0.0	0.0				J	-10.1	0.0	-0.0	0.2	


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0	INVSLE Max	I	-154.8	0.0	1.0	4.6
0.0	0.0		J	-154.8	0.0	-1.0	4.6
0.0	0.0	Min	I	-265.5	0.0	1.0	-0.9
0.0	0.0		J	-265.5	0.0	-1.0	-0.9
0.0	0.0	INVSLE Max	I	-128.9	0.0	0.7	2.9
0.0	0.0		J	-128.9	0.0	-0.7	2.9
0.0	0.0	Min	I	-209.9	0.0	0.7	-1.1
0.0	0.0		J	-209.9	0.0	-0.7	-1.1
160	2	81 C1-C2;~1 Max	I	50.6	0.0	0.0	2.9
0.0	0.0		J	50.6	0.0	0.0	2.9
0.0	0.0	Min	I	-22.0	-0.0	0.0	-2.7
0.0	0.0		J	-22.0	0.0	-0.0	-2.7
0.0	0.0	C3-C4;~1 Max	I	47.0	0.0	0.0	2.3
0.0	0.0		J	47.0	0.0	0.0	2.3
0.0	0.0	Min	I	-11.0	-0.0	0.0	-1.8
0.0	0.0		J	-11.0	0.0	-0.0	-1.8
0.0	0.0	C1-C2;~2 Max	I	32.4	0.0	0.0	1.7
0.0	0.0		J	32.4	0.0	0.0	1.7
0.0	0.0	Min	I	-12.4	-0.0	0.0	-1.7
0.0	0.0		J	-12.4	0.0	-0.0	-1.7
0.0	0.0	C3-C4;~2 Max	I	29.7	0.0	0.0	1.3
0.0	0.0		J	29.7	0.0	0.0	1.3
0.0	0.0	Min	I	-5.4	-0.0	0.0	-1.1
0.0	0.0		J	-5.4	0.0	-0.0	-1.1
0.0	0.0	G1	I	-8.6	0.0	0.7	1.5
0.0	0.0		J	-8.6	0.0	-0.7	1.5
0.0	0.0	G2	I	-9.5	0.0	0.0	0.8
0.0	0.0		J	-9.5	0.0	-0.0	0.8
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Q5_pc	I	-7.0	0.0	0.4
0.0	0.0			J	-7.0	0.0	0.4
0.0	0.0						
0.0	0.0		Q5_ps	I	-10.1	0.0	0.6
0.0	0.0			J	-10.1	0.0	0.6
0.0	0.0						
0.0	0.0		INVSLU Max	I	-154.8	0.0	4.2
0.0	0.0			J	-154.8	0.0	4.2
0.0	0.0						
0.0	0.0		Min	I	-265.5	0.0	-4.0
0.0	0.0			J	-265.5	0.0	-4.0
0.0	0.0						
0.0	0.0		INVSLE Max	I	-128.9	0.0	2.7
0.0	0.0			J	-128.9	0.0	2.7
0.0	0.0						
0.0	0.0		Min	I	-210.0	0.0	-3.4
0.0	0.0			J	-210.0	0.0	-3.4
0.0	0.0						
161	2	81	C1-C2;~1 Max	I	51.4	0.1	1.5
1.1	186.4			J	51.4	0.1	1.5
0.0	0.0						
			Min	I	-21.5	-0.1	-2.3
-1.4	-186.1			J	-21.5	-0.1	-2.3
0.0	0.0						
			C3-C4;~1 Max	I	47.8	0.1	0.9
1.2	169.4			J	47.8	0.1	0.9
0.0	0.0						
			Min	I	-10.6	-0.1	-1.8
-1.3	-168.7			J	-10.6	-0.1	-1.8
0.0	0.0						
			C1-C2;~2 Max	I	32.8	0.0	0.9
0.7	124.1			J	32.8	0.0	0.9
0.0	0.0						
			Min	I	-12.0	-0.0	-1.3
-0.9	-125.0			J	-12.0	-0.0	-1.3
0.0	0.0						
			C3-C4;~2 Max	I	29.8	0.0	0.5
0.7	111.9			J	29.8	0.0	0.5
0.0	0.0						
			Min	I	-5.2	-0.0	-1.0
-0.8	-110.4			J	-5.2	-0.0	-1.0

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0							
4472.1	0.3	G1	I	-7.5	0.0	-0.7	-1.7	-
0.0	0.0		J	-7.5	0.0	-2.1	-1.7	
-0.1	0.1	G2	I	-9.0	0.0	-0.0	-0.9	
0.0	0.0		J	-9.0	0.0	-0.0	-0.9	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Q5_pc	I	-7.1	0.0	0.0	-0.2	
0.1	24.4		J	-7.1	0.0	0.0	-0.2	
0.0	0.0	Q5_ps	I	-10.1	0.0	0.0	-0.3	
0.2	23.6		J	-10.1	0.0	0.0	-0.3	
0.0	0.0	INVSLE Max	I	-161.0	0.1	-1.0	1.4	-
6035.9	349.2		J	-161.0	0.1	-2.9	1.4	
0.0	0.0	Min	I	-272.1	-0.1	-1.0	-4.1	-
6039.7	-197.6		J	-272.1	-0.1	-2.9	-4.1	
0.0	0.0	INVSLE Max	I	-133.6	0.1	-0.7	1.5	-
4471.1	257.8		J	-133.6	0.1	-2.1	1.5	
0.0	0.0	Min	I	-214.9	-0.0	-0.7	-2.6	-
4473.9	-144.0		J	-214.9	-0.0	-2.1	-2.6	
0.0	0.0	70 C1-C2;~1 Max	I	1803.9	2.3	0.5	21.4	
173	2		J	1803.9	2.3	0.5	21.4	
243.8	6212.4	Min	I	-509.0	-0.9	-0.1	-99.1	
32.5	5222.0		J	-509.0	-0.9	-0.1	-99.1	
-38.7	-1967.9	C3-C4;~1 Max	I	1815.8	2.2	0.6	16.7	
-31.5	-1963.7		J	1815.8	2.2	0.6	16.7	
267.2	4637.3	Min	I	-501.4	-0.8	-0.1	-91.5	
21.1	3975.8		J	-501.4	-0.8	-0.1	-91.5	
-38.0	-2446.2	C1-C2;~2 Max	I	1090.8	1.4	0.3	11.2	
-29.1	-2524.5		J	1090.8	1.4	0.3	11.2	
154.6	3860.6							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
20.7	3228.4		Min	I	-290.2	-0.5	-0.0	-63.9
-22.0	-1103.1			J	-290.2	-0.5	-0.0	-63.9
-19.3	-1104.3							
166.6	2780.4	C3-C4;~2	Max	I	1075.4	1.3	0.3	8.9
				J	1075.4	1.3	0.3	8.9
13.1	2400.5		Min	I	-285.5	-0.5	-0.0	-58.6
-21.6	-1377.7			J	-285.5	-0.5	-0.0	-58.6
-17.4	-1425.0							
96.5	1098.4		G1	I	1066.1	0.8	-0.2	-23.6
				J	1066.1	0.8	0.7	-23.6
-46.1	683.3							
45.8	393.0		G2	I	410.1	0.3	0.1	-5.2
				J	410.1	0.3	0.1	-5.2
-1.3	240.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
3.9	-1348.2		Q5_pc	I	28.6	-0.0	0.0	-0.4
				J	28.6	-0.0	0.0	-0.4
0.5	-1338.2							
2.7	-1408.2		Q5_ps	I	25.7	-0.0	0.0	0.7
				J	25.7	-0.0	0.0	0.7
0.5	-1396.8							
663.5	11904.3		INVS LU Max	I	4349.1	3.9	0.7	34.5
				J	4349.1	3.9	2.0	34.5
44.1	10165.2		Min	I	1159.2	-0.4	-0.1	-128.8
243.6	-2211.6			J	1159.2	-0.4	1.1	-128.8
-43.2	-2701.3							
497.4	8747.4		INVS LE Max	I	3203.5	2.8	0.6	27.3
				J	3203.5	2.8	1.5	27.3
34.4	7482.1		Min	I	844.4	-0.3	-0.1	-93.7
186.8	-1529.1			J	844.4	-0.3	0.8	-93.7
-30.2	-1870.2							
174	2	70 C1-C2;~1	Max	I	1658.6	2.2	0.5	97.6
250.1	4664.0			J	1658.6	2.2	0.5	97.6
12.4	3917.0		Min	I	-502.1	-0.6	-0.1	-13.2
-36.5	-3238.9			J	-502.1	-0.6	-0.1	-13.2
-27.8	-3203.4							


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

259.6	3189.2	C3-C4;~1	Max	I	1751.1	2.1	0.5	85.0
				J	1751.1	2.1	0.5	85.0
20.1	2655.7		Min	I	-495.5	-0.6	-0.1	-11.9
-35.8	-3411.8			J	-495.5	-0.6	-0.1	-11.9
-28.1	-3553.8							
157.0	2844.1	C1-C2;~2	Max	I	987.7	1.4	0.3	64.3
				J	987.7	1.4	0.3	64.3
7.3	2360.8		Min	I	-286.2	-0.3	-0.0	-7.0
-20.7	-1999.9			J	-286.2	-0.3	-0.0	-7.0
-17.4	-1962.4							
163.6	1829.9	C3-C4;~2	Max	I	1046.3	1.3	0.3	54.4
				J	1046.3	1.3	0.3	54.4
12.4	1517.3		Min	I	-282.2	-0.3	-0.0	-5.8
-20.3	-2040.6			J	-282.2	-0.3	-0.0	-5.8
-17.3	-2119.2							
98.1	191.8	G1		I	1058.1	0.8	-0.2	19.8
				J	1058.1	0.8	0.7	19.8
-45.2	-219.4							
46.3	47.2	G2		I	408.2	0.3	0.1	3.4
				J	408.2	0.3	0.1	3.4
-0.7	-112.8							
0.0	0.0	Q3		I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
-13.1	-1359.6	Q5_pc		I	-31.0	-0.0	-0.0	-9.3
				J	-31.0	-0.0	-0.0	-9.3
1.9	-1351.3							
-15.9	-1414.2	Q5_ps		I	-25.4	-0.0	-0.0	-12.4
				J	-25.4	-0.0	-0.0	-12.4
3.0	-1409.9							
668.4	6944.8	INVSLU	Max	I	4264.3	4.0	0.7	157.8
				J	4264.3	4.0	2.0	157.8
37.3	5415.7		Min	I	1166.7	0.2	-0.1	-10.4
245.3	-6404.8			J	1166.7	0.2	1.1	-10.4
-31.3	-7102.2							
500.4	5030.4	INVSLE	Max	I	3141.7	2.9	0.6	116.0
				J	3141.7	2.9	1.5	116.0
29.3	3910.8							


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
188.7	-4676.9		Min	I	851.4	0.1	-0.1	-6.6	
				J	851.4	0.1	0.8	-6.6	
-21.2	-5181.5								
249	2	70	C1-C2;~1	Max	I	1413.8	0.8	0.0	55.3
54.6	3110.1				J	1413.8	0.8	0.0	55.3
56.3	3367.6								
			Min	I	-237.9	-1.0	-0.0	-36.7	
-3.2	-1201.8				J	-237.9	-1.0	-0.0	-36.7
-5.4	-1366.9								
			C3-C4;~1	Max	I	1417.2	0.7	0.0	49.1
50.4	2412.1				J	1417.2	0.7	0.0	49.1
50.7	2597.5								
			Min	I	-234.1	-0.8	-0.0	-24.1	
-3.1	-1556.4				J	-234.1	-0.8	-0.0	-24.1
-5.3	-1729.1								
			C1-C2;~2	Max	I	858.2	0.5	0.0	35.4
36.5	1957.3				J	858.2	0.5	0.0	35.4
36.9	2117.1								
			Min	I	-135.5	-0.7	-0.0	-22.2	
-1.8	-697.2				J	-135.5	-0.7	-0.0	-22.2
-3.1	-794.1								
			C3-C4;~2	Max	I	842.0	0.5	0.0	30.4
33.0	1495.7				J	842.0	0.5	0.0	30.4
32.4	1606.7								
			Min	I	-133.2	-0.5	-0.0	-13.8	
-1.7	-912.1				J	-133.2	-0.5	-0.0	-13.8
-3.0	-1006.4								
			G1	I	995.4	0.0	-0.5	8.5	
-10.2	370.8				J	995.4	0.0	0.5	8.5
-11.6	351.6								
			G2	I	388.6	0.0	-0.0	2.2	
10.5	147.3				J	388.6	0.0	-0.0	2.2
11.2	133.3								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	2.3	-0.0	-0.0	3.2	
-0.9	-1312.8				J	2.3	-0.0	-0.0	3.2
-0.3	-1295.0								
			Q5_ps	I	2.1	-0.0	-0.0	3.4	
-0.7	-1327.6				J	2.1	-0.0	-0.0	3.4
-0.2	-1319.9								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
161.6	6262.7	INVSLE Max	I	4076.5	1.0	-0.6	79.1
			J	4076.5	1.0	0.7	79.1
170.1	6629.5	Min	I	1837.9	-1.5	-0.7	-50.8
81.9	-2400.1		J	1837.9	-1.5	0.5	-50.8
86.3	-2582.0						
122.8	4537.4	INVSLE Max	I	3024.0	0.7	-0.4	57.8
			J	3024.0	0.7	0.5	57.8
129.0	4819.4	Min	I	1366.2	-1.1	-0.5	-37.9
63.9	-1704.5		J	1366.2	-1.1	0.4	-37.9
67.0	-1831.3						
250	2	70 C1-C2;~1 Max	I	1308.8	0.8	0.0	31.7
43.4	2273.1		J	1308.8	0.8	0.0	31.7
42.2	2503.9	Min	I	-237.2	-0.9	-0.0	-59.0
-3.6	-2066.6		J	-237.2	-0.9	-0.0	-59.0
-5.8	-2302.4						
49.6	1527.6	C3-C4;~1 Max	I	1383.1	0.8	0.0	26.8
			J	1383.1	0.8	0.0	26.8
49.5	1667.9	Min	I	-234.8	-0.7	-0.0	-50.6
-3.6	-2527.6		J	-234.8	-0.7	-0.0	-50.6
-5.7	-2707.9						
28.1	1408.1	C1-C2;~2 Max	I	781.2	0.5	0.0	19.6
			J	781.2	0.5	0.0	19.6
26.6	1546.6	Min	I	-135.1	-0.6	-0.0	-39.0
-2.0	-1271.2		J	-135.1	-0.6	-0.0	-39.0
-3.3	-1425.6						
32.6	907.6	C3-C4;~2 Max	I	828.6	0.5	0.0	15.3
			J	828.6	0.5	0.0	15.3
31.8	985.1	Min	I	-133.7	-0.4	-0.0	-31.2
-2.0	-1550.5		J	-133.7	-0.4	-0.0	-31.2
-3.2	-1657.9						
-9.9	-378.5	G1	I	1003.4	-0.0	-0.5	-7.7
			J	1003.4	-0.0	0.5	-7.7
-11.8	-367.9						
10.6	-176.8	G2	I	392.3	-0.0	-0.0	-1.5
			J	392.3	-0.0	-0.0	-1.5
11.1	-168.9						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	0.0	0.0	0.0	0.0
1.0	-667.0	Q5_pc	I	-10.3	0.4	0.0	4.3
1.0	-882.4		J	-10.3	0.4	0.0	4.3
1.1	-729.0	Q5_ps	I	-6.5	0.4	-0.0	6.0
1.4	-937.1		J	-6.5	0.4	-0.0	6.0
154.5	2716.2	INVSLU Max	I	4041.0	1.6	-0.6	53.5
160.9	3160.7		J	4041.0	1.6	0.7	53.5
80.7	-4965.3	Min	I	1835.1	-1.5	-0.7	-76.8
84.5	-5463.5		J	1835.1	-1.5	0.6	-76.8
117.4	1984.1	INVSLE Max	I	2996.9	1.2	-0.4	39.9
122.2	2290.8		J	2996.9	1.2	0.5	39.9
63.0	-3616.9	Min	I	1364.3	-1.1	-0.5	-56.0
65.7	-3979.8		J	1364.3	-1.1	0.4	-56.0
251	2	62 C1-C2;~1 Max	I	28.9	9.0	0.5	210.1
145.9	13259.1		J	28.9	9.0	0.5	210.1
374.5	14652.5	Min	I	-153.5	-12.1	-1.4	-181.9
-302.6	-1204.4		J	-153.5	-12.1	-1.4	-181.9
-110.0	-1331.3	C3-C4;~1 Max	I	28.0	4.8	0.9	159.4
274.5	9623.7		J	28.0	4.8	0.9	159.4
569.0	10683.1	Min	I	-170.5	-7.1	-2.1	-133.6
-468.5	-1509.3		J	-170.5	-7.1	-2.1	-133.6
-202.7	-1658.9	C1-C2;~2 Max	I	16.5	6.3	0.3	142.5
89.1	9360.2		J	16.5	6.3	0.3	142.5
224.8	10322.4	Min	I	-90.6	-8.6	-0.8	-123.4
-179.4	-629.9		J	-90.6	-8.6	-0.8	-123.4
-63.8	-704.6	C3-C4;~2 Max	I	15.9	3.2	0.6	104.0
184.1	6613.3		J	15.9	3.2	0.6	104.0
363.2	7331.4	Min	I	-101.5	-4.8	-1.3	-87.2
-296.4	-797.6		J	-101.5	-4.8	-1.3	-87.2
-132.1	-879.6						

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-162.1	54.5	G1	I	-115.9	-0.0	-1.0	1.8
158.8	67.1		J	-115.9	-0.0	-0.3	1.8
-51.6	-468.8	G2	I	-45.4	0.2	-0.3	-0.3
74.3	-562.3		J	-45.4	0.2	-0.3	-0.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
9.6	-1340.7	Q5_pc	I	-22.5	0.4	0.0	-1.0
-9.5	-1517.4		J	-22.5	0.4	0.0	-1.0
4.0	-1628.1	Q5_ps	I	-22.7	0.5	0.0	-1.0
-4.4	-1868.1		J	-22.7	0.5	0.0	-1.0
425.1	12967.4	INVS LU Max	I	-2372.9	13.5	0.6	262.3
898.4	14492.2		J	-2372.9	13.5	1.7	262.3
-595.1	-9658.0	Min	I	-2682.6	-15.7	-3.5	-268.8
-160.6	-10643.8		J	-2682.6	-15.7	-2.5	-268.8
321.5	8938.5	INVS LE Max	I	-1842.0	10.0	0.5	192.2
663.1	10028.7		J	-1842.0	10.0	1.2	192.2
-432.9	-7550.7	Min	I	-2068.5	-11.5	-2.6	-201.1
-120.0	-8281.9		J	-2068.5	-11.5	-1.8	-201.1
252	2	62 C1-C2;~1 Max	I	27.6	7.1	0.6	134.5
176.3	3501.8		J	27.6	7.1	0.6	134.5
511.8	3854.7	Min	I	-184.6	-4.8	-1.9	-153.3
-437.0	-9389.7		J	-184.6	-4.8	-1.9	-153.3
-129.1	-10392.9						
265.8	1375.5	C3-C4;~1 Max	I	27.7	7.0	0.9	129.2
571.0	1497.9		J	27.7	7.0	0.9	129.2
-469.8	-9308.9	Min	I	-175.9	-4.7	-2.1	-154.3
-195.2	-10325.5		J	-175.9	-4.7	-2.1	-154.3
107.7	2196.4	C1-C2;~2 Max	I	15.7	4.9	0.4	89.7
317.8	2407.9		J	15.7	4.9	0.4	89.7


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-269.7	-6469.3	Min	I	-112.0	-3.3	-1.2	-103.9
			J	-112.0	-3.3	-1.2	-103.9
-74.1	-7123.3						
174.5	744.0	C3-C4;~2 Max	I	15.8	4.7	0.6	83.7
362.1	815.9		J	15.8	4.7	0.6	83.7
-295.3	-6466.0	Min	I	-104.4	-3.1	-1.3	-100.4
-123.7	-7135.8		J	-104.4	-3.1	-1.3	-100.4
-169.4	-64.7	G1	I	-118.0	0.0	-1.0	-1.8
165.7	-78.2		J	-118.0	0.0	-0.3	-1.8
-52.1	439.6	G2	I	-45.8	-0.2	-0.3	0.7
74.6	526.4		J	-45.8	-0.2	-0.3	0.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-12.4	-289.1	Q5_pc	I	22.4	-0.1	-0.0	1.1
10.6	-256.4		J	22.4	-0.1	-0.0	1.1
-6.8	-108.3	Q5_ps	I	22.2	-0.1	-0.0	2.3
4.9	-44.8		J	22.2	-0.1	-0.0	2.3
425.2	11055.7	INVSLU Max	I	-2368.3	8.7	0.6	211.5
893.2	11995.5		J	-2368.3	8.7	1.7	211.5
-590.3	-6868.2	Min	I	-2695.2	-7.5	-3.5	-180.5
-160.3	-7700.3		J	-2695.2	-7.5	-2.5	-180.5
322.3	8743.2	INVSLE Max	I	-1838.5	6.3	0.5	158.7
658.3	9468.8		J	-1838.5	6.3	1.2	158.7
-428.3	-4495.2	Min	I	-2077.7	-5.6	-2.5	-131.5
-120.6	-5086.4		J	-2077.7	-5.6	-1.8	-131.5
259	2	63 C1-C2;~1 Max	I	16.3	0.1	0.3	6.1
182.0	31.0		J	16.3	0.1	0.3	6.1
0.0	0.9						
1516.8	-27.5	Min	I	-112.0	-0.0	-2.5	-43.5
-0.0	-4.2		J	-112.0	-0.0	-2.5	-43.5


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
188.3	31.7	C3-C4;~1	Max	I	17.0	0.1	0.3	7.0	
				J	17.0	0.1	0.3	7.0	
0.0	1.0		Min	I	-92.7	-0.0	-2.1	-38.7	-
1284.7	-23.0			J	-92.7	-0.0	-2.1	-38.7	
-0.0	-3.6								
101.9	18.6	C1-C2;~2	Max	I	8.8	0.0	0.2	3.9	
				J	8.8	0.0	0.2	3.9	
0.0	0.6		Min	I	-64.1	-0.0	-1.5	-27.0	
-884.3	-16.9			J	-64.1	-0.0	-1.5	-27.0	
-0.0	-2.5								
103.9	19.0	C3-C4;~2	Max	I	9.0	0.0	0.2	4.4	
				J	9.0	0.0	0.2	4.4	
0.0	0.6		Min	I	-51.9	-0.0	-1.2	-23.6	
-734.3	-14.3			J	-51.9	-0.0	-1.2	-23.6	
-0.0	-2.1								
1069.3	7.6	G1		I	-69.4	0.0	-2.3	-29.6	-
				J	-69.4	0.0	-1.3	-29.6	
-0.0	-2.5								
-396.1	4.4	G2		I	-26.9	0.0	-0.7	-12.3	
				J	-26.9	0.0	-0.7	-12.3	
-0.0	-1.0								
0.0	0.0	Q3		I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
-127.1	-0.8	Q5_pc		I	-6.2	-0.0	-0.2	-2.3	
				J	-6.2	-0.0	-0.2	-2.3	
0.0	0.0								
-98.0	0.3	Q5_ps		I	-3.7	0.0	-0.2	-2.2	
				J	-3.7	0.0	-0.2	-2.2	
0.0	0.1								
1342.8	-18.8	INVSLU	Max	I	-63.5	-0.0	-2.9	15.5	-
				J	-63.5	-0.0	-1.6	15.5	
-0.0	1.8		Min	I	-248.9	-0.2	-7.1	-56.9	-
3873.5	-100.2			J	-248.9	-0.2	-5.8	-56.9	
-0.0	-5.1								
-986.3	-17.7	INVSLE	Max	I	-44.9	-0.0	-2.1	14.2	
				J	-44.9	-0.0	-1.2	14.2	
-0.0	1.6		Min	I	-181.4	-0.1	-5.2	-39.1	-


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
2844.0	-77.9			J	-181.4	-0.1	-4.3	-39.1	
-0.0	-3.5								
261	2	70	C1-C2;~1	Max	I	1574.1	4.2	0.3	499.5
172.6	3009.4				J	1574.1	4.2	0.3	499.5
37.5	4083.2			Min	I	-595.5	-10.0	-0.0	-221.8
-26.4	-5759.6				J	-595.5	-10.0	-0.0	-221.8
-26.7	-2674.1								
			C3-C4;~1	Max	I	1576.4	4.1	0.4	462.4
184.6	2894.1				J	1576.4	4.1	0.4	462.4
28.5	3340.2			Min	I	-585.5	-9.8	-0.0	-216.9
-25.6	-6701.3				J	-585.5	-9.8	-0.0	-216.9
-23.1	-3201.2								
			C1-C2;~2	Max	I	954.2	2.4	0.2	301.7
108.3	1657.2				J	954.2	2.4	0.2	301.7
24.4	2481.7			Min	I	-339.5	-6.1	-0.0	-126.5
-14.7	-3309.7				J	-339.5	-6.1	-0.0	-126.5
-15.3	-1529.2								
			C3-C4;~2	Max	I	935.7	2.4	0.2	271.0
116.6	1607.2				J	935.7	2.4	0.2	271.0
18.2	2009.2			Min	I	-333.4	-5.8	-0.0	-123.4
-14.5	-3872.7				J	-333.4	-5.8	-0.0	-123.4
-13.0	-1813.2								
			G1		I	747.3	-4.3	-0.3	207.1
50.0	-2120.7				J	747.3	-4.3	0.6	207.1
-40.5	40.3								
			G2		I	283.8	-1.6	0.1	81.9
28.4	-821.4				J	283.8	-1.6	0.1	81.9
0.9	-0.4								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc		I	24.3	-0.1	0.0	14.8
5.3	-1281.9				J	24.3	-0.1	0.0	14.8
2.8	-1215.9								
			Q5_ps		I	21.8	-0.1	0.0	14.9
4.9	-1337.7				J	21.8	-0.1	0.0	14.9
3.1	-1274.7								
			INVSLU	Max	I	3138.8	2.2	0.4	561.6


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
481.2	4432.7			J	3138.8	2.2	1.6	561.6
17.3	7618.5							
		Min		I	163.0	-17.3	-0.2	-438.8
186.9	-10984.1			J	163.0	-17.3	1.1	-438.8
-74.5	-4404.1							
		INVSLE Max		I	2299.9	1.9	0.3	385.0
363.9	3395.8			J	2299.9	1.9	1.2	385.0
13.3	5635.6							
		Min		I	98.8	-12.5	-0.1	-354.1
146.6	-7853.1			J	98.8	-12.5	0.8	-354.1
-54.3	-3107.9							
262	2	70 C1-C2;~1 Max		I	1535.8	3.3	0.0	424.2
37.1	4085.1			J	1535.8	3.3	0.0	424.2
83.8	6933.8							
		Min		I	-606.3	-7.6	-0.2	-190.3
-26.8	-2673.1			J	-606.3	-7.6	-0.2	-190.3
-22.6	-1766.2							
		C3-C4;~1 Max		I	1529.3	3.2	0.0	387.5
28.1	3341.3			J	1529.3	3.2	0.0	387.5
76.7	5569.2							
		Min		I	-595.9	-7.4	-0.1	-185.8
-23.2	-3200.1			J	-595.9	-7.4	-0.1	-185.8
-22.2	-2036.2							
		C1-C2;~2 Max		I	930.5	1.9	0.0	257.0
24.1	2483.0			J	930.5	1.9	0.0	257.0
52.1	4317.6							
		Min		I	-345.7	-4.7	-0.1	-108.5
-15.4	-1528.6			J	-345.7	-4.7	-0.1	-108.5
-12.8	-990.9							
		C3-C4;~2 Max		I	907.1	1.8	0.0	227.3
18.0	2009.9			J	907.1	1.8	0.0	227.3
46.7	3385.8							
		Min		I	-339.3	-4.4	-0.1	-105.8
-13.1	-1812.6			J	-339.3	-4.4	-0.1	-105.8
-12.6	-1143.5							
		G1		I	698.6	-3.1	-0.5	168.2
-40.7	41.4			J	698.6	-3.1	0.4	168.2
-3.0	1609.1							
		G2		I	265.7	-1.2	-0.0	66.8
0.8	0.0			J	265.7	-1.2	-0.0	66.8
14.0	595.7							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0						
2.8	-1215.9	Q5_pc	I	21.1	-0.1	0.0	12.4
-2.3	-1169.1		J	21.1	-0.1	0.0	12.4
3.1	-1274.7	Q5_ps	I	18.7	-0.1	0.0	12.6
-2.6	-1228.8		J	18.7	-0.1	0.0	12.6
16.9	7620.7	INVS LU Max	I	2945.3	2.3	-0.7	460.8
160.5	12511.0		J	2945.3	2.3	0.5	460.8
-74.4	-4402.9	Min	I	15.4	-12.6	-1.0	-391.0
12.7	-1702.9		J	15.4	-12.6	0.2	-391.0
13.0	5637.1	INVS LE Max	I	2154.8	1.9	-0.5	314.9
120.1	9161.3		J	2154.8	1.9	0.4	314.9
-54.2	-3107.1	Min	I	-12.6	-9.1	-0.7	-314.4
11.0	-1211.6		J	-12.6	-9.1	0.2	-314.4
263	2	70 C1-C2;~1 Max	I	1497.3	2.1	0.1	273.0
83.4	6934.1		J	1497.3	2.1	0.1	273.0
68.8	8981.4	Min	I	-620.6	-4.9	-0.0	-122.3
-22.4	-1766.2		J	-620.6	-4.9	-0.0	-122.3
-20.5	-2371.1						
76.3	5569.6	C3-C4;~1 Max	I	1487.0	2.1	0.1	240.8
63.0	7669.0		J	1487.0	2.1	0.1	240.8
-22.0	-2036.2	Min	I	-609.7	-4.8	-0.0	-119.2
-20.2	-2244.7		J	-609.7	-4.8	-0.0	-119.2
51.9	4317.9	C1-C2;~2 Max	I	907.7	1.2	0.0	167.1
44.2	5582.1		J	907.7	1.2	0.0	167.1
-12.7	-990.9	Min	I	-353.9	-3.0	-0.0	-69.7
-11.7	-1315.3		J	-353.9	-3.0	-0.0	-69.7
46.5	3386.0	C3-C4;~2 Max	I	882.2	1.2	0.0	142.1
39.5	4661.2		J	882.2	1.2	0.0	142.1
-12.5	-1143.5	Min	I	-347.1	-2.9	-0.0	-67.8
-11.5	-1235.7		J	-347.1	-2.9	-0.0	-67.8


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-3.2	1609.3	G1	I	647.6	-1.9	-0.4	95.9
			J	647.6	-1.9	0.5	95.9
-15.5	2541.1						
		G2	I	246.3	-0.7	0.0	38.5
13.9	595.8		J	246.3	-0.7	0.0	38.5
9.2	948.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	21.5	-0.0	-0.0	7.5
-2.4	-1169.1		J	21.5	-0.0	-0.0	7.5
0.5	-1145.4						
		Q5_ps	I	19.4	-0.0	-0.0	7.7
-2.6	-1228.8		J	19.4	-0.0	-0.0	7.7
0.5	-1204.0						
		INVSLE Max	I	2749.1	1.8	-0.5	284.2
160.1	12511.4		J	2749.1	1.8	0.8	284.2
106.8	15781.2	Min	I	-148.8	-7.8	-0.6	-262.8
13.1	-1702.8		J	-148.8	-7.8	0.7	-262.8
-14.7	-1606.4						
		INVSLE Max	I	2007.7	1.5	-0.4	193.9
119.9	9161.7		J	2007.7	1.5	0.6	193.9
80.4	11519.4	Min	I	-136.1	-5.6	-0.4	-210.3
11.3	-1211.5		J	-136.1	-5.6	0.5	-210.3
-9.6	-1207.5						
264	2	70 C1-C2;~1 Max	I	1458.5	1.0	0.0	99.2
68.6	8981.6		J	1458.5	1.0	0.0	99.2
72.1	9853.2	Min	I	-635.6	-2.5	-0.0	-47.0
-20.4	-2371.2		J	-635.6	-2.5	-0.0	-47.0
-22.6	-2788.9						
		C3-C4;~1 Max	I	1446.6	0.9	0.0	75.0
62.8	7669.2		J	1446.6	0.9	0.0	75.0
67.0	8581.3	Min	I	-624.2	-2.5	-0.0	-40.4
-20.1	-2244.8		J	-624.2	-2.5	-0.0	-40.4
-22.3	-2650.7						
		C1-C2;~2 Max	I	885.2	0.5	0.0	63.4
44.1	5582.2		J	885.2	0.5	0.0	63.4
45.9	6120.5	Min	I	-362.4	-1.6	-0.0	-27.9


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-11.6	-1315.4		J	-362.4	-1.6	-0.0	-27.9
-12.9	-1559.4						
39.4	4661.3	C3-C4;~2 Max	I	859.1	0.5	0.0	45.4
41.8	5213.5		J	859.1	0.5	0.0	45.4
-11.5	-1235.8	Min	I	-355.4	-1.6	-0.0	-22.2
-12.7	-1472.2		J	-355.4	-1.6	-0.0	-22.2
-15.6	2541.1	G1	I	594.0	-0.7	-0.5	14.6
-14.3	2891.6		J	594.0	-0.7	0.5	14.6
9.2	948.7	G2	I	225.4	-0.3	-0.0	6.3
9.6	1079.6		J	225.4	-0.3	-0.0	6.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.5	-1145.4	Q5_pc	I	22.5	0.0	0.0	0.9
0.1	-1147.1		J	22.5	0.0	0.0	0.9
0.5	-1204.0	Q5_ps	I	20.7	-0.0	0.0	0.9
0.1	-1203.1		J	20.7	-0.0	0.0	0.9
106.6	15781.5	INVS LU Max	I	2547.5	1.0	-0.6	102.0
108.9	17098.5		J	2547.5	1.0	0.6	102.0
-14.5	-1606.5	Min	I	-319.8	-3.7	-0.6	-97.1
-19.2	-2033.1		J	-319.8	-3.7	0.6	-97.1
80.2	11519.6	INVS LE Max	I	1856.6	0.8	-0.4	71.3
81.9	12467.7		J	1856.6	0.8	0.5	71.3
-9.4	-1207.7	Min	I	-264.3	-2.7	-0.5	-76.0
-13.0	-1551.0		J	-264.3	-2.7	0.4	-76.0
265	2	70 C1-C2;~1 Max	I	1417.4	1.6	0.0	55.2
72.1	9853.3		J	1417.4	1.6	0.0	55.2
69.2	9471.8	Min	I	-650.9	-1.1	-0.0	-153.3
-22.7	-2789.0		J	-650.9	-1.1	-0.0	-153.3
-19.6	-2641.5	C3-C4;~1 Max	I	1405.2	1.5	0.0	53.7

MIDAS


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
67.1	8581.4		J	1405.2	1.5	0.0	53.7
61.7	8221.4						
		Min	I	-639.0	-0.9	-0.0	-134.6
-22.3	-2650.7						
			J	-639.0	-0.9	-0.0	-134.6
-19.2	-2507.7						
		C1-C2;~2 Max	I	861.5	1.0	0.0	31.2
46.0	6120.6						
			J	861.5	1.0	0.0	31.2
44.2	5897.9						
		Min	I	-371.1	-0.7	-0.0	-96.0
-12.9	-1559.4						
			J	-371.1	-0.7	-0.0	-96.0
-11.2	-1471.7						
		C3-C4;~2 Max	I	835.5	0.9	0.0	30.5
41.8	5213.5						
			J	835.5	0.9	0.0	30.5
38.5	5003.9						
		Min	I	-363.8	-0.5	-0.0	-80.6
-12.7	-1472.3						
			J	-363.8	-0.5	-0.0	-80.6
-10.9	-1385.5						
		G1	I	537.9	0.4	-0.5	-62.7
-14.3	2891.6						
			J	537.9	0.4	0.5	-62.7
-16.3	2690.2						
		G2	I	203.4	0.2	0.0	-24.4
9.6	1079.6						
			J	203.4	0.2	0.0	-24.4
8.9	999.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0						
			J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	23.5	0.1	0.0	-6.2
0.1	-1147.1						
			J	23.5	0.1	0.0	-6.2
-0.9	-1176.3						
		Q5_ps	I	22.0	0.1	0.0	-6.5
0.1	-1203.1						
			J	22.0	0.1	0.0	-6.5
-1.0	-1228.7						
		INVSLU Max	I	2336.9	2.5	-0.6	119.4
109.0	17098.5						
			J	2336.9	2.5	0.7	119.4
101.0	16474.7						
		Min	I	-497.6	-1.2	-0.6	-173.3
-19.2	-2033.2						
			J	-497.6	-1.2	0.6	-173.3
-20.5	-1995.5						
		INVSLE Max	I	1698.9	1.9	-0.4	96.3
82.0	12467.7						
			J	1698.9	1.9	0.5	96.3
76.1	12017.4						
		Min	I	-397.6	-0.9	-0.5	-119.7
-13.0	-1551.0						

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-13.7	-1507.4			J	-397.6	-0.9	0.5	-119.7	
266	2	70	C1-C2;~1	Max	I	1374.4	3.9	0.1	140.8
69.4	9471.6				J	1374.4	3.9	0.1	140.8
65.9	7942.2			Min	I	-666.9	-1.6	-0.0	-312.9
-19.7	-2641.4				J	-666.9	-1.6	-0.0	-312.9
-31.7	-2314.5								
			C3-C4;~1	Max	I	1363.3	3.7	0.0	138.4
61.9	8221.3				J	1363.3	3.7	0.0	138.4
63.5	6696.3			Min	I	-654.6	-1.6	-0.0	-283.6
-19.3	-2507.6				J	-654.6	-1.6	-0.0	-283.6
-31.0	-2285.7								
			C1-C2;~2	Max	I	836.7	2.4	0.0	80.3
44.4	5897.8				J	836.7	2.4	0.0	80.3
42.3	4976.5			Min	I	-380.3	-0.9	-0.0	-190.8
-11.2	-1471.6				J	-380.3	-0.9	-0.0	-190.8
-17.8	-1358.4								
			C3-C4;~2	Max	I	811.8	2.2	0.0	78.8
38.7	5003.8				J	811.8	2.2	0.0	78.8
39.7	4093.3			Min	I	-372.6	-0.9	-0.0	-165.8
-11.0	-1385.4				J	-372.6	-0.9	-0.0	-165.8
-17.5	-1317.3								
			G1		I	479.5	1.4	-0.4	-128.4
-16.2	2690.1				J	479.5	1.4	0.5	-128.4
-22.1	2002.0								
			G2		I	180.3	0.5	0.0	-50.5
8.9	999.9				J	180.3	0.5	0.0	-50.5
6.6	735.4								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc		I	24.4	0.1	-0.0	-13.0
-0.9	-1176.3				J	24.4	0.1	-0.0	-13.0
4.1	-1233.3								
			Q5_ps		I	23.3	0.1	-0.0	-13.7
-1.0	-1228.7				J	23.3	0.1	-0.0	-13.7
4.5	-1281.4								
			INVSLU	Max	I	2116.8	5.9	-0.5	315.2
101.2	16474.3								

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
67.3	14186.5		J	2116.8	5.9	0.8	315.2
		Min	I	-682.9	-1.8	-0.6	-320.7
-20.7	-1995.5		J	-682.9	-1.8	0.6	-320.7
-71.9	-1880.1						
		INVSLE Max	I	1534.1	4.3	-0.3	252.5
76.3	12017.1		J	1534.1	4.3	0.6	252.5
50.0	10373.6	Min	I	-536.5	-1.4	-0.5	-216.9
-13.9	-1507.4		J	-536.5	-1.4	0.5	-216.9
-52.5	-1363.1						
267	2	70 C1-C2;~1 Max	I	1334.7	6.3	0.1	209.0
66.4	7941.8		J	1334.7	6.3	0.1	209.0
51.2	5559.8	Min	I	-684.1	-2.9	-0.1	-433.6
-31.9	-2314.5		J	-684.1	-2.9	-0.1	-433.6
-17.6	-2587.9						
		C3-C4;~1 Max	I	1325.8	6.0	0.1	205.1
63.9	6695.9		J	1325.8	6.0	0.1	205.1
37.0	4380.8	Min	I	-671.1	-2.8	-0.1	-401.0
-31.2	-2285.7		J	-671.1	-2.8	-0.1	-401.0
-18.2	-2651.3						
		C1-C2;~2 Max	I	814.1	3.9	0.1	119.2
42.5	4976.3		J	814.1	3.9	0.1	119.2
30.7	3509.5	Min	I	-390.1	-1.6	-0.1	-262.6
-18.0	-1358.4		J	-390.1	-1.6	-0.1	-262.6
-11.0	-1592.5						
		C3-C4;~2 Max	I	791.0	3.6	0.1	116.8
40.0	4093.1		J	791.0	3.6	0.1	116.8
21.4	2684.8	Min	I	-382.0	-1.6	-0.1	-234.1
-17.6	-1317.3		J	-382.0	-1.6	-0.1	-234.1
-11.6	-1570.6						
		G1	I	419.5	2.2	-0.5	-173.9
-21.9	2001.9		J	419.5	2.2	0.5	-173.9
-17.5	899.3						
		G2	I	156.1	0.8	-0.0	-68.4
6.7	735.4		J	156.1	0.8	-0.0	-68.4
10.0	315.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

4.1	-1233.3	Q5_pc	I	24.3	0.2	0.0	-18.3
-4.6	-1317.5		J	24.3	0.2	0.0	-18.3
4.5	-1281.4	Q5_ps	I	23.4	0.2	0.0	-19.1
-5.1	-1360.6		J	23.4	0.2	0.0	-19.1
67.7	14185.9	INVS LU Max	I	1895.7	9.3	-0.5	471.9
103.4	10744.0		J	1895.7	9.3	0.7	471.9
-72.4	-1880.0	Min	I	-873.5	-3.4	-0.9	-428.6
1.4	-2712.4		J	-873.5	-3.4	0.3	-428.6
50.3	10373.2	INVS LE Max	I	1368.6	6.7	-0.4	376.7
78.8	7912.0		J	1368.6	6.7	0.5	376.7
-52.9	-1363.1	Min	I	-679.4	-2.7	-0.7	-287.8
3.8	-1880.1		J	-679.4	-2.7	0.2	-287.8
268	2	70 C1-C2;~1 Max	I	1318.1	8.3	0.2	235.1
51.4	5558.0		J	1318.1	8.3	0.2	235.1
184.2	3697.3	Min	I	-705.5	-3.9	-0.3	-477.3
-17.2	-2588.9		J	-705.5	-3.9	-0.3	-477.3
-91.5	-4229.0						
37.1	4379.0	C3-C4;~1 Max	I	1308.0	7.9	0.2	230.8
192.1	3642.9		J	1308.0	7.9	0.2	230.8
-17.9	-2652.5	Min	I	-691.1	-3.9	-0.4	-442.7
-88.2	-4716.9		J	-691.1	-3.9	-0.4	-442.7
30.9	3508.3	C1-C2;~2 Max	I	805.4	5.0	0.1	134.1
118.8	2183.6		J	805.4	5.0	0.1	134.1
-10.8	-1593.0	Min	I	-402.3	-2.2	-0.2	-288.6
-51.5	-2477.9		J	-402.3	-2.2	-0.2	-288.6
21.5	2683.6	C3-C4;~2 Max	I	782.1	4.7	0.1	131.4
122.7	2163.8		J	782.1	4.7	0.1	131.4
-11.4	-1571.2	Min	I	-393.4	-2.2	-0.2	-258.3
-49.4	-2742.3		J	-393.4	-2.2	-0.2	-258.3
		G1	I	363.4	2.8	-0.4	-188.3


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-17.3	898.1		J	363.4	2.8	0.5	-188.3
-43.5	-494.9						
		G2	I	132.7	1.1	0.0	-74.1
10.1	314.5		J	132.7	1.1	0.0	-74.1
-9.0	-212.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	18.5	0.2	0.0	-20.0
-4.6	-1317.8		J	18.5	0.2	0.0	-20.0
-11.2	-1418.5						
		Q5_ps	I	17.2	0.2	0.0	-20.8
-5.1	-1360.9		J	17.2	0.2	0.0	-20.8
-12.7	-1455.8						
		INVSLU Max	I	1704.8	11.9	-0.0	535.7
103.4	10742.3		J	1704.8	11.9	1.2	535.7
148.2	8054.7						
		Min	I	-1060.3	-4.9	-0.8	-462.0
1.6	-2714.0		J	-1060.3	-4.9	0.4	-462.0
-254.8	-5857.9						
		INVSLE Max	I	1225.8	8.5	-0.0	427.1
78.8	7910.8		J	1225.8	8.5	0.9	427.1
109.5	6034.7						
		Min	I	-820.0	-3.9	-0.6	-309.3
4.0	-1881.1		J	-820.0	-3.9	0.3	-309.3
-187.5	-4081.8						
		63 C1-C2;~1 Max	I	723.1	1.2	0.4	466.1
279	2		J	723.1	1.2	0.4	466.1
161.6	2408.7						
		Min	I	-77.5	-7.2	-0.0	-68.0
14.9	2640.1		J	-77.5	-7.2	-0.0	-68.0
-40.0	-6062.1						
		C3-C4;~1 Max	I	667.1	1.1	0.4	428.2
-61.3	-2657.7		J	667.1	1.1	0.4	428.2
171.3	2506.6						
		Min	I	-81.5	-7.5	-0.0	-76.4
9.9	2627.2		J	-81.5	-7.5	-0.0	-76.4
-24.5	-6510.8						
		C1-C2;~2 Max	I	441.5	0.7	0.2	279.1
-54.6	-3021.8		J	441.5	0.7	0.2	279.1
99.1	1575.1						
		Min	I	-44.3	-4.3	-0.0	-40.6
9.2	1768.8						
-22.7	-3634.8						


MIDAS

PROJECT TITLE :

		Company		Client			
		Author		File Name			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H
-36.6	-1589.7		J	-44.3	-4.3	-0.0	-40.6
100.9	1637.7	C3-C4;~2 Max	I	402.7	0.6	0.2	253.6
5.4	1749.6		J	402.7	0.6	0.2	253.6
-13.2	-3872.9	Min	I	-45.8	-4.5	-0.0	-46.0
-32.3	-1832.1		J	-45.8	-4.5	-0.0	-46.0
52.8	-4004.5	G1	I	488.9	-5.0	-0.2	318.5
-74.3	-1328.4		J	488.9	-5.0	0.7	318.5
33.0	-1884.9	G2	I	198.1	-2.2	0.1	127.0
-11.9	-717.3		J	198.1	-2.2	0.1	127.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
13.9	315.9	Q5_pc	I	10.6	-0.3	0.0	2.8
1.8	466.9		J	10.6	-0.3	0.0	2.8
15.7	122.9	Q5_ps	I	8.1	-0.4	0.0	-0.2
2.6	340.1		J	8.1	-0.4	0.0	-0.2
457.4	-3206.7	INVSLU Max	I	2205.8	-9.3	0.5	840.2
-49.1	3120.6		J	2205.8	-9.3	1.6	840.2
147.2	-15948.7	Min	I	1100.6	-21.5	-0.1	102.9
-155.3	-5363.5		J	1100.6	-21.5	1.0	102.9
345.1	-2209.7	INVSLE Max	I	1646.9	-7.0	0.3	599.5
-34.4	2498.4		J	1646.9	-7.0	1.2	599.5
117.1	-11606.1	Min	I	829.7	-16.0	-0.1	53.7
-112.8	-3723.8		J	829.7	-16.0	0.8	53.7
280	2	63 C1-C2;~1 Max	I	659.2	2.2	0.0	367.1
14.4	2641.2		J	659.2	2.2	0.0	367.1
78.3	3441.3	Min	I	-72.0	-4.5	-0.2	-56.3
-62.8	-2653.8		J	-72.0	-4.5	-0.2	-56.3
-10.1	-1861.8						
9.8	2628.3	C3-C4;~1 Max	I	595.6	1.4	0.0	343.3


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
63.9	3379.2		J	595.6	1.4	0.0	343.3
		Min	I	-75.6	-5.1	-0.2	-63.6
-56.1	-3018.4		J	-75.6	-5.1	-0.2	-63.6
-10.4	-1586.2						
		C1-C2;~2 Max	I	400.1	1.3	0.0	220.0
8.7	1769.6		J	400.1	1.3	0.0	220.0
46.4	2305.6	Min	I	-41.2	-2.7	-0.1	-34.0
-37.6	-1587.3		J	-41.2	-2.7	-0.1	-34.0
-5.6	-1097.1						
		C3-C4;~2 Max	I	357.0	0.8	0.0	203.8
5.3	1750.4		J	357.0	0.8	0.0	203.8
37.1	2260.2	Min	I	-42.5	-3.0	-0.1	-38.8
-33.2	-1830.0		J	-42.5	-3.0	-0.1	-38.8
-5.7	-926.0						
		G1	I	440.0	-2.6	-0.6	251.6
-75.4	-1324.6		J	440.0	-2.6	0.3	251.6
6.8	90.6						
		G2	I	179.1	-1.2	-0.1	99.3
-12.4	-715.8		J	179.1	-1.2	-0.1	99.3
18.8	-59.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	5.0	-0.3	0.0	3.9
1.8	466.8		J	5.0	-0.3	0.0	3.9
-2.1	607.4						
		Q5_ps	I	1.9	-0.4	0.0	1.5
2.6	339.9		J	1.9	-0.4	0.0	1.5
-3.0	556.4						
		INVSLU Max	I	1985.5	-2.3	-0.8	633.7
-50.5	3125.4		J	1985.5	-2.3	0.4	633.7
186.2	7271.3	Min	I	984.5	-12.5	-1.2	45.4
-158.0	-5355.2		J	984.5	-12.5	-0.0	45.4
62.6	-981.3						
		INVSLE Max	I	1482.6	-1.7	-0.6	450.4
-35.4	2501.8		J	1482.6	-1.7	0.3	450.4
139.9	5565.3	Min	I	741.8	-9.3	-0.9	15.1
-114.8	-3717.9		J	741.8	-9.3	-0.0	15.1


MIDAS

PROJECT TITLE :

	Company		Client		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
	Author								
48.6	-466.8								
281	2	63	C1-C2;~1	Max	I	553.6	3.7	0.2	193.7
77.3	3441.3				J	553.6	3.7	0.2	193.7
17.7	4004.8								
			Min		I	-58.6	-2.3	-0.0	-31.6
-9.9	-1862.8				J	-58.6	-2.3	-0.0	-31.6
-20.5	-3304.7								
			C3-C4;~1	Max	I	497.6	2.7	0.1	187.7
62.9	3379.2				J	497.6	2.7	0.1	187.7
14.4	4053.9								
			Min		I	-61.5	-3.1	-0.0	-36.3
-10.3	-1587.0				J	-61.5	-3.1	-0.0	-36.3
-16.7	-2575.6								
			C1-C2;~2	Max	I	336.8	2.2	0.1	116.6
45.8	2305.6				J	336.8	2.2	0.1	116.6
11.7	2528.5								
			Min		I	-33.5	-1.2	-0.0	-19.5
-5.5	-1097.7				J	-33.5	-1.2	-0.0	-19.5
-11.9	-1883.0								
			C3-C4;~2	Max	I	298.8	1.5	0.1	112.2
36.5	2260.1				J	298.8	1.5	0.1	112.2
9.3	2440.7								
			Min		I	-34.6	-1.8	-0.0	-22.6
-5.6	-926.5				J	-34.6	-1.8	-0.0	-22.6
-9.5	-1448.5								
			G1		I	368.6	-0.3	-0.3	128.0
6.1	90.1				J	368.6	-0.3	0.5	128.0
-44.6	266.7								
			G2		I	150.9	-0.3	0.0	48.0
18.5	-60.1				J	150.9	-0.3	0.0	48.0
-1.2	90.2								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc		I	5.8	-0.2	-0.0	4.2
-2.1	607.5				J	5.8	-0.2	-0.0	4.2
-1.0	735.6								
			Q5_ps		I	3.4	-0.4	-0.0	2.4
-3.0	556.5				J	3.4	-0.4	-0.0	2.4
-0.4	769.1								
			INVSLU	Max	I	1679.3	4.6	-0.2	356.9
184.4	7269.9				J	1679.3	4.6	1.0	356.9


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
12.0	8521.0		Min	I	838.5	-5.0	-0.5	38.9
62.3	-984.2			J	838.5	-5.0	0.7	38.9
-41.3	-2737.1							
			INVSLE Max	I	1255.1	3.4	-0.2	256.3
138.7	5564.2			J	1255.1	3.4	0.7	256.3
11.7	6473.3		Min	I	633.0	-3.7	-0.3	21.3
48.5	-468.9			J	633.0	-3.7	0.5	21.3
-27.6	-1767.9							
284	2	63	C1-C2;~1 Max	I	326.4	6.9	0.7	49.9
134.0	3786.0			J	326.4	6.9	0.7	49.9
34.8	3215.8		Min	I	-30.1	-1.3	-0.1	-92.6
-14.2	-5885.2			J	-30.1	-1.3	-0.1	-92.6
-267.7	-9161.9							
			C3-C4;~1 Max	I	294.1	5.5	0.6	54.7
111.6	4360.1			J	294.1	5.5	0.6	54.7
35.9	4246.4		Min	I	-31.7	-1.6	-0.1	-78.9
-14.7	-4541.6			J	-31.7	-1.6	-0.1	-78.9
-227.3	-7126.8							
			C1-C2;~2 Max	I	201.8	4.0	0.4	32.3
80.2	2211.7			J	201.8	4.0	0.4	32.3
19.3	1673.1		Min	I	-17.2	-0.6	-0.1	-59.4
-7.9	-3355.3			J	-17.2	-0.6	-0.1	-59.4
-154.8	-5220.3							
			C3-C4;~2 Max	I	179.2	3.1	0.3	36.1
65.4	2512.6			J	179.2	3.1	0.3	36.1
19.6	2264.9		Min	I	-17.8	-0.8	-0.1	-45.6
-8.1	-2549.1			J	-17.8	-0.8	-0.1	-45.6
-128.9	-3992.6							
			G1	I	214.7	3.1	0.0	-50.5
42.1	-620.7			J	214.7	3.1	0.9	-50.5
-215.6	-2292.5							
			G2	I	88.9	1.1	0.2	-28.6
32.3	-197.2			J	88.9	1.1	0.2	-28.6
-67.8	-810.2							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
8.6	845.7	Q5_pc	I	9.9	-0.2	0.1	6.2
			J	9.9	-0.2	0.1	6.2
-22.6	934.5						
6.4	969.2	Q5_ps	I	9.1	-0.3	0.0	3.1
			J	9.1	-0.3	0.0	3.1
-16.9	1149.9						
304.0	7146.7	INVSLU Max	I	1004.4	16.1	1.2	261.7
			J	1004.4	16.1	2.4	261.7
-239.8	3528.1	Min	I	503.1	4.2	0.0	51.7
88.0	-8206.7		J	503.1	4.2	1.2	51.7
-690.3	-16255.3						
225.7	5430.2	INVSLE Max	I	751.9	11.9	0.9	208.6
			J	751.9	11.9	1.8	208.6
-174.6	2715.6	Min	I	381.9	3.2	0.0	53.9
66.8	-5829.9		J	381.9	3.2	0.9	53.9
-505.3	-11814.2						
285	2	63 C1-C2;~1 Max	I	209.3	7.7	0.3	86.9
34.8	3215.9		J	209.3	7.7	0.3	86.9
1056.2	3162.1	Min	I	-16.8	-1.2	-2.4	-112.6
-267.5	-9163.8		J	-16.8	-1.2	-2.4	-112.6
-126.4	-12884.4						
36.0	4246.8	C3-C4;~1 Max	I	190.7	6.4	0.3	90.3
			J	190.7	6.4	0.3	90.3
894.7	4614.2	Min	I	-17.6	-1.4	-2.1	-114.5
-227.1	-7128.3		J	-17.6	-1.4	-2.1	-114.5
-130.7	-10112.8						
19.3	1673.1	C1-C2;~2 Max	I	131.4	4.5	0.2	55.1
			J	131.4	4.5	0.2	55.1
616.2	1527.1	Min	I	-9.6	-0.6	-1.4	-71.7
-154.6	-5221.4		J	-9.6	-0.6	-1.4	-71.7
-70.6	-7323.0						
19.6	2265.1	C3-C4;~2 Max	I	117.9	3.7	0.2	59.3
			J	117.9	3.7	0.2	59.3
511.7	2400.9	Min	I	-10.0	-0.7	-1.2	-66.1
-128.8	-3993.4		J	-10.0	-0.7	-1.2	-66.1
-71.9	-5636.7						
-215.3	-2293.4	G1	I	137.1	3.9	-2.1	-57.1


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
661.0	-4414.4		J	137.1	3.9	-1.2	-57.1
-67.7	-810.6	G2	I	57.1	1.5	-0.6	-33.5
272.2	-1612.9		J	57.1	1.5	-0.6	-33.5
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-22.6	934.6	Q5_pc	I	12.2	-0.1	-0.2	9.0
93.5	1000.3		J	12.2	-0.1	-0.2	9.0
-16.9	1150.0	Q5_ps	I	12.0	-0.3	-0.2	4.0
72.5	1305.4		J	12.0	-0.3	-0.2	4.0
-240.5	3527.1	INVS LU Max	I	650.1	19.0	-2.5	388.5
2566.2	-490.9		J	650.1	19.0	-1.3	388.5
-690.8	-16259.4	Min	I	321.7	6.5	-6.6	95.8
795.6	-25914.4		J	321.7	6.5	-5.4	95.8
-175.2	2714.9	INVS LE Max	I	486.7	14.1	-1.8	307.0
1882.6	-305.8		J	486.7	14.1	-1.0	307.0
-505.8	-11817.2	Min	I	245.1	4.9	-4.8	91.4
583.5	-19004.6		J	245.1	4.9	-4.0	91.4
286	2	63 C1-C2;~1 Max	I	25.7	8.0	5.0	151.2
1056.2	3161.7		J	25.7	8.0	5.0	151.2
187.1	3719.8	Min	I	-51.1	-1.2	-0.6	-74.0
-126.4	-12883.7		J	-51.1	-1.2	-0.6	-74.0
1625.8	-16706.8						-
894.7	4613.3	C3-C4;~1 Max	I	35.3	6.8	4.2	143.3
193.8	5031.8		J	35.3	6.8	4.2	143.3
-130.7	-10112.3	Min	I	-38.6	-1.3	-0.6	-90.2
1388.5	-13186.9		J	-38.6	-1.3	-0.6	-90.2
616.2	1526.9	C1-C2;~2 Max	I	13.6	4.7	2.9	92.5
105.3	1828.9		J	13.6	4.7	2.9	92.5
-70.6	-7322.7	Min	I	-29.6	-0.6	-0.3	-41.4
			J	-29.6	-0.6	-0.3	-41.4


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-953.8	-9481.5							
		C3-C4;~2	Max	I	20.1	3.9	2.4	89.9
511.8	2400.4			J	20.1	3.9	2.4	89.9
107.5	2573.2							
			Min	I	-21.9	-0.7	-0.3	-49.6
-71.9	-5636.4			J	-21.9	-0.7	-0.3	-49.6
-799.6	-7315.6							
		G1		I	-4.4	4.2	2.9	1.1
661.1	-4414.8			J	-4.4	4.2	3.8	1.1
1136.0	-6673.1							-
		G2		I	-0.3	1.6	1.3	-10.7
272.3	-1613.1			J	-0.3	1.6	1.3	-10.7
-425.1	-2474.2							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	1.1	-0.1	0.4	16.4
93.4	1000.2			J	1.1	-0.1	0.4	16.4
-136.9	1048.5							
		Q5_ps		I	2.9	-0.3	0.3	9.7
72.5	1305.3			J	2.9	-0.3	0.3	9.7
-107.2	1440.4							
		INVSLU	Max	I	109.8	20.4	11.8	547.5
2564.9	-491.5			J	109.8	20.4	13.0	547.5
1437.2	-5001.1							-
			Min	I	-8.9	7.7	3.5	192.1
794.5	-25912.8			J	-8.9	7.7	4.7	192.1
4140.1	-36235.6							-
		INVSLE	Max	I	85.8	15.2	8.7	422.1
1881.5	-306.2			J	85.8	15.2	9.5	422.1
1056.3	-3707.3							-
			Min	I	-1.9	5.8	2.6	161.0
582.6	-19003.4			J	-1.9	5.8	3.5	161.0
3040.2	-26704.1							-
		70 C1-C2;~1	Max	I	1495.2	9.2	0.2	1596.8
297	2			J	1495.2	9.2	0.2	1596.8
112.1	5963.8							
			Min	I	-540.5	-27.3	-0.1	-523.2
52.7	3247.2			J	-540.5	-27.3	-0.1	-523.2
-47.1	-17753.4							
-16.9	-5313.7							
		C3-C4;~1	Max	I	1561.8	9.7	0.2	1641.0
114.8	6148.2			J	1561.8	9.7	0.2	1641.0

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
62.1	2351.4		Min	I	-568.1	-28.1	-0.1	-549.8
-40.2	-19314.7			J	-568.1	-28.1	-0.1	-549.8
-16.6	-6121.5							
		C1-C2;~2	Max	I	887.3	5.3	0.1	948.7
73.7	3401.9			J	887.3	5.3	0.1	948.7
31.6	1914.9		Min	I	-309.6	-16.2	-0.0	-299.6
-26.4	-10464.8			J	-309.6	-16.2	-0.0	-299.6
-9.2	-3149.9							
		C3-C4;~2	Max	I	934.6	5.5	0.1	980.6
75.8	3497.0			J	934.6	5.5	0.1	980.6
37.8	1305.3		Min	I	-320.5	-16.8	-0.0	-310.1
-21.8	-11471.3			J	-320.5	-16.8	-0.0	-310.1
-9.1	-3618.2							
		G1		I	828.1	-15.8	-0.5	935.2
-32.7	-9489.8			J	828.1	-15.8	0.4	935.2
-11.4	-1663.4							
		G2		I	337.7	-6.5	-0.0	375.9
-5.2	-3952.2			J	337.7	-6.5	-0.0	375.9
13.1	-755.2							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-44.0	0.8	-0.0	-80.3
-4.4	-874.9			J	-44.0	0.8	-0.0	-80.3
4.6	-1293.3							
		Q5_ps		I	-39.5	0.8	-0.0	-76.6
-6.9	-977.1			J	-39.5	0.8	-0.0	-76.6
5.8	-1353.0							
		INVSLU	Max	I	3321.6	-6.5	-0.6	2318.1
108.3	-3651.7			J	3321.6	-6.5	0.6	2318.1
148.5	2895.3		Min	I	366.9	-59.2	-1.0	-784.0
-118.2	-39601.5			J	366.9	-59.2	0.3	-784.0
33.5	-12080.3							
		INVSLE	Max	I	2434.6	-4.3	-0.5	1631.8
83.6	-2446.1			J	2434.6	-4.3	0.5	1631.8
111.5	2109.3		Min	I	251.9	-43.2	-0.7	-655.3
-83.6	-28958.8			J	251.9	-43.2	0.2	-655.3
27.0	-8811.3							


MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


298	2	70	C1-C2;~1	Max	I	1529.6	6.9	0.0	1398.7	
47.7	3249.1				J	1529.6	6.9	0.0	1398.7	
77.1	9299.2									
				Min	I	-532.2	-20.7	-0.1	-457.5	
-16.1	-5305.9				J	-532.2	-20.7	-0.1	-457.5	
-21.6	-2369.5									
			C3-C4;~1	Max	I	1594.6	7.3	0.0	1438.8	
56.7	2352.1				J	1594.6	7.3	0.0	1438.8	
80.1	7683.6									
				Min	I	-559.1	-21.3	-0.1	-480.8	
-15.1	-6112.2				J	-559.1	-21.3	-0.1	-480.8	
-22.7	-2384.2									
			C1-C2;~2	Max	I	906.6	4.0	0.0	830.8	
28.7	1916.3				J	906.6	4.0	0.0	830.8	
47.3	5552.8									
				Min	I	-304.9	-12.3	-0.1	-262.0	
-8.8	-3145.4				J	-304.9	-12.3	-0.1	-262.0	
-12.4	-1332.1									
			C3-C4;~2	Max	I	952.8	4.1	0.0	859.6	
34.6	1305.9				J	952.8	4.1	0.0	859.6	
49.7	4473.4									
				Min	I	-315.4	-12.7	-0.1	-271.2	
-8.2	-3612.6				J	-315.4	-12.7	-0.1	-271.2	
-12.8	-1317.2									
				G1	I	885.0	-12.0	-0.5	817.9	
-14.6	-1658.0				J	885.0	-12.0	0.4	817.9	
7.5	4293.1									
				G2	I	361.9	-4.9	-0.0	328.7	
11.8	-753.0				J	361.9	-4.9	-0.0	328.7	
18.7	1677.8									
				Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
				Q5_pc	I	-45.5	0.6	0.0	-70.6	
4.9	-1293.7				J	-45.5	0.6	0.0	-70.6	
-2.2	-1611.0									
				Q5_ps	I	-40.6	0.6	0.0	-67.2	
6.0	-1353.3				J	-40.6	0.6	0.0	-67.2	
-1.9	-1638.0									
				INVSLU	Max	I	3497.3	-4.4	-0.6	1957.5
141.5	2900.2				J	3497.3	-4.4	0.7	1957.5	
171.7	18666.1									

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
34.4	-12066.1	Min	I	507.9	-44.1	-0.8	-760.9
			J	507.9	-44.1	0.4	-760.9
29.1	-6.2						
		INVSLE Max	I	2564.6	-2.8	-0.4	1372.1
106.6	2112.5		J	2564.6	-2.8	0.5	1372.1
128.0	13550.4	Min	I	356.3	-32.2	-0.6	-632.2
27.9	-8801.2		J	356.3	-32.2	0.3	-632.2
22.7	-66.1						
299	2	70 C1-C2;~1 Max	I	1560.3	4.2	0.0	938.7
73.0	9299.9		J	1560.3	4.2	0.0	938.7
85.1	14719.2	Min	I	-523.3	-12.7	-0.1	-300.4
-20.3	-2369.7		J	-523.3	-12.7	-0.1	-300.4
-22.3	-4318.3						
		C3-C4;~1 Max	I	1627.7	4.4	0.0	964.5
75.7	7684.4		J	1627.7	4.4	0.0	964.5
94.3	13518.1	Min	I	-549.7	-13.0	-0.1	-315.7
-21.2	-2384.4		J	-549.7	-13.0	-0.1	-315.7
-23.4	-4446.9						
		C1-C2;~2 Max	I	924.0	2.4	0.0	558.5
44.9	5553.2		J	924.0	2.4	0.0	558.5
51.5	8727.2	Min	I	-299.8	-7.6	-0.0	-172.0
-11.6	-1332.3		J	-299.8	-7.6	-0.0	-172.0
-12.8	-2467.7						
		C3-C4;~2 Max	I	971.8	2.5	0.0	576.8
47.1	4473.9		J	971.8	2.5	0.0	576.8
58.0	7948.2	Min	I	-310.1	-7.8	-0.0	-178.0
-11.9	-1317.4		J	-310.1	-7.8	-0.0	-178.0
-13.2	-2499.7						
		G1	I	930.2	-7.3	-0.5	547.8
4.9	4293.7		J	930.2	-7.3	0.4	547.8
12.0	7927.1						
		G2	I	381.0	-3.0	-0.0	220.1
17.7	1678.1		J	381.0	-3.0	-0.0	220.1
20.9	3162.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-44.9	0.4	-0.0	-46.7


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-1.9	-1611.0		J	-44.9	0.4	-0.0	-46.7
0.2	-1799.5						
		Q5_ps	I	-39.5	0.3	-0.0	-44.4
-1.7	-1638.0		J	-39.5	0.3	-0.0	-44.4
0.7	-1806.8						
		INVSLU Max	I	3650.9	-2.4	-0.6	1263.6
165.9	18666.9		J	3650.9	-2.4	0.6	1263.6
210.3	30477.6						
		Min	I	630.7	-26.7	-0.7	-548.7
31.6	-6.7		J	630.7	-26.7	0.5	-548.7
51.1	1364.1						
		INVSLE Max	I	2678.7	-1.6	-0.5	882.3
123.9	13550.9		J	2678.7	-1.6	0.5	882.3
156.9	22146.8						
		Min	I	447.5	-19.5	-0.6	-454.0
24.7	-66.6		J	447.5	-19.5	0.4	-454.0
39.0	821.2						
		70 C1-C2;~1 Max	I	1595.0	1.4	0.0	318.0
300	2		J	1595.0	1.4	0.0	318.0
82.8	14720.3						
		Min	I	-515.8	-4.4	-0.0	-92.0
72.2	16584.1		J	-515.8	-4.4	-0.0	-92.0
-21.5	-4318.7						
		C3-C4;~1 Max	I	1664.6	1.5	0.1	324.0
-23.6	-4984.1		J	1664.6	1.5	0.1	324.0
		Min	I	-541.7	-4.3	-0.0	-96.7
91.9	13519.3		J	-541.7	-4.3	-0.0	-96.7
79.8	15454.8						
		C1-C2;~2 Max	I	944.1	0.8	0.0	192.2
-22.6	-4447.3		J	944.1	0.8	0.0	192.2
-24.8	-5156.2						
		Min	I	-295.5	-2.7	-0.0	-52.7
50.2	8727.9		J	-295.5	-2.7	-0.0	-52.7
44.8	9837.9						
		C3-C4;~2 Max	I	993.4	0.8	0.0	196.0
-12.3	-2467.9		J	993.4	0.8	0.0	196.0
-13.5	-2852.1						
		Min	I	-305.6	-2.6	-0.0	-54.5
56.6	7948.9		J	-305.6	-2.6	-0.0	-54.5
50.3	9108.4						
		G1	I	973.7	-2.3	-0.4	176.3
-12.7	-2499.9		J	973.7	-2.3	0.5	176.3
-14.0	-2903.0						
10.6	7927.8						

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-6.0	9041.6							
		G2	I	398.9	-0.9	0.0	71.2	
20.3	3162.4		J	398.9	-0.9	0.0	71.2	
13.4	3617.8							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	-44.4	0.1	0.0	-12.8	
0.3	-1799.6		J	-44.4	0.1	0.0	-12.8	
-0.3	-1849.3							
		Q5_ps	I	-38.8	0.1	0.0	-11.7	
0.9	-1806.9		J	-38.8	0.1	0.0	-11.7	
0.0	-1850.6							
		INVS LU Max	I	3809.2	-0.4	-0.5	415.1	
207.4	30479.1		J	3809.2	-0.4	0.8	415.1	
154.9	34263.4							
		Min	I	750.9	-8.5	-0.6	-175.9	
52.3	1363.5		J	750.9	-8.5	0.7	-175.9	
13.2	1585.3							
		INVS LE Max	I	2796.5	-0.2	-0.3	290.8	
154.9	22147.8		J	2796.5	-0.2	0.6	290.8	
116.0	24900.3							
		Min	I	537.0	-6.2	-0.4	-145.3	
40.1	820.7		J	537.0	-6.2	0.5	-145.3	
11.0	940.9							
301	2	70 C1-C2;~1 Max	I	1638.2	5.0	0.1	114.0	
72.6	16572.2		J	1638.2	5.0	0.1	114.0	
60.9	14492.7							
		Min	I	-511.3	-1.4	-0.0	-376.4	
-23.7	-4980.1		J	-511.3	-1.4	-0.0	-376.4	
-12.6	-4307.9							
		C3-C4;~1 Max	I	1709.5	5.0	0.1	119.7	
80.2	15442.4		J	1709.5	5.0	0.1	119.7	
68.8	13185.0							
		Min	I	-536.8	-1.4	-0.0	-376.8	
-24.9	-5152.0		J	-536.8	-1.4	-0.0	-376.8	
-13.2	-4454.8							
		C1-C2;~2 Max	I	969.3	3.0	0.0	65.3	
45.0	9830.8		J	969.3	3.0	0.0	65.3	
37.5	8624.5							
		Min	I	-292.9	-0.8	-0.0	-227.4	
-13.6	-2849.8		J	-292.9	-0.8	-0.0	-227.4	
-7.2	-2463.6							


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

50.5	9101.0	C3-C4;~2	Max	I	1019.8	3.0	0.0	67.5
				J	1019.8	3.0	0.0	67.5
43.2	7763.9		Min	I	-302.8	-0.8	-0.0	-227.9
-14.0	-2900.7			J	-302.8	-0.8	-0.0	-227.9
-7.5	-2506.8							
		G1		I	1021.4	3.1	-0.5	-209.7
-5.8	9034.1			J	1021.4	3.1	0.4	-209.7
-1.1	7518.5							
		G2		I	418.3	1.2	-0.0	-83.7
13.5	3614.8			J	418.3	1.2	-0.0	-83.7
15.5	2997.2							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-44.4	-0.2	-0.0	21.4
-0.3	-1848.6			J	-44.4	-0.2	-0.0	21.4
0.7	-1759.7							
		Q5_ps		I	-38.7	-0.2	-0.0	21.1
-0.0	-1849.9			J	-38.7	-0.2	-0.0	21.1
1.1	-1769.2							
		INVSLU	Max	I	3988.7	11.1	-0.6	194.8
155.4	34248.7			J	3988.7	11.1	0.6	194.8
182.2	29267.3		Min	I	876.3	2.1	-0.8	-514.0
13.0	1593.6			J	876.3	2.1	0.5	-514.0
70.1	520.7							
		INVSLE	Max	I	2930.1	8.2	-0.5	162.7
116.4	24890.2			J	2930.1	8.2	0.5	162.7
137.3	21251.6		Min	I	630.5	1.5	-0.6	-359.5
10.9	947.7			J	630.5	1.5	0.3	-359.5
54.3	192.4							
302	2	70 C1-C2;~1	Max	I	1664.8	13.4	0.0	292.8
63.2	14492.6			J	1664.8	13.4	0.0	292.8
77.7	8683.7		Min	I	-501.6	-4.0	-0.1	-939.0
-13.3	-4307.9			J	-501.6	-4.0	-0.1	-939.0
-21.0	-2473.7							
		C3-C4;~1	Max	I	1736.4	13.7	0.0	307.5
71.2	13184.8			J	1736.4	13.7	0.0	307.5
84.1	6990.8							


MIDAS

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-14.0	-4454.8		Min	I	-526.5	-4.2	-0.1	-957.0	
				J	-526.5	-4.2	-0.1	-957.0	
-21.8	-2530.7								
		C1-C2;~2	Max	I	985.0	7.9	0.0	167.7	
38.8	8624.4			J	985.0	7.9	0.0	167.7	
47.4	5215.6								
			Min	I	-287.3	-2.3	-0.0	-558.8	
-7.6	-2463.6			J	-287.3	-2.3	-0.0	-558.8	
-12.0	-1387.3								
		C3-C4;~2	Max	I	1035.6	8.2	0.0	173.4	
44.6	7763.8			J	1035.6	8.2	0.0	173.4	
51.9	4075.5								
			Min	I	-297.0	-2.4	-0.0	-571.9	
-7.9	-2506.7			J	-297.0	-2.4	-0.0	-571.9	
-12.3	-1397.4								
			G1	I	1057.7	8.4	-0.5	-562.1	
0.3	7518.4			J	1057.7	8.4	0.4	-562.1	
6.5	3340.9								
			G2	I	432.7	3.4	-0.0	-225.5	
16.0	2997.1			J	432.7	3.4	-0.0	-225.5	
18.6	1292.6								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	-44.3	-0.4	-0.0	50.3	
0.6	-1759.7			J	-44.3	-0.4	-0.0	50.3	
1.2	-1539.4								
			Q5_ps	I	-38.6	-0.4	-0.0	48.6	
1.0	-1769.2			J	-38.6	-0.4	-0.0	48.6	
1.6	-1571.1								
			INVSLU	Max	I	4127.4	30.4	-0.6	465.6
185.2	29266.5			J	4127.4	30.4	0.7	465.6	
207.1	15554.7								
			Min	I	992.9	5.4	-0.7	-1332.0	
69.1	520.1			J	992.9	5.4	0.5	-1332.0	
61.9	-2355.8								
			INVSLE	Max	I	3033.9	22.2	-0.4	391.4
139.4	21250.9			J	3033.9	22.2	0.5	391.4	
154.9	11238.6								
			Min	I	717.9	3.8	-0.5	-933.4	
53.4	191.9			J	717.9	3.8	0.4	-933.4	
47.6	-1823.2								

MIDAS

PROJECT TITLE :


		Company					Client		
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
303	2	70	C1-C2;~1	Max	I	1689.0	21.8	0.1	440.3
82.0	8683.1				J	1689.0	21.8	0.1	440.3
54.1	2412.8								
				Min	I	-489.9	-6.5	-0.1	-1416.6
-22.3	-2473.5				J	-489.9	-6.5	-0.1	-1416.6
-13.5	-6446.4								
			C3-C4;~1	Max	I	1759.7	22.5	0.1	462.4
88.5	6990.1				J	1759.7	22.5	0.1	462.4
60.2	1626.8								
				Min	I	-514.1	-6.8	-0.0	-1452.9
-23.2	-2530.5				J	-514.1	-6.8	-0.0	-1452.9
-13.7	-7399.6								
			C1-C2;~2	Max	I	999.8	12.9	0.1	252.1
49.9	5215.2				J	999.8	12.9	0.1	252.1
33.2	1436.9								
				Min	I	-280.6	-3.7	-0.0	-840.6
-12.7	-1387.2				J	-280.6	-3.7	-0.0	-840.6
-7.4	-3800.4								
			C3-C4;~2	Max	I	1049.8	13.4	0.1	260.8
54.5	4075.1				J	1049.8	13.4	0.1	260.8
37.3	904.3								
				Min	I	-290.0	-3.9	-0.0	-866.9
-13.1	-1397.2				J	-290.0	-3.9	-0.0	-866.9
-7.5	-4372.2								
			G1		I	1089.5	13.8	-0.4	-863.7
9.2	3340.5				J	1089.5	13.8	0.5	-863.7
-6.0	-3509.3								
			G2		I	444.9	5.7	0.0	-347.4
19.7	1292.5				J	444.9	5.7	0.0	-347.4
15.3	-1503.2								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc		I	-44.8	-0.7	-0.0	72.5
1.0	-1539.3				J	-44.8	-0.7	-0.0	72.5
1.1	-1196.3								
			Q5_ps		I	-39.4	-0.6	-0.0	69.4
1.4	-1571.1				J	-39.4	-0.6	-0.0	69.4
2.1	-1264.2								
			INVSLU	Max	I	4255.6	50.3	-0.5	613.0
212.9	15554.4				J	4255.6	50.3	0.8	613.0
175.1	-2771.7								
				Min	I	1105.4	9.5	-0.7	-2103.0

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
60.3	-2354.6			J	1105.4	9.5	0.5	-2103.0	
73.4	-18171.7								
		INVSLE	Max	I	3130.3	36.8	-0.4	521.8	
159.0	11238.5			J	3130.3	36.8	0.6	521.8	
132.1	-2110.9		Min	I	802.8	6.6	-0.5	-1480.4	
46.1	-1822.2			J	802.8	6.6	0.4	-1480.4	
56.9	-13358.8								
304	2	70	C1-C2;~1	Max	I	1717.6	29.1	0.0	508.2
59.3	2410.8			J	1717.6	29.1	0.0	508.2	
187.8	5242.7		Min	I	-476.0	-8.6	-0.3	-1639.2	
-14.9	-6453.7			J	-476.0	-8.6	-0.3	-1639.2	
-18.0	-19964.9								
		C3-C4;~1	Max	I	1786.6	30.1	0.0	533.7	
65.4	1625.9			J	1786.6	30.1	0.0	533.7	
187.6	5494.8		Min	I	-499.6	-9.0	-0.3	-1685.1	
-15.3	-7407.7			J	-499.6	-9.0	-0.3	-1685.1	
-18.3	-21577.1								
		C1-C2;~2	Max	I	1017.8	17.2	0.0	291.0	
36.3	1435.5			J	1017.8	17.2	0.0	291.0	
119.6	3000.1		Min	I	-272.7	-4.9	-0.2	-972.2	
-8.3	-3804.7			J	-272.7	-4.9	-0.2	-972.2	
-9.9	-11722.6								
		C3-C4;~2	Max	I	1066.8	17.9	0.0	301.0	
40.4	903.5			J	1066.8	17.9	0.0	301.0	
120.4	3101.7		Min	I	-281.8	-5.1	-0.2	-1005.4	
-8.5	-4377.0			J	-281.8	-5.1	-0.2	-1005.4	
-10.1	-12762.5								
		G1		I	1123.4	18.6	-0.6	-1004.0	
-2.5	-3515.0			J	1123.4	18.6	0.3	-1004.0	
59.0	-12717.7								
		G2		I	457.1	7.6	-0.0	-404.2	
16.7	-1505.5			J	457.1	7.6	-0.0	-404.2	
30.7	-5261.2								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc		I	-47.1	-0.9	0.0	80.9	
0.8	-1195.9								

MIDAS

PROJECT TITLE :

		Company		Client			
		Author		File Name			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H
-11.8	-758.5		J	-47.1	-0.9	0.0	80.9
1.8	-1263.9	Q5_ps	I	-42.4	-0.8	0.0	77.1
-14.9	-873.9		J	-42.4	-0.8	0.0	77.1
182.4	-2779.1	INVS LU Max	I	4393.6	68.8	-0.8	619.6
473.9	-12556.8		J	4393.6	68.8	0.4	619.6
71.9	-18186.6	Min	I	1222.3	14.4	-1.3	-2521.3
173.7	-50469.1		J	1222.3	14.4	-0.0	-2521.3
137.3	-2116.0	INVS LE Max	I	3234.2	50.4	-0.6	534.2
355.1	-9086.7		J	3234.2	50.4	0.3	534.2
55.5	-13369.6	Min	I	891.3	10.2	-0.9	-1781.6
134.7	-37068.7		J	891.3	10.2	-0.0	-1781.6
325	2	70 C1-C2;~1 Max	I	1742.0	4.4	0.7	1598.7
296.8	3378.7		J	1742.0	4.4	0.7	1598.7
16.8	1823.2	Min	I	-271.5	-28.0	-0.1	-243.6
-38.3	-17920.0		J	-271.5	-28.0	-0.1	-243.6
-81.5	-5878.0						
295.4	3552.9	C3-C4;~1 Max	I	1660.1	4.6	0.7	1506.8
16.8	1570.7		J	1660.1	4.6	0.7	1506.8
-40.0	-17788.3	Min	I	-285.4	-26.6	-0.1	-255.7
-73.8	-6533.1		J	-285.4	-26.6	-0.1	-255.7
183.0	1937.9	C1-C2;~2 Max	I	1050.3	2.5	0.4	957.9
9.3	1074.6		J	1050.3	2.5	0.4	957.9
-21.8	-10524.7	Min	I	-155.6	-16.8	-0.1	-139.6
-49.8	-3448.7		J	-155.6	-16.8	-0.1	-139.6
186.5	2005.5	C3-C4;~2 Max	I	993.9	2.6	0.4	895.6
9.2	895.7		J	993.9	2.6	0.4	895.6
-22.5	-10372.5	Min	I	-161.1	-15.9	-0.1	-144.3
-44.6	-3859.6		J	-161.1	-15.9	-0.1	-144.3
137.8	-14074.5	G1	I	1216.1	-20.2	-0.1	1142.4
-77.2	-3759.6		J	1216.1	-20.2	0.9	1142.4

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


65.6	-5768.8	G2	I	492.0	-8.2	0.2	462.8
-12.2	-1576.1		J	492.0	-8.2	0.2	462.8
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
5.5	-1645.6	Q5_pc	I	29.1	-0.5	0.0	52.6
0.1	-1368.5		J	29.1	-0.5	0.0	52.6
6.1	-1627.4	Q5_ps	I	23.9	-0.5	0.0	46.3
1.1	-1387.1		J	23.9	-0.5	0.0	46.3
854.8	-20416.7	INVS LU Max	I	4960.5	-31.8	1.3	2849.9
-29.5	-3298.4		J	4960.5	-31.8	2.6	2849.9
390.2	-52367.2	Min	I	2171.3	-76.9	0.2	251.7
-162.3	-17042.5		J	2171.3	-76.9	1.5	251.7
641.1	-15074.9	INVS LE Max	I	3671.5	-23.4	1.0	2046.5
-20.0	-2469.7		J	3671.5	-23.4	1.9	2046.5
297.7	-38522.5	Min	I	1609.3	-56.7	0.2	129.0
-118.4	-12468.1		J	1609.3	-56.7	1.1	129.0
326	2	70 C1-C2;~1 Max	I	1707.6	3.2	0.1	1378.9
17.2	1826.0		J	1707.6	3.2	0.1	1378.9
129.7	9184.7	Min	I	-262.9	-20.5	-0.4	-208.1
-86.1	-5871.6		J	-262.9	-20.5	-0.4	-208.1
-19.7	-688.7						
17.4	1573.5	C3-C4;~1 Max	I	1617.5	3.4	0.1	1299.5
114.8	7802.0		J	1617.5	3.4	0.1	1299.5
-78.5	-6526.9	Min	I	-276.1	-19.6	-0.4	-218.5
-20.5	-735.3		J	-276.1	-19.6	-0.4	-218.5
9.6	1076.7	C1-C2;~2 Max	I	1028.1	1.9	0.0	826.8
78.7	5863.1		J	1028.1	1.9	0.0	826.8
-52.6	-3444.9	Min	I	-150.7	-12.3	-0.2	-119.3
-11.2	-366.8		J	-150.7	-12.3	-0.2	-119.3

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
9.6	897.8	C3-C4;~2	Max	I	966.7	1.9	0.0	772.8
				J	966.7	1.9	0.0	772.8
68.9	4939.3		Min	I	-155.8	-11.6	-0.2	-123.3
-47.4	-3856.0			J	-155.8	-11.6	-0.2	-123.3
-11.5	-385.8							
		G1		I	1191.8	-15.0	-0.7	985.9
-81.1	-3753.4			J	1191.8	-15.0	0.2	985.9
38.0	3880.0							
		G2		I	483.2	-6.1	-0.1	399.5
-13.8	-1573.6			J	483.2	-6.1	-0.1	399.5
31.9	1533.7							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	27.3	-0.4	0.0	47.0
-0.1	-1368.3			J	27.3	-0.4	0.0	47.0
-0.8	-1151.8							
		Q5_ps		I	21.7	-0.4	0.0	41.8
1.0	-1387.0			J	21.7	-0.4	0.0	41.8
-1.6	-1194.0							
		INVS LU	Max	I	4864.6	-22.6	-1.0	2391.0
-30.9	-3288.3			J	4864.6	-22.6	0.3	2391.0
360.0	20524.8		Min	I	2137.4	-55.7	-1.6	149.9
-170.7	-17027.7			J	2137.4	-55.7	-0.4	149.9
155.8	4777.0							
		INVS LE	Max	I	3600.3	-16.6	-0.7	1713.4
-20.8	-2462.5			J	3600.3	-16.6	0.2	1713.4
268.5	15104.1		Min	I	1583.8	-41.0	-1.2	59.6
-124.4	-12457.4			J	1583.8	-41.0	-0.3	59.6
117.3	3648.6							
327	2	70 C1-C2;~1	Max	I	1652.0	1.9	0.1	915.9
125.6	9185.1			J	1652.0	1.9	0.1	915.9
65.2	15215.3		Min	I	-248.5	-12.2	-0.0	-134.7
-19.0	-688.6			J	-248.5	-12.2	-0.0	-134.7
-5.8	-1551.7							
		C3-C4;~1	Max	I	1562.2	2.0	0.1	857.0
110.9	7802.4			J	1562.2	2.0	0.1	857.0
57.3	13598.2		Min	I	-261.0	-11.7	-0.0	-141.4

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-19.8	-735.3						
-6.1	-1633.7		J	-261.0	-11.7	-0.0	-141.4
76.2	5863.4	C1-C2;~2 Max	I	995.1	1.1	0.1	550.7
42.2	9493.3		J	995.1	1.1	0.1	550.7
-10.9	-366.8	Min	I	-142.4	-7.3	-0.0	-77.2
-3.3	-883.1		J	-142.4	-7.3	-0.0	-77.2
66.5	4939.6	C3-C4;~2 Max	I	933.8	1.2	0.1	510.1
36.6	8404.3		J	933.8	1.2	0.1	510.1
-11.2	-385.8	Min	I	-147.3	-6.9	-0.0	-79.8
-3.4	-915.8		J	-147.3	-6.9	-0.0	-79.8
34.9	3880.3	G1	I	1158.9	-9.0	-0.4	650.9
-6.6	8471.2		J	1158.9	-9.0	0.6	650.9
30.7	1533.9	G2	I	470.7	-3.7	0.0	264.0
14.5	3407.8		J	470.7	-3.7	0.0	264.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.9	-1151.7	Q5_pc	I	27.3	-0.3	-0.0	32.4
-0.2	-1015.1		J	27.3	-0.3	-0.0	32.4
-1.7	-1194.0	Q5_ps	I	22.2	-0.3	-0.0	29.0
-0.1	-1066.0		J	22.2	-0.3	-0.0	29.0
353.2	20524.7	INVSLU Max	I	4736.4	-13.3	-0.3	1547.1
190.0	36866.9		J	4736.4	-13.3	1.0	1547.1
155.2	4776.5	Min	I	2104.5	-33.0	-0.5	61.5
93.4	12293.6		J	2104.5	-33.0	0.8	61.5
263.6	15104.0	INVSLE Max	I	3506.0	-9.8	-0.2	1106.6
143.3	27159.6		J	3506.0	-9.8	0.7	1106.6
117.0	3648.2	Min	I	1560.1	-24.3	-0.4	10.5
71.8	9092.5		J	1560.1	-24.3	0.6	10.5
328	2	70 C1-C2;~1 Max	I	1579.6	0.7	0.0	388.6

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
62.9	15215.4		J	1579.6	0.7	0.0	388.6
67.6	17104.6						
		Min	I	-231.3	-4.1	-0.0	-52.0
-5.5	-1551.7						
			J	-231.3	-4.1	-0.0	-52.0
-4.3	-1888.6						
		C3-C4;~1 Max	I	1493.8	0.7	0.0	350.3
55.2	13598.3						
			J	1493.8	0.7	0.0	350.3
60.6	15466.1						
		Min	I	-243.0	-4.1	-0.0	-54.6
-5.7	-1633.7						
			J	-243.0	-4.1	-0.0	-54.6
-4.6	-1991.2						
		C1-C2;~2 Max	I	952.5	0.4	0.0	236.8
40.8	9493.4						
			J	952.5	0.4	0.0	236.8
44.1	10617.7						
		Min	I	-132.5	-2.4	-0.0	-29.8
-3.1	-883.1						
			J	-132.5	-2.4	-0.0	-29.8
-2.5	-1078.8						
		C3-C4;~2 Max	I	893.7	0.4	0.0	209.7
35.4	8404.3						
			J	893.7	0.4	0.0	209.7
39.1	9507.5						
		Min	I	-137.1	-2.4	-0.0	-30.8
-3.2	-915.9						
			J	-137.1	-2.4	-0.0	-30.8
-2.6	-1119.7						
		G1	I	1112.7	-3.1	-0.5	262.2
-8.2	8471.4						
			J	1112.7	-3.1	0.5	262.2
-2.5	10038.2						
		G2	I	452.5	-1.3	-0.0	106.6
13.9	3407.8						
			J	452.5	-1.3	-0.0	106.6
14.8	4054.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0						
			J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	27.4	-0.1	-0.0	13.4
-0.3	-1015.1						
			J	27.4	-0.1	-0.0	13.4
0.2	-964.4						
		Q5_ps	I	22.8	-0.1	-0.0	12.1
-0.2	-1066.0						
			J	22.8	-0.1	-0.0	12.1
0.3	-1010.3						
		INVSLU Max	I	4561.1	-4.3	-0.6	659.1
186.3	36868.1						
			J	4561.1	-4.3	0.7	659.1
192.6	42144.1						
		Min	I	2051.3	-11.0	-0.7	36.7
93.1	12294.6						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
94.7	14628.8		J	2051.3	-11.0	0.6	36.7
140.6	27160.5	INVSLE Max	I	3377.4	-3.2	-0.4	472.1
145.3	31044.6		J	3377.4	-3.2	0.5	472.1
71.6	9093.2	Min	I	1522.0	-8.1	-0.5	12.9
72.9	10791.5		J	1522.0	-8.1	0.4	12.9
329	2	63 C1-C2;~1 Max	I	1473.7	4.6	0.0	35.1
67.2	17115.1		J	1473.7	4.6	0.0	35.1
95.3	14849.5	Min	I	-209.7	-0.5	-0.1	-241.2
-4.3	-1890.1		J	-209.7	-0.5	-0.1	-241.2
-11.8	-1645.1						
60.2	15476.1	C3-C4;~1 Max	I	1394.4	4.2	0.0	36.6
85.1	13437.9		J	1394.4	4.2	0.0	36.6
-4.5	-1992.9	Min	I	-220.4	-0.5	-0.1	-213.5
-12.4	-1732.3		J	-220.4	-0.5	-0.1	-213.5
43.9	10624.0	C1-C2;~2 Max	I	890.0	2.8	0.0	20.1
59.1	9243.1		J	890.0	2.8	0.0	20.1
-2.5	-1079.7	Min	I	-120.2	-0.3	-0.1	-147.8
-6.7	-937.2		J	-120.2	-0.3	-0.1	-147.8
38.9	9513.4	C3-C4;~2 Max	I	835.3	2.6	0.0	20.7
52.1	8283.7		J	835.3	2.6	0.0	20.7
-2.5	-1120.7	Min	I	-124.4	-0.3	-0.0	-127.5
-7.0	-972.1		J	-124.4	-0.3	-0.0	-127.5
-2.8	10046.0	G1	I	1042.2	2.8	-0.5	-160.1
21.8	8632.7		J	1042.2	2.8	0.4	-160.1
14.7	4057.4	G2	I	424.2	1.1	-0.0	-64.7
23.3	3493.0		J	424.2	1.1	-0.0	-64.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.2	-964.0	Q5_pc	I	26.9	0.1	0.0	-8.7
			J	26.9	0.1	0.0	-8.7


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-0.1	-1003.6						
			Q5_ps	I	23.0	0.0	0.0
0.3	-1009.9			J	23.0	0.0	-8.1
-0.4	-1032.2						
			INVSLU Max	I	4290.1	11.5	-0.6
191.8	42158.8			J	4290.1	11.5	49.4
254.7	36510.6						
			Min	I	1954.7	4.3	-0.7
94.6	14627.9			J	1954.7	4.3	-341.5
109.3	12318.6						
			INVSLE Max	I	3178.1	8.5	-0.4
144.7	31055.1			J	3178.1	8.5	45.9
190.3	26873.3						
			Min	I	1451.7	3.2	-0.5
72.8	10790.3			J	1451.7	3.2	-242.4
82.6	9087.0						
		63	C1-C2;~1 Max	I	1390.4	12.4	0.1
330	2			J	1390.4	12.4	114.7
97.2	14848.4						
			Min	I	-192.2	-1.6	-0.0
54.1	8694.3			J	-192.2	-1.6	-773.7
-12.1	-1644.9						
-10.0	-989.7						
			C3-C4;~1 Max	I	1317.5	11.5	0.1
86.9	13436.9			J	1317.5	11.5	120.5
54.2	7702.5						
			Min	I	-202.1	-1.7	-0.0
-12.7	-1732.2			J	-202.1	-1.7	-726.4
-6.4	-941.2						
			C1-C2;~2 Max	I	841.1	7.5	0.1
60.2	9242.4			J	841.1	7.5	65.7
34.9	5512.2						
			Min	I	-110.1	-0.9	-0.0
-6.9	-937.1			J	-110.1	-0.9	-465.0
-5.7	-566.6						
			C3-C4;~2 Max	I	790.3	6.9	0.1
53.2	8283.1			J	790.3	6.9	68.0
32.5	4833.2						
			Min	I	-114.0	-1.0	-0.0
-7.1	-972.0			J	-114.0	-1.0	-431.5
-3.4	-515.9						
			G1	I	987.7	8.3	-0.4
23.2	8631.9			J	987.7	8.3	-563.6
-2.2	4374.0						

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
23.8	3492.6	G2	I	402.1	3.4	0.0	-228.8
			J	402.1	3.4	0.0	-228.8
14.3	1771.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	26.8	0.3	-0.0	-30.7
0.0	-1003.7		J	26.8	0.3	-0.0	-30.7
1.9	-1133.7						
		Q5_ps	I	23.5	0.2	-0.0	-28.6
-0.3	-1032.3		J	23.5	0.2	-0.0	-28.6
2.5	-1134.5						
		INVS LU Max	I	4088.9	32.4	-0.3	40.2
257.5	36508.9		J	4088.9	32.4	0.8	40.2
178.0	20446.5	Min	I	1890.7	12.9	-0.5	-1222.4
109.2	12318.4		J	1890.7	12.9	0.6	-1222.4
87.8	5222.2						
		INVS LE Max	I	3030.7	23.9	-0.3	61.3
192.2	26872.0		J	3030.7	23.9	0.6	61.3
134.5	14996.4	Min	I	1406.0	9.5	-0.4	-869.9
82.4	9087.0		J	1406.0	9.5	0.4	-869.9
68.0	3920.8						
		63 C1-C2;~1 Max	I	1321.3	19.5	0.1	169.8
331	2		J	1321.3	19.5	0.1	169.8
57.1	8693.1						
44.9	705.8	Min	I	-177.4	-2.6	-0.1	-1159.0
-9.4	-989.7		J	-177.4	-2.6	-0.1	-1159.0
-18.5	-3341.9						
		C3-C4;~1 Max	I	1254.1	18.2	0.1	178.5
57.2	7701.5		J	1254.1	18.2	0.1	178.5
30.4	683.5	Min	I	-186.6	-2.7	-0.1	-1098.1
-6.1	-941.1		J	-186.6	-2.7	-0.1	-1098.1
-19.4	-3491.4						
		C1-C2;~2 Max	I	800.5	11.8	0.1	97.3
36.8	5511.5		J	800.5	11.8	0.1	97.3
27.1	401.1	Min	I	-101.7	-1.5	-0.0	-695.8
-5.3	-566.5		J	-101.7	-1.5	-0.0	-695.8
-11.1	-1972.5						
		C3-C4;~2 Max	I	753.4	10.9	0.1	100.8

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
34.3	4832.6			J	753.4	10.9	0.1	100.8
17.6	386.7							
			Min	I	-105.3	-1.5	-0.0	-653.1
-3.2	-515.9							
				J	-105.3	-1.5	-0.0	-653.1
-11.8	-2071.1							
			G1	I	940.8	13.5	-0.4	-854.4
0.4	4373.3							
				J	940.8	13.5	0.5	-854.4
-24.6	-2501.6							
			G2	I	382.7	5.5	0.0	-347.4
15.4	1771.0							
				J	382.7	5.5	0.0	-347.4
5.8	-1015.5							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0							
				J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	26.4	0.4	0.0	-46.5
2.1	-1133.7							
				J	26.4	0.4	0.0	-46.5
-2.9	-1347.8							
			Q5_ps	I	23.4	0.3	0.0	-43.5
2.6	-1134.5							
				J	23.4	0.3	0.0	-43.5
-3.5	-1312.7							
			INVSLU Max	I	3923.7	52.2	-0.2	-53.6
183.0	20444.8							
				J	3923.7	52.2	0.9	-53.6
68.8	-2852.1							
			Min	I	1840.6	21.5	-0.5	-1942.9
89.4	5222.1							
				J	1840.6	21.5	0.6	-1942.9
-23.1	-11289.1							
			INVSLE Max	I	2910.3	38.6	-0.1	5.4
138.1	14995.2							
				J	2910.3	38.6	0.7	5.4
51.0	-2289.2							
			Min	I	1370.7	15.9	-0.3	-1387.9
69.0	3920.8							
				J	1370.7	15.9	0.5	-1387.9
-16.8	-8303.1							
332	2	63	C1-C2;~1 Max	I	1306.2	25.1	0.0	189.7
48.7	702.5							
				J	1306.2	25.1	0.0	189.7
238.8	2229.8							
			Min	I	-172.1	-3.3	-0.4	-1304.5
-16.4	-3349.7							
				J	-172.1	-3.3	-0.4	-1304.5
-27.4	-14816.1							
			C3-C4;~1 Max	I	1236.1	23.5	0.0	199.5
33.4	680.4							
				J	1236.1	23.5	0.0	199.5
225.5	2332.1							
			Min	I	-180.9	-3.5	-0.4	-1238.0
-17.5	-3498.8							

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-28.2	-14110.6		J	-180.9	-3.5	-0.4	-1238.0
29.5	398.7	C1-C2;~2 Max	I	791.1	15.2	0.0	108.7
147.6	1279.4		J	791.1	15.2	0.0	108.7
-9.8	-1977.1	Min	I	-98.6	-1.9	-0.3	-783.6
-14.9	-8810.6		J	-98.6	-1.9	-0.3	-783.6
19.3	384.4	C3-C4;~2 Max	I	742.4	14.1	0.0	112.6
139.2	1317.2		J	742.4	14.1	0.0	112.6
-10.5	-2075.4	Min	I	-102.0	-2.0	-0.3	-736.9
-15.2	-8294.9		J	-102.0	-2.0	-0.3	-736.9
-21.2	-2508.7	G1	I	919.9	17.5	-0.6	-965.6
80.5	-11461.3		J	919.9	17.5	0.2	-965.6
7.2	-1018.4	G2	I	372.5	7.1	-0.1	-393.0
39.9	-4649.3		J	372.5	7.1	-0.1	-393.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-2.7	-1348.2	Q5_pc	I	23.2	0.5	0.0	-52.3
-4.9	-1621.6		J	23.2	0.5	0.0	-52.3
-3.3	-1313.2	Q5_ps	I	19.4	0.5	0.0	-49.2
-7.9	-1544.8		J	19.4	0.5	0.0	-49.2
75.3	-2862.7	INVSLU Max	I	3869.8	69.2	-1.1	-154.1
643.3	-18572.3		J	3869.8	69.2	0.0	-154.1
-18.8	-11307.4	Min	I	1820.4	29.7	-1.7	-2278.5
274.0	-44641.2		J	1820.4	29.7	-0.6	-2278.5
55.6	-2296.9	INVSLE Max	I	2872.2	51.2	-0.8	-65.6
483.6	-13868.5		J	2872.2	51.2	-0.0	-65.6
-13.8	-8316.5	Min	I	1357.2	22.0	-1.3	-1632.3
210.7	-32962.7		J	1357.2	22.0	-0.5	-1632.3
333	2	70 C1-C2;~1 Max	I	1184.4	11.1	0.2	1303.1
114.3	7203.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
36.1	3684.0		J	1184.4	11.1	0.2	1303.1
		Min	I	-645.9	-22.2	-0.1	-612.0
-69.9	-14625.6		J	-645.9	-22.2	-0.1	-612.0
-26.1	-5201.3						
		C3-C4;~1 Max	I	1250.9	11.7	0.2	1343.6
123.2	7515.2		J	1250.9	11.7	0.2	1343.6
48.1	2949.1	Min	I	-678.7	-23.0	-0.1	-644.4
-60.8	-16062.4		J	-678.7	-23.0	-0.1	-644.4
-20.0	-5862.3						
		C1-C2;~2 Max	I	708.7	6.4	0.1	779.4
75.0	4088.4		J	708.7	6.4	0.1	779.4
21.3	2176.2	Min	I	-369.8	-13.3	-0.1	-350.5
-38.9	-8774.2		J	-369.8	-13.3	-0.1	-350.5
-14.8	-3239.9						
		C3-C4;~2 Max	I	755.8	6.6	0.1	808.5
81.3	4259.1		J	755.8	6.6	0.1	808.5
29.0	1663.3	Min	I	-383.0	-13.9	-0.0	-363.5
-33.1	-9709.4		J	-383.0	-13.9	-0.0	-363.5
-10.9	-3628.5						
		G1	I	372.2	-8.2	-0.5	519.4
-57.5	-4269.1		J	372.2	-8.2	0.4	519.4
-28.7	-232.7						
		G2	I	154.4	-3.4	-0.0	208.6
-14.9	-1816.6		J	154.4	-3.4	-0.0	208.6
6.3	-148.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-36.8	0.9	-0.0	-71.4
-1.3	-533.8		J	-36.8	0.9	-0.0	-71.4
6.6	-968.3						
		Q5_ps	I	-33.0	0.8	-0.0	-68.4
-3.4	-615.7		J	-33.0	0.8	-0.0	-68.4
8.1	-1013.1						
		INVSLU Max	I	1688.3	15.6	-0.7	1382.7
1.6	12825.4		J	1688.3	15.6	0.5	1382.7
81.9	8534.0	Min	I	-983.0	-32.8	-1.1	-1429.5
-261.5	-19965.2		J	-983.0	-32.8	0.1	-1429.5

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-30.2	-6096.5						
			INVSLE Max	I	1212.7	12.3	-0.5 937.6
0.9	10041.6			J	1212.7	12.3	0.4 937.6
62.8	6460.2						
			Min	I	-761.1	-23.5	-0.8 -1136.0
-193.8	-14176.6			J	-761.1	-23.5	0.1 -1136.0
-19.4	-4248.2						
		334	70 C1-C2;~1 Max	I	1229.5	8.3	0.1 1134.8
32.3	3684.3	2		J	1229.5	8.3	0.1 1134.8
79.0	8210.6						
			Min	I	-635.7	-16.9	-0.2 -528.9
-26.4	-5195.7			J	-635.7	-16.9	-0.2 -528.9
-30.7	-3009.6						
			C3-C4;~1 Max	I	1291.4	8.8	0.1 1173.2
44.3	2948.5			J	1291.4	8.8	0.1 1173.2
76.8	6720.5						
			Min	I	-669.0	-17.4	-0.1 -556.8
-20.0	-5855.2			J	-669.0	-17.4	-0.1 -556.8
-31.9	-2968.6						
			C1-C2;~2 Max	I	733.8	4.8	0.0 678.6
19.0	2176.7			J	733.8	4.8	0.0 678.6
47.3	4917.6						
			Min	I	-364.2	-10.1	-0.1 -302.9
-15.1	-3236.7			J	-364.2	-10.1	-0.1 -302.9
-17.6	-1695.2						
			C3-C4;~2 Max	I	778.1	4.9	0.0 705.8
26.8	1663.2			J	778.1	4.9	0.0 705.8
45.8	3918.3						
			Min	I	-377.5	-10.5	-0.1 -314.0
-11.0	-3624.3			J	-377.5	-10.5	-0.1 -314.0
-17.9	-1641.5						
			G1	I	448.6	-6.3	-0.5 451.1
-30.5	-230.6			J	448.6	-6.3	0.4 451.1
-5.0	2866.9						
			G2	I	186.3	-2.6	-0.0 181.2
5.6	-147.8			J	186.3	-2.6	-0.0 181.2
13.6	1131.1						
			Q3	I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0
0.0	0.0						
			Q5_pc	I	-40.8	0.7	0.0 -61.2
6.9	-968.6			J	-40.8	0.7	0.0 -61.2
-3.9	-1308.1						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


8.4	-1013.4	Q5_ps	I	-36.6	0.6	0.0	-58.3
-3.8	-1323.7		J	-36.6	0.6	0.0	-58.3
78.8	8531.1	INVS LU Max	I	1930.8	11.9	-0.5	1175.9
109.8	15229.5		J	1930.8	11.9	0.7	1175.9
-29.0	-6090.8	Min	I	-789.2	-24.7	-0.8	-1269.7
-46.8	-2272.5		J	-789.2	-24.7	0.4	-1269.7
60.8	6457.6	INVS LE Max	I	1393.2	9.3	-0.4	793.8
81.1	11099.1		J	1393.2	9.3	0.6	793.8
-18.2	-4244.3	Min	I	-616.1	-17.7	-0.6	-1009.6
-34.4	-1690.9		J	-616.1	-17.7	0.3	-1009.6
335	2	70 C1-C2;~1 Max	I	1266.3	5.1	0.1	760.3
75.9	8211.5		J	1266.3	5.1	0.1	760.3
57.3	12375.4	Min	I	-621.4	-10.4	-0.0	-341.1
-29.2	-3010.0		J	-621.4	-10.4	-0.0	-341.1
-21.0	-5362.4						
73.5	6721.4	C3-C4;~1 Max	I	1330.8	5.3	0.1	787.0
66.4	11314.5		J	1330.8	5.3	0.1	787.0
-30.3	-2969.0	Min	I	-654.2	-10.7	-0.0	-359.0
-22.0	-5468.1		J	-654.2	-10.7	-0.0	-359.0
45.5	4918.1	C1-C2;~2 Max	I	754.2	2.9	0.0	455.5
35.2	7360.5		J	754.2	2.9	0.0	455.5
-16.7	-1695.4	Min	I	-356.0	-6.2	-0.0	-195.3
-12.0	-3061.6		J	-356.0	-6.2	-0.0	-195.3
43.7	3918.8	C3-C4;~2 Max	I	800.0	3.0	0.0	474.0
41.6	6674.3		J	800.0	3.0	0.0	474.0
-17.0	-1641.7	Min	I	-369.1	-6.4	-0.0	-202.5
-12.4	-3070.5		J	-369.1	-6.4	-0.0	-202.5
-6.5	2867.4	G1	I	509.0	-3.8	-0.4	304.7
-14.8	4729.6		J	509.0	-3.8	0.5	304.7
		G2	I	211.4	-1.6	0.0	122.3

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
13.0	1131.3			J	211.4	-1.6	0.0	122.3		
10.0	1899.1									
			Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0			J	0.0	0.0	0.0	0.0		
0.0	0.0									
			Q5_pc	I	-40.2	0.4	-0.0	-39.1		
-3.7	-1308.2			J	-40.2	0.4	-0.0	-39.1		
1.0	-1529.6									
			Q5_ps	I	-35.4	0.4	-0.0	-37.0		
-3.6	-1323.7			J	-35.4	0.4	-0.0	-37.0		
1.5	-1526.9									
			INVS LU Max	I	2144.4	7.6	-0.5	780.3		
107.0	15230.5			J	2144.4	7.6	0.7	780.3		
99.0	21028.4									
			Min	I	-607.8	-14.8	-0.7	-837.1		
-42.9	-2273.2			J	-607.8	-14.8	0.5	-837.1		
-22.2	-5813.5									
			INVS LE Max	I	1553.0	6.0	-0.4	526.3		
79.3	11099.8			J	1553.0	6.0	0.5	526.3		
74.5	15187.7									
			Min	I	-480.3	-10.5	-0.5	-666.6		
-31.3	-1691.5			J	-480.3	-10.5	0.4	-666.6		
-15.2	-4491.2									
		336	2	70	C1-C2;~1 Max	I	1303.1	1.8	0.0	281.6
55.5	12376.0			J	1303.1	1.8	0.0	281.6		
65.0	13856.6									
			Min	I	-606.9	-3.8	-0.0	-108.8		
-20.1	-5362.6			J	-606.9	-3.8	-0.0	-108.8		
-23.5	-6179.5									
			C3-C4;~1 Max	I	1370.2	1.8	0.0	291.7		
64.5	11315.3			J	1370.2	1.8	0.0	291.7		
72.0	12774.3									
			Min	I	-639.2	-3.7	-0.0	-114.2		
-21.2	-5468.4			J	-639.2	-3.7	-0.0	-114.2		
-24.6	-6344.6									
			C1-C2;~2 Max	I	774.9	1.0	0.0	171.4		
34.2	7360.9			J	774.9	1.0	0.0	171.4		
40.0	8263.1									
			Min	I	-347.8	-2.4	-0.0	-62.2		
-11.5	-3061.8			J	-347.8	-2.4	-0.0	-62.2		
-13.4	-3533.4									
			C3-C4;~2 Max	I	822.4	1.0	0.0	177.6		
40.5	6674.8									


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
45.0	7557.0		J	822.4	1.0	0.0	177.6
		Min	I	-360.7	-2.3	-0.0	-64.4
-11.9	-3070.6		J	-360.7	-2.3	-0.0	-64.4
-13.9	-3568.8						
		G1	I	564.4	-0.9	-0.5	108.7
-15.6	4729.9		J	564.4	-0.9	0.4	108.7
-10.0	5170.8						
		G2	I	234.1	-0.4	-0.0	43.9
9.7	1899.3		J	234.1	-0.4	-0.0	43.9
11.8	2080.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-39.3	0.2	0.0	-10.5
1.1	-1529.6		J	-39.3	0.2	0.0	-10.5
-0.3	-1627.0						
		Q5_ps	I	-34.0	0.2	0.0	-9.1
1.6	-1526.9		J	-34.0	0.2	0.0	-9.1
0.1	-1618.4						
		INVS LU Max	I	2347.8	3.8	-0.6	294.0
97.3	21029.3		J	2347.8	3.8	0.6	294.0
113.7	22531.7						
		Min	I	-435.7	-4.1	-0.7	-272.9
-20.3	-5814.0		J	-435.7	-4.1	0.6	-272.9
-17.3	-7668.6						
		INVS LE Max	I	1705.4	3.0	-0.5	201.0
73.3	15188.4		J	1705.4	3.0	0.5	201.0
85.2	16216.0						
		Min	I	-351.2	-2.9	-0.5	-217.5
-13.6	-4491.6		J	-351.2	-2.9	0.4	-217.5
-11.7	-5937.7						
337	2	70 C1-C2;~1 Max	I	1337.6	4.4	0.0	131.5
65.0	13856.7		J	1337.6	4.4	0.0	131.5
61.5	12089.7						
		Min	I	-592.7	-1.6	-0.0	-301.3
-23.5	-6179.5		J	-592.7	-1.6	-0.0	-301.3
-21.0	-5420.4						
		C3-C4;~1 Max	I	1407.6	4.5	0.0	138.0
72.0	12774.4		J	1407.6	4.5	0.0	138.0
68.7	10837.7						
		Min	I	-624.0	-1.6	-0.0	-295.0
-24.7	-6344.6		J	-624.0	-1.6	-0.0	-295.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-22.0	-5558.7						
		C1-C2;~2	Max	I	794.4	2.7	0.0
40.0	8263.1			J	794.4	2.7	0.0
37.8	7240.2						75.3
			Min	I	-339.4	-0.9	-0.0
-13.5	-3533.4			J	-339.4	-0.9	-0.0
-12.0	-3097.0						-184.5
		C3-C4;~2	Max	I	843.7	2.7	0.0
45.0	7557.1			J	843.7	2.7	0.0
43.1	6410.3						77.8
			Min	I	-352.1	-0.9	-0.0
-13.9	-3568.8			J	-352.1	-0.9	-0.0
-12.4	-3124.2						-180.8
			G1	I	616.6	2.3	-0.5
-10.0	5170.9			J	616.6	2.3	0.5
-9.1	4040.4						-115.5
			G2	I	255.2	0.9	-0.0
11.8	2080.6			J	255.2	0.9	-0.0
12.2	1614.9						-45.6
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						0.0
			Q5_pc	I	-38.4	-0.1	-0.0
-0.3	-1627.0			J	-38.4	-0.1	-0.0
-0.2	-1601.0						19.7
			Q5_ps	I	-32.9	-0.0	-0.0
0.0	-1618.4			J	-32.9	-0.0	-0.0
0.2	-1599.5						20.2
			INVSLE Max	I	2542.3	9.1	-0.6
113.7	22531.6			J	2542.3	9.1	0.6
118.5	18650.4						300.2
			Min	I	-269.6	0.7	-0.6
-17.3	-7668.7			J	-269.6	0.7	0.6
-4.3	-8056.8						-328.4
			INVSLE Max	I	1851.2	6.7	-0.5
85.2	16216.0			J	1851.2	6.7	0.5
89.0	13376.0						240.4
			Min	I	-226.6	0.5	-0.5
-11.8	-5937.7			J	-226.6	0.5	0.4
-1.9	-6193.6						-222.5
		70 C1-C2;~1	Max	I	1370.1	11.4	0.1
338	2			J	1370.1	11.4	0.1
63.4	12089.1						354.3

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
58.7	7323.9		Min	I	-578.1	-4.7	-0.0	-799.0
-21.9	-5420.1			J	-578.1	-4.7	-0.0	-799.0
-21.5	-3264.5							
		C3-C4;~1	Max	I	1441.4	11.9	0.0	372.7
70.7	10837.0			J	1441.4	11.9	0.0	372.7
67.2	5690.0		Min	I	-608.4	-4.9	-0.0	-811.4
-23.0	-5558.4			J	-608.4	-4.9	-0.0	-811.4
-21.9	-3293.7							
		C1-C2;~2	Max	I	812.9	6.8	0.0	202.9
39.0	7239.8			J	812.9	6.8	0.0	202.9
35.7	4442.5		Min	I	-331.1	-2.7	-0.0	-478.4
-12.5	-3096.8			J	-331.1	-2.7	-0.0	-478.4
-12.1	-1832.9							
		C3-C4;~2	Max	I	862.9	7.1	0.0	210.2
44.3	6409.9			J	862.9	7.1	0.0	210.2
41.4	3337.4		Min	I	-343.3	-2.8	-0.0	-488.0
-13.0	-3124.0			J	-343.3	-2.8	-0.0	-488.0
-12.2	-1818.5							
		G1		I	666.0	5.7	-0.4	-346.3
-8.3	4040.2			J	666.0	5.7	0.5	-346.3
-13.6	1213.4							
		G2		I	274.9	2.4	0.0	-138.2
12.5	1614.8			J	274.9	2.4	0.0	-138.2
10.6	451.3							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-37.9	-0.3	-0.0	47.2
-0.3	-1600.9			J	-37.9	-0.3	-0.0	47.2
2.2	-1456.2							
		Q5_ps		I	-32.2	-0.3	-0.0	46.4
0.0	-1599.4			J	-32.2	-0.3	-0.0	46.4
2.9	-1475.8							
		INVSLU	Max	I	2727.3	21.8	-0.5	791.1
120.6	18649.3			J	2727.3	21.8	0.7	791.1
116.6	9359.7		Min	I	-108.1	-1.4	-0.7	-892.3
-6.4	-8056.5			J	-108.1	-1.4	0.6	-892.3
-7.6	-7595.2							


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

90.5	13375.2	INVSLE Max	I	1990.0	15.9	-0.4	634.9
			J	1990.0	15.9	0.5	634.9
87.5	6643.0	Min	I	-105.2	-1.3	-0.5	-605.8
-3.6	-6193.4		J	-105.2	-1.3	0.4	-605.8
-4.2	-5722.1						
339	2	70 C1-C2;~1 Max	I	1406.9	18.6	0.1	527.0
62.2	7323.3		J	1406.9	18.6	0.1	527.0
61.4	2462.4	Min	I	-564.0	-7.7	-0.1	-1203.7
-22.9	-3264.2		J	-564.0	-7.7	-0.1	-1203.7
-19.2	-6451.3						
		C3-C4;~1 Max	I	1478.1	19.4	0.1	554.5
70.8	5689.3		J	1478.1	19.4	0.1	554.5
57.5	2017.3	Min	I	-593.3	-8.1	-0.1	-1234.7
-23.5	-3293.3		J	-593.3	-8.1	-0.1	-1234.7
-20.0	-7285.0						
		C1-C2;~2 Max	I	834.5	11.0	0.0	301.7
37.9	4442.2		J	834.5	11.0	0.0	301.7
36.7	1470.2	Min	I	-323.0	-4.4	-0.0	-717.9
-12.9	-1832.7		J	-323.0	-4.4	-0.0	-717.9
-10.8	-3833.6						
		C3-C4;~2 Max	I	884.4	11.6	0.0	312.7
43.7	3337.0		J	884.4	11.6	0.0	312.7
36.0	1189.4	Min	I	-334.7	-4.5	-0.0	-740.6
-13.1	-1818.3		J	-334.7	-4.5	-0.0	-740.6
-11.1	-4329.4						
		G1	I	715.4	9.3	-0.5	-538.9
-12.0	1213.1		J	715.4	9.3	0.5	-538.9
-9.2	-3371.9						
		G2	I	294.1	3.8	-0.0	-216.0
11.2	451.2		J	294.1	3.8	-0.0	-216.0
13.5	-1435.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-38.3	-0.5	0.0	66.3
2.0	-1456.1		J	-38.3	-0.5	0.0	66.3
-0.8	-1204.2						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
2.7	-1475.7	Q5_ps	I	-32.9	-0.4	0.0	64.4
			J	-32.9	-0.4	0.0	64.4
-0.2	-1259.2						
120.3	9359.8	INVS LU Max	I	2916.9	35.6	-0.5	1100.6
			J	2916.9	35.6	0.7	1100.6
116.2	-1845.4	Min	I	51.5	-2.4	-0.8	-1434.2
			J	51.5	-2.4	0.5	-1434.2
-10.6	-7593.7						
5.0	-17172.1						
90.1	6643.1	INVS LE Max	I	2132.3	25.8	-0.4	885.7
			J	2132.3	25.8	0.5	885.7
87.5	-1411.3	Min	I	15.0	-2.2	-0.6	-983.1
			J	15.0	-2.2	0.4	-983.1
-6.7	-5720.9						
5.2	-12603.8						
340	2	70 C1-C2;~1 Max	I	1457.2	24.7	0.0	598.7
			J	1457.2	24.7	0.0	598.7
65.5	2460.8						
164.5	5951.6	Min	I	-551.5	-10.1	-0.2	-1375.4
			J	-551.5	-10.1	-0.2	-1375.4
-21.1	-6460.1						
-21.3	-17780.1						
62.0	2017.1	C3-C4;~1 Max	I	1524.4	25.8	0.0	630.1
			J	1524.4	25.8	0.0	630.1
157.3	6135.8	Min	I	-579.9	-10.6	-0.2	-1418.1
			J	-579.9	-10.6	-0.2	-1418.1
-22.1	-7293.8						
-21.9	-19354.9						
39.2	1468.9	C1-C2;~2 Max	I	865.2	14.6	0.0	342.8
			J	865.2	14.6	0.0	342.8
105.1	3394.9	Min	I	-315.9	-5.8	-0.2	-819.8
			J	-315.9	-5.8	-0.2	-819.8
-12.0	-3838.8						
-11.9	-10481.4						
38.7	1189.0	C3-C4;~2 Max	I	912.7	15.4	0.0	355.4
			J	912.7	15.4	0.0	355.4
101.2	3489.9	Min	I	-327.2	-6.0	-0.1	-850.7
			J	-327.2	-6.0	-0.1	-850.7
-12.3	-4334.5						
-12.1	-11497.7						
-7.0	-3377.4	G1	I	774.4	12.4	-0.6	-618.6
			J	774.4	12.4	0.4	-618.6
45.1	-9520.5						
14.3	-1437.6	G2	I	316.2	5.1	-0.0	-248.4


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
25.5	-3964.7		J	316.2	5.1	-0.0	-248.4
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-1.0	-1203.7	Q5_pc	I	-42.4	-0.7	0.0	71.8
-12.6	-875.5		J	-42.4	-0.7	0.0	71.8
-0.5	-1258.7	Q5_ps	I	-37.8	-0.6	0.0	69.2
-16.0	-978.1		J	-37.8	-0.6	0.0	69.2
121.1	-1850.5	INVS LU Max	I	3135.1	48.5	-0.9	1180.7
418.1	-3639.2		J	3135.1	48.5	0.4	1180.7
0.9	-17185.9	Min	I	217.9	-1.9	-1.3	-1713.7
143.7	-39627.6		J	217.9	-1.9	-0.0	-1713.7
90.8	-1414.6	INVS LE Max	I	2295.6	35.3	-0.7	951.7
313.4	-2437.1		J	2295.6	35.3	0.3	951.7
1.9	-12613.6	Min	I	140.4	-1.9	-0.9	-1182.7
111.8	-28978.5		J	140.4	-1.9	-0.0	-1182.7
341	2	70 C1-C2;~1 Max	I	1422.9	3.6	0.5	573.0
252.4	2565.6		J	1422.9	3.6	0.5	573.0
8.5	3368.1	Min	I	-582.0	-8.7	-0.1	-242.5
-59.1	-7327.1		J	-582.0	-8.7	-0.1	-242.5
-30.4	-3840.5						
256.4	2160.8	C3-C4;~1 Max	I	1510.1	3.5	0.5	580.8
10.5	2466.6		J	1510.1	3.5	0.5	580.8
-58.0	-8318.1	Min	I	-575.4	-9.1	-0.1	-239.8
-33.1	-4190.2		J	-575.4	-9.1	-0.1	-239.8
157.6	1436.3	C1-C2;~2 Max	I	848.3	2.0	0.3	348.2
4.7	2018.1		J	848.3	2.0	0.3	348.2
-33.6	-4434.9	Min	I	-331.8	-5.3	-0.1	-138.2
-18.6	-2358.8		J	-331.8	-5.3	-0.1	-138.2
160.8	1193.3	C3-C4;~2 Max	I	904.2	2.0	0.3	352.4
			J	904.2	2.0	0.3	352.4

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
6.4	1446.9		Min	I	-327.7	-5.5	-0.1	-136.6
-32.9	-5011.9			J	-327.7	-5.5	-0.1	-136.6
-20.1	-2505.5							
		G1		I	731.6	-4.1	-0.2	229.0
86.7	-3009.7			J	731.6	-4.1	0.8	229.0
-54.7	-851.2							
		G2		I	279.2	-1.6	0.1	80.9
43.4	-1169.5			J	279.2	-1.6	0.1	80.9
-3.4	-349.1							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-23.3	0.0	-0.0	-26.9
-16.3	-1261.5			J	-23.3	0.0	-0.0	-26.9
0.8	-1275.4							
		Q5_ps		I	-18.0	-0.0	-0.0	-28.9
-19.1	-1325.4			J	-18.0	-0.0	-0.0	-28.9
1.5	-1324.6							
		INVSLU Max		I	3049.1	0.1	0.5	632.3
557.5	-311.5			J	3049.1	0.1	1.8	632.3
-14.2	3287.4		Min	I	182.8	-17.0	-0.4	-527.6
102.3	-17275.3			J	182.8	-17.0	0.9	-527.6
-74.6	-9212.0							
		INVSLE Max		I	2234.9	0.2	0.4	433.5
413.9	-267.9			J	2234.9	0.2	1.3	433.5
-8.4	2315.6		Min	I	114.8	-12.4	-0.3	-422.1
78.8	-12665.4			J	114.8	-12.4	0.7	-422.1
-53.0	-6773.1							
		70 C1-C2;~1 Max		I	1376.3	2.7	0.1	481.9
342	2			J	1376.3	2.7	0.1	481.9
8.4	3370.1							
			Min	I	-593.4	-6.8	-0.2	-204.7
74.0	5321.2			J	-593.4	-6.8	-0.2	-204.7
-30.8	-3838.9							
		C3-C4;~1 Max		I	1466.0	2.7	0.1	484.6
-26.6	-2368.7			J	1466.0	2.7	0.1	484.6
10.3	2467.6							
			Min	I	-586.9	-7.0	-0.2	-202.3
84.0	3796.2			J	-586.9	-7.0	-0.2	-202.3
-33.5	-4188.5							
-26.3	-2581.6							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


4.6	2019.3	C1-C2;~2	Max	I	819.5	1.6	0.0	293.8	
				J	819.5	1.6	0.0	293.8	
44.5	3200.9		Min	I	-338.3	-4.1	-0.1	-116.6	
-18.8	-2357.8			J	-338.3	-4.1	-0.1	-116.6	
-15.1	-1362.8								
6.2	1447.4	C3-C4;~2	Max	I	876.9	1.5	0.0	294.9	
				J	876.9	1.5	0.0	294.9	
51.1	2151.5		Min	I	-334.3	-4.2	-0.1	-115.2	
-20.4	-2504.4			J	-334.3	-4.2	-0.1	-115.2	
-15.0	-1471.5								
-54.9	-849.7		G1	I	680.1	-3.1	-0.6	185.6	
				J	680.1	-3.1	0.3	185.6	
1.1	681.7								
-3.5	-348.6		G2	I	260.1	-1.2	-0.0	64.9	
				J	260.1	-1.2	-0.0	64.9	
15.1	232.2								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
0.9	-1275.6		Q5_pc	I	-18.1	0.0	-0.0	-24.6	
				J	-18.1	0.0	-0.0	-24.6	
3.0	-1278.2								
1.6	-1324.8		Q5_ps	I	-12.2	-0.0	-0.0	-26.6	
				J	-12.2	-0.0	-0.0	-26.6	
3.8	-1318.1								
-14.3	3291.1		INVSLE Max	I	2843.0	0.2	-0.7	492.9	
				J	2843.0	0.2	0.6	492.9	
159.6	7668.2		Min	I	30.2	-12.9	-1.0	-481.9	
-75.0	-9209.1			J	30.2	-12.9	0.2	-481.9	
4.9	-5301.3								
-8.4	2318.2		INVSLE Max	I	2080.6	0.3	-0.5	334.1	
				J	2080.6	0.3	0.4	334.1	
118.9	5501.5		Min	I	-0.5	-9.5	-0.8	-384.7	
-53.2	-6771.1			J	-0.5	-9.5	0.1	-384.7	
4.8	-3935.2								
343	2	70	C1-C2;~1	Max	I	1336.6	1.6	0.1	313.8
73.5	5321.5			J	1336.6	1.6	0.1	313.8	
51.7	6574.3								

MIDAS


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-26.4	-2368.6		Min	I	-605.8	-4.3	-0.0	-132.9
				J	-605.8	-4.3	-0.0	-132.9
-19.1	-2508.1							
		C3-C4;~1	Max	I	1425.3	1.6	0.1	308.8
83.5	3796.5			J	1425.3	1.6	0.1	308.8
59.5	5081.7							
			Min	I	-599.4	-4.3	-0.0	-131.2
-26.0	-2581.4			J	-599.4	-4.3	-0.0	-131.2
-18.9	-2379.3							
		C1-C2;~2	Max	I	796.0	0.9	0.0	193.4
44.2	3201.1			J	796.0	0.9	0.0	193.4
32.2	3938.9							
			Min	I	-345.3	-2.6	-0.0	-75.6
-15.0	-1362.7			J	-345.3	-2.6	-0.0	-75.6
-10.9	-1397.5							
		C3-C4;~2	Max	I	853.0	0.9	0.0	189.5
50.8	2151.7			J	853.0	0.9	0.0	189.5
37.6	2890.9							
			Min	I	-341.4	-2.6	-0.0	-74.6
-14.8	-1471.4			J	-341.4	-2.6	-0.0	-74.6
-10.7	-1317.6							
		G1		I	628.5	-1.9	-0.4	109.7
0.9	681.9			J	628.5	-1.9	0.5	109.7
-16.4	1609.0							
		G2		I	240.2	-0.7	0.0	37.6
15.1	232.2			J	240.2	-0.7	0.0	37.6
8.7	583.8							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-17.4	-0.0	0.0	-17.9
3.0	-1278.2			J	-17.4	-0.0	0.0	-17.9
0.4	-1258.9							
		Q5_ps		I	-11.3	-0.0	0.0	-19.6
3.8	-1318.1			J	-11.3	-0.0	0.0	-19.6
0.8	-1293.8							
		INVS LU	Max	I	2646.7	-0.2	-0.5	284.3
159.2	7668.4			J	2646.7	-0.2	0.8	284.3
97.5	10524.3							
			Min	I	-126.5	-8.2	-0.6	-350.9
5.4	-5301.4			J	-126.5	-8.2	0.6	-350.9
-9.4	-4002.8							

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
118.7	5501.5		INVSLE Max	I	1933.6	-0.1	-0.3	189.2
				J	1933.6	-0.1	0.6	189.2
73.7	7590.6		Min	I	-118.3	-6.0	-0.4	-279.0
5.2	-3935.3			J	-118.3	-6.0	0.5	-279.0
-5.4	-3002.4							
344	2	70	C1-C2;~1 Max	I	1299.0	0.9	0.0	118.4
51.4	6574.4			J	1299.0	0.9	0.0	118.4
58.5	6919.0		Min	I	-618.4	-1.9	-0.0	-45.1
-19.0	-2508.1			J	-618.4	-1.9	-0.0	-45.1
-22.5	-2678.7							
			C3-C4;~1 Max	I	1385.4	0.7	0.0	114.2
59.3	5081.8			J	1385.4	0.7	0.0	114.2
66.1	5599.4		Min	I	-612.0	-1.8	-0.0	-44.5
-18.7	-2379.4			J	-612.0	-1.8	-0.0	-44.5
-22.2	-2537.9							
			C1-C2;~2 Max	I	774.5	0.6	0.0	76.6
32.0	3939.0			J	774.5	0.6	0.0	76.6
36.1	4129.1		Min	I	-352.5	-1.2	-0.0	-25.2
-10.8	-1397.5			J	-352.5	-1.2	-0.0	-25.2
-12.8	-1501.6							
			C3-C4;~2 Max	I	830.2	0.4	0.0	70.8
37.5	2890.9			J	830.2	0.4	0.0	70.8
41.4	3200.0		Min	I	-348.7	-1.1	-0.0	-24.8
-10.7	-1317.7			J	-348.7	-1.1	-0.0	-24.8
-12.6	-1414.3							
			G1	I	574.5	-0.7	-0.5	24.3
-16.4	1609.0			J	574.5	-0.7	0.5	24.3
-13.9	1960.6							
			G2	I	219.1	-0.3	-0.0	7.5
8.7	583.9			J	219.1	-0.3	-0.0	7.5
9.5	718.7							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-17.7	-0.1	-0.0	-8.4
0.4	-1258.9			J	-17.7	-0.1	-0.0	-8.4
0.5	-1214.1							
			Q5_ps	I	-11.8	-0.1	-0.0	-9.4

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.9	-1293.8			J	-11.8	-0.1	-0.0	-9.4
0.9	-1248.1							
			INVS LU Max	I	2447.7	-0.2	-0.6	79.7
97.3	10524.5			J	2447.7	-0.2	0.6	79.7
104.0	11731.3		Min	I	-289.3	-4.2	-0.6	-156.1
-9.1	-4002.8			J	-289.3	-4.2	0.6	-156.1
-16.6	-3410.9							
			INVS LE Max	I	1784.7	-0.2	-0.4	50.8
73.6	7590.8			J	1784.7	-0.2	0.5	50.8
78.4	8496.6		Min	I	-240.3	-3.1	-0.5	-122.8
-5.2	-3002.4			J	-240.3	-3.1	0.4	-122.8
-10.9	-2558.0							
345	2	70	C1-C2;~1 Max	I	1260.9	2.3	0.0	53.7
58.5	6918.9			J	1260.9	2.3	0.0	53.7
52.0	6422.7		Min	I	-631.4	-0.9	-0.0	-158.7
-22.5	-2678.7			J	-631.4	-0.9	-0.0	-158.7
-19.5	-2419.0							
			C3-C4;~1 Max	I	1344.0	2.2	0.0	53.7
66.1	5599.4			J	1344.0	2.2	0.0	53.7
61.4	5198.4		Min	I	-625.1	-0.9	-0.0	-158.8
-22.2	-2537.9			J	-625.1	-0.9	-0.0	-158.8
-19.3	-2420.3							
			C1-C2;~2 Max	I	752.8	1.5	0.0	30.4
36.2	4129.0			J	752.8	1.5	0.0	30.4
32.0	3835.2		Min	I	-359.9	-0.5	-0.0	-98.7
-12.8	-1501.6			J	-359.9	-0.5	-0.0	-98.7
-11.1	-1358.0							
			C3-C4;~2 Max	I	806.6	1.4	0.0	30.4
41.5	3199.9			J	806.6	1.4	0.0	30.4
38.5	2984.6		Min	I	-356.1	-0.5	-0.0	-97.5
-12.7	-1414.3			J	-356.1	-0.5	-0.0	-97.5
-11.0	-1397.8							
			G1	I	518.2	0.3	-0.5	-55.6
-13.8	1960.6			J	518.2	0.3	0.5	-55.6
-16.3	1788.2							
			G2	I	196.8	0.1	0.0	-20.1
9.5	718.7			J	196.8	0.1	0.0	-20.1


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
8.7	657.4						
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc	I	-18.3	-0.1	-0.0
0.5	-1214.1			J	-18.3	-0.1	-0.0
1.9	-1142.6						
			Q5_ps	I	-12.8	-0.1	-0.0
0.9	-1248.1			J	-12.8	-0.1	-0.0
2.5	-1179.0						
			INVS LU Max	I	2240.6	2.1	-0.6
104.2	11731.3			J	2240.6	2.1	0.7
94.2	11516.7		Min	I	-459.3	-2.4	-0.6
-16.5	-3410.8			J	-459.3	-2.4	0.6
-18.4	-2477.9						
			INVS LE Max	I	1629.7	1.5	-0.4
78.5	8496.6			J	1629.7	1.5	0.5
71.2	8390.1		Min	I	-367.7	-1.9	-0.5
-10.8	-2557.9			J	-367.7	-1.9	0.5
-12.1	-1824.0						
346	2	70	C1-C2;~1 Max	I	1222.6	4.4	0.0
52.2	6422.6			J	1222.6	4.4	0.0
61.4	5309.4		Min	I	-645.1	-2.0	-0.1
-19.6	-2419.0			J	-645.1	-2.0	-0.1
-29.3	-2911.1						
			C3-C4;~1 Max	I	1302.0	4.3	0.0
61.7	5198.2			J	1302.0	4.3	0.0
62.4	3963.1		Min	I	-638.8	-2.0	-0.0
-19.5	-2420.4			J	-638.8	-2.0	-0.0
-28.6	-3067.6						
			C1-C2;~2 Max	I	731.2	2.7	0.0
32.2	3835.2			J	731.2	2.7	0.0
37.1	3198.8		Min	I	-367.7	-1.2	-0.0
-11.2	-1358.1			J	-367.7	-1.2	-0.0
-16.6	-1821.6						
			C3-C4;~2 Max	I	782.9	2.7	0.0
38.7	2984.4			J	782.9	2.7	0.0
37.3	2267.4						


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-11.1	-1397.8		Min	I	-364.0	-1.2	-0.0	-213.5
				J	-364.0	-1.2	-0.0	-213.5
-16.1	-1896.9							
			G1	I	459.6	1.3	-0.4	-123.3
-16.2	1788.1			J	459.6	1.3	0.5	-123.3
-21.1	1151.1							
			G2	I	173.5	0.5	0.0	-43.3
8.8	657.4			J	173.5	0.5	0.0	-43.3
6.7	423.1							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-19.1	-0.2	0.0	11.4
1.9	-1142.5			J	-19.1	-0.2	0.0	11.4
-3.3	-1044.6							
			Q5_ps	I	-14.1	-0.2	0.0	12.1
2.5	-1179.0			J	-14.1	-0.2	0.0	12.1
-3.2	-1086.8							
			INVS LU Max	I	2025.7	5.3	-0.5	295.4
94.6	11516.6			J	2025.7	5.3	0.8	295.4
67.8	10306.0							
			Min	I	-637.3	-3.7	-0.6	-392.5
-18.7	-2478.0			J	-637.3	-3.7	0.6	-392.5
-62.0	-2883.3							
			INVS LE Max	I	1468.9	3.8	-0.4	236.3
71.4	8390.0			J	1468.9	3.8	0.6	236.3
50.6	7586.2							
			Min	I	-501.1	-2.9	-0.5	-271.8
-12.2	-1824.0			J	-501.1	-2.9	0.4	-271.8
-45.1	-2044.3							
			70 C1-C2;~1 Max	I	1188.4	6.5	0.1	216.3
347	2			J	1188.4	6.5	0.1	216.3
61.8	5309.1							
			Min	I	-659.6	-3.2	-0.1	-489.6
30.8	3794.0			J	-659.6	-3.2	-0.1	-489.6
-29.6	-2911.2							
-15.1	-4401.6							
			C3-C4;~1 Max	I	1264.8	6.5	0.1	214.9
62.9	3962.8			J	1264.8	6.5	0.1	214.9
42.7	2904.1							
			Min	I	-653.6	-3.2	-0.1	-500.0
-28.8	-3067.7			J	-653.6	-3.2	-0.1	-500.0
-8.5	-4736.8							

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
37.4	3198.6	C1-C2;~2 Max	I	712.3	4.0	0.1	123.3
			J	712.3	4.0	0.1	123.3
17.6	2254.2						
		Min	I	-376.0	-1.8	-0.0	-298.1
-16.7	-1821.7		J	-376.0	-1.8	-0.0	-298.1
-9.1	-2799.0						
37.6	2267.2	C3-C4;~2 Max	I	762.2	4.0	0.1	122.4
			J	762.2	4.0	0.1	122.4
25.2	1663.2						
		Min	I	-372.4	-1.8	-0.0	-303.8
-16.3	-1896.9		J	-372.4	-1.8	-0.0	-303.8
-4.7	-2950.2						
		G1	I	399.5	2.1	-0.5	-171.8
-20.9	1150.9		J	399.5	2.1	0.4	-171.8
-16.7	120.8						
		G2	I	149.1	0.8	-0.0	-60.0
6.7	423.0		J	149.1	0.8	-0.0	-60.0
10.3	42.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-19.5	-0.2	-0.0	18.5
-3.4	-1044.6		J	-19.5	-0.2	-0.0	18.5
7.6	-922.7						
		Q5_ps	I	-15.1	-0.2	-0.0	19.7
-3.2	-1086.7		J	-15.1	-0.2	-0.0	19.7
9.1	-973.8						
68.3	10305.7	INVSLU Max	I	1811.4	8.4	-0.5	463.1
			J	1811.4	8.4	0.7	463.1
94.6	8484.5						
		Min	I	-821.7	-5.3	-0.9	-537.2
-62.5	-2883.2		J	-821.7	-5.3	0.4	-537.2
2.8	-4693.0						
51.0	7586.1	INVSLE Max	I	1308.5	5.9	-0.4	368.8
			J	1308.5	5.9	0.5	368.8
72.0	6367.0						
		Min	I	-639.4	-4.1	-0.6	-369.7
-45.5	-2044.2		J	-639.4	-4.1	0.3	-369.7
5.0	-3271.0						
348	2	70 C1-C2;~1 Max	I	1165.0	8.3	0.1	248.6
31.3	3792.8		J	1165.0	8.3	0.1	248.6
150.4	3424.6						
		Min	I	-674.5	-4.3	-0.3	-552.2


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-15.0	-4404.0		J	-674.5	-4.3	-0.3	-552.2
-70.7	-7399.2						
43.2	2903.9	C3-C4;~1 Max	I	1245.0	8.4	0.1	246.8
164.6	3219.9		J	1245.0	8.4	0.1	246.8
-8.4	-4740.4	Min	I	-669.3	-4.2	-0.3	-564.3
-67.7	-8492.4		J	-669.3	-4.2	-0.3	-564.3
18.0	2253.3	C1-C2;~2 Max	I	699.6	5.1	0.1	141.7
96.7	1900.6		J	699.6	5.1	0.1	141.7
-8.9	-2800.5	Min	I	-384.5	-2.4	-0.2	-336.2
-38.4	-4594.2		J	-384.5	-2.4	-0.2	-336.2
25.6	1663.1	C3-C4;~2 Max	I	751.8	5.1	0.1	140.6
106.1	1791.2		J	751.8	5.1	0.1	140.6
-4.5	-2952.4	Min	I	-381.4	-2.4	-0.2	-343.1
-37.4	-5272.1		J	-381.4	-2.4	-0.2	-343.1
-16.5	119.6	G1	I	341.0	2.7	-0.4	-192.7
-39.6	-1196.8		J	341.0	2.7	0.5	-192.7
10.4	42.4	G2	I	124.9	1.0	0.0	-67.3
-7.6	-444.4		J	124.9	1.0	0.0	-67.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
7.6	-922.7	Q5_pc	I	-14.7	-0.3	0.0	22.3
2.3	-781.4		J	-14.7	-0.3	0.0	22.3
9.1	-973.8	Q5_ps	I	-10.8	-0.3	0.0	23.8
0.1	-844.3		J	-10.8	-0.3	0.0	23.8
95.1	8483.9	INVSLU Max	I	1616.9	10.9	-0.1	526.6
101.7	8172.7		J	1616.9	10.9	1.1	526.6
2.9	-4696.8	Min	I	-1000.8	-6.6	-0.7	-610.9
-219.9	-9321.7		J	-1000.8	-6.6	0.5	-610.9
		INVSLE Max	I	1162.9	7.8	-0.1	418.5

PROJECT TITLE :

		Company						Client
		Author						File Name
							PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
72.3	6366.8		J	1162.9	7.8	0.8	418.5	
75.2	6292.0							
		Min	I	-774.2	-5.2	-0.5	-421.1	
5.0	-3273.7							
			J	-774.2	-5.2	0.4	-421.1	
-162.7	-6562.7							
349	2	70 C1-C2;~1 Max	I	1734.6	7.7	0.2	1719.1	
134.7	5252.5							
			J	1734.6	7.7	0.2	1719.1	
65.3	2897.1							
		Min	I	-463.8	-30.0	-0.1	-430.7	
-34.8	-19953.6							
			J	-463.8	-30.0	-0.1	-430.7	
-16.1	-6149.8							
		C3-C4;~1 Max	I	1803.8	8.1	0.2	1765.6	
133.3	5505.0							
			J	1803.8	8.1	0.2	1765.6	
71.8	1998.0							
		Min	I	-486.8	-30.9	-0.1	-452.2	
-31.0	-21550.6							
			J	-486.8	-30.9	-0.1	-452.2	
-16.3	-7110.9							
		C1-C2;~2 Max	I	1027.8	4.4	0.1	1019.4	
88.5	3005.7							
			J	1027.8	4.4	0.1	1019.4	
39.8	1696.5							
		Min	I	-265.7	-17.8	-0.0	-246.6	
-19.1	-11715.2							
			J	-265.7	-17.8	-0.0	-246.6	
-9.0	-3624.6							
		C3-C4;~2 Max	I	1077.0	4.6	0.1	1053.0	
88.2	3107.5							
			J	1077.0	4.6	0.1	1053.0	
44.2	1077.7							
		Min	I	-274.6	-18.4	-0.0	-255.0	
-16.4	-12743.8							
			J	-274.6	-18.4	-0.0	-255.0	
-9.0	-4199.7							
		G1	I	1154.0	-20.4	-0.5	1171.6	
-9.3	-12699.6							
			J	1154.0	-20.4	0.4	1171.6	
2.1	-2663.5							
		G2	I	469.5	-8.3	-0.0	472.1	
3.1	-5253.9							
			J	469.5	-8.3	-0.0	472.1	
18.4	-1161.7							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0							
			J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	-47.7	0.9	-0.0	-82.5	
-6.5	-758.3							
			J	-47.7	0.9	-0.0	-82.5	
3.4	-1199.2							
		Q5_ps	I	-43.0	0.8	-0.0	-78.5	
-9.8	-873.7							

PROJECT TITLE :

		Company		Client			
		Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
4.2	-1269.6		J	-43.0	0.8	-0.0	-78.5
220.5	-12566.7	INVS LU Max	I	4503.0	-20.5	-0.5	2791.2
212.0	203.1		J	4503.0	-20.5	0.7	2791.2
-20.0	-50456.7	Min	I	1324.8	-74.8	-0.9	-351.3
87.0	-15466.2		J	1324.8	-74.8	0.3	-351.3
167.6	-9093.5	INVS LE Max	I	3316.2	-14.8	-0.4	1985.2
158.7	132.0		J	3316.2	-14.8	0.5	1985.2
-9.7	-37059.1	Min	I	968.3	-54.9	-0.7	-331.6
66.5	-11315.0		J	968.3	-54.9	0.2	-331.6
350	2	70 C1-C2;~1 Max	I	1742.6	5.8	0.1	1488.9
59.8	2899.2		J	1742.6	5.8	0.1	1488.9
85.3	9327.7	Min	I	-452.1	-22.5	-0.1	-372.6
-14.9	-6142.9		J	-452.1	-22.5	-0.1	-372.6
-17.0	-1581.8						
66.3	1999.3	C3-C4;~1 Max	I	1812.6	6.0	0.0	1527.0
91.4	7629.2		J	1812.6	6.0	0.0	1527.0
-15.0	-7103.0	Min	I	-474.6	-23.2	-0.1	-391.2
-17.8	-1620.5		J	-474.6	-23.2	-0.1	-391.2
36.5	1698.0	C1-C2;~2 Max	I	1031.4	3.3	0.0	883.3
51.9	5593.7		J	1031.4	3.3	0.0	883.3
-8.3	-3620.5	Min	I	-259.0	-13.4	-0.1	-213.4
-9.7	-879.6		J	-259.0	-13.4	-0.1	-213.4
40.9	1078.7	C3-C4;~2 Max	I	1081.1	3.4	0.0	910.9
56.2	4453.7		J	1081.1	3.4	0.0	910.9
-8.3	-4194.9	Min	I	-267.7	-13.8	-0.1	-220.6
-10.0	-888.0		J	-267.7	-13.8	-0.1	-220.6
-2.0	-2657.9	G1	I	1184.7	-15.3	-0.5	1013.2
18.7	4881.8		J	1184.7	-15.3	0.4	1013.2
16.8	-1159.5	G2	I	483.3	-6.2	-0.0	407.9
23.4	1914.8		J	483.3	-6.2	-0.0	407.9

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
3.7	-1199.5	Q5_pc	I	-47.5	0.7	0.0	-72.5
-0.9	-1537.5		J	-47.5	0.7	0.0	-72.5
4.5	-1269.9	Q5_ps	I	-42.1	0.6	0.0	-69.2
-0.4	-1574.3		J	-42.1	0.6	0.0	-69.2
203.7	210.4	INVS LU Max	I	4594.3	-14.5	-0.6	2332.3
245.6	20671.2		J	4594.3	-14.5	0.7	2332.3
87.5	-15451.7	Min	I	1421.0	-55.2	-0.8	-387.7
96.5	3123.6		J	1421.0	-55.2	0.4	-387.7
152.8	137.1	INVS LE Max	I	3384.1	-10.4	-0.4	1653.4
183.6	15100.5		J	3384.1	-10.4	0.5	1653.4
67.2	-11304.6	Min	I	1039.8	-40.5	-0.6	-351.8
73.3	2307.2		J	1039.8	-40.5	0.3	-351.8
351	2	70 C1-C2;~1 Max	I	1749.7	3.5	0.0	989.7
80.9	9328.3		J	1749.7	3.5	0.0	989.7
77.4	15322.3	Min	I	-441.8	-13.8	-0.0	-244.0
-15.9	-1581.9		J	-441.8	-13.8	-0.0	-244.0
-15.9	-3179.0						
86.7	7629.9	C3-C4;~1 Max	I	1820.8	3.7	0.0	1010.4
86.1	13967.1		J	1820.8	3.7	0.0	1010.4
-16.6	-1620.6	Min	I	-463.7	-14.1	-0.0	-256.0
-16.6	-3306.7		J	-463.7	-14.1	-0.0	-256.0
49.3	5594.0	C1-C2;~2 Max	I	1035.2	2.0	0.0	588.5
47.3	9107.5		J	1035.2	2.0	0.0	588.5
-9.1	-879.7	Min	I	-253.1	-8.2	-0.0	-139.7
-9.1	-1817.7		J	-253.1	-8.2	-0.0	-139.7
53.4	4454.1	C3-C4;~2 Max	I	1085.6	2.1	0.0	603.7
53.5	8217.2		J	1085.6	2.1	0.0	603.7
		Min	I	-261.6	-8.4	-0.0	-144.4


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-9.4	-888.1		J	-261.6	-8.4	-0.0	-144.4
-9.4	-1861.3						
		G1	I	1207.6	-9.3	-0.4	669.6
15.6	4882.3		J	1207.6	-9.3	0.5	669.6
11.4	9470.9						
		G2	I	493.3	-3.8	0.0	269.2
22.2	1915.0		J	493.3	-3.8	0.0	269.2
20.5	3785.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-46.6	0.4	-0.0	-48.5
-0.7	-1537.5		J	-46.6	0.4	-0.0	-48.5
0.6	-1746.4						
		Q5_ps	I	-41.0	0.4	-0.0	-46.6
-0.2	-1574.4		J	-41.0	0.4	-0.0	-46.6
1.1	-1763.6						
		INVS LU Max	I	4665.2	-8.5	-0.5	1488.3
238.6	20671.5		J	4665.2	-8.5	0.7	1488.3
233.1	35785.3						
		Min	I	1497.2	-33.3	-0.7	-308.8
97.8	3122.9		J	1497.2	-33.3	0.6	-308.8
93.3	7492.5						
		INVS LE Max	I	3437.0	-6.1	-0.4	1051.5
178.7	15100.6		J	3437.0	-6.1	0.5	1051.5
174.7	26173.4						
		Min	I	1096.5	-24.4	-0.5	-273.2
74.5	2306.7		J	1096.5	-24.4	0.4	-273.2
71.2	5448.6						
352	2	70 C1-C2;~1 Max	I	1756.5	1.3	0.0	362.8
75.1	15322.8		J	1756.5	1.3	0.0	362.8
83.4	17389.5						
		Min	I	-431.5	-4.9	-0.0	-83.8
-15.3	-3179.1		J	-431.5	-4.9	-0.0	-83.8
-16.4	-3788.3						
		C3-C4;~1 Max	I	1827.6	1.3	0.0	363.6
83.6	13967.7		J	1827.6	1.3	0.0	363.6
90.9	16180.4						
		Min	I	-452.9	-4.8	-0.0	-87.8
-16.0	-3306.8		J	-452.9	-4.8	-0.0	-87.8
-17.2	-3949.8						
		C1-C2;~2 Max	I	1039.4	0.7	0.0	219.1

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
45.9	9107.8			J	1039.4	0.7	0.0	219.1
50.9	10312.6		Min	I	-247.2	-3.0	-0.0	-48.0
-8.7	-1817.7			J	-247.2	-3.0	-0.0	-48.0
-9.4	-2168.0							
			C3-C4;~2 Max	I	1089.8	0.7	0.0	219.8
52.0	8217.5			J	1089.8	0.7	0.0	219.8
56.4	9530.6		Min	I	-255.5	-2.9	-0.0	-49.5
-9.0	-1861.3			J	-255.5	-2.9	-0.0	-49.5
-9.7	-2225.4							
			G1	I	1226.5	-3.0	-0.5	233.5
9.7	9471.2			J	1226.5	-3.0	0.4	233.5
15.6	10965.3							
			G2	I	501.1	-1.2	-0.0	93.6
19.8	3785.9			J	501.1	-1.2	-0.0	93.6
22.1	4395.4							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-46.0	0.1	0.0	-16.4
0.8	-1746.5			J	-46.0	0.1	0.0	-16.4
-0.0	-1818.4							
			Q5_ps	I	-40.3	0.1	0.0	-16.0
1.2	-1763.6			J	-40.3	0.1	0.0	-16.0
0.3	-1829.9							
			INVSLU Max	I	4728.7	-2.5	-0.6	523.6
229.7	35786.5			J	4728.7	-2.5	0.6	523.6
246.8	40807.6		Min	I	1567.2	-11.2	-0.7	-115.3
93.9	7492.9			J	1567.2	-11.2	0.6	-115.3
100.8	8726.5							
			INVSLE Max	I	3484.7	-1.8	-0.5	369.9
172.3	26174.2			J	3484.7	-1.8	0.4	369.9
184.9	29851.2		Min	I	1149.0	-8.2	-0.5	-101.1
71.8	5448.9			J	1149.0	-8.2	0.4	-101.1
76.7	6329.8							
			70 C1-C2;~1 Max	I	1759.1	5.0	0.0	81.5
353	2			J	1759.1	5.0	0.0	81.5
83.3	17389.5							
			Min	I	-420.7	-1.0	-0.0	-359.5
74.7	15374.1							
-16.4	-3788.3							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-13.8	-3317.5		J	-420.7	-1.0	-0.0	-359.5
90.9	16180.4	C3-C4;~1 Max	I	1829.4	4.9	0.0	85.8
83.8	13961.4		J	1829.4	4.9	0.0	85.8
-17.2	-3949.8	Min	I	-441.5	-1.0	-0.0	-365.0
-14.5	-3458.4		J	-441.5	-1.0	-0.0	-365.0
50.9	10312.6	C1-C2;~2 Max	I	1041.2	3.0	0.0	46.6
45.6	9138.8		J	1041.2	3.0	0.0	46.6
-9.4	-2168.0	Min	I	-241.0	-0.6	-0.0	-216.4
-7.9	-1896.8		J	-241.0	-0.6	-0.0	-216.4
56.4	9530.6	C3-C4;~2 Max	I	1091.1	2.9	0.0	48.4
52.0	8209.0		J	1091.1	2.9	0.0	48.4
-9.7	-2225.4	Min	I	-249.0	-0.6	-0.0	-219.9
-8.2	-1946.9		J	-249.0	-0.6	-0.0	-219.9
15.6	10965.3	G1	I	1240.9	3.4	-0.4	-230.0
10.6	9302.2		J	1240.9	3.4	0.5	-230.0
22.1	4395.4	G2	I	506.8	1.4	0.0	-92.7
20.2	3718.5		J	506.8	1.4	0.0	-92.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-1818.4	Q5_pc	I	-45.5	-0.1	-0.0	17.9
0.6	-1752.4		J	-45.5	-0.1	-0.0	17.9
0.3	-1829.9	Q5_ps	I	-40.0	-0.1	-0.0	16.8
1.1	-1772.0		J	-40.0	-0.1	-0.0	16.8
246.8	40807.7	INVSLU Max	I	4781.0	12.1	-0.6	106.5
236.6	35428.0		J	4781.0	12.1	0.7	106.5
100.8	8726.5	Min	I	1633.4	3.8	-0.6	-534.3
102.9	6849.8		J	1633.4	3.8	0.6	-534.3
184.9	29851.2	INVSLE Max	I	3524.4	8.9	-0.4	94.2

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
177.6	25904.5		J	3524.4	8.9	0.5	94.2
		Min	I	1198.9	2.7	-0.5	-378.1
76.8	6329.8		J	1198.9	2.7	0.4	-378.1
78.6	4969.1						
354	2	70 C1-C2;~1 Max	I	1757.5	13.9	0.0	235.0
77.1	15373.6		J	1757.5	13.9	0.0	235.0
83.4	9385.5	Min	I	-409.2	-3.1	-0.1	-988.0
-14.4	-3317.3		J	-409.2	-3.1	-0.1	-988.0
-18.1	-1918.8						
		C3-C4;~1 Max	I	1826.0	14.3	0.0	246.9
86.3	13960.9		J	1826.0	14.3	0.0	246.9
86.6	7544.7	Min	I	-429.3	-3.3	-0.0	-1012.4
-15.1	-3458.3		J	-429.3	-3.3	-0.0	-1012.4
-18.7	-1987.3						
		C1-C2;~2 Max	I	1040.7	8.3	0.0	134.6
47.0	9138.5		J	1040.7	8.3	0.0	134.6
51.2	5623.3	Min	I	-234.4	-1.8	-0.0	-587.1
-8.2	-1896.8		J	-234.4	-1.8	-0.0	-587.1
-10.3	-1071.2						
		C3-C4;~2 Max	I	1089.4	8.5	0.0	139.3
53.5	8208.7		J	1089.4	8.5	0.0	139.3
53.8	4383.3	Min	I	-242.1	-1.8	-0.0	-604.3
-8.5	-1946.9		J	-242.1	-1.8	-0.0	-604.3
-10.5	-1094.0						
		G1	I	1250.9	9.8	-0.5	-674.8
12.2	9301.8		J	1250.9	9.8	0.4	-674.8
17.2	4471.8						
		G2	I	510.5	4.0	-0.0	-271.7
20.9	3718.4		J	510.5	4.0	-0.0	-271.7
22.6	1751.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-45.2	-0.4	0.0	49.6
0.5	-1752.4		J	-45.2	-0.4	0.0	49.6
0.1	-1552.0						
		Q5_ps	I	-40.1	-0.4	0.0	47.1
1.0	-1771.9		J	-40.1	-0.4	0.0	47.1


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.2	-1592.8							
		INVSLE	Max	I	4822.2	34.8	-0.6	271.1
240.1	35426.9			J	4822.2	34.8	0.7	271.1
243.5	19662.1							
			Min	I	1696.2	10.4	-0.7	-1518.3
102.4	6849.5			J	1696.2	10.4	0.5	-1518.3
101.1	1515.3							
		INVSLE	Max	I	3556.1	25.6	-0.4	244.4
180.0	25903.7			J	3556.1	25.6	0.5	244.4
182.2	14339.9							
			Min	I	1246.6	7.6	-0.5	-1074.4
78.1	4968.9			J	1246.6	7.6	0.4	-1074.4
76.7	1104.7							
		70 C1-C2;~1	Max	I	1755.9	22.7	0.1	354.7
355	2			J	1755.9	22.7	0.1	354.7
87.8	9385.0							
			Min	I	-396.8	-5.2	-0.0	-1489.1
50.8	2545.0			J	-396.8	-5.2	-0.0	-1489.1
-19.1	-1918.6							
-14.5	-6166.9							
		C3-C4;~1	Max	I	1822.1	23.3	0.1	372.5
91.2	7544.1			J	1822.1	23.3	0.1	372.5
60.7	1436.0							
			Min	I	-416.2	-5.4	-0.0	-1528.9
-19.9	-1987.1			J	-416.2	-5.4	-0.0	-1528.9
-10.2	-7211.8							
		C1-C2;~2	Max	I	1040.5	13.5	0.1	203.1
53.8	5623.0			J	1040.5	13.5	0.1	203.1
30.6	1534.8							
			Min	I	-227.3	-3.0	-0.0	-883.3
-10.9	-1071.2			J	-227.3	-3.0	-0.0	-883.3
-8.3	-3619.0							
		C3-C4;~2	Max	I	1087.8	13.9	0.1	210.1
56.5	4382.9			J	1087.8	13.9	0.1	210.1
37.0	777.9							
			Min	I	-234.8	-3.0	-0.0	-911.9
-11.2	-1093.9			J	-234.8	-3.0	-0.0	-911.9
-5.4	-4251.2							
		G1		I	1257.9	16.1	-0.4	-1030.5
20.4	4471.4			J	1257.9	16.1	0.5	-1030.5
-6.5	-3447.9							
		G2		I	512.5	6.5	0.0	-415.2
23.9	1751.3			J	512.5	6.5	0.0	-415.2
15.3	-1474.0							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc	I	-45.4	-0.7	72.8
-0.1	-1552.0			J	-45.4	-0.7	72.8
2.9	-1227.6						
			Q5_ps	I	-40.7	-0.6	69.2
-0.1	-1592.8			J	-40.7	-0.6	69.2
4.3	-1301.7						
			INVS LU Max	I	4860.4	57.7	306.0
250.4	19662.1			J	4860.4	57.7	306.0
204.9	-2469.7						
			Min	I	1756.8	17.7	-2391.9
100.2	1516.2			J	1756.8	17.7	-2391.9
98.2	-17851.0						
			INVS LE Max	I	3586.0	42.4	289.8
187.0	14339.9			J	3586.0	42.4	289.8
154.6	-1879.2						
			Min	I	1293.1	12.8	-1699.0
75.8	1105.5			J	1293.1	12.8	-1699.0
75.9	-13109.1						
			70 C1-C2;~1 Max	I	1754.0	30.2	409.8
356	2			J	1754.0	30.2	409.8
56.3	2542.5						
			Min	I	-380.7	-6.8	-1720.4
173.3	4172.5			J	-380.7	-6.8	-1720.4
-14.1	-6173.7						
-19.7	-20171.5						
			C3-C4;~1 Max	I	1821.5	31.1	430.2
66.2	1434.4			J	1821.5	31.1	430.2
178.7	4371.4						
			Min	I	-399.5	-7.2	-1766.6
-11.0	-7219.8			J	-399.5	-7.2	-1766.6
-13.9	-21836.6						
			C1-C2;~2 Max	I	1040.3	17.9	234.6
33.8	1533.1			J	1040.3	17.9	234.6
110.8	2387.5						
			Min	I	-218.1	-3.9	-1020.5
-7.9	-3622.8			J	-218.1	-3.9	-1020.5
-11.4	-11851.7						
			C3-C4;~2 Max	I	1088.4	18.6	242.6
40.2	776.7			J	1088.4	18.6	242.6
114.9	2466.2						
			Min	I	-225.3	-4.0	-1053.9
-5.9	-4256.0						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-7.4	-12927.4		J	-225.3	-4.0	-0.2	-1053.9
		G1	I	1261.3	21.5	-0.6	-1194.6
-2.4	-3454.1		J	1261.3	21.5	0.4	-1194.6
45.3	-14046.7						
		G2	I	512.6	8.8	-0.0	-481.4
17.0	-1476.5		J	512.6	8.8	-0.0	-481.4
25.2	-5790.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-46.0	-0.9	0.0	82.0
2.6	-1227.3		J	-46.0	-0.9	0.0	82.0
-9.6	-806.5						
		Q5_ps	I	-41.7	-0.8	0.0	78.1
4.1	-1301.4		J	-41.7	-0.8	0.0	78.1
-12.1	-922.9						
		INVS LU Max	I	4899.4	78.6	-0.7	247.1
213.4	-2479.1		J	4899.4	78.6	0.6	247.1
422.9	-18029.5	Min	I	1818.0	25.3	-1.1	-2866.1
100.3	-17867.2		J	1818.0	25.3	0.1	-2866.1
137.7	-54861.9						
		INVS LE Max	I	3617.0	57.8	-0.5	252.8
160.6	-1885.8		J	3617.0	57.8	0.4	252.8
318.1	-13200.5	Min	I	1340.7	18.5	-0.8	-2042.4
77.2	-13120.8		J	1340.7	18.5	0.1	-2042.4
108.1	-40376.2						
357	2	70 C1-C2;~1 Max	I	793.4	12.6	0.2	843.4
131.0	7560.2		J	793.4	12.6	0.2	843.4
36.3	3715.2	Min	I	-816.4	-15.2	-0.2	-624.6
-142.7	-11821.6		J	-816.4	-15.2	-0.2	-624.6
-26.6	-5193.2						
		C3-C4;~1 Max	I	857.7	13.1	0.2	864.0
146.8	7969.4		J	857.7	13.1	0.2	864.0
50.3	2466.1	Min	I	-850.0	-15.7	-0.2	-653.3
-136.3	-12749.0		J	-850.0	-15.7	-0.2	-653.3
-19.9	-5050.1						
		C1-C2;~2 Max	I	492.9	7.2	0.2	523.6
88.2	4269.2						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
21.3	2340.8		J	492.9	7.2	0.2	523.6
		Min	I	-466.2	-9.4	-0.1	-356.9
-77.2	-7435.0		J	-466.2	-9.4	-0.1	-356.9
-15.2	-3373.8						
		C3-C4;~2 Max	I	538.8	7.4	0.2	538.9
99.4	4500.2		J	538.8	7.4	0.2	538.9
30.3	1448.8	Min	I	-477.8	-9.7	-0.1	-368.6
-72.5	-8019.3		J	-477.8	-9.7	-0.1	-368.6
-11.1	-3191.4						
		G1	I	-295.1	1.9	-0.7	-51.2
-159.8	417.7		J	-295.1	1.9	0.2	-51.2
-30.8	-579.4						
		G2	I	-112.9	0.7	-0.1	-23.3
-52.7	65.2		J	-112.9	0.7	-0.1	-23.3
6.8	-285.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-18.0	0.6	0.0	-63.7
15.9	-266.4		J	-18.0	0.6	0.0	-63.7
3.1	-578.6						
		Q5_ps	I	-16.8	0.5	0.0	-64.0
14.2	-359.9		J	-16.8	0.5	0.0	-64.0
4.9	-649.5						
		INVSLU Max	I	-646.7	40.7	-1.1	220.9
-243.3	24061.5		J	-646.7	40.7	0.2	220.9
16.2	6717.0	Min	I	-2984.6	0.7	-1.8	-1942.2
-662.9	-4387.7		J	-2984.6	0.7	-0.4	-1942.2
-93.3	-6350.9						
		INVSLE Max	I	-544.4	31.0	-0.8	97.9
-190.3	18406.7		J	-544.4	31.0	0.2	97.9
11.7	5022.2	Min	I	-2273.8	1.5	-1.3	-1495.9
-498.9	-2631.3		J	-2273.8	1.5	-0.3	-1495.9
-69.0	-4580.5						
		70 C1-C2;~1 Max	I	861.8	9.5	0.1	729.4
358	2		J	861.8	9.5	0.1	729.4
34.4	3715.7						
		Min	I	-800.9	-12.0	-0.2	-522.7
81.5	6482.4		J	-800.9	-12.0	-0.2	-522.7
-26.8	-5191.0						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-52.8	-4614.6							
		C3-C4;~1	Max	I	922.5	10.0	0.1	751.4
48.1	2465.0			J	922.5	10.0	0.1	751.4
80.4	4967.3							
			Min	I	-836.2	-12.3	-0.1	-546.4
-19.5	-5046.5			J	-836.2	-12.3	-0.1	-546.4
-54.7	-4664.7							
		C1-C2;~2	Max	I	529.9	5.5	0.1	452.8
20.1	2341.3			J	529.9	5.5	0.1	452.8
49.4	4023.2							
			Min	I	-457.8	-7.4	-0.1	-298.6
-15.3	-3372.5			J	-457.8	-7.4	-0.1	-298.6
-30.1	-2591.5							
		C3-C4;~2	Max	I	573.6	5.6	0.1	468.7
28.9	1448.3			J	573.6	5.6	0.1	468.7
48.7	2964.6							
			Min	I	-472.2	-7.6	-0.1	-305.4
-10.9	-3189.0			J	-472.2	-7.6	-0.1	-305.4
-30.7	-2571.7							
				G1				
				I	-178.5	1.1	-0.5	-33.1
-30.6	-581.1			J	-178.5	1.1	0.5	-33.1
-31.4	-1111.1							
				G2				
				I	-65.5	0.4	0.0	-16.0
6.9	-286.1			J	-65.5	0.4	0.0	-16.0
1.9	-463.6							
				Q3				
				I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
				Q5_pc				
				I	-26.6	0.5	0.0	-55.1
3.3	-578.7			J	-26.6	0.5	0.0	-55.1
-4.5	-813.2							
				Q5_ps				
				I	-25.0	0.4	0.0	-55.0
5.0	-649.6			J	-25.0	0.4	0.0	-55.0
-4.8	-865.1							
				INVSLU				
			Max	I	-296.5	30.1	-0.3	236.5
16.2	6709.1			J	-296.5	30.1	1.0	236.5
-22.1	2729.5							
			Min	I	-2718.6	-0.9	-0.7	-1614.7
-90.8	-6356.6			J	-2718.6	-0.9	0.5	-1614.7
-214.2	-13782.8							
				INVSLE				
			Max	I	-283.8	23.0	-0.2	119.0
11.9	5016.0			J	-283.8	23.0	0.7	119.0

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-21.1	1694.4		Min	I	-2074.4	0.1	-0.5	-1244.9	
-67.0	-4585.1			J	-2074.4	0.1	0.4	-1244.9	
-162.8	-10428.6								
359	2	70	C1-C2;~1	Max	I	919.7	5.6	0.1	502.8
79.8	6483.0				J	919.7	5.6	0.1	502.8
62.7	8901.5								
			Min	I	-780.2	-7.6	-0.1	-325.8	
-51.3	-4615.1				J	-780.2	-7.6	-0.1	-325.8
-33.8	-7113.7								
			C3-C4;~1	Max	I	985.4	5.8	0.1	517.5
78.5	4968.2				J	985.4	5.8	0.1	517.5
74.3	7839.6								
			Min	I	-815.4	-7.6	-0.1	-340.1	
-53.2	-4665.2				J	-815.4	-7.6	-0.1	-340.1
-35.2	-7320.2								
			C1-C2;~2	Max	I	561.6	3.2	0.1	313.9
48.3	4023.6				J	561.6	3.2	0.1	313.9
39.3	5466.6								
			Min	I	-446.1	-4.7	-0.0	-186.0	
-29.3	-2591.8				J	-446.1	-4.7	-0.0	-186.0
-19.3	-4050.3								
			C3-C4;~2	Max	I	608.5	3.3	0.0	323.9
47.4	2965.2				J	608.5	3.3	0.0	323.9
47.4	4746.8								
			Min	I	-460.4	-4.7	-0.0	-190.5	
-29.8	-2572.0				J	-460.4	-4.7	-0.0	-190.5
-19.8	-4101.8								
			G1	I	-87.0	0.4	-0.5	-4.1	
-31.4	-1110.9				J	-87.0	0.4	0.5	-4.1
-31.7	-1323.5								
			G2	I	-28.3	0.1	-0.0	-3.9	
1.9	-463.5				J	-28.3	0.1	-0.0	-3.9
2.8	-527.1								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	-26.6	0.3	-0.0	-36.2	
-4.3	-813.3				J	-26.6	0.3	-0.0	-36.2
1.6	-966.6								
			Q5_ps	I	-24.1	0.3	-0.0	-35.7	
-4.6	-865.1				J	-24.1	0.3	-0.0	-35.7
2.1	-1003.4								

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-22.1	2730.0	INVSLE Max	I	13.6	17.2	-0.5	227.0
			J	13.6	17.2	0.7	227.0
-0.9	1705.0	INVSLE Min	I	-2465.3	-1.5	-0.8	-995.8
-209.4	-13784.0		J	-2465.3	-1.5	0.4	-995.8
-151.8	-21934.2						
		INVSLE Max	I	-51.3	13.1	-0.4	131.7
-21.0	1694.7		J	-51.3	13.1	0.5	131.7
-3.4	720.7	INVSLE Min	I	-1883.9	-0.7	-0.6	-769.3
-159.2	-10429.5		J	-1883.9	-0.7	0.3	-769.3
-114.9	-16660.9						
360	2	70 C1-C2;~1 Max	I	969.5	1.7	0.0	202.2
61.6	8901.9		J	969.5	1.7	0.0	202.2
67.2	9550.4	INVSLE Min	I	-756.8	-3.1	-0.0	-94.3
-33.1	-7114.0		J	-756.8	-3.1	-0.0	-94.3
-35.5	-7852.7						
		C3-C4;~1 Max	I	1041.1	1.7	0.0	209.9
73.2	7840.1		J	1041.1	1.7	0.0	209.9
76.4	8632.8	INVSLE Min	I	-791.6	-2.8	-0.0	-97.0
-34.4	-7320.5		J	-791.6	-2.8	-0.0	-97.0
-37.2	-8115.2						
		C1-C2;~2 Max	I	588.6	1.0	0.0	128.0
38.6	5466.9		J	588.6	1.0	0.0	128.0
42.2	5846.9	INVSLE Min	I	-432.8	-2.0	-0.0	-52.9
-18.9	-4050.5		J	-432.8	-2.0	-0.0	-52.9
-20.3	-4478.9						
		C3-C4;~2 Max	I	639.2	1.0	0.0	132.7
46.7	4747.1		J	639.2	1.0	0.0	132.7
48.7	5232.2	INVSLE Min	I	-446.9	-1.8	-0.0	-54.4
-19.4	-4102.0		J	-446.9	-1.8	-0.0	-54.4
-21.0	-4556.3						
		G1	I	-3.3	0.2	-0.5	12.1
-31.7	-1323.4		J	-3.3	0.2	0.4	12.1
-27.3	-1420.9						
		G2	I	5.7	0.1	-0.0	3.6
2.8	-527.0		J	5.7	0.1	-0.0	3.6
4.3	-557.8						
		Q3	I	0.0	0.0	0.0	0.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
1.7	-966.6	Q5_pc		I	-25.9	0.1	0.0
				J	-25.9	0.1	0.0
0.1	-1034.3						
2.2	-1003.4	Q5_ps		I	-22.6	0.1	0.0
				J	-22.6	0.1	0.0
0.4	-1061.8						
-1.3	1705.2	INVS LU Max		I	311.4	5.3	-0.6
				J	311.4	5.3	0.6
12.4	1286.2	Min		I	-2209.3	-1.5	-0.7
				J	-2209.3	-1.5	0.5
-149.6	-21934.9						
-141.2	-24424.1						
-3.6	720.8	INVS LE Max		I	173.1	4.0	-0.5
				J	173.1	4.0	0.5
6.9	354.7	Min		I	-1690.6	-1.0	-0.5
				J	-1690.6	-1.0	0.4
-113.2	-16661.5						
-106.9	-18552.1						
361	2	70 C1-C2;~1 Max		I	1012.6	3.8	0.0
67.2	9550.5			J	1012.6	3.8	0.0
62.6	8157.1	Min		I	-731.4	-2.3	-0.0
				J	-731.4	-2.3	-0.0
-35.6	-7852.6						
-31.1	-6778.1						
76.4	8632.9	C3-C4;~1 Max		I	1088.0	3.7	0.0
				J	1088.0	3.7	0.0
71.5	7030.5	Min		I	-765.5	-2.4	-0.0
				J	-765.5	-2.4	-0.0
-37.4	-8115.1						
-32.6	-6982.5						
42.2	5846.9	C1-C2;~2 Max		I	612.1	2.4	0.0
				J	612.1	2.4	0.0
39.2	5010.9	Min		I	-418.3	-1.3	-0.0
				J	-418.3	-1.3	-0.0
-20.4	-4478.9						
-17.8	-3860.9						
48.7	5232.2	C3-C4;~2 Max		I	665.0	2.3	0.0
				J	665.0	2.3	0.0
45.7	4243.9	Min		I	-432.1	-1.4	-0.0
				J	-432.1	-1.4	-0.0
-21.1	-4556.3						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-18.4	-3915.1						
		G1	I	74.3	0.4	-0.5	5.7
-27.4	-1420.8		J	74.3	0.4	0.4	5.7
-23.3	-1604.6						
		G2	I	37.1	0.2	-0.0	2.3
4.3	-557.8		J	37.1	0.2	-0.0	2.3
6.1	-637.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-25.3	-0.0	0.0	12.7
0.1	-1034.3		J	-25.3	-0.0	0.0	12.7
-0.3	-1017.1						
		Q5_ps	I	-21.4	-0.0	0.0	13.9
0.4	-1061.8		J	-21.4	-0.0	0.0	13.9
0.1	-1042.7						
		INVSLU Max	I	597.3	2.7	-0.6	434.5
12.3	1286.3		J	597.3	2.7	0.6	434.5
27.8	614.4						
		Min	I	-1950.5	-5.8	-0.7	-134.5
-141.5	-24424.0		J	-1950.5	-5.8	0.5	-134.5
-113.2	-21654.9						
		INVSLE Max	I	389.3	1.8	-0.5	335.9
6.8	354.8		J	389.3	1.8	0.4	335.9
19.2	-45.9						
		Min	I	-1494.6	-4.5	-0.5	-83.9
-107.1	-18552.0		J	-1494.6	-4.5	0.4	-83.9
-85.2	-16406.0						
362	2	70 C1-C2;~1 Max	I	1046.8	9.0	0.1	381.0
63.8	8156.6		J	1046.8	9.0	0.1	381.0
50.3	5296.4						
		Min	I	-705.0	-6.0	-0.0	-540.0
-32.0	-6777.7		J	-705.0	-6.0	-0.0	-540.0
-29.5	-4155.5						
		C3-C4;~1 Max	I	1123.8	9.4	0.1	400.5
72.7	7030.0		J	1123.8	9.4	0.1	400.5
62.1	3844.1						
		Min	I	-738.3	-6.3	-0.0	-537.0
-33.6	-6982.1		J	-738.3	-6.3	-0.0	-537.0
-27.8	-4199.4						
		C1-C2;~2 Max	I	630.1	5.5	0.1	218.0
39.9	5010.7		J	630.1	5.5	0.1	218.0

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
30.7	3334.3		Min	I	-403.3	-3.4	-0.0	-332.7
-18.4	-3860.7			J	-403.3	-3.4	-0.0	-332.7
-16.1	-2314.6							
		C3-C4;~2	Max	I	683.7	5.8	0.0	225.8
46.4	4243.6			J	683.7	5.8	0.0	225.8
38.5	2335.7		Min	I	-416.8	-3.5	-0.0	-331.5
-19.0	-3914.9			J	-416.8	-3.5	-0.0	-331.5
-15.0	-2302.7							
		G1		I	146.6	0.9	-0.4	-21.1
-23.2	-1604.6			J	146.6	0.9	0.5	-21.1
-31.3	-2060.4							
		G2		I	66.1	0.4	0.0	-7.9
6.1	-637.2			J	66.1	0.4	0.0	-7.9
3.3	-841.2							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-25.1	-0.2	-0.0	34.6
-0.3	-1017.1			J	-25.1	-0.2	-0.0	34.6
4.2	-919.2							
		Q5_ps		I	-20.6	-0.2	-0.0	35.5
-0.0	-1042.7			J	-20.6	-0.2	-0.0	35.5
5.1	-952.6							
		INVS LU	Max	I	866.1	6.2	-0.5	1072.0
28.2	614.3			J	866.1	6.2	0.7	1072.0
35.9	-46.9		Min	I	-1693.0	-15.4	-0.7	-259.9
-115.9	-21653.8			J	-1693.0	-15.4	0.5	-259.9
-95.2	-14520.8							
		INVS LE	Max	I	593.1	4.1	-0.4	830.9
19.4	-45.9			J	593.1	4.1	0.5	830.9
26.6	-296.4		Min	I	-1299.1	-11.8	-0.5	-151.1
-87.4	-16405.2			J	-1299.1	-11.8	0.4	-151.1
-70.0	-10895.3							
363	2	70 C1-C2;~1	Max	I	1081.8	14.3	0.0	559.9
52.5	5296.1			J	1081.8	14.3	0.0	559.9
71.1	2450.0		Min	I	-680.2	-9.4	-0.1	-796.6
-30.0	-4155.1			J	-680.2	-9.4	-0.1	-796.6
-33.7	-6358.7							


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


64.4	3843.8	C3-C4;~1	Max	I	1158.4	15.1	0.1	588.0
				J	1158.4	15.1	0.1	588.0
67.2	2141.3		Min	I	-712.9	-9.9	-0.1	-816.0
-29.4	-4199.1			J	-712.9	-9.9	-0.1	-816.0
-35.0	-6908.8							
		C1-C2;~2	Max	I	648.8	8.6	0.0	320.3
32.1	3334.1			J	648.8	8.6	0.0	320.3
42.2	1476.3		Min	I	-389.2	-5.4	-0.1	-485.6
-16.3	-2314.3			J	-389.2	-5.4	-0.1	-485.6
-19.1	-3840.6							
		C3-C4;~2	Max	I	702.1	9.2	0.0	331.6
40.0	2335.5			J	702.1	9.2	0.0	331.6
38.6	1266.6		Min	I	-402.4	-5.6	-0.1	-500.5
-15.9	-2302.6			J	-402.4	-5.6	-0.1	-500.5
-19.5	-4154.7							
		G1		I	217.0	1.8	-0.5	-54.1
-31.2	-2060.2			J	217.0	1.8	0.4	-54.1
-19.1	-2945.9							
		G2		I	93.9	0.8	-0.0	-21.4
3.4	-841.1			J	93.9	0.8	-0.0	-21.4
9.0	-1233.9							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-26.4	-0.3	0.0	48.8
4.0	-919.2			J	-26.4	-0.3	0.0	48.8
-3.3	-750.5							
		Q5_ps		I	-21.7	-0.3	0.0	49.1
4.9	-952.6			J	-21.7	-0.3	0.0	49.1
-3.0	-803.0							
		INVSLU	Max	I	1131.4	11.0	-0.5	1541.3
36.6	-45.9			J	1131.4	11.0	0.7	1541.3
35.6	730.9		Min	I	-1442.3	-23.4	-0.8	-442.0
-98.1	-14519.1			J	-1442.3	-23.4	0.4	-442.0
-113.6	-13254.4							
		INVSLE	Max	I	794.4	7.4	-0.4	1195.3
27.0	-295.6			J	794.4	7.4	0.5	1195.3
24.7	642.4							

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
-72.2	-10893.9	Min	I	-1108.6	-18.1	-0.6	-267.2	
			J	-1108.6	-18.1	0.3	-267.2	
-85.4	-9617.0							
364	2	70 C1-C2;~1	Max	I	1139.7	18.8	0.0	634.2
73.8	2449.7			J	1139.7	18.8	0.0	634.2
148.3	7206.5							
		Min	I	-662.2	-12.3	-0.2	-909.4	
-35.8	-6365.2		J	-662.2	-12.3	-0.2	-909.4	
-18.5	-14659.3							
		C3-C4;~1	Max	I	1208.7	20.0	0.1	665.5
69.9	2142.4		J	1208.7	20.0	0.1	665.5	
141.1	7518.9							
		Min	I	-695.2	-12.9	-0.2	-939.4	
-37.2	-6915.3		J	-695.2	-12.9	-0.2	-939.4	
-17.7	-16084.0							
		C1-C2;~2	Max	I	683.3	11.4	0.0	362.7
43.8	1475.8		J	683.3	11.4	0.0	362.7	
96.1	4090.4							
		Min	I	-379.1	-7.0	-0.1	-553.5	
-20.3	-3844.5		J	-379.1	-7.0	-0.1	-553.5	
-9.8	-8789.2							
		C3-C4;~2	Max	I	731.9	12.2	0.0	375.4
40.4	1266.9		J	731.9	12.2	0.0	375.4	
86.3	4261.2							
		Min	I	-392.3	-7.3	-0.1	-575.5	
-20.8	-4158.6		J	-392.3	-7.3	-0.1	-575.5	
-9.2	-9714.4							
		G1	I	298.8	2.8	-0.6	-65.0	
-18.8	-2947.9		J	298.8	2.8	0.3	-65.0	
36.7	-4320.7							
		G2	I	125.0	1.2	-0.0	-26.3	
9.1	-1234.7		J	125.0	1.2	-0.0	-26.3	
21.8	-1837.7							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	-33.4	-0.4	0.0	51.6	
-3.5	-750.0		J	-33.4	-0.4	0.0	51.6	
-15.5	-534.7							
		Q5_ps	I	-29.5	-0.4	0.0	51.1	
-3.2	-802.5		J	-29.5	-0.4	0.0	51.1	
-19.3	-617.4							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
36.7	733.3	INVSLE Max	I	1429.4	16.1	-1.1	1718.7
			J	1429.4	16.1	0.2	1718.7
412.9	12919.3	Min	I	-1200.9	-29.1	-1.5	-540.7
-119.5	-13259.5		J	-1200.9	-29.1	-0.3	-540.7
156.6	-19907.1						
		INVSLE Max	I	1018.4	11.0	-0.8	1332.3
25.3	644.6		J	1018.4	11.0	0.1	1332.3
312.3	10117.7	Min	I	-925.5	-22.4	-1.1	-334.5
-90.0	-9620.4		J	-925.5	-22.4	-0.2	-334.5
125.6	-14126.8						
365	2	70 C1-C2;~1 Max	I	893.2	12.7	0.2	692.6
169.1	6823.4		J	893.2	12.7	0.2	692.6
100.9	5549.2	Min	I	-790.7	-16.8	-0.2	-531.1
-114.1	-7288.9		J	-790.7	-16.8	-0.2	-531.1
-20.8	-2540.7						
		C3-C4;~1 Max	I	836.4	13.1	0.2	605.2
160.0	7097.4		J	836.4	13.1	0.2	605.2
79.8	4696.5	Min	I	-815.9	-15.5	-0.2	-549.7
-114.4	-7705.2		J	-815.9	-15.5	-0.2	-549.7
-20.6	-2694.9						
		C1-C2;~2 Max	I	570.1	7.3	0.2	434.2
111.6	3862.9		J	570.1	7.3	0.2	434.2
60.9	3595.6	Min	I	-453.2	-10.6	-0.1	-304.7
-63.5	-4383.1		J	-453.2	-10.6	-0.1	-304.7
-11.7	-1530.6						
		C3-C4;~2 Max	I	529.0	7.4	0.2	369.8
105.9	3976.1		J	529.0	7.4	0.2	369.8
47.0	3016.3	Min	I	-460.1	-9.7	-0.1	-310.3
-62.7	-4641.6		J	-460.1	-9.7	-0.1	-310.3
-11.4	-1602.6						
		G1	I	-255.5	1.8	-0.7	-31.1
-106.6	1847.5		J	-255.5	1.8	0.2	-31.1
10.3	989.8						
		G2	I	-97.5	0.6	-0.1	-4.9
-33.8	681.8		J	-97.5	0.6	-0.1	-4.9
20.1	376.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0						

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	0.0	0.0	0.0	0.0
-13.5	-2396.5	Q5_pc	I	-2.3	-0.3	-0.0	30.0
-9.1	-2245.1		J	-2.3	-0.3	-0.0	30.0
-15.1	-2358.0	Q5_ps	I	-1.7	-0.3	-0.0	31.9
-9.7	-2212.2		J	-1.7	-0.3	-0.0	31.9
-125.5	27130.6	INVS LU Max	I	-604.6	42.4	-1.0	-18.2
146.2	13287.8		J	-604.6	42.4	0.2	-18.2
-532.6	2833.4	Min	I	-2916.2	1.5	-1.7	-1749.3
-34.6	-1883.0		J	-2916.2	1.5	-0.5	-1749.3
-100.8	20563.3	INVS LE Max	I	-514.1	32.5	-0.8	-79.8
106.0	9802.9		J	-514.1	32.5	0.1	-79.8
-400.5	2884.9	Min	I	-2226.1	2.2	-1.3	-1358.1
-26.6	-1135.3		J	-2226.1	2.2	-0.4	-1358.1
366	2	70 C1-C2;~1 Max	I	928.0	9.4	0.2	627.8
98.9	5550.7		J	928.0	9.4	0.2	627.8
62.8	10821.0	Min	I	-761.8	-13.2	-0.0	-453.5
-19.2	-2539.4		J	-761.8	-13.2	-0.0	-453.5
-48.5	-4582.1						
78.0	4697.6	C3-C4;~1 Max	I	869.8	9.7	0.2	541.7
56.9	9109.4		J	869.8	9.7	0.2	541.7
-18.9	-2692.2	Min	I	-788.6	-12.4	-0.1	-470.0
-49.1	-4598.6		J	-788.6	-12.4	-0.1	-470.0
59.7	3597.0	C1-C2;~2 Max	I	588.4	5.4	0.1	392.9
41.7	6995.1		J	588.4	5.4	0.1	392.9
-10.8	-1530.0	Min	I	-436.8	-8.3	-0.0	-260.4
-26.4	-2592.2		J	-436.8	-8.3	-0.0	-260.4
45.9	3017.4	C3-C4;~2 Max	I	545.9	5.5	0.1	329.6
37.4	5827.3		J	545.9	5.5	0.1	329.6
-10.4	-1601.0	Min	I	-444.9	-7.7	-0.0	-265.5
-26.7	-2551.4		J	-444.9	-7.7	-0.0	-265.5


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

10.4	989.0	G1	I	-169.5	0.8	-0.3	2.4
-60.2	584.6		J	-169.5	0.8	0.6	2.4
20.1	376.4	G2	I	-62.0	0.3	0.1	7.8
-6.9	243.9		J	-62.0	0.3	0.1	7.8
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-9.2	-2244.7	Q5_pc	I	6.4	-0.3	-0.0	27.3
5.3	-2094.2		J	6.4	-0.3	-0.0	27.3
-9.8	-2211.8	Q5_ps	I	7.0	-0.3	-0.0	28.8
5.6	-2069.5		J	7.0	-0.3	-0.0	28.8
146.8	13282.6	INVS LU Max	I	-335.5	30.5	0.0	68.5
-86.4	11601.8		J	-335.5	30.5	1.3	68.5
-29.2	-1886.0	Min	I	-2664.4	-1.0	-0.4	-1462.7
-247.0	-12984.1		J	-2664.4	-1.0	0.9	-1462.7
106.7	9798.8	INVS LE Max	I	-312.3	23.4	0.0	-7.9
-67.8	8151.3		J	-312.3	23.4	0.9	-7.9
-22.4	-1137.9	Min	I	-2036.5	0.1	-0.3	-1138.5
-186.1	-9781.3		J	-2036.5	0.1	0.7	-1138.5
367	2	70 C1-C2;~1 Max	I	1005.3	5.7	0.0	457.9
61.3	10822.1		J	1005.3	5.7	0.0	457.9
92.0	14484.1	Min	I	-742.7	-8.6	-0.1	-292.1
-47.3	-4582.6		J	-742.7	-8.6	-0.1	-292.1
-38.2	-7364.2						
55.4	9110.3	C3-C4;~1 Max	I	939.8	5.9	0.0	380.9
80.0	12509.8		J	939.8	5.9	0.0	380.9
-47.8	-4599.0	Min	I	-770.8	-8.2	-0.1	-303.2
-39.6	-7474.8		J	-770.8	-8.2	-0.1	-303.2
40.8	6995.8	C1-C2;~2 Max	I	631.5	3.3	0.0	286.9
59.0	9257.1		J	631.5	3.3	0.0	286.9


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-25.7	-2592.4		Min	I	-426.2	-5.4	-0.1	-167.8
				J	-426.2	-5.4	-0.1	-167.8
-21.9	-4203.8							
		C3-C4;~2	Max	I	584.1	3.3	0.0	230.3
36.5	5827.8			J	584.1	3.3	0.0	230.3
50.6	7908.2							
			Min	I	-435.0	-5.1	-0.0	-171.3
-26.0	-2551.7			J	-435.0	-5.1	-0.0	-171.3
-22.3	-4191.8							
		G1		I	-65.4	0.2	-0.5	37.5
-60.2	584.9			J	-65.4	0.2	0.4	37.5
-26.1	496.2							
		G2		I	-20.1	0.0	-0.0	20.1
-7.0	244.0			J	-20.1	0.0	-0.0	20.1
5.8	222.4							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	7.6	-0.2	0.0	19.8
5.2	-2094.2			J	7.6	-0.2	0.0	19.8
-1.7	-1972.5							
		Q5_ps		I	7.5	-0.2	0.0	20.6
5.5	-2069.6			J	7.5	-0.2	0.0	20.6
-2.0	-1957.6							
		INVSLU	Max	I	16.6	17.9	-0.7	145.1
-86.2	11603.3			J	16.6	17.9	0.5	145.1
25.4	11488.3							
			Min	I	-2394.8	-2.0	-0.9	-918.0
-242.9	-12984.8			J	-2394.8	-2.0	0.3	-918.0
-155.3	-21706.7							
		INVSLE	Max	I	-49.1	13.8	-0.6	67.0
-67.5	8152.3			J	-49.1	13.8	0.4	67.0
15.7	7825.6							
			Min	I	-1834.3	-1.0	-0.7	-717.8
-182.8	-9781.8			J	-1834.3	-1.0	0.2	-717.8
-117.9	-16500.2							
		70 C1-C2;~1	Max	I	1082.1	2.0	0.0	219.7
368	2			J	1082.1	2.0	0.0	219.7
91.0	14484.6							
			Min	I	-724.8	-3.6	-0.0	-99.7
87.4	15810.2			J	-724.8	-3.6	-0.0	-99.7
-37.4	-7364.6							
-37.0	-8331.9							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
79.1	12510.3	C3-C4;~1	Max	I	1010.8	2.1	0.0	171.1
				J	1010.8	2.1	0.0	171.1
77.7	13800.0		Min	I	-753.0	-3.5	-0.0	-102.7
-38.8	-7475.1			J	-753.0	-3.5	-0.0	-102.7
-38.7	-8475.6							
58.4	9257.4	C1-C2;~2	Max	I	673.7	1.2	0.0	139.5
				J	673.7	1.2	0.0	139.5
56.3	10075.4		Min	I	-415.9	-2.3	-0.0	-56.8
-21.5	-4204.0			J	-415.9	-2.3	-0.0	-56.8
-21.2	-4763.9							
50.1	7908.5	C3-C4;~2	Max	I	622.9	1.2	0.0	104.3
				J	622.9	1.2	0.0	104.3
49.4	8706.4		Min	I	-425.0	-2.2	-0.0	-57.9
-21.9	-4192.0			J	-425.0	-2.2	-0.0	-57.9
-21.8	-4761.9							
-26.3	496.3		G1	I	36.3	0.1	-0.5	45.8
				J	36.3	0.1	0.5	45.8
-27.1	447.0							
5.7	222.5		G2	I	20.5	0.0	0.0	21.0
				J	20.5	0.0	0.0	21.0
5.6	201.1							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
-1.8	-1972.5		Q5_pc	I	7.3	-0.2	-0.0	10.7
				J	7.3	-0.2	-0.0	10.7
-0.2	-1879.3							
-2.1	-1957.6		Q5_ps	I	6.4	-0.2	-0.0	10.9
				J	6.4	-0.2	-0.0	10.9
-0.4	-1873.5							
25.2	11488.5	INVSLU	Max	I	373.7	6.6	-0.6	142.8
				J	373.7	6.6	0.7	142.8
24.3	11386.9		Min	I	-2116.8	-1.4	-0.7	-311.7
-153.2	-21707.5			J	-2116.8	-1.4	0.6	-311.7
-146.3	-24781.6							
15.7	7825.8	INVSLE	Max	I	218.6	5.0	-0.5	89.2
				J	218.6	5.0	0.5	89.2
15.6	7670.5		Min	I	-1625.2	-0.9	-0.5	-246.1


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-116.2	-16500.9			J	-1625.2	-0.9	0.4	-246.1	
-110.8	-18870.4								
369	2	70	C1-C2;~1	Max	I	1150.8	3.6	0.0	109.4
87.3	15810.3				J	1150.8	3.6	0.0	109.4
73.6	14568.2			Min	I	-704.4	-1.7	-0.0	-169.0
-37.1	-8331.9				J	-704.4	-1.7	-0.0	-169.0
-29.0	-7489.0								
			C3-C4;~1	Max	I	1073.6	3.4	0.0	111.5
77.6	13800.1				J	1073.6	3.4	0.0	111.5
64.0	12710.1			Min	I	-732.4	-1.8	-0.0	-134.1
-38.7	-8475.6				J	-732.4	-1.8	-0.0	-134.1
-30.3	-7599.3								
			C1-C2;~2	Max	I	711.7	2.3	0.0	62.4
56.2	10075.5				J	711.7	2.3	0.0	62.4
48.4	9327.7			Min	I	-404.2	-1.0	-0.0	-110.1
-21.2	-4763.9				J	-404.2	-1.0	-0.0	-110.1
-16.6	-4277.8								
			C3-C4;~2	Max	I	657.3	2.2	0.0	62.6
49.4	8706.5				J	657.3	2.2	0.0	62.6
41.5	8069.9			Min	I	-413.5	-1.0	-0.0	-84.4
-21.8	-4762.0				J	-413.5	-1.0	-0.0	-84.4
-17.1	-4264.8								
			G1		I	131.1	0.5	-0.5	20.5
-27.2	447.1				J	131.1	0.5	0.5	20.5
-31.0	173.6								
			G2		I	58.1	0.2	0.0	8.2
5.5	201.1				J	58.1	0.2	0.0	8.2
4.3	74.8								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc		I	7.1	-0.1	-0.0	1.4
-0.3	-1879.2				J	7.1	-0.1	-0.0	1.4
0.4	-1814.0								
			Q5_ps		I	5.5	-0.1	-0.0	1.3
-0.4	-1873.5				J	5.5	-0.1	-0.0	1.3
0.4	-1814.7								
			INVSLU	Max	I	720.3	3.5	-0.6	290.1


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
24.3	11387.1			J	720.3	3.5	0.7	290.1
19.8	10393.6		Min	I	-1834.8	-4.0	-0.7	-91.1
-146.3	-24781.6			J	-1834.8	-4.0	0.6	-91.1
-121.3	-22797.7							
			INVSLE Max	I	479.2	2.4	-0.5	224.7
15.5	7670.6			J	479.2	2.4	0.5	224.7
13.3	7011.8		Min	I	-1412.5	-3.1	-0.5	-57.6
-110.8	-18870.4			J	-1412.5	-3.1	0.4	-57.6
-91.2	-17332.5							
370	2	70	C1-C2;~1 Max	I	1204.3	9.1	0.0	305.7
74.7	14567.8			J	1204.3	9.1	0.0	305.7
108.7	10470.7		Min	I	-682.4	-5.3	-0.1	-468.5
-29.8	-7488.7			J	-682.4	-5.3	-0.1	-468.5
-37.4	-4948.7							
			C3-C4;~1 Max	I	1124.3	8.3	0.0	315.7
65.0	12709.8			J	1124.3	8.3	0.0	315.7
94.4	9014.3		Min	I	-710.1	-5.5	-0.1	-425.5
-31.1	-7599.0			J	-710.1	-5.5	-0.1	-425.5
-38.8	-4955.4							
			C1-C2;~2 Max	I	740.1	5.6	0.0	175.7
49.0	9327.4			J	740.1	5.6	0.0	175.7
66.4	6810.9		Min	I	-391.6	-3.0	-0.1	-290.8
-17.1	-4277.6			J	-391.6	-3.0	-0.1	-290.8
-21.4	-2798.6							
			C3-C4;~2 Max	I	684.2	5.0	0.0	178.3
42.1	8069.7			J	684.2	5.0	0.0	178.3
56.9	5840.7		Min	I	-400.9	-3.1	-0.1	-260.1
-17.6	-4264.6			J	-400.9	-3.1	-0.1	-260.1
-21.9	-2751.3							
			G1	I	218.9	1.5	-0.5	-34.0
-31.0	173.6			J	218.9	1.5	0.4	-34.0
0.2	-568.4							
			G2	I	92.9	0.6	-0.0	-15.9
4.3	74.8			J	92.9	0.6	-0.0	-15.9
16.3	-253.3							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0


MIDAS

PROJECT TITLE :

		Company						Client
		Author						File Name
0.0	0.0							
0.4	-1814.0	Q5_pc	I	6.9	-0.1	0.0	-6.9	
-3.0	-1775.5		J	6.9	-0.1	0.0	-6.9	
0.4	-1814.7	Q5_ps	I	4.7	-0.1	0.0	-6.9	
-3.6	-1777.8		J	4.7	-0.1	0.0	-6.9	
20.2	10393.5	INVS LU Max	I	1042.7	7.0	-0.7	826.6	
131.2	7521.9		J	1042.7	7.0	0.5	826.6	
-123.4	-22796.9	Min	I	-1554.2	-12.8	-0.9	-244.5	
-73.4	-16499.2		J	-1554.2	-12.8	0.4	-244.5	
13.5	7011.7	INVS LE Max	I	722.3	4.8	-0.5	647.1	
95.9	5110.9		J	722.3	4.8	0.4	647.1	
-92.8	-17331.9	Min	I	-1200.4	-9.9	-0.7	-145.4	
-55.2	-12445.7		J	-1200.4	-9.9	0.3	-145.4	
371	2	70 C1-C2;~1 Max	I	1246.7	14.9	0.3	469.7	
110.8	10470.6		J	1246.7	14.9	0.3	469.7	
14.9	4424.1	Min	I	-659.8	-8.6	-0.1	-748.6	
-38.8	-4948.5		J	-659.8	-8.6	-0.1	-748.6	
96.4	9014.2	C3-C4;~1 Max	I	1170.2	13.4	0.3	485.8	
10.3	3589.3		J	1170.2	13.4	0.3	485.8	
-40.2	-4955.2	Min	I	-687.2	-9.0	-0.1	-687.1	
-65.0	-4442.6		J	-687.2	-9.0	-0.1	-687.1	
67.7	6810.7	C1-C2;~2 Max	I	762.0	9.2	0.2	269.9	
9.0	2944.5		J	762.0	9.2	0.2	269.9	
-22.2	-2798.5	Min	I	-378.6	-5.0	-0.1	-459.8	
-43.0	-2227.0		J	-378.6	-5.0	-0.1	-459.8	
58.2	5840.6	C3-C4;~2 Max	I	709.1	8.1	0.2	274.4	
5.6	2370.8		J	709.1	8.1	0.2	274.4	
-22.7	-2751.2	Min	I	-388.0	-5.1	-0.1	-416.7	
-39.0	-2595.8		J	-388.0	-5.1	-0.1	-416.7	


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.5	-568.1	G1	I	298.0	2.8	-0.3	-99.7
			J	298.0	2.8	0.6	-99.7
-81.5	-1986.5						
		G2	I	123.8	1.2	0.1	-43.9
16.4	-253.3		J	123.8	1.2	0.1	-43.9
-13.6	-864.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	7.4	-0.0	-0.0	-12.4
-3.0	-1775.5		J	7.4	-0.0	-0.0	-12.4
2.6	-1759.4						
		Q5_ps	I	4.7	-0.0	-0.0	-11.9
-3.6	-1777.9		J	4.7	-0.0	-0.0	-11.9
3.3	-1756.7						
		INVS LU Max	I	1338.8	12.3	-0.0	1231.5
132.2	7522.7		J	1338.8	12.3	1.3	1231.5
-87.6	3328.5						
		Min	I	-1285.3	-20.0	-0.6	-457.2
-77.1	-16497.9		J	-1285.3	-20.0	0.7	-457.2
-207.9	-11808.5						
		INVS LE Max	I	946.2	8.4	-0.0	966.7
96.5	5111.5		J	946.2	8.4	0.9	966.7
-63.7	2364.4						
		Min	I	-996.6	-15.5	-0.4	-282.5
-58.2	-12444.8		J	-996.6	-15.5	0.5	-282.5
-152.5	-8613.6						
		70 C1-C2;~1 Max	I	1275.7	20.3	0.1	542.5
372	2		J	1275.7	20.3	0.1	542.5
15.1	4418.8						
		Min	I	-638.2	-11.6	-0.5	-887.1
232.8	5968.8		J	-638.2	-11.6	-0.5	-887.1
-68.3	-3863.6						
		C3-C4;~1 Max	I	1208.3	18.6	0.1	561.4
-61.7	-11270.9		J	1208.3	18.6	0.1	561.4
8.4	3586.4						
		Min	I	-665.9	-12.0	-0.5	-811.9
231.3	6167.0		J	-665.9	-12.0	-0.5	-811.9
-62.5	-4446.9						
		C1-C2;~2 Max	I	779.7	12.4	0.1	311.7
-64.1	-11588.8		J	779.7	12.4	0.1	311.7
9.4	2940.9						
		Min	I	-366.2	-6.6	-0.3	-543.6
144.7	3408.6						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-41.5	-2229.3		J	-366.2	-6.6	-0.3	-543.6
-35.0	-6629.5						
4.6	2368.8	C3-C4;~2 Max	I	732.5	11.1	0.1	317.1
147.7	3509.7		J	732.5	11.1	0.1	317.1
-37.5	-2598.6	Min	I	-376.0	-6.8	-0.3	-491.1
-36.3	-6787.6		J	-376.0	-6.8	-0.3	-491.1
		G1	I	355.6	4.3	-0.7	-137.5
-81.0	-1988.7		J	355.6	4.3	0.2	-137.5
52.2	-4245.5						
		G2	I	145.9	1.8	-0.1	-59.9
-13.4	-865.7		J	145.9	1.8	-0.1	-59.9
31.9	-1823.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	12.8	0.0	-0.0	-13.7
2.6	-1759.3		J	12.8	0.0	-0.0	-13.7
11.3	-1759.8						
		Q5_ps	I	10.1	-0.0	-0.0	-12.9
3.3	-1756.6		J	10.1	-0.0	-0.0	-12.9
11.2	-1744.6						
		INVSLU Max	I	1579.9	18.5	-0.9	1381.2
-89.5	3325.1		J	1579.9	18.5	0.4	1381.2
430.6	10330.6	Min	I	-1064.3	-25.1	-1.8	-598.9
-206.9	-11810.5		J	-1064.3	-25.1	-0.5	-598.9
9.4	-16807.4						
		INVSLE Max	I	1128.9	12.8	-0.7	1085.4
-65.3	2362.3		J	1128.9	12.8	0.3	1085.4
321.1	8022.5	Min	I	-828.1	-19.5	-1.3	-379.5
-152.0	-8614.6		J	-828.1	-19.5	-0.4	-379.5
10.7	-11845.1						
373	2	82 C1-C2;~1 Max	I	435.9	21.2	1.5	432.3
768.8	13474.4		J	435.9	21.2	1.5	432.3
257.3	8554.8	Min	I	-1514.7	-8.5	-1.4	-518.2
-761.1	-13110.7		J	-1514.7	-8.5	-1.4	-518.2
-414.0	-11585.0						
		C3-C4;~1 Max	I	390.6	17.2	1.8	467.5


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
841.5	12622.1			J	390.6	17.2	1.8	467.5	
202.3	8114.5								
			Min	I	-1457.8	-12.1	-1.2	-460.3	
-676.9	-14983.3								
				J	-1457.8	-12.1	-1.2	-460.3	
-364.3	-11167.0								
			C1-C2;~2	Max	I	300.1	11.2	1.0	294.0
515.1	8234.5								
				J	300.1	11.2	1.0	294.0	
157.3	5852.0								
			Min	I	-834.2	-4.4	-0.8	-289.5	
-412.7	-7485.4								
				J	-834.2	-4.4	-0.8	-289.5	
-234.4	-6749.6								
			C3-C4;~2	Max	I	265.6	9.0	1.2	303.3
572.3	7910.9								
				J	265.6	9.0	1.2	303.3	
122.0	5388.1								
			Min	I	-797.6	-6.4	-0.7	-248.9	
-367.7	-8489.2								
				J	-797.6	-6.4	-0.7	-248.9	
-203.6	-6436.2								
			G1	I	-1572.6	7.2	-1.6	-356.4	
-539.9	-6480.2								
				J	-1572.6	7.2	0.5	-356.4	
-273.9	-10046.1								
			G2	I	-624.4	2.1	-0.3	-148.5	
-213.0	-3234.2								
				J	-624.4	2.1	-0.3	-148.5	
-69.1	-4275.9								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0								
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	-46.1	0.0	-0.3	-30.8	
-3.4	8340.1								
				J	-46.1	0.0	-0.3	-30.8	
151.6	8334.2								
			Q5_ps	I	-34.8	-1.1	-0.3	-34.1	
11.2	7198.8								
				J	-34.8	-1.1	-0.3	-34.1	
148.2	7756.4								
			INVSLU	Max	I	-4224.8	35.4	-0.5	-394.6
-533.9	6754.4								
				J	-4224.8	35.4	2.3	-394.6	
-325.7	-2754.2								
			Min	I	-6941.1	-9.7	-5.4	-1780.5	
2703.6	-46675.5							-	
				J	-6941.1	-9.7	-2.6	-1780.5	
1504.9	-45429.5							-	
			INVSLE	Max	I	-3224.7	26.0	-0.4	-319.0
-427.2	4161.3								
				J	-3224.7	26.0	1.7	-319.0	
-262.4	-3066.6								
			Min	I	-5230.7	-7.4	-4.0	-1341.5	
2034.0	-34304.4							-	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
1115.6	-33260.6			J	-5230.7	-7.4	-1.9	-1341.5	-
374	2	82	C1-C2;~1	Max	I	372.6	19.8	1.0	438.2
257.5	8554.5				J	372.6	19.8	1.0	438.2
354.9	7194.6			Min	I	-1584.4	-8.9	-1.1	-497.4
-414.2	-11585.8				J	-1584.4	-8.9	-1.1	-497.4
-399.1	-17254.6								
			C3-C4;~1	Max	I	320.6	15.8	0.9	476.3
202.3	8114.2				J	320.6	15.8	0.9	476.3
243.2	6384.5			Min	I	-1527.0	-12.6	-0.8	-437.9
-364.4	-11167.8				J	-1527.0	-12.6	-0.8	-437.9
-376.8	-14521.7								
			C1-C2;~2	Max	I	258.2	10.5	0.5	297.6
157.3	5851.8				J	258.2	10.5	0.5	297.6
235.3	4609.5			Min	I	-868.6	-4.5	-0.6	-278.4
-234.6	-6749.9				J	-868.6	-4.5	-0.6	-278.4
-221.6	-9219.1								
			C3-C4;~2	Max	I	219.6	8.2	0.5	308.7
121.9	5387.9				J	219.6	8.2	0.5	308.7
159.8	4021.3			Min	I	-830.2	-6.6	-0.5	-237.1
-203.6	-6436.5				J	-830.2	-6.6	-0.5	-237.1
-206.0	-7515.1								
			G1		I	-1720.1	4.9	-0.7	-325.6
-273.4	-10048.2				J	-1720.1	4.9	1.4	-325.6
-432.7	-12501.5								
			G2		I	-680.2	1.2	0.1	-137.4
-68.9	-4276.7				J	-680.2	1.2	0.1	-137.4
-134.4	-4877.0								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc		I	-62.3	-0.1	0.4	-25.6
151.6	8333.5				J	-62.3	-0.1	0.4	-25.6
-56.8	8363.8								
			Q5_ps		I	-50.2	-1.2	0.4	-29.5
148.2	7755.8				J	-50.2	-1.2	0.4	-29.5
-57.1	8342.7								
			INVSLU	Max	I	-4611.8	26.6	1.4	-311.3
-324.2	-2759.9								

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-797.1	-3496.0		J	-4611.8	26.6	4.2	-311.3	
1503.9	-45434.6	Min	I	-7365.9	-17.2	-2.1	-1671.9	-
1917.3	-53054.0		J	-7365.9	-17.2	0.6	-1671.9	-
-261.2	-3070.9	INVSLE Max	I	-3514.0	19.3	1.0	-255.3	
-615.0	-3496.0		J	-3514.0	19.3	3.1	-255.3	
1114.9	-33264.4	Min	I	-5545.8	-13.1	-1.5	-1259.6	-
1437.2	-38721.0		J	-5545.8	-13.1	0.5	-1259.6	-
375	2	82 C1-C2;~1 Max	I	306.7	18.6	0.5	457.2	
354.7	7194.7		J	306.7	18.6	0.5	457.2	
280.1	7227.8	Min	I	-1660.5	-9.5	-0.3	-434.7	
-398.6	-17255.1		J	-1660.5	-9.5	-0.3	-434.7	
-332.8	-23943.7							
242.9	6384.5	C3-C4;~1 Max	I	256.4	14.8	0.4	497.8	
219.6	8593.4		J	256.4	14.8	0.4	497.8	
-376.4	-14521.9	Min	I	-1601.9	-13.3	-0.3	-375.5	
-326.1	-19002.7		J	-1601.9	-13.3	-0.3	-375.5	
235.2	4609.5	C1-C2;~2 Max	I	214.1	10.0	0.3	309.5	
198.7	3904.1		J	214.1	10.0	0.3	309.5	
-221.3	-9219.3	Min	I	-903.3	-4.8	-0.2	-239.6	
-177.5	-12556.6		J	-903.3	-4.8	-0.2	-239.6	
159.6	4021.2	C3-C4;~2 Max	I	177.0	7.8	0.2	320.8	
154.6	4451.8		J	177.0	7.8	0.2	320.8	
-205.7	-7515.2	Min	I	-863.7	-6.9	-0.2	-203.7	
-172.9	-9639.6		J	-863.7	-6.9	-0.2	-203.7	
-432.3	-12501.4	G1	I	-1872.8	2.2	-1.0	-239.0	
-434.9	-13582.7		J	-1872.8	2.2	1.0	-239.0	
-134.3	-4876.9	G2	I	-738.0	0.1	0.0	-106.2	
-136.9	-4938.1		J	-738.0	0.1	0.0	-106.2	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-56.8	8363.9	Q5_pc	I	-64.1	-0.2	-0.2	-9.7	
23.1	8459.4		J	-64.1	-0.2	-0.2	-9.7	
-57.1	8342.9	Q5_ps	I	-50.4	-1.3	-0.2	-15.9	
24.0	8983.6		J	-50.4	-1.3	-0.2	-15.9	
-796.2	-3494.7	INVSLU Max	I	-5020.6	17.1	-0.6	-102.7	
-901.2	1321.6		J	-5020.6	17.1	2.2	-102.7	
1915.5	-53053.7	Min	I	-7791.7	-26.3	-2.0	-1379.1	-
1770.2	-58101.2		J	-7791.7	-26.3	0.8	-1379.1	-
-614.3	-3495.0	INVSLE Max	I	-3818.2	12.1	-0.5	-95.6	
-688.0	492.4		J	-3818.2	12.1	1.6	-95.6	
1435.8	-38720.8	Min	I	-5862.3	-20.0	-1.5	-1039.7	-
1328.6	-42196.1		J	-5862.3	-20.0	0.6	-1039.7	-
376	2	82 C1-C2;~1 Max	I	244.4	17.2	0.2	487.9	
280.0	7227.9		J	244.4	17.2	0.2	487.9	
272.5	9172.7		I	-1738.0	-10.3	-0.1	-354.8	
-332.6	-23944.6	Min	J	-1738.0	-10.3	-0.1	-354.8	
-361.2	-31154.5							
219.4	8593.9	C3-C4;~1 Max	I	200.7	13.8	0.1	534.0	
217.6	14109.3		J	200.7	13.8	0.1	534.0	
-325.9	-19003.4	Min	I	-1678.3	-14.1	-0.1	-306.4	
-353.7	-24335.2		J	-1678.3	-14.1	-0.1	-306.4	
198.6	3904.0	C1-C2;~2 Max	I	172.0	9.4	0.1	327.2	
193.9	4329.5		J	172.0	9.4	0.1	327.2	
-177.3	-12557.1	Min	I	-937.8	-5.2	-0.1	-205.7	
-193.1	-16345.1		J	-937.8	-5.2	-0.1	-205.7	
154.5	4452.0	C3-C4;~2 Max	I	139.8	7.4	0.1	339.9	
153.7	7159.6		J	139.8	7.4	0.1	339.9	
-172.7	-9640.0	Min	I	-897.1	-7.3	-0.1	-167.2	
-187.3	-12440.1		J	-897.1	-7.3	-0.1	-167.2	
		G1	I	-2025.3	-0.8	-0.9	-121.3	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-434.7	-13582.8		J	-2025.3	-0.8	1.1	-121.3	
-484.3	-13175.0							
		G2	I	-796.0	-1.0	0.0	-64.1	
-136.8	-4938.1		J	-796.0	-1.0	0.0	-64.1	
-156.4	-4416.8							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	-62.5	-0.3	0.0	11.7	
23.1	8459.4		J	-62.5	-0.3	0.0	11.7	
9.3	8622.7							
		Q5_ps	I	-47.2	-1.4	0.0	2.2	
24.0	8983.6		J	-47.2	-1.4	0.0	2.2	
10.4	9678.9							
		INVSLU Max	I	-5424.7	6.9	-0.9	195.7	
-900.6	1322.7		J	-5424.7	6.9	1.9	195.7	-
1041.8	16930.9							
		Min	I	-8213.5	-36.0	-1.3	-1025.1	-
1769.0	-58101.7		J	-8213.5	-36.0	1.5	-1025.1	-
1913.9	-59696.2							
		INVSLE Max	I	-4118.6	4.4	-0.7	130.4	
-687.5	493.4		J	-4118.6	4.4	1.4	130.4	
-791.9	12574.3							
		Min	I	-6176.1	-27.3	-1.0	-772.4	-
1327.7	-42196.4		J	-6176.1	-27.3	1.1	-772.4	-
1436.7	-43036.8							
		82 C1-C2;~1 Max	I	182.8	15.7	0.0	539.1	
377	2		J	182.8	15.7	0.0	539.1	
272.3	9173.3							
		Min	I	-1817.7	-11.3	-1.1	-291.8	
585.6	14349.8		J	-1817.7	-11.3	-1.1	-291.8	
-361.1	-31155.3							
-75.4	-37524.7							
		C3-C4;~1 Max	I	148.2	12.5	0.0	586.3	
217.3	14110.1		J	148.2	12.5	0.0	586.3	
476.5	21226.4							
		Min	I	-1756.9	-15.2	-1.0	-257.5	
-353.6	-24335.8		J	-1756.9	-15.2	-1.0	-257.5	
-97.1	-29183.6							
		C1-C2;~2 Max	I	129.6	8.7	0.0	357.9	
193.8	4329.8		J	129.6	8.7	0.0	357.9	
380.2	6933.5							
		Min	I	-972.7	-5.6	-0.6	-172.0	
-193.0	-16345.5							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-37.1	-19648.9		J	-972.7	-5.6	-0.6	-172.0	
153.5	7160.0	C3-C4;~2 Max	I	104.0	7.0	0.0	367.4	
305.4	10815.6		J	104.0	7.0	0.0	367.4	
-187.2	-12440.5	Min	I	-931.0	-7.8	-0.5	-143.2	
-49.0	-14960.4		J	-931.0	-7.8	-0.5	-143.2	
-484.2	-13174.9	G1	I	-2178.4	-4.1	-2.2	14.9	
87.2	-11128.6		J	-2178.4	-4.1	-0.1	14.9	
-156.3	-4416.7	G2	I	-854.3	-2.3	-0.4	-15.0	
58.2	-3256.3		J	-854.3	-2.3	-0.4	-15.0	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
9.3	8622.8	Q5_pc	I	-59.7	-0.5	-0.2	35.2	
115.5	8855.8		J	-59.7	-0.5	-0.2	35.2	
10.4	9679.0	Q5_ps	I	-42.9	-1.5	-0.2	22.0	
100.4	10428.8		J	-42.9	-1.5	-0.2	22.0	
1041.5	16933.1	INVSLU Max	I	-5827.7	-4.2	-3.3	567.3	-
569.8	39570.7		J	-5827.7	-4.2	-0.5	567.3	
1913.2	-59696.2	Min	I	-8635.9	-46.6	-5.3	-681.4	-
-559.8	-55683.7		J	-8635.9	-46.6	-2.5	-681.4	
-791.7	12576.0	INVSLE Max	I	-4418.1	-3.9	-2.5	409.5	
397.0	29733.4		J	-4418.1	-3.9	-0.4	409.5	
1436.2	-43036.7	Min	I	-6490.2	-35.3	-3.9	-510.9	-
-424.3	-39644.6		J	-6490.2	-35.3	-1.8	-510.9	
378	2	82 C1-C2;~1 Max	I	123.6	14.0	5.4	606.5	
585.2	14350.3		J	123.6	14.0	5.4	606.5	
30.3	20182.8	Min	I	-1895.2	-12.5	-0.1	-240.7	
-75.4	-37525.2		J	-1895.2	-12.5	-0.1	-240.7	-
2385.3	-43046.8							
476.0	21227.1	C3-C4;~1 Max	I	98.9	11.3	4.9	656.4	

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
37.3	29033.7		J	98.9	11.3	4.9	656.4	
		Min	I	-1833.7	-16.4	-0.1	-221.0	
-96.9	-29184.0		J	-1833.7	-16.4	-0.1	-221.0	-
2168.8	-33150.5							
		C1-C2;~2 Max	I	88.0	7.9	2.9	397.5	
380.0	6933.8		J	88.0	7.9	2.9	397.5	
13.8	9855.1	Min	I	-1006.0	-6.2	-0.0	-144.3	
-37.0	-19649.2		J	-1006.0	-6.2	-0.0	-144.3	-
1239.5	-22554.7							
		C3-C4;~2 Max	I	69.8	6.4	2.5	405.3	
305.1	10816.0		J	69.8	6.4	2.5	405.3	
17.5	14799.0	Min	I	-963.6	-8.3	-0.0	-125.2	
-48.9	-14960.6		J	-963.6	-8.3	-0.0	-125.2	-
1105.2	-17010.4							
		G1	I	-2326.6	-7.6	4.9	159.3	
87.1	-11128.2		J	-2326.6	-7.6	6.9	159.3	-
2852.8	-7365.0							
		G2	I	-910.7	-3.7	2.2	38.2	
58.2	-3256.1		J	-910.7	-3.7	2.2	38.2	-
1050.3	-1426.4							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	-55.5	-0.6	0.9	57.6	
115.5	8855.8		J	-55.5	-0.6	0.9	57.6	
-327.2	9155.8							
		Q5_ps	I	-37.2	-1.6	0.7	40.8	
100.4	10428.9		J	-37.2	-1.6	0.7	40.8	
-265.5	11229.7							
		INVSLU Max	I	-6217.0	-15.7	18.2	981.8	
569.3	39573.4		J	-6217.0	-15.7	21.0	981.8	-
5612.7	67867.7	Min	I	-9042.1	-57.8	8.9	-332.9	
-559.4	-55682.7		J	-9042.1	-57.8	11.7	-332.9	-
9549.1	-45921.4							
		INVSLE Max	I	-4707.1	-12.6	13.5	720.1	
396.7	29735.5		J	-4707.1	-12.6	15.5	720.1	-
4216.4	51151.9	Min	I	-6792.5	-43.7	6.7	-246.0	
-424.0	-39643.8		J	-6792.5	-43.7	8.8	-246.0	-

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

7080.9	-31915.5								
379	2	82	C1-C2;~1	Max	I	61.6	12.1	0.4	673.9
30.4	20183.8				J	61.6	12.1	0.4	673.9
3250.5	26736.5								1
				Min	I	-1993.2	-13.9	-31.0	-227.5
2385.7	-43049.2				J	-1993.2	-13.9	-31.0	-227.5
-186.1	-48332.3								
				C3-C4;~1	Max	I	48.9	9.9	0.5
37.4	29035.1				J	48.9	9.9	0.5	729.9
1827.8	37579.9								1
				Min	I	-1928.5	-17.8	-27.8	-210.6
2169.3	-33152.4				J	-1928.5	-17.8	-27.8	-210.6
-225.4	-36397.7								
				C1-C2;~2	Max	I	44.0	7.0	0.2
13.8	9855.5				J	44.0	7.0	0.2	434.3
6965.3	13126.6								
				Min	I	-1050.2	-6.9	-16.2	-137.6
1239.8	-22556.0				J	-1050.2	-6.9	-16.2	-137.6
-81.0	-25551.9								
				C3-C4;~2	Max	I	34.5	5.8	0.2
17.5	14799.8				J	34.5	5.8	0.2	443.0
6086.9	19133.7								
				Min	I	-1005.3	-9.1	-14.2	-120.3
1105.5	-17011.3				J	-1005.3	-9.1	-14.2	-120.3
-101.8	-18753.1								
				G1	I	-2496.3	-11.4	-35.9	284.8
2853.1	-7365.6				J	-2496.3	-11.4	-33.8	284.8
4487.5	-1713.5								1
				G2	I	-975.3	-5.2	-13.2	86.7
1050.4	-1426.6				J	-975.3	-5.2	-13.2	86.7
5496.2	1139.6								
				Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
				Q5_pc	I	-54.5	-0.7	-5.4	72.4
-327.3	9155.8				J	-54.5	-0.7	-5.4	72.4
2351.2	9517.1								
				Q5_ps	I	-34.4	-1.7	-4.5	53.1
-265.6	11229.8				J	-34.4	-1.7	-4.5	53.1
1962.4	12073.7								
				INVSLU	Max	I	-6645.0	-28.3	-61.8
5612.8	67870.1				J	-6645.0	-28.3	-59.0	1366.7
									-
									4


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
7555.3	102268.9		Min	I	-9517.1	-70.0	-115.6	-56.0	-	
9550.1	-45924.2			J	-9517.1	-70.0	-112.8	-56.0	2	
4469.9	-30843.3									
		INVSLE	Max	I	-5025.2	-22.1	-46.4	1008.2	-	
4216.5	51153.8			J	-5025.2	-22.1	-44.4	1008.2	3	
5108.9	77163.0		Min	I	-7145.4	-52.9	-85.4	-36.0	-	
7081.6	-31917.5			J	-7145.4	-52.9	-83.3	-36.0	1	
8383.5	-20169.7									
380	2	82	C1-C2;~1	Max	I	7.4	10.5	81.6	667.0	1
3250.1	26737.0			J	7.4	10.5	81.6	667.0		
288.7	33970.9		Min	I	-2244.6	-15.5	-0.9	-251.2		
-186.1	-48329.4			J	-2244.6	-15.5	-0.9	-251.2	-2	
7567.4	-53008.4									
		C3-C4;~1	Max	I	9.4	8.9	73.3	721.3	1	
1827.2	37580.4			J	9.4	8.9	73.3	721.3		
337.9	46812.6		Min	I	-2157.4	-19.5	-1.1	-233.6		
-225.3	-36395.0			J	-2157.4	-19.5	-1.1	-233.6	-2	
4805.8	-39811.1									
		C1-C2;~2	Max	I	5.1	6.2	42.6	424.9		
6965.1	13126.9			J	5.1	6.2	42.6	424.9		
129.9	16738.1		Min	I	-1176.0	-7.7	-0.4	-155.7		
-81.0	-25550.4			J	-1176.0	-7.7	-0.4	-155.7	-1	
4394.4	-28340.0									
		C3-C4;~2	Max	I	6.6	5.3	37.5	433.3		
6086.5	19133.9			J	6.6	5.3	37.5	433.3		
159.7	23802.7		Min	I	-1116.3	-9.9	-0.5	-139.2		
-101.8	-18751.7			J	-1116.3	-9.9	-0.5	-139.2	-1	
2690.8	-20831.4									
		G1		I	-2832.2	-15.0	91.3	328.6	1	
4487.1	-1710.0			J	-2832.2	-15.0	93.4	328.6	-3	
1484.6	5764.1									
		G2		I	-1102.7	-6.6	34.9	109.7		
5496.0	1140.9			J	-1102.7	-6.6	34.9	109.7	-1	
1886.2	4428.4									
		Q3		I	0.0	0.0	0.0	0.0		
0.0	0.0			J	0.0	0.0	0.0	0.0		
0.0	0.0									


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
2351.1	9517.4	Q5_pc	I	-81.8	-0.8	13.2	73.6	
4210.3	9914.0		J	-81.8	-0.8	13.2	73.6	-
1962.3	12074.0	Q5_ps	I	-55.5	-1.7	10.9	56.4	
3463.0	12943.8		J	-55.5	-1.7	10.9	56.4	-
7554.0	102277.4	INVS LU Max	I	-7342.6	-40.3	299.7	1496.4	4
6176.0	142616.4		J	-7342.6	-40.3	302.5	1496.4	-5
4469.5	-30832.2	Min	I	-10538.6	-82.3	160.6	51.1	2
2591.3	-9987.1		J	-10538.6	-82.3	163.4	51.1	-10
5108.0	77169.3	INVS LE Max	I	-5545.8	-31.2	221.5	1106.1	3
2138.7	107648.5		J	-5545.8	-31.2	223.6	1106.1	-4
8383.1	-20161.3	Min	I	-7901.6	-62.2	120.6	45.3	1
5854.9	-4069.3		J	-7901.6	-62.2	122.6	45.3	-7
381	2	63 C1-C2;~1 Max	I	1107.4	2.8	0.2	1030.4	
160.5	2258.2		J	1107.4	2.8	0.2	1030.4	
67.2	1015.7	Min	I	-160.3	-19.0	-0.0	-145.2	
-25.1	-15045.6		J	-160.3	-19.0	-0.0	-145.2	
-11.8	-6075.2							
159.0	2378.4	C3-C4;~1 Max	I	1167.4	3.0	0.2	1070.5	
59.5	989.5		J	1167.4	3.0	0.2	1070.5	
-25.9	-15931.2	Min	I	-168.4	-19.8	-0.0	-152.6	
-13.1	-6560.8		J	-168.4	-19.8	-0.0	-152.6	
102.3	1288.8	C1-C2;~2 Max	I	659.4	1.6	0.2	614.2	
39.3	556.1		J	659.4	1.6	0.2	614.2	
-13.8	-8961.1	Min	I	-91.7	-11.3	-0.0	-83.0	
-6.2	-3641.9		J	-91.7	-11.3	-0.0	-83.0	
97.1	1335.2	C3-C4;~2 Max	I	701.3	1.7	0.2	642.3	
35.0	544.3		J	701.3	1.7	0.2	642.3	
-14.0	-9549.6	Min	I	-94.9	-11.9	-0.0	-85.9	
-6.7	-3954.2		J	-94.9	-11.9	-0.0	-85.9	
57.5	-11311.7	G1	I	859.0	-14.8	-0.3	794.1	


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
1.3	-4088.7		J	859.0	-14.8	0.5	794.1
28.8	-4654.2	G2	I	348.9	-6.1	0.0	318.2
14.9	-1685.4		J	348.9	-6.1	0.0	318.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-9.2	322.1	Q5_pc	I	-26.3	1.3	-0.0	-45.2
-2.5	-328.8		J	-26.3	1.3	-0.0	-45.2
-13.3	214.9	Q5_ps	I	-23.2	1.2	-0.0	-43.8
-2.8	-380.7		J	-23.2	1.2	-0.0	-43.8
426.2	-18265.8	INVS LU Max	I	3502.9	-23.6	0.0	1931.9
176.6	-6017.3		J	3502.9	-23.6	1.1	1931.9
157.9	-43563.6	Min	I	1652.2	-56.7	-0.4	199.3
63.7	-16837.5		J	1652.2	-56.7	0.7	199.3
319.0	-13483.3	INVS LE Max	I	2602.3	-17.5	0.0	1380.3
132.7	-4435.7		J	2602.3	-17.5	0.8	1380.3
121.5	-32179.5	Min	I	1234.9	-41.8	-0.3	102.9
49.4	-12406.8		J	1234.9	-41.8	0.5	102.9
382	2	63 C1-C2;~1 Max	I	1033.1	2.2	0.1	903.1
64.1	1014.6		J	1033.1	2.2	0.1	903.1
44.9	3442.4	Min	I	-144.5	-14.5	-0.1	-130.2
-11.7	-6066.6		J	-144.5	-14.5	-0.1	-130.2
-14.4	-529.3						
56.4	988.2	C3-C4;~1 Max	I	1102.5	2.3	0.1	926.9
57.3	2518.4		J	1102.5	2.3	0.1	926.9
-13.1	-6552.1	Min	I	-152.0	-14.9	-0.1	-136.8
-9.1	-938.3		J	-152.0	-14.9	-0.1	-136.8
37.5	555.4	C1-C2;~2 Max	I	613.4	1.3	0.1	539.1
26.5	2155.7		J	613.4	1.3	0.1	539.1
-6.1	-3636.8	Min	I	-82.7	-8.7	-0.0	-74.5
			J	-82.7	-8.7	-0.0	-74.5


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-8.2	-297.9						
33.1	543.5	C3-C4;~2	Max	I	661.1	1.3	0.1
34.6	1528.6			J	661.1	1.3	0.1
-6.6	-3948.9		Min	I	-85.7	-8.9	-0.1
-5.0	-582.5			J	-85.7	-8.9	-0.1
-1.4	-4081.6		G1	I	807.0	-11.2	-0.4
-4.5	1416.3			J	807.0	-11.2	0.4
13.8	-1682.5		G2	I	329.7	-4.6	0.0
12.2	580.7			J	329.7	-4.6	0.0
0.0	0.0		Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
-2.3	-329.4		Q5_pc	I	-21.2	1.3	-0.0
2.6	-942.6			J	-21.2	1.3	-0.0
-2.7	-381.2		Q5_ps	I	-16.8	1.2	-0.0
3.8	-950.7			J	-16.8	1.2	-0.0
170.9	-6010.3		INVSLU Max	I	3320.4	-16.4	-0.3
160.9	7927.8			J	3320.4	-16.4	0.7
62.5	-16818.1		Min	I	1588.6	-41.9	-0.7
59.5	219.7			J	1588.6	-41.9	0.4
128.6	-4430.7		INVSLE Max	I	2468.1	-12.1	-0.3
121.9	5802.9			J	2468.1	-12.1	0.5
48.6	-12392.6		Min	I	1188.1	-30.8	-0.5
47.1	261.7			J	1188.1	-30.8	0.3
383	2	63	C1-C2;~1	Max	I	978.5	1.5
42.4	3443.1			J	978.5	1.5	0.0
47.5	7460.2		Min	I	-135.6	-9.2	-0.1
-15.2	-529.1			J	-135.6	-9.2	-0.1
-5.7	-948.5						
54.7	2519.1		C3-C4;~1	Max	I	1044.1	1.6
				J	1044.1	1.6	0.0

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
52.0	6737.2		Min	I	-142.6	-9.2	-0.1	-91.8	
-9.6	-938.0			J	-142.6	-9.2	-0.1	-91.8	
-6.0	-996.3								
25.1	2156.1	C1-C2;~2	Max	I	580.9	0.8	0.0	355.7	
29.5	4515.4			J	580.9	0.8	0.0	355.7	
-8.7	-297.7		Min	I	-77.6	-5.5	-0.0	-50.0	
-3.3	-535.3			J	-77.6	-5.5	-0.0	-50.0	
33.0	1529.1	C3-C4;~2	Max	I	626.1	0.9	0.0	357.6	
32.9	4052.1			J	626.1	0.9	0.0	357.6	
-5.3	-582.3		Min	I	-80.4	-5.5	-0.0	-51.7	
-3.4	-554.4			J	-80.4	-5.5	-0.0	-51.7	
-6.6	1416.9		G1	I	769.1	-7.1	-0.4	456.7	
1.1	4875.8			J	769.1	-7.1	0.4	456.7	
11.3	580.9		G2	I	314.8	-2.9	-0.0	181.8	
13.9	2011.3			J	314.8	-2.9	-0.0	181.8	
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
2.8	-942.7		Q5_pc	I	-20.1	1.1	0.0	-31.4	
-0.2	-1496.3			J	-20.1	1.1	0.0	-31.4	
3.9	-950.8		Q5_ps	I	-15.8	1.1	0.0	-32.2	
-0.1	-1472.5			J	-15.8	1.1	0.0	-32.2	
156.7	7928.4		INVSLU	Max	I	3163.6	-9.3	-0.5	980.0
153.7	19912.2			J	3163.6	-9.3	0.6	980.0	
57.5	219.3		Min	I	1525.4	-25.8	-0.7	-2.8	
74.9	5537.2			J	1525.4	-25.8	0.4	-2.8	
118.9	5803.3		INVSLE	Max	I	2352.2	-6.8	-0.4	691.1
116.3	14590.2			J	2352.2	-6.8	0.4	691.1	
45.7	261.4		Min	I	1141.4	-18.9	-0.5	-32.7	
58.0	4205.4			J	1141.4	-18.9	0.3	-32.7	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

384	2	63	C1-C2;~1	Max	I	928.7	1.1	0.0	236.8
46.0	7460.8				J	928.7	1.1	0.0	236.8
46.6	9353.3			Min	I	-128.0	-4.4	-0.0	-34.4
-5.5	-948.6				J	-128.0	-4.4	-0.0	-34.4
-4.9	-1381.9								
			C3-C4;~1	Max	I	988.4	1.0	0.0	216.1
50.6	6737.8				J	988.4	1.0	0.0	216.1
52.7	8642.8			Min	I	-134.5	-4.2	-0.0	-35.8
-5.8	-996.4				J	-134.5	-4.2	-0.0	-35.8
-5.1	-1411.2								
			C1-C2;~2	Max	I	552.1	0.7	0.0	141.8
28.6	4515.8				J	552.1	0.7	0.0	141.8
28.8	5611.0			Min	I	-73.2	-2.6	-0.0	-19.5
-3.2	-535.3				J	-73.2	-2.6	-0.0	-19.5
-2.8	-795.2								
			C3-C4;~2	Max	I	593.6	0.6	0.0	128.1
32.1	4052.5				J	593.6	0.6	0.0	128.1
33.2	5178.2			Min	I	-75.8	-2.5	-0.0	-20.0
-3.3	-554.4				J	-75.8	-2.5	-0.0	-20.0
-2.9	-790.4								
			G1		I	731.9	-2.9	-0.4	157.6
-0.0	4876.3				J	731.9	-2.9	0.4	157.6
-0.3	6302.9								
			G2		I	299.7	-1.2	0.0	62.2
13.5	2011.5				J	299.7	-1.2	0.0	62.2
13.4	2613.2								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc		I	-20.0	1.0	-0.0	-14.1
-0.1	-1496.4				J	-20.0	1.0	-0.0	-14.1
0.1	-1983.2								
			Q5_ps		I	-16.3	1.0	-0.0	-15.7
-0.0	-1472.6				J	-16.3	1.0	-0.0	-15.7
0.3	-1937.7								
			INVSLU	Max	I	3012.1	-2.3	-0.5	385.5
151.4	19913.9				J	3012.1	-2.3	0.6	385.5
151.2	25179.2								


MIDAS

PROJECT TITLE :

		Company						Client	
		Author						File Name	
75.0	5537.6		Min	I	1460.1	-11.5	-0.5	-7.9	
				J	1460.1	-11.5	0.5	-7.9	
73.1	6787.3								
			INVSLE	Max	I	2240.3	-1.6	-0.4	272.3
114.7	14591.4			J	2240.3	-1.6	0.4	272.3	
114.7	18412.2								
			Min	I	1093.3	-8.3	-0.4	-17.3	
58.2	4205.7			J	1093.3	-8.3	0.4	-17.3	
56.8	5136.1								
385	2	63	C1-C2;~1	Max	I	876.9	2.0	0.0	22.9
46.6	9353.4			J	876.9	2.0	0.0	22.9	
38.8	9056.5								
			Min	I	-120.3	-0.5	-0.0	-223.1	
-4.9	-1382.0			J	-120.3	-0.5	-0.0	-223.1	
-3.2	-1719.3								
			C3-C4;~1	Max	I	929.1	2.3	0.0	23.1
52.7	8642.9			J	929.1	2.3	0.0	23.1	
47.4	8206.3								
			Min	I	-126.4	-0.3	-0.0	-243.0	
-5.1	-1411.3			J	-126.4	-0.3	-0.0	-243.0	
-3.3	-1672.5								
			C1-C2;~2	Max	I	522.3	1.2	0.0	12.8
28.8	5611.1			J	522.3	1.2	0.0	12.8	
23.8	5408.7								
			Min	I	-68.8	-0.3	-0.0	-134.8	
-2.8	-795.2			J	-68.8	-0.3	-0.0	-134.8	
-1.8	-1029.4								
			C3-C4;~2	Max	I	558.9	1.4	0.0	12.9
33.2	5178.2			J	558.9	1.4	0.0	12.9	
29.8	4896.6								
			Min	I	-71.2	-0.2	-0.0	-147.4	
-2.9	-790.4			J	-71.2	-0.2	-0.0	-147.4	
-1.9	-990.6								
			G1	I	691.9	1.1	-0.4	-142.7	
-0.3	6302.9			J	691.9	1.1	0.4	-142.7	
-6.5	5786.8								
			G2	I	283.1	0.4	0.0	-57.4	
13.3	2613.2			J	283.1	0.4	0.0	-57.4	
11.0	2423.7								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	-20.3	0.9	-0.0	4.7	


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.1	-1983.3		J	-20.3	0.9	-0.0	4.7
1.0	-2401.5						
		Q5_ps	I	-17.3	0.8	-0.0	2.9
0.3	-1937.8		J	-17.3	0.8	-0.0	2.9
1.5	-2341.9						
		INVSLE Max	I	2852.0	6.6	-0.5	34.0
151.3	25179.5		J	2852.0	6.6	0.6	34.0
135.6	23851.4						
		Min	I	1390.5	1.0	-0.5	-333.8
73.0	6787.2		J	1390.5	1.0	0.5	-333.8
65.3	4561.2						
		INVSLE Max	I	2122.1	4.9	-0.4	34.9
114.7	18412.4		J	2122.1	4.9	0.4	34.9
103.2	17360.8						
		Min	I	1042.3	0.9	-0.4	-236.9
56.7	5136.0		J	1042.3	0.9	0.4	-236.9
51.3	3492.1						
		63 C1-C2;~1 Max	I	821.3	6.4	0.0	70.5
386	2		J	821.3	6.4	0.0	70.5
40.1	9056.1						
		Min	I	-112.4	-0.7	-0.1	-571.5
67.0	6898.1		J	-112.4	-0.7	-0.1	-571.5
-3.4	-1719.4						
		C3-C4;~1 Max	I	865.4	7.0	0.1	74.1
-10.0	-2200.2		J	865.4	7.0	0.1	74.1
48.8	8205.8						
		Min	I	-118.0	-0.7	-0.1	-603.1
60.6	5658.4		J	-118.0	-0.7	-0.1	-603.1
-3.5	-1672.5						
		C1-C2;~2 Max	I	490.2	3.8	0.0	40.3
-10.5	-2237.2		J	490.2	3.8	0.0	40.3
24.6	5408.5						
		Min	I	-64.3	-0.4	-0.1	-342.3
39.7	4102.3		J	-64.3	-0.4	-0.1	-342.3
-1.9	-1029.5						
		C3-C4;~2 Max	I	521.5	4.2	0.0	41.7
-5.4	-1367.2		J	521.5	4.2	0.0	41.7
30.7	4896.3						
		Min	I	-66.5	-0.4	-0.0	-363.4
36.0	3321.7		J	-66.5	-0.4	-0.0	-363.4
-2.0	-990.6						
		G1	I	648.4	4.8	-0.4	-414.5
-5.5	-1385.6		J	648.4	4.8	0.4	-414.5
-5.5	5786.3						

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
5.3	3449.5							
			G2	I	264.9	1.9	-0.0	-165.6
11.4	2423.5			J	264.9	1.9	-0.0	-165.6
15.3	1493.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-20.6	0.7	0.0	22.1
0.9	-2401.6			J	-20.6	0.7	0.0	22.1
-2.6	-2751.8							
			Q5_ps	I	-18.5	0.7	0.0	20.3
1.4	-2342.0			J	-18.5	0.7	0.0	20.3
-3.2	-2683.9							
			INVS LU Max	I	2681.0	19.8	-0.5	56.3
137.6	23850.3			J	2681.0	19.8	0.6	56.3
170.8	16540.8		Min	I	1316.2	8.1	-0.7	-897.7
65.2	4560.4			J	1316.2	8.1	0.4	-897.7
61.6	-1144.7							
			INVS LE Max	I	1996.2	14.7	-0.3	70.2
104.6	17360.0			J	1996.2	14.7	0.4	70.2
128.6	11885.7		Min	I	987.9	6.1	-0.5	-633.5
51.1	3491.5			J	987.9	6.1	0.3	-633.5
48.0	-733.0							
387	2	63	C1-C2;~1 Max	I	761.5	10.6	0.2	108.1
69.0	6897.4			J	761.5	10.6	0.2	108.1
31.0	3738.8		Min	I	-103.2	-1.2	-0.0	-834.2
-10.1	-2200.3			J	-103.2	-1.2	-0.0	-834.2
-40.4	-3927.2							
			C3-C4;~1 Max	I	799.1	11.4	0.2	113.8
62.7	5657.5			J	799.1	11.4	0.2	113.8
45.4	2796.9		Min	I	-108.3	-1.3	-0.1	-872.1
-10.5	-2237.3			J	-108.3	-1.3	-0.1	-872.1
-29.3	-4564.8							
			C1-C2;~2 Max	I	455.4	6.3	0.1	61.8
40.9	4101.8			J	455.4	6.3	0.1	61.8
17.2	2175.4		Min	I	-59.0	-0.7	-0.0	-499.1
-5.6	-1367.2			J	-59.0	-0.7	-0.0	-499.1
-22.9	-2357.8							


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

37.3	3321.2	C3-C4;~2 Max	I	482.5	6.9	0.1	64.1
			J	482.5	6.9	0.1	64.1
26.3	1629.0	Min	I	-61.0	-0.7	-0.0	-525.2
-5.7	-1385.7		J	-61.0	-0.7	-0.0	-525.2
-16.3	-2747.4						
		G1	I	599.3	8.1	-0.3	-621.3
7.2	3448.8		J	599.3	8.1	0.5	-621.3
-26.3	-526.0						
		G2	I	244.1	3.3	0.0	-248.0
16.0	1492.7		J	244.1	3.3	0.0	-248.0
4.6	-103.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-20.8	0.6	-0.0	34.9
-2.7	-2751.9		J	-20.8	0.6	-0.0	34.9
6.5	-3039.2						
		Q5_ps	I	-19.5	0.6	-0.0	33.5
-3.3	-2683.9		J	-19.5	0.6	-0.0	33.5
8.4	-2966.2						
		INVSLU Max	I	2498.0	32.3	-0.2	14.5
174.0	16539.8		J	2498.0	32.3	0.9	14.5
123.8	4546.5	Min	I	1235.5	14.1	-0.6	-1379.4
61.9	-1144.9		J	1235.5	14.1	0.5	-1379.4
-3.7	-12134.0						
		INVSLE Max	I	1861.6	24.0	-0.2	50.9
130.8	11885.0		J	1861.6	24.0	0.6	50.9
94.9	2937.5	Min	I	929.2	10.6	-0.4	-976.9
48.1	-733.2		J	929.2	10.6	0.3	-976.9
1.3	-9013.2						
388	2	63 C1-C2;~1 Max	I	685.2	13.9	0.1	126.3
33.0	3737.5		J	685.2	13.9	0.1	126.3
78.4	1212.7	Min	I	-87.4	-1.7	-0.1	-950.7
-38.8	-3930.1		J	-87.4	-1.7	-0.1	-950.7
-69.4	-8611.8						
		C3-C4;~1 Max	I	728.5	14.8	0.1	132.8
47.6	2795.2		J	728.5	14.8	0.1	132.8
82.5	751.9						


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-27.7	-4568.3	Min	I	-91.9	-1.8	-0.1	-984.0
			J	-91.9	-1.8	-0.1	-984.0
-54.4	-10233.0						
18.4	2174.6	C1-C2;~2 Max	I	409.7	8.3	0.0	72.3
			J	409.7	8.3	0.0	72.3
50.6	646.7						
-22.0	-2359.5	Min	I	-49.9	-1.0	-0.1	-569.5
			J	-49.9	-1.0	-0.1	-569.5
-39.5	-5057.9						
27.7	1627.9	C3-C4;~2 Max	I	440.1	8.9	0.0	74.8
			J	440.1	8.9	0.0	74.8
52.8	387.4						
-15.4	-2749.3	Min	I	-51.7	-1.0	-0.1	-592.9
			J	-51.7	-1.0	-0.1	-592.9
-30.7	-6136.3						
		G1	I	531.9	10.7	-0.4	-714.3
-23.8	-529.8		J	531.9	10.7	0.4	-714.3
-43.4	-5773.4						
		G2	I	215.9	4.3	0.0	-285.0
5.6	-105.4		J	215.9	4.3	0.0	-285.0
-9.4	-2217.3						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-18.3	0.5	0.0	41.3
6.3	-3039.2		J	-18.3	0.5	0.0	41.3
-4.4	-3275.5						
		Q5_ps	I	-16.5	0.5	0.0	40.6
8.3	-2966.2		J	-16.5	0.5	0.0	40.6
-4.8	-3197.6						
		INVSLU Max	I	2279.5	42.8	-0.2	-60.6
127.5	4540.8		J	2279.5	42.8	0.9	-60.6
74.2	-8541.6						
		Min	I	1139.1	19.6	-0.5	-1642.6
-0.6	-12142.5		J	1139.1	19.6	0.6	-1642.6
-138.8	-30973.6						
		INVSLE Max	I	1701.5	31.8	-0.2	-2.2
97.4	2933.4		J	1701.5	31.8	0.6	-2.2
59.8	-6982.8						
		Min	I	859.2	14.7	-0.4	-1168.6
3.4	-9019.4		J	859.2	14.7	0.4	-1168.6
-97.4	-23025.4						

MIDAS

PROJECT TITLE :


		Company				Client			
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
389	2	63	C1-C2;~1	Max	I	1266.0	2.9	0.5	1132.3
213.6	2228.1				J	1266.0	2.9	0.5	1132.3
12.3	960.8			Min	I	-163.8	-22.2	-0.1	-146.3
-24.3	-14800.8				J	-163.8	-22.2	-0.1	-146.3
-69.8	-4778.1								
219.6	2330.7		C3-C4;~1	Max	I	1192.6	3.0	0.5	1043.9
12.3	856.2				J	1192.6	3.0	0.5	1043.9
-22.7	-14113.7			Min	I	-172.1	-20.7	-0.1	-153.4
-61.8	-5098.9				J	-172.1	-20.7	-0.1	-153.4
130.9	1278.4		C1-C2;~2	Max	I	766.5	1.7	0.3	680.5
6.7	552.0				J	766.5	1.7	0.3	680.5
-12.9	-8805.4			Min	I	-93.8	-13.3	-0.0	-83.8
-42.1	-2862.0				J	-93.8	-13.3	-0.0	-83.8
131.5	1316.5		C3-C4;~2	Max	I	715.9	1.7	0.3	620.9
6.7	473.0				J	715.9	1.7	0.3	620.9
-12.3	-8300.1			Min	I	-97.0	-12.3	-0.0	-86.5
-36.7	-3070.4				J	-97.0	-12.3	-0.0	-86.5
94.4	-11472.9		G1		I	886.6	-15.9	-0.1	800.6
-70.0	-3341.3				J	886.6	-15.9	0.7	800.6
47.7	-4655.4		G2		I	358.8	-6.4	0.1	325.5
-11.8	-1382.5				J	358.8	-6.4	0.1	325.5
0.0	0.0		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
8.6	-1631.1		Q5_pc		I	21.2	-0.9	0.0	34.1
0.4	-1185.0				J	21.2	-0.9	0.0	34.1
9.6	-1556.8		Q5_ps		I	17.1	-0.7	0.0	29.1
1.4	-1179.7				J	17.1	-0.7	0.0	29.1
636.6	-18530.9		INVSLU	Max	I	3751.2	-28.0	0.9	2062.7
-40.0	-3853.0				J	3751.2	-28.0	2.0	2062.7
				Min	I	1771.6	-63.7	0.1	265.6

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
292.0	-44594.5			J	1771.6	-63.7	1.2	265.6	
-151.6	-14317.6								
		INVSLE	Max	I	2785.1	-20.8	0.7	1479.3	
478.8	-13838.6			J	2785.1	-20.8	1.5	1479.3	
-28.1	-2962.8		Min	I	1321.6	-47.2	0.1	152.7	
224.7	-32927.5			J	1321.6	-47.2	0.9	152.7	
-110.7	-10504.4								
390	2	63	C1-C2;~1	Max	I	1226.1	2.2	0.0	972.5
12.5	963.4			J	1226.1	2.2	0.0	972.5	
99.3	6851.9		Min	I	-157.8	-16.7	-0.3	-124.4	
-73.2	-4770.5			J	-157.8	-16.7	-0.3	-124.4	
-13.1	-467.3								
		C3-C4;~1	Max	I	1143.5	2.3	0.1	896.9	
12.6	855.3			J	1143.5	2.3	0.1	896.9	
85.2	5840.0		Min	I	-165.6	-15.5	-0.3	-130.5	
-65.1	-5091.8			J	-165.6	-15.5	-0.3	-130.5	
-13.7	-540.8								
		C1-C2;~2	Max	I	740.5	1.2	0.0	585.0	
6.9	553.9			J	740.5	1.2	0.0	585.0	
59.8	4406.9		Min	I	-90.4	-10.0	-0.2	-71.3	
-44.1	-2857.5			J	-90.4	-10.0	-0.2	-71.3	
-7.5	-245.8								
		C3-C4;~2	Max	I	684.4	1.3	0.0	533.8	
6.9	472.4			J	684.4	1.3	0.0	533.8	
50.6	3723.8		Min	I	-93.4	-9.2	-0.2	-73.6	
-38.7	-3066.2			J	-93.4	-9.2	-0.2	-73.6	
-7.7	-288.8								
		G1		I	853.4	-12.0	-0.6	688.0	
-72.8	-3334.0			J	853.4	-12.0	0.2	688.0	
24.5	2789.2								
		G2		I	346.3	-4.8	-0.1	279.8	
-12.9	-1379.6			J	346.3	-4.8	-0.1	279.8	
24.4	1080.2								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc		I	18.3	-0.8	0.0	31.2	
0.2	-1184.8								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-1.2	-778.5		J	18.3	-0.8	0.0	31.2
		Q5_ps	I	13.6	-0.7	0.0	27.1
1.3	-1179.5		J	13.6	-0.7	0.0	27.1
-2.0	-830.4						
		INVS LU Max	I	3615.2	-20.1	-0.9	1702.7
-41.4	-3842.2		J	3615.2	-20.1	0.3	1702.7
267.6	15792.2	Min	I	1703.5	-47.1	-1.4	157.5
-157.6	-14299.5		J	1703.5	-47.1	-0.2	157.5
113.0	4206.0						
		INVS LE Max	I	2684.0	-15.0	-0.6	1216.9
-29.0	-2955.1		J	2684.0	-15.0	0.2	1216.9
200.0	11678.1	Min	I	1270.3	-34.9	-1.0	76.5
-115.0	-10491.2		J	1270.3	-34.9	-0.2	76.5
85.7	3239.9						
		63 C1-C2;~1 Max	I	1155.9	1.3	0.1	612.3
391	2		J	1155.9	1.3	0.1	612.3
96.5	6852.3						
		Min	I	-145.2	-10.3	-0.0	-76.0
52.4	12001.1		J	-145.2	-10.3	-0.0	-76.0
-12.8	-467.3						
		C3-C4;~1 Max	I	1075.1	1.4	0.1	560.2
-3.6	-1068.7		J	1075.1	1.4	0.1	560.2
		Min	I	-152.4	-9.6	-0.0	-79.7
82.5	5840.5		J	-152.4	-9.6	-0.0	-79.7
45.9	10598.9						
		C1-C2;~2 Max	I	698.8	0.8	0.1	369.8
-13.3	-540.5		J	698.8	0.8	0.1	369.8
-3.7	-1118.7						
		Min	I	-83.2	-6.2	-0.0	-43.5
58.1	4407.2		J	-83.2	-6.2	-0.0	-43.5
34.2	7491.8						
		C3-C4;~2 Max	I	643.9	0.8	0.1	333.9
-7.3	-245.8		J	643.9	0.8	0.1	333.9
-2.0	-603.2						
		Min	I	-85.9	-5.7	-0.0	-44.9
49.0	3724.1		J	-85.9	-5.7	-0.0	-44.9
29.5	6535.0						
		G1	I	806.1	-7.5	-0.4	428.6
-7.5	-288.6		J	806.1	-7.5	0.5	428.6
-2.1	-622.6						
22.5	2789.6						
-7.6	6614.4						


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


23.5	1080.4	G2	I	328.0	-3.0	0.0	174.4
11.8	2607.1		J	328.0	-3.0	0.0	174.4
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-1.3	-778.4	Q5_pc	I	18.6	-0.7	-0.0	20.9
0.4	-429.2		J	18.6	-0.7	-0.0	20.9
-2.1	-830.3	Q5_ps	I	14.4	-0.6	-0.0	18.4
0.5	-525.0		J	14.4	-0.6	-0.0	18.4
263.0	15792.5	INVS LU Max	I	3426.9	-12.4	-0.3	1025.1
142.1	30028.7		J	3426.9	-12.4	0.8	1025.1
112.5	4206.1	Min	I	1627.1	-29.4	-0.5	53.4
65.5	11544.4		J	1627.1	-29.4	0.6	53.4
196.7	11678.3	INVS LE Max	I	2544.9	-9.3	-0.2	729.5
107.5	22262.7		J	2544.9	-9.3	0.6	729.5
85.4	3239.9	Min	I	1214.3	-21.8	-0.3	12.5
50.9	8627.8		J	1214.3	-21.8	0.5	12.5
392	2	63 C1-C2;~1 Max	I	1078.3	0.6	0.0	204.1
51.0	12001.7		J	1078.3	0.6	0.0	204.1
60.3	14080.8	Min	I	-131.4	-4.3	-0.0	-21.0
-3.4	-1068.8		J	-131.4	-4.3	-0.0	-21.0
-5.2	-1343.5						
44.6	10599.4	C3-C4;~1 Max	I	1003.4	0.6	0.0	173.3
53.2	12532.3		J	1003.4	0.6	0.0	173.3
-3.6	-1118.8	Min	I	-138.0	-4.1	-0.0	-22.0
-5.5	-1405.8		J	-138.0	-4.1	-0.0	-22.0
33.4	7492.2	C1-C2;~2 Max	I	653.5	0.3	0.0	126.9
38.4	8716.5		J	653.5	0.3	0.0	126.9
-1.9	-603.3	Min	I	-75.2	-2.6	-0.0	-12.0
-3.0	-761.7		J	-75.2	-2.6	-0.0	-12.0

MIDAS


PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
28.7	6535.3	C3-C4;~2	Max	I	602.2	0.3	0.0	104.8	
				J	602.2	0.3	0.0	104.8	
33.4	7653.8		Min	I	-77.8	-2.4	-0.0	-12.4	
-2.0	-622.6			J	-77.8	-2.4	-0.0	-12.4	
-3.1	-785.4								
-8.6	6614.8		G1	I	752.9	-3.1	-0.4	124.0	
				J	752.9	-3.1	0.4	124.0	
-1.8	8208.3								
11.4	2607.2		G2	I	306.9	-1.2	-0.0	50.4	
				J	306.9	-1.2	-0.0	50.4	
14.0	3226.2								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
0.3	-429.1		Q5_pc	I	19.4	-0.6	0.0	6.3	
				J	19.4	-0.6	0.0	6.3	
0.3	-144.6								
0.4	-524.9		Q5_ps	I	15.9	-0.5	0.0	5.5	
				J	15.9	-0.5	0.0	5.5	
0.2	-272.7								
139.8	30030.4		INVS LU Max	I	3219.4	-5.2	-0.6	342.8	
				J	3219.4	-5.2	0.5	342.8	
162.4	35905.1								
			Min	I	1542.6	-12.8	-0.6	26.2	
65.4	11545.3			J	1542.6	-12.8	0.5	26.2	
73.0	14737.8								
105.9	22263.9		INVS LE Max	I	2392.2	-4.0	-0.4	244.5	
				J	2392.2	-4.0	0.4	244.5	
122.7	26661.1								
			Min	I	1152.7	-9.5	-0.5	10.8	
50.8	8628.5			J	1152.7	-9.5	0.4	10.8	
56.5	11001.0								
393	2	63	C1-C2;~1	Max	I	995.9	1.9	0.0	30.6
60.4	14080.7			J	995.9	1.9	0.0	30.6	
61.6	13285.2								
			Min	I	-117.3	-0.8	-0.0	-242.5	
-5.2	-1343.4			J	-117.3	-0.8	-0.0	-242.5	
-5.5	-1283.0								
53.3	12532.3		C3-C4;~1	Max	I	927.9	1.8	0.0	31.7
				J	927.9	1.8	0.0	31.7	
52.2	11809.1								
			Min	I	-123.2	-0.8	-0.0	-214.9	


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-5.5	-1405.8		J	-123.2	-0.8	-0.0	-214.9
-5.8	-1340.2						
38.4	8716.5	C1-C2;~2 Max	I	605.4	1.2	0.0	17.4
38.8	8201.7		J	605.4	1.2	0.0	17.4
-3.0	-761.7	Min	I	-67.1	-0.5	-0.0	-148.2
-3.2	-724.4		J	-67.1	-0.5	-0.0	-148.2
33.5	7653.7	C3-C4;~2 Max	I	558.3	1.2	0.0	17.8
32.5	7184.8		J	558.3	1.2	0.0	17.8
-3.1	-785.4	Min	I	-69.5	-0.5	-0.0	-128.4
-3.2	-745.8		J	-69.5	-0.5	-0.0	-128.4
-1.7	8208.3	G1	I	695.8	0.9	-0.4	-169.0
-2.7	7726.9		J	695.8	0.9	0.4	-169.0
14.0	3226.2	G2	I	284.2	0.4	0.0	-69.3
13.6	2999.5		J	284.2	0.4	0.0	-69.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.3	-144.6	Q5_pc	I	20.1	-0.4	0.0	-9.4
-0.7	72.6		J	20.1	-0.4	0.0	-9.4
0.2	-272.7	Q5_ps	I	17.3	-0.4	0.0	-9.1
-1.0	-78.7		J	17.3	-0.4	0.0	-9.1
162.4	35905.1	INVSLU Max	I	2999.4	4.2	-0.5	41.0
155.4	34123.7		J	2999.4	4.2	0.6	41.0
72.9	14738.1	Min	I	1452.4	-0.2	-0.6	-346.3
63.3	14248.7		J	1452.4	-0.2	0.6	-346.3
122.7	26661.1	INVSLE Max	I	2230.3	3.0	-0.4	41.1
117.2	25381.9		J	2230.3	3.0	0.4	41.1
56.4	11001.1	Min	I	1087.0	-0.2	-0.4	-244.4
49.1	10669.3		J	1087.0	-0.2	0.4	-244.4
394	2	63 C1-C2;~1 Max	I	908.2	7.1	0.1	72.4

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
63.0	13284.6		J	908.2	7.1	0.1	72.4
35.6	9958.7						
		Min	I	-103.0	-1.0	-0.0	-582.7
-5.7	-1282.9						
			J	-103.0	-1.0	-0.0	-582.7
-18.9	-938.0						
		C3-C4;~1 Max	I	848.1	6.6	0.1	76.1
53.5	11808.6						
			J	848.1	6.6	0.1	76.1
35.6	8698.8						
		Min	I	-108.3	-0.9	-0.0	-537.2
-6.0	-1340.2						
			J	-108.3	-0.9	-0.0	-537.2
-13.1	-974.6						
		C1-C2;~2 Max	I	554.1	4.4	0.1	41.5
39.7	8201.4						
			J	554.1	4.4	0.1	41.5
23.2	6159.8						
		Min	I	-59.0	-0.6	-0.0	-352.8
-3.3	-724.3						
			J	-59.0	-0.6	-0.0	-352.8
-11.0	-519.2						
		C3-C4;~2 Max	I	511.9	4.1	0.0	42.9
33.3	7184.5						
			J	511.9	4.1	0.0	42.9
21.1	5287.1						
		Min	I	-61.0	-0.5	-0.0	-320.7
-3.4	-745.7						
			J	-61.0	-0.5	-0.0	-320.7
-7.4	-532.2						
		G1	I	635.1	4.7	-0.4	-424.0
-1.6	7726.5						
			J	635.1	4.7	0.5	-424.0
-21.2	5350.7						
		G2	I	259.7	2.0	0.0	-173.7
14.0	2999.4						
			J	259.7	2.0	0.0	-173.7
6.7	1999.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0						
			J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	20.8	-0.3	-0.0	-24.6
-0.6	72.7						
			J	20.8	-0.3	-0.0	-24.6
3.3	221.3						
		Q5_ps	I	18.8	-0.3	-0.0	-23.7
-0.9	-78.7						
			J	18.8	-0.3	-0.0	-23.7
4.1	53.4						
		INVSLU Max	I	2766.8	18.4	-0.4	50.8
157.4	34122.5						
			J	2766.8	18.4	0.7	50.8
104.0	25422.4						
		Min	I	1357.1	6.9	-0.6	-883.0
63.2	14248.2						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
24.3	10264.1		J	1357.1	6.9	0.6	-883.0	
118.6	25381.0	INVSLE Max	I	2059.2	13.5	-0.3	65.6	
80.0	18965.9		J	2059.2	13.5	0.5	65.6	
48.9	10669.0	Min	I	1017.7	5.1	-0.4	-622.8	
21.4	7767.1		J	1017.7	5.1	0.4	-622.8	
395	2	63 C1-C2;~1 Max	I	823.5	11.7	0.1	101.2	
37.3	9957.6		J	823.5	11.7	0.1	101.2	
69.9	4908.1	Min	I	-89.9	-1.3	-0.1	-826.9	
-17.9	-937.9		J	-89.9	-1.3	-0.1	-826.9	
-11.0	-1162.3		J	-89.9	-1.3	-0.1	-826.9	
37.5	8697.8	C3-C4;~1 Max	I	771.3	10.9	0.1	106.4	
51.2	4181.2		J	771.3	10.9	0.1	106.4	
-12.2	-974.4	Min	I	-94.5	-1.4	-0.1	-768.2	
-11.9	-1660.0		J	-94.5	-1.4	-0.1	-768.2	
24.3	6159.2	C1-C2;~2 Max	I	504.2	7.2	0.0	57.9	
41.3	3056.2		J	504.2	7.2	0.0	57.9	
-10.4	-519.2	Min	I	-51.4	-0.7	-0.1	-500.7	
-5.9	-642.9		J	-51.4	-0.7	-0.1	-500.7	
22.2	5286.5	C3-C4;~2 Max	I	467.0	6.6	0.0	60.0	
29.1	2560.5		J	467.0	6.6	0.0	60.0	
-6.9	-532.1	Min	I	-53.3	-0.8	-0.1	-459.3	
-6.2	-954.0		J	-53.3	-0.8	-0.1	-459.3	
-19.3	5350.0	G1	I	574.8	7.9	-0.4	-607.9	
-2.3	1317.4		J	574.8	7.9	0.4	-607.9	
7.5	1998.9	G2	I	234.9	3.3	-0.0	-249.3	
14.3	321.3		J	234.9	3.3	-0.0	-249.3	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
3.4	221.3	Q5_pc	I	20.6	-0.2	0.0	-36.8	
			J	20.6	-0.2	0.0	-36.8	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-3.2	302.8							
			Q5_ps	I	19.1	-0.1	0.0	-35.6
4.2	53.5			J	19.1	-0.1	0.0	-35.6
-4.2	122.4							
			INVSLU Max	I	2538.6	31.2	-0.4	19.1
107.0	25420.7			J	2538.6	31.2	0.7	19.1
130.2	10870.4		Min	I	1262.3	13.3	-0.7	-1306.9
26.1	10264.1			J	1262.3	13.3	0.4	-1306.9
14.0	1458.5							
			INVSLE Max	I	1891.7	23.0	-0.3	53.5
82.1	18964.7			J	1891.7	23.0	0.5	53.5
96.4	8213.1		Min	I	949.0	9.8	-0.5	-923.9
22.6	7767.1			J	949.0	9.8	0.3	-923.9
10.7	1281.7							
396	2	63	C1-C2;~1 Max	I	787.4	15.1	0.1	110.5
72.8	4904.5			J	787.4	15.1	0.1	110.5
135.8	2408.5		Min	I	-85.3	-1.7	-0.2	-913.0
-11.1	-1164.9			J	-85.3	-1.7	-0.2	-913.0
-26.0	-5981.9							
			C3-C4;~1 Max	I	732.1	14.0	0.1	116.3
53.9	4177.9			J	732.1	14.0	0.1	116.3
128.0	2504.9		Min	I	-89.7	-1.8	-0.2	-852.1
-11.8	-1663.0			J	-89.7	-1.8	-0.2	-852.1
-37.6	-6419.4							
			C1-C2;~2 Max	I	481.3	9.3	0.0	63.3
43.1	3053.9			J	481.3	9.3	0.0	63.3
83.6	1575.9		Min	I	-48.8	-1.0	-0.1	-553.3
-6.0	-644.4			J	-48.8	-1.0	-0.1	-553.3
-13.1	-3587.7							
			C3-C4;~2 Max	I	442.5	8.5	0.0	65.5
30.8	2558.4			J	442.5	8.5	0.0	65.5
79.3	1638.7		Min	I	-50.5	-1.0	-0.1	-510.2
-6.2	-955.8			J	-50.5	-1.0	-0.1	-510.2
-20.1	-3821.0							
			G1	I	539.5	10.3	-0.4	-675.0
0.1	1313.4			J	539.5	10.3	0.4	-675.0
2.2	-3955.2							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
15.3	319.6	G2	I	218.8	4.3	0.0	-277.1
			J	218.8	4.3	0.0	-277.1
9.2	-1862.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	14.6	-0.1	0.0	-42.1
-3.0	302.4		J	14.6	-0.1	0.0	-42.1
-13.2	335.4						
		Q5_ps	I	12.3	-0.0	0.0	-41.2
-4.1	122.0		J	12.3	-0.0	0.0	-41.2
-15.6	145.0						
		INVSLE Max	I	2409.2	41.7	-0.7	-27.1
134.7	10861.1		J	2409.2	41.7	0.4	-27.1
354.0	-3227.2						
		Min	I	1198.9	18.9	-1.1	-1492.4
15.0	1450.6		J	1198.9	18.9	0.0	-1492.4
96.2	-15878.6						
		INVSLE Max	I	1797.3	30.9	-0.5	22.1
99.6	8206.5		J	1797.3	30.9	0.3	22.1
269.5	-2229.2						
		Min	I	902.6	14.0	-0.8	-1057.7
11.3	1276.1		J	902.6	14.0	0.0	-1057.7
80.3	-11555.9						
		70 C1-C2;~1 Max	I	1287.5	4.6	0.5	328.9
407	2		J	1287.5	4.6	0.5	328.9
221.4	3687.0						
		Min	I	-727.3	-7.7	-0.1	-226.8
21.4	5371.4		J	-727.3	-7.7	-0.1	-226.8
-57.1	-4257.4						
-42.7	-2432.8						
		C3-C4;~1 Max	I	1273.0	4.4	0.5	289.4
229.7	3636.3		J	1273.0	4.4	0.5	289.4
11.9	4483.1						
		Min	I	-711.7	-7.1	-0.1	-219.7
-57.8	-4753.5		J	-711.7	-7.1	-0.1	-219.7
-37.4	-2744.4						
		C1-C2;~2 Max	I	787.9	2.6	0.3	201.8
137.0	2176.2		J	787.9	2.6	0.3	201.8
14.3	3443.0						
		Min	I	-414.7	-4.8	-0.1	-129.3
-32.3	-2490.7		J	-414.7	-4.8	-0.1	-129.3
-25.7	-1409.4						
		C3-C4;~2 Max	I	762.4	2.5	0.3	171.9


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
143.9	2159.9			J	762.4	2.5	0.3	171.9
7.6	2840.7							
			Min	I	-405.1	-4.2	-0.1	-124.7
-32.8	-2759.3			J	-405.1	-4.2	-0.1	-124.7
-21.9	-1570.3							
			G1	I	300.3	-1.3	-0.2	28.3
59.2	-541.1			J	300.3	-1.3	0.7	28.3
-58.2	101.6							
			G2	I	107.6	-0.5	0.1	12.0
31.9	-230.9			J	107.6	-0.5	0.1	12.0
-5.6	1.8							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	14.7	0.1	0.0	1.4
11.5	-1430.7			J	14.7	0.1	0.0	1.4
4.1	-1469.1							
			Q5_ps	I	13.4	0.1	0.0	2.5
11.6	-1468.6			J	13.4	0.1	0.0	2.5
4.8	-1501.2							
			INVSLU Max	I	1471.3	9.8	0.5	206.4
458.0	8003.4			J	1471.3	9.8	1.8	206.4
-57.3	8534.8		Min	I	-1275.1	-7.0	-0.3	-546.4
49.1	-5966.5			J	-1275.1	-7.0	0.9	-546.4
-151.2	-5065.8							
			INVSLE Max	I	1050.1	7.5	0.4	131.0
342.0	5996.9			J	1050.1	7.5	1.3	131.0
-42.2	6236.6		Min	I	-982.3	-4.9	-0.2	-426.5
40.7	-4160.4			J	-982.3	-4.9	0.7	-426.5
-111.2	-3642.1							
408	2	70	C1-C2;~1 Max	I	1253.2	3.4	0.1	292.7
21.2	5373.8			J	1253.2	3.4	0.1	292.7
92.7	7455.3		Min	I	-749.5	-5.9	-0.2	-201.9
-42.8	-2432.8			J	-749.5	-5.9	-0.2	-201.9
-35.0	-2632.5							
			C3-C4;~1 Max	I	1226.4	3.4	0.1	256.2
11.7	4485.2			J	1226.4	3.4	0.1	256.2
81.4	6373.4		Min	I	-732.3	-5.5	-0.2	-195.6
-37.5	-2744.5							

MIDAS

PROJECT TITLE :

		Company		Client			
		Author		File Name			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H
-34.0	-2528.0		J	-732.3	-5.5	-0.2	-195.6
14.1	3444.5	C1-C2;~2 Max	I	767.4	2.0	0.0	180.2
57.6	4749.4		J	767.4	2.0	0.0	180.2
-25.8	-1409.3	Min	I	-427.4	-3.7	-0.1	-115.1
-19.9	-1450.6		J	-427.4	-3.7	-0.1	-115.1
7.4	2842.0	C3-C4;~2 Max	I	734.7	1.9	0.0	152.5
49.5	4010.2		J	734.7	1.9	0.0	152.5
-22.0	-1570.3	Min	I	-416.7	-3.3	-0.1	-111.0
-19.2	-1382.8		J	-416.7	-3.3	-0.1	-111.0
-58.3	102.0	G1	I	233.4	-0.9	-0.5	20.3
-15.6	534.9		J	233.4	-0.9	0.4	20.3
-5.7	1.9	G2	I	82.2	-0.3	-0.0	8.7
9.0	159.8		J	82.2	-0.3	-0.0	8.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
4.1	-1469.2	Q5_pc	I	8.9	0.1	0.0	0.4
-3.5	-1516.7		J	8.9	0.1	0.0	0.4
4.7	-1501.4	Q5_ps	I	7.4	0.1	0.0	1.4
-4.0	-1541.8		J	7.4	0.1	0.0	1.4
-57.3	8536.0	INVSLU Max	I	1214.7	7.7	-0.6	178.3
87.6	9891.6		J	1214.7	7.7	0.6	178.3
-151.1	-5068.3	Min	I	-1504.8	-5.1	-1.0	-490.1
-91.1	-6457.0		J	-1504.8	-5.1	0.2	-490.1
-42.2	6237.3	INVSLE Max	I	856.3	5.9	-0.5	112.9
64.2	7118.4		J	856.3	5.9	0.5	112.9
-111.1	-3644.1	Min	I	-1156.9	-3.5	-0.8	-382.2
-67.7	-4789.5		J	-1156.9	-3.5	0.2	-382.2
409	2	70 C1-C2;~1 Max	I	1219.7	2.1	0.1	200.9
92.4	7455.4						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
74.4	8721.4		J	1219.7	2.1	0.1	200.9
		Min	I	-776.6	-3.9	-0.0	-134.7
-34.8	-2632.6		J	-776.6	-3.9	-0.0	-134.7
-30.8	-3511.4						
		C3-C4;~1 Max	I	1185.7	2.0	0.1	171.7
81.1	6373.4		J	1185.7	2.0	0.1	171.7
		Min	I	-758.3	-3.7	-0.0	-130.9
66.4	7476.7		J	-758.3	-3.7	-0.0	-130.9
-33.8	-2528.0						
-30.2	-3336.1						
		C1-C2;~2 Max	I	750.0	1.2	0.0	125.4
57.5	4749.4		J	750.0	1.2	0.0	125.4
		Min	I	-442.8	-2.5	-0.0	-76.5
48.8	5526.7		J	-442.8	-2.5	-0.0	-76.5
-19.7	-1450.7						
-17.5	-1964.0						
		C3-C4;~2 Max	I	712.7	1.2	0.0	103.1
49.3	4010.2		J	712.7	1.2	0.0	103.1
		Min	I	-431.5	-2.3	-0.0	-73.9
42.5	4656.7		J	-431.5	-2.3	-0.0	-73.9
-19.1	-1382.8						
-17.2	-1848.6						
		G1	I	160.1	-0.5	-0.4	4.6
-15.7	534.9		J	160.1	-0.5	0.5	4.6
-29.5	789.7						
		G2	I	53.7	-0.2	0.0	2.1
9.0	159.8		J	53.7	-0.2	0.0	2.1
3.7	254.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	8.6	0.1	-0.0	-1.8
-3.5	-1516.6		J	8.6	0.1	-0.0	-1.8
0.7	-1573.0						
		Q5_ps	I	7.6	0.1	-0.0	-1.2
-4.0	-1541.8		J	7.6	0.1	-0.0	-1.2
0.7	-1590.3						
		INVSLU Max	I	944.1	4.8	-0.4	128.8
87.5	9891.5		J	944.1	4.8	0.8	128.8
		Min	I	-1766.4	-3.6	-0.6	-327.4
23.0	10730.8		J	-1766.4	-3.6	0.7	-327.4
-90.6	-6457.3						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-120.2	-8614.9							
		INVSLE Max	I	651.4	3.7	-0.3	83.5	
64.1	7118.3		J	651.4	3.7	0.6	83.5	
15.8	7662.7							
		Min	I	-1355.3	-2.5	-0.4	-254.2	
-67.3	-4789.7		J	-1355.3	-2.5	0.5	-254.2	
-90.1	-6457.8							
410	2	70 C1-C2;~1 Max	I	1177.9	0.9	0.0	99.5	
74.3	8721.5		J	1177.9	0.9	0.0	99.5	
82.8	9102.0							
		Min	I	-804.6	-2.3	-0.0	-74.3	
-30.6	-3511.6		J	-804.6	-2.3	-0.0	-74.3	
-37.4	-3769.1							
		C3-C4;~1 Max	I	1143.5	0.8	0.0	75.9	
66.3	7476.8		J	1143.5	0.8	0.0	75.9	
75.7	7745.6							
		Min	I	-785.2	-2.1	-0.0	-55.4	
-30.1	-3336.2		J	-785.2	-2.1	-0.0	-55.4	
-36.7	-3595.0							
		C1-C2;~2 Max	I	727.6	0.6	0.0	64.5	
48.7	5526.7		J	727.6	0.6	0.0	64.5	
53.6	5759.6							
		Min	I	-458.8	-1.5	-0.0	-46.1	
-17.5	-1964.1		J	-458.8	-1.5	-0.0	-46.1	
-21.3	-2114.6							
		C3-C4;~2 Max	I	690.5	0.4	0.0	46.7	
42.4	4656.8		J	690.5	0.4	0.0	46.7	
47.9	4802.6							
		Min	I	-446.8	-1.4	-0.0	-32.6	
-17.2	-1848.6		J	-446.8	-1.4	-0.0	-32.6	
-20.9	-1998.7							
		G1	I	81.1	-0.3	-0.5	-8.4	
-29.5	789.7		J	81.1	-0.3	0.5	-8.4	
-29.7	928.8							
		G2	I	22.7	-0.1	0.0	-3.7	
3.7	254.9		J	22.7	-0.1	0.0	-3.7	
3.3	311.6							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	9.2	0.1	0.0	-5.2	
0.7	-1573.0		J	9.2	0.1	0.0	-5.2	
0.0	-1640.6							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.7	-1590.3	Q5_ps	I	8.8	0.1	0.0	-5.2
-0.1	-1650.2		J	8.8	0.1	0.0	-5.2
23.0	10730.8	INVS LU Max	I	654.7	1.6	-0.6	98.4
16.6	11186.3		J	654.7	1.6	0.7	98.4
-119.9	-8615.2	Min	I	-2038.1	-2.9	-0.6	-145.4
-145.7	-9142.7		J	-2038.1	-2.9	0.6	-145.4
15.8	7662.7	INVS LE Max	I	432.5	1.2	-0.4	70.1
10.2	7974.7		J	432.5	1.2	0.5	70.1
-89.9	-6458.0	Min	I	-1561.0	-2.1	-0.5	-109.9
-110.0	-6865.1		J	-1561.0	-2.1	0.5	-109.9
411	2	70 C1-C2;~1 Max	I	1121.3	1.9	0.0	60.5
82.8	9101.9		J	1121.3	1.9	0.0	60.5
85.4	8833.9	Min	I	-831.9	-1.7	-0.0	-120.5
-37.4	-3769.1		J	-831.9	-1.7	-0.0	-120.5
-37.0	-3322.0						
75.7	7745.6	C3-C4;~1 Max	I	1090.3	1.9	0.0	54.3
75.7	7338.7		J	1090.3	1.9	0.0	54.3
-36.7	-3595.0	Min	I	-811.5	-1.3	-0.0	-102.2
-36.1	-3171.5		J	-811.5	-1.3	-0.0	-102.2
53.6	5759.6	C1-C2;~2 Max	I	695.6	1.3	0.0	35.0
55.2	5628.2		J	695.6	1.3	0.0	35.0
-21.3	-2114.6	Min	I	-474.4	-1.0	-0.0	-78.8
-21.1	-1856.0		J	-474.4	-1.0	-0.0	-78.8
47.9	4802.6	C3-C4;~2 Max	I	661.3	1.2	0.0	29.6
47.9	4570.9		J	661.3	1.2	0.0	29.6
-20.9	-1998.6	Min	I	-461.7	-0.8	-0.0	-64.4
-20.5	-1751.8		J	-461.7	-0.8	-0.0	-64.4
-29.7	928.8	G1	I	-4.2	-0.2	-0.5	-13.1
-30.5	1029.2		J	-4.2	-0.2	0.5	-13.1
		G2	I	-10.8	-0.1	0.0	-6.5


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
3.3	311.6			J	-10.8	-0.1	0.0	-6.5
3.0	359.6							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	10.0	0.2	0.0	-9.0
0.0	-1640.6			J	10.0	0.2	0.0	-9.0
-1.8	-1720.3							
			Q5_ps	I	10.3	0.1	0.0	-10.0
-0.1	-1650.2			J	10.3	0.1	0.0	-10.0
-2.0	-1723.0							
			INVSLE Max	I	341.6	1.0	-0.6	166.0
16.6	11186.3			J	341.6	1.0	0.7	166.0
15.2	11765.5		Min	I	-2313.2	-4.2	-0.6	-94.5
-145.7	-9142.7			J	-2313.2	-4.2	0.6	-94.5
-153.3	-7741.5							
			INVSLE Max	I	196.4	0.7	-0.4	129.4
10.2	7974.7			J	196.4	0.7	0.5	129.4
8.8	8432.8		Min	I	-1768.8	-3.1	-0.5	-62.4
-110.0	-6865.1			J	-1768.8	-3.1	0.5	-62.4
-115.8	-5787.4							
			70 C1-C2;~1 Max	I	1058.6	3.6	0.1	138.6
412	2			J	1058.6	3.6	0.1	138.6
85.5	8833.7							
			Min	I	-857.7	-2.6	-0.0	-207.2
68.3	7769.2			J	-857.7	-2.6	-0.0	-207.2
-37.2	-3321.8							
-51.0	-2552.6							
			C3-C4;~1 Max	I	1029.0	3.6	0.1	136.0
75.8	7338.5			J	1029.0	3.6	0.1	136.0
64.7	6430.3		Min	I	-836.2	-2.5	-0.0	-178.2
-36.2	-3171.3			J	-836.2	-2.5	-0.0	-178.2
-49.5	-2294.9							
			C1-C2;~2 Max	I	660.5	2.3	0.1	78.4
55.3	5628.1			J	660.5	2.3	0.1	78.4
45.1	5004.9		Min	I	-489.1	-1.5	-0.0	-131.7
-21.2	-1855.9			J	-489.1	-1.5	-0.0	-131.7
-28.4	-1514.6							
			C3-C4;~2 Max	I	627.7	2.2	0.0	76.6
47.9	4570.9							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
41.7	4075.3		J	627.7	2.2	0.0	76.6
		Min	I	-475.7	-1.4	-0.0	-109.7
-20.6	-1751.7		J	-475.7	-1.4	-0.0	-109.7
-27.8	-1310.7						
		G1	I	-96.0	-0.3	-0.4	-7.7
-30.5	1029.1		J	-96.0	-0.3	0.5	-7.7
-50.6	1173.7						
		G2	I	-47.0	-0.1	0.0	-5.1
3.0	359.6		J	-47.0	-0.1	0.0	-5.1
-4.8	432.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	10.8	0.2	-0.0	-12.8
-1.8	-1720.3		J	10.8	0.2	-0.0	-12.8
6.3	-1812.9						
		Q5_ps	I	11.8	0.2	-0.0	-14.7
-2.0	-1723.1		J	11.8	0.2	-0.0	-14.7
6.7	-1810.2						
		INVS LU Max	I	19.3	0.9	-0.4	397.0
15.2	11765.5		J	19.3	0.9	0.9	397.0
-65.3	12474.8						
		Min	I	-2587.1	-7.8	-0.6	-92.8
-153.6	-7741.1		J	-2587.1	-7.8	0.7	-92.8
-237.8	-4722.8						
		INVS LE Max	I	-46.0	0.5	-0.3	308.7
8.7	8432.9		J	-46.0	0.5	0.7	308.7
-52.4	9044.2						
		Min	I	-1975.2	-5.9	-0.4	-52.4
-116.1	-5787.1		J	-1975.2	-5.9	0.5	-52.4
-179.4	-3453.0						
		70 C1-C2;~1 Max	I	990.4	5.3	0.1	207.8
413	2		J	990.4	5.3	0.1	207.8
68.5	7768.8						
		Min	I	-882.8	-4.1	-0.2	-271.5
77.4	6189.1		J	-882.8	-4.1	-0.2	-271.5
-51.2	-2552.5						
-8.9	-2342.1						
		C3-C4;~1 Max	I	964.4	5.2	0.1	203.3
64.9	6430.0		J	964.4	5.2	0.1	203.3
57.9	5172.0						
		Min	I	-859.8	-4.0	-0.1	-235.3
-49.7	-2294.8		J	-859.8	-4.0	-0.1	-235.3


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-7.7	-2292.5						
45.2	5004.7	C1-C2;~2 Max	I	622.2	3.3	0.0	118.1
47.7	3991.8		J	622.2	3.3	0.0	118.1
-28.5	-1514.5	Min	I	-503.4	-2.3	-0.1	-171.3
-4.7	-1440.7		J	-503.4	-2.3	-0.1	-171.3
41.8	4075.2	C3-C4;~2 Max	I	592.4	3.2	0.1	115.1
34.4	3302.9		J	592.4	3.2	0.1	115.1
-27.9	-1310.7	Min	I	-489.1	-2.3	-0.1	-143.5
-3.9	-1351.9		J	-489.1	-2.3	-0.1	-143.5
-50.6	1173.7	G1	I	-193.2	-0.5	-0.6	5.5
-5.8	1447.9		J	-193.2	-0.5	0.4	5.5
-4.8	432.0	G2	I	-85.5	-0.3	-0.0	-0.1
14.3	562.8		J	-85.5	-0.3	-0.0	-0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
6.3	-1812.9	Q5_pc	I	10.2	0.2	0.0	-15.9
-9.2	-1919.0		J	10.2	0.2	0.0	-15.9
6.7	-1810.2	Q5_ps	I	12.0	0.2	0.0	-18.4
-9.7	-1912.8		J	12.0	0.2	0.0	-18.4
-65.4	12474.3	INVSLU Max	I	-310.4	0.6	-0.8	605.7
105.9	13856.5		J	-310.4	0.6	0.5	605.7
-238.4	-4722.5	Min	I	-2857.7	-12.5	-1.2	-70.0
-27.8	-1114.8		J	-2857.7	-12.5	0.1	-70.0
-52.5	9043.9	INVSLE Max	I	-293.0	0.1	-0.6	469.4
77.7	10209.4		J	-293.0	0.1	0.3	469.4
-179.8	-3452.8	Min	I	-2178.6	-9.6	-0.9	-29.0
-19.6	-624.6		J	-2178.6	-9.6	0.0	-29.0
414	2	70 C1-C2;~1 Max	I	949.0	6.7	0.3	237.3
77.6	6188.7		J	949.0	6.7	0.3	237.3

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
176.5	5371.6		Min	I	-916.7	-5.5	-0.3	-293.5
-9.1	-2342.9			J	-916.7	-5.5	-0.3	-293.5
-146.6	-3586.0							
		C3-C4;~1	Max	I	919.8	6.5	0.3	231.9
58.0	5171.7			J	919.8	6.5	0.3	231.9
169.8	5276.9		Min	I	-890.6	-5.3	-0.3	-254.7
-7.9	-2293.7			J	-890.6	-5.3	-0.3	-254.7
-141.3	-4215.3							
		C1-C2;~2	Max	I	600.0	4.2	0.2	134.9
47.8	3991.3			J	600.0	4.2	0.2	134.9
118.1	3254.2		Min	I	-522.8	-3.1	-0.2	-185.0
-4.8	-1441.1			J	-522.8	-3.1	-0.2	-185.0
-81.7	-2098.6							
		C3-C4;~2	Max	I	569.5	4.0	0.2	131.4
34.5	3302.5			J	569.5	4.0	0.2	131.4
113.0	3121.0		Min	I	-506.6	-3.0	-0.2	-155.2
-4.0	-1352.6			J	-506.6	-3.0	-0.2	-155.2
-78.1	-2505.3							
		G1		I	-293.1	-1.0	-0.2	17.0
-5.9	1447.9			J	-293.1	-1.0	0.7	17.0
-148.4	1926.7							
		G2		I	-125.7	-0.4	0.1	4.4
14.2	562.8			J	-125.7	-0.4	0.1	4.4
-49.6	782.3							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	1.1	0.2	0.0	-16.2
-9.1	-1919.4			J	1.1	0.2	0.0	-16.2
-13.4	-2028.3							
		Q5_ps		I	2.8	0.2	0.0	-18.9
-9.7	-1913.1			J	2.8	0.2	0.0	-18.9
-14.8	-2019.9							
		INVSLU	Max	I	-616.1	-0.3	0.7	703.4
105.7	13858.4			J	-616.1	-0.3	1.9	703.4
-212.3	17690.3		Min	I	-3136.8	-17.2	-0.1	-42.2
-28.4	-1114.1			J	-3136.8	-17.2	1.1	-42.2
-672.8	1097.2							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


77.5	10211.0	INVSLE Max	I	-521.5	-0.7	0.5	544.0
			J	-521.5	-0.7	1.5	544.0
-167.0	13240.8	Min	I	-2388.5	-13.1	-0.1	-6.1
-20.1	-623.9		J	-2388.5	-13.1	0.9	-6.1
-506.3	1220.0						
415	2	70 C1-C2;~1 Max	I	1745.3	6.0	0.2	1651.1
151.2	4179.7		J	1745.3	6.0	0.2	1651.1
78.7	2662.6	Min	I	-367.3	-29.2	-0.0	-331.5
-27.4	-20180.6		J	-367.3	-29.2	-0.0	-331.5
-15.5	-6819.2						
144.3	4378.9	C3-C4;~1 Max	I	1813.7	6.3	0.2	1696.6
			J	1813.7	6.3	0.2	1696.6
73.8	1834.9	Min	I	-385.6	-30.2	-0.1	-348.2
-27.9	-21861.1		J	-385.6	-30.2	-0.1	-348.2
-16.0	-7769.4						
98.5	2391.6	C1-C2;~2 Max	I	1035.3	3.4	0.1	980.1
			J	1035.3	3.4	0.1	980.1
47.0	1559.9	Min	I	-210.4	-17.3	-0.0	-189.8
-15.0	-11858.0		J	-210.4	-17.3	-0.0	-189.8
-8.7	-4024.9						
94.9	2470.4	C3-C4;~2 Max	I	1083.8	3.5	0.1	1012.8
			J	1083.8	3.5	0.1	1012.8
46.0	1000.4	Min	I	-217.5	-18.0	-0.0	-196.3
-15.1	-12945.1		J	-217.5	-18.0	-0.0	-196.3
-8.8	-4593.5						
15.5	-14040.1	G1	I	1265.3	-21.5	-0.4	1211.5
			J	1265.3	-21.5	0.5	1211.5
10.6	-3542.5						
12.5	-5787.4	G2	I	514.3	-8.7	-0.0	488.0
			J	514.3	-8.7	-0.0	488.0
21.3	-1508.4						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-8.5	-805.9	Q5_pc	I	-45.5	0.8	-0.0	-76.8
			J	-45.5	0.8	-0.0	-76.8
1.7	-1207.4						

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-12.4	-922.5	Q5_ps	I	-41.0	0.7	-0.0	-73.3
			J	-41.0	0.7	-0.0	-73.3
2.0	-1278.5						
322.8	-18012.6	INVS LU Max	I	4919.7	-27.9	-0.4	2878.3
			J	4919.7	-27.9	0.8	2878.3
240.2	-1802.4	Min	I	1868.8	-78.7	-0.8	-20.4
65.8	-54887.2		J	1868.8	-78.7	0.5	-20.4
109.3	-18059.0						
243.5	-13187.5	INVS LE Max	I	3633.3	-20.5	-0.3	2057.9
			J	3633.3	-20.5	0.6	2057.9
179.7	-1345.8	Min	I	1379.4	-58.0	-0.6	-79.0
54.2	-40394.6		J	1379.4	-58.0	0.3	-79.0
83.0	-13226.7						
416	2	70 C1-C2;~1 Max	I	1724.8	4.5	0.1	1431.8
73.7	2665.0		J	1724.8	4.5	0.1	1431.8
78.9	8449.4	Min	I	-353.6	-21.8	-0.1	-288.4
-14.6	-6811.9		J	-353.6	-21.8	-0.1	-288.4
-12.0	-1138.7						
68.5	1836.2	C3-C4;~1 Max	I	1797.1	4.7	0.1	1465.7
			J	1797.1	4.7	0.1	1465.7
88.2	6619.2	Min	I	-371.3	-22.6	-0.1	-302.7
-14.9	-7761.4		J	-371.3	-22.6	-0.1	-302.7
-12.2	-1202.3						
44.1	1561.6	C1-C2;~2 Max	I	1021.8	2.6	0.0	850.4
			J	1021.8	2.6	0.0	850.4
47.7	5099.8	Min	I	-202.5	-12.9	-0.0	-165.1
-8.1	-4020.6		J	-202.5	-12.9	-0.0	-165.1
-6.7	-618.6						
42.8	1001.4	C3-C4;~2 Max	I	1072.6	2.6	0.0	875.1
			J	1072.6	2.6	0.0	875.1
53.9	3860.4	Min	I	-209.4	-13.5	-0.1	-170.7
-8.2	-4588.7		J	-209.4	-13.5	-0.1	-170.7
-6.8	-641.9						
6.5	-3536.3	G1	I	1267.5	-16.1	-0.5	1049.8
			J	1267.5	-16.1	0.4	1049.8
17.1	4327.2						
19.6	-1505.9	G2	I	516.7	-6.6	-0.0	422.5

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
22.8	1699.3		J	516.7	-6.6	-0.0	422.5
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
2.0	-1207.7	Q5_pc	I	-43.6	0.6	0.0	-68.4
0.4	-1518.3		J	-43.6	0.6	0.0	-68.4
2.3	-1278.8	Q5_ps	I	-38.2	0.6	0.0	-65.7
1.3	-1556.0		J	-38.2	0.6	0.0	-65.7
232.0	-1793.3	INVS LU Max	I	4919.2	-19.8	-0.5	2402.7
255.9	19356.2		J	4919.2	-19.8	0.7	2402.7
108.8	-18042.8	Min	I	1913.4	-57.8	-0.7	-107.7
119.6	3382.5		J	1913.4	-57.8	0.5	-107.7
173.9	-1339.3	INVS LE Max	I	3633.5	-14.5	-0.4	1712.4
191.9	14182.4		J	3633.5	-14.5	0.5	1712.4
82.9	-13215.0	Min	I	1412.8	-42.5	-0.6	-138.1
91.0	2624.1		J	1412.8	-42.5	0.4	-138.1
417	2	70 C1-C2;~1 Max	I	1710.1	2.7	0.0	950.8
74.7	8449.9		J	1710.1	2.7	0.0	950.8
76.2	14158.0	Min	I	-343.5	-13.4	-0.1	-190.3
-11.3	-1138.8		J	-343.5	-13.4	-0.1	-190.3
-12.7	-2309.1						
83.8	6619.8	C3-C4;~1 Max	I	1782.4	2.9	0.0	965.7
84.0	12776.5		J	1782.4	2.9	0.0	965.7
-11.4	-1202.4	Min	I	-360.7	-13.8	-0.0	-199.6
-13.3	-2419.4		J	-360.7	-13.8	-0.0	-199.6
45.2	5100.1	C1-C2;~2 Max	I	1013.0	1.6	0.0	566.3
46.7	8456.8		J	1013.0	1.6	0.0	566.3
-6.3	-618.6	Min	I	-196.7	-8.0	-0.0	-109.0
-7.3	-1318.3		J	-196.7	-8.0	-0.0	-109.0
51.3	3860.8	C3-C4;~2 Max	I	1063.8	1.6	0.0	577.6
			J	1063.8	1.6	0.0	577.6

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
52.4	7544.0		Min	I	-203.4	-8.2	-0.0	-112.6
-6.4	-642.0			J	-203.4	-8.2	-0.0	-112.6
-7.5	-1360.5							
		G1		I	1269.2	-9.8	-0.5	693.5
13.9	4327.6			J	1269.2	-9.8	0.5	693.5
14.6	9120.2							
		G2		I	518.0	-4.0	-0.0	278.6
21.5	1699.5			J	518.0	-4.0	-0.0	278.6
21.5	3652.9							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-42.6	0.4	0.0	-46.6
0.6	-1518.3			J	-42.6	0.4	0.0	-46.6
0.4	-1713.0							
		Q5_ps		I	-37.1	0.4	0.0	-45.4
1.5	-1556.0			J	-37.1	0.4	0.0	-45.4
0.8	-1731.0							
		INVSLU Max		I	4912.0	-11.6	-0.6	1527.4
249.2	19356.4			J	4912.0	-11.6	0.7	1527.4
247.0	34987.8		Min	I	1942.2	-34.8	-0.7	-129.7
119.5	3381.8			J	1942.2	-34.8	0.5	-129.7
114.8	9524.9							
		INVSLE Max		I	3628.5	-8.4	-0.4	1084.8
187.2	14182.4			J	3628.5	-8.4	0.5	1084.8
185.3	25664.2		Min	I	1434.3	-25.6	-0.5	-136.6
91.2	2623.5			J	1434.3	-25.6	0.4	-136.6
87.5	7031.3							
418	2	70 C1-C2;~1 Max		I	1697.0	1.0	0.0	349.6
73.9	14158.4			J	1697.0	1.0	0.0	349.6
80.3	16132.5		Min	I	-334.1	-4.9	-0.0	-67.5
-12.2	-2309.2			J	-334.1	-4.9	-0.0	-67.5
-12.7	-2788.7							
		C3-C4;~1 Max		I	1767.8	1.1	0.0	344.1
81.7	12776.9			J	1767.8	1.1	0.0	344.1
87.8	14928.2		Min	I	-350.7	-4.9	-0.0	-70.6
-12.8	-2419.4			J	-350.7	-4.9	-0.0	-70.6
-13.3	-2924.5							


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

45.3	8457.1	C1-C2;~2	Max	I	1005.7	0.6	0.0	211.9	
				J	1005.7	0.6	0.0	211.9	
49.2	9601.8		Min	I	-191.3	-3.0	-0.0	-38.6	
-7.0	-1318.3			J	-191.3	-3.0	-0.0	-38.6	
-7.3	-1594.5								
51.0	7544.3	C3-C4;~2	Max	I	1055.6	0.6	0.0	208.6	
				J	1055.6	0.6	0.0	208.6	
54.6	8819.1		Min	I	-197.8	-3.0	-0.0	-39.8	
-7.2	-1360.5			J	-197.8	-3.0	-0.0	-39.8	
-7.5	-1646.8								
12.9	9120.5		G1	I	1268.2	-3.3	-0.5	243.2	
				J	1268.2	-3.3	0.4	243.2	
17.3	10733.2								
20.8	3653.1		G2	I	517.7	-1.3	-0.0	97.3	
				J	517.7	-1.3	-0.0	97.3	
22.5	4311.2								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
0.6	-1713.0		Q5_pc	I	-42.2	0.1	0.0	-16.9	
				J	-42.2	0.1	0.0	-16.9	
0.1	-1783.5								
0.9	-1731.1		Q5_ps	I	-36.8	0.1	0.0	-17.2	
				J	-36.8	0.1	0.0	-17.2	
0.4	-1795.2								
243.6	34989.0		INVS LU Max	I	4901.4	-3.6	-0.6	548.0	
				J	4901.4	-3.6	0.6	548.0	
256.6	40217.2		Min	I	1965.5	-11.9	-0.6	-49.7	
115.0	9525.3			J	1965.5	-11.9	0.6	-49.7	
120.0	11280.1								
182.9	25665.1		INVS LE Max	I	3621.3	-2.6	-0.5	389.2	
				J	3621.3	-2.6	0.4	389.2	
192.5	29498.4		Min	I	1452.2	-8.7	-0.5	-51.3	
87.7	7031.6			J	1452.2	-8.7	0.4	-51.3	
91.4	8301.3								
419	2	70	C1-C2;~1	Max	I	1679.9	4.6	0.0	59.5
80.3	16132.5			J	1679.9	4.6	0.0	59.5	
70.3	14144.2								


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-12.7	-2788.7	Min	I	-324.2	-0.7	-0.0	-341.0
			J	-324.2	-0.7	-0.0	-341.0
-10.1	-2462.2						
87.8	14928.1	C3-C4;~1 Max	I	1748.0	4.5	0.0	62.6
80.1	12907.3		J	1748.0	4.5	0.0	62.6
-13.3	-2924.5	Min	I	-340.3	-0.7	-0.0	-351.5
-10.6	-2581.9		J	-340.3	-0.7	-0.0	-351.5
49.1	9601.8	C1-C2;~2 Max	I	996.2	2.8	0.0	34.1
42.9	8410.2		J	996.2	2.8	0.0	34.1
-7.3	-1594.5	Min	I	-185.7	-0.4	-0.0	-205.3
-5.8	-1404.3		J	-185.7	-0.4	-0.0	-205.3
54.6	8819.1	C3-C4;~2 Max	I	1044.5	2.7	0.0	35.3
49.8	7606.7		J	1044.5	2.7	0.0	35.3
-7.5	-1646.8	Min	I	-191.9	-0.4	-0.0	-211.8
-6.0	-1450.5		J	-191.9	-0.4	-0.0	-211.8
17.3	10733.2	G1	I	1263.0	3.2	-0.4	-230.1
10.5	9158.1		J	1263.0	3.2	0.5	-230.1
22.5	4311.2	G2	I	515.4	1.3	0.0	-92.9
20.0	3671.6		J	515.4	1.3	0.0	-92.9
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.1	-1783.5	Q5_pc	I	-42.0	-0.1	-0.0	15.1
0.9	-1728.2		J	-42.0	-0.1	-0.0	15.1
0.4	-1795.2	Q5_ps	I	-37.0	-0.1	-0.0	13.5
1.5	-1746.1		J	-37.0	-0.1	-0.0	13.5
256.6	40217.2	INVS LU Max	I	4879.5	11.9	-0.6	64.0
241.1	34752.0		J	4879.5	11.9	0.7	64.0
120.0	11280.1	Min	I	1984.7	4.5	-0.6	-522.1
116.9	9060.9		J	1984.7	4.5	0.6	-522.1

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
192.5	29498.4	INVSLE Max	I	3605.9	8.8	-0.4	61.1
			J	3605.9	8.8	0.5	61.1
181.2	25468.8	Min	I	1467.2	3.3	-0.5	-371.0
91.3	8301.3		J	1467.2	3.3	0.5	-371.0
89.4	6668.8						
420	2	70 C1-C2;~1 Max	I	1658.3	13.0	0.0	177.0
72.5	14143.8		J	1658.3	13.0	0.0	177.0
93.2	8691.2	Min	I	-313.8	-2.3	-0.1	-936.6
-10.5	-2462.1		J	-313.8	-2.3	-0.1	-936.6
-16.2	-1471.5						
		C3-C4;~1 Max	I	1722.8	13.3	0.0	186.1
82.4	12906.8		J	1722.8	13.3	0.0	186.1
90.0	7012.6	Min	I	-329.3	-2.5	-0.1	-964.8
-11.1	-2581.8		J	-329.3	-2.5	-0.1	-964.8
-16.8	-1552.9						
		C1-C2;~2 Max	I	984.0	7.8	0.0	101.3
44.2	8410.0		J	984.0	7.8	0.0	101.3
55.8	5211.1	Min	I	-179.7	-1.3	-0.1	-557.4
-6.0	-1404.2		J	-179.7	-1.3	-0.1	-557.4
-9.2	-809.1						
		C3-C4;~2 Max	I	1030.0	8.0	0.0	105.0
51.2	7606.4		J	1030.0	8.0	0.0	105.0
52.5	4084.8	Min	I	-185.7	-1.4	-0.0	-576.9
-6.2	-1450.5		J	-185.7	-1.4	-0.0	-576.9
-9.4	-841.2						
		G1	I	1253.1	9.7	-0.5	-678.7
12.1	9157.7		J	1253.1	9.7	0.4	-678.7
22.4	4429.5						
		G2	I	510.9	3.9	-0.0	-273.3
20.6	3671.4		J	510.9	3.9	-0.0	-273.3
24.3	1748.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-41.9	-0.4	0.0	44.7
0.8	-1728.2		J	-41.9	-0.4	0.0	44.7
-1.1	-1550.0						
		Q5_ps	I	-37.4	-0.3	0.0	42.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
1.4	-1746.1			J	-37.4	-0.3	0.0 42.0
-1.4	-1585.3						
			INVS LU Max	I	4845.7	34.7	-0.6 133.5
244.4	34750.8			J	4845.7	34.7	0.7 133.5
268.1	19228.0		Min	I	1999.9	12.7	-0.7 -1500.8
116.7	9060.5			J	1999.9	12.7	0.5 -1500.8
117.6	2586.3						
			INVS LE Max	I	3582.0	25.5	-0.4 138.2
183.6	25467.9			J	3582.0	25.5	0.5 138.2
200.6	14041.7		Min	I	1479.6	9.3	-0.6 -1066.5
89.1	6668.5			J	1479.6	9.3	0.4 -1066.5
89.3	1937.6						
421	2	70	C1-C2;~1 Max	I	1634.5	21.2	0.2 268.7
97.1	8690.7			J	1634.5	21.2	0.2 268.7
46.1	2358.9		Min	I	-302.2	-3.9	-0.0 -1406.3
-16.9	-1471.4			J	-302.2	-3.9	-0.0 -1406.3
-21.9	-5962.3						
			C3-C4;~1 Max	I	1695.9	21.8	0.2 282.3
94.1	7012.0			J	1695.9	21.8	0.2 282.3
60.1	1355.2		Min	I	-317.0	-4.1	-0.1 -1447.6
-17.6	-1552.8			J	-317.0	-4.1	-0.1 -1447.6
-14.2	-6810.8						
			C1-C2;~2 Max	I	970.8	12.6	0.1 153.8
58.1	5210.7			J	970.8	12.6	0.1 153.8
26.9	1425.0		Min	I	-173.0	-2.2	-0.0 -835.9
-9.6	-809.1			J	-173.0	-2.2	-0.0 -835.9
-12.8	-3541.7						
			C3-C4;~2 Max	I	1014.8	13.0	0.1 159.2
55.1	4084.5			J	1014.8	13.0	0.1 159.2
35.9	748.2		Min	I	-178.8	-2.3	-0.0 -865.1
-9.8	-841.1			J	-178.8	-2.3	-0.0 -865.1
-7.9	-4043.7						
			G1	I	1238.5	15.9	-0.4 -1033.4
25.5	4429.0			J	1238.5	15.9	0.5 -1033.4
-10.0	-3324.8						
			G2	I	504.1	6.4	0.0 -416.2
25.5	1748.3			J	504.1	6.4	0.0 -416.2


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
13.9	-1405.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-42.0	-0.6	-0.0	66.6
-1.3	-1549.9		J	-42.0	-0.6	-0.0	66.6
4.8	-1257.7						
		Q5_ps	I	-38.1	-0.5	-0.0	63.2
-1.6	-1585.2		J	-38.1	-0.5	-0.0	63.2
6.6	-1320.1						
		INVS LU Max	I	4804.3	57.2	-0.3	97.5
274.4	19227.7		J	4804.3	57.2	0.9	97.5
209.2	-2944.6						
		Min	I	2011.3	21.3	-0.7	-2357.9
117.3	2587.0		J	2011.3	21.3	0.6	-2357.9
89.9	-17587.6						
		INVS LE Max	I	3552.9	42.2	-0.2	128.9
205.0	14041.6		J	3552.9	42.2	0.7	128.9
158.1	-2270.2						
		Min	I	1489.6	15.6	-0.5	-1681.0
88.8	1938.2		J	1489.6	15.6	0.4	-1681.0
70.3	-12949.1						
		70 C1-C2;~1 Max	I	1602.4	28.2	0.1	311.6
422	2		J	1602.4	28.2	0.1	311.6
50.9	2356.8						
		Min	I	-284.9	-5.2	-0.2	-1623.6
137.4	3172.9		J	-284.9	-5.2	-0.2	-1623.6
-20.7	-5968.5						
		C3-C4;~1 Max	I	1668.6	28.9	0.0	327.2
-36.4	-18809.4		J	1668.6	28.9	0.0	327.2
65.1	1354.2						
		Min	I	-299.1	-5.4	-0.2	-1667.7
147.2	3305.0		J	-299.1	-5.4	-0.2	-1667.7
-13.4	-6818.0						
		C1-C2;~2 Max	I	952.3	16.8	0.0	178.4
-25.0	-20292.7		J	952.3	16.8	0.0	178.4
29.8	1423.6						
		Min	I	-163.1	-3.0	-0.1	-965.4
88.8	1813.7		J	-163.1	-3.0	-0.1	-965.4
-12.0	-3545.3						
		C3-C4;~2 Max	I	999.2	17.3	0.0	184.5
-21.5	-11113.4		J	999.2	17.3	0.0	184.5
38.8	747.5						
95.6	1863.8						


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-7.4	-4048.0		Min	I	-168.6	-3.1	-0.1	-996.9
				J	-168.6	-3.1	-0.1	-996.9
-14.6	-12073.5							
			G1	I	1212.4	21.1	-0.5	-1197.6
-5.9	-3330.5			J	1212.4	21.1	0.4	-1197.6
9.6	-13659.3							
			G2	I	492.4	8.6	0.0	-482.3
15.5	-1408.0			J	492.4	8.6	0.0	-482.3
11.0	-5608.6							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-41.0	-0.8	0.0	75.9
4.5	-1257.4			J	-41.0	-0.8	0.0	75.9
-7.2	-875.6							
			Q5_ps	I	-37.2	-0.7	0.0	72.4
6.4	-1319.9			J	-37.2	-0.7	0.0	72.4
-9.1	-971.7							
			INVSLE Max	I	4745.5	77.6	-0.5	6.9
217.3	-2953.4			J	4745.5	77.6	0.7	6.9
313.3	-20538.2							
			Min	I	2015.3	29.8	-0.9	-2822.7
93.4	-17602.8			J	2015.3	29.8	0.3	-2822.7
52.6	-53971.2							
			INVSLE Max	I	3511.7	57.2	-0.4	67.4
163.8	-2276.4			J	3511.7	57.2	0.5	67.4
238.1	-15178.4							
			Min	I	1494.7	22.0	-0.7	-2018.6
72.7	-12960.2			J	1494.7	22.0	0.2	-2018.6
45.9	-39826.8							
			70 C1-C2;~1 Max	I	1633.4	8.9	0.5	1539.9
433	2			J	1633.4	8.9	0.5	1539.9
269.5	6442.8							
			Min	I	-522.1	-28.8	-0.2	-464.0
44.2	3148.0			J	-522.1	-28.8	-0.2	-464.0
-82.5	-16102.3							
-26.9	-4470.2							
			C3-C4;~1 Max	I	1563.0	9.4	0.5	1467.9
271.7	6700.6			J	1563.0	9.4	0.5	1467.9
32.5	2955.1							
			Min	I	-548.3	-27.4	-0.2	-487.4
-86.3	-16106.1			J	-548.3	-27.4	-0.2	-487.4
-25.9	-5166.7							

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
168.9	3684.4	C1-C2;~2 Max	I	985.6	5.1	0.3	921.8
			J	985.6	5.1	0.3	921.8
26.3	1868.4						
		Min	I	-299.5	-17.3	-0.1	-266.2
-47.3	-9377.2		J	-299.5	-17.3	-0.1	-266.2
-17.4	-2606.2						
		C3-C4;~2 Max	I	936.5	5.3	0.3	871.5
170.1	3790.5		J	936.5	5.3	0.3	871.5
18.4	1727.3						
		Min	I	-309.6	-16.3	-0.1	-275.3
-48.7	-9306.2		J	-309.6	-16.3	-0.1	-275.3
-16.7	-3037.9						
		G1	I	859.4	-15.8	-0.3	897.8
59.2	-9135.9		J	859.4	-15.8	0.6	897.8
-22.1	-1131.2						
		G2	I	347.7	-6.4	0.0	364.5
33.2	-3781.4		J	347.7	-6.4	0.0	364.5
8.7	-530.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	25.3	-0.5	-0.0	56.7
-5.7	-1647.4		J	25.3	-0.5	-0.0	56.7
-2.9	-1389.9						
		Q5_ps	I	21.2	-0.4	-0.0	52.4
-7.1	-1631.3		J	21.2	-0.4	-0.0	52.4
-3.0	-1409.7						
		INVSLU Max	I	3501.2	-7.9	0.4	2162.1
537.3	436.3		J	3501.2	-7.9	1.7	2162.1
85.1	6021.1						
		Min	I	510.4	-60.4	-0.6	-676.9
43.6	-33318.1		J	510.4	-60.4	0.6	-676.9
-16.2	-7705.6						
		INVSLE Max	I	2566.9	-5.3	0.3	1520.1
400.5	699.5		J	2566.9	-5.3	1.2	1520.1
64.3	4554.3						
		Min	I	354.8	-44.1	-0.5	-575.2
35.6	-24084.1		J	354.8	-44.1	0.5	-575.2
-10.4	-5428.4						
		70 C1-C2;~1 Max	I	1640.6	6.7	0.1	1369.5
434	2		J	1640.6	6.7	0.1	1369.5
42.1	3151.0						
		Min	I	-509.6	-22.0	-0.2	-407.2
84.2	11612.0						

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-30.3	-4463.6		J	-509.6	-22.0	-0.2	-407.2
-26.6	-1740.9						
		C3-C4;~1	Max	I	1567.7	7.1	1303.6
30.7	2957.7			J	1567.7	7.1	1303.6
77.6	10032.1		Min	I	-535.3	-20.9	-427.7
-29.3	-5159.9			J	-535.3	-20.9	-427.7
-27.7	-1749.9						
		C1-C2;~2	Max	I	989.1	3.8	819.9
24.8	1870.6			J	989.1	3.8	819.9
53.1	7292.1		Min	I	-292.3	-13.2	-233.6
-19.5	-2602.6			J	-292.3	-13.2	-233.6
-15.2	-973.8						
		C3-C4;~2	Max	I	938.4	4.0	773.7
17.1	1729.4			J	938.4	4.0	773.7
48.4	6236.6		Min	I	-302.3	-12.5	-241.6
-18.8	-3034.1			J	-302.3	-12.5	-241.6
-15.6	-962.5						
		G1		I	888.4	-12.1	802.0
-25.3	-1125.6			J	888.4	-12.1	802.0
-4.9	5005.2						
		G2		I	360.8	-4.9	325.4
7.4	-528.6			J	360.8	-4.9	325.4
14.7	1961.7						
		Q3		I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
		Q5_pc		I	28.5	-0.4	50.7
-3.1	-1389.5			J	28.5	-0.4	50.7
2.2	-1193.8						
		Q5_ps		I	24.6	-0.3	46.8
-3.2	-1409.4			J	24.6	-0.3	46.8
2.2	-1241.1						
		INVSLU	Max	I	3599.9	-5.5	1882.9
82.3	6027.7			J	3599.9	-5.5	1882.9
159.7	25055.7		Min	I	611.1	-45.4	-634.7
-20.9	-7693.2			J	611.1	-45.4	-634.7
4.7	4868.3						
		INVSLE	Max	I	2639.8	-3.6	1321.0

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
62.5	4558.7			J	2639.8	-3.6	0.5	1321.0	
118.8	18421.5		Min	I	429.7	-33.1	-0.7	-537.1	
-13.6	-5419.6			J	429.7	-33.1	0.3	-537.1	
4.2	3627.0								
435	2	70	C1-C2;~1	Max	I	1682.1	4.1	0.0	932.9
80.2	11612.9			J	1682.1	4.1	0.0	932.9	
104.4	18311.3		Min	I	-501.6	-13.7	-0.1	-267.2	
-25.5	-1741.1			J	-501.6	-13.7	-0.1	-267.2	
-21.0	-3722.4								
			C3-C4;~1	Max	I	1604.9	4.4	0.0	883.3
73.7	10033.0			J	1604.9	4.4	0.0	883.3	
94.4	16430.1		Min	I	-527.1	-13.0	-0.1	-280.7	
-26.5	-1750.1			J	-527.1	-13.0	-0.1	-280.7	
-22.1	-3842.3								
			C1-C2;~2	Max	I	1013.2	2.4	0.0	559.4
50.7	7292.7			J	1013.2	2.4	0.0	559.4	
65.0	11331.7		Min	I	-287.8	-8.3	-0.1	-153.3	
-14.5	-973.9			J	-287.8	-8.3	-0.1	-153.3	
-12.1	-2128.7								
			C3-C4;~2	Max	I	959.6	2.5	0.0	524.4
46.0	6237.1			J	959.6	2.5	0.0	524.4	
58.1	10070.2		Min	I	-297.7	-7.8	-0.0	-158.6	
-14.9	-962.6			J	-297.7	-7.8	-0.0	-158.6	
-12.5	-2161.7								
			G1	I	937.9	-7.5	-0.5	550.2	
-7.4	5005.7			J	937.9	-7.5	0.4	550.2	
14.5	8798.0								
			G2	I	381.3	-3.0	-0.0	223.0	
13.7	1961.9			J	381.3	-3.0	-0.0	223.0	
22.3	3502.3								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	29.0	-0.2	0.0	34.5	
2.0	-1193.8			J	29.0	-0.2	0.0	34.5	
-0.2	-1084.2								
			Q5_ps	I	24.9	-0.2	0.0	31.8	
2.1	-1241.1								

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-0.4	-1148.5		J	24.9	-0.2	0.0	31.8
154.3	25057.1	INVS LU Max	I	3779.4	-3.1	-0.7	1252.0
227.7	38654.1		J	3779.4	-3.1	0.6	1252.0
6.6	4868.2	Min	I	744.8	-27.9	-0.8	-448.4
56.5	6795.2		J	744.8	-27.9	0.4	-448.4
115.0	18422.4	INVS LE Max	I	2772.9	-2.0	-0.5	876.8
169.4	28342.4		J	2772.9	-2.0	0.4	876.8
5.8	3626.8	Min	I	529.0	-20.4	-0.6	-378.1
42.6	4887.8		J	529.0	-20.4	0.3	-378.1
436	2	70 C1-C2;~1 Max	I	1729.4	1.5	0.1	336.7
102.1	18312.4		J	1729.4	1.5	0.1	336.7
86.7	20612.5	Min	I	-494.8	-4.8	-0.0	-82.4
-20.4	-3722.7		J	-494.8	-4.8	-0.0	-82.4
-23.7	-4463.5						
92.2	16431.2	C3-C4;~1 Max	I	1649.1	1.6	0.1	306.3
78.6	18621.9		J	1649.1	1.6	0.1	306.3
-21.4	-3842.6	Min	I	-520.1	-4.6	-0.0	-86.7
-24.9	-4627.4		J	-520.1	-4.6	-0.0	-86.7
63.7	11332.4	C1-C2;~2 Max	I	1040.9	0.9	0.0	205.2
55.4	12715.2		J	1040.9	0.9	0.0	205.2
-11.7	-2128.9	Min	I	-283.8	-2.9	-0.0	-47.3
-13.6	-2556.2		J	-283.8	-2.9	-0.0	-47.3
56.8	10070.8	C3-C4;~2 Max	I	985.3	0.9	0.0	183.0
49.6	11379.7		J	985.3	0.9	0.0	183.0
-12.1	-2161.9	Min	I	-293.7	-2.8	-0.0	-49.0
-14.0	-2607.4		J	-293.7	-2.8	-0.0	-49.0
13.1	8798.7	G1	I	989.5	-2.4	-0.4	193.9
-7.8	10010.8		J	989.5	-2.4	0.5	193.9
21.8	3502.6	G2	I	402.3	-1.0	0.0	78.4
13.3	3995.0		J	402.3	-1.0	0.0	78.4

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-0.3	-1084.2	Q5_pc	I	28.9	-0.0	-0.0	11.4
			J	28.9	-0.0	-0.0	11.4
0.2	-1068.2						
-0.5	-1148.5	Q5_ps	I	24.7	-0.0	-0.0	10.4
			J	24.7	-0.0	-0.0	10.4
0.1	-1138.1						
224.7	38655.6	INVSLU Max	I	3974.4	-0.4	-0.4	446.1
			J	3974.4	-0.4	0.8	446.1
161.2	43038.9						
		Min	I	885.5	-9.1	-0.6	-146.0
57.4	6794.8		J	885.5	-9.1	0.7	-146.0
10.3	7042.2						
167.3	28343.5	INVSLE Max	I	2917.9	-0.2	-0.3	313.7
			J	2917.9	-0.2	0.6	313.7
120.3	31529.5						
		Min	I	633.7	-6.6	-0.4	-123.3
43.4	4887.4		J	633.7	-6.6	0.5	-123.3
8.5	5007.7						
437	2	70 C1-C2;~1 Max	I	1784.3	4.8	0.1	100.5
86.9	20600.7		J	1784.3	4.8	0.1	100.5
72.9	18328.1						
		Min	I	-490.8	-1.1	-0.0	-348.7
-23.7	-4460.1		J	-490.8	-1.1	-0.0	-348.7
-12.9	-3921.8						
78.7	18610.6	C3-C4;~1 Max	I	1701.9	4.6	0.1	105.4
			J	1701.9	4.6	0.1	105.4
64.1	16422.4						
		Min	I	-516.0	-1.1	-0.0	-313.3
-25.0	-4623.8		J	-516.0	-1.1	-0.0	-313.3
-13.6	-4062.9						
55.5	12708.1	C1-C2;~2 Max	I	1073.1	2.9	0.0	57.7
			J	1073.1	2.9	0.0	57.7
46.6	11342.2						
		Min	I	-281.5	-0.6	-0.0	-212.5
-13.6	-2554.2		J	-281.5	-0.6	-0.0	-212.5
-7.4	-2243.6						
49.7	11373.0	C3-C4;~2 Max	I	1016.2	2.8	0.0	59.5
			J	1016.2	2.8	0.0	59.5
40.5	10066.3						
		Min	I	-291.4	-0.6	-0.0	-187.1


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-14.1	-2605.4		J	-291.4	-0.6	-0.0	-187.1
-7.6	-2287.1						
		G1	I	1045.5	2.9	-0.5	-183.2
-7.7	10003.7		J	1045.5	2.9	0.5	-183.2
-6.6	8522.1						
		G2	I	424.8	1.2	-0.0	-74.4
13.4	3992.1		J	424.8	1.2	-0.0	-74.4
13.8	3391.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	29.0	0.2	0.0	-11.9
0.2	-1068.7		J	29.0	0.2	0.0	-11.9
-0.4	-1145.9						
		Q5_ps	I	24.6	0.1	0.0	-11.0
0.1	-1138.5		J	24.6	0.1	0.0	-11.0
-0.5	-1209.1						
		INVS LU Max	I	4190.8	11.2	-0.6	142.5
161.6	43024.5		J	4190.8	11.2	0.7	142.5
175.4	37709.4						
		Min	I	1033.2	2.9	-0.8	-491.9
10.2	7047.9		J	1033.2	2.9	0.5	-491.9
57.9	5418.9						
		INVS LE Max	I	3078.9	8.2	-0.5	121.7
120.5	31519.5		J	3078.9	8.2	0.5	121.7
131.7	27611.2						
		Min	I	743.8	2.1	-0.6	-346.6
8.4	5012.6		J	743.8	2.1	0.4	-346.6
44.7	3845.0						
438	2	70 C1-C2;~1 Max	I	1819.2	13.8	0.0	260.7
75.1	18328.0		J	1819.2	13.8	0.0	260.7
118.5	11536.7						
		Min	I	-481.6	-3.6	-0.1	-912.7
-13.5	-3921.8		J	-481.6	-3.6	-0.1	-912.7
-23.0	-2203.7						
		C3-C4;~1 Max	I	1736.7	13.1	0.0	273.7
66.2	16422.4		J	1736.7	13.1	0.0	273.7
108.8	9929.2						
		Min	I	-506.4	-3.7	-0.1	-861.7
-14.2	-4062.9		J	-506.4	-3.7	-0.1	-861.7
-24.0	-2258.0						
		C1-C2;~2 Max	I	1093.5	8.3	0.0	149.6


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
47.9	11342.2			J	1093.5	8.3	0.0	149.6
72.8	7253.2		Min	I	-276.2	-2.0	-0.1	-547.5
-7.8	-2243.6			J	-276.2	-2.0	-0.1	-547.5
-13.1	-1242.9							
			C3-C4;~2 Max	I	1036.6	7.8	0.0	154.6
41.7	10066.3			J	1036.6	7.8	0.0	154.6
66.2	6184.5		Min	I	-286.0	-2.1	-0.1	-511.8
-8.0	-2287.0			J	-286.0	-2.1	-0.1	-511.8
-13.6	-1253.5							
			G1	I	1089.2	8.4	-0.5	-534.9
-5.3	8522.1			J	1089.2	8.4	0.4	-534.9
30.8	4278.9							
			G2	I	442.2	3.4	-0.0	-216.7
14.4	3391.2			J	442.2	3.4	-0.0	-216.7
29.0	1670.1							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	28.9	0.3	0.0	-31.9
-0.3	-1145.9			J	28.9	0.3	0.0	-31.9
-0.7	-1312.1							
			Q5_ps	I	24.2	0.3	0.0	-29.3
-0.4	-1209.1			J	24.2	0.3	0.0	-29.3
-0.8	-1356.4							
			INVSLU Max	I	4361.4	31.3	-0.7	340.5
178.3	37708.6			J	4361.4	31.3	0.5	340.5
310.7	22435.9		Min	I	1169.9	7.0	-0.9	-1318.6
57.1	5418.2			J	1169.9	7.0	0.3	-1318.6
117.0	1451.2							
			INVSLE Max	I	3206.4	22.9	-0.6	295.3
133.7	27610.5			J	3206.4	22.9	0.4	295.3
231.5	16408.6		Min	I	846.2	5.0	-0.7	-929.4
44.0	3844.5			J	846.2	5.0	0.2	-929.4
88.2	1039.4							
			70 C1-C2;~1 Max	I	1846.2	22.8	0.4	393.3
439	2			J	1846.2	22.8	0.4	393.3
122.7	11536.0							
			Min	I	-470.7	-6.0	-0.1	-1401.3
12.0	2383.1							
-24.2	-2203.5							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-75.4	-4962.5		J	-470.7	-6.0	-0.1	-1401.3	
112.9	9928.6	C3-C4;~1	Max	I	1765.5	21.7	0.3	413.1
8.1	2077.7		J	1765.5	21.7	0.3	413.1	
-25.3	-2257.8		Min	I	-495.0	-6.2	-0.1	-1334.2
-72.5	-5698.3		J	-495.0	-6.2	-0.1	-1334.2	
75.3	7252.7	C1-C2;~2	Max	I	1109.8	13.7	0.2	225.7
6.9	1462.2		J	1109.8	13.7	0.2	225.7	
-13.8	-1242.8		Min	I	-270.0	-3.4	-0.0	-838.6
-47.1	-2868.3		J	-270.0	-3.4	-0.0	-838.6	
68.5	6184.1	C3-C4;~2	Max	I	1054.0	12.9	0.2	233.4
4.3	1256.4		J	1054.0	12.9	0.2	233.4	
-14.3	-1253.4		Min	I	-279.6	-3.5	-0.0	-792.1
-44.8	-3321.8		J	-279.6	-3.5	-0.0	-792.1	
33.3	4278.6	G1		I	1124.9	13.9	-0.2	-841.4
-85.0	-2767.6		J	1124.9	13.9	0.7	-841.4	
30.1	1670.0	G2		I	455.9	5.7	0.1	-340.7
-16.2	-1187.5		J	455.9	5.7	0.1	-340.7	
0.0	0.0	Q3		I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.5	-1312.2	Q5_pc		I	28.7	0.5	0.0	-47.5
-0.9	-1561.4		J	28.7	0.5	0.0	-47.5	
-0.7	-1356.5	Q5_ps		I	24.0	0.4	-0.0	-43.3
-0.6	-1574.6		J	24.0	0.4	-0.0	-43.3	
316.5	22435.6	INVSLU	Max	I	4507.1	52.1	0.3	429.2
-63.1	-243.2		J	4507.1	52.1	1.6	429.2	
115.8	1452.2		Min	I	1294.6	12.0	-0.3	-2105.7
-182.7	-13963.6		J	1294.6	12.0	1.0	-2105.7	
235.6	16408.4	INVSLE	Max	I	3315.9	38.2	0.2	382.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-45.6	-207.0		J	3315.9	38.2	1.2	382.0
		Min	I	940.2	8.5	-0.2	-1489.4
87.1	1040.1		J	940.2	8.5	0.7	-1489.4
-134.1	-10162.1						
440	2	70 C1-C2;~1 Max	I	1877.1	30.6	0.1	452.6
13.6	2380.3		J	1877.1	30.6	0.1	452.6
347.3	5013.9	Min	I	-464.0	-7.9	-0.8	-1627.9
-71.1	-4968.8		J	-464.0	-7.9	-0.8	-1627.9
-60.1	-17554.7						
		C3-C4;~1 Max	I	1799.7	29.2	0.1	475.4
7.5	2075.2		J	1799.7	29.2	0.1	475.4
354.8	5232.7	Min	I	-487.9	-8.3	-0.8	-1552.8
-68.0	-5704.6		J	-487.9	-8.3	-0.8	-1552.8
-63.0	-17389.0						
		C1-C2;~2 Max	I	1129.1	18.4	0.1	259.7
8.2	1460.2		J	1129.1	18.4	0.1	259.7
216.6	2869.8	Min	I	-266.1	-4.6	-0.5	-973.7
-44.5	-2871.9		J	-266.1	-4.6	-0.5	-973.7
-34.4	-10193.2						
		C3-C4;~2 Max	I	1075.5	17.4	0.1	268.6
4.0	1254.5		J	1075.5	17.4	0.1	268.6
220.7	2958.8	Min	I	-275.5	-4.7	-0.5	-921.9
-42.1	-3325.4		J	-275.5	-4.7	-0.5	-921.9
-35.5	-9992.3						
		G1	I	1155.2	18.8	-0.9	-985.7
-81.6	-2773.2		J	1155.2	18.8	-0.0	-985.7
160.9	-12295.2						
		G2	I	467.0	7.6	-0.2	-399.1
-14.8	-1189.8		J	467.0	7.6	-0.2	-399.1
74.0	-5049.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	30.0	0.6	-0.0	-53.5
-0.7	-1561.6		J	30.0	0.6	-0.0	-53.5
5.6	-1873.2						
		Q5_ps	I	25.0	0.5	-0.0	-48.7
-0.4	-1574.8		J	25.0	0.5	-0.0	-48.7


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


4.2	-1844.7							
		INVSLE	Max	I	4644.6	71.4	-1.4	407.2
-60.2	-251.3			J	4644.6	71.4	-0.2	407.2
903.5	-11054.3							
			Min	I	1397.7	17.7	-2.7	-2528.7
-175.8	-13976.8			J	1397.7	17.7	-1.5	-2528.7
329.5	-45189.0							
		INVSLE	Max	I	3419.5	52.4	-1.1	373.7
-43.7	-212.7			J	3419.5	52.4	-0.1	373.7
674.4	-7990.0							
			Min	I	1018.4	12.7	-2.0	-1793.9
-129.2	-10171.5			J	1018.4	12.7	-1.1	-1793.9
249.9	-33025.2							
		63 C1-C2;~1	Max	I	604.5	2.1	0.2	344.2
441	2			J	604.5	2.1	0.2	344.2
169.0	1218.1							
			Min	I	-74.0	-7.9	-0.0	-61.0
44.3	588.2			J	-74.0	-7.9	-0.0	-61.0
-26.1	-8693.2							
-9.3	-4861.3							
		C3-C4;~1	Max	I	650.1	1.2	0.2	358.6
145.9	761.3			J	650.1	1.2	0.2	358.6
39.5	399.9							
			Min	I	-77.8	-9.7	-0.0	-69.3
-28.3	-10332.1			J	-77.8	-9.7	-0.0	-69.3
-13.4	-5477.4							
		C1-C2;~2	Max	I	361.3	1.1	0.2	206.1
102.1	648.1			J	361.3	1.1	0.2	206.1
25.7	325.7							
			Min	I	-42.3	-4.5	-0.0	-35.6
-13.7	-5104.1			J	-42.3	-4.5	-0.0	-35.6
-4.7	-2911.6							
		C3-C4;~2	Max	I	392.9	0.6	0.1	217.0
87.0	392.5			J	392.9	0.6	0.1	217.0
23.3	215.7							
			Min	I	-43.8	-5.7	-0.0	-41.4
-14.5	-6194.5			J	-43.8	-5.7	-0.0	-41.4
-7.2	-3342.2							
		G1		I	466.8	-5.1	-0.3	273.0
47.3	-5833.7			J	466.8	-5.1	0.5	273.0
-18.6	-3180.6							
		G2		I	189.8	-2.1	0.0	111.7
26.2	-2241.3			J	189.8	-2.1	0.0	111.7
8.5	-1152.2							

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		Q3	I	0.0	0.0	0.0
				J	0.0	0.0	0.0
0.0	0.0						
-14.6	-3274.6		Q5_pc	I	-15.6	-1.3	-0.0
				J	-15.6	-1.3	-0.0
0.9	-2597.9						
-19.0	-3197.9		Q5_ps	I	-13.4	-1.4	-0.0
				J	-13.4	-1.4	-0.0
0.5	-2465.9						
442.2	-8490.4		INVS LU Max	I	2042.0	-8.9	0.1
				J	2042.0	-8.9	1.3
84.1	-3376.8						
149.4	-31057.6		Min	I	1031.3	-27.2	-0.3
				J	1031.3	-27.2	0.8
4.6	-17248.0						
331.3	-6941.4		INVS LE Max	I	1526.3	-6.9	0.1
				J	1526.3	-6.9	0.9
64.5	-2943.1						
116.4	-23084.2		Min	I	779.7	-20.3	-0.2
				J	779.7	-20.3	0.6
5.7	-12770.9						
442	2	63	C1-C2;~1 Max	I	504.1	2.6	0.1
43.1	587.9			J	504.1	2.6	0.1
31.4	549.0						
-9.7	-4856.6		Min	I	-58.3	-5.8	-0.1
				J	-58.3	-5.8	-0.1
-24.2	-3026.1						
38.3	399.3		C3-C4;~1 Max	I	558.1	1.5	0.1
				J	558.1	1.5	0.1
42.3	478.4						
-13.8	-5473.2		Min	I	-61.1	-7.1	-0.1
				J	-61.1	-7.1	-0.1
-17.1	-2734.6						
25.0	325.6		C1-C2;~2 Max	I	299.4	1.5	0.1
				J	299.4	1.5	0.1
18.3	292.1						
-4.9	-2908.8		Min	I	-33.2	-3.3	-0.0
				J	-33.2	-3.3	-0.0
-13.8	-1800.6						
22.6	215.4		C3-C4;~2 Max	I	336.1	0.8	0.1
				J	336.1	0.8	0.1
25.3	234.5						
-7.5	-3339.8		Min	I	-34.4	-4.2	-0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-9.6	-1595.5		J	-34.4	-4.2	-0.0	-39.0
		G1	I	391.9	-3.2	-0.4	225.0
-19.6	-3176.8		J	391.9	-3.2	0.4	225.0
-23.3	-1505.5						
		G2	I	161.2	-1.3	0.0	92.5
8.0	-1150.7		J	161.2	-1.3	0.0	92.5
6.1	-465.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-10.2	-1.3	-0.0	-26.1
1.0	-2598.0		J	-10.2	-1.3	-0.0	-26.1
1.4	-1901.4						
		Q5_ps	I	-6.5	-1.4	-0.0	-26.5
0.6	-2466.0		J	-6.5	-1.4	-0.0	-26.5
2.8	-1725.5						
		INVS LU Max	I	1759.9	-3.2	-0.4	437.4
82.4	-3372.8		J	1759.9	-3.2	0.7	437.4
91.7	-429.6	Min	I	905.6	-18.8	-0.7	-110.8
3.7	-17238.4		J	905.6	-18.8	0.4	-110.8
-0.7	-9208.6						
		INVS LE Max	I	1317.4	-2.6	-0.3	296.3
63.4	-2940.3		J	1317.4	-2.6	0.5	296.3
71.0	-586.4	Min	I	686.0	-14.0	-0.5	-106.2
5.2	-12764.0		J	686.0	-14.0	0.3	-106.2
2.8	-6770.9						
443	2	63 C1-C2;~1 Max	I	425.4	3.5	0.1	192.7
31.1	549.1		J	425.4	3.5	0.1	192.7
24.9	1475.7	Min	I	-49.5	-3.9	-0.1	-46.2
-24.9	-3026.5		J	-49.5	-3.9	-0.1	-46.2
-7.3	-4222.8						
		C3-C4;~1 Max	I	471.8	2.4	0.1	165.7
41.9	478.5		J	471.8	2.4	0.1	165.7
22.8	2260.0	Min	I	-51.9	-4.9	-0.1	-53.0
-17.6	-2734.8		J	-51.9	-4.9	-0.1	-53.0
-8.7	-3368.3						
		C1-C2;~2 Max	I	252.6	2.0	0.0	111.4
18.1	292.1						


MIDAS

PROJECT TITLE :

		Company		Client			
		Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
14.9	761.2		J	252.6	2.0	0.0	111.4
		Min	I	-28.2	-2.2	-0.0	-27.4
-14.2	-1800.9		J	-28.2	-2.2	-0.0	-27.4
-4.1	-2431.8						
		C3-C4;~2 Max	I	284.2	1.3	0.0	95.3
25.0	234.6		J	284.2	1.3	0.0	95.3
13.1	1253.1	Min	I	-29.2	-2.8	-0.0	-31.9
-9.9	-1595.6		J	-29.2	-2.8	-0.0	-31.9
-4.8	-1897.7						
		G1	I	334.1	-1.2	-0.4	113.3
-24.0	-1505.6		J	334.1	-1.2	0.4	113.3
-27.2	-873.7						
		G2	I	138.2	-0.5	0.0	48.6
5.8	-465.7		J	138.2	-0.5	0.0	48.6
3.9	-207.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-9.4	-1.4	0.0	-21.2
1.5	-1901.2		J	-9.4	-1.4	0.0	-21.2
1.3	-1174.3						
		Q5_ps	I	-5.9	-1.5	0.0	-21.8
2.9	-1725.4		J	-5.9	-1.5	0.0	-21.8
1.0	-964.4						
		INVSLU Max	I	1504.0	2.5	-0.4	238.1
91.4	-430.9		J	1504.0	2.5	0.7	238.1
46.2	2515.8	Min	I	780.2	-11.4	-0.6	-131.8
-1.5	-9210.1		J	780.2	-11.4	0.5	-131.8
-1.6	-8349.7						
		INVSLE Max	I	1126.7	1.6	-0.3	158.4
70.8	-587.4		J	1126.7	1.6	0.5	158.4
36.8	1781.6	Min	I	591.8	-8.5	-0.5	-112.8
2.2	-6772.1		J	591.8	-8.5	0.4	-112.8
1.6	-6110.4						
444	2	63 C1-C2;~1 Max	I	350.8	4.5	0.1	96.1
24.5	1475.8		J	350.8	4.5	0.1	96.1
72.6	2378.8	Min	I	-41.6	-2.4	-0.1	-102.7
-7.2	-4223.1		J	-41.6	-2.4	-0.1	-102.7


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-19.2	-6252.4						
		C3-C4;~1 Max	I	386.8	3.4	0.0	69.8
22.4	2260.2		J	386.8	3.4	0.0	69.8
95.0	3696.5						
		Min	I	-43.8	-3.2	-0.2	-109.0
-8.5	-3368.5		J	-43.8	-3.2	-0.2	-109.0
-11.8	-4877.3						
		C1-C2;~2 Max	I	208.8	2.6	0.0	54.1
14.6	761.3		J	208.8	2.6	0.0	54.1
42.5	1205.2						
		Min	I	-23.8	-1.3	-0.1	-61.7
-4.0	-2432.0		J	-23.8	-1.3	-0.1	-61.7
-10.5	-3538.0						
		C3-C4;~2 Max	I	233.6	1.9	0.0	38.7
13.0	1253.2		J	233.6	1.9	0.0	38.7
57.2	2035.7						
		Min	I	-24.6	-1.8	-0.1	-64.0
-4.7	-1897.9		J	-24.6	-1.8	-0.1	-64.0
-6.1	-2713.1						
		G1	I	277.5	0.5	-0.5	-5.4
-27.4	-873.9		J	277.5	0.5	0.3	-5.4
11.9	-1147.9						
		G2	I	115.0	0.2	-0.0	2.7
3.8	-207.6		J	115.0	0.2	-0.0	2.7
20.3	-320.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-9.8	-1.5	0.0	-13.9
1.4	-1174.2		J	-9.8	-1.5	0.0	-13.9
-5.4	-413.1						
		Q5_ps	I	-7.0	-1.5	0.0	-13.9
1.1	-964.3		J	-7.0	-1.5	0.0	-13.9
-2.9	-175.8						
		INVSLU Max	I	1244.6	7.5	-0.6	120.1
45.8	2516.0		J	1244.6	7.5	0.5	120.1
213.9	3741.0						
		Min	I	645.9	-5.6	-0.9	-181.7
-1.3	-8350.0		J	645.9	-5.6	0.2	-181.7
50.1	-10433.7						
		INVSLE Max	I	932.7	5.3	-0.4	84.6
36.5	1781.8		J	932.7	5.3	0.4	84.6

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
160.5	2802.4		Min	I	490.4	-4.2	-0.7	-137.1
1.8	-6110.6			J	490.4	-4.2	0.1	-137.1
39.9	-7642.3							
445	2	63 C1-C2;~1	Max	I	274.0	5.6	0.4	40.4
73.1	2378.8			J	274.0	5.6	0.4	40.4
63.7	3039.6		Min	I	-33.9	-1.7	-0.2	-196.7
-19.4	-6252.8			J	-33.9	-1.7	-0.2	-196.7
-145.2	-8888.8							
		C3-C4;~1	Max	I	299.2	4.4	0.5	24.3
95.5	3696.5			J	299.2	4.4	0.5	24.3
40.0	4531.3		Min	I	-35.6	-2.2	-0.1	-218.1
-11.9	-4877.6			J	-35.6	-2.2	-0.1	-218.1
-184.8	-6918.6							
		C1-C2;~2	Max	I	163.7	3.2	0.2	22.0
42.7	1205.2			J	163.7	3.2	0.2	22.0
35.3	1522.4		Min	I	-19.3	-0.9	-0.1	-119.3
-10.6	-3538.2			J	-19.3	-0.9	-0.1	-119.3
-82.9	-5004.3							
		C3-C4;~2	Max	I	181.6	2.5	0.3	12.6
57.5	2035.7			J	181.6	2.5	0.3	12.6
21.4	2440.1		Min	I	-20.0	-1.2	-0.1	-132.5
-6.2	-2713.2			J	-20.0	-1.2	-0.1	-132.5
-107.8	-3831.5							
		G1		I	218.5	1.9	-0.2	-99.2
12.1	-1148.1			J	218.5	1.9	0.7	-99.2
-124.9	-2149.5							
		G2		I	90.4	0.8	0.1	-33.1
20.3	-320.7			J	90.4	0.8	0.1	-33.1
-36.5	-731.3							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-10.6	-1.5	-0.0	-7.4
-5.3	-413.0			J	-10.6	-1.5	-0.0	-7.4
16.6	383.2							
		Q5_ps		I	-8.8	-1.6	-0.0	-6.4
-2.8	-175.7			J	-8.8	-1.6	-0.0	-6.4
11.0	644.3							

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

214.7	3741.0	INVSLE Max	I	969.2	11.9	0.7	73.4
-94.5	3333.7		J	969.2	11.9	1.9	73.4
49.9	-10434.1	Min	I	498.1	-1.4	-0.3	-288.8
-459.7	-15473.2		J	498.1	-1.4	0.8	-288.8
161.1	2802.5	INVSLE Max	I	726.0	8.6	0.5	61.6
-69.8	2556.2		J	726.0	8.6	1.4	61.6
39.7	-7642.5	Min	I	378.5	-1.0	-0.2	-205.7
-338.1	-11323.7		J	378.5	-1.0	0.6	-205.7
446	2	63 C1-C2;~1 Max	I	193.3	6.7	0.5	22.9
63.6	3039.6		J	193.3	6.7	0.5	22.9
599.6	3396.7	Min	I	-25.5	-1.6	-1.4	-259.7
-144.6	-8889.9		J	-25.5	-1.6	-1.4	-259.7
-188.3	-12208.2						
40.0	4531.5	C3-C4;~1 Max	I	205.7	5.4	0.3	20.8
773.3	5184.2		J	205.7	5.4	0.3	20.8
-184.2	-6919.4	Min	I	-26.8	-1.7	-1.9	-282.1
-116.0	-9438.2		J	-26.8	-1.7	-1.9	-282.1
35.3	1522.4	C1-C2;~2 Max	I	116.3	3.8	0.3	12.0
344.4	1640.8		J	116.3	3.8	0.3	12.0
-82.6	-5004.9	Min	I	-14.6	-0.8	-0.8	-157.5
-103.1	-6902.5		J	-14.6	-0.8	-0.8	-157.5
21.4	2440.1	C3-C4;~2 Max	I	125.6	3.1	0.2	11.2
456.8	2747.8		J	125.6	3.1	0.2	11.2
-107.5	-3832.0	Min	I	-15.1	-0.9	-1.1	-171.9
-60.4	-5229.3		J	-15.1	-0.9	-1.1	-171.9
-124.4	-2150.0	G1	I	155.1	2.9	-1.4	-154.8
368.3	-3669.2		J	155.1	2.9	-0.5	-154.8
-36.3	-731.5	G2	I	63.8	1.2	-0.4	-54.5
166.7	-1354.2		J	63.8	1.2	-0.4	-54.5
		Q3	I	0.0	0.0	0.0	0.0


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
16.6	383.7		Q5_pc	I	-11.8	-1.6	0.1	-4.8
-59.6	1205.0			J	-11.8	-1.6	0.1	-4.8
11.0	644.8		Q5_ps	I	-11.0	-1.6	0.1	-3.0
-38.2	1489.2			J	-11.0	-1.6	0.1	-3.0
-94.6	3333.7		INVSLU Max	I	672.2	15.5	-1.5	58.6
1810.0	2348.2			J	672.2	15.5	-0.4	58.6
-459.0	-15475.9		Min	I	337.2	1.3	-5.0	-361.8
404.6	-23300.6			J	337.2	1.3	-3.8	-361.8
-69.9	2556.2		INVSLE Max	I	502.8	11.3	-1.1	56.8
1335.9	1815.3			J	502.8	11.3	-0.3	56.8
-337.6	-11325.7		Min	I	256.3	1.0	-3.7	-253.9
302.8	-17023.1			J	256.3	1.0	-2.8	-253.9
447	2	63	C1-C2;~1 Max	I	86.4	7.4	2.9	22.0
600.2	3395.7			J	86.4	7.4	2.9	22.0
214.8	3976.3		Min	I	-19.5	-1.6	-0.8	-255.5
-188.3	-12208.5			J	-19.5	-1.6	-0.8	-255.5
-915.6	-15935.0		C3-C4;~1 Max	I	72.2	6.1	3.7	22.6
774.0	5183.4			J	72.2	6.1	3.7	22.6
132.8	5957.5		Min	I	-23.4	-1.7	-0.5	-274.1
-115.9	-9438.6			J	-23.4	-1.7	-0.5	-274.1
1166.9	-12360.3		C1-C2;~2 Max	I	49.9	4.3	1.7	12.3
344.8	1640.1			J	49.9	4.3	1.7	12.3
115.6	1917.4		Min	I	-10.6	-0.8	-0.4	-154.6
-103.1	-6902.7			J	-10.6	-0.8	-0.4	-154.6
-523.0	-9040.5		C3-C4;~2 Max	I	41.5	3.5	2.2	12.5
457.1	2747.3			J	41.5	3.5	2.2	12.5
67.4	3139.2		Min	I	-12.7	-0.9	-0.2	-166.5
-60.4	-5229.5			J	-12.7	-0.9	-0.2	-166.5


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-686.2	-6868.7						
		G1	I	38.7	3.5	1.7	-165.4
368.9	-3669.9		J	38.7	3.5	2.5	-165.4
-720.3	-5458.5						
		G2	I	15.4	1.4	0.9	-59.0
167.0	-1354.5		J	15.4	1.4	0.9	-59.0
-276.8	-2088.3						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-4.5	-1.7	-0.3	9.0
-59.6	1204.6		J	-4.5	-1.7	-0.3	9.0
87.4	2081.7						
		Q5_ps	I	-6.2	-1.7	-0.2	10.1
-38.1	1488.8		J	-6.2	-1.7	-0.2	10.1
56.9	2389.2						
		INVSLU Max	I	244.0	18.0	8.7	32.7
1810.8	2346.9		J	244.0	18.0	9.8	32.7
-968.5	855.7						
		Min	I	87.7	2.6	2.1	-384.0
404.6	-23300.5		J	87.7	2.6	3.2	-384.0
2991.1	-32446.3						-
		INVSLE Max	I	183.9	13.1	6.4	37.1
1336.5	1814.4		J	183.9	13.1	7.3	37.1
-722.1	682.9						
		Min	I	68.7	2.0	1.6	-270.4
302.8	-17023.0		J	68.7	2.0	2.4	-270.4
2208.6	-23707.7						-
		63 C1-C2;~1 Max	I	41.9	0.0	0.4	11.3
468	2		J	41.9	0.0	0.4	11.3
238.2	22.4						
		Min	I	-52.0	-0.0	-1.3	-21.3
0.0	1.4		J	-52.0	-0.0	-1.3	-21.3
-816.1	-4.1						
		C3-C4;~1 Max	I	28.3	0.0	0.2	15.5
-0.0	-3.3		J	28.3	0.0	0.2	15.5
146.4	24.0						
		Min	I	-68.8	-0.0	-1.7	-16.9
0.0	1.7		J	-68.8	-0.0	-1.7	-16.9
1051.7	-6.8						-
		C1-C2;~2 Max	I	23.6	0.0	0.2	7.2
-0.0	-2.6		J	23.6	0.0	0.2	7.2
129.8	13.5						

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.8							
-464.0	-2.5		Min	I	-29.3	-0.0	-0.7	-12.5
-0.0	-1.9			J	-29.3	-0.0	-0.7	-12.5
75.7	14.4		C3-C4;~2 Max	I	15.5	0.0	0.1	10.1
0.0	1.0			J	15.5	0.0	0.1	10.1
-616.0	-4.5		Min	I	-39.7	-0.0	-1.0	-9.7
-0.0	-1.5			J	-39.7	-0.0	-1.0	-9.7
-640.9	15.6		G1	I	-23.5	0.0	-1.5	-6.6
-0.0	-1.1			J	-23.5	0.0	-0.5	-6.6
-242.3	5.5		G2	I	-10.3	0.0	-0.4	-2.1
-0.0	-0.4			J	-10.3	0.0	-0.4	-2.1
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
71.0	14.1		Q5_pc	I	-0.8	0.0	0.1	-7.9
-0.0	0.2			J	-0.8	0.0	0.1	-7.9
42.1	13.0		Q5_ps	I	-3.2	0.0	0.1	-6.5
-0.0	0.3			J	-3.2	0.0	0.1	-6.5
-776.2	9.4		INVS LU Max	I	26.8	0.0	-1.9	64.7
-0.0	4.7			J	26.8	0.0	-0.6	64.7
2645.4	-61.2		Min	I	-124.1	-0.1	-4.9	0.6
-0.0	-2.6			J	-124.1	-0.1	-3.6	0.6
-577.1	2.8		INVS LE Max	I	21.0	0.0	-1.4	49.8
-0.0	3.7			J	21.0	0.0	-0.4	49.8
1952.2	-47.2		Min	I	-90.7	-0.1	-3.6	3.4
-0.0	-1.7			J	-90.7	-0.1	-2.6	3.4
470	2	82	C1-C2;~1 Max	I	461.4	5.5	1.0	241.1
630.3	12709.5			J	461.4	5.5	1.0	241.1
687.6	11939.2		Min	I	-1301.6	-3.1	-2.2	-473.0
-752.6	-11161.7			J	-1301.6	-3.1	-2.2	-473.0
-246.8	-10778.5							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

705.6	12043.7	C3-C4;~1	Max	I	409.4	4.6	1.2	188.2	
				J	409.4	4.6	1.2	188.2	
515.5	10729.4		Min	I	-1299.6	-2.8	-1.8	-448.5	
-686.4	-12566.7			J	-1299.6	-2.8	-1.8	-448.5	
-267.5	-12214.3								
		C1-C2;~2	Max	I	316.9	3.1	0.6	156.6	
441.3	8609.4			J	316.9	3.1	0.6	156.6	
403.0	7792.2		Min	I	-707.9	-2.1	-1.2	-288.0	
-401.1	-6245.7			J	-707.9	-2.1	-1.2	-288.0	
-132.7	-5866.2								
		C3-C4;~2	Max	I	279.3	2.4	0.8	118.4	
495.6	7785.1			J	279.3	2.4	0.8	118.4	
294.1	7032.8		Min	I	-698.0	-1.8	-0.9	-248.6	
-360.0	-6959.2			J	-698.0	-1.8	-0.9	-248.6	
-138.7	-6643.3								
		G1		I	-1388.5	3.5	-2.6	-289.3	
-749.8	-5893.9			J	-1388.5	3.5	-0.5	-289.3	
38.2	-7653.4								
		G2		I	-544.5	1.2	-0.7	-95.9	
-293.1	-3058.3			J	-544.5	1.2	-0.7	-95.9	
48.7	-3647.9								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc		I	-36.8	2.7	0.0	-12.0	
-63.0	8119.5			J	-36.8	2.7	0.0	-12.0	
-85.8	6743.6								
		Q5_ps		I	-27.6	2.4	0.1	0.6	
-49.5	7041.6			J	-27.6	2.4	0.1	0.6	
-98.7	5824.2								
		INVSLU	Max	I	-3795.7	20.8	-3.5	-528.9	-
1141.8	6995.0			J	-3795.7	20.8	-0.6	-528.9	
689.1	-780.6		Min	I	-6242.1	4.3	-8.0	-1514.6	-
3223.7	-41742.9			J	-6242.1	4.3	-5.2	-1514.6	
-754.7	-45526.4								
		INVSLE	Max	I	-2904.9	15.5	-2.6	-419.5	
-884.9	4393.2			J	-2904.9	15.5	-0.5	-419.5	
487.4	-1395.3								


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
2418.7	-30626.3		Min	I	-4712.1	3.6	-6.0	-1148.0	-
				J	-4712.1	3.6	-3.9	-1148.0	
-570.6	-33641.2								
471	2	82	C1-C2;~1	Max	I	501.1	4.2	1.8	233.2
687.7	11938.3				J	501.1	4.2	1.8	233.2
266.0	10919.7								
			Min	I	-1231.8	-2.8	-0.3	-434.6	
-246.5	-10778.1			J	-1231.8	-2.8	-0.3	-434.6	
-446.4	-10155.2								
			C3-C4;~1	Max	I	442.9	3.8	1.4	183.3
515.7	10728.6			J	442.9	3.8	1.4	183.3	
212.1	9536.6								
			Min	I	-1234.3	-2.7	-0.5	-410.7	
-267.4	-12213.5			J	-1234.3	-2.7	-0.5	-410.7	
-408.8	-11579.7								
			C1-C2;~2	Max	I	341.5	2.4	1.0	151.6
403.1	7791.8			J	341.5	2.4	1.0	151.6	
181.7	7293.4								
			Min	I	-673.0	-1.8	-0.1	-264.8	
-132.5	-5865.9			J	-673.0	-1.8	-0.1	-264.8	
-244.6	-5414.8								
			C3-C4;~2	Max	I	299.5	2.1	0.8	115.0
294.2	7032.3			J	299.5	2.1	0.8	115.0	
143.5	6284.0								
			Min	I	-666.5	-1.7	-0.3	-226.9	
-138.7	-6642.8			J	-666.5	-1.7	-0.3	-226.9	
-219.6	-6224.8								
			G1	I	-1252.1	1.6	-0.1	-260.5	
38.5	-7654.0			J	-1252.1	1.6	2.0	-260.5	
-441.9	-8454.5								
			G2	I	-489.6	0.4	0.4	-85.8	
48.8	-3648.1			J	-489.6	0.4	0.4	-85.8	
-131.9	-3861.5								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	-20.7	2.7	-0.3	-11.1	
-85.8	6743.9			J	-20.7	2.7	-0.3	-11.1	
62.3	5388.1								
			Q5_ps	I	-12.4	2.4	-0.3	0.9	
-98.7	5824.6			J	-12.4	2.4	-0.3	0.9	
66.6	4621.9								


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
690.3	-782.7	INVSLE Max	I	-3443.0	12.9	3.1	-459.1
			J	-3443.0	12.9	5.9	-459.1
-816.0	-5765.6	Min	I	-5823.1	-1.4	-0.5	-1380.7
-753.5	-45526.7		J	-5823.1	-1.4	2.3	-1380.7
1889.9	-45838.3						-
		INVSLE Max	I	-2639.9	9.5	2.2	-365.6
488.4	-1397.0		J	-2639.9	9.5	4.3	-365.6
-625.7	-5053.5	Min	I	-4400.2	-0.8	-0.4	-1046.8
-569.7	-33641.5		J	-4400.2	-0.8	1.7	-1046.8
1412.8	-34018.6						-
472	2	82 C1-C2;~1 Max	I	559.7	3.3	0.1	210.5
266.1	10919.9		J	559.7	3.3	0.1	210.5
379.8	9790.3	Min	I	-1155.5	-2.7	-0.7	-353.5
-446.0	-10155.1		J	-1155.5	-2.7	-0.7	-353.5
-201.3	-9402.3						
		C3-C4;~1 Max	I	494.1	3.3	0.2	173.7
212.2	9536.7		J	494.1	3.3	0.2	173.7
302.0	8286.1	Min	I	-1162.8	-2.8	-0.6	-333.2
-408.5	-11579.7		J	-1162.8	-2.8	-0.6	-333.2
-205.4	-10633.2						
		C1-C2;~2 Max	I	378.7	2.2	0.0	139.9
181.8	7293.5		J	378.7	2.2	0.0	139.9
266.7	6559.3	Min	I	-637.5	-1.7	-0.4	-215.6
-244.4	-5414.8		J	-637.5	-1.7	-0.4	-215.6
-112.9	-4992.9						
		C3-C4;~2 Max	I	331.5	2.1	0.1	110.2
143.6	6284.0		J	331.5	2.1	0.1	110.2
211.2	5465.3	Min	I	-633.5	-1.7	-0.3	-183.6
-219.4	-6224.8		J	-633.5	-1.7	-0.3	-183.6
-113.3	-5696.1						
		G1	I	-1096.0	-0.2	-1.5	-204.7
-441.6	-8454.3		J	-1096.0	-0.2	0.6	-204.7
-231.0	-8340.2						
		G2	I	-427.7	-0.3	-0.2	-67.5
-131.8	-3861.4		J	-427.7	-0.3	-0.2	-67.5
-53.0	-3720.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0						

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0			J	0.0	0.0	0.0	0.0
62.3	5387.9		Q5_pc	I	-18.8	2.7	0.1	-8.9
-8.4	4046.5			J	-18.8	2.7	0.1	-8.9
66.6	4621.7		Q5_ps	I	-11.8	2.4	0.1	0.9
-8.7	3426.0			J	-11.8	2.4	0.1	0.9
-815.0	-5765.1		INVSLU Max	I	-3019.9	5.6	-2.0	-341.5
-257.2	-7840.9			J	-3019.9	5.6	0.9	-341.5
1888.5	-45837.6		Min	I	-5379.2	-7.4	-3.4	-1118.9
1062.3	-42696.3			J	-5379.2	-7.4	-0.6	-1118.9
-624.9	-5053.1		INVSLE Max	I	-2323.9	3.9	-1.5	-273.6
-205.0	-6488.9			J	-2323.9	3.9	0.6	-273.6
1411.8	-34018.1		Min	I	-4069.1	-5.4	-2.5	-848.2
-800.3	-31768.2			J	-4069.1	-5.4	-0.4	-848.2
473	2	82	C1-C2;~1 Max	I	612.2	3.6	0.6	180.8
379.8	9790.2			J	612.2	3.6	0.6	180.8
79.4	8333.7		Min	I	-1068.3	-3.3	-0.2	-252.4
-201.0	-9402.2			J	-1068.3	-3.3	-0.2	-252.4
-106.6	-8365.0							
302.1	8285.9		C3-C4;~1 Max	I	542.3	3.4	0.5	153.6
64.7	6846.8			J	542.3	3.4	0.5	153.6
-205.2	-10633.1		Min	I	-1079.9	-3.1	-0.2	-240.1
-106.1	-9324.9			J	-1079.9	-3.1	-0.2	-240.1
266.8	6559.2		C1-C2;~2 Max	I	410.8	2.5	0.4	120.8
55.8	5579.3			J	410.8	2.5	0.4	120.8
-112.8	-4992.8		Min	I	-595.4	-1.9	-0.1	-155.1
-56.0	-4482.6			J	-595.4	-1.9	-0.1	-155.1
211.2	5465.2		C3-C4;~2 Max	I	360.6	2.2	0.3	99.0
45.3	4507.9			J	360.6	2.2	0.3	99.0
-113.2	-5696.0		Min	I	-593.8	-1.7	-0.1	-132.8
-55.3	-5019.3			J	-593.8	-1.7	-0.1	-132.8

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-230.7	-8340.1	G1	I	-928.3	-1.8	-1.2	-138.6	
			J	-928.3	-1.8	0.9	-138.6	
-161.9	-7419.5							
		G2	I	-361.6	-0.9	-0.0	-46.7	
-52.9	-3720.3		J	-361.6	-0.9	-0.0	-46.7	
-45.6	-3268.8							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	-19.0	2.6	-0.0	-5.4	
-8.4	4046.3		J	-19.0	2.6	-0.0	-5.4	
-0.8	2722.5							
		Q5_ps	I	-13.5	2.3	-0.0	1.5	
-8.7	3425.9		J	-13.5	2.3	-0.0	1.5	
-0.0	2241.0							
		INVS LU Max	I	-2559.6	0.3	-1.2	-198.0	
-256.5	-7840.9		J	-2559.6	0.3	1.6	-198.0	
-321.9	-7518.6							
		Min	I	-4878.1	-13.7	-2.4	-792.6	-
1061.3	-42695.7		J	-4878.1	-13.7	0.4	-792.6	
-574.3	-36258.4							
		INVS LE Max	I	-1979.4	-0.1	-0.9	-160.2	
-204.4	-6488.9		J	-1979.4	-0.1	1.2	-160.2	
-244.7	-6080.5							
		Min	I	-3694.3	-10.1	-1.8	-599.9	
-799.5	-31767.8		J	-3694.3	-10.1	0.3	-599.9	
-431.5	-27006.2							
		70 C1-C2;~1 Max	I	641.3	4.2	0.1	136.4	
474	2		J	641.3	4.2	0.1	136.4	
79.4	8332.6							
		Min	I	-952.2	-4.0	-0.2	-186.6	
52.5	6450.5		J	-952.2	-4.0	-0.2	-186.6	
-106.4	-8364.2							
-34.6	-7160.2							
		C3-C4;~1 Max	I	572.2	3.9	0.1	122.6	
64.7	6846.7		J	572.2	3.9	0.1	122.6	
44.5	5212.4							
		Min	I	-967.2	-4.1	-0.2	-164.0	
-106.0	-9324.1		J	-967.2	-4.1	-0.2	-164.0	
-35.4	-7902.5							
		C1-C2;~2 Max	I	426.0	2.9	0.1	91.0	
55.9	5578.5		J	426.0	2.9	0.1	91.0	
35.9	4300.2							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-55.9	-4482.2		Min	I	-536.1	-2.2	-0.1	-104.6
				J	-536.1	-2.2	-0.1	-104.6
-19.4	-3955.0							
		C3-C4;~2	Max	I	376.4	2.6	0.0	79.9
45.3	4507.8			J	376.4	2.6	0.0	79.9
30.1	3418.4							
			Min	I	-536.7	-2.2	-0.1	-94.5
-55.2	-5018.9			J	-536.7	-2.2	-0.1	-94.5
-19.6	-4364.7							
		G1		I	-737.5	-3.2	-0.7	-74.4
-161.8	-7418.1			J	-737.5	-3.2	0.3	-74.4
-56.0	-5812.7							
		G2		I	-286.7	-1.4	-0.1	-26.4
-45.6	-3268.4			J	-286.7	-1.4	-0.1	-26.4
-6.5	-2554.5							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-18.6	2.6	-0.0	-1.5
-0.8	2722.4			J	-18.6	2.6	-0.0	-1.5
0.6	1417.6							
		Q5_ps		I	-14.7	2.3	-0.0	2.6
-0.0	2240.9			J	-14.7	2.3	-0.0	2.6
0.7	1069.2							
		INVSLU	Max	I	-2032.3	-4.0	-1.1	-58.6
-321.4	-7516.1			J	-2032.3	-4.0	0.2	-58.6
-76.7	-5181.2							
			Min	I	-4237.1	-19.9	-1.4	-497.3
-573.6	-36252.9			J	-4237.1	-19.9	-0.2	-497.3
-196.4	-27109.6							
		INVSLE	Max	I	-1582.3	-3.5	-0.8	-48.9
-244.3	-6078.5			J	-1582.3	-3.5	0.1	-48.9
-59.4	-4112.5							
			Min	I	-3213.0	-14.8	-1.1	-373.6
-431.0	-27002.0			J	-3213.0	-14.8	-0.1	-373.6
-147.9	-20166.7							
		70 C1-C2;~1	Max	I	697.7	4.9	0.1	123.6
475	2			J	697.7	4.9	0.1	123.6
52.5	6450.3							
			Min	I	-886.4	-5.1	-0.1	-171.4
90.2	4353.4			J	-886.4	-5.1	-0.1	-171.4
-34.6	-7160.1							
-56.0	-5943.4							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
44.6	5212.1	C3-C4;~1 Max	I	628.7	4.5	0.1	116.3
			J	628.7	4.5	0.1	116.3
75.1	3740.3	Min	I	-904.7	-5.4	-0.1	-151.1
-35.3	-7902.3		J	-904.7	-5.4	-0.1	-151.1
-57.0	-6757.1						
35.9	4300.0	C1-C2;~2 Max	I	457.8	3.4	0.0	78.7
			J	457.8	3.4	0.0	78.7
56.9	2834.1	Min	I	-503.7	-2.8	-0.1	-105.1
-19.3	-3954.9		J	-503.7	-2.8	-0.1	-105.1
-31.9	-3468.7						
30.2	3418.2	C3-C4;~2 Max	I	408.5	3.0	0.0	72.7
			J	408.5	3.0	0.0	72.7
46.7	2418.3	Min	I	-506.0	-3.0	-0.0	-93.1
-19.6	-4364.6		J	-506.0	-3.0	-0.0	-93.1
-31.9	-3966.3						
-55.9	-5812.5	G1	I	-587.6	-4.3	-0.5	-27.3
			J	-587.6	-4.3	0.4	-27.3
-47.8	-3637.3						
-6.5	-2554.4	G2	I	-227.9	-1.8	-0.0	-11.4
			J	-227.9	-1.8	-0.0	-11.4
-3.2	-1621.9						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
0.6	1417.4	Q5_pc	I	-18.6	2.6	0.0	1.7
			J	-18.6	2.6	0.0	1.7
-5.1	131.4						
0.7	1068.9	Q5_ps	I	-16.0	2.3	0.0	4.1
			J	-16.0	2.3	0.0	4.1
-5.6	-87.8						
-76.5	-5181.0	INVSLU Max	I	-1610.0	-7.7	-0.5	96.5
			J	-1610.0	-7.7	0.8	96.5
-43.7	-767.5	Min	I	-3806.8	-26.3	-0.7	-304.8
-196.1	-27108.3		J	-3806.8	-26.3	0.5	-304.8
-251.5	-16003.2						
-59.2	-4112.4	INVSLE Max	I	-1266.3	-6.3	-0.4	72.8
			J	-1266.3	-6.3	0.6	72.8
-36.9	-541.1	Min	I	-2891.1	-19.7	-0.5	-224.2


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-147.7	-20165.8			J	-2891.1	-19.7	0.4	-224.2	
-190.3	-11809.2								
476	2	70	C1-C2;~1	Max	I	769.9	6.1	0.3	155.0
90.3	4353.2				J	769.9	6.1	0.3	155.0
17.7	4289.7			Min	I	-845.3	-6.4	-0.1	-193.4
-56.1	-5943.1				J	-845.3	-6.4	-0.1	-193.4
-68.7	-6150.6								
			C3-C4;~1	Max	I	702.9	5.3	0.2	128.3
75.2	3740.3				J	702.9	5.3	0.2	128.3
8.7	4135.3			Min	I	-866.4	-6.7	-0.1	-170.6
-57.1	-6756.9				J	-866.4	-6.7	-0.1	-170.6
-58.0	-7006.1								
			C1-C2;~2	Max	I	498.9	4.1	0.2	94.7
56.9	2834.0				J	498.9	4.1	0.2	94.7
11.4	2479.4			Min	I	-483.3	-3.6	-0.1	-119.0
-32.0	-3468.5				J	-483.3	-3.6	-0.1	-119.0
-40.6	-3643.5								
			C3-C4;~2	Max	I	451.3	3.5	0.1	74.6
46.8	2418.2				J	451.3	3.5	0.1	74.6
4.9	2341.4			Min	I	-487.2	-3.7	-0.1	-105.7
-32.0	-3966.2				J	-487.2	-3.7	-0.1	-105.7
-33.5	-4194.0								
			G1		I	-457.4	-5.2	-0.4	4.3
-47.8	-3636.8				J	-457.4	-5.2	0.5	4.3
-82.5	-1018.6								
			G2		I	-177.0	-2.2	0.0	-1.1
-3.2	-1621.7				J	-177.0	-2.2	0.0	-1.1
-14.4	-519.1								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc		I	-17.6	2.5	-0.0	4.2
-5.1	131.1				J	-17.6	2.5	-0.0	4.2
2.8	-1136.2								
			Q5_ps		I	-16.1	2.3	-0.0	5.7
-5.6	-88.0				J	-16.1	2.3	-0.0	5.7
3.8	-1228.1								
			INVSLU	Max	I	-1225.7	-10.2	-0.3	275.3

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-43.5	-766.4		J	-1225.7	-10.2	0.9	275.3
-116.0	10522.3	Min	I	-3466.3	-32.1	-0.9	-202.7
-251.7	-16001.1		J	-3466.3	-32.1	0.4	-202.7
-237.7	-6772.2						
		INVSLE Max	I	-979.4	-8.3	-0.2	210.3
-36.8	-540.2		J	-979.4	-8.3	0.7	210.3
-85.6	8034.3	Min	I	-2636.8	-24.1	-0.6	-143.2
-190.4	-11807.7		J	-2636.8	-24.1	0.3	-143.2
-175.4	-4625.0						
477	2	70 C1-C2;~1 Max	I	831.6	6.9	0.2	163.0
17.8	4290.0		J	831.6	6.9	0.2	163.0
222.0	6898.0	Min	I	-816.4	-7.2	-0.5	-193.9
-68.6	-6151.8		J	-816.4	-7.2	-0.5	-193.9
-101.4	-7375.9						
		C3-C4;~1 Max	I	773.5	5.8	0.2	135.3
8.6	4135.6		J	773.5	5.8	0.2	135.3
218.2	7174.8	Min	I	-839.5	-7.5	-0.5	-168.3
-57.9	-7006.9		J	-839.5	-7.5	-0.5	-168.3
-103.9	-7799.1						
		C1-C2;~2 Max	I	535.3	4.6	0.1	98.9
11.4	2479.4		J	535.3	4.6	0.1	98.9
141.8	3906.2	Min	I	-467.3	-4.0	-0.3	-119.1
-40.5	-3644.3		J	-467.3	-4.0	-0.3	-119.1
-55.8	-4434.3						
		C3-C4;~2 Max	I	493.5	3.8	0.1	78.2
4.9	2341.4		J	493.5	3.8	0.1	78.2
143.2	4020.6	Min	I	-472.8	-4.2	-0.3	-103.9
-33.4	-4194.6		J	-472.8	-4.2	-0.3	-103.9
-56.6	-4694.7						
		G1	I	-356.3	-5.6	-0.6	12.6
-82.5	-1017.8		J	-356.3	-5.6	0.4	12.6
-22.9	1866.9						
		G2	I	-137.7	-2.4	-0.0	1.3
-14.4	-518.7		J	-137.7	-2.4	-0.0	1.3
1.4	688.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0								
		Q5_pc	I	-8.2	2.5	-0.0	5.8		
2.8	-1136.3		J	-8.2	2.5	-0.0	5.8		
21.1	-2416.6								
		Q5_ps	I	-7.1	2.2	-0.0	6.9		
3.8	-1228.1		J	-7.1	2.2	-0.0	6.9		
21.2	-2379.6								
		INVS LU Max	I	-915.4	-11.5	-0.3	323.5		
-116.1	10527.7		J	-915.4	-11.5	1.0	323.5		
140.9	27410.9								
		Min	I	-3186.2	-35.3	-1.3	-168.7		
-237.7	-6768.3		J	-3186.2	-35.3	0.0	-168.7		
-337.0	2846.3								
		INVS LE Max	I	-746.7	-9.3	-0.2	246.9		
-85.6	8038.5		J	-746.7	-9.3	0.8	246.9		
95.1	20780.1								
		Min	I	-2427.7	-26.6	-0.9	-116.9		
-175.3	-4621.9		J	-2427.7	-26.6	0.0	-116.9		
-256.1	2906.4								
478	2	82 C1-C2;~1 Max	I	7.6	15.3	0.9	243.6		
290.9	33382.2		J	7.6	15.3	0.9	243.6		1
3242.5	26122.5								
		Min	I	-2226.1	-10.8	-80.0	-810.1		-2
7577.1	-56456.8		J	-2226.1	-10.8	-80.0	-810.1		
-165.1	-52051.7								
		C3-C4;~1 Max	I	9.6	18.9	1.0	219.3		
341.0	44958.2		J	9.6	18.9	1.0	219.3		1
1793.9	35968.6								
		Min	I	-2140.1	-8.9	-71.7	-775.1		-2
4809.8	-42514.8		J	-2140.1	-8.9	-71.7	-775.1		
-191.2	-39848.0								
		C1-C2;~2 Max	I	5.3	7.6	0.4	155.3		
130.8	16379.6		J	5.3	7.6	0.4	155.3		
6966.0	12764.2								
		Min	I	-1162.5	-6.4	-41.9	-464.5		-1
4406.1	-30561.2		J	-1162.5	-6.4	-41.9	-464.5		
-72.2	-27991.1								
		C3-C4;~2 Max	I	6.7	9.6	0.5	135.5		
161.0	22576.1		J	6.7	9.6	0.5	135.5		
6069.1	18077.9								
		Min	I	-1102.6	-5.4	-36.7	-458.7		-1
2698.5	-22469.2		J	-1102.6	-5.4	-36.7	-458.7		
-87.4	-20972.6								


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
1454.1	3289.9	G1	I	-2832.9	14.4	-91.3	-470.5	-3
			J	-2832.9	14.4	-89.1	-470.5	1
4522.3	-4068.9							
		G2	I	-1102.4	6.4	-34.1	-160.1	-1
1874.9	3473.0		J	-1102.4	6.4	-34.1	-160.1	
5513.2	231.8							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	-81.9	0.9	-12.8	-83.8	-
4204.8	9843.8		J	-81.9	0.9	-12.8	-83.8	
2337.7	9409.6							
		Q5_ps	I	-55.7	1.8	-10.6	-65.9	-
3458.0	12869.2		J	-55.7	1.8	-10.6	-65.9	
1952.9	11971.6							
		INVSLU Max	I	-7342.4	80.2	-159.6	-511.4	-5
6129.0	135917.3		J	-7342.4	80.2	-156.8	-511.4	4
7527.1	95854.9							
		Min	I	-10514.0	38.7	-295.7	-2084.7	-10
2546.7	-18711.8		J	-10514.0	38.7	-292.9	-2084.7	2
4498.5	-39909.8							
		INVSLE Max	I	-5545.6	60.6	-119.8	-384.9	-4
2103.6	102760.7		J	-5545.6	60.6	-117.7	-384.9	3
5084.6	72473.0							
		Min	I	-7883.3	30.0	-218.6	-1539.2	-7
5822.5	-10466.9		J	-7883.3	30.0	-216.4	-1539.2	1
8399.2	-26838.8							
		82 C1-C2;~1 Max	I	54.3	13.5	30.7	214.2	1
479	2		J	54.3	13.5	30.7	214.2	
3243.0	26121.8							
		Min	I	-1952.2	-12.4	-0.4	-807.1	
22.3	19688.6		J	-1952.2	-12.4	-0.4	-807.1	-
-165.1	-52055.1							
2559.8	-46782.9							
		C3-C4;~1 Max	I	43.5	17.0	27.4	193.9	1
1794.6	35968.0		J	43.5	17.0	27.4	193.9	
26.6	27808.3							
		Min	I	-1887.2	-10.0	-0.4	-779.0	
-191.2	-39851.1		J	-1887.2	-10.0	-0.4	-779.0	-
2317.6	-36359.0							
		C1-C2;~2 Max	I	38.7	6.7	16.0	133.8	
6966.2	12763.9		J	38.7	6.7	16.0	133.8	
10.4	9556.8							
		Min	I	-1019.4	-7.3	-0.2	-471.5	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-72.2	-27992.9			J	-1019.4	-7.3	-0.2	-471.5	-
1339.5	-25009.5								
6069.5	18077.6	C3-C4;~2	Max	I	30.9	8.6	14.0	115.9	
				J	30.9	8.6	14.0	115.9	
12.9	13984.9		Min	I	-971.0	-5.9	-0.2	-466.3	
-87.4	-20974.2			J	-971.0	-5.9	-0.2	-466.3	-
1186.9	-19059.1								
			G1	I	-2506.5	10.7	33.4	-419.9	1
4522.9	-4072.7			J	-2506.5	10.7	35.5	-419.9	-
3046.6	-9529.5								
			G2	I	-977.6	4.9	13.0	-134.6	
5513.4	230.4			J	-977.6	4.9	13.0	-134.6	-
1122.3	-2259.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	-55.7	0.8	5.3	-81.5	
2337.8	9409.2			J	-55.7	0.8	5.3	-81.5	
-348.0	9013.9								
			Q5_ps	I	-35.9	1.7	4.4	-61.7	
1952.9	11971.3			J	-35.9	1.7	4.4	-61.7	
-283.9	11102.6								
			INVSLU Max	I	-6665.5	67.5	111.3	-403.1	4
7529.1	95845.8			J	-6665.5	67.5	114.1	-403.1	-
5928.3	62108.1		Min	I	-9474.5	26.4	58.3	-1928.6	2
4499.5	-39922.0			J	-9474.5	26.4	61.1	-1928.6	-1
0140.5	-54815.0								
			INVSLE Max	I	-5040.1	51.1	82.2	-302.7	3
5086.0	72466.2			J	-5040.1	51.1	84.3	-302.7	-
4450.5	46935.1		Min	I	-7113.4	20.7	43.8	-1421.8	1
8400.0	-26847.9			J	-7113.4	20.7	45.9	-1421.8	-
7515.9	-38472.8								
480	2	82	C1-C2;~1	Max	I	111.6	11.8	0.1	228.0
22.2	19687.7			J	111.6	11.8	0.1	228.0	
621.4	14004.1		Min	I	-1796.7	-14.5	-5.6	-662.9	-
2559.2	-46780.3			J	-1796.7	-14.5	-5.6	-662.9	
-91.9	-40333.0								
			C3-C4;~1	Max	I	86.6	15.3	0.1	204.0


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
26.5	27807.0			J	86.6	15.3	0.1	204.0	
505.9	20396.5		Min	I	-1751.3	-11.5	-5.0	-698.8	-
2317.1	-36356.9			J	-1751.3	-11.5	-5.0	-698.8	
-111.0	-31824.0								
			C1-C2;~2 Max	I	79.6	5.8	0.0	140.6	
10.3	9556.4			J	79.6	5.8	0.0	140.6	
398.1	6729.9		Min	I	-934.2	-8.3	-3.0	-428.3	-
1339.1	-25008.1			J	-934.2	-8.3	-3.0	-428.3	
-49.5	-21429.9								
			C3-C4;~2 Max	I	61.3	7.7	0.0	120.0	
12.9	13984.2			J	61.3	7.7	0.0	120.0	
320.1	10266.1		Min	I	-898.4	-6.6	-2.6	-424.8	-
1186.6	-19058.0			J	-898.4	-6.6	-2.6	-424.8	
-59.8	-16608.4								
			G1	I	-2329.2	6.8	-7.3	-286.4	-
3046.1	-9528.7			J	-2329.2	6.8	-5.2	-286.4	
121.5	-12995.1								
			G2	I	-909.0	3.4	-2.3	-83.5	-
1122.2	-2258.8			J	-909.0	3.4	-2.3	-83.5	
73.6	-3974.2								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	-57.1	0.6	-0.9	-65.2	
-347.9	9014.0			J	-57.1	0.6	-0.9	-65.2	
119.1	8685.3								
			Q5_ps	I	-39.3	1.6	-0.8	-48.1	
-283.8	11102.5			J	-39.3	1.6	-0.8	-48.1	
103.4	10281.5								
			INVSLU Max	I	-6230.0	54.7	-12.2	-115.1	-
5927.6	62106.2			J	-6230.0	54.7	-9.4	-115.1	
682.8	34742.9		Min	I	-8909.1	13.3	-21.9	-1483.7	-1
0138.7	-54811.8			J	-8909.1	13.3	-19.0	-1483.7	
-520.2	-62875.6								
			INVSLE Max	I	-4716.8	41.4	-9.2	-84.2	-
4450.0	46933.6			J	-4716.8	41.4	-7.0	-84.2	
480.2	26198.0		Min	I	-6693.7	10.9	-16.2	-1089.3	-
7514.6	-38470.5								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-395.1	-44954.0		J	-6693.7	10.9	-14.0	-1089.3
481	2	82 C1-C2;~1 Max	I	167.7	10.4	1.2	266.7
621.9	14003.6		J	167.7	10.4	1.2	266.7
264.5	9076.0		Min	I	-1684.1	-16.3	-579.2
-92.0	-40332.4		J	-1684.1	-16.3	-0.0	-579.2
-353.7	-33163.5						
		C3-C4;~1 Max	I	132.2	13.7	1.0	241.0
506.5	20395.9		J	132.2	13.7	1.0	241.0
210.0	13768.9		Min	I	-1654.8	-12.8	-616.7
-111.1	-31823.6		J	-1654.8	-12.8	-0.0	-616.7
-351.8	-26378.9						
		C1-C2;~2 Max	I	119.1	5.1	0.6	161.0
398.4	6729.6		J	119.1	5.1	0.6	161.0
188.4	4286.2		Min	I	-877.5	-9.2	-379.2
-49.5	-21429.6		J	-877.5	-9.2	-0.0	-379.2
-185.6	-17562.8						
		C3-C4;~2 Max	I	93.2	6.8	0.5	135.0
320.5	10265.8		J	93.2	6.8	0.5	135.0
148.8	6936.7		Min	I	-852.0	-7.2	-380.9
-59.9	-16608.2		J	-852.0	-7.2	-0.0	-380.9
-182.4	-13696.9						
		G1	I	-2167.5	3.2	0.2	-136.7
121.8	-12995.4		J	-2167.5	3.2	2.3	-136.7
-502.2	-14639.1						
		G2	I	-846.3	2.0	0.5	-28.8
73.7	-3974.4		J	-846.3	2.0	0.5	-28.8
-160.5	-4982.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-61.3	0.5	0.2	-41.6
119.1	8685.3		J	-61.3	0.5	0.2	-41.6
5.7	8429.1						
		Q5_ps	I	-45.0	1.5	0.2	-28.2
103.5	10281.5		J	-45.0	1.5	0.2	-28.2
7.2	9516.4						
		INVSLU Max	I	-5821.5	42.7	2.7	223.6
684.0	34740.5						

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
1085.9	13448.2		J	-5821.5	42.7	5.5	223.6	-
		Min	I	-8431.8	1.3	0.6	-1043.8	
-520.0	-62876.3		J	-8431.8	1.3	3.5	-1043.8	-
1930.7	-65082.9							
		INVSLE Max	I	-4413.8	32.4	2.0	173.5	
481.0	26196.1		J	-4413.8	32.4	4.1	173.5	
-824.5	10030.7	Min	I	-6339.2	1.8	0.5	-759.7	
-394.9	-44954.6		J	-6339.2	1.8	2.6	-759.7	-
1449.5	-47016.6							
482	2	82 C1-C2;~1 Max	I	226.5	9.1	0.1	314.5	
264.7	9075.5		J	226.5	9.1	0.1	314.5	
277.4	6880.0	Min	I	-1599.7	-17.9	-0.2	-511.2	
-353.7	-33162.6		J	-1599.7	-17.9	-0.2	-511.2	
-323.2	-26160.3							
		C3-C4;~1 Max	I	181.1	12.3	0.1	288.6	
210.2	13768.2		J	181.1	12.3	0.1	288.6	
216.6	8778.7	Min	I	-1577.0	-14.0	-0.2	-551.0	
-351.8	-26378.2		J	-1577.0	-14.0	-0.2	-551.0	
-319.6	-20707.2							
		C1-C2;~2 Max	I	159.8	4.4	0.1	186.2	
188.5	4285.9		J	159.8	4.4	0.1	186.2	
196.9	3607.7	Min	I	-842.3	-10.0	-0.1	-339.3	
-185.6	-17562.3		J	-842.3	-10.0	-0.1	-339.3	
-169.4	-13963.3							
		C3-C4;~2 Max	I	126.9	6.1	0.1	159.7	
149.0	6936.3		J	126.9	6.1	0.1	159.7	
153.0	4550.7	Min	I	-820.0	-7.7	-0.1	-346.8	
-182.4	-13696.5		J	-820.0	-7.7	-0.1	-346.8	
-165.5	-10703.2							
		G1	I	-2000.3	-0.1	-1.2	1.0	
-502.1	-14639.1		J	-2000.3	-0.1	1.0	1.0	
-448.3	-14604.4							
		G2	I	-781.5	0.7	-0.0	20.1	
-160.5	-4982.1		J	-781.5	0.7	-0.0	20.1	
-139.1	-5338.8							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

5.7	8429.1	Q5_pc	I	-64.0	0.4	-0.0	-17.2	
22.4	8246.2		J	-64.0	0.4	-0.0	-17.2	
7.2	9516.3	Q5_ps	I	-49.3	1.4	-0.0	-7.6	
23.3	8809.4		J	-49.3	1.4	-0.0	-7.6	
1085.5	13446.2	INVSLU Max	I	-5397.7	31.6	-1.5	548.4	-
-915.4	-829.6		J	-5397.7	31.6	1.3	548.4	
1930.7	-65082.8	Min	I	-7978.2	-9.9	-2.0	-651.1	-
1766.5	-62925.1		J	-7978.2	-9.9	0.9	-651.1	-
-824.2	10029.2	INVSLE Max	I	-4099.2	24.0	-1.1	421.3	
-698.2	-929.1		J	-4099.2	24.0	1.0	421.3	
1449.5	-47016.6	Min	I	-6002.2	-6.7	-1.5	-465.0	-
1325.6	-45763.5		J	-6002.2	-6.7	0.7	-465.0	-
483	2	82 C1-C2;~1 Max	I	286.1	7.9	0.3	365.5	
277.6	6880.0		J	286.1	7.9	0.3	365.5	
370.5	7267.0		I	-1517.4	-19.4	-0.6	-468.0	
-323.1	-26159.4	Min	J	-1517.4	-19.4	-0.6	-468.0	
-354.1	-18921.6		I	233.0	11.0	0.2	339.1	
216.8	8778.3	C3-C4;~1 Max	J	233.0	11.0	0.2	339.1	
257.8	6154.6		I	-1501.0	-15.1	-0.5	-504.4	
-319.8	-20706.7	Min	J	-1501.0	-15.1	-0.5	-504.4	
-343.1	-15958.4		I	200.4	3.8	0.2	213.1	
197.0	3607.8	C1-C2;~2 Max	J	200.4	3.8	0.2	213.1	
242.8	4585.8		I	-807.4	-10.6	-0.3	-314.5	
-169.3	-13962.9	Min	J	-807.4	-10.6	-0.3	-314.5	
-198.1	-10263.4		I	162.1	5.5	0.1	185.2	
153.2	4550.6	C3-C4;~2 Max	J	162.1	5.5	0.1	185.2	
167.4	3871.3		I	-788.2	-8.1	-0.3	-322.7	
-165.6	-10702.9	Min	J	-788.2	-8.1	-0.3	-322.7	
-187.7	-8461.0		I	-1834.1	-3.1	-1.3	117.8	
		G1						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-448.3	-14604.3		J	-1834.1	-3.1	0.9	117.8
-349.1	-13017.1						
		G2	I	-717.2	-0.5	-0.1	61.2
-139.2	-5338.8		J	-717.2	-0.5	-0.1	61.2
-98.6	-5092.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-65.4	0.2	0.1	4.7
22.4	8246.2		J	-65.4	0.2	0.1	4.7
-53.5	8135.8						
		Q5_ps	I	-52.4	1.3	0.2	11.1
23.3	8809.3		J	-52.4	1.3	0.2	11.1
-53.9	8161.3						
		INVSLU Max	I	-4973.2	21.1	-1.1	853.9
-915.5	-830.5		J	-4973.2	21.1	1.7	853.9
-650.6	-4787.6						
		Min	I	-7525.8	-20.4	-2.6	-328.9
1766.6	-62924.6		J	-7525.8	-20.4	0.3	-328.9
1725.2	-56086.8						
		INVSLE Max	I	-3784.0	16.1	-0.8	653.8
-698.3	-930.0		J	-3784.0	16.1	1.3	653.8
-508.7	-4410.7						
		Min	I	-5666.0	-14.6	-1.9	-221.8
1325.7	-45763.2		J	-5666.0	-14.6	0.2	-221.8
1297.5	-40960.9						
		82 C1-C2;~1 Max	I	348.9	6.8	1.2	424.6
484	2		J	348.9	6.8	1.2	424.6
370.7	7267.0						
		Min	I	-1437.9	-20.5	-0.8	-440.8
228.0	8741.9		J	-1437.9	-20.5	-0.8	-440.8
-354.5	-18920.7						
		C3-C4;~1 Max	I	293.1	10.2	0.9	383.1
-484.6	-11885.8		J	293.1	10.2	0.9	383.1
258.1	6154.6						
		Min	I	-1427.4	-16.0	-0.7	-474.9
173.5	8066.7		J	-1427.4	-16.0	-0.7	-474.9
-343.4	-15957.9						
		C1-C2;~2 Max	I	242.6	3.2	0.7	236.3
-430.3	-11247.2		J	242.6	3.2	0.7	236.3
242.9	4585.9						
		Min	I	-772.9	-11.1	-0.4	-297.9
143.3	5986.1						
-198.3	-10263.0						


MIDAS

PROJECT TITLE :

		Company		Client			
		Author		File Name			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H
-272.9	-6571.7		J	-772.9	-11.1	-0.4	-297.9
167.6	3871.4	C3-C4;~2 Max	I	202.4	5.1	0.5	207.1
107.7	5427.9		J	202.4	5.1	0.5	207.1
-187.9	-8460.8	Min	I	-756.9	-8.4	-0.4	-306.6
-239.2	-6087.1		J	-756.9	-8.4	-0.4	-306.6
-349.3	-13017.0	G1	I	-1671.2	-5.8	-0.9	202.6
-421.1	-10053.5		J	-1671.2	-5.8	1.2	202.6
-98.8	-5092.7	G2	I	-654.4	-1.5	0.0	91.1
-123.0	-4310.7		J	-654.4	-1.5	0.0	91.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-53.6	8135.7	Q5_pc	I	-63.8	0.1	-0.4	21.0
138.5	8093.3		J	-63.8	0.1	-0.4	21.0
-53.9	8161.2	Q5_ps	I	-52.5	1.2	-0.4	25.0
135.4	7570.2		J	-52.5	1.2	-0.4	25.0
-650.9	-4788.6	INVSLU Max	I	-4549.7	11.8	0.2	1141.7
-579.7	-2752.7		J	-4549.7	11.8	3.0	1141.7
1726.3	-56086.5	Min	I	-7076.7	-29.8	-3.2	-110.4
1791.0	-45519.0		J	-7076.7	-29.8	-0.4	-110.4
-508.9	-4411.4	INVSLE Max	I	-3469.1	9.1	0.1	870.2
-446.0	-2976.2		J	-3469.1	9.1	2.2	870.2
1298.4	-40960.6	Min	I	-5332.4	-21.7	-2.4	-54.5
1324.8	-33315.9		J	-5332.4	-21.7	-0.3	-54.5
485	2	82 C1-C2;~1 Max	I	407.4	6.3	1.1	442.3
228.0	8742.2		J	407.4	6.3	1.1	442.3
700.5	12695.2	Min	I	-1372.1	-21.4	-1.4	-432.9
-484.4	-11884.9		J	-1372.1	-21.4	-1.4	-432.9
-673.4	-11199.8						
173.5	8067.0	C3-C4;~1 Max	I	356.9	9.6	0.9	402.1


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
772.8	12028.5		J	356.9	9.6	0.9	402.1
		Min	I	-1365.5	-16.8	-1.6	-463.7
-430.2	-11246.3		J	-1365.5	-16.8	-1.6	-463.7
-611.3	-12620.3						
		C1-C2;~2 Max	I	281.7	3.0	0.6	249.3
143.4	5986.2		J	281.7	3.0	0.6	249.3
478.0	8598.9	Min	I	-741.4	-11.4	-0.9	-293.1
-272.8	-6571.5		J	-741.4	-11.4	-0.9	-293.1
-352.9	-6266.4						
		C3-C4;~2 Max	I	245.2	4.8	0.5	216.8
107.7	5428.1		J	245.2	4.8	0.5	216.8
534.8	7772.9	Min	I	-728.4	-8.7	-1.1	-300.0
-239.2	-6086.8		J	-728.4	-8.7	-1.1	-300.0
-317.8	-6989.4						
		G1	I	-1533.1	-8.1	-0.8	234.5
-421.4	-10052.0		J	-1533.1	-8.1	1.4	234.5
-573.9	-5931.1						
		G2	I	-601.3	-2.4	0.2	102.4
-123.1	-4310.2		J	-601.3	-2.4	0.2	102.4
-222.2	-3074.3						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-48.3	0.0	0.3	26.6
138.4	8094.0		J	-48.3	0.0	0.3	26.6
-4.1	8093.0						
		Q5_ps	I	-38.0	1.1	0.2	30.1
135.4	7570.8		J	-38.0	1.1	0.2	30.1
9.5	7014.4						
		INVSLU Max	I	-4177.9	3.9	1.6	1250.9
-580.6	-2747.9		J	-4177.9	3.9	4.5	1250.9
-663.2	6846.9	Min	I	-6667.2	-37.9	-2.4	-20.1
1791.6	-45514.8		J	-6667.2	-37.9	0.4	-20.1
2623.0	-41896.5						
		INVSLE Max	I	-3190.7	3.1	1.2	952.6
-446.7	-2972.8		J	-3190.7	3.1	3.3	952.6
-521.3	4283.5	Min	I	-5028.2	-27.9	-1.7	14.6
1325.3	-33312.7		J	-5028.2	-27.9	0.4	14.6

MIDAS


PROJECT TITLE :

	Company				Client
	Author				File Name
					PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


1972.4	-30743.7								
486	2	70	C1-C2;~1	Max	I	885.3	7.0	0.5	195.0
220.2	5367.4				J	885.3	7.0	0.5	195.0
22.0	5373.1								
				Min	I	-946.0	-6.3	-0.2	-181.0
-84.2	-3621.0				J	-946.0	-6.3	-0.2	-181.0
-52.2	-3648.7								
				C3-C4;~1	Max	I	851.3	7.1	0.5
219.3	5279.6				J	851.3	7.1	0.5	173.1
12.9	4351.0								
				Min	I	-917.0	-5.4	-0.2	-152.0
-86.3	-4271.4				J	-917.0	-5.4	-0.2	-152.0
-44.9	-4159.4								
				C1-C2;~2	Max	I	564.3	3.9	0.3
139.3	3250.2				J	564.3	3.9	0.3	121.9
14.5	3540.8								
				Min	I	-539.4	-4.2	-0.1	-107.9
-47.5	-2115.8				J	-539.4	-4.2	-0.1	-107.9
-30.3	-2125.9								
				C3-C4;~2	Max	I	531.7	4.0	0.3
141.0	3121.3				J	531.7	4.0	0.3	108.2
8.1	2845.6								
				Min	I	-521.4	-3.5	-0.1	-86.5
-48.8	-2535.5				J	-521.4	-3.5	-0.1	-86.5
-25.4	-2405.8								
				G1	I	-400.4	6.2	-0.3	-54.1
6.6	1892.3				J	-400.4	6.2	0.6	-54.1
-67.2	-1226.0								
				G2	I	-167.6	2.6	0.0	-19.2
11.5	768.7				J	-167.6	2.6	0.0	-19.2
-9.1	-564.8								
				Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
				Q5_pc	I	-5.2	-2.5	0.0	-7.3
21.7	-2045.7				J	-5.2	-2.5	0.0	-7.3
4.4	-796.8								
				Q5_ps	I	-3.0	-2.2	0.0	-8.1
21.8	-2038.6				J	-3.0	-2.2	0.0	-8.1
5.4	-916.9								
				INVSLU	Max	I	-944.0	35.0	0.1
212.6	17633.7				J	-944.0	35.0	1.4	48.8

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-99.2	4832.8		Min	I	-3425.5	12.4	-0.8	-471.9
-240.1	939.1			J	-3425.5	12.4	0.4	-471.9
-207.3	-9470.4							
			INVSLE Max	I	-766.7	26.4	0.1	27.0
150.1	13198.2			J	-766.7	26.4	1.0	27.0
-74.4	3508.6		Min	I	-2604.2	10.0	-0.6	-357.7
-182.4	1104.6			J	-2604.2	10.0	0.3	-357.7
-153.9	-6980.1							
487	2	70	C1-C2;~1 Max	I	818.1	5.8	0.1	177.8
21.9	5374.5			J	818.1	5.8	0.1	177.8
83.3	6678.4		Min	I	-976.5	-5.2	-0.2	-164.7
-52.3	-3649.3			J	-976.5	-5.2	-0.2	-164.7
-58.7	-5515.1							
			C3-C4;~1 Max	I	769.8	6.0	0.1	154.9
12.8	4351.8			J	769.8	6.0	0.1	154.9
68.9	5401.8		Min	I	-944.0	-4.6	-0.2	-138.2
-44.9	-4160.4			J	-944.0	-4.6	-0.2	-138.2
-56.4	-6154.0							
			C1-C2;~2 Max	I	525.3	3.2	0.1	111.5
14.5	3541.7			J	525.3	3.2	0.1	111.5
53.3	4373.6		Min	I	-556.8	-3.5	-0.1	-100.0
-30.4	-2126.1			J	-556.8	-3.5	-0.1	-100.0
-33.2	-3002.1							
			C3-C4;~2 Max	I	484.5	3.3	0.1	97.1
8.0	2846.1			J	484.5	3.3	0.1	97.1
43.4	3482.2		Min	I	-536.6	-3.1	-0.1	-79.8
-25.4	-2406.2			J	-536.6	-3.1	-0.1	-79.8
-31.7	-3355.4							
			G1	I	-511.6	5.5	-0.5	-39.9
-67.2	-1227.5			J	-511.6	5.5	0.5	-39.9
-62.0	-3998.2							
			G2	I	-210.2	2.4	0.0	-13.9
-9.0	-565.4			J	-210.2	2.4	0.0	-13.9
-9.3	-1754.5							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
4.4	-796.8	Q5_pc	I	-15.0	-2.5	0.0	-6.0
			J	-15.0	-2.5	0.0	-6.0
-5.2	462.9						
5.4	-917.0	Q5_ps	I	-12.5	-2.2	0.0	-7.3
			J	-12.5	-2.2	0.0	-7.3
-5.7	213.6						
-99.1	4829.1	INVSLU Max	I	-1275.0	30.0	-0.3	93.1
			J	-1275.0	30.0	0.9	93.1
-74.3	-3627.5	Min	I	-3724.8	10.4	-0.8	-380.1
			J	-3724.8	10.4	0.4	-380.1
-207.2	-9477.3						
-275.5	-21784.4						
		INVSLE Max	I	-1014.5	22.5	-0.2	62.7
-74.3	3505.7		J	-1014.5	22.5	0.7	62.7
-59.2	-2972.7	Min	I	-2827.2	8.3	-0.6	-287.0
			J	-2827.2	8.3	0.3	-287.0
-153.7	-6985.3						
-207.5	-16360.5						
488	2	70 C1-C2;~1 Max	I	744.4	4.9	0.1	144.7
83.2	6678.5		J	744.4	4.9	0.1	144.7
55.3	8269.6	Min	I	-1015.5	-4.1	-0.0	-132.1
			J	-1015.5	-4.1	-0.0	-132.1
-58.7	-5515.3						
-38.2	-7282.0						
		C3-C4;~1 Max	I	691.0	4.8	0.1	119.7
68.9	5401.8		J	691.0	4.8	0.1	119.7
47.9	6643.1	Min	I	-979.9	-3.9	-0.0	-127.1
			J	-979.9	-3.9	-0.0	-127.1
-56.3	-6154.2						
-37.1	-8131.9						
		C1-C2;~2 Max	I	484.2	2.7	0.0	91.0
53.3	4373.6		J	484.2	2.7	0.0	91.0
37.6	5444.8	Min	I	-578.0	-2.9	-0.0	-85.1
			J	-578.0	-2.9	-0.0	-85.1
-33.1	-3002.2						
-21.6	-3858.3						
		C3-C4;~2 Max	I	440.7	2.5	0.0	75.0
43.4	3482.2		J	440.7	2.5	0.0	75.0
31.9	4275.9	Min	I	-556.1	-2.6	-0.0	-79.8
			J	-556.1	-2.6	-0.0	-79.8
-31.7	-3355.4						
-21.0	-4336.2						
		G1	I	-635.6	4.5	-0.5	-1.0
-61.9	-3998.6						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-54.8	-6271.6		J	-635.6	4.5	0.5	-1.0
		G2	I	-258.1	2.0	-0.0	0.4
-9.3	-1754.6		J	-258.1	2.0	-0.0	0.4
-6.6	-2741.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-16.0	-2.5	-0.0	-3.2
-5.2	463.1		J	-16.0	-2.5	-0.0	-3.2
1.0	1740.1						
		Q5_ps	I	-12.4	-2.3	-0.0	-5.6
-5.7	213.9		J	-12.4	-2.3	-0.0	-5.6
1.1	1358.6						
		INVS LU Max	I	-1652.9	24.2	-0.6	199.8
-74.3	-3628.2		J	-1652.9	24.2	0.7	199.8
-74.9	-8056.2						
		Min	I	-4057.5	7.4	-0.8	-179.7
-275.3	-21786.0		J	-4057.5	7.4	0.5	-179.7
-202.9	-33330.4						
		INVS LE Max	I	-1296.9	18.1	-0.4	148.1
-59.1	-2973.3		J	-1296.9	18.1	0.5	148.1
-58.1	-6511.4						
		Min	I	-3076.0	6.0	-0.6	-132.5
-207.3	-16361.7		J	-3076.0	6.0	0.3	-132.5
-152.9	-25001.0						
489	2	70 C1-C2;~1 Max	I	686.8	4.3	0.2	174.2
55.3	8269.8		J	686.8	4.3	0.2	174.2
82.4	9702.9						
		Min	I	-1080.5	-3.4	-0.1	-168.8
-38.3	-7282.2		J	-1080.5	-3.4	-0.1	-168.8
-113.1	-8691.1						
		C3-C4;~1 Max	I	630.9	4.3	0.2	143.5
47.9	6643.3		J	630.9	4.3	0.2	143.5
67.8	7862.7						
		Min	I	-1041.1	-3.4	-0.1	-153.6
-37.1	-8132.2		J	-1041.1	-3.4	-0.1	-153.6
-110.0	-9821.5						
		C1-C2;~2 Max	I	452.4	2.5	0.1	97.0
37.6	5444.9		J	452.4	2.5	0.1	97.0
57.9	6438.2						
		Min	I	-612.4	-2.3	-0.1	-109.5
-21.6	-3858.5		J	-612.4	-2.3	-0.1	-109.5


MIDAS

PROJECT TITLE :

		Company	Client						
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H					
-60.7	-4554.1								
		C3-C4;~2	Max	I	407.9	2.3	0.1	79.6	
31.9	4276.0			J	407.9	2.3	0.1	79.6	
47.3	5087.8								
			Min	I	-588.3	-2.2	-0.1	-95.8	
-21.0	-4336.4			J	-588.3	-2.2	-0.1	-95.8	
-58.7	-5200.5								
			G1	I	-777.2	3.3	-0.3	49.8	
-54.8	-6271.8			J	-777.2	3.3	0.7	49.8	
-160.6	-7941.8								
			G2	I	-313.2	1.5	0.1	18.4	
-6.6	-2741.6			J	-313.2	1.5	0.1	18.4	
-45.6	-3486.5								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	-15.7	-2.6	0.0	0.3	
1.0	1740.3			J	-15.7	-2.6	0.0	0.3	
-0.1	3034.3								
			Q5_ps	I	-10.7	-2.3	0.0	-4.0	
1.2	1358.8			J	-10.7	-2.3	0.0	-4.0	
0.7	2515.9								
			INVSLU	Max	I	-2064.9	18.7	0.2	410.8
-75.0	-8056.6			J	-2064.9	18.7	1.4	410.8	
-320.5	-10280.0								
			Min	I	-4478.9	3.6	-0.2	-52.7	
-203.1	-33331.8			J	-4478.9	3.6	1.1	-52.7	
-584.5	-42099.5								
			INVSLE	Max	I	-1605.5	13.9	0.1	311.7
-58.2	-6511.7			J	-1605.5	13.9	1.1	311.7	
-243.7	-8352.6								
			Min	I	-3391.6	3.1	-0.1	-31.6	
-153.0	-25002.0			J	-3391.6	3.1	0.8	-31.6	
-439.2	-31518.1								
		82	C1-C2;~1	Max	I	658.1	4.0	0.2	283.4
490	2			J	658.1	4.0	0.2	283.4	
82.4	9704.1								
			Min	I	-1201.4	-3.1	-0.6	-226.0	
382.6	10649.3			J	-1201.4	-3.1	-0.6	-226.0	
-113.2	-8692.0								
			C3-C4;~1	Max	I	599.9	4.2	0.2	229.0
-218.3	-9734.0			J	599.9	4.2	0.2	229.0	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
304.9	8974.5		Min	I	-1156.4	-3.2	-0.5	-197.3
-110.2	-9822.3			J	-1156.4	-3.2	-0.5	-197.3
-213.0	-11228.2							
		C1-C2;~2	Max	I	438.2	2.4	0.1	157.2
57.9	6439.0			J	438.2	2.4	0.1	157.2
268.6	7096.6		Min	I	-676.9	-2.1	-0.4	-145.8
-60.8	-4554.6			J	-676.9	-2.1	-0.4	-145.8
-122.4	-5092.0							
		C3-C4;~2	Max	I	392.4	2.5	0.1	123.5
47.3	5087.8			J	392.4	2.5	0.1	123.5
212.5	5839.5		Min	I	-649.6	-2.0	-0.3	-121.0
-58.8	-5200.9			J	-649.6	-2.0	-0.3	-121.0
-118.7	-5963.2							
		G1		I	-961.0	1.9	-0.9	113.9
-160.7	-7943.2			J	-961.0	1.9	1.2	113.9
-246.6	-8890.4							
		G2		I	-385.3	0.9	0.0	40.3
-45.7	-3487.0			J	-385.3	0.9	0.0	40.3
-61.2	-3944.7							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-15.7	-2.6	0.0	4.6
-0.1	3034.4			J	-15.7	-2.6	0.0	4.6
-6.6	4345.8							
		Q5_ps		I	-9.1	-2.3	0.0	-2.8
0.7	2516.0			J	-9.1	-2.3	0.0	-2.8
-7.0	3683.5							
		INVSLU	Max	I	-2582.3	13.3	-0.3	755.3
-320.8	-10282.2			J	-2582.3	13.3	2.5	755.3
-291.8	-10485.3		Min	I	-5120.9	-1.4	-1.5	59.4
-585.0	-42104.7			J	-5120.9	-1.4	1.3	59.4
1114.9	-47842.5							-
		INVSLE	Max	I	-1995.5	9.8	-0.2	574.5
-243.9	-8354.4			J	-1995.5	9.8	1.9	574.5
-230.3	-8631.6		Min	I	-3873.9	-0.8	-1.1	59.7
-439.7	-31522.1			J	-3873.9	-0.8	1.0	59.7
-839.1	-35724.2							

MIDAS


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

491	2	82 C1-C2;~1 Max	I	604.8	4.2	0.6	403.3
382.6	10649.4		J	604.8	4.2	0.6	403.3
292.7	11217.7						
		Min	I	-1288.9	-3.7	-0.2	-266.7
-218.6	-9734.1		J	-1288.9	-3.7	-0.2	-266.7
-395.0	-10785.8						
		C3-C4;~1 Max	I	548.4	4.5	0.5	333.2
304.9	8974.7		J	548.4	4.5	0.5	333.2
238.9	9910.9						
		Min	I	-1240.0	-3.6	-0.3	-228.8
-213.2	-11228.4		J	-1240.0	-3.6	-0.3	-228.8
-350.0	-12545.9						
		C1-C2;~2 Max	I	406.2	2.6	0.4	226.9
268.6	7096.6		J	406.2	2.6	0.4	226.9
198.4	7480.5						
		Min	I	-721.4	-2.3	-0.1	-170.6
-122.6	-5092.0		J	-721.4	-2.3	-0.1	-170.6
-214.3	-5763.8						
		C3-C4;~2 Max	I	362.5	2.7	0.3	181.4
212.5	5839.6		J	362.5	2.7	0.3	181.4
159.8	6466.9						
		Min	I	-691.7	-2.0	-0.1	-137.8
-118.8	-5963.3		J	-691.7	-2.0	-0.1	-137.8
-186.2	-6781.9						
		G1	I	-1120.9	0.2	-0.8	178.2
-246.8	-8890.4		J	-1120.9	0.2	1.3	178.2
-363.3	-9010.3						
		G2	I	-447.8	0.3	0.1	61.9
-61.2	-3944.7		J	-447.8	0.3	0.1	61.9
-104.5	-4074.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-15.3	-2.6	-0.1	8.4
-6.6	4346.0		J	-15.3	-2.6	-0.1	8.4
68.1	5673.0						
		Q5_ps	I	-7.2	-2.3	-0.2	-2.0
-7.0	3683.6		J	-7.2	-2.3	-0.2	-2.0
72.5	4858.9						
		INVSLU Max	I	-3031.4	8.0	0.2	1095.8
-292.4	-10485.2		J	-3031.4	8.0	3.0	1095.8
-672.0	-8311.1						


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
1115.9	-47843.0		Min	I	-5615.3	-7.8	-1.3	176.2	-
				J	-5615.3	-7.8	1.6	176.2	-
1723.0	-50603.5								
		INVSLE	Max	I	-2332.0	5.7	0.1	833.5	
-230.7	-8631.6			J	-2332.0	5.7	2.2	833.5	
-521.8	-7080.3								
			Min	I	-4244.0	-5.7	-0.9	153.4	
-839.9	-35724.5			J	-4244.0	-5.7	1.2	153.4	-
1291.2	-37651.5								
492	2	82	C1-C2;~1	Max	I	541.8	4.6	0.4	493.4
292.7	11217.6			J	541.8	4.6	0.4	493.4	
585.5	11935.1								
			Min	I	-1364.5	-5.3	-1.4	-287.9	
-395.4	-10785.9			J	-1364.5	-5.3	-1.4	-287.9	
-249.9	-11929.0								
			C3-C4;~1	Max	I	491.5	4.8	0.7	409.9
238.8	9910.8			J	491.5	4.8	0.7	409.9	
428.5	10922.9								
			Min	I	-1312.5	-4.6	-1.1	-244.2	
-350.2	-12545.9			J	-1312.5	-4.6	-1.1	-244.2	
-337.1	-13787.6								
			C1-C2;~2	Max	I	366.7	2.9	0.2	279.5
198.4	7480.4			J	366.7	2.9	0.2	279.5	
352.8	7839.6								
			Min	I	-758.6	-3.1	-0.8	-182.0	
-214.4	-5763.8			J	-758.6	-3.1	-0.8	-182.0	
-127.1	-6603.3								
			C3-C4;~2	Max	I	327.9	3.0	0.4	223.8
159.7	6466.8			J	327.9	3.0	0.4	223.8	
253.9	7067.3								
			Min	I	-726.9	-2.5	-0.6	-145.2	
-186.3	-6781.9			J	-726.9	-2.5	-0.6	-145.2	
-180.8	-7637.4								
			G1	I	-1272.1	-1.6	-1.5	231.4	
-363.6	-9010.4			J	-1272.1	-1.6	0.6	231.4	
-128.1	-8204.9								
			G2	I	-507.0	-0.5	-0.2	80.1	
-104.6	-4074.6			J	-507.0	-0.5	-0.2	80.1	
-17.1	-3837.7								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	-17.2	-2.7	0.3	10.9	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
68.0	5673.3			J	-17.2	-2.7	0.3	10.9
-90.8	7012.3							
			Q5_ps	I	-7.8	-2.3	0.3	-1.9
72.5	4859.2			J	-7.8	-2.3	0.3	-1.9
-103.9	6038.1							
			INVSLE Max	I	-3451.4	2.4	-1.3	1360.5
-672.8	-8311.4			J	-3451.4	2.4	1.5	1360.5
315.7	-2845.7		Min	I	-6055.9	-16.1	-4.8	286.2
1724.3	-50603.9			J	-6055.9	-16.1	-1.9	286.2
1093.2	-50193.5							
			INVSLE Max	I	-2645.9	1.4	-1.0	1034.1
-522.4	-7080.5			J	-2645.9	1.4	1.1	1034.1
215.2	-3023.5		Min	I	-4572.8	-12.0	-3.5	239.8
1292.2	-37651.8			J	-4572.8	-12.0	-1.4	239.8
-816.3	-37161.0							
493	2	82	C1-C2;~1 Max	I	495.1	5.0	2.0	505.8
585.5	11935.7			J	495.1	5.0	2.0	505.8
663.1	13502.6		Min	I	-1441.1	-6.8	-1.2	-292.9
-250.1	-11929.6			J	-1441.1	-6.8	-1.2	-292.9
-863.1	-13074.5							
			C3-C4;~1 Max	I	449.2	5.0	1.6	444.5
428.4	10923.5			J	449.2	5.0	1.6	444.5
748.3	12648.0		Min	I	-1386.1	-6.3	-1.4	-248.8
-337.2	-13788.7			J	-1386.1	-6.3	-1.4	-248.8
-774.5	-14925.7							
			C1-C2;~2 Max	I	338.1	3.2	1.1	303.5
352.8	7840.0			J	338.1	3.2	1.1	303.5
460.9	8252.8		Min	I	-798.0	-3.8	-0.7	-187.9
-127.2	-6603.6			J	-798.0	-3.8	-0.7	-187.9
-471.8	-7468.0							
			C3-C4;~2 Max	I	302.9	3.1	0.8	243.1
253.8	7067.6			J	302.9	3.1	0.8	243.1
519.6	7924.7		Min	I	-763.5	-3.5	-0.9	-148.0
-180.8	-7638.0			J	-763.5	-3.5	-0.9	-148.0
-420.5	-8458.5							
			G1	I	-1422.2	-3.6	0.3	259.9
-128.5	-8205.0			J	-1422.2	-3.6	2.4	259.9

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-785.5	-6405.8							
			G2	I	-566.3	-1.3	0.6	90.4
-17.2	-3837.7			J	-566.3	-1.3	0.6	90.4
-309.0	-3204.6							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-34.2	-2.7	-0.0	12.0
-90.8	7011.9			J	-34.2	-2.7	-0.0	12.0
-66.3	8369.5							
			Q5_ps	I	-24.0	-2.4	-0.1	-1.4
-103.9	6037.7			J	-24.0	-2.4	-0.1	-1.4
-51.7	7229.1							
			INVS LU Max	I	-3830.7	-3.7	4.7	1456.0
314.7	-2844.8			J	-3830.7	-3.7	7.5	1456.0
1148.3	6988.0							-
			Min	I	-6506.1	-24.5	-0.1	356.2
1094.3	-50194.3			J	-6506.1	-24.5	2.8	356.2
3443.0	-46455.3							-
			INVS LE Max	I	-2930.3	-3.3	3.5	1107.0
214.5	-3022.8			J	-2930.3	-3.3	5.6	1107.0
-889.8	4333.2							
			Min	I	-4907.5	-18.3	-0.0	293.9
-817.1	-37161.6			J	-4907.5	-18.3	2.1	293.9
2580.8	-34138.6							-
			70 C1-C2;~1 Max	I	1129.7	4.6	0.3	402.0
504	2			J	1129.7	4.6	0.3	402.0
173.5	3437.5							
			Min	I	-691.9	-7.3	-0.0	-243.9
32.7	3200.7			J	-691.9	-7.3	-0.0	-243.9
-37.9	-7390.8							
-24.5	-4539.0							
			C3-C4;~1 Max	I	1211.3	4.5	0.3	399.4
175.0	3231.0			J	1211.3	4.5	0.3	399.4
29.0	2442.9							
			Min	I	-687.3	-7.7	-0.0	-242.5
-36.1	-8501.6			J	-687.3	-7.7	-0.0	-242.5
-29.0	-4897.1							
			C1-C2;~2 Max	I	679.2	2.6	0.2	252.7
112.0	1907.6			J	679.2	2.6	0.2	252.7
19.5	1932.4							
			Min	I	-394.4	-4.5	-0.0	-138.8
-21.1	-4582.4			J	-394.4	-4.5	-0.0	-138.8
-13.2	-2843.2							


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

107.3	1797.3	C3-C4; ~2 Max	I	732.6	2.6	0.2	250.6
			J	732.6	2.6	0.2	250.6
18.9	1432.3	Min	I	-391.7	-4.7	-0.0	-138.0
-19.9	-5272.1		J	-391.7	-4.7	-0.0	-138.0
-15.9	-3004.6						
		G1	I	277.2	-0.9	-0.3	19.4
33.7	-1208.9		J	277.2	-0.9	0.6	19.4
-46.1	-783.1						
		G2	I	99.6	-0.3	0.0	-0.7
21.2	-449.2		J	99.6	-0.3	0.0	-0.7
-1.5	-317.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-10.4	-0.1	-0.0	-12.8
-17.9	-787.0		J	-10.4	-0.1	-0.0	-12.8
-2.8	-742.1						
		Q5_ps	I	-6.6	-0.1	-0.0	-15.8
-21.5	-850.7		J	-6.6	-0.1	-0.0	-15.8
-2.3	-804.3						
		INVSLU Max	I	1379.9	10.6	0.3	234.1
401.1	8252.4		J	1379.9	10.6	1.6	234.1
-39.1	5704.8	Min	I	-1208.2	-6.0	-0.2	-661.1
81.5	-9281.9		J	-1208.2	-6.0	1.0	-661.1
-127.2	-6562.9						
		INVSLE Max	I	984.6	8.2	0.2	149.1
301.9	6354.1		J	984.6	8.2	1.2	149.1
-29.3	4310.5	Min	I	-931.1	-4.1	-0.2	-512.3
67.5	-6529.4		J	-931.1	-4.1	0.8	-512.3
-94.3	-4677.8						
505	2	70 C1-C2; ~1 Max	I	1082.5	3.5	0.1	350.4
32.3	3201.6		J	1082.5	3.5	0.1	350.4
63.3	4174.4	Min	I	-710.0	-5.7	-0.1	-212.8
-24.4	-4537.0		J	-710.0	-5.7	-0.1	-212.8
-31.1	-3195.1						
		C3-C4; ~1 Max	I	1170.0	3.5	0.0	342.5
28.6	2443.2		J	1170.0	3.5	0.0	342.5
76.2	2774.7						

MIDAS

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-28.9	-4893.9		Min	I	-706.4	-5.9	-0.1	-211.2	
				J	-706.4	-5.9	-0.1	-211.2	
-30.5	-3366.0								
		C1-C2;~2	Max	I	650.3	2.0	0.0	221.3	
19.3	1933.0			J	650.3	2.0	0.0	221.3	
38.0	2559.5								
			Min	I	-404.8	-3.6	-0.1	-121.0	
-13.2	-2842.0			J	-404.8	-3.6	-0.1	-121.0	
-17.5	-1932.6								
		C3-C4;~2	Max	I	707.4	2.0	0.0	215.8	
18.6	1432.5			J	707.4	2.0	0.0	215.8	
46.4	1589.3								
			Min	I	-402.7	-3.6	-0.1	-120.1	
-15.9	-3002.5			J	-402.7	-3.6	-0.1	-120.1	
-17.2	-2003.2								
			G1	I	209.8	-0.5	-0.5	12.6	
-46.1	-782.5			J	209.8	-0.5	0.4	12.6	
-18.3	-536.7								
			G2	I	74.2	-0.1	-0.0	-2.5	
-1.5	-317.0			J	74.2	-0.1	-0.0	-2.5	
8.0	-249.7								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	-2.4	-0.1	-0.0	-12.9	
-2.7	-742.3			J	-2.4	-0.1	-0.0	-12.9	
5.0	-701.4								
			Q5_ps	I	2.2	-0.1	-0.0	-15.8	
-2.3	-804.5			J	2.2	-0.1	-0.0	-15.8	
6.0	-766.5								
			INVSLU	Max	I	1112.0	8.6	-0.6	187.9
-39.2	5704.1			J	1112.0	8.6	0.6	187.9	
69.4	5069.8								
			Min	I	-1430.5	-4.2	-0.9	-595.6	
-126.7	-6560.9			J	-1430.5	-4.2	0.3	-595.6	
-84.6	-6372.3								
			INVSLE	Max	I	782.4	6.6	-0.5	116.9
-29.4	4309.7			J	782.4	6.6	0.5	116.9	
50.9	3711.8								
			Min	I	-1100.5	-2.8	-0.7	-461.7	
-93.9	-4676.5			J	-1100.5	-2.8	0.2	-461.7	
-62.5	-4670.3								

MIDAS

PROJECT TITLE :


MIDAS	Company				Client					
	Author				File Name					
506	2	70	C1-C2;~1	Max	I	1044.1	2.2	0.0	245.2	
63.0	4174.4				J	1044.1	2.2	0.0	245.2	
57.7	4992.0									
				Min	I	-733.1	-3.9	-0.0	-142.8	
-30.9	-3195.0				J	-733.1	-3.9	-0.0	-142.8	
-30.8	-2828.4									
			C3-C4;~1	Max	I	1130.9	2.2	0.0	239.5	
75.9	2774.7				J	1130.9	2.2	0.0	239.5	
67.0	3500.1									
				Min	I	-729.9	-3.8	-0.0	-141.3	
-30.3	-3365.9				J	-729.9	-3.8	-0.0	-141.3	
-30.5	-2808.1									
			C1-C2;~2	Max	I	629.2	1.3	0.0	158.0	
37.8	2559.5				J	629.2	1.3	0.0	158.0	
36.3	3052.3									
				Min	I	-417.9	-2.4	-0.0	-80.9	
-17.4	-1932.5				J	-417.9	-2.4	-0.0	-80.9	
-17.6	-1562.5									
			C3-C4;~2	Max	I	686.3	1.2	0.0	147.6	
46.2	1589.3				J	686.3	1.2	0.0	147.6	
42.9	2004.3									
				Min	I	-416.1	-2.4	-0.0	-80.1	
-17.1	-2003.1				J	-416.1	-2.4	-0.0	-80.1	
-17.3	-1562.1									
				G1	I	137.0	-0.2	-0.4	0.1	
-18.3	-536.8				J	137.0	-0.2	0.5	0.1	
-27.8	-443.7									
				G2	I	45.8	-0.0	0.0	-4.9	
8.0	-249.7				J	45.8	-0.0	0.0	-4.9	
4.1	-233.3									
				Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
				Q5_pc	I	-0.9	-0.1	0.0	-8.9	
5.1	-701.4				J	-0.9	-0.1	0.0	-8.9	
0.1	-655.7									
				Q5_ps	I	3.5	-0.1	0.0	-11.3	
6.1	-766.5				J	3.5	-0.1	0.0	-11.3	
0.5	-726.6									
				INVSLU	Max	I	835.5	5.8	-0.5	120.6
69.3	5069.3				J	835.5	5.8	0.8	120.6	
16.9	4775.5									
				Min	I	-1682.5	-2.6	-0.6	-419.3	

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-84.0	-6372.6			J	-1682.5	-2.6	0.6	-419.3	
-115.4	-6962.4								
		INVSLE	Max	I	573.1	4.5	-0.3	73.9	
50.8	3711.3			J	573.1	4.5	0.6	73.9	
11.4	3408.5		Min	I	-1292.0	-1.7	-0.4	-324.8	
-62.1	-4670.7			J	-1292.0	-1.7	0.5	-324.8	
-86.6	-5198.8								
507	2	70	C1-C2;~1	Max	I	1004.8	1.6	0.0	125.8
57.6	4992.1			J	1004.8	1.6	0.0	125.8	
65.3	5279.7		Min	I	-757.4	-2.1	-0.0	-63.4	
-30.7	-2828.4			J	-757.4	-2.1	-0.0	-63.4	
-36.3	-3165.1								
		C3-C4;~1	Max	I	1089.0	1.1	0.0	117.1	
66.9	3500.2			J	1089.0	1.1	0.0	117.1	
74.9	3871.3		Min	I	-754.4	-1.8	-0.0	-58.7	
-30.3	-2808.1			J	-754.4	-1.8	-0.0	-58.7	
-35.9	-3044.0								
		C1-C2;~2	Max	I	608.3	1.0	0.0	84.6	
36.3	3052.3			J	608.3	1.0	0.0	84.6	
40.9	3221.3		Min	I	-431.8	-1.3	-0.0	-35.6	
-17.5	-1562.5			J	-431.8	-1.3	-0.0	-35.6	
-20.7	-1760.1								
		C3-C4;~2	Max	I	664.2	0.6	0.0	75.6	
42.8	2004.3			J	664.2	0.6	0.0	75.6	
47.5	2225.0		Min	I	-430.1	-1.1	-0.0	-31.4	
-17.3	-1562.1			J	-430.1	-1.1	-0.0	-31.4	
-20.5	-1688.6								
		G1		I	58.6	-0.0	-0.5	-8.0	
-27.8	-443.7			J	58.6	-0.0	0.5	-8.0	
-28.7	-438.2								
		G2		I	14.8	0.0	0.0	-4.6	
4.1	-233.3			J	14.8	0.0	0.0	-4.6	
3.6	-240.9								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc		I	-1.1	-0.1	-0.0	-2.3	
0.1	-655.7								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.7	-602.1		J	-1.1	-0.1	-0.0	-2.3
		Q5_ps	I	2.8	-0.1	-0.0	-3.5
0.5	-726.6		J	2.8	-0.1	-0.0	-3.5
1.1	-680.8						
		INVS LU Max	I	548.7	3.4	-0.6	72.1
17.0	4775.4		J	548.7	3.4	0.7	72.1
10.8	4543.0	Min	I	-1945.8	-1.7	-0.6	-187.4
-115.0	-6962.6		J	-1945.8	-1.7	0.6	-187.4
-140.7	-7941.3						
		INVS LE Max	I	356.1	2.6	-0.4	47.6
11.4	3408.4		J	356.1	2.6	0.5	47.6
5.9	3201.1	Min	I	-1491.6	-1.2	-0.5	-144.4
-86.4	-5199.0		J	-1491.6	-1.2	0.5	-144.4
-106.2	-5966.3						
508	2	70 C1-C2;~1 Max	I	956.5	2.2	0.0	76.9
65.3	5279.7		J	956.5	2.2	0.0	76.9
63.2	5279.8	Min	I	-780.8	-1.0	-0.0	-136.5
-36.3	-3165.2		J	-780.8	-1.0	-0.0	-136.5
-35.1	-3356.9						
		C3-C4;~1 Max	I	1036.3	1.9	0.0	54.9
75.0	3871.4		J	1036.3	1.9	0.0	54.9
75.1	3825.0	Min	I	-778.2	-0.9	-0.0	-136.1
-35.9	-3044.1		J	-778.2	-0.9	-0.0	-136.1
-35.1	-3303.4						
		C1-C2;~2 Max	I	581.9	1.5	0.0	46.6
40.9	3221.3		J	581.9	1.5	0.0	46.6
39.3	3255.0	Min	I	-445.2	-0.6	-0.0	-87.5
-20.7	-1760.1		J	-445.2	-0.6	-0.0	-87.5
-20.0	-1983.5						
		C3-C4;~2 Max	I	635.3	1.2	0.0	30.2
47.6	2225.0		J	635.3	1.2	0.0	30.2
47.5	2217.4	Min	I	-443.7	-0.5	-0.0	-86.3
-20.5	-1688.6		J	-443.7	-0.5	-0.0	-86.3
-20.0	-1920.6						
		G1	I	-26.0	0.0	-0.5	-6.9
-28.7	-438.3		J	-26.0	0.0	0.5	-6.9
-30.1	-444.9						


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

3.6	-240.9	G2	I	-18.8	0.0	0.0	-0.1
3.1	-242.0		J	-18.8	0.0	0.0	-0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.7	-602.1	Q5_pc	I	-1.6	-0.1	-0.0	5.5
2.0	-539.0		J	-1.6	-0.1	-0.0	5.5
1.1	-680.8	Q5_ps	I	1.5	-0.1	-0.0	5.8
2.6	-626.5		J	1.5	-0.1	-0.0	5.8
10.9	4542.9	INVS LU Max	I	243.4	2.2	-0.6	148.9
3.7	4899.3		J	243.4	2.2	0.7	148.9
-140.6	-7941.4	Min	I	-2212.5	-2.4	-0.6	-149.2
-148.8	-7730.5		J	-2212.5	-2.4	0.6	-149.2
6.0	3201.0	INVS LE Max	I	125.6	1.6	-0.4	113.9
0.2	3483.7		J	125.6	1.6	0.5	113.9
-106.1	-5966.3	Min	I	-1693.4	-1.8	-0.5	-106.2
-112.5	-5799.8		J	-1693.4	-1.8	0.5	-106.2
509	2	70 C1-C2;~1 Max	I	902.5	3.6	0.1	137.5
63.4	5279.8		J	902.5	3.6	0.1	137.5
66.7	4806.2	Min	I	-802.4	-2.2	-0.1	-269.7
-35.3	-3357.0		J	-802.4	-2.2	-0.1	-269.7
-50.4	-3991.2						
75.4	3824.9	C3-C4;~1 Max	I	975.8	3.4	0.1	138.5
68.5	3283.7		J	975.8	3.4	0.1	138.5
-35.2	-3303.5	Min	I	-800.2	-2.2	-0.0	-268.4
-49.0	-3778.2		J	-800.2	-2.2	-0.0	-268.4
39.5	3255.0	C1-C2;~2 Max	I	552.6	2.4	0.0	77.7
39.4	3001.8		J	552.6	2.4	0.0	77.7
-20.1	-1983.5	Min	I	-457.5	-1.2	-0.0	-173.4
-28.5	-2526.9		J	-457.5	-1.2	-0.0	-173.4


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
47.7	2217.4	C3-C4;~2	Max	I	602.2	2.2	0.0	78.4
				J	602.2	2.2	0.0	78.4
41.8	1915.3		Min	I	-456.3	-1.3	-0.0	-171.6
-20.1	-1920.7			J	-456.3	-1.3	-0.0	-171.6
-27.6	-2324.3							
		G1		I	-117.3	-0.1	-0.4	3.5
-30.1	-445.0			J	-117.3	-0.1	0.5	3.5
-46.4	-382.9							
		G2		I	-55.1	-0.1	0.0	7.5
3.1	-242.0			J	-55.1	-0.1	0.0	7.5
-3.7	-205.0							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-2.2	-0.1	0.0	12.8
2.0	-539.0			J	-2.2	-0.1	0.0	12.8
-4.1	-466.6							
		Q5_ps		I	0.0	-0.1	0.0	14.5
2.6	-626.5			J	0.0	-0.1	0.0	14.5
-4.3	-563.4							
		INVS LU	Max	I	-73.4	1.8	-0.4	386.7
3.9	4899.3			J	-73.4	1.8	0.8	386.7
-55.4	5784.5		Min	I	-2478.0	-6.3	-0.6	-187.5
-149.1	-7730.5			J	-2478.0	-6.3	0.6	-187.5
-223.4	-6932.0							
		INVS LE	Max	I	-112.7	1.2	-0.3	298.6
0.3	3483.8			J	-112.7	1.2	0.6	298.6
-44.9	4214.1		Min	I	-1893.6	-4.8	-0.4	-125.0
-112.7	-5799.8			J	-1893.6	-4.8	0.5	-125.0
-168.8	-5143.2							
510	2	70 C1-C2;~1	Max	I	843.9	5.1	0.1	211.8
66.9	4806.0			J	843.9	5.1	0.1	211.8
48.8	4143.8		Min	I	-821.3	-3.6	-0.1	-367.7
-50.6	-3991.3			J	-821.3	-3.6	-0.1	-367.7
-22.7	-5164.0							
		C3-C4;~1	Max	I	911.3	5.1	0.1	213.0
68.9	3283.5			J	911.3	5.1	0.1	213.0
65.5	2882.2		Min	I	-819.9	-3.6	-0.1	-367.5


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-49.2	-3778.2		J	-819.9	-3.6	-0.1	-367.5
-19.4	-5028.9						
		C1-C2;~2 Max	I	520.8	3.3	0.1	120.4
39.6	3001.7		J	520.8	3.3	0.1	120.4
28.0	2577.1	Min	I	-468.2	-2.1	-0.1	-235.6
-28.6	-2526.9		J	-468.2	-2.1	-0.1	-235.6
-12.3	-3370.6						
		C3-C4;~2 Max	I	566.9	3.2	0.1	121.1
42.0	1915.2		J	566.9	3.2	0.1	121.1
38.7	1678.3	Min	I	-467.5	-2.1	-0.1	-234.5
-27.8	-2324.3		J	-467.5	-2.1	-0.1	-234.5
-10.6	-3180.8						
		G1	I	-214.4	-0.4	-0.5	18.2
-46.4	-383.1		J	-214.4	-0.4	0.4	18.2
-15.9	-172.0						
		G2	I	-93.9	-0.2	-0.0	15.8
-3.7	-205.1		J	-93.9	-0.2	-0.0	15.8
10.5	-99.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-1.7	-0.2	-0.0	18.4
-4.1	-466.6		J	-1.7	-0.2	-0.0	18.4
3.6	-386.4						
		Q5_ps	I	-0.5	-0.1	-0.0	21.0
-4.3	-563.4		J	-0.5	-0.1	-0.0	21.0
5.5	-492.8						
		INVSLU Max	I	-395.6	1.2	-0.7	627.0
-55.3	5784.0		J	-395.6	1.2	0.6	627.0
47.8	7752.1	Min	I	-2737.7	-11.0	-1.0	-190.0
-224.1	-6932.1		J	-2737.7	-11.0	0.2	-190.0
-77.7	-5509.0						
		INVSLE Max	I	-354.2	0.6	-0.5	483.3
-44.9	4213.8		J	-354.2	0.6	0.4	483.3
34.2	5802.3	Min	I	-2088.9	-8.4	-0.8	-119.5
-169.3	-5143.3		J	-2088.9	-8.4	0.2	-119.5
-58.3	-3969.2						
511	2	70 C1-C2;~1 Max	I	791.6	6.4	0.2	249.8


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
49.2	4144.3			J	791.6	6.4	0.2	249.8	
126.8	4428.4								
			Min	I	-836.8	-4.9	-0.2	-415.8	
-22.8	-5165.4								
				J	-836.8	-4.9	-0.2	-415.8	
-119.3	-7461.0								
			C3-C4;~1	Max	I	861.6	6.4	0.2	250.6
66.0	2883.2								
				J	861.6	6.4	0.2	250.6	
142.6	3789.0								
			Min	I	-838.6	-4.9	-0.2	-415.1	
-19.7	-5030.9								
				J	-838.6	-4.9	-0.2	-415.1	
-108.4	-7930.1								
			C1-C2;~2	Max	I	492.7	4.1	0.1	142.2
28.2	2577.2								
				J	492.7	4.1	0.1	142.2	
85.1	2569.6								
			Min	I	-477.2	-2.8	-0.1	-266.3	
-12.4	-3371.4								
				J	-477.2	-2.8	-0.1	-266.3	
-64.5	-4817.7								
			C3-C4;~2	Max	I	540.5	4.0	0.1	142.7
39.0	1678.7								
				J	540.5	4.0	0.1	142.7	
95.9	2095.3								
			Min	I	-478.4	-2.8	-0.2	-265.1	
-10.8	-3182.0								
				J	-478.4	-2.8	-0.2	-265.1	
-57.8	-5055.7								
			G1	I	-314.2	-0.8	-0.2	25.7	
-15.9	-171.1								
				J	-314.2	-0.8	0.7	25.7	
-126.8	230.6								
			G2	I	-133.9	-0.4	0.1	19.6	
10.5	-99.2								
				J	-133.9	-0.4	0.1	19.6	
-41.1	88.5								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0								
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	7.9	-0.2	-0.0	20.8	
3.6	-386.5								
				J	7.9	-0.2	-0.0	20.8	
21.2	-302.5								
			Q5_ps	I	8.7	-0.1	-0.0	23.8	
5.5	-492.9								
				J	8.7	-0.1	-0.0	23.8	
19.1	-418.9								
			INVSLU	Max	I	-686.7	0.3	0.4	751.2
48.0	7756.9								
				J	-686.7	0.3	1.6	751.2	
-163.8	12325.7								
			Min	I	-2996.3	-15.4	-0.3	-185.9	
-78.3	-5506.9								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-555.6	-4902.7		J	-2996.3	-15.4	1.0	-185.9
34.2	5806.0	INVSLE Max	I	-572.6	-0.2	0.3	578.4
-130.0	9369.5		J	-572.6	-0.2	1.2	578.4
-58.8	-3967.5	Min	I	-2282.4	-11.7	-0.2	-113.0
-417.4	-3352.0		J	-2282.4	-11.7	0.7	-113.0
512	2	70 C1-C2;~1 Max	I	723.3	5.6	0.4	214.6
191.0	4453.0		J	723.3	5.6	0.4	214.6
37.8	4113.3	Min	I	-856.1	-5.9	-0.1	-157.8
-62.3	-7452.0		J	-856.1	-5.9	-0.1	-157.8
-42.9	-5468.8						
181.6	3814.3	C3-C4;~1 Max	I	793.1	5.9	0.4	204.1
31.7	2620.2		J	793.1	5.9	0.4	204.1
-57.9	-7946.3	Min	I	-860.5	-5.9	-0.1	-165.3
-50.8	-5613.9		J	-860.5	-5.9	-0.1	-165.3
124.7	2582.3	C1-C2;~2 Max	I	454.5	3.0	0.2	143.7
22.4	2534.5		J	454.5	3.0	0.2	143.7
-35.0	-4805.9	Min	I	-487.7	-3.9	-0.0	-85.7
-22.5	-3464.5		J	-487.7	-3.9	-0.0	-85.7
119.1	2109.1	C3-C4;~2 Max	I	502.3	3.3	0.2	131.7
18.1	1524.3		J	502.3	3.3	0.2	131.7
-32.2	-5060.8	Min	I	-490.4	-3.8	-0.0	-89.5
-27.3	-3455.6		J	-490.4	-3.8	-0.0	-89.5
20.5	242.6	G1	I	-421.5	2.5	-0.3	-91.4
-71.6	-1021.7		J	-421.5	2.5	0.6	-91.4
16.1	93.0	G2	I	-176.0	1.0	0.1	-42.6
-12.1	-379.5		J	-176.0	1.0	0.1	-42.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-10.5	-312.9	Q5_pc	I	14.8	5.6	0.0	-49.5
			J	14.8	5.6	0.0	-49.5


MIDAS

PROJECT TITLE :

		Company						Client
		Author						File Name
-11.8	-3073.8							
			Q5_ps	I	15.2	5.3	-0.0	-52.6
-14.1	-430.4			J	15.2	5.3	-0.0	-52.6
-11.5	-3060.8							
			INVSLU Max	I	-1012.5	24.2	0.2	-11.1
253.0	12452.5			J	-1012.5	24.2	1.5	-11.1
-116.6	8906.2		Min	I	-3271.4	-2.0	-0.4	-613.1
-107.9	-4849.8			J	-3271.4	-2.0	0.9	-613.1
-257.4	-9758.5							
			INVSLE Max	I	-816.5	18.0	0.2	-23.3
184.3	9466.2			J	-816.5	18.0	1.1	-23.3
-89.7	6470.9		Min	I	-2487.8	-0.6	-0.3	-462.6
-81.7	-3308.7			J	-2487.8	-0.6	0.6	-462.6
-192.4	-6944.9							
513	2	70	C1-C2;~1 Max	I	642.6	4.8	0.1	196.8
37.6	4114.0			J	642.6	4.8	0.1	196.8
48.8	4934.7		Min	I	-878.2	-5.0	-0.1	-150.1
-42.7	-5468.1			J	-878.2	-5.0	-0.1	-150.1
-48.4	-4811.2							
			C3-C4;~1 Max	I	716.6	4.6	0.1	183.5
31.6	2620.8			J	716.6	4.6	0.1	183.5
63.1	3176.0		Min	I	-885.6	-5.0	-0.1	-129.8
-50.6	-5613.3			J	-885.6	-5.0	-0.1	-129.8
-47.3	-5479.2							
			C1-C2;~2 Max	I	406.4	2.7	0.1	131.9
22.3	2535.0			J	406.4	2.7	0.1	131.9
30.1	3063.7		Min	I	-499.1	-3.3	-0.1	-85.5
-22.4	-3464.0			J	-499.1	-3.3	-0.1	-85.5
-26.4	-2792.5							
			C3-C4;~2 Max	I	457.0	2.5	0.0	116.7
18.0	1524.7			J	457.0	2.5	0.0	116.7
39.6	1903.5		Min	I	-503.8	-3.1	-0.1	-68.1
-27.2	-3455.2			J	-503.8	-3.1	-0.1	-68.1
-26.0	-3158.3							
			G1	I	-533.9	1.8	-0.5	-59.4
-71.5	-1022.0			J	-533.9	1.8	0.4	-59.4
-58.9	-1894.7							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-12.0	-379.7	G2	I	-218.9	0.6	-0.0	-28.9
			J	-218.9	0.6	-0.0	-28.9
-8.2	-691.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
-11.8	-3074.8	Q5_pc	I	25.7	5.6	-0.0	-58.2
			J	25.7	5.6	-0.0	-58.2
8.3	-5872.4						
-11.5	-3061.8	Q5_ps	I	26.4	5.4	-0.0	-60.9
			J	26.4	5.4	-0.0	-60.9
9.1	-5730.5						
-116.5	8905.4	INVS LU Max	I	-1352.0	19.4	-0.5	78.5
			J	-1352.0	19.4	0.8	78.5
-78.5	9488.7	Min	I	-3561.1	-4.8	-0.8	-494.5
-256.8	-9761.1		J	-3561.1	-4.8	0.4	-494.5
-244.0	-16102.4						
-89.6	6470.1	INVS LE Max	I	-1070.7	14.1	-0.3	45.4
			J	-1070.7	14.1	0.6	45.4
-62.0	6337.3	Min	I	-2703.7	-2.7	-0.6	-371.3
-191.9	-6946.9		J	-2703.7	-2.7	0.3	-371.3
-183.5	-11459.5						
514	2	70 C1-C2;~1 Max	I	575.3	4.0	0.0	157.4
48.8	4934.7		J	575.3	4.0	0.0	157.4
41.6	6190.8	Min	I	-915.1	-4.5	-0.1	-139.1
-48.4	-4811.2		J	-915.1	-4.5	-0.1	-139.1
-37.5	-5359.8						
63.1	3176.1	C3-C4;~1 Max	I	646.9	3.7	0.0	143.4
			J	646.9	3.7	0.0	143.4
48.6	4332.3	Min	I	-925.3	-4.0	-0.0	-121.9
-47.2	-5479.3		J	-925.3	-4.0	-0.0	-121.9
-37.2	-6056.2						
30.1	3063.7	C1-C2;~2 Max	I	367.9	2.3	0.0	105.6
			J	367.9	2.3	0.0	105.6
27.2	3789.9	Min	I	-518.0	-2.7	-0.0	-87.6
-26.4	-2792.5		J	-518.0	-2.7	-0.0	-87.6
-21.3	-2957.8						
		C3-C4;~2 Max	I	417.4	2.0	0.0	89.5


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
39.6	1903.5			J	417.4	2.0	0.0	89.5
32.3	2593.2							
			Min	I	-524.1	-2.5	-0.0	-72.3
-26.0	-3158.3			J	-524.1	-2.5	-0.0	-72.3
-21.1	-3322.2							
			G1	I	-656.7	0.7	-0.5	-3.3
-58.9	-1894.9			J	-656.7	0.7	0.4	-3.3
-52.8	-2250.7							
			G2	I	-266.9	0.2	-0.0	-4.1
-8.2	-691.9			J	-266.9	0.2	-0.0	-4.1
-6.5	-791.3							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	28.2	5.7	0.0	-65.3
8.4	-5872.9			J	28.2	5.7	0.0	-65.3
-1.0	-8696.9							
			Q5_ps	I	28.2	5.4	0.0	-66.6
9.2	-5730.9			J	28.2	5.4	0.0	-66.6
-0.8	-8425.0							
			INVS LU Max	I	-1718.4	14.8	-0.6	216.3
-78.2	9489.0			J	-1718.4	14.8	0.6	216.3
-80.6	12785.8							
			Min	I	-3891.6	-8.4	-0.8	-301.4
-243.8	-16103.5			J	-3891.6	-8.4	0.5	-301.4
-198.5	-22090.7							
			INVS LE Max	I	-1344.8	10.5	-0.4	152.8
-61.8	6337.5			J	-1344.8	10.5	0.5	152.8
-62.5	8406.5							
			Min	I	-2950.9	-5.5	-0.6	-222.0
-183.4	-11460.2			J	-2950.9	-5.5	0.3	-222.0
-149.8	-15555.7							
			70 C1-C2;~1 Max	I	525.7	3.6	0.2	172.9
515	2			J	525.7	3.6	0.2	172.9
41.6	6191.0							
			Min	I	-974.8	-4.1	-0.1	-201.5
52.8	7331.1			J	-974.8	-4.1	-0.1	-201.5
-37.5	-5360.0							
-103.3	-6969.5							
			C3-C4;~1 Max	I	594.5	3.3	0.2	151.7
48.7	4332.5			J	594.5	3.3	0.2	151.7
67.3	5402.8							
			Min	I	-989.0	-3.4	-0.1	-196.2
-37.2	-6056.4							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-106.7	-7412.1		J	-989.0	-3.4	-0.1	-196.2
27.2	3790.0	C1-C2;~2 Max	I	340.3	2.2	0.1	106.9
36.4	4416.5		J	340.3	2.2	0.1	106.9
-21.3	-2957.9	Min	I	-548.5	-2.5	-0.0	-132.4
-55.1	-4005.0		J	-548.5	-2.5	-0.0	-132.4
32.4	2593.3	C3-C4;~2 Max	I	388.3	2.0	0.1	85.2
46.8	3210.8		J	388.3	2.0	0.1	85.2
-21.2	-3322.3	Min	I	-556.6	-2.1	-0.1	-126.1
-56.7	-4159.3		J	-556.6	-2.1	-0.1	-126.1
-52.9	-2250.5	G1	I	-797.2	-0.5	-0.2	65.1
-159.3	-1986.5		J	-797.2	-0.5	0.7	65.1
-6.5	-791.2	G2	I	-322.2	-0.3	0.1	27.0
-46.0	-636.3		J	-322.2	-0.3	0.1	27.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.9	-8697.5	Q5_pc	I	29.2	5.7	-0.0	-73.7
2.6	-11546.1		J	29.2	5.7	-0.0	-73.7
-0.7	-8425.6	Q5_ps	I	28.2	5.5	-0.0	-72.6
2.4	-11141.8		J	28.2	5.5	-0.0	-72.6
-80.6	12787.1	INVSLU Max	I	-2117.3	10.0	0.2	456.8
-331.2	18308.0		J	-2117.3	10.0	1.4	456.8
-198.6	-22091.4	Min	I	-4307.7	-12.8	-0.2	-181.3
-570.8	-26694.6		J	-4307.7	-12.8	1.1	-181.3
-62.5	8407.5	INVSLE Max	I	-1644.0	6.9	0.1	337.1
-252.0	12183.5		J	-1644.0	6.9	1.1	337.1
-149.8	-15556.1	Min	I	-3262.6	-8.9	-0.1	-125.8
-429.1	-18675.8		J	-3262.6	-8.9	0.8	-125.8
516	2	82 C1-C2;~1 Max	I	499.3	3.5	0.2	244.9
52.9	7331.5						

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
228.0	8598.6		J	499.3	3.5	0.2	244.9
		Min	I	-1083.1	-4.2	-0.4	-322.3
-103.5	-6970.3		J	-1083.1	-4.2	-0.4	-322.3
-191.7	-8456.5						
		C3-C4;~1 Max	I	568.0	3.2	0.2	219.0
67.4	5403.2		J	568.0	3.2	0.2	219.0
		Min	I	-1102.9	-3.4	-0.5	-321.3
300.6	6617.8		J	-1102.9	-3.4	-0.5	-321.3
-106.8	-7412.7						
-193.8	-8743.1						
		C1-C2;~2 Max	I	326.7	2.3	0.1	130.0
36.4	4416.8		J	326.7	2.3	0.1	130.0
		Min	I	-605.2	-2.4	-0.3	-214.5
156.3	5074.0		J	-605.2	-2.4	-0.3	-214.5
-55.2	-4005.3						
-107.0	-5046.4						
		C3-C4;~2 Max	I	375.0	2.1	0.1	116.8
46.9	3211.1		J	375.0	2.1	0.1	116.8
		Min	I	-616.0	-1.9	-0.3	-211.7
208.5	3886.9		J	-616.0	-1.9	-0.3	-211.7
-56.7	-4159.5						
-108.3	-5065.0						
		G1	I	-980.1	-2.0	-0.9	152.6
-159.5	-1987.9		J	-980.1	-2.0	1.2	152.6
-229.6	-984.9						
		G2	I	-394.7	-0.9	0.0	67.2
-46.1	-636.9		J	-394.7	-0.9	0.0	67.2
-55.4	-179.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	31.1	5.8	-0.0	-88.6
2.7	-11546.4		J	31.1	5.8	-0.0	-88.6
12.6	-14428.0						
		Q5_ps	I	28.7	5.5	-0.0	-84.0
2.5	-11142.1		J	28.7	5.5	-0.0	-84.0
15.2	-13886.6						
		INVSLU Max	I	-2622.2	5.0	-0.4	818.6
-331.3	18305.0		J	-2622.2	5.0	2.4	818.6
-346.4	26496.6						
		Min	I	-4933.9	-18.0	-1.4	-106.5
-571.3	-26699.4		J	-4933.9	-18.0	1.4	-106.5
							-

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

1036.5	-28850.9							
		INVSLE Max	I	-2024.9	3.0	-0.3	611.8	
-252.1	12181.1		J	-2024.9	3.0	1.8	611.8	
-271.6	17997.2							
		Min	I	-3733.1	-12.8	-1.0	-61.7	
-429.5	-18679.4		J	-3733.1	-12.8	1.0	-61.7	
-781.1	-19915.1							
517	2	82 C1-C2;~1 Max	I	455.2	3.9	0.5	328.6	
228.3	8598.7		J	455.2	3.9	0.5	328.6	
288.8	10477.8							
		Min	I	-1160.5	-4.7	-0.4	-446.9	
-192.0	-8456.8		J	-1160.5	-4.7	-0.4	-446.9	
-349.5	-9841.1							
		C3-C4;~1 Max	I	521.5	3.7	0.6	319.4	
300.9	6618.0		J	521.5	3.7	0.6	319.4	
249.8	8091.0							
		Min	I	-1185.9	-4.2	-0.3	-443.5	
-194.1	-8743.3		J	-1185.9	-4.2	-0.3	-443.5	
-362.8	-10024.0							
		C1-C2;~2 Max	I	300.8	2.6	0.3	177.2	
156.6	5074.0		J	300.8	2.6	0.3	177.2	
178.6	6068.2							
		Min	I	-643.6	-2.5	-0.2	-300.5	
-107.1	-5046.6		J	-643.6	-2.5	-0.2	-300.5	
-192.6	-6095.4							
		C3-C4;~2 Max	I	347.5	2.5	0.3	173.3	
208.8	3886.9		J	347.5	2.5	0.3	173.3	
168.5	4638.6							
		Min	I	-657.1	-2.2	-0.2	-296.6	
-108.5	-5065.2		J	-657.1	-2.2	-0.2	-296.6	
-193.2	-6027.9							
		G1	I	-1138.2	-3.7	-0.8	244.7	
-229.9	-984.7		J	-1138.2	-3.7	1.3	244.7	
-367.7	859.7							
		G2	I	-457.2	-1.6	0.1	109.3	
-55.6	-178.9		J	-457.2	-1.6	0.1	109.3	
-110.5	622.2							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	31.7	5.9	0.1	-101.4	
12.7	-14428.3		J	31.7	5.9	0.1	-101.4	
-47.5	-17335.0							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

15.3	-13886.9	Q5_ps	I	27.9	5.6	0.1	-93.0	
-47.8	-16650.9		J	27.9	5.6	0.1	-93.0	
-346.5	26497.9	INVS LU Max	I	-3055.8	-0.3	0.3	1197.4	
-711.1	37976.7		J	-3055.8	-0.3	3.0	1197.4	
1037.7	-28850.8	Min	I	-5417.9	-23.9	-1.3	-32.0	-
1676.1	-28396.8		J	-5417.9	-23.9	1.5	-32.0	-
-271.7	17998.1	INVS LE Max	I	-2350.2	-1.1	0.2	898.9	
-551.2	26313.1		J	-2350.2	-1.1	2.3	898.9	
-782.0	-19914.9	Min	I	-4095.6	-17.5	-0.9	1.7	
1259.7	-19152.3		J	-4095.6	-17.5	1.1	1.7	-
518	2	82 C1-C2;~1 Max	I	407.4	4.4	1.2	411.4	
289.0	10477.6		J	407.4	4.4	1.2	411.4	
318.6	12764.3	Min	I	-1224.6	-6.2	-0.8	-533.3	
-349.9	-9841.1		J	-1224.6	-6.2	-0.8	-533.3	
-493.4	-11367.4							
250.3	8090.8	C3-C4;~1 Max	I	469.1	4.4	0.9	402.3	
443.9	10062.8		J	469.1	4.4	0.9	402.3	
-363.2	-10024.0	Min	I	-1255.9	-5.9	-1.1	-524.8	
-387.0	-11373.7		J	-1255.9	-5.9	-1.1	-524.8	
178.7	6068.1	C1-C2;~2 Max	I	271.6	2.9	0.7	224.0	
184.3	7228.8		J	271.6	2.9	0.7	224.0	
-192.9	-6095.3	Min	I	-673.7	-3.4	-0.4	-360.9	
-274.4	-7259.8		J	-673.7	-3.4	-0.4	-360.9	
168.8	4638.5	C3-C4;~2 Max	I	315.2	3.0	0.5	220.1	
262.0	5601.6		J	315.2	3.0	0.5	220.1	
-193.4	-6027.9	Min	I	-690.2	-3.2	-0.6	-353.9	
-211.1	-7088.9		J	-690.2	-3.2	-0.6	-353.9	
-368.1	859.3	G1	I	-1286.0	-5.6	-1.4	327.0	
-204.6	3653.4		J	-1286.0	-5.6	0.7	327.0	
		G2	I	-515.8	-2.4	-0.1	145.8	


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-110.6	622.0			J	-515.8	-2.4	-0.1	145.8
-40.9	1807.1							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	32.6	5.9	-0.6	-111.1
-47.3	-17335.1			J	32.6	5.9	-0.6	-111.1
259.5	-20270.2							
			Q5_ps	I	27.4	5.6	-0.6	-99.9
-47.6	-16650.9			J	27.4	5.6	-0.6	-99.9
267.1	-19437.4							
			INVS LU Max	I	-3455.8	-5.8	-0.1	1549.6
-711.9	37975.6			J	-3455.8	-5.8	2.7	1549.6
130.5	52764.8		Min	I	-5843.4	-32.0	-4.3	74.2
1677.5	-28397.9			J	-5843.4	-32.0	-1.5	74.2
1601.9	-25107.0							
			INVS LE Max	I	-2649.3	-5.3	-0.1	1165.3
-551.8	26312.2			J	-2649.3	-5.3	1.9	1165.3
66.2	37144.3		Min	I	-4413.5	-23.7	-3.2	87.2
1260.8	-19153.1			J	-4413.5	-23.7	-1.1	87.2
1182.5	-16219.1							
		82	C1-C2;~1 Max	I	366.8	5.1	1.0	455.4
519	2			J	366.8	5.1	1.0	455.4
319.3	12766.2		Min	I	-1274.6	-9.0	-1.5	-576.8
696.4	15548.1			J	-1274.6	-9.0	-1.5	-576.8
-494.0	-11368.0							
-418.7	-13333.2							
			C3-C4;~1 Max	I	427.3	5.5	1.3	448.8
444.6	10065.0			J	427.3	5.5	1.3	448.8
669.8	13162.1		Min	I	-1312.6	-8.7	-1.3	-562.8
-387.6	-11374.4			J	-1312.6	-8.7	-1.3	-562.8
-488.7	-13151.4							
			C1-C2;~2 Max	I	246.9	3.4	0.5	249.9
184.8	7229.7			J	246.9	3.4	0.5	249.9
487.7	8523.9		Min	I	-695.3	-4.9	-0.9	-392.0
-274.7	-7260.3			J	-695.3	-4.9	-0.9	-392.0
-210.4	-8700.8							
			C3-C4;~2 Max	I	289.6	3.7	0.7	246.9
262.5	5602.8							

MIDAS

PROJECT TITLE :


		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
469.8	7150.7		J	289.6	3.7	0.7	246.9	
		Min	I	-716.0	-4.7	-0.8	-381.7	
-211.4	-7089.4		J	-716.0	-4.7	-0.8	-381.7	
-250.2	-8434.0							
		G1	I	-1423.8	-8.9	-0.5	374.3	
-205.4	3655.8		J	-1423.8	-8.9	1.6	374.3	
-483.0	8048.2							
		G2	I	-570.7	-3.7	0.3	166.4	
-41.3	1808.1		J	-570.7	-3.7	0.3	166.4	
-199.5	3634.5							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	37.8	5.9	1.3	-104.3	
259.7	-20271.4		J	37.8	5.9	1.3	-104.3	
-387.9	-23208.7							
		Q5_ps	I	31.6	5.6	1.3	-91.7	
267.3	-19438.6		J	31.6	5.6	1.3	-91.7	
-399.1	-22219.9							
		INVSLU Max	I	-3807.0	-15.1	3.1	1749.0	
129.5	52774.2		J	-3807.0	-15.1	5.9	1749.0	
-171.7	72796.8							
		Min	I	-6223.8	-45.9	-3.1	167.8	-
1605.1	-25103.2		J	-6223.8	-45.9	-0.4	167.8	-
2469.7	-17116.2							
		INVSLE Max	I	-2911.8	-12.4	2.2	1317.2	
65.4	37151.2		J	-2911.8	-12.4	4.3	1317.2	
-181.5	51966.3							
		Min	I	-4697.0	-34.2	-2.2	159.9	-
1184.9	-16216.1		J	-4697.0	-34.2	-0.1	159.9	-
1832.0	-9698.2							
		70 C1-C2;~1 Max	I	1914.4	5.9	0.7	1723.4	
520	2		J	1914.4	5.9	0.7	1723.4	
304.3	4230.1							
		Min	I	-364.7	-31.6	-0.1	-317.5	
23.1	2628.9		J	-364.7	-31.6	-0.1	-317.5	
-51.8	-18341.0							
-63.3	-5174.7							
		C3-C4;~1 Max	I	1833.8	6.2	0.7	1642.0	
310.3	4436.9		J	1833.8	6.2	0.7	1642.0	
17.4	2277.8							
		Min	I	-383.5	-30.1	-0.1	-333.4	
-54.1	-18220.7		J	-383.5	-30.1	-0.1	-333.4	

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-58.2	-5938.1						
186.1	2424.2	C1-C2;~2 Max	I	1151.7	3.4	0.4	1030.9
13.5	1592.9		J	1151.7	3.4	0.4	1030.9
-29.6	-10675.9	Min	I	-209.1	-18.9	-0.1	-182.1
-39.5	-2995.1		J	-209.1	-18.9	-0.1	-182.1
194.9	2507.2	C3-C4;~2 Max	I	1096.1	3.5	0.4	975.3
9.4	1355.3		J	1096.1	3.5	0.4	975.3
-30.6	-10512.0	Min	I	-216.5	-17.9	-0.1	-188.3
-36.0	-3466.8		J	-216.5	-17.9	-0.1	-188.3
132.3	-13888.9	G1	I	1290.5	-21.8	-0.1	1203.3
-60.7	-2759.3		J	1290.5	-21.8	0.8	1203.3
62.9	-5695.6	G2	I	521.8	-8.8	0.1	486.7
-5.7	-1182.8		J	521.8	-8.8	0.1	486.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
1.9	-1883.0	Q5_pc	I	31.7	-0.7	0.0	59.7
-1.2	-1537.3		J	31.7	-0.7	0.0	59.7
1.7	-1859.1	Q5_ps	I	26.4	-0.6	0.0	53.4
-0.6	-1560.6		J	26.4	-0.6	0.0	53.4
852.5	-17608.3	INVSLU Max	I	5195.9	-30.4	1.2	2926.9
7.5	-213.5		J	5195.9	-30.4	2.5	2926.9
356.9	-51747.8	Min	I	2036.7	-82.7	0.1	42.5
-111.5	-14546.2		J	2036.7	-82.7	1.3	42.5
638.6	-12953.6	INVSLE Max	I	3837.2	-22.3	0.9	2096.2
7.1	-200.2		J	3837.2	-22.3	1.8	2096.2
271.8	-37991.0	Min	I	1501.2	-60.9	0.1	-32.4
-80.8	-10612.0		J	1501.2	-60.9	1.0	-32.4
521	2	70 C1-C2;~1 Max	I	1897.1	4.4	0.1	1487.1
20.9	2632.4		J	1897.1	4.4	0.1	1487.1

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
123.9	11913.8		Min	I	-355.3	-23.4	-0.3	-271.2
-68.0	-5168.2			J	-355.3	-23.4	-0.3	-271.2
-22.6	-1165.3							
		C3-C4;~1	Max	I	1810.1	4.6	0.1	1416.3
18.0	2280.9			J	1810.1	4.6	0.1	1416.3
111.9	10238.0		Min	I	-373.4	-22.3	-0.3	-284.8
-63.0	-5931.7			J	-373.4	-22.3	-0.3	-284.8
-23.6	-1210.4							
		C1-C2;~2	Max	I	1140.2	2.5	0.0	890.0
11.9	1595.3			J	1140.2	2.5	0.0	890.0
75.8	7493.8		Min	I	-203.7	-14.0	-0.2	-155.5
-42.3	-2991.3			J	-203.7	-14.0	-0.2	-155.5
-13.0	-646.8							
		C3-C4;~2	Max	I	1080.6	2.6	0.0	841.5
9.8	1357.6			J	1080.6	2.6	0.0	841.5
67.8	6376.9		Min	I	-210.8	-13.3	-0.2	-160.8
-38.9	-3463.1			J	-210.8	-13.3	-0.2	-160.8
-13.3	-663.0							
		G1		I	1285.7	-16.2	-0.7	1039.2
-64.9	-2753.0			J	1285.7	-16.2	0.3	1039.2
31.4	5523.9							
		G2		I	521.1	-6.6	-0.1	420.3
-7.4	-1180.2			J	521.1	-6.6	-0.1	420.3
29.4	2177.8							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	31.6	-0.5	-0.0	53.0
-1.4	-1537.1			J	31.6	-0.5	-0.0	53.0
0.2	-1261.6							
		Q5_ps		I	26.1	-0.5	-0.0	47.6
-0.7	-1560.4			J	26.1	-0.5	-0.0	47.6
-0.3	-1319.3							
		INVSLU	Max	I	5169.8	-21.7	-0.9	2451.6
2.8	-203.0			J	5169.8	-21.7	0.4	2451.6
334.7	26558.5		Min	I	2047.7	-60.4	-1.5	-35.8
-119.7	-14531.3			J	2047.7	-60.4	-0.2	-35.8
135.2	6465.5							


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


3.9	-192.6	INVSLE	Max	I	3817.5	-15.8	-0.7	1752.0	
				J	3817.5	-15.8	0.3	1752.0	
249.4	19519.0		Min	I	1509.1	-44.5	-1.1	-83.5	
-86.7	-10601.2			J	1509.1	-44.5	-0.1	-83.5	
101.6	4866.0								
522	2	70	C1-C2;~1	Max	I	1880.8	2.6	0.1	975.8
119.5	11914.2			J	1880.8	2.6	0.1	975.8	
88.8	18934.7		Min	I	-343.1	-14.1	-0.0	-172.9	
-21.8	-1165.3			J	-343.1	-14.1	-0.0	-172.9	
-10.7	-2404.3								
			C3-C4;~1	Max	I	1792.3	2.7	0.1	924.1
107.6	10238.4			J	1792.3	2.7	0.1	924.1	
79.9	16964.3		Min	I	-360.7	-13.4	-0.0	-181.7	
-22.8	-1210.4			J	-360.7	-13.4	-0.0	-181.7	
-11.3	-2519.4								
			C1-C2;~2	Max	I	1130.5	1.5	0.1	585.4
73.2	7494.1			J	1130.5	1.5	0.1	585.4	
56.3	11718.8		Min	I	-196.7	-8.5	-0.0	-99.2	
-12.5	-646.8			J	-196.7	-8.5	-0.0	-99.2	
-6.1	-1373.3								
			C3-C4;~2	Max	I	1069.9	1.5	0.0	549.5
65.2	6377.1			J	1069.9	1.5	0.0	549.5	
50.1	10397.1		Min	I	-203.6	-8.0	-0.0	-102.6	
-12.8	-663.1			J	-203.6	-8.0	-0.0	-102.6	
-6.4	-1417.2								
			G1	I	1285.0	-9.8	-0.4	679.1	
28.2	5524.2			J	1285.0	-9.8	0.5	679.1	
9.3	10504.8								
			G2	I	521.6	-4.0	0.0	274.7	
28.2	2177.9			J	521.6	-4.0	0.0	274.7	
20.7	4200.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	31.9	-0.4	0.0	35.7	
0.0	-1261.6			J	31.9	-0.4	0.0	35.7	
-0.1	-1078.8								

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-0.5	-1319.2	Q5_ps	I	26.6	-0.3	-0.0	32.2
			J	26.6	-0.3	-0.0	32.2
-0.1	-1156.0						
327.5	26558.4	INVS LU Max	I	5161.2	-12.8	-0.4	1557.9
			J	5161.2	-12.8	0.8	1557.9
245.9	44453.8	Min	I	2077.8	-36.1	-0.6	-68.9
135.4	6464.9		J	2077.8	-36.1	0.7	-68.9
110.6	13548.9						
244.2	19518.9	INVS LE Max	I	3811.7	-9.3	-0.3	1110.9
			J	3811.7	-9.3	0.6	1110.9
184.1	32705.9	Min	I	1531.9	-26.6	-0.4	-89.4
101.9	4865.6		J	1531.9	-26.6	0.5	-89.4
84.0	9957.3						
523	2	70 C1-C2;~1 Max	I	1859.9	0.9	0.0	353.9
86.5	18935.1		J	1859.9	0.9	0.0	353.9
98.3	21161.9	Min	I	-329.7	-4.6	-0.0	-55.1
-10.3	-2404.4		J	-329.7	-4.6	-0.0	-55.1
-13.3	-2835.2						
77.7	16964.7	C3-C4;~1 Max	I	1772.1	0.9	0.0	320.6
			J	1772.1	0.9	0.0	320.6
89.8	19127.8	Min	I	-346.6	-4.5	-0.0	-57.9
-10.8	-2519.4		J	-346.6	-4.5	-0.0	-57.9
-14.0	-2975.1						
54.9	11719.1	C1-C2;~2 Max	I	1118.7	0.5	0.0	215.9
			J	1118.7	0.5	0.0	215.9
61.6	13054.0	Min	I	-189.0	-2.8	-0.0	-31.6
-5.9	-1373.3		J	-189.0	-2.8	-0.0	-31.6
-7.6	-1622.5						
48.7	10397.4	C3-C4;~2 Max	I	1058.3	0.5	0.0	192.0
			J	1058.3	0.5	0.0	192.0
55.8	11686.2	Min	I	-195.7	-2.7	-0.0	-32.7
-6.1	-1417.3		J	-195.7	-2.7	-0.0	-32.7
-7.9	-1676.7						
7.6	10505.1	G1	I	1279.9	-3.1	-0.5	231.7
			J	1279.9	-3.1	0.5	231.7
16.2	12105.2						
20.0	4200.1	G2	I	519.9	-1.3	-0.0	93.8

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
23.4	4851.2		J	519.9	-1.3	-0.0	93.8
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.2	-1078.8	Q5_pc	I	32.2	-0.2	-0.0	12.4
0.1	-996.2		J	32.2	-0.2	-0.0	12.4
-0.2	-1156.0	Q5_ps	I	27.1	-0.2	-0.0	11.1
-0.0	-1078.6		J	27.1	-0.2	-0.0	11.1
242.3	44455.0	INVS LU Max	I	5141.4	-4.0	-0.7	560.1
274.7	50136.1		J	5141.4	-4.0	0.6	560.1
110.6	13549.5	Min	I	2104.5	-11.8	-0.7	-18.0
122.9	15757.9		J	2104.5	-11.8	0.6	-18.0
181.6	32706.8	INVS LE Max	I	3798.0	-2.9	-0.5	400.2
205.6	36894.7		J	3798.0	-2.9	0.5	400.2
84.1	9957.7	Min	I	1552.8	-8.7	-0.5	-26.4
93.2	11562.2		J	1552.8	-8.7	0.4	-26.4
524	2	70 C1-C2;~1 Max	I	1831.9	5.3	0.0	62.9
98.3	21161.9		J	1831.9	5.3	0.0	62.9
92.2	18572.8	Min	I	-315.6	-0.8	-0.0	-353.5
-13.3	-2835.2		J	-315.6	-0.8	-0.0	-353.5
-12.1	-2435.2						
89.9	19127.7	C3-C4;~1 Max	I	1746.1	5.1	0.0	66.2
81.7	16687.9		J	1746.1	5.1	0.0	66.2
-14.0	-2975.1	Min	I	-331.9	-0.8	-0.0	-322.3
-12.7	-2556.0		J	-331.9	-0.8	-0.0	-322.3
61.6	13054.0	C1-C2;~2 Max	I	1102.6	3.3	0.0	36.1
58.0	11493.8		J	1102.6	3.3	0.0	36.1
-7.6	-1622.5	Min	I	-181.0	-0.5	-0.0	-215.0
-6.9	-1391.2		J	-181.0	-0.5	-0.0	-215.0
55.8	11686.1	C3-C4;~2 Max	I	1043.4	3.1	0.0	37.4
			J	1043.4	3.1	0.0	37.4

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
50.8	10226.0		Min	I	-187.4	-0.5	-0.0	-192.2
-7.9	-1676.7			J	-187.4	-0.5	-0.0	-192.2
-7.2	-1438.3							
			G1	I	1269.6	3.5	-0.5	-233.6
16.2	12105.2			J	1269.6	3.5	0.5	-233.6
9.3	10326.8							
			G2	I	516.0	1.4	0.0	-94.5
23.4	4851.2			J	516.0	1.4	0.0	-94.5
20.6	4131.3							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	32.4	0.0	0.0	-12.5
0.1	-996.2			J	32.4	0.0	0.0	-12.5
-0.5	-1015.8							
			Q5_ps	I	27.7	0.0	0.0	-11.6
-0.0	-1078.6			J	27.7	0.0	0.0	-11.6
-0.8	-1089.6							
			INVSLU Max	I	5105.7	13.3	-0.6	56.8
274.7	50136.0			J	5105.7	13.3	0.7	56.8
250.4	43578.9		Min	I	2126.2	4.9	-0.6	-532.4
122.8	15757.9			J	2126.2	4.9	0.7	-532.4
107.8	13226.7							
			INVSLE Max	I	3772.9	9.8	-0.4	55.7
205.6	36894.7			J	3772.9	9.8	0.5	55.7
187.4	32064.1		Min	I	1570.1	3.5	-0.5	-379.0
93.1	11562.2			J	1570.1	3.5	0.5	-379.0
81.9	9716.4							
			70 C1-C2;~1 Max	I	1796.9	14.6	0.1	170.3
525	2			J	1796.9	14.6	0.1	170.3
94.6	18572.3							
			Min	I	-301.0	-2.4	-0.0	-953.5
88.5	11360.2			J	-301.0	-2.4	-0.0	-953.5
-12.5	-2435.1							
-10.5	-1321.3							
			C3-C4;~1 Max	I	1714.5	13.8	0.0	179.1
83.9	16687.5			J	1714.5	13.8	0.0	179.1
83.5	9822.8		Min	I	-316.6	-2.5	-0.1	-904.6
-13.2	-2555.9			J	-316.6	-2.5	-0.1	-904.6
-10.6	-1371.2							


MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


59.4	11493.5	C1-C2;~2	Max	I	1082.3	8.8	0.0	97.7
				J	1082.3	8.8	0.0	97.7
56.0	7142.0		Min	I	-172.6	-1.4	-0.0	-572.0
-7.2	-1391.1			J	-172.6	-1.4	-0.0	-572.0
-5.8	-733.5							
52.1	10225.7	C3-C4;~2	Max	I	1025.2	8.3	0.0	101.1
				J	1025.2	8.3	0.0	101.1
52.3	6110.2		Min	I	-178.7	-1.4	-0.0	-537.4
-7.4	-1438.3			J	-178.7	-1.4	-0.0	-537.4
-5.9	-753.2							
11.0	10326.5	G1		I	1254.2	10.0	-0.5	-673.2
				J	1254.2	10.0	0.5	-673.2
18.2	5221.0							
21.3	4131.2	G2		I	509.7	4.1	-0.0	-272.4
				J	509.7	4.1	-0.0	-272.4
24.7	2060.7							
0.0	0.0	Q3		I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
-0.4	-1015.8	Q5_pc		I	32.5	0.2	-0.0	-36.0
				J	32.5	0.2	-0.0	-36.0
1.5	-1136.6							
-0.7	-1089.6	Q5_ps		I	28.1	0.2	-0.0	-33.2
				J	28.1	0.2	-0.0	-33.2
1.9	-1189.4							
253.8	43577.6	INVS LU	Max	I	5054.6	37.4	-0.6	90.5
				J	5054.6	37.4	0.6	90.5
285.5	25020.4		Min	I	2142.8	13.9	-0.8	-1503.2
107.7	13226.2			J	2142.8	13.9	0.5	-1503.2
149.2	5787.1							
189.9	32063.1	INVS LE	Max	I	3736.5	27.5	-0.5	105.1
				J	3736.5	27.5	0.5	105.1
214.1	18385.1		Min	I	1584.0	10.1	-0.6	-1070.7
81.7	9716.0			J	1584.0	10.1	0.4	-1070.7
113.4	4289.7							
526	2	70 C1-C2;~1	Max	I	1762.3	23.3	0.2	252.0
92.6	11359.5			J	1762.3	23.3	0.2	252.0
33.8	1816.1							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-11.1	-1321.2	Min	I	-287.0	-3.9	-0.1	-1427.4
			J	-287.0	-3.9	-0.1	-1427.4
-42.0	-4418.2						
87.6	9822.2	C3-C4;~1 Max	I	1684.0	22.1	0.2	265.1
19.8	1578.0		J	1684.0	22.1	0.2	265.1
-11.3	-1371.1	Min	I	-301.9	-4.1	-0.0	-1363.5
-41.4	-5087.4		J	-301.9	-4.1	-0.0	-1363.5
58.5	7141.6	C1-C2;~2 Max	I	1062.4	14.1	0.1	144.6
20.5	1109.2		J	1062.4	14.1	0.1	144.6
-6.2	-733.4	Min	I	-164.5	-2.2	-0.0	-855.1
-26.1	-2512.7		J	-164.5	-2.2	-0.0	-855.1
54.7	6109.8	C3-C4;~2 Max	I	1007.9	13.2	0.1	149.7
11.4	949.6		J	1007.9	13.2	0.1	149.7
-6.3	-753.2	Min	I	-170.4	-2.3	-0.0	-810.2
-26.2	-2934.4		J	-170.4	-2.3	-0.0	-810.2
21.4	5220.5	G1	I	1236.0	16.2	-0.3	-1020.6
-53.7	-3070.7		J	1236.0	16.2	0.6	-1020.6
26.0	2060.5	G2	I	501.8	6.6	0.1	-413.3
-3.6	-1303.4		J	501.8	6.6	0.1	-413.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
1.6	-1136.6	Q5_pc	I	32.2	0.4	0.0	-53.7
-3.0	-1352.6		J	32.2	0.4	0.0	-53.7
2.1	-1189.4	Q5_ps	I	28.0	0.4	0.0	-49.7
-3.5	-1373.4		J	28.0	0.4	0.0	-49.7
292.2	25020.0	INVS LU Max	I	4999.4	60.9	0.1	32.1
18.5	-2516.0		J	4999.4	60.9	1.3	32.1
149.1	5787.8	Min	I	2154.8	23.2	-0.3	-2349.5
-89.2	-14270.4		J	2154.8	23.2	0.9	-2349.5


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
218.9	18384.8	INVSLE Max	I	3697.5	44.9	0.0	79.0
			J	3697.5	44.9	1.0	79.0
13.9	-1914.9	Min	I	1594.7	17.0	-0.2	-1678.0
113.1	4290.3		J	1594.7	17.0	0.7	-1678.0
-65.4	-10441.5						
527	2	70 C1-C2;~1 Max	I	1765.2	30.8	0.1	286.8
37.2	1813.2		J	1765.2	30.8	0.1	286.8
344.0	3378.6	Min	I	-281.0	-5.1	-0.7	-1635.2
-38.5	-4423.8		J	-281.0	-5.1	-0.7	-1635.2
-41.1	-17911.5						
		C3-C4;~1 Max	I	1686.1	29.2	0.1	301.7
22.8	1575.3		J	1686.1	29.2	0.1	301.7
337.1	3552.3	Min	I	-295.4	-5.3	-0.7	-1565.6
-38.3	-5093.7		J	-295.4	-5.3	-0.7	-1565.6
-42.7	-17757.5						
		C1-C2;~2 Max	I	1064.3	18.5	0.0	164.5
22.7	1107.1		J	1064.3	18.5	0.0	164.5
213.7	1937.8	Min	I	-161.1	-2.9	-0.4	-979.5
-23.8	-2515.9		J	-161.1	-2.9	-0.4	-979.5
-23.4	-10521.6						
		C3-C4;~2 Max	I	1009.6	17.4	0.0	170.3
13.2	947.6		J	1009.6	17.4	0.0	170.3
209.1	2005.1	Min	I	-166.7	-3.0	-0.4	-930.7
-24.1	-2938.0		J	-166.7	-3.0	-0.4	-930.7
-23.9	-10355.0						
		G1	I	1232.7	21.5	-0.9	-1174.7
-49.6	-3076.6		J	1232.7	21.5	0.1	-1174.7
151.9	-14078.9						
		G2	I	498.9	8.7	-0.1	-475.9
-1.9	-1305.9		J	498.9	8.7	-0.1	-475.9
69.6	-5769.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	30.3	0.6	-0.0	-61.0
-2.7	-1352.9		J	30.3	0.6	-0.0	-61.0
-2.0	-1640.9						
		Q5_ps	I	25.4	0.5	0.0	-56.6

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-3.3	-1373.7			J	25.4	0.5	0.0	-56.6	
-4.8	-1620.8								
			INVS LU Max	I	5012.9	82.2	-1.5	-61.9	
24.6	-2525.8			J	5012.9	82.2	-0.2	-61.9	
928.1	-20450.7		Min	I	2176.5	32.5	-2.5	-2786.4	
-82.5	-14285.4			J	2176.5	32.5	-1.3	-2786.4	
402.4	-52380.3								
			INVS LE Max	I	3709.4	60.6	-1.1	15.1	
18.3	-1921.9			J	3709.4	60.6	-0.2	15.1	
694.7	-15099.6		Min	I	1612.4	23.9	-1.9	-1994.9	
-60.7	-10452.3			J	1612.4	23.9	-0.9	-1994.9	
305.5	-38532.3								
538	2	82	C1-C2;~1 Max	I	15.7	17.1	1.9	675.0	
524.4	37999.5			J	15.7	17.1	1.9	675.0	1
0394.6	30301.9		Min	I	-1940.9	-16.1	-65.7	-437.4	-2
1824.0	-62802.4			J	-1940.9	-16.1	-65.7	-437.4	
-422.8	-55378.9								
			C3-C4;~1 Max	I	14.1	20.8	0.9	614.5	
254.3	49361.6			J	14.1	20.8	0.9	614.5	1
2112.9	39295.2		Min	I	-2072.0	-11.3	-76.1	-311.1	-2
5234.6	-46368.4			J	-2072.0	-11.3	-76.1	-311.1	
-213.7	-41195.2								
			C1-C2;~2 Max	I	11.5	8.6	0.9	428.3	
259.4	18883.7			J	11.5	8.6	0.9	428.3	
5220.3	15108.6		Min	I	-990.4	-8.7	-32.8	-249.5	-1
0888.7	-32939.0			J	-990.4	-8.7	-32.8	-249.5	
-194.3	-29008.5								
			C3-C4;~2 Max	I	10.2	10.5	0.5	379.9	
140.9	24915.6			J	10.2	10.5	0.5	379.9	
6203.0	19818.0		Min	I	-1062.1	-6.1	-38.7	-174.4	-1
2826.3	-24095.8			J	-1062.1	-6.1	-38.7	-174.4	
-104.1	-21344.4								
			G1	I	-2786.0	9.2	-92.1	113.0	-3
0547.3	-2680.6			J	-2786.0	9.2	-90.1	113.0	1
4002.1	-7191.5								
			G2	I	-1095.6	3.4	-35.3	27.0	-1
1801.5	-1339.8			J	-1095.6	3.4	-35.3	27.0	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

5445.3	-3023.0								
		Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0		J	0.0	0.0	0.0	0.0		
0.0	0.0								
		Q5_pc	I	14.9	25.5	8.5	57.6		
2600.7	75475.1		J	14.9	25.5	8.5	57.6		-
1546.7	63031.8								
		Q5_ps	I	-2.8	25.0	6.4	53.8		
1939.3	74416.0		J	-2.8	25.0	6.4	53.8		-
1203.2	62203.5								
		INVS LU Max	I	-7270.4	80.5	-180.1	1084.4		-6
0672.3	158782.9		J	-7270.4	80.5	-177.4	1084.4		4
6514.4	119475.0								
		Min	I	-10115.8	-20.3	-301.4	-521.0		-10
0338.8	-142568.8		J	-10115.8	-20.3	-298.6	-521.0		2
6702.9	-133051.4								
		INVS LE Max	I	-5490.8	58.1	-135.2	802.6		-4
5524.4	110611.1		J	-5490.8	58.1	-133.2	802.6		3
4505.3	82498.1								
		Min	I	-7596.5	-11.5	-223.7	-378.9		-7
4518.1	-96808.0		J	-7596.5	-11.5	-221.7	-378.9		2
0066.9	-92721.5								
539	2	82 C1-C2;~1 Max	I	38.5	15.2	24.9	754.6		1
0394.1	30301.9		J	38.5	15.2	24.9	754.6		
73.5	23482.3								
		Min	I	-1758.0	-16.9	-1.0	-424.0		
-422.6	-55380.6		J	-1758.0	-16.9	-1.0	-424.0		-
1894.1	-47446.2								
		C3-C4;~1 Max	I	48.3	18.5	28.8	699.5		1
2112.4	39294.5		J	48.3	18.5	28.8	699.5		
37.9	30341.2								
		Min	I	-1858.8	-12.2	-0.5	-290.7		
-213.6	-41196.6		J	-1858.8	-12.2	-0.5	-290.7		-
2125.9	-35541.8								
		C1-C2;~2 Max	I	27.2	7.7	12.5	473.5		
5220.0	15108.7		J	27.2	7.7	12.5	473.5		
34.6	11753.7								
		Min	I	-907.8	-9.0	-0.5	-249.2		
-194.2	-29009.4		J	-907.8	-9.0	-0.5	-249.2		
-954.8	-24824.7								
		C3-C4;~2 Max	I	34.3	9.4	14.7	426.8		
6202.7	19817.7		J	34.3	9.4	14.7	426.8		
18.8	15276.7								


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-104.1	-21345.1		Min	I	-962.0	-6.5	-0.2	-159.6	
				J	-962.0	-6.5	-0.2	-159.6	-
1079.7	-18363.8								
			G1	I	-2467.8	5.5	33.0	177.4	1
4002.0	-7193.9			J	-2467.8	5.5	35.0	177.4	-
2669.1	-9910.3								
			G2	I	-971.5	2.0	13.2	46.5	
5445.2	-3024.1			J	-971.5	2.0	13.2	46.5	-
1003.2	-4010.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	7.9	25.1	-3.7	133.6	-
1546.9	63033.6			J	7.9	25.1	-3.7	133.6	
272.1	50705.5								
			Q5_ps	I	-4.6	24.7	-2.9	124.2	-
1203.4	62205.1			J	-4.6	24.7	-2.9	124.2	
217.6	50108.6								
			INVSLU Max	I	-6574.3	68.7	111.8	1407.2	4
6513.7	119471.2			J	-6574.3	68.7	114.5	1407.2	-
5630.7	85851.3								
			Min	I	-9163.1	-30.1	64.6	-424.3	2
6702.6	-133060.7			J	-9163.1	-30.1	67.3	-424.3	-
9118.5	-119622.4								
			INVSLE Max	I	-4971.5	48.7	83.0	1039.3	3
4504.7	82495.0			J	-4971.5	48.7	85.0	1039.3	-
4243.0	58653.4								
			Min	I	-6888.1	-19.0	48.6	-299.6	2
0066.7	-92728.5			J	-6888.1	-19.0	50.6	-299.6	-
6784.3	-84601.3								
540	2	82	C1-C2;~1 Max	I	74.6	13.7	0.3	807.5	
73.8	23481.0			J	74.6	13.7	0.3	807.5	
362.2	17465.4								
			Min	I	-1675.5	-18.0	-4.2	-386.3	-
1894.4	-47443.9			J	-1675.5	-18.0	-4.2	-386.3	
-145.6	-38880.9								
			C3-C4;~1 Max	I	94.1	16.7	0.1	747.5	
38.0	30339.8			J	94.1	16.7	0.1	747.5	
473.0	22504.7								
			Min	I	-1767.2	-13.3	-4.9	-252.0	-
2126.3	-35540.1			J	-1767.2	-13.3	-4.9	-252.0	
-111.0	-29357.5								


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
34.7	11753.0	C1-C2;~2	Max	I	52.3	7.1	0.2	497.6		
				J	52.3	7.1	0.2	497.6		
225.3	8775.6		Min	I	-872.1	-9.5	-2.1	-225.8		
-955.0	-24823.5			J	-872.1	-9.5	-2.1	-225.8		
-78.6	-20319.7									
18.8	15275.9	C3-C4;~2	Max	I	66.4	8.6	0.1	445.2		
				J	66.4	8.6	0.1	445.2		
300.1	11312.6		Min	I	-921.6	-7.0	-2.5	-136.5	-	
1079.8	-18362.9			J	-921.6	-7.0	-2.5	-136.5		
-59.1	-15125.1									
			G1	I	-2306.1	1.8	-6.6	300.3	-	
2669.4	-9909.7			J	-2306.1	1.8	-4.6	300.3		
65.5	-10810.4									
			G2	I	-907.9	0.6	-2.2	95.2	-	
1003.3	-4009.7			J	-907.9	0.6	-2.2	95.2		
53.9	-4279.5									
			Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0			J	0.0	0.0	0.0	0.0		
0.0	0.0									
			Q5_pc	I	10.9	25.2	0.7	123.8		
271.9	50702.2			J	10.9	25.2	0.7	123.8		
-82.0	38323.6									
			Q5_ps	I	0.2	24.8	0.6	115.5		
217.4	50105.3			J	0.2	24.8	0.6	115.5		
-67.7	37969.8									
			INVSLU	Max	I	-6168.8	57.9	-12.0	1738.4	-
5631.2	85846.5			J	-6168.8	57.9	-9.2	1738.4		
436.7	57775.3		Min	I	-8701.1	-40.8	-20.3	-96.3	-	
9119.4	-119615.2			J	-8701.1	-40.8	-17.6	-96.3		
-546.1	-101431.8									
			INVSLE	Max	I	-4669.6	40.6	-9.0	1289.8	-
4243.4	58650.2			J	-4669.6	40.6	-7.0	1289.8		
303.8	38997.4		Min	I	-6544.0	-27.1	-15.1	-52.6	-	
6785.0	-84596.3			J	-6544.0	-27.1	-13.0	-52.6		
-413.2	-72160.0									
541	2	82	C1-C2;~1	Max	I	108.8	12.5	0.8	844.8	
361.6	17464.8			J	108.8	12.5	0.8	844.8		
162.3	12232.9		Min	I	-1606.9	-19.2	-0.1	-347.9		


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
-145.5	-38880.0		J	-1606.9	-19.2	-0.1	-347.9	
-310.6	-29726.4							
472.3	22504.0	C3-C4;~1	Max	I	141.9	15.2	1.0	783.6
217.1	15760.8			J	141.9	15.2	1.0	783.6
-110.9	-29356.8		Min	I	-1692.8	-14.3	-0.0	-211.5
-323.6	-22669.1			J	-1692.8	-14.3	-0.0	-211.5
224.9	8775.3	C1-C2;~2	Max	I	75.7	6.6	0.4	507.8
113.1	6168.9			J	75.7	6.6	0.4	507.8
-78.5	-20319.3		Min	I	-842.6	-10.2	-0.0	-202.6
-163.3	-15513.9			J	-842.6	-10.2	-0.0	-202.6
299.8	11312.2	C3-C4;~2	Max	I	99.6	7.9	0.5	451.8
152.9	7924.3			J	99.6	7.9	0.5	451.8
-59.1	-15124.7		Min	I	-889.3	-7.5	-0.0	-112.4
-170.3	-11641.1			J	-889.3	-7.5	-0.0	-112.4
65.0	-10810.4		G1	I	-2167.0	-1.7	0.1	445.2
-459.8	-9993.6			J	-2167.0	-1.7	2.1	445.2
53.8	-4279.5		G2	I	-853.1	-0.8	0.4	155.7
-147.9	-3869.7			J	-853.1	-0.8	0.4	155.7
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
-82.2	38322.3		Q5_pc	I	14.1	25.3	-0.2	114.0
-3.5	25927.3			J	14.1	25.3	-0.2	114.0
-67.9	37968.6		Q5_ps	I	4.9	24.8	-0.1	109.0
-2.8	25827.8			J	4.9	24.8	-0.1	109.0
435.1	57772.6		INVSLE Max	I	-5803.0	47.6	2.3	2087.0
1062.7	35079.4			J	-5803.0	47.6	5.1	2087.0
-546.9	-101429.8		Min	I	-8305.3	-51.0	0.6	271.7
1799.0	-77825.3			J	-8305.3	-51.0	3.3	271.7
			INVSLE Max	I	-4397.3	32.8	1.7	1554.2


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
302.6	38995.6			J	-4397.3	32.8	3.8	1554.2	
-808.0	23401.1		Min	I	-6249.0	-34.8	0.5	224.7	
-413.8	-72158.6			J	-6249.0	-34.8	2.5	224.7	
1352.9	-55633.8							-	
542	2	82	C1-C2;~1	Max	I	147.6	11.5	0.1	902.9
162.0	12232.3			J	147.6	11.5	0.1	902.9	
163.2	8142.9		Min	I	-1536.0	-20.5	-0.1	-310.5	
-311.1	-29725.3			J	-1536.0	-20.5	-0.1	-310.5	
-294.4	-21111.1								
			C3-C4;~1	Max	I	191.3	13.9	0.1	833.5
216.8	15760.0			J	191.3	13.9	0.1	833.5	
218.5	9996.0		Min	I	-1616.0	-15.4	-0.1	-180.6	
-324.2	-22668.3			J	-1616.0	-15.4	-0.1	-180.6	
-306.7	-15839.3								
			C1-C2;~2	Max	I	101.8	6.2	0.0	534.2
112.9	6168.7			J	101.8	6.2	0.0	534.2	
113.4	4176.8		Min	I	-811.6	-10.8	-0.1	-180.4	
-163.6	-15513.3			J	-811.6	-10.8	-0.1	-180.4	
-156.6	-11204.3								
			C3-C4;~2	Max	I	133.3	7.4	0.1	469.5
152.6	7924.0			J	133.3	7.4	0.1	469.5	
153.5	5001.7		Min	I	-855.4	-8.0	-0.1	-95.1	
-170.6	-11640.7			J	-855.4	-8.0	-0.1	-95.1	
-162.8	-8164.4								
			G1	I	-2023.3	-4.9	-1.1	588.4	
-460.4	-9993.3			J	-2023.3	-4.9	0.9	588.4	
-411.7	-7577.3								
			G2	I	-796.4	-2.1	-0.0	216.8	
-148.1	-3869.6			J	-796.4	-2.1	-0.0	216.8	
-128.8	-2825.5								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	16.1	25.3	0.0	105.0	
-3.7	25925.8			J	16.1	25.3	0.0	105.0	
-10.4	13513.7								
			Q5_ps	I	8.4	24.8	0.0	104.3	
-2.9	25826.3								

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-9.1	13678.7		J	8.4	24.8	0.0	104.3	
1064.3	35077.1	INVS LU Max	I	-5424.3	38.1	-1.5	2459.8	-
-950.8	17353.3		J	-5424.3	38.1	1.3	2459.8	
1801.2	-77822.1	Min	I	-7893.1	-60.8	-1.8	632.7	-
1678.6	-50579.3		J	-7893.1	-60.8	1.0	632.7	-
-809.2	23399.5	INVS LE Max	I	-4115.2	25.6	-1.1	1836.5	
-725.4	11559.2		J	-4115.2	25.6	1.0	1836.5	
1354.6	-55631.5	Min	I	-5941.8	-42.2	-1.3	497.1	-
1263.1	-36340.5		J	-5941.8	-42.2	0.7	497.1	-
543	2	82 C1-C2;~1 Max	I	190.8	10.9	0.6	954.0	
162.9	8142.6		J	190.8	10.9	0.6	954.0	
138.2	6786.2	Min	I	-1466.7	-21.7	-0.3	-275.6	
-295.0	-21110.1		J	-1466.7	-21.7	-0.3	-275.6	
-413.1	-13219.5							
218.2	9995.4	C3-C4;~1 Max	I	242.2	13.0	0.5	874.5	
208.2	6184.3		J	242.2	13.0	0.5	874.5	
-307.5	-15838.6	Min	I	-1541.0	-16.6	-0.3	-157.2	
-396.7	-10064.2		J	-1541.0	-16.6	-0.3	-157.2	
113.3	4176.7	C1-C2;~2 Max	I	130.5	6.0	0.3	556.4	
90.3	3914.5		J	130.5	6.0	0.3	556.4	
-157.0	-11203.8	Min	I	-781.0	-11.4	-0.1	-159.6	
-227.1	-7398.6		J	-781.0	-11.4	-0.1	-159.6	
153.3	5001.4	C3-C4;~2 Max	I	167.4	7.1	0.3	482.0	
138.8	3183.2		J	167.4	7.1	0.3	482.0	
-163.1	-8164.0	Min	I	-822.0	-8.6	-0.2	-82.3	
-214.9	-5472.5		J	-822.0	-8.6	-0.2	-82.3	
-412.6	-7576.9	G1	I	-1879.7	-8.0	-0.9	719.3	
-469.7	-3675.9		J	-1879.7	-8.0	1.1	719.3	
-129.2	-2825.3	G2	I	-739.9	-3.3	0.0	273.0	
-145.7	-1192.4		J	-739.9	-3.3	0.0	273.0	

MIDAS


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-10.5	13512.2	Q5_pc	I	17.5	25.4	-0.1	95.5
15.2	1082.6		J	17.5	25.4	-0.1	95.5
-9.3	13677.2	Q5_ps	I	11.1	24.8	-0.1	98.8
22.8	1520.9		J	11.1	24.8	-0.1	98.8
-952.7	17351.5	INVSLU Max	I	-5043.0	29.3	-0.5	2804.2
-998.7	8776.1		J	-5043.0	29.3	2.3	2804.2
1681.3	-50575.7	Min	I	-7481.7	-70.0	-1.8	972.2
1865.0	-20180.2		J	-7481.7	-70.0	1.0	972.2
-726.8	11558.0	INVSLE Max	I	-3831.1	18.9	-0.4	2097.6
-758.6	6663.2		J	-3831.1	18.9	1.7	2097.6
1265.1	-36337.9	Min	I	-5635.2	-49.8	-1.3	753.4
1398.3	-14641.6		J	-5635.2	-49.8	0.7	753.4
544	2	82 C1-C2;~1 Max	I	244.3	10.5	0.7	990.7
137.9	6786.2		J	244.3	10.5	0.7	990.7
360.9	8080.0	Min	I	-1399.4	-22.8	-1.3	-243.3
-413.3	-13218.4		J	-1399.4	-22.8	-1.3	-243.3
-381.0	-9004.0						
207.9	6184.1	C3-C4;~1 Max	I	301.0	12.4	0.6	906.9
303.5	6024.0		J	301.0	12.4	0.6	906.9
-397.0	-10063.4	Min	I	-1468.1	-17.8	-1.0	-136.1
-376.0	-7916.1		J	-1468.1	-17.8	-1.0	-136.1
90.1	3914.5	C1-C2;~2 Max	I	166.0	6.0	0.4	570.1
215.2	5117.9		J	166.0	6.0	0.4	570.1
-227.2	-7398.1	Min	I	-751.3	-12.0	-0.7	-140.3
-210.0	-5986.2		J	-751.3	-12.0	-0.7	-140.3
138.6	3183.2	C3-C4;~2 Max	I	206.6	6.9	0.4	491.4
182.7	3668.1		J	206.6	6.9	0.4	491.4
		Min	I	-789.3	-9.1	-0.6	-70.4


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-215.1	-5472.1		J	-789.3	-9.1	-0.6	-70.4	
-207.9	-5184.4							
		G1	I	-1733.2	-10.7	-1.4	826.5	
-470.7	-3675.4		J	-1733.2	-10.7	0.6	826.5	
-281.1	1582.4							
		G2	I	-682.7	-4.4	-0.1	318.4	
-146.0	-1192.2		J	-682.7	-4.4	-0.1	318.4	
-76.2	977.7							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	16.4	25.4	-0.2	85.6	
15.1	1081.3		J	16.4	25.4	-0.2	85.6	
125.4	-11370.6							
		Q5_ps	I	11.0	24.8	-0.2	91.7	
22.7	1519.6		J	11.0	24.8	-0.2	91.7	
117.2	-10652.5							
		INVSLE Max	I	-4649.0	21.3	-0.8	3089.5	-
1001.3	8775.7		J	-4649.0	21.3	2.0	3089.5	
-438.6	33936.8							
		Min	I	-7066.8	-79.0	-3.8	1269.5	-
1867.2	-20176.9		J	-7066.8	-79.0	-1.0	1269.5	-
1665.9	-13011.4							
		INVSLE Max	I	-3537.4	12.8	-0.6	2314.3	
-760.5	6662.9		J	-3537.4	12.8	1.4	2314.3	
-354.4	24268.1							
		Min	I	-5326.2	-57.0	-2.8	977.5	-
1399.9	-14639.2		J	-5326.2	-57.0	-0.8	977.5	-
1246.8	-8141.1							
545	2	82 C1-C2;~1 Max	I	312.6	10.3	0.5	1008.2	
360.9	8079.7		J	312.6	10.3	0.5	1008.2	
835.4	16642.5							
		Min	I	-1338.9	-23.9	-1.6	-222.8	
-381.7	-9004.2		J	-1338.9	-23.9	-1.6	-222.8	
-410.2	-12856.8							
		C3-C4;~1 Max	I	368.6	12.1	0.6	928.7	
303.4	6023.8		J	368.6	12.1	0.6	928.7	
783.2	13852.7							
		Min	I	-1403.3	-18.9	-1.5	-126.4	
-376.7	-7917.0		J	-1403.3	-18.9	-1.5	-126.4	
-473.7	-12548.6							
		C1-C2;~2 Max	I	211.8	6.0	0.3	575.4	


MIDAS

PROJECT TITLE :

		Company						Client
		Author						File Name
215.2	5117.7			J	211.8	6.0	0.3	575.4
569.4	9339.7		Min	I	-725.7	-12.5	-1.0	-128.8
-210.3	-5986.3			J	-725.7	-12.5	-1.0	-128.8
-216.9	-8377.3							
182.7	3667.9		C3-C4;~2 Max	I	252.0	6.9	0.3	499.6
537.4	7717.0			J	252.0	6.9	0.3	499.6
-208.3	-5185.1		Min	I	-760.6	-9.7	-1.0	-66.1
-251.8	-8040.0			J	-760.6	-9.7	-1.0	-66.1
			G1	I	-1575.0	-13.1	-1.1	886.0
-282.2	1583.0			J	-1575.0	-13.1	0.9	886.0
-227.7	8023.9							
			G2	I	-621.9	-5.4	0.0	343.1
-76.6	978.0			J	-621.9	-5.4	0.0	343.1
-99.3	3613.6							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	3.7	25.4	1.2	87.9
125.3	-11372.4			J	3.7	25.4	1.2	87.9
-440.6	-23818.7							
			Q5_ps	I	-1.9	24.8	1.2	94.8
117.1	-10654.2			J	-1.9	24.8	1.2	94.8
-452.2	-22818.5							
			INVSLU Max	I	-4243.7	14.2	0.6	3255.0
-440.9	33941.4			J	-4243.7	14.2	3.4	3255.0
576.0	73740.4		Min	I	-6642.3	-87.5	-4.7	1435.0
1669.0	-13011.5			J	-6642.3	-87.5	-2.0	1435.0
1984.4	-18632.9							
			INVSLE Max	I	-3235.2	7.5	0.4	2439.1
-356.1	24271.4			J	-3235.2	7.5	2.4	2439.1
369.4	52542.3		Min	I	-5011.4	-63.4	-3.4	1102.6
1249.1	-8141.0			J	-5011.4	-63.4	-1.4	1102.6
1468.5	-10811.6							
556	2	70	C1-C2;~1 Max	I	1305.4	10.0	0.4	1232.5
236.1	5968.7			J	1305.4	10.0	0.4	1232.5
59.0	3937.5		Min	I	-618.4	-23.0	-0.2	-537.0
-105.6	-11196.4							


MIDAS

PROJECT TITLE :

		Company		Client			
		Author		File Name			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H
-19.2	-3183.4		J	-618.4	-23.0	-0.2	-537.0
234.7	6164.6	C3-C4;~1	Max	I	1240.0	10.5	1167.6
44.2	3489.2		J	1240.0	10.5	0.5	1167.6
-108.6	-11507.2		Min	I	-646.1	-21.6	-562.5
-20.0	-3467.6		J	-646.1	-21.6	-0.2	-562.5
149.7	3409.0	C1-C2;~2	Max	I	796.7	5.8	743.3
34.5	2466.4		J	796.7	5.8	0.3	743.3
-60.2	-6586.3		Min	I	-354.8	-14.0	-308.3
-12.6	-1893.9		J	-354.8	-14.0	-0.1	-308.3
148.9	3508.6	C3-C4;~2	Max	I	750.6	5.9	697.2
24.6	2152.6		J	750.6	5.9	0.3	697.2
-60.9	-6740.8		Min	I	-364.8	-13.0	-317.8
-13.1	-2040.5		J	-364.8	-13.0	-0.1	-317.8
-12.3	-4187.7	G1	I	414.1	-8.6	-0.5	516.3
-3.0	30.3		J	414.1	-8.6	0.4	516.3
4.2	-1799.8	G2	I	169.5	-3.5	-0.0	212.0
15.5	-66.8		J	169.5	-3.5	-0.0	212.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-11.2	-1744.4	Q5_pc	I	16.5	-0.5	-0.0	45.5
-3.7	-1517.0		J	16.5	-0.5	-0.0	45.5
-12.8	-1728.5	Q5_ps	I	13.8	-0.4	-0.0	43.3
-4.1	-1526.1		J	13.8	-0.4	-0.0	43.3
260.0	10302.0	INVSLU	Max	I	1807.4	11.5	1232.4
132.1	8590.0		J	1807.4	11.5	1.0	1232.4
-225.4	-16695.0		Min	I	-856.9	-34.5	-1272.9
18.9	-4137.6		J	-856.9	-34.5	0.0	-1272.9
191.3	7998.9	INVSLE	Max	I	1300.3	9.2	828.6

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
99.6	6394.2		J	1300.3	9.2	0.7	828.6
		Min	I	-671.1	-24.8	-0.9	-1021.1
-166.8	-11766.3		J	-671.1	-24.8	0.0	-1021.1
16.2	-2831.3						
557	2	70 C1-C2;~1 Max	I	1313.1	7.4	0.1	1101.3
56.6	3941.5		J	1313.1	7.4	0.1	1101.3
65.2	11440.9						
		Min	I	-597.5	-17.6	-0.1	-470.8
-21.6	-3179.9		J	-597.5	-17.6	-0.1	-470.8
-32.0	-3116.0						
		C3-C4;~1 Max	I	1247.4	7.8	0.1	1040.6
43.3	3490.7		J	1247.4	7.8	0.1	1040.6
59.4	9982.9						
		Min	I	-625.3	-16.5	-0.1	-493.1
-22.5	-3463.2		J	-625.3	-16.5	-0.1	-493.1
-32.7	-3130.2						
		C1-C2;~2 Max	I	800.2	4.3	0.1	664.0
32.7	2469.5		J	800.2	4.3	0.1	664.0
41.9	7207.3						
		Min	I	-342.9	-10.7	-0.1	-270.3
-14.1	-1892.1		J	-342.9	-10.7	-0.1	-270.3
-17.8	-1758.5						
		C3-C4;~2 Max	I	753.8	4.4	0.1	620.8
23.9	2153.9		J	753.8	4.4	0.1	620.8
37.8	6227.6						
		Min	I	-353.1	-10.0	-0.1	-278.5
-14.7	-2038.0		J	-353.1	-10.0	-0.1	-278.5
-18.1	-1734.0						
		G1	I	458.6	-6.8	-0.4	470.0
-4.8	32.9		J	458.6	-6.8	0.5	470.0
-29.3	3466.9						
		G2	I	188.9	-2.8	0.0	192.7
14.8	-65.7		J	188.9	-2.8	0.0	192.7
5.5	1344.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	22.0	-0.4	-0.0	40.1
-3.8	-1516.7		J	22.0	-0.4	-0.0	40.1
3.4	-1330.4						
		Q5_ps	I	19.6	-0.3	-0.0	38.1
-4.3	-1525.7		J	19.6	-0.3	-0.0	38.1


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


3.7	-1360.5							
		INVSLE Max	I	1968.9	8.1	-0.3	1105.7	
130.6	8593.0		J	1968.9	8.1	1.0	1105.7	
53.6	19938.8							
		Min	I	-687.5	-26.8	-0.6	-1118.9	
17.0	-4133.3		J	-687.5	-26.8	0.6	-1118.9	
-84.6	-2127.0							
		INVSLE Max	I	1421.4	6.5	-0.2	743.3	
98.8	6396.0		J	1421.4	6.5	0.8	743.3	
39.7	14529.9							
		Min	I	-543.4	-19.3	-0.5	-899.2	
15.1	-2828.6		J	-543.4	-19.3	0.5	-899.2	
-62.2	-1637.6							
558	2	70 C1-C2;~1 Max	I	1364.5	4.4	0.0	758.5	
62.2	11442.0		J	1364.5	4.4	0.0	758.5	
78.2	16673.6							
		Min	I	-585.8	-10.9	-0.1	-308.5	
-30.9	-3116.3		J	-585.8	-10.9	-0.1	-308.5	
-20.8	-5246.2							
		C3-C4;~1 Max	I	1294.1	4.6	0.0	710.2	
56.5	9984.0		J	1294.1	4.6	0.0	710.2	
68.5	14919.0							
		Min	I	-613.4	-10.2	-0.1	-323.2	
-31.4	-3130.5		J	-613.4	-10.2	-0.1	-323.2	
-21.7	-5367.2							
		C1-C2;~2 Max	I	829.2	2.5	0.0	457.8	
40.1	7208.0		J	829.2	2.5	0.0	457.8	
49.4	10387.5							
		Min	I	-336.1	-6.7	-0.0	-177.1	
-17.1	-1758.7		J	-336.1	-6.7	-0.0	-177.1	
-11.9	-2995.9							
		C3-C4;~2 Max	I	779.8	2.6	0.0	423.3	
36.0	6228.2		J	779.8	2.6	0.0	423.3	
42.8	9205.5							
		Min	I	-346.4	-6.2	-0.0	-182.6	
-17.4	-1734.1		J	-346.4	-6.2	-0.0	-182.6	
-12.3	-3012.9							
		G1	I	525.5	-4.3	-0.5	335.6	
-30.8	3467.5		J	525.5	-4.3	0.4	335.6	
-10.1	5625.8							
		G2	I	216.2	-1.7	-0.0	137.2	
4.9	1344.7		J	216.2	-1.7	-0.0	137.2	
12.5	2229.7							

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc	I	22.5	-0.2	0.0
3.3	-1330.4			J	22.5	-0.2	0.0
-0.7	-1214.2						
			Q5_ps	I	19.9	-0.2	0.0
3.6	-1360.5			J	19.9	-0.2	0.0
-0.8	-1259.0						
			INVS LU Max	I	2215.7	4.4	-0.7
50.8	19940.5			J	2215.7	4.4	0.6
119.0	27922.1						
			Min	I	-494.9	-17.0	-0.8
-81.5	-2127.2			J	-494.9	-17.0	0.4
-17.2	-4018.6						
			INVS LE Max	I	1605.5	3.6	-0.5
37.8	14531.2			J	1605.5	3.6	0.4
88.8	20280.2						
			Min	I	-399.4	-12.2	-0.6
-59.7	-1637.9			J	-399.4	-12.2	0.3
-11.9	-3217.6						
		70	C1-C2;~1 Max	I	1421.3	1.3	0.0
559	2			J	1421.3	1.3	0.0
76.4	16674.3						
			Min	I	-575.3	-3.7	-0.0
79.8	18340.5			J	-575.3	-3.7	-0.0
-20.0	-5246.5						
-23.5	-5885.8						
			C3-C4;~1 Max	I	1347.1	1.4	0.0
66.7	14919.6			J	1347.1	1.4	0.0
72.0	16460.1						
			Min	I	-602.7	-3.5	-0.0
-20.9	-5367.4			J	-602.7	-3.5	-0.0
-24.6	-6043.7						
			C1-C2;~2 Max	I	861.6	0.8	0.0
48.3	10388.0			J	861.6	0.8	0.0
50.4	11404.4						
			Min	I	-330.1	-2.3	-0.0
-11.5	-2996.0			J	-330.1	-2.3	-0.0
-13.5	-3366.8						
			C3-C4;~2 Max	I	809.9	0.8	0.0
41.7	9205.9			J	809.9	0.8	0.0
45.0	10137.1						
			Min	I	-340.4	-2.2	-0.0
-11.8	-3013.0						

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-13.9	-3399.0		J	-340.4	-2.2	-0.0	-62.7
		G1	I	593.3	-1.3	-0.5	142.0
-11.0	5626.1		J	593.3	-1.3	0.5	142.0
-10.1	6281.8						
		G2	I	243.3	-0.5	-0.0	57.7
12.1	2229.9		J	243.3	-0.5	-0.0	57.7
12.5	2498.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	22.0	-0.1	-0.0	10.0
-0.7	-1214.2		J	22.0	-0.1	-0.0	10.0
0.2	-1170.6						
		Q5_ps	I	19.0	-0.1	-0.0	9.3
-0.9	-1259.0		J	19.0	-0.1	-0.0	9.3
0.1	-1222.4						
		INVS LU Max	I	2469.6	1.4	-0.6	321.6
117.2	27923.2		J	2469.6	1.4	0.6	321.6
124.2	30430.1						
		Min	I	-302.4	-5.7	-0.7	-264.1
-15.5	-4018.7		J	-302.4	-5.7	0.6	-264.1
-17.1	-4595.5						
		INVS LE Max	I	1795.0	1.1	-0.5	218.8
87.7	20281.0		J	1795.0	1.1	0.5	218.8
92.7	22088.7						
		Min	I	-255.5	-4.1	-0.5	-213.8
-10.5	-3217.7		J	-255.5	-4.1	0.4	-213.8
-11.9	-3700.2						
560	2	70 C1-C2;~1 Max	I	1474.6	4.6	0.0	104.9
79.7	18340.5		J	1474.6	4.6	0.0	104.9
69.5	16193.7						
		Min	I	-564.6	-1.7	-0.0	-260.5
-23.5	-5885.8		J	-564.6	-1.7	-0.0	-260.5
-19.5	-5016.2						
		C3-C4;~1 Max	I	1398.1	4.5	0.0	109.3
71.9	16460.2		J	1398.1	4.5	0.0	109.3
61.5	14373.5						
		Min	I	-591.8	-1.8	-0.0	-225.6
-24.6	-6043.7		J	-591.8	-1.8	-0.0	-225.6
-20.4	-5137.6						
		C1-C2;~2 Max	I	891.9	2.8	0.0	60.3
50.4	11404.5						

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
44.6	10115.1		J	891.9	2.8	0.0	60.3
		Min	I	-324.0	-1.0	-0.0	-161.4
-13.5	-3366.8		J	-324.0	-1.0	-0.0	-161.4
-11.2	-2865.7						
		C3-C4;~2 Max	I	838.9	2.7	0.0	61.7
45.0	10137.1		J	838.9	2.7	0.0	61.7
39.0	8891.0	Min	I	-334.2	-1.0	-0.0	-136.2
-13.9	-3398.9		J	-334.2	-1.0	-0.0	-136.2
-11.5	-2885.6						
		G1	I	658.0	2.0	-0.5	-87.4
-10.2	6281.9		J	658.0	2.0	0.5	-87.4
-16.4	5242.1						
		G2	I	269.1	0.8	0.0	-36.1
12.5	2498.6		J	269.1	0.8	0.0	-36.1
10.1	2074.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	21.4	0.1	-0.0	-7.7
0.2	-1170.6		J	21.4	0.1	-0.0	-7.7
0.3	-1198.7						
		Q5_ps	I	18.0	0.1	-0.0	-7.2
0.1	-1222.4		J	18.0	0.1	-0.0	-7.2
0.3	-1248.9						
		INVSLU Max	I	2712.8	7.9	-0.6	203.6
124.1	30430.3		J	2712.8	7.9	0.7	203.6
106.9	26711.9	Min	I	-115.2	-0.8	-0.6	-309.6
-17.0	-4595.4		J	-115.2	-0.8	0.6	-309.6
-15.1	-4243.1						
		INVSLE Max	I	1976.6	5.8	-0.4	164.9
92.7	22088.8		J	1976.6	5.8	0.5	164.9
80.0	19397.9	Min	I	-115.4	-0.7	-0.5	-214.2
-11.8	-3700.1		J	-115.4	-0.7	0.5	-214.2
-10.2	-3371.8						
561	2	70 C1-C2;~1 Max	I	1523.5	12.3	0.0	303.5
71.2	16193.0		J	1523.5	12.3	0.0	303.5
107.9	10179.7	Min	I	-553.5	-4.7	-0.1	-758.9
-20.2	-5015.9		J	-553.5	-4.7	-0.1	-758.9

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-26.8	-2743.6						
63.1	14372.9	C3-C4;~1	Max	I	1445.7	11.7	0.0
96.8	8626.5			J	1445.7	11.7	0.0
-21.2	-5137.3		Min	I	-580.3	-4.9	-0.1
-28.1	-2756.2			J	-580.3	-4.9	-0.1
45.7	10114.7	C1-C2;~2	Max	I	919.9	7.4	0.0
65.9	6478.8			J	919.9	7.4	0.0
-11.6	-2865.5		Min	I	-317.6	-2.7	-0.1
-15.4	-1541.8			J	-317.6	-2.7	-0.1
40.0	8890.7	C3-C4;~2	Max	I	866.2	7.0	0.0
58.4	5440.7			J	866.2	7.0	0.0
-12.0	-2885.4		Min	I	-327.7	-2.8	-0.1
-15.9	-1522.0			J	-327.7	-2.8	-0.1
-15.6	5241.8		G1	I	719.1	5.7	-0.5
15.4	2339.0			J	719.1	5.7	0.4
10.4	2073.9		G2	I	293.2	2.3	-0.0
22.7	889.7			J	293.2	2.3	-0.0
0.0	0.0		Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.4	-1198.7		Q5_pc	I	20.7	0.2	0.0
-1.7	-1295.9			J	20.7	0.2	0.0
0.3	-1248.9		Q5_ps	I	17.0	0.2	0.0
-2.0	-1334.3			J	17.0	0.2	0.0
108.9	26710.8		INVSLU	Max	I	2944.0	21.6
221.7	16253.4			J	2944.0	21.6	0.5
-16.6	-4242.8		Min	I	66.5	-2.1	-0.9
35.1	-3542.6			J	66.5	-2.1	0.4
81.4	19397.2		INVSLE	Max	I	2149.4	15.6
				J	2149.4	15.6	0.4

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
164.8	11822.7		Min	I	20.7	-1.9	-0.7	-618.5	
-11.5	-3371.7			J	20.7	-1.9	0.3	-618.5	
26.8	-2668.3								
562	2	70	C1-C2;~1	Max	I	1568.5	20.1	0.3	459.4
111.3	10179.1				J	1568.5	20.1	0.3	459.4
11.1	2693.0		Min	I	-541.8	-7.5	-0.1	-1177.1	
-28.2	-2743.3			J	-541.8	-7.5	-0.1	-1177.1	
-71.1	-5194.7								
100.1	8625.8		C3-C4;~1	Max	I	1491.5	19.0	0.3	480.4
8.7	2442.9			J	1491.5	19.0	0.3	480.4	
-29.6	-2755.8		Min	I	-568.3	-7.9	-0.1	-1108.6	
-66.4	-5897.6			J	-568.3	-7.9	-0.1	-1108.6	
67.9	6478.3		C1-C2;~2	Max	I	946.1	12.1	0.2	263.7
6.4	1634.1			J	946.1	12.1	0.2	263.7	
-16.2	-1541.6		Min	I	-310.8	-4.3	-0.0	-707.8	
-43.8	-3019.2			J	-310.8	-4.3	-0.0	-707.8	
60.4	5440.2		C3-C4;~2	Max	I	893.1	11.4	0.2	271.4
4.8	1452.6			J	893.1	11.4	0.2	271.4	
-16.7	-1521.8		Min	I	-321.0	-4.5	-0.0	-660.5	
-40.5	-3452.6			J	-321.0	-4.5	-0.0	-660.5	
17.0	2338.9		G1	I	774.7	9.6	-0.3	-542.0	
-81.5	-2528.2			J	774.7	9.6	0.7	-542.0	
23.4	889.6		G2	I	314.7	3.9	0.1	-221.2	
-14.6	-1093.4			J	314.7	3.9	0.1	-221.2	
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
-1.6	-1295.9		Q5_pc	I	20.5	0.3	-0.0	-35.3	
0.9	-1454.2			J	20.5	0.3	-0.0	-35.3	
-1.9	-1334.4		Q5_ps	I	16.4	0.3	-0.0	-32.3	
1.4	-1470.3			J	16.4	0.3	-0.0	-32.3	

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

225.6	16253.4	INVSLE Max	I	3160.4	36.3	0.1	834.9
-74.5	1791.0		J	3160.4	36.3	1.4	834.9
32.6	-3541.4	Min	I	238.8	-2.1	-0.4	-1466.3
-187.0	-12423.9		J	238.8	-2.1	0.9	-1466.3
167.5	11822.7	INVSLE Max	I	2311.6	26.3	0.1	685.0
-53.9	1376.7		J	2311.6	26.3	1.0	685.0
24.7	-2667.3	Min	I	150.2	-2.1	-0.3	-1014.9
-137.1	-8958.9		J	150.2	-2.1	0.6	-1014.9
563	2	70 C1-C2;~1 Max	I	1604.9	26.8	0.1	522.7
12.1	2690.3		J	1604.9	26.8	0.1	522.7
272.2	6426.9	Min	I	-532.8	-9.9	-0.6	-1357.8
-67.3	-5202.2		J	-532.8	-9.9	-0.6	-1357.8
-57.7	-16125.4						
7.1	2440.6	C3-C4;~1 Max	I	1533.6	25.5	0.1	546.9
277.5	6683.5		J	1533.6	25.5	0.1	546.9
-62.5	-5905.0	Min	I	-559.2	-10.3	-0.6	-1279.1
-60.5	-16143.0		J	-559.2	-10.3	-0.6	-1279.1
7.3	1632.0	C1-C2;~2 Max	I	968.8	16.1	0.1	300.1
166.3	3675.2		J	968.8	16.1	0.1	300.1
-41.5	-3023.6	Min	I	-305.7	-5.7	-0.4	-815.8
-33.0	-9390.4		J	-305.7	-5.7	-0.4	-815.8
3.8	1450.7	C3-C4;~2 Max	I	919.3	15.2	0.1	308.9
174.0	3780.8		J	919.3	15.2	0.1	308.9
-38.1	-3456.9	Min	I	-315.8	-5.8	-0.4	-761.7
-34.1	-9328.7		J	-315.8	-5.8	-0.4	-761.7
-79.3	-2533.7	G1	I	817.6	13.1	-0.8	-635.8
103.0	-9167.6		J	817.6	13.1	0.1	-635.8
-13.7	-1095.6	G2	I	330.8	5.3	-0.1	-259.4
51.6	-3794.5		J	330.8	5.3	-0.1	-259.4
		Q3	I	0.0	0.0	0.0	0.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
1.0	-1454.4	Q5_pc		I	23.3	0.4	-0.0
				J	23.3	0.4	-0.0
7.5	-1656.1						
1.5	-1470.4	Q5_ps		I	19.2	0.3	-0.0
				J	19.2	0.3	-0.0
6.9	-1640.4						
-73.5	1785.4	INVS LU Max		I	3342.6	50.2	-1.1
				J	3342.6	50.2	0.1
646.5	422.7	Min		I	379.0	-0.6	-2.2
				J	379.0	-0.6	-1.0
-182.6	-12436.1						
176.6	-33374.2						
-53.4	1373.0	INVS LE Max		I	2448.4	36.5	-0.9
				J	2448.4	36.5	0.1
483.2	688.2	Min		I	256.3	-1.1	-1.7
				J	256.3	-1.1	-0.7
-134.1	-8967.5						
136.1	-24125.7						
574	2	70 C1-C2;~1 Max		I	1564.8	4.3	0.3
				J	1564.8	4.3	0.3
184.5	3177.7						
83.0	2031.4	Min		I	-270.3	-25.6	-0.0
				J	-270.3	-25.6	-0.0
-29.9	-18822.3						
-14.7	-6965.0						
172.4	3309.9	C3-C4;~1 Max		I	1633.0	4.5	0.3
				J	1633.0	4.5	0.3
75.8	1557.0	Min		I	-283.9	-26.8	-0.0
				J	-283.9	-26.8	-0.0
-30.9	-20322.0						
-15.4	-7733.1						
118.4	1816.4	C1-C2;~2 Max		I	929.9	2.5	0.2
				J	929.9	2.5	0.2
49.2	1177.6	Min		I	-154.8	-15.2	-0.0
				J	-154.8	-15.2	-0.0
-16.6	-11122.0						
-8.0	-4151.0						
111.7	1866.6	C3-C4;~2 Max		I	978.0	2.5	0.2
				J	978.0	2.5	0.2
45.1	865.9	Min		I	-160.1	-16.0	-0.0
				J	-160.1	-16.0	-0.0
-16.9	-12093.9						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-8.1	-4615.5						
		G1	I	1188.2	-19.6	-0.4	1145.7
52.6	-13657.8		J	1188.2	-19.6	0.5	1145.7
8.5	-4080.3						
		G2	I	482.7	-8.0	0.0	460.8
27.1	-5608.1		J	482.7	-8.0	0.0	460.8
20.2	-1706.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-39.4	0.4	-0.0	-67.3
-11.9	-874.7		J	-39.4	0.4	-0.0	-67.3
0.6	-1048.3						
		Q5_ps	I	-35.3	0.3	-0.0	-64.5
-16.4	-971.2		J	-35.3	0.3	-0.0	-64.5
0.4	-1106.7						
		INVS LU Max	I	4670.3	-30.0	-0.1	2749.9
442.5	-20493.9		J	4670.3	-30.0	1.1	2749.9
241.9	-4255.6						
		Min	I	2011.5	-72.9	-0.6	182.8
130.2	-53971.3		J	2011.5	-72.9	0.6	182.8
108.1	-19324.7						
		INVS LE Max	I	3457.3	-22.1	-0.1	1970.1
331.3	-15145.3		J	3457.3	-22.1	0.8	1970.1
181.5	-3184.8						
		Min	I	1493.2	-53.9	-0.4	77.4
101.5	-39826.8		J	1493.2	-53.9	0.5	77.4
82.4	-14207.3						
575	2	70 C1-C2;~1 Max	I	1510.2	3.2	0.1	1313.6
78.4	2033.3		J	1510.2	3.2	0.1	1313.6
70.1	6280.4						
		Min	I	-254.1	-19.1	-0.1	-219.8
-14.0	-6957.9		J	-254.1	-19.1	-0.1	-219.8
-11.5	-712.5						
		C3-C4;~1 Max	I	1584.6	3.4	0.1	1346.2
71.3	1557.6		J	1584.6	3.4	0.1	1346.2
82.7	4699.3						
		Min	I	-267.0	-20.0	-0.1	-230.8
-15.0	-7725.5		J	-267.0	-20.0	-0.1	-230.8
-8.7	-1064.3						
		C1-C2;~2 Max	I	895.9	1.8	0.1	781.7
46.5	1179.0		J	895.9	1.8	0.1	781.7

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
42.0	3852.8		Min	I	-145.5	-11.3	-0.0	-125.8
-7.6	-4146.8			J	-145.5	-11.3	-0.0	-125.8
-6.4	-372.6							
42.4	866.5	C3-C4;~2	Max	I	947.7	1.9	0.0	805.4
				J	947.7	1.9	0.0	805.4
50.3	2760.4		Min	I	-150.6	-11.9	-0.1	-130.1
-7.9	-4610.9			J	-150.6	-11.9	-0.1	-130.1
-4.6	-610.5							
4.5	-4074.2	G1		I	1157.6	-14.6	-0.5	1001.2
				J	1157.6	-14.6	0.4	1001.2
11.1	3082.6							
18.6	-1704.4	G2		I	472.1	-6.0	-0.0	402.1
				J	472.1	-6.0	-0.0	402.1
20.5	1209.5							
0.0	0.0	Q3		I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
0.8	-1048.7	Q5_pc		I	-35.8	0.2	-0.0	-60.9
				J	-35.8	0.2	-0.0	-60.9
1.5	-1149.1							
0.6	-1107.0	Q5_ps		I	-30.6	0.2	-0.0	-59.1
				J	-30.6	0.2	-0.0	-59.1
2.7	-1181.7							
234.1	-4246.6	INVSLU	Max	I	4562.9	-21.5	-0.5	2319.1
				J	4562.9	-21.5	0.8	2319.1
245.6	14385.8		Min	I	1998.7	-53.4	-0.8	80.7
106.4	-19308.5			J	1998.7	-53.4	0.5	80.7
115.9	2276.4							
175.9	-3178.4	INVSLE	Max	I	3378.8	-15.8	-0.3	1656.5
				J	3378.8	-15.8	0.6	1656.5
184.8	10557.8		Min	I	1484.2	-39.4	-0.6	6.5
81.4	-14195.6			J	1484.2	-39.4	0.3	6.5
88.9	1795.8							
576	2	70 C1-C2;~1	Max	I	1464.7	2.0	0.0	896.3
66.3	6280.9			J	1464.7	2.0	0.0	896.3
55.9	11038.9		Min	I	-242.8	-11.7	-0.1	-150.0
-11.9	-712.6			J	-242.8	-11.7	-0.1	-150.0
-7.8	-1486.3							


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


78.7	4700.0	C3-C4;~1	Max	I	1537.3	2.1	0.1	908.2
				J	1537.3	2.1	0.1	908.2
62.4	10031.8		Min	I	-255.1	-12.3	-0.0	-157.4
-8.3	-1064.1			J	-255.1	-12.3	-0.0	-157.4
-8.2	-1563.1							
39.7	3853.2	C1-C2;~2	Max	I	868.9	1.1	0.0	535.2
				J	868.9	1.1	0.0	535.2
34.7	6652.1		Min	I	-139.0	-7.0	-0.0	-85.9
-6.7	-372.7			J	-139.0	-7.0	-0.0	-85.9
-4.5	-846.8							
47.9	2760.9	C3-C4;~2	Max	I	919.4	1.2	0.0	544.5
				J	919.4	1.2	0.0	544.5
39.5	5971.5		Min	I	-143.8	-7.3	-0.0	-88.7
-4.4	-610.3			J	-143.8	-7.3	-0.0	-88.7
-4.6	-877.9							
8.0	3083.2		G1	I	1131.0	-8.9	-0.4	679.4
				J	1131.0	-8.9	0.5	679.4
0.7	7449.2							
19.2	1209.7		G2	I	461.8	-3.6	0.0	272.1
				J	461.8	-3.6	0.0	272.1
15.9	2985.6							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
1.7	-1149.1		Q5_pc	I	-34.4	0.0	0.0	-43.0
				J	-34.4	0.0	0.0	-43.0
0.7	-1154.3							
2.9	-1181.7		Q5_ps	I	-29.2	-0.0	0.0	-42.7
				J	-29.2	-0.0	0.0	-42.7
0.9	-1174.6							
239.2	14386.1	INVSLU	Max	I	4454.7	-12.9	-0.5	1522.6
				J	4454.7	-12.9	0.7	1522.6
197.4	28488.0		Min	I	1973.1	-32.3	-0.6	6.7
113.8	2276.1			J	1973.1	-32.3	0.6	6.7
100.8	9397.5							
180.2	10557.9	INVSLE	Max	I	3299.3	-9.5	-0.4	1084.2
				J	3299.3	-9.5	0.5	1084.2
149.1	20964.0							

PROJECT TITLE :

		Company						Client	
		Author						File Name	
							PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
87.5	1795.5		Min	I	1465.6	-23.8	-0.5	-32.9	
				J	1465.6	-23.8	0.4	-32.9	
77.6	6976.8								
577	2	70	C1-C2;~1	Max	I	1413.5	0.7	0.0	402.7
53.6	11039.1			J	1413.5	0.7	0.0	402.7	
55.7	12715.3								
			Min	I	-231.0	-4.4	-0.0	-66.5	
-7.4	-1486.3			J	-231.0	-4.4	-0.0	-66.5	
-5.3	-1837.1								
			C3-C4;~1	Max	I	1481.5	0.8	0.0	393.4
60.1	10032.0			J	1481.5	0.8	0.0	393.4	
61.8	11972.2								
			Min	I	-242.7	-4.7	-0.0	-69.6	
-7.8	-1563.1			J	-242.7	-4.7	-0.0	-69.6	
-5.5	-1930.7								
			C1-C2;~2	Max	I	839.1	0.4	0.0	244.0
33.3	6652.2			J	839.1	0.4	0.0	244.0	
35.3	7623.3								
			Min	I	-132.3	-2.7	-0.0	-38.0	
-4.2	-846.8			J	-132.3	-2.7	-0.0	-38.0	
-3.0	-1049.1								
			C3-C4;~2	Max	I	886.7	0.4	0.0	238.4
38.1	5971.6			J	886.7	0.4	0.0	238.4	
39.9	7130.2								
			Min	I	-136.8	-2.8	-0.0	-39.2	
-4.4	-877.9			J	-136.8	-2.8	-0.0	-39.2	
-3.1	-1086.6								
			G1	I	1096.3	-3.2	-0.5	294.4	
-1.1	7449.3			J	1096.3	-3.2	0.4	294.4	
1.4	9001.3								
			G2	I	447.7	-1.3	0.0	117.2	
15.3	2985.7			J	447.7	-1.3	0.0	117.2	
14.9	3615.1								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	-33.6	-0.2	0.0	-19.3	
0.8	-1154.3			J	-33.6	-0.2	0.0	-19.3	
0.1	-1058.2								
			Q5_ps	I	-28.9	-0.2	0.0	-20.2	
1.1	-1174.6			J	-28.9	-0.2	0.0	-20.2	
0.2	-1078.4								


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
193.8	28489.1	INVSLE Max	I	4318.8	-4.3	-0.5	679.5
			J	4318.8	-4.3	0.7	679.5
185.9	33362.8	Min	I	1930.7	-12.0	-0.6	7.3
100.6	9398.4		J	1930.7	-12.0	0.6	7.3
94.8	11686.0						
146.5	20964.9	INVSLE Max	I	3199.3	-3.2	-0.4	484.2
			J	3199.3	-3.2	0.5	484.2
140.5	24568.3	Min	I	1434.8	-8.8	-0.5	-11.2
77.6	6977.5		J	1434.8	-8.8	0.4	-11.2
73.1	8652.5						
578	2	63 C1-C2;~1 Max	I	1334.4	3.7	0.0	27.1
55.2	12725.8		J	1334.4	3.7	0.0	27.1
72.7	11011.2	Min	I	-215.1	-0.5	-0.1	-211.8
-5.2	-1838.9		J	-215.1	-0.5	-0.1	-211.8
-9.7	-1618.6						
61.3	11983.1	C3-C4;~1 Max	I	1395.8	3.4	0.0	28.3
			J	1395.8	3.4	0.0	28.3
82.0	10389.8	Min	I	-225.9	-0.5	-0.1	-224.4
-5.4	-1932.6		J	-225.9	-0.5	-0.1	-224.4
-10.2	-1699.8						
35.0	7629.5	C1-C2;~2 Max	I	793.0	2.2	0.0	15.4
			J	793.0	2.2	0.0	15.4
43.9	6588.7	Min	I	-123.2	-0.3	-0.0	-128.5
-3.0	-1050.2		J	-123.2	-0.3	-0.0	-128.5
-5.5	-922.1						
39.5	7136.7	C3-C4;~2 Max	I	836.3	2.1	0.0	15.9
			J	836.3	2.1	0.0	15.9
50.3	6183.1	Min	I	-127.4	-0.3	-0.0	-136.0
-3.0	-1087.6		J	-127.4	-0.3	-0.0	-136.0
-5.7	-954.5						
1.0	9009.7	G1	I	1038.6	2.6	-0.4	-137.5
			J	1038.6	2.6	0.4	-137.5
20.3	7748.3						
14.8	3618.5	G2	I	424.0	1.1	-0.0	-55.9
			J	424.0	1.1	-0.0	-55.9
21.8	3103.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.2	-1058.7	Q5_pc	I	-32.5	-0.4	-0.0	8.8
0.3	-856.9		J	-32.5	-0.4	-0.0	8.8
0.3	-1078.9	Q5_ps	I	-28.4	-0.4	-0.0	7.0
0.9	-887.8		J	-28.4	-0.4	-0.0	7.0
185.0	33378.2	INVSLU Max	I	4096.8	9.8	-0.6	52.5
238.0	28709.6		J	4096.8	9.8	0.5	52.5
94.7	11683.7	Min	I	1848.9	3.4	-0.7	-304.6
113.1	10007.2		J	1848.9	3.4	0.4	-304.6
139.9	24579.1	INVSLE Max	I	3035.7	7.2	-0.4	47.6
178.5	21150.4		J	3035.7	7.2	0.4	47.6
73.0	8650.2	Min	I	1374.9	2.5	-0.5	-215.7
86.1	7411.0		J	1374.9	2.5	0.3	-215.7
579	2	63 C1-C2;~1 Max	I	1277.0	10.7	0.1	116.4
74.4	11010.1		J	1277.0	10.7	0.1	116.4
74.3	6109.1	Min	I	-203.1	-1.6	-0.1	-757.3
-9.9	-1618.5		J	-203.1	-1.6	-0.1	-757.3
-11.2	-887.7						
83.8	10388.7	C3-C4;~1 Max	I	1331.8	10.9	0.1	122.5
69.1	5453.3		J	1331.8	10.9	0.1	122.5
-10.5	-1699.7	Min	I	-213.2	-1.7	-0.0	-787.0
-11.6	-929.7		J	-213.2	-1.7	-0.0	-787.0
44.9	6588.0	C1-C2;~2 Max	I	759.7	6.4	0.0	66.6
44.3	3663.7		J	759.7	6.4	0.0	66.6
-5.7	-922.0	Min	I	-116.3	-0.9	-0.0	-452.0
-6.3	-492.8		J	-116.3	-0.9	-0.0	-452.0
51.4	6182.4	C3-C4;~2 Max	I	798.7	6.5	0.0	69.1
41.3	3233.4		J	798.7	6.5	0.0	69.1
-5.9	-954.4	Min	I	-120.2	-1.0	-0.0	-472.2
-6.4	-509.9		J	-120.2	-1.0	-0.0	-472.2

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

21.6	7747.5	G1	I	996.5	8.1	-0.4	-560.1
13.1	3762.5		J	996.5	8.1	0.4	-560.1
22.3	3102.7	G2	I	406.3	3.3	0.0	-225.1
18.5	1479.7		J	406.3	3.3	0.0	-225.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.2	-856.8	Q5_pc	I	-32.1	-0.6	0.0	36.5
-1.7	-551.0		J	-32.1	-0.6	0.0	36.5
0.8	-887.7	Q5_ps	I	-28.8	-0.6	0.0	34.0
-2.2	-601.5		J	-28.8	-0.6	0.0	34.0
240.6	28707.8	INVSLU Max	I	3941.0	29.4	-0.4	68.9
207.2	14856.0		J	3941.0	29.4	0.7	68.9
113.0	10007.3	Min	I	1797.5	11.3	-0.6	-1224.6
88.2	4361.8		J	1797.5	11.3	0.5	-1224.6
180.4	21149.1	INVSLE Max	I	2921.4	21.7	-0.3	83.7
155.4	10950.1		J	2921.4	21.7	0.5	83.7
85.9	7411.1	Min	I	1337.9	8.4	-0.4	-869.5
67.4	3250.1		J	1337.9	8.4	0.4	-869.5
580	2	63 C1-C2;~1 Max	I	1226.4	17.3	0.2	182.0
77.3	6108.1		J	1226.4	17.3	0.2	182.0
34.4	1171.9	Min	I	-191.5	-2.7	-0.0	-1158.2
-11.7	-887.5		J	-191.5	-2.7	-0.0	-1158.2
-21.8	-4523.9						
72.3	5452.3	C3-C4;~1 Max	I	1276.2	17.7	0.1	191.4
47.4	932.3		J	1276.2	17.7	0.1	191.4
-12.1	-929.6	Min	I	-201.0	-2.8	-0.1	-1197.3
-14.2	-4928.6		J	-201.0	-2.8	-0.1	-1197.3
46.1	3663.2	C1-C2;~2 Max	I	730.4	10.4	0.1	104.2
19.6	702.8		J	730.4	10.4	0.1	104.2


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-6.6	-492.7		Min	I	-109.6	-1.5	-0.0	-690.6
				J	-109.6	-1.5	-0.0	-690.6
-12.6	-2729.5							
43.3	3232.8	C3-C4;~2	Max	I	766.1	10.6	0.1	107.9
				J	766.1	10.6	0.1	107.9
27.9	542.5							
			Min	I	-113.3	-1.6	-0.0	-718.0
-6.7	-509.8			J	-113.3	-1.6	-0.0	-718.0
-7.9	-2968.2							
15.7	3761.8		G1	I	957.1	13.3	-0.3	-871.1
				J	957.1	13.3	0.5	-871.1
-13.4	-2748.4							
19.5	1479.4		G2	I	389.5	5.4	0.0	-349.8
				J	389.5	5.4	0.0	-349.8
10.1	-1170.3							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
-1.9	-551.0		Q5_pc	I	-31.9	-0.8	-0.0	55.8
				J	-31.9	-0.8	-0.0	55.8
3.5	-150.7							
-2.3	-601.4		Q5_ps	I	-29.3	-0.8	-0.0	53.2
				J	-29.3	-0.8	-0.0	53.2
5.3	-227.5							
212.2	14854.8		INVSLU Max	I	3806.8	48.6	-0.3	-20.2
				J	3806.8	48.6	0.8	-20.2
157.2	-3910.3							
			Min	I	1755.1	19.5	-0.6	-1995.4
88.2	4362.2			J	1755.1	19.5	0.5	-1995.4
57.4	-12417.1							
158.9	10949.2		INVSLE Max	I	2823.5	35.9	-0.2	31.7
				J	2823.5	35.9	0.6	31.7
119.2	-2873.4							
			Min	I	1308.0	14.4	-0.4	-1424.0
67.3	3250.4			J	1308.0	14.4	0.4	-1424.0
45.7	-9154.6							
581	2	63	C1-C2;~1 Max	I	1166.2	22.6	0.1	211.3
38.0	1169.9			J	1166.2	22.6	0.1	211.3
93.6	2253.4							
			Min	I	-174.1	-3.5	-0.1	-1330.1
-20.3	-4531.5			J	-174.1	-3.5	-0.1	-1330.1
-59.7	-15009.3							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
51.7	932.3	C3-C4;~1 Max	I	1223.7	23.1	0.1	222.0
			J	1223.7	23.1	0.1	222.0
102.4	2373.2	Min	I	-182.9	-3.7	-0.1	-1369.0
-13.0	-4937.1		J	-182.9	-3.7	-0.1	-1369.0
-44.2	-15875.2						
		C1-C2;~2 Max	I	694.5	13.5	0.1	120.9
21.8	701.4		J	694.5	13.5	0.1	120.9
59.7	1286.0	Min	I	-99.7	-2.0	-0.1	-793.7
-11.6	-2733.8		J	-99.7	-2.0	-0.1	-793.7
-34.3	-8939.3						
		C3-C4;~2 Max	I	735.1	13.9	0.0	125.1
30.5	542.5		J	735.1	13.9	0.0	125.1
65.2	1332.3	Min	I	-103.1	-2.1	-0.1	-821.6
-7.2	-2973.3		J	-103.1	-2.1	-0.1	-821.6
-25.1	-9513.9						
		G1	I	904.9	17.5	-0.4	-1005.3
-10.0	-2755.2		J	904.9	17.5	0.4	-1005.3
-22.7	-11294.0						
		G2	I	367.3	7.1	0.0	-403.6
11.5	-1173.1		J	367.3	7.1	0.0	-403.6
-2.1	-4646.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-28.9	-1.0	0.0	63.6
3.3	-150.4		J	-28.9	-1.0	0.0	63.6
-0.1	320.5						
		Q5_ps	I	-26.1	-0.9	0.0	61.4
5.1	-227.2		J	-26.1	-0.9	0.0	61.4
-1.0	214.2						
		INVSLU Max	I	3656.9	65.2	-0.3	-140.2
164.4	-3920.7		J	3656.9	65.2	0.8	-140.2
174.8	-18321.5	Min	I	1706.0	27.2	-0.6	-2402.7
61.3	-12435.8		J	1706.0	27.2	0.5	-2402.7
-44.2	-43533.9						
		INVSLE Max	I	2715.0	48.2	-0.2	-54.2
124.3	-2880.8		J	2715.0	48.2	0.6	-54.2
136.0	-13524.8	Min	I	1273.8	20.2	-0.5	-1721.7


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
48.4	-9168.3							
-26.2	-32157.9			J	1273.8	20.2	0.3	-1721.7
612	2	82	C1-C2;~1 Max	I	312.7	23.8	1.5	150.8
796.5	15588.2			J	312.7	23.8	1.5	150.8
284.1	7392.0		Min	I	-1330.1	-10.6	-0.4	-1056.9
-378.8	-13322.5			J	-1330.1	-10.6	-0.4	-1056.9
-427.5	-9123.1							
			C3-C4;~1 Max	I	370.5	19.3	1.4	98.8
756.1	13210.3			J	370.5	19.3	1.4	98.8
223.6	5654.3		Min	I	-1374.5	-12.4	-0.5	-980.1
-437.4	-13165.7			J	-1374.5	-12.4	-0.5	-980.1
-426.4	-8247.1							
			C1-C2;~2 Max	I	211.9	12.4	1.0	90.3
548.0	8544.0			J	211.9	12.4	1.0	90.3
173.4	4685.0		Min	I	-719.2	-6.3	-0.2	-595.6
-194.4	-8691.4			J	-719.2	-6.3	-0.2	-595.6
-234.6	-6056.2							
			C3-C4;~2 Max	I	252.9	9.9	1.0	56.8
521.5	7178.2			J	252.9	9.9	1.0	56.8
147.6	3425.5		Min	I	-743.6	-7.2	-0.3	-522.3
-226.0	-8442.5			J	-743.6	-7.2	-0.3	-522.3
-236.7	-5395.2							
			G1	I	-1568.3	14.1	-0.7	-1032.7
-278.3	8084.4			J	-1568.3	14.1	1.4	-1032.7
-442.6	1016.6							
			G2	I	-626.8	5.8	0.0	-404.1
-120.2	3648.9			J	-626.8	5.8	0.0	-404.1
-136.7	744.5							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	45.0	-24.9	-1.1	-75.8
-423.3	-23223.3			J	45.0	-24.9	-1.1	-75.8
115.0	-10697.2							
			Q5_ps	I	38.1	-24.4	-1.1	-83.4
-435.5	-22235.0			J	38.1	-24.4	-1.1	-83.4
107.7	-9998.1							
			INVSLU Max	I	-4187.6	90.9	2.1	-2046.4

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
440.7	72938.4			J	-4187.6	90.9	4.9	-2046.4
-776.8	31130.2		Min	I	-6624.2	-9.9	-2.9	-3813.2
1986.9	-17034.6			J	-6624.2	-9.9	-0.1	-3813.2
1944.5	-13364.7							
			INVSLE Max	I	-3196.1	66.1	1.5	-1553.7
272.7	52070.4			J	-3196.1	66.1	3.6	-1553.7
-600.5	22250.1		Min	I	-4995.0	-4.2	-2.0	-2852.4
1469.1	-9635.1			J	-4995.0	-4.2	0.0	-2852.4
1450.1	-8487.2							
613	2	82	C1-C2;~1 Max	I	244.6	21.3	0.9	163.3
284.2	7392.3			J	244.6	21.3	0.9	163.3
150.5	6992.3		Min	I	-1383.3	-10.8	-0.7	-1033.2
-426.3	-9123.2			J	-1383.3	-10.8	-0.7	-1033.2
-352.2	-13728.6							
			C3-C4;~1 Max	I	302.9	16.7	0.7	87.3
224.0	5654.5			J	302.9	16.7	0.7	87.3
227.9	6667.1		Min	I	-1433.6	-12.7	-0.8	-956.3
-425.0	-8246.3			J	-1433.6	-12.7	-0.8	-956.3
-332.2	-10698.9							
			C1-C2;~2 Max	I	166.2	11.0	0.5	96.4
173.5	4685.3			J	166.2	11.0	0.5	96.4
96.8	4067.9		Min	I	-741.2	-6.2	-0.4	-588.0
-234.0	-6056.2			J	-741.2	-6.2	-0.4	-588.0
-192.7	-7718.1							
			C3-C4;~2 Max	I	207.6	8.5	0.4	46.4
147.8	3425.7			J	207.6	8.5	0.4	46.4
149.7	3547.8		Min	I	-769.4	-7.2	-0.4	-515.0
-235.9	-5394.6			J	-769.4	-7.2	-0.4	-515.0
-179.5	-5841.0							
			G1	I	-1713.1	10.1	-1.1	-960.7
-440.4	1015.1			J	-1713.1	10.1	0.9	-960.7
-390.9	-4039.7							
			G2	I	-681.6	4.2	-0.0	-374.1
-135.8	743.8			J	-681.6	4.2	-0.0	-374.1
-115.9	-1358.6							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0							
115.2	-10695.5	Q5_pc	I	59.8	-24.8	0.2	-77.9	
20.7	1768.9		J	59.8	-24.8	0.2	-77.9	
107.8	-9996.5	Q5_ps	I	52.9	-24.3	0.2	-84.5	
28.1	2185.4		J	52.9	-24.3	0.2	-84.5	
-771.6	31123.8	INVSLU Max	I	-4572.9	75.7	-0.1	-1845.3	
-853.3	8550.6		J	-4572.9	75.7	2.7	-1845.3	
1938.1	-13366.7	Min	I	-7024.7	-21.6	-2.8	-3600.8	-
1673.6	-22606.7		J	-7024.7	-21.6	0.1	-3600.8	-
-596.5	22245.6	INVSLE Max	I	-3484.1	54.5	-0.1	-1401.3	
-653.7	6418.8		J	-3484.1	54.5	2.0	-1401.3	
1445.2	-8489.0	Min	I	-5292.3	-13.1	-2.0	-2691.3	-
1258.6	-16424.8		J	-5292.3	-13.1	0.1	-2691.3	-
614	2	82 C1-C2;~1 Max	I	189.9	19.6	0.3	193.3	
150.9	6992.5		J	189.9	19.6	0.3	193.3	
165.4	8808.7	Min	I	-1449.5	-11.1	-0.4	-990.8	
-351.8	-13729.3		J	-1449.5	-11.1	-0.4	-990.8	
-306.4	-20982.4							
228.3	6667.5	C3-C4;~1 Max	I	242.6	15.1	0.4	84.6	
221.2	10763.3		J	242.6	15.1	0.4	84.6	
-331.7	-10699.3	Min	I	-1506.7	-13.3	-0.3	-923.4	
-314.9	-15896.4		J	-1506.7	-13.3	-0.3	-923.4	
97.0	4067.9	C1-C2;~2 Max	I	130.0	10.1	0.2	114.8	
115.0	4653.4		J	130.0	10.1	0.2	114.8	
-192.6	-7718.4	Min	I	-769.6	-6.2	-0.3	-572.1	
-163.4	-11085.7		J	-769.6	-6.2	-0.3	-572.1	
149.9	3547.9	C3-C4;~2 Max	I	167.5	7.6	0.2	42.0	
155.2	5556.1		J	167.5	7.6	0.2	42.0	
-179.3	-5841.2	Min	I	-801.2	-7.3	-0.2	-507.0	
-167.2	-8170.7		J	-801.2	-7.3	-0.2	-507.0	


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-389.8	-4039.8	G1	I	-1865.4	7.2	-1.0	-844.2
			J	-1865.4	7.2	1.1	-844.2
-430.4	-7670.0						
		G2	I	-740.1	3.1	0.0	-324.4
-115.5	-1358.7		J	-740.1	3.1	0.0	-324.4
-135.7	-2892.3						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	62.0	-24.7	0.1	-93.4
20.8	1770.1		J	62.0	-24.7	0.1	-93.4
-8.5	14173.2						
		Q5_ps	I	54.0	-24.2	0.1	-96.8
28.2	2186.6		J	54.0	-24.2	0.1	-96.8
-7.4	14315.5						
		INVSLU Max	I	-4976.9	66.2	-0.7	-1518.9
-850.0	8552.1		J	-4976.9	66.2	2.2	-1518.9
-972.5	18270.0						
		Min	I	-7450.1	-29.7	-1.8	-3285.5
1670.6	-22608.4		J	-7450.1	-29.7	1.0	-3285.5
1711.5	-51785.9						
		INVSLE Max	I	-3785.2	46.6	-0.5	-1155.1
-651.2	6419.9		J	-3785.2	46.6	1.6	-1155.1
-741.0	12120.9						
		Min	I	-5608.9	-19.2	-1.4	-2451.3
1256.3	-16426.0		J	-5608.9	-19.2	0.7	-2451.3
1287.3	-37237.0						
		82 C1-C2;~1 Max	I	145.6	18.2	0.1	227.5
615	2		J	145.6	18.2	0.1	227.5
165.6	8809.1						
		Min	I	-1519.1	-11.7	-0.1	-936.6
159.8	12708.8		J	-1519.1	-11.7	-0.1	-936.6
-305.6	-20983.3						
		C3-C4;~1 Max	I	190.3	13.6	0.2	104.0
-326.9	-29209.2		J	190.3	13.6	0.2	104.0
		Min	I	-1583.3	-14.1	-0.1	-878.9
221.5	10763.9		J	-1583.3	-14.1	-0.1	-878.9
213.9	16874.1						
		C1-C2;~2 Max	I	100.5	9.3	0.1	135.4
-314.1	-15897.1		J	100.5	9.3	0.1	135.4
-337.9	-22211.3						
		Min	I	-799.3	-6.4	-0.0	-548.7


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
-163.0	-11086.1			J	-799.3	-6.4	-0.0	-548.7		
-172.4	-15168.6									
		C3-C4;~2	Max	I	132.5	6.8	0.1	52.7		
155.4	5556.4			J	132.5	6.8	0.1	52.7		
150.6	8727.1		Min	I	-834.2	-7.6	-0.1	-492.4		
-166.8	-8171.0			J	-834.2	-7.6	-0.1	-492.4		
-178.2	-11341.0									
				G1	I	-2018.5	4.2	-0.9	-709.5	
-429.4	-7670.5			J	-2018.5	4.2	1.2	-709.5		
-483.2	-9754.3									
				G2	I	-799.2	1.8	0.0	-266.3	
-135.3	-2892.5			J	-799.2	1.8	0.0	-266.3		
-156.3	-3808.9									
				Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0		
0.0	0.0									
				Q5_pc	I	61.9	-24.6	-0.0	-108.4	
-8.3	14174.6			J	61.9	-24.6	-0.0	-108.4		
1.3	26521.0									
				Q5_ps	I	52.4	-24.1	-0.0	-107.4	
-7.2	14316.9			J	52.4	-24.1	-0.0	-107.4		
1.6	26399.8									
				INVSLE Max	I	-5373.4	56.5	-0.9	-1166.8	
-970.0	18271.5			J	-5373.4	56.5	1.9	-1166.8		
1113.4	36744.1							-		
			Min	I	-7879.2	-38.5	-1.3	-2933.4		
1708.1	-51789.5			J	-7879.2	-38.5	1.5	-2933.4		
1860.7	-77938.4							-		
				INVSLE Max	I	-4080.4	39.1	-0.7	-889.6	
-739.2	12121.8			J	-4080.4	39.1	1.4	-889.6		
-845.6	24512.3									
			Min	I	-5928.3	-25.9	-0.9	-2183.8		
1284.7	-37239.5			J	-5928.3	-25.9	1.1	-2183.8		
1399.0	-55736.4							-		
		82	C1-C2;~1	Max	I	106.4	16.9	0.0	266.9	
616	2			J	106.4	16.9	0.0	266.9		
160.1	12709.3									
388.6	17451.1			Min	I	-1590.5	-12.6	-0.9	-873.0	
-326.3	-29210.2			J	-1590.5	-12.6	-0.9	-873.0		
-144.1	-37331.1									
				C3-C4;~1	Max	I	139.9	12.3	0.0	136.5


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
214.2	16874.8			J	139.9	12.3	0.0	136.5		
504.7	23953.5		Min	I	-1662.1	-15.3	-1.0	-825.6		
-337.3	-22212.0			J	-1662.1	-15.3	-1.0	-825.6		
-112.5	-28161.6									
			C1-C2;~2	Max	I	74.0	8.6	0.0	158.7	
111.7	6493.9			J	74.0	8.6	0.0	158.7		
238.7	8715.9		Min	I	-829.4	-6.7	-0.4	-519.2		
-172.1	-15169.1			J	-829.4	-6.7	-0.4	-519.2		
-78.6	-19267.0									
			C3-C4;~2	Max	I	98.1	6.2	0.0	71.8	
150.8	8727.4			J	98.1	6.2	0.0	71.8		
316.4	12346.5		Min	I	-867.8	-8.1	-0.5	-472.6		
-177.9	-11341.4			J	-867.8	-8.1	-0.5	-472.6		
-61.6	-14327.5									
			G1	I	-2172.1	0.8	-2.2	-562.4		
-482.3	-9754.6			J	-2172.1	0.8	-0.1	-562.4		
98.3	-10160.7									
			G2	I	-858.6	0.5	-0.4	-203.1		
-156.0	-3809.0			J	-858.6	0.5	-0.4	-203.1		
67.5	-4056.8									
			Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0			J	0.0	0.0	0.0	0.0		
0.0	0.0									
			Q5_pc	I	61.5	-24.5	0.2	-122.3		
1.4	26522.4			J	61.5	-24.5	0.2	-122.3		
-80.9	38812.4									
			Q5_ps	I	50.2	-24.0	0.1	-116.6		
1.7	26401.2			J	50.2	-24.0	0.1	-116.6		
-66.1	38440.2									
			INVSLU	Max	I	-5767.1	46.4	-3.6	-792.3	-
1111.0	36746.4			J	-5767.1	46.4	-0.7	-792.3		
539.8	60319.7		Min	I	-8310.4	-48.1	-5.3	-2551.1	-	
1858.1	-77941.4			J	-8310.4	-48.1	-2.5	-2551.1		
-481.7	-99336.6									
			INVSLE	Max	I	-4373.5	31.4	-2.7	-607.4	
-843.8	24513.8			J	-4373.5	31.4	-0.6	-607.4		
380.3	40763.3		Min	I	-6249.3	-33.2	-3.9	-1893.9	-	
1397.0	-55738.4									


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-365.6	-70642.0			J	-6249.3	-33.2	-1.8	-1893.9	
617	2	82	C1-C2;~1	Max	I	72.3	15.7	4.3	309.9
389.2	17451.6			J	72.3	15.7	4.3	309.9	
39.3	23064.7			Min	I	-1659.4	-13.9	-0.1	-831.2
-144.0	-37331.9			J	-1659.4	-13.9	-0.1	-831.2	-
1966.4	-44672.7								
			C3-C4;~1	Max	I	91.6	11.2	5.0	178.6
505.4	23954.2			J	91.6	11.2	5.0	178.6	
20.4	31939.2			Min	I	-1738.3	-16.9	-0.1	-782.9
-112.4	-28162.1			J	-1738.3	-16.9	-0.1	-782.9	-
2247.6	-33463.5								
			C1-C2;~2	Max	I	50.8	8.1	2.2	184.4
239.1	8716.1			J	50.8	8.1	2.2	184.4	
20.8	11382.4			Min	I	-858.1	-7.3	-0.1	-507.1
-78.5	-19267.3			J	-858.1	-7.3	-0.1	-507.1	
-978.2	-22931.2								
			C3-C4;~2	Max	I	64.6	5.7	2.6	97.2
316.8	12346.9			J	64.6	5.7	2.6	97.2	
11.9	16404.9			Min	I	-899.8	-8.8	-0.0	-461.7
-61.5	-14327.8			J	-899.8	-8.8	-0.0	-461.7	-
1138.5	-16973.7								
			G1	I	-2320.4	-2.8	4.9	-411.5	
98.9	-10160.6			J	-2320.4	-2.8	7.0	-411.5	-
2885.6	-8758.8								
			G2	I	-915.9	-0.9	2.3	-139.9	
67.8	-4056.7			J	-915.9	-0.9	2.3	-139.9	-
1085.7	-3586.7								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	60.3	-24.4	-0.7	-136.2	
-80.7	38813.5			J	60.3	-24.4	-0.7	-136.2	
280.5	51047.6								
			Q5_ps	I	47.4	-23.9	-0.6	-126.6	
-66.0	38441.3			J	47.4	-23.9	-0.6	-126.6	
223.6	50437.9								
			INVSLU	Max	I	-6145.2	35.9	18.3	-405.0
542.1	60322.3								

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
6034.8	89261.1		J	-6145.2	35.9	21.2	-405.0	-
		Min	I	-8724.3	-58.5	10.0	-2190.6	
-479.9	-99338.2		J	-8724.3	-58.5	12.8	-2190.6	-
9684.9	-115156.5							
		INVSLE Max	I	-4654.9	23.5	13.6	-315.9	
381.9	40765.1		J	-4654.9	23.5	15.7	-315.9	-
4542.1	61070.7							
		Min	I	-6557.2	-41.1	7.5	-1620.5	
-364.3	-70643.1		J	-6557.2	-41.1	9.6	-1620.5	-
7202.4	-81073.4							
618	2	82 C1-C2;~1 Max	I	36.8	14.6	0.6	351.9	
39.2	23065.7		J	36.8	14.6	0.6	351.9	1
0243.9	30348.9							
		Min	I	-1737.6	-15.4	-24.0	-773.3	-
1965.9	-44674.8		J	-1737.6	-15.4	-24.0	-773.3	
-292.3	-51216.8							
		C3-C4;~1 Max	I	47.1	10.0	0.3	222.2	
20.4	31940.7		J	47.1	10.0	0.3	222.2	1
1968.0	40950.5							
		Min	I	-1827.1	-18.8	-28.0	-730.2	-
2247.1	-33465.1		J	-1827.1	-18.8	-28.0	-730.2	
-133.9	-38054.5							
		C1-C2;~2 Max	I	26.0	7.6	0.3	210.0	
20.7	11382.9		J	26.0	7.6	0.3	210.0	
5118.4	15077.2							
		Min	I	-890.3	-8.0	-11.9	-480.9	
-978.0	-22932.3		J	-890.3	-8.0	-11.9	-480.9	
-142.7	-26163.5							
		C3-C4;~2 Max	I	33.5	5.1	0.2	124.0	
11.8	16405.6		J	33.5	5.1	0.2	124.0	
6108.7	20967.2							
		Min	I	-937.4	-9.6	-14.2	-441.0	-
1138.2	-16974.5		J	-937.4	-9.6	-14.2	-441.0	
-72.0	-19251.2							
		G1	I	-2484.8	-6.6	-34.8	-280.6	-
2885.1	-8759.4		J	-2484.8	-6.6	-32.7	-280.6	1
4051.1	-5434.9							
		G2	I	-979.5	-2.4	-13.0	-87.8	-
1085.5	-3586.9		J	-979.5	-2.4	-13.0	-87.8	
5465.9	-2357.1							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

280.7	51051.0	Q5_pc	I	60.2	-24.2	3.6	-149.7	
1504.3	63193.9		J	60.2	-24.2	3.6	-149.7	-
223.7	50441.1	Q5_ps	I	45.3	-23.7	2.8	-138.8	
1165.2	62360.6		J	45.3	-23.7	2.8	-138.8	-
6033.5	89265.8	INVSLU Max	I	-6548.6	24.8	-66.9	-53.8	-
6276.1	123854.6		J	-6548.6	24.8	-64.1	-53.8	4
9683.3	-115163.7	Min	I	-9187.3	-69.6	-112.4	-1842.4	-
6824.9	-126853.8		J	-9187.3	-69.6	-109.6	-1842.4	2
4541.2	61073.8	INVSLE Max	I	-4955.2	15.2	-50.2	-52.0	-
4325.8	85650.6		J	-4955.2	15.2	-48.2	-52.0	3
7201.2	-81078.3	Min	I	-6901.7	-49.5	-83.4	-1356.9	-
0147.3	-86810.5		J	-6901.7	-49.5	-81.3	-1356.9	2
619	2	82 C1-C2;~1 Max	I	15.8	13.6	63.6	354.6	1
0244.5	30348.9		J	15.8	13.6	63.6	354.6	
537.9	38918.9	Min	I	-1916.3	-17.4	-1.6	-692.4	
-292.3	-51215.5		J	-1916.3	-17.4	-1.6	-692.4	-2
1838.9	-57156.8							
1968.5	40951.0	C3-C4;~1 Max	I	14.0	9.0	73.8	272.7	1
262.0	51246.5		J	14.0	9.0	73.8	272.7	
-133.9	-38053.3	Min	I	-2047.2	-21.0	-0.8	-642.2	
5250.2	-42046.0		J	-2047.2	-21.0	-0.8	-642.2	-2
5118.7	15077.1	C1-C2;~2 Max	I	11.5	7.1	31.7	231.4	
264.6	19466.8		J	11.5	7.1	31.7	231.4	
-142.7	-26162.8	Min	I	-971.7	-8.9	-0.8	-435.2	
0904.1	-29077.0		J	-971.7	-8.9	-0.8	-435.2	-1
6108.9	20967.5	C3-C4;~2 Max	I	10.2	4.6	37.6	160.4	
144.0	26178.3		J	10.2	4.6	37.6	160.4	
-72.0	-19250.6	Min	I	-1043.8	-10.7	-0.4	-392.3	
2842.3	-21217.5		J	-1043.8	-10.7	-0.4	-392.3	-1
		G1	I	-2789.4	-10.5	87.5	-206.6	1


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
4051.4	-5432.7		J	-2789.4	-10.5	89.6	-206.6	-3
0512.4	-159.2							
		G2	I	-1097.4	-3.9	34.3	-64.5	
5466.0	-2356.1		J	-1097.4	-3.9	34.3	-64.5	-1
1787.7	-368.2							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	73.0	-24.4	-8.1	-76.5	-
1504.1	63192.0		J	73.0	-24.4	-8.1	-76.5	
2593.9	75478.5							
		Q5_ps	I	52.5	-24.0	-6.2	-71.0	-
1165.0	62358.9		J	52.5	-24.0	-6.2	-71.0	
1933.2	74423.6							
		INVSLU Max	I	-7210.6	14.4	289.6	48.8	4
6277.3	123857.8		J	-7210.6	14.4	292.4	48.8	-6
0610.6	164689.9							
		Min	I	-10134.4	-81.5	172.3	-1502.3	2
6825.9	-126844.8		J	-10134.4	-81.5	175.1	-1502.3	-10
0289.9	-133175.5							
		INVSLE Max	I	-5450.9	7.3	215.0	31.6	3
4326.7	85653.2		J	-5450.9	7.3	217.1	31.6	-4
5478.1	114914.4							
		Min	I	-7606.0	-59.4	129.3	-1107.2	2
0148.0	-86803.8		J	-7606.0	-59.4	131.4	-1107.2	-7
4482.4	-89188.0							
		70 C1-C2;~1 Max	I	1891.6	7.4	0.7	1725.0	
620	2		J	1891.6	7.4	0.7	1725.0	
310.9	5025.8							
		Min	I	-454.3	-31.7	-0.2	-395.9	
33.3	2785.0		J	-454.3	-31.7	-0.2	-395.9	
-69.6	-17543.9							
		C3-C4;~1 Max	I	1814.0	7.8	0.7	1650.0	
-48.0	-4421.7		J	1814.0	7.8	0.7	1650.0	
319.2	5245.0							
		Min	I	-477.7	-30.3	-0.2	-416.0	
22.9	2483.3		J	-477.7	-30.3	-0.2	-416.0	
-72.9	-17374.1							
		C1-C2;~2 Max	I	1137.7	4.2	0.4	1031.2	
-45.0	-5203.9		J	1137.7	4.2	0.4	1031.2	
195.1	2876.6							
		Min	I	-260.6	-19.0	-0.1	-227.1	
19.8	1693.1							
-39.9	-10185.6							


MIDAS

PROJECT TITLE :

		Company		Client			
		Author		File Name			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H
-30.5	-2532.4		J	-260.6	-19.0	-0.1	-227.1
199.7	2965.8	C3-C4;~2 Max	I	1084.0	4.4	0.4	979.5
12.5	1490.3		J	1084.0	4.4	0.4	979.5
-41.2	-9981.5	Min	I	-269.7	-18.0	-0.1	-234.9
-28.4	-3020.0		J	-269.7	-18.0	-0.1	-234.9
115.8	-12279.8	G1	I	1179.4	-20.3	-0.2	1137.7
-43.4	-1959.8		J	1179.4	-20.3	0.8	1137.7
55.7	-5043.2	G2	I	476.8	-8.2	0.1	460.3
0.8	-859.8		J	476.8	-8.2	0.1	460.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-1.6	-1869.6	Q5_pc	I	31.0	-0.6	0.0	61.8
-2.4	-1553.2		J	31.0	-0.6	0.0	61.8
-2.6	-1841.4	Q5_ps	I	25.9	-0.5	-0.0	56.1
-2.1	-1569.5		J	25.9	-0.5	-0.0	56.1
786.7	-11055.1	INVSLU Max	I	4739.7	-22.4	1.0	2734.0
48.8	2300.0		J	4739.7	-22.4	2.3	2734.0
254.5	-45185.4	Min	I	1485.5	-76.8	-0.2	-267.7
-65.4	-11280.8		J	1485.5	-76.8	1.1	-267.7
588.1	-7989.7	INVSLE Max	I	3490.8	-16.1	0.7	1947.1
37.6	1693.5		J	3490.8	-16.1	1.7	1947.1
194.1	-33022.1	Min	I	1084.4	-56.4	-0.1	-268.1
-46.7	-8159.3		J	1084.4	-56.4	0.8	-268.1
621	2	70 C1-C2;~1 Max	I	1885.3	5.5	0.1	1498.4
31.0	2788.3		J	1885.3	5.5	0.1	1498.4
111.5	12562.2	Min	I	-443.2	-23.8	-0.3	-339.8
-52.2	-4415.8		J	-443.2	-23.8	-0.3	-339.8
-25.7	-1674.3						
21.3	2486.2	C3-C4;~1 Max	I	1803.7	5.8	0.1	1431.4

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
102.1	10906.2		J	1803.7	5.8	0.1	1431.4
		Min	I	-466.0	-22.7	-0.3	-357.0
-49.3	-5198.0		J	-466.0	-22.7	-0.3	-357.0
-26.9	-1721.9						
		C1-C2;~2 Max	I	1133.0	3.1	0.0	896.1
18.1	1695.3		J	1133.0	3.1	0.0	896.1
69.0	7854.3	Min	I	-254.2	-14.3	-0.2	-194.9
-33.1	-2528.9		J	-254.2	-14.3	-0.2	-194.9
-14.7	-942.1						
		C3-C4;~2 Max	I	1076.7	3.3	0.0	849.7
11.3	1492.4		J	1076.7	3.3	0.0	849.7
62.5	6753.9	Min	I	-263.1	-13.5	-0.2	-201.6
-31.0	-3016.6		J	-263.1	-13.5	-0.2	-201.6
-15.2	-954.1						
		G1	I	1190.8	-15.3	-0.6	989.9
-47.3	-1954.1		J	1190.8	-15.3	0.3	989.9
19.2	5805.8						
		G2	I	482.7	-6.2	-0.0	400.5
-0.8	-857.5		J	482.7	-6.2	-0.0	400.5
24.5	2289.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	32.4	-0.5	-0.0	54.6
-2.6	-1552.9		J	32.4	-0.5	-0.0	54.6
1.3	-1307.5						
		Q5_ps	I	27.4	-0.4	-0.0	49.6
-2.3	-1569.3		J	27.4	-0.4	-0.0	49.6
1.0	-1357.3						
		INVSLU Max	I	4773.1	-16.0	-0.8	2314.4
44.7	2308.7		J	4773.1	-16.0	0.5	2314.4
279.8	27582.3	Min	I	1540.4	-56.8	-1.3	-288.7
-72.3	-11267.9		J	1540.4	-56.8	0.0	-288.7
90.7	5945.2						
		INVSLE Max	I	3515.3	-11.5	-0.6	1645.0
34.8	1699.7		J	3515.3	-11.5	0.4	1645.0
208.2	20248.7	Min	I	1125.0	-41.7	-0.9	-276.0
-51.6	-8150.0		J	1125.0	-41.7	0.0	-276.0


MIDAS

PROJECT TITLE :


MIDAS		Company				Client			
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
68.4	4395.5								
622	2	70	C1-C2;~1	Max	I	1897.0	3.3	0.1	992.8
107.0	12562.8				J	1897.0	3.3	0.1	992.8
93.5	19724.1								
			Min		I	-432.2	-14.5	-0.0	-218.2
-24.6	-1674.4				J	-432.2	-14.5	-0.0	-218.2
-14.3	-3257.3								
			C3-C4;~1	Max	I	1812.4	3.4	0.1	942.6
97.7	10906.7				J	1812.4	3.4	0.1	942.6
84.1	17765.5								
			Min		I	-454.5	-13.8	-0.0	-229.3
-25.8	-1721.9				J	-454.5	-13.8	-0.0	-229.3
-15.1	-3394.6								
			C1-C2;~2	Max	I	1139.7	1.9	0.0	594.9
66.3	7854.7				J	1139.7	1.9	0.0	594.9
59.0	12161.0								
			Min		I	-247.9	-8.7	-0.0	-125.2
-14.1	-942.1				J	-247.9	-8.7	-0.0	-125.2
-8.2	-1863.3								
			C3-C4;~2	Max	I	1081.4	1.9	0.0	559.7
59.9	6754.2				J	1081.4	1.9	0.0	559.7
52.4	10851.7								
			Min		I	-256.6	-8.2	-0.0	-129.5
-14.5	-954.2				J	-256.6	-8.2	-0.0	-129.5
-8.5	-1911.4								
			G1		I	1215.0	-9.3	-0.5	655.7
16.1	5806.2				J	1215.0	-9.3	0.5	655.7
10.2	10509.2								
			G2		I	493.1	-3.8	0.0	265.3
23.2	2289.5				J	493.1	-3.8	0.0	265.3
20.8	4197.3								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc		I	32.8	-0.3	0.0	36.6
1.1	-1307.5				J	32.8	-0.3	0.0	36.6
-0.4	-1157.4								
			Q5_ps		I	27.8	-0.3	0.0	33.3
0.9	-1357.3				J	27.8	-0.3	0.0	33.3
-0.5	-1227.3								
			INVSLU	Max	I	4857.5	-9.5	-0.5	1490.2
272.9	27582.8				J	4857.5	-9.5	0.8	1490.2

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
240.9	44412.5		Min	I	1624.1	-34.2	-0.7	-225.5
91.7	5944.8			J	1624.1	-34.2	0.6	-225.5
93.6	11118.8							
		INVSLE	Max	I	3578.2	-6.8	-0.4	1057.2
203.4	20249.0			J	3578.2	-6.8	0.6	1057.2
180.0	32606.2		Min	I	1187.5	-25.1	-0.5	-208.8
69.3	4395.2			J	1187.5	-25.1	0.4	-208.8
70.9	8098.5							
623	2	70 C1-C2;~1	Max	I	1906.2	1.1	0.0	365.5
91.2	19724.6			J	1906.2	1.1	0.0	365.5
100.8	22083.4		Min	I	-420.2	-4.9	-0.0	-70.4
-13.8	-3257.4			J	-420.2	-4.9	-0.0	-70.4
-17.1	-3801.2							
		C3-C4;~1	Max	I	1820.6	1.2	0.0	333.0
81.8	17765.9			J	1820.6	1.2	0.0	333.0
92.3	20033.1		Min	I	-441.9	-4.7	-0.0	-74.0
-14.5	-3394.7			J	-441.9	-4.7	-0.0	-74.0
-18.0	-3971.6							
		C1-C2;~2	Max	I	1145.3	0.6	0.0	222.3
57.6	12161.3			J	1145.3	0.6	0.0	222.3
63.1	13577.8		Min	I	-241.0	-3.0	-0.0	-40.4
-7.9	-1863.4			J	-241.0	-3.0	-0.0	-40.4
-9.8	-2177.0							
		C3-C4;~2	Max	I	1086.3	0.7	0.0	198.9
51.0	10852.0			J	1086.3	0.7	0.0	198.9
57.2	12205.0		Min	I	-249.5	-2.8	-0.0	-41.8
-8.2	-1911.5			J	-249.5	-2.8	-0.0	-41.8
-10.1	-2239.1							
		G1		I	1236.3	-3.0	-0.5	231.7
8.6	10509.5			J	1236.3	-3.0	0.5	231.7
15.4	12033.6							
		G2		I	502.0	-1.2	-0.0	93.8
20.1	4197.4			J	502.0	-1.2	-0.0	93.8
22.8	4816.0							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-0.5	-1157.4	Q5_pc	I	32.8	-0.1	-0.0	12.8
			J	32.8	-0.1	-0.0	12.8
0.1	-1108.5						
		Q5_ps	I	27.8	-0.1	-0.0	11.6
-0.6	-1227.3		J	27.8	-0.1	-0.0	11.6
-0.0	-1184.9						
		INVSLU Max	I	4936.8	-2.8	-0.7	541.1
237.5	44413.6		J	4936.8	-2.8	0.6	541.1
264.6	49819.7	Min	I	1707.9	-11.2	-0.7	-75.1
94.0	11119.2		J	1707.9	-11.2	0.6	-75.1
104.1	12650.2						
		INVSLE Max	I	3637.9	-2.0	-0.5	384.9
177.6	32607.0		J	3637.9	-2.0	0.5	384.9
197.7	36571.3	Min	I	1250.5	-8.2	-0.5	-69.9
71.4	8098.8		J	1250.5	-8.2	0.4	-69.9
78.9	9186.1						
624	2	70 C1-C2;~1 Max	I	1908.9	5.3	0.0	79.8
100.8	22083.4		J	1908.9	5.3	0.0	79.8
91.4	19542.9	Min	I	-407.4	-1.0	-0.0	-359.8
-17.1	-3801.2		J	-407.4	-1.0	-0.0	-359.8
-14.9	-3287.5						
		C3-C4;~1 Max	I	1823.7	5.1	0.0	83.9
92.3	20033.1		J	1823.7	5.1	0.0	83.9
81.5	17602.2	Min	I	-428.5	-1.1	-0.0	-328.4
-18.0	-3971.6		J	-428.5	-1.1	-0.0	-328.4
-15.6	-3435.2						
		C1-C2;~2 Max	I	1147.1	3.2	0.0	45.8
63.1	13577.9		J	1147.1	3.2	0.0	45.8
57.6	12053.6	Min	I	-233.6	-0.6	-0.0	-218.8
-9.8	-2177.0		J	-233.6	-0.6	-0.0	-218.8
-8.5	-1880.6						
		C3-C4;~2 Max	I	1088.3	3.1	0.0	47.4
57.2	12205.0		J	1088.3	3.1	0.0	47.4
50.8	10755.2	Min	I	-241.9	-0.6	-0.0	-196.0
-10.1	-2239.1		J	-241.9	-0.6	-0.0	-196.0
-8.8	-1934.7						
		G1	I	1252.7	3.4	-0.5	-219.2
15.4	12033.7						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
6.9	10314.7		J	1252.7	3.4	0.5	-219.2
22.8	4816.0	G2	I	508.8	1.4	0.0	-88.5
19.4	4119.3		J	508.8	1.4	0.0	-88.5
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.1	-1108.5	Q5_pc	I	32.7	0.1	0.0	-12.6
-0.3	-1161.7		J	32.7	0.1	0.0	-12.6
-0.0	-1184.9	Q5_ps	I	27.8	0.1	0.0	-11.6
-0.5	-1231.3		J	27.8	0.1	0.0	-11.6
264.6	49819.7	INVS LU Max	I	5001.9	12.9	-0.6	90.0
236.8	43541.3		J	5001.9	12.9	0.7	90.0
104.1	12650.2	Min	I	1787.6	4.2	-0.6	-531.5
91.7	10429.7		J	1787.6	4.2	0.7	-531.5
197.7	36571.3	INVS LE Max	I	3687.4	9.5	-0.4	81.6
177.0	31948.1		J	3687.4	9.5	0.5	81.6
78.8	9186.2	Min	I	1310.8	3.0	-0.5	-377.1
69.6	7576.0		J	1310.8	3.0	0.5	-377.1
625	2	70 C1-C2;~1 Max	I	1904.6	14.9	0.0	218.5
93.8	19542.4		J	1904.6	14.9	0.0	218.5
106.5	12172.6	Min	I	-393.8	-3.1	-0.1	-988.2
-15.4	-3287.3		J	-393.8	-3.1	-0.1	-988.2
-15.6	-1808.8						
83.8	17601.7	C3-C4;~1 Max	I	1821.3	14.2	0.0	229.7
99.4	10548.2		J	1821.3	14.2	0.0	229.7
-16.2	-3435.1	Min	I	-414.3	-3.2	-0.1	-939.8
-16.3	-1880.0		J	-414.3	-3.2	-0.1	-939.8
59.1	12053.3	C1-C2;~2 Max	I	1144.7	9.0	0.0	125.4
66.3	7619.6		J	1144.7	9.0	0.0	125.4
-8.8	-1880.5	Min	I	-225.8	-1.8	-0.0	-592.2
			J	-225.8	-1.8	-0.0	-592.2


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-8.9	-1017.1							
		C3-C4;~2	Max	I	1087.1	8.5	0.0	129.8
52.2	10755.0			J	1087.1	8.5	0.0	129.8
61.2	6538.3		Min	I	-233.9	-1.8	-0.0	-558.1
-9.1	-1934.6			J	-233.9	-1.8	-0.0	-558.1
-9.2	-1042.0							
		G1		I	1264.1	9.9	-0.5	-654.9
8.5	10314.4			J	1264.1	9.9	0.4	-654.9
28.6	5313.3							
		G2		I	513.2	4.0	-0.0	-264.7
20.1	4119.2			J	513.2	4.0	-0.0	-264.7
28.5	2091.2							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	32.5	0.3	-0.0	-36.3
-0.2	-1161.7			J	32.5	0.3	-0.0	-36.3
0.4	-1315.9							
		Q5_ps		I	27.8	0.3	-0.0	-33.3
-0.4	-1231.3			J	27.8	0.3	-0.0	-33.3
0.6	-1365.5							
		INVSLU	Max	I	5051.7	36.7	-0.7	199.0
240.2	43540.0			J	5051.7	36.7	0.6	199.0
316.4	25469.6		Min	I	1862.6	11.6	-0.8	-1510.5
91.3	10429.3			J	1862.6	11.6	0.4	-1510.5
149.8	4130.0							
		INVSLE	Max	I	3725.8	27.0	-0.5	189.1
179.5	31947.2			J	3725.8	27.0	0.4	189.1
236.5	18652.2		Min	I	1367.8	8.4	-0.6	-1072.3
69.2	7575.7			J	1367.8	8.4	0.3	-1072.3
113.2	3020.5							
		70 C1-C2;~1	Max	I	1898.8	24.2	0.3	325.7
626	2			J	1898.8	24.2	0.3	325.7
110.9	12171.9		Min	I	-380.5	-5.0	-0.0	-1493.9
19.2	2188.1			J	-380.5	-5.0	-0.0	-1493.9
-16.6	-1808.7							
-58.5	-4670.2							
		C3-C4;~1	Max	I	1818.7	23.1	0.3	342.5
103.7	10547.6			J	1818.7	23.1	0.3	342.5

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
10.1	1886.4		Min	I	-400.4	-5.3	-0.0	-1429.8
-17.4	-1879.8			J	-400.4	-5.3	-0.0	-1429.8
-57.7	-5442.2							
68.9	7619.2	C1-C2;~2	Max	I	1141.8	14.5	0.2	186.9
				J	1141.8	14.5	0.2	186.9
11.8	1346.1		Min	I	-218.2	-2.9	-0.0	-893.7
-9.5	-1017.0			J	-218.2	-2.9	-0.0	-893.7
-37.1	-2666.9							
63.7	6538.0	C3-C4;~2	Max	I	1086.3	13.8	0.2	193.5
				J	1086.3	13.8	0.2	193.5
5.7	1145.5		Min	I	-226.1	-3.0	-0.0	-849.0
-9.8	-1041.9			J	-226.1	-3.0	-0.0	-849.0
-36.4	-3148.7							
31.7	5313.0		G1	I	1271.7	16.2	-0.3	-1006.0
				J	1271.7	16.2	0.7	-1006.0
-72.2	-2891.0							
29.7	2091.1		G2	I	515.7	6.6	0.1	-406.9
				J	515.7	6.6	0.1	-406.9
-11.1	-1236.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
0.6	-1316.0		Q5_pc	I	32.2	0.5	0.0	-53.9
				J	32.2	0.5	0.0	-53.9
-2.2	-1563.5							
0.7	-1365.5		Q5_ps	I	27.5	0.4	0.0	-49.4
				J	27.5	0.4	0.0	-49.4
-2.3	-1581.0							
323.3	25469.4		INVSLU Max	I	5092.8	60.4	0.2	193.3
				J	5092.8	60.4	1.5	193.3
-28.7	-1607.8		Min	I	1930.8	19.7	-0.2	-2382.9
149.1	4130.8			J	1930.8	19.7	1.0	-2382.9
-137.6	-14723.1							
241.4	18652.1		INVSLE Max	I	3758.1	44.4	0.2	204.0
				J	3758.1	44.4	1.1	204.0
-20.6	-1264.4		Min	I	1420.2	14.3	-0.2	-1697.1
112.4	3021.2			J	1420.2	14.3	0.8	-1697.1
-100.9	-10770.9							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

627	2	70	C1-C2;~1	Max	I	1916.7	32.3	0.1	372.3
21.7	2184.9				J	1916.7	32.3	0.1	372.3
365.8	4223.4			Min	I	-374.2	-6.6	-0.8	-1720.7
-54.4	-4676.3				J	-374.2	-6.6	-0.8	-1720.7
-52.2	-18330.0								
			C3-C4;~1	Max	I	1838.0	30.8	0.1	391.6
11.0	1883.5				J	1838.0	30.8	0.1	391.6
365.7	4430.4			Min	I	-393.5	-7.0	-0.8	-1649.8
-53.4	-5448.4				J	-393.5	-7.0	-0.8	-1649.8
-54.4	-18190.1								
			C1-C2;~2	Max	I	1153.1	19.4	0.1	213.6
13.5	1343.8				J	1153.1	19.4	0.1	213.6
227.2	2420.4			Min	I	-214.5	-3.8	-0.5	-1029.0
-34.5	-2670.4				J	-214.5	-3.8	-0.5	-1029.0
-29.9	-10669.9								
			C3-C4;~2	Max	I	1098.7	18.3	0.1	221.2
6.4	1143.4				J	1098.7	18.3	0.1	221.2
226.7	2503.5			Min	I	-222.2	-3.9	-0.5	-979.7
-33.7	-3152.2				J	-222.2	-3.9	-0.5	-979.7
-30.7	-10492.4								
			G1		I	1285.6	21.7	-0.9	-1165.5
-68.2	-2897.2				J	1285.6	21.7	-0.0	-1165.5
173.6	-13894.7								
			G2		I	519.9	8.8	-0.2	-471.6
-9.5	-1238.5				J	519.9	8.8	-0.2	-471.6
78.7	-5697.5								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc		I	31.9	0.6	-0.0	-60.8
-2.0	-1563.8				J	31.9	0.6	-0.0	-60.8
2.2	-1882.1								
			Q5_ps		I	26.7	0.5	-0.0	-55.8
-2.1	-1581.3				J	26.7	0.5	-0.0	-55.8
0.0	-1857.2								
			INVSLU	Max	I	5170.4	82.2	-1.5	118.4
-24.0	-1617.8				J	5170.4	82.2	-0.3	118.4
971.8	-17624.0								

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-130.4	-14737.6		Min	I	1994.2	28.1	-2.8	-2842.7
				J	1994.2	28.1	-1.5	-2842.7
400.4	-51738.3							
			INVSLE Max	I	3817.4	60.5	-1.1	155.4
-17.3	-1271.5			J	3817.4	60.5	-0.2	155.4
725.9	-12965.6							
			Min	I	1468.9	20.5	-2.1	-2029.9
-95.8	-10781.4			J	1468.9	20.5	-1.1	-2029.9
302.9	-37984.5							
628	2	82	C1-C2;~1 Max	I	367.3	7.0	1.8	558.2
706.2	16582.8			J	367.3	7.0	1.8	558.2
257.9	13643.5							
			Min	I	-1276.9	-4.3	-0.9	-439.5
-460.0	-12875.0			J	-1276.9	-4.3	-0.9	-439.5
-595.9	-11269.8							
			C3-C4;~1 Max	I	425.9	6.7	1.5	544.1
675.8	13787.4			J	425.9	6.7	1.5	544.1
369.7	10944.2							
			Min	I	-1336.0	-4.3	-1.1	-445.2
-537.5	-12563.8			J	-1336.0	-4.3	-1.1	-445.2
-491.5	-11191.5							
			C1-C2;~2 Max	I	247.1	3.7	1.0	380.1
493.9	9309.3			J	247.1	3.7	1.0	380.1
154.6	7789.3							
			Min	I	-698.3	-2.9	-0.4	-237.5
-236.8	-8390.2			J	-698.3	-2.9	-0.4	-237.5
-332.0	-7178.5							
			C3-C4;~2 Max	I	289.1	3.5	0.9	370.4
474.7	7680.3			J	289.1	3.5	0.9	370.4
226.4	6223.0							
			Min	I	-730.0	-2.9	-0.6	-239.8
-280.9	-8050.7			J	-730.0	-2.9	-0.6	-239.8
-270.1	-6965.5							
			G1	I	-1421.1	7.5	-1.3	-384.7
-505.1	7954.5			J	-1421.1	7.5	0.8	-384.7
-371.7	4223.4							
			G2	I	-561.2	3.1	-0.2	-168.1
-207.7	3586.3			J	-561.2	3.1	-0.2	-168.1
-102.3	2040.6							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-1.6	-5.9	-1.3	80.6


MIDAS

PROJECT TITLE :

MIDAS		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-410.1	-23804.9			J	-1.6	-5.9	-1.3	80.6	
256.4	-20870.7								
		Q5_ps		I	-6.4	-5.6	-1.4	69.5	
-420.5	-22803.9			J	-6.4	-5.6	-1.4	69.5	
263.5	-20019.7								
		INVSLE Max		I	-3842.9	37.1	1.1	-263.0	
-186.7	73524.8			J	-3842.9	37.1	3.9	-263.0	
-202.3	56101.0			Min	-6224.2	10.1	-5.4	-1762.7	-
2603.7	-18781.4			J	-6224.2	10.1	-2.6	-1762.7	-
1967.4	-24164.7								
		INVSLE Max		I	-2936.5	27.5	0.7	-225.1	
-194.6	52384.2			J	-2936.5	27.5	2.7	-225.1	
-175.1	39581.6			Min	-4700.2	8.5	-3.9	-1325.2	-
1930.4	-10923.2			J	-4700.2	8.5	-1.8	-1325.2	-
1448.4	-15425.7								
629	2	82 C1-C2;~1 Max		I	411.1	5.9	0.7	512.1	
257.5	13641.1			J	411.1	5.9	0.7	512.1	
336.8	10915.8			Min	-1217.8	-3.9	-1.6	-408.4	
-595.6	-11269.3			J	-1217.8	-3.9	-1.6	-408.4	
-330.6	-9822.0								
		C3-C4;~1 Max		I	470.8	5.5	0.9	502.2	
369.3	10941.8			J	470.8	5.5	0.9	502.2	
303.3	8570.7			Min	-1271.0	-3.7	-1.2	-410.0	
-491.1	-11191.1			J	-1271.0	-3.7	-1.2	-410.0	
-344.0	-9951.3								
		C1-C2;~2 Max		I	273.7	3.2	0.4	347.7	
154.3	7788.1			J	273.7	3.2	0.4	347.7	
204.5	6309.0			Min	-672.2	-2.6	-0.9	-218.4	
-331.8	-7178.1			J	-672.2	-2.6	-0.9	-218.4	
-184.1	-6083.6								
		C3-C4;~2 Max		I	316.6	2.9	0.5	340.6	
226.2	6221.7			J	316.6	2.9	0.5	340.6	
182.9	4957.6			Min	-699.9	-2.5	-0.7	-219.1	
-269.9	-6965.2			J	-699.9	-2.5	-0.7	-219.1	
-184.9	-5995.9								
		G1		I	-1265.0	5.6	-1.2	-357.8	
-371.2	4220.5			J	-1265.0	5.6	0.9	-357.8	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-278.2	1399.2							
		G2	I	-498.4	2.4	-0.1	-155.9	
-102.1	2039.5		J	-498.4	2.4	-0.1	-155.9	
-73.2	853.1							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	-4.3	-5.9	0.6	89.1	
256.3	-20869.5		J	-4.3	-5.9	0.6	89.1	
-47.3	-17896.5							
		Q5_ps	I	-8.4	-5.7	0.6	79.1	
263.4	-20018.6		J	-8.4	-5.7	0.6	79.1	
-47.8	-17192.1							
		INVS LU Max	I	-3451.4	29.8	0.5	-217.8	
-201.6	56091.3		J	-3451.4	29.8	3.3	-217.8	
-517.0	41629.0							
		Min	I	-5810.6	4.5	-3.9	-1623.0	-
1965.5	-24169.0		J	-5810.6	4.5	-1.1	-1623.0	-
1521.3	-26677.4							
		INVS LE Max	I	-2645.0	22.0	0.4	-189.1	
-174.5	39574.4		J	-2645.0	22.0	2.4	-189.1	
-410.0	29035.1							
		Min	I	-4391.9	4.2	-2.8	-1218.1	-
1446.9	-15429.0		J	-4391.9	4.2	-0.7	-1218.1	-
1147.6	-17741.7							
630	2	82 C1-C2;~1 Max	I	458.4	5.4	0.5	423.1	
336.6	10915.9		J	458.4	5.4	0.5	423.1	
222.8	8550.9							
		Min	I	-1150.5	-3.5	-0.4	-331.3	
-330.2	-9822.0		J	-1150.5	-3.5	-0.4	-331.3	
-184.4	-8362.8							
		C3-C4;~1 Max	I	523.0	4.8	0.4	417.5	
303.2	8570.9		J	523.0	4.8	0.4	417.5	
295.1	6561.9							
		Min	I	-1198.1	-3.2	-0.5	-329.5	
-343.7	-9951.3		J	-1198.1	-3.2	-0.5	-329.5	
-191.0	-8677.6							
		C1-C2;~2 Max	I	302.5	3.0	0.3	286.2	
204.3	6309.1		J	302.5	3.0	0.3	286.2	
153.2	4990.1							
		Min	I	-639.8	-2.3	-0.2	-174.8	
-183.9	-6083.6		J	-639.8	-2.3	-0.2	-174.8	
-101.5	-5039.5							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

182.7	4957.7	C3-C4;~2	Max	I	348.9	2.7	0.2	281.6	
				J	348.9	2.7	0.2	281.6	
205.3	3840.1		Min	I	-664.7	-2.1	-0.3	-174.0	
-184.7	-5996.0			J	-664.7	-2.1	-0.3	-174.0	
-105.2	-5083.8								
		G1		I	-1118.0	3.8	-1.1	-284.9	
-277.8	1399.5			J	-1118.0	3.8	1.0	-284.9	
-237.9	-494.0								
		G2		I	-439.3	1.6	-0.0	-123.5	
-73.1	853.2			J	-439.3	1.6	-0.0	-123.5	
-56.1	35.1								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc		I	-3.7	-6.0	-0.1	84.1	
-47.4	-17896.5			J	-3.7	-6.0	-0.1	84.1	
13.6	-14921.4								
		Q5_ps		I	-6.4	-5.7	-0.1	76.7	
-47.9	-17192.1			J	-6.4	-5.7	-0.1	76.7	
15.9	-14358.7								
		INVSLU	Max	I	-3050.0	23.1	-1.0	-128.3	
-516.0	41629.7			J	-3050.0	23.1	1.8	-128.3	
-366.0	30400.8		Min	I	-5380.2	-1.2	-2.7	-1298.2	-
1519.7	-26676.7			J	-5380.2	-1.2	0.1	-1298.2	-
1046.7	-26275.3								
		INVSLE	Max	I	-2344.7	16.8	-0.8	-116.9	
-409.2	29035.7			J	-2344.7	16.8	1.3	-116.9	
-286.0	20960.3		Min	I	-4070.3	-0.1	-2.0	-972.2	-
1146.4	-17741.2			J	-4070.3	-0.1	0.1	-972.2	
-788.4	-17831.1								
631	2	82 C1-C2;~1	Max	I	500.1	5.2	0.4	295.4	
222.5	8550.7			J	500.1	5.2	0.4	295.4	
53.0	6756.2		Min	I	-1070.7	-3.5	-0.2	-270.0	
-184.2	-8362.6			J	-1070.7	-3.5	-0.2	-270.0	
-101.0	-6822.4								
		C3-C4;~1	Max	I	567.3	4.6	0.5	291.1	
294.7	6561.7			J	567.3	4.6	0.5	291.1	
67.3	4790.7								


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-190.7	-8677.4	Min	I	-1112.6	-3.2	-0.2	-228.8
			J	-1112.6	-3.2	-0.2	-228.8
-105.7	-7351.9						
153.0	4990.0	C1-C2;~2 Max	I	327.0	3.1	0.2	198.4
36.5	4012.7		J	327.0	3.1	0.2	198.4
-101.3	-5039.3	Min	I	-599.5	-2.2	-0.1	-148.0
-53.9	-4012.2		J	-599.5	-2.2	-0.1	-148.0
205.1	3840.0	C3-C4;~2 Max	I	375.0	2.7	0.3	194.1
46.9	2825.1		J	375.0	2.7	0.3	194.1
-105.1	-5083.7	Min	I	-621.5	-2.0	-0.1	-118.9
-56.2	-4221.5		J	-621.5	-2.0	-0.1	-118.9
-237.5	-494.2	G1	I	-964.7	2.1	-1.2	-192.4
-155.9	-1547.5		J	-964.7	2.1	0.9	-192.4
-56.0	35.0	G2	I	-377.9	1.0	-0.0	-81.7
-44.0	-448.5		J	-377.9	1.0	-0.0	-81.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
13.5	-14921.1	Q5_pc	I	-2.5	-6.0	0.0	78.3
1.4	-11938.8		J	-2.5	-6.0	0.0	78.3
15.8	-14358.5	Q5_ps	I	-3.9	-5.7	0.0	74.3
1.1	-11513.5		J	-3.9	-5.7	0.0	74.3
-365.7	30399.8	INVSLU Max	I	-2623.9	17.5	-1.5	-43.0
-327.7	22447.1		J	-2623.9	17.5	1.4	-43.0
1045.4	-26275.1	Min	I	-4896.3	-6.8	-2.4	-947.1
-563.8	-23209.5		J	-4896.3	-6.8	0.4	-947.1
-285.7	20959.6	INVSLE Max	I	-2024.7	12.3	-1.1	-46.0
-249.4	15380.0		J	-2024.7	12.3	1.0	-46.0
-787.4	-17831.0	Min	I	-3707.6	-4.4	-1.8	-705.3
-424.1	-15881.1		J	-3707.6	-4.4	0.3	-705.3

MIDAS

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
632	2	70	C1-C2;~1	Max	I	523.0	5.5	0.1	180.3
53.0	6756.2				J	523.0	5.5	0.1	180.3
41.9	5209.7								
				Min	I	-960.0	-4.0	-0.2	-211.9
-100.9	-6821.7				J	-960.0	-4.0	-0.2	-211.9
-35.3	-5361.7								
			C3-C4;~1	Max	I	590.3	5.0	0.1	165.5
67.2	4790.5				J	590.3	5.0	0.1	165.5
48.8	3276.0								
				Min	I	-995.4	-3.6	-0.2	-168.2
-105.6	-7351.5				J	-995.4	-3.6	-0.2	-168.2
-36.8	-6643.5								
			C1-C2;~2	Max	I	338.4	3.3	0.0	120.7
36.5	4012.6				J	338.4	3.3	0.0	120.7
27.3	3132.9								
				Min	I	-540.9	-2.3	-0.1	-120.2
-53.8	-4011.8				J	-540.9	-2.3	-0.1	-120.2
-20.1	-3088.4								
			C3-C4;~2	Max	I	386.3	3.1	0.1	108.1
46.8	2825.0				J	386.3	3.1	0.1	108.1
32.4	1912.8								
				Min	I	-559.6	-2.0	-0.1	-94.6
-56.2	-4221.4				J	-559.6	-2.0	-0.1	-94.6
-20.7	-3886.5								
				G1	I	-787.6	0.6	-0.7	-99.9
-155.7	-1546.0				J	-787.6	0.6	0.3	-99.9
-50.0	-1851.3								
				G2	I	-307.4	0.4	-0.1	-40.3
-43.9	-447.8				J	-307.4	0.4	-0.1	-40.3
-4.7	-633.7								
				Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc		I	-1.4	-6.0	0.0	70.5
1.3	-11938.4				J	-1.4	-6.0	0.0	70.5
-1.0	-8957.6								
			Q5_ps		I	-1.6	-5.7	0.0	69.6
1.0	-11513.0				J	-1.6	-5.7	0.0	69.6
-0.8	-8665.8								
			INVSLU	Max	I	-2128.6	12.4	-1.1	62.7
-327.5	22450.5				J	-2128.6	12.4	0.2	62.7
-76.8	17258.2								
				Min	I	-4271.9	-12.2	-1.4	-593.6

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-563.1	-23204.3			J	-4271.9	-12.2	-0.2	-593.6	
-194.3	-18215.4								
		INVSLE	Max	I	-1650.7	8.5	-0.8	40.1	
-249.2	15382.7			J	-1650.7	8.5	0.1	40.1	
			Min	I	-3238.1	-8.5	-1.1	-436.7	
-59.9	11914.2			J	-3238.1	-8.5	-0.1	-436.7	
-423.6	-15877.2								
-146.7	-12436.8								
633	2	70	C1-C2;~1	Max	I	568.2	5.8	0.1	134.1
41.9	5209.4			J	568.2	5.8	0.1	134.1	
				Min	I	-897.3	-4.7	-0.0	-186.9
39.1	4522.4			J	-897.3	-4.7	-0.0	-186.9	
-35.3	-5361.5								
-50.7	-6444.6								
		C3-C4;~1	Max	I	638.0	5.7	0.1	105.1	
48.8	3275.6			J	638.0	5.7	0.1	105.1	
			Min	I	-928.5	-4.7	-0.0	-168.9	
52.6	2746.3			J	-928.5	-4.7	-0.0	-168.9	
-36.8	-6643.4								
-47.4	-7315.7								
		C1-C2;~2	Max	I	363.4	3.7	0.0	83.5	
27.3	3132.7			J	363.4	3.7	0.0	83.5	
			Min	I	-508.3	-2.6	-0.0	-122.9	
24.7	2688.1			J	-508.3	-2.6	-0.0	-122.9	
-20.1	-3088.3								
-27.6	-3901.6								
		C3-C4;~2	Max	I	412.8	3.6	0.0	60.0	
32.4	1912.6			J	412.8	3.6	0.0	60.0	
			Min	I	-524.9	-2.6	-0.0	-102.7	
33.9	1473.5			J	-524.9	-2.6	-0.0	-102.7	
-20.7	-3886.4								
-25.2	-4423.7								
		G1		I	-652.5	-0.6	-0.4	-28.5	
-49.9	-1851.5			J	-652.5	-0.6	0.5	-28.5	
-72.1	-1532.1								
		G2		I	-253.6	-0.1	0.0	-9.0	
-4.6	-633.8			J	-253.6	-0.1	0.0	-9.0	
-11.8	-573.1								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc		I	-1.0	-6.0	-0.0	67.6	
-1.1	-8957.0								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
7.5	-5971.6		J	-1.0	-6.0	-0.0	67.6
-0.9	-8665.3	Q5_ps	I	-0.2	-5.7	-0.0	68.8
8.3	-5811.9		J	-0.2	-5.7	-0.0	68.8
-76.7	17256.8	INVS LU Max	I	-1740.4	8.4	-0.4	216.2
-108.8	14989.7		J	-1740.4	8.4	0.8	216.2
-194.2	-18214.7	Min	I	-3857.0	-17.4	-0.6	-338.8
-261.8	-12607.6		J	-3857.0	-17.4	0.7	-338.8
-59.7	11913.2	INVS LE Max	I	-1359.2	5.3	-0.3	160.4
-83.9	10674.8		J	-1359.2	5.3	0.6	160.4
-146.6	-12436.4	Min	I	-2926.9	-12.5	-0.4	-241.8
-196.2	-8723.8		J	-2926.9	-12.5	0.5	-241.8
634	2	70 C1-C2;~1 Max	I	632.9	6.7	0.1	145.4
39.2	4522.5		J	632.9	6.7	0.1	145.4
63.1	4766.1	Min	I	-857.1	-5.7	-0.2	-220.0
-50.6	-6444.7		J	-857.1	-5.7	-0.2	-220.0
-47.2	-8974.0						
52.7	2746.4	C3-C4;~1 Max	I	704.5	6.6	0.1	138.5
55.1	4807.9		J	704.5	6.6	0.1	138.5
-47.4	-7315.7	Min	I	-885.5	-6.2	-0.1	-202.8
-49.8	-9762.3		J	-885.5	-6.2	-0.1	-202.8
24.7	2688.1	C1-C2;~2 Max	I	400.6	4.3	0.0	82.1
36.8	2624.7		J	400.6	4.3	0.0	82.1
-27.5	-3901.7	Min	I	-487.6	-3.2	-0.1	-145.1
-25.8	-5589.4		J	-487.6	-3.2	-0.1	-145.1
33.9	1473.5	C3-C4;~2 Max	I	450.9	4.2	0.0	74.9
32.6	2721.0		J	450.9	4.2	0.0	74.9
-25.2	-4423.7	Min	I	-502.6	-3.4	-0.1	-126.7
-26.7	-6056.2		J	-502.6	-3.4	-0.1	-126.7
-72.1	-1531.8	G1	I	-531.6	-1.7	-0.5	29.8
-48.1	-684.8		J	-531.6	-1.7	0.4	29.8

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

-11.8	-573.0	G2	I	-205.7	-0.5	-0.0	15.8
			J	-205.7	-0.5	-0.0	15.8
-4.2	-306.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-2.9	-6.0	0.0	64.3
7.4	-5971.1		J	-2.9	-6.0	0.0	64.3
-13.0	-2985.7						
		Q5_ps	I	-1.5	-5.7	0.0	66.7
8.2	-5811.4		J	-1.5	-5.7	0.0	66.7
-12.9	-2958.1						
		INVSLU Max	I	-1374.7	5.0	-0.5	410.4
-108.9	14989.7		J	-1374.7	5.0	0.7	410.4
-58.0	16560.2						
		Min	I	-3526.4	-23.2	-0.9	-198.6
-261.8	-12606.5		J	-3526.4	-23.2	0.3	-198.6
-233.8	-8484.0						
		INVSLE Max	I	-1085.9	2.9	-0.4	309.3
-84.0	10674.8		J	-1085.9	2.9	0.5	309.3
-47.5	12468.1						
		Min	I	-2679.4	-17.2	-0.7	-133.2
-196.2	-8723.0		J	-2679.4	-17.2	0.2	-133.2
-176.0	-5685.0						
635	2	70 C1-C2;~1 Max	I	718.9	7.5	0.0	154.4
63.3	4767.8		J	718.9	7.5	0.0	154.4
185.6	7656.9						
		Min	I	-834.8	-6.9	-0.4	-222.5
-47.4	-8976.6		J	-834.8	-6.9	-0.4	-222.5
-32.7	-11909.9						
		C3-C4;~1 Max	I	784.4	7.4	0.0	163.3
55.3	4810.0		J	784.4	7.4	0.0	163.3
170.0	8070.3						
		Min	I	-860.2	-7.4	-0.4	-209.3
-49.9	-9764.6		J	-860.2	-7.4	-0.4	-209.3
-29.8	-12859.7						
		C1-C2;~2 Max	I	451.5	4.9	0.0	84.9
36.9	2625.9		J	451.5	4.9	0.0	84.9
120.3	4324.3						
		Min	I	-476.3	-3.8	-0.2	-147.3
-25.9	-5591.0		J	-476.3	-3.8	-0.2	-147.3
-18.3	-7489.3						

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
32.7	2722.2	C3-C4;~2	Max	I	498.0	4.7	0.0	89.5	
				J	498.0	4.7	0.0	89.5	
110.7	4557.6		Min	I	-489.4	-4.1	-0.2	-133.9	
-26.8	-6057.7			J	-489.4	-4.1	-0.2	-133.9	
-16.2	-8088.6								
			G1	I	-409.1	-2.5	-0.7	64.9	
-48.2	-684.9			J	-409.1	-2.5	0.2	64.9	
56.4	467.4								
			G2	I	-158.3	-0.8	-0.1	30.1	
-4.2	-306.0			J	-158.3	-0.8	-0.1	30.1	
30.4	83.3								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	-12.2	-5.9	-0.0	56.5	
-13.1	-2984.7			J	-12.2	-5.9	-0.0	56.5	
-6.3	-267.5								
			Q5_ps	I	-11.3	-5.7	-0.0	59.3	
-13.0	-2957.0			J	-11.3	-5.7	-0.0	59.3	
-10.1	-362.7								
			INVSLU Max	I	-1000.4	2.6	-1.1	522.6	
-58.0	16564.4			J	-1000.4	2.6	0.1	522.6	
337.6	24455.4		Min	I	-3242.7	-28.3	-1.6	-100.0	
-234.4	-8483.8			J	-3242.7	-28.3	-0.4	-100.0	
31.7	-4281.6								
			INVSLE Max	I	-807.8	1.0	-0.8	394.4	
-47.5	12471.4			J	-807.8	1.0	0.1	394.4	
249.3	18709.5		Min	I	-2467.1	-21.1	-1.2	-59.3	
-176.4	-5684.8			J	-2467.1	-21.1	-0.3	-59.3	
23.5	-2541.5								
636	2	79	C1-C2;~1	Max	I	78.7	0.0	0.0	0.3
0.0	0.0			J	78.7	0.0	0.0	0.3	
0.0	0.0		Min	I	-12.8	-0.0	-0.0	-0.2	
0.0	0.0			J	-12.8	-0.0	-0.0	-0.2	
0.0	0.0								
			C3-C4;~1	Max	I	74.0	0.0	0.0	0.4
0.0	0.0			J	74.0	0.0	0.0	0.4	
0.0	0.0		Min	I	-6.5	-0.0	-0.0	-0.2	


PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	-6.5	-0.0	-0.0	-0.2
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	52.1	0.0	0.0	0.2
0.0	0.0		J	52.1	0.0	0.0	0.2
0.0	0.0	Min	I	-6.1	-0.0	-0.0	-0.1
0.0	0.0		J	-6.1	-0.0	-0.0	-0.1
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	48.4	0.0	0.0	0.2
0.0	0.0		J	48.4	0.0	0.0	0.2
0.0	0.0	Min	I	-2.6	-0.0	-0.0	-0.1
0.0	0.0		J	-2.6	-0.0	-0.0	-0.1
0.0	0.0						
0.0	0.0	G1	I	-1.1	-0.0	-0.7	0.1
0.0	0.0		J	-1.1	0.0	0.7	0.1
0.0	0.0						
0.0	0.0	G2	I	-7.4	-0.0	0.0	0.0
0.0	0.0		J	-7.4	0.0	-0.0	0.0
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc	I	-7.8	0.0	0.0	0.0
0.0	0.0		J	-7.8	0.0	-0.0	0.0
0.0	0.0						
0.0	0.0	Q5_ps	I	-11.2	0.0	-0.0	0.0
0.0	0.0		J	-11.2	0.0	-0.0	0.0
0.0	0.0						
0.0	0.0	INVSLU Max	I	82.7	-0.0	-0.9	0.3
0.0	0.0		J	82.7	0.0	0.9	0.3
0.0	0.0	Min	I	-55.7	-0.0	-0.9	-0.6
0.0	0.0		J	-55.7	0.0	0.9	-0.6
0.0	0.0						
0.0	0.0	INVSLE Max	I	54.1	-0.0	-0.7	0.2
0.0	0.0		J	54.1	0.0	0.7	0.2
0.0	0.0	Min	I	-46.8	-0.0	-0.7	-0.5
0.0	0.0		J	-46.8	0.0	0.7	-0.5
0.0	0.0						
643	2	79 C1-C2;~1 Max	I	95.3	0.0	0.0	0.2

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	95.3	0.0	0.0	0.2
0.0	0.0	Min	I	-14.9	-0.0	-0.0	-0.4
0.0	0.0		J	-14.9	-0.0	-0.0	-0.4
0.0	0.0	C3-C4;~1 Max	I	91.9	0.0	0.0	0.2
0.0	0.0		J	91.9	0.0	0.0	0.2
0.0	0.0	Min	I	-11.1	-0.0	-0.0	-0.3
0.0	0.0		J	-11.1	-0.0	-0.0	-0.3
0.0	0.0	C1-C2;~2 Max	I	63.5	0.0	0.0	0.1
0.0	0.0		J	63.5	0.0	0.0	0.1
0.0	0.0	Min	I	-6.8	-0.0	-0.0	-0.2
0.0	0.0		J	-6.8	-0.0	-0.0	-0.2
0.0	0.0	C3-C4;~2 Max	I	60.5	0.0	0.0	0.1
0.0	0.0		J	60.5	0.0	0.0	0.1
0.0	0.0	Min	I	-5.2	-0.0	-0.0	-0.2
0.0	0.0		J	-5.2	-0.0	-0.0	-0.2
0.0	0.0	G1	I	-0.9	-0.0	-0.7	-0.1
0.0	0.0		J	-0.9	0.0	0.7	-0.1
0.0	0.0	G2	I	-7.8	-0.0	0.0	-0.0
0.0	0.0		J	-7.8	0.0	-0.0	-0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-8.2	0.0	0.0	0.0
0.0	0.0		J	-8.2	0.0	-0.0	0.0
0.0	0.0	Q5_ps	I	-11.7	-0.0	0.0	0.0
0.0	0.0		J	-11.7	0.0	-0.0	0.0
0.0	0.0	INVSLU Max	I	53.1	-0.0	-0.9	0.4
0.0	0.0		J	53.1	0.0	0.9	0.4
0.0	0.0	Min	I	-110.3	-0.0	-0.9	-0.5
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	-110.3	0.0	0.9	-0.5
0.0	0.0	INVSLE Max	I	32.1	-0.0	-0.7	0.3
0.0	0.0		J	32.1	0.0	0.7	0.3
0.0	0.0	Min	I	-87.8	-0.0	-0.7	-0.4
0.0	0.0		J	-87.8	0.0	0.7	-0.4
650	2	79 C1-C2;~1 Max	I	123.1	0.0	0.0	0.2
0.0	0.0		J	123.1	0.0	0.0	0.2
0.0	0.0	Min	I	-23.9	-0.0	0.0	-0.5
0.0	0.0		J	-23.9	0.0	0.0	-0.5
0.0	0.0	C3-C4;~1 Max	I	119.4	0.0	0.0	0.3
0.0	0.0		J	119.4	0.0	0.0	0.3
0.0	0.0	Min	I	-20.8	-0.0	0.0	-0.4
0.0	0.0		J	-20.8	0.0	0.0	-0.4
0.0	0.0	C1-C2;~2 Max	I	84.7	0.0	0.0	0.1
0.0	0.0		J	84.7	0.0	0.0	0.1
0.0	0.0	Min	I	-12.1	-0.0	0.0	-0.3
0.0	0.0		J	-12.1	0.0	0.0	-0.3
0.0	0.0	C3-C4;~2 Max	I	83.0	0.0	0.0	0.2
0.0	0.0		J	83.0	0.0	0.0	0.2
0.0	0.0	Min	I	-10.8	-0.0	0.0	-0.2
0.0	0.0		J	-10.8	0.0	0.0	-0.2
0.0	0.0	G1	I	-8.6	-0.0	-0.7	-0.0
0.0	0.0		J	-8.6	0.0	0.7	-0.0
0.0	0.0	G2	I	-9.8	-0.0	0.0	-0.0
0.0	0.0		J	-9.8	0.0	0.0	-0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-6.2	0.0	0.0	0.1
0.0	0.0		J	-6.2	0.0	0.0	0.1


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


0.0	0.0						
		Q5_ps	I	-9.1	0.0	0.0	0.1
0.0	0.0		J	-9.1	0.0	0.0	0.1
0.0	0.0						
		INVSLU Max	I	101.1	-0.0	-0.9	0.6
0.0	0.0		J	101.1	0.0	0.9	0.6
0.0	0.0						
		Min	I	-108.5	-0.0	-0.9	-0.5
0.0	0.0		J	-108.5	0.0	0.9	-0.5
0.0	0.0						
		INVSLE Max	I	74.6	-0.0	-0.7	0.4
0.0	0.0		J	74.6	0.0	0.7	0.4
0.0	0.0						
		Min	I	-79.9	-0.0	-0.7	-0.4
0.0	0.0		J	-79.9	0.0	0.7	-0.4
0.0	0.0						
657	2	79 C1-C2;~1 Max	I	125.6	0.0	0.0	0.3
0.0	0.0		J	125.6	0.0	0.0	0.3
0.0	0.0						
		Min	I	-28.5	0.0	0.0	-0.6
0.0	0.0		J	-28.5	-0.0	0.0	-0.6
0.0	0.0						
		C3-C4;~1 Max	I	122.0	0.0	0.0	0.4
0.0	0.0		J	122.0	0.0	0.0	0.4
0.0	0.0						
		Min	I	-24.6	0.0	0.0	-0.4
0.0	0.0		J	-24.6	-0.0	0.0	-0.4
0.0	0.0						
		C1-C2;~2 Max	I	86.2	0.0	0.0	0.2
0.0	0.0		J	86.2	0.0	0.0	0.2
0.0	0.0						
		Min	I	-13.9	0.0	0.0	-0.3
0.0	0.0		J	-13.9	-0.0	0.0	-0.3
0.0	0.0						
		C3-C4;~2 Max	I	84.7	0.0	0.0	0.2
0.0	0.0		J	84.7	0.0	0.0	0.2
0.0	0.0						
		Min	I	-12.3	0.0	0.0	-0.2
0.0	0.0		J	-12.3	-0.0	0.0	-0.2
0.0	0.0						
		G1	I	-20.5	0.0	-0.7	0.0
0.0	0.0		J	-20.5	0.0	0.7	0.0
0.0	0.0						

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0	G2	I	-16.4	0.0	0.0	0.0
0.0	0.0		J	-16.4	0.0	0.0	0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-9.4	0.0	0.0	0.1
0.0	0.0		J	-9.4	-0.0	0.0	0.1
0.0	0.0	Q5_ps	I	-13.0	0.0	0.0	0.1
0.0	0.0		J	-13.0	-0.0	0.0	0.1
0.0	0.0	INVS LU Max	I	61.3	0.0	-0.9	0.9
0.0	0.0		J	61.3	0.0	0.9	0.9
0.0	0.0	Min	I	-163.6	0.0	-0.9	-0.5
0.0	0.0		J	-163.6	0.0	0.9	-0.5
0.0	0.0	INVS LE Max	I	43.9	0.0	-0.7	0.7
0.0	0.0		J	43.9	0.0	0.7	0.7
0.0	0.0	Min	I	-121.5	0.0	-0.7	-0.4
0.0	0.0		J	-121.5	0.0	0.7	-0.4
671	2	79 C1-C2;~1 Max	I	124.8	0.0	0.0	0.6
0.0	0.0		J	124.8	0.0	0.0	0.6
0.0	0.0	Min	I	-27.6	-0.0	-0.0	-0.3
0.0	0.0		J	-27.6	-0.0	-0.0	-0.3
0.0	0.0	C3-C4;~1 Max	I	120.0	0.0	0.0	0.5
0.0	0.0		J	120.0	0.0	0.0	0.5
0.0	0.0	Min	I	-24.3	-0.0	-0.0	-0.3
0.0	0.0		J	-24.3	-0.0	-0.0	-0.3
0.0	0.0	C1-C2;~2 Max	I	85.6	0.0	0.0	0.4
0.0	0.0		J	85.6	0.0	0.0	0.4
0.0	0.0	Min	I	-13.3	-0.0	-0.0	-0.2
0.0	0.0		J	-13.3	-0.0	-0.0	-0.2
0.0	0.0	C3-C4;~2 Max	I	83.6	0.0	0.0	0.3


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	83.6	0.0	0.0	0.3
0.0	0.0	Min	I	-12.0	-0.0	-0.0	-0.2
0.0	0.0		J	-12.0	-0.0	-0.0	-0.2
0.0	0.0	G1	I	-20.3	-0.0	-0.7	0.2
0.0	0.0		J	-20.3	0.0	0.7	0.2
0.0	0.0	G2	I	-16.8	-0.0	0.0	0.1
0.0	0.0		J	-16.8	0.0	-0.0	0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-9.3	0.0	0.0	-0.0
0.0	0.0		J	-9.3	0.0	0.0	-0.0
0.0	0.0	Q5_ps	I	-12.9	0.0	0.0	-0.0
0.0	0.0		J	-12.9	0.0	0.0	-0.0
0.0	0.0	INVSLE Max	I	60.7	-0.0	-0.9	1.6
0.0	0.0		J	60.7	0.0	0.9	1.6
0.0	0.0	Min	I	-161.6	-0.0	-0.9	0.2
0.0	0.0		J	-161.6	0.0	0.9	0.2
0.0	0.0	INVSLE Max	I	43.4	-0.0	-0.7	1.2
0.0	0.0		J	43.4	0.0	0.7	1.2
0.0	0.0	Min	I	-120.0	-0.0	-0.7	0.2
0.0	0.0		J	-120.0	0.0	0.7	0.2
678	2	79 C1-C2;~1 Max	I	121.4	0.0	0.0	0.6
0.0	0.0		J	121.4	0.0	0.0	0.6
0.0	0.0	Min	I	-22.2	-0.0	-0.0	-0.2
0.0	0.0		J	-22.2	0.0	0.0	-0.2
0.0	0.0	C3-C4;~1 Max	I	117.9	0.0	0.0	0.5
0.0	0.0		J	117.9	0.0	0.0	0.5
0.0	0.0	Min	I	-19.8	-0.0	-0.0	-0.2
0.0	0.0						


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	-19.8	0.0	0.0	-0.2
0.0	0.0	C1-C2;~2 Max	I	83.6	0.0	0.0	0.4
0.0	0.0		J	83.6	0.0	0.0	0.4
0.0	0.0	Min	I	-11.1	-0.0	-0.0	-0.1
0.0	0.0		J	-11.1	0.0	0.0	-0.1
0.0	0.0	C3-C4;~2 Max	I	82.3	0.0	0.0	0.3
0.0	0.0		J	82.3	0.0	0.0	0.3
0.0	0.0	Min	I	-10.2	-0.0	-0.0	-0.1
0.0	0.0		J	-10.2	0.0	0.0	-0.1
0.0	0.0	G1	I	-8.1	-0.0	-0.7	0.1
0.0	0.0		J	-8.1	0.0	0.7	0.1
0.0	0.0	G2	I	-10.3	-0.0	-0.0	0.1
0.0	0.0		J	-10.3	0.0	0.0	0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-5.8	0.0	0.0	-0.0
0.0	0.0		J	-5.8	0.0	0.0	-0.0
0.0	0.0	Q5_ps	I	-8.8	0.0	0.0	-0.1
0.0	0.0		J	-8.8	0.0	0.0	-0.1
0.0	0.0	INVSLU Max	I	101.1	-0.0	-0.9	1.6
0.0	0.0		J	101.1	0.0	0.9	1.6
0.0	0.0	Min	I	-103.3	-0.0	-0.9	0.3
0.0	0.0		J	-103.3	0.0	0.9	0.3
0.0	0.0	INVSLE Max	I	74.6	-0.0	-0.7	1.2
0.0	0.0		J	74.6	0.0	0.7	1.2
0.0	0.0	Min	I	-76.0	-0.0	-0.7	0.2
0.0	0.0		J	-76.0	0.0	0.7	0.2
685	2	79 C1-C2;~1 Max	I	94.6	0.0	0.0	0.6
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	94.6	0.0	0.0	0.6
0.0	0.0	Min	I	-14.5	-0.0	-0.0	-0.1
0.0	0.0		J	-14.5	-0.0	-0.0	-0.1
0.0	0.0	C3-C4;~1 Max	I	87.6	0.0	0.0	0.5
0.0	0.0		J	87.6	0.0	0.0	0.5
0.0	0.0	Min	I	-11.1	-0.0	-0.0	-0.1
0.0	0.0		J	-11.1	-0.0	-0.0	-0.1
0.0	0.0	C1-C2;~2 Max	I	63.1	0.0	0.0	0.4
0.0	0.0		J	63.1	0.0	0.0	0.4
0.0	0.0	Min	I	-6.5	-0.0	-0.0	-0.1
0.0	0.0		J	-6.5	-0.0	-0.0	-0.1
0.0	0.0	C3-C4;~2 Max	I	59.3	0.0	0.0	0.3
0.0	0.0		J	59.3	0.0	0.0	0.3
0.0	0.0	Min	I	-5.1	-0.0	-0.0	-0.1
0.0	0.0		J	-5.1	-0.0	-0.0	-0.1
0.0	0.0	G1	I	-0.8	-0.0	-0.7	0.3
0.0	0.0		J	-0.8	0.0	0.7	0.3
0.0	0.0	G2	I	-9.3	-0.0	-0.0	0.1
0.0	0.0		J	-9.3	0.0	0.0	0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-7.9	0.0	0.0	-0.0
0.0	0.0		J	-7.9	-0.0	-0.0	-0.0
0.0	0.0	Q5_ps	I	-11.4	0.0	0.0	-0.0
0.0	0.0		J	-11.4	-0.0	0.0	-0.0
0.0	0.0	INVSLU Max	I	55.2	-0.0	-0.9	1.6
0.0	0.0		J	55.2	0.0	0.9	1.6
0.0	0.0	Min	I	-106.4	-0.0	-0.9	0.6
0.0	0.0		J	-106.4	0.0	0.9	0.6

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0							
			INVSLE Max	I	33.8	-0.0	-0.7	1.2
0.0	0.0			J	33.8	0.0	0.7	1.2
0.0	0.0		Min	I	-84.8	-0.0	-0.7	0.4
0.0	0.0			J	-84.8	0.0	0.7	0.4
0.0	0.0							
692	2	79	C1-C2;~1 Max	I	78.2	0.0	0.0	0.5
0.0	0.0			J	78.2	0.0	0.0	0.5
0.0	0.0		Min	I	-13.2	-0.0	-0.0	-0.2
0.0	0.0			J	-13.2	0.0	0.0	-0.2
0.0	0.0							
			C3-C4;~1 Max	I	71.5	0.0	0.0	0.4
0.0	0.0			J	71.5	0.0	0.0	0.4
0.0	0.0		Min	I	-6.9	-0.0	-0.0	-0.2
0.0	0.0			J	-6.9	0.0	0.0	-0.2
0.0	0.0							
			C1-C2;~2 Max	I	51.7	0.0	0.0	0.3
0.0	0.0			J	51.7	0.0	0.0	0.3
0.0	0.0		Min	I	-6.2	-0.0	-0.0	-0.1
0.0	0.0			J	-6.2	0.0	0.0	-0.1
0.0	0.0							
			C3-C4;~2 Max	I	48.1	0.0	0.0	0.2
0.0	0.0			J	48.1	0.0	0.0	0.2
0.0	0.0		Min	I	-2.8	-0.0	-0.0	-0.1
0.0	0.0			J	-2.8	0.0	0.0	-0.1
0.0	0.0							
			G1	I	-1.2	-0.0	-0.7	0.2
0.0	0.0			J	-1.2	0.0	0.7	0.2
0.0	0.0							
			G2	I	-9.2	-0.0	0.0	0.1
0.0	0.0			J	-9.2	0.0	0.0	0.1
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-7.7	0.0	-0.0	-0.0
0.0	0.0			J	-7.7	0.0	0.0	-0.0
0.0	0.0							

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0	Q5_ps	I	-10.9	0.0	-0.0	-0.0
0.0	0.0		J	-10.9	0.0	0.0	-0.0
0.0	0.0	INVSLE Max	I	84.4	-0.0	-0.9	1.3
0.0	0.0		J	84.4	0.0	0.9	1.3
0.0	0.0	Min	I	-52.7	-0.0	-0.9	0.5
0.0	0.0		J	-52.7	0.0	0.9	0.5
0.0	0.0	INVSLE Max	I	55.5	-0.0	-0.7	1.0
0.0	0.0		J	55.5	0.0	0.7	1.0
0.0	0.0	Min	I	-45.1	-0.0	-0.7	0.4
0.0	0.0		J	-45.1	0.0	0.7	0.4
699	2	79 C1-C2;~1 Max	I	75.5	0.0	0.0	0.3
0.0	0.0		J	75.5	0.0	0.0	0.3
0.0	0.0	Min	I	-13.8	0.0	-0.0	-0.2
0.0	0.0		J	-13.8	-0.0	0.0	-0.2
0.0	0.0	C3-C4;~1 Max	I	67.9	0.0	0.0	0.3
0.0	0.0		J	67.9	0.0	0.0	0.3
0.0	0.0	Min	I	-7.1	0.0	-0.0	-0.2
0.0	0.0		J	-7.1	-0.0	0.0	-0.2
0.0	0.0	C1-C2;~2 Max	I	50.0	0.0	0.0	0.2
0.0	0.0		J	50.0	0.0	0.0	0.2
0.0	0.0	Min	I	-6.6	0.0	-0.0	-0.1
0.0	0.0		J	-6.6	-0.0	0.0	-0.1
0.0	0.0	C3-C4;~2 Max	I	45.6	0.0	0.0	0.2
0.0	0.0		J	45.6	0.0	0.0	0.2
0.0	0.0	Min	I	-2.9	0.0	-0.0	-0.1
0.0	0.0		J	-2.9	-0.0	0.0	-0.1
0.0	0.0	G1	I	-1.8	0.0	-0.7	0.1
0.0	0.0		J	-1.8	0.0	0.7	0.1
0.0	0.0	G2	I	-9.4	0.0	0.0	0.0

PROJECT TITLE :


MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	-9.4	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc	I	-7.4	0.0	-0.0	-0.0
0.0	0.0		J	-7.4	-0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	Q5_ps	I	-10.5	0.0	-0.0	-0.0
0.0	0.0		J	-10.5	-0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	INVS LU Max	I	140.1	0.0	-0.9	0.8
0.0	0.0		J	140.1	0.0	0.9	0.8
0.0	0.0						
0.0	0.0	Min	I	6.1	0.0	-0.9	0.1
0.0	0.0		J	6.1	0.0	0.9	0.1
0.0	0.0						
0.0	0.0	INVS LE Max	I	98.4	0.0	-0.7	0.6
0.0	0.0		J	98.4	0.0	0.7	0.6
0.0	0.0						
0.0	0.0	Min	I	0.1	0.0	-0.7	0.0
0.0	0.0		J	0.1	0.0	0.7	0.0
0.0	0.0						
706	2	79 C1-C2;~1 Max	I	75.6	0.0	0.0	0.2
0.0	0.0		J	75.6	0.0	0.0	0.2
0.0	0.0						
0.0	0.0	Min	I	-13.8	0.0	0.0	-0.3
0.0	0.0		J	-13.8	0.0	-0.0	-0.3
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	68.0	0.0	0.0	0.2
0.0	0.0		J	68.0	0.0	0.0	0.2
0.0	0.0						
0.0	0.0	Min	I	-7.1	0.0	0.0	-0.3
0.0	0.0		J	-7.1	0.0	-0.0	-0.3
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	50.1	0.0	0.0	0.1
0.0	0.0		J	50.1	0.0	0.0	0.1
0.0	0.0						
0.0	0.0	Min	I	-6.6	0.0	0.0	-0.2
0.0	0.0		J	-6.6	0.0	-0.0	-0.2
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	45.6	0.0	0.0	0.1

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0		J	45.6	0.0	0.0	0.1
0.0	0.0	Min	I	-2.9	0.0	0.0	-0.2
0.0	0.0		J	-2.9	0.0	-0.0	-0.2
0.0	0.0	G1	I	-2.0	0.0	-0.7	0.0
0.0	0.0		J	-2.0	0.0	0.7	0.0
0.0	0.0	G2	I	-9.6	0.0	0.0	0.0
0.0	0.0		J	-9.6	0.0	-0.0	0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-7.4	0.0	0.0	0.0
0.0	0.0		J	-7.4	0.0	0.0	0.0
0.0	0.0	Q5_ps	I	-10.5	0.0	0.0	0.0
0.0	0.0		J	-10.5	0.0	0.0	0.0
0.0	0.0	INVSLE Max	I	165.4	0.0	-0.9	0.3
0.0	0.0		J	165.4	0.0	0.9	0.3
0.0	0.0	Min	I	31.3	0.0	-0.9	-0.5
0.0	0.0		J	31.3	0.0	0.9	-0.5
0.0	0.0	INVSLE Max	I	117.4	0.0	-0.7	0.2
0.0	0.0		J	117.4	0.0	0.7	0.2
0.0	0.0	Min	I	19.1	0.0	-0.7	-0.4
0.0	0.0		J	19.1	0.0	0.7	-0.4
713	2	79 C1-C2;~1 Max	I	75.5	0.0	0.0	0.2
0.0	0.0		J	75.5	0.0	0.0	0.2
0.0	0.0	Min	I	-13.6	-0.0	-0.0	-0.5
0.0	0.0		J	-13.6	-0.0	-0.0	-0.5
0.0	0.0	C3-C4;~1 Max	I	68.0	0.0	0.0	0.2
0.0	0.0		J	68.0	0.0	0.0	0.2
0.0	0.0	Min	I	-7.0	-0.0	-0.0	-0.4
0.0	0.0		J	-7.0	-0.0	-0.0	-0.4

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	I	50.0	0.0	0.0
0.0	0.0			J	50.0	0.0	0.0
0.0	0.0		Min	I	-6.5	-0.0	-0.0
0.0	0.0			J	-6.5	-0.0	-0.0
0.0	0.0	C3-C4;~2	Max	I	45.7	0.0	0.0
0.0	0.0			J	45.7	0.0	0.0
0.0	0.0		Min	I	-2.8	-0.0	-0.0
0.0	0.0			J	-2.8	-0.0	-0.0
0.0	0.0		G1	I	-2.1	0.0	-0.7
0.0	0.0			J	-2.1	-0.0	0.7
0.0	0.0		G2	I	-9.8	0.0	-0.0
0.0	0.0			J	-9.8	-0.0	-0.0
0.0	0.0		Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0		Q5_pc	I	-7.3	-0.0	0.0
0.0	0.0			J	-7.3	0.0	0.0
0.0	0.0		Q5_ps	I	-10.4	-0.0	0.0
0.0	0.0			J	-10.4	0.0	0.0
0.0	0.0		INVSLU	Max	I	162.2	0.0
0.0	0.0			J	162.2	-0.0	0.9
0.0	0.0		Min	I	28.8	0.0	-0.9
0.0	0.0			J	28.8	-0.0	0.9
0.0	0.0		INVSLE	Max	I	115.0	0.0
0.0	0.0			J	115.0	-0.0	0.7
0.0	0.0		Min	I	17.2	0.0	-0.7
0.0	0.0			J	17.2	-0.0	0.7
720	2	79	C1-C2;~1	Max	I	75.1	0.0
0.0	0.0			J	75.1	0.0	0.0

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		Min	I	-12.9	0.0	-0.0	-0.6
0.0	0.0			J	-12.9	-0.0	-0.0	-0.6
0.0	0.0							
0.0	0.0	C3-C4;~1	Max	I	68.5	0.0	0.0	0.2
0.0	0.0			J	68.5	0.0	0.0	0.2
0.0	0.0		Min	I	-6.8	0.0	-0.0	-0.5
0.0	0.0			J	-6.8	-0.0	-0.0	-0.5
0.0	0.0							
0.0	0.0	C1-C2;~2	Max	I	49.8	0.0	0.0	0.1
0.0	0.0			J	49.8	0.0	0.0	0.1
0.0	0.0		Min	I	-6.1	0.0	-0.0	-0.4
0.0	0.0			J	-6.1	-0.0	-0.0	-0.4
0.0	0.0							
0.0	0.0	C3-C4;~2	Max	I	46.2	0.0	0.0	0.1
0.0	0.0			J	46.2	0.0	0.0	0.1
0.0	0.0		Min	I	-2.8	0.0	-0.0	-0.3
0.0	0.0			J	-2.8	-0.0	-0.0	-0.3
0.0	0.0							
0.0	0.0		G1	I	-1.7	0.0	-0.7	-0.2
0.0	0.0			J	-1.7	0.0	0.7	-0.2
0.0	0.0							
0.0	0.0		G2	I	-9.5	0.0	0.0	-0.1
0.0	0.0			J	-9.5	0.0	-0.0	-0.1
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Q5_pc	I	-7.0	0.0	-0.0	0.0
0.0	0.0			J	-7.0	-0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Q5_ps	I	-10.0	0.0	-0.0	0.0
0.0	0.0			J	-10.0	-0.0	0.0	0.0
0.0	0.0							
0.0	0.0		INVSLU	Max	I	133.5	0.0	-0.9
0.0	0.0			J	133.5	0.0	0.9	-0.5
0.0	0.0		Min	I	2.2	0.0	-0.9	-1.7
0.0	0.0			J	2.2	0.0	0.9	-1.7
0.0	0.0							


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0	INVSLE Max	I	93.3	0.0	-0.7	-0.4
0.0	0.0		J	93.3	0.0	0.7	-0.4
0.0	0.0	Min	I	-3.0	0.0	-0.7	-1.3
0.0	0.0		J	-3.0	0.0	0.7	-1.3
727	2	79 C1-C2;~1 Max	I	70.0	0.0	0.0	0.2
0.0	0.0		J	70.0	0.0	0.0	0.2
0.0	0.0	Min	I	-16.4	-0.0	0.0	-0.8
0.0	0.0		J	-16.4	0.0	0.0	-0.8
0.0	0.0	C3-C4;~1 Max	I	63.3	0.0	0.0	0.3
0.0	0.0		J	63.3	0.0	0.0	0.3
0.0	0.0	Min	I	-8.8	-0.0	0.0	-0.7
0.0	0.0		J	-8.8	0.0	0.0	-0.7
0.0	0.0	C1-C2;~2 Max	I	47.1	0.0	0.0	0.1
0.0	0.0		J	47.1	0.0	0.0	0.1
0.0	0.0	Min	I	-9.0	-0.0	0.0	-0.5
0.0	0.0		J	-9.0	0.0	0.0	-0.5
0.0	0.0	C3-C4;~2 Max	I	43.0	0.0	0.0	0.1
0.0	0.0		J	43.0	0.0	0.0	0.1
0.0	0.0	Min	I	-4.4	-0.0	0.0	-0.4
0.0	0.0		J	-4.4	0.0	0.0	-0.4
0.0	0.0	G1	I	-2.1	0.0	-0.7	-0.3
0.0	0.0		J	-2.1	0.0	0.7	-0.3
0.0	0.0	G2	I	-9.4	0.0	0.0	-0.1
0.0	0.0		J	-9.4	0.0	0.0	-0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-6.6	-0.0	0.0	0.0
0.0	0.0		J	-6.6	0.0	0.0	0.0

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0	Q5_ps	I	-9.4	-0.0	0.0	0.0
0.0	0.0		J	-9.4	0.0	0.0	0.0
0.0	0.0	INVS LU Max	I	69.7	0.0	-0.9	-0.8
0.0	0.0		J	69.7	0.0	0.9	-0.8
0.0	0.0	Min	I	-58.9	0.0	-0.9	-2.3
0.0	0.0		J	-58.9	0.0	0.9	-2.3
0.0	0.0	INVS LE Max	I	45.1	0.0	-0.7	-0.6
0.0	0.0		J	45.1	0.0	0.7	-0.6
0.0	0.0	Min	I	-49.3	0.0	-0.7	-1.7
0.0	0.0		J	-49.3	0.0	0.7	-1.7
741	2	80 C1-C2;~1 Max	I	53.5	0.0	0.1	0.5
0.0	0.0		J	53.5	0.0	0.1	0.5
116.9	0.1	Min	I	-127.1	-0.0	-0.0	-1.7
0.0	0.0		J	-127.1	-0.0	-0.0	-1.7
-294.1	-0.0	C3-C4;~1 Max	I	54.0	0.0	0.1	0.5
0.0	0.0		J	54.0	0.0	0.1	0.5
56.3	0.1	Min	I	-153.9	-0.0	-0.0	-1.5
0.0	0.0		J	-153.9	-0.0	-0.0	-1.5
-244.0	-0.0	C1-C2;~2 Max	I	30.4	0.0	0.1	0.3
0.0	0.0		J	30.4	0.0	0.1	0.3
66.5	0.1	Min	I	-72.7	-0.0	-0.0	-1.0
0.0	0.0		J	-72.7	-0.0	-0.0	-1.0
-192.9	-0.0	C3-C4;~2 Max	I	30.7	0.0	0.1	0.3
0.0	0.0		J	30.7	0.0	0.1	0.3
27.2	0.1	Min	I	-90.0	-0.0	-0.0	-0.9
0.0	0.0		J	-90.0	-0.0	-0.0	-0.9
-154.7	-0.0	G1	I	-69.7	-0.0	-0.4	-0.5
0.0	0.0		J	-69.7	-0.0	0.7	-0.5
-279.5	0.0	G2	I	-27.7	-0.0	-0.0	-0.2
0.0	0.0						

MIDAS

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
45.6	0.0		J	-27.7	-0.0	-0.0	-0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-7.2	0.0	-0.0	0.1
33.0	-0.0		J	-7.2	0.0	-0.0	0.1
0.0	0.0	Q5_ps	I	-8.5	0.0	-0.0	0.1
47.6	-0.0		J	-8.5	0.0	-0.0	0.1
0.0	0.0	INVS LU Max	I	9.8	0.0	-0.4	1.2
-221.8	0.2		J	9.8	0.0	1.1	1.2
0.0	0.0	Min	I	-283.7	-0.0	-0.6	-2.1
-836.0	-0.1		J	-283.7	-0.0	0.8	-2.1
0.0	0.0	INVS LE Max	I	10.9	0.0	-0.3	0.9
-154.1	0.1		J	10.9	0.0	0.8	0.9
0.0	0.0	Min	I	-205.6	-0.0	-0.5	-1.5
-604.6	-0.1		J	-205.6	-0.0	0.6	-1.5
742	2	80 C1-C2;~1 Max	I	68.1	0.0	0.1	0.7
0.0	0.0		J	68.1	0.0	0.1	0.7
95.9	0.1		I	-104.7	-0.0	-0.0	-1.4
0.0	0.0	Min	J	-104.7	-0.0	-0.0	-1.4
-359.6	-0.1						
0.0	0.0	C3-C4;~1 Max	I	69.8	0.0	0.1	1.0
41.3	0.1		J	69.8	0.0	0.1	1.0
0.0	0.0	Min	I	-127.8	-0.0	-0.0	-1.1
-348.1	-0.1		J	-127.8	-0.0	-0.0	-1.1
0.0	0.0	C1-C2;~2 Max	I	38.5	0.0	0.1	0.4
54.0	0.0		J	38.5	0.0	0.1	0.4
0.0	0.0	Min	I	-60.3	-0.0	-0.0	-0.9
-240.2	-0.1		J	-60.3	-0.0	-0.0	-0.9
0.0	0.0	C3-C4;~2 Max	I	39.6	0.0	0.1	0.6
			J	39.6	0.0	0.1	0.6

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
18.9	0.0		Min	I	-75.2	-0.0	-0.0	-0.6
0.0	0.0			J	-75.2	-0.0	-0.0	-0.6
-229.9	-0.1		G1	I	-27.8	0.0	-0.4	-0.1
0.0	0.0			J	-27.8	0.0	0.7	-0.1
-299.8	-0.0		G2	I	-11.2	0.0	-0.0	-0.0
0.0	0.0			J	-11.2	0.0	-0.0	-0.0
40.1	-0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc	I	-9.0	0.0	-0.0	0.2
0.0	0.0			J	-9.0	0.0	-0.0	0.2
34.5	-0.0		Q5_ps	I	-10.0	0.0	-0.0	0.2
0.0	0.0			J	-10.0	0.0	-0.0	0.2
49.7	-0.0		INVSLE Max	I	144.0	0.0	-0.5	1.5
0.0	0.0			J	144.0	0.0	1.0	1.5
-23.8	0.1		Min	I	-139.0	-0.0	-0.7	-2.2
0.0	0.0			J	-139.0	-0.0	0.8	-2.2
-700.8	-0.2		INVSLE Max	I	111.6	0.0	-0.3	1.1
0.0	0.0			J	111.6	0.0	0.8	1.1
-3.4	0.1		Min	I	-96.9	-0.0	-0.5	-1.6
0.0	0.0			J	-96.9	-0.0	0.6	-1.6
-500.3	-0.1		80 C1-C2;~1 Max	I	74.2	0.0	0.2	1.5
743	2			J	74.2	0.0	0.2	1.5
0.0	0.0		Min	I	-68.9	-0.0	-0.1	-1.6
120.8	0.3			J	-68.9	-0.0	-0.1	-1.6
0.0	0.0		C3-C4;~1 Max	I	76.0	0.0	0.2	1.8
-487.1	-0.5			J	76.0	0.0	0.2	1.8
0.0	0.0		Min	I	-83.1	-0.0	-0.0	-1.1
71.7	0.5			J	-83.1	-0.0	-0.0	-1.1
0.0	0.0							
-455.8	-0.4							


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0	C1-C2;~2	Max	I	41.9	0.0	0.1	0.9
				J	41.9	0.0	0.1	0.9
68.0	0.2		Min	I	-41.2	-0.0	-0.0	-1.0
0.0	0.0			J	-41.2	-0.0	-0.0	-1.0
-335.8	-0.3							
		C3-C4;~2	Max	I	42.8	0.0	0.1	1.0
0.0	0.0			J	42.8	0.0	0.1	1.0
36.0	0.3		Min	I	-50.3	-0.0	-0.0	-0.6
0.0	0.0			J	-50.3	-0.0	-0.0	-0.6
-316.8	-0.3							
		G1		I	25.6	-0.0	-0.4	0.4
0.0	0.0			J	25.6	-0.0	0.7	0.4
-280.3	0.0							
		G2		I	10.6	-0.0	-0.0	0.2
0.0	0.0			J	10.6	-0.0	-0.0	0.2
43.8	0.0							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-14.7	0.0	-0.0	0.3
0.0	0.0			J	-14.7	0.0	-0.0	0.3
25.3	-0.1							
		Q5_ps		I	-14.5	0.0	-0.0	0.3
0.0	0.0			J	-14.5	0.0	-0.0	0.3
38.2	-0.1							
		INVS LU	Max	I	280.2	0.0	-0.4	2.7
0.0	0.0			J	280.2	0.0	1.1	2.7
12.5	0.8		Min	I	38.9	-0.0	-0.7	-2.4
0.0	0.0			J	38.9	-0.0	0.7	-2.4
-853.7	-0.7							
		INVS LE	Max	I	212.5	0.0	-0.3	1.9
0.0	0.0			J	212.5	0.0	0.8	1.9
4.7	0.6		Min	I	35.8	-0.0	-0.6	-1.8
0.0	0.0			J	35.8	-0.0	0.5	-1.8
-633.6	-0.5							
744	2	80 C1-C2;~1	Max	I	79.8	0.0	0.2	1.3
0.0	0.0			J	79.8	0.0	0.2	1.3
136.7	0.2							


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
			Min	I	-21.7	-0.0	-0.1
0.0	0.0			J	-21.7	-0.0	-2.1
-503.1	-0.2						
		C3-C4;~1	Max	I	83.0	0.0	0.2
0.0	0.0			J	83.0	0.0	1.6
89.9	0.2						
			Min	I	-27.8	-0.0	-0.0
0.0	0.0			J	-27.8	-0.0	-1.6
-473.0	-0.2						
		C1-C2;~2	Max	I	43.3	0.0	0.1
0.0	0.0			J	43.3	0.0	0.8
73.2	0.1						
			Min	I	-13.8	-0.0	-0.0
0.0	0.0			J	-13.8	-0.0	-1.2
-344.8	-0.1						
		C3-C4;~2	Max	I	45.8	0.0	0.1
0.0	0.0			J	45.8	0.0	0.9
43.9	0.1						
			Min	I	-17.6	-0.0	-0.0
0.0	0.0			J	-17.6	-0.0	-0.9
-327.1	-0.1						
			G1	I	78.4	-0.0	-0.4
0.0	0.0			J	78.4	-0.0	0.1
-242.4	0.0						
			G2	I	29.8	-0.0	-0.0
0.0	0.0			J	29.8	-0.0	0.1
66.1	0.0						
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc	I	-19.7	0.0	-0.0
0.0	0.0			J	-19.7	0.0	0.3
43.6	-0.1						
			Q5_ps	I	-19.4	0.0	-0.0
0.0	0.0			J	-19.4	0.0	0.4
58.7	-0.1						
			INVSLU	Max	I	375.5	-0.4
0.0	0.0			J	375.5	0.0	2.9
235.0	0.7						
			Min	I	190.6	-0.0	-0.8
0.0	0.0			J	190.6	-0.0	-2.6
-707.1	-0.0						

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
			INVSLE Max	I	281.9	0.0	-0.3	2.2
0.0	0.0			J	281.9	0.0	0.8	2.2
173.9	0.5		Min	I	147.5	-0.0	-0.6	-1.9
0.0	0.0			J	147.5	-0.0	0.5	-1.9
-518.1	-0.0							
746	2	80	C1-C2;~1 Max	I	81.6	0.0	0.2	2.6
0.0	0.0			J	81.6	0.0	0.2	2.6
132.3	0.3		Min	I	-22.1	-0.0	-0.1	-1.2
0.0	0.0			J	-22.1	-0.0	-0.1	-1.2
-499.7	-0.2							
			C3-C4;~1 Max	I	85.7	0.0	0.2	2.0
0.0	0.0			J	85.7	0.0	0.2	2.0
88.3	0.3		Min	I	-28.3	-0.0	-0.0	-1.3
0.0	0.0			J	-28.3	-0.0	-0.0	-1.3
-464.5	-0.2							
			C1-C2;~2 Max	I	45.3	0.0	0.1	1.5
0.0	0.0			J	45.3	0.0	0.1	1.5
70.3	0.2		Min	I	-14.0	-0.0	-0.0	-0.7
0.0	0.0			J	-14.0	-0.0	-0.0	-0.7
-342.4	-0.1							
			C3-C4;~2 Max	I	47.5	0.0	0.1	1.1
0.0	0.0			J	47.5	0.0	0.1	1.1
42.6	0.1		Min	I	-17.9	-0.0	-0.0	-0.7
0.0	0.0			J	-17.9	-0.0	-0.0	-0.7
-322.4	-0.1							
			G1	I	79.4	-0.0	-0.4	0.7
0.0	0.0			J	79.4	-0.0	0.7	0.7
-243.1	0.1							
			G2	I	29.6	-0.0	-0.0	0.2
0.0	0.0			J	29.6	-0.0	-0.0	0.2
67.9	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-18.9	-0.0	-0.0	-0.3
0.0	0.0			J	-18.9	-0.0	-0.0	-0.3
42.5	0.1							
			Q5_ps	I	-18.6	-0.0	-0.0	-0.3

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0			J	-18.6	-0.0	-0.0	-0.3
57.6	0.1							
			INVSLU Max	I	380.5	-0.0	-0.4	5.6
0.0	0.0			J	380.5	-0.0	1.0	5.6
226.8	1.3		Min	I	192.6	-0.0	-0.8	-0.2
0.0	0.0			J	192.6	-0.0	0.6	-0.2
-702.9	0.4							
			INVSLE Max	I	285.7	-0.0	-0.3	4.1
0.0	0.0			J	285.7	-0.0	0.8	4.1
167.8	1.0		Min	I	149.1	-0.0	-0.6	-0.2
0.0	0.0			J	149.1	-0.0	0.5	-0.2
-515.2	0.3							
747	2	80	C1-C2;~1 Max	I	76.5	0.0	0.2	2.1
0.0	0.0			J	76.5	0.0	0.2	2.1
109.5	0.7		Min	I	-77.7	-0.0	-0.0	-1.5
0.0	0.0			J	-77.7	-0.0	-0.0	-1.5
-482.2	-0.3							
			C3-C4;~1 Max	I	82.0	0.0	0.2	1.7
0.0	0.0			J	82.0	0.0	0.2	1.7
69.5	0.6		Min	I	-90.5	-0.0	-0.0	-1.8
0.0	0.0			J	-90.5	-0.0	-0.0	-1.8
-451.6	-0.4							
			C1-C2;~2 Max	I	43.0	0.0	0.1	1.2
0.0	0.0			J	43.0	0.0	0.1	1.2
60.4	0.4		Min	I	-46.4	-0.0	-0.0	-0.9
0.0	0.0			J	-46.4	-0.0	-0.0	-0.9
-332.4	-0.2							
			C3-C4;~2 Max	I	46.2	0.0	0.1	0.9
0.0	0.0			J	46.2	0.0	0.1	0.9
34.5	0.4		Min	I	-54.7	-0.0	-0.0	-1.1
0.0	0.0			J	-54.7	-0.0	-0.0	-1.1
-314.8	-0.2							
			G1	I	21.0	-0.0	-0.4	0.5
0.0	0.0			J	21.0	-0.0	0.7	0.5
-281.9	0.2							
			G2	I	7.4	-0.0	-0.0	0.2
0.0	0.0			J	7.4	-0.0	-0.0	0.2


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
46.4	0.1						
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc	I	-13.1	-0.0	-0.0
0.0	0.0			J	-13.1	-0.0	-0.0
23.3	0.1						
			Q5_ps	I	-12.7	-0.0	-0.0
0.0	0.0			J	-12.7	-0.0	-0.0
36.3	0.1						
			INVS LU Max	I	284.6	-0.0	-0.4
0.0	0.0			J	284.6	-0.0	1.1
-11.4	2.1		Min	I	28.2	-0.0	-0.7
0.0	0.0			J	28.2	-0.0	0.7
-852.2	0.3						
			INVS LE Max	I	216.3	-0.0	-0.3
0.0	0.0			J	216.3	-0.0	0.8
-12.7	1.6		Min	I	28.1	-0.0	-0.5
0.0	0.0			J	28.1	-0.0	0.6
-632.4	0.3						
748	2	80	C1-C2;~1 Max	I	77.0	0.0	0.1
0.0	0.0			J	77.0	0.0	0.1
91.7	0.2		Min	I	-126.5	-0.0	-0.0
0.0	0.0			J	-126.5	-0.0	-0.0
-359.6	-0.0						
			C3-C4;~1 Max	I	80.5	0.0	0.1
0.0	0.0			J	80.5	0.0	0.1
40.0	0.2		Min	I	-147.4	-0.0	-0.0
0.0	0.0			J	-147.4	-0.0	-0.0
-333.5	-0.1						
			C1-C2;~2 Max	I	43.7	0.0	0.1
0.0	0.0			J	43.7	0.0	0.1
50.6	0.1		Min	I	-72.8	-0.0	-0.0
0.0	0.0			J	-72.8	-0.0	-0.0
-240.1	-0.0						
			C3-C4;~2 Max	I	45.7	0.0	0.1
0.0	0.0			J	45.7	0.0	0.1
17.6	0.1						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
			Min	I	-86.7	-0.0	-0.0
0.0	0.0			J	-86.7	-0.0	-0.5
-226.4	-0.0						
			G1	I	-40.2	-0.0	-0.4
0.0	0.0			J	-40.2	-0.0	0.4
-300.4	0.1						
			G2	I	-18.4	-0.0	-0.0
0.0	0.0			J	-18.4	-0.0	0.2
46.6	0.0						
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc	I	-7.1	-0.0	-0.0
0.0	0.0			J	-7.1	-0.0	-0.1
32.8	0.0						
			Q5_ps	I	-7.9	-0.0	-0.0
0.0	0.0			J	-7.9	-0.0	-0.2
47.6	0.0						
			INVSLE Max	I	149.1	-0.0	-0.4
0.0	0.0			J	149.1	-0.0	4.7
-36.9	1.4						
			Min	I	-171.5	-0.0	-0.7
0.0	0.0			J	-171.5	-0.0	0.8
-705.3	1.0						
			INVSLE Max	I	116.3	-0.0	-0.3
0.0	0.0			J	116.3	-0.0	3.5
-13.0	1.0						
			Min	I	-120.2	-0.0	-0.5
0.0	0.0			J	-120.2	-0.0	0.6
-503.7	0.7						
		2	80 C1-C2;~1 Max	I	65.7	0.0	0.1
749	0.0			J	65.7	0.0	1.5
0.0	0.0						
113.3	0.1						
			Min	I	-163.7	-0.0	-0.0
0.0	0.0			J	-163.7	-0.0	-0.6
-291.6	-0.0						
			C3-C4;~1 Max	I	67.6	0.0	0.1
0.0	0.0			J	67.6	0.0	1.2
54.1	0.1						
			Min	I	-188.7	-0.0	-0.0
0.0	0.0			J	-188.7	-0.0	-0.7
-237.8	-0.1						

MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
			C1-C2;~2	Max	I	37.5	0.0	0.1	0.9	
0.0	0.0				J	37.5	0.0	0.1	0.9	
63.7	0.1			Min	I	-93.5	-0.0	-0.0	-0.3	
0.0	0.0				J	-93.5	-0.0	-0.0	-0.3	
-191.4	-0.0									
			C3-C4;~2	Max	I	38.5	0.0	0.1	0.7	
0.0	0.0				J	38.5	0.0	0.1	0.7	
25.6	0.1			Min	I	-110.1	-0.0	-0.0	-0.4	
0.0	0.0				J	-110.1	-0.0	-0.0	-0.4	
-155.9	-0.0									
				G1	I	-94.2	-0.0	-0.4	0.4	
0.0	0.0				J	-94.2	-0.0	0.7	0.4	
-281.0	0.0									
				G2	I	-40.1	-0.0	-0.0	0.1	
0.0	0.0				J	-40.1	-0.0	-0.0	0.1	
53.3	0.0									
				Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
				Q5_pc	I	-5.7	-0.0	-0.0	-0.1	
0.0	0.0				J	-5.7	-0.0	-0.0	-0.1	
31.7	0.0									
				Q5_ps	I	-6.7	-0.0	-0.0	-0.1	
0.0	0.0				J	-6.7	-0.0	-0.0	-0.1	
45.5	0.0									
				INVSLE Max	I	-9.5	-0.0	-0.4	3.7	
0.0	0.0				J	-9.5	-0.0	1.1	3.7	
-229.9	1.1			Min	I	-365.7	-0.0	-0.6	0.5	
0.0	0.0				J	-365.7	-0.0	0.8	0.5	
-833.4	0.8									
				INVSLE Max	I	-2.5	-0.0	-0.3	2.7	
0.0	0.0				J	-2.5	-0.0	0.8	2.7	
-159.4	0.8			Min	I	-265.6	-0.0	-0.5	0.4	
0.0	0.0				J	-265.6	-0.0	0.6	0.4	
-602.2	0.6									
		750	2	80 C1-C2;~1	Max	I	55.8	0.0	0.1	1.1
0.0	0.0				J	55.8	0.0	0.1	1.1	
125.1	0.1			Min	I	-185.9	-0.0	-0.1	-0.8	


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0						
-274.9	-0.1		J	-185.9	-0.0	-0.1	-0.8
		C3-C4;~1	Max	I	58.6	0.0	1.0
0.0	0.0		J	58.6	0.0	0.1	1.0
59.2	0.1		Min	I	-213.9	-0.0	-0.7
0.0	0.0		J	-213.9	-0.0	-0.0	-0.7
-213.9	-0.1						
		C1-C2;~2	Max	I	32.0	0.0	0.7
0.0	0.0		J	32.0	0.0	0.1	0.7
71.2	0.0		Min	I	-105.7	-0.0	-0.5
0.0	0.0		J	-105.7	-0.0	-0.0	-0.5
-181.0	-0.0						
		C3-C4;~2	Max	I	33.1	0.0	0.6
0.0	0.0		J	33.1	0.0	0.1	0.6
28.3	0.1		Min	I	-124.6	-0.0	-0.4
0.0	0.0		J	-124.6	-0.0	-0.0	-0.4
-139.7	-0.0						
		G1	I	-130.7	-0.0	-0.4	0.2
0.0	0.0		J	-130.7	-0.0	0.7	0.2
-266.0	0.0						
		G2	I	-54.9	-0.0	-0.0	0.1
0.0	0.0		J	-54.9	-0.0	-0.0	0.1
59.7	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-5.0	-0.0	-0.0	-0.0
0.0	0.0		J	-5.0	-0.0	-0.0	-0.0
30.9	0.0						
		Q5_ps	I	-6.2	-0.0	-0.0	-0.0
0.0	0.0		J	-6.2	-0.0	-0.0	-0.0
44.3	0.0						
		INVSLU	Max	I	-114.9	-0.0	-0.3
0.0	0.0		J	-114.9	-0.0	1.2	2.7
-443.6	0.6		Min	I	-491.6	-0.0	0.0
0.0	0.0		J	-491.6	-0.0	0.9	0.0
1039.2	0.4						-
		INVSLE	Max	I	-81.2	-0.0	2.0


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0			J	-81.2	-0.0	0.9	2.0	
-324.9	0.5		Min	I	-359.7	-0.0	-0.4	0.0	
0.0	0.0			J	-359.7	-0.0	0.7	0.0	
-762.0	0.3								
751	2	80	C1-C2;~1	Max	I	44.9	0.0	0.1	0.8
0.0	0.0			J	44.9	0.0	0.1	0.8	
125.0	0.1		Min	I	-190.3	-0.0	-0.1	-1.3	
0.0	0.0			J	-190.3	-0.0	-0.1	-1.3	
-273.0	-0.1								
			C3-C4;~1	Max	I	47.2	0.0	0.1	0.9
0.0	0.0			J	47.2	0.0	0.1	0.9	
60.1	0.1		Min	I	-217.8	-0.0	-0.0	-1.0	
0.0	0.0			J	-217.8	-0.0	-0.0	-1.0	
-212.5	-0.1								
			C1-C2;~2	Max	I	25.7	0.0	0.1	0.5
0.0	0.0			J	25.7	0.0	0.1	0.5	
71.2	0.0		Min	I	-108.7	-0.0	-0.0	-0.8	
0.0	0.0			J	-108.7	-0.0	-0.0	-0.8	
-180.1	-0.0								
			C3-C4;~2	Max	I	26.6	0.0	0.1	0.5
0.0	0.0			J	26.6	0.0	0.1	0.5	
29.0	0.0		Min	I	-127.2	-0.0	-0.0	-0.6	
0.0	0.0			J	-127.2	-0.0	-0.0	-0.6	
-139.2	-0.0								
			G1	I	-145.9	-0.0	-0.4	-0.1	
0.0	0.0			J	-145.9	-0.0	0.7	-0.1	
-262.3	0.0								
			G2	I	-60.9	-0.0	-0.0	-0.0	
0.0	0.0			J	-60.9	-0.0	-0.0	-0.0	
62.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	-5.0	0.0	-0.0	0.0	
0.0	0.0			J	-5.0	0.0	-0.0	0.0	
30.8	-0.0								
			Q5_ps	I	-6.2	0.0	-0.0	0.0	
0.0	0.0								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
44.2	-0.0		J	-6.2	0.0	-0.0	0.0
		INVS LU Max	I	-177.9	0.0	-0.3	1.4
0.0	0.0		J	-177.9	0.0	1.2	1.4
-533.1	0.0	Min	I	-544.5	-0.0	-0.5	-1.5
0.0	0.0		J	-544.5	-0.0	1.0	-1.5
1125.9	-0.2						
		INVS LE Max	I	-128.8	0.0	-0.2	1.1
0.0	0.0		J	-128.8	0.0	0.9	1.1
-392.0	0.0	Min	I	-399.7	-0.0	-0.4	-1.1
0.0	0.0		J	-399.7	-0.0	0.7	-1.1
-827.0	-0.1						
752	2	80 C1-C2;~1 Max	I	33.6	0.0	0.1	0.6
0.0	0.0		J	33.6	0.0	0.1	0.6
123.0	0.1	Min	I	-176.1	-0.0	-0.1	-1.9
0.0	0.0		J	-176.1	-0.0	-0.1	-1.9
-273.0	-0.1						
		C3-C4;~1 Max	I	35.2	0.0	0.1	0.9
0.0	0.0		J	35.2	0.0	0.1	0.9
60.4	0.1	Min	I	-200.6	-0.0	-0.0	-1.5
0.0	0.0		J	-200.6	-0.0	-0.0	-1.5
-214.4	-0.1						
		C1-C2;~2 Max	I	19.2	0.0	0.1	0.3
0.0	0.0		J	19.2	0.0	0.1	0.3
70.2	0.0	Min	I	-101.3	-0.0	-0.0	-1.1
0.0	0.0		J	-101.3	-0.0	-0.0	-1.1
-180.2	-0.1						
		C3-C4;~2 Max	I	19.9	0.0	0.1	0.5
0.0	0.0		J	19.9	0.0	0.1	0.5
29.7	0.0	Min	I	-117.7	-0.0	-0.0	-0.9
0.0	0.0		J	-117.7	-0.0	-0.0	-0.9
-140.9	-0.1						
		G1	I	-139.8	0.0	-0.4	-0.4
0.0	0.0		J	-139.8	0.0	0.7	-0.4
-261.8	-0.0						
		G2	I	-58.3	0.0	-0.0	-0.1
0.0	0.0		J	-58.3	0.0	-0.0	-0.1
62.5	-0.0						

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Q5_pc	I	-5.0	0.0	-0.0	0.1	
30.7	-0.0		J	-5.0	0.0	-0.0	0.1	
0.0	0.0	Q5_ps	I	-6.1	0.0	-0.0	0.1	
43.8	-0.0		J	-6.1	0.0	-0.0	0.1	
0.0	0.0	INVSLU Max	I	-200.3	0.0	-0.3	0.3	
-522.5	-0.6		J	-200.3	0.0	1.2	0.3	
0.0	0.0	Min	I	-527.6	0.0	-0.5	-3.6	
1112.2	-0.8		J	-527.6	0.0	1.0	-3.6	-
0.0	0.0	INVSLE Max	I	-146.4	0.0	-0.2	0.2	
-383.9	-0.4		J	-146.4	0.0	0.9	0.2	
0.0	0.0	Min	I	-388.2	0.0	-0.4	-2.7	
-816.6	-0.6		J	-388.2	0.0	0.7	-2.7	
753	2	80 C1-C2;~1 Max	I	22.9	0.0	0.1	0.7	
0.0	0.0		J	22.9	0.0	0.1	0.7	
108.3	0.1	Min	I	-142.6	-0.0	-0.0	-2.4	
0.0	0.0		J	-142.6	-0.0	-0.0	-2.4	
-276.5	-0.1							
0.0	0.0	C3-C4;~1 Max	I	23.8	0.0	0.1	1.1	
53.3	0.1		J	23.8	0.0	0.1	1.1	
0.0	0.0	Min	I	-160.7	-0.0	-0.0	-1.8	
-226.3	-0.1		J	-160.7	-0.0	-0.0	-1.8	
0.0	0.0	C1-C2;~2 Max	I	13.1	0.0	0.1	0.4	
61.2	0.0		J	13.1	0.0	0.1	0.4	
0.0	0.0	Min	I	-82.8	-0.0	-0.0	-1.4	
-182.9	-0.1		J	-82.8	-0.0	-0.0	-1.4	
0.0	0.0	C3-C4;~2 Max	I	13.4	0.0	0.1	0.6	
25.9	0.0		J	13.4	0.0	0.1	0.6	
		Min	I	-94.6	-0.0	-0.0	-1.0	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0			J	-94.6	-0.0	-0.0	-1.0
-149.9	-0.1							
			G1	I	-114.2	0.0	-0.4	-0.6
0.0	0.0			J	-114.2	0.0	0.7	-0.6
-273.3	-0.0							
			G2	I	-47.8	0.0	-0.0	-0.2
0.0	0.0			J	-47.8	0.0	-0.0	-0.2
56.9	-0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-5.3	0.0	-0.0	0.1
0.0	0.0			J	-5.3	0.0	-0.0	0.1
28.9	-0.0							
			Q5_ps	I	-6.3	0.0	-0.0	0.2
0.0	0.0			J	-6.3	0.0	-0.0	0.2
41.7	-0.0							
			INVS LU Max	I	-182.4	0.0	-0.3	-0.4
0.0	0.0			J	-182.4	0.0	1.2	-0.4
-432.0	-1.0							
			Min	I	-441.1	0.0	-0.6	-5.3
0.0	0.0			J	-441.1	0.0	0.9	-5.3
1003.6	-1.3							
			INVS LE Max	I	-134.3	0.0	-0.2	-0.3
0.0	0.0			J	-134.3	0.0	0.9	-0.3
-313.7	-0.7							
			Min	I	-325.2	0.0	-0.4	-3.9
0.0	0.0			J	-325.2	0.0	0.7	-3.9
-733.3	-1.0							
754	2	80	C1-C2;~1 Max	I	15.6	0.0	0.1	1.0
0.0	0.0			J	15.6	0.0	0.1	1.0
97.3	0.0							
			Min	I	-81.2	-0.0	-0.0	-2.7
0.0	0.0			J	-81.2	-0.0	-0.0	-2.7
-263.3	-0.2							
			C3-C4;~1 Max	I	11.8	0.0	0.1	1.4
0.0	0.0			J	11.8	0.0	0.1	1.4
47.4	0.1							
			Min	I	-91.4	-0.0	-0.0	-2.1
0.0	0.0			J	-91.4	-0.0	-0.0	-2.1
-216.9	-0.1							
			C1-C2;~2 Max	I	9.4	0.0	0.1	0.5


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0			J	9.4	0.0	0.1	0.5
55.6	0.0		Min	I	-47.7	-0.0	-0.0	-1.6
0.0	0.0			J	-47.7	-0.0	-0.0	-1.6
-176.4	-0.1		C3-C4;~2 Max	I	6.5	0.0	0.1	0.8
0.0	0.0			J	6.5	0.0	0.1	0.8
23.5	0.0		Min	I	-54.3	-0.0	-0.0	-1.2
0.0	0.0			J	-54.3	-0.0	-0.0	-1.2
-145.5	-0.1		G1	I	-64.2	0.0	-0.4	-0.6
0.0	0.0			J	-64.2	0.0	0.7	-0.6
-285.2	-0.1		G2	I	-27.4	0.0	-0.0	-0.2
0.0	0.0			J	-27.4	0.0	-0.0	-0.2
51.0	-0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc	I	-12.7	0.0	-0.0	0.2
0.0	0.0			J	-12.7	0.0	-0.0	0.2
27.7	-0.0		Q5_ps	I	-13.2	0.0	-0.0	0.2
0.0	0.0			J	-13.2	0.0	-0.0	0.2
39.5	-0.0		INVSLE Max	I	-98.2	0.0	-0.4	-0.6
0.0	0.0			J	-98.2	0.0	1.1	-0.6
-230.6	-1.4		Min	I	-265.5	0.0	-0.6	-6.5
0.0	0.0			J	-265.5	0.0	0.8	-6.5
-767.2	-1.8		INVSLE Max	I	-73.6	0.0	-0.3	-0.4
0.0	0.0			J	-73.6	0.0	0.8	-0.4
-159.5	-1.0		Min	I	-195.9	0.0	-0.5	-4.8
0.0	0.0			J	-195.9	0.0	0.6	-4.8
-553.4	-1.3		80 C1-C2;~1 Max	I	57.1	0.0	0.0	0.6
756	2			J	57.1	0.0	0.0	0.6
116.9	0.0		Min	I	-182.5	-0.0	-0.1	-1.5
0.0	0.0							
-294.1	-0.1							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	-182.5	-0.0	-0.1	-1.5
56.3	0.0	C3-C4;~1 Max	I	55.2	0.0	0.0	0.7
0.0	0.0		J	55.2	0.0	0.0	0.7
-244.0	-0.1	Min	I	-157.6	-0.0	-0.1	-1.3
0.0	0.0		J	-157.6	-0.0	-0.1	-1.3
66.5	0.0	C1-C2;~2 Max	I	32.5	0.0	0.0	0.3
0.0	0.0		J	32.5	0.0	0.0	0.3
-192.9	-0.1	Min	I	-111.1	-0.0	-0.1	-0.9
0.0	0.0		J	-111.1	-0.0	-0.1	-0.9
27.2	0.0	C3-C4;~2 Max	I	31.3	0.0	0.0	0.4
0.0	0.0		J	31.3	0.0	0.0	0.4
-154.7	-0.1	Min	I	-92.5	-0.0	-0.1	-0.8
0.0	0.0		J	-92.5	-0.0	-0.1	-0.8
-279.5	-0.0	G1	I	-72.1	-0.0	-0.7	-0.3
0.0	0.0		J	-72.1	-0.0	0.4	-0.3
45.6	-0.0	G2	I	-28.0	-0.0	0.0	-0.1
0.0	0.0		J	-28.0	-0.0	0.0	-0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
33.0	0.0	Q5_pc	I	5.6	0.0	0.0	0.1
0.0	0.0		J	5.6	0.0	0.0	0.1
47.6	0.0	Q5_ps	I	5.8	0.0	0.0	0.1
0.0	0.0		J	5.8	0.0	0.0	0.1
-221.8	0.1	INVSLU Max	I	9.8	0.0	-0.8	1.4
0.0	0.0		J	9.8	0.0	0.6	1.4
-836.0	-0.2	Min	I	-323.7	-0.0	-1.1	-1.9
0.0	0.0		J	-323.7	-0.0	0.4	-1.9
-154.1	0.1	INVSLE Max	I	10.7	0.0	-0.6	1.1


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0			J	10.7	0.0	0.5	1.1	
-604.6	-0.1		Min	I	-235.6	-0.0	-0.8	-1.3	
0.0	0.0			J	-235.6	-0.0	0.3	-1.3	
757	2	80	C1-C2;~1	Max	I	71.2	0.0	0.0	1.1
95.9	0.1			J	71.2	0.0	0.0	1.1	
0.0	0.0		Min	I	-152.6	-0.0	-0.1	-1.1	
-359.6	-0.1			J	-152.6	-0.0	-0.1	-1.1	
0.0	0.0								
41.3	0.1		C3-C4;~1	Max	I	67.6	0.0	0.0	1.4
0.0	0.0			J	67.6	0.0	0.0	1.4	
-348.1	-0.1		Min	I	-125.4	-0.0	-0.1	-0.8	
0.0	0.0			J	-125.4	-0.0	-0.1	-0.8	
0.0	0.0								
54.0	0.1		C1-C2;~2	Max	I	40.4	0.0	0.0	0.6
0.0	0.0			J	40.4	0.0	0.0	0.6	
-240.2	-0.0		Min	I	-93.9	-0.0	-0.1	-0.7	
0.0	0.0			J	-93.9	-0.0	-0.1	-0.7	
0.0	0.0								
18.9	0.1		C3-C4;~2	Max	I	38.2	0.0	0.0	0.8
0.0	0.0			J	38.2	0.0	0.0	0.8	
-229.9	-0.0		Min	I	-74.1	-0.0	-0.1	-0.5	
0.0	0.0			J	-74.1	-0.0	-0.1	-0.5	
0.0	0.0								
-299.8	0.0		G1	I	-27.8	0.0	-0.7	0.4	
0.0	0.0			J	-27.8	0.0	0.4	0.4	
0.0	0.0								
40.1	0.0		G2	I	-10.7	0.0	0.0	0.1	
0.0	0.0			J	-10.7	0.0	0.0	0.1	
0.0	0.0								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
34.5	0.0		Q5_pc	I	7.9	0.0	0.0	0.2	
0.0	0.0			J	7.9	0.0	0.0	0.2	
0.0	0.0								
49.7	0.0		Q5_ps	I	7.7	0.0	0.0	0.2	
				J	7.7	0.0	0.0	0.2	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0						
-23.8	0.2	INVSLE Max	I	139.9	0.0	-0.8	2.0
0.0	0.0		J	139.9	0.0	0.7	2.0
-700.8	-0.1	Min	I	-176.5	-0.0	-1.0	-1.6
0.0	0.0		J	-176.5	-0.0	0.5	-1.6
-3.4	0.1	INVSLE Max	I	107.8	0.0	-0.6	1.5
0.0	0.0		J	107.8	0.0	0.5	1.5
-500.3	-0.1	Min	I	-125.5	-0.0	-0.8	-1.2
0.0	0.0		J	-125.5	-0.0	0.3	-1.2
758	2	80 C1-C2;~1 Max	I	80.2	0.0	0.1	1.0
120.8	0.5		J	80.2	0.0	0.1	1.0
0.0	0.0	Min	I	-108.4	-0.0	-0.2	-2.2
-487.1	-0.3		J	-108.4	-0.0	-0.2	-2.2
0.0	0.0						
71.7	0.4	C3-C4;~1 Max	I	75.2	0.0	0.0	1.1
0.0	0.0		J	75.2	0.0	0.0	1.1
-455.8	-0.5	Min	I	-81.6	-0.0	-0.2	-1.6
0.0	0.0		J	-81.6	-0.0	-0.2	-1.6
68.0	0.3	C1-C2;~2 Max	I	45.4	0.0	0.0	0.6
0.0	0.0		J	45.4	0.0	0.0	0.6
-335.8	-0.2	Min	I	-69.0	-0.0	-0.1	-1.3
0.0	0.0		J	-69.0	-0.0	-0.1	-1.3
36.0	0.3	C3-C4;~2 Max	I	42.3	0.0	0.0	0.6
0.0	0.0		J	42.3	0.0	0.0	0.6
-316.8	-0.3	Min	I	-49.5	-0.0	-0.1	-0.9
0.0	0.0		J	-49.5	-0.0	-0.1	-0.9
-280.3	-0.0	G1	I	24.6	-0.0	-0.7	-0.3
0.0	0.0		J	24.6	-0.0	0.4	-0.3
43.8	-0.0	G2	I	10.3	-0.0	0.0	-0.1
0.0	0.0		J	10.3	-0.0	0.0	-0.1


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc	I	8.1	0.0	0.0
25.3	0.1			J	8.1	0.0	0.0
0.0	0.0						
			Q5_ps	I	7.7	0.0	0.0
38.2	0.1			J	7.7	0.0	0.0
0.0	0.0						
			INVSLU Max	I	253.0	0.0	-0.7
12.5	0.7			J	253.0	0.0	0.7
0.0	0.0						
			Min	I	-16.2	-0.0	-1.1
-853.7	-0.8			J	-16.2	-0.0	0.4
0.0	0.0						
			INVSLE Max	I	191.5	0.0	-0.5
4.7	0.5			J	191.5	0.0	0.6
0.0	0.0						
			Min	I	-6.9	-0.0	-0.8
-633.6	-0.6			J	-6.9	-0.0	0.3
0.0	0.0						
		2	80 C1-C2;~1 Max	I	86.7	0.0	0.1
759	0.2			J	86.7	0.0	0.1
136.7							
0.0	0.0						
			Min	I	-47.2	-0.0	-0.2
-503.1	-0.2			J	-47.2	-0.0	-0.2
0.0	0.0						
			C3-C4;~1 Max	I	84.7	0.0	0.0
89.9	0.2			J	84.7	0.0	0.0
0.0	0.0						
			Min	I	-26.6	-0.0	-0.2
-473.0	-0.2			J	-26.6	-0.0	-0.2
0.0	0.0						
			C1-C2;~2 Max	I	48.6	0.0	0.0
73.2	0.1			J	48.6	0.0	0.0
0.0	0.0						
			Min	I	-31.6	-0.0	-0.1
-344.8	-0.1			J	-31.6	-0.0	-0.1
0.0	0.0						
			C3-C4;~2 Max	I	47.5	0.0	0.0
43.9	0.1			J	47.5	0.0	0.0
0.0	0.0						
			Min	I	-17.1	-0.0	-0.1
-327.1	-0.1						

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	-17.1	-0.0	-0.1	-0.8
-242.4	-0.0	G1	I	75.2	-0.0	-0.7	0.3
0.0	0.0		J	75.2	-0.0	0.4	0.3
66.1	-0.0	G2	I	28.3	-0.0	0.0	0.1
0.0	0.0		J	28.3	-0.0	0.0	0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
43.6	0.1	Q5_pc	I	15.0	0.0	0.0	0.3
0.0	0.0		J	15.0	0.0	0.0	0.3
58.7	0.1	Q5_ps	I	13.3	0.0	0.0	0.3
0.0	0.0		J	13.3	0.0	0.0	0.3
235.0	0.0	INVS LU Max	I	336.5	0.0	-0.6	3.6
0.0	0.0		J	336.5	0.0	0.8	3.6
-707.1	-0.7	Min	I	128.7	-0.0	-1.0	-1.7
0.0	0.0		J	128.7	-0.0	0.4	-1.7
173.9	0.0	INVS LE Max	I	251.9	0.0	-0.5	2.6
0.0	0.0		J	251.9	0.0	0.6	2.6
-518.1	-0.5	Min	I	100.0	-0.0	-0.8	-1.3
0.0	0.0		J	100.0	-0.0	0.3	-1.3
761	2	80 C1-C2;~1 Max	I	81.1	0.0	0.1	2.4
132.3	0.2		J	81.1	0.0	0.1	2.4
0.0	0.0	Min	I	-44.5	-0.0	-0.2	-1.2
-499.7	-0.3		J	-44.5	-0.0	-0.2	-1.2
0.0	0.0	C3-C4;~1 Max	I	80.2	0.0	0.0	1.9
88.3	0.2		J	80.2	0.0	0.0	1.9
0.0	0.0	Min	I	-24.0	-0.0	-0.2	-1.3
-464.5	-0.3		J	-24.0	-0.0	-0.2	-1.3
0.0	0.0	C1-C2;~2 Max	I	45.0	0.0	0.0	1.4
70.3	0.1						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	45.0	0.0	0.0	1.4
-342.4	-0.2	Min	I	-29.9	-0.0	-0.1	-0.7
0.0	0.0		J	-29.9	-0.0	-0.1	-0.7
42.6	0.1	C3-C4;~2 Max	I	44.4	0.0	0.0	1.1
0.0	0.0		J	44.4	0.0	0.0	1.1
-322.4	-0.1	Min	I	-15.5	-0.0	-0.1	-0.8
0.0	0.0		J	-15.5	-0.0	-0.1	-0.8
-243.1	-0.1	G1	I	72.6	-0.0	-0.7	0.5
0.0	0.0		J	72.6	-0.0	0.4	0.5
67.9	-0.0	G2	I	26.9	-0.0	0.0	0.2
0.0	0.0		J	26.9	-0.0	0.0	0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
42.5	-0.1	Q5_pc	I	15.5	-0.0	0.0	-0.2
0.0	0.0		J	15.5	-0.0	0.0	-0.2
57.6	-0.1	Q5_ps	I	13.8	-0.0	0.0	-0.3
0.0	0.0		J	13.8	-0.0	0.0	-0.3
226.8	-0.4	INVSLU Max	I	323.2	-0.0	-0.6	4.7
0.0	0.0		J	323.2	-0.0	0.8	4.7
-702.9	-1.3	Min	I	125.7	-0.0	-1.0	-0.8
0.0	0.0		J	125.7	-0.0	0.4	-0.8
167.8	-0.3	INVSLE Max	I	242.0	-0.0	-0.5	3.4
0.0	0.0		J	242.0	-0.0	0.6	3.4
-515.2	-1.0	Min	I	97.8	-0.0	-0.8	-0.6
0.0	0.0		J	97.8	-0.0	0.3	-0.6
762	2	80 C1-C2;~1 Max	I	67.0	0.0	0.0	2.5
109.5	0.3		J	67.0	0.0	0.0	2.5
0.0	0.0	Min	I	-99.1	-0.0	-0.2	-0.9
-482.2	-0.7		J	-99.1	-0.0	-0.2	-0.9


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0							
		C3-C4;~1	Max	I	68.1	0.0	0.0	2.1
69.5	0.4			J	68.1	0.0	0.0	2.1
0.0	0.0							
			Min	I	-70.0	-0.0	-0.2	-1.0
-451.6	-0.6			J	-70.0	-0.0	-0.2	-1.0
0.0	0.0							
		C1-C2;~2	Max	I	37.8	0.0	0.0	1.4
60.4	0.2			J	37.8	0.0	0.0	1.4
0.0	0.0							
			Min	I	-63.6	-0.0	-0.1	-0.5
-332.4	-0.4			J	-63.6	-0.0	-0.1	-0.5
0.0	0.0							
		C3-C4;~2	Max	I	38.4	0.0	0.0	1.2
34.5	0.2			J	38.4	0.0	0.0	1.2
0.0	0.0							
			Min	I	-43.2	-0.0	-0.1	-0.6
-314.8	-0.4			J	-43.2	-0.0	-0.1	-0.6
0.0	0.0							
				I	22.2	-0.0	-0.7	1.2
-281.9	-0.2		G1	J	22.2	-0.0	0.4	1.2
0.0	0.0							
				I	8.5	-0.0	0.0	0.4
46.4	-0.1		G2	J	8.5	-0.0	0.0	0.4
0.0	0.0							
				I	0.0	0.0	0.0	0.0
0.0	0.0		Q3	J	0.0	0.0	0.0	0.0
0.0	0.0							
				I	9.5	-0.0	0.0	-0.2
23.3	-0.1		Q5_pc	J	9.5	-0.0	0.0	-0.2
0.0	0.0							
				I	9.1	-0.0	0.0	-0.2
36.3	-0.1		Q5_ps	J	9.1	-0.0	0.0	-0.2
0.0	0.0							
				I	227.7	-0.0	-0.7	6.2
-11.4	-0.3		INVSLU Max	J	227.7	-0.0	0.7	6.2
0.0	0.0							
			Min	I	-15.0	-0.0	-1.1	1.1
-852.2	-2.1			J	-15.0	-0.0	0.4	1.1
0.0	0.0							
				I	172.5	-0.0	-0.6	4.6
-12.7	-0.3		INVSLE Max	J	172.5	-0.0	0.5	4.6

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		Min	I	-6.0	-0.0	-0.8	0.8
-632.4	-1.6			J	-6.0	-0.0	0.3	0.8
0.0	0.0							
763	2	80	C1-C2;~1	Max	I	53.2	0.0	1.5
91.7	0.1			J	53.2	0.0	0.0	1.5
0.0	0.0		Min	I	-134.1	-0.0	-0.1	-0.9
-359.6	-0.2			J	-134.1	-0.0	-0.1	-0.9
0.0	0.0							
40.0	0.1		C3-C4;~1	Max	I	52.8	0.0	1.1
0.0	0.0			J	52.8	0.0	0.0	1.1
0.0	0.0		Min	I	-103.6	-0.0	-0.1	-1.2
-333.5	-0.2			J	-103.6	-0.0	-0.1	-1.2
0.0	0.0							
50.6	0.0		C1-C2;~2	Max	I	30.2	0.0	0.9
0.0	0.0			J	30.2	0.0	0.0	0.9
0.0	0.0		Min	I	-83.0	-0.0	-0.1	-0.5
-240.1	-0.1			J	-83.0	-0.0	-0.1	-0.5
0.0	0.0							
17.6	0.1		C3-C4;~2	Max	I	29.4	0.0	0.7
0.0	0.0			J	29.4	0.0	0.0	0.7
0.0	0.0		Min	I	-62.1	-0.0	-0.1	-0.7
-226.4	-0.1			J	-62.1	-0.0	-0.1	-0.7
0.0	0.0							
-300.4	-0.1		G1	I	-25.5	-0.0	-0.7	-0.0
0.0	0.0			J	-25.5	-0.0	0.4	-0.0
0.0	0.0							
46.6	-0.0		G2	I	-11.0	-0.0	0.0	-0.0
0.0	0.0			J	-11.0	-0.0	0.0	-0.0
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
32.8	-0.0		Q5_pc	I	8.1	-0.0	0.0	-0.1
0.0	0.0			J	8.1	-0.0	0.0	-0.1
0.0	0.0							
47.6	-0.0		Q5_ps	I	8.0	-0.0	0.0	-0.1
0.0	0.0			J	8.0	-0.0	0.0	-0.1

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-36.9	-1.0		INVSLE Max	I	106.0	-0.0	-0.8	4.1
0.0	0.0			J	106.0	-0.0	0.7	4.1
-705.3	-1.4		Min	I	-161.5	-0.0	-1.0	0.3
0.0	0.0			J	-161.5	-0.0	0.4	0.3
-13.0	-0.7		INVSLE Max	I	82.3	-0.0	-0.6	3.0
0.0	0.0			J	82.3	-0.0	0.5	3.0
-503.7	-1.0		Min	I	-114.8	-0.0	-0.8	0.2
0.0	0.0			J	-114.8	-0.0	0.3	0.2
764	2	80	C1-C2;~1 Max	I	39.3	0.0	0.0	1.3
113.3	0.0			J	39.3	0.0	0.0	1.3
0.0	0.0		Min	I	-156.5	-0.0	-0.1	-0.7
-291.6	-0.1			J	-156.5	-0.0	-0.1	-0.7
0.0	0.0							
54.1	0.1		C3-C4;~1 Max	I	40.0	0.0	0.0	1.1
0.0	0.0			J	40.0	0.0	0.0	1.1
-237.8	-0.1		Min	I	-125.5	-0.0	-0.1	-0.9
0.0	0.0			J	-125.5	-0.0	-0.1	-0.9
63.7	0.0		C1-C2;~2 Max	I	22.3	0.0	0.0	0.8
0.0	0.0			J	22.3	0.0	0.0	0.8
-191.4	-0.1		Min	I	-95.8	-0.0	-0.1	-0.4
0.0	0.0			J	-95.8	-0.0	-0.1	-0.4
25.6	0.0		C3-C4;~2 Max	I	22.3	0.0	0.0	0.6
0.0	0.0			J	22.3	0.0	0.0	0.6
-155.9	-0.1		Min	I	-74.6	-0.0	-0.1	-0.5
0.0	0.0			J	-74.6	-0.0	-0.1	-0.5
-281.0	-0.0		G1	I	-61.0	-0.0	-0.7	0.1
0.0	0.0			J	-61.0	-0.0	0.4	0.1
53.3	-0.0		G2	I	-24.8	-0.0	0.0	0.0
0.0	0.0			J	-24.8	-0.0	0.0	0.0
			Q3	I	0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
31.7	-0.0		Q5_pc	I	4.4	-0.0	0.0
0.0	0.0			J	4.4	-0.0	-0.1
45.5	-0.0		Q5_ps	I	4.9	-0.0	0.0
0.0	0.0			J	4.9	-0.0	-0.1
-229.9	-0.8		INVS LU Max	I	-0.2	-0.0	-0.8
0.0	0.0			J	-0.2	-0.0	3.3
-833.4	-1.1		Min	I	-273.4	-0.0	-1.1
0.0	0.0			J	-273.4	-0.0	0.2
-159.4	-0.6		INVS LE Max	I	3.1	-0.0	-0.6
0.0	0.0			J	3.1	-0.0	2.5
-602.2	-0.8		Min	I	-198.7	-0.0	-0.8
0.0	0.0			J	-198.7	-0.0	0.1
765	2	80	C1-C2;~1 Max	I	33.0	0.0	0.1
125.1	0.1			J	33.0	0.0	1.0
0.0	0.0		Min	I	-175.5	-0.0	-0.1
-274.9	-0.1			J	-175.5	-0.0	-0.8
0.0	0.0						
59.2	0.1		C3-C4;~1 Max	I	34.2	0.0	0.0
0.0	0.0			J	34.2	0.0	0.9
-213.9	-0.1		Min	I	-142.5	-0.0	-0.1
0.0	0.0			J	-142.5	-0.0	-0.9
71.2	0.0		C1-C2;~2 Max	I	18.7	0.0	0.0
0.0	0.0			J	18.7	0.0	0.6
-181.0	-0.0		Min	I	-106.9	-0.0	-0.1
0.0	0.0			J	-106.9	-0.0	-0.5
28.3	0.0		C3-C4;~2 Max	I	19.1	0.0	0.0
0.0	0.0			J	19.1	0.0	0.6
-139.7	-0.1		Min	I	-84.5	-0.0	-0.1
				J	-84.5	-0.0	-0.5


MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0							
-266.0	-0.0		G1	I	-84.0	-0.0	-0.7	0.0
0.0	0.0			J	-84.0	-0.0	0.4	0.0
59.7	-0.0		G2	I	-34.1	-0.0	0.0	0.0
0.0	0.0			J	-34.1	-0.0	0.0	0.0
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
30.9	-0.0		Q5_pc	I	3.5	-0.0	0.0	-0.0
0.0	0.0			J	3.5	-0.0	0.0	-0.0
44.3	-0.0		Q5_ps	I	4.2	-0.0	0.0	-0.0
0.0	0.0			J	4.2	-0.0	0.0	-0.0
-443.6	-0.4		INVSLU Max	I	-62.1	-0.0	-0.9	2.5
0.0	0.0			J	-62.1	-0.0	0.6	2.5
1039.2	-0.6		Min	I	-351.4	-0.0	-1.2	-0.1
0.0	0.0			J	-351.4	-0.0	0.3	-0.1
-324.9	-0.3		INVSLE Max	I	-43.0	-0.0	-0.7	1.8
0.0	0.0			J	-43.0	-0.0	0.4	1.8
-762.0	-0.5		Min	I	-256.9	-0.0	-0.9	-0.0
0.0	0.0			J	-256.9	-0.0	0.2	-0.0
766	2	80	C1-C2;~1 Max	I	27.3	0.0	0.1	0.7
125.0	0.1			J	27.3	0.0	0.1	0.7
-273.0	-0.1		Min	I	-182.1	-0.0	-0.1	-1.2
0.0	0.0			J	-182.1	-0.0	-0.1	-1.2
60.1	0.1		C3-C4;~1 Max	I	28.6	0.0	0.0	0.9
0.0	0.0			J	28.6	0.0	0.0	0.9
-212.5	-0.1		Min	I	-148.3	-0.0	-0.1	-1.0
0.0	0.0			J	-148.3	-0.0	-0.1	-1.0
71.2	0.0		C1-C2;~2 Max	I	15.5	0.0	0.0	0.4
				J	15.5	0.0	0.0	0.4

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0							
-180.1	-0.0		Min	I	-110.9	-0.0	-0.1	-0.7
				J	-110.9	-0.0	-0.1	-0.7
0.0	0.0							
29.0	0.0		C3-C4;~2 Max	I	16.0	0.0	0.0	0.6
				J	16.0	0.0	0.0	0.6
0.0	0.0							
-139.2	-0.0		Min	I	-87.9	-0.0	-0.1	-0.6
				J	-87.9	-0.0	-0.1	-0.6
0.0	0.0							
-262.3	-0.0		G1	I	-94.3	-0.0	-0.7	-0.1
				J	-94.3	-0.0	0.4	-0.1
0.0	0.0							
62.0	-0.0		G2	I	-38.3	-0.0	0.0	-0.0
				J	-38.3	-0.0	0.0	-0.0
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
30.8	0.0		Q5_pc	I	3.3	0.0	0.0	-0.0
				J	3.3	0.0	0.0	-0.0
0.0	0.0							
44.2	0.0		Q5_ps	I	4.1	0.0	0.0	0.0
				J	4.1	0.0	0.0	0.0
0.0	0.0							
-533.1	0.2		INVSLE Max	I	-100.3	0.0	-1.0	1.4
				J	-100.3	0.0	0.5	1.4
0.0	0.0							
1125.9	-0.0		Min	I	-390.7	-0.0	-1.2	-1.4
				J	-390.7	-0.0	0.3	-1.4
0.0	0.0							
-392.0	0.1		INVSLE Max	I	-71.9	0.0	-0.7	1.1
				J	-71.9	0.0	0.4	1.1
0.0	0.0							
-827.0	-0.0		Min	I	-286.5	-0.0	-0.9	-1.0
				J	-286.5	-0.0	0.2	-1.0
0.0	0.0							
767	2	80	C1-C2;~1 Max	I	21.5	0.0	0.1	0.7
123.0	0.1			J	21.5	0.0	0.1	0.7
0.0	0.0							
-273.0	-0.1		Min	I	-173.8	-0.0	-0.1	-1.7
				J	-173.8	-0.0	-0.1	-1.7
0.0	0.0							

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

60.4	0.1	C3-C4;~1	Max	I	22.5	0.0	0.0	1.0
				J	22.5	0.0	0.0	1.0
0.0	0.0							
-214.4	-0.1		Min	I	-141.2	-0.0	-0.1	-1.3
				J	-141.2	-0.0	-0.1	-1.3
0.0	0.0							
70.2	0.1	C1-C2;~2	Max	I	12.1	0.0	0.0	0.4
				J	12.1	0.0	0.0	0.4
0.0	0.0							
-180.2	-0.0		Min	I	-106.2	-0.0	-0.1	-1.0
				J	-106.2	-0.0	-0.1	-1.0
0.0	0.0							
29.7	0.1	C3-C4;~2	Max	I	12.4	0.0	0.0	0.6
				J	12.4	0.0	0.0	0.6
0.0	0.0							
-140.9	-0.0		Min	I	-84.0	-0.0	-0.1	-0.8
				J	-84.0	-0.0	-0.1	-0.8
0.0	0.0							
-261.8	0.0		G1	I	-91.5	0.0	-0.7	-0.3
				J	-91.5	0.0	0.4	-0.3
0.0	0.0							
62.5	0.0		G2	I	-37.4	0.0	0.0	-0.1
				J	-37.4	0.0	0.0	-0.1
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
30.7	0.0		Q5_pc	I	3.5	0.0	0.0	0.0
				J	3.5	0.0	0.0	0.0
0.0	0.0							
43.8	0.0		Q5_ps	I	4.3	0.0	0.0	0.1
				J	4.3	0.0	0.0	0.1
0.0	0.0							
-522.5	0.8		INVSLU Max	I	-116.5	0.0	-1.0	0.4
				J	-116.5	0.0	0.5	0.4
0.0	0.0							
1112.2	0.6		Min	I	-387.8	0.0	-1.2	-3.4
				J	-387.8	0.0	0.3	-3.4
0.0	0.0							
-383.9	0.6		INVSLE Max	I	-84.5	0.0	-0.7	0.3
				J	-84.5	0.0	0.4	0.3
0.0	0.0							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-816.6	0.4		Min	I	-285.0	0.0	-0.9	-2.5
				J	-285.0	0.0	0.2	-2.5
0.0	0.0							
768	2	80	C1-C2;~1	Max	I	16.1	0.0	0.8
108.3	0.1			J	16.1	0.0	0.0	0.8
0.0	0.0							
			Min	I	-147.7	-0.0	-0.1	-2.0
-276.5	-0.1			J	-147.7	-0.0	-0.1	-2.0
0.0	0.0							
			C3-C4;~1	Max	I	19.4	0.0	1.2
53.3	0.1			J	19.4	0.0	0.0	1.2
0.0	0.0							
			Min	I	-119.0	-0.0	-0.1	-1.5
-226.3	-0.1			J	-119.0	-0.0	-0.1	-1.5
0.0	0.0							
			C1-C2;~2	Max	I	8.8	0.0	0.4
61.2	0.1			J	8.8	0.0	0.0	0.4
0.0	0.0							
			Min	I	-91.0	-0.0	-0.1	-1.2
-182.9	-0.0			J	-91.0	-0.0	-0.1	-1.2
0.0	0.0							
			C3-C4;~2	Max	I	10.8	0.0	0.7
25.9	0.1			J	10.8	0.0	0.0	0.7
0.0	0.0							
			Min	I	-71.4	-0.0	-0.1	-0.9
-149.9	-0.0			J	-71.4	-0.0	-0.1	-0.9
0.0	0.0							
			G1	I	-75.9	0.0	-0.7	-0.3
-273.3	0.0			J	-75.9	0.0	0.4	-0.3
0.0	0.0							
			G2	I	-31.2	0.0	0.0	-0.1
56.9	0.0			J	-31.2	0.0	0.0	-0.1
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	4.2	0.0	0.0	0.1
28.9	0.0			J	4.2	0.0	0.0	0.1
0.0	0.0							
			Q5_ps	I	4.7	0.0	0.0	0.1
41.7	0.0			J	4.7	0.0	0.0	0.1
0.0	0.0							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-432.0	1.3		INVSLU Max	I	-104.4	0.0	-0.9	-0.2
				J	-104.4	0.0	0.6	-0.2
0.0	0.0		Min	I	-337.3	0.0	-1.2	-4.8
1003.6	1.0			J	-337.3	0.0	0.3	-4.8
0.0	0.0							
			INVSLE Max	I	-76.3	0.0	-0.7	-0.2
-313.7	1.0			J	-76.3	0.0	0.4	-0.2
0.0	0.0		Min	I	-248.4	0.0	-0.9	-3.5
-733.3	0.7			J	-248.4	0.0	0.2	-3.5
0.0	0.0							
769	2	80	C1-C2;~1 Max	I	9.3	0.0	0.0	1.2
97.3	0.2			J	9.3	0.0	0.0	1.2
0.0	0.0		Min	I	-84.7	-0.0	-0.1	-2.3
-263.3	-0.0			J	-84.7	-0.0	-0.1	-2.3
0.0	0.0							
			C3-C4;~1 Max	I	17.4	0.0	0.0	1.7
47.4	0.1			J	17.4	0.0	0.0	1.7
0.0	0.0		Min	I	-65.8	-0.0	-0.1	-1.7
-216.9	-0.1			J	-65.8	-0.0	-0.1	-1.7
0.0	0.0							
			C1-C2;~2 Max	I	5.1	0.0	0.0	0.6
55.6	0.1			J	5.1	0.0	0.0	0.6
0.0	0.0		Min	I	-53.3	-0.0	-0.1	-1.3
-176.4	-0.0			J	-53.3	-0.0	-0.1	-1.3
0.0	0.0							
			C3-C4;~2 Max	I	10.9	0.0	0.0	0.9
23.5	0.1			J	10.9	0.0	0.0	0.9
0.0	0.0		Min	I	-40.3	-0.0	-0.1	-1.0
-145.5	-0.0			J	-40.3	-0.0	-0.1	-1.0
0.0	0.0							
			G1	I	-39.6	0.0	-0.7	-0.2
-285.2	0.1			J	-39.6	0.0	0.4	-0.2
0.0	0.0							
			G2	I	-17.0	0.0	0.0	-0.0
51.0	0.0			J	-17.0	0.0	0.0	-0.0
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0							

MIDAS

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	0.0	0.0	0.0	0.0
27.7	0.0	Q5_pc	I	1.2	0.0	0.0	0.1
0.0	0.0		J	1.2	0.0	0.0	0.1
39.5	0.0	Q5_ps	I	1.5	0.0	0.0	0.2
0.0	0.0		J	1.5	0.0	0.0	0.2
-230.6	1.8	INVSLU Max	I	-54.2	0.0	-0.8	-0.3
0.0	0.0		J	-54.2	0.0	0.6	-0.3
-767.2	1.4	Min	I	-194.2	0.0	-1.1	-6.0
0.0	0.0		J	-194.2	0.0	0.4	-6.0
-159.5	1.3	INVSLE Max	I	-40.1	0.0	-0.6	-0.3
0.0	0.0		J	-40.1	0.0	0.5	-0.3
-553.4	1.0	Min	I	-143.7	0.0	-0.8	-4.4
0.0	0.0		J	-143.7	0.0	0.3	-4.4
771	2	74 C1-C2;~1 Max	I	40.2	0.0	0.0	0.3
0.0	0.0		J	40.2	0.0	0.0	0.3
0.0	0.0	Min	I	-91.6	0.0	-0.0	-0.1
0.0	0.0		J	-91.6	0.0	0.0	-0.1
0.0	0.0	C3-C4;~1 Max	I	65.6	0.0	0.0	0.4
0.0	0.0		J	65.6	0.0	0.0	0.4
0.0	0.0	Min	I	-66.9	0.0	-0.0	-0.1
0.0	0.0		J	-66.9	0.0	0.0	-0.1
0.0	0.0	C1-C2;~2 Max	I	22.8	0.0	0.0	0.2
0.0	0.0		J	22.8	0.0	0.0	0.2
0.0	0.0	Min	I	-57.4	0.0	-0.0	-0.1
0.0	0.0		J	-57.4	0.0	0.0	-0.1
0.0	0.0	C3-C4;~2 Max	I	39.7	0.0	0.0	0.2
0.0	0.0		J	39.7	0.0	0.0	0.2
0.0	0.0	Min	I	-41.0	0.0	-0.0	-0.0
0.0	0.0		J	-41.0	0.0	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0	G1	I	0.0	0.0	-0.5	0.2
0.0	0.0		J	0.8	0.0	0.5	0.2
0.0	0.0	G2	I	-0.2	0.0	0.0	0.1
0.0	0.0		J	-0.2	0.0	0.0	0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	8.4	0.0	0.0	-0.0
0.0	0.0		J	8.4	0.0	0.0	-0.0
0.0	0.0	Q5_ps	I	9.4	0.0	0.0	-0.0
0.0	0.0		J	9.4	0.0	0.0	-0.0
0.0	0.0	INVSLU Max	I	96.4	0.0	-0.6	0.5
0.0	0.0		J	97.5	0.0	0.6	0.5
0.0	0.0	Min	I	-130.9	0.0	-0.6	-0.2
0.0	0.0		J	-129.9	0.0	0.6	-0.2
0.0	0.0	INVSLE Max	I	70.7	0.0	-0.5	0.3
0.0	0.0		J	71.5	0.0	0.5	0.3
0.0	0.0	Min	I	-96.6	0.0	-0.5	-0.1
0.0	0.0		J	-95.8	0.0	0.5	-0.1
772	2	74 C1-C2;~1 Max	I	91.5	0.0	0.0	0.2
0.0	0.0		J	91.5	0.0	0.0	0.2
0.0	0.0	Min	I	-39.9	0.0	-0.0	-0.2
0.0	0.0		J	-39.9	0.0	0.0	-0.2
0.0	0.0	C3-C4;~1 Max	I	67.0	0.0	0.0	0.2
0.0	0.0		J	67.0	0.0	0.0	0.2
0.0	0.0	Min	I	-65.5	0.0	-0.0	-0.2
0.0	0.0		J	-65.5	0.0	0.0	-0.2
0.0	0.0	C1-C2;~2 Max	I	57.3	0.0	0.0	0.1
0.0	0.0		J	57.3	0.0	0.0	0.1


MIDAS

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0		Min	I	-22.6	0.0	-0.0	-0.1
				J	-22.6	0.0	0.0	-0.1
0.0	0.0							
		C3-C4;~2	Max	I	41.1	0.0	0.0	0.1
0.0	0.0			J	41.1	0.0	0.0	0.1
0.0	0.0							
			Min	I	-39.6	0.0	-0.0	-0.1
0.0	0.0			J	-39.6	0.0	0.0	-0.1
0.0	0.0							
		G1		I	3.1	0.0	-0.5	-0.1
0.0	0.0			J	3.9	0.0	0.5	-0.1
0.0	0.0							
		G2		I	0.2	0.0	0.0	-0.1
0.0	0.0			J	0.2	0.0	0.0	-0.1
0.0	0.0							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-8.4	0.0	-0.0	-0.0
0.0	0.0			J	-8.4	0.0	0.0	-0.0
0.0	0.0							
		Q5_ps		I	-9.5	0.0	-0.0	-0.0
0.0	0.0			J	-9.5	0.0	0.0	-0.0
0.0	0.0							
		INVSLU	Max	I	135.1	0.0	-0.6	0.3
0.0	0.0			J	136.2	0.0	0.6	0.3
0.0	0.0							
			Min	I	-92.0	0.0	-0.6	-0.4
0.0	0.0			J	-91.0	0.0	0.6	-0.4
0.0	0.0							
		INVSLE	Max	I	99.7	0.0	-0.5	0.2
0.0	0.0			J	100.5	0.0	0.5	0.2
0.0	0.0							
			Min	I	-67.4	0.0	-0.5	-0.3
0.0	0.0			J	-66.6	0.0	0.5	-0.3
0.0	0.0							
773	2	74	C1-C2;~1	Max	44.1	0.0	0.0	0.4
0.0	0.0			J	44.1	0.0	0.0	0.4
0.0	0.0							
			Min	I	-88.1	0.0	-0.0	-0.1
0.0	0.0			J	-88.1	0.0	0.0	-0.1
0.0	0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0	C3-C4;~1 Max	I	68.4	0.0	0.0	0.5
			J	68.4	0.0	0.0	0.5
0.0	0.0	Min	I	-64.0	0.0	-0.0	-0.1
0.0	0.0		J	-64.0	0.0	0.0	-0.1
0.0	0.0	C1-C2;~2 Max	I	25.6	0.0	0.0	0.2
0.0	0.0		J	25.6	0.0	0.0	0.2
0.0	0.0	Min	I	-55.5	0.0	-0.0	-0.1
0.0	0.0		J	-55.5	0.0	0.0	-0.1
0.0	0.0	C3-C4;~2 Max	I	41.7	0.0	0.0	0.3
0.0	0.0		J	41.7	0.0	0.0	0.3
0.0	0.0	Min	I	-39.4	0.0	-0.0	-0.0
0.0	0.0		J	-39.4	0.0	0.0	-0.0
0.0	0.0	G1	I	1.6	0.0	-0.5	0.3
0.0	0.0		J	2.4	0.0	0.5	0.3
0.0	0.0	G2	I	0.3	0.0	0.0	0.1
0.0	0.0		J	0.3	0.0	0.0	0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	11.2	0.0	0.0	-0.1
0.0	0.0		J	11.2	0.0	0.0	-0.1
0.0	0.0	Q5_ps	I	11.7	0.0	0.0	-0.1
0.0	0.0		J	11.7	0.0	0.0	-0.1
0.0	0.0	INVS LU Max	I	101.1	0.0	-0.6	0.7
0.0	0.0		J	102.1	0.0	0.6	0.7
0.0	0.0	Min	I	-130.2	0.0	-0.6	-0.2
0.0	0.0		J	-129.2	0.0	0.6	-0.2
0.0	0.0	INVS LE Max	I	73.6	0.0	-0.5	0.5
0.0	0.0		J	74.4	0.0	0.5	0.5
0.0	0.0	Min	I	-96.2	0.0	-0.5	-0.1

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0			J	-95.4	0.0	0.5	-0.1
0.0	0.0							
774	2	74	C1-C2;~1	Max	I	88.0	0.0	0.1
0.0	0.0				J	88.0	0.0	0.1
0.0	0.0			Min	I	-43.8	0.0	-0.5
0.0	0.0				J	-43.8	0.0	-0.5
0.0	0.0							
			C3-C4;~1	Max	I	64.2	0.0	0.1
0.0	0.0				J	64.2	0.0	0.1
0.0	0.0			Min	I	-68.2	0.0	-0.5
0.0	0.0				J	-68.2	0.0	-0.5
0.0	0.0							
			C1-C2;~2	Max	I	55.4	0.0	0.1
0.0	0.0				J	55.4	0.0	0.1
0.0	0.0			Min	I	-25.3	0.0	-0.3
0.0	0.0				J	-25.3	0.0	-0.3
0.0	0.0							
			C3-C4;~2	Max	I	39.6	0.0	0.0
0.0	0.0				J	39.6	0.0	0.0
0.0	0.0			Min	I	-41.5	0.0	-0.3
0.0	0.0				J	-41.5	0.0	-0.3
0.0	0.0							
			G1		I	1.6	0.0	-0.3
0.0	0.0				J	2.3	0.0	-0.3
0.0	0.0							
			G2		I	-0.3	0.0	-0.1
0.0	0.0				J	-0.3	0.0	-0.1
0.0	0.0							
			Q3		I	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0
0.0	0.0							
			Q5_pc		I	-11.2	0.0	-0.0
0.0	0.0				J	-11.2	0.0	-0.0
0.0	0.0							
			Q5_ps		I	-11.7	0.0	-0.0
0.0	0.0				J	-11.7	0.0	-0.0
0.0	0.0							
			INVSLU	Max	I	134.2	0.0	0.1

PROJECT TITLE :

MIDAS		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0			J	135.2	0.0	0.6	0.1
0.0	0.0		Min	I	-96.8	0.0	-0.6	-0.8
0.0	0.0			J	-95.8	0.0	0.6	-0.8
0.0	0.0							
0.0	0.0		INVSLE Max	I	99.1	0.0	-0.5	0.1
0.0	0.0			J	99.9	0.0	0.5	0.1
0.0	0.0		Min	I	-70.5	0.0	-0.5	-0.6
0.0	0.0			J	-69.7	0.0	0.5	-0.6
0.0	0.0							
775	2	74	C1-C2;~1 Max	I	42.8	0.0	0.0	0.5
0.0	0.0			J	42.8	0.0	0.0	0.5
0.0	0.0		Min	I	-84.1	-0.0	-0.0	-1.5
0.0	0.0			J	-84.1	-0.0	-0.0	-1.5
0.0	0.0							
0.0	0.0		C3-C4;~1 Max	I	64.1	0.0	0.0	0.7
0.0	0.0			J	64.1	0.0	0.0	0.7
0.0	0.0		Min	I	-61.9	-0.0	-0.0	-1.5
0.0	0.0			J	-61.9	-0.0	-0.0	-1.5
0.0	0.0							
0.0	0.0		C1-C2;~2 Max	I	25.6	0.0	0.0	0.3
0.0	0.0			J	25.6	0.0	0.0	0.3
0.0	0.0		Min	I	-53.9	-0.0	-0.0	-0.9
0.0	0.0			J	-53.9	-0.0	-0.0	-0.9
0.0	0.0							
0.0	0.0		C3-C4;~2 Max	I	40.0	0.0	0.0	0.4
0.0	0.0			J	40.0	0.0	0.0	0.4
0.0	0.0		Min	I	-38.9	-0.0	-0.0	-0.9
0.0	0.0			J	-38.9	-0.0	-0.0	-0.9
0.0	0.0							
0.0	0.0		G1	I	0.8	-0.0	-0.5	-0.4
0.0	0.0			J	1.6	0.0	0.5	-0.4
0.0	0.0							
0.0	0.0		G2	I	-0.2	-0.0	-0.0	-0.2
0.0	0.0			J	-0.2	0.0	0.0	-0.2
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0


PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	


0.0	0.0						
		Q5_pc	I	15.0	0.0	-0.0	-0.2
0.0	0.0		J	15.0	0.0	0.0	-0.2
0.0	0.0						
		Q5_ps	I	14.6	0.0	-0.0	-0.2
0.0	0.0		J	14.6	0.0	0.0	-0.2
0.0	0.0						
		INVS LU Max	I	84.2	-0.0	-0.6	1.5
0.0	0.0		J	85.3	0.0	0.6	1.5
0.0	0.0						
		Min	I	-142.8	-0.0	-0.6	-1.9
0.0	0.0		J	-141.7	0.0	0.6	-1.9
0.0	0.0						
		INVS LE Max	I	60.5	-0.0	-0.5	1.1
0.0	0.0		J	61.3	0.0	0.5	1.1
0.0	0.0						
		Min	I	-105.6	-0.0	-0.5	-1.3
0.0	0.0		J	-104.8	0.0	0.5	-1.3
0.0	0.0						
776	2	74 C1-C2;~1 Max	I	84.0	0.0	0.0	1.3
0.0	0.0		J	84.0	0.0	0.0	1.3
0.0	0.0						
		Min	I	-42.3	0.0	-0.0	-0.7
0.0	0.0		J	-42.3	0.0	0.0	-0.7
0.0	0.0						
		C3-C4;~1 Max	I	62.2	0.0	0.0	1.5
0.0	0.0		J	62.2	0.0	0.0	1.5
0.0	0.0						
		Min	I	-63.8	0.0	-0.0	-0.6
0.0	0.0		J	-63.8	0.0	0.0	-0.6
0.0	0.0						
		C1-C2;~2 Max	I	53.9	0.0	0.0	0.8
0.0	0.0		J	53.9	0.0	0.0	0.8
0.0	0.0						
		Min	I	-25.2	0.0	-0.0	-0.5
0.0	0.0		J	-25.2	0.0	0.0	-0.5
0.0	0.0						
		C3-C4;~2 Max	I	39.0	0.0	0.0	0.9
0.0	0.0		J	39.0	0.0	0.0	0.9
0.0	0.0						
		Min	I	-39.8	0.0	-0.0	-0.4
0.0	0.0		J	-39.8	0.0	0.0	-0.4
0.0	0.0						

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0	G1	I	2.3	0.0	-0.5	0.5
0.0	0.0		J	3.1	0.0	0.5	0.5
0.0	0.0	G2	I	0.1	0.0	-0.0	0.2
0.0	0.0		J	0.1	0.0	0.0	0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-15.0	0.0	0.0	-0.2
0.0	0.0		J	-15.0	0.0	0.0	-0.2
0.0	0.0	Q5_ps	I	-14.6	0.0	0.0	-0.2
0.0	0.0		J	-14.6	0.0	0.0	-0.2
0.0	0.0	INVSLU Max	I	146.7	0.0	-0.6	2.1
0.0	0.0		J	147.7	0.0	0.6	2.1
0.0	0.0	Min	I	-79.9	0.0	-0.6	-1.3
0.0	0.0		J	-78.8	0.0	0.6	-1.3
0.0	0.0	INVSLE Max	I	108.5	0.0	-0.5	1.5
0.0	0.0		J	109.3	0.0	0.5	1.5
0.0	0.0	Min	I	-57.3	0.0	-0.5	-1.0
0.0	0.0		J	-56.5	0.0	0.5	-1.0
777	2	74 C1-C2;~1 Max	I	35.8	0.0	0.0	0.5
0.0	0.0		J	35.8	0.0	0.0	0.5
0.0	0.0	Min	I	-59.5	-0.0	0.0	-0.4
0.0	0.0		J	-59.5	0.0	-0.0	-0.4
0.0	0.0	C3-C4;~1 Max	I	42.6	0.0	0.0	0.6
0.0	0.0		J	42.6	0.0	0.0	0.6
0.0	0.0	Min	I	-43.6	-0.0	0.0	-0.5
0.0	0.0		J	-43.6	0.0	-0.0	-0.5
0.0	0.0	C1-C2;~2 Max	I	20.6	0.0	0.0	0.3
0.0	0.0		J	20.6	0.0	0.0	0.3
0.0	0.0	Min	I	-38.4	-0.0	0.0	-0.2

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	-38.4	0.0	-0.0	-0.2
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	I	27.0	0.0	0.4
0.0	0.0			J	27.0	0.0	0.4
0.0	0.0		Min	I	-27.4	-0.0	-0.3
0.0	0.0			J	-27.4	0.0	-0.3
0.0	0.0						
0.0	0.0		G1	I	-0.6	-0.0	-0.5
0.0	0.0			J	0.2	0.0	0.1
0.0	0.0						
0.0	0.0		G2	I	-1.0	-0.0	0.0
0.0	0.0			J	-1.0	0.0	0.0
0.0	0.0						
0.0	0.0		Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Q5_pc	I	22.8	0.0	-0.2
0.0	0.0			J	22.8	0.0	-0.2
0.0	0.0						
0.0	0.0		Q5_ps	I	21.5	0.0	-0.2
0.0	0.0			J	21.5	0.0	-0.2
0.0	0.0						
0.0	0.0		INVSLE Max	I	53.6	-0.0	-0.6
0.0	0.0			J	54.7	0.0	1.9
0.0	0.0		Min	I	-125.3	-0.0	0.1
0.0	0.0			J	-124.2	0.0	0.1
0.0	0.0						
0.0	0.0		INVSLE Max	I	37.3	-0.0	-0.5
0.0	0.0			J	38.1	0.0	1.4
0.0	0.0		Min	I	-92.2	-0.0	0.1
0.0	0.0			J	-91.4	0.0	0.1
0.0	0.0						
778	2	74	C1-C2;~1	Max	I	59.4	0.6
0.0	0.0			J	59.4	0.0	0.6
0.0	0.0		Min	I	-35.5	0.0	-0.6
0.0	0.0			J	-35.5	-0.0	-0.6
0.0	0.0						
0.0	0.0		C3-C4;~1	Max	I	43.9	0.5

PROJECT TITLE :


MIDAS		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0			J	43.9	0.0	0.0	0.5
0.0	0.0		Min	I	-42.3	0.0	0.0	-0.5
0.0	0.0			J	-42.3	-0.0	0.0	-0.5
0.0	0.0		C1-C2;~2	Max	I	38.4	0.0	0.4
0.0	0.0			J	38.4	0.0	0.0	0.4
0.0	0.0		Min	I	-20.4	0.0	0.0	-0.4
0.0	0.0			J	-20.4	-0.0	0.0	-0.4
0.0	0.0		C3-C4;~2	Max	I	27.6	0.0	0.3
0.0	0.0			J	27.6	0.0	0.0	0.3
0.0	0.0		Min	I	-26.8	0.0	0.0	-0.4
0.0	0.0			J	-26.8	-0.0	0.0	-0.4
0.0	0.0		G1	I	3.7	0.0	-0.5	-0.1
0.0	0.0			J	4.5	0.0	0.5	-0.1
0.0	0.0		G2	I	0.9	0.0	0.0	-0.0
0.0	0.0			J	0.9	0.0	0.0	-0.0
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc	I	-22.9	0.0	0.0	-0.1
0.0	0.0			J	-22.9	-0.0	0.0	-0.1
0.0	0.0		Q5_ps	I	-21.6	0.0	0.0	-0.1
0.0	0.0			J	-21.6	-0.0	0.0	-0.1
0.0	0.0		INVS LU	Max	I	129.0	0.0	-0.6
0.0	0.0			J	130.0	0.0	0.6	1.1
0.0	0.0		Min	I	-49.5	0.0	-0.6	-0.8
0.0	0.0			J	-48.5	0.0	0.6	-0.8
0.0	0.0		INVS LE	Max	I	94.9	0.0	-0.5
0.0	0.0			J	95.7	0.0	0.5	0.8
0.0	0.0		Min	I	-34.2	0.0	-0.5	-0.6
0.0	0.0							

MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
0.0	0.0			J	-33.4	0.0	0.5	-0.6		
781	2	74	C1-C2;~1	Max	I	33.7	0.0	0.0	0.5	
0.0	0.0				J	33.7	0.0	0.0	0.5	
0.0	0.0			Min	I	-60.2	-0.0	-0.0	-0.4	
0.0	0.0				J	-60.2	-0.0	-0.0	-0.4	
0.0	0.0									
0.0	0.0			C3-C4;~1	Max	I	42.2	0.0	0.0	0.6
0.0	0.0				J	42.2	0.0	0.0	0.6	
0.0	0.0			Min	I	-45.4	-0.0	-0.0	-0.5	
0.0	0.0				J	-45.4	-0.0	-0.0	-0.5	
0.0	0.0									
0.0	0.0			C1-C2;~2	Max	I	19.1	0.0	0.0	0.3
0.0	0.0				J	19.1	0.0	0.0	0.3	
0.0	0.0			Min	I	-38.9	-0.0	-0.0	-0.3	
0.0	0.0				J	-38.9	-0.0	-0.0	-0.3	
0.0	0.0									
0.0	0.0			C3-C4;~2	Max	I	26.5	0.0	0.0	0.4
0.0	0.0				J	26.5	0.0	0.0	0.4	
0.0	0.0			Min	I	-28.4	-0.0	-0.0	-0.3	
0.0	0.0				J	-28.4	-0.0	-0.0	-0.3	
0.0	0.0									
0.0	0.0			G1	I	-2.9	0.0	-0.5	0.0	
0.0	0.0				J	-2.1	-0.0	0.5	0.0	
0.0	0.0									
0.0	0.0			G2	I	-1.9	0.0	0.0	0.0	
0.0	0.0				J	-1.9	-0.0	0.0	0.0	
0.0	0.0									
0.0	0.0			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
0.0	0.0			Q5_pc	I	22.7	-0.0	0.0	0.2	
0.0	0.0				J	22.7	0.0	0.0	0.2	
0.0	0.0									
0.0	0.0			Q5_ps	I	21.3	-0.0	0.0	0.2	
0.0	0.0				J	21.3	0.0	0.0	0.2	
0.0	0.0									
0.0	0.0			INVSLU	Max	I	47.6	0.0	-0.6	1.8

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	48.7	-0.0	0.6	1.8
0.0	0.0	Min	I	-131.5	-0.0	-0.6	-0.1
0.0	0.0		J	-130.4	-0.0	0.6	-0.1
0.0	0.0	INVSLE Max	I	32.7	0.0	-0.5	1.3
0.0	0.0		J	33.5	-0.0	0.5	1.3
0.0	0.0	Min	I	-96.9	-0.0	-0.5	-0.1
0.0	0.0		J	-96.1	-0.0	0.5	-0.1
782	2	74 C1-C2;~1 Max	I	60.1	0.0	0.0	0.7
0.0	0.0		J	60.1	0.0	0.0	0.7
0.0	0.0	Min	I	-33.7	0.0	0.0	-0.5
0.0	0.0		J	-33.7	-0.0	0.0	-0.5
0.0	0.0	C3-C4;~1 Max	I	45.7	0.0	0.0	0.6
0.0	0.0		J	45.7	0.0	0.0	0.6
0.0	0.0	Min	I	-41.9	0.0	0.0	-0.5
0.0	0.0		J	-41.9	-0.0	0.0	-0.5
0.0	0.0	C1-C2;~2 Max	I	38.9	0.0	0.0	0.5
0.0	0.0		J	38.9	0.0	0.0	0.5
0.0	0.0	Min	I	-19.1	0.0	0.0	-0.4
0.0	0.0		J	-19.1	-0.0	0.0	-0.4
0.0	0.0	C3-C4;~2 Max	I	28.6	0.0	0.0	0.4
0.0	0.0		J	28.6	0.0	0.0	0.4
0.0	0.0	Min	I	-26.2	0.0	0.0	-0.3
0.0	0.0		J	-26.2	-0.0	0.0	-0.3
0.0	0.0	G1	I	6.0	0.0	-0.5	0.2
0.0	0.0		J	6.8	0.0	0.5	0.2
0.0	0.0	G2	I	1.8	0.0	0.0	0.1
0.0	0.0		J	1.8	0.0	0.0	0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


0.0	0.0	Q5_pc	I	-22.7	0.0	0.0	0.2
0.0	0.0		J	-22.7	0.0	0.0	0.2
0.0	0.0	Q5_ps	I	-21.4	0.0	0.0	0.1
0.0	0.0		J	-21.4	0.0	0.0	0.1
0.0	0.0	INVSLU Max	I	135.2	0.0	-0.6	2.7
0.0	0.0		J	136.2	0.0	0.6	2.7
0.0	0.0	Min	I	-43.5	0.0	-0.6	0.7
0.0	0.0		J	-42.4	0.0	0.6	0.7
0.0	0.0	INVSLE Max	I	99.6	0.0	-0.5	2.0
0.0	0.0		J	100.4	0.0	0.5	2.0
0.0	0.0	Min	I	-29.7	0.0	-0.5	0.5
0.0	0.0		J	-28.9	0.0	0.5	0.5
783	2	74 C1-C2;~1 Max	I	47.2	0.0	0.0	1.9
0.0	0.0		J	47.2	0.0	0.0	1.9
0.0	0.0	Min	I	-80.8	0.0	-0.0	-0.6
0.0	0.0		J	-80.8	0.0	-0.0	-0.6
0.0	0.0	C3-C4;~1 Max	I	69.2	0.0	0.0	1.8
0.0	0.0		J	69.2	0.0	0.0	1.8
0.0	0.0	Min	I	-61.1	0.0	-0.0	-0.6
0.0	0.0		J	-61.1	0.0	-0.0	-0.6
0.0	0.0	C1-C2;~2 Max	I	27.7	0.0	0.0	1.2
0.0	0.0		J	27.7	0.0	0.0	1.2
0.0	0.0	Min	I	-51.9	0.0	-0.0	-0.3
0.0	0.0		J	-51.9	0.0	-0.0	-0.3
0.0	0.0	C3-C4;~2 Max	I	42.7	0.0	0.0	1.1
0.0	0.0		J	42.7	0.0	0.0	1.1
0.0	0.0	Min	I	-38.1	0.0	-0.0	-0.4
0.0	0.0		J	-38.1	0.0	-0.0	-0.4
0.0	0.0	G1	I	2.3	0.0	-0.5	0.7

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		J	3.1	0.0	0.5	0.7
0.0	0.0						
		G2	I	0.7	0.0	0.0	0.3
0.0	0.0		J	0.7	0.0	-0.0	0.3
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	14.9	0.0	0.0	0.2
0.0	0.0		J	14.9	0.0	-0.0	0.2
0.0	0.0						
		Q5_ps	I	14.3	0.0	0.0	0.2
0.0	0.0		J	14.3	0.0	-0.0	0.2
0.0	0.0						
		INVSLE Max	I	85.8	0.0	-0.6	4.0
0.0	0.0		J	86.9	0.0	0.6	4.0
0.0	0.0						
		Min	I	-143.4	0.0	-0.6	0.2
0.0	0.0		J	-142.3	0.0	0.6	0.2
0.0	0.0						
		INVSLE Max	I	61.3	0.0	-0.5	2.9
0.0	0.0		J	62.1	0.0	0.5	2.9
0.0	0.0						
		Min	I	-106.5	0.0	-0.5	0.1
0.0	0.0		J	-105.7	0.0	0.5	0.1
0.0	0.0						
784	2	74 C1-C2;~1 Max	I	80.7	0.0	0.0	1.0
0.0	0.0		J	80.7	0.0	0.0	1.0
0.0	0.0						
		Min	I	-46.7	-0.0	-0.0	-1.2
0.0	0.0		J	-46.7	-0.0	-0.0	-1.2
0.0	0.0						
		C3-C4;~1 Max	I	61.3	0.0	0.0	0.7
0.0	0.0		J	61.3	0.0	0.0	0.7
0.0	0.0						
		Min	I	-68.9	-0.0	-0.0	-1.3
0.0	0.0		J	-68.9	-0.0	-0.0	-1.3
0.0	0.0						
		C1-C2;~2 Max	I	51.8	0.0	0.0	0.6
0.0	0.0		J	51.8	0.0	0.0	0.6
0.0	0.0						
		Min	I	-27.3	-0.0	-0.0	-0.8
0.0	0.0						

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0		J	-27.3	-0.0	-0.0	-0.8
0.0	0.0	C3-C4;~2 Max	I	38.3	0.0	0.0	0.5
0.0	0.0		J	38.3	0.0	0.0	0.5
0.0	0.0	Min	I	-42.5	-0.0	-0.0	-0.8
0.0	0.0		J	-42.5	-0.0	-0.0	-0.8
0.0	0.0	G1	I	0.8	0.0	-0.5	-0.2
0.0	0.0		J	1.6	0.0	0.5	-0.2
0.0	0.0	G2	I	-0.8	0.0	0.0	-0.1
0.0	0.0		J	-0.8	0.0	-0.0	-0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-14.9	-0.0	-0.0	0.2
0.0	0.0		J	-14.9	0.0	0.0	0.2
0.0	0.0	Q5_ps	I	-14.4	-0.0	-0.0	0.2
0.0	0.0		J	-14.4	0.0	0.0	0.2
0.0	0.0	INVSLE Max	I	147.3	0.0	-0.6	3.4
0.0	0.0		J	148.4	0.0	0.6	3.4
0.0	0.0	Min	I	-81.5	-0.0	-0.6	0.0
0.0	0.0		J	-80.4	0.0	0.6	0.0
0.0	0.0	INVSLE Max	I	109.4	0.0	-0.5	2.6
0.0	0.0		J	110.2	0.0	0.5	2.6
0.0	0.0	Min	I	-58.1	-0.0	-0.5	0.1
0.0	0.0		J	-57.3	0.0	0.5	0.1
785	2	74 C1-C2;~1 Max	I	62.7	0.0	0.0	0.1
0.0	0.0		J	62.7	0.0	0.0	0.1
0.0	0.0	Min	I	-80.2	-0.0	-0.0	-0.3
0.0	0.0		J	-80.2	-0.0	-0.0	-0.3
0.0	0.0	C3-C4;~1 Max	I	88.5	0.0	0.0	0.1

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0		J	88.5	0.0	0.0	0.1
0.0	0.0	Min	I	-59.0	-0.0	-0.0	-0.4
0.0	0.0		J	-59.0	-0.0	-0.0	-0.4
0.0	0.0	C1-C2;~2 Max	I	36.1	0.0	0.0	0.1
0.0	0.0		J	36.1	0.0	0.0	0.1
0.0	0.0	Min	I	-50.4	-0.0	-0.0	-0.2
0.0	0.0		J	-50.4	-0.0	-0.0	-0.2
0.0	0.0	C3-C4;~2 Max	I	53.2	0.0	0.0	0.1
0.0	0.0		J	53.2	0.0	0.0	0.1
0.0	0.0	Min	I	-35.5	-0.0	-0.0	-0.2
0.0	0.0		J	-35.5	-0.0	-0.0	-0.2
0.0	0.0	G1	I	11.2	-0.0	-0.5	-0.2
0.0	0.0		J	12.0	0.0	0.5	-0.2
0.0	0.0	G2	I	4.8	-0.0	-0.0	-0.1
0.0	0.0		J	4.8	0.0	0.0	-0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	10.0	0.0	-0.0	0.1
0.0	0.0		J	10.0	-0.0	0.0	0.1
0.0	0.0	Q5_ps	I	10.5	0.0	-0.0	0.1
0.0	0.0		J	10.5	-0.0	0.0	0.1
0.0	0.0	INVSLU Max	I	125.7	0.0	-0.6	1.9
0.0	0.0		J	126.8	0.0	0.6	1.9
0.0	0.0	Min	I	-120.0	-0.0	-0.6	1.1
0.0	0.0		J	-119.0	0.0	0.6	1.1
0.0	0.0	INVSLE Max	I	91.1	0.0	-0.5	1.4
0.0	0.0		J	91.9	0.0	0.5	1.4
0.0	0.0	Min	I	-89.6	-0.0	-0.5	0.8
0.0	0.0		J	-88.8	0.0	0.5	0.8

PROJECT TITLE :


		Company				Client			
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0								
786	2	74	C1-C2;~1	Max	I	80.2	0.0	0.0	0.6
0.0	0.0				J	80.2	0.0	0.0	0.6
0.0	0.0				Min	-62.3	-0.0	0.0	-0.1
0.0	0.0				J	-62.3	0.0	0.0	-0.1
0.0	0.0								
0.0	0.0		C3-C4;~1	Max	I	59.2	0.0	0.0	0.6
0.0	0.0				J	59.2	0.0	0.0	0.6
0.0	0.0				Min	-88.3	-0.0	0.0	-0.1
0.0	0.0				J	-88.3	0.0	0.0	-0.1
0.0	0.0								
0.0	0.0		C1-C2;~2	Max	I	50.3	0.0	0.0	0.4
0.0	0.0				J	50.3	0.0	0.0	0.4
0.0	0.0				Min	-35.8	-0.0	0.0	-0.1
0.0	0.0				J	-35.8	0.0	0.0	-0.1
0.0	0.0								
0.0	0.0		C3-C4;~2	Max	I	35.7	0.0	0.0	0.3
0.0	0.0				J	35.7	0.0	0.0	0.3
0.0	0.0				Min	-53.0	-0.0	0.0	-0.0
0.0	0.0				J	-53.0	0.0	0.0	-0.0
0.0	0.0								
0.0	0.0				G1	-8.1	-0.0	-0.5	0.4
0.0	0.0				J	-7.3	0.0	0.5	0.4
0.0	0.0								
0.0	0.0				G2	-4.9	-0.0	0.0	0.2
0.0	0.0				J	-4.9	0.0	0.0	0.2
0.0	0.0								
0.0	0.0				Q3	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
0.0	0.0		Q5_pc		I	-10.1	0.0	0.0	0.0
0.0	0.0				J	-10.1	0.0	0.0	0.0
0.0	0.0								
0.0	0.0		Q5_ps		I	-10.5	0.0	0.0	0.0
0.0	0.0				J	-10.5	0.0	0.0	0.0
0.0	0.0								
0.0	0.0		INVSLU	Max	I	124.0	0.0	-0.6	2.7
0.0	0.0				J	125.0	0.0	0.6	2.7

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


0.0	0.0		Min	I	-121.5	-0.0	-0.6	1.6
0.0	0.0			J	-120.4	0.0	0.6	1.6
0.0	0.0		INVSLE Max	I	92.5	0.0	-0.5	2.0
0.0	0.0			J	93.3	0.0	0.5	2.0
0.0	0.0		Min	I	-88.0	-0.0	-0.5	1.2
0.0	0.0			J	-87.2	0.0	0.5	1.2
0.0	0.0							
787	2	74	C1-C2;~1 Max	I	72.9	0.0	0.0	0.1
0.0	0.0			J	72.9	0.0	0.0	0.1
0.0	0.0		Min	I	-76.5	0.0	0.0	-0.2
0.0	0.0			J	-76.5	-0.0	0.0	-0.2
0.0	0.0							
0.0	0.0		C3-C4;~1 Max	I	100.1	0.0	0.0	0.2
0.0	0.0			J	100.1	0.0	0.0	0.2
0.0	0.0		Min	I	-54.1	0.0	0.0	-0.3
0.0	0.0			J	-54.1	-0.0	0.0	-0.3
0.0	0.0							
0.0	0.0		C1-C2;~2 Max	I	41.5	0.0	0.0	0.1
0.0	0.0			J	41.5	0.0	0.0	0.1
0.0	0.0		Min	I	-47.6	0.0	0.0	-0.1
0.0	0.0			J	-47.6	-0.0	0.0	-0.1
0.0	0.0							
0.0	0.0		C3-C4;~2 Max	I	59.4	0.0	0.0	0.1
0.0	0.0			J	59.4	0.0	0.0	0.1
0.0	0.0		Min	I	-32.2	0.0	0.0	-0.2
0.0	0.0			J	-32.2	-0.0	0.0	-0.2
0.0	0.0							
0.0	0.0		G1	I	23.4	0.0	-0.5	-0.1
0.0	0.0			J	24.2	-0.0	0.5	-0.1
0.0	0.0							
0.0	0.0		G2	I	10.0	0.0	0.0	-0.1
0.0	0.0			J	10.0	-0.0	0.0	-0.1
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0	Q5_pc	I	6.6	0.0	0.0	0.0	
0.0	0.0		J	6.6	0.0	0.0	0.0	
0.0	0.0	Q5_ps	I	7.6	0.0	0.0	0.0	
0.0	0.0		J	7.6	0.0	0.0	0.0	
0.0	0.0	INVSLU Max	I	174.7	0.0	-0.6	1.6	
0.0	0.0		J	175.7	-0.0	0.6	1.6	
0.0	0.0	Min	I	-75.6	0.0	-0.6	1.0	
0.0	0.0		J	-74.5	-0.0	0.6	1.0	
0.0	0.0	INVSLE Max	I	128.0	0.0	-0.5	1.2	
0.0	0.0		J	128.8	-0.0	0.5	1.2	
0.0	0.0	Min	I	-56.5	0.0	-0.5	0.7	
0.0	0.0		J	-55.7	-0.0	0.5	0.7	
788	2	74 C1-C2;~1 Max	I	76.4	0.0	0.0	0.4	
0.0	0.0		J	76.4	0.0	0.0	0.4	
0.0	0.0	Min	I	-72.6	-0.0	-0.0	-0.1	
0.0	0.0		J	-72.6	-0.0	-0.0	-0.1	
0.0	0.0	C3-C4;~1 Max	I	54.2	0.0	0.0	0.3	
0.0	0.0		J	54.2	0.0	0.0	0.3	
0.0	0.0	Min	I	-99.9	-0.0	-0.0	-0.1	
0.0	0.0		J	-99.9	-0.0	-0.0	-0.1	
0.0	0.0	C1-C2;~2 Max	I	47.6	0.0	0.0	0.2	
0.0	0.0		J	47.6	0.0	0.0	0.2	
0.0	0.0	Min	I	-41.3	-0.0	-0.0	-0.1	
0.0	0.0		J	-41.3	-0.0	-0.0	-0.1	
0.0	0.0	C3-C4;~2 Max	I	32.3	0.0	0.0	0.2	
0.0	0.0		J	32.3	0.0	0.0	0.2	
0.0	0.0	Min	I	-59.3	-0.0	-0.0	-0.1	
0.0	0.0		J	-59.3	-0.0	-0.0	-0.1	
0.0	0.0	G1	I	-20.3	0.0	-0.5	0.2	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	-19.5	0.0	0.5	0.2
0.0	0.0	G2	I	-10.1	0.0	-0.0	0.1
0.0	0.0		J	-10.1	0.0	0.0	0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-6.7	-0.0	0.0	0.0
0.0	0.0		J	-6.7	-0.0	-0.0	0.0
0.0	0.0	Q5_ps	I	-7.7	-0.0	0.0	0.0
0.0	0.0		J	-7.7	-0.0	-0.0	0.0
0.0	0.0	INVSLU Max	I	79.8	0.0	-0.6	2.0
0.0	0.0		J	80.9	0.0	0.6	2.0
0.0	0.0	Min	I	-170.2	0.0	-0.6	1.3
0.0	0.0		J	-169.2	0.0	0.6	1.3
0.0	0.0	INVSLE Max	I	59.6	0.0	-0.5	1.5
0.0	0.0		J	60.4	0.0	0.5	1.5
0.0	0.0	Min	I	-124.7	0.0	-0.5	1.0
0.0	0.0		J	-123.9	0.0	0.5	1.0
789	2	74 C1-C2;~1 Max	I	76.8	0.0	0.0	0.2
0.0	0.0		J	76.8	0.0	0.0	0.2
0.0	0.0	Min	I	-74.4	0.0	-0.0	-0.2
0.0	0.0		J	-74.4	0.0	-0.0	-0.2
0.0	0.0	C3-C4;~1 Max	I	105.3	0.0	0.0	0.2
0.0	0.0		J	105.3	0.0	0.0	0.2
0.0	0.0	Min	I	-50.4	0.0	-0.0	-0.2
0.0	0.0		J	-50.4	0.0	-0.0	-0.2
0.0	0.0	C1-C2;~2 Max	I	43.4	0.0	0.0	0.1
0.0	0.0		J	43.4	0.0	0.0	0.1
0.0	0.0	Min	I	-46.6	0.0	-0.0	-0.1
0.0	0.0		J	-46.6	0.0	-0.0	-0.1

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	I	62.1	0.0	0.1
0.0	0.0			J	62.1	0.0	0.1
0.0	0.0		Min	I	-30.1	0.0	-0.1
0.0	0.0			J	-30.1	0.0	-0.1
0.0	0.0		G1	I	32.3	0.0	-0.1
0.0	0.0			J	33.1	0.0	-0.1
0.0	0.0		G2	I	13.7	0.0	-0.0
0.0	0.0			J	13.7	0.0	-0.0
0.0	0.0		Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0		Q5_pc	I	5.5	0.0	0.0
0.0	0.0			J	5.5	0.0	0.0
0.0	0.0		Q5_ps	I	6.8	0.0	0.0
0.0	0.0			J	6.8	0.0	0.0
0.0	0.0		INVSLU	Max	I	206.7	1.0
0.0	0.0			J	207.8	0.0	1.0
0.0	0.0		Min	I	-45.8	0.0	0.4
0.0	0.0			J	-44.8	0.0	0.4
0.0	0.0		INVSLE	Max	I	152.1	0.7
0.0	0.0			J	152.9	0.0	0.7
0.0	0.0		Min	I	-34.2	0.0	0.3
0.0	0.0			J	-33.4	0.0	0.3
790	2	74	C1-C2;~1	Max	I	74.3	0.3
0.0	0.0			J	74.3	0.0	0.3
0.0	0.0		Min	I	-76.5	0.0	-0.2
0.0	0.0			J	-76.5	0.0	-0.2
0.0	0.0		C3-C4;~1	Max	I	50.6	0.3
0.0	0.0			J	50.6	0.0	0.3

PROJECT TITLE :


MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		Min	I	-105.2	0.0	-0.0	-0.2
0.0	0.0			J	-105.2	0.0	-0.0	-0.2
0.0	0.0	C1-C2;~2	Max	I	46.5	0.0	0.0	0.2
0.0	0.0			J	46.5	0.0	0.0	0.2
0.0	0.0		Min	I	-43.2	0.0	-0.0	-0.1
0.0	0.0			J	-43.2	0.0	-0.0	-0.1
0.0	0.0	C3-C4;~2	Max	I	30.2	0.0	0.0	0.2
0.0	0.0			J	30.2	0.0	0.0	0.2
0.0	0.0		Min	I	-62.0	0.0	-0.0	-0.1
0.0	0.0			J	-62.0	0.0	-0.0	-0.1
0.0	0.0		G1	I	-29.2	0.0	-0.5	0.1
0.0	0.0			J	-28.4	0.0	0.5	0.1
0.0	0.0		G2	I	-13.8	0.0	0.0	0.1
0.0	0.0			J	-13.8	0.0	0.0	0.1
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc	I	-5.6	0.0	-0.0	0.0
0.0	0.0			J	-5.6	0.0	-0.0	0.0
0.0	0.0		Q5_ps	I	-6.9	0.0	-0.0	0.0
0.0	0.0			J	-6.9	0.0	-0.0	0.0
0.0	0.0	INVSLE	Max	I	50.3	0.0	-0.6	1.2
0.0	0.0			J	51.4	0.0	0.6	1.2
0.0	0.0		Min	I	-202.1	0.0	-0.6	0.6
0.0	0.0			J	-201.0	0.0	0.6	0.6
0.0	0.0	INVSLE	Max	I	37.5	0.0	-0.5	0.9
0.0	0.0			J	38.3	0.0	0.5	0.9
0.0	0.0		Min	I	-148.6	0.0	-0.5	0.4
0.0	0.0			J	-147.9	0.0	0.5	0.4

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


791	2	74	C1-C2;~1	Max	I	77.7	0.0	0.0	0.2
0.0	0.0				J	77.7	0.0	0.0	0.2
0.0	0.0			Min	I	-74.2	-0.0	-0.0	-0.2
0.0	0.0				J	-74.2	0.0	0.0	-0.2
0.0	0.0								
0.0	0.0		C3-C4;~1	Max	I	106.4	0.0	0.0	0.2
0.0	0.0				J	106.4	0.0	0.0	0.2
0.0	0.0			Min	I	-49.3	-0.0	-0.0	-0.2
0.0	0.0				J	-49.3	0.0	0.0	-0.2
0.0	0.0								
0.0	0.0		C1-C2;~2	Max	I	44.1	0.0	0.0	0.1
0.0	0.0				J	44.1	0.0	0.0	0.1
0.0	0.0			Min	I	-46.6	-0.0	-0.0	-0.1
0.0	0.0				J	-46.6	0.0	0.0	-0.1
0.0	0.0								
0.0	0.0		C3-C4;~2	Max	I	62.9	0.0	0.0	0.1
0.0	0.0				J	62.9	0.0	0.0	0.1
0.0	0.0			Min	I	-29.6	-0.0	-0.0	-0.1
0.0	0.0				J	-29.6	0.0	0.0	-0.1
0.0	0.0								
0.0	0.0		G1		I	35.5	-0.0	-0.5	-0.0
0.0	0.0				J	36.3	0.0	0.5	-0.0
0.0	0.0								
0.0	0.0		G2		I	14.9	-0.0	0.0	-0.0
0.0	0.0				J	14.9	0.0	0.0	-0.0
0.0	0.0								
0.0	0.0		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
0.0	0.0		Q5_pc		I	5.4	0.0	0.0	-0.0
0.0	0.0				J	5.4	0.0	0.0	-0.0
0.0	0.0								
0.0	0.0		Q5_ps		I	6.8	0.0	0.0	-0.0
0.0	0.0				J	6.8	0.0	0.0	-0.0
0.0	0.0								
0.0	0.0		INVSLU	Max	I	219.5	-0.0	-0.6	0.1
0.0	0.0				J	220.5	0.0	0.6	0.1
0.0	0.0								

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0	Min	I	-34.1	-0.0	-0.6	-0.5
0.0	0.0		J	-33.0	0.0	0.6	-0.5
0.0	0.0	INVSLE Max	I	161.8	-0.0	-0.5	0.1
0.0	0.0		J	162.6	0.0	0.5	0.1
0.0	0.0	Min	I	-25.3	-0.0	-0.5	-0.4
0.0	0.0		J	-24.5	0.0	0.5	-0.4
792	2	74 C1-C2;~1 Max	I	74.1	0.0	0.0	0.2
0.0	0.0		J	74.1	0.0	0.0	0.2
0.0	0.0	Min	I	-77.5	-0.0	0.0	-0.2
0.0	0.0		J	-77.5	-0.0	-0.0	-0.2
0.0	0.0	C3-C4;~1 Max	I	49.4	0.0	0.0	0.2
0.0	0.0		J	49.4	0.0	0.0	0.2
0.0	0.0	Min	I	-106.3	-0.0	0.0	-0.2
0.0	0.0		J	-106.3	-0.0	-0.0	-0.2
0.0	0.0	C1-C2;~2 Max	I	46.5	0.0	0.0	0.1
0.0	0.0		J	46.5	0.0	0.0	0.1
0.0	0.0	Min	I	-43.9	-0.0	0.0	-0.1
0.0	0.0		J	-43.9	-0.0	-0.0	-0.1
0.0	0.0	C3-C4;~2 Max	I	29.7	0.0	0.0	0.1
0.0	0.0		J	29.7	0.0	0.0	0.1
0.0	0.0	Min	I	-62.8	-0.0	0.0	-0.1
0.0	0.0		J	-62.8	-0.0	-0.0	-0.1
0.0	0.0	G1	I	-32.4	0.0	-0.5	0.0
0.0	0.0		J	-31.6	-0.0	0.5	0.0
0.0	0.0	G2	I	-14.9	0.0	0.0	0.0
0.0	0.0		J	-14.9	-0.0	0.0	0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-5.5	-0.0	0.0	-0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	-5.5	0.0	-0.0	-0.0
0.0	0.0						
0.0	0.0	Q5_ps	I	-6.8	-0.0	0.0	0.0
0.0	0.0		J	-6.8	0.0	-0.0	0.0
0.0	0.0						
0.0	0.0	INVSLE Max	I	38.7	0.0	-0.6	0.2
0.0	0.0		J	39.7	-0.0	0.6	0.2
0.0	0.0	Min	I	-214.7	0.0	-0.6	-0.4
0.0	0.0		J	-213.6	-0.0	0.6	-0.4
0.0	0.0						
0.0	0.0	INVSLE Max	I	28.7	0.0	-0.5	0.1
0.0	0.0		J	29.5	-0.0	0.5	0.1
0.0	0.0	Min	I	-158.2	0.0	-0.5	-0.3
0.0	0.0		J	-157.4	-0.0	0.5	-0.3
0.0	0.0						
793	2	74 C1-C2;~1 Max	I	73.1	0.0	0.0	0.2
0.0	0.0		J	73.1	0.0	0.0	0.2
0.0	0.0	Min	I	-74.9	0.0	0.0	-0.2
0.0	0.0		J	-74.9	0.0	0.0	-0.2
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	101.4	0.0	0.0	0.2
0.0	0.0		J	101.4	0.0	0.0	0.2
0.0	0.0	Min	I	-49.9	0.0	0.0	-0.2
0.0	0.0		J	-49.9	0.0	0.0	-0.2
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	41.8	0.0	0.0	0.1
0.0	0.0		J	41.8	0.0	0.0	0.1
0.0	0.0	Min	I	-47.3	0.0	0.0	-0.1
0.0	0.0		J	-47.3	0.0	0.0	-0.1
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	60.5	0.0	0.0	0.2
0.0	0.0		J	60.5	0.0	0.0	0.2
0.0	0.0	Min	I	-30.4	0.0	0.0	-0.1
0.0	0.0		J	-30.4	0.0	0.0	-0.1
0.0	0.0						
0.0	0.0	G1	I	33.4	0.0	-0.5	0.0
0.0	0.0		J	34.2	0.0	0.5	0.0

PROJECT TITLE :


MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0						
		G2	I	13.8	0.0	0.0	0.0
0.0	0.0		J	13.8	0.0	0.0	0.0
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	5.6	0.0	0.0	-0.0
0.0	0.0		J	5.6	0.0	0.0	-0.0
0.0	0.0						
		Q5_ps	I	6.8	0.0	0.0	-0.0
0.0	0.0		J	6.8	0.0	0.0	-0.0
0.0	0.0						
		INVSLU Max	I	211.6	0.0	-0.6	-0.7
0.0	0.0		J	212.7	0.0	0.6	-0.7
0.0	0.0						
		Min	I	-36.4	0.0	-0.6	-1.3
0.0	0.0		J	-35.4	0.0	0.6	-1.3
0.0	0.0						
		INVSLE Max	I	156.2	0.0	-0.5	-0.5
0.0	0.0		J	157.0	0.0	0.5	-0.5
0.0	0.0						
		Min	I	-26.8	0.0	-0.5	-1.0
0.0	0.0		J	-26.0	0.0	0.5	-1.0
0.0	0.0						
794	2	74 C1-C2;~1 Max	I	74.8	0.0	0.0	0.2
0.0	0.0		J	74.8	0.0	0.0	0.2
0.0	0.0						
		Min	I	-72.8	0.0	0.0	-0.3
0.0	0.0		J	-72.8	0.0	0.0	-0.3
0.0	0.0						
		C3-C4;~1 Max	I	50.0	0.0	0.0	0.2
0.0	0.0		J	50.0	0.0	0.0	0.2
0.0	0.0						
		Min	I	-101.2	0.0	0.0	-0.3
0.0	0.0		J	-101.2	0.0	0.0	-0.3
0.0	0.0						
		C1-C2;~2 Max	I	47.2	0.0	0.0	0.1
0.0	0.0		J	47.2	0.0	0.0	0.1
0.0	0.0						
		Min	I	-41.6	0.0	0.0	-0.2
0.0	0.0		J	-41.6	0.0	0.0	-0.2
0.0	0.0						

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0	C3-C4;~2 Max	I	30.4	0.0	0.0	0.1
0.0	0.0		J	30.4	0.0	0.0	0.1
0.0	0.0	Min	I	-60.4	0.0	0.0	-0.2
0.0	0.0		J	-60.4	0.0	0.0	-0.2
0.0	0.0	G1	I	-30.3	0.0	-0.5	-0.1
0.0	0.0		J	-29.5	0.0	0.5	-0.1
0.0	0.0	G2	I	-13.9	0.0	0.0	-0.0
0.0	0.0		J	-13.9	0.0	0.0	-0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-5.6	0.0	0.0	-0.0
0.0	0.0		J	-5.6	0.0	0.0	-0.0
0.0	0.0	Q5_ps	I	-6.9	0.0	0.0	-0.0
0.0	0.0		J	-6.9	0.0	0.0	-0.0
0.0	0.0	INVSLU Max	I	41.0	0.0	-0.6	-0.8
0.0	0.0		J	42.1	0.0	0.6	-0.8
0.0	0.0	Min	I	-206.8	0.0	-0.6	-1.5
0.0	0.0		J	-205.8	0.0	0.6	-1.5
0.0	0.0	INVSLE Max	I	30.2	0.0	-0.5	-0.6
0.0	0.0		J	31.0	0.0	0.5	-0.6
0.0	0.0	Min	I	-152.7	0.0	-0.5	-1.1
0.0	0.0		J	-151.9	0.0	0.5	-1.1
795	2	74 C1-C2;~1 Max	I	61.7	0.0	0.0	0.2
0.0	0.0		J	61.7	0.0	0.0	0.2
0.0	0.0	Min	I	-71.8	-0.0	-0.0	-0.1
0.0	0.0		J	-71.8	0.0	0.0	-0.1
0.0	0.0	C3-C4;~1 Max	I	87.1	0.0	0.0	0.3
0.0	0.0		J	87.1	0.0	0.0	0.3


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0	Min	I	-48.1	-0.0	-0.0	-0.1
			J	-48.1	0.0	0.0	-0.1
0.0	0.0	C1-C2;~2 Max	I	35.7	0.0	0.0	0.1
			J	35.7	0.0	0.0	0.1
0.0	0.0	Min	I	-46.0	-0.0	-0.0	-0.1
			J	-46.0	0.0	0.0	-0.1
0.0	0.0	C3-C4;~2 Max	I	52.7	0.0	0.0	0.2
			J	52.7	0.0	0.0	0.2
0.0	0.0	Min	I	-29.9	-0.0	-0.0	-0.1
			J	-29.9	0.0	0.0	-0.1
0.0	0.0	G1	I	26.8	0.0	-0.5	0.1
			J	27.6	0.0	0.5	0.1
0.0	0.0	G2	I	10.9	0.0	0.0	0.0
			J	10.9	0.0	0.0	0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	6.2	-0.0	0.0	-0.1
			J	6.2	0.0	0.0	-0.1
0.0	0.0	Q5_ps	I	7.2	-0.0	0.0	-0.0
			J	7.2	0.0	0.0	-0.0
0.0	0.0	INVSLU Max	I	181.6	0.0	-0.6	-1.3
			J	182.7	0.0	0.6	-1.3
0.0	0.0	Min	I	-44.2	0.0	-0.6	-2.0
			J	-43.1	0.0	0.6	-2.0
0.0	0.0	INVSLE Max	I	134.1	0.0	-0.5	-1.0
			J	134.9	0.0	0.5	-1.0
0.0	0.0	Min	I	-32.3	0.0	-0.5	-1.5
			J	-31.5	0.0	0.5	-1.5


PROJECT TITLE :

		Company					Client		
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
796	2	74	C1-C2;~1	Max	I	71.8	0.0	0.0	0.1
0.0	0.0				J	71.8	0.0	0.0	0.1
0.0	0.0			Min	I	-61.4	-0.0	0.0	-0.5
0.0	0.0				J	-61.4	0.0	0.0	-0.5
0.0	0.0								
0.0	0.0		C3-C4;~1	Max	I	48.3	0.0	0.0	0.1
0.0	0.0				J	48.3	0.0	0.0	0.1
0.0	0.0			Min	I	-87.0	-0.0	0.0	-0.4
0.0	0.0				J	-87.0	0.0	0.0	-0.4
0.0	0.0								
0.0	0.0		C1-C2;~2	Max	I	46.0	0.0	0.0	0.1
0.0	0.0				J	46.0	0.0	0.0	0.1
0.0	0.0			Min	I	-35.5	-0.0	0.0	-0.3
0.0	0.0				J	-35.5	0.0	0.0	-0.3
0.0	0.0								
0.0	0.0		C3-C4;~2	Max	I	30.0	0.0	0.0	0.1
0.0	0.0				J	30.0	0.0	0.0	0.1
0.0	0.0			Min	I	-52.6	-0.0	0.0	-0.2
0.0	0.0				J	-52.6	0.0	0.0	-0.2
0.0	0.0								
0.0	0.0			G1	I	-23.7	-0.0	-0.5	-0.2
0.0	0.0				J	-22.9	0.0	0.5	-0.2
0.0	0.0								
0.0	0.0			G2	I	-10.9	-0.0	0.0	-0.1
0.0	0.0				J	-10.9	0.0	0.0	-0.1
0.0	0.0								
0.0	0.0			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
0.0	0.0			Q5_pc	I	-6.3	0.0	0.0	-0.0
0.0	0.0				J	-6.3	0.0	0.0	-0.0
0.0	0.0								
0.0	0.0			Q5_ps	I	-7.3	0.0	0.0	-0.0
0.0	0.0				J	-7.3	0.0	0.0	-0.0
0.0	0.0								
0.0	0.0			INVSLU Max	I	48.7	-0.0	-0.6	-1.5
0.0	0.0				J	49.7	0.0	0.6	-1.5
0.0	0.0			Min	I	-176.9	-0.0	-0.6	-2.4

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0			J	-175.9	0.0	0.6	-2.4
0.0	0.0							
			INVSLE Max	I	35.6	-0.0	-0.5	-1.1
0.0	0.0			J	36.4	0.0	0.5	-1.1
0.0	0.0		Min	I	-130.7	-0.0	-0.5	-1.7
0.0	0.0			J	-129.9	0.0	0.5	-1.7
0.0	0.0							
797	2	74	C1-C2;~1 Max	I	38.4	0.0	0.0	0.3
0.0	0.0			J	38.4	0.0	0.0	0.3
0.0	0.0		Min	I	-50.4	-0.0	0.0	-0.1
0.0	0.0			J	-50.4	-0.0	0.0	-0.1
0.0	0.0							
			C3-C4;~1 Max	I	55.1	0.0	0.0	0.3
0.0	0.0			J	55.1	0.0	0.0	0.3
0.0	0.0		Min	I	-33.6	-0.0	0.0	-0.1
0.0	0.0			J	-33.6	-0.0	0.0	-0.1
0.0	0.0							
			C1-C2;~2 Max	I	22.5	0.0	0.0	0.2
0.0	0.0			J	22.5	0.0	0.0	0.2
0.0	0.0		Min	I	-33.1	-0.0	0.0	-0.1
0.0	0.0			J	-33.1	-0.0	0.0	-0.1
0.0	0.0							
			C3-C4;~2 Max	I	33.9	0.0	0.0	0.2
0.0	0.0			J	33.9	0.0	0.0	0.2
0.0	0.0		Min	I	-21.5	-0.0	0.0	-0.1
0.0	0.0			J	-21.5	-0.0	0.0	-0.1
0.0	0.0							
			G1	I	17.7	0.0	-0.5	0.2
0.0	0.0			J	18.5	-0.0	0.5	0.2
0.0	0.0							
			G2	I	6.9	0.0	0.0	0.1
0.0	0.0			J	6.9	-0.0	0.0	0.1
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	9.2	-0.0	0.0	-0.1
0.0	0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0		J	9.2	0.0	0.0	-0.1
0.0	0.0	Q5_ps	I	9.7	-0.0	0.0	-0.1
0.0	0.0		J	9.7	0.0	0.0	-0.1
0.0	0.0	INVS LU Max	I	119.0	0.0	-0.6	-1.8
0.0	0.0		J	120.0	-0.0	0.6	-1.8
0.0	0.0	Min	I	-40.0	0.0	-0.6	-2.6
0.0	0.0		J	-39.0	-0.0	0.6	-2.6
0.0	0.0	INVS LE Max	I	87.6	0.0	-0.5	-1.4
0.0	0.0		J	88.4	-0.0	0.5	-1.4
0.0	0.0	Min	I	-28.9	0.0	-0.5	-1.9
0.0	0.0		J	-28.2	-0.0	0.5	-1.9
798	2	74 C1-C2;~1 Max	I	50.4	0.0	0.0	0.1
0.0	0.0		J	50.4	0.0	0.0	0.1
0.0	0.0	Min	I	-38.2	-0.0	0.0	-0.6
0.0	0.0		J	-38.2	-0.0	0.0	-0.6
0.0	0.0	C3-C4;~1 Max	I	33.7	0.0	0.0	0.1
0.0	0.0		J	33.7	0.0	0.0	0.1
0.0	0.0	Min	I	-54.9	-0.0	0.0	-0.6
0.0	0.0		J	-54.9	-0.0	0.0	-0.6
0.0	0.0	C1-C2;~2 Max	I	33.1	0.0	0.0	0.1
0.0	0.0		J	33.1	0.0	0.0	0.1
0.0	0.0	Min	I	-22.4	-0.0	0.0	-0.4
0.0	0.0		J	-22.4	-0.0	0.0	-0.4
0.0	0.0	C3-C4;~2 Max	I	21.6	0.0	0.0	0.1
0.0	0.0		J	21.6	0.0	0.0	0.1
0.0	0.0	Min	I	-33.8	-0.0	0.0	-0.3
0.0	0.0		J	-33.8	-0.0	0.0	-0.3
0.0	0.0	G1	I	-14.6	-0.0	-0.5	-0.4
0.0	0.0		J	-13.8	0.0	0.5	-0.4


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0	G2	I	-6.9	-0.0	0.0	-0.2
0.0	0.0		J	-6.9	0.0	0.0	-0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-9.2	0.0	0.0	-0.0
0.0	0.0		J	-9.2	-0.0	0.0	-0.0
0.0	0.0	Q5_ps	I	-9.7	0.0	0.0	-0.0
0.0	0.0		J	-9.7	-0.0	0.0	-0.0
0.0	0.0	INVSLU Max	I	44.2	-0.0	-0.6	-2.1
0.0	0.0		J	45.3	0.0	0.6	-2.1
0.0	0.0	Min	I	-114.6	-0.0	-0.6	-3.1
0.0	0.0		J	-113.5	0.0	0.6	-3.1
0.0	0.0	INVSLE Max	I	32.0	-0.0	-0.5	-1.6
0.0	0.0		J	32.8	0.0	0.5	-1.6
0.0	0.0	Min	I	-84.4	-0.0	-0.5	-2.3
0.0	0.0		J	-83.6	0.0	0.5	-2.3
801	2	81 C1-C2;~1 Max	I	52.7	0.0	0.0	2.4
0.0	0.0		J	52.7	0.0	0.0	2.4
0.0	0.0	Min	I	-23.0	-0.0	0.0	-1.1
0.0	0.0		J	-23.0	-0.0	0.0	-1.1
0.0	0.0	C3-C4;~1 Max	I	48.5	0.0	0.0	2.3
0.0	0.0		J	48.5	0.0	0.0	2.3
0.0	0.0	Min	I	-12.0	-0.0	0.0	-1.6
0.0	0.0		J	-12.0	-0.0	0.0	-1.6
0.0	0.0	C1-C2;~2 Max	I	33.6	0.0	0.0	1.4
0.0	0.0		J	33.6	0.0	0.0	1.4
0.0	0.0	Min	I	-12.9	-0.0	0.0	-0.6
0.0	0.0		J	-12.9	-0.0	0.0	-0.6


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0	C3-C4;~2 Max	I	30.2	0.0	0.0	1.3
			J	30.2	0.0	0.0	1.3
0.0	0.0	Min	I	-5.9	-0.0	0.0	-0.9
0.0	0.0		J	-5.9	-0.0	0.0	-0.9
0.0	0.0	G1	I	-7.7	-0.0	-0.7	1.8
0.0	0.0		J	-7.7	0.0	0.7	1.8
0.0	0.0	G2	I	-9.3	-0.0	0.0	1.0
0.0	0.0		J	-9.3	0.0	0.0	1.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-5.0	-0.0	0.0	0.1
0.0	0.0		J	-5.0	0.0	0.0	0.1
0.0	0.0	Q5_ps	I	-8.2	-0.0	0.0	0.2
0.0	0.0		J	-8.2	0.0	0.0	0.2
0.0	0.0	INVS LU Max	I	-131.8	-0.0	-1.0	3.7
0.0	0.0		J	-131.8	0.0	1.0	3.7
0.0	0.0	Min	I	-242.9	-0.0	-1.0	-2.0
0.0	0.0		J	-242.9	0.0	1.0	-2.0
0.0	0.0	INVS LE Max	I	-111.8	-0.0	-0.7	2.3
0.0	0.0		J	-111.8	0.0	0.7	2.3
0.0	0.0	Min	I	-193.5	-0.0	-0.7	-1.9
0.0	0.0		J	-193.5	0.0	0.7	-1.9
802	2	81 C1-C2;~1 Max	I	52.7	0.1	0.0	1.8
0.0	0.0		J	52.7	0.1	0.0	1.8
1.0	195.5	Min	I	-20.7	-0.1	-0.0	-2.2
0.0	0.0		J	-20.7	-0.1	-0.0	-2.2
-1.6	-184.7						
0.0	0.0	C3-C4;~1 Max	I	49.5	0.1	0.0	1.2
			J	49.5	0.1	0.0	1.2
1.1	177.7	Min	I	-10.9	-0.1	-0.0	-1.6

MIDAS

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0			J	-10.9	-0.1	-0.0	-1.6	
-1.4	-168.1								
			C1-C2;~2	Max	I	33.5	0.0	0.0	1.1
0.0	0.0				J	33.5	0.0	0.0	1.1
0.6	131.3			Min	I	-11.5	-0.0	-0.0	-1.3
0.0	0.0				J	-11.5	-0.0	-0.0	-1.3
-0.9	-122.7								
			C3-C4;~2	Max	I	31.2	0.0	0.0	0.7
0.0	0.0				J	31.2	0.0	0.0	0.7
0.7	116.6			Min	I	-5.3	-0.0	-0.0	-0.9
0.0	0.0				J	-5.3	-0.0	-0.0	-0.9
-0.8	-110.8								
				G1	I	-6.3	0.0	-2.1	-1.2
0.0	0.0				J	-6.3	0.0	-0.7	-1.2
4449.5	-0.1								
				G2	I	-8.7	0.0	0.0	-0.7
0.0	0.0				J	-8.7	0.0	0.0	-0.7
-0.2	-0.9								
				Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
				Q5_pc	I	-9.4	0.0	-0.0	-0.3
0.0	0.0				J	-9.4	0.0	-0.0	-0.3
0.1	-22.7								
				Q5_ps	I	-12.4	0.0	-0.0	-0.4
0.0	0.0				J	-12.4	0.0	-0.0	-0.4
0.2	-22.4								
				INVSLE Max	I	-135.8	0.1	-2.9	3.6
0.0	0.0				J	-135.8	0.1	-1.0	3.6
6007.7	100.5			Min	I	-251.7	-0.0	-2.9	-2.3
0.0	0.0				J	-251.7	-0.0	-1.0	-2.3
6003.9	-453.6								
				INVSLE Max	I	-115.3	0.1	-2.1	3.1
0.0	0.0				J	-115.3	0.1	-0.7	3.1
4450.1	68.2			Min	I	-199.9	-0.0	-2.1	-1.3
0.0	0.0				J	-199.9	-0.0	-0.7	-1.3
4447.3	-339.3								
803	2	81	C1-C2;~1	Max	I	52.7	0.1	0.0	1.7

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
1.6	195.5		J	52.7	0.1	0.0	1.7
0.0	0.0						
		Min	I	-20.7	-0.1	-0.0	-2.0
-1.0	-184.7		J	-20.7	-0.1	-0.0	-2.0
0.0	0.0						
		C3-C4;~1 Max	I	49.5	0.1	0.0	1.1
1.4	177.7		J	49.5	0.1	0.0	1.1
0.0	0.0						
		Min	I	-10.9	-0.1	-0.0	-1.5
-1.1	-168.1		J	-10.9	-0.1	-0.0	-1.5
0.0	0.0						
		C1-C2;~2 Max	I	33.5	0.0	0.0	1.0
0.9	131.3		J	33.5	0.0	0.0	1.0
0.0	0.0						
		Min	I	-11.5	-0.0	-0.0	-1.2
-0.6	-122.7		J	-11.5	-0.0	-0.0	-1.2
0.0	0.0						
		C3-C4;~2 Max	I	31.2	0.0	0.0	0.6
0.8	116.6		J	31.2	0.0	0.0	0.6
0.0	0.0						
		Min	I	-5.3	-0.0	-0.0	-0.8
-0.7	-110.8		J	-5.3	-0.0	-0.0	-0.8
0.0	0.0						
		G1	I	-6.3	-0.0	0.7	-1.4
4450.3	-0.1		J	-6.3	-0.0	2.1	-1.4
0.0	0.0						
		G2	I	-8.7	-0.0	0.0	-0.8
0.2	-0.9		J	-8.7	-0.0	0.0	-0.8
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-9.4	-0.0	-0.0	-0.2
-0.1	-22.7		J	-9.4	-0.0	-0.0	-0.2
0.0	0.0						
		Q5_ps	I	-12.4	-0.0	-0.0	-0.3
-0.2	-22.4		J	-12.4	-0.0	-0.0	-0.3
0.0	0.0						
		INVSLU Max	I	-135.8	0.0	1.0	2.9
6010.8	100.5		J	-135.8	0.0	2.9	2.9
0.0	0.0						
		Min	I	-251.8	-0.1	1.0	-2.5
6006.9	-453.6						

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	-251.8	-0.1	2.9	-2.5
4452.4	68.2	INVSLE Max	I	-115.3	0.0	0.7	2.5
0.0	0.0		J	-115.3	0.0	2.1	2.5
4449.6	-339.3	Min	I	-199.9	-0.1	0.7	-1.4
0.0	0.0		J	-199.9	-0.1	2.1	-1.4
804	2	81 C1-C2;~1 Max	I	52.8	0.0	0.0	2.7
0.0	0.0		J	52.8	0.0	0.0	2.7
0.0	0.0	Min	I	-23.0	-0.0	0.0	-3.0
0.0	0.0		J	-23.0	-0.0	0.0	-3.0
0.0	0.0	C3-C4;~1 Max	I	48.5	0.0	0.0	2.0
0.0	0.0		J	48.5	0.0	0.0	2.0
0.0	0.0	Min	I	-12.0	-0.0	0.0	-2.1
0.0	0.0		J	-12.0	-0.0	0.0	-2.1
0.0	0.0	C1-C2;~2 Max	I	33.6	0.0	0.0	1.5
0.0	0.0		J	33.6	0.0	0.0	1.5
0.0	0.0	Min	I	-12.8	-0.0	0.0	-1.9
0.0	0.0		J	-12.8	-0.0	0.0	-1.9
0.0	0.0	C3-C4;~2 Max	I	30.2	0.0	0.0	1.1
0.0	0.0		J	30.2	0.0	0.0	1.1
0.0	0.0	Min	I	-5.9	-0.0	0.0	-1.2
0.0	0.0		J	-5.9	-0.0	0.0	-1.2
0.0	0.0	G1	I	-7.7	-0.0	-0.7	1.0
0.0	0.0		J	-7.7	0.0	0.7	1.0
0.0	0.0	G2	I	-9.3	-0.0	0.0	0.7
0.0	0.0		J	-9.3	0.0	0.0	0.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-5.0	-0.0	0.0	0.4
0.0	0.0		J	-5.0	0.0	0.0	0.4


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0							
		Q5_ps	I	-8.2	-0.0	0.0	0.6	
0.0	0.0		J	-8.2	0.0	0.0	0.6	
0.0	0.0							
		INVSLU Max	I	-131.8	-0.0	-1.0	1.7	
0.0	0.0		J	-131.8	0.0	1.0	1.7	
0.0	0.0							
		Min	I	-243.0	-0.0	-1.0	-6.5	
0.0	0.0		J	-243.0	0.0	1.0	-6.5	
0.0	0.0							
		INVSLE Max	I	-111.8	-0.0	-0.7	0.8	
0.0	0.0		J	-111.8	0.0	0.7	0.8	
0.0	0.0							
		Min	I	-193.6	-0.0	-0.7	-5.3	
0.0	0.0		J	-193.6	0.0	0.7	-5.3	
0.0	0.0							
805	2	81 C1-C2;~1 Max	I	58.2	0.0	0.0	2.6	
0.0	0.0		J	58.2	0.0	0.0	2.6	
0.0	0.0							
		Min	I	-23.1	0.0	0.0	-1.4	
0.0	0.0		J	-23.1	-0.0	-0.0	-1.4	
0.0	0.0							
		C3-C4;~1 Max	I	53.0	0.0	0.0	2.5	
0.0	0.0		J	53.0	0.0	0.0	2.5	
0.0	0.0							
		Min	I	-12.3	0.0	0.0	-1.8	
0.0	0.0		J	-12.3	-0.0	-0.0	-1.8	
0.0	0.0							
		C1-C2;~2 Max	I	37.2	0.0	0.0	1.6	
0.0	0.0		J	37.2	0.0	0.0	1.6	
0.0	0.0							
		Min	I	-12.7	0.0	0.0	-0.8	
0.0	0.0		J	-12.7	-0.0	-0.0	-0.8	
0.0	0.0							
		C3-C4;~2 Max	I	33.3	0.0	0.0	1.4	
0.0	0.0		J	33.3	0.0	0.0	1.4	
0.0	0.0							
		Min	I	-6.0	0.0	0.0	-1.0	
0.0	0.0		J	-6.0	-0.0	-0.0	-1.0	
0.0	0.0							
		G1	I	-5.6	0.0	-0.7	1.7	
0.0	0.0		J	-5.6	0.0	0.7	1.7	
0.0	0.0							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0	G2	I	-8.7	0.0	0.0	0.9
0.0	0.0		J	-8.7	0.0	-0.0	0.9
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-2.7	0.0	0.0	0.2
0.0	0.0		J	-2.7	0.0	-0.0	0.2
0.0	0.0	Q5_ps	I	-6.0	0.0	0.0	0.2
0.0	0.0		J	-6.0	0.0	-0.0	0.2
0.0	0.0	INVS LU Max	I	-98.4	0.0	-1.0	2.2
0.0	0.0		J	-98.4	0.0	1.0	2.2
0.0	0.0	Min	I	-213.0	0.0	-1.0	-4.0
0.0	0.0		J	-213.0	0.0	1.0	-4.0
0.0	0.0	INVS LE Max	I	-86.6	0.0	-0.7	1.1
0.0	0.0		J	-86.6	0.0	0.7	1.1
0.0	0.0	Min	I	-171.1	0.0	-0.7	-3.4
0.0	0.0		J	-171.1	0.0	0.7	-3.4
806	2	81 C1-C2;~1 Max	I	56.2	0.1	0.0	2.3
0.0	0.0		J	56.2	0.1	0.0	2.3
0.7	240.1	Min	I	-21.0	-0.1	-0.0	-1.9
0.0	0.0		J	-21.0	-0.1	-0.0	-1.9
-2.1	-189.1	C3-C4;~1 Max	I	54.2	0.1	0.0	1.8
0.0	0.0		J	54.2	0.1	0.0	1.8
0.8	237.5	Min	I	-11.4	-0.1	-0.0	-1.3
0.0	0.0		J	-11.4	-0.1	-0.0	-1.3
-2.0	-169.6	C1-C2;~2 Max	I	35.7	0.0	0.0	1.4
0.0	0.0		J	35.7	0.0	0.0	1.4
0.4	163.1	Min	I	-11.8	-0.1	-0.0	-1.1
0.0	0.0		J	-11.8	-0.1	-0.0	-1.1
-1.3	-124.1	C3-C4;~2 Max	I	34.2	0.0	0.0	1.0


MIDAS

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0			J	34.2	0.0	1.0
0.5	159.7		Min	I	-5.5	-0.1	-0.7
0.0	0.0			J	-5.5	-0.1	-0.7
-1.2	-110.2						
			G1	I	-4.4	0.0	-0.6
0.0	0.0			J	-4.4	0.0	-0.6
4474.6	-2.6						
			G2	I	-8.3	0.0	-0.5
0.0	0.0			J	-8.3	0.0	-0.5
-0.3	-2.6						
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc	I	-12.0	0.0	-0.3
0.0	0.0			J	-12.0	0.0	-0.3
0.1	-17.6						
			Q5_ps	I	-15.1	0.0	-0.5
0.0	0.0			J	-15.1	0.0	-0.5
0.2	-17.6						
			INVSLU Max	I	-86.4	0.1	5.6
0.0	0.0			J	-86.4	0.1	5.6
6042.5	169.6		Min	I	-212.4	-0.1	-0.6
0.0	0.0			J	-212.4	-0.1	-0.6
6038.3	-441.5						
			INVSLE Max	I	-78.2	0.1	4.5
0.0	0.0			J	-78.2	0.1	4.5
4476.0	124.4		Min	I	-169.9	-0.0	-0.1
0.0	0.0			J	-169.9	-0.0	-0.1
4472.9	-326.0						
807	2	81 C1-C2;~1	Max	I	56.2	0.1	2.0
2.1	240.1			J	56.2	0.1	2.0
0.0	0.0		Min	I	-21.0	-0.1	-1.9
-0.7	-189.1			J	-21.0	-0.1	-1.9
0.0	0.0						
			C3-C4;~1	Max	54.3	0.1	1.6
2.0	237.5			J	54.3	0.1	1.6
0.0	0.0		Min	I	-11.4	-0.1	-1.4
-0.8	-169.6						

MIDAS


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	-11.4	-0.1	-0.0	-1.4
1.3	163.1	C1-C2;~2 Max	I	35.7	0.1	0.0	1.2
0.0	0.0		J	35.7	0.1	0.0	1.2
-0.4	-124.1	Min	I	-11.8	-0.0	-0.0	-1.1
0.0	0.0		J	-11.8	-0.0	-0.0	-1.1
1.2	159.7	C3-C4;~2 Max	I	34.2	0.1	0.0	0.9
0.0	0.0		J	34.2	0.1	0.0	0.9
-0.5	-110.2	Min	I	-5.5	-0.0	-0.0	-0.8
0.0	0.0		J	-5.5	-0.0	-0.0	-0.8
4476.4	-2.6	G1	I	-4.4	-0.0	0.7	-0.9
0.0	0.0		J	-4.4	-0.0	2.1	-0.9
0.3	-2.6	G2	I	-8.3	-0.0	0.0	-0.6
0.0	0.0		J	-8.3	-0.0	0.0	-0.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.1	-17.6	Q5_pc	I	-12.0	-0.0	-0.0	-0.3
0.0	0.0		J	-12.0	-0.0	-0.0	-0.3
-0.2	-17.6	Q5_ps	I	-15.1	-0.0	-0.0	-0.4
0.0	0.0		J	-15.1	-0.0	-0.0	-0.4
6045.6	169.6	INVSLU Max	I	-86.5	0.1	1.0	4.9
0.0	0.0		J	-86.5	0.1	2.9	4.9
6041.5	-441.5	Min	I	-212.4	-0.1	1.0	-0.9
0.0	0.0		J	-212.4	-0.1	2.9	-0.9
4478.1	124.4	INVSLE Max	I	-78.2	0.0	0.7	4.0
0.0	0.0		J	-78.2	0.0	2.1	4.0
4475.1	-326.0	Min	I	-169.9	-0.1	0.7	-0.2
0.0	0.0		J	-169.9	-0.1	2.1	-0.2
808	2	81 C1-C2;~1 Max	I	58.2	0.0	0.0	1.6
0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		J	58.2	0.0	0.0	1.6
0.0	0.0	Min	I	-23.1	0.0	0.0	-3.8
0.0	0.0		J	-23.1	-0.0	-0.0	-3.8
0.0	0.0	C3-C4;~1 Max	I	51.9	0.0	0.0	1.3
0.0	0.0		J	51.9	0.0	0.0	1.3
0.0	0.0	Min	I	-12.2	0.0	0.0	-2.9
0.0	0.0		J	-12.2	-0.0	-0.0	-2.9
0.0	0.0	C1-C2;~2 Max	I	37.2	0.0	0.0	0.9
0.0	0.0		J	37.2	0.0	0.0	0.9
0.0	0.0	Min	I	-12.7	0.0	0.0	-2.5
0.0	0.0		J	-12.7	-0.0	-0.0	-2.5
0.0	0.0	C3-C4;~2 Max	I	33.3	0.0	0.0	0.7
0.0	0.0		J	33.3	0.0	0.0	0.7
0.0	0.0	Min	I	-6.0	0.0	0.0	-1.8
0.0	0.0		J	-6.0	-0.0	-0.0	-1.8
0.0	0.0	G1	I	-5.6	0.0	-0.7	-0.1
0.0	0.0		J	-5.6	0.0	0.7	-0.1
0.0	0.0	G2	I	-8.7	0.0	0.0	0.3
0.0	0.0		J	-8.7	0.0	-0.0	0.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-2.7	0.0	0.0	0.4
0.0	0.0		J	-2.7	0.0	-0.0	0.4
0.0	0.0	Q5_ps	I	-6.1	0.0	0.0	0.6
0.0	0.0		J	-6.1	0.0	-0.0	0.6
0.0	0.0	INVSLU Max	I	-98.4	0.0	-1.0	-0.4
0.0	0.0		J	-98.4	0.0	1.0	-0.4
0.0	0.0	Min	I	-213.1	0.0	-1.0	-8.4
0.0	0.0		J	-213.1	0.0	1.0	-8.4

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0							
			INVSLE Max	I	-86.6	0.0	-0.7	-0.6
0.0	0.0			J	-86.6	0.0	0.7	-0.6
0.0	0.0		Min	I	-171.2	0.0	-0.7	-6.5
0.0	0.0			J	-171.2	0.0	0.7	-6.5
0.0	0.0							
809	2	81	C1-C2;~1 Max	I	65.8	0.0	0.0	2.4
0.0	0.0			J	65.8	0.0	0.0	2.4
0.0	0.0		Min	I	-34.2	0.0	0.0	-2.1
0.0	0.0			J	-34.2	-0.0	-0.0	-2.1
0.0	0.0							
			C3-C4;~1 Max	I	50.9	0.0	0.0	2.1
0.0	0.0			J	50.9	0.0	0.0	2.1
0.0	0.0		Min	I	-21.6	0.0	0.0	-2.3
0.0	0.0			J	-21.6	-0.0	-0.0	-2.3
0.0	0.0							
			C1-C2;~2 Max	I	41.8	0.0	0.0	1.4
0.0	0.0			J	41.8	0.0	0.0	1.4
0.0	0.0		Min	I	-19.5	0.0	0.0	-1.2
0.0	0.0			J	-19.5	-0.0	-0.0	-1.2
0.0	0.0							
			C3-C4;~2 Max	I	31.4	0.0	0.0	1.2
0.0	0.0			J	31.4	0.0	0.0	1.2
0.0	0.0		Min	I	-11.4	0.0	0.0	-1.3
0.0	0.0			J	-11.4	-0.0	-0.0	-1.3
0.0	0.0							
			G1	I	-5.3	0.0	-0.7	0.9
0.0	0.0			J	-5.3	0.0	0.7	0.9
0.0	0.0							
			G2	I	-8.0	0.0	0.0	0.7
0.0	0.0			J	-8.0	0.0	-0.0	0.7
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	2.6	0.0	0.0	0.2
0.0	0.0			J	2.6	0.0	-0.0	0.2
0.0	0.0							


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0	Q5_ps	I	-0.8	0.0	0.0	0.2
0.0	0.0		J	-0.8	0.0	-0.0	0.2
0.0	0.0	INVSLE Max	I	50.3	0.0	-1.0	0.4
0.0	0.0		J	50.3	0.0	1.0	0.4
0.0	0.0	Min	I	-89.4	0.0	-1.0	-6.3
0.0	0.0		J	-89.4	0.0	1.0	-6.3
0.0	0.0	INVSLE Max	I	33.0	0.0	-0.7	-0.1
0.0	0.0		J	33.0	0.0	0.7	-0.1
0.0	0.0	Min	I	-70.2	0.0	-0.7	-5.0
0.0	0.0		J	-70.2	0.0	0.7	-5.0
810	2	81 C1-C2;~1 Max	I	58.8	0.1	0.0	2.8
0.0	0.0		J	58.8	0.1	0.0	2.8
0.8	359.1	Min	I	-35.9	-0.1	-0.0	-1.8
0.0	0.0		J	-35.9	-0.1	-0.0	-1.8
-2.6	-293.1	C3-C4;~1 Max	I	53.9	0.1	0.0	2.3
0.0	0.0		J	53.9	0.1	0.0	2.3
1.1	346.4	Min	I	-17.3	-0.1	-0.0	-1.1
0.0	0.0		J	-17.3	-0.1	-0.0	-1.1
-2.2	-267.4	C1-C2;~2 Max	I	36.5	0.1	0.0	1.8
0.0	0.0		J	36.5	0.1	0.0	1.8
0.5	247.9	Min	I	-21.6	-0.1	-0.0	-1.0
0.0	0.0		J	-21.6	-0.1	-0.0	-1.0
-1.7	-188.5	C3-C4;~2 Max	I	33.2	0.1	0.0	1.4
0.0	0.0		J	33.2	0.1	0.0	1.4
0.7	237.3	Min	I	-9.0	-0.1	-0.0	-0.6
0.0	0.0		J	-9.0	-0.1	-0.0	-0.6
-1.4	-170.3	G1	I	-2.8	0.0	-2.1	-0.0
0.0	0.0		J	-2.8	0.0	-0.7	-0.0
4459.7	-33.9	G2	I	-7.1	0.0	0.0	-0.2


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0			J	-7.1	0.0	0.0	-0.2
-0.4	-10.2							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-16.3	0.0	0.0	-0.3
0.0	0.0			J	-16.3	0.0	0.0	-0.3
-0.0	-3.7							
			Q5_ps	I	-18.9	0.0	-0.0	-0.4
0.0	0.0			J	-18.9	0.0	-0.0	-0.4
0.1	-2.4							
			INVSLU Max	I	57.4	0.1	-2.9	7.7
0.0	0.0			J	57.4	0.1	-1.0	7.7
6023.2	506.5							
			Min	I	-99.8	-0.2	-2.9	0.9
0.0	0.0			J	-99.8	-0.2	-1.0	0.9
6018.2	-380.6							
			INVSLE Max	I	37.1	0.1	-2.1	5.9
0.0	0.0			J	37.1	0.1	-0.7	5.9
4461.8	396.3							
			Min	I	-77.2	-0.1	-2.1	1.0
0.0	0.0			J	-77.2	-0.1	-0.7	1.0
4458.1	-260.3							
			81 C1-C2;~1 Max	I	58.8	0.1	0.0	2.3
811	2			J	58.8	0.1	0.0	2.3
2.6	359.1							
			Min	I	-35.9	-0.1	-0.0	-1.8
0.0	0.0			J	-35.9	-0.1	-0.0	-1.8
-0.8	-293.1							
			C3-C4;~1 Max	I	53.9	0.1	0.0	2.0
0.0	0.0			J	53.9	0.1	0.0	2.0
2.2	346.4							
			Min	I	-17.3	-0.1	-0.0	-1.3
0.0	0.0			J	-17.3	-0.1	-0.0	-1.3
-1.1	-267.4							
			C1-C2;~2 Max	I	36.5	0.1	0.0	1.4
0.0	0.0			J	36.5	0.1	0.0	1.4
1.7	247.9							
			Min	I	-21.6	-0.1	-0.0	-1.1
0.0	0.0			J	-21.6	-0.1	-0.0	-1.1
-0.5	-188.5							
			C3-C4;~2 Max	I	33.2	0.1	0.0	1.1
0.0	0.0							
1.4	237.3							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	33.2	0.1	0.0	1.1
		Min	I	-9.0	-0.1	-0.0	-0.7
-0.7	-170.3		J	-9.0	-0.1	-0.0	-0.7
0.0	0.0						
		G1	I	-2.8	-0.0	0.7	-0.3
4461.5	-33.9		J	-2.8	-0.0	2.1	-0.3
0.0	0.0						
		G2	I	-7.1	-0.0	0.0	-0.4
0.4	-10.2		J	-7.1	-0.0	0.0	-0.4
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-16.3	-0.0	0.0	-0.3
0.0	-3.7		J	-16.3	-0.0	0.0	-0.3
0.0	0.0						
		Q5_ps	I	-18.9	-0.0	-0.0	-0.4
-0.1	-2.4		J	-18.9	-0.0	-0.0	-0.4
0.0	0.0						
		INVS LU Max	I	57.4	0.2	1.0	6.9
6025.5	506.5		J	57.4	0.2	2.9	6.9
0.0	0.0						
		Min	I	-99.8	-0.1	1.0	0.8
6020.4	-380.6		J	-99.8	-0.1	2.9	0.8
0.0	0.0						
		INVS LE Max	I	37.1	0.1	0.7	5.4
4463.2	396.3		J	37.1	0.1	2.1	5.4
0.0	0.0						
		Min	I	-77.2	-0.1	0.7	0.9
4459.4	-260.3		J	-77.2	-0.1	2.1	0.9
0.0	0.0						
		81 C1-C2;~1 Max	I	66.0	0.0	0.0	1.4
812	2		J	66.0	0.0	0.0	1.4
0.0	0.0						
		Min	I	-34.2	-0.0	-0.0	-5.0
0.0	0.0		J	-34.2	-0.0	0.0	-5.0
0.0	0.0						
		C3-C4;~1 Max	I	51.1	0.0	0.0	1.1
0.0	0.0		J	51.1	0.0	0.0	1.1
0.0	0.0						
		Min	I	-21.6	-0.0	-0.0	-3.8
0.0	0.0		J	-21.6	-0.0	0.0	-3.8

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0						
		C1-C2;~2	Max	I	41.9	0.0	0.8
0.0	0.0			J	41.9	0.0	0.8
0.0	0.0		Min	I	-19.5	-0.0	-3.2
0.0	0.0			J	-19.5	-0.0	-3.2
0.0	0.0						
		C3-C4;~2	Max	I	31.5	0.0	0.6
0.0	0.0			J	31.5	0.0	0.6
0.0	0.0		Min	I	-11.4	-0.0	-2.4
0.0	0.0			J	-11.4	-0.0	-2.4
0.0	0.0						
		G1		I	-5.3	0.0	-0.8
0.0	0.0			J	-5.3	-0.0	-0.8
0.0	0.0						
		G2		I	-8.0	0.0	-0.2
0.0	0.0			J	-8.0	-0.0	-0.2
0.0	0.0						
		Q3		I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
		Q5_pc		I	2.6	0.0	0.2
0.0	0.0			J	2.6	-0.0	0.2
0.0	0.0						
		Q5_ps		I	-0.8	0.0	0.4
0.0	0.0			J	-0.8	-0.0	0.4
0.0	0.0						
		INVSLE Max		I	50.5	0.0	-1.1
0.0	0.0			J	50.5	-0.0	-1.1
0.0	0.0		Min	I	-89.4	0.0	-10.1
0.0	0.0			J	-89.4	-0.0	-10.1
0.0	0.0						
		INVSLE Max		I	33.2	0.0	-0.9
0.0	0.0			J	33.2	-0.0	-0.9
0.0	0.0		Min	I	-70.1	0.0	-7.6
0.0	0.0			J	-70.1	-0.0	-7.6
0.0	0.0						
813	2	81 C1-C2;~1	Max	I	77.2	0.0	2.5
0.0	0.0			J	77.2	0.0	2.5

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		Min	I	-25.4	-0.0	0.0	-2.8
0.0	0.0			J	-25.4	-0.0	-0.0	-2.8
0.0	0.0	C3-C4;~1	Max	I	67.9	0.0	0.0	2.0
0.0	0.0			J	67.9	0.0	0.0	2.0
0.0	0.0		Min	I	-11.2	-0.0	0.0	-2.9
0.0	0.0			J	-11.2	-0.0	-0.0	-2.9
0.0	0.0	C1-C2;~2	Max	I	48.1	0.0	0.0	1.6
0.0	0.0			J	48.1	0.0	0.0	1.6
0.0	0.0		Min	I	-15.2	-0.0	0.0	-1.7
0.0	0.0			J	-15.2	-0.0	-0.0	-1.7
0.0	0.0	C3-C4;~2	Max	I	41.2	0.0	0.0	1.2
0.0	0.0			J	41.2	0.0	0.0	1.2
0.0	0.0		Min	I	-5.5	-0.0	0.0	-1.8
0.0	0.0			J	-5.5	-0.0	-0.0	-1.8
0.0	0.0		G1	I	19.6	-0.0	-0.7	0.1
0.0	0.0			J	19.6	0.0	0.7	0.1
0.0	0.0		G2	I	1.4	-0.0	0.0	0.4
0.0	0.0			J	1.4	0.0	-0.0	0.4
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc	I	7.1	-0.0	0.0	0.3
0.0	0.0			J	7.1	0.0	-0.0	0.3
0.0	0.0		Q5_ps	I	3.3	-0.0	0.0	0.3
0.0	0.0			J	3.3	0.0	-0.0	0.3
0.0	0.0	INVSLU	Max	I	159.5	-0.0	-1.0	0.2
0.0	0.0			J	159.5	0.0	1.0	0.2
0.0	0.0		Min	I	8.2	-0.0	-1.0	-7.7
0.0	0.0			J	8.2	0.0	1.0	-7.7


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0	INVSLE	Max	I	119.8	-0.0	-0.7	-0.0
				J	119.8	0.0	0.7	-0.0
0.0	0.0		Min	I	8.7	-0.0	-0.7	-5.8
				J	8.7	0.0	0.7	-5.8
0.0	0.0							
814	2	81	C1-C2;~1	Max	I	77.9	0.1	0.0
0.0	0.0			J	77.9	0.1	0.0	3.3
0.7	387.9		Min	I	-25.6	-0.1	-0.0	-1.3
				J	-25.6	-0.1	-0.0	-1.3
0.0	0.0							
-3.0	-398.9							
			C3-C4;~1	Max	I	68.4	0.1	0.0
0.0	0.0			J	68.4	0.1	0.0	2.8
1.1	375.0		Min	I	-9.6	-0.1	-0.0	-0.7
				J	-9.6	-0.1	-0.0	-0.7
0.0	0.0							
-2.4	-383.8							
			C1-C2;~2	Max	I	48.3	0.1	0.0
0.0	0.0			J	48.3	0.1	0.0	2.1
0.4	265.2		Min	I	-15.2	-0.1	-0.0	-0.8
				J	-15.2	-0.1	-0.0	-0.8
0.0	0.0							
-1.9	-269.0							
			C3-C4;~2	Max	I	42.0	0.1	0.0
0.0	0.0			J	42.0	0.1	0.0	1.7
0.7	255.0		Min	I	-4.6	-0.1	-0.0	-0.4
				J	-4.6	-0.1	-0.0	-0.4
0.0	0.0							
-1.5	-259.3							
			G1	I	20.9	0.0	-2.2	0.8
0.0	0.0			J	20.9	0.0	-0.7	0.8
4461.4	-51.0							
			G2	I	1.8	0.0	0.0	0.1
0.0	0.0			J	1.8	0.0	0.0	0.1
-0.4	-25.6							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-22.2	0.0	-0.0	-0.2
0.0	0.0			J	-22.2	0.0	-0.0	-0.2
0.0	-0.7							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0	Q5_ps	I	-24.3	0.0	-0.0	-0.4
0.2	-2.9		J	-24.3	0.0	-0.0	-0.4
0.0	0.0	INVS LU Max	I	212.5	0.2	-2.9	8.9
6025.2	363.4		J	212.5	0.2	-1.0	8.9
0.0	0.0	Min	I	30.4	-0.1	-2.9	2.3
6019.6	-700.0		J	30.4	-0.1	-1.0	2.3
0.0	0.0	INVS LE Max	I	157.7	0.2	-2.2	6.7
4463.2	267.2		J	157.7	0.2	-0.7	6.7
0.0	0.0	Min	I	27.0	-0.1	-2.2	1.9
4459.0	-520.5		J	27.0	-0.1	-0.7	1.9
815	2	81 C1-C2;~1 Max	I	77.9	0.1	0.0	3.2
3.0	387.9		J	77.9	0.1	0.0	3.2
0.0	0.0	Min	I	-25.7	-0.1	-0.0	-1.6
-0.7	-398.9		J	-25.7	-0.1	-0.0	-1.6
0.0	0.0						
2.5	375.0	C3-C4;~1 Max	I	69.2	0.1	0.0	2.5
0.0	0.0		J	69.2	0.1	0.0	2.5
-1.1	-383.8	Min	I	-9.6	-0.1	-0.0	-0.9
0.0	0.0		J	-9.6	-0.1	-0.0	-0.9
2.0	265.2	C1-C2;~2 Max	I	48.3	0.1	0.0	2.0
0.0	0.0		J	48.3	0.1	0.0	2.0
-0.4	-269.0	Min	I	-15.2	-0.1	-0.0	-0.9
0.0	0.0		J	-15.2	-0.1	-0.0	-0.9
1.5	255.0	C3-C4;~2 Max	I	42.0	0.1	0.0	1.5
0.0	0.0		J	42.0	0.1	0.0	1.5
-0.7	-259.3	Min	I	-4.6	-0.1	-0.0	-0.5
0.0	0.0		J	-4.6	-0.1	-0.0	-0.5
4462.9	-51.0	G1	I	20.9	-0.0	0.7	0.5
0.0	0.0		J	20.9	-0.0	2.1	0.5
0.4	-25.6	G2	I	1.8	-0.0	0.0	-0.1

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	1.8	-0.0	0.0	-0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.7	Q5_pc	I	-22.2	-0.0	-0.0	-0.2
0.0	0.0		J	-22.2	-0.0	-0.0	-0.2
-0.2	-2.9	Q5_ps	I	-24.3	-0.0	-0.0	-0.3
0.0	0.0		J	-24.3	-0.0	-0.0	-0.3
6028.3	363.4	INVS LU Max	I	212.5	0.1	0.9	8.7
0.0	0.0		J	212.5	0.1	2.9	8.7
6022.6	-700.0	Min	I	30.4	-0.2	0.9	1.9
0.0	0.0		J	30.4	-0.2	2.9	1.9
4465.3	267.2	INVS LE Max	I	157.7	0.1	0.7	6.6
0.0	0.0		J	157.7	0.1	2.1	6.6
4461.1	-520.5	Min	I	27.0	-0.2	0.7	1.5
0.0	0.0		J	27.0	-0.2	2.1	1.5
816	2	81 C1-C2;~1 Max	I	77.4	0.0	0.0	0.6
0.0	0.0		J	77.4	0.0	0.0	0.6
0.0	0.0	Min	I	-25.4	-0.0	-0.0	-5.7
0.0	0.0		J	-25.4	-0.0	-0.0	-5.7
0.0	0.0	C3-C4;~1 Max	I	67.9	0.0	0.0	0.4
0.0	0.0		J	67.9	0.0	0.0	0.4
0.0	0.0	Min	I	-11.2	-0.0	-0.0	-4.7
0.0	0.0		J	-11.2	-0.0	-0.0	-4.7
0.0	0.0	C1-C2;~2 Max	I	48.2	0.0	0.0	0.3
0.0	0.0		J	48.2	0.0	0.0	0.3
0.0	0.0	Min	I	-15.2	-0.0	-0.0	-3.7
0.0	0.0		J	-15.2	-0.0	-0.0	-3.7
0.0	0.0	C3-C4;~2 Max	I	41.1	0.0	0.0	0.1
0.0	0.0		J	41.1	0.0	0.0	0.1

PROJECT TITLE :

MIDAS		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		Min	I	-5.5	-0.0	-0.0	-2.9
0.0	0.0			J	-5.5	-0.0	-0.0	-2.9
0.0	0.0		G1	I	19.5	0.0	-0.7	-1.5
0.0	0.0			J	19.5	-0.0	0.7	-1.5
0.0	0.0		G2	I	1.4	0.0	-0.0	-0.4
0.0	0.0			J	1.4	-0.0	0.0	-0.4
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc	I	7.1	0.0	-0.0	0.4
0.0	0.0			J	7.1	-0.0	0.0	0.4
0.0	0.0		Q5_ps	I	3.2	0.0	-0.0	0.6
0.0	0.0			J	3.2	-0.0	0.0	0.6
0.0	0.0		INVSLU Max	I	159.6	0.0	-1.0	-2.7
0.0	0.0			J	159.6	-0.0	1.0	-2.7
0.0	0.0		Min	I	8.1	0.0	-1.0	-12.0
0.0	0.0			J	8.1	-0.0	1.0	-12.0
0.0	0.0		INVSLE Max	I	119.9	0.0	-0.7	-2.1
0.0	0.0			J	119.9	-0.0	0.7	-2.1
0.0	0.0		Min	I	8.7	0.0	-0.7	-8.9
0.0	0.0			J	8.7	-0.0	0.7	-8.9
817	2	81	C1-C2;~1 Max	I	72.6	0.0	0.0	2.0
0.0	0.0			J	72.6	0.0	0.0	2.0
0.0	0.0		Min	I	-16.4	-0.0	-0.0	-3.2
0.0	0.0			J	-16.4	-0.0	-0.0	-3.2
0.0	0.0		C3-C4;~1 Max	I	74.0	0.0	0.0	1.0
0.0	0.0			J	74.0	0.0	0.0	1.0
0.0	0.0		Min	I	-4.0	-0.0	-0.0	-3.5
0.0	0.0			J	-4.0	-0.0	-0.0	-3.5


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0	C1-C2;~2	Max	I	44.4	0.0	0.0	1.3
				J	44.4	0.0	0.0	1.3
0.0	0.0		Min	I	-10.1	-0.0	-0.0	-2.1
0.0	0.0			J	-10.1	-0.0	-0.0	-2.1
0.0	0.0							
0.0	0.0	C3-C4;~2	Max	I	45.1	0.0	0.0	0.6
				J	45.1	0.0	0.0	0.6
0.0	0.0		Min	I	-1.9	-0.0	-0.0	-2.3
0.0	0.0			J	-1.9	-0.0	-0.0	-2.3
0.0	0.0							
0.0	0.0		G1	I	39.9	-0.0	-0.7	-0.0
				J	39.9	0.0	0.7	-0.0
0.0	0.0							
0.0	0.0		G2	I	11.4	-0.0	-0.0	0.1
				J	11.4	0.0	-0.0	0.1
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Q5_pc	I	10.6	-0.0	-0.0	0.3
				J	10.6	0.0	-0.0	0.3
0.0	0.0							
0.0	0.0		Q5_ps	I	9.0	-0.0	-0.0	0.3
				J	9.0	0.0	-0.0	0.3
0.0	0.0							
0.0	0.0		INVSLE Max	I	194.5	-0.0	-1.0	0.5
				J	194.5	0.0	1.0	0.5
0.0	0.0		Min	I	53.3	-0.0	-1.0	-7.5
0.0	0.0			J	53.3	0.0	1.0	-7.5
0.0	0.0							
0.0	0.0		INVSLE Max	I	145.3	-0.0	-0.7	0.3
				J	145.3	0.0	0.7	0.3
0.0	0.0		Min	I	42.1	-0.0	-0.7	-5.6
0.0	0.0			J	42.1	0.0	0.7	-5.6
0.0	0.0							
818	2	81	C1-C2;~1	Max	I	84.6	0.1	0.0
0.0	0.0			J	84.6	0.1	0.0	3.2
1.7	87.5							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
			Min	I	-10.9	-0.0	-1.2
0.0	0.0			J	-10.9	-0.0	-1.2
-1.7	-415.8						
		C3-C4;~1	Max	I	74.2	0.1	2.4
0.0	0.0			J	74.2	0.1	2.4
1.7	87.1						
			Min	I	-5.3	-0.0	-1.3
0.0	0.0			J	-5.3	-0.0	-1.3
-1.2	-410.7						
		C1-C2;~2	Max	I	53.0	0.1	2.1
0.0	0.0			J	53.0	0.1	2.1
1.1	51.9						
			Min	I	-6.3	-0.0	-0.8
0.0	0.0			J	-6.3	-0.0	-0.8
-1.0	-283.8						
		C3-C4;~2	Max	I	45.8	0.1	1.5
0.0	0.0			J	45.8	0.1	1.5
1.1	49.6						
			Min	I	-2.5	-0.0	-0.8
0.0	0.0			J	-2.5	-0.0	-0.8
-0.7	-276.5						
			G1	I	40.9	0.0	1.6
0.0	0.0			J	40.9	0.0	1.6
4447.8	-11.8						
			G2	I	11.4	-0.0	0.7
0.0	0.0			J	11.4	-0.0	0.7
-0.6	16.9						
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc	I	-21.6	-0.0	-0.1
0.0	0.0			J	-21.6	-0.0	-0.1
-0.6	59.7						
			Q5_ps	I	-23.8	-0.0	-0.2
0.0	0.0			J	-23.8	-0.0	-0.2
-0.6	69.3						
		INVS LU	Max	I	315.2	0.1	9.2
0.0	0.0			J	315.2	0.1	9.2
6007.8	374.0						
			Min	I	137.5	-0.1	2.9
0.0	0.0			J	137.5	-0.1	2.9
6002.2	-415.0						


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
			INVSLE Max	I	233.7	0.1	-2.1	6.9
0.0	0.0			J	233.7	0.1	-0.7	6.9
4450.2	273.6		Min	I	106.1	-0.1	-2.1	2.2
0.0	0.0			J	106.1	-0.1	-0.7	2.2
4446.1	-301.3							
819	2	81	C1-C2;~1 Max	I	84.5	0.0	0.0	3.5
1.7	87.5			J	84.5	0.0	0.0	3.5
0.0	0.0		Min	I	-10.9	-0.1	-0.0	-0.9
-1.7	-415.8			J	-10.9	-0.1	-0.0	-0.9
0.0	0.0							
			C3-C4;~1 Max	I	74.1	0.0	0.0	2.6
1.2	87.1			J	74.1	0.0	0.0	2.6
0.0	0.0		Min	I	-5.3	-0.1	-0.0	-1.0
-1.7	-410.7			J	-5.3	-0.1	-0.0	-1.0
0.0	0.0							
			C1-C2;~2 Max	I	53.0	0.0	0.0	2.3
1.0	51.9			J	53.0	0.0	0.0	2.3
0.0	0.0		Min	I	-6.3	-0.1	-0.0	-0.6
-1.1	-283.8			J	-6.3	-0.1	-0.0	-0.6
0.0	0.0							
			C3-C4;~2 Max	I	45.8	0.0	0.0	1.6
0.7	49.6			J	45.8	0.0	0.0	1.6
0.0	0.0		Min	I	-2.5	-0.1	-0.0	-0.6
-1.1	-276.5			J	-2.5	-0.1	-0.0	-0.6
0.0	0.0							
			G1	I	40.9	-0.0	0.7	1.2
4450.2	-11.8			J	40.9	-0.0	2.1	1.2
0.0	0.0							
			G2	I	11.4	0.0	0.0	0.5
0.6	16.9			J	11.4	0.0	0.0	0.5
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-21.6	0.0	0.0	-0.4
0.6	59.7			J	-21.6	0.0	0.0	-0.4
0.0	0.0							
			Q5_ps	I	-23.8	0.0	0.0	-0.5

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.6	69.3			J	-23.8	0.0	0.0	-0.5
0.0	0.0							
6010.1	374.0		INVS LU Max	I	315.2	0.1	1.0	9.3
0.0	0.0			J	315.2	0.1	2.9	9.3
6004.6	-415.0		Min	I	137.5	-0.1	1.0	2.6
0.0	0.0			J	137.5	-0.1	2.9	2.6
4451.9	273.6		INVS LE Max	I	233.6	0.1	0.7	6.9
0.0	0.0			J	233.6	0.1	2.1	6.9
4447.9	-301.3		Min	I	106.2	-0.1	0.7	2.0
0.0	0.0			J	106.2	-0.1	2.1	2.0
820	2	81	C1-C2;~1 Max	I	72.3	0.0	0.0	3.0
0.0	0.0			J	72.3	0.0	0.0	3.0
0.0	0.0		Min	I	-16.4	-0.0	0.0	-2.1
0.0	0.0			J	-16.4	-0.0	0.0	-2.1
0.0	0.0		C3-C4;~1 Max	I	73.7	0.0	0.0	2.2
0.0	0.0			J	73.7	0.0	0.0	2.2
0.0	0.0		Min	I	-4.0	-0.0	0.0	-2.1
0.0	0.0			J	-4.0	-0.0	0.0	-2.1
0.0	0.0		C1-C2;~2 Max	I	44.2	0.0	0.0	2.0
0.0	0.0			J	44.2	0.0	0.0	2.0
0.0	0.0		Min	I	-10.0	-0.0	0.0	-1.1
0.0	0.0			J	-10.0	-0.0	0.0	-1.1
0.0	0.0		C3-C4;~2 Max	I	44.9	0.0	0.0	1.5
0.0	0.0			J	44.9	0.0	0.0	1.5
0.0	0.0		Min	I	-1.9	-0.0	0.0	-1.1
0.0	0.0			J	-1.9	-0.0	0.0	-1.1
0.0	0.0		G1	I	39.9	-0.0	-0.7	-2.5
0.0	0.0			J	39.9	0.0	0.7	-2.5
0.0	0.0		G2	I	11.4	-0.0	0.0	-1.2
0.0	0.0			J	11.4	0.0	0.0	-1.2

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0						
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc	I	10.7	-0.0	0.0
0.0	0.0			J	10.7	0.0	0.0
0.0	0.0						
			Q5_ps	I	9.0	-0.0	0.0
0.0	0.0			J	9.0	0.0	0.0
0.0	0.0						
			INVS LU Max	I	194.3	-0.0	-1.0
0.0	0.0			J	194.3	0.0	1.0
0.0	0.0						
			Min	I	53.4	-0.0	-1.0
0.0	0.0			J	53.4	0.0	1.0
0.0	0.0						
			INVS LE Max	I	145.2	-0.0	-0.7
0.0	0.0			J	145.2	0.0	0.7
0.0	0.0						
			Min	I	42.2	-0.0	-0.7
0.0	0.0			J	42.2	0.0	0.7
0.0	0.0						
821	2	81	C1-C2;~1 Max	I	84.2	0.0	0.0
0.0	0.0			J	84.2	0.0	0.0
0.0	0.0						
			Min	I	-10.7	-0.0	-0.0
0.0	0.0			J	-10.7	0.0	-0.0
0.0	0.0						
			C3-C4;~1 Max	I	73.8	0.0	0.0
0.0	0.0			J	73.8	0.0	0.0
0.0	0.0						
			Min	I	-5.3	-0.0	-0.0
0.0	0.0			J	-5.3	0.0	-0.0
0.0	0.0						
			C1-C2;~2 Max	I	52.4	0.0	0.0
0.0	0.0			J	52.4	0.0	0.0
0.0	0.0						
			Min	I	-6.2	-0.0	-0.0
0.0	0.0			J	-6.2	0.0	-0.0
0.0	0.0						
			C3-C4;~2 Max	I	45.3	0.0	0.0
0.0	0.0			J	45.3	0.0	0.0
0.0	0.0						

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


0.0	0.0		Min	I	-2.6	-0.0	-0.0	-1.2
				J	-2.6	0.0	-0.0	-1.2
0.0	0.0							
			G1	I	42.7	0.0	-0.7	-3.3
0.0	0.0			J	42.7	0.0	0.7	-3.3
0.0	0.0							
			G2	I	11.9	0.0	-0.0	-1.3
0.0	0.0			J	11.9	0.0	0.0	-1.3
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-22.6	0.0	-0.0	0.4
0.0	0.0			J	-22.6	0.0	0.0	0.4
0.0	0.0							
			Q5_ps	I	-24.5	0.0	-0.0	0.3
0.0	0.0			J	-24.5	0.0	0.0	0.3
0.0	0.0							
			INVSLE Max	I	205.4	0.0	-1.0	-4.3
0.0	0.0			J	205.4	0.0	1.0	-4.3
0.0	0.0							
			Min	I	26.3	0.0	-1.0	-12.5
0.0	0.0			J	26.3	0.0	1.0	-12.5
0.0	0.0							
			INVSLE Max	I	152.4	0.0	-0.7	-3.3
0.0	0.0			J	152.4	0.0	0.7	-3.3
0.0	0.0							
			Min	I	24.0	0.0	-0.7	-9.3
0.0	0.0			J	24.0	0.0	0.7	-9.3
0.0	0.0							
822	2	81	C1-C2;~1 Max	I	71.2	0.0	0.0	2.6
0.0	0.0			J	71.2	0.0	0.0	2.6
1.7	408.7							
			Min	I	-15.8	-0.1	-0.0	-1.6
0.0	0.0			J	-15.8	-0.1	-0.0	-1.6
-2.2	-120.9							
			C3-C4;~1 Max	I	73.1	0.0	0.0	2.5
0.0	0.0			J	73.1	0.0	0.0	2.5
1.3	392.9							
			Min	I	-4.0	-0.1	-0.0	-1.0
0.0	0.0			J	-4.0	-0.1	-0.0	-1.0
-1.7	-100.5							

MIDAS


PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0	C1-C2;~2	Max	I	43.8	0.0	0.0	1.6	
				J	43.8	0.0	0.0	1.6	
1.0	278.0		Min	I	-9.6	-0.1	-0.0	-1.1	
0.0	0.0			J	-9.6	-0.1	-0.0	-1.1	
-1.5	-66.2								
0.0	0.0	C3-C4;~2	Max	I	45.0	0.0	0.0	1.6	
				J	45.0	0.0	0.0	1.6	
0.7	269.2		Min	I	-1.9	-0.1	-0.0	-0.7	
0.0	0.0			J	-1.9	-0.1	-0.0	-0.7	
-1.1	-55.8								
0.0	0.0		G1	I	37.7	0.0	-2.2	0.9	
				J	37.7	0.0	-0.8	0.9	
4452.4	-21.6								
0.0	0.0		G2	I	10.1	0.0	-0.0	0.4	
				J	10.1	0.0	-0.0	0.4	
0.7	-29.8								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
0.0	0.0		Q5_pc	I	12.0	-0.0	0.0	0.3	
				J	12.0	-0.0	0.0	0.3	
-0.1	7.8								
0.0	0.0		Q5_ps	I	10.2	0.0	-0.0	0.4	
				J	10.2	0.0	-0.0	0.4	
0.0	-1.5								
0.0	0.0		INVSLU	Max	I	303.9	0.1	-2.9	7.5
				J	303.9	0.1	-1.0	7.5	
6014.3	322.0		Min	I	162.3	-0.1	-2.9	1.3	
0.0	0.0			J	162.3	-0.1	-1.0	1.3	
6008.8	-407.1								
0.0	0.0		INVSLE	Max	I	226.1	0.1	-2.2	5.6
				J	226.1	0.1	-0.8	5.6	
4455.0	239.0		Min	I	122.9	-0.1	-2.2	1.1	
0.0	0.0			J	122.9	-0.1	-0.8	1.1	
4451.0	-300.1								
823	2	81	C1-C2;~1	Max	I	71.3	0.1	0.0	2.2
2.3	408.7			J	71.3	0.1	0.0	2.2	
0.0	0.0		Min	I	-15.8	-0.0	-0.0	-1.8	


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-1.8	-120.9		J	-15.8	-0.0	-0.0	-1.8
0.0	0.0						
1.7	392.9	C3-C4;~1 Max	I	73.1	0.1	0.0	2.4
0.0	0.0		J	73.1	0.1	0.0	2.4
-1.3	-100.5	Min	I	-4.0	-0.0	-0.0	-1.3
0.0	0.0		J	-4.0	-0.0	-0.0	-1.3
1.5	278.0	C1-C2;~2 Max	I	43.8	0.1	0.0	1.3
0.0	0.0		J	43.8	0.1	0.0	1.3
-1.1	-66.2	Min	I	-9.6	-0.0	-0.0	-1.2
0.0	0.0		J	-9.6	-0.0	-0.0	-1.2
1.2	269.2	C3-C4;~2 Max	I	45.0	0.1	0.0	1.4
0.0	0.0		J	45.0	0.1	0.0	1.4
-0.7	-55.8	Min	I	-1.9	-0.0	-0.0	-0.9
0.0	0.0		J	-1.9	-0.0	-0.0	-0.9
4448.6	-21.6	G1	I	37.7	-0.0	0.7	1.6
0.0	0.0		J	37.7	-0.0	2.1	1.6
-0.7	-29.8	G2	I	10.1	-0.0	-0.0	0.7
0.0	0.0		J	10.1	-0.0	-0.0	0.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.1	7.8	Q5_pc	I	12.0	0.0	0.0	0.3
0.0	0.0		J	12.0	0.0	0.0	0.3
-0.0	-1.5	Q5_ps	I	10.2	-0.0	-0.0	0.4
0.0	0.0		J	10.2	-0.0	-0.0	0.4
6007.6	322.0	INVSLU Max	I	303.9	0.1	0.9	8.6
0.0	0.0		J	303.9	0.1	2.9	8.6
6001.9	-407.1	Min	I	162.3	-0.1	0.9	2.4
0.0	0.0		J	162.3	-0.1	2.9	2.4
		INVSLE Max	I	226.1	0.1	0.7	6.4

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
4450.1	239.0			J	226.1	0.1	2.1	6.4	
0.0	0.0								
			Min	I	122.8	-0.1	0.7	1.9	
4445.9	-300.1			J	122.8	-0.1	2.1	1.9	
0.0	0.0								
824	2	81	C1-C2;~1	Max	I	84.4	0.0	0.0	1.1
0.0	0.0				J	84.4	0.0	0.0	1.1
0.0	0.0								
			Min	I	-10.7	0.0	0.0	-4.7	
0.0	0.0			J	-10.7	0.0	0.0	-4.7	
0.0	0.0								
			C3-C4;~1	Max	I	74.1	0.0	0.0	1.1
0.0	0.0			J	74.1	0.0	0.0	1.1	
0.0	0.0								
			Min	I	-5.3	0.0	0.0	-3.6	
0.0	0.0			J	-5.3	0.0	0.0	-3.6	
0.0	0.0								
			C1-C2;~2	Max	I	52.6	0.0	0.0	0.7
0.0	0.0			J	52.6	0.0	0.0	0.7	
0.0	0.0								
			Min	I	-6.2	0.0	0.0	-3.2	
0.0	0.0			J	-6.2	0.0	0.0	-3.2	
0.0	0.0								
			C3-C4;~2	Max	I	45.5	0.0	0.0	0.6
0.0	0.0			J	45.5	0.0	0.0	0.6	
0.0	0.0								
			Min	I	-2.6	0.0	0.0	-2.4	
0.0	0.0			J	-2.6	0.0	0.0	-2.4	
0.0	0.0								
			G1	I	42.7	0.0	-0.7	0.6	
0.0	0.0			J	42.7	0.0	0.7	0.6	
0.0	0.0								
			G2	I	11.9	0.0	0.0	0.2	
0.0	0.0			J	11.9	0.0	0.0	0.2	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	-22.5	0.0	0.0	0.1	
0.0	0.0			J	-22.5	0.0	0.0	0.1	
0.0	0.0								
			Q5_ps	I	-24.5	0.0	0.0	0.4	
0.0	0.0								

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	-24.5	0.0	0.0	0.4
0.0	0.0	INVS LU Max	I	205.5	0.0	-1.0	1.8
0.0	0.0		J	205.5	0.0	1.0	1.8
0.0	0.0	Min	I	26.1	0.0	-1.0	-6.3
0.0	0.0		J	26.1	0.0	1.0	-6.3
0.0	0.0	INVS LE Max	I	152.5	0.0	-0.7	1.3
0.0	0.0		J	152.5	0.0	0.7	1.3
0.0	0.0	Min	I	23.9	0.0	-0.7	-4.7
0.0	0.0		J	23.9	0.0	0.7	-4.7
825	2	81 C1-C2;~1 Max	I	77.7	0.0	0.0	1.3
0.0	0.0		J	77.7	0.0	0.0	1.3
0.0	0.0	Min	I	-26.4	-0.0	0.0	-4.1
0.0	0.0		J	-26.4	0.0	-0.0	-4.1
0.0	0.0	C3-C4;~1 Max	I	68.5	0.0	0.0	0.3
0.0	0.0		J	68.5	0.0	0.0	0.3
0.0	0.0	Min	I	-10.8	-0.0	0.0	-4.4
0.0	0.0		J	-10.8	0.0	-0.0	-4.4
0.0	0.0	C1-C2;~2 Max	I	48.3	0.0	0.0	0.8
0.0	0.0		J	48.3	0.0	0.0	0.8
0.0	0.0	Min	I	-15.5	-0.0	0.0	-2.6
0.0	0.0		J	-15.5	0.0	-0.0	-2.6
0.0	0.0	C3-C4;~2 Max	I	42.3	0.0	0.0	0.1
0.0	0.0		J	42.3	0.0	0.0	0.1
0.0	0.0	Min	I	-5.3	-0.0	0.0	-2.7
0.0	0.0		J	-5.3	0.0	-0.0	-2.7
0.0	0.0	G1	I	18.9	0.0	-0.7	-2.2
0.0	0.0		J	18.9	0.0	0.7	-2.2
0.0	0.0	G2	I	0.1	0.0	0.0	-0.4
0.0	0.0		J	0.1	0.0	0.0	-0.4

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-23.2	0.0	0.0	0.3
0.0	0.0		J	-23.2	0.0	-0.0	0.3
0.0	0.0	Q5_ps	I	-25.2	0.0	0.0	0.3
0.0	0.0		J	-25.2	0.0	-0.0	0.3
0.0	0.0	INVS LU Max	I	97.6	0.0	-1.0	-4.1
0.0	0.0		J	97.6	0.0	1.0	-4.1
0.0	0.0	Min	I	-86.9	0.0	-1.0	-12.4
0.0	0.0		J	-86.9	0.0	1.0	-12.4
0.0	0.0	INVS LE Max	I	72.5	0.0	-0.7	-3.2
0.0	0.0		J	72.5	0.0	0.7	-3.2
0.0	0.0	Min	I	-59.8	0.0	-0.7	-9.2
0.0	0.0		J	-59.8	0.0	0.7	-9.2
826	2	81 C1-C2;~1 Max	I	75.9	0.1	0.0	3.0
0.0	0.0		J	75.9	0.1	0.0	3.0
2.1	390.2	Min	I	-21.4	-0.1	-0.0	-1.4
0.0	0.0		J	-21.4	-0.1	-0.0	-1.4
-1.7	-394.2	C3-C4;~1 Max	I	67.3	0.1	0.0	2.4
0.0	0.0		J	67.3	0.1	0.0	2.4
2.3	367.7	Min	I	-9.9	-0.1	-0.0	-0.9
0.0	0.0		J	-9.9	-0.1	-0.0	-0.9
-1.2	-368.2	C1-C2;~2 Max	I	47.3	0.1	0.0	1.9
0.0	0.0		J	47.3	0.1	0.0	1.9
1.3	264.2	Min	I	-12.4	-0.1	-0.0	-0.9
0.0	0.0		J	-12.4	-0.1	-0.0	-0.9
-1.2	-268.5	C3-C4;~2 Max	I	41.1	0.1	0.0	1.5
0.0	0.0		J	41.1	0.1	0.0	1.5
1.4	248.7	Min	I	-4.7	-0.1	-0.0	-0.5

MIDAS


PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0			J	-4.7	-0.1	-0.0	-0.5
-0.8	-252.5							
		G1		I	20.3	-0.0	-2.2	0.3
0.0	0.0			J	20.3	-0.0	-0.7	0.3
4487.3	22.6							
		G2		I	0.9	-0.0	-0.0	-0.1
0.0	0.0			J	0.9	-0.0	-0.0	-0.1
0.4	14.5							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	8.0	-0.0	0.0	-0.3
0.0	0.0			J	8.0	-0.0	0.0	-0.3
-0.1	11.1							
		Q5_ps		I	4.0	-0.0	-0.0	-0.4
0.0	0.0			J	4.0	-0.0	-0.0	-0.4
0.0	13.7							
		INVS LU Max		I	268.8	0.1	-2.9	8.0
0.0	0.0			J	268.8	0.1	-1.0	8.0
6061.6	670.8							
		Min		I	123.0	-0.2	-2.9	1.5
0.0	0.0			J	123.0	-0.2	-1.0	1.5
6056.0	-408.2							
		INVS LE Max		I	200.7	0.1	-2.2	6.0
0.0	0.0			J	200.7	0.1	-0.7	6.0
4490.0	500.5							
		Min		I	93.8	-0.2	-2.2	1.2
0.0	0.0			J	93.8	-0.2	-0.7	1.2
4485.9	-297.3							
827	2	81 C1-C2;~1 Max		I	75.9	0.1	0.0	3.4
1.7	390.2			J	75.9	0.1	0.0	3.4
0.0	0.0							
		Min		I	-21.4	-0.1	-0.0	-1.1
-2.2	-394.2			J	-21.4	-0.1	-0.0	-1.1
0.0	0.0							
		C3-C4;~1 Max		I	67.3	0.1	0.0	2.8
1.2	367.7			J	67.3	0.1	0.0	2.8
0.0	0.0							
		Min		I	-9.9	-0.1	-0.0	-0.6
-2.3	-368.2			J	-9.9	-0.1	-0.0	-0.6
0.0	0.0							
		C1-C2;~2 Max		I	47.3	0.1	0.0	2.1


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
1.2	264.2		J	47.3	0.1	0.0	2.1
0.0	0.0						
		Min	I	-12.4	-0.1	-0.0	-0.7
-1.4	-268.5		J	-12.4	-0.1	-0.0	-0.7
0.0	0.0						
		C3-C4;~2 Max	I	41.1	0.1	0.0	1.7
0.8	248.7		J	41.1	0.1	0.0	1.7
0.0	0.0						
		Min	I	-4.7	-0.1	-0.0	-0.3
-1.4	-252.5		J	-4.7	-0.1	-0.0	-0.3
0.0	0.0						
		G1	I	20.3	0.0	0.7	0.9
4484.3	22.6		J	20.3	0.0	2.1	0.9
0.0	0.0						
		G2	I	1.0	0.0	-0.0	0.0
-0.4	14.5		J	1.0	0.0	-0.0	0.0
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	8.0	0.0	0.0	-0.3
0.1	11.1		J	8.0	0.0	0.0	-0.3
0.0	0.0						
		Q5_ps	I	4.0	0.0	-0.0	-0.4
-0.0	13.7		J	4.0	0.0	-0.0	-0.4
0.0	0.0						
		INVSLU Max	I	268.7	0.2	0.9	9.4
6055.8	670.8		J	268.7	0.2	2.9	9.4
0.0	0.0						
		Min	I	123.0	-0.1	0.9	2.8
6050.1	-408.2		J	123.0	-0.1	2.9	2.8
0.0	0.0						
		INVSLE Max	I	200.6	0.2	0.7	7.1
4485.8	500.5		J	200.6	0.2	2.1	7.1
0.0	0.0						
		Min	I	93.8	-0.1	0.7	2.2
4481.6	-297.3		J	93.8	-0.1	2.1	2.2
0.0	0.0						
		81 C1-C2;~1 Max	I	77.8	0.0	0.0	2.3
828	2		J	77.8	0.0	0.0	2.3
0.0	0.0						
		Min	I	-26.4	0.0	0.0	-4.5
0.0	0.0						

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	-26.4	0.0	-0.0	-4.5
0.0	0.0	C3-C4;~1	Max	I	68.5	0.0	1.9
0.0	0.0		J	68.5	0.0	0.0	1.9
0.0	0.0		Min	I	-10.8	0.0	-3.1
0.0	0.0		J	-10.8	0.0	-0.0	-3.1
0.0	0.0	C1-C2;~2	Max	I	48.4	0.0	1.3
0.0	0.0		J	48.4	0.0	0.0	1.3
0.0	0.0		Min	I	-15.5	0.0	-3.0
0.0	0.0		J	-15.5	0.0	-0.0	-3.0
0.0	0.0	C3-C4;~2	Max	I	42.3	0.0	1.1
0.0	0.0		J	42.3	0.0	0.0	1.1
0.0	0.0		Min	I	-5.3	0.0	-2.0
0.0	0.0		J	-5.3	0.0	-0.0	-2.0
0.0	0.0	G1		I	18.9	0.0	0.9
0.0	0.0		J	18.9	0.0	0.7	0.9
0.0	0.0	G2		I	0.1	0.0	0.5
0.0	0.0		J	0.1	0.0	0.0	0.5
0.0	0.0	Q3		I	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc		I	-23.2	0.0	0.1
0.0	0.0		J	-23.2	0.0	-0.0	0.1
0.0	0.0	Q5_ps		I	-25.2	0.0	0.3
0.0	0.0		J	-25.2	0.0	-0.0	0.3
0.0	0.0	INVSLU	Max	I	97.9	0.0	2.1
0.0	0.0		J	97.9	0.0	1.0	2.1
0.0	0.0		Min	I	-86.8	0.0	-7.2
0.0	0.0		J	-86.8	0.0	1.0	-7.2
0.0	0.0	INVSLE	Max	I	72.7	0.0	1.4

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0			J	72.7	0.0	0.7	1.4	
0.0	0.0		Min	I	-59.7	0.0	-0.7	-5.5	
0.0	0.0			J	-59.7	0.0	0.7	-5.5	
829	2	81	C1-C2;~1	Max	I	59.5	0.0	0.0	1.7
0.0	0.0			J	59.5	0.0	0.0	1.7	
0.0	0.0		Min	I	-35.6	-0.0	0.0	-3.1	
0.0	0.0			J	-35.6	-0.0	0.0	-3.1	
0.0	0.0		C3-C4;~1	Max	I	52.9	0.0	0.0	1.2
0.0	0.0			J	52.9	0.0	0.0	1.2	
0.0	0.0		Min	I	-17.2	-0.0	0.0	-3.4	
0.0	0.0			J	-17.2	-0.0	0.0	-3.4	
0.0	0.0		C1-C2;~2	Max	I	37.0	0.0	0.0	1.1
0.0	0.0			J	37.0	0.0	0.0	1.1	
0.0	0.0		Min	I	-21.2	-0.0	0.0	-1.9	
0.0	0.0			J	-21.2	-0.0	0.0	-1.9	
0.0	0.0		C3-C4;~2	Max	I	32.9	0.0	0.0	0.7
0.0	0.0			J	32.9	0.0	0.0	0.7	
0.0	0.0		Min	I	-8.8	-0.0	0.0	-2.1	
0.0	0.0			J	-8.8	-0.0	0.0	-2.1	
0.0	0.0		G1	I	-2.7	-0.0	-0.7	-1.4	
0.0	0.0			J	-2.7	0.0	0.7	-1.4	
0.0	0.0		G2	I	-8.7	-0.0	0.0	-0.1	
0.0	0.0			J	-8.7	0.0	0.0	-0.1	
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Q5_pc	I	-16.7	-0.0	0.0	0.2	
0.0	0.0			J	-16.7	0.0	0.0	0.2	
0.0	0.0		Q5_ps	I	-19.1	-0.0	0.0	0.2	
0.0	0.0			J	-19.1	0.0	0.0	0.2	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0						
			INVS LU Max	I	-52.1	-0.0	-1.0 -2.1
0.0	0.0			J	-52.1	0.0	1.0 -2.1
0.0	0.0		Min	I	-210.6	-0.0	-1.0 -9.5
0.0	0.0			J	-210.6	0.0	1.0 -9.5
0.0	0.0		INVS LE Max	I	-44.4	-0.0	-0.7 -1.8
0.0	0.0			J	-44.4	0.0	0.7 -1.8
0.0	0.0		Min	I	-159.5	-0.0	-0.7 -7.2
0.0	0.0			J	-159.5	0.0	0.7 -7.2
0.0	0.0						
830	2	81	C1-C2;~1 Max	I	63.0	0.1	0.0 2.8
0.0	0.0			J	63.0	0.1	0.0 2.8
1.8	274.3		Min	I	-30.8	-0.1	-0.0 -1.8
0.0	0.0			J	-30.8	-0.1	-0.0 -1.8
-1.5	-347.9						
			C3-C4;~1 Max	I	49.6	0.1	0.0 1.9
0.0	0.0			J	49.6	0.1	0.0 1.9
2.0	251.5		Min	I	-19.0	-0.1	-0.0 -1.1
0.0	0.0			J	-19.0	-0.1	-0.0 -1.1
-1.2	-340.6						
			C1-C2;~2 Max	I	40.3	0.1	0.0 1.8
0.0	0.0			J	40.3	0.1	0.0 1.8
1.1	179.7		Min	I	-17.5	-0.1	-0.0 -1.1
0.0	0.0			J	-17.5	-0.1	-0.0 -1.1
-1.0	-238.5						
			C3-C4;~2 Max	I	31.2	0.1	0.0 1.2
0.0	0.0			J	31.2	0.1	0.0 1.2
1.2	163.1		Min	I	-9.9	-0.1	-0.0 -0.6
0.0	0.0			J	-9.9	-0.1	-0.0 -0.6
-0.7	-234.6						
			G1	I	-6.9	-0.0	-2.2 -0.4
0.0	0.0			J	-6.9	-0.0	-0.7 -0.4
4506.8	20.7						
			G2	I	-9.9	-0.0	-0.0 -0.4
0.0	0.0			J	-9.9	-0.0	-0.0 -0.4
0.5	2.7						


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		Q3	I	0.0	0.0	0.0
				J	0.0	0.0	0.0
0.0	0.0		Q5_pc	I	2.6	0.0	-0.0
				J	2.6	0.0	-0.0
0.1	-24.0						
0.0	0.0		Q5_ps	I	-0.8	0.0	-0.0
				J	-0.8	0.0	-0.0
0.2	-25.4						
0.0	0.0		INVSLU Max	I	145.9	0.2	-2.9
				J	145.9	0.2	-1.0
6086.7	354.0						
0.0	0.0		Min	I	14.7	-0.1	-2.9
				J	14.7	-0.1	-1.0
6081.8	-529.3						
0.0	0.0		INVSLE Max	I	103.9	0.1	-2.2
				J	103.9	0.1	-0.7
4508.6	241.6						
0.0	0.0		Min	I	7.0	-0.1	-2.2
				J	7.0	-0.1	-0.7
4505.0	-409.5						
831	2	81	C1-C2;~1 Max	I	62.9	0.1	0.0
1.6	274.3			J	62.9	0.1	0.0
0.0	0.0						
			Min	I	-30.8	-0.1	-0.0
-1.9	-347.9			J	-30.8	-0.1	-0.0
0.0	0.0						
1.2	251.5		C3-C4;~1 Max	I	49.6	0.1	0.0
				J	49.6	0.1	0.0
0.0	0.0						
			Min	I	-19.0	-0.1	-0.0
-2.1	-340.6			J	-19.0	-0.1	-0.0
0.0	0.0						
1.0	179.7		C1-C2;~2 Max	I	40.3	0.1	0.0
				J	40.3	0.1	0.0
0.0	0.0						
			Min	I	-17.5	-0.1	-0.0
-1.1	-238.5			J	-17.5	-0.1	-0.0
0.0	0.0						
0.8	163.1		C3-C4;~2 Max	I	31.2	0.1	0.0
				J	31.2	0.1	0.0
0.0	0.0						
			Min	I	-9.9	-0.1	-0.0
-1.2	-234.6						

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	-9.9	-0.1	-0.0	-0.5
4503.8	20.7	G1	I	-6.9	0.0	0.7	0.1
0.0	0.0		J	-6.9	0.0	2.1	0.1
-0.5	2.7	G2	I	-9.9	0.0	-0.0	-0.3
0.0	0.0		J	-9.9	0.0	-0.0	-0.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.1	-24.0	Q5_pc	I	2.6	-0.0	-0.0	-0.2
0.0	0.0		J	2.6	-0.0	-0.0	-0.2
-0.2	-25.4	Q5_ps	I	-0.8	-0.0	-0.0	-0.2
0.0	0.0		J	-0.8	-0.0	-0.0	-0.2
6082.6	354.0	INVS LU Max	I	145.9	0.1	0.9	7.7
0.0	0.0		J	145.9	0.1	2.9	7.7
6077.6	-529.3	Min	I	14.7	-0.2	0.9	1.4
0.0	0.0		J	14.7	-0.2	2.9	1.4
4505.7	241.6	INVS LE Max	I	103.8	0.1	0.7	5.9
0.0	0.0		J	103.8	0.1	2.1	5.9
4502.0	-409.5	Min	I	7.0	-0.1	0.7	1.3
0.0	0.0		J	7.0	-0.1	2.1	1.3
832	2	81 C1-C2;~1 Max	I	59.4	0.0	0.0	2.4
0.0	0.0		J	59.4	0.0	0.0	2.4
0.0	0.0	Min	I	-35.6	-0.0	-0.0	-3.3
0.0	0.0		J	-35.6	0.0	-0.0	-3.3
0.0	0.0	C3-C4;~1 Max	I	52.7	0.0	0.0	2.0
0.0	0.0		J	52.7	0.0	0.0	2.0
0.0	0.0	Min	I	-17.2	-0.0	-0.0	-2.3
0.0	0.0		J	-17.2	0.0	-0.0	-2.3
0.0	0.0	C1-C2;~2 Max	I	37.0	0.0	0.0	1.4


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0		J	37.0	0.0	0.0	1.4
0.0	0.0	Min	I	-21.2	-0.0	-0.0	-2.2
0.0	0.0		J	-21.2	0.0	-0.0	-2.2
0.0	0.0	C3-C4;~2 Max	I	32.8	0.0	0.0	1.1
0.0	0.0		J	32.8	0.0	0.0	1.1
0.0	0.0	Min	I	-8.8	-0.0	-0.0	-1.4
0.0	0.0		J	-8.8	0.0	-0.0	-1.4
0.0	0.0	G1	I	-2.7	-0.0	-0.7	1.8
0.0	0.0		J	-2.7	0.0	0.7	1.8
0.0	0.0	G2	I	-8.7	-0.0	-0.0	0.9
0.0	0.0		J	-8.7	0.0	0.0	0.9
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-16.7	-0.0	0.0	0.3
0.0	0.0		J	-16.7	0.0	-0.0	0.3
0.0	0.0	Q5_ps	I	-19.1	-0.0	0.0	0.6
0.0	0.0		J	-19.1	0.0	0.0	0.6
0.0	0.0	INVSLU Max	I	-52.2	-0.0	-0.9	2.6
0.0	0.0		J	-52.2	0.0	0.9	2.6
0.0	0.0	Min	I	-210.6	-0.0	-0.9	-5.8
0.0	0.0		J	-210.6	0.0	0.9	-5.8
0.0	0.0	INVSLE Max	I	-44.5	-0.0	-0.7	1.5
0.0	0.0		J	-44.5	0.0	0.7	1.5
0.0	0.0	Min	I	-159.5	-0.0	-0.7	-4.7
0.0	0.0		J	-159.5	0.0	0.7	-4.7
833	2	81 C1-C2;~1 Max	I	58.4	0.0	0.0	2.1
0.0	0.0		J	58.4	0.0	0.0	2.1
0.0	0.0	Min	I	-19.0	0.0	0.0	-2.1
0.0	0.0		J	-19.0	0.0	0.0	-2.1

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0						
		C3-C4;~1 Max	I	53.8	0.0	0.0	1.7
0.0	0.0		J	53.8	0.0	0.0	1.7
0.0	0.0						
		Min	I	-8.9	0.0	0.0	-2.6
0.0	0.0		J	-8.9	0.0	0.0	-2.6
0.0	0.0						
		C1-C2;~2 Max	I	37.1	0.0	0.0	1.3
0.0	0.0		J	37.1	0.0	0.0	1.3
0.0	0.0						
		Min	I	-10.5	0.0	0.0	-1.2
0.0	0.0		J	-10.5	0.0	0.0	-1.2
0.0	0.0						
		C3-C4;~2 Max	I	34.6	0.0	0.0	1.0
0.0	0.0		J	34.6	0.0	0.0	1.0
0.0	0.0						
		Min	I	-4.0	0.0	0.0	-1.6
0.0	0.0		J	-4.0	0.0	0.0	-1.6
0.0	0.0						
		G1	I	-0.9	0.0	-0.7	-0.0
0.0	0.0		J	-0.9	0.0	0.7	-0.0
0.0	0.0						
		G2	I	-8.6	0.0	0.0	0.5
0.0	0.0		J	-8.6	0.0	0.0	0.5
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-12.3	0.0	0.0	0.2
0.0	0.0		J	-12.3	0.0	0.0	0.2
0.0	0.0						
		Q5_ps	I	-15.1	0.0	0.0	0.2
0.0	0.0		J	-15.1	0.0	0.0	0.2
0.0	0.0						
		INVSLU Max	I	-191.8	0.0	-1.0	-0.3
0.0	0.0		J	-191.8	0.0	1.0	-0.3
0.0	0.0						
		Min	I	-318.6	0.0	-1.0	-7.0
0.0	0.0		J	-318.6	0.0	1.0	-7.0
0.0	0.0						
		INVSLE Max	I	-156.8	0.0	-0.7	-0.6
0.0	0.0		J	-156.8	0.0	0.7	-0.6

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		Min	I	-249.0	0.0	-0.7	-5.6
0.0	0.0			J	-249.0	0.0	0.7	-5.6
0.0	0.0							
834	2	81 C1-C2;~1	Max	I	55.9	0.1	0.0	2.2
0.0	0.0			J	55.9	0.1	0.0	2.2
1.3	180.4		Min	I	-23.9	-0.1	-0.0	-1.9
0.0	0.0			J	-23.9	-0.1	-0.0	-1.9
-1.4	-236.3							
		C3-C4;~1	Max	I	48.6	0.1	0.0	1.5
0.0	0.0			J	48.6	0.1	0.0	1.5
1.6	160.2		Min	I	-13.2	-0.1	-0.0	-1.3
0.0	0.0			J	-13.2	-0.1	-0.0	-1.3
-1.2	-228.7							
		C1-C2;~2	Max	I	35.9	0.1	0.0	1.4
0.0	0.0			J	35.9	0.1	0.0	1.4
0.7	119.9		Min	I	-13.1	-0.0	-0.0	-1.1
0.0	0.0			J	-13.1	-0.0	-0.0	-1.1
-0.9	-160.0							
		C3-C4;~2	Max	I	31.5	0.1	0.0	0.9
0.0	0.0			J	31.5	0.1	0.0	0.9
0.9	105.8		Min	I	-6.5	-0.0	-0.0	-0.7
0.0	0.0			J	-6.5	-0.0	-0.0	-0.7
-0.7	-156.1							
		G1		I	-8.8	0.0	-2.2	-0.9
0.0	0.0			J	-8.8	0.0	-0.7	-0.9
4484.2	-1.9							
		G2		I	-11.5	-0.0	-0.0	-0.7
0.0	0.0			J	-11.5	-0.0	-0.0	-0.7
0.2	0.4							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-2.5	0.0	-0.0	-0.2
0.0	0.0			J	-2.5	0.0	-0.0	-0.2
0.1	-20.2							
		Q5_ps		I	-5.7	0.0	-0.0	-0.4
0.0	0.0			J	-5.7	0.0	-0.0	-0.4
0.2	-18.5							


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


			INVSLE Max	I	-5.0	0.1	-2.9	4.7
0.0	0.0			J	-5.0	0.1	-1.0	4.7
6056.0	410.7		Min	I	-117.1	-0.1	-2.9	-1.4
0.0	0.0			J	-117.1	-0.1	-1.0	-1.4
6051.9	-188.1							
			INVSLE Max	I	-17.2	0.0	-2.2	3.8
0.0	0.0			J	-17.2	0.0	-0.7	3.8
4485.9	302.7		Min	I	-99.9	-0.1	-2.2	-0.6
0.0	0.0			J	-99.9	-0.1	-0.7	-0.6
4482.9	-138.2							
835	2	81	C1-C2;~1 Max	I	55.8	0.1	0.0	2.3
1.4	180.4			J	55.8	0.1	0.0	2.3
0.0	0.0		Min	I	-23.9	-0.1	-0.0	-1.8
-1.3	-236.3			J	-23.9	-0.1	-0.0	-1.8
0.0	0.0							
			C3-C4;~1 Max	I	48.6	0.1	0.0	1.6
1.2	160.2			J	48.6	0.1	0.0	1.6
0.0	0.0		Min	I	-13.2	-0.1	-0.0	-1.4
-1.6	-228.7			J	-13.2	-0.1	-0.0	-1.4
0.0	0.0							
			C1-C2;~2 Max	I	35.8	0.0	0.0	1.4
0.9	119.9			J	35.8	0.0	0.0	1.4
0.0	0.0		Min	I	-13.1	-0.1	-0.0	-1.0
-0.7	-160.0			J	-13.1	-0.1	-0.0	-1.0
0.0	0.0							
			C3-C4;~2 Max	I	31.5	0.0	0.0	0.9
0.8	105.8			J	31.5	0.0	0.0	0.9
0.0	0.0		Min	I	-6.5	-0.0	-0.0	-0.8
-0.9	-156.1			J	-6.5	-0.0	-0.0	-0.8
0.0	0.0							
			G1	I	-8.8	-0.0	0.7	-0.6
4482.2	-1.9			J	-8.8	-0.0	2.1	-0.6
0.0	0.0							
			G2	I	-11.5	0.0	-0.0	-0.6
-0.2	0.4			J	-11.5	0.0	-0.0	-0.6
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
-0.1	-20.2	Q5_pc		I	-2.5	-0.0	-0.0
0.0	0.0			J	-2.5	-0.0	-0.0
-0.2	-18.5	Q5_ps		I	-5.7	-0.0	-0.0
0.0	0.0			J	-5.7	-0.0	-0.0
6052.8	410.7	INVSLU Max		I	-5.0	0.1	0.9
0.0	0.0			J	-5.0	0.1	2.9
6048.5	-188.1	Min		I	-117.0	-0.1	0.9
0.0	0.0			J	-117.0	-0.1	2.9
4483.5	302.7	INVSLE Max		I	-17.2	0.1	0.7
0.0	0.0			J	-17.2	0.1	2.1
4480.4	-138.2	Min		I	-99.9	-0.0	0.7
0.0	0.0			J	-99.9	-0.0	2.1
836	2	81 C1-C2;~1 Max		I	58.5	0.0	0.0
0.0	0.0			J	58.5	0.0	0.0
0.0	0.0						
0.0	0.0	Min		I	-19.0	-0.0	0.0
0.0	0.0			J	-19.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1 Max		I	53.5	0.0	0.0
0.0	0.0			J	53.5	0.0	0.0
0.0	0.0						
0.0	0.0	Min		I	-8.9	-0.0	0.0
0.0	0.0			J	-8.9	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2 Max		I	37.1	0.0	0.0
0.0	0.0			J	37.1	0.0	0.0
0.0	0.0						
0.0	0.0	Min		I	-10.5	-0.0	0.0
0.0	0.0			J	-10.5	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max		I	34.6	0.0	0.0
0.0	0.0			J	34.6	0.0	0.0
0.0	0.0						
0.0	0.0	Min		I	-4.0	-0.0	0.0
0.0	0.0			J	-4.0	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0						
		G1	I	-0.9	-0.0	-0.7	1.9
0.0	0.0		J	-0.9	0.0	0.7	1.9
0.0	0.0						
		G2	I	-8.6	-0.0	0.0	1.0
0.0	0.0		J	-8.6	0.0	0.0	1.0
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-12.3	-0.0	0.0	0.4
0.0	0.0		J	-12.3	0.0	0.0	0.4
0.0	0.0						
		Q5_ps	I	-15.1	-0.0	0.0	0.6
0.0	0.0		J	-15.1	0.0	0.0	0.6
0.0	0.0						
		INVSLU Max	I	-191.6	-0.0	-1.0	3.5
0.0	0.0		J	-191.6	0.0	1.0	3.5
0.0	0.0						
		Min	I	-318.5	-0.0	-1.0	-4.4
0.0	0.0		J	-318.5	0.0	1.0	-4.4
0.0	0.0						
		INVSLE Max	I	-156.6	-0.0	-0.7	2.2
0.0	0.0		J	-156.6	0.0	0.7	2.2
0.0	0.0						
		Min	I	-248.9	-0.0	-0.7	-3.6
0.0	0.0		J	-248.9	0.0	0.7	-3.6
0.0	0.0						
837	2	81 C1-C2;~1 Max	I	52.9	0.0	0.0	2.5
0.0	0.0		J	52.9	0.0	0.0	2.5
0.0	0.0						
		Min	I	-19.9	-0.0	-0.0	-1.4
0.0	0.0		J	-19.9	-0.0	0.0	-1.4
0.0	0.0						
		C3-C4;~1 Max	I	47.6	0.0	0.0	2.2
0.0	0.0		J	47.6	0.0	0.0	2.2
0.0	0.0						
		Min	I	-9.7	-0.0	-0.0	-1.9
0.0	0.0		J	-9.7	-0.0	0.0	-1.9
0.0	0.0						
		C1-C2;~2 Max	I	33.5	0.0	0.0	1.5
0.0	0.0		J	33.5	0.0	0.0	1.5

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		Min	I	-10.9	-0.0	-0.0	-0.8
0.0	0.0			J	-10.9	-0.0	0.0	-0.8
0.0	0.0							
0.0	0.0	C3-C4;~2	Max	I	30.6	0.0	0.0	1.2
0.0	0.0			J	30.6	0.0	0.0	1.2
0.0	0.0		Min	I	-4.5	-0.0	-0.0	-1.1
0.0	0.0			J	-4.5	-0.0	0.0	-1.1
0.0	0.0							
0.0	0.0		G1	I	-3.8	0.0	-0.7	0.9
0.0	0.0			J	-3.8	-0.0	0.7	0.9
0.0	0.0							
0.0	0.0		G2	I	-9.5	0.0	0.0	0.8
0.0	0.0			J	-9.5	-0.0	0.0	0.8
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Q5_pc	I	-9.6	0.0	-0.0	0.1
0.0	0.0			J	-9.6	-0.0	0.0	0.1
0.0	0.0							
0.0	0.0		Q5_ps	I	-12.3	0.0	-0.0	0.1
0.0	0.0			J	-12.3	-0.0	0.0	0.1
0.0	0.0							
0.0	0.0		INVSLE Max	I	-209.2	0.0	-1.0	2.3
0.0	0.0			J	-209.2	-0.0	1.0	2.3
0.0	0.0		Min	I	-324.7	0.0	-1.0	-3.8
0.0	0.0			J	-324.7	-0.0	1.0	-3.8
0.0	0.0							
0.0	0.0		INVSLE Max	I	-169.9	0.0	-0.7	1.2
0.0	0.0			J	-169.9	-0.0	0.7	1.2
0.0	0.0		Min	I	-254.2	0.0	-0.7	-3.3
0.0	0.0			J	-254.2	-0.0	0.7	-3.3
0.0	0.0							
838	2	81	C1-C2;~1	Max	51.4	0.1	0.0	1.8
0.0	0.0			J	51.4	0.1	0.0	1.8
1.2	184.5		Min	I	-22.8	-0.1	-0.0	-2.4
0.0	0.0			J	-22.8	-0.1	-0.0	-2.4
-1.6	-190.5							

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0	C3-C4;~1 Max	I	46.0	0.1	0.0	1.1
			J	46.0	0.1	0.0	1.1
1.3	162.4	Min	I	-12.0	-0.1	-0.0	-1.6
0.0	0.0		J	-12.0	-0.1	-0.0	-1.6
-1.5	-170.5						
0.0	0.0	C1-C2;~2 Max	I	32.9	0.0	0.0	1.1
			J	32.9	0.0	0.0	1.1
0.7	123.2	Min	I	-12.6	-0.0	-0.0	-1.4
0.0	0.0		J	-12.6	-0.0	-0.0	-1.4
-1.0	-126.5						
0.0	0.0	C3-C4;~2 Max	I	29.9	0.0	0.0	0.6
			J	29.9	0.0	0.0	0.6
0.7	107.8	Min	I	-5.9	-0.0	-0.0	-0.9
0.0	0.0		J	-5.9	-0.0	-0.0	-0.9
-0.9	-113.2						
0.0	0.0	G1	I	-9.2	0.0	-2.2	-1.5
			J	-9.2	0.0	-0.7	-1.5
4460.8	-0.6						
0.0	0.0	G2	I	-11.7	-0.0	-0.0	-0.9
			J	-11.7	-0.0	-0.0	-0.9
0.1	0.5						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc	I	-4.6	0.0	-0.0	-0.3
			J	-4.6	0.0	-0.0	-0.3
0.1	-25.9						
0.0	0.0	Q5_ps	I	-7.6	0.0	-0.0	-0.4
			J	-7.6	0.0	-0.0	-0.4
0.2	-24.0						
0.0	0.0	INVSLU Max	I	-78.4	0.0	-2.9	2.7
			J	-78.4	0.0	-1.0	2.7
6023.9	451.1	Min	I	-186.8	-0.1	-2.9	-3.3
0.0	0.0		J	-186.8	-0.1	-1.0	-3.3
6019.8	-101.8						
0.0	0.0	INVSLE Max	I	-72.6	0.0	-2.2	2.4
			J	-72.6	0.0	-0.7	2.4
4462.2	336.4						

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
			Min	I	-152.2	-0.1	-2.2	-2.0
0.0	0.0			J	-152.2	-0.1	-0.7	-2.0
4459.2	-69.6							
839	2	81	C1-C2;~1	Max	I	51.4	0.1	0.0
1.6	184.5				J	51.4	0.1	0.0
0.0	0.0							
			Min	I	-22.8	-0.1	-0.0	-2.2
-1.2	-190.5			J	-22.8	-0.1	-0.0	-2.2
0.0	0.0							
			C3-C4;~1	Max	I	46.0	0.1	0.0
1.5	162.4				J	46.0	0.1	0.0
0.0	0.0							
			Min	I	-12.0	-0.1	-0.0	-1.7
-1.3	-170.5			J	-12.0	-0.1	-0.0	-1.7
0.0	0.0							
			C1-C2;~2	Max	I	32.9	0.0	0.0
1.0	123.2				J	32.9	0.0	0.0
0.0	0.0							
			Min	I	-12.6	-0.0	-0.0	-1.3
-0.7	-126.5			J	-12.6	-0.0	-0.0	-1.3
0.0	0.0							
			C3-C4;~2	Max	I	29.9	0.0	0.0
0.9	107.8				J	29.9	0.0	0.0
0.0	0.0							
			Min	I	-5.9	-0.0	-0.0	-1.0
-0.7	-113.2			J	-5.9	-0.0	-0.0	-1.0
0.0	0.0							
			G1	I	-9.2	-0.0	0.7	-1.3
4459.6	-0.6			J	-9.2	-0.0	2.1	-1.3
0.0	0.0							
			G2	I	-11.7	0.0	-0.0	-0.9
-0.1	0.5			J	-11.7	0.0	-0.0	-0.9
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-4.6	-0.0	-0.0	-0.2
-0.1	-25.9			J	-4.6	-0.0	-0.0	-0.2
0.0	0.0							
			Q5_ps	I	-7.6	-0.0	-0.0	-0.3
-0.2	-24.0			J	-7.6	-0.0	-0.0	-0.3
0.0	0.0							

MIDAS

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
6022.7	451.1	INVS LU Max	I	-78.4	0.1	0.9	2.9
			J	-78.4	0.1	2.9	2.9
0.0	0.0						
6018.5	-101.8	Min	I	-186.8	-0.0	0.9	-2.8
			J	-186.8	-0.0	2.9	-2.8
0.0	0.0						
4461.2	336.4	INVS LE Max	I	-72.6	0.1	0.7	2.6
			J	-72.6	0.1	2.1	2.6
0.0	0.0						
4458.1	-69.6	Min	I	-152.2	-0.0	0.7	-1.6
			J	-152.2	-0.0	2.1	-1.6
0.0	0.0						
840	2	81 C1-C2;~1 Max	I	52.9	0.0	0.0	2.6
0.0	0.0		J	52.9	0.0	0.0	2.6
0.0	0.0						
0.0	0.0	Min	I	-19.9	0.0	0.0	-2.7
0.0	0.0		J	-19.9	0.0	0.0	-2.7
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	47.6	0.0	0.0	2.0
			J	47.6	0.0	0.0	2.0
0.0	0.0						
0.0	0.0	Min	I	-9.7	0.0	0.0	-1.8
0.0	0.0		J	-9.7	0.0	0.0	-1.8
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	33.6	0.0	0.0	1.5
			J	33.6	0.0	0.0	1.5
0.0	0.0						
0.0	0.0	Min	I	-10.9	0.0	0.0	-1.7
0.0	0.0		J	-10.9	0.0	0.0	-1.7
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	30.6	0.0	0.0	1.1
			J	30.6	0.0	0.0	1.1
0.0	0.0						
0.0	0.0	Min	I	-4.5	0.0	0.0	-1.1
0.0	0.0		J	-4.5	0.0	0.0	-1.1
0.0	0.0						
0.0	0.0	G1	I	-3.8	0.0	-0.7	2.0
			J	-3.8	0.0	0.7	2.0
0.0	0.0						
0.0	0.0	G2	I	-9.5	0.0	0.0	1.0
			J	-9.5	0.0	0.0	1.0
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-9.6	0.0	0.0	0.4
0.0	0.0		J	-9.6	0.0	0.0	0.4
0.0	0.0	Q5_ps	I	-12.4	0.0	0.0	0.6
0.0	0.0		J	-12.4	0.0	0.0	0.6
0.0	0.0	INVSLU Max	I	-209.0	0.0	-1.0	4.5
0.0	0.0		J	-209.0	0.0	1.0	4.5
0.0	0.0	Min	I	-324.6	0.0	-1.0	-3.4
0.0	0.0		J	-324.6	0.0	1.0	-3.4
0.0	0.0	INVSLE Max	I	-169.8	0.0	-0.7	2.9
0.0	0.0		J	-169.8	0.0	0.7	2.9
0.0	0.0	Min	I	-254.1	0.0	-0.7	-2.9
0.0	0.0		J	-254.1	0.0	0.7	-2.9
841	2	81 C1-C2;~1 Max	I	50.6	0.0	0.0	3.0
0.0	0.0		J	50.6	0.0	0.0	3.0
0.0	0.0	Min	I	-22.4	-0.0	0.0	-1.2
0.0	0.0		J	-22.4	-0.0	-0.0	-1.2
0.0	0.0	C3-C4;~1 Max	I	44.9	0.0	0.0	2.8
0.0	0.0		J	44.9	0.0	0.0	2.8
0.0	0.0	Min	I	-11.1	-0.0	0.0	-1.5
0.0	0.0		J	-11.1	-0.0	-0.0	-1.5
0.0	0.0	C1-C2;~2 Max	I	32.2	0.0	0.0	1.8
0.0	0.0		J	32.2	0.0	0.0	1.8
0.0	0.0	Min	I	-12.4	-0.0	0.0	-0.6
0.0	0.0		J	-12.4	-0.0	-0.0	-0.6
0.0	0.0	C3-C4;~2 Max	I	28.9	0.0	0.0	1.6
0.0	0.0		J	28.9	0.0	0.0	1.6
0.0	0.0	Min	I	-5.4	-0.0	0.0	-0.9
0.0	0.0		J	-5.4	-0.0	-0.0	-0.9


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0	G1	I	-6.6	-0.0	-0.7	1.4
0.0	0.0		J	-6.6	0.0	0.7	1.4
0.0	0.0	G2	I	-10.5	-0.0	0.0	1.1
0.0	0.0		J	-10.5	0.0	0.0	1.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-7.4	-0.0	0.0	0.1
0.0	0.0		J	-7.4	0.0	-0.0	0.1
0.0	0.0	Q5_ps	I	-10.1	-0.0	0.0	0.1
0.0	0.0		J	-10.1	0.0	-0.0	0.1
0.0	0.0	INVSLU Max	I	-191.6	-0.0	-1.0	5.2
0.0	0.0		J	-191.6	0.0	1.0	5.2
0.0	0.0	Min	I	-303.6	-0.0	-1.0	-1.1
0.0	0.0		J	-303.6	0.0	1.0	-1.1
0.0	0.0	INVSLE Max	I	-156.6	-0.0	-0.7	3.4
0.0	0.0		J	-156.6	0.0	0.7	3.4
0.0	0.0	Min	I	-238.5	-0.0	-0.7	-1.3
0.0	0.0		J	-238.5	0.0	0.7	-1.3
842	2	81 C1-C2;~1 Max	I	51.8	0.1	0.0	1.6
0.0	0.0		J	51.8	0.1	0.0	1.6
1.1	189.0	Min	I	-20.2	-0.1	-0.0	-2.5
0.0	0.0		J	-20.2	-0.1	-0.0	-2.5
-1.9	-182.3	C3-C4;~1 Max	I	46.3	0.1	0.0	0.9
0.0	0.0		J	46.3	0.1	0.0	0.9
1.1	165.1	Min	I	-10.2	-0.1	-0.0	-1.8
0.0	0.0		J	-10.2	-0.1	-0.0	-1.8
-1.8	-160.8	C1-C2;~2 Max	I	33.3	0.0	0.0	1.0
0.0	0.0		J	33.3	0.0	0.0	1.0
0.6	126.3						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
			Min	I	-11.1	-0.0	-0.0	-1.4
0.0	0.0			J	-11.1	-0.0	-0.0	-1.4
-1.2	-121.2							
			C3-C4;~2 Max	I	30.2	0.0	0.0	0.5
0.0	0.0			J	30.2	0.0	0.0	0.5
0.6	109.7							
			Min	I	-4.8	-0.0	-0.0	-1.0
0.0	0.0			J	-4.8	-0.0	-0.0	-1.0
-1.0	-106.6							
			G1	I	-7.8	-0.0	-2.2	-1.8
0.0	0.0			J	-7.8	-0.0	-0.8	-1.8
4443.6	2.1							
			G2	I	-11.3	-0.0	0.0	-1.0
0.0	0.0			J	-11.3	-0.0	0.0	-1.0
-0.1	0.9							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-6.4	0.0	-0.0	-0.3
0.0	0.0			J	-6.4	0.0	-0.0	-0.3
0.1	-29.5							
			Q5_ps	I	-9.4	0.0	-0.0	-0.4
0.0	0.0			J	-9.4	0.0	-0.0	-0.4
0.2	-27.8							
			INVSLU Max	I	-142.9	0.1	-2.9	1.1
0.0	0.0			J	-142.9	0.1	-1.0	1.1
6000.1	362.4							
			Min	I	-251.7	-0.1	-2.9	-4.9
0.0	0.0			J	-251.7	-0.1	-1.0	-4.9
5995.8	-192.0							
			INVSLE Max	I	-120.3	0.0	-2.2	1.2
0.0	0.0			J	-120.3	0.0	-0.8	1.2
4444.6	266.3							
			Min	I	-200.1	-0.1	-2.2	-3.2
0.0	0.0			J	-200.1	-0.1	-0.8	-3.2
4441.4	-140.5							
			81 C1-C2;~1 Max	I	51.8	0.1	0.0	1.5
843	2			J	51.8	0.1	0.0	1.5
1.9	189.0							
			Min	I	-20.2	-0.1	-0.0	-2.4
0.0	0.0			J	-20.2	-0.1	-0.0	-2.4
-1.1	-182.3							
0.0	0.0							

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
1.8	165.1	C3-C4;~1	Max	I	46.3	0.1	0.0	0.9
				J	46.3	0.1	0.0	0.9
0.0	0.0		Min	I	-10.2	-0.1	-0.0	-1.9
-1.1	-160.8			J	-10.2	-0.1	-0.0	-1.9
0.0	0.0							
1.2	126.3	C1-C2;~2	Max	I	33.3	0.0	0.0	0.9
				J	33.3	0.0	0.0	0.9
0.0	0.0		Min	I	-11.1	-0.0	-0.0	-1.4
-0.6	-121.2			J	-11.1	-0.0	-0.0	-1.4
0.0	0.0							
1.1	109.7	C3-C4;~2	Max	I	30.2	0.0	0.0	0.5
				J	30.2	0.0	0.0	0.5
0.0	0.0		Min	I	-4.8	-0.0	-0.0	-1.1
-0.6	-106.6			J	-4.8	-0.0	-0.0	-1.1
0.0	0.0							
4442.9	2.1	G1		I	-7.8	0.0	0.7	-1.7
				J	-7.8	0.0	2.1	-1.7
0.0	0.0							
0.1	0.9	G2		I	-11.3	0.0	0.0	-1.1
				J	-11.3	0.0	0.0	-1.1
0.0	0.0							
0.0	0.0	Q3		I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
-0.1	-29.5	Q5_pc		I	-6.4	-0.0	-0.0	-0.2
				J	-6.4	-0.0	-0.0	-0.2
0.0	0.0							
-0.3	-27.8	Q5_ps		I	-9.4	-0.0	-0.0	-0.3
				J	-9.4	-0.0	-0.0	-0.3
0.0	0.0							
6001.0	362.4	INVSLU	Max	I	-142.9	0.1	0.9	0.9
				J	-142.9	0.1	2.9	0.9
0.0	0.0		Min	I	-251.7	-0.1	0.9	-4.8
5996.6	-192.0			J	-251.7	-0.1	2.9	-4.8
0.0	0.0							
4445.2	266.3	INVSLE	Max	I	-120.3	0.1	0.7	1.1
				J	-120.3	0.1	2.1	1.1
0.0	0.0		Min	I	-200.0	-0.0	0.7	-3.1

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	


4441.9	-140.5			J	-200.0	-0.0	2.1	-3.1		
0.0	0.0									
844	2	81	C1-C2;~1	Max	I	50.7	0.0	0.0	2.5	
0.0	0.0				J	50.7	0.0	0.0	2.5	
0.0	0.0			Min	I	-22.4	0.0	-0.0	-2.6	
0.0	0.0				J	-22.4	0.0	-0.0	-2.6	
0.0	0.0			C3-C4;~1	Max	I	44.9	0.0	0.0	1.9
0.0	0.0				J	44.9	0.0	0.0	1.9	
0.0	0.0			Min	I	-11.1	0.0	-0.0	-1.8	
0.0	0.0				J	-11.1	0.0	-0.0	-1.8	
0.0	0.0			C1-C2;~2	Max	I	32.2	0.0	0.0	1.5
0.0	0.0				J	32.2	0.0	0.0	1.5	
0.0	0.0			Min	I	-12.4	0.0	-0.0	-1.7	
0.0	0.0				J	-12.4	0.0	-0.0	-1.7	
0.0	0.0			C3-C4;~2	Max	I	28.9	0.0	0.0	1.0
0.0	0.0				J	28.9	0.0	0.0	1.0	
0.0	0.0			Min	I	-5.4	0.0	-0.0	-1.1	
0.0	0.0				J	-5.4	0.0	-0.0	-1.1	
0.0	0.0			G1	I	-6.6	0.0	-0.7	2.1	
0.0	0.0				J	-6.6	0.0	0.7	2.1	
0.0	0.0			G2	I	-10.5	0.0	0.0	1.0	
0.0	0.0				J	-10.5	0.0	-0.0	1.0	
0.0	0.0			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0			Q5_pc	I	-7.4	0.0	-0.0	0.4	
0.0	0.0				J	-7.4	0.0	0.0	0.4	
0.0	0.0			Q5_ps	I	-10.1	0.0	-0.0	0.6	
0.0	0.0				J	-10.1	0.0	-0.0	0.6	
0.0	0.0			INVSLU	Max	I	-191.5	0.0	-1.0	5.0

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0			J	-191.5	0.0	1.0	5.0
0.0	0.0		Min	I	-303.5	0.0	-1.0	-2.7
0.0	0.0			J	-303.5	0.0	1.0	-2.7
0.0	0.0							
0.0	0.0		INVSLE Max	I	-156.5	0.0	-0.7	3.3
0.0	0.0			J	-156.5	0.0	0.7	3.3
0.0	0.0		Min	I	-238.5	0.0	-0.7	-2.3
0.0	0.0			J	-238.5	0.0	0.7	-2.3
0.0	0.0							
845	2	81	C1-C2;~1 Max	I	50.6	0.0	0.0	3.1
0.0	0.0			J	50.6	0.0	0.0	3.1
0.0	0.0		Min	I	-25.0	-0.0	0.0	-1.0
0.0	0.0			J	-25.0	0.0	-0.0	-1.0
0.0	0.0							
0.0	0.0		C3-C4;~1 Max	I	44.6	0.0	0.0	3.0
0.0	0.0			J	44.6	0.0	0.0	3.0
0.0	0.0		Min	I	-13.1	-0.0	0.0	-1.3
0.0	0.0			J	-13.1	0.0	-0.0	-1.3
0.0	0.0							
0.0	0.0		C1-C2;~2 Max	I	32.2	0.0	0.0	1.8
0.0	0.0			J	32.2	0.0	0.0	1.8
0.0	0.0		Min	I	-13.9	-0.0	0.0	-0.5
0.0	0.0			J	-13.9	0.0	-0.0	-0.5
0.0	0.0							
0.0	0.0		C3-C4;~2 Max	I	28.7	0.0	0.0	1.7
0.0	0.0			J	28.7	0.0	0.0	1.7
0.0	0.0		Min	I	-6.5	-0.0	0.0	-0.7
0.0	0.0			J	-6.5	0.0	-0.0	-0.7
0.0	0.0							
0.0	0.0		G1	I	-8.7	0.0	-0.7	1.5
0.0	0.0			J	-8.7	0.0	0.7	1.5
0.0	0.0							
0.0	0.0		G2	I	-11.4	0.0	0.0	1.3
0.0	0.0			J	-11.4	0.0	0.0	1.3
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0						
		Q5_pc	I	-5.4	0.0	0.0	0.1
0.0	0.0		J	-5.4	0.0	-0.0	0.1
0.0	0.0						
		Q5_ps	I	-8.1	0.0	0.0	0.1
0.0	0.0		J	-8.1	0.0	-0.0	0.1
0.0	0.0						
		INVSLU Max	I	-144.2	0.0	-1.0	6.2
0.0	0.0		J	-144.2	0.0	1.0	6.2
0.0	0.0						
		Min	I	-256.0	0.0	-1.0	0.0
0.0	0.0		J	-256.0	0.0	1.0	0.0
0.0	0.0						
		INVSLE Max	I	-121.3	0.0	-0.7	4.2
0.0	0.0		J	-121.3	0.0	0.7	4.2
0.0	0.0						
		Min	I	-203.4	0.0	-0.7	-0.4
0.0	0.0		J	-203.4	0.0	0.7	-0.4
0.0	0.0						
846	2	81 C1-C2;~1 Max	I	53.3	0.1	0.0	1.5
0.0	0.0		J	53.3	0.1	0.0	1.5
0.9	187.0						
		Min	I	-18.0	-0.1	-0.0	-2.3
0.0	0.0		J	-18.0	-0.1	-0.0	-2.3
-2.0	-182.5						
		C3-C4;~1 Max	I	48.2	0.1	0.0	0.9
0.0	0.0		J	48.2	0.1	0.0	0.9
1.0	163.7						
		Min	I	-9.8	-0.1	-0.0	-1.6
0.0	0.0		J	-9.8	-0.1	-0.0	-1.6
-1.9	-161.0						
		C1-C2;~2 Max	I	34.3	0.0	0.0	1.0
0.0	0.0		J	34.3	0.0	0.0	1.0
0.5	125.0						
		Min	I	-9.7	-0.0	-0.0	-1.4
0.0	0.0		J	-9.7	-0.0	-0.0	-1.4
-1.2	-121.6						
		C3-C4;~2 Max	I	31.3	0.0	0.0	0.5
0.0	0.0		J	31.3	0.0	0.0	0.5
0.5	108.9						
		Min	I	-4.4	-0.0	-0.0	-0.9
0.0	0.0		J	-4.4	-0.0	-0.0	-0.9
-1.1	-107.1						

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		G1	I	-6.0	-0.0	-2.2
				J	-6.0	-0.0	-0.8
4443.2	2.2						-1.9
			G2	I	-10.8	-0.0	0.0
0.0	0.0			J	-10.8	-0.0	0.0
-0.2	1.3						-1.0
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						0.0
			Q5_pc	I	-8.3	0.0	-0.0
0.0	0.0			J	-8.3	0.0	-0.0
0.1	-27.9						-0.3
			Q5_ps	I	-11.2	0.0	-0.0
0.0	0.0			J	-11.2	0.0	-0.0
0.3	-26.2						-0.4
			INVS LU Max	I	-198.7	0.1	-2.9
0.0	0.0			J	-198.7	0.1	-1.0
5999.0	283.1		Min	I	-310.0	-0.1	-2.9
0.0	0.0			J	-310.0	-0.1	-1.0
5994.7	-265.8						-5.3
			INVS LE Max	I	-161.9	0.1	-2.2
0.0	0.0			J	-161.9	0.1	-0.8
4443.7	206.7		Min	I	-243.2	-0.1	-2.2
0.0	0.0			J	-243.2	-0.1	-0.8
4440.6	-196.2						-3.5
847	2	81	C1-C2;~1 Max	I	53.3	0.1	0.0
2.1	187.0			J	53.3	0.1	0.0
0.0	0.0		Min	I	-18.0	-0.1	-0.0
-1.0	-182.5			J	-18.0	-0.1	-0.0
0.0	0.0						-2.4
			C3-C4;~1 Max	I	48.2	0.1	0.0
2.0	163.7			J	48.2	0.1	0.0
0.0	0.0		Min	I	-9.8	-0.1	-0.0
-1.0	-161.0			J	-9.8	-0.1	-0.0
0.0	0.0						-1.8
			C1-C2;~2 Max	I	34.3	0.0	0.0
1.3	125.0			J	34.3	0.0	0.0
0.0	0.0		Min	I	-9.7	-0.0	-0.0
							-1.4

MIDAS


PROJECT TITLE :

MIDAS		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.6	-121.6			J	-9.7	-0.0	-0.0	-1.4	
0.0	0.0								
			C3-C4;~2	Max	I	31.3	0.0	0.0	0.4
1.2	108.9			J	31.3	0.0	0.0	0.4	
0.0	0.0			Min	I	-4.4	-0.0	-0.0	-1.0
-0.6	-107.1			J	-4.4	-0.0	-0.0	-1.0	
0.0	0.0								
			G1		I	-6.0	0.0	0.7	-1.7
4442.6	2.2			J	-6.0	0.0	2.1	-1.7	
0.0	0.0								
			G2		I	-10.8	0.0	0.0	-1.1
0.2	1.3			J	-10.8	0.0	0.0	-1.1	
0.0	0.0								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc		I	-8.3	-0.0	-0.0	-0.2
-0.2	-27.9			J	-8.3	-0.0	-0.0	-0.2	
0.0	0.0								
			Q5_ps		I	-11.3	-0.0	-0.0	-0.3
-0.3	-26.2			J	-11.3	-0.0	-0.0	-0.3	
0.0	0.0								
			INVSLU	Max	I	-198.7	0.1	0.9	0.1
6001.2	283.1			J	-198.7	0.1	2.9	0.1	
0.0	0.0			Min	I	-310.0	-0.1	0.9	-5.4
5996.7	-265.8			J	-310.0	-0.1	2.9	-5.4	
0.0	0.0								
			INVSLE	Max	I	-161.9	0.1	0.7	0.5
4445.3	206.7			J	-161.9	0.1	2.1	0.5	
0.0	0.0			Min	I	-243.2	-0.1	0.7	-3.6
4442.0	-196.2			J	-243.2	-0.1	2.1	-3.6	
0.0	0.0								
			81 C1-C2;~1	Max	I	50.7	0.0	0.0	2.2
848	2			J	50.7	0.0	0.0	2.2	
0.0	0.0			Min	I	-25.0	0.0	0.0	-2.8
0.0	0.0			J	-25.0	-0.0	0.0	-2.8	
0.0	0.0								
			C3-C4;~1	Max	I	44.6	0.0	0.0	1.5

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		J	44.6	0.0	0.0	1.5
0.0	0.0	Min	I	-13.1	0.0	0.0	-1.9
0.0	0.0		J	-13.1	-0.0	0.0	-1.9
0.0	0.0	C1-C2;~2 Max	I	32.2	0.0	0.0	1.3
0.0	0.0		J	32.2	0.0	0.0	1.3
0.0	0.0	Min	I	-13.9	0.0	0.0	-1.8
0.0	0.0		J	-13.9	-0.0	0.0	-1.8
0.0	0.0	C3-C4;~2 Max	I	28.7	0.0	0.0	0.8
0.0	0.0		J	28.7	0.0	0.0	0.8
0.0	0.0	Min	I	-6.5	0.0	0.0	-1.2
0.0	0.0		J	-6.5	-0.0	0.0	-1.2
0.0	0.0	G1	I	-8.7	0.0	-0.7	2.1
0.0	0.0		J	-8.7	0.0	0.7	2.1
0.0	0.0	G2	I	-11.4	0.0	0.0	0.9
0.0	0.0		J	-11.4	0.0	0.0	0.9
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-5.4	0.0	0.0	0.4
0.0	0.0		J	-5.4	0.0	0.0	0.4
0.0	0.0	Q5_ps	I	-8.1	0.0	0.0	0.6
0.0	0.0		J	-8.1	0.0	0.0	0.6
0.0	0.0	INVS LU Max	I	-144.1	0.0	-1.0	4.6
0.0	0.0		J	-144.1	0.0	1.0	4.6
0.0	0.0	Min	I	-256.0	0.0	-1.0	-2.8
0.0	0.0		J	-256.0	0.0	1.0	-2.8
0.0	0.0	INVS LE Max	I	-121.3	0.0	-0.7	3.0
0.0	0.0		J	-121.3	0.0	0.7	3.0
0.0	0.0	Min	I	-203.4	0.0	-0.7	-2.4
0.0	0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0			J	-203.4	0.0	0.7	-2.4
849	2	81	C1-C2;~1	Max	I	51.4	0.0	3.0
0.0	0.0			J	51.4	0.0	0.0	3.0
0.0	0.0			Min	I	-26.9	-0.0	-0.9
0.0	0.0			J	-26.9	-0.0	0.0	-0.9
0.0	0.0			C3-C4;~1	Max	I	45.9	2.9
0.0	0.0			J	45.9	0.0	0.0	2.9
0.0	0.0			Min	I	-14.8	-0.0	-1.3
0.0	0.0			J	-14.8	-0.0	0.0	-1.3
0.0	0.0			C1-C2;~2	Max	I	32.8	1.8
0.0	0.0			J	32.8	0.0	0.0	1.8
0.0	0.0			Min	I	-15.0	-0.0	-0.5
0.0	0.0			J	-15.0	-0.0	0.0	-0.5
0.0	0.0			C3-C4;~2	Max	I	29.6	1.7
0.0	0.0			J	29.6	0.0	0.0	1.7
0.0	0.0			Min	I	-7.5	-0.0	-0.7
0.0	0.0			J	-7.5	-0.0	0.0	-0.7
0.0	0.0			G1	I	-9.6	-0.0	1.6
0.0	0.0			J	-9.6	0.0	0.7	1.6
0.0	0.0			G2	I	-11.8	-0.0	1.3
0.0	0.0			J	-11.8	0.0	0.0	1.3
0.0	0.0			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0			Q5_pc	I	-3.2	-0.0	0.1
0.0	0.0			J	-3.2	0.0	0.0	0.1
0.0	0.0			Q5_ps	I	-5.9	-0.0	0.1
0.0	0.0			J	-5.9	0.0	0.0	0.1
0.0	0.0			INVSLU	Max	I	-82.2	6.0
0.0	0.0					-0.0	-1.0	

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	-82.2	0.0	1.0	6.0
0.0	0.0	Min	I	-193.7	-0.0	-1.0	0.0
0.0	0.0		J	-193.7	0.0	1.0	0.0
0.0	0.0	INVSLE Max	I	-75.3	-0.0	-0.7	4.0
0.0	0.0		J	-75.3	0.0	0.7	4.0
0.0	0.0	Min	I	-157.5	-0.0	-0.7	-0.4
0.0	0.0		J	-157.5	0.0	0.7	-0.4
850	2	81 C1-C2;~1 Max	I	54.4	0.1	0.0	1.6
0.0	0.0		J	54.4	0.1	0.0	1.6
0.8	183.8	Min	I	-16.1	-0.1	-0.0	-2.1
0.0	0.0		J	-16.1	-0.1	-0.0	-2.1
-2.1	-181.5	C3-C4;~1 Max	I	50.0	0.1	0.0	1.1
0.0	0.0		J	50.0	0.1	0.0	1.1
0.8	161.2	Min	I	-10.1	-0.1	-0.0	-1.5
0.0	0.0		J	-10.1	-0.1	-0.0	-1.5
-2.0	-160.1	C1-C2;~2 Max	I	34.9	0.0	0.0	1.0
0.0	0.0		J	34.9	0.0	0.0	1.0
0.4	123.3	Min	I	-8.4	-0.0	-0.0	-1.2
0.0	0.0		J	-8.4	-0.0	-0.0	-1.2
-1.3	-121.1	C3-C4;~2 Max	I	32.3	0.0	0.0	0.7
0.0	0.0		J	32.3	0.0	0.0	0.7
0.5	107.6	Min	I	-4.6	-0.0	-0.0	-0.8
0.0	0.0		J	-4.6	-0.0	-0.0	-0.8
-1.2	-106.8	G1	I	-4.0	-0.0	-2.2	-1.6
0.0	0.0		J	-4.0	-0.0	-0.8	-1.6
4457.5	3.3	G2	I	-9.9	-0.0	0.0	-0.9
0.0	0.0		J	-9.9	-0.0	0.0	-0.9
-0.3	2.2	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


0.0	0.0	Q5_pc	I	-10.1	0.0	-0.0	-0.3
0.1	-22.0		J	-10.1	0.0	-0.0	-0.3
0.0	0.0	Q5_ps	I	-12.9	0.0	-0.0	-0.4
0.2	-20.4		J	-12.9	0.0	-0.0	-0.4
0.0	0.0	INVS LU Max	I	-243.7	0.1	-2.9	0.9
6018.2	208.3		J	-243.7	0.1	-1.0	0.9
0.0	0.0	Min	I	-357.0	-0.1	-2.9	-4.6
6013.9	-324.4		J	-357.0	-0.1	-1.0	-4.6
0.0	0.0	INVS LE Max	I	-195.5	0.1	-2.2	1.1
4457.9	150.3		J	-195.5	0.1	-0.8	1.1
0.0	0.0	Min	I	-278.1	-0.0	-2.2	-3.0
4454.8	-241.4		J	-278.1	-0.0	-0.8	-3.0
851	2	81 C1-C2;~1 Max	I	54.4	0.1	0.0	1.4
2.2	183.8		J	54.4	0.1	0.0	1.4
0.0	0.0	Min	I	-16.1	-0.1	-0.0	-2.2
-0.8	-181.5		J	-16.1	-0.1	-0.0	-2.2
0.0	0.0						
2.1	161.2	C3-C4;~1 Max	I	50.0	0.1	0.0	0.9
0.0	0.0		J	50.0	0.1	0.0	0.9
-0.9	-160.1	Min	I	-10.1	-0.1	-0.0	-1.7
0.0	0.0		J	-10.1	-0.1	-0.0	-1.7
1.4	123.3	C1-C2;~2 Max	I	34.9	0.0	0.0	0.9
0.0	0.0		J	34.9	0.0	0.0	0.9
-0.4	-121.1	Min	I	-8.4	-0.0	-0.0	-1.3
0.0	0.0		J	-8.4	-0.0	-0.0	-1.3
1.2	107.6	C3-C4;~2 Max	I	32.3	0.0	0.0	0.5
0.0	0.0		J	32.3	0.0	0.0	0.5
-0.5	-106.8	Min	I	-4.6	-0.0	-0.0	-1.0
0.0	0.0		J	-4.6	-0.0	-0.0	-1.0
		G1	I	-4.0	0.0	0.7	-1.6

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
4457.5	3.3		J	-4.0	0.0	2.1	-1.6
0.0	0.0						
		G2	I	-9.9	0.0	0.0	-1.1
0.3	2.2		J	-9.9	0.0	0.0	-1.1
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-10.1	-0.0	-0.0	-0.2
-0.1	-22.0		J	-10.1	-0.0	-0.0	-0.2
0.0	0.0						
		Q5_ps	I	-12.9	-0.0	-0.0	-0.3
-0.3	-20.4		J	-12.9	-0.0	-0.0	-0.3
0.0	0.0						
		INVSLU Max	I	-243.7	0.1	0.9	0.4
6021.4	208.3		J	-243.7	0.1	2.9	0.4
0.0	0.0						
		Min	I	-357.0	-0.1	0.9	-5.0
6017.0	-324.4		J	-357.0	-0.1	2.9	-5.0
0.0	0.0						
		INVSLE Max	I	-195.5	0.0	0.7	0.7
4460.3	150.3		J	-195.5	0.0	2.1	0.7
0.0	0.0						
		Min	I	-278.1	-0.1	0.7	-3.3
4457.0	-241.4		J	-278.1	-0.1	2.1	-3.3
0.0	0.0						
		81 C1-C2;~1 Max	I	51.5	0.0	0.0	1.6
852	2		J	51.5	0.0	0.0	1.6
0.0	0.0						
		Min	I	-26.9	-0.0	-0.0	-3.0
0.0	0.0		J	-26.9	-0.0	-0.0	-3.0
0.0	0.0						
		C3-C4;~1 Max	I	45.9	0.0	0.0	0.9
0.0	0.0		J	45.9	0.0	0.0	0.9
0.0	0.0						
		Min	I	-14.8	-0.0	-0.0	-2.1
0.0	0.0		J	-14.8	-0.0	-0.0	-2.1
0.0	0.0						
		C1-C2;~2 Max	I	32.8	0.0	0.0	0.9
0.0	0.0		J	32.8	0.0	0.0	0.9
0.0	0.0						
		Min	I	-15.0	-0.0	-0.0	-1.9
0.0	0.0						

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0		J	-15.0	-0.0	-0.0	-1.9
0.0	0.0	C3-C4;~2 Max	I	29.6	0.0	0.0	0.5
0.0	0.0		J	29.6	0.0	0.0	0.5
0.0	0.0	Min	I	-7.5	-0.0	-0.0	-1.3
0.0	0.0		J	-7.5	-0.0	-0.0	-1.3
0.0	0.0	G1	I	-9.6	0.0	-0.7	1.6
0.0	0.0		J	-9.6	-0.0	0.7	1.6
0.0	0.0	G2	I	-11.8	0.0	0.0	0.7
0.0	0.0		J	-11.8	-0.0	-0.0	0.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-3.2	0.0	-0.0	0.4
0.0	0.0		J	-3.2	-0.0	0.0	0.4
0.0	0.0	Q5_ps	I	-5.9	0.0	-0.0	0.6
0.0	0.0		J	-5.9	-0.0	-0.0	0.6
0.0	0.0	INVSLE Max	I	-82.2	0.0	-0.9	3.0
0.0	0.0		J	-82.2	-0.0	0.9	3.0
0.0	0.0	Min	I	-193.8	0.0	-0.9	-3.9
0.0	0.0		J	-193.8	-0.0	0.9	-3.9
0.0	0.0	INVSLE Max	I	-75.3	0.0	-0.7	1.8
0.0	0.0		J	-75.3	-0.0	0.7	1.8
0.0	0.0	Min	I	-157.5	0.0	-0.7	-3.2
0.0	0.0		J	-157.5	-0.0	0.7	-3.2
853	2	81 C1-C2;~1 Max	I	50.7	0.0	0.0	2.7
0.0	0.0		J	50.7	0.0	0.0	2.7
0.0	0.0	Min	I	-26.6	-0.0	0.0	-1.0
0.0	0.0		J	-26.6	-0.0	0.0	-1.0
0.0	0.0	C3-C4;~1 Max	I	45.7	0.0	0.0	2.5

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		J	45.7	0.0	0.0	2.5
0.0	0.0	Min	I	-15.9	-0.0	0.0	-1.4
0.0	0.0		J	-15.9	-0.0	0.0	-1.4
0.0	0.0	C1-C2;~2 Max	I	32.5	0.0	0.0	1.6
0.0	0.0		J	32.5	0.0	0.0	1.6
0.0	0.0	Min	I	-14.7	-0.0	0.0	-0.6
0.0	0.0		J	-14.7	-0.0	0.0	-0.6
0.0	0.0	C3-C4;~2 Max	I	29.7	0.0	0.0	1.5
0.0	0.0		J	29.7	0.0	0.0	1.5
0.0	0.0	Min	I	-8.3	-0.0	0.0	-0.8
0.0	0.0		J	-8.3	-0.0	0.0	-0.8
0.0	0.0	G1	I	-9.4	-0.0	-0.7	1.3
0.0	0.0		J	-9.4	0.0	0.7	1.3
0.0	0.0	G2	I	-11.6	-0.0	0.0	1.2
0.0	0.0		J	-11.6	0.0	0.0	1.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-0.8	-0.0	0.0	0.1
0.0	0.0		J	-0.8	0.0	0.0	0.1
0.0	0.0	Q5_ps	I	-3.3	-0.0	0.0	0.1
0.0	0.0		J	-3.3	0.0	0.0	0.1
0.0	0.0	INVSLU Max	I	-20.0	-0.0	-1.0	4.3
0.0	0.0		J	-20.0	0.0	1.0	4.3
0.0	0.0	Min	I	-125.7	-0.0	-1.0	-1.3
0.0	0.0		J	-125.7	0.0	1.0	-1.3
0.0	0.0	INVSLE Max	I	-29.2	-0.0	-0.7	2.8
0.0	0.0		J	-29.2	0.0	0.7	2.8
0.0	0.0	Min	I	-107.4	-0.0	-0.7	-1.4
0.0	0.0		J	-107.4	0.0	0.7	-1.4

MIDAS

PROJECT TITLE :

		Company				Client			
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0								
854	2	81	C1-C2;~1	Max	I	54.2	0.1	0.0	1.8
0.0	0.0				J	54.2	0.1	0.0	1.8
0.4	164.4								
			Min		I	-16.2	-0.1	-0.0	-1.7
0.0	0.0				J	-16.2	-0.1	-0.0	-1.7
-2.1	-188.1								
			C3-C4;~1	Max	I	50.1	0.1	0.0	1.5
0.0	0.0				J	50.1	0.1	0.0	1.5
0.6	141.4								
			Min		I	-9.9	-0.0	-0.0	-1.2
0.0	0.0				J	-9.9	-0.0	-0.0	-1.2
-1.8	-163.0								
			C1-C2;~2	Max	I	35.0	0.0	0.0	1.2
0.0	0.0				J	35.0	0.0	0.0	1.2
0.2	111.6								
			Min		I	-8.7	-0.0	-0.0	-0.9
0.0	0.0				J	-8.7	-0.0	-0.0	-0.9
-1.3	-126.3								
			C3-C4;~2	Max	I	32.3	0.0	0.0	0.9
0.0	0.0				J	32.3	0.0	0.0	0.9
0.4	94.8								
			Min		I	-4.5	-0.0	-0.0	-0.6
0.0	0.0				J	-4.5	-0.0	-0.0	-0.6
-1.1	-109.1								
			G1		I	-1.6	-0.0	-2.2	-1.2
0.0	0.0				J	-1.6	-0.0	-0.8	-1.2
4473.4	0.1								
			G2		I	-8.7	-0.0	0.0	-0.8
0.0	0.0				J	-8.7	-0.0	0.0	-0.8
-0.4	1.2								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc		I	-11.7	0.0	-0.0	-0.3
0.0	0.0				J	-11.7	0.0	-0.0	-0.3
0.1	-13.8								
			Q5_ps		I	-14.4	0.0	-0.0	-0.4
0.0	0.0				J	-14.4	0.0	-0.0	-0.4
0.2	-12.4								
			INVSLU	Max	I	-273.0	0.1	-2.9	2.3
0.0	0.0				J	-273.0	0.1	-1.0	2.3

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


6039.7	91.7		Min	I	-389.9	-0.0	-2.9	-3.0
0.0	0.0			J	-389.9	-0.0	-1.0	-3.0
6035.9	-409.1		INVSLE Max	I	-217.8	0.1	-2.2	2.0
0.0	0.0			J	-217.8	0.1	-0.8	2.0
4473.9	63.2		Min	I	-302.2	-0.0	-2.2	-1.8
0.0	0.0			J	-302.2	-0.0	-0.8	-1.8
4471.1	-306.0							
855	2	81	C1-C2;~1 Max	I	54.2	0.1	0.0	1.6
2.1	164.4			J	54.2	0.1	0.0	1.6
0.0	0.0		Min	I	-16.2	-0.1	-0.0	-1.9
-0.5	-188.1			J	-16.2	-0.1	-0.0	-1.9
0.0	0.0							
			C3-C4;~1 Max	I	50.1	0.0	0.0	1.1
1.9	141.4			J	50.1	0.0	0.0	1.1
0.0	0.0		Min	I	-9.9	-0.1	-0.0	-1.5
-0.7	-163.0			J	-9.9	-0.1	-0.0	-1.5
0.0	0.0							
			C1-C2;~2 Max	I	35.0	0.0	0.0	1.0
1.3	111.6			J	35.0	0.0	0.0	1.0
0.0	0.0		Min	I	-8.7	-0.0	-0.0	-1.1
-0.2	-126.3			J	-8.7	-0.0	-0.0	-1.1
0.0	0.0							
			C3-C4;~2 Max	I	32.3	0.0	0.0	0.7
1.1	94.8			J	32.3	0.0	0.0	0.7
0.0	0.0		Min	I	-4.5	-0.0	-0.0	-0.8
-0.4	-109.1			J	-4.5	-0.0	-0.0	-0.8
0.0	0.0							
			G1	I	-1.6	0.0	0.7	-1.3
4473.8	0.1			J	-1.6	0.0	2.1	-1.3
0.0	0.0							
			G2	I	-8.7	0.0	0.0	-0.9
0.4	1.2			J	-8.7	0.0	0.0	-0.9
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							

MIDAS


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-0.1	-13.8	Q5_pc	I	-11.7	-0.0	-0.0	-0.2
0.0	0.0		J	-11.7	-0.0	-0.0	-0.2
-0.2	-12.4	Q5_ps	I	-14.4	-0.0	-0.0	-0.3
0.0	0.0		J	-14.4	-0.0	-0.0	-0.3
6043.0	91.7	INVS LU Max	I	-273.1	0.0	0.9	1.7
0.0	0.0		J	-273.1	0.0	2.9	1.7
6039.0	-409.1	Min	I	-389.9	-0.1	0.9	-3.5
0.0	0.0		J	-389.9	-0.1	2.9	-3.5
4476.2	63.2	INVS LE Max	I	-217.8	0.0	0.7	1.6
0.0	0.0		J	-217.8	0.0	2.1	1.6
4473.3	-306.0	Min	I	-302.3	-0.1	0.7	-2.2
0.0	0.0		J	-302.3	-0.1	2.1	-2.2
856	2	81 C1-C2;~1 Max	I	50.7	0.0	0.0	0.7
0.0	0.0		J	50.7	0.0	0.0	0.7
0.0	0.0	Min	I	-26.6	-0.0	-0.0	-3.2
0.0	0.0		J	-26.6	-0.0	0.0	-3.2
0.0	0.0	C3-C4;~1 Max	I	45.7	0.0	0.0	0.4
0.0	0.0		J	45.7	0.0	0.0	0.4
0.0	0.0	Min	I	-16.0	-0.0	-0.0	-2.4
0.0	0.0		J	-16.0	-0.0	0.0	-2.4
0.0	0.0	C1-C2;~2 Max	I	32.6	0.0	0.0	0.4
0.0	0.0		J	32.6	0.0	0.0	0.4
0.0	0.0	Min	I	-14.7	-0.0	-0.0	-2.1
0.0	0.0		J	-14.7	-0.0	0.0	-2.1
0.0	0.0	C3-C4;~2 Max	I	29.7	0.0	0.0	0.2
0.0	0.0		J	29.7	0.0	0.0	0.2
0.0	0.0	Min	I	-8.3	-0.0	-0.0	-1.5
0.0	0.0		J	-8.3	-0.0	0.0	-1.5
0.0	0.0	G1	I	-9.4	-0.0	-0.7	0.9

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0		J	-9.4	0.0	0.7	0.9
0.0	0.0	G2	I	-11.6	-0.0	-0.0	0.4
0.0	0.0		J	-11.6	0.0	0.0	0.4
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-0.8	-0.0	0.0	0.3
0.0	0.0		J	-0.8	0.0	0.0	0.3
0.0	0.0	Q5_ps	I	-3.3	-0.0	0.0	0.6
0.0	0.0		J	-3.3	0.0	0.0	0.6
0.0	0.0	INVS LU Max	I	-20.0	-0.0	-0.9	0.8
0.0	0.0		J	-20.0	0.0	0.9	0.8
0.0	0.0	Min	I	-125.8	-0.0	-0.9	-5.2
0.0	0.0		J	-125.8	0.0	0.9	-5.2
0.0	0.0	INVS LE Max	I	-29.2	-0.0	-0.7	0.2
0.0	0.0		J	-29.2	0.0	0.7	0.2
0.0	0.0	Min	I	-107.5	-0.0	-0.7	-4.1
0.0	0.0		J	-107.5	0.0	0.7	-4.1
857	2	81 C1-C2;~1 Max	I	30.3	0.0	0.0	1.8
0.0	0.0		J	30.3	0.0	0.0	1.8
0.0	0.0	Min	I	-22.9	0.0	-0.0	-1.0
0.0	0.0		J	-22.9	0.0	-0.0	-1.0
0.0	0.0	C3-C4;~1 Max	I	30.4	0.0	0.0	1.5
0.0	0.0		J	30.4	0.0	0.0	1.5
0.0	0.0	Min	I	-14.1	0.0	-0.0	-1.3
0.0	0.0		J	-14.1	0.0	-0.0	-1.3
0.0	0.0	C1-C2;~2 Max	I	19.8	0.0	0.0	1.1
0.0	0.0		J	19.8	0.0	0.0	1.1
0.0	0.0	Min	I	-12.9	0.0	-0.0	-0.6
0.0	0.0		J	-12.9	0.0	-0.0	-0.6

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0						
		C3-C4;~2	Max	I	19.8	0.0	0.0
0.0	0.0			J	19.8	0.0	0.0
0.0	0.0		Min	I	-7.7	0.0	-0.0
0.0	0.0			J	-7.7	0.0	-0.0
0.0	0.0		G1	I	-7.6	0.0	-0.7
0.0	0.0			J	-7.6	0.0	0.7
0.0	0.0		G2	I	-7.5	0.0	0.0
0.0	0.0			J	-7.5	0.0	-0.0
0.0	0.0		Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0		Q5_pc	I	4.4	0.0	0.0
0.0	0.0			J	4.4	0.0	-0.0
0.0	0.0		Q5_ps	I	3.8	0.0	-0.0
0.0	0.0			J	3.8	0.0	-0.0
0.0	0.0		INVSLU Max	I	35.9	0.0	-1.0
0.0	0.0			J	35.9	0.0	1.0
0.0	0.0		Min	I	-43.9	0.0	-1.0
0.0	0.0			J	-43.9	0.0	1.0
0.0	0.0		INVSLE Max	I	13.9	0.0	-0.7
0.0	0.0			J	13.9	0.0	0.7
0.0	0.0		Min	I	-44.6	0.0	-0.7
0.0	0.0			J	-44.6	0.0	0.7
858	2	81	C1-C2;~1	Max	42.8	0.1	0.0
0.0	0.0			J	42.8	0.1	0.0
0.5	45.7		Min	I	-13.9	-0.0	-0.0
0.0	0.0			J	-13.9	-0.0	-0.0
-1.2	-243.8		C3-C4;~1	Max	33.4	0.1	0.0
0.0	0.0			J	33.4	0.1	0.0

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.5	28.1		Min	I	-9.7	-0.0	-0.0	-0.4
0.0	0.0			J	-9.7	-0.0	-0.0	-0.4
-1.1	-217.6							
		C1-C2;~2	Max	I	28.5	0.1	0.0	1.2
0.0	0.0			J	28.5	0.1	0.0	1.2
0.3	24.0		Min	I	-8.4	-0.0	-0.0	-0.3
0.0	0.0			J	-8.4	-0.0	-0.0	-0.3
-0.7	-164.1							
		C3-C4;~2	Max	I	22.0	0.0	0.0	0.7
0.0	0.0			J	22.0	0.0	0.0	0.7
0.3	14.3		Min	I	-5.0	-0.0	-0.0	-0.2
0.0	0.0			J	-5.0	-0.0	-0.0	-0.2
-0.6	-147.9							
			G1	I	2.0	-0.0	-2.1	-0.3
0.0	0.0			J	2.0	-0.0	-0.7	-0.3
4225.6	3.0							
			G2	I	-4.1	-0.0	0.0	-0.1
0.0	0.0			J	-4.1	-0.0	0.0	-0.1
-0.5	26.4							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-11.6	-0.0	0.0	-0.1
0.0	0.0			J	-11.6	-0.0	0.0	-0.1
-0.2	16.0							
			Q5_ps	I	-13.9	-0.0	0.0	-0.2
0.0	0.0			J	-13.9	-0.0	0.0	-0.2
-0.2	25.0							
			INVSLU Max	I	-240.3	0.1	-2.8	2.4
0.0	0.0			J	-240.3	0.1	-1.0	2.4
5706.2	-25.0		Min	I	-340.9	0.0	-2.8	-0.9
0.0	0.0			J	-340.9	0.0	-1.0	-0.9
5703.5	-444.7							
			INVSLE Max	I	-192.2	0.1	-2.1	2.0
0.0	0.0			J	-192.2	0.1	-0.7	2.0
4226.9	-23.1		Min	I	-264.3	0.0	-2.1	-0.5
0.0	0.0			J	-264.3	0.0	-0.7	-0.5
4225.0	-331.9							


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


859	2	81	C1-C2;~1	Max	I	42.8	0.0	0.0	1.9
1.3	45.7				J	42.8	0.0	0.0	1.9
0.0	0.0								
-0.5	-243.8			Min	I	-13.9	-0.1	-0.0	-1.0
0.0	0.0				J	-13.9	-0.1	-0.0	-1.0
1.1	28.1			C3-C4;~1	Max	I	33.4	0.0	1.0
0.0	0.0				J	33.4	0.0	0.0	1.0
-0.5	-217.6			Min	I	-9.7	-0.1	-0.0	-0.8
0.0	0.0				J	-9.7	-0.1	-0.0	-0.8
0.7	24.0			C1-C2;~2	Max	I	28.5	0.0	1.3
0.0	0.0				J	28.5	0.0	0.0	1.3
-0.3	-164.1			Min	I	-8.4	-0.1	-0.0	-0.5
0.0	0.0				J	-8.4	-0.1	-0.0	-0.5
0.7	14.3			C3-C4;~2	Max	I	22.0	0.0	0.6
0.0	0.0				J	22.0	0.0	0.0	0.6
-0.3	-147.9			Min	I	-5.0	-0.0	-0.0	-0.4
0.0	0.0				J	-5.0	-0.0	-0.0	-0.4
4226.0	3.0			G1	I	2.0	0.0	0.6	-0.4
0.0	0.0				J	2.0	0.0	2.1	-0.4
0.6	26.4			G2	I	-4.1	0.0	0.0	-0.4
0.0	0.0				J	-4.1	0.0	0.0	-0.4
0.0	0.0			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.2	16.0			Q5_pc	I	-11.6	0.0	0.0	-0.2
0.0	0.0				J	-11.6	0.0	0.0	-0.2
0.2	25.0			Q5_ps	I	-13.9	0.0	0.0	-0.3
0.0	0.0				J	-13.9	0.0	0.0	-0.3
5706.2	-25.0			INVSLU	Max	I	-240.4	-0.0	2.9
0.0	0.0				J	-240.4	-0.0	2.8	2.9

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
5703.4	-444.7		Min	I	-340.9	-0.1	0.9	-1.3
				J	-340.9	-0.1	2.8	-1.3
0.0	0.0							
4226.7	-23.1		INVSLE Max	I	-192.2	-0.0	0.6	2.4
				J	-192.2	-0.0	2.1	2.4
0.0	0.0							
4224.6	-331.9		Min	I	-264.4	-0.1	0.6	-0.8
				J	-264.4	-0.1	2.1	-0.8
0.0	0.0							
860	2	81	C1-C2;~1 Max	I	30.1	0.0	0.0	0.4
0.0	0.0			J	30.1	0.0	0.0	0.4
0.0	0.0							
0.0	0.0		Min	I	-22.8	0.0	-0.0	-1.2
0.0	0.0			J	-22.8	0.0	0.0	-1.2
0.0	0.0							
0.0	0.0		C3-C4;~1 Max	I	30.2	0.0	0.0	0.2
				J	30.2	0.0	0.0	0.2
0.0	0.0							
0.0	0.0		Min	I	-14.1	0.0	-0.0	-1.1
0.0	0.0			J	-14.1	0.0	0.0	-1.1
0.0	0.0							
0.0	0.0		C1-C2;~2 Max	I	19.7	0.0	0.0	0.3
				J	19.7	0.0	0.0	0.3
0.0	0.0							
0.0	0.0		Min	I	-12.9	0.0	-0.0	-0.7
0.0	0.0			J	-12.9	0.0	0.0	-0.7
0.0	0.0							
0.0	0.0		C3-C4;~2 Max	I	19.7	0.0	0.0	0.1
				J	19.7	0.0	0.0	0.1
0.0	0.0							
0.0	0.0		Min	I	-7.7	0.0	-0.0	-0.6
0.0	0.0			J	-7.7	0.0	0.0	-0.6
0.0	0.0							
0.0	0.0		G1	I	-7.6	0.0	-0.7	0.1
				J	-7.6	0.0	0.7	0.1
0.0	0.0							
0.0	0.0		G2	I	-7.5	0.0	-0.0	-0.4
				J	-7.5	0.0	0.0	-0.4
0.0	0.0							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Q5_pc	I	4.4	0.0	-0.0	-0.4


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0		J	4.4	0.0	0.0	-0.4
0.0	0.0						
0.0	0.0	Q5_ps	I	3.8	0.0	-0.0	-0.4
0.0	0.0		J	3.8	0.0	0.0	-0.4
0.0	0.0						
0.0	0.0	INVSLE Max	I	35.6	0.0	-0.9	0.6
0.0	0.0		J	35.6	0.0	0.9	0.6
0.0	0.0	Min	I	-44.0	0.0	-0.9	-2.3
0.0	0.0		J	-44.0	0.0	0.9	-2.3
0.0	0.0						
0.0	0.0	INVSLE Max	I	13.7	0.0	-0.7	0.3
0.0	0.0		J	13.7	0.0	0.7	0.3
0.0	0.0	Min	I	-44.7	0.0	-0.7	-1.8
0.0	0.0		J	-44.7	0.0	0.7	-1.8
0.0	0.0						
861	2	65 C1-C2;~1 Max	I	134.5	0.0	0.0	8.7
0.0	0.0		J	134.5	0.0	0.0	8.7
0.0	0.0	Min	I	-110.7	-0.0	-0.0	-3.9
0.0	0.0		J	-110.7	-0.0	0.0	-3.9
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	158.6	0.0	0.0	9.5
0.0	0.0		J	158.6	0.0	0.0	9.5
0.0	0.0	Min	I	-79.8	-0.0	-0.0	-1.4
0.0	0.0		J	-79.8	-0.0	0.0	-1.4
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	78.3	0.0	0.0	5.4
0.0	0.0		J	78.3	0.0	0.0	5.4
0.0	0.0	Min	I	-63.4	-0.0	-0.0	-2.4
0.0	0.0		J	-63.4	-0.0	0.0	-2.4
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	92.3	0.0	0.0	5.9
0.0	0.0		J	92.3	0.0	0.0	5.9
0.0	0.0	Min	I	-43.8	-0.0	-0.0	-0.7
0.0	0.0		J	-43.8	-0.0	0.0	-0.7
0.0	0.0						
0.0	0.0	G1	I	35.8	-0.0	-1.3	2.4
0.0	0.0		J	35.8	0.0	1.3	2.4

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0						
		G2	I	13.2	-0.0	0.0	0.4
0.0	0.0		J	13.2	0.0	0.0	0.4
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	22.8	-0.0	-0.0	0.1
0.0	0.0		J	22.8	0.0	0.0	0.1
0.0	0.0						
		Q5_ps	I	24.7	-0.0	-0.0	0.1
0.0	0.0		J	24.7	0.0	0.0	0.1
0.0	0.0						
		INVSLE Max	I	257.9	-0.0	-1.8	27.9
0.0	0.0		J	257.9	0.0	1.8	27.9
0.0	0.0						
		Min	I	-146.7	-0.0	-1.8	9.6
0.0	0.0		J	-146.7	0.0	1.8	9.6
0.0	0.0						
		INVSLE Max	I	187.7	-0.0	-1.3	21.3
0.0	0.0		J	187.7	0.0	1.3	21.3
0.0	0.0						
		Min	I	-109.0	-0.0	-1.3	7.8
0.0	0.0		J	-109.0	0.0	1.3	7.8
0.0	0.0						
862	2	65 C1-C2;~1 Max	I	175.0	0.1	0.0	3.3
0.0	0.0		J	175.0	0.1	0.0	3.3
4.6	349.1						
		Min	I	-51.0	-0.1	-0.0	-10.1
0.0	0.0		J	-51.0	-0.1	-0.0	-10.1
-3.3	-247.7						
		C3-C4;~1 Max	I	144.8	0.1	0.0	3.2
0.0	0.0		J	144.8	0.1	0.0	3.2
3.4	392.0						
		Min	I	-74.5	-0.1	-0.0	-10.2
0.0	0.0		J	-74.5	-0.1	-0.0	-10.2
-3.6	-165.9						
		C1-C2;~2 Max	I	104.9	0.1	0.0	1.8
0.0	0.0		J	104.9	0.1	0.0	1.8
3.0	205.5						
		Min	I	-26.2	-0.1	-0.0	-6.4
0.0	0.0		J	-26.2	-0.1	-0.0	-6.4
-2.0	-166.2						

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0	C3-C4;~2	Max	I	84.8	0.0	0.0	1.7	
				J	84.8	0.0	0.0	1.7	
2.2	234.4		Min	I	-41.0	-0.1	-0.0	-6.3	
0.0	0.0			J	-41.0	-0.1	-0.0	-6.3	
-2.2	-108.4								
			G1	I	36.4	-0.1	-4.0	-1.9	
0.0	0.0			J	36.4	-0.1	-1.3	-1.9	
8276.3	264.4								
			G2	I	12.6	-0.0	0.0	-0.1	
0.0	0.0			J	12.6	-0.0	0.0	-0.1	
-0.5	104.1								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	-23.7	0.0	0.0	0.8	
0.0	0.0			J	-23.7	0.0	0.0	0.8	
-0.6	-53.9								
			Q5_ps	I	-26.2	0.0	0.0	1.1	
0.0	0.0			J	-26.2	0.0	0.0	1.1	
-0.7	-48.6								
			INVSLU Max	I	301.2	-0.1	-5.4	-1.7	
0.0	0.0			J	301.2	-0.1	-1.8	-1.7	1
1174.6	1297.9		Min	I	-78.3	-0.4	-5.4	-21.5	
0.0	0.0			J	-78.3	-0.4	-1.8	-21.5	1
1162.6	337.3								
			INVSLE Max	I	220.6	-0.1	-4.0	-1.7	
0.0	0.0			J	220.6	-0.1	-1.3	-1.7	
8277.3	967.0		Min	I	-57.4	-0.3	-4.0	-16.2	
0.0	0.0			J	-57.4	-0.3	-1.3	-16.2	
8268.4	262.6								
863	2	65	C1-C2;~1	Max	I	175.1	0.1	0.0	3.0
3.3	349.1			J	175.1	0.1	0.0	3.0	
0.0	0.0		Min	I	-51.0	-0.1	-0.0	-9.9	
-4.6	-247.7			J	-51.0	-0.1	-0.0	-9.9	
0.0	0.0								
			C3-C4;~1	Max	I	144.8	0.1	0.0	2.8
3.6	392.0			J	144.8	0.1	0.0	2.8	
0.0	0.0								

MIDAS

PROJECT TITLE :


		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
-3.4	-165.9		Min	I	-74.5	-0.1	-0.0	-9.9		
				J	-74.5	-0.1	-0.0	-9.9		
0.0	0.0									
		C1-C2;~2	Max	I	104.9	0.1	0.0	1.6		
2.0	205.5			J	104.9	0.1	0.0	1.6		
0.0	0.0									
			Min	I	-26.2	-0.1	-0.0	-6.2		
-3.0	-166.2			J	-26.2	-0.1	-0.0	-6.2		
0.0	0.0									
		C3-C4;~2	Max	I	84.8	0.1	0.0	1.6		
2.2	234.4			J	84.8	0.1	0.0	1.6		
0.0	0.0									
			Min	I	-41.0	-0.0	-0.0	-6.1		
-2.2	-108.4			J	-41.0	-0.0	-0.0	-6.1		
0.0	0.0									
			G1	I	36.4	0.1	1.3	-2.2		
8278.3	264.4			J	36.4	0.1	4.0	-2.2		
0.0	0.0									
			G2	I	12.6	0.0	0.0	-0.3		
0.5	104.1			J	12.6	0.0	0.0	-0.3		
0.0	0.0									
			Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0			J	0.0	0.0	0.0	0.0		
0.0	0.0									
			Q5_pc	I	-23.7	-0.0	0.0	0.6		
0.6	-53.9			J	-23.7	-0.0	0.0	0.6		
0.0	0.0									
			Q5_ps	I	-26.2	-0.0	0.0	0.9		
0.7	-48.6			J	-26.2	-0.0	0.0	0.9		
0.0	0.0									
			INVSLU	Max	I	301.3	0.4	1.8	-4.7	1
1186.2	1297.9			J	301.3	0.4	5.4	-4.7		
0.0	0.0									
			Min	I	-78.2	0.1	1.8	-23.2	1	
1174.1	337.3			J	-78.2	0.1	5.4	-23.2		
0.0	0.0									
			INVSLE	Max	I	220.7	0.3	1.3	-3.9	
8286.2	967.0			J	220.7	0.3	4.0	-3.9		
0.0	0.0									
			Min	I	-57.3	0.1	1.3	-17.6		
8277.3	262.6			J	-57.3	0.1	4.0	-17.6		
0.0	0.0									

MIDAS

PROJECT TITLE :


MIDAS	Company					Client			
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
864	2	65	C1-C2;~1	Max	I	134.6	0.0	0.0	10.3
0.0	0.0				J	134.6	0.0	0.0	10.3
0.0	0.0			Min	I	-110.6	-0.0	-0.0	-3.2
0.0	0.0				J	-110.6	-0.0	0.0	-3.2
0.0	0.0		C3-C4;~1	Max	I	158.7	0.0	0.0	9.6
0.0	0.0				J	158.7	0.0	0.0	9.6
0.0	0.0			Min	I	-79.7	-0.0	-0.0	-3.0
0.0	0.0				J	-79.7	-0.0	0.0	-3.0
0.0	0.0		C1-C2;~2	Max	I	78.3	0.0	0.0	6.8
0.0	0.0				J	78.3	0.0	0.0	6.8
0.0	0.0			Min	I	-63.3	-0.0	-0.0	-1.7
0.0	0.0				J	-63.3	-0.0	0.0	-1.7
0.0	0.0		C3-C4;~2	Max	I	92.4	0.0	0.0	6.1
0.0	0.0				J	92.4	0.0	0.0	6.1
0.0	0.0			Min	I	-43.7	-0.0	-0.0	-1.6
0.0	0.0				J	-43.7	-0.0	0.0	-1.6
0.0	0.0		G1		I	36.0	-0.0	-1.3	0.3
0.0	0.0				J	36.0	0.0	1.3	0.3
0.0	0.0		G2		I	13.3	-0.0	0.0	-0.5
0.0	0.0				J	13.3	0.0	0.0	-0.5
0.0	0.0		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc		I	22.8	-0.0	0.0	-1.1
0.0	0.0				J	22.8	0.0	0.0	-1.1
0.0	0.0		Q5_ps		I	24.7	-0.0	0.0	-1.4
0.0	0.0				J	24.7	0.0	0.0	-1.4
0.0	0.0		INVSLU	Max	I	258.5	-0.0	-1.8	16.9
0.0	0.0				J	258.5	0.0	1.8	16.9
0.0	0.0			Min	I	-146.1	-0.0	-1.8	-3.3

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0			J	-146.1	0.0	1.8	-3.3
0.0	0.0							
			INVSLE Max	I	188.2	-0.0	-1.3	12.7
0.0	0.0			J	188.2	0.0	1.3	12.7
0.0	0.0		Min	I	-108.5	-0.0	-1.3	-2.1
0.0	0.0			J	-108.5	0.0	1.3	-2.1
0.0	0.0							
865	2	65	C1-C2;~1 Max	I	109.0	0.0	0.0	12.1
0.0	0.0			J	109.0	0.0	0.0	12.1
0.0	0.0		Min	I	-161.5	-0.0	-0.0	-4.0
0.0	0.0			J	-161.5	-0.0	0.0	-4.0
0.0	0.0							
			C3-C4;~1 Max	I	147.4	0.0	0.0	13.6
0.0	0.0			J	147.4	0.0	0.0	13.6
0.0	0.0		Min	I	-120.5	-0.0	-0.0	-3.8
0.0	0.0			J	-120.5	-0.0	0.0	-3.8
0.0	0.0							
			C1-C2;~2 Max	I	59.7	0.0	0.0	7.4
0.0	0.0			J	59.7	0.0	0.0	7.4
0.0	0.0		Min	I	-92.9	-0.0	-0.0	-2.1
0.0	0.0			J	-92.9	-0.0	0.0	-2.1
0.0	0.0							
			C3-C4;~2 Max	I	82.7	0.0	0.0	8.5
0.0	0.0			J	82.7	0.0	0.0	8.5
0.0	0.0		Min	I	-67.6	-0.0	-0.0	-2.1
0.0	0.0			J	-67.6	-0.0	0.0	-2.1
0.0	0.0							
			G1	I	-6.2	-0.0	-1.3	2.6
0.0	0.0			J	-6.2	0.0	1.3	2.6
0.0	0.0							
			G2	I	-2.6	-0.0	-0.0	0.6
0.0	0.0			J	-2.6	0.0	0.0	0.6
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	34.5	-0.0	-0.0	0.4
0.0	0.0							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0		J	34.5	0.0	0.0	0.4
0.0	0.0	Q5_ps	I	37.9	-0.0	0.0	0.4
0.0	0.0		J	37.9	0.0	0.0	0.4
0.0	0.0	INVS LU Max	I	158.2	-0.0	-1.8	22.1
0.0	0.0		J	158.2	0.0	1.8	22.1
0.0	0.0	Min	I	-320.8	-0.0	-1.8	-2.4
0.0	0.0		J	-320.8	0.0	1.8	-2.4
0.0	0.0	INVS LE Max	I	111.8	-0.0	-1.3	16.5
0.0	0.0		J	111.8	0.0	1.3	16.5
0.0	0.0	Min	I	-238.4	-0.0	-1.3	-1.6
0.0	0.0		J	-238.4	0.0	1.3	-1.6
866	2	65 C1-C2;~1 Max	I	210.6	0.1	0.0	4.6
0.0	0.0		J	210.6	0.1	0.0	4.6
3.8	446.2	Min	I	-87.8	-0.1	-0.0	-9.2
0.0	0.0		J	-87.8	-0.1	-0.0	-9.2
-5.1	-201.6						
0.0	0.0	C3-C4;~1 Max	I	163.5	0.0	0.0	4.4
0.0	0.0		J	163.5	0.0	0.0	4.4
2.8	460.2	Min	I	-116.6	-0.1	-0.0	-9.1
0.0	0.0		J	-116.6	-0.1	-0.0	-9.1
-5.5	-148.8						
0.0	0.0	C1-C2;~2 Max	I	123.8	0.0	0.0	2.5
0.0	0.0		J	123.8	0.0	0.0	2.5
2.6	274.4	Min	I	-46.3	-0.1	-0.0	-6.0
0.0	0.0		J	-46.3	-0.1	-0.0	-6.0
-3.1	-134.4						
0.0	0.0	C3-C4;~2 Max	I	93.4	0.0	0.0	2.4
0.0	0.0		J	93.4	0.0	0.0	2.4
1.9	281.6	Min	I	-63.8	-0.1	-0.0	-5.8
0.0	0.0		J	-63.8	-0.1	-0.0	-5.8
-3.3	-95.9						
0.0	0.0	G1	I	7.8	-0.1	-4.0	1.3
0.0	0.0		J	7.8	-0.1	-1.3	1.3
8247.3	320.3						


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0	G2	I	0.8	-0.0	0.0	1.1	
-1.1	130.2		J	0.8	-0.0	0.0	1.1	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Q5_pc	I	-37.9	0.0	0.0	0.7	
-0.5	-41.7		J	-37.9	0.0	0.0	0.7	
0.0	0.0	Q5_ps	I	-41.5	0.0	0.0	1.0	
-0.6	-36.2		J	-41.5	0.0	0.0	1.0	
0.0	0.0	INVS LU Max	I	257.5	-0.1	-5.4	14.2	
1135.7	1393.2		J	257.5	-0.1	-1.8	14.2	1
0.0	0.0	Min	I	-252.3	-0.4	-5.4	-5.7	
1122.3	424.7		J	-252.3	-0.4	-1.8	-5.7	1
0.0	0.0	INVS LE Max	I	184.8	-0.1	-4.0	10.5	
8248.5	1031.7		J	184.8	-0.1	-1.3	10.5	
0.0	0.0	Min	I	-187.9	-0.3	-4.0	-4.1	
8238.6	319.8		J	-187.9	-0.3	-1.3	-4.1	
867	2	65 C1-C2;~1 Max	I	210.7	0.1	0.0	4.3	
5.1	446.2		J	210.7	0.1	0.0	4.3	
0.0	0.0	Min	I	-87.8	-0.1	-0.0	-9.3	
-3.9	-201.6		J	-87.8	-0.1	-0.0	-9.3	
0.0	0.0	C3-C4;~1 Max	I	163.5	0.1	0.0	4.1	
5.5	460.2		J	163.5	0.1	0.0	4.1	
0.0	0.0	Min	I	-116.6	-0.0	-0.0	-9.6	
-2.9	-148.8		J	-116.6	-0.0	-0.0	-9.6	
0.0	0.0	C1-C2;~2 Max	I	123.8	0.1	0.0	2.4	
3.1	274.4		J	123.8	0.1	0.0	2.4	
0.0	0.0	Min	I	-46.3	-0.0	-0.0	-6.0	
-2.6	-134.4		J	-46.3	-0.0	-0.0	-6.0	
0.0	0.0							

MIDAS


PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
			C3-C4;~2	Max	I	93.4	0.1	0.0	2.3	
3.4	281.6				J	93.4	0.1	0.0	2.3	
0.0	0.0									
				Min	I	-63.8	-0.0	-0.0	-6.0	
-1.9	-95.9				J	-63.8	-0.0	-0.0	-6.0	
0.0	0.0									
				G1	I	7.9	0.1	1.3	0.4	
8252.2	320.3				J	7.9	0.1	4.0	0.4	
0.0	0.0									
				G2	I	0.9	0.0	0.0	0.7	
1.1	130.2				J	0.9	0.0	0.0	0.7	
0.0	0.0									
				Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
				Q5_pc	I	-37.9	-0.0	0.0	0.5	
0.5	-41.7				J	-37.9	-0.0	0.0	0.5	
0.0	0.0									
				Q5_ps	I	-41.5	-0.0	0.0	0.8	
0.6	-36.2				J	-41.5	-0.0	0.0	0.8	
0.0	0.0									
				INVS LU Max	I	257.7	0.4	1.8	11.0	1
1152.1	1393.2				J	257.7	0.4	5.4	11.0	
0.0	0.0									
				Min	I	-252.2	0.1	1.8	-8.7	1
1138.6	424.7				J	-252.2	0.1	5.3	-8.7	
0.0	0.0									
				INVS LE Max	I	184.9	0.3	1.3	8.1	
8260.9	1031.7				J	184.9	0.3	4.0	8.1	
0.0	0.0									
				Min	I	-187.8	0.1	1.3	-6.4	
8251.0	319.8				J	-187.8	0.1	4.0	-6.4	
0.0	0.0									
				65 C1-C2;~1 Max	I	109.1	0.0	0.0	11.2	
868	2				J	109.1	0.0	0.0	11.2	
0.0	0.0									
				Min	I	-161.3	0.0	-0.0	-5.1	
0.0	0.0				J	-161.3	0.0	-0.0	-5.1	
0.0	0.0									
				C3-C4;~1 Max	I	147.6	0.0	0.0	9.7	
0.0	0.0				J	147.6	0.0	0.0	9.7	
0.0	0.0									
				Min	I	-120.4	0.0	-0.0	-4.7	

PROJECT TITLE :


MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	-120.4	0.0	-0.0	-4.7
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	59.7	0.0	0.0	7.7
0.0	0.0		J	59.7	0.0	0.0	7.7
0.0	0.0	Min	I	-92.8	0.0	-0.0	-2.8
0.0	0.0		J	-92.8	0.0	-0.0	-2.8
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	82.8	0.0	0.0	6.5
0.0	0.0		J	82.8	0.0	0.0	6.5
0.0	0.0	Min	I	-67.5	0.0	-0.0	-2.6
0.0	0.0		J	-67.5	0.0	-0.0	-2.6
0.0	0.0						
0.0	0.0	G1	I	-6.0	0.0	-1.3	-2.3
0.0	0.0		J	-6.0	0.0	1.3	-2.3
0.0	0.0						
0.0	0.0	G2	I	-2.5	0.0	0.0	-1.6
0.0	0.0		J	-2.5	0.0	-0.0	-1.6
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc	I	34.5	0.0	0.0	-0.5
0.0	0.0		J	34.5	0.0	-0.0	-0.5
0.0	0.0						
0.0	0.0	Q5_ps	I	37.9	0.0	0.0	-0.8
0.0	0.0		J	37.9	0.0	-0.0	-0.8
0.0	0.0						
0.0	0.0	INVSLU Max	I	158.9	0.0	-1.8	4.6
0.0	0.0		J	158.9	0.0	1.8	4.6
0.0	0.0	Min	I	-320.1	0.0	-1.8	-18.3
0.0	0.0		J	-320.1	0.0	1.8	-18.3
0.0	0.0						
0.0	0.0	INVSLE Max	I	112.4	0.0	-1.3	3.3
0.0	0.0		J	112.4	0.0	1.3	3.3
0.0	0.0	Min	I	-237.9	0.0	-1.3	-13.7
0.0	0.0		J	-237.9	0.0	1.3	-13.7
0.0	0.0						
869	2	65 C1-C2;~1 Max	I	101.2	0.0	0.0	11.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0			J	101.2	0.0	11.0
0.0	0.0		Min	I	-210.6	0.0	-5.9
0.0	0.0			J	-210.6	0.0	-5.9
0.0	0.0					-0.0	
0.0	0.0		C3-C4;~1 Max	I	141.2	0.0	12.4
0.0	0.0			J	141.2	0.0	12.4
0.0	0.0		Min	I	-161.3	0.0	-5.2
0.0	0.0			J	-161.3	0.0	-5.2
0.0	0.0					-0.0	
0.0	0.0		C1-C2;~2 Max	I	53.8	0.0	7.0
0.0	0.0			J	53.8	0.0	7.0
0.0	0.0		Min	I	-120.3	0.0	-3.4
0.0	0.0			J	-120.3	0.0	-3.4
0.0	0.0					-0.0	
0.0	0.0		C3-C4;~2 Max	I	77.3	0.0	8.0
0.0	0.0			J	77.3	0.0	8.0
0.0	0.0		Min	I	-91.0	0.0	-2.9
0.0	0.0			J	-91.0	0.0	-2.9
0.0	0.0					-0.0	
0.0	0.0		G1	I	-29.9	0.0	-1.5
0.0	0.0			J	-29.9	0.0	1.3
0.0	0.0					1.3	-1.5
0.0	0.0						
0.0	0.0		G2	I	-11.5	0.0	-0.9
0.0	0.0			J	-11.5	0.0	-0.9
0.0	0.0					0.0	
0.0	0.0		Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0					0.0	
0.0	0.0		Q5_pc	I	52.7	0.0	1.0
0.0	0.0			J	52.7	0.0	1.0
0.0	0.0					0.0	
0.0	0.0		Q5_ps	I	56.3	0.0	0.9
0.0	0.0			J	56.3	0.0	0.9
0.0	0.0					0.0	
0.0	0.0		INVSLU Max	I	141.5	0.0	-1.8
0.0	0.0			J	141.5	0.0	1.8
0.0	0.0		Min	I	-428.2	0.0	-20.3
0.0	0.0					-1.8	

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	-428.2	0.0	1.8	-20.3
0.0	0.0	INVSLE Max	I	98.8	0.0	-1.3	4.3
0.0	0.0		J	98.8	0.0	1.3	4.3
0.0	0.0	Min	I	-316.1	0.0	-1.3	-15.2
0.0	0.0		J	-316.1	0.0	1.3	-15.2
870	2	65 C1-C2;~1 Max	I	217.5	0.0	0.0	5.6
0.0	0.0		J	217.5	0.0	0.0	5.6
3.7	531.9	Min	I	-122.6	-0.2	-0.0	-7.0
0.0	0.0		J	-122.6	-0.2	-0.0	-7.0
-5.9	-116.1						
0.0	0.0	C3-C4;~1 Max	I	160.8	0.0	0.0	5.1
2.8	517.3		J	160.8	0.0	0.0	5.1
0.0	0.0	Min	I	-160.8	-0.2	-0.0	-6.6
-6.5	-130.4		J	-160.8	-0.2	-0.0	-6.6
0.0	0.0	C1-C2;~2 Max	I	125.1	0.0	0.0	3.0
2.4	330.7		J	125.1	0.0	0.0	3.0
0.0	0.0	Min	I	-65.1	-0.1	-0.0	-4.7
-3.7	-70.1		J	-65.1	-0.1	-0.0	-4.7
0.0	0.0	C3-C4;~2 Max	I	89.8	0.0	0.0	2.8
1.8	318.0		J	89.8	0.0	0.0	2.8
0.0	0.0	Min	I	-88.2	-0.1	-0.0	-4.3
-4.1	-75.8		J	-88.2	-0.1	-0.0	-4.3
0.0	0.0	G1	I	-32.5	-0.1	-4.0	4.6
8250.8	309.1		J	-32.5	-0.1	-1.4	4.6
0.0	0.0	G2	I	-15.6	-0.0	0.0	2.4
-1.0	110.0		J	-15.6	-0.0	0.0	2.4
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-56.3	-0.0	0.0	1.0
0.0	0.0		J	-56.3	-0.0	0.0	1.0


MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-2.2	42.7							
			Q5_ps	I	-60.5	-0.0	0.0	1.2
0.0	0.0			J	-60.5	-0.0	0.0	1.2
-2.3	35.2							
			INVSLU Max	I	199.7	-0.1	-5.4	25.0
0.0	0.0			J	199.7	-0.1	-1.8	25.0
1145.1	1263.1							1
			Min	I	-412.4	-0.4	-5.4	6.3
0.0	0.0			J	-412.4	-0.4	-1.8	6.3
1127.3	292.3							1
			INVSLE Max	I	140.1	-0.1	-4.0	18.6
0.0	0.0			J	140.1	-0.1	-1.4	18.6
8255.5	928.0							
			Min	I	-305.8	-0.3	-4.0	4.9
0.0	0.0			J	-305.8	-0.3	-1.4	4.9
8242.6	214.6							
871	2	65	C1-C2;~1 Max	I	217.6	0.2	0.0	5.6
6.0	531.9			J	217.6	0.2	0.0	5.6
0.0	0.0							
			Min	I	-122.6	-0.0	-0.0	-7.6
-3.7	-116.1			J	-122.6	-0.0	-0.0	-7.6
0.0	0.0							
			C3-C4;~1 Max	I	160.8	0.2	0.0	5.1
6.6	517.3			J	160.8	0.2	0.0	5.1
0.0	0.0							
			Min	I	-160.7	-0.0	-0.0	-7.2
-2.9	-130.4			J	-160.7	-0.0	-0.0	-7.2
0.0	0.0							
			C1-C2;~2 Max	I	125.2	0.1	0.0	3.1
3.7	330.7			J	125.2	0.1	0.0	3.1
0.0	0.0							
			Min	I	-65.1	-0.0	-0.0	-5.1
-2.5	-70.1			J	-65.1	-0.0	-0.0	-5.1
0.0	0.0							
			C3-C4;~2 Max	I	89.8	0.1	0.0	2.8
4.1	318.0			J	89.8	0.1	0.0	2.8
0.0	0.0							
			Min	I	-88.2	-0.0	-0.0	-4.7
-1.8	-75.8			J	-88.2	-0.0	-0.0	-4.7
0.0	0.0							
			G1	I	-32.5	0.1	1.3	4.0
8254.4	309.1			J	-32.5	0.1	4.0	4.0
0.0	0.0							

MIDAS


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
1.0	110.0	G2	I	-15.6	0.0	0.0	2.1
0.0	0.0		J	-15.6	0.0	0.0	2.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
2.3	42.7	Q5_pc	I	-56.3	0.0	0.0	0.1
0.0	0.0		J	-56.3	0.0	0.0	0.1
2.4	35.2	Q5_ps	I	-60.5	0.0	0.0	0.3
0.0	0.0		J	-60.5	0.0	0.0	0.3
1154.9	1263.1	INVSLE Max	I	199.9	0.4	1.7	23.2
0.0	0.0		J	199.9	0.4	5.3	23.2
1136.8	292.3	Min	I	-412.3	0.1	1.7	5.1
0.0	0.0		J	-412.3	0.1	5.3	5.1
8262.7	928.0	INVSLE Max	I	140.2	0.3	1.3	17.4
0.0	0.0		J	140.2	0.3	4.0	17.4
8249.6	214.6	Min	I	-305.7	0.1	1.3	4.0
0.0	0.0		J	-305.7	0.1	4.0	4.0
872	2	65 C1-C2;~1 Max	I	101.3	0.0	0.0	9.3
0.0	0.0		J	101.3	0.0	0.0	9.3
0.0	0.0	Min	I	-210.5	-0.0	-0.0	-4.8
0.0	0.0		J	-210.5	-0.0	-0.0	-4.8
0.0	0.0	C3-C4;~1 Max	I	141.4	0.0	0.0	7.5
0.0	0.0		J	141.4	0.0	0.0	7.5
0.0	0.0	Min	I	-161.2	-0.0	-0.0	-5.0
0.0	0.0		J	-161.2	-0.0	-0.0	-5.0
0.0	0.0	C1-C2;~2 Max	I	53.8	0.0	0.0	6.4
0.0	0.0		J	53.8	0.0	0.0	6.4
0.0	0.0	Min	I	-120.3	-0.0	-0.0	-2.5
0.0	0.0		J	-120.3	-0.0	-0.0	-2.5
0.0	0.0	C3-C4;~2 Max	I	77.4	0.0	0.0	5.2

PROJECT TITLE :


MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	77.4	0.0	0.0	5.2
0.0	0.0	Min	I	-91.0	-0.0	-0.0	-2.5
0.0	0.0		J	-91.0	-0.0	-0.0	-2.5
0.0	0.0	G1	I	-29.7	-0.0	-1.3	-5.1
0.0	0.0		J	-29.7	0.0	1.3	-5.1
0.0	0.0	G2	I	-11.4	-0.0	0.0	-2.9
0.0	0.0		J	-11.4	0.0	-0.0	-2.9
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	52.7	-0.0	0.0	-3.6
0.0	0.0		J	52.7	0.0	0.0	-3.6
0.0	0.0	Q5_ps	I	56.4	-0.0	0.0	-3.8
0.0	0.0		J	56.4	0.0	-0.0	-3.8
0.0	0.0	INVSLE Max	I	142.1	-0.0	-1.8	-1.5
0.0	0.0		J	142.1	0.0	1.8	-1.5
0.0	0.0	Min	I	-427.8	-0.0	-1.8	-27.2
0.0	0.0		J	-427.8	0.0	1.8	-27.2
0.0	0.0	INVSLE Max	I	99.3	-0.0	-1.3	-1.6
0.0	0.0		J	99.3	0.0	1.3	-1.6
0.0	0.0	Min	I	-315.8	-0.0	-1.3	-20.1
0.0	0.0		J	-315.8	0.0	1.3	-20.1
873	2	65 C1-C2;~1 Max	I	112.1	0.0	0.0	8.9
0.0	0.0		J	112.1	0.0	0.0	8.9
0.0	0.0	Min	I	-239.3	0.0	0.0	-6.1
0.0	0.0		J	-239.3	-0.0	-0.0	-6.1
0.0	0.0	C3-C4;~1 Max	I	128.3	0.0	0.0	9.9
0.0	0.0		J	128.3	0.0	0.0	9.9
0.0	0.0	Min	I	-195.0	0.0	0.0	-4.2
0.0	0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0		J	-195.0	-0.0	-0.0	-4.2
0.0	0.0	C1-C2;~2 Max	I	60.3	0.0	0.0	5.8
0.0	0.0		J	60.3	0.0	0.0	5.8
0.0	0.0	Min	I	-134.7	0.0	0.0	-3.5
0.0	0.0		J	-134.7	-0.0	-0.0	-3.5
0.0	0.0	C3-C4;~2 Max	I	70.8	0.0	0.0	6.4
0.0	0.0		J	70.8	0.0	0.0	6.4
0.0	0.0	Min	I	-109.3	0.0	0.0	-2.2
0.0	0.0		J	-109.3	-0.0	-0.0	-2.2
0.0	0.0	G1	I	-53.3	0.0	-1.3	-1.7
0.0	0.0		J	-53.3	0.0	1.3	-1.7
0.0	0.0	G2	I	-20.5	0.0	0.0	-1.3
0.0	0.0		J	-20.5	0.0	0.0	-1.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	86.0	0.0	0.0	1.4
0.0	0.0		J	86.0	0.0	0.0	1.4
0.0	0.0	Q5_ps	I	87.2	0.0	0.0	1.4
0.0	0.0		J	87.2	0.0	0.0	1.4
0.0	0.0	INVSLU Max	I	107.4	0.0	-1.8	3.6
0.0	0.0		J	107.4	0.0	1.8	3.6
0.0	0.0	Min	I	-543.6	0.0	-1.8	-20.6
0.0	0.0		J	-543.6	0.0	1.8	-20.6
0.0	0.0	INVSLE Max	I	71.4	0.0	-1.3	2.3
0.0	0.0		J	71.4	0.0	1.3	2.3
0.0	0.0	Min	I	-399.4	0.0	-1.3	-15.4
0.0	0.0		J	-399.4	0.0	1.3	-15.4
874	2	65 C1-C2;~1 Max	I	190.0	0.1	0.0	8.2
0.0	0.0						

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
2.3	168.3		J	190.0	0.1	0.0	8.2	
		Min	I	-183.5	-0.1	-0.0	-2.3	
0.0	0.0		J	-183.5	-0.1	-0.0	-2.3	
-8.0	-312.0							
		C3-C4;~1 Max	I	138.8	0.1	0.0	7.9	
0.0	0.0		J	138.8	0.1	0.0	7.9	
1.6	163.4	Min	I	-200.5	-0.1	-0.0	-1.2	
0.0	0.0		J	-200.5	-0.1	-0.0	-1.2	
-9.1	-345.1							
		C1-C2;~2 Max	I	108.4	0.1	0.0	4.4	
0.0	0.0		J	108.4	0.1	0.0	4.4	
1.2	107.9	Min	I	-99.4	-0.0	-0.0	-1.6	
0.0	0.0		J	-99.4	-0.0	-0.0	-1.6	
-4.7	-166.1							
		C3-C4;~2 Max	I	77.7	0.1	0.0	4.2	
0.0	0.0		J	77.7	0.1	0.0	4.2	
0.8	106.2	Min	I	-110.7	-0.0	-0.0	-0.8	
0.0	0.0		J	-110.7	-0.0	-0.0	-0.8	
-5.4	-186.4							
		G1	I	-103.7	0.1	-4.0	9.8	
0.0	0.0		J	-103.7	0.1	-1.3	9.8	
8223.4	-266.0							
		G2	I	-42.8	0.0	0.0	3.9	
0.0	0.0		J	-42.8	0.0	0.0	3.9	
-1.5	-98.2							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	-29.6	-0.2	0.0	3.7	
0.0	0.0		J	-29.6	-0.2	0.0	3.7	
-6.5	489.8							
		Q5_ps	I	-34.3	-0.1	0.0	3.6	
0.0	0.0		J	-34.3	-0.1	0.0	3.6	
-6.2	464.6							
		INVSLU Max	I	7.4	0.5	-5.3	38.6	
0.0	0.0		J	7.4	0.5	-1.8	38.6	1
1110.1	113.3	Min	I	-572.9	-0.0	-5.3	16.6	
0.0	0.0		J	-572.9	-0.0	-1.8	16.6	1

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

1081.0	-1677.8							
		INVSLE Max	I	-0.4	0.4	-4.0	28.5	
0.0	0.0		J	-0.4	0.4	-1.3	28.5	
8229.0	18.6							
		Min	I	-426.3	-0.0	-4.0	12.9	
0.0	0.0		J	-426.3	-0.0	-1.3	12.9	
8208.5	-1204.9							
875	2	65 C1-C2;~1 Max	I	190.0	0.1	0.0	8.4	
7.9	168.3		J	190.0	0.1	0.0	8.4	
0.0	0.0							
		Min	I	-183.5	-0.1	-0.0	-4.0	
-2.3	-312.0		J	-183.5	-0.1	-0.0	-4.0	
0.0	0.0							
		C3-C4;~1 Max	I	138.8	0.1	0.0	7.3	
9.0	163.4		J	138.8	0.1	0.0	7.3	
0.0	0.0							
		Min	I	-200.5	-0.1	-0.0	-3.4	
-1.6	-345.1		J	-200.5	-0.1	-0.0	-3.4	
0.0	0.0							
		C1-C2;~2 Max	I	108.4	0.0	0.0	4.6	
4.7	107.9		J	108.4	0.0	0.0	4.6	
0.0	0.0							
		Min	I	-99.5	-0.1	-0.0	-2.8	
-1.2	-166.1		J	-99.5	-0.1	-0.0	-2.8	
0.0	0.0							
		C3-C4;~2 Max	I	77.7	0.0	0.0	3.9	
5.4	106.2		J	77.7	0.0	0.0	3.9	
0.0	0.0							
		Min	I	-110.7	-0.1	-0.0	-2.3	
-0.8	-186.4		J	-110.7	-0.1	-0.0	-2.3	
0.0	0.0							
		G1	I	-103.8	-0.1	1.4	8.0	
8233.2	-266.0		J	-103.8	-0.1	4.0	8.0	
0.0	0.0							
		G2	I	-42.8	-0.0	0.0	3.4	
1.5	-98.2		J	-42.8	-0.0	0.0	3.4	
0.0	0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	-29.5	0.2	0.0	1.4	
6.4	489.8		J	-29.5	0.2	0.0	1.4	
0.0	0.0							


MIDAS

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

6.2	464.6	Q5_ps	I	-34.2	0.2	0.0	1.4	
0.0	0.0		J	-34.2	0.2	0.0	1.4	
1135.2	113.3	INVSLE Max	I	7.3	0.0	1.8	33.4	1
0.0	0.0		J	7.3	0.0	5.4	33.4	
1106.3	-1677.8	Min	I	-573.0	-0.5	1.8	14.2	1
0.0	0.0		J	-573.0	-0.5	5.4	14.2	
8247.9	18.6	INVSLE Max	I	-0.5	0.0	1.4	24.8	
0.0	0.0		J	-0.5	0.0	4.0	24.8	
8227.6	-1204.9	Min	I	-426.4	-0.4	1.3	10.8	
0.0	0.0		J	-426.4	-0.4	4.0	10.8	
876	2	65 C1-C2;~1 Max	I	112.0	0.0	0.0	2.3	
0.0	0.0		J	112.0	0.0	0.0	2.3	
0.0	0.0	Min	I	-239.3	0.0	-0.0	-9.8	
0.0	0.0		J	-239.3	-0.0	-0.0	-9.8	
0.0	0.0							
0.0	0.0	C3-C4;~1 Max	I	128.3	0.0	0.0	1.2	
0.0	0.0		J	128.3	0.0	0.0	1.2	
0.0	0.0	Min	I	-195.0	0.0	-0.0	-10.9	
0.0	0.0		J	-195.0	-0.0	-0.0	-10.9	
0.0	0.0							
0.0	0.0	C1-C2;~2 Max	I	60.2	0.0	0.0	1.3	
0.0	0.0		J	60.2	0.0	0.0	1.3	
0.0	0.0	Min	I	-134.7	0.0	-0.0	-5.0	
0.0	0.0		J	-134.7	-0.0	-0.0	-5.0	
0.0	0.0							
0.0	0.0	C3-C4;~2 Max	I	70.7	0.0	0.0	0.7	
0.0	0.0		J	70.7	0.0	0.0	0.7	
0.0	0.0	Min	I	-109.4	0.0	-0.0	-5.7	
0.0	0.0		J	-109.4	-0.0	-0.0	-5.7	
0.0	0.0							
0.0	0.0	G1	I	-53.5	0.0	-1.3	-11.7	
0.0	0.0		J	-53.5	0.0	1.3	-11.7	
0.0	0.0							
		G2	I	-20.5	0.0	0.0	-4.4	

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0		J	-20.5	0.0	-0.0	-4.4
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	86.3	0.0	0.0	-11.7
0.0	0.0		J	86.3	0.0	0.0	-11.7
0.0	0.0						
		Q5_ps	I	87.5	0.0	0.0	-11.2
0.0	0.0		J	87.5	0.0	0.0	-11.2
0.0	0.0						
		INVS LU Max	I	107.1	0.0	-1.8	-10.8
0.0	0.0		J	107.1	0.0	1.8	-10.8
0.0	0.0						
		Min	I	-544.4	0.0	-1.8	-54.7
0.0	0.0		J	-544.4	0.0	1.8	-54.7
0.0	0.0						
		INVS LE Max	I	71.2	0.0	-1.3	-9.6
0.0	0.0		J	71.2	0.0	1.3	-9.6
0.0	0.0						
		Min	I	-400.0	0.0	-1.3	-40.0
0.0	0.0		J	-400.0	0.0	1.3	-40.0
0.0	0.0						
877	2	65 C1-C2;~1 Max	I	234.4	0.0	0.0	0.4
0.0	0.0		J	234.4	0.0	0.0	0.4
0.0	0.0						
		Min	I	-161.3	0.0	-0.0	-14.3
0.0	0.0		J	-161.3	0.0	0.0	-14.3
0.0	0.0						
		C3-C4;~1 Max	I	181.9	0.0	0.0	0.5
0.0	0.0		J	181.9	0.0	0.0	0.5
0.0	0.0						
		Min	I	-164.7	0.0	-0.0	-13.0
0.0	0.0		J	-164.7	0.0	0.0	-13.0
0.0	0.0						
		C1-C2;~2 Max	I	131.7	0.0	0.0	0.2
0.0	0.0		J	131.7	0.0	0.0	0.2
0.0	0.0						
		Min	I	-87.3	0.0	-0.0	-7.5
0.0	0.0		J	-87.3	0.0	0.0	-7.5
0.0	0.0						
		C3-C4;~2 Max	I	100.5	0.0	0.0	0.2
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	100.5	0.0	0.0	0.2
0.0	0.0	Min	I	-91.4	0.0	-0.0	-6.7
0.0	0.0		J	-91.4	0.0	0.0	-6.7
0.0	0.0	G1	I	-11.1	0.0	-1.4	-17.1
0.0	0.0		J	-11.1	0.0	1.4	-17.1
0.0	0.0	G2	I	-7.0	0.0	-0.0	-6.0
0.0	0.0		J	-7.0	0.0	0.0	-6.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-25.0	0.0	-0.0	0.4
0.0	0.0		J	-25.0	0.0	0.0	0.4
0.0	0.0	Q5_ps	I	-29.6	0.0	-0.0	0.6
0.0	0.0		J	-29.6	0.0	0.0	0.6
0.0	0.0	INVS LU Max	I	196.4	0.0	-1.8	-36.2
0.0	0.0		J	196.4	0.0	1.8	-36.2
0.0	0.0	Min	I	-387.3	0.0	-1.8	-57.0
0.0	0.0		J	-387.3	0.0	1.8	-57.0
0.0	0.0	INVS LE Max	I	137.4	0.0	-1.4	-27.1
0.0	0.0		J	137.4	0.0	1.4	-27.1
0.0	0.0	Min	I	-291.6	0.0	-1.4	-42.5
0.0	0.0		J	-291.6	0.0	1.4	-42.5
878	2	65 C1-C2;~1 Max	I	99.6	0.1	0.0	5.6
0.0	0.0		J	99.6	0.1	0.0	5.6
10.9	389.6	Min	I	-294.3	-0.1	-0.0	-3.8
0.0	0.0		J	-294.3	-0.1	-0.0	-3.8
-0.4	-186.6	C3-C4;~1 Max	I	98.4	0.1	0.0	6.3
0.0	0.0		J	98.4	0.1	0.0	6.3
10.1	335.1	Min	I	-243.2	-0.1	-0.0	-3.5
0.0	0.0		J	-243.2	-0.1	-0.0	-3.5


MIDAS

PROJECT TITLE :

MIDAS		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.6	-195.6								
			C1-C2;~2	Max	I	54.6	0.0	0.0	3.0
0.0	0.0				J	54.6	0.0	0.0	3.0
6.4	219.0								
				Min	I	-164.8	-0.1	-0.0	-2.6
0.0	0.0				J	-164.8	-0.1	-0.0	-2.6
-0.2	-119.9								
			C3-C4;~2	Max	I	55.0	0.0	0.0	3.4
0.0	0.0				J	55.0	0.0	0.0	3.4
5.8	181.0								
				Min	I	-135.0	-0.1	-0.0	-2.3
0.0	0.0				J	-135.0	-0.1	-0.0	-2.3
-0.2	-123.3								
					I	-146.2	-0.1	-4.0	6.2
0.0	0.0				J	-146.2	-0.1	-1.4	6.2
8240.5	218.7								
					I	-56.2	-0.0	-0.0	2.8
0.0	0.0				J	-56.2	-0.0	-0.0	2.8
2.8	73.1								
					I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
					I	81.5	0.1	0.0	6.0
0.0	0.0				J	81.5	0.1	0.0	6.0
-2.9	-313.7								
					I	82.8	0.1	0.0	5.8
0.0	0.0				J	82.8	0.1	0.0	5.8
-3.1	-308.1								
					I	-68.4	-0.0	-5.4	33.6
0.0	0.0				J	-68.4	-0.0	-1.9	33.6
1146.6	1583.5								
					I	-746.9	-0.5	-5.4	7.3
0.0	0.0				J	-746.9	-0.5	-1.9	7.3
1124.3	146.5								
					I	-56.0	-0.1	-4.0	24.7
0.0	0.0				J	-56.0	-0.1	-1.4	24.7
8256.6	1168.7								
					I	-547.8	-0.4	-4.0	6.3
0.0	0.0				J	-547.8	-0.4	-1.4	6.3
8240.6	159.5								
					I	99.7	0.1	0.0	7.4
879	2	65	C1-C2;~1	Max	J	99.7	0.1	0.0	7.4
0.5	389.6								

MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
0.0	0.0		Min	I	-294.3	-0.1	-0.0	-1.6		
-11.4	-186.6			J	-294.3	-0.1	-0.0	-1.6		
0.0	0.0									
0.6	335.1	C3-C4;~1	Max	I	98.4	0.1	0.0	7.5		
0.0	0.0			J	98.4	0.1	0.0	7.5		
-10.5	-195.6		Min	I	-243.2	-0.1	-0.0	-1.2		
0.0	0.0			J	-243.2	-0.1	-0.0	-1.2		
0.2	219.0	C1-C2;~2	Max	I	54.6	0.1	0.0	4.1		
0.0	0.0			J	54.6	0.1	0.0	4.1		
-6.6	-119.9		Min	I	-164.8	-0.0	-0.0	-1.1		
0.0	0.0			J	-164.8	-0.0	-0.0	-1.1		
0.3	181.0	C3-C4;~2	Max	I	55.0	0.1	0.0	4.0		
0.0	0.0			J	55.0	0.1	0.0	4.0		
-6.0	-123.3		Min	I	-135.0	-0.0	-0.0	-0.8		
0.0	0.0			J	-135.0	-0.0	-0.0	-0.8		
8221.4	218.7		G1	I	-146.2	0.1	1.2	9.7		
0.0	0.0			J	-146.2	0.1	3.9	9.7		
-2.9	73.1		G2	I	-56.1	0.0	-0.0	3.9		
0.0	0.0			J	-56.1	0.0	-0.0	3.9		
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0			J	0.0	0.0	0.0	0.0		
3.0	-313.7		Q5_pc	I	81.5	-0.1	0.0	4.9		
0.0	0.0			J	81.5	-0.1	0.0	4.9		
3.2	-308.1		Q5_ps	I	82.8	-0.1	0.0	4.7		
0.0	0.0			J	82.8	-0.1	0.0	4.7		
1099.2	1583.5		INVSLU	Max	I	-68.3	0.5	1.7	40.6	1
0.0	0.0			J	-68.3	0.5	5.3	40.6		
1076.1	146.5		Min	I	-746.8	0.0	1.7	17.5	1	
0.0	0.0			J	-746.8	0.0	5.3	17.5		


MIDAS

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


8221.2	1168.7	INVSLE Max	I	-56.0	0.4	1.2	30.0
0.0	0.0		J	-56.0	0.4	3.9	30.0
8204.6	159.5	Min	I	-547.7	0.1	1.2	13.7
0.0	0.0		J	-547.7	0.1	3.9	13.7
880	2	65 C1-C2;~1 Max	I	234.5	0.0	0.0	11.2
0.0	0.0		J	234.5	0.0	0.0	11.2
0.0	0.0	Min	I	-161.2	-0.0	-0.0	-2.8
0.0	0.0		J	-161.2	-0.0	-0.0	-2.8
0.0	0.0	C3-C4;~1 Max	I	181.9	0.0	0.0	10.0
0.0	0.0		J	181.9	0.0	0.0	10.0
0.0	0.0	Min	I	-164.6	-0.0	-0.0	-2.7
0.0	0.0		J	-164.6	-0.0	-0.0	-2.7
0.0	0.0	C1-C2;~2 Max	I	131.8	0.0	0.0	7.6
0.0	0.0		J	131.8	0.0	0.0	7.6
0.0	0.0	Min	I	-87.3	-0.0	-0.0	-1.5
0.0	0.0		J	-87.3	-0.0	-0.0	-1.5
0.0	0.0	C3-C4;~2 Max	I	100.5	0.0	0.0	6.5
0.0	0.0		J	100.5	0.0	0.0	6.5
0.0	0.0	Min	I	-91.3	-0.0	-0.0	-1.4
0.0	0.0		J	-91.3	-0.0	-0.0	-1.4
0.0	0.0	G1	I	-11.0	-0.0	-1.3	2.3
0.0	0.0		J	-11.0	0.0	1.3	2.3
0.0	0.0	G2	I	-7.0	-0.0	0.0	-0.2
0.0	0.0		J	-7.0	0.0	-0.0	-0.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-25.2	-0.0	0.0	-5.5
0.0	0.0		J	-25.2	0.0	0.0	-5.5

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0	Q5_ps	I	-29.8	-0.0	0.0	-5.7
0.0	0.0		J	-29.8	0.0	0.0	-5.7
0.0	0.0	INVS LU Max	I	197.3	-0.0	-1.8	18.4
0.0	0.0		J	197.3	0.0	1.8	18.4
0.0	0.0	Min	I	-386.9	-0.0	-1.8	-12.3
0.0	0.0		J	-386.9	-0.0	1.8	-12.3
0.0	0.0	INVS LE Max	I	138.1	-0.0	-1.3	13.1
0.0	0.0		J	138.1	0.0	1.3	13.1
0.0	0.0	Min	I	-291.3	-0.0	-1.3	-8.6
0.0	0.0		J	-291.3	-0.0	1.3	-8.6
881	2	65 C1-C2;~1 Max	I	288.5	0.0	0.0	7.2
0.0	0.0		J	288.5	0.0	0.0	7.2
0.0	0.0	Min	I	-120.0	0.0	0.0	-7.9
0.0	0.0		J	-120.0	0.0	-0.0	-7.9
0.0	0.0	C3-C4;~1 Max	I	224.6	0.0	0.0	7.4
0.0	0.0		J	224.6	0.0	0.0	7.4
0.0	0.0	Min	I	-120.5	0.0	0.0	-7.1
0.0	0.0		J	-120.5	0.0	-0.0	-7.1
0.0	0.0	C1-C2;~2 Max	I	164.7	0.0	0.0	4.9
0.0	0.0		J	164.7	0.0	0.0	4.9
0.0	0.0	Min	I	-64.7	0.0	0.0	-4.3
0.0	0.0		J	-64.7	0.0	-0.0	-4.3
0.0	0.0	C3-C4;~2 Max	I	124.8	0.0	0.0	5.1
0.0	0.0		J	124.8	0.0	0.0	5.1
0.0	0.0	Min	I	-65.1	0.0	0.0	-3.7
0.0	0.0		J	-65.1	0.0	-0.0	-3.7
0.0	0.0	G1	I	61.2	0.0	-1.3	-8.7
0.0	0.0		J	61.2	0.0	1.3	-8.7
0.0	0.0	G2	I	20.8	0.0	0.0	-3.7


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	20.8	0.0	-0.0	-3.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-53.4	0.0	0.0	0.3
0.0	0.0		J	-53.4	0.0	0.0	0.3
0.0	0.0	Q5_ps	I	-57.6	0.0	0.0	0.2
0.0	0.0		J	-57.6	0.0	0.0	0.2
0.0	0.0	INVS LU Max	I	425.7	0.0	-1.8	-16.0
0.0	0.0		J	425.7	0.0	1.8	-16.0
0.0	0.0	Min	I	-222.6	0.0	-1.8	-37.3
0.0	0.0		J	-222.6	0.0	1.8	-37.3
0.0	0.0	INVS LE Max	I	305.1	0.0	-1.3	-12.3
0.0	0.0		J	305.1	0.0	1.3	-12.3
0.0	0.0	Min	I	-168.0	0.0	-1.3	-28.0
0.0	0.0		J	-168.0	0.0	1.3	-28.0
882	2	65 C1-C2;~1 Max	I	74.2	0.2	0.0	4.5
0.0	0.0		J	74.2	0.2	0.0	4.5
7.0	118.7	Min	I	-278.5	-0.0	-0.0	-8.1
0.0	0.0		J	-278.5	-0.0	-0.0	-8.1
-3.0	-553.6	C3-C4;~1 Max	I	103.3	0.2	0.0	4.6
0.0	0.0		J	103.3	0.2	0.0	4.6
6.0	89.6	Min	I	-221.9	-0.0	-0.0	-7.6
0.0	0.0		J	-221.9	-0.0	-0.0	-7.6
-3.2	-538.7	C1-C2;~2 Max	I	40.2	0.1	0.0	2.4
0.0	0.0		J	40.2	0.1	0.0	2.4
4.2	70.3	Min	I	-157.9	-0.0	-0.0	-5.3
0.0	0.0		J	-157.9	-0.0	-0.0	-5.3
-2.0	-339.3	C3-C4;~2 Max	I	57.6	0.1	0.0	2.5
0.0	0.0		J	57.6	0.1	0.0	2.5

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
3.5	53.4		Min	I	-124.1	-0.0	-0.0	-5.0	
0.0	0.0			J	-124.1	-0.0	-0.0	-5.0	
-2.1	-326.5								
			G1	I	-121.3	0.1	-4.0	2.9	
0.0	0.0			J	-121.3	0.1	-1.4	2.9	
8301.5	-402.5								
			G2	I	-46.1	0.0	-0.0	1.7	
0.0	0.0			J	-46.1	0.0	-0.0	1.7	
1.7	-151.9								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	47.8	-0.0	0.0	1.5	
0.0	0.0			J	47.8	-0.0	0.0	1.5	
-0.7	0.8								
			Q5_ps	I	51.5	-0.0	0.0	1.7	
0.0	0.0			J	51.5	-0.0	0.0	1.7	
-0.9	2.2								
			INVSLU Max	I	-41.3	0.4	-5.4	21.9	
0.0	0.0			J	-41.3	0.4	-1.8	21.9	1
1222.9	-381.9		Min	I	-642.7	0.1	-5.4	2.0	
0.0	0.0			J	-642.7	0.1	-1.8	2.0	1
1207.8	-1291.0								
			INVSLE Max	I	-33.6	0.3	-4.0	16.4	
0.0	0.0			J	-33.6	0.3	-1.4	16.4	
8313.4	-274.4		Min	I	-472.7	0.1	-4.0	1.9	
0.0	0.0			J	-472.7	0.1	-1.4	1.9	
8302.3	-947.7								
883	2	65	C1-C2;~1 Max	I	74.1	0.0	0.0	5.6	
3.0	118.7			J	74.1	0.0	0.0	5.6	
0.0	0.0		Min	I	-278.5	-0.2	-0.0	-7.8	
-7.2	-553.6			J	-278.5	-0.2	-0.0	-7.8	
0.0	0.0								
			C3-C4;~1 Max	I	103.3	0.0	0.0	5.7	
3.2	89.6			J	103.3	0.0	0.0	5.7	
0.0	0.0		Min	I	-221.9	-0.2	-0.0	-7.3	
-6.1	-538.7			J	-221.9	-0.2	-0.0	-7.3	
0.0	0.0								


MIDAS

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

		C1-C2;~2	Max	I	40.1	0.0	0.0	2.8		
2.0	70.3			J	40.1	0.0	0.0	2.8		
0.0	0.0									
			Min	I	-158.0	-0.1	-0.0	-5.1		
-4.3	-339.3			J	-158.0	-0.1	-0.0	-5.1		
0.0	0.0									
		C3-C4;~2	Max	I	57.6	0.0	0.0	3.0		
2.2	53.4			J	57.6	0.0	0.0	3.0		
0.0	0.0									
			Min	I	-124.1	-0.1	-0.0	-4.8		
-3.6	-326.5			J	-124.1	-0.1	-0.0	-4.8		
0.0	0.0									
				G1	I	-121.4	-0.1	1.3	4.8	
8291.2	-402.5			J	-121.4	-0.1	4.0	4.8		
0.0	0.0									
				G2	I	-46.2	-0.0	-0.0	2.4	
-1.7	-151.9			J	-46.2	-0.0	-0.0	2.4		
0.0	0.0									
				Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0		
0.0	0.0									
				Q5_pc	I	47.8	0.0	0.0	1.2	
0.7	0.8			J	47.8	0.0	0.0	1.2		
0.0	0.0									
				Q5_ps	I	51.5	0.0	0.0	1.4	
0.9	2.2			J	51.5	0.0	0.0	1.4		
0.0	0.0									
				INVS LU Max	I	-41.3	-0.1	1.7	27.8	1
1192.3	-381.9			J	-41.3	-0.1	5.3	27.8		
0.0	0.0									
			Min	I	-642.8	-0.4	1.7	7.5	1	
1176.9	-1291.0			J	-642.8	-0.4	5.3	7.5		
0.0	0.0									
				INVS LE Max	I	-33.6	-0.1	1.3	20.9	
8290.3	-274.4			J	-33.6	-0.1	4.0	20.9		
0.0	0.0									
			Min	I	-472.8	-0.3	1.3	5.9		
8279.0	-947.7			J	-472.8	-0.3	4.0	5.9		
0.0	0.0									
		65	C1-C2;~1	Max	I	288.3	0.0	0.0	11.5	
884	2			J	288.3	0.0	0.0	11.5		
0.0	0.0									
0.0	0.0									


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0	Min	I	-120.0	0.0	0.0	-2.6
			J	-120.0	0.0	0.0	-2.6
0.0	0.0	C3-C4;~1	Max	I	224.3	0.0	10.1
			J	224.3	0.0	0.0	10.1
0.0	0.0	Min	I	-120.6	0.0	0.0	-2.5
			J	-120.6	0.0	0.0	-2.5
0.0	0.0	C1-C2;~2	Max	I	164.6	0.0	7.8
			J	164.6	0.0	0.0	7.8
0.0	0.0	Min	I	-64.7	0.0	0.0	-1.3
			J	-64.7	0.0	0.0	-1.3
0.0	0.0	C3-C4;~2	Max	I	124.7	0.0	6.6
			J	124.7	0.0	0.0	6.6
0.0	0.0	Min	I	-65.1	0.0	0.0	-1.3
			J	-65.1	0.0	0.0	-1.3
0.0	0.0	G1	I	60.9	0.0	-1.3	1.7
			J	60.9	0.0	1.3	1.7
0.0	0.0	G2	I	20.7	0.0	0.0	-0.3
			J	20.7	0.0	0.0	-0.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-53.4	0.0	0.0	-1.2
			J	-53.4	0.0	0.0	-1.2
0.0	0.0	Q5_ps	I	-57.6	0.0	0.0	-1.6
			J	-57.6	0.0	0.0	-1.6
0.0	0.0	INVSLU	Max	I	425.1	0.0	16.2
			J	425.1	0.0	1.8	16.2
0.0	0.0	Min	I	-223.1	0.0	-1.8	-4.9
			J	-223.1	0.0	1.8	-4.9

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0	INVSLE Max	I	304.7	0.0	-1.3	12.0
			J	304.7	0.0	1.3	12.0
0.0	0.0	Min	I	-168.3	0.0	-1.3	-3.5
			J	-168.3	0.0	1.3	-3.5
0.0	0.0						
885	2	65 C1-C2;~1 Max	I	304.5	0.0	0.0	10.1
0.0	0.0		J	304.5	0.0	0.0	10.1
0.0	0.0	Min	I	-102.9	-0.0	-0.0	-5.3
			J	-102.9	0.0	-0.0	-5.3
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	249.9	0.0	0.0	10.1
			J	249.9	0.0	0.0	10.1
0.0	0.0	Min	I	-102.4	-0.0	-0.0	-5.6
			J	-102.4	0.0	-0.0	-5.6
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	177.6	0.0	0.0	6.6
			J	177.6	0.0	0.0	6.6
0.0	0.0	Min	I	-56.5	-0.0	-0.0	-3.0
			J	-56.5	0.0	-0.0	-3.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	143.0	0.0	0.0	6.7
			J	143.0	0.0	0.0	6.7
0.0	0.0	Min	I	-55.3	-0.0	-0.0	-3.1
			J	-55.3	0.0	-0.0	-3.1
0.0	0.0						
0.0	0.0	G1	I	99.4	-0.0	-1.3	-2.9
			J	99.4	0.0	1.3	-2.9
0.0	0.0						
0.0	0.0	G2	I	36.8	-0.0	0.0	-1.4
			J	36.8	0.0	-0.0	-1.4
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc	I	-34.9	-0.0	0.0	0.2
			J	-34.9	0.0	0.0	0.2
0.0	0.0						
0.0	0.0	Q5_ps	I	-38.7	-0.0	-0.0	-0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0		J	-38.7	0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	INVS LU Max	I	501.7	0.0	-1.8	0.4
0.0	0.0		J	501.7	0.0	1.8	0.4
0.0	0.0	Min	I	-111.0	-0.0	-1.8	-21.0
0.0	0.0		J	-111.0	0.0	1.8	-21.0
0.0	0.0						
0.0	0.0	INVS LE Max	I	362.8	0.0	-1.3	0.1
0.0	0.0		J	362.8	0.0	1.3	0.1
0.0	0.0	Min	I	-86.4	-0.0	-1.3	-15.8
0.0	0.0		J	-86.4	0.0	1.3	-15.8
0.0	0.0						
886	2	65 C1-C2;~1 Max	I	60.1	0.2	0.0	4.4
0.0	0.0		J	60.1	0.2	0.0	4.4
4.1	118.0	Min	I	-221.2	-0.0	-0.0	-10.5
0.0	0.0		J	-221.2	-0.0	-0.0	-10.5
-3.8	-519.4						
0.0	0.0	C3-C4;~1 Max	I	85.0	0.2	0.0	4.3
0.0	0.0		J	85.0	0.2	0.0	4.3
3.9	159.9	Min	I	-176.9	-0.1	-0.0	-10.1
0.0	0.0		J	-176.9	-0.1	-0.0	-10.1
-4.3	-476.7						
0.0	0.0	C1-C2;~2 Max	I	32.2	0.1	0.0	2.4
0.0	0.0		J	32.2	0.1	0.0	2.4
2.4	75.3	Min	I	-127.3	-0.0	-0.0	-6.6
0.0	0.0		J	-127.3	-0.0	-0.0	-6.6
-2.5	-314.4						
0.0	0.0	C3-C4;~2 Max	I	46.9	0.1	0.0	2.4
0.0	0.0		J	46.9	0.1	0.0	2.4
2.3	105.0	Min	I	-100.4	-0.0	-0.0	-6.4
0.0	0.0		J	-100.4	-0.0	-0.0	-6.4
-2.8	-283.4						
0.0	0.0	G1	I	-93.7	0.1	-4.0	-0.6
0.0	0.0		J	-93.7	0.1	-1.4	-0.6
8334.8	-393.1						
0.0	0.0	G2	I	-35.2	0.1	-0.0	0.4
0.0	0.0		J	-35.2	0.1	-0.0	0.4

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.5	-162.1							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	29.1	0.0	0.0	0.2
0.0	0.0			J	29.1	0.0	0.0	0.2
-0.7	-38.7							
			Q5_ps	I	32.7	0.0	0.0	0.4
0.0	0.0			J	32.7	0.0	0.0	0.4
-0.8	-38.0							
			INVS LU Max	I	-44.4	0.5	-5.4	9.9
0.0	0.0			J	-44.4	0.5	-1.8	9.9
1264.9	-546.1							1
			Min	I	-510.3	0.2	-5.4	-10.6
0.0	0.0			J	-510.3	0.2	-1.8	-10.6
1252.3	-1532.8							1
			INVS LE Max	I	-35.1	0.4	-4.0	7.3
0.0	0.0			J	-35.1	0.4	-1.4	7.3
8344.6	-406.9							
			Min	I	-376.3	0.1	-4.0	-7.8
0.0	0.0			J	-376.3	0.1	-1.4	-7.8
8335.4	-1132.7							
887	2	65	C1-C2;~1 Max	I	60.1	0.0	0.0	5.1
3.9	118.0			J	60.1	0.0	0.0	5.1
0.0	0.0							
			Min	I	-221.3	-0.2	-0.0	-11.1
-4.2	-519.4			J	-221.3	-0.2	-0.0	-11.1
0.0	0.0							
			C3-C4;~1 Max	I	85.0	0.1	0.0	5.1
4.4	159.9			J	85.0	0.1	0.0	5.1
0.0	0.0							
			Min	I	-176.9	-0.1	-0.0	-10.7
-4.0	-476.7			J	-176.9	-0.1	-0.0	-10.7
0.0	0.0							
			C1-C2;~2 Max	I	32.2	0.0	0.0	2.8
2.5	75.3			J	32.2	0.0	0.0	2.8
0.0	0.0							
			Min	I	-127.3	-0.1	-0.0	-7.0
-2.5	-314.4			J	-127.3	-0.1	-0.0	-7.0
0.0	0.0							
			C3-C4;~2 Max	I	46.9	0.0	0.0	2.8
2.9	105.0			J	46.9	0.0	0.0	2.8
0.0	0.0							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-2.3	-283.4		Min	I	-100.4	-0.1	-0.0	-6.8	
				J	-100.4	-0.1	-0.0	-6.8	
0.0	0.0								
8330.0	-393.1		G1	I	-93.7	-0.1	1.3	0.2	
				J	-93.7	-0.1	4.0	0.2	
0.0	0.0								
-0.5	-162.1		G2	I	-35.2	-0.1	-0.0	0.6	
				J	-35.2	-0.1	-0.0	0.6	
0.0	0.0								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
0.7	-38.7		Q5_pc	I	29.1	-0.0	0.0	-0.0	
				J	29.1	-0.0	0.0	-0.0	
0.0	0.0								
0.8	-38.0		Q5_ps	I	32.7	-0.0	0.0	0.1	
				J	32.7	-0.0	0.0	0.1	
0.0	0.0								
1245.2	-546.1		INVSLU Max	I	-44.5	-0.2	1.7	14.4	1
				J	-44.5	-0.2	5.4	14.4	
0.0	0.0								
1232.3	-1532.8		Min	I	-510.4	-0.5	1.7	-7.5	1
				J	-510.4	-0.5	5.3	-7.5	
0.0	0.0								
8329.4	-406.9		INVSLE Max	I	-35.2	-0.1	1.3	10.8	
				J	-35.2	-0.1	4.0	10.8	
0.0	0.0								
8320.0	-1132.7		Min	I	-376.4	-0.4	1.3	-5.5	
				J	-376.4	-0.4	4.0	-5.5	
0.0	0.0								
888	2	65	C1-C2;~1 Max	I	304.4	0.0	0.0	9.7	
0.0	0.0			J	304.4	0.0	0.0	9.7	
0.0	0.0								
0.0	0.0		Min	I	-102.9	0.0	0.0	-1.8	
				J	-102.9	0.0	0.0	-1.8	
0.0	0.0								
0.0	0.0		C3-C4;~1 Max	I	249.7	0.0	0.0	9.0	
				J	249.7	0.0	0.0	9.0	
0.0	0.0								
0.0	0.0		Min	I	-102.5	0.0	0.0	-2.1	
				J	-102.5	0.0	0.0	-2.1	
0.0	0.0								

MIDAS


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0	C1-C2;~2	Max	I	177.6	0.0	0.0	6.5
				J	177.6	0.0	0.0	6.5
0.0	0.0		Min	I	-56.5	0.0	0.0	-0.9
				J	-56.5	0.0	0.0	-0.9
0.0	0.0	C3-C4;~2	Max	I	142.9	0.0	0.0	5.8
				J	142.9	0.0	0.0	5.8
0.0	0.0		Min	I	-55.3	0.0	0.0	-1.0
				J	-55.3	0.0	0.0	-1.0
0.0	0.0		G1	I	99.1	0.0	-1.3	2.0
				J	99.1	0.0	1.3	2.0
0.0	0.0		G2	I	36.7	0.0	0.0	-0.3
				J	36.7	0.0	0.0	-0.3
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0		Q5_pc	I	-34.9	0.0	0.0	-1.3
				J	-34.9	0.0	0.0	-1.3
0.0	0.0		Q5_ps	I	-38.8	0.0	0.0	-1.7
				J	-38.8	0.0	0.0	-1.7
0.0	0.0		INVSLU	Max	501.1	0.0	-1.8	21.4
				J	501.1	0.0	1.8	21.4
0.0	0.0		Min	I	-111.7	0.0	-1.8	3.2
				J	-111.7	0.0	1.8	3.2
0.0	0.0		INVSLE	Max	362.3	0.0	-1.3	16.1
				J	362.3	0.0	1.3	16.1
0.0	0.0		Min	I	-86.9	0.0	-1.3	2.8
				J	-86.9	0.0	1.3	2.8
889	2	65	C1-C2;~1	Max	267.0	0.0	0.0	12.3
0.0	0.0			J	267.0	0.0	0.0	12.3
0.0	0.0		Min	I	-60.3	-0.0	0.0	-5.3

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		J	-60.3	-0.0	0.0	-5.3
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	228.1	0.0	0.0	13.0
0.0	0.0		J	228.1	0.0	0.0	13.0
0.0	0.0	Min	I	-62.2	-0.0	0.0	-5.3
0.0	0.0		J	-62.2	-0.0	0.0	-5.3
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	158.7	0.0	0.0	7.6
0.0	0.0		J	158.7	0.0	0.0	7.6
0.0	0.0	Min	I	-32.8	-0.0	0.0	-2.9
0.0	0.0		J	-32.8	-0.0	0.0	-2.9
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	133.5	0.0	0.0	8.2
0.0	0.0		J	133.5	0.0	0.0	8.2
0.0	0.0	Min	I	-33.0	-0.0	0.0	-3.0
0.0	0.0		J	-33.0	-0.0	0.0	-3.0
0.0	0.0						
0.0	0.0	G1	I	123.5	-0.0	-1.3	0.7
0.0	0.0		J	123.5	0.0	1.3	0.7
0.0	0.0						
0.0	0.0	G2	I	47.1	-0.0	0.0	0.0
0.0	0.0		J	47.1	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc	I	-21.2	-0.0	0.0	-0.2
0.0	0.0		J	-21.2	0.0	0.0	-0.2
0.0	0.0						
0.0	0.0	Q5_ps	I	-24.0	-0.0	0.0	-0.3
0.0	0.0		J	-24.0	0.0	0.0	-0.3
0.0	0.0						
0.0	0.0	INVSLU Max	I	551.4	0.0	-1.8	21.3
0.0	0.0		J	551.4	0.0	1.8	21.3
0.0	0.0	Min	I	68.7	-0.0	-1.8	-3.7
0.0	0.0		J	68.7	-0.0	1.8	-3.7
0.0	0.0						
0.0	0.0	INVSLE Max	I	404.2	0.0	-1.3	16.0

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0			J	404.2	0.0	1.3	16.0	
0.0	0.0		Min	I	49.5	-0.0	-1.3	-2.5	
0.0	0.0			J	49.5	-0.0	1.3	-2.5	
0.0	0.0								
890	2	65	C1-C2;~1	Max	I	76.6	0.1	0.0	1.9
0.0	0.0			J	76.6	0.1	0.0	1.9	
3.5	140.5		Min	I	-162.8	-0.0	-0.0	-9.2	
0.0	0.0			J	-162.8	-0.0	-0.0	-9.2	
-5.0	-463.7								
			C3-C4;~1	Max	I	92.9	0.1	0.0	1.8
0.0	0.0			J	92.9	0.1	0.0	1.8	
3.1	184.3		Min	I	-127.9	-0.1	-0.0	-8.7	
0.0	0.0			J	-127.9	-0.1	-0.0	-8.7	
-6.0	-405.1								
			C1-C2;~2	Max	I	44.4	0.1	0.0	1.0
0.0	0.0			J	44.4	0.1	0.0	1.0	
2.0	89.6		Min	I	-94.9	-0.0	-0.0	-5.8	
0.0	0.0			J	-94.9	-0.0	-0.0	-5.8	
-3.1	-279.2								
			C3-C4;~2	Max	I	53.7	0.1	0.0	1.0
0.0	0.0			J	53.7	0.1	0.0	1.0	
1.8	119.7		Min	I	-73.0	-0.0	-0.0	-5.5	
0.0	0.0			J	-73.0	-0.0	-0.0	-5.5	
-3.7	-235.9								
			G1	I	-45.4	0.1	-4.0	-2.9	
0.0	0.0			J	-45.4	0.1	-1.4	-2.9	
8292.0	-301.2								
			G2	I	-17.0	0.0	0.0	-0.5	
0.0	0.0			J	-17.0	0.0	0.0	-0.5	
-0.2	-117.6								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	17.7	0.0	0.0	0.5	
0.0	0.0			J	17.7	0.0	0.0	0.5	
-0.4	-85.6								
			Q5_ps	I	19.9	0.0	0.0	0.8	
0.0	0.0								

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-0.6	-77.5		J	19.9	0.0	0.0	0.8	
0.0	0.0	INVS LU Max	I	45.0	0.5	-5.4	-7.1	
1203.0	-472.8		J	45.0	0.5	-1.8	-7.1	1
0.0	0.0	Min	I	-332.0	0.2	-5.4	-23.1	
1189.3	-1501.7		J	-332.0	0.2	-1.8	-23.1	1
0.0	0.0	INVS LE Max	I	32.0	0.4	-4.0	-5.7	
8298.6	-363.3		J	32.0	0.4	-1.4	-5.7	
0.0	0.0	Min	I	-245.0	0.1	-4.0	-17.5	
8288.6	-1114.0		J	-245.0	0.1	-1.4	-17.5	
891	2	65 C1-C2;~1 Max	I	76.6	0.0	0.0	2.8	
5.2	140.5		J	76.6	0.0	0.0	2.8	
0.0	0.0	Min	I	-162.8	-0.1	-0.0	-10.2	
-3.6	-463.7		J	-162.8	-0.1	-0.0	-10.2	
0.0	0.0							
6.2	184.3	C3-C4;~1 Max	I	92.9	0.1	0.0	2.7	
0.0	0.0		J	92.9	0.1	0.0	2.7	
-3.2	-405.1	Min	I	-127.9	-0.1	-0.0	-10.1	
0.0	0.0		J	-127.9	-0.1	-0.0	-10.1	
3.2	89.6	C1-C2;~2 Max	I	44.4	0.0	0.0	1.5	
0.0	0.0		J	44.4	0.0	0.0	1.5	
-2.0	-279.2	Min	I	-94.9	-0.1	-0.0	-6.3	
0.0	0.0		J	-94.9	-0.1	-0.0	-6.3	
3.8	119.7	C3-C4;~2 Max	I	53.7	0.0	0.0	1.5	
0.0	0.0		J	53.7	0.0	0.0	1.5	
-1.8	-235.9	Min	I	-73.1	-0.1	-0.0	-6.2	
0.0	0.0		J	-73.1	-0.1	-0.0	-6.2	
8291.0	-301.2	G1	I	-45.4	-0.1	1.3	-2.8	
0.0	0.0		J	-45.4	-0.1	4.0	-2.8	
0.2	-117.6	G2	I	-17.0	-0.0	0.0	-0.5	
0.0	0.0		J	-17.0	-0.0	0.0	-0.5	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.4	-85.6	Q5_pc	I	17.7	-0.0	0.0	0.4	
0.0	0.0		J	17.7	-0.0	0.0	0.4	
0.6	-77.5	Q5_ps	I	19.9	-0.0	0.0	0.6	
0.0	0.0		J	19.9	-0.0	0.0	0.6	
1197.8	-472.8	INVSLU Max	I	44.9	-0.1	1.7	-4.5	1
0.0	0.0		J	44.9	-0.1	5.3	-4.5	
1183.9	-1501.7	Min	I	-332.1	-0.5	1.7	-22.6	1
0.0	0.0		J	-332.1	-0.5	5.3	-22.6	
8294.5	-363.3	INVSLE Max	I	31.9	-0.1	1.3	-3.7	
0.0	0.0		J	31.9	-0.1	4.0	-3.7	
8284.2	-1114.0	Min	I	-245.1	-0.4	1.3	-17.1	
0.0	0.0		J	-245.1	-0.4	4.0	-17.1	
892	2	65 C1-C2;~1 Max	I	266.9	0.0	0.0	8.1	
0.0	0.0		J	266.9	0.0	0.0	8.1	
0.0	0.0	Min	I	-60.4	0.0	0.0	-1.4	
0.0	0.0		J	-60.4	0.0	-0.0	-1.4	
0.0	0.0	C3-C4;~1 Max	I	228.0	0.0	0.0	7.2	
0.0	0.0		J	228.0	0.0	0.0	7.2	
0.0	0.0	Min	I	-62.3	0.0	0.0	-2.2	
0.0	0.0		J	-62.3	0.0	-0.0	-2.2	
0.0	0.0	C1-C2;~2 Max	I	158.6	0.0	0.0	5.2	
0.0	0.0		J	158.6	0.0	0.0	5.2	
0.0	0.0	Min	I	-32.9	0.0	0.0	-0.6	
0.0	0.0		J	-32.9	0.0	-0.0	-0.6	
0.0	0.0	C3-C4;~2 Max	I	133.4	0.0	0.0	4.5	
0.0	0.0		J	133.4	0.0	0.0	4.5	
0.0	0.0	Min	I	-33.0	0.0	0.0	-1.1	

MIDAS

PROJECT TITLE :

MIDAS	Company		Client		File Name		
	Author				PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		J	-33.0	0.0	-0.0	-1.1
0.0	0.0						
		G1	I	123.3	0.0	-1.3	1.7
0.0	0.0		J	123.3	0.0	1.3	1.7
0.0	0.0						
		G2	I	47.0	0.0	0.0	-0.5
0.0	0.0		J	47.0	0.0	-0.0	-0.5
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-21.3	0.0	0.0	-1.1
0.0	0.0		J	-21.3	0.0	0.0	-1.1
0.0	0.0						
		Q5_ps	I	-24.0	0.0	0.0	-1.5
0.0	0.0		J	-24.0	0.0	0.0	-1.5
0.0	0.0						
		INVS LU Max	I	550.8	0.0	-1.8	24.5
0.0	0.0		J	550.8	0.0	1.8	24.5
0.0	0.0						
		Min	I	68.0	0.0	-1.8	8.7
0.0	0.0		J	68.0	0.0	1.8	8.7
0.0	0.0						
		INVS LE Max	I	403.8	0.0	-1.3	18.6
0.0	0.0		J	403.8	0.0	1.3	18.6
0.0	0.0						
		Min	I	49.0	0.0	-1.3	7.1
0.0	0.0		J	49.0	0.0	1.3	7.1
0.0	0.0						
893	2	65 C1-C2;~1 Max	I	220.1	0.0	0.0	13.9
0.0	0.0		J	220.1	0.0	0.0	13.9
0.0	0.0						
		Min	I	-49.2	-0.0	-0.0	-4.4
0.0	0.0		J	-49.2	0.0	0.0	-4.4
0.0	0.0						
		C3-C4;~1 Max	I	196.2	0.0	0.0	14.8
0.0	0.0		J	196.2	0.0	0.0	14.8
0.0	0.0						
		Min	I	-40.1	-0.0	-0.0	-4.4
0.0	0.0		J	-40.1	0.0	0.0	-4.4
0.0	0.0						
		C1-C2;~2 Max	I	132.8	0.0	0.0	8.4

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0			J	132.8	0.0	8.4
0.0	0.0		Min	I	-27.5	-0.0	-2.5
0.0	0.0			J	-27.5	0.0	-2.5
0.0	0.0		C3-C4;~2 Max	I	117.1	0.0	9.2
0.0	0.0			J	117.1	0.0	9.2
0.0	0.0		Min	I	-21.3	-0.0	-2.5
0.0	0.0			J	-21.3	0.0	-2.5
0.0	0.0		G1	I	119.3	0.0	4.0
0.0	0.0			J	119.3	0.0	4.0
0.0	0.0		G2	I	46.8	0.0	1.4
0.0	0.0			J	46.8	0.0	1.4
0.0	0.0		Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0		Q5_pc	I	-12.6	0.0	-0.2
0.0	0.0			J	-12.6	0.0	-0.2
0.0	0.0		Q5_ps	I	-13.5	0.0	-0.3
0.0	0.0			J	-13.5	0.0	-0.3
0.0	0.0		INVSLU Max	I	509.9	0.0	38.6
0.0	0.0			J	509.9	0.0	38.6
0.0	0.0		Min	I	123.8	-0.0	12.3
0.0	0.0			J	123.8	0.0	12.3
0.0	0.0		INVSLE Max	I	375.9	0.0	29.1
0.0	0.0			J	375.9	0.0	29.1
0.0	0.0		Min	I	91.5	-0.0	9.6
0.0	0.0			J	91.5	0.0	9.6
894	2	65	C1-C2;~1 Max	I	120.4	0.1	1.4
0.0	0.0			J	120.4	0.1	1.4
2.8	149.9		Min	I	-109.8	-0.0	-9.0
0.0	0.0						


MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-6.1	-424.0		J	-109.8	-0.0	-0.0	-9.0	
0.0	0.0	C3-C4;~1	Max	I	116.5	0.1	1.3	
2.6	208.7		J	116.5	0.1	1.3		
0.0	0.0		Min	I	-85.8	-0.1	-8.4	
-7.2	-349.8		J	-85.8	-0.1	-8.4		
0.0	0.0	C1-C2;~2	Max	I	73.5	0.1	0.7	
1.6	92.8		J	73.5	0.1	0.7		
0.0	0.0		Min	I	-63.5	-0.0	-5.6	
-3.7	-262.4		J	-63.5	-0.0	-5.6		
0.0	0.0	C3-C4;~2	Max	I	69.9	0.1	0.7	
1.4	133.6		J	69.9	0.1	0.7		
0.0	0.0		Min	I	-47.9	-0.0	-5.3	
-4.4	-209.6		J	-47.9	-0.0	-5.3		
0.0	0.0	G1	I	9.4	0.1	-3.4		
8247.5	-185.4		J	9.4	0.1	-3.4		
0.0	0.0	G2	I	3.8	0.0	-0.6		
-1.0	-72.1		J	3.8	0.0	-0.6		
0.0	0.0	Q3	I	0.0	0.0	0.0		
0.0	0.0		J	0.0	0.0	0.0		
0.0	0.0	Q5_pc	I	8.4	0.0	0.5		
-0.3	-91.1		J	8.4	0.0	0.5		
0.0	0.0	Q5_ps	I	8.9	0.0	0.8		
-0.5	-81.9		J	8.9	0.0	0.8		
0.0	0.0	INVSLU	Max	I	158.3	-5.4	-15.6	
1139.0	-186.9		J	158.3	0.4	-15.6	1	
0.0	0.0		Min	I	-167.5	-5.4	-30.5	
1124.8	-1205.1		J	-167.5	0.1	-30.5	1	
0.0	0.0	INVSLE	Max	I	115.3	-4.0	-12.2	


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
8251.2	-148.7		J	115.3	0.3	-1.4	-12.2
		Min	I	-124.9	0.0	-4.0	-23.2
0.0	0.0		J	-124.9	0.0	-1.4	-23.2
8240.7	-890.7						
895	2	65 C1-C2;~1 Max	I	120.4	0.0	0.0	2.1
6.3	149.9		J	120.4	0.0	0.0	2.1
0.0	0.0	Min	I	-109.8	-0.1	-0.0	-10.3
-2.9	-424.0		J	-109.8	-0.1	-0.0	-10.3
0.0	0.0						
		C3-C4;~1 Max	I	116.5	0.1	0.0	2.0
7.4	208.7		J	116.5	0.1	0.0	2.0
0.0	0.0	Min	I	-85.8	-0.1	-0.0	-10.1
-2.6	-349.8		J	-85.8	-0.1	-0.0	-10.1
0.0	0.0						
		C1-C2;~2 Max	I	73.5	0.0	0.0	1.1
3.8	92.8		J	73.5	0.0	0.0	1.1
0.0	0.0	Min	I	-63.5	-0.1	-0.0	-6.4
-1.6	-262.4		J	-63.5	-0.1	-0.0	-6.4
0.0	0.0						
		C3-C4;~2 Max	I	69.9	0.0	0.0	1.1
4.5	133.6		J	69.9	0.0	0.0	1.1
0.0	0.0	Min	I	-47.9	-0.1	-0.0	-6.3
-1.4	-209.6		J	-47.9	-0.1	-0.0	-6.3
0.0	0.0						
		G1	I	9.4	-0.1	1.3	-3.9
8250.4	-185.4		J	9.4	-0.1	4.0	-3.9
0.0	0.0						
		G2	I	3.8	-0.0	0.0	-1.0
1.0	-72.1		J	3.8	-0.0	0.0	-1.0
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	8.4	-0.0	0.0	0.4
0.4	-91.1		J	8.4	-0.0	0.0	0.4
0.0	0.0						
		Q5_ps	I	8.9	-0.0	0.0	0.6
0.5	-81.9		J	8.9	-0.0	0.0	0.6

MIDAS

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0								
1147.6	-186.9		INVSLE Max	I	158.2	-0.1	1.7	-15.2	1
				J	158.2	-0.1	5.3	-15.2	
0.0	0.0								
1133.1	-1205.1		Min	I	-167.6	-0.4	1.7	-32.6	1
				J	-167.6	-0.4	5.3	-32.6	
0.0	0.0								
8257.4	-148.7		INVSLE Max	I	115.2	-0.0	1.3	-11.9	
				J	115.2	-0.0	4.0	-11.9	
0.0	0.0								
8246.7	-890.7		Min	I	-125.0	-0.3	1.3	-24.7	
				J	-125.0	-0.3	4.0	-24.7	
0.0	0.0								
896	2	65	C1-C2;~1 Max	I	220.0	0.0	0.0	7.4	
0.0	0.0			J	220.0	0.0	0.0	7.4	
0.0	0.0								
0.0	0.0		Min	I	-49.2	0.0	-0.0	-1.6	
0.0	0.0			J	-49.2	-0.0	-0.0	-1.6	
0.0	0.0								
0.0	0.0		C3-C4;~1 Max	I	196.1	0.0	0.0	6.5	
0.0	0.0			J	196.1	0.0	0.0	6.5	
0.0	0.0								
0.0	0.0		Min	I	-40.2	0.0	-0.0	-2.4	
0.0	0.0			J	-40.2	-0.0	-0.0	-2.4	
0.0	0.0								
0.0	0.0		C1-C2;~2 Max	I	132.7	0.0	0.0	4.8	
0.0	0.0			J	132.7	0.0	0.0	4.8	
0.0	0.0								
0.0	0.0		Min	I	-27.5	0.0	-0.0	-0.7	
0.0	0.0			J	-27.5	-0.0	-0.0	-0.7	
0.0	0.0								
0.0	0.0		C3-C4;~2 Max	I	117.0	0.0	0.0	4.1	
0.0	0.0			J	117.0	0.0	0.0	4.1	
0.0	0.0								
0.0	0.0		Min	I	-21.3	0.0	-0.0	-1.2	
0.0	0.0			J	-21.3	-0.0	-0.0	-1.2	
0.0	0.0								
0.0	0.0		G1	I	119.1	0.0	-1.3	1.1	
0.0	0.0			J	119.1	-0.0	1.3	1.1	
0.0	0.0								
0.0	0.0		G2	I	46.7	0.0	-0.0	-0.7	
0.0	0.0			J	46.7	-0.0	0.0	-0.7	
0.0	0.0								

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-12.6	0.0	0.0	-0.9
0.0	0.0		J	-12.6	-0.0	-0.0	-0.9
0.0	0.0	Q5_ps	I	-13.5	0.0	0.0	-1.3
0.0	0.0		J	-13.5	-0.0	0.0	-1.3
0.0	0.0	INVS LU Max	I	509.5	0.0	-1.8	26.8
0.0	0.0		J	509.5	0.0	1.8	26.8
0.0	0.0	Min	I	123.4	0.0	-1.8	11.9
0.0	0.0		J	123.4	-0.0	1.8	11.9
0.0	0.0	INVS LE Max	I	375.5	0.0	-1.3	20.5
0.0	0.0		J	375.5	0.0	1.3	20.5
0.0	0.0	Min	I	91.2	0.0	-1.3	9.6
0.0	0.0		J	91.2	-0.0	1.3	9.6
897	2	65 C1-C2;~1 Max	I	163.4	0.0	0.0	15.4
0.0	0.0		J	163.4	0.0	0.0	15.4
0.0	0.0	Min	I	-68.2	-0.0	-0.0	-3.8
0.0	0.0		J	-68.2	0.0	0.0	-3.8
0.0	0.0	C3-C4;~1 Max	I	160.4	0.0	0.0	16.5
0.0	0.0		J	160.4	0.0	0.0	16.5
0.0	0.0	Min	I	-46.8	-0.0	-0.0	-3.7
0.0	0.0		J	-46.8	0.0	0.0	-3.7
0.0	0.0	C1-C2;~2 Max	I	99.5	0.0	0.0	9.3
0.0	0.0		J	99.5	0.0	0.0	9.3
0.0	0.0	Min	I	-40.8	-0.0	-0.0	-2.1
0.0	0.0		J	-40.8	0.0	0.0	-2.1
0.0	0.0	C3-C4;~2 Max	I	95.9	0.0	0.0	10.1
0.0	0.0		J	95.9	0.0	0.0	10.1
0.0	0.0	Min	I	-26.9	-0.0	-0.0	-2.1
0.0	0.0						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	-26.9	0.0	0.0	-2.1
0.0	0.0	G1	I	95.4	-0.0	-1.4	6.2
0.0	0.0		J	95.4	0.0	1.4	6.2
0.0	0.0	G2	I	38.5	-0.0	0.0	2.4
0.0	0.0		J	38.5	0.0	0.0	2.4
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-4.6	-0.0	-0.0	-0.2
0.0	0.0		J	-4.6	0.0	0.0	-0.2
0.0	0.0	Q5_ps	I	-3.6	-0.0	-0.0	-0.2
0.0	0.0		J	-3.6	0.0	0.0	-0.2
0.0	0.0	INVS LU Max	I	413.3	0.0	-1.8	51.3
0.0	0.0		J	413.3	0.0	1.8	51.3
0.0	0.0	Min	I	92.2	-0.0	-1.8	23.6
0.0	0.0		J	92.2	0.0	1.8	23.6
0.0	0.0	INVS LE Max	I	306.5	0.0	-1.4	38.6
0.0	0.0		J	306.5	0.0	1.4	38.6
0.0	0.0	Min	I	69.3	-0.0	-1.4	18.2
0.0	0.0		J	69.3	0.0	1.4	18.2
898	2	65 C1-C2;~1 Max	I	184.5	0.1	0.0	1.2
0.0	0.0		J	184.5	0.1	0.0	1.2
2.3	213.6	Min	I	-67.5	-0.1	-0.0	-9.0
0.0	0.0		J	-67.5	-0.1	-0.0	-9.0
-7.1	-347.7	C3-C4;~1 Max	I	162.0	0.1	0.0	1.1
0.0	0.0		J	162.0	0.1	0.0	1.1
2.2	276.7	Min	I	-57.3	-0.1	-0.0	-8.6
0.0	0.0		J	-57.3	-0.1	-0.0	-8.6
-8.2	-272.7	C1-C2;~2 Max	I	111.9	0.1	0.0	0.6
0.0	0.0						

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
1.3	130.3		J	111.9	0.1	0.0	0.6	
		Min	I	-37.2	-0.0	-0.0	-5.7	
0.0	0.0		J	-37.2	-0.0	-0.0	-5.7	
-4.2	-217.9							
		C3-C4;~2 Max	I	97.3	0.1	0.0	0.6	
0.0	0.0		J	97.3	0.1	0.0	0.6	
1.2	173.5	Min	I	-30.1	-0.1	-0.0	-5.4	
0.0	0.0		J	-30.1	-0.1	-0.0	-5.4	
-5.0	-164.8							
		G1	I	63.5	0.0	-4.0	-3.6	
0.0	0.0		J	63.5	0.0	-1.4	-3.6	
8215.0	-53.7							
		G2	I	24.3	0.0	0.0	-0.7	
0.0	0.0		J	24.3	0.0	0.0	-0.7	
-1.6	-19.2							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	0.6	0.0	0.0	0.5	
0.0	0.0		J	0.6	0.0	0.0	0.5	
-0.3	-97.9							
		Q5_ps	I	-0.9	0.0	0.0	0.8	
0.0	0.0		J	-0.9	0.0	0.0	0.8	
-0.5	-88.1							
		INVSLU Max	I	326.3	0.3	-5.4	-20.2	
0.0	0.0		J	326.3	0.3	-1.9	-20.2	1
1091.5	145.2	Min	I	-15.1	-0.0	-5.4	-34.9	
0.0	0.0		J	-15.1	-0.0	-1.9	-34.9	1
1076.6	-873.8							
		INVSLE Max	I	239.3	0.2	-4.0	-15.7	
0.0	0.0		J	239.3	0.2	-1.4	-15.7	
8215.9	96.1	Min	I	-13.4	-0.0	-4.0	-26.5	
0.0	0.0		J	-13.4	-0.0	-1.4	-26.5	
8205.0	-645.7							
899	2	65 C1-C2;~1 Max	I	184.5	0.1	0.0	1.7	
7.3	213.6		J	184.5	0.1	0.0	1.7	
0.0	0.0	Min	I	-67.5	-0.1	-0.0	-10.6	
-2.4	-347.7		J	-67.5	-0.1	-0.0	-10.6	


MIDAS

PROJECT TITLE :

MIDAS		Company				Client				
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0									
8.5	276.7	C3-C4;~1	Max	I	162.0	0.1	0.0	1.7		
0.0	0.0			J	162.0	0.1	0.0	1.7		
-2.2	-272.7		Min	I	-57.3	-0.1	-0.0	-10.2		
0.0	0.0			J	-57.3	-0.1	-0.0	-10.2		
4.4	130.3	C1-C2;~2	Max	I	111.9	0.0	0.0	0.9		
0.0	0.0			J	111.9	0.0	0.0	0.9		
-1.4	-217.9		Min	I	-37.2	-0.1	-0.0	-6.6		
0.0	0.0			J	-37.2	-0.1	-0.0	-6.6		
5.1	173.5	C3-C4;~2	Max	I	97.3	0.1	0.0	0.9		
0.0	0.0			J	97.3	0.1	0.0	0.9		
-1.2	-164.8		Min	I	-30.1	-0.1	-0.0	-6.4		
0.0	0.0			J	-30.1	-0.1	-0.0	-6.4		
8220.3	-53.7		G1	I	63.5	-0.0	1.3	-4.6		
0.0	0.0			J	63.5	-0.0	3.9	-4.6		
1.6	-19.2		G2	I	24.3	-0.0	0.0	-1.3		
0.0	0.0			J	24.3	-0.0	0.0	-1.3		
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0			J	0.0	0.0	0.0	0.0		
0.3	-97.9		Q5_pc	I	0.6	-0.0	0.0	0.4		
0.0	0.0			J	0.6	-0.0	0.0	0.4		
0.5	-88.1		Q5_ps	I	-1.0	-0.0	0.0	0.6		
0.0	0.0			J	-1.0	-0.0	0.0	0.6		
1111.5	145.2		INVSLU	Max	I	326.3	0.0	1.7	-21.7	1
0.0	0.0			J	326.3	0.0	5.3	-21.7		
1096.2	-873.8		Min	I	-15.1	-0.3	1.7	-39.1		1
0.0	0.0			J	-15.1	-0.3	5.3	-39.1		
8230.7	96.1		INVSLE	Max	I	239.3	0.0	1.3	-16.8	
				J	239.3	0.0	3.9	-16.8		

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0							
			Min	I	-13.5	-0.2	1.3	-29.6
8219.4	-645.7			J	-13.5	-0.2	3.9	-29.6
0.0	0.0							
900	2	65	C1-C2;~1	Max	I	163.4	0.0	7.0
0.0	0.0			J	163.4	0.0	0.0	7.0
0.0	0.0		Min	I	-68.2	-0.0	-0.0	-1.8
0.0	0.0			J	-68.2	-0.0	-0.0	-1.8
0.0	0.0							
			C3-C4;~1	Max	I	160.4	0.0	6.2
0.0	0.0			J	160.4	0.0	0.0	6.2
0.0	0.0		Min	I	-46.8	-0.0	-0.0	-2.5
0.0	0.0			J	-46.8	-0.0	-0.0	-2.5
0.0	0.0							
			C1-C2;~2	Max	I	99.5	0.0	4.7
0.0	0.0			J	99.5	0.0	0.0	4.7
0.0	0.0		Min	I	-40.8	-0.0	-0.0	-0.9
0.0	0.0			J	-40.8	-0.0	-0.0	-0.9
0.0	0.0							
			C3-C4;~2	Max	I	96.0	0.0	3.9
0.0	0.0			J	96.0	0.0	0.0	3.9
0.0	0.0		Min	I	-26.8	-0.0	-0.0	-1.3
0.0	0.0			J	-26.8	-0.0	-0.0	-1.3
0.0	0.0							
			G1	I	95.3	0.0	-1.3	0.9
0.0	0.0			J	95.3	0.0	1.3	0.9
0.0	0.0							
			G2	I	38.5	0.0	0.0	-0.9
0.0	0.0			J	38.5	0.0	-0.0	-0.9
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-4.7	0.0	-0.0	-0.9
0.0	0.0			J	-4.7	0.0	0.0	-0.9
0.0	0.0							
			Q5_ps	I	-3.6	0.0	-0.0	-1.3
0.0	0.0			J	-3.6	0.0	-0.0	-1.3
0.0	0.0							


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0	INVSLE Max	I	413.1	0.0	-1.8	27.1
0.0	0.0		J	413.1	0.0	1.8	27.1
0.0	0.0	Min	I	92.0	0.0	-1.8	12.8
0.0	0.0		J	92.0	0.0	1.8	12.8
0.0	0.0	INVSLE Max	I	306.3	0.0	-1.3	20.7
0.0	0.0		J	306.3	0.0	1.3	20.7
0.0	0.0	Min	I	69.1	0.0	-1.3	10.2
0.0	0.0		J	69.1	0.0	1.3	10.2
901	2	65 C1-C2;~1 Max	I	121.8	0.0	0.0	15.8
0.0	0.0		J	121.8	0.0	0.0	15.8
0.0	0.0	Min	I	-112.4	0.0	0.0	-3.1
0.0	0.0		J	-112.4	0.0	0.0	-3.1
0.0	0.0	C3-C4;~1 Max	I	141.0	0.0	0.0	17.1
0.0	0.0		J	141.0	0.0	0.0	17.1
0.0	0.0	Min	I	-78.2	0.0	0.0	-3.0
0.0	0.0		J	-78.2	0.0	0.0	-3.0
0.0	0.0	C1-C2;~2 Max	I	70.5	0.0	0.0	9.5
0.0	0.0		J	70.5	0.0	0.0	9.5
0.0	0.0	Min	I	-67.1	0.0	0.0	-1.7
0.0	0.0		J	-67.1	0.0	0.0	-1.7
0.0	0.0	C3-C4;~2 Max	I	81.6	0.0	0.0	10.4
0.0	0.0		J	81.6	0.0	0.0	10.4
0.0	0.0	Min	I	-45.9	0.0	0.0	-1.6
0.0	0.0		J	-45.9	0.0	0.0	-1.6
0.0	0.0	G1	I	53.0	0.0	-1.4	6.9
0.0	0.0		J	53.0	0.0	1.4	6.9
0.0	0.0	G2	I	22.6	0.0	0.0	2.8
0.0	0.0		J	22.6	0.0	0.0	2.8
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Q5_pc	I	3.1	0.0	0.0
0.0	0.0			J	3.1	0.0	0.0
0.0	0.0						
0.0	0.0		Q5_ps	I	6.2	0.0	0.0
0.0	0.0			J	6.2	0.0	0.0
0.0	0.0						
0.0	0.0		INVS LU Max	I	328.3	0.0	-1.8
0.0	0.0			J	328.3	0.0	1.8
0.0	0.0						
0.0	0.0		Min	I	-19.5	0.0	-1.8
0.0	0.0			J	-19.5	0.0	1.8
0.0	0.0						
0.0	0.0		INVS LE Max	I	245.1	0.0	-1.4
0.0	0.0			J	245.1	0.0	1.4
0.0	0.0						
0.0	0.0		Min	I	-12.1	0.0	-1.4
0.0	0.0			J	-12.1	0.0	1.4
0.0	0.0						
902	2	65	C1-C2;~1 Max	I	254.4	0.1	0.0
0.0	0.0			J	254.4	0.1	0.0
2.1	272.5						
0.0	0.0		Min	I	-58.6	-0.1	-0.0
-7.5	-301.5			J	-58.6	-0.1	-0.0
0.0	0.0		C3-C4;~1 Max	I	215.7	0.1	0.0
1.8	342.2			J	215.7	0.1	0.0
0.0	0.0						
-8.6	-221.5		Min	I	-61.6	-0.1	-0.0
				J	-61.6	-0.1	-0.0
0.0	0.0		C1-C2;~2 Max	I	151.6	0.1	0.0
1.2	163.7			J	151.6	0.1	0.0
0.0	0.0						
-4.5	-190.1		Min	I	-31.6	-0.1	-0.0
				J	-31.6	-0.1	-0.0
0.0	0.0		C3-C4;~2 Max	I	126.6	0.0	0.0
1.0	210.9			J	126.6	0.0	0.0
0.0	0.0						
			Min	I	-32.3	-0.1	-0.0
				J	-32.3	-0.1	-0.0


MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-5.2	-133.6							
			G1	I	108.2	-0.0	-4.0	-3.4
0.0	0.0			J	108.2	-0.0	-1.4	-3.4
8214.0	52.8							
			G2	I	41.1	-0.0	0.0	-0.6
0.0	0.0			J	41.1	-0.0	0.0	-0.6
-1.9	23.8							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-6.8	0.0	0.0	0.6
0.0	0.0			J	-6.8	0.0	0.0	0.6
-0.4	-90.1							
			Q5_ps	I	-10.4	0.0	0.0	0.9
0.0	0.0			J	-10.4	0.0	0.0	0.9
-0.6	-80.5							
			INVSLE Max	I	503.5	0.2	-5.4	-21.5
0.0	0.0			J	503.5	0.2	-1.9	-21.5
1088.1	430.5		Min	I	64.6	-0.1	-5.4	-35.9
0.0	0.0			J	64.6	-0.1	-1.9	-35.9
1072.9	-600.7							1
			INVSLE Max	I	369.7	0.1	-4.0	-16.7
0.0	0.0			J	369.7	0.1	-1.4	-16.7
8213.4	307.5		Min	I	45.5	-0.1	-4.0	-27.3
0.0	0.0			J	45.5	-0.1	-1.4	-27.3
8202.2	-444.3							
903	2	65	C1-C2;~1 Max	I	254.4	0.1	0.0	1.5
7.9	272.5			J	254.4	0.1	0.0	1.5
0.0	0.0		Min	I	-58.6	-0.1	-0.0	-10.5
-2.2	-301.5			J	-58.6	-0.1	-0.0	-10.5
0.0	0.0							
			C3-C4;~1 Max	I	215.7	0.1	0.0	1.5
9.0	342.2			J	215.7	0.1	0.0	1.5
0.0	0.0		Min	I	-61.6	-0.1	-0.0	-10.2
-1.9	-221.5			J	-61.6	-0.1	-0.0	-10.2
0.0	0.0							
			C1-C2;~2 Max	I	151.6	0.1	0.0	0.8
4.7	163.7			J	151.6	0.1	0.0	0.8

MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		Min	I	-31.6	-0.1	-0.0	-6.5
-1.3	-190.1			J	-31.6	-0.1	-0.0	-6.5
0.0	0.0							
5.4	210.9	C3-C4;~2	Max	I	126.6	0.1	0.0	0.8
0.0	0.0			J	126.6	0.1	0.0	0.8
-1.0	-133.6		Min	I	-32.3	-0.0	-0.0	-6.4
0.0	0.0			J	-32.3	-0.0	-0.0	-6.4
8220.0	52.8		G1	I	108.2	0.0	1.2	-4.6
0.0	0.0			J	108.2	0.0	3.9	-4.6
2.0	23.8		G2	I	41.1	0.0	0.0	-1.3
0.0	0.0			J	41.1	0.0	0.0	-1.3
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.4	-90.1		Q5_pc	I	-6.8	-0.0	0.0	0.4
0.0	0.0			J	-6.8	-0.0	0.0	0.4
0.6	-80.5		Q5_ps	I	-10.4	-0.0	0.0	0.7
0.0	0.0			J	-10.4	-0.0	0.0	0.7
1113.7	430.5		INVSLE Max	I	503.5	0.1	1.7	-24.2
0.0	0.0			J	503.5	0.1	5.3	-24.2
1097.8	-600.7		Min	I	64.6	-0.2	1.7	-41.1
0.0	0.0			J	64.6	-0.2	5.3	-41.1
8232.3	307.5		INVSLE Max	I	369.7	0.1	1.2	-18.7
0.0	0.0			J	369.7	0.1	3.9	-18.7
8220.6	-444.3		Min	I	45.5	-0.1	1.2	-31.2
0.0	0.0			J	45.5	-0.1	3.9	-31.2
904	2	65	C1-C2;~1	Max	I	121.9	0.0	0.0
0.0	0.0			J	121.9	0.0	0.0	6.6
0.0	0.0		Min	I	-112.4	0.0	0.0	-2.3
0.0	0.0			J	-112.4	0.0	-0.0	-2.3

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0	C3-C4;~1 Max	I	141.1	0.0	0.0	5.7
			J	141.1	0.0	0.0	5.7
0.0	0.0	Min	I	-78.1	0.0	0.0	-2.7
0.0	0.0		J	-78.1	0.0	-0.0	-2.7
0.0	0.0	C1-C2;~2 Max	I	70.6	0.0	0.0	4.4
			J	70.6	0.0	0.0	4.4
0.0	0.0	Min	I	-67.1	0.0	0.0	-1.3
0.0	0.0		J	-67.1	0.0	-0.0	-1.3
0.0	0.0	C3-C4;~2 Max	I	81.6	0.0	0.0	3.7
			J	81.6	0.0	0.0	3.7
0.0	0.0	Min	I	-45.9	0.0	0.0	-1.4
0.0	0.0		J	-45.9	0.0	-0.0	-1.4
0.0	0.0	G1	I	53.0	0.0	-1.3	0.7
			J	53.0	0.0	1.3	0.7
0.0	0.0	G2	I	22.6	0.0	0.0	-1.1
			J	22.6	0.0	-0.0	-1.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	3.1	0.0	0.0	-0.8
			J	3.1	0.0	0.0	-0.8
0.0	0.0	Q5_ps	I	6.2	0.0	0.0	-1.2
			J	6.2	0.0	-0.0	-1.2
0.0	0.0	INVSLU Max	I	328.3	0.0	-1.8	25.5
			J	328.3	0.0	1.8	25.5
0.0	0.0	Min	I	-19.5	0.0	-1.8	11.4
0.0	0.0		J	-19.5	0.0	1.8	11.4
0.0	0.0	INVSLE Max	I	245.1	0.0	-1.3	19.6
			J	245.1	0.0	1.3	19.6

PROJECT TITLE :

		Company						Client	
		Author						File Name	
				Min	I	-12.0	0.0	-1.3	9.2
0.0	0.0				J	-12.0	0.0	1.3	9.2
0.0	0.0								
905	2	65	C1-C2;~1	Max	I	99.6	0.0	0.0	14.7
0.0	0.0				J	99.6	0.0	0.0	14.7
0.0	0.0			Min	I	-182.8	-0.0	0.0	-2.4
0.0	0.0				J	-182.8	-0.0	0.0	-2.4
0.0	0.0								
0.0	0.0			C3-C4;~1	Max	I	132.7	0.0	16.0
0.0	0.0				J	132.7	0.0	0.0	16.0
0.0	0.0			Min	I	-134.9	-0.0	0.0	-2.2
0.0	0.0				J	-134.9	-0.0	0.0	-2.2
0.0	0.0								
0.0	0.0			C1-C2;~2	Max	I	52.9	0.0	8.8
0.0	0.0				J	52.9	0.0	0.0	8.8
0.0	0.0			Min	I	-106.4	-0.0	0.0	-1.3
0.0	0.0				J	-106.4	-0.0	0.0	-1.3
0.0	0.0								
0.0	0.0			C3-C4;~2	Max	I	72.6	0.0	9.8
0.0	0.0				J	72.6	0.0	0.0	9.8
0.0	0.0			Min	I	-77.4	-0.0	0.0	-1.2
0.0	0.0				J	-77.4	-0.0	0.0	-1.2
0.0	0.0								
0.0	0.0			G1	I	2.9	-0.0	-1.4	6.6
0.0	0.0				J	2.9	-0.0	1.4	6.6
0.0	0.0								
0.0	0.0			G2	I	3.3	-0.0	0.0	2.7
0.0	0.0				J	3.3	-0.0	0.0	2.7
0.0	0.0								
0.0	0.0			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
0.0	0.0			Q5_pc	I	10.9	-0.0	0.0	0.0
0.0	0.0				J	10.9	-0.0	0.0	0.0
0.0	0.0								
0.0	0.0			Q5_ps	I	16.0	-0.0	0.0	0.0
0.0	0.0				J	16.0	-0.0	0.0	0.0
0.0	0.0								

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0	INVS LU Max	I	251.5	-0.0	-1.8	53.3
			J	251.5	-0.0	1.8	53.3
0.0	0.0	Min	I	-194.1	-0.0	-1.8	28.4
0.0	0.0		J	-194.1	-0.0	1.8	28.4
0.0	0.0	INVS LE Max	I	189.1	-0.0	-1.4	40.3
0.0	0.0		J	189.1	-0.0	1.4	40.3
0.0	0.0	Min	I	-139.5	-0.0	-1.4	21.8
0.0	0.0		J	-139.5	-0.0	1.4	21.8
906	2	65 C1-C2;~1 Max	I	321.7	0.1	0.0	1.1
0.0	0.0		J	321.7	0.1	0.0	1.1
2.3	319.1	Min	I	-65.0	-0.1	-0.0	-8.1
0.0	0.0		J	-65.0	-0.1	-0.0	-8.1
-6.9	-288.3	C3-C4;~1 Max	I	263.9	0.1	0.0	1.2
0.0	0.0		J	263.9	0.1	0.0	1.2
1.9	403.5	Min	I	-71.9	-0.1	-0.0	-8.2
0.0	0.0		J	-71.9	-0.1	-0.0	-8.2
-7.8	-208.0	C1-C2;~2 Max	I	188.2	0.1	0.0	0.5
0.0	0.0		J	188.2	0.1	0.0	0.5
1.3	187.9	Min	I	-34.6	-0.1	-0.0	-5.2
0.0	0.0		J	-34.6	-0.1	-0.0	-5.2
-4.1	-183.3	C3-C4;~2 Max	I	151.5	0.0	0.0	0.5
0.0	0.0		J	151.5	0.0	0.0	0.5
1.1	244.2	Min	I	-36.9	-0.1	-0.0	-5.1
0.0	0.0		J	-36.9	-0.1	-0.0	-5.1
-4.7	-127.2	G1	I	142.9	-0.0	-4.0	-2.9
0.0	0.0		J	142.9	-0.0	-1.4	-2.9
8241.2	131.9	G2	I	54.1	-0.0	0.0	-0.3
0.0	0.0		J	54.1	-0.0	0.0	-0.3
-1.8	56.3	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0						

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Q5_pc	I	-13.8	0.0	0.0	0.6	
-0.4	-73.9		J	-13.8	0.0	0.0	0.6	
0.0	0.0	Q5_ps	I	-19.5	0.0	0.0	0.9	
-0.6	-64.2		J	-19.5	0.0	0.0	0.9	
0.0	0.0	INVSLU Max	I	666.8	0.1	-5.4	-19.9	
1123.9	685.0		J	666.8	0.1	-1.9	-19.9	1
0.0	0.0	Min	I	110.6	-0.2	-5.4	-33.6	
1109.6	-381.9		J	110.6	-0.2	-1.9	-33.6	1
0.0	0.0	INVSLE Max	I	490.0	0.1	-4.0	-15.5	
8239.9	497.4		J	490.0	0.1	-1.4	-15.5	
0.0	0.0	Min	I	79.9	-0.2	-4.0	-25.6	
8229.3	-283.0		J	79.9	-0.2	-1.4	-25.6	
907	2	65 C1-C2;~1 Max	I	321.7	0.1	0.0	1.3	
7.2	319.1		J	321.7	0.1	0.0	1.3	
0.0	0.0	Min	I	-65.0	-0.1	-0.0	-9.5	
-2.4	-288.3		J	-65.0	-0.1	-0.0	-9.5	
0.0	0.0	C3-C4;~1 Max	I	263.9	0.1	0.0	1.2	
8.2	403.5		J	263.9	0.1	0.0	1.2	
0.0	0.0	Min	I	-71.8	-0.1	-0.0	-9.5	
-2.0	-208.0		J	-71.8	-0.1	-0.0	-9.5	
0.0	0.0	C1-C2;~2 Max	I	188.2	0.1	0.0	0.7	
4.3	187.9		J	188.2	0.1	0.0	0.7	
0.0	0.0	Min	I	-34.6	-0.1	-0.0	-6.0	
-1.4	-183.3		J	-34.6	-0.1	-0.0	-6.0	
0.0	0.0	C3-C4;~2 Max	I	151.5	0.1	0.0	0.6	
4.9	244.2		J	151.5	0.1	0.0	0.6	
0.0	0.0	Min	I	-36.9	-0.0	-0.0	-5.9	
-1.2	-127.2		J	-36.9	-0.0	-0.0	-5.9	
0.0	0.0							

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

8246.8	131.9	G1	I	142.9	0.0	1.2	-3.9	
0.0	0.0		J	142.9	0.0	3.9	-3.9	
1.9	56.3	G2	I	54.2	0.0	0.0	-1.0	
0.0	0.0		J	54.2	0.0	0.0	-1.0	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.4	-73.9	Q5_pc	I	-13.9	-0.0	0.0	0.5	
0.0	0.0		J	-13.9	-0.0	0.0	0.5	
0.6	-64.2	Q5_ps	I	-19.5	-0.0	0.0	0.7	
0.0	0.0		J	-19.5	-0.0	0.0	0.7	
1149.9	685.0	INVSLU Max	I	666.8	0.2	1.7	-23.2	1
0.0	0.0		J	666.8	0.2	5.3	-23.2	
1135.0	-381.9	Min	I	110.6	-0.1	1.7	-38.6	1
0.0	0.0		J	110.6	-0.1	5.3	-38.6	
8259.2	497.4	INVSLE Max	I	490.1	0.2	1.2	-17.9	
0.0	0.0		J	490.1	0.2	3.9	-17.9	
8248.2	-283.0	Min	I	79.9	-0.1	1.2	-29.3	
0.0	0.0		J	79.9	-0.1	3.9	-29.3	
908	2	65 C1-C2;~1 Max	I	99.8	0.0	0.0	6.9	
0.0	0.0		J	99.8	0.0	0.0	6.9	
0.0	0.0	Min	I	-182.7	-0.0	-0.0	-2.3	
0.0	0.0		J	-182.7	-0.0	0.0	-2.3	
0.0	0.0	C3-C4;~1 Max	I	132.9	0.0	0.0	5.9	
0.0	0.0		J	132.9	0.0	0.0	5.9	
0.0	0.0	Min	I	-134.8	-0.0	-0.0	-2.1	
0.0	0.0		J	-134.8	-0.0	0.0	-2.1	
0.0	0.0	C1-C2;~2 Max	I	53.0	0.0	0.0	4.6	
0.0	0.0		J	53.0	0.0	0.0	4.6	


MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0		Min	I	-106.4	-0.0	-0.0	-1.3
				J	-106.4	-0.0	0.0	-1.3
0.0	0.0							
		C3-C4;~2	Max	I	72.7	0.0	0.0	3.8
0.0	0.0			J	72.7	0.0	0.0	3.8
0.0	0.0							
			Min	I	-77.4	-0.0	-0.0	-1.2
0.0	0.0			J	-77.4	-0.0	0.0	-1.2
0.0	0.0							
			G1	I	3.0	0.0	-1.3	0.8
0.0	0.0			J	3.0	-0.0	1.3	0.8
0.0	0.0							
			G2	I	3.3	0.0	-0.0	-1.0
0.0	0.0			J	3.3	-0.0	0.0	-1.0
0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	10.9	0.0	0.0	-0.8
0.0	0.0			J	10.9	-0.0	0.0	-0.8
0.0	0.0							
			Q5_ps	I	16.0	0.0	0.0	-1.1
0.0	0.0			J	16.0	-0.0	0.0	-1.1
0.0	0.0							
			INVSLU Max	I	251.7	0.0	-1.8	23.3
0.0	0.0			J	251.7	-0.0	1.8	23.3
0.0	0.0							
			Min	I	-194.0	0.0	-1.8	9.6
0.0	0.0			J	-194.0	-0.0	1.8	9.6
0.0	0.0							
			INVSLE Max	I	189.3	0.0	-1.3	17.9
0.0	0.0			J	189.3	-0.0	1.3	17.9
0.0	0.0							
			Min	I	-139.4	0.0	-1.3	7.8
0.0	0.0			J	-139.4	-0.0	1.3	7.8
0.0	0.0							
909	2	65	C1-C2;~1	Max	I	100.3	0.0	0.0
0.0	0.0			J	100.3	0.0	0.0	12.4
0.0	0.0							
			Min	I	-265.5	0.0	0.0	-2.0
0.0	0.0			J	-265.5	0.0	-0.0	-2.0
0.0	0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0	C3-C4;~1 Max	I	141.1	0.0	0.0	13.8
			J	141.1	0.0	0.0	13.8
0.0	0.0	Min	I	-203.9	0.0	0.0	-1.5
0.0	0.0		J	-203.9	0.0	-0.0	-1.5
0.0	0.0	C1-C2;~2 Max	I	51.4	0.0	0.0	7.5
0.0	0.0		J	51.4	0.0	0.0	7.5
0.0	0.0	Min	I	-151.3	0.0	0.0	-1.0
0.0	0.0		J	-151.3	0.0	-0.0	-1.0
0.0	0.0	C3-C4;~2 Max	I	75.9	0.0	0.0	8.4
0.0	0.0		J	75.9	0.0	0.0	8.4
0.0	0.0	Min	I	-114.6	0.0	0.0	-0.8
0.0	0.0		J	-114.6	0.0	-0.0	-0.8
0.0	0.0	G1	I	-51.5	0.0	-1.4	5.2
0.0	0.0		J	-51.5	0.0	1.4	5.2
0.0	0.0	G2	I	-18.0	0.0	0.0	2.1
0.0	0.0		J	-18.0	0.0	0.0	2.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	17.9	0.0	0.0	0.2
0.0	0.0		J	17.9	0.0	-0.0	0.2
0.0	0.0	Q5_ps	I	24.8	0.0	0.0	0.2
0.0	0.0		J	24.8	0.0	-0.0	0.2
0.0	0.0	INVSLU Max	I	179.9	0.0	-1.8	44.9
0.0	0.0		J	179.9	0.0	1.8	44.9
0.0	0.0	Min	I	-401.1	0.0	-1.8	23.2
0.0	0.0		J	-401.1	0.0	1.8	23.2
0.0	0.0	INVSLE Max	I	136.6	0.0	-1.4	34.0
0.0	0.0		J	136.6	0.0	1.4	34.0
0.0	0.0	Min	I	-291.4	0.0	-1.4	18.0


MIDAS

PROJECT TITLE :

MIDAS		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0			J	-291.4	0.0	1.4	18.0
0.0	0.0							
910	2	65	C1-C2;~1	Max	I	366.2	0.1	0.0
0.0	0.0				J	366.2	0.1	0.0
2.1	406.4			Min	I	-74.9	-0.1	-0.0
0.0	0.0				J	-74.9	-0.1	-0.0
-5.7	-245.0							
			C3-C4;~1	Max	I	291.0	0.1	0.0
0.0	0.0				J	291.0	0.1	0.0
1.6	502.4			Min	I	-85.1	-0.2	-0.0
0.0	0.0				J	-85.1	-0.2	-0.0
-6.3	-171.5							
			C1-C2;~2	Max	I	210.9	0.1	0.0
0.0	0.0				J	210.9	0.1	0.0
1.3	236.5			Min	I	-38.3	-0.1	-0.0
0.0	0.0				J	-38.3	-0.1	-0.0
-3.4	-157.7							
			C3-C4;~2	Max	I	163.6	0.0	0.0
0.0	0.0				J	163.6	0.0	0.0
1.0	300.8			Min	I	-42.2	-0.1	-0.0
0.0	0.0				J	-42.2	-0.1	-0.0
-3.8	-105.2							
			G1		I	157.9	-0.1	-4.0
0.0	0.0				J	157.9	-0.1	-1.4
8271.7	256.9							
			G2		I	59.4	-0.0	0.0
0.0	0.0				J	59.4	-0.0	0.0
-1.5	105.2							
			Q3		I	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0
0.0	0.0							
			Q5_pc		I	-24.2	0.0	0.0
0.0	0.0				J	-24.2	0.0	0.0
-0.6	-85.5							
			Q5_ps		I	-31.5	0.0	0.0
0.0	0.0				J	-31.5	0.0	0.0
-0.7	-76.1							
			INVSLU	Max	I	767.3	0.0	-5.4
								-14.2


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0			J	767.3	0.0	-1.9	-14.2	1
1164.6	1133.8		Min	I	114.5	-0.4	-5.4	-26.4	
0.0	0.0			J	114.5	-0.4	-1.9	-26.4	1
1152.1	-29.0		INVSLE Max	I	563.8	0.0	-4.0	-11.2	
0.0	0.0			J	563.8	0.0	-1.4	-11.2	
8269.9	828.0		Min	I	83.5	-0.3	-4.0	-20.2	
0.0	0.0			J	83.5	-0.3	-1.4	-20.2	
8260.7	-22.0								
911	2	65	C1-C2;~1	Max	I	366.2	0.1	0.0	1.2
5.9	406.4				J	366.2	0.1	0.0	1.2
0.0	0.0		Min	I	-74.9	-0.1	-0.0	-7.6	
-2.2	-245.0			J	-74.9	-0.1	-0.0	-7.6	
0.0	0.0								
6.6	502.4		C3-C4;~1	Max	I	291.0	0.2	0.0	1.0
0.0	0.0			J	291.0	0.2	0.0	1.0	
0.0	0.0		Min	I	-85.1	-0.1	-0.0	-7.6	
-1.7	-171.5			J	-85.1	-0.1	-0.0	-7.6	
0.0	0.0								
3.6	236.5		C1-C2;~2	Max	I	210.9	0.1	0.0	0.6
0.0	0.0			J	210.9	0.1	0.0	0.6	
0.0	0.0		Min	I	-38.3	-0.0	-0.0	-4.8	
-1.4	-157.7			J	-38.3	-0.0	-0.0	-4.8	
0.0	0.0								
4.0	300.8		C3-C4;~2	Max	I	163.6	0.1	0.0	0.5
0.0	0.0			J	163.6	0.1	0.0	0.5	
0.0	0.0		Min	I	-42.2	-0.0	-0.0	-4.7	
-1.0	-105.2			J	-42.2	-0.0	-0.0	-4.7	
0.0	0.0								
8275.8	256.9		G1	I	158.0	0.1	1.2	-2.3	
0.0	0.0			J	158.0	0.1	3.9	-2.3	
0.0	0.0								
1.5	105.2		G2	I	59.5	0.0	0.0	-0.4	
0.0	0.0			J	59.5	0.0	0.0	-0.4	
0.0	0.0								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0							
0.6	-85.5	Q5_pc	I	-24.2	-0.0	0.0	0.4	
0.0	0.0		J	-24.2	-0.0	0.0	0.4	
0.8	-76.1	Q5_ps	I	-31.5	-0.0	0.0	0.6	
0.0	0.0		J	-31.5	-0.0	0.0	0.6	
1187.8	1133.8	INVS LU Max	I	767.4	0.4	1.7	-18.0	1
0.0	0.0		J	767.4	0.4	5.3	-18.0	
1174.7	-29.0	Min	I	114.5	-0.0	1.7	-30.5	1
0.0	0.0		J	114.5	-0.0	5.3	-30.5	
8287.3	828.0	INVS LE Max	I	563.9	0.3	1.2	-14.1	
0.0	0.0		J	563.9	0.3	3.9	-14.1	
8277.7	-22.0	Min	I	83.5	-0.0	1.2	-23.3	
0.0	0.0		J	83.5	-0.0	3.9	-23.3	
912	2	65 C1-C2;~1 Max	I	100.4	0.0	0.0	6.7	
0.0	0.0		J	100.4	0.0	0.0	6.7	
0.0	0.0	Min	I	-265.5	0.0	0.0	-2.2	
0.0	0.0		J	-265.5	-0.0	-0.0	-2.2	
0.0	0.0	C3-C4;~1 Max	I	141.3	0.0	0.0	5.4	
0.0	0.0		J	141.3	0.0	0.0	5.4	
0.0	0.0	Min	I	-203.9	0.0	0.0	-1.8	
0.0	0.0		J	-203.9	-0.0	-0.0	-1.8	
0.0	0.0	C1-C2;~2 Max	I	51.5	0.0	0.0	4.5	
0.0	0.0		J	51.5	0.0	0.0	4.5	
0.0	0.0	Min	I	-151.2	0.0	0.0	-1.2	
0.0	0.0		J	-151.2	-0.0	-0.0	-1.2	
0.0	0.0	C3-C4;~2 Max	I	76.1	0.0	0.0	3.6	
0.0	0.0		J	76.1	0.0	0.0	3.6	
0.0	0.0	Min	I	-114.5	0.0	0.0	-1.0	
0.0	0.0		J	-114.5	-0.0	-0.0	-1.0	


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0	G1	I	-51.3	0.0	-1.3	1.1
0.0	0.0		J	-51.3	0.0	1.3	1.1
0.0	0.0	G2	I	-17.9	0.0	0.0	-0.9
0.0	0.0		J	-17.9	0.0	-0.0	-0.9
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	17.8	0.0	0.0	-1.0
0.0	0.0		J	17.8	-0.0	0.0	-1.0
0.0	0.0	Q5_ps	I	24.8	0.0	0.0	-1.4
0.0	0.0		J	24.8	0.0	0.0	-1.4
0.0	0.0	INVS LU Max	I	180.4	0.0	-1.7	18.8
0.0	0.0		J	180.4	0.0	1.7	18.8
0.0	0.0	Min	I	-400.8	0.0	-1.7	4.9
0.0	0.0		J	-400.8	0.0	1.7	4.9
0.0	0.0	INVS LE Max	I	137.0	0.0	-1.3	14.4
0.0	0.0		J	137.0	0.0	1.3	14.4
0.0	0.0	Min	I	-291.2	0.0	-1.3	4.3
0.0	0.0		J	-291.2	0.0	1.3	4.3
913	2	65 C1-C2;~1 Max	I	85.6	0.0	0.0	8.3
0.0	0.0		J	85.6	0.0	0.0	8.3
0.0	0.0	Min	I	-315.6	0.0	-0.0	-2.4
0.0	0.0		J	-315.6	-0.0	-0.0	-2.4
0.0	0.0	C3-C4;~1 Max	I	125.4	0.0	0.0	9.7
0.0	0.0		J	125.4	0.0	0.0	9.7
0.0	0.0	Min	I	-243.6	0.0	-0.0	-1.1
0.0	0.0		J	-243.6	-0.0	-0.0	-1.1
0.0	0.0	C1-C2;~2 Max	I	41.6	0.0	0.0	5.0
0.0	0.0		J	41.6	0.0	0.0	5.0
0.0	0.0	Min	I	-179.2	0.0	-0.0	-1.4


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	-179.2	-0.0	-0.0	-1.4
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	65.8	0.0	0.0	5.9
0.0	0.0		J	65.8	0.0	0.0	5.9
0.0	0.0	Min	I	-135.7	0.0	-0.0	-0.5
0.0	0.0		J	-135.7	-0.0	-0.0	-0.5
0.0	0.0	G1	I	-97.7	0.0	-1.3	2.8
0.0	0.0		J	-97.7	-0.0	1.3	2.8
0.0	0.0	G2	I	-36.4	0.0	-0.0	1.2
0.0	0.0		J	-36.4	-0.0	0.0	1.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	38.5	0.0	0.0	0.6
0.0	0.0		J	38.5	0.0	0.0	0.6
0.0	0.0	Q5_ps	I	45.7	0.0	0.0	0.7
0.0	0.0		J	45.7	0.0	0.0	0.7
0.0	0.0	INVSLE Max	I	94.3	0.0	-1.8	26.8
0.0	0.0		J	94.3	-0.0	1.8	26.8
0.0	0.0	Min	I	-570.5	0.0	-1.8	9.4
0.0	0.0		J	-570.5	-0.0	1.8	9.4
0.0	0.0	INVSLE Max	I	72.8	0.0	-1.3	20.4
0.0	0.0		J	72.8	-0.0	1.3	20.4
0.0	0.0	Min	I	-414.5	0.0	-1.3	7.6
0.0	0.0		J	-414.5	-0.0	1.3	7.6
914	2	65 C1-C2;~1 Max	I	339.7	0.0	0.0	3.1
0.0	0.0		J	339.7	0.0	0.0	3.1
0.7	379.9	Min	I	-76.5	-0.1	-0.0	-1.2
0.0	0.0		J	-76.5	-0.1	-0.0	-1.2
-6.1	-110.2	C3-C4;~1 Max	I	268.9	0.0	0.0	3.8


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0			J	268.9	0.0	0.0	3.8	
0.5	470.3		Min	I	-105.3	-0.2	-0.0	-0.9	
0.0	0.0			J	-105.3	-0.2	-0.0	-0.9	
-7.1	-65.0								
			C1-C2;~2	Max	I	193.3	0.0	0.0	1.8
0.0	0.0			J	193.3	0.0	0.0	1.8	
0.3	214.7		Min	I	-37.5	-0.1	-0.0	-0.8	
0.0	0.0			J	-37.5	-0.1	-0.0	-0.8	
-3.6	-67.3								
			C3-C4;~2	Max	I	150.0	0.0	0.0	2.2
0.0	0.0			J	150.0	0.0	0.0	2.2	
0.3	273.1		Min	I	-54.2	-0.1	-0.0	-0.6	
0.0	0.0			J	-54.2	-0.1	-0.0	-0.6	
-4.3	-37.9								
			G1	I	131.0	-0.1	-3.9	2.1	
0.0	0.0			J	131.0	-0.1	-1.4	2.1	
7812.7	290.2								
			G2	I	48.5	-0.0	0.0	1.3	
0.0	0.0			J	48.5	-0.0	0.0	1.3	
-1.5	124.5								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	-19.9	-0.1	0.0	1.3	
0.0	0.0			J	-19.9	-0.1	0.0	1.3	
-1.9	200.4								
			Q5_ps	I	-28.5	-0.1	0.0	1.4	
0.0	0.0			J	-28.5	-0.1	0.0	1.4	
-1.9	198.7								
			INVS LU	Max	I	687.4	-0.1	-5.2	5.4
0.0	0.0			J	687.4	-0.1	-1.8	5.4	1
0545.9	1561.7		Min	I	50.9	-0.5	-5.2	-4.0	
0.0	0.0			J	50.9	-0.5	-1.8	-4.0	1
0531.3	357.7								
			INVS LE	Max	I	506.2	-0.1	-3.9	3.8
0.0	0.0			J	506.2	-0.1	-1.4	3.8	
7811.4	1160.6		Min	I	37.4	-0.4	-3.9	-3.0	
0.0	0.0								

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
7800.9	304.1			J	37.4	-0.4	-1.4	-3.0	
915	2	65	C1-C2;~1	Max	I	339.7	0.1	0.0	1.4
6.3	379.9				J	339.7	0.1	0.0	1.4
0.0	0.0			Min	I	-76.5	-0.0	-0.0	-3.0
-0.7	-110.2				J	-76.5	-0.0	-0.0	-3.0
0.0	0.0								
			C3-C4;~1	Max	I	268.9	0.2	0.0	1.1
7.4	470.3				J	268.9	0.2	0.0	1.1
0.0	0.0			Min	I	-105.3	-0.0	-0.0	-2.5
-0.5	-65.0				J	-105.3	-0.0	-0.0	-2.5
0.0	0.0								
			C1-C2;~2	Max	I	193.3	0.1	0.0	0.9
3.7	214.7				J	193.3	0.1	0.0	0.9
0.0	0.0			Min	I	-37.5	-0.0	-0.0	-2.0
-0.4	-67.3				J	-37.5	-0.0	-0.0	-2.0
0.0	0.0								
			C3-C4;~2	Max	I	150.0	0.1	0.0	0.7
4.4	273.1				J	150.0	0.1	0.0	0.7
0.0	0.0			Min	I	-54.1	-0.0	-0.0	-1.7
-0.3	-37.9				J	-54.1	-0.0	-0.0	-1.7
0.0	0.0								
			G1		I	131.1	0.1	1.2	0.6
7818.4	290.2				J	131.1	0.1	3.8	0.6
0.0	0.0								
			G2		I	48.5	0.0	0.0	0.5
1.6	124.5				J	48.5	0.0	0.0	0.5
0.0	0.0								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc		I	-19.8	0.1	0.0	0.3
2.0	200.4				J	-19.8	0.1	0.0	0.3
0.0	0.0								
			Q5_ps		I	-28.5	0.1	0.0	0.4
2.0	198.7				J	-28.5	0.1	0.0	0.4
0.0	0.0								
			INVSLU	Max	I	687.5	0.5	1.6	-3.1
0571.3	1561.7								1

MIDAS

PROJECT TITLE :

MIDAS		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
				J	687.5	0.5	5.2	-3.1	
0.0	0.0		Min	I	51.1	0.1	1.6	-9.5	1
0556.1	357.7			J	51.1	0.1	5.2	-9.5	
0.0	0.0								
			INVSLE Max	I	506.3	0.4	1.2	-2.6	
7830.7	1160.6			J	506.3	0.4	3.8	-2.6	
0.0	0.0		Min	I	37.5	0.1	1.2	-7.3	
7819.7	304.1			J	37.5	0.1	3.8	-7.3	
0.0	0.0								
916	2	65	C1-C2;~1 Max	I	85.8	0.0	0.0	0.4	
0.0	0.0			J	85.8	0.0	0.0	0.4	
0.0	0.0		Min	I	-315.6	-0.0	0.0	-4.9	
0.0	0.0			J	-315.6	0.0	0.0	-4.9	
0.0	0.0								
			C3-C4;~1 Max	I	125.7	0.0	0.0	0.4	
0.0	0.0			J	125.7	0.0	0.0	0.4	
0.0	0.0		Min	I	-243.5	-0.0	0.0	-5.6	
0.0	0.0			J	-243.5	0.0	0.0	-5.6	
0.0	0.0								
			C1-C2;~2 Max	I	41.7	0.0	0.0	0.2	
0.0	0.0			J	41.7	0.0	0.0	0.2	
0.0	0.0		Min	I	-179.2	-0.0	0.0	-2.9	
0.0	0.0			J	-179.2	0.0	0.0	-2.9	
0.0	0.0								
			C3-C4;~2 Max	I	65.9	0.0	0.0	0.2	
0.0	0.0			J	65.9	0.0	0.0	0.2	
0.0	0.0		Min	I	-135.7	-0.0	0.0	-3.3	
0.0	0.0			J	-135.7	0.0	0.0	-3.3	
0.0	0.0								
			G1	I	-97.5	-0.0	-1.2	-3.1	
0.0	0.0			J	-97.5	0.0	1.2	-3.1	
0.0	0.0								
			G2	I	-36.3	-0.0	0.0	-1.9	
0.0	0.0			J	-36.3	0.0	0.0	-1.9	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0	Q5_pc	I	38.7	0.0	0.0	-3.5
0.0	0.0		J	38.7	0.0	0.0	-3.5
0.0	0.0	Q5_ps	I	45.9	0.0	0.0	-3.4
0.0	0.0		J	45.9	0.0	0.0	-3.4
0.0	0.0	INVS LU Max	I	95.3	-0.0	-1.7	1.1
0.0	0.0		J	95.3	0.0	1.7	1.1
0.0	0.0	Min	I	-570.1	-0.0	-1.7	-15.0
0.0	0.0		J	-570.1	0.0	1.7	-15.0
0.0	0.0	INVS LE Max	I	73.5	-0.0	-1.2	0.6
0.0	0.0		J	73.5	0.0	1.2	0.6
0.0	0.0	Min	I	-414.2	-0.0	-1.2	-10.7
0.0	0.0		J	-414.2	0.0	1.2	-10.7
917	2	65 C1-C2;~1 Max	I	141.1	0.0	0.0	10.0
0.0	0.0		J	141.1	0.0	0.0	10.0
0.0	0.0	Min	I	-73.9	0.0	0.0	-3.0
0.0	0.0		J	-73.9	0.0	-0.0	-3.0
0.0	0.0	C3-C4;~1 Max	I	147.0	0.0	0.0	10.8
0.0	0.0		J	147.0	0.0	0.0	10.8
0.0	0.0	Min	I	-53.1	0.0	0.0	-1.5
0.0	0.0		J	-53.1	0.0	-0.0	-1.5
0.0	0.0	C1-C2;~2 Max	I	86.1	0.0	0.0	6.2
0.0	0.0		J	86.1	0.0	0.0	6.2
0.0	0.0	Min	I	-41.5	0.0	0.0	-1.7
0.0	0.0		J	-41.5	0.0	-0.0	-1.7
0.0	0.0	C3-C4;~2 Max	I	87.9	0.0	0.0	6.7
0.0	0.0		J	87.9	0.0	0.0	6.7
0.0	0.0	Min	I	-27.9	0.0	0.0	-0.8
0.0	0.0		J	-27.9	0.0	-0.0	-0.8
0.0	0.0	G1	I	55.9	0.0	-1.3	3.7

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0		J	55.9	0.0	1.3	3.7
0.0	0.0						
0.0	0.0	G2	I	20.7	0.0	0.0	0.9
0.0	0.0		J	20.7	0.0	0.0	0.9
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc	I	12.3	0.0	0.0	0.1
0.0	0.0		J	12.3	0.0	0.0	0.1
0.0	0.0						
0.0	0.0	Q5_ps	I	12.4	0.0	0.0	0.0
0.0	0.0		J	12.4	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	INVSLU Max	I	283.2	0.0	-1.8	36.1
0.0	0.0		J	283.2	0.0	1.8	36.1
0.0	0.0						
0.0	0.0	Min	I	-37.2	0.0	-1.8	17.3
0.0	0.0		J	-37.2	0.0	1.8	17.3
0.0	0.0						
0.0	0.0	INVSLE Max	I	207.9	0.0	-1.3	27.4
0.0	0.0		J	207.9	0.0	1.3	27.4
0.0	0.0						
0.0	0.0	Min	I	-27.8	0.0	-1.3	13.5
0.0	0.0		J	-27.8	0.0	1.3	13.5
0.0	0.0						
918	2	65 C1-C2;~1 Max	I	161.1	0.1	0.0	2.3
0.0	0.0		J	161.1	0.1	0.0	2.3
3.6	282.8						
0.0	0.0	Min	I	-56.6	-0.1	-0.0	-9.7
0.0	0.0		J	-56.6	-0.1	-0.0	-9.7
-3.7	-239.3						
0.0	0.0	C3-C4;~1 Max	I	147.1	0.1	0.0	2.2
0.0	0.0		J	147.1	0.1	0.0	2.2
2.5	334.2						
0.0	0.0	Min	I	-46.0	-0.1	-0.0	-9.8
0.0	0.0		J	-46.0	-0.1	-0.0	-9.8
-4.2	-177.7						
0.0	0.0	C1-C2;~2 Max	I	97.8	0.1	0.0	1.2
0.0	0.0		J	97.8	0.1	0.0	1.2
2.3	168.3						
0.0	0.0	Min	I	-31.7	-0.1	-0.0	-6.1


MIDAS

PROJECT TITLE :

MIDAS		Company		Client			
		Author		File Name			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H
-2.2	-159.1		J	-31.7	-0.1	-0.0	-6.1
0.0	0.0	C3-C4;~2 Max	I	87.6	0.0	0.0	1.2
1.6	203.2		J	87.6	0.0	0.0	1.2
0.0	0.0	Min	I	-24.3	-0.1	-0.0	-6.0
-2.6	-115.3		J	-24.3	-0.1	-0.0	-6.0
0.0	0.0	G1	I	61.5	-0.1	-4.0	-2.9
8228.5	173.3		J	61.5	-0.1	-1.3	-2.9
0.0	0.0	G2	I	23.0	-0.0	0.0	-0.6
-0.6	69.4		J	23.0	-0.0	0.0	-0.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-13.7	0.0	0.0	0.7
-0.5	-71.3		J	-13.7	0.0	0.0	0.7
0.0	0.0	Q5_ps	I	-14.3	0.0	0.0	1.0
-0.7	-64.4		J	-14.3	0.0	0.0	1.0
0.0	0.0	INVSLU Max	I	331.2	-0.0	-5.3	-12.2
1111.9	979.0		J	331.2	-0.0	-1.8	-12.2 1
0.0	0.0	Min	I	12.6	-0.3	-5.3	-29.7
1100.5	76.4		J	12.6	-0.3	-1.8	-29.7 1
0.0	0.0	INVSLE Max	I	243.5	-0.0	-4.0	-9.6
8231.0	726.1		J	243.5	-0.0	-1.3	-9.6
0.0	0.0	Min	I	9.4	-0.2	-4.0	-22.5
8222.6	67.0		J	9.4	-0.2	-1.3	-22.5
919	2	65 C1-C2;~1 Max	I	161.1	0.1	0.0	2.3
3.7	282.8		J	161.1	0.1	0.0	2.3
0.0	0.0	Min	I	-56.6	-0.1	-0.0	-10.0
-3.6	-239.3		J	-56.6	-0.1	-0.0	-10.0
0.0	0.0						
4.2	334.2	C3-C4;~1 Max	I	147.1	0.1	0.0	2.1

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
				J	147.1	0.1	0.0	2.1	
0.0	0.0		Min	I	-46.0	-0.1	-0.0	-9.9	
-2.5	-177.7			J	-46.0	-0.1	-0.0	-9.9	
0.0	0.0								
			C1-C2;~2 Max	I	97.8	0.1	0.0	1.2	
2.2	168.3			J	97.8	0.1	0.0	1.2	
0.0	0.0		Min	I	-31.7	-0.1	-0.0	-6.2	
-2.3	-159.1			J	-31.7	-0.1	-0.0	-6.2	
0.0	0.0								
			C3-C4;~2 Max	I	87.6	0.1	0.0	1.2	
2.6	203.2			J	87.6	0.1	0.0	1.2	
0.0	0.0		Min	I	-24.3	-0.0	-0.0	-6.0	
-1.6	-115.3			J	-24.3	-0.0	-0.0	-6.0	
0.0	0.0								
			G1	I	61.5	0.1	1.3	-3.4	
8231.2	173.3			J	61.5	0.1	4.0	-3.4	
0.0	0.0								
			G2	I	23.1	0.0	0.0	-0.8	
0.6	69.4			J	23.1	0.0	0.0	-0.8	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	-13.7	-0.0	0.0	0.5	
0.5	-71.3			J	-13.7	-0.0	0.0	0.5	
0.0	0.0								
			Q5_ps	I	-14.3	-0.0	0.0	0.7	
0.7	-64.4			J	-14.3	-0.0	0.0	0.7	
0.0	0.0								
			INVSLU Max	I	331.3	0.3	1.8	-13.8	1
1120.1	979.0			J	331.3	0.3	5.4	-13.8	
0.0	0.0		Min	I	12.7	0.0	1.8	-31.1	1
1108.7	76.4			J	12.7	0.0	5.3	-31.1	
0.0	0.0								
			INVSLE Max	I	243.6	0.2	1.3	-10.8	
8237.1	726.1			J	243.6	0.2	4.0	-10.8	
0.0	0.0		Min	I	9.4	0.0	1.3	-23.6	
8228.7	67.0			J	9.4	0.0	4.0	-23.6	

MIDAS

PROJECT TITLE :

MIDAS	Company		Client				
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0						
920	2	65 C1-C2;~1 Max	I	141.0	0.0	0.0	9.4
0.0	0.0		J	141.0	0.0	0.0	9.4
0.0	0.0		Min	I	-73.8	0.0	-2.1
0.0	0.0			J	-73.8	0.0	-2.1
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	I	147.1	0.0	0.0	8.8
0.0	0.0		J	147.1	0.0	0.0	8.8
0.0	0.0		Min	I	-53.0	0.0	-2.0
0.0	0.0			J	-53.0	0.0	-2.0
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	I	86.1	0.0	0.0	6.2
0.0	0.0		J	86.1	0.0	0.0	6.2
0.0	0.0		Min	I	-41.5	0.0	-1.1
0.0	0.0			J	-41.5	0.0	-1.1
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	I	87.9	0.0	0.0	5.6
0.0	0.0		J	87.9	0.0	0.0	5.6
0.0	0.0		Min	I	-27.9	0.0	-1.0
0.0	0.0			J	-27.9	0.0	-1.0
0.0	0.0						
0.0	0.0	G1	I	56.0	0.0	-1.3	1.0
0.0	0.0		J	56.0	0.0	1.3	1.0
0.0	0.0						
0.0	0.0	G2	I	20.8	0.0	0.0	-0.2
0.0	0.0		J	20.8	0.0	0.0	-0.2
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc	I	12.2	0.0	0.0	-0.9
0.0	0.0		J	12.2	0.0	0.0	-0.9
0.0	0.0						
0.0	0.0	Q5_ps	I	12.3	0.0	0.0	-1.3
0.0	0.0		J	12.3	0.0	0.0	-1.3
0.0	0.0						
0.0	0.0	INVSLU Max	I	283.6	0.0	-1.8	27.3
0.0	0.0		J	283.6	0.0	1.8	27.3

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0		Min	I	-36.7	0.0	-1.8	10.3
0.0	0.0			J	-36.7	0.0	1.8	10.3
0.0	0.0							
		INVSLE	Max	I	208.2	0.0	-1.3	20.9
0.0	0.0			J	208.2	0.0	1.3	20.9
0.0	0.0		Min	I	-27.5	0.0	-1.3	8.4
0.0	0.0			J	-27.5	0.0	1.3	8.4
0.0	0.0							
921	2	70 C1-C2;~1	Max	I	1680.1	2.3	0.0	37.5
77.9	3487.7			J	1680.1	2.3	0.0	37.5
91.6	3247.0		Min	I	-547.8	-0.9	-0.1	-43.6
-23.3	-3202.9			J	-547.8	-0.9	-0.1	-43.6
-20.0	-3808.4							
		C3-C4;~1	Max	I	1681.0	2.2	0.0	31.9
72.8	2856.0			J	1681.0	2.2	0.0	31.9
85.4	2610.6		Min	I	-539.4	-0.8	-0.1	-37.7
-22.9	-3864.6			J	-539.4	-0.8	-0.1	-37.7
-19.7	-4588.0							
		C1-C2;~2	Max	I	1015.9	1.4	0.0	24.7
50.2	2053.2			J	1015.9	1.4	0.0	24.7
57.7	1889.7		Min	I	-312.3	-0.5	-0.0	-28.8
-13.3	-1804.4			J	-312.3	-0.5	-0.0	-28.8
-11.4	-2160.0							
		C3-C4;~2	Max	I	994.9	1.3	0.0	19.5
45.9	1675.8			J	994.9	1.3	0.0	19.5
52.5	1496.5		Min	I	-307.1	-0.5	-0.0	-23.6
-13.1	-2170.3			J	-307.1	-0.5	-0.0	-23.6
-11.2	-2608.7							
		G1		I	914.0	0.8	-0.5	-5.3
-13.4	-567.8			J	914.0	0.8	0.4	-5.3
5.4	-982.5							
		G2		I	351.7	0.3	-0.0	-2.7
9.7	-224.3			J	351.7	0.3	-0.0	-2.7
17.2	-381.5							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.2	-1311.8	Q5_pc	I	28.9	-0.0	0.0	-2.3
			J	28.9	-0.0	0.0	-2.3
-0.5	-1304.5						
0.2	-1366.7	Q5_ps	I	26.5	-0.0	0.0	-2.5
			J	26.5	-0.0	0.0	-2.5
-0.7	-1359.0						
142.6	6660.8	INVSLU Max	I	3740.4	3.8	-0.7	77.6
			J	3740.4	3.8	0.6	77.6
201.3	5958.6	Min	I	679.5	-0.4	-0.8	-36.2
5.6	-5626.0		J	679.5	-0.4	0.4	-36.2
49.7	-6966.8						
107.1	4959.0	INVSLE Max	I	2747.8	2.8	-0.5	58.6
			J	2747.8	2.8	0.4	58.6
150.6	4463.8	Min	I	484.3	-0.4	-0.6	-25.3
5.6	-3967.5		J	484.3	-0.4	0.3	-25.3
38.4	-4936.7						
922	2	70 C1-C2;~1 Max	I	1523.8	2.3	0.0	39.6
61.6	2770.3		J	1523.8	2.3	0.0	39.6
74.5	2625.4	Min	I	-537.4	-0.6	-0.1	-48.1
-22.6	-4098.9		J	-537.4	-0.6	-0.1	-48.1
-20.7	-4778.7						
70.1	1943.4	C3-C4;~1 Max	I	1614.7	2.2	0.0	28.7
			J	1614.7	2.2	0.0	28.7
84.4	1919.5	Min	I	-530.6	-0.6	-0.1	-38.7
-22.2	-5007.4		J	-530.6	-0.6	-0.1	-38.7
-20.4	-5784.3						
38.5	1595.8	C1-C2;~2 Max	I	906.1	1.4	0.0	25.5
			J	906.1	1.4	0.0	25.5
45.3	1499.5	Min	I	-306.3	-0.3	-0.0	-31.4
-12.9	-2409.2		J	-306.3	-0.3	-0.0	-31.4
-11.8	-2822.4						
44.4	1073.0	C3-C4;~2 Max	I	964.1	1.4	0.0	17.3
			J	964.1	1.4	0.0	17.3
52.0	1058.7	Min	I	-302.2	-0.3	-0.0	-24.2
-12.7	-2945.6		J	-302.2	-0.3	-0.0	-24.2
-11.6	-3423.8						
-13.8	-1449.7	G1	I	903.3	0.8	-0.5	0.7


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
5.5	-1863.1		J	903.3	0.8	0.4	0.7
9.7	-588.4	G2	I	348.9	0.3	-0.0	0.8
17.4	-744.6		J	348.9	0.3	-0.0	0.8
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.6	-1324.7	Q5_pc	I	-26.6	-0.0	-0.0	-0.8
1.3	-1309.8		J	-26.6	-0.0	-0.0	-0.8
1.0	-1392.8	Q5_ps	I	-20.2	-0.0	-0.0	-0.6
1.9	-1378.6		J	-20.2	-0.0	-0.0	-0.6
134.2	2279.7	INVSLU Max	I	3652.7	4.1	-0.7	54.1
191.5	1542.5		J	3652.7	4.1	0.6	54.1
8.1	-10604.6	Min	I	699.4	0.2	-0.8	-65.9
47.4	-12168.4		J	699.4	0.2	0.5	-65.9
100.9	1623.8	INVSLE Max	I	2684.3	3.0	-0.5	40.3
143.2	1089.5		J	2684.3	3.0	0.4	40.3
7.6	-7743.5	Min	I	500.3	0.1	-0.6	-48.4
36.6	-8892.0		J	500.3	0.1	0.3	-48.4
923	2	62 C1-C2;~1 Max	I	31.4	7.3	0.6	61.9
152.8	4354.6		J	31.4	7.3	0.6	61.9
226.3	2.0	Min	I	-18.4	-68.4	-0.7	-416.5
-182.4	-41026.1		J	-18.4	-68.4	-0.7	-416.5
-183.5	-12.9						
166.8	2548.5	C3-C4;~1 Max	I	11.3	4.2	0.6	38.6
237.4	1.2		J	11.3	4.2	0.6	38.6
-246.6	-11551.9	Min	I	-20.8	-19.2	-0.8	-157.2
-176.0	-5.1		J	-20.8	-19.2	-0.8	-157.2
90.2	2995.0	C1-C2;~2 Max	I	22.3	5.0	0.3	43.3
161.7	1.4		J	22.3	5.0	0.3	43.3
-130.2	-29272.4	Min	I	-12.2	-48.8	-0.5	-302.7
			J	-12.2	-48.8	-0.5	-302.7


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-109.6	-9.2								
		C3-C4;~2	Max	I	7.8	2.8	0.3	26.1	
102.5	1673.9			J	7.8	2.8	0.3	26.1	
171.1	0.8								
			Min	I	-14.0	-12.8	-0.6	-108.2	
-179.0	-7695.8			J	-14.0	-12.8	-0.6	-108.2	
-105.0	-3.4								
			G1	I	1.0	-6.4	-0.2	3.8	
35.3	-3850.9			J	1.0	-6.4	0.7	3.8	
-138.3	-1.5								
			G2	I	2.3	-7.9	0.1	-7.1	
30.5	-4717.7			J	2.3	-7.9	0.1	-7.1	
-31.6	-1.1								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	1.4	3.1	0.0	9.3	
14.0	1861.2			J	1.4	3.1	0.0	9.3	
-8.9	0.5								
			Q5_ps	I	1.6	2.8	0.0	9.4	
10.2	1651.1			J	1.6	2.8	0.0	9.4	
-5.1	0.5								
			INVSLE Max	I	-205.2	-39.6	-7.8	-106.5	
1398.6	-23725.5			J	-205.2	-39.6	-6.5	-106.5	
3469.1	5.3								
			Min	I	-278.2	-147.2	-9.7	-769.2	
1982.0	-88339.6			J	-278.2	-147.2	-8.5	-769.2	
2884.7	-15.8								
			INVSLE Max	I	-175.9	-33.3	-6.2	-95.6	
1144.5	-20004.0			J	-175.9	-33.3	-5.3	-95.6	
2732.2	4.0								
			Min	I	-229.8	-112.7	-7.6	-585.3	
1574.8	-67618.1			J	-229.8	-112.7	-6.7	-585.3	
2300.5	-11.5								
		70	C1-C2;~1	Max	I	81.5	126.6	1.9	523.1
925	2			J	81.5	126.6	1.9	523.1	
508.8	52664.9								
			Min	I	-231.7	-48.8	-1.3	-183.9	
353.6	5877.9			J	-231.7	-48.8	-1.3	-183.9	
-294.1	-21899.9								
			C3-C4;~1	Max	I	81.4	127.1	1.6	516.9
-459.5	-11671.4			J	81.4	127.1	1.6	516.9	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
561.1	4209.0		Min	I	-237.4	-16.0	-2.1	-55.5
-481.4	-7602.9			J	-237.4	-16.0	-2.1	-55.5
-376.9	-12230.2							
		C1-C2;~2	Max	I	46.5	81.9	1.1	346.3
304.4	33267.7			J	46.5	81.9	1.1	346.3
238.6	3692.3		Min	I	-140.6	-28.3	-0.9	-109.6
-198.1	-12484.5			J	-140.6	-28.3	-0.9	-109.6
-270.6	-8090.3							
		C3-C4;~2	Max	I	46.4	83.6	0.9	346.8
245.0	34105.6			J	46.4	83.6	0.9	346.8
382.4	2508.2		Min	I	-141.6	-7.3	-1.4	-25.7
-327.6	-3489.1			J	-141.6	-7.3	-1.4	-25.7
-215.2	-8371.1							
		G1		I	-103.9	0.4	0.8	7.8
293.2	90.8			J	-103.9	0.4	1.7	7.8
-318.3	-119.5							
		G2		I	-37.8	-11.7	0.6	-38.6
152.2	-5651.6			J	-37.8	-11.7	0.6	-38.6
-130.3	182.9							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	28.2	-5.9	0.0	-21.2
9.2	-3694.8			J	28.2	-5.9	0.0	-21.2
-8.6	-724.6							
		Q5_ps		I	27.9	-9.8	0.0	-34.3
12.5	-5539.6			J	27.9	-9.8	0.0	-34.3
-11.4	-625.2							
		INVSLU	Max	I	-1663.2	87.8	2.5	567.6
878.8	28214.5			J	-1663.2	87.8	3.8	567.6
697.1	6559.6		Min	I	-2144.6	-160.3	-3.0	-425.1
-474.5	-79449.3			J	-2144.6	-160.3	-1.7	-425.1
-696.1	-19190.6							
		INVSLE	Max	I	-1318.8	57.5	1.8	400.8
638.5	16888.1			J	-1318.8	57.5	2.7	400.8
529.2	4629.2		Min	I	-1671.5	-125.5	-2.2	-331.7
-362.8	-62370.3			J	-1671.5	-125.5	-1.3	-331.7
-501.7	-14348.3							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

926	2	70	C1-C2;~1	Max	I	84.0	19.8	2.1	263.6	
555.2	5878.5				J	84.0	19.8	2.1	263.6	
233.2	7177.9				Min	I	-221.8	-9.2	-0.8	-140.1
-161.3	-11678.6				J	-221.8	-9.2	-0.8	-140.1	
-483.8	-19027.1									
			C3-C4;~1	Max	I	83.8	19.0	2.3	268.6	
634.5	4207.0				J	83.8	19.0	2.3	268.6	
336.2	2941.3				Min	I	-217.4	-2.8	-1.1	-108.5
-231.3	-12236.7				J	-217.4	-2.8	-1.1	-108.5	
-525.5	-18890.4									
			C1-C2;~2	Max	I	47.9	13.0	1.2	177.7	
338.3	3692.7				J	47.9	13.0	1.2	177.7	
153.8	4447.1				Min	I	-134.0	-5.6	-0.5	-87.6
-105.0	-8095.3				J	-134.0	-5.6	-0.5	-87.6	
-288.0	-13012.9									
			C3-C4;~2	Max	I	47.8	12.6	1.4	178.7	
396.3	2506.8				J	47.8	12.6	1.4	178.7	
230.8	1602.7				Min	I	-128.6	-1.3	-0.8	-67.6
-158.0	-8375.7				J	-128.6	-1.3	-0.8	-67.6	
-319.3	-13024.3									
			G1		I	-96.6	-0.0	0.9	2.8	
329.8	-119.2				J	-96.6	-0.0	1.8	2.8	
-355.3	-103.3									
			G2		I	-36.4	-1.7	0.5	-12.0	
144.8	183.8				J	-36.4	-1.7	0.5	-12.0	
-126.4	1009.9									
			Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
			Q5_pc		I	26.4	-0.9	0.0	-8.3	
-0.5	-724.2				J	26.4	-0.9	0.0	-8.3	
-0.8	-278.1									
			Q5_ps		I	25.8	-1.4	-0.0	-12.8	
-2.6	-624.6				J	25.8	-1.4	-0.0	-12.8	
1.0	97.8									
			INVSLU	Max	I	-1553.6	1.9	3.1	272.2	
1024.8	6567.7				J	-1553.6	1.9	4.3	272.2	
335.9	20745.4									


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-144.9	-19191.5		Min	I	-2014.0	-38.9	-1.6	-294.5
				J	-2014.0	-38.9	-0.3	-294.5
-828.9	-15131.9							
			INVSLE Max	I	-1236.1	-1.1	2.3	187.6
760.0	4635.9			J	-1236.1	-1.1	3.2	187.6
252.7	16382.9							
			Min	I	-1573.6	-31.2	-1.2	-231.1
-106.4	-14348.4			J	-1573.6	-31.2	-0.3	-231.1
-610.0	-10155.8							
927	2	70	C1-C2;~1 Max	I	87.0	8.0	2.2	227.2
591.3	7177.4			J	87.0	8.0	2.2	227.2
200.1	7012.1							
			Min	I	-216.7	-9.5	-0.7	-134.6
-129.4	-19025.6			J	-216.7	-9.5	-0.7	-134.6
-517.6	-18238.2							
			C3-C4;~1 Max	I	86.8	7.7	2.5	228.6
678.3	2941.4			J	86.8	7.7	2.5	228.6
298.5	2931.4							
			Min	I	-211.2	-9.1	-1.0	-125.1
-198.0	-18888.8			J	-211.2	-9.1	-1.0	-125.1
-571.3	-18015.9							
			C1-C2;~2 Max	I	49.6	5.6	1.3	153.9
362.0	4446.9			J	49.6	5.6	1.3	153.9
132.0	4358.6							
			Min	I	-130.9	-6.6	-0.4	-90.3
-83.9	-13011.9			J	-130.9	-6.6	-0.4	-90.3
-309.9	-12474.7							
			C3-C4;~2 Max	I	49.4	5.1	1.5	151.5
425.1	1602.8			J	49.4	5.1	1.5	151.5
205.9	1615.7							
			Min	I	-124.9	-6.1	-0.7	-79.8
-136.0	-13023.2			J	-124.9	-6.1	-0.7	-79.8
-349.5	-12419.1							
			G1	I	-89.3	0.0	1.0	3.4
352.2	-103.3			J	-89.3	0.0	1.9	3.4
-381.1	-108.0							
			G2	I	-33.7	0.1	0.6	-6.4
152.7	1009.8			J	-33.7	0.1	0.6	-6.4
-135.3	968.2							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	25.5	-0.0	-0.0	-5.7


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-0.7	-278.2		J	25.5	-0.0	-0.0	-5.7
-0.3	-274.7						
		Q5_ps	I	24.9	0.0	-0.0	-8.4
-3.4	97.7		J	24.9	0.0	-0.0	-8.4
2.1	90.1						
		INVSLE Max	I	-1432.6	3.7	3.5	238.9
1151.6	20743.8		J	-1432.6	3.7	4.8	238.9
241.9	24088.4	Min	I	-1888.4	-20.0	-1.2	-261.7
-32.7	-15131.0		J	-1888.4	-20.0	0.1	-261.7
-933.0	-10494.0						
		INVSLE Max	I	-1144.9	1.9	2.6	167.6
854.8	16381.6		J	-1144.9	1.9	3.5	167.6
182.2	19271.4	Min	I	-1479.2	-15.6	-0.9	-202.5
-22.4	-10155.2		J	-1479.2	-15.6	0.1	-202.5
-688.0	-6308.5						
928	2	70 C1-C2;~1 Max	I	90.9	8.6	2.3	198.2
617.1	7012.1		J	90.9	8.6	2.3	198.2
176.1	6701.8	Min	I	-214.7	-10.4	-0.6	-158.3
-107.8	-18238.3		J	-214.7	-10.4	-0.6	-158.3
-546.3	-17429.9						
		C3-C4;~1 Max	I	90.6	8.4	2.6	199.4
702.8	2931.4		J	90.6	8.4	2.6	199.4
277.2	2797.5	Min	I	-208.5	-10.1	-0.9	-150.4
-182.2	-18015.9		J	-208.5	-10.1	-0.9	-150.4
-600.2	-17154.1						
		C1-C2;~2 Max	I	51.8	6.0	1.4	134.7
378.6	4358.6		J	51.8	6.0	1.4	134.7
116.2	4174.7	Min	I	-129.9	-7.2	-0.4	-106.4
-69.6	-12474.8		J	-129.9	-7.2	-0.4	-106.4
-328.3	-11943.9						
		C3-C4;~2 Max	I	51.6	5.6	1.6	131.4
440.4	1615.7		J	51.6	5.6	1.6	131.4
192.1	1537.0	Min	I	-123.5	-6.8	-0.6	-97.4
-125.9	-12419.1		J	-123.5	-6.8	-0.6	-97.4
-367.8	-11846.4						
		G1	I	-82.1	0.0	1.1	3.5
372.0	-108.0		J	-82.1	0.0	2.0	3.5

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-404.9	-129.5						
		G2	I	-30.9	0.2	0.6	-1.3
160.2	968.2		J	-30.9	0.2	0.6	-1.3
-144.3	892.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	24.5	0.0	-0.0	-3.4
-0.8	-274.7		J	24.5	0.0	-0.0	-3.4
0.0	-297.5						
		Q5_ps	I	24.0	0.1	-0.0	-4.5
-4.1	90.1		J	24.0	0.1	-0.0	-4.5
3.0	47.4						
		INVS LU Max	I	-1304.1	8.6	3.6	221.7
1145.9	24089.2		J	-1304.1	8.6	4.8	221.7
223.5	25217.0						
		Min	I	-1760.7	-17.1	-1.2	-267.3
-50.3	-10493.3		J	-1760.7	-17.1	0.1	-267.3
-961.0	-7896.2						
		INVS LE Max	I	-1048.2	6.0	2.6	159.1
848.0	19272.1		J	-1048.2	6.0	3.6	159.1
171.1	20288.4						
		Min	I	-1383.1	-13.0	-0.9	-202.7
-38.0	-6308.0		J	-1383.1	-13.0	0.1	-202.7
-706.4	-4200.2						
929	2	70 C1-C2;~1 Max	I	96.1	10.3	2.4	182.8
640.4	6701.7		J	96.1	10.3	2.4	182.8
148.9	6805.5						
		Min	I	-214.9	-8.7	-0.5	-180.1
-85.7	-17429.9		J	-214.9	-8.7	-0.5	-180.1
-573.7	-18203.1						
		C3-C4;~1 Max	I	95.7	10.1	2.7	182.7
720.1	2797.5		J	95.7	10.1	2.7	182.7
258.5	2821.9						
		Min	I	-208.2	-8.4	-0.8	-173.1
-167.8	-17154.1		J	-208.2	-8.4	-0.8	-173.1
-621.9	-17896.4						
		C1-C2;~2 Max	I	54.8	7.1	1.5	124.8
393.7	4174.7		J	54.8	7.1	1.5	124.8
98.2	4221.9						
		Min	I	-130.2	-6.0	-0.3	-121.2
-55.0	-11943.9		J	-130.2	-6.0	-0.3	-121.2
-346.2	-12471.6						

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

451.2	1537.0	C3-C4;~2 Max	I	54.5	6.8	1.7	120.0
			J	54.5	6.8	1.7	120.0
180.3	1538.7						
		Min	I	-123.5	-5.6	-0.6	-113.2
-117.0	-11846.3		J	-123.5	-5.6	-0.6	-113.2
-381.4	-12361.2						
		G1	I	-75.0	0.1	1.2	3.7
391.1	-129.5		J	-75.0	0.1	2.1	3.7
-428.2	-160.2						
		G2	I	-28.1	-0.1	0.6	2.8
168.1	892.7		J	-28.1	-0.1	0.6	2.8
-153.8	939.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	23.4	-0.1	-0.0	-1.7
-0.9	-297.5		J	23.4	-0.1	-0.0	-1.7
0.3	-272.0						
		Q5_ps	I	23.0	-0.1	-0.0	-1.5
-4.5	47.3		J	23.0	-0.1	-0.0	-1.5
3.6	93.5						
		INVSLU Max	I	-1164.0	10.9	3.6	224.2
1135.2	25217.1		J	-1164.0	10.9	4.8	224.2
224.4	26820.6						
		Min	I	-1626.0	-14.7	-1.2	-268.9
-65.1	-7895.9		J	-1626.0	-14.7	0.1	-268.9
-964.7	-7430.7						
		INVSLE Max	I	-942.4	7.9	2.6	165.0
836.2	20288.5		J	-942.4	7.9	3.5	165.0
175.7	21603.3						
		Min	I	-1281.5	-11.2	-0.9	-200.0
-52.8	-4200.0		J	-1281.5	-11.2	0.0	-200.0
-705.1	-3731.7						
930	2	70 C1-C2;~1 Max	I	103.2	9.1	2.5	169.3
667.8	6805.6		J	103.2	9.1	2.5	169.3
112.4	6970.7						
		Min	I	-217.9	-8.0	-0.3	-210.6
-64.1	-18203.0		J	-217.9	-8.0	-0.3	-210.6
-605.3	-18882.1						
		C3-C4;~1 Max	I	102.6	8.7	2.8	169.2
747.1	2822.0		J	102.6	8.7	2.8	169.2
225.4	3027.5						


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-140.3	-17896.3		Min	I	-211.0	-7.6	-0.7	-205.6	
				J	-211.0	-7.6	-0.7	-205.6	
-651.8	-18611.4								
		C1-C2;~2	Max	I	58.8	6.3	1.6	116.3	
412.2	4221.9			J	58.8	6.3	1.6	116.3	
73.7	4320.6								
			Min	I	-132.3	-5.6	-0.2	-141.7	
-41.2	-12471.6			J	-132.3	-5.6	-0.2	-141.7	
-367.5	-12952.2								
		C3-C4;~2	Max	I	58.4	5.8	1.7	111.1	
468.9	1538.8			J	58.4	5.8	1.7	111.1	
158.6	1673.1								
			Min	I	-125.4	-5.1	-0.5	-135.7	
-98.9	-12361.2			J	-125.4	-5.1	-0.5	-135.7	
-401.2	-12876.7								
			G1	I	-68.2	0.1	1.3	4.0	
411.3	-160.2			J	-68.2	0.1	2.2	4.0	
-453.0	-209.3								
			G2	I	-25.3	-0.0	0.7	7.9	
175.4	939.5			J	-25.3	-0.0	0.7	7.9	
-163.1	952.2								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	22.4	-0.0	-0.0	0.3	
-1.5	-272.0			J	22.4	-0.0	-0.0	0.3	
1.1	-255.1								
			Q5_ps	I	22.0	-0.0	-0.0	2.1	
-5.6	93.4			J	22.0	-0.0	-0.0	2.1	
4.9	117.1								
			INVSLU	Max	I	-1009.9	13.2	3.6	236.9
1125.0	26820.5			J	-1009.9	13.2	4.8	236.9	
206.2	26570.2								
			Min	I	-1483.7	-9.9	-1.2	-276.5	
-75.8	-7430.8			J	-1483.7	-9.9	0.1	-276.5	
-980.0	-8790.3								
			INVSLE	Max	I	-825.5	9.9	2.6	178.2
823.7	21603.2			J	-825.5	9.9	3.5	178.2	
167.5	21339.7								
			Min	I	-1173.5	-7.2	-0.9	-202.0	
-65.5	-3731.8			J	-1173.5	-7.2	0.0	-202.0	
-711.0	-4819.3								


MIDAS

PROJECT TITLE :

	Company				Client				
	Author				File Name				
931	2	70	C1-C2;~1	Max	I	113.3	9.6	2.7	177.9
715.9	6971.3				J	113.3	9.6	2.7	177.9
70.6	7367.4								
				Min	I	-226.7	-20.4	-0.2	-248.3
-40.0	-18883.6				J	-226.7	-20.4	-0.2	-248.3
-657.3	-11203.3								
			C3-C4;~1	Max	I	112.5	3.1	3.0	159.2
803.2	3027.3				J	112.5	3.1	3.0	159.2
163.9	6925.2								
				Min	I	-220.1	-19.6	-0.5	-241.8
-98.9	-18613.0				J	-220.1	-19.6	-0.5	-241.8
-709.7	-11722.8								
			C1-C2;~2	Max	I	64.6	5.8	1.7	110.9
445.0	4321.0				J	64.6	5.8	1.7	110.9
46.4	5082.4								
				Min	I	-137.9	-13.4	-0.1	-166.5
-25.8	-12953.2				J	-137.9	-13.4	-0.1	-166.5
-403.6	-7766.3								
			C3-C4;~2	Max	I	64.1	1.4	1.9	103.6
506.2	1672.9				J	64.1	1.4	1.9	103.6
116.7	4533.0								
				Min	I	-131.0	-13.0	-0.4	-163.6
-70.5	-12877.8				J	-131.0	-13.0	-0.4	-163.6
-440.5	-7992.9								
				G1	I	-61.9	0.2	1.4	4.4
434.5	-209.4				J	-61.9	0.2	2.3	4.4
-481.5	-332.0								
				G2	I	-22.5	1.8	0.7	13.3
183.0	952.3				J	-22.5	1.8	0.7	13.3
-173.0	64.2								
				Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
				Q5_pc	I	21.7	0.6	-0.0	2.2
-4.9	-255.1				J	21.7	0.6	-0.0	2.2
5.3	-559.3								
				Q5_ps	I	21.4	1.2	-0.0	5.8
-9.5	117.2				J	21.4	1.2	-0.0	5.8
9.6	-491.4								
			INVSLU	Max	I	-839.6	31.4	3.6	289.6
1137.8	26572.1				J	-839.6	31.4	4.8	289.6
211.9	18459.3								
				Min	I	-1337.8	-10.3	-1.2	-289.8


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-88.8	-8791.2			J	-1337.8	-10.3	0.0	-289.8	
-976.9	-8319.1								
		INVSLE	Max	I	-696.0	24.7	2.6	221.1	
827.8	21341.2			J	-696.0	24.7	3.5	221.1	
177.3	14541.1		Min	I	-1062.1	-6.0	-1.0	-207.8	
-80.2	-4819.9			J	-1062.1	-6.0	-0.0	-207.8	
-702.6	-5220.2								
932	2	70	C1-C2;~1	Max	I	125.8	51.7	3.5	202.0
896.5	7371.1			J	125.8	51.7	3.5	202.0	
53.8	65515.1		Min	I	-246.2	-134.9	-0.2	-514.3	
-57.5	-11196.8			J	-246.2	-134.9	-0.2	-514.3	
-843.5	-24492.0								
		C3-C4;~1	Max	I	124.7	18.4	4.3	65.8	
1106.4	6929.2			J	124.7	18.4	4.3	65.8	
35.4	64327.5		Min	I	-248.3	-134.0	-0.2	-505.2	
-48.5	-11715.5			J	-248.3	-134.0	-0.2	-505.2	
1042.9	-8945.9							-	
		C1-C2;~2	Max	I	71.7	30.1	2.2	120.2	
562.2	5084.9			J	71.7	30.1	2.2	120.2	
30.0	42738.2		Min	I	-150.8	-88.0	-0.1	-341.0	
-29.8	-7761.9			J	-150.8	-88.0	-0.1	-341.0	
-528.1	-14149.2								
		C3-C4;~2	Max	I	71.0	8.7	2.7	31.3	
702.4	4535.8			J	71.0	8.7	2.7	31.3	
19.7	42567.1		Min	I	-149.5	-88.8	-0.1	-338.8	
-25.8	-7987.9			J	-149.5	-88.8	-0.1	-338.8	
-660.4	-4259.1								
		G1		I	-57.0	0.8	1.5	3.4	
467.7	-331.7			J	-57.0	0.8	2.4	3.4	
-522.6	-706.8								
		G2		I	-18.9	12.4	0.7	42.0	
176.1	63.5			J	-18.9	12.4	0.7	42.0	
-165.7	-6160.5								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc		I	19.8	4.4	-0.1	12.4	
-12.5	-559.7								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
14.6	-2763.6		J	19.8	4.4	-0.1	12.4
-21.9	-492.2	Q5_ps	I	20.1	8.6	-0.1	24.9
24.5	-4781.6		J	20.1	8.6	-0.1	24.9
1593.1	18459.9	INVSLE Max	I	-667.1	147.0	5.8	403.3
-97.5	62309.7		J	-667.1	147.0	7.0	403.3
-0.8	-8314.4	Min	I	-1207.8	-112.8	-0.4	-586.1
1604.4	-64174.4		J	-1207.8	-112.8	0.8	-586.1
1165.8	14541.1	INVSLE Max	I	-564.9	114.0	4.2	307.8
-56.1	44198.1		J	-564.9	114.0	5.1	307.8
-13.2	-5217.2	Min	I	-962.7	-77.9	-0.4	-423.4
1170.4	-49125.3		J	-962.7	-77.9	0.5	-423.4
933	2	62 C1-C2;~1 Max	I	10.6	90.9	2.3	337.6
647.6	37412.9		J	10.6	90.9	2.3	337.6
134.3	3733.7	Min	I	-99.0	-32.0	-0.5	-153.6
-132.7	-14628.3		J	-99.0	-32.0	-0.5	-153.6
-620.8	-12592.5						
540.6	37437.2	C3-C4;~1 Max	I	11.2	90.5	2.0	342.6
260.5	994.7		J	11.2	90.5	2.0	342.6
-234.3	-4934.2	Min	I	-94.4	-10.8	-0.9	-44.6
-516.5	-12873.6		J	-94.4	-10.8	-0.9	-44.6
384.2	24384.7	C1-C2;~2 Max	I	6.0	59.8	1.4	227.8
81.9	2299.5		J	6.0	59.8	1.4	227.8
-80.2	-8652.2	Min	I	-61.4	-18.8	-0.3	-98.7
-368.9	-8605.8		J	-61.4	-18.8	-0.3	-98.7
317.0	25013.4	C3-C4;~2 Max	I	6.3	60.9	1.1	230.9
173.0	447.4		J	6.3	60.9	1.1	230.9
-153.0	-2317.4	Min	I	-58.0	-5.1	-0.6	-25.5
-302.9	-8894.4		J	-58.0	-5.1	-0.6	-25.5
387.8	1637.2	G1	I	-61.6	3.8	1.1	27.5
-433.4	-410.1		J	-61.6	3.8	1.9	27.5

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

185.0	-4440.3	G2	I	-24.1	-9.8	0.7	-27.3
-172.6	850.1		J	-24.1	-9.8	0.7	-27.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
9.4	-1235.8	Q5_pc	I	11.8	-2.3	0.0	-4.3
-9.7	-2.7		J	11.8	-2.3	0.0	-4.3
5.0	-2223.1	Q5_ps	I	11.4	-4.5	0.0	-11.7
-5.2	222.2		J	11.4	-4.5	0.0	-11.7
990.6	18959.1	INVSLU Max	I	-1642.9	50.1	2.8	579.5
371.7	12667.6		J	-1642.9	50.1	3.9	579.5
-216.8	-53553.7	Min	I	-1812.8	-119.9	-1.6	-98.1
-835.6	-9757.2		J	-1812.8	-119.9	-0.5	-98.1
708.6	10818.4	INVSLE Max	I	-1297.6	30.6	2.0	407.8
304.2	9665.4		J	-1297.6	30.6	2.8	407.8
-184.5	-42730.0	Min	I	-1421.9	-95.0	-1.3	-93.6
-588.8	-6945.2		J	-1421.9	-95.0	-0.5	-93.6
934	2	62 C1-C2;~1 Max	I	8.6	4.4	2.5	111.8
698.1	3736.3		J	8.6	4.4	2.5	111.8
90.3	4080.4	Min	I	-81.2	-5.1	-0.3	-130.1
-92.6	-12598.4		J	-81.2	-5.1	-0.3	-130.1
-661.6	-12241.9						
717.2	995.3	C3-C4;~1 Max	I	9.1	4.1	2.5	108.7
163.8	1055.2		J	9.1	4.1	2.5	108.7
-128.2	-12879.2	Min	I	-70.8	-4.6	-0.5	-87.4
-650.2	-12381.1		J	-70.8	-4.6	-0.5	-87.4
415.8	2301.1	C1-C2;~2 Max	I	4.9	3.1	1.5	76.5
51.0	2550.8		J	4.9	3.1	1.5	76.5
-52.6	-8609.7	Min	I	-50.2	-3.5	-0.2	-86.9
-393.2	-8358.3		J	-50.2	-3.5	-0.2	-86.9


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
437.2	447.7	C3-C4;~2	Max	I	5.1	2.7	1.5	69.6
				J	5.1	2.7	1.5	69.6
104.7	584.8		Min	I	-43.1	-3.1	-0.3	-56.2
-77.8	-8898.2			J	-43.1	-3.1	-0.3	-56.2
-392.4	-8522.7							
		G1		I	-51.7	-0.1	1.2	15.3
421.8	-409.6			J	-51.7	-0.1	2.1	15.3
-469.4	-345.9							
		G2		I	-21.8	-0.1	0.6	-0.9
179.1	851.2			J	-21.8	-0.1	0.6	-0.9
-170.6	916.2							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	9.2	-0.0	0.0	1.9
4.9	-2.7			J	9.2	-0.0	0.0	1.9
-6.8	17.8							
		Q5_ps		I	8.6	-0.0	-0.0	0.5
-3.0	222.4			J	8.6	-0.0	-0.0	0.5
0.7	243.2							
		INVS LU	Max	I	-1536.6	-3.2	2.7	276.3
945.3	12673.1			J	-1536.6	-3.2	3.8	276.3
301.2	18065.1		Min	I	-1675.0	-15.9	-1.5	-53.6
-204.8	-9762.6			J	-1675.0	-15.9	-0.4	-53.6
-825.3	-4189.8							
		INVS LE	Max	I	-1217.0	-3.5	1.9	189.8
682.0	9670.0			J	-1217.0	-3.5	2.7	189.8
248.3	14277.2		Min	I	-1318.3	-12.9	-1.2	-54.4
-169.3	-6948.8			J	-1318.3	-12.9	-0.4	-54.4
-585.2	-2205.6							
935	2	62 C1-C2;~1	Max	I	7.0	4.5	2.7	81.7
734.7	4079.6			J	7.0	4.5	2.7	81.7
92.4	3710.1		Min	I	-68.3	-9.4	-0.3	-154.8
-93.9	-12240.0			J	-68.3	-9.4	-0.3	-154.8
-704.0	-9673.6							
		C3-C4;~1	Max	I	7.4	2.7	2.7	48.2
749.9	1055.0			J	7.4	2.7	2.7	48.2
155.9	1136.5		Min	I	-57.8	-8.8	-0.5	-117.1


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-122.4	-12379.2			J	-57.8	-8.8	-0.5	-117.1
-692.2	-9920.9							
437.4	2550.4	C1-C2;~2	Max	I	4.0	2.8	1.6	48.2
52.3	2392.4			J	4.0	2.8	1.6	48.2
-53.3	-8357.1		Min	I	-42.5	-6.4	-0.2	-106.1
-418.1	-6694.9			J	-42.5	-6.4	-0.2	-106.1
456.3	584.7	C3-C4;~2	Max	I	4.2	1.6	1.6	26.4
98.4	695.0			J	4.2	1.6	1.6	26.4
-73.1	-8521.4		Min	I	-35.3	-6.0	-0.3	-77.2
-417.3	-6864.1			J	-35.3	-6.0	-0.3	-77.2
444.3	-345.9		G1	I	-42.4	-0.3	1.3	12.8
-497.4	-194.8			J	-42.4	-0.3	2.1	12.8
188.5	916.0		G2	I	-17.9	0.3	0.7	4.9
-181.7	737.7			J	-17.9	0.3	0.7	4.9
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
6.7	17.6		Q5_pc	I	8.2	0.1	0.0	3.6
-8.4	-52.9			J	8.2	0.1	0.0	3.6
-1.4	243.0		Q5_ps	I	7.8	0.3	-0.0	3.6
-0.4	98.2			J	7.8	0.3	-0.0	3.6
1064.5	18063.4		INVSLU Max	I	-1378.3	5.4	3.1	165.4
270.9	17988.2			J	-1378.3	5.4	4.2	165.4
-125.2	-4187.7		Min	I	-1495.4	-13.5	-1.3	-160.5
-905.2	-508.8			J	-1495.4	-13.5	-0.2	-160.5
766.3	14275.8		INVSLE Max	I	-1097.1	3.9	2.2	112.6
230.4	14274.9			J	-1097.1	3.9	3.0	112.6
-114.0	-2204.2		Min	I	-1182.7	-10.1	-1.0	-128.3
-639.7	580.5			J	-1182.7	-10.1	-0.2	-128.3
938	2	62	C1-C2;~1 Max	I	9.7	1.3	2.7	77.1


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
731.3	4933.8		J	9.7	1.3	2.7	77.1
91.9	8286.5						
		Min	I	-37.9	-11.4	-0.3	-236.6
-91.2	-7986.4						
			J	-37.9	-11.4	-0.3	-236.6
-723.2	-5688.8						
		C3-C4;~1 Max	I	9.8	0.8	2.6	40.7
731.7	1494.0		J	9.8	0.8	2.6	40.7
161.6	1967.1						
		Min	I	-30.2	-7.4	-0.5	-194.1
-131.2	-8358.7		J	-30.2	-7.4	-0.5	-194.1
-694.8	-5436.1						
		C1-C2;~2 Max	I	6.4	0.7	1.6	44.1
433.6	3315.5		J	6.4	0.7	1.6	44.1
51.9	5703.4						
		Min	I	-24.2	-7.9	-0.2	-162.0
-51.7	-5581.6		J	-24.2	-7.9	-0.2	-162.0
-428.0	-3981.9						
		C3-C4;~2 Max	I	6.4	0.4	1.6	22.1
441.8	969.0		J	6.4	0.4	1.6	22.1
102.7	1255.0						
		Min	I	-18.8	-4.9	-0.3	-130.2
-80.1	-5790.2		J	-18.8	-4.9	-0.3	-130.2
-415.3	-3705.0						
		G1	I	-19.6	-1.1	1.4	8.1
450.1	-12.9		J	-19.6	-1.1	2.2	8.1
-516.3	570.2						
		G2	I	-8.4	-0.8	0.7	15.7
191.4	855.7		J	-8.4	-0.8	0.7	15.7
-189.5	1287.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	5.9	0.1	0.0	5.1
4.0	-120.6		J	5.9	0.1	0.0	5.1
-6.1	-182.8						
		Q5_ps	I	5.7	0.2	-0.0	6.9
-3.9	-11.0		J	5.7	0.2	-0.0	6.9
2.1	-107.9						
		INVSLU Max	I	-994.3	-3.6	2.2	61.6
765.7	21918.4		J	-994.3	-3.6	3.3	61.6
474.2	29456.3						
		Min	I	-1069.3	-20.9	-2.2	-371.1
-406.5	3756.4						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-731.1	10260.6		J	-1069.3	-20.9	-1.1	-371.1
		INVSLE Max	I	-804.2	-2.7	1.5	44.2
523.3	17230.5		J	-804.2	-2.7	2.3	44.2
406.5	22786.8	Min	I	-859.0	-15.4	-1.8	-275.6
-344.5	3793.3		J	-859.0	-15.4	-1.0	-275.6
-485.5	8592.1						
939	2	62 C1-C2;~1 Max	I	15.6	3.8	2.5	110.1
658.2	8288.7		J	15.6	3.8	2.5	110.1
84.1	10068.6	Min	I	-21.3	-15.1	-0.3	-257.4
-82.3	-5689.0		J	-21.3	-15.1	-0.3	-257.4
-666.4	-1155.8						
		C3-C4;~1 Max	I	13.2	2.5	2.4	51.4
656.4	1967.1		J	13.2	2.5	2.4	51.4
169.6	5169.6	Min	I	-15.7	-15.5	-0.6	-235.2
-142.5	-5436.0		J	-15.7	-15.5	-0.6	-235.2
-630.5	-1193.1						
		C1-C2;~2 Max	I	10.9	2.4	1.5	66.8
389.6	5705.0		J	10.9	2.4	1.5	66.8
47.4	6835.3	Min	I	-14.0	-10.2	-0.2	-175.5
-46.5	-3982.0		J	-14.0	-10.2	-0.2	-175.5
-394.8	-690.1						
		C3-C4;~2 Max	I	9.1	1.6	1.4	28.1
395.3	1255.0		J	9.1	1.6	1.4	28.1
110.2	3229.5	Min	I	-9.9	-10.3	-0.4	-158.5
-90.2	-3704.9		J	-9.9	-10.3	-0.4	-158.5
-375.4	-731.0						
		G1	I	-7.5	-2.5	1.2	7.4
408.5	570.3		J	-7.5	-2.5	2.1	7.4
-481.9	1898.8						
		G2	I	-3.0	-0.1	0.6	25.3
173.9	1288.2		J	-3.0	-0.1	0.6	25.3
-174.1	1348.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	4.9	-0.2	-0.0	4.8
-5.3	-182.9		J	4.9	-0.2	-0.0	4.8


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
4.6	-58.1						
-11.8	-108.0	Q5_ps	I	4.8	-0.0	-0.0	7.1
11.4	-97.5		J	4.8	-0.0	-0.0	7.1
382.1	29461.5	INVSLU Max	I	-759.1	15.0	0.5	123.6
929.6	26532.9		J	-759.1	15.0	1.6	123.6
-708.4	10262.4	Min	I	-817.7	-11.5	-3.6	-381.1
-207.2	11225.1		J	-817.7	-11.5	-2.5	-381.1
222.3	22790.8	INVSLE Max	I	-622.2	12.6	0.1	94.9
765.6	19839.2		J	-622.2	12.6	1.0	94.9
-584.7	8593.6	Min	I	-665.0	-7.0	-2.9	-278.3
-75.9	8507.8		J	-665.0	-7.0	-2.1	-278.3
940	2	62 C1-C2;~1 Max	I	33.2	70.6	1.9	194.2
509.7	10066.8		J	33.2	70.6	1.9	194.2
65.8	22493.4	Min	I	-7.7	-36.7	-0.2	-254.3
-63.4	-1158.0		J	-7.7	-36.7	-0.2	-254.3
-526.3	-32981.7						
498.6	5173.2	C3-C4;~1 Max	I	20.2	14.3	1.8	67.5
144.8	23691.8		J	20.2	14.3	1.8	67.5
-129.8	-1193.1	Min	I	-5.7	-38.0	-0.5	-239.0
-484.3	-7815.0		J	-5.7	-38.0	-0.5	-239.0
301.5	6833.9	C1-C2;~2 Max	I	23.5	49.6	1.1	125.2
37.1	15115.9		J	23.5	49.6	1.1	125.2
-35.8	-690.7	Min	I	-5.6	-24.9	-0.1	-173.6
-311.9	-23151.5		J	-5.6	-24.9	-0.1	-173.6
300.6	3232.0	C3-C4;~2 Max	I	13.8	9.0	1.1	37.2
95.1	15799.3		J	13.8	9.0	1.1	37.2
-84.4	-731.0	Min	I	-3.9	-25.5	-0.3	-161.2
-287.6	-5033.3		J	-3.9	-25.5	-0.3	-161.2
313.4	1899.1	G1	I	4.1	1.0	0.9	21.7
-397.6	1349.1		J	4.1	1.0	1.7	21.7


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
143.0	1347.8	G2	I	2.4	9.6	0.5	43.7
			J	2.4	9.6	0.5	43.7
-144.7	-3817.3						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	2.3	-3.3	-0.1	-0.9
-15.2	-58.1		J	2.3	-3.3	-0.1	-0.9
19.1	1724.9						
		Q5_ps	I	2.2	-2.4	-0.1	2.2
-18.5	-97.6		J	2.2	-2.4	-0.1	2.2
22.2	1175.4						
		INVSLE Max	I	-518.1	198.3	0.6	341.1
142.1	26522.9		J	-518.1	198.3	1.7	341.1
459.8	-7652.8	Min	I	-577.5	45.8	-2.8	-266.0
-748.6	11217.5		J	-577.5	45.8	-1.7	-266.0
-480.7	-87266.9						
		INVSLE Max	I	-433.4	155.4	0.1	264.2
25.5	19831.1		J	-433.4	155.4	0.9	264.2
440.7	-10275.3	Min	I	-477.1	42.8	-2.4	-185.5
-632.3	8501.5		J	-477.1	42.8	-1.6	-185.5
-253.4	-69018.7						
		70 C1-C2;~1 Max	I	60.4	20.3	0.3	61.9
941	2		J	60.4	20.3	0.3	61.9
77.4	9718.2						
		Min	I	-208.1	-141.3	-2.6	-638.1
659.0	18118.0		J	-208.1	-141.3	-2.6	-638.1
-612.4	-54410.7						
		C3-C4;~1 Max	I	63.0	24.6	0.4	79.9
-50.2	-5173.0		J	63.0	24.6	0.4	79.9
125.8	11665.2						
		Min	I	-213.9	-118.2	-3.3	-493.3
852.5	12562.0		J	-213.9	-118.2	-3.3	-493.3
-785.9	-48269.4						
		C1-C2;~2 Max	I	34.8	9.0	0.1	27.2
-69.7	-4538.8		J	34.8	9.0	0.1	27.2
44.5	4325.4						
		Min	I	-124.9	-93.8	-1.6	-434.3
411.0	12811.5		J	-124.9	-93.8	-1.6	-434.3
-378.1	-35068.3						
		C3-C4;~2 Max	I	35.7	11.4	0.2	35.5
-28.3	-3214.1						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
77.4	5426.3		J	35.7	11.4	0.2	35.5
555.0	8707.9						
		Min	I	-129.4	-78.1	-2.1	-331.9
-507.3	-31180.8		J	-129.4	-78.1	-2.1	-331.9
-40.1	-2725.1						
		G1	I	-113.3	5.0	-1.6	4.3
-303.3	2458.1		J	-113.3	5.0	-0.7	4.3
283.3	-35.5						
		G2	I	-43.0	18.3	-0.4	59.5
-78.7	8710.2		J	-43.0	18.3	-0.4	59.5
105.7	-321.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-33.3	19.6	0.1	70.4
37.1	8314.4		J	-33.3	19.6	0.1	70.4
-31.2	-1387.6						
		Q5_ps	I	-30.2	27.1	0.2	97.8
53.9	11932.3		J	-30.2	27.1	0.2	97.8
-45.2	-1486.5						
		INVSLU Max	I	-1868.7	176.9	-1.5	1097.5
-161.0	89558.4		J	-1868.7	176.9	-0.2	1097.5
1545.9	30318.7						
		Min	I	-2302.5	-87.6	-6.7	-21.8
1458.6	-16603.0		J	-2302.5	-87.6	-5.5	-21.8
244.7	-3621.9						
		INVSLE Max	I	-1473.3	135.2	-1.2	819.9
-137.5	68994.4		J	-1473.3	135.2	-0.2	819.9
1161.0	22763.5						
		Min	I	-1790.2	-56.4	-5.0	6.3
1093.7	-7763.6		J	-1790.2	-56.4	-4.1	6.3
201.3	-2192.6						
		70 C1-C2;~1 Max	I	57.3	6.0	0.4	144.3
942	2		J	57.3	6.0	0.4	144.3
140.0	18126.2						
		Min	I	-191.4	-27.2	-1.5	-349.1
413.6	25537.3		J	-191.4	-27.2	-1.5	-349.1
-342.9	-5169.0						
-83.7	-2879.2						
		C3-C4;~1 Max	I	59.8	3.8	1.1	125.9
324.5	12568.4		J	59.8	3.8	1.1	125.9
598.9	18354.9						
		Min	I	-200.1	-17.8	-2.2	-255.7
-493.6	-4536.4						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-212.0	-3523.5		J	-200.1	-17.8	-2.2	-255.7
87.6	12817.4	C1-C2;~2 Max	I	33.0	3.6	0.3	93.1
246.7	17962.7		J	33.0	3.6	0.3	93.1
-198.2	-3211.3	Min	I	-113.9	-18.6	-0.9	-239.4
-51.9	-1515.2		J	-113.9	-18.6	-0.9	-239.4
223.6	8712.6	C3-C4;~2 Max	I	33.9	1.8	0.7	77.8
380.9	12770.0		J	33.9	1.8	0.7	77.8
-306.3	-2723.4	Min	I	-120.0	-11.8	-1.4	-172.1
-145.8	-1866.7		J	-120.0	-11.8	-1.4	-172.1
-263.0	-35.5	G1	I	-115.1	0.6	-1.5	-1.8
251.6	-351.1		J	-115.1	0.6	-0.6	-1.8
-92.6	-322.8	G2	I	-46.1	2.5	-0.4	17.3
118.0	-1537.8		J	-46.1	2.5	-0.4	17.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-5.5	-1389.0	Q5_pc	I	-37.6	2.6	-0.0	21.6
4.4	-2692.1		J	-37.6	2.6	-0.0	21.6
-6.0	-1488.4	Q5_ps	I	-35.6	3.6	-0.0	29.7
4.7	-3281.7		J	-35.6	3.6	-0.0	29.7
292.7	30317.6	INVSLU Max	I	-1968.6	52.1	-0.1	907.6
1114.8	20896.5		J	-1968.6	52.1	1.2	907.6
-821.7	-3631.1	Min	I	-2387.1	2.5	-4.5	202.6
12.2	-23444.4		J	-2387.1	2.5	-3.3	202.6
211.5	22761.8	INVSLE Max	I	-1547.8	40.8	-0.1	683.7
835.8	14546.3		J	-1547.8	40.8	0.8	683.7
-613.2	-2200.2	Min	I	-1852.8	4.4	-3.4	164.3
19.7	-17754.7		J	-1852.8	4.4	-2.5	164.3
943	2	70 C1-C2;~1 Max	I	53.1	16.7	0.5	171.0
167.0	25536.0						

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
392.5	22787.1		J	53.1	16.7	0.5	171.0
		Min	I	-186.0	-11.3	-1.4	-298.5
-319.7	-2879.0		J	-186.0	-11.3	-1.4	-298.5
-93.7	-2489.5						
		C3-C4;~1 Max	I	55.4	9.7	1.1	139.0
339.5	18353.8		J	55.4	9.7	1.1	139.0
600.1	16189.7	Min	I	-194.2	-6.2	-2.2	-218.8
-491.7	-3523.1		J	-194.2	-6.2	-2.2	-218.8
-224.5	-3032.8						
		C1-C2;~2 Max	I	30.6	11.9	0.3	113.1
105.5	17961.8		J	30.6	11.9	0.3	113.1
233.9	16044.1	Min	I	-110.6	-7.9	-0.8	-204.1
-184.0	-1515.1		J	-110.6	-7.9	-0.8	-204.1
-57.7	-1313.8						
		C3-C4;~2 Max	I	31.4	6.6	0.8	88.4
232.1	12769.3		J	31.4	6.6	0.8	88.4
384.9	11268.9	Min	I	-116.4	-4.0	-1.4	-146.3
-308.2	-1866.5		J	-116.4	-4.0	-1.4	-146.3
-153.2	-1606.6						
		G1	I	-116.6	-0.3	-1.4	-3.9
-243.4	-350.9		J	-116.6	-0.3	-0.5	-3.9
236.7	-213.1						
		G2	I	-46.8	-0.5	-0.4	9.1
-84.6	-1537.6		J	-46.8	-0.5	-0.4	9.1
112.6	-1314.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-38.1	-0.5	-0.0	12.9
-6.8	-2691.8		J	-38.1	-0.5	-0.0	12.9
7.0	-2424.3						
		Q5_ps	I	-36.2	-0.7	-0.0	17.7
-7.7	-3281.4		J	-36.2	-0.7	-0.0	17.7
8.0	-2936.6						
		INVSLU Max	I	-2044.1	35.3	0.0	701.2
318.5	20896.2		J	-2044.1	35.3	1.2	701.2
1129.1	10910.7	Min	I	-2449.6	-3.6	-4.5	44.0
-815.9	-23441.9		J	-2449.6	-3.6	-3.3	44.0

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

3.3	-28607.6							
		INVSLE Max	I	-1603.7	26.6	-0.0	526.1	
229.7	14546.2		J	-1603.7	26.6	0.9	526.1	
847.8	6940.6							
		Min	I	-1899.0	-2.1	-3.4	41.0	
-609.6	-17752.7		J	-1899.0	-2.1	-2.5	41.0	
14.8	-21844.3							
944	2	70 C1-C2;~1 Max	I	48.5	19.5	0.5	211.1	
168.1	22786.8		J	48.5	19.5	0.5	211.1	
401.8	17981.1							
		Min	I	-180.6	-9.6	-1.5	-260.4	
-324.0	-2488.9		J	-180.6	-9.6	-1.5	-260.4	
-92.8	-1827.7							
		C3-C4;~1 Max	I	50.5	11.6	1.2	164.0	
350.6	16189.9		J	50.5	11.6	1.2	164.0	
609.5	12746.4							
		Min	I	-188.5	-5.4	-2.2	-191.9	
-495.9	-3032.0		J	-188.5	-5.4	-2.2	-191.9	
-226.7	-2288.7							
		C1-C2;~2 Max	I	27.9	13.8	0.3	141.9	
105.6	16043.9		J	27.9	13.8	0.3	141.9	
241.9	12681.9							
		Min	I	-107.4	-6.6	-0.9	-177.2	
-188.5	-1313.5		J	-107.4	-6.6	-0.9	-177.2	
-56.9	-940.5							
		C3-C4;~2 Max	I	28.6	8.0	0.8	106.7	
239.6	11269.1		J	28.6	8.0	0.8	106.7	
393.3	8888.3							
		Min	I	-113.0	-3.4	-1.4	-126.9	
-312.8	-1606.1		J	-113.0	-3.4	-1.4	-126.9	
-154.7	-1198.0							
		G1	I	-116.9	-0.1	-1.4	-4.1	
-235.7	-212.4		J	-116.9	-0.1	-0.5	-4.1	
234.7	-148.4							
		G2	I	-47.0	-0.6	-0.4	2.6	
-81.2	-1313.7		J	-47.0	-0.6	-0.4	2.6	
111.6	-997.2							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	-37.9	-1.0	-0.0	5.4	
-8.8	-2424.3		J	-37.9	-1.0	-0.0	5.4	
10.4	-1917.0							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-9.4	-2936.6	Q5_ps	I	-36.1	-1.3	-0.0	7.1
11.1	-2302.3		J	-36.1	-1.3	-0.0	7.1
287.8	10908.8	INVS LU Max	I	-2098.8	26.2	-0.2	490.0
1210.7	4471.1		J	-2098.8	26.2	1.1	490.0
-870.8	-28608.5	Min	I	-2489.7	-14.9	-4.8	-156.4
63.2	-26599.3		J	-2489.7	-14.9	-3.6	-156.4
202.0	6939.0	INVS LE Max	I	-1643.2	19.1	-0.2	365.5
915.3	2309.8		J	-1643.2	19.1	0.7	365.5
-655.1	-21845.1	Min	I	-1927.7	-11.2	-3.6	-112.5
66.7	-20321.7		J	-1927.7	-11.2	-2.7	-112.5
945	2	62 C1-C2;~1 Max	I	43.7	15.4	0.5	201.6
145.5	17976.9		J	43.7	15.4	0.5	201.6
342.1	15611.7	Min	I	-169.5	-11.7	-1.3	-186.4
-283.9	-1832.0		J	-169.5	-11.7	-1.3	-186.4
-93.4	-1630.3						
300.2	12742.4	C3-C4;~1 Max	I	45.5	8.9	1.0	150.1
511.4	11192.8		J	45.5	8.9	1.0	150.1
-423.6	-2294.5	Min	I	-177.1	-6.8	-1.9	-139.9
-205.6	-2088.1		J	-177.1	-6.8	-1.9	-139.9
90.5	12678.7	C1-C2;~2 Max	I	25.2	10.8	0.3	136.9
206.5	10977.5		J	25.2	10.8	0.3	136.9
-166.4	-942.9	Min	I	-100.7	-8.2	-0.8	-125.8
-57.2	-830.3		J	-100.7	-8.2	-0.8	-125.8
203.8	8885.2	C3-C4;~2 Max	I	25.8	6.1	0.7	98.8
329.9	7788.8		J	25.8	6.1	0.7	98.8
-267.5	-1201.4	Min	I	-106.1	-4.5	-1.2	-91.4
-138.9	-1087.9		J	-106.1	-4.5	-1.2	-91.4
-194.3	-154.1	G1	I	-112.7	0.2	-1.1	-3.4
187.5	-241.5		J	-112.7	0.2	-0.4	-3.4
		G2	I	-45.3	-0.0	-0.3	-2.3


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-65.9	-999.6		J	-45.3	-0.0	-0.3	-2.3
88.3	-996.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-36.4	-0.4	-0.0	-1.0
-7.9	-1916.4		J	-36.4	-0.4	-0.0	-1.0
6.1	-1723.9						
		Q5_ps	I	-34.6	-0.4	-0.0	-1.7
-7.8	-2301.8		J	-34.6	-0.4	-0.0	-1.7
6.2	-2097.3						
		INVSLU Max	I	-2117.0	14.8	-0.1	192.7
207.2	4476.2		J	-2117.0	14.8	0.9	192.7
992.1	4228.8						
		Min	I	-2482.9	-22.5	-4.1	-332.9
-784.3	-26592.0		J	-2482.9	-22.5	-3.1	-332.9
13.3	-23013.1						
		INVSLE Max	I	-1653.4	10.7	-0.1	140.8
140.3	2314.7		J	-1653.4	10.7	0.6	140.8
747.2	2254.4						
		Min	I	-1919.6	-16.8	-3.1	-248.3
-593.1	-20315.3		J	-1919.6	-16.8	-2.3	-248.3
22.9	-17576.8						
		62 C1-C2;~1 Max	I	41.7	9.9	0.5	238.6
946	2		J	41.7	9.9	0.5	238.6
166.4	15611.8						
		Min	I	-164.7	-14.6	-1.1	-150.9
316.7	17627.1		J	-164.7	-14.6	-1.1	-150.9
-248.8	-1629.7						
-106.9	-1686.4						
		C3-C4;~1 Max	I	43.5	5.5	1.1	175.5
330.8	11193.0		J	43.5	5.5	1.1	175.5
481.5	12778.5						
		Min	I	-171.3	-8.8	-1.7	-118.8
-383.9	-2087.5		J	-171.3	-8.8	-1.7	-118.8
-230.7	-2362.8						
		C1-C2;~2 Max	I	24.0	6.9	0.3	163.3
103.7	10977.7		J	24.0	6.9	0.3	163.3
190.5	12332.5						
		Min	I	-97.6	-10.2	-0.7	-100.2
-143.9	-830.0		J	-97.6	-10.2	-0.7	-100.2
-65.4	-796.6						
		C3-C4;~2 Max	I	24.6	3.5	0.8	117.2
224.1	7789.0						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
310.7	8819.2		J	24.6	3.5	0.8	117.2
		Min	I	-102.3	-6.0	-1.1	-76.0
-241.7	-1087.5		J	-102.3	-6.0	-1.1	-76.0
-155.5	-1191.5						
		G1	I	-111.5	0.4	-1.0	-4.5
-162.9	-240.9		J	-111.5	0.4	-0.3	-4.5
163.1	-423.1						
		G2	I	-44.8	0.7	-0.3	-8.7
-52.7	-995.8		J	-44.8	0.7	-0.3	-8.7
77.8	-1328.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-35.7	0.5	-0.0	-8.3
-5.5	-1724.0		J	-35.7	0.5	-0.0	-8.3
4.4	-1969.1						
		Q5_ps	I	-33.9	0.7	-0.0	-11.7
-5.3	-2097.3		J	-33.9	0.7	-0.0	-11.7
4.4	-2463.4						
		INVS LU Max	I	-2153.3	1.5	0.3	-49.4
347.4	4229.0		J	-2153.3	1.5	1.3	-49.4
904.7	13259.6						
		Min	I	-2507.5	-32.5	-3.6	-590.2
-627.4	-23012.7		J	-2507.5	-32.5	-2.6	-590.2
-64.8	-17612.8						
		INVS LE Max	I	-1678.8	0.8	0.2	-43.8
250.2	2254.4		J	-1678.8	0.8	1.0	-43.8
679.5	9066.9						
		Min	I	-1936.4	-24.3	-2.7	-443.2
-471.2	-17576.6		J	-1936.4	-24.3	-2.0	-443.2
-38.1	-13396.6						
947	2	62 C1-C2;~1 Max	I	41.1	13.2	0.7	283.4
195.8	17628.4		J	41.1	13.2	0.7	283.4
276.2	15426.5						
		Min	I	-169.2	-6.4	-1.0	-120.7
-213.7	-1686.8		J	-169.2	-6.4	-1.0	-120.7
-133.9	-1611.2						
		C3-C4;~1 Max	I	42.9	7.4	1.3	207.2
366.6	12779.3		J	42.9	7.4	1.3	207.2
434.4	11097.4						
		Min	I	-175.4	-2.9	-1.6	-103.9
-335.9	-2363.4		J	-175.4	-2.9	-1.6	-103.9


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-266.0	-2040.8						
		C1-C2;~2 Max	I	23.7	9.3	0.4	194.7
122.6	12333.4		J	23.7	9.3	0.4	194.7
164.0	10868.1						
		Min	I	-100.4	-4.4	-0.6	-77.9
-121.4	-796.8		J	-100.4	-4.4	-0.6	-77.9
-82.7	-818.4						
		C3-C4;~2 Max	I	24.3	5.0	0.9	139.7
247.6	8819.7		J	24.3	5.0	0.9	139.7
279.5	7737.2						
		Min	I	-104.8	-1.6	-1.0	-64.2
-209.8	-1191.8		J	-104.8	-1.6	-1.0	-64.2
-178.8	-1060.4						
		G1	I	-114.3	-0.2	-0.9	-7.5
-134.1	-423.7		J	-114.3	-0.2	-0.2	-7.5
136.0	-302.1						
		G2	I	-45.7	-0.7	-0.2	-17.0
-41.6	-1329.2		J	-45.7	-0.7	-0.2	-17.0
66.9	-969.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-35.1	-0.7	-0.0	-16.5
-6.0	-1969.3		J	-35.1	-0.7	-0.0	-16.5
5.2	-1601.5						
		Q5_ps	I	-33.2	-1.0	-0.0	-23.2
-6.5	-2463.7		J	-33.2	-1.0	-0.0	-23.2
5.7	-1964.0						
		INVSLE Max	I	-2202.7	-15.4	0.8	-295.8
464.0	13260.1		J	-2202.7	-15.4	1.8	-295.8
779.1	26738.1						
		Min	I	-2560.4	-43.2	-3.1	-871.1
-495.3	-17615.1		J	-2560.4	-43.2	-2.1	-871.1
-175.8	93.5						
		INVSLE Max	I	-1715.1	-13.0	0.6	-232.1
341.1	9067.1		J	-1715.1	-13.0	1.3	-232.1
582.7	19818.0						
		Min	I	-1975.4	-33.5	-2.3	-656.1
-368.6	-13398.3		J	-1975.4	-33.5	-1.6	-656.1
-123.9	406.3						
		62 C1-C2;~1 Max	I	40.8	120.7	1.5	547.3
948	2		J	40.8	120.7	1.5	547.3
396.5	15420.5						

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
201.5	7214.1		Min	I	-190.5	-16.5	-0.7	-62.8
-170.7	-1612.1			J	-190.5	-16.5	-0.7	-62.8
-349.6	-44580.8							
		C3-C4;~1	Max	I	42.6	100.9	2.1	419.9
550.4	11092.5			J	42.6	100.9	2.1	419.9
237.4	9085.9		Min	I	-194.2	-21.1	-0.9	-76.5
-200.2	-2040.9			J	-194.2	-21.1	-0.9	-76.5
-481.0	-39193.6							
		C1-C2;~2	Max	I	23.5	80.5	1.0	372.8
258.2	10864.0			J	23.5	80.5	1.0	372.8
113.8	2952.6		Min	I	-114.6	-6.8	-0.4	-28.0
-93.3	-819.2			J	-114.6	-6.8	-0.4	-28.0
-227.7	-29065.0							
		C3-C4;~2	Max	I	24.1	66.7	1.4	282.8
373.1	7733.8			J	24.1	66.7	1.4	282.8
136.3	4115.8		Min	I	-117.7	-9.6	-0.5	-35.5
-111.3	-1060.6			J	-117.7	-9.6	-0.5	-35.5
-326.1	-25494.9							
		G1		I	-117.7	-5.8	-0.8	-15.7
-99.1	-302.2			J	-117.7	-5.8	-0.0	-15.7
97.6	2590.1							
		G2		I	-44.7	-16.6	-0.3	-57.0
-47.8	-968.3			J	-44.7	-16.6	-0.3	-57.0
76.3	7227.0							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-32.1	-16.5	-0.1	-59.8
-32.5	-1600.5			J	-32.1	-16.5	-0.1	-59.8
38.0	6553.1							
		Q5_ps		I	-28.9	-23.0	-0.2	-83.9
-44.5	-1962.7			J	-28.9	-23.0	-0.2	-83.9
52.6	9395.0							
		INVSLU	Max	I	-2261.6	67.3	2.3	-156.4
824.4	26742.0			J	-2261.6	67.3	3.3	-156.4
494.9	78829.4		Min	I	-2639.1	-157.9	-2.0	-1122.9
-247.4	108.0			J	-2639.1	-157.9	-1.0	-1122.9
-543.4	-6901.4							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

616.0	19821.6	INVSLE	Max	I	-1759.0	42.7	1.7	-136.5
				J	-1759.0	42.7	2.4	-136.5
358.3	60458.7		Min	I	-2034.4	-120.5	-1.4	-839.2
-173.6	417.5			J	-2034.4	-120.5	-0.7	-839.2
-405.7	-1564.8							
949	2	62 C1-C2;~1	Max	I	31.9	115.7	1.4	481.0
395.2	47169.5			J	31.9	115.7	1.4	481.0
314.8	3637.9		Min	I	-190.1	-37.3	-1.1	-141.8
-267.0	-16047.5			J	-190.1	-37.3	-1.1	-141.8
-328.3	-12129.7							
		C3-C4;~1	Max	I	33.7	116.5	1.1	472.5
313.8	47378.2			J	33.7	116.5	1.1	472.5
479.3	1215.2		Min	I	-187.0	-12.0	-1.8	-45.0
-414.7	-5365.7			J	-187.0	-12.0	-1.8	-45.0
-253.2	-12276.3							
		C1-C2;~2	Max	I	18.3	74.2	0.9	315.1
240.5	29814.9			J	18.3	74.2	0.9	315.1
205.2	2227.8		Min	I	-115.1	-21.3	-0.7	-82.6
-170.3	-9036.5			J	-115.1	-21.3	-0.7	-82.6
-200.3	-8235.1							
		C3-C4;~2	Max	I	19.0	76.5	0.7	315.6
188.6	30713.5			J	19.0	76.5	0.7	315.6
322.1	612.8		Min	I	-112.8	-5.2	-1.2	-20.2
-274.5	-2338.6			J	-112.8	-5.2	-1.2	-20.2
-152.0	-8454.2							
		G1		I	-126.8	9.0	0.0	41.4
107.5	3905.7			J	-126.8	9.0	0.8	41.4
-104.0	-682.4							
		G2		I	-50.1	-9.3	0.2	-30.4
77.9	-4147.4			J	-50.1	-9.3	0.2	-30.4
-48.2	577.2							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	31.9	-5.3	0.0	-18.4
6.8	-2946.7			J	31.9	-5.3	0.0	-18.4
-7.0	-221.1							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
8.0	-4232.3	Q5_ps	I	30.9	-8.3	0.0	-29.0
			J	30.9	-8.3	0.0	-29.0
-8.0	-5.3						
665.7	48235.0	INVS LU Max	I	-2679.2	114.5	1.4	1361.0
			J	-2679.2	114.5	2.5	1361.0
772.1	11013.8	Min	I	-3038.8	-102.8	-2.9	487.1
-439.9	-42693.9		J	-3038.8	-102.8	-1.9	487.1
-330.7	-10868.4						
475.4	32500.2	INVS LE Max	I	-2072.2	78.5	1.0	990.6
			J	-2072.2	78.5	1.8	990.6
592.0	8137.6	Min	I	-2334.3	-81.7	-2.2	345.7
-342.6	-34461.6		J	-2334.3	-81.7	-1.4	345.7
-223.9	-8042.0						
950	2	62 C1-C2;~1 Max	I	30.1	6.3	1.5	218.5
438.1	3640.0		J	30.1	6.3	1.5	218.5
215.9	4354.0	Min	I	-177.8	-4.1	-0.7	-98.2
-159.8	-12134.8		J	-177.8	-4.1	-0.7	-98.2
-347.3	-13358.7						
489.1	1215.3	C3-C4;~1 Max	I	31.8	5.8	1.7	217.2
			J	31.8	5.8	1.7	217.2
308.3	1399.0	Min	I	-166.9	-2.9	-1.1	-74.7
-233.2	-12281.3		J	-166.9	-2.9	-1.1	-74.7
-367.6	-13370.2						
270.3	2229.0	C1-C2;~2 Max	I	17.2	4.3	0.9	146.6
			J	17.2	4.3	0.9	146.6
135.5	2672.5	Min	I	-107.1	-2.6	-0.4	-59.9
-95.1	-8238.5		J	-107.1	-2.6	-0.4	-59.9
-213.0	-9003.9						
312.3	612.8	C3-C4;~2 Max	I	17.9	3.9	1.1	145.3
			J	17.9	3.9	1.1	145.3
204.0	701.6	Min	I	-99.8	-1.8	-0.7	-45.8
-149.2	-8457.6		J	-99.8	-1.8	-0.7	-45.8
-232.2	-9140.2						
139.9	-682.2	G1	I	-122.1	-0.0	0.2	15.5
			J	-122.1	-0.0	0.9	15.5
-133.5	-675.3						
68.4	578.0	G2	I	-50.1	-0.4	0.2	-7.4


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-41.2	760.8		J	-50.1	-0.4	0.2	-7.4
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.1	-220.8	Q5_pc	I	30.6	-0.2	0.0	-5.8
-1.2	-111.0		J	30.6	-0.2	0.0	-5.8
-3.0	-4.9	Q5_ps	I	29.3	-0.3	-0.0	-9.4
1.2	151.5		J	29.3	-0.3	-0.0	-9.4
659.3	11013.2	INVS LU Max	I	-2653.8	16.8	1.4	900.1
580.6	7751.8		J	-2653.8	16.8	2.5	900.1
-315.8	-10878.0	Min	I	-2991.9	2.3	-2.3	462.0
-334.0	-16375.6		J	-2991.9	2.3	-1.2	462.0
483.6	8137.4	INVS LE Max	I	-2052.8	11.3	1.0	655.4
440.9	6319.5		J	-2052.8	11.3	1.8	655.4
-238.8	-8048.9	Min	I	-2299.2	0.6	-1.7	331.7
-236.4	-11537.9		J	-2299.2	0.6	-0.9	331.7
951	2	62 C1-C2;~1 Max	I	29.1	4.3	1.7	179.6
473.5	4353.7		J	29.1	4.3	1.7	179.6
194.1	3497.9	Min	I	-173.6	-10.1	-0.6	-104.6
-142.2	-13356.6		J	-173.6	-10.1	-0.6	-104.6
-381.0	-10266.8						
530.5	1399.1	C3-C4;~1 Max	I	30.7	2.7	1.8	179.5
282.7	1369.3		J	30.7	2.7	1.8	179.5
-209.2	-13367.9	Min	I	-161.9	-9.7	-1.0	-97.5
-411.0	-10237.4		J	-161.9	-9.7	-1.0	-97.5
292.6	2672.4	C1-C2;~2 Max	I	16.6	2.6	1.0	121.1
120.5	2171.8		J	16.6	2.6	1.0	121.1
-83.5	-9002.6	Min	I	-104.6	-6.8	-0.4	-69.7
-233.8	-7006.6		J	-104.6	-6.8	-0.4	-69.7
339.2	701.8	C3-C4;~2 Max	I	17.3	1.6	1.2	119.0
			J	17.3	1.6	1.2	119.0

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
186.2	743.1		Min	I	-96.7	-6.6	-0.6	-62.5
-132.8	-9138.8			J	-96.7	-6.6	-0.6	-62.5
-260.4	-7073.7							
		G1		I	-119.7	-0.6	0.2	12.2
160.8	-674.8			J	-119.7	-0.6	1.0	12.2
-155.8	-383.4							
		G2		I	-49.3	0.4	0.2	-2.2
76.0	760.8			J	-49.3	0.4	0.2	-2.2
-49.1	548.3							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	30.1	0.2	0.0	-3.1
-0.2	-111.1			J	30.1	0.2	0.0	-3.1
-0.7	-231.3							
		Q5_ps		I	28.8	0.4	-0.0	-5.2
-3.7	151.3			J	28.8	0.4	-0.0	-5.2
2.3	-45.2							
		INVSLU Max		I	-2619.6	18.9	2.2	604.6
891.6	7751.0			J	-2619.6	18.9	3.2	604.6
456.1	84.2		Min	I	-2949.6	-0.8	-1.6	215.2
-107.6	-16373.3			J	-2949.6	-0.8	-0.6	215.2
-481.7	-18914.4							
		INVSLE Max		I	-2027.4	14.0	1.6	441.5
658.0	6318.7			J	-2027.4	14.0	2.4	441.5
346.1	640.3		Min	I	-2267.8	-0.6	-1.2	153.5
-82.1	-11536.3			J	-2267.8	-0.6	-0.4	153.5
-348.4	-13401.9							
		62 C1-C2;~1 Max		I	28.3	4.4	1.8	154.8
952	2			J	28.3	4.4	1.8	154.8
501.6	3497.4							
			Min	I	-173.2	-7.1	-0.6	-125.9
176.1	3221.7			J	-173.2	-7.1	-0.6	-125.9
-130.6	-10267.6							
-415.8	-9109.9							
		C3-C4;~1 Max		I	29.9	4.3	2.0	154.1
554.9	1368.9			J	29.9	4.3	2.0	154.1
261.7	1285.7		Min	I	-161.4	-6.9	-0.9	-119.5
-192.2	-10238.3			J	-161.4	-6.9	-0.9	-119.5
-443.6	-9072.3							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

309.9	2171.6	C1-C2;~2	Max	I	16.2	3.0	1.1	104.4
108.1	2009.4			J	16.2	3.0	1.1	104.4
-75.8	-7007.1		Min	I	-104.6	-4.9	-0.3	-83.9
-255.4	-6264.1			J	-104.6	-4.9	-0.3	-83.9
353.9	742.9	C3-C4;~2	Max	I	16.8	2.8	1.2	101.0
171.3	695.0			J	16.8	2.8	1.2	101.0
-120.9	-7074.2		Min	I	-96.7	-4.7	-0.6	-78.0
-280.5	-6313.3			J	-96.7	-4.7	-0.6	-78.0
182.3	-384.2		G1	I	-118.3	-0.3	0.3	9.8
-181.1	-232.0			J	-118.3	-0.3	1.1	9.8
84.9	548.0		G2	I	-48.7	0.1	0.3	1.8
-59.2	485.5			J	-48.7	0.1	0.3	1.8
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
-0.2	-231.4		Q5_pc	I	29.4	0.1	0.0	-1.2
-0.5	-268.9			J	29.4	0.1	0.0	-1.2
-4.1	-45.3		Q5_ps	I	28.2	0.1	-0.0	-2.1
2.9	-112.2			J	28.2	0.1	-0.0	-2.1
878.5	83.9	INVS LU	Max	I	-2568.5	11.4	2.2	324.4
420.6	-2994.5			J	-2568.5	11.4	3.3	324.4
-130.4	-18915.3		Min	I	-2895.6	-4.3	-1.6	-56.6
-532.7	-20126.3			J	-2895.6	-4.3	-0.6	-56.6
647.6	640.2	INVS LE	Max	I	-1989.2	8.5	1.6	237.9
320.4	-1683.7			J	-1989.2	8.5	2.4	237.9
-99.8	-13402.5		Min	I	-2227.6	-3.1	-1.2	-44.2
-385.6	-14338.1			J	-2227.6	-3.1	-0.4	-44.2
953	2	62 C1-C2;~1	Max	I	27.0	6.9	1.7	137.4
481.9	3225.9			J	27.0	6.9	1.7	137.4
153.7	3538.5							


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
-111.3	-9102.6	Min	I	-170.1	-4.5	-0.5	-143.2	
			J	-170.1	-4.5	-0.5	-143.2	
-400.6	-10119.1	C3-C4;~1	Max	I	28.5	6.7	1.9	137.7
533.3	1289.2			J	28.5	6.7	1.9	137.7
245.8	1359.8	Min	I	-158.2	-4.3	-0.8	-136.4	
-177.9	-9063.5		J	-158.2	-4.3	-0.8	-136.4	
-427.1	-10072.8	C1-C2;~2	Max	I	15.4	4.8	1.1	92.6
297.1	2012.1			J	15.4	4.8	1.1	92.6
93.9	2205.3	Min	I	-102.8	-3.1	-0.3	-95.6	
-63.7	-6259.6		J	-102.8	-3.1	-0.3	-95.6	
-245.6	-6927.9	C3-C4;~2	Max	I	16.0	4.6	1.2	89.3
339.7	697.1			J	16.0	4.6	1.2	89.3
161.8	738.6	Min	I	-94.8	-2.9	-0.5	-90.0	
-112.4	-6307.7		J	-94.8	-2.9	-0.5	-90.0	
-269.7	-6983.9	G1	I	-115.8	0.1	0.3	9.1	
184.1	-225.4		J	-115.8	0.1	1.1	9.1	
-185.3	-269.8	G2	I	-47.6	-0.2	0.3	5.1	
86.4	488.0		J	-47.6	-0.2	0.3	5.1	
-61.7	596.6	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Q5_pc	I	28.3	-0.1	0.0	0.3	
-0.2	-268.5		J	28.3	-0.1	0.0	0.3	
-0.7	-209.4	Q5_ps	I	27.1	-0.2	-0.0	0.1	
-4.0	-111.9		J	27.1	-0.2	-0.0	0.1	
2.8	-25.5	INVS LU	Max	I	-2488.5	4.5	2.1	64.8
855.8	-2998.5			J	-2488.5	4.5	3.2	64.8
419.0	-135.4	Min	I	-2807.5	-11.0	-1.5	-315.1	
-104.6	-20125.3		J	-2807.5	-11.0	-0.5	-315.1	
-490.7	-18950.1							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
631.0	-1687.5		INVSLE Max	I	-1928.8	3.3	1.5	49.0
				J	-1928.8	3.3	2.3	49.0
319.7	478.5		Min	I	-2161.3	-8.3	-1.2	-232.3
-80.3	-14338.2			J	-2161.3	-8.3	-0.4	-232.3
-354.1	-13430.4							
954	2	62	C1-C2;~1 Max	I	25.4	10.0	1.8	131.1
492.6	3538.0			J	25.4	10.0	1.8	131.1
143.8	4335.6		Min	I	-165.7	-4.2	-0.5	-167.7
-105.8	-10120.3			J	-165.7	-4.2	-0.5	-167.7
-411.8	-13160.6							
			C3-C4;~1 Max	I	26.8	9.7	1.9	116.5
538.3	1359.2			J	26.8	9.7	1.9	116.5
240.5	1320.6		Min	I	-154.1	-2.5	-0.8	-160.6
-174.3	-10074.1			J	-154.1	-2.5	-0.8	-160.6
-433.1	-13142.5							
			C1-C2;~2 Max	I	14.5	6.8	1.1	79.2
302.6	2205.0			J	14.5	6.8	1.1	79.2
87.3	2673.2		Min	I	-100.3	-2.6	-0.3	-112.1
-60.1	-6928.6			J	-100.3	-2.6	-0.3	-112.1
-251.6	-8906.8							
			C3-C4;~2 Max	I	15.1	6.6	1.2	74.2
341.1	738.2			J	15.1	6.6	1.2	74.2
158.6	654.7		Min	I	-92.5	-1.5	-0.5	-108.4
-110.3	-6984.8			J	-92.5	-1.5	-0.5	-108.4
-272.0	-9025.4							
			G1	I	-113.3	0.5	0.4	7.9
198.3	-270.8			J	-113.3	0.5	1.2	7.9
-200.8	-543.1							
			G2	I	-46.6	-0.5	0.3	9.6
92.0	596.3			J	-46.6	-0.5	0.3	9.6
-68.0	829.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	27.3	-0.3	-0.0	2.3
-0.7	-209.5			J	27.3	-0.3	-0.0	2.3
-0.2	-75.2							
			Q5_ps	I	26.2	-0.4	-0.0	3.1


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-4.7	-25.6			J	26.2	-0.4	-0.0 3.1
3.5	183.9						
893.7	-135.2	INVS LU	Max	I	-2423.7	1.6	2.3 -156.7
383.6	7014.0			J	-2423.7	1.6	3.3 -156.7
-69.5	-18951.0		Min	I	-2732.8	-18.1	-1.4 -564.2
-525.9	-16741.2			J	-2732.8	-18.1	-0.4 -564.2
659.4	478.7	INVS LE	Max	I	-1880.2	1.2	1.7 -111.4
293.6	5784.2			J	-1880.2	1.2	2.4 -111.4
-54.0	-13431.0		Min	I	-2105.6	-13.4	-1.1 -413.0
-380.1	-11802.3			J	-2105.6	-13.4	-0.3 -413.0
955	2	62 C1-C2;~1	Max	I	24.2	4.3	1.9 126.5
518.2	4336.3			J	24.2	4.3	1.9 126.5
122.9	3736.0		Min	I	-164.5	-6.4	-0.4 -208.8
-96.6	-13163.1			J	-164.5	-6.4	-0.4 -208.8
-440.6	-11961.4						
564.9	1320.5	C3-C4;~1	Max	I	25.6	2.9	2.0 94.1
216.7	1135.9			J	25.6	2.9	2.0 94.1
-152.8	-13145.0		Min	I	-152.7	-5.7	-0.7 -204.8
-460.8	-12064.3			J	-152.7	-5.7	-0.7 -204.8
318.2	2673.6	C1-C2;~2	Max	I	13.9	2.7	1.2 77.5
72.9	2311.9			J	13.9	2.7	1.2 77.5
-54.2	-8908.4		Min	I	-99.7	-4.4	-0.2 -139.5
-269.5	-8149.1			J	-99.7	-4.4	-0.2 -139.5
357.5	654.6	C3-C4;~2	Max	I	14.4	1.8	1.3 58.0
142.0	562.7			J	14.4	1.8	1.3 58.0
-95.1	-9027.0		Min	I	-91.7	-3.8	-0.5 -138.5
-289.2	-8340.6			J	-91.7	-3.8	-0.5 -138.5
215.5	-543.5	G1		I	-111.3	0.1	0.5 5.0
-219.9	-570.1			J	-111.3	0.1	1.2 5.0
98.0	829.1	G2		I	-45.7	0.4	0.3 15.1
				J	-45.7	0.4	0.3 15.1


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-75.2	639.6						
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc	I	26.6	0.1	-0.0
-1.8	-75.1			J	26.6	0.1	-0.0
1.3	-150.5						
			Q5_ps	I	25.5	0.2	-0.0
-6.3	184.0			J	25.5	0.2	-0.0
5.3	60.9						
			INVS LU Max	I	-2365.0	0.2	2.6
934.1	7016.1			J	-2365.0	0.2	3.6
281.5	9210.4		Min	I	-2669.4	-14.5	-1.1
-38.0	-16743.3			J	-2669.4	-14.5	-0.1
-635.5	-12390.8						
			INVS LE Max	I	-1836.7	1.3	1.9
690.6	5785.8			J	-1836.7	1.3	2.6
216.4	6803.5		Min	I	-2058.7	-9.6	-0.9
-29.3	-11803.7			J	-2058.7	-9.6	-0.1
-462.7	-9177.3						
956	2	62	C1-C2;~1 Max	I	23.1	37.4	2.3
616.3	3733.2			J	23.1	37.4	2.3
120.3	45422.6		Min	I	-163.1	-112.1	-0.4
-107.0	-11953.0			J	-163.1	-112.1	-0.4
-548.7	-15914.8						
			C3-C4;~1 Max	I	24.4	11.4	2.7
739.6	1136.0			J	24.4	11.4	2.7
97.1	45395.3		Min	I	-158.9	-112.3	-0.4
-96.9	-12056.0			J	-158.9	-112.3	-0.4
-663.1	-5074.1						
			C1-C2;~2 Max	I	13.2	21.5	1.4
382.0	2310.3			J	13.2	21.5	1.4
68.5	28915.2		Min	I	-99.2	-72.4	-0.3
-59.4	-8143.6			J	-99.2	-72.4	-0.3
-339.6	-9052.6						
			C3-C4;~2 Max	I	13.7	4.9	1.8
473.3	563.0			J	13.7	4.9	1.8
53.2	29642.3						


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-52.8	-8335.1	Min	I	-96.0	-74.2	-0.2	-306.1
			J	-96.0	-74.2	-0.2	-306.1
-424.1	-2201.9						
		G1	I	-109.7	-7.1	0.6	-15.8
243.6	-569.8		J	-109.7	-7.1	1.4	-15.8
-252.4	3061.3						
		G2	I	-43.2	10.1	0.3	40.6
91.0	638.7		J	-43.2	10.1	0.3	40.6
-66.3	-4527.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	25.4	4.9	-0.0	16.6
-6.3	-151.1		J	25.4	4.9	-0.0	16.6
6.7	-2629.1						
		Q5_ps	I	24.7	7.7	-0.1	25.9
-13.7	60.0		J	24.7	7.7	-0.1	25.9
14.3	-3895.7						
		INVSLU Max	I	-2340.5	109.0	3.6	-311.1
1215.5	9207.6		J	-2340.5	109.0	4.6	-311.1
195.2	40076.9						
		Min	I	-2639.4	-101.8	-0.8	-1183.9
61.2	-12379.7		J	-2639.4	-101.8	0.3	-1183.9
-874.6	-47460.9						
		INVSLE Max	I	-1819.0	86.5	2.7	-216.3
907.6	6800.9		J	-1819.0	86.5	3.4	-216.3
140.4	26379.7						
		Min	I	-2037.0	-69.0	-0.6	-860.7
53.5	-9169.6		J	-2037.0	-69.0	0.2	-860.7
-651.1	-38112.6						
957	2	70 C1-C2;~1 Max	I	97.9	22.3	0.1	65.4
28.7	10766.6		J	97.9	22.3	0.1	65.4
829.3	17561.1						
		Min	I	-223.0	-153.2	-3.3	-644.6
-809.3	-72291.5		J	-223.0	-153.2	-3.3	-644.6
-33.4	-9187.7						
		C3-C4;~1 Max	I	102.9	25.5	0.1	83.0
37.5	12186.5		J	102.9	25.5	0.1	83.0
1027.4	12069.9						
		Min	I	-233.0	-127.1	-4.1	-496.3
-987.1	-60802.6		J	-233.0	-127.1	-4.1	-496.3
-33.6	-7470.1						

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
15.3	4908.6	C1-C2;~2 Max	I	56.3	10.2	0.0	27.9
			J	56.3	10.2	0.0	27.9
514.6	12402.3	Min	I	-135.8	-101.9	-2.0	-438.5
-501.0	-47958.7		J	-135.8	-101.9	-2.0	-438.5
-16.9	-6211.7						
		C3-C4;~2 Max	I	58.2	12.1	0.1	38.2
20.4	5771.1		J	58.2	12.1	0.1	38.2
661.8	8328.6	Min	I	-143.1	-84.3	-2.6	-333.9
-633.4	-40309.9		J	-143.1	-84.3	-2.6	-333.9
-17.0	-4925.9						
		G1	I	-67.2	3.8	-2.3	-0.5
-471.3	1934.3		J	-67.2	3.8	-1.3	-0.5
419.2	75.9						
		G2	I	-24.3	17.6	-0.6	55.6
-145.7	8495.7		J	-24.3	17.6	-0.6	55.6
160.3	-210.3						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-24.1	21.9	0.1	76.1
36.6	9769.0		J	-24.1	21.9	0.1	76.1
-31.4	-1084.8						
		Q5_ps	I	-21.5	29.5	0.2	103.2
52.6	13380.3		J	-21.5	29.5	0.2	103.2
-44.1	-1188.4						
		INVSLU Max	I	-787.2	146.4	-0.7	591.8
-61.6	60193.5		J	-787.2	146.4	0.6	591.8
1465.3	14536.6	Min	I	-1284.1	-140.7	-6.7	-553.4
1533.5	-74053.6		J	-1284.1	-140.7	-5.4	-553.4
-39.0	-23526.9						
		INVSLE Max	I	-653.9	110.4	-0.5	437.6
-34.1	44915.4		J	-653.9	110.4	0.5	437.6
1069.5	9916.3	Min	I	-1018.8	-97.5	-4.9	-394.2
1116.1	-52389.0		J	-1018.8	-97.5	-3.9	-394.2
-37.8	-18134.3						
		70 C1-C2;~1 Max	I	87.5	5.4	0.2	188.0
958	2		J	87.5	5.4	0.2	188.0
50.7	17569.8						
		Min	I	-186.4	-29.6	-2.0	-344.3
524.7	26173.1						

PROJECT TITLE :

		Company	Client						
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H					
-470.9	-9182.8		J	-186.4	-29.6	-2.0	-344.3		
-29.1	-3442.5								
180.8	12076.8	C3-C4;~1	Max	I	91.7	4.0	0.6	164.5	
749.2	18894.6			J	91.7	4.0	0.6	164.5	
-663.1	-7466.4		Min	I	-198.3	-19.4	-2.9	-253.4	
-113.0	-3778.4			J	-198.3	-19.4	-2.9	-253.4	
33.0	12408.5	C1-C2;~2	Max	I	50.2	3.1	0.1	125.8	
312.8	18370.6			J	50.2	3.1	0.1	125.8	
-275.9	-6208.2		Min	I	-111.3	-20.2	-1.2	-235.7	
-19.0	-1941.9			J	-111.3	-20.2	-1.2	-235.7	
129.2	8333.5	C3-C4;~2	Max	I	51.9	1.9	0.4	106.6	
475.3	13090.4			J	51.9	1.9	0.4	106.6	
-414.0	-4923.2		Min	I	-119.6	-12.9	-1.8	-170.2	
-80.8	-2070.1			J	-119.6	-12.9	-1.8	-170.2	
-428.2	75.9		G1	I	-70.3	0.5	-2.1	-5.6	
385.2	-194.3			J	-70.3	0.5	-1.2	-5.6	
-159.3	-211.4		G2	I	-28.0	2.5	-0.7	14.6	
172.1	-1460.7			J	-28.0	2.5	-0.7	14.6	
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
-6.1	-1086.3		Q5_pc	I	-29.6	3.2	-0.0	22.9	
3.4	-2657.7			J	-29.6	3.2	-0.0	22.9	
-8.6	-1190.3		Q5_ps	I	-28.2	4.2	-0.0	30.6	
5.9	-3269.6			J	-28.2	4.2	-0.0	30.6	
231.0	14542.0		INVSLU	Max	I	-971.2	37.5	0.0	541.3
1071.4	14229.7			J	-971.2	37.5	1.3	541.3	
-919.3	-23529.3		Min	I	-1416.1	-15.8	-4.6	-218.5	
-98.7	-31195.0			J	-1416.1	-15.8	-3.4	-218.5	
			INVSLE	Max	I	-794.0	29.1	0.1	407.4


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
190.5	9919.6			J	-794.0	29.1	1.0 407.4
778.7	8702.4						
			Min	I	-1119.6	-9.7	-3.4 -152.4
-660.7	-18136.5			J	-1119.6	-9.7	-2.5 -152.4
-87.6	-24438.4						
959	2	70	C1-C2;~1	Max	I	78.1	16.0 0.2 194.2
84.4	26171.9			J	78.1	16.0	0.2 194.2
481.1	25180.7						
			Min	I	-176.7	-14.9	-1.8 -293.1
-425.1	-3442.3			J	-176.7	-14.9	-1.8 -293.1
-42.9	-2751.4						
			C3-C4;~1	Max	I	82.0	8.7 0.8 170.2
242.5	18893.6			J	82.0	8.7	0.8 170.2
698.4	18138.7						
			Min	I	-187.5	-8.4	-2.6 -216.3
-608.7	-3778.0			J	-187.5	-8.4	-2.6 -216.3
-157.2	-3324.2						
			C1-C2;~2	Max	I	45.0	11.3 0.2 130.4
54.7	18369.8			J	45.0	11.3	0.2 130.4
284.1	17677.8						
			Min	I	-105.4	-10.5	-1.1 -200.3
-245.3	-1941.9			J	-105.4	-10.5	-1.1 -200.3
-27.1	-1469.6						
			C3-C4;~2	Max	I	46.4	5.8 0.6 111.6
171.4	13089.8			J	46.4	5.8	0.6 111.6
441.0	12577.8						
			Min	I	-112.9	-5.6	-1.7 -144.6
-376.7	-2069.9			J	-112.9	-5.6	-1.7 -144.6
-111.2	-1778.1						
			G1	I	-75.1	-0.1	-2.0 -7.1
-399.2	-194.2			J	-75.1	-0.1	-1.1 -7.1
362.1	-160.6						
			G2	I	-30.1	-0.1	-0.6 7.0
-148.0	-1460.4			J	-30.1	-0.1	-0.6 7.0
163.7	-1418.2						
			Q3	I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0
0.0	0.0						
			Q5_pc	I	-30.6	-0.1	-0.0 13.4
-3.5	-2657.4			J	-30.6	-0.1	-0.0 13.4
2.4	-2626.7						
			Q5_ps	I	-29.3	-0.1	-0.0 17.9
-6.9	-3269.3						

MIDAS

PROJECT TITLE :

		Company		Client			
		Author		File Name			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H
5.9	-3214.1		J	-29.3	-0.1	-0.0	17.9
268.2	14228.4	INVS LU Max	I	-1133.9	28.2	0.1	429.3
1042.0	9641.6		J	-1133.9	28.2	1.4	429.3
-887.2	-31193.6	Min	I	-1552.8	-13.7	-4.5	-252.8
-117.4	-33937.9		J	-1552.8	-13.7	-3.3	-252.8
212.8	8701.5	INVS LE Max	I	-918.3	21.2	0.2	320.8
761.8	5121.7		J	-918.3	21.2	1.1	320.8
-642.6	-24437.3	Min	I	-1224.4	-9.8	-3.3	-182.6
-96.6	-26627.2		J	-1224.4	-9.8	-2.4	-182.6
960	2	70 C1-C2;~1 Max	I	72.0	17.8	0.3	227.7
110.8	25180.8		J	72.0	17.8	0.3	227.7
463.9	24193.1	Min	I	-173.3	-15.7	-1.8	-250.4
-404.5	-2751.2		J	-173.3	-15.7	-1.8	-250.4
-62.9	-2733.0						
273.2	18138.7	C3-C4;~1 Max	I	75.4	10.4	0.9	182.3
676.4	17623.7		J	75.4	10.4	0.9	182.3
-583.3	-3324.2	Min	I	-183.4	-9.1	-2.5	-186.7
-183.3	-3180.9		J	-183.4	-9.1	-2.5	-186.7
71.9	17677.8	C1-C2;~2 Max	I	41.4	12.6	0.2	154.2
273.3	17005.9		J	41.4	12.6	0.2	154.2
-232.1	-1469.5	Min	I	-103.2	-11.1	-1.0	-170.1
-40.1	-1485.5		J	-103.2	-11.1	-1.0	-170.1
191.6	12577.8	C3-C4;~2 Max	I	42.7	7.0	0.6	120.2
426.8	12256.2		J	42.7	7.0	0.6	120.2
-360.2	-1778.1	Min	I	-110.2	-6.1	-1.6	-123.6
-128.5	-1706.3		J	-110.2	-6.1	-1.6	-123.6
-374.8	-160.7	G1	I	-80.8	-0.0	-1.9	-7.8
342.5	-153.8		J	-80.8	-0.0	-1.0	-7.8
-137.8	-1418.3	G2	I	-32.5	-0.1	-0.6	-0.1
155.7	-1346.3		J	-32.5	-0.1	-0.6	-0.1


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-2.5	-2626.7	Q5_pc	I	-31.7	-0.2	-0.0	4.3
1.9	-2525.1		J	-31.7	-0.2	-0.0	4.3
-5.7	-3214.1	Q5_ps	I	-30.3	-0.3	-0.0	5.5
5.3	-3073.4		J	-30.3	-0.3	-0.0	5.5
271.1	9641.4	INVSLU Max	I	-1278.7	23.0	0.1	336.6
1055.6	8814.8		J	-1278.7	23.0	1.4	336.6
-889.6	-33938.2	Min	I	-1685.0	-22.6	-4.5	-316.5
-108.3	-33032.1		J	-1685.0	-22.6	-3.3	-316.5
210.3	5121.6	INVSLE Max	I	-1028.5	16.9	0.1	248.5
776.3	4579.7		J	-1028.5	16.9	1.0	248.5
-649.2	-26627.4	Min	I	-1325.2	-16.9	-3.3	-234.8
-85.6	-25908.1		J	-1325.2	-16.9	-2.4	-234.8
961	2	70 C1-C2;~1 Max	I	67.8	15.8	0.4	258.5
120.3	24193.1		J	67.8	15.8	0.4	258.5
455.4	25167.3	Min	I	-173.4	-17.8	-1.7	-217.5
-391.1	-2733.0		J	-173.4	-17.8	-1.7	-217.5
-72.1	-2965.8						
290.3	17623.7	C3-C4;~1 Max	I	71.0	9.1	1.0	198.8
657.3	18196.2		J	71.0	9.1	1.0	198.8
-561.9	-3180.9	Min	I	-183.0	-10.4	-2.5	-165.1
-197.0	-3437.2		J	-183.0	-10.4	-2.5	-165.1
77.2	17005.9	C1-C2;~2 Max	I	39.1	11.1	0.2	175.9
268.8	17678.9		J	39.1	11.1	0.2	175.9
-224.3	-1485.5	Min	I	-103.0	-12.5	-1.0	-146.6
-45.5	-1622.7		J	-103.0	-12.5	-1.0	-146.6
202.4	12256.1	C3-C4;~2 Max	I	40.2	6.1	0.7	131.9
414.6	12642.3		J	40.2	6.1	0.7	131.9
		Min	I	-109.8	-7.1	-1.5	-107.9


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-346.7	-1706.3		J	-109.8	-7.1	-1.5	-107.9
-137.0	-1849.3						
		G1	I	-87.3	0.2	-1.8	-8.2
-352.7	-153.8		J	-87.3	0.2	-0.9	-8.2
324.4	-238.3						
		G2	I	-35.1	0.3	-0.6	-5.5
-127.5	-1346.3		J	-35.1	0.3	-0.6	-5.5
147.0	-1480.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-32.6	0.2	-0.0	-2.6
-0.7	-2525.0		J	-32.6	0.2	-0.0	-2.6
0.4	-2639.5						
		Q5_ps	I	-31.1	0.3	-0.0	-3.9
-3.1	-3073.4		J	-31.1	0.3	-0.0	-3.9
3.0	-3230.3						
		INVS LU Max	I	-1408.7	15.7	0.1	228.9
277.8	8814.9		J	-1408.7	15.7	1.4	228.9
1060.3	13073.1						
		Min	I	-1810.2	-29.9	-4.5	-418.3
-874.1	-33031.9		J	-1810.2	-29.9	-3.3	-418.3
-93.6	-30620.2						
		INVS LE Max	I	-1127.0	11.3	0.1	164.3
211.9	4579.9		J	-1127.0	11.3	1.0	164.3
783.2	7899.9						
		Min	I	-1420.1	-22.5	-3.3	-314.8
-641.2	-25907.9		J	-1420.1	-22.5	-2.4	-314.8
-71.5	-23930.6						
962	2	70 C1-C2;~1 Max	I	65.3	15.0	0.4	300.0
132.7	25167.2		J	65.3	15.0	0.4	300.0
436.9	26208.6						
		Min	I	-176.7	-16.3	-1.6	-175.3
-367.5	-2965.7		J	-176.7	-16.3	-1.6	-175.3
-83.3	-3063.3						
		C3-C4;~1 Max	I	68.2	8.5	1.0	225.7
287.7	18196.2		J	68.2	8.5	1.0	225.7
648.6	18989.2						
		Min	I	-186.1	-9.1	-2.4	-139.8
-546.3	-3437.2		J	-186.1	-9.1	-2.4	-139.8
-190.5	-3618.9						
		C1-C2;~2 Max	I	37.6	10.6	0.3	205.2


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
84.8	17678.9			J	37.6	10.6	0.3	205.2
257.3	18413.4							
		Min		I	-104.9	-11.6	-0.9	-116.1
-209.4	-1622.6							
				J	-104.9	-11.6	-0.9	-116.1
-52.4	-1645.2							
		C3-C4;~2	Max	I	38.6	5.6	0.7	151.0
198.4	12642.3							
				J	38.6	5.6	0.7	151.0
410.7	13197.3							
		Min		I	-111.5	-6.2	-1.5	-89.4
-337.9	-1849.2							
				J	-111.5	-6.2	-1.5	-89.4
-130.5	-1926.5							
		G1		I	-94.3	0.2	-1.7	-8.9
-330.9	-238.3							
				J	-94.3	0.2	-0.8	-8.9
306.1	-350.2							
		G2		I	-37.9	0.2	-0.5	-12.8
-118.4	-1480.9							
				J	-37.9	0.2	-0.5	-12.8
139.1	-1586.1							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0							
				J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-33.3	0.2	-0.0	-11.3
-0.9	-2639.5							
				J	-33.3	0.2	-0.0	-11.3
0.6	-2714.4							
		Q5_ps		I	-31.8	0.2	-0.0	-15.9
-3.0	-3230.2							
				J	-31.8	0.2	-0.0	-15.9
2.9	-3332.5							
		INVS LU	Max	I	-1526.0	5.0	0.1	120.7
269.3	13073.9							
				J	-1526.0	5.0	1.3	120.7
1064.1	22166.6							
		Min		I	-1929.3	-37.6	-4.5	-541.2
-858.1	-30619.1							
				J	-1929.3	-37.6	-3.3	-541.2
-69.8	-23257.5							
		INVS LE	Max	I	-1215.7	2.8	0.1	78.7
203.3	7900.6							
				J	-1215.7	2.8	1.0	78.7
788.6	15098.6							
		Min		I	-1510.0	-28.8	-3.3	-410.2
-631.6	-23929.8							
				J	-1510.0	-28.8	-2.4	-410.2
-51.2	-17997.6							
		70 C1-C2;~1	Max	I	64.0	28.8	0.5	350.7
963	2							
163.2	26209.7							
				J	64.0	28.8	0.5	350.7
398.4	18182.9							
		Min		I	-184.8	-6.0	-1.5	-149.2
-335.6	-3063.5							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-109.3	-5052.8		J	-184.8	-6.0	-1.5	-149.2	
354.4	18990.0	C3-C4;~1	Max	I	66.9	19.2	1.2	262.3
605.1	12773.5		J	66.9	19.2	1.2	262.3	
-501.8	-3619.4		Min	I	-193.9	-3.9	-2.2	-126.2
-255.3	-4405.1		J	-193.9	-3.9	-2.2	-126.2	
104.5	18414.1	C1-C2;~2	Max	I	36.8	19.8	0.3	240.4
232.0	12855.9		J	36.8	19.8	0.3	240.4	
-189.1	-1645.3		Min	I	-109.7	-3.6	-0.8	-96.6
-69.2	-3131.1		J	-109.7	-3.6	-0.8	-96.6	
245.1	13197.8	C3-C4;~2	Max	I	37.9	12.8	0.9	176.5
382.1	8862.7		J	37.9	12.8	0.9	176.5	
-308.6	-1926.8		Min	I	-116.2	-1.8	-1.4	-78.4
-176.0	-2631.9		J	-116.2	-1.8	-1.4	-78.4	
-305.0	-350.7	G1	I	-102.2	-0.6	-1.6	-11.1	
282.3	-46.0		J	-102.2	-0.6	-0.7	-11.1	
-108.6	-1586.5	G2	I	-40.8	-2.5	-0.5	-21.0	
129.6	-333.9		J	-40.8	-2.5	-0.5	-21.0	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-3.4	-2714.6	Q5_pc	I	-33.5	-2.7	-0.0	-20.2	
3.0	-1364.3		J	-33.5	-2.7	-0.0	-20.2	
-6.1	-3332.7	Q5_ps	I	-31.8	-3.8	-0.0	-28.1	
5.6	-1469.9		J	-31.8	-3.8	-0.0	-28.1	
378.8	22166.6	INVSLU	Max	I	-1637.4	-0.7	0.5	10.8
999.4	30944.5		J	-1637.4	-0.7	1.7	10.8	
-783.2	-23259.9		Min	I	-2049.8	-52.6	-4.2	-700.5
-167.4	-2879.3		J	-2049.8	-52.6	-3.0	-700.5	
284.8	15098.6	INVSLE	Max	I	-1299.7	-3.5	0.4	-8.7


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
740.2	23047.4		J	-1299.7	-3.5	1.3	-8.7
		Min	I	-1600.7	-41.5	-3.1	-532.9
-575.5	-17999.4		J	-1600.7	-41.5	-2.2	-532.9
-123.7	-1825.4						
964	2	70 C1-C2;~1 Max	I	62.6	141.7	1.5	637.5
402.4	18174.6		J	62.6	141.7	1.5	637.5
316.4	9691.4	Min	I	-207.2	-20.4	-1.2	-80.7
-279.3	-5056.6		J	-207.2	-20.4	-1.2	-80.7
-360.9	-54390.9						
		C3-C4;~1 Max	I	65.4	119.3	2.2	490.6
575.4	12767.0		J	65.4	119.3	2.2	490.6
371.9	11650.0	Min	I	-213.2	-24.7	-1.4	-87.4
-331.3	-4407.3		J	-213.2	-24.7	-1.4	-87.4
-505.7	-48286.0						
		C1-C2;~2 Max	I	36.1	94.2	1.0	433.9
267.0	12850.0		J	36.1	94.2	1.0	433.9
177.5	4310.6	Min	I	-124.6	-9.1	-0.7	-37.9
-152.1	-3133.8		J	-124.6	-9.1	-0.7	-37.9
-239.4	-35048.0						
		C3-C4;~2 Max	I	37.0	78.9	1.5	331.7
396.9	8858.0		J	37.0	78.9	1.5	331.7
212.3	5419.1	Min	I	-129.2	-11.5	-0.8	-41.8
-184.6	-2633.5		J	-129.2	-11.5	-0.8	-41.8
-348.5	-31187.0						
		G1	I	-108.5	-4.9	-1.5	-17.1
-270.4	-45.8		J	-108.5	-4.9	-0.6	-17.1
247.2	2397.3						
		G2	I	-41.1	-18.2	-0.5	-63.1
-119.9	-332.7		J	-41.1	-18.2	-0.5	-63.1
145.4	8686.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-31.9	-19.6	-0.2	-68.9
-37.2	-1362.8		J	-31.9	-19.6	-0.2	-68.9
43.1	8315.8						
		Q5_ps	I	-28.9	-27.1	-0.2	-96.1
-54.4	-1467.9		J	-28.9	-27.1	-0.2	-96.1


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
63.0	11933.8							
		INVSLE	Max	I	-1755.8	89.5	2.1	261.1
791.6	30947.4			J	-1755.8	89.5	3.3	261.1
712.6	89480.6							
			Min	I	-2189.3	-175.7	-3.1	-862.1
-499.3	-2867.7			J	-2189.3	-175.7	-1.8	-862.1
-549.6	-16647.8							
		INVSLE	Max	I	-1388.7	57.4	1.6	168.6
596.7	23050.5			J	-1388.7	57.4	2.5	168.6
514.2	68935.8							
			Min	I	-1705.6	-134.7	-2.2	-648.2
-354.5	-1816.0			J	-1705.6	-134.7	-1.3	-648.2
-415.0	-7797.5							
		70 C1-C2;~1	Max	I	87.8	16.1	1.3	59.6
965	2			J	87.8	16.1	1.3	59.6
357.5	8022.9							
			Min	I	-225.5	-143.9	-1.3	-653.2
363.0	19840.1			J	-225.5	-143.9	-1.3	-653.2
-320.6	-58222.5							
-316.8	-4069.6							
		C3-C4;~1	Max	I	85.4	18.3	1.5	63.9
412.9	8935.0			J	85.4	18.3	1.5	63.9
515.9	13932.6							
			Min	I	-239.1	-128.5	-1.8	-531.7
-438.7	-55374.9			J	-239.1	-128.5	-1.8	-531.7
-369.6	-3906.3							
		C1-C2;~2	Max	I	50.1	7.0	0.7	26.0
207.3	3477.5			J	50.1	7.0	0.7	26.0
241.5	14020.7							
			Min	I	-134.6	-95.9	-0.9	-444.8
-213.9	-37740.0			J	-134.6	-95.9	-0.9	-444.8
-178.6	-2446.0							
		C3-C4;~2	Max	I	48.6	8.3	0.9	28.8
241.8	4025.2			J	48.6	8.3	0.9	28.8
354.7	9645.0							
			Min	I	-143.1	-83.4	-1.2	-352.4
-301.4	-35155.1			J	-143.1	-83.4	-1.2	-352.4
-211.9	-2260.2							
		G1		I	-110.2	-1.6	0.7	-14.0
284.9	-730.6			J	-110.2	-1.6	1.6	-14.0
-318.7	131.8							
		G2		I	-40.5	11.4	0.5	37.3
149.1	5647.3			J	-40.5	11.4	0.5	37.3
-126.9	-370.1							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		Q3	I	0.0	0.0	0.0
				J	0.0	0.0	0.0
0.0	0.0						
37.1	8908.5		Q5_pc	I	-25.9	19.8	0.1
				J	-25.9	19.8	0.1
-31.8	-1540.8						
56.4	12643.7		Q5_ps	I	-24.4	27.3	0.2
				J	-24.4	27.3	0.2
-48.7	-1787.9						
817.1	78825.5		INVS LU Max	I	-1686.4	153.5	1.9
				J	-1686.4	153.5	3.3
698.3	29003.7						
			Min	I	-2174.3	-110.7	-2.7
-399.2	-32192.1			J	-2174.3	-110.7	-1.4
-554.4	-6047.8						
592.3	61040.1		INVS LE Max	I	-1334.8	118.3	1.4
				J	-1334.8	118.3	2.4
527.7	21435.7						
			Min	I	-1692.7	-73.1	-2.1
-303.8	-19196.4			J	-1692.7	-73.1	-1.1
-395.9	-4323.0						
966	2	70	C1-C2;~1 Max	I	90.2	6.3	1.7
467.3	19848.0			J	90.2	6.3	1.7
148.1	26742.1						
			Min	I	-203.8	-26.4	-0.5
-95.5	-4066.6			J	-203.8	-26.4	-0.5
-396.5	-2697.4						
663.3	13938.8		C3-C4;~1 Max	I	87.8	2.9	2.5
				J	87.8	2.9	2.5
330.6	19823.2						
			Min	I	-219.6	-17.7	-1.1
-233.7	-3904.5			J	-219.6	-17.7	-1.1
-554.1	-3250.3						
277.9	14026.3		C1-C2;~2 Max	I	51.5	4.0	1.0
				J	51.5	4.0	1.0
94.7	18786.1						
			Min	I	-120.2	-18.2	-0.3
-60.2	-2443.9			J	-120.2	-18.2	-0.3
-229.2	-1451.5						
418.9	9649.5		C3-C4;~2 Max	I	50.0	1.3	1.5
				J	50.0	1.3	1.5
228.3	13565.6						
			Min	I	-130.2	-11.7	-0.8
-161.0	-2258.8						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-341.7	-1729.5		J	-130.2	-11.7	-0.8	-182.8
		G1	I	-102.6	-0.1	1.0	-5.5
339.4	131.7		J	-102.6	-0.1	1.9	-5.5
-362.9	173.1						
		G2	I	-39.0	1.4	0.6	10.9
146.4	-370.9		J	-39.0	1.4	0.6	10.9
-127.4	-1052.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-27.4	2.3	-0.0	18.9
-2.5	-1542.2		J	-27.4	2.3	-0.0	18.9
1.5	-2663.0						
		Q5_ps	I	-27.1	3.1	0.0	26.4
-0.4	-1789.7		J	-27.1	3.1	0.0	26.4
-1.1	-3332.2						
		INVSLE Max	I	-1572.4	41.9	3.1	454.3
982.9	29005.9		J	-1572.4	41.9	4.3	454.3
352.5	23740.5	Min	I	-2040.0	-6.2	-1.8	-248.5
-232.6	-6054.7		J	-2040.0	-6.2	-0.5	-248.5
-844.6	-22091.3						
		INVSLE Max	I	-1248.9	33.3	2.3	350.4
728.9	21436.6		J	-1248.9	33.3	3.2	350.4
265.0	16247.7	Min	I	-1591.6	-2.0	-1.3	-167.7
-171.1	-4328.7		J	-1591.6	-2.0	-0.4	-167.7
-621.5	-17154.0						
967	2	70 C1-C2;~1 Max	I	93.0	16.9	1.8	165.9
493.4	26740.7		J	93.0	16.9	1.8	165.9
121.7	25379.5	Min	I	-199.9	-14.4	-0.4	-307.8
-75.8	-2697.6		J	-199.9	-14.4	-0.4	-307.8
-422.6	-2743.1						
		C3-C4;~1 Max	I	90.6	9.7	2.6	129.9
700.0	19821.8		J	90.6	9.7	2.6	129.9
298.2	18775.4	Min	I	-216.0	-7.9	-1.0	-235.5
-206.0	-3250.2		J	-216.0	-7.9	-1.0	-235.5
-595.4	-3202.2						
		C1-C2;~2 Max	I	53.1	12.0	1.1	110.2
294.9	18785.1						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
77.6	17829.9		J	53.1	12.0	1.1	110.2
		Min	I	-117.9	-10.2	-0.2	-210.6
-47.8	-1451.7		J	-117.9	-10.2	-0.2	-210.6
-245.7	-1510.7						
		C3-C4;~2 Max	I	51.6	6.5	1.6	82.5
443.4	13564.7		J	51.6	6.5	1.6	82.5
207.1	12852.6	Min	I	-128.1	-5.3	-0.7	-157.0
-142.9	-1729.5		J	-128.1	-5.3	-0.7	-157.0
-369.1	-1726.1						
		G1	I	-96.4	0.0	1.0	-5.0
358.4	173.3		J	-96.4	0.0	2.0	-5.0
-386.4	163.9						
		G2	I	-36.6	-0.1	0.6	6.1
154.0	-1052.3		J	-36.6	-0.1	0.6	6.1
-136.3	-990.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-26.8	-0.3	-0.0	10.4
-3.5	-2662.8		J	-26.8	-0.3	-0.0	10.4
3.2	-2529.6						
		Q5_ps	I	-26.7	-0.4	-0.0	14.7
-1.5	-3331.9		J	-26.7	-0.4	-0.0	14.7
1.0	-3151.0						
		INVSLU Max	I	-1453.7	33.5	3.8	381.3
1203.3	23739.4		J	-1453.7	33.5	5.0	381.3
244.8	16650.3	Min	I	-1919.3	-9.4	-1.1	-276.8
-26.2	-22089.7		J	-1919.3	-9.4	0.1	-276.8
-967.4	-26945.3						
		INVSLE Max	I	-1159.4	25.6	2.8	291.8
892.4	16246.9		J	-1159.4	25.6	3.7	291.8
184.7	10608.3	Min	I	-1500.7	-6.1	-0.9	-194.3
-17.9	-17152.8		J	-1500.7	-6.1	0.1	-194.3
-712.8	-21166.0						
968	2	70 C1-C2;~1 Max	I	96.8	17.8	1.9	210.6
510.9	25379.6		J	96.8	17.8	1.9	210.6
109.8	24365.4	Min	I	-198.7	-15.5	-0.3	-264.6
-63.2	-2743.2		J	-198.7	-15.5	-0.3	-264.6


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
-446.1	-2613.4							
		C3-C4;~1	Max	I	94.4	10.5	2.7	157.7
720.6	18775.4			J	94.4	10.5	2.7	157.7
278.8	17905.7							
			Min	I	-214.6	-8.8	-0.9	-206.7
-191.8	-3202.2			J	-214.6	-8.8	-0.9	-206.7
-621.6	-3050.7							
		C1-C2;~2	Max	I	55.2	12.6	1.1	142.2
305.7	17829.9			J	55.2	12.6	1.1	142.2
70.6	17129.6							
			Min	I	-117.4	-10.9	-0.2	-180.1
-39.8	-1510.7			J	-117.4	-10.9	-0.2	-180.1
-260.6	-1430.8							
		C3-C4;~2	Max	I	53.7	7.1	1.7	102.4
456.0	12852.6			J	53.7	7.1	1.7	102.4
194.6	12282.4							
			Min	I	-127.4	-5.9	-0.7	-136.6
-134.0	-1726.1			J	-127.4	-5.9	-0.7	-136.6
-385.5	-1637.9							
		G1		I	-90.0	0.0	1.1	-3.9
377.2	163.9			J	-90.0	0.0	2.0	-3.9
-409.5	152.2							
		G2		I	-34.1	-0.1	0.6	1.3
161.8	-990.9			J	-34.1	-0.1	0.6	1.3
-145.6	-932.9							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-25.9	-0.2	-0.0	1.6
-3.3	-2529.6			J	-25.9	-0.2	-0.0	1.6
3.1	-2406.0							
		Q5_ps		I	-25.8	-0.3	-0.0	2.6
-0.8	-3151.0			J	-25.8	-0.3	-0.0	2.6
0.5	-2982.3							
		INVSLU	Max	I	-1327.8	28.4	3.7	338.8
1160.8	16649.7			J	-1327.8	28.4	4.9	338.8
238.3	13136.6							
			Min	I	-1794.9	-17.1	-1.2	-305.5
-76.8	-26946.2			J	-1794.9	-17.1	-0.0	-305.5
-982.9	-28606.7							
		INVSLE	Max	I	-1064.5	21.3	2.7	256.3
858.0	10607.8			J	-1064.5	21.3	3.6	256.3

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
182.6	7854.9		Min	I	-1407.0	-12.3	-0.9	-220.7	
-58.3	-21166.7			J	-1407.0	-12.3	-0.0	-220.7	
-721.6	-22574.3								
969	2	70	C1-C2;~1	Max	I	101.8	15.5	2.0	245.2
519.8	24365.3				J	101.8	15.5	2.0	245.2
99.5	25393.2		Min	I	-199.4	-17.8	-0.3	-232.6	
-51.1	-2613.4			J	-199.4	-17.8	-0.3	-232.6	
-460.0	-2554.1								
			C3-C4;~1	Max	I	99.4	8.8	2.8	180.6
734.7	17905.8			J	99.4	8.8	2.8	180.6	
261.4	18688.3		Min	I	-215.5	-10.4	-0.9	-189.4	
-178.2	-3050.8			J	-215.5	-10.4	-0.9	-189.4	
-640.6	-3120.3								
			C1-C2;~2	Max	I	58.1	10.9	1.2	166.9
310.6	17129.6			J	58.1	10.9	1.2	166.9	
64.7	17837.0		Min	I	-118.0	-12.6	-0.2	-157.5	
-32.2	-1430.8			J	-118.0	-12.6	-0.2	-157.5	
-268.8	-1362.8								
			C3-C4;~2	Max	I	56.6	5.9	1.7	118.8
464.3	12282.4			J	56.6	5.9	1.7	118.8	
183.8	12819.6		Min	I	-128.1	-7.0	-0.6	-124.4	
-125.6	-1637.9			J	-128.1	-7.0	-0.6	-124.4	
-397.0	-1660.6								
			G1	I	-83.7	0.0	1.2	-3.3	
396.0	152.2			J	-83.7	0.0	2.1	-3.3	
-432.6	144.8								
			G2	I	-31.5	0.2	0.7	-2.6	
170.1	-932.9			J	-31.5	0.2	0.7	-2.6	
-155.6	-1009.5								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	-24.9	0.2	-0.0	-5.4	
-1.8	-2406.0			J	-24.9	0.2	-0.0	-5.4	
1.5	-2516.4								
			Q5_ps	I	-24.8	0.3	0.0	-6.9	
1.6	-2982.3			J	-24.8	0.3	0.0	-6.9	
-2.0	-3133.9								

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

1151.1	13136.4	INVSLE Max	I	-1190.3	23.1	3.7	307.0
			J	-1190.3	23.1	4.9	307.0
237.4	13591.7	Min	I	-1663.5	-22.1	-1.3	-347.8
-84.5	-28606.9		J	-1663.5	-22.1	-0.0	-347.8
-983.0	-29896.6						
		INVSLE Max	I	-960.5	17.3	2.7	228.3
847.0	7854.7		J	-960.5	17.3	3.6	228.3
186.0	8093.7	Min	I	-1307.7	-16.2	-1.0	-256.1
-68.0	-22574.4		J	-1307.7	-16.2	-0.1	-256.1
-717.8	-23603.9						
970	2	70 C1-C2;~1 Max	I	108.7	14.7	2.1	290.0
538.8	25393.1		J	108.7	14.7	2.1	290.0
72.5	26428.5	Min	I	-202.7	-16.1	-0.2	-197.2
-35.0	-2554.2		J	-202.7	-16.1	-0.2	-197.2
-481.9	-3087.7						
		C3-C4;~1 Max	I	106.2	8.1	2.9	212.8
759.7	18688.2		J	106.2	8.1	2.9	212.8
232.4	19209.3	Min	I	-219.3	-8.8	-0.8	-175.6
-152.1	-3120.4		J	-219.3	-8.8	-0.8	-175.6
-668.8	-3433.4						
		C1-C2;~2 Max	I	62.0	10.3	1.2	198.6
322.5	17837.0		J	62.0	10.3	1.2	198.6
47.0	18569.9	Min	I	-120.1	-11.4	-0.1	-132.4
-22.1	-1362.8		J	-120.1	-11.4	-0.1	-132.4
-282.8	-1733.0						
		C3-C4;~2 Max	I	60.5	5.4	1.8	141.6
480.4	12819.6		J	60.5	5.4	1.8	141.6
164.9	13288.0	Min	I	-130.6	-5.9	-0.6	-114.9
-108.4	-1660.7		J	-130.6	-5.9	-0.6	-114.9
-415.4	-1862.6						
		G1	I	-77.7	0.0	1.3	-2.7
416.4	144.8		J	-77.7	0.0	2.2	-2.7
-457.7	142.4						
		G2	I	-29.0	0.1	0.7	-7.7
178.0	-1009.5		J	-29.0	0.1	0.7	-7.7
-165.4	-1047.5						
		Q3	I	0.0	0.0	0.0	0.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
-1.7	-2516.4	Q5_pc		I	-23.8	0.1	-0.0
				J	-23.8	0.1	-0.0
0.9	-2564.8						
		Q5_ps		I	-23.8	0.2	0.0
1.9	-3133.9			J	-23.8	0.2	0.0
-2.9	-3208.7						
		INVSLU Max		I	-1039.1	16.4	3.7
1137.3	13591.8			J	-1039.1	16.4	4.9
		Min		I	-1524.7	-25.2	-1.3
221.7	16753.6			J	-1524.7	-25.2	-0.0
-96.7	-29896.5						
-996.5	-28560.6						
		INVSLE Max		I	-845.7	11.9	2.7
831.9	8093.8			J	-845.7	11.9	3.6
		Min		I	-1202.2	-18.9	-1.0
179.6	10558.5			J	-1202.2	-18.9	-0.1
-82.0	-23603.8						
-722.6	-22480.1						
		70 C1-C2;~1 Max		I	118.5	30.0	2.2
971	2			J	118.5	30.0	2.2
588.4	26429.9						
		Min		I	-211.7	-4.9	-0.1
42.4	17595.0			J	-211.7	-4.9	-0.1
-25.7	-3087.5						
-529.1	-9072.3						
		C3-C4;~1 Max		I	116.0	20.9	3.1
817.1	19210.5			J	116.0	20.9	3.1
		Min		I	-229.5	-3.5	-0.6
175.2	12110.1			J	-229.5	-3.5	-0.6
-118.1	-3433.4						
-725.3	-7475.2						
		C1-C2;~2 Max		I	67.6	20.5	1.3
354.1	18570.9			J	67.6	20.5	1.3
		Min		I	-125.5	-2.9	-0.1
27.6	12412.1			J	-125.5	-2.9	-0.1
-15.8	-1732.8						
-314.4	-6113.2						
		C3-C4;~2 Max		I	66.0	13.7	2.0
517.7	13288.8			J	66.0	13.7	2.0
		Min		I	-136.8	-1.6	-0.4
125.9	8318.4			J	-136.8	-1.6	-0.4
-84.2	-1862.6						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-453.6	-4889.6							
			G1	I	-72.4	-0.1	1.4	-2.6
439.3	142.4			J	-72.4	-0.1	2.3	-2.6
-485.8	187.7							
			G2	I	-26.5	-1.9	0.7	-13.3
185.6	-1047.6			J	-26.5	-1.9	0.7	-13.3
-175.4	-123.2							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-22.7	-3.2	-0.0	-24.2
-1.4	-2565.1			J	-22.7	-3.2	-0.0	-24.2
-0.8	-989.1							
			Q5_ps	I	-22.6	-4.2	0.0	-32.4
1.2	-3209.0			J	-22.6	-4.2	0.0	-32.4
-3.7	-1109.2							
			INVSLU Max	I	-872.5	21.7	3.7	315.2
1149.8	16755.0			J	-872.5	21.7	4.9	315.2
226.9	14152.5		Min	I	-1383.1	-31.9	-1.3	-447.5
-115.2	-28562.0			J	-1383.1	-31.9	-0.1	-447.5
-990.1	-23628.7							
			INVSLE Max	I	-718.8	14.2	2.7	225.1
836.0	10559.4			J	-718.8	14.2	3.6	225.1
189.3	9553.3		Min	I	-1094.0	-24.8	-1.0	-336.6
-100.8	-22481.2			J	-1094.0	-24.8	-0.1	-336.6
-712.1	-18300.9							
972	2	70	C1-C2;~1 Max	I	131.4	157.9	3.6	654.0
908.0	17586.0			J	131.4	157.9	3.6	654.0
38.7	9764.3		Min	I	-243.8	-19.8	-0.2	-64.9
-64.5	-9077.5			J	-243.8	-19.8	-0.2	-64.9
-871.4	-74464.8							
			C3-C4;~1 Max	I	128.6	138.7	4.4	527.8
1116.9	12102.9			J	128.6	138.7	4.4	527.8
40.3	10394.7		Min	I	-259.1	-21.6	-0.2	-76.8
-60.8	-7479.2			J	-259.1	-21.6	-0.2	-76.8
1061.5	-66336.0							-
			C1-C2;~2 Max	I	75.0	105.4	2.2	446.0
562.6	12405.8			J	75.0	105.4	2.2	446.0

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
19.1	4425.3							
			Min	I	-146.5	-8.9	-0.1	-28.9
-34.7	-6116.9			J	-146.5	-8.9	-0.1	-28.9
-539.5	-49593.7							
		C3-C4;~2	Max	I	73.2	90.7	2.8	350.0
714.1	8313.2			J	73.2	90.7	2.8	350.0
20.5	4866.8		Min	I	-156.2	-10.1	-0.1	-35.2
-32.8	-4892.5			J	-156.2	-10.1	-0.1	-35.2
-677.3	-43305.6							
		G1		I	-69.3	-0.4	1.6	-1.1
473.6	187.4			J	-69.3	-0.4	2.5	-1.1
-528.4	375.9							
		G2		I	-23.3	-13.1	0.7	-44.1
177.5	-122.5			J	-23.3	-13.1	0.7	-44.1
-166.6	6384.2							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-17.5	-22.4	-0.2	-78.4
-37.8	-987.6			J	-17.5	-22.4	-0.2	-78.4
42.5	10108.9							
		Q5_ps		I	-16.3	-30.1	-0.2	-106.6
-50.9	-1107.2			J	-16.3	-30.1	-0.2	-106.6
58.3	13838.5							
		INVS LU	Max	I	-706.7	156.8	5.9	699.9
1620.8	14145.6			J	-706.7	156.8	7.2	699.9
-45.6	54760.4		Min	I	-1265.3	-135.4	-0.6	-461.0
-44.4	-23628.0			J	-1265.3	-135.4	0.6	-461.0
1632.0	-82192.9							-
		INVS LE	Max	I	-592.3	109.4	4.3	503.5
1183.5	9548.8			J	-592.3	109.4	5.2	503.5
-22.1	40782.5		Min	I	-1003.8	-102.2	-0.5	-339.4
-43.3	-18299.9			J	-1003.8	-102.2	0.4	-339.4
1187.9	-58452.9							-
		62 C1-C2;~1	Max	I	39.9	16.5	0.3	59.8
973	2			J	39.9	16.5	0.3	59.8
102.5	7223.6		Min	I	-187.4	-120.6	-1.9	-548.5
491.7	15316.2			J	-187.4	-120.6	-1.9	-548.5
-441.7	-44558.3							
-66.2	-1627.1							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

142.4	9101.8	C3-C4;~1	Max	I	41.6	21.3	0.5	73.4		
				J	41.6	21.3	0.5	73.4		
642.6	11019.5		Min	I	-191.8	-101.0	-2.5	-423.4		
-575.5	-39182.2			J	-191.8	-101.0	-2.5	-423.4		
-91.8	-2051.8									
		C1-C2;~2	Max	I	23.0	6.8	0.2	26.0		
59.7	2954.6			J	23.0	6.8	0.2	26.0		
312.5	10792.1		Min	I	-112.4	-80.4	-1.2	-373.3		
-277.6	-29052.4			J	-112.4	-80.4	-1.2	-373.3		
-37.6	-831.6									
		C3-C4;~2	Max	I	23.5	9.7	0.3	33.5		
86.0	4126.4			J	23.5	9.7	0.3	33.5		
425.0	7683.9		Min	I	-115.9	-66.8	-1.6	-284.8		
-377.5	-25491.3			J	-115.9	-66.8	-1.6	-284.8		
-53.7	-1071.0									
			G1	I	-119.5	5.9	-1.0	11.7		
-149.6	2624.2			J	-119.5	5.9	-0.2	11.7		
150.0	-295.0									
			G2	I	-45.8	16.6	-0.2	56.3		
-24.9	7240.4			J	-45.8	16.6	-0.2	56.3		
53.2	-954.0									
			Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0			J	0.0	0.0	0.0	0.0		
0.0	0.0									
			Q5_pc	I	-33.1	16.5	0.1	60.6		
28.7	6552.3			J	-33.1	16.5	0.1	60.6		
-24.2	-1598.7									
			Q5_ps	I	-30.1	23.0	0.2	84.5		
43.2	9394.1			J	-30.1	23.0	0.2	84.5		
-36.4	-1954.2									
			INVSLU	Max	I	-2323.4	160.8	-0.8	1348.6	
9.6	78868.0			J	-2323.4	160.8	0.2	1348.6		
1195.9	25558.8		Min	I	-2698.2	-64.6	-5.0	381.6	-	
1011.4	-6844.5			J	-2698.2	-64.6	-4.0	381.6		
161.0	-934.1									
			INVSLE	Max	I	-1805.4	122.6	-0.7	1005.8	
-9.4	60488.4			J	-1805.4	122.6	0.1	1005.8		
900.7	18958.8									


MIDAS

PROJECT TITLE :

		Company						Client	
		Author						File Name	
							PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-761.9	-1521.7		Min	I	-2078.6	-40.7	-3.7	302.9	
				J	-2078.6	-40.7	-3.0	302.9	
137.4	-341.9								
974	2	62	C1-C2;~1	Max	I	38.2	6.2	0.5	117.6
168.9	15322.6				J	38.2	6.2	0.5	117.6
293.3	17394.9								
			Min	I	-169.8	-12.6	-1.1	-285.0	
-228.2	-1626.1			J	-169.8	-12.6	-1.1	-285.0	
-102.8	-1714.3								
			C3-C4;~1	Max	I	39.8	2.7	1.1	101.1
329.0	11024.5			J	39.8	2.7	1.1	101.1	
460.2	12635.5								
			Min	I	-176.4	-7.0	-1.7	-208.1	
-362.7	-2051.7			J	-176.4	-7.0	-1.7	-208.1	
-219.4	-2385.7								
			C1-C2;~2	Max	I	22.0	4.3	0.3	75.9
104.0	10796.5			J	22.0	4.3	0.3	75.9	
178.7	12169.8								
			Min	I	-100.9	-8.8	-0.6	-195.6	
-134.1	-830.7			J	-100.9	-8.8	-0.6	-195.6	
-62.0	-820.3								
			C3-C4;~2	Max	I	22.5	1.5	0.7	62.4
221.3	7687.4			J	22.5	1.5	0.7	62.4	
300.6	8721.0								
			Min	I	-105.6	-4.7	-1.1	-140.1	
-231.7	-1070.7			J	-105.6	-4.7	-1.1	-140.1	
-146.8	-1212.8								
			G1	I	-118.1	0.3	-0.8	3.4	
-110.2	-294.9			J	-118.1	0.3	-0.1	3.4	
118.7	-420.1								
			G2	I	-47.4	0.7	-0.2	16.2	
-32.7	-954.7			J	-47.4	0.7	-0.2	16.2	
60.4	-1311.5								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	-36.4	0.7	-0.0	17.3	
-3.6	-1599.6			J	-36.4	0.7	-0.0	17.3	
2.6	-1960.3								
			Q5_ps	I	-34.5	1.0	-0.0	23.7	
-2.7	-1955.5			J	-34.5	1.0	-0.0	23.7	
1.6	-2445.3								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
422.6	25555.8	INVSLE Max	I	-2377.6	44.6	0.5	1079.5
			J	-2377.6	44.6	1.5	1079.5
849.3	11166.3	Min	I	-2735.0	17.9	-3.3	504.9
-517.8	-948.2		J	-2735.0	17.9	-2.3	504.9
-73.0	-19386.2						
309.6	18955.9	INVSLE Max	I	-1845.6	34.5	0.3	810.0
			J	-1845.6	34.5	1.1	810.0
636.7	7550.7	Min	I	-2105.6	14.8	-2.4	386.6
-386.5	-352.8		J	-2105.6	14.8	-1.7	386.6
-46.2	-14678.4						
975	2	62 C1-C2;~1 Max	I	35.9	14.7	0.6	148.8
200.5	17393.5		J	35.9	14.7	0.6	148.8
271.5	14415.0	Min	I	-164.5	-7.6	-1.0	-239.4
-205.7	-1713.9		J	-164.5	-7.6	-1.0	-239.4
-123.9	-1596.5						
365.7	12634.5	C3-C4;~1 Max	I	37.4	8.9	1.3	116.1
			J	37.4	8.9	1.3	116.1
431.7	10272.2	Min	I	-170.5	-4.0	-1.5	-175.8
-332.0	-2385.2		J	-170.5	-4.0	-1.5	-175.8
-253.2	-1989.9						
124.6	12168.9	C1-C2;~2 Max	I	20.7	10.3	0.4	99.0
			J	20.7	10.3	0.4	99.0
164.8	10146.4	Min	I	-97.6	-5.2	-0.6	-163.6
-119.8	-820.1		J	-97.6	-5.2	-0.6	-163.6
-75.2	-833.9						
245.4	8720.4	C3-C4;~2 Max	I	21.2	6.0	0.8	74.2
			J	21.2	6.0	0.8	74.2
281.7	7152.9	Min	I	-101.9	-2.4	-1.0	-117.2
-211.4	-1212.6		J	-101.9	-2.4	-1.0	-117.2
-169.2	-1050.8						
-88.8	-419.6	G1	I	-117.2	-0.4	-0.8	0.5
			J	-117.2	-0.4	-0.0	0.5
100.7	-217.4						
-23.9	-1311.1	G2	I	-47.2	-0.8	-0.2	7.9
			J	-47.2	-0.8	-0.2	7.9
53.5	-899.6						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	0.0	0.0	0.0	0.0
-4.1	-1960.1	Q5_pc	I	-36.8	-0.8	-0.0	9.0
3.6	-1585.4		J	-36.8	-0.8	-0.0	9.0
-3.6	-2445.0	Q5_ps	I	-35.0	-1.1	-0.0	12.2
3.2	-1918.3		J	-35.0	-1.1	-0.0	12.2
513.4	11165.8	INVSLU Max	I	-2423.2	32.4	0.9	763.8
773.9	1005.7		J	-2423.2	32.4	1.9	763.8
-436.0	-19383.9	Min	I	-2770.1	0.9	-3.0	223.5
-157.2	-24177.4		J	-2770.1	0.9	-2.0	223.5
379.1	7550.5	INVSLE Max	I	-1879.8	24.1	0.6	571.4
578.5	-28.6		J	-1879.8	24.1	1.4	571.4
-323.6	-14676.6	Min	I	-2131.8	0.9	-2.2	172.4
-110.7	-18363.9		J	-2131.8	0.9	-1.5	172.4
976	2	62 C1-C2;~1 Max	I	34.3	12.1	0.7	183.0
212.6	14414.6		J	34.3	12.1	0.7	183.0
265.8	13250.0	Min	I	-162.1	-9.5	-0.9	-206.5
-199.1	-1596.6		J	-162.1	-9.5	-0.9	-206.5
-137.6	-1373.0						
379.1	10272.1	C3-C4;~1 Max	I	35.8	7.1	1.3	136.9
421.2	9429.0		J	35.8	7.1	1.3	136.9
-320.8	-1990.0	Min	I	-167.9	-5.2	-1.5	-153.7
-267.0	-1738.5		J	-167.9	-5.2	-1.5	-153.7
131.9	10146.2	C1-C2;~2 Max	I	19.8	8.6	0.4	123.6
161.9	9353.5		J	19.8	8.6	0.4	123.6
-116.4	-833.9	Min	I	-96.1	-6.6	-0.6	-140.1
-83.9	-700.7		J	-96.1	-6.6	-0.6	-140.1
253.5	7152.8	C3-C4;~2 Max	I	20.3	4.8	0.9	89.4
275.5	6583.1		J	20.3	4.8	0.9	89.4
-204.6	-1050.9	Min	I	-100.3	-3.4	-1.0	-101.2
-177.8	-908.7		J	-100.3	-3.4	-1.0	-101.2

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

-74.0	-217.5	G1	I	-117.5	-0.1	-0.7	-0.2
87.6	-148.4		J	-117.5	-0.1	0.0	-0.2
-17.4	-899.7	G2	I	-47.3	-0.3	-0.1	2.1
47.8	-739.8		J	-47.3	-0.3	-0.1	2.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-3.9	-1585.4	Q5_pc	I	-37.0	-0.3	-0.0	2.5
3.6	-1433.5		J	-37.0	-0.3	-0.0	2.5
-3.1	-1918.3	Q5_ps	I	-35.2	-0.4	-0.0	3.1
3.0	-1705.1		J	-35.2	-0.4	-0.0	3.1
536.7	1004.6	INVS LU Max	I	-2465.5	19.2	1.0	436.8
755.6	-1958.1		J	-2465.5	19.2	2.0	436.8
-415.0	-24178.0	Min	I	-2807.0	-10.5	-2.9	-93.4
-180.0	-24920.1		J	-2807.0	-10.5	-1.9	-93.4
396.4	-29.5	INVS LE Max	I	-1911.6	14.2	0.7	325.3
564.8	-2192.7		J	-1911.6	14.2	1.4	325.3
-308.1	-18364.4	Min	I	-2159.7	-7.8	-2.1	-67.1
-127.8	-18916.6		J	-2159.7	-7.8	-1.4	-67.1
977	2	62 C1-C2;~1 Max	I	33.2	9.3	0.7	207.8
214.1	13250.0		J	33.2	9.3	0.7	207.8
263.9	14537.9	Min	I	-162.7	-12.2	-0.9	-181.3
-194.7	-1373.0		J	-162.7	-12.2	-0.9	-181.3
-141.0	-1610.7						
383.7	9429.0	C3-C4;~1 Max	I	34.6	5.2	1.3	152.5
415.2	10240.3		J	34.6	5.2	1.3	152.5
-313.1	-1738.5	Min	I	-168.5	-7.1	-1.5	-138.0
-272.8	-2006.6		J	-168.5	-7.1	-1.5	-138.0
131.8	9353.6	C1-C2;~2 Max	I	19.1	6.5	0.4	141.4
161.9	10243.0		J	19.1	6.5	0.4	141.4


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-114.4	-700.6	Min	I	-96.5	-8.6	-0.6	-122.0
			J	-96.5	-8.6	-0.6	-122.0
-85.3	-842.5						
255.5	6583.1	C3-C4;~2 Max	I	19.6	3.4	0.9	100.7
			J	19.6	3.4	0.9	100.7
272.5	7133.7						
-200.5	-908.7	Min	I	-100.7	-4.8	-1.0	-89.7
			J	-100.7	-4.8	-1.0	-89.7
-180.7	-1060.7						
		G1	I	-118.9	0.2	-0.6	-0.4
-60.6	-148.5		J	-118.9	0.2	0.1	-0.4
75.0	-247.5						
		G2	I	-47.8	0.4	-0.1	-2.1
-10.7	-739.9		J	-47.8	0.4	-0.1	-2.1
41.5	-915.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-37.0	0.3	-0.0	-2.3
-2.7	-1433.5		J	-37.0	0.3	-0.0	-2.3
2.5	-1584.6						
		Q5_ps	I	-35.1	0.4	-0.0	-3.5
-1.3	-1705.2		J	-35.1	0.4	-0.0	-3.5
1.3	-1915.9						
		INVSLU Max	I	-2501.1	9.4	1.0	100.9
556.7	-1958.0		J	-2501.1	9.4	2.0	100.9
736.0	1618.1						
		Min	I	-2841.8	-20.3	-2.8	-428.6
-388.8	-24920.1		J	-2841.8	-20.3	-1.8	-428.6
-197.2	-23740.1						
		INVSLE Max	I	-1938.4	7.0	0.7	72.5
411.1	-2192.7		J	-1938.4	7.0	1.5	72.5
550.5	422.0						
		Min	I	-2185.8	-14.9	-2.1	-319.4
-288.9	-18916.6		J	-2185.8	-14.9	-1.3	-319.4
-140.4	-18043.3						
978	2	62 C1-C2;~1 Max	I	32.6	7.4	0.7	240.6
220.1	14538.3		J	32.6	7.4	0.7	240.6
250.7	17473.7						
		Min	I	-165.7	-14.7	-0.9	-146.9
-179.8	-1610.6		J	-165.7	-14.7	-0.9	-146.9
-147.2	-1747.1						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
393.4	10240.4	C3-C4;~1 Max	I	34.0	4.0	1.4	174.7
			J	34.0	4.0	1.4	174.7
399.8	12571.3	Min	I	-171.5	-8.9	-1.4	-117.5
-296.9	-2006.6		J	-171.5	-8.9	-1.4	-117.5
-282.7	-2426.4						
134.9	10243.3	C1-C2;~2 Max	I	18.8	5.1	0.4	164.9
			J	18.8	5.1	0.4	164.9
153.7	12240.0	Min	I	-98.5	-10.3	-0.5	-97.3
-105.0	-842.5		J	-98.5	-10.3	-0.5	-97.3
-88.6	-842.5						
261.1	7133.8	C3-C4;~2 Max	I	19.2	2.4	0.9	116.9
			J	19.2	2.4	0.9	116.9
262.9	8677.9	Min	I	-102.6	-6.0	-0.9	-74.8
-190.2	-1060.7		J	-102.6	-6.0	-0.9	-74.8
-186.7	-1239.7						
-46.4	-247.5	G1	I	-121.3	0.5	-0.6	-1.2
			J	-121.3	0.5	0.2	-1.2
60.6	-484.1						
-4.7	-915.8	G2	I	-48.8	0.9	-0.1	-8.0
			J	-48.8	0.9	-0.1	-8.0
35.2	-1344.9						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-2.7	-1584.7	Q5_pc	I	-36.8	0.8	-0.0	-8.8
			J	-36.8	0.8	-0.0	-8.8
2.4	-1956.8						
-1.3	-1916.0	Q5_ps	I	-34.9	1.1	-0.0	-12.6
			J	-34.9	1.1	-0.0	-12.6
1.1	-2438.0						
577.0	1619.2	INVSLU Max	I	-2529.9	-2.2	1.1	-229.2
			J	-2529.9	-2.2	2.1	-229.2
718.3	12295.3	Min	I	-2873.4	-33.5	-2.7	-768.2
-359.7	-23739.5		J	-2873.4	-33.5	-1.7	-768.2
-207.5	-18385.9						
426.3	422.9	INVSLE Max	I	-1959.9	-1.8	0.8	-176.9
			J	-1959.9	-1.8	1.5	-176.9
537.7	8380.2	Min	I	-2209.5	-24.9	-2.0	-574.9


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-267.2	-18042.9			J	-2209.5	-24.9	-1.3	-574.9	
-147.8	-13945.3								
979	2	62	C1-C2;~1	Max	I	32.4	12.8	0.8	285.3
244.6	17475.0				J	32.4	12.8	0.8	285.3
217.9	15295.8			Min	I	-171.7	-6.3	-0.7	-117.2
-156.9	-1747.4				J	-171.7	-6.3	-0.7	-117.2
-172.4	-1663.3								
			C3-C4;~1	Max	I	33.8	7.0	1.5	206.3
422.9	12572.1				J	33.8	7.0	1.5	206.3
361.7	10949.5			Min	I	-177.9	-2.8	-1.3	-102.7
-261.7	-2426.9				J	-177.9	-2.8	-1.3	-102.7
-314.0	-2087.8								
			C1-C2;~2	Max	I	18.7	9.0	0.5	196.3
150.2	12240.9				J	18.7	9.0	0.5	196.3
131.9	10784.0			Min	I	-102.2	-4.3	-0.4	-75.3
-90.3	-842.7				J	-102.2	-4.3	-0.4	-75.3
-104.4	-855.5								
			C3-C4;~2	Max	I	19.1	4.7	1.0	139.3
280.1	8678.5				J	19.1	4.7	1.0	139.3
237.4	7639.1			Min	I	-106.6	-1.6	-0.8	-63.0
-166.4	-1239.9				J	-106.6	-1.6	-0.8	-63.0
-206.9	-1094.1								
			G1		I	-125.0	-0.3	-0.5	-4.5
-26.5	-484.7				J	-125.0	-0.3	0.2	-4.5
38.8	-345.6								
			G2		I	-50.1	-0.7	-0.0	-16.5
2.7	-1345.4				J	-50.1	-0.7	-0.0	-16.5
26.6	-977.9								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc		I	-36.2	-0.7	-0.0	-17.0
-4.3	-1957.0				J	-36.2	-0.7	-0.0	-17.0
3.6	-1603.7								
			Q5_ps		I	-34.2	-1.0	-0.0	-23.9
-3.5	-2438.3				J	-34.2	-1.0	-0.0	-23.9
2.8	-1955.8								
			INVSLU	Max	I	-2556.1	-19.2	1.5	-533.8

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
660.1	12295.5		J	-2556.1	-19.2	2.5	-533.8
616.1	27365.0	Min	I	-2907.1	-46.4	-2.3	-1107.9
-271.7	-18388.5		J	-2907.1	-46.4	-1.3	-1107.9
-302.7	861.7						
		INVSLE Max	I	-1979.6	-15.7	1.1	-408.2
489.8	8380.2		J	-1979.6	-15.7	1.8	-408.2
460.0	20276.9	Min	I	-2234.8	-35.7	-1.7	-831.2
-199.9	-13947.3		J	-2234.8	-35.7	-1.0	-831.2
-220.1	968.9						
980	2	62 C1-C2;~1 Max	I	32.3	120.6	1.7	550.5
448.1	15289.8		J	32.3	120.6	1.7	550.5
145.2	7339.3	Min	I	-192.4	-16.9	-0.5	-56.2
-119.5	-1664.2		J	-192.4	-16.9	-0.5	-56.2
-395.3	-44451.5						
		C3-C4;~1 Max	I	33.7	100.8	2.3	425.2
607.3	10944.6		J	33.7	100.8	2.3	425.2
172.3	9215.0	Min	I	-195.5	-21.5	-0.6	-75.3
-142.2	-2087.9		J	-195.5	-21.5	-0.6	-75.3
-533.9	-39159.3						
		C1-C2;~2 Max	I	18.6	80.6	1.1	375.4
287.0	10779.9		J	18.6	80.6	1.1	375.4
82.0	3190.1	Min	I	-115.8	-7.4	-0.3	-23.5
-64.9	-856.3		J	-115.8	-7.4	-0.3	-23.5
-253.4	-29044.2						
		C3-C4;~2 Max	I	19.1	66.7	1.5	286.1
405.3	7635.7		J	19.1	66.7	1.5	286.1
98.9	4229.3	Min	I	-118.5	-9.9	-0.4	-34.2
-78.8	-1094.3		J	-118.5	-9.9	-0.4	-34.2
-356.7	-25502.8						
		G1	I	-128.3	-6.6	-0.4	-14.0
6.2	-345.7		J	-128.3	-6.6	0.4	-14.0
-0.2	2931.2						
		G2	I	-48.8	-17.0	-0.1	-57.4
-4.8	-977.2		J	-48.8	-17.0	-0.1	-57.4
36.4	7423.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0							
-31.5	-1602.8	Q5_pc	I	-32.6	-16.3	-0.1	-59.8	
37.5	6450.0		J	-32.6	-16.3	-0.1	-59.8	
-42.2	-1954.6	Q5_ps	I	-29.3	-22.8	-0.2	-84.1	
50.8	9278.7		J	-29.3	-22.8	-0.2	-84.1	
994.8	27369.7	INVS LU Max	I	-2576.7	62.4	2.9	-422.7	
324.1	81668.2		J	-2576.7	62.4	3.9	-422.7	
-73.8	876.8	Min	I	-2944.8	-162.7	-1.3	-1392.1	
-696.9	-3773.8		J	-2944.8	-162.7	-0.3	-1392.1	
744.3	20281.0	INVS LE Max	I	-1995.3	39.2	2.2	-333.3	
230.7	62501.8		J	-1995.3	39.2	2.9	-333.3	
-43.1	980.0	Min	I	-2263.6	-123.9	-0.9	-1038.1	
-520.6	672.3		J	-2263.6	-123.9	-0.2	-1038.1	
981	2	70 C1-C2;~1 Max	I	414.0	24.8	1.8	373.4	
432.9	14809.2		J	414.0	24.8	1.8	373.4	
4073.2	79673.7	Min	I	-429.9	-270.5	-15.2	-1563.7	-
3974.4	-102562.3		J	-429.9	-270.5	-15.2	-1563.7	
-521.5	-44430.0							
410.4	13504.0	C3-C4;~1 Max	I	431.1	24.9	1.7	328.6	
4717.2	56657.0		J	431.1	24.9	1.7	328.6	
4607.3	-84347.0	Min	I	-468.2	-204.2	-17.6	-1192.5	-
-511.0	-37349.5		J	-468.2	-204.2	-17.6	-1192.5	
233.1	7061.8	C1-C2;~2 Max	I	236.7	11.4	1.0	244.1	
2495.3	56901.7		J	236.7	11.4	1.0	244.1	
2435.9	-68430.6	Min	I	-270.1	-188.2	-9.3	-1099.7	-
-286.7	-29918.9		J	-270.1	-188.2	-9.3	-1099.7	
224.5	6238.0	C3-C4;~2 Max	I	243.8	11.8	1.0	205.0	
2935.3	39752.9		J	243.8	11.8	1.0	205.0	
2868.3	-56397.8	Min	I	-297.1	-141.4	-10.9	-830.9	-
-282.9	-24854.0		J	-297.1	-141.4	-10.9	-830.9	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
2255.3	-856.3	G1	I	156.3	0.4	-8.8	-16.4	-
			J	156.3	0.4	-7.8	-16.4	
2172.6	-1091.1							
		G2	I	61.9	15.7	-3.2	56.8	
-853.2	8717.5		J	61.9	15.7	-3.2	56.8	
858.6	362.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	-27.0	26.1	1.0	99.7	
276.6	13264.1		J	-27.0	26.1	1.0	99.7	
-254.2	-615.8							
		Q5_ps	I	-26.2	33.4	0.9	130.2	
255.1	17547.7		J	-26.2	33.4	0.9	130.2	
-232.2	-202.9							
		INVS LU Max	I	1974.1	76.5	6.9	408.2	
1744.7	56759.5		J	1974.1	76.5	8.2	408.2	
5257.5	123497.7							
		Min	I	711.3	-378.3	-21.0	-2386.2	-
5557.5	-129492.2		J	711.3	-378.3	-19.7	-2386.2	-
2272.1	-45150.7							
		INVS LE Max	I	1491.4	52.9	5.9	292.3	
1484.4	41498.5		J	1491.4	52.9	6.9	292.3	
3646.4	92872.7							
		Min	I	559.6	-278.5	-14.7	-1764.4	-
3887.8	-93631.7		J	559.6	-278.5	-13.7	-1764.4	-
1897.2	-31969.9							
		70 C1-C2;~1 Max	I	392.4	71.1	2.4	602.5	
982	2		J	392.4	71.1	2.4	602.5	
535.5	79680.7							
		Min	I	-487.7	-139.1	-15.6	-1100.8	-
3880.9	91023.7		J	-487.7	-139.1	-15.6	-1100.8	-
3766.6	-44424.8							
		C3-C4;~1 Max	I	408.3	41.5	2.4	461.9	
-644.3	-24180.9		J	408.3	41.5	2.4	461.9	
532.4	56661.3							
		Min	I	-532.1	-98.6	-18.8	-839.1	-
4650.6	67225.7		J	-532.1	-98.6	-18.8	-839.1	-
4547.8	-37345.6							
		C1-C2;~2 Max	I	224.5	49.7	1.4	413.9	
-655.1	-21887.7		J	224.5	49.7	1.4	413.9	
299.2	56907.0							
		Min	I	-302.3	-97.7	-9.4	-767.7	-
2348.1	65099.4							


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
2271.5	-29915.3			J	-302.3	-97.7	-9.4	-767.7	
-363.8	-15918.4								
		C3-C4;~2	Max	I	231.0	27.1	1.4	306.2	
298.7	39756.4			J	231.0	27.1	1.4	306.2	
2873.7	47584.7		Min	I	-333.2	-68.0	-11.6	-577.9	-
2804.2	-24851.3			J	-333.2	-68.0	-11.6	-577.9	
-368.8	-14109.3								
		G1		I	72.4	0.2	-10.0	-18.0	-
2394.3	-1093.0			J	72.4	0.2	-9.1	-18.0	
2263.3	-1181.6								
		G2		I	28.3	5.4	-3.9	28.0	
-961.3	360.0			J	28.3	5.4	-3.9	28.0	
938.9	-2270.9								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc		I	-33.1	8.7	0.6	49.9	
152.2	-617.2			J	-33.1	8.7	0.6	49.9	
-126.8	-4875.5								
		Q5_ps		I	-32.1	11.0	0.4	65.0	
100.5	-205.0			J	-32.1	11.0	0.4	65.0	
-78.4	-5575.6								
		INVSLU	Max	I	1701.9	111.9	10.7	663.8	
2450.1	123512.4			J	1701.9	111.9	11.9	663.8	
4307.4	138723.8		Min	I	372.9	-187.6	-19.0	-1725.5	-
4686.2	-45141.1			J	372.9	-187.6	-17.8	-1725.5	-
3083.6	-25578.3								
		INVSLE	Max	I	1286.7	83.0	9.1	482.2	
2087.9	92883.8			J	1286.7	83.0	10.0	482.2	
2877.5	103507.7		Min	I	306.7	-137.7	-12.8	-1281.0	-
3178.0	-31962.4			J	306.7	-137.7	-11.9	-1281.0	-
2580.4	-17547.5								
		70 C1-C2;~1	Max	I	367.4	122.0	3.1	773.3	
983	2			J	367.4	122.0	3.1	773.3	
683.9	91022.5								
3910.7	89760.7		Min	I	-517.2	-110.2	-15.8	-925.5	-
3803.4	-24179.5			J	-517.2	-110.2	-15.8	-925.5	
-823.4	-18423.1								
		C3-C4;~1	Max	I	382.7	80.0	3.2	596.5	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
704.5	67223.3			J	382.7	80.0	3.2	596.5	
4679.2	66514.0								
		Min		I	-570.7	-71.3	-18.9	-696.9	-
4581.2	-21886.5								
				J	-570.7	-71.3	-18.9	-696.9	
-858.2	-16814.1								
		C1-C2;~2	Max	I	210.4	87.1	1.8	539.5	
389.4	65098.6								
				J	210.4	87.1	1.8	539.5	
2380.4	64243.2								
		Min		I	-315.5	-77.5	-9.6	-642.2	-
2308.0	-15917.6								
				J	-315.5	-77.5	-9.6	-642.2	
-471.1	-12059.7								
		C3-C4;~2	Max	I	216.6	55.7	1.8	406.5	
397.6	47583.0								
				J	216.6	55.7	1.8	406.5	
2912.8	47200.4								
		Min		I	-352.7	-48.7	-11.8	-475.9	-
2845.5	-14108.5								
				J	-352.7	-48.7	-11.8	-475.9	
-485.0	-10692.0								
		G1		I	-6.9	-0.2	-9.2	-18.5	-
2214.5	-1181.4								
				J	-6.9	-0.2	-8.3	-18.5	
2053.8	-1086.5								
		G2		I	-4.5	1.2	-3.5	13.8	
-884.2	-2270.9								
				J	-4.5	1.2	-3.5	13.8	
850.1	-2862.3								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0								
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc		I	-36.1	1.9	0.3	27.2	
88.1	-4875.6								
				J	-36.1	1.9	0.3	27.2	
-54.5	-5810.9								
		Q5_ps		I	-36.0	2.3	0.1	35.8	
48.6	-5575.7								
				J	-36.0	2.3	0.1	35.8	
-18.6	-6688.2								
		INVSLU	Max	I	1444.6	177.6	15.3	883.3	
3503.9	138720.7								
				J	1444.6	177.6	16.5	883.3	
3298.3	132369.7								
		Min		I	92.5	-139.3	-15.1	-1459.0	-
3790.4	-25578.2								
				J	92.5	-139.3	-13.9	-1459.0	-
4275.5	-24137.9								
		INVSLE	Max	I	1092.2	132.7	12.8	640.9	
2934.8	103505.2								
				J	1092.2	132.7	13.7	640.9	
2057.1	98127.9								
		Min		I	95.5	-101.8	-9.7	-1090.4	-
2456.7	-17547.6								


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
3545.8	-17028.9			J	95.5	-101.8	-8.8	-1090.4	-
984	2	70	C1-C2;~1	Max	I	346.8	142.7	4.1	910.1
954.4	89761.9			J	346.8	142.7	4.1	910.1	
3717.7	75410.7			Min	I	-579.5	-89.6	-15.5	-741.7
3868.3	-18422.4			J	-579.5	-89.6	-15.5	-741.7	-
1050.7	-28549.4								
			C3-C4;~1	Max	I	361.6	100.7	4.3	686.3
996.1	66514.9			J	361.6	100.7	4.3	686.3	
4448.2	57221.6			Min	I	-643.2	-58.2	-18.6	-528.1
4630.5	-16813.7			J	-643.2	-58.2	-18.6	-528.1	-
1096.6	-24194.1								
			C1-C2;~2	Max	I	198.6	102.3	2.3	640.3
546.6	64244.2			J	198.6	102.3	2.3	640.3	
2296.9	53471.7			Min	I	-350.3	-62.9	-9.5	-512.9
2372.3	-12059.2			J	-350.3	-62.9	-9.5	-512.9	-
-601.7	-19442.7								
			C3-C4;~2	Max	I	204.7	71.1	2.4	473.9
563.4	47201.1			J	204.7	71.1	2.4	473.9	
2812.6	40183.7			Min	I	-394.1	-39.4	-11.7	-355.9
2906.5	-10691.6			J	-394.1	-39.4	-11.7	-355.9	-
-620.2	-16066.8								
			G1		I	-97.3	-0.7	-7.5	-17.7
1904.2	-1086.4			J	-97.3	-0.7	-6.6	-17.7	-
1550.5	-742.6								
			G2		I	-41.5	-1.0	-2.8	-2.2
-745.9	-2862.3			J	-41.5	-1.0	-2.8	-2.2	
626.7	-2394.3								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc		I	-38.2	-1.5	-0.1	4.3
0.7	-5810.9			J	-38.2	-1.5	-0.1	4.3	
26.4	-5054.1								
			Q5_ps		I	-38.9	-2.0	-0.1	6.0
-19.7	-6688.3			J	-38.9	-2.0	-0.1	6.0	
37.5	-5719.3								
			INVSLU	Max	I	1214.6	204.8	22.2	1033.7
5250.6	132370.5								

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
1639.6	107089.3		J	1214.6	204.8	23.4	1033.7	
		Min	I	-210.5	-111.7	-8.8	-1204.1	-
2346.6	-24138.0		J	-210.5	-111.7	-7.5	-1204.1	-
5893.5	-42354.3							
		INVSLE Max	I	920.2	152.8	18.3	748.5	
4352.0	98128.4		J	920.2	152.8	19.2	748.5	
734.4	78851.9	Min	I	-130.4	-81.4	-4.6	-908.5	-
1275.4	-17029.0		J	-130.4	-81.4	-3.7	-908.5	-
4842.1	-31173.2							
985	2	70 C1-C2;~1 Max	I	265.8	59.8	1.8	556.7	
499.1	75412.3		J	265.8	59.8	1.8	556.7	
1250.9	55118.9	Min	I	-471.8	-18.1	-5.6	-211.4	-
1496.7	-28550.1		J	-471.8	-18.1	-5.6	-211.4	-
-380.8	-23989.8							
		C3-C4;~1 Max	I	277.4	49.1	1.9	438.0	
522.6	57222.4		J	277.4	49.1	1.9	438.0	
1552.8	42821.4	Min	I	-530.1	-14.9	-6.9	-170.5	-
1801.6	-24194.8		J	-530.1	-14.9	-6.9	-170.5	-
-400.0	-19246.7							
		C1-C2;~2 Max	I	152.3	42.8	1.0	393.7	
285.8	53472.9		J	152.3	42.8	1.0	393.7	
749.0	39025.4	Min	I	-283.5	-12.2	-3.4	-140.0	-
-894.1	-19443.2		J	-283.5	-12.2	-3.4	-140.0	-
-218.9	-16446.3							
		C3-C4;~2 Max	I	157.0	35.0	1.1	306.5	
295.8	40184.3		J	157.0	35.0	1.1	306.5	
964.1	30057.6	Min	I	-324.0	-9.8	-4.2	-109.7	-
1109.2	-16067.4		J	-324.0	-9.8	-4.2	-109.7	-
-226.3	-12806.3							
		G1	I	-111.2	-0.5	-3.3	-11.9	
-778.1	-742.6		J	-111.2	-0.5	-2.4	-11.9	
608.5	-495.9							
		G2	I	-44.0	-1.2	-1.2	-10.6	
-299.4	-2394.2		J	-44.0	-1.2	-1.2	-10.6	
264.9	-1829.1							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-44.7	-5053.9	Q5_pc	I	-31.5	-2.8	-0.2	-1.4	
35.6	-3689.5		J	-31.5	-2.8	-0.2	-1.4	
-53.6	-5719.1	Q5_ps	I	-31.2	-2.9	-0.2	-3.7	
45.0	-4294.6		J	-31.2	-2.9	-0.2	-3.7	
3063.5	107090.3	INVS LU Max	I	626.5	95.6	10.0	700.1	
562.1	72392.1		J	626.5	95.6	11.2	700.1	
-154.6	-42355.9	Min	I	-520.2	-14.5	-2.1	-339.4	
2138.2	-41045.8		J	-520.2	-14.5	-0.9	-339.4	-
2524.8	78852.6	INVS LE Max	I	454.3	71.9	8.3	512.6	
241.5	52639.5		J	454.3	71.9	9.2	512.6	
146.9	-31174.5	Min	I	-391.0	-9.4	-0.6	-257.2	
1754.0	-30896.7		J	-391.0	-9.4	0.3	-257.2	-
986	2	70 C1-C2;~1 Max	I	183.4	50.7	1.0	532.9	
250.5	55114.6		J	183.4	50.7	1.0	532.9	
957.7	32106.0	Min	I	-330.2	-21.6	-4.0	-148.9	-
1013.3	-23988.3		J	-330.2	-21.6	-4.0	-148.9	
-223.6	-13911.7							
261.8	42818.2	C3-C4;~1 Max	I	191.5	39.0	1.0	404.9	
1225.3	24526.3		J	191.5	39.0	1.0	404.9	
1262.1	-19245.7	Min	I	-365.4	-17.7	-5.1	-127.0	-
-233.4	-11867.2		J	-365.4	-17.7	-5.1	-127.0	
144.0	39022.3	C1-C2;~2 Max	I	105.1	36.3	0.6	375.5	
571.8	22472.8		J	105.1	36.3	0.6	375.5	
-603.2	-16445.3	Min	I	-198.9	-14.9	-2.4	-96.1	
-128.5	-9383.3		J	-198.9	-14.9	-2.4	-96.1	
148.1	30055.4	C3-C4;~2 Max	I	108.4	27.6	0.6	281.9	
763.6	16970.0		J	108.4	27.6	0.6	281.9	
-780.0	-12805.6	Min	I	-223.3	-11.9	-3.2	-79.3	
-132.0	-7758.9		J	-223.3	-11.9	-3.2	-79.3	
		G1	I	-78.7	-0.2	-2.9	-12.5	


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-647.2	-496.0		J	-78.7	-0.2	-2.0	-12.5
545.6	-409.2						
		G2	I	-31.2	-0.6	-1.0	-17.9
-243.7	-1829.0		J	-31.2	-0.6	-1.0	-17.9
234.6	-1541.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-26.9	-1.6	-0.1	-15.5
-21.2	-3689.3		J	-26.9	-1.6	-0.1	-15.5
17.9	-2893.1						
		Q5_ps	I	-26.1	-1.6	-0.1	-20.7
-26.2	-4294.4		J	-26.1	-1.6	-0.1	-20.7
23.7	-3497.1						
		INVSLU Max	I	46.0	76.8	4.7	656.9
1421.9	72385.6		J	46.0	76.8	5.9	656.9
834.0	37256.8						
		Min	I	-754.2	-23.8	-3.7	-291.3
-673.4	-41044.0		J	-754.2	-23.8	-2.5	-291.3
1167.6	-30074.6						
		INVSLE Max	I	-7.8	57.3	3.9	476.6
1185.1	52634.7		J	-7.8	57.3	4.8	476.6
515.5	26412.9						
		Min	I	-596.9	-17.0	-2.2	-223.7
-364.2	-30895.4		J	-596.9	-17.0	-1.3	-223.7
-964.7	-23076.5						
987	2	70 C1-C2;~1 Max	I	138.9	46.9	0.4	521.1
99.0	32105.7		J	138.9	46.9	0.4	521.1
718.4	16967.3						
		Min	I	-257.7	-11.0	-2.9	-128.7
-696.1	-13910.5		J	-257.7	-11.0	-2.9	-128.7
-108.0	-11989.2						
		C3-C4;~1 Max	I	145.2	37.5	0.6	410.8
170.9	24525.6		J	145.2	37.5	0.6	410.8
954.3	11694.5						
		Min	I	-279.6	-9.6	-3.8	-113.4
-907.4	-11866.3		J	-279.6	-9.6	-3.8	-113.4
-139.0	-9662.2						
		C1-C2;~2 Max	I	79.7	32.7	0.2	364.9
56.9	22472.5		J	79.7	32.7	0.2	364.9
428.1	11941.6						
		Min	I	-155.0	-7.0	-1.7	-81.2
-412.7	-9382.4						


MIDAS

PROJECT TITLE :

		Company		Client			
		Author		File Name			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H
-62.1	-8202.1		J	-155.0	-7.0	-1.7	-81.2
110.9	16969.4	C3-C4;~2 Max	I	82.2	26.0	0.4	285.1
598.3	8016.5		J	82.2	26.0	0.4	285.1
-564.1	-7758.2	Min	I	-170.1	-5.7	-2.4	-68.7
-85.5	-6479.5		J	-170.1	-5.7	-2.4	-68.7
-554.9	-409.4	G1	I	-67.7	-0.7	-2.6	-13.8
481.3	-49.5		J	-67.7	-0.7	-1.7	-13.8
-208.6	-1541.6	G2	I	-26.9	-2.8	-0.9	-24.7
209.1	-178.5		J	-26.9	-2.8	-0.9	-24.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-12.9	-2893.2	Q5_pc	I	-24.9	-3.8	-0.0	-25.5
11.0	-1032.8		J	-24.9	-3.8	-0.0	-25.5
-18.2	-3497.3	Q5_ps	I	-23.9	-4.9	-0.1	-34.0
16.5	-1110.8		J	-23.9	-4.9	-0.1	-34.0
695.9	37254.6	INVSLU Max	I	-309.4	53.9	2.1	607.4
873.5	21427.3		J	-309.4	53.9	3.3	607.4
-783.1	-30075.0	Min	I	-927.6	-31.1	-4.0	-315.8
-622.4	-19523.0		J	-927.6	-31.1	-2.8	-315.8
588.5	26411.2	INVSLE Max	I	-286.7	38.5	1.8	435.6
585.8	15350.2		J	-286.7	38.5	2.7	435.6
-505.4	-23076.8	Min	I	-741.3	-23.9	-2.7	-244.9
-520.8	-14845.6		J	-741.3	-23.9	-1.8	-244.9
988	2	70 C1-C2;~1 Max	I	113.9	165.6	0.9	872.5
222.1	16957.7		J	113.9	165.6	0.9	872.5
477.7	10711.9		I	-238.7	-22.6	-1.9	-97.6
-457.2	-11992.8	Min	I	-238.7	-22.6	-1.9	-97.6
-239.6	-72270.3		J	-238.7	-22.6	-1.9	-97.6
315.0	11687.1	C3-C4;~1 Max	I	119.2	136.2	1.3	695.9

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
566.5	12143.9		J	119.2	136.2	1.3	695.9
		Min	I	-252.7	-25.9	-2.3	-94.4
-543.5	-9665.2		J	-252.7	-25.9	-2.3	-94.4
-306.3	-60797.5						
		C1-C2;~2 Max	I	65.3	111.2	0.6	604.9
154.1	11934.8		J	65.3	111.2	0.6	604.9
278.7	4878.1	Min	I	-145.1	-10.3	-1.1	-47.0
-266.0	-8204.6		J	-145.1	-10.3	-1.1	-47.0
-164.0	-47937.3						
		C3-C4;~2 Max	I	67.5	91.2	0.9	480.3
223.9	8011.1		J	67.5	91.2	0.9	480.3
335.4	5748.9	Min	I	-155.0	-12.4	-1.3	-45.9
-320.8	-6481.7		J	-155.0	-12.4	-1.3	-45.9
-214.9	-40300.1						
		G1	I	-65.1	-3.9	-2.3	-18.9
-492.1	-49.0		J	-65.1	-3.9	-1.4	-18.9
432.6	1840.1						
		G2	I	-24.0	-17.6	-0.9	-65.2
-209.5	-177.2		J	-24.0	-17.6	-0.9	-65.2
219.5	8457.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-23.0	-22.1	-0.2	-78.7
-41.5	-1031.0		J	-23.0	-22.1	-0.2	-78.7
45.6	9771.0						
		Q5_ps	I	-20.9	-29.6	-0.3	-106.5
-61.9	-1108.5		J	-20.9	-29.6	-0.3	-106.5
68.7	13382.1						
		INVSLU Max	I	-573.6	172.6	2.0	1054.7
699.7	21422.0		J	-573.6	172.6	3.2	1054.7
665.2	60113.3	Min	I	-1117.1	-132.0	-3.0	-417.0
-534.0	-19517.1		J	-1117.1	-132.0	-1.8	-417.0
-595.1	-74079.7						
		INVSLE Max	I	-490.7	121.7	1.7	761.0
568.7	15347.0		J	-490.7	121.7	2.6	761.0
441.7	44860.9	Min	I	-890.2	-99.1	-2.0	-312.1
-339.6	-14840.8		J	-890.2	-99.1	-1.1	-312.1


MIDAS

PROJECT TITLE :

MIDAS		Company		Client					
		Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
-485.8	-52403.0								
989	2	70	C1-C2;~1 Max	I	487.0	224.7	4.9	1200.5	
1106.7	89868.3			J	487.0	224.7	4.9	1200.5	
6850.8	38840.5								
			Min	I	-536.8	-58.7	-28.3	-409.7	-
6623.4	-28989.5			J	-536.8	-58.7	-28.3	-409.7	-
1217.5	-47909.5								
			C3-C4;~1 Max	I	506.3	221.7	5.1	1205.0	
1151.6	87234.0			J	506.3	221.7	5.1	1205.0	
6477.9	38081.8								
			Min	I	-497.1	-18.5	-26.9	-289.6	-
6309.0	-9623.3			J	-497.1	-18.5	-26.9	-289.6	-
1267.0	-50214.3								
			C1-C2;~2 Max	I	278.6	152.9	2.8	831.1	
630.2	59040.2			J	278.6	152.9	2.8	831.1	
4220.0	26433.6								
			Min	I	-342.4	-34.7	-17.4	-255.1	-
4063.6	-16634.9			J	-342.4	-34.7	-17.4	-255.1	-
-693.7	-33855.6								
			C3-C4;~2 Max	I	285.2	153.2	2.9	841.5	
646.2	58483.2			J	285.2	153.2	2.9	841.5	
3977.1	25736.3								
			Min	I	-314.2	-8.8	-16.5	-181.9	-
3865.7	-4473.7			J	-314.2	-8.8	-16.5	-181.9	-
-711.5	-35195.5								
			G1	I	179.0	3.4	-14.7	-1.6	-
3429.7	1051.4			J	179.0	3.4	-13.8	-1.6	-
3335.7	-581.8								
			G2	I	69.0	-14.5	-5.5	-61.5	-
1308.6	-8287.4			J	69.0	-14.5	-5.5	-61.5	-
1297.0	-1410.7								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	13.8	-2.3	-1.1	-10.5	
-271.2	-3193.2			J	13.8	-2.3	-1.1	-10.5	
250.6	-2108.2								
			Q5_ps	I	13.8	-7.3	-0.8	-27.2	
-194.6	-5893.9			J	13.8	-7.3	-0.8	-27.2	
175.4	-2413.1								
			INVSLU Max	I	2108.8	261.2	11.6	1265.4	
2516.6	83000.9			J	2108.8	261.2	12.7	1265.4	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
8150.0	34162.2		Min	I	675.9	-125.5	-35.5	-933.5	-
8467.9	-83204.9			J	675.9	-125.5	-34.3	-933.5	-
3260.1	-89856.5								
		INVSLE	Max	I	1588.5	192.2	9.6	938.3	
2105.3	59340.8			J	1588.5	192.2	10.5	938.3	
5740.2	23771.3		Min	I	528.9	-93.9	-25.1	-689.1	-
5995.2	-63348.9			J	528.9	-93.9	-24.2	-689.1	-
2678.3	-67813.3								
990	2	70 C1-C2;~1	Max	I	468.3	98.4	4.8	822.2	
1155.9	38837.2			J	468.3	98.4	4.8	822.2	
6297.4	21594.5		Min	I	-599.7	-38.5	-24.4	-425.6	-
6107.3	-47915.3			J	-599.7	-38.5	-24.4	-425.6	-
1271.5	-63156.5								
		C3-C4;~1	Max	I	487.2	97.3	5.0	816.8	
1207.2	38076.8			J	487.2	97.3	5.0	816.8	
5734.0	20523.9		Min	I	-562.5	-31.4	-22.3	-426.7	-
5605.0	-50219.9			J	-562.5	-31.4	-22.3	-426.7	-
1328.3	-65093.9								
		C1-C2;~2	Max	I	267.9	67.5	2.7	566.8	
659.2	26431.6			J	267.9	67.5	2.7	566.8	
3877.4	14729.8		Min	I	-377.1	-23.5	-15.0	-291.7	-
3739.6	-33859.9			J	-377.1	-23.5	-15.0	-291.7	-
-725.6	-44591.2								
		C3-C4;~2	Max	I	274.4	66.6	2.8	562.9	
678.4	25732.9			J	274.4	66.6	2.8	562.9	
3505.6	13488.4		Min	I	-350.9	-20.1	-13.6	-283.2	-
3416.0	-35199.9			J	-350.9	-20.1	-13.6	-283.2	-
-746.8	-46000.8								
		G1		I	93.7	1.0	-12.6	-10.2	-
3146.4	-579.1			J	93.7	1.0	-11.6	-10.2	-
2993.1	-1110.7								
		G2		I	35.6	-5.1	-4.8	-36.3	-
1235.6	-1408.4			J	35.6	-5.1	-4.8	-36.3	-
1204.1	1188.0								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
-205.9	-2107.5	Q5_pc	I	20.6	-0.9	-0.8	-7.7	
			J	20.6	-0.9	-0.8	-7.7	
179.5	-1661.5							
		Q5_ps	I	21.0	-2.7	-0.5	-16.9	
-146.7	-2412.1		J	21.0	-2.7	-0.5	-16.9	
122.7	-1030.4							
		INVS LU Max	I	1870.3	107.4	13.9	921.0	
3442.4	34161.7		J	1870.3	107.4	15.1	921.0	
6689.1	23789.8	Min	I	365.9	-78.9	-27.2	-778.8	-
6802.8	-89858.9		J	365.9	-78.9	-25.9	-778.8	-
3928.6	-96230.2							
		INVS LE Max	I	1408.8	78.5	11.4	689.1	
2834.3	23770.8		J	1408.8	78.5	12.4	689.1	
4623.7	16629.3	Min	I	297.1	-59.4	-18.9	-569.0	-
4727.3	-67815.3		J	297.1	-59.4	-17.9	-569.0	-
3217.4	-72052.9							
991	2	70 C1-C2;~1 Max	I	448.1	68.8	5.3	656.6	
1288.9	21593.5		J	448.1	68.8	5.3	656.6	
6099.7	20059.2	Min	I	-667.3	-76.8	-23.8	-538.2	-
5982.3	-63157.1		J	-667.3	-76.8	-23.8	-538.2	-
1417.3	-64346.1							
		C3-C4;~1 Max	I	467.0	65.3	5.6	651.8	
1350.0	20523.2		J	467.0	65.3	5.6	651.8	
5610.7	14716.9	Min	I	-620.1	-74.9	-21.9	-555.8	-
5537.1	-65092.6		J	-620.1	-74.9	-21.9	-555.8	-
1484.3	-65595.8							
		C1-C2;~2 Max	I	256.4	47.7	3.0	450.8	
735.9	14729.1		J	256.4	47.7	3.0	450.8	
3775.8	12952.8	Min	I	-413.9	-54.6	-14.7	-374.0	-
3682.6	-44591.7		J	-413.9	-54.6	-14.7	-374.0	-
-809.6	-45323.2							
		C3-C4;~2 Max	I	263.0	44.7	3.1	446.6	
759.5	13488.0		J	263.0	44.7	3.1	446.6	
3450.8	9508.2	Min	I	-381.2	-52.4	-13.5	-378.6	-
3393.5	-45999.9		J	-381.2	-52.4	-13.5	-378.6	-
-835.4	-46468.4							
		G1	I	-1.5	0.1	-11.4	-14.1	-
2880.4	-1111.3							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
2664.3	-1151.7		J	-1.5	0.1	-10.5	-14.1	
1122.8	1187.8	G2	I	-2.5	-1.0	-4.3	-23.0	-
1067.4	1707.3		J	-2.5	-1.0	-4.3	-23.0	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-131.9	-1661.5	Q5_pc	I	22.8	-0.2	-0.5	-4.3	
98.9	-1542.9		J	22.8	-0.2	-0.5	-4.3	
-81.1	-1030.4	Q5_ps	I	23.8	-0.7	-0.3	-9.0	
51.8	-686.5		J	23.8	-0.7	-0.3	-9.0	
4140.9	23788.4	INVS LU Max	I	1590.1	74.0	17.3	903.4	
5450.1	31334.9		J	1590.1	74.0	18.6	903.4	
5995.2	-96228.5	Min	I	17.9	-123.1	-23.2	-741.1	-
4966.3	-87076.5		J	17.9	-123.1	-21.9	-741.1	-
3416.5	16628.3	INVS LE Max	I	1197.7	53.6	14.3	683.8	
3637.6	22843.4		J	1197.7	53.6	15.2	683.8	
4074.1	-72051.6	Min	I	36.1	-92.4	-15.7	-533.8	-
4065.1	-64663.0		J	36.1	-92.4	-14.7	-533.8	-
992	2	70 C1-C2;~1 Max	I	435.5	49.8	5.8	459.8	
1467.6	20059.0		J	435.5	49.8	5.8	459.8	
5294.3	20145.5	Min	I	-776.1	-89.5	-21.6	-607.6	-
5669.5	-64346.4		J	-776.1	-89.5	-21.6	-607.6	-
1483.8	-54830.3							
1537.8	14716.5	C3-C4;~1 Max	I	454.6	51.0	6.1	463.3	
5063.7	20064.9		J	454.6	51.0	6.1	463.3	
5376.1	-65596.1	Min	I	-719.3	-91.1	-20.6	-642.0	-
1554.0	-56057.7		J	-719.3	-91.1	-20.6	-642.0	-
838.7	12952.7	C1-C2;~2 Max	I	249.1	34.5	3.3	313.2	
3313.5	13786.3		J	249.1	34.5	3.3	313.2	
3519.8	-45323.5	Min	I	-477.2	-63.8	-13.5	-424.5	-
			J	-477.2	-63.8	-13.5	-424.5	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-848.1	-38322.0							
		C3-C4;~2	Max	I	256.0	34.7	3.4	312.8
865.8	9507.9			J	256.0	34.7	3.4	312.8
3167.1	13391.5							
			Min	I	-438.4	-64.5	-12.8	-443.3
3333.9	-46468.7			J	-438.4	-64.5	-12.8	-443.3
-874.9	-39351.0							
		G1		I	-112.7	0.2	-9.0	-15.9
2389.4	-1151.6			J	-112.7	0.2	-8.0	-15.9
1925.4	-1239.7							
		G2		I	-47.0	0.7	-3.3	-9.7
-920.8	1707.3			J	-47.0	0.7	-3.3	-9.7
761.0	1375.7							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	24.2	-0.2	-0.1	1.5
-33.2	-1542.9			J	24.2	-0.2	-0.1	1.5
-4.2	-1442.4							
		Q5_ps		I	26.2	0.1	0.1	1.7
4.0	-686.5			J	26.2	0.1	0.1	1.7
-34.1	-716.1							
		INVSLU	Max	I	1334.1	56.5	22.8	804.5
5742.4	31335.3			J	1334.1	56.5	24.1	804.5
3079.0	37731.5							
			Min	I	-370.9	-135.8	-14.7	-690.3
4047.2	-87076.4			J	-370.9	-135.8	-13.4	-690.3
6173.7	-67739.1							
		INVSLE	Max	I	1006.7	40.8	18.7	616.2
4709.7	22843.8			J	1006.7	40.8	19.7	616.2
1815.3	28140.0							
			Min	I	-253.0	-101.6	-9.0	-490.8
2537.4	-64662.9			J	-253.0	-101.6	-8.1	-490.8
5037.9	-49794.0							
		70 C1-C2;~1	Max	I	336.2	17.0	2.5	164.6
993	2			J	336.2	17.0	2.5	164.6
711.0	20146.1							
			Min	I	-617.7	-44.0	-7.8	-402.2
1803.3	16303.9			J	-617.7	-44.0	-7.8	-402.2
2144.1	-54830.4							
-545.9	-38622.8							
		C3-C4;~1	Max	I	351.3	13.4	2.6	139.8
745.6	20065.3			J	351.3	13.4	2.6	139.8

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
1780.7	15686.6		Min	I	-590.3	-47.8	-7.6	-419.0	-
2081.7	-56058.0			J	-590.3	-47.8	-7.6	-419.0	
-572.9	-40635.1								
		C1-C2;~2	Max	I	192.3	11.2	1.4	110.8	
406.5	13786.8			J	192.3	11.2	1.4	110.8	
1099.8	11294.8		Min	I	-375.7	-31.2	-4.7	-282.4	-
1302.2	-38322.1			J	-375.7	-31.2	-4.7	-282.4	
-312.0	-26963.1								
		C3-C4;~2	Max	I	197.9	8.8	1.5	90.2	
420.0	13391.9			J	197.9	8.8	1.5	90.2	
1093.5	10555.0		Min	I	-358.2	-34.0	-4.7	-292.8	-
1268.2	-39351.2			J	-358.2	-34.0	-4.7	-292.8	
-322.7	-28545.0								
		G1		I	-127.2	-0.4	-3.8	-11.5	
-951.3	-1239.7			J	-127.2	-0.4	-2.9	-11.5	
753.5	-1021.1								
		G2		I	-50.2	0.7	-1.3	1.8	
-358.0	1375.6			J	-50.2	0.7	-1.3	1.8	
314.1	1024.7								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc		I	22.0	-1.2	0.1	8.2	
18.0	-1442.3			J	22.0	-1.2	0.1	8.2	
-12.8	-850.4								
		Q5_ps		I	23.5	-0.7	0.1	10.8	
30.0	-716.1			J	23.5	-0.7	0.1	10.8	
-23.2	-339.5								
		INVSLU	Max	I	690.5	12.5	10.1	353.5	
3186.7	37732.7			J	690.5	12.5	11.3	353.5	
988.8	37826.9		Min	I	-657.4	-77.0	-4.1	-449.2	
-746.7	-67739.0			J	-657.4	-77.0	-2.8	-449.2	-
2242.1	-40571.6								
		INVSLE	Max	I	499.0	8.0	8.3	270.0	
2611.5	28141.0			J	499.0	8.0	9.2	270.0	
564.3	28854.5		Min	I	-496.4	-58.2	-2.2	-323.5	
-299.8	-49793.9			J	-496.4	-58.2	-1.2	-323.5	-
1827.3	-29105.0								

MIDAS


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

994	2	70	C1-C2;~1	Max	I	230.0	14.9	1.4	126.7	
383.5	16302.9				J	230.0	14.9	1.4	126.7	
1363.9	10406.3									
				Min	I	-420.1	-33.4	-5.5	-395.4	-
1444.5	-38619.9				J	-420.1	-33.4	-5.5	-395.4	
-337.7	-22803.2									
				C3-C4;~1	Max	I	240.6	14.8	1.5	96.1
403.6	15685.6				J	240.6	14.8	1.5	96.1	
1396.7	9018.1									
				Min	I	-395.8	-36.3	-5.6	-401.3	-
1446.5	-40632.2				J	-395.8	-36.3	-5.6	-401.3	
-355.7	-23111.4									
				C1-C2;~2	Max	I	131.5	10.2	0.8	78.3
218.9	11294.1				J	131.5	10.2	0.8	78.3	
827.0	6717.2									
				Min	I	-256.0	-23.7	-3.3	-274.8	
-872.0	-26961.0				J	-256.0	-23.7	-3.3	-274.8	
-192.8	-15680.1									
				C3-C4;~2	Max	I	135.5	9.9	0.8	59.1
227.0	10554.3				J	135.5	9.9	0.8	59.1	
859.6	5972.4									
				Min	I	-239.9	-25.6	-3.4	-278.2	
-882.7	-28542.9				J	-239.9	-25.6	-3.4	-278.2	
-200.1	-15915.9									
				G1	I	-83.6	-0.7	-3.3	-16.2	
-782.6	-1021.1				J	-83.6	-0.7	-2.4	-16.2	
669.2	-676.2									
				G2	I	-33.8	0.1	-1.1	6.2	
-290.8	1024.6				J	-33.8	0.1	-1.1	6.2	
277.7	979.9									
				Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
				Q5_pc	I	20.2	-0.7	0.0	6.8	
7.6	-850.3				J	20.2	-0.7	0.0	6.8	
-6.0	-503.3									
				Q5_ps	I	20.7	-0.5	0.1	11.4	
16.4	-339.4				J	20.7	-0.5	0.1	11.4	
-14.3	-104.2									
				INVSLU	Max	I	60.1	16.9	4.5	369.7
1449.8	37825.4				J	60.1	16.9	5.8	369.7	
1212.2	31507.6									


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
1061.5	-40567.6		Min	I	-868.1	-53.4	-5.1	-355.4	-
				J	-868.1	-53.4	-3.8	-355.4	-
1164.3	-14647.2								
1199.8	28853.5	INVSLE	Max	I	0.5	12.0	3.8	285.0	
				J	0.5	12.0	4.7	285.0	
801.8	24471.7								
			Min	I	-684.4	-40.1	-3.3	-251.1	
-659.4	-29102.1			J	-684.4	-40.1	-2.4	-251.1	
-957.8	-9649.9								
995	2	70	C1-C2;~1	Max	I	173.5	10.6	0.8	126.5
189.8	10405.8			J	173.5	10.6	0.8	126.5	
1047.8	8150.6								
			Min	I	-318.3	-31.0	-4.1	-406.5	-
1030.8	-22803.7			J	-318.3	-31.0	-4.1	-406.5	
-192.3	-11819.7								
			C3-C4;~1	Max	I	181.7	6.9	0.8	78.8
215.4	9016.8			J	181.7	6.9	0.8	78.8	
1090.1	7792.1								
			Min	I	-294.9	-31.7	-4.2	-412.0	-
1039.1	-23111.5			J	-294.9	-31.7	-4.2	-412.0	
-202.9	-12416.6								
			C1-C2;~2	Max	I	99.2	6.6	0.4	77.5
108.2	6716.9			J	99.2	6.6	0.4	77.5	
634.5	5652.1								
			Min	I	-193.8	-21.3	-2.5	-280.5	
-621.9	-15680.4			J	-193.8	-21.3	-2.5	-280.5	
-109.7	-8169.3								
			C3-C4;~2	Max	I	102.3	4.2	0.4	46.2
123.6	5971.5			J	102.3	4.2	0.4	46.2	
672.9	5213.9								
			Min	I	-177.9	-22.0	-2.6	-284.9	
-635.7	-15916.2			J	-177.9	-22.0	-2.6	-284.9	
-114.0	-8513.8								
			G1	I	-65.9	-0.4	-2.9	-17.3	
-667.0	-676.3			J	-65.9	-0.4	-2.0	-17.3	
590.1	-454.6								
			G2	I	-27.1	1.6	-1.0	10.9	
-248.0	980.0			J	-27.1	1.6	-1.0	10.9	
247.9	176.2								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	19.7	0.4	0.0	7.8	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
1.2	-503.2			J	19.7	0.4	0.0 7.8
-1.6	-681.4						
			Q5_ps	I	19.8	0.9	0.0 13.8
7.7	-104.0			J	19.8	0.9	0.0 13.8
-8.2	-566.6						
			INVSLE Max	I	-330.3	29.6	2.1 418.6
699.7	31507.6			J	-330.3	29.6	3.4 418.6
1037.0	21043.8		Min	I	-1040.8	-28.2	-4.6 -322.5
-995.9	-14646.4			J	-1040.8	-28.2	-3.4 -322.5
-711.5	-7948.4						
			INVSLE Max	I	-304.2	22.8	1.8 324.6
588.8	24471.9			J	-304.2	22.8	2.8 324.6
709.7	16226.8		Min	I	-827.9	-20.0	-3.2 -223.3
-667.0	-9649.2			J	-827.9	-20.0	-2.2 -223.3
-585.3	-5158.0						
996	2	70	C1-C2;~1 Max	I	143.2	47.8	0.6 190.7
150.7	8153.3			J	143.2	47.8	0.6 190.7
844.5	68090.8		Min	I	-275.8	-142.5	-3.2 -724.6
-816.0	-11812.1			J	-275.8	-142.5	-3.2 -724.6
-173.4	-23265.6						
			C3-C4;~1 Max	I	150.1	18.1	1.1 67.2
295.4	7795.1			J	150.1	18.1	1.1 67.2
709.0	66868.1		Min	I	-266.4	-142.1	-2.7 -720.4
-683.3	-12409.8			J	-266.4	-142.1	-2.7 -720.4
-287.7	-9352.7						
			C1-C2;~2 Max	I	81.8	27.6	0.4 113.2
91.8	5653.9			J	81.8	27.6	0.4 113.2
508.3	44109.0		Min	I	-168.3	-93.2	-1.9 -490.1
-492.1	-8164.0			J	-168.3	-93.2	-1.9 -490.1
-104.8	-13267.3						
			C3-C4;~2 Max	I	84.6	8.6	0.7 31.8
197.3	5216.1			J	84.6	8.6	0.7 31.8
422.7	44235.4		Min	I	-161.7	-95.0	-1.6 -495.7
-407.7	-8508.9			J	-161.7	-95.0	-1.6 -495.7
-187.5	-4434.6						
			G1	I	-63.7	-2.4	-2.6 -24.5
-596.3	-455.2			J	-63.7	-2.4	-1.7 -24.5

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
528.6	784.1							
		G2	I	-24.7	13.1	-0.9	41.9	
-242.2	175.0		J	-24.7	13.1	-0.9	41.9	
251.2	-6662.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	21.9	4.6	-0.0	18.2	
-11.5	-681.6		J	21.9	4.6	-0.0	18.2	
12.5	-3072.3							
		Q5_ps	I	22.0	8.5	-0.0	32.7	
-10.1	-567.2		J	22.0	8.5	-0.0	32.7	
11.7	-5023.0							
		INVSLU Max	I	-578.9	144.2	1.5	579.8	
584.6	21043.1		J	-578.9	144.2	2.8	579.8	
1033.9	64522.6							
		Min	I	-1193.3	-120.9	-4.4	-688.7	
-936.4	-7944.0		J	-1193.3	-120.9	-3.1	-688.7	
-517.1	-64338.7							
		INVSLE Max	I	-496.8	111.7	1.3	446.6	
485.8	16226.0		J	-496.8	111.7	2.2	446.6	
716.1	45584.2							
		Min	I	-949.0	-84.1	-3.1	-490.6	
-639.3	-5155.1		J	-949.0	-84.1	-2.1	-490.6	
-431.1	-49459.0							
997	2	82 C1-C2;~1 Max	I	1072.0	302.0	41.9	8820.8	1
0850.2	134926.0		J	1072.0	302.0	41.9	8820.8	
6938.8	80475.1							
		Min	I	-257.9	-75.5	-27.1	-3065.3	-
6637.0	-40454.8		J	-257.9	-75.5	-27.1	-3065.3	-1
0021.8	-72152.3							
		C3-C4;~1 Max	I	1047.8	315.5	30.1	9465.6	
7566.7	136370.8		J	1047.8	315.5	30.1	9465.6	
7990.3	80112.0							
		Min	I	-244.8	-22.6	-31.8	-2423.6	-
7840.3	-14319.6		J	-244.8	-22.6	-31.8	-2423.6	-
7437.2	-74924.5							
		C1-C2;~2 Max	I	583.3	208.3	25.6	6190.5	
6689.1	89759.2		J	583.3	208.3	25.6	6190.5	
4939.4	55124.8							
		Min	I	-179.0	-45.5	-19.0	-1896.0	-
4594.9	-23157.5		J	-179.0	-45.5	-19.0	-1896.0	-
6080.5	-50685.3							

MIDAS


PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

4396.6	89074.8	C3-C4;~2 Max	I	566.2	216.7	17.5	6577.9	
			J	566.2	216.7	17.5	6577.9	
5672.5	54315.7	Min	I	-167.9	-10.3	-22.3	-1563.0	-
5435.4	-6490.7		J	-167.9	-10.3	-22.3	-1563.0	-
4301.1	-51615.1							
		G1	I	1202.5	7.4	21.5	57.2	
5231.2	4829.6		J	1202.5	7.4	23.6	57.2	-
5983.2	1156.0							
		G2	I	478.6	-15.3	9.6	-346.0	
2287.2	-9774.8		J	478.6	-15.3	9.6	-346.0	-
2492.8	-2151.8							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	-92.4	-3.4	6.1	-62.4	
1540.0	-43.4		J	-92.4	-3.4	6.1	-62.4	-
1480.0	1666.7							
		Q5_ps	I	-92.6	-9.5	5.5	-176.6	
1392.5	-3985.5		J	-92.6	-9.5	5.5	-176.6	-
1328.3	746.6							
		INVSLU Max	I	5931.0	414.3	70.4	11489.8	1
7278.6	201806.7		J	5931.0	414.3	73.2	11489.8	
8513.0	135146.4	Min	I	3969.2	-119.7	-40.0	-5539.1	-1
0725.6	-36985.9		J	3969.2	-119.7	-37.2	-5539.1	-1
8467.4	-77643.1							
		INVSLE Max	I	4446.7	306.8	51.5	8498.0	1
2612.6	149931.5		J	4446.7	306.8	53.6	8498.0	
6240.9	100400.5	Min	I	3005.9	-88.4	-29.5	-4107.6	-
7925.9	-26946.2		J	3005.9	-88.4	-27.4	-4107.6	-1
3547.3	-56999.1							
998	2	82 C1-C2;~1 Max	I	1138.3	189.0	46.0	6747.5	1
2134.1	80471.0		J	1138.3	189.0	46.0	6747.5	
4638.6	57196.8	Min	I	-217.2	-58.5	-16.1	-3243.0	-
3435.0	-72159.3		J	-217.2	-58.5	-16.1	-3243.0	-1
0812.9	-119485.1							
		C3-C4;~1 Max	I	1111.8	199.2	43.4	7075.2	1
1517.3	80107.6		J	1111.8	199.2	43.4	7075.2	
4294.5	52877.4							


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
3376.4	-74932.7		Min	I	-205.0	-33.8	-15.4	-3037.9	-
				J	-205.0	-33.8	-15.4	-3037.9	-1
0091.4	-129948.0								
		C1-C2;~2	Max	I	615.4	131.3	29.0	4749.3	
7729.7	55122.0			J	615.4	131.3	29.0	4749.3	
3336.9	39004.1								
			Min	I	-151.8	-36.3	-11.4	-2217.2	-
2345.3	-50690.2			J	-151.8	-36.3	-11.4	-2217.2	-
6714.5	-84204.0								
		C3-C4;~2	Max	I	596.5	137.4	27.2	4906.9	
7302.4	54312.7			J	596.5	137.4	27.2	4906.9	
3085.2	35198.7								
			Min	I	-141.5	-20.3	-10.8	-2020.1	-
2312.9	-51620.9			J	-141.5	-20.3	-10.8	-2020.1	-
6227.7	-90695.1								
			G1	I	1319.5	3.2	21.6	82.7	
5186.3	1156.2			J	1319.5	3.2	23.7	82.7	-
6071.6	-420.8								
			G2	I	522.7	-8.5	8.4	-169.3	
1920.5	-2150.7			J	522.7	-8.5	8.4	-169.3	-
2240.9	2105.1								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	-104.8	-3.1	4.9	-44.5	
1212.9	1666.4			J	-104.8	-3.1	4.9	-44.5	-
1211.7	3227.4								
			Q5_ps	I	-105.6	-6.4	4.0	-112.9	
997.7	746.7			J	-105.6	-6.4	4.0	-112.9	-
1003.5	3927.7								
			INVSLU Max	I	6352.1	270.5	75.6	8585.8	1
8830.0	135145.3			J	6352.1	270.5	78.4	8585.8	
3500.1	105752.7								
			Min	I	4333.5	-83.0	-17.1	-5423.9	-
4371.3	-77649.1			J	4333.5	-83.0	-14.3	-5423.9	-1
9540.5	-152702.1								
			INVSLE Max	I	4759.4	200.3	55.6	6354.9	1
3808.7	100399.8			J	4759.4	200.3	57.6	6354.9	
2521.6	78480.0								
			Min	I	3278.1	-61.2	-12.5	-4016.7	-
3215.8	-57003.6			J	3278.1	-61.2	-10.4	-4016.7	-1
4384.0	-112537.7								


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
999	2	82	C1-C2;~1	Max	I	1207.5	142.7	45.8	5561.9	1
1915.8	57196.1				J	1207.5	142.7	45.8	5561.9	
4552.0	47509.7			Min	I	-168.8	-74.5	-16.1	-3417.0	-
3490.6	-119485.5				J	-168.8	-74.5	-16.1	-3417.0	-1
0901.0	-142031.3									
0889.5	52876.7		C3-C4;~1	Max	I	1178.7	147.6	42.0	5751.7	1
4256.6	36744.5				J	1178.7	147.6	42.0	5751.7	
3543.5	-129948.6			Min	I	-156.9	-73.6	-15.6	-3347.4	-
0043.6	-153476.7				J	-156.9	-73.6	-15.6	-3347.4	-1
7577.9	39003.6		C1-C2;~2	Max	I	648.4	99.9	28.8	3925.8	
3273.1	30550.9				J	648.4	99.9	28.8	3925.8	
2401.1	-84204.3			Min	I	-118.8	-51.7	-11.4	-2362.8	-
6760.9	-100027.1				J	-118.8	-51.7	-11.4	-2362.8	-
6866.3	35198.2		C3-C4;~2	Max	I	627.6	101.9	26.2	3986.4	
3058.3	23583.9				J	627.6	101.9	26.2	3986.4	
2451.4	-90695.4			Min	I	-109.1	-49.6	-11.0	-2266.4	-
6175.5	-107241.7				J	-109.1	-49.6	-11.0	-2266.4	-
5268.5	-420.9		G1		I	1443.5	0.8	22.1	81.8	
6224.4	-796.8				J	1443.5	0.8	24.1	81.8	-
2000.9	2105.1		G2		I	569.9	-4.4	8.7	-99.4	
2316.3	4280.7				J	569.9	-4.4	8.7	-99.4	-
0.0	0.0		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
1172.8	3227.6		Q5_pc		I	-113.3	-3.1	4.7	-30.5	
1150.0	4767.2				J	-113.3	-3.1	4.7	-30.5	-
976.2	3927.9		Q5_ps		I	-114.6	-4.5	3.9	-75.8	
-952.0	6171.3				J	-114.6	-4.5	3.9	-75.8	
8576.3	105750.9		INVSLU	Max	I	6785.7	211.5	76.0	6979.0	1
2936.4	89325.2				J	6785.7	211.5	78.8	6979.0	
				Min	I	4721.3	-93.8	-15.9	-5453.7	-


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
4404.8	-152704.2			J	4721.3	-93.8	-13.1	-5453.7	-1	
9995.1	-190587.3									
		INVSLE	Max	I	5081.3	156.6	56.0	5168.1	1	
3650.9	78478.6			J	5081.3	156.6	58.0	5168.1		
2084.2	66166.7		Min	I	3569.1	-69.2	-11.5	-4037.2	-	
3215.8	-112539.2			J	3569.1	-69.2	-9.4	-4037.2	-1	
4748.7	-140540.3									
1000	2	82	C1-C2;~1	Max	I	1282.0	118.4	45.9	4206.9	1
1936.0	47508.8			J	1282.0	118.4	45.9	4206.9		
4469.6	43027.9		Min	I	-119.3	-101.7	-15.9	-4272.3	-	
3478.0	-142032.3			J	-119.3	-101.7	-15.9	-4272.3	-1	
0953.6	-145253.9									
		C3-C4;~1	Max	I	1250.1	119.3	42.0	4173.5	1	
0890.4	36743.2			J	1250.1	119.3	42.0	4173.5		
4181.4	27550.1		Min	I	-108.6	-103.6	-15.4	-4156.6	-	
3517.5	-153477.8			J	-108.6	-103.6	-15.4	-4156.6	-1	
0078.9	-158451.9									
		C1-C2;~2	Max	I	683.6	83.3	28.9	2965.0		
7597.0	30550.2			J	683.6	83.3	28.9	2965.0		
3208.5	27159.8		Min	I	-84.6	-71.3	-11.2	-2986.0	-	
2388.7	-100027.8			J	-84.6	-71.3	-11.2	-2986.0	-	
6784.8	-102251.5									
		C3-C4;~2	Max	I	660.5	82.3	26.2	2865.1		
6866.9	23582.9			J	660.5	82.3	26.2	2865.1		
3000.8	16809.9		Min	I	-76.2	-71.3	-10.9	-2854.0	-	
2432.1	-107242.5			J	-76.2	-71.3	-10.9	-2854.0	-	
6182.4	-110766.4									
		G1		I	1573.6	-0.4	22.3	67.6		
5266.0	-796.8			J	1573.6	-0.4	24.3	67.6	-	
6325.7	-609.0									
		G2		I	619.2	-1.5	8.7	-3.8		
1995.0	4280.9			J	619.2	-1.5	8.7	-3.8	-	
2351.6	5033.8									
		Q3		I	0.0	0.0	0.0	0.0		
0.0	0.0			J	0.0	0.0	0.0	0.0		
0.0	0.0									
		Q5_pc		I	-120.5	-3.4	4.3	-1.0		
1087.0	4767.3									

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
1071.3	6462.6		J	-120.5	-3.4	4.3	-1.0	-
893.8	6171.4	Q5_ps	I	-122.6	-3.5	3.6	-12.6	
-875.5	7909.9		J	-122.6	-3.5	3.6	-12.6	
8678.5	89323.6	INVSLU Max	I	7235.4	182.9	77.0	5095.2	1
2379.8	75418.7		J	7235.4	182.9	79.8	5095.2	
4140.4	-190589.5	Min	I	5098.2	-124.1	-14.3	-6353.6	-
0369.8	-208211.7		J	5098.2	-124.1	-11.5	-6353.6	-2
3750.1	66165.5	INVSLE Max	I	5415.0	135.4	56.8	3776.5	1
1660.9	55708.1		J	5415.0	135.4	58.8	3776.5	
3007.8	-140541.9	Min	I	3853.6	-91.6	-10.3	-4703.9	-
5047.9	-153526.8		J	3853.6	-91.6	-8.2	-4703.9	-1
1001	2	82 C1-C2;~1 Max	I	1360.8	90.0	45.2	2665.4	1
1733.0	43027.3		J	1360.8	90.0	45.2	2665.4	
4511.7	47338.4	Min	I	-69.1	-126.8	-16.3	-5466.7	-
3611.1	-145253.3		J	-69.1	-126.8	-16.3	-5466.7	-1
0808.6	-134577.5							
0607.1	27549.7	C3-C4;~1 Max	I	1325.6	87.5	41.1	2498.6	1
4245.9	33323.5		J	1325.6	87.5	41.1	2498.6	
3669.7	-158451.6	Min	I	-61.7	-128.6	-15.8	-5365.6	-
9863.0	-148102.9		J	-61.7	-128.6	-15.8	-5365.6	-
7465.4	27159.4	C1-C2;~2 Max	I	720.5	62.9	28.4	1845.3	
3219.6	30421.2		J	720.5	62.9	28.4	1845.3	
2455.2	-102251.1	Min	I	-49.3	-89.0	-11.4	-3841.9	-
6683.4	-94867.3		J	-49.3	-89.0	-11.4	-3841.9	-
6676.4	16809.5	C3-C4;~2 Max	I	695.0	59.4	25.5	1650.4	
3033.4	20972.9		J	695.0	59.4	25.5	1650.4	
2516.7	-110766.1	Min	I	-43.6	-88.7	-11.1	-3716.8	-
6030.6	-103593.7		J	-43.6	-88.7	-11.1	-3716.8	-
5029.2	-609.0	G1	I	1707.7	-0.4	21.6	50.4	
6220.8	-433.8		J	1707.7	-0.4	23.6	50.4	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

1913.9	5033.8	G2	I	670.1	1.4	8.5	96.8	
2320.0	4355.9		J	670.1	1.4	8.5	96.8	-
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
973.7	6462.7	Q5_pc	I	-126.8	-4.3	3.9	36.7	
-979.3	8605.2		J	-126.8	-4.3	3.9	36.7	
792.4	7910.1	Q5_ps	I	-129.7	-3.2	3.2	59.2	
-791.9	9510.7		J	-129.7	-3.2	3.2	59.2	
8169.0	75417.0	INVSLU Max	I	7695.9	154.3	76.0	3281.1	1
2047.0	68783.8		J	7695.9	154.3	78.8	3281.1	
4377.2	-208212.4	Min	I	5483.6	-148.5	-14.1	-7763.3	-
0398.3	-210551.3		J	5483.6	-148.5	-11.3	-7763.3	-2
3392.0	55706.9	INVSLE Max	I	5756.8	114.1	56.1	2431.8	1
1409.7	50593.1		J	5756.8	114.1	58.2	2431.8	
3179.0	-153527.3	Min	I	4140.9	-109.6	-10.1	-5744.3	-
5085.9	-155174.5		J	4140.9	-109.6	-8.0	-5744.3	-1
1002	2	82 C1-C2;~1 Max	I	1438.7	56.6	43.6	2385.3	1
1297.4	47339.4		J	1438.7	56.6	43.6	2385.3	
4775.0	61947.6	Min	I	-22.7	-156.3	-17.5	-6696.7	-
3955.8	-134575.9		J	-22.7	-156.3	-17.5	-6696.7	-1
0441.6	-105680.8							
0118.1	33325.2	C3-C4;~1 Max	I	1400.7	52.0	39.2	1739.7	1
4538.9	53061.0		J	1400.7	52.0	39.2	1739.7	
4033.0	-148101.0	Min	I	-19.8	-157.9	-17.2	-6749.3	-
9423.3	-113318.5		J	-19.8	-157.9	-17.2	-6749.3	-
7195.5	30422.0	C1-C2;~2 Max	I	756.6	38.5	27.4	1511.1	
3353.7	42341.4		J	756.6	38.5	27.4	1511.1	
2629.9	-94866.2	Min	I	-16.1	-109.3	-12.0	-4706.3	-
6449.7	-74653.3		J	-16.1	-109.3	-12.0	-4706.3	-


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
6365.6	20974.1	C3-C4;~2	Max	I	728.9	33.7	24.3	1102.0		
				J	728.9	33.7	24.3	1102.0		
3197.5	35196.6		Min	I	-13.9	-109.0	-11.8	-4691.3	-	
2711.5	-103592.4			J	-13.9	-109.0	-11.8	-4691.3	-	
5745.5	-78995.4									
		G1		I	1838.6	1.3	19.2	22.4		
4356.2	-433.7			J	1838.6	1.3	21.3	22.4	-	
5738.8	-1070.1									
		G2		I	719.8	5.7	7.7	187.7		
1670.7	4355.6			J	719.8	5.7	7.7	187.7	-	
2150.2	1494.1									
		Q3		I	0.0	0.0	0.0	0.0		
0.0	0.0			J	0.0	0.0	0.0	0.0		
0.0	0.0									
		Q5_pc		I	-133.6	-6.1	3.2	81.0		
791.0	8605.4			J	-133.6	-6.1	3.2	81.0		
-818.7	11638.4									
		Q5_ps		I	-137.3	-3.7	2.6	132.9		
634.1	9510.8			J	-137.3	-3.7	2.6	132.9		
-652.7	11333.7									
		INVSLU	Max	I	8143.4	123.6	72.7	3169.1	1	
6923.3	68784.1			J	8143.4	123.6	75.5	3169.1		
2046.1	70477.1		Min	I	5853.3	-176.9	-15.7	-9308.6	-	
5196.7	-210550.2			J	5853.3	-176.9	-12.9	-9308.6	-1	
9970.0	-187081.3									
		INVSLE	Max	I	6088.7	91.3	53.7	2346.9	1	
2487.6	50593.2			J	6088.7	91.3	55.8	2346.9		
1413.4	51552.0		Min	I	4416.5	-130.5	-11.3	-6885.0	-	
3792.0	-155173.6			J	4416.5	-130.5	-9.2	-6885.0	-1	
4785.6	-137680.3									
1003	2	82	C1-C2;~1	Max	I	1505.5	53.2	40.6	2427.9	1
0578.1	61949.4			J	1505.5	53.2	40.6	2427.9		
5584.4	93231.3		Min	I	-9.8	-216.7	-20.4	-8040.2	-	
4567.5	-105677.6			J	-9.8	-216.7	-20.4	-8040.2	-	
9694.5	-48062.0									
		C3-C4;~1	Max	I	1466.9	18.6	35.7	1427.6		
9354.2	53061.3			J	1466.9	18.6	35.7	1427.6		
5574.5	87221.2		Min	I	-9.7	-224.1	-20.7	-8171.4	-	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
4755.1	-113315.0			J	-9.7	-224.1	-20.7	-8171.4	-
8484.2	-48100.3								
6757.1	42342.7	C1-C2;~2	Max	I	786.5	31.8	25.5	1520.4	
				J	786.5	31.8	25.5	1520.4	
3808.7	63732.0		Min	I	-7.0	-151.2	-13.6	-5638.1	-
2939.6	-74651.0			J	-7.0	-151.2	-13.6	-5638.1	-
5984.5	-32872.3								
		C3-C4;~2	Max	I	757.8	8.8	22.1	867.4	
5891.8	35196.7			J	757.8	8.8	22.1	867.4	
3826.4	58759.3		Min	I	-6.9	-155.4	-13.9	-5674.3	-
3115.8	-78992.8			J	-6.9	-155.4	-13.9	-5674.3	-
5143.7	-31823.5								
		G1		I	1953.2	5.1	14.4	-67.8	
3137.6	-1070.2			J	1953.2	5.1	16.5	-67.8	-
4540.8	-3632.3								
		G2		I	763.0	13.7	6.0	248.8	
1245.8	1494.2			J	763.0	13.7	6.0	248.8	-
1765.1	-5330.9								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc		I	-143.7	-9.0	1.8	147.2	
416.0	11638.8			J	-143.7	-9.0	1.8	147.2	
-482.6	16132.5								
		Q5_ps		I	-147.9	-4.9	1.4	217.4	
308.3	11334.1			J	-147.9	-4.9	1.4	217.4	
-368.6	13781.4								
		INVSLU	Max	I	8536.9	140.5	63.0	3469.3	1
4686.9	70478.3			J	8536.9	140.5	65.8	3469.3	
4042.7	86579.0		Min	I	6143.9	-250.0	-23.1	-11104.7	-
6761.7	-187078.4			J	6143.9	-250.0	-20.3	-11104.7	-1
7452.5	-133257.2								
		INVSLE	Max	I	6380.3	103.8	46.7	2565.1	1
0857.9	51552.8			J	6380.3	103.8	48.7	2565.1	
2914.5	63018.4		Min	I	4633.7	-184.3	-16.9	-8210.8	-
4974.5	-137678.1			J	4633.7	-184.3	-14.8	-8210.8	-1
2943.5	-97672.3								
1004	2	82	C1-C2;~1	Max	I	1547.0	93.8	39.9	3370.7


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
9921.8	93235.5			J	1547.0	93.8	39.9	3370.7	
3574.8	143598.3								
		Min		I	-10.1	-275.8	-14.2	-8391.9	-
3504.9	-48055.9								
				J	-10.1	-275.8	-14.2	-8391.9	-
9943.9	-48302.1								
		C3-C4;~1	Max	I	1509.7	27.8	37.1	2525.5	
9016.8	87228.9								
				J	1509.7	27.8	37.1	2525.5	
3215.4	153387.1								
		Min		I	-10.0	-299.3	-13.4	-8896.4	-
3511.2	-48092.5								
				J	-10.0	-299.3	-13.4	-8896.4	-
9486.8	-20988.2								
		C1-C2;~2	Max	I	803.3	57.8	25.1	2132.6	
6355.2	63734.4								
				J	803.3	57.8	25.1	2132.6	
2240.0	95577.9								
		Min		I	-7.2	-191.9	-8.6	-5855.3	-
2024.9	-32867.7								
				J	-7.2	-191.9	-8.6	-5855.3	-
6162.7	-26912.6								
		C3-C4;~2	Max	I	774.7	13.1	23.1	1647.4	
5705.6	58764.3								
				J	774.7	13.1	23.1	1647.4	
2045.9	102344.9								
		Min		I	-7.2	-207.9	-8.3	-6151.1	-
2104.8	-31817.8								
				J	-7.2	-207.9	-8.3	-6151.1	-
5823.8	-9634.0								
		G1		I	2034.6	17.4	13.0	-229.7	
2320.5	-3632.7								
				J	2034.6	17.4	15.1	-229.7	-
4689.0	-12275.2								
		G2		I	793.5	28.6	5.3	231.1	
902.1	-5332.7								
				J	793.5	28.6	5.3	231.1	-
1725.7	-19574.8								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0								
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc		I	-158.7	-15.4	-3.0	153.5	
-502.4	16133.0								
				J	-158.7	-15.4	-3.0	153.5	
1007.7	23782.1								
		Q5_ps		I	-162.5	-9.7	-3.0	218.0	
-515.1	13781.5								
				J	-162.5	-9.7	-3.0	218.0	
998.6	18609.7								
		INVSLU	Max	I	8837.2	231.0	73.6	4779.7	1
4295.0	86580.5								
				J	8837.2	231.0	76.4	4779.7	-
3009.3	129633.0								
		Min		I	6352.4	-327.4	-4.8	-12057.2	-
4743.8	-133251.8								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
3073.5	-185455.3		J	6352.4	-327.4	-2.0	-12057.2	-2
0579.5	63019.5	INVSLE Max	I	6602.2	170.6	54.5	3533.9	1
2371.6	94105.9		J	6602.2	170.6	56.6	3533.9	-
3456.3	-97668.2	Min	I	4790.2	-240.9	-3.2	-8917.4	-
7099.5	-136121.9		J	4790.2	-240.9	-1.1	-8917.4	-1
1005	2	62 C1-C2;~1 Max	I	16.0	16.7	0.9	77.9	
248.1	7236.9		J	16.0	16.7	0.9	77.9	
292.1	15115.7	Min	I	-145.1	-122.0	-1.2	-543.3	
-280.8	-44856.3		J	-145.1	-122.0	-1.2	-543.3	
-204.0	-1383.8							
307.9	8246.8	C3-C4;~1 Max	I	16.7	19.2	1.2	70.1	
428.1	11058.8		J	16.7	19.2	1.2	70.1	
-389.4	-39526.7	Min	I	-148.6	-102.4	-1.7	-417.1	
-262.2	-1745.1		J	-148.6	-102.4	-1.7	-417.1	
141.8	3273.4	C1-C2;~2 Max	I	9.2	7.5	0.5	37.9	
194.5	10666.8		J	9.2	7.5	0.5	37.9	
-185.4	-29458.3	Min	I	-88.3	-81.7	-0.8	-371.4	
-115.4	-701.1		J	-88.3	-81.7	-0.8	-371.4	
179.6	3837.5	C3-C4;~2 Max	I	9.4	9.0	0.7	32.9	
297.0	7736.1		J	9.4	9.0	0.7	32.9	
-267.7	-26000.2	Min	I	-91.0	-68.3	-1.2	-282.7	
-152.6	-904.7		J	-91.0	-68.3	-1.2	-282.7	
147.4	2295.3	G1	I	-99.6	5.2	0.3	21.2	
-155.6	-254.9		J	-99.6	5.2	1.0	21.2	
97.4	7054.6	G2	I	-37.7	16.3	0.3	58.5	
-72.8	-912.1		J	-37.7	16.3	0.3	58.5	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
25.9	6466.9	Q5_pc	I	-20.6	16.0	0.1	56.4	
			J	-20.6	16.0	0.1	56.4	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-20.9	-1364.6						
			Q5_ps	I	-18.2	22.2	0.2 78.1
44.4	9166.6			J	-18.2	22.2	0.2 78.1
-37.2	-1704.2						
			INVSLU Max	I	-2203.5	158.1	1.1 1075.7
523.9	79218.3			J	-2203.5	158.1	2.0 1075.7
737.3	26894.1		Min	I	-2463.6	-66.6	-3.0 123.4
-464.1	-6088.4			J	-2463.6	-66.6	-2.0 123.4
-232.3	1482.2						
			INVSLE Max	I	-1717.5	121.0	0.7 805.7
371.7	60886.5			J	-1717.5	121.0	1.4 805.7
563.0	19939.3		Min	I	-1907.5	-41.9	-2.2 112.7
-356.7	-854.0			J	-1907.5	-41.9	-1.5 112.7
-152.4	1396.0						
1006	2	62	C1-C2;~1 Max	I	14.9	6.1	1.2 124.1
327.8	15125.0			J	14.9	6.1	1.2 124.1
108.7	17551.5		Min	I	-122.3	-13.2	-0.4 -278.5
-84.0	-1382.6			J	-122.3	-13.2	-0.4 -278.5
-263.4	-1380.8						
			C3-C4;~1 Max	I	15.6	2.4	1.9 102.3
511.4	11066.1			J	15.6	2.4	1.9 102.3
253.8	12819.3		Min	I	-127.7	-7.6	-0.9 -208.9
-199.2	-1745.2			J	-127.7	-7.6	-0.9 -208.9
-415.7	-1838.0						
			C1-C2;~2 Max	I	8.6	4.2	0.7 80.4
193.2	10673.1			J	8.6	4.2	0.7 80.4
68.4	12303.6		Min	I	-73.4	-9.3	-0.2 -191.5
-50.4	-700.0			J	-73.4	-9.3	-0.2 -191.5
-153.6	-626.4						
			C3-C4;~2 Max	I	8.8	1.3	1.2 63.8
325.3	7741.2			J	8.8	1.3	1.2 63.8
175.6	8912.8		Min	I	-77.2	-5.1	-0.6 -140.8
-135.4	-904.5			J	-77.2	-5.1	-0.6 -140.8
-262.2	-887.6						
			G1	I	-93.9	0.2	0.4 13.6
180.4	-255.0			J	-93.9	0.2	1.1 13.6
-186.8	-345.7						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
86.4	-913.3	G2	I	-37.5	0.8	0.3	18.8
			J	-37.5	0.8	0.3	18.8
-65.2	-1282.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-21.6	0.7	-0.0	14.2
-4.5	-1366.1		J	-21.6	0.7	-0.0	14.2
4.5	-1721.9						
		Q5_ps	I	-20.3	1.0	0.0	19.2
0.7	-1706.1		J	-20.3	1.0	0.0	19.2
-0.9	-2198.6						
		INVS LU Max	I	-2126.0	42.9	2.2	860.9
808.6	26889.8		J	-2126.0	42.9	3.2	860.9
397.4	13823.9						
		Min	I	-2360.3	15.6	-1.6	291.8
-158.9	1461.3		J	-2360.3	15.6	-0.6	291.8
-514.5	-15916.5						
		INVS LE Max	I	-1660.4	33.3	1.6	649.2
594.8	19935.2		J	-1660.4	33.3	2.3	649.2
304.0	9469.9						
		Min	I	-1830.2	13.2	-1.2	229.6
-121.2	1379.9		J	-1830.2	13.2	-0.5	229.6
-370.8	-12200.9						
		62 C1-C2;~1 Max	I	13.3	14.7	1.3	156.1
1007	2		J	13.3	14.7	1.3	156.1
360.7	17549.3						
		Min	I	-111.9	-7.4	-0.3	-231.5
89.1	14635.9		J	-111.9	-7.4	-0.3	-231.5
-67.0	-1380.3						
		C3-C4;~1 Max	I	13.9	8.9	2.1	119.7
-294.8	-1249.3		J	13.9	8.9	2.1	119.7
549.8	12817.9						
		Min	I	-117.2	-3.8	-0.8	-174.9
230.2	10593.3		J	-117.2	-3.8	-0.8	-174.9
-177.7	-1837.4						
		C1-C2;~2 Max	I	7.6	10.3	0.8	103.8
-455.7	-1494.5		J	7.6	10.3	0.8	103.8
213.7	12302.1						
		Min	I	-67.1	-5.1	-0.2	-158.5
55.0	10312.9		J	-67.1	-5.1	-0.2	-158.5
-38.8	-626.2						
		C3-C4;~2 Max	I	7.8	6.1	1.3	77.0
-172.9	-632.1						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
349.5	8911.9			J	7.8	6.1	1.3	77.0
159.4	7396.7							
			Min	I	-70.9	-2.3	-0.6	-116.6
-120.5	-887.4							
				J	-70.9	-2.3	-0.6	-116.6
-287.7	-749.0							
			G1	I	-86.8	-0.4	0.5	11.1
201.4	-345.2							
				J	-86.8	-0.4	1.2	11.1
-208.6	-145.4							
			G2	I	-34.8	-0.8	0.3	10.6
95.0	-1282.1							
				J	-34.8	-0.8	0.3	10.6
-73.6	-882.6							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0							
				J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-20.9	-0.8	-0.0	6.1
-6.3	-1721.7							
				J	-20.9	-0.8	-0.0	6.1
6.4	-1345.2							
			Q5_ps	I	-19.9	-1.1	-0.0	7.9
-1.2	-2198.3							
				J	-19.9	-1.1	-0.0	7.9
1.4	-1682.7							
			INVSLU Max	I	-2067.9	31.8	2.5	623.9
881.6	13823.1							
				J	-2067.9	31.8	3.5	623.9
343.8	4025.2							
			Min	I	-2285.4	0.7	-1.4	89.7
-111.7	-15913.3							
				J	-2285.4	0.7	-0.4	89.7
-593.7	-20479.1							
			INVSLE Max	I	-1617.0	23.7	1.8	468.9
650.4	9469.4							
				J	-1617.0	23.7	2.6	468.9
262.5	2139.7							
			Min	I	-1774.5	0.7	-1.1	74.0
-84.6	-12198.5							
				J	-1774.5	0.7	-0.3	74.0
-431.0	-15735.0							
1008	2	62	C1-C2;~1 Max	I	11.9	12.3	1.4	191.4
375.8	14635.4							
				J	11.9	12.3	1.4	191.4
82.8	13369.1							
			Min	I	-104.7	-9.3	-0.3	-196.7
-62.3	-1249.3							
				J	-104.7	-9.3	-0.3	-196.7
-314.6	-1227.7							
			C3-C4;~1 Max	I	12.5	7.1	2.1	142.3
566.8	10593.1							
				J	12.5	7.1	2.1	142.3
220.8	9749.1							
			Min	I	-110.4	-5.1	-0.8	-148.6
-170.2	-1494.5							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-477.3	-1471.7		J	-110.4	-5.1	-0.8	-148.6	
222.4	10312.5	C1-C2;~2 Max	I	6.9	8.7	0.8	129.1	
51.0	9441.9		J	6.9	8.7	0.8	129.1	
-35.8	-632.1	Min	I	-62.9	-6.6	-0.2	-133.9	
-184.9	-652.2		J	-62.9	-6.6	-0.2	-133.9	
359.3	7396.6	C3-C4;~2 Max	I	7.1	4.9	1.3	93.2	
153.1	6822.7		J	7.1	4.9	1.3	93.2	
-115.6	-749.0	Min	I	-67.0	-3.3	-0.5	-97.6	
-300.6	-781.4		J	-67.0	-3.3	-0.5	-97.6	
216.0	-145.5	G1	I	-80.6	-0.2	0.5	10.6	
-225.2	-58.6		J	-80.6	-0.2	1.3	10.6	
101.3	-882.6	G2	I	-32.3	-0.4	0.4	4.8	
-80.6	-711.2		J	-32.3	-0.4	0.4	4.8	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-6.5	-1345.3	Q5_pc	I	-19.9	-0.3	-0.0	-0.5	
6.6	-1175.4		J	-19.9	-0.3	-0.0	-0.5	
-1.1	-1682.8	Q5_ps	I	-18.9	-0.5	-0.0	-1.2	
1.4	-1455.4		J	-18.9	-0.5	-0.0	-1.2	
914.3	4023.7	INVSLU Max	I	-2009.8	21.0	2.7	410.1	
319.9	172.7		J	-2009.8	21.0	3.7	410.1	
-92.3	-20480.1	Min	I	-2214.8	-8.8	-1.3	-114.8	
-634.4	-22171.4		J	-2214.8	-8.8	-0.3	-114.8	
674.1	2138.5	INVSLE Max	I	-1573.6	15.5	2.0	306.4	
245.1	-701.1		J	-1573.6	15.5	2.7	306.4	
-70.7	-15735.8	Min	I	-1722.0	-6.5	-1.0	-82.3	
-460.9	-17012.2		J	-1722.0	-6.5	-0.3	-82.3	
1009	2	62 C1-C2;~1 Max	I	10.8	9.3	1.4	217.4	
380.6	13369.1							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
80.1	14567.1		J	10.8	9.3	1.4	217.4
		Min	I	-98.8	-12.1	-0.3	-169.4
-59.7	-1227.8		J	-98.8	-12.1	-0.3	-169.4
-324.1	-1438.4						
		C3-C4;~1 Max	I	11.3	5.0	2.2	159.5
575.0	9749.0		J	11.3	5.0	2.2	159.5
214.0	10518.2	Min	I	-104.4	-7.1	-0.8	-129.3
-164.3	-1471.7		J	-104.4	-7.1	-0.8	-129.3
-490.2	-1623.3						
		C1-C2;~2 Max	I	6.2	6.6	0.8	147.6
224.0	9441.8		J	6.2	6.6	0.8	147.6
49.5	10276.2	Min	I	-59.6	-8.6	-0.2	-114.6
-34.3	-652.2		J	-59.6	-8.6	-0.2	-114.6
-189.6	-789.2						
		C3-C4;~2 Max	I	6.4	3.3	1.4	105.5
363.2	6822.7		J	6.4	3.3	1.4	105.5
148.7	7348.4	Min	I	-63.5	-4.8	-0.5	-83.7
-111.7	-781.4		J	-63.5	-4.8	-0.5	-83.7
-307.6	-871.5						
		G1	I	-75.1	0.1	0.6	10.6
229.3	-58.7		J	-75.1	0.1	1.3	10.6
-241.3	-99.1						
		G2	I	-30.0	0.3	0.4	0.6
107.9	-711.2		J	-30.0	0.3	0.4	0.6
-88.2	-841.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-18.7	0.2	-0.0	-5.4
-5.5	-1175.5		J	-18.7	0.2	-0.0	-5.4
5.6	-1293.2						
		Q5_ps	I	-17.8	0.3	0.0	-7.9
0.4	-1455.5		J	-17.8	0.3	0.0	-7.9
-0.2	-1626.3						
		INVSLU Max	I	-1945.5	13.5	2.7	215.9
923.0	172.5		J	-1945.5	13.5	3.7	215.9
298.6	1541.8	Min	I	-2138.6	-15.8	-1.3	-316.0
-85.1	-22171.7		J	-2138.6	-15.8	-0.3	-316.0

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-662.0	-22903.8							
		INVSLE Max	I	-1525.5	10.1	2.0	158.2	
680.0	-701.2		J	-1525.5	10.1	2.7	158.2	
230.0	252.3							
		Min	I	-1665.3	-11.6	-1.0	-235.1	
-66.0	-17012.4		J	-1665.3	-11.6	-0.2	-235.1	
-480.8	-17588.6							
1010	2	62 C1-C2;~1 Max	I	9.8	7.3	1.5	251.4	
389.5	14567.6		J	9.8	7.3	1.5	251.4	
69.5	17424.3							
		Min	I	-93.5	-14.4	-0.2	-132.8	
-52.9	-1438.4		J	-93.5	-14.4	-0.2	-132.8	
-336.4	-1634.6							
		C3-C4;~1 Max	I	10.2	3.5	2.2	183.9	
587.2	10518.3		J	10.2	3.5	2.2	183.9	
178.4	12820.2							
		Min	I	-99.4	-8.9	-0.6	-102.5	
-128.8	-1623.3		J	-99.4	-8.9	-0.6	-102.5	
-506.1	-1812.2							
		C1-C2;~2 Max	I	5.6	5.1	0.9	171.6	
228.5	10276.6		J	5.6	5.1	0.9	171.6	
42.2	12245.3							
		Min	I	-56.5	-10.2	-0.1	-88.4	
-29.2	-789.1		J	-56.5	-10.2	-0.1	-88.4	
-196.2	-834.1							
		C3-C4;~2 Max	I	5.8	2.2	1.4	123.0	
370.0	7348.5		J	5.8	2.2	1.4	123.0	
122.8	8934.2							
		Min	I	-60.7	-6.1	-0.4	-64.4	
-85.8	-871.5		J	-60.7	-6.1	-0.4	-64.4	
-316.7	-927.4							
		G1	I	-70.1	0.3	0.7	10.3	
243.1	-99.2		J	-70.1	0.3	1.4	10.3	
-258.5	-230.5							
		G2	I	-27.9	0.7	0.4	-5.0	
113.7	-841.8		J	-27.9	0.7	0.4	-5.0	
-95.6	-1189.1							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	-17.5	0.7	-0.0	-11.9	
-5.5	-1293.4		J	-17.5	0.7	-0.0	-11.9	
5.1	-1617.9							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.6	-1626.4	Q5_ps	I	-16.6	0.9	0.0	-17.0
-0.9	-2084.6		J	-16.6	0.9	0.0	-17.0
933.8	1543.1	INVSLE Max	I	-1874.9	4.6	2.8	38.4
256.4	8543.2		J	-1874.9	4.6	3.8	38.4
-42.7	-22903.4	Min	I	-2057.7	-25.9	-1.1	-501.8
-676.9	-20814.5		J	-2057.7	-25.9	-0.1	-501.8
687.4	253.3	INVSLE Max	I	-1472.5	3.3	2.0	21.8
199.6	5457.5		J	-1472.5	3.3	2.8	21.8
-35.2	-17588.3	Min	I	-1604.9	-19.2	-0.8	-376.7
-491.0	-15949.5		J	-1604.9	-19.2	-0.1	-376.7
1011	2	62 C1-C2;~1 Max	I	8.9	12.6	1.6	298.8
413.4	17426.5		J	8.9	12.6	1.6	298.8
53.4	15320.1	Min	I	-89.7	-6.1	-0.2	-96.0
-53.4	-1634.9		J	-89.7	-6.1	-0.2	-96.0
-362.4	-1459.5						
606.7	12821.6	C3-C4;~1 Max	I	9.3	7.2	2.3	222.2
172.7	11236.4		J	9.3	7.2	2.3	222.2
-131.4	-1812.5	Min	I	-96.2	-2.5	-0.6	-79.0
-531.0	-1580.2		J	-96.2	-2.5	-0.6	-79.0
242.5	12246.8	C1-C2;~2 Max	I	5.1	8.9	0.9	204.8
29.0	10813.0		J	5.1	8.9	0.9	204.8
-29.5	-834.2	Min	I	-54.3	-4.2	-0.1	-61.5
-211.5	-796.9		J	-54.3	-4.2	-0.1	-61.5
380.7	8935.1	C3-C4;~2 Max	I	5.2	4.9	1.5	149.3
119.4	7859.6		J	5.2	4.9	1.5	149.3
-88.2	-927.6	Min	I	-59.0	-1.4	-0.4	-46.8
-331.0	-834.4		J	-59.0	-1.4	-0.4	-46.8
259.4	-230.9	G1	I	-65.6	-0.2	0.7	8.6
-279.3	-131.5		J	-65.6	-0.2	1.5	8.6
		G2	I	-25.8	-0.7	0.5	-12.7


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
119.4	-1189.5		J	-25.8	-0.7	0.5	-12.7
-103.5	-869.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-16.3	-0.7	-0.0	-20.2
-5.1	-1618.2		J	-16.3	-0.7	-0.0	-20.2
3.8	-1265.0						
		Q5_ps	I	-15.4	-0.9	0.0	-28.4
0.3	-2085.0		J	-15.4	-0.9	0.0	-28.4
-1.8	-1621.2						
		INVS LU Max	I	-1798.2	-9.9	3.0	-117.1
984.0	8544.8		J	-1798.2	-9.9	4.0	-117.1
228.2	18815.7						
		Min	I	-1973.0	-36.3	-1.0	-686.5
-21.6	-20817.3		J	-1973.0	-36.3	-0.0	-686.5
-728.8	-6563.1						
		INVS LE Max	I	-1415.0	-8.8	2.2	-99.4
725.5	5458.5		J	-1415.0	-8.8	2.9	-99.4
178.2	13812.4						
		Min	I	-1541.7	-28.3	-0.8	-518.5
-18.7	-15951.6		J	-1541.7	-28.3	-0.0	-518.5
-530.1	-4722.2						
		62 C1-C2;~1 Max	I	8.5	113.6	2.4	555.3
1012	2		J	8.5	113.6	2.4	555.3
604.7	15311.2						
		Min	I	-95.9	-17.6	-0.3	-59.5
64.3	7462.6		J	-95.9	-17.6	-0.3	-59.5
-62.7	-1460.5						
-582.1	-40374.0						
		C3-C4;~1 Max	I	8.9	93.1	3.1	429.7
788.0	11229.3		J	8.9	93.1	3.1	429.7
73.8	7302.7						
		Min	I	-100.3	-16.7	-0.3	-62.4
-60.1	-1580.6		J	-100.3	-16.7	-0.3	-62.4
-749.2	-34677.8						
		C1-C2;~2 Max	I	4.8	77.1	1.5	379.7
370.0	10806.9		J	4.8	77.1	1.5	379.7
33.3	3714.2						
		Min	I	-58.9	-8.8	-0.1	-28.3
-33.4	-797.8		J	-58.9	-8.8	-0.1	-28.3
-356.1	-26945.6						
		C3-C4;~2 Max	I	5.0	63.2	2.0	291.0
503.0	7854.8						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
42.4	3582.7		J	5.0	63.2	2.0	291.0
		Min	I	-62.2	-8.1	-0.1	-28.3
-32.6	-834.8		J	-62.2	-8.1	-0.1	-28.3
-477.4	-23275.2						
		G1	I	-62.5	-4.2	0.9	2.1
285.0	-131.6		J	-62.5	-4.2	1.6	2.1
-313.5	1908.0						
		G2	I	-22.9	-14.4	0.4	-49.0
111.2	-869.0		J	-22.9	-14.4	0.4	-49.0
-95.1	6183.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-11.9	-15.0	-0.1	-59.8
-27.3	-1263.9		J	-11.9	-15.0	-0.1	-59.8
30.6	6055.4						
		Q5_ps	I	-10.2	-20.6	-0.1	-83.5
-31.9	-1619.7		J	-10.2	-20.6	-0.1	-83.5
37.1	8439.9						
		INVSLU Max	I	-1695.2	60.5	4.8	53.0
1306.8	18816.1		J	-1695.2	60.5	5.8	53.0
-138.5	66634.0						
		Min	I	-1864.1	-149.0	0.0	-914.0
109.1	-6548.0		J	-1864.1	-149.0	1.0	-914.0
1304.8	-10994.7						
		INVSLE Max	I	-1337.4	37.1	3.6	17.9
969.6	13813.7		J	-1337.4	37.1	4.3	17.9
-103.7	51645.2						
		Min	I	-1460.9	-114.8	0.0	-685.1
86.1	-4710.3		J	-1460.9	-114.8	0.8	-685.1
-963.6	-4516.1						
		62 C1-C2;~1 Max	I	21.4	111.8	1.8	466.5
1013	2		J	21.4	111.8	1.8	466.5
501.3	45415.9						
		Min	I	-156.0	-37.3	-0.8	-138.3
222.7	3752.3		J	-156.0	-37.3	-0.8	-138.3
-190.8	-15921.4						
		C3-C4;~1 Max	I	22.6	112.0	1.5	454.2
-443.3	-11940.2		J	22.6	112.0	1.5	454.2
410.8	45387.6						
		Min	I	-152.5	-11.3	-1.4	-43.3
375.5	1139.1		J	-152.5	-11.3	-1.4	-43.3
-327.0	-5072.2						


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-358.6	-12026.9								
		C1-C2;~2	Max	I	12.2	72.2	1.1	307.8	
300.9	28912.2			J	12.2	72.2	1.1	307.8	
143.2	2324.8								
			Min	I	-95.1	-21.5	-0.5	-81.1	
-118.9	-9057.8			J	-95.1	-21.5	-0.5	-81.1	
-266.7	-8131.4								
		C3-C4;~2	Max	I	12.7	74.0	0.9	305.4	
243.9	29639.0			J	12.7	74.0	0.9	305.4	
253.0	565.7								
			Min	I	-92.5	-4.9	-0.9	-19.6	
-216.5	-2200.7			J	-92.5	-4.9	-0.9	-19.6	
-212.8	-8313.0								
				G1	I	-104.8	7.1	0.6	38.7
242.4	3051.3			J	-104.8	7.1	1.4	38.7	
-252.3	-561.4								
				G2	I	-41.3	-10.1	0.5	-31.2
130.6	-4531.9			J	-41.3	-10.1	0.5	-31.2	
-106.4	644.3								
				Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
				Q5_pc	I	23.6	-4.9	0.0	-16.9
7.6	-2633.5			J	23.6	-4.9	0.0	-16.9	
-7.7	-118.3								
				Q5_ps	I	22.9	-7.8	0.0	-27.4
6.7	-3900.3			J	22.9	-7.8	0.0	-27.4	
-6.7	92.4								
				INVSLE Max	I	-2304.5	98.9	2.2	1068.4
821.3	40059.0			J	-2304.5	98.9	3.2	1068.4	
568.0	10524.7								
			Min	I	-2588.0	-111.5	-2.2	221.5	
-310.6	-47486.6			J	-2588.0	-111.5	-1.2	221.5	
-551.2	-10990.2								
				INVSLE Max	I	-1792.0	66.8	1.5	772.8
589.1	26366.6			J	-1792.0	66.8	2.3	772.8	
442.8	7788.0								
			Min	I	-1998.9	-88.4	-1.7	147.7	
-248.3	-38130.8			J	-1998.9	-88.4	-1.0	147.7	
-385.2	-8133.2								
		62	C1-C2;~1	Max	I	19.5	6.5	2.0	212.6
1014	2			J	19.5	6.5	2.0	212.6	
542.0	3755.2								

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
128.2	4398.1		Min	I	-142.0	-4.3	-0.4	-95.9
-100.4	-11947.8			J	-142.0	-4.3	-0.4	-95.9
-470.2	-13129.0							
		C3-C4;~1	Max	I	20.6	5.8	2.1	215.3
583.8	1139.1			J	20.6	5.8	2.1	215.3
232.1	1252.2		Min	I	-131.2	-2.9	-0.8	-73.7
-175.0	-12034.6			J	-131.2	-2.9	-0.8	-73.7
-479.4	-13094.3							
		C1-C2;~2	Max	I	11.1	4.4	1.2	143.6
328.1	2326.6			J	11.1	4.4	1.2	143.6
77.2	2723.0		Min	I	-86.2	-2.8	-0.3	-58.8
-56.7	-8136.4			J	-86.2	-2.8	-0.3	-58.8
-283.9	-8880.0							
		C3-C4;~2	Max	I	11.6	3.9	1.3	143.7
364.2	565.5			J	11.6	3.9	1.3	143.7
153.7	606.8		Min	I	-78.8	-1.8	-0.5	-45.3
-111.2	-8318.2			J	-78.8	-1.8	-0.5	-45.3
-295.8	-8990.9							
		G1		I	-97.7	-0.1	0.7	18.0
275.4	-561.1			J	-97.7	-0.1	1.5	18.0
-284.5	-524.4							
		G2		I	-40.2	-0.4	0.4	-5.7
121.7	645.5			J	-40.2	-0.4	0.4	-5.7
-100.8	842.5							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	21.6	-0.2	0.0	-5.2
0.9	-117.9			J	21.6	-0.2	0.0	-5.2
-2.2	-8.4							
		Q5_ps		I	20.7	-0.3	-0.0	-8.7
-3.9	93.0			J	20.7	-0.3	-0.0	-8.7
2.0	250.1							
		INVSLU	Max	I	-2249.3	12.1	2.2	676.1
829.5	10527.4			J	-2249.3	12.1	3.2	676.1
401.5	9660.9		Min	I	-2507.8	-2.8	-1.7	246.8
-196.4	-11001.2			J	-2507.8	-2.8	-0.7	246.8
-562.9	-14015.8							

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

607.5	7790.5	INVSLE Max	I	-1750.3	7.8	1.6	488.5
			J	-1750.3	7.8	2.4	488.5
310.9	7774.7						
		Min	I	-1938.9	-3.3	-1.3	171.1
-152.4	-8140.9		J	-1938.9	-3.3	-0.5	171.1
-403.2	-9762.5						
1015	2	62 C1-C2;~1 Max	I	18.0	4.5	2.1	175.1
573.2	4397.4		J	18.0	4.5	2.1	175.1
112.2	3579.9						
		Min	I	-133.6	-10.1	-0.4	-105.0
-92.4	-13126.4		J	-133.6	-10.1	-0.4	-105.0
-497.7	-10101.3						
		C3-C4;~1 Max	I	19.0	2.7	2.2	177.1
617.3	1252.2		J	19.0	2.7	2.2	177.1
211.1	1173.4						
		Min	I	-122.3	-9.6	-0.7	-96.8
-155.9	-13091.6		J	-122.3	-9.6	-0.7	-96.8
-516.1	-10032.0						
		C1-C2;~2 Max	I	10.3	2.8	1.3	118.9
347.2	2722.6		J	10.3	2.8	1.3	118.9
66.3	2247.2						
		Min	I	-81.1	-6.9	-0.2	-69.8
-51.6	-8878.3		J	-81.1	-6.9	-0.2	-69.8
-300.1	-6914.5						
		C3-C4;~2 Max	I	10.7	1.6	1.4	117.1
385.2	606.9		J	10.7	1.6	1.4	117.1
139.1	611.3						
		Min	I	-73.4	-6.5	-0.5	-62.0
-97.8	-8989.2		J	-73.4	-6.5	-0.5	-62.0
-319.0	-6959.3						
		G1	I	-91.9	-0.5	0.8	15.3
294.9	-524.0		J	-91.9	-0.5	1.6	15.3
-306.4	-265.0						
		G2	I	-37.9	0.5	0.5	-0.1
129.0	842.4		J	-37.9	0.5	0.5	-0.1
-108.6	606.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	20.9	0.2	0.0	-2.5
1.5	-8.6		J	20.9	0.2	0.0	-2.5
-2.4	-113.7						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-3.7	249.8	Q5_ps	I	20.0	0.4	-0.0	-4.6
2.4	69.1		J	20.0	0.4	-0.0	-4.6
1026.3	9659.1	INVS LU Max	I	-2170.4	16.7	2.8	466.5
297.3	3340.8		J	-2170.4	16.7	3.9	466.5
-20.1	-14013.4	Min	I	-2414.0	-3.4	-1.1	81.0
-688.7	-15333.3		J	-2414.0	-3.4	-0.1	81.0
754.9	7773.2	INVS LE Max	I	-1691.4	12.3	2.1	338.2
231.9	3105.3		J	-1691.4	12.3	2.8	338.2
-20.0	-9760.9	Min	I	-1869.1	-2.6	-0.9	53.0
-498.2	-10712.3		J	-1869.1	-2.6	-0.1	53.0
1016	2	62 C1-C2;~1 Max	I	16.5	5.1	2.2	150.0
595.7	3579.8		J	16.5	5.1	2.2	150.0
102.5	3242.4	Min	I	-126.1	-7.3	-0.4	-126.4
-91.7	-10101.2		J	-126.1	-7.3	-0.4	-126.4
-524.1	-8981.1						
636.2	1173.3	C3-C4;~1 Max	I	17.4	4.4	2.3	150.6
202.7	1205.3		J	17.4	4.4	2.3	150.6
-149.4	-10032.0	Min	I	-115.2	-6.8	-0.7	-118.9
-539.9	-8902.4		J	-115.2	-6.8	-0.7	-118.9
360.3	2247.1	C1-C2;~2 Max	I	9.4	3.2	1.3	101.9
59.6	2045.4		J	9.4	3.2	1.3	101.9
-51.5	-6914.5	Min	I	-76.8	-5.0	-0.2	-84.3
-315.8	-6193.0		J	-76.8	-5.0	-0.2	-84.3
395.9	611.3	C3-C4;~2 Max	I	9.8	2.9	1.4	98.3
133.3	654.6		J	9.8	2.9	1.4	98.3
-93.3	-6959.3	Min	I	-69.3	-4.6	-0.4	-77.7
-333.0	-6219.3		J	-69.3	-4.6	-0.4	-77.7
313.7	-265.1	G1	I	-85.8	-0.2	0.9	13.8
-327.7	-164.7		J	-85.8	-0.2	1.6	13.8
136.6	606.5	G2	I	-35.4	0.2	0.5	4.4


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-117.0	516.9		J	-35.4	0.2	0.5	4.4
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
1.6	-113.8	Q5_pc	I	19.9	0.1	0.0	-0.6
-2.2	-152.7		J	19.9	0.1	0.0	-0.6
-4.0	69.0	Q5_ps	I	19.1	0.1	-0.0	-1.5
3.0	-0.1		J	19.1	0.1	-0.0	-1.5
1009.5	3340.6	INVS LU Max	I	-2083.6	11.7	2.9	275.8
283.1	531.0		J	-2083.6	11.7	3.9	275.8
-53.9	-15333.5	Min	I	-2313.7	-5.2	-1.2	-99.2
-723.4	-16245.6		J	-2313.7	-5.2	-0.1	-99.2
741.8	3105.1	INVS LE Max	I	-1627.2	8.7	2.1	200.9
221.7	999.4		J	-1627.2	8.7	2.9	200.9
-45.7	-10712.4	Min	I	-1794.7	-3.8	-0.9	-76.9
-523.5	-11407.3		J	-1794.7	-3.8	-0.1	-76.9
1017	2	62 C1-C2;~1 Max	I	15.2	6.9	2.3	131.3
611.1	3242.3		J	15.2	6.9	2.3	131.3
93.6	3436.5	Min	I	-120.0	-4.7	-0.3	-145.5
-90.8	-8981.1		J	-120.0	-4.7	-0.3	-145.5
-545.0	-9861.9						
645.8	1205.2	C3-C4;~1 Max	I	16.0	6.6	2.3	131.3
198.0	1258.1		J	16.0	6.6	2.3	131.3
-145.8	-8902.5	Min	I	-109.0	-4.3	-0.7	-136.0
-555.0	-9746.7		J	-109.0	-4.3	-0.7	-136.0
368.8	2045.3	C1-C2;~2 Max	I	8.7	4.8	1.4	89.2
53.4	2164.7		J	8.7	4.8	1.4	89.2
-51.2	-6193.0	Min	I	-73.3	-3.3	-0.2	-97.3
-327.8	-6786.0		J	-73.3	-3.3	-0.2	-97.3
400.6	654.6	C3-C4;~2 Max	I	9.0	4.5	1.5	84.6
			J	9.0	4.5	1.5	84.6

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
130.1	688.6		Min	I	-65.8	-2.8	-0.4	-89.3
-90.9	-6219.4			J	-65.8	-2.8	-0.4	-89.3
-341.2	-6799.6							
		G1		I	-80.4	0.1	0.9	13.2
328.9	-164.8			J	-80.4	0.1	1.7	13.2
-346.6	-200.5							
		G2		I	-33.1	-0.2	0.5	7.8
143.3	516.8			J	-33.1	-0.2	0.5	7.8
-125.1	613.3							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	18.8	-0.1	0.0	0.8
1.6	-152.8			J	18.8	-0.1	0.0	0.8
-2.1	-123.0							
		Q5_ps		I	18.1	-0.1	-0.0	0.7
-4.2	-0.2			J	18.1	-0.1	-0.0	0.7
3.4	50.7							
		INVSLU Max		I	-1990.1	5.9	3.0	115.4
1028.7	530.9			J	-1990.1	5.9	4.0	115.4
272.2	2519.9		Min	I	-2208.3	-9.8	-1.1	-259.8
-43.0	-16245.7			J	-2208.3	-9.8	-0.1	-259.8
-748.2	-15654.4							
		INVSLE Max		I	-1557.7	4.2	2.2	85.4
755.2	999.4			J	-1557.7	4.2	2.9	85.4
214.5	2541.9		Min	I	-1716.3	-7.4	-0.9	-192.4
-38.4	-11407.3			J	-1716.3	-7.4	-0.1	-192.4
-541.1	-10904.1							
		62 C1-C2;~1 Max		I	14.0	9.3	2.3	128.6
1018	2			J	14.0	9.3	2.3	128.6
625.8	3436.6							
			Min	I	-114.9	-4.3	-0.3	-173.8
86.0	4105.8			J	-114.9	-4.3	-0.3	-173.8
-89.5	-9862.0							
-565.5	-12462.1							
		C3-C4;~1 Max		I	14.8	9.0	2.4	105.0
658.8	1258.1			J	14.8	9.0	2.4	105.0
188.2	1241.6		Min	I	-103.8	-2.6	-0.6	-161.2
-137.5	-9746.8			J	-103.8	-2.6	-0.6	-161.2
-572.6	-12369.8							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

377.1	2164.8	C1-C2;~2	Max	I	8.0	6.4	1.4	79.8
				J	8.0	6.4	1.4	79.8
48.1	2559.3		Min	I	-70.4	-2.7	-0.2	-116.6
-50.7	-6786.0			J	-70.4	-2.7	-0.2	-116.6
-339.8	-8516.0							
407.8	688.6	C3-C4;~2	Max	I	8.3	6.1	1.5	66.0
				J	8.3	6.1	1.5	66.0
123.3	632.8		Min	I	-62.8	-1.6	-0.4	-108.9
-85.2	-6799.6			J	-62.8	-1.6	-0.4	-108.9
-351.2	-8583.8							
		G1		I	-75.8	0.3	1.0	12.1
343.7	-200.5			J	-75.8	0.3	1.8	12.1
-365.6	-344.7							
		G2		I	-31.1	-0.5	0.6	12.3
149.0	613.3			J	-31.1	-0.5	0.6	12.3
-132.7	864.7							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	17.7	-0.1	0.0	2.5
1.4	-123.1			J	17.7	-0.1	0.0	2.5
-1.7	-47.3							
		Q5_ps		I	17.1	-0.3	-0.0	3.4
-4.7	50.6			J	17.1	-0.3	-0.0	3.4
4.2	187.6							
		INVS LU	Max	I	-1889.1	4.5	3.1	-0.7
1045.3	2520.1			J	-1889.1	4.5	4.1	-0.7
231.5	7545.2		Min	I	-2096.9	-14.2	-1.0	-413.3
-32.2	-15654.5			J	-2096.9	-14.2	0.0	-413.3
-798.5	-14906.7							
		INVS LE	Max	I	-1482.4	3.3	2.2	3.1
766.9	2542.0			J	-1482.4	3.3	3.0	3.1
185.4	6292.6		Min	I	-1633.4	-10.5	-0.8	-302.2
-31.0	-10904.2			J	-1633.4	-10.5	-0.0	-302.2
-577.4	-10332.1							
1019	2	62 C1-C2;~1	Max	I	13.1	4.5	2.4	122.1
648.9	4106.2			J	13.1	4.5	2.4	122.1
85.2	3514.3							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-88.9	-12464.4		Min	I	-111.6	-6.2	-0.3	-214.9
				J	-111.6	-6.2	-0.3	-214.9
-595.3	-11462.2							
		C3-C4;~1	Max	I	13.8	3.2	2.5	78.6
685.0	1241.4			J	13.8	3.2	2.5	78.6
165.3	1088.6							
			Min	I	-100.6	-5.6	-0.6	-203.3
-124.5	-12372.1			J	-100.6	-5.6	-0.6	-203.3
-603.4	-11569.6							
		C1-C2;~2	Max	I	7.5	2.9	1.5	74.3
390.9	2559.6			J	7.5	2.9	1.5	74.3
48.0	2183.8							
			Min	I	-68.6	-4.3	-0.2	-144.3
-50.4	-8517.5			J	-68.6	-4.3	-0.2	-144.3
-357.8	-7865.2							
		C3-C4;~2	Max	I	7.8	2.0	1.6	46.9
423.7	632.7			J	7.8	2.0	1.6	46.9
106.7	554.3							
			Min	I	-61.1	-3.8	-0.4	-137.8
-75.7	-8585.3			J	-61.1	-3.8	-0.4	-137.8
-370.1	-8026.5							
		G1		I	-71.7	0.0	1.1	10.1
359.1	-345.2			J	-71.7	0.0	1.8	10.1
-385.9	-358.4							
		G2		I	-29.1	0.3	0.6	18.0
153.8	864.8			J	-29.1	0.3	0.6	18.0
-139.5	707.7							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	16.9	0.0	-0.0	4.4
-0.6	-47.4			J	16.9	0.0	-0.0	4.4
1.0	-68.7							
		Q5_ps		I	16.5	0.1	-0.0	6.8
-7.3	187.7			J	16.5	0.1	-0.0	6.8
7.5	130.2							
		INVSLU	Max	I	-1783.6	7.3	3.2	-90.3
1069.2	7547.8			J	-1783.6	7.3	4.2	-90.3
206.2	6161.4							
			Min	I	-1984.6	-7.2	-1.0	-553.2
-24.9	-14907.9			J	-1984.6	-7.2	0.1	-553.2
-833.3	-14325.6							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
785.6	6294.7	INVSLE Max	I	-1403.8	6.5	2.3	-58.5
			J	-1403.8	6.5	3.1	-58.5
166.1	4669.3	Min	I	-1549.7	-4.2	-0.8	-400.7
-24.7	-10332.8		J	-1549.7	-4.2	0.0	-400.7
-603.8	-10497.1						
1020	2	62 C1-C2;~1 Max	I	12.2	33.0	2.8	158.0
736.5	3512.2		J	12.2	33.0	2.8	158.0
97.3	37423.0	Min	I	-108.6	-95.5	-0.4	-428.5
-97.9	-11454.6		J	-108.6	-95.5	-0.4	-428.5
-699.9	-14619.3						
		C3-C4;~1 Max	I	12.9	11.0	3.2	50.7
847.2	1088.8		J	12.9	11.0	3.2	50.7
95.5	37451.8	Min	I	-103.8	-95.5	-0.4	-423.6
-97.7	-11562.7		J	-103.8	-95.5	-0.4	-423.6
-800.9	-4927.8						
		C1-C2;~2 Max	I	7.0	19.4	1.7	93.1
447.6	2182.5		J	7.0	19.4	1.7	93.1
53.1	24388.2	Min	I	-67.1	-63.1	-0.2	-284.3
-54.1	-7860.3		J	-67.1	-63.1	-0.2	-284.3
-424.6	-8647.7						
		C3-C4;~2 Max	I	7.2	5.0	2.0	24.1
530.8	554.6		J	7.2	5.0	2.0	24.1
52.3	25020.1	Min	I	-63.5	-64.4	-0.2	-286.4
-53.9	-8021.8		J	-63.5	-64.4	-0.2	-286.4
-500.2	-2315.4						
		G1	I	-68.8	-4.0	1.2	-1.9
383.8	-358.0		J	-68.8	-4.0	2.0	-1.9
-418.5	1675.8						
		G2	I	-26.4	10.0	0.5	44.1
146.1	706.9		J	-26.4	10.0	0.5	44.1
-131.8	-4423.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	14.7	2.3	-0.0	10.7
-3.1	-69.1		J	14.7	2.3	-0.0	10.7
3.9	-1224.9						
		Q5_ps	I	14.5	4.6	-0.1	18.9


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-12.4	129.6			J	14.5	4.6	-0.1	18.9
13.5	-2211.9							
1377.3	6156.0	INVS LU	Max	I	-1717.2	113.2	4.6	-13.8
				J	-1717.2	113.2	5.6	-13.8
5.9	18998.9		Min	I	-1908.4	-64.4	-0.3	-824.7
95.8	-14319.6			J	-1908.4	-64.4	0.7	-824.7
1213.7	-53502.0							-
1020.6	4664.8	INVS LE	Max	I	-1354.1	90.1	3.4	3.9
				J	-1354.1	90.1	4.1	3.9
8.5	10845.8		Min	I	-1493.2	-41.2	-0.3	-595.3
71.8	-10493.1			J	-1493.2	-41.2	0.5	-595.3
-894.4	-42695.3							
1021	2	70 C1-C2;~1	Max	I	144.9	141.2	3.1	705.3
785.4	65475.2			J	144.9	141.2	3.1	705.3
149.8	9074.8		Min	I	-273.7	-53.0	-0.6	-205.4
-172.2	-24500.9			J	-273.7	-53.0	-0.6	-205.4
-757.5	-11104.0							
659.2	64279.5	C3-C4;~1	Max	I	143.6	140.6	2.6	710.1
				J	143.6	140.6	2.6	710.1
301.8	8757.9		Min	I	-274.7	-18.4	-1.2	-63.6
-296.0	-8948.4			J	-274.7	-18.4	-1.2	-63.6
-634.5	-11582.6							
478.8	42708.8	C1-C2;~2	Max	I	82.6	92.9	1.9	480.3
				J	82.6	92.9	1.9	480.3
95.8	6290.7		Min	I	-168.5	-31.2	-0.4	-124.0
-108.2	-14155.0			J	-168.5	-31.2	-0.4	-124.0
-463.0	-7684.8							
392.9	42531.6	C3-C4;~2	Max	I	81.8	93.9	1.5	489.9
				J	81.8	93.9	1.5	489.9
206.8	5833.6		Min	I	-166.1	-8.8	-0.8	-30.4
-198.2	-4260.4			J	-166.1	-8.8	-0.8	-30.4
-378.7	-7861.5							
483.6	-706.7	G1		I	-52.7	-0.8	1.6	3.3
				J	-52.7	-0.8	2.5	3.3
-547.1	-324.0							
222.1	-6160.1	G2		I	-16.7	-12.4	0.9	-43.0
				J	-16.7	-12.4	0.9	-43.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-214.4	47.8						
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc	I	17.2	-4.3	0.0
13.2	-2767.1			J	17.2	-4.3	0.0
-11.8	-597.3						
			Q5_ps	I	17.7	-8.5	0.0
12.5	-4784.8			J	17.7	-8.5	0.0
-10.5	-536.2						
			INVS LU Max	I	-462.2	123.6	2.7
872.2	62339.9			J	-462.2	123.6	3.9
661.8	19811.6		Min	I	-1059.6	-146.3	-3.2
-611.3	-64108.7			J	-1059.6	-146.3	-1.9
-789.6	-9151.1						
			INVS LE Max	I	-407.9	86.4	1.8
593.4	44223.3			J	-407.9	86.4	2.7
546.2	15328.4		Min	I	-848.2	-113.0	-2.6
-503.7	-49073.4			J	-848.2	-113.0	-1.6
-527.4	-6045.8						
1022	2	70	C1-C2;~1 Max	I	177.0	33.6	3.9
992.3	9072.2			J	177.0	33.6	3.9
163.6	12490.3		Min	I	-317.1	-12.7	-0.7
-167.8	-11110.8			J	-317.1	-12.7	-0.7
-976.8	-23001.4						
			C3-C4;~1 Max	I	175.0	34.6	4.2
1069.9	8754.8			J	175.0	34.6	4.2
195.5	10496.7		Min	I	-304.4	-8.2	-0.7
-169.0	-11589.8			J	-304.4	-8.2	-0.7
1021.0	-23598.7						
			C1-C2;~2 Max	I	100.8	23.1	2.4
609.6	6288.9			J	100.8	23.1	2.4
93.0	8154.3		Min	I	-194.9	-7.9	-0.4
-95.4	-7689.6			J	-194.9	-7.9	-0.4
-598.2	-15834.5						
			C3-C4;~2 Max	I	99.6	23.5	2.6
661.5	5831.4			J	99.6	23.5	2.6
116.6	6934.4						


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-96.3	-7866.6		Min	I	-183.1	-5.0	-0.4	-54.7	
				J	-183.1	-5.0	-0.4	-54.7	
-626.2	-16139.8								
			G1	I	-52.2	-0.2	1.8	2.2	
532.7	-323.4			J	-52.2	-0.2	2.7	2.2	
-608.9	-239.0								
			G2	I	-17.2	-1.7	0.9	-14.5	
216.0	48.9			J	-17.2	-1.7	0.9	-14.5	
-215.9	925.8								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	14.7	-0.4	0.0	-8.3	
-0.1	-597.1			J	14.7	-0.4	0.0	-8.3	
-0.6	-413.4								
			Q5_ps	I	15.2	-1.0	-0.0	-14.4	
-6.9	-535.7			J	15.2	-1.0	-0.0	-14.4	
6.3	-24.5								
			INVSLU Max	I	-200.7	33.7	3.1	364.6	
980.2	19814.2			J	-200.7	33.7	4.4	364.6	
741.9	30997.8								
			Min	I	-894.3	-30.9	-3.5	-397.2	
-692.6	-9154.3			J	-894.3	-30.9	-2.2	-397.2	
-901.6	-18466.4								
			INVSLE Max	I	-205.7	24.0	2.0	255.7	
663.4	15330.8			J	-205.7	24.0	3.0	255.7	
625.4	24093.1								
			Min	I	-717.4	-23.8	-2.8	-307.5	
-575.7	-6047.8			J	-717.4	-23.8	-1.9	-307.5	
-591.9	-12491.9								
1023	2	70	C1-C2;~1 Max	I	234.4	34.8	5.3	391.6	
1307.3	12490.7			J	234.4	34.8	5.3	391.6	
364.3	18806.2								
			Min	I	-411.2	-17.2	-1.4	-147.2	
-321.7	-23001.2			J	-411.2	-17.2	-1.4	-147.2	-
1379.3	-39527.3								
			C3-C4;~1 Max	I	231.5	37.1	5.6	400.8	
1380.9	10498.0			J	231.5	37.1	5.6	400.8	
362.2	18343.5								
			Min	I	-401.1	-16.8	-1.4	-106.9	
-319.9	-23598.8			J	-401.1	-16.8	-1.4	-106.9	-
1427.1	-41380.9								


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
803.4	8154.6	C1-C2;~2 Max	I	133.6	24.7	3.3	273.2
			J	133.6	24.7	3.3	273.2
207.2	13113.9						
		Min	I	-253.0	-12.0	-0.8	-93.6
-183.0	-15834.4		J	-253.0	-12.0	-0.8	-93.6
-844.4	-27624.0						
		C3-C4;~2 Max	I	131.8	26.1	3.4	276.7
850.0	6935.3		J	131.8	26.1	3.4	276.7
206.0	12334.7						
		Min	I	-242.6	-11.3	-0.8	-66.5
-182.0	-16139.9		J	-242.6	-11.3	-0.8	-66.5
-871.5	-28753.9						
		G1	I	-60.4	0.3	2.1	2.3
594.5	-239.1		J	-60.4	0.3	3.0	2.3
-696.8	-405.7						
		G2	I	-18.9	-0.1	1.0	-9.8
235.8	925.7		J	-18.9	-0.1	1.0	-9.8
-243.4	976.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	14.2	0.6	-0.0	-7.5
-2.0	-413.5		J	14.2	0.6	-0.0	-7.5
2.2	-739.8						
		Q5_ps	I	15.2	0.4	-0.0	-12.2
-10.6	-24.7		J	15.2	0.4	-0.0	-12.2
11.5	-233.9						
		INVSLU Max	I	180.9	57.5	3.2	392.9
1024.4	30997.1		J	180.9	57.5	4.4	392.9
1545.5	36363.0						
		Min	I	-716.4	-16.9	-6.2	-360.3
1277.7	-18468.0		J	-716.4	-16.9	-5.0	-360.3
-877.0	-46221.2						
		INVSLE Max	I	92.6	43.3	1.9	280.1
656.0	24092.5		J	92.6	43.3	2.8	280.1
1278.9	27689.8						
		Min	I	-570.1	-11.8	-5.1	-276.9
1048.9	-12493.2		J	-570.1	-11.8	-4.2	-276.9
-515.2	-33385.0						
		70 C1-C2;~1 Max	I	340.3	44.4	7.6	415.6
1024	2		J	340.3	44.4	7.6	415.6
1739.2	18807.4						
		Min	I	-595.0	-14.1	-2.5	-174.3
695.8	23235.9						


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-537.0	-39530.2			J	-595.0	-14.1	-2.5	-174.3	-
2054.1	-55090.1								
1771.0	18344.5	C3-C4;~1	Max	I	335.6	48.7	7.6	433.2	
				J	335.6	48.7	7.6	433.2	
688.5	22240.8		Min	I	-587.7	-13.5	-2.4	-152.3	
-531.8	-41383.9			J	-587.7	-13.5	-2.4	-152.3	-
2057.5	-56945.8								
1074.1	13114.8	C1-C2;~2	Max	I	193.9	31.5	4.7	292.6	
				J	193.9	31.5	4.7	292.6	
396.4	16131.1		Min	I	-365.5	-9.7	-1.4	-116.8	
-305.8	-27626.1			J	-365.5	-9.7	-1.4	-116.8	-
1263.7	-38533.5								
1087.4	12335.5	C3-C4;~2	Max	I	191.1	34.4	4.7	301.4	
				J	191.1	34.4	4.7	301.4	
392.1	14881.5		Min	I	-355.9	-8.9	-1.4	-97.3	
-302.8	-28756.0			J	-355.9	-8.9	-1.4	-97.3	-
1253.8	-39581.6								
653.4	-405.7		G1	I	-88.4	0.7	2.5	0.3	
				J	-88.4	0.7	3.4	0.3	
-821.2	-773.6								
258.0	976.9		G2	I	-27.1	-0.4	1.1	-5.6	
				J	-27.1	-0.4	1.1	-5.6	
-286.4	1154.9								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
-4.6	-739.8		Q5_pc	I	14.2	1.0	-0.0	-8.9	
				J	14.2	1.0	-0.0	-8.9	
6.2	-1224.5								
-15.5	-234.0		Q5_ps	I	16.2	0.6	-0.1	-11.6	
				J	16.2	0.6	-0.1	-11.6	
19.0	-510.4								
769.1	36364.5		INVSLU Max	I	799.2	80.1	1.8	482.6	
				J	799.2	80.1	3.0	482.6	
3298.3	36024.1		Min	I	-489.0	-6.5	-11.9	-353.6	-
2355.0	-46225.5			J	-489.0	-6.5	-10.6	-353.6	
-429.9	-74425.3								
			INVSLE Max	I	582.4	60.6	0.4	348.7	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
393.0	27690.9			J	582.4	60.6	1.4	348.7	
2703.7	26759.3		Min	I	-369.9	-3.5	-9.7	-269.5	-
1920.5	-33388.2			J	-369.9	-3.5	-8.7	-269.5	
-57.1	-54891.8								
1025	2	70	C1-C2;~1	Max	I	440.7	96.8	20.6	650.3
5042.1	23235.0			J	440.7	96.8	20.6	650.3	
1348.0	22337.0		Min	I	-741.3	-57.4	-5.5	-517.7	-
1420.3	-55089.9			J	-741.3	-57.4	-5.5	-517.7	-
5315.6	-64608.8								
			C3-C4;~1	Max	I	434.1	98.0	20.0	677.5
4896.8	22240.0			J	434.1	98.0	20.0	677.5	
1332.6	14670.4		Min	I	-710.8	-51.7	-5.4	-489.9	-
1402.5	-56945.4			J	-710.8	-51.7	-5.4	-489.9	-
5124.0	-66641.3								
			C1-C2;~2	Max	I	251.1	68.9	13.1	456.1
3202.3	16130.4			J	251.1	68.9	13.1	456.1	
767.2	14649.8		Min	I	-459.4	-39.9	-3.1	-354.2	
-808.4	-38533.3			J	-459.4	-39.9	-3.1	-354.2	-
3355.2	-45568.5								
			C3-C4;~2	Max	I	247.1	68.7	12.5	466.6
3065.6	14881.0			J	247.1	68.7	12.5	466.6	
758.1	9468.1		Min	I	-431.8	-34.6	-3.1	-326.3	
-797.8	-39581.3			J	-431.8	-34.6	-3.1	-326.3	-
3185.9	-46850.4								
			G1	I	-65.6	0.2	6.7	0.9	
1607.9	-773.7			J	-65.6	0.2	7.7	0.9	-
2008.7	-849.3								
			G2	I	-18.7	-0.8	2.6	0.7	
589.3	1154.9			J	-18.7	-0.8	2.6	0.7	
-720.4	1568.3								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	14.3	-0.2	0.1	-1.2	
17.1	-1224.5			J	14.3	-0.2	0.1	-1.2	
-52.0	-1120.0								
			Q5_ps	I	16.9	-0.5	0.0	-1.5	
-13.1	-510.4								

MIDAS

PROJECT TITLE :

		Company		Client			
		Author		File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-14.8	-278.4		J	16.9	-0.5	0.0	-1.5
2484.5	36022.3	INVS LU Max	I	1417.6	145.9	11.0	701.2
5715.8	27969.3		J	1417.6	145.9	12.3	701.2
6270.5	-74425.5	Min	I	-203.9	-64.2	-24.5	-914.6
3373.7	-94167.4		J	-203.9	-64.2	-23.2	-914.6
1371.1	26757.9	INVS LE Max	I	1070.4	109.4	6.3	498.6
4684.3	20164.8		J	1070.4	109.4	7.3	498.6
5111.8	-54892.0	Min	I	-128.8	-46.3	-20.0	-698.1
2041.8	-70157.5		J	-128.8	-46.3	-19.0	-698.1
1026	2	70 C1-C2;~1 Max	I	460.3	80.4	21.9	553.8
5567.0	22337.0		J	460.3	80.4	21.9	553.8
1076.5	26541.0	Min	I	-648.9	-70.8	-4.6	-693.8
1233.6	-64608.4		J	-648.9	-70.8	-4.6	-693.8
5450.3	-64029.8						
5226.7	14670.7	C3-C4;~1 Max	I	452.6	79.4	20.6	570.4
1064.2	20403.6		J	452.6	79.4	20.6	570.4
1219.0	-66640.9	Min	I	-625.4	-65.5	-4.5	-687.2
5123.4	-67707.9		J	-625.4	-65.5	-4.5	-687.2
3502.2	14649.8	C1-C2;~2 Max	I	262.3	57.2	13.8	386.2
611.5	17455.6		J	262.3	57.2	13.8	386.2
-701.6	-45568.2	Min	I	-404.8	-49.1	-2.6	-476.9
3418.5	-45210.1		J	-404.8	-49.1	-2.6	-476.9
3225.5	9468.3	C3-C4;~2 Max	I	257.6	55.3	12.7	388.4
604.4	13294.7		J	257.6	55.3	12.7	388.4
-693.0	-46850.1	Min	I	-383.0	-44.1	-2.6	-465.4
3155.3	-47547.3		J	-383.0	-44.1	-2.6	-465.4
2218.4	-849.4	G1	I	34.0	-0.3	8.8	-3.1
2411.7	-723.2		J	34.0	-0.3	9.7	-3.1
842.7	1568.3	G2	I	20.3	0.7	3.5	12.4
-890.4	1219.4		J	20.3	0.7	3.5	12.4

MIDAS


PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
			J	0.0	0.0	0.0	0.0	
0.0	0.0							
112.4	-1120.0	Q5_pc	I	12.6	0.1	0.5	4.0	
			J	12.6	0.1	0.5	4.0	
-141.0	-1146.0							
66.2	-278.4	Q5_ps	I	14.3	0.5	0.3	8.9	
			J	14.3	0.5	0.3	8.9	
-91.5	-529.2							
4569.2	27968.6	INVS LU Max	I	1660.5	124.7	18.6	677.3	
			J	1660.5	124.7	19.8	677.3	
3995.7	25607.2							
4813.9	-94167.6	Min	I	140.4	-79.5	-18.2	-1036.7	-
			J	140.4	-79.5	-16.9	-1036.7	-
5069.4	-103691.6							
2997.0	20164.2	INVS LE Max	I	1251.7	93.5	12.3	487.3	
			J	1251.7	93.5	13.2	487.3	
3296.3	17805.6							
3938.5	-70157.7	Min	I	127.4	-57.7	-14.9	-781.8	-
			J	127.4	-57.7	-13.9	-781.8	-
3399.8	-77818.5							
1027	2	70 C1-C2;~1 Max	I	485.9	47.2	22.3	448.3	
5658.4	26542.3		J	485.9	47.2	22.3	448.3	
914.4	39737.4							
1043.4	-64029.1	Min	I	-594.5	-98.8	-3.9	-830.2	-
			J	-594.5	-98.8	-3.9	-830.2	-
5520.7	-49970.5							
5269.7	20404.5	C3-C4;~1 Max	I	477.0	32.2	20.7	432.1	
			J	477.0	32.2	20.7	432.1	
901.1	38080.3							
1028.3	-67709.3	Min	I	-575.1	-96.3	-3.8	-850.3	-
			J	-575.1	-96.3	-3.8	-850.3	-
5149.7	-52956.4							
3543.9	17456.4	C1-C2;~2 Max	I	276.9	30.5	13.9	309.6	
			J	276.9	30.5	13.9	309.6	
518.0	27077.8							
-592.2	-45209.6	Min	I	-375.1	-68.0	-2.2	-571.4	
			J	-375.1	-68.0	-2.2	-571.4	-
3448.0	-35249.1							
3238.2	13295.2	C3-C4;~2 Max	I	271.5	20.6	12.7	287.2	
			J	271.5	20.6	12.7	287.2	
510.4	25346.3							
		Min	I	-356.5	-65.6	-2.2	-580.5	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-583.4	-47548.3		J	-356.5	-65.6	-2.2	-580.5	-
3158.9	-36857.3							
		G1	I	121.0	-0.8	9.8	-6.4	
2491.1	-722.8		J	121.0	-0.8	10.7	-6.4	-
2640.3	-323.6							
		G2	I	54.8	4.2	3.9	23.9	
955.7	1219.5		J	54.8	4.2	3.9	23.9	
-986.7	-913.8							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	10.2	0.9	0.8	7.1	
183.2	-1145.9		J	10.2	0.9	0.8	7.1	
-205.7	-1597.7							
		Q5_ps	I	11.3	2.7	0.6	16.5	
128.3	-529.2		J	11.3	2.7	0.6	16.5	
-148.5	-1880.7							
		INVS LU Max	I	1930.4	81.9	22.3	647.0	
5647.0	25608.3		J	1930.4	81.9	23.6	647.0	
3172.3	35111.7							
		Min	I	453.4	-116.8	-14.4	-1118.9	-
3730.1	-103694.0		J	453.4	-116.8	-13.1	-1118.9	-
5885.3	-92900.9							
		INVS LE Max	I	1455.2	61.4	15.3	471.7	
3862.6	17806.4		J	1455.2	61.4	16.2	471.7	
2623.2	24435.4							
		Min	I	362.5	-85.7	-11.8	-835.4	-
3059.0	-77820.3		J	362.5	-85.7	-10.9	-835.4	-
4058.7	-70175.7							
1028	2	70 C1-C2;~1 Max	I	507.7	69.9	22.6	453.8	
5770.6	39741.7		J	507.7	69.9	22.6	453.8	
809.7	89755.5							
		Min	I	-526.2	-218.2	-3.5	-1199.6	
-925.6	-49965.4		J	-526.2	-218.2	-3.5	-1199.6	-
5596.7	-31264.0							
		C3-C4;~1 Max	I	498.1	17.9	22.2	297.5	
5652.0	38085.1		J	498.1	17.9	22.2	297.5	
789.5	86742.3							
		Min	I	-505.5	-215.4	-3.4	-1226.2	
-903.8	-52951.2		J	-505.5	-215.4	-3.4	-1226.2	-
5498.0	-10107.3							
		C1-C2;~2 Max	I	289.3	43.2	14.1	288.4	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
3609.9	27080.5			J	289.3	43.2	14.1	288.4	
456.1	59158.5		Min	I	-335.5	-148.9	-1.9	-830.7	
-522.9	-35245.3			J	-335.5	-148.9	-1.9	-830.7	-
3494.8	-18191.9								
			C3-C4;~2 Max	I	283.4	8.0	13.7	187.8	
3487.6	25349.6			J	283.4	8.0	13.7	187.8	
445.3	58055.3		Min	I	-316.9	-148.8	-1.9	-841.1	
-511.1	-36853.2			J	-316.9	-148.8	-1.9	-841.1	-
3390.2	-4458.7								
			G1	I	205.5	-2.5	10.2	-10.8	
2623.4	-325.8			J	205.5	-2.5	11.1	-10.8	-
2721.5	952.7								
			G2	I	87.6	12.6	3.9	47.0	
973.8	-915.6			J	87.6	12.6	3.9	47.0	
-984.1	-7226.7								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	3.4	2.5	1.0	10.2	
231.4	-1598.4			J	3.4	2.5	1.0	10.2	
-247.8	-2831.7								
			Q5_ps	I	4.2	7.4	0.7	26.7	
163.1	-1881.7			J	4.2	7.4	0.7	26.7	
-178.2	-5580.6								
			INVSLU Max	I	2187.8	124.6	26.3	771.3	
6569.2	35117.3			J	2187.8	124.6	27.5	771.3	
2150.9	89668.1		Min	I	785.9	-268.8	-10.7	-1515.0	-
2887.2	-92895.2			J	785.9	-268.8	-9.4	-1515.0	-
6943.7	-78805.4								
			INVSLE Max	I	1648.8	92.7	18.4	568.7	
4598.0	24439.7			J	1648.8	92.7	19.4	568.7	
1807.8	64485.2		Min	I	610.8	-198.4	-8.8	-1123.4	-
2375.8	-70171.3			J	610.8	-198.4	-7.9	-1123.4	-
4896.0	-59932.4								
			62 C1-C2;~1 Max	I	31.7	16.9	0.5	67.0	
1029	2			J	31.7	16.9	0.5	67.0	
141.7	7314.8								
			Min	I	-188.4	-120.8	-1.7	-545.5	
433.4	15114.5								
-383.6	-44442.9								


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-96.4	-1661.3		J	-188.4	-120.8	-1.7	-545.5
182.6	9192.9	C3-C4;~1 Max	I	33.0	21.5	0.6	75.0
577.3	10821.8		J	33.0	21.5	0.6	75.0
-510.3	-39141.4	Min	I	-192.4	-101.4	-2.2	-419.7
-131.0	-2063.7		J	-192.4	-101.4	-2.2	-419.7
81.9	3174.2	C1-C2;~2 Max	I	18.2	7.4	0.3	30.9
280.6	10659.7		J	18.2	7.4	0.3	30.9
-245.3	-29040.5	Min	I	-113.2	-80.6	-1.1	-371.5
-54.6	-858.6		J	-113.2	-80.6	-1.1	-371.5
108.1	4214.2	C3-C4;~2 Max	I	18.7	9.9	0.4	35.2
388.4	7552.2		J	18.7	9.9	0.4	35.2
-340.5	-25491.9	Min	I	-116.4	-67.1	-1.5	-282.8
-76.4	-1082.7		J	-116.4	-67.1	-1.5	-282.8
-51.6	2934.6	G1	I	-129.0	6.7	-0.6	17.5
58.4	-326.2		J	-129.0	6.7	0.1	17.5
15.4	7424.1	G2	I	-49.7	17.1	0.0	58.7
15.0	-949.7		J	-49.7	17.1	0.0	58.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
28.7	6450.3	Q5_pc	I	-33.2	16.4	0.1	59.5
-24.1	-1567.3		J	-33.2	16.4	0.1	59.5
44.2	9279.0	Q5_ps	I	-30.2	22.9	0.2	82.9
-37.5	-1909.5		J	-30.2	22.9	0.2	82.9
174.1	81655.1	INVSLU Max	I	-2597.2	163.7	-0.3	1433.4
1068.4	27109.2		J	-2597.2	163.7	0.7	1433.4
-813.0	-3755.7	Min	I	-2961.4	-61.7	-4.3	471.5
68.9	968.2		J	-2961.4	-61.7	-3.3	471.5
113.1	62493.1	INVSLE Max	I	-2011.0	124.7	-0.3	1068.4


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
806.3	20102.0		J	-2011.0	124.7	0.5	1068.4
		Min	I	-2276.4	-38.7	-3.3	369.1
-614.3	686.8		J	-2276.4	-38.7	-2.5	369.1
69.1	1043.0						
1030	2	62 C1-C2;~1 Max	I	30.3	6.1	0.7	119.9
213.9	15121.0		J	30.3	6.1	0.7	119.9
235.4	17401.1	Min	I	-168.3	-12.9	-0.8	-283.1
-177.7	-1660.4		J	-168.3	-12.9	-0.8	-283.1
-137.4	-1719.9						
		C3-C4;~1 Max	I	31.6	2.6	1.3	101.7
381.5	10826.8		J	31.6	2.6	1.3	101.7
396.9	12661.3	Min	I	-174.0	-7.2	-1.4	-207.3
-302.4	-2063.6		J	-174.0	-7.2	-1.4	-207.3
-266.4	-2397.8						
		C1-C2;~2 Max	I	17.4	4.1	0.4	77.6
129.4	10664.1		J	17.4	4.1	0.4	77.6
146.2	12180.2	Min	I	-100.0	-9.0	-0.5	-194.1
-106.5	-857.8		J	-100.0	-9.0	-0.5	-194.1
-81.2	-823.1						
		C3-C4;~2 Max	I	17.9	1.4	0.9	63.1
251.6	7555.6		J	17.9	1.4	0.9	63.1
264.7	8739.5	Min	I	-104.1	-4.9	-0.9	-139.4
-197.3	-1082.4		J	-104.1	-4.9	-0.9	-139.4
-174.4	-1219.2						
		G1	I	-126.0	0.3	-0.4	7.9
-12.4	-326.1		J	-126.0	0.3	0.3	7.9
26.2	-463.8						
		G2	I	-50.6	0.8	-0.0	17.8
7.4	-950.4		J	-50.6	0.8	-0.0	17.8
22.1	-1344.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-35.7	0.8	-0.0	16.6
-3.0	-1568.3		J	-35.7	0.8	-0.0	16.6
2.4	-1944.6						
		Q5_ps	I	-33.8	1.1	-0.0	22.7
-0.8	-1910.8		J	-33.8	1.1	-0.0	22.7


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-0.0	-2429.2						
564.2	27105.1	INVSLE Max	I	-2609.2	47.1	1.0	1153.9
721.5	11819.5		J	-2609.2	47.1	2.0	1153.9
-364.5	952.8	Min	I	-2951.2	20.1	-2.7	580.0
-178.3	-18711.9		J	-2951.2	20.1	-1.7	580.0
415.0	20098.3	INVSLE Max	I	-2019.9	36.3	0.7	865.0
542.2	8023.4		J	-2019.9	36.3	1.5	865.0
-272.5	1031.7	Min	I	-2268.4	16.4	-2.0	442.1
-124.0	-14193.0		J	-2268.4	16.4	-1.3	442.1
1031	2	62 C1-C2;~1 Max	I	28.3	14.7	0.8	151.4
247.2	17399.7		J	28.3	14.7	0.8	151.4
214.8	14501.8	Min	I	-160.9	-7.6	-0.7	-237.3
-156.5	-1719.6		J	-160.9	-7.6	-0.7	-237.3
-163.0	-1578.3						
421.2	12660.4	C3-C4;~1 Max	I	29.5	8.8	1.5	117.1
371.0	10315.1		J	29.5	8.8	1.5	117.1
-275.4	-2397.3	Min	I	-166.5	-4.0	-1.3	-175.1
-303.6	-1978.0		J	-166.5	-4.0	-1.3	-175.1
150.8	12179.3	C1-C2;~2 Max	I	16.3	10.3	0.5	100.9
132.9	10209.0		J	16.3	10.3	0.5	100.9
-92.7	-823.0	Min	I	-95.5	-5.2	-0.5	-161.9
-97.1	-821.7		J	-95.5	-5.2	-0.5	-161.9
277.4	8738.9	C3-C4;~2 Max	I	16.7	6.0	1.0	75.1
247.5	7184.9		J	16.7	6.0	1.0	75.1
-179.3	-1219.0	Min	I	-99.5	-2.5	-0.9	-116.3
-198.8	-1042.2		J	-99.5	-2.5	-0.9	-116.3
9.4	-463.3	G1	I	-122.8	-0.5	-0.4	4.7
6.9	-227.7		J	-122.8	-0.5	0.4	4.7
16.1	-1343.6	G2	I	-49.4	-0.9	0.0	9.2
14.8	-922.0		J	-49.4	-0.9	0.0	9.2


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc	I	-35.8	-0.8	-0.0
-4.1	-1944.4			J	-35.8	-0.8	-0.0
3.9	-1570.5						8.3
			Q5_ps	I	-34.1	-1.1	-0.0
-2.2	-2429.0			J	-34.1	-1.1	-0.0
2.0	-1907.2						11.2
			INVS LU Max	I	-2619.7	34.0	1.4
651.9	11819.2			J	-2619.7	34.0	2.4
654.8	955.6						811.5
			Min	I	-2950.3	2.5	-2.4
-295.9	-18709.5			J	-2950.3	2.5	-1.4
-262.8	-24303.0						271.7
			INVS LE Max	I	-2029.0	25.3	1.0
481.9	8023.3			J	-2029.0	25.3	1.7
490.7	-84.7						606.7
			Min	I	-2267.9	2.1	-1.8
-219.6	-14191.1			J	-2267.9	2.1	-1.1
-188.4	-18478.2						208.0
		62	C1-C2;~1 Max	I	26.8	12.2	0.9
1032	2			J	26.8	12.2	0.9
260.5	14501.4						186.0
			Min	I	-158.0	-9.5	-0.7
209.6	13350.3			J	-158.0	-9.5	-0.7
-151.1	-1578.4						-204.4
-178.7	-1330.3						-204.4
			C3-C4;~1 Max	I	27.9	7.1	1.5
436.8	10314.9			J	27.9	7.1	1.5
362.9	9482.1						138.1
			Min	I	-164.1	-5.2	-1.3
-267.4	-1978.0			J	-164.1	-5.2	-1.3
-320.6	-1706.7						-153.1
			C1-C2;~2 Max	I	15.4	8.6	0.5
158.7	10208.7			J	15.4	8.6	0.5
130.3	9423.8						125.7
			Min	I	-93.9	-6.7	-0.4
-89.8	-821.7			J	-93.9	-6.7	-0.4
-106.9	-677.5						-138.3
			C3-C4;~2 Max	I	15.8	4.8	1.0
286.8	7184.8			J	15.8	4.8	1.0
242.7	6620.2						90.3
			Min	I	-98.3	-3.4	-0.9
-174.7	-1042.2						-100.3


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-209.4	-893.4		J	-98.3	-3.4	-0.9	-100.3
		G1	I	-120.7	-0.2	-0.3	3.9
23.6	-227.8		J	-120.7	-0.2	0.4	3.9
-6.6	-135.9						
		G2	I	-48.6	-0.4	0.0	3.3
22.2	-922.0		J	-48.6	-0.4	0.0	3.3
9.2	-749.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-35.6	-0.3	-0.0	1.8
-4.1	-1570.5		J	-35.6	-0.3	-0.0	1.8
4.0	-1411.0						
		Q5_ps	I	-33.9	-0.5	-0.0	2.1
-1.9	-1907.3		J	-33.9	-0.5	-0.0	2.1
2.0	-1686.8						
		INVS LU Max	I	-2628.5	20.3	1.5	459.5
678.6	954.5		J	-2628.5	20.3	2.5	459.5
639.0	-2478.2	Min	I	-2954.2	-9.6	-2.4	-70.7
-279.6	-24303.7		J	-2954.2	-9.6	-1.4	-70.7
-291.0	-25507.3						
		INVS LE Max	I	-2036.0	15.0	1.1	342.1
501.4	-85.6		J	-2036.0	15.0	1.8	342.1
478.9	-2600.1	Min	I	-2271.2	-7.1	-1.8	-50.5
-207.8	-18478.7		J	-2271.2	-7.1	-1.0	-50.5
-209.4	-19377.2						
1033	2	62 C1-C2;~1 Max	I	25.7	9.3	0.9	211.3
262.7	13350.4		J	25.7	9.3	0.9	211.3
208.6	14626.7	Min	I	-157.3	-12.3	-0.7	-179.1
-148.3	-1330.3		J	-157.3	-12.3	-0.7	-179.1
-183.8	-1542.4						
		C3-C4;~1 Max	I	26.8	5.2	1.6	154.1
443.0	9482.1		J	26.8	5.2	1.6	154.1
359.9	10299.5	Min	I	-163.1	-7.1	-1.3	-137.6
-263.5	-1706.7		J	-163.1	-7.1	-1.3	-137.6
-329.0	-1943.6						
		C1-C2;~2 Max	I	14.8	6.6	0.5	143.9
159.0	9423.9						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
130.5	10305.6		J	14.8	6.6	0.5	143.9
		Min	I	-93.7	-8.7	-0.4	-120.1
-88.7	-677.5		J	-93.7	-8.7	-0.4	-120.1
-109.3	-810.2						
		C3-C4;~2 Max	I	15.2	3.4	1.0	101.9
289.8	6620.3		J	15.2	3.4	1.0	101.9
241.7	7176.4	Min	I	-97.9	-4.8	-0.8	-89.0
-172.9	-893.4		J	-97.9	-4.8	-0.8	-89.0
-213.9	-1033.7						
		G1	I	-119.8	0.2	-0.3	3.7
36.0	-136.0		J	-119.8	0.2	0.5	3.7
-19.3	-220.9						
		G2	I	-48.2	0.3	0.1	-0.9
28.4	-749.7		J	-48.2	0.3	0.1	-0.9
2.9	-914.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-35.2	0.3	-0.0	-3.0
-3.1	-1411.0		J	-35.2	0.3	-0.0	-3.0
2.9	-1551.0						
		Q5_ps	I	-33.5	0.4	-0.0	-4.5
-0.3	-1686.8		J	-33.5	0.4	-0.0	-4.5
0.3	-1884.5						
		INVSLU Max	I	-2631.1	9.9	1.6	106.2
696.6	-2478.1		J	-2631.1	9.9	2.6	106.2
620.9	834.6	Min	I	-2953.8	-19.9	-2.3	-426.3
-262.7	-25507.4		J	-2953.8	-19.9	-1.3	-426.3
-314.4	-24529.5						
		INVSLE Max	I	-2038.1	7.3	1.1	76.2
514.7	-2600.1		J	-2038.1	7.3	1.9	76.2
465.9	-179.2	Min	I	-2271.0	-14.7	-1.7	-317.8
-195.5	-19377.3		J	-2271.0	-14.7	-1.0	-317.8
-226.6	-18654.7						
1034	2	62 C1-C2;~1 Max	I	24.9	7.5	0.9	244.8
269.5	14627.1		J	24.9	7.5	0.9	244.8
196.5	17501.1	Min	I	-157.9	-14.6	-0.7	-144.5
-135.4	-1542.4		J	-157.9	-14.6	-0.7	-144.5


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
-191.8	-1658.2							
		C3-C4;~1	Max	I	26.0	4.0	1.6	177.0
454.1	10299.6			J	26.0	4.0	1.6	177.0
347.9	12598.4							
			Min	I	-163.9	-8.8	-1.2	-117.2
-251.7	-1943.5			J	-163.9	-8.8	-1.2	-117.2
-341.6	-2318.3							
		C1-C2;~2	Max	I	14.3	5.1	0.6	167.7
162.6	10305.8			J	14.3	5.1	0.6	167.7
122.8	12263.7							
			Min	I	-94.3	-10.3	-0.4	-95.2
-80.3	-810.1			J	-94.3	-10.3	-0.4	-95.2
-113.7	-806.5							
		C3-C4;~2	Max	I	14.7	2.4	1.1	118.5
296.5	7176.5			J	14.7	2.4	1.1	118.5
234.2	8702.4							
			Min	I	-98.6	-6.0	-0.8	-74.1
-165.4	-1033.6			J	-98.6	-6.0	-0.8	-74.1
-221.6	-1193.8							
		G1		I	-119.9	0.4	-0.2	2.9
49.2	-220.8			J	-119.9	0.4	0.5	2.9
-33.8	-440.7							
		G2		I	-48.2	0.8	0.1	-6.9
33.7	-914.6			J	-48.2	0.8	0.1	-6.9
-3.1	-1322.9							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-34.7	0.7	-0.0	-9.5
-3.2	-1551.0			J	-34.7	0.7	-0.0	-9.5
2.9	-1901.3							
		Q5_ps		I	-32.9	1.0	-0.0	-13.6
-0.4	-1884.6			J	-32.9	1.0	-0.0	-13.6
0.1	-2377.8							
		INVSLU	Max	I	-2627.7	-2.3	1.6	-236.0
714.9	835.7			J	-2627.7	-2.3	2.6	-236.0
611.3	11409.2							
			Min	I	-2949.4	-33.4	-2.2	-778.5
-243.6	-24529.0			J	-2949.4	-33.4	-1.2	-778.5
-324.8	-19106.7							
		INVSLE	Max	I	-2035.5	-1.9	1.2	-182.1
528.4	-178.3			J	-2035.5	-1.9	1.9	-182.1

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
458.9	7713.2								
			Min	I	-2267.9	-24.9	-1.7	-582.7	
-181.2	-18654.2			J	-2267.9	-24.9	-0.9	-582.7	
-234.1	-14500.2								
1035	2	62	C1-C2;~1	Max	I	24.4	13.2	1.0	289.9
295.1	17502.4				J	24.4	13.2	1.0	289.9
165.9	15059.3								
			Min	I	-161.4	-6.1	-0.5	-113.5	
-115.3	-1658.6			J	-161.4	-6.1	-0.5	-113.5	
-219.5	-1619.0								
			C3-C4;~1	Max	I	25.5	7.2	1.8	210.2
485.6	12599.3				J	25.5	7.2	1.8	210.2
313.8	10765.2								
			Min	I	-168.0	-2.5	-1.1	-101.3	
-221.7	-2318.8			J	-168.0	-2.5	-1.1	-101.3	
-376.1	-2012.2								
			C1-C2;~2	Max	I	14.1	9.3	0.6	199.4
178.5	12264.6				J	14.1	9.3	0.6	199.4
101.9	10623.5								
			Min	I	-96.4	-4.2	-0.3	-72.5	
-66.9	-806.6			J	-96.4	-4.2	-0.3	-72.5	
-131.0	-848.4								
			C3-C4;~2	Max	I	14.4	4.9	1.1	142.2
316.7	8702.9				J	14.4	4.9	1.1	142.2
210.9	7515.2								
			Min	I	-101.2	-1.4	-0.7	-61.8	
-144.8	-1194.0			J	-101.2	-1.4	-0.7	-61.8	
-243.7	-1067.6								
			G1	I	-121.1	-0.2	-0.1	-0.1	
67.3	-441.3			J	-121.1	-0.2	0.6	-0.1	
-54.8	-319.7								
			G2	I	-48.4	-0.8	0.1	-15.2	
40.2	-1323.3			J	-48.4	-0.8	0.1	-15.2	
-11.1	-940.1								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	-33.8	-0.8	-0.0	-17.6	
-4.4	-1901.5			J	-33.8	-0.8	-0.0	-17.6	
3.7	-1518.1								
			Q5_ps	I	-31.9	-1.1	-0.0	-24.8	
-2.4	-2378.1			J	-31.9	-1.1	-0.0	-24.8	
1.6	-1855.8								

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

804.6	11409.6	INVSLE Max	I	-2621.5	-19.4	2.0	-546.5
			J	-2621.5	-19.4	3.0	-546.5
508.1	26298.2	Min	I	-2946.1	-46.8	-1.9	-1122.7
-158.1	-19109.1		J	-2946.1	-46.8	-0.9	-1122.7
-430.0	376.8	INVSLE Max	I	-2031.1	-15.9	1.5	-417.9
596.9	7713.4		J	-2031.1	-15.9	2.2	-417.9
380.3	19500.7	Min	I	-2265.7	-36.1	-1.4	-842.3
-115.6	-14502.1		J	-2265.7	-36.1	-0.6	-842.3
-314.1	607.1	62 C1-C2;~1 Max	I	24.2	121.4	2.0	555.8
1036	2		J	24.2	121.4	2.0	555.8
506.0	15053.3	Min	I	-176.2	-16.7	-0.4	-53.6
105.8	7256.3		J	-176.2	-16.7	-0.4	-53.6
-87.1	-1620.0	C3-C4;~1 Max	I	25.3	101.5	2.6	432.0
-449.4	-44626.8		J	25.3	101.5	2.6	432.0
678.1	10760.2	Min	I	-180.4	-20.8	-0.5	-72.1
138.7	8864.4		J	-180.4	-20.8	-0.5	-72.1
-102.1	-2012.4	C1-C2;~2 Max	I	13.9	81.2	1.2	379.1
-602.9	-39493.8		J	13.9	81.2	1.2	379.1
319.4	10619.4	Min	I	-106.2	-7.4	-0.2	-22.3
53.7	3217.6		J	-106.2	-7.4	-0.2	-22.3
-45.6	-849.2	C3-C4;~2 Max	I	14.3	67.3	1.7	290.3
-283.7	-29204.9		J	14.3	67.3	1.7	290.3
446.7	7511.8	Min	I	-109.6	-9.7	-0.3	-32.4
81.4	4113.7		J	-109.6	-9.7	-0.3	-32.4
-55.6	-1067.9	G1	I	-122.5	-6.1	0.0	-8.5
-397.3	-25799.9		J	-122.5	-6.1	0.8	-8.5
98.8	-319.9	G2	I	-46.7	-16.8	0.1	-55.4
-94.0	2685.8		J	-46.7	-16.8	0.1	-55.4
31.7	-939.4	Q3	I	0.0	0.0	0.0	0.0
-1.6	7286.0						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
-31.9	-1517.3	Q5_pc		I	-29.9	-16.2	-0.1
				J	-29.9	-16.2	-0.1
36.9	6391.4						
-41.3	-1854.7	Q5_ps		I	-27.0	-22.5	-0.2
				J	-27.0	-22.5	-0.2
48.6	9167.0						
1146.8	26302.4	INVSLU Max		I	-2600.8	61.9	3.7
				J	-2600.8	61.9	4.7
173.2	80949.7	Min		I	-2932.3	-163.5	-0.8
				J	-2932.3	-163.5	0.2
36.2	391.3						
-894.3	-4352.7						
857.1	19504.5	INVSLE Max		I	-2014.6	38.7	2.7
				J	-2014.6	38.7	3.5
119.1	62044.0	Min		I	-2256.2	-124.7	-0.5
				J	-2256.2	-124.7	0.2
38.7	618.1						
-666.7	301.6						
1037	2	70 C1-C2;~1 Max		I	81.8	135.3	0.5
163.0	57868.2			J	81.8	135.3	0.5
692.2	5638.0	Min		I	-236.9	-45.8	-2.6
				J	-236.9	-45.8	-2.6
-620.7	-20825.9						
-114.0	-11615.7						
98.6	58412.3	C3-C4;~1 Max		I	86.3	136.0	0.3
				J	86.3	136.0	0.3
868.6	3822.1	Min		I	-231.4	-17.5	-3.3
				J	-231.4	-17.5	-3.3
-785.9	-8673.2						
-60.1	-12023.9						
102.3	36259.5	C1-C2;~2 Max		I	46.8	86.7	0.3
				J	46.8	86.7	0.3
433.4	3549.9	Min		I	-142.8	-26.0	-1.6
				J	-142.8	-26.0	-1.6
-383.5	-11595.8						
-71.2	-8051.3						
60.0	37632.2	C3-C4;~2 Max		I	48.6	89.2	0.2
				J	48.6	89.2	0.2
561.4	2309.0	Min		I	-138.9	-8.1	-2.1
				J	-138.9	-8.1	-2.1
-502.5	-4043.1						


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
-35.6	-8305.3							
		G1	I	-115.8	7.0	-1.8	14.3	
-355.7	3248.4		J	-115.8	7.0	-0.9	14.3	
335.9	-272.2							
		G2	I	-45.8	-11.3	-0.4	-43.8	
-100.5	-5520.5		J	-45.8	-11.3	-0.4	-43.8	
126.2	195.8							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	35.0	-6.2	0.0	-19.4	
9.4	-4004.7		J	35.0	-6.2	0.0	-19.4	
-9.4	-880.5							
		Q5_ps	I	33.9	-9.8	0.1	-31.1	
16.2	-5737.6		J	33.9	-9.8	0.1	-31.1	
-16.0	-763.7							
		INVS LU Max	I	-1884.9	111.7	-1.2	1055.9	
-57.4	39936.5		J	-1884.9	111.7	0.0	1055.9	
1591.3	5038.8							
		Min	I	-2384.2	-144.8	-6.5	45.0	-
1355.3	-74243.4		J	-2384.2	-144.8	-5.2	45.0	
247.8	-20389.7							
		INVS LE Max	I	-1485.4	74.9	-1.0	763.4	
-62.6	25206.3		J	-1485.4	74.9	-0.1	763.4	
1199.9	3325.6							
		Min	I	-1850.6	-114.3	-4.9	17.2	-
1022.8	-58837.6		J	-1850.6	-114.3	-3.9	17.2	
206.0	-15393.0							
1038	2	70 C1-C2;~1 Max	I	77.8	19.1	0.6	254.1	
187.5	5638.0		J	77.8	19.1	0.6	254.1	
575.8	6403.9							
		Min	I	-232.0	-8.2	-2.1	-146.4	
-495.7	-11623.0		J	-232.0	-8.2	-2.1	-146.4	
-116.1	-18803.6							
		C3-C4;~1 Max	I	82.1	18.3	0.9	247.4	
278.9	3819.7		J	82.1	18.3	0.9	247.4	
655.7	2397.7							
		Min	I	-218.3	-2.6	-2.4	-110.1	
-543.6	-12030.5		J	-218.3	-2.6	-2.4	-110.1	
-161.1	-18760.0							
		C1-C2;~2 Max	I	44.5	12.4	0.4	170.5	
121.9	3549.9		J	44.5	12.4	0.4	170.5	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
356.1	3964.9		Min	I	-139.5	-4.9	-1.3	-90.4
-300.9	-8056.4			J	-139.5	-4.9	-1.3	-90.4
-74.8	-12811.9							
		C3-C4;~2	Max	I	46.2	12.1	0.6	168.5
191.7	2307.3			J	46.2	12.1	0.6	168.5
418.3	1266.8		Min	I	-130.2	-1.2	-1.5	-68.2
-338.8	-8310.0			J	-130.2	-1.2	-1.5	-68.2
-109.9	-12944.4							
		G1		I	-118.5	0.6	-1.7	-5.2
-321.1	-272.7			J	-118.5	0.6	-0.8	-5.2
307.2	-573.0							
		G2		I	-48.6	-1.6	-0.5	-17.4
-112.7	196.5			J	-48.6	-1.6	-0.5	-17.4
136.9	980.5							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	35.8	-0.9	0.0	-5.8
2.4	-879.9			J	35.8	-0.9	0.0	-5.8
-3.9	-439.8							
		Q5_ps		I	34.3	-1.4	0.0	-9.4
4.1	-762.9			J	34.3	-1.4	0.0	-9.4
-6.1	-80.2							
		INVS LU	Max	I	-1955.7	15.3	-0.5	681.0
162.2	5040.6			J	-1955.7	15.3	0.7	681.0
1225.3	11350.0		Min	I	-2444.2	-23.1	-4.9	129.8
-952.5	-20395.8			J	-2444.2	-23.1	-3.7	129.8
115.7	-23471.8							
		INVS LE	Max	I	-1537.7	9.2	-0.4	492.3
113.8	3327.5			J	-1537.7	9.2	0.5	492.3
919.7	9092.9		Min	I	-1894.7	-19.1	-3.7	84.8
-711.6	-15397.0			J	-1894.7	-19.1	-2.8	84.8
98.2	-16642.4							
		70 C1-C2;~1	Max	I	73.8	5.9	0.6	211.3
1039	2			J	73.8	5.9	0.6	211.3
206.6	6403.3		Min	I	-227.8	-10.4	-2.0	-149.3
556.2	5864.2			J	-227.8	-10.4	-2.0	-149.3
-471.8	-18801.7							
-121.3	-16225.4							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

304.3	2397.7	C3-C4;~1	Max	I	77.9	4.6	1.0	202.0
				J	77.9	4.6	1.0	202.0
634.6	2245.2		Min	I	-214.1	-10.0	-2.3	-130.1
-519.9	-18757.9			J	-214.1	-10.0	-2.3	-130.1
-182.4	-16091.9							
		C1-C2;~2	Max	I	42.2	3.8	0.4	142.5
134.4	3964.6			J	42.2	3.8	0.4	142.5
344.3	3658.1		Min	I	-136.8	-7.2	-1.2	-92.7
-286.2	-12810.6			J	-136.8	-7.2	-1.2	-92.7
-77.3	-11079.2							
		C3-C4;~2	Max	I	43.9	3.0	0.7	134.6
208.8	1266.9			J	43.9	3.0	0.7	134.6
405.5	1211.1		Min	I	-127.6	-6.8	-1.4	-83.2
-324.2	-12943.1			J	-127.6	-6.8	-1.4	-83.2
-124.5	-11120.1							
		G1		I	-120.9	-0.4	-1.6	-7.6
-303.6	-572.8			J	-120.9	-0.4	-0.7	-7.6
293.8	-382.3							
		G2		I	-49.7	0.2	-0.5	-12.1
-106.8	980.4			J	-49.7	0.2	-0.5	-12.1
133.0	881.6							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	36.0	-0.0	0.0	-2.9
2.0	-439.9			J	36.0	-0.0	0.0	-2.9
-4.1	-435.5							
		Q5_ps		I	34.5	0.1	0.0	-4.8
3.3	-80.3			J	34.5	0.1	0.0	-4.8
-5.8	-124.2							
		INVSLU	Max	I	-2046.2	13.3	-0.4	533.9
217.9	11348.5			J	-2046.2	13.3	0.8	533.9
1221.9	7948.5		Min	I	-2523.8	-8.8	-4.8	41.8
-898.3	-23470.1			J	-2523.8	-8.8	-3.6	41.8
111.7	-22656.3							
		INVSLE	Max	I	-1604.5	9.5	-0.4	388.4
155.0	9091.7			J	-1604.5	9.5	0.6	388.4
918.1	6722.5							


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-671.6	-16641.2		Min	I	-1953.4	-6.8	-3.6	24.3	
				J	-1953.4	-6.8	-2.7	24.3	
96.2	-15889.7								
1040	2	70	C1-C2;~1	Max	I	68.4	6.3	0.6	181.4
209.3	5864.6				J	68.4	6.3	0.6	181.4
560.3	4672.9								
			Min	I	-222.1	-11.7	-2.0	-162.1	
-468.8	-16224.1			J	-222.1	-11.7	-2.0	-162.1	
-117.2	-12556.7								
			C3-C4;~1	Max	I	72.2	4.2	0.9	171.9
304.9	2245.6			J	72.2	4.2	0.9	171.9	
644.7	1743.8								
			Min	I	-208.4	-11.0	-2.3	-154.7	
-524.7	-16090.3			J	-208.4	-11.0	-2.3	-154.7	
-177.4	-12447.4								
			C1-C2;~2	Max	I	39.1	4.0	0.4	122.5
135.6	3658.4			J	39.1	4.0	0.4	122.5	
348.8	2933.2								
			Min	I	-133.5	-8.1	-1.3	-109.3	
-285.5	-11078.4			J	-133.5	-8.1	-1.3	-109.3	
-74.3	-8599.8								
			C3-C4;~2	Max	I	40.7	2.7	0.6	114.4
208.5	1211.4			J	40.7	2.7	0.6	114.4	
414.5	936.5								
			Min	I	-124.2	-7.5	-1.5	-100.8	
-329.4	-11119.1			J	-124.2	-7.5	-1.5	-100.8	
-120.7	-8623.5								
			G1	I	-121.6	-0.2	-1.6	-9.0	
-293.8	-381.5			J	-121.6	-0.2	-0.7	-9.0	
289.6	-277.8								
			G2	I	-50.1	0.4	-0.5	-7.2	
-103.1	881.9			J	-50.1	0.4	-0.5	-7.2	
131.8	664.8								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	35.8	-0.1	0.0	-0.1	
3.9	-435.4			J	35.8	-0.1	0.0	-0.1	
-7.0	-404.9								
			Q5_ps	I	34.3	0.1	0.0	-0.7	
4.8	-124.2			J	34.3	0.1	0.0	-0.7	
-8.3	-169.4								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
193.2	7948.3	INVSLE Max	I	-2118.7	13.9	-0.6	364.0
			J	-2118.7	13.9	0.7	364.0
1294.5	3589.7	Min	I	-2580.5	-10.5	-5.0	-99.9
-933.8	-22655.1		J	-2580.5	-10.5	-3.8	-99.9
172.1	-20399.1						
		INVSLE Max	I	-1656.9	10.5	-0.5	266.8
131.7	6722.3		J	-1656.9	10.5	0.4	266.8
978.8	3381.6	Min	I	-1994.3	-7.6	-3.8	-76.8
-702.6	-15888.9		J	-1994.3	-7.6	-2.9	-76.8
148.3	-14333.8						
1041	2	62 C1-C2;~1 Max	I	62.2	7.0	0.6	129.4
190.9	4668.6		J	62.2	7.0	0.6	129.4
469.6	4094.6	Min	I	-208.6	-8.3	-1.7	-151.4
-402.2	-12563.9		J	-208.6	-8.3	-1.7	-151.4
-122.1	-11345.1						
		C3-C4;~1 Max	I	65.7	6.5	0.8	122.0
262.8	1740.2		J	65.7	6.5	0.8	122.0
542.3	1448.4	Min	I	-195.7	-7.9	-2.0	-145.3
-449.5	-12456.3		J	-195.7	-7.9	-2.0	-145.3
-164.5	-11275.8						
		C1-C2;~2 Max	I	35.6	4.8	0.4	87.4
123.4	2930.6		J	35.6	4.8	0.4	87.4
292.3	2563.5	Min	I	-125.2	-5.8	-1.1	-102.1
-245.6	-8604.1		J	-125.2	-5.8	-1.1	-102.1
-77.6	-7725.1						
		C3-C4;~2 Max	I	37.0	4.3	0.6	80.4
178.7	934.2		J	37.0	4.3	0.6	80.4
348.5	768.8	Min	I	-116.5	-5.3	-1.2	-95.9
-282.5	-8629.2		J	-116.5	-5.3	-1.2	-95.9
-110.8	-7770.0						
		G1	I	-117.4	0.2	-1.3	-8.0
-242.7	-283.6		J	-117.4	0.2	-0.6	-8.0
233.2	-365.2						
		G2	I	-48.4	0.1	-0.4	-2.4
-84.9	662.6		J	-48.4	0.1	-0.4	-2.4
105.6	600.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0						

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	0.0	0.0	0.0	0.0
4.7	-405.4	Q5_pc	I	34.5	-0.2	0.0	1.5
-4.3	-298.4		J	34.5	-0.2	0.0	1.5
5.2	-169.9	Q5_ps	I	33.0	-0.2	0.0	1.9
-5.3	-79.6		J	33.0	-0.2	0.0	1.9
122.1	3593.9	INVSLU Max	I	-2154.2	7.6	-0.5	143.0
1065.9	3761.4		J	-2154.2	7.6	0.5	143.0
-847.9	-20399.7	Min	I	-2586.5	-13.5	-4.3	-238.8
104.0	-17619.2		J	-2586.5	-13.5	-3.3	-238.8
77.0	3385.6	INVSLE Max	I	-1679.9	5.7	-0.4	107.1
803.0	3442.5		J	-1679.9	5.7	0.3	107.1
-640.9	-14333.3	Min	I	-1995.5	-9.8	-3.2	-175.5
91.1	-12355.2		J	-1995.5	-9.8	-2.5	-175.5
1042	2	62 C1-C2;~1 Max	I	59.4	9.8	0.7	107.1
222.4	4094.9		J	59.4	9.8	0.7	107.1
435.2	4628.2	Min	I	-201.3	-5.3	-1.6	-180.6
-359.4	-11344.1		J	-201.3	-5.3	-1.6	-180.6
-145.8	-13579.1						
295.6	1448.6	C3-C4;~1 Max	I	62.6	9.5	1.0	98.8
511.1	1418.8		J	62.6	9.5	1.0	98.8
-407.7	-11274.7	Min	I	-188.8	-4.0	-1.8	-173.7
-190.6	-13586.7		J	-188.8	-4.0	-1.8	-173.7
144.2	2563.7	C1-C2;~2 Max	I	34.0	6.7	0.5	72.3
270.0	2856.9		J	34.0	6.7	0.5	72.3
-217.9	-7724.5	Min	I	-120.5	-3.3	-1.0	-121.7
-93.0	-9139.3		J	-120.5	-3.3	-1.0	-121.7
200.7	769.0	C3-C4;~2 Max	I	35.3	6.4	0.6	63.8
328.3	697.7		J	35.3	6.4	0.6	63.8
-255.3	-7769.3	Min	I	-112.1	-2.5	-1.2	-116.0
-128.2	-9272.7		J	-112.1	-2.5	-1.2	-116.0

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

-206.5	-364.6	G1	I	-116.0	0.5	-1.2	-10.3
			J	-116.0	0.5	-0.4	-10.3
204.9	-614.0						
		G2	I	-47.8	-0.3	-0.3	1.7
-70.2	600.3		J	-47.8	-0.3	-0.3	1.7
94.1	751.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	34.0	-0.3	0.0	3.5
1.9	-298.4		J	34.0	-0.3	0.0	3.5
-2.5	-148.1						
		Q5_ps	I	32.5	-0.4	0.0	5.1
2.1	-79.6		J	32.5	-0.4	0.0	5.1
-3.2	127.6						
		INVSLU Max	I	-2207.5	4.4	-0.1	-61.9
265.6	3761.1		J	-2207.5	4.4	0.9	-61.9
1011.7	8983.5	Min	I	-2625.0	-16.6	-3.9	-456.4
-687.2	-17618.5		J	-2625.0	-16.6	-2.8	-456.4
60.1	-15873.1						
		INVSLE Max	I	-1717.8	3.4	-0.1	-40.5
189.3	3442.2		J	-1717.8	3.4	0.6	-40.5
760.0	7246.5	Min	I	-2022.6	-12.1	-2.9	-332.3
-516.3	-12354.8		J	-2022.6	-12.1	-2.1	-332.3
55.4	-11146.1						
1043	2	62 C1-C2;~1 Max	I	57.6	4.4	0.8	106.2
251.3	4628.4		J	57.6	4.4	0.8	106.2
396.5	3895.1	Min	I	-202.3	-7.4	-1.4	-219.9
-324.3	-13581.2		J	-202.3	-7.4	-1.4	-219.9
-172.9	-11916.9						
		C3-C4;~1 Max	I	60.8	2.7	1.1	76.3
327.3	1418.6		J	60.8	2.7	1.1	76.3
468.9	1226.3	Min	I	-189.7	-6.5	-1.6	-212.1
-362.7	-13588.9		J	-189.7	-6.5	-1.6	-212.1
-219.8	-12033.8						
		C1-C2;~2 Max	I	33.0	2.8	0.5	65.7
163.2	2857.0		J	33.0	2.8	0.5	65.7
244.7	2420.6						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-195.5	-9140.6	Min	I	-121.2	-5.0	-0.9	-147.3
			J	-121.2	-5.0	-0.9	-147.3
-110.9	-8091.1	C3-C4;~2 Max	I	34.3	1.6	0.7	47.2
221.6	697.5		J	34.3	1.6	0.7	47.2
300.3	613.6	Min	I	-112.6	-4.4	-1.0	-144.0
-225.5	-9274.1		J	-112.6	-4.4	-1.0	-144.0
-147.7	-8283.4						
		G1	I	-117.5	-0.0	-1.1	-13.4
-178.5	-614.5		J	-117.5	-0.0	-0.3	-13.4
180.4	-600.8						
		G2	I	-48.3	0.4	-0.3	6.5
-60.1	751.3		J	-48.3	0.4	-0.3	6.5
84.9	545.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	33.9	0.2	0.0	6.3
0.2	-148.0		J	33.9	0.2	0.0	6.3
-1.4	-266.2						
		Q5_ps	I	32.4	0.4	0.0	9.4
-0.1	127.7		J	32.4	0.4	0.0	9.4
-1.6	-50.2						
		INVSLU Max	I	-2269.6	3.0	0.6	-245.5
414.4	8984.6		J	-2269.6	3.0	1.7	-245.5
766.4	9745.9	Min	I	-2685.7	-13.5	-3.0	-697.0
-517.4	-15875.2		J	-2685.7	-13.5	-2.0	-697.0
-165.8	-12237.4						
		INVSLE Max	I	-1763.7	3.4	0.5	-171.7
304.7	7247.4		J	-1763.7	3.4	1.2	-171.7
574.2	7172.8	Min	I	-2067.4	-8.7	-2.3	-505.4
-385.5	-11147.5		J	-2067.4	-8.7	-1.5	-505.4
-116.1	-9075.6						
1044	2	62 C1-C2;~1 Max	I	56.7	38.5	1.2	151.0
349.1	3892.9		J	56.7	38.5	1.2	151.0
352.1	47531.5	Min	I	-210.0	-117.2	-1.3	-483.1
-301.7	-11911.6		J	-210.0	-117.2	-1.3	-483.1
-275.0	-16245.2						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
497.5	1226.1	C3-C4;~1 Max	I	59.9	13.9	1.8	48.1
			J	59.9	13.9	1.8	48.1
287.9	48107.5	Min	I	-206.3	-118.6	-1.1	-479.2
-244.6	-12028.4		J	-206.3	-118.6	-1.1	-479.2
-410.4	-6193.2						
		C1-C2;~2 Max	I	32.5	21.9	0.8	88.6
229.3	2419.3		J	32.5	21.9	0.8	88.6
213.4	29934.1	Min	I	-126.3	-75.0	-0.8	-315.3
-180.0	-8087.6		J	-126.3	-75.0	-0.8	-315.3
-179.7	-9096.9						
		C3-C4;~2 Max	I	33.7	6.3	1.2	21.8
337.9	613.7		J	33.7	6.3	1.2	21.8
171.4	31102.3	Min	I	-123.7	-77.7	-0.6	-318.7
-141.6	-8279.9		J	-123.7	-77.7	-0.6	-318.7
-278.7	-2830.2						
		G1	I	-121.8	-8.5	-1.0	-37.8
-144.6	-601.2		J	-121.8	-8.5	-0.2	-37.8
145.3	3713.1						
		G2	I	-48.3	8.9	-0.3	28.6
-63.9	544.7		J	-48.3	8.9	-0.3	28.6
91.6	-3968.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	34.6	5.5	-0.0	19.3
-5.8	-266.6		J	34.6	5.5	-0.0	19.3
5.5	-3071.7						
		Q5_ps	I	33.4	8.6	-0.0	29.6
-9.3	-50.7		J	33.4	8.6	-0.0	29.6
9.2	-4384.3						
		INVSLU Max	I	-2330.8	111.7	1.3	-237.9
634.3	9744.6		J	-2330.8	111.7	2.3	-237.9
744.5	44301.5	Min	I	-2757.3	-110.4	-2.9	-1128.7
-455.0	-12229.1		J	-2757.3	-110.4	-1.9	-1128.7
-294.7	-48103.8						
		INVSLE Max	I	-1809.8	88.5	1.0	-161.3
478.3	7171.6		J	-1809.8	88.5	1.8	-161.3
544.0	29468.6	Min	I	-2121.1	-75.2	-2.1	-818.6


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-327.8	-9069.7			J	-2121.1	-75.2	-1.3	-818.6	
-225.0	-38570.2								
1045	2	62	C1-C2;~1	Max	I	7.7	17.4	1.2	84.9
333.1	7424.6				J	7.7	17.4	1.2	84.9
191.1	16599.2			Min	I	-89.5	-109.9	-0.7	-437.0
-188.1	-40455.3				J	-89.5	-109.9	-0.7	-437.0
-311.5	-1599.1								
			C3-C4;~1	Max	I	8.1	16.4	1.6	72.5
419.4	7253.0				J	8.1	16.4	1.6	72.5
284.3	12345.1			Min	I	-92.7	-88.5	-1.1	-328.1
-262.4	-34756.3				J	-92.7	-88.5	-1.1	-328.1
-387.3	-1412.9								
			C1-C2;~2	Max	I	4.4	8.7	0.7	45.2
189.3	3698.2				J	4.4	8.7	0.7	45.2
128.1	11681.2			Min	I	-55.4	-74.5	-0.5	-304.2
-125.1	-27001.0				J	-55.4	-74.5	-0.5	-304.2
-176.8	-830.2								
			C3-C4;~2	Max	I	4.5	8.0	0.9	39.8
244.7	3555.8				J	4.5	8.0	0.9	39.8
198.1	8613.3			Min	I	-57.8	-59.9	-0.7	-225.6
-181.0	-23329.0				J	-57.8	-59.9	-0.7	-225.6
-224.7	-677.3								
			G1		I	-56.1	3.9	0.7	23.5
258.9	1815.6				J	-56.1	3.9	1.5	23.5
-298.0	-193.9								
			G2		I	-20.4	14.0	0.5	50.1
142.1	6148.4				J	-20.4	14.0	0.5	50.1
-127.6	-1062.5								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc		I	-9.4	14.5	0.1	45.7
17.5	6063.0				J	-9.4	14.5	0.1	45.7
-13.4	-1422.8								
			Q5_ps		I	-7.8	20.0	0.1	62.9
36.7	8448.4				J	-7.8	20.0	0.1	62.9
-30.8	-1868.4								
			INVSLU	Max	I	-1572.2	138.4	1.8	779.2

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
721.6	66576.4			J	-1572.2	138.4	2.8	779.2
468.0	22650.4		Min	I	-1725.1	-64.7	-1.9	-7.5
-230.3	-11160.2			J	-1725.1	-64.7	-0.8	-7.5
-462.8	-4962.3							
			INVSLE Max	I	-1245.1	107.0	1.2	594.8
513.4	51606.2			J	-1245.1	107.0	2.0	594.8
370.4	16463.4		Min	I	-1357.1	-40.3	-1.5	18.1
-189.4	-4633.6			J	-1357.1	-40.3	-0.7	18.1
-317.3	-3688.0							
1046	2	62	C1-C2;~1 Max	I	6.5	7.3	1.5	140.4
420.2	16607.0			J	6.5	7.3	1.5	140.4
52.0	17625.6		Min	I	-65.1	-10.8	-0.2	-171.5
-51.5	-1600.3			J	-65.1	-10.8	-0.2	-171.5
-380.6	-1924.0							
			C3-C4;~1 Max	I	6.8	3.3	2.2	108.8
609.6	12351.4			J	6.8	3.3	2.2	108.8
160.6	12968.3		Min	I	-69.4	-5.5	-0.6	-109.2
-124.9	-1413.4			J	-69.4	-5.5	-0.6	-109.2
-545.7	-1685.5							
			C1-C2;~2 Max	I	3.8	5.1	0.9	92.7
244.5	11686.6			J	3.8	5.1	0.9	92.7
28.1	12365.7		Min	I	-39.8	-7.7	-0.1	-119.1
-27.9	-830.8			J	-39.8	-7.7	-0.1	-119.1
-219.9	-1018.9							
			C3-C4;~2 Max	I	3.9	2.1	1.4	69.7
379.0	8617.7			J	3.9	2.1	1.4	69.7
110.5	9007.7		Min	I	-42.8	-3.7	-0.4	-71.8
-83.7	-677.4			J	-42.8	-3.7	-0.4	-71.8
-336.0	-839.5							
			G1	I	-48.2	0.1	0.8	17.0
283.7	-194.1			J	-48.2	0.1	1.6	17.0
-324.4	-222.5							
			G2	I	-19.3	0.4	0.5	13.8
130.0	-1063.6			J	-19.3	0.4	0.5	13.8
-120.0	-1266.4							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0							
-7.3	-1424.1	Q5_pc	I	-9.5	0.4	-0.0	5.7	
7.4	-1626.5		J	-9.5	0.4	-0.0	5.7	
0.2	-1870.1	Q5_ps	I	-9.0	0.6	0.0	7.3	
-0.5	-2158.5		J	-9.0	0.6	0.0	7.3	
830.0	22647.2	INVS LU Max	I	-1440.2	29.4	2.4	630.6	
281.4	14270.6		J	-1440.2	29.4	3.5	630.6	
-174.6	-4980.8	Min	I	-1561.1	4.3	-1.4	199.2	
-685.4	-15601.1		J	-1561.1	4.3	-0.4	199.2	
600.3	16460.1	INVS LE Max	I	-1146.0	23.2	1.7	481.1	
229.2	9479.0		J	-1146.0	23.2	2.5	481.1	
-142.9	-3702.4	Min	I	-1234.0	4.7	-1.1	162.3	
-486.0	-12300.0		J	-1234.0	4.7	-0.3	162.3	
1047	2	62 C1-C2;~1 Max	I	5.0	14.2	1.7	186.7	
445.6	17623.3		J	5.0	14.2	1.7	186.7	
51.8	14781.0	Min	I	-51.6	-7.6	-0.2	-103.5	
-52.3	-1923.6		J	-51.6	-7.6	-0.2	-103.5	
-413.2	-1727.8							
639.5	12966.9	C3-C4;~1 Max	I	5.3	8.7	2.4	135.9	
153.1	10769.1		J	5.3	8.7	2.4	135.9	
-119.2	-1685.2	Min	I	-55.7	-3.1	-0.5	-49.9	
-582.3	-1725.7		J	-55.7	-3.1	-0.5	-49.9	
259.6	12364.1	C1-C2;~2 Max	I	2.9	10.0	1.0	126.0	
27.6	10429.2		J	2.9	10.0	1.0	126.0	
-28.3	-1018.7	Min	I	-31.6	-5.3	-0.1	-70.2	
-239.6	-1013.5		J	-31.6	-5.3	-0.1	-70.2	
396.8	9006.7	C3-C4;~2 Max	I	3.0	5.9	1.5	89.2	
104.9	7510.3		J	3.0	5.9	1.5	89.2	
-79.4	-839.3	Min	I	-34.4	-1.9	-0.4	-28.8	
-358.1	-962.7		J	-34.4	-1.9	-0.4	-28.8	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
300.1	-222.2	G1	I	-38.5	-0.3	0.9	15.5
			J	-38.5	-0.3	1.6	15.5
-344.3	-91.6						
		G2	I	-15.5	-0.5	0.5	5.6
137.3	-1266.1		J	-15.5	-0.5	0.5	5.6
-128.3	-995.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-8.5	-0.6	-0.0	-3.9
-8.5	-1626.3		J	-8.5	-0.6	-0.0	-3.9
8.7	-1327.2						
		Q5_ps	I	-8.2	-0.7	-0.0	-5.9
-0.9	-2158.2		J	-8.2	-0.7	-0.0	-5.9
0.7	-1772.4						
		INVSLU Max	I	-1319.3	21.2	2.5	502.8
855.4	14270.3		J	-1319.3	21.2	3.5	502.8
304.6	9376.7	Min	I	-1418.3	-9.2	-1.5	104.0
-184.2	-15597.3		J	-1418.3	-9.2	-0.4	104.0
-703.9	-15799.0						
		INVSLE Max	I	-1054.0	15.9	1.8	380.8
615.4	9478.9		J	-1054.0	15.9	2.5	380.8
250.6	5759.6	Min	I	-1125.9	-6.6	-1.2	86.0
-153.6	-12297.0		J	-1125.9	-6.6	-0.4	86.0
-495.2	-12603.7						
1048	2	62 C1-C2;~1 Max	I	5.6	11.7	1.7	238.2
449.2	14780.5		J	5.6	11.7	1.7	238.2
53.9	13235.0	Min	I	-39.7	-7.5	-0.2	-57.9
-52.1	-1727.9		J	-39.7	-7.5	-0.2	-57.9
-424.8	-2050.1						
		C3-C4;~1 Max	I	6.1	6.9	2.4	174.8
643.0	10768.9		J	6.1	6.9	2.4	174.8
153.6	9225.7	Min	I	-43.8	-2.2	-0.5	-26.5
-121.0	-1725.9		J	-43.8	-2.2	-0.5	-26.5
-595.0	-2310.9						
		C1-C2;~2 Max	I	3.5	8.2	1.0	162.1
260.8	10428.9		J	3.5	8.2	1.0	162.1
28.9	9389.9	Min	I	-24.5	-5.4	-0.1	-36.6


MIDAS

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-28.1	-1013.6			J	-24.5	-5.4	-0.1	-36.6	
-245.6	-1245.4								
		C3-C4;~2	Max	I	3.8	4.7	1.5	116.6	
397.6	7510.2			J	3.8	4.7	1.5	116.6	
105.1	6442.2		Min	I	-27.4	-1.3	-0.4	-11.5	
-80.8	-962.8			J	-27.4	-1.3	-0.4	-11.5	
-364.5	-1395.0								
		G1		I	-28.8	0.1	0.9	15.5	
307.3	-91.8			J	-28.8	0.1	1.7	15.5	
-356.5	-157.6								
		G2		I	-11.5	0.1	0.5	-1.4	
140.7	-995.4			J	-11.5	0.1	0.5	-1.4	
-133.6	-1068.0								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc		I	-7.1	-0.1	-0.0	-12.9	
-8.2	-1327.3			J	-7.1	-0.1	-0.0	-12.9	
8.2	-1292.7								
		Q5_ps		I	-6.9	-0.0	-0.0	-18.4	
-0.2	-1772.6			J	-6.9	-0.0	-0.0	-18.4	
-0.1	-1762.1								
		INVSLU	Max	I	-1184.2	14.4	2.2	411.6	
770.1	9375.8			J	-1184.2	14.4	3.2	411.6	
399.3	8028.7		Min	I	-1265.2	-11.7	-1.8	-11.5	
-276.0	-15799.7			J	-1265.2	-11.7	-0.8	-11.5	
-626.1	-15528.3								
		INVSLE	Max	I	-950.6	10.7	1.5	307.6	
543.8	5758.9			J	-950.6	10.7	2.3	307.6	
330.3	4719.8		Min	I	-1009.3	-8.6	-1.5	-4.0	
-230.0	-12604.1			J	-1009.3	-8.6	-0.7	-4.0	
-428.2	-12447.9								
1049	2	62	C1-C2;~1	Max	I	9.5	12.6	1.6	289.6
426.9	13234.3			J	9.5	12.6	1.6	289.6	
55.2	10857.8		Min	I	-28.0	-4.9	-0.2	-41.4	
-51.6	-2050.1			J	-28.0	-4.9	-0.2	-41.4	
-416.4	-2426.3								
		C3-C4;~1	Max	I	9.9	7.8	2.3	214.8	

MIDAS

PROJECT TITLE :


		Company					Client	
		Author					File Name	
619.2	9225.4			J	9.9	7.8	2.3	214.8
159.9	6225.2							
		Min		I	-30.9	-0.8	-0.6	-36.0
-128.9	-2311.0							
				J	-30.9	-0.8	-0.6	-36.0
-580.4	-3125.6							
		C1-C2;~2	Max	I	6.5	8.8	0.9	197.8
245.7	9389.4							
				J	6.5	8.8	0.9	197.8
32.3	7748.4							
		Min		I	-17.5	-3.5	-0.1	-23.7
-27.6	-1245.4							
				J	-17.5	-3.5	-0.1	-23.7
-239.5	-1426.9							
		C3-C4;~2	Max	I	6.7	5.2	1.4	144.3
381.3	6442.0							
				J	6.7	5.2	1.4	144.3
110.0	4305.6							
		Min		I	-19.5	-0.3	-0.4	-18.0
-87.0	-1395.0							
				J	-19.5	-0.3	-0.4	-18.0
-353.7	-1894.4							
		G1		I	-18.5	0.9	0.9	15.8
304.2	-157.6							
				J	-18.5	0.9	1.7	15.8
-359.2	-632.2							
		G2		I	-7.3	0.7	0.5	-8.6
140.1	-1068.0							
				J	-7.3	0.7	0.5	-8.6
-135.4	-1441.4							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0							
				J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-5.4	0.0	-0.0	-22.3
-5.8	-1292.8							
				J	-5.4	0.0	-0.0	-22.3
5.8	-1316.6							
		Q5_ps		I	-5.3	0.2	0.0	-31.2
2.2	-1762.1							
				J	-5.3	0.2	0.0	-31.2
-2.6	-1856.3							
		INVSLU	Max	I	-1023.6	11.3	1.6	339.9
600.7	8028.5							
				J	-1023.6	11.3	2.7	339.9
507.2	7790.4							
		Min		I	-1088.5	-12.3	-2.3	-150.0
-419.7	-15527.9							
				J	-1088.5	-12.3	-1.3	-150.0
-502.6	-13457.1							
		INVSLE	Max	I	-826.3	8.2	1.0	248.5
406.1	4719.6							
				J	-826.3	8.2	1.8	248.5
425.4	4645.7							
		Min		I	-873.7	-9.3	-1.9	-109.4
-349.0	-12447.5							

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-321.9	-10917.7			J	-873.7	-9.3	-1.1	-109.4	
1050	2	62	C1-C2;~1	Max	I	12.5	23.9	1.5	343.2
395.0	10857.8				J	12.5	23.9	1.5	343.2
54.9	3900.2			Min	I	-16.1	-2.9	-0.2	-55.2
-46.2	-2426.5				J	-16.1	-2.9	-0.2	-55.2
-396.5	-6100.9								
			C3-C4;~1	Max	I	13.3	16.7	2.1	257.6
564.2	6225.1				J	13.3	16.7	2.1	257.6
168.5	624.9			Min	I	-18.1	-3.0	-0.6	-63.5
-140.8	-3125.9				J	-18.1	-3.0	-0.6	-63.5
-536.2	-5310.8								
			C1-C2;~2	Max	I	8.7	16.6	0.9	235.2
227.3	7748.4				J	8.7	16.6	0.9	235.2
32.8	2791.2			Min	I	-10.1	-1.8	-0.1	-32.2
-26.4	-1426.9				J	-10.1	-1.8	-0.1	-32.2
-228.5	-3952.1								
			C3-C4;~2	Max	I	9.2	11.3	1.3	174.0
346.3	4305.5				J	9.2	11.3	1.3	174.0
117.2	308.2			Min	I	-11.6	-1.8	-0.4	-36.6
-96.7	-1894.6				J	-11.6	-1.8	-0.4	-36.6
-325.2	-3335.8								
			G1		I	-8.2	1.7	0.8	14.7
286.9	-632.6				J	-8.2	1.7	1.6	14.7
-350.0	-1497.4								
			G2		I	-2.7	-0.5	0.5	-20.0
132.2	-1441.8				J	-2.7	-0.5	0.5	-20.0
-130.0	-1176.2								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc		I	-3.5	-2.1	-0.0	-34.8
-1.2	-1317.0				J	-3.5	-2.1	-0.0	-34.8
1.2	-218.1								
			Q5_ps		I	-3.3	-2.7	0.0	-48.8
5.7	-1856.7				J	-3.3	-2.7	0.0	-48.8
-5.7	-468.7								
			INVSLU	Max	I	-833.4	7.8	-0.0	302.5
273.8	7790.3								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
958.7	11016.5		J	-833.4	7.8	1.0	302.5
-680.0	-13458.3	Min	I	-882.2	-32.8	-3.7	-314.9
5.2	-2877.5		J	-882.2	-32.8	-2.6	-314.9
147.6	4645.5	INVSLE Max	I	-677.8	3.8	-0.2	214.8
781.8	8054.5		J	-677.8	3.8	0.5	214.8
-558.8	-10918.6	Min	I	-713.5	-25.9	-3.0	-234.8
75.6	-2208.3		J	-713.5	-25.9	-2.2	-234.8
1051	2	62 C1-C2;~1 Max	I	17.6	56.2	1.2	349.4
302.6	3897.8		J	17.6	56.2	1.2	349.4
49.5	5803.8	Min	I	-4.6	-13.0	-0.2	-73.4
-45.2	-6105.6		J	-4.6	-13.0	-0.2	-73.4
-320.8	-30608.3						
444.1	624.5	C3-C4;~1 Max	I	18.6	40.2	1.7	258.3
143.5	6925.8		J	18.6	40.2	1.7	258.3
-129.2	-5314.3	Min	I	-8.3	-16.6	-0.5	-93.0
-431.5	-23819.6		J	-8.3	-16.6	-0.5	-93.0
172.9	2789.5	C1-C2;~2 Max	I	12.4	38.9	0.7	240.7
29.7	3288.3		J	12.4	38.9	0.7	240.7
-27.0	-3955.5	Min	I	-3.0	-7.3	-0.1	-43.0
-184.0	-20971.4		J	-3.0	-7.3	-0.1	-43.0
272.1	307.8	C3-C4;~2 Max	I	13.0	27.3	1.0	175.3
99.6	3960.1		J	13.0	27.3	1.0	175.3
-89.4	-3338.3	Min	I	-5.8	-9.6	-0.4	-55.1
-260.0	-16117.3		J	-5.8	-9.6	-0.4	-55.1
235.8	-1497.5	G1	I	1.1	-3.8	0.7	-3.9
-316.5	487.6		J	1.1	-3.8	1.5	-3.9
118.3	-1175.3	G2	I	1.5	-11.8	0.5	-41.1
-120.7	4915.0		J	1.5	-11.8	0.5	-41.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

13.4	-217.0	Q5_pc	I	-1.1	-13.7	0.1	-50.8
-13.1	6851.7		J	-1.1	-13.7	0.1	-50.8
22.2	-467.1	Q5_ps	I	-0.5	-18.1	0.1	-70.3
-20.5	8877.0		J	-0.5	-18.1	0.1	-70.3
101.9	11023.4	INVS LU Max	I	-606.1	-33.7	0.7	202.8
279.7	87243.0		J	-606.1	-33.7	1.7	202.8
-696.1	-2871.8	Min	I	-644.3	-162.0	-2.4	-494.4
-520.2	21093.5		J	-644.3	-162.0	-1.4	-494.4
0.4	8060.5	INVS LE Max	I	-499.3	-35.1	0.2	131.9
303.4	68304.3		J	-499.3	-35.1	0.9	131.9
-588.9	-2203.4	Min	I	-527.4	-127.2	-2.1	-373.3
-287.4	20747.8		J	-527.4	-127.2	-1.3	-373.3
1052	2	62 C1-C2;~1 Max	I	5.7	11.2	0.3	165.4
65.1	6970.9		J	5.7	11.2	0.3	165.4
24.8	4.0	Min	I	-28.2	-6.3	-0.1	-46.4
-26.6	-3887.4		J	-28.2	-6.3	-0.1	-46.4
-102.4	-1.3						
143.0	8925.1	C3-C4;~1 Max	I	10.4	14.4	0.5	144.1
28.4	4.3		J	10.4	14.4	0.5	144.1
-21.8	-5727.3	Min	I	-24.4	-9.2	-0.1	-70.2
-153.6	-2.0		J	-24.4	-9.2	-0.1	-70.2
36.0	3722.8	C1-C2;~2 Max	I	3.4	6.0	0.2	111.2
12.6	2.7		J	3.4	6.0	0.2	111.2
-13.8	-2497.0	Min	I	-19.0	-4.0	-0.0	-30.2
-59.3	-0.9		J	-19.0	-4.0	-0.0	-30.2
92.3	5259.4	C3-C4;~2 Max	I	6.7	8.5	0.3	96.2
16.1	2.9		J	6.7	8.5	0.3	96.2
-12.0	-3887.1	Min	I	-16.3	-6.3	-0.0	-47.4
-95.8	-1.4		J	-16.3	-6.3	-0.0	-47.4
		G1	I	0.1	8.2	-0.3	16.7


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-16.4	5090.7			J	0.1	8.2	0.6	16.7	
-95.2	0.8								
			G2	I	2.6	9.0	0.0	15.9	
14.8	5610.8			J	2.6	9.0	0.0	15.9	
-16.2	0.9								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	4.1	7.1	-0.0	6.9	
-4.3	4430.5			J	4.1	7.1	-0.0	6.9	
9.2	0.8								
			Q5_ps	I	5.9	9.4	-0.0	8.5	
-1.7	5809.4			J	5.9	9.4	-0.0	8.5	
10.1	1.0								
			INVSLU Max	I	-257.1	80.5	-7.6	396.6	-
1336.9	49953.5			J	-257.1	80.5	-6.3	396.6	
3248.5	10.1		Min	I	-316.8	32.2	-8.4	66.1	-
1573.7	19955.4			J	-316.8	32.2	-7.1	66.1	
2986.2	0.2								
			INVSLE Max	I	-214.9	63.1	-6.0	308.3	-
1092.7	39147.0			J	-214.9	63.1	-5.1	308.3	
2563.5	7.5		Min	I	-258.4	28.8	-6.6	64.4	-
1267.5	17867.0			J	-258.4	28.8	-5.7	64.4	
2370.4	0.3								
1054	2	82	C1-C2;~1 Max	I	970.0	296.5	10.6	9192.6	
2764.3	135264.2			J	970.0	296.5	10.6	9192.6	1
6564.1	71603.7		Min	I	-296.5	-70.1	-63.0	-3319.2	-1
5217.1	-38977.5			J	-296.5	-70.1	-63.0	-3319.2	-
2732.7	-69520.7								
			C3-C4;~1 Max	I	978.9	299.7	9.2	9498.0	
1996.3	131848.9			J	978.9	299.7	9.2	9498.0	1
6714.8	71037.5		Min	I	-278.3	-21.9	-64.9	-2389.4	-1
6038.0	-14583.7			J	-278.3	-21.9	-64.9	-2389.4	-
2633.7	-72479.8								
			C1-C2;~2 Max	I	528.6	205.0	6.0	6407.5	
1624.3	89754.4			J	528.6	205.0	6.0	6407.5	1
0419.9	48205.8		Min	I	-204.6	-42.0	-39.3	-2096.3	-
9420.8	-22013.6								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
1502.2	-48639.9		J	-204.6	-42.0	-39.3	-2096.3	-
1074.6	89353.3	C3-C4;~2 Max	I	527.0	208.7	5.0	6662.5	
0605.7	47523.5		J	527.0	208.7	5.0	6662.5	1
0096.3	-6418.5	Min	I	-190.8	-10.5	-41.0	-1515.4	-1
1439.1	-50085.6		J	-190.8	-10.5	-41.0	-1515.4	-
7080.1	4331.4	G1	I	1065.4	6.8	-27.7	-71.5	-
6380.5	908.8		J	1065.4	6.8	-25.6	-71.5	
2421.9	-10967.2	G2	I	420.3	-16.0	-9.3	-450.8	-
2246.1	-2915.6		J	420.3	-16.0	-9.3	-450.8	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1205.1	-113.9	Q5_pc	I	-67.6	-1.3	-4.9	-67.0	-
1284.2	535.2		J	-67.6	-1.3	-4.9	-67.0	
-924.3	-4053.8	Q5_ps	I	-67.9	-7.1	-3.8	-183.1	
1006.0	-473.1		J	-67.9	-7.1	-3.8	-183.1	
1919.3	196993.7	INVSLU Max	I	5393.3	382.2	10.7	11909.3	
4165.9	123262.3		J	5393.3	382.2	13.6	11909.3	2
5633.0	-38437.6	Min	I	3549.9	-119.3	-100.1	-5514.4	-2
4399.8	-72213.8		J	3549.9	-119.3	-97.3	-5514.4	-
1500.0	146307.8	INVSLE Max	I	4047.8	283.2	8.4	8823.0	
7597.5	91599.6		J	4047.8	283.2	10.5	8823.0	1
8748.5	-28070.6	Min	I	2691.3	-88.1	-73.1	-4074.5	-1
3391.0	-53126.1		J	2691.3	-88.1	-71.0	-4074.5	-
1055	2	82 C1-C2;~1 Max	I	912.5	173.5	15.0	7461.2	
4277.7	71599.5		J	912.5	173.5	15.0	7461.2	1
5423.2	49408.6	Min	I	-332.2	-50.3	-57.3	-3264.8	-1
3647.3	-69527.5		J	-332.2	-50.3	-57.3	-3264.8	-
3618.1	-104387.6							
5131.4	71032.9	C3-C4;~1 Max	I	922.9	178.1	19.4	7604.7	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
3707.7	45941.6		J	922.9	178.1	19.4	7604.7	1
		Min	I	-308.0	-32.8	-51.5	-3099.9	-1
2267.3	-72487.7		J	-308.0	-32.8	-51.5	-3099.9	-
4661.4	-111987.9							
		C1-C2;~2 Max	I	500.2	120.7	9.1	5207.4	
2710.0	48203.2		J	500.2	120.7	9.1	5207.4	
9508.5	33388.9	Min	I	-227.9	-30.9	-35.0	-2230.2	-
8240.2	-48644.8		J	-227.9	-30.9	-35.0	-2230.2	-
2095.8	-73532.6							
		C3-C4;~2 Max	I	499.7	124.3	12.2	5320.5	
3320.1	47520.5		J	499.7	124.3	12.2	5320.5	
8408.8	30114.7	Min	I	-209.7	-20.1	-31.3	-2040.0	-
7398.7	-50091.3		J	-209.7	-20.1	-31.3	-2040.0	-
2841.9	-78729.7							
		G1	I	961.4	3.6	-27.7	-40.5	-
7028.7	907.9		J	961.4	3.6	-25.6	-40.5	
6427.6	-888.5							
		G2	I	379.3	-8.0	-10.6	-268.2	-
2769.2	-2914.8		J	379.3	-8.0	-10.6	-268.2	
2568.5	1116.4							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	-48.6	-0.9	-5.6	-50.5	-
1407.9	535.7		J	-48.6	-0.9	-5.6	-50.5	
1432.0	966.0							
		Q5_ps	I	-49.3	-3.9	-4.7	-123.8	-
1186.7	-472.2		J	-49.3	-3.9	-4.7	-123.8	
1201.0	1483.2							
		INVSLU Max	I	4997.8	233.3	28.0	9705.2	
6645.0	123257.4		J	4997.8	233.3	30.8	9705.2	2
1487.8	97676.1	Min	I	3216.0	-76.6	-85.7	-5059.6	-2
1240.6	-72224.6		J	3216.0	-76.6	-82.9	-5059.6	-
8204.1	-121947.9							
		INVSLE Max	I	3753.5	173.0	21.4	7198.2	
5053.0	91595.9		J	3753.5	173.0	23.5	7198.2	1
5523.9	72514.2	Min	I	2440.1	-56.5	-62.1	-3731.9	-1
5415.2	-53134.2		J	2440.1	-56.5	-60.0	-3731.9	-


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
6279.1	-90041.4									
1056	2	82	C1-C2;~1	Max	I	848.4	113.9	17.5	6669.7	
4484.5	49408.1				J	848.4	113.9	17.5	6669.7	1
7340.1	38847.7									
				Min	I	-362.2	-66.2	-64.6	-3369.6	-1
5271.2	-104388.0				J	-362.2	-66.2	-64.6	-3369.6	-
4582.4	-117011.0									
				C3-C4;~1	Max	I	859.9	117.8	22.0	6792.6
5620.9	45941.1				J	859.9	117.8	22.0	6792.6	1
5660.1	29154.3									
				Min	I	-334.1	-69.2	-58.8	-3343.3	-1
4007.7	-111988.4				J	-334.1	-69.2	-58.8	-3343.3	-
5472.1	-123714.9									
				C1-C2;~2	Max	I	467.1	79.4	10.1	4664.9
2683.2	33388.6				J	467.1	79.4	10.1	4664.9	1
0614.4	24798.0									
				Min	I	-247.8	-46.2	-39.2	-2319.4	-
9195.6	-73532.9				J	-247.8	-46.2	-39.2	-2319.4	-
2591.2	-82672.0									
				C3-C4;~2	Max	I	467.7	82.0	13.3	4753.3
3489.6	30114.4				J	467.7	82.0	13.3	4753.3	
9560.9	18389.2									
				Min	I	-226.8	-47.3	-35.7	-2232.7	-
8447.0	-78730.1				J	-226.8	-47.3	-35.7	-2232.7	-
3198.0	-87467.7									
				G1	I	857.3	1.7	-28.9	-48.3	-
7270.2	-888.5				J	857.3	1.7	-26.8	-48.3	
6791.4	-1770.2									
				G2	I	338.0	-3.0	-11.0	-208.6	-
2833.4	1116.4				J	338.0	-3.0	-11.0	-208.6	
2708.9	2647.0									
				Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
				Q5_pc	I	-33.7	-0.2	-6.3	-36.4	-
1573.3	965.9				J	-33.7	-0.2	-6.3	-36.4	
1623.1	1060.3									
				Q5_ps	I	-34.9	-1.5	-5.3	-90.7	-
1322.8	1483.1				J	-34.9	-1.5	-5.3	-90.7	
1363.6	2225.3									
				INVSLU	Max	I	4559.9	162.6	35.5	8768.3
8075.2	97675.1				J	4559.9	162.6	38.3	8768.3	2


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
3167.1	81794.4		Min	I	2849.3	-90.1	-92.8	-5016.2	-2
2960.9	-121948.9			J	2849.3	-90.1	-90.0	-5016.2	-1
0551.0	-139573.7								
6226.0	72513.5	INVSLE	Max	I	3426.2	120.7	27.5	6507.2	
6606.2	60598.8			J	3426.2	120.7	29.6	6507.2	1
6553.9	-90042.1		Min	I	2163.6	-66.5	-66.7	-3698.7	-1
8153.7	-103236.2			J	2163.6	-66.5	-64.6	-3698.7	-
1057	2	82	C1-C2;~1	Max	I	764.1	87.0	25.5	5918.8
5395.2	38846.9			J	764.1	87.0	25.5	5918.8	2
1435.7	28042.3		Min	I	-363.1	-93.9	-77.6	-3742.4	-1
7680.5	-117010.2			J	-363.1	-93.9	-77.6	-3742.4	-
7452.4	-103964.2								
6528.7	29153.0	C3-C4;~1	Max	I	774.7	90.2	26.7	6057.9	
9073.1	18640.7			J	774.7	90.2	26.7	6057.9	1
6084.9	-123713.8		Min	I	-340.5	-96.9	-69.7	-3754.3	-1
7665.9	-108297.1			J	-340.5	-96.9	-69.7	-3754.3	-
3052.4	24797.4	C1-C2;~2	Max	I	420.6	60.8	14.5	4149.5	
2934.2	17571.5			J	420.6	60.8	14.5	4149.5	1
0614.4	-82671.4		Min	I	-248.4	-66.3	-46.7	-2594.6	-1
4239.7	-73448.5			J	-248.4	-66.3	-46.7	-2594.6	-
3826.4	18388.3	C3-C4;~2	Max	I	421.5	62.4	15.0	4239.4	
1421.2	11387.8			J	421.5	62.4	15.0	4239.4	1
9641.4	-87466.9		Min	I	-231.4	-67.7	-41.8	-2540.1	-
4292.2	-76692.3			J	-231.4	-67.7	-41.8	-2540.1	-
7420.7	-1770.3		G1	I	753.5	0.3	-31.0	-52.1	-
7660.2	-1915.6			J	753.5	0.3	-28.9	-52.1	-
2903.4	2647.1		G2	I	296.9	-0.4	-11.8	-127.4	-
3061.4	2861.8			J	296.9	-0.4	-11.8	-127.4	-
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	-
0.0	0.0			J	0.0	0.0	0.0	0.0	-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
1718.2	1060.3	Q5_pc	I	-16.0	0.4	-7.3	-11.3	-
			J	-16.0	0.4	-7.3	-11.3	
1964.3	834.5							
		Q5_ps	I	-18.1	0.2	-6.1	-38.3	-
1444.7	2225.3		J	-18.1	0.2	-6.1	-38.3	
1648.9	2109.5							
		INVSLU Max	I	4029.7	133.0	52.4	7981.6	1
1748.6	81792.9		J	4029.7	133.0	55.2	7981.6	2
6432.0	61541.1	Min	I	2464.9	-120.4	-101.5	-5285.4	-2
4026.6	-139572.7		J	2464.9	-120.4	-98.6	-5285.4	-1
6390.8	-124019.2							
		INVSLE Max	I	3028.0	98.8	40.9	5929.4	
9129.5	60597.7		J	3028.0	98.8	43.0	5929.4	1
8697.9	45442.0	Min	I	1871.0	-88.8	-72.1	-3896.4	-1
7141.6	-103235.5		J	1871.0	-88.8	-70.0	-3896.4	-1
2760.8	-91898.8							
1058	2	70 C1-C2;~1 Max	I	652.9	85.0	4.8	630.6	
1159.4	28042.0		J	652.9	85.0	4.8	630.6	
4446.6	23128.5	Min	I	-351.2	-101.2	-16.6	-661.9	-
3949.2	-103964.3		J	-351.2	-101.2	-16.6	-661.9	-
1253.0	-86405.7							
		C3-C4;~1 Max	I	663.6	89.1	5.2	641.3	
1334.9	18638.7		J	663.6	89.1	5.2	641.3	
4002.9	13175.6	Min	I	-328.3	-107.0	-15.1	-679.5	-
3605.3	-108297.0		J	-328.3	-107.0	-15.1	-679.5	-
1295.6	-89410.0							
		C1-C2;~2 Max	I	361.2	59.8	2.7	440.5	
656.8	17571.3		J	361.2	59.8	2.7	440.5	
2670.1	14525.5	Min	I	-238.9	-71.4	-10.0	-463.5	-
2375.0	-73448.5		J	-238.9	-71.4	-10.0	-463.5	
-711.2	-60966.3							
		C3-C4;~2 Max	I	362.9	62.1	3.0	445.3	
771.1	11386.4		J	362.9	62.1	3.0	445.3	
2390.5	7821.7	Min	I	-221.7	-75.0	-9.0	-469.9	-
2164.2	-76692.2		J	-221.7	-75.0	-9.0	-469.9	
-724.4	-63345.7							
		G1	I	609.4	-0.7	-7.8	-9.7	-
1745.8	-1915.5							


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
1971.8	-1571.1		J	609.4	-0.7	-6.9	-9.7	
		G2	I	240.1	0.4	-2.9	-1.9	
-674.1	2862.0		J	240.1	0.4	-2.9	-1.9	
794.0	2638.2							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	-4.0	0.9	-1.4	4.5	
-331.9	834.6		J	-4.0	0.9	-1.4	4.5	
362.6	383.8							
		Q5_ps	I	-6.2	1.2	-1.1	6.4	
-275.9	2109.6		J	-6.2	1.2	-1.1	6.4	
299.9	1513.3							
		INVSLU Max	I	3394.2	137.5	9.3	763.2	
2281.2	61539.7		J	3394.2	137.5	10.5	763.2	
5690.5	46223.8							
		Min	I	2017.0	-128.9	-22.7	-1028.0	-
5449.7	-124020.3		J	2017.0	-128.9	-21.5	-1028.0	-
2714.3	-106393.9							
		INVSLE Max	I	2550.9	102.2	7.3	568.0	
1796.5	45441.0		J	2550.9	102.2	8.3	568.0	
4043.2	33892.8							
		Min	I	1531.3	-95.0	-16.2	-758.2	-
3885.8	-91899.6		J	1531.3	-95.0	-15.3	-758.2	-
2134.2	-79106.2							
		70 C1-C2;~1 Max	I	586.9	65.0	4.4	461.9	
1059	2		J	586.9	65.0	4.4	461.9	
1091.6	23128.4							
		Min	I	-382.8	-94.2	-20.0	-835.7	-
5183.4	24531.9		J	-382.8	-94.2	-20.0	-835.7	-
4898.6	-86401.9							
1140.4	-72403.6							
		C3-C4;~1 Max	I	601.1	67.1	4.6	461.5	
1134.4	13175.7		J	601.1	67.1	4.6	461.5	
4606.1	17047.2							
		Min	I	-361.5	-98.6	-17.9	-868.8	-
4402.8	-89406.0		J	-361.5	-98.6	-17.9	-868.8	-
1185.3	-75205.2							
		C1-C2;~2 Max	I	329.9	45.6	2.5	319.3	
618.8	14525.5		J	329.9	45.6	2.5	319.3	
3120.1	15750.2							
		Min	I	-255.8	-66.1	-12.0	-585.9	-
2941.2	-60963.6		J	-255.8	-66.1	-12.0	-585.9	-


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-647.4	-51144.1								
			C3-C4;~2	Max	I	333.3	46.4	2.6	314.5
633.3	7821.8				J	333.3	46.4	2.6	314.5
2747.7	10690.2								
				Min	I	-240.0	-68.9	-10.7	-606.6
2627.8	-63342.9				J	-240.0	-68.9	-10.7	-606.6
-662.8	-53218.1								
			G1		I	472.4	-0.8	-10.8	-14.5
2575.4	-1571.0				J	472.4	-0.8	-9.9	-14.5
2627.8	-1184.5								
			G2		I	186.3	1.8	-4.1	16.2
1004.4	2638.1				J	186.3	1.8	-4.1	16.2
1057.8	1725.1								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc		I	-1.3	1.4	-1.5	10.6
-380.8	383.7				J	-1.3	1.4	-1.5	10.6
381.1	-338.3								
			Q5_ps		I	-2.5	2.2	-1.2	19.1
-313.0	1513.2				J	-2.5	2.2	-1.2	19.1
311.5	409.5								
			INVSLU	Max	I	2967.8	114.8	8.3	635.8
2076.9	46222.3				J	2967.8	114.8	9.6	635.8
6832.9	36472.8								
				Min	I	1637.3	-111.4	-27.6	-1179.8
6753.0	-106389.7				J	1637.3	-111.4	-26.3	-1179.8
2451.0	-98781.3								
			INVSLE	Max	I	2232.8	85.6	6.7	473.6
1668.1	33891.7				J	2232.8	85.6	7.7	473.6
4866.9	26346.1								
				Min	I	1247.4	-81.7	-19.7	-869.8
4821.9	-79103.2				J	1247.4	-81.7	-18.7	-869.8
1959.2	-73797.0								
			70 C1-C2;~1	Max	I	543.2	41.9	4.2	380.6
1060	2				J	543.2	41.9	4.2	380.6
1020.6	24531.8								
				Min	I	-432.9	-117.1	-22.0	-1007.8
5692.2	32083.2				J	-432.9	-117.1	-22.0	-1007.8
5416.9	-72401.4								
1090.2	-48310.0								
			C3-C4;~1	Max	I	559.8	32.2	4.4	350.1
1067.0	17047.1				J	559.8	32.2	4.4	350.1


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
5031.6	30238.3		Min	I	-413.9	-116.7	-19.6	-1044.9	-
4835.9	-75203.0			J	-413.9	-116.7	-19.6	-1044.9	-
1139.8	-51571.6								
		C1-C2;~2	Max	I	308.6	26.5	2.4	259.1	
579.3	15750.1			J	308.6	26.5	2.4	259.1	
3442.3	21559.8		Min	I	-284.9	-81.4	-13.3	-705.3	-
3260.9	-51142.4			J	-284.9	-81.4	-13.3	-705.3	
-619.6	-34122.9								
		C3-C4;~2	Max	I	313.4	20.6	2.4	230.8	
596.9	10690.1			J	313.4	20.6	2.4	230.8	
3009.0	20003.9		Min	I	-271.0	-81.4	-11.7	-731.6	-
2886.8	-53216.4			J	-271.0	-81.4	-11.7	-731.6	
-638.5	-36223.3								
		G1		I	362.3	-1.2	-12.4	-18.2	-
3018.5	-1185.0			J	362.3	-1.2	-11.5	-18.2	
3002.7	-584.9								
		G2		I	143.1	5.2	-4.7	30.6	-
1182.6	1724.9			J	143.1	5.2	-4.7	30.6	
1208.4	-920.6								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc		I	2.2	2.2	-1.5	13.8	
-376.9	-338.5			J	2.2	2.2	-1.5	13.8	
367.6	-1433.6								
		Q5_ps		I	1.7	4.0	-1.2	27.2	
-304.6	409.3			J	1.7	4.0	-1.2	27.2	
294.9	-1629.7								
		INVSLU	Max	I	2626.9	92.1	8.5	621.0	
2056.3	36471.8			J	2626.9	92.1	9.8	621.0	
7325.4	30715.9		Min	I	1282.7	-126.4	-29.8	-1328.3	-
7375.2	-98779.4			J	1282.7	-126.4	-28.5	-1328.3	-
2559.6	-84798.6								
		INVSLE	Max	I	1977.7	69.0	7.0	463.1	
1681.7	26345.4			J	1977.7	69.0	7.9	463.1	
5200.8	21516.4		Min	I	982.3	-92.5	-21.2	-979.0	-
5254.4	-73795.6			J	982.3	-92.5	-20.3	-979.0	-
2072.3	-63858.7								


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
7200.6	-84792.5		Min	I	977.8	-265.2	-28.6	-1742.8	-
				J	977.8	-265.2	-27.3	-1742.8	-
2718.4	-83176.7								
		INVSLE	Max	I	1777.0	102.8	7.6	513.9	
1906.8	21518.9			J	1777.0	102.8	8.5	513.9	
5049.5	59287.8								
			Min	I	755.0	-194.7	-20.2	-1284.3	-
5095.0	-63854.6			J	755.0	-194.7	-19.3	-1284.3	-
2221.8	-63302.2								
1062	2	82	C1-C2;~1	Max	I	1529.8	261.7	12.9	7795.1
3291.1	142641.5			J	1529.8	261.7	12.9	7795.1	1
0340.3	95202.5								
			Min	I	-10.2	-96.7	-41.0	-3529.7	-1
0557.5	-49240.7			J	-10.2	-96.7	-41.0	-3529.7	-
3289.5	-48119.5								
		C3-C4;~1	Max	I	1493.6	280.4	11.4	8233.9	
2861.6	152271.8			J	1493.6	280.4	11.4	8233.9	
9294.4	88652.1								
			Min	I	-10.2	-28.9	-38.1	-2779.5	-1
0139.7	-22060.9			J	-10.2	-28.9	-38.1	-2779.5	-
3087.0	-47046.4								
		C1-C2;~2	Max	I	790.6	182.5	8.0	5442.0	
2115.8	94985.4			J	790.6	182.5	8.0	5442.0	
6498.3	64938.2								
			Min	I	-7.4	-60.1	-25.4	-2266.3	-
6439.5	-27454.4			J	-7.4	-60.1	-25.4	-2266.3	-
1960.4	-33055.0								
		C3-C4;~2	Max	I	762.7	195.4	7.1	5734.7	
1861.0	101613.8			J	762.7	195.4	7.1	5734.7	
5816.2	59365.7								
			Min	I	-7.3	-13.9	-23.6	-1808.8	-
6207.8	-10464.2			J	-7.3	-13.9	-23.6	-1808.8	-
1858.8	-31090.1								
		G1		I	2034.6	-19.1	-20.5	40.9	-
6152.1	-12221.5			J	2034.6	-19.1	-18.4	40.9	
3756.6	-2486.1								
		G2		I	794.0	-29.0	-7.4	-316.4	-
2296.1	-19587.2			J	794.0	-29.0	-7.4	-316.4	
1481.7	-4818.3								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc		I	-159.7	16.6	2.7	-100.3	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
976.6	23542.8			J	-159.7	16.6	2.7	-100.3	
-422.1	15072.1								
		Q5_ps		I	-163.1	11.3	2.8	-158.8	
977.4	18484.3			J	-163.1	11.3	2.8	-158.8	
-444.7	12714.6								
		INVSLU Max		I	8828.2	303.9	-1.2	10619.5	-
3691.9	133254.2			J	8828.2	303.9	1.7	10619.5	1
5318.9	94280.7								
		Min		I	6364.6	-235.1	-78.8	-5441.8	-2
4145.3	-181164.8			J	6364.6	-235.1	-75.9	-5441.8	-
3841.2	-126333.8								
		INVSLE Max		I	6595.5	223.3	-1.1	7858.9	-
2835.9	96787.0			J	6595.5	223.3	1.0	7858.9	1
1303.8	68805.4								
		Min		I	4799.3	-173.7	-58.2	-4025.0	-1
7856.4	-132976.9			J	4799.3	-173.7	-56.1	-4025.0	-
2832.6	-92603.1								
		82 C1-C2;~1 Max		I	1457.7	217.9	17.9	8104.2	
1063	2			J	1457.7	217.9	17.9	8104.2	1
5106.4	95198.8								
		Min		I	-10.5	-50.1	-44.1	-2420.9	-1
1636.6	62835.2			J	-10.5	-50.1	-44.1	-2420.9	-
0839.1	-48125.7								
		C3-C4;~1 Max		I	1429.4	222.4	18.0	8037.1	
4030.7	-99506.6			J	1429.4	222.4	18.0	8037.1	1
5050.4	88644.8								
		Min		I	-10.4	-17.8	-38.8	-1507.0	-
0216.7	53799.3			J	-10.4	-17.8	-38.8	-1507.0	-
9573.4	-47053.8								
		C1-C2;~2 Max		I	751.6	152.3	11.8	5696.5	
4122.5	-106944.5			J	751.6	152.3	11.8	5696.5	
3465.5	64936.0								
		Min		I	-7.5	-29.6	-27.2	-1500.2	-
7296.3	42791.2			J	-7.5	-29.6	-27.2	-1500.2	-
6576.2	-33059.6								
		C3-C4;~2 Max		I	728.5	155.0	11.9	5639.6	
2572.1	-70222.4			J	728.5	155.0	11.9	5639.6	
3436.2	59360.8								
		Min		I	-7.4	-8.3	-23.8	-908.0	-
6369.0	35423.5			J	-7.4	-8.3	-23.8	-908.0	-
5780.9	-31095.6								
		G1		I	1949.9	-5.6	-22.1	-81.0	-
2656.3	-74767.2			J	1949.9	-5.6	-20.0	-81.0	-
6048.5	-2485.5								

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
4661.9	375.7							
		G2	I	761.1	-13.8	-8.3	-327.7	-
2372.3	-4816.5		J	761.1	-13.8	-8.3	-327.7	
1867.4	2219.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	-144.4	8.4	-2.1	-152.9	
-564.5	15071.6		J	-144.4	8.4	-2.1	-152.9	
524.7	10809.4							
		Q5_ps	I	-148.3	4.4	-1.6	-221.5	
-436.4	12714.5		J	-148.3	4.4	-1.6	-221.5	
401.1	10472.2							
		INVS LU Max	I	8494.1	248.6	16.0	10539.5	
3252.9	94280.1		J	8494.1	248.6	18.9	10539.5	1
6498.0	76856.6	Min	I	6163.6	-134.2	-71.6	-3944.6	-1
9289.8	-126336.8		J	6163.6	-134.2	-68.8	-3944.6	-
5721.3	-171803.0							
		INVS LE Max	I	6348.5	183.3	11.8	7795.1	
2363.4	68805.0		J	6348.5	183.3	13.9	7795.1	1
2152.2	56357.5	Min	I	4648.3	-99.2	-52.9	-2913.5	-1
4259.5	-92605.3		J	4648.3	-99.2	-50.8	-2913.5	-
4236.6	-126393.6							
1064	2	82 C1-C2;~1 Max	I	1390.6	160.4	16.0	6780.1	
4526.1	62833.5		J	1390.6	160.4	16.0	6780.1	1
2554.2	46322.6	Min	I	-21.7	-55.7	-47.6	-2371.8	-1
1724.3	-99510.2		J	-21.7	-55.7	-47.6	-2371.8	-
3655.5	-132407.2							
		C3-C4;~1 Max	I	1367.6	160.4	16.3	6592.0	
4518.7	53799.3		J	1367.6	160.4	16.3	6592.0	1
1032.2	33517.2	Min	I	-18.8	-52.5	-42.3	-1810.3	-1
0522.5	-106948.3		J	-18.8	-52.5	-42.3	-1810.3	-
3819.0	-143391.1							
		C1-C2;~2 Max	I	722.5	112.5	10.8	4775.6	
3140.8	42789.9		J	722.5	112.5	10.8	4775.6	
7826.4	29593.2	Min	I	-15.4	-37.9	-29.3	-1484.2	-
7091.8	-70225.0		J	-15.4	-37.9	-29.3	-1484.2	-
2392.3	-93433.5							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

3150.8	35423.5	C3-C4;~2	Max	I	702.4	111.7	11.1	4628.8	
				J	702.4	111.7	11.1	4628.8	
6842.6	20950.3		Min	I	-13.2	-34.3	-25.9	-1139.4	-
6356.3	-74770.0			J	-13.2	-34.3	-25.9	-1139.4	-
2524.3	-101057.7								
		G1		I	1830.7	-1.7	-26.9	-157.9	-
7277.7	375.7			J	1830.7	-1.7	-24.8	-157.9	
5904.1	1234.7								
		G2		I	715.2	-5.8	-10.0	-257.7	-
2783.1	2219.0			J	715.2	-5.8	-10.0	-257.7	
2314.0	5194.8								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc		I	-133.6	5.4	-3.8	-93.0	
-981.6	10809.1			J	-133.6	5.4	-3.8	-93.0	
970.2	8036.4								
		Q5_ps		I	-137.1	3.0	-3.1	-145.6	
-797.5	10471.9			J	-137.1	3.0	-3.1	-145.6	
793.3	8927.6								
		INVSLU	Max	I	8076.6	181.5	10.2	8900.6	
1329.5	76855.3			J	8076.6	181.5	13.1	8900.6	1
9230.8	72429.5		Min	I	5852.6	-120.0	-83.0	-3621.8	-2
2375.2	-171806.5			J	5852.6	-120.0	-80.2	-3621.8	-
4619.4	-198149.4								
		INVSLE	Max	I	6039.2	133.9	7.4	6585.6	
913.4	56356.5			J	6039.2	133.9	9.5	6585.6	1
4142.8	53366.9		Min	I	4416.0	-88.7	-61.2	-2677.9	-1
6514.8	-126396.2			J	4416.0	-88.7	-59.1	-2677.9	-
3394.7	-145990.4								
1065	2	82 C1-C2;~1	Max	I	1313.0	130.0	14.9	5460.9	
4206.1	46321.6			J	1313.0	130.0	14.9	5460.9	1
3155.3	41420.0		Min	I	-67.2	-81.9	-49.6	-2652.0	-1
2143.9	-132409.0			J	-67.2	-81.9	-49.6	-2652.0	-
3376.0	-143090.3								
		C3-C4;~1	Max	I	1296.7	129.2	15.4	5216.5	
4276.5	33515.5			J	1296.7	129.2	15.4	5216.5	1
1602.8	27268.7								


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
0956.7	-143393.0	Min	I	-58.4	-85.7	-44.2	-2556.3	-1
			J	-58.4	-85.7	-44.2	-2556.3	-
3598.5	-152836.2							
		C1-C2;~2	Max	I	687.9	91.4	10.2	3843.3
2945.6	29592.5			J	687.9	91.4	10.2	3843.3
8187.7	25906.1							
		Min	I	-48.0	-57.0	-30.5	-1827.1	-
7342.4	-93434.7			J	-48.0	-57.0	-30.5	-1827.1
2238.7	-100789.0							
		C3-C4;~2	Max	I	671.4	89.9	10.6	3645.1
3013.3	20949.0			J	671.4	89.9	10.6	3645.1
7188.7	16552.3							
		Min	I	-41.5	-58.5	-27.1	-1683.3	-
6623.2	-101059.1			J	-41.5	-58.5	-27.1	-1683.3
2413.0	-107793.0							
		G1	I	1694.9	0.2	-29.2	-177.5	-
7761.6	1234.6			J	1694.9	0.2	-27.1	-177.5
6584.1	1130.3							
		G2	I	662.8	-1.5	-10.8	-161.1	-
2960.1	5195.0			J	662.8	-1.5	-10.8	-161.1
2566.8	5940.1							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	-125.8	3.8	-4.6	-55.1	-
1164.9	8036.2			J	-125.8	3.8	-4.6	-55.1
1169.0	6097.5							
		Q5_ps	I	-128.6	2.7	-3.8	-78.9	
-957.1	8927.6			J	-128.6	2.7	-3.8	-78.9
966.3	7559.5							
		INVSLU	Max	I	7602.7	152.1	9.5	7322.9
1538.9	72429.3			J	7602.7	152.1	12.3	7322.9
0683.1	77728.7							2
		Min	I	5459.2	-146.0	-86.6	-3728.9	-2
2725.4	-198150.7			J	5459.2	-146.0	-83.7	-3728.9
4038.7	-195492.7							
		INVSLE	Max	I	5687.8	112.3	6.8	5420.6
1064.3	53366.8			J	5687.8	112.3	8.9	5420.6
5197.3	57483.2							1
		Min	I	4122.7	-108.0	-63.7	-2758.6	-1
6753.9	-145991.3			J	4122.7	-108.0	-61.6	-2758.6
2959.3	-144090.0							


MIDAS

PROJECT TITLE :

		Company				Client				
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
1066	2	82	C1-C2;~1	Max	I	1235.3	104.1	14.2	4254.0	
4040.0	41420.2				J	1235.3	104.1	14.2	4254.0	1
3474.5	46196.6			Min	I	-117.7	-110.0	-50.5	-4036.0	-1
2300.2	-143090.7				J	-117.7	-110.0	-50.5	-4036.0	-
3225.9	-141033.5									
			C3-C4;~1	Max	I	1225.6	104.9	15.1	4057.6	
4204.4	27269.1				J	1225.6	104.9	15.1	4057.6	1
1928.5	35593.3			Min	I	-104.6	-113.8	-45.2	-4087.3	-1
1131.4	-152836.5				J	-104.6	-113.8	-45.2	-4087.3	-
3525.1	-148850.5									
			C1-C2;~2	Max	I	652.6	73.1	9.8	2977.5	
2833.6	25906.3				J	652.6	73.1	9.8	2977.5	
8384.9	29504.5			Min	I	-83.6	-77.2	-31.0	-2828.2	-
7441.7	-100789.2				J	-83.6	-77.2	-31.0	-2828.2	-
2140.5	-99387.5									
			C3-C4;~2	Max	I	639.9	72.7	10.5	2807.3	
2967.6	16552.6				J	639.9	72.7	10.5	2807.3	
7393.2	22766.8			Min	I	-73.7	-79.0	-27.7	-2799.0	-
6737.2	-107793.2				J	-73.7	-79.0	-27.7	-2799.0	-
2368.2	-104999.1									
			G1		I	1556.5	0.5	-29.9	-190.5	-
7860.4	1130.3				J	1556.5	0.5	-27.7	-190.5	
6814.5	854.6									
			G2		I	609.5	1.5	-11.1	-54.5	-
2996.1	5940.1				J	609.5	1.5	-11.1	-54.5	
2652.5	5183.8									
			Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
			Q5_pc		I	-118.2	3.1	-5.0	-18.4	-
1272.5	6097.4				J	-118.2	3.1	-5.0	-18.4	
1291.4	4532.4									
			Q5_ps		I	-120.2	3.1	-4.2	-7.9	-
1055.3	7559.4				J	-120.2	3.1	-4.2	-7.9	
1076.2	5980.1									
			INVSLU	Max	I	7117.5	127.9	9.9	5903.5	
1831.9	77729.7				J	7117.5	127.9	12.7	5903.5	2
1322.6	91180.2			Min	I	5050.5	-173.0	-87.9	-5390.4	-2


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
2739.8	-195492.0			J	5050.5	-173.0	-85.0	-5390.4	-
3951.4	-180291.8								
		INVSLE	Max	I	5327.9	94.4	7.1	4373.1	
1286.7	57483.9			J	5327.9	94.4	9.3	4373.1	1
5649.3	67592.7		Min	I	3818.0	-128.0	-64.6	-3990.3	-1
6744.9	-144089.5			J	3818.0	-128.0	-62.5	-3990.3	-
2899.9	-132893.3								
1067	2	82	C1-C2;~1	Max	I	1162.3	72.2	14.1	3400.5
3974.9	46197.0			J	1162.3	72.2	14.1	3400.5	1
3582.9	56025.2		Min	I	-167.9	-135.2	-50.7	-5448.4	-1
2266.6	-141032.7			J	-167.9	-135.2	-50.7	-5448.4	-
3194.9	-120031.7								
		C3-C4;~1	Max	I	1158.5	72.9	15.4	3257.7	
4249.1	35594.5			J	1158.5	72.9	15.4	3257.7	1
1987.2	51325.5		Min	I	-152.5	-141.3	-45.3	-5676.2	-1
1095.1	-148849.6			J	-152.5	-141.3	-45.3	-5676.2	-
3593.0	-126975.9								
		C1-C2;~2	Max	I	619.3	49.9	9.6	2353.7	
2775.6	29504.8			J	619.3	49.9	9.6	2353.7	
8444.6	38003.5		Min	I	-118.3	-94.4	-31.1	-3830.7	-
7417.5	-99386.9			J	-118.3	-94.4	-31.1	-3830.7	-
2104.8	-84638.7								
		C3-C4;~2	Max	I	610.0	49.4	10.6	2219.4	
2986.4	22767.7			J	610.0	49.4	10.6	2219.4	
7420.8	34176.7		Min	I	-106.7	-98.3	-27.7	-3943.3	-
6713.8	-104998.5			J	-106.7	-98.3	-27.7	-3943.3	-
2400.9	-89395.5								
		G1		I	1423.0	-0.1	-29.6	-194.8	-
7750.9	854.6			J	1423.0	-0.1	-27.5	-194.8	
6807.7	903.5								
		G2		I	558.0	4.7	-11.1	51.8	-
2966.6	5183.7			J	558.0	4.7	-11.1	51.8	
2665.9	2804.7								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc		I	-109.5	2.9	-5.4	11.4	-
1354.2	4532.3								

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
1377.2	3060.5		J	-109.5	2.9	-5.4	11.4	
1134.5	5980.0	Q5_ps	I	-110.8	4.2	-4.5	56.3	-
1158.7	3827.4		J	-110.8	4.2	-4.5	56.3	
2328.2	91181.1	INVSLU Max	I	6645.3	94.7	11.3	4990.6	
1517.1	106376.4		J	6645.3	94.7	14.1	4990.6	2
2405.6	-180290.0	Min	I	4651.7	-199.7	-87.6	-7283.5	-2
4149.2	-146184.0		J	4651.7	-199.7	-84.7	-7283.5	-
1666.8	67593.4	INVSLE Max	I	4977.5	69.9	8.2	3699.4	
5768.1	78975.9		J	4977.5	69.9	10.3	3699.4	1
6473.9	-132892.0	Min	I	3515.9	-147.8	-64.3	-5391.0	-1
3060.4	-107697.8		J	3515.9	-147.8	-62.2	-5391.0	-
1068	2	82 C1-C2;~1 Max	I	1094.6	52.6	13.7	3157.6	
3913.2	56025.5		J	1094.6	52.6	13.7	3157.6	1
3868.2	80238.4	Min	I	-217.4	-185.0	-51.1	-6701.4	-1
2201.0	-120029.2		J	-217.4	-185.0	-51.1	-6701.4	-
3094.7	-71990.6							
4296.5	51326.2	C3-C4;~1 Max	I	1095.9	34.2	15.3	2939.1	
2631.5	78530.9		J	1095.9	34.2	15.3	2939.1	1
1155.3	-126975.7	Min	I	-201.2	-191.8	-46.7	-6964.6	-1
3616.2	-74892.5		J	-201.2	-191.8	-46.7	-6964.6	-
2706.0	38003.7	C1-C2;~2 Max	I	588.0	32.0	9.2	2157.4	
8631.5	54796.9		J	588.0	32.0	9.2	2157.4	
7364.8	-84636.8	Min	I	-152.0	-128.5	-31.4	-4704.4	-
2000.8	-50454.6		J	-152.0	-128.5	-31.4	-4704.4	-
2991.1	34177.1	C3-C4;~2 Max	I	581.7	20.6	10.4	1964.3	
7859.9	53429.9		J	581.7	20.6	10.4	1964.3	
6751.1	-89395.4	Min	I	-139.7	-133.5	-28.7	-4851.4	-
2383.4	-51870.9		J	-139.7	-133.5	-28.7	-4851.4	-
7582.9	903.5	G1	I	1296.2	-1.8	-29.1	-196.4	-
6710.4	1798.7		J	1296.2	-1.8	-27.0	-196.4	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			

2892.9	2804.6	G2	I	509.1	9.5	-10.7	125.3	-
2584.4	-2032.1		J	509.1	9.5	-10.7	125.3	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1408.4	3060.3	Q5_pc	I	-99.6	3.0	-5.5	26.8	-
1403.8	1533.1		J	-99.6	3.0	-5.5	26.8	
1179.3	3827.2	Q5_ps	I	-100.4	6.2	-4.6	95.7	-
1168.1	677.6		J	-100.4	6.2	-4.6	95.7	
2984.2	106377.5	INVS LU Max	I	6194.2	79.2	13.1	4872.3	
1552.6	134885.1		J	6194.2	79.2	15.9	4872.3	2
1822.6	-146182.7	Min	I	4242.0	-256.1	-86.5	-8841.0	-2
4578.1	-77301.1		J	4242.0	-256.1	-83.7	-8841.0	-
2174.9	78976.7	INVS LE Max	I	4642.7	58.4	9.6	3613.0	
5763.1	100210.0		J	4642.7	58.4	11.8	3613.0	1
6012.7	-107696.8	Min	I	3209.9	-189.5	-63.4	-6541.4	-1
3405.8	-56760.6		J	3209.9	-189.5	-61.3	-6541.4	-
1069	2	82 C1-C2;~1 Max	I	1030.1	69.3	24.3	2962.6	
6240.6	80242.3		J	1030.1	69.3	24.3	2962.6	1
2851.0	135353.7		I	-256.1	-298.7	-48.0	-8767.7	-1
1606.5	-71983.5	Min	J	-256.1	-298.7	-48.0	-8767.7	-
6189.7	-38992.8							
7642.1	78535.3	C3-C4;~1 Max	I	1036.0	23.5	29.9	2339.7	
9004.4	131953.6		J	1036.0	23.5	29.9	2339.7	
8902.1	-74884.9	Min	I	-239.8	-304.5	-35.1	-9247.9	-
7597.4	-14576.8		J	-239.8	-304.5	-35.1	-9247.9	-
4328.0	54799.5	C1-C2;~2 Max	I	557.6	40.8	16.6	1826.6	
7785.1	89819.3		J	557.6	40.8	16.6	1826.6	
6864.5	-50449.5	Min	I	-177.7	-205.9	-28.7	-6139.4	-
4169.7	-22025.1		J	-177.7	-205.9	-28.7	-6139.4	-


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
5339.4	53432.9	C3-C4;~2	Max	I	554.0	11.1	20.6	1506.7	
				J	554.0	11.1	20.6	1506.7	
5179.3	89429.3		Min	I	-165.3	-211.5	-20.2	-6466.3	-
5103.3	-51865.4			J	-165.3	-211.5	-20.2	-6466.3	-
5177.5	-6411.6								
			G1	I	1176.8	-5.0	-28.9	-155.9	-
7474.4	1798.5			J	1176.8	-5.0	-26.8	-155.9	
6713.4	4347.5								
			G2	I	463.5	17.5	-12.0	320.6	-
3165.4	-2033.3			J	463.5	17.5	-12.0	320.6	
2971.9	-10962.1								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	-85.5	3.3	-6.6	43.2	-
1658.2	1533.5			J	-85.5	3.3	-6.6	43.2	
1703.5	-137.8								
			Q5_ps	I	-85.8	9.3	-5.9	157.9	-
1484.0	677.6			J	-85.8	9.3	-5.9	157.9	
1535.2	-4076.3								
			INVS LU Max	I	5788.6	117.6	33.7	5001.1	
7700.6	134887.0			J	5788.6	117.6	36.6	5001.1	2
0429.6	197241.8		Min	I	3890.3	-392.9	-83.2	-11560.7	-2
1269.7	-77294.9			J	3890.3	-392.9	-80.4	-11560.7	-1
0241.9	-38374.0								
			INVS LE Max	I	4341.5	86.9	25.0	3714.9	
5678.6	100211.4			J	4341.5	86.9	27.1	3714.9	1
4883.6	146492.4		Min	I	2946.8	-290.8	-60.8	-8547.4	-1
5559.7	-56755.9			J	2946.8	-290.8	-58.7	-8547.4	-
7608.9	-28019.5								
1070	2	70	C1-C2;~1	Max	I	534.3	236.2	19.0	1383.7
4841.8	89630.7			J	534.3	236.2	19.0	1383.7	
825.4	33161.3		Min	I	-479.7	-72.2	-3.2	-425.5	
-835.5	-31358.3			J	-479.7	-72.2	-3.2	-425.5	-
4729.8	-49181.1								
			C3-C4;~1	Max	I	523.6	233.7	16.9	1420.0
4307.7	86584.8			J	523.6	233.7	16.9	1420.0	
1094.6	31400.2		Min	I	-461.4	-19.0	-4.4	-237.3	-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
1118.8	-10234.6		J	-461.4	-19.0	-4.4	-237.3	-
4195.1	-51815.1							
2955.9	59073.6	C1-C2;~2 Max	I	304.3	162.3	11.6	969.3	
			J	304.3	162.3	11.6	969.3	
483.5	22264.3	Min	I	-310.5	-44.8	-1.9	-270.0	
-476.9	-18240.9		J	-310.5	-44.8	-1.9	-270.0	-
2885.6	-34690.5							
		C3-C4;~2 Max	I	297.7	162.6	10.1	995.9	
2574.8	57945.3		J	297.7	162.6	10.1	995.9	
678.3	20357.3	Min	I	-293.8	-8.8	-2.7	-143.7	
-681.9	-4536.1		J	-293.8	-8.8	-2.7	-143.7	-
2505.3	-36276.3							
		G1	I	288.5	2.9	9.8	6.4	
2561.3	822.7		J	288.5	2.9	10.8	6.4	-
2640.8	-619.1							
		G2	I	120.4	-12.6	4.1	-56.9	
1023.8	-7275.0		J	120.4	-12.6	4.1	-56.9	-
1024.6	-895.8							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	-3.4	-3.6	1.4	-17.8	
339.1	-2856.8		J	-3.4	-3.6	1.4	-17.8	
-354.0	-1032.9							
		Q5_ps	I	-2.8	-8.5	1.1	-38.4	
279.1	-5601.3		J	-2.8	-8.5	1.1	-38.4	
-292.6	-1299.8							
		INVSLU Max	I	2464.5	273.5	22.9	1693.7	
5840.3	89700.6		J	2464.5	273.5	24.2	1693.7	
2441.6	36347.4	Min	I	1089.6	-149.3	-11.1	-829.9	-
2816.9	-78776.8		J	1089.6	-149.3	-9.8	-829.9	-
6058.6	-80230.0							
		INVSLE Max	I	1856.3	201.1	16.1	1249.1	
4087.7	64524.1		J	1856.3	201.1	17.0	1249.1	
1982.8	25780.4	Min	I	838.4	-111.7	-8.9	-617.9	-
2279.8	-59893.1		J	838.4	-111.7	-8.0	-617.9	-
4266.4	-60435.5							
1071	2	70 C1-C2;~1 Max	I	568.2	122.3	18.9	1023.5	


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
4860.8	33155.5		J	568.2	122.3	18.9	1023.5
865.5	25636.6	Min	I	-443.9	-47.5	-3.4	-406.9
-847.5	-49190.8		J	-443.9	-47.5	-3.4	-406.9
4679.3	-72836.3						-
		C3-C4;~1 Max	I	555.7	121.5	17.5	1045.7
4496.3	31392.9		J	555.7	121.5	17.5	1045.7
903.6	17491.0	Min	I	-430.5	-31.6	-3.6	-365.5
-913.3	-51824.6		J	-430.5	-31.6	-3.6	-365.5
4334.1	-75206.8						-
		C1-C2;~2 Max	I	322.4	85.3	11.6	718.5
2984.0	22260.5		J	322.4	85.3	11.6	718.5
504.0	16556.8	Min	I	-292.7	-30.5	-1.9	-278.5
-478.9	-34697.2		J	-292.7	-30.5	-1.9	-278.5
2869.6	-51403.2						-
		C3-C4;~2 Max	I	314.6	84.3	10.6	730.0
2710.9	20352.3		J	314.6	84.3	10.6	730.0
534.8	10865.5	Min	I	-279.8	-20.1	-2.1	-240.1
-530.5	-36282.8		J	-279.8	-20.1	-2.1	-240.1
2612.8	-53164.6						-
		G1	I	382.8	1.4	9.2	2.1
2414.5	-621.6		J	382.8	1.4	10.1	2.1
2439.2	-1327.1						-
		G2	I	157.6	-4.6	3.6	-33.8
927.2	-895.7		J	157.6	-4.6	3.6	-33.8
-908.1	1407.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-7.9	-2.2	1.4	-15.0
346.2	-1033.1		J	-7.9	-2.2	1.4	-15.0
-353.7	69.7						
		Q5_ps	I	-7.7	-4.1	1.1	-28.5
277.1	-1299.6		J	-7.7	-4.1	1.1	-28.5
-285.1	769.8						
		INVSLU Max	I	2756.1	135.8	23.8	1258.4
6073.5	36347.0		J	2756.1	135.8	25.0	1258.4
1935.5	41122.5	Min	I	1375.7	-97.4	-9.1	-729.7
2344.7	-80235.7						-


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
6238.1	-95141.5		J	1375.7	-97.4	-7.9	-729.7	-
4295.8	25780.4	INVSLE Max	I	2073.8	99.5	16.8	927.9	
1573.3	29834.2		J	2073.8	99.5	17.8	927.9	
1893.8	-60439.4	Min	I	1052.3	-72.9	-7.3	-542.7	-
4434.1	-71092.8		J	1052.3	-72.9	-6.4	-542.7	-
1072	2	70 C1-C2;~1 Max	I	612.5	102.4	17.5	841.2	
4511.2	25636.8		J	612.5	102.4	17.5	841.2	
993.3	24906.7	Min	I	-396.5	-67.2	-3.9	-492.3	
-954.5	-72838.6		J	-396.5	-67.2	-3.9	-492.3	-
4299.0	-87105.0							
4153.9	17491.0	C3-C4;~1 Max	I	598.3	101.1	16.1	865.8	
1027.3	13571.3		J	598.3	101.1	16.1	865.8	
1020.4	-75209.4	Min	I	-375.9	-63.8	-4.1	-478.5	-
3969.3	-89517.3		J	-375.9	-63.8	-4.1	-478.5	-
2766.4	16557.0	C1-C2;~2 Max	I	344.8	72.1	10.7	591.4	
579.3	15827.2		J	344.8	72.1	10.7	591.4	
-542.8	-51405.0	Min	I	-265.3	-47.3	-2.2	-341.6	
2636.1	-61421.0		J	-265.3	-47.3	-2.2	-341.6	-
2503.3	10865.5	C3-C4;~2 Max	I	335.9	70.2	9.7	602.3	
608.1	8021.5		J	335.9	70.2	9.7	602.3	
-595.4	-53166.5	Min	I	-247.6	-43.8	-2.4	-326.0	
2394.9	-63226.0		J	-247.6	-43.8	-2.4	-326.0	-
2064.2	-1326.8	G1	I	487.8	0.9	7.7	-1.6	
2031.1	-1777.7		J	487.8	0.9	8.6	-1.6	-
793.2	1407.3	G2	I	198.3	-1.6	3.1	-21.3	
-751.0	2224.5		J	198.3	-1.6	3.1	-21.3	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
358.0	69.8	Q5_pc	I	-11.5	-1.4	1.4	-11.6	
			J	-11.5	-1.4	1.4	-11.6	


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
-357.4	790.8							
		Q5_ps	I	-12.1	-2.2	1.2	-20.1	
291.6	769.9		J	-12.1	-2.2	1.2	-20.1	
-292.6	1882.1							
		INVSLU Max	I	3091.3	117.6	22.2	1103.9	
5727.5	41123.5		J	3091.3	117.6	23.4	1103.9	
2054.2	51826.7							
		Min	I	1708.4	-113.9	-9.4	-750.4	-
2384.5	-95144.5		J	1708.4	-113.9	-8.2	-750.4	-
5779.6	-104069.2							
		INVSLE Max	I	2324.4	86.4	15.8	814.2	
4069.0	29834.9		J	2324.4	86.4	16.7	814.2	
1634.2	38031.4							
		Min	I	1301.6	-84.9	-7.5	-557.8	-
1892.2	-71095.1		J	1301.6	-84.9	-6.5	-557.8	-
4121.0	-77341.5							
		70 C1-C2;~1 Max	I	678.0	108.0	15.0	664.5	
1073	2		J	678.0	108.0	15.0	664.5	
4007.9	24907.0							
		Min	I	-358.8	-87.7	-4.8	-638.4	-
1263.2	30964.5		J	-358.8	-87.7	-4.8	-638.4	-
1176.2	-87109.1							
3583.0	-104873.2							
		C3-C4;~1 Max	I	661.7	108.5	13.9	678.7	
3706.7	13571.1		J	661.7	108.5	13.9	678.7	
1282.7	19158.0							
		Min	I	-337.3	-84.9	-5.0	-638.6	-
1232.4	-89521.8		J	-337.3	-84.9	-5.0	-638.6	-
3326.1	-109815.2							
		C1-C2;~2 Max	I	377.2	76.4	9.3	466.5	
2468.0	15827.4		J	377.2	76.4	9.3	466.5	
756.2	19737.3							
		Min	I	-243.7	-61.8	-2.8	-445.3	-
-678.3	-61423.9		J	-243.7	-61.8	-2.8	-445.3	-
2213.5	-74061.0							
		C3-C4;~2 Max	I	367.0	75.4	8.5	467.2	
2248.4	8021.4		J	367.0	75.4	8.5	467.2	
775.3	11655.3							
		Min	I	-225.8	-58.8	-3.0	-442.0	-
-724.8	-63229.2		J	-225.8	-58.8	-3.0	-442.0	-
2027.4	-77359.5							
		G1	I	617.2	0.7	5.0	-7.0	
1463.6	-1777.7		J	617.2	0.7	5.9	-7.0	-
1291.7	-2111.0							


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
557.9	2224.7	G2	I	248.7	-0.5	2.0	-5.6	
			J	248.7	-0.5	2.0	-5.6	
-463.0	2453.6							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	-14.6	-0.9	1.3	-5.2	
342.2	790.9		J	-14.6	-0.9	1.3	-5.2	
-313.7	1260.3							
		Q5_ps	I	-16.3	-1.2	1.1	-7.1	
282.2	1882.3		J	-16.3	-1.2	1.1	-7.1	
-260.2	2498.8							
		INVS LU Max	I	3507.7	131.6	18.7	944.9	
4945.8	51828.6		J	3507.7	131.6	20.0	944.9	
2314.8	68352.2							
		Min	I	2081.6	-135.0	-10.7	-842.9	-
2744.6	-104073.9		J	2081.6	-135.0	-9.4	-842.9	-
4818.7	-123969.0							
		INVS LE Max	I	2635.2	96.9	13.3	697.1	
3509.9	38032.9		J	2635.2	96.9	14.2	697.1	
1807.6	50474.1							
		Min	I	1580.8	-100.4	-8.3	-626.5	-
2141.0	-77345.0		J	1580.8	-100.4	-7.4	-626.5	-
3434.6	-91818.0							
		82 C1-C2;~1 Max	I	793.2	98.7	68.7	3825.2	1
1074	2		J	793.2	98.7	68.7	3825.2	
8909.6	30965.3							
		Min	I	-374.0	-89.4	-24.4	-6019.0	-
6176.7	40910.7		J	-374.0	-89.4	-24.4	-6019.0	-1
6777.0	-104873.3							
5748.0	-117719.8							
		C3-C4;~1 Max	I	774.2	100.6	63.3	3821.0	1
7407.4	19160.0		J	774.2	100.6	63.3	3821.0	
6222.0	29699.0							
		Min	I	-350.4	-86.7	-25.1	-6049.1	-
6572.1	-109815.6		J	-350.4	-86.7	-25.1	-6049.1	-1
4544.4	-125614.0							
		C1-C2;~2 Max	I	439.1	69.9	42.3	2662.6	1
1655.7	19737.8		J	439.1	69.9	42.3	2662.6	
3729.4	26338.3							
		Min	I	-255.9	-62.6	-14.0	-4212.0	-
3825.4	-74061.1		J	-255.9	-62.6	-14.0	-4212.0	-
9700.1	-83088.6							
		C3-C4;~2 Max	I	427.0	69.8	38.5	2578.7	1


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0571.8	11656.7			J	427.0	69.8	38.5	2578.7	
3785.7	18627.2								
		Min		I	-236.4	-59.7	-14.6	-4215.3	-
3700.7	-77359.8			J	-236.4	-59.7	-14.6	-4215.3	-
8846.2	-88135.7								
		G1		I	763.8	0.3	19.4	-88.4	
5088.5	-2111.2			J	763.8	0.3	21.5	-88.4	-
5234.9	-2241.0								
		G2		I	306.8	0.6	7.4	54.2	
1861.1	2453.4			J	306.8	0.6	7.4	54.2	-
1894.7	2149.5								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc		I	-27.2	-0.5	6.9	5.5	
1857.9	1260.2			J	-27.2	-0.5	6.9	5.5	-
1604.1	1490.9								
		Q5_ps		I	-28.7	-0.2	5.8	32.3	
1558.7	2498.6			J	-28.7	-0.2	5.8	32.3	-
1346.3	2623.3								
		INVSLU Max		I	4140.1	126.3	83.7	5225.1	2
2210.5	68353.9			J	4140.1	126.3	86.6	5225.1	1
1785.2	86984.0								
		Min		I	2515.4	-131.0	-55.2	-8115.2	-1
5810.7	-123968.6			J	2515.4	-131.0	-52.3	-8115.2	-2
0761.8	-140507.8								
		INVSLE Max		I	3110.0	93.2	59.3	3856.0	1
5661.9	50475.3			J	3110.0	93.2	61.4	3856.0	
9092.5	64435.3								
		Min		I	1910.1	-97.4	-42.7	-6025.0	-1
2254.3	-91817.8			J	1910.1	-97.4	-40.6	-6025.0	-1
4802.4	-103878.4								
		82 C1-C2;~1 Max		I	882.7	69.5	58.2	3414.8	1
1075	2			J	882.7	69.5	58.2	3414.8	
5641.5	40911.6								
		Min		I	-366.1	-117.0	-20.1	-6792.3	-
5385.4	50022.6			J	-366.1	-117.0	-20.1	-6792.3	-1
4803.2	-117720.7								
3731.4	-105309.2								
		C3-C4;~1 Max		I	861.9	70.5	53.7	3377.1	1
4384.6	29700.3			J	861.9	70.5	53.7	3377.1	
5335.8	46560.2								
		Min		I	-342.4	-117.9	-20.6	-6996.1	-
5044.6	-125615.2								


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
2715.5	-115144.5		J	-342.4	-117.9	-20.6	-6996.1	-1		
9832.0	26339.0	C1-C2;~2 Max	I	488.1	48.7	36.4	2359.9			
3447.8	33895.3		J	488.1	48.7	36.4	2359.9			
2838.9	-83089.3	Min	I	-250.3	-81.9	-12.4	-4742.7	-		
8514.0	-74135.3		J	-250.3	-81.9	-12.4	-4742.7	-		
8931.3	18628.1	C3-C4;~2 Max	I	474.5	47.9	33.1	2248.8			
3428.0	30333.2		J	474.5	47.9	33.1	2248.8			
3040.8	-88136.6	Min	I	-230.8	-81.5	-12.8	-4873.6	-		
7800.4	-80348.2		J	-230.8	-81.5	-12.8	-4873.6	-		
4787.8	-2240.8	G1	I	876.0	-1.4	19.1	-97.4			
5386.2	-1520.6		J	876.0	-1.4	21.2	-97.4	-		
1784.4	2149.5	G2	I	351.6	2.9	7.4	126.6			
1969.4	691.9		J	351.6	2.9	7.4	126.6	-		
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0			
0.0	0.0		J	0.0	0.0	0.0	0.0			
1495.4	1490.9	Q5_pc	I	-44.5	0.3	5.8	30.2			
1436.4	1351.4		J	-44.5	0.3	5.8	30.2	-		
1252.7	2623.3	Q5_ps	I	-45.2	1.5	4.9	84.3			
1202.5	1845.8		J	-45.2	1.5	4.9	84.3	-		
0188.8	86985.7	INVSLU Max	I	4665.6	92.7	78.6	4880.3	2		
8220.8	100523.9		J	4665.6	92.7	81.4	4880.3			
0429.2	-140509.1	Min	I	2899.5	-162.1	-38.2	-9228.9	-1		
0172.4	-124884.1		J	2899.5	-162.1	-35.4	-9228.9	-2		
4474.5	64436.6	INVSLE Max	I	3504.5	68.3	56.5	3600.9	1		
6279.9	74618.5		J	3504.5	68.3	58.6	3600.9			
8006.1	-103879.3	Min	I	2202.2	-120.3	-29.3	-6846.3	-		
4560.7	-92170.3		J	2202.2	-120.3	-27.2	-6846.3	-1		
1076	2	82 C1-C2;~1 Max	I	950.1	56.1	50.7	3299.7	1		
3593.2	50023.1									

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
5364.5	70669.3		J	950.1	56.1	50.7	3299.7	
4104.9	-105308.8	Min	I	-333.9	-174.9	-18.5	-7554.8	-
2058.5	-69670.6		J	-333.9	-174.9	-18.5	-7554.8	-1
2431.3	46560.7	C3-C4;~1 Max	I	928.0	32.0	46.1	3115.2	1
5161.8	71470.6		J	928.0	32.0	46.1	3115.2	
4361.5	-115144.1	Min	I	-315.1	-181.4	-18.5	-7790.7	-
0949.2	-73757.2		J	-315.1	-181.4	-18.5	-7790.7	-1
8568.9	33895.7	C1-C2;~2 Max	I	523.0	35.3	31.7	2263.6	
3608.7	47720.1		J	523.0	35.3	31.7	2263.6	
2537.0	-74135.0	Min	I	-228.9	-121.8	-12.0	-5264.7	-
7473.0	-48880.2		J	-228.9	-121.8	-12.0	-5264.7	-
7746.5	30333.5	C3-C4;~2 Max	I	508.2	19.5	28.5	2042.2	
3462.3	47540.2		J	508.2	19.5	28.5	2042.2	
2746.6	-80347.9	Min	I	-213.1	-125.6	-12.0	-5413.7	-
6706.0	-50832.2		J	-213.1	-125.6	-12.0	-5413.7	-
4686.3	-1520.7	G1	I	984.1	-4.1	18.9	-103.2	
5360.3	559.5		J	984.1	-4.1	21.0	-103.2	-
1776.5	691.9	G2	I	394.2	6.9	7.5	178.8	
2016.0	-2813.8		J	394.2	6.9	7.5	178.8	-
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1291.1	1351.5	Q5_pc	I	-58.5	1.0	5.0	43.0	
1256.5	827.0		J	-58.5	1.0	5.0	43.0	-
1077.2	1845.9	Q5_ps	I	-58.8	4.0	4.2	116.5	
1053.4	-194.0		J	-58.8	4.0	4.2	116.5	-
8558.2	100524.7	INVSLU Max	I	5098.3	83.9	72.3	4891.1	1
7008.4	125341.3		J	5098.3	83.9	75.2	4891.1	
8004.6	-124883.7	Min	I	3259.5	-238.6	-30.1	-10158.5	-
			J	3259.5	-238.6	-27.3	-10158.5	-1

MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			

8774.4	-72204.9								
		INVSLE	Max	I	3827.7	61.9	52.4	3610.2	1
3421.9	74619.0			J	3827.7	61.9	54.5	3610.2	
5274.4	93146.8								
		Min		I	2473.4	-176.9	-22.8	-7531.9	-
6082.0	-92169.9			J	2473.4	-176.9	-20.7	-7531.9	-1
3656.4	-53073.4								
1077	2	82 C1-C2;~1	Max	I	1009.9	76.3	56.5	3374.3	1
4739.3	70674.2			J	1009.9	76.3	56.5	3374.3	
3740.0	134813.2								
		Min		I	-295.1	-297.7	-13.5	-9314.7	-
3070.0	-69663.6			J	-295.1	-297.7	-13.5	-9314.7	-1
3819.8	-40440.7								
		C3-C4;~1	Max	I	987.0	22.7	60.9	2430.2	1
5633.8	71475.9			J	987.0	22.7	60.9	2430.2	
1691.2	136254.1								
		Min		I	-281.9	-307.4	-6.7	-9756.0	-
2007.3	-73749.3			J	-281.9	-307.4	-6.7	-9756.0	-1
5116.1	-14314.1								
		C1-C2;~2	Max	I	552.8	46.8	36.0	2144.4	
9452.6	47723.1			J	552.8	46.8	36.0	2144.4	
2423.5	89679.0								
		Min		I	-203.4	-206.0	-8.4	-6485.9	-
1821.7	-48875.2			J	-203.4	-206.0	-8.4	-6485.9	-
8771.5	-23147.2								
		C3-C4;~2	Max	I	537.1	10.8	38.9	1540.8	1
0032.1	47543.5			J	537.1	10.8	38.9	1540.8	
953.2	88990.2								
		Min		I	-192.0	-212.0	-3.6	-6781.4	-
1084.7	-50826.5			J	-192.0	-212.0	-3.6	-6781.4	-
9637.6	-6486.2								
		G1		I	1090.8	-8.4	19.2	-75.9	
4752.3	560.7			J	1090.8	-8.4	21.3	-75.9	-
5457.9	4799.2								
		G2		I	435.8	13.8	6.5	349.0	
1534.9	-2814.4			J	435.8	13.8	6.5	349.0	-
1720.8	-9786.6								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc		I	-76.1	1.7	4.2	59.1	
1112.7	826.5			J	-76.1	1.7	4.2	59.1	-
1019.5	-22.1								

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

853.0	-194.8	Q5_ps	I	-76.2	7.5	3.2	176.3	
-757.0	-3965.6		J	-76.2	7.5	3.2	176.3	
1988.3	125349.2	INVS LU Max	I	5513.2	125.6	89.4	5356.4	2
3422.8	201455.9		J	5513.2	125.6	92.2	5356.4	
5264.7	-72192.4	Min	I	3614.4	-395.4	-18.6	-12476.0	-
3868.2	-37122.1		J	3614.4	-395.4	-15.8	-12476.0	-2
6051.8	93152.8	INVS LE Max	I	4136.4	92.8	65.4	3960.6	1
2571.6	149671.0		J	4136.4	92.8	67.5	3960.6	
3987.3	-53064.2	Min	I	2740.0	-293.0	-14.0	-9240.6	-
7508.0	-27050.4		J	2740.0	-293.0	-11.9	-9240.6	-1
1078	2	70 C1-C2;~1 Max	I	150.8	19.5	2.3	76.9	
585.5	9757.0		J	150.8	19.5	2.3	76.9	
236.2	17473.4	Min	I	-266.7	-168.1	-1.0	-888.3	
-257.5	-74428.5		J	-266.7	-168.1	-1.0	-888.3	
-563.1	-11485.6							
676.2	10389.7	C3-C4;~1 Max	I	147.8	21.6	2.7	75.2	
319.4	12125.4		J	147.8	21.6	2.7	75.2	
-317.7	-66317.3	Min	I	-285.7	-145.9	-1.3	-730.9	
-654.7	-9451.5		J	-285.7	-145.9	-1.3	-730.9	
344.8	4422.7	C1-C2;~2 Max	I	86.0	8.8	1.4	34.6	
158.0	12289.8		J	86.0	8.8	1.4	34.6	
-169.6	-49561.8	Min	I	-160.5	-113.3	-0.7	-616.7	
-331.5	-7831.5		J	-160.5	-113.3	-0.7	-616.7	
400.8	4865.4	C3-C4;~2 Max	I	84.2	10.2	1.6	35.2	
220.7	8291.5		J	84.2	10.2	1.6	35.2	
-215.3	-43285.9	Min	I	-172.6	-96.3	-0.9	-499.6	
-388.6	-6291.8		J	-172.6	-96.3	-0.9	-499.6	
497.9	332.0	G1	I	-67.3	0.5	1.7	-2.4	
-562.3	91.1		J	-67.3	0.5	2.6	-2.4	
		G2	I	-22.2	13.1	0.9	46.6	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
230.6	6366.9			J	-22.2	13.1	0.9	46.6
-223.0	-142.4							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-15.2	22.3	0.1	78.5
37.9	10109.7			J	-15.2	22.3	0.1	78.5
-32.5	-1017.2							
			Q5_ps	I	-14.2	30.1	0.2	107.0
62.6	13839.3			J	-14.2	30.1	0.2	107.0
-54.5	-1139.1							
			INVS LU Max	I	-508.6	126.2	2.3	395.8
756.2	54722.4			J	-508.6	126.2	3.5	395.8
692.6	18375.6							
			Min	I	-1125.3	-179.7	-3.3	-1081.9
-653.9	-82182.0			J	-1125.3	-179.7	-2.1	-1081.9
-680.9	-22550.1							
			INVS LE Max	I	-440.5	94.8	1.5	297.2
506.2	40755.4			J	-440.5	94.8	2.4	297.2
567.3	12955.0							
			Min	I	-895.3	-126.9	-2.7	-780.3
-533.2	-58443.6			J	-895.3	-126.9	-1.7	-780.3
-445.8	-17224.7							
			70 C1-C2;~1 Max	I	182.7	10.4	3.4	113.7
1079	2			J	182.7	10.4	3.4	113.7
845.4	17483.0							
			Min	I	-290.3	-45.1	-0.8	-528.6
185.7	32092.4			J	-290.3	-45.1	-0.8	-528.6
-188.5	-11481.9							
-828.0	-13375.1							
			C3-C4;~1 Max	I	179.4	9.2	4.3	98.5
1090.1	12133.0			J	179.4	9.2	4.3	98.5
217.3	24655.8							
			Min	I	-317.8	-36.4	-0.8	-422.1
-189.4	-9448.3			J	-317.8	-36.4	-0.8	-422.1
1049.0	-11542.8							
			C1-C2;~2 Max	I	104.2	6.7	2.0	72.1
502.7	12296.6			J	104.2	6.7	2.0	72.1
105.8	22476.0							
			Min	I	-172.8	-31.6	-0.4	-370.7
-107.4	-7828.8			J	-172.8	-31.6	-0.4	-370.7
-489.8	-9049.5							
			C3-C4;~2 Max	I	102.2	5.5	2.7	59.3
676.0	8297.0							

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
132.7	17023.5		J	102.2	5.5	2.7	59.3
		Min	I	-190.5	-25.2	-0.5	-292.5
-108.8	-6289.4		J	-190.5	-25.2	-0.5	-292.5
-644.8	-7562.4						
		G1	I	-70.4	0.2	1.9	-1.0
551.3	90.8		J	-70.4	0.2	2.8	-1.0
-630.8	-26.7						
		G2	I	-24.4	1.9	0.9	16.0
225.0	-143.5		J	-24.4	1.9	0.9	16.0
-226.3	-1100.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-16.2	3.5	-0.0	24.4
-0.2	-1018.9		J	-16.2	3.5	-0.0	24.4
-0.0	-2762.0						
		Q5_ps	I	-16.6	4.5	0.0	32.8
6.2	-1141.2		J	-16.6	4.5	0.0	32.8
-6.8	-3395.4						
		INVSLU Max	I	-250.0	28.9	3.3	295.3
1016.4	18383.0		J	-250.0	28.9	4.5	295.3
770.5	33857.2						
		Min	I	-954.9	-52.4	-3.6	-615.7
-711.3	-22553.6		J	-954.9	-52.4	-2.3	-615.7
-939.1	-32495.5						
		INVSLE Max	I	-240.5	22.1	2.2	230.3
689.6	12959.9		J	-240.5	22.1	3.1	230.3
647.6	23834.6						
		Min	I	-760.5	-37.6	-2.9	-441.3
-590.2	-17227.7		J	-760.5	-37.6	-2.0	-441.3
-618.8	-24947.3						
		70 C1-C2;~1 Max	I	239.9	21.9	4.6	135.8
1080	2		J	239.9	21.9	4.6	135.8
1120.0	32092.5						
		Min	I	-376.1	-50.1	-1.5	-538.4
383.4	55114.0		J	-376.1	-50.1	-1.5	-538.4
-338.8	-13376.6						
1192.4	-23802.7						
		C3-C4;~1 Max	I	235.9	17.8	5.7	114.8
1399.3	24656.1		J	235.9	17.8	5.7	114.8
374.6	43182.0						
		Min	I	-417.2	-38.8	-1.4	-412.4
-331.0	-11544.0		J	-417.2	-38.8	-1.4	-412.4

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

1454.5	-19669.9							
		C1-C2;~2	Max	I	136.8	15.1	2.8	88.1
666.6	22476.1			J	136.8	15.1	2.8	88.1
218.6	39008.0							
			Min	I	-224.4	-35.8	-0.8	-379.6
-193.1	-9050.6			J	-224.4	-35.8	-0.8	-379.6
-707.2	-16345.7							
		C3-C4;~2	Max	I	134.4	12.0	3.5	71.5
862.4	17023.8			J	134.4	12.0	3.5	71.5
213.1	30225.6							
			Min	I	-251.4	-27.4	-0.8	-286.4
-188.3	-7563.3			J	-251.4	-27.4	-0.8	-286.4
-888.8	-13127.5							
		G1		I	-83.9	0.1	2.3	-1.0
624.9	-26.6			J	-83.9	0.1	3.2	-1.0
-734.8	-62.1							
		G2		I	-28.3	0.3	1.0	11.0
250.4	-1100.3			J	-28.3	0.3	1.0	11.0
-261.1	-1241.4							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-16.2	1.3	0.0	14.4
1.8	-2761.8			J	-16.2	1.3	0.0	14.4
-1.4	-3388.9							
		Q5_ps		I	-17.0	1.2	0.0	19.6
9.0	-3395.1			J	-17.0	1.2	0.0	19.6
-8.7	-4013.4							
		INVSLU	Max	I	129.0	23.3	3.3	275.2
1052.0	33858.7			J	129.0	23.3	4.6	275.2
1578.9	69231.3							
			Min	I	-787.2	-76.2	-6.4	-660.8
1297.5	-32495.7			J	-787.2	-76.2	-5.2	-660.8
-904.8	-43406.2							
		INVSLE	Max	I	56.3	16.5	2.0	212.6
674.5	23835.8			J	56.3	16.5	2.9	212.6
1306.4	50318.9							
			Min	I	-620.2	-57.0	-5.2	-478.8
1065.6	-24947.4			J	-620.2	-57.0	-4.3	-478.8
-533.3	-32664.4							
		70 C1-C2;~1	Max	I	345.5	17.4	6.5	202.0
1081	2			J	345.5	17.4	6.5	202.0
1466.1	55118.3							

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
711.0	76241.3		Min	I	-542.0	-59.7	-2.5	-563.3	
-548.5	-23804.2			J	-542.0	-59.7	-2.5	-563.3	-
1758.3	-27925.7								
		C3-C4;~1	Max	I	340.2	14.2	7.8	162.2	
1782.5	43185.2			J	340.2	14.2	7.8	162.2	
697.8	58382.9		Min	I	-607.8	-49.7	-2.5	-449.9	
-538.0	-19671.0			J	-607.8	-49.7	-2.5	-449.9	-
2081.8	-23759.5								
		C1-C2;~2	Max	I	197.1	11.7	3.9	134.2	
873.9	39011.1			J	197.1	11.7	3.9	134.2	
405.6	54059.0		Min	I	-323.0	-42.7	-1.4	-398.3	
-312.8	-16346.7			J	-323.0	-42.7	-1.4	-398.3	-
1045.3	-19038.5								
		C3-C4;~2	Max	I	193.8	9.3	4.7	104.1	
1093.6	30227.8			J	193.8	9.3	4.7	104.1	
397.3	40902.1		Min	I	-366.6	-35.3	-1.4	-314.0	
-306.2	-13128.3			J	-366.6	-35.3	-1.4	-314.0	-
1266.6	-15766.9								
		G1		I	-121.7	0.0	2.7	0.2	
700.3	-62.1			J	-121.7	0.0	3.6	0.2	
-886.8	-69.8								
		G2		I	-40.6	0.7	1.2	6.1	
280.5	-1241.5			J	-40.6	0.7	1.2	6.1	
-316.8	-1589.8								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc		I	-17.1	2.4	0.1	1.3	
12.2	-3389.1			J	-17.1	2.4	0.1	1.3	
-13.4	-4575.8								
		Q5_ps		I	-18.7	2.6	0.1	3.5	
24.0	-4013.6			J	-18.7	2.6	0.1	3.5	
-25.7	-5286.0								
		INVSLU	Max	I	748.1	12.7	1.9	330.0	
806.1	69237.7			J	748.1	12.7	3.2	330.0	
3319.8	105265.3		Min	I	-569.7	-95.7	-12.0	-705.4	-
2362.9	-43408.0			J	-569.7	-95.7	-10.8	-705.4	
-474.6	-43596.4								

MIDAS


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

418.1	50323.7	INVSLE Max	I	547.5	8.0	0.6	251.7	
			J	547.5	8.0	1.5	251.7	
2722.0	77555.1	Min	I	-426.4	-72.0	-9.8	-515.1	-
1927.6	-32665.7		J	-426.4	-72.0	-8.9	-515.1	
-86.8	-32102.7							
1082	2	70 C1-C2;~1 Max	I	444.1	90.0	17.2	740.6	
4180.3	76239.8		J	444.1	90.0	17.2	740.6	
1375.9	90929.6	Min	I	-661.2	-144.2	-5.7	-921.0	-
1444.5	-27924.9		J	-661.2	-144.2	-5.7	-921.0	-
4385.4	-17743.7							
		C3-C4;~1 Max	I	437.8	58.9	20.3	532.1	
4936.3	58382.2		J	437.8	58.9	20.3	532.1	
1351.1	67884.5	Min	I	-733.6	-103.0	-5.6	-706.4	-
1420.1	-23758.6		J	-733.6	-103.0	-5.6	-706.4	-
5176.3	-16233.4							
		C1-C2;~2 Max	I	253.4	63.1	10.5	513.3	
2560.9	54057.9		J	253.4	63.1	10.5	513.3	
784.6	65133.8	Min	I	-395.8	-103.3	-3.2	-647.6	
-823.7	-19038.0		J	-395.8	-103.3	-3.2	-647.6	-
2666.5	-11649.8							
		C3-C4;~2 Max	I	249.4	39.7	12.6	357.9	
3081.2	40901.6		J	249.4	39.7	12.6	357.9	
769.1	48128.7	Min	I	-443.2	-72.6	-3.2	-486.4	
-808.4	-15766.3		J	-443.2	-72.6	-3.2	-486.4	-
3206.6	-10342.0							
		G1	I	-107.7	0.5	7.4	-2.4	
1758.9	-69.8		J	-107.7	0.5	8.4	-2.4	-
2173.6	-318.1							
		G2	I	-36.1	1.1	2.9	-1.5	
656.3	-1589.9		J	-36.1	1.1	2.9	-1.5	
-794.4	-2160.6							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	-20.6	1.5	-0.2	-4.3	
-33.5	-4575.9		J	-20.6	1.5	-0.2	-4.3	
64.3	-5337.1							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-17.9	-5286.2	Q5_ps	I	-23.5	2.1	-0.1	-5.7	
39.3	-6324.8		J	-23.5	2.1	-0.1	-5.7	
2352.2	105264.3	INVS LU Max	I	1364.9	110.7	10.6	1196.2	
5742.2	131879.6		J	1364.9	110.7	11.8	1196.2	
6322.2	-43594.7	Min	I	-262.0	-208.3	-24.8	-1054.6	-
3219.0	-24436.0		J	-262.0	-208.3	-23.6	-1054.6	-
1262.9	77554.4	INVS LE Max	I	1034.8	80.6	5.9	905.1	
4709.9	97872.2		J	1034.8	80.6	6.9	905.1	
5158.1	-32101.4	Min	I	-167.6	-155.5	-20.3	-761.6	-
1919.5	-17205.5		J	-167.6	-155.5	-19.4	-761.6	-
1083	2	70 C1-C2;~1 Max	I	458.9	111.5	17.7	928.5	
4464.7	90928.4		J	458.9	111.5	17.7	928.5	
1083.2	91604.7	Min	I	-586.9	-118.8	-4.7	-764.9	-
1243.0	-17744.3		J	-586.9	-118.8	-4.7	-764.9	-
4364.1	-24422.2							
5248.4	67883.7	C3-C4;~1 Max	I	453.2	72.7	20.9	701.9	
1063.0	69413.7		J	453.2	72.7	20.9	701.9	
1220.8	-16233.7	Min	I	-649.1	-82.2	-4.6	-599.6	-
5158.7	-22216.5		J	-649.1	-82.2	-4.6	-599.6	-
2694.0	65132.9	C1-C2;~2 Max	I	261.8	78.4	10.7	645.6	
617.5	65537.5		J	261.8	78.4	10.7	645.6	
-708.7	-11650.3	Min	I	-353.9	-84.8	-2.7	-532.9	-
2625.6	-16110.1		J	-353.9	-84.8	-2.7	-532.9	-
3222.5	48128.2	C3-C4;~2 Max	I	258.2	49.5	12.8	478.2	
604.8	49109.4		J	258.2	49.5	12.8	478.2	
-694.8	-10342.3	Min	I	-395.0	-57.3	-2.6	-407.3	-
3160.7	-14338.2		J	-395.0	-57.3	-2.6	-407.3	-
2386.1	-318.1	G1	I	-8.2	0.4	9.5	1.3	
2577.1	-539.0		J	-8.2	0.4	10.4	1.3	-
921.3	-2160.6	G2	I	3.3	-0.7	3.8	-14.3	


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
-968.6	-1811.0		J	3.3	-0.7	3.8	-14.3	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-114.0	-5337.0	Q5_pc	I	-19.2	-1.9	-0.5	-28.5	
144.5	-4402.0		J	-19.2	-1.9	-0.5	-28.5	
-74.6	-6324.8	Q5_ps	I	-21.3	-2.2	-0.4	-37.5	
102.0	-5214.5		J	-21.3	-2.2	-0.4	-37.5	
4224.3	131878.7	INVS LU Max	I	1597.0	139.5	17.4	1418.6	
3927.7	138284.2		J	1597.0	139.5	18.7	1418.6	
4744.2	-24436.0	Min	I	66.5	-174.8	-18.0	-918.8	-
4759.0	-26275.7		J	66.5	-174.8	-16.8	-918.8	-
2739.0	97871.6	INVS LE Max	I	1207.9	102.0	11.4	1062.1	
3247.3	103285.0		J	1207.9	102.0	12.3	1062.1	
3889.2	-17205.4	Min	I	76.8	-130.6	-14.8	-665.5	-
3168.0	-18024.3		J	76.8	-130.6	-13.9	-665.5	-
1084	2	70 C1-C2;~1 Max	I	480.0	144.5	17.6	1121.0	
4435.2	91605.6		J	480.0	144.5	17.6	1121.0	
890.5	77145.2	Min	I	-547.5	-63.7	-3.8	-577.2	-
1023.8	-24423.5		J	-547.5	-63.7	-3.8	-577.2	-
4322.0	-46480.4	C3-C4;~1 Max	I	474.7	102.4	21.0	858.5	
5287.5	69416.2		J	474.7	102.4	21.0	858.5	
874.7	55072.9	Min	I	-599.2	-35.2	-3.8	-462.2	-
1007.0	-22217.7		J	-599.2	-35.2	-3.8	-462.2	-
5179.6	-39483.2	C1-C2;~2 Max	I	273.8	101.6	10.5	783.4	
2657.8	65538.2		J	273.8	101.6	10.5	783.4	
507.2	55070.3	Min	I	-334.6	-44.3	-2.2	-394.6	
-583.4	-16110.9		J	-334.6	-44.3	-2.2	-394.6	-
2583.5	-31337.5	C3-C4;~2 Max	I	270.5	70.5	12.8	590.3	
3230.6	49111.2		J	270.5	70.5	12.8	590.3	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
497.5	38518.1		Min	I	-368.8	-22.5	-2.1	-305.4	
-573.0	-14338.9			J	-368.8	-22.5	-2.1	-305.4	-
3159.4	-26274.3								
		G1		I	77.7	0.5	10.5	3.7	
2659.1	-539.3			J	77.7	0.5	11.4	3.7	-
2804.8	-765.3								
		G2		I	37.7	-4.7	4.2	-26.8	
1036.1	-1811.1			J	37.7	-4.7	4.2	-26.8	-
1066.0	515.8								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc		I	-16.6	-9.1	-0.8	-53.0	
-179.4	-4401.9			J	-16.6	-9.1	-0.8	-53.0	
201.8	138.5								
		Q5_ps		I	-17.8	-11.7	-0.6	-69.6	
-129.4	-5214.5			J	-17.8	-11.7	-0.6	-69.6	
149.0	597.2								
		INVSLU Max		I	1856.9	192.8	21.0	1657.4	
5245.9	138286.7			J	1856.9	192.8	22.3	1657.4	
3018.8	120176.6		Min	I	370.2	-104.7	-13.9	-730.6	-
3597.3	-26276.1			J	370.2	-104.7	-12.7	-730.6	-
5539.1	-46967.2								
		INVSLE Max		I	1403.9	141.6	14.3	1231.3	
3564.5	103286.9			J	1403.9	141.6	15.3	1231.3	
2510.7	90472.7		Min	I	304.9	-77.6	-11.5	-530.6	-
2962.2	-18024.6			J	304.9	-77.6	-10.5	-530.6	-
3801.6	-33319.0								
		70 C1-C2;~1 Max		I	499.1	282.5	19.5	1606.3	
1085	2			J	499.1	282.5	19.5	1606.3	
4912.1	77136.8								
			Min	I	-486.5	-22.9	-3.3	-370.7	
771.5	13539.4			J	-486.5	-22.9	-3.3	-370.7	-
-887.6	-46485.8								
4796.2	-103492.9								
		C3-C4;~1 Max		I	493.9	220.6	22.6	1250.1	
5673.5	55067.3			J	493.9	220.6	22.6	1250.1	
753.5	11091.3		Min	I	-532.3	-21.3	-3.3	-326.2	
-870.6	-39487.3			J	-532.3	-21.3	-3.3	-326.2	-
5551.8	-88092.8								

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

2978.5	55064.0	C1-C2;~2	Max	I	284.7	197.0	11.8	1131.6	
				J	284.7	197.0	11.8	1131.6	
436.1	6341.3		Min	I	-300.1	-10.2	-1.9	-241.8	
-503.2	-31341.3			J	-300.1	-10.2	-1.9	-241.8	-
2908.0	-69240.0								
		C3-C4;~2	Max	I	281.5	151.4	13.9	871.1	
3488.3	38513.7			J	281.5	151.4	13.9	871.1	
426.6	4739.4		Min	I	-330.7	-9.5	-1.9	-202.8	
-493.8	-26277.2			J	-330.7	-9.5	-1.9	-202.8	-
3413.9	-58371.8								
		G1		I	160.3	1.3	10.9	4.8	
2782.6	-763.0			J	160.3	1.3	11.8	4.8	-
2875.1	-1386.5								
		G2		I	70.1	-13.8	4.2	-53.5	
1045.7	517.8			J	70.1	-13.8	4.2	-53.5	-
1052.6	7405.1								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc		I	-11.1	-26.9	-1.3	-104.1	
-315.9	140.0			J	-11.1	-26.9	-1.3	-104.1	
335.5	13538.0								
		Q5_ps		I	-12.6	-34.8	-1.2	-137.6	
-292.5	599.4			J	-12.6	-34.8	-1.2	-137.6	
311.8	17935.2								
		INVS LU	Max	I	2099.2	390.8	26.6	2311.6	
6566.5	120165.1			J	2099.2	390.8	27.8	2311.6	
2189.7	58687.7		Min	I	686.8	-80.8	-10.8	-544.7	-
2859.7	-46977.3			J	686.8	-80.8	-9.5	-544.7	-
6950.7	-128675.5								
		INVS LE	Max	I	1586.3	287.7	18.6	1708.8	
4588.4	90463.9			J	1586.3	287.7	19.5	1708.8	
1833.5	42943.0		Min	I	541.5	-56.0	-8.9	-393.1	-
2351.9	-33326.7			J	541.5	-56.0	-8.0	-393.1	-
4892.5	-92949.1								
1086	2	70 C1-C2;~1	Max	I	519.7	23.7	14.5	310.5	
3653.9	13560.6			J	519.7	23.7	14.5	310.5	
1117.8	76176.3								


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
1128.7	-103287.1		Min	I	-440.8	-304.0	-4.5	-1811.3	-
				J	-440.8	-304.0	-4.5	-1811.3	-
3542.3	-39078.8								
		C3-C4;~1	Max	I	515.2	22.3	17.4	262.2	
4368.3	11204.9			J	515.2	22.3	17.4	262.2	
1065.4	54215.3								
			Min	I	-483.1	-238.8	-4.3	-1455.9	-
1079.3	-87920.1			J	-483.1	-238.8	-4.3	-1455.9	-
4252.7	-32699.2								
		C1-C2;~2	Max	I	296.4	10.6	8.4	198.3	
2126.1	6354.2			J	296.4	10.6	8.4	198.3	
710.1	54390.0								
			Min	I	-275.1	-212.7	-2.9	-1281.1	
-703.6	-69102.2			J	-275.1	-212.7	-2.9	-1281.1	-
2057.1	-25972.7								
		C3-C4;~2	Max	I	293.7	10.1	10.3	157.6	
2586.7	4811.2			J	293.7	10.1	10.3	157.6	
672.6	37999.0								
			Min	I	-303.8	-165.9	-2.7	-1023.0	
-668.5	-58254.9			J	-303.8	-165.9	-2.7	-1023.0	-
2515.1	-21323.9								
		G1		I	240.1	-1.6	10.8	-1.7	
2748.8	-1255.2			J	240.1	-1.6	11.7	-1.7	-
2823.3	-467.9								
		G2		I	101.5	14.0	4.5	61.9	
1116.6	7454.7			J	101.5	14.0	4.5	61.9	-
1117.5	487.1								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc		I	-5.1	26.1	-1.1	107.0	
-253.0	13516.5			J	-5.1	26.1	-1.1	107.0	
268.7	551.3								
		Q5_ps		I	-6.5	34.3	-0.6	141.6	
-152.8	17917.7			J	-6.5	34.3	-0.6	141.6	
167.6	917.3								
		INVS LU	Max	I	2350.9	88.7	20.8	470.2	
5224.4	58553.0			J	2350.9	88.7	22.1	470.2	
2315.8	115075.6								
			Min	I	987.9	-411.0	-10.6	-2586.8	-
2652.0	-128504.2			J	987.9	-411.0	-9.4	-2586.8	-
5418.0	-41511.2								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
3632.3	42831.5	INVSLE Max	I	1776.0	62.5	14.5	342.4	
			J	1776.0	62.5	15.4	342.4	
1901.2	86360.7	Min	I	767.0	-302.1	-8.7	-1907.8	-
2168.3	-92837.5		J	767.0	-302.1	-7.7	-1907.8	-
3791.7	-29556.0							
1087	2	70 C1-C2;~1 Max	I	538.8	63.1	15.0	505.9	
3787.4	76187.4		J	538.8	63.1	15.0	505.9	
723.1	101454.6	Min	I	-408.7	-169.7	-3.0	-1343.1	
-780.3	-39070.2		J	-408.7	-169.7	-3.0	-1343.1	-
3642.4	-21497.6							
		C3-C4;~1 Max	I	535.7	33.2	18.1	386.2	
4565.2	54224.4		J	535.7	33.2	18.1	386.2	
859.3	78708.7	Min	I	-448.1	-126.3	-3.5	-1070.4	
-864.8	-32691.6		J	-448.1	-126.3	-3.5	-1070.4	-
4411.9	-19206.8							
		C1-C2;~2 Max	I	307.2	43.7	8.8	344.8	
2222.4	54397.8		J	307.2	43.7	8.8	344.8	
412.1	72439.9	Min	I	-261.1	-119.9	-1.7	-948.0	
-442.6	-25967.0		J	-261.1	-119.9	-1.7	-948.0	-
2135.5	-13762.1							
		C3-C4;~2 Max	I	305.3	20.8	10.9	253.1	
2737.0	38005.4		J	305.3	20.8	10.9	253.1	
519.1	55774.6	Min	I	-288.6	-88.0	-2.1	-748.0	
-511.7	-21318.9		J	-288.6	-88.0	-2.1	-748.0	-
2645.2	-11903.1							
		G1	I	330.4	-0.9	10.1	-0.9	
2594.6	-465.2		J	330.4	-0.9	11.0	-0.9	-
2615.2	-11.4							
		G2	I	137.7	5.1	4.1	34.7	
1015.0	487.0		J	137.7	5.1	4.1	34.7	
-995.0	-2041.2							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	0.2	8.9	-1.4	56.0	
-344.9	548.9		J	0.2	8.9	-1.4	56.0	
352.1	-3845.8							
		Q5_ps	I	0.0	11.8	-1.1	73.6	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-276.7	914.3			J	0.0	11.8	-1.1	73.6	
283.9	-4933.2								
		INVSLE	Max	I	2607.8	106.5	22.7	708.3	
5686.8	115085.3			J	2607.8	106.5	24.0	708.3	
1865.3	145560.3		Min	I	1275.1	-223.7	-9.0	-1888.7	-
2264.5	-41500.5			J	1275.1	-223.7	-7.7	-1888.7	-
5884.6	-27347.8								
		INVSLE	Max	I	1968.8	78.9	16.0	522.3	
4001.6	86367.7			J	1968.8	78.9	16.9	522.3	
1529.9	108403.1		Min	I	981.5	-164.5	-7.3	-1393.9	-
1842.3	-29548.6			J	981.5	-164.5	-6.3	-1393.9	-
4163.8	-19164.2								
1088	2	70	C1-C2;~1	Max	I	565.2	107.7	13.7	656.5
3476.0	101457.6			J	565.2	107.7	13.7	656.5	
820.0	117360.1		Min	I	-351.1	-145.6	-3.3	-1116.6	
-824.5	-21497.3			J	-351.1	-145.6	-3.3	-1116.6	-
3320.5	-16947.9								
		C3-C4;~1	Max	I	564.3	70.6	16.7	499.9	
4228.4	78711.4			J	564.3	70.6	16.7	499.9	
976.5	92851.0		Min	I	-389.3	-105.3	-3.9	-887.4	
-966.9	-19206.7			J	-389.3	-105.3	-3.9	-887.4	-
4052.8	-15269.3								
		C1-C2;~2	Max	I	321.2	76.3	8.0	457.3	
2035.1	72442.1			J	321.2	76.3	8.0	457.3	
474.3	83727.8		Min	I	-227.9	-103.2	-1.9	-787.5	
-467.3	-13761.8			J	-227.9	-103.2	-1.9	-787.5	-
1945.6	-10468.9								
		C3-C4;~2	Max	I	320.5	48.4	10.0	339.6	
2533.0	55776.6			J	320.5	48.4	10.0	339.6	
589.9	65818.2		Min	I	-255.1	-73.3	-2.4	-617.8	
-575.6	-11903.0			J	-255.1	-73.3	-2.4	-617.8	-
2430.9	-8978.8								
		G1		I	431.2	-0.5	8.5	0.8	
2249.2	-11.8			J	431.2	-0.5	9.5	0.8	-
2212.4	221.5								
		G2		I	177.2	1.9	3.5	20.6	
883.4	-2041.4			J	177.2	1.9	3.5	20.6	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-840.0	-2966.5							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	2.7	2.7	-1.4	30.8
-348.5	-3845.8			J	2.7	2.7	-1.4	30.8
348.3	-5192.4							
			Q5_ps	I	2.9	3.8	-1.1	40.3
-280.9	-4933.2			J	2.9	3.8	-1.1	40.3
282.5	-6809.7							
			INVS LU Max	I	2912.2	157.7	21.2	951.9
5362.7	145563.8			J	2912.2	157.7	22.4	951.9
1979.2	163380.1		Min	I	1618.8	-189.2	-9.2	-1497.2
2278.2	-27347.6			J	1618.8	-189.2	-8.0	-1497.2
5437.4	-27282.1							
			INVS LE Max	I	2196.9	117.1	15.0	704.6
3789.0	108405.7			J	2196.9	117.1	15.9	704.6
1590.0	121260.6		Min	I	1239.2	-139.4	-7.3	-1105.4
1824.5	-19164.1			J	1239.2	-139.4	-6.4	-1105.4
3857.3	-19278.3							
1089	2	70	C1-C2;~1 Max	I	616.6	134.8	11.9	917.2
3117.3	117365.0			J	616.6	134.8	11.9	917.2
1036.6	140853.3		Min	I	-311.0	-154.0	-4.1	-847.2
-991.2	-16947.4			J	-311.0	-154.0	-4.1	-847.2
2801.1	-24137.7							
			C3-C4;~1 Max	I	620.8	92.7	14.6	671.5
3790.7	92855.3			J	620.8	92.7	14.6	671.5
1236.5	112695.8		Min	I	-347.8	-112.7	-4.9	-696.1
1178.8	-15269.2			J	-347.8	-112.7	-4.9	-696.1
3418.3	-20972.9							
			C1-C2;~2 Max	I	346.6	95.6	7.1	647.5
1837.8	83731.4			J	346.6	95.6	7.1	647.5
613.4	100476.0		Min	I	-205.7	-109.4	-2.4	-592.7
-568.4	-10468.5			J	-205.7	-109.4	-2.4	-592.7
1659.2	-15281.1							
			C3-C4;~2 Max	I	348.3	64.2	8.8	465.2
2283.9	65821.4			J	348.3	64.2	8.8	465.2
760.6	79790.5							


MIDAS

PROJECT TITLE :

		Company				Client			
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-706.7	-8978.7		Min	I	-232.2	-78.5	-3.0	-479.5	
				J	-232.2	-78.5	-3.0	-479.5	-
2069.8	-12664.2								
			G1	I	555.7	-0.1	5.9	3.3	
1658.6	221.6			J	555.7	-0.1	6.8	3.3	-
1473.3	258.5								
			G2	I	226.3	0.6	2.4	3.1	
650.8	-2966.6			J	226.3	0.6	2.4	3.1	
-549.3	-3287.2								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	5.0	0.5	-1.3	0.9	
-332.3	-5192.6			J	5.0	0.5	-1.3	0.9	
304.2	-5420.1								
			Q5_ps	I	6.2	0.8	-1.1	0.4	
-272.4	-6810.0			J	6.2	0.8	-1.1	0.4	
250.7	-7213.3								
			INVS LU Max	I	3308.1	191.3	18.0	1346.2	
4642.2	163386.0			J	3308.1	191.3	19.2	1346.2	
2266.6	190858.5								
			Min	I	1991.4	-199.4	-10.6	-1037.3	-
2664.7	-27282.4			J	1991.4	-199.4	-9.3	-1037.3	-
4564.9	-41635.7								
			INVS LE Max	I	2493.1	142.1	12.7	999.2	
3273.5	121265.0			J	2493.1	142.1	13.6	999.2	
1784.4	141429.3								
			Min	I	1518.4	-147.3	-8.3	-766.2	-
2094.7	-19278.6			J	1518.4	-147.3	-7.4	-766.2	-
3235.4	-30065.9								
1090	2	82	C1-C2;~1 Max	I	715.4	135.9	53.3	8262.4	1
4482.0	140853.8			J	715.4	135.9	53.3	8262.4	
4966.3	160651.3								
			Min	I	-319.5	-146.6	-20.7	-4764.9	-
5843.5	-24140.4			J	-319.5	-146.6	-20.7	-4764.9	-1
1946.3	-36288.3								
			C3-C4;~1 Max	I	722.5	94.7	65.6	6332.2	1
7691.9	112696.3			J	722.5	94.7	65.6	6332.2	
5888.7	128086.9								
			Min	I	-361.4	-104.3	-24.1	-3943.4	-
6037.5	-20974.9			J	-361.4	-104.3	-24.1	-3943.4	-1
4797.1	-32145.4								


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
8530.9	100476.4	C1-C2;~2	Max	I	399.9	95.8	31.4	5845.4		
				J	399.9	95.8	31.4	5845.4		
2979.7	114448.4		Min	I	-213.0	-104.3	-11.8	-3285.6	-	
3312.3	-15283.0			J	-213.0	-104.3	-11.8	-3285.6	-	
7036.1	-23330.9									
0656.7	79790.9	C3-C4;~2	Max	I	403.0	65.2	39.5	4423.7	1	
				J	403.0	65.2	39.5	4423.7		
3655.4	90389.0		Min	I	-243.2	-72.6	-14.3	-2657.4	-	
3444.3	-12665.7			J	-243.2	-72.6	-14.3	-2657.4	-	
8933.5	-20039.5									
6154.8	258.4		G1	I	689.1	0.6	23.6	40.2		
				J	689.1	0.6	25.7	40.2	-	
6070.9	-49.7									
2365.8	-3287.0		G2	I	279.7	-0.4	9.4	-85.1		
				J	279.7	-0.4	9.4	-85.1	-	
2298.0	-3091.4									
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0		
				J	0.0	0.0	0.0	0.0		
0.0	0.0									
1770.0	-5419.8		Q5_pc	I	16.1	-1.6	-6.7	-170.7	-	
				J	16.1	-1.6	-6.7	-170.7		
1538.2	-4632.5									
1471.1	-7212.9		Q5_ps	I	17.1	-1.8	-5.6	-235.8	-	
				J	17.1	-1.8	-5.6	-235.8		
1280.5	-6299.6									
0440.9	190859.5		INVSLU	Max	I	3910.2	194.3	78.9	11552.6	2
				J	3910.2	194.3	81.7	11552.6	1	
1336.3	212220.2		Min	I	2418.0	-190.0	-54.1	-6341.4	-1	
4779.8	-41638.3			J	2418.0	-190.0	-51.3	-6341.4	-1	
9358.4	-61986.8									
4288.4	141430.1		INVSLE	Max	I	2946.5	144.0	55.5	8562.8	1
				J	2946.5	144.0	57.6	8562.8		
8815.8	157184.0		Min	I	1843.3	-140.4	-42.2	-4669.3	-1	
1565.0	-30067.8			J	1843.3	-140.4	-40.1	-4669.3	-1	
3715.8	-45314.6									
1091	2	82	C1-C2;~1	Max	I	790.7	170.1	44.0	9011.3	1
1594.9	160652.6			J	790.7	170.1	44.0	9011.3		
4070.1	145450.5		Min	I	-314.7	-107.3	-16.1	-4233.9	-	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
3908.6	-36289.2			J	-314.7	-107.3	-16.1	-4233.9	-1
0210.9	-57582.4								
4536.0	128088.1	C3-C4;~1	Max	I	799.4	125.2	55.3	7157.5	1
5035.6	116048.4			J	799.4	125.2	55.3	7157.5	
4742.9	-32146.9		Min	I	-355.8	-73.9	-19.7	-3517.0	-
2873.7	-49662.3			J	-355.8	-73.9	-19.7	-3517.0	-1
6976.6	114449.4	C1-C2;~2	Max	I	441.1	120.1	26.3	6357.2	
2600.6	103135.5			J	441.1	120.1	26.3	6357.2	
2318.5	-23331.5		Min	I	-209.6	-75.6	-9.9	-2892.1	-
6055.0	-38095.7			J	-209.6	-75.6	-9.9	-2892.1	-
8960.1	90389.9	C3-C4;~2	Max	I	445.2	86.8	33.9	4999.4	
3306.5	81290.1			J	445.2	86.8	33.9	4999.4	
2927.8	-20040.5		Min	I	-239.1	-50.2	-12.6	-2336.0	-
7840.5	-32176.7			J	-239.1	-50.2	-12.6	-2336.0	-
5550.1	-49.9		G1	I	788.2	2.0	22.4	46.6	
6063.5	-1047.9			J	788.2	2.0	24.5	46.6	-
2160.9	-3091.4		G2	I	319.6	-2.9	9.0	-160.9	
2309.7	-1631.3			J	319.6	-2.9	9.0	-160.9	-
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
1475.6	-4632.3		Q5_pc	I	32.4	-6.6	-5.9	-296.8	-
1429.1	-1377.4			J	32.4	-6.6	-5.9	-296.8	
1237.8	-6299.4		Q5_ps	I	32.6	-8.5	-4.9	-405.1	-
1201.4	-2105.7			J	32.6	-8.5	-4.9	-405.1	
8761.4	212221.1	INVSLU	Max	I	4411.3	245.9	75.0	12676.7	1
7673.6	183669.2			J	4411.3	245.9	77.8	12676.7	
9921.3	-61988.5		Min	I	2793.7	-140.5	-36.9	-5738.6	-
9076.4	-92904.4			J	2793.7	-140.5	-34.1	-5738.6	-1
		INVSLE	Max	I	3323.9	182.1	53.6	9387.0	1


MIDAS

PROJECT TITLE :

MIDAS		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
3374.6	157184.7			J	3323.9	182.1	55.7	9387.0		
5911.5	136078.9		Min	I	2130.0	-103.3	-28.5	-4214.4	-	
7675.1	-45315.9			J	2130.0	-103.3	-26.4	-4214.4	-1	
3712.7	-68606.8									
1092	2	82	C1-C2;~1	Max	I	845.0	241.8	36.7	9867.1	
9786.6	145452.6			J	845.0	241.8	36.7	9867.1		
3859.0	105196.4		Min	I	-292.4	-51.3	-14.1	-3884.5	-	
3235.3	-57583.1			J	-292.4	-51.3	-14.1	-3884.5	-	
8403.7	-88342.6									
			C3-C4;~1	Max	I	856.5	187.9	47.3	7936.3	1
2507.2	116047.8			J	856.5	187.9	47.3	7936.3		
4886.3	77023.9		Min	I	-328.0	-35.2	-17.6	-3263.9	-	
4076.8	-49662.9			J	-328.0	-35.2	-17.6	-3263.9	-1	
1033.8	-74728.1									
			C1-C2;~2	Max	I	468.8	170.5	21.8	6948.7	
5896.6	103137.0			J	468.8	170.5	21.8	6948.7		
2611.0	74378.0		Min	I	-195.7	-34.1	-9.2	-2620.3	-	
2028.8	-38096.2			J	-195.7	-34.1	-9.2	-2620.3	-	
4929.3	-59383.1									
			C3-C4;~2	Max	I	474.6	130.9	29.0	5537.7	
7738.6	81289.6			J	474.6	130.9	29.0	5537.7		
3363.0	53120.1		Min	I	-221.3	-21.3	-11.8	-2133.0	-	
2640.8	-32177.1			J	-221.3	-21.3	-11.8	-2133.0	-	
6706.0	-49621.7									
			G1	I	887.1	4.4	21.8	48.6		
5347.4	-1047.5			J	887.1	4.4	23.9	48.6	-	
5976.4	-3213.9									
			G2	I	359.0	-7.3	9.0	-215.8		
2111.4	-1631.1			J	359.0	-7.3	9.0	-215.8	-	
2334.3	1989.8									
			Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0			J	0.0	0.0	0.0	0.0		
0.0	0.0									
			Q5_pc	I	45.5	-15.5	-5.1	-395.5	-	
1311.4	-1377.3			J	45.5	-15.5	-5.1	-395.5		
1235.7	6279.5									
			Q5_ps	I	45.5	-20.2	-4.2	-535.3	-	
1095.9	-2105.5									

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
1002.7	7916.1		J	45.5	-20.2	-4.2	-535.3	
7211.3	183673.3	INVS LU Max	I	4824.7	351.1	68.6	13957.2	1
6132.0	128421.5		J	4824.7	351.1	71.4	13957.2	
7537.6	-92903.9	Min	I	3143.7	-72.5	-28.3	-5319.3	-
7584.5	-144159.3		J	3143.7	-72.5	-25.5	-5319.3	-1
2390.8	136082.0	INVS LE Max	I	3633.6	259.6	49.5	10329.2	1
4653.8	94529.0		J	3633.6	259.6	51.6	10329.2	
5766.9	-68606.5	Min	I	2394.5	-52.0	-21.6	-3897.0	-
2749.2	-106545.5		J	2394.5	-52.0	-19.5	-3897.0	-1
1093	2	82 C1-C2;~1 Max	I	892.5	388.6	54.8	12352.9	1
3694.4	105186.6		J	892.5	388.6	54.8	12352.9	
955.3	26510.9	Min	I	-266.8	-29.4	-4.9	-2881.1	-
1511.9	-88348.7		J	-266.8	-29.4	-4.9	-2881.1	-1
3564.2	-159835.9							
5791.2	77016.0	C3-C4;~1 Max	I	907.2	313.8	62.9	9975.7	1
1178.4	15412.3		J	907.2	313.8	62.9	9975.7	
1545.8	-74733.1	Min	I	-298.3	-25.8	-5.1	-2555.1	-
5356.4	-137182.3		J	-298.3	-25.8	-5.1	-2555.1	-1
8699.5	74370.9	C1-C2;~2 Max	I	492.0	272.3	34.8	8709.5	
453.2	15821.6		J	492.0	272.3	34.8	8709.5	
-759.2	-59387.0	Min	I	-180.2	-13.4	-2.4	-1878.4	
8585.2	-106981.1		J	-180.2	-13.4	-2.4	-1878.4	-
0128.1	53114.3	C3-C4;~2 Max	I	499.3	217.8	40.2	6979.1	1
645.7	6681.6		J	499.3	217.8	40.2	6979.1	
-825.4	-49624.9	Min	I	-202.8	-12.0	-2.6	-1602.2	
9792.9	-91191.3		J	-202.8	-12.0	-2.6	-1602.2	-
5365.3	-3215.2	G1	I	985.0	9.1	22.1	17.1	
6066.9	-7727.9		J	985.0	9.1	24.1	17.1	-
1825.0	1990.3	G2	I	397.8	-14.2	7.7	-397.1	
2002.4	9017.2		J	397.8	-14.2	7.7	-397.1	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
1682.3	6281.0	Q5_pc	I	61.8	-30.7	-6.8	-680.5	-
1699.3	21469.5		J	61.8	-30.7	-6.8	-680.5	
1696.5	7918.2	Q5_ps	I	61.5	-40.3	-7.0	-926.0	-
1749.2	27877.9		J	61.5	-40.3	-7.0	-926.0	
2790.7	128405.1	INVSLU Max	I	5198.8	565.8	94.0	17414.8	2
1285.1	37229.3		J	5198.8	565.8	96.8	17414.8	
3700.5	-144173.3	Min	I	3460.2	-65.0	-11.0	-4376.0	-
4470.8	-261047.7		J	3460.2	-65.0	-8.2	-4376.0	-2
6586.1	94516.6	INVSLE Max	I	3912.8	418.2	68.6	12872.5	1
880.7	23728.7		J	3912.8	418.2	70.6	12872.5	
2769.6	-106555.9	Min	I	2633.1	-42.5	-8.0	-3178.0	-
7890.1	-192688.3		J	2633.1	-42.5	-5.9	-3178.0	-1
1094	2	62 C1-C2;~1 Max	I	43.5	116.8	1.0	481.8	
298.1	47683.1		J	43.5	116.8	1.0	481.8	
397.7	3825.6	Min	I	-210.5	-37.9	-1.4	-148.5	
-334.4	-16176.2		J	-210.5	-37.9	-1.4	-148.5	
-232.4	-12182.8	C3-C4;~1 Max	I	45.9	117.8	0.8	475.6	
226.4	48068.8		J	45.9	117.8	0.8	475.6	
552.3	1196.3	Min	I	-209.0	-12.8	-2.0	-47.9	
-481.9	-5753.5		J	-209.0	-12.8	-2.0	-47.9	
-168.5	-12284.6	C1-C2;~2 Max	I	24.9	74.7	0.6	315.0	
184.0	30058.8		J	24.9	74.7	0.6	315.0	
256.1	2360.7	Min	I	-127.0	-21.6	-0.9	-86.7	
-214.1	-9075.8		J	-127.0	-21.6	-0.9	-86.7	
-144.1	-8261.7	C3-C4;~2 Max	I	25.9	77.2	0.5	316.8	
137.8	31079.5		J	25.9	77.2	0.5	316.8	
367.6	592.8	Min	I	-125.7	-5.7	-1.3	-21.7	


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-316.7	-2566.5		J	-125.7	-5.7	-1.3	-21.7
-102.4	-8445.0						
		G1	I	-135.3	9.3	-0.5	36.8
-19.5	4071.7		J	-135.3	9.3	0.3	36.8
25.5	-691.6						
		G2	I	-53.2	-8.9	0.0	-31.3
26.3	-3968.5		J	-53.2	-8.9	0.0	-31.3
4.9	557.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	35.7	-5.5	0.0	-18.6
7.3	-3080.4		J	35.7	-5.5	0.0	-18.6
-7.3	-275.1						
		Q5_ps	I	34.5	-8.4	0.0	-29.1
10.1	-4370.9		J	34.5	-8.4	0.0	-29.1
-9.9	-55.7						
		INVS LU Max	I	-2683.9	118.2	0.6	1460.9
463.4	49544.1		J	-2683.9	118.2	1.7	1460.9
952.4	10680.8						
		Min	I	-3094.3	-102.0	-3.6	576.4
-602.7	-42731.5		J	-3094.3	-102.0	-2.5	576.4
-120.2	-11563.2						
		INVS LE Max	I	-2074.4	81.3	0.4	1064.8
325.8	33469.1		J	-2074.4	81.3	1.2	1064.8
724.8	7898.5						
		Min	I	-2373.7	-81.1	-2.7	412.1
-462.9	-34472.5		J	-2373.7	-81.1	-1.9	412.1
-68.7	-8541.8						
1095	2	62 C1-C2;~1 Max	I	41.2	6.4	1.1	217.0
336.0	3827.6		J	41.2	6.4	1.1	217.0
299.9	4458.7						
		Min	I	-198.0	-4.3	-1.0	-104.3
-228.5	-12188.0		J	-198.0	-4.3	-1.0	-104.3
-250.7	-13372.7						
		C3-C4;~1 Max	I	43.5	5.7	1.3	208.4
394.2	1196.3		J	43.5	5.7	1.3	208.4
380.4	1395.5						
		Min	I	-186.7	-3.0	-1.3	-78.2
-284.0	-12289.7		J	-186.7	-3.0	-1.3	-78.2
-270.2	-13360.7						
		C1-C2;~2 Max	I	23.6	4.4	0.7	145.5


MIDAS

PROJECT TITLE :

		Company						Client
		Author						File Name
210.4	2361.9			J	23.6	4.4	0.7	145.5
189.5	2739.8							
		Min	I	-118.7	-2.7	-0.6	-64.0	
-139.0	-8265.1			J	-118.7	-2.7	-0.6	-64.0
-156.5	-9002.4							
		C3-C4;~2 Max	I	24.5	3.8	0.8	141.9	
256.7	592.7			J	24.5	3.8	0.8	141.9
249.8	690.2							
		Min	I	-111.0	-1.9	-0.8	-48.2	
-180.4	-8448.3			J	-111.0	-1.9	-0.8	-48.2
-174.0	-9117.1							
		G1	I	-131.9	-0.0	-0.3	10.1	
14.8	-691.5			J	-131.9	-0.0	0.4	10.1
-4.2	-667.9							
		G2	I	-54.0	-0.4	0.0	-9.3	
17.6	558.3			J	-54.0	-0.4	0.0	-9.3
11.3	738.5							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc	I	35.0	-0.2	0.0	-5.7	
0.8	-274.8			J	35.0	-0.2	0.0	-5.7
-2.1	-172.2							
		Q5_ps	I	33.4	-0.3	0.0	-9.1	
-0.7	-55.2			J	33.4	-0.3	0.0	-9.1
-1.2	94.1							
		INVSLU Max	I	-2689.3	18.3	0.7	993.2	
482.2	10679.8			J	-2689.3	18.3	1.7	993.2
737.4	6638.3							
		Min	I	-3078.3	3.4	-2.8	549.0	
-434.8	-11573.2			J	-3078.3	3.4	-1.8	549.0
-144.6	-17744.1							
		INVSLE Max	I	-2078.1	12.4	0.5	724.6	
352.4	7898.1			J	-2078.1	12.4	1.3	724.6
556.6	5491.2							
		Min	I	-2361.6	1.4	-2.1	396.4	
-326.7	-8549.0			J	-2361.6	1.4	-1.3	396.4
-96.4	-12546.8							
1096	2	62 C1-C2;~1 Max	I	39.5	4.3	1.2	178.7	
365.5	4458.4			J	39.5	4.3	1.2	178.7
277.7	3626.7							
		Min	I	-192.4	-10.2	-0.9	-107.8	
-204.9	-13370.7							


MIDAS

PROJECT TITLE :

		Company		Client			
		Author		File Name			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H
-271.3	-10237.8		J	-192.4	-10.2	-0.9	-107.8
428.6	1395.6	C3-C4;~1 Max	I	41.7	2.6	1.4	173.9
354.9	1400.1		J	41.7	2.6	1.4	173.9
-259.6	-13358.5	Min	I	-180.8	-9.8	-1.2	-100.6
-303.7	-10166.0		J	-180.8	-9.8	-1.2	-100.6
229.5	2739.6	C1-C2;~2 Max	I	22.6	2.7	0.8	120.5
174.9	2255.7		J	22.6	2.7	0.8	120.5
-123.4	-9001.1	Min	I	-115.2	-6.9	-0.6	-72.1
-169.1	-6984.3		J	-115.2	-6.9	-0.6	-72.1
279.4	690.3	C3-C4;~2 Max	I	23.5	1.5	0.9	115.8
232.8	756.7		J	23.5	1.5	0.9	115.8
-164.2	-9115.7	Min	I	-107.5	-6.6	-0.8	-64.5
-196.3	-7015.9		J	-107.5	-6.6	-0.8	-64.5
33.3	-667.4	G1	I	-129.8	-0.6	-0.3	6.6
-21.7	-338.2		J	-129.8	-0.6	0.5	6.6
24.1	738.5	G2	I	-53.3	0.4	0.0	-4.5
5.5	542.4		J	-53.3	0.4	0.0	-4.5
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.4	-172.3	Q5_pc	I	34.8	0.3	0.0	-2.9
-1.5	-307.2		J	34.8	0.3	0.0	-2.9
-1.6	93.9	Q5_ps	I	33.3	0.4	-0.0	-4.8
-0.1	-117.6		J	33.3	0.4	-0.0	-4.8
674.3	6637.6	INVSLU Max	I	-2701.5	19.8	1.3	681.8
644.6	-1366.8		J	-2701.5	19.8	2.3	681.8
-255.5	-17741.9	Min	I	-3080.0	-0.3	-2.3	289.7
-247.3	-20636.7		J	-3080.0	-0.3	-1.2	289.7
496.8	5490.6	INVSLE Max	I	-2087.3	14.6	0.9	499.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
485.8	-444.6		J	-2087.3	14.6	1.7	499.0
		Min	I	-2363.1	-0.2	-1.7	208.9
-191.8	-12545.3		J	-2363.1	-0.2	-0.9	208.9
-174.7	-14677.7						
1097	2	62 C1-C2;~1 Max	I	37.7	4.9	1.3	153.5
385.4	3626.6		J	37.7	4.9	1.3	153.5
265.1	3316.3	Min	I	-189.1	-7.1	-0.9	-128.5
-191.9	-10237.8		J	-189.1	-7.1	-0.9	-128.5
-291.2	-9124.8						
		C3-C4;~1 Max	I	39.8	4.2	1.5	148.8
445.5	1400.0		J	39.8	4.2	1.5	148.8
344.3	1324.5	Min	I	-177.8	-6.9	-1.2	-122.1
-250.6	-10165.9		J	-177.8	-6.9	-1.2	-122.1
-322.2	-9033.3						
		C1-C2;~2 Max	I	21.6	3.1	0.8	103.6
241.7	2255.6		J	21.6	3.1	0.8	103.6
166.7	2067.7	Min	I	-113.4	-4.8	-0.5	-86.0
-114.9	-6984.2		J	-113.4	-4.8	-0.5	-86.0
-181.5	-6268.0						
		C3-C4;~2 Max	I	22.4	2.8	1.0	98.0
289.6	756.7		J	22.4	2.8	1.0	98.0
225.9	713.9	Min	I	-105.8	-4.7	-0.7	-79.9
-158.5	-7015.9		J	-105.8	-4.7	-0.7	-79.9
-207.6	-6273.5						
		G1	I	-127.7	-0.2	-0.2	4.5
51.0	-338.3		J	-127.7	-0.2	0.6	4.5
-38.9	-218.6						
		G2	I	-52.6	0.1	0.1	-0.5
31.4	542.4		J	-52.6	0.1	0.1	-0.5
-1.4	470.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	34.6	0.1	0.0	-0.9
0.2	-307.2		J	34.6	0.1	0.0	-0.9
-1.2	-357.4						
		Q5_ps	I	33.1	0.2	-0.0	-1.7
-2.1	-117.6		J	33.1	0.2	-0.0	-1.7


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.6	-196.6						
676.3	-1367.1	INVSLE	Max	I	-2707.3	12.1	1.3
629.8	-4492.2			J	-2707.3	12.1	2.4
-263.7	-20637.0		Min	I	-3078.5	-4.2	-2.3
-272.2	-21931.0			J	-3078.5	-4.2	-1.2
498.0	-444.8	INVSLE	Max	I	-2091.9	9.0	1.0
474.9	-2803.0			J	-2091.9	9.0	1.7
-198.3	-14677.9		Min	I	-2362.3	-3.1	-1.7
-193.0	-15673.0			J	-2362.3	-3.1	-0.9
1098	2	62 C1-C2;~1	Max	I	36.3	7.1	1.4
397.6	3316.3			J	36.3	7.1	1.4
254.2	3550.5		Min	I	-187.8	-4.3	-0.8
-180.4	-9124.8			J	-187.8	-4.3	-0.8
-305.8	-10213.9						
452.8	1324.5	C3-C4;~1	Max	I	38.4	6.8	1.5
338.7	1382.1			J	38.4	6.8	1.5
-244.6	-9033.3		Min	I	-176.3	-4.3	-1.1
-331.6	-10140.2			J	-176.3	-4.3	-1.1
248.9	2067.7	C1-C2;~2	Max	I	20.8	4.9	0.9
159.8	2202.3			J	20.8	4.9	0.9
-107.6	-6268.0		Min	I	-112.8	-3.0	-0.5
-190.4	-6975.9			J	-112.8	-3.0	-0.5
293.3	713.9	C3-C4;~2	Max	I	21.6	4.6	1.0
222.7	746.6			J	21.6	4.6	1.0
-155.1	-6273.5		Min	I	-105.1	-2.8	-0.7
-212.9	-7006.9			J	-105.1	-2.8	-0.7
65.9	-218.7	G1		I	-126.9	0.2	-0.1
-54.2	-317.3			J	-126.9	0.2	0.6
38.0	470.4	G2		I	-52.2	-0.2	0.1
-8.2	556.5			J	-52.2	-0.2	0.1


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc	I	34.3	-0.1	0.0
0.0	-357.5			J	34.3	-0.1	0.0
-1.0	-302.6						
			Q5_ps	I	32.7	-0.2	-0.0
-2.4	-196.6			J	32.7	-0.2	-0.0
1.0	-113.6						
			INVS LU Max	I	-2705.1	4.0	1.4
699.4	-4492.1			J	-2705.1	4.0	2.5
610.4	-1339.9						
			Min	I	-3072.1	-11.6	-2.2
-242.0	-21931.1			J	-3072.1	-11.6	-1.1
-296.3	-20466.5						
			INVS LE Max	I	-2090.5	2.9	1.0
514.7	-2802.9			J	-2090.5	2.9	1.8
461.1	-422.5						
			Min	I	-2357.7	-8.7	-1.6
-182.6	-15673.0			J	-2357.7	-8.7	-0.9
-210.4	-14550.1						
		62	C1-C2;~1 Max	I	35.3	10.1	1.4
1099	2			J	35.3	10.1	1.4
410.5	3550.6						
			Min	I	-188.4	-4.2	-0.8
238.0	4370.4			J	-188.4	-4.2	-0.8
-165.4	-10213.9						
-321.7	-13323.6						
			C3-C4;~1 Max	I	37.3	9.8	1.6
464.6	1382.1			J	37.3	9.8	1.6
325.3	1345.9						
			Min	I	-176.6	-2.6	-1.1
-232.2	-10140.2			J	-176.6	-2.6	-1.1
-345.3	-13309.6						
			C1-C2;~2 Max	I	20.2	6.8	0.9
256.5	2202.3			J	20.2	6.8	0.9
149.2	2681.5						
			Min	I	-113.3	-2.6	-0.5
-97.7	-6975.9			J	-113.3	-2.6	-0.5
-200.0	-8986.1						
			C3-C4;~2 Max	I	21.0	6.6	1.0
300.3	746.6			J	21.0	6.6	1.0
214.1	661.5						
			Min	I	-105.4	-1.5	-0.7
-147.1	-7007.0						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-221.1	-9101.5		J	-105.4	-1.5	-0.7	-109.3
		G1	I	-127.1	0.6	-0.1	1.7
81.5	-317.3		J	-127.1	0.6	0.7	1.7
-71.4	-628.7						
		G2	I	-52.3	-0.4	0.1	6.6
44.4	556.5		J	-52.3	-0.4	0.1	6.6
-15.4	772.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	33.8	-0.3	0.0	2.6
-0.4	-302.7		J	33.8	-0.3	0.0	2.6
-0.6	-159.4						
		Q5_ps	I	32.3	-0.4	-0.0	3.7
-3.1	-113.6		J	32.3	-0.4	-0.0	3.7
1.6	105.4						
		INVS LU Max	I	-2694.8	0.0	1.5	-268.7
719.2	-1339.5		J	-2694.8	0.0	2.5	-268.7
600.7	6711.8	Min	I	-3060.4	-19.8	-2.1	-659.9
-222.2	-20466.3		J	-3060.4	-19.8	-1.1	-659.9
-305.7	-17462.0						
		INVS LE Max	I	-2082.9	0.0	1.1	-194.2
529.4	-422.3		J	-2082.9	0.0	1.8	-194.2
454.2	5546.1	Min	I	-2349.2	-14.6	-1.6	-483.7
-167.9	-14549.9		J	-2349.2	-14.6	-0.8	-483.7
-217.1	-12339.2						
1100	2	62 C1-C2;~1 Max	I	34.5	4.2	1.5	119.7
434.7	4370.7		J	34.5	4.2	1.5	119.7
208.6	3976.9	Min	I	-190.8	-6.4	-0.7	-209.0
-149.5	-13325.6		J	-190.8	-6.4	-0.7	-209.0
-349.1	-12178.7						
		C3-C4;~1 Max	I	36.4	3.0	1.7	88.9
492.0	1345.7		J	36.4	3.0	1.7	88.9
297.6	1150.4	Min	I	-178.9	-5.7	-1.0	-206.2
-205.5	-13311.7		J	-178.9	-5.7	-1.0	-206.2
-375.2	-12301.1						
		C1-C2;~2 Max	I	19.7	2.7	1.0	73.8
271.8	2681.7						

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
128.9	2473.8		J	19.7	2.7	1.0	73.8
-87.5	-8987.4	Min	I	-115.0	-4.4	-0.4	-139.6
-217.3	-8267.4		J	-115.0	-4.4	-0.4	-139.6
318.0	661.3	C3-C4;~2 Max	I	20.5	1.9	1.1	55.1
195.1	562.3		J	20.5	1.9	1.1	55.1
-128.9	-9102.8	Min	I	-106.9	-3.8	-0.6	-139.7
-240.4	-8468.8		J	-106.9	-3.8	-0.6	-139.7
97.4	-629.2	G1	I	-127.7	0.1	-0.0	-1.6
-89.2	-667.7		J	-127.7	0.1	0.7	-1.6
49.8	772.3	G2	I	-52.4	0.3	0.1	11.6
-22.0	600.4		J	-52.4	0.3	0.1	11.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-1.6	-159.3	Q5_pc	I	33.4	0.2	-0.0	5.4
0.8	-237.6		J	33.4	0.2	-0.0	5.4
-4.7	105.4	Q5_ps	I	32.0	0.2	-0.0	7.9
3.4	-18.4		J	32.0	0.2	-0.0	7.9
807.1	6712.8	INVSLU Max	I	-2679.0	-3.4	2.0	-510.8
430.3	10992.1		J	-2679.0	-3.4	3.0	-510.8
-137.5	-17464.1	Min	I	-3045.9	-18.1	-1.6	-964.3
-479.4	-11411.0		J	-3045.9	-18.1	-0.6	-964.3
596.8	5547.0	INVSLE Max	I	-2071.5	-1.4	1.5	-368.9
325.7	8124.9		J	-2071.5	-1.4	2.2	-368.9
-102.7	-12340.6	Min	I	-2338.8	-12.2	-1.2	-704.1
-348.1	-8438.2		J	-2338.8	-12.2	-0.4	-704.1
1101	2	62 C1-C2;~1 Max	I	33.6	38.0	2.0	159.9
538.6	3974.7		J	33.6	38.0	2.0	159.9
176.8	47168.3	Min	I	-193.9	-115.9	-0.6	-470.5
-152.5	-12173.1		J	-193.9	-115.9	-0.6	-470.5

MIDAS


PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

-459.6	-16064.1							
		C3-C4;~1	Max	I	35.4	12.0	2.5	43.6
674.9	1150.3			J	35.4	12.0	2.5	43.6
132.7	47379.5							
			Min	I	-189.1	-116.5	-0.5	-469.4
-116.1	-12295.7			J	-189.1	-116.5	-0.5	-469.4
-583.9	-5368.6							
		C1-C2;~2	Max	I	19.2	21.7	1.2	94.1
340.7	2472.5			J	19.2	21.7	1.2	94.1
104.5	29813.3							
			Min	I	-117.2	-74.4	-0.4	-307.6
-88.4	-8263.8			J	-117.2	-74.4	-0.4	-307.6
-290.3	-9048.0							
		C3-C4;~2	Max	I	19.9	5.2	1.6	18.5
441.1	562.4			J	19.9	5.2	1.6	18.5
74.7	30713.5							
			Min	I	-113.7	-76.5	-0.3	-312.5
-63.1	-8465.2			J	-113.7	-76.5	-0.3	-312.5
-381.6	-2340.1							
		G1		I	-129.0	-9.0	0.1	-27.6
125.2	-667.7			J	-129.0	-9.0	0.9	-27.6
-121.6	3904.4							
		G2		I	-51.2	9.3	0.1	34.8
43.0	599.7			J	-51.2	9.3	0.1	34.8
-13.6	-4147.7							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	32.9	5.3	-0.0	18.0
-6.6	-238.1			J	32.9	5.3	-0.0	18.0
6.6	-2944.1							
		Q5_ps		I	31.8	8.2	-0.1	27.6
-12.9	-19.0			J	31.8	8.2	-0.1	27.6
13.1	-4229.5							
		INVSLU	Max	I	-2687.3	102.6	2.8	-538.6
1053.5	10992.1			J	-2687.3	102.6	3.8	-538.6
394.8	48239.6							
			Min	I	-3056.1	-115.4	-1.4	-1422.1
-75.3	-11401.4			J	-3056.1	-115.4	-0.4	-1422.1
-644.1	-42708.7							
		INVSLE	Max	I	-2078.3	81.6	2.1	-385.0
788.6	8124.7			J	-2078.3	81.6	2.9	-385.0

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
286.5	32503.8		Min	I	-2347.1	-79.2	-1.0	-1037.0	
-46.7	-8431.3			J	-2347.1	-79.2	-0.3	-1037.0	
-482.2	-34472.7								
1102	2	82	C1-C2;~1	Max	I	1289.8	42.8	5.7	3308.6
1210.9	27878.0				J	1289.8	42.8	5.7	3308.6
6547.4	74348.8		Min	I	-6.2	-388.4	-28.2	-10793.6	-
7271.8	-181630.6			J	-6.2	-388.4	-28.2	-10793.6	-
1688.5	-106519.7								
			C3-C4;~1	Max	I	1362.3	29.4	11.9	2711.2
2868.0	19286.0			J	1362.3	29.4	11.9	2711.2	
8282.3	49168.5		Min	I	-6.0	-309.3	-34.7	-9001.6	-
8740.2	-155707.3			J	-6.0	-309.3	-34.7	-9001.6	-
3096.5	-91055.8								
			C1-C2;~2	Max	I	657.1	21.5	3.3	2217.7
725.8	13750.8			J	657.1	21.5	3.3	2217.7	
4160.1	52007.3		Min	I	-4.4	-273.3	-17.6	-7572.7	-
4470.0	-121977.9			J	-4.4	-273.3	-17.6	-7572.7	-
-957.1	-72084.2								
			C3-C4;~2	Max	I	695.8	13.4	7.7	1751.2
1917.7	8726.6			J	695.8	13.4	7.7	1751.2	
5345.8	32834.1		Min	I	-4.3	-216.2	-22.1	-6279.3	-
5467.4	-104322.5			J	-4.3	-216.2	-22.1	-6279.3	-
1942.6	-61185.5								
			G1	I	1881.1	8.8	-14.0	-301.6	-
4320.9	2145.2			J	1881.1	8.8	-12.0	-301.6	
2032.2	-2164.9								
			G2	I	741.3	26.3	-5.1	235.6	-
1637.5	16077.3			J	741.3	26.3	-5.1	235.6	
844.9	3235.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	133.8	47.9	0.8	607.7	
87.9	47847.4			J	133.8	47.9	0.8	607.7	
-321.9	24409.1								
			Q5_ps	I	135.6	59.8	0.8	821.5	
88.0	55390.1			J	135.6	59.8	0.8	821.5	
-281.4	26165.9								

MIDAS


PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			

4251.6	152717.9		INVS LU Max	I	8355.0	148.7	-2.1	4930.3	-
				J	8355.0	148.7	0.7	4930.3	1
1819.2	158751.3		Min	I	6186.2	-537.6	-66.5	-15201.6	-2
0080.8	-237194.9			J	6186.2	-537.6	-63.8	-15201.6	-
4121.6	-129357.6								
			INVS LE Max	I	6258.9	103.5	-1.8	3612.9	-
3238.1	107078.6			J	6258.9	103.5	0.2	3612.9	
8764.9	116085.0		Min	I	4676.3	-395.0	-49.4	-11218.6	-1
4951.7	-172401.4			J	4676.3	-395.0	-47.4	-11218.6	-
3000.2	-94074.4								
1103	2	82	C1-C2;~1 Max	I	1244.5	34.2	16.4	1848.4	
4352.7	74358.9			J	1244.5	34.2	16.4	1848.4	
6669.2	145102.8		Min	I	-5.7	-289.0	-26.0	-10146.9	-
6092.1	-106510.3			J	-5.7	-289.0	-26.0	-10146.9	-
3706.6	-65894.2								
			C3-C4;~1 Max	I	1317.5	19.4	20.0	1571.2	
5362.1	49176.6			J	1317.5	19.4	20.0	1571.2	
8593.2	115353.7		Min	I	-6.1	-231.8	-33.4	-8243.5	-
7838.1	-91047.9			J	-6.1	-231.8	-33.4	-8243.5	-
4460.3	-56845.2								
			C1-C2;~2 Max	I	635.8	17.9	11.3	1180.7	
3054.2	52014.8			J	635.8	17.9	11.3	1180.7	
4171.1	103116.9		Min	I	-4.1	-203.0	-15.9	-7153.6	-
3611.4	-72077.9			J	-4.1	-203.0	-15.9	-7153.6	-
2516.9	-44031.9								
			C3-C4;~2 Max	I	675.4	9.0	13.9	949.5	
3784.1	32840.1			J	675.4	9.0	13.9	949.5	
5483.9	81075.4		Min	I	-4.3	-161.6	-20.9	-5780.7	-
4790.1	-61180.2			J	-4.3	-161.6	-20.9	-5780.7	-
3038.7	-37415.7								
			G1	I	1804.9	0.8	-14.9	-159.5	-
4096.6	-2164.4			J	1804.9	0.8	-12.9	-159.5	
2720.2	-2535.6								
			G2	I	711.8	12.6	-5.8	243.7	-
1677.1	3233.6			J	711.8	12.6	-5.8	243.7	
1163.0	-2946.8								
			Q3	I	0.0	0.0	0.0	0.0	


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
605.5	24406.1	Q5_pc		I	125.0	30.7	2.8	579.6
-747.0	9366.2			J	125.0	30.7	2.8	579.6
421.2	26162.1	Q5_ps		I	127.3	37.4	2.1	778.3
-591.0	7830.0			J	127.3	37.4	2.1	778.3
3567.2	158764.5	INVSLU Max		I	8069.0	97.2	19.0	3001.2
2522.0	232458.2			J	8069.0	97.2	21.7	3001.2
5343.0	-129339.9	Min		I	5981.2	-400.9	-58.0	-14235.7
6444.8	-69247.0			J	5981.2	-400.9	-55.3	-14235.7
2525.4	116095.1	INVSLE Max		I	6047.0	67.7	13.7	2189.3
9255.5	171730.7			J	6047.0	67.7	15.7	2189.3
1401.4	-94061.5	Min		I	4522.9	-295.0	-43.0	-10501.5
4694.3	-50505.7			J	4522.9	-295.0	-41.0	-10501.5
1104	2	82 C1-C2;~1 Max		I	1189.5	84.5	13.7	2529.2
3536.7	145106.7			J	1189.5	84.5	13.7	2529.2
7432.4	177926.0	Min		I	-16.3	-212.5	-29.9	-8470.5
7236.2	-65894.1			J	-16.3	-212.5	-29.9	-8470.5
3191.0	-42345.1							
4566.1	115357.2	C3-C4;~1 Max		I	1258.3	54.0	17.1	1866.1
9418.7	149086.0			J	1258.3	54.0	17.1	1866.1
8987.0	-56845.0	Min		I	-19.6	-164.4	-37.5	-6812.1
3867.0	-36590.4			J	-19.6	-164.4	-37.5	-6812.1
2511.9	103119.7	C1-C2;~2 Max		I	612.5	58.2	9.6	1698.1
4624.6	126126.5			J	612.5	58.2	9.6	1698.1
4316.2	-44031.8	Min		I	-11.6	-149.3	-18.2	-5978.3
2219.7	-27177.1			J	-11.6	-149.3	-18.2	-5978.3
3269.8	81077.9	C3-C4;~2 Max		I	650.1	35.0	12.1	1179.7
5978.8	105136.2			J	650.1	35.0	12.1	1179.7
5489.9	-37415.6	Min		I	-13.9	-114.1	-23.4	-4777.7
				J	-13.9	-114.1	-23.4	-4777.7


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
2704.4	-22802.4							
		G1	I	1696.8	-0.5	-19.3	-66.9	-
5168.2	-2536.2		J	1696.8	-0.5	-17.3	-66.9	
3810.4	-2274.5							
		G2	I	669.8	5.3	-7.3	178.2	-
2021.6	-2946.9		J	669.8	5.3	-7.3	178.2	
1549.5	-5553.5							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	116.0	16.8	4.2	421.1	
999.9	9365.7		J	116.0	16.8	4.2	421.1	-
1045.3	1141.2							
		Q5_ps	I	118.2	19.6	3.4	559.8	
811.3	7829.6		J	118.2	19.6	3.4	559.8	
-865.0	-1794.0							
		INVS LU Max	I	7698.0	142.8	12.2	3823.5	
1759.8	232460.2		J	7698.0	142.8	14.9	3823.5	1
4849.1	262647.5							
		Min	I	5698.8	-288.3	-69.0	-11784.2	-1
8336.7	-69249.1		J	5698.8	-288.3	-66.2	-11784.2	-
4968.1	-36772.6							
		INVS LE Max	I	5771.8	104.6	8.5	2811.0	
1150.6	171732.3		J	5771.8	104.6	10.5	2811.0	1
0967.3	194669.7							
		Min	I	4311.7	-212.5	-51.1	-8694.0	-1
3602.5	-50507.4		J	4311.7	-212.5	-49.0	-8694.0	-
3572.7	-26970.8							
1105	2	82 C1-C2;~1 Max	I	1127.0	136.2	13.0	3856.7	
3410.7	177930.5		J	1127.0	136.2	13.0	3856.7	
7952.9	187075.0							
		Min	I	-49.5	-177.1	-32.0	-6932.2	-
7741.6	-42343.1		J	-49.5	-177.1	-32.0	-6932.2	-
2979.9	-34740.3							
		C3-C4;~1 Max	I	1189.2	91.5	16.2	2616.8	
4401.7	149087.9		J	1189.2	91.5	16.2	2616.8	1
0020.3	159404.7							
		Min	I	-60.1	-132.9	-39.9	-5443.9	-
9567.6	-36588.6		J	-60.1	-132.9	-39.9	-5443.9	-
3606.8	-29874.9							
		C1-C2;~2 Max	I	585.2	95.9	9.2	2670.9	
2426.3	126129.7		J	585.2	95.9	9.2	2670.9	

MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
4929.2	132348.5		Min	I	-34.9	-124.6	-19.5	-4882.6	-	
4616.5	-27175.6			J	-34.9	-124.6	-19.5	-4882.6	-	
2095.5	-21770.4									
3158.2	105137.5	C3-C4;~2	Max	I	619.2	62.4	11.6	1728.7		
6339.3	112392.1			J	619.2	62.4	11.6	1728.7		
5837.7	-22801.1		Min	I	-42.6	-91.9	-24.8	-3797.4	-	
2554.0	-17999.7			J	-42.6	-91.9	-24.8	-3797.4	-	
5577.7	-2274.4		G1	I	1572.6	-1.0	-21.4	-32.7	-	
4416.6	-1760.5			J	1572.6	-1.0	-19.4	-32.7		
2165.6	-5553.7		G2	I	621.3	1.2	-8.0	85.7	-	
1772.5	-6121.6			J	621.3	1.2	-8.0	85.7		
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0			J	0.0	0.0	0.0	0.0		
1167.8	1140.6		Q5_pc	I	107.0	7.9	4.8	247.3		
1196.3	-2740.5			J	107.0	7.9	4.8	247.3	-	
969.1	-1794.7		Q5_ps	I	108.8	8.5	4.0	324.8		
1002.4	-5978.6			J	108.8	8.5	4.0	324.8	-	
1864.1	262652.7		INVS LU Max	I	7270.3	205.5	10.9	5453.7		
6311.4	269355.1			J	7270.3	205.5	13.7	5453.7	1	
9096.6	-36769.6		Min	I	5347.9	-231.7	-73.5	-9556.3	-1	
4238.5	-35028.5			J	5347.9	-231.7	-70.8	-9556.3	-	
1219.6	194673.6		INVS LE Max	I	5454.2	151.7	7.5	4032.3		
2038.8	199536.8			J	5454.2	151.7	9.6	4032.3	1	
4151.2	-26968.6		Min	I	4049.4	-171.1	-54.4	-7053.3	-1	
3023.8	-25567.1			J	4049.4	-171.1	-52.4	-7053.3	-	
1106	2	82	C1-C2;~1	Max	I	1063.4	172.9	12.6	5866.8	
3345.0	187077.7			J	1063.4	172.9	12.6	5866.8		
8208.5	182611.2		Min	I	-87.4	-150.1	-32.9	-5474.1	-	
7937.4	-34740.7			J	-87.4	-150.1	-32.9	-5474.1	-	
2863.6	-44757.9									

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

4381.1	159405.2	C3-C4;~1	Max	I	1119.0	125.2	16.0	4353.8	
				J	1119.0	125.2	16.0	4353.8	1
0362.7	154265.0		Min	I	-104.2	-107.6	-41.1	-4287.5	-
9827.7	-29875.4			J	-104.2	-107.6	-41.1	-4287.5	-
3495.8	-39177.5								
		C1-C2;~2	Max	I	557.1	122.3	8.9	4129.9	
2377.7	132350.5			J	557.1	122.3	8.9	4129.9	
5084.1	129210.5		Min	I	-61.0	-105.8	-20.0	-3825.3	-
4742.0	-21770.7			J	-61.0	-105.8	-20.0	-3825.3	-
2016.9	-29216.8								
		C3-C4;~2	Max	I	587.3	87.0	11.5	2994.3	
3143.5	112392.4			J	587.3	87.0	11.5	2994.3	
6554.7	108704.8		Min	I	-73.3	-74.2	-25.6	-2954.5	-
6006.8	-18000.0			J	-73.3	-74.2	-25.6	-2954.5	-
2482.1	-24962.0								
		G1		I	1444.8	-0.6	-22.0	-5.9	-
5648.5	-1760.5			J	1444.8	-0.6	-19.9	-5.9	-
4616.0	-1444.7								
		G2		I	571.4	-1.7	-8.2	-14.8	-
2185.6	-6121.6			J	571.4	-1.7	-8.2	-14.8	-
1842.7	-5273.8								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc		I	97.9	1.5	5.2	65.0	
1250.9	-2740.7			J	97.9	1.5	5.2	65.0	-
1278.3	-3488.3								
		Q5_ps		I	99.2	0.6	4.3	79.8	
1049.9	-5978.8			J	99.2	0.6	4.3	79.8	-
1080.0	-6251.8								
		INVSLU	Max	I	6827.4	251.8	11.3	7984.6	
2227.6	269358.3			J	6827.4	251.8	14.1	7984.6	1
6990.8	255680.9		Min	I	4981.0	-187.0	-75.2	-7442.5	-1
9206.1	-35029.8			J	4981.0	-187.0	-72.4	-7442.5	-
4019.3	-57546.3								
		INVSLE	Max	I	5125.2	186.5	7.8	5921.3	
1493.7	199539.1			J	5125.2	186.5	9.9	5921.3	1
2526.0	189319.3								


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
4216.3	-25568.1		Min	I	3775.0	-138.4	-55.5	-5497.5	-1
				J	3775.0	-138.4	-53.5	-5497.5	-
2866.6	-42235.7								
1107	2	82	C1-C2;~1	Max	I	1002.9	203.2	12.6	7551.5
3406.7	182607.2			J	1002.9	203.2	12.6	7551.5	
8125.1	160410.6		Min	I	-128.4	-110.0	-32.6	-4387.4	-
7851.8	-44759.5			J	-128.4	-110.0	-32.6	-4387.4	-
2810.6	-64610.8								
			C3-C4;~1	Max	I	1052.2	153.2	16.1	5889.6
4428.2	154264.0			J	1052.2	153.2	16.1	5889.6	1
0369.7	130793.2		Min	I	-149.8	-77.2	-41.1	-3504.1	-
9805.6	-39178.8			J	-149.8	-77.2	-41.1	-3504.1	-
3477.7	-55156.7								
			C1-C2;~2	Max	I	530.0	143.3	9.0	5329.7
2423.0	129207.5			J	530.0	143.3	9.0	5329.7	
5027.7	113656.7		Min	I	-88.9	-76.8	-19.8	-3025.6	-
4696.9	-29217.9			J	-88.9	-76.8	-19.8	-3025.6	-
1980.0	-43570.3								
			C3-C4;~2	Max	I	556.9	106.6	11.5	4094.9
3178.0	108704.1			J	556.9	106.6	11.5	4094.9	
6561.6	91957.0		Min	I	-104.6	-52.0	-25.6	-2372.4	-
6006.6	-24963.0			J	-104.6	-52.0	-25.6	-2372.4	-
2471.7	-36613.0								
			G1	I	1320.5	0.8	-21.6	7.8	-
5514.3	-1444.8			J	1320.5	0.8	-19.6	7.8	
4583.9	-1833.8								
			G2	I	523.0	-4.8	-8.1	-116.0	-
2139.0	-5273.6			J	523.0	-4.8	-8.1	-116.0	
1837.7	-2934.8								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	88.3	-5.0	5.3	-112.0	
1278.9	-3488.1			J	88.3	-5.0	5.3	-112.0	-
1303.4	-1017.0								
			Q5_ps	I	89.3	-7.8	4.4	-156.9	
1072.7	-6251.5			J	89.3	-7.8	4.4	-156.9	-
1097.2	-2433.1								


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
2742.7	255674.5	INVS LU Max	I	6394.2	298.7	12.8	10283.5	
			J	6394.2	298.7	15.6	10283.5	1
6807.7	213742.1	Min	I	4612.5	-133.2	-73.9	-6035.6	-1
8774.9	-57549.2		J	4612.5	-133.2	-71.2	-6035.6	-
4232.3	-91867.4							
		INVS LE Max	I	4803.2	221.2	9.0	7622.9	
1892.0	189314.6		J	4803.2	221.2	11.1	7622.9	1
2368.8	158294.2	Min	I	3495.3	-98.1	-54.5	-4450.3	-1
3876.4	-42237.9		J	3495.3	-98.1	-52.5	-4450.3	-
3042.6	-67947.6							
1108	2	82 C1-C2;~1 Max	I	946.5	261.1	12.4	8963.4	
3472.6	160407.3		J	946.5	261.1	12.4	8963.4	
8599.2	106501.4	Min	I	-171.5	-53.6	-33.3	-3998.9	-
7762.6	-64611.6		J	-171.5	-53.6	-33.3	-3998.9	-
2601.7	-97397.3							
		C3-C4;~1 Max	I	990.5	204.7	15.7	7163.1	
4469.7	130792.8		J	990.5	204.7	15.7	7163.1	1
0881.7	78430.4	Min	I	-195.9	-37.6	-42.2	-3215.8	-
9803.7	-55157.3		J	-195.9	-37.6	-42.2	-3215.8	-
3293.2	-82223.5							
		C1-C2;~2 Max	I	504.7	183.4	8.8	6316.2	
2471.5	113654.2		J	504.7	183.4	8.8	6316.2	
5372.8	75223.5	Min	I	-118.1	-35.2	-20.4	-2718.6	-
4649.3	-43570.9		J	-118.1	-35.2	-20.4	-2718.6	-
1829.4	-66528.1							
		C3-C4;~2 Max	I	528.5	142.4	11.2	4989.2	
3208.0	91956.7		J	528.5	142.4	11.2	4989.2	
6939.9	54202.8	Min	I	-135.9	-22.5	-26.4	-2136.1	-
6025.1	-36613.5		J	-135.9	-22.5	-26.4	-2136.1	-
2337.7	-55759.4							
		G1	I	1201.8	3.5	-21.0	17.8	-
5324.9	-1833.6		J	1201.8	3.5	-18.9	17.8	
4460.3	-3562.6							
		G2	I	476.7	-9.3	-7.7	-185.3	-
2051.5	-2934.6		J	476.7	-9.3	-7.7	-185.3	
1740.3	1610.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		J	0.0	0.0	0.0	0.0	
1296.7	-1017.0	Q5_pc	I	77.4	-14.5	5.4	-243.1	
1349.5	6085.7		J	77.4	-14.5	5.4	-243.1	-
1092.5	-2433.1	Q5_ps	I	78.4	-20.0	4.6	-330.1	
1168.5	7388.0		J	78.4	-20.0	4.6	-330.1	-
3192.1	213737.1	INVSLU Max	I	5976.4	387.5	13.7	12333.7	
7284.0	134736.0		J	5976.4	387.5	16.5	12333.7	1
8411.0	-91869.1	Min	I	4235.3	-63.5	-74.2	-5603.0	-1
4281.3	-151481.5		J	4235.3	-63.5	-71.4	-5603.0	-
2247.1	158290.5	INVSLE Max	I	4492.7	286.7	9.8	9134.2	
2692.6	99154.4		J	4492.7	286.7	11.8	9134.2	1
3582.3	-67948.8	Min	I	3213.3	-45.5	-54.6	-4119.8	-1
3101.7	-112047.1		J	3213.3	-45.5	-52.6	-4119.8	-
1109	2	82 C1-C2;~1 Max	I	893.2	395.2	30.6	11800.5	
7615.9	106491.5		J	893.2	395.2	30.6	11800.5	
5411.2	27036.9	Min	I	-208.8	-34.1	-22.6	-2988.7	-
5666.0	-97402.9		J	-208.8	-34.1	-22.6	-2988.7	-
7481.2	-159020.5							
8221.8	78419.7	C3-C4;~1 Max	I	932.1	319.4	32.6	9579.7	
6687.1	16321.3		J	932.1	319.4	32.6	9579.7	
6810.2	-82228.1	Min	I	-235.1	-26.3	-27.5	-2586.7	-
7781.5	-135569.7		J	-235.1	-26.3	-27.5	-2586.7	-
5398.9	75216.4	C1-C2;~2 Max	I	480.4	275.8	21.6	8324.1	
3024.2	16172.3		J	480.4	275.8	21.6	8324.1	
3132.7	-66531.9	Min	I	-142.7	-15.9	-12.5	-1963.9	-
5266.1	-106428.0		J	-142.7	-15.9	-12.5	-1963.9	-
5880.8	54195.0	C3-C4;~2 Max	I	501.3	221.5	23.3	6704.8	
3801.2	7319.9		J	501.3	221.5	23.3	6704.8	
3809.5	-55762.5	Min	I	-161.9	-12.0	-15.5	-1653.8	-
5527.6	-90394.4		J	-161.9	-12.0	-15.5	-1653.8	-

MIDAS


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

5273.9	-3562.8	G1	I	1090.3	8.4	-21.1	-14.1	-
4554.4	-7694.2		J	1090.3	8.4	-19.0	-14.1	
2361.4	1611.1	G2	I	433.6	-16.5	-9.3	-384.2	-
2178.0	9696.6		J	433.6	-16.5	-9.3	-384.2	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
996.9	6087.9	Q5_pc	I	63.0	-29.7	4.0	-547.0	
-970.9	20670.5		J	63.0	-29.7	4.0	-547.0	
564.8	7390.8	Q5_ps	I	64.2	-40.0	2.2	-745.0	
-507.4	27002.9		J	64.2	-40.0	2.2	-745.0	
8069.3	134725.5	INVSLU Max	I	5555.2	583.0	34.2	16260.5	
1885.4	36682.9		J	5555.2	583.0	37.0	16260.5	1
4018.2	-151490.2	Min	I	3866.0	-58.7	-54.2	-4689.6	-1
9394.9	-258935.3		J	3866.0	-58.7	-51.4	-4689.6	-
5911.9	99146.5	INVSLE Max	I	4179.5	431.0	25.2	12023.9	
8686.4	23373.9		J	4179.5	431.0	27.2	12023.9	
0316.4	-112053.4	Min	I	2936.6	-37.9	-39.8	-3421.8	-1
6947.3	-191224.2		J	2936.6	-37.9	-37.7	-3421.8	-
1110	2	70 C1-C2;~1 Max	I	124.9	142.0	0.3	526.7	
55.7	68156.3		J	124.9	142.0	0.3	526.7	
942.4	7336.5	Min	I	-247.1	-49.0	-3.7	-196.9	
-886.7	-23251.4		J	-247.1	-49.0	-3.7	-196.9	
-73.4	-10712.4							
43.0	66937.4	C3-C4;~1 Max	I	131.1	141.2	0.2	517.5	
1116.1	6941.5		J	131.1	141.2	0.2	517.5	
1046.7	-9355.6	Min	I	-238.8	-18.9	-4.4	-65.2	-
-69.9	-11136.4		J	-238.8	-18.9	-4.4	-65.2	
28.6	44151.5	C1-C2;~2 Max	I	71.4	92.1	0.1	348.3	
583.4	5041.9		J	71.4	92.1	0.1	348.3	


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-547.9	-13257.6	Min	I	-150.0	-28.1	-2.3	-116.1
			J	-150.0	-28.1	-2.3	-116.1
-39.0	-7406.2						
		C3-C4;~2 Max	I	73.8	93.6	0.1	348.2
21.9	44281.0		J	73.8	93.6	0.1	348.2
709.9	4598.6						
		Min	I	-144.3	-8.9	-2.8	-30.2
-664.0	-4436.1		J	-144.3	-8.9	-2.8	-30.2
-37.8	-7618.2						
		G1	I	-66.8	2.5	-2.7	-5.1
-571.5	817.6		J	-66.8	2.5	-1.8	-5.1
519.9	-428.8						
		G2	I	-26.3	-13.5	-0.8	-50.7
-184.9	-6648.0		J	-26.3	-13.5	-0.8	-50.7
196.0	6.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	24.4	-4.8	0.0	-14.3
11.6	-3065.3		J	24.4	-4.8	0.0	-14.3
-10.1	-706.1						
		Q5_ps	I	24.0	-8.9	0.1	-26.5
21.5	-5016.4		J	24.0	-8.9	0.1	-26.5
-19.8	-639.1						
		INVSLU Max	I	-766.8	121.0	-1.0	666.1
-143.4	64554.1		J	-766.8	121.0	0.3	666.1
1649.6	17235.7						
		Min	I	-1321.3	-145.5	-7.3	-336.5
1652.5	-64363.8		J	-1321.3	-145.5	-6.1	-336.5
25.6	-8973.8						
		INVSLE Max	I	-641.0	83.5	-0.7	481.9
-91.7	45602.1		J	-641.0	83.5	0.2	481.9
1209.6	13533.1						
		Min	I	-1048.4	-113.2	-5.4	-258.8
1208.0	-49483.9		J	-1048.4	-113.2	-4.5	-258.8
8.0	-5787.2						
		70 C1-C2;~1 Max	I	112.6	21.6	0.1	245.2
1111	2		J	112.6	21.6	0.1	245.2
47.9	7332.2						
		Min	I	-227.2	-9.1	-2.8	-175.8
753.3	6350.9		J	-227.2	-9.1	-2.8	-175.8
-682.8	-10719.4						
-37.2	-18994.8						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
143.0	6937.2	C3-C4;~1 Max	I	118.2	20.7	0.5	238.2
			J	118.2	20.7	0.5	238.2
813.5	2695.2	Min	I	-211.8	-3.1	-3.0	-154.3
-705.9	-11143.9		J	-211.8	-3.1	-3.0	-154.3
-98.1	-18743.7						
		C1-C2;~2 Max	I	64.4	14.1	0.1	164.7
31.1	5039.1		J	64.4	14.1	0.1	164.7
462.3	3917.1	Min	I	-137.3	-5.4	-1.7	-106.8
-417.2	-7411.0		J	-137.3	-5.4	-1.7	-106.8
-21.2	-13005.9						
		C3-C4;~2 Max	I	66.6	13.8	0.3	162.3
102.8	4595.6		J	66.6	13.8	0.3	162.3
511.6	1482.9	Min	I	-126.9	-1.4	-1.9	-100.3
-439.4	-7623.5		J	-126.9	-1.4	-1.9	-100.3
-66.7	-12998.9						
		G1	I	-68.7	0.2	-2.4	-12.6
-519.6	-429.4		J	-68.7	0.2	-1.5	-12.6
473.7	-536.7						
		G2	I	-28.6	-2.0	-0.8	-19.0
-189.9	7.1		J	-28.6	-2.0	-0.8	-19.0
201.5	1003.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	26.4	-0.7	0.0	-3.4
2.1	-705.6		J	26.4	-0.7	0.0	-3.4
-2.1	-355.9						
		Q5_ps	I	25.5	-1.3	0.0	-6.7
6.4	-638.3		J	25.5	-1.3	0.0	-6.7
-7.0	19.7						
		INVSLU Max	I	-924.5	13.6	-0.1	344.5
207.7	17234.2		J	-924.5	13.6	1.2	344.5
1165.4	23767.4	Min	I	-1438.3	-29.0	-4.8	-230.0
-942.1	-8978.7		J	-1438.3	-29.0	-3.5	-230.0
-69.1	-11089.9						
		INVSLE Max	I	-761.1	8.4	-0.0	248.1
173.4	13532.4		J	-761.1	8.4	0.9	248.1
849.5	19232.4	Min	I	-1138.1	-23.1	-3.5	-176.9


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-678.0	-5790.4			J	-1138.1	-23.1	-2.5	-176.9	
-64.6	-6540.4								
1112	2	70	C1-C2;~1	Max	I	103.0	7.4	0.2	202.1
83.9	6350.8				J	103.0	7.4	0.2	202.1
699.9	6190.6			Min	I	-217.8	-9.2	-2.6	-169.6
-635.9	-18992.9				J	-217.8	-9.2	-2.6	-169.6
-41.9	-18082.0								
			C3-C4;~1	Max	I	108.3	7.0	0.6	193.2
193.5	2695.5				J	108.3	7.0	0.6	193.2
754.1	2530.3			Min	I	-202.6	-8.8	-2.8	-168.6
-655.6	-18741.6				J	-202.6	-8.8	-2.8	-168.6
-111.4	-17778.5								
			C1-C2;~2	Max	I	58.9	5.1	0.1	136.2
54.7	3917.1				J	58.9	5.1	0.1	136.2
429.5	3829.7			Min	I	-131.4	-6.4	-1.6	-116.0
-385.5	-13004.6				J	-131.4	-6.4	-1.6	-116.0
-26.3	-12374.0								
			C3-C4;~2	Max	I	61.0	4.7	0.4	128.6
137.2	1483.1				J	61.0	4.7	0.4	128.6
474.8	1379.5			Min	I	-121.2	-5.9	-1.7	-110.8
-404.8	-12997.5				J	-121.2	-5.9	-1.7	-110.8
-78.7	-12317.3								
			G1		I	-73.6	-0.2	-2.3	-13.8
-492.2	-536.5				J	-73.6	-0.2	-1.4	-13.8
451.8	-457.5								
			G2		I	-30.8	0.1	-0.7	-13.1
-180.2	1003.5				J	-30.8	0.1	-0.7	-13.1
194.4	975.5								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc		I	27.2	0.0	-0.0	-1.1
-2.3	-356.0				J	27.2	0.0	-0.0	-1.1
1.4	-375.9								
			Q5_ps		I	26.3	0.1	0.0	-2.7
1.7	19.6				J	26.3	0.1	0.0	-2.7
-3.0	-13.7								
			INVSLU	Max	I	-1107.1	10.9	-0.4	301.4

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
115.5	23765.7			J	-1107.1	10.9	0.8	301.4
1176.1	23098.3							
		Min		I	-1596.4	-11.5	-5.0	-202.4
1035.0	-11089.0							
				J	-1596.4	-11.5	-3.7	-202.4
5.1	-10346.3							
		INVSLE Max		I	-899.7	7.9	-0.3	220.6
99.8	19231.0							
				J	-899.7	7.9	0.7	220.6
862.0	18827.6							
		Min		I	-1258.5	-8.7	-3.6	-152.5
-752.1	-6539.7							
				J	-1258.5	-8.7	-2.7	-152.5
-5.2	-5896.1							
1113	2	70 C1-C2;~1 Max		I	96.2	8.2	0.3	170.6
117.6	6190.7							
				J	96.2	8.2	0.3	170.6
673.2	6060.8							
		Min		I	-213.9	-10.2	-2.5	-186.1
-605.4	-18082.1							
				J	-213.9	-10.2	-2.5	-186.1
-55.5	-17199.7							
		C3-C4;~1 Max		I	101.2	8.0	0.7	161.2
221.5	2530.2							
				J	101.2	8.0	0.7	161.2
730.2	2521.8							
		Min		I	-199.1	-9.8	-2.7	-183.1
-630.0	-17778.6							
				J	-199.1	-9.8	-2.7	-183.1
-133.3	-16958.4							
		C1-C2;~2 Max		I	55.0	5.6	0.2	114.7
77.4	3829.7							
				J	55.0	5.6	0.2	114.7
412.4	3769.7							
		Min		I	-128.9	-7.1	-1.5	-126.3
-365.5	-12374.1							
				J	-128.9	-7.1	-1.5	-126.3
-34.9	-11775.7							
		C3-C4;~2 Max		I	57.0	5.3	0.5	106.6
155.6	1379.5							
				J	57.0	5.3	0.5	106.6
459.5	1392.2							
		Min		I	-119.0	-6.6	-1.7	-120.7
-387.8	-12317.4							
				J	-119.0	-6.6	-1.7	-120.7
-93.8	-11753.0							
		G1		I	-79.4	-0.1	-2.2	-14.8
-467.0	-457.6							
				J	-79.4	-0.1	-1.3	-14.8
431.9	-424.6							
		G2		I	-33.2	0.1	-0.7	-7.6
-170.2	975.5							
				J	-33.2	0.1	-0.7	-7.6
186.7	908.6							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0							
				J	0.0	0.0	0.0	0.0

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0						
-3.3	-375.8	Q5_pc	I	28.4	0.1	-0.0	1.0
2.2	-404.7		J	28.4	0.1	-0.0	1.0
0.2	-13.6	Q5_ps	I	27.4	0.1	0.0	1.0
-1.8	-67.1		J	27.4	0.1	0.0	1.0
164.1	23098.6	INVS LU Max	I	-1275.7	14.3	-0.3	255.6
1182.6	21292.8		J	-1275.7	14.3	0.9	255.6
-991.2	-10346.2	Min	I	-1752.4	-10.5	-4.9	-227.7
13.0	-10837.3		J	-1752.4	-10.5	-3.6	-227.7
130.6	18827.8	INVS LE Max	I	-1027.4	10.8	-0.2	190.6
871.4	17373.8		J	-1027.4	10.8	0.7	190.6
-724.8	-5896.0	Min	I	-1376.7	-7.6	-3.6	-167.2
5.3	-6372.3		J	-1376.7	-7.6	-2.7	-167.2
1114	2	70 C1-C2;~1 Max	I	91.5	10.3	0.4	147.7
141.9	6060.9		J	91.5	10.3	0.4	147.7
651.0	6297.9	Min	I	-214.0	-8.2	-2.4	-203.6
-578.2	-17199.7		J	-214.0	-8.2	-2.4	-203.6
-72.0	-18150.1						
238.3	2521.8	C3-C4;~1 Max	I	96.4	10.0	0.7	138.2
716.0	2618.1		J	96.4	10.0	0.7	138.2
-611.0	-16958.3	Min	I	-199.5	-7.9	-2.6	-200.3
-145.9	-17971.8		J	-199.5	-7.9	-2.6	-200.3
93.5	3769.8	C1-C2;~2 Max	I	52.2	7.1	0.3	99.1
398.5	3907.2		J	52.2	7.1	0.3	99.1
-348.3	-11775.7	Min	I	-128.8	-5.7	-1.5	-137.6
-45.6	-12387.7		J	-128.8	-5.7	-1.5	-137.6
166.4	1392.2	C3-C4;~2 Max	I	54.3	6.8	0.5	90.2
451.0	1448.5		J	54.3	6.8	0.5	90.2
-376.2	-11752.9	Min	I	-119.0	-5.3	-1.6	-132.6
-101.7	-12418.4		J	-119.0	-5.3	-1.6	-132.6


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-442.4	-424.6	G1	I	-86.3	0.1	-2.2	-15.5
			J	-86.3	0.1	-1.2	-15.5
412.0	-496.8						
		G2	I	-35.9	-0.1	-0.7	-3.4
-159.8	908.6		J	-35.9	-0.1	-0.7	-3.4
178.1	967.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	29.6	-0.1	-0.0	2.9
-3.6	-404.7		J	29.6	-0.1	-0.0	2.9
2.2	-378.0						
		Q5_ps	I	28.5	-0.1	0.0	4.0
-0.4	-67.0		J	28.5	-0.1	0.0	4.0
-1.4	-20.9						
		INVS LU Max	I	-1428.9	15.1	-0.4	203.6
158.2	21292.7		J	-1428.9	15.1	0.9	203.6
1192.3	21024.8	Min	I	-1901.2	-10.0	-4.9	-275.8
-994.8	-10837.5		J	-1901.2	-10.0	-3.7	-275.8
24.7	-12660.4						
		INVS LE Max	I	-1142.8	11.5	-0.3	156.0
122.3	17373.7		J	-1142.8	11.5	0.7	156.0
882.4	17018.5	Min	I	-1488.7	-7.1	-3.6	-198.7
-731.2	-6372.5		J	-1488.7	-7.1	-2.7	-198.7
17.8	-7883.1						
		70 C1-C2;~1 Max	I	88.4	9.9	0.5	122.4
1115	2		J	88.4	9.9	0.5	122.4
164.3	6297.9						
		Min	I	-217.1	-7.3	-2.3	-235.2
623.3	6459.5		J	-217.1	-7.3	-2.3	-235.2
-547.5	-18150.0						
-91.4	-19350.2						
		C3-C4;~1 Max	I	93.2	9.5	0.8	111.8
257.4	2618.1		J	93.2	9.5	0.8	111.8
693.5	2577.0	Min	I	-202.9	-6.9	-2.5	-230.4
-583.9	-17971.7		J	-202.9	-6.9	-2.5	-230.4
-160.2	-19281.5						
		C1-C2;~2 Max	I	50.5	6.8	0.3	81.7
108.2	3907.2		J	50.5	6.8	0.3	81.7
381.1	3989.1	Min	I	-130.5	-5.1	-1.4	-158.6


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-328.9	-12387.6			J	-130.5	-5.1	-1.4	-158.6
-58.4	-13180.3							
179.0	1448.5	C3-C4;~2	Max	I	52.5	6.5	0.6	71.3
437.0	1394.6			J	52.5	6.5	0.6	71.3
-359.2	-12418.3		Min	I	-120.9	-4.6	-1.6	-153.6
-111.0	-13303.5			J	-120.9	-4.6	-1.6	-153.6
-416.1	-496.8		G1	I	-93.8	0.2	-2.1	-17.1
389.5	-619.7			J	-93.8	0.2	-1.1	-17.1
-149.5	967.7		G2	I	-38.9	-0.1	-0.6	1.8
169.2	1003.8			J	-38.9	-0.1	-0.6	1.8
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
-3.8	-378.0		Q5_pc	I	30.7	-0.0	-0.0	5.3
2.2	-372.4			J	30.7	-0.0	-0.0	5.3
-1.1	-20.9		Q5_ps	I	29.4	-0.0	-0.0	8.0
-1.0	2.9			J	29.4	-0.0	-0.0	8.0
171.8	21024.3		INVSLE Max	I	-1568.9	16.0	-0.4	129.7
1225.1	19900.7			J	-1568.9	16.0	0.8	129.7
-970.8	-12660.7		Min	I	-2043.0	-7.3	-5.0	-362.7
68.8	-15612.8			J	-2043.0	-7.3	-3.7	-362.7
130.0	17018.0		INVSLE Max	I	-1248.0	12.6	-0.3	105.5
909.5	15802.1			J	-1248.0	12.6	0.6	105.5
-715.8	-7883.4		Min	I	-1595.1	-4.6	-3.7	-258.5
53.2	-10454.5			J	-1595.1	-4.6	-2.7	-258.5
1116	2	70	C1-C2;~1	Max	86.1	8.3	0.6	124.2
193.2	6459.9			J	86.1	8.3	0.6	124.2
587.6	5522.0		Min	I	-222.7	-19.8	-2.2	-277.3
-519.6	-19352.2			J	-222.7	-19.8	-2.2	-277.3
-119.7	-11847.6		C3-C4;~1	Max	90.7	2.7	0.9	92.1


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
290.5	2576.8		J	90.7	2.7	0.9	92.1
654.8	3648.1						
		Min	I	-209.0	-19.1	-2.4	-272.3
-542.5	-19283.7						
			J	-209.0	-19.1	-2.4	-272.3
-189.0	-12312.4						
		C1-C2;~2 Max	I	49.1	5.0	0.4	76.1
127.4	3989.4						
			J	49.1	5.0	0.4	76.1
358.1	3461.4						
		Min	I	-133.8	-13.0	-1.3	-185.9
-311.9	-13181.6						
			J	-133.8	-13.0	-1.3	-185.9
-77.3	-8209.3						
		C3-C4;~2 Max	I	51.1	1.2	0.6	56.4
201.2	1394.4						
			J	51.1	1.2	0.6	56.4
411.7	2183.0						
		Min	I	-124.5	-12.6	-1.5	-181.2
-332.1	-13304.9						
			J	-124.5	-12.6	-1.5	-181.2
-130.3	-8507.3						
		G1	I	-101.1	-0.6	-2.0	-19.2
-390.3	-620.1						
			J	-101.1	-0.6	-1.0	-19.2
367.3	-301.6						
		G2	I	-41.7	1.6	-0.6	7.2
-140.5	1003.8						
			J	-41.7	1.6	-0.6	7.2
161.2	209.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0						
			J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	31.5	0.9	-0.0	8.1
-3.8	-372.3						
			J	31.5	0.9	-0.0	8.1
1.8	-834.1						
		Q5_ps	I	30.3	1.4	-0.0	12.4
-1.8	3.1						
			J	30.3	1.4	-0.0	12.4
-0.7	-709.0						
		INVSLU Max	I	-1698.7	31.4	0.1	78.9
286.1	19901.8						
			J	-1698.7	31.4	1.4	78.9
1039.5	9236.2						
		Min	I	-2178.6	-8.3	-4.3	-477.7
-845.3	-15614.8						
			J	-2178.6	-8.3	-3.1	-477.7
-102.8	-16341.7						
		INVSLE Max	I	-1345.5	25.6	0.1	72.6
215.7	15803.0						
			J	-1345.5	25.6	1.0	72.6
771.0	6622.6						
		Min	I	-1696.8	-3.6	-3.2	-338.6
-621.8	-10455.9						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-74.8	-12212.8		J	-1696.8	-3.6	-2.3	-338.6	
1117	2	70 C1-C2;~1 Max	I	84.5	45.7	1.1	171.0	
304.3	5521.6		J	84.5	45.7	1.1	171.0	
547.7	57857.1		Min	I	-234.8	-135.3	-2.0	-561.4
-493.8	-11840.6		J	-234.8	-135.3	-2.0	-561.4	
-241.1	-20823.2							
		C3-C4;~1 Max	I	89.2	17.4	1.8	61.6	
493.2	3650.0		J	89.2	17.4	1.8	61.6	
454.3	58400.0		Min	I	-230.4	-136.5	-1.7	-551.4
-409.7	-12306.3		J	-230.4	-136.5	-1.7	-551.4	
-410.3	-8678.0							
		C1-C2;~2 Max	I	48.3	26.0	0.7	99.8	
205.9	3461.2		J	48.3	26.0	0.7	99.8	
330.0	36253.1		Min	I	-141.8	-86.8	-1.2	-368.0
-294.1	-8204.4		J	-141.8	-86.8	-1.2	-368.0	
-162.6	-11592.7							
		C3-C4;~2 Max	I	50.2	8.1	1.2	28.9	
340.6	2184.3		J	50.2	8.1	1.2	28.9	
270.2	37624.9		Min	I	-138.6	-89.6	-1.0	-368.2
-239.1	-8502.9		J	-138.6	-89.6	-1.0	-368.2	
-283.0	-4045.6							
		G1	I	-109.7	-7.0	-1.8	-38.6	
-353.5	-302.1		J	-109.7	-7.0	-0.9	-38.6	
330.5	3232.3							
		G2	I	-43.3	11.3	-0.6	33.6	
-147.6	208.8		J	-43.3	11.3	-0.6	33.6	
172.5	-5527.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	33.4	6.3	-0.0	21.7	
-11.0	-834.5		J	33.4	6.3	-0.0	21.7	
10.7	-4008.5							
		Q5_ps	I	32.4	9.9	-0.1	34.1	
-13.3	-709.7		J	32.4	9.9	-0.1	34.1	
13.2	-5741.2							
		INVSLU Max	I	-1801.2	153.0	1.1	171.4	
554.5	9232.6							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
996.4	39930.4		J	-1801.2	153.0	2.3	171.4
-797.8	-16337.2	Min	I	-2298.8	-104.2	-4.2	-856.3
-316.0	-74236.1		J	-2298.8	-104.2	-2.9	-856.3
424.2	6619.4	INVSLE Max	I	-1422.8	120.7	0.8	146.0
725.1	25201.5		J	-1422.8	120.7	1.8	146.0
-576.0	-12209.9	Min	I	-1787.0	-69.0	-3.0	-612.4
-245.6	-58831.8		J	-1787.0	-69.0	-2.1	-612.4
1118	2	62 C1-C2;~1 Max	I	23.5	16.7	0.6	71.7
184.0	7218.3		J	23.5	16.7	0.6	71.7
383.5	15099.6	Min	I	-175.1	-121.3	-1.5	-545.0
-347.3	-44631.1		J	-175.1	-121.3	-1.5	-545.0
-135.9	-1586.1						
234.2	8831.9	C3-C4;~1 Max	I	24.5	20.6	0.9	72.6
530.5	10979.5		J	24.5	20.6	0.9	72.6
-474.6	-39489.1	Min	I	-178.6	-102.2	-2.1	-419.2
-182.4	-1971.4		J	-178.6	-102.2	-2.1	-419.2
105.4	3194.3	C1-C2;~2 Max	I	13.5	7.4	0.4	34.1
252.5	10652.4		J	13.5	7.4	0.4	34.1
-226.1	-29209.1	Min	I	-105.8	-81.1	-1.0	-371.5
-76.5	-824.5		J	-105.8	-81.1	-1.0	-371.5
137.5	4092.4	C3-C4;~2 Max	I	13.9	9.6	0.5	34.7
363.0	7674.4		J	13.9	9.6	0.5	34.7
-322.1	-25796.2	Min	I	-108.7	-67.8	-1.4	-283.3
-106.2	-1038.7		J	-108.7	-67.8	-1.4	-283.3
37.7	2664.8	G1	I	-121.1	6.1	-0.2	19.3
-33.9	-329.4		J	-121.1	6.1	0.5	19.3
52.3	7277.5	G2	I	-46.3	16.8	0.2	58.7
-22.6	-942.6		J	-46.3	16.8	0.2	58.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

29.2	6393.3	Q5_pc	I	-29.0	16.1	0.1	57.7
-24.0	-1498.7		J	-29.0	16.1	0.1	57.7
46.5	9169.4	Q5_ps	I	-26.1	22.5	0.2	80.4
-39.0	-1837.6		J	-26.1	22.5	0.2	80.4
354.7	80914.4	INVS LU Max	I	-2575.0	161.9	0.4	1324.9
945.3	27008.1		J	-2575.0	161.9	1.3	1324.9
-654.9	-4370.4	Min	I	-2901.5	-63.0	-3.8	369.7
-60.4	1116.1		J	-2901.5	-63.0	-2.8	369.7
247.2	62018.7	INVS LE Max	I	-1995.7	123.6	0.2	988.8
715.0	20024.6		J	-1995.7	123.6	0.9	988.8
-496.7	289.8	Min	I	-2233.7	-39.5	-2.8	294.0
-26.7	1149.4		J	-2233.7	-39.5	-2.1	294.0
1119	2	62 C1-C2;~1 Max	I	22.5	6.1	0.9	123.0
260.9	15106.0		J	22.5	6.1	0.9	123.0
184.7	17408.8	Min	I	-152.5	-13.0	-0.7	-281.7
-140.8	-1585.1		J	-152.5	-13.0	-0.7	-281.7
-183.9	-1608.9						
439.4	10984.5	C3-C4;~1 Max	I	23.5	2.6	1.6	102.6
343.6	12687.6		J	23.5	2.6	1.6	102.6
-260.8	-1971.2	Min	I	-158.6	-7.4	-1.2	-210.4
-326.9	-2262.3		J	-158.6	-7.4	-1.2	-210.4
155.5	10656.8	C1-C2;~2 Max	I	12.9	4.2	0.5	79.8
116.6	12196.5		J	12.9	4.2	0.5	79.8
-86.0	-823.7	Min	I	-90.9	-9.1	-0.4	-193.0
-107.3	-769.5		J	-90.9	-9.1	-0.4	-193.0
284.9	7677.8	C3-C4;~2 Max	I	13.3	1.5	1.0	63.9
233.5	8772.7		J	13.3	1.5	1.0	63.9
-173.8	-1038.4	Min	I	-95.3	-5.0	-0.8	-141.5
-210.1	-1152.4		J	-95.3	-5.0	-0.8	-141.5
		G1	I	-117.1	0.3	-0.1	11.0


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
74.9	-329.3			J	-117.1	0.3	0.7	11.0
-65.8	-468.3							
			G2	I	-46.9	0.8	0.1	18.5
42.7	-943.3			J	-46.9	0.8	0.1	18.5
-15.3	-1332.4							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-31.0	0.7	-0.0	15.4
-2.3	-1499.7			J	-31.0	0.7	-0.0	15.4
1.8	-1858.1							
			Q5_ps	I	-29.3	1.0	0.0	21.0
1.4	-1839.0			J	-29.3	1.0	0.0	21.0
-2.1	-2334.8							
			INVSLU Max	I	-2540.9	45.4	1.6	1061.6
688.6	27003.8			J	-2540.9	45.4	2.6	1061.6
587.1	12580.1		Min	I	-2844.9	18.4	-2.2	487.5
-260.9	1100.6			J	-2844.9	18.4	-1.2	487.5
-321.4	-17652.0							
			INVSLE Max	I	-1971.3	35.1	1.1	796.8
507.9	20020.8			J	-1971.3	35.1	1.9	796.8
442.2	8592.7		Min	I	-2191.1	15.1	-1.7	373.6
-195.1	1137.5			J	-2191.1	15.1	-0.9	373.6
-230.5	-13418.2							
		62	C1-C2;~1 Max	I	21.0	14.6	1.0	154.3
1120	2			J	21.0	14.6	1.0	154.3
297.8	17407.5		Min	I	-145.7	-7.5	-0.6	-236.3
163.6	14527.0			J	-145.7	-7.5	-0.6	-236.3
-119.4	-1608.5							
-216.7	-1524.8		C3-C4;~1 Max	I	21.9	8.8	1.7	118.4
464.3	12686.8			J	21.9	8.8	1.7	118.4
324.4	10415.0		Min	I	-151.7	-3.9	-1.2	-178.0
-239.9	-2261.7			J	-151.7	-3.9	-1.2	-178.0
-352.7	-1916.0							
			C1-C2;~2 Max	I	12.1	10.3	0.6	102.7
179.0	12195.6			J	12.1	10.3	0.6	102.7
102.5	10233.5		Min	I	-86.9	-5.2	-0.3	-161.1
-71.6	-769.3							


MIDAS

PROJECT TITLE :

		Company		Client			
		Author		File Name			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H
-127.7	-798.7		J	-86.9	-5.2	-0.3	-161.1
298.9	8772.1	C3-C4;~2 Max	I	12.4	6.0	1.1	76.0
220.9	7264.5		J	12.4	6.0	1.1	76.0
-160.0	-1152.1	Min	I	-91.2	-2.4	-0.8	-118.3
-224.8	-1015.8		J	-91.2	-2.4	-0.8	-118.3
98.1	-467.7	G1	I	-113.0	-0.4	0.0	7.9
-88.3	-263.9		J	-113.0	-0.4	0.7	7.9
52.1	-1332.0	G2	I	-45.5	-0.8	0.2	10.1
-23.9	-930.7		J	-45.5	-0.8	0.2	10.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-3.8	-1858.0	Q5_pc	I	-30.7	-0.8	-0.0	7.4
3.6	-1485.7		J	-30.7	-0.8	-0.0	7.4
-0.4	-2334.6	Q5_ps	I	-29.2	-1.1	-0.0	9.9
0.2	-1819.6		J	-29.2	-1.1	-0.0	9.9
764.2	12579.8	INVSLU Max	I	-2516.9	32.8	1.9	743.3
515.6	2261.4		J	-2516.9	32.8	2.9	743.3
-193.4	-17649.7	Min	I	-2810.0	1.6	-1.9	202.7
-405.0	-22788.1		J	-2810.0	1.6	-1.0	202.7
566.2	8592.6	INVSLE Max	I	-1953.4	24.4	1.4	556.4
386.6	891.4		J	-1953.4	24.4	2.1	556.4
-142.6	-13416.4	Min	I	-2165.3	1.4	-1.4	156.9
-294.8	-17362.5		J	-2165.3	1.4	-0.7	156.9
1121	2	62 C1-C2;~1 Max	I	20.2	12.1	1.1	188.9
316.5	14526.4		J	20.2	12.1	1.1	188.9
153.0	13336.9		I	-144.2	-9.5	-0.5	-203.2
-109.8	-1525.2	Min	I	-144.2	-9.5	-0.5	-203.2
-242.3	-1291.8		J	-144.2	-9.5	-0.5	-203.2
510.9	10414.5	C3-C4;~1 Max	I	21.1	7.0	1.9	139.3


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
303.3	9644.8		J	21.1	7.0	1.9	139.3
		Min	I	-151.2	-5.3	-1.1	-155.5
-222.4	-1916.5		J	-151.2	-5.3	-1.1	-155.5
-406.4	-1652.0						
		C1-C2;~2 Max	I	11.6	8.6	0.7	127.6
190.2	10233.0		J	11.6	8.6	0.7	127.6
95.6	9417.6	Min	I	-86.2	-6.7	-0.3	-137.4
-65.4	-799.0		J	-86.2	-6.7	-0.3	-137.4
-143.6	-665.5						
		C3-C4;~2 Max	I	11.9	4.8	1.2	91.1
330.8	7264.2		J	11.9	4.8	1.2	91.1
206.4	6745.4	Min	I	-91.2	-3.5	-0.7	-101.9
-148.1	-1016.1		J	-91.2	-3.5	-0.7	-101.9
-261.4	-873.0						
		G1	I	-111.0	-0.3	0.1	6.8
115.7	-264.6		J	-111.0	-0.3	0.8	6.8
-108.6	-132.1						
		G2	I	-44.7	-0.4	0.2	4.0
59.9	-931.0		J	-44.7	-0.4	0.2	4.0
-32.6	-742.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-30.0	-0.3	-0.0	0.9
-4.2	-1485.8		J	-30.0	-0.3	-0.0	0.9
4.1	-1324.1						
		Q5_ps	I	-28.6	-0.5	-0.0	0.9
-0.4	-1819.7		J	-28.6	-0.5	-0.0	0.9
0.4	-1598.1						
		INVSLU Max	I	-2483.9	20.0	2.2	439.9
824.0	2260.4		J	-2483.9	20.0	3.2	439.9
478.3	-1098.4	Min	I	-2774.0	-9.8	-1.8	-91.1
-173.5	-22788.6		J	-2774.0	-9.8	-0.8	-91.1
-487.2	-23870.6						
		INVSLE Max	I	-1928.7	14.8	1.6	327.7
609.8	890.8		J	-1928.7	14.8	2.3	327.7
359.4	-1575.0	Min	I	-2138.4	-7.3	-1.4	-65.5
-128.5	-17362.8		J	-2138.4	-7.3	-0.6	-65.5


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
-355.2	-18177.4									
1122	2	62	C1-C2;~1	Max	I	19.2	9.3	1.1	214.7	
299.1	13340.2				J	19.2	9.3	1.1	214.7	
141.0	14635.1									
				Min	I	-141.7	-12.3	-0.5	-177.6	
-97.9	-1286.9				J	-141.7	-12.3	-0.5	-177.6	
-229.4	-1467.9									
				C3-C4;~1	Max	I	20.0	5.0	1.8	157.3
492.2	9648.6				J	20.0	5.0	1.8	157.3	
285.1	10524.1									
				Min	I	-148.5	-7.2	-1.0	-139.1	
-206.7	-1646.5				J	-148.5	-7.2	-1.0	-139.1	
-392.7	-1839.9									
				C1-C2;~2	Max	I	11.0	6.5	0.6	145.9
178.7	9419.9				J	11.0	6.5	0.6	145.9	
88.7	10316.0									
				Min	I	-84.8	-8.7	-0.3	-119.2	
-58.5	-662.6				J	-84.8	-8.7	-0.3	-119.2	
-135.1	-776.0									
				C3-C4;~2	Max	I	11.3	3.3	1.2	104.1
318.4	6748.1				J	11.3	3.3	1.2	104.1	
195.1	7347.9									
				Min	I	-89.6	-4.9	-0.7	-90.0	
-138.6	-869.7				J	-89.6	-4.9	-0.7	-90.0	
-252.4	-984.5									
				G1	I	-108.5	0.1	0.1	6.7	
120.2	-125.7				J	-108.5	0.1	0.8	6.7	
-115.1	-159.2									
				G2	I	-43.7	0.3	0.2	-0.1	
62.8	-739.9				J	-43.7	0.3	0.2	-0.1	
-36.4	-881.5									
				Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
				Q5_pc	I	-28.8	0.3	-0.0	-3.8	
-3.1	-1324.5				J	-28.8	0.3	-0.0	-3.8	
3.2	-1455.5									
				Q5_ps	I	-27.4	0.4	0.0	-5.7	
1.0	-1598.4				J	-27.4	0.4	0.0	-5.7	
-0.8	-1785.4									
				INVSLU	Max	I	-2423.6	10.4	2.1	141.1
803.5	-1103.8				J	-2423.6	10.4	3.1	141.1	


MIDAS

PROJECT TITLE :

		Company						Client
		Author						File Name
463.3	1951.2							
			Min	I	-2706.4	-19.3	-1.7	-395.4
-145.5	-23876.9			J	-2706.4	-19.3	-0.7	-395.4
-457.5	-23123.3							
			INVSLE Max	I	-1882.8	7.7	1.5	102.1
595.0	-1580.0			J	-1882.8	7.7	2.3	102.1
348.8	641.8							
			Min	I	-2087.3	-14.2	-1.3	-294.7
-107.6	-18183.1			J	-2087.3	-14.2	-0.6	-294.7
-332.9	-17636.4							
1123	2	62	C1-C2;~1 Max	I	18.1	7.4	1.1	248.8
303.3	14635.2			J	18.1	7.4	1.1	248.8
131.8	17553.4							
			Min	I	-138.9	-14.7	-0.4	-142.6
-90.5	-1468.5			J	-138.9	-14.7	-0.4	-142.6
-234.3	-1572.2							
			C3-C4;~1 Max	I	18.9	3.9	1.8	181.1
493.9	10523.8			J	18.9	3.9	1.8	181.1
275.8	12756.2							
			Min	I	-145.5	-9.0	-1.0	-117.2
-201.2	-1840.7			J	-145.5	-9.0	-1.0	-117.2
-395.8	-2189.3							
			C1-C2;~2 Max	I	10.4	5.1	0.6	170.1
180.1	10316.1			J	10.4	5.1	0.6	170.1
82.9	12308.0							
			Min	I	-83.2	-10.3	-0.3	-94.0
-53.7	-776.3			J	-83.2	-10.3	-0.3	-94.0
-137.1	-766.8							
			C3-C4;~2 Max	I	10.7	2.4	1.2	121.1
317.7	7347.7			J	10.7	2.4	1.2	121.1
189.3	8866.8							
			Min	I	-87.9	-6.1	-0.7	-74.0
-135.2	-985.0			J	-87.9	-6.1	-0.7	-74.0
-252.9	-1132.9							
			G1	I	-106.4	0.4	0.2	6.6
132.2	-160.0			J	-106.4	0.4	0.9	6.6
-128.7	-365.9							
			G2	I	-42.8	0.8	0.2	-5.7
67.9	-881.9			J	-42.8	0.8	0.2	-5.7
-42.2	-1284.7							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-2.8	-1455.5	Q5_pc	I	-27.7	0.7	-0.0	-10.3
			J	-27.7	0.7	-0.0	-10.3
2.7	-1795.0						
		Q5_ps	I	-26.3	1.0	0.0	-14.7
1.3	-1785.4		J	-26.3	1.0	0.0	-14.7
-1.4	-2266.5						
		INVSLU Max	I	-2378.2	-1.0	2.2	-141.5
829.7	1952.9		J	-2378.2	-1.0	3.2	-141.5
438.7	11875.9	Min	I	-2653.5	-32.0	-1.6	-688.4
-113.8	-23122.5		J	-2653.5	-32.0	-0.6	-688.4
-472.9	-18366.1						
		INVSLE Max	I	-1848.5	-0.9	1.6	-112.2
615.0	643.2		J	-1848.5	-0.9	2.3	-112.2
330.5	8050.8	Min	I	-2047.7	-23.8	-1.2	-515.9
-83.6	-17635.7		J	-2047.7	-23.8	-0.5	-515.9
-344.4	-13979.2						
1124	2	62 C1-C2;~1 Max	I	17.3	13.2	1.2	294.8
328.8	17555.7		J	17.3	13.2	1.2	294.8
107.3	15111.5	Min	I	-138.6	-6.1	-0.3	-111.1
-74.7	-1572.5		J	-138.6	-6.1	-0.3	-111.1
-260.8	-1540.1						
		C3-C4;~1 Max	I	18.1	7.5	1.9	217.8
523.5	12757.6		J	18.1	7.5	1.9	217.8
246.3	11028.5	Min	I	-145.6	-2.4	-0.9	-99.6
-175.9	-2189.8		J	-145.6	-2.4	-0.9	-99.6
-427.2	-1908.6						
		C1-C2;~2 Max	I	10.0	9.3	0.7	202.5
195.4	12309.5		J	10.0	9.3	0.7	202.5
65.9	10665.0	Min	I	-83.1	-4.2	-0.2	-71.0
-42.8	-766.9		J	-83.1	-4.2	-0.2	-71.0
-153.1	-810.8						
		C3-C4;~2 Max	I	10.2	5.1	1.2	146.7
335.8	8867.7		J	10.2	5.1	1.2	146.7
168.7	7714.9	Min	I	-88.1	-1.3	-0.6	-60.6
-117.5	-1133.1		J	-88.1	-1.3	-0.6	-60.6
-272.3	-1018.9						
		G1	I	-105.0	-0.2	0.2	4.1
151.1	-366.3						

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-150.4	-259.7		J	-105.0	-0.2	1.0	4.1
		G2	I	-42.0	-0.8	0.3	-13.8
75.0	-1285.2		J	-42.0	-0.8	0.3	-13.8
-50.9	-912.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-26.6	-0.8	-0.0	-18.4
-3.5	-1795.4		J	-26.6	-0.8	-0.0	-18.4
2.6	-1403.8						
		Q5_ps	I	-25.2	-1.1	0.0	-25.9
0.1	-2267.0		J	-25.2	-1.1	0.0	-25.9
-1.2	-1741.4						
		INVS LU Max	I	-2338.8	-17.3	2.5	-389.2
891.8	11877.1		J	-2338.8	-17.3	3.5	-389.2
356.6	25722.9						
		Min	I	-2611.0	-44.7	-1.3	-970.2
-58.7	-18369.2		J	-2611.0	-44.7	-0.3	-970.2
-557.2	71.4						
		INVS LE Max	I	-1819.2	-14.4	1.8	-301.5
662.1	8051.5		J	-1819.2	-14.4	2.6	-301.5
268.3	19084.3						
		Min	I	-2016.2	-34.6	-1.0	-729.5
-41.4	-13981.6		J	-2016.2	-34.6	-0.3	-729.5
-408.3	370.2						
		62 C1-C2;~1 Max	I	16.8	122.0	2.1	560.7
1125	2		J	16.8	122.0	2.1	560.7
538.5	15102.1						
		Min	I	-148.6	-16.7	-0.3	-53.8
73.1	7271.8		J	-148.6	-16.7	-0.3	-53.8
-70.9	-1541.4						
-492.4	-44834.2						
		C3-C4;~1 Max	I	17.6	102.1	2.8	440.0
714.2	11021.0		J	17.6	102.1	2.8	440.0
104.7	8294.1						
		Min	I	-153.2	-19.4	-0.4	-69.5
-74.6	-1908.8		J	-153.2	-19.4	-0.4	-69.5
-651.5	-39512.0						
		C1-C2;~2 Max	I	9.7	81.8	1.3	382.6
334.2	10658.6		J	9.7	81.8	1.3	382.6
36.7	3291.5						
		Min	I	-90.0	-7.6	-0.2	-23.3
-37.4	-811.9		J	-90.0	-7.6	-0.2	-23.3

MIDAS


PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

-305.7	-29443.1							
		C3-C4;~2	Max	I	9.9	68.1	1.8	296.1
463.3	7709.8			J	9.9	68.1	1.8	296.1
62.2	3867.0							
			Min	I	-93.6	-9.1	-0.2	-31.5
-40.4	-1019.2			J	-93.6	-9.1	-0.2	-31.5
-422.7	-25991.8							
		G1		I	-103.6	-5.3	0.4	-3.6
183.0	-259.8			J	-103.6	-5.3	1.1	-3.6
-189.2	2346.1							
		G2		I	-39.4	-16.3	0.2	-53.5
67.5	-911.1			J	-39.4	-16.3	0.2	-53.5
-42.1	7074.7							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-22.4	-16.1	-0.1	-60.4
-30.2	-1402.6			J	-22.4	-16.1	-0.1	-60.4
34.6	6463.9							
		Q5_ps		I	-20.0	-22.3	-0.2	-84.7
-37.7	-1739.7			J	-20.0	-22.3	-0.2	-84.7
44.2	9162.9							
		INVSLU	Max	I	-2276.3	64.1	4.2	-248.9
1234.0	25725.6			J	-2276.3	64.1	5.2	-248.9
15.9	79296.7							
			Min	I	-2547.1	-160.8	-0.3	-1229.7
114.9	90.0			J	-2547.1	-160.8	0.7	-1229.7
1067.2	-6011.8							-
		INVSLE	Max	I	-1771.7	40.1	3.1	-205.4
921.8	19087.2			J	-1771.7	40.1	3.9	-205.4
3.4	60943.8							
			Min	I	-1969.4	-122.9	-0.2	-918.5
96.8	384.7			J	-1969.4	-122.9	0.6	-918.5
-794.3	-798.6							
		82 C1-C2;~1	Max	I	940.6	33.8	24.2	3009.2
1126	2			J	940.6	33.8	24.2	3009.2
6106.4	26508.2							
			Min	I	-229.1	-393.3	-27.9	-11800.4
7043.2	107634.3			J	-229.1	-393.3	-27.9	-11800.4
7165.4	-159988.2							-
6160.5	-97279.0							-
		C3-C4;~1	Max	I	960.0	25.6	30.5	2582.1
7706.7	15414.2			J	960.0	25.6	30.5	2582.1


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
7637.1	79978.9		Min	I	-256.0	-319.9	-29.9	-9650.7	-
7474.6	-137308.5			J	-256.0	-319.9	-29.9	-9650.7	-
7684.8	-82653.9								
		C1-C2;~2	Max	I	514.4	15.8	13.5	1992.6	
3397.2	15819.6			J	514.4	15.8	13.5	1992.6	
5034.3	76072.6		Min	I	-155.9	-274.8	-19.8	-8322.8	-
5040.1	-107089.9			J	-155.9	-274.8	-19.8	-8322.8	-
3401.1	-66388.6								
		C3-C4;~2	Max	I	524.3	11.8	17.4	1656.7	
4396.8	6682.8			J	524.3	11.8	17.4	1656.7	
5492.9	55232.8		Min	I	-175.2	-221.4	-21.4	-6734.0	-
5286.9	-91281.3			J	-175.2	-221.4	-21.4	-6734.0	-
4350.2	-55871.9								
		G1		I	1089.8	-7.2	23.7	-100.8	
5835.1	-7763.6			J	1089.8	-7.2	25.8	-100.8	-
6595.3	-4164.6								
		G2		I	438.3	15.9	10.8	333.4	
2620.7	9004.1			J	438.3	15.9	10.8	333.4	-
2820.3	1040.9								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc		I	77.3	29.8	-3.7	545.5	
-899.2	21465.2			J	77.3	29.8	-3.7	545.5	
941.6	6487.0								
		Q5_ps		I	76.7	40.1	-1.9	745.7	
-447.8	27875.1			J	76.7	40.1	-1.9	745.7	
522.2	7726.6								
		INVSLU	Max	I	5582.7	57.3	55.7	4255.1	1
3291.8	37096.5			J	5582.7	57.3	58.5	4255.1	
6872.4	137194.9		Min	I	3802.0	-582.0	-32.4	-16719.8	-
8821.5	-261375.3			J	3802.0	-582.0	-29.6	-16719.8	-1
5507.0	-151114.7								
		INVSLE	Max	I	4198.7	36.9	40.8	3104.0	
9693.5	23629.3			J	4198.7	36.9	42.8	3104.0	
5068.2	100983.4		Min	I	2890.0	-430.2	-24.0	-12360.3	-
6566.8	-192932.7			J	2890.0	-430.2	-22.0	-12360.3	-1
1383.6	-111714.4								


MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
1127	2	82	C1-C2;~1	Max	I	991.2	56.1	34.4	3950.4	
9209.3	107644.3				J	991.2	56.1	34.4	3950.4	
3030.3	161577.9									
2095.8	-97273.6			Min	I	-188.8	-257.2	-10.1	-8956.6	-
8150.8	-64538.5				J	-188.8	-257.2	-10.1	-8956.6	-
1615.8	79989.7		C3-C4;~1	Max	I	1016.7	38.3	43.7	3204.1	1
4139.9	132760.7				J	1016.7	38.3	43.7	3204.1	
3064.9	-82649.6			Min	I	-214.3	-202.5	-14.2	-7235.0	-
0412.9	-55503.1				J	-214.3	-202.5	-14.2	-7235.0	-1
5686.4	76079.6		C1-C2;~2	Max	I	537.2	37.1	20.9	2695.2	
2189.9	114526.4				J	537.2	37.1	20.9	2695.2	
1476.3	-66384.9			Min	I	-129.6	-180.9	-7.3	-6307.8	-
4818.3	-43397.5				J	-129.6	-180.9	-7.3	-6307.8	-
7320.3	55240.6		C3-C4;~2	Max	I	550.4	23.0	27.2	2131.0	
3010.1	93191.8				J	550.4	23.0	27.2	2131.0	
2184.9	-55868.9			Min	I	-147.8	-140.7	-10.3	-5024.3	-
6345.6	-36678.5				J	-147.8	-140.7	-10.3	-5024.3	-
5826.6	-4164.4			G1	I	1201.4	-2.2	23.9	-133.0	
6705.2	-3044.9				J	1201.4	-2.2	26.0	-133.0	-
2246.3	1039.9			G2	I	481.0	9.1	9.6	144.6	
2560.2	-3506.8				J	481.0	9.1	9.6	144.6	-
0.0	0.0			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
1273.3	6484.8			Q5_pc	I	90.2	14.4	-5.0	246.0	-
1224.3	-758.1				J	90.2	14.4	-5.0	246.0	
1100.1	7723.8			Q5_ps	I	89.6	19.9	-4.2	335.5	-
1029.2	-2266.2				J	89.6	19.9	-4.2	335.5	
8316.2	137207.3			INVSLU Max	I	5983.3	69.0	73.4	5115.7	1
2519.6	214780.3				J	5983.3	69.0	76.2	5115.7	


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
3794.7	-151104.5		Min	I	4159.1	-380.0	-13.8	-12751.4	-
				J	4159.1	-380.0	-11.0	-12751.4	-1
9330.4	-91841.3								
3424.1	100992.7	INVSLE	Max	I	4496.9	49.6	53.9	3762.8	1
				J	4496.9	49.6	56.0	3762.8	
1791.2	159086.5								
2784.5	-111706.9		Min	I	3157.6	-281.0	-10.0	-9439.3	-
				J	3157.6	-281.0	-7.9	-9439.3	-1
4230.7	-67939.5								
1128	2	82	C1-C2;~1	Max	I	1044.3	115.0	33.4	4351.4
8547.5	161580.9			J	1044.3	115.0	33.4	4351.4	
3080.4	183427.4								
2325.8	-64537.8		Min	I	-141.7	-199.0	-10.7	-7503.1	-
				J	-141.7	-199.0	-10.7	-7503.1	-
8283.9	-44790.5								
1061.0	132760.8		C3-C4;~1	Max	I	1076.3	78.3	42.8	3514.7
				J	1076.3	78.3	42.8	3514.7	
4167.7	154912.7								
3249.2	-55502.5		Min	I	-165.0	-150.4	-14.7	-5903.2	-
				J	-165.0	-150.4	-14.7	-5903.2	-1
0476.9	-39412.1								
5203.3	114528.7		C1-C2;~2	Max	I	560.5	80.5	20.0	3009.3
				J	560.5	80.5	20.0	3009.3	
2225.0	129909.9								
1653.5	-43397.0		Min	I	-97.9	-140.3	-7.7	-5288.9	-
				J	-97.9	-140.3	-7.7	-5288.9	-
4888.9	-29149.1								
6917.1	93191.9		C3-C4;~2	Max	I	577.2	52.7	26.4	2381.1
				J	577.2	52.7	26.4	2381.1	
3028.6	108983.8								
2330.6	-36678.1		Min	I	-114.7	-104.4	-10.6	-4089.0	-
				J	-114.7	-104.4	-10.6	-4089.0	-
6365.5	-25013.3								
6004.9	-3045.2		G1	I	1319.9	-0.2	24.7	-127.2	
				J	1319.9	-0.2	26.8	-127.2	-
6943.2	-2954.5								
2362.0	-3507.0		G2	I	526.6	4.6	10.0	74.1	
				J	526.6	4.6	10.0	74.1	-
2664.6	-5821.0								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	99.8	5.0	-4.8	112.7	-

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
1208.9	-758.0			J	99.8	5.0	-4.8	112.7	
1186.7	-3293.1								
			Q5_ps	I	99.3	7.7	-4.0	159.1	-
1012.4	-2266.3			J	99.3	7.7	-4.0	159.1	
991.6	-6137.7								
			INVSLU Max	I	6407.8	142.0	74.2	5573.4	1
8094.8	214784.1			J	6407.8	142.0	77.1	5573.4	
1968.8	255492.4		Min	I	4552.5	-291.0	-12.0	-10632.9	-
3400.0	-91840.6			J	4552.5	-291.0	-9.2	-10632.9	-1
9937.5	-58529.4								
			INVSLE Max	I	4812.5	104.6	54.6	4112.0	1
3292.3	159089.3			J	4812.5	104.6	56.7	4112.0	
1360.6	189183.2		Min	I	3451.5	-215.4	-8.6	-7877.6	-
2468.5	-67939.1			J	3451.5	-215.4	-6.5	-7877.6	-1
4708.1	-42986.5								
1129	2	82	C1-C2;~1 Max	I	1101.3	157.6	34.0	5624.5	
8625.8	183431.3			J	1101.3	157.6	34.0	5624.5	
3091.6	187266.9		Min	I	-96.9	-168.7	-10.8	-5790.1	-
2370.0	-44789.0			J	-96.9	-168.7	-10.8	-5790.1	-
8452.8	-35169.1								
			C3-C4;~1 Max	I	1140.6	112.4	43.1	4303.2	1
1089.8	154913.5			J	1140.6	112.4	43.1	4303.2	
4162.2	159037.4		Min	I	-115.8	-122.0	-14.7	-4305.8	-
3262.0	-39410.8			J	-115.8	-122.0	-14.7	-4305.8	-1
0576.5	-30396.1								
			C1-C2;~2 Max	I	585.2	111.3	20.4	3945.5	
5249.5	129912.7			J	585.2	111.3	20.4	3945.5	
2231.8	132643.9		Min	I	-67.5	-119.2	-7.7	-4064.7	-
1685.2	-29148.0			J	-67.5	-119.2	-7.7	-4064.7	-
4986.3	-22007.4								
			C3-C4;~2 Max	I	605.9	77.5	26.6	2961.9	
6933.0	108984.4			J	605.9	77.5	26.6	2961.9	
3022.7	111968.9		Min	I	-81.2	-84.4	-10.6	-2942.9	-
2339.4	-25012.3			J	-81.2	-84.4	-10.6	-2942.9	-
6414.4	-18308.2								
			G1	I	1444.5	0.8	25.3	-124.8	
6081.8	-2954.4			J	1444.5	0.8	27.3	-124.8	-

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

7123.4	-3379.8								
		G2	I	574.5	1.7	10.2	-30.2		
2385.7	-5821.1		J	574.5	1.7	10.2	-30.2	-	
2730.4	-6655.2								
		Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0		J	0.0	0.0	0.0	0.0		
0.0	0.0								
		Q5_pc	I	108.1	-1.3	-4.6	-68.6	-	
1158.0	-3293.2		J	108.1	-1.3	-4.6	-68.6		
1130.4	-2646.4								
		Q5_ps	I	108.2	-0.4	-3.8	-83.3		
-971.1	-6138.0		J	108.2	-0.4	-3.8	-83.3		
942.0	-5946.7								
		INVS LU Max	I	6850.8	199.0	75.5	7228.8	1	
8208.9	255498.7		J	6850.8	199.0	78.4	7228.8		
1466.7	267592.5								
		Min	I	4941.9	-243.9	-10.7	-8304.4	-	
3250.4	-58526.5		J	4941.9	-243.9	-7.9	-8304.4	-2	
0465.2	-37459.5								
		INVS LE Max	I	5141.8	147.2	55.7	5342.7	1	
3401.8	189187.8		J	5141.8	147.2	57.8	5342.7		
972.4	198221.6								
		Min	I	3747.0	-180.6	-7.6	-6154.2	-	
2339.7	-42984.3		J	3747.0	-180.6	-5.5	-6154.2	-1	
5122.7	-27390.0								
1130	2	82 C1-C2;~1 Max	I	1161.5	184.6	33.5	7142.2		
8446.7	187269.2		J	1161.5	184.6	33.5	7142.2		
3161.0	174943.2								
		Min	I	-56.2	-132.3	-11.2	-3774.1	-	
2479.5	-35168.7		J	-56.2	-132.3	-11.2	-3774.1	-	
8378.3	-42060.2								
		C3-C4;~1 Max	I	1208.9	137.7	42.2	5493.6	1	
0817.4	159036.9		J	1208.9	137.7	42.2	5493.6		
4219.7	148307.2								
		Min	I	-68.4	-90.4	-15.0	-2679.0	-	
3333.0	-30395.7		J	-68.4	-90.4	-15.0	-2679.0	-1	
0426.2	-36297.8								
		C1-C2;~2 Max	I	611.0	130.3	20.1	5045.2		
5140.0	132645.6		J	611.0	130.3	20.1	5045.2		
2279.7	124041.5								
		Min	I	-39.5	-93.0	-8.0	-2599.3	-	
1754.4	-22007.1		J	-39.5	-93.0	-8.0	-2599.3	-	
4942.0	-26838.1								

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

6758.6	111968.5	C3-C4;~2	Max	I	635.9	95.4	26.0	3825.0	
				J	635.9	95.4	26.0	3825.0	
3060.8	104454.1		Min	I	-48.4	-61.5	-10.8	-1761.5	-
2376.2	-18307.9			J	-48.4	-61.5	-10.8	-1761.5	-
6318.4	-22491.6								
		G1		I	1572.9	0.9	24.9	-103.5	
5925.8	-3379.8			J	1572.9	0.9	27.0	-103.5	-
7089.2	-3839.6								
		G2		I	624.0	-1.2	10.1	-131.5	
2329.7	-6655.2			J	624.0	-1.2	10.1	-131.5	-
2721.0	-6073.2								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc		I	115.8	-7.4	-4.1	-257.3	-
1046.7	-2646.2			J	115.8	-7.4	-4.1	-257.3	
1012.8	1076.2								
		Q5_ps		I	116.6	-8.1	-3.4	-336.1	
-868.8	-5946.6			J	116.6	-8.1	-3.4	-336.1	
832.1	-1896.7								
		INVSLU	Max	I	7305.4	243.5	74.5	9428.0	1
7656.3	267596.0			J	7305.4	243.5	77.3	9428.0	
1119.6	255771.5		Min	I	5328.9	-197.7	-10.2	-5772.1	-
3330.8	-37458.3			J	5328.9	-197.7	-7.4	-5772.1	-2
0475.4	-39120.2								
		INVSLE	Max	I	5479.6	179.9	55.0	6961.4	1
3011.9	198224.2			J	5479.6	179.9	57.1	6961.4	
711.4	189567.2		Min	I	4036.2	-145.9	-7.2	-4263.6	-
2394.6	-27389.1			J	4036.2	-145.9	-5.1	-4263.6	-1
5149.8	-28727.7								
1131	2	82 C1-C2;~1	Max	I	1220.9	219.1	31.7	8675.9	
7974.9	174938.5			J	1220.9	219.1	31.7	8675.9	
3319.2	140790.9		Min	I	-20.3	-78.4	-11.8	-2605.7	-
2658.0	-42062.2			J	-20.3	-78.4	-11.8	-2605.7	-
7974.2	-65874.5								
		C3-C4;~1	Max	I	1276.5	169.5	40.1	6897.8	1
0252.1	148305.3			J	1276.5	169.5	40.1	6897.8	
4385.8	111582.3								


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
3545.4	-36299.6		Min	I	-25.2	-55.6	-15.7	-1930.3	-
				J	-25.2	-55.6	-15.7	-1930.3	-
9936.6	-56641.1								
4864.7	124038.1	C1-C2;~2	Max	I	636.1	154.4	19.0	6138.8	
				J	636.1	154.4	19.0	6138.8	
2382.9	99983.1								
1850.8	-26839.5		Min	I	-14.4	-53.8	-8.4	-1745.0	-
				J	-14.4	-53.8	-8.4	-1745.0	-
4707.8	-43804.1								
6419.6	104452.8	C3-C4;~2	Max	I	665.3	117.9	24.8	4830.4	
				J	665.3	117.9	24.8	4830.4	
3166.0	78194.6								
2488.1	-22492.9		Min	I	-17.9	-36.2	-11.2	-1216.2	-
				J	-17.9	-36.2	-11.2	-1216.2	-
6028.5	-37110.6								
5339.6	-3839.7		G1	I	1698.1	0.2	22.9	-82.2	
				J	1698.1	0.2	25.0	-82.2	-
6698.1	-3949.1								
2112.9	-6073.0		G2	I	672.2	-5.2	9.3	-227.0	
				J	672.2	-5.2	9.3	-227.0	-
2580.6	-3462.4								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
-856.9	1076.8		Q5_pc	I	123.4	-16.0	-3.3	-438.2	
				J	123.4	-16.0	-3.3	-438.2	
803.8	9103.6								
-696.5	-1896.0		Q5_ps	I	124.8	-18.8	-2.7	-579.0	
				J	124.8	-18.8	-2.7	-579.0	
638.2	7568.3								
6257.7	255765.9		INVSLU	Max	7746.7	298.6	70.7	11650.8	1
				J	7746.7	298.6	73.5	11650.8	
803.0	222658.5								
3911.2	-39123.3		Min	I	5700.9	-131.7	-10.7	-4368.2	-
				J	5700.9	-131.7	-7.9	-4368.2	-1
9979.0	-72726.3								
1991.6	189563.0		INVSLE	Max	5807.3	220.2	52.3	8597.7	1
				J	5807.3	220.2	54.3	8597.7	
486.6	164483.3								
2834.1	-28729.9		Min	I	4314.0	-96.4	-7.6	-3209.8	-
				J	4314.0	-96.4	-5.5	-3209.8	-1
4800.3	-53106.4								


MIDAS

PROJECT TITLE :

		Company					Client	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
		Author					File Name			
1132	2	82	C1-C2;~1	Max	I	1272.2	291.4	28.7	10326.5	
7343.2	140786.6				J	1272.2	291.4	28.7	10326.5	
3855.4	75510.3									
				Min	I	-4.9	-30.3	-13.3	-1880.8	-
2866.5	-65874.5				J	-4.9	-30.3	-13.3	-1880.8	-
7091.8	-106524.2									
9478.7	111578.5		C3-C4;~1	Max	I	1334.8	232.8	36.6	8365.2	
					J	1334.8	232.8	36.6	8365.2	
4768.3	49407.9									
				Min	I	-5.4	-18.6	-17.0	-1610.3	-
3777.0	-56641.0				J	-5.4	-18.6	-17.0	-1610.3	-
8930.9	-90818.8									
4516.3	99980.0		C1-C2;~2	Max	I	656.8	205.2	17.3	7298.3	
					J	656.8	205.2	17.3	7298.3	
2717.9	52937.6									
				Min	I	-3.5	-16.2	-9.2	-1195.7	-
1931.1	-43804.1				J	-3.5	-16.2	-9.2	-1195.7	-
4194.1	-71861.8									
5978.6	78191.8		C3-C4;~2	Max	I	689.6	162.5	22.7	5862.2	
					J	689.6	162.5	22.7	5862.2	
3372.3	33034.6									
				Min	I	-3.8	-8.6	-11.8	-970.8	-
2568.1	-37110.5				J	-3.8	-8.6	-11.8	-970.8	-
5435.5	-60857.2									
4245.5	-3948.5				G1	1806.7	-1.3	18.6	6.5	
					J	1806.7	-1.3	20.7	6.5	-
5617.3	-3287.3									
1713.3	-3462.2				G2	713.9	-12.5	7.8	-292.9	
					J	713.9	-12.5	7.8	-292.9	-
2218.7	2791.5									
0.0	0.0				Q3	0.0	0.0	0.0	0.0	
					J	0.0	0.0	0.0	0.0	
0.0	0.0									
-521.1	9104.0				Q5_pc	130.9	-29.5	-1.8	-599.9	
					J	130.9	-29.5	-1.8	-599.9	
370.5	23910.8									
-399.5	7568.7				Q5_ps	132.7	-36.2	-1.2	-801.1	
					J	132.7	-36.2	-1.2	-801.1	
225.2	25735.6									
3795.2	222655.8				INVSLU Max	8128.8	405.3	59.5	14073.8	1
					J	8128.8	405.3	62.3	14073.8	
2339.7	155174.2									
					Min	6004.7	-90.7	-16.1	-3485.9	-


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
5037.9	-72723.8			J	6004.7	-90.7	-13.2	-3485.9	-1
6821.0	-133611.7								
		INVSLE	Max	I	6090.9	298.3	44.1	10383.9	1
0182.5	164481.3			J	6090.9	298.3	46.1	10383.9	
1663.3	113476.0		Min	I	4541.0	-63.1	-11.7	-2543.3	-
3698.5	-53104.6			J	4541.0	-63.1	-9.6	-2543.3	-1
2480.4	-97251.4								
1133	2	82	C1-C2;~1	Max	I	1303.3	373.1	29.9	10483.5
6868.7	75500.3			J	1303.3	373.1	29.9	10483.5	
1045.6	27074.2		Min	I	-5.8	-42.9	-4.3	-3501.0	-
1345.4	-106533.1			J	-5.8	-42.9	-4.3	-3501.0	-
8207.8	-181027.8								
		C3-C4;~1	Max	I	1370.6	293.3	36.5	8574.9	
8708.0	49400.1			J	1370.6	293.3	36.5	8574.9	
2645.3	19196.5		Min	I	-7.1	-31.3	-10.4	-2887.8	-
2653.5	-90826.3			J	-7.1	-31.3	-10.4	-2887.8	-
9691.9	-154865.0								
		C1-C2;~2	Max	I	667.7	263.1	18.4	7370.1	
4270.1	52930.2			J	667.7	263.1	18.4	7370.1	
630.7	13289.8		Min	I	-4.1	-21.8	-2.4	-2349.5	-
-752.4	-71867.8			J	-4.1	-21.8	-2.4	-2349.5	-
4997.2	-121733.4								
		C3-C4;~2	Max	I	702.8	205.1	22.9	5968.6	
5533.9	33028.8			J	702.8	205.1	22.9	5968.6	
1782.5	8737.8		Min	I	-5.0	-14.8	-6.8	-1877.6	-
1665.9	-60862.1			J	-5.0	-14.8	-6.8	-1877.6	-
6010.5	-103833.6								
		G1		I	1882.4	-10.9	17.4	122.5	
3479.3	-3287.7			J	1882.4	-10.9	19.5	122.5	-
5805.5	2179.8								
		G2		I	743.0	-26.4	6.9	-283.7	
1354.0	2793.0			J	743.0	-26.4	6.9	-283.7	-
2138.8	16102.2								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc		I	137.9	-46.3	0.2	-619.5	
-52.7	23913.6								

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
-159.6	47208.6		J	137.9	-46.3	0.2	-619.5	
		Q5_ps	I	140.0	-57.7	0.1	-823.8	
-54.2	25739.3		J	140.0	-57.7	0.1	-823.8	
-100.4	54798.6							
		INVS LU Max	I	8384.5	517.3	66.5	14388.0	1
2683.9	155161.2		J	8384.5	517.3	69.4	14388.0	-
4729.7	145936.9	Min	I	6193.3	-144.0	2.9	-5606.2	-
2748.8	-133628.3		J	6193.3	-144.0	5.7	-5606.2	-2
1672.1	-241077.5							
		INVS LE Max	I	6280.4	380.1	49.4	10619.6	
9391.6	113466.2		J	6280.4	380.1	51.5	10619.6	-
3565.1	102149.2	Min	I	4682.0	-100.2	2.3	-4108.4	-
2033.0	-97263.5		J	4682.0	-100.2	4.4	-4108.4	-1
6093.8	-175292.1							
		62 C1-C2;~1 Max	I	55.1	116.9	0.7	478.0	
1134	2		J	55.1	116.9	0.7	478.0	
212.5	47537.8							
490.5	3930.8	Min	I	-210.4	-38.4	-1.8	-156.6	
-425.0	-16231.7		J	-210.4	-38.4	-1.8	-156.6	
-155.7	-11980.8							
		C3-C4;~1 Max	I	58.1	118.3	0.5	474.5	
150.2	48112.8		J	58.1	118.3	0.5	474.5	
643.3	1209.9	Min	I	-208.4	-13.8	-2.4	-51.4	
-568.8	-6188.4		J	-208.4	-13.8	-2.4	-51.4	
-101.2	-12091.3							
		C1-C2;~2 Max	I	31.5	74.8	0.5	312.3	
132.9	29938.0		J	31.5	74.8	0.5	312.3	
312.2	2444.4	Min	I	-126.6	-21.8	-1.1	-91.7	
-263.3	-9087.6		J	-126.6	-21.8	-1.1	-91.7	
-97.5	-8132.0							
		C3-C4;~2 Max	I	32.7	77.5	0.3	316.0	
92.3	31105.5		J	32.7	77.5	0.3	316.0	
422.8	600.2	Min	I	-125.0	-6.3	-1.6	-23.5	
-369.7	-2827.5		J	-125.0	-6.3	-1.6	-23.5	
-61.6	-8319.9							
		G1	I	-124.3	8.5	-1.0	27.9	
-155.8	3721.7		J	-124.3	8.5	-0.2	27.9	
156.8	-610.2							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-28.6	-3965.7	G2	I	-49.0	-8.9	-0.2	-33.9
57.1	551.1		J	-49.0	-8.9	-0.2	-33.9
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
7.8	-3070.4	Q5_pc	I	35.2	-5.5	0.0	-18.4
-7.7	-275.4		J	35.2	-5.5	0.0	-18.4
12.0	-4383.1	Q5_ps	I	34.1	-8.5	0.0	-28.7
-11.6	-58.0		J	34.1	-8.5	0.0	-28.7
223.9	44291.1	INVSLU Max	I	-2375.5	112.8	-0.2	1331.5
1156.4	8488.0		J	-2375.5	112.8	0.8	1331.5
-844.9	-48100.7	Min	I	-2801.5	-108.8	-4.5	441.8
63.8	-13637.7		J	-2801.5	-108.8	-3.4	441.8
148.0	29461.1	INVSLE Max	I	-1843.1	77.0	-0.2	968.7
875.4	6238.9		J	-1843.1	77.0	0.5	968.7
-642.6	-38567.8	Min	I	-2153.9	-86.3	-3.4	312.1
67.1	-10113.8		J	-2153.9	-86.3	-2.6	312.1
1135	2	62 C1-C2;~1 Max	I	52.5	6.9	0.8	214.6
246.9	3932.7		J	52.5	6.9	0.8	214.6
391.1	4588.2	Min	I	-202.1	-4.4	-1.4	-112.0
-315.6	-11986.2		J	-202.1	-4.4	-1.4	-112.0
-167.8	-13376.9						
314.9	1209.8	C3-C4;~1 Max	I	55.4	6.0	1.0	206.7
467.1	1391.9		J	55.4	6.0	1.0	206.7
-365.1	-12096.6	Min	I	-191.0	-2.8	-1.6	-82.3
-198.1	-13388.5		J	-191.0	-2.8	-1.6	-82.3
157.8	2445.6	C1-C2;~2 Max	I	30.1	4.7	0.5	144.0
245.2	2835.3		J	30.1	4.7	0.5	144.0
-192.8	-8135.5	Min	I	-121.1	-2.8	-0.9	-69.1
-106.5	-9003.9		J	-121.1	-2.8	-0.9	-69.1


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
210.6	600.0	C3-C4;~2	Max	I	31.2	4.0	0.7	140.7
				J	31.2	4.0	0.7	140.7
303.0	682.3		Min	I	-113.6	-1.7	-1.0	-50.8
-230.5	-8323.4			J	-113.6	-1.7	-1.0	-50.8
-131.2	-9137.4							
		G1		I	-123.3	0.0	-0.9	3.4
-122.5	-610.3			J	-123.3	0.0	-0.1	3.4
128.8	-616.0							
		G2		I	-50.5	-0.4	-0.2	-11.8
-36.9	551.7			J	-50.5	-0.4	-0.2	-11.8
63.8	739.4							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	35.2	-0.2	0.0	-5.4
1.3	-275.1			J	35.2	-0.2	0.0	-5.4
-2.4	-168.6							
		Q5_ps		I	33.7	-0.3	0.0	-8.5
1.3	-57.5			J	33.7	-0.3	0.0	-8.5
-2.9	101.8							
		INVSLU	Max	I	-2410.6	15.5	0.1	895.5
321.0	8488.1			J	-2410.6	15.5	1.2	895.5
889.8	6212.3		Min	I	-2821.7	-0.0	-3.4	444.9
-599.3	-13646.6			J	-2821.7	-0.0	-2.4	444.9
-12.4	-18359.8							
		INVSLE	Max	I	-1868.9	10.3	0.1	652.2
233.3	6239.3			J	-1868.9	10.3	0.8	652.2
668.5	5165.4		Min	I	-2168.7	-1.2	-2.6	319.2
-448.2	-10120.1			J	-2168.7	-1.2	-1.8	319.2
0.5	-13013.7							
1136	2	62 C1-C2;~1	Max	I	50.6	4.5	0.9	175.8
273.7	4587.9			J	50.6	4.5	0.9	175.8
369.3	3753.2		Min	I	-197.8	-10.2	-1.3	-112.1
-291.0	-13374.9			J	-197.8	-10.2	-1.3	-112.1
-184.2	-10312.3							
		C3-C4;~1	Max	I	53.4	2.6	1.1	168.1
346.2	1392.0			J	53.4	2.6	1.1	168.1
441.5	1384.0		Min	I	-186.5	-9.8	-1.5	-104.5


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-337.7	-13386.4		J	-186.5	-9.8	-1.5	-104.5
-228.0	-10253.6						
175.4	2835.1	C1-C2;~2 Max	I	29.0	2.8	0.6	118.6
231.0	2348.7		J	29.0	2.8	0.6	118.6
-176.9	-9002.6	Min	I	-118.3	-6.9	-0.8	-75.3
-116.5	-7030.6		J	-118.3	-6.9	-0.8	-75.3
231.6	682.5	C3-C4;~2 Max	I	30.1	1.5	0.8	112.5
286.1	743.2		J	30.1	1.5	0.8	112.5
-212.5	-9136.1	Min	I	-110.8	-6.6	-1.0	-67.1
-151.3	-7073.0		J	-110.8	-6.6	-1.0	-67.1
-104.1	-615.6	G1	I	-123.4	-0.6	-0.8	0.3
112.7	-333.7		J	-123.4	-0.6	-0.0	0.3
-30.4	739.4	G2	I	-50.7	0.4	-0.2	-6.9
58.6	540.6		J	-50.7	0.4	-0.2	-6.9
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.2	-168.7	Q5_pc	I	35.4	0.3	0.0	-2.6
-1.3	-305.5		J	35.4	0.3	0.0	-2.6
-0.2	101.6	Q5_ps	I	33.8	0.4	0.0	-4.2
-1.4	-111.5		J	33.8	0.4	0.0	-4.2
472.5	6211.3	INVSLU Max	I	-2465.9	18.2	0.6	623.5
812.3	-816.4		J	-2465.9	18.2	1.6	623.5
-451.2	-18357.8	Min	I	-2868.7	-2.2	-3.0	230.3
-93.9	-20354.7		J	-2868.7	-2.2	-2.0	230.3
348.1	5164.6	INVSLE Max	I	-1910.2	13.5	0.4	455.8
608.6	-40.2		J	-1910.2	13.5	1.2	455.8
-336.1	-13012.2	Min	I	-2203.8	-1.6	-2.2	164.9
-62.4	-14472.3		J	-2203.8	-1.6	-1.5	164.9
1137	2	62 C1-C2;~1 Max	I	48.8	5.1	1.0	150.1


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
291.4	3753.1		J	48.8	5.1	1.0	150.1
356.4	3450.7						
		Min	I	-195.2	-7.2	-1.2	-132.7
-276.3	-10312.3						
			J	-195.2	-7.2	-1.2	-132.7
-200.8	-9220.0						
		C3-C4;~1 Max	I	51.5	4.3	1.2	142.5
361.1	1384.0						
			J	51.5	4.3	1.2	142.5
430.0	1297.6						
		Min	I	-183.9	-6.9	-1.5	-125.9
-325.3	-10253.6						
			J	-183.9	-6.9	-1.5	-125.9
-243.1	-9139.6						
		C1-C2;~2 Max	I	27.9	3.2	0.6	101.4
186.6	2348.7						
			J	27.9	3.2	0.6	101.4
223.0	2167.4						
		Min	I	-116.7	-4.9	-0.8	-89.2
-167.6	-7030.6						
			J	-116.7	-4.9	-0.8	-89.2
-127.1	-6326.7						
		C3-C4;~2 Max	I	29.0	2.8	0.8	94.4
240.7	743.2						
			J	29.0	2.8	0.8	94.4
278.9	694.9						
		Min	I	-109.1	-4.7	-1.0	-82.3
-204.8	-7072.9						
			J	-109.1	-4.7	-1.0	-82.3
-160.7	-6340.7						
		G1	I	-123.9	-0.2	-0.7	-1.6
-86.3	-333.8						
			J	-123.9	-0.2	0.0	-1.6
96.8	-243.9						
		G2	I	-51.0	0.2	-0.1	-3.0
-23.3	540.6						
			J	-51.0	0.2	-0.1	-3.0
52.3	462.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0						
			J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	35.6	0.1	0.0	-0.5
-0.2	-305.5						
			J	35.6	0.1	0.0	-0.5
-0.9	-358.7						
		Q5_ps	I	34.0	0.2	-0.0	-1.0
-0.9	-111.5						
			J	34.0	0.2	-0.0	-1.0
-0.6	-193.9						
		INVSLU Max	I	-2517.1	11.5	0.7	333.9
493.2	-816.6						
			J	-2517.1	11.5	1.7	333.9
793.8	-3496.3						
		Min	I	-2914.2	-5.2	-2.9	-48.7
-433.8	-20354.8						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-116.6	-21247.4		J	-2914.2	-5.2	-1.9	-48.7
363.3	-40.3	INVSLE Max	I	-1948.6	8.6	0.5	245.3
594.9	-2067.3		J	-1948.6	8.6	1.3	245.3
-323.3	-14472.4	Min	I	-2238.0	-3.8	-2.2	-38.1
-79.4	-15168.4		J	-2238.0	-3.8	-1.4	-38.1
1138	2	62 C1-C2;~1 Max	I	47.4	7.3	1.0	132.3
302.7	3450.7		J	47.4	7.3	1.0	132.3
344.4	3727.5	Min	I	-195.9	-4.9	-1.2	-149.6
-262.5	-9219.9		J	-195.9	-4.9	-1.2	-149.6
-213.3	-10343.5						
366.5	1297.5	C3-C4;~1 Max	I	50.0	6.9	1.2	125.6
423.2	1371.8		J	50.0	6.9	1.2	125.6
-316.7	-9139.5	Min	I	-184.4	-4.3	-1.5	-142.5
-249.4	-10276.3		J	-184.4	-4.3	-1.5	-142.5
193.4	2167.4	C1-C2;~2 Max	I	27.1	5.0	0.6	89.4
215.7	2330.0		J	27.1	5.0	0.6	89.4
-159.1	-6326.7	Min	I	-117.2	-3.1	-0.7	-100.6
-134.8	-7051.5		J	-117.2	-3.1	-0.7	-100.6
243.4	694.9	C3-C4;~2 Max	I	28.2	4.6	0.8	82.3
275.2	736.4		J	28.2	4.6	0.8	82.3
-199.8	-6340.7	Min	I	-109.5	-2.8	-0.9	-94.3
-164.1	-7087.4		J	-109.5	-2.8	-0.9	-94.3
-70.5	-243.9	G1	I	-125.4	0.2	-0.7	-2.5
81.9	-363.0		J	-125.4	0.2	0.1	-2.5
-16.2	462.3	G2	I	-51.6	-0.2	-0.1	0.1
45.6	539.8		J	-51.6	-0.2	-0.1	0.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.4	-358.7	Q5_pc	I	35.7	-0.1	0.0	1.1
			J	35.7	-0.1	0.0	1.1


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-0.7	-307.3						
		Q5_ps	I	34.1	-0.2	-0.0	1.3
-1.3	-193.9		J	34.1	-0.2	-0.0	1.3
-0.3	-114.1						
		INVSLU Max	I	-2560.6	4.2	0.8	44.7
514.6	-3496.3		J	-2560.6	4.2	1.8	44.7
772.3	-265.5	Min	I	-2956.8	-12.4	-2.8	-337.6
-408.5	-21247.4		J	-2956.8	-12.4	-1.8	-337.6
-137.1	-19814.3						
		INVSLE Max	I	-1981.3	3.1	0.5	34.4
378.8	-2067.3		J	-1981.3	3.1	1.3	34.4
579.3	369.8	Min	I	-2269.9	-9.3	-2.1	-248.7
-304.9	-15168.4		J	-2269.9	-9.3	-1.4	-248.7
-94.1	-14069.8						
1139	2	62 C1-C2;~1 Max	I	46.5	10.3	1.1	110.4
315.6	3727.5		J	46.5	10.3	1.1	110.4
325.7	4505.1	Min	I	-198.7	-4.3	-1.1	-174.8
-244.3	-10343.5		J	-198.7	-4.3	-1.1	-174.8
-227.6	-13465.0						
		C3-C4;~1 Max	I	49.0	9.8	1.3	103.6
377.5	1371.8		J	49.0	9.8	1.3	103.6
407.5	1360.3	Min	I	-187.1	-2.6	-1.4	-167.3
-299.9	-10276.4		J	-187.1	-2.6	-1.4	-167.3
-260.5	-13455.9						
		C1-C2;~2 Max	I	26.6	7.0	0.7	74.7
201.3	2330.0		J	26.6	7.0	0.7	74.7
203.8	2774.2	Min	I	-119.0	-2.6	-0.7	-117.6
-147.4	-7051.5		J	-119.0	-2.6	-0.7	-117.6
-143.8	-9064.1						
		C3-C4;~2 Max	I	27.6	6.6	0.8	66.8
250.0	736.4		J	27.6	6.6	0.8	66.8
265.4	664.3	Min	I	-111.2	-1.5	-0.9	-112.0
-189.2	-7087.4		J	-111.2	-1.5	-0.9	-112.0
-170.9	-9182.0						
		G1	I	-128.1	0.6	-0.6	-4.5
-52.8	-362.9		J	-128.1	0.6	0.2	-4.5
64.1	-683.8						

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-9.2	539.8	G2	I	-52.7	-0.4	-0.1	4.1
			J	-52.7	-0.4	-0.1	4.1
38.4	736.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	35.6	-0.3	-0.0	3.1
-0.7	-307.3		J	35.6	-0.3	-0.0	3.1
-0.5	-172.9						
		Q5_ps	I	34.0	-0.4	-0.0	4.4
-1.9	-114.1		J	34.0	-0.4	-0.0	4.4
0.2	95.7						
		INVS LU Max	I	-2596.3	0.7	0.8	-252.6
534.0	-265.1		J	-2596.3	0.7	1.8	-252.6
775.3	7492.2	Min	I	-2994.9	-19.5	-2.8	-643.2
-381.9	-19814.1		J	-2994.9	-19.5	-1.8	-643.2
-127.4	-17078.6						
		INVS LE Max	I	-2008.0	0.5	0.6	-182.2
393.2	370.1		J	-2008.0	0.5	1.3	-182.2
582.0	6118.8	Min	I	-2298.5	-14.4	-2.1	-471.1
-285.1	-14069.7		J	-2298.5	-14.4	-1.3	-471.1
-86.6	-12058.8						
1140	2	62 C1-C2;~1 Max	I	45.7	4.3	1.2	112.0
338.1	4505.4		J	45.7	4.3	1.2	112.0
296.6	3763.2	Min	I	-203.3	-6.7	-1.0	-213.8
-223.3	-13467.0		J	-203.3	-6.7	-1.0	-213.8
-251.8	-12031.9						
		C3-C4;~1 Max	I	48.2	2.7	1.4	80.6
402.5	1360.2		J	48.2	2.7	1.4	80.6
375.3	1172.9	Min	I	-191.5	-6.1	-1.3	-209.1
-269.2	-13458.1		J	-191.5	-6.1	-1.3	-209.1
-286.1	-12137.3						
		C1-C2;~2 Max	I	26.1	2.7	0.7	69.5
215.6	2774.4		J	26.1	2.7	0.7	69.5
184.4	2321.7	Min	I	-121.9	-4.6	-0.6	-143.1
-133.9	-9065.4		J	-121.9	-4.6	-0.6	-143.1
-159.3	-8164.1						
		C3-C4;~2 Max	I	27.1	1.6	0.9	50.1

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
266.1	664.1		J	27.1	1.6	0.9	50.1
243.7	578.8						
		Min	I	-114.0	-4.0	-0.8	-141.9
-168.5	-9183.4		J	-114.0	-4.0	-0.8	-141.9
-187.5	-8347.7						
		G1	I	-130.8	0.0	-0.5	-8.1
-35.1	-684.4		J	-130.8	0.0	0.2	-8.1
45.9	-684.4						
		G2	I	-53.7	0.4	-0.1	9.0
-3.2	736.9		J	-53.7	0.4	-0.1	9.0
31.8	542.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	35.5	0.2	-0.0	6.0
-1.4	-172.9		J	35.5	0.2	-0.0	6.0
0.1	-283.4						
		Q5_ps	I	34.0	0.3	-0.0	8.8
-3.0	95.8		J	34.0	0.3	-0.0	8.8
1.3	-67.3						
		INVSLE Max	I	-2625.7	-2.5	1.4	-492.7
633.7	7493.2		J	-2625.7	-2.5	2.4	-492.7
573.5	10915.6						
		Min	I	-3029.1	-17.8	-2.2	-943.2
-275.6	-17080.7		J	-3029.1	-17.8	-1.2	-943.2
-319.7	-11060.2						
		INVSLE Max	I	-2030.2	-0.7	1.0	-355.5
469.5	6119.6		J	-2030.2	-0.7	1.8	-355.5
430.3	8058.1						
		Min	I	-2324.3	-12.0	-1.6	-688.4
-203.9	-12060.2		J	-2324.3	-12.0	-0.9	-688.4
-231.3	-8182.5						
1141	2	62 C1-C2;~1 Max	I	45.0	38.1	1.6	154.6
435.4	3760.9		J	45.0	38.1	1.6	154.6
255.7	47680.9						
		Min	I	-209.4	-117.4	-0.9	-476.7
-208.9	-12026.4		J	-209.4	-117.4	-0.9	-476.7
-354.0	-16188.9						
		C3-C4;~1 Max	I	47.5	12.9	2.1	44.4
574.1	1172.7		J	47.5	12.9	2.1	44.4
202.2	48067.7						
		Min	I	-204.3	-118.3	-0.7	-476.2
-162.8	-12131.8						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-478.9	-5757.3		J	-204.3	-118.3	-0.7	-476.2
280.8	2320.3	C1-C2;~2 Max	I	25.7	21.6	1.0	90.9
154.5	30056.9		J	25.7	21.6	1.0	90.9
-123.1	-8160.5	Min	I	-126.0	-75.1	-0.5	-311.1
-227.6	-9084.6		J	-126.0	-75.1	-0.5	-311.1
382.4	578.8	C3-C4;~2 Max	I	26.7	5.7	1.4	19.4
118.9	31078.3		J	26.7	5.7	1.4	19.4
-91.6	-8344.1	Min	I	-122.3	-77.5	-0.4	-316.7
-319.0	-2568.6		J	-122.3	-77.5	-0.4	-316.7
-5.7	-684.6	G1	I	-134.5	-9.4	-0.4	-34.7
13.1	4069.6		J	-134.5	-9.4	0.3	-34.7
-9.1	541.9	G2	I	-53.5	8.9	-0.1	31.0
39.6	-3969.1		J	-53.5	8.9	-0.1	31.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-6.3	-283.9	Q5_pc	I	35.6	5.5	-0.0	18.9
5.9	-3079.6		J	35.6	5.5	-0.0	18.9
-11.2	-67.9	Q5_ps	I	34.3	8.5	-0.0	28.8
10.9	-4369.9		J	34.3	8.5	-0.0	28.8
840.9	10915.6	INVSLU Max	I	-2664.5	103.0	2.0	-518.2
573.4	49551.9		J	-2664.5	103.0	3.0	-518.2
-227.7	-11050.6	Min	I	-3075.5	-118.0	-2.1	-1404.5
-429.0	-42737.8		J	-3075.5	-118.0	-1.1	-1404.5
632.2	8057.8	INVSLE Max	I	-2060.0	81.9	1.5	-369.9
417.3	33474.9		J	-2060.0	81.9	2.3	-369.9
-158.5	-8175.6	Min	I	-2359.6	-81.1	-1.5	-1023.9
-324.4	-34477.3		J	-2359.6	-81.1	-0.8	-1023.9
1142	2	82 C1-C2;~1 Max	I	842.6	29.3	7.3	2845.1
1741.6	27050.5						

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
2332.7	104123.4		J	842.6	29.3	7.3	2845.1	1
		Min	I	-242.5	-383.6	-49.5	-12228.8	-1
2555.2	-158871.2		J	-242.5	-383.6	-49.5	-12228.8	-
1963.3	-87040.4							
		C3-C4;~1 Max	I	877.5	26.0	4.9	2509.5	
1303.2	16342.7		J	877.5	26.0	4.9	2509.5	1
4416.4	75653.1							
		Min	I	-271.9	-308.0	-57.3	-9860.6	-1
4219.7	-135443.7		J	-271.9	-308.0	-57.3	-9860.6	-
1302.8	-72902.8							
		C1-C2;~2 Max	I	457.0	13.3	3.8	1863.0	
907.4	16179.8		J	457.0	13.3	3.8	1863.0	
7915.6	73535.6							
		Min	I	-164.5	-268.6	-31.7	-8605.3	-
8031.9	-106320.8		J	-164.5	-268.6	-31.7	-8605.3	-
1043.2	-58486.0							
		C3-C4;~2 Max	I	475.5	12.2	2.5	1584.0	
770.8	7333.7		J	475.5	12.2	2.5	1584.0	
9367.2	52188.6							
		Min	I	-186.0	-214.2	-37.1	-6898.9	-
9184.5	-90304.2		J	-186.0	-214.2	-37.1	-6898.9	-
-662.0	-48494.7							
		G1	I	982.8	-9.2	-18.3	-188.7	-
4656.2	-7641.2		J	982.8	-9.2	-16.2	-188.7	-
3971.8	-3025.1							
		G2	I	391.6	15.1	-5.5	367.5	-
1464.4	9716.7		J	391.6	15.1	-5.5	367.5	-
1308.3	2180.6							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	46.2	30.4	7.1	673.6	
1780.5	20677.5		J	46.2	30.4	7.1	673.6	-
1773.7	5485.4							
		Q5_ps	I	47.8	39.8	7.2	916.4	
1826.0	27008.4		J	47.8	39.8	7.2	916.4	-
1779.5	7115.1							
		INVSLU Max	I	5141.7	68.7	12.1	4193.3	
2077.6	36897.9		J	5141.7	68.7	14.9	4193.3	2
0521.6	124539.3							
		Min	I	3507.0	-554.2	-87.8	-17368.9	-2
2685.4	-258543.2		J	3507.0	-554.2	-85.0	-17368.9	-

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

4783.7	-143405.6								
		INVSLE	Max	I	3871.7	45.3	9.0	3043.7	
1496.5	23533.6			J	3871.7	45.3	11.1	3043.7	1
4937.3	91660.5								
		Min		I	2667.0	-409.6	-64.1	-12838.5	-1
6601.5	-190932.3			J	2667.0	-409.6	-62.0	-12838.5	-
3570.9	-106085.9								
		82 C1-C2;~1	Max	I	792.7	53.1	14.3	3907.8	
1143	2			J	792.7	53.1	14.3	3907.8	
4087.2	104132.9								
		Min		I	-267.8	-242.1	-32.0	-9905.1	-
8691.1	145170.9			J	-267.8	-242.1	-32.0	-9905.1	-
7334.5	-87034.3								
3176.3	-56542.5								
		C3-C4;~1	Max	I	824.8	36.9	17.2	3244.2	
4870.7	75660.6			J	824.8	36.9	17.2	3244.2	1
1202.3	116273.6								
		Min		I	-302.0	-186.8	-41.8	-7979.3	-
9733.7	-72897.7			J	-302.0	-186.8	-41.8	-7979.3	-
3732.5	-48298.8								
		C1-C2;~2	Max	I	433.2	35.4	9.7	2645.1	
2852.9	73542.4			J	433.2	35.4	9.7	2645.1	
5342.0	102938.1								
		Min		I	-180.2	-170.6	-19.4	-6968.0	-
4370.5	-58482.1			J	-180.2	-170.6	-19.4	-6968.0	-
2077.0	-37498.0								
		C3-C4;~2	Max	I	450.1	22.6	11.8	2134.6	
3420.1	52194.1			J	450.1	22.6	11.8	2134.6	
7050.8	81706.3								
		Min		I	-205.2	-130.3	-26.0	-5573.7	-
5995.1	-48491.6			J	-205.2	-130.3	-26.0	-5573.7	-
2467.1	-31450.9								
		G1		I	879.8	-5.1	-17.9	-179.5	-
4546.0	-3023.6			J	879.8	-5.1	-15.8	-179.5	
3874.7	-480.8								
		G2		I	350.5	7.6	-6.9	196.2	-
1827.5	2180.0			J	350.5	7.6	-6.9	196.2	
1597.2	-1609.6								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc		I	28.5	15.3	5.4	391.7	
1305.1	5484.0			J	28.5	15.3	5.4	391.7	-
1377.1	-2138.5								

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

1064.8	7113.2	Q5_ps	I	30.7	19.9	4.4	530.9	
1156.9	-2852.4		J	30.7	19.9	4.4	530.9	-
6254.6	124556.4	INVS LU Max	I	4737.6	74.9	25.7	5245.4	
5318.8	182226.1		J	4737.6	74.9	28.5	5245.4	1
5810.5	-143390.5	Min	I	3165.0	-351.2	-63.5	-14107.2	-1
7321.9	-93936.2		J	3165.0	-351.2	-60.7	-14107.2	-
4703.5	91673.3	INVS LE Max	I	3570.5	53.8	19.5	3846.5	
1019.9	134954.6		J	3570.5	53.8	21.5	3846.5	1
1466.9	-106074.7	Min	I	2409.4	-259.8	-45.9	-10436.5	-1
5567.4	-69325.0		J	2409.4	-259.8	-43.8	-10436.5	-
1144	2	82 C1-C2;~1 Max	I	736.4	107.1	14.4	4142.5	
3756.5	145168.7		J	736.4	107.1	14.4	4142.5	1
0181.5	161913.2	Min	I	-288.9	-170.6	-38.2	-9053.7	-
8904.5	-56541.8		J	-288.9	-170.6	-38.2	-9053.7	-
3455.8	-35485.0							
4644.9	116274.3	C3-C4;~1 Max	I	765.3	72.2	17.6	3386.2	
2976.5	129310.6		J	765.3	72.2	17.6	3386.2	1
1475.0	-48298.3	Min	I	-328.4	-125.3	-48.9	-7110.7	-1
4237.4	-31340.7		J	-328.4	-125.3	-48.9	-7110.7	-
2485.5	102936.6	C1-C2;~2 Max	I	405.1	75.5	9.2	2834.0	
6251.8	115304.1		J	405.1	75.5	9.2	2834.0	
5381.5	-37497.5	Min	I	-193.3	-120.4	-23.3	-6382.6	-
2120.2	-22823.7		J	-193.3	-120.4	-23.3	-6382.6	-
3122.6	81706.8	C3-C4;~2 Max	I	420.1	49.1	11.5	2258.1	
8155.9	91429.7		J	420.1	49.1	11.5	2258.1	
7124.0	-31450.6	Min	I	-222.3	-87.1	-30.6	-4967.3	-
2673.2	-19598.4		J	-222.3	-87.1	-30.6	-4967.3	-
4476.3	-481.1	G1	I	774.7	-2.0	-17.8	-175.2	-
3895.6	540.2		J	774.7	-2.0	-15.7	-175.2	
		G2	I	308.5	3.2	-6.7	137.2	-


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
1761.1	-1609.8		J	308.5	3.2	-6.7	137.2	
1602.0	-3195.9							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	14.8	6.4	5.9	289.1	
1462.6	-2138.6		J	14.8	6.4	5.9	289.1	-
1492.2	-5335.6							
		Q5_ps	I	17.2	8.3	5.0	397.0	
1233.5	-2852.5		J	17.2	8.3	5.0	397.0	-
1255.8	-6982.6							
		INVS LU Max	I	4321.1	140.1	32.9	5503.1	
7638.2	182222.1		J	4321.1	140.1	35.7	5503.1	1
6306.8	212810.3							
		Min	I	2817.9	-246.3	-67.6	-12832.2	-1
6756.4	-93936.7		J	2817.9	-246.3	-64.8	-12832.2	-
9618.0	-63281.3							
		INVS LE Max	I	3258.5	103.0	25.4	4045.0	
5846.0	134951.6		J	3258.5	103.0	27.4	4045.0	1
1593.4	157608.9							
		Min	I	2147.0	-182.4	-48.3	-9498.1	-1
2029.1	-69325.3		J	2147.0	-182.4	-46.2	-9498.1	-
7411.2	-46192.0							
		82 C1-C2;~1 Max	I	662.8	147.7	17.3	4691.3	
1145	2		J	662.8	147.7	17.3	4691.3	1
4306.6	161912.0							
		Min	I	-297.2	-133.0	-45.3	-8185.5	-1
2379.1	141124.0		J	-297.2	-133.0	-45.3	-8185.5	-
0281.4	-35483.3							
4670.6	-23365.1							
		C3-C4;~1 Max	I	688.7	106.3	21.2	3834.3	
5337.6	129309.4		J	688.7	106.3	21.2	3834.3	1
5330.9	112846.6							
		Min	I	-338.7	-91.9	-56.6	-6247.6	-1
2951.8	-31339.3		J	-338.7	-91.9	-56.6	-6247.6	-
5272.8	-20343.3							
		C1-C2;~2 Max	I	366.1	105.1	10.1	3240.5	
2658.1	115303.2		J	366.1	105.1	10.1	3240.5	
7427.4	100603.4							
		Min	I	-199.0	-93.8	-27.2	-5782.2	-
6170.6	-22822.5		J	-199.0	-93.8	-27.2	-5782.2	-
2531.7	-14737.6							
		C3-C4;~2 Max	I	379.2	74.2	12.9	2597.6	
3393.0	91428.9							

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
9400.1	79953.1		J	379.2	74.2	12.9	2597.6	
		Min	I	-229.5	-63.3	-34.7	-4360.9	-
7964.6	-19597.4		J	-229.5	-63.3	-34.7	-4360.9	-
3068.9	-12275.0							
		G1	I	666.9	-0.0	-17.9	-177.8	-
4303.5	540.2		J	666.9	-0.0	-15.8	-177.8	
4110.8	545.4							
		G2	I	265.5	0.6	-6.8	48.1	-
1708.1	-3195.9		J	265.5	0.6	-6.8	48.1	
1704.3	-3498.5							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	-0.9	1.3	6.4	160.6	
1508.8	-5335.7		J	-0.9	1.3	6.4	160.6	-
1708.0	-5991.0							
		Q5_ps	I	2.2	1.5	5.4	223.5	
1257.7	-6982.8		J	2.2	1.5	5.4	223.5	-
1420.8	-7748.7							
		INVSLU Max	I	3825.7	191.5	48.6	6113.6	1
0910.4	212809.2		J	3825.7	191.5	51.4	6113.6	1
6821.1	189862.9							
		Min	I	2436.9	-189.7	-68.1	-11559.2	-1
6496.1	-63278.8		J	2436.9	-189.7	-65.3	-11559.2	-1
4068.4	-42981.2							
		INVSLE Max	I	2885.1	141.5	37.9	4504.9	
8462.5	157608.1		J	2885.1	141.5	40.0	4504.9	1
1659.1	140714.8							
		Min	I	1856.5	-140.8	-47.7	-8564.7	-1
1637.4	-46190.1		J	1856.5	-140.8	-45.6	-8564.7	-1
0994.3	-30963.5							
		70 C1-C2;~1 Max	I	566.6	154.0	3.3	843.4	
1146	2		J	566.6	154.0	3.3	843.4	
859.7	141123.4							
		Min	I	-290.0	-131.8	-10.1	-904.9	-
2656.7	116666.4		J	-290.0	-131.8	-10.1	-904.9	-
2395.3	-23362.5							
		C3-C4;~1 Max	I	587.9	113.5	4.2	689.5	
-794.3	-16899.8		J	587.9	113.5	4.2	689.5	
1083.2	112846.0							
		Min	I	-326.2	-90.3	-12.5	-661.3	-
3276.5	92688.5		J	-326.2	-90.3	-12.5	-661.3	-
2973.9	-20341.4							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

1004.0	-14872.8							
		C1-C2;~2	Max	I	315.1	109.3	2.0	590.4
524.2	100602.9			J	315.1	109.3	2.0	590.4
1592.0	83174.0							
			Min	I	-192.8	-93.4	-6.1	-637.1
1443.7	-14735.8			J	-192.8	-93.4	-6.1	-637.1
-469.4	-10447.2							
		C3-C4;~2	Max	I	325.8	79.3	2.6	476.9
684.3	79952.6			J	325.8	79.3	2.6	476.9
2007.7	65689.6							
			Min	I	-219.4	-62.5	-7.7	-457.2
1833.6	-12273.6			J	-219.4	-62.5	-7.7	-457.2
-619.0	-8742.1							
				G1	I	531.4	0.2	-5.1
1094.1	545.4			J	531.4	0.2	-4.2	-20.0
1228.6	441.2							
				G2	I	211.5	-0.7	-1.9
-426.1	-3498.7			J	211.5	-0.7	-1.9	-8.9
511.7	-3158.0							
				Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
				Q5_pc	I	-10.7	-0.7	1.2
288.1	-5991.3			J	-10.7	-0.7	1.2	-2.8
-316.1	-5647.5							
				Q5_ps	I	-7.6	-1.1	1.0
237.1	-7749.1			J	-7.6	-1.1	1.0	-2.6
-258.7	-7219.7							
				INVSLU	Max	I	3248.5	199.8
2108.8	189861.3			J	3248.5	199.8	9.8	942.6
3871.2	160866.6							
			Min	I	1995.2	-187.2	-16.1	-1422.7
3887.0	-42978.9			J	1995.2	-187.2	-14.9	-1422.7
2476.4	-29613.3							
				INVSLE	Max	I	2448.6	147.6
1659.0	140713.6			J	2448.6	147.6	7.7	696.5
2714.1	119445.3							
			Min	I	1521.7	-139.0	-11.4	-1055.1
2743.9	-30961.8			J	1521.7	-139.0	-10.5	-1055.1
1945.6	-20898.0							
				70 C1-C2;~1	Max	I	509.4	143.4
1147	2			J	509.4	143.4	2.4	1107.3
622.4	116661.5							
				J	509.4	143.4	2.4	1107.3

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
2985.4	100280.4		Min	I	-320.9	-104.3	-11.7	-654.7	-
2842.5	-16900.3			J	-320.9	-104.3	-11.7	-654.7	
-590.9	-21843.3								
		C3-C4;~1	Max	I	526.3	105.4	3.1	879.1	
799.3	92684.1			J	526.3	105.4	3.1	879.1	
3653.2	77613.2		Min	I	-357.9	-68.0	-14.3	-503.8	-
3503.6	-14872.8			J	-357.9	-68.0	-14.3	-503.8	
-771.0	-19234.3								
		C1-C2;~2	Max	I	286.7	101.6	1.4	780.1	
376.1	83170.5			J	286.7	101.6	1.4	780.1	
1777.9	71568.6		Min	I	-209.9	-73.9	-6.9	-453.9	-
1693.7	-10447.6			J	-209.9	-73.9	-6.9	-453.9	
-347.6	-14015.2								
		C3-C4;~2	Max	I	295.3	73.5	2.0	612.9	
502.7	65686.4			J	295.3	73.5	2.0	612.9	
2224.2	54940.2		Min	I	-237.0	-46.6	-8.7	-341.3	-
2136.6	-8742.1			J	-237.0	-46.6	-8.7	-341.3	
-476.7	-11993.3								
		G1		I	412.6	0.5	-7.4	-17.5	-
1735.7	441.1			J	412.6	0.5	-6.5	-17.5	
1754.6	179.2								
		G2		I	164.1	-2.2	-2.8	-28.5	
-683.9	-3157.9			J	164.1	-2.2	-2.8	-28.5	
723.3	-2060.1								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc		I	-12.7	-3.0	1.3	-33.8	
329.4	-5647.3			J	-12.7	-3.0	1.3	-33.8	
-328.5	-4154.2								
		Q5_ps		I	-10.6	-4.1	1.1	-43.6	
266.4	-7219.5			J	-10.6	-4.1	1.1	-43.6	
-263.9	-5180.3								
		INVSLU	Max	I	2854.6	186.5	7.3	1405.9	
1820.0	160860.9			J	2854.6	186.5	8.5	1405.9	
4432.6	142289.1		Min	I	1638.0	-153.3	-18.7	-1033.8	-
4581.8	-29612.9			J	1638.0	-153.3	-17.4	-1033.8	-
2131.4	-30055.4								

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

1461.9	119441.0	INVSLE Max	I	2153.3	137.5	5.9	1038.5	
			J	2153.3	137.5	6.8	1038.5	
3113.0	106047.4	Min	I	1253.8	-113.9	-13.2	-764.2	-
3236.3	-20897.6		J	1253.8	-113.9	-12.2	-764.2	-
1705.3	-21061.3							
1148	2	70 C1-C2;~1 Max	I	470.3	174.5	2.0	1358.6	
506.2	100277.3		J	470.3	174.5	2.0	1358.6	
3268.2	73427.3	Min	I	-367.3	-55.8	-12.8	-490.1	-
3113.9	-21843.8		J	-367.3	-55.8	-12.8	-490.1	
-537.1	-40609.9							
		C3-C4;~1 Max	I	484.3	130.5	2.7	1080.3	
687.7	77610.4		J	484.3	130.5	2.7	1080.3	
3935.8	52270.2	Min	I	-404.1	-32.8	-15.5	-392.7	-
3788.2	-19234.5		J	-404.1	-32.8	-15.5	-392.7	
-680.2	-33420.3							
		C1-C2;~2 Max	I	266.9	123.2	1.2	958.5	
309.4	71566.4		J	266.9	123.2	1.2	958.5	
1953.3	52298.6	Min	I	-237.5	-38.2	-7.6	-330.1	-
1855.3	-14015.6		J	-237.5	-38.2	-7.6	-330.1	
-294.0	-26958.4							
		C3-C4;~2 Max	I	274.0	91.1	1.7	755.6	
441.2	54938.0		J	274.0	91.1	1.7	755.6	
2399.2	36451.3	Min	I	-264.0	-20.4	-9.4	-256.1	-
2306.5	-11993.5		J	-264.0	-20.4	-9.4	-256.1	
-426.4	-21847.2							
		G1	I	314.7	0.7	-8.8	-16.2	-
2098.3	179.6		J	314.7	0.7	-7.9	-16.2	
2065.5	-176.7							
		G2	I	125.3	-6.3	-3.3	-44.9	
-827.1	-2059.9		J	125.3	-6.3	-3.3	-44.9	
844.6	1109.7							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	-15.4	-9.7	1.3	-60.4	
324.1	-4154.2		J	-15.4	-9.7	1.3	-60.4	
-313.7	675.9							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
258.6	-5180.3	Q5_ps	I	-13.7	-12.7	1.0	-78.4	
-248.7	1177.8		J	-13.7	-12.7	1.0	-78.4	
1659.7	142285.1	INVS LU Max	I	2536.7	230.5	6.6	1840.9	
4844.9	109773.7		J	2536.7	230.5	7.8	1840.9	
4966.1	-30056.0	Min	I	1309.7	-97.8	-20.3	-763.7	-
1951.4	-45393.1		J	1309.7	-97.8	-19.0	-763.7	-
1367.5	106044.5	INVS LE Max	I	1914.6	169.5	5.5	1359.5	
3392.6	82490.7		J	1914.6	169.5	6.4	1359.5	
3497.4	-21061.7	Min	I	1007.7	-72.4	-14.2	-561.8	-
1599.8	-32357.5		J	1007.7	-72.4	-13.3	-561.8	-
1149	2	70 C1-C2;~1 Max	I	439.5	313.3	4.5	1842.5	
1037.2	73415.0		J	439.5	313.3	4.5	1842.5	
3199.6	14795.0	Min	I	-384.8	-25.5	-13.7	-333.2	-
3080.5	-40618.1		J	-384.8	-25.5	-13.7	-333.2	-
1045.9	-102383.2							
1032.6	52260.3	C3-C4;~1 Max	I	457.2	244.4	4.5	1471.7	
3930.3	13586.0		J	457.2	244.4	4.5	1471.7	
3808.3	-33427.3	Min	I	-423.0	-25.2	-16.9	-275.9	-
1025.0	-84203.8		J	-423.0	-25.2	-16.9	-275.9	-
699.3	52289.8	C1-C2;~2 Max	I	250.8	219.0	3.0	1302.3	
1867.0	7052.3		J	250.8	219.0	3.0	1302.3	
1792.5	-26963.9	Min	I	-244.5	-11.5	-8.0	-211.5	-
-693.7	-68309.5		J	-244.5	-11.5	-8.0	-211.5	-
694.8	36444.2	C3-C4;~2 Max	I	256.5	169.7	3.0	1034.0	
2349.0	6285.6		J	256.5	169.7	3.0	1034.0	
2272.2	-21851.9	Min	I	-271.7	-11.6	-10.1	-164.8	-
-676.5	-56299.6		J	-271.7	-11.6	-10.1	-164.8	-
2457.6	-178.7	G1	I	232.4	1.3	-11.0	-16.3	-
2400.8	-758.9		J	232.4	1.3	-10.2	-16.3	-
1028.2	1110.3	G2	I	92.1	-16.7	-4.5	-76.2	-


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
1033.4	8754.9		J	92.1	-16.7	-4.5	-76.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
249.1	678.5	Q5_pc	I	-21.3	-27.4	1.1	-113.5
-233.1	13248.8		J	-21.3	-27.4	1.1	-113.5
144.0	1181.0	Q5_ps	I	-20.7	-35.7	0.6	-149.0
-129.7	17535.0		J	-20.7	-35.7	0.6	-149.0
2296.8	109764.0	INVS LU Max	I	2256.0	424.3	10.4	2564.9
4430.5	56569.9		J	2256.0	424.3	11.5	2564.9
4693.1	-45402.0	Min	I	1029.5	-92.6	-20.5	-576.5
2707.1	-129394.5		J	1029.5	-92.6	-19.3	-576.5
1889.9	82483.6	INVS LE Max	I	1703.7	312.1	8.5	1892.4
3043.7	41351.8		J	1703.7	312.1	9.4	1892.4
3254.6	-32363.7	Min	I	798.0	-65.0	-14.2	-419.4
2212.3	-93567.9		J	798.0	-65.0	-13.3	-419.4
1150	2	62 C1-C2;~1 Max	I	54.0	109.1	1.2	451.9
330.6	43187.0		J	54.0	109.1	1.2	451.9
394.8	4063.4	Min	I	-210.9	-41.1	-1.4	-160.8
-325.1	-17125.6		J	-210.9	-41.1	-1.4	-160.8
-285.1	-11269.1						
266.4	43552.6	C3-C4;~1 Max	I	54.1	110.0	1.0	450.7
558.3	1509.2		J	54.1	110.0	1.0	450.7
-478.2	-5107.0	Min	I	-216.5	-11.9	-2.1	-43.7
-226.7	-11382.5		J	-216.5	-11.9	-2.1	-43.7
198.3	27475.2	C1-C2;~2 Max	I	30.8	70.5	0.7	297.7
259.1	2513.8		J	30.8	70.5	0.7	297.7
-212.5	-9807.8	Min	I	-127.6	-23.8	-0.9	-95.8
-167.4	-7707.2		J	-127.6	-23.8	-0.9	-95.8
155.5	28241.4	C3-C4;~2 Max	I	30.9	72.3	0.6	301.0
			J	30.9	72.3	0.6	301.0

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
374.3	796.0		Min	I	-128.8	-5.1	-1.4	-19.2
-320.4	-2163.8			J	-128.8	-5.1	-1.4	-19.2
-128.2	-7853.5							
		G1		I	-118.0	1.3	0.1	11.2
119.4	471.8			J	-118.0	1.3	0.9	11.2
-121.9	-159.1							
		G2		I	-43.8	-9.6	0.3	-31.6
76.8	-4221.3			J	-43.8	-9.6	0.3	-31.6
-52.0	542.3							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	29.7	-5.0	0.0	-17.8
3.7	-2721.3			J	29.7	-5.0	0.0	-17.8
-3.1	-235.8							
		Q5_ps		I	29.2	-8.3	0.0	-28.8
8.3	-4150.3			J	29.2	-8.3	0.0	-28.8
-7.3	-28.5							
		INVSLU Max		I	-2168.8	75.7	1.5	408.2
623.7	21935.9			J	-2168.8	75.7	2.5	408.2
757.9	4852.2		Min	I	-2587.5	-137.4	-3.0	-450.9
-474.9	-64877.9			J	-2587.5	-137.4	-2.0	-450.9
-386.1	-16424.1							
		INVSLE Max		I	-1688.1	49.9	1.1	285.7
455.6	13070.6			J	-1688.1	49.9	1.8	285.7
568.9	3512.9		Min	I	-1994.3	-107.3	-2.2	-348.3
-357.7	-50873.1			J	-1994.3	-107.3	-1.5	-348.3
-278.1	-12215.9							
		62 C1-C2;~1 Max		I	58.8	12.6	0.8	47.1
1151	2			J	58.8	12.6	0.8	47.1
230.0	5546.3							
			Min	I	-204.3	-128.9	-1.5	-576.5
397.1	15885.0			J	-204.3	-128.9	-1.5	-576.5
-345.3	-48478.8							
-192.5	-1283.9							
		C3-C4;~1 Max		I	57.0	14.6	1.0	54.4
266.2	6286.3			J	57.0	14.6	1.0	54.4
555.2	11772.9		Min	I	-216.6	-114.8	-2.1	-470.9
-477.4	-45547.9			J	-216.6	-114.8	-2.1	-470.9
-226.6	-1715.7							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

133.4	2290.6	C1-C2;~2	Max	I	33.5	5.2	0.5	19.8
				J	33.5	5.2	0.5	19.8
259.3	11180.4		Min	I	-121.9	-86.1	-1.0	-392.5
-225.9	-31740.9			J	-121.9	-86.1	-1.0	-392.5
-107.2	-634.0							
		C3-C4;~2	Max	I	32.4	6.1	0.6	23.4
156.0	2633.8			J	32.4	6.1	0.6	23.4
375.8	8024.9		Min	I	-129.6	-74.6	-1.4	-311.0
-323.2	-29136.7			J	-129.6	-74.6	-1.4	-311.0
-128.9	-878.7							
		G1		I	-121.4	-1.6	0.1	-11.9
123.5	-661.9			J	-121.4	-1.6	0.9	-11.9
-126.1	120.8							
		G2		I	-45.3	10.0	0.3	33.5
78.6	4371.4			J	-45.3	10.0	0.3	33.5
-53.6	-586.9							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-26.9	17.6	0.1	63.0
36.4	7145.3			J	-26.9	17.6	0.1	63.0
-32.0	-1590.9							
		Q5_ps		I	-25.2	24.4	0.2	88.2
51.6	10127.3			J	-25.2	24.4	0.2	88.2
-45.1	-1989.7							
		INVS LU	Max	I	-2185.3	121.3	1.3	393.6
560.9	57036.5			J	-2185.3	121.3	2.3	393.6
788.7	23120.7		Min	I	-2605.4	-113.3	-3.1	-605.1
-508.5	-33587.2			J	-2605.4	-113.3	-2.1	-605.1
-324.4	-3926.7							
		INVS LE	Max	I	-1699.7	93.1	0.9	297.5
406.0	44132.4			J	-1699.7	93.1	1.7	297.5
590.6	17089.8		Min	I	-2007.4	-76.8	-2.3	-428.4
-381.3	-21394.7			J	-2007.4	-76.8	-1.6	-428.4
-229.7	-2618.2							
1152	2	70 C1-C2;~1	Max	I	66.6	11.7	2.0	161.0
538.8	4996.5			J	66.6	11.7	2.0	161.0
241.9	6269.4							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-149.6	-12878.5		Min	I	-225.0	-6.6	-0.8	-187.9
				J	-225.0	-6.6	-0.8	-187.9
-453.6	-16401.0							
		C3-C4;~1	Max	I	66.7	11.3	2.3	156.7
635.6	1969.8			J	66.7	11.3	2.3	156.7
338.0	2544.1							
			Min	I	-220.0	-4.8	-1.1	-184.3
-211.8	-12814.1			J	-220.0	-4.8	-1.1	-184.3
-519.9	-16308.6							
		C1-C2;~2	Max	I	37.9	8.1	1.2	108.7
335.5	3117.8			J	37.9	8.1	1.2	108.7
156.9	3896.7							
			Min	I	-135.9	-4.2	-0.5	-126.7
-95.4	-8825.7			J	-135.9	-4.2	-0.5	-126.7
-275.3	-11218.1							
		C3-C4;~2	Max	I	38.0	7.7	1.5	101.3
406.1	1062.9			J	38.0	7.7	1.5	101.3
229.0	1385.0							
			Min	I	-130.0	-3.0	-0.7	-121.0
-142.9	-8845.0			J	-130.0	-3.0	-0.7	-121.0
-324.5	-11238.5							
		G1		I	-119.4	0.0	0.6	2.7
262.6	-93.3			J	-119.4	0.0	1.5	2.7
-270.1	-112.7							
		G2		I	-45.8	-0.4	0.4	3.8
118.9	635.2			J	-45.8	-0.4	0.4	3.8
-93.2	838.7							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	30.2	0.0	-0.0	-0.4
-10.0	-336.2			J	30.2	0.0	-0.0	-0.4
7.7	-358.9							
		Q5_ps		I	29.5	-0.1	-0.0	0.4
-10.8	-90.3			J	29.5	-0.1	-0.0	0.4
8.3	-38.3							
		INVSLU	Max	I	-1976.9	12.2	3.8	259.0
1266.5	16432.8			J	-1976.9	12.2	5.1	259.0
232.1	19935.5							
			Min	I	-2425.0	-12.5	-0.9	-212.7
104.6	-8303.6			J	-2425.0	-12.5	0.4	-212.7
-940.0	-11315.7							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
958.6	12915.4	INVSLE Max	I	-1549.8	8.9	2.9	194.4
			J	-1549.8	8.9	3.8	194.4
159.2	15611.8	Min	I	-1877.7	-9.4	-0.6	-155.0
99.3	-5363.0		J	-1877.7	-9.4	0.3	-155.0
-708.0	-7489.3						
1153	2	70 C1-C2;~1 Max	I	72.3	9.1	1.6	256.6
439.2	18233.1		J	72.3	9.1	1.6	256.6
165.5	23104.1	Min	I	-205.4	-19.4	-0.5	-211.7
-92.8	-1717.9		J	-205.4	-19.4	-0.5	-211.7
-361.3	-2285.8						
		C3-C4;~1 Max	I	70.2	5.0	2.4	189.7
646.7	13200.3		J	70.2	5.0	2.4	189.7
343.3	16824.4	Min	I	-221.3	-11.6	-1.1	-163.5
-221.2	-2199.5		J	-221.3	-11.6	-1.1	-163.5
-532.4	-2842.6						
		C1-C2;~2 Max	I	41.2	6.3	1.0	175.1
267.2	12857.2		J	41.2	6.3	1.0	175.1
104.4	16268.4	Min	I	-121.3	-13.7	-0.3	-142.6
-57.5	-891.8		J	-121.3	-13.7	-0.3	-142.6
-213.1	-1213.1						
		C3-C4;~2 Max	I	39.9	3.1	1.5	125.2
417.3	9057.8		J	39.9	3.1	1.5	125.2
234.3	11522.8	Min	I	-131.3	-7.9	-0.8	-105.9
-150.8	-1157.8		J	-131.3	-7.9	-0.8	-105.9
-336.2	-1509.2						
		G1	I	-124.5	-0.0	0.6	-2.2
266.7	54.0		J	-124.5	-0.0	1.5	-2.2
-274.5	67.8						
		G2	I	-48.1	0.4	0.4	-3.2
120.3	-678.9		J	-48.1	0.4	0.4	-3.2
-94.7	-898.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-31.5	1.0	0.0	-6.2
7.3	-1833.3		J	-31.5	1.0	0.0	-6.2
-6.5	-2331.8						
		Q5_ps	I	-31.3	1.3	0.0	-7.9


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
8.2	-2254.0			J	-31.3	1.3	0.0	-7.9
-7.6	-2889.5							
			INVSLE Max	I	-1995.9	15.3	3.8	315.3
1265.3	18468.9			J	-1995.9	15.3	5.0	315.3
255.8	24422.2		Min	I	-2449.0	-24.9	-1.0	-328.0
80.5	-12739.8			J	-2449.0	-24.9	0.3	-328.0
-938.0	-15238.6							
			INVSLE Max	I	-1563.3	11.5	2.9	230.5
956.3	12787.0			J	-1563.3	11.5	3.8	230.5
178.5	17055.6		Min	I	-1894.8	-18.2	-0.6	-245.2
79.6	-9957.9			J	-1894.8	-18.2	0.3	-245.2
-704.9	-11846.3							
1154	2	63	C1-C2;~1 Max	I	631.3	1.5	0.1	15.7
58.3	6226.9			J	631.3	1.5	0.1	15.7
35.7	5486.7		Min	I	-87.5	-0.6	-0.1	-74.7
-9.3	-1710.8			J	-87.5	-0.6	-0.1	-74.7
-14.4	-1470.8							
			C3-C4;~1 Max	I	658.8	1.5	0.1	18.8
42.6	5176.6			J	658.8	1.5	0.1	18.8
40.1	4552.4		Min	I	-85.2	-0.7	-0.1	-78.8
-13.5	-2530.2			J	-85.2	-0.7	-0.1	-78.8
-9.0	-2194.8							
			C1-C2;~2 Max	I	392.1	0.9	0.1	7.6
34.8	3854.7			J	392.1	0.9	0.1	7.6
23.2	3389.4		Min	I	-49.6	-0.4	-0.0	-49.2
-4.4	-936.6			J	-49.6	-0.4	-0.0	-49.2
-8.2	-799.4							
			C3-C4;~2 Max	I	399.5	0.9	0.0	9.9
24.6	3124.7			J	399.5	0.9	0.0	9.9
22.9	2746.9		Min	I	-48.3	-0.4	-0.0	-49.2
-7.0	-1445.8			J	-48.3	-0.4	-0.0	-49.2
-4.9	-1249.2							
			G1	I	480.4	0.2	-0.4	-7.5
-14.3	1212.8			J	480.4	0.2	0.4	-7.5
-14.5	1101.7							
			G2	I	189.2	0.0	0.0	1.6
8.6	294.0			J	189.2	0.0	0.0	1.6


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
8.1	283.1						
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc	I	-35.7	0.7	-0.0
-5.5	1107.0			J	-35.7	0.7	-0.0
3.8	750.8						
			Q5_ps	I	-29.2	0.6	-0.0
-6.5	824.6			J	-29.2	0.6	-0.0
4.6	513.1						
			INVS LU Max	I	2140.4	3.8	-0.4
124.4	13717.3			J	2140.4	3.8	0.7
109.6	11875.1		Min	I	1068.6	-0.6	-0.7
17.6	-97.3			J	1068.6	-0.6	0.4
29.2	153.7						
			INVS LE Max	I	1598.2	2.8	-0.3
93.8	10330.4			J	1598.2	2.8	0.5
83.8	8946.5		Min	I	809.0	-0.3	-0.5
15.5	245.0			J	809.0	-0.3	0.3
24.7	364.0						
1155	2	63	C1-C2;~1 Max	I	712.3	1.5	0.0
35.7	5486.7			J	712.3	1.5	0.0
47.7	4754.5		Min	I	-99.8	-0.7	-0.1
-14.4	-1470.9			J	-99.8	-0.7	-0.1
-3.7	-1282.6						
			C3-C4;~1 Max	I	732.9	1.5	0.0
40.1	4552.3			J	732.9	1.5	0.0
41.7	3956.0		Min	I	-97.5	-0.7	-0.0
-9.0	-2194.8			J	-97.5	-0.7	-0.0
-3.7	-1878.3						
			C1-C2;~2 Max	I	440.0	0.9	0.0
23.2	3389.4			J	440.0	0.9	0.0
30.9	2928.8		Min	I	-56.7	-0.4	-0.0
-8.2	-799.4			J	-56.7	-0.4	-0.0
-2.1	-699.7						
			C3-C4;~2 Max	I	442.2	0.9	0.0
22.9	2746.8			J	442.2	0.9	0.0
26.4	2387.4						


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-4.9	-1249.2		Min	I	-55.3	-0.4	-0.0	-38.1
				J	-55.3	-0.4	-0.0	-38.1
-2.1	-1065.3							
			G1	I	533.3	0.2	-0.4	-3.3
-14.5	1101.6			J	533.3	0.2	0.4	-3.3
-11.2	991.7							
			G2	I	210.1	0.0	-0.0	2.1
8.1	283.1			J	210.1	0.0	-0.0	2.1
9.1	271.3							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-32.4	0.7	0.0	6.0
3.8	750.7			J	-32.4	0.7	0.0	6.0
-2.5	394.1							
			Q5_ps	I	-26.8	0.6	0.0	8.0
4.6	513.0			J	-26.8	0.6	0.0	8.0
-2.6	200.7							
			INVSLU Max	I	2341.0	3.7	-0.5	17.3
109.6	11874.9			J	2341.0	3.7	0.6	17.3
125.4	10055.4							
			Min	I	1158.5	-0.6	-0.7	-104.1
29.2	153.7			J	1158.5	-0.6	0.4	-104.1
51.3	391.7							
			INVSLE Max	I	1746.0	2.8	-0.4	11.9
83.8	8946.3			J	1746.0	2.8	0.4	11.9
95.5	7580.3							
			Min	I	874.5	-0.3	-0.5	-77.2
24.7	364.0			J	874.5	-0.3	0.3	-77.2
40.9	474.5							
1156	2	63	C1-C2;~1 Max	I	792.8	1.5	0.0	25.6
47.7	4754.3			J	792.8	1.5	0.0	25.6
47.9	4029.0							
			Min	I	-112.6	-0.7	-0.0	-49.7
-3.7	-1282.6			J	-112.6	-0.7	-0.0	-49.7
-4.1	-1145.8							
			C3-C4;~1 Max	I	808.0	1.5	0.0	23.8
41.7	3955.8			J	808.0	1.5	0.0	23.8
44.2	3390.9							
			Min	I	-110.1	-0.7	-0.0	-43.8
-3.7	-1878.3			J	-110.1	-0.7	-0.0	-43.8
-4.1	-1634.6							

MIDAS

PROJECT TITLE :


		Company				Client		
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
30.9	2928.7	C1-C2;~2	Max	I	487.2	0.9	0.0	15.4
				J	487.2	0.9	0.0	15.4
31.1	2472.4		Min	I	-64.0	-0.4	-0.0	-29.4
-2.1	-699.7			J	-64.0	-0.4	-0.0	-29.4
-2.4	-637.2							
26.4	2387.3	C3-C4;~2	Max	I	485.6	0.9	0.0	13.1
				J	485.6	0.9	0.0	13.1
28.0	2048.6		Min	I	-62.5	-0.4	-0.0	-26.4
-2.1	-1065.3			J	-62.5	-0.4	-0.0	-26.4
-2.3	-934.8							
		G1		I	584.8	0.2	-0.4	0.8
-11.2	991.7			J	584.8	0.2	0.4	0.8
-8.9	883.0							
		G2		I	230.1	0.0	-0.0	1.9
9.1	271.3			J	230.1	0.0	-0.0	1.9
10.0	258.1							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-30.6	0.7	-0.0	5.7
-2.5	394.1			J	-30.6	0.7	-0.0	5.7
-1.1	37.3							
		Q5_ps		I	-26.1	0.6	-0.0	7.2
-2.6	200.6			J	-26.1	0.6	-0.0	7.2
-1.0	-112.4							
125.4	10055.0	INVSLU	Max	I	2540.7	3.7	-0.5	26.6
				J	2540.7	3.7	0.5	26.6
132.6	8248.1		Min	I	1242.8	-0.6	-0.6	-85.4
51.3	391.7			J	1242.8	-0.6	0.5	-85.4
60.3	535.1							
		INVSLE	Max	I	1893.3	2.8	-0.4	18.6
95.5	7580.0			J	1893.3	2.8	0.4	18.6
101.0	6223.6		Min	I	936.0	-0.3	-0.4	-63.6
40.9	474.5			J	936.0	-0.3	0.4	-63.6
47.6	515.3							
1157	2	63 C1-C2;~1	Max	I	873.1	1.5	0.0	40.4
47.9	4028.8			J	873.1	1.5	0.0	40.4
44.1	3438.4		Min	I	-125.5	-0.7	-0.0	-40.4

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-4.1	-1145.8		J	-125.5	-0.7	-0.0	-40.4
-3.6	-1037.6						
44.2	3390.8	C3-C4;~1 Max	I	881.0	1.5	0.0	37.0
40.6	2862.4		J	881.0	1.5	0.0	37.0
-4.1	-1634.6	Min	I	-122.9	-0.7	-0.0	-29.3
-3.5	-1428.0		J	-122.9	-0.7	-0.0	-29.3
31.1	2472.4	C1-C2;~2 Max	I	534.8	0.9	0.0	25.4
29.1	2116.3		J	534.8	0.9	0.0	25.4
-2.4	-637.2	Min	I	-71.4	-0.4	-0.0	-24.4
-2.0	-594.8		J	-71.4	-0.4	-0.0	-24.4
28.0	2048.5	C3-C4;~2 Max	I	527.7	0.9	0.0	22.0
26.1	1734.3		J	527.7	0.9	0.0	22.0
-2.3	-934.7	Min	I	-69.8	-0.4	-0.0	-17.0
-2.0	-830.7		J	-69.8	-0.4	-0.0	-17.0
-8.9	882.9	G1	I	634.2	0.2	-0.4	5.2
-10.8	775.6		J	634.2	0.2	0.4	5.2
10.0	258.1	G2	I	249.1	0.0	0.0	1.6
9.4	243.0		J	249.1	0.0	0.0	1.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-1.1	37.2	Q5_pc	I	-28.9	0.7	-0.0	5.3
-0.4	-319.9		J	-28.9	0.7	-0.0	5.3
-1.0	-112.5	Q5_ps	I	-25.5	0.6	-0.0	6.2
-0.2	-426.5		J	-25.5	0.6	-0.0	6.2
132.6	8247.7	INVSLU Max	I	2732.3	3.7	-0.5	46.5
124.5	7200.0		J	2732.3	3.7	0.6	46.5
60.3	535.2	Min	I	1321.6	-0.6	-0.6	-72.3
59.4	54.4		J	1321.6	-0.6	0.5	-72.3
		INVSLE Max	I	2034.5	2.8	-0.4	32.9


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
101.0	6223.3			J	2034.5	2.8	0.4	32.9	
94.9	5386.9								
			Min	I	993.4	-0.3	-0.4	-54.3	
47.6	515.3								
				J	993.4	-0.3	0.4	-54.3	
46.8	136.5								
1158	2	63	C1-C2;~1	Max	I	949.4	1.5	0.0	58.1
44.1	3438.3								
				J	949.4	1.5	0.0	58.1	
70.9	3131.4								
			Min	I	-138.4	-0.7	-0.1	-33.8	
-3.6	-1037.6								
				J	-138.4	-0.7	-0.1	-33.8	
-8.7	-946.9								
			C3-C4;~1	Max	I	952.3	1.5	0.0	56.3
40.6	2862.3								
				J	952.3	1.5	0.0	56.3	
61.6	2431.1								
			Min	I	-135.6	-0.7	-0.1	-22.8	
-3.5	-1428.0								
				J	-135.6	-0.7	-0.1	-22.8	
-8.4	-1237.7								
			C1-C2;~2	Max	I	579.8	0.9	0.0	37.0
29.1	2116.3								
				J	579.8	0.9	0.0	37.0	
43.4	1971.4								
			Min	I	-78.8	-0.4	-0.0	-19.7	
-2.0	-594.8								
				J	-78.8	-0.4	-0.0	-19.7	
-4.8	-562.6								
			C3-C4;~2	Max	I	568.9	0.9	0.0	35.0
26.1	1734.3								
				J	568.9	0.9	0.0	35.0	
37.0	1489.5								
			Min	I	-77.1	-0.4	-0.0	-13.0	
-2.0	-830.6								
				J	-77.1	-0.4	-0.0	-13.0	
-4.7	-736.3								
			G1	I	681.6	0.2	-0.4	10.1	
-10.8	775.6								
				J	681.6	0.2	0.4	10.1	
2.6	669.8								
			G2	I	267.1	0.0	-0.0	1.7	
9.4	243.0								
				J	267.1	0.0	-0.0	1.7	
14.4	226.6								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0								
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	-27.1	0.7	0.0	4.9	
-0.4	-320.0								
				J	-27.1	0.7	0.0	4.9	
-4.2	-677.5								
			Q5_ps	I	-24.8	0.6	0.0	5.2	
-0.2	-426.6								

MIDAS

PROJECT TITLE :

		Company		Client			
		Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-4.9	-741.5		J	-24.8	0.6	0.0	5.2
124.5	7199.8	INVS LU Max	I	2916.4	3.7	-0.6	73.5
190.6	6606.8		J	2916.4	3.7	0.5	73.5
59.4	54.3	Min	I	1395.1	-0.7	-0.7	-59.4
75.6	-511.0		J	1395.1	-0.7	0.4	-59.4
94.9	5386.8	INVS LE Max	I	2170.3	2.8	-0.4	52.7
143.5	4882.5		J	2170.3	2.8	0.4	52.7
46.8	136.4	Min	I	1047.0	-0.4	-0.5	-45.1
58.9	-299.6		J	1047.0	-0.4	0.3	-45.1
1159	2	63 C1-C2;~1 Max	I	1022.4	1.5	0.2	73.3
70.9	3131.4		J	1022.4	1.5	0.2	73.3
18.3	2942.5	Min	I	-151.2	-0.7	-0.0	-32.2
-8.7	-946.9		J	-151.2	-0.7	-0.0	-32.2
-38.4	-961.1						
61.6	2431.0	C3-C4;~1 Max	I	1024.8	1.5	0.2	72.9
16.9	2223.1		J	1024.8	1.5	0.2	72.9
-8.4	-1237.8	Min	I	-148.3	-0.8	-0.0	-17.8
-31.9	-1226.1		J	-148.3	-0.8	-0.0	-17.8
43.4	1971.4	C1-C2;~2 Max	I	623.4	0.9	0.1	46.9
11.1	1898.7		J	623.4	0.9	0.1	46.9
-4.8	-562.6	Min	I	-86.1	-0.4	-0.0	-18.7
-22.9	-588.9		J	-86.1	-0.4	-0.0	-18.7
37.0	1489.5	C3-C4;~2 Max	I	611.6	0.9	0.1	46.1
9.5	1390.4		J	611.6	0.9	0.1	46.1
-4.7	-736.4	Min	I	-84.3	-0.4	-0.0	-9.7
-18.6	-756.8		J	-84.3	-0.4	-0.0	-9.7
2.6	669.8	G1	I	726.9	0.2	-0.3	15.0
-40.7	565.2		J	726.9	0.2	0.5	15.0
14.4	226.6	G2	I	284.0	0.0	0.0	2.5
-0.9	209.4		J	284.0	0.0	0.0	2.5

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-4.2	-677.6	Q5_pc	I	-24.5	0.7	-0.0	4.3
			J	-24.5	0.7	-0.0	4.3
2.5	-1035.4						
-4.9	-741.6	Q5_ps	I	-23.1	0.6	-0.0	4.2
			J	-23.1	0.6	-0.0	4.2
3.5	-1057.0						
190.6	6606.6	INVS LU Max	I	3097.9	3.7	-0.1	104.1
			J	3097.9	3.7	1.0	104.1
34.0	6186.9						
75.6	-511.5	Min	I	1466.2	-0.7	-0.4	-46.1
			J	1466.2	-0.7	0.7	-46.1
-47.1	-1324.6						
143.5	4882.4	INVS LE Max	I	2304.4	2.8	-0.1	75.7
			J	2304.4	2.8	0.7	75.7
27.2	4507.7						
58.9	-300.0	Min	I	1099.0	-0.4	-0.3	-35.0
			J	1099.0	-0.4	0.5	-35.0
-32.6	-903.4						
1160	2	63 C1-C2;~1 Max	I	1082.5	1.5	0.1	81.9
18.3	2942.2		J	1082.5	1.5	0.1	81.9
181.8	2873.2						
-38.4	-960.7	Min	I	-162.9	-0.7	-0.4	-27.7
			J	-162.9	-0.7	-0.4	-27.7
-25.2	-1150.0						
16.9	2223.1	C3-C4;~1 Max	I	1093.4	1.4	0.1	80.7
			J	1093.4	1.4	0.1	80.7
186.0	2165.4						
-31.9	-1225.4	Min	I	-159.9	-0.7	-0.4	-12.5
			J	-159.9	-0.7	-0.4	-12.5
-23.0	-1386.3						
11.1	1898.6	C1-C2;~2 Max	I	661.0	0.9	0.0	52.7
			J	661.0	0.9	0.0	52.7
111.4	1882.3						
-22.9	-588.7	Min	I	-92.7	-0.4	-0.2	-16.2
			J	-92.7	-0.4	-0.2	-16.2
-13.7	-721.9						
9.5	1390.5	C3-C4;~2 Max	I	653.3	0.9	0.0	51.6
			J	653.3	0.9	0.0	51.6
116.4	1371.7						
		Min	I	-90.9	-0.4	-0.3	-6.4


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-18.6	-756.4		J	-90.9	-0.4	-0.3	-6.4
-12.9	-882.1						
		G1	I	772.2	0.2	-0.6	19.6
-40.7	565.4		J	772.2	0.2	0.2	19.6
75.4	455.4						
		G2	I	300.6	0.0	-0.1	3.8
-0.9	209.5		J	300.6	0.0	-0.1	3.8
37.7	190.3						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-16.2	0.7	-0.0	3.2
2.5	-1035.3		J	-16.2	0.7	-0.0	3.2
11.6	-1396.8						
		Q5_ps	I	-14.7	0.6	-0.0	2.9
3.5	-1056.9		J	-14.7	0.6	-0.0	2.9
12.3	-1376.4						
		INVS LU Max	I	3272.1	3.6	-1.0	129.4
34.0	6186.8		J	3272.1	3.6	0.1	129.4
523.3	5936.8						
		Min	I	1547.0	-0.7	-1.6	-24.2
-47.1	-1323.4		J	1547.0	-0.7	-0.5	-24.2
217.5	-2454.8						
		INVS LE Max	I	2433.8	2.7	-0.7	95.1
27.2	4507.6		J	2433.8	2.7	0.1	95.1
392.8	4259.5						
		Min	I	1158.2	-0.4	-1.2	-18.3
-32.6	-902.4		J	1158.2	-0.4	-0.4	-18.3
167.8	-1710.4						
1161	2	63 C1-C2;~1 Max	I	685.1	0.7	0.1	88.6
30.2	2699.0		J	685.1	0.7	0.1	88.6
43.5	2446.6						
		Min	I	-94.7	-1.3	-0.1	-26.9
-19.5	-4162.6		J	-94.7	-1.3	-0.1	-26.9
-6.6	-3541.7						
		C3-C4;~1 Max	I	700.1	0.5	0.1	79.2
43.5	1938.5		J	700.1	0.5	0.1	79.2
40.1	1708.9						
		Min	I	-94.7	-1.4	-0.1	-17.9
-11.9	-4698.6		J	-94.7	-1.4	-0.1	-17.9
-9.9	-4163.0						
		C1-C2;~2 Max	I	409.0	0.4	0.0	57.3

MIDAS


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
16.4	1575.0		J	409.0	0.4	0.0	57.3
26.2	1433.2						
		Min	I	-53.9	-0.8	-0.1	-14.7
-11.0	-2537.4		J	-53.9	-0.8	-0.1	-14.7
-3.2	-2137.4						
		C3-C4;~2 Max	I	414.2	0.3	0.0	49.8
24.8	1137.8		J	414.2	0.3	0.0	49.8
24.2	999.8						
		Min	I	-53.9	-0.9	-0.0	-9.5
-6.3	-2844.8		J	-53.9	-0.9	-0.0	-9.5
-5.2	-2515.1						
		G1	I	503.1	-0.2	-0.4	8.7
-13.4	-1183.2		J	503.1	-0.2	0.4	8.7
-14.9	-1072.7						
		G2	I	196.2	-0.0	0.0	-1.0
9.5	-330.1		J	196.2	-0.0	0.0	-1.0
7.6	-314.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	24.6	-1.1	0.0	0.5
8.5	-3525.5		J	24.6	-1.1	0.0	0.5
-3.0	-2997.6						
		Q5_ps	I	20.4	-1.0	0.0	-2.1
10.2	-3406.1		J	20.4	-1.0	0.0	-2.1
-3.5	-2910.4						
		INVSLU Max	I	2187.2	0.9	-0.4	153.0
112.6	2661.1		J	2187.2	0.9	0.7	153.0
109.8	2289.8						
		Min	I	1069.8	-4.0	-0.7	-3.9
12.1	-14090.4		J	1069.8	-4.0	0.4	-3.9
32.3	-12328.4						
		INVSLE Max	I	1632.1	0.5	-0.3	114.0
84.9	1345.8		J	1632.1	0.5	0.5	114.0
84.0	1169.4						
		Min	I	807.7	-3.0	-0.5	-2.1
11.6	-10449.2		J	807.7	-3.0	0.3	-2.1
27.0	-9135.7						
		63 C1-C2;~1 Max	I	732.0	0.7	0.0	70.7
1162	2		J	732.0	0.7	0.0	70.7
43.5	2446.7						
		Min	I	-105.8	-1.3	-0.0	-31.7
34.3	2211.8						
-6.6	-3541.7						


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-3.6	-2970.1		J	-105.8	-1.3	-0.0	-31.7
40.1	1709.0	C3-C4;~1	Max	I	759.5	0.5	62.8
41.8	1499.9		J	759.5	0.5	0.0	62.8
-9.9	-4162.9		Min	I	-105.7	-1.4	-19.8
-3.6	-3656.1		J	-105.7	-1.4	-0.0	-19.8
26.2	1433.3	C1-C2;~2	Max	I	436.6	0.4	45.3
21.2	1302.7		J	436.6	0.4	0.0	45.3
-3.2	-2137.3		Min	I	-60.2	-0.8	-18.2
-2.0	-1770.7		J	-60.2	-0.8	-0.0	-18.2
24.2	999.8	C3-C4;~2	Max	I	441.0	0.3	38.9
26.4	874.6		J	441.0	0.3	0.0	38.9
-5.2	-2515.1		Min	I	-60.1	-0.9	-10.7
-2.0	-2204.0		J	-60.1	-0.9	-0.0	-10.7
-14.9	-1072.7		G1	I	554.5	-0.2	4.4
-10.5	-963.4		J	554.5	-0.2	0.4	4.4
7.6	-314.9		G2	I	216.9	-0.0	-1.4
9.5	-298.9		J	216.9	-0.0	-0.0	-1.4
0.0	0.0		Q3	I	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-3.0	-2997.6		Q5_pc	I	22.6	-1.1	1.8
2.5	-2468.6		J	22.6	-1.1	-0.0	1.8
-3.5	-2910.3		Q5_ps	I	19.7	-1.0	0.2
3.0	-2412.5		J	19.7	-1.0	-0.0	0.2
109.8	2289.9		INVSLU	Max	I	2370.5	120.8
118.6	1918.0		J	2370.5	1.0	0.6	120.8
32.3	-12328.4		Min	I	1161.7	-3.9	-20.7
52.7	-10616.8		J	1161.7	-3.9	0.4	-20.7
84.0	1169.4		INVSLE	Max	I	1767.2	89.8

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
90.4	991.7		J	1767.2	0.5	0.4	89.8
		Min	I	874.7	-2.9	-0.5	-14.8
27.0	-9135.7		J	874.7	-2.9	0.3	-14.8
42.0	-7860.7						
1163	2	63 C1-C2;~1 Max	I	770.1	0.7	0.0	50.9
34.3	2211.8		J	770.1	0.7	0.0	50.9
37.8	2009.0	Min	I	-117.1	-1.3	-0.0	-38.9
-3.6	-2969.9		J	-117.1	-1.3	-0.0	-38.9
-4.2	-2514.2						
		C3-C4;~1 Max	I	798.3	0.6	0.0	45.0
41.8	1499.9		J	798.3	0.6	0.0	45.0
43.6	1364.7	Min	I	-116.8	-1.4	-0.0	-24.0
-3.6	-3656.0		J	-116.8	-1.4	-0.0	-24.0
-4.2	-3191.4						
		C1-C2;~2 Max	I	464.8	0.4	0.0	32.2
21.2	1302.6		J	464.8	0.4	0.0	32.2
23.6	1195.0	Min	I	-66.7	-0.8	-0.0	-23.6
-2.0	-1770.7		J	-66.7	-0.8	-0.0	-23.6
-2.4	-1488.0						
		C3-C4;~2 Max	I	483.6	0.3	0.0	27.1
26.4	874.6		J	483.6	0.3	0.0	27.1
27.7	803.2	Min	I	-66.5	-0.9	-0.0	-13.5
-2.0	-2203.9		J	-66.5	-0.9	-0.0	-13.5
-2.4	-1922.2						
		G1	I	604.8	-0.2	-0.4	0.3
-10.5	-963.4		J	604.8	-0.2	0.4	0.3
-8.4	-855.2						
		G2	I	236.9	-0.0	-0.0	-1.1
9.5	-298.9		J	236.9	-0.0	-0.0	-1.1
10.2	-281.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	21.3	-1.1	0.0	4.4
2.5	-2468.5		J	21.3	-1.1	0.0	4.4
1.3	-1936.2						
		Q5_ps	I	19.7	-1.0	0.0	4.0
3.0	-2412.4		J	19.7	-1.0	0.0	4.0

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
1.5	-1909.8						
		INVSLE Max	I	2524.3	1.0	-0.5	94.1
118.6	1917.9		J	2524.3	1.0	0.5	94.1
127.3	1566.4	Min	I	1250.1	-3.9	-0.6	-34.9
52.7	-10616.5		J	1250.1	-3.9	0.5	-34.9
60.4	-8962.4						
		INVSLE Max	I	1880.5	0.5	-0.4	70.1
90.4	991.7		J	1880.5	0.5	0.4	70.1
97.0	895.2	Min	I	939.5	-2.9	-0.4	-24.9
42.0	-7860.4		J	939.5	-2.9	0.4	-24.9
47.6	-6628.6						
1164	2	63 C1-C2;~1 Max	I	831.4	0.7	0.0	36.1
37.8	2009.0		J	831.4	0.7	0.0	36.1
34.9	1837.5	Min	I	-128.5	-1.3	-0.0	-46.6
-4.2	-2514.1		J	-128.5	-1.3	-0.0	-46.6
-4.0	-2266.2						
		C3-C4;~1 Max	I	869.8	0.6	0.0	31.5
43.6	1364.7		J	869.8	0.6	0.0	31.5
39.7	1257.6	Min	I	-128.0	-1.4	-0.0	-37.3
-4.2	-3191.3		J	-128.0	-1.4	-0.0	-37.3
-3.9	-2766.7						
		C1-C2;~2 Max	I	499.8	0.4	0.0	22.3
23.6	1195.0		J	499.8	0.4	0.0	22.3
22.2	1109.8	Min	I	-73.2	-0.8	-0.0	-31.1
-2.4	-1488.0		J	-73.2	-0.8	-0.0	-31.1
-2.3	-1358.2						
		C3-C4;~2 Max	I	524.9	0.3	0.0	18.1
27.7	803.2		J	524.9	0.3	0.0	18.1
25.7	751.6	Min	I	-72.9	-0.9	-0.0	-22.3
-2.4	-1922.2		J	-72.9	-0.9	-0.0	-22.3
-2.2	-1668.1						
		G1	I	653.1	-0.2	-0.4	-4.0
-8.4	-855.2		J	653.1	-0.2	0.4	-4.0
-10.6	-748.3						
		G2	I	255.9	-0.0	0.0	-0.7
10.2	-281.2		J	255.9	-0.0	0.0	-0.7
9.4	-261.6						

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc	I	19.9	-1.1	0.0
1.3	-1936.1			J	19.9	-1.1	0.0
0.5	-1399.8						
			Q5_ps	I	19.5	-1.0	0.0
1.5	-1909.7			J	19.5	-1.0	0.0
0.7	-1401.4						
			INVS LU Max	I	2716.9	1.0	-0.5
127.3	1566.4			J	2716.9	1.0	0.6
118.1	1375.4						
			Min	I	1333.2	-3.9	-0.5
60.4	-8962.1			J	1333.2	-3.9	0.5
58.3	-7359.8						
			INVS LE Max	I	2022.5	0.6	-0.4
97.0	895.2			J	2022.5	0.6	0.4
90.1	848.5						
			Min	I	1000.3	-2.9	-0.4
47.6	-6628.4			J	1000.3	-2.9	0.4
45.9	-5435.4						
		63	C1-C2;~1 Max	I	892.1	0.8	0.0
1165	2			J	892.1	0.8	0.0
34.9	1837.5						
			Min	I	-139.9	-1.3	-0.0
50.8	1677.5			J	-139.9	-1.3	-0.0
-4.0	-2266.1						
-8.0	-2170.9						
			C3-C4;~1 Max	I	939.6	0.6	0.0
39.7	1257.6			J	939.6	0.6	0.0
62.0	1164.3						
			Min	I	-139.3	-1.4	-0.1
-3.9	-2766.6			J	-139.3	-1.4	-0.1
-7.3	-2419.6						
			C1-C2;~2 Max	I	534.7	0.5	0.0
22.2	1109.8			J	534.7	0.5	0.0
29.9	1031.3						
			Min	I	-79.7	-0.8	-0.0
-2.3	-1358.2			J	-79.7	-0.8	-0.0
-4.3	-1340.0						
			C3-C4;~2 Max	I	565.3	0.4	0.0
25.7	751.5			J	565.3	0.4	0.0
37.0	708.0						
			Min	I	-79.3	-0.9	-0.0
-2.2	-1668.1						

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-4.0	-1469.7		J	-79.3	-0.9	-0.0	-35.5
-10.6	-748.3	G1	I	699.3	-0.2	-0.4	-8.8
3.8	-642.7		J	699.3	-0.2	0.4	-8.8
9.4	-261.6	G2	I	273.8	-0.0	-0.0	-0.7
15.2	-240.4		J	273.8	-0.0	-0.0	-0.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.5	-1399.6	Q5_pc	I	18.2	-1.1	-0.0	10.7
5.3	-859.8		J	18.2	-1.1	-0.0	10.7
0.7	-1401.3	Q5_ps	I	18.8	-1.0	-0.0	13.0
6.2	-888.1		J	18.8	-1.0	-0.0	13.0
118.1	1375.3	INVS LU Max	I	2901.5	1.1	-0.6	61.7
184.4	1215.3		J	2901.5	1.1	0.5	61.7
58.3	-7359.5	Min	I	1411.3	-3.9	-0.7	-80.3
80.5	-5863.3		J	1411.3	-3.9	0.4	-80.3
90.1	848.5	INVS LE Max	I	2158.8	0.6	-0.4	46.4
138.8	807.5		J	2158.8	0.6	0.4	46.4
45.9	-5435.1	Min	I	1057.4	-2.9	-0.5	-57.3
62.5	-4321.3		J	1057.4	-2.9	0.3	-57.3
1166	2	63 C1-C2;~1 Max	I	955.2	0.8	0.1	18.2
50.8	1677.5		J	955.2	0.8	0.1	18.2
20.0	1744.9	Min	I	-151.5	-1.3	-0.0	-82.9
-8.0	-2170.9		J	-151.5	-1.3	-0.0	-82.9
-25.9	-2210.1	C3-C4;~1 Max	I	1009.9	0.6	0.2	20.5
62.0	1164.4		J	1009.9	0.6	0.2	20.5
15.8	1248.0	Min	I	-150.8	-1.4	-0.0	-73.9
-7.3	-2419.6		J	-150.8	-1.4	-0.0	-73.9
-32.1	-2266.6	C1-C2;~2 Max	I	571.8	0.5	0.1	10.0
29.9	1031.4						

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
11.2	1110.3		J	571.8	0.5	0.1	10.0
		Min	I	-86.3	-0.8	-0.0	-55.5
-4.3	-1340.0		J	-86.3	-0.8	-0.0	-55.5
-14.9	-1405.6						
		C3-C4;~2 Max	I	606.9	0.4	0.1	10.9
37.0	708.1		J	606.9	0.4	0.1	10.9
9.1	779.6						
		Min	I	-85.8	-0.9	-0.0	-46.6
-4.0	-1469.7		J	-85.8	-0.9	-0.0	-46.6
-18.5	-1401.5						
		G1	I	743.4	-0.2	-0.3	-13.8
3.8	-642.7		J	743.4	-0.2	0.5	-13.8
-41.6	-538.3						
		G2	I	290.6	-0.0	0.0	-1.5
15.2	-240.4		J	290.6	-0.0	0.0	-1.5
-1.6	-218.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	15.0	-1.1	0.0	12.6
5.3	-859.7		J	15.0	-1.1	0.0	12.6
-3.3	-317.4						
		Q5_ps	I	16.1	-1.0	0.0	15.8
6.2	-888.0		J	16.1	-1.0	0.0	15.8
-3.2	-371.2						
		INVSLU Max	I	3080.7	1.1	-0.1	46.1
184.4	1215.6		J	3080.7	1.1	1.0	46.1
32.2	1347.0						
		Min	I	1485.7	-3.9	-0.4	-116.1
80.5	-5863.0		J	1485.7	-3.9	0.7	-116.1
-43.9	-4639.8						
		INVSLE Max	I	2291.3	0.6	-0.1	34.4
138.8	807.7		J	2291.3	0.6	0.7	34.4
25.7	981.6						
		Min	I	1111.9	-2.9	-0.3	-84.0
62.5	-4321.1		J	1111.9	-2.9	0.5	-84.0
-30.2	-3410.7						
1167	2	63 C1-C2;~1 Max	I	1022.1	0.7	0.1	13.5
20.0	1744.2		J	1022.1	0.7	0.1	13.5
185.5	1947.8						
		Min	I	-164.4	-1.3	-0.4	-92.7
-25.9	-2210.4		J	-164.4	-1.3	-0.4	-92.7

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-27.4	-2331.1						
		C3-C4;~1 Max	I	1073.3	0.6	0.1	14.9
15.8	1247.4		J	1073.3	0.6	0.1	14.9
190.7	1489.1						
		Min	I	-163.3	-1.3	-0.4	-82.3
-32.1	-2266.6		J	-163.3	-1.3	-0.4	-82.3
-26.8	-2230.9						
		C1-C2;~2 Max	I	613.5	0.4	0.0	7.1
11.2	1110.0		J	613.5	0.4	0.0	7.1
118.0	1272.5						
		Min	I	-93.6	-0.8	-0.2	-62.1
-14.9	-1405.8		J	-93.6	-0.8	-0.2	-62.1
-15.2	-1511.3						
		C3-C4;~2 Max	I	646.5	0.3	0.0	7.5
9.1	779.2		J	646.5	0.3	0.0	7.5
112.9	949.5						
		Min	I	-92.9	-0.9	-0.2	-52.4
-18.5	-1401.6		J	-92.9	-0.9	-0.2	-52.4
-14.8	-1399.1						
		G1	I	786.2	-0.2	-0.6	-18.7
-41.6	-538.4		J	786.2	-0.2	0.2	-18.7
73.1	-429.8						
		G2	I	305.9	-0.0	-0.1	-3.0
-1.6	-218.4		J	305.9	-0.0	-0.1	-3.0
35.9	-195.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	5.2	-1.1	0.0	11.8
-3.3	-317.0		J	5.2	-1.1	0.0	11.8
-16.0	218.5						
		Q5_ps	I	5.5	-1.0	0.0	15.3
-3.2	-370.8		J	5.5	-1.0	0.0	15.3
-19.9	138.5						
		INVSLU Max	I	3240.6	1.1	-0.9	24.3
32.2	1345.6		J	3240.6	1.1	0.2	24.3
521.8	2051.4						
		Min	I	1560.3	-3.8	-1.6	-144.4
-43.9	-4639.6		J	1560.3	-3.8	-0.5	-144.4
198.5	-4118.5						
		INVSLE Max	I	2410.5	0.6	-0.7	16.9
25.7	980.6		J	2410.5	0.6	0.1	16.9

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
391.4	1549.1		Min	I	1166.5	-2.8	-1.2	-105.6	
-30.2	-3410.6			J	1166.5	-2.8	-0.4	-105.6	
154.0	-2992.0								
1168	2	62	C1-C2;~1	Max	I	11.6	6.6	0.3	86.6
75.7	15847.6			J	11.6	6.6	0.3	86.6	
492.7	17413.0		Min	I	-84.2	-11.7	-1.9	-298.3	
-444.6	-1535.3			J	-84.2	-11.7	-1.9	-298.3	
-77.6	-1726.1								
			C3-C4;~1	Max	I	11.2	3.1	0.6	64.8
170.5	11791.0			J	11.2	3.1	0.6	64.8	
703.6	12858.9		Min	I	-96.9	-6.4	-2.7	-216.4	
-631.4	-1357.5			J	-96.9	-6.4	-2.7	-216.4	
-132.5	-1460.3								
			C1-C2;~2	Max	I	6.6	4.6	0.2	55.6
41.6	11163.2			J	6.6	4.6	0.2	55.6	
287.2	12232.0		Min	I	-50.2	-8.3	-1.1	-205.8	
-257.3	-837.5			J	-50.2	-8.3	-1.1	-205.8	
-43.4	-913.5								
			C3-C4;~2	Max	I	6.4	1.9	0.4	37.3
114.4	8195.4			J	6.4	1.9	0.4	37.3	
434.9	8908.2		Min	I	-58.6	-4.3	-1.6	-145.9	
-386.9	-707.7			J	-58.6	-4.3	-1.6	-145.9	
-85.6	-739.3								
			G1	I	-61.9	0.1	-1.7	2.1	
-353.5	14.2			J	-61.9	0.1	-1.0	2.1	
325.1	-32.3								
			G2	I	-24.0	0.3	-0.5	12.7	
-126.9	-636.5			J	-24.0	0.3	-0.5	12.7	
139.5	-807.6								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	-10.8	0.6	0.1	27.3	
12.6	-1518.4			J	-10.8	0.6	0.1	27.3	
-12.8	-1841.8								
			Q5_ps	I	-11.0	0.8	0.0	36.2	
4.5	-1926.5			J	-11.0	0.8	0.0	36.2	
-5.5	-2321.0								

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

239.7	20215.9	INVSLE Max	I	-1631.2	22.6	0.1	273.9
			J	-1631.2	22.6	1.1	273.9
1082.1	16070.3	INVSLE Min	I	-1797.2	-3.3	-4.4	-294.8
-865.6	-6565.5		J	-1797.2	-3.3	-3.4	-294.8
-69.7	-13809.6						
190.6	14730.7	INVSLE Max	I	-1288.1	17.9	0.1	210.0
			J	-1288.1	17.9	0.9	210.0
793.9	11037.0	INVSLE Min	I	-1409.5	-1.2	-3.2	-207.6
-626.5	-4792.0		J	-1409.5	-1.2	-2.5	-207.6
-57.5	-10715.6						
1169	2	62 C1-C2;~1 Max	I	13.0	14.4	0.3	127.4
75.4	17410.5		J	13.0	14.4	0.3	127.4
468.0	14505.3	62 C1-C2;~1 Min	I	-90.3	-6.9	-1.8	-248.7
-417.4	-1725.7		J	-90.3	-6.9	-1.8	-248.7
-77.1	-1430.7						
182.7	12857.1	C3-C4;~1 Max	I	12.6	8.8	0.6	93.1
			J	12.6	8.8	0.6	93.1
675.8	10502.7	C3-C4;~1 Min	I	-103.4	-3.1	-2.6	-177.8
-600.2	-1460.3		J	-103.4	-3.1	-2.6	-177.8
-141.4	-1412.8						
41.5	12230.3	C1-C2;~2 Max	I	7.4	10.2	0.2	85.3
			J	7.4	10.2	0.2	85.3
272.5	10226.4	C1-C2;~2 Min	I	-53.7	-4.8	-1.0	-171.1
-241.3	-913.3		J	-53.7	-4.8	-1.0	-171.1
-43.1	-773.1						
123.3	8907.0	C3-C4;~2 Max	I	7.1	6.0	0.4	57.9
			J	7.1	6.0	0.4	57.9
418.0	7293.9	C3-C4;~2 Min	I	-62.2	-1.9	-1.6	-119.0
-368.0	-739.3		J	-62.2	-1.9	-1.6	-119.0
-92.1	-754.8						
-333.6	-32.3	G1	I	-68.0	-0.1	-1.7	1.7
			J	-68.0	-0.1	-0.9	1.7
308.8	0.7						
-119.5	-807.4	G2	I	-26.6	-0.5	-0.5	7.6
			J	-26.6	-0.5	-0.5	7.6
133.8	-572.3						
		Q3	I	0.0	0.0	0.0	0.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
15.5	-1841.3	Q5_pc		I	-11.3	-0.8	0.1
				J	-11.3	-0.8	0.1
-14.5	-1427.0						
6.7	-2320.4	Q5_ps		I	-11.7	-1.1	0.0
				J	-11.7	-1.1	0.0
-6.3	-1771.0						
249.8	16068.4	INVS LU Max		I	-1723.9	19.0	0.1
				J	-1723.9	19.0	1.2
1050.6	12341.1	Min		I	-1901.3	-11.2	-4.3
				J	-1901.3	-11.2	-3.3
-834.9	-13806.6						
-78.5	-12225.6						
197.4	11035.8	INVS LE Max		I	-1357.3	14.0	0.1
				J	-1357.3	14.0	0.9
770.5	8309.3	Min		I	-1487.2	-8.3	-3.1
				J	-1487.2	-8.3	-2.4
-604.0	-10713.3						
-63.9	-9596.4						
1170	2	62 C1-C2;~1 Max		I	14.5	11.8	0.3
79.6	14504.8			J	14.5	11.8	0.3
457.2	13405.4	Min		I	-97.3	-9.2	-1.7
				J	-97.3	-9.2	-1.7
-403.3	-1430.7						
-77.3	-1187.0						
191.5	10502.6	C3-C4;~1 Max		I	14.0	6.9	0.7
				J	14.0	6.9	0.7
661.1	9612.1	Min		I	-110.8	-4.7	-2.5
				J	-110.8	-4.7	-2.5
-581.9	-1412.8						
-145.9	-1309.7						
46.1	10226.1	C1-C2;~2 Max		I	8.3	8.3	0.2
				J	8.3	8.3	0.2
267.1	9467.1	Min		I	-57.7	-6.5	-1.0
				J	-57.7	-6.5	-1.0
-233.8	-773.1						
-43.2	-650.2						
129.5	7293.9	C3-C4;~2 Max		I	8.0	4.7	0.4
				J	8.0	4.7	0.4
410.0	6684.2	Min		I	-66.5	-3.1	-1.5
				J	-66.5	-3.1	-1.5
-357.7	-754.8						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-95.2	-693.6						
		G1	I	-74.0	-0.0	-1.6	1.8
-315.4	0.7		J	-74.0	-0.0	-0.8	1.8
293.9	23.6						
		G2	I	-29.0	-0.2	-0.5	3.6
-112.2	-572.3		J	-29.0	-0.2	-0.5	3.6
127.9	-480.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-12.2	-0.3	0.1	8.5
15.9	-1426.9		J	-12.2	-0.3	0.1	8.5
-14.7	-1279.0						
		Q5_ps	I	-12.6	-0.4	0.0	11.7
7.4	-1770.9		J	-12.6	-0.4	0.0	11.7
-6.6	-1572.5						
		INVS LU Max	I	-1811.3	14.2	0.2	252.4
267.1	12340.2		J	-1811.3	14.2	1.2	252.4
1039.3	11722.4		Min	-2002.3	-14.7	-4.2	-274.4
-805.5	-12225.6		J	-2002.3	-14.7	-3.2	-274.4
-76.5	-10821.1						
		INVS LE Max	I	-1422.6	10.4	0.2	186.7
208.7	8308.6		J	-1422.6	10.4	0.9	186.7
763.3	7925.3		Min	-1562.5	-11.0	-3.1	-202.4
-583.7	-9596.4		J	-1562.5	-11.0	-2.3	-202.4
-61.3	-8513.5						
1171	2	62 C1-C2;~1 Max	I	16.1	9.0	0.3	196.4
81.5	13405.1		J	16.1	9.0	0.3	196.4
450.3	14828.8		Min	-104.1	-12.2	-1.7	-182.8
-391.3	-1186.9		J	-104.1	-12.2	-1.7	-182.8
-77.4	-1116.6						
		C3-C4;~1 Max	I	15.5	4.9	0.7	148.2
196.3	9612.1		J	15.5	4.9	0.7	148.2
650.4	10495.5		Min	-118.1	-7.1	-2.4	-133.2
-565.8	-1309.7		J	-118.1	-7.1	-2.4	-133.2
-149.7	-1200.4						
		C1-C2;~2 Max	I	9.1	6.3	0.2	134.1
47.3	9466.9		J	9.1	6.3	0.2	134.1

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
264.4	10454.9		Min	I	-61.6	-8.6	-1.0	-124.2
-227.8	-650.2			J	-61.6	-8.6	-1.0	-124.2
-43.3	-561.3							
132.8	6684.2	C3-C4;~2	Max	I	8.8	3.2	0.5	96.9
404.8	7283.5			J	8.8	3.2	0.5	96.9
-349.2	-693.5		Min	I	-70.6	-4.8	-1.5	-87.3
-97.8	-584.8			J	-70.6	-4.8	-1.5	-87.3
-297.4	23.6		G1	I	-79.8	-0.0	-1.5	1.9
279.0	35.8			J	-79.8	-0.0	-0.8	1.9
-104.5	-480.6		G2	I	-31.3	0.2	-0.5	0.6
121.3	-574.5			J	-31.3	0.2	-0.5	0.6
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
16.9	-1278.9		Q5_pc	I	-13.1	0.4	0.1	2.1
-15.7	-1480.9			J	-13.1	0.4	0.1	2.1
9.1	-1572.4		Q5_ps	I	-13.5	0.5	0.0	3.3
-8.3	-1832.3			J	-13.5	0.5	0.0	3.3
276.7	11721.9		INVS LU Max	I	-1892.3	12.6	0.2	241.9
1028.3	13792.2			J	-1892.3	12.6	1.2	241.9
-782.6	-10820.9		Min	I	-2097.1	-16.8	-4.1	-273.8
-80.2	-11097.4			J	-2097.1	-16.8	-3.1	-273.8
214.6	7925.0		INVS LE Max	I	-1483.1	9.3	0.2	176.0
756.1	9437.0			J	-1483.1	9.3	0.9	176.0
-567.8	-8513.4		Min	I	-1633.0	-12.4	-3.0	-205.8
-62.9	-8697.4			J	-1633.0	-12.4	-2.3	-205.8
1172	2	62	C1-C2;~1	Max	17.7	6.9	0.3	233.7
87.1	14829.3			J	17.7	6.9	0.3	233.7
433.4	18031.9		Min	I	-111.1	-14.9	-1.6	-146.8
-368.7	-1116.6			J	-111.1	-14.9	-1.6	-146.8
-77.3	-1277.0							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

205.2	10495.6	C3-C4;~1	Max	I	17.0	3.3	0.7	177.4
				J	17.0	3.3	0.7	177.4
631.5	13161.0		Min	I	-125.1	-9.3	-2.3	-109.7
-541.0	-1200.4			J	-125.1	-9.3	-2.3	-109.7
-156.5	-1365.3							
		C1-C2;~2	Max	I	10.1	4.8	0.2	160.3
51.2	10455.2			J	10.1	4.8	0.2	160.3
254.8	12644.1		Min	I	-65.7	-10.5	-0.9	-98.6
-214.5	-561.2			J	-65.7	-10.5	-0.9	-98.6
-43.2	-589.8							
		C3-C4;~2	Max	I	9.7	2.0	0.5	117.6
139.1	7283.7			J	9.7	2.0	0.5	117.6
394.2	8955.5		Min	I	-74.6	-6.3	-1.5	-70.6
-334.7	-584.8			J	-74.6	-6.3	-1.5	-70.6
-102.5	-632.4							
		G1		I	-85.6	-0.0	-1.5	2.1
-278.1	35.8			J	-85.6	-0.0	-0.7	2.1
262.6	47.4							
		G2		I	-33.6	0.5	-0.4	-3.5
-96.8	-574.5			J	-33.6	0.5	-0.4	-3.5
114.7	-812.7							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-14.0	1.0	0.1	-6.2
16.8	-1480.8			J	-14.0	1.0	0.1	-6.2
-15.8	-1960.8							
		Q5_ps		I	-14.4	1.3	0.0	-7.7
9.1	-1832.2			J	-14.4	1.3	0.0	-7.7
-8.6	-2458.5							
		INVSLU	Max	I	-1967.7	9.3	0.2	244.3
293.8	13793.2			J	-1967.7	9.3	1.2	244.3
1022.2	18975.3		Min	I	-2185.7	-21.8	-4.0	-280.5
-743.8	-11097.0			J	-2185.7	-21.8	-3.0	-280.5
-69.9	-11674.1							
		INVSLE	Max	I	-1539.3	6.7	0.2	173.6
226.8	9437.8			J	-1539.3	6.7	0.9	173.6
752.2	13296.7							


MIDAS

PROJECT TITLE :

		Company						Client	
		Author						File Name	
							PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-539.6	-8697.1		Min	I	-1698.9	-16.2	-3.0	-214.3	
				J	-1698.9	-16.2	-2.2	-214.3	
-54.6	-9002.7								
1173	2	62	C1-C2;~1	Max	I	19.4	12.2	0.4	283.4
105.3	18034.6				J	19.4	12.2	0.4	283.4
401.1	16125.5								
			Min	I	-120.1	-6.3	-1.5	-112.6	
-339.1	-1277.2			J	-120.1	-6.3	-1.5	-112.6	
-81.3	-1079.4								
			C3-C4;~1	Max	I	18.7	6.8	0.8	216.3
226.5	13163.0			J	18.7	6.8	0.8	216.3	
595.7	11604.3								
			Min	I	-134.3	-2.4	-2.2	-89.0	
-501.4	-1365.4			J	-134.3	-2.4	-2.2	-89.0	
-175.1	-1320.4								
			C1-C2;~2	Max	I	11.0	8.6	0.2	194.9
63.9	12645.9			J	11.0	8.6	0.2	194.9	
234.6	11370.2								
			Min	I	-71.2	-4.4	-0.9	-73.8	
-196.7	-589.9			J	-71.2	-4.4	-0.9	-73.8	
-45.9	-529.8								
			C3-C4;~2	Max	I	10.6	4.6	0.5	144.7
154.0	8956.8			J	10.6	4.6	0.5	144.7	
371.8	8066.4								
			Min	I	-80.2	-1.4	-1.4	-55.5	
-309.8	-632.4			J	-80.2	-1.4	-1.4	-55.5	
-115.7	-648.4								
			G1	I	-91.3	-0.1	-1.4	1.9	
-256.1	47.4			J	-91.3	-0.1	-0.6	1.9	
243.2	99.5								
			G2	I	-35.7	-0.4	-0.4	-8.7	
-88.6	-813.0			J	-35.7	-0.4	-0.4	-8.7	
107.2	-601.1								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	-14.6	-0.7	0.1	-16.6	
15.6	-1961.2			J	-14.6	-0.7	0.1	-16.6	
-15.1	-1601.1								
			Q5_ps	I	-14.9	-0.9	0.0	-21.2	
7.4	-2459.0			J	-14.9	-0.9	0.0	-21.2	
-7.5	-1993.1								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
372.2	18977.4	INVSLE Max	I	-2039.5	2.1	0.6	256.8
			J	-2039.5	2.1	1.6	256.8
890.3	23598.8	Min	I	-2273.2	-24.2	-3.6	-307.6
-638.7	-11676.5		J	-2273.2	-24.2	-2.5	-307.6
-177.5	-3476.6						
286.6	13298.1	INVSLE Max	I	-1593.1	0.2	0.5	177.5
			J	-1593.1	0.2	1.2	177.5
652.8	17398.2	Min	I	-1764.2	-19.1	-2.6	-238.4
-460.1	-9004.5		J	-1764.2	-19.1	-1.8	-238.4
-136.1	-2329.5						
1174	2	62 C1-C2;~1 Max	I	20.9	127.2	1.1	568.4
289.0	16116.9		J	20.9	127.2	1.1	568.4
322.2	7116.5	Min	I	-141.4	-15.9	-1.2	-67.5
-277.7	-1080.3		J	-141.4	-15.9	-1.2	-67.5
-269.5	-47672.9						
395.3	11597.1	C3-C4;~1 Max	I	20.2	108.3	1.5	438.1
			J	20.2	108.3	1.5	438.1
400.9	5862.6	Min	I	-154.4	-13.2	-1.5	-51.0
-354.7	-1320.6		J	-154.4	-13.2	-1.5	-51.0
-354.3	-42796.6						
190.9	11364.3	C1-C2;~2 Max	I	11.9	85.2	0.7	388.4
			J	11.9	85.2	0.7	388.4
185.0	3357.5	Min	I	-84.9	-7.5	-0.7	-33.0
-158.3	-530.6		J	-84.9	-7.5	-0.7	-33.0
-175.8	-31334.1						
271.1	8061.4	C3-C4;~2 Max	I	11.5	71.1	1.0	294.5
			J	11.5	71.1	1.0	294.5
234.1	2589.4	Min	I	-93.2	-5.8	-0.9	-24.4
-206.7	-648.7		J	-93.2	-5.8	-0.9	-24.4
-240.1	-27718.8						
-222.5	99.9	G1	I	-97.3	0.2	-1.2	6.8
			J	-97.3	0.2	-0.5	6.8
209.1	-23.2						
-90.5	-600.2	G2	I	-36.6	-10.2	-0.4	-33.4
			J	-36.6	-10.2	-0.4	-33.4
111.5	4478.6						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	0.0	0.0	0.0	0.0
-11.1	-1599.4	Q5_pc	I	-13.7	-19.7	-0.1	-67.8
15.6	8262.8		J	-13.7	-19.7	-0.1	-67.8
-31.3	-1991.0	Q5_ps	I	-12.9	-25.9	-0.1	-89.6
37.6	10981.6		J	-12.9	-25.9	-0.1	-89.6
633.2	23593.9	INVSLU Max	I	-2107.8	110.5	1.6	595.0
646.6	60912.6		J	-2107.8	110.5	2.6	595.0
-399.2	-3465.6	Min	I	-2369.2	-128.0	-2.6	-412.3
-401.1	-31887.5		J	-2369.2	-128.0	-1.6	-412.3
488.9	17395.3	INVSLE Max	I	-1644.3	74.5	1.2	419.7
460.8	46932.0		J	-1644.3	74.5	2.0	419.7
-274.3	-2320.9	Min	I	-1836.0	-97.9	-1.8	-312.0
-313.2	-20037.7		J	-1836.0	-97.9	-1.1	-312.0
1175	2	62 C1-C2;~1 Max	I	11.4	6.6	0.4	224.5
87.5	3403.2		J	11.4	6.6	0.4	224.5
663.5	3906.2	Min	I	-107.9	-4.0	-2.6	-99.2
-619.1	-10985.1		J	-107.9	-4.0	-2.6	-99.2
-90.2	-12296.9						
165.5	1183.3	C3-C4;~1 Max	I	11.4	6.4	0.6	215.3
706.0	1262.0		J	11.4	6.4	0.6	215.3
-633.9	-11587.6	Min	I	-99.9	-3.1	-2.7	-57.3
-127.1	-12677.3		J	-99.9	-3.1	-2.7	-57.3
48.5	2118.7	C1-C2;~2 Max	I	6.5	4.6	0.2	151.3
402.4	2425.8		J	6.5	4.6	0.2	151.3
-374.2	-7585.7	Min	I	-66.7	-2.6	-1.6	-60.1
-50.5	-8453.3		J	-66.7	-2.6	-1.6	-60.1
107.3	629.5	C3-C4;~2 Max	I	6.5	4.3	0.4	142.2
433.9	651.7		J	6.5	4.3	0.4	142.2
-386.2	-7962.4	Min	I	-60.3	-1.9	-1.6	-33.5
-78.4	-8675.9		J	-60.3	-1.9	-1.6	-33.5

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-362.6	-90.2	G1	I	-63.4	-0.0	-1.8	-0.1
333.2	-69.5		J	-63.4	-0.0	-1.0	-0.1
-127.1	590.7	G2	I	-24.3	-0.3	-0.5	-10.9
139.5	748.8		J	-24.3	-0.3	-0.5	-10.9
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-14.3	-202.6	Q5_pc	I	11.6	0.1	-0.1	-0.7
12.3	-235.3		J	11.6	0.1	-0.1	-0.7
-5.1	10.7	Q5_ps	I	11.9	-0.0	-0.0	-4.2
3.2	35.1		J	11.9	-0.0	-0.0	-4.2
241.1	7543.9	INVSLU Max	I	-1629.3	-4.0	0.1	180.5
1077.9	14748.6		J	-1629.3	-4.0	1.1	180.5
-863.9	-13058.4	Min	I	-1812.0	-18.5	-4.4	-257.9
-68.9	-8062.6		J	-1812.0	-18.5	-3.4	-257.9
192.3	5720.8	INVSLE Max	I	-1287.1	-4.2	0.1	124.8
790.1	11656.0		J	-1287.1	-4.2	0.9	124.8
-624.3	-9513.1	Min	I	-1420.4	-14.9	-3.2	-199.9
-57.8	-5209.9		J	-1420.4	-14.9	-2.5	-199.9
1176	2	62 C1-C2;~1 Max	I	12.7	4.2	0.4	184.8
87.6	3905.7		J	12.7	4.2	0.4	184.8
640.2	3273.0	Min	I	-115.9	-8.4	-2.5	-110.2
-594.3	-12295.0		J	-115.9	-8.4	-2.5	-110.2
-90.5	-10220.5						
176.0	1262.0	C3-C4;~1 Max	I	12.8	3.0	0.6	175.8
678.2	1254.4		J	12.8	3.0	0.6	175.8
-602.7	-12675.5	Min	I	-106.8	-8.8	-2.6	-86.1
-134.9	-10329.0		J	-106.8	-8.8	-2.6	-86.1
48.4	2425.5	C1-C2;~2 Max	I	7.2	2.6	0.2	124.3
388.3	2039.8		J	7.2	2.6	0.2	124.3


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-359.6	-8452.1		Min	I	-71.4	-5.9	-1.5	-68.7
				J	-71.4	-5.9	-1.5	-68.7
-50.7	-7059.3							
114.9	651.8	C3-C4;~2	Max	I	7.3	1.8	0.4	114.7
				J	7.3	1.8	0.4	114.7
417.2	682.6							
-367.4	-8674.7		Min	I	-64.2	-5.9	-1.6	-54.1
				J	-64.2	-5.9	-1.6	-54.1
-84.2	-7090.5							
-343.6	-69.4		G1	I	-69.8	-0.0	-1.7	-0.5
				J	-69.8	-0.0	-0.9	-0.5
317.8	-65.5							
-120.2	748.6		G2	I	-26.9	0.4	-0.5	-6.2
				J	-26.9	0.4	-0.5	-6.2
134.2	531.3							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
-18.8	-235.2		Q5_pc	I	11.8	-0.0	-0.1	-0.5
				J	11.8	-0.0	-0.1	-0.5
16.0	-229.2							
-10.0	35.2		Q5_ps	I	12.0	0.1	-0.0	-2.2
				J	12.0	0.1	-0.0	-2.2
7.3	-21.2							
253.9	14746.0		INVSLU Max	I	-1721.7	6.9	0.2	188.0
				J	-1721.7	6.9	1.2	188.0
1046.0	13295.7							
-831.2	-8061.9		Min	I	-1916.6	-10.7	-4.3	-210.9
				J	-1916.6	-10.7	-3.2	-210.9
-80.6	-5479.5							
201.2	11653.9		INVSLE Max	I	-1355.6	5.1	0.2	135.2
				J	-1355.6	5.1	0.9	135.2
766.1	10571.2							
-600.1	-5209.5		Min	I	-1498.3	-7.9	-3.1	-160.3
				J	-1498.3	-7.9	-2.4	-160.3
-66.2	-3305.8							
1177	2	62	C1-C2;~1	Max	14.2	4.8	0.4	156.2
88.1	3272.9			J	14.2	4.8	0.4	156.2
626.5	3099.2							
-570.8	-10220.4		Min	I	-122.8	-6.8	-2.4	-119.6
				J	-122.8	-6.8	-2.4	-119.6
-91.3	-9312.2							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
184.9	1254.4	C3-C4;~1 Max	I	14.2	4.6	0.6	148.4
			J	14.2	4.6	0.6	148.4
663.6	1165.9	Min	I	-114.6	-6.9	-2.5	-117.8
-584.3	-10328.9		J	-114.6	-6.9	-2.5	-117.8
-139.0	-9442.1						
		C1-C2;~2 Max	I	8.1	3.3	0.2	104.6
48.5	2039.8		J	8.1	3.3	0.2	104.6
380.9	1936.5	Min	I	-75.2	-4.8	-1.5	-82.1
-345.5	-7059.2		J	-75.2	-4.8	-1.5	-82.1
-51.0	-6433.2						
		C3-C4;~2 Max	I	8.1	3.1	0.4	97.3
121.2	682.6		J	8.1	3.1	0.4	97.3
409.2	626.5	Min	I	-68.6	-4.6	-1.5	-76.3
-357.1	-7090.4		J	-68.6	-4.6	-1.5	-76.3
-86.9	-6490.0						
		G1	I	-76.0	0.0	-1.6	-1.2
-325.4	-65.5		J	-76.0	0.0	-0.9	-1.2
302.9	-70.6						
		G2	I	-29.4	0.2	-0.5	-2.6
-113.0	531.3		J	-29.4	0.2	-0.5	-2.6
128.3	445.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	12.5	-0.0	-0.1	0.0
-19.3	-229.1		J	12.5	-0.0	-0.1	0.0
16.4	-222.4						
		Q5_ps	I	12.7	0.0	-0.0	-0.4
-10.8	-21.2		J	12.7	0.0	-0.0	-0.4
8.0	-36.5						
		INVSLU Max	I	-1807.8	8.6	0.2	198.9
269.6	13295.7		J	-1807.8	8.6	1.2	198.9
1035.0	12017.6	Min	I	-2015.3	-7.2	-4.2	-173.4
-803.6	-5479.0		J	-2015.3	-7.2	-3.2	-173.4
-78.0	-5313.5						
		INVSLE Max	I	-1419.9	6.5	0.2	147.0
211.2	10571.3		J	-1419.9	6.5	0.9	147.0
759.1	9558.5	Min	I	-1571.9	-5.2	-3.1	-128.8


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-581.2	-3305.4			J	-1571.9	-5.2	-2.3	-128.8	
-63.1	-3249.6								
1178	2	62	C1-C2;~1	Max	I	15.6	7.1	0.4	135.3
88.4	3099.1				J	15.6	7.1	0.4	135.3
599.2	3487.7			Min	I	-131.6	-6.2	-2.3	-146.1
-551.0	-9312.2				J	-131.6	-6.2	-2.3	-146.1
-91.9	-10308.4								
			C3-C4;~1	Max	I	15.7	7.0	0.7	129.6
189.9	1165.9				J	15.7	7.0	0.7	129.6
653.3	1040.5			Min	I	-122.3	-4.8	-2.4	-141.9
-568.6	-9442.1				J	-122.3	-4.8	-2.4	-141.9
-143.1	-10339.4								
			C1-C2;~2	Max	I	8.9	4.9	0.2	90.1
48.5	1936.4				J	8.9	4.9	0.2	90.1
363.5	2179.3			Min	I	-80.5	-4.2	-1.4	-100.5
-334.4	-6433.2				J	-80.5	-4.2	-1.4	-100.5
-51.3	-7083.4								
			C3-C4;~2	Max	I	8.9	4.7	0.4	84.2
124.6	626.5				J	8.9	4.7	0.4	84.2
404.2	513.9			Min	I	-73.0	-3.1	-1.5	-92.8
-348.7	-6490.0				J	-73.0	-3.1	-1.5	-92.8
-89.7	-7062.1								
			G1		I	-82.0	0.0	-1.6	-1.7
-307.4	-70.6				J	-82.0	0.0	-0.8	-1.7
288.1	-87.7								
			G2		I	-31.8	-0.2	-0.5	0.2
-105.4	445.8				J	-31.8	-0.2	-0.5	0.2
121.9	530.9								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc		I	13.4	-0.0	-0.1	0.6
-19.4	-222.3				J	13.4	-0.0	-0.1	0.6
16.5	-205.1								
			Q5_ps		I	13.5	-0.1	-0.0	1.3
-11.2	-36.4				J	13.5	-0.1	-0.0	1.3
8.3	15.4								
			INVSLU	Max	I	-1887.6	9.6	0.2	216.0


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
278.8	12017.3			J	-1887.6	9.6	1.2	216.0
1024.1	12510.2		Min	I	-2110.5	-8.4	-4.1	-165.0
-780.2	-5313.4			J	-2110.5	-8.4	-3.1	-165.0
-80.6	-6525.6							
		INVSLE	Max	I	-1479.4	7.1	0.2	163.1
216.9	9558.4			J	-1479.4	7.1	0.9	163.1
752.1	9931.6		Min	I	-1642.8	-6.2	-3.0	-119.1
-565.0	-3249.6			J	-1642.8	-6.2	-2.3	-119.1
-64.1	-4141.6							
1179	2	62 C1-C2;~1	Max	I	17.1	9.2	0.4	114.3
97.2	3487.7			J	17.1	9.2	0.4	114.3
587.7	4699.4		Min	I	-139.3	-5.3	-2.2	-168.2
-524.3	-10308.4			J	-139.3	-5.3	-2.2	-168.2
-92.5	-12806.5							
		C3-C4;~1	Max	I	17.2	9.3	0.7	106.7
198.9	1040.5			J	17.2	9.3	0.7	106.7
634.6	1165.4		Min	I	-129.7	-3.1	-2.4	-172.3
-543.9	-10339.5			J	-129.7	-3.1	-2.4	-172.3
-149.9	-12709.2							
		C1-C2;~2	Max	I	9.7	6.3	0.2	75.8
54.8	2179.3			J	9.7	6.3	0.2	75.8
358.5	2967.7		Min	I	-85.0	-3.4	-1.3	-115.1
-318.4	-7083.5			J	-85.0	-3.4	-1.3	-115.1
-51.4	-8725.1							
		C3-C4;~2	Max	I	9.8	6.2	0.5	68.3
131.0	513.9			J	9.8	6.2	0.5	68.3
393.6	550.4		Min	I	-77.2	-1.9	-1.5	-113.8
-334.2	-7062.2			J	-77.2	-1.9	-1.5	-113.8
-94.5	-8757.0							
		G1		I	-87.9	0.1	-1.5	-2.6
-288.1	-87.7			J	-87.9	0.1	-0.7	-2.6
271.8	-124.7							
		G2		I	-34.1	-0.4	-0.4	3.8
-97.8	530.9			J	-34.1	-0.4	-0.4	3.8
115.3	746.7							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0						
-19.6	-205.0	Q5_pc	I	14.2	-0.1	-0.1	1.4
16.6	-170.5		J	14.2	-0.1	-0.1	1.4
-11.8	15.5	Q5_ps	I	14.3	-0.2	-0.0	3.6
8.8	130.3		J	14.3	-0.2	-0.0	3.6
296.5	12509.8	INVSLU Max	I	-1961.8	13.5	0.2	239.4
1016.6	13657.5		J	-1961.8	13.5	1.2	239.4
-741.5	-6526.1	Min	I	-2198.6	-6.2	-4.0	-150.1
-72.3	-10282.4		J	-2198.6	-6.2	-3.0	-150.1
229.5	9931.2	INVSLE Max	I	-1534.7	10.1	0.2	184.2
747.1	10733.7		J	-1534.7	10.1	0.9	184.2
-536.8	-4142.0	Min	I	-1708.2	-4.5	-2.9	-104.1
-57.2	-6976.8		J	-1708.2	-4.5	-2.2	-104.1
1180	2	62 C1-C2;~1 Max	I	18.7	4.6	0.4	102.2
113.2	4700.1		J	18.7	4.6	0.4	102.2
557.2	3656.6	Min	I	-148.0	-7.1	-2.1	-204.1
-492.8	-12808.5		J	-148.0	-7.1	-2.1	-204.1
-94.2	-11161.0						
220.2	1165.5	C3-C4;~1 Max	I	18.8	2.4	0.8	85.3
599.7	1156.1		J	18.8	2.4	0.8	85.3
-504.9	-12711.2	Min	I	-139.3	-6.9	-2.2	-212.5
-168.8	-11396.4		J	-139.3	-6.9	-2.2	-212.5
65.9	2968.1	C1-C2;~2 Max	I	10.6	2.9	0.2	61.7
339.7	2273.3		J	10.6	2.9	0.2	61.7
-299.2	-8726.4	Min	I	-90.3	-4.9	-1.3	-139.0
-52.0	-7669.1		J	-90.3	-4.9	-1.3	-139.0
145.9	550.4	C3-C4;~2 Max	I	10.7	1.4	0.5	53.0
371.9	581.8		J	10.7	1.4	0.5	53.0
-309.9	-8758.3	Min	I	-82.9	-4.6	-1.4	-141.2
-107.8	-7824.6		J	-82.9	-4.6	-1.4	-141.2


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-266.5	-124.6	G1	I	-93.7	0.0	-1.4	-3.0
			J	-93.7	0.0	-0.7	-3.0
252.8	-144.8						
		G2	I	-36.3	0.4	-0.4	8.6
-89.8	746.9		J	-36.3	0.4	-0.4	8.6
108.1	551.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	15.0	0.1	-0.1	2.5
-20.3	-170.4		J	15.0	0.1	-0.1	2.5
17.3	-220.6						
		Q5_ps	I	15.0	0.3	-0.0	6.4
-13.0	130.4		J	15.0	0.3	-0.0	6.4
9.8	3.7						
		INVSLU Max	I	-2032.6	21.2	0.6	287.0
375.0	13660.2		J	-2032.6	21.2	1.6	287.0
889.0	4798.0	Min	I	-2284.7	5.3	-3.6	-142.2
-640.6	-10283.2		J	-2284.7	5.3	-2.6	-142.2
-179.6	-15920.4						
		INVSLE Max	I	-1587.7	17.0	0.5	224.1
289.4	10735.9		J	-1587.7	17.0	1.2	224.1
650.8	3517.7	Min	I	-1772.5	5.2	-2.6	-93.5
-460.2	-6977.2		J	-1772.5	5.2	-1.8	-93.5
-138.4	-11799.9						
		62 C1-C2;~1 Max	I	20.2	35.1	0.9	132.7
1181	2		J	20.2	35.1	0.9	132.7
227.2	3654.2						
		Min	I	-160.7	-105.1	-2.0	-436.1
514.2	41655.9		J	-160.7	-105.1	-2.0	-436.1
-464.7	-11153.3						
		C3-C4;~1 Max	I	20.3	11.2	1.5	45.3
-202.1	-14826.0		J	20.3	11.2	1.5	45.3
		Min	I	-159.9	-104.9	-1.6	-440.3
387.0	1156.4		J	-159.9	-104.9	-1.6	-440.3
413.2	41479.8						
		C1-C2;~2 Max	I	11.5	20.2	0.5	77.9
-367.3	-11389.0		J	11.5	20.2	0.5	77.9
-345.6	-5009.9						
		Min	I	-98.4	-68.6	-1.2	-291.0
145.3	2271.9						
310.4	26781.0						


MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-281.1	-7664.0			J	-98.4	-68.6	-1.2	-291.0
-126.0	-8460.1							
		C3-C4;~2	Max	I	11.5	5.0	1.0	21.6
260.7	582.2			J	11.5	5.0	1.0	21.6
243.4	27230.5		Min	I	-96.0	-69.7	-0.9	-287.0
-216.1	-7819.7			J	-96.0	-69.7	-0.9	-287.0
-229.5	-2275.2							
		G1		I	-99.6	-1.5	-1.3	-10.8
-233.1	-145.0			J	-99.6	-1.5	-0.5	-10.8
219.3	614.2							
		G2		I	-37.3	9.3	-0.4	31.0
-91.1	551.0			J	-37.3	9.3	-0.4	31.0
111.8	-4095.2							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	17.0	2.1	-0.1	7.9
-27.2	-220.6			J	17.0	2.1	-0.1	7.9
26.4	-1246.1							
		Q5_ps		I	17.3	5.5	-0.1	20.2
-23.3	3.5			J	17.3	5.5	-0.1	20.2
22.9	-2764.8							
		INVSLE Max		I	-2100.4	127.6	1.6	423.3
647.6	4786.5			J	-2100.4	127.6	2.6	423.3
803.7	17854.8		Min	I	-2375.2	-65.4	-3.2	-364.4
-551.1	-15918.8			J	-2375.2	-65.4	-2.2	-364.4
-404.5	-60638.9							
		INVSLE Max		I	-1638.8	100.4	1.3	329.8
499.6	3508.6			J	-1638.8	100.4	2.0	329.8
575.4	10094.5		Min	I	-1840.1	-42.3	-2.3	-252.7
-384.7	-11799.3			J	-1840.1	-42.3	-1.5	-252.7
-316.0	-47882.8							
1182	2	70 C1-C2;~1	Max	I	1636.5	0.9	0.1	19.2
53.2	4365.8			J	1636.5	0.9	0.1	19.2
79.2	4267.4		Min	I	-307.9	-1.0	-0.1	-74.1
-18.7	-1810.0			J	-307.9	-1.0	-0.1	-74.1
-12.2	-1734.9							
		C3-C4;~1	Max	I	1651.5	0.7	0.0	11.5

MIDAS


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
37.3	3342.9		J	1651.5	0.7	0.0	11.5
78.9	3323.0						
		Min	I	-303.3	-0.8	-0.2	-70.3
-21.2	-2302.7						
			J	-303.3	-0.8	-0.2	-70.3
-11.6	-2219.1						
		C1-C2;~2 Max	I	992.1	0.6	0.0	10.7
32.8	2746.3						
			J	992.1	0.6	0.0	10.7
50.5	2662.2						
		Min	I	-175.4	-0.6	-0.1	-49.0
-10.6	-1033.9						
			J	-175.4	-0.6	-0.1	-49.0
-6.7	-978.8						
		C3-C4;~2 Max	I	980.2	0.5	0.0	5.9
22.4	2060.6						
			J	980.2	0.5	0.0	5.9
49.0	2044.1						
		Min	I	-172.7	-0.5	-0.1	-44.0
-11.9	-1316.8						
			J	-172.7	-0.5	-0.1	-44.0
-6.5	-1251.8						
		G1	I	1135.6	-0.0	-0.6	-13.7
-31.5	320.0						
			J	1135.6	-0.0	0.4	-13.7
13.0	336.4						
		G2	I	441.9	-0.0	-0.0	-2.0
4.4	98.5						
			J	441.9	-0.0	-0.0	-2.0
20.7	108.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0						
			J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	17.8	0.0	-0.0	2.2
-3.1	-1265.3						
			J	17.8	0.0	-0.0	2.2
1.9	-1288.0						
		Q5_ps	I	17.0	0.0	-0.0	3.7
-3.9	-1321.1						
			J	17.0	0.0	-0.0	3.7
2.5	-1343.2						
		INVSLU Max	I	4605.9	1.3	-0.7	13.2
116.4	8049.9						
			J	4605.9	1.3	0.5	13.2
249.0	7894.6						
		Min	I	1928.7	-1.3	-1.1	-116.7
10.3	-3230.1						
			J	1928.7	-1.3	0.2	-116.7
122.1	-3180.6						
		INVSLE Max	I	3410.0	1.0	-0.5	9.9
87.9	5898.2						
			J	3410.0	1.0	0.4	9.9
187.0	5776.6						
		Min	I	1429.3	-0.9	-0.8	-86.0
9.7	-2288.6						

PROJECT TITLE :

		Company		Client			
		Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
93.2	-2255.5		J	1429.3	-0.9	0.1	-86.0
1183	2	70 C1-C2;~1 Max	I	1668.5	0.9	0.0	24.6
79.2	4267.5		J	1668.5	0.9	0.0	24.6
81.0	4215.2		J	1668.5	0.9	0.0	24.6
		Min	I	-321.7	-1.0	-0.1	-61.3
-12.2	-1734.9		J	-321.7	-1.0	-0.1	-61.3
-10.6	-1681.6		J	-321.7	-1.0	-0.1	-61.3
		C3-C4;~1 Max	I	1679.6	0.7	0.1	16.3
78.9	3323.1		J	1679.6	0.7	0.1	16.3
73.5	3320.9		J	1679.6	0.7	0.1	16.3
		Min	I	-316.9	-0.8	-0.0	-55.6
-11.6	-2219.2		J	-316.9	-0.8	-0.0	-55.6
-10.5	-2145.9		J	-316.9	-0.8	-0.0	-55.6
		C1-C2;~2 Max	I	1010.7	0.6	0.0	14.4
50.5	2662.2		J	1010.7	0.6	0.0	14.4
51.6	2610.7		J	1010.7	0.6	0.0	14.4
		Min	I	-183.3	-0.6	-0.0	-40.8
-6.7	-978.8		J	-183.3	-0.6	-0.0	-40.8
-6.1	-936.5		J	-183.3	-0.6	-0.0	-40.8
		C3-C4;~2 Max	I	996.0	0.5	0.0	9.1
49.0	2044.2		J	996.0	0.5	0.0	9.1
45.8	2036.9		J	996.0	0.5	0.0	9.1
		Min	I	-180.4	-0.5	-0.0	-34.5
-6.5	-1251.8		J	-180.4	-0.5	-0.0	-34.5
-6.0	-1191.7		J	-180.4	-0.5	-0.0	-34.5
		G1	I	1149.7	-0.0	-0.4	-8.0
13.0	336.4		J	1149.7	-0.0	0.5	-8.0
2.1	354.3		J	1149.7	-0.0	0.5	-8.0
		G2	I	447.7	-0.0	0.0	-0.8
20.7	108.4		J	447.7	-0.0	0.0	-0.8
16.2	118.1		J	447.7	-0.0	0.0	-0.8
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
		Q5_pc	I	19.3	0.0	0.0	1.9
1.9	-1288.0		J	19.3	0.0	0.0	1.9
-1.0	-1311.0		J	19.3	0.0	0.0	1.9
		Q5_ps	I	18.1	0.0	0.0	3.2
2.5	-1343.2		J	18.1	0.0	0.0	3.2
-1.2	-1365.9		J	18.1	0.0	0.0	3.2
		INVSLU Max	I	4652.3	1.3	-0.5	30.3
249.0	7894.8		J	4652.3	1.3	-0.5	30.3

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
225.0	7812.5		J	4652.3	1.3	0.8	30.3
		Min	I	1916.0	-1.3	-0.6	-89.1
122.1	-3180.6		J	1916.0	-1.3	0.6	-89.1
99.4	-3134.8						
		INVSLE Max	I	3442.8	1.0	-0.4	22.7
187.0	5776.7		J	3442.8	1.0	0.6	22.7
169.2	5710.0	Min	I	1418.5	-1.0	-0.5	-65.5
93.2	-2255.5		J	1418.5	-1.0	0.4	-65.5
76.3	-2224.3						
1184	2	70 C1-C2;~1 Max	I	1701.2	0.9	0.0	33.3
81.0	4215.2		J	1701.2	0.9	0.0	33.3
84.3	4240.5	Min	I	-335.8	-1.0	-0.0	-50.3
-10.6	-1681.6		J	-335.8	-1.0	-0.0	-50.3
-12.0	-1672.8						
		C3-C4;~1 Max	I	1709.0	0.7	0.0	26.4
73.5	3320.8		J	1709.0	0.7	0.0	26.4
79.6	3357.0	Min	I	-330.8	-0.8	-0.0	-42.0
-10.5	-2145.9		J	-330.8	-0.8	-0.0	-42.0
-11.8	-2150.5						
		C1-C2;~2 Max	I	1029.8	0.6	0.0	21.5
51.6	2610.6		J	1029.8	0.6	0.0	21.5
53.5	2615.7	Min	I	-191.4	-0.6	-0.0	-31.4
-6.1	-936.5		J	-191.4	-0.6	-0.0	-31.4
-6.8	-924.8						
		C3-C4;~2 Max	I	1012.9	0.5	0.0	16.1
45.8	2036.9		J	1012.9	0.5	0.0	16.1
49.4	2054.5	Min	I	-188.3	-0.5	-0.0	-25.9
-6.0	-1191.7		J	-188.3	-0.5	-0.0	-25.9
-6.7	-1187.7						
		G1	I	1161.5	-0.0	-0.5	-2.4
2.1	354.3		J	1161.5	-0.0	0.5	-2.4
7.1	373.8						
		G2	I	452.2	-0.0	-0.0	0.0
16.2	118.1		J	452.2	-0.0	-0.0	0.0
18.1	126.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-1.0	-1311.0	Q5_pc	I	20.1	0.0	-0.0	1.4
-0.3	-1334.7		J	20.1	0.0	-0.0	1.4
-1.2	-1365.9	Q5_ps	I	18.5	0.0	-0.0	2.2
-0.3	-1389.5		J	18.5	0.0	-0.0	2.2
225.0	7812.5	INVS LU Max	I	4695.5	1.3	-0.6	46.7
239.4	7840.1		J	4695.5	1.3	0.6	46.7
99.4	-3134.8	Min	I	1898.8	-1.3	-0.7	-68.8
108.9	-3190.1		J	1898.8	-1.3	0.6	-68.8
169.2	5710.0	INVS LE Max	I	3473.5	0.9	-0.5	34.6
179.9	5724.8		J	3473.5	0.9	0.5	34.6
76.3	-2224.3	Min	I	1404.5	-1.0	-0.5	-50.7
83.3	-2267.8		J	1404.5	-1.0	0.4	-50.7
1185	2	70 C1-C2;~1 Max	I	1730.2	0.8	0.0	47.2
84.3	4240.5		J	1730.2	0.8	0.0	47.2
77.6	4358.2	Min	I	-349.9	-1.0	-0.0	-41.7
-12.0	-1672.8		J	-349.9	-1.0	-0.0	-41.7
-10.2	-1753.3						
79.6	3357.0	C3-C4;~1 Max	I	1736.1	0.7	0.0	40.0
72.0	3422.8		J	1736.1	0.7	0.0	40.0
-11.8	-2150.5	Min	I	-344.7	-0.8	-0.0	-29.5
-10.1	-2243.5		J	-344.7	-0.8	-0.0	-29.5
53.5	2615.7	C1-C2;~2 Max	I	1046.7	0.6	0.0	30.5
49.7	2688.8		J	1046.7	0.6	0.0	30.5
-6.8	-924.8	Min	I	-199.4	-0.7	-0.0	-26.1
-5.8	-977.9		J	-199.4	-0.7	-0.0	-26.1
49.4	2054.5	C3-C4;~2 Max	I	1028.3	0.5	0.0	24.9
45.0	2090.5		J	1028.3	0.5	0.0	24.9
-6.7	-1187.7	Min	I	-196.2	-0.5	-0.0	-17.7
-5.7	-1248.0		J	-196.2	-0.5	-0.0	-17.7
		G1	I	1170.5	-0.0	-0.5	3.3


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
7.1	373.9		J	1170.5	-0.0	0.5	3.3
2.2	395.2						
		G2	I	455.4	-0.0	0.0	0.7
18.1	126.9		J	455.4	-0.0	0.0	0.7
16.3	134.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	20.9	0.0	0.0	0.8
-0.3	-1334.7		J	20.9	0.0	0.0	0.8
-0.5	-1358.9						
		Q5_ps	I	18.9	0.0	0.0	1.2
-0.3	-1389.5		J	18.9	0.0	0.0	1.2
-0.4	-1414.2						
		INVSLU Max	I	4729.9	1.2	-0.6	68.1
239.4	7840.1		J	4729.9	1.2	0.7	68.1
221.2	7995.9						
		Min	I	1876.1	-1.3	-0.6	-53.3
108.9	-3190.2		J	1876.1	-1.3	0.6	-53.3
101.9	-3362.5						
		INVSLE Max	I	3497.8	0.9	-0.4	50.1
179.9	5724.8		J	3497.8	0.9	0.5	50.1
166.4	5834.8						
		Min	I	1386.7	-1.0	-0.5	-39.7
83.3	-2267.8		J	1386.7	-1.0	0.5	-39.7
78.1	-2397.7						
		70 C1-C2;~1 Max	I	1755.7	0.8	0.0	62.4
1186	2		J	1755.7	0.8	0.0	62.4
77.6	4358.3						
		Min	I	-364.0	-1.0	-0.1	-34.9
101.8	4552.3		J	-364.0	-1.0	-0.1	-34.9
-10.2	-1753.3						
		C3-C4;~1 Max	I	1760.8	0.7	0.0	55.0
-18.2	-1852.6		J	1760.8	0.7	0.0	55.0
72.0	3422.8						
		Min	I	-358.5	-0.8	-0.1	-21.1
94.0	3522.0		J	-358.5	-0.8	-0.1	-21.1
-10.1	-2243.5						
		C1-C2;~2 Max	I	1061.5	0.5	0.0	40.3
-17.9	-2352.3		J	1061.5	0.5	0.0	40.3
49.7	2688.8						
		Min	I	-207.5	-0.7	-0.0	-21.2
63.0	2817.7						
-5.8	-977.9						


MIDAS

PROJECT TITLE :

		Company		Client			
		Author		File Name			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H
-10.4	-1042.6		J	-207.5	-0.7	-0.0	-21.2
45.0	2090.5	C3-C4;~2 Max	I	1042.5	0.4	0.0	34.5
57.0	2147.9		J	1042.5	0.4	0.0	34.5
-5.7	-1248.0	Min	I	-204.1	-0.5	-0.0	-12.0
-10.1	-1318.1		J	-204.1	-0.5	-0.0	-12.0
2.2	395.2	G1	I	1176.9	-0.0	-0.5	9.0
15.8	418.3		J	1176.9	-0.0	0.4	9.0
16.3	134.8	G2	I	457.5	-0.0	-0.0	1.5
21.4	141.9		J	457.5	-0.0	-0.0	1.5
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.5	-1358.9	Q5_pc	I	21.8	0.0	-0.0	0.3
-0.4	-1383.8		J	21.8	0.0	-0.0	0.3
-0.4	-1414.3	Q5_ps	I	19.3	0.1	0.0	0.2
-0.8	-1439.9		J	19.3	0.1	0.0	0.2
221.2	7996.0	INVSLU Max	I	4755.8	1.2	-0.6	93.3
272.6	8259.9		J	4755.8	1.2	0.6	93.3
101.9	-3362.5	Min	I	1848.2	-1.4	-0.8	-38.7
109.9	-3552.1		J	1848.2	-1.4	0.5	-38.7
166.4	5834.8	INVSLE Max	I	3516.0	0.9	-0.5	68.6
204.1	6025.1		J	3516.0	0.9	0.5	68.6
78.1	-2397.7	Min	I	1365.1	-1.0	-0.6	-29.1
83.6	-2540.0		J	1365.1	-1.0	0.4	-29.1
1187	2	70 C1-C2;~1 Max	I	1779.3	0.8	0.2	75.8
101.8	4552.3		J	1779.3	0.8	0.2	75.8
31.4	4788.7	Min	I	-377.8	-1.0	-0.1	-29.1
-18.2	-1852.6		J	-377.8	-1.0	-0.1	-29.1
-34.5	-1966.4						
94.0	3522.0	C3-C4;~1 Max	I	1785.9	0.7	0.2	69.6


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
23.2	3638.3		J	1785.9	0.7	0.2	69.6
		Min	I	-372.1	-0.9	-0.1	-16.5
-17.9	-2352.4		J	-372.1	-0.9	-0.1	-16.5
-28.9	-2485.4						
		C1-C2;~2 Max	I	1075.7	0.5	0.1	48.8
63.0	2817.7		J	1075.7	0.5	0.1	48.8
19.5	2977.1	Min	I	-215.3	-0.7	-0.0	-16.9
-10.4	-1042.6		J	-215.3	-0.7	-0.0	-16.9
-21.3	-1115.4						
		C3-C4;~2 Max	I	1057.4	0.4	0.1	44.1
57.0	2147.9		J	1057.4	0.4	0.1	44.1
14.0	2214.5	Min	I	-211.8	-0.5	-0.0	-9.0
-10.1	-1318.1		J	-211.8	-0.5	-0.0	-9.0
-17.4	-1404.2						
		G1	I	1181.0	-0.0	-0.4	14.8
15.8	418.3		J	1181.0	-0.0	0.6	14.8
-36.6	442.9						
		G2	I	458.3	-0.0	0.0	2.8
21.4	141.9		J	458.3	-0.0	0.0	2.8
2.9	148.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	22.7	0.1	0.0	-0.0
-0.4	-1383.8		J	22.7	0.1	0.0	-0.0
-0.9	-1409.0						
		Q5_ps	I	19.9	0.1	-0.0	-0.4
-0.8	-1439.9		J	19.9	0.1	-0.0	-0.4
-0.2	-1466.2						
		INVSLU Max	I	4779.1	1.2	-0.2	121.0
272.6	8259.9		J	4779.1	1.2	1.1	121.0
92.8	8592.0	Min	I	1817.2	-1.4	-0.5	-20.6
109.9	-3552.2		J	1817.2	-1.4	0.7	-20.6
2.2	-3764.3						
		INVSLE Max	I	3532.5	0.9	-0.1	89.2
204.1	6025.1		J	3532.5	0.9	0.8	89.2
71.1	6266.6	Min	I	1341.5	-1.0	-0.4	-15.7
83.6	-2540.2		J	1341.5	-1.0	0.5	-15.7


MIDAS

PROJECT TITLE :


		Company					Client		
		Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
4.2	-2698.4								
1188	2	70	C1-C2;~1	Max	I	1800.4	0.8	0.1	85.1
31.4	4788.6				J	1800.4	0.8	0.1	85.1
242.0	5056.6								
-34.5	-1966.1			Min	I	-390.6	-1.0	-0.5	-25.3
-46.0	-2108.7				J	-390.6	-1.0	-0.5	-25.3
23.2	3638.2		C3-C4;~1	Max	I	1814.4	0.7	0.1	79.4
					J	1814.4	0.7	0.1	79.4
257.1	3786.7								
-28.9	-2485.3			Min	I	-384.9	-0.9	-0.5	-12.3
-45.2	-2650.2				J	-384.9	-0.9	-0.5	-12.3
19.5	2977.1		C1-C2;~2	Max	I	1089.4	0.6	0.1	54.7
					J	1089.4	0.6	0.1	54.7
151.1	3157.3								
-21.3	-1115.3			Min	I	-222.7	-0.7	-0.3	-14.6
-26.1	-1205.2				J	-222.7	-0.7	-0.3	-14.6
14.0	2214.4		C3-C4;~2	Max	I	1075.4	0.4	0.1	50.5
					J	1075.4	0.4	0.1	50.5
161.0	2301.3								
-17.4	-1404.2			Min	I	-219.1	-0.5	-0.3	-6.2
-25.7	-1510.5				J	-219.1	-0.5	-0.3	-6.2
-36.6	442.9			G1	I	1186.5	-0.0	-0.7	20.5
					J	1186.5	-0.0	0.2	20.5
85.7	467.2								
2.9	148.7			G2	I	459.2	-0.0	-0.1	4.6
					J	459.2	-0.0	-0.1	4.6
41.8	155.5								
0.0	0.0			Q3	I	0.0	0.0	0.0	0.0
					J	0.0	0.0	0.0	0.0
0.0	0.0								
-0.9	-1409.0			Q5_pc	I	24.1	0.1	-0.0	-0.1
					J	24.1	0.1	-0.0	-0.1
2.5	-1434.4								
-0.2	-1466.1			Q5_ps	I	21.4	0.1	-0.0	-0.7
					J	21.4	0.1	-0.0	-0.7
2.5	-1492.8								
92.8	8591.9			INVSLU Max	I	4813.4	1.2	-0.9	146.8
					J	4813.4	1.2	0.3	146.8

MIDAS


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
619.4	8976.9		Min	I	1793.2	-1.4	-1.8	-2.5
2.2	-3764.0			J	1793.2	-1.4	-0.5	-2.5
205.7	-4009.2							
		INVSLE	Max	I	3557.5	0.9	-0.7	108.6
71.1	6266.6			J	3557.5	0.9	0.2	108.6
464.1	6548.0		Min	I	1323.6	-1.1	-1.3	-1.9
4.2	-2698.2			J	1323.6	-1.1	-0.4	-1.9
157.9	-2880.0							
1189	2	70 C1-C2;~1	Max	I	1526.3	0.9	0.0	79.2
23.8	3318.8			J	1526.3	0.9	0.0	79.2
80.5	3201.4		Min	I	-308.7	-0.9	-0.2	-21.2
-28.8	-3123.9			J	-308.7	-0.9	-0.2	-21.2
-13.6	-2937.2							
		C3-C4;~1	Max	I	1604.1	0.9	0.1	69.5
37.4	2117.0			J	1604.1	0.9	0.1	69.5
81.9	2027.4		Min	I	-304.9	-0.7	-0.2	-13.1
-21.0	-3437.6			J	-304.9	-0.7	-0.2	-13.1
-13.3	-3447.3							
		C1-C2;~2	Max	I	911.3	0.6	0.0	51.5
13.3	2042.9			J	911.3	0.6	0.0	51.5
48.4	1949.9		Min	I	-175.9	-0.6	-0.1	-12.4
-17.2	-1953.0			J	-175.9	-0.6	-0.1	-12.4
-7.7	-1808.8							
		C3-C4;~2	Max	I	960.8	0.5	0.0	44.0
22.1	1229.0			J	960.8	0.5	0.0	44.0
47.9	1163.2		Min	I	-173.6	-0.4	-0.1	-7.0
-12.1	-2098.0			J	-173.6	-0.4	-0.1	-7.0
-7.5	-2095.0							
		G1		I	1138.2	0.1	-0.5	13.8
-31.2	-386.3			J	1138.2	0.1	0.4	13.8
12.5	-427.5							
		G2		I	443.3	0.0	-0.0	2.2
5.1	-162.3			J	443.3	0.0	-0.0	2.2
20.3	-182.8							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
6.2	-1507.3	Q5_pc	I	-25.0	-0.0	0.0	-4.6
			J	-25.0	-0.0	0.0	-4.6
-1.5	-1499.6						
8.0	-1540.4	Q5_ps	I	-21.1	-0.0	0.0	-6.4
			J	-21.1	-0.0	0.0	-6.4
-1.5	-1538.4						
104.8	4577.2	INVS LU Max	I	4542.0	1.3	-0.7	132.6
			J	4542.0	1.3	0.5	132.6
247.2	4380.3	Min	I	1914.7	-1.2	-1.1	-11.2
4.2	-7257.0		J	1914.7	-1.2	0.2	-11.2
115.7	-7294.7						
79.1	3276.7	INVS LE Max	I	3362.2	1.0	-0.5	97.7
			J	3362.2	1.0	0.4	97.7
185.6	3136.7	Min	I	1419.4	-0.9	-0.8	-8.2
5.4	-5288.4		J	1419.4	-0.9	0.1	-8.2
88.4	-5311.5						
1190	2	70 C1-C2;~1 Max	I	1548.9	0.9	0.1	64.0
80.5	3201.5		J	1548.9	0.9	0.1	64.0
61.7	3090.0	Min	I	-321.5	-0.9	-0.0	-26.1
-13.6	-2937.3		J	-321.5	-0.9	-0.0	-26.1
-10.2	-2810.7						
81.9	2027.5	C3-C4;~1 Max	I	1630.9	0.9	0.1	55.2
			J	1630.9	0.9	0.1	55.2
72.3	1962.6	Min	I	-317.5	-0.7	-0.0	-17.6
-13.3	-3447.3		J	-317.5	-0.7	-0.0	-17.6
-10.1	-3478.7						
48.4	1950.0	C1-C2;~2 Max	I	923.7	0.6	0.0	41.4
			J	923.7	0.6	0.0	41.4
37.9	1859.1	Min	I	-183.2	-0.6	-0.0	-16.9
-7.7	-1808.8		J	-183.2	-0.6	-0.0	-16.9
-5.8	-1704.7						
47.9	1163.2	C3-C4;~2 Max	I	975.8	0.5	0.0	34.6
			J	975.8	0.5	0.0	34.6
45.1	1111.8	Min	I	-180.8	-0.4	-0.0	-10.0
-7.5	-2095.1		J	-180.8	-0.4	-0.0	-10.0
-5.7	-2103.9						
12.5	-427.6	G1	I	1151.8	0.1	-0.4	8.1

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
2.3	-470.3		J	1151.8	0.1	0.5	8.1
20.3	-182.8	G2	I	449.1	0.0	0.0	1.0
16.5	-203.0		J	449.1	0.0	0.0	1.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-1.5	-1499.6	Q5_pc	I	-25.1	-0.0	-0.0	-2.7
1.7	-1490.3		J	-25.1	-0.0	-0.0	-2.7
-1.5	-1538.4	Q5_ps	I	-20.4	-0.0	-0.0	-3.7
2.4	-1534.1		J	-20.4	-0.0	-0.0	-3.7
247.2	4380.3	INVS LU Max	I	4586.9	1.4	-0.5	100.5
215.3	4179.5		J	4586.9	1.4	0.8	100.5
115.7	-7294.8	Min	I	1906.1	-1.1	-0.6	-25.9
100.9	-7370.9		J	1906.1	-1.1	0.6	-25.9
185.6	3136.7	INVS LE Max	I	3394.1	1.0	-0.4	73.9
162.0	2993.2		J	3394.1	1.0	0.6	73.9
88.4	-5311.6	Min	I	1411.6	-0.8	-0.5	-19.3
77.5	-5363.9		J	1411.6	-0.8	0.4	-19.3
1191	2	70 C1-C2;~1 Max	I	1572.7	1.0	0.0	48.7
61.7	3090.0		J	1572.7	1.0	0.0	48.7
69.3	2995.1	Min	I	-334.2	-0.9	-0.0	-37.2
-10.2	-2810.7		J	-334.2	-0.9	-0.0	-37.2
-12.0	-2811.6						
72.3	1962.6	C3-C4;~1 Max	I	1659.1	0.9	0.0	41.9
77.8	1938.3		J	1659.1	0.9	0.0	41.9
-10.1	-3478.7	Min	I	-330.1	-0.7	-0.0	-27.8
-11.8	-3550.5		J	-330.1	-0.7	-0.0	-27.8
37.9	1859.1	C1-C2;~2 Max	I	937.1	0.6	0.0	31.3
42.7	1779.0		J	937.1	0.6	0.0	31.3
-5.8	-1704.7	Min	I	-190.4	-0.6	-0.0	-24.5
			J	-190.4	-0.6	-0.0	-24.5


MIDAS

PROJECT TITLE :

	Company					Client		
	Author					File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-6.8	-1691.7							
45.1	1111.8	C3-C4;~2	Max	I	991.9	0.6	0.0	25.7
48.5	1087.7			J	991.9	0.6	0.0	25.7
-5.7	-2103.9		Min	I	-187.9	-0.4	-0.0	-16.8
-6.7	-2139.4			J	-187.9	-0.4	-0.0	-16.8
2.3	-470.3	G1		I	1163.0	0.1	-0.5	2.4
7.0	-514.7			J	1163.0	0.1	0.5	2.4
16.5	-203.0	G2		I	453.6	0.0	-0.0	0.3
18.2	-222.2			J	453.6	0.0	-0.0	0.3
0.0	0.0	Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
1.7	-1490.4	Q5_pc		I	-25.2	-0.0	0.0	0.1
0.7	-1478.5			J	-25.2	-0.0	0.0	0.1
2.4	-1534.1	Q5_ps		I	-19.9	-0.0	0.0	0.0
1.1	-1526.0			J	-19.9	-0.0	0.0	0.0
215.3	4179.5	INVSLU	Max	I	4630.5	1.4	-0.6	72.5
231.2	3994.3			J	4630.5	1.4	0.6	72.5
100.9	-7370.9		Min	I	1894.1	-1.1	-0.7	-43.6
108.8	-7503.6			J	1894.1	-1.1	0.6	-43.6
162.0	2993.2	INVSLE	Max	I	3425.2	1.0	-0.5	53.6
173.9	2861.1			J	3425.2	1.0	0.5	53.6
77.5	-5363.9		Min	I	1401.6	-0.8	-0.5	-32.4
83.3	-5458.7			J	1401.6	-0.8	0.4	-32.4
1192	2	70 C1-C2;~1	Max	I	1594.7	1.0	0.0	36.3
69.3	2995.1			J	1594.7	1.0	0.0	36.3
61.9	3142.7		Min	I	-346.8	-0.8	-0.0	-51.1
-12.0	-2811.6			J	-346.8	-0.8	-0.0	-51.1
-10.7	-2957.7							
77.8	1938.3	C3-C4;~1	Max	I	1685.0	0.9	0.0	30.2
				J	1685.0	0.9	0.0	30.2

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
70.5	2018.5		Min	I	-342.6	-0.7	-0.0	-42.0
-11.8	-3550.6			J	-342.6	-0.7	-0.0	-42.0
-10.5	-3655.7							
		C1-C2;~2	Max	I	949.5	0.6	0.0	22.8
42.7	1779.0			J	949.5	0.6	0.0	22.8
38.3	1879.5		Min	I	-197.7	-0.6	-0.0	-33.7
-6.8	-1691.7			J	-197.7	-0.6	-0.0	-33.7
-6.1	-1783.7							
		C3-C4;~2	Max	I	1006.6	0.6	0.0	17.8
48.5	1087.7			J	1006.6	0.6	0.0	17.8
44.3	1139.7		Min	I	-195.0	-0.4	-0.0	-26.0
-6.7	-2139.5			J	-195.0	-0.4	-0.0	-26.0
-6.0	-2197.3							
		G1		I	1171.6	0.1	-0.5	-3.3
7.0	-514.7			J	1171.6	0.1	0.5	-3.3
2.2	-560.9							
		G2		I	456.9	0.0	0.0	-0.3
18.2	-222.2			J	456.9	0.0	0.0	-0.3
16.4	-240.4							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-25.6	-0.0	-0.0	3.1
0.7	-1478.5			J	-25.6	-0.0	-0.0	3.1
1.1	-1463.5							
		Q5_ps		I	-19.8	-0.0	-0.0	4.3
1.1	-1526.0			J	-19.8	-0.0	-0.0	4.3
1.6	-1513.6							
		INVSLU	Max	I	4665.7	1.4	-0.6	55.3
231.2	3994.3			J	4665.7	1.4	0.7	55.3
211.6	4130.8		Min	I	1876.6	-1.0	-0.6	-68.2
108.8	-7503.6			J	1876.6	-1.0	0.6	-68.2
100.0	-7681.3							
		INVSLE	Max	I	3450.2	1.1	-0.4	41.1
173.9	2861.1			J	3450.2	1.1	0.5	41.1
159.3	2967.4		Min	I	1387.7	-0.8	-0.5	-50.0
83.3	-5458.7			J	1387.7	-0.8	0.5	-50.0
76.8	-5587.2							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

1193	2	70	C1-C2;~1	Max	I	1615.3	1.0	0.0	26.6
61.9	3142.7				J	1615.3	1.0	0.0	26.6
80.4	3301.2								
				Min	I	-359.5	-0.8	-0.1	-66.6
-10.7	-2957.7				J	-359.5	-0.8	-0.1	-66.6
-16.2	-3218.4								
			C3-C4;~1	Max	I	1708.3	0.9	0.0	23.3
70.5	2018.5				J	1708.3	0.9	0.0	23.3
91.7	2144.9								
				Min	I	-355.1	-0.6	-0.1	-57.9
-10.5	-3655.7				J	-355.1	-0.6	-0.1	-57.9
-15.9	-3790.1								
			C1-C2;~2	Max	I	961.2	0.7	0.0	16.1
38.3	1879.5				J	961.2	0.7	0.0	16.1
48.3	1987.1								
				Min	I	-204.9	-0.5	-0.0	-43.9
-6.1	-1783.8				J	-204.9	-0.5	-0.0	-43.9
-9.2	-1958.4								
			C3-C4;~2	Max	I	1020.0	0.6	0.0	13.1
44.3	1139.7				J	1020.0	0.6	0.0	13.1
55.7	1224.0								
				Min	I	-202.2	-0.4	-0.0	-36.1
-6.0	-2197.4				J	-202.2	-0.4	-0.0	-36.1
-9.0	-2274.7								
				G1	I	1177.5	0.1	-0.5	-9.0
2.2	-560.9				J	1177.5	0.1	0.4	-9.0
16.1	-608.8								
				G2	I	458.9	0.0	-0.0	-1.0
16.4	-240.4				J	458.9	0.0	-0.0	-1.0
21.9	-257.8								
				Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
				Q5_pc	I	-26.3	-0.0	0.0	5.9
1.1	-1463.5				J	-26.3	-0.0	0.0	5.9
1.1	-1445.9								
				Q5_ps	I	-20.2	-0.0	-0.0	8.0
1.6	-1513.6				J	-20.2	-0.0	-0.0	8.0
2.1	-1497.5								
			INVSLU	Max	I	4692.3	1.5	-0.6	39.8
211.6	4130.8				J	4692.3	1.5	0.6	39.8
264.7	4275.3								


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
100.0	-7681.3		Min	I	1853.3	-1.0	-0.8	-96.7
				J	1853.3	-1.0	0.5	-96.7
117.1	-7900.6							
			INVSLE Max	I	3469.0	1.1	-0.5	29.7
159.3	2967.5			J	3469.0	1.1	0.5	29.7
198.3	3079.5							
			Min	I	1369.6	-0.8	-0.6	-70.7
76.8	-5587.2			J	1369.6	-0.8	0.4	-70.7
89.0	-5746.9							
1194	2	70	C1-C2;~1 Max	I	1638.0	1.0	0.2	19.8
80.4	3301.2			J	1638.0	1.0	0.2	19.8
22.9	3462.3							
			Min	I	-372.3	-0.8	-0.0	-81.8
-16.2	-3218.4			J	-372.3	-0.8	-0.0	-81.8
-24.0	-3530.6							
			C3-C4;~1 Max	I	1731.9	0.9	0.2	18.7
91.7	2144.9			J	1731.9	0.9	0.2	18.7
22.9	2282.1							
			Min	I	-367.7	-0.6	-0.0	-73.0
-15.9	-3790.2			J	-367.7	-0.6	-0.0	-73.0
-27.5	-3951.3							
			C1-C2;~2 Max	I	974.9	0.7	0.1	11.3
48.3	1987.1			J	974.9	0.7	0.1	11.3
13.4	2095.1							
			Min	I	-212.2	-0.5	-0.0	-53.9
-9.2	-1958.4			J	-212.2	-0.5	-0.0	-53.9
-14.6	-2168.0							
			C3-C4;~2 Max	I	1034.2	0.6	0.1	9.9
55.7	1224.0			J	1034.2	0.6	0.1	9.9
14.2	1313.1							
			Min	I	-209.4	-0.4	-0.0	-45.8
-9.0	-2274.7			J	-209.4	-0.4	-0.0	-45.8
-16.6	-2369.1							
			G1	I	1181.1	0.1	-0.4	-14.8
16.1	-608.8			J	1181.1	0.1	0.6	-14.8
-36.5	-658.3							
			G2	I	459.6	0.0	0.0	-2.3
21.9	-257.8			J	459.6	0.0	0.0	-2.3
2.8	-274.8							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-27.7	-0.0	-0.0	7.8


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
1.1	-1445.9		J	-27.7	-0.0	-0.0	7.8
3.1	-1426.6						
		Q5_ps	I	-21.7	-0.0	-0.0	10.6
2.1	-1497.5		J	-21.7	-0.0	-0.0	10.6
3.5	-1478.9						
		INVSLU Max	I	4715.5	1.5	-0.2	22.3
264.7	4275.4		J	4715.5	1.5	1.1	22.3
78.7	4411.5	Min	I	1824.8	-1.0	-0.5	-128.9
117.1	-7900.6		J	1824.8	-1.0	0.7	-128.9
5.0	-8164.8						
		INVSLE Max	I	3485.5	1.1	-0.1	16.4
198.3	3079.6		J	3485.5	1.1	0.8	16.4
60.5	3184.9	Min	I	1347.9	-0.7	-0.4	-94.5
89.0	-5746.8		J	1347.9	-0.7	0.6	-94.5
6.4	-5940.7						
1195	2	70 C1-C2;~1 Max	I	1667.4	1.0	0.1	15.6
22.9	3462.1		J	1667.4	1.0	0.1	15.6
245.2	3673.0	Min	I	-386.7	-0.8	-0.5	-91.6
-24.0	-3530.7		J	-386.7	-0.8	-0.5	-91.6
-49.6	-3877.0						
		C3-C4;~1 Max	I	1758.3	0.9	0.1	14.5
22.9	2282.0		J	1758.3	0.9	0.1	14.5
247.7	2433.6	Min	I	-381.8	-0.6	-0.5	-82.9
-27.5	-3951.2		J	-381.8	-0.6	-0.5	-82.9
-48.7	-4153.4						
		C1-C2;~2 Max	I	993.9	0.7	0.1	8.4
13.4	2095.0		J	993.9	0.7	0.1	8.4
155.0	2237.8	Min	I	-220.4	-0.5	-0.3	-60.2
-14.6	-2168.1		J	-220.4	-0.5	-0.3	-60.2
-28.1	-2400.2						
		C3-C4;~2 Max	I	1051.3	0.6	0.1	7.2
14.2	1313.1		J	1051.3	0.6	0.1	7.2
157.4	1409.5	Min	I	-217.4	-0.4	-0.3	-52.2
-16.6	-2369.1		J	-217.4	-0.4	-0.3	-52.2
-27.6	-2491.1						
		G1	I	1185.5	0.1	-0.7	-20.5
-36.5	-658.3		J	1185.5	0.1	0.2	-20.5

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
83.3	-707.6						
			G2	I	459.9	0.0	-0.1 -4.2
2.8	-274.8			J	459.9	0.0	-0.1 -4.2
40.2	-292.0						
			Q3	I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0
0.0	0.0						
			Q5_pc	I	-30.3	-0.0	0.0 8.4
3.1	-1426.6			J	-30.3	-0.0	0.0 8.4
-11.2	-1408.2						
			Q5_ps	I	-25.1	-0.0	0.0 11.5
3.5	-1478.9			J	-25.1	-0.0	0.0 11.5
-15.1	-1461.6						
			INVSLU Max	I	4743.2	1.6	-0.9 3.4
78.7	4411.2			J	4743.2	1.6	0.4 3.4
601.6	4602.3						
			Min	I	1792.8	-1.0	-1.8 -156.6
5.0	-8164.6			J	1792.8	-1.0	-0.5 -156.6
180.0	-8498.1						
			INVSLE Max	I	3505.6	1.2	-0.7 2.1
60.5	3184.6			J	3505.6	1.2	0.3 2.1
450.3	3329.8						
			Min	I	1324.2	-0.7	-1.3 -115.2
6.4	-5940.6			J	1324.2	-0.7	-0.4 -115.2
139.5	-6186.5						
			62 C1-C2;~1 Max	I	35.1	6.3	0.5 111.9
1196	2			J	35.1	6.3	0.5 111.9
168.0	15995.6						
			Min	I	-169.8	-12.1	-1.2 -291.5
331.8	17855.3			J	-169.8	-12.1	-1.2 -291.5
-251.5	-1232.1						
-121.8	-1255.3						
			C3-C4;~1 Max	I	34.0	2.7	1.0 98.6
306.2	11820.5			J	34.0	2.7	1.0 98.6
522.0	13420.6						
			Min	I	-186.4	-6.7	-1.9 -218.4
-410.2	-1645.0			J	-186.4	-6.7	-1.9 -218.4
-214.8	-1825.9						
			C1-C2;~2 Max	I	20.0	4.4	0.3 72.1
102.2	11261.3			J	20.0	4.4	0.3 72.1
201.5	12505.4						
			Min	I	-100.4	-8.5	-0.7 -200.6
-150.6	-609.7			J	-100.4	-8.5	-0.7 -200.6
-70.0	-583.9						

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

204.2	8082.3	C3-C4; ~2	Max	I	19.3	1.6	0.7	60.4
				J	19.3	1.6	0.7	60.4
337.8	9129.4		Min	I	-110.9	-4.4	-1.2	-145.8
-263.5	-843.9			J	-110.9	-4.4	-1.2	-145.8
-138.3	-915.6							
		G1		I	-124.7	0.1	-0.7	-0.4
-81.3	142.3			J	-124.7	0.1	0.0	-0.4
86.9	92.7							
		G2		I	-48.6	0.4	-0.1	10.7
-20.4	-588.7			J	-48.6	0.4	-0.1	10.7
46.0	-798.0							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-27.4	0.7	0.0	19.6
3.6	-1648.8			J	-27.4	0.7	0.0	19.6
-5.3	-1989.2							
		Q5_ps		I	-27.1	0.9	0.0	27.0
0.4	-2048.1			J	-27.1	0.9	0.0	27.0
-2.7	-2496.5							
		INVSLU	Max	I	-2503.8	22.9	0.7	310.1
463.9	23199.4			J	-2503.8	22.9	1.8	310.1
839.8	19130.7		Min	I	-2852.0	-3.2	-3.2	-269.7
-509.7	-4090.0			J	-2852.0	-3.2	-2.2	-269.7
-164.4	-11745.2							
		INVSLE	Max	I	-1939.5	18.2	0.6	238.5
348.9	17119.5			J	-1939.5	18.2	1.3	238.5
621.9	13466.4		Min	I	-2193.9	-1.1	-2.4	-188.3
-371.8	-2757.4			J	-2193.9	-1.1	-1.6	-188.3
-121.2	-8994.7							
1197	2	62 C1-C2; ~1	Max	I	36.5	15.0	0.7	145.6
195.9	17853.5			J	36.5	15.0	0.7	145.6
307.3	14659.7		Min	I	-170.4	-6.8	-1.1	-243.2
-227.1	-1255.4			J	-170.4	-6.8	-1.1	-243.2
-140.0	-1385.1							
		C3-C4; ~1	Max	I	35.4	9.4	1.2	117.9
338.4	13419.1			J	35.4	9.4	1.2	117.9
492.9	10716.1							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-380.8	-1825.8	Min	I	-186.3	-3.2	-1.7	-177.1
			J	-186.3	-3.2	-1.7	-177.1
-245.2	-1745.2						
121.2	12504.2	C1-C2;~2 Max	I	20.8	10.5	0.4	96.6
186.3	10326.2		J	20.8	10.5	0.4	96.6
-135.3	-584.0	Min	I	-100.7	-4.7	-0.6	-166.9
-82.0	-732.2		J	-100.7	-4.7	-0.6	-166.9
226.2	9128.4	C3-C4;~2 Max	I	20.1	6.4	0.8	74.7
319.3	7343.9		J	20.1	6.4	0.8	74.7
-244.8	-915.6	Min	I	-110.6	-1.9	-1.1	-118.1
-159.3	-927.0		J	-110.6	-1.9	-1.1	-118.1
-62.8	92.8	G1	I	-125.9	0.1	-0.6	-0.4
69.3	63.2		J	-125.9	0.1	0.1	-0.4
-13.4	-797.8	G2	I	-49.2	-0.5	-0.1	5.6
39.7	-562.4		J	-49.2	-0.5	-0.1	5.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
4.0	-1988.9	Q5_pc	I	-27.8	-0.9	0.0	10.3
-4.8	-1545.5		J	-27.8	-0.9	0.0	10.3
0.1	-2496.2	Q5_ps	I	-27.7	-1.2	0.0	14.5
-1.3	-1897.0		J	-27.7	-1.2	0.0	14.5
592.5	19129.2	INVSLU Max	I	-2512.7	21.0	1.2	283.5
754.1	14441.8		J	-2512.7	21.0	2.2	283.5
-385.8	-11743.4	Min	I	-2863.6	-10.0	-2.8	-260.0
-251.0	-10836.7		J	-2863.6	-10.0	-1.8	-260.0
446.4	13465.3	INVSLE Max	I	-1945.8	15.6	0.9	214.8
556.2	9990.1		J	-1945.8	15.6	1.6	214.8
-277.7	-8993.3	Min	I	-2202.0	-7.3	-2.0	-186.4
-187.7	-8420.9		J	-2202.0	-7.3	-1.3	-186.4


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
1198	2	62	C1-C2;~1	Max	I	38.0	12.1	0.7	181.3
208.0	14659.4				J	38.0	12.1	0.7	181.3
299.1	13303.4			Min	I	-172.3	-9.0	-1.0	-208.1
-218.3	-1385.1				J	-172.3	-9.0	-1.0	-208.1
-153.5	-1278.3								
			C3-C4;~1	Max	I	36.8	7.1	1.2	140.3
352.1	10716.1				J	36.8	7.1	1.2	140.3
480.8	9714.4			Min	I	-187.7	-4.8	-1.7	-152.0
-368.4	-1745.2				J	-187.7	-4.8	-1.7	-152.0
-259.8	-1638.7								
			C1-C2;~2	Max	I	21.7	8.5	0.4	122.1
129.0	10326.0				J	21.7	8.5	0.4	122.1
182.0	9385.9			Min	I	-101.7	-6.3	-0.6	-141.9
-130.5	-732.3				J	-101.7	-6.3	-0.6	-141.9
-90.8	-663.9								
			C3-C4;~2	Max	I	20.9	4.8	0.8	90.7
235.0	7343.9				J	20.9	4.8	0.8	90.7
312.3	6681.6			Min	I	-111.3	-3.1	-1.1	-100.2
-237.5	-927.0				J	-111.3	-3.1	-1.1	-100.2
-168.7	-865.2								
			G1		I	-127.2	0.0	-0.6	0.2
-47.4	63.2				J	-127.2	0.0	0.2	0.2
54.4	55.8								
			G2		I	-49.7	-0.2	-0.1	1.7
-7.1	-562.4				J	-49.7	-0.2	-0.1	1.7
33.6	-468.8								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc		I	-28.3	-0.4	0.0	3.0
4.2	-1545.4				J	-28.3	-0.4	0.0	3.0
-4.7	-1369.8								
			Q5_ps		I	-28.2	-0.5	0.0	4.5
0.5	-1896.9				J	-28.2	-0.5	0.0	4.5
-1.2	-1662.1								
			INVSLU	Max	I	-2519.4	15.6	1.2	272.7
605.1	14441.1				J	-2519.4	15.6	2.3	272.7
733.8	12980.4			Min	I	-2875.1	-13.5	-2.7	-258.3


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-375.1	-10836.8			J	-2875.1	-13.5	-1.7	-258.3	
-274.4	-9873.3								
		INVSLE	Max	I	-1950.5	11.5	0.9	203.4	
455.6	9989.6			J	-1950.5	11.5	1.7	203.4	
541.1	8950.8		Min	I	-2210.2	-10.1	-2.0	-189.5	
-269.9	-8421.0			J	-2210.2	-10.1	-1.2	-189.5	
-205.1	-7701.9								
1199	2	62	C1-C2;~1	Max	I	39.6	9.0	0.7	207.4
210.3	13303.7			J	39.6	9.0	0.7	207.4	
295.6	14688.4		Min	I	-173.9	-12.1	-1.0	-181.6	
-212.1	-1278.3			J	-173.9	-12.1	-1.0	-181.6	
-157.3	-1414.0								
		C3-C4;~1	Max	I	38.3	4.8	1.2	157.2	
357.8	9714.4			J	38.3	4.8	1.2	157.2	
473.9	10762.0		Min	I	-189.3	-7.1	-1.7	-134.7	
-359.2	-1638.7			J	-189.3	-7.1	-1.7	-134.7	
-266.2	-1799.3								
		C1-C2;~2	Max	I	22.6	6.3	0.4	140.8	
129.7	9386.1			J	22.6	6.3	0.4	140.8	
180.9	10343.3		Min	I	-102.4	-8.6	-0.6	-123.1	
-127.5	-663.9			J	-102.4	-8.6	-0.6	-123.1	
-92.6	-746.0								
		C3-C4;~2	Max	I	21.8	3.2	0.8	102.9	
238.1	6681.5			J	21.8	3.2	0.8	102.9	
308.9	7366.3		Min	I	-112.1	-4.8	-1.1	-87.9	
-232.5	-865.2			J	-112.1	-4.8	-1.1	-87.9	
-172.4	-956.5								
		G1		I	-128.3	-0.0	-0.5	0.5	
-32.9	55.8			J	-128.3	-0.0	0.2	0.5	
40.3	66.8								
		G2		I	-50.1	0.2	-0.1	-1.1	
-0.5	-468.8			J	-50.1	0.2	-0.1	-1.1	
27.2	-562.1								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc		I	-28.7	0.3	0.0	-2.3	
5.3	-1369.8								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-5.7	-1535.2		J	-28.7	0.3	0.0	-2.3
2.1	-1662.0	Q5_ps	I	-28.6	0.5	0.0	-2.7
-2.8	-1891.0		J	-28.6	0.5	0.0	-2.7
623.9	12980.6	INVS LU Max	I	-2521.1	13.2	1.3	260.3
714.9	14608.1		J	-2521.1	13.2	2.3	260.3
-353.5	-9873.2	Min	I	-2881.8	-15.9	-2.6	-269.1
-294.4	-10730.6		J	-2881.8	-15.9	-1.6	-269.1
469.1	8951.0	INVS LE Max	I	-1951.7	9.8	1.0	190.8
527.3	10115.0		J	-1951.7	9.8	1.8	190.8
-254.3	-7701.8	Min	I	-2215.0	-11.7	-1.9	-200.9
-219.6	-8341.9		J	-2215.0	-11.7	-1.2	-200.9
1200	2	62 C1-C2;~1 Max	I	41.1	6.8	0.7	242.4
217.1	14688.7		J	41.1	6.8	0.7	242.4
281.5	17915.1	Min	I	-175.8	-15.0	-0.9	-145.5
-194.9	-1414.0		J	-175.8	-15.0	-0.9	-145.5
-163.5	-1309.6						
369.0	10762.1	C3-C4;~1 Max	I	39.9	3.3	1.3	181.9
458.1	13520.5		J	39.9	3.3	1.3	181.9
-340.8	-1799.3	Min	I	-190.7	-9.3	-1.6	-112.2
-276.4	-1925.4		J	-190.7	-9.3	-1.6	-112.2
133.6	10343.5	C1-C2;~2 Max	I	23.5	4.7	0.4	165.6
172.4	12541.4		J	23.5	4.7	0.4	165.6
-116.9	-746.0	Min	I	-103.5	-10.6	-0.6	-97.3
-96.2	-608.2		J	-103.5	-10.6	-0.6	-97.3
245.1	7366.4	C3-C4;~2 Max	I	22.7	2.0	0.8	120.6
299.5	9178.6		J	22.7	2.0	0.8	120.6
-221.2	-956.5	Min	I	-112.8	-6.3	-1.0	-71.8
-178.7	-967.0		J	-112.8	-6.3	-1.0	-71.8
-17.0	66.9	G1	I	-129.2	-0.1	-0.5	1.1
24.8	101.2		J	-129.2	-0.1	0.3	1.1

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

5.9	-562.1	G2	I	-50.4	0.5	-0.0	-5.0
20.9	-797.6		J	-50.4	0.5	-0.0	-5.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
5.0	-1535.1	Q5_pc	I	-29.0	0.9	0.0	-9.4
-5.6	-1964.3		J	-29.0	0.9	0.0	-9.4
2.0	-1890.9	Q5_ps	I	-28.8	1.2	0.0	-12.5
-2.9	-2481.0		J	-28.8	1.2	0.0	-12.5
642.1	14608.6	INVS LU Max	I	-2518.0	9.7	1.4	261.5
702.9	19465.3		J	-2518.0	9.7	2.4	261.5
-325.0	-10730.3	Min	I	-2883.4	-21.3	-2.6	-279.1
-298.7	-11514.9		J	-2883.4	-21.3	-1.5	-279.1
482.6	10115.5	INVS LE Max	I	-1949.2	7.1	1.0	187.5
518.7	13718.4		J	-1949.2	7.1	1.8	187.5
-233.1	-8341.7	Min	I	-2215.9	-15.8	-1.9	-211.7
-222.6	-8823.3		J	-2215.9	-15.8	-1.1	-211.7
1201	2	62 C1-C2;~1 Max	I	42.8	12.2	0.8	290.6
238.5	17916.9		J	42.8	12.2	0.8	290.6
249.6	16006.5	Min	I	-180.4	-6.3	-0.8	-111.0
-170.8	-1309.5		J	-180.4	-6.3	-0.8	-111.0
-184.8	-1289.7						
396.5	13522.0	C3-C4;~1 Max	I	41.5	6.7	1.4	217.5
421.7	11864.9		J	41.5	6.7	1.4	217.5
-304.2	-1925.5	Min	I	-195.4	-2.6	-1.5	-92.4
-303.1	-1736.9		J	-195.4	-2.6	-1.5	-92.4
147.7	12542.7	C1-C2;~2 Max	I	24.4	8.6	0.5	199.5
151.7	11264.4		J	24.4	8.6	0.5	199.5
-101.8	-608.1	Min	I	-106.3	-4.4	-0.5	-72.4
-110.1	-638.3		J	-106.3	-4.4	-0.5	-72.4


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
263.5	9179.6	C3-C4;~2	Max	I	23.6	4.5	0.9	145.7	
				J	23.6	4.5	0.9	145.7	
275.9	8065.8		Min	I	-115.6	-1.5	-0.9	-57.3	
-197.3	-967.0			J	-115.6	-1.5	-0.9	-57.3	
-196.5	-893.2								
			G1	I	-130.2	-0.1	-0.4	1.3	
1.8	101.2			J	-130.2	-0.1	0.4	1.3	
6.0	140.8								
			G2	I	-50.6	-0.4	-0.0	-10.1	
12.8	-797.7			J	-50.6	-0.4	-0.0	-10.1	
13.7	-588.8								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	-29.1	-0.6	0.0	-18.4	
3.2	-1964.5			J	-29.1	-0.6	0.0	-18.4	
-4.4	-1645.7								
			Q5_ps	I	-28.7	-0.9	0.0	-24.7	
-0.4	-2481.3			J	-28.7	-0.9	0.0	-24.7	
-1.1	-2049.0								
			INVS LU Max	I	-2512.2	3.1	1.8	270.8	
726.2	19466.8			J	-2512.2	3.1	2.8	270.8	
562.6	23594.9		Min	I	-2886.2	-23.0	-2.1	-304.3	
-225.6	-11516.5			J	-2886.2	-23.0	-1.1	-304.3	
-423.8	-3774.3								
			INVS LE Max	I	-1944.9	1.0	1.4	189.1	
547.1	13719.4			J	-1944.9	1.0	2.1	189.1	
412.6	17413.7		Min	I	-2218.0	-18.3	-1.5	-234.4	
-157.5	-8824.6			J	-2218.0	-18.3	-0.8	-234.4	
-317.5	-2522.5								
1202	2	62	C1-C2;~1	Max	I	44.6	128.0	1.7	573.2
440.5	16000.6			J	44.6	128.0	1.7	573.2	
174.9	5320.1		Min	I	-200.2	-12.1	-0.6	-48.0	
-123.4	-1290.3			J	-200.2	-12.1	-0.6	-48.0	
-391.6	-48280.2								
			C3-C4;~1	Max	I	43.2	113.8	2.2	464.2
583.5	11859.2			J	43.2	113.8	2.2	464.2	
222.7	6013.7		Min	I	-213.3	-14.1	-0.8	-49.1	


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-167.7	-1737.0		J	-213.3	-14.1	-0.8	-49.1
-514.7	-45234.7						
285.0	11260.4	C1-C2;~2 Max	I	25.4	85.5	1.1	390.3
103.1	2160.9		J	25.4	85.5	1.1	390.3
-71.3	-638.8	Min	I	-119.5	-4.9	-0.3	-20.5
-250.1	-31625.2		J	-119.5	-4.9	-0.3	-20.5
391.3	8062.4	C3-C4;~2 Max	I	24.6	74.0	1.5	307.5
133.3	2474.2		J	24.6	74.0	1.5	307.5
-99.5	-893.3	Min	I	-127.6	-5.8	-0.5	-20.3
-341.9	-28978.6		J	-127.6	-5.8	-0.5	-20.3
36.3	140.8	G1	I	-132.1	1.4	-0.2	10.1
-32.7	-565.4		J	-132.1	1.4	0.5	10.1
11.1	-588.3	G2	I	-49.8	-10.0	-0.0	-33.7
16.6	4387.1		J	-49.8	-10.0	-0.0	-33.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-25.3	-1644.7	Q5_pc	I	-26.7	-18.0	-0.1	-65.5
29.5	7333.0		J	-26.7	-18.0	-0.1	-65.5
-41.2	-2047.7	Q5_ps	I	-25.1	-24.7	-0.2	-90.0
47.4	10295.5		J	-25.1	-24.7	-0.2	-90.0
1036.3	23591.1	INVSLU Max	I	-2509.5	113.5	3.1	604.1
297.3	57043.1		J	-2509.5	113.5	4.1	604.1
-23.4	-3767.6	Min	I	-2905.8	-120.4	-1.1	-391.4
-751.2	-33518.2		J	-2905.8	-120.4	-0.1	-391.4
784.2	17411.2	INVSLE Max	I	-1943.1	77.1	2.3	428.1
202.4	44023.1		J	-1943.1	77.1	3.1	428.1
2.7	-2517.3	Min	I	-2233.0	-92.2	-0.8	-294.9
-570.3	-21426.6		J	-2233.0	-92.2	-0.0	-294.9
1203	2	62 C1-C2;~1 Max	I	32.8	7.2	0.7	211.4


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
206.5	4006.8			J	32.8	7.2	0.7	211.4	
457.1	4755.7								
			Min	I	-197.1	-4.2	-1.7	-123.2	
-372.9	-11322.9								
				J	-197.1	-4.2	-1.7	-123.2	
-151.0	-12980.9								
			C3-C4;~1	Max	I	32.9	6.7	1.0	209.1
297.4	1459.5								
				J	32.9	6.7	1.0	209.1	
522.6	1597.0								
			Min	I	-190.9	-2.6	-1.9	-92.8	
-409.6	-11400.3								
				J	-190.9	-2.6	-1.9	-92.8	
-206.7	-12957.5								
			C1-C2;~2	Max	I	18.7	4.9	0.4	141.5
126.9	2486.8								
				J	18.7	4.9	0.4	141.5	
287.4	2943.2								
			Min	I	-119.4	-2.6	-1.0	-76.6	
-233.1	-7756.1								
				J	-119.4	-2.6	-1.0	-76.6	
-87.5	-8814.3								
			C3-C4;~2	Max	I	18.8	4.5	0.6	141.3
194.6	771.5								
				J	18.8	4.5	0.6	141.3	
336.1	826.7								
			Min	I	-113.2	-1.5	-1.2	-57.5	
-261.5	-7881.8								
				J	-113.2	-1.5	-1.2	-57.5	
-129.6	-8880.7								
			G1	I	-125.6	-0.1	-0.7	0.9	
-85.8	-152.9								
				J	-125.6	-0.1	0.0	0.9	
91.5	-119.3								
			G2	I	-48.6	-0.4	-0.1	-9.8	
-20.3	546.0								
				J	-48.6	-0.4	-0.1	-9.8	
46.0	742.5								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0								
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	27.4	-0.1	-0.0	-3.5	
-5.0	-273.1								
				J	27.4	-0.1	-0.0	-3.5	
4.2	-206.4								
			Q5_ps	I	26.9	-0.3	-0.0	-6.5	
-1.2	-56.5								
				J	26.9	-0.3	-0.0	-6.5	
0.1	82.4								
			INVSLU	Max	I	-2501.6	-3.9	0.7	155.4
459.9	5500.2								
				J	-2501.6	-3.9	1.7	155.4	
832.9	13302.6								
			Min	I	-2861.5	-19.5	-3.2	-302.7	
-503.4	-15791.0								


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-159.3	-11013.4		J	-2861.5	-19.5	-2.2	-302.7
		INVSLE Max	I	-1938.0	-4.1	0.5	105.0
346.6	4013.5		J	-1938.0	-4.1	1.3	105.0
616.2	10409.7	Min	I	-2200.9	-15.6	-2.3	-233.9
-366.3	-11721.3		J	-2200.9	-15.6	-1.6	-233.9
-118.2	-7574.6						
1204	2	62 C1-C2;~1 Max	I	34.1	4.7	0.8	176.8
232.6	4755.1		J	34.1	4.7	0.8	176.8
432.3	3970.2	Min	I	-196.8	-9.3	-1.6	-116.2
-346.3	-12979.5		J	-196.8	-9.3	-1.6	-116.2
-168.6	-10416.4						
		C3-C4;~1 Max	I	34.2	3.1	1.1	173.5
329.1	1597.0		J	34.2	3.1	1.1	173.5
493.1	1567.2	Min	I	-190.6	-9.4	-1.7	-113.1
-379.9	-12956.1		J	-190.6	-9.4	-1.7	-113.1
-236.8	-10366.6						
		C1-C2;~2 Max	I	19.4	2.9	0.5	118.6
144.6	2942.8		J	19.4	2.9	0.5	118.6
271.8	2476.9	Min	I	-119.0	-6.4	-1.0	-78.6
-216.3	-8813.3		J	-119.0	-6.4	-1.0	-78.6
-99.2	-7131.6						
		C3-C4;~2 Max	I	19.5	1.9	0.7	113.2
216.3	826.8		J	19.5	1.9	0.7	113.2
317.4	854.1	Min	I	-112.8	-6.3	-1.1	-72.0
-242.5	-8879.8		J	-112.8	-6.3	-1.1	-72.0
-150.4	-7152.3						
		G1	I	-126.7	-0.1	-0.7	0.6
-67.8	-119.3		J	-126.7	-0.1	0.1	0.6
74.2	-75.4						
		G2	I	-49.1	0.4	-0.1	-5.0
-13.6	742.4		J	-49.1	0.4	-0.1	-5.0
39.8	526.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	27.5	0.2	-0.0	-1.8
-7.5	-206.4		J	27.5	0.2	-0.0	-1.8


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
6.3	-290.3						
			Q5_ps	I	27.0	0.3	-0.0 -3.0
-4.0	82.4			J	27.0	0.3	-0.0 -3.0
2.6	-81.7						
			INVSLU Max	I	-2509.7	6.4	1.2 169.6
592.9	13300.6			J	-2509.7	6.4	2.2 169.6
746.8	12338.8		Min	I	-2871.2	-12.8	-2.8 -229.1
-377.8	-11012.6			J	-2871.2	-12.8	-1.7 -229.1
-250.0	-7605.7						
			INVSLE Max	I	-1943.5	4.7	0.9 120.2
447.3	10408.1			J	-1943.5	4.7	1.6 120.2
549.9	9721.8		Min	I	-2207.6	-9.6	-2.0 -174.9
-270.7	-7574.1			J	-2207.6	-9.6	-1.3 -174.9
-187.6	-5013.1						
1205	2	62	C1-C2;~1 Max	I	35.4	4.8	0.9 152.0
248.8	3970.2			J	35.4	4.8	0.9 152.0
418.7	3680.7		Min	I	-197.9	-7.1	-1.5 -136.2
-331.4	-10416.3			J	-197.9	-7.1	-1.5 -136.2
-183.5	-9459.2						
			C3-C4;~1 Max	I	35.5	4.7	1.2 147.5
343.0	1567.2			J	35.5	4.7	1.2 147.5
481.2	1491.3		Min	I	-191.9	-7.1	-1.7 -135.0
-367.5	-10366.5			J	-191.9	-7.1	-1.7 -135.0
-250.4	-9405.1						
			C1-C2;~2 Max	I	20.2	3.4	0.5 101.9
155.4	2476.9			J	20.2	3.4	0.5 101.9
263.6	2299.4		Min	I	-119.4	-4.9	-0.9 -92.1
-207.2	-7131.5			J	-119.4	-4.9	-0.9 -92.1
-109.1	-6501.1						
			C3-C4;~2 Max	I	20.3	3.1	0.8 96.5
225.2	854.1			J	20.3	3.1	0.8 96.5
310.5	807.0		Min	I	-113.4	-4.7	-1.1 -87.2
-235.2	-7152.2			J	-113.4	-4.7	-1.1 -87.2
-159.1	-6509.7						
			G1	I	-127.8	-0.0	-0.6 -0.2
-52.3	-75.3			J	-127.8	-0.0	0.2 -0.2
59.2	-60.8						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-7.3	526.1	G2	I	-49.5	0.2	-0.1	-1.4
			J	-49.5	0.2	-0.1	-1.4
33.8	440.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	27.9	0.1	-0.0	-0.4
-8.0	-290.3		J	27.9	0.1	-0.0	-0.4
6.8	-320.2						
		Q5_ps	I	27.3	0.1	-0.0	-0.3
-4.7	-81.7		J	27.3	0.1	-0.0	-0.3
3.3	-144.2						
		INVS LU Max	I	-2514.9	7.6	1.2	186.5
604.3	12338.9		J	-2514.9	7.6	2.3	186.5
727.3	11487.9	Min	I	-2880.3	-8.6	-2.7	-203.3
-369.1	-7605.4		J	-2880.3	-8.6	-1.7	-203.3
-272.5	-6827.3						
		INVS LE Max	I	-1947.3	5.7	0.9	136.6
455.6	9721.9		J	-1947.3	5.7	1.7	136.6
535.3	9058.1	Min	I	-2214.2	-6.3	-2.0	-152.1
-264.4	-5012.9		J	-2214.2	-6.3	-1.2	-152.1
-204.4	-4466.1						
1206	2	62 C1-C2;~1 Max	I	36.8	7.1	0.9	134.6
260.3	3680.7		J	36.8	7.1	0.9	134.6
405.6	4024.5	Min	I	-198.9	-4.8	-1.4	-153.4
-316.2	-9459.2		J	-198.9	-4.8	-1.4	-153.4
-195.4	-10450.2						
		C3-C4;~1 Max	I	36.9	7.0	1.2	129.7
348.8	1491.4		J	36.9	7.0	1.2	129.7
474.0	1620.6	Min	I	-193.3	-4.7	-1.7	-152.6
-358.0	-9405.1		J	-193.3	-4.7	-1.7	-152.6
-256.8	-10409.3						
		C1-C2;~2 Max	I	21.0	4.9	0.6	90.2
162.7	2299.3		J	21.0	4.9	0.6	90.2
255.8	2504.5	Min	I	-119.8	-3.3	-0.9	-103.7
-197.9	-6501.1		J	-119.8	-3.3	-0.9	-103.7
-116.8	-7147.9						
		C3-C4;~2 Max	I	21.1	4.7	0.8	84.1


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
228.5	807.0		J	21.1	4.7	0.8	84.1
306.9	884.6						
		Min	I	-114.0	-3.1	-1.1	-99.5
-230.0	-6509.7		J	-114.0	-3.1	-1.1	-99.5
-162.8	-7172.2						
		G1	I	-128.7	0.0	-0.5	-0.6
-37.6	-60.8		J	-128.7	0.0	0.2	-0.6
44.9	-72.0						
		G2	I	-49.9	-0.2	-0.1	1.2
-0.8	440.6		J	-49.9	-0.2	-0.1	1.2
27.5	528.3						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	28.3	-0.1	-0.0	0.7
-8.0	-320.1		J	28.3	-0.1	-0.0	0.7
6.8	-276.4						
		Q5_ps	I	27.7	-0.1	-0.0	1.7
-5.0	-144.2		J	27.7	-0.1	-0.0	1.7
3.5	-71.0						
		INVSLU Max	I	-2515.3	8.8	1.3	209.6
622.5	11487.9		J	-2515.3	8.8	2.3	209.6
707.5	12326.6						
		Min	I	-2884.6	-7.4	-2.6	-180.6
-346.1	-6827.2		J	-2884.6	-7.4	-1.6	-180.6
-291.3	-7711.7						
		INVSLE Max	I	-1947.4	6.5	1.0	157.1
468.6	9058.0		J	-1947.4	6.5	1.7	157.1
521.0	9712.7						
		Min	I	-2217.2	-5.5	-1.9	-131.8
-247.8	-4466.0		J	-2217.2	-5.5	-1.2	-131.8
-218.0	-5093.7						
1207	2	62 C1-C2;~1 Max	I	38.2	9.4	1.0	114.4
273.3	4024.5		J	38.2	9.4	1.0	114.4
386.7	4887.6						
		Min	I	-200.3	-4.8	-1.4	-177.8
-296.2	-10450.3		J	-200.3	-4.8	-1.4	-177.8
-208.2	-13041.8						
		C3-C4;~1 Max	I	38.3	9.3	1.3	107.7
359.8	1620.5		J	38.3	9.3	1.3	107.7
457.8	1691.3						
		Min	I	-194.6	-3.1	-1.6	-178.2
-339.0	-10409.4						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-266.9	-13043.8		J	-194.6	-3.1	-1.6	-178.2
171.2	2504.5	C1-C2;~2 Max	I	21.8	6.4	0.6	76.6
244.1	3014.9		J	21.8	6.4	0.6	76.6
-185.4	-7147.9	Min	I	-120.5	-3.0	-0.9	-120.2
-125.1	-8841.8		J	-120.5	-3.0	-0.9	-120.2
235.6	884.6	C3-C4;~2 Max	I	21.9	6.2	0.8	68.9
297.2	878.8		J	21.9	6.2	0.8	68.9
-218.4	-7172.3	Min	I	-114.6	-1.9	-1.0	-117.4
-169.2	-8920.8		J	-114.6	-1.9	-1.0	-117.4
-21.5	-72.0	G1	I	-129.4	0.1	-0.5	-1.3
29.2	-110.7		J	-129.4	0.1	0.3	-1.3
5.6	528.3	G2	I	-50.1	-0.4	-0.0	4.8
21.1	748.2		J	-50.1	-0.4	-0.0	4.8
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-8.3	-276.3	Q5_pc	I	28.6	-0.2	-0.0	2.3
7.0	-173.3		J	28.6	-0.2	-0.0	2.3
-5.6	-70.9	Q5_ps	I	28.0	-0.4	-0.0	4.5
4.1	108.5		J	28.0	-0.4	-0.0	4.5
641.1	12326.4	INVSLU Max	I	-2510.8	13.0	1.4	235.2
693.9	13305.7		J	-2510.8	13.0	2.4	235.2
-317.2	-7712.0	Min	I	-2884.4	-6.4	-2.5	-164.0
-297.2	-11213.7		J	-2884.4	-6.4	-1.5	-164.0
482.4	9712.5	INVSLE Max	I	-1943.9	9.7	1.0	179.7
511.1	10412.0		J	-1943.9	9.7	1.8	179.7
-226.3	-5093.9	Min	I	-2216.8	-4.7	-1.8	-115.7
-222.1	-7727.5		J	-2216.8	-4.7	-1.1	-115.7
1208	2	62 C1-C2;~1 Max	I	39.7	4.3	1.1	112.2
297.6	4888.3						

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
355.3	4118.0		J	39.7	4.3	1.1	112.2
		Min	I	-203.8	-7.2	-1.2	-211.9
-268.4	-13043.2		J	-203.8	-7.2	-1.2	-211.9
-232.6	-11367.8						
		C3-C4;~1 Max	I	39.8	2.6	1.4	87.4
387.9	1691.4		J	39.8	2.6	1.4	87.4
421.4	1538.4	Min	I	-199.0	-6.8	-1.4	-214.7
-302.2	-13045.3		J	-199.0	-6.8	-1.4	-214.7
-294.3	-11461.2						
		C1-C2;~2 Max	I	22.7	2.7	0.7	69.9
187.6	3015.3		J	22.7	2.7	0.7	69.9
223.9	2549.0	Min	I	-122.7	-4.9	-0.8	-142.8
-167.8	-8842.8		J	-122.7	-4.9	-0.8	-142.8
-141.3	-7775.3						
		C3-C4;~2 Max	I	22.7	1.5	0.9	54.4
254.3	878.8		J	22.7	1.5	0.9	54.4
273.5	815.1	Min	I	-117.3	-4.4	-0.9	-142.5
-194.5	-8921.7		J	-117.3	-4.4	-0.9	-142.5
-187.5	-7907.6						
		G1	I	-130.2	0.1	-0.4	-1.5
-2.2	-110.6		J	-130.2	0.1	0.4	-1.5
9.9	-152.2						
		G2	I	-50.3	0.4	-0.0	9.7
12.4	748.3		J	-50.3	0.4	-0.0	9.7
13.9	547.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	29.0	0.2	-0.0	4.5
-9.0	-173.2		J	29.0	0.2	-0.0	4.5
7.9	-270.4						
		Q5_ps	I	28.3	0.3	-0.0	8.4
-6.9	108.7		J	28.3	0.3	-0.0	8.4
5.4	-58.5						
		INVSLU Max	I	-2503.6	19.7	1.8	296.6
726.7	13307.7		J	-2503.6	19.7	2.8	296.6
556.9	5483.8	Min	I	-2884.6	3.9	-2.1	-152.8
-221.1	-11214.4		J	-2884.6	3.9	-1.0	-152.8

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-423.5	-16035.0							
		INVSLE	Max	I	-1938.6	15.8	1.4	229.6
547.9	10413.5			J	-1938.6	15.8	2.1	229.6
407.3	4004.0							
		Min		I	-2217.0	4.1	-1.5	-102.6
-153.0	-7727.9			J	-2217.0	4.1	-0.7	-102.6
-317.9	-11899.8							
1209	2	62 C1-C2;~1	Max	I	41.3	40.4	1.5	155.1
398.7	4116.1			J	41.3	40.4	1.5	155.1
306.2	43122.8							
		Min		I	-212.5	-108.5	-1.1	-452.6
-245.0	-11362.4			J	-212.5	-108.5	-1.1	-452.6
-347.1	-16780.0							
		C3-C4;~1	Max	I	41.4	11.4	2.2	40.1
577.4	1538.5			J	41.4	11.4	2.2	40.1
230.9	43466.4							
		Min		I	-217.1	-109.4	-0.8	-447.3
-175.5	-11455.7			J	-217.1	-109.4	-0.8	-447.3
-508.0	-4884.1							
		C1-C2;~2	Max	I	23.6	23.4	1.0	92.2
258.8	2547.8			J	23.6	23.4	1.0	92.2
190.0	27455.9							
		Min		I	-128.6	-70.2	-0.7	-298.8
-152.3	-7771.7			J	-128.6	-70.2	-0.7	-298.8
-221.9	-9614.9							
		C3-C4;~2	Max	I	23.6	4.8	1.4	16.8
382.4	815.3			J	23.6	4.8	1.4	16.8
139.9	28221.2							
		Min		I	-129.1	-72.0	-0.5	-299.5
-105.9	-7903.9			J	-129.1	-72.0	-0.5	-299.5
-332.6	-2044.1							
		G1		I	-131.6	-1.5	-0.3	-10.6
32.3	-152.2			J	-131.6	-1.5	0.5	-10.6
-28.8	592.0							
		G2		I	-49.4	9.4	-0.0	31.8
11.5	547.1			J	-49.4	9.4	-0.0	31.8
15.9	-4159.6							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	29.8	4.5	-0.1	15.3
-14.8	-270.6			J	29.8	4.5	-0.1	15.3
15.1	-2542.1							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-16.3	-58.9	Q5_ps	I	29.5	7.9	-0.1	27.0
17.1	-3987.2		J	29.5	7.9	-0.1	27.0
1029.2	5476.5	INVS LU Max	I	-2499.1	132.9	3.0	452.0
390.4	23489.4		J	-2499.1	132.9	4.0	452.0
-107.6	-16032.6	Min	I	-2901.7	-77.5	-1.5	-395.9
-736.0	-62419.0		J	-2901.7	-77.5	-0.5	-395.9
780.6	3998.1	INVS LE Max	I	-1935.8	103.9	2.3	348.7
271.4	14341.5		J	-1935.8	103.9	3.1	348.7
-59.5	-11898.4	Min	I	-2230.0	-51.4	-1.0	-277.4
-561.0	-48955.4		J	-2230.0	-51.4	-0.3	-277.4
1210	2	70 C1-C2;~1 Max	I	1800.3	0.9	0.1	20.4
42.7	4946.6		J	1800.3	0.9	0.1	20.4
90.1	4919.0	Min	I	-413.7	-1.2	-0.2	-74.6
-22.4	-1965.7		J	-413.7	-1.2	-0.2	-74.6
-15.7	-1860.2						
28.9	3757.6	C3-C4;~1 Max	I	1813.9	0.7	0.0	11.0
88.0	3788.3		J	1813.9	0.7	0.0	11.0
-22.5	-2502.7	Min	I	-407.8	-1.0	-0.2	-68.4
-15.4	-2388.7		J	-407.8	-1.0	-0.2	-68.4
26.8	3065.0	C1-C2;~2 Max	I	1088.6	0.6	0.0	11.6
56.8	3026.5		J	1088.6	0.6	0.0	11.6
-13.5	-1114.2	Min	I	-235.8	-0.8	-0.1	-49.1
-8.9	-1042.7		J	-235.8	-0.8	-0.1	-49.1
17.7	2277.6	C3-C4;~2 Max	I	1074.0	0.4	0.0	5.6
54.1	2289.6		J	1074.0	0.4	0.0	5.6
-13.4	-1416.0	Min	I	-232.2	-0.6	-0.1	-43.2
-8.7	-1339.4		J	-232.2	-0.6	-0.1	-43.2
-38.4	542.7	G1	I	1174.7	-0.2	-0.6	-14.6
16.2	618.1		J	1174.7	-0.2	0.4	-14.6
		G2	I	455.5	-0.1	-0.0	-2.5


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
1.8	186.9			J	455.5	-0.1	-0.0	-2.5
21.8	218.5							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	26.6	-0.0	-0.0	0.9
-1.4	-1421.7			J	26.6	-0.0	-0.0	0.9
0.3	-1409.4							
			Q5_ps	I	24.4	-0.0	-0.0	2.1
-1.8	-1479.2			J	24.4	-0.0	-0.0	2.1
0.6	-1466.4							
			INVS LU Max	I	4747.0	0.9	-0.8	19.1
85.5	8971.0			J	4747.0	0.9	0.5	19.1
260.6	9088.5		Min	I	1691.9	-2.0	-1.1	-110.7
-5.0	-3644.5			J	1691.9	-2.0	0.2	-110.7
117.2	-3314.0							
			INVS LE Max	I	3505.4	0.6	-0.6	14.4
65.0	6545.6			J	3505.4	0.6	0.4	14.4
195.3	6635.6		Min	I	1245.8	-1.5	-0.8	-81.7
-1.8	-2609.7			J	1245.8	-1.5	0.1	-81.7
89.1	-2363.6							
1211	2	70	C1-C2;~1 Max	I	1805.7	0.9	0.1	26.1
90.1	4919.1			J	1805.7	0.9	0.1	26.1
82.9	4935.0		Min	I	-427.4	-1.2	-0.0	-61.0
-15.7	-1860.2			J	-427.4	-1.2	-0.0	-61.0
-13.8	-1771.1							
			C3-C4;~1 Max	I	1815.5	0.7	0.1	15.9
88.0	3788.3			J	1815.5	0.7	0.1	15.9
76.1	3840.7		Min	I	-421.2	-1.0	-0.0	-53.1
-15.4	-2388.7			J	-421.2	-1.0	-0.0	-53.1
-13.6	-2291.1							
			C1-C2;~2 Max	I	1091.3	0.6	0.0	16.0
56.8	3026.6			J	1091.3	0.6	0.0	16.0
52.8	3018.7		Min	I	-243.6	-0.8	-0.0	-40.4
-8.9	-1042.7			J	-243.6	-0.8	-0.0	-40.4
-7.9	-979.6							
			C3-C4;~2 Max	I	1074.3	0.4	0.0	9.0
54.1	2289.6							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
47.3	2312.9		J	1074.3	0.4	0.0	9.0
		Min	I	-239.8	-0.7	-0.0	-33.3
-8.7	-1339.4		J	-239.8	-0.7	-0.0	-33.3
-7.8	-1271.7						
		G1	I	1165.9	-0.2	-0.4	-8.9
16.2	618.1		J	1165.9	-0.2	0.5	-8.9
1.5	695.1						
		G2	I	452.3	-0.1	0.0	-1.2
21.8	218.5		J	452.3	-0.1	0.0	-1.2
16.0	249.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	27.4	-0.0	0.0	0.6
0.3	-1409.4		J	27.4	-0.0	0.0	0.6
-0.5	-1397.6						
		Q5_ps	I	25.2	-0.0	0.0	1.5
0.6	-1466.4		J	25.2	-0.0	0.0	1.5
-0.6	-1454.3						
		INVS LU Max	I	4705.3	0.8	-0.5	35.9
260.6	9088.7		J	4705.3	0.8	0.8	35.9
217.9	9275.4						
		Min	I	1628.0	-2.0	-0.6	-82.7
117.2	-3313.9		J	1628.0	-2.0	0.6	-82.7
86.4	-2995.4						
		INVS LE Max	I	3472.8	0.6	-0.4	26.9
195.3	6635.7		J	3472.8	0.6	0.6	26.9
163.7	6777.6						
		Min	I	1197.0	-1.5	-0.5	-60.8
89.1	-2363.5		J	1197.0	-1.5	0.5	-60.8
66.3	-2125.6						
		70 C1-C2;~1 Max	I	1811.5	0.9	0.0	32.5
1212	2		J	1811.5	0.9	0.0	32.5
82.9	4935.0						
		Min	I	-441.4	-1.2	-0.0	-45.7
87.4	5029.4		J	-441.4	-1.2	-0.0	-45.7
-13.8	-1771.1						
-15.6	-1703.0						
		C3-C4;~1 Max	I	1818.9	0.7	0.0	25.3
76.1	3840.7		J	1818.9	0.7	0.0	25.3
82.8	3933.0						
		Min	I	-435.0	-1.0	-0.0	-38.9
-13.6	-2291.1		J	-435.0	-1.0	-0.0	-38.9


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-15.4	-2208.6								
		C1-C2;~2	Max	I	1094.6	0.6	0.0	21.5	
52.8	3018.7			J	1094.6	0.6	0.0	21.5	
55.3	3068.4								
			Min	I	-251.6	-0.8	-0.0	-30.6	
-7.9	-979.6			J	-251.6	-0.8	-0.0	-30.6	
-8.9	-929.0								
		C3-C4;~2	Max	I	1076.1	0.4	0.0	15.5	
47.3	2312.9			J	1076.1	0.4	0.0	15.5	
51.2	2362.5								
			Min	I	-247.7	-0.7	-0.0	-24.2	
-7.8	-1271.7			J	-247.7	-0.7	-0.0	-24.2	
-8.8	-1212.7								
			G1	I	1154.7	-0.2	-0.5	-3.2	
1.5	695.1			J	1154.7	-0.2	0.5	-3.2	
6.3	773.8								
			G2	I	447.8	-0.1	-0.0	-0.4	
16.0	249.7			J	447.8	-0.1	-0.0	-0.4	
17.8	280.1								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	28.2	-0.0	-0.0	0.0	
-0.5	-1397.6			J	28.2	-0.0	-0.0	0.0	
-0.1	-1386.4								
			Q5_ps	I	25.8	-0.0	-0.0	0.5	
-0.6	-1454.3			J	25.8	-0.0	-0.0	0.5	
-0.2	-1443.1								
			INVSLE Max	I	4661.1	0.8	-0.6	48.5	
217.9	9275.5			J	4661.1	0.8	0.6	48.5	
231.6	9573.3								
			Min	I	1558.8	-2.0	-0.7	-57.1	
86.4	-2995.4			J	1558.8	-2.0	0.6	-57.1	
92.3	-2693.5								
			INVSLE Max	I	3438.8	0.6	-0.5	36.0	
163.7	6777.6			J	3438.8	0.6	0.5	36.0	
173.9	7002.1								
			Min	I	1144.6	-1.5	-0.5	-42.2	
66.3	-2125.5			J	1144.6	-1.5	0.4	-42.2	
70.7	-1899.6								
1213	2	70	C1-C2;~1	Max	I	1813.8	0.8	0.0	46.8
87.4	5029.4			J	1813.8	0.8	0.0	46.8	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
81.5	5213.1		Min	I	-455.5	-1.2	-0.0	-37.3
-15.6	-1703.0			J	-455.5	-1.2	-0.0	-37.3
-13.5	-1679.0							
		C3-C4;~1	Max	I	1820.1	0.7	0.0	37.5
82.8	3933.1			J	1820.1	0.7	0.0	37.5
75.4	4057.4		Min	I	-448.8	-1.1	-0.0	-26.9
-15.4	-2208.6			J	-448.8	-1.1	-0.0	-26.9
-13.3	-2190.1							
		C1-C2;~2	Max	I	1095.7	0.5	0.0	30.8
55.3	3068.4			J	1095.7	0.5	0.0	30.8
52.0	3184.0		Min	I	-259.7	-0.8	-0.0	-23.5
-8.9	-929.0			J	-259.7	-0.8	-0.0	-23.5
-7.7	-909.2							
		C3-C4;~2	Max	I	1076.5	0.4	0.0	23.9
51.2	2362.5			J	1076.5	0.4	0.0	23.9
47.0	2432.8		Min	I	-255.6	-0.7	-0.0	-16.1
-8.8	-1212.7			J	-255.6	-0.7	-0.0	-16.1
-7.6	-1199.3							
		G1		I	1140.9	-0.2	-0.5	2.4
6.3	773.8			J	1140.9	-0.2	0.5	2.4
1.7	854.3							
		G2		I	442.2	-0.1	0.0	0.2
17.8	280.1			J	442.2	-0.1	0.0	0.2
16.1	309.6							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	29.0	-0.0	0.0	-0.6
-0.1	-1386.4			J	29.0	-0.0	0.0	-0.6
-0.7	-1375.9							
		Q5_ps		I	26.4	-0.0	0.0	-0.6
-0.2	-1443.1			J	26.4	-0.0	0.0	-0.6
-0.7	-1433.1							
		INVSLU	Max	I	4608.5	0.8	-0.6	71.0
231.6	9573.3			J	4608.5	0.8	0.7	71.0
214.3	9995.1		Min	I	1484.3	-2.0	-0.6	-43.7
92.3	-2693.5			J	1484.3	-2.0	0.6	-43.7
84.9	-2475.9							


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

173.9	7002.1	INVSLE Max	I	3398.6	0.6	-0.4	52.2
			J	3398.6	0.6	0.5	52.2
161.0	7318.5	Min	I	1088.2	-1.5	-0.5	-32.7
70.7	-1899.5		J	1088.2	-1.5	0.5	-32.7
65.2	-1735.8						
1214	2	70 C1-C2;~1 Max	I	1812.8	0.8	0.0	62.5
81.5	5213.2		J	1812.8	0.8	0.0	62.5
96.4	5466.8	Min	I	-469.6	-1.2	-0.1	-30.8
-13.5	-1679.0		J	-469.6	-1.2	-0.1	-30.8
-22.2	-1747.6						
		C3-C4;~1 Max	I	1819.1	0.7	0.0	52.9
75.4	4057.4		J	1819.1	0.7	0.0	52.9
91.2	4212.8	Min	I	-462.6	-1.1	-0.1	-18.3
-13.3	-2190.1		J	-462.6	-1.1	-0.1	-18.3
-21.8	-2258.2						
		C1-C2;~2 Max	I	1094.9	0.5	0.0	40.8
52.0	3184.0		J	1094.9	0.5	0.0	40.8
60.1	3350.9	Min	I	-267.7	-0.8	-0.0	-18.6
-7.7	-909.2		J	-267.7	-0.8	-0.0	-18.6
-12.6	-956.0						
		C3-C4;~2 Max	I	1075.8	0.4	0.0	33.8
47.0	2432.8		J	1075.8	0.4	0.0	33.8
55.6	2523.1	Min	I	-263.4	-0.7	-0.0	-10.2
-7.6	-1199.4		J	-263.4	-0.7	-0.0	-10.2
-12.4	-1248.5						
		G1	I	1124.6	-0.2	-0.5	8.0
1.7	854.3		J	1124.6	-0.2	0.4	8.0
10.4	936.4						
		G2	I	435.3	-0.1	-0.0	0.9
16.1	309.6		J	435.3	-0.1	-0.0	0.9
19.3	338.3						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	29.8	-0.0	-0.0	-1.2
-0.7	-1375.9		J	29.8	-0.0	-0.0	-1.2
1.4	-1366.0						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-0.7	-1433.1	Q5_ps	I	27.0	-0.0	-0.0	-1.6
			J	27.0	-0.0	-0.0	-1.6
1.2	-1424.1						
214.3	9995.2	INVS LU Max	I	4547.9	0.8	-0.6	96.7
			J	4547.9	0.8	0.7	96.7
240.8	10516.2	Min	I	1404.6	-2.0	-0.7	-31.2
84.9	-2475.8		J	1404.6	-2.0	0.5	-31.2
78.3	-2371.5						
161.0	7318.6	INVS LE Max	I	3352.7	0.6	-0.4	71.0
			J	3352.7	0.6	0.5	71.0
180.0	7708.7	Min	I	1028.3	-1.5	-0.5	-23.7
65.2	-1735.8		J	1028.3	-1.5	0.4	-23.7
59.9	-1655.6						
1215	2	70 C1-C2;~1 Max	I	1811.3	0.8	0.2	76.3
96.4	5466.8		J	1811.3	0.8	0.2	76.3
38.5	5760.0	Min	I	-483.4	-1.2	-0.1	-25.5
-22.2	-1747.6		J	-483.4	-1.2	-0.1	-25.5
-24.5	-1827.3						
91.2	4212.8	C3-C4;~1 Max	I	1819.5	0.7	0.2	68.0
			J	1819.5	0.7	0.2	68.0
28.3	4392.6	Min	I	-476.2	-1.1	-0.1	-14.3
-21.8	-2258.2		J	-476.2	-1.1	-0.1	-14.3
-21.5	-2345.2						
60.1	3350.9	C1-C2;~2 Max	I	1094.2	0.5	0.1	49.6
			J	1094.2	0.5	0.1	49.6
24.0	3546.2	Min	I	-275.6	-0.8	-0.0	-14.7
-12.6	-956.0		J	-275.6	-0.8	-0.0	-14.7
-15.3	-1008.4						
55.6	2523.1	C3-C4;~2 Max	I	1076.3	0.4	0.1	43.6
			J	1076.3	0.4	0.1	43.6
17.2	2628.4	Min	I	-271.1	-0.7	-0.0	-7.5
-12.4	-1248.5		J	-271.1	-0.7	-0.0	-7.5
-13.2	-1309.3						
10.4	936.4	G1	I	1106.2	-0.2	-0.4	13.6
			J	1106.2	-0.2	0.5	13.6
-29.4	1020.0						
19.3	338.3	G2	I	427.3	-0.1	0.0	2.2


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
5.7	366.6		J	427.3	-0.1	0.0	2.2
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
1.4	-1366.0	Q5_pc	I	30.3	-0.0	0.0	-1.4
-2.8	-1356.6		J	30.3	-0.0	0.0	-1.4
1.2	-1424.1	Q5_ps	I	27.3	-0.0	0.0	-2.1
-2.5	-1415.7		J	27.3	-0.0	0.0	-2.1
240.8	10516.2	INVS LU Max	I	4486.2	0.8	-0.3	124.6
109.3	11101.2		J	4486.2	0.8	1.0	124.6
78.3	-2371.5	Min	I	1322.8	-2.1	-0.6	-15.5
19.1	-2282.6		J	1322.8	-2.1	0.6	-15.5
180.0	7708.7	INVS LE Max	I	3306.2	0.5	-0.2	91.7
83.1	8147.0		J	3306.2	0.5	0.7	91.7
59.9	-1655.6	Min	I	967.1	-1.5	-0.4	-11.9
16.7	-1586.1		J	967.1	-1.5	0.5	-11.9
1216	2	70 C1-C2;~1 Max	I	1815.1	0.8	0.1	86.2
38.5	5760.1		J	1815.1	0.8	0.1	86.2
227.6	6210.5	Min	I	-496.6	-1.2	-0.5	-22.9
-24.5	-1827.2		J	-496.6	-1.2	-0.5	-22.9
-55.4	-1964.0						
28.3	4392.7	C3-C4;~1 Max	I	1827.7	0.7	0.1	78.7
248.2	4642.5		J	1827.7	0.7	0.1	78.7
-21.5	-2345.3	Min	I	-489.3	-1.1	-0.5	-13.1
-54.5	-2438.8		J	-489.3	-1.1	-0.5	-13.1
24.0	3546.2	C1-C2;~2 Max	I	1097.4	0.5	0.1	55.8
143.7	3858.4		J	1097.4	0.5	0.1	55.8
-15.3	-1008.4	Min	I	-283.1	-0.8	-0.3	-12.8
-31.5	-1100.8		J	-283.1	-0.8	-0.3	-12.8
17.2	2628.5	C3-C4;~2 Max	I	1082.3	0.4	0.1	50.5
			J	1082.3	0.4	0.1	50.5

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
155.9	2783.6		Min	I	-278.6	-0.7	-0.3	-6.8
-13.2	-1309.4			J	-278.6	-0.7	-0.3	-6.8
-31.0	-1372.8							
		G1		I	1090.3	-0.2	-0.6	19.3
-29.4	1020.0			J	1090.3	-0.2	0.3	19.3
59.8	1104.9							
		G2		I	419.8	-0.1	-0.1	4.0
5.7	366.6			J	419.8	-0.1	-0.1	4.0
31.3	395.5							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	29.2	-0.0	-0.0	-1.3
-2.8	-1356.6			J	29.2	-0.0	-0.0	-1.3
-1.6	-1346.2							
		Q5_ps		I	26.2	-0.0	-0.0	-2.1
-2.5	-1415.7			J	26.2	-0.0	-0.0	-2.1
-2.2	-1406.4							
		INVSLU Max		I	4441.4	0.7	-0.7	150.7
109.3	11101.4			J	4441.4	0.7	0.5	150.7
527.2	11912.4		Min	I	1251.1	-2.1	-1.6	1.2
19.1	-2282.8			J	1251.1	-2.1	-0.3	1.2
114.5	-2187.3							
		INVSLE Max		I	3272.8	0.5	-0.5	111.3
83.1	8147.1			J	3272.8	0.5	0.4	111.3
395.1	8753.7		Min	I	913.5	-1.6	-1.2	0.7
16.7	-1586.3			J	913.5	-1.6	-0.2	0.7
89.5	-1511.1							
1217	2	70 C1-C2;~1 Max		I	1666.7	0.7	0.0	80.4
18.4	3586.0			J	1666.7	0.7	0.0	80.4
80.4	3523.9		Min	I	-412.2	-1.2	-0.2	-16.9
-26.0	-3492.5			J	-412.2	-1.2	-0.2	-16.9
-17.5	-3154.3							
		C3-C4;~1 Max		I	1755.8	0.5	0.0	68.5
29.3	2364.8			J	1755.8	0.5	0.0	68.5
85.7	2323.1		Min	I	-406.7	-1.0	-0.2	-11.8
-21.2	-3926.1			J	-406.7	-1.0	-0.2	-11.8
-17.1	-3743.0							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


10.5	2170.1	C1-C2;~2	Max	I	992.6	0.4	0.0	52.5
				J	992.6	0.4	0.0	52.5
49.4	2114.9		Min	I	-234.9	-0.8	-0.1	-10.2
-15.8	-2142.8			J	-234.9	-0.8	-0.1	-10.2
-9.9	-1914.9							
17.6	1359.7	C3-C4;~2	Max	I	1049.0	0.3	0.0	43.8
				J	1049.0	0.3	0.0	43.8
53.2	1322.7		Min	I	-231.6	-0.7	-0.1	-6.1
-13.0	-2352.2			J	-231.6	-0.7	-0.1	-6.1
-9.7	-2241.6							
-37.5	-591.7	G1		I	1171.8	-0.2	-0.6	15.6
				J	1171.8	-0.2	0.4	15.6
15.7	-476.1							
2.5	-251.3	G2		I	455.2	-0.1	-0.0	2.9
				J	455.2	-0.1	-0.0	2.9
21.5	-211.1							
0.0	0.0	Q3		I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
3.7	-1406.7	Q5_pc		I	-30.3	-0.0	0.0	-6.5
				J	-30.3	-0.0	0.0	-6.5
0.4	-1406.3							
5.3	-1462.3	Q5_ps		I	-24.9	0.0	0.0	-8.6
				J	-24.9	0.0	0.0	-8.6
0.6	-1464.6							
77.1	4644.2	INVS LU	Max	I	4665.5	0.6	-0.8	128.7
				J	4665.5	0.6	0.5	128.7
250.2	4703.6		Min	I	1684.1	-1.9	-1.1	-14.3
-4.1	-8029.2			J	1684.1	-1.9	0.2	-14.3
110.1	-7638.1							
58.7	3358.2	INVS LE	Max	I	3445.3	0.5	-0.6	94.6
				J	3445.3	0.5	0.4	94.6
187.5	3398.5		Min	I	1240.9	-1.4	-0.8	-10.5
-1.0	-5842.0			J	1240.9	-1.4	0.1	-10.5
83.8	-5556.0							
1218	2	70 C1-C2;~1	Max	I	1665.1	0.7	0.1	64.6
80.4	3523.9			J	1665.1	0.7	0.1	64.6
64.4	3487.1							

MIDAS


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-17.5	-3154.3	Min	I	-424.8	-1.2	-0.0	-24.4	
			J	-424.8	-1.2	-0.0	-24.4	
-13.4	-2892.6							
85.7	2323.1	C3-C4;~1 Max	I	1756.6	0.5	0.1	53.7	
74.5	2324.0		J	1756.6	0.5	0.1	53.7	
-17.1	-3743.1	Min	I	-419.2	-1.0	-0.0	-16.6	
-13.2	-3609.5		J	-419.2	-1.0	-0.0	-16.6	
49.4	2114.9	C1-C2;~2 Max	I	990.7	0.4	0.0	42.2	
39.6	2070.0		J	990.7	0.4	0.0	42.2	
-9.9	-1914.9	Min	I	-242.1	-0.8	-0.0	-15.7	
-7.6	-1733.4		J	-242.1	-0.8	-0.0	-15.7	
53.2	1322.7	C3-C4;~2 Max	I	1048.7	0.3	0.0	34.0	
46.5	1307.0		J	1048.7	0.3	0.0	34.0	
-9.7	-2241.7	Min	I	-238.7	-0.6	-0.0	-9.6	
-7.5	-2158.4		J	-238.7	-0.6	-0.0	-9.6	
15.7	-476.1	G1	I	1162.4	-0.2	-0.4	9.9	
1.6	-361.9		J	1162.4	-0.2	0.5	9.9	
21.5	-211.1	G2	I	451.9	-0.1	0.0	1.7	
16.1	-170.4		J	451.9	-0.1	0.0	1.7	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.4	-1406.3	Q5_pc	I	-29.8	-0.0	-0.0	-4.6	
1.2	-1404.3		J	-29.8	-0.0	-0.0	-4.6	
0.6	-1464.6	Q5_ps	I	-23.8	-0.0	-0.0	-6.0	
1.9	-1464.5		J	-23.8	-0.0	-0.0	-6.0	
250.2	4703.6	INVSLU Max	I	4623.2	0.6	-0.5	96.6	
208.9	4785.4		J	4623.2	0.6	0.8	96.6	
110.1	-7638.2	Min	I	1624.7	-1.9	-0.6	-31.9	
88.0	-7322.7		J	1624.7	-1.9	0.6	-31.9	

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
187.5	3398.5	INVSLE Max	I	3412.6	0.5	-0.4	70.8
			J	3412.6	0.5	0.6	70.8
157.0	3454.8	Min	I	1195.4	-1.4	-0.5	-23.8
83.8	-5556.1		J	1195.4	-1.4	0.5	-23.8
67.6	-5326.9						
1219	2	70 C1-C2;~1 Max	I	1665.4	0.7	0.0	48.8
64.4	3487.1		J	1665.4	0.7	0.0	48.8
72.2	3526.9	Min	I	-437.3	-1.2	-0.0	-35.3
-13.4	-2892.6		J	-437.3	-1.2	-0.0	-35.3
-15.6	-2747.1						
		C3-C4;~1 Max	I	1758.9	0.5	0.0	40.0
74.5	2324.0		J	1758.9	0.5	0.0	40.0
80.8	2390.1	Min	I	-431.6	-1.0	-0.0	-25.3
-13.2	-3609.5		J	-431.6	-1.0	-0.0	-25.3
-15.4	-3508.9						
		C1-C2;~2 Max	I	990.4	0.4	0.0	31.7
39.6	2070.0		J	990.4	0.4	0.0	31.7
44.4	2080.4	Min	I	-249.3	-0.8	-0.0	-23.3
-7.6	-1733.4		J	-249.3	-0.8	-0.0	-23.3
-8.9	-1634.1						
		C3-C4;~2 Max	I	1049.7	0.3	0.0	25.0
46.5	1307.0		J	1049.7	0.3	0.0	25.0
50.3	1336.9	Min	I	-245.7	-0.6	-0.0	-15.6
-7.5	-2158.4		J	-245.7	-0.6	-0.0	-15.6
-8.8	-2095.8						
		G1	I	1150.8	-0.2	-0.5	4.3
1.6	-361.9		J	1150.8	-0.2	0.5	4.3
6.2	-249.4						
		G2	I	447.4	-0.1	-0.0	1.0
16.1	-170.4		J	447.4	-0.1	-0.0	1.0
17.8	-128.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-29.8	-0.0	0.0	-1.9
1.2	-1404.3		J	-29.8	-0.0	0.0	-1.9
0.7	-1399.6						
		Q5_ps	I	-23.5	-0.0	0.0	-2.2

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
1.9	-1464.5						
1.1	-1460.6		J	-23.5	-0.0	0.0	-2.2
208.9	4785.4	INVSLE Max	I	4579.9	0.7	-0.6	68.4
223.8	4963.8		J	4579.9	0.7	0.6	68.4
88.0	-7322.7	Min	I	1561.2	-1.8	-0.7	-48.5
92.4	-7053.8		J	1561.2	-1.8	0.6	-48.5
157.0	3454.8	INVSLE Max	I	3379.3	0.5	-0.5	50.4
168.0	3582.6		J	3379.3	0.5	0.5	50.4
67.6	-5326.9	Min	I	1147.2	-1.3	-0.5	-36.0
70.8	-5132.7		J	1147.2	-1.3	0.4	-36.0
1220	2	70 C1-C2;~1 Max	I	1664.3	0.7	0.0	35.8
72.2	3526.9		J	1664.3	0.7	0.0	35.8
64.5	3800.8	Min	I	-449.9	-1.1	-0.0	-49.3
-15.6	-2747.1		J	-449.9	-1.1	-0.0	-49.3
-13.9	-2741.0						
80.8	2390.1	C3-C4;~1 Max	I	1759.0	0.5	0.0	28.6
73.9	2567.2		J	1759.0	0.5	0.0	28.6
-15.4	-3508.9	Min	I	-444.0	-1.0	-0.0	-38.7
-13.6	-3440.7		J	-444.0	-1.0	-0.0	-38.7
44.4	2080.4	C1-C2;~2 Max	I	989.5	0.5	0.0	22.9
39.8	2265.3		J	989.5	0.5	0.0	22.9
-8.9	-1634.1	Min	I	-256.4	-0.7	-0.0	-32.6
-7.9	-1634.9		J	-256.4	-0.7	-0.0	-32.6
50.3	1336.9	C3-C4;~2 Max	I	1049.5	0.3	0.0	17.2
46.2	1447.4		J	1049.5	0.3	0.0	17.2
-8.8	-2095.8	Min	I	-252.8	-0.6	-0.0	-24.3
-7.8	-2054.1		J	-252.8	-0.6	-0.0	-24.3
6.2	-249.4	G1	I	1136.6	-0.2	-0.5	-1.2
1.5	-138.7		J	1136.6	-0.2	0.5	-1.2
17.8	-128.9	G2	I	441.7	-0.1	0.0	0.5
			J	441.7	-0.1	0.0	0.5


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
16.1	-86.3						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-30.2	-0.0	-0.0	1.2
0.7	-1399.6		J	-30.2	-0.0	-0.0	1.2
1.5	-1391.9						
		Q5_ps	I	-23.6	-0.0	-0.0	2.0
1.1	-1460.6		J	-23.6	-0.0	-0.0	2.0
2.0	-1452.6						
		INVS LU Max	I	4528.5	0.7	-0.6	48.1
223.8	4963.9		J	4528.5	0.7	0.7	48.1
204.6	5453.5						
		Min	I	1492.2	-1.8	-0.6	-69.0
92.4	-7053.7		J	1492.2	-1.8	0.6	-69.0
83.6	-6828.1						
		INVS LE Max	I	3340.2	0.5	-0.4	35.8
168.0	3582.6		J	3340.2	0.5	0.5	35.8
153.8	3940.9						
		Min	I	1095.1	-1.3	-0.5	-50.8
70.8	-5132.7		J	1095.1	-1.3	0.5	-50.8
64.3	-4970.9						
1221	2	70 C1-C2;~1 Max	I	1662.0	0.7	0.0	25.6
64.5	3800.9		J	1662.0	0.7	0.0	25.6
79.7	4085.3						
		Min	I	-462.4	-1.1	-0.1	-65.4
-13.9	-2741.0		J	-462.4	-1.1	-0.1	-65.4
-20.4	-2857.6						
		C3-C4;~1 Max	I	1756.8	0.6	0.0	21.0
73.9	2567.2		J	1756.8	0.6	0.0	21.0
88.2	2759.6						
		Min	I	-456.4	-1.0	-0.1	-54.6
-13.6	-3440.7		J	-456.4	-1.0	-0.1	-54.6
-20.1	-3410.8						
		C1-C2;~2 Max	I	988.0	0.5	0.0	15.6
39.8	2265.4		J	988.0	0.5	0.0	15.6
48.4	2457.0						
		Min	I	-263.5	-0.7	-0.0	-43.1
-7.9	-1634.9		J	-263.5	-0.7	-0.0	-43.1
-11.6	-1723.5						
		C3-C4;~2 Max	I	1048.1	0.3	0.0	11.8
46.2	1447.4		J	1048.1	0.3	0.0	11.8
54.1	1566.6						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-7.8	-2054.1		Min	I	-259.9	-0.6	-0.0	-34.5
				J	-259.9	-0.6	-0.0	-34.5
-11.5	-2037.9							
			G1	I	1119.8	-0.2	-0.5	-6.7
1.5	-138.7			J	1119.8	-0.2	0.4	-6.7
10.8	-29.6							
			G2	I	434.8	-0.1	-0.0	-0.2
16.1	-86.3			J	434.8	-0.1	-0.0	-0.2
19.6	-42.8							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-30.9	-0.0	0.0	3.9
1.5	-1391.9			J	-30.9	-0.0	0.0	3.9
-0.5	-1381.6							
			Q5_ps	I	-24.3	-0.0	0.0	5.8
2.0	-1452.6			J	-24.3	-0.0	0.0	5.8
0.3	-1440.7							
			INVSLU Max	I	4469.1	0.8	-0.6	32.9
204.6	5453.5			J	4469.1	0.8	0.6	32.9
234.0	5950.9							
			Min	I	1417.7	-1.8	-0.7	-96.9
83.6	-6828.1			J	1417.7	-1.8	0.5	-96.9
86.5	-6655.8							
			INVSLE Max	I	3295.3	0.6	-0.5	24.6
153.8	3941.0			J	3295.3	0.6	0.5	24.6
175.2	4305.0							
			Min	I	1039.0	-1.3	-0.5	-71.0
64.3	-4970.9			J	1039.0	-1.3	0.4	-71.0
65.9	-4849.1							
1222	2	70	C1-C2;~1 Max	I	1662.1	0.8	0.2	19.2
79.7	4085.3			J	1662.1	0.8	0.2	19.2
21.3	4370.2							
			Min	I	-475.0	-1.1	-0.1	-81.0
-20.4	-2857.6			J	-475.0	-1.1	-0.1	-81.0
-20.3	-3033.5							
			C3-C4;~1 Max	I	1756.0	0.6	0.2	17.1
88.2	2759.7			J	1756.0	0.6	0.2	17.1
28.6	2968.0							
			Min	I	-468.9	-1.0	-0.1	-69.9
-20.1	-3410.8			J	-468.9	-1.0	-0.1	-69.9
-21.3	-3400.5							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
48.4	2457.0	C1-C2;~2 Max	I	988.6	0.5	0.1	11.0
			J	988.6	0.5	0.1	11.0
12.6	2648.1	Min	I	-270.8	-0.7	-0.0	-53.3
-11.6	-1723.5		J	-270.8	-0.7	-0.0	-53.3
-12.8	-1852.3						
54.1	1566.6	C3-C4;~2 Max	I	1048.0	0.3	0.1	9.0
			J	1048.0	0.3	0.1	9.0
17.4	1695.0	Min	I	-267.0	-0.6	-0.0	-44.4
-11.5	-2037.9		J	-267.0	-0.6	-0.0	-44.4
-13.1	-2032.7						
10.8	-29.6	G1	I	1100.8	-0.2	-0.4	-12.2
			J	1100.8	-0.2	0.5	-12.2
-29.8	78.0						
19.6	-42.8	G2	I	426.6	-0.1	0.0	-1.3
			J	426.6	-0.1	0.0	-1.3
5.5	1.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-0.5	-1381.6	Q5_pc	I	-31.8	-0.0	-0.0	5.8
			J	-31.8	-0.0	-0.0	5.8
5.0	-1369.7						
0.3	-1440.7	Q5_ps	I	-25.5	-0.0	-0.0	8.5
			J	-25.5	-0.0	-0.0	8.5
5.8	-1426.5						
234.0	5951.0	INVSLU Max	I	4408.1	0.8	-0.3	17.3
			J	4408.1	0.8	1.0	17.3
95.2	6437.7	Min	I	1338.9	-1.7	-0.6	-128.5
86.5	-6655.7		J	1338.9	-1.7	0.7	-128.5
18.9	-6518.2						
175.2	4305.1	INVSLE Max	I	3249.4	0.6	-0.2	12.9
			J	3249.4	0.6	0.7	12.9
72.6	4660.5	Min	I	980.2	-1.3	-0.4	-94.3
65.9	-4849.0		J	980.2	-1.3	0.5	-94.3
16.7	-4753.9						
1223	2	70 C1-C2;~1 Max	I	1670.4	0.8	0.1	15.8
21.3	4370.2		J	1670.4	0.8	0.1	15.8
234.1	4660.8	Min	I	-489.5	-1.1	-0.5	-91.5


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-20.3	-3033.6		J	-489.5	-1.1	-0.5	-91.5
-59.9	-3243.4						
28.6	2967.8	C3-C4;~1	Max	I	1763.5	0.6	14.6
242.2	3193.5			J	1763.5	0.6	14.6
-21.3	-3400.5		Min	I	-483.1	-1.0	-80.7
-58.9	-3416.4			J	-483.1	-1.0	-80.7
12.6	2648.1	C1-C2;~2	Max	I	994.7	0.5	8.5
147.8	2841.7			J	994.7	0.5	8.5
-12.8	-1852.4		Min	I	-279.0	-0.7	-60.0
-34.1	-2002.1			J	-279.0	-0.7	-60.0
17.4	1694.8	C3-C4;~2	Max	I	1053.7	0.4	7.4
153.7	1833.2			J	1053.7	0.4	7.4
-13.1	-2032.7		Min	I	-275.1	-0.6	-51.3
-33.5	-2042.7			J	-275.1	-0.6	-51.3
-29.8	78.1		G1	I	1083.5	-0.2	-18.0
56.9	183.9			J	1083.5	-0.2	-18.0
5.5	1.1		G2	I	418.4	-0.1	-3.2
29.8	44.1			J	418.4	-0.1	-3.2
0.0	0.0		Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
5.0	-1369.7		Q5_pc	I	-32.0	-0.0	6.8
-6.9	-1357.5			J	-32.0	-0.0	6.8
5.8	-1426.5		Q5_ps	I	-26.3	-0.0	9.7
-10.1	-1412.2			J	-26.3	-0.0	9.7
95.2	6437.8		INVSLU	Max	I	4359.4	0.9
510.0	6915.7			J	4359.4	0.9	0.5
18.9	-6518.1		Min	I	1260.3	-1.7	-156.5
89.6	-6431.9			J	1260.3	-1.7	-156.5
			INVSLE	Max	I	3213.1	0.6
						-0.5	0.1


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
72.6	4660.6			J	3213.1	0.6	0.4	0.1	
381.9	5008.7								
			Min	I	921.7	-1.3	-1.2	-115.3	
16.7	-4753.7								
				J	921.7	-1.3	-0.2	-115.3	
71.4	-4697.4								
1224	2	62	C1-C2;~1	Max	I	47.3	6.3	0.8	110.5
233.2	16031.9								
				J	47.3	6.3	0.8	110.5	
262.9	17903.7								
			Min	I	-185.6	-12.2	-0.9	-291.6	
-186.3	-1274.4								
				J	-185.6	-12.2	-0.9	-291.6	
-171.0	-1304.0								
			C3-C4;~1	Max	I	45.8	2.7	1.3	96.2
380.8	11888.2								
				J	45.8	2.7	1.3	96.2	
442.5	13513.0								
			Min	I	-201.0	-6.7	-1.5	-217.8	
-330.6	-1715.5								
				J	-201.0	-6.7	-1.5	-217.8	
-279.7	-1915.5								
			C1-C2;~2	Max	I	27.0	4.4	0.5	71.4
141.6	11281.7								
				J	27.0	4.4	0.5	71.4	
162.6	12533.6								
			Min	I	-109.5	-8.5	-0.5	-200.7	
-113.5	-626.3								
				J	-109.5	-8.5	-0.5	-200.7	
-98.6	-602.8								
			C3-C4;~2	Max	I	26.1	1.6	0.9	59.1
249.8	8083.3								
				J	26.1	1.6	0.9	59.1	
292.3	9172.7								
			Min	I	-119.2	-4.4	-1.0	-145.7	
-217.1	-876.5								
				J	-119.2	-4.4	-1.0	-145.7	
-178.0	-957.9								
			G1	I	-130.1	0.1	-0.2	-1.9	
39.0	140.4								
				J	-130.1	0.1	0.5	-1.9	
-31.7	95.0								
			G2	I	-50.5	0.4	0.1	10.1	
27.0	-590.7								
				J	-50.5	0.4	0.1	10.1	
-0.8	-799.7								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0								
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	-30.4	0.6	0.0	17.8	
2.2	-1650.7								
				J	-30.4	0.6	0.0	17.8	
-3.7	-1966.9								
			Q5_ps	I	-30.0	0.9	0.0	25.0	
0.8	-2055.6								

MIDAS

PROJECT TITLE :

		Company		Client			
		Author		File Name			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H
-2.8	-2483.7		J	-30.0	0.9	0.0	25.0
607.6	23570.3	INVS LU Max	I	-2456.8	23.1	1.3	303.4
674.9	19394.2		J	-2456.8	23.1	2.3	303.4
-356.7	-3825.0	Min	I	-2846.7	-3.0	-2.6	-271.5
-306.7	-11564.7		J	-2846.7	-3.0	-1.6	-271.5
454.4	17395.0	INVS LE Max	I	-1903.0	18.3	1.0	233.7
500.4	13671.4		J	-1903.0	18.3	1.7	233.7
-259.6	-2559.3	Min	I	-2187.7	-1.0	-1.9	-189.8
-226.2	-8854.0		J	-2187.7	-1.0	-1.1	-189.8
1225	2	62 C1-C2;~1 Max	I	48.7	15.0	0.9	144.3
263.0	17901.8		J	48.7	15.0	0.9	144.3
238.3	14683.3	Min	I	-183.6	-6.8	-0.8	-243.1
-162.9	-1304.1		J	-183.6	-6.8	-0.8	-243.1
-192.5	-1412.3						
415.1	13511.5	C3-C4;~1 Max	I	47.2	9.4	1.5	115.1
412.9	10762.8		J	47.2	9.4	1.5	115.1
-301.8	-1915.4	Min	I	-198.3	-3.2	-1.4	-178.2
-313.3	-1794.3		J	-198.3	-3.2	-1.4	-178.2
161.5	12532.4	C1-C2;~2 Max	I	27.7	10.6	0.5	96.1
147.1	10339.0		J	27.7	10.6	0.5	96.1
-98.6	-602.9	Min	I	-108.3	-4.7	-0.5	-166.7
-112.5	-741.5		J	-108.3	-4.7	-0.5	-166.7
272.8	9171.7	C3-C4;~2 Max	I	26.8	6.3	0.9	73.3
273.3	7364.7		J	26.8	6.3	0.9	73.3
-198.4	-957.9	Min	I	-117.4	-2.0	-0.9	-118.8
-200.6	-948.5		J	-117.4	-2.0	-0.9	-118.8
58.1	95.1	G1	I	-128.8	0.1	-0.2	-1.7
-51.1	59.0		J	-128.8	0.1	0.6	-1.7
34.3	-799.6	G2	I	-50.1	-0.5	0.1	5.0
-7.9	-565.4		J	-50.1	-0.5	0.1	5.0

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
1.6	-1966.6	Q5_pc	I	-30.6	-0.9	0.0	9.0
-2.5	-1537.4		J	-30.6	-0.9	0.0	9.0
-0.4	-2483.3	Q5_ps	I	-30.3	-1.2	0.0	12.9
-0.8	-1894.2		J	-30.3	-1.2	0.0	12.9
747.7	19392.7	INVS LU Max	I	-2427.1	21.3	1.8	277.8
581.8	14523.9		J	-2427.1	21.3	2.8	277.8
-223.0	-11562.9	Min	I	-2815.7	-9.7	-2.1	-261.4
-403.0	-10804.1		J	-2815.7	-9.7	-1.1	-261.4
560.5	13670.4	INVS LE Max	I	-1880.4	15.8	1.3	210.7
429.3	10062.0		J	-1880.4	15.8	2.1	210.7
-158.4	-8852.6	Min	I	-2164.1	-7.0	-1.5	-187.5
-299.8	-8386.5		J	-2164.1	-7.0	-0.8	-187.5
1226	2	62 C1-C2;~1 Max	I	50.1	12.1	1.0	180.3
276.3	14683.0		J	50.1	12.1	1.0	180.3
230.2	13312.4	Min	I	-182.9	-9.0	-0.8	-207.8
-155.8	-1412.3		J	-182.9	-9.0	-0.8	-207.8
-207.8	-1297.0						
430.0	10762.7	C3-C4;~1 Max	I	48.6	7.1	1.5	137.5
400.9	9733.6		J	48.6	7.1	1.5	137.5
-290.5	-1794.3	Min	I	-197.3	-4.8	-1.4	-153.3
-329.9	-1668.3		J	-197.3	-4.8	-1.4	-153.3
169.8	10338.8	C1-C2;~2 Max	I	28.6	8.5	0.6	121.8
142.6	9390.1		J	28.6	8.5	0.6	121.8
-94.7	-741.5	Min	I	-107.7	-6.3	-0.5	-141.7
-122.2	-671.4		J	-107.7	-6.3	-0.5	-141.7
282.0	7364.6	C3-C4;~2 Max	I	27.6	4.8	1.0	89.3
266.1	6689.2		J	27.6	4.8	1.0	89.3
		Min	I	-116.6	-3.2	-0.9	-101.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-191.6	-948.5		J	-116.6	-3.2	-0.9	-101.0
-211.1	-878.7						
		G1	I	-127.6	0.0	-0.1	-1.1
73.7	59.0		J	-127.6	0.0	0.7	-1.1
-67.5	48.2						
		G2	I	-49.6	-0.2	0.1	1.1
40.7	-565.4		J	-49.6	-0.2	0.1	1.1
-14.5	-472.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-30.7	-0.3	0.0	2.0
1.8	-1537.4		J	-30.7	-0.3	0.0	2.0
-2.3	-1365.9						
		Q5_ps	I	-30.4	-0.5	0.0	3.2
-0.1	-1894.2		J	-30.4	-0.5	0.0	3.2
-0.7	-1660.9						
		INVS LU Max	I	-2394.9	15.9	1.9	267.9
755.9	14523.3		J	-2394.9	15.9	2.9	267.9
559.1	12872.7						
		Min	I	-2784.3	-13.2	-2.1	-259.5
-219.8	-10804.2		J	-2784.3	-13.2	-1.0	-259.5
-431.7	-10005.9						
		INVS LE Max	I	-1856.2	11.7	1.4	200.0
566.3	10061.5		J	-1856.2	11.7	2.1	200.0
412.4	8882.8						
		Min	I	-2140.5	-9.8	-1.5	-190.4
-156.2	-8386.6		J	-2140.5	-9.8	-0.8	-190.4
-321.2	-7788.7						
1227	2	62 C1-C2;~1 Max	I	51.6	9.0	1.0	206.5
279.4	13312.7		J	51.6	9.0	1.0	206.5
226.9	14697.4						
		Min	I	-182.9	-12.1	-0.7	-181.3
-151.1	-1297.0		J	-182.9	-12.1	-0.7	-181.3
-212.9	-1424.9						
		C3-C4;~1 Max	I	50.1	4.8	1.5	154.4
436.4	9733.7		J	50.1	4.8	1.5	154.4
394.5	10773.7						
		Min	I	-197.2	-7.1	-1.4	-136.1
-282.9	-1668.3		J	-197.2	-7.1	-1.4	-136.1
-338.0	-1815.9						
		C1-C2;~2 Max	I	29.5	6.3	0.6	140.6


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
170.8	9390.3			J	29.5	6.3	0.6	140.6
141.5	10348.1							
			Min	I	-107.7	-8.6	-0.5	-122.8
-92.5	-671.4							
				J	-107.7	-8.6	-0.5	-122.8
-124.7	-749.4							
			C3-C4;~2 Max	I	28.5	3.2	1.0	101.5
285.3	6689.2							
				J	28.5	3.2	1.0	101.5
262.9	7370.7							
			Min	I	-116.5	-4.8	-0.9	-88.7
-187.5	-878.7							
				J	-116.5	-4.8	-0.9	-88.7
-215.6	-962.8							
			G1	I	-126.2	-0.0	-0.0	-0.7
88.0	48.2							
				J	-126.2	-0.0	0.7	-0.7
-82.6	59.9							
			G2	I	-49.1	0.2	0.1	-1.7
47.2	-472.9							
				J	-49.1	0.2	0.1	-1.7
-21.3	-566.5							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0							
				J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-30.7	0.3	0.0	-3.1
2.8	-1365.9							
				J	-30.7	0.3	0.0	-3.1
-3.4	-1522.9							
			Q5_ps	I	-30.4	0.4	0.0	-3.9
1.6	-1660.9							
				J	-30.4	0.4	0.0	-3.9
-2.4	-1881.0							
			INVSLU Max	I	-2358.1	13.6	2.0	257.7
774.8	12873.0							
				J	-2358.1	13.6	3.0	257.7
538.8	14311.6							
			Min	I	-2749.3	-15.5	-2.0	-271.4
-201.4	-10005.9							
				J	-2749.3	-15.5	-1.0	-271.4
-456.2	-11021.8							
			INVSLE Max	I	-1828.5	10.1	1.5	188.9
579.9	8883.0							
				J	-1828.5	10.1	2.2	188.9
397.5	9908.0							
			Min	I	-2114.1	-11.4	-1.5	-202.6
-142.8	-7788.7							
				J	-2114.1	-11.4	-0.7	-202.6
-339.1	-8547.0							
			62 C1-C2;~1 Max	I	53.2	6.8	1.0	241.7
1228	2							
286.9	14697.8							
				J	53.2	6.8	1.0	241.7
213.4	17932.8							
			Min	I	-184.0	-15.0	-0.7	-145.0
-135.7	-1424.9							


MIDAS

PROJECT TITLE :

		Company		Client			
		Author		File Name			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H
-220.7	-1324.6		J	-184.0	-15.0	-0.7	-145.0
448.7	10773.8	C3-C4;~1 Max	I	51.6	3.3	1.6	179.2
379.6	13539.9		J	51.6	3.3	1.6	179.2
-266.6	-1815.8	Min	I	-198.1	-9.3	-1.3	-113.6
-350.2	-1944.5		J	-198.1	-9.3	-1.3	-113.6
174.9	10348.4	C1-C2;~2 Max	I	30.4	4.7	0.6	165.6
133.2	12551.9		J	30.4	4.7	0.6	165.6
-82.8	-749.4	Min	I	-108.5	-10.6	-0.4	-96.9
-129.1	-614.2		J	-108.5	-10.6	-0.4	-96.9
292.8	7370.8	C3-C4;~2 Max	I	29.4	2.0	1.0	119.2
253.9	9187.3		J	29.4	2.0	1.0	119.2
-177.3	-962.7	Min	I	-117.2	-6.3	-0.9	-72.6
-223.1	-975.1		J	-117.2	-6.3	-0.9	-72.6
103.3	59.9	G1	I	-124.8	-0.1	0.0	-0.0
-98.6	97.2		J	-124.8	-0.1	0.8	-0.0
53.3	-566.5	G2	I	-48.5	0.5	0.2	-5.5
-27.9	-801.2		J	-48.5	0.5	0.2	-5.5
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
2.6	-1522.9	Q5_pc	I	-30.7	0.8	0.0	-10.0
-3.5	-1934.5		J	-30.7	0.8	0.0	-10.0
1.5	-1881.0	Q5_ps	I	-30.3	1.1	0.0	-13.5
-2.7	-2453.7		J	-30.3	1.1	0.0	-13.5
795.4	14312.2	INVSLU Max	I	-2316.6	10.0	2.0	259.3
517.2	18997.9		J	-2316.6	10.0	3.0	259.3
-175.1	-11021.6	Min	I	-2711.1	-20.9	-1.9	-280.8
-474.3	-11949.5		J	-2711.1	-20.9	-0.9	-280.8
595.3	9908.4	INVSLE Max	I	-1797.4	7.3	1.5	185.8


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
381.5	13387.3		J	-1797.4	7.3	2.3	185.8
		Min	I	-2085.5	-15.5	-1.4	-212.9
-123.2	-8546.8		J	-2085.5	-15.5	-0.6	-212.9
-352.5	-9135.1						
1229	2	62 C1-C2;~1 Max	I	54.9	12.3	1.1	290.2
309.2	17934.7		J	54.9	12.3	1.1	290.2
182.8	16005.7	Min	I	-186.5	-6.3	-0.6	-110.6
-116.1	-1324.5		J	-186.5	-6.3	-0.6	-110.6
-243.4	-1296.0						
		C3-C4;~1 Max	I	53.3	6.7	1.7	215.0
476.9	13541.4		J	53.3	6.7	1.7	215.0
344.9	11860.4	Min	I	-201.1	-2.6	-1.2	-94.0
-232.8	-1944.6		J	-201.1	-2.6	-1.2	-94.0
-378.7	-1739.7						
		C1-C2;~2 Max	I	31.3	8.6	0.7	199.6
189.3	12553.2		J	31.3	8.6	0.7	199.6
112.9	11264.0	Min	I	-110.1	-4.4	-0.4	-72.0
-70.5	-614.1		J	-110.1	-4.4	-0.4	-72.0
-143.6	-640.3						
		C3-C4;~2 Max	I	30.3	4.5	1.1	144.5
311.3	9188.3		J	30.3	4.5	1.1	144.5
230.9	8066.7	Min	I	-119.1	-1.5	-0.8	-58.1
-154.8	-975.1		J	-119.1	-1.5	-0.8	-58.1
-241.7	-892.5						
		G1	I	-123.4	-0.1	0.1	0.2
121.0	97.2		J	-123.4	-0.1	0.9	0.2
-117.5	126.1						
		G2	I	-47.8	-0.4	0.2	-10.6
59.7	-801.4		J	-47.8	-0.4	0.2	-10.6
-35.0	-593.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-30.4	-0.6	0.0	-18.7
1.2	-1934.7		J	-30.4	-0.6	0.0	-18.7
-2.7	-1616.3						
		Q5_ps	I	-29.9	-0.9	0.0	-25.5
-0.6	-2454.0		J	-29.9	-0.9	0.0	-25.5


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-1.2	-2019.8						
874.5	18999.5	INVS LU	Max	I	-2273.4	3.2	2.4
393.8	23048.1			J	-2273.4	3.2	3.4
-85.7	-11951.1		Min	I	-2673.7	-22.9	-1.5
-587.7	-4248.7			J	-2673.7	-22.9	-0.4
656.5	13388.3	INVS LE	Max	I	-1765.3	1.1	1.8
287.5	17035.8			J	-1765.3	1.1	2.6
-54.7	-9136.3		Min	I	-2057.7	-18.2	-1.1
-439.2	-2851.9			J	-2057.7	-18.2	-0.3
1230	2	62 C1-C2;~1	Max	I	56.9	128.4	1.9
512.5	15999.7			J	56.9	128.4	1.9
116.0	5549.5		Min	I	-202.8	-12.6	-0.4
-77.3	-1296.7			J	-202.8	-12.6	-0.4
-459.6	-48477.6						
665.3	11854.7	C3-C4;~1	Max	I	55.3	114.4	2.5
153.3	6288.4			J	55.3	114.4	2.5
-106.2	-1739.8		Min	I	-215.0	-14.5	-0.5
-594.2	-45549.0			J	-215.0	-14.5	-0.5
326.4	11260.0	C1-C2;~2	Max	I	32.5	85.8	1.2
68.6	2292.0			J	32.5	85.8	1.2
-44.9	-640.9		Min	I	-120.8	-5.2	-0.2
-289.1	-31740.6			J	-120.8	-5.2	-0.2
439.2	8063.3	C3-C4;~2	Max	I	31.4	74.3	1.7
92.4	2634.5			J	31.4	74.3	1.7
-63.0	-892.7		Min	I	-128.5	-6.1	-0.3
-388.7	-29137.9			J	-128.5	-6.1	-0.3
153.7	126.0	G1		I	-123.2	1.6	0.2
-155.4	-653.7			J	-123.2	1.6	1.0
57.3	-592.9	G2		I	-46.1	-9.9	0.2
-31.8	4374.8			J	-46.1	-9.9	0.2


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		Q3	I	0.0	0.0	0.0
				J	0.0	0.0	0.0
0.0	0.0						
-27.4	-1615.4		Q5_pc	I	-27.3	-17.5	-0.1
				J	-27.3	-17.5	-0.1
31.5	7145.4						
-41.4	-2018.6		Q5_ps	I	-25.7	-24.3	-0.2
				J	-25.7	-24.3	-0.2
47.6	10127.4						
1211.5	23044.1		INVS LU Max	I	-2235.9	112.5	3.9
				J	-2235.9	112.5	4.9
88.3	57060.9						
120.5	-4242.3		Min	I	-2652.3	-121.3	-0.4
				J	-2652.3	-121.3	0.6
-977.5	-33562.5						
913.6	17033.3		INVS LE Max	I	-1737.5	76.3	2.9
				J	-1737.5	76.3	3.7
47.0	44150.9						
109.2	-2846.9		Min	I	-2042.3	-93.0	-0.2
				J	-2042.3	-93.0	0.5
-738.3	-21375.9						
1231	2	62	C1-C2;~1 Max	I	43.6	7.2	1.0
286.6	4111.2			J	43.6	7.2	1.0
369.8	4901.5						
-284.9	-11381.2		Min	I	-207.6	-4.3	-1.3
				J	-207.6	-4.3	-1.3
-219.7	-13044.0						
371.9	1515.8		C3-C4;~1 Max	I	43.7	6.7	1.3
				J	43.7	6.7	1.3
441.9	1674.2						
-328.8	-11482.6		Min	I	-203.3	-2.6	-1.5
				J	-203.3	-2.6	-1.5
-270.2	-13051.1						
177.1	2543.0		C1-C2;~2 Max	I	24.9	4.9	0.6
				J	24.9	4.9	0.6
236.3	3024.1						
-180.7	-7783.3		Min	I	-125.1	-2.7	-0.8
				J	-125.1	-2.7	-0.8
-130.3	-8841.8						
240.3	798.0		C3-C4;~2 Max	I	25.0	4.4	0.8
				J	25.0	4.4	0.8
290.1	865.4						
-214.4	-7921.5		Min	I	-120.0	-1.6	-1.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-168.4	-8923.8		J	-120.0	-1.6	-1.0	-56.6
		G1	I	-128.8	-0.1	-0.2	1.8
35.5	-156.1		J	-128.8	-0.1	0.5	1.8
-28.1	-115.6						
		G2	I	-49.7	-0.4	0.1	-9.4
27.0	547.4		J	-49.7	-0.4	0.1	-9.4
-0.8	747.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	30.0	-0.2	-0.0	-5.1
-3.6	-272.0		J	30.0	-0.2	-0.0	-5.1
2.8	-176.6						
		Q5_ps	I	29.3	-0.3	-0.0	-8.1
-1.6	-59.9		J	29.3	-0.3	-0.0	-8.1
0.5	104.9						
		INVS LU Max	I	-2450.7	-3.6	1.3	158.5
602.7	5357.8		J	-2450.7	-3.6	2.3	158.5
666.6	13069.2	Min	I	-2844.1	-19.4	-2.5	-297.4
-349.6	-16183.4		J	-2844.1	-19.4	-1.5	-297.4
-299.7	-11484.7						
		INVS LE Max	I	-1898.7	-3.9	1.0	107.2
451.5	3909.4		J	-1898.7	-3.9	1.7	107.2
493.6	10232.3	Min	I	-2186.1	-15.6	-1.9	-229.9
-253.5	-12010.8		J	-2186.1	-15.6	-1.1	-229.9
-221.8	-7932.2						
1232	2	62 C1-C2;~1 Max	I	44.8	4.8	1.1	176.4
315.3	4900.9		J	44.8	4.8	1.1	176.4
343.9	4048.7	Min	I	-204.8	-9.4	-1.2	-115.1
-258.5	-13042.5		J	-204.8	-9.4	-1.2	-115.1
-242.3	-10457.1						
		C3-C4;~1 Max	I	44.9	3.1	1.4	173.9
405.9	1674.2		J	44.9	3.1	1.4	173.9
411.9	1604.1	Min	I	-200.3	-9.3	-1.4	-110.8
-299.5	-13049.6		J	-200.3	-9.3	-1.4	-110.8
-303.3	-10424.9						
		C1-C2;~2 Max	I	25.6	3.0	0.7	118.7
196.2	3023.7						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
219.8	2519.2		J	25.6	3.0	0.7	118.7
		Min	I	-123.2	-6.4	-0.8	-77.8
-163.8	-8840.9		J	-123.2	-6.4	-0.8	-77.8
-145.1	-7149.5						
		C3-C4;~2 Max	I	25.6	1.9	0.9	114.9
263.1	865.4		J	25.6	1.9	0.9	114.9
271.0	870.1						
		Min	I	-118.1	-6.3	-0.9	-70.8
-195.6	-8922.9		J	-118.1	-6.3	-0.9	-70.8
-190.8	-7179.2						
		G1	I	-127.3	-0.1	-0.2	1.6
54.5	-115.6		J	-127.3	-0.1	0.6	1.6
-47.5	-79.0						
		G2	I	-49.2	0.4	0.1	-4.6
34.1	746.9		J	-49.2	0.4	0.1	-4.6
-7.7	527.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	29.9	0.2	-0.0	-2.9
-5.0	-176.7		J	29.9	0.2	-0.0	-2.9
4.1	-278.6						
		Q5_ps	I	29.2	0.4	-0.0	-4.3
-3.5	104.8		J	29.2	0.4	-0.0	-4.3
2.3	-74.1						
		INVSLE Max	I	-2419.8	6.7	1.8	172.3
747.3	13067.2		J	-2419.8	6.7	2.8	172.3
573.5	11971.8						
		Min	I	-2810.8	-12.8	-2.1	-226.3
-214.1	-11484.0		J	-2810.8	-12.8	-1.1	-226.3
-399.5	-8112.6						
		INVSLE Max	I	-1875.1	4.9	1.3	122.1
560.7	10230.7		J	-1875.1	4.9	2.1	122.1
422.3	9443.1						
		Min	I	-2160.8	-9.5	-1.5	-172.8
-150.8	-7931.8		J	-2160.8	-9.5	-0.8	-172.8
-297.9	-5397.1						
1233	2	62 C1-C2;~1 Max	I	46.2	4.9	1.2	151.9
332.8	4048.7		J	46.2	4.9	1.2	151.9
330.0	3712.9						
		Min	I	-203.3	-7.1	-1.1	-135.2
-244.4	-10457.1		J	-203.3	-7.1	-1.1	-135.2


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-259.7	-9478.0						
		C3-C4;~1	Max	I	46.2	4.7	1.5
420.9	1604.1			J	46.2	4.7	1.5
399.7	1505.6						
			Min	I	-199.0	-7.0	-1.4
-288.0	-10424.8			J	-199.0	-7.0	-1.4
-320.1	-9438.8						
		C1-C2;~2	Max	I	26.3	3.4	0.7
207.5	2519.2			J	26.3	3.4	0.7
211.3	2315.2						
			Min	I	-122.2	-4.9	-0.7
-155.0	-7149.5			J	-122.2	-4.9	-0.7
-156.3	-6507.8						
		C3-C4;~2	Max	I	26.4	3.1	0.9
272.5	870.1			J	26.4	3.1	0.9
263.6	812.0						
			Min	I	-117.1	-4.7	-0.9
-188.6	-7179.1			J	-117.1	-4.7	-0.9
-201.4	-6525.4						
		G1		I	-125.8	-0.0	-0.1
70.3	-79.0			J	-125.8	-0.0	0.6
-64.0	-67.6						
		G2		I	-48.6	0.2	0.1
40.5	527.0			J	-48.6	0.2	0.1
-14.3	440.2						
		Q3		I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
		Q5_pc		I	29.9	0.1	-0.0
-5.4	-278.6			J	29.9	0.1	-0.0
4.5	-314.8						
		Q5_ps		I	29.2	0.1	-0.0
-4.1	-74.0			J	29.2	0.1	-0.0
3.0	-141.0						
		INVSLU	Max	I	-2385.9	7.7	1.9
754.3	11971.9			J	-2385.9	7.7	2.9
551.1	11020.8						
			Min	I	-2776.7	-8.6	-2.0
-212.4	-8112.3			J	-2776.7	-8.6	-1.0
-428.7	-7353.5						
		INVSLE	Max	I	-1849.7	5.7	1.4
565.6	9443.2			J	-1849.7	5.7	2.1

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
405.6	8704.6		Min	I	-2135.2	-6.3	-1.5	-150.0	
-149.7	-5396.9			J	-2135.2	-6.3	-0.7	-150.0	
-319.6	-4864.0								
1234	2	62	C1-C2;~1	Max	I	47.5	7.1	1.2	134.6
345.1	3712.8				J	47.5	7.1	1.2	134.6
317.4	4048.7		Min	I	-202.8	-4.9	-1.1	-152.3	
-230.9	-9478.0			J	-202.8	-4.9	-1.1	-152.3	
-273.4	-10460.7								
			C3-C4;~1	Max	I	47.6	7.0	1.5	130.6
427.5	1505.6			J	47.6	7.0	1.5	130.6	
393.3	1625.6		Min	I	-198.4	-4.7	-1.3	-150.0	
-280.3	-9438.8			J	-198.4	-4.7	-1.3	-150.0	
-328.3	-10432.0								
			C1-C2;~2	Max	I	27.1	4.9	0.8	90.5
215.2	2315.2			J	27.1	4.9	0.8	90.5	
203.6	2517.3		Min	I	-121.9	-3.4	-0.7	-103.0	
-146.6	-6507.8			J	-121.9	-3.4	-0.7	-103.0	
-165.0	-7150.4								
			C3-C4;~2	Max	I	27.2	4.7	1.0	84.7
276.0	812.0			J	27.2	4.7	1.0	84.7	
260.4	884.4		Min	I	-116.8	-3.1	-0.9	-98.2	
-184.4	-6525.4			J	-116.8	-3.1	-0.9	-98.2	
-206.1	-7182.4								
			G1	I	-124.2	0.0	-0.0	0.7	
84.8	-67.5			J	-124.2	0.0	0.7	0.7	
-79.3	-76.9								
			G2	I	-48.0	-0.2	0.1	1.8	
46.9	440.2			J	-48.0	-0.2	0.1	1.8	
-21.1	529.6								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	29.9	-0.1	-0.0	0.2	
-5.5	-314.8			J	29.9	-0.1	-0.0	0.2	
4.6	-263.7								
			Q5_ps	I	29.1	-0.2	-0.0	0.9	
-4.4	-140.9			J	29.1	-0.2	-0.0	0.9	
3.3	-60.0								

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

772.3	11020.7	INVSLE Max	I	-2347.3	8.9	1.9	211.0
			J	-2347.3	8.9	3.0	211.0
530.4	11807.4	Min	I	-2739.2	-7.4	-2.0	-176.6
-193.0	-7353.5		J	-2739.2	-7.4	-0.9	-176.6
-452.1	-8255.0						
578.6	8704.6	INVSLE Max	I	-1820.7	6.6	1.5	158.2
			J	-1820.7	6.6	2.2	158.2
390.5	9321.5	Min	I	-2107.0	-5.5	-1.4	-129.0
-135.7	-4864.0		J	-2107.0	-5.5	-0.7	-129.0
-336.7	-5504.3						
1235	2	62 C1-C2;~1 Max	I	48.9	9.4	1.3	114.4
358.5	4048.7		J	48.9	9.4	1.3	114.4
299.7	4912.7	Min	I	-203.5	-4.8	-1.0	-176.8
-213.5	-10460.8		J	-203.5	-4.8	-1.0	-176.8
-287.6	-13051.7						
439.5	1625.6	C3-C4;~1 Max	I	49.0	9.3	1.6	108.7
			J	49.0	9.3	1.6	108.7
378.2	1705.4	Min	I	-199.0	-3.1	-1.3	-175.5
-263.8	-10432.1		J	-199.0	-3.1	-1.3	-175.5
-340.4	-13065.5						
223.6	2517.3	C1-C2;~2 Max	I	27.9	6.4	0.8	77.0
			J	27.9	6.4	0.8	77.0
192.4	3027.4	Min	I	-122.4	-3.0	-0.7	-119.4
-135.5	-7150.4		J	-122.4	-3.0	-0.7	-119.4
-173.9	-8843.1						
283.4	884.4	C3-C4;~2 Max	I	28.0	6.2	1.0	69.5
			J	28.0	6.2	1.0	69.5
251.2	884.3	Min	I	-117.2	-1.9	-0.8	-116.0
-174.0	-7182.5		J	-117.2	-1.9	-0.8	-116.0
-213.5	-8929.3						
100.2	-76.9	G1	I	-122.5	0.1	0.0	0.1
			J	-122.5	0.1	0.8	0.1
-95.5	-110.0						
53.0	529.6	G2	I	-47.3	-0.4	0.2	5.4
			J	-47.3	-0.4	0.2	5.4
-27.6	752.9						
		Q3	I	0.0	0.0	0.0	0.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
-5.8	-263.7	Q5_pc		I	29.9	-0.2	-0.0
				J	29.9	-0.2	-0.0
5.0	-144.5						2.0
		Q5_ps		I	29.1	-0.4	-0.0
-5.0	-59.9			J	29.1	-0.4	-0.0
3.9	135.0						3.9
		INVSLU Max		I	-2304.1	13.2	2.0
792.9	11807.2			J	-2304.1	13.2	3.0
507.9	12721.1	Min		I	-2698.7	-6.4	-1.9
-166.9	-8255.2			J	-2698.7	-6.4	-0.8
-471.2	-11809.6						-159.6
		INVSLE Max		I	-1788.3	9.8	1.5
594.0	9321.3			J	-1788.3	9.8	2.3
373.8	9972.0	Min		I	-2076.7	-4.7	-1.4
-116.2	-5504.5			J	-2076.7	-4.7	-0.6
-350.8	-8179.7						-112.4
1236	2	62 C1-C2;~1 Max		I	50.5	4.4	1.4
383.1	4913.4			J	50.5	4.4	1.4
270.2	4126.2	Min		I	-205.7	-7.2	-0.9
-190.8	-13053.1			J	-205.7	-7.2	-0.9
-313.6	-11362.5						-211.0
		C3-C4;~1 Max		I	50.6	2.6	1.7
468.2	1705.5			J	50.6	2.6	1.7
343.8	1530.7	Min		I	-201.7	-6.8	-1.1
-229.7	-13066.9			J	-201.7	-6.8	-1.1
-369.5	-11466.5						-211.9
		C1-C2;~2 Max		I	28.8	2.7	0.9
239.8	3027.8			J	28.8	2.7	0.9
173.1	2553.5	Min		I	-123.9	-4.9	-0.6
-121.3	-8844.0			J	-123.9	-4.9	-0.6
-191.0	-7768.2						-142.0
		C3-C4;~2 Max		I	28.9	1.6	1.1
302.3	884.3			J	28.9	1.6	1.1
228.4	807.9	Min		I	-119.0	-4.4	-0.8
-151.5	-8930.2			J	-119.0	-4.4	-0.8
							-139.6


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-232.6	-7907.6							
			G1	I	-120.9	0.1	0.1	-0.0
118.4	-110.0			J	-120.9	0.1	0.8	-0.0
-114.9	-154.1							
			G2	I	-46.5	0.4	0.2	10.3
59.5	753.1			J	-46.5	0.4	0.2	10.3
-34.9	551.4							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	29.9	0.2	-0.0	4.4
-6.9	-144.4			J	29.9	0.2	-0.0	4.4
6.2	-244.5							
			Q5_ps	I	29.1	0.3	-0.0	8.0
-6.6	135.1			J	29.1	0.3	-0.0	8.0
5.6	-34.4							
			INVS LU Max	I	-2259.0	20.2	2.4	304.0
873.9	12723.0			J	-2259.0	20.2	3.4	304.0
388.0	4668.6		Min	I	-2658.8	4.2	-1.4	-146.4
-80.6	-11810.4			J	-2658.8	4.2	-0.4	-146.4
-586.2	-16821.7							
			INVS LE Max	I	-1754.9	16.2	1.8	235.3
656.3	9973.5			J	-1754.9	16.2	2.6	235.3
282.3	3377.4		Min	I	-2047.1	4.4	-1.0	-97.8
-49.8	-8180.1			J	-2047.1	4.4	-0.3	-97.8
-438.5	-12508.7							
1237	2	62	C1-C2;~1 Max	I	52.4	41.1	1.8	161.6
488.6	4124.3			J	52.4	41.1	1.8	161.6
226.3	43183.1		Min	I	-210.9	-108.7	-0.8	-452.0
-172.1	-11357.1			J	-210.9	-108.7	-0.8	-452.0
-427.5	-17137.0							
			C3-C4;~1 Max	I	52.4	12.0	2.5	43.3
660.6	1530.9			J	52.4	12.0	2.5	43.3
160.6	43556.0		Min	I	-215.8	-109.6	-0.5	-449.7
-113.2	-11460.9			J	-215.8	-109.6	-0.5	-449.7
-588.3	-5108.6							
			C1-C2;~2 Max	I	29.9	23.9	1.2	96.2
311.4	2552.3			J	29.9	23.9	1.2	96.2

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
142.2	27472.7		Min	I	-127.6	-70.2	-0.5	-297.9
-108.2	-7764.6			J	-127.6	-70.2	-0.5	-297.9
-265.6	-9815.7							
431.1	808.2	C3-C4;~2	Max	I	29.9	5.2	1.6	18.7
				J	29.9	5.2	1.6	18.7
98.5	28244.3		Min	I	-128.2	-72.0	-0.3	-300.5
-68.9	-7903.9			J	-128.2	-72.0	-0.3	-300.5
-380.0	-2164.3							
151.6	-153.9	G1		I	-120.3	-1.2	0.2	-8.2
				J	-120.3	-1.2	1.0	-8.2
-153.4	464.1							
58.1	550.9	G2		I	-44.8	9.6	0.2	32.9
				J	-44.8	9.6	0.2	32.9
-32.8	-4224.5							
0.0	0.0	Q3		I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
-12.3	-244.8	Q5_pc		I	30.0	5.0	-0.1	16.2
				J	30.0	5.0	-0.1	16.2
13.0	-2721.2							
-15.7	-34.9	Q5_ps		I	29.6	8.2	-0.1	27.5
				J	29.6	8.2	-0.1	27.5
16.8	-4150.2							
1201.2	4661.5	INVS LU	Max	I	-2219.4	136.4	3.8	467.2
				J	-2219.4	136.4	4.8	467.2
163.6	21923.0		Min	I	-2635.5	-76.0	-0.7	-390.3
55.0	-16819.3			J	-2635.5	-76.0	0.3	-390.3
-959.6	-64910.7							
907.9	3371.7	INVS LE	Max	I	-1725.8	106.6	2.9	360.3
				J	-1725.8	106.6	3.6	360.3
103.1	13060.6		Min	I	-2030.1	-50.1	-0.5	-272.8
60.5	-12507.3			J	-2030.1	-50.1	0.3	-272.8
-727.1	-50897.9							
1238	2	63 C1-C2;~1	Max	I	226.5	1.7	2.5	24.8
1030.4	2797.7			J	226.5	1.7	2.5	24.8
33.5	2145.9		Min	I	-155.0	-4.7	-0.3	-145.1
-124.5	-5744.0			J	-155.0	-4.7	-0.3	-145.1
-254.5	-3690.4							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

883.5	4217.2	C3-C4;~1	Max	I	286.5	2.6	2.1	39.2
				J	286.5	2.6	2.1	39.2
35.8	3099.1		Min	I	-103.8	-3.5	-0.3	-134.6
-125.1	-4131.9			J	-103.8	-3.5	-0.3	-134.6
-218.6	-2661.6							
		C1-C2;~2	Max	I	130.6	0.9	1.5	11.5
613.1	1440.3			J	130.6	0.9	1.5	11.5
17.7	1119.9		Min	I	-88.1	-2.8	-0.2	-86.6
-66.9	-3287.5			J	-88.1	-2.8	-0.2	-86.6
-149.7	-2111.4							
		C3-C4;~2	Max	I	166.0	1.5	1.2	20.3
511.7	2302.8			J	166.0	1.5	1.2	20.3
18.2	1700.7		Min	I	-57.2	-2.0	-0.2	-78.7
-64.9	-2318.2			J	-57.2	-2.0	-0.2	-78.7
-125.3	-1502.6							
		G1		I	114.9	-0.5	0.9	-47.9
530.7	39.2			J	114.9	-0.5	1.8	-47.9
-172.1	293.9							
		G2		I	47.6	-0.1	0.5	-10.8
213.1	71.4			J	47.6	-0.1	0.5	-10.8
-50.6	119.6							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-93.8	0.4	0.3	-11.1
115.9	2583.0			J	-93.8	0.4	0.3	-11.1
-31.2	2358.9							
		Q5_ps		I	-80.5	0.6	0.2	-5.9
91.6	2703.2			J	-80.5	0.6	0.2	-5.9
-24.4	2390.2							
		INVSLU	Max	I	825.0	2.1	5.2	-60.4
2354.3	7927.2			J	825.0	2.1	6.3	-60.4
-164.8	7187.6		Min	I	60.2	-8.6	0.9	-329.1
585.8	-10169.8			J	60.2	-8.6	2.0	-329.1
-612.8	-6224.2							
		INVSLE	Max	I	612.7	1.4	3.8	-49.5
1728.2	5673.4			J	612.7	1.4	4.6	-49.5
-120.8	5202.1							


MIDAS

PROJECT TITLE :


		Company						Client	
		Author						File Name	
							PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
433.7	-7387.3		Min	I	58.6	-6.5	0.7	-247.0	
				J	58.6	-6.5	1.5	-247.0	
-448.5	-4418.0								
1239	2	63	C1-C2;~1	Max	I	289.7	1.7	0.1	21.1
33.5	2145.8				J	289.7	1.7	0.1	21.1
117.6	2204.3								
			Min	I	-86.6	-4.7	-0.7	-122.2	
-254.5	-3689.7			J	-86.6	-4.7	-0.7	-122.2	
-11.2	-1784.7								
			C3-C4;~1	Max	I	334.6	2.6	0.1	34.2
35.8	3098.6			J	334.6	2.6	0.1	34.2	
98.9	2314.9								
			Min	I	-53.7	-3.6	-0.6	-114.3	
-218.6	-2661.1			J	-53.7	-3.6	-0.6	-114.3	
-10.9	-1299.9								
			C1-C2;~2	Max	I	171.9	0.9	0.0	9.7
17.7	1119.8			J	171.9	0.9	0.0	9.7	
72.6	1311.2								
			Min	I	-47.9	-2.8	-0.4	-73.1	
-149.7	-2111.0			J	-47.9	-2.8	-0.4	-73.1	
-6.2	-1018.9								
			C3-C4;~2	Max	I	197.5	1.5	0.0	17.8
18.2	1700.5			J	197.5	1.5	0.0	17.8	
59.3	1331.3								
			Min	I	-27.6	-2.1	-0.3	-67.1	
-125.3	-1502.3			J	-27.6	-2.1	-0.3	-67.1	
-6.0	-735.7								
			G1	I	184.0	-0.5	-0.8	-37.6	
-172.1	293.9			J	184.0	-0.5	0.0	-37.6	
25.1	549.2								
			G2	I	74.6	-0.1	-0.1	-8.0	
-50.6	119.6			J	74.6	-0.1	-0.1	-8.0	
23.6	167.1								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	-84.2	0.4	-0.1	-9.4	
-31.2	2358.7			J	-84.2	0.4	-0.1	-9.4	
10.8	2133.2								
			Q5_ps	I	-73.0	0.6	-0.1	-5.0	
-24.4	2390.0			J	-73.0	0.6	-0.1	-5.0	
8.7	2075.0								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-164.8	7187.0	INVSLE Max	I	1058.1	2.1	-1.0	-52.2
			J	1058.1	2.1	0.1	-52.2
256.7	6903.8	Min	I	338.0	-8.6	-2.2	-280.5
-612.8	-6222.9		J	338.0	-8.6	-1.1	-280.5
63.4	-2629.4						
		INVSLE Max	I	788.7	1.4	-0.7	-43.4
-120.8	5201.7		J	788.7	1.4	0.1	-43.4
191.0	5068.9	Min	I	266.5	-6.5	-1.6	-211.2
-448.5	-4417.1		J	266.5	-6.5	-0.8	-211.2
49.3	-1619.9						
1240	2	63 C1-C2;~1 Max	I	359.9	1.7	0.2	19.1
117.6	2204.4		J	359.9	1.7	0.2	19.1
24.8	2632.5	Min	I	-53.8	-4.7	-0.0	-104.5
-11.2	-1784.4		J	-53.8	-4.7	-0.0	-104.5
-10.2	-498.0						
		C3-C4;~1 Max	I	390.2	2.6	0.2	32.4
98.9	2314.8		J	390.2	2.6	0.2	32.4
19.4	2579.1	Min	I	-47.3	-3.6	-0.0	-95.9
-10.9	-1299.7		J	-47.3	-3.6	-0.0	-95.9
-9.4	-468.1						
		C1-C2;~2 Max	I	216.8	0.9	0.1	8.7
72.6	1311.2		J	216.8	0.9	0.1	8.7
15.8	1727.5	Min	I	-29.2	-2.8	-0.0	-62.2
-6.2	-1018.8		J	-29.2	-2.8	-0.0	-62.2
-7.0	-302.3						
		C3-C4;~2 Max	I	232.8	1.5	0.1	17.0
59.3	1331.3		J	232.8	1.5	0.1	17.0
12.1	1664.0	Min	I	-26.3	-2.1	-0.0	-55.9
-6.0	-735.5		J	-26.3	-2.1	-0.0	-55.9
-6.4	-269.6						
		G1	I	249.9	-0.5	-0.3	-30.5
25.1	549.2		J	249.9	-0.5	0.5	-30.5
-26.6	805.5						
		G2	I	100.0	-0.1	0.0	-6.9
23.6	167.1		J	100.0	-0.1	0.0	-6.9
4.2	213.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	0.0	0.0	0.0	0.0
10.8	2133.2	Q5_pc	I	-78.5	0.4	0.0	-7.8
-9.6	1908.6		J	-78.5	0.4	0.0	-7.8
8.7	2075.0	Q5_ps	I	-69.1	0.6	0.0	-3.9
-9.3	1760.7		J	-69.1	0.6	0.0	-3.9
256.7	6903.8	INVS LU Max	I	1294.2	2.1	-0.1	-44.3
61.0	8113.2		J	1294.2	2.1	1.0	-44.3
63.4	-2628.9	Min	I	553.7	-8.7	-0.5	-243.2
-4.6	-207.7		J	553.7	-8.7	0.6	-243.2
191.0	5068.9	INVS LE Max	I	966.3	1.4	-0.1	-37.4
47.4	6042.1		J	966.3	1.4	0.7	-37.4
49.3	-1619.6	Min	I	428.2	-6.5	-0.4	-183.7
0.5	201.4		J	428.2	-6.5	0.5	-183.7
1241	2	63 C1-C2;~1 Max	I	436.8	1.7	0.1	18.6
24.8	2632.7		J	436.8	1.7	0.1	18.6
24.4	4580.9	Min	I	-56.6	-4.7	-0.0	-89.9
-10.2	-498.0		J	-56.6	-4.7	-0.0	-89.9
-26.2	-1110.2						
19.4	2579.3	C3-C4;~1 Max	I	454.7	2.6	0.1	31.4
17.2	4051.5		J	454.7	2.6	0.1	31.4
-9.4	-468.2	Min	I	-53.5	-3.6	-0.0	-80.8
-22.4	-1537.7		J	-53.5	-3.6	-0.0	-80.8
15.8	1727.6	C1-C2;~2 Max	I	257.7	0.9	0.0	8.6
16.3	2905.2		J	257.7	0.9	0.0	8.6
-7.0	-302.3	Min	I	-32.0	-2.8	-0.0	-53.0
-15.6	-637.8		J	-32.0	-2.8	-0.0	-53.0
12.1	1664.1	C3-C4;~2 Max	I	272.7	1.5	0.0	16.7
11.2	2506.5		J	272.7	1.5	0.0	16.7
-6.4	-269.6	Min	I	-30.3	-2.1	-0.0	-46.8
-13.1	-903.4		J	-30.3	-2.1	-0.0	-46.8

MIDAS


PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

-26.6	805.5	G1	I	313.2	-0.5	-0.4	-24.9
			J	313.2	-0.5	0.4	-24.9
-42.5	1063.1						
		G2	I	124.1	-0.1	0.0	-6.3
4.2	213.1		J	124.1	-0.1	0.0	-6.3
-1.0	258.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-73.1	0.4	-0.0	-6.8
-9.6	1908.5		J	-73.1	0.4	-0.0	-6.8
6.7	1685.0						
		Q5_ps	I	-65.2	0.6	-0.0	-3.4
-9.3	1760.6		J	-65.2	0.6	-0.0	-3.4
7.0	1447.1						
		INVSLU Max	I	1530.8	2.0	-0.4	-32.6
61.0	8113.2		J	1530.8	2.0	0.8	-32.6
18.1	11538.0	Min	I	708.8	-8.7	-0.6	-208.7
-4.6	-207.5		J	708.8	-8.7	0.5	-208.7
-62.3	244.9						
		INVSLE Max	I	1143.7	1.4	-0.3	-28.1
47.4	6042.2		J	1143.7	1.4	0.6	-28.1
15.1	8657.5	Min	I	544.6	-6.5	-0.4	-157.6
0.5	201.5		J	544.6	-6.5	0.4	-157.6
-43.6	516.9						
1242	2	63 C1-C2;~1 Max	I	518.1	1.8	0.1	17.5
24.4	4580.9		J	518.1	1.8	0.1	17.5
131.1	6992.6	Min	I	-66.1	-4.7	-0.3	-82.3
-26.2	-1109.9		J	-66.1	-4.7	-0.3	-82.3
-35.2	-1994.2						
		C3-C4;~1 Max	I	534.7	2.7	0.1	29.4
17.2	4051.6		J	534.7	2.7	0.1	29.4
134.8	5825.6	Min	I	-63.4	-3.6	-0.3	-71.5
-22.4	-1537.3		J	-63.4	-3.6	-0.3	-71.5
-21.6	-2889.9						
		C1-C2;~2 Max	I	307.8	0.9	0.1	8.2
16.3	2905.2		J	307.8	0.9	0.1	8.2
79.8	4334.1						


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-15.6	-637.6		Min	I	-37.3	-2.8	-0.2	-48.8
				J	-37.3	-2.8	-0.2	-48.8
-20.8	-1102.2							
		C3-C4;~2	Max	I	317.6	1.5	0.0	15.6
11.2	2506.6			J	317.6	1.5	0.0	15.6
85.2	3516.5							
			Min	I	-35.8	-2.1	-0.2	-41.5
-13.1	-903.2			J	-35.8	-2.1	-0.2	-41.5
-12.1	-1655.6							
		G1		I	373.4	-0.5	-0.6	-20.9
-42.5	1063.3			J	373.4	-0.5	0.3	-20.9
43.2	1318.3							
		G2		I	146.6	-0.1	-0.1	-5.5
-1.0	258.2			J	146.6	-0.1	-0.1	-5.5
26.9	301.6							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-59.1	0.4	-0.0	-7.7
6.7	1685.2			J	-59.1	0.4	-0.0	-7.7
15.0	1456.1							
		Q5_ps		I	-51.7	0.6	-0.0	-4.4
7.0	1447.3			J	-51.7	0.6	-0.0	-4.4
16.5	1127.9							
		INVSLU	Max	I	1769.8	2.1	-0.9	-20.9
18.1	11538.8			J	1769.8	2.1	0.3	-20.9
395.0	15589.9							
			Min	I	852.3	-8.7	-1.4	-185.4
-62.3	245.9			J	852.3	-8.7	-0.2	-185.4
138.7	-372.4							
		INVSLE	Max	I	1323.1	1.4	-0.6	-18.7
15.1	8658.1			J	1323.1	1.4	0.2	-18.7
298.1	11738.9							
			Min	I	651.4	-6.6	-1.0	-139.6
-43.6	517.7			J	651.4	-6.6	-0.2	-139.6
110.2	109.1							
		63 C1-C2;~1	Max	I	364.0	2.7	1.6	125.3
1243	2			J	364.0	2.7	1.6	125.3
679.5	3273.2							
			Min	I	-64.8	-3.1	-0.3	-53.2
44.5	2288.8			J	-64.8	-3.1	-0.3	-53.2
-130.4	-5147.3							
-169.4	-3952.0							


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
862.9	4730.9	C3-C4;~1	Max	I	313.6	3.5	2.1	131.9
				J	313.6	3.5	2.1	131.9
28.5	3245.6		Min	I	-88.9	-2.1	-0.2	-33.0
-100.0	-3579.9			J	-88.9	-2.1	-0.2	-33.0
-213.2	-2791.2							
382.0	1720.5	C1-C2;~2	Max	I	212.6	1.5	0.9	75.3
				J	212.6	1.5	0.9	75.3
23.4	1220.3		Min	I	-32.5	-1.8	-0.2	-29.5
-66.4	-2929.6			J	-32.5	-1.8	-0.2	-29.5
-94.7	-2290.7							
498.1	2594.6	C3-C4;~2	Max	I	181.0	2.0	1.2	77.6
				J	181.0	2.0	1.2	77.6
14.3	1789.5		Min	I	-46.3	-1.2	-0.1	-17.5
-52.2	-1995.3			J	-46.3	-1.2	-0.1	-17.5
-121.8	-1568.6							
519.6	716.4	G1		I	159.7	0.8	0.9	48.7
				J	159.7	0.8	1.7	48.7
-168.2	317.2							
214.4	311.2	G2		I	61.3	0.3	0.5	12.2
				J	61.3	0.3	0.5	12.2
-50.6	178.7							
0.0	0.0	Q3		I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
-68.8	2719.1	Q5_pc		I	72.4	2.6	-0.2	20.1
				J	72.4	2.6	-0.2	20.1
21.8	1369.2							
-46.4	2823.7	Q5_ps		I	61.5	2.6	-0.1	18.0
				J	61.5	2.6	-0.1	18.0
15.8	1481.7							
2130.9	10505.7	INVSLU	Max	I	919.8	9.7	4.6	333.3
				J	919.8	9.7	5.8	333.3
-173.7	5938.2		Min	I	178.1	-3.9	1.1	47.3
666.1	-7724.2			J	178.1	-3.9	2.2	47.3
-561.0	-6243.1							
1567.9	7595.7	INVSLE	Max	I	681.3	7.1	3.4	249.7
				J	681.3	7.1	4.2	249.7
-127.4	4246.3		Min	I	141.5	-2.6	0.8	40.5


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
492.1	-5545.4						
-411.4	-4594.4		J	141.5	-2.6	1.6	40.5
1244	2	63 C1-C2;~1 Max	I	395.0	2.7	0.1	107.7
44.5	2288.5		J	395.0	2.7	0.1	107.7
75.6	1366.4	Min	I	-54.8	-3.1	-0.5	-46.3
-169.4	-3951.5		J	-54.8	-3.1	-0.5	-46.3
-9.8	-2904.4						
		C3-C4;~1 Max	I	364.2	3.5	0.1	111.7
28.5	3245.1		J	364.2	3.5	0.1	111.7
97.3	1825.6	Min	I	-60.4	-2.1	-0.6	-29.0
-213.2	-2790.8		J	-60.4	-2.1	-0.6	-29.0
-8.6	-2282.6						
		C1-C2;~2 Max	I	233.4	1.5	0.0	65.1
23.4	1220.1		J	233.4	1.5	0.0	65.1
44.0	744.8	Min	I	-29.6	-1.8	-0.3	-25.7
-94.7	-2290.4		J	-29.6	-1.8	-0.3	-25.7
-5.2	-1748.6						
		C3-C4;~2 Max	I	213.2	2.0	0.0	65.9
14.3	1789.2		J	213.2	2.0	0.0	65.9
58.2	1011.3	Min	I	-32.1	-1.2	-0.3	-15.4
-121.8	-1568.4		J	-32.1	-1.2	-0.3	-15.4
-4.7	-1339.3						
		G1	I	223.9	0.8	-0.8	38.2
-168.2	317.1		J	223.9	0.8	0.0	38.2
24.6	-83.6						
		G2	I	87.1	0.3	-0.1	9.1
-50.6	178.6		J	87.1	0.3	-0.1	9.1
23.8	46.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	64.7	2.6	0.1	17.4
21.8	1368.4		J	64.7	2.6	0.1	17.4
-5.5	9.5						
		Q5_ps	I	56.4	2.6	0.0	15.4
15.8	1480.9		J	56.4	2.6	0.0	15.4
-3.3	130.5						
		INVSLU Max	I	1132.7	9.7	-1.1	285.7


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-173.7	5936.4		J	1132.7	9.7	0.1	285.7
228.5	1441.8	Min	I	401.4	-3.9	-2.1	41.1
-561.0	-6242.0		J	401.4	-3.9	-0.9	41.1
74.1	-4960.9						
		INVSLE Max	I	842.7	7.1	-0.8	214.7
-127.4	4245.0		J	842.7	7.1	0.1	214.7
170.7	949.8	Min	I	309.6	-2.6	-1.5	35.8
-411.4	-4593.6		J	309.6	-2.6	-0.7	35.8
57.0	-3791.7						
1245	2	63 C1-C2;~1 Max	I	435.4	2.8	0.1	88.8
75.6	1366.3		J	435.4	2.8	0.1	88.8
15.9	574.7	Min	I	-55.3	-3.1	-0.0	-43.3
-9.8	-2904.3		J	-55.3	-3.1	-0.0	-43.3
-8.7	-2398.3						
		C3-C4;~1 Max	I	422.6	3.5	0.2	93.3
97.3	1825.4		J	422.6	3.5	0.2	93.3
20.9	587.8	Min	I	-57.3	-2.1	-0.0	-27.5
-8.6	-2282.6		J	-57.3	-2.1	-0.0	-27.5
-9.5	-2388.2						
		C1-C2;~2 Max	I	259.0	1.5	0.1	53.3
44.0	744.7		J	259.0	1.5	0.1	53.3
9.4	331.0	Min	I	-31.0	-1.8	-0.0	-24.2
-5.2	-1748.6		J	-31.0	-1.8	-0.0	-24.2
-6.0	-1580.1						
		C3-C4;~2 Max	I	249.3	2.0	0.1	54.6
58.2	1011.2		J	249.3	2.0	0.1	54.6
12.7	325.7	Min	I	-32.2	-1.2	-0.0	-14.8
-4.7	-1339.3		J	-32.2	-1.2	-0.0	-14.8
-6.6	-1583.3						
		G1	I	286.4	0.8	-0.3	31.0
24.6	-83.7		J	286.4	0.8	0.5	31.0
-24.5	-485.2						
		G2	I	111.9	0.3	0.0	7.9
23.8	46.3		J	111.9	0.3	0.0	7.9
5.1	-84.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0						
-5.5	9.3	Q5_pc	I	59.5	2.6	-0.0	17.2
7.0	-1346.8		J	59.5	2.6	-0.0	17.2
-3.3	130.3	Q5_ps	I	53.1	2.6	-0.0	16.0
7.4	-1216.3		J	53.1	2.6	-0.0	16.0
228.5	1441.1	INVSLU Max	I	1350.9	9.8	-0.2	248.2
56.4	-120.4		J	1350.9	9.8	1.0	248.2
74.1	-4960.8	Min	I	578.6	-3.9	-0.5	32.7
1.9	-6841.5		J	578.6	-3.9	0.7	32.7
170.6	949.3	INVSLE Max	I	1007.2	7.2	-0.1	186.8
44.1	-398.9		J	1007.2	7.2	0.7	186.8
57.0	-3791.7	Min	I	443.1	-2.6	-0.3	29.5
5.0	-5152.5		J	443.1	-2.6	0.5	29.5
1246	2	63 C1-C2;~1 Max	I	487.6	2.8	0.1	72.5
15.9	574.6		J	487.6	2.8	0.1	72.5
14.6	1414.7	Min	I	-63.6	-3.1	-0.0	-41.7
-8.7	-2398.3		J	-63.6	-3.1	-0.0	-41.7
-18.9	-3403.9						
20.9	587.7	C3-C4;~1 Max	I	490.3	3.5	0.1	77.9
16.2	1107.3		J	490.3	3.5	0.1	77.9
-9.5	-2388.3	Min	I	-64.2	-2.1	-0.0	-26.8
-23.3	-3645.1		J	-64.2	-2.1	-0.0	-26.8
9.4	331.0	C1-C2;~2 Max	I	291.0	1.6	0.0	42.9
8.2	830.9		J	291.0	1.6	0.0	42.9
-6.0	-1580.1	Min	I	-36.0	-1.8	-0.0	-23.4
-10.8	-2166.7		J	-36.0	-1.8	-0.0	-23.4
12.7	325.6	C3-C4;~2 Max	I	290.1	2.0	0.0	45.0
10.6	667.4		J	290.1	2.0	0.0	45.0
-6.6	-1583.4	Min	I	-36.3	-1.2	-0.0	-14.6
-13.5	-2311.8		J	-36.3	-1.2	-0.0	-14.6


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-24.5	-485.3	G1	I	346.9	0.8	-0.4	25.3
			J	346.9	0.8	0.5	25.3
-43.4	-888.1						
		G2	I	135.4	0.3	0.0	7.2
5.1	-84.5		J	135.4	0.3	0.0	7.2
-1.6	-214.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	54.1	2.6	0.0	17.0
7.0	-1347.1		J	54.1	2.6	0.0	17.0
0.3	-2701.8						
		Q5_ps	I	48.9	2.6	0.0	16.6
7.4	-1216.6		J	48.9	2.6	0.0	16.6
0.3	-2560.6						
		INVS LU Max	I	1575.6	9.8	-0.4	212.9
56.4	-120.1		J	1575.6	9.8	0.8	212.9
-1.6	1198.0	Min	I	729.7	-3.9	-0.5	20.8
1.9	-6841.8		J	729.7	-3.9	0.6	20.8
-55.4	-11117.3						
		INVS LE Max	I	1176.0	7.2	-0.3	160.1
44.1	-398.7		J	1176.0	7.2	0.6	160.1
1.0	370.3	Min	I	556.6	-2.6	-0.4	20.1
5.0	-5152.7		J	556.6	-2.6	0.4	20.1
-38.9	-8287.5						
1247	2	63 C1-C2;~1 Max	I	563.8	2.8	0.0	62.7
14.6	1414.2		J	563.8	2.8	0.0	62.7
151.0	2989.5	Min	I	-73.7	-3.1	-0.3	-38.9
-18.9	-3404.0		J	-73.7	-3.1	-0.3	-38.9
-21.7	-4807.4						
		C3-C4;~1 Max	I	570.2	3.6	0.1	69.1
16.2	1106.9		J	570.2	3.6	0.1	69.1
140.9	2194.0	Min	I	-74.4	-2.2	-0.3	-25.2
-23.3	-3645.1		J	-74.4	-2.2	-0.3	-25.2
-23.9	-5308.8						
		C1-C2;~2 Max	I	337.3	1.6	0.0	37.1
8.2	830.6		J	337.3	1.6	0.0	37.1
90.0	1739.6	Min	I	-41.8	-1.8	-0.2	-21.9


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-10.8	-2166.8		J	-41.8	-1.8	-0.2	-21.9
-11.8	-2950.9						
		C3-C4;~2	Max	I	337.9	2.0	40.1
10.6	667.1			J	337.9	2.0	40.1
82.6	1290.2		Min	I	-42.2	-1.2	-13.7
-13.5	-2311.9			J	-42.2	-1.2	-13.7
-12.9	-3225.4						
		G1		I	402.9	0.8	20.9
-43.4	-888.2			J	402.9	0.8	20.9
40.1	-1289.7						
		G2		I	156.2	0.2	6.2
-1.6	-214.1			J	156.2	0.2	6.2
24.6	-342.9						
		Q3		I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
		Q5_pc		I	41.3	2.6	15.9
0.3	-2701.8			J	41.3	2.6	15.9
-23.5	-4060.8						
		Q5_ps		I	35.9	2.6	15.9
0.3	-2560.6			J	35.9	2.6	15.9
-26.6	-3909.2						
		INVSLU	Max	I	1810.3	9.8	185.4
-1.6	1197.0			J	1810.3	9.8	185.4
412.6	3064.9		Min	I	865.8	-3.9	10.9
-55.5	-11117.8			J	865.8	-3.9	10.9
130.3	-15969.0						
		INVSLE	Max	I	1352.3	7.2	139.1
1.0	369.5			J	1352.3	7.2	139.1
310.6	1544.1		Min	I	658.2	-2.6	12.0
-38.9	-8287.9			J	658.2	-2.6	12.0
106.1	-11850.0						
1248	2	62	C1-C2;~1	Max	I	13.6	77.9
67.5	3852.5			J	13.6	2.5	77.9
462.9	10959.5		Min	I	-19.0	-24.1	-315.6
-464.6	-5921.1			J	-19.0	-24.1	-315.6
-64.4	-4598.8						
		C3-C4;~1	Max	I	13.5	4.6	62.6


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
182.6	638.9		J	13.5	4.6	0.7	62.6
627.4	6208.3						
		Min	I	-17.6	-17.0	-2.4	-236.3
-600.2	-5260.5						
			J	-17.6	-17.0	-2.4	-236.3
-155.1	-3537.4						
		C1-C2;~2 Max	I	9.4	1.5	0.1	50.8
38.6	2752.5						
			J	9.4	1.5	0.1	50.8
267.9	7815.7						
		Min	I	-12.2	-16.7	-1.0	-217.5
-268.8	-3808.2						
			J	-12.2	-16.7	-1.0	-217.5
-36.4	-3087.4						
		C3-C4;~2 Max	I	9.3	3.0	0.4	37.5
124.4	305.9						
			J	9.3	3.0	0.4	37.5
381.6	4281.2						
		Min	I	-11.0	-11.4	-1.4	-159.8
-360.5	-3268.1						
			J	-11.0	-11.4	-1.4	-159.8
-104.0	-2233.4						
		G1	I	-8.9	-2.0	-1.9	-2.9
-411.2	-1729.8						
			J	-8.9	-2.0	-1.1	-2.9
345.4	-679.1						
		G2	I	-3.2	0.1	-0.6	16.4
-145.5	-1204.0						
			J	-3.2	0.1	-0.6	16.4
146.0	-1265.1						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0						
			J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-3.2	2.3	-0.0	38.0
-0.3	-219.2						
			J	-3.2	2.3	-0.0	38.0
1.3	-1392.7						
		Q5_ps	I	-3.1	2.9	-0.0	52.0
-6.2	-463.1						
			J	-3.1	2.9	-0.0	52.0
7.0	-1940.2						
		INVSLU Max	I	-783.4	27.1	2.8	210.0
991.9	925.0						
			J	-783.4	27.1	3.9	210.0
320.1	1906.5						
		Min	I	-833.1	-15.8	-1.3	-396.8
-65.4	-12663.9						
			J	-833.1	-15.8	-0.2	-396.8
-738.6	-21604.1						
		INVSLE Max	I	-639.9	21.6	2.4	152.9
811.5	496.6						
			J	-639.9	21.6	3.1	152.9
177.3	246.1						
		Min	I	-676.3	-9.8	-0.7	-288.3
28.4	-9540.0						


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-606.7	-16983.5			J	-676.3	-9.8	0.1	-288.3	
1249	2	62	C1-C2;~1	Max	I	11.1	4.8	0.3	43.2
71.2	10959.6				J	11.1	4.8	0.3	43.2
506.1	14430.8			Min	I	-27.2	-14.3	-1.9	-261.9
-493.1	-4598.4				J	-27.2	-14.3	-1.9	-261.9
-70.5	-3284.5								
			C3-C4;~1	Max	I	10.1	0.9	0.6	33.8
170.9	6208.6				J	10.1	0.9	0.6	33.8
694.9	9935.2			Min	I	-31.7	-9.3	-2.6	-195.0
-656.6	-3537.0				J	-31.7	-9.3	-2.6	-195.0
-140.5	-2893.0								
			C1-C2;~2	Max	I	7.4	3.4	0.2	26.1
40.0	7815.8				J	7.4	3.4	0.2	26.1
292.5	10204.1			Min	I	-16.5	-9.9	-1.1	-179.9
-283.9	-3087.1				J	-16.5	-9.9	-1.1	-179.9
-39.8	-2183.3								
			C3-C4;~2	Max	I	6.7	0.4	0.4	16.5
114.9	4281.4				J	6.7	0.4	0.4	16.5
423.2	6888.7			Min	I	-19.5	-6.2	-1.6	-131.1
-395.2	-2233.1				J	-19.5	-6.2	-1.6	-131.1
-92.2	-1841.2								
			G1		I	-19.8	-1.0	-1.9	-3.3
-430.6	-678.9				J	-19.8	-1.0	-1.2	-3.3
372.4	-167.7								
			G2		I	-7.8	-0.6	-0.6	7.4
-154.8	-1264.8				J	-7.8	-0.6	-0.6	7.4
157.6	-979.8								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc		I	-4.5	0.4	0.0	24.9
8.1	-1392.5				J	-4.5	0.4	0.0	24.9
-6.6	-1610.7								
			Q5_ps		I	-4.7	0.4	-0.0	34.0
-0.3	-1939.9				J	-4.7	0.4	-0.0	34.0
0.9	-2157.7								
			INVSLU	Max	I	-984.9	8.3	1.4	79.8
540.9	1907.3								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
677.9	6056.0		J	-984.9	8.3	2.5	79.8
		Min	I	-1050.6	-18.2	-3.0	-382.4
-590.9	-21602.5		J	-1050.6	-18.2	-1.9	-382.4
-461.9	-21059.3						
		INVSLE Max	I	-796.7	6.3	1.2	53.2
455.0	246.7		J	-796.7	6.3	2.0	53.2
459.1	3189.9	Min	I	-844.8	-13.3	-2.0	-283.8
-382.3	-16982.2		J	-844.8	-13.3	-1.2	-283.8
-384.3	-16548.4						
1250	2	62 C1-C2;~1 Max	I	6.9	6.6	0.3	59.8
74.1	14431.4		J	6.9	6.6	0.3	59.8
522.3	17631.9	Min	I	-39.6	-14.3	-2.0	-199.8
-494.3	-3284.3		J	-39.6	-14.3	-2.0	-199.8
-74.2	-2845.5						
		C3-C4;~1 Max	I	6.2	1.8	0.6	28.4
163.8	9935.6		J	6.2	1.8	0.6	28.4
720.9	12902.2	Min	I	-45.9	-9.1	-2.7	-145.4
-672.4	-2892.9		J	-45.9	-9.1	-2.7	-145.4
-131.7	-2406.4						
		C1-C2;~2 Max	I	4.2	4.6	0.2	38.7
41.2	10204.5		J	4.2	4.6	0.2	38.7
302.3	12368.9	Min	I	-23.9	-10.0	-1.1	-136.8
-283.9	-2183.1		J	-23.9	-10.0	-1.1	-136.8
-41.7	-1716.4						
		C3-C4;~2 Max	I	3.7	1.0	0.4	13.7
109.3	6889.0		J	3.7	1.0	0.4	13.7
439.8	8906.1	Min	I	-28.1	-6.1	-1.6	-96.7
-405.6	-1841.2		J	-28.1	-6.1	-1.6	-96.7
-85.2	-1458.3						
		G1	I	-30.4	-0.2	-1.9	-2.3
-429.0	-167.6		J	-30.4	-0.2	-1.2	-2.3
377.2	-55.3						
		G2	I	-12.1	0.0	-0.6	1.0
-154.6	-979.8		J	-12.1	0.0	-0.6	1.0
159.7	-985.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

13.9	-1610.7	Q5_pc	I	-5.2	0.6	0.1	12.5
-12.1	-1942.6		J	-5.2	0.6	0.1	12.5
4.2	-2157.6	Q5_ps	I	-5.6	0.7	0.0	17.4
-3.4	-2540.2		J	-5.6	0.7	0.0	17.4
433.6	6057.1	INVS LU Max	I	-1163.4	6.3	0.9	12.8
873.8	12312.7		J	-1163.4	6.3	1.9	12.8
-720.3	-21058.6	Min	I	-1244.2	-23.0	-3.6	-360.2
-298.9	-19366.2		J	-1244.2	-23.0	-2.6	-360.2
359.8	3190.7	INVS LE Max	I	-933.9	4.3	0.8	0.7
616.7	7942.6		J	-933.9	4.3	1.6	0.7
-493.0	-16547.9	Min	I	-993.0	-17.3	-2.5	-273.9
-250.4	-15111.5		J	-993.0	-17.3	-1.8	-273.9
1251	2	62 C1-C2;~1 Max	I	7.1	10.1	0.3	122.5
75.7	17634.2		J	7.1	10.1	0.3	122.5
506.2	16702.6						
-474.3	-2845.9	Min	I	-52.8	-7.2	-1.9	-145.0
-76.2	-2061.7		J	-52.8	-7.2	-1.9	-145.0
166.0	12903.8	C3-C4;~1 Max	I	6.9	4.3	0.6	62.9
709.1	12495.6		J	6.9	4.3	0.6	62.9
-651.5	-2406.6	Min	I	-60.8	-3.2	-2.6	-107.7
-132.1	-1640.2		J	-60.8	-3.2	-2.6	-107.7
41.8	12370.5	C1-C2;~2 Max	I	4.1	7.2	0.2	84.1
291.7	11749.0		J	4.1	7.2	0.2	84.1
-271.6	-1716.6	Min	I	-31.9	-5.0	-1.1	-98.1
-42.5	-1194.9		J	-31.9	-5.0	-1.1	-98.1
110.9	8907.2	C3-C4;~2 Max	I	3.9	2.8	0.4	38.2
432.3	8671.8		J	3.9	2.8	0.4	38.2
-392.7	-1458.5	Min	I	-37.1	-2.0	-1.6	-70.3
-85.4	-941.5		J	-37.1	-2.0	-1.6	-70.3
		G1	I	-40.2	-0.1	-1.9	-1.9


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-412.8	-55.4		J	-40.2	-0.1	-1.1	-1.9
366.6	7.3						
		G2	I	-15.9	-0.4	-0.6	-5.1
-148.5	-986.0		J	-15.9	-0.4	-0.6	-5.1
155.5	-759.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-5.6	-0.5	0.1	-0.2
17.4	-1942.9		J	-5.6	-0.5	0.1	-0.2
-15.7	-1665.3						
		Q5_ps	I	-6.0	-0.7	0.0	0.7
6.7	-2540.6		J	-6.0	-0.7	0.0	0.7
-6.1	-2158.0						
		INVSLU Max	I	-1318.2	-1.9	0.8	14.8
377.7	12314.5		J	-1318.2	-1.9	1.8	14.8
878.4	19088.8						
		Min	I	-1420.1	-26.2	-3.7	-346.7
-757.3	-19368.5		J	-1420.1	-26.2	-2.6	-346.7
-285.5	-9808.5						
		INVSLE Max	I	-1052.2	-2.8	0.7	-2.7
310.3	7943.8		J	-1052.2	-2.8	1.4	-2.7
626.2	13706.7						
		Min	I	-1126.9	-20.8	-2.6	-270.4
-528.1	-15113.3		J	-1126.9	-20.8	-1.8	-270.4
-233.9	-7347.9						
		62 C1-C2;~1 Max	I	9.1	107.4	0.7	382.9
1252	2		J	9.1	107.4	0.7	382.9
179.1	16695.5						
		Min	I	-76.7	-20.6	-1.6	-81.9
427.4	8629.9		J	-76.7	-20.6	-1.6	-81.9
-407.8	-2060.1						
		C3-C4;~1 Max	I	9.0	87.7	1.0	293.5
-170.7	-39663.4		J	9.0	87.7	1.0	293.5
258.4	12489.7						
		Min	I	-84.5	-17.2	-2.0	-71.4
529.1	7288.7		J	-84.5	-17.2	-2.0	-71.4
-510.8	-1638.8						
		C1-C2;~2 Max	I	5.2	72.8	0.4	265.9
-232.9	-35005.0		J	5.2	72.8	0.4	265.9
116.7	11744.1						
		Min	I	-47.0	-11.3	-0.9	-46.8
242.7	4704.3						
-230.8	-1193.9						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-110.1	-26472.1		J	-47.0	-11.3	-0.9	-46.8
176.2	8667.8	C3-C4;~2 Max	I	5.1	58.8	0.6	199.9
305.8	4023.3		J	5.1	58.8	0.6	199.9
-295.0	-940.7	Min	I	-52.0	-9.5	-1.2	-43.2
-156.9	-23318.8		J	-52.0	-9.5	-1.2	-43.2
-385.6	7.8	G1	I	-49.1	-1.0	-1.8	-1.5
342.8	544.3		J	-49.1	-1.0	-1.0	-1.5
-151.1	-759.1	G2	I	-18.1	-9.5	-0.6	-29.5
162.0	4128.0		J	-18.1	-9.5	-0.6	-29.5
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.2	-1663.8	Q5_pc	I	-5.0	-17.2	-0.0	-47.3
4.6	7230.6		J	-5.0	-17.2	-0.0	-47.3
-20.9	-2156.1	Q5_ps	I	-4.4	-22.5	-0.1	-62.0
26.7	9460.1		J	-4.4	-22.5	-0.1	-62.0
450.3	19086.1	INVSLU Max	I	-1444.4	79.4	0.9	309.8
750.1	57497.2		J	-1444.4	79.4	1.9	309.8
-588.4	-9796.1	Min	I	-1579.7	-130.1	-3.1	-406.1
-286.8	-23096.8		J	-1579.7	-130.1	-2.1	-406.1
366.4	13705.5	INVSLE Max	I	-1147.9	51.4	0.8	206.7
527.6	44475.7		J	-1147.9	51.4	1.6	206.7
-403.0	-7338.3	Min	I	-1247.5	-100.2	-2.2	-315.0
-239.9	-13690.4		J	-1247.5	-100.2	-1.4	-315.0
1253	2	62 C1-C2;~1 Max	I	16.3	16.1	0.3	230.6
76.0	9771.7		J	16.3	16.1	0.3	230.6
594.4	8985.1		I	-21.9	-5.6	-2.3	-103.0
-599.3	-867.1	Min	I	-21.9	-5.6	-2.3	-103.0
-74.2	-6115.0		J	-21.9	-5.6	-2.3	-103.0
173.9	5165.0	C3-C4;~1 Max	I	13.7	16.9	0.6	234.1


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
619.4	3243.3		J	13.7	16.9	0.6	234.1
		Min	I	-17.7	-4.8	-2.3	-53.5
-592.2	-674.7		J	-17.7	-4.8	-2.3	-53.5
-145.8	-5787.5						
		C1-C2;~2 Max	I	11.4	10.9	0.2	155.5
42.5	6662.8		J	11.4	10.9	0.2	155.5
357.0	6222.2	Min	I	-14.3	-3.6	-1.4	-64.4
-359.4	-550.8		J	-14.3	-3.6	-1.4	-64.4
-41.6	-4277.5						
		C3-C4;~2 Max	I	9.4	11.2	0.4	156.0
116.1	3209.0		J	9.4	11.2	0.4	156.0
375.3	2100.3	Min	I	-11.1	-3.2	-1.4	-31.5
-354.1	-352.5		J	-11.1	-3.2	-1.4	-31.5
-95.5	-3938.0						
		G1	I	-8.6	2.1	-1.8	4.3
-409.8	1735.1		J	-8.6	2.1	-1.1	4.3
343.4	631.8						
		G2	I	-3.1	-0.1	-0.6	-14.9
-142.4	1197.9		J	-3.1	-0.1	-0.6	-14.9
142.9	1233.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	5.0	0.4	0.0	-2.1
8.9	-48.6		J	5.0	0.4	0.0	-2.1
-11.5	-253.1						
		Q5_ps	I	4.9	0.1	0.1	-4.6
15.2	-87.1		J	4.9	0.1	0.1	-4.6
-17.2	-153.8						
		INVSLU Max	I	-779.0	4.1	2.8	263.6
994.6	16765.4		J	-779.0	4.1	3.9	263.6
312.9	25759.7	Min	I	-839.6	-27.1	-1.2	-195.2
-65.1	2315.5		J	-839.6	-27.1	-0.2	-195.2
-740.9	4919.0						
		INVSLE Max	I	-636.8	1.3	2.4	192.1
813.2	12587.5		J	-636.8	1.3	3.1	192.1
171.2	20135.5	Min	I	-681.0	-21.8	-0.6	-147.5
29.4	1890.3		J	-681.0	-21.8	0.1	-147.5


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
660.9	22430.2		Min	I	-1059.0	-3.9	-2.9	-78.8
-587.2	4918.3			J	-1059.0	-3.9	-1.9	-78.8
-460.0	1137.6							
			INVSLE Max	I	-795.7	11.2	1.2	242.5
457.9	20132.7			J	-795.7	11.2	2.0	242.5
446.2	17788.7		Min	I	-850.9	-3.1	-2.0	-55.9
-378.8	4731.2			J	-850.9	-3.1	-1.2	-55.9
-383.6	2046.8							
1255	2	62	C1-C2;~1 Max	I	5.3	10.3	0.3	189.5
87.9	5806.3			J	5.3	10.3	0.3	189.5
697.1	4913.0		Min	I	-54.2	-3.1	-2.7	-54.7
-678.2	-9141.4			J	-54.2	-3.1	-2.7	-54.7
-87.7	-11962.4							
			C3-C4;~1 Max	I	6.3	9.1	0.6	143.9
159.9	2645.9			J	6.3	9.1	0.6	143.9
719.7	2116.1		Min	I	-46.9	-1.7	-2.7	-25.3
-671.3	-9662.0			J	-46.9	-1.7	-2.7	-25.3
-127.0	-12694.7							
			C1-C2;~2 Max	I	3.0	7.2	0.2	130.0
49.0	3901.6			J	3.0	7.2	0.2	130.0
419.7	3159.0		Min	I	-34.1	-1.8	-1.6	-31.0
-406.8	-6339.6			J	-34.1	-1.8	-1.6	-31.0
-49.1	-8217.4							
			C3-C4;~2 Max	I	3.7	6.1	0.4	94.6
103.1	1733.2			J	3.7	6.1	0.4	94.6
436.9	1338.8		Min	I	-28.6	-0.9	-1.6	-12.7
-403.0	-6624.1			J	-28.6	-0.9	-1.6	-12.7
-78.8	-8656.2							
			G1	I	-30.7	0.3	-2.0	2.7
-435.3	94.0			J	-30.7	0.3	-1.2	2.7
382.3	-55.8							
			G2	I	-12.1	0.0	-0.6	-0.0
-153.7	938.7			J	-12.1	0.0	-0.6	-0.0
158.6	927.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-18.7	-228.1	Q5_pc	I	5.6	-0.0	-0.1	-3.7
			J	5.6	-0.0	-0.1	-3.7
13.3	-211.8						
		Q5_ps	I	5.4	-0.2	-0.0	-4.3
-8.9	-60.2		J	5.4	-0.2	-0.0	-4.3
4.0	38.3						
		INVSLU Max	I	-1160.4	16.6	0.9	346.3
442.9	22429.5		J	-1160.4	16.6	2.0	346.3
861.5	19839.5	Min	I	-1252.3	-1.5	-3.6	10.1
-722.1	1136.8		J	-1252.3	-1.5	-2.5	10.1
-305.3	-4312.2						
		INVSLE Max	I	-931.7	12.6	0.8	264.3
367.3	17788.2		J	-931.7	12.6	1.6	264.3
606.7	15735.4	Min	I	-999.0	-0.9	-2.5	15.7
-493.1	2046.2		J	-999.0	-0.9	-1.7	15.7
-255.8	-2126.5						
1256	2	62 C1-C2;~1 Max	I	6.9	4.9	0.3	157.7
89.1	4913.4		J	6.9	4.9	0.3	157.7
692.8	3834.4	Min	I	-70.0	-4.4	-2.6	-74.8
-666.3	-11963.9		J	-70.0	-4.4	-2.6	-74.8
-89.7	-11519.7						
		C3-C4;~1 Max	I	6.9	3.1	0.6	105.7
162.9	2116.3		J	6.9	3.1	0.6	105.7
711.4	1399.5	Min	I	-62.5	-4.3	-2.6	-54.8
-653.8	-12696.3		J	-62.5	-4.3	-2.6	-54.8
-128.5	-12282.0						
		C1-C2;~2 Max	I	3.9	3.2	0.2	107.9
49.5	3159.2		J	3.9	3.2	0.2	107.9
416.8	2420.8	Min	I	-43.7	-3.0	-1.6	-44.7
-399.4	-8218.4		J	-43.7	-3.0	-1.6	-44.7
-50.2	-7948.9						
		C3-C4;~2 Max	I	3.9	2.0	0.4	68.4
105.0	1338.9		J	3.9	2.0	0.4	68.4
431.6	840.4	Min	I	-38.0	-2.8	-1.6	-33.1
-392.2	-8657.2		J	-38.0	-2.8	-1.6	-33.1
-79.4	-8425.3						
		G1	I	-41.0	0.1	-1.9	1.5
-422.4	-55.7						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
374.9	-94.8		J	-41.0	0.1	-1.2	1.5
-148.7	927.2	G2	I	-16.1	0.4	-0.6	5.6
155.4	711.1		J	-16.1	0.4	-0.6	5.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-24.2	-211.8	Q5_pc	I	5.7	-0.0	-0.1	-3.8
18.8	-189.2		J	5.7	-0.0	-0.1	-3.8
-13.8	38.5	Q5_ps	I	5.4	0.0	-0.0	-2.8
8.6	32.2		J	5.4	0.0	-0.0	-2.8
388.9	19841.7	INVS LU Max	I	-1313.2	22.2	0.8	374.7
873.4	10334.7		J	-1313.2	22.2	1.8	374.7
-774.1	-4312.7	Min	I	-1427.3	9.6	-3.7	53.9
-294.3	-11763.1		J	-1427.3	9.6	-2.6	53.9
319.2	15737.1	INVS LE Max	I	-1048.5	17.8	0.7	291.0
621.3	7970.1		J	-1048.5	17.8	1.5	291.0
-539.0	-2126.8	Min	I	-1132.2	8.5	-2.6	53.9
-241.1	-8373.4		J	-1132.2	8.5	-1.8	53.9
1257	2	62 C1-C2;~1 Max	I	9.3	34.4	0.5	180.4
135.0	3831.9		J	9.3	34.4	0.5	180.4
656.6	33600.4	Min	I	-89.0	-84.5	-2.5	-269.5
-639.4	-11513.9		J	-89.0	-84.5	-2.5	-269.5
-133.9	-15782.4						
251.2	1398.3	C3-C4;~1 Max	I	9.3	15.6	0.9	69.6
540.2	35564.7		J	9.3	15.6	0.9	69.6
-523.2	-12276.2	Min	I	-87.1	-88.8	-2.1	-289.9
-225.1	-6692.3		J	-87.1	-88.8	-2.1	-289.9
82.3	2419.3	C1-C2;~2 Max	I	5.4	20.9	0.3	120.4
392.5	22157.3		J	5.4	20.9	0.3	120.4
-382.6	-7945.0	Min	I	-55.7	-56.2	-1.5	-184.2
			J	-55.7	-56.2	-1.5	-184.2


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-81.4	-9748.5						
167.0	839.7	C3-C4;~2	Max	I	5.4	9.0	0.6 43.2
314.4	23340.5			J	5.4	9.0	0.6 43.2
-304.3	-8421.4		Min	I	-53.3	-58.6	-1.2 -195.2
-147.4	-3839.1			J	-53.3	-58.6	-1.2 -195.2
-397.1	-95.1		G1	I	-50.3	-0.3	-1.8 -2.1
353.2	62.5			J	-50.3	-0.3	-1.1 -2.1
-151.6	710.3		G2	I	-18.4	8.8	-0.6 28.3
162.1	-3825.6			J	-18.4	8.8	-0.6 28.3
0.0	0.0		Q3	I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0
-31.0	-189.0		Q5_pc	I	7.2	-0.7	-0.1 -4.6
27.8	155.6			J	7.2	-0.7	-0.1 -4.6
-22.9	32.2		Q5_ps	I	7.4	1.9	-0.1 3.0
20.3	-973.2			J	7.4	1.9	-0.1 3.0
479.9	10322.8		INVSLU Max	I	-1438.3	127.4	1.0 504.0
937.3	11600.6			J	-1438.3	127.4	2.0 504.0
-778.3	-11763.3		Min	I	-1584.1	-40.0	-3.8 -139.2
-303.1	-57998.1			J	-1584.1	-40.0	-2.8 -139.2
387.5	7960.7		INVSLE Max	I	-1143.5	100.7	0.8 392.9
663.6	5620.3			J	-1143.5	100.7	1.6 392.9
-540.4	-8374.2		Min	I	-1250.5	-23.2	-2.7 -83.0
-251.5	-45913.5			J	-1250.5	-23.2	-1.9 -83.0
1258	2	63	C1-C2;~1 Max	I	1175.1	0.8	0.1 18.9
51.6	2849.3			J	1175.1	0.8	0.1 18.9
51.2	2865.3		Min	I	-186.1	-1.0	-0.1 -71.1
-10.7	-1071.7			J	-186.1	-1.0	-0.1 -71.1
-9.8	-1023.2						
36.8	2114.3		C3-C4;~1 Max	I	1190.3	0.8	0.1 13.6
				J	1190.3	0.8	0.1 13.6

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
54.5	2159.3							
			Min	I	-183.1	-0.8	-0.1	-71.1
-12.1	-1348.9			J	-183.1	-0.8	-0.1	-71.1
-6.9	-1352.5							
		C1-C2;~2	Max	I	716.5	0.5	0.0	10.4
31.4	1847.0			J	716.5	0.5	0.0	10.4
33.1	1833.6							
			Min	I	-106.0	-0.6	-0.0	-47.0
-5.7	-658.1			J	-106.0	-0.6	-0.0	-47.0
-5.4	-607.1							
		C3-C4;~2	Max	I	710.0	0.5	0.0	7.1
21.7	1328.4			J	710.0	0.5	0.0	7.1
32.2	1349.0							
			Min	I	-104.2	-0.5	-0.1	-44.6
-6.3	-840.5			J	-104.2	-0.5	-0.1	-44.6
-3.6	-819.8							
		G1		I	847.9	0.0	-0.4	-10.6
-19.2	439.7			J	847.9	0.0	0.4	-10.6
-1.2	414.9							
		G2		I	331.2	0.0	-0.0	-0.4
7.0	182.7			J	331.2	0.0	-0.0	-0.4
13.3	171.7							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-2.2	-0.0	-0.0	5.3
-4.3	-1370.8			J	-2.2	-0.0	-0.0	5.3
2.8	-1350.6							
		Q5_ps		I	-0.4	-0.0	-0.0	6.9
-5.0	-1358.4			J	-0.4	-0.0	-0.0	6.9
3.4	-1346.9							
		INVSLU	Max	I	3518.6	1.1	-0.5	10.8
115.9	5892.4			J	3518.6	1.1	0.6	10.8
168.5	5907.8							
			Min	I	1656.4	-1.4	-0.8	-120.2
22.1	-2360.2			J	1656.4	-1.4	0.3	-120.2
76.8	-2302.9							
		INVSLE	Max	I	2614.6	0.8	-0.4	7.7
87.1	4234.3			J	2614.6	0.8	0.4	7.7
127.3	4254.5							
			Min	I	1235.5	-1.1	-0.6	-88.7
18.1	-1636.4			J	1235.5	-1.1	0.2	-88.7
59.7	-1587.8							

MIDAS


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

1259	2	63	C1-C2;~1	Max	I	1239.6	0.8	0.0	24.7	
51.2	2865.4				J	1239.6	0.8	0.0	24.7	
81.5	2939.3									
				Min	I	-200.5	-1.0	-0.1	-55.5	
-9.8	-1023.3				J	-200.5	-1.0	-0.1	-55.5	
-10.4	-1060.1									
			C3-C4;~1	Max	I	1250.2	0.8	0.0	18.8	
54.5	2159.4				J	1250.2	0.8	0.0	18.8	
75.2	2265.9									
				Min	I	-197.2	-0.8	-0.1	-52.6	
-6.9	-1352.6				J	-197.2	-0.8	-0.1	-52.6	
-10.2	-1401.5									
			C1-C2;~2	Max	I	754.7	0.5	0.0	14.7	
33.0	1833.7				J	754.7	0.5	0.0	14.7	
51.1	1860.4									
				Min	I	-114.2	-0.7	-0.1	-36.9	
-5.4	-607.1				J	-114.2	-0.7	-0.1	-36.9	
-5.9	-614.6									
			C3-C4;~2	Max	I	744.7	0.5	0.0	10.5	
32.2	1349.0				J	744.7	0.5	0.0	10.5	
46.1	1409.9									
				Min	I	-112.2	-0.5	-0.0	-32.5	
-3.6	-819.8				J	-112.2	-0.5	-0.0	-32.5	
-5.8	-828.1									
				G1	I	888.1	0.0	-0.4	-4.0	
-1.2	414.8				J	888.1	0.0	0.4	-4.0	
12.5	391.6									
				G2	I	347.1	0.0	-0.0	1.0	
13.3	171.7				J	347.1	0.0	-0.0	1.0	
18.1	160.0									
				Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
				Q5_pc	I	-0.1	-0.0	0.0	4.7	
2.8	-1350.6				J	-0.1	-0.0	0.0	4.7	
-1.3	-1331.2									
				Q5_ps	I	1.2	-0.0	0.0	6.1	
3.4	-1347.0				J	1.2	-0.0	0.0	6.1	
-1.5	-1336.5									
				INVSLU	Max	I	3661.5	1.1	-0.5	30.7
168.5	5908.0				J	3661.5	1.1	0.5	30.7	
222.9	6016.4									


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
76.8	-2303.0		Min	I	1703.0	-1.4	-0.7	-86.0
				J	1703.0	-1.4	0.4	-86.0
96.4	-2272.4							
			INVSLE Max	I	2719.1	0.8	-0.4	22.7
127.3	4254.7			J	2719.1	0.8	0.4	22.7
167.2	4344.8							
			Min	I	1268.3	-1.1	-0.5	-63.2
59.7	-1587.9			J	1268.3	-1.1	0.3	-63.2
73.7	-1593.5							
1260	2	63	C1-C2;~1 Max	I	1315.6	0.8	0.1	37.6
81.5	2939.3			J	1315.6	0.8	0.1	37.6
54.6	3109.7							
			Min	I	-216.9	-1.0	-0.0	-43.6
-10.4	-1060.1			J	-216.9	-1.0	-0.0	-43.6
-3.2	-1201.9							
			C3-C4;~1 Max	I	1322.0	0.8	0.1	32.0
75.2	2265.9			J	1322.0	0.8	0.1	32.0
50.4	2411.6							
			Min	I	-213.4	-0.8	-0.0	-35.8
-10.2	-1401.6			J	-213.4	-0.8	-0.0	-35.8
-3.1	-1556.5							
			C1-C2;~2 Max	I	799.7	0.5	0.1	24.0
51.1	1860.4			J	799.7	0.5	0.1	24.0
36.5	1957.0							
			Min	I	-123.6	-0.7	-0.0	-25.9
-5.9	-614.7			J	-123.6	-0.7	-0.0	-25.9
-1.8	-697.2							
			C3-C4;~2 Max	I	786.4	0.5	0.0	19.4
46.1	1409.9			J	786.4	0.5	0.0	19.4
33.0	1495.4							
			Min	I	-121.4	-0.5	-0.0	-21.7
-5.8	-828.1			J	-121.4	-0.5	-0.0	-21.7
-1.7	-912.2							
			G1	I	933.9	0.0	-0.4	2.7
12.5	391.6			J	933.9	0.0	0.4	2.7
-10.2	370.6							
			G2	I	364.9	0.0	0.0	1.7
18.1	160.0			J	364.9	0.0	0.0	1.7
10.5	147.3							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	1.1	-0.0	-0.0	3.8


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-1.3	-1331.2		J	1.1	-0.0	-0.0	3.8
-0.9	-1312.7						
		Q5_ps	I	1.6	-0.0	-0.0	4.7
-1.5	-1336.5		J	1.6	-0.0	-0.0	4.7
-0.7	-1327.5						
		INVSLU Max	I	3835.9	1.0	-0.4	53.1
222.9	6016.4		J	3835.9	1.0	0.7	53.1
161.6	6262.1						
		Min	I	1756.3	-1.5	-0.5	-63.5
96.4	-2272.4		J	1756.3	-1.5	0.6	-63.5
81.9	-2400.3						
		INVSLE Max	I	2846.9	0.7	-0.3	38.9
167.2	4344.8		J	2846.9	0.7	0.5	38.9
122.8	4536.9						
		Min	I	1306.7	-1.1	-0.4	-46.9
73.7	-1593.5		J	1306.7	-1.1	0.4	-46.9
63.9	-1704.6						
1261	2	63 C1-C2;~1 Max	I	1112.7	0.8	0.0	80.2
25.5	1954.8		J	1112.7	0.8	0.0	80.2
56.5	1990.6						
		Min	I	-189.4	-1.0	-0.1	-22.6
-18.4	-2153.7		J	-189.4	-1.0	-0.1	-22.6
-7.9	-2013.9						
		C3-C4;~1 Max	I	1162.2	0.8	0.1	71.4
37.6	1430.5		J	1162.2	0.8	0.1	71.4
54.8	1405.6						
		Min	I	-187.6	-0.8	-0.1	-14.5
-11.6	-2221.9		J	-187.6	-0.8	-0.1	-14.5
-8.2	-2287.1						
		C1-C2;~2 Max	I	667.7	0.5	0.0	52.0
14.1	1258.1		J	667.7	0.5	0.0	52.0
34.0	1258.5						
		Min	I	-107.9	-0.6	-0.1	-13.0
-10.6	-1376.4		J	-107.9	-0.6	-0.1	-13.0
-4.3	-1263.3						
		C3-C4;~2 Max	I	699.6	0.5	0.0	45.2
21.8	897.0		J	699.6	0.5	0.0	45.2
33.0	862.0						
		Min	I	-106.8	-0.5	-0.1	-7.7
-6.3	-1382.9		J	-106.8	-0.5	-0.1	-7.7
-4.3	-1415.6						
		G1	I	857.6	-0.0	-0.4	11.3
-18.8	-421.3		J	857.6	-0.0	0.4	11.3

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-1.7	-405.2							
			G2	I	334.6	-0.0	-0.0	0.8
7.7	-193.1			J	334.6	-0.0	-0.0	0.8
12.8	-188.5							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-7.7	0.5	0.0	-6.2
4.6	0.6			J	-7.7	0.5	0.0	-6.2
-2.4	-224.6							
			Q5_ps	I	-6.8	0.4	0.0	-8.1
6.3	-75.1			J	-6.8	0.4	0.0	-8.1
-2.6	-296.9							
			INVS LU Max	I	3482.3	1.5	-0.5	140.7
102.3	1834.9			J	3482.3	1.5	0.6	140.7
166.8	2047.0		Min	I	1643.9	-1.6	-0.8	-9.4
18.4	-3804.8			J	1643.9	-1.6	0.3	-9.4
75.3	-4132.3							
			INVS LE Max	I	2586.7	1.1	-0.4	103.8
77.0	1398.2			J	2586.7	1.1	0.4	103.8
126.0	1533.7		Min	I	1225.9	-1.2	-0.6	-6.5
15.5	-2779.3			J	1225.9	-1.2	0.2	-6.5
58.5	-3013.6							
1262	2	63	C1-C2;~1 Max	I	1163.5	0.8	0.0	61.1
56.5	1990.7			J	1163.5	0.8	0.0	61.1
64.6	2050.9		Min	I	-202.7	-1.0	-0.1	-30.1
-7.9	-2014.0			J	-202.7	-1.0	-0.1	-30.1
-10.0	-1964.3							
			C3-C4;~1 Max	I	1220.3	0.8	0.0	53.6
54.8	1405.7			J	1220.3	0.8	0.0	53.6
74.1	1407.1		Min	I	-200.7	-0.7	-0.1	-20.0
-8.2	-2287.2			J	-200.7	-0.7	-0.1	-20.0
-9.9	-2385.8							
			C1-C2;~2 Max	I	696.9	0.5	0.0	39.3
34.0	1258.6			J	696.9	0.5	0.0	39.3
39.1	1273.8		Min	I	-115.5	-0.6	-0.0	-18.1
-4.3	-1263.3			J	-115.5	-0.6	-0.0	-18.1
-5.7	-1212.6							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

33.0	862.0	C3-C4;~2	Max	I	733.3	0.5	0.0	33.3
				J	733.3	0.5	0.0	33.3
45.5	841.8		Min	I	-114.2	-0.5	-0.0	-11.3
-4.3	-1415.7			J	-114.2	-0.5	-0.0	-11.3
-5.6	-1468.7							
		G1		I	897.0	-0.0	-0.4	4.7
-1.7	-405.2			J	897.0	-0.0	0.4	4.7
12.9	-390.6							
		G2		I	350.5	-0.0	-0.0	-0.5
12.8	-188.5			J	350.5	-0.0	-0.0	-0.5
18.5	-183.3							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-8.7	0.4	-0.0	-3.5
-2.4	-224.7			J	-8.7	0.4	-0.0	-3.5
1.6	-447.7							
		Q5_ps		I	-6.7	0.4	-0.0	-4.4
-2.6	-297.0			J	-6.7	0.4	-0.0	-4.4
2.2	-515.7							
		INVSLU	Max	I	3627.0	1.6	-0.5	100.0
166.8	2047.1			J	3627.0	1.6	0.6	100.0
214.5	2276.9		Min	I	1690.4	-1.6	-0.7	-29.2
75.3	-4132.6			J	1690.4	-1.6	0.4	-29.2
98.1	-4518.5							
		INVSLE	Max	I	2692.4	1.1	-0.4	73.7
126.0	1533.7			J	2692.4	1.1	0.4	73.7
161.0	1681.4		Min	I	1259.0	-1.1	-0.5	-21.6
58.5	-3013.8			J	1259.0	-1.1	0.3	-21.6
75.0	-3292.5							
1263	2	63 C1-C2;~1	Max	I	1225.1	0.8	0.1	43.4
64.6	2050.9			J	1225.1	0.8	0.1	43.4
43.4	2273.2		Min	I	-217.7	-0.9	-0.0	-41.4
-10.0	-1964.2			J	-217.7	-0.9	-0.0	-41.4
-3.6	-2066.0							
		C3-C4;~1	Max	I	1290.4	0.8	0.1	37.3
74.1	1407.1			J	1290.4	0.8	0.1	37.3
49.6	1527.7							

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-9.9	-2385.7		Min	I	-215.5	-0.7	-0.0	-33.0	
				J	-215.5	-0.7	-0.0	-33.0	
-3.6	-2527.1								
39.1	1273.8	C1-C2;~2	Max	I	732.4	0.5	0.0	27.6	
				J	732.4	0.5	0.0	27.6	
28.1	1408.2								
			Min	I	-124.0	-0.6	-0.0	-27.3	
-5.7	-1212.6			J	-124.0	-0.6	-0.0	-27.3	
-2.0	-1270.8								
45.5	841.8	C3-C4;~2	Max	I	774.2	0.5	0.0	22.4	
				J	774.2	0.5	0.0	22.4	
32.6	907.6								
			Min	I	-122.7	-0.4	-0.0	-19.8	
-5.6	-1468.7			J	-122.7	-0.4	-0.0	-19.8	
-2.0	-1550.2								
12.9	-390.6		G1	I	942.2	-0.0	-0.4	-1.9	
				J	942.2	-0.0	0.4	-1.9	
-9.9	-378.3								
18.5	-183.3		G2	I	368.4	-0.0	0.0	-1.2	
				J	368.4	-0.0	0.0	-1.2	
10.6	-176.8								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
1.6	-447.8		Q5_pc	I	-9.2	0.4	0.0	0.5	
				J	-9.2	0.4	0.0	0.5	
1.0	-667.0								
2.2	-515.7		Q5_ps	I	-6.4	0.4	0.0	0.8	
				J	-6.4	0.4	0.0	0.8	
1.1	-729.1								
214.5	2277.0		INVSLU	Max	I	3801.2	1.6	-0.4	68.2
				J	3801.2	1.6	0.7	68.2	
154.5	2716.4								
			Min	I	1748.6	-1.5	-0.5	-47.2	
98.1	-4518.5			J	1748.6	-1.5	0.6	-47.2	
80.7	-4964.6								
161.0	1681.5		INVSLE	Max	I	2820.2	1.2	-0.3	50.6
				J	2820.2	1.2	0.5	50.6	
117.4	1984.3								
			Min	I	1301.1	-1.1	-0.4	-34.8	
75.0	-3292.5			J	1301.1	-1.1	0.4	-34.8	
63.0	-3616.4								


MIDAS

PROJECT TITLE :

MIDAS	Company				Client				
	Author				File Name				
1264	2	62	C1-C2;~1	Max	I	23.9	6.3	0.3	113.4
102.2	15870.1				J	23.9	6.3	0.3	113.4
389.7	17728.1								
-320.8	-1173.2			Min	I	-140.5	-12.1	-1.4	-290.6
-80.1	-1275.5				J	-140.5	-12.1	-1.4	-290.6
222.4	11594.6		C3-C4;~1	Max	I	23.2	2.5	0.8	98.6
584.3	13174.5				J	23.2	2.5	0.8	98.6
-488.4	-1488.0			Min	I	-157.1	-6.7	-2.1	-217.3
-159.4	-1645.3				J	-157.1	-6.7	-2.1	-217.3
60.4	11181.9		C1-C2;~2	Max	I	13.6	4.4	0.2	73.3
231.6	12427.3				J	13.6	4.4	0.2	73.3
-188.5	-593.3			Min	I	-83.3	-8.5	-0.8	-200.0
-44.3	-598.1				J	-83.3	-8.5	-0.8	-200.0
149.7	8062.7		C3-C4;~2	Max	I	13.2	1.5	0.5	60.4
369.6	9006.2				J	13.2	1.5	0.5	60.4
-306.5	-765.4			Min	I	-93.9	-4.5	-1.4	-145.1
-103.5	-825.3				J	-93.9	-4.5	-1.4	-145.1
-202.4	104.4			G1	I	-105.4	0.1	-1.2	1.5
195.2	52.5				J	-105.4	0.1	-0.4	1.5
-68.3	-598.4			G2	I	-41.2	0.4	-0.3	11.7
89.0	-805.9				J	-41.2	0.4	-0.3	11.7
0.0	0.0			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
6.6	-1617.5			Q5_pc	I	-20.0	0.7	0.0	22.4
-7.9	-1987.4				J	-20.0	0.7	0.0	22.4
1.2	-2007.6			Q5_ps	I	-20.1	0.9	0.0	30.0
-3.2	-2477.9				J	-20.1	0.9	0.0	30.0
302.1	23533.2			INVSLU	Max	-2201.6	23.5	0.2	318.2
959.8	19201.8				J	-2201.6	23.5	1.2	318.2
				Min	I	-2482.0	-2.6	-3.8	-267.6


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-669.4	-3391.8		J	-2482.0	-2.6	-2.7	-267.6
-58.5	-11350.9						
		INVSLE Max	I	-1713.8	18.6	0.2	244.3
229.5	17364.7		J	-1713.8	18.6	0.9	244.3
710.6	13502.7	Min	I	-1918.9	-0.6	-2.8	-186.7
-489.3	-2248.9		J	-1918.9	-0.6	-2.0	-186.7
-42.6	-8721.1						
1265	2	62 C1-C2;~1 Max	I	25.5	15.1	0.4	148.7
125.5	17725.5		J	25.5	15.1	0.4	148.7
363.1	14578.9	Min	I	-144.3	-6.8	-1.3	-242.9
-295.1	-1275.3		J	-144.3	-6.8	-1.3	-242.9
-89.5	-1320.9						
		C3-C4;~1 Max	I	24.7	9.4	0.9	119.0
248.7	13172.4		J	24.7	9.4	0.9	119.0
554.3	10562.7	Min	I	-160.7	-3.1	-2.0	-176.3
-458.7	-1645.2		J	-160.7	-3.1	-2.0	-176.3
-182.3	-1605.4						
		C1-C2;~2 Max	I	14.6	10.6	0.3	98.9
76.8	12425.5		J	14.6	10.6	0.3	98.9
215.6	10277.3	Min	I	-85.4	-4.7	-0.8	-166.6
-173.0	-598.1		J	-85.4	-4.7	-0.8	-166.6
-51.0	-708.5						
		C3-C4;~2 Max	I	14.0	6.4	0.6	75.3
168.1	9004.9		J	14.0	6.4	0.6	75.3
351.3	7268.6	Min	I	-95.9	-1.9	-1.3	-117.6
-288.2	-825.3		J	-95.9	-1.9	-1.3	-117.6
-119.7	-857.5						
		G1	I	-109.0	0.0	-1.1	1.2
-182.1	52.5		J	-109.0	0.0	-0.3	1.2
176.1	47.8						
		G2	I	-42.7	-0.5	-0.3	6.5
-60.5	-805.7		J	-42.7	-0.5	-0.3	6.5
81.9	-564.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-20.6	-0.9	0.0	12.4
8.2	-1987.0						

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-8.3	-1522.0		J	-20.6	-0.9	0.0	12.4
		Q5_ps	I	-20.8	-1.2	0.0	17.0
2.2	-2477.4		J	-20.8	-1.2	0.0	17.0
-2.8	-1864.1						
		INVSLE Max	I	-2248.8	21.3	0.5	291.1
385.8	19199.5		J	-2248.8	21.3	1.5	291.1
		Min	I	-2537.3	-9.9	-3.5	-260.0
908.2	14470.2		J	-2537.3	-9.9	-2.5	-260.0
-584.0	-11348.3						
-101.2	-10535.0						
		INVSLE Max	I	-1748.6	15.8	0.4	220.0
292.9	13501.2		J	-1748.6	15.8	1.1	220.0
		Min	I	-1959.6	-7.2	-2.6	-186.5
671.1	10002.0		J	-1959.6	-7.2	-1.8	-186.5
-424.4	-8719.1						
-75.5	-8211.8						
		62 C1-C2;~1 Max	I	27.4	12.1	0.5	184.4
1266	2		J	27.4	12.1	0.5	184.4
134.1	14578.2						
		Min	I	-149.8	-9.0	-1.3	-208.2
356.2	13257.5		J	-149.8	-9.0	-1.3	-208.2
-288.6	-1320.9						
-96.9	-1204.8						
		C3-C4;~1 Max	I	26.5	7.1	0.9	142.0
257.3	10562.3		J	26.5	7.1	0.9	142.0
		Min	I	-166.5	-4.8	-2.0	-151.1
548.3	9622.1		J	-166.5	-4.8	-2.0	-151.1
-452.6	-1605.4						
-187.8	-1509.5						
		C1-C2;~2 Max	I	15.6	8.5	0.3	124.3
82.4	10276.8		J	15.6	8.5	0.3	124.3
		Min	I	-88.6	-6.4	-0.8	-142.1
212.7	9359.0		J	-88.6	-6.4	-0.8	-142.1
-170.2	-708.5						
-55.9	-630.2						
		C3-C4;~2 Max	I	15.1	4.8	0.6	91.6
173.6	7268.4		J	15.1	4.8	0.6	91.6
		Min	I	-99.3	-3.1	-1.3	-99.6
349.4	6612.2		J	-99.3	-3.1	-1.3	-99.6
-285.9	-857.5						
-123.1	-797.8						
		G1	I	-112.8	-0.0	-1.0	1.6
-167.4	47.8		J	-112.8	-0.0	-0.3	1.6
161.9	54.4						

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-54.5	-564.4	G2	I	-44.2	-0.2	-0.3	2.6
76.3	-468.7		J	-44.2	-0.2	-0.3	2.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
8.4	-1521.8	Q5_pc	I	-21.4	-0.4	0.0	4.6
-8.2	-1340.5		J	-21.4	-0.4	0.0	4.6
2.6	-1864.0	Q5_ps	I	-21.7	-0.5	0.0	6.6
-2.8	-1627.8		J	-21.7	-0.5	0.0	6.6
418.3	14468.7	INVS LU Max	I	-2303.1	15.8	0.6	278.2
871.9	12964.7		J	-2303.1	15.8	1.6	278.2
-555.2	-10535.1	Min	I	-2603.5	-13.4	-3.4	-260.2
-136.6	-9658.0		J	-2603.5	-13.4	-2.3	-260.2
317.0	10000.9	INVS LE Max	I	-1789.2	11.6	0.4	207.2
643.9	8936.5		J	-1789.2	11.6	1.2	207.2
-403.0	-8211.9	Min	I	-2008.9	-10.0	-2.5	-191.0
-102.1	-7550.8		J	-2008.9	-10.0	-1.7	-191.0
1267	2	62 C1-C2;~1 Max	I	22.9	7.1	0.4	212.3
119.7	3750.5		J	22.9	7.1	0.4	212.3
533.3	4435.7	Min	I	-170.5	-4.0	-2.0	-122.8
-464.2	-11238.9		J	-170.5	-4.0	-2.0	-122.8
-95.0	-12811.0						
214.1	1319.9	C3-C4;~1 Max	I	23.0	6.7	0.7	209.0
586.4	1435.4		J	23.0	6.7	0.7	209.0
-489.8	-11382.2	Min	I	-162.2	-2.5	-2.2	-92.1
-152.1	-12725.2		J	-162.2	-2.5	-2.2	-92.1
69.7	2337.9	C1-C2;~2 Max	I	13.0	4.8	0.2	142.1
329.2	2756.2		J	13.0	4.8	0.2	142.1
-285.3	-7727.8	Min	I	-104.0	-2.5	-1.2	-76.2
-52.2	-8733.3		J	-104.0	-2.5	-1.2	-76.2


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
140.3	697.2	C3-C4;~2	Max	I	13.1	4.5	0.5	141.2
				J	13.1	4.5	0.5	141.2
368.6	739.5		Min	I	-96.6	-1.5	-1.3	-57.1
-305.4	-7778.8			J	-96.6	-1.5	-1.3	-57.1
-95.2	-8767.0							
		G1		I	-107.4	-0.1	-1.2	-0.1
-209.1	-142.3			J	-107.4	-0.1	-0.4	-0.1
201.6	-116.7							
		G2		I	-41.6	-0.4	-0.3	-10.3
-68.3	550.5			J	-41.6	-0.4	-0.3	-10.3
88.9	742.3							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	20.5	-0.1	-0.0	-1.6
-8.6	-245.2			J	20.5	-0.1	-0.0	-1.6
7.4	-219.4							
		Q5_ps		I	20.4	-0.2	-0.0	-4.6
-2.6	-23.4			J	20.4	-0.2	-0.0	-4.6
1.3	76.2							
		INVS LU	Max	I	-2200.6	-4.6	0.2	152.0
299.0	4626.9			J	-2200.6	-4.6	1.2	152.0
955.7	12639.0		Min	I	-2498.7	-19.6	-3.7	-303.3
-666.7	-16243.6			J	-2498.7	-19.6	-2.7	-303.3
-54.6	-11038.8							
		INVS LE	Max	I	-1713.0	-4.7	0.2	102.6
227.8	3371.5			J	-1713.0	-4.7	0.9	102.6
706.9	9934.3		Min	I	-1931.1	-15.8	-2.8	-234.5
-486.4	-12055.4			J	-1931.1	-15.8	-2.0	-234.5
-40.5	-7575.6							
1268	2	62 C1-C2;~1	Max	I	24.4	4.5	0.5	175.8
140.9	4434.9			J	24.4	4.5	0.5	175.8
506.0	3737.0		Min	I	-174.5	-9.2	-1.9	-127.1
-435.7	-12808.9			J	-174.5	-9.2	-1.9	-127.1
-100.8	-10300.8							
		C3-C4;~1	Max	I	24.5	3.0	0.8	173.4
240.0	1435.3			J	24.5	3.0	0.8	173.4
556.2	1442.7		Min	I	-166.0	-9.4	-2.0	-113.5


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-459.9	-12723.1			J	-166.0	-9.4	-2.0	-113.5
-174.7	-10213.0							
84.5	2755.7	C1-C2;~2	Max	I	13.9	2.8	0.3	117.6
312.5	2341.9			J	13.9	2.8	0.3	117.6
-267.6	-8731.9		Min	I	-106.2	-6.3	-1.2	-78.4
-55.8	-7075.3			J	-106.2	-6.3	-1.2	-78.4
158.4	739.6	C3-C4;~2	Max	I	14.0	1.8	0.5	113.5
350.3	788.8			J	14.0	1.8	0.5	113.5
-287.1	-8765.7		Min	I	-98.7	-6.3	-1.3	-72.2
-111.2	-7078.2			J	-98.7	-6.3	-1.3	-72.2
-189.5	-116.7		G1	I	-111.1	-0.1	-1.1	-0.6
183.0	-77.4			J	-111.1	-0.1	-0.4	-0.6
-60.9	742.1		G2	I	-43.1	0.4	-0.3	-5.5
82.2	524.6			J	-43.1	0.4	-0.3	-5.5
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
-11.8	-219.4		Q5_pc	I	20.7	0.1	-0.0	-0.6
9.9	-272.0			J	20.7	0.1	-0.0	-0.6
-6.0	76.1		Q5_ps	I	20.6	0.3	-0.0	-1.8
4.1	-58.3			J	20.6	0.3	-0.0	-1.8
386.9	12636.2		INVSLU Max	I	-2246.9	6.0	0.5	166.6
903.3	11804.4			J	-2246.9	6.0	1.5	166.6
-579.3	-11037.7		Min	I	-2552.9	-12.9	-3.5	-243.4
-101.1	-7636.3			J	-2552.9	-12.9	-2.5	-243.4
294.3	9932.1		INVSLE Max	I	-1747.1	4.4	0.4	118.2
666.6	9337.4			J	-1747.1	4.4	1.1	118.2
-419.8	-7574.9		Min	I	-1971.0	-9.6	-2.5	-185.4
-76.1	-5026.9			J	-1971.0	-9.6	-1.8	-185.4
1269	2	62	C1-C2;~1	Max	26.2	4.8	0.5	152.0


MIDAS

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
152.6	3736.9			J	26.2	4.8	0.5	152.0	
493.4	3501.5								
			Min	I	-180.8	-7.0	-1.8	-135.9	
-423.0	-10300.4								
				J	-180.8	-7.0	-1.8	-135.9	
-107.5	-9388.2								
			C3-C4;~1	Max	I	26.3	4.7	0.8	147.3
248.5	1442.8								
				J	26.3	4.7	0.8	147.3	
549.9	1375.7								
			Min	I	-171.9	-7.1	-2.0	-136.1	
-453.7	-10212.6								
				J	-171.9	-7.1	-2.0	-136.1	
-180.0	-9307.3								
			C1-C2;~2	Max	I	14.9	3.3	0.3	101.6
92.4	2341.8								
				J	14.9	3.3	0.3	101.6	
305.7	2196.2								
			Min	I	-109.9	-4.8	-1.1	-92.0	
-260.5	-7075.0								
				J	-109.9	-4.8	-1.1	-92.0	
-60.3	-6468.3								
			C3-C4;~2	Max	I	15.0	3.1	0.5	96.3
163.9	788.8								
				J	15.0	3.1	0.5	96.3	
348.2	744.1								
			Min	I	-102.2	-4.7	-1.3	-87.8	
-284.7	-7078.0								
				J	-102.2	-4.7	-1.3	-87.8	
-114.5	-6464.9								
			G1	I	-115.0	-0.0	-1.1	-1.3	
-174.6	-77.4								
				J	-115.0	-0.0	-0.3	-1.3	
168.6	-64.6								
			G2	I	-44.6	0.2	-0.3	-2.0	
-54.9	524.6								
				J	-44.6	0.2	-0.3	-2.0	
76.6	439.5								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0								
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	21.4	0.0	-0.0	0.3	
-12.1	-272.0								
				J	21.4	0.0	-0.0	0.3	
10.1	-289.2								
			Q5_ps	I	21.3	0.1	-0.0	0.5	
-6.6	-58.3								
				J	21.3	0.1	-0.0	0.5	
4.5	-108.4								
			INVSLU	Max	I	-2299.8	7.4	0.6	187.6
417.6	11804.6								
				J	-2299.8	7.4	1.6	187.6	
867.7	11055.6								
			Min	I	-2617.9	-8.7	-3.3	-201.9	
-552.1	-7635.4								

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-135.9	-6865.9		J	-2617.9	-8.7	-2.3	-201.9
		INVSLE Max	I	-1786.6	5.6	0.5	137.6
317.1	9337.5		J	-1786.6	5.6	1.2	137.6
639.8	8743.2	Min	I	-2019.4	-6.3	-2.5	-150.9
-399.6	-5026.2		J	-2019.4	-6.3	-1.7	-150.9
-102.2	-4493.5						
1270	2	70 C1-C2;~1 Max	I	1776.5	2.3	0.0	22.7
32.5	5221.7		J	1776.5	2.3	0.0	22.7
97.8	4388.8	Min	I	-518.8	-0.9	-0.2	-90.2
-31.5	-1963.7		J	-518.8	-0.9	-0.2	-90.2
-21.3	-2240.5						
		C3-C4;~1 Max	I	1783.5	2.2	0.0	15.4
21.1	3975.6		J	1783.5	2.2	0.0	15.4
93.3	3518.4	Min	I	-511.1	-0.8	-0.2	-82.1
-29.1	-2524.5		J	-511.1	-0.8	-0.2	-82.1
-21.1	-2835.1						
		C1-C2;~2 Max	I	1073.5	1.4	0.0	12.3
20.7	3228.2		J	1073.5	1.4	0.0	12.3
61.0	2667.7	Min	I	-295.8	-0.5	-0.1	-58.4
-19.3	-1104.3		J	-295.8	-0.5	-0.1	-58.4
-12.1	-1252.0						
		C3-C4;~2 Max	I	1055.3	1.4	0.0	8.0
13.1	2400.3		J	1055.3	1.4	0.0	8.0
56.9	2120.6	Min	I	-291.1	-0.5	-0.1	-52.6
-17.4	-1425.0		J	-291.1	-0.5	-0.1	-52.6
-12.0	-1584.7						
		G1	I	1034.9	0.8	-0.6	-19.5
-46.1	683.2		J	1034.9	0.8	0.3	-19.5
14.3	265.4						
		G2	I	398.8	0.3	-0.0	-4.0
-1.3	239.9		J	398.8	0.3	-0.0	-4.0
20.8	86.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	27.4	-0.0	0.0	-0.7
0.5	-1338.2		J	27.4	-0.0	0.0	-0.7

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-1.1	-1329.0							
			Q5_ps	I	24.8	-0.0	0.0	0.4
0.5	-1396.8			J	24.8	-0.0	0.0	0.4
-1.1	-1386.1							
			INVSLU Max	I	4212.8	3.9	-0.8	46.6
44.1	10164.6			J	4212.8	3.9	0.5	46.6
246.3	8644.4		Min	I	1055.2	-0.4	-1.1	-107.0
-43.2	-2701.6			J	1055.2	-0.4	0.1	-107.0
83.5	-3500.1							
			INVSLE Max	I	3100.9	2.8	-0.6	36.5
34.4	7481.6			J	3100.9	2.8	0.3	36.5
184.1	6379.2		Min	I	765.6	-0.3	-0.8	-77.2
-30.2	-1870.4			J	765.6	-0.3	0.1	-77.2
63.7	-2439.5							
1271	2	70	C1-C2;~1 Max	I	1752.7	2.3	0.1	23.8
97.8	4388.7			J	1752.7	2.3	0.1	23.8
66.6	3789.5		Min	I	-530.9	-0.9	-0.0	-77.1
-21.3	-2240.6			J	-530.9	-0.9	-0.0	-77.1
-11.6	-2668.2							
			C3-C4;~1 Max	I	1756.3	2.2	0.1	16.3
93.3	3518.4			J	1756.3	2.2	0.1	16.3
60.1	3164.0		Min	I	-522.9	-0.8	-0.0	-67.9
-21.1	-2835.2			J	-522.9	-0.8	-0.0	-67.9
-11.5	-3244.8							
			C1-C2;~2 Max	I	1059.0	1.4	0.1	13.3
61.0	2667.6			J	1059.0	1.4	0.1	13.3
42.9	2253.3		Min	I	-302.7	-0.5	-0.0	-50.1
-12.1	-1252.1			J	-302.7	-0.5	-0.0	-50.1
-6.6	-1493.0							
			C3-C4;~2 Max	I	1038.9	1.3	0.1	8.6
56.9	2120.6			J	1038.9	1.3	0.1	8.6
37.9	1886.9		Min	I	-297.7	-0.5	-0.0	-43.5
-12.0	-1584.8			J	-297.7	-0.5	-0.0	-43.5
-6.5	-1802.6							
			G1	I	1001.2	0.8	-0.4	-15.1
14.3	265.4			J	1001.2	0.8	0.5	-15.1
-9.3	-151.6							

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
20.8	86.0	G2	I	386.0	0.3	0.0	-3.2
			J	386.0	0.3	0.0	-3.2
11.6	-68.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	27.8	-0.0	-0.0	-1.0
-1.1	-1329.0		J	27.8	-0.0	-0.0	-1.0
-0.4	-1320.1						
		Q5_ps	I	25.3	-0.0	-0.0	-0.3
-1.1	-1386.1		J	25.3	-0.0	-0.0	-0.3
-0.5	-1375.9						
		INVS LU Max	I	4076.7	3.9	-0.4	55.9
246.3	8644.3		J	4076.7	3.9	0.8	55.9
163.8	7449.5	Min	I	938.9	-0.4	-0.6	-82.2
83.5	-3500.1		J	938.9	-0.4	0.7	-82.2
57.6	-4422.8						
		INVS LE Max	I	2998.8	2.8	-0.3	43.4
184.1	6379.1		J	2998.8	2.8	0.6	43.4
123.7	5518.5	Min	I	678.2	-0.4	-0.4	-58.7
63.7	-2439.6		J	678.2	-0.4	0.5	-58.7
45.1	-3099.8						
		70 C1-C2;~1 Max	I	1724.5	2.3	0.0	28.4
1272	2		J	1724.5	2.3	0.0	28.4
66.6	3789.4	Min	I	-541.7	-0.9	-0.1	-61.8
77.9	3487.7		J	-541.7	-0.9	-0.1	-61.8
-11.6	-2668.3						
-23.3	-3202.7						
		C3-C4;~1 Max	I	1726.2	2.2	0.0	20.1
60.1	3164.0		J	1726.2	2.2	0.0	20.1
72.8	2856.5	Min	I	-533.4	-0.8	-0.1	-53.9
-11.5	-3244.8		J	-533.4	-0.8	-0.1	-53.9
-22.9	-3864.3						
		C1-C2;~2 Max	I	1042.3	1.4	0.0	17.0
42.9	2253.3		J	1042.3	1.4	0.0	17.0
50.2	2053.3	Min	I	-308.8	-0.5	-0.0	-40.4
-6.6	-1493.1		J	-308.8	-0.5	-0.0	-40.4
-13.3	-1804.3						
		C3-C4;~2 Max	I	1021.3	1.3	0.0	11.3

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
37.9	1886.8			J	1021.3	1.3	0.0	11.3
45.9	1676.1							
		Min		I	-303.8	-0.5	-0.0	-33.5
-6.5	-1802.6							
				J	-303.8	-0.5	-0.0	-33.5
-13.1	-2170.1							
		G1		I	962.5	0.8	-0.5	-10.8
-9.3	-151.6							
				J	962.5	0.8	0.5	-10.8
-13.4	-567.6							
		G2		I	370.8	0.3	0.0	-3.0
11.6	-68.6							
				J	370.8	0.3	0.0	-3.0
9.7	-224.3							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0							
				J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	28.4	-0.0	-0.0	-1.6
-0.4	-1320.1							
				J	28.4	-0.0	-0.0	-1.6
0.2	-1311.9							
		Q5_ps		I	26.0	-0.0	-0.0	-1.2
-0.5	-1375.9							
				J	26.0	-0.0	-0.0	-1.2
0.2	-1366.7							
		INVSLU Max		I	3927.2	3.8	-0.5	65.1
163.8	7449.5							
				J	3927.2	3.8	0.8	65.1
142.6	6660.9							
		Min		I	814.3	-0.4	-0.6	-59.5
57.6	-4422.9							
				J	814.3	-0.4	0.6	-59.5
5.5	-5625.6							
		INVSLE Max		I	2886.9	2.8	-0.4	50.0
123.7	5518.4							
				J	2886.9	2.8	0.6	50.0
107.1	4959.0							
		Min		I	584.9	-0.4	-0.5	-42.0
45.1	-3099.9							
				J	584.9	-0.4	0.5	-42.0
5.6	-3967.2							
1273	2	70 C1-C2;~1 Max		I	1626.0	2.2	0.0	87.4
12.4	3917.0							
				J	1626.0	2.2	0.0	87.4
83.3	3391.3							
		Min		I	-512.9	-0.6	-0.2	-16.2
-27.8	-3203.2							
				J	-512.9	-0.6	-0.2	-16.2
-23.2	-3341.6							
		C3-C4;~1 Max		I	1719.1	2.1	0.0	74.6
20.1	2655.6							
				J	1719.1	2.1	0.0	74.6
91.5	2313.7							
		Min		I	-506.2	-0.6	-0.2	-13.5
-28.1	-3553.6							


MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-22.7	-3940.2		J	-506.2	-0.6	-0.2	-13.5
7.3	2360.8	C1-C2;~2 Max	I	967.1	1.4	0.0	57.8
50.5	2017.1		J	967.1	1.4	0.0	57.8
-17.4	-1962.2	Min	I	-292.4	-0.3	-0.1	-9.4
-13.2	-2010.0		J	-292.4	-0.3	-0.1	-9.4
12.4	1517.3	C3-C4;~2 Max	I	1026.1	1.3	0.0	47.8
56.0	1314.6		J	1026.1	1.3	0.0	47.8
-17.3	-2119.1	Min	I	-288.3	-0.3	-0.1	-7.0
-12.9	-2336.2		J	-288.3	-0.3	-0.1	-7.0
-45.2	-219.3	G1	I	1025.5	0.8	-0.6	15.4
13.4	-628.0		J	1025.5	0.8	0.3	15.4
-0.7	-112.8	G2	I	396.4	0.3	-0.0	2.1
20.4	-271.9		J	396.4	0.3	-0.0	2.1
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
1.9	-1351.4	Q5_pc	I	-27.8	-0.0	-0.0	-8.8
2.0	-1344.5		J	-27.8	-0.0	-0.0	-8.8
3.0	-1410.0	Q5_ps	I	-21.6	-0.0	0.0	-11.6
2.5	-1407.2		J	-21.6	-0.0	0.0	-11.6
37.3	5416.1	INVSLU Max	I	4123.0	4.0	-0.8	135.0
234.9	4186.1		J	4123.0	4.0	0.5	135.0
-31.3	-7101.7	Min	I	1059.8	0.2	-1.1	-20.9
76.7	-8131.5		J	1059.8	0.2	0.2	-20.9
29.3	3911.1	INVSLE Max	I	3035.7	2.9	-0.6	99.0
175.7	3012.4		J	3035.7	2.9	0.4	99.0
-21.2	-5181.2	Min	I	770.3	0.1	-0.8	-15.2
58.7	-5932.5		J	770.3	0.1	0.1	-15.2
1274	2	70 C1-C2;~1 Max	I	1597.6	2.2	0.1	71.4
83.3	3391.3						

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
50.3	3068.3		J	1597.6	2.2	0.1	71.4
		Min	I	-523.7	-0.6	-0.0	-23.0
-23.2	-3341.7		J	-523.7	-0.6	-0.0	-23.0
-11.3	-3623.1						
		C3-C4;~1 Max	I	1691.2	2.1	0.1	59.2
91.5	2313.6		J	1691.2	2.1	0.1	59.2
58.9	2079.0	Min	I	-516.9	-0.6	-0.0	-17.9
-22.7	-3940.2		J	-516.9	-0.6	-0.0	-17.9
-11.1	-4428.3						
		C1-C2;~2 Max	I	949.7	1.4	0.1	47.2
50.5	2017.1		J	949.7	1.4	0.1	47.2
31.2	1801.3	Min	I	-298.5	-0.3	-0.0	-14.4
-13.2	-2010.1		J	-298.5	-0.3	-0.0	-14.4
-6.5	-2141.5						
		C3-C4;~2 Max	I	1009.1	1.3	0.1	37.8
56.0	1314.6		J	1009.1	1.3	0.1	37.8
37.2	1162.7	Min	I	-294.4	-0.3	-0.0	-10.2
-12.9	-2336.2		J	-294.4	-0.3	-0.0	-10.2
-6.3	-2610.3						
		G1	I	991.2	0.8	-0.4	10.5
13.4	-628.0		J	991.2	0.8	0.5	10.5
-9.1	-1038.1						
		G2	I	383.4	0.3	0.0	1.2
20.4	-271.9		J	383.4	0.3	0.0	1.2
11.7	-430.6						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-26.8	-0.0	0.0	-6.9
2.0	-1344.5		J	-26.8	-0.0	0.0	-6.9
1.2	-1335.9						
		Q5_ps	I	-20.3	-0.0	0.0	-9.0
2.5	-1407.2		J	-20.3	-0.0	0.0	-9.0
1.8	-1401.9						
		INVSLU Max	I	3986.7	4.0	-0.4	105.2
234.9	4185.9		J	3986.7	4.0	0.8	105.2
156.3	3218.7	Min	I	948.3	0.2	-0.6	-34.8
76.7	-8131.8		J	948.3	0.2	0.7	-34.8

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
59.3	-9306.3							
			INVSLE Max	I	2933.5	3.0	-0.3	76.9
175.7	3012.2			J	2933.5	3.0	0.6	76.9
118.1	2307.7							
			Min	I	686.4	0.1	-0.4	-25.8
58.7	-5932.7			J	686.4	0.1	0.5	-25.8
46.4	-6792.0							
1275	2	70	C1-C2;~1 Max	I	1567.3	2.2	0.0	55.2
50.3	3068.2			J	1567.3	2.2	0.0	55.2
61.6	2770.2							
			Min	I	-532.8	-0.6	-0.0	-33.3
-11.3	-3623.1			J	-532.8	-0.6	-0.0	-33.3
-22.6	-4099.5							
			C3-C4;~1 Max	I	1660.3	2.1	0.0	43.0
58.9	2079.0			J	1660.3	2.1	0.0	43.0
70.1	1943.4							
			Min	I	-526.0	-0.6	-0.1	-25.6
-11.1	-4428.4			J	-526.0	-0.6	-0.1	-25.6
-22.2	-5008.0							
			C1-C2;~2 Max	I	931.7	1.4	0.0	36.3
31.2	1801.3			J	931.7	1.4	0.0	36.3
38.5	1595.8							
			Min	I	-303.7	-0.3	-0.0	-21.6
-6.5	-2141.5			J	-303.7	-0.3	-0.0	-21.6
-12.9	-2409.6							
			C3-C4;~2 Max	I	990.9	1.3	0.0	27.0
37.2	1162.7			J	990.9	1.3	0.0	27.0
44.4	1072.9							
			Min	I	-299.6	-0.3	-0.0	-15.4
-6.3	-2610.4			J	-299.6	-0.3	-0.0	-15.4
-12.7	-2945.9							
			G1	I	952.0	0.8	-0.4	5.8
-9.1	-1038.2			J	952.0	0.8	0.5	5.8
-13.8	-1449.7							
			G2	I	368.1	0.3	0.0	0.8
11.7	-430.7			J	368.1	0.3	0.0	0.8
9.7	-588.3							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-26.6	-0.0	0.0	-4.3
1.2	-1335.9			J	-26.6	-0.0	0.0	-4.3
0.6	-1324.6							


MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


1.8	-1401.9	Q5_ps	I	-20.1	-0.0	0.0	-5.4
1.0	-1392.7		J	-20.1	-0.0	0.0	-5.4
156.3	3218.6	INVSLE Max	I	3838.0	4.1	-0.5	78.8
134.2	2279.7		J	3838.0	4.1	0.8	78.8
59.3	-9306.4	Min	I	829.2	0.2	-0.6	-48.4
8.1	-10605.2		J	829.2	0.2	0.6	-48.4
118.1	2307.6	INVSLE Max	I	2822.3	3.0	-0.4	57.9
100.9	1623.8		J	2822.3	3.0	0.6	57.9
46.4	-6792.1	Min	I	597.2	0.1	-0.5	-35.7
7.6	-7743.9		J	597.2	0.1	0.5	-35.7
1276	2	70 C1-C2;~1 Max	I	1485.0	0.8	0.0	70.8
56.3	3367.6		J	1485.0	0.8	0.0	70.8
100.7	3681.1	Min	I	-255.0	-1.0	-0.1	-31.9
-5.4	-1367.0		J	-255.0	-1.0	-0.1	-31.9
-14.5	-1555.2						
50.7	2597.6	C3-C4;~1 Max	I	1486.1	0.7	0.0	65.4
90.6	2810.7		J	1486.1	0.7	0.0	65.4
-5.3	-1729.1	Min	I	-250.8	-0.8	-0.1	-19.5
-14.2	-1915.0		J	-250.8	-0.8	-0.1	-19.5
36.9	2117.1	C1-C2;~2 Max	I	900.4	0.5	0.0	45.4
61.9	2317.1		J	900.4	0.5	0.0	45.4
-3.1	-794.1	Min	I	-145.3	-0.7	-0.1	-18.6
-8.2	-905.5		J	-145.3	-0.7	-0.1	-18.6
32.4	1606.7	C3-C4;~2 Max	I	882.1	0.4	0.0	41.0
54.6	1734.7		J	882.1	0.4	0.0	41.0
-3.0	-1006.4	Min	I	-142.7	-0.5	-0.1	-10.8
-8.0	-1107.9		J	-142.7	-0.5	-0.1	-10.8
-11.6	351.6	G1	I	1037.2	0.0	-0.5	13.4
15.8	333.8		J	1037.2	0.0	0.4	13.4
		G2	I	404.4	0.0	-0.0	2.7

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
11.2	133.3			J	404.4	0.0	-0.0 2.7
21.3	118.3						
			Q3	I	0.0	0.0	0.0 0.0
0.0	0.0			J	0.0	0.0	0.0 0.0
0.0	0.0						
			Q5_pc	I	3.6	-0.0	0.0 2.7
-0.3	-1295.0			J	3.6	-0.0	0.0 2.7
-2.6	-1277.7						
			Q5_ps	I	2.6	-0.0	0.0 2.5
-0.2	-1319.9			J	2.6	-0.0	0.0 2.5
-3.3	-1313.1						
			INVS LU Max	I	4237.5	1.0	-0.7 103.9
170.1	6629.6			J	4237.5	1.0	0.6 103.9
277.8	7076.6						
			Min	I	1880.6	-1.5	-0.9 -39.5
86.3	-2582.1			J	1880.6	-1.5	0.4 -39.5
117.5	-2778.0						
			INVS LE Max	I	3142.2	0.7	-0.5 76.0
129.0	4819.5			J	3142.2	0.7	0.4 76.0
208.2	5161.2						
			Min	I	1396.8	-1.1	-0.6 -29.8
67.0	-1831.3			J	1396.8	-1.1	0.3 -29.8
89.9	-1968.2						
			70 C1-C2;~1 Max	I	1544.6	0.7	0.2 83.7
1277	2 3681.2			J	1544.6	0.7	0.2 83.7
100.7							
			Min	I	-270.3	-1.1	-0.0 -29.1
25.0	4025.5			J	-270.3	-1.1	-0.0 -29.1
-14.5	-1555.2						
-44.2	-1752.9						
			C3-C4;~1 Max	I	1546.6	0.7	0.2 79.5
90.6	2810.7			J	1546.6	0.7	0.2 79.5
18.8	3077.7						
			Min	I	-265.9	-0.8	-0.0 -15.4
-14.2	-1915.1			J	-265.9	-0.8	-0.0 -15.4
-36.7	-2154.2						
			C1-C2;~2 Max	I	936.2	0.5	0.1 53.7
61.9	2317.2			J	936.2	0.5	0.1 53.7
15.4	2538.0						
			Min	I	-154.0	-0.7	-0.0 -16.7
-8.2	-905.6			J	-154.0	-0.7	-0.0 -16.7
-26.8	-1021.0						
			C3-C4;~2 Max	I	917.9	0.4	0.1 50.3
54.6	1734.7						


MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
							PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H
11.2	1898.6		J	917.9	0.4	0.1	50.3
		Min	I	-151.3	-0.5	-0.0	-8.1
-8.0	-1108.0		J	-151.3	-0.5	-0.0	-8.1
-21.7	-1246.7						
		G1	I	1070.1	0.0	-0.3	18.3
15.8	333.8		J	1070.1	0.0	0.6	18.3
-44.2	317.2						
		G2	I	416.5	0.0	0.0	3.7
21.3	118.3		J	416.5	0.0	0.0	3.7
0.0	102.8						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	5.4	-0.0	-0.0	2.3
-2.6	-1277.7		J	5.4	-0.0	-0.0	2.3
1.8	-1260.8						
		Q5_ps	I	3.8	-0.0	-0.0	1.8
-3.3	-1313.1		J	3.8	-0.0	-0.0	1.8
2.8	-1306.7						
		INVSLE Max	I	4369.7	0.9	-0.1	130.2
277.8	7076.6		J	4369.7	0.9	1.2	130.2
68.3	7575.9	Min	I	1907.3	-1.5	-0.5	-26.1
117.5	-2778.3		J	1907.3	-1.5	0.8	-26.1
-28.3	-3036.0						
		INVSLE Max	I	3239.1	0.7	-0.1	95.7
208.2	5161.2		J	3239.1	0.7	0.9	95.7
53.1	5542.4	Min	I	1415.9	-1.2	-0.4	-19.8
89.9	-1968.3		J	1415.9	-1.2	0.6	-19.8
-18.3	-2150.2						
1278	2	70 C1-C2;~1 Max	I	1590.0	0.8	0.1	91.4
25.0	4025.4		J	1590.0	0.8	0.1	91.4
244.3	4492.8	Min	I	-283.7	-1.1	-0.5	-25.5
-44.2	-1752.6		J	-283.7	-1.1	-0.5	-25.5
-37.6	-1968.2						
		C3-C4;~1 Max	I	1601.4	0.7	0.1	87.3
18.8	3077.7		J	1601.4	0.7	0.1	87.3
254.4	3395.6	Min	I	-279.3	-0.8	-0.5	-11.2
-36.7	-2153.7		J	-279.3	-0.8	-0.5	-11.2


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-36.4	-2414.5						
15.4	2537.9	C1-C2;~2	Max	I	964.7	0.5	58.7
151.1	2847.1			J	964.7	0.5	58.7
-26.8	-1020.9		Min	I	-161.6	-0.7	-14.5
-21.2	-1145.1			J	-161.6	-0.7	-14.5
11.2	1898.6	C3-C4;~2	Max	I	951.6	0.5	55.5
159.2	2096.2			J	951.6	0.5	55.5
-21.7	-1246.5		Min	I	-158.9	-0.5	-5.5
-20.6	-1396.9			J	-158.9	-0.5	-5.5
-44.2	317.4		G1	I	1100.6	0.0	22.9
99.9	298.0			J	1100.6	0.0	22.9
0.0	102.8		G2	I	427.2	0.0	5.1
47.7	86.4			J	427.2	0.0	5.1
0.0	0.0		Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
1.8	-1260.7		Q5_pc	I	9.9	-0.0	1.7
6.8	-1245.5			J	9.9	-0.0	1.7
2.8	-1306.7		Q5_ps	I	8.6	-0.0	1.1
7.2	-1302.4			J	8.6	-0.0	1.1
68.3	7575.9	INVSLU	Max	I	4496.0	1.0	151.9
662.5	8248.0			J	4496.0	1.0	151.9
-28.3	-3035.1		Min	I	1933.2	-1.6	-8.9
256.2	-3318.7			J	1933.2	-1.6	-8.9
53.1	5542.5	INVSLE	Max	I	3332.0	0.7	112.1
496.4	6052.3			J	3332.0	0.7	112.1
-18.3	-2149.5		Min	I	1435.0	-1.2	-6.8
196.3	-2349.5			J	1435.0	-1.2	-6.8
1279	2	70 C1-C2;~1	Max	I	1369.0	0.8	23.8
42.2	2503.9			J	1369.0	0.8	23.8

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
76.2	2767.7		Min	I	-252.8	-0.9	-0.1	-75.8
-5.8	-2302.4			J	-252.8	-0.9	-0.1	-75.8
-12.9	-2614.5							
		C3-C4;~1	Max	I	1450.0	0.8	0.0	22.4
49.5	1668.0			J	1450.0	0.8	0.0	22.4
89.6	1821.8		Min	I	-250.2	-0.7	-0.1	-67.4
-5.7	-2707.9			J	-250.2	-0.7	-0.1	-67.4
-12.4	-2908.9							
		C1-C2;~2	Max	I	816.2	0.5	0.0	14.0
26.6	1546.7			J	816.2	0.5	0.0	14.0
45.3	1708.2		Min	I	-144.0	-0.6	-0.0	-50.1
-3.3	-1425.6			J	-144.0	-0.6	-0.0	-50.1
-7.2	-1633.6							
		C3-C4;~2	Max	I	867.6	0.5	0.0	12.3
31.8	985.1			J	867.6	0.5	0.0	12.3
54.0	1070.2		Min	I	-142.4	-0.4	-0.1	-42.0
-3.2	-1657.9			J	-142.4	-0.4	-0.1	-42.0
-7.0	-1777.9							
		G1		I	1044.6	-0.0	-0.5	-12.5
-11.8	-367.9			J	1044.6	-0.0	0.4	-12.5
16.4	-358.6							
		G2		I	408.1	-0.0	-0.0	-1.9
11.1	-168.9			J	408.1	-0.0	-0.0	-1.9
22.1	-159.9							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-11.5	0.4	-0.0	7.2
1.0	-882.4			J	-11.5	0.4	-0.0	7.2
3.0	-1094.9							
		Q5_ps		I	-7.1	0.4	-0.0	9.9
1.4	-937.1			J	-7.1	0.4	-0.0	9.9
4.3	-1141.2							
		INVSLU	Max	I	4201.8	1.7	-0.7	41.3
160.9	3160.7			J	4201.8	1.7	0.6	41.3
268.9	3643.2		Min	I	1882.3	-1.5	-0.9	-106.2
84.5	-5463.5			J	1882.3	-1.5	0.4	-106.2
125.1	-5990.9							


PROJECT TITLE :

MIDAS	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

122.2	2290.8	INVSLE Max	I	3115.0	1.2	-0.5	30.9
			J	3115.0	1.2	0.4	30.9
201.6	2625.5	Min	I	1398.4	-1.0	-0.6	-77.4
65.7	-3979.9		J	1398.4	-1.0	0.3	-77.4
95.5	-4364.9						
1280	2	70 C1-C2;~1 Max	I	1422.9	0.9	0.2	18.0
76.2	2767.8		J	1422.9	0.9	0.2	18.0
23.4	3091.1	Min	I	-267.0	-0.9	-0.1	-90.8
-12.9	-2614.6		J	-267.0	-0.9	-0.1	-90.8
-30.6	-2972.1						
		C3-C4;~1 Max	I	1508.3	0.8	0.2	18.4
89.6	1821.9		J	1508.3	0.8	0.2	18.4
19.2	2012.4	Min	I	-264.3	-0.7	-0.0	-81.8
-12.4	-2908.9		J	-264.3	-0.7	-0.0	-81.8
-36.6	-3171.1						
		C1-C2;~2 Max	I	848.3	0.6	0.1	9.9
45.3	1708.2		J	848.3	0.6	0.1	9.9
13.3	1913.0	Min	I	-152.2	-0.6	-0.0	-60.1
-7.2	-1633.6		J	-152.2	-0.6	-0.0	-60.1
-18.1	-1871.7						
		C3-C4;~2 Max	I	902.4	0.5	0.1	9.6
54.0	1070.2		J	902.4	0.5	0.1	9.6
11.2	1180.1	Min	I	-150.4	-0.4	-0.0	-51.4
-7.0	-1778.0		J	-150.4	-0.4	-0.0	-51.4
-21.5	-1940.5						
		G1	I	1076.8	-0.0	-0.3	-17.4
16.4	-358.6		J	1076.8	-0.0	0.6	-17.4
-44.9	-350.5						
		G2	I	420.1	-0.0	0.0	-2.8
22.1	-159.9		J	420.1	-0.0	0.0	-2.8
-0.6	-150.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-13.8	0.4	0.0	9.1
3.0	-1094.9		J	-13.8	0.4	0.0	9.1
1.1	-1305.6						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
4.3	-1141.2	Q5_ps	I	-9.2	0.4	0.0	12.5
			J	-9.2	0.4	0.0	12.5
1.2	-1342.6						
268.9	3643.4	INVS LU Max	I	4332.8	1.7	-0.1	26.6
			J	4332.8	1.7	1.2	26.6
59.4	4194.7	Min	I	1911.3	-1.4	-0.5	-137.3
125.1	-5990.9		J	1911.3	-1.4	0.8	-137.3
-23.5	-6609.3						
201.6	2625.6	INVS LE Max	I	3211.1	1.2	-0.1	19.7
			J	3211.1	1.2	0.9	19.7
46.4	3010.6	Min	I	1419.3	-1.0	-0.3	-100.5
95.5	-4364.9		J	1419.3	-1.0	0.6	-100.5
-14.8	-4818.3						
1281	2	70 C1-C2;~1 Max	I	1478.1	0.9	0.1	13.9
23.4	3090.7		J	1478.1	0.9	0.1	13.9
248.1	3461.7	Min	I	-282.1	-0.9	-0.5	-99.0
-30.6	-2972.1		J	-282.1	-0.9	-0.5	-99.0
-41.6	-3353.7						
19.2	2012.0	C3-C4;~1 Max	I	1559.3	0.8	0.1	14.1
			J	1559.3	0.8	0.1	14.1
244.6	2244.3	Min	I	-279.0	-0.7	-0.5	-89.8
-36.6	-3171.0		J	-279.0	-0.7	-0.5	-89.8
-40.8	-3477.7						
13.3	1912.7	C1-C2;~2 Max	I	882.9	0.6	0.1	7.2
			J	882.9	0.6	0.1	7.2
157.1	2149.4	Min	I	-160.7	-0.6	-0.3	-65.4
-18.1	-1871.8		J	-160.7	-0.6	-0.3	-65.4
-23.5	-2123.5						
11.2	1179.8	C3-C4;~2 Max	I	934.5	0.5	0.1	6.8
			J	934.5	0.5	0.1	6.8
155.7	1316.6	Min	I	-158.8	-0.4	-0.3	-56.7
-21.5	-1940.4		J	-158.8	-0.4	-0.3	-56.7
-23.0	-2131.8						
-44.9	-350.6	G1	I	1105.8	-0.0	-0.7	-22.1
			J	1105.8	-0.0	0.2	-22.1
98.2	-340.3						
-0.6	-150.4	G2	I	430.0	-0.0	-0.1	-4.3


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
46.1	-140.3		J	430.0	-0.0	-0.1	-4.3
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
1.1	-1305.5	Q5_pc	I	-19.6	0.4	0.0	9.5
-17.0	-1518.2		J	-19.6	0.4	0.0	9.5
1.2	-1342.5	Q5_ps	I	-16.0	0.4	0.0	13.1
-21.3	-1546.5		J	-16.0	0.4	0.0	13.1
59.4	4194.0	INVS LU Max	I	4449.5	1.7	-1.0	10.3
650.5	4802.9		J	4449.5	1.7	0.2	10.3
-23.5	-6609.2	Min	I	1928.3	-1.5	-1.9	-161.3
228.6	-7298.0		J	1928.3	-1.5	-0.7	-161.3
46.4	3010.1	INVS LE Max	I	3296.9	1.3	-0.8	6.5
486.7	3436.8		J	3296.9	1.3	0.2	6.5
-14.8	-4818.2	Min	I	1431.9	-1.0	-1.4	-118.5
176.5	-5324.4		J	1431.9	-1.0	-0.5	-118.5
1282	2	62 C1-C2;~1 Max	I	29.7	6.8	0.5	242.5
157.1	14652.6		J	29.7	6.8	0.5	242.5
353.7	17854.6	Min	I	-154.2	-15.0	-1.3	-145.9
-273.4	-1331.3		J	-154.2	-15.0	-1.3	-145.9
-117.8	-1217.3						
296.0	10683.0	C3-C4;~1 Max	I	28.8	3.2	1.0	184.5
544.5	13405.6		J	28.8	3.2	1.0	184.5
-434.9	-1658.9	Min	I	-170.1	-9.3	-2.0	-110.7
-219.8	-1764.1		J	-170.1	-9.3	-2.0	-110.7
96.7	10322.5	C1-C2;~2 Max	I	17.0	4.7	0.3	165.4
212.4	12504.9		J	17.0	4.7	0.3	165.4
-161.5	-704.6	Min	I	-90.9	-10.5	-0.7	-97.7
-68.7	-562.7		J	-90.9	-10.5	-0.7	-97.7
199.2	7331.3	C3-C4;~2 Max	I	16.4	2.0	0.7	121.9
			J	16.4	2.0	0.7	121.9

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
348.4	9124.3		Min	I	-101.0	-6.3	-1.2	-70.9
-275.7	-879.6			J	-101.0	-6.3	-1.2	-70.9
-143.9	-879.2							
		G1		I	-116.8	-0.1	-0.9	2.3
-138.7	67.1			J	-116.8	-0.1	-0.2	2.3
139.5	96.3							
		G2		I	-45.7	0.5	-0.2	-4.2
-42.1	-562.2			J	-45.7	0.5	-0.2	-4.2
66.3	-798.1							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-23.3	0.9	0.0	-8.6
8.9	-1517.3			J	-23.3	0.9	0.0	-8.6
-9.1	-1968.5							
		Q5_ps		I	-23.5	1.2	0.0	-11.2
3.6	-1868.0			J	-23.5	1.2	0.0	-11.2
-4.3	-2476.0							
		INVSLU Max		I	-2417.9	10.1	0.7	261.2
464.2	14492.5			J	-2417.9	10.1	1.7	261.2
889.9	19186.0		Min	I	-2729.7	-21.0	-3.4	-278.7
-538.4	-10643.5			J	-2729.7	-21.0	-2.3	-278.7
-158.3	-11590.3							
		INVSLE Max		I	-1875.8	7.3	0.5	187.1
350.1	10028.9			J	-1875.8	7.3	1.3	187.1
657.4	13509.9		Min	I	-2103.6	-15.6	-2.5	-211.7
-391.4	-8281.7			J	-2103.6	-15.6	-1.7	-211.7
-117.8	-8881.0							
		62 C1-C2;~1 Max		I	30.9	12.2	0.6	290.6
1283	2			J	30.9	12.2	0.6	290.6
178.0	17856.5							
			Min	I	-158.8	-6.3	-1.1	-111.6
317.0	15961.6			J	-158.8	-6.3	-1.1	-111.6
-240.5	-1217.2							
-138.1	-1228.1							
		C3-C4;~1 Max		I	30.0	6.8	1.1	220.5
324.3	13407.1			J	30.0	6.8	1.1	220.5
502.8	11784.0		Min	I	-174.6	-2.5	-1.8	-90.6
-389.8	-1764.1			J	-174.6	-2.5	-1.8	-90.6
-245.0	-1633.0							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

110.8	12506.1	C1-C2;~2	Max	I	17.6	8.6	0.4	199.1
				J	17.6	8.6	0.4	199.1
189.0	11238.1		Min	I	-93.8	-4.4	-0.6	-72.9
-141.2	-562.6			J	-93.8	-4.4	-0.6	-72.9
-82.6	-610.3							
218.8	9125.3	C3-C4;~2	Max	I	17.0	4.5	0.8	147.3
				J	17.0	4.5	0.8	147.3
321.7	8066.8		Min	I	-103.7	-1.5	-1.1	-56.3
-246.8	-879.2			J	-103.7	-1.5	-1.1	-56.3
-161.2	-839.6							
		G1		I	-118.7	-0.1	-0.8	2.3
-115.9	96.2			J	-118.7	-0.1	-0.1	2.3
118.6	140.8							
		G2		I	-46.3	-0.4	-0.2	-9.4
-33.7	-798.2			J	-46.3	-0.4	-0.2	-9.4
58.3	-588.2							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-23.8	-0.7	0.0	-18.1
7.1	-1968.8			J	-23.8	-0.7	0.0	-18.1
-7.8	-1634.3							
		Q5_ps		I	-23.7	-0.9	0.0	-23.9
1.2	-2476.3			J	-23.7	-0.9	0.0	-23.9
-2.4	-2032.0							
		INVS LU	Max	I	-2451.3	3.3	1.2	271.5
570.8	19187.4			J	-2451.3	3.3	2.2	271.5
724.7	23215.0		Min	I	-2771.5	-22.8	-2.8	-304.1
-406.1	-11592.0			J	-2771.5	-22.8	-1.8	-304.1
-298.8	-3985.4							
		INVS LE	Max	I	-1900.7	1.1	0.9	189.3
431.8	13510.9			J	-1900.7	1.1	1.7	189.3
532.6	17136.0		Min	I	-2134.8	-18.1	-2.0	-234.6
-290.8	-8882.3			J	-2134.8	-18.1	-1.3	-234.6
-224.5	-2677.7							
1284	2	62 C1-C2;~1	Max	I	32.4	127.2	1.4	570.9
375.1	15955.8			J	32.4	127.2	1.4	570.9
238.0	5607.2							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-185.2	-1228.7	Min	I	-179.2	-12.6	-0.8	-54.3
			J	-179.2	-12.6	-0.8	-54.3
-339.2	-47940.7	C3-C4;~1	Max	I	31.4	112.2	457.9
507.6	11778.4		J	31.4	112.2	1.9	457.9
299.1	5660.0	Min	I	-192.9	-13.2	-1.1	-47.8
-244.3	-1633.1		J	-192.9	-13.2	-1.1	-47.8
-448.2	-44536.0	C1-C2;~2	Max	I	18.5	85.0	388.3
246.0	11234.2		J	18.5	85.0	0.9	388.3
138.4	2343.8	Min	I	-107.2	-5.2	-0.5	-24.4
-106.2	-610.8		J	-107.2	-5.2	-0.5	-24.4
-219.8	-31392.2	C3-C4;~2	Max	I	17.9	73.2	304.1
345.3	8063.5		J	17.9	73.2	1.3	304.1
176.8	2307.9	Min	I	-115.8	-5.4	-0.6	-20.4
-143.7	-839.8		J	-115.8	-5.4	-0.6	-20.4
-301.8	-28622.4	G1	I	-122.2	1.2	-0.7	10.5
-81.3	140.9		J	-122.2	1.2	0.1	10.5
81.2	-445.3	G2	I	-46.1	-10.0	-0.2	-33.2
-35.3	-587.6		J	-46.1	-10.0	-0.2	-33.2
61.5	4404.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-22.1	-18.8	-0.1	-67.0
-20.7	-1633.2		J	-22.1	-18.8	-0.1	-67.0
25.0	7745.2	Q5_ps	I	-20.8	-25.3	-0.2	-90.6
-38.7	-2030.6		J	-20.8	-25.3	-0.2	-90.6
45.0	10627.7	INVS LU	Max	I	-2484.3	112.8	603.3
859.7	23211.4		J	-2484.3	112.8	2.4	603.3
479.8	57251.0	Min	I	-2828.3	-121.2	-1.8	-396.6
-192.6	-3978.5		J	-2828.3	-121.2	-0.8	-396.6
-574.0	-33545.3						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
654.2	17133.8	INVSLE Max	I	-1925.6	76.5	1.8	427.0
			J	-1925.6	76.5	2.6	427.0
337.8	44173.8	Min	I	-2177.5	-92.7	-1.3	-299.1
-122.5	-2672.3		J	-2177.5	-92.7	-0.5	-299.1
-439.4	-21385.5						
1285	2	62 C1-C2;~1 Max	I	28.2	9.3	0.7	114.1
195.4	3854.7		J	28.2	9.3	0.7	114.1
484.6	4681.2	Min	I	-183.9	-4.7	-1.8	-178.1
-402.5	-10392.8		J	-183.9	-4.7	-1.8	-178.1
-143.8	-12963.4						
		C3-C4;~1 Max	I	28.3	9.3	1.0	106.8
286.9	1497.9		J	28.3	9.3	1.0	106.8
546.2	1554.2	Min	I	-175.6	-3.1	-2.0	-180.5
-435.6	-10325.4		J	-175.6	-3.1	-2.0	-180.5
-212.1	-12934.7						
		C1-C2;~2 Max	I	16.1	6.4	0.4	76.0
121.1	2407.9		J	16.1	6.4	0.4	76.0
301.0	2897.3	Min	I	-111.4	-2.9	-1.1	-120.6
-248.3	-7123.2		J	-111.4	-2.9	-1.1	-120.6
-84.1	-8805.6						
		C3-C4;~2 Max	I	16.2	6.2	0.6	68.2
189.4	815.9		J	16.2	6.2	0.6	68.2
347.2	801.9	Min	I	-103.9	-1.9	-1.2	-118.6
-274.3	-7135.8		J	-103.9	-1.9	-1.2	-118.6
-135.4	-8871.2						
		G1	I	-118.9	0.1	-1.0	-2.7
-145.8	-78.2		J	-118.9	0.1	-0.2	-2.7
146.1	-120.7						
		G2	I	-46.1	-0.4	-0.2	4.2
-42.7	526.4		J	-46.1	-0.4	-0.2	4.2
66.6	742.9						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	23.2	-0.2	-0.0	2.3
-12.4	-256.3		J	23.2	-0.2	-0.0	2.3
10.5	-180.9						
		Q5_ps	I	22.9	-0.3	-0.0	4.8


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-7.3	-44.7			J	22.9	-0.3	-0.0	4.8
5.3	109.6							
463.9	11995.2		INVS LU Max	I	-2412.1	12.7	0.7	236.0
883.1	13057.1			J	-2412.1	12.7	1.7	236.0
-533.8	-7700.2		Min	I	-2740.4	-6.5	-3.3	-166.0
-159.7	-11088.8			J	-2740.4	-6.5	-2.3	-166.0
350.5	9468.6		INVS LE Max	I	-1871.4	9.4	0.6	180.5
651.4	10227.2			J	-1871.4	9.4	1.3	180.5
-386.9	-5086.4		Min	I	-2111.5	-4.7	-2.4	-116.9
-119.6	-7634.5			J	-2111.5	-4.7	-1.7	-116.9
1286	2	62	C1-C2;~1 Max	I	29.2	4.1	0.8	107.9
219.4	4681.8			J	29.2	4.1	0.8	107.9
447.9	3982.3		Min	I	-186.9	-7.2	-1.6	-212.5
-365.8	-12964.8			J	-186.9	-7.2	-1.6	-212.5
-166.0	-11304.4							
315.7	1554.2		C3-C4;~1 Max	I	29.3	2.5	1.1	86.1
504.3	1455.1			J	29.3	2.5	1.1	86.1
-390.1	-12936.1		Min	I	-180.0	-6.8	-1.8	-217.7
-237.5	-11371.7			J	-180.0	-6.8	-1.8	-217.7
137.8	2897.6		C1-C2;~2 Max	I	16.7	2.6	0.5	67.0
277.8	2473.5			J	16.7	2.6	0.5	67.0
-225.3	-8806.5		Min	I	-113.2	-4.9	-1.0	-143.4
-99.3	-7745.6			J	-113.2	-4.9	-1.0	-143.4
209.3	801.9		C3-C4;~2 Max	I	16.7	1.5	0.7	53.4
320.4	771.6			J	16.7	1.5	0.7	53.4
-245.2	-8872.2		Min	I	-106.5	-4.5	-1.1	-144.1
-152.8	-7865.1			J	-106.5	-4.5	-1.1	-144.1
-122.7	-120.7		G1	I	-120.6	0.1	-0.9	-3.0
125.1	-151.2			J	-120.6	0.1	-0.1	-3.0
-34.3	743.1		G2	I	-46.7	0.4	-0.2	9.0
				J	-46.7	0.4	-0.2	9.0


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
58.8	546.4						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	23.9	0.2	-0.0	4.0
-13.2	-180.8		J	23.9	0.2	-0.0	4.0
11.3	-260.1						
		Q5_ps	I	23.6	0.3	-0.0	8.2
-8.7	109.8		J	23.6	0.3	-0.0	8.2
6.6	-42.8						
		INVS LU Max	I	-2444.3	19.3	1.2	291.1
571.6	13059.0		J	-2444.3	19.3	2.2	291.1
721.8	5372.8						
		Min	I	-2779.4	3.8	-2.8	-155.6
-404.8	-11089.4		J	-2779.4	3.8	-1.7	-155.6
-300.1	-15823.3						
		INVS LE Max	I	-1895.6	15.5	0.9	225.9
432.9	10228.7		J	-1895.6	15.5	1.7	225.9
529.3	3916.6						
		Min	I	-2140.5	4.1	-2.0	-104.5
-288.6	-7634.9		J	-2140.5	4.1	-1.3	-104.5
-226.2	-11749.6						
1287	2	62 C1-C2;~1 Max	I	30.6	38.2	1.2	145.2
329.3	3980.5		J	30.6	38.2	1.2	145.2
396.2	42904.6						
		Min	I	-196.6	-108.0	-1.5	-450.8
-336.5	-11299.0		J	-196.6	-108.0	-1.5	-450.8
-286.8	-15914.8						
		C3-C4;~1 Max	I	30.6	10.5	1.9	40.0
500.5	1455.2		J	30.6	10.5	1.9	40.0
309.4	43048.9						
		Min	I	-198.6	-108.4	-1.1	-442.2
-254.5	-11366.3		J	-198.6	-108.4	-1.1	-442.2
-440.5	-4578.4						
		C1-C2;~2 Max	I	17.4	22.1	0.8	85.8
214.6	2472.4		J	17.4	22.1	0.8	85.8
242.6	27378.1						
		Min	I	-119.6	-70.0	-0.9	-298.3
-206.4	-7742.1		J	-119.6	-70.0	-0.9	-298.3
-183.5	-9090.6						
		C3-C4;~2 Max	I	17.5	4.3	1.3	17.1
335.5	771.8		J	17.5	4.3	1.3	17.1
184.8	28033.8						


MIDAS

PROJECT TITLE :

		Company						Client
		Author						File Name
								PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H
-151.6	-7861.5		Min	I	-118.5	-71.5	-0.7	-296.9
				J	-118.5	-71.5	-0.7	-296.9
-291.7	-1875.1							
			G1	I	-123.8	-1.8	-0.7	-12.7
-88.1	-151.3			J	-123.8	-1.8	0.0	-12.7
87.8	747.0							
			G2	I	-46.5	9.3	-0.2	30.8
-35.2	545.8			J	-46.5	9.3	-0.2	30.8
61.2	-4083.8							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	25.5	3.6	-0.1	12.6
-19.5	-260.2			J	25.5	3.6	-0.1	12.6
19.6	-2041.2							
			Q5_ps	I	25.4	7.0	-0.1	24.9
-18.8	-43.1			J	25.4	7.0	-0.1	24.9
19.2	-3543.6							
			INVS LU Max	I	-2476.3	129.6	2.3	437.0
860.5	5365.3			J	-2476.3	129.6	3.4	437.0
599.5	22299.1							
			Min	I	-2831.6	-74.7	-2.3	-390.3
-304.5	-15821.3			J	-2831.6	-74.7	-1.3	-390.3
-565.3	-60975.9							
			INVS LE Max	I	-1919.9	101.6	1.8	338.2
655.9	3910.6			J	-1919.9	101.6	2.6	338.2
425.8	13443.0							
			Min	I	-2179.7	-49.3	-1.6	-272.9
-204.5	-11748.4			J	-2179.7	-49.3	-0.9	-272.9
-434.4	-47970.1							
1288	2	70	C1-C2;~1 Max	I	1645.4	2.2	0.1	57.6
91.6	3247.0			J	1645.4	2.2	0.1	57.6
78.3	3065.7							
			Min	I	-557.9	-0.8	-0.0	-31.4
-20.0	-3808.4			J	-557.9	-0.8	-0.0	-31.4
-25.2	-4464.3							
			C3-C4;~1 Max	I	1647.2	2.2	0.1	50.8
85.4	2610.6			J	1647.2	2.2	0.1	50.8
75.5	2429.7							
			Min	I	-549.2	-0.8	-0.0	-21.5
-19.7	-4588.1			J	-549.2	-0.8	-0.0	-21.5
-24.8	-5321.5							


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
57.7	1889.6	C1-C2;~2	Max	I	995.4	1.4	0.0	38.2	
				J	995.4	1.4	0.0	38.2	
49.5	1758.9		Min	I	-318.1	-0.5	-0.0	-19.4	
-11.4	-2160.1			J	-318.1	-0.5	-0.0	-19.4	
-14.3	-2546.6								
52.5	1496.5	C3-C4;~2	Max	I	975.4	1.3	0.0	32.1	
				J	975.4	1.3	0.0	32.1	
46.6	1348.6		Min	I	-312.7	-0.5	-0.0	-12.7	
-11.2	-2608.8			J	-312.7	-0.5	-0.0	-12.7	
-14.1	-3050.1								
5.4	-982.6		G1	I	871.0	0.8	-0.4	2.6	
				J	871.0	0.8	0.5	2.6	
-5.1	-1393.9								
17.2	-381.5		G2	I	334.4	0.3	0.0	-1.5	
				J	334.4	0.3	0.0	-1.5	
13.0	-539.4								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
-0.5	-1304.5		Q5_pc	I	29.5	-0.0	-0.0	-2.9	
				J	29.5	-0.0	-0.0	-2.9	
2.6	-1298.0								
-0.7	-1359.0		Q5_ps	I	27.2	-0.0	-0.0	-3.7	
				J	27.2	-0.0	-0.0	-3.7	
2.7	-1352.6								
201.3	5958.5		INVSLU	Max	I	3578.2	3.8	-0.4	104.0
				J	3578.2	3.8	0.8	104.0	
150.0	5339.0			Min	I	548.2	-0.4	-0.6	-21.4
49.7	-6967.0			J	548.2	-0.4	0.6	-21.4	
5.6	-8320.2								
150.6	4463.7		INVSLE	Max	I	2626.9	2.8	-0.3	77.4
				J	2626.9	2.8	0.6	77.4	
112.0	4029.7			Min	I	386.4	-0.4	-0.4	-15.1
38.4	-4936.8			J	386.4	-0.4	0.5	-15.1	
5.4	-5915.1								
1289	2	70	C1-C2;~1	Max	I	1616.3	2.2	0.1	84.8
78.3	3065.7			J	1616.3	2.2	0.1	84.8	
43.4	2980.1			Min	I	-569.7	-0.8	-0.1	-21.9


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
-25.2	-4464.4		J	-569.7	-0.8	-0.1	-21.9	
-19.0	-5159.2							
		C3-C4;~1	Max	I	1620.3	2.1	0.1	80.3
75.5	2429.6			J	1620.3	2.1	0.1	80.3
31.4	2610.9		Min	I	-560.7	-0.8	-0.1	-15.3
-24.8	-5321.6			J	-560.7	-0.8	-0.1	-15.3
-17.9	-6064.0							
		C1-C2;~2	Max	I	978.4	1.4	0.1	55.5
49.5	1758.8			J	978.4	1.4	0.1	55.5
26.6	1673.1		Min	I	-324.8	-0.5	-0.0	-11.7
-14.3	-2546.7			J	-324.8	-0.5	-0.0	-11.7
-12.0	-2956.1							
		C3-C4;~2	Max	I	960.2	1.3	0.1	50.9
46.6	1348.6			J	960.2	1.3	0.1	50.9
18.6	1449.3		Min	I	-319.3	-0.5	-0.0	-7.9
-14.1	-3050.2			J	-319.3	-0.5	-0.0	-7.9
-11.2	-3492.9							
		G1		I	829.2	0.8	-0.4	14.0
-5.1	-1394.0			J	829.2	0.8	0.5	14.0
-24.1	-1796.8							
		G2		I	317.3	0.3	0.0	1.6
13.0	-539.4			J	317.3	0.3	0.0	1.6
7.2	-695.3							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	29.6	-0.0	0.0	-2.8
2.6	-1298.0			J	29.6	-0.0	0.0	-2.8
-4.0	-1291.5							
		Q5_ps		I	27.3	-0.0	0.0	-4.0
2.7	-1352.6			J	27.3	-0.0	0.0	-4.0
-4.1	-1346.5							
		INVSLU	Max	I	3428.8	3.7	-0.4	141.7
150.0	5338.7			J	3428.8	3.7	0.8	141.7
112.2	4851.7		Min	I	419.0	-0.4	-0.8	-7.3
5.6	-8320.5			J	419.0	-0.4	0.5	-7.3
20.8	-9682.4							
		INVSLE	Max	I	2515.7	2.7	-0.3	104.5


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
112.0	4029.5			J	2515.7	2.7	0.6	104.5	
85.7	3693.6								
			Min	I	290.2	-0.3	-0.6	-5.5	
5.4	-5915.3								
				J	290.2	-0.3	0.4	-5.5	
18.5	-6900.2								
1290	2	70	C1-C2;~1	Max	I	1601.9	2.1	0.2	114.1
43.4	2980.1								
				J	1601.9	2.1	0.2	114.1	
221.6	3058.2								
			Min	I	-582.7	-0.8	-0.4	-27.7	
-19.0	-5159.7								
				J	-582.7	-0.8	-0.4	-27.7	
-77.4	-5846.7								
			C3-C4;~1	Max	I	1607.1	2.0	0.2	111.4
31.4	2611.1								
				J	1607.1	2.0	0.2	111.4	
236.6	2944.2								
			Min	I	-573.2	-0.8	-0.5	-24.2	
-17.9	-6064.5								
				J	-573.2	-0.8	-0.5	-24.2	
-75.7	-6794.2								
			C1-C2;~2	Max	I	970.6	1.3	0.1	73.5
26.6	1673.1								
				J	970.6	1.3	0.1	73.5	
140.6	1688.2								
			Min	I	-332.2	-0.5	-0.3	-14.9	
-12.0	-2956.4								
				J	-332.2	-0.5	-0.3	-14.9	
-44.0	-3358.7								
			C3-C4;~2	Max	I	953.5	1.2	0.1	70.1
18.6	1449.4								
				J	953.5	1.2	0.1	70.1	
147.9	1640.5								
			Min	I	-326.4	-0.5	-0.3	-13.4	
-11.2	-3493.2								
				J	-326.4	-0.5	-0.3	-13.4	
-43.0	-3926.1								
			G1	I	791.4	0.8	-0.6	28.6	
-24.1	-1797.2								
				J	791.4	0.8	0.4	28.6	
26.6	-2176.8								
			G2	I	301.2	0.3	-0.0	6.7	
7.2	-695.5								
				J	301.2	0.3	-0.0	6.7	
18.3	-842.3								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0								
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	26.2	-0.0	0.0	-1.7	
-4.0	-1291.6								
				J	26.2	-0.0	0.0	-1.7	
-4.5	-1281.3								
			Q5_ps	I	23.8	-0.0	0.0	-3.0	
-4.1	-1346.6								

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-5.6	-1336.4		J	23.8	-0.0	0.0	-3.0
112.3	4851.8	INVS LU Max	I	3304.6	3.7	-0.3	183.9
352.0	4581.1		J	3304.6	3.7	0.9	183.9
20.8	-9683.3	Min	I	301.1	-0.4	-1.2	-10.6
-79.9	-11025.9		J	301.1	-0.4	0.0	-10.6
85.7	3693.7	INVS LE Max	I	2423.7	2.7	-0.3	134.7
261.1	3516.0		J	2423.7	2.7	0.7	134.7
18.6	-6900.8	Min	I	202.4	-0.3	-0.9	-9.2
-58.3	-7873.9		J	202.4	-0.3	0.0	-9.2
1291	2	70 C1-C2;~1 Max	I	1491.2	2.3	0.0	27.2
74.5	2625.4		J	1491.2	2.3	0.0	27.2
62.9	2559.6	Min	I	-545.9	-0.6	-0.0	-66.8
-20.7	-4778.9		J	-545.9	-0.6	-0.0	-66.8
-21.9	-5599.4						
84.4	1919.5	C3-C4;~1 Max	I	1580.0	2.2	0.1	19.5
67.9	1944.7		J	1580.0	2.2	0.1	19.5
-20.4	-5784.5	Min	I	-539.0	-0.6	-0.0	-54.8
-21.5	-6630.6		J	-539.0	-0.6	-0.0	-54.8
45.3	1499.5	C1-C2;~2 Max	I	887.1	1.5	0.0	16.7
38.9	1455.8		J	887.1	1.5	0.0	16.7
-11.8	-2822.6	Min	I	-311.2	-0.3	-0.0	-43.7
-12.5	-3335.2		J	-311.2	-0.3	-0.0	-43.7
52.0	1058.7	C3-C4;~2 Max	I	943.8	1.4	0.0	10.6
42.5	1072.5		J	943.8	1.4	0.0	10.6
-11.6	-3424.0	Min	I	-307.0	-0.3	-0.0	-34.9
-12.2	-3949.8		J	-307.0	-0.3	-0.0	-34.9
5.5	-1863.2	G1	I	859.8	0.8	-0.4	-3.8
-6.5	-2277.6		J	859.8	0.8	0.5	-3.8
17.4	-744.7	G2	I	331.6	0.3	0.0	1.1
12.7	-899.2		J	331.6	0.3	0.0	1.1


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
1.3	-1309.8	Q5_pc	I	-27.1	-0.0	0.0	2.5
-1.5	-1291.5		J	-27.1	-0.0	0.0	2.5
1.9	-1378.6	Q5_ps	I	-20.9	-0.0	0.0	4.2
-1.1	-1359.5		J	-20.9	-0.0	0.0	4.2
191.5	1542.3	INVSLU Max	I	3491.3	4.2	-0.5	34.0
141.6	901.6		J	3491.3	4.2	0.8	34.0
47.4	-12168.7	Min	I	572.6	0.2	-0.6	-97.5
17.5	-13830.0		J	572.6	0.2	0.6	-97.5
143.2	1089.5	INVSLE Max	I	2564.0	3.1	-0.4	25.4
106.2	626.3		J	2564.0	3.1	0.6	25.4
36.6	-8892.3	Min	I	405.6	0.1	-0.4	-71.6
14.4	-10113.8		J	405.6	0.1	0.5	-71.6
1292	2	70 C1-C2;~1 Max	I	1465.9	2.3	0.1	22.3
62.9	2559.6		J	1465.9	2.3	0.1	22.3
30.7	2531.4	Min	I	-556.3	-0.6	-0.0	-79.7
-21.9	-5599.6		J	-556.3	-0.6	-0.0	-79.7
-9.3	-6511.4						
67.9	1944.7	C3-C4;~1 Max	I	1552.1	2.2	0.1	17.7
40.1	2034.8		J	1552.1	2.2	0.1	17.7
-21.5	-6630.7	Min	I	-549.4	-0.6	-0.1	-66.2
-7.8	-7530.7		J	-549.4	-0.6	-0.1	-66.2
38.9	1455.7	C1-C2;~2 Max	I	872.8	1.5	0.1	13.3
18.2	1427.2		J	872.8	1.5	0.1	13.3
-12.5	-3335.3	Min	I	-317.1	-0.3	-0.0	-52.6
-5.4	-3911.4		J	-317.1	-0.3	-0.0	-52.6
42.5	1072.5	C3-C4;~2 Max	I	928.0	1.4	0.1	9.5
24.4	1121.9		J	928.0	1.4	0.1	9.5
		Min	I	-312.9	-0.3	-0.0	-42.7


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-12.2	-3949.9		J	-312.9	-0.3	-0.0	-42.7
-4.5	-4512.8						
		G1	I	817.4	0.8	-0.4	-4.9
-6.5	-2277.7		J	817.4	0.8	0.5	-4.9
-16.3	-2687.3						
		G2	I	314.2	0.3	0.0	1.8
12.7	-899.3		J	314.2	0.3	0.0	1.8
10.2	-1050.7						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-27.7	-0.0	-0.0	4.6
-1.5	-1291.5		J	-27.7	-0.0	-0.0	4.6
5.7	-1271.7						
		Q5_ps	I	-21.9	-0.0	-0.0	7.2
-1.1	-1359.5		J	-21.9	-0.0	-0.0	7.2
6.9	-1337.8						
		INVS LU Max	I	3342.5	4.2	-0.4	13.6
141.6	901.5		J	3342.5	4.2	0.8	13.6
93.1	288.3						
		Min	I	446.2	0.3	-0.7	-132.4
17.5	-13830.2		J	446.2	0.3	0.6	-132.4
16.1	-15584.7						
		INVS LE Max	I	2453.3	3.1	-0.3	9.3
106.2	626.2		J	2453.3	3.1	0.6	9.3
69.8	181.4						
		Min	I	311.6	0.2	-0.5	-98.3
14.5	-10113.9		J	311.6	0.2	0.4	-98.3
13.5	-11406.8						
1293	2	70 C1-C2;~1 Max	I	1453.8	2.2	0.1	22.2
30.7	2531.6		J	1453.8	2.2	0.1	22.2
148.2	2541.8						
		Min	I	-569.7	-0.6	-0.3	-81.6
-9.3	-6512.1		J	-569.7	-0.6	-0.3	-81.6
-49.6	-7447.5						
		C3-C4;~1 Max	I	1540.9	2.1	0.1	18.7
40.1	2034.8		J	1540.9	2.1	0.1	18.7
157.1	2156.5						
		Min	I	-562.9	-0.6	-0.3	-67.7
-7.8	-7531.7		J	-562.9	-0.6	-0.3	-67.7
-47.4	-8445.6						
		C1-C2;~2 Max	I	866.6	1.4	0.1	13.6


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
18.2	1427.3			J	866.6	1.4	0.1	13.6
95.2	1416.1							
		Min		I	-324.7	-0.3	-0.2	-54.2
-5.4	-3911.8							
				J	-324.7	-0.3	-0.2	-54.2
-27.3	-4507.4							
		C3-C4;~2 Max		I	922.4	1.3	0.1	10.5
24.4	1121.8							
				J	922.4	1.3	0.1	10.5
101.3	1179.5							
		Min		I	-320.6	-0.3	-0.2	-44.2
-4.5	-4513.4							
				J	-320.6	-0.3	-0.2	-44.2
-26.3	-5089.2							
		G1		I	778.5	0.8	-0.5	-4.3
-16.3	-2687.5							
				J	778.5	0.8	0.5	-4.3
-12.6	-3083.4							
		G2		I	297.7	0.3	0.0	2.5
10.2	-1050.8							
				J	297.7	0.3	0.0	2.5
4.5	-1197.5							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0							
				J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-25.7	-0.0	0.0	5.4
5.7	-1271.8							
				J	-25.7	-0.0	0.0	5.4
-0.9	-1251.8							
		Q5_ps		I	-20.4	-0.0	0.0	8.5
6.9	-1337.8							
				J	-20.4	-0.0	0.0	8.5
-3.4	-1315.9							
		INVSLU Max		I	3219.9	4.3	-0.5	-10.2
93.1	288.9							
				J	3219.9	4.3	0.7	-10.2
273.7	-319.9							
		Min		I	324.4	0.4	-1.1	-160.2
16.1	-15585.6							
				J	324.4	0.4	0.2	-160.2
-7.0	-17406.1							
		INVSLE Max		I	2362.3	3.1	-0.4	-10.0
69.8	181.9							
				J	2362.3	3.1	0.5	-10.0
208.9	-263.9							
		Min		I	220.9	0.3	-0.8	-120.4
13.5	-11407.4							
				J	220.9	0.3	0.1	-120.4
1.1	-12753.4							
		62 C1-C2;~1 Max		I	55.2	7.9	1.4	211.2
1294	2							
377.3	4065.4			J	55.2	7.9	1.4	211.2
285.6	4959.4							
		Min		I	-204.5	-4.5	-1.0	-115.8
-209.1	-11274.6							


MIDAS

PROJECT TITLE :

		Company		Client			
		Author		File Name			PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H
-309.5	-13241.2		J	-204.5	-4.5	-1.0	-115.8
457.8	1509.1	C3-C4;~1 Max	I	55.3	7.3	1.6	212.2
363.8	1686.3		J	55.3	7.3	1.6	212.2
-259.1	-11388.0	Min	I	-199.9	-2.6	-1.3	-88.5
-355.6	-13260.4		J	-199.9	-2.6	-1.3	-88.5
231.9	2515.0	C1-C2;~2 Max	I	31.5	5.3	0.8	142.0
185.5	3056.0		J	31.5	5.3	0.8	142.0
-134.6	-7710.8	Min	I	-123.2	-2.8	-0.6	-72.5
-184.6	-8968.9		J	-123.2	-2.8	-0.6	-72.5
291.2	795.8	C3-C4;~2 Max	I	31.6	4.8	1.0	140.0
244.0	868.4		J	31.6	4.8	1.0	140.0
-172.7	-7857.1	Min	I	-117.9	-1.5	-0.8	-55.2
-219.3	-9061.0		J	-117.9	-1.5	-0.8	-55.2
158.9	-159.0	G1	I	-114.9	-0.1	0.3	3.0
-159.8	-116.7		J	-114.9	-0.1	1.0	3.0
75.0	542.9	G2	I	-44.1	-0.5	0.3	-9.0
-52.4	769.4		J	-44.1	-0.5	0.3	-9.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-3.8	-235.5	Q5_pc	I	28.9	-0.2	-0.0	-6.0
3.3	-121.1		J	28.9	-0.2	-0.0	-6.0
-3.6	-28.1	Q5_ps	I	28.2	-0.4	-0.0	-9.3
2.7	164.0		J	28.2	-0.4	-0.0	-9.3
786.1	4860.2	INVSLU Max	I	-2109.1	-4.6	2.1	162.5
443.6	13643.2		J	-2109.1	-4.6	3.2	162.5
-188.6	-16425.8	Min	I	-2511.8	-21.7	-1.8	-291.2
-533.4	-11171.6		J	-2511.8	-21.7	-0.8	-291.2
589.0	3519.2	INVSLE Max	I	-1643.1	-4.7	1.6	109.5


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
325.5	10680.4		J	-1643.1	-4.7	2.4	109.5
		Min	I	-1937.5	-17.4	-1.3	-225.8
-132.5	-12216.8		J	-1937.5	-17.4	-0.5	-225.8
-397.8	-7684.8						
1295	2	62 C1-C2;~1 Max	I	57.3	5.7	1.5	176.9
416.1	4958.9		J	57.3	5.7	1.5	176.9
253.1	4423.1						
		Min	I	-204.1	-9.0	-0.9	-113.9
-179.0	-13239.7		J	-204.1	-9.0	-0.9	-113.9
-346.7	-11500.4						
		C3-C4;~1 Max	I	57.3	4.7	1.8	175.8
501.4	1686.3		J	57.3	4.7	1.8	175.8
326.3	1670.1						
		Min	I	-199.2	-9.1	-1.1	-108.5
-224.7	-13259.0		J	-199.2	-9.1	-1.1	-108.5
-402.4	-11460.4						
		C1-C2;~2 Max	I	32.7	3.6	0.9	119.4
257.5	3055.7		J	32.7	3.6	0.9	119.4
164.2	2752.5						
		Min	I	-122.9	-6.2	-0.6	-77.0
-114.8	-8968.0		J	-122.9	-6.2	-0.6	-77.0
-208.9	-7851.8						
		C3-C4;~2 Max	I	32.7	3.0	1.1	116.1
320.0	868.4		J	32.7	3.0	1.1	116.1
219.4	895.2						
		Min	I	-117.3	-6.1	-0.7	-69.6
-150.0	-9060.1		J	-117.3	-6.1	-0.7	-69.6
-250.3	-7882.2						
		G1	I	-113.9	-0.1	0.4	3.0
183.7	-116.8		J	-113.9	-0.1	1.1	3.0
-188.4	-90.2						
		G2	I	-43.7	0.3	0.3	-4.0
84.3	769.2		J	-43.7	0.3	0.3	-4.0
-62.9	601.2						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	28.8	0.3	-0.0	-3.5
-5.5	-121.2		J	28.8	0.3	-0.0	-3.5
5.3	-245.6						
		Q5_ps	I	28.1	0.4	-0.0	-5.2
-5.7	163.9		J	28.1	0.4	-0.0	-5.2


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
5.2	-16.0						
		INVSLE Max	I	-2051.2	5.5	2.8	174.9
967.6	13641.4		J	-2051.2	5.5	3.8	174.9
306.1	14224.2	Min	I	-2456.1	-14.9	-1.2	-224.2
-22.5	-11170.9		J	-2456.1	-14.9	-0.2	-224.2
-687.2	-7714.7						
		INVSLE Max	I	-1600.3	3.9	2.1	123.5
727.6	10679.0		J	-1600.3	3.9	2.9	123.5
218.4	11199.1	Min	I	-1896.3	-11.2	-0.8	-171.6
-5.1	-7684.3		J	-1896.3	-11.2	-0.1	-171.6
-516.6	-5019.1						
1296	2	62 C1-C2;~1 Max	I	60.4	8.7	1.7	149.9
449.5	4423.2		J	60.4	8.7	1.7	149.9
220.4	4996.7	Min	I	-211.9	-6.9	-0.7	-134.8
-153.0	-11500.6		J	-211.9	-6.9	-0.7	-134.8
-388.0	-12879.5						
		C3-C4;~1 Max	I	60.5	8.5	2.0	147.5
533.2	1670.2		J	60.5	8.5	2.0	147.5
291.6	1969.6	Min	I	-207.1	-6.6	-1.0	-131.6
-196.9	-11460.5		J	-207.1	-6.6	-1.0	-131.6
-445.1	-12815.2						
		C1-C2;~2 Max	I	34.5	6.1	1.0	101.1
279.5	2752.6		J	34.5	6.1	1.0	101.1
142.7	3118.0	Min	I	-127.8	-4.7	-0.5	-90.9
-97.8	-7851.9		J	-127.8	-4.7	-0.5	-90.9
-236.0	-8826.4						
		C3-C4;~2 Max	I	34.5	5.7	1.2	96.4
340.4	895.2		J	34.5	5.7	1.2	96.4
196.4	1062.7	Min	I	-122.3	-4.4	-0.7	-85.6
-131.6	-7882.3		J	-122.3	-4.4	-0.7	-85.6
-278.1	-8845.8						
		G1	I	-115.7	0.0	0.5	2.5
209.8	-90.2		J	-115.7	0.0	1.2	2.5
-222.3	-93.3						
		G2	I	-44.4	-0.1	0.3	-0.0
94.7	601.3		J	-44.4	-0.1	0.3	-0.0
-76.2	635.3						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc	I	29.2	0.2	-0.0
-7.2	-245.6			J	29.2	0.2	-0.0
7.8	-336.1						
			Q5_ps	I	28.4	0.1	-0.0
-7.8	-16.0			J	28.4	0.1	-0.0
8.1	-90.2						
			INVS LU Max	I	-2004.9	9.2	3.3
1041.6	14224.7			J	-2004.9	9.2	4.3
159.0	16432.5						
			Min	I	-2425.1	-12.2	-0.7
43.0	-7714.7			J	-2425.1	-12.2	0.3
-849.5	-8305.5						
			INVS LE Max	I	-1567.3	6.6	2.5
785.5	11199.5			J	-1567.3	6.6	3.2
103.4	12915.1						
			Min	I	-1874.7	-9.2	-0.5
46.8	-5019.1			J	-1874.7	-9.2	0.3
-642.6	-5364.5						
			62 C1-C2;~1 Max	I	60.2	6.2	1.1
1297	2			J	60.2	6.2	1.1
306.6	15890.9						
			Min	I	-185.8	-12.9	-0.7
197.0	18041.5			J	-185.8	-12.9	-0.7
-134.4	-1283.2						
			C3-C4;~1 Max	I	58.4	2.6	1.7
-244.3	-1300.6			J	58.4	2.6	1.7
467.8	11778.7						
			Min	I	-200.5	-7.3	-1.3
366.3	13723.2			J	-200.5	-7.3	-1.3
-262.7	-1715.7						
			C1-C2;~2 Max	I	34.3	4.3	0.6
-366.9	-1927.2			J	34.3	4.3	0.6
184.1	11184.4						
			Min	I	-109.4	-9.1	-0.4
124.1	12620.0			J	-109.4	-9.1	-0.4
-83.6	-633.4						
			C3-C4;~2 Max	I	33.2	1.5	1.1
-141.4	-593.7			J	33.2	1.5	1.1
301.3	8028.3						
			Min	I	-118.6	-4.9	-0.9
247.3	9310.9						
-176.4	-878.5						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-230.0	-958.7		J	-118.6	-4.9	-0.9	-145.5
162.0	120.8	G1	I	-118.8	0.1	0.3	-3.2
-163.3	90.4		J	-118.8	0.1	1.0	-3.2
75.5	-587.5	G2	I	-45.9	0.5	0.3	9.7
-53.0	-819.7		J	-45.9	0.5	0.3	9.7
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
2.8	-1591.8	Q5_pc	I	-29.6	0.7	0.0	16.9
-4.3	-1947.4		J	-29.6	0.7	0.0	16.9
3.3	-1991.0	Q5_ps	I	-29.2	1.0	0.0	23.8
-5.2	-2476.8		J	-29.2	1.0	0.0	23.8
791.2	23124.1	INVS LU Max	I	-2122.7	23.0	2.2	301.6
457.0	19392.4		J	-2122.7	23.0	3.2	301.6
-200.0	-3933.8	Min	I	-2527.8	-4.1	-1.8	-271.1
-540.6	-11725.7		J	-2527.8	-4.1	-0.8	-271.1
591.8	17091.8	INVS LE Max	I	-1652.7	18.3	1.6	232.9
336.3	13653.1		J	-1652.7	18.3	2.4	232.9
-142.0	-2623.7	Min	I	-1948.9	-1.7	-1.3	-189.1
-402.1	-8992.3		J	-1948.9	-1.7	-0.6	-189.1
1298	2	62 C1-C2;~1 Max	I	62.4	14.8	1.3	143.7
345.4	18039.7		J	62.4	14.8	1.3	143.7
166.7	15824.5	Min	I	-185.9	-9.3	-0.5	-243.8
-109.4	-1300.6		J	-185.9	-9.3	-0.5	-243.8
-277.8	-1433.2	C3-C4;~1 Max	I	60.6	9.2	1.9	112.8
511.6	13721.8		J	60.6	9.2	1.9	112.8
329.3	11819.5	Min	I	-200.3	-4.8	-1.1	-180.7
-228.7	-1927.1		J	-200.3	-4.8	-1.1	-180.7
-414.0	-1874.9	C1-C2;~2 Max	I	35.6	10.4	0.7	95.9
209.7	12618.7						


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
104.4	11122.0		J	35.6	10.4	0.7	95.9
-67.5	-593.7	Min	I	-109.5	-6.5	-0.3	-167.0
-162.8	-731.5		J	-109.5	-6.5	-0.3	-167.0
330.3	9310.0	C3-C4;~2 Max	I	34.5	6.2	1.2	72.0
222.8	8078.9		J	34.5	6.2	1.2	72.0
-153.8	-958.6	Min	I	-118.4	-3.1	-0.8	-120.2
-261.2	-975.9		J	-118.4	-3.1	-0.8	-120.2
187.1	90.4	G1	I	-118.0	0.1	0.4	-3.0
-192.2	55.8		J	-118.0	0.1	1.1	-3.0
85.1	-819.5	G2	I	-45.7	-0.4	0.3	4.6
-63.8	-642.8		J	-45.7	-0.4	0.3	4.6
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
2.4	-1947.2	Q5_pc	I	-29.9	-0.6	0.0	8.3
-3.7	-1667.5		J	-29.9	-0.6	0.0	8.3
2.2	-2476.4	Q5_ps	I	-29.6	-0.8	0.0	11.9
-3.9	-2071.4		J	-29.6	-0.8	0.0	11.9
967.5	19391.0	INVSLU Max	I	-2066.2	21.4	2.8	276.5
320.3	15685.2		J	-2066.2	21.4	3.8	276.5
-36.2	-11723.9	Min	I	-2474.7	-12.1	-1.2	-261.5
-689.8	-11603.1		J	-2474.7	-12.1	-0.2	-261.5
726.6	13652.2	INVSLE Max	I	-1610.9	16.0	2.1	210.1
230.2	10824.9		J	-1610.9	16.0	2.9	210.1
-16.6	-8990.9	Min	I	-1909.5	-8.7	-0.9	-187.4
-517.6	-9047.4		J	-1909.5	-8.7	-0.1	-187.4
1299	2	62 C1-C2;~1 Max	I	65.9	11.6	1.4	181.8
372.2	15824.9		J	65.9	11.6	1.4	181.8
143.8	18234.1	Min	I	-193.1	-15.0	-0.5	-203.8
-94.7	-1433.2		J	-193.1	-15.0	-0.5	-203.8


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
-315.0	-1717.5							
		C3-C4;~1	Max	I	63.9	6.8	2.0	136.5
541.9	11819.7			J	63.9	6.8	2.0	136.5
294.9	13201.4							
			Min	I	-208.4	-8.6	-1.0	-153.1
-202.2	-1874.9			J	-208.4	-8.6	-1.0	-153.1
-455.2	-2199.3							
		C1-C2;~2	Max	I	37.6	8.1	0.8	123.2
226.8	11122.3			J	37.6	8.1	0.8	123.2
89.9	12857.9							
			Min	I	-113.9	-10.6	-0.3	-138.5
-58.6	-731.5			J	-113.9	-10.6	-0.3	-138.5
-186.9	-891.5							
		C3-C4;~2	Max	I	36.4	4.5	1.3	89.0
349.7	8079.0			J	36.4	4.5	1.3	89.0
200.0	9058.6							
			Min	I	-123.5	-5.8	-0.7	-100.5
-136.3	-975.9			J	-123.5	-5.8	-0.7	-100.5
-287.9	-1157.6							
		G1		I	-120.3	0.0	0.5	-2.3
213.2	55.8			J	-120.3	0.0	1.3	-2.3
-226.3	54.0							
		G2		I	-46.5	0.1	0.3	0.5
95.7	-642.8			J	-46.5	0.1	0.3	0.5
-77.4	-679.0							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-30.3	0.3	0.0	0.6
3.8	-1667.5			J	-30.3	0.3	0.0	0.6
-5.7	-1833.5							
		Q5_ps		I	-30.1	0.4	0.0	1.3
3.9	-2071.4			J	-30.1	0.4	0.0	1.3
-6.0	-2254.2							
		INVSLU	Max	I	-2021.7	17.2	3.3	264.6
1038.9	15685.5			J	-2021.7	17.2	4.3	264.6
175.9	18470.8							
			Min	I	-2446.6	-19.3	-0.8	-257.0
27.4	-11603.4			J	-2446.6	-19.3	0.2	-257.0
-847.2	-12739.5							
		INVSLE	Max	I	-1579.3	12.9	2.5	197.5
782.5	10825.1			J	-1579.3	12.9	3.2	197.5

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
117.4	12788.5		Min	I	-1890.0	-14.1	-0.5	-188.8	
33.7	-9047.6			J	-1890.0	-14.1	0.2	-188.8	
-639.7	-9957.6								
1300	2	70	C1-C2;~1	Max	I	71.7	9.8	2.0	137.7
535.0	6269.6				J	71.7	9.8	2.0	137.7
239.6	6887.1		Min	I	-229.4	-6.4	-0.8	-216.6	
-153.6	-16401.4			J	-229.4	-6.4	-0.8	-216.6	
-455.1	-18528.0								
			C3-C4;~1	Max	I	71.7	9.5	2.3	131.9
626.5	2544.1			J	71.7	9.5	2.3	131.9	
337.7	2789.9		Min	I	-224.7	-5.4	-1.1	-214.3	
-218.2	-16309.0			J	-224.7	-5.4	-1.1	-214.3	
-515.8	-18463.2								
			C1-C2;~2	Max	I	40.8	6.8	1.2	92.9
331.2	3896.8			J	40.8	6.8	1.2	92.9	
155.9	4264.0		Min	I	-138.5	-4.2	-0.5	-146.0	
-98.4	-11218.4			J	-138.5	-4.2	-0.5	-146.0	
-274.9	-12670.7								
			C3-C4;~2	Max	I	40.8	6.4	1.4	84.1
398.0	1385.0			J	40.8	6.4	1.4	84.1	
229.6	1509.7		Min	I	-132.9	-3.5	-0.8	-141.9	
-147.7	-11238.8			J	-132.9	-3.5	-0.8	-141.9	
-319.9	-12725.8								
			G1	I	-117.7	0.1	0.6	2.3	
266.5	-112.7			J	-117.7	0.1	1.6	2.3	
-278.8	-139.3								
			G2	I	-45.0	-0.2	0.4	8.3	
120.4	838.7			J	-45.0	-0.2	0.4	8.3	
-96.6	943.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	30.4	0.0	-0.0	2.1	
-7.5	-358.9			J	30.4	0.0	-0.0	2.1	
6.1	-364.7								
			Q5_ps	I	29.6	-0.1	-0.0	4.4	
-8.7	-38.3			J	29.6	-0.1	-0.0	4.4	
7.1	-4.0								

MIDAS


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

1192.9	19935.3	INVSLE Max	I	-1916.4	15.8	3.6	282.8
			J	-1916.4	15.8	4.8	282.8
265.9	19453.0	INVSLE Min	I	-2377.6	-6.0	-1.1	-199.4
39.1	-11316.6		J	-2377.6	-6.0	0.2	-199.4
-897.3	-15513.8						
897.2	15611.6	INVSLE Max	I	-1506.2	12.1	2.7	215.9
			J	-1506.2	12.1	3.6	215.9
189.1	15084.3	INVSLE Min	I	-1843.8	-4.1	-0.7	-141.0
43.5	-7490.1		J	-1843.8	-4.1	0.2	-141.0
-671.7	-10768.4						
1301	2	70 C1-C2;~1 Max	I	75.7	9.0	2.1	147.6
558.8	6887.8		J	75.7	9.0	2.1	147.6
217.4	5936.8	70 C1-C2;~1 Min	I	-232.1	-19.0	-0.7	-254.9
-145.1	-18529.5		J	-232.1	-19.0	-0.7	-254.9
-482.4	-11533.6						
653.7	2790.0	C3-C4;~1 Max	I	75.6	2.7	2.4	114.2
			J	75.6	2.7	2.4	114.2
308.8	4350.5	C3-C4;~1 Min	I	-228.0	-18.3	-1.0	-250.0
-193.2	-18464.7		J	-228.0	-18.3	-1.0	-250.0
-544.9	-12140.0						
346.0	4264.5	C1-C2;~2 Max	I	43.1	5.4	1.3	92.2
			J	43.1	5.4	1.3	92.2
141.4	3738.7	C1-C2;~2 Min	I	-140.3	-12.4	-0.5	-171.3
-93.7	-12671.7		J	-140.3	-12.4	-0.5	-171.3
-292.1	-7990.3						
414.8	1509.7	C3-C4;~2 Max	I	43.1	1.2	1.5	71.2
			J	43.1	1.2	1.5	71.2
210.2	2611.3	C3-C4;~2 Min	I	-134.9	-12.1	-0.7	-169.8
-130.9	-12726.8		J	-134.9	-12.1	-0.7	-169.8
-338.1	-8307.0						
282.3	-139.3	G1	I	-114.1	0.1	0.7	2.4
			J	-114.1	0.1	1.6	2.4
-298.0	-178.2						
125.8	943.1	G2	I	-43.4	1.6	0.5	13.6
			J	-43.4	1.6	0.5	13.6
-103.7	128.9						
		Q3	I	0.0	0.0	0.0	0.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
-7.5	-364.6	Q5_pc		I	30.3	0.8	-0.0
				J	30.3	0.8	-0.0
6.9	-785.1						
		Q5_ps		I	29.6	1.4	-0.0
-9.3	-3.8			J	29.6	1.4	-0.0
8.3	-693.1						
		INVSLU Max		I	-1838.9	36.7	3.7
1213.6	19455.2			J	-1838.9	36.7	5.0
		Min		I	-2308.9	-2.6	-0.9
218.0	6725.2			J	-2308.9	-2.6	0.3
56.7	-15514.5						
-946.8	-19091.7						
		INVSLE Max		I	-1449.3	29.2	2.8
911.3	15086.1			J	-1449.3	29.2	3.7
		Min		I	-1793.3	0.2	-0.7
153.7	4601.2			J	-1793.3	0.2	0.3
55.4	-10768.8						
-708.2	-14417.8						
		70 C1-C2;~1 Max		I	79.0	49.0	2.6
1302	2			J	79.0	49.0	2.6
682.7	5936.6						
		Min		I	-235.3	-126.6	-0.7
187.5	52617.1			J	-235.3	-126.6	-0.7
-137.7	-11527.2						
-619.3	-21952.3						
		C3-C4;~1 Max		I	78.9	15.9	3.4
886.7	4353.0			J	78.9	15.9	3.4
		Min		I	-240.7	-127.0	-0.4
115.1	52847.2			J	-240.7	-127.0	-0.4
-76.0	-12133.4						
-812.5	-7620.2						
		C1-C2;~2 Max		I	45.0	28.4	1.6
429.0	3738.6			J	45.0	28.4	1.6
		Min		I	-142.7	-81.8	-0.4
118.5	33242.5			J	-142.7	-81.8	-0.4
-87.0	-7985.9						
-383.6	-12517.4						
		C3-C4;~2 Max		I	44.9	7.3	2.2
569.0	2613.0			J	44.9	7.3	2.2
		Min		I	-143.4	-83.5	-0.2
70.4	34058.2			J	-143.4	-83.5	-0.2
-45.7	-8302.4						


MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
-516.1	-3498.1							
		G1	I	-110.3	-0.4	0.9	-3.0	
314.9	-178.0		J	-110.3	-0.4	1.8	-3.0	
-337.1	30.7							
		G2	I	-40.3	11.7	0.4	40.0	
120.1	128.1		J	-40.3	11.7	0.4	40.0	
-97.1	-5674.5							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	29.7	5.9	-0.1	17.7	
-13.5	-785.6		J	29.7	5.9	-0.1	17.7	
14.5	-3698.5							
		Q5_ps	I	29.4	9.8	-0.1	30.2	
-19.9	-693.8		J	29.4	9.8	-0.1	30.2	
21.3	-5543.2							
		INVS LU Max	I	-1757.5	160.9	5.6	529.4	
1617.7	6718.3		J	-1757.5	160.9	6.8	529.4	
-98.6	28178.8							
		Min	I	-2242.4	-87.3	0.0	-460.2	
210.6	-19090.2		J	-2242.4	-87.3	1.2	-460.2	-
1474.6	-79458.0							
		INVS LE Max	I	-1389.1	125.7	4.2	407.1	
1218.9	4595.5		J	-1389.1	125.7	5.1	407.1	
-93.8	16870.9							
		Min	I	-1744.4	-57.4	0.1	-323.5	
178.4	-14417.3		J	-1744.4	-57.4	1.0	-323.5	-
1111.1	-62366.9							
		70 C1-C2;~1 Max	I	77.4	10.6	1.6	297.1	
1303	2		J	77.4	10.6	1.6	297.1	
431.3	23105.0							
		Min	I	-209.8	-16.9	-0.5	-169.6	
164.8	25907.6		J	-209.8	-16.9	-0.5	-169.6	
-93.7	-2285.7							
-357.1	-2483.3							
		C3-C4;~1 Max	I	75.2	5.5	2.3	219.2	
635.9	16824.8		J	75.2	5.5	2.3	219.2	
344.6	19080.1							
		Min	I	-226.0	-9.6	-1.1	-138.2	
-225.8	-2842.6		J	-226.0	-9.6	-1.1	-138.2	
-526.2	-3130.7							
		C1-C2;~2 Max	I	44.1	7.5	0.9	203.7	
260.0	16269.0		J	44.1	7.5	0.9	203.7	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
104.4	18225.9		Min	I	-123.9	-12.0	-0.3	-112.5
-58.0	-1213.0			J	-123.9	-12.0	-0.3	-112.5
-208.5	-1299.8							
407.7	11523.1	C3-C4;~2	Max	I	42.8	3.6	1.5	146.2
236.0	13069.9			J	42.8	3.6	1.5	146.2
-154.2	-1509.2		Min	I	-134.1	-6.5	-0.8	-87.8
-330.0	-1649.7			J	-134.1	-6.5	-0.8	-87.8
270.2	67.9		G1	I	-123.1	-0.0	0.7	-1.4
-282.9	82.6			J	-123.1	-0.0	1.6	-1.4
121.8	-898.9		G2	I	-47.5	0.3	0.4	-7.8
-98.2	-1032.1			J	-47.5	0.3	0.4	-7.8
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
4.3	-2331.9		Q5_pc	I	-31.7	0.6	0.0	-14.0
-4.6	-2617.1			J	-31.7	0.6	0.0	-14.0
5.3	-2889.6		Q5_ps	I	-31.5	0.7	0.0	-19.0
-6.0	-3261.5			J	-31.5	0.7	0.0	-19.0
1188.3	24423.9		INVS LU Max	I	-1937.6	10.4	3.6	321.3
289.0	30690.5			J	-1937.6	10.4	4.8	321.3
17.4	-15238.2		Min	I	-2404.2	-27.8	-1.2	-334.0
-894.9	-13759.4			J	-2404.2	-27.8	0.1	-334.0
892.3	17056.9		INVS LE Max	I	-1521.4	7.3	2.7	230.3
208.1	21866.0			J	-1521.4	7.3	3.6	230.3
25.5	-11846.0		Min	I	-1862.8	-20.9	-0.8	-253.3
-668.3	-10523.0			J	-1862.8	-20.9	0.1	-253.3
1304	2	70	C1-C2;~1	Max	81.1	27.7	1.7	351.3
452.6	25909.2			J	81.1	27.7	1.7	351.3
139.5	18164.8		Min	I	-212.3	-5.3	-0.4	-139.2
-85.8	-2483.1			J	-212.3	-5.3	-0.4	-139.2
-378.6	-5000.6							

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

661.0	19081.7	C3-C4;~1	Max	I	78.9	19.1	2.4	262.1
				J	78.9	19.1	2.4	262.1
317.2	12496.8		Min	I	-228.9	-3.0	-1.0	-121.0
-201.6	-3130.7			J	-228.9	-3.0	-1.0	-121.0
-552.4	-4540.0							
		C1-C2;~2	Max	I	46.3	19.0	1.0	241.5
272.7	18227.0			J	46.3	19.0	1.0	241.5
87.3	12838.5		Min	I	-125.5	-3.3	-0.3	-90.3
-53.5	-1299.6			J	-125.5	-3.3	-0.3	-90.3
-221.6	-3095.2							
		C3-C4;~2	Max	I	44.9	12.5	1.5	175.5
423.2	13070.9			J	44.9	12.5	1.5	175.5
217.7	8622.5		Min	I	-135.9	-1.3	-0.7	-74.8
-137.8	-1649.7			J	-135.9	-1.3	-0.7	-74.8
-346.3	-2703.1							
		G1		I	-119.8	0.1	0.7	-1.1
285.1	82.6			J	-119.8	0.1	1.6	-1.1
-300.9	32.5							
		G2		I	-46.0	-1.6	0.5	-13.1
126.9	-1032.3			J	-46.0	-1.6	0.5	-13.1
-105.0	-245.7							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		I	-31.4	-2.7	0.0	-23.1
1.6	-2617.4			J	-31.4	-2.7	0.0	-23.1
-3.3	-1295.2							
		Q5_ps		I	-31.0	-3.7	0.0	-31.5
1.7	-3261.8			J	-31.0	-3.7	0.0	-31.5
-4.1	-1443.6							
		INVSLU	Max	I	-1862.3	13.1	3.6	339.1
1198.5	30691.7			J	-1862.3	13.1	4.9	339.1
262.8	32307.8		Min	I	-2337.3	-36.6	-1.1	-364.7
31.3	-13761.1			J	-2337.3	-36.6	0.2	-364.7
-917.2	-1296.9							
		INVSLE	Max	I	-1465.9	7.3	2.7	238.0
898.8	21866.8			J	-1465.9	7.3	3.6	238.0
189.1	24244.9							


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
34.4	-10524.3		Min	I	-1813.6	-28.9	-0.8	-280.3	
				J	-1813.6	-28.9	0.2	-280.3	
-684.5	-474.8								
1305	2	70	C1-C2;~1	Max	I	84.4	149.0	2.7	656.9
702.4	18156.3				J	84.4	149.0	2.7	656.9
77.1	8033.6								
			Min	I	-225.8	-16.6	-0.3	-57.3	
-51.6	-5004.9				J	-225.8	-16.6	-0.3	-57.3
-646.1	-58317.3								
			C3-C4;~1	Max	I	82.1	132.8	3.4	535.0
888.9	12490.0				J	82.1	132.8	3.4	535.0
117.5	8924.9								
			Min	I	-240.6	-18.9	-0.4	-65.0	
-72.8	-4542.6				J	-240.6	-18.9	-0.4	-65.0
-812.7	-55449.3								
			C1-C2;~2	Max	I	48.2	99.3	1.7	448.0
439.7	12832.4				J	48.2	99.3	1.7	448.0
44.4	3483.0								
			Min	I	-134.5	-7.2	-0.1	-24.5	
-29.4	-3098.2				J	-134.5	-7.2	-0.1	-24.5
-399.9	-37805.8								
			C3-C4;~2	Max	I	46.7	86.2	2.2	353.9
576.2	8617.7				J	46.7	86.2	2.2	353.9
71.1	4019.0								
			Min	I	-143.8	-8.5	-0.2	-28.2	
-42.3	-2704.9				J	-143.8	-8.5	-0.2	-28.2
-521.9	-35203.0								
			G1	I	-117.0	1.6	0.9	7.3	
319.2	32.1				J	-117.0	1.6	1.8	7.3
-342.4	-757.6								
			G2	I	-43.3	-11.8	0.4	-40.2	
120.4	-245.0				J	-43.3	-11.8	0.4	-40.2
-98.0	5637.2								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc	I	-27.7	-20.5	-0.2	-73.9	
-35.6	-1293.8				J	-27.7	-20.5	-0.2	-73.9
39.9	8912.5								
			Q5_ps	I	-26.2	-28.3	-0.2	-102.4	
-50.8	-1441.7				J	-26.2	-28.3	-0.2	-102.4
57.3	12646.9								


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
1638.6	32303.0	INVSLE Max	I	-1785.6	123.2	5.8	698.0
			J	-1785.6	123.2	7.0	698.0
-217.8	78945.3	Min	I	-2274.2	-150.3	0.4	-447.0
273.1	-1293.4		J	-2274.2	-150.3	1.6	-447.0
1545.4	-32200.4						-
		INVSLE Max	I	-1409.1	82.5	4.3	495.0
1231.1	24242.1		J	-1409.1	82.5	5.3	495.0
-181.6	61137.8	Min	I	-1767.3	-115.6	0.4	-336.8
226.7	-471.7		J	-1767.3	-115.6	1.3	-336.8
1159.6	-19192.9						-
1521	2	68 C1-C2;~1 Max	I	59.4	55.1	0.2	81.4
56.9	30668.7		J	59.4	55.1	0.2	81.4
21.0	4641.9	Min	I	-20.6	-38.6	-0.1	-56.9
-27.0	-19434.2		J	-20.6	-38.6	-0.1	-56.9
-28.2	-1336.6						
		C3-C4;~1 Max	I	39.4	47.8	0.1	73.9
43.7	27156.1		J	39.4	47.8	0.1	73.9
23.8	4677.2	Min	I	-41.1	-18.3	-0.1	-35.3
-43.7	-11261.1		J	-41.1	-18.3	-0.1	-35.3
-29.6	-2850.6						
		C1-C2;~2 Max	I	40.7	36.8	0.1	54.9
38.0	20649.4		J	40.7	36.8	0.1	54.9
13.0	3208.5	Min	I	-9.9	-27.9	-0.1	-41.3
-15.4	-14016.8		J	-9.9	-27.9	-0.1	-41.3
-18.3	-849.9						
		C3-C4;~2 Max	I	26.0	31.4	0.1	49.6
28.4	18116.2		J	26.0	31.4	0.1	49.6
14.8	3265.1	Min	I	-24.7	-12.6	-0.1	-25.0
-26.9	-7851.2		J	-24.7	-12.6	-0.1	-25.0
-19.4	-1948.4						
		G1	I	-10.5	11.2	-0.1	14.0
-3.1	4767.0		J	-10.5	11.2	0.2	14.0
-28.9	-594.6						
		G2	I	-24.7	2.8	-0.0	3.9
-17.1	1093.5		J	-24.7	2.8	-0.0	3.9
5.1	-232.5						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0						

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	0.0	0.0	0.0	0.0
-17.3	-2709.8	Q5_pc	I	-29.8	-4.6	-0.0	-4.9
5.8	-500.4		J	-29.8	-4.6	-0.0	-4.9
-27.8	-3410.3	Q5_ps	I	-39.1	-5.9	-0.1	-6.5
10.9	-576.1		J	-39.1	-5.9	-0.1	-6.5
343.7	23532.0	INVSLU Max	I	-154.9	29.2	0.9	100.1
-152.9	10142.0		J	-154.9	29.2	1.4	100.1
172.5	-48984.6	Min	I	-360.6	-105.6	0.4	-95.6
-235.5	-921.2		J	-360.6	-105.6	0.9	-95.6
277.8	15132.1	INVSLE Max	I	-142.3	16.4	0.8	69.1
-128.5	7732.2		J	-142.3	16.4	1.2	69.1
155.8	-38222.7	Min	I	-286.0	-82.8	0.4	-75.2
-188.9	-396.0		J	-286.0	-82.8	0.8	-75.2
1530	2	68 C1-C2;~1 Max	I	98.5	3.0	0.1	16.9
26.4	6663.5		J	98.5	3.0	0.1	16.9
154.7	5231.7	Min	I	-17.2	-1.6	-0.7	-56.2
-158.8	-4348.5		J	-17.2	-1.6	-0.7	-56.2
-31.7	-3587.4						
18.9	4598.0	C3-C4;~1 Max	I	107.2	2.1	0.1	15.0
193.6	3584.3		J	107.2	2.1	0.1	15.0
-193.5	-6322.1	Min	I	-16.1	-2.4	-0.8	-65.5
-22.2	-5195.2		J	-16.1	-2.4	-0.8	-65.5
13.5	3800.8	C1-C2;~2 Max	I	59.8	1.7	0.1	11.6
88.5	2984.1		J	59.8	1.7	0.1	11.6
-93.1	-2262.2	Min	I	-9.8	-0.8	-0.4	-34.6
-16.3	-1866.6		J	-9.8	-0.8	-0.4	-34.6
9.7	2573.1	C3-C4;~2 Max	I	65.6	1.2	0.0	10.1
113.1	2004.9		J	65.6	1.2	0.0	10.1
-115.3	-3456.3	Min	I	-9.2	-1.3	-0.5	-40.7
-11.3	-2843.0		J	-9.2	-1.3	-0.5	-40.7

MIDAS


PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-114.7	-1115.1	G1	I	70.4	-0.2	-0.6	-27.9
98.3	-1039.4		J	70.4	-0.2	-0.3	-27.9
-38.2	-443.5	G2	I	26.7	-0.1	-0.2	-11.8
43.7	-403.8		J	26.7	-0.1	-0.2	-11.8
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
82.5	-4083.3	Q5_pc	I	221.9	-1.5	0.2	8.2
-21.7	-3376.0		J	221.9	-1.5	0.2	8.2
76.8	-4178.1	Q5_ps	I	210.6	-1.5	0.2	7.1
-17.0	-3441.2		J	210.6	-1.5	0.2	7.1
-89.9	9663.4	INVS LU Max	I	511.0	5.0	-0.7	-18.6
460.5	7263.1		J	511.0	5.0	-0.2	-18.6
-558.7	-15217.1	Min	I	-222.5	-4.9	-2.4	-144.6
117.3	-12889.9		J	-222.5	-4.9	-1.9	-144.6
-76.9	6834.8	INVS LE Max	I	354.3	3.6	-0.6	-14.4
339.2	5099.3		J	354.3	3.6	-0.2	-14.4
-410.1	-11050.8	Min	I	-142.2	-3.5	-1.7	-106.6
87.9	-9378.7		J	-142.2	-3.5	-1.4	-106.6
6347	2	62 C1-C2;~1 Max	I	5.5	3.0	2.7	67.9
751.3	3710.2		J	5.5	3.0	2.7	67.9
94.0	4933.7	Min	I	-54.2	-8.2	-0.3	-195.5
-94.4	-9673.6		J	-54.2	-8.2	-0.3	-195.5
-731.6	-7986.5						
758.1	1136.4	C3-C4;~1 Max	I	6.5	1.9	2.7	36.5
156.1	1493.9		J	6.5	1.9	2.7	36.5
-124.1	-9920.9	Min	I	-45.0	-6.5	-0.5	-156.2
-711.0	-8359.0		J	-45.0	-6.5	-0.5	-156.2
446.5	2392.5	C1-C2;~2 Max	I	3.1	1.9	1.6	37.8
53.1	3315.4		J	3.1	1.9	1.6	37.8


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-53.5	-6694.9		Min	I	-34.1	-5.7	-0.2	-133.8
				J	-34.1	-5.7	-0.2	-133.8
-433.9	-5581.7							
459.4	695.0	C3-C4;~2	Max	I	3.7	1.1	1.6	18.7
				J	3.7	1.1	1.6	18.7
98.3	969.0							
-74.3	-6864.1		Min	I	-27.7	-4.3	-0.3	-104.4
				J	-27.7	-4.3	-0.3	-104.4
-426.9	-5790.5							
457.9	-194.9		G1	I	-31.7	-0.3	1.4	10.4
				J	-31.7	-0.3	2.2	10.4
-517.6	-12.8							
194.1	737.7		G2	I	-13.5	-0.2	0.7	10.1
				J	-13.5	-0.2	0.7	10.1
-189.7	855.7							
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0
				J	0.0	0.0	0.0	0.0
0.0	0.0							
6.7	-53.0		Q5_pc	I	7.1	0.1	0.0	4.8
				J	7.1	0.1	0.0	4.8
-8.6	-120.5							
-1.6	98.1		Q5_ps	I	6.8	0.2	-0.0	5.8
				J	6.8	0.2	-0.0	5.8
-0.2	-10.8							
932.1	17989.1		INVSLU Max	I	-1200.6	0.1	2.7	80.3
				J	-1200.6	0.1	3.8	80.3
384.4	21917.8							
-270.9	-508.2		Min	I	-1295.3	-15.3	-1.8	-284.0
				J	-1295.3	-15.3	-0.7	-284.0
-829.6	3755.7							
659.3	14275.6		INVSLE Max	I	-962.1	-0.0	1.9	53.6
				J	-962.1	-0.0	2.7	53.6
324.4	17230.1							
-230.9	581.0		Min	I	-1031.3	-11.4	-1.4	-215.6
				J	-1031.3	-11.4	-0.6	-215.6
-573.7	3792.7							
6348	2	63	C1-C2;~1	Max	441.7	5.4	0.0	61.6
17.5	4004.7			J	441.7	5.4	0.0	61.6
133.9	3786.2							
-20.7	-3305.2		Min	I	-44.3	-1.4	-0.2	-18.1
				J	-44.3	-1.4	-0.2	-18.1
-14.2	-5884.7							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
14.1	4053.9	C3-C4;~1 Max	I	396.8	4.2	0.0	64.0
			J	396.8	4.2	0.0	64.0
111.6	4360.2	Min	I	-46.6	-2.3	-0.2	-13.7
-17.0	-2576.1		J	-46.6	-2.3	-0.2	-13.7
-14.7	-4541.1						
11.6	2528.4	C1-C2;~2 Max	I	270.4	3.1	0.0	37.0
			J	270.4	3.1	0.0	37.0
80.2	2211.9	Min	I	-25.3	-0.7	-0.1	-10.2
-12.1	-1883.4		J	-25.3	-0.7	-0.1	-10.2
-7.9	-3355.0						
9.1	2440.6	C3-C4;~2 Max	I	239.5	2.4	0.0	39.5
			J	239.5	2.4	0.0	39.5
65.5	2512.7	Min	I	-26.2	-1.2	-0.1	-7.0
-9.7	-1448.8		J	-26.2	-1.2	-0.1	-7.0
-8.1	-2548.9						
-44.9	266.4	G1	I	292.7	1.6	-0.6	15.5
			J	292.7	1.6	0.3	15.5
42.0	-620.3						
-1.3	90.1	G2	I	120.5	0.5	-0.1	0.5
			J	120.5	0.5	-0.1	0.5
32.2	-197.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-1.0	735.6	Q5_pc	I	7.7	-0.2	-0.0	4.6
			J	7.7	-0.2	-0.0	4.6
8.6	845.7						
-0.4	769.2	Q5_ps	I	6.1	-0.4	-0.0	2.6
			J	6.1	-0.4	-0.0	2.6
6.4	969.2						
11.3	8520.8	INVSLU Max	I	1350.8	10.9	-0.8	208.7
			J	1350.8	10.9	0.4	208.7
304.6	7147.0	Min	I	677.6	0.3	-1.2	89.7
-42.1	-2738.1		J	677.6	0.3	0.0	89.7
88.5	-8205.8						
11.2	6473.2	INVSLE Max	I	1010.5	8.1	-0.6	159.5
			J	1010.5	8.1	0.3	159.5
226.2	5430.5	Min	I	512.9	0.2	-0.9	71.9


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-28.2	-1768.6			J	512.9	0.2	0.0	71.9	
67.3	-5829.2								
7200	5	3	C1-C2;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0				J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
			C3-C4;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0				J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
			C1-C2;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0				J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
			C3-C4;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0				J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
			G1		I	0.0	0.0	-10.5	-0.0
1053.0	-0.0				J	0.0	0.0	10.5	-0.0
1053.0	0.0								
			G2		I	0.0	0.0	-0.0	-0.0
-0.0	-0.0				J	0.0	0.0	-0.0	-0.0
0.0	0.0								
			Q3		I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
			Q5_pc		I	-0.0	-0.0	0.0	0.0
0.0	-0.0				J	-0.0	-0.0	0.0	0.0
0.0	0.0								
			Q5_ps		I	-0.0	-0.0	0.0	0.0
0.0	-0.0				J	-0.0	-0.0	0.0	0.0
0.0	0.0								
			INVSLU	Max	I	-0.0	0.0	-14.2	0.0

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
1421.5	0.0			J	-0.0	0.0	14.2	0.0	-
1421.6	0.0		Min	I	-0.0	-0.0	-14.2	-0.0	-
1421.5	-0.0			J	-0.0	-0.0	14.2	-0.0	-
1421.6	-0.0								
			INVSLE Max	I	-0.0	0.0	-10.5	0.0	-
1053.0	0.0			J	-0.0	0.0	10.5	0.0	-
1053.0	0.0		Min	I	-0.0	-0.0	-10.5	-0.0	-
1053.0	-0.0			J	-0.0	-0.0	10.5	-0.0	-
1053.0	-0.0								
7201	5	3	C1-C2;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
0.0	0.0		C3-C4;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
0.0	0.0		C1-C2;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
0.0	0.0		C3-C4;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
			G1	I	0.0	0.0	-9.1	0.0	
-780.8	-0.0			J	0.0	0.0	9.1	0.0	
-780.8	0.0								
			G2	I	0.0	-0.0	-0.0	0.0	
-0.0	-0.0			J	0.0	-0.0	-0.0	0.0	
0.0	0.0								
			Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0							
		Q5_pc	I	-0.0	-0.0	-0.0	0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	0.0	
0.0	0.0							
		Q5_ps	I	-0.0	-0.0	-0.0	0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	0.0	
0.0	0.0							
		INVS LU Max	I	-0.0	0.0	-12.2	0.0	-
1054.1	0.0		J	-0.0	0.0	12.2	0.0	-
1054.1	0.0							
		Min	I	-0.0	-0.0	-12.2	-0.0	-
1054.1	-0.0		J	-0.0	-0.0	12.2	-0.0	-
1054.1	-0.0							
		INVS LE Max	I	-0.0	0.0	-9.1	0.0	
-780.8	0.0		J	-0.0	0.0	9.1	0.0	
-780.8	0.0							
		Min	I	-0.0	-0.0	-9.1	-0.0	
-780.8	-0.0		J	-0.0	-0.0	9.1	-0.0	
-780.8	-0.0							
		3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
7218	5		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-731.3	-0.0	G1	I	-0.0	0.0	-8.8	0.0
			J	-0.0	0.0	8.8	0.0
-731.2	0.0						
		G2	I	-0.0	0.0	-0.0	0.0
-0.0	-0.0		J	-0.0	0.0	-0.0	0.0
0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-0.0	0.0	0.0	0.0
0.0	-0.0		J	-0.0	0.0	0.0	0.0
-0.0	0.0						
		Q5_ps	I	-0.0	0.0	0.0	0.0
0.0	-0.0		J	-0.0	0.0	0.0	0.0
-0.0	0.0						
		INVSLU Max	I	-0.0	0.0	-11.8	0.0
-987.2	0.0		J	-0.0	0.0	11.8	0.0
-987.2	0.0						
		Min	I	-0.0	-0.0	-11.8	-0.0
-987.2	-0.0		J	-0.0	-0.0	11.8	-0.0
-987.2	-0.0						
		INVSLE Max	I	-0.0	0.0	-8.8	0.0
-731.2	0.0		J	-0.0	0.0	8.8	0.0
-731.2	0.0						
		Min	I	-0.0	-0.0	-8.8	-0.0
-731.3	-0.0		J	-0.0	-0.0	8.8	-0.0
-731.3	-0.0						
		3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0
7219	5		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	I	-0.0	-0.0	-0.0	-0.0
0.0	0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	I	-0.0	-0.0	-0.0	-0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-0.0	-0.0			J	-0.0	-0.0	-0.0
-0.0	-0.0						
0.0	0.0		C3-C4;~2 Max	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0
			G1	I	-0.0	0.0	-8.8
-731.3	-0.0			J	-0.0	0.0	8.8
-731.2	0.0						
			G2	I	-0.0	0.0	-0.0
-0.0	0.0			J	-0.0	0.0	-0.0
0.0	-0.0						
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc	I	-0.0	0.0	0.0
0.0	-0.0			J	-0.0	0.0	-0.0
-0.0	-0.0						
			Q5_ps	I	-0.0	0.0	0.0
0.0	-0.0			J	-0.0	0.0	-0.0
-0.0	-0.0						
			INVSLE Max	I	-0.0	0.0	-11.8
-987.2	0.0			J	-0.0	0.0	11.8
-987.2	0.0		Min	I	-0.0	-0.0	-11.8
-987.2	-0.0			J	-0.0	-0.0	11.8
-987.2	-0.0						
			INVSLE Max	I	-0.0	0.0	-8.8
-731.2	0.0			J	-0.0	0.0	8.8
-731.2	0.0		Min	I	-0.0	-0.0	-8.8
-731.3	-0.0			J	-0.0	-0.0	8.8
-731.3	-0.0						
7242	5	3	C1-C2;~1 Max	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0
-0.0	-0.0						
			C3-C4;~1 Max	I	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0						
			J	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0						
			J	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
		G1	I	-0.0	0.0	-8.7	-0.0
-723.3	0.0						
			J	-0.0	0.0	8.7	-0.0
-723.3	-0.0						
		G2	I	-0.0	0.0	0.0	0.0
0.0	-0.0						
			J	-0.0	0.0	0.0	0.0
-0.0	-0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0						
			J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-0.0	0.0	0.0	0.0
0.0	-0.0						
			J	-0.0	0.0	0.0	0.0
-0.0	-0.0						
		Q5_ps	I	-0.0	0.0	0.0	0.0
0.0	-0.0						
			J	-0.0	0.0	0.0	0.0
-0.0	-0.0						
		INVS LU Max	I	-0.0	0.0	-11.8	0.0
-976.5	0.0						
			J	-0.0	0.0	11.8	0.0
-976.5	0.0						
		Min	I	-0.0	-0.0	-11.8	-0.0
-976.5	-0.0						
			J	-0.0	-0.0	11.8	-0.0
-976.5	-0.0						
		INVS LE Max	I	-0.0	0.0	-8.7	0.0
-723.3	0.0						
			J	-0.0	0.0	8.7	0.0
-723.3	0.0						
		Min	I	-0.0	-0.0	-8.7	-0.0
-723.3	-0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-723.3	-0.0		J	-0.0	-0.0	8.7	-0.0
7243	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
0.0	0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
0.0	0.0	C3-C4;~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-723.3	0.0	G1	I	-0.0	0.0	-8.7	-0.0
-723.3	-0.0		J	-0.0	0.0	8.7	-0.0
0.0	0.0	G2	I	-0.0	0.0	0.0	-0.0
-0.0	-0.0		J	-0.0	0.0	0.0	-0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	I	-0.0	0.0	0.0	-0.0
-0.0	-0.0		J	-0.0	0.0	0.0	-0.0
0.0	0.0	Q5_ps	I	-0.0	0.0	0.0	-0.0
-0.0	-0.0		J	-0.0	0.0	0.0	-0.0
-976.5	0.0	INVSLU Max	I	-0.0	0.0	-11.8	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-976.5	0.0		J	-0.0	0.0	11.8	0.0
		Min	I	-0.0	-0.0	-11.8	-0.0
-976.5	-0.0		J	-0.0	-0.0	11.8	-0.0
		INVSLE Max	I	-0.0	0.0	-8.7	0.0
-723.3	0.0		J	-0.0	0.0	8.7	0.0
		Min	I	-0.0	-0.0	-8.7	-0.0
-723.3	-0.0		J	-0.0	-0.0	8.7	-0.0
7266	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
		G1	I	0.0	0.0	-8.7	0.0
-717.9	-0.0		J	0.0	0.0	8.7	0.0
		G2	I	0.0	0.0	0.0	0.0
0.0	-0.0		J	0.0	0.0	0.0	0.0
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-0.0	-0.0	Q5_pc	I	0.0	0.0	-0.0	0.0
			J	0.0	0.0	-0.0	0.0
0.0	-0.0						
		Q5_ps	I	0.0	0.0	-0.0	0.0
-0.0	-0.0		J	0.0	0.0	-0.0	0.0
0.0	-0.0						
		INVSLU Max	I	0.0	0.0	-11.7	0.0
-969.2	0.0		J	0.0	0.0	11.7	0.0
-969.2	0.0	Min	I	0.0	-0.0	-11.7	-0.0
-969.2	-0.0		J	0.0	-0.0	11.7	-0.0
-969.2	-0.0						
		INVSLE Max	I	0.0	0.0	-8.7	0.0
-717.9	0.0		J	0.0	0.0	8.7	0.0
-717.9	0.0	Min	I	0.0	-0.0	-8.7	-0.0
-717.9	-0.0		J	0.0	-0.0	8.7	-0.0
-717.9	-0.0						
7267	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
		G1	I	0.0	0.0	-8.7	0.0


MIDAS

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-717.9	-0.0		J	0.0	0.0	8.7	0.0
-717.9	0.0						
		G2	I	0.0	0.0	0.0	-0.0
0.0	0.0		J	0.0	0.0	0.0	-0.0
-0.0	-0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	0.0	0.0	-0.0	-0.0
-0.0	0.0		J	0.0	0.0	-0.0	-0.0
0.0	-0.0						
		Q5_ps	I	0.0	0.0	-0.0	-0.0
-0.0	0.0		J	0.0	0.0	-0.0	-0.0
0.0	-0.0						
		INVSLU Max	I	0.0	0.0	-11.7	0.0
-969.2	0.0		J	0.0	0.0	11.7	0.0
-969.2	0.0						
		Min	I	0.0	-0.0	-11.7	-0.0
-969.2	-0.0		J	0.0	-0.0	11.7	-0.0
-969.2	-0.0						
		INVSLE Max	I	0.0	0.0	-8.7	0.0
-717.9	0.0		J	0.0	0.0	8.7	0.0
-717.9	0.0						
		Min	I	0.0	-0.0	-8.7	-0.0
-717.9	-0.0		J	0.0	-0.0	8.7	-0.0
-717.9	-0.0						
		3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0
7290	5		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
0.0	0.0	C3-C4;~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-730.4	0.0	G1	I	0.0	0.0	-8.8	-0.0
-730.4	-0.0		J	0.0	0.0	8.8	-0.0
-0.0	-0.0	G2	I	0.0	0.0	-0.0	0.0
0.0	0.0		J	0.0	0.0	-0.0	0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	-0.0	Q5_pc	I	0.0	-0.0	0.0	0.0
-0.0	0.0		J	0.0	-0.0	0.0	0.0
0.0	-0.0	Q5_ps	I	0.0	-0.0	0.0	0.0
-0.0	0.0		J	0.0	-0.0	0.0	0.0
-986.0	0.0	INVS LU Max	I	0.0	0.0	-11.8	0.0
-986.0	0.0		J	0.0	0.0	11.8	0.0
-986.0	-0.0	Min	I	0.0	-0.0	-11.8	-0.0
-986.0	-0.0		J	0.0	-0.0	11.8	-0.0
-730.4	0.0	INVS LE Max	I	0.0	0.0	-8.8	0.0
-730.4	0.0		J	0.0	0.0	8.8	0.0
-730.4	-0.0	Min	I	0.0	-0.0	-8.8	-0.0
-730.4	-0.0		J	0.0	-0.0	8.8	-0.0
7291	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0						

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0
-0.0	-0.0						
		C1-C2;~2	Max	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0
-0.0	-0.0						
		C3-C4;~2	Max	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0
-0.0	-0.0						
			G1	I	0.0	0.0	-8.8
-730.3	0.0			J	0.0	0.0	8.8
-730.3	-0.0						
			G2	I	0.0	0.0	-0.0
-0.0	0.0			J	0.0	0.0	-0.0
0.0	-0.0						
			Q3	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0
0.0	0.0						
			Q5_pc	I	0.0	0.0	0.0
0.0	-0.0			J	0.0	0.0	-0.0
-0.0	-0.0						
			Q5_ps	I	0.0	0.0	0.0
0.0	-0.0			J	0.0	0.0	-0.0
-0.0	-0.0						
			INVSLU	Max	I	0.0	0.0
-985.9	0.0			J	0.0	0.0	-11.8
-985.9	0.0						11.8
			Min	I	0.0	-0.0	-11.8
-985.9	-0.0			J	0.0	-0.0	11.8
-985.9	-0.0						-0.0
			INVSLE	Max	I	0.0	0.0
-730.3	0.0			J	0.0	0.0	-8.8
-730.3	0.0						8.8
			Min	I	0.0	-0.0	-8.8
-730.3	-0.0			J	0.0	-0.0	8.8
							-0.0

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-730.3	-0.0								
7314	5	3	C1-C2;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
-0.0	-0.0			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0				J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
0.0	0.0			C3-C4;~1	Max	I	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
-0.0	-0.0			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0				J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
0.0	0.0			C1-C2;~2	Max	I	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
-0.0	-0.0			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0				J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
0.0	0.0			C3-C4;~2	Max	I	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
-0.0	-0.0			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0				J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
				G1	I	-0.0	0.0	-8.7	-0.0
-715.7	0.0				J	-0.0	0.0	8.7	-0.0
-715.7	-0.0								
				G2	I	-0.0	0.0	-0.0	0.0
-0.0	-0.0				J	-0.0	0.0	-0.0	0.0
0.0	0.0								
				Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
				Q5_pc	I	-0.0	0.0	0.0	0.0
-0.0	-0.0				J	-0.0	0.0	0.0	0.0
0.0	0.0								
				Q5_ps	I	-0.0	0.0	0.0	0.0
-0.0	-0.0				J	-0.0	0.0	0.0	0.0
0.0	0.0								
				INVSLU	Max	I	-0.0	0.0	-11.7
-966.2	0.0				J	-0.0	0.0	11.7	0.0

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-966.2	0.0		Min	I	-0.0	-0.0	-11.7	-0.0
-966.2	-0.0			J	-0.0	-0.0	11.7	-0.0
-966.2	-0.0							
		INVSLE	Max	I	-0.0	0.0	-8.7	0.0
-715.7	0.0			J	-0.0	0.0	8.7	0.0
-715.7	0.0		Min	I	-0.0	-0.0	-8.7	-0.0
-715.7	-0.0			J	-0.0	-0.0	8.7	-0.0
-715.7	-0.0							
7315	5	3	C1-C2;~1	Max	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
		C3-C4;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
		C1-C2;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
		C3-C4;~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
		G1		I	-0.0	0.0	-8.7	-0.0
-715.7	0.0			J	-0.0	0.0	8.7	-0.0
-715.7	-0.0							
		G2		I	-0.0	0.0	-0.0	-0.0
-0.0	0.0			J	-0.0	0.0	-0.0	-0.0
0.0	-0.0							
		Q3		I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-0.0	-0.0	Q5_pc	I	-0.0	0.0	0.0	-0.0
0.0	-0.0		J	-0.0	0.0	0.0	-0.0
-0.0	-0.0	Q5_ps	I	-0.0	0.0	0.0	-0.0
0.0	-0.0		J	-0.0	0.0	0.0	-0.0
-966.2	0.0	INVS LU Max	I	-0.0	0.0	-11.7	0.0
-966.2	0.0		J	-0.0	0.0	11.7	0.0
-966.2	-0.0	Min	I	-0.0	-0.0	-11.7	-0.0
-966.2	-0.0		J	-0.0	-0.0	11.7	-0.0
-715.7	0.0	INVS LE Max	I	-0.0	0.0	-8.7	0.0
-715.7	0.0		J	-0.0	0.0	8.7	0.0
-715.7	-0.0	Min	I	-0.0	-0.0	-8.7	-0.0
-715.7	-0.0		J	-0.0	-0.0	8.7	-0.0
7338	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
0.0	0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
0.0	0.0	C3-C4;~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-699.6	-0.0	G1	I	-0.0	0.0	-8.6	0.0


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-699.6	0.0		J	-0.0	0.0	8.6	0.0
		G2	I	-0.0	0.0	0.0	0.0
0.0	-0.0		J	-0.0	0.0	0.0	0.0
-0.0	0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	-0.0	0.0	0.0	0.0
-0.0	-0.0		J	-0.0	0.0	0.0	0.0
0.0	-0.0						
		Q5_ps	I	-0.0	0.0	0.0	0.0
-0.0	-0.0		J	-0.0	0.0	0.0	0.0
0.0	-0.0						
		INVS LU Max	I	-0.0	0.0	-11.6	0.0
-944.4	0.0		J	-0.0	0.0	11.6	0.0
-944.4	0.0	Min	I	-0.0	-0.0	-11.6	-0.0
-944.4	-0.0		J	-0.0	-0.0	11.6	-0.0
-944.4	-0.0						
		INVS LE Max	I	-0.0	0.0	-8.6	0.0
-699.6	0.0		J	-0.0	0.0	8.6	0.0
-699.6	0.0	Min	I	-0.0	-0.0	-8.6	-0.0
-699.6	-0.0		J	-0.0	-0.0	8.6	-0.0
-699.6	-0.0						
7339	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						

MIDAS

PROJECT TITLE :

		Company						Client
		Author						File Name
-0.0	-0.0							
			C3-C4;~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
			G1	I	-0.0	0.0	-8.6	0.0
-699.5	-0.0			J	-0.0	0.0	8.6	0.0
-699.5	0.0							
			G2	I	-0.0	0.0	0.0	0.0
0.0	-0.0			J	-0.0	0.0	0.0	0.0
-0.0	-0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	-0.0	0.0	0.0	-0.0
-0.0	0.0			J	-0.0	0.0	0.0	-0.0
0.0	-0.0							
			Q5_ps	I	-0.0	0.0	0.0	-0.0
0.0	0.0			J	-0.0	0.0	0.0	-0.0
-0.0	-0.0							
			INVSLE Max	I	-0.0	0.0	-11.6	0.0
-944.4	0.0			J	-0.0	0.0	11.6	0.0
-944.4	0.0							
			Min	I	-0.0	-0.0	-11.6	-0.0
-944.4	-0.0			J	-0.0	-0.0	11.6	-0.0
-944.4	-0.0							
			INVSLE Max	I	-0.0	0.0	-8.6	0.0
-699.5	0.0			J	-0.0	0.0	8.6	0.0
-699.5	0.0							
			Min	I	-0.0	-0.0	-8.6	-0.0
-699.5	-0.0			J	-0.0	-0.0	8.6	-0.0
-699.5	-0.0							
		7357	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0	5		J	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
			C3-C4;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		G1	I	0.0	0.0	-9.1	-0.0	
-781.4	-0.0		J	0.0	0.0	9.1	-0.0	
-781.4	0.0							
		G2	I	0.0	0.0	0.0	-0.0	
0.0	0.0		J	0.0	0.0	0.0	-0.0	
-0.0	-0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	-0.0	0.0	0.0	-0.0	
0.0	0.0		J	-0.0	0.0	0.0	-0.0	
-0.0	-0.0							
		Q5_ps	I	-0.0	0.0	0.0	-0.0	
0.0	0.0		J	-0.0	0.0	0.0	-0.0	
-0.0	-0.0							
		INVSLE Max	I	-0.0	0.0	-12.2	0.0	-
1054.9	0.0		J	-0.0	0.0	12.2	0.0	-
1054.9	0.0							
		Min	I	-0.0	-0.0	-12.2	-0.0	-
1054.9	-0.0		J	-0.0	-0.0	12.2	-0.0	-
1054.9	-0.0							
		INVSLE Max	I	-0.0	0.0	-9.1	0.0	
-781.4	0.0		J	-0.0	0.0	9.1	0.0	
-781.4	0.0							
		Min	I	-0.0	-0.0	-9.1	-0.0	
-781.4	-0.0		J	-0.0	-0.0	9.1	-0.0	
-781.4	-0.0							

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

7358	5	3	C1-C2;~1	Max	I	0.0	0.0	0.0	0.0	
0.0	0.0				J	0.0	0.0	0.0	0.0	
0.0	0.0									
-0.0	-0.0			Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0				J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0									
0.0	0.0									
-0.0	-0.0									
-0.0	-0.0									
0.0	0.0									
0.0	0.0									
-0.0	-0.0									
-0.0	-0.0									
0.0	0.0									
0.0	0.0									
-0.0	-0.0									
-0.0	-0.0									
0.0	0.0									
0.0	0.0									
-0.0	-0.0									
-0.0	-0.0									
0.0	0.0									
0.0	0.0									
-0.0	-0.0									
-0.0	-0.0									
1125.5	0.0									
1125.5	0.0									
0.0	0.0									
-0.0	-0.0									
0.0	0.0									
0.0	0.0									
-0.0	-0.0									
0.0	0.0									
0.0	0.0									
-0.0	-0.0									
0.0	0.0									
-0.0	-0.0									
0.0	0.0									
1519.4	0.0									
1519.4	0.0									


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
1519.4	-0.0		Min	I	-0.0	-0.0	-14.7	-0.0	-
				J	-0.0	-0.0	14.7	-0.0	-
1519.4	-0.0								
1125.5	0.0		INVSLE Max	I	-0.0	0.0	-10.9	0.0	-
				J	-0.0	0.0	10.9	0.0	-
1125.5	0.0								
1125.5	-0.0		Min	I	-0.0	-0.0	-10.9	-0.0	-
				J	-0.0	-0.0	10.9	-0.0	-
1125.5	-0.0								
7359	5	3	C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
				J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
0.0	0.0		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
				J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
0.0	0.0		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
				J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
0.0	0.0		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
-0.0	-0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
				J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
1053.0	0.0		G1	I	0.0	0.0	-10.5	0.0	-
				J	0.0	0.0	10.5	0.0	-
1053.0	-0.0								
-0.0	0.0		G2	I	0.0	0.0	-0.0	0.0	
				J	0.0	0.0	-0.0	0.0	
0.0	-0.0								
0.0	0.0		Q3	I	0.0	0.0	0.0	0.0	
				J	0.0	0.0	0.0	0.0	
0.0	0.0								
			Q5_pc	I	-0.0	0.0	0.0	-0.0	

MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-0.0	0.0			J	-0.0	0.0	0.0	-0.0
0.0	0.0							
			Q5_ps	I	-0.0	0.0	0.0	-0.0
-0.0	0.0			J	-0.0	0.0	0.0	-0.0
0.0	0.0							
			INVSLE Max	I	-0.0	0.0	-14.2	0.0
1421.5	0.0			J	-0.0	0.0	14.2	0.0
1421.6	0.0		Min	I	-0.0	-0.0	-14.2	-0.0
1421.5	-0.0			J	-0.0	-0.0	14.2	-0.0
1421.6	-0.0							
			INVSLE Max	I	-0.0	0.0	-10.5	0.0
1053.0	0.0			J	-0.0	0.0	10.5	0.0
1053.0	0.0		Min	I	-0.0	-0.0	-10.5	-0.0
1053.0	-0.0			J	-0.0	-0.0	10.5	-0.0
1053.0	-0.0							
		7360	5	3	C1-C2;~1	Max	I	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0			Min	I	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
				C3-C4;~1	Max	I	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0			Min	I	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
				C1-C2;~2	Max	I	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0			Min	I	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
				C3-C4;~2	Max	I	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0			Min	I	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
				G1	I	0.0	0.0	-9.1
-780.8	0.0			J	0.0	0.0	9.1	-0.0

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


-780.8	-0.0							
		G2	I	0.0	0.0	-0.0	-0.0	
-0.0	0.0		J	0.0	0.0	-0.0	-0.0	
0.0	-0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	-0.0	0.0	0.0	0.0	
0.0	0.0		J	-0.0	0.0	0.0	0.0	
-0.0	-0.0							
		Q5_ps	I	-0.0	0.0	0.0	0.0	
0.0	0.0		J	-0.0	0.0	0.0	0.0	
-0.0	-0.0							
		INVSLE Max	I	-0.0	0.0	-12.2	0.0	-
1054.1	0.0		J	-0.0	0.0	12.2	0.0	-
1054.1	0.0	Min	I	-0.0	-0.0	-12.2	-0.0	-
1054.1	-0.0		J	-0.0	-0.0	12.2	-0.0	-
1054.1	-0.0							
		INVSLE Max	I	-0.0	0.0	-9.1	0.0	
-780.8	0.0		J	-0.0	0.0	9.1	0.0	
-780.8	0.0	Min	I	-0.0	-0.0	-9.1	-0.0	
-780.8	-0.0		J	-0.0	-0.0	9.1	-0.0	
-780.8	-0.0							
7377	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0	C3-C4; ~2 Max	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
		G1	I	-0.0	0.0	-8.8	-0.0
-731.3	0.0		J	-0.0	0.0	8.8	-0.0
-731.2	-0.0						
		G2	I	-0.0	0.0	-0.0	-0.0
-0.0	0.0		J	-0.0	0.0	-0.0	-0.0
0.0	-0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	0.0	0.0	0.0	0.0
-0.0	-0.0		J	0.0	0.0	0.0	0.0
0.0	-0.0						
		Q5_ps	I	0.0	0.0	0.0	0.0
-0.0	-0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		INVSLU Max	I	-0.0	0.0	-11.8	0.0
-987.2	0.0		J	-0.0	0.0	11.8	0.0
-987.2	0.0	Min	I	-0.0	-0.0	-11.8	-0.0
-987.2	-0.0		J	-0.0	-0.0	11.8	-0.0
-987.2	-0.0						
		INVSLE Max	I	-0.0	0.0	-8.8	0.0
-731.2	0.0		J	-0.0	0.0	8.8	0.0
-731.2	0.0	Min	I	-0.0	-0.0	-8.8	-0.0
-731.3	-0.0		J	-0.0	-0.0	8.8	-0.0
-731.3	-0.0						
7378	5	3 C1-C2; ~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
		C3-C4; ~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0
			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0
			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
0.0	0.0	C3-C4;~2 Max	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0
			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
-731.3	0.0	G1	I	-0.0	0.0	-8.8	-0.0
			J	-0.0	0.0	8.8	-0.0
-731.2	-0.0						
-0.0	-0.0	G2	I	-0.0	0.0	-0.0	0.0
			J	-0.0	0.0	-0.0	0.0
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-0.0	-0.0	Q5_pc	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-0.0	-0.0	Q5_ps	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-987.2	0.0	INVSLU Max	I	-0.0	0.0	-11.8	0.0
			J	-0.0	0.0	11.8	0.0
-987.2	0.0						
-987.2	-0.0	Min	I	-0.0	-0.0	-11.8	-0.0
			J	-0.0	-0.0	11.8	-0.0
-987.2	-0.0						
-731.2	0.0	INVSLE Max	I	-0.0	0.0	-8.8	0.0
			J	-0.0	0.0	8.8	0.0
-731.2	0.0						
-731.3	-0.0	Min	I	-0.0	-0.0	-8.8	-0.0
			J	-0.0	-0.0	8.8	-0.0
-731.3	-0.0						

MIDAS

PROJECT TITLE :

MIDAS	Company				Client				
	Author				File Name		PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
7401	5	3	C1-C2;~1	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
-0.0	-0.0			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0				J	-0.0	-0.0	-0.0	-0.0
0.0	0.0			C3-C4;~1	Max	I	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
-0.0	-0.0			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0				J	-0.0	-0.0	-0.0	-0.0
0.0	0.0			C1-C2;~2	Max	I	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
-0.0	-0.0			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0				J	-0.0	-0.0	-0.0	-0.0
0.0	0.0			C3-C4;~2	Max	I	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
-0.0	-0.0			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0				J	-0.0	-0.0	-0.0	-0.0
-723.3	-0.0			G1	I	-0.0	0.0	-8.7	0.0
-723.3	0.0				J	-0.0	0.0	8.7	0.0
0.0	0.0			G2	I	-0.0	0.0	0.0	0.0
-0.0	0.0				J	-0.0	0.0	0.0	0.0
0.0	0.0			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
-0.0	0.0			Q5_pc	I	0.0	0.0	0.0	-0.0
0.0	-0.0				J	0.0	0.0	0.0	-0.0
-0.0	0.0			Q5_ps	I	0.0	0.0	0.0	-0.0
0.0	-0.0				J	0.0	0.0	0.0	-0.0
-976.5	0.0			INVSLU	Max	I	-0.0	0.0	-11.8
-976.5	0.0				J	-0.0	0.0	11.8	0.0
				Min	I	-0.0	-0.0	-11.8	-0.0

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-976.5	-0.0			J	-0.0	-0.0	11.8	-0.0
-976.5	-0.0							
		INVSLE	Max	I	-0.0	0.0	-8.7	0.0
-723.3	0.0			J	-0.0	0.0	8.7	0.0
-723.3	0.0		Min	I	-0.0	-0.0	-8.7	-0.0
-723.3	-0.0			J	-0.0	-0.0	8.7	-0.0
-723.3	-0.0							
7402	5	3	C1-C2;~1	Max	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
			C3-C4;~1	Max	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
			C1-C2;~2	Max	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
			C3-C4;~2	Max	I	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
			G1	I	-0.0	0.0	-8.7	0.0
-723.3	-0.0			J	-0.0	0.0	8.7	0.0
-723.3	0.0							
			G2	I	-0.0	0.0	0.0	0.0
0.0	-0.0			J	-0.0	0.0	0.0	0.0
-0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	0.0	0.0	0.0	-0.0
-0.0	0.0							

MIDAS

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	-0.0		J	0.0	0.0	0.0	-0.0
-0.0	-0.0	Q5_ps	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-976.5	0.0	INVSLE Max	I	-0.0	0.0	-11.8	0.0
-976.5	0.0		J	-0.0	0.0	11.8	0.0
-976.5	-0.0	Min	I	-0.0	-0.0	-11.8	-0.0
-976.5	-0.0		J	-0.0	-0.0	11.8	-0.0
-723.3	0.0	INVSLE Max	I	-0.0	0.0	-8.7	0.0
-723.3	0.0		J	-0.0	0.0	8.7	0.0
-723.3	-0.0	Min	I	-0.0	-0.0	-8.7	-0.0
-723.3	-0.0		J	-0.0	-0.0	8.7	-0.0
7425	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0	C3-C4;~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0	G1	I	0.0	0.0	-8.9	-0.0
-744.7	0.0		J	0.0	0.0	8.9	-0.0
-744.7	-0.0						

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0	G2	I	0.0	0.0	0.0	-0.0	
-0.0	-0.0		J	0.0	0.0	0.0	-0.0	
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Q5_pc	I	-0.0	0.0	0.0	-0.0	
-0.0	-0.0		J	-0.0	0.0	0.0	-0.0	
0.0	0.0	Q5_ps	I	-0.0	0.0	0.0	-0.0	
-0.0	-0.0		J	-0.0	0.0	0.0	-0.0	
1005.3	0.0	INVS LU Max	I	0.0	0.0	-12.0	0.0	-
1005.3	0.0		J	0.0	0.0	12.0	0.0	-
1005.3	-0.0	Min	I	0.0	-0.0	-12.0	-0.0	-
1005.3	-0.0		J	0.0	-0.0	12.0	-0.0	-
-744.7	0.0	INVS LE Max	I	0.0	0.0	-8.9	0.0	
-744.7	0.0		J	0.0	0.0	8.9	0.0	
-744.7	-0.0	Min	I	0.0	-0.0	-8.9	-0.0	
-744.7	-0.0		J	0.0	-0.0	8.9	-0.0	
7426	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	


MIDAS

PROJECT TITLE :

MIDAS		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
			C3-C4 ; ~2	Max	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
				Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0				J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
				G1	I	0.0	0.0	-8.9	-0.0
-744.7	0.0				J	0.0	0.0	8.9	-0.0
-744.7	-0.0								
				G2	I	0.0	0.0	0.0	0.0
0.0	-0.0				J	0.0	0.0	0.0	0.0
-0.0	0.0								
				Q3	I	0.0	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
				Q5_pc	I	-0.0	0.0	0.0	0.0
0.0	-0.0				J	-0.0	0.0	0.0	0.0
-0.0	0.0								
				Q5_ps	I	-0.0	0.0	0.0	0.0
0.0	-0.0				J	-0.0	0.0	0.0	0.0
-0.0	0.0								
				INVS LU Max	I	0.0	0.0	-12.0	0.0
1005.3	0.0				J	0.0	0.0	12.0	0.0
1005.3	0.0								
				Min	I	0.0	-0.0	-12.0	-0.0
1005.3	-0.0				J	0.0	-0.0	12.0	-0.0
1005.3	-0.0								
				INVS LE Max	I	0.0	0.0	-8.9	0.0
-744.7	0.0				J	0.0	0.0	8.9	0.0
-744.7	0.0								
				Min	I	0.0	-0.0	-8.9	-0.0
-744.7	-0.0				J	0.0	-0.0	8.9	-0.0
-744.7	-0.0								
		5	3	C1-C2 ; ~1	Max	I	0.0	0.0	0.0
7449	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
				Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0				J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0								
				C3-C4 ; ~1	Max	I	0.0	0.0	0.0
0.0	0.0				J	0.0	0.0	0.0	0.0
0.0	0.0								
				Min	I	-0.0	-0.0	-0.0	-0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
0.0	0.0	C3-C4;~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
-743.9	0.0	G1	I	0.0	0.0	-8.9	-0.0
-743.9	-0.0		J	0.0	0.0	8.9	-0.0
-0.0	0.0						
0.0	-0.0	G2	I	0.0	0.0	-0.0	-0.0
			J	0.0	0.0	-0.0	-0.0
0.0	0.0						
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
			J	0.0	0.0	0.0	0.0
0.0	0.0						
-0.0	0.0	Q5_pc	I	-0.0	0.0	-0.0	-0.0
0.0	-0.0		J	-0.0	0.0	-0.0	-0.0
-0.0	0.0						
0.0	-0.0	Q5_ps	I	-0.0	0.0	-0.0	-0.0
			J	-0.0	0.0	-0.0	-0.0
1004.3	0.0	INVSLE Max	I	0.0	0.0	-11.9	0.0
1004.3	0.0		J	0.0	0.0	11.9	0.0
1004.3	-0.0	Min	I	0.0	-0.0	-11.9	-0.0
1004.3	-0.0		J	0.0	-0.0	11.9	-0.0
-743.9	0.0	INVSLE Max	I	0.0	0.0	-8.9	0.0
-743.9	0.0		J	0.0	0.0	8.9	0.0
-743.9	-0.0	Min	I	0.0	-0.0	-8.9	-0.0
-743.9	-0.0		J	0.0	-0.0	8.9	-0.0
7450	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		G1	I	0.0	0.0	-8.9	-0.0	
-743.9	0.0		J	0.0	0.0	8.9	-0.0	
-743.9	-0.0							
		G2	I	0.0	0.0	-0.0	-0.0	
-0.0	0.0		J	0.0	0.0	-0.0	-0.0	
0.0	-0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	-0.0	0.0	-0.0	0.0	
-0.0	-0.0		J	-0.0	0.0	-0.0	0.0	
0.0	0.0							
		Q5_ps	I	-0.0	0.0	-0.0	0.0	
-0.0	-0.0		J	-0.0	0.0	-0.0	0.0	
0.0	0.0							
		INVSLU Max	I	0.0	0.0	-11.9	0.0	-
1004.2	0.0		J	0.0	0.0	11.9	0.0	-
1004.2	0.0							
		Min	I	0.0	-0.0	-11.9	-0.0	-
1004.2	-0.0							

MIDAS

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
1004.2	-0.0		J	0.0	-0.0	11.9	-0.0	-
		INVSLE Max	I	0.0	0.0	-8.9	0.0	
-743.9	0.0		J	0.0	0.0	8.9	0.0	
-743.9	0.0	Min	I	0.0	-0.0	-8.9	-0.0	
-743.9	-0.0		J	0.0	-0.0	8.9	-0.0	
-743.9	-0.0							
7473	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
0.0	0.0	C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		G1	I	-0.0	0.0	-8.9	-0.0	
-747.9	0.0		J	-0.0	0.0	8.9	-0.0	
-747.9	-0.0							
		G2	I	-0.0	0.0	-0.0	-0.0	
-0.0	0.0		J	-0.0	0.0	-0.0	-0.0	
0.0	-0.0							
		Q3	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	I	0.0	0.0	0.0	0.0	
0.0	-0.0		J	0.0	0.0	0.0	0.0	

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-0.0	-0.0							
		Q5_ps	I	0.0	0.0	0.0	-0.0	
0.0	0.0		J	0.0	0.0	0.0	-0.0	
-0.0	-0.0							
		INVSLU Max	I	-0.0	0.0	-12.0	0.0	-
1009.6	0.0		J	-0.0	0.0	12.0	0.0	-
1009.6	0.0	Min	I	-0.0	-0.0	-12.0	-0.0	-
1009.6	-0.0		J	-0.0	-0.0	12.0	-0.0	-
1009.6	-0.0							
		INVSLE Max	I	-0.0	0.0	-8.9	0.0	
-747.9	0.0		J	-0.0	0.0	8.9	0.0	
-747.9	0.0	Min	I	-0.0	-0.0	-8.9	-0.0	
-747.9	-0.0		J	-0.0	-0.0	8.9	-0.0	
-747.9	-0.0							
7474	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0	
0.0	0.0		J	0.0	0.0	0.0	0.0	
0.0	0.0	Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0							
		G1	I	-0.0	0.0	-8.9	-0.0	
-747.8	0.0		J	-0.0	0.0	8.9	-0.0	
-747.8	-0.0							


MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.0	0.0	G2	I	-0.0	0.0	-0.0	-0.0
			J	-0.0	0.0	-0.0	-0.0
0.0	-0.0						
		Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	I	0.0	0.0	0.0	0.0
0.0	-0.0		J	0.0	0.0	0.0	0.0
-0.0	0.0						
		Q5_ps	I	0.0	0.0	0.0	0.0
0.0	-0.0		J	0.0	0.0	0.0	0.0
-0.0	0.0						
		INVS LU Max	I	-0.0	0.0	-12.0	0.0
1009.6	0.0		J	-0.0	0.0	12.0	0.0
1009.6	0.0						
		Min	I	-0.0	-0.0	-12.0	-0.0
1009.6	-0.0		J	-0.0	-0.0	12.0	-0.0
1009.6	-0.0						
		INVS LE Max	I	-0.0	0.0	-8.9	0.0
-747.8	0.0		J	-0.0	0.0	8.9	0.0
-747.8	0.0						
		Min	I	-0.0	-0.0	-8.9	-0.0
-747.8	-0.0		J	-0.0	-0.0	8.9	-0.0
-747.8	-0.0						
		3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0
7497	5		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0						
		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0


MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
			G1	I	-0.0	0.0	-9.0	0.0
-762.3	-0.0			J	-0.0	0.0	9.0	0.0
-762.3	0.0							
			G2	I	-0.0	0.0	0.0	0.0
0.0	-0.0			J	-0.0	0.0	0.0	0.0
-0.0	0.0							
			Q3	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	I	0.0	0.0	0.0	-0.0
-0.0	0.0			J	0.0	0.0	0.0	-0.0
-0.0	-0.0							
			Q5_ps	I	0.0	0.0	0.0	-0.0
-0.0	0.0			J	0.0	0.0	0.0	-0.0
0.0	-0.0							
			INVSLE Max	I	-0.0	0.0	-12.1	0.0
1029.1	-0.0			J	-0.0	0.0	12.1	0.0
1029.1	0.0		Min	I	-0.0	-0.0	-12.1	-0.0
1029.1	-0.0			J	-0.0	-0.0	12.1	-0.0
1029.1	-0.0							
			INVSLE Max	I	-0.0	0.0	-9.0	0.0
-762.3	-0.0			J	-0.0	0.0	9.0	0.0
-762.3	0.0		Min	I	-0.0	-0.0	-9.0	-0.0
-762.3	-0.0			J	-0.0	-0.0	9.0	-0.0
-762.3	-0.0							
7498	5	3	C1-C2;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							
			C3-C4;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0			J	0.0	0.0	0.0	0.0
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0							


MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
0.0	0.0	C1-C2;~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
0.0	0.0	C3-C4;~2 Max	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0	Min	I	-0.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0
-762.3	-0.0	G1	I	-0.0	0.0	-9.0	0.0
-762.3	0.0		J	-0.0	0.0	9.0	0.0
0.0	-0.0	G2	I	-0.0	0.0	0.0	0.0
-0.0	0.0		J	-0.0	0.0	0.0	0.0
0.0	0.0	Q3	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0	Q5_pc	I	0.0	0.0	0.0	0.0
-0.0	0.0		J	0.0	0.0	0.0	0.0
-0.0	-0.0	Q5_ps	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	0.0	0.0	0.0
1029.1	0.0	INVSLE Max	I	-0.0	0.0	-12.1	0.0
1029.1	0.0		J	-0.0	0.0	12.1	0.0
1029.1	-0.0	Min	I	-0.0	-0.0	-12.1	-0.0
1029.1	-0.0		J	-0.0	-0.0	12.1	-0.0
-762.3	0.0	INVSLE Max	I	-0.0	0.0	-9.0	0.0
-762.3	0.0		J	-0.0	0.0	9.0	0.0
-762.3	-0.0	Min	I	-0.0	-0.0	-9.0	-0.0
-762.3	-0.0		J	-0.0	-0.0	9.0	-0.0
7516	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0
0.0	0.0						

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
				J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
		C3-C4;~1	Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
		C1-C2;~2	Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
		C3-C4;~2	Max	I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.0								
		G1		I	0.0	-0.0	-9.5	0.0	
-853.5	-0.0			J	0.0	-0.0	9.5	0.0	
-853.5	0.0								
		G2		I	0.0	-0.0	0.0	0.0	
0.0	-0.0			J	0.0	-0.0	0.0	0.0	
-0.0	0.0								
		Q3		I	0.0	0.0	0.0	0.0	
0.0	0.0			J	0.0	0.0	0.0	0.0	
0.0	0.0								
		Q5_pc		I	-0.0	0.0	-0.0	-0.0	
-0.0	-0.0			J	-0.0	0.0	-0.0	-0.0	
0.0	0.0								
		Q5_ps		I	-0.0	0.0	-0.0	0.0	
-0.0	-0.0			J	-0.0	0.0	-0.0	0.0	
0.0	0.0								
		INVSLU	Max	I	-0.0	0.0	-12.8	0.0	-
1152.2	0.0			J	-0.0	0.0	12.8	0.0	-
1152.2	0.0		Min	I	-0.0	-0.0	-12.8	-0.0	-
1152.2	-0.0			J	-0.0	-0.0	12.8	-0.0	-

MIDAS


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

1152.2	-0.0								
		INVSLE Max	I	-0.0	0.0	-9.5	0.0		
-853.5	0.0		J	-0.0	0.0	9.5	0.0		
-853.5	0.0								
		Min	I	-0.0	-0.0	-9.5	-0.0		
-853.5	-0.0		J	-0.0	-0.0	9.5	-0.0		
-853.5	-0.0								
7517	5	3 C1-C2;~1 Max	I	0.0	0.0	0.0	0.0		
0.0	0.0		J	0.0	0.0	0.0	0.0		
0.0	0.0								
		Min	I	-0.0	-0.0	-0.0	-0.0		
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0		
-0.0	-0.0								
		C3-C4;~1 Max	I	0.0	0.0	0.0	0.0		
0.0	0.0		J	0.0	0.0	0.0	0.0		
0.0	0.0								
		Min	I	-0.0	-0.0	-0.0	-0.0		
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0		
-0.0	-0.0								
		C1-C2;~2 Max	I	0.0	0.0	0.0	0.0		
0.0	0.0		J	0.0	0.0	0.0	0.0		
0.0	0.0								
		Min	I	-0.0	-0.0	-0.0	-0.0		
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0		
-0.0	-0.0								
		C3-C4;~2 Max	I	0.0	0.0	0.0	0.0		
0.0	0.0		J	0.0	0.0	0.0	0.0		
0.0	0.0								
		Min	I	-0.0	-0.0	-0.0	-0.0		
-0.0	-0.0		J	-0.0	-0.0	-0.0	-0.0		
-0.0	-0.0								
		G1	I	0.0	-0.0	-10.5	0.0		-
1053.0	-0.0		J	0.0	-0.0	10.5	0.0		-
1053.0	0.0								
		G2	I	0.0	0.0	0.0	-0.0		
0.0	-0.0		J	0.0	0.0	0.0	-0.0		
-0.0	0.0								
		Q3	I	0.0	0.0	0.0	0.0		
0.0	0.0		J	0.0	0.0	0.0	0.0		
0.0	0.0								
		Q5_pc	I	-0.0	0.0	0.0	0.0		
0.0	0.0		J	-0.0	0.0	0.0	0.0		
-0.0	0.0								

MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	-0.0	Q5_ps	I	-0.0	0.0	0.0	0.0	
			J	-0.0	0.0	0.0	0.0	
-0.0	0.0							
1421.5	0.0	INVSLE Max	I	-0.0	0.0	-14.2	0.0	-
			J	-0.0	0.0	14.2	0.0	-
1421.5	0.0							
1421.5	-0.0	Min	I	-0.0	-0.0	-14.2	-0.0	-
			J	-0.0	-0.0	14.2	-0.0	-
1421.5	-0.0							
1053.0	0.0	INVSLE Max	I	-0.0	0.0	-10.5	0.0	-
			J	-0.0	0.0	10.5	0.0	-
1053.0	0.0							
1053.0	-0.0	Min	I	-0.0	-0.0	-10.5	-0.0	-
			J	-0.0	-0.0	10.5	-0.0	-
1053.0	-0.0							

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

BEAM ELEMENT FORCES & MOMENTS MIN/MAX SUMMARY BY PROPERTY PRINTOUT
kN , mm

Unit System :

* LENGTH : the length between two nodes

[SECTION NAME : Fittizio , SECTION ID : 3 , SECTION SHAPE : SR]
[SECTION SIZE] D:10

** MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							
7425	AXL	INVSLU	1 J	0.0	0.0	12.0	0.0	-1005.3
0.0	504.57							
7291	SHY	INVSLU	1 I	0.0	-0.0	-11.8	-0.0	-985.9
-0.0	499.69							
7358	SHZ	INVSLU	1 J	-0.0	0.0	14.7	0.0	-1519.4
0.0	620.31							
7266	TOR	INVSLU	1 J	0.0	0.0	11.7	0.0	-969.2
0.0	495.41							
7450	MTY	C1-C2;~1	1 J	0.0	0.0	0.0	0.0	0.0
0.0	504.30							
7267	MTZ	INVSLU	1 J	0.0	0.0	11.7	0.0	-969.2
0.0	495.42							

** MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							
7497	AXL	INVSLU	1 J	-0.0	-0.0	12.1	-0.0	-1029.1
-0.0	510.51							
7291	SHY	INVSLU	1 I	0.0	-0.0	-11.8	-0.0	-985.9
-0.0	499.69							
7358	SHZ	INVSLU	1 I	-0.0	0.0	-14.7	0.0	-1519.4
0.0	620.31							
7291	TOR	INVSLU	1 I	0.0	-0.0	-11.8	-0.0	-985.9
-0.0	499.69							
7358	MTY	INVSLU	1 I	-0.0	-0.0	-14.7	-0.0	-1519.4
-0.0	620.31							
7290	MTZ	INVSLU	1 J	0.0	-0.0	11.8	-0.0	-986.0
-0.0	499.69							

[SECTION NAME : 600x30 , SECTION ID : 62 , SECTION SHAPE : SB]
[SECTION SIZE] H:30 B:650

** MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							
1299	AXL	C1-C2;~1	1 J	65.9	11.6	1.4	181.8	143.8
18234.1	497.28							
940	SHY	INVSLU	1 I	-518.1	198.3	0.6	341.1	142.1
26522.9	540.18							
72	SHZ	INVSLU	1 J	-239.8	-8.7	9.7	76.4	-1371.8
44846.7	600.00							
1094	TOR	INVSLU	1 I	-2683.9	118.2	0.6	1460.9	463.4
49544.1	510.79							
71	MTY	INVSLU	1 I	-206.9	124.7	8.5	617.8	3508.1

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

2.4 600.00
 1051 MTZ INVSLU 1 J -606.1 -33.7 1.7 202.8 279.7
 87243.0 516.87

** MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH								
1094	AXL	INVSLU	1	I	-3094.3	-102.0	-3.6	576.4	-602.7
-42731.5	510.79								
41	SHY	INVSLU	1	I	-610.3	-219.2	-1.5	-420.9	-445.4
100910.2	516.67								
923	SHZ	INVSLU	1	I	-278.2	-147.2	-9.7	-769.2	-1982.0
-88339.6	600.00								
1101	TOR	INVSLU	1	I	-3056.1	-115.4	-1.4	-1422.1	-75.3
-11401.4	510.79								
923	MTY	INVSLU	1	I	-278.2	-147.2	-9.7	-769.2	-1982.0
-88339.6	600.00								
41	MTZ	INVSLU	1	I	-610.3	-219.2	-1.5	-420.9	-445.4
100910.2	516.67								

[SECTION NAME : 700x30 , SECTION ID : 63 , SECTION SHAPE : SB]
 [SECTION SIZE] H:30 B:700

** MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH								
329	AXL	INVSLU	1	I	4290.1	11.5	-0.6	49.4	191.8
42158.8	510.50								
332	SHY	INVSLU	1	I	3869.8	69.2	-1.1	-154.1	75.3
-2862.7	510.51								
286	SHZ	INVSLU	1	J	109.8	20.4	13.0	547.5	-1437.2
-5001.1	540.18								
389	TOR	INVSLU	1	I	3751.2	-28.0	0.9	2062.7	636.6
-18530.9	510.78								
285	MTY	INVSLU	1	J	650.1	19.0	-1.3	388.5	2566.2
-490.9	540.19								
329	MTZ	INVSLU	1	I	4290.1	11.5	-0.6	49.4	191.8
42158.8	510.50								

** MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH								
35	AXL	INVSLU	1	I	-465.5	-8.6	-12.7	-394.1	-3913.7
-14397.7	516.67								
389	SHY	INVSLU	1	I	1771.6	-63.7	0.1	265.6	292.0
-44594.5	510.78								
35	SHZ	INVSLU	1	I	-465.5	-8.6	-12.7	-394.1	-3913.7
-14397.7	516.67								
581	TOR	INVSLU	1	I	1706.0	27.2	-0.6	-2402.7	61.3
-12435.8	489.05								
286	MTY	INVSLU	1	J	-8.9	7.7	4.7	192.1	-4140.1
-36235.6	540.18								
332	MTZ	INVSLU	1	J	1820.4	29.7	-0.6	-2278.5	274.0
-44641.2	510.51								

[SECTION NAME : 2L 180x16 , SECTION ID : 65 , SECTION SHAPE : 2L]

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

[SECTION SIZE] H:180 B:180 tw:16 tf:16 C:10

** MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							
911	AXL	INVSLU	1 I	767.4	0.4	1.7	-18.0	11187.8
1133.8	3196.46							
44	SHY	INVSLU	1 J	282.1	0.6	-1.6	-2.4	9353.1
-625.9	2857.01							
875	SHZ	INVSLU	1 J	7.3	0.0	5.4	33.4	0.0
0.0	3094.01							
901	TOR	INVSLU	1 I	328.3	0.0	-1.8	55.4	0.0
0.0	3209.25							
886	MTY	INVSLU	1 J	-44.4	0.5	-1.8	9.9	11264.9
-546.1	3112.98							
878	MTZ	INVSLU	1 J	-68.4	-0.0	-1.9	33.6	11146.6
1583.5	3049.78							

** MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							
878	AXL	INVSLU	1 J	-746.9	-0.5	-1.9	7.3	11124.3
146.5	3049.78							
45	SHY	INVSLU	1 J	-210.5	-0.6	4.9	-0.8	0.0
0.0	2857.01							
910	SHZ	INVSLU	1 I	114.5	-0.4	-5.4	-26.4	0.0
0.0	3058.96							
877	TOR	INVSLU	1 J	-387.3	0.0	1.8	-57.0	0.0
0.0	3198.00							
879	MTY	C1-C2;~1	1 I	-294.3	-0.1	-0.0	-1.6	-11.4
-186.6	3171.64							
45	MTZ	INVSLU	1 I	-210.5	-0.6	1.6	-0.8	9322.4
-1794.6	2857.01							

[SECTION NAME : 500x20 , SECTION ID : 68 , SECTION SHAPE : SB]

[SECTION SIZE] H:20 B:500

** MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							
1530	AXL	INVSLU	1 I	511.0	5.0	-0.7	-18.6	-89.9
9663.4	480.00							
1521	SHY	C1-C2;~1	1 I	59.4	55.1	0.2	81.4	56.9
30668.7	480.00							
1521	SHZ	INVSLU	1 J	-154.9	29.2	1.4	100.1	-152.9
10142.0	480.00							
1521	TOR	INVSLU	1 I	-154.9	29.2	0.9	100.1	343.7
23532.0	480.00							
1530	MTY	INVSLU	1 J	511.0	5.0	-0.2	-18.6	460.5
7263.1	480.00							
1521	MTZ	C1-C2;~1	1 I	59.4	55.1	0.2	81.4	56.9
30668.7	480.00							

** MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

```

-----
 1521 AXL   INVSLU      1   I   -360.6   -105.6     0.4    -95.6    172.5
-48984.6  480.00
 1521 SHY   INVSLU      1   I   -360.6   -105.6     0.4    -95.6    172.5
-48984.6  480.00
 1530 SHZ   INVSLU      1   I   -222.5     -4.9    -2.4   -144.6   -558.7
-15217.1  480.00
 1530 TOR   INVSLU      1   I   -222.5     -4.9    -2.4   -144.6   -558.7
-15217.1  480.00
 1530 MTY   INVSLU      1   I   -222.5     -4.9    -2.4   -144.6   -558.7
-15217.1  480.00
 1521 MTZ   INVSLU      1   I   -360.6   -105.6     0.4    -95.6    172.5
-48984.6  480.00
    
```

[SECTION NAME : 800x30 , SECTION ID : 70 , SECTION SHAPE : SB]
 [SECTION SIZE] H:30 B:800

** MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	MOMENT-z
		LENGTH							
520	AXL	INVSLU	1	I	5195.9	-30.4	1.2	2926.9	852.5
-17608.3		510.79							
1149	SHY	INVSLU	1	I	2256.0	424.3	10.4	2564.9	2296.8
109764.0		458.09							
1085	SHZ	INVSLU	1	J	2099.2	390.8	27.8	2311.6	2189.7
58687.7		497.44							
520	TOR	INVSLU	1	I	5195.9	-30.4	1.2	2926.9	852.5
-17608.3		510.79							
989	MTY	INVSLU	1	J	2108.8	261.2	12.7	1265.4	8150.0
34162.2		475.57							
1089	MTZ	INVSLU	1	J	3308.1	191.3	19.2	1346.2	2266.6
190858.5		495.41							

** MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	MOMENT-z
		LENGTH							
489	AXL	INVSLU	1	J	-4478.9	3.6	1.1	-52.7	-584.5
-42099.5		504.57							
1086	SHY	INVSLU	1	I	987.9	-411.0	-10.6	-2586.8	-2652.0
128504.2		495.93							
989	SHZ	INVSLU	1	I	675.9	-125.5	-35.5	-933.5	-8467.9
-83204.9		475.57							
356	TOR	INVSLU	1	I	1818.0	25.3	-1.1	-2866.1	100.3
-17867.2		492.88							
989	MTY	INVSLU	1	I	675.9	-125.5	-35.5	-933.5	-8467.9
-83204.9		475.57							
981	MTZ	INVSLU	1	I	711.3	-378.3	-21.0	-2386.2	-5557.5
129492.2		530.95							

[SECTION NAME : 2L110x12 , SECTION ID : 74 , SECTION SHAPE : 2L]
 [SECTION SIZE] H:110 B:110 tw:12 tf:12 C:20

** MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	MOMENT-z
		LENGTH							
791	AXL	INVSLU	1	J	220.5	0.0	0.6	0.1	0.0
0.0		3163.06							

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

797 SHY	INVSLU	1	I	119.0	0.0	-0.6	-1.8	0.0
0.0	3162.89							
792 SHZ	INVSLU	1	J	39.7	-0.0	0.6	0.2	0.0
0.0	3163.06							
783 TOR	INVSLU	1	J	86.9	0.0	0.6	4.0	0.0
0.0	3163.03							
791 MTY	INVSLU	1	J	220.5	0.0	0.6	0.1	0.0
0.0	3163.06							
791 MTZ	INVSLU	1	J	220.5	0.0	0.6	0.1	0.0
0.0	3163.06							

** MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							
792 AXL	INVSLU	1	I	-214.7	0.0	-0.6	-0.4	0.0
0.0	3163.06							
796 SHY	INVSLU	1	I	-176.9	-0.0	-0.6	-2.4	0.0
0.0	3162.85							
792 SHZ	INVSLU	1	I	-214.7	0.0	-0.6	-0.4	0.0
0.0	3163.06							
798 TOR	INVSLU	1	J	-113.5	0.0	0.6	-3.1	0.0
0.0	3162.89							
791 MTY	INVSLU	1	J	220.5	0.0	0.6	0.1	0.0
0.0	3163.06							
791 MTZ	INVSLU	1	J	220.5	0.0	0.6	0.1	0.0
0.0	3163.06							

[SECTION NAME : 2L100x10 , SECTION ID : 79 , SECTION SHAPE : 2L]
 [SECTION SIZE] H:100 B:100 tw:10 tf:10 C:20

** MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							
706 AXL	INVSLU	1	I	165.4	0.0	-0.9	0.3	0.0
0.0	4800.56							
685 SHY	INVSLU	1	J	55.2	0.0	0.9	1.6	0.0
0.0	4800.14							
706 SHZ	INVSLU	1	J	165.4	0.0	0.9	0.3	0.0
0.0	4800.56							
671 TOR	INVSLU	1	J	60.7	0.0	0.9	1.6	0.0
0.0	4800.02							
706 MTY	INVSLU	1	J	165.4	0.0	0.9	0.3	0.0
0.0	4800.56							
706 MTZ	INVSLU	1	J	165.4	0.0	0.9	0.3	0.0
0.0	4800.56							

** MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							
657 AXL	INVSLU	1	I	-163.6	0.0	-0.9	-0.5	0.0
0.0	4800.46							
13 SHY	INVSLU	1	I	-66.7	-0.0	-0.9	-0.6	0.0
0.0	4800.00							
706 SHZ	INVSLU	1	I	31.3	0.0	-0.9	-0.5	0.0
0.0	4800.56							
727 TOR	INVSLU	1	J	-58.9	0.0	0.9	-2.3	0.0
0.0	4800.13							

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

706 MTY	INVSLU	1	J	165.4	0.0	0.9	0.3	0.0
0.0	4800.56							
706 MTZ	INVSLU	1	J	165.4	0.0	0.9	0.3	0.0
0.0	4800.56							

[SECTION NAME : 2L130x12 , SECTION ID : 80 , SECTION SHAPE : 2L]
 [SECTION SIZE] H:130 B:130 tw:12 tf:12 C:20

** MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH								
746	AXL	INVSLU	1	J	380.5	-0.0	1.0	5.6	226.8
1.3	2400.01								
769	SHY	INVSLU	1	J	-54.2	0.0	0.6	-0.3	0.0
0.0	2400.06								
751	SHZ	INVSLU	1	J	-177.9	0.0	1.2	1.4	-533.1
0.0	2400.28								
762	TOR	INVSLU	1	I	227.7	-0.0	-0.7	6.2	-11.4
-0.3	2400.25								
744	MTY	INVSLU	1	J	375.5	0.0	1.0	2.9	235.0
0.7	2400.23								
747	MTZ	INVSLU	1	J	284.6	-0.0	1.1	6.2	-11.4
2.1	2400.25								

** MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH								
751	AXL	INVSLU	1	J	-544.5	-0.0	1.0	-1.5	-1125.9
-0.2	2400.28								
747	SHY	INVSLU	1	I	28.2	-0.0	-0.7	0.5	0.0
0.0	2400.25								
766	SHZ	INVSLU	1	I	-390.7	-0.0	-1.2	-1.4	-1125.9
-0.0	2400.28								
754	TOR	INVSLU	1	I	-265.5	0.0	-0.6	-6.5	0.0
0.0	2400.06								
751	MTY	INVSLU	1	J	-544.5	-0.0	1.0	-1.5	-1125.9
-0.2	2400.28								
762	MTZ	INVSLU	1	I	-15.0	-0.0	-1.1	1.1	-852.2
-2.1	2400.25								

[SECTION NAME : 2L130x12 , SECTION ID : 81 , SECTION SHAPE : 2L]
 [SECTION SIZE] H:130 B:130 tw:12 tf:12 C:10

** MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH								
818	AXL	INVSLU	1	J	315.2	0.1	-1.0	9.2	6007.8
374.0	3121.83								
814	SHY	INVSLU	1	J	212.5	0.2	-1.0	8.9	6025.2
363.4	3088.88								
807	SHZ	INVSLU	1	J	-86.5	0.1	2.9	4.9	0.0
0.0	3126.65								
827	TOR	INVSLU	1	J	268.7	0.2	2.9	9.4	0.0
0.0	3168.65								
830	MTY	INVSLU	1	J	145.9	0.2	-1.0	6.8	6086.7
354.0	3112.98								
826	MTZ	INVSLU	1	J	268.8	0.1	-1.0	8.0	6061.6

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

670.8 3099.91

** MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							
855	AXL	INVSLU	1 I	-389.9	-0.1	0.9	-3.5	6039.0
-409.1	3196.46							
815	SHY	INVSLU	1 J	30.4	-0.2	2.9	1.9	0.0
0.0	3146.06							
854	SHZ	INVSLU	1 I	-389.9	-0.0	-2.9	-3.0	0.0
0.0	3058.96							
821	TOR	INVSLU	1 I	26.3	0.0	-1.0	-12.5	0.0
0.0	3198.00							
161	MTY	INVSLU	1 I	-272.1	-0.1	-1.0	-4.1	-6039.7
-197.6	3124.10							
814	MTZ	INVSLU	1 J	30.4	-0.1	-1.0	2.3	6019.6
-700.0	3088.88							

[SECTION NAME : 900x60 , SECTION ID : 82 , SECTION SHAPE : SB]
 [SECTION SIZE] H:60 B:900

** MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							
1004	AXL	INVSLU	1 J	8837.2	231.0	76.4	4779.7	-3009.3
129633.0	497.79							
1109	SHY	INVSLU	1 I	5555.2	583.0	34.2	16260.5	8069.3
134725.5	490.31							
380	SHZ	INVSLU	1 J	-7342.6	-40.3	302.5	1496.4	-56176.0
142616.4	497.79							
1093	TOR	INVSLU	1 I	5198.8	565.8	94.0	17414.8	22790.7
128405.1	495.34							
379	MTY	INVSLU	1 J	-6645.0	-28.3	-59.0	1366.7	47555.3
102268.9	497.78							
1106	MTZ	INVSLU	1 I	6827.4	251.8	11.3	7984.6	2227.6
269358.3	490.32							

** MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							
380	AXL	INVSLU	1 J	-10538.6	-82.3	163.4	51.1	-102591.3
-9987.1	497.79							
1126	SHY	INVSLU	1 I	3802.0	-582.0	-32.4	-16719.8	-8821.5
261375.3	502.17							
538	SHZ	INVSLU	1 I	-10115.8	-20.3	-301.4	-521.0	-100338.8
142568.8	488.92							
1142	TOR	INVSLU	1 I	3507.0	-554.2	-87.8	-17368.9	-22685.4
258543.2	499.68							
380	MTY	INVSLU	1 J	-10538.6	-82.3	163.4	51.1	-102591.3
-9987.1	497.79							
1126	MTZ	INVSLU	1 I	3802.0	-582.0	-32.4	-16719.8	-8821.5
261375.3	502.17							

REACTION FORCES & MOMENTS DEFAULT PRINTOUT.
 kN , mm

Unit System :

MIDAS


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


Node MZ	LC		FX	FY	FZ	MX	MY
2 0.0 0.0	C1-C2;~1	Max	394.0	0.0	1284.9	0.0	0.0
		Min	-179.6	0.0	-154.5	0.0	0.0
0.0	C3-C4;~1	Max	304.3	0.0	1106.7	0.0	0.0
		Min	-272.6	0.0	-155.3	0.0	0.0
0.0	C1-C2;~2	Max	225.2	0.0	765.6	0.0	0.0
		Min	-95.0	0.0	-83.1	0.0	0.0
0.0	C3-C4;~2	Max	171.8	0.0	642.3	0.0	0.0
		Min	-152.7	0.0	-80.7	0.0	0.0
0.0	G1		39.8	0.0	697.7	0.0	0.0
0.0	G2		12.5	0.0	263.9	0.0	0.0
0.0	Q3		0.0	0.0	0.0	0.0	0.0
0.0	Q5_pc		169.9	0.0	159.5	0.0	0.0
0.0	Q5_ps		147.8	0.0	128.6	0.0	0.0
0.0	INVS LU	Max	693.7	0.0	2990.4	0.0	0.0
		Min	-512.0	0.0	759.2	0.0	0.0
0.0	INVS LE	Max	499.7	0.0	2194.9	0.0	0.0
		Min	-370.7	0.0	563.4	0.0	0.0
3 0.0 0.0	C1-C2;~1	Max	180.6	21.2	858.9	0.0	0.0
		Min	-386.1	-65.6	-166.4	0.0	0.0
0.0	C3-C4;~1	Max	273.6	29.5	1085.1	0.0	0.0
		Min	-296.8	-52.9	-124.6	0.0	0.0
0.0	C1-C2;~2	Max	95.6	11.5	486.0	0.0	0.0
		Min	-220.8	-37.5	-84.9	0.0	0.0
0.0	C3-C4;~2	Max	153.2	16.8	628.9	0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0		Min	-167.7	-29.3	-64.7	0.0	0.0
0.0	G1		-33.8	-19.3	678.2	0.0	0.0
0.0	G2		-10.2	-7.0	262.9	0.0	0.0
0.0	Q3		0.0	0.0	0.0	0.0	0.0
0.0	Q5_pc		-138.6	-336.8	-156.1	0.0	0.0
0.0	Q5_ps		-118.2	-317.6	-125.0	0.0	0.0
0.0	INVSLU	Max	485.8	496.8	2771.8	0.0	0.0
0.0		Min	-654.3	-529.4	801.3	0.0	0.0
0.0	INVSLE	Max	352.8	334.5	2036.3	0.0	0.0
0.0		Min	-473.3	-355.0	597.4	0.0	0.0
2649	C1-C2;~1	Max	0.0	0.0	1361.9	0.0	0.0
0.0		Min	0.0	0.0	-160.9	0.0	0.0
0.0	C3-C4;~1	Max	0.0	0.0	1160.4	0.0	0.0
0.0		Min	0.0	0.0	-166.3	0.0	0.0
0.0	C1-C2;~2	Max	0.0	0.0	795.6	0.0	0.0
0.0		Min	0.0	0.0	-90.0	0.0	0.0
0.0	C3-C4;~2	Max	0.0	0.0	665.1	0.0	0.0
0.0		Min	0.0	0.0	-91.6	0.0	0.0
0.0	G1		0.0	0.0	901.1	0.0	0.0
0.0	G2		0.0	0.0	351.2	0.0	0.0
0.0	Q3		0.0	0.0	0.0	0.0	0.0
0.0	Q5_pc		0.0	0.0	132.0	0.0	0.0
0.0	Q5_ps		0.0	0.0	104.5	0.0	0.0
0.0	INVSLU	Max	0.0	0.0	3384.9	0.0	0.0
0.0		Min	0.0	0.0	1084.1	0.0	0.0
0.0	INVSLE	Max	0.0	0.0	2483.7	0.0	0.0
0.0		Min	0.0	0.0	797.0	0.0	0.0
2736	C1-C2;~1	Max	0.0	0.0	2075.4	0.0	0.0

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0		Min	0.0	0.0	-26.7	0.0	0.0
0.0							
0.0	C3-C4;~1	Max	0.0	0.0	1857.2	0.0	0.0
0.0		Min	0.0	0.0	-31.5	0.0	0.0
0.0							
0.0	C1-C2;~2	Max	0.0	0.0	1085.7	0.0	0.0
0.0		Min	0.0	0.0	-11.7	0.0	0.0
0.0							
0.0	C3-C4;~2	Max	0.0	0.0	951.3	0.0	0.0
0.0		Min	0.0	0.0	-14.4	0.0	0.0
0.0							
0.0		G1	0.0	0.0	2321.7	0.0	0.0
0.0		G2	0.0	0.0	875.7	0.0	0.0
0.0		Q3	0.0	0.0	0.0	0.0	0.0
0.0		Q5_pc	0.0	0.0	374.0	0.0	0.0
0.0		Q5_ps	0.0	0.0	312.8	0.0	0.0
0.0							
0.0	INVSLU	Max	0.0	0.0	7593.4	0.0	0.0
0.0		Min	0.0	0.0	3966.3	0.0	0.0
0.0							
0.0	INVSLE	Max	0.0	0.0	5607.0	0.0	0.0
0.0		Min	0.0	0.0	2980.0	0.0	0.0
0.0							
2784	C1-C2;~1	Max	3.6	12.6	763.6	0.0	0.0
0.0		Min	-5.9	-21.0	-216.6	0.0	0.0
0.0							
0.0	C3-C4;~1	Max	3.1	10.9	975.6	0.0	0.0
0.0		Min	-6.3	-22.4	-134.3	0.0	0.0
0.0							
0.0	C1-C2;~2	Max	2.0	7.2	440.6	0.0	0.0
0.0		Min	-3.4	-12.0	-117.8	0.0	0.0
0.0							
0.0	C3-C4;~2	Max	1.8	6.3	578.0	0.0	0.0
0.0		Min	-3.5	-12.4	-69.3	0.0	0.0
0.0							
0.0		G1	-4.0	-14.1	506.6	0.0	0.0
0.0		G2	-1.5	-5.3	210.5	0.0	0.0
0.0		Q3	0.0	0.0	0.0	0.0	0.0
0.0		Q5_pc	-81.2	-287.4	-133.9	0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


0.0						
0.0	Q5_ps		-77.0	-272.5	-105.2	0.0 0.0
0.0	INVS LU	Max	117.8	417.1	2384.2	0.0 0.0
0.0		Min	-120.6	-426.9	533.8	0.0 0.0
0.0	INVS LE	Max	79.1	280.1	1756.2	0.0 0.0
0.0		Min	-80.3	-284.5	403.3	0.0 0.0
2832	C1-C2;~1	Max	1.8	84.6	1612.8	0.0 0.0
0.0		Min	-4.9	-31.1	-51.4	0.0 0.0
0.0	C3-C4;~1	Max	1.8	72.8	1872.9	0.0 0.0
0.0		Min	-4.2	-30.9	-25.1	0.0 0.0
0.0	C1-C2;~2	Max	1.0	48.4	805.1	0.0 0.0
0.0		Min	-2.8	-17.3	-24.5	0.0 0.0
0.0	C3-C4;~2	Max	1.0	40.6	953.3	0.0 0.0
0.0		Min	-2.4	-17.6	-13.1	0.0 0.0
0.0	G1		-1.9	33.3	2228.6	0.0 0.0
0.0	G2		-0.7	12.3	861.3	0.0 0.0
0.0	Q3		0.0	0.0	0.0	0.0 0.0
0.0	Q5_pc		49.9	-861.4	-375.5	0.0 0.0
0.0	Q5_ps		47.4	-817.4	-315.7	0.0 0.0
0.0	INVS LU	Max	72.2	1295.1	7473.7	0.0 0.0
0.0		Min	-75.1	-1246.2	4100.6	0.0 0.0
0.0	INVS LE	Max	48.4	865.3	5535.8	0.0 0.0
0.0		Min	-50.1	-835.5	3097.3	0.0 0.0

SUMMATION OF REACTION FORCES

LC	SUM-FX	SUM-FY	SUM-FZ
-----	-----	-----	-----

MIDAS

PROJECT TITLE :

	Company			Client
	Author			File Name
				PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

G1	0.0	-0.1	7333.8
G2	0.0	-0.0	2825.6
Q3	0.0	0.0	0.0
Q5_pc	-0.0	-1485.6	-0.0
Q5_ps	-0.0	-1407.4	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

REACTION FORCES & MOMENTS LOCAL PRINTOUT.
kN , mm

Unit System :

Node MZ	LC		FX	FY	FZ	MX	MY
2649 0.0 0.0	C1-C2;~1	Max	0.0	0.0	1361.9	0.0	0.0
		Min	0.0	0.0	-160.9	0.0	0.0
0.0	C3-C4;~1	Max	0.0	0.0	1160.4	0.0	0.0
0.0		Min	0.0	0.0	-166.3	0.0	0.0
0.0	C1-C2;~2	Max	0.0	0.0	795.6	0.0	0.0
0.0		Min	0.0	0.0	-90.0	0.0	0.0
0.0	C3-C4;~2	Max	0.0	0.0	665.1	0.0	0.0
0.0		Min	0.0	0.0	-91.6	0.0	0.0
0.0	G1		0.0	0.0	901.1	0.0	0.0
0.0	G2		0.0	0.0	351.2	0.0	0.0
0.0	Q3		0.0	0.0	0.0	0.0	0.0
0.0	Q5_pc		0.0	0.0	132.0	0.0	0.0
0.0	Q5_ps		0.0	0.0	104.5	0.0	0.0
0.0	INVSLU	Max	0.0	0.0	3384.9	0.0	0.0
0.0		Min	0.0	0.0	1084.1	0.0	0.0
0.0	INVSLE	Max	0.0	0.0	2483.7	0.0	0.0
0.0		Min	0.0	0.0	797.0	0.0	0.0
2736 0.0 0.0	C1-C2;~1	Max	0.0	0.0	2075.4	0.0	0.0
		Min	0.0	0.0	-26.7	0.0	0.0
0.0	C3-C4;~1	Max	0.0	0.0	1857.2	0.0	0.0
0.0		Min	0.0	0.0	-31.5	0.0	0.0
0.0	C1-C2;~2	Max	0.0	0.0	1085.7	0.0	0.0
0.0		Min	0.0	0.0	-11.7	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	C3-C4 ; ~2	Max	0.0	0.0	951.3	0.0	0.0
0.0		Min	0.0	0.0	-14.4	0.0	0.0
0.0	G1		0.0	0.0	2321.7	0.0	0.0
0.0	G2		0.0	0.0	875.7	0.0	0.0
0.0	Q3		0.0	0.0	0.0	0.0	0.0
0.0	Q5_pc		0.0	0.0	374.0	0.0	0.0
0.0	Q5_ps		0.0	0.0	312.8	0.0	0.0
0.0	INVS LU	Max	0.0	0.0	7593.4	0.0	0.0
0.0		Min	0.0	0.0	3966.3	0.0	0.0
0.0	INVS LE	Max	0.0	0.0	5607.0	0.0	0.0
0.0		Min	0.0	0.0	2980.0	0.0	0.0
2784	C1-C2 ; ~1	Max	0.0	13.1	763.6	0.0	0.0
0.0		Min	-0.0	-21.8	-216.6	0.0	0.0
0.0	C3-C4 ; ~1	Max	0.0	11.3	975.6	0.0	0.0
0.0		Min	-0.0	-23.3	-134.3	0.0	0.0
0.0	C1-C2 ; ~2	Max	0.0	7.5	440.6	0.0	0.0
0.0		Min	-0.0	-12.4	-117.8	0.0	0.0
0.0	C3-C4 ; ~2	Max	0.0	6.5	578.0	0.0	0.0
0.0		Min	-0.0	-12.9	-69.3	0.0	0.0
0.0	G1		0.0	-14.7	506.6	0.0	0.0
0.0	G2		-0.0	-5.6	210.5	0.0	0.0
0.0	Q3		0.0	0.0	0.0	0.0	0.0
0.0	Q5_pc		-0.0	-298.7	-133.9	0.0	0.0
0.0	Q5_ps		-0.0	-283.1	-105.2	0.0	0.0
0.0	INVS LU	Max	0.0	433.4	2384.2	0.0	0.0
0.0		Min	0.0	-443.6	533.8	0.0	0.0
0.0	INVS LE	Max	0.0	291.1	1756.2	0.0	0.0
0.0		Min	0.0	-295.6	403.3	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

2832	C1-C2;~1	Max	0.0	84.8	1612.8	0.0	0.0
0.0		Min	-0.0	-31.1	-51.4	0.0	0.0
0.0							
	C3-C4;~1	Max	0.0	72.9	1872.9	0.0	0.0
0.0		Min	-0.0	-31.0	-25.1	0.0	0.0
0.0							
	C1-C2;~2	Max	0.0	48.5	805.1	0.0	0.0
0.0		Min	-0.0	-17.3	-24.5	0.0	0.0
0.0							
	C3-C4;~2	Max	0.0	40.7	953.3	0.0	0.0
0.0		Min	-0.0	-17.7	-13.1	0.0	0.0
0.0							
0.0	G1		-0.0	33.4	2228.6	0.0	0.0
0.0	G2		-0.0	12.3	861.3	0.0	0.0
0.0	Q3		0.0	0.0	0.0	0.0	0.0
0.0	Q5_pc		0.0	-862.8	-375.5	0.0	0.0
0.0	Q5_ps		0.0	-818.7	-315.7	0.0	0.0
0.0							
	INVSLU	Max	-0.0	1297.3	7473.7	0.0	0.0
0.0		Min	-0.0	-1248.3	4100.6	0.0	0.0
0.0							
	INVSLE	Max	-0.0	866.7	5535.8	0.0	0.0
0.0		Min	-0.0	-836.9	3097.3	0.0	0.0
0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

PLATE ELEMENT FORCES (LOCAL) DEFAULT PRINTOUT
kN , mm

Unit System :


ELEM	MAT My	SEC Mz	LC	NODE	Fx	Fy	Fz	Mx	
3	2	4	C1-C2;~1	Max	2	0.0	0.0	0.0	0.0
	0.0	0.0			1542	0.0	0.0	0.0	0.0
	0.0	0.0			1615	0.0	0.0	0.0	0.0
	0.0	0.0		13	0.0	0.0	0.0	0.0	0.0
	0.0	0.0							
				Min	2	0.0	0.0	0.0	0.0
	0.0	0.0			1542	0.0	0.0	0.0	0.0
	0.0	0.0			1615	0.0	0.0	0.0	0.0
	0.0	0.0		13	0.0	0.0	0.0	0.0	0.0
	0.0	0.0							
			C3-C4;~1	Max	2	0.0	0.0	0.0	0.0
	0.0	0.0			1542	0.0	0.0	0.0	0.0
	0.0	0.0			1615	0.0	0.0	0.0	0.0
	0.0	0.0		13	0.0	0.0	0.0	0.0	0.0
	0.0	0.0							
				Min	2	0.0	0.0	0.0	0.0
	0.0	0.0			1542	0.0	0.0	0.0	0.0
	0.0	0.0			1615	0.0	0.0	0.0	0.0
	0.0	0.0		13	0.0	0.0	0.0	0.0	0.0
	0.0	0.0							
			C1-C2;~2	Max	2	0.0	0.0	0.0	0.0
	0.0	0.0			1542	0.0	0.0	0.0	0.0
	0.0	0.0			1615	0.0	0.0	0.0	0.0
	0.0	0.0		13	0.0	0.0	0.0	0.0	0.0
	0.0	0.0							
				Min	2	0.0	0.0	0.0	0.0
	0.0	0.0			1542	0.0	0.0	0.0	0.0
	0.0	0.0			1615	0.0	0.0	0.0	0.0
	0.0	0.0		13	0.0	0.0	0.0	0.0	0.0
	0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

		C3-C4 ; ~2	Max	2	0.0	0.0	0.0	0.0
0.0	0.0			1542	0.0	0.0	0.0	0.0
0.0	0.0			1615	0.0	0.0	0.0	0.0
0.0	0.0			13	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	2	0.0	0.0	0.0	0.0
0.0	0.0			1542	0.0	0.0	0.0	0.0
0.0	0.0			1615	0.0	0.0	0.0	0.0
0.0	0.0			13	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		2	125.8	243.9	0.0	18.2
-2.4	-0.0			1542	101.1	14.6	0.0	13.3
1.4	-0.0			1615	-117.3	-128.8	-0.0	-6.9
1.4	0.0			13	-109.7	-129.6	-0.0	-7.0
-1.3	-0.0							
		G2		2	48.0	92.6	0.0	7.2
-0.9	-0.0			1542	39.2	5.3	0.0	5.2
0.6	-0.0			1615	-44.7	-49.2	-0.0	-2.3
0.5	0.0			13	-42.5	-48.7	-0.0	-2.3
-0.3	-0.0							
		Q3		2	0.0	0.0	0.0	0.0
0.0	0.0			1542	0.0	0.0	0.0	0.0
0.0	0.0			1615	0.0	0.0	0.0	0.0
0.0	0.0			13	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		2	42.4	60.0	0.1	9.4
-0.6	0.0			1542	19.0	2.5	0.0	5.3
0.8	-0.0			1615	-36.7	-33.4	-0.0	1.2
0.9	0.0			13	-24.6	-29.1	-0.1	4.0
1.4	0.0							
		Q5_ps		2	35.3	48.7	0.1	9.6
-0.6	0.0			1542	16.3	1.5	0.0	5.2
0.8	-0.0			1615	-30.2	-27.5	-0.0	1.9
0.9	0.0							

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
1.6	0.0			13	-21.5	-22.7	-0.1	5.2
		INVSLE	Max	2	273.1	471.9	0.1	36.8
-2.5	-0.0			1542	224.0	8.8	0.1	25.8
3.2	-0.0			1615	-163.2	-176.3	-0.0	-8.9
3.1	0.0			13	-179.0	-153.6	0.1	-6.0
-0.4	-0.0							
			Min	2	167.1	325.8	-0.1	7.9
-4.1	-0.0			1542	175.0	4.3	0.0	10.2
0.8	-0.0			1615	-253.7	-258.9	-0.1	-14.6
0.3	0.0			13	-243.3	-221.7	-0.1	-21.7
-5.1	-0.0							
		INVSLE	Max	2	197.6	341.3	0.1	25.3
-1.8	-0.0			1542	164.7	5.3	0.1	18.0
2.2	-0.0			1615	-123.8	-132.5	-0.0	-6.8
2.1	0.0			13	-135.3	-113.5	0.1	-5.3
-0.5	-0.0							
			Min	2	127.0	243.9	-0.1	6.1
-2.9	-0.0			1542	132.1	2.2	0.0	7.6
0.6	-0.0			1615	-184.1	-187.5	-0.1	-10.7
0.3	0.0			13	-178.2	-158.9	-0.1	-15.8
-3.7	-0.0							
4	2	4	C1-C2;~1	Max	13	0.0	0.0	0.0
0.0	0.0				1615	0.0	0.0	0.0
0.0	0.0				10413	0.0	0.0	0.0
0.0	0.0				10412	0.0	0.0	0.0
0.0	0.0							
				Min	13	0.0	0.0	0.0
0.0	0.0				1615	0.0	0.0	0.0
0.0	0.0				10413	0.0	0.0	0.0
0.0	0.0				10412	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	13	0.0	0.0	0.0
0.0	0.0				1615	0.0	0.0	0.0
0.0	0.0				10413	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0		10412	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	13	0.0	0.0	0.0	0.0
0.0	0.0		1615	0.0	0.0	0.0	0.0
0.0	0.0		10413	0.0	0.0	0.0	0.0
0.0	0.0		10412	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	13	0.0	0.0	0.0
0.0	0.0		1615	0.0	0.0	0.0	0.0
0.0	0.0		10413	0.0	0.0	0.0	0.0
0.0	0.0		10412	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	13	0.0	0.0	0.0	0.0
0.0	0.0		1615	0.0	0.0	0.0	0.0
0.0	0.0		10413	0.0	0.0	0.0	0.0
0.0	0.0		10412	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	13	0.0	0.0	0.0
0.0	0.0		1615	0.0	0.0	0.0	0.0
0.0	0.0		10413	0.0	0.0	0.0	0.0
0.0	0.0		10412	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	13	0.0	0.0	0.0	0.0
0.0	0.0		1615	0.0	0.0	0.0	0.0
0.0	0.0		10413	0.0	0.0	0.0	0.0
0.0	0.0		10412	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	13	54.7	183.8	0.0	6.1
0.2	-0.0		1615	93.4	-6.3	0.0	6.7
2.6	0.0		10413	-56.9	-141.1	-0.0	-1.7
2.2	0.0		10412	-91.1	-36.0	-0.0	-1.3
0.7	-0.0						
		G2	13	20.9	70.3	0.0	1.9
0.6	-0.0		1615	36.5	-2.8	0.0	2.3
0.9	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.6	0.0		10413	-21.9	-54.3	0.0	-0.5
0.9	-0.0		10412	-35.5	-13.2	-0.0	-0.5
0.0	0.0	Q3	13	0.0	0.0	0.0	0.0
0.0	0.0		1615	0.0	0.0	0.0	0.0
0.0	0.0		10413	0.0	0.0	0.0	0.0
0.0	0.0		10412	0.0	0.0	0.0	0.0
3.2	0.0	Q5_pc	13	9.1	36.6	-0.0	-4.4
1.7	0.0		1615	10.5	7.8	0.0	-1.2
0.7	0.0		10413	-10.4	-27.3	0.0	-1.9
0.3	0.0		10412	-9.2	-17.1	0.0	-3.2
3.6	0.0	Q5_ps	13	5.2	28.6	-0.0	-5.6
1.7	0.0		1615	8.9	7.3	0.0	-1.9
0.6	0.0		10413	-7.0	-21.3	0.0	-1.9
0.3	0.0		10412	-7.0	-14.6	0.0	-3.5
3.7	-0.0	INVSLE Max	13	122.3	357.7	0.1	21.1
4.9	0.0		1615	206.9	-44.4	0.0	14.3
2.6	0.0		10413	-111.4	-219.4	-0.0	2.1
1.3	-0.0		10412	-175.2	14.1	0.0	4.6
-7.1	-0.0	Min	13	105.9	271.9	-0.0	4.4
-0.2	0.0		1615	180.3	-66.2	0.0	8.6
0.7	0.0		10413	-132.4	-283.2	-0.0	-3.7
0.3	-0.0		10412	-196.4	-29.7	-0.1	-5.9
2.0	-0.0	INVSLE Max	13	90.8	260.2	0.1	15.4
3.3	0.0		1615	153.5	-36.3	0.0	10.4
1.7	0.0		10413	-84.2	-164.2	-0.0	1.5
0.7	-0.0		10412	-131.7	12.4	0.0	3.2
-5.2	-0.0	Min	13	79.9	203.0	-0.0	4.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

-0.1	0.0			1615	135.8	-50.8	0.0	6.6
				10413	-98.2	-206.8	-0.0	-2.4
0.5	0.0			10412	-145.8	-16.8	-0.0	-3.9
0.0	-0.0							
5	2	4	C1-C2;~1	Max	17	0.0	0.0	0.0
0.0		0.0			1620	0.0	0.0	0.0
0.0		0.0			1547	0.0	0.0	0.0
0.0		0.0			5	0.0	0.0	0.0
0.0		0.0						
				Min	17	0.0	0.0	0.0
0.0		0.0			1620	0.0	0.0	0.0
0.0		0.0			1547	0.0	0.0	0.0
0.0		0.0			5	0.0	0.0	0.0
0.0		0.0						
			C3-C4;~1	Max	17	0.0	0.0	0.0
0.0		0.0			1620	0.0	0.0	0.0
0.0		0.0			1547	0.0	0.0	0.0
0.0		0.0			5	0.0	0.0	0.0
0.0		0.0						
				Min	17	0.0	0.0	0.0
0.0		0.0			1620	0.0	0.0	0.0
0.0		0.0			1547	0.0	0.0	0.0
0.0		0.0			5	0.0	0.0	0.0
0.0		0.0						
			C1-C2;~2	Max	17	0.0	0.0	0.0
0.0		0.0			1620	0.0	0.0	0.0
0.0		0.0			1547	0.0	0.0	0.0
0.0		0.0			5	0.0	0.0	0.0
0.0		0.0						
				Min	17	0.0	0.0	0.0
0.0		0.0			1620	0.0	0.0	0.0
0.0		0.0			1547	0.0	0.0	0.0
0.0		0.0			5	0.0	0.0	0.0
0.0		0.0						
			C3-C4;~2	Max	17	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		1620	0.0	0.0	0.0	0.0
0.0	0.0		1547	0.0	0.0	0.0	0.0
0.0	0.0		5	0.0	0.0	0.0	0.0
0.0	0.0	Min	17	0.0	0.0	0.0	0.0
0.0	0.0		1620	0.0	0.0	0.0	0.0
0.0	0.0		1547	0.0	0.0	0.0	0.0
0.0	0.0		5	0.0	0.0	0.0	0.0
0.0	0.0						
-0.9	-0.0	G1	17	49.4	34.5	-0.1	-2.0
0.7	0.0		1620	48.1	-2.5	-0.0	0.4
0.1	-0.0		1547	-49.9	-31.4	0.0	-6.3
-1.1	-0.0		5	-47.7	-0.5	0.1	-12.7
0.9	-0.0	G2	17	19.1	17.2	-0.2	-4.0
1.6	0.0		1620	18.6	1.9	-0.0	1.7
1.5	-0.0		1547	-19.4	-15.0	0.1	-15.1
-1.1	-0.0		5	-18.3	-4.0	0.2	-24.5
0.0	0.0	Q3	17	0.0	0.0	0.0	0.0
0.0	0.0		1620	0.0	0.0	0.0	0.0
0.0	0.0		1547	0.0	0.0	0.0	0.0
0.0	0.0		5	0.0	0.0	0.0	0.0
0.1	0.0	Q5_pc	17	-5.5	-0.9	-0.0	-1.7
-0.3	0.0		1620	-4.3	3.9	0.0	-1.4
-0.4	0.0		1547	5.2	-0.5	-0.0	2.0
-0.1	0.0		5	4.5	-2.5	0.0	1.4
0.3	0.0	Q5_ps	17	-6.1	-1.4	-0.0	-2.4
-0.1	0.0		1620	-4.7	3.7	-0.0	-1.5
-0.2	0.0		1547	5.8	0.1	0.0	0.8
-0.1	0.0		5	5.0	-2.4	0.0	-0.5

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


20.3	-0.0	INVSLE	Max	17	48.7	20.8	-0.6	-48.0
				1620	-12.2	17.0	-0.2	-22.0
5.5	0.0			1547	-38.7	-18.0	0.2	-21.0
9.6	-0.0			5	34.7	-8.0	0.5	-36.2
8.5	-0.0							
			Min	17	30.3	16.7	-0.6	-55.1
19.3	-0.0			1620	-26.3	5.8	-0.2	-26.4
5.0	0.0			1547	-56.2	-18.8	0.2	-24.7
8.9	-0.0			5	19.6	-15.2	0.5	-38.8
8.2	-0.0							
		INVSLE	Max	17	31.6	11.8	-0.5	-40.2
16.7	-0.0			1620	-17.6	13.4	-0.1	-19.0
4.3	0.0			1547	-26.2	-10.4	0.2	-15.8
7.7	-0.0			5	34.0	-6.9	0.4	-27.2
7.2	-0.0							
			Min	17	19.3	9.1	-0.5	-45.0
16.0	-0.0			1620	-27.1	6.0	-0.1	-21.9
4.0	0.0			1547	-37.8	-11.0	0.2	-18.3
7.3	-0.0			5	23.9	-11.7	0.4	-28.9
7.0	-0.0							
6	2	4 C1-C2;~1	Max	3	0.0	0.0	0.0	0.0
0.0	0.0			1537	0.0	0.0	0.0	0.0
0.0	0.0			1605	0.0	0.0	0.0	0.0
0.0	0.0			14	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	3	0.0	0.0	0.0	0.0
0.0	0.0			1537	0.0	0.0	0.0	0.0
0.0	0.0			1605	0.0	0.0	0.0	0.0
0.0	0.0			14	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	3	0.0	0.0	0.0	0.0
0.0	0.0			1537	0.0	0.0	0.0	0.0
0.0	0.0			1605	0.0	0.0	0.0	0.0
0.0	0.0			14	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0						
		Min	3	0.0	0.0	0.0	0.0
0.0	0.0		1537	0.0	0.0	0.0	0.0
0.0	0.0		1605	0.0	0.0	0.0	0.0
0.0	0.0		14	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	3	0.0	0.0	0.0
0.0	0.0		1537	0.0	0.0	0.0	0.0
0.0	0.0		1605	0.0	0.0	0.0	0.0
0.0	0.0		14	0.0	0.0	0.0	0.0
0.0	0.0						
			Min	3	0.0	0.0	0.0
0.0	0.0		1537	0.0	0.0	0.0	0.0
0.0	0.0		1605	0.0	0.0	0.0	0.0
0.0	0.0		14	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	3	0.0	0.0	0.0
0.0	0.0		1537	0.0	0.0	0.0	0.0
0.0	0.0		1605	0.0	0.0	0.0	0.0
0.0	0.0		14	0.0	0.0	0.0	0.0
0.0	0.0						
			Min	3	0.0	0.0	0.0
0.0	0.0		1537	0.0	0.0	0.0	0.0
0.0	0.0		1605	0.0	0.0	0.0	0.0
0.0	0.0		14	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	3	113.8	234.7	-0.0	-15.0
2.3	-0.0		1537	97.8	16.1	-0.0	-11.7
-1.2	-0.0		1605	-106.9	-122.5	0.0	7.9
-1.1	0.0		14	-104.7	-128.1	0.0	8.9
2.0	-0.0						
		G2	3	45.1	91.5	-0.0	-5.9
0.9	-0.0		1537	38.5	6.0	-0.0	-4.6
-0.5	-0.0		1605	-42.4	-48.1	0.0	3.0
-0.4	0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.7	-0.0		14	-41.2	-49.4	0.0	3.4
		Q3	3	0.0	0.0	0.0	0.0
0.0	0.0		1537	0.0	0.0	0.0	0.0
0.0	0.0		1605	0.0	0.0	0.0	0.0
0.0	0.0		14	0.0	0.0	0.0	0.0
		Q5_pc	3	-29.3	-42.8	0.3	37.1
-2.1	-0.0		1537	-13.4	-1.7	0.1	17.9
1.8	0.0		1605	24.2	23.2	-0.1	11.4
2.7	0.0		14	18.5	21.3	-0.3	25.0
5.6	-0.0						
		Q5_ps	3	-22.4	-32.2	0.3	34.9
-1.9	-0.0		1537	-10.5	-1.1	0.1	16.4
1.6	-0.0		1605	17.9	17.6	-0.1	11.4
2.6	0.0		14	15.0	15.6	-0.3	24.7
5.4	-0.0						
		INVSLE Max	3	258.9	464.4	0.4	33.2
6.1	-0.0		1537	217.5	11.8	0.1	7.8
0.7	-0.0		1605	-187.3	-198.5	0.1	31.2
2.6	0.0		14	-190.3	-177.8	0.4	54.5
11.9	-0.0						
		Min	3	191.5	367.9	-0.4	-71.4
0.4	-0.0		1537	186.1	8.6	-0.1	-41.4
-4.2	-0.0		1605	-241.0	-251.4	-0.0	-3.0
-5.3	0.0		14	-235.4	-224.6	-0.4	-19.5
-4.4	-0.0						
		INVSLE Max	3	189.6	338.8	0.3	21.4
4.2	-0.0		1537	160.9	7.5	0.0	4.3
0.3	-0.0		1605	-141.2	-148.5	0.1	21.9
1.7	0.0		14	-143.4	-131.1	0.3	37.8
8.2	-0.0						
		Min	3	144.7	274.4	-0.2	-48.4
0.4	-0.0		1537	139.9	5.3	-0.1	-28.5
-2.9	-0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

-3.6	0.0		1605	-177.0	-183.7	-0.0	-0.9
-2.6	-0.0		14	-173.5	-162.3	-0.3	-11.6
7	2	4 C1-C2;~1	Max	14	0.0	0.0	0.0
0.0	0.0			1605	0.0	0.0	0.0
0.0	0.0			10419	0.0	0.0	0.0
0.0	0.0			10418	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	14	0.0	0.0	0.0
0.0	0.0			1605	0.0	0.0	0.0
0.0	0.0			10419	0.0	0.0	0.0
0.0	0.0			10418	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		C3-C4;~1	Max	14	0.0	0.0
0.0	0.0			1605	0.0	0.0	0.0
0.0	0.0			10419	0.0	0.0	0.0
0.0	0.0			10418	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	14	0.0	0.0	0.0
0.0	0.0			1605	0.0	0.0	0.0
0.0	0.0			10419	0.0	0.0	0.0
0.0	0.0			10418	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		C1-C2;~2	Max	14	0.0	0.0
0.0	0.0			1605	0.0	0.0	0.0
0.0	0.0			10419	0.0	0.0	0.0
0.0	0.0			10418	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	14	0.0	0.0	0.0
0.0	0.0			1605	0.0	0.0	0.0
0.0	0.0			10419	0.0	0.0	0.0
0.0	0.0			10418	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		C3-C4;~2	Max	14	0.0	0.0
0.0	0.0			1605	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0		10419	0.0	0.0	0.0	0.0
0.0	0.0		10418	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	14	0.0	0.0	0.0	0.0
0.0	0.0		1605	0.0	0.0	0.0	0.0
0.0	0.0		10419	0.0	0.0	0.0	0.0
0.0	0.0		10418	0.0	0.0	0.0	0.0
0.0	0.0						
1.6	-0.0	G1	14	50.3	177.9	-0.0	-9.1
-2.0	0.0		1605	92.2	-5.9	-0.0	-8.0
-2.0	0.0		10419	-52.6	-136.0	0.0	1.3
-0.2	-0.0		10418	-89.9	-35.7	0.0	0.4
0.2	-0.0	G2	14	20.5	70.2	-0.0	-3.4
-0.7	0.0		1605	36.4	-2.8	-0.0	-3.0
-0.5	0.0		10419	-21.3	-54.0	-0.0	0.3
-0.8	-0.0		10418	-35.6	-13.4	0.0	-0.1
0.0	0.0	Q3	14	0.0	0.0	0.0	0.0
0.0	0.0		1605	0.0	0.0	0.0	0.0
0.0	0.0		10419	0.0	0.0	0.0	0.0
0.0	0.0		10418	0.0	0.0	0.0	0.0
14.4	-0.0	Q5_pc	14	1.5	-15.4	-0.1	-24.7
5.2	0.0		1605	-7.3	-5.8	0.0	-10.7
1.9	0.0		10419	2.0	11.5	0.0	-1.3
4.5	-0.0		10418	3.8	9.6	0.1	-5.1
13.5	-0.0	Q5_ps	14	5.2	-7.9	-0.1	-24.4
5.1	0.0		1605	-5.2	-5.8	0.0	-10.7
2.0	0.0		10419	-1.4	5.8	0.0	-1.6
3.5	-0.0		10418	1.4	7.9	0.1	-5.4

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

			INVSLU	Max	14	128.7	341.7	0.1	17.4
24.6	-0.0				1605	203.6	-46.1	0.0	1.6
6.0	0.0				10419	-124.9	-250.2	0.1	2.2
1.5	0.0				10418	-186.2	-0.2	0.1	6.6
4.6	-0.0								
				Min	14	113.1	314.1	-0.2	-55.6
-16.0	-0.0				1605	188.0	-63.5	-0.1	-30.5
-9.2	0.0				10419	-129.1	-271.0	-0.0	-2.5
-4.5	0.0				10418	-193.1	-24.0	-0.1	-9.6
-6.0	-0.0								
			INVSLE	Max	14	96.0	251.3	0.1	10.0
17.0	-0.0				1605	151.6	-37.5	0.0	0.0
4.0	0.0				10419	-94.0	-186.1	0.0	1.3
1.0	0.0				10418	-139.5	2.4	0.1	4.2
3.2	-0.0								
				Min	14	85.6	232.9	-0.1	-38.7
-10.1	-0.0				1605	141.2	-49.0	-0.0	-21.4
-6.1	0.0				10419	-96.8	-199.9	0.0	-1.8
-3.0	0.0				10418	-144.0	-13.5	-0.0	-6.6
-3.9	-0.0								
8	2	4	C1-C2;~1	Max	18	0.0	0.0	0.0	0.0
0.0	0.0	0.0			1610	0.0	0.0	0.0	0.0
0.0	0.0	0.0			1552	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	18	0.0	0.0	0.0	0.0
0.0	0.0	0.0			1610	0.0	0.0	0.0	0.0
0.0	0.0	0.0			1552	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C3-C4;~1	Max	18	0.0	0.0	0.0	0.0
0.0	0.0	0.0			1610	0.0	0.0	0.0	0.0
0.0	0.0	0.0			1552	0.0	0.0	0.0	0.0
0.0	0.0	0.0			6	0.0	0.0	0.0	0.0
0.0	0.0	0.0							

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

			Min	18	0.0	0.0	0.0	0.0
0.0	0.0			1610	0.0	0.0	0.0	0.0
0.0	0.0			1552	0.0	0.0	0.0	0.0
0.0	0.0			6	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	18	0.0	0.0	0.0	0.0
0.0	0.0			1610	0.0	0.0	0.0	0.0
0.0	0.0			1552	0.0	0.0	0.0	0.0
0.0	0.0			6	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	18	0.0	0.0	0.0	0.0
0.0	0.0			1610	0.0	0.0	0.0	0.0
0.0	0.0			1552	0.0	0.0	0.0	0.0
0.0	0.0			6	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	18	0.0	0.0	0.0	0.0
0.0	0.0			1610	0.0	0.0	0.0	0.0
0.0	0.0			1552	0.0	0.0	0.0	0.0
0.0	0.0			6	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	18	0.0	0.0	0.0	0.0
0.0	0.0			1610	0.0	0.0	0.0	0.0
0.0	0.0			1552	0.0	0.0	0.0	0.0
0.0	0.0			6	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		18	50.0	34.7	0.1	1.7
0.9	-0.0			1610	48.6	-2.8	0.0	-0.6
-0.8	0.0			1552	-50.4	-31.5	-0.0	6.6
-0.2	-0.0			6	-48.2	-0.3	-0.1	12.9
1.1	-0.0							
		G2		18	19.6	17.6	0.2	3.8
-0.9	-0.0			1610	19.1	1.9	0.0	-1.8
-1.6	0.0			1552	-20.0	-15.3	-0.1	15.4
-1.6	-0.0			6	-18.8	-4.1	-0.2	24.9
1.2	-0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0	Q3	18	0.0	0.0	0.0	0.0
0.0	0.0		1610	0.0	0.0	0.0	0.0
0.0	0.0		1552	0.0	0.0	0.0	0.0
0.0	0.0		6	0.0	0.0	0.0	0.0
-1.9	-0.0	Q5_pc	18	3.0	6.3	0.2	2.1
-1.6	0.0		1610	1.8	2.9	0.0	-2.9
-2.1	-0.0		1552	-2.9	-4.5	-0.1	15.3
0.4	-0.0		6	-1.8	-4.6	-0.1	21.0
-2.6	-0.0	Q5_ps	18	3.8	9.3	0.2	3.3
-2.2	0.0		1610	2.5	4.8	0.1	-3.9
-2.9	-0.0		1552	-3.9	-7.0	-0.1	21.6
0.7	-0.0		6	-2.4	-7.1	-0.2	30.2
-16.2	-0.0	INVS LU Max	18	44.9	33.2	1.0	58.7
-2.1	0.0		1610	-14.8	19.2	0.3	30.8
-5.0	-0.0		1552	-41.5	-8.6	-0.1	57.2
-7.0	-0.0		6	30.3	-1.3	-0.2	87.1
-23.9	-0.0	Min	18	33.4	5.3	0.3	48.8
-8.7	0.0		1610	-22.2	4.8	0.1	19.1
-13.8	-0.0		1552	-53.1	-29.6	-0.4	-7.7
-9.1	-0.0		6	23.1	-22.6	-0.9	-3.6
-13.9	-0.0	INVS LE Max	18	29.0	20.1	0.7	47.5
-2.1	0.0		1610	-19.3	15.0	0.2	24.9
-4.7	-0.0		1552	-28.0	-4.3	-0.1	40.1
-6.2	-0.0		6	31.0	-2.5	-0.2	61.6
-19.1	-0.0	Min	18	21.3	1.5	0.3	40.9
-6.5	0.0		1610	-24.3	5.3	0.1	17.1
-10.5	-0.0		1552	-35.8	-18.3	-0.3	-3.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

				6	26.2	-16.7	-0.7	1.1
-7.5		-0.0						
65	2	4	C1-C2;~1	Max	37	0.0	0.0	0.0
0.0		0.0			2	0.0	0.0	0.0
0.0		0.0			13	0.0	0.0	0.0
0.0		0.0			41	0.0	0.0	0.0
0.0		0.0						
				Min	37	0.0	0.0	0.0
0.0		0.0			2	0.0	0.0	0.0
0.0		0.0			13	0.0	0.0	0.0
0.0		0.0			41	0.0	0.0	0.0
0.0		0.0						
			C3-C4;~1	Max	37	0.0	0.0	0.0
0.0		0.0			2	0.0	0.0	0.0
0.0		0.0			13	0.0	0.0	0.0
0.0		0.0			41	0.0	0.0	0.0
0.0		0.0						
				Min	37	0.0	0.0	0.0
0.0		0.0			2	0.0	0.0	0.0
0.0		0.0			13	0.0	0.0	0.0
0.0		0.0			41	0.0	0.0	0.0
0.0		0.0						
			C1-C2;~2	Max	37	0.0	0.0	0.0
0.0		0.0			2	0.0	0.0	0.0
0.0		0.0			13	0.0	0.0	0.0
0.0		0.0			41	0.0	0.0	0.0
0.0		0.0						
				Min	37	0.0	0.0	0.0
0.0		0.0			2	0.0	0.0	0.0
0.0		0.0			13	0.0	0.0	0.0
0.0		0.0			41	0.0	0.0	0.0
0.0		0.0						
			C3-C4;~2	Max	37	0.0	0.0	0.0
0.0		0.0			2	0.0	0.0	0.0
0.0		0.0			13	0.0	0.0	0.0

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0			41	0.0	0.0	0.0
0.0	0.0						
			Min	37	0.0	0.0	0.0
0.0	0.0			2	0.0	0.0	0.0
0.0	0.0			13	0.0	0.0	0.0
0.0	0.0			41	0.0	0.0	0.0
0.0	0.0						
			G1	37	-43.4	1.0	0.0
-0.9	-0.0			2	-57.8	206.5	0.1
3.1	-0.0			13	54.0	-162.5	-0.0
2.2	-0.0			41	47.2	-44.7	-0.0
-0.1	0.0						-10.5
			G2	37	-16.4	0.5	0.0
-0.4	-0.0			2	-21.9	78.2	0.0
1.2	-0.0			13	20.4	-61.6	-0.0
0.8	-0.0			41	17.9	-17.1	-0.0
-0.0	0.0						-3.9
			Q3	37	0.0	0.0	0.0
0.0	0.0			2	0.0	0.0	0.0
0.0	0.0			13	0.0	0.0	0.0
0.0	0.0			41	0.0	0.0	0.0
0.0	0.0						
			Q5_pc	37	1.5	0.3	-0.0
0.3	0.0			2	-3.6	40.0	0.1
1.1	0.0			13	-1.6	-39.0	-0.1
0.1	0.0			41	3.7	-1.2	0.0
0.1	0.0						0.1
			Q5_ps	37	2.9	0.2	-0.0
0.3	0.0			2	-1.6	31.2	0.1
1.0	0.0			13	-3.4	-31.8	-0.1
-0.2	0.0			41	2.2	0.3	0.0
0.1	0.0						0.8
			INVSLU Max	37	-48.9	2.0	-0.0
-0.3	-0.0						19.4

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
5.8	-0.0			2	-68.3	362.4	0.1 37.4
4.8	-0.0			13	75.2	-213.8	0.1 -11.1
0.1	0.0			41	58.1	-54.5	0.0 -14.8
			Min	37	-57.6	1.3	-0.0 13.9
-1.2	-0.0			2	-74.8	268.8	-0.1 10.4
2.7	-0.0			13	64.9	-309.0	-0.1 -25.0
4.0	-0.0			41	51.5	-56.7	0.0 -17.2
-0.4	0.0						
			INVSLE Max	37	-34.7	1.4	-0.0 13.6
-0.2	-0.0			2	-48.4	261.1	0.1 25.7
4.1	-0.0			13	53.3	-159.8	0.0 -9.0
3.6	-0.0			41	40.5	-38.6	0.0 -11.0
0.0	0.0						
			Min	37	-40.5	1.0	-0.0 10.0
-0.8	-0.0			2	-52.8	198.7	-0.0 7.7
2.0	-0.0			13	46.4	-223.3	-0.1 -18.3
3.1	-0.0			41	36.1	-40.1	0.0 -12.6
-0.3	0.0						
66	2	4	C1-C2;~1	Max	41	0.0	0.0 0.0
0.0	0.0			13	0.0	0.0	0.0 0.0
0.0	0.0			10412	0.0	0.0	0.0 0.0
0.0	0.0			10436	0.0	0.0	0.0 0.0
0.0	0.0						
			Min	41	0.0	0.0	0.0 0.0
0.0	0.0			13	0.0	0.0	0.0 0.0
0.0	0.0			10412	0.0	0.0	0.0 0.0
0.0	0.0			10436	0.0	0.0	0.0 0.0
0.0	0.0						
			C3-C4;~1	Max	41	0.0	0.0 0.0
0.0	0.0			13	0.0	0.0	0.0 0.0
0.0	0.0			10412	0.0	0.0	0.0 0.0
0.0	0.0			10436	0.0	0.0	0.0 0.0
0.0	0.0						
			Min	41	0.0	0.0	0.0 0.0
0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	0.0		13	0.0	0.0	0.0	0.0
0.0	0.0		10412	0.0	0.0	0.0	0.0
0.0	0.0		10436	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	41	0.0	0.0	0.0
0.0	0.0			13	0.0	0.0	0.0
0.0	0.0			10412	0.0	0.0	0.0
0.0	0.0			10436	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	41	0.0	0.0	0.0
0.0	0.0			13	0.0	0.0	0.0
0.0	0.0			10412	0.0	0.0	0.0
0.0	0.0			10436	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	41	0.0	0.0	0.0
0.0	0.0			13	0.0	0.0	0.0
0.0	0.0			10412	0.0	0.0	0.0
0.0	0.0			10436	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	41	0.0	0.0	0.0
0.0	0.0			13	0.0	0.0	0.0
0.0	0.0			10412	0.0	0.0	0.0
0.0	0.0			10436	0.0	0.0	0.0
0.0	0.0						
0.1	0.0	G1		41	-47.2	44.7	0.0
1.5	-0.0			13	2.1	139.3	0.0
-0.3	-0.0			10412	41.2	-100.4	-0.0
0.1	0.0			10436	4.0	-83.3	-0.0
0.0	0.0						
0.3	-0.0	G2		41	-17.9	17.1	0.0
-0.3	-0.0			13	0.6	53.1	0.0
0.0	0.0			10412	15.7	-38.2	-0.0
0.0	0.0			10436	1.6	-32.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
			Q3	41	0.0	0.0	0.0	0.0
0.0	0.0			13	0.0	0.0	0.0	0.0
0.0	0.0			10412	0.0	0.0	0.0	0.0
0.0	0.0			10436	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	41	-3.7	1.2	-0.0	-0.1
-0.1	0.0			13	-6.1	27.9	-0.0	-3.8
-0.7	0.0			10412	6.4	-19.5	0.0	-3.5
0.6	0.0			10436	3.3	-9.6	0.0	-1.9
-0.0	0.0							
			Q5_ps	41	-2.2	-0.3	-0.0	-0.8
-0.1	0.0			13	-6.6	22.5	-0.0	-5.1
-1.2	0.0			10412	5.4	-15.0	0.0	-3.7
0.4	0.0			10436	3.4	-7.2	0.0	-1.8
-0.0	0.0							
			INVSLE Max	41	-51.5	56.7	-0.0	17.2
0.4	0.0			13	45.9	203.8	0.1	24.3
7.2	-0.0			10412	48.3	-131.1	-0.0	3.7
2.5	-0.0			10436	-16.3	-60.7	-0.0	-0.5
0.1	0.0							
			Min	41	-58.1	54.5	-0.0	14.8
-0.1	0.0			13	26.2	136.2	0.0	9.1
3.6	-0.0			10412	32.1	-176.2	-0.1	-7.5
1.3	-0.0			10436	-26.5	-82.3	-0.0	-6.0
0.0	0.0							
			INVSLE Max	41	-36.1	40.1	-0.0	12.6
0.3	0.0			13	35.9	142.4	0.1	17.8
5.5	-0.0			10412	32.5	-96.9	-0.0	2.4
2.0	-0.0			10436	-14.8	-39.7	-0.0	-0.6
0.1	0.0							
			Min	41	-40.5	38.6	-0.0	11.0
-0.0	0.0			13	22.7	97.3	0.0	7.6
3.1	-0.0			10412	21.8	-126.9	-0.1	-5.1
1.2	-0.0			10436	-21.5	-54.1	-0.0	-4.2
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


67	2	4	C1-C2;~1	Max	43	0.0	0.0	0.0	0.0
0.0		0.0			17	0.0	0.0	0.0	0.0
0.0		0.0			5	0.0	0.0	0.0	0.0
0.0		0.0			39	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	43	0.0	0.0	0.0	0.0
0.0		0.0			17	0.0	0.0	0.0	0.0
0.0		0.0			5	0.0	0.0	0.0	0.0
0.0		0.0			39	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	43	0.0	0.0	0.0	0.0
0.0		0.0			17	0.0	0.0	0.0	0.0
0.0		0.0			5	0.0	0.0	0.0	0.0
0.0		0.0			39	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	43	0.0	0.0	0.0	0.0
0.0		0.0			17	0.0	0.0	0.0	0.0
0.0		0.0			5	0.0	0.0	0.0	0.0
0.0		0.0			39	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	43	0.0	0.0	0.0	0.0
0.0		0.0			17	0.0	0.0	0.0	0.0
0.0		0.0			5	0.0	0.0	0.0	0.0
0.0		0.0			39	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	43	0.0	0.0	0.0	0.0
0.0		0.0			17	0.0	0.0	0.0	0.0
0.0		0.0			5	0.0	0.0	0.0	0.0
0.0		0.0			39	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	43	0.0	0.0	0.0	0.0
0.0		0.0			17	0.0	0.0	0.0	0.0
0.0		0.0			5	0.0	0.0	0.0	0.0
0.0		0.0			39	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0						
		Min	43	0.0	0.0	0.0	0.0
0.0	0.0		17	0.0	0.0	0.0	0.0
0.0	0.0		5	0.0	0.0	0.0	0.0
0.0	0.0		39	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	43	17.6	12.8	-0.0	2.4
0.3	0.0		17	17.6	10.2	-0.1	-2.7
-2.0	-0.0		5	-18.1	-20.7	0.1	-15.4
0.8	-0.0		39	-17.1	-2.2	0.0	-9.1
-1.2	-0.0						
		G2	43	6.6	5.5	-0.0	4.0
0.3	0.0		17	6.2	7.2	-0.2	-3.6
-1.4	-0.0		5	-6.7	-11.0	0.2	-25.9
1.8	-0.0		39	-6.1	-1.7	0.0	-12.2
-1.0	-0.0						
		Q3	43	0.0	0.0	0.0	0.0
0.0	0.0		17	0.0	0.0	0.0	0.0
0.0	0.0		5	0.0	0.0	0.0	0.0
0.0	0.0		39	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	43	0.5	3.7	0.0	-1.8
0.0	0.0		17	-0.7	2.0	0.0	-1.9
0.2	0.0		5	-0.2	-1.9	-0.0	2.0
0.0	0.0		39	0.5	-3.8	-0.0	3.0
0.5	0.0						
		Q5_ps	43	-0.2	3.2	0.0	-1.8
0.1	0.0		17	-1.5	2.1	-0.0	-2.5
0.2	0.0		5	0.4	-1.6	0.0	0.3
0.1	0.0		39	1.2	-3.7	-0.0	2.7
0.5	0.0						
		INVSLU Max	43	1.2	-136.1	-0.0	-13.5
0.0	0.0		17	-25.5	-62.4	-0.5	-42.1
-5.4	-0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-1.0	-0.0			5	2.0	76.0	0.5	-33.7
-0.1	-0.0			39	27.4	138.5	0.1	-1.0
-0.1	0.0		Min	43	0.4	-145.8	-0.0	-18.9
-6.1	-0.0			17	-29.9	-68.6	-0.6	-49.6
-1.4	-0.0			5	0.7	71.3	0.5	-37.2
-1.6	-0.0			39	23.8	127.3	0.0	-9.2
-0.0	0.0		INVSLE Max	43	-0.8	-116.5	-0.0	-12.3
-4.5	-0.0			17	-23.1	-54.6	-0.4	-35.5
-1.1	-0.0			5	3.3	66.0	0.4	-25.0
-0.1	-0.0			39	23.9	115.8	0.0	0.1
-0.1	0.0		Min	43	-1.3	-122.9	-0.0	-15.9
-4.9	-0.0			17	-26.1	-58.7	-0.4	-40.5
-1.4	-0.0			5	2.5	62.8	0.4	-27.4
-1.1	-0.0			39	21.5	108.3	0.0	-5.4
68	2	4	C1-C2;~1	Max	38	0.0	0.0	0.0
0.0	0.0	0.0			3	0.0	0.0	0.0
0.0	0.0	0.0			14	0.0	0.0	0.0
0.0	0.0	0.0			42	0.0	0.0	0.0
0.0	0.0	0.0		Min	38	0.0	0.0	0.0
0.0	0.0	0.0			3	0.0	0.0	0.0
0.0	0.0	0.0			14	0.0	0.0	0.0
0.0	0.0	0.0			42	0.0	0.0	0.0
0.0	0.0	0.0		Min	38	0.0	0.0	0.0
0.0	0.0	0.0			3	0.0	0.0	0.0
0.0	0.0	0.0			14	0.0	0.0	0.0
0.0	0.0	0.0			42	0.0	0.0	0.0
0.0	0.0	0.0		Min	38	0.0	0.0	0.0
0.0	0.0	0.0			3	0.0	0.0	0.0
0.0	0.0	0.0			14	0.0	0.0	0.0
0.0	0.0	0.0			42	0.0	0.0	0.0
0.0	0.0	0.0		Min	38	0.0	0.0	0.0
0.0	0.0	0.0			3	0.0	0.0	0.0
0.0	0.0	0.0			14	0.0	0.0	0.0
0.0	0.0	0.0			42	0.0	0.0	0.0
0.0	0.0	0.0		Min	38	0.0	0.0	0.0
0.0	0.0	0.0			3	0.0	0.0	0.0
0.0	0.0	0.0			14	0.0	0.0	0.0
0.0	0.0	0.0			42	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		14	0.0	0.0	0.0	0.0
0.0	0.0		42	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2; ~2	Max	38	0.0	0.0	0.0
0.0	0.0			3	0.0	0.0	0.0
0.0	0.0			14	0.0	0.0	0.0
0.0	0.0			42	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	38	0.0	0.0	0.0
0.0	0.0			3	0.0	0.0	0.0
0.0	0.0			14	0.0	0.0	0.0
0.0	0.0			42	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4; ~2	Max	38	0.0	0.0	0.0
0.0	0.0			3	0.0	0.0	0.0
0.0	0.0			14	0.0	0.0	0.0
0.0	0.0			42	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	38	0.0	0.0	0.0
0.0	0.0			3	0.0	0.0	0.0
0.0	0.0			14	0.0	0.0	0.0
0.0	0.0			42	0.0	0.0	0.0
0.0	0.0						
1.0	-0.0	G1		38	-46.7	0.9	-0.0
-2.8	-0.0			3	-60.2	204.5	-0.0
-2.3	-0.0			14	58.0	-158.1	0.0
0.2	0.0			42	49.0	-47.2	0.0
0.4	-0.0	G2		38	-18.1	0.5	-0.0
-1.1	-0.0			3	-23.3	79.3	-0.0
-0.9	-0.0			14	22.5	-61.4	0.0
0.1	0.0			42	19.0	-18.5	0.0
0.0	0.0	Q3		38	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0			3	0.0	0.0	0.0	0.0
0.0	0.0			14	0.0	0.0	0.0	0.0
0.0	0.0			42	0.0	0.0	0.0	0.0
0.3	-0.0	Q5_pc		38	-7.6	-0.2	0.0	10.8
3.1	-0.0			3	-2.9	-25.8	0.3	37.9
-4.1	-0.0			14	9.0	30.4	-0.3	25.3
0.5	0.0			42	1.5	-4.4	-0.0	7.7
0.3	-0.0	Q5_ps		38	-8.7	-0.1	0.0	9.5
2.8	-0.0			3	-4.6	-17.8	0.3	35.5
-4.2	-0.0			14	10.4	23.5	-0.3	25.2
0.5	0.0			42	2.8	-5.6	-0.0	8.1
1.4	-0.0	INVS LU	Max	38	-47.1	1.9	0.1	-2.4
0.2	-0.0			3	-71.7	360.7	0.4	32.5
1.1	-0.0			14	94.4	-238.5	0.4	59.8
1.2	0.0			42	64.3	-53.3	0.0	30.7
0.4	-0.0		Min	38	-73.2	1.6	-0.0	-31.0
-8.3	-0.0			3	-85.5	307.4	-0.4	-74.1
-11.4	-0.0			14	63.0	-309.1	-0.4	-15.8
-0.4	0.0			42	55.7	-70.2	-0.0	6.4
1.0	-0.0	INVS LE	Max	38	-33.9	1.4	0.0	-2.4
-0.1	-0.0			3	-51.2	262.0	0.3	20.9
0.3	-0.0			14	66.7	-177.9	0.3	41.6
0.8	0.0			42	45.0	-38.2	0.0	21.8
0.3	-0.0		Min	38	-51.3	1.2	-0.0	-21.4
-5.8	-0.0			3	-60.4	226.4	-0.3	-50.2
-8.0	-0.0			14	45.8	-225.0	-0.3	-8.8
-0.2	0.0			42	39.3	-49.5	-0.0	5.6

PROJECT TITLE :

MIDAS	Company			Client					
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				

69	2	4	C1-C2;~1	Max	42	0.0	0.0	0.0	0.0
0.0		0.0			14	0.0	0.0	0.0	0.0
0.0		0.0			10418	0.0	0.0	0.0	0.0
0.0		0.0			10439	0.0	0.0	0.0	0.0
0.0		0.0		Min	42	0.0	0.0	0.0	0.0
0.0		0.0			14	0.0	0.0	0.0	0.0
0.0		0.0			10418	0.0	0.0	0.0	0.0
0.0		0.0			10439	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	42	0.0	0.0	0.0	0.0
0.0		0.0			14	0.0	0.0	0.0	0.0
0.0		0.0			10418	0.0	0.0	0.0	0.0
0.0		0.0			10439	0.0	0.0	0.0	0.0
0.0		0.0		Min	42	0.0	0.0	0.0	0.0
0.0		0.0			14	0.0	0.0	0.0	0.0
0.0		0.0			10418	0.0	0.0	0.0	0.0
0.0		0.0			10439	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	42	0.0	0.0	0.0	0.0
0.0		0.0			14	0.0	0.0	0.0	0.0
0.0		0.0			10418	0.0	0.0	0.0	0.0
0.0		0.0			10439	0.0	0.0	0.0	0.0
0.0		0.0		Min	42	0.0	0.0	0.0	0.0
0.0		0.0			14	0.0	0.0	0.0	0.0
0.0		0.0			10418	0.0	0.0	0.0	0.0
0.0		0.0			10439	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	42	0.0	0.0	0.0	0.0
0.0		0.0			14	0.0	0.0	0.0	0.0
0.0		0.0			10418	0.0	0.0	0.0	0.0
0.0		0.0			10439	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
			Min	42	0.0	0.0	0.0	0.0
0.0	0.0			14	0.0	0.0	0.0	0.0
0.0	0.0			10418	0.0	0.0	0.0	0.0
0.0	0.0			10439	0.0	0.0	0.0	0.0
			G1	42	-49.0	47.2	-0.0	-11.3
-0.2	0.0			14	4.0	138.3	-0.0	-11.7
-2.4	-0.0			10418	41.8	-99.5	0.0	0.3
0.2	-0.0			10439	3.2	-85.6	0.0	1.7
-0.1	0.0							
			G2	42	-19.0	18.5	-0.0	-4.5
-0.1	0.0			14	1.6	53.9	-0.0	-4.6
-0.9	-0.0			10418	16.2	-39.0	0.0	-0.0
0.2	-0.0			10439	1.3	-33.4	0.0	0.4
-0.0	0.0							
			Q3	42	0.0	0.0	0.0	0.0
0.0	0.0			14	0.0	0.0	0.0	0.0
0.0	0.0			10418	0.0	0.0	0.0	0.0
0.0	0.0			10439	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	42	-1.5	4.4	0.0	-7.7
-0.5	0.0			14	6.3	-11.1	-0.1	-25.2
-11.9	-0.0			10418	-2.2	7.1	0.1	-3.7
-4.8	-0.0			10439	-2.6	-0.3	-0.0	1.9
-0.3	0.0							
			Q5_ps	42	-2.8	5.6	0.0	-8.1
-0.5	0.0			14	6.6	-6.5	-0.1	-25.1
-11.6	-0.0			10418	-1.2	3.3	0.1	-3.9
-4.5	-0.0			10439	-2.5	-2.4	-0.0	1.7
-0.2	0.0							
			INVSLU Max	42	-55.7	70.2	0.0	-6.4
0.4	0.0			14	50.0	190.3	0.1	14.3
9.7	-0.0			10418	44.6	-156.5	0.2	5.8
4.4	-0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


0.2	0.0			10439	-18.9	-75.0	0.0	5.5
-1.2	0.0	Min		42	-64.3	53.3	-0.0	-30.7
-25.2	-0.0			14	30.1	170.2	-0.2	-61.0
-9.2	-0.0			10418	40.7	-169.2	-0.0	-5.8
-0.5	0.0			10439	-26.5	-82.2	0.0	0.5
0.2	0.0	INVSLE	Max	42	-39.3	49.5	0.0	-5.6
5.6	-0.0			14	38.9	134.5	0.0	7.6
2.6	-0.0			10418	30.3	-114.8	0.1	3.8
0.2	0.0			10439	-16.5	-49.8	0.0	3.9
-0.8	0.0	Min		42	-45.0	38.2	-0.0	-21.8
-17.6	-0.0			14	25.6	121.1	-0.2	-42.6
-6.5	-0.0			10418	27.7	-123.3	-0.0	-3.9
-0.3	0.0			10439	-21.6	-54.6	0.0	0.5
70	2	4	C1-C2;~1	Max	44	0.0	0.0	0.0
0.0	0.0			18	0.0	0.0	0.0	0.0
0.0	0.0			6	0.0	0.0	0.0	0.0
0.0	0.0			40	0.0	0.0	0.0	0.0
0.0	0.0	Min		44	0.0	0.0	0.0	0.0
0.0	0.0			18	0.0	0.0	0.0	0.0
0.0	0.0			6	0.0	0.0	0.0	0.0
0.0	0.0			40	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~1	Max	44	0.0	0.0	0.0	0.0
0.0	0.0			18	0.0	0.0	0.0	0.0
0.0	0.0			6	0.0	0.0	0.0	0.0
0.0	0.0			40	0.0	0.0	0.0	0.0
0.0	0.0	Min		44	0.0	0.0	0.0	0.0
0.0	0.0			18	0.0	0.0	0.0	0.0
0.0	0.0			6	0.0	0.0	0.0	0.0
0.0	0.0			40	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0		40	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2	Max	44	0.0	0.0	0.0
0.0	0.0			18	0.0	0.0	0.0
0.0	0.0			6	0.0	0.0	0.0
0.0	0.0			40	0.0	0.0	0.0
0.0	0.0		Min	44	0.0	0.0	0.0
0.0	0.0			18	0.0	0.0	0.0
0.0	0.0			6	0.0	0.0	0.0
0.0	0.0			40	0.0	0.0	0.0
0.0	0.0			40	0.0	0.0	0.0
0.0	0.0	C3-C4;~2	Max	44	0.0	0.0	0.0
0.0	0.0			18	0.0	0.0	0.0
0.0	0.0			6	0.0	0.0	0.0
0.0	0.0			40	0.0	0.0	0.0
0.0	0.0		Min	44	0.0	0.0	0.0
0.0	0.0			18	0.0	0.0	0.0
0.0	0.0			6	0.0	0.0	0.0
0.0	0.0			40	0.0	0.0	0.0
0.0	0.0			40	0.0	0.0	0.0
-0.3	0.0	G1		44	17.9	13.6	0.0
2.0	-0.0			18	18.0	10.4	0.1
-0.8	-0.0			6	-18.5	-21.1	-0.1
1.2	-0.0			40	-17.5	-2.7	-0.0
-0.4	0.0	G2		44	6.8	5.9	0.0
1.4	-0.0			18	6.5	7.4	0.2
-1.9	-0.0			6	-7.0	-11.4	-0.2
1.0	-0.0			40	-6.3	-1.9	-0.0
0.0	0.0	Q3		44	0.0	0.0	0.0
0.0	0.0			18	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0			6	0.0	0.0	0.0	0.0
0.0	0.0			40	0.0	0.0	0.0	0.0
-0.2	0.0	Q5_pc		44	0.2	2.0	0.0	-3.5
0.4	-0.0			18	0.6	4.7	0.1	1.3
-1.5	-0.0			6	-0.3	-4.9	-0.1	20.2
0.5	-0.0			40	-0.4	-1.8	-0.0	8.6
-0.3	0.0	Q5_ps		44	0.5	2.9	0.0	-4.8
0.6	-0.0			18	0.8	6.9	0.2	2.3
-2.3	-0.0			6	-0.6	-7.3	-0.2	29.1
0.7	-0.0			40	-0.7	-2.5	-0.0	12.2
0.4	0.0	INVS LU	Max	44	2.1	-136.2	0.1	23.9
6.9	-0.0			18	-26.8	-54.6	0.9	51.6
4.2	-0.0			6	2.0	83.9	-0.3	83.4
1.8	-0.0			40	26.8	136.5	-0.0	24.1
-0.5	0.0		Min	44	0.5	-145.0	0.0	9.4
5.1	-0.0			18	-29.3	-75.2	0.3	44.6
-2.6	-0.0			6	0.1	62.1	-0.9	-4.0
-0.1	-0.0			40	24.6	128.9	-0.1	-12.3
0.3	0.0	INVS LE	Max	44	-0.2	-116.5	0.1	19.3
5.4	-0.0			18	-24.0	-49.4	0.6	42.0
3.2	-0.0			6	3.3	71.2	-0.2	58.6
1.2	-0.0			40	23.5	114.4	-0.0	15.4
-0.3	0.0		Min	44	-1.2	-122.4	0.0	9.6
4.3	-0.0			18	-25.7	-63.1	0.3	37.3
-1.3	-0.0			6	2.1	56.7	-0.6	0.3
-0.1	-0.0			40	22.1	109.3	-0.1	-8.9
253	2	10 C1-C2;~1	Max	112	0.0	0.0	0.0	0.0
0.0		0.0						

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	0.0		1578	0.0	0.0	0.0	0.0
0.0	0.0		1727	0.0	0.0	0.0	0.0
0.0	0.0		117	0.0	0.0	0.0	0.0
0.0	0.0	Min	112	0.0	0.0	0.0	0.0
0.0	0.0		1578	0.0	0.0	0.0	0.0
0.0	0.0		1727	0.0	0.0	0.0	0.0
0.0	0.0		117	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	112	0.0	0.0	0.0	0.0
0.0	0.0		1578	0.0	0.0	0.0	0.0
0.0	0.0		1727	0.0	0.0	0.0	0.0
0.0	0.0		117	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	112	0.0	0.0	0.0	0.0
0.0	0.0		1578	0.0	0.0	0.0	0.0
0.0	0.0		1727	0.0	0.0	0.0	0.0
0.0	0.0		117	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	112	0.0	0.0	0.0	0.0
0.0	0.0		1578	0.0	0.0	0.0	0.0
0.0	0.0		1727	0.0	0.0	0.0	0.0
0.0	0.0		117	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	112	0.0	0.0	0.0	0.0
0.0	0.0		1578	0.0	0.0	0.0	0.0
0.0	0.0		1727	0.0	0.0	0.0	0.0
0.0	0.0		117	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	112	0.0	0.0	0.0	0.0
0.0	0.0		1578	0.0	0.0	0.0	0.0
0.0	0.0		1727	0.0	0.0	0.0	0.0
0.0	0.0		117	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	112	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
				1578	0.0	0.0	0.0	0.0
0.0	0.0			1727	0.0	0.0	0.0	0.0
0.0	0.0			117	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		112	-50.4	12.8	0.0	2.4
-0.4	-0.0			1578	98.7	-11.7	0.0	2.4
0.4	-0.0			1727	49.6	-13.3	-0.0	-2.1
0.3	0.0			117	-97.9	12.4	-0.0	-2.1
-0.4	0.0							
		G2		112	-19.9	5.1	-0.0	0.2
-0.0	-0.0			1578	38.3	-4.3	-0.0	0.2
0.0	-0.0			1727	19.5	-5.3	0.0	-0.4
0.1	0.0			117	-37.9	4.5	0.0	-0.4
-0.1	0.0							
		Q3		112	0.0	0.0	0.0	0.0
0.0	0.0			1578	0.0	0.0	0.0	0.0
0.0	0.0			1727	0.0	0.0	0.0	0.0
0.0	0.0			117	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		112	0.4	0.3	-0.0	-0.3
0.1	0.0			1578	0.9	-0.4	-0.0	-0.3
-0.1	0.0			1727	-0.4	-0.3	0.0	0.2
-0.0	0.0			117	-1.0	0.4	-0.0	0.2
0.1	0.0							
		Q5_ps		112	0.0	0.1	-0.0	-0.5
0.1	0.0			1578	0.5	-0.2	-0.0	-0.5
-0.1	0.0			1727	0.0	-0.1	0.0	0.3
-0.1	0.0			117	-0.5	0.2	0.0	0.3
0.1	0.0							
		INVSLU	Max	112	-114.5	22.4	0.0	1.9
0.0	-0.0			1578	195.2	-18.1	0.0	2.2
0.4	-0.0			1727	106.2	-22.5	-0.0	-0.1
0.4	0.0			117	-184.5	19.7	-0.0	0.2
-0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


			Min	112	-115.2	21.8	0.0	0.4
-0.3	-0.0			1578	193.5	-18.8	0.0	0.8
0.1	-0.0			1727	105.5	-23.1	-0.0	-1.0
0.2	0.0			117	-186.2	19.0	-0.0	-0.7
-0.3	0.0							
		INVSLE	Max	112	-85.5	16.3	0.0	1.2
0.0	-0.0			1578	144.0	-13.1	0.0	1.5
0.3	-0.0			1727	79.0	-16.4	-0.0	0.1
0.3	0.0			117	-135.9	14.2	-0.0	0.4
0.0	0.0							
			Min	112	-86.0	15.9	0.0	0.2
-0.2	-0.0			1578	142.9	-13.6	0.0	0.5
0.1	-0.0			1727	78.6	-16.8	-0.0	-0.5
0.1	0.0			117	-137.1	13.8	-0.0	-0.2
-0.2	0.0							
254	2	10	C1-C2;~1	Max	117	0.0	0.0	0.0
0.0		0.0			1727	0.0	0.0	0.0
0.0		0.0			10479	0.0	0.0	0.0
0.0		0.0			10478	0.0	0.0	0.0
0.0		0.0						
			Min	117	0.0	0.0	0.0	0.0
0.0		0.0			1727	0.0	0.0	0.0
0.0		0.0			10479	0.0	0.0	0.0
0.0		0.0			10478	0.0	0.0	0.0
0.0		0.0						
			C3-C4;~1	Max	117	0.0	0.0	0.0
0.0		0.0			1727	0.0	0.0	0.0
0.0		0.0			10479	0.0	0.0	0.0
0.0		0.0			10478	0.0	0.0	0.0
0.0		0.0						
			Min	117	0.0	0.0	0.0	0.0
0.0		0.0			1727	0.0	0.0	0.0
0.0		0.0			10479	0.0	0.0	0.0
0.0		0.0			10478	0.0	0.0	0.0
0.0		0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

		C1-C2;~2	Max	117	0.0	0.0	0.0	0.0
0.0	0.0			1727	0.0	0.0	0.0	0.0
0.0	0.0			10479	0.0	0.0	0.0	0.0
0.0	0.0			10478	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	117	0.0	0.0	0.0	0.0
0.0	0.0			1727	0.0	0.0	0.0	0.0
0.0	0.0			10479	0.0	0.0	0.0	0.0
0.0	0.0			10478	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	117	0.0	0.0	0.0	0.0
0.0	0.0			1727	0.0	0.0	0.0	0.0
0.0	0.0			10479	0.0	0.0	0.0	0.0
0.0	0.0			10478	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	117	0.0	0.0	0.0	0.0
0.0	0.0			1727	0.0	0.0	0.0	0.0
0.0	0.0			10479	0.0	0.0	0.0	0.0
0.0	0.0			10478	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		117	-110.9	21.4	0.0	2.1
-0.6	0.0			1727	152.2	-19.7	0.0	2.1
0.5	0.0			10479	98.2	-22.7	-0.0	-1.5
0.4	0.0			10478	-139.5	21.3	-0.0	-1.4
-0.5	0.0							
		G2		117	-43.3	8.4	-0.0	0.4
-0.3	0.0			1727	59.0	-7.1	-0.0	0.5
0.2	0.0			10479	38.3	-9.0	0.0	-0.8
0.3	0.0			10478	-54.0	7.7	0.0	-0.8
-0.4	0.0							
		Q3		117	0.0	0.0	0.0	0.0
0.0	0.0			1727	0.0	0.0	0.0	0.0
0.0	0.0			10479	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0			10478	0.0	0.0	0.0	0.0
		Q5_pc		117	-0.2	0.7	-0.0	-0.2
0.1	0.0			1727	1.7	-0.8	-0.0	-0.1
-0.1	0.0			10479	0.4	-0.7	0.0	-0.1
-0.0	0.0			10478	-2.0	0.9	0.0	-0.1
0.0	0.0							
		Q5_ps		117	-0.7	0.2	-0.0	-0.3
0.1	0.0			1727	1.2	-0.4	-0.0	-0.3
-0.0	0.0			10479	0.9	-0.2	0.0	-0.1
0.0	0.0			10478	-1.4	0.4	0.0	-0.1
-0.0	0.0							
		INVSLE	Max	117	-184.0	33.1	0.0	0.7
-0.2	0.0			1727	245.1	-24.7	0.0	0.9
0.4	0.0			10479	130.4	-33.7	-0.0	2.9
0.5	0.0			10478	-185.3	28.5	-0.0	3.0
-0.5	0.0							
			Min	117	-186.0	31.8	0.0	-0.2
-0.5	0.0			1727	241.5	-26.2	0.0	0.0
0.2	0.0			10479	127.8	-35.0	-0.0	2.6
0.4	0.0			10478	-189.6	27.0	-0.0	2.7
-0.5	0.0							
		INVSLE	Max	117	-135.1	23.7	0.0	0.2
-0.1	0.0			1727	178.7	-17.6	0.0	0.4
0.2	0.0			10479	94.2	-24.2	-0.0	2.6
0.3	0.0			10478	-133.5	20.3	-0.0	2.7
-0.3	0.0							
			Min	117	-136.4	22.9	0.0	-0.4
-0.3	0.0			1727	176.3	-18.6	0.0	-0.2
0.1	0.0			10479	92.4	-25.1	-0.0	2.4
0.3	0.0			10478	-136.4	19.2	-0.0	2.5
-0.3	0.0							
255	2	10	C1-C2;~1	Max	118	0.0	0.0	0.0
0.0	0.0				1730	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	0.0		1581	0.0	0.0	0.0	0.0
0.0	0.0		113	0.0	0.0	0.0	0.0
0.0	0.0		118	0.0	0.0	0.0	0.0
0.0	0.0	Min	1730	0.0	0.0	0.0	0.0
0.0	0.0		1581	0.0	0.0	0.0	0.0
0.0	0.0		113	0.0	0.0	0.0	0.0
0.0	0.0		118	0.0	0.0	0.0	0.0
0.0	0.0		1730	0.0	0.0	0.0	0.0
0.0	0.0		1581	0.0	0.0	0.0	0.0
0.0	0.0		113	0.0	0.0	0.0	0.0
0.0	0.0		118	0.0	0.0	0.0	0.0
0.0	0.0		1730	0.0	0.0	0.0	0.0
0.0	0.0		1581	0.0	0.0	0.0	0.0
0.0	0.0		113	0.0	0.0	0.0	0.0
0.0	0.0		118	0.0	0.0	0.0	0.0
0.0	0.0		1730	0.0	0.0	0.0	0.0
0.0	0.0		1581	0.0	0.0	0.0	0.0
0.0	0.0		113	0.0	0.0	0.0	0.0
0.0	0.0		118	0.0	0.0	0.0	0.0
0.0	0.0		1730	0.0	0.0	0.0	0.0
0.0	0.0		1581	0.0	0.0	0.0	0.0
0.0	0.0		113	0.0	0.0	0.0	0.0
0.0	0.0		118	0.0	0.0	0.0	0.0
0.0	0.0		1730	0.0	0.0	0.0	0.0
0.0	0.0		1581	0.0	0.0	0.0	0.0
0.0	0.0		113	0.0	0.0	0.0	0.0
0.0	0.0		118	0.0	0.0	0.0	0.0
0.0	0.0		1730	0.0	0.0	0.0	0.0
0.0	0.0		1581	0.0	0.0	0.0	0.0
0.0	0.0		113	0.0	0.0	0.0	0.0
0.0	0.0		118	0.0	0.0	0.0	0.0
0.0	0.0		1730	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		1581	0.0	0.0	0.0	0.0
0.0	0.0		113	0.0	0.0	0.0	0.0
0.2	0.0	G1	118	28.5	16.7	0.0	-1.3
-0.2	0.0		1730	17.5	-0.5	0.0	-1.3
-0.2	-0.0		1581	-30.0	-16.1	-0.0	1.6
0.2	-0.0		113	-16.0	-0.1	-0.0	1.6
-0.3	0.0	G2	118	10.9	7.1	-0.0	2.3
0.3	0.0		1730	6.5	0.5	-0.0	2.4
0.3	-0.0		1581	-11.5	-6.8	0.0	-2.4
-0.3	-0.0		113	-5.9	-0.8	0.0	-2.4
0.0	0.0	Q3	118	0.0	0.0	0.0	0.0
0.0	0.0		1730	0.0	0.0	0.0	0.0
0.0	0.0		1581	0.0	0.0	0.0	0.0
0.0	0.0		113	0.0	0.0	0.0	0.0
-0.1	0.0	Q5_pc	118	-0.3	0.1	-0.0	1.0
0.1	0.0		1730	2.5	-0.7	-0.0	1.0
0.1	0.0		1581	0.4	-0.1	0.0	-1.0
-0.1	0.0		113	-2.5	0.7	0.0	-1.0
-0.2	0.0	Q5_ps	118	-1.1	-0.3	-0.0	1.7
0.2	0.0		1730	1.8	-0.6	-0.0	1.7
0.2	0.0		1581	1.1	0.3	0.0	-1.8
-0.2	0.0		113	-1.8	0.6	0.0	-1.8
0.8	0.0	INVSLU Max	118	182.0	31.1	0.0	-4.1
0.3	0.0		1730	-114.3	6.6	0.0	-2.7
-0.1	-0.0		1581	-183.8	-28.0	-0.0	9.5
0.9	-0.0		113	124.8	-6.9	-0.0	9.2
		Min	118	178.8	30.2	0.0	-9.1

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
		C1-C2; ~2	Max	111	0.0	0.0	0.0	0.0
0.0	0.0			1575	0.0	0.0	0.0	0.0
0.0	0.0			1721	0.0	0.0	0.0	0.0
0.0	0.0			115	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	111	0.0	0.0	0.0	0.0
0.0	0.0			1575	0.0	0.0	0.0	0.0
0.0	0.0			1721	0.0	0.0	0.0	0.0
0.0	0.0			115	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4; ~2	Max	111	0.0	0.0	0.0	0.0
0.0	0.0			1575	0.0	0.0	0.0	0.0
0.0	0.0			1721	0.0	0.0	0.0	0.0
0.0	0.0			115	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	111	0.0	0.0	0.0	0.0
0.0	0.0			1575	0.0	0.0	0.0	0.0
0.0	0.0			1721	0.0	0.0	0.0	0.0
0.0	0.0			115	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	111	-51.3	12.6	-0.0	-2.3
0.4	-0.0			1575	99.0	-11.6	-0.0	-2.4
-0.4	-0.0			1721	50.5	-13.2	0.0	2.1
-0.3	0.0			115	-98.2	12.2	0.0	2.1
0.4	0.0							
			G2	111	-20.1	5.1	0.0	-0.1
0.0	-0.0			1575	38.6	-4.3	0.0	-0.1
-0.0	-0.0			1721	19.7	-5.4	-0.0	0.4
-0.1	0.0			115	-38.3	4.5	-0.0	0.4
0.1	0.0							
			Q3	111	0.0	0.0	0.0	0.0
0.0	0.0			1575	0.0	0.0	0.0	0.0
0.0	0.0			1721	0.0	0.0	0.0	0.0
0.0	0.0			115	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

-0.2	-0.0	Q5_pc	111	0.3	-0.2	0.0	1.6
0.2	-0.0		1575	-1.4	0.3	0.0	1.5
0.1	0.0		1721	-0.4	0.2	-0.0	-0.9
-0.1	0.0		115	1.5	-0.3	-0.0	-0.9
-0.3	-0.0	Q5_ps	111	0.5	0.0	0.0	2.1
0.2	-0.0		1575	-0.7	0.2	0.0	2.1
0.1	0.0		1721	-0.6	-0.0	-0.0	-1.1
-0.2	0.0		115	0.8	-0.1	-0.0	-1.2
0.5	-0.0	INVS LU Max	111	-112.9	23.1	0.0	2.2
0.1	-0.0		1575	197.3	-18.8	-0.0	1.7
-0.1	0.0		1721	105.5	-23.4	0.0	2.2
0.4	0.0		115	-185.7	20.4	0.0	1.9
-0.3	-0.0	Min	111	-114.3	22.7	-0.0	-4.2
-0.6	-0.0		1575	194.8	-19.4	-0.0	-4.5
-0.5	0.0		1721	103.7	-23.8	0.0	-1.3
-0.1	0.0		115	-188.4	19.8	-0.0	-1.6
0.3	-0.0	INVS LE Max	111	-84.3	16.8	0.0	1.5
0.1	-0.0		1575	145.6	-13.7	-0.0	1.2
-0.0	0.0		1721	78.4	-17.1	0.0	1.2
0.3	0.0		115	-136.9	14.8	0.0	1.0
-0.2	-0.0	Min	111	-85.2	16.5	-0.0	-2.7
-0.4	-0.0		1575	143.9	-14.1	-0.0	-2.9
-0.3	0.0		1721	77.2	-17.4	0.0	-1.0
-0.1	0.0		115	-138.7	14.4	-0.0	-1.3
257	2	10 C1-C2; ~1 Max	115	0.0	0.0	0.0	0.0
0.0	0.0		1721	0.0	0.0	0.0	0.0
0.0	0.0		10485	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		10484	0.0	0.0	0.0	0.0
0.0	0.0	Min	115	0.0	0.0	0.0	0.0
0.0	0.0		1721	0.0	0.0	0.0	0.0
0.0	0.0		10485	0.0	0.0	0.0	0.0
0.0	0.0		10484	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max 115	0.0	0.0	0.0	0.0
0.0	0.0		1721	0.0	0.0	0.0	0.0
0.0	0.0		10485	0.0	0.0	0.0	0.0
0.0	0.0		10484	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	115	0.0	0.0	0.0	0.0
0.0	0.0		1721	0.0	0.0	0.0	0.0
0.0	0.0		10485	0.0	0.0	0.0	0.0
0.0	0.0		10484	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max 115	0.0	0.0	0.0	0.0
0.0	0.0		1721	0.0	0.0	0.0	0.0
0.0	0.0		10485	0.0	0.0	0.0	0.0
0.0	0.0		10484	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	115	0.0	0.0	0.0	0.0
0.0	0.0		1721	0.0	0.0	0.0	0.0
0.0	0.0		10485	0.0	0.0	0.0	0.0
0.0	0.0		10484	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max 115	0.0	0.0	0.0	0.0
0.0	0.0		1721	0.0	0.0	0.0	0.0
0.0	0.0		10485	0.0	0.0	0.0	0.0
0.0	0.0		10484	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	115	0.0	0.0	0.0	0.0
0.0	0.0		1721	0.0	0.0	0.0	0.0
0.0	0.0		10485	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		10484	0.0	0.0	0.0	0.0
		G1	115	-112.5	21.0	-0.0	-2.1
0.6	0.0		1721	153.0	-19.3	-0.0	-2.1
-0.5	0.0		10485	99.8	-22.3	0.0	1.5
-0.4	0.0		10484	-140.3	20.8	0.0	1.4
0.5	0.0						
		G2	115	-43.8	8.5	0.0	-0.4
0.3	0.0		1721	59.5	-7.2	0.0	-0.4
-0.2	0.0		10485	38.8	-9.0	-0.0	0.8
-0.3	0.0		10484	-54.5	7.7	-0.0	0.8
0.4	0.0						
		Q3	115	0.0	0.0	0.0	0.0
0.0	0.0		1721	0.0	0.0	0.0	0.0
0.0	0.0		10485	0.0	0.0	0.0	0.0
0.0	0.0		10484	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	115	1.8	-0.4	0.0	0.9
0.1	0.0		1721	-2.9	0.8	0.0	0.9
-0.1	0.0		10485	-2.0	0.4	-0.0	0.3
-0.3	0.0		10484	3.1	-0.7	-0.0	0.3
0.4	0.0						
		Q5_ps	115	1.9	0.2	0.0	1.2
0.1	0.0		1721	-2.0	0.3	0.0	1.1
-0.1	0.0		10485	-2.2	-0.2	-0.0	0.5
-0.4	0.0		10484	2.3	-0.3	-0.0	0.5
0.5	0.0						
		INVSLU Max	115	-180.6	34.7	0.0	1.6
0.4	0.0		1721	248.4	-26.5	-0.0	1.3
-0.2	0.0		10485	130.9	-35.9	0.0	-2.0
0.2	0.0		10484	-185.8	30.2	0.0	-2.0
1.3	0.0						
		Min	115	-186.4	34.0	-0.0	-1.9
0.2	0.0		1721	242.3	-27.9	-0.0	-2.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


-0.4	0.0			10485	124.1	-36.7	0.0	-3.5
-1.1	0.0			10484	-192.8	28.9	-0.0	-3.6
-0.2	0.0							
		INVSLE	Max	115	-132.6	25.0	0.0	1.3
0.2	0.0			1721	181.0	-19.0	-0.0	1.1
-0.1	0.0			10485	94.2	-25.9	0.0	-2.0
0.1	0.0			10484	-134.1	21.6	0.0	-2.0
0.8	0.0							
			Min	115	-136.5	24.5	-0.0	-1.0
0.1	0.0			1721	177.0	-19.9	-0.0	-1.2
-0.3	0.0			10485	89.7	-26.4	0.0	-3.0
-0.7	0.0			10484	-138.8	20.7	-0.0	-3.1
-0.2	0.0							
258	2	10	C1-C2;~1	Max	116	0.0	0.0	0.0
0.0	0.0	0.0			1724	0.0	0.0	0.0
0.0	0.0	0.0			1584	0.0	0.0	0.0
0.0	0.0	0.0			114	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	116	0.0	0.0	0.0	0.0
0.0	0.0	0.0			1724	0.0	0.0	0.0
0.0	0.0	0.0			1584	0.0	0.0	0.0
0.0	0.0	0.0			114	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	116	0.0	0.0	0.0
0.0	0.0	0.0			1724	0.0	0.0	0.0
0.0	0.0	0.0			1584	0.0	0.0	0.0
0.0	0.0	0.0			114	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	116	0.0	0.0	0.0	0.0
0.0	0.0	0.0			1724	0.0	0.0	0.0
0.0	0.0	0.0			1584	0.0	0.0	0.0
0.0	0.0	0.0			114	0.0	0.0	0.0
0.0	0.0	0.0						
			C1-C2;~2	Max	116	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0		1724	0.0	0.0	0.0	0.0
0.0	0.0		1584	0.0	0.0	0.0	0.0
0.0	0.0		114	0.0	0.0	0.0	0.0
0.0	0.0	Min	116	0.0	0.0	0.0	0.0
0.0	0.0		1724	0.0	0.0	0.0	0.0
0.0	0.0		1584	0.0	0.0	0.0	0.0
0.0	0.0		114	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	116	0.0	0.0	0.0	0.0
0.0	0.0		1724	0.0	0.0	0.0	0.0
0.0	0.0		1584	0.0	0.0	0.0	0.0
0.0	0.0		114	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	116	0.0	0.0	0.0	0.0
0.0	0.0		1724	0.0	0.0	0.0	0.0
0.0	0.0		1584	0.0	0.0	0.0	0.0
0.0	0.0		114	0.0	0.0	0.0	0.0
0.0	0.0						
-0.2	0.0	G1	116	27.7	16.4	-0.0	1.1
0.1	0.0		1724	17.0	-0.3	-0.0	1.1
0.1	-0.0		1584	-29.2	-15.8	0.0	-1.5
-0.1	-0.0		114	-15.5	-0.3	0.0	-1.4
0.3	0.0	G2	116	10.9	7.1	0.0	-2.5
-0.3	0.0		1724	6.5	0.6	0.0	-2.6
-0.3	-0.0		1584	-11.5	-6.9	-0.0	2.6
0.3	-0.0		114	-6.0	-0.8	-0.0	2.6
0.0	0.0	Q3	116	0.0	0.0	0.0	0.0
0.0	0.0		1724	0.0	0.0	0.0	0.0
0.0	0.0		1584	0.0	0.0	0.0	0.0
0.0	0.0		114	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
			Q5_pc	116	0.8	-0.0	0.0	-5.3
0.7	0.0			1724	-2.3	0.5	0.0	-5.4
-0.7	0.0			1584	-0.8	0.1	-0.0	5.7
-0.6	-0.0			114	2.2	-0.5	-0.0	5.7
0.6	-0.0							
			Q5_ps	116	1.5	0.4	0.0	-7.4
1.0	0.0			1724	-1.6	0.4	0.0	-7.6
-1.0	0.0			1584	-1.5	-0.4	-0.0	8.0
-0.9	-0.0			114	1.6	-0.4	-0.0	8.0
0.9	-0.0							
			INVS LU Max	116	185.2	32.2	0.0	17.3
1.1	0.0			1724	-113.1	5.6	-0.0	16.2
1.4	0.0			1584	-185.6	-28.7	0.0	5.6
1.7	-0.0			114	122.8	-6.5	0.0	5.9
0.7	-0.0							
			Min	116	180.5	30.9	-0.0	-4.9
-2.0	0.0			1724	-117.8	4.5	-0.0	-6.5
-1.5	0.0			1584	-190.1	-29.8	-0.0	-18.3
-0.9	-0.0			114	118.1	-7.9	-0.0	-18.0
-1.9	-0.0							
			INVS LE Max	116	141.9	23.8	0.0	12.7
0.6	0.0			1724	-89.4	4.3	-0.0	11.7
0.9	0.0			1584	-142.6	-21.3	0.0	2.6
1.2	-0.0			114	96.4	-5.1	0.0	2.9
0.4	-0.0							
			Min	116	138.8	22.9	-0.0	-2.1
-1.4	0.0			1724	-92.6	3.6	-0.0	-3.4
-1.0	0.0			1584	-145.6	-22.0	0.0	-13.3
-0.6	-0.0			114	93.3	-6.0	-0.0	-13.1
-1.4	-0.0							
1464	2	4	C1-C2;~1 Max	1562	0.0	0.0	0.0	0.0
0.0	0.0	0.0		112	0.0	0.0	0.0	0.0
0.0	0.0	0.0		117	0.0	0.0	0.0	0.0
0.0	0.0	0.0		1717	0.0	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0	Min	1562	0.0	0.0	0.0	0.0
			112	0.0	0.0	0.0	0.0
0.0	0.0		117	0.0	0.0	0.0	0.0
0.0	0.0		1717	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~1	Max	1562	0.0	0.0	0.0
0.0	0.0			112	0.0	0.0	0.0
0.0	0.0			117	0.0	0.0	0.0
0.0	0.0			1717	0.0	0.0	0.0
0.0	0.0						
			Min	1562	0.0	0.0	0.0
0.0	0.0			112	0.0	0.0	0.0
0.0	0.0			117	0.0	0.0	0.0
0.0	0.0			1717	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	1562	0.0	0.0	0.0
0.0	0.0			112	0.0	0.0	0.0
0.0	0.0			117	0.0	0.0	0.0
0.0	0.0			1717	0.0	0.0	0.0
0.0	0.0						
			Min	1562	0.0	0.0	0.0
0.0	0.0			112	0.0	0.0	0.0
0.0	0.0			117	0.0	0.0	0.0
0.0	0.0			1717	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	1562	0.0	0.0	0.0
0.0	0.0			112	0.0	0.0	0.0
0.0	0.0			117	0.0	0.0	0.0
0.0	0.0			1717	0.0	0.0	0.0
0.0	0.0						
			Min	1562	0.0	0.0	0.0
0.0	0.0			112	0.0	0.0	0.0
0.0	0.0			117	0.0	0.0	0.0
0.0	0.0			1717	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

		G1	1562	-60.7	12.2	0.0	3.4
-0.5	-0.0		112	112.0	-13.7	0.0	3.5
0.5	-0.0		117	54.4	-12.9	-0.0	-3.0
0.4	0.0		1717	-105.7	14.5	-0.0	-2.9
-0.4	0.0						
		G2	1562	-23.8	4.9	-0.0	0.3
-0.1	-0.0		112	43.6	-5.1	-0.0	0.3
0.1	-0.0		117	21.3	-5.2	0.0	-0.6
0.1	0.0		1717	-41.1	5.4	0.0	-0.6
-0.1	0.0						
		Q3	1562	0.0	0.0	0.0	0.0
0.0	0.0		112	0.0	0.0	0.0	0.0
0.0	0.0		117	0.0	0.0	0.0	0.0
0.0	0.0		1717	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	1562	0.5	0.4	0.0	-0.4
0.1	0.0		112	0.8	-0.3	-0.0	-0.4
-0.1	0.0		117	-0.4	-0.3	0.0	0.2
-0.1	0.0		1717	-0.9	0.3	-0.0	0.2
0.1	0.0						
		Q5_ps	1562	-0.0	0.2	-0.0	-0.7
0.2	0.0		112	0.4	-0.1	-0.0	-0.7
-0.2	0.0		117	0.1	-0.1	0.0	0.4
-0.1	0.0		1717	-0.5	0.1	-0.0	0.4
0.1	0.0						
		INVSU Max	1562	-138.5	20.9	0.0	3.1
-0.1	-0.0		112	226.6	-23.1	0.0	2.8
0.4	-0.0		117	118.3	-21.5	-0.0	0.4
0.4	0.0		1717	-204.2	25.0	-0.0	0.1
-0.1	0.0						
		Min	1562	-139.3	20.3	0.0	0.9
-0.6	-0.0		112	225.1	-23.6	0.0	0.5
-0.0	-0.0		117	117.6	-22.1	-0.0	-0.9

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0			1717	-205.7	24.5	-0.0	-1.2
-0.5	0.0							
		INVSLE	Max	1562	-103.5	15.1	0.0	2.0
-0.0	-0.0			112	167.4	-16.8	0.0	1.7
0.3	-0.0			117	88.2	-15.6	-0.0	0.6
0.2	0.0			1717	-150.6	18.2	-0.0	0.4
-0.1	0.0							
			Min	1562	-104.0	14.7	0.0	0.5
-0.4	-0.0			112	166.5	-17.2	0.0	0.2
-0.1	-0.0			117	87.7	-16.0	-0.0	-0.2
0.0	0.0			1717	-151.7	17.8	-0.0	-0.5
-0.4	0.0							
1467	2	4	C1-C2;~1	Max	1717	0.0	0.0	0.0
0.0	0.0			117	0.0	0.0	0.0	0.0
0.0	0.0			10478	0.0	0.0	0.0	0.0
0.0	0.0			10631	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	1717	0.0	0.0	0.0	0.0
0.0	0.0			117	0.0	0.0	0.0	0.0
0.0	0.0			10478	0.0	0.0	0.0	0.0
0.0	0.0			10631	0.0	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	1717	0.0	0.0	0.0
0.0	0.0			117	0.0	0.0	0.0	0.0
0.0	0.0			10478	0.0	0.0	0.0	0.0
0.0	0.0			10631	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	1717	0.0	0.0	0.0	0.0
0.0	0.0			117	0.0	0.0	0.0	0.0
0.0	0.0			10478	0.0	0.0	0.0	0.0
0.0	0.0			10631	0.0	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	1717	0.0	0.0	0.0
0.0	0.0			117	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
			10478	0.0	0.0	0.0	0.0
0.0	0.0		10631	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	1717	0.0	0.0	0.0	0.0
0.0	0.0		117	0.0	0.0	0.0	0.0
0.0	0.0		10478	0.0	0.0	0.0	0.0
0.0	0.0		10631	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	1717	0.0	0.0	0.0
0.0	0.0		117	0.0	0.0	0.0	0.0
0.0	0.0		10478	0.0	0.0	0.0	0.0
0.0	0.0		10631	0.0	0.0	0.0	0.0
0.0	0.0						
			Min	1717	0.0	0.0	0.0
0.0	0.0		117	0.0	0.0	0.0	0.0
0.0	0.0		10478	0.0	0.0	0.0	0.0
0.0	0.0		10631	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	1717	-110.1	22.9	0.0	2.9
-0.7	0.0		117	154.4	-20.9	0.0	3.0
0.6	0.0		10478	96.7	-24.6	-0.0	-2.0
0.4	0.0		10631	-141.0	22.8	-0.0	-2.0
-0.6	0.0						
		G2	1717	-43.0	9.1	-0.0	0.6
-0.3	0.0		117	59.9	-7.7	-0.0	0.6
0.3	0.0		10478	37.7	-9.8	0.0	-1.1
0.4	0.0		10631	-54.7	8.4	0.0	-1.1
-0.4	0.0						
		Q3	1717	0.0	0.0	0.0	0.0
0.0	0.0		117	0.0	0.0	0.0	0.0
0.0	0.0		10478	0.0	0.0	0.0	0.0
0.0	0.0		10631	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	1717	-0.1	0.7	0.0	-0.2
0.1	0.0						

PROJECT TITLE :

		Company						Client	
		Author						File Name	
				117	1.6	-0.8	-0.0	-0.2	
-0.1	0.0			10478	0.4	-0.7	0.0	-0.1	
-0.0	0.0			10631	-1.8	0.7	-0.0	-0.1	
0.1	0.0								
			Q5_ps	1717	-0.7	0.2	0.0	-0.4	
0.1	0.0			117	1.1	-0.2	-0.0	-0.4	
-0.1	0.0			10478	1.0	-0.2	0.0	-0.1	
0.0	0.0			10631	-1.4	0.2	-0.0	-0.1	
0.0	0.0								
			INVS LU	Max	1717	-186.1	34.5	0.0	1.1
-0.2	0.0			117	254.1	-29.4	0.0	0.9	
0.4	0.0			10478	131.1	-36.2	-0.0	4.5	
0.6	0.0			10631	-192.8	34.2	-0.0	4.4	
-0.5	0.0								
				Min	1717	-188.3	33.2	0.0	-0.2
-0.6	0.0			117	250.7	-30.7	0.0	-0.4	
0.2	0.0			10478	128.2	-37.5	-0.0	4.2	
0.5	0.0			10631	-196.9	32.8	-0.0	4.2	
-0.7	0.0								
			INVS LE	Max	1717	-136.9	24.6	0.0	0.4
-0.0	0.0			117	185.5	-21.1	0.0	0.2	
0.2	0.0			10478	94.8	-26.0	-0.0	4.0	
0.4	0.0			10631	-139.2	24.5	-0.0	3.9	
-0.3	0.0								
				Min	1717	-138.4	23.7	0.0	-0.5
-0.3	0.0			117	183.2	-22.0	0.0	-0.6	
0.1	0.0			10478	92.9	-26.9	-0.0	3.8	
0.3	0.0			10631	-142.0	23.7	-0.0	3.8	
-0.4	0.0								
1470	2	4	C1-C2;~1	Max	1720	0.0	0.0	0.0	0.0
0.0	0.0			118	0.0	0.0	0.0	0.0	
0.0	0.0			113	0.0	0.0	0.0	0.0	
0.0	0.0			1565	0.0	0.0	0.0	0.0	
0.0	0.0								
				Min	1720	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	0.0		118	0.0	0.0	0.0	0.0
0.0	0.0		113	0.0	0.0	0.0	0.0
0.0	0.0		1565	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~1	Max	1720	0.0	0.0	0.0
0.0	0.0			118	0.0	0.0	0.0
0.0	0.0			113	0.0	0.0	0.0
0.0	0.0			1565	0.0	0.0	0.0
0.0	0.0						
			Min	1720	0.0	0.0	0.0
0.0	0.0			118	0.0	0.0	0.0
0.0	0.0			113	0.0	0.0	0.0
0.0	0.0			1565	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	1720	0.0	0.0	0.0
0.0	0.0			118	0.0	0.0	0.0
0.0	0.0			113	0.0	0.0	0.0
0.0	0.0			1565	0.0	0.0	0.0
0.0	0.0						
			Min	1720	0.0	0.0	0.0
0.0	0.0			118	0.0	0.0	0.0
0.0	0.0			113	0.0	0.0	0.0
0.0	0.0			1565	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	1720	0.0	0.0	0.0
0.0	0.0			118	0.0	0.0	0.0
0.0	0.0			113	0.0	0.0	0.0
0.0	0.0			1565	0.0	0.0	0.0
0.0	0.0						
			Min	1720	0.0	0.0	0.0
0.0	0.0			118	0.0	0.0	0.0
0.0	0.0			113	0.0	0.0	0.0
0.0	0.0			1565	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
			G1	1720	32.2	18.2	0.0	-1.8
0.2	0.0			118	20.2	0.0	0.0	-1.8
-0.2	0.0			113	-33.9	-18.8	-0.0	2.3
-0.2	-0.0			1565	-18.5	0.7	-0.0	2.3
0.2	-0.0							
			G2	1720	12.4	7.7	-0.0	3.6
-0.5	0.0			118	7.6	0.8	-0.0	3.4
0.3	0.0			113	-13.1	-8.0	0.0	-3.7
0.4	-0.0			1565	-6.9	-0.5	0.0	-3.8
-0.5	-0.0							
			Q3	1720	0.0	0.0	0.0	0.0
0.0	0.0			118	0.0	0.0	0.0	0.0
0.0	0.0			113	0.0	0.0	0.0	0.0
0.0	0.0			1565	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	1720	-0.3	0.2	-0.0	1.4
-0.2	0.0			118	2.6	-0.6	-0.0	1.4
0.1	0.0			113	0.4	-0.2	0.0	-1.6
0.1	0.0			1565	-2.7	0.6	0.0	-1.6
-0.2	0.0							
			Q5_ps	1720	-1.1	-0.3	-0.0	2.5
-0.3	0.0			118	1.8	-0.6	-0.0	2.4
0.2	0.0			113	1.2	0.3	0.0	-2.8
0.3	0.0			1565	-1.9	0.6	0.0	-2.8
-0.3	0.0							
			INVSLU Max	1720	193.8	30.9	0.0	-3.5
0.4	0.0			118	-117.7	4.0	0.0	-5.8
-0.2	0.0			113	-200.0	-28.5	-0.0	13.6
-0.5	-0.0			1565	133.0	-3.7	-0.0	13.9
1.1	-0.0							
			Min	1720	190.4	29.9	0.0	-11.0
-0.6	0.0			118	-123.2	2.4	0.0	-13.1
-0.9	0.0			113	-203.6	-29.4	-0.0	5.3
-1.3	-0.0			1565	127.3	-5.4	-0.0	5.5

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.1	-0.0							
		INVSLE	Max	1720	148.5	22.7	0.0	-3.7
0.3	0.0			118	-93.4	3.0	0.0	-5.6
-0.3	0.0			113	-153.6	-20.9	-0.0	10.7
-0.5	-0.0			1565	104.5	-2.9	-0.0	11.0
0.8	-0.0							
			Min	1720	146.3	22.0	0.0	-8.7
-0.4	0.0			118	-97.0	1.9	0.0	-10.4
-0.7	0.0			113	-156.0	-21.5	-0.0	5.2
-1.0	-0.0			1565	100.7	-4.1	-0.0	5.4
0.2	-0.0							
1473	2	4	C1-C2;~1	Max	1559	0.0	0.0	0.0
0.0	0.0				111	0.0	0.0	0.0
0.0	0.0				115	0.0	0.0	0.0
0.0	0.0				1711	0.0	0.0	0.0
0.0	0.0							
			Min	1559	0.0	0.0	0.0	0.0
0.0	0.0				111	0.0	0.0	0.0
0.0	0.0				115	0.0	0.0	0.0
0.0	0.0				1711	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	1559	0.0	0.0	0.0
0.0	0.0				111	0.0	0.0	0.0
0.0	0.0				115	0.0	0.0	0.0
0.0	0.0				1711	0.0	0.0	0.0
0.0	0.0							
			Min	1559	0.0	0.0	0.0	0.0
0.0	0.0				111	0.0	0.0	0.0
0.0	0.0				115	0.0	0.0	0.0
0.0	0.0				1711	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	1559	0.0	0.0	0.0
0.0	0.0				111	0.0	0.0	0.0
0.0	0.0				115	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		1711	0.0	0.0	0.0	0.0
0.0	0.0	Min	1559	0.0	0.0	0.0	0.0
0.0	0.0		111	0.0	0.0	0.0	0.0
0.0	0.0		115	0.0	0.0	0.0	0.0
0.0	0.0		1711	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4; ~2	Max	1559	0.0	0.0	0.0
0.0	0.0			111	0.0	0.0	0.0
0.0	0.0			115	0.0	0.0	0.0
0.0	0.0			1711	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	1559	0.0	0.0	0.0
0.0	0.0			111	0.0	0.0	0.0
0.0	0.0			115	0.0	0.0	0.0
0.0	0.0			1711	0.0	0.0	0.0
0.0	0.0						
0.5	-0.0	G1	1559	-61.7	12.1	-0.0	-3.3
-0.5	-0.0		111	112.5	-13.5	-0.0	-3.4
-0.4	0.0		115	55.4	-12.8	0.0	2.9
0.4	0.0		1711	-106.2	14.4	0.0	2.9
0.1	-0.0	G2	1559	-24.0	4.9	0.0	-0.2
-0.0	-0.0		111	44.0	-5.1	0.0	-0.2
-0.1	0.0		115	21.6	-5.2	-0.0	0.6
0.1	0.0		1711	-41.5	5.4	-0.0	0.6
0.0	0.0	Q3	1559	0.0	0.0	0.0	0.0
0.0	0.0		111	0.0	0.0	0.0	0.0
0.0	0.0		115	0.0	0.0	0.0	0.0
0.0	0.0		1711	0.0	0.0	0.0	0.0
0.0	0.0						
-0.3	-0.0	Q5_pc	1559	0.5	-0.2	0.0	2.2
0.3	-0.0		111	-1.4	0.2	0.0	2.3

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.1	0.0			115	-0.6	0.2	-0.0	-1.3
-0.2	0.0			1711	1.4	-0.2	-0.0	-1.2
-0.4	-0.0	Q5_ps		1559	0.8	0.0	0.0	2.9
0.4	-0.0			111	-0.6	-0.0	0.0	3.1
0.2	0.0			115	-0.9	-0.1	-0.0	-1.7
-0.2	0.0			1711	0.7	0.0	-0.0	-1.6
0.8	-0.0	INVS LU	Max	1559	-136.3	21.4	0.0	2.5
0.4	-0.0			111	228.6	-23.9	0.0	3.2
0.1	0.0			115	117.8	-22.3	0.0	2.6
0.6	0.0			1711	-205.1	25.8	0.0	2.8
-0.2	-0.0		Min	1559	-138.6	21.1	-0.0	-6.1
-0.7	-0.0			111	226.1	-24.3	-0.0	-6.0
-0.5	0.0			115	115.2	-22.7	-0.0	-2.4
0.0	0.0			1711	-207.6	25.4	-0.0	-1.9
0.5	-0.0	INVS LE	Max	1559	-101.8	15.6	0.0	1.8
0.3	-0.0			111	168.9	-17.5	0.0	2.3
0.1	0.0			115	87.6	-16.2	0.0	1.4
0.4	0.0			1711	-151.4	18.8	0.0	1.6
-0.2	-0.0		Min	1559	-103.4	15.3	-0.0	-4.0
-0.4	-0.0			111	167.2	-17.7	-0.0	-3.8
-0.3	0.0			115	85.9	-16.5	-0.0	-2.0
-0.0	0.0			1711	-153.1	18.5	-0.0	-1.6
1476	2	4 C1-C2;~1	Max	1711	0.0	0.0	0.0	0.0
0.0	0.0			115	0.0	0.0	0.0	0.0
0.0	0.0			10484	0.0	0.0	0.0	0.0
0.0	0.0			10637	0.0	0.0	0.0	0.0
0.0	0.0		Min	1711	0.0	0.0	0.0	0.0
				115	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0			10484	0.0	0.0	0.0
0.0	0.0			10637	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~1	Max	1711	0.0	0.0	0.0
0.0	0.0			115	0.0	0.0	0.0
0.0	0.0			10484	0.0	0.0	0.0
0.0	0.0			10637	0.0	0.0	0.0
0.0	0.0						
			Min	1711	0.0	0.0	0.0
0.0	0.0			115	0.0	0.0	0.0
0.0	0.0			10484	0.0	0.0	0.0
0.0	0.0			10637	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	1711	0.0	0.0	0.0
0.0	0.0			115	0.0	0.0	0.0
0.0	0.0			10484	0.0	0.0	0.0
0.0	0.0			10637	0.0	0.0	0.0
0.0	0.0						
			Min	1711	0.0	0.0	0.0
0.0	0.0			115	0.0	0.0	0.0
0.0	0.0			10484	0.0	0.0	0.0
0.0	0.0			10637	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	1711	0.0	0.0	0.0
0.0	0.0			115	0.0	0.0	0.0
0.0	0.0			10484	0.0	0.0	0.0
0.0	0.0			10637	0.0	0.0	0.0
0.0	0.0						
			Min	1711	0.0	0.0	0.0
0.0	0.0			115	0.0	0.0	0.0
0.0	0.0			10484	0.0	0.0	0.0
0.0	0.0			10637	0.0	0.0	0.0
0.0	0.0						
		G1		1711	-111.8	22.5	-0.0
0.7	0.0						-2.9

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-0.6	0.0		115	155.3	-20.5	-0.0	-2.9
-0.5	0.0		10484	98.4	-24.1	0.0	2.0
0.6	0.0		10637	-141.9	22.4	0.0	2.0
0.3	0.0	G2	1711	-43.4	9.2	0.0	-0.6
-0.3	0.0		115	60.5	-7.7	0.0	-0.6
-0.4	0.0		10484	38.1	-9.9	-0.0	1.1
0.4	0.0		10637	-55.2	8.4	-0.0	1.1
0.0	0.0	Q3	1711	0.0	0.0	0.0	0.0
0.0	0.0		115	0.0	0.0	0.0	0.0
0.0	0.0		10484	0.0	0.0	0.0	0.0
0.0	0.0		10637	0.0	0.0	0.0	0.0
0.1	0.0	Q5_pc	1711	1.9	-0.3	0.0	1.2
-0.1	0.0		115	-2.7	0.5	0.0	1.3
-0.4	0.0		10484	-2.1	0.3	-0.0	0.4
0.4	0.0		10637	2.9	-0.6	-0.0	0.3
0.1	0.0	Q5_ps	1711	2.2	0.4	0.0	1.6
-0.1	0.0		115	-1.9	0.0	0.0	1.7
-0.5	0.0		10484	-2.5	-0.3	-0.0	0.7
0.5	0.0		10637	2.2	-0.1	-0.0	0.6
0.5	0.0	INVSLU Max	1711	-182.0	36.1	-0.0	2.0
-0.1	0.0		115	256.9	-31.4	0.0	2.4
0.2	0.0		10484	131.4	-38.2	0.0	-3.3
1.4	0.0		10637	-193.1	35.9	0.0	-3.3
0.2	0.0	Min	1711	-188.6	35.0	-0.0	-2.7
-0.4	0.0		115	251.2	-32.4	-0.0	-2.6
-1.3	0.0		10484	123.9	-39.2	-0.0	-5.3
-0.2	0.0		10637	-199.7	34.9	0.0	-5.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

			INVSLE	Max	1711	-133.9	25.9	-0.0	1.7
0.3	0.0				115	187.5	-22.6	0.0	2.0
-0.0	0.0				10484	94.8	-27.5	0.0	-3.2
0.1	0.0				10637	-139.5	25.9	0.0	-3.2
0.9	0.0								
				Min	1711	-138.3	25.2	-0.0	-1.5
0.1	0.0				115	183.7	-23.3	-0.0	-1.4
-0.2	0.0				10484	89.7	-28.2	-0.0	-4.6
-0.9	0.0				10637	-144.0	25.3	0.0	-4.4
-0.1	0.0								
1479	2	4	C1-C2;~1	Max	1714	0.0	0.0	0.0	0.0
0.0	0.0	0.0			116	0.0	0.0	0.0	0.0
0.0	0.0	0.0			114	0.0	0.0	0.0	0.0
0.0	0.0	0.0			1568	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	1714	0.0	0.0	0.0	0.0
0.0	0.0	0.0			116	0.0	0.0	0.0	0.0
0.0	0.0	0.0			114	0.0	0.0	0.0	0.0
0.0	0.0	0.0			1568	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C3-C4;~1	Max	1714	0.0	0.0	0.0	0.0
0.0	0.0	0.0			116	0.0	0.0	0.0	0.0
0.0	0.0	0.0			114	0.0	0.0	0.0	0.0
0.0	0.0	0.0			1568	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	1714	0.0	0.0	0.0	0.0
0.0	0.0	0.0			116	0.0	0.0	0.0	0.0
0.0	0.0	0.0			114	0.0	0.0	0.0	0.0
0.0	0.0	0.0			1568	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C1-C2;~2	Max	1714	0.0	0.0	0.0	0.0
0.0	0.0	0.0			116	0.0	0.0	0.0	0.0
0.0	0.0	0.0			114	0.0	0.0	0.0	0.0
0.0	0.0	0.0			1568	0.0	0.0	0.0	0.0
0.0	0.0	0.0							

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

		Min	1714	0.0	0.0	0.0	0.0
0.0	0.0		116	0.0	0.0	0.0	0.0
0.0	0.0		114	0.0	0.0	0.0	0.0
0.0	0.0		1568	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	1714	0.0	0.0	0.0
0.0	0.0		116	0.0	0.0	0.0	0.0
0.0	0.0		114	0.0	0.0	0.0	0.0
0.0	0.0		1568	0.0	0.0	0.0	0.0
0.0	0.0						
			Min	1714	0.0	0.0	0.0
0.0	0.0		116	0.0	0.0	0.0	0.0
0.0	0.0		114	0.0	0.0	0.0	0.0
0.0	0.0		1568	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	1714	31.3	17.9	-0.0	1.5
-0.2	0.0		116	19.7	0.2	-0.0	1.6
0.2	0.0		114	-33.0	-18.5	0.0	-2.1
0.2	-0.0		1568	-17.9	0.5	0.0	-2.1
-0.2	-0.0						
		G2	1714	12.4	7.7	0.0	-3.9
0.5	0.0		116	7.6	0.8	0.0	-3.7
-0.4	0.0		114	-13.1	-8.1	-0.0	4.0
-0.4	-0.0		1568	-7.0	-0.5	-0.0	4.1
0.5	-0.0						
		Q3	1714	0.0	0.0	0.0	0.0
0.0	0.0		116	0.0	0.0	0.0	0.0
0.0	0.0		114	0.0	0.0	0.0	0.0
0.0	0.0		1568	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	1714	0.8	-0.1	0.0	-8.1
1.1	0.0		116	-2.3	0.4	0.0	-7.7
-0.8	0.0		114	-0.8	0.1	-0.0	8.8
-0.9	-0.0						

PROJECT TITLE :

MIDAS		Company		Client				
		Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
1.1	-0.0			1568	2.3	-0.4	-0.0	9.0
		Q5_ps		1714	1.7	0.3	0.0	-11.3
1.5	0.0			116	-1.5	0.4	0.0	-10.8
-1.1	0.0			114	-1.7	-0.4	-0.0	12.2
-1.2	-0.0			1568	1.6	-0.3	-0.0	12.5
1.5	-0.0							
		INVS LU	Max	1714	197.0	31.8	0.0	23.6
2.4	0.0			116	-116.4	3.1	0.0	25.1
2.1	0.0			114	-201.7	-29.2	0.0	9.5
2.7	-0.0			1568	130.7	-3.5	0.0	9.7
1.7	-0.0							
			Min	1714	192.0	30.8	-0.0	-10.2
-2.0	0.0			116	-121.0	2.0	-0.0	-7.3
-1.1	0.0			114	-206.8	-30.4	0.0	-27.0
-1.0	-0.0			1568	126.1	-4.4	-0.0	-27.7
-2.8	-0.0							
		INVS LE	Max	1714	151.0	23.4	0.0	17.1
1.6	0.0			116	-92.3	2.3	0.0	18.4
1.5	0.0			114	-155.1	-21.5	0.0	4.7
2.0	-0.0			1568	102.8	-2.7	0.0	4.8
1.0	-0.0							
			Min	1714	147.6	22.7	-0.0	-5.5
-1.4	0.0			116	-95.3	1.6	-0.0	-3.2
-0.6	0.0			114	-158.4	-22.3	0.0	-19.7
-0.5	-0.0			1568	99.7	-3.3	-0.0	-20.2
-2.0	-0.0							
2132	2	4 C1-C2;~1	Max	2649	0.0	0.0	0.0	0.0
0.0	0.0			2650	0.0	0.0	0.0	0.0
0.0	0.0			3306	0.0	0.0	0.0	0.0
0.0	0.0			2976	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	2649	0.0	0.0	0.0	0.0
0.0	0.0			2650	0.0	0.0	0.0	0.0
0.0	0.0			3306	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		2976	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~1	Max	2649	0.0	0.0	0.0
0.0	0.0			2650	0.0	0.0	0.0
0.0	0.0			3306	0.0	0.0	0.0
0.0	0.0			2976	0.0	0.0	0.0
0.0	0.0						
			Min	2649	0.0	0.0	0.0
0.0	0.0			2650	0.0	0.0	0.0
0.0	0.0			3306	0.0	0.0	0.0
0.0	0.0			2976	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	2649	0.0	0.0	0.0
0.0	0.0			2650	0.0	0.0	0.0
0.0	0.0			3306	0.0	0.0	0.0
0.0	0.0			2976	0.0	0.0	0.0
0.0	0.0						
			Min	2649	0.0	0.0	0.0
0.0	0.0			2650	0.0	0.0	0.0
0.0	0.0			3306	0.0	0.0	0.0
0.0	0.0			2976	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	2649	0.0	0.0	0.0
0.0	0.0			2650	0.0	0.0	0.0
0.0	0.0			3306	0.0	0.0	0.0
0.0	0.0			2976	0.0	0.0	0.0
0.0	0.0						
			Min	2649	0.0	0.0	0.0
0.0	0.0			2650	0.0	0.0	0.0
0.0	0.0			3306	0.0	0.0	0.0
0.0	0.0			2976	0.0	0.0	0.0
0.0	0.0						
		G1		2649	83.6	272.0	0.0
-5.1	0.0			2650	69.4	1.3	0.0
2.5	0.0						32.2
							29.6

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.5	0.0		3306	-66.1	-67.5	-0.0	-23.8
-4.8	0.0		2976	-87.0	-205.6	-0.0	-28.0
-2.1	0.0	G2	2649	32.5	106.0	0.0	13.8
1.0	0.0		2650	26.9	0.7	0.0	12.3
0.2	0.0		3306	-25.8	-26.4	-0.0	-9.3
-1.8	0.0		2976	-33.7	-80.3	-0.0	-10.5
0.0	0.0	Q3	2649	0.0	0.0	0.0	0.0
0.0	0.0		2650	0.0	0.0	0.0	0.0
0.0	0.0		3306	0.0	0.0	0.0	0.0
0.0	0.0		2976	0.0	0.0	0.0	0.0
-0.7	0.0	Q5_pc	2649	9.6	38.2	0.0	5.8
-0.0	-0.0		2650	6.2	0.2	-0.0	2.3
-0.0	0.0		3306	-8.2	-7.1	-0.0	-1.1
-0.2	-0.0		2976	-7.7	-31.3	-0.0	0.4
-0.7	-0.0	Q5_ps	2649	6.8	29.6	0.0	6.6
-0.1	-0.0		2650	3.7	0.2	0.0	2.2
-0.1	0.0		3306	-6.1	-4.7	-0.0	-0.3
0.1	-0.0		2976	-4.5	-25.1	-0.0	2.0
-0.6	0.0	INVSLE Max	2649	120.9	460.3	-0.2	-7.8
-0.5	0.0		2650	97.8	2.4	-0.1	-0.6
0.8	0.0		3306	-74.5	-82.8	0.1	-23.2
-10.4	0.0		2976	-112.3	-290.2	0.3	-43.8
-2.8	0.0	Min	2649	100.4	371.3	-0.3	-27.6
-0.6	0.0		2650	86.5	2.0	-0.1	-7.3
0.5	0.0		3306	-92.8	-97.1	0.1	-25.1
-10.8	0.0		2976	-126.1	-365.4	0.2	-50.0
		INVSLE Max	2649	85.7	332.0	-0.2	-10.4

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

-0.1	0.0			2650	69.5	1.8	-0.1	-3.6
-0.6	0.0			3306	-53.1	-59.4	0.1	-16.2
0.6	0.0			2976	-80.8	-214.6	0.3	-32.5
-7.8	0.0							
			Min	2649	72.0	272.7	-0.2	-23.6
-1.6	0.0			2650	62.0	1.4	-0.1	-8.1
-0.7	0.0			3306	-65.3	-68.9	0.1	-17.6
0.4	0.0			2976	-90.0	-264.7	0.2	-36.6
-8.1	0.0							
2148	2	4	C1-C2;~1	Max	2667	0.0	0.0	0.0
0.0					2649	0.0	0.0	0.0
0.0					2976	0.0	0.0	0.0
0.0					3320	0.0	0.0	0.0
0.0								
			Min	2667	0.0	0.0	0.0	0.0
0.0					2649	0.0	0.0	0.0
0.0					2976	0.0	0.0	0.0
0.0					3320	0.0	0.0	0.0
0.0								
			C3-C4;~1	Max	2667	0.0	0.0	0.0
0.0					2649	0.0	0.0	0.0
0.0					2976	0.0	0.0	0.0
0.0					3320	0.0	0.0	0.0
0.0								
			Min	2667	0.0	0.0	0.0	0.0
0.0					2649	0.0	0.0	0.0
0.0					2976	0.0	0.0	0.0
0.0					3320	0.0	0.0	0.0
0.0								
			C1-C2;~2	Max	2667	0.0	0.0	0.0
0.0					2649	0.0	0.0	0.0
0.0					2976	0.0	0.0	0.0
0.0					3320	0.0	0.0	0.0
0.0								
			Min	2667	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0			2649	0.0	0.0	0.0	0.0
0.0	0.0			2976	0.0	0.0	0.0	0.0
0.0	0.0			3320	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4; ~2	Max	2667	0.0	0.0	0.0	0.0
0.0	0.0			2649	0.0	0.0	0.0	0.0
0.0	0.0			2976	0.0	0.0	0.0	0.0
0.0	0.0			3320	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	2667	0.0	0.0	0.0	0.0
0.0	0.0			2649	0.0	0.0	0.0	0.0
0.0	0.0			2976	0.0	0.0	0.0	0.0
0.0	0.0			3320	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		2667	-112.0	30.8	0.1	33.6
-2.9	0.0			2649	-151.0	315.6	0.0	32.2
4.4	0.0			2976	117.9	-188.9	-0.0	-21.3
4.3	0.0			3320	145.1	-157.3	-0.1	-13.9
0.2	0.0							
		G2		2667	-45.2	11.5	0.0	13.6
-1.2	0.0			2649	-60.0	123.6	0.0	13.6
1.8	0.0			2976	47.6	-73.0	-0.0	-7.7
1.4	0.0			3320	57.6	-62.2	-0.0	-5.1
0.0	0.0							
		Q3		2667	0.0	0.0	0.0	0.0
0.0	0.0			2649	0.0	0.0	0.0	0.0
0.0	0.0			2976	0.0	0.0	0.0	0.0
0.0	0.0			3320	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		2667	-13.3	6.7	0.0	4.7
-0.5	0.0			2649	-16.3	43.5	0.0	6.5
0.6	0.0			2976	15.3	-29.3	-0.0	1.1
-0.1	-0.0			3320	14.2	-20.9	-0.0	0.2
-0.4	-0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

-0.5	0.0	Q5_ps		2667	-11.5	5.1	0.0	4.3
0.6	-0.0			2649	-12.6	34.3	0.0	7.1
-0.5	-0.0			2976	13.5	-22.7	-0.0	2.6
-0.5	-0.0			3320	10.6	-16.8	-0.0	0.9
-1.6	0.0	INVS LU	Max	2667	-201.9	37.7	0.1	28.2
3.2	0.0			2649	-249.1	563.9	-0.3	6.4
12.8	0.0			2976	248.0	-243.8	0.4	-43.6
1.2	0.0			3320	275.4	-239.2	-0.1	-30.3
-3.0	0.0		Min	2667	-236.4	22.2	0.1	15.4
1.5	0.0			2649	-287.0	461.0	-0.4	-14.8
11.2	0.0			2976	207.6	-311.9	0.3	-51.6
-0.2	0.0			3320	243.5	-289.4	-0.1	-33.1
-1.1	0.0	INVS LE	Max	2667	-151.2	25.8	0.1	18.2
2.0	0.0			2649	-184.8	409.3	-0.2	0.6
9.7	0.0			2976	182.4	-178.9	0.3	-33.1
0.9	0.0			3320	201.8	-177.1	-0.1	-22.9
-2.0	0.0		Min	2667	-174.2	15.5	0.0	9.7
0.9	0.0			2649	-210.0	340.7	-0.3	-13.5
8.6	0.0			2976	155.4	-224.3	0.2	-38.4
-0.1	0.0			3320	180.5	-210.6	-0.1	-24.8
2152	2	4	C1-C2;~1	Max	2671	0.0	0.0	0.0
0.0	0.0				2672	0.0	0.0	0.0
0.0	0.0				3324	0.0	0.0	0.0
0.0	0.0				3323	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	2671	0.0	0.0	0.0	0.0
0.0	0.0				2672	0.0	0.0	0.0
0.0	0.0				3324	0.0	0.0	0.0
0.0	0.0				3323	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0							
		C3-C4;~1	Max	2671	0.0	0.0	0.0	0.0
0.0	0.0			2672	0.0	0.0	0.0	0.0
0.0	0.0			3324	0.0	0.0	0.0	0.0
0.0	0.0			3323	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	2671	0.0	0.0	0.0	0.0
0.0	0.0			2672	0.0	0.0	0.0	0.0
0.0	0.0			3324	0.0	0.0	0.0	0.0
0.0	0.0			3323	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	2671	0.0	0.0	0.0	0.0
0.0	0.0			2672	0.0	0.0	0.0	0.0
0.0	0.0			3324	0.0	0.0	0.0	0.0
0.0	0.0			3323	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	2671	0.0	0.0	0.0	0.0
0.0	0.0			2672	0.0	0.0	0.0	0.0
0.0	0.0			3324	0.0	0.0	0.0	0.0
0.0	0.0			3323	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	2671	0.0	0.0	0.0	0.0
0.0	0.0			2672	0.0	0.0	0.0	0.0
0.0	0.0			3324	0.0	0.0	0.0	0.0
0.0	0.0			3323	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	2671	0.0	0.0	0.0	0.0
0.0	0.0			2672	0.0	0.0	0.0	0.0
0.0	0.0			3324	0.0	0.0	0.0	0.0
0.0	0.0			3323	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		2671	-56.4	12.0	-0.6	-201.1
20.4	-0.0			2672	102.1	-11.0	-0.8	-219.4
-25.0	-0.0			3324	51.3	-13.0	0.8	25.5
-10.9	0.0							

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
9.4	0.0			3323	-97.0	12.1	0.6	22.0
			G2	2671	-23.1	5.1	-0.2	-80.6
8.2	-0.0			2672	41.7	-4.3	-0.3	-88.0
-10.0	-0.0			3324	21.0	-5.6	0.3	9.6
-4.3	0.0			3323	-39.7	4.7	0.2	8.2
3.7	0.0							
			Q3	2671	0.0	0.0	0.0	0.0
0.0	0.0			2672	0.0	0.0	0.0	0.0
0.0	0.0			3324	0.0	0.0	0.0	0.0
0.0	0.0			3323	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	2671	3.9	0.1	0.0	18.4
-2.0	-0.0			2672	-3.6	-0.1	0.1	19.8
2.3	-0.0			3324	-3.8	-0.1	-0.1	-5.3
1.1	-0.0			3323	3.5	0.1	-0.0	-4.8
-1.0	-0.0							
			Q5_ps	2671	3.6	0.2	0.0	17.7
-1.9	-0.0			2672	-3.0	-0.1	0.1	19.0
2.3	-0.0			3324	-3.5	-0.1	-0.1	-5.4
1.1	-0.0			3323	3.0	0.1	-0.0	-4.9
-1.0	-0.0							
			INVSLE Max	2671	-54.4	30.2	-0.3	57.9
-6.1	-0.0			2672	181.5	-29.3	-0.2	61.3
12.8	-0.0			3324	51.5	-31.8	0.4	-108.3
12.1	0.0			3323	-159.1	32.0	0.4	-100.9
-8.9	-0.0							
			Min	2671	-65.1	29.7	-0.4	4.9
-11.9	-0.0			2672	172.5	-29.7	-0.4	4.2
6.0	-0.0			3324	41.0	-32.2	0.2	-124.5
8.8	0.0			3323	-167.9	31.6	0.3	-115.7
-12.0	-0.0							
			INVSLE Max	2671	-38.3	22.5	-0.2	59.9
-6.9	-0.0			2672	132.4	-22.0	-0.1	63.9

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


11.8	-0.0			3324	35.2	-23.7	0.2	-87.9
10.2	0.0			3323	-116.3	23.9	0.2	-81.7
-8.0	-0.0							
			Min	2671	-45.4	22.2	-0.2	24.6
-10.8	-0.0			2672	126.4	-22.3	-0.2	25.8
7.3	-0.0			3324	28.3	-24.0	0.1	-98.6
8.0	0.0			3323	-122.2	23.6	0.2	-91.6
-10.0	-0.0							
2153	2	10	C1-C2;~1	Max	2672	0.0	0.0	0.0
0.0	0.0				2673	0.0	0.0	0.0
0.0	0.0				3325	0.0	0.0	0.0
0.0	0.0				3324	0.0	0.0	0.0
0.0	0.0							
			Min	2672	0.0	0.0	0.0	0.0
0.0	0.0			2673	0.0	0.0	0.0	0.0
0.0	0.0			3325	0.0	0.0	0.0	0.0
0.0	0.0			3324	0.0	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	2672	0.0	0.0	0.0
0.0	0.0				2673	0.0	0.0	0.0
0.0	0.0				3325	0.0	0.0	0.0
0.0	0.0				3324	0.0	0.0	0.0
0.0	0.0							
			Min	2672	0.0	0.0	0.0	0.0
0.0	0.0			2673	0.0	0.0	0.0	0.0
0.0	0.0			3325	0.0	0.0	0.0	0.0
0.0	0.0			3324	0.0	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	2672	0.0	0.0	0.0
0.0	0.0				2673	0.0	0.0	0.0
0.0	0.0				3325	0.0	0.0	0.0
0.0	0.0				3324	0.0	0.0	0.0
0.0	0.0							
			Min	2672	0.0	0.0	0.0	0.0
0.0	0.0			2673	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0		3325	0.0	0.0	0.0	0.0
0.0	0.0		3324	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4 ; ~2	Max	2672	0.0	0.0	0.0
0.0	0.0			2673	0.0	0.0	0.0
0.0	0.0			3325	0.0	0.0	0.0
0.0	0.0			3324	0.0	0.0	0.0
0.0	0.0						
			Min	2672	0.0	0.0	0.0
0.0	0.0			2673	0.0	0.0	0.0
0.0	0.0			3325	0.0	0.0	0.0
0.0	0.0			3324	0.0	0.0	0.0
0.0	0.0						
			G1	2672	-54.4	10.0	-0.6
17.5	-0.0			2673	95.6	-10.5	-0.6
-19.4	-0.0			3325	51.8	-11.0	0.6
-7.4	-0.0			3324	-93.0	11.7	0.6
8.0	0.0						19.1
			G2	2672	-22.4	4.2	-0.2
7.0	-0.0			2673	39.0	-4.0	-0.2
-7.8	-0.0			3325	21.3	-4.7	0.2
-2.9	-0.0			3324	-37.9	4.5	0.2
3.2	0.0						7.2
			Q3	2672	0.0	0.0	0.0
0.0	0.0			2673	0.0	0.0	0.0
0.0	0.0			3325	0.0	0.0	0.0
0.0	0.0			3324	0.0	0.0	0.0
0.0	0.0						0.0
			Q5_pc	2672	3.5	0.1	0.0
-1.7	-0.0			2673	-3.2	-0.0	0.0
1.7	-0.0			3325	-3.6	-0.1	-0.0
0.8	0.0			3324	3.3	0.0	-0.0
-0.9	-0.0						-3.8

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
			Q5_ps						
-1.6	-0.0			2672	3.1	0.1	0.0	13.8	
				2673	-2.8	-0.0	0.0	14.1	
1.6	-0.0			3325	-3.2	-0.1	-0.0	-3.9	
0.8	0.0			3324	2.8	0.0	-0.0	-3.9	
-0.9	-0.0								
			INVS LU	Max					
-5.0	-0.0			2672	-53.5	28.3	-0.2	35.6	
				2673	175.4	-29.0	-0.3	27.3	
6.5	-0.0			3325	53.1	-30.1	0.4	-80.8	
9.3	0.0			3324	-157.2	31.4	0.3	-79.6	
-9.0	0.0								
				Min					
-9.8	-0.0			2672	-62.9	27.9	-0.3	-5.9	
				2673	167.0	-29.1	-0.4	-15.1	
1.7	-0.0			3325	43.6	-30.5	0.3	-92.4	
7.0	0.0			3324	-165.7	31.4	0.2	-91.3	
-11.7	0.0								
			INVS LE	Max					
-5.7	-0.0			2672	-37.6	21.2	-0.1	39.9	
				2673	128.3	-21.8	-0.2	34.1	
6.5	-0.0			3325	36.5	-22.5	0.2	-65.5	
7.7	0.0			3324	-115.2	23.6	0.2	-64.6	
-7.9	0.0								
				Min					
-8.9	-0.0			2672	-43.9	20.9	-0.2	12.3	
				2673	122.7	-21.8	-0.3	5.8	
3.3	-0.0			3325	30.1	-22.8	0.2	-73.2	
6.2	0.0			3324	-120.9	23.5	0.1	-72.4	
-9.7	0.0								
2160	2	10	C1-C2;~1	Max					
0.0		0.0		2680	0.0	0.0	0.0	0.0	
				2681	0.0	0.0	0.0	0.0	
0.0		0.0		3331	0.0	0.0	0.0	0.0	
0.0		0.0		3330	0.0	0.0	0.0	0.0	
0.0		0.0							
				Min					
0.0		0.0		2680	0.0	0.0	0.0	0.0	
				2681	0.0	0.0	0.0	0.0	
0.0		0.0		3331	0.0	0.0	0.0	0.0	
0.0		0.0		3330	0.0	0.0	0.0	0.0	
0.0		0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


		C3-C4; ~1	Max	2680	0.0	0.0	0.0	0.0
0.0	0.0			2681	0.0	0.0	0.0	0.0
0.0	0.0			3331	0.0	0.0	0.0	0.0
0.0	0.0			3330	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	2680	0.0	0.0	0.0	0.0
0.0	0.0			2681	0.0	0.0	0.0	0.0
0.0	0.0			3331	0.0	0.0	0.0	0.0
0.0	0.0			3330	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2; ~2	Max	2680	0.0	0.0	0.0	0.0
0.0	0.0			2681	0.0	0.0	0.0	0.0
0.0	0.0			3331	0.0	0.0	0.0	0.0
0.0	0.0			3330	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	2680	0.0	0.0	0.0	0.0
0.0	0.0			2681	0.0	0.0	0.0	0.0
0.0	0.0			3331	0.0	0.0	0.0	0.0
0.0	0.0			3330	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4; ~2	Max	2680	0.0	0.0	0.0	0.0
0.0	0.0			2681	0.0	0.0	0.0	0.0
0.0	0.0			3331	0.0	0.0	0.0	0.0
0.0	0.0			3330	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	2680	0.0	0.0	0.0	0.0
0.0	0.0			2681	0.0	0.0	0.0	0.0
0.0	0.0			3331	0.0	0.0	0.0	0.0
0.0	0.0			3330	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		2680	-110.1	-12.6	-0.7	-193.3
20.6	0.0			2681	55.3	14.6	-0.6	-182.9
-18.2	0.0			3331	108.5	13.4	0.7	14.8
-7.4	-0.0			3330	-53.8	-15.2	0.7	15.6
7.5	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

		G2		2680	-44.5	-4.8	-0.3	-78.3
8.4	0.0			2681	22.7	6.0	-0.3	-74.2
-7.4	0.0			3331	43.8	5.1	0.3	6.1
-3.0	-0.0			3330	-22.0	-6.3	0.3	6.5
3.0	0.0							
		Q3		2680	0.0	0.0	0.0	0.0
0.0	0.0			2681	0.0	0.0	0.0	0.0
0.0	0.0			3331	0.0	0.0	0.0	0.0
0.0	0.0			3330	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		2680	-2.1	0.0	-0.0	-9.7
1.1	-0.0			2681	2.1	0.0	-0.0	-9.4
-1.1	-0.0			3331	2.2	-0.0	0.0	2.4
-0.6	-0.0			3330	-2.2	-0.0	0.0	2.4
0.5	0.0							
		Q5_ps		2680	-1.5	0.2	-0.0	-8.7
1.0	-0.0			2681	2.1	-0.1	-0.0	-8.5
-1.0	-0.0			3331	1.5	-0.2	0.0	2.3
-0.6	-0.0			3330	-2.2	0.2	0.0	2.3
0.5	0.0							
		INVSLE Max		2680	-216.2	-20.7	-0.6	-57.4
4.5	0.0			2681	128.6	25.6	-0.6	-47.0
2.4	0.0			3331	210.7	22.3	0.6	-96.7
10.6	-0.0			3330	-112.2	-26.0	0.7	-97.7
-6.4	0.0							
		Min		2680	-220.6	-21.2	-0.7	-83.4
1.4	0.0			2681	122.3	25.2	-0.6	-72.5
-0.6	0.0			3331	206.1	21.8	0.6	-103.6
8.8	-0.0			3330	-118.7	-26.6	0.6	-104.6
-7.9	0.0							
		INVSLE Max		2680	-159.4	-15.0	-0.5	-32.2
1.8	0.0			2681	95.6	18.6	-0.4	-25.0
3.0	0.0			3331	154.8	16.2	0.5	-76.0

PROJECT TITLE :

		Company						Client	
		Author						File Name	
8.6	-0.0				3330	-83.7	-18.9	0.5	-76.9
-5.6	0.0								
			Min	2680	-162.4	-15.3	-0.5	-49.6	
-0.2	0.0			2681	91.4	18.3	-0.4	-42.0	
1.0	0.0			3331	151.7	15.8	0.4	-80.6	
7.4	-0.0			3330	-88.0	-19.3	0.4	-81.5	
-6.6	0.0								
2161	2	4	C1-C2;~1	Max	2681	0.0	0.0	0.0	0.0
0.0	0.0				2682	0.0	0.0	0.0	0.0
0.0	0.0				3332	0.0	0.0	0.0	0.0
0.0	0.0				3331	0.0	0.0	0.0	0.0
0.0	0.0								
			Min	2681	0.0	0.0	0.0	0.0	0.0
0.0	0.0			2682	0.0	0.0	0.0	0.0	0.0
0.0	0.0			3332	0.0	0.0	0.0	0.0	0.0
0.0	0.0			3331	0.0	0.0	0.0	0.0	0.0
0.0	0.0								
			C3-C4;~1	Max	2681	0.0	0.0	0.0	0.0
0.0	0.0				2682	0.0	0.0	0.0	0.0
0.0	0.0				3332	0.0	0.0	0.0	0.0
0.0	0.0				3331	0.0	0.0	0.0	0.0
0.0	0.0								
			Min	2681	0.0	0.0	0.0	0.0	0.0
0.0	0.0			2682	0.0	0.0	0.0	0.0	0.0
0.0	0.0			3332	0.0	0.0	0.0	0.0	0.0
0.0	0.0			3331	0.0	0.0	0.0	0.0	0.0
0.0	0.0								
			C1-C2;~2	Max	2681	0.0	0.0	0.0	0.0
0.0	0.0				2682	0.0	0.0	0.0	0.0
0.0	0.0				3332	0.0	0.0	0.0	0.0
0.0	0.0				3331	0.0	0.0	0.0	0.0
0.0	0.0								
			Min	2681	0.0	0.0	0.0	0.0	0.0
0.0	0.0			2682	0.0	0.0	0.0	0.0	0.0
0.0	0.0			3332	0.0	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0		3331	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4; ~2 Max	2681	0.0	0.0	0.0	0.0
0.0	0.0		2682	0.0	0.0	0.0	0.0
0.0	0.0		3332	0.0	0.0	0.0	0.0
0.0	0.0		3331	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	2681	0.0	0.0	0.0	0.0
0.0	0.0		2682	0.0	0.0	0.0	0.0
0.0	0.0		3332	0.0	0.0	0.0	0.0
0.0	0.0		3331	0.0	0.0	0.0	0.0
0.0	0.0						
26.0	0.0	G1	2681	-125.9	-15.5	-1.0	-239.4
-20.6	0.0		2682	65.5	14.2	-0.7	-218.7
-8.2	-0.0		3332	118.3	16.6	0.7	12.9
10.5	-0.0		3331	-57.9	-15.2	0.9	17.3
10.5	0.0	G2	2681	-51.0	-6.0	-0.4	-97.2
-8.4	0.0		2682	26.8	5.9	-0.3	-88.9
-3.3	-0.0		3332	47.9	6.4	0.3	5.5
4.3	-0.0		3331	-23.7	-6.3	0.4	7.3
0.0	0.0	Q3	2681	0.0	0.0	0.0	0.0
0.0	0.0		2682	0.0	0.0	0.0	0.0
0.0	0.0		3332	0.0	0.0	0.0	0.0
0.0	0.0		3331	0.0	0.0	0.0	0.0
0.0	0.0						
1.5	-0.0	Q5_pc	2681	-2.6	-0.0	-0.0	-12.8
-1.3	-0.0		2682	2.5	0.1	-0.0	-11.9
-0.7	-0.0		3332	2.5	0.0	0.0	2.8
0.8	-0.0		3331	-2.4	-0.0	0.0	3.2
1.4	-0.0	Q5_ps	2681	-1.9	0.1	-0.0	-11.7

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-1.2	-0.0			2682	2.5	-0.1	-0.0	-11.0
				3332	1.9	-0.2	0.0	2.8
-0.7	-0.0			3331	-2.4	0.1	0.0	3.1
0.7	-0.0							
		INVS LU	Max	2681	-250.2	-26.4	-0.8	-53.4
2.1	0.0			2682	155.7	23.4	-0.7	-50.6
3.0	0.0			3332	232.6	28.6	0.8	-128.3
10.7	0.0			3331	-125.1	-24.6	0.9	-134.7
-7.5	-0.0							
			Min	2681	-255.9	-26.8	-0.9	-88.6
-2.2	0.0			2682	148.3	23.1	-0.8	-83.5
-0.8	0.0			3332	227.0	28.1	0.7	-136.8
8.7	0.0			3331	-132.3	-24.9	0.8	-143.9
-9.7	-0.0							
		INVS LE	Max	2681	-184.7	-19.2	-0.5	-26.6
-0.4	0.0			2682	115.8	16.9	-0.5	-25.6
3.5	0.0			3332	171.0	20.8	0.6	-100.4
8.8	0.0			3331	-93.5	-17.7	0.6	-105.6
-6.7	-0.0							
			Min	2681	-188.5	-19.5	-0.6	-50.0
-3.3	0.0			2682	110.9	16.7	-0.6	-47.6
1.0	0.0			3332	167.3	20.4	0.5	-106.0
7.4	0.0			3331	-98.3	-18.0	0.5	-111.8
-8.1	-0.0							
2248	2	4	C1-C2;~1	Max	2772	0.0	0.0	0.0
0.0		0.0			2773	0.0	0.0	0.0
0.0		0.0			3408	0.0	0.0	0.0
0.0		0.0			3407	0.0	0.0	0.0
0.0		0.0						
			Min	2772	0.0	0.0	0.0	0.0
0.0		0.0			2773	0.0	0.0	0.0
0.0		0.0			3408	0.0	0.0	0.0
0.0		0.0			3407	0.0	0.0	0.0
0.0		0.0						
			C3-C4;~1	Max	2772	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0			2773	0.0	0.0	0.0	0.0
0.0	0.0			3408	0.0	0.0	0.0	0.0
0.0	0.0			3407	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	2772	0.0	0.0	0.0	0.0
0.0	0.0			2773	0.0	0.0	0.0	0.0
0.0	0.0			3408	0.0	0.0	0.0	0.0
0.0	0.0			3407	0.0	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	2772	0.0	0.0	0.0
0.0	0.0			2773	0.0	0.0	0.0	0.0
0.0	0.0			3408	0.0	0.0	0.0	0.0
0.0	0.0			3407	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	2772	0.0	0.0	0.0	0.0
0.0	0.0			2773	0.0	0.0	0.0	0.0
0.0	0.0			3408	0.0	0.0	0.0	0.0
0.0	0.0			3407	0.0	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~2	Max	2772	0.0	0.0	0.0
0.0	0.0			2773	0.0	0.0	0.0	0.0
0.0	0.0			3408	0.0	0.0	0.0	0.0
0.0	0.0			3407	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	2772	0.0	0.0	0.0	0.0
0.0	0.0			2773	0.0	0.0	0.0	0.0
0.0	0.0			3408	0.0	0.0	0.0	0.0
0.0	0.0			3407	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	2772	-53.2	13.7	-0.6	-194.0
18.8	-0.0			2773	107.8	-13.0	-0.8	-213.1
-23.6	-0.0			3408	48.0	-15.0	0.8	19.2
-10.0	0.0			3407	-102.6	14.5	0.6	15.5
8.2	0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
			G2	2772	-21.6	5.8	-0.2	-78.7
7.6	-0.0			2773	43.7	-5.0	-0.3	-86.4
-9.6	-0.0			3408	19.5	-6.3	0.3	8.0
-4.1	0.0			3407	-41.6	5.6	0.2	6.5
3.3	0.0							
			Q3	2772	0.0	0.0	0.0	0.0
0.0	0.0			2773	0.0	0.0	0.0	0.0
0.0	0.0			3408	0.0	0.0	0.0	0.0
0.0	0.0			3407	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	2772	-2.5	0.0	-0.0	-12.5
1.4	0.0			2773	2.4	0.1	-0.0	-13.4
-1.6	0.0			3408	2.4	-0.0	0.0	3.5
-0.8	0.0			3407	-2.4	-0.1	0.0	3.2
0.8	0.0							
			Q5_ps	2772	-2.2	-0.0	-0.0	-11.5
1.3	0.0			2773	2.0	0.1	-0.0	-12.4
-1.5	0.0			3408	2.2	0.0	0.0	3.5
-0.8	0.0			3407	-1.9	-0.1	0.0	3.2
0.7	0.0							
			INVSLE Max	2772	-51.6	35.2	-0.3	30.8
-5.4	-0.0			2773	199.9	-34.9	-0.3	29.8
8.9	-0.0			3408	44.4	-37.8	0.4	-106.5
10.4	0.0			3407	-180.2	38.2	0.4	-99.9
-8.8	-0.0							
			Min	2772	-58.3	35.1	-0.4	-3.7
-9.4	-0.0			2773	194.0	-35.2	-0.4	-7.4
4.4	-0.0			3408	37.8	-37.9	0.3	-116.9
8.0	0.0			3407	-186.0	37.8	0.3	-109.4
-11.0	-0.0							
			INVSLE Max	2772	-35.9	26.2	-0.2	39.1
-6.1	-0.0			2773	146.1	-26.1	-0.2	39.6
8.7	-0.0			3408	30.0	-28.1	0.3	-85.0
8.8	0.0			3407	-131.8	28.5	0.3	-79.5

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


-7.7	-0.0							
		Min	2772	-40.4	26.1	-0.3	16.1	
-8.7	-0.0		2773	142.1	-26.3	-0.3	14.9	
5.7	-0.0		3408	25.6	-28.2	0.2	-91.9	
7.2	0.0		3407	-135.7	28.3	0.2	-85.9	
-9.1	-0.0							
2249	2	10	C1-C2;~1	Max	2773	0.0	0.0	0.0
0.0	0.0	0.0			2774	0.0	0.0	0.0
0.0	0.0				3409	0.0	0.0	0.0
0.0	0.0				3408	0.0	0.0	0.0
0.0	0.0							
			Min	2773	0.0	0.0	0.0	0.0
0.0	0.0			2774	0.0	0.0	0.0	0.0
0.0	0.0			3409	0.0	0.0	0.0	0.0
0.0	0.0			3408	0.0	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	2773	0.0	0.0	0.0
0.0	0.0				2774	0.0	0.0	0.0
0.0	0.0				3409	0.0	0.0	0.0
0.0	0.0				3408	0.0	0.0	0.0
0.0	0.0							
			Min	2773	0.0	0.0	0.0	0.0
0.0	0.0			2774	0.0	0.0	0.0	0.0
0.0	0.0			3409	0.0	0.0	0.0	0.0
0.0	0.0			3408	0.0	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	2773	0.0	0.0	0.0
0.0	0.0				2774	0.0	0.0	0.0
0.0	0.0				3409	0.0	0.0	0.0
0.0	0.0				3408	0.0	0.0	0.0
0.0	0.0							
			Min	2773	0.0	0.0	0.0	0.0
0.0	0.0			2774	0.0	0.0	0.0	0.0
0.0	0.0			3409	0.0	0.0	0.0	0.0
0.0	0.0			3408	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0							
		C3-C4 ; ~2	Max	2773	0.0	0.0	0.0	0.0
0.0	0.0			2774	0.0	0.0	0.0	0.0
0.0	0.0			3409	0.0	0.0	0.0	0.0
0.0	0.0			3408	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	2773	0.0	0.0	0.0	0.0
0.0	0.0			2774	0.0	0.0	0.0	0.0
0.0	0.0			3409	0.0	0.0	0.0	0.0
0.0	0.0			3408	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	2773	-51.8	12.0	-0.6	-164.0
16.5	-0.0			2774	101.7	-12.4	-0.6	-174.2
-18.8	-0.0			3409	49.2	-13.2	0.6	15.4
-6.9	-0.0			3408	-99.1	13.7	0.6	15.1
7.2	0.0							
			G2	2773	-21.1	5.0	-0.2	-66.4
6.7	-0.0			2774	41.1	-4.7	-0.3	-70.5
-7.6	-0.0			3409	20.1	-5.5	0.2	6.4
-2.8	-0.0			3408	-40.0	5.3	0.2	6.2
2.9	0.0							
			Q3	2773	0.0	0.0	0.0	0.0
0.0	0.0			2774	0.0	0.0	0.0	0.0
0.0	0.0			3409	0.0	0.0	0.0	0.0
0.0	0.0			3408	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	2773	-2.3	-0.1	-0.0	-9.9
1.2	0.0			2774	2.1	0.0	-0.0	-10.2
-1.2	0.0			3409	2.3	0.1	0.0	2.6
-0.6	-0.0			3408	-2.2	-0.0	0.0	2.6
0.7	0.0							
			Q5_ps	2773	-2.1	-0.1	-0.0	-9.1
1.1	0.0			2774	1.7	0.1	-0.0	-9.3
-1.1	0.0							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-0.6	-0.0			3409	2.1	0.1	0.0	2.5
0.6	0.0			3408	-1.8	-0.1	0.0	2.5
-3.8	-0.0	INVS LU	Max	2773	-51.6	33.8	-0.3	10.5
3.7	-0.0			2774	194.6	-33.9	-0.4	0.8
8.3	0.0			3409	48.0	-36.3	0.4	-80.2
-8.4	0.0			3408	-179.5	37.1	0.3	-78.4
-7.1	-0.0		Min	2773	-57.8	33.5	-0.3	-16.7
0.4	-0.0			2774	189.4	-34.2	-0.4	-27.1
6.6	0.0			3409	41.7	-36.6	0.4	-87.8
-10.3	0.0			3408	-184.8	36.9	0.3	-86.1
-4.6	-0.0	INVS LE	Max	2773	-36.0	25.3	-0.2	20.7
4.3	-0.0			2774	142.5	-25.4	-0.2	14.0
6.9	0.0			3409	32.7	-27.1	0.3	-64.0
-7.2	0.0			3408	-131.6	27.8	0.2	-62.7
-6.7	-0.0		Min	2773	-40.1	25.1	-0.2	2.6
2.1	-0.0			2774	139.1	-25.6	-0.3	-4.7
5.8	0.0			3409	28.5	-27.3	0.2	-69.1
-8.5	0.0			3408	-135.1	27.7	0.2	-67.7
2259	2	4	C1-C2;~1	Max	2783	0.0	0.0	0.0
0.0	0.0				2784	0.0	0.0	0.0
0.0	0.0				2977	0.0	0.0	0.0
0.0	0.0				3417	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	2783	0.0	0.0	0.0	0.0
0.0	0.0				2784	0.0	0.0	0.0
0.0	0.0				2977	0.0	0.0	0.0
0.0	0.0				3417	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		C3-C4;~1	Max	2783	0.0	0.0	0.0
					2784	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0		2977	0.0	0.0	0.0	0.0
0.0	0.0		3417	0.0	0.0	0.0	0.0
0.0	0.0	Min	2783	0.0	0.0	0.0	0.0
0.0	0.0		2784	0.0	0.0	0.0	0.0
0.0	0.0		2977	0.0	0.0	0.0	0.0
0.0	0.0		3417	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	2783	0.0	0.0	0.0
0.0	0.0			2784	0.0	0.0	0.0
0.0	0.0			2977	0.0	0.0	0.0
0.0	0.0			3417	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	2783	0.0	0.0	0.0	0.0
0.0	0.0		2784	0.0	0.0	0.0	0.0
0.0	0.0		2977	0.0	0.0	0.0	0.0
0.0	0.0		3417	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	2783	0.0	0.0	0.0
0.0	0.0			2784	0.0	0.0	0.0
0.0	0.0			2977	0.0	0.0	0.0
0.0	0.0			3417	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	2783	0.0	0.0	0.0	0.0
0.0	0.0		2784	0.0	0.0	0.0	0.0
0.0	0.0		2977	0.0	0.0	0.0	0.0
0.0	0.0		3417	0.0	0.0	0.0	0.0
0.0	0.0						
0.3	0.0	G1	2783	-94.4	3.4	-0.0	-1.6
-0.7	0.0		2784	-96.4	179.1	0.0	-1.7
-1.7	0.0		2977	103.3	-83.1	-0.0	-1.6
1.6	-0.0		3417	87.6	-99.3	0.0	0.3
0.1	0.0	G2	2783	-39.0	1.6	-0.0	-0.9

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.3	0.0			2784	-40.4	74.7	0.0	-0.8
				2977	42.6	-34.8	-0.0	-0.3
-0.6	0.0			3417	36.8	-41.5	0.0	0.3
0.6	-0.0							
		Q3		2783	0.0	0.0	0.0	0.0
0.0	0.0			2784	0.0	0.0	0.0	0.0
0.0	0.0			2977	0.0	0.0	0.0	0.0
0.0	0.0			3417	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		2783	9.2	-4.8	0.1	13.8
-1.3	-0.0			2784	9.4	-30.5	0.2	28.7
1.7	-0.0			2977	-11.4	21.1	-0.2	19.0
-3.9	0.0			3417	-7.2	14.2	-0.0	8.0
-2.2	-0.0							
		Q5_ps		2783	7.2	-3.5	0.1	13.0
-1.2	-0.0			2784	5.6	-21.6	0.2	27.1
1.5	0.0			2977	-9.3	15.1	-0.2	19.3
-3.9	0.0			3417	-3.5	10.0	-0.0	8.5
-2.1	-0.0							
		INVSLE Max		2783	-187.3	0.1	0.0	-8.8
4.1	0.0			2784	-189.4	375.3	0.0	-8.1
-2.9	0.0			2977	225.5	-120.9	0.6	18.7
8.0	0.0			3417	190.9	-178.9	0.1	6.5
5.1	0.0							
		Min		2783	-208.9	-10.5	-0.2	-47.9
0.4	0.0			2784	-206.2	310.5	-0.6	-89.5
-7.4	0.0			2977	197.6	-166.4	-0.0	-39.3
-3.6	0.0			3417	177.9	-208.8	0.0	-19.0
-1.2	0.0							
		INVSLE Max		2783	-140.6	-1.0	0.0	-9.1
2.9	0.0			2784	-141.6	275.6	-0.0	-11.0
-2.5	0.0			2977	166.8	-90.4	0.4	11.5
5.7	0.0			3417	141.9	-133.8	0.1	3.6
3.4	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


			Min	2783	-155.0	-8.1	-0.1	-35.1
0.5	0.0			2784	-152.8	232.5	-0.4	-65.3
-5.5	0.0			2977	148.2	-120.7	0.0	-27.1
-2.0	0.0			3417	133.2	-153.8	0.0	-13.4
-0.8	0.0							
2260	2	4 C1-C2;~1	Max	2784	0.0	0.0	0.0	0.0
0.0	0.0			2785	0.0	0.0	0.0	0.0
0.0	0.0			3418	0.0	0.0	0.0	0.0
0.0	0.0			2977	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	2784	0.0	0.0	0.0	0.0
0.0	0.0			2785	0.0	0.0	0.0	0.0
0.0	0.0			3418	0.0	0.0	0.0	0.0
0.0	0.0			2977	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	2784	0.0	0.0	0.0	0.0
0.0	0.0			2785	0.0	0.0	0.0	0.0
0.0	0.0			3418	0.0	0.0	0.0	0.0
0.0	0.0			2977	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	2784	0.0	0.0	0.0	0.0
0.0	0.0			2785	0.0	0.0	0.0	0.0
0.0	0.0			3418	0.0	0.0	0.0	0.0
0.0	0.0			2977	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	2784	0.0	0.0	0.0	0.0
0.0	0.0			2785	0.0	0.0	0.0	0.0
0.0	0.0			3418	0.0	0.0	0.0	0.0
0.0	0.0			2977	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	2784	0.0	0.0	0.0	0.0
0.0	0.0			2785	0.0	0.0	0.0	0.0
0.0	0.0			3418	0.0	0.0	0.0	0.0
0.0	0.0			2977	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

		C3-C4 ; ~2	Max	2784	0.0	0.0	0.0	0.0
0.0	0.0			2785	0.0	0.0	0.0	0.0
0.0	0.0			3418	0.0	0.0	0.0	0.0
0.0	0.0			2977	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	2784	0.0	0.0	0.0	0.0
0.0	0.0			2785	0.0	0.0	0.0	0.0
0.0	0.0			3418	0.0	0.0	0.0	0.0
0.0	0.0			2977	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	2784	37.2	148.7	-0.0	2.5
0.1	0.0			2785	23.5	0.5	0.0	6.6
1.1	0.0			3418	-32.4	-25.9	-0.0	-2.1
0.1	0.0			2977	-28.4	-123.1	0.0	-3.2
0.9	0.0							
			G2	2784	15.9	62.2	-0.0	0.7
0.1	0.0			2785	10.3	0.4	0.0	2.1
0.4	0.0			3418	-13.7	-11.4	-0.0	-0.5
0.0	0.0			2977	-12.4	-51.2	0.0	-0.7
0.4	0.0							
			Q3	2784	0.0	0.0	0.0	0.0
0.0	0.0			2785	0.0	0.0	0.0	0.0
0.0	0.0			3418	0.0	0.0	0.0	0.0
0.0	0.0			2977	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	2784	-2.5	-26.8	0.2	30.0
-2.4	-0.0			2785	0.8	-0.1	0.0	7.9
-0.2	0.0			3418	2.6	0.9	-0.0	5.8
-0.4	0.0			2977	-0.8	26.1	-0.2	20.4
3.3	0.0							
			Q5_ps	2784	0.2	-18.3	0.2	27.9
-2.2	0.0			2785	3.2	-0.1	0.0	6.5
-0.3	0.0			3418	0.4	-1.3	-0.0	6.5
-0.4	0.0							


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
3.3	0.0			2977	-3.8	19.7	-0.2	20.8
		INVSLE	Max	2784	51.6	292.4	0.1	-17.0
9.8	0.0			2785	35.2	1.3	-0.0	-26.8
-1.6	0.0			3418	-36.7	-32.5	0.1	23.5
0.6	0.0			2977	-35.1	-201.9	0.6	30.8
5.4	0.0							
			Min	2784	47.0	237.6	-0.6	-100.7
3.3	0.0			2785	25.7	1.1	-0.1	-46.3
-2.7	0.0			3418	-41.3	-36.5	0.0	4.0
-0.6	0.0			2977	-46.5	-261.0	-0.1	-31.6
-4.4	0.0							
		INVSLE	Max	2784	36.4	213.3	0.0	-18.6
7.3	0.0			2785	24.6	1.0	-0.0	-23.0
-1.5	0.0			3418	-25.6	-23.0	0.1	17.7
0.4	0.0			2977	-25.4	-151.7	0.4	21.1
3.6	0.0							
			Min	2784	33.3	176.8	-0.4	-74.4
3.0	0.0			2785	18.3	0.8	-0.1	-36.1
-2.2	0.0			3418	-28.7	-25.7	0.0	4.7
-0.4	0.0			2977	-33.0	-191.0	-0.0	-20.5
-2.9	0.0							
2264	2	8	C1-C2;~1	Max	2789	0.0	0.0	0.0
0.0	0.0				2790	0.0	0.0	0.0
0.0	0.0				3422	0.0	0.0	0.0
0.0	0.0				3421	0.0	0.0	0.0
0.0	0.0							
			Min	2789	0.0	0.0	0.0	0.0
0.0	0.0				2790	0.0	0.0	0.0
0.0	0.0				3422	0.0	0.0	0.0
0.0	0.0				3421	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	2789	0.0	0.0	0.0
0.0	0.0				2790	0.0	0.0	0.0
0.0	0.0				3422	0.0	0.0	0.0

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		3421	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	2789	0.0	0.0	0.0	0.0
0.0	0.0		2790	0.0	0.0	0.0	0.0
0.0	0.0		3422	0.0	0.0	0.0	0.0
0.0	0.0		3421	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	2789	0.0	0.0	0.0
0.0	0.0		2790	0.0	0.0	0.0	0.0
0.0	0.0		3422	0.0	0.0	0.0	0.0
0.0	0.0		3421	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	2789	0.0	0.0	0.0	0.0
0.0	0.0		2790	0.0	0.0	0.0	0.0
0.0	0.0		3422	0.0	0.0	0.0	0.0
0.0	0.0		3421	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	2789	0.0	0.0	0.0
0.0	0.0		2790	0.0	0.0	0.0	0.0
0.0	0.0		3422	0.0	0.0	0.0	0.0
0.0	0.0		3421	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	2789	0.0	0.0	0.0	0.0
0.0	0.0		2790	0.0	0.0	0.0	0.0
0.0	0.0		3422	0.0	0.0	0.0	0.0
0.0	0.0		3421	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	2789	129.7	42.5	0.1	35.0
-3.4	-0.0		2790	48.9	-50.3	0.1	37.7
4.2	-0.0		3422	-130.5	-41.7	-0.1	-2.7
2.2	-0.0		3421	-48.1	49.6	-0.1	-2.8
-1.9	-0.0						
		G2	2789	50.9	17.2	0.0	10.9
-0.9	-0.0		2790	19.3	-19.4	0.1	11.8
1.2	-0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.6	-0.0			3422	-51.3	-16.8	-0.1	0.6
-0.5	-0.0			3421	-19.0	19.1	-0.0	0.5
			Q3	2789	0.0	0.0	0.0	0.0
0.0	0.0			2790	0.0	0.0	0.0	0.0
0.0	0.0			3422	0.0	0.0	0.0	0.0
0.0	0.0			3421	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	2789	0.8	-0.1	0.0	2.0
-0.4	0.0			2790	-1.1	-0.0	0.0	2.2
0.3	0.0			3422	-0.9	0.2	-0.0	-0.6
0.2	0.0			3421	1.2	-0.0	-0.0	-0.6
-0.2	-0.0							
			Q5_ps	2789	-0.3	-0.5	0.0	0.5
-0.1	0.0			2790	-1.6	0.4	0.0	0.5
0.0	0.0			3422	0.2	0.6	-0.0	0.3
0.0	-0.0			3421	1.7	-0.4	-0.0	0.3
-0.1	-0.0							
			INVSLE Max	2789	361.1	98.9	0.4	103.6
-8.3	-0.0			2790	65.1	-124.7	0.5	116.7
12.8	-0.0			3422	-363.1	-91.9	-0.5	5.9
6.3	-0.0			3421	-56.8	120.9	-0.4	5.4
-4.3	-0.0							
			Min	2789	359.7	97.3	0.4	100.0
-8.9	-0.0			2790	60.4	-125.8	0.5	112.7
12.3	-0.0			3422	-364.6	-93.7	-0.5	4.9
5.9	-0.0			3421	-61.8	119.5	-0.4	4.3
-4.8	-0.0							
			INVSLE Max	2789	273.2	74.0	0.3	80.5
-6.5	-0.0			2790	46.6	-93.9	0.4	90.6
9.9	-0.0			3422	-275.0	-68.8	-0.4	3.9
4.9	-0.0			3421	-40.6	90.8	-0.3	3.5
-3.5	-0.0							
			Min	2789	272.3	73.0	0.3	78.0
-7.0	-0.0							

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

				2790	43.4	-94.7	0.4	88.0
9.6	-0.0			3422	-276.0	-70.0	-0.4	3.2
4.7	-0.0			3421	-43.9	90.0	-0.3	2.8
-3.7	-0.0							
2265	2	4 C1-C2;~1	Max	2790	0.0	0.0	0.0	0.0
0.0	0.0			2791	0.0	0.0	0.0	0.0
0.0	0.0			3423	0.0	0.0	0.0	0.0
0.0	0.0			3422	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	2790	0.0	0.0	0.0	0.0
0.0	0.0			2791	0.0	0.0	0.0	0.0
0.0	0.0			3423	0.0	0.0	0.0	0.0
0.0	0.0			3422	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	2790	0.0	0.0	0.0	0.0
0.0	0.0			2791	0.0	0.0	0.0	0.0
0.0	0.0			3423	0.0	0.0	0.0	0.0
0.0	0.0			3422	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	2790	0.0	0.0	0.0	0.0
0.0	0.0			2791	0.0	0.0	0.0	0.0
0.0	0.0			3423	0.0	0.0	0.0	0.0
0.0	0.0			3422	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	2790	0.0	0.0	0.0	0.0
0.0	0.0			2791	0.0	0.0	0.0	0.0
0.0	0.0			3423	0.0	0.0	0.0	0.0
0.0	0.0			3422	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	2790	0.0	0.0	0.0	0.0
0.0	0.0			2791	0.0	0.0	0.0	0.0
0.0	0.0			3423	0.0	0.0	0.0	0.0
0.0	0.0			3422	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	2790	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		2791	0.0	0.0	0.0	0.0
0.0	0.0		3423	0.0	0.0	0.0	0.0
0.0	0.0		3422	0.0	0.0	0.0	0.0
0.0	0.0		3422	0.0	0.0	0.0	0.0
0.0	0.0	Min	2790	0.0	0.0	0.0	0.0
0.0	0.0		2791	0.0	0.0	0.0	0.0
0.0	0.0		3423	0.0	0.0	0.0	0.0
0.0	0.0		3422	0.0	0.0	0.0	0.0
0.0	0.0		3422	0.0	0.0	0.0	0.0
-2.8	-0.0	G1	2790	141.9	48.7	0.1	26.8
2.1	-0.0		2791	28.5	-39.6	0.1	25.4
0.4	-0.0		3423	-134.0	-48.2	-0.1	0.4
-1.6	-0.0		3422	-36.4	39.3	-0.1	-0.7
-0.8	-0.0	G2	2790	55.6	19.3	0.0	8.5
0.6	-0.0		2791	11.4	-15.4	0.0	8.1
-0.0	-0.0		3423	-52.5	-19.2	-0.0	1.3
-0.4	-0.0		3422	-14.5	15.2	-0.0	0.9
0.0	0.0	Q3	2790	0.0	0.0	0.0	0.0
0.0	0.0		2791	0.0	0.0	0.0	0.0
0.0	0.0		3423	0.0	0.0	0.0	0.0
0.0	0.0		3422	0.0	0.0	0.0	0.0
-0.4	0.0	Q5_pc	2790	1.5	0.1	0.0	1.7
0.1	0.0		2791	-1.5	-0.0	0.0	1.6
0.1	-0.0		3423	-1.4	0.0	-0.0	-0.3
-0.3	0.0		3422	1.4	-0.1	-0.0	-0.4
-0.2	0.0	Q5_ps	2790	0.4	-0.4	0.0	0.6
-0.0	0.0		2791	-2.0	0.3	0.0	0.6
0.0	-0.0		3423	-0.4	0.5	-0.0	0.2
-0.1	-0.0		3422	1.9	-0.4	-0.0	0.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


			INVS LU	Max	2790	427.0	123.8	0.3	90.3
-7.9	-0.0				2791	-21.3	-88.6	0.4	90.1
7.6	-0.0				3423	-394.1	-117.0	-0.4	12.1
0.7	-0.0				3422	-3.1	84.4	-0.3	8.7
-3.8	-0.0								
				Min	2790	424.3	122.8	0.3	87.2
-8.7	-0.0				2791	-27.3	-89.6	0.4	87.2
7.5	-0.0				3423	-396.6	-118.5	-0.4	11.4
0.6	-0.0				3422	-8.9	83.1	-0.3	8.0
-4.3	-0.0								
			INVS LE	Max	2790	324.1	93.3	0.3	70.2
-6.3	-0.0				2791	-19.9	-66.4	0.3	70.1
6.0	-0.0				3423	-299.3	-88.1	-0.3	8.8
0.6	-0.0				3422	0.7	63.0	-0.2	6.2
-3.0	-0.0								
				Min	2790	322.4	92.5	0.3	68.1
-6.8	-0.0				2791	-23.9	-67.1	0.3	68.2
5.9	-0.0				3423	-301.0	-89.0	-0.3	8.4
0.5	-0.0				3422	-3.2	62.1	-0.3	5.8
-3.3	-0.0								
2280	2	4	C1-C2;~1	Max	2803	0.0	0.0	0.0	0.0
0.0		0.0			2804	0.0	0.0	0.0	0.0
0.0		0.0			3436	0.0	0.0	0.0	0.0
0.0		0.0			3435	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	2803	0.0	0.0	0.0	0.0
0.0		0.0			2804	0.0	0.0	0.0	0.0
0.0		0.0			3436	0.0	0.0	0.0	0.0
0.0		0.0			3435	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	2803	0.0	0.0	0.0	0.0
0.0		0.0			2804	0.0	0.0	0.0	0.0
0.0		0.0			3436	0.0	0.0	0.0	0.0
0.0		0.0			3435	0.0	0.0	0.0	0.0

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0						
		Min	2803	0.0	0.0	0.0	0.0
0.0	0.0		2804	0.0	0.0	0.0	0.0
0.0	0.0		3436	0.0	0.0	0.0	0.0
0.0	0.0		3435	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2; ~2	Max	2803	0.0	0.0	0.0
0.0	0.0		2804	0.0	0.0	0.0	0.0
0.0	0.0		3436	0.0	0.0	0.0	0.0
0.0	0.0		3435	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	2803	0.0	0.0	0.0	0.0
0.0	0.0		2804	0.0	0.0	0.0	0.0
0.0	0.0		3436	0.0	0.0	0.0	0.0
0.0	0.0		3435	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4; ~2	Max	2803	0.0	0.0	0.0
0.0	0.0		2804	0.0	0.0	0.0	0.0
0.0	0.0		3436	0.0	0.0	0.0	0.0
0.0	0.0		3435	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	2803	0.0	0.0	0.0	0.0
0.0	0.0		2804	0.0	0.0	0.0	0.0
0.0	0.0		3436	0.0	0.0	0.0	0.0
0.0	0.0		3435	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	2803	-20.9	-37.4	0.1	26.6
-2.3	0.0		2804	-140.7	46.7	0.1	27.2
2.6	0.0		3436	29.1	36.7	-0.1	0.2
1.3	0.0		3435	132.5	-45.8	-0.1	1.1
-0.4	0.0						
		G2	2803	-7.4	-14.3	0.0	9.3
-0.8	0.0		2804	-55.7	18.5	0.0	9.4
0.8	0.0		3436	10.6	14.0	-0.0	1.1
0.3	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-0.0	-0.0		3435	52.5	-18.2	-0.0	1.4
0.0	0.0	Q3	2803	0.0	0.0	0.0	0.0
0.0	0.0		2804	0.0	0.0	0.0	0.0
0.0	0.0		3436	0.0	0.0	0.0	0.0
0.0	0.0		3435	0.0	0.0	0.0	0.0
-0.1	-0.0	Q5_pc	2803	1.5	0.1	0.0	1.8
0.5	-0.0		2804	-1.1	-0.0	0.0	1.9
0.3	-0.0		3436	-1.4	-0.2	-0.0	-0.5
-0.1	0.0		3435	1.1	0.1	-0.0	-0.5
-0.0	-0.0	Q5_ps	2803	1.9	0.4	0.0	0.7
0.2	-0.0		2804	0.0	-0.5	0.0	0.6
0.1	0.0		3436	-1.9	-0.5	-0.0	0.2
-0.0	0.0		3435	-0.0	0.6	-0.0	0.1
-7.2	0.0	INVSLE Max	2803	40.8	-85.2	0.4	88.8
7.7	0.0		2804	-425.3	121.1	0.3	87.2
3.0	0.0		3436	-4.2	80.5	-0.3	13.1
-0.2	0.0		3435	396.2	-113.3	-0.4	15.6
-7.4	0.0	Min	2803	35.2	-86.4	0.4	85.6
6.9	0.0		2804	-427.3	119.8	0.3	83.8
2.5	0.0		3436	-9.8	79.0	-0.3	12.2
-0.4	0.0		3435	394.3	-115.1	-0.4	14.8
-5.7	0.0	INVSLE Max	2803	33.7	-63.9	0.3	69.2
6.1	0.0		2804	-323.1	91.3	0.3	68.0
2.4	0.0		3436	-6.3	60.2	-0.3	9.4
-0.2	0.0		3435	300.8	-85.4	-0.3	11.3
-5.8	0.0	Min	2803	30.0	-64.7	0.3	67.1
5.5	0.0		2804	-324.5	90.4	0.3	65.7

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
2.1	0.0			3436	-10.0	59.2	-0.3	8.8
-0.4	0.0			3435	299.5	-86.6	-0.3	10.8
2281	2	8	C1-C2;~1	Max	2804	0.0	0.0	0.0
0.0		0.0			2805	0.0	0.0	0.0
0.0		0.0			3437	0.0	0.0	0.0
0.0		0.0			3436	0.0	0.0	0.0
0.0		0.0						
0.0		0.0	Min		2804	0.0	0.0	0.0
0.0		0.0			2805	0.0	0.0	0.0
0.0		0.0			3437	0.0	0.0	0.0
0.0		0.0			3436	0.0	0.0	0.0
0.0		0.0						
0.0		0.0	C3-C4;~1	Max	2804	0.0	0.0	0.0
0.0		0.0			2805	0.0	0.0	0.0
0.0		0.0			3437	0.0	0.0	0.0
0.0		0.0			3436	0.0	0.0	0.0
0.0		0.0						
0.0		0.0	Min		2804	0.0	0.0	0.0
0.0		0.0			2805	0.0	0.0	0.0
0.0		0.0			3437	0.0	0.0	0.0
0.0		0.0			3436	0.0	0.0	0.0
0.0		0.0						
0.0		0.0	C1-C2;~2	Max	2804	0.0	0.0	0.0
0.0		0.0			2805	0.0	0.0	0.0
0.0		0.0			3437	0.0	0.0	0.0
0.0		0.0			3436	0.0	0.0	0.0
0.0		0.0						
0.0		0.0	Min		2804	0.0	0.0	0.0
0.0		0.0			2805	0.0	0.0	0.0
0.0		0.0			3437	0.0	0.0	0.0
0.0		0.0			3436	0.0	0.0	0.0
0.0		0.0						
0.0		0.0	C3-C4;~2	Max	2804	0.0	0.0	0.0
0.0		0.0			2805	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


0.0	0.0		3437	0.0	0.0	0.0	0.0
0.0	0.0		3436	0.0	0.0	0.0	0.0
0.0	0.0	Min	2804	0.0	0.0	0.0	0.0
0.0	0.0		2805	0.0	0.0	0.0	0.0
0.0	0.0		3437	0.0	0.0	0.0	0.0
0.0	0.0		3436	0.0	0.0	0.0	0.0
0.0	0.0						
-4.0	0.0	G1	2804	-43.1	-48.2	0.2	37.1
3.2	0.0		2805	-127.0	40.3	0.1	34.3
1.7	0.0		3437	42.2	47.4	-0.1	-1.4
-1.9	0.0		3436	127.9	-39.3	-0.1	-1.3
-1.3	0.0	G2	2804	-16.4	-18.6	0.1	12.6
1.0	0.0		2805	-50.1	16.1	0.0	11.5
0.5	0.0		3437	16.0	18.1	-0.0	0.8
-0.5	0.0		3436	50.5	-15.7	-0.1	0.9
0.0	0.0	Q3	2804	0.0	0.0	0.0	0.0
0.0	0.0		2805	0.0	0.0	0.0	0.0
0.0	0.0		3437	0.0	0.0	0.0	0.0
0.0	0.0		3436	0.0	0.0	0.0	0.0
-0.3	-0.0	Q5_pc	2804	1.1	0.0	0.0	2.4
0.4	-0.0		2805	-0.5	-0.2	0.0	2.2
0.3	0.0		3437	-1.2	-0.1	-0.0	-0.7
-0.2	-0.0		3436	0.6	0.3	-0.0	-0.7
-0.0	-0.0	Q5_ps	2804	1.6	0.5	0.0	0.6
0.2	-0.0		2805	0.6	-0.6	0.0	0.6
0.1	0.0		3437	-1.7	-0.5	-0.0	0.2
-0.1	0.0		3436	-0.5	0.6	-0.0	0.2

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			

-11.0	0.0	INVSLE	Max	2804	-50.1	-121.6	0.5	110.4
8.1	0.0			2805	-356.4	95.3	0.4	97.9
3.9	0.0			3437	51.4	117.7	-0.4	11.5
-4.5	0.0			3436	361.7	-87.8	-0.5	12.6
-11.5	0.0		Min	2804	-54.8	-123.0	0.5	106.1
7.4	0.0			2805	-358.2	93.6	0.4	93.8
3.4	0.0			3437	46.4	116.1	-0.4	10.3
-4.9	0.0			3436	360.2	-89.7	-0.5	11.3
-8.7	0.0	INVSLE	Max	2804	-36.0	-91.7	0.4	86.1
6.3	0.0			2805	-270.0	71.4	0.3	76.2
3.1	0.0			3437	36.4	88.6	-0.3	8.0
-3.6	0.0			3436	274.0	-65.9	-0.4	8.7
-9.0	0.0		Min	2804	-39.1	-92.7	0.4	83.2
5.9	0.0			2805	-271.2	70.3	0.3	73.5
2.8	0.0			3437	33.0	87.5	-0.3	7.2
-3.9	0.0			3436	273.0	-67.1	-0.4	7.9
2296	2	4 C1-C2; ~1	Max	2818	0.0	0.0	0.0	0.0
0.0	0.0			2819	0.0	0.0	0.0	0.0
0.0	0.0			3450	0.0	0.0	0.0	0.0
0.0	0.0			3449	0.0	0.0	0.0	0.0
0.0	0.0		Min	2818	0.0	0.0	0.0	0.0
0.0	0.0			2819	0.0	0.0	0.0	0.0
0.0	0.0			3450	0.0	0.0	0.0	0.0
0.0	0.0			3449	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4; ~1	Max	2818	0.0	0.0	0.0	0.0
0.0	0.0			2819	0.0	0.0	0.0	0.0
0.0	0.0			3450	0.0	0.0	0.0	0.0
0.0	0.0			3449	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
			Min	2818	0.0	0.0	0.0	0.0
0.0	0.0			2819	0.0	0.0	0.0	0.0
0.0	0.0			3450	0.0	0.0	0.0	0.0
0.0	0.0			3449	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	2818	0.0	0.0	0.0	0.0
0.0	0.0			2819	0.0	0.0	0.0	0.0
0.0	0.0			3450	0.0	0.0	0.0	0.0
0.0	0.0			3449	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	2818	0.0	0.0	0.0	0.0
0.0	0.0			2819	0.0	0.0	0.0	0.0
0.0	0.0			3450	0.0	0.0	0.0	0.0
0.0	0.0			3449	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	2818	0.0	0.0	0.0	0.0
0.0	0.0			2819	0.0	0.0	0.0	0.0
0.0	0.0			3450	0.0	0.0	0.0	0.0
0.0	0.0			3449	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	2818	0.0	0.0	0.0	0.0
0.0	0.0			2819	0.0	0.0	0.0	0.0
0.0	0.0			3450	0.0	0.0	0.0	0.0
0.0	0.0			3449	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		2818	-18.6	-37.8	0.1	35.6
-3.4	0.0			2819	-141.7	47.1	0.1	36.8
4.5	0.0			3450	26.8	37.0	-0.1	-5.4
2.9	0.0			3449	133.5	-46.2	-0.1	-4.3
-1.3	0.0							
		G2		2818	-6.7	-14.7	0.1	16.3
-1.6	0.0			2819	-56.6	18.9	0.1	16.9
2.1	0.0			3450	10.0	14.3	-0.0	-3.3
1.4	0.0			3449	53.3	-18.5	-0.1	-2.7
-0.7	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0	Q3		2818	0.0	0.0	0.0	0.0
0.0	0.0			2819	0.0	0.0	0.0	0.0
0.0	0.0			3450	0.0	0.0	0.0	0.0
0.0	0.0			3449	0.0	0.0	0.0	0.0
0.5	0.0	Q5_pc		2818	-1.8	0.3	-0.0	-4.7
-1.7	0.0			2819	2.9	-0.4	-0.0	-6.2
-1.7	0.0			3450	1.6	-0.1	-0.0	3.3
0.7	-0.0			3449	-2.7	0.3	0.0	2.9
0.3	0.0	Q5_ps		2818	-2.4	-0.0	-0.0	-3.5
-1.5	0.0			2819	2.1	-0.1	-0.0	-4.8
-1.5	0.0			3450	2.2	0.2	-0.0	2.5
0.6	-0.0			3449	-1.9	-0.1	0.0	2.2
-9.7	0.0	INVS LU	Max	2818	39.9	-86.1	0.4	113.0
14.7	0.0			2819	-415.5	120.5	0.4	115.3
9.3	0.0			3450	-2.7	81.0	-0.4	-2.1
-2.1	0.0			3449	391.2	-113.9	-0.4	0.9
-10.7	0.0		Min	2818	32.8	-86.6	0.4	102.6
10.1	0.0			2819	-421.9	119.7	0.4	101.0
4.9	0.0			3450	-9.1	80.4	-0.4	-9.7
-3.9	0.0			3449	385.4	-114.4	-0.5	-5.7
-7.5	0.0	INVS LE	Max	2818	32.8	-64.7	0.3	86.7
11.1	0.0			2819	-316.0	90.9	0.3	88.2
7.0	0.0			3450	-5.0	60.7	-0.3	-2.2
-1.7	0.0			3449	296.8	-85.9	-0.3	0.2
-8.2	0.0		Min	2818	28.1	-65.0	0.3	79.8
8.1	0.0			2819	-320.3	90.3	0.3	78.7
4.0	0.0			3450	-9.4	60.3	-0.3	-7.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


				3449	293.0	-86.2	-0.4	-4.3
-3.0	0.0							
2297	2	8	C1-C2;~1	Max	2819	0.0	0.0	0.0
0.0	0.0				2820	0.0	0.0	0.0
0.0	0.0				3451	0.0	0.0	0.0
0.0	0.0				3450	0.0	0.0	0.0
0.0	0.0							
				Min	2819	0.0	0.0	0.0
0.0	0.0				2820	0.0	0.0	0.0
0.0	0.0				3451	0.0	0.0	0.0
0.0	0.0				3450	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	2819	0.0	0.0	0.0
0.0	0.0				2820	0.0	0.0	0.0
0.0	0.0				3451	0.0	0.0	0.0
0.0	0.0				3450	0.0	0.0	0.0
0.0	0.0							
				Min	2819	0.0	0.0	0.0
0.0	0.0				2820	0.0	0.0	0.0
0.0	0.0				3451	0.0	0.0	0.0
0.0	0.0				3450	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	2819	0.0	0.0	0.0
0.0	0.0				2820	0.0	0.0	0.0
0.0	0.0				3451	0.0	0.0	0.0
0.0	0.0				3450	0.0	0.0	0.0
0.0	0.0							
				Min	2819	0.0	0.0	0.0
0.0	0.0				2820	0.0	0.0	0.0
0.0	0.0				3451	0.0	0.0	0.0
0.0	0.0				3450	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~2	Max	2819	0.0	0.0	0.0
0.0	0.0				2820	0.0	0.0	0.0
0.0	0.0				3451	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0		3450	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	2819	0.0	0.0	0.0	0.0
0.0	0.0		2820	0.0	0.0	0.0	0.0
0.0	0.0		3451	0.0	0.0	0.0	0.0
0.0	0.0		3450	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	2819	-41.3	-48.7	0.2	50.9
-5.9	0.0		2820	-127.2	40.6	0.1	47.9
5.4	0.0		3451	40.1	47.9	-0.1	-9.8
3.6	0.0		3450	128.3	-39.6	-0.2	-9.4
-3.5	0.0						
		G2	2819	-16.0	-19.0	0.1	23.4
-2.8	0.0		2820	-50.7	16.5	0.1	22.0
2.5	0.0		3451	15.5	18.5	-0.1	-5.4
1.7	0.0		3450	51.2	-16.0	-0.1	-5.3
-1.7	0.0						
		Q3	2819	0.0	0.0	0.0	0.0
0.0	0.0		2820	0.0	0.0	0.0	0.0
0.0	0.0		3451	0.0	0.0	0.0	0.0
0.0	0.0		3450	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	2819	-1.0	0.4	-0.0	-8.7
1.4	0.0		2820	1.8	-0.0	-0.0	-7.3
-1.2	0.0		3451	1.1	-0.4	0.0	4.7
-1.2	-0.0		3450	-1.9	-0.0	0.0	4.8
1.6	0.0						
		Q5_ps	2819	-1.6	0.1	-0.0	-6.6
1.2	0.0		2820	1.0	0.4	0.0	-5.3
-1.0	0.0		3451	1.7	-0.0	0.0	3.6
-1.0	-0.0		3450	-1.1	-0.4	0.0	3.7
1.4	0.0						
		INVSLU Max	2819	-49.7	-121.6	0.6	153.6
-14.6	0.0						

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
15.9	0.0			2820	-349.8	95.5	0.4	141.2
10.8	0.0			3451	50.9	117.3	-0.4	-11.9
-7.0	0.0			3450	356.9	-89.1	-0.5	-9.8
-18.1	0.0		Min	2819	-54.5	-122.3	0.5	133.8
13.0	0.0			2820	-353.0	94.4	0.4	125.3
7.7	0.0			3451	45.8	116.6	-0.4	-22.8
-11.1	0.0			3450	353.4	-90.2	-0.6	-21.0
-11.4	0.0	INVSLE	Max	2819	-35.7	-91.7	0.4	117.4
12.1	0.0			2820	-265.2	71.7	0.3	108.0
8.1	0.0			3451	36.1	88.3	-0.3	-9.9
-5.6	0.0			3450	270.3	-66.9	-0.4	-8.4
-13.8	0.0		Min	2819	-38.9	-92.2	0.4	104.2
10.1	0.0			2820	-267.3	71.0	0.3	97.4
6.1	0.0			3451	32.7	87.9	-0.3	-17.2
-8.4	0.0			3450	268.0	-67.6	-0.4	-15.9
2328	2	10	C1-C2;~1	Max	2850	0.0	0.0	0.0
0.0	0.0	0.0			2851	0.0	0.0	0.0
0.0	0.0				3478	0.0	0.0	0.0
0.0	0.0				3477	0.0	0.0	0.0
0.0	0.0		Min	2850	0.0	0.0	0.0	0.0
0.0	0.0				2851	0.0	0.0	0.0
0.0	0.0				3478	0.0	0.0	0.0
0.0	0.0				3477	0.0	0.0	0.0
0.0	0.0		Min	2850	0.0	0.0	0.0	0.0
0.0	0.0				2850	0.0	0.0	0.0
0.0	0.0				2851	0.0	0.0	0.0
0.0	0.0				3478	0.0	0.0	0.0
0.0	0.0				3477	0.0	0.0	0.0
0.0	0.0		Min	2850	0.0	0.0	0.0	0.0
0.0	0.0				2850	0.0	0.0	0.0
0.0	0.0				2851	0.0	0.0	0.0
0.0	0.0				3478	0.0	0.0	0.0
0.0	0.0				3477	0.0	0.0	0.0
0.0	0.0		Min	2850	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0		2851	0.0	0.0	0.0	0.0
0.0	0.0		3478	0.0	0.0	0.0	0.0
0.0	0.0		3477	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	2850	0.0	0.0	0.0
0.0	0.0			2851	0.0	0.0	0.0
0.0	0.0			3478	0.0	0.0	0.0
0.0	0.0			3477	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	2850	0.0	0.0	0.0
0.0	0.0			2851	0.0	0.0	0.0
0.0	0.0			3478	0.0	0.0	0.0
0.0	0.0			3477	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	2850	0.0	0.0	0.0
0.0	0.0			2851	0.0	0.0	0.0
0.0	0.0			3478	0.0	0.0	0.0
0.0	0.0			3477	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	2850	0.0	0.0	0.0
0.0	0.0			2851	0.0	0.0	0.0
0.0	0.0			3478	0.0	0.0	0.0
0.0	0.0			3477	0.0	0.0	0.0
0.0	0.0						
21.5	0.0	G1		2850	-102.2	-9.9	-0.7
				2851	60.9	11.6	-0.6
-19.6	0.0			3478	100.8	10.5	0.6
-8.6	-0.0			3477	-59.5	-11.9	0.7
8.1	0.0						
		G2		2850	-41.7	-3.9	-0.3
8.6	0.0			2851	24.8	4.9	-0.3
-7.8	0.0			3478	41.1	4.1	0.3
-3.4	-0.0			3477	-24.2	-5.2	0.3
3.2	0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
			Q3	2850	0.0	0.0	0.0	0.0
0.0	0.0			2851	0.0	0.0	0.0	0.0
0.0	0.0			3478	0.0	0.0	0.0	0.0
0.0	0.0			3477	0.0	0.0	0.0	0.0
			Q5_pc	2850	3.0	0.2	0.0	12.2
-1.4	-0.0			2851	-2.3	-0.2	0.0	11.9
1.4	-0.0			3478	-3.0	-0.2	-0.0	-3.2
0.8	0.0			3477	2.3	0.2	-0.0	-3.2
-0.7	-0.0							
			Q5_ps	2850	2.3	0.1	0.0	11.6
-1.3	0.0			2851	-2.2	0.0	0.0	11.4
1.4	0.0			3478	-2.4	-0.1	-0.0	-3.3
0.7	0.0			3477	2.3	-0.0	-0.0	-3.3
-0.6	-0.0							
			INVSLE Max	2850	-195.7	-16.7	-0.6	-43.2
4.4	0.0			2851	130.9	20.7	-0.5	-33.7
3.5	0.0			3478	192.8	17.8	0.6	-90.0
10.5	-0.0			3477	-114.2	-20.9	0.7	-90.5
-5.9	0.0							
			Min	2850	-202.6	-17.0	-0.7	-78.0
0.4	0.0			2851	124.2	20.4	-0.6	-68.0
-0.6	0.0			3478	185.6	17.4	0.5	-99.9
8.3	-0.0			3477	-121.1	-21.2	0.6	-100.3
-7.8	0.0							
			INVSLE Max	2850	-144.7	-12.2	-0.4	-21.5
1.6	0.0			2851	97.1	15.1	-0.3	-14.7
3.9	0.0			3478	141.8	13.0	0.4	-71.9
8.7	-0.0			3477	-84.9	-15.3	0.5	-72.2
-5.3	0.0							
			Min	2850	-149.3	-12.4	-0.5	-44.7
-1.0	0.0			2851	92.6	14.9	-0.4	-37.5
1.2	0.0			3478	137.0	12.7	0.4	-78.5
7.2	-0.0			3477	-89.5	-15.5	0.4	-78.8
-6.5	0.0							

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

2329	2	4	C1-C2;~1	Max	2851	0.0	0.0	0.0	0.0
0.0		0.0			2852	0.0	0.0	0.0	0.0
0.0		0.0			3479	0.0	0.0	0.0	0.0
0.0		0.0			3478	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	2851	0.0	0.0	0.0	0.0
0.0		0.0			2852	0.0	0.0	0.0	0.0
0.0		0.0			3479	0.0	0.0	0.0	0.0
0.0		0.0			3478	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	2851	0.0	0.0	0.0	0.0
0.0		0.0			2852	0.0	0.0	0.0	0.0
0.0		0.0			3479	0.0	0.0	0.0	0.0
0.0		0.0			3478	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	2851	0.0	0.0	0.0	0.0
0.0		0.0			2852	0.0	0.0	0.0	0.0
0.0		0.0			3479	0.0	0.0	0.0	0.0
0.0		0.0			3478	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	2851	0.0	0.0	0.0	0.0
0.0		0.0			2852	0.0	0.0	0.0	0.0
0.0		0.0			3479	0.0	0.0	0.0	0.0
0.0		0.0			3478	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	2851	0.0	0.0	0.0	0.0
0.0		0.0			2852	0.0	0.0	0.0	0.0
0.0		0.0			3479	0.0	0.0	0.0	0.0
0.0		0.0			3478	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	2851	0.0	0.0	0.0	0.0
0.0		0.0			2852	0.0	0.0	0.0	0.0
0.0		0.0			3479	0.0	0.0	0.0	0.0
0.0		0.0			3478	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0						
		Min	2851	0.0	0.0	0.0	0.0
0.0	0.0		2852	0.0	0.0	0.0	0.0
0.0	0.0		3479	0.0	0.0	0.0	0.0
0.0	0.0		3478	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	2851	-118.7	-12.4	-1.0	-246.9
28.1	0.0		2852	72.2	11.6	-0.7	-227.6
-23.1	0.0		3479	111.2	13.2	0.7	21.7
-9.8	-0.0		3478	-64.7	-12.2	0.9	25.9
11.8	-0.0						
		G2	2851	-48.6	-5.0	-0.4	-98.9
11.2	0.0		2852	29.3	5.0	-0.3	-91.1
-9.2	0.0		3479	45.5	5.2	0.3	8.0
-3.9	-0.0		3478	-26.2	-5.3	0.4	9.7
4.7	-0.0						
		Q3	2851	0.0	0.0	0.0	0.0
0.0	0.0		2852	0.0	0.0	0.0	0.0
0.0	0.0		3479	0.0	0.0	0.0	0.0
0.0	0.0		3478	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	2851	3.4	0.2	0.1	16.2
-1.9	0.0		2852	-2.8	-0.1	0.0	15.0
1.7	0.0		3479	-3.3	-0.2	-0.0	-4.0
0.8	0.0		3478	2.7	0.1	-0.1	-4.4
-0.9	0.0						
		Q5_ps	2851	2.7	-0.0	0.0	15.8
-1.9	0.0		2852	-2.8	0.1	0.0	14.6
1.6	0.0		3479	-2.6	0.0	-0.0	-4.2
0.8	0.0		3478	2.7	-0.1	-0.0	-4.6
-0.9	0.0						
		INVSLU Max	2851	-229.1	-21.6	-0.7	-38.2
2.2	0.0		2852	158.8	19.1	-0.7	-38.9
3.3	0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
10.3	0.0			3479	214.3	23.0	0.8	-118.9
-7.0	-0.0			3478	-127.8	-19.8	0.8	-125.4
-3.5	0.0		Min	2851	-237.0	-21.9	-0.8	-85.5
-1.6	0.0			2852	150.4	18.8	-0.8	-82.8
7.8	0.0			3479	206.5	22.7	0.7	-131.4
-9.8	-0.0			3478	-136.0	-20.0	0.7	-139.1
-0.7	0.0		INVSLE Max	2851	-169.5	-15.8	-0.5	-14.4
4.0	0.0			2852	117.9	13.8	-0.5	-16.1
8.6	0.0			3479	157.7	16.8	0.5	-94.6
-6.5	-0.0			3478	-95.3	-14.3	0.6	-100.0
-4.4	0.0		Min	2851	-174.8	-16.0	-0.6	-45.9
0.7	0.0			2852	112.3	13.7	-0.5	-45.4
6.9	0.0			3479	152.5	16.6	0.5	-102.9
-8.3	-0.0			3478	-100.7	-14.5	0.5	-109.1
2352	2	8	C1-C2;~1	Max	2871	0.0	0.0	0.0
0.0	0.0				2872	0.0	0.0	0.0
0.0	0.0				3499	0.0	0.0	0.0
0.0	0.0				3498	0.0	0.0	0.0
0.0	0.0		Min	2871	0.0	0.0	0.0	0.0
0.0	0.0				2872	0.0	0.0	0.0
0.0	0.0				3499	0.0	0.0	0.0
0.0	0.0				3498	0.0	0.0	0.0
0.0	0.0		C3-C4;~1	Max	2871	0.0	0.0	0.0
0.0	0.0				2872	0.0	0.0	0.0
0.0	0.0				3499	0.0	0.0	0.0
0.0	0.0				3498	0.0	0.0	0.0
0.0	0.0		Min	2871	0.0	0.0	0.0	0.0
0.0	0.0				2872	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		3499	0.0	0.0	0.0	0.0
0.0	0.0		3498	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2; ~2	Max	2871	0.0	0.0	0.0
0.0	0.0			2872	0.0	0.0	0.0
0.0	0.0			3499	0.0	0.0	0.0
0.0	0.0			3498	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	2871	0.0	0.0	0.0
0.0	0.0			2872	0.0	0.0	0.0
0.0	0.0			3499	0.0	0.0	0.0
0.0	0.0			3498	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4; ~2	Max	2871	0.0	0.0	0.0
0.0	0.0			2872	0.0	0.0	0.0
0.0	0.0			3499	0.0	0.0	0.0
0.0	0.0			3498	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	2871	0.0	0.0	0.0
0.0	0.0			2872	0.0	0.0	0.0
0.0	0.0			3499	0.0	0.0	0.0
0.0	0.0			3498	0.0	0.0	0.0
0.0	0.0						
-5.4	-0.0	G1		2871	123.7	38.9	0.1
6.4	-0.0			2872	39.1	-46.8	0.2
4.0	-0.0			3499	-124.8	-37.8	-0.2
-3.7	-0.0			3498	-38.0	45.9	-0.1
-2.5	-0.0	G2		2871	49.2	16.0	0.1
2.9	-0.0			2872	15.9	-18.3	0.1
1.8	-0.0			3499	-49.6	-15.6	-0.1
-1.7	-0.0			3498	-15.5	17.9	-0.1
0.0	0.0	Q3		2871	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


0.0	0.0			2872	0.0	0.0	0.0	0.0
0.0	0.0			3499	0.0	0.0	0.0	0.0
0.0	0.0			3498	0.0	0.0	0.0	0.0
0.8	-0.0	Q5_pc		2871	0.8	0.4	0.0	-3.5
-0.9	-0.0			2872	0.5	-0.3	-0.0	-4.6
-1.3	-0.0			3499	-0.8	-0.4	0.0	3.5
0.9	0.0			3498	-0.5	0.2	-0.0	3.4
0.5	-0.0	Q5_ps		2871	1.5	0.8	0.0	-1.7
-0.7	-0.0			2872	1.1	-0.6	-0.0	-2.7
-1.1	-0.0			3499	-1.6	-0.7	0.0	2.5
0.7	0.0			3498	-1.1	0.6	-0.0	2.4
-14.2	-0.0	INVS LU	Max	2871	350.0	94.0	0.4	143.8
18.9	-0.0			2872	52.3	-118.7	0.6	157.7
12.1	-0.0			3499	-349.0	-86.4	-0.6	-17.1
-8.8	-0.0			3498	-45.4	115.4	-0.4	-18.4
-15.9	-0.0		Min	2871	345.4	91.6	0.4	137.5
16.9	-0.0			2872	49.0	-120.6	0.6	149.4
8.8	-0.0			3499	-353.7	-88.6	-0.6	-24.6
-11.0	-0.0			3498	-48.6	113.7	-0.4	-25.7
-11.0	-0.0	INVS LE	Max	2871	265.2	70.6	0.3	110.2
14.4	-0.0			2872	37.5	-89.8	0.4	120.7
9.1	-0.0			3499	-265.0	-64.9	-0.4	-13.5
-6.9	-0.0			3498	-32.5	87.0	-0.3	-14.6
-12.1	-0.0		Min	2871	262.1	69.0	0.3	105.9
13.1	-0.0			2872	35.3	-91.0	0.4	115.2
6.9	-0.0			3499	-268.1	-66.4	-0.4	-18.6
-8.3	-0.0			3498	-34.6	85.9	-0.3	-19.4

PROJECT TITLE :

MIDAS	Company			Client					
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				

2353	2	4	C1-C2;~1	Max	2872	0.0	0.0	0.0	0.0
0.0		0.0			2873	0.0	0.0	0.0	0.0
0.0		0.0			3500	0.0	0.0	0.0	0.0
0.0		0.0			3499	0.0	0.0	0.0	0.0
0.0		0.0		Min	2872	0.0	0.0	0.0	0.0
0.0		0.0			2873	0.0	0.0	0.0	0.0
0.0		0.0			3500	0.0	0.0	0.0	0.0
0.0		0.0			3499	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	2872	0.0	0.0	0.0	0.0
0.0		0.0			2873	0.0	0.0	0.0	0.0
0.0		0.0			3500	0.0	0.0	0.0	0.0
0.0		0.0			3499	0.0	0.0	0.0	0.0
0.0		0.0		Min	2872	0.0	0.0	0.0	0.0
0.0		0.0			2873	0.0	0.0	0.0	0.0
0.0		0.0			3500	0.0	0.0	0.0	0.0
0.0		0.0			3499	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	2872	0.0	0.0	0.0	0.0
0.0		0.0			2873	0.0	0.0	0.0	0.0
0.0		0.0			3500	0.0	0.0	0.0	0.0
0.0		0.0			3499	0.0	0.0	0.0	0.0
0.0		0.0		Min	2872	0.0	0.0	0.0	0.0
0.0		0.0			2873	0.0	0.0	0.0	0.0
0.0		0.0			3500	0.0	0.0	0.0	0.0
0.0		0.0			3499	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	2872	0.0	0.0	0.0	0.0
0.0		0.0			2873	0.0	0.0	0.0	0.0
0.0		0.0			3500	0.0	0.0	0.0	0.0
0.0		0.0			3499	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
			Min	2872	0.0	0.0	0.0	0.0
0.0	0.0			2873	0.0	0.0	0.0	0.0
0.0	0.0			3500	0.0	0.0	0.0	0.0
0.0	0.0			3499	0.0	0.0	0.0	0.0
			G1	2872	138.0	45.2	0.1	39.1
-4.9	-0.0			2873	16.2	-36.0	0.1	37.4
3.6	-0.0			3500	-130.0	-44.2	-0.1	-5.4
1.5	-0.0			3499	-24.3	35.1	-0.1	-6.6
-3.3	-0.0							
			G2	2872	54.6	18.2	0.0	17.4
-2.2	-0.0			2873	7.0	-14.2	0.1	16.5
1.6	-0.0			3500	-51.5	-17.9	-0.1	-3.2
0.7	-0.0			3499	-10.1	13.8	-0.0	-3.8
-1.5	-0.0							
			Q3	2872	0.0	0.0	0.0	0.0
0.0	0.0			2873	0.0	0.0	0.0	0.0
0.0	0.0			3500	0.0	0.0	0.0	0.0
0.0	0.0			3499	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	2872	0.6	0.3	0.0	-3.2
1.4	-0.0			2873	0.3	-0.1	-0.0	-1.8
-0.2	-0.0			3500	-0.6	-0.3	0.0	2.1
-0.6	0.0			3499	-0.3	0.2	-0.0	2.4
1.4	-0.0							
			Q5_ps	2872	1.2	0.6	0.0	-2.0
1.2	-0.0			2873	0.9	-0.4	-0.0	-0.7
-0.0	-0.0			3500	-1.2	-0.7	0.0	1.5
-0.5	0.0			3499	-0.9	0.5	-0.0	1.7
1.2	-0.0							
			INVSLU Max	2872	416.3	118.7	0.4	117.9
-11.9	-0.0			2873	-36.4	-83.7	0.5	114.3
10.9	-0.0			3500	-382.7	-110.7	-0.4	-3.5
4.3	-0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


-6.5	-0.0			3499	8.9	79.1	-0.3	-7.2
		Min		2872	412.8	116.9	0.4	112.0
-15.3	-0.0			2873	-39.0	-84.9	0.4	111.1
10.6	-0.0			3500	-386.2	-112.7	-0.5	-7.9
2.9	-0.0			3499	6.3	77.7	-0.4	-12.3
-10.3	-0.0							
		INVSLE	Max	2872	316.4	89.6	0.3	90.3
-9.3	-0.0			2873	-30.4	-63.0	0.3	87.8
8.4	-0.0			3500	-291.1	-83.6	-0.3	-2.9
3.2	-0.0			3499	9.2	59.3	-0.3	-5.8
-5.2	-0.0							
		Min		2872	314.1	88.4	0.3	86.4
-11.6	-0.0			2873	-32.2	-63.8	0.3	85.6
8.2	-0.0			3500	-293.4	-85.0	-0.4	-5.9
2.3	-0.0			3499	7.4	58.3	-0.3	-9.2
-7.7	-0.0							
2357	2	4	C1-C2;~1	Max	2979	0.0	0.0	0.0
0.0	0.0				2980	0.0	0.0	0.0
0.0	0.0				3503	0.0	0.0	0.0
0.0	0.0				3504	0.0	0.0	0.0
0.0	0.0							
				Min	2979	0.0	0.0	0.0
0.0	0.0				2980	0.0	0.0	0.0
0.0	0.0				3503	0.0	0.0	0.0
0.0	0.0				3504	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	2979	0.0	0.0	0.0
0.0	0.0				2980	0.0	0.0	0.0
0.0	0.0				3503	0.0	0.0	0.0
0.0	0.0				3504	0.0	0.0	0.0
0.0	0.0							
				Min	2979	0.0	0.0	0.0
0.0	0.0				2980	0.0	0.0	0.0
0.0	0.0				3503	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0		3504	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2 ; ~2	Max	2979	0.0	0.0	0.0
0.0	0.0			2980	0.0	0.0	0.0
0.0	0.0			3503	0.0	0.0	0.0
0.0	0.0			3504	0.0	0.0	0.0
0.0	0.0		Min	2979	0.0	0.0	0.0
0.0	0.0			2980	0.0	0.0	0.0
0.0	0.0			3503	0.0	0.0	0.0
0.0	0.0			3504	0.0	0.0	0.0
0.0	0.0	C3-C4 ; ~2	Max	2979	0.0	0.0	0.0
0.0	0.0			2980	0.0	0.0	0.0
0.0	0.0			3503	0.0	0.0	0.0
0.0	0.0			3504	0.0	0.0	0.0
0.0	0.0		Min	2979	0.0	0.0	0.0
0.0	0.0			2980	0.0	0.0	0.0
0.0	0.0			3503	0.0	0.0	0.0
0.0	0.0			3504	0.0	0.0	0.0
-0.5	0.0	G1		2979	-97.9	-11.3	0.0
0.5	0.0			2980	51.8	11.6	0.0
0.5	0.0			3503	93.6	12.5	-0.0
-0.4	0.0			3504	-47.5	-12.7	-0.0
-0.0	0.0	G2		2979	-37.9	-4.3	-0.0
0.1	0.0			2980	19.6	4.8	0.0
0.1	0.0			3503	36.2	4.7	-0.0
-0.1	0.0			3504	-17.9	-5.3	0.0
0.0	0.0	Q3		2979	0.0	0.0	0.0
0.0	0.0			2980	0.0	0.0	0.0

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0			3503	0.0	0.0	0.0	0.0
0.0	0.0			3504	0.0	0.0	0.0	0.0
0.1	-0.0	Q5_pc		2979	-2.1	0.2	-0.0	-0.4
-0.1	-0.0			2980	2.8	-0.1	-0.0	-0.4
-0.1	0.0			3503	2.1	-0.2	0.0	0.2
0.1	0.0			3504	-2.8	0.2	0.0	0.2
0.1	-0.0	Q5_ps		2979	-1.9	0.2	-0.0	-0.8
-0.1	-0.0			2980	2.7	-0.2	-0.0	-0.7
-0.1	0.0			3503	1.9	-0.2	0.0	0.4
0.1	0.0			3504	-2.6	0.2	0.0	0.4
0.3	0.0	INVS LU	Max	2979	-172.8	-31.3	0.0	0.5
0.0	0.0			2980	53.4	32.2	-0.0	0.3
0.0	0.0			3503	165.7	34.5	0.0	2.1
0.2	0.0			3504	-32.7	-34.0	-0.0	2.1
-0.2	0.0		Min	2979	-178.4	-32.0	0.0	-1.7
-0.4	0.0			2980	45.4	31.7	-0.0	-1.8
-0.3	0.0			3503	160.1	33.8	0.0	0.9
-0.1	0.0			3504	-40.6	-34.6	-0.0	0.9
0.2	0.0	INVS LE	Max	2979	-126.7	-23.5	0.0	-0.1
-0.1	0.0			2980	36.8	24.0	-0.0	-0.3
-0.0	0.0			3503	120.9	25.8	0.0	1.9
0.2	0.0			3504	-22.0	-25.4	-0.0	2.0
-0.1	0.0		Min	2979	-130.5	-23.9	0.0	-1.6
-0.3	0.0			2980	31.5	23.7	-0.0	-1.6
-0.2	0.0			3503	117.2	25.3	0.0	1.2
-0.0	0.0			3504	-27.3	-25.8	-0.0	1.2
2358	2	4 C1-C2;~1	Max	2981	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	0.0		2982	0.0	0.0	0.0	0.0
0.0	0.0		3505	0.0	0.0	0.0	0.0
0.0	0.0		3506	0.0	0.0	0.0	0.0
0.0	0.0	Min	2981	0.0	0.0	0.0	0.0
0.0	0.0		2982	0.0	0.0	0.0	0.0
0.0	0.0		3505	0.0	0.0	0.0	0.0
0.0	0.0		3506	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	2981	0.0	0.0	0.0
0.0	0.0			2982	0.0	0.0	0.0
0.0	0.0			3505	0.0	0.0	0.0
0.0	0.0			3506	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	2981	0.0	0.0	0.0	0.0
0.0	0.0		2982	0.0	0.0	0.0	0.0
0.0	0.0		3505	0.0	0.0	0.0	0.0
0.0	0.0		3506	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	2981	0.0	0.0	0.0
0.0	0.0			2982	0.0	0.0	0.0
0.0	0.0			3505	0.0	0.0	0.0
0.0	0.0			3506	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	2981	0.0	0.0	0.0	0.0
0.0	0.0		2982	0.0	0.0	0.0	0.0
0.0	0.0		3505	0.0	0.0	0.0	0.0
0.0	0.0		3506	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	2981	0.0	0.0	0.0
0.0	0.0			2982	0.0	0.0	0.0
0.0	0.0			3505	0.0	0.0	0.0
0.0	0.0			3506	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	2981	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		2982	0.0	0.0	0.0	0.0
0.0	0.0		3505	0.0	0.0	0.0	0.0
0.0	0.0		3506	0.0	0.0	0.0	0.0
0.5	0.0	G1	2981	-97.2	-11.4	-0.0	-2.9
-0.5	0.0		2982	50.7	11.8	0.0	-2.6
-0.4	0.0		3505	92.9	12.6	-0.0	2.4
0.4	0.0		3506	-46.4	-12.8	0.0	2.6
0.0	0.0	G2	2981	-37.7	-4.3	0.0	0.0
-0.0	0.0		2982	19.3	4.9	0.0	0.1
-0.1	0.0		3505	36.0	4.8	-0.0	0.4
0.1	0.0		3506	-17.6	-5.3	-0.0	0.4
0.0	0.0	Q3	2981	0.0	0.0	0.0	0.0
0.0	0.0		2982	0.0	0.0	0.0	0.0
0.0	0.0		3505	0.0	0.0	0.0	0.0
0.0	0.0		3506	0.0	0.0	0.0	0.0
-0.2	0.0	Q5_pc	2981	2.2	-0.1	0.0	2.0
0.2	0.0		2982	-2.5	0.1	0.0	1.9
0.1	0.0		3505	-2.2	0.1	-0.0	-1.0
-0.1	0.0		3506	2.5	-0.1	-0.0	-1.1
-0.3	0.0	Q5_ps	2981	1.6	-0.1	0.0	2.8
0.3	0.0		2982	-2.0	0.2	0.0	2.6
0.2	0.0		3505	-1.6	0.1	-0.0	-1.4
-0.2	0.0		3506	2.1	-0.2	-0.0	-1.5
0.5	0.0	INVSLU Max	2981	-172.3	-30.8	0.0	3.8
0.1	0.0		2982	54.0	31.6	-0.0	2.7
-0.1	0.0		3505	164.3	33.6	0.0	1.7
0.4	0.0		3506	-35.0	-33.4	0.0	1.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


			Min	2981	-177.0	-31.1	-0.0	-4.7
-0.5	0.0			2982	47.8	31.1	-0.0	-5.1
-0.8	0.0			3505	159.4	33.3	0.0	-2.6
-0.6	0.0			3506	-41.3	-33.9	-0.0	-3.2
-0.2	0.0							
		INVSLE	Max	2981	-126.4	-23.1	0.0	2.7
0.3	0.0			2982	37.5	23.6	-0.0	1.9
0.0	0.0			3505	120.0	25.1	0.0	0.8
-0.1	0.0			3506	-23.7	-25.0	0.0	0.4
0.2	0.0							
			Min	2981	-129.5	-23.3	-0.0	-2.9
-0.4	0.0			2982	33.4	23.3	-0.0	-3.3
-0.5	0.0			3505	116.7	24.9	0.0	-2.1
-0.4	0.0			3506	-27.9	-25.3	-0.0	-2.6
-0.1	0.0							
2361	2	10	C1-C2;~1	Max	3217	0.0	0.0	0.0
0.0		0.0			2979	0.0	0.0	0.0
0.0		0.0			3504	0.0	0.0	0.0
0.0		0.0			3508	0.0	0.0	0.0
0.0		0.0						
			Min	3217	0.0	0.0	0.0	0.0
0.0		0.0		2979	0.0	0.0	0.0	0.0
0.0		0.0		3504	0.0	0.0	0.0	0.0
0.0		0.0		3508	0.0	0.0	0.0	0.0
0.0		0.0						
			Max	3217	0.0	0.0	0.0	0.0
0.0		0.0		2979	0.0	0.0	0.0	0.0
0.0		0.0		3504	0.0	0.0	0.0	0.0
0.0		0.0		3508	0.0	0.0	0.0	0.0
0.0		0.0						
			Min	3217	0.0	0.0	0.0	0.0
0.0		0.0		2979	0.0	0.0	0.0	0.0
0.0		0.0		3504	0.0	0.0	0.0	0.0
0.0		0.0		3508	0.0	0.0	0.0	0.0
0.0		0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0	C1-C2; ~2	Max	3217	0.0	0.0	0.0	0.0
0.0	0.0			2979	0.0	0.0	0.0	0.0
0.0	0.0			3504	0.0	0.0	0.0	0.0
0.0	0.0			3508	0.0	0.0	0.0	0.0
0.0	0.0		Min	3217	0.0	0.0	0.0	0.0
0.0	0.0			2979	0.0	0.0	0.0	0.0
0.0	0.0			3504	0.0	0.0	0.0	0.0
0.0	0.0			3508	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4; ~2	Max	3217	0.0	0.0	0.0	0.0
0.0	0.0			2979	0.0	0.0	0.0	0.0
0.0	0.0			3504	0.0	0.0	0.0	0.0
0.0	0.0			3508	0.0	0.0	0.0	0.0
0.0	0.0		Min	3217	0.0	0.0	0.0	0.0
0.0	0.0			2979	0.0	0.0	0.0	0.0
0.0	0.0			3504	0.0	0.0	0.0	0.0
0.0	0.0			3508	0.0	0.0	0.0	0.0
-0.3	0.0	G1		3217	-92.8	-11.2	-0.0	2.1
0.3	0.0			2979	49.5	10.3	0.0	2.1
0.3	0.0			3504	90.9	12.4	-0.0	-1.9
-0.3	0.0			3508	-47.6	-11.4	0.0	-1.9
-0.0	0.0	G2		3217	-35.9	-4.2	-0.0	0.1
0.0	0.0			2979	18.8	4.3	-0.0	0.1
0.1	0.0			3504	35.2	4.7	0.0	-0.3
-0.1	0.0			3508	-18.1	-4.7	0.0	-0.3
0.0	0.0	Q3		3217	0.0	0.0	0.0	0.0
0.0	0.0			2979	0.0	0.0	0.0	0.0
0.0	0.0			3504	0.0	0.0	0.0	0.0

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0			3508	0.0	0.0	0.0	0.0
0.1	-0.0	Q5_pc		3217	-1.9	0.1	-0.0	-0.3
-0.1	-0.0			2979	2.5	-0.2	-0.0	-0.3
-0.1	0.0			3504	1.9	-0.1	0.0	0.2
0.1	0.0			3508	-2.6	0.2	0.0	0.2
0.1	-0.0	Q5_ps		3217	-1.6	0.2	-0.0	-0.5
-0.1	-0.0			2979	2.4	-0.2	-0.0	-0.5
-0.1	0.0			3504	1.7	-0.2	0.0	0.3
0.1	0.0			3508	-2.4	0.2	0.0	0.3
-0.0	0.0	INVSLE Max		3217	-168.2	-30.4	0.0	1.4
0.1	0.0			2979	53.1	30.6	-0.0	0.9
0.1	0.0			3504	164.1	33.5	0.0	1.2
-0.1	0.0			3508	-36.7	-32.2	-0.0	0.8
-0.3	0.0	Min		3217	-173.1	-31.0	0.0	-0.2
-0.2	0.0			2979	45.9	29.9	-0.0	-0.7
-0.2	0.0			3504	159.0	33.0	0.0	0.3
-0.3	0.0			3508	-44.0	-32.9	-0.0	-0.1
0.0	0.0	INVSLE Max		3217	-123.6	-22.8	0.0	0.8
0.0	0.0			2979	36.8	22.9	-0.0	0.4
0.0	0.0			3504	119.9	25.1	0.0	1.1
-0.0	0.0			3508	-25.0	-24.2	-0.0	0.8
-0.2	0.0	Min		3217	-126.8	-23.2	0.0	-0.3
-0.2	0.0			2979	32.0	22.4	-0.0	-0.7
-0.2	0.0			3504	116.5	24.7	0.0	0.5
-0.2	0.0			3508	-29.9	-24.6	-0.0	0.2
2364	2	10 C1-C2;~1	Max	3219	0.0	0.0	0.0	0.0
0.0	0.0			2981	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0		3506	0.0	0.0	0.0	0.0
0.0	0.0		3510	0.0	0.0	0.0	0.0
0.0	0.0	Min	3219	0.0	0.0	0.0	0.0
0.0	0.0		2981	0.0	0.0	0.0	0.0
0.0	0.0		3506	0.0	0.0	0.0	0.0
0.0	0.0		3510	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	3219	0.0	0.0	0.0
0.0	0.0			2981	0.0	0.0	0.0
0.0	0.0			3506	0.0	0.0	0.0
0.0	0.0			3510	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	3219	0.0	0.0	0.0	0.0
0.0	0.0		2981	0.0	0.0	0.0	0.0
0.0	0.0		3506	0.0	0.0	0.0	0.0
0.0	0.0		3510	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	3219	0.0	0.0	0.0
0.0	0.0			2981	0.0	0.0	0.0
0.0	0.0			3506	0.0	0.0	0.0
0.0	0.0			3510	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	3219	0.0	0.0	0.0	0.0
0.0	0.0		2981	0.0	0.0	0.0	0.0
0.0	0.0		3506	0.0	0.0	0.0	0.0
0.0	0.0		3510	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	3219	0.0	0.0	0.0
0.0	0.0			2981	0.0	0.0	0.0
0.0	0.0			3506	0.0	0.0	0.0
0.0	0.0			3510	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	3219	0.0	0.0	0.0	0.0
0.0	0.0		2981	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		3506	0.0	0.0	0.0	0.0
0.0	0.0		3510	0.0	0.0	0.0	0.0
0.3	0.0	G1	3219	-92.3	-11.3	-0.0	-2.3
-0.4	0.0		2981	48.4	10.4	-0.0	-2.2
-0.4	0.0		3506	90.3	12.5	0.0	1.9
0.3	0.0		3510	-46.5	-11.5	0.0	2.0
0.0	0.0	G2	3219	-35.7	-4.2	0.0	-0.1
-0.0	0.0		2981	18.6	4.3	0.0	-0.1
-0.1	0.0		3506	35.0	4.7	-0.0	0.3
0.1	0.0		3510	-17.8	-4.7	-0.0	0.4
0.0	0.0	Q3	3219	0.0	0.0	0.0	0.0
0.0	0.0		2981	0.0	0.0	0.0	0.0
0.0	0.0		3506	0.0	0.0	0.0	0.0
0.0	0.0		3510	0.0	0.0	0.0	0.0
-0.1	0.0	Q5_pc	3219	2.1	0.0	0.0	1.4
0.2	0.0		2981	-2.1	0.1	0.0	1.4
0.1	0.0		3506	-2.2	-0.0	-0.0	-0.8
-0.1	0.0		3510	2.2	-0.1	-0.0	-0.8
-0.2	0.0	Q5_ps	3219	1.6	0.1	0.0	1.9
0.2	0.0		2981	-1.7	0.1	0.0	2.0
0.2	0.0		3506	-1.7	-0.1	-0.0	-1.1
-0.1	0.0		3510	1.8	-0.1	-0.0	-1.0
0.4	0.0	INVSLU Max	3219	-166.9	-29.9	-0.0	2.5
0.3	0.0		2981	53.4	29.7	0.0	2.8
0.1	0.0		3506	162.7	32.6	0.0	1.0
0.3	0.0		3510	-39.0	-31.7	0.0	1.2
		Min	3219	-171.7	-30.1	-0.0	-3.3

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

-0.2	0.0			2981	48.4	29.4	-0.0	-3.1
-0.4	0.0			3506	157.6	32.4	-0.0	-2.2
-0.3	0.0			3510	-44.3	-32.0	0.0	-2.0
-0.0	0.0							
		INVSLE	Max	3219	-122.7	-22.4	-0.0	1.8
0.2	0.0			2981	37.2	22.2	0.0	2.1
0.2	0.0			3506	118.9	24.4	0.0	0.3
0.1	0.0			3510	-26.8	-23.7	0.0	0.5
0.2	0.0							
			Min	3219	-125.9	-22.6	-0.0	-2.0
-0.2	0.0			2981	33.9	22.0	-0.0	-1.9
-0.2	0.0			3506	115.5	24.3	-0.0	-1.8
-0.2	0.0			3510	-30.3	-23.9	0.0	-1.6
-0.0	0.0							
2373	2	4	C1-C2;~1	Max	2976	0.0	0.0	0.0
0.0	0.0				3306	0.0	0.0	0.0
0.0	0.0				10751	0.0	0.0	0.0
0.0	0.0				10742	0.0	0.0	0.0
0.0	0.0							
				Min	2976	0.0	0.0	0.0
0.0	0.0				3306	0.0	0.0	0.0
0.0	0.0				10751	0.0	0.0	0.0
0.0	0.0				10742	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	2976	0.0	0.0	0.0	0.0
0.0	0.0				3306	0.0	0.0	0.0
0.0	0.0				10751	0.0	0.0	0.0
0.0	0.0				10742	0.0	0.0	0.0
0.0	0.0							
				Min	2976	0.0	0.0	0.0
0.0	0.0				3306	0.0	0.0	0.0
0.0	0.0				10751	0.0	0.0	0.0
0.0	0.0				10742	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
		C1-C2;~2	Max	2976	0.0	0.0	0.0	0.0
0.0	0.0			3306	0.0	0.0	0.0	0.0
0.0	0.0			10751	0.0	0.0	0.0	0.0
0.0	0.0			10742	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	2976	0.0	0.0	0.0	0.0
0.0	0.0			3306	0.0	0.0	0.0	0.0
0.0	0.0			10751	0.0	0.0	0.0	0.0
0.0	0.0			10742	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	2976	0.0	0.0	0.0	0.0
0.0	0.0			3306	0.0	0.0	0.0	0.0
0.0	0.0			10751	0.0	0.0	0.0	0.0
0.0	0.0			10742	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	2976	0.0	0.0	0.0	0.0
0.0	0.0			3306	0.0	0.0	0.0	0.0
0.0	0.0			10751	0.0	0.0	0.0	0.0
0.0	0.0			10742	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	2976	-18.2	177.2	0.1	27.7
-4.0	0.0			3306	66.1	67.5	0.0	23.8
-0.5	0.0			10751	1.2	-108.4	-0.0	0.9
-0.2	0.0			10742	-49.1	-136.0	-0.1	6.5
3.3	0.0							
			G2	2976	-6.7	69.6	0.0	10.3
-1.2	0.0			3306	25.8	26.4	0.0	9.3
-0.2	0.0			10751	0.3	-42.7	-0.0	0.6
-0.1	0.0			10742	-19.3	-53.3	-0.0	2.5
1.6	0.0							
			Q3	2976	0.0	0.0	0.0	0.0
0.0	0.0			3306	0.0	0.0	0.0	0.0
0.0	0.0			10751	0.0	0.0	0.0	0.0
0.0	0.0			10742	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


		Q5_pc		2976	2.2	28.0	-0.0	-0.6
0.2	-0.0			3306	8.2	7.1	0.0	1.1
0.0	0.0			10751	-1.9	-16.1	-0.0	-1.3
0.0	0.0			10742	-8.6	-19.0	0.0	-1.9
-0.3	0.0							
		Q5_ps		2976	3.4	22.7	-0.0	-2.2
0.8	-0.0			3306	6.1	4.7	0.0	0.3
0.1	0.0			10751	-2.2	-12.9	-0.0	-1.2
0.0	0.0			10742	-7.3	-14.6	0.0	-2.2
-0.0	-0.0							
		INVS LU	Max	2976	-53.7	263.3	0.2	52.0
-21.6	0.0			3306	92.8	97.1	-0.1	25.1
-0.5	0.0			10751	31.7	-91.8	0.0	-4.6
-0.1	0.0			10742	-42.4	-185.8	-0.1	7.3
-11.1	0.0							
			Min	2976	-63.8	195.2	0.2	45.3
-24.1	0.0			3306	74.5	82.8	-0.1	23.2
-0.8	0.0			10751	25.1	-130.3	0.0	-8.3
-0.1	0.0			10742	-64.2	-229.5	-0.2	0.7
-11.6	0.0							
		INVS LE	Max	2976	-42.2	185.5	0.2	38.1
-16.9	0.0			3306	65.3	68.9	-0.1	17.6
-0.4	0.0			10751	25.3	-62.8	0.0	-4.0
-0.0	0.0			10742	-29.4	-136.4	-0.1	4.8
-9.2	0.0							
			Min	2976	-49.0	140.1	0.2	33.7
-18.5	0.0			3306	53.1	59.4	-0.1	16.2
-0.6	0.0			10751	20.9	-88.5	0.0	-6.4
-0.1	0.0			10742	-44.0	-165.6	-0.1	0.4
-9.5	0.0							
2389	2	4 C1-C2; ~1	Max	3320	0.0	0.0	0.0	0.0
0.0	0.0			2976	0.0	0.0	0.0	0.0
0.0	0.0			10742	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :


	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	0.0		10799	0.0	0.0	0.0	0.0
0.0	0.0	Min	3320	0.0	0.0	0.0	0.0
0.0	0.0		2976	0.0	0.0	0.0	0.0
0.0	0.0		10742	0.0	0.0	0.0	0.0
0.0	0.0		10799	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	3320	0.0	0.0	0.0
0.0	0.0			2976	0.0	0.0	0.0
0.0	0.0			10742	0.0	0.0	0.0
0.0	0.0			10799	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	3320	0.0	0.0	0.0
0.0	0.0			2976	0.0	0.0	0.0
0.0	0.0			10742	0.0	0.0	0.0
0.0	0.0			10799	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	3320	0.0	0.0	0.0
0.0	0.0			2976	0.0	0.0	0.0
0.0	0.0			10742	0.0	0.0	0.0
0.0	0.0			10799	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	3320	0.0	0.0	0.0
0.0	0.0			2976	0.0	0.0	0.0
0.0	0.0			10742	0.0	0.0	0.0
0.0	0.0			10799	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	3320	0.0	0.0	0.0
0.0	0.0			2976	0.0	0.0	0.0
0.0	0.0			10742	0.0	0.0	0.0
0.0	0.0			10799	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	3320	0.0	0.0	0.0
0.0	0.0			2976	0.0	0.0	0.0
0.0	0.0			10742	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0			10799	0.0	0.0	0.0	0.0
		G1		3320	-102.8	-4.2	-0.0	13.7
2.9	0.0			2976	-90.6	241.5	0.1	21.2
0.2	0.0			10742	108.5	-56.9	-0.1	6.9
-10.9	0.0			10799	84.9	-180.0	0.0	0.2
2.2	0.0							
		G2		3320	-41.8	-2.4	-0.0	5.0
1.0	0.0			2976	-36.0	95.6	0.0	7.6
-1.0	0.0			10742	43.8	-21.4	-0.0	2.8
-5.5	0.0			10799	34.0	-71.7	0.0	0.2
1.0	0.0							
		Q3		3320	0.0	0.0	0.0	0.0
0.0	0.0			2976	0.0	0.0	0.0	0.0
0.0	0.0			10742	0.0	0.0	0.0	0.0
0.0	0.0			10799	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		3320	-8.9	10.1	0.0	-0.2
-0.5	-0.0			2976	1.9	25.8	-0.0	-1.2
-0.5	-0.0			10742	7.1	-19.1	0.0	-1.9
0.4	0.0			10799	-0.1	-16.8	-0.0	-1.2
-0.3	0.0							
		Q5_ps		3320	-7.5	9.3	0.0	-0.9
-0.9	-0.0			2976	4.6	19.1	-0.0	-2.7
-1.6	-0.0			10742	5.3	-16.3	0.0	-2.3
-0.1	-0.0			10799	-2.3	-12.1	0.0	-1.5
-0.6	0.0							
		INVSLU	Max	3320	-200.1	-40.5	0.1	31.2
6.8	0.0			2976	-168.4	435.1	0.1	53.1
33.6	0.0			10742	224.4	-13.0	0.0	6.5
24.4	0.0			10799	173.6	-295.9	-0.2	-0.5
-1.4	0.0							
			Min	3320	-222.8	-68.3	0.1	28.5
4.1	0.0			2976	-182.1	377.7	0.1	44.9

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
28.9	0.0			10742	208.6	-61.9	-0.0	-0.3
23.6	0.0			10799	166.8	-332.2	-0.2	-4.9
-3.0	0.0							
			INVSLE Max	3320	-150.1	-33.6	0.0	23.3
4.9	0.0			2976	-125.3	317.1	0.1	39.6
26.4	0.0			10742	166.3	-7.4	0.0	4.0
20.4	0.0			10799	128.6	-218.8	-0.1	-0.7
-1.5	0.0							
			Min	3320	-165.2	-52.2	0.0	21.5
3.1	0.0			2976	-134.4	278.8	0.1	34.1
23.3	0.0			10742	155.8	-40.0	0.0	-0.5
19.9	0.0			10799	124.1	-243.1	-0.1	-3.7
-2.6	0.0							
2393	2	4	C1-C2;~1 Max	3323	0.0	0.0	0.0	0.0
0.0	0.0	0.0		3324	0.0	0.0	0.0	0.0
0.0	0.0	0.0		10814	0.0	0.0	0.0	0.0
0.0	0.0	0.0		10811	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	3323	0.0	0.0	0.0	0.0
0.0	0.0	0.0		3324	0.0	0.0	0.0	0.0
0.0	0.0	0.0		10814	0.0	0.0	0.0	0.0
0.0	0.0	0.0		10811	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1 Max	3323	0.0	0.0	0.0	0.0
0.0	0.0	0.0		3324	0.0	0.0	0.0	0.0
0.0	0.0	0.0		10814	0.0	0.0	0.0	0.0
0.0	0.0	0.0		10811	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	3323	0.0	0.0	0.0	0.0
0.0	0.0	0.0		3324	0.0	0.0	0.0	0.0
0.0	0.0	0.0		10814	0.0	0.0	0.0	0.0
0.0	0.0	0.0		10811	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			C1-C2;~2 Max	3323	0.0	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	0.0		3324	0.0	0.0	0.0	0.0
0.0	0.0		10814	0.0	0.0	0.0	0.0
0.0	0.0		10811	0.0	0.0	0.0	0.0
0.0	0.0	Min	3323	0.0	0.0	0.0	0.0
0.0	0.0		3324	0.0	0.0	0.0	0.0
0.0	0.0		10814	0.0	0.0	0.0	0.0
0.0	0.0		10811	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	3323	0.0	0.0	0.0
0.0	0.0			3324	0.0	0.0	0.0
0.0	0.0			10814	0.0	0.0	0.0
0.0	0.0			10811	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	3323	0.0	0.0	0.0	0.0
0.0	0.0			3324	0.0	0.0	0.0
0.0	0.0			10814	0.0	0.0	0.0
0.0	0.0			10811	0.0	0.0	0.0
0.0	0.0						
-17.8	0.0	G1	3323	-98.2	25.8	-0.2	-22.7
20.0	0.0			3324	144.2	-20.7	-25.0
39.8	0.0			10814	83.2	-27.0	0.5
-38.4	0.0			10811	-129.2	22.2	0.2
-7.2	0.0	G2	3323	-40.1	10.9	-0.1	-8.5
8.1	0.0			3324	58.9	-8.1	-0.2
15.9	0.0			10814	34.0	-11.4	0.2
-15.4	0.0			10811	-52.8	8.6	0.1
0.0	0.0	Q3	3323	0.0	0.0	0.0	0.0
0.0	0.0			3324	0.0	0.0	0.0
0.0	0.0			10814	0.0	0.0	0.0
0.0	0.0			10811	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
			Q5_pc	3323	7.2	0.5	0.0	4.9
1.3	-0.0			3324	-6.4	-0.5	0.0	5.2
-1.4	-0.0			10814	-6.9	-0.4	-0.0	11.0
-3.5	-0.0			10811	6.1	0.4	-0.0	10.5
3.5	-0.0							
			Q5_ps	3323	6.5	0.6	0.0	5.0
1.2	-0.0			3324	-5.6	-0.4	0.0	5.4
-1.3	-0.0			10814	-6.3	-0.5	-0.0	10.3
-3.4	-0.0			10811	5.4	0.4	-0.0	9.9
3.4	-0.0							
			INVS LU Max	3323	-66.2	66.5	0.1	116.0
-16.7	-0.0			3324	208.6	-61.0	0.3	124.7
18.5	0.0			10814	43.3	-66.6	-0.2	-31.8
8.4	-0.0			10811	-149.8	64.5	0.0	-27.8
0.3	-0.0							
			Min	3323	-85.9	64.6	0.0	101.0
-20.2	-0.0			3324	191.8	-62.3	0.2	108.6
14.5	0.0			10814	24.2	-68.2	-0.3	-62.7
-1.8	-0.0			10811	-166.0	63.4	-0.1	-57.4
-9.9	-0.0							
			INVS LE Max	3323	-44.3	49.5	0.1	91.9
-11.7	-0.0			3324	149.4	-45.9	0.3	98.8
12.5	0.0			10814	25.4	-49.7	-0.2	-14.3
2.5	-0.0			10811	-106.6	48.5	-0.0	-11.8
3.1	-0.0							
			Min	3323	-57.4	48.3	0.0	81.9
-14.0	-0.0			3324	138.3	-46.8	0.2	88.0
9.8	0.0			10814	12.7	-50.8	-0.3	-34.9
-4.3	-0.0			10811	-117.4	47.7	-0.1	-31.5
-3.7	-0.0							
2394	2	10	C1-C2;~1 Max	3324	0.0	0.0	0.0	0.0
0.0		0.0		3325	0.0	0.0	0.0	0.0
0.0		0.0		10817	0.0	0.0	0.0	0.0
0.0		0.0		10814	0.0	0.0	0.0	0.0
0.0		0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0	Min	3324	0.0	0.0	0.0	0.0
0.0	0.0		3325	0.0	0.0	0.0	0.0
0.0	0.0		10817	0.0	0.0	0.0	0.0
0.0	0.0		10814	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	3324	0.0	0.0	0.0
0.0	0.0			3325	0.0	0.0	0.0
0.0	0.0			10817	0.0	0.0	0.0
0.0	0.0			10814	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	3324	0.0	0.0	0.0
0.0	0.0			3325	0.0	0.0	0.0
0.0	0.0			10817	0.0	0.0	0.0
0.0	0.0			10814	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	3324	0.0	0.0	0.0
0.0	0.0			3325	0.0	0.0	0.0
0.0	0.0			10817	0.0	0.0	0.0
0.0	0.0			10814	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	3324	0.0	0.0	0.0
0.0	0.0			3325	0.0	0.0	0.0
0.0	0.0			10817	0.0	0.0	0.0
0.0	0.0			10814	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	3324	0.0	0.0	0.0
0.0	0.0			3325	0.0	0.0	0.0
0.0	0.0			10817	0.0	0.0	0.0
0.0	0.0			10814	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	3324	0.0	0.0	0.0
0.0	0.0			3325	0.0	0.0	0.0
0.0	0.0			10817	0.0	0.0	0.0
0.0	0.0			10814	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


-17.1	0.0	G1	3324	-102.4	22.0	-0.2	-19.6
23.8	-0.0		3325	143.8	-20.0	-0.2	-19.3
47.5	-0.0		10817	87.5	-22.9	0.3	-109.4
-39.7	0.0		10814	-128.8	21.2	0.2	-106.9
-6.9	0.0	G2	3324	-41.9	9.2	-0.1	-7.4
9.7	-0.0		3325	58.6	-7.7	-0.1	-7.3
19.1	-0.0		10817	35.8	-9.7	0.1	-44.3
-15.9	0.0		10814	-52.5	8.2	0.1	-43.3
0.0	0.0	Q3	3324	0.0	0.0	0.0	0.0
0.0	0.0		3325	0.0	0.0	0.0	0.0
0.0	0.0		10817	0.0	0.0	0.0	0.0
0.0	0.0		10814	0.0	0.0	0.0	0.0
1.2	-0.0	Q5_pc	3324	6.9	0.5	0.0	3.9
-1.6	0.0		3325	-6.2	-0.3	0.0	3.8
-3.9	0.0		10817	-6.7	-0.5	-0.0	8.1
3.5	-0.0		10814	6.0	0.3	-0.0	8.2
1.1	-0.0	Q5_ps	3324	6.2	0.6	0.0	3.9
-1.5	0.0		3325	-5.5	-0.2	0.0	3.9
-3.7	0.0		10817	-6.1	-0.6	-0.0	7.6
3.4	-0.0		10814	5.3	0.2	-0.0	7.7
-15.0	0.0	INVSLU Max	3324	-75.7	63.1	0.1	91.1
17.5	0.0		3325	211.9	-59.1	0.1	92.5
8.4	0.0		10817	50.8	-63.0	-0.0	-29.3
2.7	-0.0		10814	-152.3	61.8	-0.1	-23.6
-18.3	0.0	Min	3324	-94.4	61.4	0.1	79.3
13.0	0.0		3325	195.4	-59.7	0.0	80.8
			10817	32.5	-64.8	-0.1	-52.1

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-2.7	0.0			10814	-168.3	61.1	-0.1	-46.6
-7.6	-0.0							
		INVSLE	Max	3324	-51.3	47.2	0.1	72.2
-10.4	0.0			3325	152.2	-44.6	0.1	73.3
11.4	0.0			10817	31.0	-47.3	-0.1	-14.8
1.9	0.0			10814	-108.7	46.5	-0.1	-10.5
5.0	-0.0							
			Min	3324	-63.8	46.1	0.1	64.4
-12.6	0.0			3325	141.2	-45.0	0.1	65.5
8.4	0.0			10817	18.8	-48.5	-0.1	-30.0
-5.5	0.0			10814	-119.4	46.1	-0.1	-25.8
-1.9	-0.0							
2401	2	10	C1-C2;~1	Max	3330	0.0	0.0	0.0
0.0		0.0			3331	0.0	0.0	0.0
0.0		0.0			10841	0.0	0.0	0.0
0.0		0.0			10838	0.0	0.0	0.0
0.0		0.0						
				Min	3330	0.0	0.0	0.0
0.0		0.0			3331	0.0	0.0	0.0
0.0		0.0			10841	0.0	0.0	0.0
0.0		0.0			10838	0.0	0.0	0.0
0.0		0.0						
			C3-C4;~1	Max	3330	0.0	0.0	0.0
0.0		0.0			3331	0.0	0.0	0.0
0.0		0.0			10841	0.0	0.0	0.0
0.0		0.0			10838	0.0	0.0	0.0
0.0		0.0						
				Min	3330	0.0	0.0	0.0
0.0		0.0			3331	0.0	0.0	0.0
0.0		0.0			10841	0.0	0.0	0.0
0.0		0.0			10838	0.0	0.0	0.0
0.0		0.0						
			C1-C2;~2	Max	3330	0.0	0.0	0.0
0.0		0.0			3331	0.0	0.0	0.0
0.0		0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		10841	0.0	0.0	0.0	0.0
0.0	0.0		10838	0.0	0.0	0.0	0.0
0.0	0.0	Min	3330	0.0	0.0	0.0	0.0
0.0	0.0		3331	0.0	0.0	0.0	0.0
0.0	0.0		10841	0.0	0.0	0.0	0.0
0.0	0.0		10838	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	3330	0.0	0.0	0.0	0.0
0.0	0.0		3331	0.0	0.0	0.0	0.0
0.0	0.0		10841	0.0	0.0	0.0	0.0
0.0	0.0		10838	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	3330	0.0	0.0	0.0	0.0
0.0	0.0		3331	0.0	0.0	0.0	0.0
0.0	0.0		10841	0.0	0.0	0.0	0.0
0.0	0.0		10838	0.0	0.0	0.0	0.0
0.0	0.0						
-26.9	0.0	G1	3330	-164.3	-21.0	-0.3	-15.9
21.4	-0.0		3331	116.9	25.3	-0.3	-15.2
46.0	-0.0		10841	147.5	22.8	0.3	-129.5
-52.9	0.0		10838	-100.0	-26.8	0.3	-132.4
-10.9	0.0	G2	3330	-66.2	-7.9	-0.1	-6.6
8.6	-0.0		3331	47.5	10.3	-0.1	-6.3
18.6	-0.0		10841	59.3	8.6	0.1	-52.2
-21.4	0.0		10838	-40.5	-11.0	0.1	-53.4
0.0	0.0	Q3	3330	0.0	0.0	0.0	0.0
0.0	0.0		3331	0.0	0.0	0.0	0.0
0.0	0.0		10841	0.0	0.0	0.0	0.0
0.0	0.0		10838	0.0	0.0	0.0	0.0
-1.0	0.0	Q5_pc	3330	-4.1	0.2	-0.0	-2.4

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.6	-0.0			3331	4.6	-0.2	-0.0	-2.4
2.1	-0.0			10841	4.0	-0.2	0.0	-5.7
-2.4	0.0			10838	-4.4	0.2	0.0	-5.7
-0.8	0.0	Q5_ps		3330	-3.1	0.6	-0.0	-2.3
0.5	-0.0			3331	4.3	-0.6	-0.0	-2.3
1.9	-0.0			10841	3.1	-0.6	0.0	-5.0
-2.1	0.0			10838	-4.2	0.6	0.0	-5.0
-28.9	0.0	INVS LU	Max	3330	-270.9	-29.5	0.0	104.3
33.1	-0.0			3331	211.4	39.0	0.0	103.5
30.4	0.0			10841	220.0	34.1	0.0	-89.2
-23.7	0.0			10838	-138.6	-39.7	0.0	-95.2
-31.3	0.0		Min	3330	-280.2	-31.2	-0.0	97.4
31.5	-0.0			3331	198.6	37.2	-0.0	96.6
24.7	0.0			10841	210.8	32.4	-0.0	-104.3
-30.0	0.0			10838	-151.2	-41.5	-0.0	-110.2
-20.5	0.0	INVS LE	Max	3330	-198.1	-21.1	0.0	81.2
24.0	-0.0			3331	155.0	27.9	0.0	80.5
20.0	0.0			10841	158.9	24.4	-0.0	-60.2
-14.9	0.0			10838	-101.2	-28.5	-0.0	-64.6
-22.2	0.0		Min	3330	-204.3	-22.3	-0.0	76.6
22.9	-0.0			3331	146.5	26.7	0.0	75.9
16.2	0.0			10841	152.8	23.2	-0.0	-70.3
-19.1	0.0			10838	-109.6	-29.6	-0.0	-74.6
2402	2	4 C1-C2;~1	Max	3331	0.0	0.0	0.0	0.0
0.0	0.0			3332	0.0	0.0	0.0	0.0
0.0	0.0			10844	0.0	0.0	0.0	0.0
0.0	0.0			10841	0.0	0.0	0.0	0.0
0.0	0.0		Min	3331	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	0.0		3332	0.0	0.0	0.0	0.0
0.0	0.0		10844	0.0	0.0	0.0	0.0
0.0	0.0		10841	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~1	Max	3331	0.0	0.0	0.0
0.0	0.0			3332	0.0	0.0	0.0
0.0	0.0			10844	0.0	0.0	0.0
0.0	0.0			10841	0.0	0.0	0.0
0.0	0.0						
			Min	3331	0.0	0.0	0.0
0.0	0.0			3332	0.0	0.0	0.0
0.0	0.0			10844	0.0	0.0	0.0
0.0	0.0			10841	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	3331	0.0	0.0	0.0
0.0	0.0			3332	0.0	0.0	0.0
0.0	0.0			10844	0.0	0.0	0.0
0.0	0.0			10841	0.0	0.0	0.0
0.0	0.0						
			Min	3331	0.0	0.0	0.0
0.0	0.0			3332	0.0	0.0	0.0
0.0	0.0			10844	0.0	0.0	0.0
0.0	0.0			10841	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	3331	0.0	0.0	0.0
0.0	0.0			3332	0.0	0.0	0.0
0.0	0.0			10844	0.0	0.0	0.0
0.0	0.0			10841	0.0	0.0	0.0
0.0	0.0						
			Min	3331	0.0	0.0	0.0
0.0	0.0			3332	0.0	0.0	0.0
0.0	0.0			10844	0.0	0.0	0.0
0.0	0.0			10841	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
		G1	3331	-167.5	-23.5	-0.5	-16.9
-24.5	-0.0		3332	114.8	27.6	-0.2	-13.6
24.2	-0.0		10844	149.9	25.7	0.2	-163.8
46.7	-0.0		10841	-97.2	-29.5	0.5	-172.7
-46.1	-0.0						
		G2	3331	-67.6	-9.0	-0.2	-7.1
-9.9	-0.0		3332	46.6	11.3	-0.1	-5.7
9.8	-0.0		10844	60.4	9.9	0.1	-66.1
19.0	-0.0		10841	-39.4	-12.2	0.2	-69.7
-18.7	-0.0						
		Q3	3331	0.0	0.0	0.0	0.0
0.0	0.0		3332	0.0	0.0	0.0	0.0
0.0	0.0		10844	0.0	0.0	0.0	0.0
0.0	0.0		10841	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	3331	-4.3	0.3	-0.0	-3.1
-0.8	-0.0		3332	4.8	-0.2	-0.0	-2.9
0.7	-0.0		10844	4.2	-0.2	0.0	-7.5
2.2	-0.0		10841	-4.6	0.1	0.0	-7.8
-2.1	-0.0						
		Q5_ps	3331	-3.4	0.6	-0.0	-3.1
-0.7	-0.0		3332	4.6	-0.6	-0.0	-2.8
0.6	-0.0		10844	3.3	-0.6	0.0	-6.7
2.0	-0.0		10841	-4.5	0.6	0.0	-6.9
-1.9	-0.0						
		INVSLU Max	3331	-279.6	-34.4	0.1	144.1
-32.3	-0.0		3332	214.4	39.5	-0.0	137.1
38.7	0.0		10844	227.6	40.3	0.1	-115.5
36.3	0.0		10841	-138.9	-41.4	-0.0	-122.2
-25.9	0.0						
		Min	3331	-289.7	-36.3	0.0	134.8
-34.4	-0.0		3332	200.7	37.8	-0.1	128.6
36.8	0.0		10844	217.8	38.4	0.0	-135.5
30.3	0.0		10841	-152.3	-43.0	-0.1	-142.9

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

-31.6	0.0							
		INVSLE	Max	3331	-204.7	-24.7	0.1	111.8
-23.3	-0.0			3332	157.5	28.1	0.0	106.3
28.1	0.0			10844	164.6	28.9	0.0	-78.2
24.4	0.0			10841	-101.7	-29.6	-0.1	-82.8
-17.1	0.0							
			Min	3331	-211.5	-26.0	0.1	105.7
-24.7	-0.0			3332	148.4	26.9	-0.0	100.6
26.8	0.0			10844	158.1	27.7	0.0	-91.5
20.4	0.0			10841	-110.7	-30.7	-0.1	-96.5
-20.9	0.0							
2489	2	4	C1-C2;~1	Max	3407	0.0	0.0	0.0
0.0	0.0	0.0			3408	0.0	0.0	0.0
0.0	0.0	0.0			11114	0.0	0.0	0.0
0.0	0.0	0.0			11111	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	3407	0.0	0.0	0.0	0.0
0.0	0.0	0.0			3408	0.0	0.0	0.0
0.0	0.0	0.0			11114	0.0	0.0	0.0
0.0	0.0	0.0			11111	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	3407	0.0	0.0	0.0
0.0	0.0	0.0			3408	0.0	0.0	0.0
0.0	0.0	0.0			11114	0.0	0.0	0.0
0.0	0.0	0.0			11111	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	3407	0.0	0.0	0.0	0.0
0.0	0.0	0.0			3408	0.0	0.0	0.0
0.0	0.0	0.0			11114	0.0	0.0	0.0
0.0	0.0	0.0			11111	0.0	0.0	0.0
0.0	0.0	0.0						
			C1-C2;~2	Max	3407	0.0	0.0	0.0
0.0	0.0	0.0			3408	0.0	0.0	0.0
0.0	0.0	0.0			11114	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		11111	0.0	0.0	0.0	0.0
		Min	3407	0.0	0.0	0.0	0.0
0.0	0.0		3408	0.0	0.0	0.0	0.0
0.0	0.0		11114	0.0	0.0	0.0	0.0
0.0	0.0		11111	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4; ~2	Max	3407	0.0	0.0	0.0
0.0	0.0		3408	0.0	0.0	0.0	0.0
0.0	0.0		11114	0.0	0.0	0.0	0.0
0.0	0.0		11111	0.0	0.0	0.0	0.0
0.0	0.0						
			Min	3407	0.0	0.0	0.0
0.0	0.0		3408	0.0	0.0	0.0	0.0
0.0	0.0		11114	0.0	0.0	0.0	0.0
0.0	0.0		11111	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	3407	-94.6	30.7	-0.2	-16.2
-18.8	0.0		3408	151.4	-25.6	-0.4	-18.7
20.3	0.0		11114	79.5	-32.1	0.5	-147.9
39.3	0.0		11111	-136.3	27.3	0.2	-139.3
-38.5	0.0						
		G2	3407	-38.2	12.7	-0.1	-6.8
-7.6	0.0		3408	61.1	-10.0	-0.2	-7.8
8.2	0.0		11114	32.0	-13.3	0.2	-59.6
15.9	0.0		11111	-54.9	10.6	0.1	-56.1
-15.6	0.0						
		Q3	3407	0.0	0.0	0.0	0.0
0.0	0.0		3408	0.0	0.0	0.0	0.0
0.0	0.0		11114	0.0	0.0	0.0	0.0
0.0	0.0		11111	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	3407	-4.8	-0.1	-0.0	-3.3
-0.7	0.0		3408	4.4	0.3	-0.0	-3.5
0.8	0.0						

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
				11114	4.7	0.1	0.0	-7.8
2.2	0.0			11111	-4.3	-0.3	0.0	-7.5
-2.2	0.0							
		Q5_ps		3407	-4.3	-0.3	-0.0	-3.2
-0.6	0.0			3408	3.7	0.4	-0.0	-3.4
0.7	0.0			11114	4.2	0.2	0.0	-7.0
1.9	0.0			11111	-3.6	-0.4	0.0	-6.7
-2.0	0.0							
		INVS LU	Max	3407	-67.6	78.9	0.1	109.5
-19.7	-0.0			3408	232.8	-74.3	0.2	117.2
19.7	0.0			11114	37.0	-80.7	-0.1	-42.1
11.7	-0.0			11111	-178.5	78.4	-0.0	-36.0
-7.0	-0.0							
			Min	3407	-80.4	78.1	0.0	99.9
-21.5	-0.0			3408	221.7	-75.4	0.1	106.8
17.7	0.0			11114	24.3	-81.4	-0.2	-63.1
5.9	-0.0			11111	-189.4	77.3	-0.1	-56.2
-12.9	-0.0							
		INVS LE	Max	3407	-45.0	58.8	0.1	86.0
-13.7	-0.0			3408	167.6	-55.8	0.2	92.1
13.4	0.0			11114	21.0	-60.2	-0.2	-20.4
5.4	-0.0			11111	-127.8	58.8	-0.0	-16.3
-2.2	-0.0							
			Min	3407	-53.6	58.2	0.0	79.6
-14.8	-0.0			3408	160.3	-56.6	0.2	85.2
12.1	0.0			11114	12.6	-60.7	-0.2	-34.4
1.5	-0.0			11111	-135.1	58.1	-0.1	-29.8
-6.2	-0.0							
2490	2	10	C1-C2;~1	Max	3408	0.0	0.0	0.0
0.0		0.0			3409	0.0	0.0	0.0
0.0		0.0			11117	0.0	0.0	0.0
0.0		0.0			11114	0.0	0.0	0.0
0.0		0.0						
				Min	3408	0.0	0.0	0.0
0.0		0.0			3409	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0		11117	0.0	0.0	0.0	0.0
0.0	0.0		11114	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~1	Max	3408	0.0	0.0	0.0
0.0	0.0			3409	0.0	0.0	0.0
0.0	0.0			11117	0.0	0.0	0.0
0.0	0.0			11114	0.0	0.0	0.0
0.0	0.0						
			Min	3408	0.0	0.0	0.0
0.0	0.0			3409	0.0	0.0	0.0
0.0	0.0			11117	0.0	0.0	0.0
0.0	0.0			11114	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	3408	0.0	0.0	0.0
0.0	0.0			3409	0.0	0.0	0.0
0.0	0.0			11117	0.0	0.0	0.0
0.0	0.0			11114	0.0	0.0	0.0
0.0	0.0						
			Min	3408	0.0	0.0	0.0
0.0	0.0			3409	0.0	0.0	0.0
0.0	0.0			11117	0.0	0.0	0.0
0.0	0.0			11114	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	3408	0.0	0.0	0.0
0.0	0.0			3409	0.0	0.0	0.0
0.0	0.0			11117	0.0	0.0	0.0
0.0	0.0			11114	0.0	0.0	0.0
0.0	0.0						
			Min	3408	0.0	0.0	0.0
0.0	0.0			3409	0.0	0.0	0.0
0.0	0.0			11117	0.0	0.0	0.0
0.0	0.0			11114	0.0	0.0	0.0
0.0	0.0						
		G1		3408	-100.3	26.9	-0.2
-17.5	0.0						-15.6

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
24.5	-0.0		3409	152.2	-24.5	-0.3	-15.6
47.8	-0.0		11117	85.1	-28.2	0.3	-115.6
-39.3	0.0		11114	-137.0	26.0	0.2	-112.2
-7.0	0.0	G2	3408	-40.6	11.1	-0.1	-6.5
9.9	-0.0		3409	61.4	-9.5	-0.1	-6.4
19.3	-0.0		11117	34.3	-11.7	0.1	-46.5
-15.9	0.0		11114	-55.1	10.1	0.1	-45.2
0.0	0.0	Q3	3408	0.0	0.0	0.0	0.0
0.0	0.0		3409	0.0	0.0	0.0	0.0
0.0	0.0		11117	0.0	0.0	0.0	0.0
0.0	0.0		11114	0.0	0.0	0.0	0.0
-0.6	0.0	Q5_pc	3408	-4.7	-0.2	-0.0	-2.6
1.0	-0.0		3409	4.3	0.2	-0.0	-2.6
2.5	-0.0		11117	4.6	0.2	0.0	-5.8
-2.2	0.0		11114	-4.2	-0.2	0.0	-5.8
-0.5	0.0	Q5_ps	3408	-4.1	-0.3	-0.0	-2.6
0.9	-0.0		3409	3.6	0.3	-0.0	-2.6
2.3	-0.0		11117	4.1	0.3	0.0	-5.2
-1.9	0.0		11114	-3.5	-0.3	0.0	-5.2
-17.8	0.0	INVSLU Max	3408	-80.0	76.1	0.1	85.8
19.8	0.0		3409	238.8	-71.2	0.1	87.9
13.1	-0.0		11117	47.7	-77.6	-0.0	-41.0
-5.0	-0.0		11114	-183.4	74.9	-0.1	-33.8
-19.3	0.0	Min	3408	-92.5	75.2	0.1	78.1
17.2	0.0		3409	228.1	-72.1	0.0	80.3
6.2	-0.0		11117	35.4	-78.6	-0.1	-56.5
-10.8	-0.0		11114	-194.0	74.1	-0.1	-49.4

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


			INVSLE	Max	3408	-54.3	57.0	0.1	67.5
-12.4	0.0				3409	172.4	-53.6	0.1	69.2
13.2	0.0				11117	29.0	-58.1	-0.1	-22.4
5.7	0.0				11114	-131.8	56.2	-0.1	-17.1
-0.8	-0.0								
				Min	3408	-62.6	56.3	0.1	62.4
-13.4	0.0				3409	165.3	-54.2	0.1	64.1
11.4	0.0				11117	20.8	-58.7	-0.1	-32.7
1.2	-0.0				11114	-138.8	55.7	-0.1	-27.4
-4.7	-0.0								
2500	2	4	C1-C2;~1	Max	3417	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2977	0.0	0.0	0.0	0.0
0.0	0.0	0.0			10661	0.0	0.0	0.0	0.0
0.0	0.0	0.0			11144	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	3417	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2977	0.0	0.0	0.0	0.0
0.0	0.0	0.0			10661	0.0	0.0	0.0	0.0
0.0	0.0	0.0			11144	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C3-C4;~1	Max	3417	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2977	0.0	0.0	0.0	0.0
0.0	0.0	0.0			10661	0.0	0.0	0.0	0.0
0.0	0.0	0.0			11144	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	3417	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2977	0.0	0.0	0.0	0.0
0.0	0.0	0.0			10661	0.0	0.0	0.0	0.0
0.0	0.0	0.0			11144	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C1-C2;~2	Max	3417	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2977	0.0	0.0	0.0	0.0
0.0	0.0	0.0			10661	0.0	0.0	0.0	0.0
0.0	0.0	0.0			11144	0.0	0.0	0.0	0.0
0.0	0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

		Min	3417	0.0	0.0	0.0	0.0
0.0	0.0		2977	0.0	0.0	0.0	0.0
0.0	0.0		10661	0.0	0.0	0.0	0.0
0.0	0.0		11144	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	3417	0.0	0.0	0.0
0.0	0.0			2977	0.0	0.0	0.0
0.0	0.0			10661	0.0	0.0	0.0
0.0	0.0			11144	0.0	0.0	0.0
0.0	0.0						
			Min	3417	0.0	0.0	0.0
0.0	0.0			2977	0.0	0.0	0.0
0.0	0.0			10661	0.0	0.0	0.0
0.0	0.0			11144	0.0	0.0	0.0
0.0	0.0						
		G1		3417	-90.0	-9.2	-0.0
0.8	-0.0			2977	-25.3	134.4	0.0
-11.2	0.0			10661	80.6	-19.3	-0.1
-21.4	0.0			11144	34.7	-105.6	0.1
-0.4	0.0						
		G2		3417	-37.4	-4.1	-0.0
0.2	-0.0			2977	-11.8	56.8	0.0
-4.0	0.0			10661	33.8	-7.8	-0.0
-7.6	0.0			11144	15.4	-44.9	0.0
-0.5	0.0						
		Q3		3417	0.0	0.0	0.0
0.0	0.0			2977	0.0	0.0	0.0
0.0	0.0			10661	0.0	0.0	0.0
0.0	0.0			11144	0.0	0.0	0.0
0.0	0.0						
		Q5_pc		3417	6.4	-7.4	0.0
-3.7	-0.0			2977	-9.0	-8.5	-0.1
-9.6	0.0			10661	-2.8	11.2	0.1
-1.8	-0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-1.1	0.0			11144	5.5	4.7	0.0	-0.0
		Q5_ps		3417	4.7	-7.0	0.0	-8.0
-3.4	-0.0			2977	-11.8	-2.0	-0.1	-18.3
-8.8	0.0			10661	-0.6	9.1	0.1	-3.8
-0.6	-0.0			11144	7.8	-0.0	0.0	-0.3
-1.0	0.0							
		INVS LU	Max	3417	-187.6	-45.4	0.1	16.9
5.1	0.0			2977	-65.3	278.5	0.1	38.2
29.0	0.0			10661	181.0	19.5	0.1	5.0
18.4	0.0			11144	110.6	-216.0	-0.1	-8.1
-7.9	0.0							
			Min	3417	-201.6	-66.6	-0.0	-7.2
-5.2	0.0			2977	-100.6	263.2	-0.1	-16.6
2.6	0.0			10661	176.0	-7.8	-0.0	-6.2
15.2	0.0			11144	87.3	-224.6	-0.1	-9.0
-10.9	0.0							
		INVS LE	Max	3417	-140.9	-36.9	0.0	11.8
3.2	0.0			2977	-51.7	206.4	0.1	26.4
22.1	0.0			10661	135.6	16.3	0.1	2.5
16.2	0.0			11144	83.0	-161.4	-0.1	-6.5
-6.5	0.0							
			Min	3417	-150.3	-51.0	-0.0	-4.2
-3.7	0.0			2977	-75.3	196.2	-0.1	-10.1
4.5	0.0			10661	132.2	-1.9	-0.0	-5.0
14.0	0.0			11144	67.4	-167.0	-0.1	-7.0
-8.5	0.0							
2501	2	4 C1-C2;~1	Max	2977	0.0	0.0	0.0	0.0
0.0	0.0			3418	0.0	0.0	0.0	0.0
0.0	0.0			11147	0.0	0.0	0.0	0.0
0.0	0.0			10661	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	2977	0.0	0.0	0.0	0.0
0.0	0.0			3418	0.0	0.0	0.0	0.0
0.0	0.0			11147	0.0	0.0	0.0	0.0


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		10661	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max 2977	0.0	0.0	0.0	0.0
0.0	0.0		3418	0.0	0.0	0.0	0.0
0.0	0.0		11147	0.0	0.0	0.0	0.0
0.0	0.0		10661	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min 2977	0.0	0.0	0.0	0.0
0.0	0.0		3418	0.0	0.0	0.0	0.0
0.0	0.0		11147	0.0	0.0	0.0	0.0
0.0	0.0		10661	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max 2977	0.0	0.0	0.0	0.0
0.0	0.0		3418	0.0	0.0	0.0	0.0
0.0	0.0		11147	0.0	0.0	0.0	0.0
0.0	0.0		10661	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min 2977	0.0	0.0	0.0	0.0
0.0	0.0		3418	0.0	0.0	0.0	0.0
0.0	0.0		11147	0.0	0.0	0.0	0.0
0.0	0.0		10661	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max 2977	0.0	0.0	0.0	0.0
0.0	0.0		3418	0.0	0.0	0.0	0.0
0.0	0.0		11147	0.0	0.0	0.0	0.0
0.0	0.0		10661	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min 2977	0.0	0.0	0.0	0.0
0.0	0.0		3418	0.0	0.0	0.0	0.0
0.0	0.0		11147	0.0	0.0	0.0	0.0
0.0	0.0		10661	0.0	0.0	0.0	0.0
0.0	0.0						
3.5	0.0	G1	2977	11.2	106.3	0.0	4.5
-0.1	0.0		3418	32.4	25.9	0.0	2.1

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
				11147	-8.3	-61.9	-0.0	6.0
0.0	0.0			10661	-35.2	-69.9	-0.0	8.7
6.2	0.0							
			G2	2977	4.3	44.5	0.0	1.5
1.4	0.0			3418	13.7	11.4	0.0	0.5
-0.0	0.0			11147	-3.4	-26.3	-0.0	2.1
0.0	0.0			10661	-14.6	-29.6	-0.0	3.2
2.3	0.0							
			Q3	2977	0.0	0.0	0.0	0.0
0.0	0.0			3418	0.0	0.0	0.0	0.0
0.0	0.0			11147	0.0	0.0	0.0	0.0
0.0	0.0			10661	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	2977	-2.9	-13.0	-0.1	-19.3
9.0	0.0			3418	-2.6	-0.9	0.0	-5.8
0.4	0.0			11147	1.3	5.4	-0.0	1.8
0.2	0.0			10661	4.2	8.4	0.1	-2.2
3.6	-0.0							
			Q5_ps	2977	-3.8	-7.7	-0.1	-19.7
8.8	0.0			3418	-0.4	1.3	0.0	-6.5
0.4	0.0			11147	1.4	2.2	0.0	1.5
0.2	0.0			10661	2.8	4.2	0.1	-2.7
3.2	-0.0							
			INVSLE Max	2977	-14.4	154.1	0.2	32.2
7.4	0.0			3418	41.3	36.5	-0.0	-4.0
0.6	0.0			11147	18.3	-45.1	0.1	2.9
0.5	0.0			10661	-30.9	-118.9	0.0	9.5
0.6	0.0							
			Min	2977	-25.7	130.8	-0.1	-27.0
-18.9	0.0			3418	36.7	32.5	-0.1	-23.5
-0.6	0.0			11147	14.1	-54.8	0.1	-1.6
-0.2	0.0			10661	-39.3	-134.0	-0.1	1.5
-9.1	0.0							
			INVSLE Max	2977	-14.3	108.7	0.1	21.0

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
4.0	0.0			3418	28.7	25.7	-0.0	-4.7	
0.4	0.0			11147	16.0	-28.4	0.0	1.4	
0.3	0.0			10661	-20.8	-88.2	0.0	6.2	
-0.7	0.0								
			Min	2977	-21.9	93.1	-0.0	-18.4	
-13.5	0.0			3418	25.6	23.0	-0.1	-17.7	
-0.4	0.0			11147	13.2	-34.9	0.0	-1.6	
-0.1	0.0			10661	-26.4	-98.2	-0.1	0.8	
-7.2	0.0								
2505	2	8	C1-C2;~1	Max	3421	0.0	0.0	0.0	0.0
0.0		0.0			3422	0.0	0.0	0.0	0.0
0.0		0.0			11162	0.0	0.0	0.0	0.0
0.0		0.0			11159	0.0	0.0	0.0	0.0
0.0		0.0							
			Min	3421	0.0	0.0	0.0	0.0	0.0
0.0		0.0			3422	0.0	0.0	0.0	0.0
0.0		0.0			11162	0.0	0.0	0.0	0.0
0.0		0.0			11159	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	3421	0.0	0.0	0.0	0.0
0.0		0.0			3422	0.0	0.0	0.0	0.0
0.0		0.0			11162	0.0	0.0	0.0	0.0
0.0		0.0			11159	0.0	0.0	0.0	0.0
0.0		0.0							
			Min	3421	0.0	0.0	0.0	0.0	0.0
0.0		0.0			3422	0.0	0.0	0.0	0.0
0.0		0.0			11162	0.0	0.0	0.0	0.0
0.0		0.0			11159	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	3421	0.0	0.0	0.0	0.0
0.0		0.0			3422	0.0	0.0	0.0	0.0
0.0		0.0			11162	0.0	0.0	0.0	0.0
0.0		0.0			11159	0.0	0.0	0.0	0.0
0.0		0.0							
			Min	3421	0.0	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		3422	0.0	0.0	0.0	0.0
0.0	0.0		11162	0.0	0.0	0.0	0.0
0.0	0.0		11159	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max 3421	0.0	0.0	0.0	0.0
0.0	0.0		3422	0.0	0.0	0.0	0.0
0.0	0.0		11162	0.0	0.0	0.0	0.0
0.0	0.0		11159	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min 3421	0.0	0.0	0.0	0.0
0.0	0.0		3422	0.0	0.0	0.0	0.0
0.0	0.0		11162	0.0	0.0	0.0	0.0
0.0	0.0		11159	0.0	0.0	0.0	0.0
0.0	0.0						
1.5	-0.0	G1	3421	157.3	85.6	0.0	3.2
-1.9	-0.0		3422	14.2	-87.8	0.1	2.6
-4.2	-0.0		11162	-144.7	-87.1	-0.1	18.9
4.4	-0.0		11159	-26.8	89.7	-0.0	18.5
0.8	-0.0	G2	3421	61.8	34.2	0.0	-0.4
-0.9	-0.0		3422	5.7	-34.2	0.0	-0.7
-1.5	-0.0		11162	-56.9	-34.8	-0.0	7.3
1.6	-0.0		11159	-10.6	34.8	-0.0	7.1
0.0	0.0	Q3	3421	0.0	0.0	0.0	0.0
0.0	0.0		3422	0.0	0.0	0.0	0.0
0.0	0.0		11162	0.0	0.0	0.0	0.0
0.0	0.0		11159	0.0	0.0	0.0	0.0
0.0	0.0						
-0.1	-0.0	Q5_pc	3421	1.6	-0.7	0.0	0.6
0.2	0.0		3422	-2.7	0.3	0.0	0.6
-0.1	-0.0		11162	-1.7	0.8	-0.0	1.0
0.1	-0.0		11159	2.8	-0.4	-0.0	0.8

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


0.1	-0.0	Q5_ps		3421	0.3	-1.5	0.0	-0.3
0.0	-0.0			3422	-3.1	1.2	0.0	-0.3
-0.1	-0.0			11162	-0.4	1.6	-0.0	1.0
0.1	0.0			11159	3.1	-1.3	-0.0	0.9
6.5	-0.0	INVS LU	Max	3421	444.2	180.0	0.1	-3.1
-8.1	-0.0			3422	-76.3	-185.6	0.2	-5.8
-14.2	-0.0			11162	-391.9	-179.5	-0.2	72.7
13.2	-0.0			11159	36.3	194.0	-0.1	68.6
6.3	-0.0		Min	3421	441.3	175.4	0.1	-4.3
-8.4	-0.0			3422	-85.5	-189.2	0.2	-6.9
-14.4	-0.0			11162	-394.9	-184.3	-0.2	69.7
12.9	-0.0			11159	26.9	190.2	-0.1	66.0
4.9	-0.0	INVS LE	Max	3421	336.9	133.9	0.1	-1.9
-6.2	-0.0			3422	-62.9	-138.8	0.1	-3.9
-11.1	-0.0			11162	-297.4	-133.9	-0.1	56.3
10.2	-0.0			11159	31.6	144.8	-0.1	53.1
4.8	-0.0		Min	3421	334.9	130.8	0.1	-2.7
-6.4	-0.0			3422	-69.0	-141.2	0.1	-4.6
-11.2	-0.0			11162	-299.4	-137.2	-0.1	54.2
10.0	-0.0			11159	25.3	142.3	-0.1	51.3
2506	2	4 C1-C2;~1	Max	3422	0.0	0.0	0.0	0.0
0.0	0.0			3423	0.0	0.0	0.0	0.0
0.0	0.0			11165	0.0	0.0	0.0	0.0
0.0	0.0			11162	0.0	0.0	0.0	0.0
0.0	0.0		Min	3422	0.0	0.0	0.0	0.0
0.0	0.0			3423	0.0	0.0	0.0	0.0
0.0	0.0			11165	0.0	0.0	0.0	0.0
0.0	0.0			11162	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0							
		C3-C4;~1	Max	3422	0.0	0.0	0.0	0.0
0.0	0.0			3423	0.0	0.0	0.0	0.0
0.0	0.0			11165	0.0	0.0	0.0	0.0
0.0	0.0			11162	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	3422	0.0	0.0	0.0	0.0
0.0	0.0			3423	0.0	0.0	0.0	0.0
0.0	0.0			11165	0.0	0.0	0.0	0.0
0.0	0.0			11162	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	3422	0.0	0.0	0.0	0.0
0.0	0.0			3423	0.0	0.0	0.0	0.0
0.0	0.0			11165	0.0	0.0	0.0	0.0
0.0	0.0			11162	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	3422	0.0	0.0	0.0	0.0
0.0	0.0			3423	0.0	0.0	0.0	0.0
0.0	0.0			11165	0.0	0.0	0.0	0.0
0.0	0.0			11162	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	3422	0.0	0.0	0.0	0.0
0.0	0.0			3423	0.0	0.0	0.0	0.0
0.0	0.0			11165	0.0	0.0	0.0	0.0
0.0	0.0			11162	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	3422	0.0	0.0	0.0	0.0
0.0	0.0			3423	0.0	0.0	0.0	0.0
0.0	0.0			11165	0.0	0.0	0.0	0.0
0.0	0.0			11162	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		3422	152.8	90.2	0.0	0.9
1.3	-0.0			3423	16.3	-80.9	0.0	-0.5
-4.0	-0.0			11165	-140.1	-91.5	-0.0	14.0
-5.8	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
4.1	-0.0		11162	-29.0	82.6	-0.0	14.0
		G2	3422	60.0	35.8	0.0	-0.9
0.7	-0.0		3423	6.5	-31.6	0.0	-1.3
-1.6	-0.0		11165	-55.1	-36.4	-0.0	5.4
-2.1	0.0		11162	-11.4	32.1	-0.0	5.4
1.5	-0.0						
		Q3	3422	0.0	0.0	0.0	0.0
0.0	0.0		3423	0.0	0.0	0.0	0.0
0.0	0.0		11165	0.0	0.0	0.0	0.0
0.0	0.0		11162	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	3422	2.2	-0.5	0.0	0.4
-0.1	0.0		3423	-2.8	0.2	0.0	0.3
-0.0	-0.0		11165	-2.1	0.5	-0.0	0.9
-0.2	0.0		11162	2.8	-0.2	-0.0	0.8
0.1	-0.0						
		Q5_ps	3422	1.0	-1.3	0.0	-0.2
0.0	-0.0		3423	-3.3	1.0	0.0	-0.2
-0.1	-0.0		11165	-1.0	1.4	-0.0	1.0
-0.2	0.0		11162	3.3	-1.0	-0.0	0.9
0.1	-0.0						
		INVSLE Max	3422	452.7	198.4	0.1	-7.1
6.3	-0.0		3423	-89.7	-163.1	0.1	-11.6
-17.0	-0.0		11165	-396.3	-196.7	-0.1	59.7
-23.2	-0.0		11162	47.0	169.0	-0.1	57.1
14.1	-0.0						
		Min	3422	448.8	194.5	0.1	-7.8
6.0	-0.0		3423	-99.6	-166.2	0.1	-12.3
-17.2	-0.0		11165	-400.1	-200.8	-0.1	56.8
-23.7	-0.0		11162	37.2	165.8	-0.1	54.5
13.8	-0.0						
		INVSLE Max	3422	344.0	148.2	0.1	-5.0
4.8	-0.0		3423	-73.7	-121.6	0.1	-8.5

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

-13.2	-0.0			11165	-301.4	-147.2	-0.1	46.2
-18.1	-0.0			11162	40.2	125.7	-0.0	44.2
11.0	-0.0							
			Min	3422	341.4	145.5	0.1	-5.5
4.7	-0.0			3423	-80.3	-123.6	0.1	-9.0
-13.3	-0.0			11165	-303.9	-149.9	-0.1	44.3
-18.5	-0.0			11162	33.6	123.6	-0.0	42.5
10.8	-0.0							
2521	2	4	C1-C2;~1	Max	3435	0.0	0.0	0.0
0.0	0.0				3436	0.0	0.0	0.0
0.0	0.0				11204	0.0	0.0	0.0
0.0	0.0				11201	0.0	0.0	0.0
0.0	0.0							
			Min	3435	0.0	0.0	0.0	0.0
0.0	0.0				3436	0.0	0.0	0.0
0.0	0.0				11204	0.0	0.0	0.0
0.0	0.0				11201	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	3435	0.0	0.0	0.0
0.0	0.0				3436	0.0	0.0	0.0
0.0	0.0				11204	0.0	0.0	0.0
0.0	0.0				11201	0.0	0.0	0.0
0.0	0.0							
			Min	3435	0.0	0.0	0.0	0.0
0.0	0.0				3436	0.0	0.0	0.0
0.0	0.0				11204	0.0	0.0	0.0
0.0	0.0				11201	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	3435	0.0	0.0	0.0
0.0	0.0				3436	0.0	0.0	0.0
0.0	0.0				11204	0.0	0.0	0.0
0.0	0.0				11201	0.0	0.0	0.0
0.0	0.0							
			Min	3435	0.0	0.0	0.0	0.0
0.0	0.0				3436	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0		11204	0.0	0.0	0.0	0.0
0.0	0.0		11201	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4; ~2	Max	3435	0.0	0.0	0.0
0.0	0.0			3436	0.0	0.0	0.0
0.0	0.0			11204	0.0	0.0	0.0
0.0	0.0			11201	0.0	0.0	0.0
0.0	0.0						
			Min	3435	0.0	0.0	0.0
0.0	0.0			3436	0.0	0.0	0.0
0.0	0.0			11204	0.0	0.0	0.0
0.0	0.0			11201	0.0	0.0	0.0
0.0	0.0						
			G1	3435	-5.6	-74.7	0.0
4.5	0.0			3436	-151.5	84.4	0.0
-2.1	0.0			11204	18.9	76.1	-0.0
-5.0	0.0			11201	138.2	-85.5	-0.0
6.6	-0.0						16.2
			G2	3435	-0.8	-28.6	0.0
1.9	-0.0			3436	-60.2	33.1	0.0
-1.0	0.0			11204	6.1	29.1	-0.0
-1.9	0.0			11201	54.9	-33.6	-0.0
2.5	-0.0						6.5
			Q3	3435	0.0	0.0	0.0
0.0	0.0			3436	0.0	0.0	0.0
0.0	0.0			11204	0.0	0.0	0.0
0.0	0.0			11201	0.0	0.0	0.0
0.0	0.0						0.0
			Q5_pc	3435	2.9	0.4	0.0
0.0	0.0			3436	-1.9	-0.6	0.0
0.1	-0.0			11204	-3.0	-0.4	-0.0
-0.1	0.0			11201	2.0	0.6	-0.0
0.3	-0.0						1.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.1	0.0	Q5_ps		3435	3.2	1.2	0.0	-0.2
				3436	-0.6	-1.5	0.0	-0.2
-0.1	0.0			11204	-3.3	-1.2	-0.0	0.9
-0.1	0.0			11201	0.7	1.5	-0.0	1.0
0.2	-0.0							
		INVS LU	Max	3435	118.2	-153.4	0.1	-15.0
18.0	0.0			3436	-449.0	189.1	0.1	-11.3
-8.6	0.0			11204	-54.2	159.3	-0.1	61.6
-15.7	0.0			11201	398.2	-186.6	-0.1	64.7
24.5	0.0							
			Min	3435	108.7	-156.9	0.1	-15.8
17.8	0.0			3436	-452.4	184.7	0.1	-12.2
-8.8	0.0			11204	-64.1	155.7	-0.1	58.8
-16.1	0.0			11201	394.6	-191.1	-0.1	61.7
23.8	0.0							
		INVS LE	Max	3435	93.8	-114.6	0.1	-11.0
13.8	0.0			3436	-341.6	141.4	0.1	-8.1
-6.5	0.0			11204	-46.0	118.7	-0.0	47.6
-12.2	0.0			11201	302.6	-139.9	-0.1	50.0
19.0	0.0							
			Min	3435	87.5	-116.9	0.1	-11.5
13.7	0.0			3436	-343.9	138.5	0.1	-8.7
-6.6	0.0			11204	-52.6	116.3	-0.1	45.7
-12.4	0.0			11201	300.2	-142.9	-0.1	48.0
18.5	0.0							
2522	2	8 C1-C2;~1	Max	3436	0.0	0.0	0.0	0.0
0.0	0.0			3437	0.0	0.0	0.0	0.0
0.0	0.0			11207	0.0	0.0	0.0	0.0
0.0	0.0			11204	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	3436	0.0	0.0	0.0	0.0
0.0	0.0			3437	0.0	0.0	0.0	0.0
0.0	0.0			11207	0.0	0.0	0.0	0.0
0.0	0.0			11204	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


		C3-C4;~1	Max	3436	0.0	0.0	0.0	0.0
0.0	0.0			3437	0.0	0.0	0.0	0.0
0.0	0.0			11207	0.0	0.0	0.0	0.0
0.0	0.0			11204	0.0	0.0	0.0	0.0
0.0	0.0		Min	3436	0.0	0.0	0.0	0.0
0.0	0.0			3437	0.0	0.0	0.0	0.0
0.0	0.0			11207	0.0	0.0	0.0	0.0
0.0	0.0			11204	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	3436	0.0	0.0	0.0	0.0
0.0	0.0			3437	0.0	0.0	0.0	0.0
0.0	0.0			11207	0.0	0.0	0.0	0.0
0.0	0.0			11204	0.0	0.0	0.0	0.0
0.0	0.0		Min	3436	0.0	0.0	0.0	0.0
0.0	0.0			3437	0.0	0.0	0.0	0.0
0.0	0.0			11207	0.0	0.0	0.0	0.0
0.0	0.0			11204	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	3436	0.0	0.0	0.0	0.0
0.0	0.0			3437	0.0	0.0	0.0	0.0
0.0	0.0			11207	0.0	0.0	0.0	0.0
0.0	0.0			11204	0.0	0.0	0.0	0.0
0.0	0.0		Min	3436	0.0	0.0	0.0	0.0
0.0	0.0			3437	0.0	0.0	0.0	0.0
0.0	0.0			11207	0.0	0.0	0.0	0.0
0.0	0.0			11204	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		3436	-5.5	-81.8	0.1	1.1
2.7	0.0			3437	-154.5	79.9	0.0	1.7
-2.0	0.0			11207	18.6	83.5	-0.0	20.2
-4.8	0.0			11204	141.4	-81.3	-0.1	20.9
5.1	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

		G2	3436	-1.0	-31.4	0.0	-1.0
1.2	0.0		3437	-61.2	31.5	0.0	-0.7
-1.0	0.0		11207	6.1	32.0	-0.0	8.1
-1.8	0.0		11204	56.0	-32.0	-0.0	8.4
1.9	0.0						
		Q3	3436	0.0	0.0	0.0	0.0
0.0	0.0		3437	0.0	0.0	0.0	0.0
0.0	0.0		11207	0.0	0.0	0.0	0.0
0.0	0.0		11204	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	3436	2.8	0.5	0.0	0.7
-0.2	-0.0		3437	-1.4	-0.8	0.0	0.7
0.1	0.0		11207	-2.9	-0.6	-0.0	1.0
-0.1	0.0		11204	1.5	0.9	-0.0	1.1
0.1	0.0						
		Q5_ps	3436	3.0	1.3	0.0	-0.2
-0.0	0.0		3437	0.0	-1.6	0.0	-0.2
-0.1	0.0		11207	-3.1	-1.4	-0.0	0.9
-0.1	0.0		11204	0.2	1.7	-0.0	1.1
0.1	0.0						
		INVSLE Max	3436	101.2	-175.9	0.2	-12.2
10.8	0.0		3437	-438.5	170.4	0.1	-9.2
-7.9	0.0		11207	-41.4	184.4	-0.1	72.9
-14.1	0.0		11204	390.5	-169.4	-0.2	77.8
16.4	0.0						
		Min	3436	92.3	-179.9	0.1	-13.4
10.5	0.0		3437	-441.0	165.7	0.1	-10.5
-8.1	0.0		11207	-50.9	180.2	-0.1	70.1
-14.5	0.0		11204	387.8	-174.5	-0.2	74.6
16.1	0.0						
		INVSLE Max	3436	80.4	-131.8	0.1	-8.6
8.2	0.0		3437	-333.0	127.0	0.1	-6.3
-6.0	0.0		11207	-35.8	137.9	-0.1	56.2

PROJECT TITLE :

		Company						Client	
		Author						File Name	
-10.9	0.0				11204	296.3	-126.7	-0.1	60.0
12.7	0.0								
			Min	3436	74.5	-134.4	0.1	-9.4	
8.0	0.0			3437	-334.7	123.8	0.1	-7.2	
-6.1	0.0			11207	-42.1	135.0	-0.1	54.4	
-11.1	0.0			11204	294.4	-130.1	-0.1	57.9	
12.4	0.0								
2537	2	4	C1-C2;~1	Max	3449	0.0	0.0	0.0	0.0
0.0	0.0				3450	0.0	0.0	0.0	0.0
0.0	0.0				11249	0.0	0.0	0.0	0.0
0.0	0.0				11246	0.0	0.0	0.0	0.0
0.0	0.0								
			Min	3449	0.0	0.0	0.0	0.0	0.0
0.0	0.0			3450	0.0	0.0	0.0	0.0	0.0
0.0	0.0			11249	0.0	0.0	0.0	0.0	0.0
0.0	0.0			11246	0.0	0.0	0.0	0.0	0.0
0.0	0.0								
			C3-C4;~1	Max	3449	0.0	0.0	0.0	0.0
0.0	0.0				3450	0.0	0.0	0.0	0.0
0.0	0.0				11249	0.0	0.0	0.0	0.0
0.0	0.0				11246	0.0	0.0	0.0	0.0
0.0	0.0								
			Min	3449	0.0	0.0	0.0	0.0	0.0
0.0	0.0			3450	0.0	0.0	0.0	0.0	0.0
0.0	0.0			11249	0.0	0.0	0.0	0.0	0.0
0.0	0.0			11246	0.0	0.0	0.0	0.0	0.0
0.0	0.0								
			C1-C2;~2	Max	3449	0.0	0.0	0.0	0.0
0.0	0.0				3450	0.0	0.0	0.0	0.0
0.0	0.0				11249	0.0	0.0	0.0	0.0
0.0	0.0				11246	0.0	0.0	0.0	0.0
0.0	0.0								
			Min	3449	0.0	0.0	0.0	0.0	0.0
0.0	0.0			3450	0.0	0.0	0.0	0.0	0.0
0.0	0.0			11249	0.0	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		11246	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4; ~2	Max 3449	0.0	0.0	0.0	0.0
0.0	0.0		3450	0.0	0.0	0.0	0.0
0.0	0.0		11249	0.0	0.0	0.0	0.0
0.0	0.0		11246	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min 3449	0.0	0.0	0.0	0.0
0.0	0.0		3450	0.0	0.0	0.0	0.0
0.0	0.0		11249	0.0	0.0	0.0	0.0
0.0	0.0		11246	0.0	0.0	0.0	0.0
0.0	0.0						
3.7	0.0	G1	3449	-1.2	-75.1	0.0	4.2
-0.4	0.0		3450	-154.0	84.9	0.1	5.6
-4.1	0.0		11249	14.1	76.6	-0.0	16.7
6.6	-0.0		11246	141.0	-86.0	-0.0	17.2
1.5	0.0	G2	3449	0.6	-29.2	0.0	2.7
-0.1	0.0		3450	-61.6	33.8	0.0	3.4
-1.9	0.0		11249	4.7	29.7	-0.0	7.1
3.0	-0.0		11246	56.4	-34.3	-0.0	7.3
0.0	0.0	Q3	3449	0.0	0.0	0.0	0.0
0.0	0.0		3450	0.0	0.0	0.0	0.0
0.0	0.0		11249	0.0	0.0	0.0	0.0
0.0	0.0		11246	0.0	0.0	0.0	0.0
1.4	-0.0	Q5_pc	3449	-3.5	0.1	-0.0	-2.9
-2.6	0.0		3450	3.5	0.0	-0.0	-3.3
-2.4	-0.0		11249	3.3	-0.1	-0.0	1.4
1.4	0.0		11246	-3.3	-0.1	0.0	1.0
1.4	-0.0	Q5_ps	3449	-4.1	-0.6	-0.0	-2.2

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-2.5	0.0			3450	2.6	0.9	0.0	-2.5
-2.6	-0.0			11249	3.8	0.7	-0.0	1.7
1.6	0.0			11246	-2.4	-0.9	0.0	1.2
16.3	0.0	INVS LU	Max	3449	116.1	-156.0	0.1	5.4
0.4	0.0			3450	-440.2	189.4	0.1	10.5
-9.3	-0.0			11249	-51.7	160.4	-0.1	55.9
24.8	-0.0			11246	395.0	-188.8	-0.1	58.1
12.0	0.0		Min	3449	103.9	-157.7	0.1	-1.1
-7.1	0.0			3450	-448.0	186.8	0.1	2.9
-17.1	-0.0			11249	-63.1	158.4	-0.1	50.9
20.0	-0.0			11246	387.9	-191.6	-0.1	54.4
12.3	0.0	INVS LE	Max	3449	91.8	-116.6	0.1	4.0
-0.1	0.0			3450	-335.1	141.8	0.1	7.9
-7.6	-0.0			11249	-43.7	119.7	-0.1	42.9
19.0	-0.0			11246	299.9	-141.6	-0.1	44.7
9.5	0.0		Min	3449	83.6	-117.8	0.1	-0.3
-5.1	0.0			3450	-340.3	140.1	0.1	2.9
-12.8	-0.0			11249	-51.4	118.4	-0.1	39.5
15.8	-0.0			11246	295.2	-143.4	-0.1	42.2
2538	2	8 C1-C2;~1	Max	3450	0.0	0.0	0.0	0.0
0.0	0.0			3451	0.0	0.0	0.0	0.0
0.0	0.0			11252	0.0	0.0	0.0	0.0
0.0	0.0			11249	0.0	0.0	0.0	0.0
0.0	0.0		Min	3450	0.0	0.0	0.0	0.0
0.0	0.0			3451	0.0	0.0	0.0	0.0
0.0	0.0			11252	0.0	0.0	0.0	0.0
0.0	0.0			11249	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	3450	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	0.0		3451	0.0	0.0	0.0	0.0
0.0	0.0		11252	0.0	0.0	0.0	0.0
0.0	0.0		11249	0.0	0.0	0.0	0.0
0.0	0.0	Min	3450	0.0	0.0	0.0	0.0
0.0	0.0		3451	0.0	0.0	0.0	0.0
0.0	0.0		11252	0.0	0.0	0.0	0.0
0.0	0.0		11249	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	3450	0.0	0.0	0.0
0.0	0.0			3451	0.0	0.0	0.0
0.0	0.0			11252	0.0	0.0	0.0
0.0	0.0			11249	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	3450	0.0	0.0	0.0	0.0
0.0	0.0		3451	0.0	0.0	0.0	0.0
0.0	0.0		11252	0.0	0.0	0.0	0.0
0.0	0.0		11249	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	3450	0.0	0.0	0.0
0.0	0.0			3451	0.0	0.0	0.0
0.0	0.0			11252	0.0	0.0	0.0
0.0	0.0			11249	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	3450	0.0	0.0	0.0	0.0
0.0	0.0		3451	0.0	0.0	0.0	0.0
0.0	0.0		11252	0.0	0.0	0.0	0.0
0.0	0.0		11249	0.0	0.0	0.0	0.0
0.0	0.0						
1.0	0.0	G1	3450	-1.1	-82.3	0.1	9.2
0.1	0.0		3451	-156.7	80.1	0.1	10.1
-3.7	0.0		11252	13.8	84.1	-0.0	20.8
4.2	0.0		11249	144.0	-81.5	-0.1	21.7

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
			G2	3450	0.4	-32.1	0.0	5.3
0.3	0.0			3451	-62.6	32.0	0.0	5.6
0.1	0.0			11252	4.7	32.6	-0.0	8.8
-1.7	0.0			11249	57.5	-32.6	-0.0	9.2
2.0	0.0							
			Q3	3450	0.0	0.0	0.0	0.0
0.0	0.0			3451	0.0	0.0	0.0	0.0
0.0	0.0			11252	0.0	0.0	0.0	0.0
0.0	0.0			11249	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	3450	-3.2	0.1	-0.0	-4.8
2.7	0.0			3451	2.9	0.4	0.0	-5.0
-2.1	-0.0			11252	3.0	-0.1	-0.0	2.7
-2.1	-0.0			11249	-2.7	-0.5	0.0	2.3
2.5	-0.0							
			Q5_ps	3450	-3.7	-0.7	-0.0	-3.7
2.6	0.0			3451	1.8	1.3	0.0	-3.9
-2.0	-0.0			11252	3.5	0.7	-0.0	3.0
-2.2	-0.0			11249	-1.6	-1.3	0.0	2.7
2.6	-0.0							
			INVSLE Max	3450	100.3	-178.1	0.2	20.2
9.2	0.0			3451	-431.8	171.7	0.2	24.4
2.0	0.0			11252	-40.3	184.6	-0.1	67.7
-6.7	0.0			11249	387.6	-171.8	-0.2	71.5
17.4	-0.0							
			Min	3450	89.3	-180.2	0.2	9.0
1.3	0.0			3451	-437.2	167.9	0.1	12.6
-3.8	0.0			11252	-50.7	182.5	-0.1	58.7
-13.4	0.0			11249	382.8	-175.6	-0.2	63.5
9.5	-0.0							
			INVSLE Max	3450	79.4	-133.5	0.1	15.2
6.7	0.0			3451	-328.0	128.1	0.1	18.4
1.3	0.0			11252	-34.7	138.2	-0.1	51.7
-5.5	0.0			11249	293.9	-128.5	-0.1	54.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


13.1	-0.0							
		Min	3450	72.0	-134.9	0.1	7.8	
1.4	0.0		3451	-331.6	125.6	0.1	10.5	
-2.6	0.0		11252	-41.6	136.8	-0.1	45.7	
-9.9	0.0		11249	290.7	-131.1	-0.2	49.4	
7.8	-0.0							
2569	2	10	C1-C2;~1	Max	3477	0.0	0.0	0.0
0.0		0.0			3478	0.0	0.0	0.0
0.0		0.0			11342	0.0	0.0	0.0
0.0		0.0			11339	0.0	0.0	0.0
0.0		0.0						
0.0		0.0	Min	3477	0.0	0.0	0.0	0.0
0.0		0.0			3478	0.0	0.0	0.0
0.0		0.0			11342	0.0	0.0	0.0
0.0		0.0			11339	0.0	0.0	0.0
0.0		0.0						
0.0		0.0	C3-C4;~1	Max	3477	0.0	0.0	0.0
0.0		0.0			3478	0.0	0.0	0.0
0.0		0.0			11342	0.0	0.0	0.0
0.0		0.0			11339	0.0	0.0	0.0
0.0		0.0						
0.0		0.0	Min	3477	0.0	0.0	0.0	0.0
0.0		0.0			3478	0.0	0.0	0.0
0.0		0.0			11342	0.0	0.0	0.0
0.0		0.0			11339	0.0	0.0	0.0
0.0		0.0						
0.0		0.0	C1-C2;~2	Max	3477	0.0	0.0	0.0
0.0		0.0			3478	0.0	0.0	0.0
0.0		0.0			11342	0.0	0.0	0.0
0.0		0.0			11339	0.0	0.0	0.0
0.0		0.0						
0.0		0.0	Min	3477	0.0	0.0	0.0	0.0
0.0		0.0			3478	0.0	0.0	0.0
0.0		0.0			11342	0.0	0.0	0.0
0.0		0.0			11339	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0						
0.0	0.0	C3-C4;~2 Max	3477	0.0	0.0	0.0	0.0
0.0	0.0		3478	0.0	0.0	0.0	0.0
0.0	0.0		11342	0.0	0.0	0.0	0.0
0.0	0.0		11339	0.0	0.0	0.0	0.0
0.0	0.0	Min	3477	0.0	0.0	0.0	0.0
0.0	0.0		3478	0.0	0.0	0.0	0.0
0.0	0.0		11342	0.0	0.0	0.0	0.0
0.0	0.0		11339	0.0	0.0	0.0	0.0
0.0	0.0						
-26.8	0.0	G1	3477	-154.6	-14.2	-0.3	-20.7
21.3	-0.0		3478	123.1	17.8	-0.3	-20.5
47.5	-0.0		11342	137.9	15.5	0.3	-121.0
-53.5	0.0		11339	-106.4	-18.9	0.3	-122.6
-10.9	0.0	G2	3477	-63.1	-5.5	-0.1	-7.9
8.6	-0.0		3478	50.0	7.7	-0.1	-7.7
19.0	-0.0		11342	56.3	6.1	0.1	-48.9
-21.5	0.0		11339	-43.2	-8.2	0.1	-49.6
0.0	0.0	Q3	3477	0.0	0.0	0.0	0.0
0.0	0.0		3478	0.0	0.0	0.0	0.0
0.0	0.0		11342	0.0	0.0	0.0	0.0
0.0	0.0		11339	0.0	0.0	0.0	0.0
1.4	-0.0	Q5_pc	3477	5.4	0.2	0.0	3.2
-1.0	0.0		3478	-5.2	-0.0	0.0	3.2
-3.0	0.0		11342	-5.3	-0.2	-0.0	6.7
3.3	-0.0		11339	5.0	0.0	-0.0	6.7
1.3	-0.0	Q5_ps	3477	4.5	-0.0	0.0	3.3
-1.0	0.0		3478	-4.9	0.4	0.0	3.3

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-3.0	0.0			11342	-4.4	0.1	-0.0	6.3
3.1	-0.0			11339	4.8	-0.4	-0.0	6.2
			INVS LU Max	3477	-242.2	-20.6	0.0	100.0
-25.0	0.0			3478	209.2	27.4	0.1	99.8
30.6	-0.0			11342	197.0	23.2	0.0	-79.2
26.4	0.0			11339	-136.1	-27.9	0.0	-84.0
-16.7	-0.0							
			Min	3477	-255.7	-21.0	-0.0	90.1
-28.8	0.0			3478	194.4	26.2	-0.0	89.9
27.6	-0.0			11342	183.9	22.8	-0.1	-98.0
17.5	0.0			11339	-150.6	-29.3	-0.0	-102.6
-26.1	-0.0							
			INVS LE Max	3477	-177.4	-14.9	0.0	78.6
-17.7	0.0			3478	152.9	19.7	0.1	78.4
22.1	-0.0			11342	142.0	16.7	-0.0	-53.8
16.6	0.0			11339	-98.9	-20.1	0.0	-57.4
-9.6	-0.0							
			Min	3477	-186.3	-15.1	-0.0	72.0
-20.2	0.0			3478	143.0	18.9	0.0	71.8
20.1	-0.0			11342	133.2	16.4	-0.1	-66.3
10.7	0.0			11339	-108.5	-21.0	-0.0	-69.7
-15.9	-0.0							
2570	2	4	C1-C2;~1	Max	3478	0.0	0.0	0.0
0.0	0.0	0.0			3479	0.0	0.0	0.0
0.0	0.0	0.0			11345	0.0	0.0	0.0
0.0	0.0	0.0			11342	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	3478	0.0	0.0	0.0	0.0
0.0	0.0	0.0			3479	0.0	0.0	0.0
0.0	0.0	0.0			11345	0.0	0.0	0.0
0.0	0.0	0.0			11342	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	3478	0.0	0.0	0.0
0.0	0.0	0.0			3479	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0			11345	0.0	0.0	0.0	0.0
0.0	0.0			11342	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	3478	0.0	0.0	0.0	0.0
0.0	0.0			3479	0.0	0.0	0.0	0.0
0.0	0.0			11345	0.0	0.0	0.0	0.0
0.0	0.0			11342	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	3478	0.0	0.0	0.0	0.0
0.0	0.0			3479	0.0	0.0	0.0	0.0
0.0	0.0			11345	0.0	0.0	0.0	0.0
0.0	0.0			11342	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	3478	0.0	0.0	0.0	0.0
0.0	0.0			3479	0.0	0.0	0.0	0.0
0.0	0.0			11345	0.0	0.0	0.0	0.0
0.0	0.0			11342	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	3478	0.0	0.0	0.0	0.0
0.0	0.0			3479	0.0	0.0	0.0	0.0
0.0	0.0			11345	0.0	0.0	0.0	0.0
0.0	0.0			11342	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	3478	0.0	0.0	0.0	0.0
0.0	0.0			3479	0.0	0.0	0.0	0.0
0.0	0.0			11345	0.0	0.0	0.0	0.0
0.0	0.0			11342	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		3478	-159.2	-16.1	-0.5	-25.5
-24.5	-0.0			3479	123.0	20.2	-0.2	-22.4
23.7	-0.0			11345	141.8	18.0	0.2	-154.3
48.3	-0.0			11342	-105.6	-21.9	0.5	-162.2
-47.7	-0.0							
		G2		3478	-65.0	-6.4	-0.2	-9.6
-9.9	-0.0							

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

9.6	-0.0			3479	49.8	8.8	-0.1	-8.3
19.3	-0.0			11345	57.9	7.2	0.1	-62.3
-19.1	-0.0			11342	-42.7	-9.5	0.2	-65.6
0.0	0.0	Q3		3478	0.0	0.0	0.0	0.0
0.0	0.0			3479	0.0	0.0	0.0	0.0
0.0	0.0			11345	0.0	0.0	0.0	0.0
0.0	0.0			11342	0.0	0.0	0.0	0.0
0.0	0.0							
1.2	0.0	Q5_pc		3478	5.5	0.1	0.0	4.4
-1.1	0.0			3479	-5.4	0.0	0.0	4.0
-3.0	0.0			11345	-5.4	-0.2	-0.0	8.6
3.0	0.0			11342	5.2	0.0	-0.0	9.0
1.2	0.0	Q5_ps		3478	4.6	-0.3	0.0	4.5
-1.1	0.0			3479	-5.3	0.5	0.0	4.2
-3.0	0.0			11345	-4.5	0.2	-0.0	8.1
3.0	0.0			11342	5.2	-0.5	-0.0	8.5
-28.3	-0.0	INVSLE	Max	3478	-252.2	-24.1	0.1	139.2
36.2	0.0			3479	214.4	28.6	-0.0	131.7
32.5	0.0			11345	205.3	28.1	0.1	-106.4
-18.5	0.0			11342	-138.2	-30.0	-0.1	-111.5
-31.8	-0.0		Min	3478	-266.0	-25.0	0.0	125.6
33.0	0.0			3479	198.5	27.1	-0.1	119.1
23.7	0.0			11345	192.0	27.5	0.1	-130.7
-27.5	0.0			11342	-153.8	-31.4	-0.2	-136.9
-20.4	-0.0	INVSLE	Max	3478	-184.8	-17.4	0.1	109.2
26.2	0.0			3479	156.9	20.4	-0.0	103.2
21.3	0.0			11345	148.1	20.3	0.1	-72.8
-11.5	0.0			11342	-100.7	-21.5	-0.1	-76.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


-22.8	-0.0	Min	3478	-194.0	-18.0	0.1	100.1
			3479	146.3	19.3	-0.0	94.8
24.1	0.0		11345	139.2	19.9	0.0	-89.0
15.4	0.0		11342	-111.0	-22.4	-0.2	-93.2
-17.4	0.0						
2593	2	8 C1-C2;~1	Max	3498	0.0	0.0	0.0
0.0	0.0			3499	0.0	0.0	0.0
0.0	0.0			11405	0.0	0.0	0.0
0.0	0.0			11402	0.0	0.0	0.0
0.0	0.0						
		Min	3498	0.0	0.0	0.0	0.0
0.0	0.0			3499	0.0	0.0	0.0
0.0	0.0			11405	0.0	0.0	0.0
0.0	0.0			11402	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~1	Max	3498	0.0	0.0	0.0
0.0	0.0			3499	0.0	0.0	0.0
0.0	0.0			11405	0.0	0.0	0.0
0.0	0.0			11402	0.0	0.0	0.0
0.0	0.0						
		Min	3498	0.0	0.0	0.0	0.0
0.0	0.0			3499	0.0	0.0	0.0
0.0	0.0			11405	0.0	0.0	0.0
0.0	0.0			11402	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	3498	0.0	0.0	0.0
0.0	0.0			3499	0.0	0.0	0.0
0.0	0.0			11405	0.0	0.0	0.0
0.0	0.0			11402	0.0	0.0	0.0
0.0	0.0						
		Min	3498	0.0	0.0	0.0	0.0
0.0	0.0			3499	0.0	0.0	0.0
0.0	0.0			11405	0.0	0.0	0.0
0.0	0.0			11402	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

		C3-C4; ~2	Max	3498	0.0	0.0	0.0	0.0
0.0	0.0			3499	0.0	0.0	0.0	0.0
0.0	0.0			11405	0.0	0.0	0.0	0.0
0.0	0.0			11402	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	3498	0.0	0.0	0.0	0.0
0.0	0.0			3499	0.0	0.0	0.0	0.0
0.0	0.0			11405	0.0	0.0	0.0	0.0
0.0	0.0			11402	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	3498	152.1	76.4	0.0	11.4
-0.4	-0.0			3499	-1.0	-77.9	0.1	10.7
-0.3	-0.0			11405	-139.6	-77.7	-0.1	20.6
-3.7	-0.0			11402	-11.6	79.6	-0.0	19.4
3.4	-0.0							
			G2	3498	60.5	31.2	0.0	6.1
-0.3	-0.0			3499	0.2	-30.9	0.0	5.9
-0.1	-0.0			11405	-55.6	-31.7	-0.0	8.4
-1.7	-0.0			11402	-5.1	31.4	-0.0	7.9
1.6	-0.0							
			Q3	3498	0.0	0.0	0.0	0.0
0.0	0.0			3499	0.0	0.0	0.0	0.0
0.0	0.0			11405	0.0	0.0	0.0	0.0
0.0	0.0			11402	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	3498	1.3	1.0	0.0	-3.7
2.0	0.0			3499	0.3	-0.6	-0.0	-3.5
-2.8	-0.0			11405	-1.3	-1.0	0.0	3.9
-2.9	0.0			11402	-0.2	0.6	-0.0	4.2
2.4	0.0							
			Q5_ps	3498	2.1	1.7	0.0	-2.8
1.9	0.0			3499	0.8	-1.3	-0.0	-2.5
-2.7	-0.0			11405	-2.2	-1.8	0.0	4.2
-3.1	0.0							

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
2.5	0.0			11402	-0.8	1.3	-0.0	4.5
		INVS LU	Max	3498	432.4	168.1	0.1	27.6
2.9	-0.0			3499	-94.6	-172.2	0.2	23.8
0.5	-0.0			11405	-376.9	-166.5	-0.2	70.6
-7.8	0.0			11402	48.1	180.2	-0.1	66.2
13.6	-0.0							
			Min	3498	425.9	162.9	0.1	19.3
-2.9	-0.0			3499	-97.1	-176.0	0.2	16.2
-7.6	-0.0			11405	-383.5	-171.8	-0.2	58.0
-17.0	-0.0			11402	45.8	176.3	-0.1	52.9
6.1	-0.0							
		INVS LE	Max	3498	328.2	125.6	0.1	20.8
2.0	-0.0			3499	-75.5	-129.3	0.2	17.9
-0.1	-0.0			11405	-286.6	-124.8	-0.2	53.9
-6.7	0.0			11402	39.8	135.1	-0.1	50.4
10.2	-0.0							
			Min	3498	323.9	122.1	0.1	15.3
-1.9	-0.0			3499	-77.1	-131.9	0.1	12.8
-5.5	-0.0			11405	-291.0	-128.4	-0.2	45.5
-12.8	-0.0			11402	38.3	132.4	-0.1	41.5
5.1	-0.0							
2594	2	4	C1-C2;~1	Max	3499	0.0	0.0	0.0
0.0	0.0			3500	0.0	0.0	0.0	0.0
0.0	0.0			11408	0.0	0.0	0.0	0.0
0.0	0.0			11405	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	3499	0.0	0.0	0.0	0.0
0.0	0.0			3500	0.0	0.0	0.0	0.0
0.0	0.0			11408	0.0	0.0	0.0	0.0
0.0	0.0			11405	0.0	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	3499	0.0	0.0	0.0
0.0	0.0			3500	0.0	0.0	0.0	0.0
0.0	0.0			11408	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0		11405	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	3499	0.0	0.0	0.0	0.0
0.0	0.0		3500	0.0	0.0	0.0	0.0
0.0	0.0		11408	0.0	0.0	0.0	0.0
0.0	0.0		11405	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	3499	0.0	0.0	0.0
0.0	0.0		3500	0.0	0.0	0.0	0.0
0.0	0.0		11408	0.0	0.0	0.0	0.0
0.0	0.0		11405	0.0	0.0	0.0	0.0
0.0	0.0						
			Min	3499	0.0	0.0	0.0
0.0	0.0		3500	0.0	0.0	0.0	0.0
0.0	0.0		11408	0.0	0.0	0.0	0.0
0.0	0.0		11405	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	3499	0.0	0.0	0.0
0.0	0.0		3500	0.0	0.0	0.0	0.0
0.0	0.0		11408	0.0	0.0	0.0	0.0
0.0	0.0		11405	0.0	0.0	0.0	0.0
0.0	0.0						
			Min	3499	0.0	0.0	0.0
0.0	0.0		3500	0.0	0.0	0.0	0.0
0.0	0.0		11408	0.0	0.0	0.0	0.0
0.0	0.0		11405	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	3499	150.0	80.7	0.0	6.8
-0.3	-0.0		3500	-2.1	-70.7	0.0	5.3
-3.5	-0.0		11408	-137.3	-81.6	-0.1	16.8
-6.5	0.0		11405	-10.7	72.0	-0.0	16.2
3.6	-0.0						
		G2	3499	59.5	32.7	0.0	3.9
-0.2	-0.0		3500	-0.1	-28.1	0.0	3.2
-1.4	-0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-2.9	0.0			11408	-54.5	-33.1	-0.0	6.8
1.7	-0.0			11405	-4.9	28.5	-0.0	6.6
0.0	0.0	Q3		3499	0.0	0.0	0.0	0.0
0.0	0.0			3500	0.0	0.0	0.0	0.0
0.0	0.0			11408	0.0	0.0	0.0	0.0
0.0	0.0			11405	0.0	0.0	0.0	0.0
2.6	-0.0	Q5_pc		3499	0.9	0.8	0.0	-2.4
-1.7	0.0			3500	0.2	-0.3	-0.0	-2.1
-2.1	0.0			11408	-0.9	-0.9	0.0	2.3
2.9	0.0			11405	-0.2	0.3	-0.0	2.7
2.5	-0.0	Q5_ps		3499	1.6	1.5	0.0	-1.7
-1.7	0.0			3500	0.9	-0.9	-0.0	-1.4
-2.3	0.0			11408	-1.7	-1.6	0.0	2.5
3.0	0.0			11405	-0.8	1.0	-0.0	2.9
5.3	-0.0	INVSLE	Max	3499	442.0	185.5	0.2	13.2
-10.7	-0.0			3500	-111.0	-150.7	0.1	7.5
-18.4	0.0			11408	-384.7	-182.6	-0.1	58.0
16.7	0.0			11405	61.2	155.8	-0.1	55.7
-2.3	-0.0		Min	3499	437.1	180.9	0.1	8.1
-15.8	-0.0			3500	-113.6	-153.4	0.1	3.3
-25.2	0.0			11408	-389.7	-187.5	-0.1	50.6
7.6	-0.0			11405	58.8	152.8	-0.1	47.1
3.8	-0.0	INVSLE	Max	3499	336.1	139.0	0.1	9.9
-8.6	-0.0			3500	-88.4	-112.9	0.1	5.6
-14.7	0.0			11408	-292.9	-137.2	-0.1	44.4
12.5	0.0			11405	50.1	116.5	-0.1	42.6
-1.3	-0.0		Min	3499	332.9	135.9	0.1	6.5

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-12.0	-0.0	3500	-90.1	-114.7	0.1	2.8
-19.2	0.0	11408	-296.2	-140.5	-0.1	39.5
6.5	-0.0	11405	48.5	114.5	-0.1	36.9

2598	2	4	C1-C2;~1	Max	3504	0.0	0.0	0.0	0.0
0.0		0.0			3503	0.0	0.0	0.0	0.0
0.0		0.0			11418	0.0	0.0	0.0	0.0
0.0		0.0			11417	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	3504	0.0	0.0	0.0	0.0
0.0		0.0			3503	0.0	0.0	0.0	0.0
0.0		0.0			11418	0.0	0.0	0.0	0.0
0.0		0.0			11417	0.0	0.0	0.0	0.0
0.0		0.0							

			C3-C4;~1	Max	3504	0.0	0.0	0.0	0.0
0.0		0.0			3503	0.0	0.0	0.0	0.0
0.0		0.0			11418	0.0	0.0	0.0	0.0
0.0		0.0			11417	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	3504	0.0	0.0	0.0	0.0
0.0		0.0			3503	0.0	0.0	0.0	0.0
0.0		0.0			11418	0.0	0.0	0.0	0.0
0.0		0.0			11417	0.0	0.0	0.0	0.0
0.0		0.0							

			C1-C2;~2	Max	3504	0.0	0.0	0.0	0.0
0.0		0.0			3503	0.0	0.0	0.0	0.0
0.0		0.0			11418	0.0	0.0	0.0	0.0
0.0		0.0			11417	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	3504	0.0	0.0	0.0	0.0
0.0		0.0			3503	0.0	0.0	0.0	0.0
0.0		0.0			11418	0.0	0.0	0.0	0.0
0.0		0.0			11417	0.0	0.0	0.0	0.0
0.0		0.0							

			C3-C4;~2	Max	3504	0.0	0.0	0.0	0.0
--	--	--	----------	-----	------	-----	-----	-----	-----

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		3503	0.0	0.0	0.0	0.0
0.0	0.0		11418	0.0	0.0	0.0	0.0
0.0	0.0		11417	0.0	0.0	0.0	0.0
0.0	0.0	Min	3504	0.0	0.0	0.0	0.0
0.0	0.0		3503	0.0	0.0	0.0	0.0
0.0	0.0		11418	0.0	0.0	0.0	0.0
0.0	0.0		11417	0.0	0.0	0.0	0.0
0.0	0.0						
-0.5	0.0	G1	3504	-142.6	-22.3	0.0	2.9
0.8	0.0		3503	95.1	25.5	0.0	2.9
0.7	0.0		11418	130.8	23.8	-0.0	-1.3
-0.5	0.0		11417	-83.3	-26.7	-0.0	-1.4
-0.2	0.0	G2	3504	-55.0	-8.6	-0.0	0.5
0.3	0.0		3503	36.0	10.5	0.0	0.6
0.4	0.0		11418	50.4	9.1	-0.0	-0.8
-0.4	0.0		11417	-31.4	-11.0	0.0	-0.9
0.0	0.0	Q3	3504	0.0	0.0	0.0	0.0
0.0	0.0		3503	0.0	0.0	0.0	0.0
0.0	0.0		11418	0.0	0.0	0.0	0.0
0.0	0.0		11417	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Q5_pc	3504	-4.2	0.6	-0.0	-0.2
-0.1	0.0		3503	5.4	-0.6	0.0	-0.2
0.0	0.0		11418	4.3	-0.6	-0.0	-0.1
-0.0	0.0		11417	-5.4	0.6	0.0	-0.1
0.0	0.0	Q5_ps	3504	-3.8	0.6	-0.0	-0.4
-0.1	0.0		3503	5.1	-0.6	0.0	-0.4
0.1	0.0		11418	3.9	-0.6	-0.0	-0.1
-0.1	0.0		11417	-5.1	0.6	0.0	-0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


			INVS LU	Max	3504	-192.9	-66.2	0.0	-0.9
0.2	0.0				3503	69.9	72.6	0.0	-1.0
-0.1	0.0				11418	163.1	70.8	-0.0	4.4
0.1	0.0				11417	-13.2	-72.9	-0.0	4.7
-0.0	0.0								
				Min	3504	-204.4	-68.1	0.0	-2.1
0.0	0.0				3503	54.7	70.7	-0.0	-2.1
-0.4	0.0				11418	151.4	68.9	-0.0	4.1
-0.1	0.0				11417	-28.5	-74.8	-0.0	4.3
-0.2	0.0								
			INVS LE	Max	3504	-138.8	-49.9	0.0	-1.2
0.2	0.0				3503	45.4	54.3	0.0	-1.2
-0.2	0.0				11418	115.1	53.1	-0.0	3.9
-0.0	0.0				11417	-3.8	-54.6	-0.0	4.1
0.0	0.0								
				Min	3504	-146.4	-51.1	0.0	-2.0
0.1	0.0				3503	35.2	53.0	-0.0	-2.0
-0.4	0.0				11418	107.3	51.8	-0.0	3.7
-0.2	0.0				11417	-14.0	-55.9	-0.0	3.9
-0.1	0.0								
2599	2	4	C1-C2;~1	Max	3506	0.0	0.0	0.0	0.0
0.0	0.0	0.0			3505	0.0	0.0	0.0	0.0
0.0	0.0	0.0			11424	0.0	0.0	0.0	0.0
0.0	0.0	0.0			11423	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	3506	0.0	0.0	0.0	0.0
0.0	0.0	0.0			3505	0.0	0.0	0.0	0.0
0.0	0.0	0.0			11424	0.0	0.0	0.0	0.0
0.0	0.0	0.0			11423	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C3-C4;~1	Max	3506	0.0	0.0	0.0	0.0
0.0	0.0	0.0			3505	0.0	0.0	0.0	0.0
0.0	0.0	0.0			11424	0.0	0.0	0.0	0.0
0.0	0.0	0.0			11423	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0						
		Min	3506	0.0	0.0	0.0	0.0
0.0	0.0		3505	0.0	0.0	0.0	0.0
0.0	0.0		11424	0.0	0.0	0.0	0.0
0.0	0.0		11423	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	3506	0.0	0.0	0.0
0.0	0.0			3505	0.0	0.0	0.0
0.0	0.0			11424	0.0	0.0	0.0
0.0	0.0			11423	0.0	0.0	0.0
0.0	0.0						
			Min	3506	0.0	0.0	0.0
0.0	0.0			3505	0.0	0.0	0.0
0.0	0.0			11424	0.0	0.0	0.0
0.0	0.0			11423	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	3506	0.0	0.0	0.0
0.0	0.0			3505	0.0	0.0	0.0
0.0	0.0			11424	0.0	0.0	0.0
0.0	0.0			11423	0.0	0.0	0.0
0.0	0.0						
			Min	3506	0.0	0.0	0.0
0.0	0.0			3505	0.0	0.0	0.0
0.0	0.0			11424	0.0	0.0	0.0
0.0	0.0			11423	0.0	0.0	0.0
0.0	0.0						
		G1		3506	-141.3	-22.6	-0.0
0.5	0.0			3505	93.2	25.8	0.0
-0.6	0.0			11424	129.5	24.1	-0.0
-0.4	0.0			11423	-81.4	-27.0	0.0
0.4	0.0						2.2
		G2		3506	-54.6	-8.7	0.0
0.2	0.0			3505	35.5	10.6	0.0
-0.3	0.0			11424	50.0	9.2	-0.0
-0.4	0.0						1.2

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.3	0.0		11423	-30.9	-11.1	-0.0	1.2
		Q3	3506	0.0	0.0	0.0	0.0
0.0	0.0		3505	0.0	0.0	0.0	0.0
0.0	0.0		11424	0.0	0.0	0.0	0.0
0.0	0.0		11423	0.0	0.0	0.0	0.0
		Q5_pc	3506	4.5	-0.2	0.0	1.1
0.1	0.0		3505	-5.1	0.5	0.0	1.0
-0.1	0.0		11424	-4.7	0.2	-0.0	0.4
-0.4	0.0		11423	5.3	-0.4	-0.0	0.4
0.4	0.0						
		Q5_ps	3506	3.7	-0.2	0.0	1.5
0.1	0.0		3505	-4.5	0.6	0.0	1.4
-0.1	0.0		11424	-4.0	0.2	-0.0	0.7
-0.5	0.0		11423	4.7	-0.5	-0.0	0.7
0.5	0.0						
		INVSLE Max	3506	-191.4	-65.0	0.0	3.1
0.4	0.0		3505	70.6	71.0	-0.0	2.7
-0.2	0.0		11424	161.3	68.2	0.0	-4.8
0.1	0.0		11423	-15.1	-71.5	0.0	-4.6
1.4	0.0						
		Min	3506	-202.5	-65.6	-0.0	-1.4
0.0	0.0		3505	57.2	69.2	-0.0	-1.5
-0.6	0.0		11424	149.3	67.7	0.0	-6.8
-1.5	0.0		11423	-29.3	-73.1	-0.0	-6.8
-0.2	0.0						
		INVSLE Max	3506	-137.8	-48.9	0.0	2.5
0.3	0.0		3505	46.2	53.1	-0.0	2.2
-0.1	0.0		11424	113.9	51.2	0.0	-4.5
0.1	0.0		11423	-5.4	-53.5	0.0	-4.3
0.9	0.0						
		Min	3506	-145.3	-49.3	-0.0	-0.5
-0.0	0.0		3505	37.3	51.9	-0.0	-0.6
-0.3	0.0						

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-1.0	0.0			11424	105.9	50.9	0.0	-5.8
-0.1	0.0			11423	-14.9	-54.6	-0.0	-5.7
2602	2	10	C1-C2;~1	Max	3508	0.0	0.0	0.0
0.0		0.0			3504	0.0	0.0	0.0
0.0		0.0			11417	0.0	0.0	0.0
0.0		0.0			11432	0.0	0.0	0.0
0.0		0.0			3508	0.0	0.0	0.0
0.0		0.0		Min	3504	0.0	0.0	0.0
0.0		0.0			11417	0.0	0.0	0.0
0.0		0.0			11432	0.0	0.0	0.0
0.0		0.0			3508	0.0	0.0	0.0
0.0		0.0			3504	0.0	0.0	0.0
0.0		0.0			11417	0.0	0.0	0.0
0.0		0.0			11432	0.0	0.0	0.0
0.0		0.0			3508	0.0	0.0	0.0
0.0		0.0		Min	3504	0.0	0.0	0.0
0.0		0.0			11417	0.0	0.0	0.0
0.0		0.0			11432	0.0	0.0	0.0
0.0		0.0			3508	0.0	0.0	0.0
0.0		0.0			3504	0.0	0.0	0.0
0.0		0.0			11417	0.0	0.0	0.0
0.0		0.0			11432	0.0	0.0	0.0
0.0		0.0			3508	0.0	0.0	0.0
0.0		0.0		Max	3504	0.0	0.0	0.0
0.0		0.0			11417	0.0	0.0	0.0
0.0		0.0			11432	0.0	0.0	0.0
0.0		0.0			3508	0.0	0.0	0.0
0.0		0.0		Max	3504	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0		11417	0.0	0.0	0.0	0.0
0.0	0.0		11432	0.0	0.0	0.0	0.0
0.0	0.0		11417	0.0	0.0	0.0	0.0
0.0	0.0	Min	3508	0.0	0.0	0.0	0.0
0.0	0.0		3504	0.0	0.0	0.0	0.0
0.0	0.0		11417	0.0	0.0	0.0	0.0
0.0	0.0		11432	0.0	0.0	0.0	0.0
0.0	0.0		11417	0.0	0.0	0.0	0.0
0.0	0.0		11432	0.0	0.0	0.0	0.0
-0.5	0.0	G1	3508	-143.6	-22.2	-0.0	1.9
0.6	0.0		3504	99.2	22.6	0.0	1.9
0.5	0.0		11417	131.9	23.6	-0.0	-1.1
-0.4	0.0		11432	-87.4	-23.7	-0.0	-1.3
-0.2	0.0	G2	3508	-55.4	-8.5	-0.0	0.4
0.2	0.0		3504	37.7	9.2	-0.0	0.3
0.4	0.0		11417	50.8	9.0	0.0	-0.7
-0.3	0.0		11432	-33.2	-9.7	0.0	-0.7
0.0	0.0	Q3	3508	0.0	0.0	0.0	0.0
0.0	0.0		3504	0.0	0.0	0.0	0.0
0.0	0.0		11417	0.0	0.0	0.0	0.0
0.0	0.0		11432	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	3508	-4.1	0.5	-0.0	-0.2
-0.1	0.0		3504	5.1	-0.6	-0.0	-0.2
0.0	0.0		11417	4.1	-0.5	0.0	-0.1
-0.0	0.0		11432	-5.2	0.6	0.0	-0.1
0.0	0.0	Q5_ps	3508	-3.7	0.5	-0.0	-0.3
-0.1	0.0		3504	4.8	-0.7	-0.0	-0.3
0.1	0.0		11417	3.8	-0.5	0.0	-0.1
-0.1	0.0		11432	-4.9	0.6	0.0	-0.1

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

			INVS LU	Max	3508	-197.8	-63.2	0.0	0.0
-0.0	0.0				3504	81.0	69.2	-0.0	-0.3
-0.0	0.0				11417	166.4	66.9	0.0	3.3
0.2	0.0				11432	-23.9	-69.1	-0.0	3.2
-0.1	0.0								
				Min	3508	-208.9	-64.7	0.0	-0.8
-0.2	0.0				3504	66.6	67.2	-0.0	-1.2
-0.2	0.0				11417	155.1	65.5	0.0	3.0
0.0	0.0				11432	-38.5	-71.0	-0.0	2.9
-0.3	0.0								
			INVS LE	Max	3508	-142.6	-47.6	0.0	-0.3
0.0	0.0				3504	53.8	51.9	-0.0	-0.5
-0.1	0.0				11417	117.7	50.2	0.0	2.9
0.1	0.0				11432	-11.8	-51.9	-0.0	2.8
-0.1	0.0								
				Min	3508	-150.0	-48.5	0.0	-0.9
-0.1	0.0				3504	44.2	50.6	-0.0	-1.1
-0.2	0.0				11417	110.2	49.2	0.0	2.7
-0.1	0.0				11432	-21.5	-53.2	-0.0	2.7
-0.2	0.0								
2605	2	10	C1-C2;~1	Max	3510	0.0	0.0	0.0	0.0
0.0	0.0	0.0			3506	0.0	0.0	0.0	0.0
0.0	0.0	0.0			11423	0.0	0.0	0.0	0.0
0.0	0.0	0.0			11438	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	3510	0.0	0.0	0.0	0.0
0.0	0.0	0.0			3506	0.0	0.0	0.0	0.0
0.0	0.0	0.0			11423	0.0	0.0	0.0	0.0
0.0	0.0	0.0			11438	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C3-C4;~1	Max	3510	0.0	0.0	0.0	0.0
0.0	0.0	0.0			3506	0.0	0.0	0.0	0.0
0.0	0.0	0.0			11423	0.0	0.0	0.0	0.0
0.0	0.0	0.0			11438	0.0	0.0	0.0	0.0
0.0	0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

			Min	3510	0.0	0.0	0.0	0.0
0.0	0.0			3506	0.0	0.0	0.0	0.0
0.0	0.0			11423	0.0	0.0	0.0	0.0
0.0	0.0			11438	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	3510	0.0	0.0	0.0	0.0
0.0	0.0			3506	0.0	0.0	0.0	0.0
0.0	0.0			11423	0.0	0.0	0.0	0.0
0.0	0.0			11438	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	3510	0.0	0.0	0.0	0.0
0.0	0.0			3506	0.0	0.0	0.0	0.0
0.0	0.0			11423	0.0	0.0	0.0	0.0
0.0	0.0			11438	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	3510	0.0	0.0	0.0	0.0
0.0	0.0			3506	0.0	0.0	0.0	0.0
0.0	0.0			11423	0.0	0.0	0.0	0.0
0.0	0.0			11438	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	3510	0.0	0.0	0.0	0.0
0.0	0.0			3506	0.0	0.0	0.0	0.0
0.0	0.0			11423	0.0	0.0	0.0	0.0
0.0	0.0			11438	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		3510	-142.4	-22.5	-0.0	-2.0
0.5	0.0			3506	97.3	22.9	-0.0	-1.9
-0.5	0.0			11423	130.7	23.9	0.0	1.5
-0.4	0.0			11438	-85.6	-24.0	0.0	1.5
0.4	0.0							
		G2		3510	-55.0	-8.6	0.0	-0.4
0.2	0.0			3506	37.2	9.3	0.0	-0.3
-0.2	0.0			11423	50.4	9.1	-0.0	0.8
-0.3	0.0			11438	-32.6	-9.8	-0.0	0.8
0.3	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0	Q3	3510	0.0	0.0	0.0	0.0
0.0	0.0		3506	0.0	0.0	0.0	0.0
0.0	0.0		11423	0.0	0.0	0.0	0.0
0.0	0.0		11438	0.0	0.0	0.0	0.0
0.1	0.0	Q5_pc	3510	4.5	0.0	0.0	0.8
-0.1	0.0		3506	-4.9	0.4	0.0	0.8
-0.4	0.0		11423	-4.7	-0.0	-0.0	0.3
0.3	0.0		11438	5.0	-0.4	-0.0	0.3
0.1	0.0	Q5_ps	3510	3.8	0.1	0.0	1.0
-0.1	0.0		3506	-4.1	0.4	0.0	1.1
-0.5	0.0		11423	-4.1	-0.1	-0.0	0.5
0.4	0.0		11438	4.4	-0.5	-0.0	0.5
0.4	0.0	INVS LU Max	3510	-195.3	-61.9	-0.0	2.0
-0.1	0.0		3506	81.2	67.1	0.0	2.2
0.2	0.0		11423	164.2	64.3	0.0	-2.8
1.1	0.0		11438	-25.5	-67.6	0.0	-2.7
0.0	0.0	Min	3510	-206.7	-62.2	-0.0	-1.1
-0.4	0.0		3506	68.8	65.9	-0.0	-0.9
-1.3	0.0		11423	152.0	64.1	-0.0	-4.4
-0.2	0.0		11438	-38.7	-69.0	0.0	-4.2
0.2	0.0	INVS LE Max	3510	-140.9	-46.5	-0.0	1.6
0.0	0.0		3506	54.2	50.4	0.0	1.8
0.1	0.0		11423	116.3	48.3	0.0	-2.6
0.7	0.0		11438	-13.2	-50.8	0.0	-2.5
-0.0	0.0	Min	3510	-148.5	-46.7	-0.0	-0.4
-0.2	0.0		3506	46.0	49.5	-0.0	-0.3
-0.9	0.0		11423	108.1	48.1	-0.0	-3.7

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

				11438	-22.0	-51.7	0.0	-3.5
-0.2	0.0							
2614	2	4	C1-C2;~1	Max	2958	0.0	0.0	0.0
0.0	0.0				3517	0.0	0.0	0.0
0.0	0.0				2984	0.0	0.0	0.0
0.0	0.0				2983	0.0	0.0	0.0
0.0	0.0							
				Min	2958	0.0	0.0	0.0
0.0	0.0				3517	0.0	0.0	0.0
0.0	0.0				2984	0.0	0.0	0.0
0.0	0.0				2983	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	2958	0.0	0.0	0.0
0.0	0.0				3517	0.0	0.0	0.0
0.0	0.0				2984	0.0	0.0	0.0
0.0	0.0				2983	0.0	0.0	0.0
0.0	0.0							
				Min	2958	0.0	0.0	0.0
0.0	0.0				3517	0.0	0.0	0.0
0.0	0.0				2984	0.0	0.0	0.0
0.0	0.0				2983	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	2958	0.0	0.0	0.0
0.0	0.0				3517	0.0	0.0	0.0
0.0	0.0				2984	0.0	0.0	0.0
0.0	0.0				2983	0.0	0.0	0.0
0.0	0.0							
				Min	2958	0.0	0.0	0.0
0.0	0.0				3517	0.0	0.0	0.0
0.0	0.0				2984	0.0	0.0	0.0
0.0	0.0				2983	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~2	Max	2958	0.0	0.0	0.0
0.0	0.0				3517	0.0	0.0	0.0
0.0	0.0				2984	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		2983	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	2958	0.0	0.0	0.0	0.0
0.0	0.0		3517	0.0	0.0	0.0	0.0
0.0	0.0		2984	0.0	0.0	0.0	0.0
0.0	0.0		2983	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	2958	-21.8	12.4	-0.1	-1.0
1.9	0.0		3517	-21.3	18.1	-0.0	3.9
-0.3	0.0		2984	21.0	-5.1	0.0	-11.8
1.5	0.0		2983	22.1	-25.3	0.1	-16.1
-0.9	0.0						
		G2	2958	-7.9	8.9	-0.2	-3.3
1.4	0.0		3517	-8.1	7.8	-0.0	5.0
-0.4	0.0		2984	7.6	-3.0	0.0	-14.4
1.2	0.0		2983	8.4	-13.7	0.2	-29.2
-2.1	0.0						
		Q3	2958	0.0	0.0	0.0	0.0
0.0	0.0		3517	0.0	0.0	0.0	0.0
0.0	0.0		2984	0.0	0.0	0.0	0.0
0.0	0.0		2983	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	2958	-0.2	2.8	0.0	-1.5
-0.3	-0.0		3517	-1.3	5.4	0.0	-1.7
-0.0	-0.0		2984	0.3	-5.0	-0.0	3.1
-0.5	-0.0		2983	1.2	-3.2	-0.0	2.2
0.0	-0.0						
		Q5_ps	2958	0.7	2.8	-0.0	-2.0
-0.3	-0.0		3517	-0.6	4.7	0.0	-1.6
-0.1	-0.0		2984	-0.5	-4.8	-0.0	2.7
-0.5	-0.0		2983	0.4	-2.7	0.0	0.6
-0.1	-0.0						
		INVSLU Max	2958	45.9	-55.4	-0.7	-71.0
7.4	0.0						

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.3	-0.0			3517	4.2	-140.0	0.0	-32.5	
				2984	-38.2	140.0	0.0	22.3	
-1.4	0.0			2983	-7.9	78.1	0.7	-33.4	
1.7	0.0								
			Min	2958	43.7	-63.7	-0.7	-77.0	
6.6	0.0			3517	1.8	-154.2	0.0	-37.4	
-0.5	-0.0			2984	-39.7	125.7	-0.0	14.2	
-2.8	0.0			2983	-10.0	69.9	0.7	-37.5	
1.3	0.0								
			INVSLE Max	2958	38.3	-49.5	-0.6	-57.1	
5.8	0.0			3517	4.8	-119.8	0.0	-26.8	
-0.2	-0.0			2984	-32.4	117.0	-0.0	18.3	
-1.2	0.0			2983	-8.0	67.5	0.6	-24.8	
1.6	0.0								
			Min	2958	36.8	-55.0	-0.6	-61.1	
5.3	0.0			3517	3.2	-129.3	0.0	-30.1	
-0.3	-0.0			2984	-33.4	107.4	-0.0	12.9	
-2.2	0.0			2983	-9.4	62.0	0.5	-27.5	
1.4	0.0								
2630	2	4	C1-C2;~1	Max	3531	0.0	0.0	0.0	0.0
0.0	0.0				2958	0.0	0.0	0.0	0.0
0.0	0.0				2983	0.0	0.0	0.0	0.0
0.0	0.0				3001	0.0	0.0	0.0	0.0
0.0	0.0								
			Min	3531	0.0	0.0	0.0	0.0	0.0
0.0	0.0				2958	0.0	0.0	0.0	0.0
0.0	0.0				2983	0.0	0.0	0.0	0.0
0.0	0.0				3001	0.0	0.0	0.0	0.0
0.0	0.0								
			C3-C4;~1	Max	3531	0.0	0.0	0.0	0.0
0.0	0.0				2958	0.0	0.0	0.0	0.0
0.0	0.0				2983	0.0	0.0	0.0	0.0
0.0	0.0				3001	0.0	0.0	0.0	0.0
0.0	0.0								
			Min	3531	0.0	0.0	0.0	0.0	0.0
0.0	0.0								

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0		2958	0.0	0.0	0.0	0.0
0.0	0.0		2983	0.0	0.0	0.0	0.0
0.0	0.0		3001	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2 Max	3531	0.0	0.0	0.0	0.0
0.0	0.0		2958	0.0	0.0	0.0	0.0
0.0	0.0		2983	0.0	0.0	0.0	0.0
0.0	0.0		3001	0.0	0.0	0.0	0.0
0.0	0.0	Min	3531	0.0	0.0	0.0	0.0
0.0	0.0		2958	0.0	0.0	0.0	0.0
0.0	0.0		2983	0.0	0.0	0.0	0.0
0.0	0.0		3001	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2 Max	3531	0.0	0.0	0.0	0.0
0.0	0.0		2958	0.0	0.0	0.0	0.0
0.0	0.0		2983	0.0	0.0	0.0	0.0
0.0	0.0		3001	0.0	0.0	0.0	0.0
0.0	0.0	Min	3531	0.0	0.0	0.0	0.0
0.0	0.0		2958	0.0	0.0	0.0	0.0
0.0	0.0		2983	0.0	0.0	0.0	0.0
0.0	0.0		3001	0.0	0.0	0.0	0.0
0.1	0.0	G1	3531	-57.2	-1.5	-0.0	-3.8
1.1	0.0		2958	-59.0	40.5	-0.1	-3.2
1.2	0.0		2983	56.8	-1.7	0.1	-10.9
0.5	0.0		3001	59.4	-37.2	0.0	-2.8
-1.4	0.0	G2	3531	-22.8	3.0	-0.1	0.6
-1.0	0.0		2958	-23.6	21.0	-0.2	-5.0
1.3	0.0		2983	22.5	-5.5	0.2	-27.9
-1.5	0.0		3001	23.9	-18.4	0.1	-16.2

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
			Q3	3531	0.0	0.0	0.0	0.0
0.0	0.0			2958	0.0	0.0	0.0	0.0
0.0	0.0			2983	0.0	0.0	0.0	0.0
0.0	0.0			3001	0.0	0.0	0.0	0.0
			Q5_pc	3531	3.4	3.5	0.0	-1.2
0.2	-0.0			2958	4.5	-0.3	0.0	-1.3
-0.1	-0.0			2983	-3.7	-2.4	-0.0	1.7
0.1	-0.0			3001	-4.3	-0.8	-0.0	2.0
0.3	-0.0							
			Q5_ps	3531	4.0	3.4	0.0	-1.2
0.1	-0.0			2958	5.3	-0.8	-0.0	-2.0
-0.3	-0.0			2983	-4.3	-2.3	0.0	-0.1
0.1	-0.0			3001	-5.0	-0.3	-0.0	1.0
0.1	-0.0							
			INVSLE Max	3531	21.3	22.0	-0.5	-24.5
-9.6	0.0			2958	-16.0	18.2	-0.8	-68.2
-18.9	0.0			2983	-20.6	-10.5	0.8	-72.1
-7.1	0.0			3001	43.5	-19.0	0.6	-69.7
-13.4	0.0							
			Min	3531	9.2	11.8	-0.5	-28.2
-10.0	0.0			2958	-32.0	15.8	-0.9	-74.1
-19.9	0.0			2983	-33.6	-17.5	0.7	-75.1
-7.3	0.0			3001	28.4	-20.5	0.6	-73.3
-13.9	0.0							
			INVSLE Max	3531	23.9	17.2	-0.4	-19.4
-7.8	0.0			2958	-8.0	9.8	-0.7	-54.6
-15.6	0.0			2983	-25.1	-8.8	0.6	-56.6
-6.1	0.0			3001	27.9	-11.0	0.5	-56.6
-11.1	0.0							
			Min	3531	15.8	10.4	-0.4	-21.8
-8.1	0.0			2958	-18.7	8.2	-0.7	-58.6
-16.2	0.0			2983	-33.7	-13.5	0.6	-58.6
-6.2	0.0			3001	17.8	-12.0	0.5	-59.0
-11.4	0.0							

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

2634	2	4	C1-C2;~1	Max	3534	0.0	0.0	0.0	0.0
0.0		0.0			3535	0.0	0.0	0.0	0.0
0.0		0.0			3006	0.0	0.0	0.0	0.0
0.0		0.0			3005	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	3534	0.0	0.0	0.0	0.0
0.0		0.0			3535	0.0	0.0	0.0	0.0
0.0		0.0			3006	0.0	0.0	0.0	0.0
0.0		0.0			3005	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	3534	0.0	0.0	0.0	0.0
0.0		0.0			3535	0.0	0.0	0.0	0.0
0.0		0.0			3006	0.0	0.0	0.0	0.0
0.0		0.0			3005	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	3534	0.0	0.0	0.0	0.0
0.0		0.0			3535	0.0	0.0	0.0	0.0
0.0		0.0			3006	0.0	0.0	0.0	0.0
0.0		0.0			3005	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	3534	0.0	0.0	0.0	0.0
0.0		0.0			3535	0.0	0.0	0.0	0.0
0.0		0.0			3006	0.0	0.0	0.0	0.0
0.0		0.0			3005	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	3534	0.0	0.0	0.0	0.0
0.0		0.0			3535	0.0	0.0	0.0	0.0
0.0		0.0			3006	0.0	0.0	0.0	0.0
0.0		0.0			3005	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	3534	0.0	0.0	0.0	0.0
0.0		0.0			3535	0.0	0.0	0.0	0.0
0.0		0.0			3006	0.0	0.0	0.0	0.0
0.0		0.0			3005	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0							
			Min	3534	0.0	0.0	0.0	0.0
0.0	0.0			3535	0.0	0.0	0.0	0.0
0.0	0.0			3006	0.0	0.0	0.0	0.0
0.0	0.0			3005	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	3534	32.3	18.8	0.3	-125.5
14.5	0.0			3535	22.4	-0.6	0.4	-133.2
-14.6	-0.0			3006	-33.9	-19.3	-0.4	195.6
-19.7	-0.0			3005	-20.9	1.2	-0.3	183.8
17.8	-0.0							
			G2	3534	13.2	8.4	0.1	-56.9
6.7	0.0			3535	9.1	0.5	0.2	-60.0
-6.5	-0.0			3006	-13.8	-8.7	-0.2	86.1
-8.7	-0.0			3005	-8.5	-0.3	-0.1	81.4
8.0	-0.0							
			Q3	3534	0.0	0.0	0.0	0.0
0.0	0.0			3535	0.0	0.0	0.0	0.0
0.0	0.0			3006	0.0	0.0	0.0	0.0
0.0	0.0			3005	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	3534	3.0	0.5	-0.0	6.9
-0.9	0.0			3535	-1.7	-0.0	-0.1	7.8
1.1	0.0			3006	-3.0	-0.5	0.1	-18.5
1.7	0.0			3005	1.7	-0.0	0.0	-16.8
-1.3	0.0							
			Q5_ps	3534	3.0	0.6	-0.0	2.9
-0.3	0.0			3535	-1.5	0.1	-0.1	3.7
0.6	0.0			3006	-2.9	-0.6	0.1	-13.3
1.2	0.0			3005	1.5	-0.1	0.0	-11.7
-0.8	0.0							
			INVSLU Max	3534	179.0	37.0	-1.3	134.6
-20.1	0.0			3535	-72.1	-4.0	-1.6	142.2
23.1	0.0							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
38.9	-0.0			3006	-174.8	-31.3	1.8	-404.3
-30.4	-0.0			3005	81.3	0.6	1.4	-375.8
			Min	3534	170.1	35.1	-1.4	122.1
-21.6	0.0			3535	-76.6	-4.3	-1.8	128.2
21.2	0.0			3006	-183.6	-33.1	1.6	-444.3
35.3	-0.0			3005	76.8	0.3	1.3	-410.8
-32.8	-0.0							
			INVSLE Max	3534	137.9	27.6	-1.1	118.7
-17.4	0.0			3535	-58.0	-3.3	-1.3	125.2
19.6	0.0			3006	-135.5	-23.4	1.4	-340.0
32.4	-0.0			3005	64.5	0.6	1.1	-316.5
-25.9	-0.0							
			Min	3534	131.9	26.4	-1.1	110.3
-18.5	0.0			3535	-60.9	-3.5	-1.4	115.9
18.3	0.0			3006	-141.4	-24.6	1.3	-366.6
29.9	-0.0			3005	61.5	0.4	1.0	-339.8
-27.5	-0.0							
2635	2	10	C1-C2;~1	Max	3535	0.0	0.0	0.0
0.0	0.0	0.0			3536	0.0	0.0	0.0
0.0	0.0	0.0			3007	0.0	0.0	0.0
0.0	0.0	0.0			3006	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	3535	0.0	0.0	0.0	0.0
0.0	0.0	0.0			3536	0.0	0.0	0.0
0.0	0.0	0.0			3007	0.0	0.0	0.0
0.0	0.0	0.0			3006	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	3535	0.0	0.0	0.0
0.0	0.0	0.0			3536	0.0	0.0	0.0
0.0	0.0	0.0			3007	0.0	0.0	0.0
0.0	0.0	0.0			3006	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	3535	0.0	0.0	0.0	0.0
0.0	0.0	0.0			3536	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		3007	0.0	0.0	0.0	0.0
0.0	0.0		3006	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2; ~2	Max	3535	0.0	0.0	0.0
0.0	0.0			3536	0.0	0.0	0.0
0.0	0.0			3007	0.0	0.0	0.0
0.0	0.0			3006	0.0	0.0	0.0
0.0	0.0		Min	3535	0.0	0.0	0.0
0.0	0.0			3536	0.0	0.0	0.0
0.0	0.0			3007	0.0	0.0	0.0
0.0	0.0			3006	0.0	0.0	0.0
0.0	0.0		Min	3535	0.0	0.0	0.0
0.0	0.0			3536	0.0	0.0	0.0
0.0	0.0			3007	0.0	0.0	0.0
0.0	0.0			3006	0.0	0.0	0.0
0.0	0.0	C3-C4; ~2	Max	3535	0.0	0.0	0.0
0.0	0.0			3536	0.0	0.0	0.0
0.0	0.0			3007	0.0	0.0	0.0
0.0	0.0			3006	0.0	0.0	0.0
0.0	0.0		Min	3535	0.0	0.0	0.0
0.0	0.0			3536	0.0	0.0	0.0
0.0	0.0			3007	0.0	0.0	0.0
0.0	0.0			3006	0.0	0.0	0.0
13.2	-0.0	G1		3535	30.0	17.5	0.2
-11.1	-0.0			3536	20.1	-1.7	0.2
-13.1	-0.0			3007	-31.6	-16.4	-0.2
14.1	-0.0			3006	-18.5	0.8	-0.2
5.9	-0.0	G2		3535	12.2	7.8	0.1
-5.0	-0.0			3536	8.0	0.1	0.1
-5.8	-0.0			3007	-12.8	-7.4	-0.1
6.2	-0.0			3006	-7.4	-0.5	-0.1
0.0	0.0	Q3		3535	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0			3536	0.0	0.0	0.0	0.0
0.0	0.0			3007	0.0	0.0	0.0	0.0
0.0	0.0			3006	0.0	0.0	0.0	0.0
-0.9	0.0	Q5_pc		3535	2.9	0.5	-0.0	5.7
0.7	-0.0			3536	-1.9	0.1	-0.0	5.6
1.1	-0.0			3007	-2.9	-0.4	0.0	-13.8
-1.2	0.0			3006	1.9	-0.2	0.0	-13.6
-0.5	0.0	Q5_ps		3535	2.8	0.7	-0.0	2.9
0.4	-0.0			3536	-1.7	0.2	-0.0	2.8
0.8	-0.0			3007	-2.8	-0.5	0.0	-10.3
-0.8	-0.0			3006	1.7	-0.3	0.0	-10.1
-17.3	0.0	INVS LU	Max	3535	181.4	40.8	-1.1	104.3
17.3	-0.0			3536	-83.1	1.1	-1.3	104.1
29.5	-0.0			3007	-179.8	-33.3	1.4	-322.1
-24.7	-0.0			3006	95.2	-6.0	1.3	-305.0
-18.8	0.0		Min	3535	173.0	38.8	-1.3	94.0
16.0	-0.0			3536	-88.3	0.6	-1.4	94.0
27.1	-0.0			3007	-188.2	-34.9	1.3	-352.9
-27.1	-0.0			3006	89.9	-6.8	1.1	-335.3
-15.1	0.0	INVS LE	Max	3535	139.7	30.5	-0.9	91.5
14.7	-0.0			3536	-66.3	0.6	-1.0	91.2
24.3	-0.0			3007	-139.3	-24.9	1.1	-268.3
-21.0	-0.0			3006	74.9	-4.5	1.0	-255.1
-16.1	0.0		Min	3535	134.1	29.2	-1.0	84.7
13.8	-0.0			3536	-69.8	0.3	-1.1	84.5
22.7	-0.0			3007	-144.9	-26.0	1.0	-288.9
-22.6	-0.0			3006	71.5	-5.0	0.9	-275.3

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			

2642	2	10	C1-C2;~1	Max	3541	0.0	0.0	0.0	0.0
0.0		0.0			3542	0.0	0.0	0.0	0.0
0.0		0.0			3015	0.0	0.0	0.0	0.0
0.0		0.0			3014	0.0	0.0	0.0	0.0
0.0		0.0		Min	3541	0.0	0.0	0.0	0.0
0.0		0.0			3542	0.0	0.0	0.0	0.0
0.0		0.0			3015	0.0	0.0	0.0	0.0
0.0		0.0			3014	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	3541	0.0	0.0	0.0	0.0
0.0		0.0			3542	0.0	0.0	0.0	0.0
0.0		0.0			3015	0.0	0.0	0.0	0.0
0.0		0.0			3014	0.0	0.0	0.0	0.0
0.0		0.0		Min	3541	0.0	0.0	0.0	0.0
0.0		0.0			3542	0.0	0.0	0.0	0.0
0.0		0.0			3015	0.0	0.0	0.0	0.0
0.0		0.0			3014	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	3541	0.0	0.0	0.0	0.0
0.0		0.0			3542	0.0	0.0	0.0	0.0
0.0		0.0			3015	0.0	0.0	0.0	0.0
0.0		0.0			3014	0.0	0.0	0.0	0.0
0.0		0.0		Min	3541	0.0	0.0	0.0	0.0
0.0		0.0			3542	0.0	0.0	0.0	0.0
0.0		0.0			3015	0.0	0.0	0.0	0.0
0.0		0.0			3014	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	3541	0.0	0.0	0.0	0.0
0.0		0.0			3542	0.0	0.0	0.0	0.0
0.0		0.0			3015	0.0	0.0	0.0	0.0
0.0		0.0			3014	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
			Min	3541	0.0	0.0	0.0	0.0
0.0	0.0			3542	0.0	0.0	0.0	0.0
0.0	0.0			3015	0.0	0.0	0.0	0.0
0.0	0.0			3014	0.0	0.0	0.0	0.0
		G1		3541	-21.9	-1.5	0.3	-116.8
13.3	0.0			3542	-32.3	18.4	0.3	-117.6
-15.6	0.0			3015	20.2	0.8	-0.3	169.2
-16.6	0.0			3014	34.0	-17.6	-0.3	169.4
15.5	0.0							
		G2		3541	-8.4	0.1	0.1	-42.6
4.8	0.0			3542	-13.0	8.0	0.1	-42.8
-5.7	0.0			3015	7.8	-0.4	-0.1	62.6
-6.1	0.0			3014	13.7	-7.7	-0.1	62.6
5.7	0.0							
		Q3		3541	0.0	0.0	0.0	0.0
0.0	0.0			3542	0.0	0.0	0.0	0.0
0.0	0.0			3015	0.0	0.0	0.0	0.0
0.0	0.0			3014	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		3541	-1.5	-0.2	0.0	-6.5
0.8	-0.0			3542	2.4	-0.5	0.0	-6.6
-1.0	0.0			3015	1.5	0.2	-0.0	12.8
-1.2	-0.0			3014	-2.4	0.5	-0.0	12.9
1.1	-0.0							
		Q5_ps		3541	-1.0	-0.2	0.0	-5.0
0.7	-0.0			3542	2.8	-0.8	0.0	-5.1
-0.8	0.0			3015	1.0	0.2	-0.0	10.7
-1.0	-0.0			3014	-2.8	0.8	-0.0	10.9
0.9	-0.0							
		INVSLU	Max	3541	124.5	4.2	-1.5	62.8
-12.8	0.0			3542	-193.8	34.0	-1.3	60.9
14.3	-0.0			3015	-127.4	-6.0	1.4	-285.8
23.5	0.0							

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-24.4	0.0			3014	207.9	-29.0	1.6	-305.6	
			Min	3541	121.6	3.6	-1.6	47.8	
-14.8	0.0			3542	-202.0	31.5	-1.4	45.5	
11.9	-0.0			3015	-130.3	-6.6	1.3	-318.0	
20.6	0.0			3014	199.6	-31.5	1.5	-338.2	
-27.1	0.0								
			INVSLE	Max	3541	98.0	3.3	-1.2	57.5
-11.2	0.0			3542	-148.5	25.0	-1.0	56.1	
12.4	-0.0			3015	-100.5	-4.7	1.1	-237.3	
19.5	0.0			3014	158.5	-21.4	1.2	-252.6	
-20.3	0.0								
			Min	3541	96.1	3.0	-1.2	47.5	
-12.5	-0.0			3542	-154.0	23.3	-1.1	45.9	
10.8	-0.0			3015	-102.4	-5.2	1.0	-258.8	
17.5	0.0			3014	153.0	-23.0	1.2	-274.3	
-22.1	0.0								
2643	2	4	C1-C2;~1	Max	3542	0.0	0.0	0.0	
0.0	0.0				3543	0.0	0.0	0.0	
0.0	0.0				3016	0.0	0.0	0.0	
0.0	0.0				3015	0.0	0.0	0.0	
0.0	0.0								
			Min	3542	0.0	0.0	0.0	0.0	
0.0	0.0				3543	0.0	0.0	0.0	
0.0	0.0				3016	0.0	0.0	0.0	
0.0	0.0				3015	0.0	0.0	0.0	
0.0	0.0								
			C3-C4;~1	Max	3542	0.0	0.0	0.0	
0.0	0.0				3543	0.0	0.0	0.0	
0.0	0.0				3016	0.0	0.0	0.0	
0.0	0.0				3015	0.0	0.0	0.0	
0.0	0.0								
			Min	3542	0.0	0.0	0.0	0.0	
0.0	0.0				3543	0.0	0.0	0.0	
0.0	0.0				3016	0.0	0.0	0.0	
0.0	0.0								

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0		3015	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2 ; ~2	Max	3542	0.0	0.0	0.0
0.0	0.0			3543	0.0	0.0	0.0
0.0	0.0			3016	0.0	0.0	0.0
0.0	0.0			3015	0.0	0.0	0.0
0.0	0.0		Min	3542	0.0	0.0	0.0
0.0	0.0			3543	0.0	0.0	0.0
0.0	0.0			3016	0.0	0.0	0.0
0.0	0.0			3015	0.0	0.0	0.0
0.0	0.0	C3-C4 ; ~2	Max	3542	0.0	0.0	0.0
0.0	0.0			3543	0.0	0.0	0.0
0.0	0.0			3016	0.0	0.0	0.0
0.0	0.0			3015	0.0	0.0	0.0
0.0	0.0		Min	3542	0.0	0.0	0.0
0.0	0.0			3543	0.0	0.0	0.0
0.0	0.0			3016	0.0	0.0	0.0
0.0	0.0			3015	0.0	0.0	0.0
17.3	0.0	G1		3542	-24.2	-0.6	0.5
-17.3	-0.0			3543	-35.6	19.7	0.4
-21.2	0.0			3016	22.3	1.4	-0.3
23.3	0.0			3015	37.6	-20.4	-0.5
6.3	0.0	G2		3542	-9.4	0.5	0.2
-6.1	0.0			3543	-14.4	8.5	0.1
-7.6	0.0			3016	8.6	-0.2	-0.1
8.6	0.0			3015	15.1	-8.9	-0.2
0.0	0.0	Q3		3542	0.0	0.0	0.0
0.0	0.0			3543	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0			3016	0.0	0.0	0.0	0.0
0.0	0.0			3015	0.0	0.0	0.0	0.0
1.1	0.0	Q5_pc		3542	-1.5	-0.1	0.1	-9.1
-1.1	0.0			3543	2.6	-0.5	0.0	-8.5
-1.5	-0.0			3016	1.5	0.1	-0.0	16.6
1.6	-0.0			3015	-2.6	0.5	-0.1	17.7
0.9	0.0	Q5_ps		3542	-0.9	-0.1	0.0	-7.1
-0.8	0.0			3543	3.0	-0.9	0.0	-6.6
-1.2	-0.0			3016	0.9	0.1	-0.0	13.8
1.4	-0.0			3015	-3.1	0.9	-0.0	14.8
-15.6	-0.0	INVS LU	Max	3542	126.8	1.2	-1.8	77.8
17.5	0.0			3543	-206.5	34.6	-1.6	73.0
28.9	0.0			3016	-135.1	-2.9	1.7	-349.3
-29.3	0.0			3015	226.7	-29.9	2.0	-374.7
-18.4	-0.0		Min	3542	124.1	0.9	-2.0	56.6
14.9	0.0			3543	-215.6	32.0	-1.7	53.2
25.4	0.0			3016	-137.9	-3.2	1.6	-390.8
-33.4	0.0			3015	217.5	-32.5	1.9	-419.2
-13.8	-0.0	INVS LE	Max	3542	100.0	1.0	-1.5	72.9
15.0	0.0			3543	-158.4	25.2	-1.3	68.6
24.1	0.0			3016	-106.7	-2.3	1.3	-292.3
-24.9	0.0			3015	172.9	-21.9	1.6	-313.0
-15.6	-0.0		Min	3542	98.3	0.8	-1.6	58.7
13.3	0.0			3543	-164.4	23.5	-1.3	55.4
21.8	0.0			3016	-108.5	-2.5	1.2	-319.9
-27.6	0.0			3015	166.7	-23.6	1.5	-342.7
2730	2	4 C1-C2;~1	Max	3618	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0		3619	0.0	0.0	0.0	0.0
0.0	0.0		3107	0.0	0.0	0.0	0.0
0.0	0.0		3106	0.0	0.0	0.0	0.0
0.0	0.0	Min	3618	0.0	0.0	0.0	0.0
0.0	0.0		3619	0.0	0.0	0.0	0.0
0.0	0.0		3107	0.0	0.0	0.0	0.0
0.0	0.0		3106	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	3618	0.0	0.0	0.0
0.0	0.0			3619	0.0	0.0	0.0
0.0	0.0			3107	0.0	0.0	0.0
0.0	0.0			3106	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	3618	0.0	0.0	0.0	0.0
0.0	0.0			3619	0.0	0.0	0.0
0.0	0.0			3107	0.0	0.0	0.0
0.0	0.0			3106	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	3618	0.0	0.0	0.0
0.0	0.0			3619	0.0	0.0	0.0
0.0	0.0			3107	0.0	0.0	0.0
0.0	0.0			3106	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	3618	0.0	0.0	0.0	0.0
0.0	0.0			3619	0.0	0.0	0.0
0.0	0.0			3107	0.0	0.0	0.0
0.0	0.0			3106	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	3618	0.0	0.0	0.0
0.0	0.0			3619	0.0	0.0	0.0
0.0	0.0			3107	0.0	0.0	0.0
0.0	0.0			3106	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	3618	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
				3619	0.0	0.0	0.0
0.0	0.0			3107	0.0	0.0	0.0
0.0	0.0			3106	0.0	0.0	0.0
0.0	0.0						
		G1		3618	40.3	21.9	0.3
14.9	0.0			3619	29.9	-2.4	0.4
-15.0	-0.0			3107	-41.9	-22.5	-0.4
-20.2	-0.0			3106	-28.4	3.1	-0.3
18.2	-0.0						
		G2		3618	16.4	9.4	0.1
5.2	0.0			3619	11.9	-0.4	0.1
-5.4	-0.0			3107	-17.0	-9.7	-0.2
-7.4	-0.0			3106	-11.3	0.7	-0.1
6.5	-0.0						
		Q3		3618	0.0	0.0	0.0
0.0	0.0			3619	0.0	0.0	0.0
0.0	0.0			3107	0.0	0.0	0.0
0.0	0.0			3106	0.0	0.0	0.0
0.0	0.0						
		Q5_pc		3618	-2.4	-0.5	0.0
1.1	-0.0			3619	1.9	-0.2	0.1
-1.2	-0.0			3107	2.4	0.4	-0.1
-1.7	0.0			3106	-1.9	0.3	-0.0
1.5	0.0						
		Q5_ps		3618	-2.5	-0.7	0.0
0.9	-0.0			3619	1.6	-0.3	0.0
-1.0	-0.0			3107	2.5	0.6	-0.0
-1.5	0.0			3106	-1.7	0.4	-0.0
1.2	0.0						
		INVSLU Max		3618	194.3	42.0	-1.3
-18.3	-0.0			3619	-60.0	-8.6	-1.6
21.6	0.0			3107	-191.8	-35.5	1.7
35.3	-0.0			3106	70.0	5.3	1.4
-26.9	-0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


			Min	3618	186.8	39.9	-1.4	94.5
-20.9	-0.0			3619	-64.9	-9.6	-1.7	98.9
18.7	0.0			3107	-199.4	-37.3	1.6	-416.4
30.9	-0.0			3106	65.0	4.2	1.3	-386.2
-30.6	-0.0							
		INVSLE	Max	3618	149.2	31.3	-1.1	101.6
-16.0	-0.0			3619	-48.9	-6.8	-1.3	106.9
18.2	0.0			3107	-148.1	-26.5	1.4	-311.2
29.3	-0.0			3106	56.0	4.1	1.1	-289.2
-23.1	-0.0							
			Min	3618	144.3	29.9	-1.1	87.8
-17.7	-0.0			3619	-52.1	-7.4	-1.4	92.1
16.3	0.0			3107	-153.1	-27.7	1.3	-342.5
26.3	-0.0			3106	52.7	3.3	1.0	-318.2
-25.5	-0.0							
2731	2	10	C1-C2;~1	Max	3619	0.0	0.0	0.0
0.0	0.0	0.0			3620	0.0	0.0	0.0
0.0	0.0	0.0			3108	0.0	0.0	0.0
0.0	0.0	0.0			3107	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	3619	0.0	0.0	0.0	0.0
0.0	0.0	0.0			3620	0.0	0.0	0.0
0.0	0.0	0.0			3108	0.0	0.0	0.0
0.0	0.0	0.0			3107	0.0	0.0	0.0
0.0	0.0	0.0						
			Max	3619	0.0	0.0	0.0	0.0
0.0	0.0	0.0			3620	0.0	0.0	0.0
0.0	0.0	0.0			3108	0.0	0.0	0.0
0.0	0.0	0.0			3107	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	3619	0.0	0.0	0.0	0.0
0.0	0.0	0.0			3620	0.0	0.0	0.0
0.0	0.0	0.0			3108	0.0	0.0	0.0
0.0	0.0	0.0			3107	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

		C1-C2;~2	Max	3619	0.0	0.0	0.0	0.0
0.0	0.0			3620	0.0	0.0	0.0	0.0
0.0	0.0			3108	0.0	0.0	0.0	0.0
0.0	0.0			3107	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	3619	0.0	0.0	0.0	0.0
0.0	0.0			3620	0.0	0.0	0.0	0.0
0.0	0.0			3108	0.0	0.0	0.0	0.0
0.0	0.0			3107	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	3619	0.0	0.0	0.0	0.0
0.0	0.0			3620	0.0	0.0	0.0	0.0
0.0	0.0			3108	0.0	0.0	0.0	0.0
0.0	0.0			3107	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	3619	0.0	0.0	0.0	0.0
0.0	0.0			3620	0.0	0.0	0.0	0.0
0.0	0.0			3108	0.0	0.0	0.0	0.0
0.0	0.0			3107	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		3619	37.4	20.4	0.2	-101.4
13.6	0.0			3620	26.9	-3.6	0.3	-101.1
-11.6	-0.0			3108	-39.0	-19.3	-0.3	146.3
-13.5	-0.0			3107	-25.3	2.5	-0.2	145.7
14.4	-0.0							
		G2		3619	15.2	8.8	0.1	-36.6
4.9	0.0			3620	10.6	-0.9	0.1	-36.5
-4.1	-0.0			3108	-15.8	-8.3	-0.1	53.6
-4.9	-0.0			3107	-10.0	0.4	-0.1	53.4
5.3	-0.0							
		Q3		3619	0.0	0.0	0.0	0.0
0.0	0.0			3620	0.0	0.0	0.0	0.0
0.0	0.0			3108	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0			3107	0.0	0.0	0.0	0.0
1.1	-0.0	Q5_pc		3619	-2.4	-0.4	0.0	-6.8
-0.9	0.0			3620	2.0	-0.3	0.0	-6.8
-1.2	0.0			3108	2.4	0.4	-0.0	13.7
1.2	0.0			3107	-2.1	0.3	-0.0	13.4
0.8	-0.0	Q5_ps		3619	-2.4	-0.6	0.0	-5.4
-0.7	0.0			3620	1.8	-0.4	0.0	-5.3
-1.0	0.0			3108	2.4	0.6	-0.0	11.6
1.0	0.0			3107	-1.9	0.4	-0.0	11.4
-15.2	0.0	INVS LU	Max	3619	197.9	45.5	-1.1	89.7
16.9	0.0			3620	-72.5	-3.6	-1.3	89.8
27.8	-0.0			3108	-197.9	-37.3	1.4	-301.2
-22.0	-0.0			3107	85.2	-1.4	1.2	-282.5
-17.7	0.0		Min	3619	190.8	43.6	-1.2	73.4
14.8	0.0			3620	-78.0	-4.7	-1.4	73.9
24.8	-0.0			3108	-205.1	-39.0	1.3	-336.0
-25.1	-0.0			3107	79.6	-2.7	1.1	-316.7
-13.4	0.0	INVS LE	Max	3619	152.0	34.0	-0.9	78.8
14.2	0.0			3620	-58.2	-3.0	-1.0	78.8
22.8	-0.0			3108	-152.6	-27.9	1.1	-250.9
-18.8	-0.0			3107	67.4	-1.0	1.0	-236.4
-15.1	0.0		Min	3619	147.2	32.7	-1.0	68.0
12.8	0.0			3620	-61.9	-3.7	-1.1	68.2
20.8	-0.0			3108	-157.5	-29.0	1.0	-274.1
-20.8	-0.0			3107	63.6	-1.9	0.9	-259.2
2741	2	4 C1-C2;~1	Max	3628	0.0	0.0	0.0	0.0
0.0	0.0			2959	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	0.0		3118	0.0	0.0	0.0	0.0
0.0	0.0		3117	0.0	0.0	0.0	0.0
0.0	0.0	Min	3628	0.0	0.0	0.0	0.0
0.0	0.0		2959	0.0	0.0	0.0	0.0
0.0	0.0		3118	0.0	0.0	0.0	0.0
0.0	0.0		3117	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	3628	0.0	0.0	0.0
0.0	0.0			2959	0.0	0.0	0.0
0.0	0.0			3118	0.0	0.0	0.0
0.0	0.0			3117	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	3628	0.0	0.0	0.0	0.0
0.0	0.0			2959	0.0	0.0	0.0
0.0	0.0			3118	0.0	0.0	0.0
0.0	0.0			3117	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	3628	0.0	0.0	0.0
0.0	0.0			2959	0.0	0.0	0.0
0.0	0.0			3118	0.0	0.0	0.0
0.0	0.0			3117	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	3628	0.0	0.0	0.0	0.0
0.0	0.0			2959	0.0	0.0	0.0
0.0	0.0			3118	0.0	0.0	0.0
0.0	0.0			3117	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	3628	0.0	0.0	0.0
0.0	0.0			2959	0.0	0.0	0.0
0.0	0.0			3118	0.0	0.0	0.0
0.0	0.0			3117	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	3628	0.0	0.0	0.0	0.0
0.0	0.0			2959	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		3118	0.0	0.0	0.0	0.0
0.0	0.0		3117	0.0	0.0	0.0	0.0
2.2	0.0	G1	3628	-44.1	-4.0	0.0	-6.9
-0.8	0.0		2959	-44.5	29.9	0.1	-0.1
-0.9	0.0		3118	43.6	1.0	-0.1	17.5
1.3	0.0		3117	45.1	-26.8	-0.0	13.7
2.5	-0.0	G2	3628	-18.4	2.2	0.1	-5.0
1.4	0.0		2959	-18.6	17.6	0.2	3.9
-1.3	0.0		3118	18.0	-4.7	-0.2	31.9
2.5	0.0		3117	19.0	-15.0	-0.1	21.7
0.0	0.0	Q3	3628	0.0	0.0	0.0	0.0
0.0	0.0		2959	0.0	0.0	0.0	0.0
0.0	0.0		3118	0.0	0.0	0.0	0.0
0.0	0.0		3117	0.0	0.0	0.0	0.0
1.6	-0.0	Q5_pc	3628	-1.3	3.5	0.0	-2.4
2.0	0.0		2959	-2.5	6.7	0.2	3.1
-0.5	0.0		3118	1.3	-5.4	-0.2	23.5
2.1	0.0		3117	2.5	-4.8	-0.1	15.8
2.3	-0.0	Q5_ps	3628	-2.0	5.6	0.1	-3.5
2.8	0.0		2959	-3.5	10.1	0.3	4.5
-0.9	0.0		3118	2.0	-8.2	-0.2	33.9
3.0	0.0		3117	3.6	-7.6	-0.1	22.7
5.7	0.0	INVSLU Max	3628	20.7	19.6	-0.0	26.2
27.5	0.0		2959	-52.0	45.4	1.0	49.8
9.5	0.0		3118	-20.4	-4.2	-0.2	84.0
11.0	0.0		3117	68.2	-13.5	0.2	24.3
		Min	3628	14.6	2.7	-0.2	15.7

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

-1.2	0.0			2959	-62.4	15.1	0.2	36.3
19.2	0.0			3118	-26.3	-28.7	-0.9	-17.6
6.8	0.0			3117	57.6	-36.2	-0.1	-43.7
2.1	0.0							
		INVSLE	Max	3628	23.2	15.5	-0.1	23.0
3.9	0.0			2959	-35.1	29.5	0.8	41.7
22.0	0.0			3118	-24.2	-5.1	-0.2	57.5
7.8	0.0			3117	47.1	-8.3	0.1	11.7
8.0	0.0							
			Min	3628	19.1	4.2	-0.2	15.9
-0.8	0.0			2959	-42.0	9.3	0.2	32.7
16.5	0.0			3118	-28.1	-21.5	-0.7	-10.3
6.0	0.0			3117	40.0	-23.4	-0.0	-33.7
2.1	0.0							
2742	2	4	C1-C2;~1	Max	2959	0.0	0.0	0.0
0.0	0.0			3629	0.0	0.0	0.0	0.0
0.0	0.0			3119	0.0	0.0	0.0	0.0
0.0	0.0			3118	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	2959	0.0	0.0	0.0	0.0
0.0	0.0			3629	0.0	0.0	0.0	0.0
0.0	0.0			3119	0.0	0.0	0.0	0.0
0.0	0.0			3118	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	2959	0.0	0.0	0.0	0.0
0.0	0.0			3629	0.0	0.0	0.0	0.0
0.0	0.0			3119	0.0	0.0	0.0	0.0
0.0	0.0			3118	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	2959	0.0	0.0	0.0	0.0
0.0	0.0			3629	0.0	0.0	0.0	0.0
0.0	0.0			3119	0.0	0.0	0.0	0.0
0.0	0.0			3118	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	2959	0.0	0.0	0.0	0.0
0.0	0.0			3629	0.0	0.0	0.0	0.0
0.0	0.0			3119	0.0	0.0	0.0	0.0
0.0	0.0			3118	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
		C1-C2;~2	Max	2959	0.0	0.0	0.0	0.0
0.0	0.0			3629	0.0	0.0	0.0	0.0
0.0	0.0			3119	0.0	0.0	0.0	0.0
0.0	0.0			3118	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	2959	0.0	0.0	0.0	0.0
0.0	0.0			3629	0.0	0.0	0.0	0.0
0.0	0.0			3119	0.0	0.0	0.0	0.0
0.0	0.0			3118	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	2959	0.0	0.0	0.0	0.0
0.0	0.0			3629	0.0	0.0	0.0	0.0
0.0	0.0			3119	0.0	0.0	0.0	0.0
0.0	0.0			3118	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	2959	0.0	0.0	0.0	0.0
0.0	0.0			3629	0.0	0.0	0.0	0.0
0.0	0.0			3119	0.0	0.0	0.0	0.0
0.0	0.0			3118	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	2959	-14.4	8.4	0.1	5.2
-2.1	0.0			3629	-14.7	8.5	0.0	0.0
0.4	0.0			3119	14.1	-0.0	-0.0	4.4
-0.8	0.0			3118	15.0	-16.7	-0.1	14.9
0.8	0.0							
			G2	2959	-5.2	8.4	0.2	5.4
-1.6	0.0			3629	-5.8	5.1	0.0	-3.9
0.5	-0.0			3119	5.1	-1.9	-0.0	12.4
-0.9	0.0			3118	5.8	-11.5	-0.2	31.6
2.3	0.0							
			Q3	2959	0.0	0.0	0.0	0.0
0.0	0.0			3629	0.0	0.0	0.0	0.0
0.0	0.0			3119	0.0	0.0	0.0	0.0
0.0	0.0			3118	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


		Q5_pc		2959	0.7	5.6	0.2	1.8
-0.6	0.0			3629	1.0	1.8	0.0	-4.7
0.2	-0.0			3119	-0.8	-2.3	-0.0	11.2
-0.7	0.0			3118	-0.9	-5.1	-0.2	24.7
1.8	0.0							
		Q5_ps		2959	0.5	8.8	0.2	2.9
-0.9	0.0			3629	0.7	3.8	0.0	-6.4
0.4	-0.0			3119	-0.6	-4.1	-0.0	15.6
-0.9	0.0			3118	-0.6	-8.4	-0.2	35.3
2.7	0.0							
		INVS LU	Max	2959	19.0	-49.6	0.9	31.1
-3.6	0.0			3629	-2.8	-130.3	0.2	5.5
0.6	0.0			3119	-17.6	138.1	-0.1	59.8
-2.2	0.0			3118	5.1	79.5	-0.2	119.8
5.7	0.0							
			Min	2959	17.4	-75.8	0.2	22.5
-6.2	0.0			3629	-4.9	-141.7	0.1	-13.6
-0.5	-0.0			3119	-19.4	125.7	-0.2	13.0
-5.0	0.0			3118	3.3	54.3	-0.9	13.9
-2.2	0.0							
		INVS LE	Max	2959	18.4	-45.5	0.7	26.6
-3.2	0.0			3629	-0.4	-112.4	0.1	4.9
0.3	0.0			3119	-17.3	115.5	-0.1	42.9
-1.8	0.0			3118	1.6	67.7	-0.2	86.3
3.7	0.0							
			Min	2959	17.4	-63.0	0.2	20.9
-4.9	0.0			3629	-1.8	-119.9	0.1	-7.8
-0.4	-0.0			3119	-18.5	107.2	-0.1	11.7
-3.7	0.0			3118	0.4	50.9	-0.7	15.6
-1.6	0.0							
2746	2	8 C1-C2; ~1	Max	3632	0.0	0.0	0.0	0.0
0.0	0.0			3633	0.0	0.0	0.0	0.0
0.0	0.0			3124	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0		3123	0.0	0.0	0.0	0.0
0.0	0.0	Min	3632	0.0	0.0	0.0	0.0
0.0	0.0		3633	0.0	0.0	0.0	0.0
0.0	0.0		3124	0.0	0.0	0.0	0.0
0.0	0.0		3123	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	3632	0.0	0.0	0.0
0.0	0.0			3633	0.0	0.0	0.0
0.0	0.0			3124	0.0	0.0	0.0
0.0	0.0			3123	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	3632	0.0	0.0	0.0	0.0
0.0	0.0			3633	0.0	0.0	0.0
0.0	0.0			3124	0.0	0.0	0.0
0.0	0.0			3123	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	3632	0.0	0.0	0.0
0.0	0.0			3633	0.0	0.0	0.0
0.0	0.0			3124	0.0	0.0	0.0
0.0	0.0			3123	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	3632	0.0	0.0	0.0	0.0
0.0	0.0			3633	0.0	0.0	0.0
0.0	0.0			3124	0.0	0.0	0.0
0.0	0.0			3123	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	3632	0.0	0.0	0.0
0.0	0.0			3633	0.0	0.0	0.0
0.0	0.0			3124	0.0	0.0	0.0
0.0	0.0			3123	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	3632	0.0	0.0	0.0	0.0
0.0	0.0			3633	0.0	0.0	0.0
0.0	0.0			3124	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		3123	0.0	0.0	0.0	0.0
-0.5	0.0	G1	3632	70.9	42.2	0.0	9.1
0.3	-0.0		3633	115.4	-30.1	0.1	9.0
0.2	-0.0		3124	-71.0	-36.4	-0.1	0.8
-0.5	-0.0		3123	-115.2	24.3	-0.0	-0.4
-1.3	-0.0	G2	3632	28.0	17.2	0.0	12.5
1.1	-0.0		3633	45.4	-11.2	0.0	12.4
1.2	-0.0		3124	-28.1	-15.0	-0.0	-10.2
-1.3	-0.0		3123	-45.3	9.1	-0.0	-10.5
0.0	0.0	Q3	3632	0.0	0.0	0.0	0.0
0.0	0.0		3633	0.0	0.0	0.0	0.0
0.0	0.0		3124	0.0	0.0	0.0	0.0
0.0	0.0		3123	0.0	0.0	0.0	0.0
-0.5	-0.0	Q5_pc	3632	-0.0	-1.2	-0.0	3.7
0.5	-0.0		3633	-1.0	-2.7	-0.0	3.8
0.5	0.0		3124	0.1	3.1	0.0	-5.5
-0.5	0.0		3123	0.9	0.8	0.0	-5.3
-0.8	-0.0	Q5_ps	3632	-0.9	-1.6	-0.0	5.8
0.7	-0.0		3633	-1.9	-2.3	-0.0	5.9
0.8	0.0		3124	1.0	3.3	0.0	-8.0
-0.8	0.0		3123	1.8	0.7	0.0	-7.7
-1.0	-0.0	INVSLU Max	3632	120.7	102.8	0.2	40.9
2.0	-0.0		3633	303.6	-35.4	0.3	41.3
0.7	-0.0		3124	-120.4	-106.2	-0.3	30.5
-0.3	-0.0		3123	-295.5	50.6	-0.2	23.3
-3.3	-0.0	Min	3632	118.1	97.9	0.2	23.5
			3633	297.8	-42.2	0.3	23.6

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	


-0.1	-0.0			3124	-123.3	-115.9	-0.3	6.4	
-1.7	-0.0			3123	-301.0	48.7	-0.2	0.2	
-2.6	-0.0								
			INVSLE	Max	3632	89.1	76.5	0.2	31.3
-1.0	-0.0			3633	227.1	-25.9	0.2	31.7	
1.6	-0.0			3124	-89.1	-80.4	-0.2	19.8	
0.6	-0.0			3123	-221.5	37.8	-0.2	14.6	
-0.5	-0.0								
				Min	3632	87.4	73.2	0.2	19.7
-2.5	-0.0			3633	223.3	-30.4	0.2	19.9	
0.2	-0.0			3124	-91.1	-86.9	-0.2	3.8	
-1.0	-0.0			3123	-225.2	36.5	-0.2	-0.8	
-2.1	-0.0								
2747	2	4	C1-C2;~1	Max	3633	0.0	0.0	0.0	0.0
0.0	0.0			3634	0.0	0.0	0.0	0.0	
0.0	0.0			3125	0.0	0.0	0.0	0.0	
0.0	0.0			3124	0.0	0.0	0.0	0.0	
0.0	0.0								
				Min	3633	0.0	0.0	0.0	0.0
0.0	0.0			3634	0.0	0.0	0.0	0.0	
0.0	0.0			3125	0.0	0.0	0.0	0.0	
0.0	0.0			3124	0.0	0.0	0.0	0.0	
0.0	0.0								
			C3-C4;~1	Max	3633	0.0	0.0	0.0	0.0
0.0	0.0			3634	0.0	0.0	0.0	0.0	
0.0	0.0			3125	0.0	0.0	0.0	0.0	
0.0	0.0			3124	0.0	0.0	0.0	0.0	
0.0	0.0								
				Min	3633	0.0	0.0	0.0	0.0
0.0	0.0			3634	0.0	0.0	0.0	0.0	
0.0	0.0			3125	0.0	0.0	0.0	0.0	
0.0	0.0			3124	0.0	0.0	0.0	0.0	
0.0	0.0								
			C1-C2;~2	Max	3633	0.0	0.0	0.0	0.0
0.0	0.0								

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	0.0		3634	0.0	0.0	0.0	0.0
0.0	0.0		3125	0.0	0.0	0.0	0.0
0.0	0.0		3124	0.0	0.0	0.0	0.0
0.0	0.0	Min	3633	0.0	0.0	0.0	0.0
0.0	0.0		3634	0.0	0.0	0.0	0.0
0.0	0.0		3125	0.0	0.0	0.0	0.0
0.0	0.0		3124	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	3633	0.0	0.0	0.0	0.0
0.0	0.0		3634	0.0	0.0	0.0	0.0
0.0	0.0		3125	0.0	0.0	0.0	0.0
0.0	0.0		3124	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	3633	0.0	0.0	0.0	0.0
0.0	0.0		3634	0.0	0.0	0.0	0.0
0.0	0.0		3125	0.0	0.0	0.0	0.0
0.0	0.0		3124	0.0	0.0	0.0	0.0
0.0	0.0						
-0.4	-0.0	G1	3633	68.1	30.7	0.0	6.3
0.1	-0.0		3634	124.1	-30.4	0.1	5.8
-0.3	-0.0		3125	-63.8	-38.1	-0.1	4.9
-0.1	-0.0		3124	-128.4	37.9	-0.0	3.2
-1.1	-0.0	G2	3633	26.9	12.7	0.0	9.1
1.0	0.0		3634	48.8	-11.4	0.0	9.0
0.7	-0.0		3125	-25.2	-15.6	-0.0	-5.8
-0.9	-0.0		3124	-50.5	14.3	-0.0	-6.4
0.0	0.0	Q3	3633	0.0	0.0	0.0	0.0
0.0	0.0		3634	0.0	0.0	0.0	0.0
0.0	0.0		3125	0.0	0.0	0.0	0.0
0.0	0.0		3124	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
			Q5_pc	3633	1.9	-2.2	-0.0	2.8
-0.4	-0.0			3634	1.4	-1.8	-0.0	2.9
0.4	0.0			3125	-1.8	0.6	0.0	-3.8
0.3	0.0			3124	-1.5	3.4	0.0	-3.9
-0.4	0.0							
			Q5_ps	3633	0.8	-2.5	-0.0	4.4
-0.7	-0.0			3634	0.2	-1.4	-0.0	4.5
0.6	0.0			3125	-0.7	1.1	0.0	-5.7
0.5	0.0			3124	-0.3	2.8	0.0	-5.8
-0.7	0.0							
			INVS LU Max	3633	76.0	77.6	0.2	32.2
-0.9	-0.0			3634	312.4	-59.2	0.3	33.0
2.8	0.0			3125	-57.4	-74.6	-0.3	30.1
0.0	-0.0			3124	-325.1	68.0	-0.2	27.8
0.5	-0.0							
			Min	3633	72.7	70.2	0.2	18.9
-3.0	-0.0			3634	309.8	-63.5	0.3	19.6
0.9	0.0			3125	-60.6	-77.8	-0.3	13.0
-1.6	-0.0			3124	-327.8	59.6	-0.2	10.4
-1.5	-0.0							
			INVS LE Max	3633	54.7	57.8	0.2	24.7
-0.9	-0.0			3634	233.3	-43.9	0.2	25.3
2.1	0.0			3125	-40.9	-55.6	-0.2	20.5
0.1	-0.0			3124	-243.1	49.6	-0.2	18.7
0.1	-0.0							
			Min	3633	52.4	52.9	0.2	15.8
-2.3	-0.0			3634	231.6	-46.8	0.2	16.3
0.9	0.0			3125	-43.1	-57.7	-0.2	9.1
-1.0	-0.0			3124	-244.9	43.9	-0.2	7.1
-1.2	-0.0							
2762	2	4	C1-C2;~1 Max	3646	0.0	0.0	0.0	0.0
0.0		0.0		3647	0.0	0.0	0.0	0.0
0.0		0.0		3138	0.0	0.0	0.0	0.0
0.0		0.0		3137	0.0	0.0	0.0	0.0
0.0		0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0	Min	3646	0.0	0.0	0.0	0.0
0.0	0.0		3647	0.0	0.0	0.0	0.0
0.0	0.0		3138	0.0	0.0	0.0	0.0
0.0	0.0		3137	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	3646	0.0	0.0	0.0
0.0	0.0			3647	0.0	0.0	0.0
0.0	0.0			3138	0.0	0.0	0.0
0.0	0.0			3137	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	3646	0.0	0.0	0.0	0.0
0.0	0.0		3647	0.0	0.0	0.0	0.0
0.0	0.0		3138	0.0	0.0	0.0	0.0
0.0	0.0		3137	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	3646	0.0	0.0	0.0
0.0	0.0			3647	0.0	0.0	0.0
0.0	0.0			3138	0.0	0.0	0.0
0.0	0.0			3137	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	3646	0.0	0.0	0.0	0.0
0.0	0.0		3647	0.0	0.0	0.0	0.0
0.0	0.0		3138	0.0	0.0	0.0	0.0
0.0	0.0		3137	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	3646	0.0	0.0	0.0
0.0	0.0			3647	0.0	0.0	0.0
0.0	0.0			3138	0.0	0.0	0.0
0.0	0.0			3137	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	3646	0.0	0.0	0.0	0.0
0.0	0.0		3647	0.0	0.0	0.0	0.0
0.0	0.0		3138	0.0	0.0	0.0	0.0
0.0	0.0		3137	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


-0.3	0.0	G1	3646	-115.3	-26.2	0.1	7.3
0.6	0.0		3647	-58.5	30.3	0.0	7.8
0.2	0.0		3138	119.5	31.8	-0.0	1.3
0.1	0.0		3137	54.3	-35.7	-0.1	2.8
-1.0	-0.0	G2	3646	-45.1	-9.6	0.0	9.0
1.1	0.0		3647	-22.4	12.5	0.0	9.1
0.9	0.0		3138	46.8	11.6	-0.0	-6.5
-0.7	0.0		3137	20.6	-14.5	-0.0	-5.9
0.0	0.0	Q3	3646	0.0	0.0	0.0	0.0
0.0	0.0		3647	0.0	0.0	0.0	0.0
0.0	0.0		3138	0.0	0.0	0.0	0.0
0.0	0.0		3137	0.0	0.0	0.0	0.0
-0.4	-0.0	Q5_pc	3646	-0.3	-1.5	-0.0	3.1
0.5	0.0		3647	-1.8	-2.2	-0.0	3.1
0.5	-0.0		3138	0.4	3.0	0.0	-4.6
-0.4	-0.0		3137	1.8	0.7	0.0	-4.5
-0.7	-0.0	Q5_ps	3646	0.8	-1.2	-0.0	4.7
0.7	0.0		3647	-0.8	-2.5	-0.0	4.7
0.7	-0.0		3138	-0.8	2.5	0.0	-6.4
-0.6	-0.0		3137	0.8	1.2	0.0	-6.3
-1.5	-0.0	INVSLU Max	3646	-306.0	-56.2	0.3	39.0
4.1	0.0		3647	-60.2	74.9	0.2	38.4
2.5	0.0		3138	324.1	64.3	-0.2	22.2
1.2	0.0		3137	47.8	-71.8	-0.3	25.5
-3.5	-0.0	Min	3646	-308.4	-59.8	0.3	24.8
1.9	0.0		3647	-63.5	67.4	0.2	24.4
			3138	321.7	56.9	-0.2	3.0

PROJECT TITLE :


MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.3	0.0				3137	44.5	-75.4	-0.3	6.6
-0.6	0.0								
-1.3	-0.0	INVSLE	Max	3646	-229.0	-41.8	0.2	29.7	
				3647	-43.4	55.9	0.2	29.3	
3.2	0.0			3138	242.5	47.0	-0.2	14.4	
1.9	0.0			3137	33.8	-53.6	-0.2	17.0	
0.7	0.0								
-2.6	-0.0		Min	3646	-230.7	-44.2	0.2	20.3	
				3647	-45.6	50.9	0.2	20.0	
1.7	0.0			3138	240.9	42.1	-0.2	1.7	
0.5	0.0			3137	31.6	-56.0	-0.2	4.4	
-0.5	0.0								
2763	2	8	C1-C2;~1	Max	3647	0.0	0.0	0.0	0.0
0.0		0.0			3648	0.0	0.0	0.0	0.0
0.0		0.0			3139	0.0	0.0	0.0	0.0
0.0		0.0			3138	0.0	0.0	0.0	0.0
0.0		0.0							
0.0		0.0		Min	3647	0.0	0.0	0.0	0.0
0.0		0.0			3648	0.0	0.0	0.0	0.0
0.0		0.0			3139	0.0	0.0	0.0	0.0
0.0		0.0			3138	0.0	0.0	0.0	0.0
0.0		0.0							
0.0		0.0			3647	0.0	0.0	0.0	0.0
0.0		0.0			3648	0.0	0.0	0.0	0.0
0.0		0.0			3139	0.0	0.0	0.0	0.0
0.0		0.0			3138	0.0	0.0	0.0	0.0
0.0		0.0							
0.0		0.0			3647	0.0	0.0	0.0	0.0
0.0		0.0			3648	0.0	0.0	0.0	0.0
0.0		0.0			3139	0.0	0.0	0.0	0.0
0.0		0.0			3138	0.0	0.0	0.0	0.0
0.0		0.0							
0.0		0.0			3647	0.0	0.0	0.0	0.0
0.0		0.0			3648	0.0	0.0	0.0	0.0
0.0		0.0			3139	0.0	0.0	0.0	0.0
0.0		0.0			3138	0.0	0.0	0.0	0.0
0.0		0.0							
0.0		0.0			3647	0.0	0.0	0.0	0.0
0.0		0.0			3648	0.0	0.0	0.0	0.0
0.0		0.0			3139	0.0	0.0	0.0	0.0
0.0		0.0			3138	0.0	0.0	0.0	0.0
0.0		0.0							
0.0		0.0			3647	0.0	0.0	0.0	0.0
0.0		0.0			3648	0.0	0.0	0.0	0.0
0.0		0.0			3139	0.0	0.0	0.0	0.0
0.0		0.0			3138	0.0	0.0	0.0	0.0
0.0		0.0							
0.0		0.0			3647	0.0	0.0	0.0	0.0
0.0		0.0			3648	0.0	0.0	0.0	0.0
0.0		0.0			3139	0.0	0.0	0.0	0.0
0.0		0.0			3138	0.0	0.0	0.0	0.0
0.0		0.0							
0.0		0.0			3647	0.0	0.0	0.0	0.0
0.0		0.0			3648	0.0	0.0	0.0	0.0
0.0		0.0			3139	0.0	0.0	0.0	0.0
0.0		0.0			3138	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		3139	0.0	0.0	0.0	0.0
0.0	0.0		3138	0.0	0.0	0.0	0.0
0.0	0.0	Min	3647	0.0	0.0	0.0	0.0
0.0	0.0		3648	0.0	0.0	0.0	0.0
0.0	0.0		3139	0.0	0.0	0.0	0.0
0.0	0.0		3138	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	3647	0.0	0.0	0.0	0.0
0.0	0.0		3648	0.0	0.0	0.0	0.0
0.0	0.0		3139	0.0	0.0	0.0	0.0
0.0	0.0		3138	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	3647	0.0	0.0	0.0	0.0
0.0	0.0		3648	0.0	0.0	0.0	0.0
0.0	0.0		3139	0.0	0.0	0.0	0.0
0.0	0.0		3138	0.0	0.0	0.0	0.0
0.0	0.0						
-0.5	0.0	G1	3647	-109.0	-24.6	0.1	10.7
0.6	-0.0		3648	-64.0	40.4	0.0	10.5
0.6	0.0		3139	108.7	21.4	-0.0	-2.2
-0.4	0.0		3138	64.2	-37.1	-0.1	-1.2
-1.1	0.0	G2	3647	-42.7	-8.8	0.0	12.4
1.3	0.0		3648	-24.8	16.2	0.0	12.4
1.3	0.0		3139	42.7	7.8	-0.0	-10.4
-1.2	0.0		3138	24.9	-15.3	-0.0	-10.2
0.0	0.0	Q3	3647	0.0	0.0	0.0	0.0
0.0	0.0		3648	0.0	0.0	0.0	0.0
0.0	0.0		3139	0.0	0.0	0.0	0.0
0.0	0.0		3138	0.0	0.0	0.0	0.0
-0.5	0.0	Q5_pc	3647	1.9	-2.5	-0.0	4.2

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.5	0.0			3648	0.1	-1.3	-0.0	4.0
				3139	-1.8	0.6	0.0	-6.1
0.6	-0.0			3138	-0.3	3.2	0.0	-6.4
-0.6	-0.0							
		Q5_ps		3647	2.8	-2.0	-0.0	6.2
-0.8	0.0			3648	1.0	-1.8	-0.0	6.1
0.8	0.0			3139	-2.6	0.4	0.0	-8.4
0.8	-0.0			3138	-1.1	3.3	0.0	-8.7
-0.9	-0.0							
		INVS LU	Max	3647	-291.5	-31.8	0.3	49.4
-1.0	0.0			3648	-108.0	100.5	0.3	47.8
4.0	0.0			3139	297.0	47.4	-0.2	17.5
3.2	0.0			3138	113.6	-104.6	-0.3	23.0
0.7	0.0							
			Min	3647	-299.8	-37.8	0.3	30.7
-3.3	0.0			3648	-110.9	95.2	0.2	29.5
1.6	0.0			3139	289.1	46.1	-0.2	-7.6
0.7	0.0			3138	110.4	-114.7	-0.3	-3.2
-1.9	0.0							
		INVS LE	Max	3647	-219.0	-23.4	0.2	37.7
-1.0	0.0			3648	-80.2	74.8	0.2	36.4
3.0	0.0			3139	222.4	35.5	-0.2	10.3
2.5	0.0			3138	84.1	-79.3	-0.2	14.2
0.3	0.0							
			Min	3647	-224.5	-27.4	0.2	25.2
-2.5	0.0			3648	-82.1	71.2	0.2	24.2
1.4	0.0			3139	217.2	34.7	-0.2	-6.5
0.8	0.0			3138	82.0	-85.9	-0.2	-3.3
-1.5	0.0							
2778	2	4	C1-C2;~1	Max	3660	0.0	0.0	0.0
0.0	0.0			3661	0.0	0.0	0.0	0.0
0.0	0.0			3153	0.0	0.0	0.0	0.0
0.0	0.0			3152	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	3660	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	0.0		3661	0.0	0.0	0.0	0.0
0.0	0.0		3153	0.0	0.0	0.0	0.0
0.0	0.0		3152	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~1	Max	3660	0.0	0.0	0.0
0.0	0.0			3661	0.0	0.0	0.0
0.0	0.0			3153	0.0	0.0	0.0
0.0	0.0			3152	0.0	0.0	0.0
0.0	0.0						
			Min	3660	0.0	0.0	0.0
0.0	0.0			3661	0.0	0.0	0.0
0.0	0.0			3153	0.0	0.0	0.0
0.0	0.0			3152	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	3660	0.0	0.0	0.0
0.0	0.0			3661	0.0	0.0	0.0
0.0	0.0			3153	0.0	0.0	0.0
0.0	0.0			3152	0.0	0.0	0.0
0.0	0.0						
			Min	3660	0.0	0.0	0.0
0.0	0.0			3661	0.0	0.0	0.0
0.0	0.0			3153	0.0	0.0	0.0
0.0	0.0			3152	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	3660	0.0	0.0	0.0
0.0	0.0			3661	0.0	0.0	0.0
0.0	0.0			3153	0.0	0.0	0.0
0.0	0.0			3152	0.0	0.0	0.0
0.0	0.0						
			Min	3660	0.0	0.0	0.0
0.0	0.0			3661	0.0	0.0	0.0
0.0	0.0			3153	0.0	0.0	0.0
0.0	0.0			3152	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
		G1	3660	-110.4	-26.7	0.0	6.2
-0.5	0.0		3661	-60.1	29.1	0.0	6.0
0.5	0.0		3153	114.5	32.9	-0.0	-0.1
0.3	0.0		3152	56.1	-35.2	-0.0	0.4
-0.2	0.0						
		G2	3660	-43.8	-9.8	0.0	-3.5
0.7	0.0		3661	-23.4	12.2	0.0	-3.5
-0.7	0.0		3153	45.4	12.2	-0.0	6.7
-0.7	0.0		3152	21.8	-14.6	-0.0	6.9
0.7	0.0						
		Q3	3660	0.0	0.0	0.0	0.0
0.0	0.0		3661	0.0	0.0	0.0	0.0
0.0	0.0		3153	0.0	0.0	0.0	0.0
0.0	0.0		3152	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	3660	1.2	1.4	0.0	-9.7
1.4	0.0		3661	1.7	2.0	0.0	-9.4
-1.4	-0.0		3153	-1.2	-3.1	-0.0	11.2
-1.3	0.0		3152	-1.6	-0.4	-0.0	11.5
1.3	0.0						
		Q5_ps	3660	0.1	1.1	0.0	-13.4
2.0	0.0		3661	0.6	2.2	0.0	-13.0
-2.0	-0.0		3153	-0.1	-2.5	-0.0	15.2
-1.7	0.0		3152	-0.6	-0.8	-0.0	15.5
1.7	0.0						
		INVSLU Max	3660	-296.1	-55.5	0.3	19.6
4.3	0.0		3661	-61.9	75.2	0.2	17.7
0.3	0.0		3153	313.3	63.0	-0.2	70.5
-1.5	0.0		3152	49.7	-72.6	-0.3	71.8
5.6	0.0						
		Min	3660	-298.1	-58.8	0.3	-20.5
-1.6	0.0		3661	-64.9	68.5	0.2	-21.2
-5.6	0.0		3153	311.1	55.5	-0.3	25.0
-6.7	0.0		3152	46.8	-75.0	-0.3	25.3

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.5	0.0							
		INVSLE	Max	3660	-222.1	-41.4	0.2	14.0
2.8	0.0			3661	-44.6	56.2	0.2	12.6
0.1	0.0			3153	235.0	46.0	-0.2	50.0
-1.2	0.0			3152	35.1	-54.2	-0.2	51.0
3.9	0.0							
			Min	3660	-223.5	-43.5	0.2	-12.8
-1.1	0.0			3661	-46.6	51.8	0.2	-13.3
-3.9	0.0			3153	233.5	41.1	-0.2	19.7
-4.7	0.0			3152	33.2	-55.8	-0.2	20.0
0.4	0.0							
2779	2	8	C1-C2;~1	Max	3661	0.0	0.0	0.0
0.0	0.0				3662	0.0	0.0	0.0
0.0	0.0				3154	0.0	0.0	0.0
0.0	0.0				3153	0.0	0.0	0.0
0.0	0.0							
			Min	3661	0.0	0.0	0.0	0.0
0.0	0.0				3662	0.0	0.0	0.0
0.0	0.0				3154	0.0	0.0	0.0
0.0	0.0				3153	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	3661	0.0	0.0	0.0
0.0	0.0				3662	0.0	0.0	0.0
0.0	0.0				3154	0.0	0.0	0.0
0.0	0.0				3153	0.0	0.0	0.0
0.0	0.0							
			Min	3661	0.0	0.0	0.0	0.0
0.0	0.0				3662	0.0	0.0	0.0
0.0	0.0				3154	0.0	0.0	0.0
0.0	0.0				3153	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	3661	0.0	0.0	0.0
0.0	0.0				3662	0.0	0.0	0.0
0.0	0.0				3154	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		3153	0.0	0.0	0.0	0.0
		Min	3661	0.0	0.0	0.0	0.0
0.0	0.0		3662	0.0	0.0	0.0	0.0
0.0	0.0		3154	0.0	0.0	0.0	0.0
0.0	0.0		3153	0.0	0.0	0.0	0.0
		C3-C4; ~2	Max	3661	0.0	0.0	0.0
0.0	0.0		3662	0.0	0.0	0.0	0.0
0.0	0.0		3154	0.0	0.0	0.0	0.0
0.0	0.0		3153	0.0	0.0	0.0	0.0
			Min	3661	0.0	0.0	0.0
0.0	0.0		3662	0.0	0.0	0.0	0.0
0.0	0.0		3154	0.0	0.0	0.0	0.0
0.0	0.0		3153	0.0	0.0	0.0	0.0
		G1	3661	-103.4	-26.0	0.0	7.0
-0.4	0.0		3662	-63.3	39.1	0.0	6.2
0.3	0.0		3154	103.3	21.5	-0.0	0.1
0.2	0.0		3153	63.3	-34.4	-0.0	-0.4
-0.3	0.0						
		G2	3661	-41.1	-9.5	0.0	-5.1
0.8	0.0		3662	-24.9	16.0	0.0	-5.5
-0.9	-0.0		3154	41.1	8.0	-0.0	9.1
-0.9	0.0		3153	25.0	-14.4	-0.0	9.1
0.8	0.0						
		Q3	3661	0.0	0.0	0.0	0.0
0.0	0.0		3662	0.0	0.0	0.0	0.0
0.0	0.0		3154	0.0	0.0	0.0	0.0
0.0	0.0		3153	0.0	0.0	0.0	0.0
		Q5_pc	3661	-1.1	2.5	0.0	-12.3
1.5	-0.0		3662	-0.2	1.1	0.0	-12.3
-1.6	-0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-1.5	0.0			3154	1.0	-0.6	-0.0	14.4
1.6	0.0			3153	0.3	-2.9	-0.0	15.0
			Q5_ps	3661	-2.0	2.0	0.0	-17.2
2.0	-0.0			3662	-1.0	1.5	0.0	-17.1
-2.2	-0.0			3154	1.9	-0.4	-0.0	19.9
-2.1	0.0			3153	1.1	-3.1	-0.0	20.5
2.2	0.0							
			INVS LU Max	3661	-284.3	-32.6	0.3	18.6
6.3	0.0			3662	-107.5	99.2	0.3	16.4
-0.0	0.0			3154	287.7	47.8	-0.2	87.7
-1.4	0.0			3153	113.1	-103.7	-0.3	92.5
8.1	0.0							
			Min	3661	-290.3	-38.6	0.3	-33.0
0.2	0.0			3662	-110.6	94.7	0.2	-35.0
-6.7	0.0			3154	282.0	46.5	-0.3	27.9
-7.7	0.0			3153	109.9	-113.0	-0.3	30.9
1.5	0.0							
			INVS LE Max	3661	-214.1	-24.0	0.2	13.0
4.4	0.0			3662	-79.9	74.0	0.2	11.3
-0.2	0.0			3154	216.1	35.9	-0.2	62.0
-1.1	0.0			3153	83.8	-78.8	-0.2	65.5
5.6	0.0							
			Min	3661	-218.0	-28.0	0.2	-21.4
0.3	0.0			3662	-81.9	71.0	0.2	-23.0
-4.6	0.0			3154	212.3	35.0	-0.2	22.2
-5.4	0.0			3153	81.7	-84.9	-0.2	24.4
1.2	0.0							
2810	2	10	C1-C2; ~1 Max	3688	0.0	0.0	0.0	0.0
0.0		0.0		3689	0.0	0.0	0.0	0.0
0.0		0.0		3185	0.0	0.0	0.0	0.0
0.0		0.0		3184	0.0	0.0	0.0	0.0
0.0		0.0						
			Min	3688	0.0	0.0	0.0	0.0
0.0		0.0		3689	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0		3185	0.0	0.0	0.0	0.0
0.0	0.0		3184	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~1	Max	3688	0.0	0.0	0.0
0.0	0.0			3689	0.0	0.0	0.0
0.0	0.0			3185	0.0	0.0	0.0
0.0	0.0			3184	0.0	0.0	0.0
0.0	0.0						
			Min	3688	0.0	0.0	0.0
0.0	0.0			3689	0.0	0.0	0.0
0.0	0.0			3185	0.0	0.0	0.0
0.0	0.0			3184	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	3688	0.0	0.0	0.0
0.0	0.0			3689	0.0	0.0	0.0
0.0	0.0			3185	0.0	0.0	0.0
0.0	0.0			3184	0.0	0.0	0.0
0.0	0.0						
			Min	3688	0.0	0.0	0.0
0.0	0.0			3689	0.0	0.0	0.0
0.0	0.0			3185	0.0	0.0	0.0
0.0	0.0			3184	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	3688	0.0	0.0	0.0
0.0	0.0			3689	0.0	0.0	0.0
0.0	0.0			3185	0.0	0.0	0.0
0.0	0.0			3184	0.0	0.0	0.0
0.0	0.0						
			Min	3688	0.0	0.0	0.0
0.0	0.0			3689	0.0	0.0	0.0
0.0	0.0			3185	0.0	0.0	0.0
0.0	0.0			3184	0.0	0.0	0.0
0.0	0.0						
		G1		3688	-11.5	1.4	0.3
12.6	0.0						-107.2

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-15.1	0.0		3689	-20.9	13.8	0.3	-108.6
-16.3	0.0		3185	9.8	-1.9	-0.3	158.3
14.9	0.0		3184	22.6	-13.3	-0.3	157.5
		G2					
5.6	0.0		3688	-4.8	1.2	0.1	-47.5
-6.7	0.0		3689	-8.8	6.4	0.1	-48.1
-7.1	0.0		3185	4.1	-1.4	-0.1	68.5
6.5	0.0		3184	9.4	-6.2	-0.1	68.2
		Q3					
0.0	0.0		3688	0.0	0.0	0.0	0.0
0.0	0.0		3689	0.0	0.0	0.0	0.0
0.0	0.0		3185	0.0	0.0	0.0	0.0
0.0	0.0		3184	0.0	0.0	0.0	0.0
		Q5_pc					
-0.5	0.0		3688	2.0	0.3	-0.0	4.0
0.6	-0.0		3689	-2.0	0.3	-0.0	4.1
0.9	0.0		3185	-2.0	-0.3	0.0	-10.6
-0.9	0.0		3184	2.0	-0.2	0.0	-10.8
		Q5_ps					
-0.2	0.0		3688	1.5	0.2	-0.0	1.4
0.3	-0.0		3689	-2.4	0.6	-0.0	1.5
0.6	0.0		3185	-1.4	-0.3	0.0	-7.5
-0.5	0.0		3184	2.4	-0.5	0.0	-7.5
		INVSLU Max					
-14.0	0.0		3688	130.2	7.4	-1.4	74.8
15.5	-0.0		3689	-179.0	30.1	-1.3	73.7
25.4	0.0		3185	-131.3	-8.6	1.4	-301.8
-26.4	0.0		3184	191.7	-26.3	1.5	-318.7
		Min					
-15.0	0.0		3688	125.8	6.8	-1.5	67.6
14.4	-0.0		3689	-186.2	28.3	-1.4	66.4
23.7	0.0		3185	-135.6	-9.4	1.3	-324.2
-28.0	0.0		3184	184.5	-27.9	1.4	-341.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


-12.2	0.0	INVSLE	Max	3688	101.7	5.6	-1.1	67.9
13.5	-0.0			3689	-138.1	22.3	-1.0	67.3
21.2	0.0			3185	-103.0	-6.6	1.1	-250.3
-22.0	0.0			3184	147.1	-19.6	1.2	-263.3
-12.8	0.0		Min	3688	98.8	5.2	-1.2	63.1
12.7	-0.0			3689	-142.9	21.1	-1.1	62.4
20.0	0.0			3185	-105.9	-7.1	1.0	-265.2
-23.0	0.0			3184	142.3	-20.7	1.1	-278.4
2811	2	4 C1-C2;~1	Max	3689	0.0	0.0	0.0	0.0
0.0	0.0			3690	0.0	0.0	0.0	0.0
0.0	0.0			3186	0.0	0.0	0.0	0.0
0.0	0.0			3185	0.0	0.0	0.0	0.0
0.0	0.0		Min	3689	0.0	0.0	0.0	0.0
0.0	0.0			3690	0.0	0.0	0.0	0.0
0.0	0.0			3186	0.0	0.0	0.0	0.0
0.0	0.0			3185	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~1	Max	3689	0.0	0.0	0.0	0.0
0.0	0.0			3690	0.0	0.0	0.0	0.0
0.0	0.0			3186	0.0	0.0	0.0	0.0
0.0	0.0			3185	0.0	0.0	0.0	0.0
0.0	0.0		Min	3689	0.0	0.0	0.0	0.0
0.0	0.0			3690	0.0	0.0	0.0	0.0
0.0	0.0			3186	0.0	0.0	0.0	0.0
0.0	0.0			3185	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2	Max	3689	0.0	0.0	0.0	0.0
0.0	0.0			3690	0.0	0.0	0.0	0.0
0.0	0.0			3186	0.0	0.0	0.0	0.0
0.0	0.0			3185	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

		Min	3689	0.0	0.0	0.0	0.0
0.0	0.0		3690	0.0	0.0	0.0	0.0
0.0	0.0		3186	0.0	0.0	0.0	0.0
0.0	0.0		3185	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4; ~2	Max	3689	0.0	0.0	0.0
0.0	0.0		3690	0.0	0.0	0.0	0.0
0.0	0.0		3186	0.0	0.0	0.0	0.0
0.0	0.0		3185	0.0	0.0	0.0	0.0
0.0	0.0						
			Min	3689	0.0	0.0	0.0
0.0	0.0		3690	0.0	0.0	0.0	0.0
0.0	0.0		3186	0.0	0.0	0.0	0.0
0.0	0.0		3185	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	3689	-13.0	2.1	0.4	-152.0
16.8	0.0		3690	-23.4	14.9	0.3	-143.7
-16.9	-0.0		3186	11.1	-1.5	-0.3	212.1
-20.8	0.0		3185	25.3	-15.5	-0.4	224.7
22.7	0.0						
		G2	3689	-5.5	1.5	0.2	-67.5
7.4	0.0		3690	-9.8	6.9	0.1	-64.2
-7.6	-0.0		3186	4.8	-1.2	-0.1	92.7
-9.3	0.0		3185	10.6	-7.2	-0.2	97.6
9.9	0.0						
		Q3	3689	0.0	0.0	0.0	0.0
0.0	0.0		3690	0.0	0.0	0.0	0.0
0.0	0.0		3186	0.0	0.0	0.0	0.0
0.0	0.0		3185	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	3689	2.0	0.2	-0.1	5.4
-0.8	-0.0		3690	-2.2	0.2	-0.0	4.7
0.6	-0.0		3186	-2.0	-0.2	0.0	-12.8
1.0	-0.0						

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-1.3	-0.0			3185	2.2	-0.2	0.1	-14.3
		Q5_ps		3689	1.3	0.1	-0.0	1.7
-0.4	-0.0			3690	-2.7	0.6	-0.0	1.0
0.1	-0.0			3186	-1.4	-0.1	0.0	-8.2
0.4	0.0			3185	2.7	-0.6	0.0	-9.6
-0.8	0.0							
		INVS LU	Max	3689	133.5	4.1	-1.8	97.1
-18.2	-0.0			3690	-192.4	29.7	-1.5	90.8
17.9	-0.0			3186	-140.0	-4.8	1.6	-376.9
30.7	0.0			3185	210.9	-26.8	2.0	-402.5
-33.6	0.0							
			Min	3689	129.5	3.8	-2.0	87.4
-19.7	-0.0			3690	-200.3	28.0	-1.6	82.4
16.8	-0.0			3186	-144.1	-5.1	1.5	-401.4
29.0	0.0			3185	202.8	-28.7	1.8	-431.3
-36.1	0.0							
		INVS LE	Max	3689	104.5	3.0	-1.5	89.6
-15.9	-0.0			3690	-148.5	21.9	-1.2	84.1
15.5	-0.0			3186	-109.8	-3.5	1.3	-314.4
25.8	0.0			3185	161.9	-19.9	1.6	-335.4
-28.4	0.0							
			Min	3689	101.8	2.8	-1.6	83.1
-16.8	-0.0			3690	-153.8	20.8	-1.3	78.5
14.8	-0.0			3186	-112.6	-3.7	1.2	-330.7
24.6	0.0			3185	156.5	-21.1	1.5	-354.6
-30.1	0.0							
2834	2	8 C1-C2;~1	Max	3709	0.0	0.0	0.0	0.0
0.0	0.0			3710	0.0	0.0	0.0	0.0
0.0	0.0			3206	0.0	0.0	0.0	0.0
0.0	0.0			3205	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	3709	0.0	0.0	0.0	0.0
0.0	0.0			3710	0.0	0.0	0.0	0.0
0.0	0.0			3206	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0			3205	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	C3-C4;~1	Max	3709	0.0	0.0	0.0	0.0
0.0	0.0			3710	0.0	0.0	0.0	0.0
0.0	0.0			3206	0.0	0.0	0.0	0.0
0.0	0.0			3205	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	3709	0.0	0.0	0.0	0.0
0.0	0.0			3710	0.0	0.0	0.0	0.0
0.0	0.0			3206	0.0	0.0	0.0	0.0
0.0	0.0			3205	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	C1-C2;~2	Max	3709	0.0	0.0	0.0	0.0
0.0	0.0			3710	0.0	0.0	0.0	0.0
0.0	0.0			3206	0.0	0.0	0.0	0.0
0.0	0.0			3205	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	3709	0.0	0.0	0.0	0.0
0.0	0.0			3710	0.0	0.0	0.0	0.0
0.0	0.0			3206	0.0	0.0	0.0	0.0
0.0	0.0			3205	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	C3-C4;~2	Max	3709	0.0	0.0	0.0	0.0
0.0	0.0			3710	0.0	0.0	0.0	0.0
0.0	0.0			3206	0.0	0.0	0.0	0.0
0.0	0.0			3205	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	3709	0.0	0.0	0.0	0.0
0.0	0.0			3710	0.0	0.0	0.0	0.0
0.0	0.0			3206	0.0	0.0	0.0	0.0
0.0	0.0			3205	0.0	0.0	0.0	0.0
0.0	0.0							
-0.2	-0.0	G1		3709	59.5	37.8	0.0	5.5
0.4	-0.0			3710	98.0	-21.5	0.0	6.3

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.3	-0.0			3206	-59.6	-35.2	-0.0	0.2
-0.1	-0.0			3205	-98.0	19.0	-0.0	1.0
			G2	3709	24.2	15.7	0.0	-6.7
1.1	0.0			3710	39.4	-8.1	0.0	-6.4
-0.9	-0.0			3206	-24.2	-14.8	-0.0	10.4
-1.0	-0.0			3205	-39.3	7.2	-0.0	10.5
1.1	-0.0							
			Q3	3709	0.0	0.0	0.0	0.0
0.0	0.0			3710	0.0	0.0	0.0	0.0
0.0	0.0			3206	0.0	0.0	0.0	0.0
0.0	0.0			3205	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	3709	0.4	1.0	0.0	-10.3
1.4	0.0			3710	0.1	2.5	0.0	-10.3
-1.2	0.0			3206	-0.5	-2.7	-0.0	11.3
-1.2	-0.0			3205	-0.1	-0.8	-0.0	10.9
1.2	-0.0							
			Q5_ps	3709	1.2	1.4	0.0	-15.3
2.0	0.0			3710	1.1	2.0	0.0	-15.3
-1.8	0.0			3206	-1.3	-2.8	-0.0	17.1
-1.9	-0.0			3205	-1.1	-0.6	-0.0	16.7
1.8	-0.0							
			INVSLE Max	3709	108.4	97.6	0.3	5.5
7.3	-0.0			3710	284.7	-30.1	0.4	6.5
-2.0	-0.0			3206	-107.0	-102.9	-0.3	100.6
-3.4	-0.0			3205	-279.1	45.9	-0.2	93.6
8.1	-0.0							
			Min	3709	104.7	93.3	0.2	-40.5
1.3	-0.0			3710	281.4	-36.1	0.3	-39.4
-7.4	-0.0			3206	-110.8	-111.4	-0.4	49.3
-9.0	-0.0			3205	-282.2	44.1	-0.3	43.5
2.6	-0.0							
			INVSLE Max	3709	80.5	72.8	0.2	3.4

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

5.1	-0.0				3710	214.1	-22.2	0.3	4.2
-1.6	-0.0				3206	-79.8	-78.1	-0.3	71.9
-2.7	-0.0				3205	-210.2	34.5	-0.2	66.8
5.7	-0.0								
			Min		3709	78.0	70.0	0.2	-27.3
1.1	-0.0				3710	212.0	-26.3	0.3	-26.4
-5.2	-0.0				3206	-82.3	-83.8	-0.3	37.7
-6.4	-0.0				3205	-212.3	33.3	-0.2	33.4
2.1	-0.0								
2835	2	4	C1-C2;~1	Max	3710	0.0	0.0	0.0	0.0
0.0		0.0			3711	0.0	0.0	0.0	0.0
0.0		0.0			3207	0.0	0.0	0.0	0.0
0.0		0.0			3206	0.0	0.0	0.0	0.0
0.0		0.0							
			Min		3710	0.0	0.0	0.0	0.0
0.0		0.0			3711	0.0	0.0	0.0	0.0
0.0		0.0			3207	0.0	0.0	0.0	0.0
0.0		0.0			3206	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	3710	0.0	0.0	0.0	0.0
0.0		0.0			3711	0.0	0.0	0.0	0.0
0.0		0.0			3207	0.0	0.0	0.0	0.0
0.0		0.0			3206	0.0	0.0	0.0	0.0
0.0		0.0							
			Min		3710	0.0	0.0	0.0	0.0
0.0		0.0			3711	0.0	0.0	0.0	0.0
0.0		0.0			3207	0.0	0.0	0.0	0.0
0.0		0.0			3206	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	3710	0.0	0.0	0.0	0.0
0.0		0.0			3711	0.0	0.0	0.0	0.0
0.0		0.0			3207	0.0	0.0	0.0	0.0
0.0		0.0			3206	0.0	0.0	0.0	0.0
0.0		0.0							
			Min		3710	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0			3711	0.0	0.0	0.0	0.0
0.0	0.0			3207	0.0	0.0	0.0	0.0
0.0	0.0			3206	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	3710	0.0	0.0	0.0	0.0
0.0	0.0			3711	0.0	0.0	0.0	0.0
0.0	0.0			3207	0.0	0.0	0.0	0.0
0.0	0.0			3206	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	3710	0.0	0.0	0.0	0.0
0.0	0.0			3711	0.0	0.0	0.0	0.0
0.0	0.0			3207	0.0	0.0	0.0	0.0
0.0	0.0			3206	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		3710	54.6	29.2	0.0	5.7
-0.4	-0.0			3711	102.7	-23.0	0.0	5.8
0.4	-0.0			3207	-50.8	-33.6	-0.0	0.3
0.2	-0.0			3206	-106.4	27.5	-0.0	0.0
-0.2	-0.0							
		G2		3710	22.2	12.4	0.0	-4.3
0.8	-0.0			3711	41.2	-8.7	0.0	-4.4
-0.8	-0.0			3207	-20.7	-14.2	-0.0	7.7
-0.7	-0.0			3206	-42.7	10.4	-0.0	7.5
0.8	-0.0							
		Q3		3710	0.0	0.0	0.0	0.0
0.0	0.0			3711	0.0	0.0	0.0	0.0
0.0	0.0			3207	0.0	0.0	0.0	0.0
0.0	0.0			3206	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		3710	-1.0	2.0	0.0	-7.9
1.2	0.0			3711	-2.2	1.5	0.0	-8.3
-1.3	-0.0			3207	0.9	-0.4	-0.0	8.8
-1.0	-0.0			3206	2.3	-3.1	-0.0	8.5
1.0	-0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


		Q5_ps		3710	-0.1	2.2	0.0	-11.6
1.8	0.0			3711	-1.0	1.2	0.0	-12.0
-1.8	-0.0			3207	-0.0	-0.8	-0.0	13.0
-1.5	-0.0			3206	1.1	-2.6	-0.0	12.7
1.5	-0.0							
		INVS LU	Max	3710	61.4	73.9	0.2	8.5
6.7	-0.0			3711	294.6	-52.9	0.3	10.6
0.5	-0.0			3207	-44.8	-71.3	-0.3	76.8
-1.5	-0.0			3206	-305.4	60.6	-0.2	76.7
7.5	-0.0							
			Min	3710	59.7	67.3	0.2	-26.2
1.4	-0.0			3711	290.6	-56.5	0.3	-25.4
-4.9	-0.0			3207	-46.4	-73.6	-0.3	37.8
-6.0	-0.0			3206	-309.6	52.8	-0.2	38.7
3.0	-0.0							
		INVS LE	Max	3710	44.4	55.3	0.2	5.9
4.7	-0.0			3711	221.1	-39.6	0.2	7.3
0.2	-0.0			3207	-31.9	-53.3	-0.2	55.1
-1.2	-0.0			3206	-229.6	44.4	-0.2	55.0
5.3	-0.0							
			Min	3710	43.2	50.9	0.2	-17.3
1.1	-0.0			3711	218.4	-42.0	0.2	-16.7
-3.3	-0.0			3207	-33.0	-54.9	-0.2	29.2
-4.2	-0.0			3206	-232.4	39.3	-0.2	29.7
2.3	-0.0							
2839	2	4 C1-C2;~1	Max	3715	0.0	0.0	0.0	0.0
0.0	0.0			3714	0.0	0.0	0.0	0.0
0.0	0.0			3213	0.0	0.0	0.0	0.0
0.0	0.0			3212	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	3715	0.0	0.0	0.0	0.0
0.0	0.0			3714	0.0	0.0	0.0	0.0
0.0	0.0			3213	0.0	0.0	0.0	0.0
0.0	0.0			3212	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0						
0.0	0.0	C3-C4;~1	Max	3715	0.0	0.0	0.0
0.0	0.0			3714	0.0	0.0	0.0
0.0	0.0			3213	0.0	0.0	0.0
0.0	0.0			3212	0.0	0.0	0.0
0.0	0.0		Min	3715	0.0	0.0	0.0
0.0	0.0			3714	0.0	0.0	0.0
0.0	0.0			3213	0.0	0.0	0.0
0.0	0.0			3212	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	3715	0.0	0.0	0.0
0.0	0.0			3714	0.0	0.0	0.0
0.0	0.0			3213	0.0	0.0	0.0
0.0	0.0			3212	0.0	0.0	0.0
0.0	0.0		Min	3715	0.0	0.0	0.0
0.0	0.0			3714	0.0	0.0	0.0
0.0	0.0			3213	0.0	0.0	0.0
0.0	0.0			3212	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	3715	0.0	0.0	0.0
0.0	0.0			3714	0.0	0.0	0.0
0.0	0.0			3213	0.0	0.0	0.0
0.0	0.0			3212	0.0	0.0	0.0
0.0	0.0		Min	3715	0.0	0.0	0.0
0.0	0.0			3714	0.0	0.0	0.0
0.0	0.0			3213	0.0	0.0	0.0
0.0	0.0			3212	0.0	0.0	0.0
0.0	0.0						
0.1	0.0	G1		3715	-25.1	-1.4	0.0
0.0	0.0			3714	-35.6	20.0	-0.0
-0.0	0.0			3213	23.6	2.0	0.5

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.1	0.0		3212	37.1	-20.5	-0.0	0.8
		G2	3715	-10.0	0.0	-0.0	3.8
-0.4	0.0		3714	-14.3	8.6	-0.0	4.1
0.6	0.0		3213	9.5	0.2	0.0	-4.5
0.5	0.0		3212	14.8	-8.8	0.0	-4.3
-0.4	0.0						
		Q3	3715	0.0	0.0	0.0	0.0
0.0	0.0		3714	0.0	0.0	0.0	0.0
0.0	0.0		3213	0.0	0.0	0.0	0.0
0.0	0.0		3212	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	3715	-1.1	-0.1	-0.0	1.8
-0.2	0.0		3714	2.5	-0.6	-0.0	1.9
0.2	0.0		3213	1.1	0.1	0.0	-2.1
0.2	-0.0		3212	-2.6	0.6	0.0	-2.1
-0.2	-0.0						
		Q5_ps	3715	-1.0	-0.2	-0.0	2.8
-0.3	0.0		3714	2.6	-0.8	-0.0	3.0
0.4	0.0		3213	1.0	0.3	0.0	-3.3
0.4	-0.0		3212	-2.6	0.8	0.0	-3.2
-0.3	-0.0						
		INVS LU Max	3715	64.3	-5.9	0.0	-5.0
0.9	0.0		3714	-170.9	39.3	0.0	-2.9
0.6	0.0		3213	-65.5	3.0	-0.0	15.2
-0.1	0.0		3212	183.0	-33.0	-0.0	14.1
1.4	0.0						
		Min	3715	61.3	-6.6	0.0	-13.5
0.1	0.0		3714	-178.7	36.8	0.0	-11.9
-0.6	0.0		3213	-68.6	2.2	-0.0	5.3
-1.2	0.0		3212	175.2	-35.4	-0.0	4.5
0.5	0.0						
		INVS LE Max	3715	51.6	-4.7	0.0	-5.2
0.7	0.0		3714	-132.4	29.4	0.0	-3.5

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	


0.3	0.0			3213	-52.9	2.3	-0.0	12.2
-0.2	0.0			3212	140.9	-24.7	-0.0	11.3
1.1	0.0							
			Min	3715	49.6	-5.2	0.0	-10.8
0.2	0.0			3714	-137.6	27.7	0.0	-9.5
-0.4	0.0			3213	-54.9	1.8	-0.0	5.6
-1.0	0.0			3212	135.6	-26.3	-0.0	4.9
0.5	0.0							
2840	2	4	C1-C2;~1	Max	3717	0.0	0.0	0.0
0.0	0.0				3716	0.0	0.0	0.0
0.0	0.0				3215	0.0	0.0	0.0
0.0	0.0				3214	0.0	0.0	0.0
0.0	0.0							
			Min	3717	0.0	0.0	0.0	0.0
0.0	0.0				3716	0.0	0.0	0.0
0.0	0.0				3215	0.0	0.0	0.0
0.0	0.0				3214	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	3717	0.0	0.0	0.0
0.0	0.0				3716	0.0	0.0	0.0
0.0	0.0				3215	0.0	0.0	0.0
0.0	0.0				3214	0.0	0.0	0.0
0.0	0.0							
			Min	3717	0.0	0.0	0.0	0.0
0.0	0.0				3716	0.0	0.0	0.0
0.0	0.0				3215	0.0	0.0	0.0
0.0	0.0				3214	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	3717	0.0	0.0	0.0
0.0	0.0				3716	0.0	0.0	0.0
0.0	0.0				3215	0.0	0.0	0.0
0.0	0.0				3214	0.0	0.0	0.0
0.0	0.0							
			Min	3717	0.0	0.0	0.0	0.0
0.0	0.0				3716	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0		3215	0.0	0.0	0.0	0.0
0.0	0.0		3214	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4 ; ~2	Max	3717	0.0	0.0	0.0
0.0	0.0			3716	0.0	0.0	0.0
0.0	0.0			3215	0.0	0.0	0.0
0.0	0.0			3214	0.0	0.0	0.0
0.0	0.0						
			Min	3717	0.0	0.0	0.0
0.0	0.0			3716	0.0	0.0	0.0
0.0	0.0			3215	0.0	0.0	0.0
0.0	0.0			3214	0.0	0.0	0.0
0.0	0.0						
			G1	3717	-25.4	-1.6	-0.0
-0.2	0.0			3716	-36.6	20.3	-0.0
0.3	0.0			3215	23.9	2.2	0.0
0.4	0.0			3214	38.0	-20.8	0.0
-0.3	0.0						-3.0
			G2	3717	-10.1	0.0	0.0
0.3	-0.0			3716	-14.7	8.7	0.0
-0.5	-0.0			3215	9.5	0.2	-0.0
-0.5	0.0			3214	15.2	-9.0	-0.0
0.4	0.0						3.7
			Q3	3717	0.0	0.0	0.0
0.0	0.0			3716	0.0	0.0	0.0
0.0	0.0			3215	0.0	0.0	0.0
0.0	0.0			3214	0.0	0.0	0.0
0.0	0.0						0.0
			Q5_pc	3717	1.6	0.1	0.0
0.7	-0.0			3716	-2.3	0.4	0.0
-1.0	-0.0			3215	-1.6	-0.1	-0.0
-1.0	0.0			3214	2.3	-0.4	-0.0
0.8	0.0						8.2

PROJECT TITLE :

			Company	Client			
			Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
		Q5_ps					
1.0	-0.0		3717	1.5	0.2	0.0	-10.4
			3716	-2.4	0.6	0.0	-10.8
-1.4	-0.0		3215	-1.5	-0.2	-0.0	12.0
-1.4	0.0		3214	2.4	-0.6	-0.0	11.7
1.2	0.0						
		INVS LU Max					
1.3	0.0		3717	69.3	-4.8	0.0	22.2
			3716	-170.0	38.1	0.0	20.4
1.7	0.0		3215	-69.1	1.8	0.0	11.9
2.4	0.0		3214	181.7	-32.5	0.0	11.5
1.0	0.0						
		Min					
-1.9	-0.0		3717	64.7	-5.6	-0.0	-8.9
			3716	-177.4	36.4	-0.0	-12.1
-2.6	-0.0		3215	-73.6	1.2	-0.0	-24.0
-1.9	0.0		3214	174.4	-34.2	0.0	-23.7
-2.5	0.0						
		INVS LE Max					
0.8	0.0		3717	55.4	-3.9	0.0	16.1
			3716	-131.6	28.4	0.0	14.5
1.1	0.0		3215	-55.7	1.5	0.0	6.7
1.7	0.0		3214	139.7	-24.3	0.0	6.4
0.5	0.0						
		Min					
-1.3	-0.0		3717	52.4	-4.4	-0.0	-4.6
			3716	-136.5	27.3	-0.0	-7.1
-1.8	-0.0		3215	-58.7	1.0	-0.0	-17.3
-1.2	0.0		3214	134.9	-25.4	0.0	-17.0
-1.8	0.0						
2843	2	10 C1-C2;~1	Max				
0.0	0.0		3719	0.0	0.0	0.0	0.0
			3715	0.0	0.0	0.0	0.0
0.0	0.0		3212	0.0	0.0	0.0	0.0
0.0	0.0		3225	0.0	0.0	0.0	0.0
0.0	0.0						
		Min					
0.0	0.0		3719	0.0	0.0	0.0	0.0
			3715	0.0	0.0	0.0	0.0
0.0	0.0		3212	0.0	0.0	0.0	0.0
0.0	0.0		3225	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


0.0	0.0	C3-C4; ~1	Max	3719	0.0	0.0	0.0	0.0
0.0	0.0			3715	0.0	0.0	0.0	0.0
0.0	0.0			3212	0.0	0.0	0.0	0.0
0.0	0.0			3225	0.0	0.0	0.0	0.0
0.0	0.0		Min	3719	0.0	0.0	0.0	0.0
0.0	0.0			3715	0.0	0.0	0.0	0.0
0.0	0.0			3212	0.0	0.0	0.0	0.0
0.0	0.0			3225	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2; ~2	Max	3719	0.0	0.0	0.0	0.0
0.0	0.0			3715	0.0	0.0	0.0	0.0
0.0	0.0			3212	0.0	0.0	0.0	0.0
0.0	0.0			3225	0.0	0.0	0.0	0.0
0.0	0.0		Min	3719	0.0	0.0	0.0	0.0
0.0	0.0			3715	0.0	0.0	0.0	0.0
0.0	0.0			3212	0.0	0.0	0.0	0.0
0.0	0.0			3225	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4; ~2	Max	3719	0.0	0.0	0.0	0.0
0.0	0.0			3715	0.0	0.0	0.0	0.0
0.0	0.0			3212	0.0	0.0	0.0	0.0
0.0	0.0			3225	0.0	0.0	0.0	0.0
0.0	0.0		Min	3719	0.0	0.0	0.0	0.0
0.0	0.0			3715	0.0	0.0	0.0	0.0
0.0	0.0			3212	0.0	0.0	0.0	0.0
0.0	0.0			3225	0.0	0.0	0.0	0.0
0.1	0.0	G1		3719	-21.8	-2.2	0.0	-0.8
-0.1	0.0			3715	-32.4	18.4	0.0	-0.7
-0.1	0.0			3212	20.2	1.2	-0.0	0.9
0.1	0.0			3225	33.9	-17.4	-0.0	1.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

-0.3	0.0	G2	3719	-8.6	-0.3	-0.0	2.6
0.4	0.0		3715	-13.0	7.9	-0.0	2.5
0.3	0.0		3212	8.1	-0.1	0.0	-2.7
-0.3	0.0		3225	13.5	-7.5	0.0	-2.6
0.0	0.0	Q3	3719	0.0	0.0	0.0	0.0
0.0	0.0		3715	0.0	0.0	0.0	0.0
0.0	0.0		3212	0.0	0.0	0.0	0.0
0.0	0.0		3225	0.0	0.0	0.0	0.0
-0.1	0.0	Q5_pc	3719	-1.2	-0.1	-0.0	1.3
0.2	0.0		3715	2.5	-0.6	-0.0	1.2
0.1	-0.0		3212	1.3	0.2	0.0	-1.3
-0.1	-0.0		3225	-2.5	0.6	0.0	-1.3
-0.2	0.0	Q5_ps	3719	-1.1	-0.2	-0.0	2.0
0.3	0.0		3715	2.5	-0.8	-0.0	1.9
0.2	-0.0		3212	1.2	0.3	0.0	-2.1
-0.2	-0.0		3225	-2.6	0.7	0.0	-2.0
0.3	0.0	INVSLE Max	3719	75.3	-1.5	0.0	-1.5
-0.0	0.0		3715	-174.8	43.0	-0.0	-3.2
-0.1	0.0		3212	-78.1	-3.2	0.0	8.6
0.6	0.0		3225	188.7	-35.0	-0.0	8.8
-0.5	0.0	Min	3719	71.9	-2.2	0.0	-7.5
-0.8	0.0		3715	-182.4	40.6	-0.0	-8.9
-0.7	0.0		3212	-81.6	-4.2	-0.0	2.4
0.0	0.0		3225	181.1	-37.2	-0.0	2.6
0.2	0.0	INVSLE Max	3719	59.9	-1.4	0.0	-2.0
-0.1	0.0		3715	-135.4	32.2	-0.0	-3.3
			3212	-62.3	-2.4	0.0	6.8

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-0.1	0.0			3225	145.3	-26.2	-0.0	7.0
0.5	0.0							
			Min	3719	57.6	-1.9	0.0	-5.9
-0.3	0.0			3715	-140.5	30.6	-0.0	-7.1
-0.6	0.0			3212	-64.7	-3.0	-0.0	2.7
-0.6	0.0			3225	140.2	-27.7	-0.0	2.9
0.1	0.0							
2846	2	10	C1-C2;~1	Max	3721	0.0	0.0	0.0
0.0	0.0				3717	0.0	0.0	0.0
0.0	0.0				3214	0.0	0.0	0.0
0.0	0.0				3227	0.0	0.0	0.0
0.0	0.0							
			Min	3721	0.0	0.0	0.0	0.0
0.0	0.0				3717	0.0	0.0	0.0
0.0	0.0				3214	0.0	0.0	0.0
0.0	0.0				3227	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	3721	0.0	0.0	0.0
0.0	0.0				3717	0.0	0.0	0.0
0.0	0.0				3214	0.0	0.0	0.0
0.0	0.0				3227	0.0	0.0	0.0
0.0	0.0							
			Min	3721	0.0	0.0	0.0	0.0
0.0	0.0				3717	0.0	0.0	0.0
0.0	0.0				3214	0.0	0.0	0.0
0.0	0.0				3227	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	3721	0.0	0.0	0.0
0.0	0.0				3717	0.0	0.0	0.0
0.0	0.0				3214	0.0	0.0	0.0
0.0	0.0				3227	0.0	0.0	0.0
0.0	0.0							
			Min	3721	0.0	0.0	0.0	0.0
0.0	0.0				3717	0.0	0.0	0.0
0.0	0.0				3214	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		3227	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4; ~2	Max	3721	0.0	0.0	0.0
0.0	0.0			3717	0.0	0.0	0.0
0.0	0.0			3214	0.0	0.0	0.0
0.0	0.0			3227	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	3721	0.0	0.0	0.0
0.0	0.0			3717	0.0	0.0	0.0
0.0	0.0			3214	0.0	0.0	0.0
0.0	0.0			3227	0.0	0.0	0.0
0.0	0.0						
-0.2	0.0		G1	3721	-22.0	-2.4	-0.0
0.2	0.0			3717	-33.3	18.7	-0.0
0.2	0.0			3214	20.5	1.4	0.0
-0.2	0.0			3227	34.8	-17.6	0.0
0.3	-0.0		G2	3721	-8.7	-0.3	0.0
-0.3	-0.0			3717	-13.3	8.1	0.0
-0.3	0.0			3214	8.1	-0.1	-0.0
0.3	0.0			3227	13.9	-7.7	-0.0
0.0	0.0		Q3	3721	0.0	0.0	0.0
0.0	0.0			3717	0.0	0.0	0.0
0.0	0.0			3214	0.0	0.0	0.0
0.0	0.0			3227	0.0	0.0	0.0
0.7	-0.0		Q5_pc	3721	1.7	0.1	0.0
-0.7	-0.0			3717	-2.3	0.5	0.0
-0.6	0.0			3214	-1.7	-0.2	-0.0
0.6	0.0			3227	2.3	-0.4	-0.0
0.9	-0.0		Q5_ps	3721	1.7	0.3	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


-1.0	-0.0			3717	-2.4	0.6	0.0	-7.1
				3214	-1.7	-0.4	-0.0	7.7
-0.9	0.0			3227	2.3	-0.5	-0.0	7.7
0.8	0.0							
		INVS LU	Max	3721	80.1	-0.4	0.0	14.6
1.6	0.0			3717	-174.1	42.0	0.0	15.6
1.8	0.0			3214	-81.5	-4.2	0.0	7.3
1.7	0.0			3227	187.5	-34.6	0.0	6.8
1.0	0.0							
			Min	3721	75.1	-1.2	-0.0	-7.3
-1.2	-0.0			3717	-181.1	40.1	-0.0	-5.8
-1.3	-0.0			3214	-86.5	-5.4	-0.0	-16.0
-1.0	0.0			3227	180.5	-36.1	-0.0	-16.4
-1.5	0.0							
		INVS LE	Max	3721	63.5	-0.5	-0.0	10.5
1.1	0.0			3717	-134.7	31.4	0.0	11.4
1.2	0.0			3214	-65.0	-3.2	0.0	4.0
1.2	0.0			3227	144.2	-25.9	0.0	3.6
0.6	0.0							
			Min	3721	60.1	-1.1	-0.0	-4.1
-0.8	0.0			3717	-139.4	30.2	-0.0	-2.9
-0.8	-0.0			3214	-68.3	-3.9	-0.0	-11.5
-0.6	0.0			3227	139.5	-26.9	-0.0	-11.8
-1.1	0.0							
7678	2	4	C1-C2;~1	Max	10412	0.0	0.0	0.0
0.0	0.0				10413	0.0	0.0	0.0
0.0	0.0				10415	0.0	0.0	0.0
0.0	0.0				10414	0.0	0.0	0.0
0.0	0.0							
			Min	10412	0.0	0.0	0.0	0.0
0.0	0.0				10413	0.0	0.0	0.0
0.0	0.0				10415	0.0	0.0	0.0
0.0	0.0				10414	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	10412	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	0.0			10413	0.0	0.0	0.0	0.0
0.0	0.0			10415	0.0	0.0	0.0	0.0
0.0	0.0			10414	0.0	0.0	0.0	0.0
0.0	0.0			10412	0.0	0.0	0.0	0.0
0.0	0.0			10413	0.0	0.0	0.0	0.0
0.0	0.0			10415	0.0	0.0	0.0	0.0
0.0	0.0			10414	0.0	0.0	0.0	0.0
0.0	0.0			10412	0.0	0.0	0.0	0.0
0.0	0.0			10413	0.0	0.0	0.0	0.0
0.0	0.0			10415	0.0	0.0	0.0	0.0
0.0	0.0			10414	0.0	0.0	0.0	0.0
0.0	0.0			10412	0.0	0.0	0.0	0.0
0.0	0.0			10413	0.0	0.0	0.0	0.0
0.0	0.0			10415	0.0	0.0	0.0	0.0
0.0	0.0			10414	0.0	0.0	0.0	0.0
0.0	0.0			10412	0.0	0.0	0.0	0.0
0.0	0.0			10413	0.0	0.0	0.0	0.0
0.0	0.0			10415	0.0	0.0	0.0	0.0
0.0	0.0			10414	0.0	0.0	0.0	0.0
0.0	0.0			10412	0.0	0.0	0.0	0.0
0.0	0.0			10413	0.0	0.0	0.0	0.0
0.0	0.0			10415	0.0	0.0	0.0	0.0
0.0	0.0			10414	0.0	0.0	0.0	0.0
0.0	0.0			10412	0.0	0.0	0.0	0.0
0.0	0.0			10413	0.0	0.0	0.0	0.0
0.0	0.0			10415	0.0	0.0	0.0	0.0
0.0	0.0			10414	0.0	0.0	0.0	0.0
0.0	0.0			10412	0.0	0.0	0.0	0.0
0.0	0.0			10413	0.0	0.0	0.0	0.0
0.0	0.0			10415	0.0	0.0	0.0	0.0
0.0	0.0			10414	0.0	0.0	0.0	0.0
0.0	0.0			10412	0.0	0.0	0.0	0.0
0.0	0.0			10413	0.0	0.0	0.0	0.0
0.0	0.0			10415	0.0	0.0	0.0	0.0
0.0	0.0			10414	0.0	0.0	0.0	0.0
0.9	-0.0		G1	10412	31.9	106.6	-0.0	1.2
1.6	0.0			10413	68.5	-0.2	0.0	1.7
1.5	0.0			10415	-39.1	-99.8	0.0	-0.5
0.3	-0.0			10414	-61.3	-6.3	-0.0	-0.1

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
		G2	10412	12.9	41.6	0.0	0.4
1.4	-0.0		10413	27.0	-0.6	0.0	0.5
0.3	0.0		10415	-15.6	-39.2	0.0	0.2
0.2	0.0		10414	-24.3	-1.8	-0.0	0.7
1.7	-0.0						
		Q3	10412	0.0	0.0	0.0	0.0
0.0	0.0		10413	0.0	0.0	0.0	0.0
0.0	0.0		10415	0.0	0.0	0.0	0.0
0.0	0.0		10414	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	10412	-0.3	15.0	0.0	3.2
-1.5	0.0		10413	0.2	13.1	0.0	1.7
-0.1	0.0		10415	-0.0	-13.1	-0.0	-0.1
0.3	0.0		10414	0.1	-15.1	-0.0	0.4
-0.6	0.0						
		Q5_ps	10412	-0.9	11.6	0.0	3.5
-1.6	0.0		10413	-0.8	11.6	-0.0	1.8
-0.2	0.0		10415	0.8	-9.9	-0.0	-0.0
0.2	0.0		10414	0.9	-13.3	-0.0	0.6
-0.4	0.0						
		INVSLE Max	10412	87.1	194.0	0.0	5.8
6.6	-0.0		10413	142.7	-33.9	0.0	3.6
0.5	0.0		10415	-100.9	-160.1	0.0	4.4
-0.6	0.0		10414	-123.9	70.2	-0.0	6.9
6.4	-0.0						
		Min	10412	84.5	159.1	-0.0	-4.6
1.8	-0.0		10413	140.3	-68.7	0.0	-1.7
-0.0	0.0		10415	-103.4	-189.8	-0.0	4.2
-1.1	0.0		10414	-126.5	30.2	-0.0	5.0
5.1	-0.0						
		INVSLE Max	10412	65.7	140.7	0.0	3.8
4.7	-0.0		10413	106.8	-29.7	0.0	2.4
0.3	0.0		10415	-76.3	-118.9	0.0	3.6
-0.6	0.0		10414	-92.8	54.7	-0.0	5.4

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


4.8	-0.0							
		Min	10412	64.0	117.4	-0.0	-3.2	
1.5	-0.0		10413	105.1	-52.9	0.0	-1.2	
-0.1	0.0		10415	-78.0	-138.7	-0.0	3.5	
-0.9	0.0		10414	-94.5	28.1	-0.0	4.2	
3.9	-0.0							
7679	2	4 C1-C2;~1	Max	10414	0.0	0.0	0.0	0.0
0.0	0.0			10415	0.0	0.0	0.0	0.0
0.0	0.0			10417	0.0	0.0	0.0	0.0
0.0	0.0			10416	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	Min	10414	0.0	0.0	0.0	0.0	0.0
0.0	0.0			10415	0.0	0.0	0.0	0.0
0.0	0.0			10417	0.0	0.0	0.0	0.0
0.0	0.0			10416	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	C3-C4;~1	Max	10414	0.0	0.0	0.0	0.0
0.0	0.0			10415	0.0	0.0	0.0	0.0
0.0	0.0			10417	0.0	0.0	0.0	0.0
0.0	0.0			10416	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	Min	10414	0.0	0.0	0.0	0.0	0.0
0.0	0.0			10415	0.0	0.0	0.0	0.0
0.0	0.0			10417	0.0	0.0	0.0	0.0
0.0	0.0			10416	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	C1-C2;~2	Max	10414	0.0	0.0	0.0	0.0
0.0	0.0			10415	0.0	0.0	0.0	0.0
0.0	0.0			10417	0.0	0.0	0.0	0.0
0.0	0.0			10416	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	Min	10414	0.0	0.0	0.0	0.0	0.0
0.0	0.0			10415	0.0	0.0	0.0	0.0
0.0	0.0			10417	0.0	0.0	0.0	0.0
0.0	0.0			10416	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0							
		C3-C4;~2	Max	10414	0.0	0.0	0.0	0.0
0.0	0.0			10415	0.0	0.0	0.0	0.0
0.0	0.0			10417	0.0	0.0	0.0	0.0
0.0	0.0			10416	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	10414	0.0	0.0	0.0	0.0
0.0	0.0			10415	0.0	0.0	0.0	0.0
0.0	0.0			10417	0.0	0.0	0.0	0.0
0.0	0.0			10416	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	10414	44.1	86.6	-0.0	0.0
-0.6	-0.0			10415	56.9	-17.0	0.0	0.5
1.1	0.0			10417	-47.2	-83.6	-0.0	-0.9
1.2	0.0			10416	-53.8	14.3	0.0	-1.3
-1.3	-0.0							
			G2	10414	17.8	34.6	-0.0	-0.7
2.2	-0.0			10415	22.9	-6.8	0.0	-0.2
0.4	0.0			10417	-18.9	-33.7	0.0	-0.2
0.6	0.0			10416	-21.8	5.9	-0.0	-0.5
2.5	-0.0							
			Q3	10414	0.0	0.0	0.0	0.0
0.0	0.0			10415	0.0	0.0	0.0	0.0
0.0	0.0			10417	0.0	0.0	0.0	0.0
0.0	0.0			10416	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	10414	-3.7	5.6	-0.0	-0.4
-0.3	0.0			10415	-2.8	11.5	0.0	0.2
0.2	0.0			10417	2.9	-4.9	-0.0	-0.7
-0.1	0.0			10416	3.7	-12.1	0.0	-1.3
-1.0	0.0							
			Q5_ps	10414	-4.2	3.7	-0.0	-0.6
-0.0	0.0			10415	-3.2	10.5	0.0	0.1
0.2	0.0							


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-0.1	0.0			10417	3.4	-3.1	-0.0	-0.7
-0.7	0.0			10416	4.0	-11.1	0.0	-1.4
7.5	-0.0	INVS LU	Max	10414	113.5	128.2	-0.0	-5.1
-2.6	0.0			10415	95.6	-50.3	0.0	-4.7
-4.9	0.0			10417	-115.9	-126.4	0.0	6.5
8.6	-0.0			10416	-70.9	91.4	0.0	-0.1
6.8	-0.0		Min	10414	101.0	117.2	-0.0	-6.9
-3.2	0.0			10415	85.8	-81.8	0.0	-4.9
-5.3	0.0			10417	-126.0	-135.7	0.0	4.4
6.5	-0.0			10416	-83.1	58.2	-0.0	-4.3
5.7	-0.0	INVS LE	Max	10414	85.0	91.6	-0.0	-4.3
-2.2	0.0			10415	69.8	-40.9	0.0	-3.9
-4.2	0.0			10417	-88.2	-92.3	0.0	5.2
6.5	-0.0			10416	-51.8	70.2	0.0	-0.4
5.3	-0.0		Min	10414	76.6	84.2	-0.0	-5.5
-2.6	0.0			10415	63.3	-61.8	0.0	-4.0
-4.4	0.0			10417	-94.9	-98.5	0.0	3.9
5.1	-0.0			10416	-59.9	48.0	-0.0	-3.2
7680	2	4	C1-C2;~1	Max	10416	0.0	0.0	0.0
0.0	0.0				10417	0.0	0.0	0.0
0.0	0.0				1620	0.0	0.0	0.0
0.0	0.0				17	0.0	0.0	0.0
0.0	0.0		Min	10416	0.0	0.0	0.0	0.0
0.0	0.0				10417	0.0	0.0	0.0
0.0	0.0				1620	0.0	0.0	0.0
0.0	0.0				17	0.0	0.0	0.0
0.0	0.0		C3-C4;~1	Max	10416	0.0	0.0	0.0
0.0	0.0				10417	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		1620	0.0	0.0	0.0	0.0
0.0	0.0		17	0.0	0.0	0.0	0.0
0.0	0.0	Min	10416	0.0	0.0	0.0	0.0
0.0	0.0		10417	0.0	0.0	0.0	0.0
0.0	0.0		1620	0.0	0.0	0.0	0.0
0.0	0.0		17	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max 10416	0.0	0.0	0.0	0.0
0.0	0.0		10417	0.0	0.0	0.0	0.0
0.0	0.0		1620	0.0	0.0	0.0	0.0
0.0	0.0		17	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	10416	0.0	0.0	0.0	0.0
0.0	0.0		10417	0.0	0.0	0.0	0.0
0.0	0.0		1620	0.0	0.0	0.0	0.0
0.0	0.0		17	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max 10416	0.0	0.0	0.0	0.0
0.0	0.0		10417	0.0	0.0	0.0	0.0
0.0	0.0		1620	0.0	0.0	0.0	0.0
0.0	0.0		17	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	10416	0.0	0.0	0.0	0.0
0.0	0.0		10417	0.0	0.0	0.0	0.0
0.0	0.0		1620	0.0	0.0	0.0	0.0
0.0	0.0		17	0.0	0.0	0.0	0.0
0.0	0.0						
-1.5	-0.0	G1	10416	49.0	74.7	0.0	1.4
1.3	0.0		10417	52.4	-28.8	0.0	1.0
1.6	0.0		1620	-51.1	-72.0	-0.0	-0.6
-1.0	-0.0		17	-50.2	26.5	-0.0	1.9
4.1	-0.0	G2	10416	19.6	31.4	-0.0	0.6

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
2.2	0.0			10417	21.3	-10.3	0.0	0.4
3.8	0.0			1620	-20.1	-30.5	0.0	-2.0
5.7	-0.0			17	-20.8	9.3	-0.0	3.9
0.0	0.0	Q3		10416	0.0	0.0	0.0	0.0
0.0	0.0			10417	0.0	0.0	0.0	0.0
0.0	0.0			1620	0.0	0.0	0.0	0.0
0.0	0.0			17	0.0	0.0	0.0	0.0
0.0	0.0							
-0.9	0.0	Q5_pc		10416	-4.2	0.4	0.0	1.3
-0.4	0.0			10417	-3.0	8.0	0.0	0.7
-0.4	0.0			1620	4.7	-0.8	-0.0	1.5
-0.2	0.0			17	2.4	-7.6	-0.0	1.7
-0.3	0.0	Q5_ps		10416	-4.6	-0.6	0.0	1.4
-0.2	0.0			10417	-3.1	7.5	0.0	0.7
-0.1	0.0			1620	5.3	0.2	-0.0	1.5
0.7	0.0			17	2.3	-7.0	-0.0	2.4
28.3	-0.0	INVSLE Max		10416	116.7	77.7	0.1	4.5
3.0	0.0			10417	32.1	-38.3	0.1	-3.1
11.2	0.0			1620	-111.8	-86.4	0.1	25.6
51.2	-0.0			17	-14.1	70.8	-0.2	54.8
26.7	-0.0	Min		10416	103.0	75.9	0.1	0.4
2.3	0.0			10417	22.8	-60.7	0.1	-5.2
10.6	0.0			1620	-127.8	-87.9	0.1	21.2
49.0	-0.0			17	-21.1	49.7	-0.3	47.6
22.8	-0.0	INVSLE Max		10416	87.2	53.0	0.1	3.4
2.2	0.0			10417	19.1	-29.2	0.0	-2.8
8.8	0.0			1620	-85.1	-61.0	0.1	21.3
41.6	-0.0			17	-5.8	53.1	-0.2	44.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


			Min	10416	78.1	51.8	0.1	0.6
21.7	-0.0			10417	12.9	-44.1	0.0	-4.2
1.7	0.0			1620	-95.8	-62.0	0.1	18.4
8.3	0.0			17	-10.5	39.0	-0.2	39.9
40.1	-0.0							
7681	2	4 C1-C2;~1	Max	10418	0.0	0.0	0.0	0.0
0.0	0.0			10419	0.0	0.0	0.0	0.0
0.0	0.0			10421	0.0	0.0	0.0	0.0
0.0	0.0			10420	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	10418	0.0	0.0	0.0	0.0
0.0	0.0			10419	0.0	0.0	0.0	0.0
0.0	0.0			10421	0.0	0.0	0.0	0.0
0.0	0.0			10420	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	10418	0.0	0.0	0.0	0.0
0.0	0.0			10419	0.0	0.0	0.0	0.0
0.0	0.0			10421	0.0	0.0	0.0	0.0
0.0	0.0			10420	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	10418	0.0	0.0	0.0	0.0
0.0	0.0			10419	0.0	0.0	0.0	0.0
0.0	0.0			10421	0.0	0.0	0.0	0.0
0.0	0.0			10420	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	10418	0.0	0.0	0.0	0.0
0.0	0.0			10419	0.0	0.0	0.0	0.0
0.0	0.0			10421	0.0	0.0	0.0	0.0
0.0	0.0			10420	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	10418	0.0	0.0	0.0	0.0
0.0	0.0			10419	0.0	0.0	0.0	0.0
0.0	0.0			10421	0.0	0.0	0.0	0.0
0.0	0.0			10420	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

		C3-C4; ~2	Max	10418	0.0	0.0	0.0	0.0
0.0	0.0			10419	0.0	0.0	0.0	0.0
0.0	0.0			10421	0.0	0.0	0.0	0.0
0.0	0.0			10420	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	10418	0.0	0.0	0.0	0.0
0.0	0.0			10419	0.0	0.0	0.0	0.0
0.0	0.0			10421	0.0	0.0	0.0	0.0
0.0	0.0			10420	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		10418	30.2	104.3	0.0	-0.3
-1.3	-0.0			10419	68.6	-0.9	-0.0	-1.4
-1.7	0.0			10421	-37.6	-97.4	-0.0	0.6
-1.5	0.0			10420	-61.2	-5.7	0.0	0.3
-0.5	-0.0							
		G2		10418	12.6	41.6	0.0	0.1
-1.7	-0.0			10419	27.5	-0.7	-0.0	-0.3
-0.4	0.0			10421	-15.4	-39.2	-0.0	-0.2
-0.2	0.0			10420	-24.6	-1.7	0.0	-0.6
-1.9	-0.0							
		Q3		10418	0.0	0.0	0.0	0.0
0.0	0.0			10419	0.0	0.0	0.0	0.0
0.0	0.0			10421	0.0	0.0	0.0	0.0
0.0	0.0			10420	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		10418	0.9	-2.6	0.0	4.9
-3.6	-0.0			10419	1.8	-5.5	-0.0	0.6
-0.8	0.0			10421	-1.1	2.8	-0.0	0.6
0.2	0.0			10420	-1.6	5.3	-0.0	1.2
-3.1	-0.0							
		Q5_ps		10418	2.1	1.0	0.0	5.2
-4.8	-0.0			10419	3.4	-4.8	-0.0	0.9
-0.6	0.0			10421	-2.5	-0.7	-0.0	0.3
0.5	0.0							


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-4.4	-0.0			10420	-3.0	4.5	-0.0	0.7
		INVS LU	Max	10418	89.6	184.5	0.0	9.4
1.4	-0.0			10419	149.6	-42.5	-0.0	1.1
0.3	0.0			10421	-99.7	-177.8	0.0	-3.7
1.5	0.0			10420	-123.0	54.9	0.0	-4.6
0.1	-0.0							
			Min	10418	83.1	179.9	-0.0	-6.3
-12.9	-0.0			10419	139.5	-56.8	-0.0	-1.5
-1.5	0.0			10421	-107.2	-182.8	-0.0	-4.8
-0.0	0.0			10420	-132.0	41.5	0.0	-6.8
-13.1	-0.0							
		INVS LE	Max	10418	67.5	135.1	0.0	6.5
0.5	-0.0			10419	111.6	-35.2	-0.0	0.9
0.3	0.0			10421	-75.7	-131.3	0.0	-3.2
1.2	0.0			10420	-92.5	44.2	0.0	-3.9
-0.5	-0.0							
			Min	10418	63.3	132.0	-0.0	-4.0
-9.0	-0.0			10419	104.9	-44.7	-0.0	-0.9
-0.9	0.0			10421	-80.8	-134.7	-0.0	-3.9
0.2	0.0			10420	-98.4	35.3	0.0	-5.4
-9.3	-0.0							
7682	2	4 C1-C2;~1	Max	10420	0.0	0.0	0.0	0.0
0.0	0.0			10421	0.0	0.0	0.0	0.0
0.0	0.0			10423	0.0	0.0	0.0	0.0
0.0	0.0			10422	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	10420	0.0	0.0	0.0	0.0
0.0	0.0			10421	0.0	0.0	0.0	0.0
0.0	0.0			10423	0.0	0.0	0.0	0.0
0.0	0.0			10422	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	10420	0.0	0.0	0.0	0.0
0.0	0.0			10421	0.0	0.0	0.0	0.0
0.0	0.0			10423	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		10422	0.0	0.0	0.0	0.0
0.0	0.0		10422	0.0	0.0	0.0	0.0
0.0	0.0	Min	10420	0.0	0.0	0.0	0.0
0.0	0.0		10421	0.0	0.0	0.0	0.0
0.0	0.0		10423	0.0	0.0	0.0	0.0
0.0	0.0		10422	0.0	0.0	0.0	0.0
0.0	0.0		10422	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2 Max	10420	0.0	0.0	0.0	0.0
0.0	0.0		10421	0.0	0.0	0.0	0.0
0.0	0.0		10423	0.0	0.0	0.0	0.0
0.0	0.0		10422	0.0	0.0	0.0	0.0
0.0	0.0		10422	0.0	0.0	0.0	0.0
0.0	0.0	Min	10420	0.0	0.0	0.0	0.0
0.0	0.0		10421	0.0	0.0	0.0	0.0
0.0	0.0		10423	0.0	0.0	0.0	0.0
0.0	0.0		10422	0.0	0.0	0.0	0.0
0.0	0.0		10422	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2 Max	10420	0.0	0.0	0.0	0.0
0.0	0.0		10421	0.0	0.0	0.0	0.0
0.0	0.0		10423	0.0	0.0	0.0	0.0
0.0	0.0		10422	0.0	0.0	0.0	0.0
0.0	0.0		10422	0.0	0.0	0.0	0.0
0.0	0.0	Min	10420	0.0	0.0	0.0	0.0
0.0	0.0		10421	0.0	0.0	0.0	0.0
0.0	0.0		10423	0.0	0.0	0.0	0.0
0.0	0.0		10422	0.0	0.0	0.0	0.0
0.0	0.0		10422	0.0	0.0	0.0	0.0
0.6	-0.0	G1	10420	44.0	86.2	0.0	-0.2
-1.1	0.0		10421	57.2	-17.8	-0.0	-0.5
-1.2	0.0		10423	-47.1	-82.9	0.0	0.9
1.1	-0.0		10422	-54.2	14.9	-0.0	1.2
-2.3	-0.0	G2	10420	18.0	35.0	0.0	0.6
-0.4	0.0		10421	23.2	-7.0	-0.0	0.2

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-0.6	0.0			10423	-19.1	-34.1	-0.0	0.1
-2.6	-0.0			10422	-22.1	6.1	0.0	0.4
0.0	0.0	Q3		10420	0.0	0.0	0.0	0.0
0.0	0.0			10421	0.0	0.0	0.0	0.0
0.0	0.0			10423	0.0	0.0	0.0	0.0
0.0	0.0			10422	0.0	0.0	0.0	0.0
-4.0	-0.0	Q5_pc		10420	2.8	1.6	-0.0	-1.1
0.3	0.0			10421	2.2	-3.5	-0.0	-0.4
-0.1	0.0			10423	-2.2	-1.5	-0.0	-0.8
-5.6	-0.0			10422	-2.8	3.4	0.0	-1.4
-5.7	-0.0	Q5_ps		10420	4.0	4.5	0.0	-0.7
0.4	0.0			10421	3.4	-3.1	-0.0	-0.1
-0.0	0.0			10423	-3.4	-4.4	-0.0	-0.9
-7.6	-0.0			10422	-4.1	3.0	0.0	-1.5
1.4	-0.0	INVSLE	Max	10420	115.0	133.7	0.0	6.9
3.7	0.0			10421	97.6	-61.0	0.0	5.2
5.3	0.0			10423	-117.7	-128.4	0.0	-3.8
4.0	-0.0			10422	-72.5	78.5	0.0	5.2
-15.6	-0.0		Min	10420	103.0	120.4	0.0	4.8
2.3	0.0			10421	87.3	-70.2	-0.0	4.4
5.2	0.0			10423	-128.0	-141.6	-0.0	-6.5
-18.7	-0.0			10422	-84.7	69.5	-0.0	0.6
0.2	-0.0	INVSLE	Max	10420	86.2	95.8	0.0	5.4
3.0	0.0			10421	71.3	-47.9	0.0	4.2
4.4	0.0			10423	-89.6	-94.1	0.0	-3.4
2.0	-0.0			10422	-53.0	61.4	0.0	3.9
-11.1	-0.0		Min	10420	78.1	86.8	0.0	4.1

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		10423	0.0	0.0	0.0	0.0
0.0	0.0		1610	0.0	0.0	0.0	0.0
0.0	0.0		18	0.0	0.0	0.0	0.0
0.0	0.0	Min	10422	0.0	0.0	0.0	0.0
0.0	0.0		10423	0.0	0.0	0.0	0.0
0.0	0.0		1610	0.0	0.0	0.0	0.0
0.0	0.0		18	0.0	0.0	0.0	0.0
0.0	0.0						
1.3	-0.0	G1	10422	49.3	75.0	-0.0	-1.3
-1.4	0.0		10423	52.7	-29.4	-0.0	-1.0
-1.7	0.0		1610	-51.5	-72.1	0.0	0.7
0.8	-0.0		18	-50.5	26.8	0.0	-1.8
-4.3	-0.0	G2	10422	20.0	32.0	0.0	-0.5
-2.2	0.0		10423	21.7	-10.5	-0.0	-0.4
-3.9	0.0		1610	-20.5	-31.0	-0.0	2.1
-5.8	-0.0		18	-21.1	9.5	0.0	-3.9
0.0	0.0	Q3	10422	0.0	0.0	0.0	0.0
0.0	0.0		10423	0.0	0.0	0.0	0.0
0.0	0.0		1610	0.0	0.0	0.0	0.0
0.0	0.0		18	0.0	0.0	0.0	0.0
-7.7	-0.0	Q5_pc	10422	2.6	4.5	0.0	1.3
-2.1	0.0		10423	2.0	-0.6	-0.0	0.5
-3.9	0.0		1610	-2.9	-3.9	-0.0	3.2
-8.4	-0.0		18	-1.6	0.0	0.0	-2.1
-10.4	-0.0	Q5_ps	10422	3.6	7.5	0.0	1.5
-2.9	0.0		10423	3.1	0.2	-0.0	0.5
-5.5	0.0		1610	-3.9	-6.9	-0.0	4.3
-11.6	-0.0		18	-2.8	-0.8	0.0	-3.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


-12.3	-0.0	INVS LU	Max	10422	116.4	91.4	-0.1	-0.9
1.4	0.0			10423	34.7	-49.5	-0.0	4.5
-3.3	0.0			1610	-114.3	-80.0	-0.1	-17.6
-33.9	-0.0			18	-16.6	61.9	0.3	-48.5
-43.3	-0.0		Min	10422	105.5	68.9	-0.1	-5.5
-7.2	0.0			10423	25.4	-50.6	-0.1	3.0
-19.7	0.0			1610	-126.0	-100.6	-0.2	-30.6
-68.6	-0.0			18	-25.1	59.5	0.2	-58.3
-12.1	-0.0	INVS LE	Max	10422	87.1	62.4	-0.1	-1.0
0.8	0.0			10423	21.0	-36.6	-0.0	3.7
-3.6	0.0			1610	-86.9	-57.0	-0.1	-16.0
-30.2	-0.0			18	-7.8	47.1	0.3	-40.6
-32.8	-0.0		Min	10422	79.8	47.4	-0.1	-4.0
-5.0	0.0			10423	14.8	-37.3	-0.1	2.7
-14.5	0.0			1610	-94.7	-70.7	-0.1	-24.7
-53.3	-0.0			18	-13.4	45.5	0.2	-47.2
7696	2	4 C1-C2;~1	Max	10436	0.0	0.0	0.0	0.0
0.0	0.0			10412	0.0	0.0	0.0	0.0
0.0	0.0			10414	0.0	0.0	0.0	0.0
0.0	0.0			10437	0.0	0.0	0.0	0.0
0.0	0.0		Min	10436	0.0	0.0	0.0	0.0
0.0	0.0			10412	0.0	0.0	0.0	0.0
0.0	0.0			10414	0.0	0.0	0.0	0.0
0.0	0.0			10437	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~1	Max	10436	0.0	0.0	0.0	0.0
0.0	0.0			10412	0.0	0.0	0.0	0.0
0.0	0.0			10414	0.0	0.0	0.0	0.0
0.0	0.0			10437	0.0	0.0	0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0						
		Min	10436	0.0	0.0	0.0	0.0
0.0	0.0		10412	0.0	0.0	0.0	0.0
0.0	0.0		10414	0.0	0.0	0.0	0.0
0.0	0.0		10437	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	10436	0.0	0.0	0.0
0.0	0.0			10412	0.0	0.0	0.0
0.0	0.0			10414	0.0	0.0	0.0
0.0	0.0			10437	0.0	0.0	0.0
0.0	0.0						
		Min	10436	0.0	0.0	0.0	0.0
0.0	0.0			10412	0.0	0.0	0.0
0.0	0.0			10414	0.0	0.0	0.0
0.0	0.0			10437	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	10436	0.0	0.0	0.0
0.0	0.0			10412	0.0	0.0	0.0
0.0	0.0			10414	0.0	0.0	0.0
0.0	0.0			10437	0.0	0.0	0.0
0.0	0.0						
		Min	10436	0.0	0.0	0.0	0.0
0.0	0.0			10412	0.0	0.0	0.0
0.0	0.0			10414	0.0	0.0	0.0
0.0	0.0			10437	0.0	0.0	0.0
0.0	0.0						
		G1	10436	-4.0	83.3	0.0	1.9
-0.1	0.0			10412	18.0	70.4	1.3
-2.6	-0.0			10414	-1.5	-82.3	1.5
-3.0	-0.0			10437	-12.6	-71.0	1.6
-0.0	0.0						
		G2	10436	-1.6	32.0	0.0	0.5
-0.0	0.0			10412	6.8	27.1	0.5
-1.3	-0.0			10414	-0.5	-31.5	1.3
-1.8	-0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0			10437	-4.7	-27.6	-0.0	1.2
			Q3	10436	0.0	0.0	0.0	0.0
0.0	0.0			10412	0.0	0.0	0.0	0.0
0.0	0.0			10414	0.0	0.0	0.0	0.0
0.0	0.0			10437	0.0	0.0	0.0	0.0
			Q5_pc	10436	-3.3	9.6	-0.0	1.9
0.0	0.0			10412	3.0	14.5	0.0	3.5
1.0	0.0			10414	1.6	-14.2	-0.0	0.3
0.4	0.0			10437	-1.3	-9.8	-0.0	-0.7
-0.0	0.0							
			Q5_ps	10436	-3.4	7.2	-0.0	1.8
0.0	0.0			10412	2.5	12.0	0.0	3.7
1.1	0.0			10414	1.7	-11.3	-0.0	0.4
0.4	0.0			10437	-0.9	-7.9	-0.0	-0.7
-0.0	0.0							
			INVSLE Max	10436	26.5	82.3	0.0	6.0
-0.0	0.0			10412	63.6	40.3	0.0	7.6
-0.3	-0.0			10414	-32.7	-74.8	-0.0	6.1
-2.1	-0.0			10437	-44.5	10.3	-0.0	4.3
0.0	0.0							
			Min	10436	16.3	60.7	0.0	0.5
-0.1	0.0			10412	56.0	4.3	-0.0	-3.7
-3.7	-0.0			10414	-38.0	-108.6	-0.0	5.0
-3.3	-0.0			10437	-47.2	-13.4	-0.0	2.3
-0.1	0.0							
			INVSLE Max	10436	21.5	54.1	0.0	4.2
-0.0	0.0			10412	49.2	20.2	0.0	5.1
-0.2	-0.0			10414	-27.1	-52.4	-0.0	4.8
-1.4	-0.0			10437	-35.1	16.9	-0.0	3.2
0.0	0.0							
			Min	10436	14.8	39.7	0.0	0.6
-0.1	0.0			10412	44.1	-3.8	0.0	-2.4
-2.5	-0.0							

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-2.3	-0.0				10414	-30.6	-74.9	-0.0	4.0
-0.0	0.0				10437	-36.9	1.0	-0.0	1.9
7697	2	4	C1-C2;~1	Max	10437	0.0	0.0	0.0	0.0
0.0	0.0				10414	0.0	0.0	0.0	0.0
0.0	0.0				10416	0.0	0.0	0.0	0.0
0.0	0.0				10438	0.0	0.0	0.0	0.0
0.0	0.0				10437	0.0	0.0	0.0	0.0
0.0	0.0			Min	10414	0.0	0.0	0.0	0.0
0.0	0.0				10416	0.0	0.0	0.0	0.0
0.0	0.0				10438	0.0	0.0	0.0	0.0
0.0	0.0				10437	0.0	0.0	0.0	0.0
0.0	0.0				10414	0.0	0.0	0.0	0.0
0.0	0.0				10416	0.0	0.0	0.0	0.0
0.0	0.0				10438	0.0	0.0	0.0	0.0
0.0	0.0				10437	0.0	0.0	0.0	0.0
0.0	0.0			Min	10414	0.0	0.0	0.0	0.0
0.0	0.0				10416	0.0	0.0	0.0	0.0
0.0	0.0				10438	0.0	0.0	0.0	0.0
0.0	0.0				10437	0.0	0.0	0.0	0.0
0.0	0.0				10414	0.0	0.0	0.0	0.0
0.0	0.0				10416	0.0	0.0	0.0	0.0
0.0	0.0				10438	0.0	0.0	0.0	0.0
0.0	0.0				10437	0.0	0.0	0.0	0.0
0.0	0.0			Min	10414	0.0	0.0	0.0	0.0
0.0	0.0				10416	0.0	0.0	0.0	0.0
0.0	0.0				10438	0.0	0.0	0.0	0.0
0.0	0.0				10437	0.0	0.0	0.0	0.0
0.0	0.0				10414	0.0	0.0	0.0	0.0
0.0	0.0				10416	0.0	0.0	0.0	0.0
0.0	0.0				10438	0.0	0.0	0.0	0.0
0.0	0.0				10437	0.0	0.0	0.0	0.0
0.0	0.0			Max	10414	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0		10416	0.0	0.0	0.0	0.0
0.0	0.0		10438	0.0	0.0	0.0	0.0
0.0	0.0		10437	0.0	0.0	0.0	0.0
0.0	0.0	Min	10414	0.0	0.0	0.0	0.0
0.0	0.0		10416	0.0	0.0	0.0	0.0
0.0	0.0		10438	0.0	0.0	0.0	0.0
0.0	0.0		10437	12.6	71.0	0.0	-1.6
0.0	0.0	G1	10414	18.7	38.7	-0.0	-1.5
-3.7	-0.0		10416	-15.2	-65.3	-0.0	0.8
-3.9	-0.0		10438	-16.1	-44.0	0.0	1.9
0.2	0.0		10437	4.7	27.6	0.0	-1.2
-0.0	0.0	G2	10414	7.1	15.2	-0.0	-1.2
-2.6	-0.0		10416	-5.5	-25.3	-0.0	0.3
-3.2	-0.0		10438	-6.2	-17.5	0.0	1.5
0.2	0.0		10437	0.0	0.0	0.0	0.0
0.0	0.0	Q3	10414	0.0	0.0	0.0	0.0
0.0	0.0		10416	0.0	0.0	0.0	0.0
0.0	0.0		10438	0.0	0.0	0.0	0.0
0.0	0.0		10437	1.3	9.8	0.0	0.7
0.0	0.0	Q5_pc	10414	2.1	8.2	-0.0	-0.3
0.3	0.0		10416	-1.3	-11.1	0.0	-1.5
0.9	0.0		10438	-2.0	-7.0	-0.0	-0.8
-0.0	0.0		10437	0.9	7.9	0.0	0.7
0.0	0.0	Q5_ps	10414	1.6	6.9	-0.0	-0.4
0.3	0.0		10416	-0.8	-9.1	0.0	-1.7
1.0	0.0		10438	-1.7	-5.8	-0.0	-0.9
-0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

			INVSLU	Max	10437	47.2	13.4	0.0	-2.3
0.1	0.0				10414	55.7	-46.3	-0.0	-4.9
-1.7	-0.0				10416	-51.4	-14.5	0.0	-1.8
1.4	-0.0				10438	-44.0	92.5	0.0	6.8
-0.0	0.0								
				Min	10437	44.5	-10.3	0.0	-4.3
-0.0	0.0				10414	50.9	-67.2	-0.0	-6.0
-2.7	-0.0				10416	-53.8	-41.7	0.0	-6.8
-1.6	-0.0				10438	-49.0	75.1	-0.0	4.2
-0.1	0.0								
			INVSLE	Max	10437	36.9	-1.0	0.0	-1.9
0.0	0.0				10414	43.3	-45.8	-0.0	-4.0
-1.0	-0.0				10416	-40.4	-4.7	0.0	-1.9
1.4	-0.0				10438	-34.9	81.6	0.0	5.3
-0.0	0.0								
				Min	10437	35.1	-16.9	0.0	-3.2
-0.0	0.0				10414	40.1	-59.7	-0.0	-4.7
-1.7	-0.0				10416	-42.0	-22.9	0.0	-5.3
-0.6	-0.0				10438	-38.2	70.0	-0.0	3.6
-0.1	0.0								
7698	2	4	C1-C2;~1	Max	10438	0.0	0.0	0.0	0.0
0.0	0.0				10416	0.0	0.0	0.0	0.0
0.0	0.0				17	0.0	0.0	0.0	0.0
0.0	0.0				43	0.0	0.0	0.0	0.0
0.0	0.0								
				Min	10438	0.0	0.0	0.0	0.0
0.0	0.0				10416	0.0	0.0	0.0	0.0
0.0	0.0				17	0.0	0.0	0.0	0.0
0.0	0.0				43	0.0	0.0	0.0	0.0
0.0	0.0								
			C3-C4;~1	Max	10438	0.0	0.0	0.0	0.0
0.0	0.0				10416	0.0	0.0	0.0	0.0
0.0	0.0				17	0.0	0.0	0.0	0.0
0.0	0.0				43	0.0	0.0	0.0	0.0
0.0	0.0								

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

			Min	10438	0.0	0.0	0.0	0.0
0.0	0.0			10416	0.0	0.0	0.0	0.0
0.0	0.0			17	0.0	0.0	0.0	0.0
0.0	0.0			43	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	10438	0.0	0.0	0.0	0.0
0.0	0.0			10416	0.0	0.0	0.0	0.0
0.0	0.0			17	0.0	0.0	0.0	0.0
0.0	0.0			43	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	10438	0.0	0.0	0.0	0.0
0.0	0.0			10416	0.0	0.0	0.0	0.0
0.0	0.0			17	0.0	0.0	0.0	0.0
0.0	0.0			43	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	10438	0.0	0.0	0.0	0.0
0.0	0.0			10416	0.0	0.0	0.0	0.0
0.0	0.0			17	0.0	0.0	0.0	0.0
0.0	0.0			43	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	10438	0.0	0.0	0.0	0.0
0.0	0.0			10416	0.0	0.0	0.0	0.0
0.0	0.0			17	0.0	0.0	0.0	0.0
0.0	0.0			43	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		10438	16.1	44.0	-0.0	-1.9
-0.2	0.0			10416	20.0	14.2	0.0	-0.9
-4.9	-0.0			17	-18.5	-45.0	-0.0	2.6
-6.2	-0.0			43	-17.6	-12.8	0.0	-2.4
-0.3	0.0							
		G2		10438	6.2	17.5	-0.0	-1.5
-0.2	0.0			10416	7.7	6.9	0.0	-0.4
-4.4	-0.0			17	-7.3	-18.8	-0.0	3.6
-5.9	-0.0			43	-6.6	-5.5	0.0	-4.0
-0.3	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0	Q3	10438	0.0	0.0	0.0	0.0
0.0	0.0		10416	0.0	0.0	0.0	0.0
0.0	0.0		17	0.0	0.0	0.0	0.0
0.0	0.0		43	0.0	0.0	0.0	0.0
0.0	0.0	Q5_pc	10438	2.0	7.0	0.0	0.8
0.0	0.0		10416	1.8	3.4	0.0	1.5
1.0	0.0		17	-3.4	-6.7	-0.0	1.9
0.7	0.0		43	-0.5	-3.7	-0.0	1.8
-0.0	0.0						
0.0	0.0	Q5_ps	10438	1.7	5.8	0.0	0.9
0.0	0.0		10416	1.3	3.0	0.0	1.7
1.0	0.0		17	-3.1	-5.5	-0.0	2.5
0.5	0.0		43	0.2	-3.2	-0.0	1.8
-0.1	0.0						
0.1	0.0	INVSLE Max	10438	49.0	-75.1	0.0	-4.2
-4.7	-0.0		10416	21.7	-85.4	0.1	6.6
-15.4	-0.0		17	-60.7	41.5	-0.1	49.6
0.1	0.0		43	-0.4	145.8	0.0	18.9
0.0	0.0	Min	10438	44.0	-92.5	-0.0	-6.8
-7.7	-0.0		10416	17.7	-94.3	0.1	1.5
-16.8	-0.0		17	-70.1	25.0	-0.2	42.1
-0.0	0.0		43	-1.2	136.1	0.0	13.5
0.1	0.0	INVSLE Max	10438	38.2	-70.0	0.0	-3.6
-3.7	-0.0		10416	15.7	-74.4	0.1	5.1
-12.4	-0.0		17	-48.8	39.4	-0.1	40.5
0.1	0.0		43	1.3	122.9	0.0	15.9
0.0	0.0	Min	10438	34.9	-81.6	-0.0	-5.3
-5.7	-0.0		10416	13.0	-80.3	0.1	1.7
-13.3	-0.0		17	-55.1	28.4	-0.1	35.4

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

				43	0.8	116.5	0.0	12.3
0.0	0.0							
7699	2	4	C1-C2;~1	Max	10439	0.0	0.0	0.0
0.0	0.0				10418	0.0	0.0	0.0
0.0	0.0				10420	0.0	0.0	0.0
0.0	0.0				10440	0.0	0.0	0.0
0.0	0.0							
				Min	10439	0.0	0.0	0.0
0.0	0.0				10418	0.0	0.0	0.0
0.0	0.0				10420	0.0	0.0	0.0
0.0	0.0				10440	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	10439	0.0	0.0	0.0
0.0	0.0				10418	0.0	0.0	0.0
0.0	0.0				10420	0.0	0.0	0.0
0.0	0.0				10440	0.0	0.0	0.0
0.0	0.0							
				Min	10439	0.0	0.0	0.0
0.0	0.0				10418	0.0	0.0	0.0
0.0	0.0				10420	0.0	0.0	0.0
0.0	0.0				10440	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	10439	0.0	0.0	0.0
0.0	0.0				10418	0.0	0.0	0.0
0.0	0.0				10420	0.0	0.0	0.0
0.0	0.0				10440	0.0	0.0	0.0
0.0	0.0							
				Min	10439	0.0	0.0	0.0
0.0	0.0				10418	0.0	0.0	0.0
0.0	0.0				10420	0.0	0.0	0.0
0.0	0.0				10440	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~2	Max	10439	0.0	0.0	0.0
0.0	0.0				10418	0.0	0.0	0.0
0.0	0.0				10420	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		10440	0.0	0.0	0.0	0.0
0.0	0.0		10418	0.0	0.0	0.0	0.0
0.0	0.0	Min	10439	0.0	0.0	0.0	0.0
0.0	0.0		10418	0.0	0.0	0.0	0.0
0.0	0.0		10420	0.0	0.0	0.0	0.0
0.0	0.0		10440	0.0	0.0	0.0	0.0
0.0	0.0		10440	0.0	0.0	0.0	0.0
0.1	0.0	G1	10439	-3.2	85.6	-0.0	-1.7
2.8	-0.0		10418	18.0	70.5	0.0	-0.4
3.1	-0.0		10420	-2.0	-83.0	0.0	-1.3
0.0	0.0		10440	-12.8	-72.8	0.0	-1.6
0.0	0.0	G2	10439	-1.3	33.4	-0.0	-0.4
1.5	-0.0		10418	6.9	27.6	0.0	-0.0
1.9	-0.0		10420	-0.8	-32.4	0.0	-1.1
-0.0	0.0		10440	-4.8	-28.6	0.0	-1.3
0.0	0.0	Q3	10439	0.0	0.0	0.0	0.0
0.0	0.0		10418	0.0	0.0	0.0	0.0
0.0	0.0		10420	0.0	0.0	0.0	0.0
0.0	0.0		10440	0.0	0.0	0.0	0.0
0.3	0.0	Q5_pc	10439	2.6	0.3	0.0	-1.9
0.4	-0.0		10418	-2.5	-1.6	0.0	3.8
-0.0	-0.0		10420	-0.9	1.6	-0.0	1.8
-0.1	0.0		10440	0.9	-0.3	-0.0	0.6
0.2	0.0	Q5_ps	10439	2.5	2.4	0.0	-1.7
0.7	-0.0		10418	-2.2	0.5	0.0	4.0
0.4	-0.0		10420	-1.0	-0.8	-0.0	1.5
-0.1	0.0		10440	0.7	-2.1	-0.0	0.3
0.5	0.0	INVSLU Max	10439	26.5	82.2	-0.0	-0.5

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
3.8	-0.0			10418	63.9	28.6	0.0	6.0	
				10420	-35.0	-97.0	0.0	-3.1	
3.6	-0.0			10440	-45.7	-3.7	0.0	-2.8	
0.1	0.0								
			Min	10439	18.9	75.0	-0.0	-5.5	
-0.2	0.0			10418	57.3	25.7	-0.0	-6.0	
1.7	-0.0			10420	-38.1	-99.8	0.0	-7.6	
2.5	-0.0			10440	-47.8	-10.0	-0.0	-4.0	
-0.1	0.0								
			INVSLE	Max	10439	21.6	54.6	-0.0	-0.5
0.3	0.0			10418	49.5	12.9	-0.0	4.0	
2.6	-0.0			10420	-28.7	-67.8	0.0	-2.7	
2.5	-0.0			10440	-36.0	7.1	0.0	-2.3	
0.1	0.0								
			Min	10439	16.5	49.8	-0.0	-3.9	
-0.2	0.0			10418	45.1	11.0	-0.0	-3.9	
1.2	-0.0			10420	-30.7	-69.7	0.0	-5.8	
1.7	-0.0			10440	-37.4	2.8	-0.0	-3.0	
-0.0	0.0								
7700	2	4	C1-C2;~1	Max	10440	0.0	0.0	0.0	0.0
0.0	0.0				10420	0.0	0.0	0.0	0.0
0.0	0.0				10422	0.0	0.0	0.0	0.0
0.0	0.0				10441	0.0	0.0	0.0	0.0
0.0	0.0								
			Min	10440	0.0	0.0	0.0	0.0	0.0
0.0	0.0				10420	0.0	0.0	0.0	0.0
0.0	0.0				10422	0.0	0.0	0.0	0.0
0.0	0.0				10441	0.0	0.0	0.0	0.0
0.0	0.0								
			C3-C4;~1	Max	10440	0.0	0.0	0.0	0.0
0.0	0.0				10420	0.0	0.0	0.0	0.0
0.0	0.0				10422	0.0	0.0	0.0	0.0
0.0	0.0				10441	0.0	0.0	0.0	0.0
0.0	0.0								
			Min	10440	0.0	0.0	0.0	0.0	0.0
0.0	0.0								

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	0.0		10420	0.0	0.0	0.0	0.0
0.0	0.0		10422	0.0	0.0	0.0	0.0
0.0	0.0		10441	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2 Max	10440	0.0	0.0	0.0	0.0
0.0	0.0		10420	0.0	0.0	0.0	0.0
0.0	0.0		10422	0.0	0.0	0.0	0.0
0.0	0.0		10441	0.0	0.0	0.0	0.0
0.0	0.0	Min	10440	0.0	0.0	0.0	0.0
0.0	0.0		10420	0.0	0.0	0.0	0.0
0.0	0.0		10422	0.0	0.0	0.0	0.0
0.0	0.0		10441	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2 Max	10440	0.0	0.0	0.0	0.0
0.0	0.0		10420	0.0	0.0	0.0	0.0
0.0	0.0		10422	0.0	0.0	0.0	0.0
0.0	0.0		10441	0.0	0.0	0.0	0.0
0.0	0.0	Min	10440	0.0	0.0	0.0	0.0
0.0	0.0		10420	0.0	0.0	0.0	0.0
0.0	0.0		10422	0.0	0.0	0.0	0.0
0.0	0.0		10441	0.0	0.0	0.0	0.0
-0.0	0.0	G1	10440	12.8	72.8	-0.0	1.6
3.6	-0.0		10420	19.1	39.0	0.0	1.3
4.0	-0.0		10422	-15.5	-66.1	0.0	-0.9
-0.2	0.0		10441	-16.3	-45.2	-0.0	-2.0
0.0	0.0	G2	10440	4.8	28.6	-0.0	1.3
2.6	-0.0		10420	7.3	15.6	0.0	1.1
3.3	-0.0		10422	-5.8	-26.1	0.0	-0.4
-0.2	0.0		10441	-6.4	-18.2	-0.0	-1.5

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
		Q3		10440	0.0	0.0	0.0	0.0
0.0	0.0			10420	0.0	0.0	0.0	0.0
0.0	0.0			10422	0.0	0.0	0.0	0.0
0.0	0.0			10441	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		10440	-0.9	0.3	0.0	-0.6
0.1	0.0			10420	-0.3	0.4	-0.0	-1.9
0.5	-0.0			10422	0.7	0.6	0.0	-0.6
1.6	-0.0			10441	0.5	-1.3	-0.0	-0.5
-0.1	0.0							
		Q5_ps		10440	-0.7	2.1	0.0	-0.3
0.1	0.0			10420	-0.0	1.9	-0.0	-1.6
1.1	-0.0			10422	0.5	-1.3	0.0	-0.6
2.3	-0.0			10441	0.2	-2.7	-0.0	-0.8
-0.1	0.0							
		INVSLE Max		10440	47.8	10.0	0.0	4.0
0.1	0.0			10420	55.3	-51.3	0.0	7.6
3.8	-0.0			10422	-52.8	-31.0	0.0	5.9
3.4	-0.0			10441	-47.8	84.9	0.0	-4.1
0.2	0.0							
		Min		10440	45.7	3.7	-0.0	2.8
-0.1	0.0			10420	54.8	-57.1	0.0	2.9
0.6	-0.0			10422	-54.3	-35.0	-0.0	4.1
-3.4	-0.0			10441	-48.7	76.7	-0.0	-6.6
-0.1	0.0							
		INVSLE Max		10440	37.4	-2.8	0.0	3.0
0.0	0.0			10420	43.2	-48.8	0.0	5.8
2.5	-0.0			10422	-41.4	-16.2	0.0	4.7
1.9	-0.0			10441	-37.5	76.3	0.0	-3.5
0.1	0.0							
		Min		10440	36.0	-7.1	-0.0	2.3
-0.1	0.0			10420	42.8	-52.7	0.0	2.6
0.3	-0.0			10422	-42.4	-18.8	-0.0	3.5
-2.7	-0.0			10441	-38.1	70.8	-0.0	-5.2
-0.1	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


7701	2	4	C1-C2;~1	Max	10441	0.0	0.0	0.0	0.0
0.0		0.0			10422	0.0	0.0	0.0	0.0
0.0		0.0			18	0.0	0.0	0.0	0.0
0.0		0.0			44	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	10441	0.0	0.0	0.0	0.0
0.0		0.0			10422	0.0	0.0	0.0	0.0
0.0		0.0			18	0.0	0.0	0.0	0.0
0.0		0.0			44	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	10441	0.0	0.0	0.0	0.0
0.0		0.0			10422	0.0	0.0	0.0	0.0
0.0		0.0			18	0.0	0.0	0.0	0.0
0.0		0.0			44	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	10441	0.0	0.0	0.0	0.0
0.0		0.0			10422	0.0	0.0	0.0	0.0
0.0		0.0			18	0.0	0.0	0.0	0.0
0.0		0.0			44	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	10441	0.0	0.0	0.0	0.0
0.0		0.0			10422	0.0	0.0	0.0	0.0
0.0		0.0			18	0.0	0.0	0.0	0.0
0.0		0.0			44	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	10441	0.0	0.0	0.0	0.0
0.0		0.0			10422	0.0	0.0	0.0	0.0
0.0		0.0			18	0.0	0.0	0.0	0.0
0.0		0.0			44	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	10441	0.0	0.0	0.0	0.0
0.0		0.0			10422	0.0	0.0	0.0	0.0
0.0		0.0			18	0.0	0.0	0.0	0.0
0.0		0.0			44	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0							
		Min	10441	0.0	0.0	0.0	0.0	0.0
0.0	0.0		10422	0.0	0.0	0.0	0.0	0.0
0.0	0.0		18	0.0	0.0	0.0	0.0	0.0
0.0	0.0		44	0.0	0.0	0.0	0.0	0.0
0.0	0.0							
		G1	10441	16.3	45.2	0.0	2.0	
0.2	0.0		10422	20.3	14.6	-0.0	1.0	
5.0	-0.0		18	-18.7	-45.9	0.0	-2.6	
6.3	-0.0		44	-17.9	-13.6	-0.0	2.5	
0.3	0.0							
		G2	10441	6.4	18.2	0.0	1.5	
0.2	0.0		10422	7.9	7.1	-0.0	0.4	
4.5	-0.0		18	-7.5	-19.4	0.0	-3.5	
5.9	-0.0		44	-6.8	-5.9	-0.0	4.1	
0.4	0.0							
		Q3	10441	0.0	0.0	0.0	0.0	
0.0	0.0		10422	0.0	0.0	0.0	0.0	
0.0	0.0		18	0.0	0.0	0.0	0.0	
0.0	0.0		44	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	10441	-0.5	1.3	0.0	0.5	
0.1	0.0		10422	-0.4	2.7	0.0	0.6	
2.5	-0.0		18	1.1	-1.9	0.0	-1.4	
3.0	-0.0		44	-0.2	-2.0	-0.0	3.5	
0.2	0.0							
		Q5_ps	10441	-0.2	2.7	0.0	0.8	
0.1	0.0		10422	-0.0	4.2	-0.0	0.6	
3.5	-0.0		18	0.8	-4.0	0.0	-2.4	
4.4	-0.0		44	-0.5	-2.9	-0.0	4.8	
0.3	0.0							
		INVSLU Max	10441	48.7	-76.7	0.0	6.6	
0.1	0.0		10422	21.5	-82.9	-0.1	-3.8	
11.8	-0.0							

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
23.7	-0.0			18	-67.0	35.8	0.2	-44.6	
0.5	0.0			44	-0.5	145.0	-0.0	-9.4	
			Min	10441	47.8	-84.9	-0.0	4.1	
-0.2	0.0			10422	20.8	-95.4	-0.1	-5.7	
1.3	-0.0			18	-69.2	23.9	0.1	-51.7	
10.6	-0.0			44	-2.1	136.2	-0.1	-23.9	
-0.4	0.0								
			INVSLE	Max	10441	38.1	-70.8	0.0	5.2
0.1	0.0			10422	15.7	-72.7	-0.1	-3.2	
8.4	-0.0			18	-53.2	35.3	0.1	-37.3	
18.0	-0.0			44	1.2	122.4	-0.0	-9.6	
0.3	0.0								
			Min	10441	37.5	-76.3	-0.0	3.5	
-0.1	0.0			10422	15.2	-81.0	-0.1	-4.5	
1.5	-0.0			18	-54.7	27.3	0.1	-42.0	
9.2	-0.0			44	0.2	116.5	-0.1	-19.3	
-0.3	0.0								
7738	2	10	C1-C2;~1	Max	10478	0.0	0.0	0.0	0.0
0.0	0.0				10479	0.0	0.0	0.0	0.0
0.0	0.0				10481	0.0	0.0	0.0	0.0
0.0	0.0				10480	0.0	0.0	0.0	0.0
0.0	0.0								
			Min	10478	0.0	0.0	0.0	0.0	0.0
0.0	0.0			10479	0.0	0.0	0.0	0.0	0.0
0.0	0.0			10481	0.0	0.0	0.0	0.0	0.0
0.0	0.0			10480	0.0	0.0	0.0	0.0	0.0
0.0	0.0								
			C3-C4;~1	Max	10478	0.0	0.0	0.0	0.0
0.0	0.0				10479	0.0	0.0	0.0	0.0
0.0	0.0				10481	0.0	0.0	0.0	0.0
0.0	0.0				10480	0.0	0.0	0.0	0.0
0.0	0.0								
			Min	10478	0.0	0.0	0.0	0.0	0.0
0.0	0.0			10479	0.0	0.0	0.0	0.0	0.0
0.0	0.0								

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		10481	0.0	0.0	0.0	0.0
0.0	0.0		10480	0.0	0.0	0.0	0.0
		C1-C2; ~2	Max	10478	0.0	0.0	0.0
0.0	0.0			10479	0.0	0.0	0.0
0.0	0.0			10481	0.0	0.0	0.0
0.0	0.0			10480	0.0	0.0	0.0
0.0	0.0			10480	0.0	0.0	0.0
			Min	10478	0.0	0.0	0.0
0.0	0.0			10479	0.0	0.0	0.0
0.0	0.0			10481	0.0	0.0	0.0
0.0	0.0			10480	0.0	0.0	0.0
0.0	0.0			10480	0.0	0.0	0.0
		C3-C4; ~2	Max	10478	0.0	0.0	0.0
0.0	0.0			10479	0.0	0.0	0.0
0.0	0.0			10481	0.0	0.0	0.0
0.0	0.0			10480	0.0	0.0	0.0
0.0	0.0			10480	0.0	0.0	0.0
			Min	10478	0.0	0.0	0.0
0.0	0.0			10479	0.0	0.0	0.0
0.0	0.0			10481	0.0	0.0	0.0
0.0	0.0			10480	0.0	0.0	0.0
0.0	0.0			10480	0.0	0.0	0.0
		G1		10478	-72.0	23.3	0.0
-0.2	0.0			10479	114.0	-19.1	0.0
0.2	0.0			10481	59.3	-24.1	-0.0
0.1	0.0			10480	-101.3	20.1	-0.0
-0.1	0.0			10480	-101.3	20.1	-0.0
		G2		10478	-28.0	9.2	-0.0
-0.5	0.0			10479	43.9	-6.7	-0.0
0.5	0.0			10481	23.0	-9.6	0.0
0.5	0.0			10480	-38.9	7.1	0.0
-0.6	0.0			10480	-38.9	7.1	0.0
		Q3		10478	0.0	0.0	0.0
0.0	0.0			10478	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
				10479	0.0	0.0	0.0	0.0
0.0	0.0			10481	0.0	0.0	0.0	0.0
0.0	0.0			10480	0.0	0.0	0.0	0.0
0.0	0.0			10478	0.0	0.0	0.0	0.0
-0.0	0.0	Q5_pc		10478	-0.8	0.8	-0.0	0.1
0.1	0.0			10479	2.6	-1.0	-0.0	0.1
0.1	0.0			10481	1.1	-0.8	0.0	-0.3
0.1	0.0			10480	-2.8	1.1	0.0	-0.3
-0.1	0.0			10478	-0.8	0.8	-0.0	0.1
-0.2	0.0	Q5_ps		10478	-1.4	0.1	-0.0	0.1
0.1	0.0			10479	2.0	-0.5	-0.0	0.1
0.2	0.0			10481	1.6	-0.1	0.0	-0.5
0.2	0.0			10480	-2.2	0.5	0.0	-0.5
-0.2	0.0			10478	-1.4	0.1	-0.0	0.1
-0.3	0.0	INVSLE	Max	10478	-16.9	34.4	0.0	-2.7
0.5	0.0			10479	73.8	-18.2	0.0	-2.9
0.9	0.0			10481	-34.9	-33.3	-0.0	6.6
0.9	0.0			10480	-11.2	20.8	-0.0	6.4
-0.3	0.0			10478	-21.0	33.0	0.0	-2.9
-0.7	0.0		Min	10478	-21.0	33.0	0.0	-2.9
0.1	0.0			10479	67.9	-20.1	0.0	-3.1
0.2	0.0			10481	-39.7	-34.8	-0.0	5.1
0.2	0.0			10480	-17.8	18.9	-0.0	4.9
-1.0	0.0			10478	-21.0	33.0	0.0	-2.9
-0.2	0.0	INVSLE	Max	10478	-8.3	24.6	0.0	-2.5
0.3	0.0			10479	48.2	-12.7	0.0	-2.6
0.6	0.0			10481	-31.6	-23.8	-0.0	5.5
0.6	0.0			10480	-1.2	14.4	-0.0	5.4
-0.2	0.0			10478	-11.0	23.6	0.0	-2.7
-0.5	0.0		Min	10478	-11.0	23.6	0.0	-2.7
0.0	0.0			10479	44.3	-13.9	0.0	-2.8
0.0	0.0			10481	-34.8	-24.8	-0.0	4.5
0.1	0.0			10480	-5.6	13.1	-0.0	4.4
-0.7	0.0			10478	-11.0	23.6	0.0	-2.7


PROJECT TITLE :

MIDAS	Company				Client				
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
7739	2	10	C1-C2;~1	Max	10480	0.0	0.0	0.0	0.0
0.0		0.0			10481	0.0	0.0	0.0	0.0
0.0		0.0			10483	0.0	0.0	0.0	0.0
0.0		0.0			10482	0.0	0.0	0.0	0.0
0.0		0.0		Min	10480	0.0	0.0	0.0	0.0
0.0		0.0			10481	0.0	0.0	0.0	0.0
0.0		0.0			10483	0.0	0.0	0.0	0.0
0.0		0.0			10482	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	10480	0.0	0.0	0.0	0.0
0.0		0.0			10481	0.0	0.0	0.0	0.0
0.0		0.0			10483	0.0	0.0	0.0	0.0
0.0		0.0			10482	0.0	0.0	0.0	0.0
0.0		0.0		Min	10480	0.0	0.0	0.0	0.0
0.0		0.0			10481	0.0	0.0	0.0	0.0
0.0		0.0			10483	0.0	0.0	0.0	0.0
0.0		0.0			10482	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	10480	0.0	0.0	0.0	0.0
0.0		0.0			10481	0.0	0.0	0.0	0.0
0.0		0.0			10483	0.0	0.0	0.0	0.0
0.0		0.0			10482	0.0	0.0	0.0	0.0
0.0		0.0		Min	10480	0.0	0.0	0.0	0.0
0.0		0.0			10481	0.0	0.0	0.0	0.0
0.0		0.0			10483	0.0	0.0	0.0	0.0
0.0		0.0			10482	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	10480	0.0	0.0	0.0	0.0
0.0		0.0			10481	0.0	0.0	0.0	0.0
0.0		0.0			10483	0.0	0.0	0.0	0.0
0.0		0.0			10482	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
			Min	10480	0.0	0.0	0.0	0.0
0.0	0.0			10481	0.0	0.0	0.0	0.0
0.0	0.0			10483	0.0	0.0	0.0	0.0
0.0	0.0			10482	0.0	0.0	0.0	0.0
			G1	10480	-32.1	26.4	0.0	0.6
0.1	0.0			10481	76.1	-18.5	0.0	0.6
-0.0	0.0			10483	19.2	-26.7	-0.0	0.3
-0.1	0.0			10482	-63.2	19.0	-0.0	0.3
0.1	0.0							
			G2	10480	-12.3	10.5	-0.0	1.2
-0.7	0.0			10481	29.0	-6.4	-0.0	1.2
0.7	0.0			10483	7.3	-10.7	0.0	-1.7
0.7	0.0			10482	-24.0	6.6	0.0	-1.7
-0.8	0.0							
			Q3	10480	0.0	0.0	0.0	0.0
0.0	0.0			10481	0.0	0.0	0.0	0.0
0.0	0.0			10483	0.0	0.0	0.0	0.0
0.0	0.0			10482	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	10480	-1.5	0.8	-0.0	0.3
-0.2	0.0			10481	3.5	-1.2	-0.0	0.3
0.2	0.0			10483	1.8	-0.9	0.0	-0.6
0.2	0.0			10482	-3.8	1.3	0.0	-0.6
-0.2	0.0							
			Q5_ps	10480	-2.1	0.0	-0.0	0.5
-0.4	0.0			10481	2.8	-0.6	-0.0	0.5
0.3	0.0			10483	2.4	-0.1	0.0	-1.1
0.4	0.0			10482	-3.1	0.7	0.0	-1.1
-0.4	0.0							
			INVSLU Max	10480	153.7	38.4	0.0	-4.9
0.1	0.0			10481	-97.0	-13.3	0.0	-5.3
0.8	0.0			10483	-203.8	-35.4	-0.0	8.6
0.7	0.0							


PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.4	0.0			10482	162.7	14.4	-0.0	8.4	
			Min	10480	147.4	37.0	0.0	-6.4	
-1.0	0.0			10481	-105.4	-15.5	-0.0	-6.8	
-0.2	0.0			10483	-210.9	-37.0	-0.0	5.4	
-0.5	0.0			10482	153.5	12.1	-0.0	5.2	
-0.9	0.0								
			INVSLE	Max	10480	121.4	27.5	0.0	-4.4
0.1	0.0			10481	-81.9	-8.9	0.0	-4.7	
0.5	0.0			10483	-160.1	-25.4	-0.0	7.0	
0.4	0.0			10482	131.0	9.5	-0.0	6.8	
0.3	0.0								
			Min	10480	117.2	26.6	0.0	-5.4	
-0.7	0.0			10481	-87.5	-10.4	0.0	-5.7	
-0.2	0.0			10483	-164.9	-26.4	-0.0	4.9	
-0.4	0.0			10482	124.8	8.0	-0.0	4.7	
-0.6	0.0								
7740	2	10	C1-C2;~1	Max	10482	0.0	0.0	0.0	0.0
0.0	0.0			10483	0.0	0.0	0.0	0.0	
0.0	0.0			1730	0.0	0.0	0.0	0.0	
0.0	0.0			118	0.0	0.0	0.0	0.0	
0.0	0.0								
			Min	10482	0.0	0.0	0.0	0.0	
0.0	0.0			10483	0.0	0.0	0.0	0.0	
0.0	0.0			1730	0.0	0.0	0.0	0.0	
0.0	0.0			118	0.0	0.0	0.0	0.0	
0.0	0.0								
			C3-C4;~1	Max	10482	0.0	0.0	0.0	0.0
0.0	0.0			10483	0.0	0.0	0.0	0.0	
0.0	0.0			1730	0.0	0.0	0.0	0.0	
0.0	0.0			118	0.0	0.0	0.0	0.0	
0.0	0.0								
			Min	10482	0.0	0.0	0.0	0.0	
0.0	0.0			10483	0.0	0.0	0.0	0.0	
0.0	0.0			1730	0.0	0.0	0.0	0.0	
0.0	0.0								

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		118	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2	Max 10482	0.0	0.0	0.0	0.0
0.0	0.0		10483	0.0	0.0	0.0	0.0
0.0	0.0		1730	0.0	0.0	0.0	0.0
0.0	0.0		118	0.0	0.0	0.0	0.0
0.0	0.0		Min 10482	0.0	0.0	0.0	0.0
0.0	0.0		10483	0.0	0.0	0.0	0.0
0.0	0.0		1730	0.0	0.0	0.0	0.0
0.0	0.0		118	0.0	0.0	0.0	0.0
0.0	0.0		Min 10482	0.0	0.0	0.0	0.0
0.0	0.0		10483	0.0	0.0	0.0	0.0
0.0	0.0		1730	0.0	0.0	0.0	0.0
0.0	0.0		118	0.0	0.0	0.0	0.0
0.0	0.0		Min 10482	0.0	0.0	0.0	0.0
0.0	0.0		10483	0.0	0.0	0.0	0.0
0.0	0.0		1730	0.0	0.0	0.0	0.0
0.0	0.0		118	0.0	0.0	0.0	0.0
0.3	0.0	G1	10482	7.9	29.8	0.0	-0.3
-0.3	0.0		10483	37.3	-17.0	0.0	-0.3
-0.3	0.0		1730	-20.7	-29.4	-0.0	1.3
0.4	0.0		118	-24.5	16.9	-0.0	1.3
-0.9	0.0	G2	10482	3.2	11.9	-0.0	1.7
0.8	0.0		10483	13.9	-5.8	-0.0	1.7
0.7	0.0		1730	-8.1	-11.9	0.0	-2.2
-0.9	0.0		118	-9.0	5.7	0.0	-2.3
0.0	0.0	Q3	10482	0.0	0.0	0.0	0.0
0.0	0.0		10483	0.0	0.0	0.0	0.0

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
				1730	0.0	0.0	0.0	0.0
0.0	0.0			118	0.0	0.0	0.0	0.0
			Q5_pc	10482	-2.3	0.9	-0.0	0.6
-0.3	0.0			10483	4.5	-1.4	-0.0	0.6
0.2	0.0			1730	2.6	-0.9	0.0	-0.9
0.3	0.0			118	-4.8	1.4	0.0	-0.9
-0.3	0.0							
			Q5_ps	10482	-3.0	0.0	-0.0	1.1
-0.5	0.0			10483	3.8	-0.8	-0.0	1.1
0.5	0.0			1730	3.3	-0.1	0.0	-1.6
0.5	0.0			118	-4.1	0.8	0.0	-1.7
-0.6	0.0							
			INVS LU Max	10482	327.5	44.5	0.0	-5.2
1.1	0.0			10483	-266.4	-10.0	0.0	-5.4
0.5	0.0			1730	-374.7	-40.3	0.0	9.8
0.1	0.0			118	334.8	10.3	-0.0	9.1
1.8	0.0							
			Min	10482	318.6	42.9	0.0	-8.4
-0.5	0.0			10483	-277.7	-12.4	-0.0	-8.6
-0.9	0.0			1730	-384.6	-42.0	0.0	4.9
-1.3	0.0			118	322.5	7.8	-0.0	4.1
0.1	0.0							
			INVS LE Max	10482	253.7	32.2	0.0	-4.7
0.9	0.0			10483	-210.8	-6.6	-0.0	-4.8
0.3	0.0			1730	-290.5	-29.2	0.0	7.8
-0.1	0.0			118	261.7	6.6	-0.0	7.2
1.4	0.0							
			Min	10482	247.8	31.2	0.0	-6.8
-0.2	0.0			10483	-218.3	-8.2	-0.0	-7.0
-0.7	0.0			1730	-297.1	-30.3	0.0	4.6
-1.0	0.0			118	253.5	4.9	-0.0	3.9
0.2	0.0							
7741	2	10	C1-C2;~1 Max	10484	0.0	0.0	0.0	0.0
0.0		0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0		10485	0.0	0.0	0.0	0.0
0.0	0.0		10487	0.0	0.0	0.0	0.0
0.0	0.0		10486	0.0	0.0	0.0	0.0
0.0	0.0	Min	10484	0.0	0.0	0.0	0.0
0.0	0.0		10485	0.0	0.0	0.0	0.0
0.0	0.0		10487	0.0	0.0	0.0	0.0
0.0	0.0		10486	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1 Max	10484	0.0	0.0	0.0	0.0
0.0	0.0		10485	0.0	0.0	0.0	0.0
0.0	0.0		10487	0.0	0.0	0.0	0.0
0.0	0.0		10486	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	10484	0.0	0.0	0.0	0.0
0.0	0.0		10485	0.0	0.0	0.0	0.0
0.0	0.0		10487	0.0	0.0	0.0	0.0
0.0	0.0		10486	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2 Max	10484	0.0	0.0	0.0	0.0
0.0	0.0		10485	0.0	0.0	0.0	0.0
0.0	0.0		10487	0.0	0.0	0.0	0.0
0.0	0.0		10486	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	10484	0.0	0.0	0.0	0.0
0.0	0.0		10485	0.0	0.0	0.0	0.0
0.0	0.0		10487	0.0	0.0	0.0	0.0
0.0	0.0		10486	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	10484	0.0	0.0	0.0	0.0
0.0	0.0		10485	0.0	0.0	0.0	0.0
0.0	0.0		10487	0.0	0.0	0.0	0.0
0.0	0.0		10486	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	10484	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0		10485	0.0	0.0	0.0	0.0
0.0	0.0		10487	0.0	0.0	0.0	0.0
0.0	0.0		10486	0.0	0.0	0.0	0.0
0.3	0.0	G1	10484	-73.6	22.7	-0.0	-1.4
-0.3	0.0		10485	114.6	-18.5	-0.0	-1.5
-0.2	0.0		10487	60.8	-23.5	0.0	0.7
0.2	0.0		10486	-101.7	19.6	0.0	0.7
0.5	0.0	G2	10484	-28.4	9.3	0.0	-0.8
-0.5	0.0		10485	44.3	-6.8	0.0	-0.8
-0.6	0.0		10487	23.3	-9.7	-0.0	1.2
0.6	0.0		10486	-39.3	7.2	-0.0	1.2
0.0	0.0	Q3	10484	0.0	0.0	0.0	0.0
0.0	0.0		10485	0.0	0.0	0.0	0.0
0.0	0.0		10487	0.0	0.0	0.0	0.0
0.0	0.0		10486	0.0	0.0	0.0	0.0
0.8	0.0	Q5_pc	10484	2.6	-0.3	0.0	-0.3
-0.7	0.0		10485	-3.6	0.9	0.0	-0.3
-1.0	0.0		10487	-2.8	0.2	-0.0	1.6
1.1	0.0		10486	3.9	-0.8	-0.0	1.7
1.1	0.0	Q5_ps	10484	3.1	0.5	0.0	-0.5
-1.0	0.0		10485	-2.9	0.4	0.0	-0.5
-1.3	0.0		10487	-3.4	-0.6	-0.0	2.3
1.5	0.0		10486	3.2	-0.3	-0.0	2.4
2.2	0.0	INVSLU Max	10484	-12.2	36.6	0.0	3.6
1.1	0.0		10485	77.2	-20.5	-0.0	3.7
1.4	0.0		10487	-34.6	-35.5	0.0	-2.3
2.9	0.0		10486	-11.6	22.8	0.0	-1.9

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


-1.1	0.0		Min	10484	-21.4	35.2	-0.0	2.0
-1.8	0.0			10485	68.5	-22.0	-0.0	2.2
-2.6	0.0			10487	-44.7	-37.2	0.0	-9.2
-1.5	0.0			10486	-21.3	21.3	-0.0	-9.1
1.5	0.0	INVSLE	Max	10484	-4.8	26.3	0.0	3.1
0.8	0.0			10485	50.7	-14.4	-0.0	3.2
0.9	0.0			10487	-31.6	-25.5	0.0	-2.6
2.0	0.0			10486	-1.6	15.9	0.0	-2.4
-0.8	0.0		Min	10484	-10.9	25.4	-0.0	2.0
-1.2	0.0			10485	44.9	-15.4	-0.0	2.2
-1.7	0.0			10487	-38.4	-26.6	0.0	-7.2
-1.0	0.0			10486	-8.1	14.9	-0.0	-7.2
7742	2	10 C1-C2;~1	Max	10486	0.0	0.0	0.0	0.0
0.0	0.0			10487	0.0	0.0	0.0	0.0
0.0	0.0			10489	0.0	0.0	0.0	0.0
0.0	0.0			10488	0.0	0.0	0.0	0.0
0.0	0.0		Min	10486	0.0	0.0	0.0	0.0
0.0	0.0			10487	0.0	0.0	0.0	0.0
0.0	0.0			10489	0.0	0.0	0.0	0.0
0.0	0.0			10488	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~1	Max	10486	0.0	0.0	0.0	0.0
0.0	0.0			10487	0.0	0.0	0.0	0.0
0.0	0.0			10489	0.0	0.0	0.0	0.0
0.0	0.0			10488	0.0	0.0	0.0	0.0
0.0	0.0		Min	10486	0.0	0.0	0.0	0.0
0.0	0.0			10487	0.0	0.0	0.0	0.0
0.0	0.0			10489	0.0	0.0	0.0	0.0
0.0	0.0			10488	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0	C1-C2;~2	Max	10486	0.0	0.0	0.0	0.0
0.0	0.0			10487	0.0	0.0	0.0	0.0
0.0	0.0			10489	0.0	0.0	0.0	0.0
0.0	0.0			10488	0.0	0.0	0.0	0.0
0.0	0.0		Min	10486	0.0	0.0	0.0	0.0
0.0	0.0			10487	0.0	0.0	0.0	0.0
0.0	0.0			10489	0.0	0.0	0.0	0.0
0.0	0.0			10488	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2	Max	10486	0.0	0.0	0.0	0.0
0.0	0.0			10487	0.0	0.0	0.0	0.0
0.0	0.0			10489	0.0	0.0	0.0	0.0
0.0	0.0			10488	0.0	0.0	0.0	0.0
0.0	0.0		Min	10486	0.0	0.0	0.0	0.0
0.0	0.0			10487	0.0	0.0	0.0	0.0
0.0	0.0			10489	0.0	0.0	0.0	0.0
0.0	0.0			10488	0.0	0.0	0.0	0.0
-0.0	0.0	G1		10486	-33.5	25.8	-0.0	-0.7
-0.0	0.0			10487	76.3	-17.9	-0.0	-0.7
0.1	0.0			10489	20.6	-26.1	0.0	-0.2
-0.1	0.0			10488	-63.4	18.5	0.0	-0.2
0.8	0.0	G2		10486	-12.6	10.6	0.0	-1.2
-0.7	0.0			10487	29.3	-6.5	0.0	-1.2
-0.8	0.0			10489	7.5	-10.8	-0.0	1.8
0.8	0.0			10488	-24.3	6.6	-0.0	1.8
0.0	0.0	Q3		10486	0.0	0.0	0.0	0.0
0.0	0.0			10487	0.0	0.0	0.0	0.0
0.0	0.0			10489	0.0	0.0	0.0	0.0


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0			10488	0.0	0.0	0.0
			Q5_pc	10486	3.2	-0.3	0.0
1.5	0.0			10487	-4.4	0.9	0.0
-1.3	0.0			10489	-3.4	0.3	-0.0
-1.4	0.0			10488	4.6	-0.9	-0.0
1.6	0.0						3.4
			Q5_ps	10486	4.0	0.5	0.0
2.0	0.0			10487	-3.8	0.3	0.0
-1.8	0.0			10489	-4.2	-0.5	-0.0
-2.0	0.0			10488	4.0	-0.3	-0.0
2.2	0.0						4.8
			INVSLE Max	10486	159.3	40.9	0.0
3.6	0.0			10487	-93.8	-15.8	0.0
2.3	0.0			10489	-203.9	-37.8	0.0
2.8	0.0			10488	162.5	16.3	0.0
3.8	0.0						0.7
			Min	10486	147.3	39.3	-0.0
-2.5	0.0			10487	-105.1	-17.4	-0.0
-3.1	0.0			10489	-216.6	-39.5	-0.0
-3.2	0.0			10488	150.4	14.7	-0.0
-3.0	0.0						-13.8
			INVSLE Max	10486	125.5	29.5	0.0
2.4	0.0			10487	-79.5	-10.9	0.0
1.6	0.0			10489	-160.6	-27.2	0.0
1.9	0.0			10488	130.7	11.1	0.0
2.5	0.0						-0.8
			Min	10486	117.5	28.4	-0.0
-1.6	0.0			10487	-87.1	-12.0	-0.0
-2.0	0.0			10489	-169.1	-28.3	-0.0
-2.1	0.0			10488	122.6	10.0	-0.0
-2.0	0.0						-10.4
7743	2	10	C1-C2;~1	Max	10488	0.0	0.0
0.0	0.0				10489	0.0	0.0
0.0	0.0						0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		1724	0.0	0.0	0.0	0.0
0.0	0.0		116	0.0	0.0	0.0	0.0
0.0	0.0	Min	10488	0.0	0.0	0.0	0.0
0.0	0.0		10489	0.0	0.0	0.0	0.0
0.0	0.0		1724	0.0	0.0	0.0	0.0
0.0	0.0		116	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max 10488	0.0	0.0	0.0	0.0
0.0	0.0		10489	0.0	0.0	0.0	0.0
0.0	0.0		1724	0.0	0.0	0.0	0.0
0.0	0.0		116	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	10488	0.0	0.0	0.0	0.0
0.0	0.0		10489	0.0	0.0	0.0	0.0
0.0	0.0		1724	0.0	0.0	0.0	0.0
0.0	0.0		116	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max 10488	0.0	0.0	0.0	0.0
0.0	0.0		10489	0.0	0.0	0.0	0.0
0.0	0.0		1724	0.0	0.0	0.0	0.0
0.0	0.0		116	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	10488	0.0	0.0	0.0	0.0
0.0	0.0		10489	0.0	0.0	0.0	0.0
0.0	0.0		1724	0.0	0.0	0.0	0.0
0.0	0.0		116	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max 10488	0.0	0.0	0.0	0.0
0.0	0.0		10489	0.0	0.0	0.0	0.0
0.0	0.0		1724	0.0	0.0	0.0	0.0
0.0	0.0		116	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	10488	0.0	0.0	0.0	0.0
0.0	0.0		10489	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
				1724	0.0	0.0	0.0	0.0
0.0	0.0			116	0.0	0.0	0.0	0.0
		G1		10488	6.6	29.1	-0.0	0.2
-0.3	0.0			10489	37.4	-16.4	-0.0	0.2
0.2	0.0			1724	-19.5	-28.7	0.0	-1.2
0.3	0.0			116	-24.4	16.3	0.0	-1.1
-0.3	0.0							
		G2		10488	3.1	12.0	0.0	-1.9
0.9	0.0			10489	14.1	-5.8	0.0	-1.9
-0.8	0.0			1724	-8.1	-11.9	-0.0	2.4
-0.8	0.0			116	-9.1	5.7	-0.0	2.5
1.0	0.0							
		Q3		10488	0.0	0.0	0.0	0.0
0.0	0.0			10489	0.0	0.0	0.0	0.0
0.0	0.0			1724	0.0	0.0	0.0	0.0
0.0	0.0			116	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		10488	3.6	-0.5	0.0	-3.4
1.9	0.0			10489	-5.0	1.0	0.0	-3.4
-1.7	0.0			1724	-3.6	0.4	-0.0	5.2
-1.7	0.0			116	5.0	-1.0	-0.0	5.3
2.0	0.0							
		Q5_ps		10488	4.5	0.4	0.0	-4.8
2.7	0.0			10489	-4.4	0.4	0.0	-4.8
-2.3	0.0			1724	-4.5	-0.5	-0.0	7.2
-2.3	0.0			116	4.5	-0.4	-0.0	7.4
2.8	0.0							
		INVSLU	Max	10488	332.9	46.7	0.0	13.8
3.8	0.0			10489	-264.1	-12.5	0.0	14.0
3.5	0.0			1724	-376.0	-42.7	0.0	3.9
3.9	0.0			116	334.2	12.1	0.0	4.9
3.5	0.0							
			Min	10488	319.4	45.4	-0.0	-0.7

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

-4.2	0.0			10489	-277.4	-14.3	-0.0	-0.5
-3.4	0.0			1724	-389.7	-44.1	-0.0	-17.8
-3.0	0.0			116	320.7	10.3	-0.0	-17.3
-5.0	0.0							
		INVSLE	Max	10488	257.6	34.0	0.0	10.4
2.5	0.0			10489	-209.1	-8.5	0.0	10.5
2.4	0.0			1724	-291.8	-31.1	0.0	1.4
2.8	0.0			116	261.2	8.0	0.0	2.1
2.1	0.0							
			Min	10488	248.7	33.1	-0.0	0.7
-2.9	0.0			10489	-218.0	-9.8	-0.0	0.9
-2.2	0.0			1724	-300.9	-32.0	-0.0	-13.1
-1.9	0.0			116	252.2	6.8	-0.0	-12.7
-3.5	0.0							
7912	2	4	C1-C2;~1	Max	10631	0.0	0.0	0.0
0.0	0.0				10478	0.0	0.0	0.0
0.0	0.0				10480	0.0	0.0	0.0
0.0	0.0				10632	0.0	0.0	0.0
0.0	0.0							
			Min	10631	0.0	0.0	0.0	0.0
0.0	0.0				10478	0.0	0.0	0.0
0.0	0.0				10480	0.0	0.0	0.0
0.0	0.0				10632	0.0	0.0	0.0
0.0	0.0							
			Min	10631	0.0	0.0	0.0	0.0
0.0	0.0				10478	0.0	0.0	0.0
0.0	0.0				10480	0.0	0.0	0.0
0.0	0.0				10632	0.0	0.0	0.0
0.0	0.0							
			Min	10631	0.0	0.0	0.0	0.0
0.0	0.0				10478	0.0	0.0	0.0
0.0	0.0				10480	0.0	0.0	0.0
0.0	0.0				10632	0.0	0.0	0.0
0.0	0.0							
			Min	10631	0.0	0.0	0.0	0.0
0.0	0.0				10478	0.0	0.0	0.0
0.0	0.0				10480	0.0	0.0	0.0
0.0	0.0				10632	0.0	0.0	0.0
0.0	0.0							
			Min	10631	0.0	0.0	0.0	0.0
0.0	0.0				10478	0.0	0.0	0.0
0.0	0.0				10480	0.0	0.0	0.0
0.0	0.0				10632	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
		C1-C2;~2	Max	10631	0.0	0.0	0.0	0.0
0.0	0.0			10478	0.0	0.0	0.0	0.0
0.0	0.0			10480	0.0	0.0	0.0	0.0
0.0	0.0			10632	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	10631	0.0	0.0	0.0	0.0
0.0	0.0			10478	0.0	0.0	0.0	0.0
0.0	0.0			10480	0.0	0.0	0.0	0.0
0.0	0.0			10632	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	10631	0.0	0.0	0.0	0.0
0.0	0.0			10478	0.0	0.0	0.0	0.0
0.0	0.0			10480	0.0	0.0	0.0	0.0
0.0	0.0			10632	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	10631	0.0	0.0	0.0	0.0
0.0	0.0			10478	0.0	0.0	0.0	0.0
0.0	0.0			10480	0.0	0.0	0.0	0.0
0.0	0.0			10632	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	10631	-69.1	26.0	0.0	2.0
-0.3	0.0			10478	114.9	-20.0	0.0	2.0
0.2	0.0			10480	56.2	-27.0	-0.0	-0.9
0.1	0.0			10632	-102.0	21.3	-0.0	-0.9
-0.2	0.0							
			G2	10631	-26.8	10.4	-0.0	1.1
-0.6	0.0			10478	44.3	-7.1	-0.0	1.1
0.5	0.0			10480	21.8	-10.8	0.0	-1.6
0.6	0.0			10632	-39.2	7.6	0.0	-1.6
-0.7	0.0							
			Q3	10631	0.0	0.0	0.0	0.0
0.0	0.0			10478	0.0	0.0	0.0	0.0
0.0	0.0			10480	0.0	0.0	0.0	0.0
0.0	0.0			10632	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

-0.0	0.0	Q5_pc		10631	-0.8	0.8	0.0	0.1
0.0	0.0			10478	2.4	-0.9	-0.0	0.1
0.1	0.0			10480	1.0	-0.8	0.0	-0.4
-0.1	0.0			10632	-2.7	0.9	-0.0	-0.4
-0.2	0.0	Q5_ps		10631	-1.5	0.1	-0.0	0.1
0.2	0.0			10478	1.8	-0.3	-0.0	0.1
0.2	0.0			10480	1.7	-0.1	0.0	-0.7
-0.3	0.0			10632	-2.1	0.3	0.0	-0.6
-0.2	0.0	INVS LU	Max	10631	-14.5	36.6	0.0	-4.5
0.7	0.0			10478	79.5	-23.8	0.0	-4.2
1.0	0.0			10480	-37.5	-36.3	-0.0	9.5
-0.4	0.0			10632	-16.8	26.9	-0.0	9.7
-0.6	0.0		Min	10631	-18.9	35.2	0.0	-4.7
0.2	0.0			10478	74.0	-25.4	0.0	-4.5
0.3	0.0			10480	-42.6	-37.7	-0.0	7.5
-1.1	0.0			10632	-23.0	25.3	-0.0	7.8
-0.1	0.0	INVS LE	Max	10631	-6.6	26.0	0.0	-4.1
0.5	0.0			10478	52.6	-16.9	0.0	-3.8
0.7	0.0			10480	-33.5	-25.9	-0.0	8.0
-0.3	0.0			10632	-5.4	19.1	-0.0	8.1
-0.4	0.0		Min	10631	-9.5	25.1	0.0	-4.2
0.1	0.0			10478	48.9	-18.0	0.0	-4.0
0.2	0.0			10480	-36.9	-26.8	-0.0	6.6
-0.8	0.0			10632	-9.6	18.0	-0.0	6.8
7913	2	4 C1-C2; ~1	Max	10632	0.0	0.0	0.0	0.0
0.0	0.0			10480	0.0	0.0	0.0	0.0
0.0	0.0			10482	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		10633	0.0	0.0	0.0	0.0
0.0	0.0	Min	10632	0.0	0.0	0.0	0.0
0.0	0.0		10480	0.0	0.0	0.0	0.0
0.0	0.0		10482	0.0	0.0	0.0	0.0
0.0	0.0		10633	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~1	Max	10632	0.0	0.0	0.0
0.0	0.0			10480	0.0	0.0	0.0
0.0	0.0			10482	0.0	0.0	0.0
0.0	0.0			10633	0.0	0.0	0.0
0.0	0.0		Min	10632	0.0	0.0	0.0
0.0	0.0			10480	0.0	0.0	0.0
0.0	0.0			10482	0.0	0.0	0.0
0.0	0.0			10633	0.0	0.0	0.0
0.0	0.0	C1-C2;~2	Max	10632	0.0	0.0	0.0
0.0	0.0			10480	0.0	0.0	0.0
0.0	0.0			10482	0.0	0.0	0.0
0.0	0.0			10633	0.0	0.0	0.0
0.0	0.0		Min	10632	0.0	0.0	0.0
0.0	0.0			10480	0.0	0.0	0.0
0.0	0.0			10482	0.0	0.0	0.0
0.0	0.0			10633	0.0	0.0	0.0
0.0	0.0	C3-C4;~2	Max	10632	0.0	0.0	0.0
0.0	0.0			10480	0.0	0.0	0.0
0.0	0.0			10482	0.0	0.0	0.0
0.0	0.0			10633	0.0	0.0	0.0
0.0	0.0		Min	10632	0.0	0.0	0.0
0.0	0.0			10480	0.0	0.0	0.0
0.0	0.0			10482	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0			10633	0.0	0.0	0.0	0.0
		G1		10632	-28.6	29.8	0.0	0.9
0.1	0.0			10480	77.1	-19.5	0.0	0.9
-0.1	0.0			10482	15.9	-30.3	-0.0	0.4
-0.1	0.0			10633	-64.5	20.3	-0.0	0.4
0.2	0.0							
		G2		10632	-11.0	11.9	-0.0	1.6
-0.9	0.0			10480	29.4	-6.9	-0.0	1.6
0.7	0.0			10482	6.0	-12.2	0.0	-2.4
0.8	0.0			10633	-24.5	7.1	0.0	-2.4
-0.9	0.0							
		Q3		10632	0.0	0.0	0.0	0.0
0.0	0.0			10480	0.0	0.0	0.0	0.0
0.0	0.0			10482	0.0	0.0	0.0	0.0
0.0	0.0			10633	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		10632	-1.4	0.8	-0.0	0.4
-0.2	0.0			10480	3.3	-1.1	-0.0	0.4
0.2	0.0			10482	1.7	-0.8	0.0	-0.9
0.2	0.0			10633	-3.6	1.1	0.0	-0.8
-0.2	0.0							
		Q5_ps		10632	-2.2	-0.0	-0.0	0.6
-0.4	0.0			10480	2.6	-0.5	-0.0	0.7
0.4	0.0			10482	2.4	0.0	0.0	-1.5
0.4	0.0			10633	-2.9	0.5	0.0	-1.5
-0.5	0.0							
		INVSLU	Max	10632	157.4	40.6	0.0	-8.1
0.2	0.0			10480	-92.0	-19.6	0.0	-7.5
1.0	0.0			10482	-207.4	-38.4	-0.0	12.3
0.9	0.0			10633	157.1	21.3	0.0	12.4
0.5	0.0							
			Min	10632	150.8	39.2	-0.0	-10.0
-1.1	0.0			10480	-99.8	-21.6	0.0	-9.5

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	


-0.1	0.0			10482	-214.7	-39.9	-0.0	7.8
-0.4	0.0			10633	148.6	19.3	-0.0	8.0
-1.0	0.0							
		INVSLE	Max	10632	124.2	29.0	0.0	-7.1
0.1	0.0			10480	-78.1	-13.8	0.0	-6.6
0.7	0.0			10482	-162.9	-27.5	-0.0	10.1
0.6	0.0			10633	126.9	14.8	0.0	10.1
0.4	0.0							
			Min	10632	119.8	28.0	-0.0	-8.4
-0.7	0.0			10480	-83.3	-15.1	0.0	-8.0
-0.1	0.0			10482	-167.8	-28.4	-0.0	7.0
-0.3	0.0			10633	121.2	13.5	-0.0	7.2
-0.6	0.0							
7914	2	4	C1-C2;~1	Max	10633	0.0	0.0	0.0
0.0	0.0			10482	0.0	0.0	0.0	0.0
0.0	0.0			118	0.0	0.0	0.0	0.0
0.0	0.0			1720	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	10633	0.0	0.0	0.0	0.0
0.0	0.0			10482	0.0	0.0	0.0	0.0
0.0	0.0			118	0.0	0.0	0.0	0.0
0.0	0.0			1720	0.0	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	10633	0.0	0.0	0.0
0.0	0.0			10482	0.0	0.0	0.0	0.0
0.0	0.0			118	0.0	0.0	0.0	0.0
0.0	0.0			1720	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	10633	0.0	0.0	0.0	0.0
0.0	0.0			10482	0.0	0.0	0.0	0.0
0.0	0.0			118	0.0	0.0	0.0	0.0
0.0	0.0			1720	0.0	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	10633	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	0.0		10482	0.0	0.0	0.0	0.0
0.0	0.0		118	0.0	0.0	0.0	0.0
0.0	0.0		1720	0.0	0.0	0.0	0.0
0.0	0.0	Min	10633	0.0	0.0	0.0	0.0
0.0	0.0		10482	0.0	0.0	0.0	0.0
0.0	0.0		118	0.0	0.0	0.0	0.0
0.0	0.0		1720	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2 Max	10633	0.0	0.0	0.0	0.0
0.0	0.0		10482	0.0	0.0	0.0	0.0
0.0	0.0		118	0.0	0.0	0.0	0.0
0.0	0.0		1720	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	10633	0.0	0.0	0.0	0.0
0.0	0.0		10482	0.0	0.0	0.0	0.0
0.0	0.0		118	0.0	0.0	0.0	0.0
0.0	0.0		1720	0.0	0.0	0.0	0.0
0.0	0.0						
0.4	0.0	G1	10633	11.4	33.4	0.0	-0.4
-0.3	0.0		10482	39.4	-18.5	0.0	-0.4
-0.4	0.0		118	-24.2	-33.7	-0.0	1.8
0.5	0.0		1720	-26.6	19.1	-0.0	1.8
-1.1	0.0	G2	10633	4.6	13.4	-0.0	2.4
0.9	0.0		10482	14.7	-6.4	-0.0	2.4
0.9	0.0		118	-9.5	-13.6	0.0	-3.4
-1.1	0.0		1720	-9.8	6.5	0.0	-3.3
0.0	0.0	Q3	10633	0.0	0.0	0.0	0.0
0.0	0.0		10482	0.0	0.0	0.0	0.0
0.0	0.0		118	0.0	0.0	0.0	0.0
0.0	0.0		1720	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-0.3	0.0	Q5_pc	10633	-2.2	0.8	-0.0	0.9
0.3	0.0		10482	4.4	-1.3	-0.0	0.9
0.3	0.0		118	2.6	-0.9	0.0	-1.4
-0.4	0.0		1720	-4.7	1.4	0.0	-1.4
-0.7	0.0	Q5_ps	10633	-3.0	-0.1	-0.0	1.5
0.5	0.0		10482	3.6	-0.7	-0.0	1.5
0.6	0.0		118	3.3	0.1	0.0	-2.4
-0.7	0.0		1720	-4.0	0.8	0.0	-2.4
1.2	0.0	INVS LU Max	10633	333.6	46.4	-0.0	-7.9
0.5	0.0		10482	-264.7	-16.6	0.0	-7.8
-0.0	0.0		118	-383.6	-42.1	-0.0	13.1
1.9	0.0		1720	335.4	16.7	0.0	14.0
-0.8	0.0	Min	10633	324.7	44.9	-0.0	-12.4
-1.1	0.0		10482	-275.5	-19.0	0.0	-12.3
-1.7	0.0		118	-393.6	-43.7	-0.0	5.9
-0.3	0.0		1720	323.5	14.2	0.0	6.8
0.9	0.0	INVS LE Max	10633	258.5	33.5	-0.0	-7.1
0.2	0.0		10482	-209.7	-11.7	0.0	-7.1
-0.2	0.0		118	-297.5	-30.3	-0.0	10.5
1.5	0.0		1720	262.6	11.5	0.0	11.2
-0.4	0.0	Min	10633	252.5	32.5	-0.0	-10.1
-0.9	0.0		10482	-216.9	-13.3	0.0	-10.1
-1.4	0.0		118	-304.2	-31.4	-0.0	5.6
0.0	0.0		1720	254.7	9.8	0.0	6.4
7921	2	4 C1-C2;~1 Max	10637	0.0	0.0	0.0	0.0
0.0	0.0		10484	0.0	0.0	0.0	0.0
0.0	0.0		10486	0.0	0.0	0.0	0.0
0.0	0.0		10638	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0	Min	10637	0.0	0.0	0.0	0.0
0.0	0.0		10484	0.0	0.0	0.0	0.0
0.0	0.0		10486	0.0	0.0	0.0	0.0
0.0	0.0		10638	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	10637	0.0	0.0	0.0
0.0	0.0			10484	0.0	0.0	0.0
0.0	0.0			10486	0.0	0.0	0.0
0.0	0.0			10638	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	10637	0.0	0.0	0.0	0.0
0.0	0.0		10484	0.0	0.0	0.0	0.0
0.0	0.0		10486	0.0	0.0	0.0	0.0
0.0	0.0		10638	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	10637	0.0	0.0	0.0
0.0	0.0			10484	0.0	0.0	0.0
0.0	0.0			10486	0.0	0.0	0.0
0.0	0.0			10638	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	10637	0.0	0.0	0.0	0.0
0.0	0.0		10484	0.0	0.0	0.0	0.0
0.0	0.0		10486	0.0	0.0	0.0	0.0
0.0	0.0		10638	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	10637	0.0	0.0	0.0
0.0	0.0			10484	0.0	0.0	0.0
0.0	0.0			10486	0.0	0.0	0.0
0.0	0.0			10638	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	10637	0.0	0.0	0.0	0.0
0.0	0.0		10484	0.0	0.0	0.0	0.0
0.0	0.0		10486	0.0	0.0	0.0	0.0
0.0	0.0		10638	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.3	0.0	G1	10637	-70.7	25.5	-0.0	-2.0
-0.3	0.0		10484	115.5	-19.4	-0.0	-2.0
-0.2	0.0		10486	57.8	-26.5	0.0	0.9
0.2	0.0		10638	-102.5	20.7	0.0	0.9
0.6	0.0	G2	10637	-27.2	10.5	0.0	-1.1
-0.5	0.0		10484	44.7	-7.2	0.0	-1.1
-0.6	0.0		10486	22.1	-10.9	-0.0	1.7
0.7	0.0		10638	-39.6	7.6	-0.0	1.7
0.0	0.0	Q3	10637	0.0	0.0	0.0	0.0
0.0	0.0		10484	0.0	0.0	0.0	0.0
0.0	0.0		10486	0.0	0.0	0.0	0.0
0.0	0.0		10638	0.0	0.0	0.0	0.0
0.9	0.0	Q5_pc	10637	2.5	-0.3	0.0	-0.4
-0.8	0.0		10484	-3.5	0.7	0.0	-0.4
-1.1	0.0		10486	-2.8	0.3	-0.0	2.3
1.2	0.0		10638	3.8	-0.8	-0.0	2.2
1.2	0.0	Q5_ps	10637	3.2	0.5	0.0	-0.6
-1.1	0.0		10484	-2.9	0.2	0.0	-0.7
-1.5	0.0		10486	-3.5	-0.4	-0.0	3.4
1.7	0.0		10638	3.2	-0.2	-0.0	3.2
2.3	0.0	INVSLU Max	10637	-9.5	38.9	-0.0	5.5
1.2	0.0		10484	82.8	-26.1	0.0	5.3
1.5	0.0		10486	-37.5	-38.6	0.0	-3.3
3.3	0.0		10638	-16.8	29.0	0.0	-3.8
-1.4	0.0	Min	10637	-18.9	37.3	-0.0	3.6
-2.2	0.0		10484	74.2	-27.4	-0.0	3.3
			10486	-47.9	-39.9	-0.0	-13.3

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-2.9	0.0			10638	-26.4	27.6	0.0	-13.3
-1.7	0.0							
		INVSLE	Max	10637	-2.9	27.8	-0.0	4.8
1.5	0.0			10484	54.9	-18.7	0.0	4.6
0.8	0.0			10486	-33.8	-27.7	0.0	-3.8
1.0	0.0			10638	-5.6	20.7	0.0	-4.2
2.2	0.0							
			Min	10637	-9.2	26.8	-0.0	3.5
-1.0	0.0			10484	49.2	-19.5	-0.0	3.2
-1.5	0.0			10486	-40.7	-28.6	-0.0	-10.5
-2.0	0.0			10638	-12.0	19.8	0.0	-10.5
-1.1	0.0							
7922	2	4	C1-C2;~1	Max	10638	0.0	0.0	0.0
0.0		0.0			10486	0.0	0.0	0.0
0.0		0.0			10488	0.0	0.0	0.0
0.0		0.0			10639	0.0	0.0	0.0
0.0		0.0						
			Min	10638	0.0	0.0	0.0	0.0
0.0		0.0			10486	0.0	0.0	0.0
0.0		0.0			10488	0.0	0.0	0.0
0.0		0.0			10639	0.0	0.0	0.0
0.0		0.0						
			C3-C4;~1	Max	10638	0.0	0.0	0.0
0.0		0.0			10486	0.0	0.0	0.0
0.0		0.0			10488	0.0	0.0	0.0
0.0		0.0			10639	0.0	0.0	0.0
0.0		0.0						
			Min	10638	0.0	0.0	0.0	0.0
0.0		0.0			10486	0.0	0.0	0.0
0.0		0.0			10488	0.0	0.0	0.0
0.0		0.0			10639	0.0	0.0	0.0
0.0		0.0						
			C1-C2;~2	Max	10638	0.0	0.0	0.0
0.0		0.0			10486	0.0	0.0	0.0
0.0		0.0						

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
				10488	0.0	0.0	0.0	0.0
0.0	0.0			10639	0.0	0.0	0.0	0.0
0.0	0.0							
		Min		10638	0.0	0.0	0.0	0.0
0.0	0.0			10486	0.0	0.0	0.0	0.0
0.0	0.0			10488	0.0	0.0	0.0	0.0
0.0	0.0			10639	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	10638	0.0	0.0	0.0	0.0
0.0	0.0			10486	0.0	0.0	0.0	0.0
0.0	0.0			10488	0.0	0.0	0.0	0.0
0.0	0.0			10639	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	10638	0.0	0.0	0.0	0.0
0.0	0.0			10486	0.0	0.0	0.0	0.0
0.0	0.0			10488	0.0	0.0	0.0	0.0
0.0	0.0			10639	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	10638	-30.1	29.2	-0.0	-0.9
-0.0	0.0			10486	77.5	-18.9	-0.0	-0.9
0.0	0.0			10488	17.4	-29.7	0.0	-0.3
0.1	0.0			10639	-64.7	19.7	0.0	-0.3
-0.1	0.0							
			G2	10638	-11.2	12.0	0.0	-1.7
0.9	0.0			10486	29.8	-6.9	0.0	-1.7
-0.8	0.0			10488	6.2	-12.3	-0.0	2.6
-0.8	0.0			10639	-24.8	7.1	-0.0	2.6
1.0	0.0							
			Q3	10638	0.0	0.0	0.0	0.0
0.0	0.0			10486	0.0	0.0	0.0	0.0
0.0	0.0			10488	0.0	0.0	0.0	0.0
0.0	0.0			10639	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		10638	3.1	-0.4	0.0	-2.2
1.7	0.0							

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-1.5	0.0			10486	-4.3	0.8	0.0	-2.3	
-1.6	0.0			10488	-3.3	0.4	-0.0	4.9	
1.9	0.0			10639	4.5	-0.8	-0.0	4.8	
2.4	0.0		Q5_ps	10638	4.0	0.5	0.0	-3.2	
-2.0	0.0			10486	-3.7	0.2	0.0	-3.4	
-2.3	0.0			10488	-4.2	-0.4	-0.0	6.9	
2.6	0.0			10639	4.0	-0.3	-0.0	6.8	
4.1	0.0		INVS LU Max	10638	163.0	43.0	0.0	13.7	
2.5	0.0			10486	-88.6	-22.2	0.0	13.4	
3.0	0.0			10488	-207.7	-41.0	0.0	0.6	
4.3	0.0			10639	157.1	23.4	0.0	0.3	
-3.0	0.0		Min	10638	151.1	41.6	-0.0	4.0	
-3.6	0.0			10486	-99.8	-23.6	-0.0	3.3	
-3.7	0.0			10488	-220.3	-42.2	-0.0	-20.0	
-3.6	0.0			10639	145.2	21.9	-0.0	-19.9	
2.7	0.0		INVS LE Max	10638	128.2	30.9	0.0	10.8	
1.7	0.0			10486	-75.6	-15.8	0.0	10.5	
2.0	0.0			10488	-163.5	-29.4	0.0	-1.4	
2.9	0.0			10639	126.7	16.5	0.0	-1.6	
-2.0	0.0		Min	10638	120.3	30.0	-0.0	4.4	
-2.4	0.0			10486	-83.1	-16.7	-0.0	3.8	
-2.5	0.0			10488	-171.8	-30.3	-0.0	-15.2	
-2.4	0.0			10639	118.8	15.5	-0.0	-15.1	
7923	2	4	C1-C2;~1	Max	10639	0.0	0.0	0.0	0.0
0.0	0.0	0.0			10488	0.0	0.0	0.0	0.0
0.0	0.0	0.0			116	0.0	0.0	0.0	0.0
0.0	0.0	0.0			1714	0.0	0.0	0.0	0.0
0.0	0.0	0.0		Min	10639	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	0.0		10488	0.0	0.0	0.0	0.0
0.0	0.0		116	0.0	0.0	0.0	0.0
0.0	0.0		1714	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~1	Max	10639	0.0	0.0	0.0
0.0	0.0			10488	0.0	0.0	0.0
0.0	0.0			116	0.0	0.0	0.0
0.0	0.0			1714	0.0	0.0	0.0
0.0	0.0						
			Min	10639	0.0	0.0	0.0
0.0	0.0			10488	0.0	0.0	0.0
0.0	0.0			116	0.0	0.0	0.0
0.0	0.0			1714	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	10639	0.0	0.0	0.0
0.0	0.0			10488	0.0	0.0	0.0
0.0	0.0			116	0.0	0.0	0.0
0.0	0.0			1714	0.0	0.0	0.0
0.0	0.0						
			Min	10639	0.0	0.0	0.0
0.0	0.0			10488	0.0	0.0	0.0
0.0	0.0			116	0.0	0.0	0.0
0.0	0.0			1714	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	10639	0.0	0.0	0.0
0.0	0.0			10488	0.0	0.0	0.0
0.0	0.0			116	0.0	0.0	0.0
0.0	0.0			1714	0.0	0.0	0.0
0.0	0.0						
			Min	10639	0.0	0.0	0.0
0.0	0.0			10488	0.0	0.0	0.0
0.0	0.0			116	0.0	0.0	0.0
0.0	0.0			1714	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
			G1	10639	10.0	32.7	-0.0	0.3
-0.3	0.0			10488	39.4	-17.8	-0.0	0.3
0.3	0.0			116	-22.9	-33.0	0.0	-1.6
0.3	0.0			1714	-26.5	18.5	0.0	-1.6
-0.4	0.0							
			G2	10639	4.5	13.5	0.0	-2.6
1.2	0.0			10488	15.0	-6.4	0.0	-2.6
-0.9	0.0			116	-9.5	-13.7	-0.0	3.7
-1.0	0.0			1714	-10.0	6.5	-0.0	3.7
1.3	0.0							
			Q3	10639	0.0	0.0	0.0	0.0
0.0	0.0			10488	0.0	0.0	0.0	0.0
0.0	0.0			116	0.0	0.0	0.0	0.0
0.0	0.0			1714	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	10639	3.4	-0.4	0.0	-4.9
2.4	0.0			10488	-4.9	0.9	0.0	-4.9
-1.9	0.0			116	-3.6	0.6	-0.0	7.7
-2.0	0.0			1714	5.0	-1.0	-0.0	7.7
2.6	0.0							
			Q5_ps	10639	4.4	0.5	0.0	-6.9
3.4	0.0			10488	-4.3	0.3	0.0	-6.9
-2.7	0.0			116	-4.5	-0.4	-0.0	10.8
-2.8	0.0			1714	4.4	-0.4	-0.0	10.8
3.6	0.0							
			INVSLU Max	10639	338.8	48.9	0.0	20.1
5.0	0.0			10488	-262.1	-19.2	0.0	20.0
4.2	0.0			116	-384.9	-44.7	0.0	7.3
4.9	0.0			1714	334.7	18.5	0.0	6.4
4.8	0.0							
			Min	10639	325.5	47.3	-0.0	-0.6
-5.1	0.0			10488	-275.1	-20.8	-0.0	-0.6
-3.8	0.0			116	-398.4	-45.9	0.0	-25.1
-3.4	0.0			1714	321.5	16.7	-0.0	-26.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-6.1	0.0							
		INVSLE	Max	10639	262.3	35.4	0.0	15.2
3.2	0.0			10488	-207.8	-13.6	0.0	15.2
2.9	0.0			116	-298.7	-32.3	0.0	3.2
3.4	0.0			1714	261.9	13.0	0.0	2.4
3.0	0.0							
			Min	10639	253.4	34.4	-0.0	1.4
-3.5	0.0			10488	-216.5	-14.8	-0.0	1.4
-2.5	0.0			116	-307.8	-33.1	0.0	-18.4
-2.1	0.0			1714	253.1	11.7	-0.0	-19.1
-4.2	0.0							
8038	2	4	C1-C2;~1	Max	10742	0.0	0.0	0.0
0.0	0.0				10751	0.0	0.0	0.0
0.0	0.0				10752	0.0	0.0	0.0
0.0	0.0				10743	0.0	0.0	0.0
0.0	0.0							
			Min	10742	0.0	0.0	0.0	0.0
0.0	0.0				10751	0.0	0.0	0.0
0.0	0.0				10752	0.0	0.0	0.0
0.0	0.0				10743	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	10742	0.0	0.0	0.0
0.0	0.0				10751	0.0	0.0	0.0
0.0	0.0				10752	0.0	0.0	0.0
0.0	0.0				10743	0.0	0.0	0.0
0.0	0.0							
			Min	10742	0.0	0.0	0.0	0.0
0.0	0.0				10751	0.0	0.0	0.0
0.0	0.0				10752	0.0	0.0	0.0
0.0	0.0				10743	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	10742	0.0	0.0	0.0
0.0	0.0				10751	0.0	0.0	0.0
0.0	0.0				10752	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		10743	0.0	0.0	0.0	0.0
0.0	0.0	Min	10742	0.0	0.0	0.0	0.0
0.0	0.0		10751	0.0	0.0	0.0	0.0
0.0	0.0		10752	0.0	0.0	0.0	0.0
0.0	0.0		10743	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4; ~2	Max	10742	0.0	0.0	0.0
0.0	0.0			10751	0.0	0.0	0.0
0.0	0.0			10752	0.0	0.0	0.0
0.0	0.0			10743	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	10742	0.0	0.0	0.0
0.0	0.0			10751	0.0	0.0	0.0
0.0	0.0			10752	0.0	0.0	0.0
0.0	0.0			10743	0.0	0.0	0.0
8.8	0.0		G1	10742	-20.5	88.4	-0.0
0.2	0.0			10751	-1.2	108.4	0.0
0.1	0.0			10752	15.8	-89.6	-0.0
7.6	0.0			10743	5.9	-106.8	0.0
4.0	0.0		G2	10742	-8.0	35.0	-0.0
0.1	0.0			10751	-0.3	42.7	0.0
-0.0	0.0			10752	6.0	-35.6	-0.0
3.8	0.0			10743	2.2	-42.1	-0.0
0.0	0.0		Q3	10742	0.0	0.0	0.0
0.0	0.0			10751	0.0	0.0	0.0
0.0	0.0			10752	0.0	0.0	0.0
0.0	0.0			10743	0.0	0.0	0.0
-0.4	0.0		Q5_pc	10742	-3.5	15.6	0.0
-0.0	0.0			10751	1.9	16.1	0.0

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0			10752	2.1	-14.8	-0.0	-0.5	
-0.1	-0.0			10743	-0.5	-16.9	-0.0	-0.0	
-0.4	-0.0	Q5_ps		10742	-2.9	12.9	0.0	2.2	
-0.0	0.0			10751	2.2	12.9	0.0	1.2	
0.0	0.0			10752	1.6	-12.2	-0.0	-0.5	
-0.1	-0.0			10743	-0.8	-13.6	-0.0	0.2	
-3.6	0.0	INVS LU	Max	10742	-58.6	71.2	0.0	-0.9	
0.1	0.0			10751	-25.1	130.3	-0.0	8.3	
0.2	0.0			10752	52.1	-14.0	0.0	-3.4	
-6.9	0.0			10743	42.9	-109.6	0.0	0.3	
-4.9	0.0		Min	10742	-67.4	32.4	0.0	-7.6	
0.1	0.0			10751	-31.7	91.8	-0.0	4.6	
0.2	0.0			10752	47.3	-50.6	0.0	-4.9	
-7.2	0.0			10743	40.5	-150.4	-0.0	-0.2	
-3.8	0.0	INVS LE	Max	10742	-46.0	42.6	0.0	-0.6	
0.1	0.0			10751	-20.9	88.5	-0.0	6.4	
0.2	0.0			10752	40.3	-1.3	0.0	-3.1	
-6.3	0.0			10743	34.2	-77.8	0.0	0.1	
-4.7	0.0		Min	10742	-51.9	16.8	0.0	-5.0	
0.0	0.0			10751	-25.3	62.8	-0.0	4.0	
0.1	0.0			10752	37.2	-25.8	0.0	-4.0	
-6.5	0.0			10743	32.5	-105.0	-0.0	-0.3	
8039	2	4	C1-C2;~1	Max	10743	0.0	0.0	0.0	0.0
0.0	0.0			10752	0.0	0.0	0.0	0.0	
0.0	0.0			10753	0.0	0.0	0.0	0.0	
0.0	0.0			10744	0.0	0.0	0.0	0.0	
0.0	0.0		Min	10743	0.0	0.0	0.0	0.0	
0.0	0.0			10752	0.0	0.0	0.0	0.0	

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0			10753	0.0	0.0	0.0	0.0
0.0	0.0			10744	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	10743	0.0	0.0	0.0	0.0
0.0	0.0			10752	0.0	0.0	0.0	0.0
0.0	0.0			10753	0.0	0.0	0.0	0.0
0.0	0.0			10744	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	10743	0.0	0.0	0.0	0.0
0.0	0.0			10752	0.0	0.0	0.0	0.0
0.0	0.0			10753	0.0	0.0	0.0	0.0
0.0	0.0			10744	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	10743	0.0	0.0	0.0	0.0
0.0	0.0			10752	0.0	0.0	0.0	0.0
0.0	0.0			10753	0.0	0.0	0.0	0.0
0.0	0.0			10744	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	10743	0.0	0.0	0.0	0.0
0.0	0.0			10752	0.0	0.0	0.0	0.0
0.0	0.0			10753	0.0	0.0	0.0	0.0
0.0	0.0			10744	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	10743	0.0	0.0	0.0	0.0
0.0	0.0			10752	0.0	0.0	0.0	0.0
0.0	0.0			10753	0.0	0.0	0.0	0.0
0.0	0.0			10744	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	10743	0.0	0.0	0.0	0.0
0.0	0.0			10752	0.0	0.0	0.0	0.0
0.0	0.0			10753	0.0	0.0	0.0	0.0
0.0	0.0			10744	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		10743	-23.6	48.7	-0.0	-1.7
6.5	0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.1	0.0			10752	-15.8	89.6	0.0	-3.7
-0.1	0.0			10753	19.7	-55.6	0.0	3.0
6.1	0.0			10744	19.6	-82.2	-0.0	2.1
4.0	0.0	G2		10743	-9.2	19.7	-0.0	-1.5
0.0	0.0			10752	-6.0	35.6	0.0	-2.2
-0.1	0.0			10753	7.8	-22.6	0.0	2.0
4.3	0.0			10744	7.4	-32.7	-0.0	0.7
0.0	0.0	Q3		10743	0.0	0.0	0.0	0.0
0.0	0.0			10752	0.0	0.0	0.0	0.0
0.0	0.0			10753	0.0	0.0	0.0	0.0
0.0	0.0			10744	0.0	0.0	0.0	0.0
-0.3	-0.0	Q5_pc		10743	-3.2	9.3	-0.0	0.0
-0.0	0.0			10752	-2.1	14.8	0.0	0.5
0.0	0.0			10753	2.9	-10.2	-0.0	-0.7
-0.9	-0.0			10744	2.3	-13.8	0.0	-1.2
-0.3	-0.0	Q5_ps		10743	-2.6	7.8	-0.0	-0.2
-0.0	0.0			10752	-1.6	12.2	0.0	0.5
0.0	0.0			10753	2.5	-8.6	-0.0	-0.7
-0.9	-0.0			10744	1.7	-11.4	0.0	-1.4
-11.7	0.0	INVSLU	Max	10743	-62.5	-31.0	-0.0	0.5
-0.2	0.0			10752	-47.3	50.6	-0.0	4.9
-0.1	0.0			10753	65.4	80.6	-0.0	-2.0
-15.5	0.0			10744	56.9	-39.6	0.1	-16.4
-12.5	0.0		Min	10743	-70.2	-54.5	-0.0	-0.0
-0.2	0.0			10752	-52.1	14.0	-0.0	3.4
-0.2	0.0			10753	58.0	54.6	-0.0	-4.2
-18.1	0.0			10744	51.9	-73.8	0.1	-20.5

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


			INVSLE	Max	10743	-48.8	-34.7	-0.0	0.4
-9.9	0.0				10752	-37.2	25.8	-0.0	4.0
-0.1	0.0				10753	50.3	72.6	-0.0	-1.6
-0.1	0.0				10744	44.0	-23.2	0.1	-13.0
-12.9	0.0								
				Min	10743	-53.9	-50.4	-0.0	0.1
-10.5	0.0				10752	-40.3	1.3	-0.0	3.1
-0.2	0.0				10753	45.4	55.3	-0.0	-3.0
-0.1	0.0				10744	40.6	-46.0	0.1	-15.8
-14.6	0.0								
8040	2	4	C1-C2;~1	Max	10744	0.0	0.0	0.0	0.0
0.0	0.0	0.0			10753	0.0	0.0	0.0	0.0
0.0	0.0	0.0			3517	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2958	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	10744	0.0	0.0	0.0	0.0
0.0	0.0	0.0			10753	0.0	0.0	0.0	0.0
0.0	0.0	0.0			3517	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2958	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C3-C4;~1	Max	10744	0.0	0.0	0.0	0.0
0.0	0.0	0.0			10753	0.0	0.0	0.0	0.0
0.0	0.0	0.0			3517	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2958	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	10744	0.0	0.0	0.0	0.0
0.0	0.0	0.0			10753	0.0	0.0	0.0	0.0
0.0	0.0	0.0			3517	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2958	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C1-C2;~2	Max	10744	0.0	0.0	0.0	0.0
0.0	0.0	0.0			10753	0.0	0.0	0.0	0.0
0.0	0.0	0.0			3517	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2958	0.0	0.0	0.0	0.0
0.0	0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

		Min	10744	0.0	0.0	0.0	0.0
0.0	0.0		10753	0.0	0.0	0.0	0.0
0.0	0.0		3517	0.0	0.0	0.0	0.0
0.0	0.0		2958	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	10744	0.0	0.0	0.0
0.0	0.0		10753	0.0	0.0	0.0	0.0
0.0	0.0		3517	0.0	0.0	0.0	0.0
0.0	0.0		2958	0.0	0.0	0.0	0.0
0.0	0.0						
			Min	10744	0.0	0.0	0.0
0.0	0.0		10753	0.0	0.0	0.0	0.0
0.0	0.0		3517	0.0	0.0	0.0	0.0
0.0	0.0		2958	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	10744	-23.7	18.7	0.0	-2.3
5.9	0.0		10753	-19.7	55.6	-0.0	-3.0
0.1	0.0		3517	21.3	-18.1	0.0	-3.9
0.3	0.0		2958	22.1	-55.8	-0.0	1.3
6.5	0.0						
		G2	10744	-9.4	9.0	0.0	-0.9
5.1	0.0		10753	-7.8	22.6	-0.0	-2.0
0.1	0.0		3517	8.1	-7.8	0.0	-5.0
0.4	0.0		2958	9.1	-23.8	-0.0	3.5
6.4	0.0						
		Q3	10744	0.0	0.0	0.0	0.0
0.0	0.0		10753	0.0	0.0	0.0	0.0
0.0	0.0		3517	0.0	0.0	0.0	0.0
0.0	0.0		2958	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	10744	-2.7	4.0	0.0	1.2
-1.0	-0.0		10753	-2.9	10.2	0.0	0.7
-0.0	0.0		3517	1.3	-5.4	-0.0	1.7
0.0	-0.0						

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-0.8	-0.0			2958	4.3	-8.9	-0.0	1.5
		Q5_ps		10744	-2.1	3.5	0.0	1.4
-0.9	-0.0			10753	-2.5	8.6	0.0	0.7
-0.0	0.0			3517	0.6	-4.7	-0.0	1.6
0.1	-0.0			2958	3.9	-7.4	-0.0	2.1
-0.6	-0.0							
		INVS LU	Max	10744	-27.5	-86.5	0.2	21.5
-2.6	0.0			10753	-58.0	-54.6	0.0	4.2
0.2	0.0			3517	-1.8	154.2	-0.0	37.4
0.5	-0.0			2958	101.3	23.9	-0.2	78.3
17.8	0.0							
			Min	10744	-33.8	-97.1	0.2	17.3
-5.3	0.0			10753	-65.4	-80.6	0.0	2.0
0.1	0.0			3517	-4.2	140.0	-0.0	32.5
0.3	-0.0			2958	89.5	1.6	-0.2	72.1
16.1	0.0							
		INVS LE	Max	10744	-20.5	-75.4	0.2	16.6
-2.5	0.0			10753	-45.4	-55.3	0.0	3.0
0.1	0.0			3517	-3.2	129.3	-0.0	30.1
0.3	-0.0			2958	78.3	26.2	-0.2	62.1
13.7	0.0							
			Min	10744	-24.6	-82.5	0.2	13.8
-4.3	0.0			10753	-50.3	-72.6	0.0	1.6
0.1	0.0			3517	-4.8	119.8	-0.0	26.8
0.2	-0.0			2958	70.4	11.3	-0.2	57.9
12.6	0.0							
8089	2	4 C1-C2;~1	Max	10799	0.0	0.0	0.0	0.0
0.0	0.0			10742	0.0	0.0	0.0	0.0
0.0	0.0			10743	0.0	0.0	0.0	0.0
0.0	0.0			10800	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	10799	0.0	0.0	0.0	0.0
0.0	0.0			10742	0.0	0.0	0.0	0.0
0.0	0.0			10743	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	0.0		10800	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max 10799	0.0	0.0	0.0	0.0
0.0	0.0		10742	0.0	0.0	0.0	0.0
0.0	0.0		10743	0.0	0.0	0.0	0.0
0.0	0.0		10800	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min 10799	0.0	0.0	0.0	0.0
0.0	0.0		10742	0.0	0.0	0.0	0.0
0.0	0.0		10743	0.0	0.0	0.0	0.0
0.0	0.0		10800	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max 10799	0.0	0.0	0.0	0.0
0.0	0.0		10742	0.0	0.0	0.0	0.0
0.0	0.0		10743	0.0	0.0	0.0	0.0
0.0	0.0		10800	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min 10799	0.0	0.0	0.0	0.0
0.0	0.0		10742	0.0	0.0	0.0	0.0
0.0	0.0		10743	0.0	0.0	0.0	0.0
0.0	0.0		10800	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max 10799	0.0	0.0	0.0	0.0
0.0	0.0		10742	0.0	0.0	0.0	0.0
0.0	0.0		10743	0.0	0.0	0.0	0.0
0.0	0.0		10800	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min 10799	0.0	0.0	0.0	0.0
0.0	0.0		10742	0.0	0.0	0.0	0.0
0.0	0.0		10743	0.0	0.0	0.0	0.0
0.0	0.0		10800	0.0	0.0	0.0	0.0
0.0	0.0						
0.5	0.0	G1	10799	-81.9	7.6	0.0	-0.3
-18.2	0.0		10742	-39.0	132.1	-0.0	-7.4

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-15.8	0.0			10743	71.9	-16.8	-0.0	-0.3
0.2	0.0			10800	49.0	-122.7	0.0	-4.1
0.4	0.0	G2		10799	-33.5	2.1	0.0	-0.2
-8.9	0.0			10742	-16.5	53.3	-0.0	-3.0
-8.6	0.0			10743	29.6	-5.6	-0.0	0.8
0.3	0.0			10800	20.4	-49.9	0.0	-1.1
0.0	0.0	Q3		10799	0.0	0.0	0.0	0.0
0.0	0.0			10742	0.0	0.0	0.0	0.0
0.0	0.0			10743	0.0	0.0	0.0	0.0
0.0	0.0			10800	0.0	0.0	0.0	0.0
-0.3	0.0	Q5_pc		10799	-0.3	12.6	0.0	1.2
0.7	0.0			10742	4.9	10.7	0.0	1.8
0.2	-0.0			10743	-0.7	-15.0	-0.0	0.1
-0.5	-0.0			10800	-3.9	-8.2	-0.0	-0.3
-0.4	0.0	Q5_ps		10799	0.7	11.1	0.0	1.4
0.4	-0.0			10742	5.0	7.8	0.0	2.2
-0.3	-0.0			10743	-1.4	-13.2	-0.0	0.4
-0.6	-0.0			10800	-4.3	-5.7	0.0	-0.2
-3.3	0.0	INVSLE Max		10799	-167.9	-26.6	0.1	2.7
25.6	0.0			10742	-92.7	229.9	-0.0	0.5
36.9	0.0			10743	151.9	58.4	0.2	0.4
-3.5	0.0			10800	125.7	-204.6	-0.2	9.9
-4.5	0.0	Min		10799	-170.0	-59.8	0.1	-1.5
24.2	0.0			10742	-107.6	206.5	-0.1	-6.2
36.0	0.0			10743	147.7	18.8	0.1	-0.8
-5.2	0.0			10800	112.9	-221.7	-0.2	9.4
		INVSLE Max		10799	-125.4	-24.3	0.1	1.9

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

-2.8	0.0			10742	-70.4	167.0	-0.0	0.7
22.1	0.0			10743	113.3	46.3	0.1	0.3
30.9	0.0			10800	93.9	-150.8	-0.1	8.4
-2.9	0.0							
			Min	10799	-126.8	-46.5	0.1	-0.9
-3.6	0.0			10742	-80.4	151.4	-0.0	-3.8
21.2	0.0			10743	110.5	19.9	0.1	-0.5
30.3	0.0			10800	85.4	-162.2	-0.1	8.1
-4.0	0.0							
8090	2	4	C1-C2;~1	Max	10800	0.0	0.0	0.0
0.0		0.0			10743	0.0	0.0	0.0
0.0		0.0			10744	0.0	0.0	0.0
0.0		0.0			10801	0.0	0.0	0.0
0.0		0.0						
			Min	10800	0.0	0.0	0.0	0.0
0.0		0.0			10743	0.0	0.0	0.0
0.0		0.0			10744	0.0	0.0	0.0
0.0		0.0			10801	0.0	0.0	0.0
0.0		0.0						
			C3-C4;~1	Max	10800	0.0	0.0	0.0
0.0		0.0			10743	0.0	0.0	0.0
0.0		0.0			10744	0.0	0.0	0.0
0.0		0.0			10801	0.0	0.0	0.0
0.0		0.0						
			Min	10800	0.0	0.0	0.0	0.0
0.0		0.0			10743	0.0	0.0	0.0
0.0		0.0			10744	0.0	0.0	0.0
0.0		0.0			10801	0.0	0.0	0.0
0.0		0.0						
			C1-C2;~2	Max	10800	0.0	0.0	0.0
0.0		0.0			10743	0.0	0.0	0.0
0.0		0.0			10744	0.0	0.0	0.0
0.0		0.0			10801	0.0	0.0	0.0
0.0		0.0						
			Min	10800	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		10743	0.0	0.0	0.0	0.0
0.0	0.0		10744	0.0	0.0	0.0	0.0
0.0	0.0		10801	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2 Max	10800	0.0	0.0	0.0	0.0
0.0	0.0		10743	0.0	0.0	0.0	0.0
0.0	0.0		10744	0.0	0.0	0.0	0.0
0.0	0.0		10801	0.0	0.0	0.0	0.0
0.0	0.0	Min	10800	0.0	0.0	0.0	0.0
0.0	0.0		10743	0.0	0.0	0.0	0.0
0.0	0.0		10744	0.0	0.0	0.0	0.0
0.0	0.0		10801	0.0	0.0	0.0	0.0
0.8	0.0	G1	10800	-65.0	-13.4	0.1	3.3
-11.5	0.0		10743	-54.2	104.6	-0.0	0.2
-8.1	0.0		10744	62.1	9.3	0.0	1.3
0.3	0.0		10801	57.2	-100.2	-0.0	0.4
0.2	0.0	G2	10800	-27.2	-5.7	0.0	0.8
-7.9	0.0		10743	-22.7	43.2	-0.0	-0.9
-7.1	0.0		10744	26.1	4.4	-0.0	0.5
-0.2	0.0		10801	23.8	-41.8	0.0	0.3
0.0	0.0	Q3	10800	0.0	0.0	0.0	0.0
0.0	0.0		10743	0.0	0.0	0.0	0.0
0.0	0.0		10744	0.0	0.0	0.0	0.0
0.0	0.0		10801	0.0	0.0	0.0	0.0
-0.5	-0.0	Q5_pc	10800	2.6	10.3	0.0	0.3
0.1	-0.0		10743	4.4	4.9	-0.0	-0.1
0.5	-0.0		10744	-3.4	-11.5	0.0	-1.1
-0.2	0.0		10801	-3.6	-3.6	-0.0	-0.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


		Q5_ps		10800	3.0	9.4	0.0	0.2
-0.5	-0.0			10743	4.8	3.1	-0.0	-0.4
-0.5	-0.0			10744	-3.8	-10.5	0.0	-1.1
-0.1	-0.0			10801	-4.0	-2.0	0.0	-0.7
-0.3	-0.0							
		INVS LU	Max	10800	-107.0	-51.7	-0.1	-13.1
4.1	0.0			10743	-117.9	158.4	0.1	0.5
48.9	0.0			10744	101.7	87.7	0.1	-12.9
51.5	0.0			10801	146.5	-156.3	-0.1	18.3
9.6	-0.0							
			Min	10800	-116.0	-79.8	-0.1	-13.7
2.6	0.0			10743	-132.3	149.2	0.1	-0.7
47.3	0.0			10744	90.4	56.3	0.1	-16.4
50.7	0.0			10801	134.5	-162.8	-0.1	16.1
8.9	-0.0							
		INVS LE	Max	10800	-79.0	-41.9	-0.1	-10.9
3.3	0.0			10743	-89.0	113.6	0.1	0.3
39.9	0.0			10744	73.8	67.8	0.1	-10.1
41.5	0.0			10801	109.8	-114.0	-0.1	15.0
7.8	-0.0							
			Min	10800	-85.0	-60.6	-0.1	-11.3
2.2	0.0			10743	-98.6	107.4	0.1	-0.5
38.8	0.0			10744	66.2	46.8	0.1	-12.4
40.9	0.0			10801	101.8	-118.4	-0.1	13.5
7.3	-0.0							
8091	2	4 C1-C2;~1	Max	10801	0.0	0.0	0.0	0.0
0.0	0.0			10744	0.0	0.0	0.0	0.0
0.0	0.0			2958	0.0	0.0	0.0	0.0
0.0	0.0			3531	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	10801	0.0	0.0	0.0	0.0
0.0	0.0			10744	0.0	0.0	0.0	0.0
0.0	0.0			2958	0.0	0.0	0.0	0.0
0.0	0.0			3531	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0						
		C3-C4;~1	Max	10801	0.0	0.0	0.0
0.0	0.0			10744	0.0	0.0	0.0
0.0	0.0			2958	0.0	0.0	0.0
0.0	0.0			3531	0.0	0.0	0.0
0.0	0.0						
			Min	10801	0.0	0.0	0.0
0.0	0.0			10744	0.0	0.0	0.0
0.0	0.0			2958	0.0	0.0	0.0
0.0	0.0			3531	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	10801	0.0	0.0	0.0
0.0	0.0			10744	0.0	0.0	0.0
0.0	0.0			2958	0.0	0.0	0.0
0.0	0.0			3531	0.0	0.0	0.0
0.0	0.0						
			Min	10801	0.0	0.0	0.0
0.0	0.0			10744	0.0	0.0	0.0
0.0	0.0			2958	0.0	0.0	0.0
0.0	0.0			3531	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	10801	0.0	0.0	0.0
0.0	0.0			10744	0.0	0.0	0.0
0.0	0.0			2958	0.0	0.0	0.0
0.0	0.0			3531	0.0	0.0	0.0
0.0	0.0						
			Min	10801	0.0	0.0	0.0
0.0	0.0			10744	0.0	0.0	0.0
0.0	0.0			2958	0.0	0.0	0.0
0.0	0.0			3531	0.0	0.0	0.0
0.0	0.0						
		G1		10801	-60.6	-28.8	0.0
1.3	0.0			10744	-57.9	87.5	-0.0
-3.6	0.0			2958	57.7	25.7	0.0
-0.8	0.0						3.1

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.5	0.0		3531	60.8	-84.0	-0.0	3.4
-1.6	0.0	G2	10801	-25.6	-10.5	0.0	-0.4
-7.1	0.0		10744	-24.1	38.1	-0.0	-0.3
-7.5	0.0		2958	24.9	9.2	-0.0	5.0
-3.6	0.0		3531	24.8	-36.8	0.0	-0.9
0.0	0.0	Q3	10801	0.0	0.0	0.0	0.0
0.0	0.0		10744	0.0	0.0	0.0	0.0
0.0	0.0		2958	0.0	0.0	0.0	0.0
0.0	0.0		3531	0.0	0.0	0.0	0.0
0.1	0.0	Q5_pc	10801	2.2	6.8	0.0	0.7
0.4	-0.0		10744	3.7	1.2	0.0	1.0
-0.1	-0.0		2958	-1.8	-6.9	-0.0	1.4
0.2	-0.0		3531	-4.2	-1.1	-0.0	1.2
-0.1	-0.0	Q5_ps	10801	2.5	6.5	0.0	0.8
-0.3	-0.0		10744	4.2	0.1	0.0	1.1
-1.0	-0.0		2958	-1.8	-6.4	-0.0	2.1
-0.1	-0.0		3531	-4.8	-0.1	-0.0	1.3
-1.7	-0.0	INVSLE Max	10801	-59.5	-51.2	-0.2	-15.2
14.7	0.0		10744	-113.3	101.8	0.4	15.4
-32.8	0.0		2958	68.5	83.4	-0.4	72.9
-12.9	0.0		3531	124.3	-112.1	0.2	25.9
-1.9	-0.0	Min	10801	-66.9	-70.6	-0.2	-17.5
13.9	0.0		10744	-125.8	99.7	0.3	12.0
-35.7	0.0		2958	63.1	64.2	-0.4	66.7
-13.2	0.0		3531	109.7	-114.2	0.2	22.1
-1.4	-0.0	INVSLE Max	10801	-40.1	-38.7	-0.1	-12.7
			10744	-85.4	70.6	0.3	11.6

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

11.5	0.0						
-26.9	0.0		2958	45.9	62.7	-0.3	57.6
-10.3	0.0		3531	92.9	-79.9	0.2	20.0
		Min	10801	-45.1	-51.7	-0.2	-14.2
-1.5	-0.0		10744	-93.7	69.2	0.3	9.3
11.0	0.0		2958	42.3	49.8	-0.3	53.4
-28.9	0.0		3531	83.2	-81.3	0.2	17.5
-10.6	0.0						
8104	2	4 C1-C2;~1	Max	10811	0.0	0.0	0.0
0.0	0.0			10814	0.0	0.0	0.0
0.0	0.0			10815	0.0	0.0	0.0
0.0	0.0			10812	0.0	0.0	0.0
0.0	0.0						
		Min	10811	0.0	0.0	0.0	0.0
0.0	0.0			10814	0.0	0.0	0.0
0.0	0.0			10815	0.0	0.0	0.0
0.0	0.0			10812	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~1	Max	10811	0.0	0.0	0.0
0.0	0.0			10814	0.0	0.0	0.0
0.0	0.0			10815	0.0	0.0	0.0
0.0	0.0			10812	0.0	0.0	0.0
0.0	0.0						
		Min	10811	0.0	0.0	0.0	0.0
0.0	0.0			10814	0.0	0.0	0.0
0.0	0.0			10815	0.0	0.0	0.0
0.0	0.0			10812	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	10811	0.0	0.0	0.0
0.0	0.0			10814	0.0	0.0	0.0
0.0	0.0			10815	0.0	0.0	0.0
0.0	0.0			10812	0.0	0.0	0.0
0.0	0.0						
		Min	10811	0.0	0.0	0.0	0.0
0.0	0.0			10814	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0		10815	0.0	0.0	0.0	0.0
0.0	0.0		10812	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4 ; ~2	Max	10811	0.0	0.0	0.0
0.0	0.0			10814	0.0	0.0	0.0
0.0	0.0			10815	0.0	0.0	0.0
0.0	0.0			10812	0.0	0.0	0.0
0.0	0.0						
			Min	10811	0.0	0.0	0.0
0.0	0.0			10814	0.0	0.0	0.0
0.0	0.0			10815	0.0	0.0	0.0
0.0	0.0			10812	0.0	0.0	0.0
0.0	0.0						
			G1	10811	-53.4	30.2	0.1
-57.0	0.0			10814	103.0	-20.5	0.0
58.2	0.0			10815	41.0	-30.9	0.0
59.3	-0.0			10812	-90.6	21.5	-0.1
-57.2	-0.0						
			G2	10811	-21.8	12.8	0.0
-22.6	0.0			10814	41.9	-7.8	0.0
23.1	0.0			10815	16.7	-13.1	-0.0
23.4	-0.0			10812	-36.8	8.1	-0.0
-22.4	-0.0						
			Q3	10811	0.0	0.0	0.0
0.0	0.0			10814	0.0	0.0	0.0
0.0	0.0			10815	0.0	0.0	0.0
0.0	0.0			10812	0.0	0.0	0.0
0.0	0.0						
			Q5_pc	10811	6.7	0.6	0.0
6.2	-0.0			10814	-5.6	-0.6	0.0
-6.0	-0.0			10815	-6.6	-0.5	-0.0
-6.7	-0.0			10812	5.5	0.5	-0.0
6.8	0.0						

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

6.1	-0.0	Q5_ps		10811	6.2	0.8	0.0	-9.7
				10814	-5.1	-0.5	0.0	-10.3
-5.9	-0.0			10815	-6.2	-0.7	-0.0	15.6
-6.7	-0.0			10812	5.0	0.4	-0.0	14.7
6.9	0.0							
		INVS LU	Max	10811	63.7	74.6	0.2	59.6
34.8	-0.0			10814	86.2	-63.6	0.5	61.7
-18.5	-0.0			10815	-85.7	-72.9	-0.5	172.3
-37.1	-0.0			10812	-30.5	65.9	-0.2	161.7
55.9	-0.0							
			Min	10811	45.0	72.1	0.2	30.4
16.6	-0.0			10814	71.0	-65.1	0.5	30.7
-36.3	-0.0			10815	-104.2	-75.0	-0.5	125.4
-57.2	-0.0			10812	-45.6	64.7	-0.2	117.6
35.4	-0.0							
		INVS LE	Max	10811	53.7	55.6	0.2	33.3
31.3	-0.0			10814	57.4	-48.1	0.4	34.1
-20.5	-0.0			10815	-72.0	-54.5	-0.4	142.9
-35.3	-0.0			10812	-16.7	49.8	-0.2	133.9
47.7	-0.0							
			Min	10811	41.3	54.0	0.2	13.9
19.2	-0.0			10814	47.3	-49.2	0.4	13.4
-32.4	-0.0			10815	-84.4	-55.9	-0.4	111.6
-48.7	-0.0			10812	-26.7	49.0	-0.2	104.5
34.0	-0.0							
8105	2	4 C1-C2;~1	Max	10812	0.0	0.0	0.0	0.0
0.0	0.0			10815	0.0	0.0	0.0	0.0
0.0	0.0			10816	0.0	0.0	0.0	0.0
0.0	0.0			10813	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	10812	0.0	0.0	0.0	0.0
0.0	0.0			10815	0.0	0.0	0.0	0.0
0.0	0.0			10816	0.0	0.0	0.0	0.0
0.0	0.0			10813	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


		C3-C4;~1	Max	10812	0.0	0.0	0.0	0.0
0.0	0.0			10815	0.0	0.0	0.0	0.0
0.0	0.0			10816	0.0	0.0	0.0	0.0
0.0	0.0			10813	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	10812	0.0	0.0	0.0	0.0
0.0	0.0			10815	0.0	0.0	0.0	0.0
0.0	0.0			10816	0.0	0.0	0.0	0.0
0.0	0.0			10813	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	10812	0.0	0.0	0.0	0.0
0.0	0.0			10815	0.0	0.0	0.0	0.0
0.0	0.0			10816	0.0	0.0	0.0	0.0
0.0	0.0			10813	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	10812	0.0	0.0	0.0	0.0
0.0	0.0			10815	0.0	0.0	0.0	0.0
0.0	0.0			10816	0.0	0.0	0.0	0.0
0.0	0.0			10813	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	10812	0.0	0.0	0.0	0.0
0.0	0.0			10815	0.0	0.0	0.0	0.0
0.0	0.0			10816	0.0	0.0	0.0	0.0
0.0	0.0			10813	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	10812	0.0	0.0	0.0	0.0
0.0	0.0			10815	0.0	0.0	0.0	0.0
0.0	0.0			10816	0.0	0.0	0.0	0.0
0.0	0.0			10813	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		10812	-16.7	33.4	0.1	118.2
-44.1	-0.0			10815	68.7	-20.3	0.3	126.8
46.9	-0.0			10816	6.5	-33.8	-0.3	-20.4
33.1	-0.0			10813	-58.5	21.0	-0.1	-17.3
-30.4	-0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

-16.7	-0.0	G2	10812	-6.7	14.2	0.0	46.4
18.0	-0.0		10815	27.9	-7.6	0.1	49.8
12.2	-0.0		10816	2.6	-14.4	-0.1	-4.6
-11.0	-0.0		10813	-23.7	7.8	-0.1	-3.4
0.0	0.0	Q3	10812	0.0	0.0	0.0	0.0
0.0	0.0		10815	0.0	0.0	0.0	0.0
0.0	0.0		10816	0.0	0.0	0.0	0.0
0.0	0.0		10813	0.0	0.0	0.0	0.0
6.7	0.0	Q5_pc	10812	6.7	0.8	-0.0	-14.7
-6.5	-0.0		10815	-5.4	-0.7	-0.0	-15.6
-5.5	0.0		10816	-6.8	-0.7	0.0	10.5
5.7	0.0		10813	5.5	0.6	0.0	9.9
6.9	0.0	Q5_ps	10812	6.4	0.9	-0.0	-14.7
-6.7	-0.0		10815	-5.0	-0.6	-0.0	-15.6
-5.9	0.0		10816	-6.5	-0.8	0.0	12.1
6.2	0.0		10813	5.1	0.5	-0.0	11.5
79.9	-0.0	INVSLE Max	10812	189.2	78.9	0.1	-115.7
-60.9	-0.0		10815	-39.2	-60.3	0.1	-127.0
-63.8	0.0		10816	-213.0	-75.8	-0.1	238.5
80.9	0.0		10813	97.4	61.9	-0.1	222.2
59.1	-0.0	Min	10812	170.1	76.1	0.1	-159.9
-81.0	-0.0		10815	-54.2	-62.0	0.1	-173.9
-81.4	0.0		10816	-232.4	-78.4	-0.2	202.3
62.5	0.0		10813	82.1	60.4	-0.1	187.6
65.2	-0.0	INVSLE Max	10812	149.0	58.9	0.1	-103.1
-52.7	-0.0		10815	-37.6	-45.8	0.1	-112.8
			10816	-169.0	-56.8	-0.1	185.1


PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-53.5	0.0			10813	80.5	46.8	-0.1	172.2	
64.8	0.0								
			Min	10812	136.3	57.1	0.1	-132.6	
51.3	-0.0			10815	-47.6	-46.9	0.1	-144.1	
-66.1	-0.0			10816	-181.9	-58.5	-0.1	160.9	
-65.2	0.0			10813	70.3	45.8	-0.1	149.1	
52.5	0.0								
8106	2	4	C1-C2;~1	Max	10813	0.0	0.0	0.0	0.0
0.0		0.0			10816	0.0	0.0	0.0	0.0
0.0		0.0			3535	0.0	0.0	0.0	0.0
0.0		0.0			3534	0.0	0.0	0.0	0.0
0.0		0.0							
			Min	10813	0.0	0.0	0.0	0.0	0.0
0.0		0.0		10816	0.0	0.0	0.0	0.0	0.0
0.0		0.0		3535	0.0	0.0	0.0	0.0	0.0
0.0		0.0		3534	0.0	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	10813	0.0	0.0	0.0	0.0
0.0		0.0			10816	0.0	0.0	0.0	0.0
0.0		0.0			3535	0.0	0.0	0.0	0.0
0.0		0.0			3534	0.0	0.0	0.0	0.0
0.0		0.0							
			Min	10813	0.0	0.0	0.0	0.0	0.0
0.0		0.0		10816	0.0	0.0	0.0	0.0	0.0
0.0		0.0		3535	0.0	0.0	0.0	0.0	0.0
0.0		0.0		3534	0.0	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	10813	0.0	0.0	0.0	0.0
0.0		0.0			10816	0.0	0.0	0.0	0.0
0.0		0.0			3535	0.0	0.0	0.0	0.0
0.0		0.0			3534	0.0	0.0	0.0	0.0
0.0		0.0							
			Min	10813	0.0	0.0	0.0	0.0	0.0
0.0		0.0		10816	0.0	0.0	0.0	0.0	0.0
0.0		0.0		3535	0.0	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		3534	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4; ~2	Max	10813	0.0	0.0	0.0
0.0	0.0			10816	0.0	0.0	0.0
0.0	0.0			3535	0.0	0.0	0.0
0.0	0.0			3534	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	10813	0.0	0.0	0.0
0.0	0.0			10816	0.0	0.0	0.0
0.0	0.0			3535	0.0	0.0	0.0
0.0	0.0			3534	0.0	0.0	0.0
0.0	0.0						
0.3	-0.0		G1	10813	15.5	35.9	0.2
3.2	-0.0			10816	38.4	-19.8	0.4
-15.8	-0.0			3535	-26.0	-36.2	-0.4
20.3	0.0			3534	-28.0	20.4	-0.2
							133.2
							125.3
1.9	-0.0		G2	10813	6.4	15.3	0.1
-0.2	-0.0			10816	15.5	-7.4	0.2
-7.9	-0.0			3535	-10.7	-15.5	-0.2
10.2	0.0			3534	-11.3	7.5	-0.1
							56.8
0.0	0.0		Q3	10813	0.0	0.0	0.0
0.0	0.0			10816	0.0	0.0	0.0
0.0	0.0			3535	0.0	0.0	0.0
0.0	0.0			3534	0.0	0.0	0.0
0.0	0.0						0.0
2.8	0.0		Q5_pc	10813	7.1	0.9	-0.0
-2.7	0.0			10816	-5.7	-0.6	-0.0
-0.4	0.0			3535	-7.2	-0.8	0.0
0.4	0.0			3534	5.9	0.5	0.0
							-7.0
3.6	0.0		Q5_ps	10813	6.8	1.1	-0.0
							-11.7

PROJECT TITLE :


			Company		Client			
			Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-3.3	0.0			10816	-5.4	-0.5	-0.0	-12.0
-1.3	0.0			3535	-7.0	-1.0	0.0	-3.7
1.5	0.0			3534	5.5	0.4	0.0	-3.0
43.4	0.0	INVS LU	Max	10813	317.8	78.0	-0.5	-188.4
-36.6	0.0			10816	-179.8	-49.6	-0.8	-202.0
-4.0	0.0			3535	-344.1	-72.5	0.9	-127.9
2.2	0.0			3534	243.1	49.1	0.5	-122.7
32.4	0.0		Min	10813	297.3	74.6	-0.5	-223.7
-46.6	0.0			10816	-195.9	-51.2	-0.9	-238.1
-7.8	0.0			3535	-365.0	-75.5	0.8	-141.9
-2.4	0.0			3534	226.6	47.9	0.5	-135.2
32.7	0.0	INVS LE	Max	10813	247.2	58.4	-0.4	-150.0
-29.0	0.0			10816	-144.9	-37.8	-0.7	-160.6
-1.3	0.0			3535	-269.3	-54.4	0.7	-115.7
-1.1	0.0			3534	191.6	37.1	0.4	-110.8
25.5	0.0		Min	10813	233.5	56.1	-0.4	-173.5
-35.6	0.0			10816	-155.6	-38.8	-0.8	-184.7
-3.8	0.0			3535	-283.3	-56.4	0.7	-125.0
-4.1	0.0			3534	180.6	36.4	0.4	-119.2
8107	2	10 C1-C2;~1	Max	10814	0.0	0.0	0.0	0.0
0.0	0.0			10817	0.0	0.0	0.0	0.0
0.0	0.0			10818	0.0	0.0	0.0	0.0
0.0	0.0			10815	0.0	0.0	0.0	0.0
0.0	0.0		Min	10814	0.0	0.0	0.0	0.0
0.0	0.0			10817	0.0	0.0	0.0	0.0
0.0	0.0			10818	0.0	0.0	0.0	0.0
0.0	0.0			10815	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	10814	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	0.0						
			10817	0.0	0.0	0.0	0.0
0.0	0.0		10818	0.0	0.0	0.0	0.0
0.0	0.0		10815	0.0	0.0	0.0	0.0
0.0	0.0		10815	0.0	0.0	0.0	0.0
		Min	10814	0.0	0.0	0.0	0.0
0.0	0.0		10817	0.0	0.0	0.0	0.0
0.0	0.0		10818	0.0	0.0	0.0	0.0
0.0	0.0		10815	0.0	0.0	0.0	0.0
0.0	0.0		10815	0.0	0.0	0.0	0.0
		C1-C2;~2	Max	10814	0.0	0.0	0.0
0.0	0.0		10817	0.0	0.0	0.0	0.0
0.0	0.0		10818	0.0	0.0	0.0	0.0
0.0	0.0		10815	0.0	0.0	0.0	0.0
0.0	0.0		10815	0.0	0.0	0.0	0.0
		Min	10814	0.0	0.0	0.0	0.0
0.0	0.0		10817	0.0	0.0	0.0	0.0
0.0	0.0		10818	0.0	0.0	0.0	0.0
0.0	0.0		10815	0.0	0.0	0.0	0.0
0.0	0.0		10815	0.0	0.0	0.0	0.0
		C3-C4;~2	Max	10814	0.0	0.0	0.0
0.0	0.0		10817	0.0	0.0	0.0	0.0
0.0	0.0		10818	0.0	0.0	0.0	0.0
0.0	0.0		10815	0.0	0.0	0.0	0.0
0.0	0.0		10815	0.0	0.0	0.0	0.0
		Min	10814	0.0	0.0	0.0	0.0
0.0	0.0		10817	0.0	0.0	0.0	0.0
0.0	0.0		10818	0.0	0.0	0.0	0.0
0.0	0.0		10815	0.0	0.0	0.0	0.0
0.0	0.0		10815	0.0	0.0	0.0	0.0
		G1	10814	-57.4	26.4	-0.0	106.5
-58.3	0.0		10817	102.7	-20.2	0.0	108.9
66.9	-0.0		10818	44.8	-26.9	-0.0	-95.7
67.6	0.0		10815	-90.1	20.9	-0.0	-94.9
-59.0	-0.0		10815	-90.1	20.9	-0.0	-94.9

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
		G2	10814	-23.4	11.1	0.0	43.1
-23.1	0.0		10817	41.8	-7.6	0.0	44.1
26.7	-0.0		10818	18.3	-11.4	-0.0	-37.7
26.8	0.0		10815	-36.6	7.9	-0.0	-37.3
-23.2	-0.0						
		Q3	10814	0.0	0.0	0.0	0.0
0.0	0.0		10817	0.0	0.0	0.0	0.0
0.0	0.0		10818	0.0	0.0	0.0	0.0
0.0	0.0		10815	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	10814	6.6	0.7	0.0	-8.1
6.0	-0.0		10817	-5.5	-0.4	0.0	-8.1
-6.4	0.0		10818	-6.5	-0.8	-0.0	11.4
-7.1	-0.0		10815	5.4	0.4	-0.0	11.5
6.7	-0.0						
		Q5_ps	10814	6.1	0.8	0.0	-7.6
5.9	-0.0		10817	-5.0	-0.3	0.0	-7.6
-6.1	0.0		10818	-6.1	-0.9	-0.0	11.3
-7.0	-0.0		10815	4.9	0.4	-0.0	11.5
6.7	-0.0						
		INVSLE Max	10814	57.0	71.5	0.3	47.6
35.4	-0.0		10817	84.3	-58.7	0.3	52.4
-19.6	0.0		10818	-80.6	-69.3	-0.3	130.2
-44.0	-0.0		10815	-27.7	60.3	-0.2	130.2
58.2	-0.0						
		Min	10814	38.8	69.0	0.2	24.8
17.6	-0.0		10817	69.4	-59.5	0.3	29.7
-38.1	0.0		10818	-98.8	-72.0	-0.4	96.2
-64.9	-0.0		10815	-42.4	59.3	-0.2	95.8
38.1	-0.0						
		INVSLE Max	10814	48.7	53.5	0.2	26.7
31.7	-0.0		10817	56.1	-44.3	0.3	30.2
-22.1	0.0		10818	-68.2	-52.0	-0.3	107.9
-41.2	-0.0		10815	-14.6	45.5	-0.2	107.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


49.4	-0.0							
		Min	10814	36.5	51.8	0.2	11.4	
19.9	-0.0		10817	46.2	-44.9	0.3	15.1	
-34.3	0.0		10818	-80.3	-53.8	-0.3	85.2	
-55.2	-0.0		10815	-24.5	44.8	-0.2	84.9	
36.0	-0.0							
8108	2	10	C1-C2;~1	Max	10815	0.0	0.0	0.0
0.0		0.0			10818	0.0	0.0	0.0
0.0		0.0			10819	0.0	0.0	0.0
0.0		0.0			10816	0.0	0.0	0.0
0.0		0.0						
			Min		10815	0.0	0.0	0.0
0.0		0.0			10818	0.0	0.0	0.0
0.0		0.0			10819	0.0	0.0	0.0
0.0		0.0			10816	0.0	0.0	0.0
0.0		0.0						
			C3-C4;~1	Max	10815	0.0	0.0	0.0
0.0		0.0			10818	0.0	0.0	0.0
0.0		0.0			10819	0.0	0.0	0.0
0.0		0.0			10816	0.0	0.0	0.0
0.0		0.0						
			Min		10815	0.0	0.0	0.0
0.0		0.0			10818	0.0	0.0	0.0
0.0		0.0			10819	0.0	0.0	0.0
0.0		0.0			10816	0.0	0.0	0.0
0.0		0.0						
			C1-C2;~2	Max	10815	0.0	0.0	0.0
0.0		0.0			10818	0.0	0.0	0.0
0.0		0.0			10819	0.0	0.0	0.0
0.0		0.0			10816	0.0	0.0	0.0
0.0		0.0						
			Min		10815	0.0	0.0	0.0
0.0		0.0			10818	0.0	0.0	0.0
0.0		0.0			10819	0.0	0.0	0.0
0.0		0.0			10816	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0							
		C3-C4;~2	Max	10815	0.0	0.0	0.0	0.0
0.0	0.0			10818	0.0	0.0	0.0	0.0
0.0	0.0			10819	0.0	0.0	0.0	0.0
0.0	0.0			10816	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	10815	0.0	0.0	0.0	0.0
0.0	0.0			10818	0.0	0.0	0.0	0.0
0.0	0.0			10819	0.0	0.0	0.0	0.0
0.0	0.0			10816	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	10815	-19.6	30.2	0.1	95.3
-47.2	-0.0			10818	68.3	-20.3	0.2	95.8
54.8	0.0			10819	9.2	-30.3	-0.1	-16.6
39.4	0.0			10816	-57.9	20.6	-0.2	-16.4
-32.6	-0.0							
			G2	10815	-8.0	12.8	0.1	37.5
-18.1	-0.0			10818	27.7	-7.6	0.1	37.8
21.3	0.0			10819	3.7	-12.9	-0.1	-4.1
14.9	0.0			10816	-23.5	7.7	-0.1	-4.1
-12.1	-0.0							
			Q3	10815	0.0	0.0	0.0	0.0
0.0	0.0			10818	0.0	0.0	0.0	0.0
0.0	0.0			10819	0.0	0.0	0.0	0.0
0.0	0.0			10816	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	10815	6.6	0.8	-0.0	-11.5
6.5	-0.0			10818	-5.4	-0.4	-0.0	-11.4
-7.0	-0.0			10819	-6.7	-0.8	0.0	7.9
-6.0	-0.0			10816	5.5	0.4	0.0	7.8
5.5	0.0							
			Q5_ps	10815	6.3	0.9	-0.0	-11.5
6.7	-0.0			10818	-5.0	-0.4	-0.0	-11.4
-7.0	-0.0							

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-6.2	-0.0			10819	-6.4	-1.0	0.0	8.9
5.8	0.0			10816	5.1	0.4	0.0	8.9
80.1	-0.0	INVS LU	Max	10815	186.1	76.7	0.1	-94.2
-72.7	-0.0			10818	-47.1	-52.4	0.1	-96.8
-79.3	-0.0			10819	-211.9	-72.6	-0.2	191.1
81.6	0.0			10816	107.0	52.7	-0.0	182.3
60.0	-0.0		Min	10815	167.3	73.8	0.1	-128.5
-93.8	-0.0			10818	-62.0	-53.4	0.1	-130.9
-97.9	-0.0			10819	-231.1	-75.5	-0.2	164.3
64.1	0.0			10816	91.6	51.5	-0.1	155.8
65.4	-0.0	INVS LE	Max	10815	146.5	57.3	0.1	-83.6
-62.4	-0.0			10818	-43.5	-39.6	0.1	-85.7
-66.1	-0.0			10819	-168.0	-54.5	-0.1	148.4
65.3	0.0			10816	87.8	39.7	-0.0	141.5
52.0	-0.0		Min	10815	134.0	55.5	0.1	-106.6
-76.5	-0.0			10818	-53.5	-40.3	0.1	-108.4
-78.5	-0.0			10819	-180.8	-56.4	-0.1	130.5
53.7	0.0			10816	77.5	38.9	-0.0	123.8
8109	2	10 C1-C2;~1	Max	10816	0.0	0.0	0.0	0.0
0.0	0.0			10819	0.0	0.0	0.0	0.0
0.0	0.0			3536	0.0	0.0	0.0	0.0
0.0	0.0			3535	0.0	0.0	0.0	0.0
0.0	0.0		Min	10816	0.0	0.0	0.0	0.0
0.0	0.0			10819	0.0	0.0	0.0	0.0
0.0	0.0			3536	0.0	0.0	0.0	0.0
0.0	0.0			3535	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~1	Max	10816	0.0	0.0	0.0	0.0
0.0	0.0			10819	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0		3536	0.0	0.0	0.0	0.0
0.0	0.0		3535	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	10816	0.0	0.0	0.0	0.0
0.0	0.0		10819	0.0	0.0	0.0	0.0
0.0	0.0		3536	0.0	0.0	0.0	0.0
0.0	0.0		3535	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	10816	0.0	0.0	0.0
0.0	0.0			10819	0.0	0.0	0.0
0.0	0.0		3536	0.0	0.0	0.0	0.0
0.0	0.0		3535	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	10816	0.0	0.0	0.0	0.0
0.0	0.0		10819	0.0	0.0	0.0	0.0
0.0	0.0		3536	0.0	0.0	0.0	0.0
0.0	0.0		3535	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	10816	0.0	0.0	0.0
0.0	0.0			10819	0.0	0.0	0.0
0.0	0.0		3536	0.0	0.0	0.0	0.0
0.0	0.0		3535	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	10816	0.0	0.0	0.0	0.0
0.0	0.0		10819	0.0	0.0	0.0	0.0
0.0	0.0		3536	0.0	0.0	0.0	0.0
0.0	0.0		3535	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	10816	13.0	33.0	0.2	17.1
-3.6	-0.0			10819	37.1	-19.5	17.2
10.4	0.0		3536	-23.7	-32.6	-0.2	95.0
-9.3	-0.0		3535	-26.4	19.3	-0.2	96.0
17.2	-0.0						
		G2	10816	5.4	14.0	0.1	4.3
-0.0	-0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
3.0	0.0			10819	14.9	-7.2	0.1	4.4
				3536	-9.7	-13.9	-0.1	42.6
-5.1	-0.0			3535	-10.6	7.1	-0.1	43.0
8.5	-0.0							
		Q3		10816	0.0	0.0	0.0	0.0
0.0	0.0			10819	0.0	0.0	0.0	0.0
0.0	0.0			3536	0.0	0.0	0.0	0.0
0.0	0.0			3535	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		10816	7.0	0.8	-0.0	-7.8
2.7	0.0			10819	-5.9	-0.3	-0.0	-8.0
-3.3	-0.0			3536	-7.1	-0.8	0.0	-5.6
-0.9	-0.0			3535	6.0	0.3	0.0	-5.7
0.2	0.0							
		Q5_ps		10816	6.7	1.0	-0.0	-8.9
3.4	0.0			10819	-5.5	-0.2	-0.0	-9.0
-3.8	-0.0			3536	-6.9	-1.0	0.0	-2.8
-1.6	-0.0			3535	5.7	0.3	0.0	-2.9
1.1	0.0							
		INVSLE Max		10816	321.3	76.9	-0.4	-156.1
46.5	0.0			10819	-193.8	-40.5	-0.6	-164.8
-52.9	-0.0			3536	-350.4	-71.1	0.6	-94.6
-14.6	-0.0			3535	260.2	38.8	0.6	-94.3
3.5	0.0							
		Min		10816	301.1	74.0	-0.5	-182.8
36.4	0.0			10819	-210.4	-41.2	-0.6	-191.9
-64.2	-0.0			3536	-371.1	-74.1	0.5	-104.7
-19.4	-0.0			3535	243.1	38.0	0.5	-104.7
0.2	0.0							
		INVSLE Max		10816	249.7	57.6	-0.4	-124.2
35.5	0.0			10819	-155.4	-30.6	-0.5	-130.9
-42.3	-0.0			3536	-274.0	-53.4	0.5	-84.9
-10.3	-0.0			3535	204.5	29.2	0.5	-84.9
0.3	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

				Min	10816	236.3	55.7	-0.4	-142.0
28.8	0.0				10819	-166.5	-31.1	-0.5	-149.0
-49.9	-0.0				3536	-287.7	-55.5	0.4	-91.6
-13.5	-0.0				3535	193.1	28.7	0.4	-91.8
-1.9	0.0								
8134	2	10	C1-C2;~1	Max	10838	0.0	0.0	0.0	0.0
0.0	0.0				10841	0.0	0.0	0.0	0.0
0.0	0.0				10842	0.0	0.0	0.0	0.0
0.0	0.0				10839	0.0	0.0	0.0	0.0
0.0	0.0								
				Min	10838	0.0	0.0	0.0	0.0
0.0	0.0				10841	0.0	0.0	0.0	0.0
0.0	0.0				10842	0.0	0.0	0.0	0.0
0.0	0.0				10839	0.0	0.0	0.0	0.0
0.0	0.0								
			C3-C4;~1	Max	10838	0.0	0.0	0.0	0.0
0.0	0.0				10841	0.0	0.0	0.0	0.0
0.0	0.0				10842	0.0	0.0	0.0	0.0
0.0	0.0				10839	0.0	0.0	0.0	0.0
0.0	0.0								
				Min	10838	0.0	0.0	0.0	0.0
0.0	0.0				10841	0.0	0.0	0.0	0.0
0.0	0.0				10842	0.0	0.0	0.0	0.0
0.0	0.0				10839	0.0	0.0	0.0	0.0
0.0	0.0								
			C1-C2;~2	Max	10838	0.0	0.0	0.0	0.0
0.0	0.0				10841	0.0	0.0	0.0	0.0
0.0	0.0				10842	0.0	0.0	0.0	0.0
0.0	0.0				10839	0.0	0.0	0.0	0.0
0.0	0.0								
				Min	10838	0.0	0.0	0.0	0.0
0.0	0.0				10841	0.0	0.0	0.0	0.0
0.0	0.0				10842	0.0	0.0	0.0	0.0
0.0	0.0				10839	0.0	0.0	0.0	0.0
0.0	0.0								

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0	C3-C4; ~2	Max	10838	0.0	0.0	0.0	0.0
0.0	0.0			10841	0.0	0.0	0.0	0.0
0.0	0.0			10842	0.0	0.0	0.0	0.0
0.0	0.0			10839	0.0	0.0	0.0	0.0
0.0	0.0		Min	10838	0.0	0.0	0.0	0.0
0.0	0.0			10841	0.0	0.0	0.0	0.0
0.0	0.0			10842	0.0	0.0	0.0	0.0
0.0	0.0			10839	0.0	0.0	0.0	0.0
-74.1	0.0	G1		10838	-116.7	-20.4	0.1	131.8
65.7	-0.0			10841	67.4	28.4	0.0	129.2
65.9	0.0			10842	102.4	21.5	-0.0	-113.5
-74.8	0.0			10839	-53.0	-29.3	-0.0	-114.8
-30.0	0.0	G2		10838	-46.5	-7.5	0.0	53.2
26.7	-0.0			10841	27.0	11.7	0.0	52.1
26.9	0.0			10842	40.6	8.0	-0.0	-46.2
-30.3	0.0			10839	-21.1	-12.1	-0.0	-46.7
0.0	0.0	Q3		10838	0.0	0.0	0.0	0.0
0.0	0.0			10841	0.0	0.0	0.0	0.0
0.0	0.0			10842	0.0	0.0	0.0	0.0
0.0	0.0			10839	0.0	0.0	0.0	0.0
-4.0	0.0	Q5_pc		10838	-3.8	0.3	-0.0	5.7
3.6	-0.0			10841	4.5	-0.4	-0.0	5.7
4.0	-0.0			10842	3.8	-0.3	0.0	-7.7
-4.4	-0.0			10839	-4.5	0.3	0.0	-7.7
-3.5	0.0	Q5_ps		10838	-2.9	0.7	-0.0	5.0
3.3	-0.0			10841	4.3	-0.8	-0.0	5.0
3.7	-0.0			10842	2.9	-0.7	0.0	-7.1

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-4.0	-0.0			10839	-4.4	0.8	0.0	-7.1
6.5	0.0	INVS LU	Max	10838	-88.8	-24.3	0.4	110.0
7.1	0.0			10841	34.8	40.4	0.4	105.5
-18.2	0.0			10842	39.0	27.3	-0.3	112.4
36.0	0.0			10839	36.7	-38.7	-0.5	113.2
-4.2	0.0		Min	10838	-97.4	-26.3	0.4	95.1
-2.9	0.0			10841	21.8	38.0	0.3	90.4
-29.5	0.0			10842	30.3	25.4	-0.3	90.9
24.0	0.0			10839	23.6	-41.1	-0.5	91.9
9.6	0.0	INVS LE	Max	10838	-60.4	-17.1	0.3	74.5
0.3	0.0			10841	21.8	28.7	0.3	71.2
-19.3	0.0			10842	22.0	19.2	-0.2	94.4
32.4	0.0			10839	31.2	-27.5	-0.3	95.2
2.6	0.0		Min	10838	-66.2	-18.5	0.3	64.6
-6.3	0.0			10841	13.1	27.1	0.3	61.2
-26.8	0.0			10842	16.2	17.9	-0.3	80.1
24.5	0.0			10839	22.4	-29.1	-0.4	81.0
8135	2	10	C1-C2;~1	Max	10839	0.0	0.0	0.0
0.0	0.0			10842	0.0	0.0	0.0	0.0
0.0	0.0			10843	0.0	0.0	0.0	0.0
0.0	0.0			10840	0.0	0.0	0.0	0.0
0.0	0.0		Min	10839	0.0	0.0	0.0	0.0
0.0	0.0			10842	0.0	0.0	0.0	0.0
0.0	0.0			10843	0.0	0.0	0.0	0.0
0.0	0.0			10840	0.0	0.0	0.0	0.0
0.0	0.0		C3-C4;~1	Max	10839	0.0	0.0	0.0
0.0	0.0			10842	0.0	0.0	0.0	0.0
0.0	0.0			10843	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		10840	0.0	0.0	0.0	0.0
0.0	0.0		10842	0.0	0.0	0.0	0.0
0.0	0.0	Min	10839	0.0	0.0	0.0	0.0
0.0	0.0		10842	0.0	0.0	0.0	0.0
0.0	0.0		10843	0.0	0.0	0.0	0.0
0.0	0.0		10840	0.0	0.0	0.0	0.0
0.0	0.0		10840	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2 Max	10839	0.0	0.0	0.0	0.0
0.0	0.0		10842	0.0	0.0	0.0	0.0
0.0	0.0		10843	0.0	0.0	0.0	0.0
0.0	0.0		10840	0.0	0.0	0.0	0.0
0.0	0.0		10840	0.0	0.0	0.0	0.0
0.0	0.0	Min	10839	0.0	0.0	0.0	0.0
0.0	0.0		10842	0.0	0.0	0.0	0.0
0.0	0.0		10843	0.0	0.0	0.0	0.0
0.0	0.0		10840	0.0	0.0	0.0	0.0
0.0	0.0		10840	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2 Max	10839	0.0	0.0	0.0	0.0
0.0	0.0		10842	0.0	0.0	0.0	0.0
0.0	0.0		10843	0.0	0.0	0.0	0.0
0.0	0.0		10840	0.0	0.0	0.0	0.0
0.0	0.0		10840	0.0	0.0	0.0	0.0
0.0	0.0	Min	10839	0.0	0.0	0.0	0.0
0.0	0.0		10842	0.0	0.0	0.0	0.0
0.0	0.0		10843	0.0	0.0	0.0	0.0
0.0	0.0		10840	0.0	0.0	0.0	0.0
0.0	0.0		10840	0.0	0.0	0.0	0.0
-60.2	0.0	G1	10839	-77.1	-20.7	0.2	114.7
51.9	0.0		10842	24.6	31.8	0.2	114.0
35.2	0.0		10843	65.0	21.2	-0.2	-18.1
-42.9	-0.0		10840	-12.6	-32.1	-0.2	-18.5
-24.7	0.0	G2	10839	-30.2	-7.6	0.1	46.7
21.5	0.0		10842	9.4	13.1	0.1	46.4

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
14.9	0.0			10843	25.3	7.8	-0.1	-9.2
-17.8	-0.0			10840	-4.5	-13.3	-0.1	-9.3
0.0	0.0	Q3		10839	0.0	0.0	0.0	0.0
0.0	0.0			10842	0.0	0.0	0.0	0.0
0.0	0.0			10843	0.0	0.0	0.0	0.0
0.0	0.0			10840	0.0	0.0	0.0	0.0
-4.2	-0.0	Q5_pc		10839	-4.0	0.2	0.0	7.8
3.8	-0.0			10842	4.7	-0.5	0.0	7.7
3.0	0.0			10843	4.2	-0.2	-0.0	-4.4
-3.5	-0.0			10840	-4.9	0.5	-0.0	-4.5
-3.9	-0.0	Q5_ps		10839	-3.1	0.6	0.0	7.1
3.6	-0.0			10842	4.7	-1.0	0.0	7.1
3.0	0.0			10843	3.3	-0.6	-0.0	-4.5
-3.3	-0.0			10840	-4.9	1.0	-0.0	-4.6
75.7	0.0	INVSLE	Max	10839	92.5	-20.3	0.3	-92.8
-52.9	0.0			10842	-143.0	44.4	0.2	-89.0
-66.1	-0.0			10843	-144.5	20.9	-0.2	225.0
88.7	0.0			10840	219.0	-39.8	-0.3	234.2
64.0	0.0		Min	10839	83.2	-22.1	0.2	-114.1
-63.6	0.0			10842	-157.1	41.3	0.2	-110.4
-75.0	-0.0			10843	-154.4	19.2	-0.2	211.6
78.8	0.0			10840	204.3	-42.9	-0.3	220.5
62.0	0.0	INVSLE	Max	10839	77.1	-14.0	0.2	-81.7
-45.0	0.0			10842	-113.1	31.6	0.2	-78.7
-53.9	-0.0			10843	-117.6	14.3	-0.1	174.8
70.9	0.0			10840	169.6	-28.3	-0.2	181.9
54.2	0.0		Min	10839	70.9	-15.3	0.2	-95.9

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-52.2	0.0	10842	-122.5	29.5	0.2	-92.9
-59.8	-0.0	10843	-124.2	13.1	-0.1	165.8
64.3	0.0	10840	159.8	-30.4	-0.2	172.7

8136	2	10	C1-C2;~1	Max	10840	0.0	0.0	0.0	0.0
0.0		0.0			10843	0.0	0.0	0.0	0.0
0.0		0.0			3542	0.0	0.0	0.0	0.0
0.0		0.0			3541	0.0	0.0	0.0	0.0
0.0		0.0							

			C3-C4;~1	Max	10840	0.0	0.0	0.0	0.0
0.0		0.0			10843	0.0	0.0	0.0	0.0
0.0		0.0			3542	0.0	0.0	0.0	0.0
0.0		0.0			3541	0.0	0.0	0.0	0.0
0.0		0.0							

			C1-C2;~2	Max	10840	0.0	0.0	0.0	0.0
0.0		0.0			10843	0.0	0.0	0.0	0.0
0.0		0.0			3542	0.0	0.0	0.0	0.0
0.0		0.0			3541	0.0	0.0	0.0	0.0
0.0		0.0							

			C3-C4;~2	Max	10840	0.0	0.0	0.0	0.0
--	--	--	----------	-----	-------	-----	-----	-----	-----

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		10843	0.0	0.0	0.0	0.0
0.0	0.0		3542	0.0	0.0	0.0	0.0
0.0	0.0		3541	0.0	0.0	0.0	0.0
0.0	0.0		Min 10840	0.0	0.0	0.0	0.0
0.0	0.0		10843	0.0	0.0	0.0	0.0
0.0	0.0		3542	0.0	0.0	0.0	0.0
0.0	0.0		3541	0.0	0.0	0.0	0.0
0.0	0.0						
-10.1	-0.0	G1	10840	-41.1	-20.2	0.3	19.1
2.1	0.0		10843	-12.5	34.3	0.2	19.0
-21.5	0.0		3542	29.1	20.0	-0.3	117.7
12.2	0.0		3541	24.6	-33.8	-0.2	116.6
-5.0	-0.0	G2	10840	-15.6	-7.3	0.1	9.5
2.0	0.0		10843	-5.6	14.2	0.1	9.5
-7.2	0.0		3542	10.8	7.2	-0.1	42.9
3.8	0.0		3541	10.4	-14.1	-0.1	42.5
0.0	0.0	Q3	10840	0.0	0.0	0.0	0.0
0.0	0.0		10843	0.0	0.0	0.0	0.0
0.0	0.0		3542	0.0	0.0	0.0	0.0
0.0	0.0		3541	0.0	0.0	0.0	0.0
-1.5	-0.0	Q5_pc	10840	-4.7	0.1	0.0	4.5
0.9	0.0		10843	5.4	-0.6	0.0	4.4
-0.8	0.0		3542	4.9	-0.1	-0.0	6.6
0.2	-0.0		3541	-5.6	0.6	-0.0	6.5
-1.6	-0.0	Q5_ps	10840	-3.8	0.5	0.0	4.6
1.1	0.0		10843	5.5	-1.2	0.0	4.5
-0.5	0.0		3542	4.1	-0.4	-0.0	5.1
-0.1	-0.0		3541	-5.8	1.2	-0.0	5.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


			INVS LU	Max	10840	283.9	-16.7	-0.6	-221.0
65.4	0.0				10843	-332.7	50.6	-0.4	-211.6
-48.9	-0.0				3542	-337.9	15.4	0.5	-45.6
-14.8	-0.0				3541	415.6	-43.9	0.6	-47.8
24.7	0.0								
				Min	10840	272.4	-18.2	-0.6	-234.9
60.7	0.0				10843	-349.1	46.9	-0.5	-225.1
-52.3	-0.0				3542	-350.3	14.1	0.5	-61.0
-16.3	-0.0				3541	398.2	-47.5	0.6	-62.9
24.4	0.0								
			INVS LE	Max	10840	222.7	-11.4	-0.5	-173.2
50.7	0.0				10843	-257.9	36.4	-0.4	-165.9
-37.7	-0.0				3542	-265.1	10.3	0.4	-46.0
-9.4	-0.0				3541	319.5	-31.7	0.5	-47.5
17.8	0.0								
				Min	10840	215.1	-12.4	-0.5	-182.5
47.5	0.0				10843	-268.9	33.9	-0.4	-174.9
-40.0	-0.0				3542	-273.3	9.4	0.4	-56.2
-10.4	-0.0				3541	308.0	-34.1	0.4	-57.6
17.6	-0.0								
8137	2	4	C1-C2;~1	Max	10841	0.0	0.0	0.0	0.0
0.0	0.0	0.0			10844	0.0	0.0	0.0	0.0
0.0	0.0	0.0			10845	0.0	0.0	0.0	0.0
0.0	0.0	0.0			10842	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	10841	0.0	0.0	0.0	0.0
0.0	0.0	0.0			10844	0.0	0.0	0.0	0.0
0.0	0.0	0.0			10845	0.0	0.0	0.0	0.0
0.0	0.0	0.0			10842	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C3-C4;~1	Max	10841	0.0	0.0	0.0	0.0
0.0	0.0	0.0			10844	0.0	0.0	0.0	0.0
0.0	0.0	0.0			10845	0.0	0.0	0.0	0.0
0.0	0.0	0.0			10842	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0						
		Min	10841	0.0	0.0	0.0	0.0
0.0	0.0		10844	0.0	0.0	0.0	0.0
0.0	0.0		10845	0.0	0.0	0.0	0.0
0.0	0.0		10842	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	10841	0.0	0.0	0.0
0.0	0.0		10844	0.0	0.0	0.0	0.0
0.0	0.0		10845	0.0	0.0	0.0	0.0
0.0	0.0		10842	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	10841	0.0	0.0	0.0	0.0
0.0	0.0		10844	0.0	0.0	0.0	0.0
0.0	0.0		10845	0.0	0.0	0.0	0.0
0.0	0.0		10842	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	10841	0.0	0.0	0.0
0.0	0.0		10844	0.0	0.0	0.0	0.0
0.0	0.0		10845	0.0	0.0	0.0	0.0
0.0	0.0		10842	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	10841	0.0	0.0	0.0	0.0
0.0	0.0		10844	0.0	0.0	0.0	0.0
0.0	0.0		10845	0.0	0.0	0.0	0.0
0.0	0.0		10842	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	10841	-117.6	-21.6	0.0	173.1
-65.6	-0.0		10844	64.0	31.1	0.1	162.6
66.3	-0.0		10845	103.2	23.2	-0.1	-141.3
65.7	0.0		10842	-49.6	-32.3	-0.0	-152.6
-66.3	0.0						
		G2	10841	-46.9	-8.1	0.0	69.8
-26.7	-0.0		10844	25.7	12.8	0.0	65.7
27.1	-0.0		10845	41.0	8.6	-0.0	-57.7
27.0	0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-27.0	0.0			10842	-19.7	-13.4	-0.0	-62.2
		Q3		10841	0.0	0.0	0.0	0.0
0.0	0.0			10844	0.0	0.0	0.0	0.0
0.0	0.0			10845	0.0	0.0	0.0	0.0
0.0	0.0			10842	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		10841	-3.9	0.4	-0.0	7.8
-3.6	-0.0			10844	4.6	-0.4	-0.0	7.4
3.8	-0.0			10845	3.8	-0.4	0.0	-9.9
4.2	0.0			10842	-4.6	0.3	0.0	-10.5
-4.0	-0.0							
		Q5_ps		10841	-2.9	0.8	-0.0	6.9
-3.3	-0.0			10844	4.6	-0.9	-0.0	6.6
3.5	-0.0			10845	2.9	-0.8	0.0	-9.2
4.0	0.0			10842	-4.6	0.9	0.0	-9.8
-3.7	-0.0							
		INVSLE	Max	10841	-93.7	-29.0	0.6	141.7
4.1	0.0			10844	33.2	41.9	0.4	137.4
10.5	0.0			10845	43.5	33.3	-0.4	142.9
-13.9	0.0			10842	39.5	-40.6	-0.6	149.6
28.1	0.0							
			Min	10841	-102.5	-31.5	0.6	121.0
-5.9	0.0			10844	19.4	39.3	0.4	117.6
-0.1	0.0			10845	34.7	30.8	-0.4	115.3
-25.7	0.0			10842	25.7	-43.2	-0.7	120.3
16.9	0.0							
		INVSLE	Max	10841	-64.2	-20.7	0.5	95.6
7.2	0.0			10844	20.7	29.6	0.3	93.0
2.8	0.0			10845	25.4	23.7	-0.3	120.1
-16.0	0.0			10842	33.1	-28.9	-0.5	125.9
25.8	0.0							
			Min	10841	-70.0	-22.4	0.5	81.8
0.6	0.0			10844	11.5	27.9	0.3	79.8
-4.3	0.0							

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

-23.9	0.0			10845	19.5	22.0	-0.3	101.7
18.3	0.0			10842	23.9	-30.6	-0.5	106.4
8138	2	4	C1-C2;~1	Max	10842	0.0	0.0	0.0
0.0		0.0			10845	0.0	0.0	0.0
0.0		0.0			10846	0.0	0.0	0.0
0.0		0.0			10843	0.0	0.0	0.0
0.0		0.0			10842	0.0	0.0	0.0
0.0		0.0		Min	10845	0.0	0.0	0.0
0.0		0.0			10846	0.0	0.0	0.0
0.0		0.0			10843	0.0	0.0	0.0
0.0		0.0			10842	0.0	0.0	0.0
0.0		0.0			10845	0.0	0.0	0.0
0.0		0.0			10846	0.0	0.0	0.0
0.0		0.0			10843	0.0	0.0	0.0
0.0		0.0			10842	0.0	0.0	0.0
0.0		0.0		Min	10845	0.0	0.0	0.0
0.0		0.0			10846	0.0	0.0	0.0
0.0		0.0			10843	0.0	0.0	0.0
0.0		0.0			10842	0.0	0.0	0.0
0.0		0.0			10845	0.0	0.0	0.0
0.0		0.0			10846	0.0	0.0	0.0
0.0		0.0			10843	0.0	0.0	0.0
0.0		0.0			10842	0.0	0.0	0.0
0.0		0.0		Min	10845	0.0	0.0	0.0
0.0		0.0			10846	0.0	0.0	0.0
0.0		0.0			10843	0.0	0.0	0.0
0.0		0.0			10842	0.0	0.0	0.0
0.0		0.0			10845	0.0	0.0	0.0
0.0		0.0			10846	0.0	0.0	0.0
0.0		0.0			10843	0.0	0.0	0.0
0.0		0.0			10842	0.0	0.0	0.0
0.0		0.0		Max	10845	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0		10846	0.0	0.0	0.0	0.0
0.0	0.0		10843	0.0	0.0	0.0	0.0
0.0	0.0		10842	0.0	0.0	0.0	0.0
0.0	0.0	Min	10845	0.0	0.0	0.0	0.0
0.0	0.0		10846	0.0	0.0	0.0	0.0
0.0	0.0		10843	0.0	0.0	0.0	0.0
0.0	0.0		10842	0.0	0.0	0.0	0.0
-51.5	0.0	G1	10845	-77.5	-21.0	0.4	152.0
49.8	0.0		10846	21.7	34.4	0.1	142.1
33.8	0.0		10843	65.7	22.0	-0.1	-19.0
-35.8	0.0		10843	-10.0	-35.0	-0.3	-22.6
-21.3	0.0	G2	10842	-30.3	-7.7	0.1	62.0
20.8	0.0		10845	8.3	14.2	0.1	58.0
14.6	0.0		10846	25.5	8.1	-0.1	-10.4
-15.2	0.0		10843	-3.5	-14.5	-0.1	-11.8
0.0	0.0	Q3	10842	0.0	0.0	0.0	0.0
0.0	0.0		10845	0.0	0.0	0.0	0.0
0.0	0.0		10846	0.0	0.0	0.0	0.0
0.0	0.0		10843	0.0	0.0	0.0	0.0
-3.8	-0.0	Q5_pc	10842	-3.9	0.4	0.0	10.5
3.9	0.0		10845	4.9	-0.6	0.0	9.9
3.1	0.0		10846	4.1	-0.4	-0.0	-5.4
-3.0	0.0		10843	-5.0	0.5	-0.0	-5.8
-3.6	-0.0	Q5_ps	10842	-3.0	0.8	0.0	9.8
3.8	0.0		10845	5.0	-1.2	0.0	9.2
3.2	0.0		10846	3.2	-0.8	-0.0	-5.7
-3.0	0.0		10843	-5.1	1.1	-0.0	-6.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

			INVSLU	Max	10842	87.2	-26.0	0.3	-122.3
64.9	0.0				10845	-146.4	46.5	0.3	-113.2
-53.7	0.0				10846	-139.6	28.4	-0.3	286.1
-67.3	-0.0				10843	223.0	-42.4	-0.3	301.1
74.7	-0.0								
				Min	10842	78.3	-28.6	0.3	-151.6
54.2	0.0				10845	-161.2	43.0	0.3	-140.9
-65.0	0.0				10846	-149.0	25.9	-0.3	269.1
-76.8	-0.0				10843	207.6	-45.9	-0.3	283.1
65.8	-0.0								
			INVSLE	Max	10842	73.2	-18.5	0.2	-107.9
53.2	0.0				10845	-115.7	33.1	0.2	-100.1
-45.6	0.0				10846	-113.9	20.0	-0.2	222.2
-54.8	-0.0				10843	172.7	-30.2	-0.2	233.9
59.7	-0.0								
				Min	10842	67.2	-20.2	0.2	-127.4
46.0	0.0				10845	-125.6	30.7	0.2	-118.6
-53.2	0.0				10846	-120.2	18.4	-0.2	210.9
-61.1	-0.0				10843	162.4	-32.5	-0.2	221.9
53.7	-0.0								
8139	2	4	C1-C2;~1	Max	10843	0.0	0.0	0.0	0.0
0.0	0.0	0.0			10846	0.0	0.0	0.0	0.0
0.0	0.0	0.0			3543	0.0	0.0	0.0	0.0
0.0	0.0	0.0			3542	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	10843	0.0	0.0	0.0	0.0
0.0	0.0	0.0			10846	0.0	0.0	0.0	0.0
0.0	0.0	0.0			3543	0.0	0.0	0.0	0.0
0.0	0.0	0.0			3542	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			C3-C4;~1	Max	10843	0.0	0.0	0.0	0.0
0.0	0.0	0.0			10846	0.0	0.0	0.0	0.0
0.0	0.0	0.0			3543	0.0	0.0	0.0	0.0
0.0	0.0	0.0			3542	0.0	0.0	0.0	0.0
0.0	0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

			Min	10843	0.0	0.0	0.0	0.0
0.0	0.0			10846	0.0	0.0	0.0	0.0
0.0	0.0			3543	0.0	0.0	0.0	0.0
0.0	0.0			3542	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	10843	0.0	0.0	0.0	0.0
0.0	0.0			10846	0.0	0.0	0.0	0.0
0.0	0.0			3543	0.0	0.0	0.0	0.0
0.0	0.0			3542	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	10843	0.0	0.0	0.0	0.0
0.0	0.0			10846	0.0	0.0	0.0	0.0
0.0	0.0			3543	0.0	0.0	0.0	0.0
0.0	0.0			3542	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	10843	0.0	0.0	0.0	0.0
0.0	0.0			10846	0.0	0.0	0.0	0.0
0.0	0.0			3543	0.0	0.0	0.0	0.0
0.0	0.0			3542	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	10843	0.0	0.0	0.0	0.0
0.0	0.0			10846	0.0	0.0	0.0	0.0
0.0	0.0			3543	0.0	0.0	0.0	0.0
0.0	0.0			3542	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		10843	-42.5	-20.5	0.5	21.7
-1.6	0.0			10846	-15.4	37.3	0.2	21.1
-2.0	0.0			3543	30.5	21.3	-0.2	154.2
-25.1	-0.0			3542	27.4	-37.7	-0.5	163.3
19.8	0.0							
		G2		10843	-16.2	-7.5	0.2	11.5
-1.8	0.0			10846	-6.8	15.5	0.1	11.3
0.7	0.0			3543	11.4	7.7	-0.1	55.6
-8.2	0.0			3542	11.6	-15.7	-0.2	59.2
6.6	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0	Q3	10843	0.0	0.0	0.0	0.0
0.0	0.0		10846	0.0	0.0	0.0	0.0
0.0	0.0		3543	0.0	0.0	0.0	0.0
0.0	0.0		3542	0.0	0.0	0.0	0.0
-0.9	0.0	Q5_pc	10843	-4.5	0.3	0.0	5.8
0.9	0.0		10846	5.5	-0.7	0.0	5.6
-0.9	0.0		3543	4.8	-0.3	-0.0	8.6
0.7	0.0		3542	-5.8	0.7	-0.0	9.1
-1.1	0.0	Q5_ps	10843	-3.6	0.7	0.0	6.0
1.2	0.0		10846	5.7	-1.4	0.0	5.8
-0.4	0.0		3543	4.0	-0.7	-0.0	6.6
0.3	0.0		3542	-6.0	1.4	-0.0	7.1
52.5	-0.0	INVS LU Max	10843	280.5	-23.6	-0.8	-283.0
-48.8	-0.0		10846	-339.3	53.8	-0.5	-269.4
-15.7	0.0		3543	-337.7	23.0	0.6	-52.3
20.0	-0.0		3542	425.6	-46.5	0.9	-56.6
49.1	-0.0	Min	10843	269.5	-25.7	-0.9	-301.0
-52.3	-0.0		10846	-356.4	49.6	-0.6	-286.7
-17.4	0.0		3543	-349.6	21.0	0.5	-72.1
18.8	-0.0		3542	407.5	-50.7	0.8	-77.8
40.1	-0.0	INVS LE Max	10843	220.4	-16.8	-0.6	-221.8
-37.3	-0.0		10846	-263.1	38.7	-0.4	-211.3
-9.8	0.0		3543	-265.3	16.1	0.5	-54.6
13.4	-0.0		3542	327.4	-33.5	0.7	-58.7
37.9	-0.0	Min	10843	213.1	-18.2	-0.7	-233.7
-39.6	-0.0		10846	-274.6	35.9	-0.5	-222.8
-10.9	0.0		3543	-273.2	14.8	0.4	-67.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


12.6 -0.0 3542 315.3 -36.3 0.6 -72.8

8440	2	4	C1-C2;~1	Max	11111	0.0	0.0	0.0	0.0
0.0		0.0			11114	0.0	0.0	0.0	0.0
0.0		0.0			11115	0.0	0.0	0.0	0.0
0.0		0.0			11112	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	11111	0.0	0.0	0.0	0.0
0.0		0.0			11114	0.0	0.0	0.0	0.0
0.0		0.0			11115	0.0	0.0	0.0	0.0
0.0		0.0			11112	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	11111	0.0	0.0	0.0	0.0
0.0		0.0			11114	0.0	0.0	0.0	0.0
0.0		0.0			11115	0.0	0.0	0.0	0.0
0.0		0.0			11112	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	11111	0.0	0.0	0.0	0.0
0.0		0.0			11114	0.0	0.0	0.0	0.0
0.0		0.0			11115	0.0	0.0	0.0	0.0
0.0		0.0			11112	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	11111	0.0	0.0	0.0	0.0
0.0		0.0			11114	0.0	0.0	0.0	0.0
0.0		0.0			11115	0.0	0.0	0.0	0.0
0.0		0.0			11112	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	11111	0.0	0.0	0.0	0.0
0.0		0.0			11114	0.0	0.0	0.0	0.0
0.0		0.0			11115	0.0	0.0	0.0	0.0
0.0		0.0			11112	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	11111	0.0	0.0	0.0	0.0
0.0		0.0			11114	0.0	0.0	0.0	0.0
0.0		0.0			11115	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0			11112	0.0	0.0	0.0	0.0
0.0	0.0							
		Min		11111	0.0	0.0	0.0	0.0
0.0	0.0			11114	0.0	0.0	0.0	0.0
0.0	0.0			11115	0.0	0.0	0.0	0.0
0.0	0.0			11112	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		11111	-48.2	36.2	0.1	138.2
-55.8	0.0			11114	110.7	-26.5	0.0	148.3
56.8	0.0			11115	35.6	-37.1	-0.0	-131.4
57.6	-0.0			11112	-98.1	27.6	-0.1	-121.0
-55.5	-0.0							
		G2		11111	-19.1	15.0	0.0	55.7
-22.7	0.0			11114	44.3	-10.2	0.0	59.7
23.1	0.0			11115	13.9	-15.4	-0.0	-53.5
23.5	-0.0			11112	-39.0	10.6	-0.0	-49.3
-22.7	-0.0							
		Q3		11111	0.0	0.0	0.0	0.0
0.0	0.0			11114	0.0	0.0	0.0	0.0
0.0	0.0			11115	0.0	0.0	0.0	0.0
0.0	0.0			11112	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		11111	-4.7	-0.3	-0.0	7.4
-3.9	0.0			11114	4.1	0.4	-0.0	7.9
3.8	0.0			11115	4.7	0.2	0.0	-10.9
4.2	0.0			11112	-4.1	-0.4	0.0	-10.3
-4.3	-0.0							
		Q5_ps		11111	-4.4	-0.4	-0.0	6.6
-3.6	0.0			11114	3.5	0.5	-0.0	7.0
3.5	0.0			11115	4.4	0.4	0.0	-10.2
3.9	0.0			11112	-3.5	-0.5	0.0	-9.6
-4.1	-0.0							
		INVSLU Max		11111	68.6	89.3	0.3	57.9
23.1	-0.0							

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-13.2	-0.0			11114	109.5	-78.8	0.5	62.1
-30.7	-0.0			11115	-97.6	-89.0	-0.5	165.6
42.4	-0.0			11112	-56.9	81.6	-0.2	157.8
12.3	-0.0		Min	11111	55.6	88.0	0.2	38.0
-23.6	-0.0			11114	99.0	-80.2	0.5	41.0
-42.4	-0.0			11115	-110.7	-90.4	-0.5	135.1
30.2	-0.0			11112	-67.5	80.3	-0.2	129.1
22.6	-0.0	INVSLE	Max	11111	57.4	66.6	0.2	31.2
-15.8	-0.0			11114	75.2	-59.5	0.4	33.6
-29.6	-0.0			11115	-80.3	-66.5	-0.4	139.7
37.5	-0.0			11112	-36.5	61.5	-0.2	133.0
15.4	-0.0		Min	11111	48.6	65.7	0.2	17.9
-22.8	-0.0			11114	68.2	-60.4	0.4	19.5
-37.4	-0.0			11115	-89.1	-67.3	-0.4	119.4
29.4	-0.0			11112	-43.5	60.5	-0.2	113.9
8441	2	4 C1-C2;~1	Max	11112	0.0	0.0	0.0	0.0
0.0	0.0			11115	0.0	0.0	0.0	0.0
0.0	0.0			11116	0.0	0.0	0.0	0.0
0.0	0.0			11113	0.0	0.0	0.0	0.0
0.0	0.0		Min	11112	0.0	0.0	0.0	0.0
0.0	0.0			11115	0.0	0.0	0.0	0.0
0.0	0.0			11116	0.0	0.0	0.0	0.0
0.0	0.0			11113	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~1	Max	11112	0.0	0.0	0.0	0.0
0.0	0.0			11115	0.0	0.0	0.0	0.0
0.0	0.0			11116	0.0	0.0	0.0	0.0
0.0	0.0			11113	0.0	0.0	0.0	0.0
0.0	0.0		Min	11112	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	0.0		11115	0.0	0.0	0.0	0.0
0.0	0.0		11116	0.0	0.0	0.0	0.0
0.0	0.0		11113	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2	Max 11112	0.0	0.0	0.0	0.0
0.0	0.0		11115	0.0	0.0	0.0	0.0
0.0	0.0		11116	0.0	0.0	0.0	0.0
0.0	0.0		11113	0.0	0.0	0.0	0.0
0.0	0.0		Min 11112	0.0	0.0	0.0	0.0
0.0	0.0		11115	0.0	0.0	0.0	0.0
0.0	0.0		11116	0.0	0.0	0.0	0.0
0.0	0.0		11113	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2	Max 11112	0.0	0.0	0.0	0.0
0.0	0.0		11115	0.0	0.0	0.0	0.0
0.0	0.0		11116	0.0	0.0	0.0	0.0
0.0	0.0		11113	0.0	0.0	0.0	0.0
0.0	0.0		Min 11112	0.0	0.0	0.0	0.0
0.0	0.0		11115	0.0	0.0	0.0	0.0
0.0	0.0		11116	0.0	0.0	0.0	0.0
0.0	0.0		11113	0.0	0.0	0.0	0.0
-42.0	-0.0	G1	11112	-9.9	40.4	0.1	121.7
45.0	-0.0		11115	76.6	-26.9	0.3	130.9
31.3	-0.0		11116	-0.5	-40.8	-0.3	-19.4
-28.5	-0.0		11113	-66.2	27.7	-0.1	-16.3
-17.6	-0.0	G2	11112	-3.4	16.7	0.0	49.6
18.6	-0.0		11115	30.1	-10.3	0.1	53.3
13.3	-0.0		11116	-0.9	-16.9	-0.1	-10.3
-12.3	-0.0		11113	-25.9	10.6	-0.0	-9.0

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
			Q3	11112	0.0	0.0	0.0	0.0
0.0	0.0			11115	0.0	0.0	0.0	0.0
0.0	0.0			11116	0.0	0.0	0.0	0.0
0.0	0.0			11113	0.0	0.0	0.0	0.0
			Q5_pc	11112	-5.0	-0.4	0.0	10.3
-4.0	-0.0			11115	4.3	0.3	0.0	10.9
4.0	0.0			11116	5.2	0.4	-0.0	-6.2
3.2	-0.0			11113	-4.5	-0.3	-0.0	-5.8
-3.3	-0.0							
			Q5_ps	11112	-4.8	-0.7	0.0	9.6
-3.9	-0.0			11115	3.7	0.4	0.0	10.2
3.8	0.0			11116	5.0	0.7	-0.0	-6.4
3.1	-0.0			11113	-3.9	-0.4	-0.0	-6.0
-3.3	-0.0							
			INVS LU Max	11112	199.7	94.3	0.1	-127.4
66.8	-0.0			11115	-19.5	-76.7	0.2	-136.9
-55.0	-0.0			11116	-229.8	-92.0	-0.2	242.9
-59.1	0.0			11113	75.7	78.1	-0.1	227.1
69.7	0.0							
			Min	11112	185.4	92.2	0.1	-156.0
55.1	-0.0			11115	-30.7	-77.8	0.2	-167.4
-66.3	-0.0			11116	-244.7	-94.1	-0.2	223.8
-68.5	0.0			11113	64.0	77.0	-0.1	209.2
59.9	0.0							
			INVS LE Max	11112	156.6	70.4	0.1	-112.6
55.4	-0.0			11115	-22.4	-58.0	0.1	-120.8
-47.4	-0.0			11116	-180.9	-68.9	-0.1	190.4
-49.2	0.0			11113	64.1	58.9	-0.1	178.0
56.5	0.0							
			Min	11112	147.0	69.0	0.1	-131.7
47.6	-0.0			11115	-29.8	-58.7	0.1	-141.1
-54.9	-0.0			11116	-190.8	-70.2	-0.1	177.7
-55.5	0.0			11113	56.3	58.1	-0.1	166.1
49.9	0.0							

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

8442	2	4	C1-C2;~1	Max	11113	0.0	0.0	0.0	0.0
0.0		0.0			11116	0.0	0.0	0.0	0.0
0.0		0.0			3619	0.0	0.0	0.0	0.0
0.0		0.0			3618	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	11113	0.0	0.0	0.0	0.0
0.0		0.0			11116	0.0	0.0	0.0	0.0
0.0		0.0			3619	0.0	0.0	0.0	0.0
0.0		0.0			3618	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	11113	0.0	0.0	0.0	0.0
0.0		0.0			11116	0.0	0.0	0.0	0.0
0.0		0.0			3619	0.0	0.0	0.0	0.0
0.0		0.0			3618	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	11113	0.0	0.0	0.0	0.0
0.0		0.0			11116	0.0	0.0	0.0	0.0
0.0		0.0			3619	0.0	0.0	0.0	0.0
0.0		0.0			3618	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	11113	0.0	0.0	0.0	0.0
0.0		0.0			11116	0.0	0.0	0.0	0.0
0.0		0.0			3619	0.0	0.0	0.0	0.0
0.0		0.0			3618	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	11113	0.0	0.0	0.0	0.0
0.0		0.0			11116	0.0	0.0	0.0	0.0
0.0		0.0			3619	0.0	0.0	0.0	0.0
0.0		0.0			3618	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	11113	0.0	0.0	0.0	0.0
0.0		0.0			11116	0.0	0.0	0.0	0.0
0.0		0.0			3619	0.0	0.0	0.0	0.0
0.0		0.0			3618	0.0	0.0	0.0	0.0


PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0						
			Min	11113	0.0	0.0	0.0
0.0	0.0			11116	0.0	0.0	0.0
0.0	0.0			3619	0.0	0.0	0.0
0.0	0.0			3618	0.0	0.0	0.0
0.0	0.0						
			G1	11113	23.4	43.5	0.2
2.0	-0.0			11116	45.9	-26.5	0.4
1.6	-0.0			3619	-34.0	-43.9	-0.4
-17.1	-0.0			3618	-35.3	27.2	-0.2
21.7	0.0						
			G2	11113	10.1	18.1	0.1
-0.6	-0.0			11116	17.7	-10.1	0.2
1.7	-0.0			3619	-14.3	-18.2	-0.2
-5.5	-0.0			3618	-13.5	10.3	-0.1
7.0	0.0						
			Q3	11113	0.0	0.0	0.0
0.0	0.0			11116	0.0	0.0	0.0
0.0	0.0			3619	0.0	0.0	0.0
0.0	0.0			3618	0.0	0.0	0.0
0.0	0.0						
			Q5_pc	11113	-5.8	-0.6	0.0
-0.9	-0.0			11116	5.1	0.2	0.0
1.0	-0.0			3619	6.1	0.5	-0.0
-0.7	-0.0			3618	-5.4	-0.1	-0.0
0.9	-0.0						
			Q5_ps	11113	-5.5	-0.9	0.0
-1.2	-0.0			11116	4.6	0.2	0.0
1.2	-0.0			3619	5.9	0.8	-0.0
-0.4	-0.0			3618	-4.9	-0.1	-0.0
0.5	-0.0						
			INVSLU Max	11113	332.9	92.6	-0.5
37.2	0.0			11116	-166.1	-65.3	-0.7
-35.8	0.0						


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-5.6	0.0			3619	-364.6	-87.4	0.8	-98.6
2.0	-0.0			3618	229.2	63.5	0.5	-93.7
			Min	11113	316.2	89.9	-0.5	-228.4
33.7	0.0			11116	-179.8	-65.7	-0.9	-242.6
-39.4	0.0			3619	-382.3	-90.0	0.7	-120.9
-6.9	0.0			3618	214.5	63.2	0.5	-114.4
0.3	-0.0							
		INVSLE	Max	11113	258.2	69.3	-0.4	-167.0
28.5	0.0			11116	-134.1	-49.3	-0.6	-177.5
-28.0	0.0			3619	-284.1	-65.5	0.7	-91.8
-2.6	0.0			3618	181.0	47.9	0.4	-87.1
-0.8	-0.0							
			Min	11113	247.1	67.5	-0.4	-179.2
26.1	0.0			11116	-143.3	-49.7	-0.7	-190.1
-30.4	0.0			3619	-295.9	-67.2	0.6	-106.6
-3.4	0.0			3618	171.2	47.7	0.4	-101.0
-1.9	-0.0							
8443	2	10	C1-C2;~1	Max	11114	0.0	0.0	0.0
0.0	0.0				11117	0.0	0.0	0.0
0.0	0.0				11118	0.0	0.0	0.0
0.0	0.0				11115	0.0	0.0	0.0
0.0	0.0							
			Min	11114	0.0	0.0	0.0	0.0
0.0	0.0				11117	0.0	0.0	0.0
0.0	0.0				11118	0.0	0.0	0.0
0.0	0.0				11115	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	11114	0.0	0.0	0.0
0.0	0.0				11117	0.0	0.0	0.0
0.0	0.0				11118	0.0	0.0	0.0
0.0	0.0				11115	0.0	0.0	0.0
0.0	0.0							
			Min	11114	0.0	0.0	0.0	0.0
0.0	0.0				11117	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		11118	0.0	0.0	0.0	0.0
0.0	0.0		11115	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2 Max	11114	0.0	0.0	0.0	0.0
0.0	0.0		11117	0.0	0.0	0.0	0.0
0.0	0.0		11118	0.0	0.0	0.0	0.0
0.0	0.0		11115	0.0	0.0	0.0	0.0
0.0	0.0	Min	11114	0.0	0.0	0.0	0.0
0.0	0.0		11117	0.0	0.0	0.0	0.0
0.0	0.0		11118	0.0	0.0	0.0	0.0
0.0	0.0		11115	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2 Max	11114	0.0	0.0	0.0	0.0
0.0	0.0		11117	0.0	0.0	0.0	0.0
0.0	0.0		11118	0.0	0.0	0.0	0.0
0.0	0.0		11115	0.0	0.0	0.0	0.0
0.0	0.0	Min	11114	0.0	0.0	0.0	0.0
0.0	0.0		11117	0.0	0.0	0.0	0.0
0.0	0.0		11118	0.0	0.0	0.0	0.0
0.0	0.0		11115	0.0	0.0	0.0	0.0
-56.9	0.0	G1	11114	-53.3	32.5	0.0	111.8
66.9	-0.0		11117	111.5	-26.0	0.1	115.1
67.5	-0.0		11118	40.3	-33.2	-0.0	-100.0
-57.3	-0.0		11115	-98.5	26.9	-0.0	-98.4
-23.1	0.0	G2	11114	-21.2	13.4	-0.0	45.0
27.1	-0.0		11117	44.5	-10.0	0.0	46.4
27.4	-0.0		11118	15.8	-13.8	-0.0	-40.6
-23.3	-0.0		11115	-39.2	10.4	-0.0	-40.0
0.0	0.0	Q3	11114	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0			11117	0.0	0.0	0.0
0.0	0.0			11118	0.0	0.0	0.0
0.0	0.0			11115	0.0	0.0	0.0
-3.8	0.0	Q5_pc		11114	-4.6	-0.3	-0.0
4.2	-0.0			11117	4.1	0.2	-0.0
4.7	0.0			11118	4.6	0.3	0.0
-4.2	0.0			11115	-4.1	-0.2	0.0
-3.5	0.0	Q5_ps		11114	-4.2	-0.4	-0.0
3.8	-0.0			11117	3.5	0.3	-0.0
4.3	0.0			11118	4.2	0.4	0.0
-3.9	0.0			11115	-3.6	-0.2	0.0
22.7	-0.0	INVS LU	Max	11114	60.1	86.8	0.3
-12.8	-0.0			11117	109.7	-73.8	0.4
-36.1	-0.0			11118	-91.4	-86.2	-0.4
43.4	-0.0			11115	-55.2	75.6	-0.2
12.3	-0.0		Min	11114	47.6	85.4	0.2
-24.3	-0.0			11117	99.2	-74.6	0.4
-49.1	-0.0			11118	-104.0	-87.4	-0.4
31.6	-0.0			11115	-65.9	74.9	-0.2
22.1	-0.0	INVS LE	Max	11114	51.0	64.9	0.2
-16.3	0.0			11117	75.4	-55.6	0.3
-34.5	-0.0			11118	-75.6	-64.5	-0.3
38.2	-0.0			11115	-35.3	56.8	-0.2
15.1	-0.0		Min	11114	42.6	64.0	0.2
-24.0	-0.0			11117	68.4	-56.1	0.3
-43.2	-0.0			11118	-84.1	-65.3	-0.3
30.3	-0.0			11115	-42.4	56.4	-0.2

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			

8444	2	10	C1-C2;~1	Max	11115	0.0	0.0	0.0	0.0
0.0		0.0			11118	0.0	0.0	0.0	0.0
0.0		0.0			11119	0.0	0.0	0.0	0.0
0.0		0.0			11116	0.0	0.0	0.0	0.0
0.0		0.0		Min	11115	0.0	0.0	0.0	0.0
0.0		0.0			11118	0.0	0.0	0.0	0.0
0.0		0.0			11119	0.0	0.0	0.0	0.0
0.0		0.0			11116	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	11115	0.0	0.0	0.0	0.0
0.0		0.0			11118	0.0	0.0	0.0	0.0
0.0		0.0			11119	0.0	0.0	0.0	0.0
0.0		0.0			11116	0.0	0.0	0.0	0.0
0.0		0.0		Min	11115	0.0	0.0	0.0	0.0
0.0		0.0			11118	0.0	0.0	0.0	0.0
0.0		0.0			11119	0.0	0.0	0.0	0.0
0.0		0.0			11116	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	11115	0.0	0.0	0.0	0.0
0.0		0.0			11118	0.0	0.0	0.0	0.0
0.0		0.0			11119	0.0	0.0	0.0	0.0
0.0		0.0			11116	0.0	0.0	0.0	0.0
0.0		0.0		Min	11115	0.0	0.0	0.0	0.0
0.0		0.0			11118	0.0	0.0	0.0	0.0
0.0		0.0			11119	0.0	0.0	0.0	0.0
0.0		0.0			11116	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	11115	0.0	0.0	0.0	0.0
0.0		0.0			11118	0.0	0.0	0.0	0.0
0.0		0.0			11119	0.0	0.0	0.0	0.0
0.0		0.0			11116	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
			Min	11115	0.0	0.0	0.0	0.0
0.0	0.0			11118	0.0	0.0	0.0	0.0
0.0	0.0			11119	0.0	0.0	0.0	0.0
0.0	0.0			11116	0.0	0.0	0.0	0.0
		G1		11115	-13.6	37.1	0.1	98.8
-45.3	-0.0			11118	76.6	-26.9	0.2	99.9
54.4	-0.0			11119	2.7	-37.2	-0.2	-15.9
38.8	0.0			11116	-65.8	27.2	-0.2	-15.7
-30.9	-0.0							
		G2		11115	-4.8	15.4	0.1	40.2
-18.7	-0.0			11118	30.2	-10.3	0.1	40.6
22.3	-0.0			11119	0.4	-15.5	-0.1	-8.1
16.1	0.0			11116	-25.8	10.5	-0.1	-8.0
-13.1	-0.0							
		Q3		11115	0.0	0.0	0.0	0.0
0.0	0.0			11118	0.0	0.0	0.0	0.0
0.0	0.0			11119	0.0	0.0	0.0	0.0
0.0	0.0			11116	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		11115	-4.9	-0.4	0.0	8.1
-4.0	0.0			11118	4.4	0.1	0.0	8.1
4.5	0.0			11119	5.1	0.4	-0.0	-4.8
3.8	0.0			11116	-4.6	-0.1	-0.0	-4.6
-3.2	-0.0							
		Q5_ps		11115	-4.6	-0.6	0.0	7.5
-3.8	0.0			11118	3.9	0.1	0.0	7.5
4.2	0.0			11119	4.8	0.6	-0.0	-4.9
3.6	0.0			11116	-4.1	-0.1	-0.0	-4.8
-3.1	-0.0							
		INVSLU	Max	11115	196.6	92.6	0.1	-99.6
65.3	-0.0			11118	-27.0	-69.1	0.2	-102.9
-65.9	-0.0			11119	-229.9	-89.5	-0.2	195.8
-74.1	-0.0							


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
68.7	0.0			11116	86.3	68.5	-0.0	185.5
			Min	11115	183.0	90.8	0.1	-122.0
54.0	-0.0			11118	-38.7	-69.5	0.2	-125.4
-78.6	-0.0			11119	-244.2	-91.2	-0.2	181.1
-85.0	-0.0			11116	73.9	68.2	-0.1	171.2
59.3	0.0							
			INVSLE Max	11115	154.2	69.2	0.1	-88.0
54.2	-0.0			11118	-28.1	-52.0	0.1	-90.6
-56.5	-0.0			11119	-180.8	-67.0	-0.2	153.2
-61.4	-0.0			11116	72.0	51.5	-0.0	145.3
55.6	0.0							
			Min	11115	145.1	68.1	0.1	-102.9
46.6	-0.0			11118	-35.8	-52.3	0.1	-105.5
-65.0	-0.0			11119	-190.4	-68.1	-0.2	143.5
-68.6	-0.0			11116	63.8	51.3	-0.0	135.8
49.3	0.0							
8445	2	10	C1-C2;~1	Max	11116	0.0	0.0	0.0
0.0	0.0	0.0			11119	0.0	0.0	0.0
0.0	0.0	0.0			3620	0.0	0.0	0.0
0.0	0.0	0.0			3619	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	11116	0.0	0.0	0.0	0.0
0.0	0.0	0.0			11119	0.0	0.0	0.0
0.0	0.0	0.0			3620	0.0	0.0	0.0
0.0	0.0	0.0			3619	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	11116	0.0	0.0	0.0
0.0	0.0	0.0			11119	0.0	0.0	0.0
0.0	0.0	0.0			3620	0.0	0.0	0.0
0.0	0.0	0.0			3619	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	11116	0.0	0.0	0.0	0.0
0.0	0.0	0.0			11119	0.0	0.0	0.0
0.0	0.0	0.0			3620	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		3619		0.0	0.0	0.0
0.0	0.0	C1-C2;~2	Max	11116	0.0	0.0	0.0
0.0	0.0		11119		0.0	0.0	0.0
0.0	0.0		3620		0.0	0.0	0.0
0.0	0.0		3619		0.0	0.0	0.0
0.0	0.0		Min	11116	0.0	0.0	0.0
0.0	0.0		11119		0.0	0.0	0.0
0.0	0.0		3620		0.0	0.0	0.0
0.0	0.0		3619		0.0	0.0	0.0
0.0	0.0		3619		0.0	0.0	0.0
0.0	0.0	C3-C4;~2	Max	11116	0.0	0.0	0.0
0.0	0.0		11119		0.0	0.0	0.0
0.0	0.0		3620		0.0	0.0	0.0
0.0	0.0		3619		0.0	0.0	0.0
0.0	0.0		Min	11116	0.0	0.0	0.0
0.0	0.0		11119		0.0	0.0	0.0
0.0	0.0		3620		0.0	0.0	0.0
0.0	0.0		3619		0.0	0.0	0.0
0.0	0.0		3619		0.0	0.0	0.0
-2.1	-0.0	G1	11116		20.3	40.1	0.2
9.5	0.0		11119		44.2	-26.3	0.2
-10.4	-0.0		3620		-31.3	-39.4	-0.2
18.5	0.0		3619		-33.3	25.9	-0.2
-1.9	-0.0	G2	11116		8.9	16.6	0.1
4.7	0.0		11119		17.1	-10.0	0.1
-3.1	-0.0		3620		-13.2	-16.4	-0.1
6.1	0.0		3619		-12.7	9.8	-0.1
0.0	0.0	Q3	11116		0.0	0.0	0.0
0.0	0.0		11119		0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0			3620	0.0	0.0	0.0	0.0
0.0	0.0			3619	0.0	0.0	0.0	0.0
-1.0	-0.0	Q5_pc		11116	-5.7	-0.5	0.0	4.7
1.6	0.0			11119	5.3	-0.0	0.0	4.8
-0.2	0.0			3620	6.0	0.4	-0.0	6.8
0.9	-0.0			3619	-5.6	0.1	-0.0	6.8
-1.2	-0.0	Q5_ps		11116	-5.4	-0.7	0.0	4.8
1.7	0.0			11119	4.8	-0.0	0.0	4.9
0.1	0.0			3620	5.8	0.7	-0.0	5.3
0.5	-0.0			3619	-5.1	0.1	-0.0	5.4
39.3	0.0	INVS LU	Max	11116	338.2	91.3	-0.4	-171.4
-51.3	-0.0			11119	-182.2	-56.4	-0.6	-181.8
-16.0	0.0			3620	-373.7	-85.6	0.6	-73.5
3.3	0.0			3619	249.3	53.4	0.5	-73.8
35.6	0.0		Min	11116	322.0	89.1	-0.5	-185.7
-56.5	-0.0			11119	-196.6	-56.6	-0.6	-196.5
-16.3	0.0			3620	-391.0	-87.6	0.5	-89.5
1.8	0.0			3619	233.9	53.1	0.5	-90.0
30.3	0.0	INVS LE	Max	11116	262.1	68.4	-0.3	-136.0
-40.7	-0.0			11119	-146.2	-42.6	-0.5	-144.0
-11.2	0.0			3620	-290.8	-64.2	0.5	-67.8
0.5	0.0			3619	196.0	40.2	0.4	-68.2
27.9	0.0		Min	11116	251.3	66.9	-0.4	-145.6
-44.2	-0.0			11119	-155.8	-42.6	-0.5	-153.9
-11.4	0.0			3620	-302.3	-65.6	0.4	-78.5
-0.5	0.0			3619	185.8	40.0	0.4	-79.0
8476	2	4 C1-C2;~1	Max	11144	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	0.0		10661	0.0	0.0	0.0	0.0
0.0	0.0		10663	0.0	0.0	0.0	0.0
0.0	0.0		11145	0.0	0.0	0.0	0.0
0.0	0.0	Min	11144	0.0	0.0	0.0	0.0
0.0	0.0		10661	0.0	0.0	0.0	0.0
0.0	0.0		10663	0.0	0.0	0.0	0.0
0.0	0.0		11145	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	11144	0.0	0.0	0.0
0.0	0.0			10661	0.0	0.0	0.0
0.0	0.0			10663	0.0	0.0	0.0
0.0	0.0			11145	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	11144	0.0	0.0	0.0	0.0
0.0	0.0			10661	0.0	0.0	0.0
0.0	0.0			10663	0.0	0.0	0.0
0.0	0.0			11145	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	11144	0.0	0.0	0.0
0.0	0.0			10661	0.0	0.0	0.0
0.0	0.0			10663	0.0	0.0	0.0
0.0	0.0			11145	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	11144	0.0	0.0	0.0	0.0
0.0	0.0			10661	0.0	0.0	0.0
0.0	0.0			10663	0.0	0.0	0.0
0.0	0.0			11145	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	11144	0.0	0.0	0.0
0.0	0.0			10661	0.0	0.0	0.0
0.0	0.0			10663	0.0	0.0	0.0
0.0	0.0			11145	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	11144	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		10661	0.0	0.0	0.0	0.0
0.0	0.0		10663	0.0	0.0	0.0	0.0
0.0	0.0		11145	0.0	0.0	0.0	0.0
-2.0	0.0	G1	11144	-61.3	-9.3	0.1	0.6
-27.8	0.0		10661	-29.3	86.5	-0.1	-8.2
-25.8	0.0		10663	56.5	4.0	-0.0	1.8
-0.9	0.0		11145	34.1	-80.9	0.1	-3.2
-1.3	0.0	G2	11144	-26.1	-3.9	0.0	0.6
-9.5	0.0		10661	-12.8	37.0	-0.0	-2.9
-8.1	0.0		10663	24.2	1.9	-0.0	-0.2
-1.0	0.0		11145	14.8	-34.9	0.0	-1.9
0.0	0.0	Q3	11144	0.0	0.0	0.0	0.0
0.0	0.0		10661	0.0	0.0	0.0	0.0
0.0	0.0		10663	0.0	0.0	0.0	0.0
0.0	0.0		11145	0.0	0.0	0.0	0.0
1.1	0.0	Q5_pc	11144	-1.3	-5.5	-0.0	-0.5
4.9	-0.0		10661	-4.6	0.3	0.0	3.2
5.0	0.0		10663	1.8	5.6	0.0	0.4
0.2	-0.0		11145	4.1	-0.4	-0.0	0.6
1.0	0.0	Q5_ps	11144	-2.8	-4.5	-0.0	-0.2
6.5	-0.0		10661	-5.1	3.5	0.0	3.7
6.7	0.0		10663	3.1	4.5	0.0	-0.1
-0.1	-0.0		11145	4.9	-3.5	-0.0	0.3
-10.1	0.0	INVSLU Max	11144	-131.1	-50.4	0.1	6.4
40.2	0.0		10661	-75.9	166.6	-0.1	6.5
58.4	0.0		10663	125.6	63.7	0.2	-12.7
-11.7	0.0		11145	105.4	-155.7	-0.2	-0.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


			Min	11144	-139.6	-63.8	0.1	5.6
-13.2	0.0			10661	-91.3	156.2	-0.1	-4.6
20.7	0.0			10663	116.4	50.2	0.2	-13.3
38.4	0.0			11145	90.6	-166.1	-0.2	-1.4
-12.0	0.0							
		INVSLE	Max	11144	-99.0	-40.6	0.1	5.0
-8.0	0.0			10661	-58.2	122.3	-0.1	5.3
33.1	0.0			10663	94.0	50.4	0.2	-10.4
47.3	0.0			11145	79.2	-115.8	-0.1	-0.0
-9.2	0.0							
			Min	11144	-104.7	-49.6	0.0	4.5
-10.1	0.0			10661	-68.5	115.4	-0.1	-2.2
20.1	0.0			10663	87.9	41.4	0.2	-10.9
34.0	0.0			11145	69.4	-122.8	-0.2	-0.8
-9.5	0.0							
8477	2	4 C1-C2;~1	Max	11145	0.0	0.0	0.0	0.0
0.0	0.0			10663	0.0	0.0	0.0	0.0
0.0	0.0			10665	0.0	0.0	0.0	0.0
0.0	0.0			11146	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	11145	0.0	0.0	0.0	0.0
0.0	0.0			10663	0.0	0.0	0.0	0.0
0.0	0.0			10665	0.0	0.0	0.0	0.0
0.0	0.0			11146	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	11145	0.0	0.0	0.0	0.0
0.0	0.0			10663	0.0	0.0	0.0	0.0
0.0	0.0			10665	0.0	0.0	0.0	0.0
0.0	0.0			11146	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	11145	0.0	0.0	0.0	0.0
0.0	0.0			10663	0.0	0.0	0.0	0.0
0.0	0.0			10665	0.0	0.0	0.0	0.0
0.0	0.0			11146	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0	C1-C2;~2	Max	11145	0.0	0.0	0.0	0.0
0.0	0.0			10663	0.0	0.0	0.0	0.0
0.0	0.0			10665	0.0	0.0	0.0	0.0
0.0	0.0			11146	0.0	0.0	0.0	0.0
0.0	0.0		Min	11145	0.0	0.0	0.0	0.0
0.0	0.0			10663	0.0	0.0	0.0	0.0
0.0	0.0			10665	0.0	0.0	0.0	0.0
0.0	0.0			11146	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	C3-C4;~2	Max	11145	0.0	0.0	0.0	0.0
0.0	0.0			10663	0.0	0.0	0.0	0.0
0.0	0.0			10665	0.0	0.0	0.0	0.0
0.0	0.0			11146	0.0	0.0	0.0	0.0
0.0	0.0		Min	11145	0.0	0.0	0.0	0.0
0.0	0.0			10663	0.0	0.0	0.0	0.0
0.0	0.0			10665	0.0	0.0	0.0	0.0
0.0	0.0			11146	0.0	0.0	0.0	0.0
0.0	0.0							
1.5	0.0	G1		11145	-53.5	-21.7	0.1	2.4
-20.8	0.0			10663	-39.0	72.6	-0.1	-1.7
-16.7	0.0			10665	50.4	19.8	0.0	4.5
1.5	0.0			11146	42.1	-70.4	-0.0	2.2
0.2	0.0	G2		11145	-23.2	-8.7	0.0	1.6
-5.0	0.0			10663	-17.1	31.9	-0.0	0.2
-2.7	0.0			10665	22.0	8.2	0.0	1.7
0.5	0.0			11146	18.2	-31.4	-0.0	0.6
0.0	0.0	Q3		11145	0.0	0.0	0.0	0.0
0.0	0.0			10663	0.0	0.0	0.0	0.0
0.0	0.0			10665	0.0	0.0	0.0	0.0


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0			11146	0.0	0.0	0.0	0.0
0.1	-0.0	Q5_pc		11145	-2.0	-2.9	-0.0	-0.5
6.0	0.0			10663	-3.5	2.3	0.0	-0.3
7.2	0.0			10665	2.6	3.2	0.0	-1.3
0.3	0.0			11146	2.9	-2.6	-0.0	-0.6
-0.1	-0.0	Q5_ps		11145	-3.2	-2.2	-0.0	-0.1
8.0	0.0			10663	-4.5	5.2	0.0	0.1
9.4	0.0			10665	3.9	2.5	0.0	-1.5
0.2	0.0			11146	3.9	-5.5	-0.0	-0.8
-2.5	0.0	INVS LU	Max	11145	-84.1	-64.2	-0.1	-1.6
80.8	0.0			10663	-97.3	122.2	0.1	13.7
90.0	0.0			10665	81.4	81.8	0.2	-5.8
1.4	0.0			11146	123.1	-116.2	-0.2	10.8
-2.9	0.0		Min	11145	-93.7	-70.9	-0.1	-2.6
56.9	0.0			10663	-110.8	106.7	0.1	13.1
61.8	0.0			10665	69.8	74.2	0.1	-10.3
0.7	0.0			11146	111.5	-132.6	-0.2	8.5
-2.4	0.0	INVS LE	Max	11145	-62.3	-50.0	-0.1	-1.5
64.1	0.0			10663	-74.2	87.8	0.1	11.1
70.4	0.0			10665	58.8	63.7	0.1	-4.6
0.6	0.0			11146	93.1	-85.8	-0.1	8.4
-2.6	0.0		Min	11145	-68.7	-54.5	-0.1	-2.1
48.2	0.0			10663	-83.2	77.5	0.1	10.7
51.6	0.0			10665	51.1	58.6	0.1	-7.6
0.2	0.0			11146	85.3	-96.7	-0.2	6.8
8478	2	4 C1-C2;~1	Max	11146	0.0	0.0	0.0	0.0
0.0	0.0			10665	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		2959	0.0	0.0	0.0	0.0
0.0	0.0		3628	0.0	0.0	0.0	0.0
0.0	0.0	Min	11146	0.0	0.0	0.0	0.0
0.0	0.0		10665	0.0	0.0	0.0	0.0
0.0	0.0		2959	0.0	0.0	0.0	0.0
0.0	0.0		3628	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	11146	0.0	0.0	0.0
0.0	0.0			10665	0.0	0.0	0.0
0.0	0.0			2959	0.0	0.0	0.0
0.0	0.0			3628	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	11146	0.0	0.0	0.0	0.0
0.0	0.0		10665	0.0	0.0	0.0	0.0
0.0	0.0		2959	0.0	0.0	0.0	0.0
0.0	0.0		3628	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	11146	0.0	0.0	0.0
0.0	0.0			10665	0.0	0.0	0.0
0.0	0.0			2959	0.0	0.0	0.0
0.0	0.0			3628	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	11146	0.0	0.0	0.0	0.0
0.0	0.0		10665	0.0	0.0	0.0	0.0
0.0	0.0		2959	0.0	0.0	0.0	0.0
0.0	0.0		3628	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	11146	0.0	0.0	0.0
0.0	0.0			10665	0.0	0.0	0.0
0.0	0.0			2959	0.0	0.0	0.0
0.0	0.0			3628	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	11146	0.0	0.0	0.0	0.0
0.0	0.0		10665	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
				2959	0.0	0.0	0.0
0.0	0.0			3628	0.0	0.0	0.0
0.0	0.0						
		G1		11146	-49.1	-30.3	0.1
4.1	0.0			10665	-44.7	65.2	-0.1
-9.3	0.0			2959	47.9	28.5	0.0
-3.9	0.0			3628	46.0	-63.0	-0.0
4.4	0.0						6.7
		G2		11146	-21.7	-11.1	0.0
3.6	0.0			10665	-19.3	30.7	-0.0
2.4	0.0			2959	21.6	10.2	0.0
6.3	0.0			3628	19.4	-29.8	-0.0
5.8	-0.0						5.2
		Q3		11146	0.0	0.0	0.0
0.0	0.0			10665	0.0	0.0	0.0
0.0	0.0			2959	0.0	0.0	0.0
0.0	0.0			3628	0.0	0.0	0.0
0.0	0.0						0.0
		Q5_pc		11146	-1.5	0.2	-0.0
2.2	0.0			10665	-2.5	4.6	0.0
8.8	0.0			2959	1.3	-0.6	0.0
9.4	0.0			3628	2.7	-4.2	-0.0
4.1	-0.0						2.6
		Q5_ps		11146	-2.7	1.1	-0.0
3.0	0.0			10665	-3.6	7.9	0.0
11.7	0.0			2959	2.5	-1.7	0.0
12.8	0.0			3628	3.8	-7.3	-0.0
5.8	-0.0						3.8
		INVSLU Max		11146	-8.9	-42.3	-0.3
14.0	0.0			10665	-109.4	87.2	0.2
100.4	0.0			2959	-2.5	54.7	0.2
100.4	0.0			3628	139.5	-72.0	0.0
24.9	0.0						-15.9
		Min		11146	-16.9	-45.7	-0.4
							-11.7

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

5.0	0.0			10665	-120.1	63.5	0.2	4.5
65.3	0.0			2959	-9.9	49.6	0.1	-50.7
61.9	0.0			3628	128.2	-94.0	-0.1	-27.4
7.5	0.0							
		INVSLE	Max	11146	-2.8	-31.3	-0.3	-8.1
9.9	0.0			10665	-83.0	59.9	0.2	6.4
78.3	0.0			2959	-6.7	41.6	0.2	-33.6
78.8	0.0			3628	104.9	-51.8	0.0	-16.2
18.2	0.0							
			Min	11146	-8.1	-33.6	-0.3	-9.1
3.9	0.0			10665	-90.2	44.1	0.1	3.6
54.9	0.0			2959	-11.6	38.1	0.1	-42.4
53.1	0.0			3628	97.4	-66.4	-0.1	-23.8
6.6	0.0							
8479	2	4	C1-C2;~1	Max	10661	0.0	0.0	0.0
0.0	0.0				11147	0.0	0.0	0.0
0.0	0.0				11148	0.0	0.0	0.0
0.0	0.0				10663	0.0	0.0	0.0
0.0	0.0							
			Min	10661	0.0	0.0	0.0	0.0
0.0	0.0				11147	0.0	0.0	0.0
0.0	0.0				11148	0.0	0.0	0.0
0.0	0.0				10663	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	10661	0.0	0.0	0.0
0.0	0.0				11147	0.0	0.0	0.0
0.0	0.0				11148	0.0	0.0	0.0
0.0	0.0				10663	0.0	0.0	0.0
0.0	0.0							
			Min	10661	0.0	0.0	0.0	0.0
0.0	0.0				11147	0.0	0.0	0.0
0.0	0.0				11148	0.0	0.0	0.0
0.0	0.0				10663	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
		C1-C2;~2	Max	10661	0.0	0.0	0.0	0.0
0.0	0.0			11147	0.0	0.0	0.0	0.0
0.0	0.0			11148	0.0	0.0	0.0	0.0
0.0	0.0			10663	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	10661	0.0	0.0	0.0	0.0
0.0	0.0			11147	0.0	0.0	0.0	0.0
0.0	0.0			11148	0.0	0.0	0.0	0.0
0.0	0.0			10663	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	10661	0.0	0.0	0.0	0.0
0.0	0.0			11147	0.0	0.0	0.0	0.0
0.0	0.0			11148	0.0	0.0	0.0	0.0
0.0	0.0			10663	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	10661	0.0	0.0	0.0	0.0
0.0	0.0			11147	0.0	0.0	0.0	0.0
0.0	0.0			11148	0.0	0.0	0.0	0.0
0.0	0.0			10663	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	10661	-16.0	55.0	-0.0	-8.3
6.6	0.0			11147	8.3	61.9	0.0	-6.0
-0.0	0.0			11148	10.0	-55.3	0.0	2.0
0.2	0.0			10663	-2.4	-61.2	0.0	0.1
4.2	0.0							
			G2	10661	-6.3	23.5	-0.0	-3.1
2.1	0.0			11147	3.4	26.3	0.0	-2.1
-0.0	0.0			11148	3.9	-23.9	0.0	0.0
0.1	0.0			10663	-1.0	-25.9	0.0	-0.7
0.8	0.0							
			Q3	10661	0.0	0.0	0.0	0.0
0.0	0.0			11147	0.0	0.0	0.0	0.0
0.0	0.0			11148	0.0	0.0	0.0	0.0
0.0	0.0			10663	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


-0.5	-0.0	Q5_pc		10661	3.2	-3.2	0.0	2.3
				11147	-1.3	-5.4	0.0	-1.8
-0.2	0.0			11148	-1.8	3.9	-0.0	0.1
0.1	0.0			10663	-0.1	4.7	-0.0	1.0
-0.6	0.0							
		Q5_ps		10661	2.9	-0.4	0.0	2.7
-1.0	-0.0			11147	-1.4	-2.2	-0.0	-1.5
-0.2	0.0			11148	-1.6	0.9	-0.0	-0.3
0.1	0.0			10663	0.1	1.6	0.0	0.6
-1.1	0.0							
		INVS LU	Max	10661	-55.3	12.9	-0.0	-1.8
-6.5	0.0			11147	-14.1	54.8	-0.1	1.6
0.2	0.0			11148	47.6	16.9	0.0	-11.2
0.4	0.0			10663	30.9	-68.6	0.0	-11.1
-11.4	0.0							
			Min	10661	-64.2	7.2	-0.0	-9.9
-9.6	0.0			11147	-18.3	45.1	-0.1	-2.9
-0.5	0.0			11148	42.8	9.9	0.0	-12.1
0.2	0.0			10663	30.7	-77.1	0.0	-13.0
-14.8	0.0							
		INVS LE	Max	10661	-43.9	1.6	0.0	-1.1
-6.0	0.0			11147	-13.2	34.9	-0.0	1.6
0.1	0.0			11148	37.3	21.8	0.0	-9.2
0.3	0.0			10663	25.8	-47.7	0.0	-9.2
-9.7	0.0							
			Min	10661	-49.8	-2.2	-0.0	-6.5
-8.0	0.0			11147	-16.0	28.4	-0.0	-1.4
-0.3	0.0			11148	34.1	17.2	0.0	-9.8
0.2	0.0			10663	25.6	-53.4	0.0	-10.5
-12.0	0.0							
8480	2	4 C1-C2; ~1	Max	10663	0.0	0.0	0.0	0.0
0.0	0.0			11148	0.0	0.0	0.0	0.0
0.0	0.0			11149	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :


MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	0.0			10665	0.0	0.0	0.0	0.0
			Min	10663	0.0	0.0	0.0	0.0
0.0	0.0			11148	0.0	0.0	0.0	0.0
0.0	0.0			11149	0.0	0.0	0.0	0.0
0.0	0.0			10665	0.0	0.0	0.0	0.0
0.0	0.0			10665	0.0	0.0	0.0	0.0
		C3-C4;~1	Max	10663	0.0	0.0	0.0	0.0
0.0	0.0			11148	0.0	0.0	0.0	0.0
0.0	0.0			11149	0.0	0.0	0.0	0.0
0.0	0.0			10665	0.0	0.0	0.0	0.0
0.0	0.0			10665	0.0	0.0	0.0	0.0
			Min	10663	0.0	0.0	0.0	0.0
0.0	0.0			11148	0.0	0.0	0.0	0.0
0.0	0.0			11149	0.0	0.0	0.0	0.0
0.0	0.0			10665	0.0	0.0	0.0	0.0
0.0	0.0			10665	0.0	0.0	0.0	0.0
		C1-C2;~2	Max	10663	0.0	0.0	0.0	0.0
0.0	0.0			11148	0.0	0.0	0.0	0.0
0.0	0.0			11149	0.0	0.0	0.0	0.0
0.0	0.0			10665	0.0	0.0	0.0	0.0
0.0	0.0			10665	0.0	0.0	0.0	0.0
			Min	10663	0.0	0.0	0.0	0.0
0.0	0.0			11148	0.0	0.0	0.0	0.0
0.0	0.0			11149	0.0	0.0	0.0	0.0
0.0	0.0			10665	0.0	0.0	0.0	0.0
0.0	0.0			10665	0.0	0.0	0.0	0.0
		C3-C4;~2	Max	10663	0.0	0.0	0.0	0.0
0.0	0.0			11148	0.0	0.0	0.0	0.0
0.0	0.0			11149	0.0	0.0	0.0	0.0
0.0	0.0			10665	0.0	0.0	0.0	0.0
0.0	0.0			10665	0.0	0.0	0.0	0.0
			Min	10663	0.0	0.0	0.0	0.0
0.0	0.0			11148	0.0	0.0	0.0	0.0
0.0	0.0			11149	0.0	0.0	0.0	0.0
0.0	0.0			10665	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0			10665	0.0	0.0	0.0	0.0
		G1		10663	-15.1	29.9	0.0	-0.2
1.1	0.0			11148	-10.0	55.3	-0.0	-2.0
-0.2	0.0			11149	13.5	-34.3	0.0	-0.6
0.3	0.0			10665	11.6	-50.6	-0.0	0.5
-0.7	0.0							
		G2		10663	-6.1	13.5	0.0	0.7
-1.1	0.0			11148	-3.9	23.9	-0.0	-0.0
-0.1	0.0			11149	5.6	-15.6	-0.0	-1.0
0.3	0.0			10665	4.4	-21.8	0.0	0.3
-2.4	0.0							
		Q3		10663	0.0	0.0	0.0	0.0
0.0	0.0			11148	0.0	0.0	0.0	0.0
0.0	0.0			11149	0.0	0.0	0.0	0.0
0.0	0.0			10665	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		10663	1.7	-0.3	-0.0	-1.0
-1.4	0.0			11148	1.8	-3.9	0.0	-0.1
-0.1	0.0			11149	-1.7	1.0	-0.0	-0.8
0.1	0.0			10665	-1.9	3.2	0.0	-0.6
-2.3	0.0							
		Q5_ps		10663	1.4	1.9	-0.0	-0.7
-2.1	0.0			11148	1.6	-0.9	0.0	0.3
-0.1	0.0			11149	-1.3	-1.6	-0.0	-1.1
0.1	0.0			10665	-1.6	0.5	0.0	-0.6
-3.2	0.0							
		INVSLU	Max	10663	-45.8	-58.9	0.0	12.7
-15.3	0.0			11148	-42.8	-9.9	-0.0	12.1
-0.2	0.0			11149	41.8	93.3	-0.0	-13.4
0.0	0.0			10665	55.7	-12.3	0.1	-7.8
-15.1	0.0							
			Min	10663	-49.9	-64.7	0.0	10.7
-21.6	0.0			11148	-47.6	-16.9	-0.0	11.2

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.4	0.0			11149	37.7	88.5	-0.1	-16.7	
-0.4	0.0			10665	50.8	-18.0	0.0	-9.7	
-24.8	0.0								
			INVSLE	Max	10663	-36.6	-54.3	0.0	10.2
-12.5	0.0			11148	-34.1	-17.2	-0.0	9.8	
-0.2	0.0			11149	33.2	82.5	-0.0	-11.0	
-0.0	0.0			10665	43.5	-2.9	0.0	-5.9	
-12.2	0.0								
				Min	10663	-39.4	-58.2	0.0	8.9
-16.7	0.0			11148	-37.3	-21.8	-0.0	9.2	
-0.3	0.0			11149	30.5	79.3	-0.0	-13.2	
-0.3	0.0			10665	40.3	-6.7	0.0	-7.1	
-18.7	0.0								
8481	2	4	C1-C2;~1	Max	10665	0.0	0.0	0.0	0.0
0.0	0.0				11149	0.0	0.0	0.0	0.0
0.0	0.0				3629	0.0	0.0	0.0	0.0
0.0	0.0				2959	0.0	0.0	0.0	0.0
0.0	0.0								
				Min	10665	0.0	0.0	0.0	0.0
0.0	0.0				11149	0.0	0.0	0.0	0.0
0.0	0.0				3629	0.0	0.0	0.0	0.0
0.0	0.0				2959	0.0	0.0	0.0	0.0
0.0	0.0								
			C3-C4;~1	Max	10665	0.0	0.0	0.0	0.0
0.0	0.0				11149	0.0	0.0	0.0	0.0
0.0	0.0				3629	0.0	0.0	0.0	0.0
0.0	0.0				2959	0.0	0.0	0.0	0.0
0.0	0.0								
				Min	10665	0.0	0.0	0.0	0.0
0.0	0.0				11149	0.0	0.0	0.0	0.0
0.0	0.0				3629	0.0	0.0	0.0	0.0
0.0	0.0				2959	0.0	0.0	0.0	0.0
0.0	0.0								
			C1-C2;~2	Max	10665	0.0	0.0	0.0	0.0
0.0	0.0								

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	0.0		11149	0.0	0.0	0.0	0.0
0.0	0.0		3629	0.0	0.0	0.0	0.0
0.0	0.0		2959	0.0	0.0	0.0	0.0
0.0	0.0	Min	10665	0.0	0.0	0.0	0.0
0.0	0.0		11149	0.0	0.0	0.0	0.0
0.0	0.0		3629	0.0	0.0	0.0	0.0
0.0	0.0		2959	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	10665	0.0	0.0	0.0
0.0	0.0			11149	0.0	0.0	0.0
0.0	0.0			3629	0.0	0.0	0.0
0.0	0.0			2959	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	10665	0.0	0.0	0.0	0.0
0.0	0.0			11149	0.0	0.0	0.0
0.0	0.0			3629	0.0	0.0	0.0
0.0	0.0			2959	0.0	0.0	0.0
0.0	0.0						
-3.7	0.0	G1	10665	-17.2	10.5	0.0	-0.7
-0.3	0.0			11149	-13.5	34.3	-0.0
-0.4	0.0			3629	14.7	-8.5	-0.0
-6.2	0.0			2959	16.0	-35.8	0.0
-4.5	0.0	G2	10665	-7.1	6.8	-0.0	-0.3
-0.3	0.0			11149	-5.6	15.6	0.0
-0.5	-0.0			3629	5.8	-5.1	-0.0
-6.6	0.0			2959	6.9	-17.4	0.0
0.0	0.0	Q3	10665	0.0	0.0	0.0	0.0
0.0	0.0			11149	0.0	0.0	0.0
0.0	0.0			3629	0.0	0.0	0.0
0.0	0.0			2959	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-3.2	0.0	Q5_pc	10665	1.7	3.2	-0.0	0.6
-0.1	0.0		11149	1.7	-1.0	0.0	0.8
-0.2	-0.0		3629	-1.0	-1.8	-0.0	4.7
-3.8	0.0		2959	-2.3	-0.4	0.0	-1.7
-4.4	0.0	Q5_ps	10665	1.3	5.5	-0.0	0.7
-0.1	0.0		11149	1.3	1.6	0.0	1.1
-0.4	-0.0		3629	-0.7	-3.8	-0.0	6.4
-5.4	0.0		2959	-1.9	-3.3	0.0	-2.7
-13.8	0.0	INVS LU Max	10665	-12.3	-76.2	-0.0	11.1
0.4	0.0		11149	-37.7	-88.5	0.1	16.7
0.5	0.0		3629	4.9	141.7	-0.1	13.6
-12.2	0.0		2959	53.1	44.9	0.1	-21.4
-26.9	0.0	Min	10665	-16.2	-92.8	-0.0	9.1
-0.0	0.0		11149	-41.8	-93.3	0.0	13.4
-0.6	-0.0		3629	2.8	130.3	-0.2	-5.5
-28.3	0.0		2959	47.2	34.9	0.1	-29.6
-11.6	0.0	INVS LE Max	10665	-9.1	-67.7	-0.0	8.3
0.3	0.0		11149	-30.5	-79.3	0.0	13.2
0.4	0.0		3629	1.8	119.9	-0.1	7.8
-10.9	0.0		2959	43.1	41.7	0.1	-20.0
-20.4	0.0	Min	10665	-11.7	-78.8	-0.0	6.9
0.0	0.0		11149	-33.2	-82.5	0.0	11.0
-0.3	-0.0		3629	0.4	112.4	-0.1	-4.9
-21.7	0.0		2959	39.2	35.1	0.1	-25.5
8494	2	8 C1-C2;~1 Max	11159	0.0	0.0	0.0	0.0
0.0	0.0		11162	0.0	0.0	0.0	0.0
0.0	0.0		11163	0.0	0.0	0.0	0.0
0.0	0.0		11160	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


0.0	0.0	Min	11159	0.0	0.0	0.0	0.0
0.0	0.0		11162	0.0	0.0	0.0	0.0
0.0	0.0		11163	0.0	0.0	0.0	0.0
0.0	0.0		11160	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	11159	0.0	0.0	0.0
0.0	0.0			11162	0.0	0.0	0.0
0.0	0.0			11163	0.0	0.0	0.0
0.0	0.0			11160	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	11159	0.0	0.0	0.0
0.0	0.0			11162	0.0	0.0	0.0
0.0	0.0			11163	0.0	0.0	0.0
0.0	0.0			11160	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	11159	0.0	0.0	0.0
0.0	0.0			11162	0.0	0.0	0.0
0.0	0.0			11163	0.0	0.0	0.0
0.0	0.0			11160	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	11159	0.0	0.0	0.0
0.0	0.0			11162	0.0	0.0	0.0
0.0	0.0			11163	0.0	0.0	0.0
0.0	0.0			11160	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	11159	0.0	0.0	0.0
0.0	0.0			11162	0.0	0.0	0.0
0.0	0.0			11163	0.0	0.0	0.0
0.0	0.0			11160	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	11159	0.0	0.0	0.0
0.0	0.0			11162	0.0	0.0	0.0
0.0	0.0			11163	0.0	0.0	0.0
0.0	0.0			11160	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

6.0	-0.0	G1	11159	123.7	91.7	-0.0	-18.3
-5.6	-0.0		11162	54.0	-89.0	-0.0	-18.9
-4.9	-0.0		11163	-111.5	-92.4	0.0	6.1
5.3	-0.0		11160	-66.3	90.0	0.0	6.0
1.7	-0.0	G2	11159	48.9	36.6	-0.0	-7.1
-1.5	-0.0		11162	21.1	-34.6	-0.0	-7.3
-0.9	-0.0		11163	-44.1	-36.9	0.0	0.3
1.1	-0.0		11160	-25.8	34.8	0.0	0.3
0.0	0.0	Q3	11159	0.0	0.0	0.0	0.0
0.0	0.0		11162	0.0	0.0	0.0	0.0
0.0	0.0		11163	0.0	0.0	0.0	0.0
0.0	0.0		11160	0.0	0.0	0.0	0.0
0.3	-0.0	Q5_pc	11159	1.5	-1.1	0.0	-0.8
-0.3	-0.0		11162	-3.0	0.3	-0.0	-1.0
-0.3	0.0		11163	-1.5	1.2	0.0	1.0
0.3	0.0		11160	3.1	-0.4	-0.0	0.9
0.1	0.0	Q5_ps	11159	0.2	-2.1	0.0	-0.9
-0.1	-0.0		11162	-3.6	1.2	-0.0	-1.0
0.0	0.0		11163	-0.3	2.2	0.0	0.5
-0.0	0.0		11160	3.7	-1.4	-0.0	0.4
14.8	-0.0	INVSLU Max	11159	294.0	185.6	-0.1	-65.5
-15.5	-0.0		11162	64.7	-172.8	-0.1	-69.7
-11.1	0.0		11163	-242.0	-181.2	0.1	12.6
10.7	0.0		11160	-103.0	179.2	0.1	11.1
14.3	-0.0	Min	11159	291.3	179.4	-0.1	-68.1
-16.0	-0.0		11162	53.9	-176.5	-0.1	-72.8
			11163	-244.8	-187.8	0.1	10.7


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-11.7	0.0			11160	-114.1	175.1	0.1	9.4
10.1	0.0							
		INVSLE	Max	11159	222.1	137.6	-0.1	-50.9
11.6	-0.0			11162	43.9	-128.6	-0.1	-54.3
-12.3	-0.0			11163	-182.9	-134.8	0.1	10.9
-9.1	0.0			11160	-74.1	133.1	0.1	9.7
8.5	0.0							
			Min	11159	220.4	133.4	-0.1	-52.6
11.3	-0.0			11162	36.7	-131.1	-0.1	-56.3
-12.7	-0.0			11163	-184.7	-139.2	0.1	9.7
-9.4	0.0			11160	-81.5	130.4	0.1	8.6
8.2	0.0							
8495	2	8	C1-C2;~1	Max	11160	0.0	0.0	0.0
0.0		0.0			11163	0.0	0.0	0.0
0.0		0.0			11164	0.0	0.0	0.0
0.0		0.0			11161	0.0	0.0	0.0
0.0		0.0						
			Min	11160	0.0	0.0	0.0	0.0
0.0		0.0			11163	0.0	0.0	0.0
0.0		0.0			11164	0.0	0.0	0.0
0.0		0.0			11161	0.0	0.0	0.0
0.0		0.0						
			C3-C4;~1	Max	11160	0.0	0.0	0.0
0.0		0.0			11163	0.0	0.0	0.0
0.0		0.0			11164	0.0	0.0	0.0
0.0		0.0			11161	0.0	0.0	0.0
0.0		0.0						
			Min	11160	0.0	0.0	0.0	0.0
0.0		0.0			11163	0.0	0.0	0.0
0.0		0.0			11164	0.0	0.0	0.0
0.0		0.0			11161	0.0	0.0	0.0
0.0		0.0						
			C1-C2;~2	Max	11160	0.0	0.0	0.0
0.0		0.0			11163	0.0	0.0	0.0
0.0		0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
				11164	0.0	0.0	0.0	0.0
0.0	0.0			11161	0.0	0.0	0.0	0.0
0.0	0.0							
		Min		11160	0.0	0.0	0.0	0.0
0.0	0.0			11163	0.0	0.0	0.0	0.0
0.0	0.0			11164	0.0	0.0	0.0	0.0
0.0	0.0			11161	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	11160	0.0	0.0	0.0	0.0
0.0	0.0			11163	0.0	0.0	0.0	0.0
0.0	0.0			11164	0.0	0.0	0.0	0.0
0.0	0.0			11161	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	11160	0.0	0.0	0.0	0.0
0.0	0.0			11163	0.0	0.0	0.0	0.0
0.0	0.0			11164	0.0	0.0	0.0	0.0
0.0	0.0			11161	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		11160	89.0	96.5	-0.0	-5.9
2.4	-0.0			11163	92.1	-89.2	-0.0	-6.1
-2.2	-0.0			11164	-76.5	-95.6	0.0	-11.8
-0.4	-0.0			11161	-104.7	88.7	0.0	-11.5
0.4	-0.0							
		G2		11160	35.4	38.5	-0.0	-0.3
-0.6	-0.0			11163	35.9	-34.6	-0.0	-0.3
0.7	-0.0			11164	-30.5	-38.2	0.0	-9.6
1.6	-0.0			11161	-40.8	34.4	0.0	-9.4
-1.7	-0.0							
		Q3		11160	0.0	0.0	0.0	0.0
0.0	0.0			11163	0.0	0.0	0.0	0.0
0.0	0.0			11164	0.0	0.0	0.0	0.0
0.0	0.0			11161	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		11160	1.6	-1.5	-0.0	-0.9
0.2	0.0							

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-0.2	0.0			11163	-3.0	-0.2	-0.0	-1.0
0.0	0.0			11164	-1.7	1.6	0.0	-0.5
-0.0	0.0			11161	3.1	0.1	0.0	-0.4
-0.3	0.0	Q5_ps		11160	0.5	-2.5	-0.0	-0.4
0.3	0.0			11163	-3.8	0.8	-0.0	-0.5
0.5	0.0			11164	-0.6	2.7	0.0	-1.7
-0.5	0.0			11161	4.0	-0.9	0.0	-1.6
-0.8	0.0	INVS LU	Max	11160	148.1	196.7	-0.1	-9.5
0.7	0.0			11163	210.5	-165.9	-0.1	-10.5
7.7	-0.0			11164	-95.0	-187.6	0.2	-56.5
-6.6	-0.0			11161	-248.8	167.5	0.1	-54.0
-1.7	0.0		Min	11160	145.2	189.1	-0.1	-11.2
-0.2	0.0			11163	199.0	-168.1	-0.2	-12.3
6.1	-0.0			11164	-98.2	-195.6	0.1	-61.6
-8.3	-0.0			11161	-260.7	164.8	0.1	-58.9
-0.2	0.0	INVS LE	Max	11160	110.9	145.7	-0.1	-8.7
-0.1	0.0			11163	154.7	-123.1	-0.1	-9.5
5.3	-0.0			11164	-70.8	-139.6	0.1	-42.5
-4.8	-0.0			11161	-185.0	124.2	0.1	-40.6
-0.8	0.0		Min	11160	109.0	140.7	-0.1	-9.8
-0.7	0.0			11163	147.0	-124.6	-0.1	-10.8
4.3	-0.0			11164	-72.9	-144.9	0.1	-45.9
-5.9	-0.0			11161	-192.9	122.4	0.1	-43.9
8496	2	8 C1-C2;~1	Max	11161	0.0	0.0	0.0	0.0
0.0	0.0			11164	0.0	0.0	0.0	0.0
0.0	0.0			3633	0.0	0.0	0.0	0.0
0.0	0.0			3632	0.0	0.0	0.0	0.0
0.0	0.0		Min	11161	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	0.0						
			11164	0.0	0.0	0.0	0.0
0.0	0.0		3633	0.0	0.0	0.0	0.0
0.0	0.0		3632	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~1	Max	11161	0.0	0.0	0.0
0.0	0.0			11164	0.0	0.0	0.0
0.0	0.0			3633	0.0	0.0	0.0
0.0	0.0			3632	0.0	0.0	0.0
0.0	0.0						
			Min	11161	0.0	0.0	0.0
0.0	0.0			11164	0.0	0.0	0.0
0.0	0.0			3633	0.0	0.0	0.0
0.0	0.0			3632	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	11161	0.0	0.0	0.0
0.0	0.0			11164	0.0	0.0	0.0
0.0	0.0			3633	0.0	0.0	0.0
0.0	0.0			3632	0.0	0.0	0.0
0.0	0.0						
			Min	11161	0.0	0.0	0.0
0.0	0.0			11164	0.0	0.0	0.0
0.0	0.0			3633	0.0	0.0	0.0
0.0	0.0			3632	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	11161	0.0	0.0	0.0
0.0	0.0			11164	0.0	0.0	0.0
0.0	0.0			3633	0.0	0.0	0.0
0.0	0.0			3632	0.0	0.0	0.0
0.0	0.0						
			Min	11161	0.0	0.0	0.0
0.0	0.0			11164	0.0	0.0	0.0
0.0	0.0			3633	0.0	0.0	0.0
0.0	0.0			3632	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :


	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
		G1	11161	50.8	98.7	0.0	11.6
-1.8	-0.0		11164	128.6	-88.3	0.0	11.7
1.5	-0.0		3633	-38.0	-94.7	-0.0	-9.2
1.8	-0.0		3632	-141.4	84.7	0.0	-9.2
-2.3	0.0						
		G2	11161	20.4	39.4	-0.0	9.4
-3.2	-0.0		11164	50.3	-34.3	-0.0	9.6
2.9	-0.0		3633	-15.3	-37.9	0.0	-12.5
3.2	-0.0		3632	-55.3	32.8	0.0	-12.3
-3.6	-0.0						
		Q3	11161	0.0	0.0	0.0	0.0
0.0	0.0		11164	0.0	0.0	0.0	0.0
0.0	0.0		3633	0.0	0.0	0.0	0.0
0.0	0.0		3632	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	11161	1.6	-1.7	-0.0	0.4
-0.5	0.0		11164	-2.7	-1.3	-0.0	0.5
0.5	0.0		3633	-1.5	2.5	0.0	-3.8
0.8	-0.0		3632	2.5	0.6	0.0	-3.6
-0.9	-0.0						
		Q5_ps	11161	0.7	-2.8	-0.0	1.6
-1.2	0.0		11164	-3.6	-0.3	-0.0	1.7
1.1	0.0		3633	-0.6	3.4	0.0	-5.9
1.4	-0.0		3632	3.5	-0.3	0.0	-5.7
-1.6	-0.0						
		INVSLU Max	11161	9.6	212.6	0.0	59.0
-10.7	-0.0		11164	361.2	-162.5	0.1	61.5
13.5	-0.0		3633	40.7	-202.6	-0.0	-24.4
13.1	-0.0		3632	-398.0	164.0	-0.0	-22.9
-9.0	-0.0						
		Min	11161	6.7	204.3	0.0	54.2
-14.2	-0.0		11164	350.3	-164.9	0.0	56.3
10.2	-0.0		3633	38.1	-212.8	-0.1	-42.2
8.8	-0.0		3632	-408.7	162.9	-0.0	-39.9

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

-13.8	-0.0							
		INVSLE	Max	11161	5.6	157.8	0.0	43.9
-8.2	-0.0			11164	269.6	-120.5	0.0	45.8
10.0	-0.0			3633	32.4	-151.5	-0.0	-20.5
9.9	-0.0			3632	-298.6	121.9	-0.0	-19.3
-7.2	-0.0							
			Min	11161	3.7	152.3	0.0	40.7
-10.6	-0.0			11164	262.3	-122.1	0.0	42.3
7.8	-0.0			3633	30.7	-158.2	-0.1	-32.4
7.0	-0.0			3632	-305.7	121.2	-0.0	-30.6
-10.3	-0.0							
8497	2	4	C1-C2;~1	Max	11162	0.0	0.0	0.0
0.0	0.0				11165	0.0	0.0	0.0
0.0	0.0				11166	0.0	0.0	0.0
0.0	0.0				11163	0.0	0.0	0.0
0.0	0.0							
			Min	11162	0.0	0.0	0.0	0.0
0.0	0.0				11165	0.0	0.0	0.0
0.0	0.0				11166	0.0	0.0	0.0
0.0	0.0				11163	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	11162	0.0	0.0	0.0
0.0	0.0				11165	0.0	0.0	0.0
0.0	0.0				11166	0.0	0.0	0.0
0.0	0.0				11163	0.0	0.0	0.0
0.0	0.0							
			Min	11162	0.0	0.0	0.0	0.0
0.0	0.0				11165	0.0	0.0	0.0
0.0	0.0				11166	0.0	0.0	0.0
0.0	0.0				11163	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	11162	0.0	0.0	0.0
0.0	0.0				11165	0.0	0.0	0.0
0.0	0.0				11166	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		11163	0.0	0.0	0.0	0.0
0.0	0.0	Min	11162	0.0	0.0	0.0	0.0
0.0	0.0		11165	0.0	0.0	0.0	0.0
0.0	0.0		11166	0.0	0.0	0.0	0.0
0.0	0.0		11163	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4; ~2 Max	11162	0.0	0.0	0.0	0.0
0.0	0.0		11165	0.0	0.0	0.0	0.0
0.0	0.0		11166	0.0	0.0	0.0	0.0
0.0	0.0		11163	0.0	0.0	0.0	0.0
0.0	0.0	Min	11162	0.0	0.0	0.0	0.0
0.0	0.0		11165	0.0	0.0	0.0	0.0
0.0	0.0		11166	0.0	0.0	0.0	0.0
0.0	0.0		11163	0.0	0.0	0.0	0.0
5.7	-0.0	G1	11162	119.6	93.5	-0.0	-14.0
-6.1	0.0		11165	56.9	-85.8	-0.0	-14.0
-4.8	-0.0		11166	-108.3	-94.3	0.0	3.8
4.8	-0.0		11163	-68.2	86.9	0.0	4.4
1.5	-0.0	G2	11162	47.3	37.2	-0.0	-5.4
-1.7	0.0		11165	22.2	-33.4	-0.0	-5.4
-0.9	-0.0		11166	-42.9	-37.6	0.0	-0.0
0.9	-0.0		11163	-26.6	33.8	0.0	0.1
0.0	0.0	Q3	11162	0.0	0.0	0.0	0.0
0.0	0.0		11165	0.0	0.0	0.0	0.0
0.0	0.0		11166	0.0	0.0	0.0	0.0
0.0	0.0		11163	0.0	0.0	0.0	0.0
0.3	-0.0	Q5_pc	11162	1.9	-0.9	0.0	-0.8
-0.4	0.0		11165	-2.7	0.0	-0.0	-0.9


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-0.4	0.0			11166	-1.9	0.8	0.0	0.8
0.3	0.0			11163	2.7	0.0	-0.0	0.8
0.1	-0.0	Q5_ps		11162	0.7	-1.8	0.0	-0.9
-0.2	0.0			11165	-3.4	0.9	-0.0	-1.0
-0.1	0.0			11166	-0.7	1.8	0.0	0.4
-0.0	0.0			11163	3.4	-0.9	0.0	0.4
16.3	-0.0	INVS LU	Max	11162	293.7	191.9	-0.1	-54.4
-22.0	-0.0			11165	61.5	-164.1	-0.1	-56.8
-14.7	-0.0			11166	-241.7	-187.6	0.1	9.6
11.3	0.0			11163	-100.0	168.3	0.1	9.8
15.8	-0.0		Min	11162	290.3	186.4	-0.1	-57.0
-22.8	-0.0			11165	51.4	-166.7	-0.1	-59.7
-15.5	-0.0			11166	-245.1	-193.0	0.1	8.1
10.8	0.0			11163	-110.2	165.6	0.1	8.4
12.9	-0.0	INVS LE	Max	11162	222.3	142.6	-0.1	-42.4
-17.6	-0.0			11165	41.2	-121.8	-0.1	-44.3
-12.1	-0.0			11166	-182.9	-139.8	0.1	8.4
9.2	0.0			11163	-71.6	124.8	0.1	8.5
12.6	-0.0		Min	11162	220.0	139.0	-0.1	-44.2
-18.0	-0.0			11165	34.5	-123.6	-0.1	-46.2
-12.6	-0.0			11166	-185.2	-143.4	0.1	7.4
8.8	0.0			11163	-78.3	123.0	0.1	7.6
8498	2	4 C1-C2;~1	Max	11163	0.0	0.0	0.0	0.0
0.0	0.0			11166	0.0	0.0	0.0	0.0
0.0	0.0			11167	0.0	0.0	0.0	0.0
0.0	0.0			11164	0.0	0.0	0.0	0.0
0.0	0.0		Min	11163	0.0	0.0	0.0	0.0
0.0	0.0			11166	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0			11167	0.0	0.0	0.0	0.0
0.0	0.0			11164	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	11163	0.0	0.0	0.0	0.0
0.0	0.0			11166	0.0	0.0	0.0	0.0
0.0	0.0			11167	0.0	0.0	0.0	0.0
0.0	0.0			11164	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	11163	0.0	0.0	0.0	0.0
0.0	0.0			11166	0.0	0.0	0.0	0.0
0.0	0.0			11167	0.0	0.0	0.0	0.0
0.0	0.0			11164	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	11163	0.0	0.0	0.0	0.0
0.0	0.0			11166	0.0	0.0	0.0	0.0
0.0	0.0			11167	0.0	0.0	0.0	0.0
0.0	0.0			11164	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	11163	0.0	0.0	0.0	0.0
0.0	0.0			11166	0.0	0.0	0.0	0.0
0.0	0.0			11167	0.0	0.0	0.0	0.0
0.0	0.0			11164	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	11163	0.0	0.0	0.0	0.0
0.0	0.0			11166	0.0	0.0	0.0	0.0
0.0	0.0			11167	0.0	0.0	0.0	0.0
0.0	0.0			11164	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	11163	0.0	0.0	0.0	0.0
0.0	0.0			11166	0.0	0.0	0.0	0.0
0.0	0.0			11167	0.0	0.0	0.0	0.0
0.0	0.0			11164	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		11163	87.6	94.6	-0.0	-4.3
2.3	-0.0							

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-1.7	-0.0		11166	93.2	-89.7	-0.0	-3.9
0.5	-0.0		11167	-76.4	-94.8	0.0	-9.3
0.4	-0.0		11164	-104.4	90.2	0.0	-8.7
		G2	11163	34.9	37.7	-0.0	-0.1
-0.6	-0.0		11166	36.3	-34.9	-0.0	-0.0
0.7	-0.0		11167	-30.5	-37.8	0.0	-7.3
1.8	-0.0		11164	-40.7	35.0	0.0	-7.1
-1.6	-0.0						
		Q3	11163	0.0	0.0	0.0	0.0
0.0	0.0		11166	0.0	0.0	0.0	0.0
0.0	0.0		11167	0.0	0.0	0.0	0.0
0.0	0.0		11164	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	11163	1.9	-1.0	-0.0	-0.8
0.2	0.0		11166	-2.2	-0.6	-0.0	-0.8
-0.2	0.0		11167	-1.8	0.9	0.0	-0.5
-0.0	-0.0		11164	2.2	0.7	0.0	-0.4
-0.0	0.0						
		Q5_ps	11163	0.8	-2.1	-0.0	-0.4
-0.3	0.0		11166	-3.1	0.4	-0.0	-0.4
0.2	0.0		11167	-0.8	2.0	0.0	-1.3
0.4	0.0		11164	3.1	-0.3	0.0	-1.3
-0.5	0.0						
		INVSLU Max	11163	145.5	187.6	-0.1	-8.6
0.6	0.0		11166	207.4	-169.6	-0.1	-8.5
-0.2	-0.0		11167	-93.6	-180.5	0.1	-45.5
9.3	-0.0		11164	-246.7	170.2	0.1	-43.3
-6.3	-0.0						
		Min	11163	142.1	181.4	-0.1	-10.0
-0.3	0.0		11166	198.1	-170.8	-0.1	-10.0
-0.8	-0.0		11167	-96.9	-186.5	0.1	-49.5
8.0	-0.0		11164	-255.9	169.0	0.1	-47.2
-7.9	-0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


			INVSLE	Max	11163	109.0	139.1	-0.1	-7.7
0.9	0.0				11166	152.3	-125.8	-0.1	-7.7
-1.0	-0.0				11167	-69.7	-134.3	0.1	-34.2
6.4	-0.0				11164	-183.2	126.1	0.1	-32.5
-4.4	-0.0								
				Min	11163	106.7	135.0	-0.1	-8.7
0.3	0.0				11166	146.2	-126.5	-0.1	-8.7
-1.4	-0.0				11167	-71.9	-138.2	0.1	-36.8
5.5	-0.0				11164	-189.4	125.3	0.1	-35.1
-5.5	-0.0								
8499	2	4	C1-C2;~1	Max	11164	0.0	0.0	0.0	0.0
0.0	0.0				11167	0.0	0.0	0.0	0.0
0.0	0.0				3634	0.0	0.0	0.0	0.0
0.0	0.0				3633	0.0	0.0	0.0	0.0
0.0	0.0								
				Min	11164	0.0	0.0	0.0	0.0
0.0	0.0				11167	0.0	0.0	0.0	0.0
0.0	0.0				3634	0.0	0.0	0.0	0.0
0.0	0.0				3633	0.0	0.0	0.0	0.0
0.0	0.0								
			C3-C4;~1	Max	11164	0.0	0.0	0.0	0.0
0.0	0.0				11167	0.0	0.0	0.0	0.0
0.0	0.0				3634	0.0	0.0	0.0	0.0
0.0	0.0				3633	0.0	0.0	0.0	0.0
0.0	0.0								
				Min	11164	0.0	0.0	0.0	0.0
0.0	0.0				11167	0.0	0.0	0.0	0.0
0.0	0.0				3634	0.0	0.0	0.0	0.0
0.0	0.0				3633	0.0	0.0	0.0	0.0
0.0	0.0								
			C1-C2;~2	Max	11164	0.0	0.0	0.0	0.0
0.0	0.0				11167	0.0	0.0	0.0	0.0
0.0	0.0				3634	0.0	0.0	0.0	0.0
0.0	0.0				3633	0.0	0.0	0.0	0.0
0.0	0.0								

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

		Min	11164	0.0	0.0	0.0	0.0
0.0	0.0		11167	0.0	0.0	0.0	0.0
0.0	0.0		3634	0.0	0.0	0.0	0.0
0.0	0.0		3633	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4; ~2	Max	11164	0.0	0.0	0.0
0.0	0.0		11167	0.0	0.0	0.0	0.0
0.0	0.0		3634	0.0	0.0	0.0	0.0
0.0	0.0		3633	0.0	0.0	0.0	0.0
0.0	0.0						
			Min	11164	0.0	0.0	0.0
0.0	0.0		11167	0.0	0.0	0.0	0.0
0.0	0.0		3634	0.0	0.0	0.0	0.0
0.0	0.0		3633	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	11164	52.3	93.7	-0.0	8.8
-1.5	-0.0		11167	131.5	-91.7	0.0	9.0
2.0	-0.0		3634	-38.3	-95.8	-0.0	-5.9
1.9	-0.0		3633	-145.5	94.1	0.0	-6.1
-1.7	-0.0						
		G2	11164	21.0	37.4	-0.0	7.2
-2.9	-0.0		11167	51.4	-35.5	-0.0	7.2
2.9	-0.0		3634	-15.4	-38.4	-0.0	-8.8
3.0	0.0		3633	-56.9	36.5	0.0	-9.0
-3.2	-0.0						
		Q3	11164	0.0	0.0	0.0	0.0
0.0	0.0		11167	0.0	0.0	0.0	0.0
0.0	0.0		3634	0.0	0.0	0.0	0.0
0.0	0.0		3633	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	11164	2.3	-1.0	-0.0	0.4
-0.5	0.0		11167	-0.8	-1.8	-0.0	0.4
0.4	-0.0		3634	-2.0	0.3	0.0	-2.8
0.7	0.0						


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-0.8	-0.0			3633	0.6	2.5	0.0	-2.8
-1.1	0.0	Q5_ps		11164	1.2	-2.0	-0.0	1.3
1.0	0.0			11167	-1.9	-0.7	-0.0	1.3
1.3	0.0			3634	-1.0	1.4	0.0	-4.4
-1.5	-0.0			3633	1.7	1.3	0.0	-4.4
-10.0	-0.0	INVSLE	Max	11164	-5.8	188.7	0.0	47.3
16.3	-0.0			11167	361.3	-173.1	0.1	49.1
15.2	0.0			3634	65.7	-181.1	-0.0	-19.5
-7.8	-0.0			3633	-411.9	174.9	-0.0	-18.1
-13.3	-0.0		Min	11164	-9.9	182.6	0.0	43.4
13.3	-0.0			11167	355.6	-176.3	0.1	45.1
11.4	0.0			3634	62.0	-185.3	-0.1	-32.7
-12.1	-0.0			3633	-417.0	170.4	-0.0	-31.3
-7.6	-0.0	INVSLE	Max	11164	-6.5	139.9	0.0	35.2
11.9	-0.0			11167	269.6	-128.3	0.1	36.5
11.3	0.0			3634	51.7	-134.5	-0.0	-16.2
-6.2	-0.0			3633	-308.6	129.1	-0.0	-15.2
-9.8	-0.0		Min	11164	-9.2	135.9	0.0	32.6
10.0	-0.0			11167	265.8	-130.4	0.0	33.8
8.8	0.0			3634	49.2	-137.3	-0.0	-25.0
-9.1	-0.0			3633	-312.0	126.1	-0.0	-24.0
8542	2	4 C1-C2;~1	Max	11201	0.0	0.0	0.0	0.0
0.0	0.0			11204	0.0	0.0	0.0	0.0
0.0	0.0			11205	0.0	0.0	0.0	0.0
0.0	0.0			11202	0.0	0.0	0.0	0.0
0.0	0.0		Min	11201	0.0	0.0	0.0	0.0
0.0	0.0			11204	0.0	0.0	0.0	0.0
0.0	0.0			11205	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0			11202	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	C3-C4;~1	Max	11201	0.0	0.0	0.0	0.0
0.0	0.0			11204	0.0	0.0	0.0	0.0
0.0	0.0			11205	0.0	0.0	0.0	0.0
0.0	0.0			11202	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	11201	0.0	0.0	0.0	0.0
0.0	0.0			11204	0.0	0.0	0.0	0.0
0.0	0.0			11205	0.0	0.0	0.0	0.0
0.0	0.0			11202	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	C1-C2;~2	Max	11201	0.0	0.0	0.0	0.0
0.0	0.0			11204	0.0	0.0	0.0	0.0
0.0	0.0			11205	0.0	0.0	0.0	0.0
0.0	0.0			11202	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	11201	0.0	0.0	0.0	0.0
0.0	0.0			11204	0.0	0.0	0.0	0.0
0.0	0.0			11205	0.0	0.0	0.0	0.0
0.0	0.0			11202	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	C3-C4;~2	Max	11201	0.0	0.0	0.0	0.0
0.0	0.0			11204	0.0	0.0	0.0	0.0
0.0	0.0			11205	0.0	0.0	0.0	0.0
0.0	0.0			11202	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	11201	0.0	0.0	0.0	0.0
0.0	0.0			11204	0.0	0.0	0.0	0.0
0.0	0.0			11205	0.0	0.0	0.0	0.0
0.0	0.0			11202	0.0	0.0	0.0	0.0
0.0	0.0							
7.1	-0.0	G1		11201	-46.7	-77.8	-0.0	-16.1
				11204	-115.1	86.5	-0.0	-15.9
-6.4	0.0							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-5.4	-0.0			11205	58.6	78.8	0.0	5.5
5.8	0.0			11202	103.1	-87.1	0.0	5.2
			G2	11201	-17.1	-29.7	-0.0	-6.5
2.4	-0.0			11204	-45.6	33.9	-0.0	-6.4
-2.0	0.0			11205	21.9	30.0	0.0	0.9
-1.3	-0.0			11202	40.8	-34.2	0.0	0.9
1.6	0.0							
			Q3	11201	0.0	0.0	0.0	0.0
0.0	0.0			11204	0.0	0.0	0.0	0.0
0.0	0.0			11205	0.0	0.0	0.0	0.0
0.0	0.0			11202	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	11201	3.2	0.2	-0.0	-1.0
0.5	-0.0			11204	-2.0	-1.0	0.0	-0.9
-0.4	0.0			11205	-3.3	-0.2	-0.0	1.1
-0.4	-0.0			11202	2.0	1.0	0.0	1.1
0.6	-0.0							
			Q5_ps	11201	3.7	1.1	-0.0	-1.0
0.3	-0.0			11204	-0.7	-1.9	0.0	-0.9
-0.1	0.0			11205	-3.8	-1.1	-0.0	0.6
-0.1	-0.0			11202	0.9	1.9	0.0	0.6
0.2	-0.0							
			INVSLE Max	11201	-35.5	-152.1	-0.1	-61.8
23.4	0.0			11204	-282.9	180.4	-0.1	-58.8
-16.6	0.0			11205	97.2	156.8	0.1	11.1
-10.8	-0.0			11202	236.0	-175.5	0.1	11.6
15.9	0.0							
			Min	11201	-46.6	-155.4	-0.1	-64.8
22.4	0.0			11204	-286.4	174.6	-0.1	-61.6
-17.3	0.0			11205	85.8	153.5	0.1	9.2
-11.6	-0.0			11202	232.3	-181.3	0.1	9.6
14.9	0.0							
			INVSLE Max	11201	-23.0	-113.3	-0.1	-48.1

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

18.4	0.0			11204	-214.6	134.2	-0.1	-45.7
-13.1	0.0			11205	69.0	116.5	0.1	9.5
-8.8	-0.0			11202	178.6	-131.1	0.1	9.9
12.8	0.0							
			Min	11201	-30.4	-115.4	-0.1	-50.1
17.8	0.0			11204	-217.0	130.4	-0.1	-47.5
-13.6	0.0			11205	61.4	114.3	0.1	8.2
-9.3	-0.0			11202	176.1	-135.0	0.1	8.6
12.1	0.0							
8543	2	4	C1-C2;~1	Max	11202	0.0	0.0	0.0
0.0	0.0				11205	0.0	0.0	0.0
0.0	0.0				11206	0.0	0.0	0.0
0.0	0.0				11203	0.0	0.0	0.0
0.0	0.0							
			Min	11202	0.0	0.0	0.0	0.0
0.0	0.0				11205	0.0	0.0	0.0
0.0	0.0				11206	0.0	0.0	0.0
0.0	0.0				11203	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	11202	0.0	0.0	0.0
0.0	0.0				11205	0.0	0.0	0.0
0.0	0.0				11206	0.0	0.0	0.0
0.0	0.0				11203	0.0	0.0	0.0
0.0	0.0							
			Min	11202	0.0	0.0	0.0	0.0
0.0	0.0				11205	0.0	0.0	0.0
0.0	0.0				11206	0.0	0.0	0.0
0.0	0.0				11203	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	11202	0.0	0.0	0.0
0.0	0.0				11205	0.0	0.0	0.0
0.0	0.0				11206	0.0	0.0	0.0
0.0	0.0				11203	0.0	0.0	0.0
0.0	0.0							
			Min	11202	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		11205	0.0	0.0	0.0	0.0
0.0	0.0		11206	0.0	0.0	0.0	0.0
0.0	0.0		11203	0.0	0.0	0.0	0.0
0.0	0.0		11202	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2 Max	11205	0.0	0.0	0.0	0.0
0.0	0.0		11206	0.0	0.0	0.0	0.0
0.0	0.0		11203	0.0	0.0	0.0	0.0
0.0	0.0		11202	0.0	0.0	0.0	0.0
0.0	0.0	Min	11205	0.0	0.0	0.0	0.0
0.0	0.0		11206	0.0	0.0	0.0	0.0
0.0	0.0		11203	0.0	0.0	0.0	0.0
0.0	0.0		11202	0.0	0.0	0.0	0.0
2.5	0.0	G1	11202	-84.0	-80.5	-0.0	-5.3
-2.6	-0.0		11205	-80.3	87.0	-0.0	-5.5
-0.5	0.0		11206	95.9	80.9	0.0	-8.9
0.1	0.0		11203	68.4	-87.0	0.0	-9.4
-0.2	0.0	G2	11202	-32.1	-30.7	-0.0	-0.9
0.3	-0.0		11205	-31.5	34.1	-0.0	-0.9
1.4	0.0		11206	36.9	30.8	0.0	-6.9
-1.4	0.0		11203	26.7	-34.2	0.0	-7.0
0.0	0.0	Q3	11202	0.0	0.0	0.0	0.0
0.0	0.0		11205	0.0	0.0	0.0	0.0
0.0	0.0		11206	0.0	0.0	0.0	0.0
0.0	0.0		11203	0.0	0.0	0.0	0.0
0.4	-0.0	Q5_pc	11202	3.1	-0.2	-0.0	-1.1
-0.3	-0.0		11205	-2.3	-1.2	-0.0	-1.1
-0.1	-0.0		11206	-3.2	0.3	0.0	-0.2
0.2	0.0		11203	2.3	1.1	0.0	-0.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

-0.1	-0.0	Q5_ps		11202	3.8	0.7	-0.0	-0.6
0.2	-0.0			11205	-1.1	-2.2	-0.0	-0.6
0.4	-0.0			11206	-3.9	-0.6	0.0	-1.1
-0.3	0.0			11203	1.2	2.1	0.0	-1.1
0.6	0.0	INVS LU	Max	11202	-186.8	-157.2	-0.1	-9.9
1.2	-0.0			11205	-128.3	175.6	-0.1	-9.6
9.5	0.0			11206	248.9	158.4	0.1	-46.9
-8.8	0.0			11203	82.0	-168.0	0.1	-49.0
-0.1	0.0		Min	11202	-198.3	-159.2	-0.1	-11.8
0.7	-0.0			11205	-132.4	168.9	-0.1	-11.5
8.2	-0.0			11206	237.1	156.6	0.1	-50.2
-9.7	0.0			11203	77.8	-174.3	0.1	-52.4
1.1	0.0	INVS LE	Max	11202	-138.1	-116.9	-0.1	-8.8
0.4	-0.0			11205	-96.7	130.4	-0.1	-8.5
6.7	0.0			11206	184.4	117.6	0.1	-35.2
-6.1	0.0			11203	61.0	-125.2	0.1	-36.8
0.7	0.0		Min	11202	-145.8	-118.2	-0.1	-10.1
0.1	-0.0			11205	-99.4	125.9	-0.1	-9.8
5.9	-0.0			11206	176.5	116.4	0.1	-37.4
-6.8	0.0			11203	58.2	-129.4	0.1	-39.0
8544	2	4 C1-C2;~1	Max	11203	0.0	0.0	0.0	0.0
0.0	0.0			11206	0.0	0.0	0.0	0.0
0.0	0.0			3647	0.0	0.0	0.0	0.0
0.0	0.0			3646	0.0	0.0	0.0	0.0
0.0	0.0		Min	11203	0.0	0.0	0.0	0.0
0.0	0.0			11206	0.0	0.0	0.0	0.0
0.0	0.0			3647	0.0	0.0	0.0	0.0
0.0	0.0			3646	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0						
		C3-C4;~1	Max	11203	0.0	0.0	0.0
0.0	0.0			11206	0.0	0.0	0.0
0.0	0.0			3647	0.0	0.0	0.0
0.0	0.0			3646	0.0	0.0	0.0
0.0	0.0						
			Min	11203	0.0	0.0	0.0
0.0	0.0			11206	0.0	0.0	0.0
0.0	0.0			3647	0.0	0.0	0.0
0.0	0.0			3646	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	11203	0.0	0.0	0.0
0.0	0.0			11206	0.0	0.0	0.0
0.0	0.0			3647	0.0	0.0	0.0
0.0	0.0			3646	0.0	0.0	0.0
0.0	0.0						
			Min	11203	0.0	0.0	0.0
0.0	0.0			11206	0.0	0.0	0.0
0.0	0.0			3647	0.0	0.0	0.0
0.0	0.0			3646	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	11203	0.0	0.0	0.0
0.0	0.0			11206	0.0	0.0	0.0
0.0	0.0			3647	0.0	0.0	0.0
0.0	0.0			3646	0.0	0.0	0.0
0.0	0.0						
			Min	11203	0.0	0.0	0.0
0.0	0.0			11206	0.0	0.0	0.0
0.0	0.0			3647	0.0	0.0	0.0
0.0	0.0			3646	0.0	0.0	0.0
0.0	0.0						
		G1		11203	-123.2	-81.5	0.0
-1.8	0.0			11206	-42.8	86.4	-0.0
1.7	0.0			3647	137.6	83.2	0.0
2.1	0.0						-7.6

PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-2.0	0.0		3646	28.4	-87.7	-0.0	-7.4
		G2	11203	-48.0	-31.0	-0.0	7.0
-2.6	0.0		11206	-16.3	34.1	-0.0	6.9
2.7	0.0		3647	53.9	31.6	0.0	-9.1
3.1	0.0		3646	10.4	-34.6	0.0	-8.9
-2.8	-0.0						
		Q3	11203	0.0	0.0	0.0	0.0
0.0	0.0		11206	0.0	0.0	0.0	0.0
0.0	0.0		3647	0.0	0.0	0.0	0.0
0.0	0.0		3646	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	11203	2.2	-1.3	-0.0	0.2
-0.3	0.0		11206	-2.9	-1.3	-0.0	0.2
0.4	-0.0		3647	-2.2	2.0	0.0	-3.1
0.9	0.0		3646	2.9	0.6	0.0	-3.1
-0.7	-0.0						
		Q5_ps	11203	3.2	-0.3	-0.0	1.1
-0.9	0.0		11206	-1.8	-2.3	-0.0	1.1
1.1	-0.0		3647	-3.2	0.9	0.0	-4.6
1.5	0.0		3646	1.8	1.7	0.0	-4.6
-1.3	-0.0						
		INVSLE Max	11203	-350.4	-162.4	0.1	52.0
-14.6	0.0		11206	28.5	178.3	0.0	50.2
15.8	0.0		3647	418.0	163.4	-0.0	-23.6
15.1	0.0		3646	-81.0	-170.0	-0.0	-24.8
-12.7	-0.0						
		Min	11203	-360.0	-164.7	0.0	48.7
-17.3	0.0		11206	23.0	171.5	0.0	46.9
12.6	-0.0		3647	408.4	159.9	-0.0	-37.6
10.6	0.0		3646	-86.4	-175.0	-0.0	-38.6
-16.6	-0.0						
		INVSLE Max	11203	-262.5	-120.7	0.0	38.7
-10.9	0.0		11206	22.7	132.4	0.0	37.4

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


11.7	0.0			3647	312.9	121.0	-0.0	-19.4
11.4	0.0			3646	-63.2	-126.5	-0.0	-20.3
-9.8	-0.0							
			Min	11203	-268.8	-122.2	0.0	36.5
-12.7	0.0			11206	19.1	127.9	0.0	35.2
9.6	-0.0			3647	306.6	118.6	-0.0	-28.7
8.4	0.0			3646	-66.8	-129.9	-0.0	-29.5
-12.4	-0.0							
8545	2	8	C1-C2;~1	Max	11204	0.0	0.0	0.0
0.0	0.0				11207	0.0	0.0	0.0
0.0	0.0				11208	0.0	0.0	0.0
0.0	0.0				11205	0.0	0.0	0.0
0.0	0.0							
			Min	11204	0.0	0.0	0.0	0.0
0.0	0.0			11207	0.0	0.0	0.0	0.0
0.0	0.0			11208	0.0	0.0	0.0	0.0
0.0	0.0			11205	0.0	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	11204	0.0	0.0	0.0
0.0	0.0				11207	0.0	0.0	0.0
0.0	0.0				11208	0.0	0.0	0.0
0.0	0.0				11205	0.0	0.0	0.0
0.0	0.0							
			Min	11204	0.0	0.0	0.0	0.0
0.0	0.0			11207	0.0	0.0	0.0	0.0
0.0	0.0			11208	0.0	0.0	0.0	0.0
0.0	0.0			11205	0.0	0.0	0.0	0.0
0.0	0.0							
			C1-C2;~2	Max	11204	0.0	0.0	0.0
0.0	0.0				11207	0.0	0.0	0.0
0.0	0.0				11208	0.0	0.0	0.0
0.0	0.0				11205	0.0	0.0	0.0
0.0	0.0							
			Min	11204	0.0	0.0	0.0	0.0
0.0	0.0			11207	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0		11208	0.0	0.0	0.0	0.0
0.0	0.0		11205	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4; ~2	Max	11204	0.0	0.0	0.0
0.0	0.0			11207	0.0	0.0	0.0
0.0	0.0			11208	0.0	0.0	0.0
0.0	0.0			11205	0.0	0.0	0.0
0.0	0.0						
			Min	11204	0.0	0.0	0.0
0.0	0.0			11207	0.0	0.0	0.0
0.0	0.0			11208	0.0	0.0	0.0
0.0	0.0			11205	0.0	0.0	0.0
0.0	0.0						
			G1	11204	-45.3	-81.2	-0.0
6.3	0.0			11207	-118.2	84.9	-0.0
-6.3	0.0			11208	58.0	82.1	0.0
-5.6	0.0			11205	105.5	-85.5	0.0
5.5	-0.0						7.4
			G2	11204	-16.6	-31.0	-0.0
1.9	0.0			11207	-46.7	33.3	-0.0
-2.0	0.0			11208	21.7	31.2	0.0
-1.4	0.0			11205	41.6	-33.6	0.0
1.3	-0.0						1.2
			Q3	11204	0.0	0.0	0.0
0.0	0.0			11207	0.0	0.0	0.0
0.0	0.0			11208	0.0	0.0	0.0
0.0	0.0			11205	0.0	0.0	0.0
0.0	0.0						0.0
			Q5_pc	11204	3.4	0.5	-0.0
0.4	0.0			11207	-1.5	-1.3	0.0
-0.4	0.0			11208	-3.6	-0.7	-0.0
-0.4	-0.0			11205	1.7	1.4	0.0
0.4	-0.0						1.4

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.2	0.0	Q5_ps	11204	3.8	1.4	-0.0	-1.1
-0.1	0.0		11207	-0.2	-2.2	0.0	-0.9
-0.1	-0.0		11208	-4.1	-1.6	-0.0	0.6
0.1	-0.0		11205	0.4	2.3	0.0	0.7
17.0	0.0	INVS LU Max	11204	-39.6	-160.9	-0.1	-74.6
-14.8	0.0		11207	-282.4	174.0	-0.1	-69.7
-10.0	-0.0		11208	102.0	167.7	0.1	11.9
12.0	-0.0		11205	234.7	-169.2	0.1	13.9
16.3	0.0	Min	11204	-51.1	-165.2	-0.1	-77.9
-15.5	0.0		11207	-285.1	167.5	-0.1	-72.5
-10.8	-0.0		11208	89.8	163.0	0.1	9.6
11.2	-0.0		11205	231.7	-176.1	0.1	11.5
13.3	0.0	INVS LE Max	11204	-26.4	-120.1	-0.1	-57.9
-11.7	0.0		11207	-213.9	129.2	-0.1	-54.0
-8.1	-0.0		11208	72.8	124.8	0.1	10.2
9.6	-0.0		11205	177.4	-126.2	0.1	11.9
12.8	0.0	Min	11204	-34.1	-122.9	-0.1	-60.1
-12.1	0.0		11207	-215.7	124.9	-0.1	-55.9
-8.6	-0.0		11208	64.6	121.7	0.1	8.7
9.0	-0.0		11205	175.3	-130.8	0.1	10.3
8546	2	8 C1-C2;~1 Max	11205	0.0	0.0	0.0	0.0
0.0	0.0		11208	0.0	0.0	0.0	0.0
0.0	0.0		11209	0.0	0.0	0.0	0.0
0.0	0.0		11206	0.0	0.0	0.0	0.0
0.0	0.0	Min	11205	0.0	0.0	0.0	0.0
0.0	0.0		11208	0.0	0.0	0.0	0.0
0.0	0.0		11209	0.0	0.0	0.0	0.0
0.0	0.0		11206	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


		C3-C4;~1	Max	11205	0.0	0.0	0.0	0.0
0.0	0.0			11208	0.0	0.0	0.0	0.0
0.0	0.0			11209	0.0	0.0	0.0	0.0
0.0	0.0			11206	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	11205	0.0	0.0	0.0	0.0
0.0	0.0			11208	0.0	0.0	0.0	0.0
0.0	0.0			11209	0.0	0.0	0.0	0.0
0.0	0.0			11206	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	11205	0.0	0.0	0.0	0.0
0.0	0.0			11208	0.0	0.0	0.0	0.0
0.0	0.0			11209	0.0	0.0	0.0	0.0
0.0	0.0			11206	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	11205	0.0	0.0	0.0	0.0
0.0	0.0			11208	0.0	0.0	0.0	0.0
0.0	0.0			11209	0.0	0.0	0.0	0.0
0.0	0.0			11206	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	11205	0.0	0.0	0.0	0.0
0.0	0.0			11208	0.0	0.0	0.0	0.0
0.0	0.0			11209	0.0	0.0	0.0	0.0
0.0	0.0			11206	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	11205	0.0	0.0	0.0	0.0
0.0	0.0			11208	0.0	0.0	0.0	0.0
0.0	0.0			11209	0.0	0.0	0.0	0.0
0.0	0.0			11206	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		11205	-83.9	-80.3	-0.0	-7.4
2.5	-0.0			11208	-81.6	89.1	-0.0	-6.9
-2.5	0.0			11209	96.8	79.9	0.0	-11.8
-0.4	-0.0			11206	68.6	-88.4	0.0	-12.1
0.5	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

-0.3	-0.0	G2	11205	-32.0	-30.6	-0.0	-1.2
0.4	0.0		11208	-32.0	35.0	-0.0	-1.0
1.5	0.0		11209	37.2	30.4	0.0	-9.1
-1.4	0.0		11206	26.8	-34.8	0.0	-9.3
0.0	0.0	Q3	11205	0.0	0.0	0.0	0.0
0.0	0.0		11208	0.0	0.0	0.0	0.0
0.0	0.0		11209	0.0	0.0	0.0	0.0
0.0	0.0		11206	0.0	0.0	0.0	0.0
0.3	-0.0	Q5_pc	11205	3.8	0.1	-0.0	-1.4
-0.3	-0.0		11208	-1.9	-1.7	0.0	-1.3
-0.1	-0.0		11209	-4.1	-0.2	0.0	-0.2
0.1	-0.0		11206	2.2	1.8	0.0	-0.2
-0.2	-0.0	Q5_ps	11205	4.5	1.0	-0.0	-0.7
0.2	-0.0		11208	-0.7	-2.7	-0.0	-0.7
0.5	-0.0		11209	-4.8	-1.1	0.0	-1.4
-0.4	-0.0		11206	1.0	2.8	0.0	-1.4
-1.0	-0.0	INVSLE Max	11205	-187.6	-153.2	-0.2	-11.1
2.3	-0.0		11208	-131.8	185.0	-0.1	-9.9
9.4	-0.0		11209	252.9	155.6	0.1	-58.1
-7.9	0.0		11206	84.1	-175.5	0.2	-60.8
-1.6	-0.0	Min	11205	-201.1	-156.2	-0.2	-13.5
1.7	-0.0		11208	-135.3	177.0	-0.1	-12.2
7.9	-0.0		11209	238.6	152.2	0.1	-62.3
-9.2	-0.0		11206	80.2	-183.9	0.2	-65.1
-0.3	-0.0	INVSLE Max	11205	-139.0	-114.1	-0.1	-10.0
1.3	-0.0		11208	-99.2	137.3	-0.1	-8.9
			11209	187.4	115.6	0.1	-43.6


PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
6.7	-0.0			11206	62.6	-130.9	0.1	-45.6	
-5.7	0.0								
			Min	11205	-148.0	-116.1	-0.2	-11.6	
-0.7	-0.0			11208	-101.6	131.9	-0.1	-10.5	
0.9	-0.0			11209	177.8	113.4	0.1	-46.4	
5.8	-0.0			11206	60.0	-136.5	0.1	-48.5	
-6.5	-0.0								
8547	2	8	C1-C2;~1	Max	11206	0.0	0.0	0.0	0.0
0.0	0.0				11209	0.0	0.0	0.0	0.0
0.0	0.0				3648	0.0	0.0	0.0	0.0
0.0	0.0				3647	0.0	0.0	0.0	0.0
0.0	0.0								
			Min	11206	0.0	0.0	0.0	0.0	0.0
0.0	0.0			11209	0.0	0.0	0.0	0.0	0.0
0.0	0.0			3648	0.0	0.0	0.0	0.0	0.0
0.0	0.0			3647	0.0	0.0	0.0	0.0	0.0
0.0	0.0								
			C3-C4;~1	Max	11206	0.0	0.0	0.0	0.0
0.0	0.0				11209	0.0	0.0	0.0	0.0
0.0	0.0				3648	0.0	0.0	0.0	0.0
0.0	0.0				3647	0.0	0.0	0.0	0.0
0.0	0.0								
			Min	11206	0.0	0.0	0.0	0.0	0.0
0.0	0.0			11209	0.0	0.0	0.0	0.0	0.0
0.0	0.0			3648	0.0	0.0	0.0	0.0	0.0
0.0	0.0			3647	0.0	0.0	0.0	0.0	0.0
0.0	0.0								
			C1-C2;~2	Max	11206	0.0	0.0	0.0	0.0
0.0	0.0				11209	0.0	0.0	0.0	0.0
0.0	0.0				3648	0.0	0.0	0.0	0.0
0.0	0.0				3647	0.0	0.0	0.0	0.0
0.0	0.0								
			Min	11206	0.0	0.0	0.0	0.0	0.0
0.0	0.0			11209	0.0	0.0	0.0	0.0	0.0
0.0	0.0			3648	0.0	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		3647	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4; ~2	Max	11206	0.0	0.0	0.0
0.0	0.0			11209	0.0	0.0	0.0
0.0	0.0			3648	0.0	0.0	0.0
0.0	0.0			3647	0.0	0.0	0.0
0.0	0.0		Min	11206	0.0	0.0	0.0
0.0	0.0			11209	0.0	0.0	0.0
0.0	0.0			3648	0.0	0.0	0.0
0.0	0.0			3647	0.0	0.0	0.0
0.0	0.0						
-1.7	0.0	G1		11206	-121.7	-78.9	-0.0
1.9	-0.0			11209	-42.8	91.7	0.0
2.5	-0.0			3648	134.8	76.5	-0.0
-2.2	0.0			3647	29.8	-88.9	-0.0
-2.8	0.0	G2		11206	-47.4	-30.0	-0.0
3.0	0.0			11209	-16.5	36.1	-0.0
3.5	0.0			3648	52.7	29.1	0.0
-3.1	0.0			3647	11.2	-35.2	0.0
0.0	0.0	Q3		11206	0.0	0.0	0.0
0.0	0.0			11209	0.0	0.0	0.0
0.0	0.0			3648	0.0	0.0	0.0
0.0	0.0			3647	0.0	0.0	0.0
0.0	0.0						
-0.4	-0.0	Q5_pc		11206	4.0	-0.9	-0.0
0.5	-0.0			11209	-2.2	-2.0	-0.0
0.9	0.0			3648	-3.9	0.2	0.0
-0.8	0.0			3647	2.1	2.7	0.0
-1.1	-0.0	Q5_ps		11206	4.8	0.0	-0.0

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
1.2	-0.0			11209	-1.2	-3.0	-0.0	1.4
				3648	-4.8	-0.6	0.0	-6.0
1.6	0.0			3647	1.2	3.6	0.0	-6.2
-1.5	0.0							
		INVS LU	Max	11206	-343.7	-151.9	0.1	65.2
-12.9	0.0			11209	9.0	202.7	0.1	62.1
15.9	-0.0			3648	406.7	154.0	-0.0	-29.0
15.5	0.0			3647	-53.8	-192.5	-0.0	-31.5
-11.6	0.0							
			Min	11206	-358.0	-153.5	0.0	60.8
-16.1	-0.0			11209	5.1	193.6	0.0	58.0
12.3	-0.0			3648	392.4	152.1	-0.1	-46.9
10.7	0.0			3647	-57.6	-203.4	-0.1	-50.1
-16.0	0.0							
		INVS LE	Max	11206	-257.9	-112.9	0.0	48.6
-9.8	0.0			11209	7.8	150.6	0.0	46.3
11.8	-0.0			3648	304.5	114.7	-0.0	-23.9
11.7	0.0			3647	-42.2	-144.2	-0.0	-25.8
-9.1	0.0							
			Min	11206	-267.4	-114.0	0.0	45.6
-12.0	-0.0			11209	5.2	144.6	0.0	43.6
9.4	-0.0			3648	294.9	113.4	-0.0	-35.8
8.4	0.0			3647	-44.8	-151.4	-0.0	-38.3
-12.0	0.0							
8593	2	4	C1-C2;~1	Max	11246	0.0	0.0	0.0
0.0	0.0	0.0			11249	0.0	0.0	0.0
0.0	0.0	0.0			11250	0.0	0.0	0.0
0.0	0.0	0.0			11247	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	11246	0.0	0.0	0.0	0.0
0.0	0.0	0.0			11249	0.0	0.0	0.0
0.0	0.0	0.0			11250	0.0	0.0	0.0
0.0	0.0	0.0			11247	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	11246	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0			11249	0.0	0.0	0.0	0.0
0.0	0.0			11250	0.0	0.0	0.0	0.0
0.0	0.0			11247	0.0	0.0	0.0	0.0
0.0	0.0			11246	0.0	0.0	0.0	0.0
0.0	0.0			11249	0.0	0.0	0.0	0.0
0.0	0.0			11250	0.0	0.0	0.0	0.0
0.0	0.0			11247	0.0	0.0	0.0	0.0
0.0	0.0			11246	0.0	0.0	0.0	0.0
0.0	0.0			11249	0.0	0.0	0.0	0.0
0.0	0.0			11250	0.0	0.0	0.0	0.0
0.0	0.0			11247	0.0	0.0	0.0	0.0
0.0	0.0			11246	0.0	0.0	0.0	0.0
0.0	0.0			11249	0.0	0.0	0.0	0.0
0.0	0.0			11250	0.0	0.0	0.0	0.0
0.0	0.0			11247	0.0	0.0	0.0	0.0
0.0	0.0			11246	0.0	0.0	0.0	0.0
0.0	0.0			11249	0.0	0.0	0.0	0.0
0.0	0.0			11250	0.0	0.0	0.0	0.0
0.0	0.0			11247	0.0	0.0	0.0	0.0
0.0	0.0			11246	0.0	0.0	0.0	0.0
0.0	0.0			11249	0.0	0.0	0.0	0.0
0.0	0.0			11250	0.0	0.0	0.0	0.0
0.0	0.0			11247	0.0	0.0	0.0	0.0
0.0	0.0			11246	0.0	0.0	0.0	0.0
0.0	0.0			11249	0.0	0.0	0.0	0.0
0.0	0.0			11250	0.0	0.0	0.0	0.0
0.0	0.0			11247	0.0	0.0	0.0	0.0
0.0	0.0			11246	0.0	0.0	0.0	0.0
0.0	0.0			11249	0.0	0.0	0.0	0.0
0.0	0.0			11250	0.0	0.0	0.0	0.0
0.0	0.0			11247	0.0	0.0	0.0	0.0
0.0	0.0			11246	0.0	0.0	0.0	0.0
0.0	0.0			11249	0.0	0.0	0.0	0.0
0.0	0.0			11250	0.0	0.0	0.0	0.0
0.0	0.0			11247	0.0	0.0	0.0	0.0
0.0	0.0			11246	0.0	0.0	0.0	0.0
0.0	0.0			11249	0.0	0.0	0.0	0.0
0.0	0.0			11250	0.0	0.0	0.0	0.0
0.0	0.0			11247	0.0	0.0	0.0	0.0
8.2	-0.0			11246	-41.0	-78.3	-0.0	-17.2
-6.9	0.0			11249	-118.5	86.8	-0.0	-16.7
-6.4	-0.0			11250	52.6	79.3	0.0	10.4
7.2	0.0			11247	107.0	-87.4	0.0	10.3

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
		G2	11246	-15.5	-30.3	-0.0	-7.2
4.1	-0.0		11249	-47.3	34.5	0.0	-7.1
-3.6	0.0		11250	20.1	30.7	-0.0	6.0
-3.7	-0.0		11247	42.6	-34.9	0.0	5.8
4.0	0.0						
		Q3	11246	0.0	0.0	0.0	0.0
0.0	0.0		11249	0.0	0.0	0.0	0.0
0.0	0.0		11250	0.0	0.0	0.0	0.0
0.0	0.0		11247	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	11246	-3.1	0.0	0.0	-1.0
1.6	0.0		11249	2.5	0.6	0.0	-1.4
-2.3	-0.0		11250	2.9	0.0	-0.0	2.0
-2.4	0.0		11247	-2.3	-0.7	0.0	1.6
1.8	0.0						
		Q5_ps	11246	-3.7	-0.8	0.0	-1.3
2.0	0.0		11249	1.4	1.5	0.0	-1.7
-2.8	-0.0		11250	3.5	0.9	-0.0	3.3
-3.1	0.0		11247	-1.1	-1.6	0.0	2.8
2.4	0.0						
		INVSLE Max	11246	-34.7	-154.9	-0.1	-54.2
27.6	-0.0		11249	-281.7	181.9	-0.0	-50.9
-14.4	-0.0		11250	94.1	158.9	0.1	22.7
-10.7	-0.0		11247	237.2	-178.2	0.1	21.7
22.8	0.0						
		Min	11246	-45.7	-157.3	-0.1	-58.0
21.4	-0.0		11249	-286.1	177.2	-0.0	-56.0
-22.8	-0.0		11250	83.8	156.2	0.0	12.8
-20.0	-0.0		11247	233.1	-183.0	0.1	13.2
15.5	-0.0						
		INVSLE Max	11246	-22.9	-115.5	-0.1	-42.0
21.2	-0.0		11249	-213.6	135.6	-0.0	-39.6
-11.7	-0.0		11250	67.3	118.2	0.0	17.4
-8.9	-0.0		11247	179.2	-133.2	0.1	16.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


17.5	0.0							
		Min	11246	-30.3	-117.1	-0.1	-44.6	
17.1	-0.0		11249	-216.5	132.5	-0.0	-42.9	
-17.3	-0.0		11250	60.4	116.5	0.0	10.8	
-15.1	-0.0		11247	176.5	-136.4	0.1	11.0	
12.7	-0.0							
8594	2	4 C1-C2;~1	Max	11247	0.0	0.0	0.0	0.0
0.0	0.0			11250	0.0	0.0	0.0	0.0
0.0	0.0			11251	0.0	0.0	0.0	0.0
0.0	0.0			11248	0.0	0.0	0.0	0.0
0.0	0.0							
		Min	11247	0.0	0.0	0.0	0.0	0.0
0.0	0.0			11250	0.0	0.0	0.0	0.0
0.0	0.0			11251	0.0	0.0	0.0	0.0
0.0	0.0			11248	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	11247	0.0	0.0	0.0	0.0
0.0	0.0			11250	0.0	0.0	0.0	0.0
0.0	0.0			11251	0.0	0.0	0.0	0.0
0.0	0.0			11248	0.0	0.0	0.0	0.0
0.0	0.0							
		Min	11247	0.0	0.0	0.0	0.0	0.0
0.0	0.0			11250	0.0	0.0	0.0	0.0
0.0	0.0			11251	0.0	0.0	0.0	0.0
0.0	0.0			11248	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	11247	0.0	0.0	0.0	0.0
0.0	0.0			11250	0.0	0.0	0.0	0.0
0.0	0.0			11251	0.0	0.0	0.0	0.0
0.0	0.0			11248	0.0	0.0	0.0	0.0
0.0	0.0							
		Min	11247	0.0	0.0	0.0	0.0	0.0
0.0	0.0			11250	0.0	0.0	0.0	0.0
0.0	0.0			11251	0.0	0.0	0.0	0.0
0.0	0.0			11248	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0							
		C3-C4 ; ~2	Max	11247	0.0	0.0	0.0	0.0
0.0	0.0			11250	0.0	0.0	0.0	0.0
0.0	0.0			11251	0.0	0.0	0.0	0.0
0.0	0.0			11248	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	11247	0.0	0.0	0.0	0.0
0.0	0.0			11250	0.0	0.0	0.0	0.0
0.0	0.0			11251	0.0	0.0	0.0	0.0
0.0	0.0			11248	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	11247	-77.0	-81.0	-0.0	-10.4
4.2	0.0			11250	-84.9	87.1	-0.0	-10.4
-4.2	-0.0			11251	88.3	81.4	0.0	-3.4
-2.1	-0.0			11248	73.6	-87.2	0.0	-3.9
1.8	0.0							
			G2	11247	-30.0	-31.3	-0.0	-5.9
3.2	0.0			11250	-33.6	34.7	-0.0	-6.0
-3.3	-0.0			11251	34.7	31.4	0.0	2.2
-2.7	0.0			11248	29.0	-34.8	0.0	2.0
2.4	0.0							
			Q3	11247	0.0	0.0	0.0	0.0
0.0	0.0			11250	0.0	0.0	0.0	0.0
0.0	0.0			11251	0.0	0.0	0.0	0.0
0.0	0.0			11248	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	11247	-2.4	0.3	0.0	-1.7
2.2	0.0			11250	1.9	0.9	0.0	-2.0
-2.6	0.0			11251	2.2	-0.5	-0.0	4.8
-2.8	0.0			11248	-1.8	-0.8	-0.0	4.7
2.5	0.0							
			Q5_ps	11247	-3.0	-0.6	0.0	-2.9
3.2	0.0			11250	0.7	1.8	0.0	-3.3
-3.6	0.0							

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-3.9	0.0			11251	2.9	0.5	-0.0	7.2
3.5	0.0			11248	-0.6	-1.7	-0.0	7.0
11.8	0.0	INVS LU	Max	11247	-181.9	-159.3	-0.1	-13.1
-1.7	-0.0			11250	-133.0	177.2	-0.1	-13.1
4.8	0.0			11251	239.4	160.3	0.1	-15.6
4.3	0.0			11248	87.6	-170.8	0.1	-18.7
2.3	-0.0		Min	11247	-190.8	-161.1	-0.1	-21.9
-12.5	-0.0			11250	-136.5	171.6	-0.1	-23.0
-7.0	-0.0			11251	230.8	158.8	0.1	-37.1
-6.3	0.0			11248	84.4	-176.0	0.1	-39.7
9.0	0.0	INVS LE	Max	11247	-135.1	-118.6	-0.1	-11.0
-2.0	-0.0			11250	-99.8	131.8	-0.0	-11.1
2.9	0.0			11251	178.1	119.2	0.1	-12.8
3.1	0.0			11248	64.9	-127.4	0.1	-15.1
2.6	-0.0		Min	11247	-141.0	-119.8	-0.1	-16.8
-9.3	-0.0			11250	-102.2	128.1	-0.1	-17.6
-4.9	-0.0			11251	172.4	118.2	0.0	-27.1
-4.0	0.0			11248	62.7	-130.9	0.1	-29.2
8595	2	4	C1-C2;~1	Max	11248	0.0	0.0	0.0
0.0	0.0			11251	0.0	0.0	0.0	0.0
0.0	0.0			3661	0.0	0.0	0.0	0.0
0.0	0.0			3660	0.0	0.0	0.0	0.0
0.0	0.0		Min	11248	0.0	0.0	0.0	0.0
0.0	0.0			11251	0.0	0.0	0.0	0.0
0.0	0.0			3661	0.0	0.0	0.0	0.0
0.0	0.0			3660	0.0	0.0	0.0	0.0
0.0	0.0		C3-C4;~1	Max	11248	0.0	0.0	0.0
0.0	0.0			11251	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0		3661	0.0	0.0	0.0	0.0
0.0	0.0		3660	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	11248	0.0	0.0	0.0	0.0
0.0	0.0		11251	0.0	0.0	0.0	0.0
0.0	0.0		3661	0.0	0.0	0.0	0.0
0.0	0.0		3660	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	11248	0.0	0.0	0.0
0.0	0.0			11251	0.0	0.0	0.0
0.0	0.0		3661	0.0	0.0	0.0	0.0
0.0	0.0		3660	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	11248	0.0	0.0	0.0	0.0
0.0	0.0		11251	0.0	0.0	0.0	0.0
0.0	0.0		3661	0.0	0.0	0.0	0.0
0.0	0.0		3660	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	11248	0.0	0.0	0.0
0.0	0.0			11251	0.0	0.0	0.0
0.0	0.0		3661	0.0	0.0	0.0	0.0
0.0	0.0		3660	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	11248	0.0	0.0	0.0	0.0
0.0	0.0		11251	0.0	0.0	0.0	0.0
0.0	0.0		3661	0.0	0.0	0.0	0.0
0.0	0.0		3660	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	11248	-114.5	-82.1	-0.0	3.8
-0.8	0.0		11251	-48.9	86.0	-0.0	3.4
0.3	-0.0		3661	128.3	84.1	0.0	-5.9
1.2	0.0		3660	35.2	-87.7	0.0	-6.3
-1.6	0.0						
		G2	11248	-45.4	-31.7	0.0	-2.0
1.7	0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-2.1	0.0			11251	-18.9	34.4	0.0	-2.2
				3661	51.0	32.4	-0.0	3.5
-1.9	0.0			3660	13.3	-35.2	-0.0	3.3
1.5	0.0							
		Q3		11248	0.0	0.0	0.0	0.0
0.0	0.0			11251	0.0	0.0	0.0	0.0
0.0	0.0			3661	0.0	0.0	0.0	0.0
0.0	0.0			3660	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		11248	-1.0	1.5	0.0	-4.8
3.1	0.0			11251	2.1	0.9	0.0	-4.8
-3.3	0.0			3661	0.8	-2.1	-0.0	9.3
-3.6	-0.0			3660	-1.9	-0.3	-0.0	9.4
3.4	0.0							
		Q5_ps		11248	-1.7	0.5	0.0	-7.1
4.4	0.0			11251	0.9	1.9	0.0	-7.1
-4.7	0.0			3661	1.6	-1.0	-0.0	12.9
-5.0	-0.0			3660	-0.8	-1.3	-0.0	13.0
4.6	0.0							
		INVSLE	Max	11248	-339.5	-162.9	0.1	39.6
0.8	0.0			11251	18.8	179.0	0.1	37.0
8.5	0.0			3661	400.5	164.0	-0.0	21.7
6.7	0.0			3660	-71.2	-171.6	-0.0	19.3
2.9	0.0							
			Min	11248	-344.8	-165.5	0.0	18.1
-12.3	0.0			11251	15.1	173.4	0.0	15.6
-5.5	-0.0			3661	395.7	160.2	-0.1	-17.1
-8.3	0.0			3660	-74.6	-175.7	-0.1	-19.7
-11.0	0.0							
		INVSLE	Max	11248	-255.0	-121.2	0.1	29.0
0.1	0.0			11251	16.1	133.2	0.0	27.1
5.8	0.0			3661	301.0	121.6	-0.0	13.7
4.6	0.0			3660	-56.4	-127.8	-0.0	11.9
1.5	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

			Min	11248	-258.5	-123.0	0.0	14.7
-8.7	0.0			11251	13.6	129.4	0.0	12.8
-3.5	-0.0			3661	297.8	119.0	-0.1	-12.1
-5.3	0.0			3660	-58.6	-130.5	-0.1	-14.1
-7.8	0.0							
8596	2	8 C1-C2;~1	Max	11249	0.0	0.0	0.0	0.0
0.0	0.0			11252	0.0	0.0	0.0	0.0
0.0	0.0			11253	0.0	0.0	0.0	0.0
0.0	0.0			11250	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	11249	0.0	0.0	0.0	0.0
0.0	0.0			11252	0.0	0.0	0.0	0.0
0.0	0.0			11253	0.0	0.0	0.0	0.0
0.0	0.0			11250	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	11249	0.0	0.0	0.0	0.0
0.0	0.0			11252	0.0	0.0	0.0	0.0
0.0	0.0			11253	0.0	0.0	0.0	0.0
0.0	0.0			11250	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	11249	0.0	0.0	0.0	0.0
0.0	0.0			11252	0.0	0.0	0.0	0.0
0.0	0.0			11253	0.0	0.0	0.0	0.0
0.0	0.0			11250	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	11249	0.0	0.0	0.0	0.0
0.0	0.0			11252	0.0	0.0	0.0	0.0
0.0	0.0			11253	0.0	0.0	0.0	0.0
0.0	0.0			11250	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	11249	0.0	0.0	0.0	0.0
0.0	0.0			11252	0.0	0.0	0.0	0.0
0.0	0.0			11253	0.0	0.0	0.0	0.0
0.0	0.0			11250	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0	C3-C4; ~2	Max	11249	0.0	0.0	0.0	0.0
0.0	0.0			11252	0.0	0.0	0.0	0.0
0.0	0.0			11253	0.0	0.0	0.0	0.0
0.0	0.0			11250	0.0	0.0	0.0	0.0
0.0	0.0		Min	11249	0.0	0.0	0.0	0.0
0.0	0.0			11252	0.0	0.0	0.0	0.0
0.0	0.0			11253	0.0	0.0	0.0	0.0
0.0	0.0			11250	0.0	0.0	0.0	0.0
6.8	0.0	G1		11249	-39.6	-81.8	-0.0	-21.8
-6.8	0.0			11252	-121.4	84.7	-0.0	-20.6
-6.7	-0.0			11253	51.9	82.8	0.0	12.9
6.5	-0.0			11250	109.1	-85.3	0.0	13.6
3.6	0.0	G2		11249	-14.9	-31.7	-0.0	-9.2
-3.5	0.0			11252	-48.3	33.8	-0.0	-8.7
-3.8	-0.0			11253	19.8	32.0	0.0	7.5
3.8	-0.0			11250	43.4	-34.0	0.0	7.9
0.0	0.0	Q3		11249	0.0	0.0	0.0	0.0
0.0	0.0			11252	0.0	0.0	0.0	0.0
0.0	0.0			11253	0.0	0.0	0.0	0.0
0.0	0.0			11250	0.0	0.0	0.0	0.0
2.3	-0.0	Q5_pc		11249	-3.1	-0.1	-0.0	-2.3
-2.1	-0.0			11252	1.9	1.1	0.0	-2.7
-2.2	0.0			11253	3.0	0.1	-0.0	3.4
2.3	0.0			11250	-1.9	-1.1	0.0	3.1
2.8	-0.0	Q5_ps		11249	-3.6	-0.9	0.0	-2.7
-2.7	-0.0			11252	0.8	2.0	0.0	-3.1
-3.0	0.0			11253	3.5	0.9	-0.0	5.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

3.1	0.0			11250	-0.7	-2.0	-0.0	4.8
		INVS LU	Max	11249	-38.6	-163.8	-0.1	-63.5
22.5	-0.0			11252	-281.5	175.7	-0.0	-58.3
-12.1	0.0			11253	98.1	168.9	0.1	29.4
-9.8	-0.0			11250	235.9	-171.6	0.1	30.8
20.3	-0.0							
			Min	11249	-49.3	-166.6	-0.1	-71.5
14.1	-0.0			11252	-285.0	169.7	-0.1	-67.5
-20.1	0.0			11253	87.7	166.2	0.0	14.4
-18.7	-0.0			11250	232.5	-177.6	0.1	16.5
11.2	-0.0							
		INVS LE	Max	11249	-26.1	-122.3	-0.1	-49.4
17.1	-0.0			11252	-213.1	130.7	-0.0	-45.4
-9.8	0.0			11253	70.5	126.0	0.0	22.4
-8.1	-0.0			11250	178.0	-128.1	0.1	23.5
15.4	-0.0							
			Min	11249	-33.2	-124.2	-0.1	-54.7
11.5	-0.0			11252	-215.4	126.6	-0.0	-51.5
-15.2	0.0			11253	63.6	124.2	0.0	12.4
-14.1	-0.0			11250	175.8	-132.1	0.1	14.0
9.3	-0.0							
8597	2	8	C1-C2;~1	Max	11250	0.0	0.0	0.0
0.0		0.0			11253	0.0	0.0	0.0
0.0		0.0			11254	0.0	0.0	0.0
0.0		0.0			11251	0.0	0.0	0.0
0.0		0.0						
				Min	11250	0.0	0.0	0.0
0.0		0.0			11253	0.0	0.0	0.0
0.0		0.0			11254	0.0	0.0	0.0
0.0		0.0			11251	0.0	0.0	0.0
0.0		0.0						
			C3-C4;~1	Max	11250	0.0	0.0	0.0
0.0		0.0			11253	0.0	0.0	0.0
0.0		0.0			11254	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		11251	0.0	0.0	0.0	0.0
0.0	0.0		11250	0.0	0.0	0.0	0.0
0.0	0.0	Min	11253	0.0	0.0	0.0	0.0
0.0	0.0		11254	0.0	0.0	0.0	0.0
0.0	0.0		11251	0.0	0.0	0.0	0.0
0.0	0.0		11251	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2 Max	11250	0.0	0.0	0.0	0.0
0.0	0.0		11253	0.0	0.0	0.0	0.0
0.0	0.0		11254	0.0	0.0	0.0	0.0
0.0	0.0		11251	0.0	0.0	0.0	0.0
0.0	0.0		11251	0.0	0.0	0.0	0.0
0.0	0.0	Min	11250	0.0	0.0	0.0	0.0
0.0	0.0		11253	0.0	0.0	0.0	0.0
0.0	0.0		11254	0.0	0.0	0.0	0.0
0.0	0.0		11251	0.0	0.0	0.0	0.0
0.0	0.0		11251	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2 Max	11250	0.0	0.0	0.0	0.0
0.0	0.0		11253	0.0	0.0	0.0	0.0
0.0	0.0		11254	0.0	0.0	0.0	0.0
0.0	0.0		11251	0.0	0.0	0.0	0.0
0.0	0.0		11251	0.0	0.0	0.0	0.0
0.0	0.0	Min	11250	0.0	0.0	0.0	0.0
0.0	0.0		11253	0.0	0.0	0.0	0.0
0.0	0.0		11254	0.0	0.0	0.0	0.0
0.0	0.0		11251	0.0	0.0	0.0	0.0
0.0	0.0		11251	0.0	0.0	0.0	0.0
4.1	-0.0	G1	11250	-76.7	-81.0	-0.0	-13.6
-4.4	-0.0		11253	-85.9	88.5	-0.0	-12.9
-2.6	-0.0		11254	89.2	80.8	0.0	-4.2
2.2	-0.0		11251	73.4	-87.8	0.0	-4.4
3.3	-0.0	G2	11250	-29.9	-31.3	-0.0	-7.9
-3.4	-0.0		11253	-34.0	35.3	-0.0	-7.5

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-2.9	-0.0			11254	35.0	31.2	0.0	3.0
2.7	0.0			11251	29.0	-35.1	0.0	3.1
0.0	0.0	Q3		11250	0.0	0.0	0.0	0.0
0.0	0.0			11253	0.0	0.0	0.0	0.0
0.0	0.0			11254	0.0	0.0	0.0	0.0
0.0	0.0			11251	0.0	0.0	0.0	0.0
2.6	0.0	Q5_pc		11250	-3.0	0.2	0.0	-3.1
-2.6	0.0			11253	1.6	1.5	0.0	-3.3
-2.8	0.0			11254	3.0	-0.1	-0.0	6.4
2.8	0.0			11251	-1.7	-1.6	-0.0	6.5
3.7	0.0	Q5_ps		11250	-3.5	-0.7	0.0	-4.8
-3.6	0.0			11253	0.4	2.5	0.0	-4.9
-3.9	0.0			11254	3.6	0.8	-0.0	9.5
3.9	0.0			11251	-0.4	-2.5	-0.0	9.7
12.2	-0.0	INVSLE Max		11250	-183.2	-156.2	-0.1	-16.1
-1.3	-0.0			11253	-136.0	186.0	-0.0	-14.9
3.7	-0.0			11254	243.6	157.8	0.1	-15.2
7.1	0.0			11251	89.1	-177.4	0.2	-17.8
1.2	-0.0	Min		11250	-193.7	-158.5	-0.2	-30.5
-12.1	-0.0			11253	-138.9	178.6	-0.1	-29.7
-8.2	-0.0			11254	232.9	155.5	0.0	-43.9
-4.6	-0.0			11251	86.1	-184.9	0.1	-46.8
9.0	-0.0	INVSLE Max		11250	-136.2	-116.4	-0.1	-13.7
-1.7	-0.0			11253	-102.0	138.3	-0.0	-12.7
2.1	-0.0			11254	181.3	117.5	0.1	-12.9
5.1	0.0			11251	66.0	-132.5	0.1	-14.8
1.7	-0.0	Min		11250	-143.2	-117.9	-0.1	-23.3

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-8.9	-0.0			11253	-104.0	133.3	-0.1	-22.6
-5.8	-0.0			11254	174.2	115.9	0.0	-32.0
-2.8	-0.0			11251	64.0	-137.5	0.1	-34.2

8598	2	8	C1-C2;~1	Max	11251	0.0	0.0	0.0	0.0
		0.0			11254	0.0	0.0	0.0	0.0
		0.0			3662	0.0	0.0	0.0	0.0
		0.0			3661	0.0	0.0	0.0	0.0
		0.0							
				Min	11251	0.0	0.0	0.0	0.0
					11254	0.0	0.0	0.0	0.0
					3662	0.0	0.0	0.0	0.0
					3661	0.0	0.0	0.0	0.0

			C3-C4;~1	Max	11251	0.0	0.0	0.0	0.0
		0.0			11254	0.0	0.0	0.0	0.0
		0.0			3662	0.0	0.0	0.0	0.0
		0.0			3661	0.0	0.0	0.0	0.0
		0.0							
				Min	11251	0.0	0.0	0.0	0.0
					11254	0.0	0.0	0.0	0.0
					3662	0.0	0.0	0.0	0.0
					3661	0.0	0.0	0.0	0.0

			C1-C2;~2	Max	11251	0.0	0.0	0.0	0.0
		0.0			11254	0.0	0.0	0.0	0.0
		0.0			3662	0.0	0.0	0.0	0.0
		0.0			3661	0.0	0.0	0.0	0.0
		0.0							
				Min	11251	0.0	0.0	0.0	0.0
					11254	0.0	0.0	0.0	0.0
					3662	0.0	0.0	0.0	0.0
					3661	0.0	0.0	0.0	0.0

			C3-C4;~2	Max	11251	0.0	0.0	0.0	0.0
--	--	--	----------	-----	-------	-----	-----	-----	-----

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		11254	0.0	0.0	0.0	0.0
0.0	0.0		3662	0.0	0.0	0.0	0.0
0.0	0.0		3661	0.0	0.0	0.0	0.0
0.0	0.0	Min	11251	0.0	0.0	0.0	0.0
0.0	0.0		11254	0.0	0.0	0.0	0.0
0.0	0.0		3662	0.0	0.0	0.0	0.0
0.0	0.0		3661	0.0	0.0	0.0	0.0
0.0	0.0						
-0.3	-0.0	G1	11251	-112.8	-79.6	-0.0	4.4
-0.1	-0.0		11254	-47.8	90.3	0.0	4.0
0.8	0.0		3662	125.5	76.8	-0.0	-5.8
-1.3	0.0		3661	35.1	-87.1	0.0	-7.1
2.1	0.0	G2	11251	-44.7	-30.8	-0.0	-3.1
-2.4	-0.0		11254	-18.7	36.2	0.0	-3.2
-2.2	-0.0		3662	49.8	29.6	-0.0	5.4
1.8	0.0		3661	13.5	-35.1	0.0	5.1
0.0	0.0	Q3	11251	0.0	0.0	0.0	0.0
0.0	0.0		11254	0.0	0.0	0.0	0.0
0.0	0.0		3662	0.0	0.0	0.0	0.0
0.0	0.0		3661	0.0	0.0	0.0	0.0
0.0	0.0						
3.3	0.0	Q5_pc	11251	-2.7	1.1	0.0	-6.5
-3.5	0.0		11254	1.4	1.8	0.0	-6.4
-3.9	-0.0		3662	2.5	-0.5	-0.0	11.9
3.5	-0.0		3661	-1.3	-2.4	-0.0	12.4
4.7	0.0	Q5_ps	11251	-3.3	0.1	0.0	-9.7
-5.0	0.0		11254	0.3	2.8	0.0	-9.5
-5.5	-0.0		3662	3.3	0.3	-0.0	16.6
4.9	-0.0		3661	-0.3	-3.2	-0.0	17.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

			INVS LU	Max	11251	-334.6	-153.6	0.1	46.9
5.4	0.0				11254	1.2	202.5	0.1	43.5
7.2	-0.0				3662	392.0	155.6	-0.1	35.6
5.9	0.0				3661	-46.2	-193.5	-0.0	32.5
7.6	0.0								
				Min	11251	-344.6	-155.6	0.0	17.8
-8.6	-0.0				11254	-1.4	194.1	0.1	15.0
-7.8	-0.0				3662	382.2	154.6	-0.1	-14.4
-10.5	0.0				3661	-48.6	-203.1	-0.1	-19.2
-7.1	0.0								
			INVS LE	Max	11251	-251.8	-114.4	0.1	34.2
3.4	0.0				11254	2.4	150.8	0.1	31.7
4.8	-0.0				3662	294.6	116.1	-0.1	23.5
4.0	0.0				3661	-36.9	-145.1	-0.0	21.0
4.8	0.0								
				Min	11251	-258.4	-115.7	0.0	14.8
-5.9	-0.0				11254	0.7	145.2	0.0	12.7
-5.2	-0.0				3662	288.0	115.5	-0.1	-9.8
-7.0	0.0				3661	-38.5	-151.6	-0.1	-13.4
-4.9	0.0								
8698	2	10	C1-C2;~1	Max	11339	0.0	0.0	0.0	0.0
0.0		0.0			11342	0.0	0.0	0.0	0.0
0.0		0.0			11343	0.0	0.0	0.0	0.0
0.0		0.0			11340	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	11339	0.0	0.0	0.0	0.0
0.0		0.0			11342	0.0	0.0	0.0	0.0
0.0		0.0			11343	0.0	0.0	0.0	0.0
0.0		0.0			11340	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	11339	0.0	0.0	0.0	0.0
0.0		0.0			11342	0.0	0.0	0.0	0.0
0.0		0.0			11343	0.0	0.0	0.0	0.0
0.0		0.0			11340	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0						
		Min	11339	0.0	0.0	0.0	0.0
0.0	0.0		11342	0.0	0.0	0.0	0.0
0.0	0.0		11343	0.0	0.0	0.0	0.0
0.0	0.0		11340	0.0	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	11339	0.0	0.0	0.0
0.0	0.0		11342	0.0	0.0	0.0	0.0
0.0	0.0		11343	0.0	0.0	0.0	0.0
0.0	0.0		11340	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	11339	0.0	0.0	0.0	0.0
0.0	0.0		11342	0.0	0.0	0.0	0.0
0.0	0.0		11343	0.0	0.0	0.0	0.0
0.0	0.0		11340	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	11339	0.0	0.0	0.0
0.0	0.0		11342	0.0	0.0	0.0	0.0
0.0	0.0		11343	0.0	0.0	0.0	0.0
0.0	0.0		11340	0.0	0.0	0.0	0.0
0.0	0.0						
		Min	11339	0.0	0.0	0.0	0.0
0.0	0.0		11342	0.0	0.0	0.0	0.0
0.0	0.0		11343	0.0	0.0	0.0	0.0
0.0	0.0		11340	0.0	0.0	0.0	0.0
0.0	0.0						
		G1	11339	-105.9	-11.8	0.0	122.0
-75.5	0.0		11342	75.9	19.1	0.0	120.6
69.3	-0.0		11343	91.9	12.7	-0.0	-107.6
70.1	0.0		11340	-61.8	-19.7	-0.0	-107.7
-76.4	-0.0						
		G2	11339	-43.2	-4.5	0.0	49.4
-30.2	0.0		11342	30.6	8.4	0.0	48.8
27.5	-0.0		11343	37.5	4.9	-0.0	-42.4
27.6	0.0						

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

-30.3	-0.0			11340	-24.9	-8.8	-0.0	-42.5
		Q3		11339	0.0	0.0	0.0	0.0
0.0	0.0			11342	0.0	0.0	0.0	0.0
0.0	0.0			11343	0.0	0.0	0.0	0.0
0.0	0.0			11340	0.0	0.0	0.0	0.0
		Q5_pc		11339	5.0	0.2	0.0	-6.6
5.4	-0.0			11342	-5.0	0.2	0.0	-6.6
-5.2	0.0			11343	-5.0	-0.1	-0.0	9.7
-5.8	0.0			11340	5.0	-0.2	-0.0	9.6
6.1	0.0							
		Q5_ps		11339	4.1	-0.1	0.0	-6.1
5.2	-0.0			11342	-5.0	0.7	0.0	-6.2
-5.2	0.0			11343	-4.1	0.2	-0.0	9.7
-5.9	0.0			11340	5.0	-0.8	-0.0	9.6
6.0	0.0							
		INVSLE	Max	11339	-64.4	-13.4	0.4	102.7
16.6	-0.0			11342	39.7	27.3	0.3	99.1
1.9	0.0			11343	20.8	14.8	-0.3	109.5
-24.1	0.0			11340	31.3	-25.4	-0.4	109.5
47.7	0.0							
			Min	11339	-76.7	-13.8	0.4	84.3
0.8	-0.0			11342	24.6	25.1	0.3	80.4
-13.6	0.0			11343	8.4	14.1	-0.3	80.4
-41.8	0.0			11340	16.3	-27.9	-0.4	80.8
29.7	0.0							
		INVSLE	Max	11339	-42.7	-9.5	0.3	69.9
17.4	-0.0			11342	24.5	19.4	0.3	67.2
-4.3	0.0			11343	8.4	10.4	-0.2	91.0
-24.6	0.0			11340	28.0	-18.1	-0.3	91.0
41.5	0.0							
			Min	11339	-50.9	-9.7	0.3	57.6
6.9	-0.0			11342	14.5	17.9	0.2	54.8
-14.7	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		


0.0	0.0		11344	0.0	0.0	0.0	0.0
0.0	0.0		11341	0.0	0.0	0.0	0.0
0.0	0.0	Min	11340	0.0	0.0	0.0	0.0
0.0	0.0		11343	0.0	0.0	0.0	0.0
0.0	0.0		11344	0.0	0.0	0.0	0.0
0.0	0.0		11341	0.0	0.0	0.0	0.0
-62.1	-0.0	G1	11340	-66.2	-11.0	0.2	107.8
56.2	0.0		11343	35.2	21.4	0.2	108.1
39.2	0.0		11344	54.6	11.4	-0.2	-19.4
-44.8	-0.0		11341	-23.6	-21.5	-0.2	-19.4
-24.2	-0.0	G2	11340	-27.1	-4.1	0.1	42.5
21.7	0.0		11343	14.0	9.5	0.1	42.6
14.6	0.0		11344	22.3	4.3	-0.1	-5.2
-17.1	-0.0		11341	-9.2	-9.6	-0.1	-5.3
0.0	0.0	Q3	11340	0.0	0.0	0.0	0.0
0.0	0.0		11343	0.0	0.0	0.0	0.0
0.0	0.0		11344	0.0	0.0	0.0	0.0
0.0	0.0		11341	0.0	0.0	0.0	0.0
6.1	0.0	Q5_pc	11340	5.1	0.2	-0.0	-9.6
-5.7	0.0		11343	-5.1	0.2	-0.0	-9.7
-4.9	-0.0		11344	-5.2	-0.2	0.0	6.9
5.3	0.0		11341	5.2	-0.2	0.0	7.0
6.1	0.0	Q5_ps	11340	4.2	-0.2	-0.0	-9.6
-6.0	0.0		11343	-5.3	0.8	-0.0	-9.7
-5.3	-0.0		11344	-4.4	0.3	0.0	8.0
5.5	0.0		11341	5.4	-0.9	0.0	8.1

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

			INVSLU	Max	11340	109.0	-8.5	0.2	-81.2
87.0	0.0				11343	-130.3	31.0	0.2	-78.6
-57.8	0.0				11344	-154.7	8.3	-0.1	210.7
-69.7	-0.0				11341	205.0	-27.1	-0.3	217.9
98.4	0.0								
				Min	11340	96.3	-9.2	0.2	-110.0
68.5	0.0				11343	-146.2	28.5	0.2	-107.7
-75.7	0.0				11344	-167.9	7.5	-0.2	186.7
-85.4	-0.0				11341	188.7	-29.8	-0.3	193.7
81.9	0.0								
			INVSLE	Max	11340	89.2	-5.7	0.2	-72.1
70.7	0.0				11343	-104.7	22.1	0.1	-70.2
-49.7	0.0				11344	-125.3	5.5	-0.1	162.7
-57.4	-0.0				11341	160.2	-19.4	-0.2	168.2
78.4	0.0								
				Min	11340	80.7	-6.2	0.2	-91.3
58.5	0.0				11343	-115.3	20.5	0.1	-89.6
-61.6	0.0				11344	-134.1	5.0	-0.1	146.7
-67.9	-0.0				11341	149.3	-21.2	-0.2	152.1
67.4	0.0								
8700	2	10	C1-C2;~1	Max	11341	0.0	0.0	0.0	0.0
0.0		0.0			11344	0.0	0.0	0.0	0.0
0.0		0.0			3689	0.0	0.0	0.0	0.0
0.0		0.0			3688	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	11341	0.0	0.0	0.0	0.0
0.0		0.0			11344	0.0	0.0	0.0	0.0
0.0		0.0			3689	0.0	0.0	0.0	0.0
0.0		0.0			3688	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	11341	0.0	0.0	0.0	0.0
0.0		0.0			11344	0.0	0.0	0.0	0.0
0.0		0.0			3689	0.0	0.0	0.0	0.0
0.0		0.0			3688	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H				
			Min	11341	0.0	0.0	0.0	0.0
0.0	0.0			11344	0.0	0.0	0.0	0.0
0.0	0.0			3689	0.0	0.0	0.0	0.0
0.0	0.0			3688	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	11341	0.0	0.0	0.0	0.0
0.0	0.0			11344	0.0	0.0	0.0	0.0
0.0	0.0			3689	0.0	0.0	0.0	0.0
0.0	0.0			3688	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	11341	0.0	0.0	0.0	0.0
0.0	0.0			11344	0.0	0.0	0.0	0.0
0.0	0.0			3689	0.0	0.0	0.0	0.0
0.0	0.0			3688	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	11341	0.0	0.0	0.0	0.0
0.0	0.0			11344	0.0	0.0	0.0	0.0
0.0	0.0			3689	0.0	0.0	0.0	0.0
0.0	0.0			3688	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	11341	0.0	0.0	0.0	0.0
0.0	0.0			11344	0.0	0.0	0.0	0.0
0.0	0.0			3689	0.0	0.0	0.0	0.0
0.0	0.0			3688	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		11341	-31.0	-10.1	0.3	20.1
-12.0	-0.0			11344	-0.7	23.5	0.2	20.1
5.0	0.0			3689	19.2	10.1	-0.3	108.7
-19.3	0.0			3688	12.6	-23.3	-0.2	106.9
10.4	0.0							
		G2		11341	-12.7	-3.7	0.1	5.5
-3.6	-0.0			11344	-0.7	10.4	0.1	5.5
0.6	0.0			3689	7.9	3.7	-0.1	48.1
-9.4	0.0			3688	5.5	-10.4	-0.1	47.3
5.5	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0	Q3	11341	0.0	0.0	0.0	0.0
0.0	0.0		11344	0.0	0.0	0.0	0.0
0.0	0.0		3689	0.0	0.0	0.0	0.0
0.0	0.0		3688	0.0	0.0	0.0	0.0
3.0	0.0	Q5_pc	11341	5.6	0.3	-0.0	-7.1
-2.5	-0.0		11344	-5.5	0.2	-0.0	-7.0
-0.5	-0.0		3689	-5.7	-0.3	0.0	-4.1
1.0	0.0		3688	5.7	-0.2	0.0	-4.0
3.5	0.0	Q5_ps	11341	4.8	-0.1	-0.0	-8.2
-3.2	-0.0		11344	-5.8	0.9	-0.0	-8.0
-1.3	-0.0		3689	-4.9	0.2	0.0	-1.5
1.6	0.0		3688	5.9	-0.9	0.0	-1.4
71.3	0.0	INVS LU Max	11341	289.6	-5.8	-0.6	-194.1
-48.4	-0.0		11344	-313.2	38.7	-0.4	-186.9
-12.0	-0.0		3689	-337.7	4.5	0.5	-66.5
27.2	0.0		3688	393.5	-33.9	0.6	-68.6
60.8	0.0	Min	11341	275.2	-6.4	-0.6	-218.6
-58.0	-0.0		11344	-330.4	36.2	-0.5	-211.0
-16.0	-0.0		3689	-352.6	4.0	0.5	-73.9
22.3	0.0		3688	375.7	-36.6	0.5	-75.7
55.1	0.0	INVS LE Max	11341	226.8	-3.8	-0.5	-152.5
-37.7	-0.0		11344	-244.4	28.2	-0.4	-146.9
-7.3	-0.0		3689	-264.9	2.7	0.4	-62.5
19.4	0.0		3688	304.0	-24.7	0.5	-63.9
48.1	0.0	Min	11341	217.2	-4.2	-0.5	-168.8
-44.2	-0.0		11344	-256.0	26.5	-0.4	-163.0
-9.9	-0.0		3689	-274.8	2.4	0.4	-67.4

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

					3688	292.2	-26.5	0.4	-68.6
16.2	0.0								
8701	2	4	C1-C2;~1	Max	11342	0.0	0.0	0.0	0.0
0.0	0.0				11345	0.0	0.0	0.0	0.0
0.0	0.0				11346	0.0	0.0	0.0	0.0
0.0	0.0				11343	0.0	0.0	0.0	0.0
0.0	0.0								
				Min	11342	0.0	0.0	0.0	0.0
0.0	0.0				11345	0.0	0.0	0.0	0.0
0.0	0.0				11346	0.0	0.0	0.0	0.0
0.0	0.0				11343	0.0	0.0	0.0	0.0
0.0	0.0								
			C3-C4;~1	Max	11342	0.0	0.0	0.0	0.0
0.0	0.0				11345	0.0	0.0	0.0	0.0
0.0	0.0				11346	0.0	0.0	0.0	0.0
0.0	0.0				11343	0.0	0.0	0.0	0.0
0.0	0.0								
				Min	11342	0.0	0.0	0.0	0.0
0.0	0.0				11345	0.0	0.0	0.0	0.0
0.0	0.0				11346	0.0	0.0	0.0	0.0
0.0	0.0				11343	0.0	0.0	0.0	0.0
0.0	0.0								
			C1-C2;~2	Max	11342	0.0	0.0	0.0	0.0
0.0	0.0				11345	0.0	0.0	0.0	0.0
0.0	0.0				11346	0.0	0.0	0.0	0.0
0.0	0.0				11343	0.0	0.0	0.0	0.0
0.0	0.0								
				Min	11342	0.0	0.0	0.0	0.0
0.0	0.0				11345	0.0	0.0	0.0	0.0
0.0	0.0				11346	0.0	0.0	0.0	0.0
0.0	0.0				11343	0.0	0.0	0.0	0.0
0.0	0.0								
			C3-C4;~2	Max	11342	0.0	0.0	0.0	0.0
0.0	0.0				11345	0.0	0.0	0.0	0.0
0.0	0.0				11346	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		11343	0.0	0.0	0.0	0.0
0.0	0.0		11343	0.0	0.0	0.0	0.0
0.0	0.0	Min	11342	0.0	0.0	0.0	0.0
0.0	0.0		11345	0.0	0.0	0.0	0.0
0.0	0.0		11346	0.0	0.0	0.0	0.0
0.0	0.0		11343	0.0	0.0	0.0	0.0
0.0	0.0		11343	0.0	0.0	0.0	0.0
-69.1	-0.0	G1	11342	-108.2	-12.7	0.0	162.6
70.1	-0.0		11345	74.1	22.0	0.1	153.1
70.1	0.0		11346	93.9	14.0	-0.1	-135.0
-70.4	0.0		11343	-59.8	-22.9	-0.0	-145.4
-27.4	-0.0	G2	11342	-44.2	-4.9	0.0	65.7
27.8	-0.0		11345	29.9	9.7	0.0	61.9
27.5	0.0		11346	38.3	5.4	-0.0	-53.1
-27.7	0.0		11343	-24.0	-10.1	-0.0	-57.2
0.0	0.0	Q3	11342	0.0	0.0	0.0	0.0
0.0	0.0		11345	0.0	0.0	0.0	0.0
0.0	0.0		11346	0.0	0.0	0.0	0.0
0.0	0.0		11343	0.0	0.0	0.0	0.0
5.2	0.0	Q5_pc	11342	5.0	0.0	0.0	-9.0
-5.3	0.0		11345	-5.1	0.1	0.0	-8.4
-5.9	-0.0		11346	-5.0	-0.1	-0.0	12.3
5.8	0.0		11343	5.0	-0.1	-0.0	13.1
5.2	0.0	Q5_ps	11342	4.2	-0.4	0.0	-8.5
-5.3	0.0		11345	-5.2	0.8	0.0	-8.0
-6.0	-0.0		11346	-4.2	0.3	-0.0	12.5
5.9	0.0		11343	5.2	-0.7	-0.0	13.2
14.7	0.0	INVSLU Max	11342	-70.3	-18.0	0.6	135.8

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
6.1	0.0			11345	39.0	29.2	0.4	132.9
-19.4	0.0			11346	25.9	20.2	-0.3	136.0
40.6	0.0			11343	33.4	-28.0	-0.6	144.4
-0.8	0.0		Min	11342	-82.9	-19.0	0.6	110.3
-9.8	0.0			11345	23.5	27.0	0.3	108.9
-37.5	0.0			11346	13.3	19.4	-0.3	98.6
23.0	0.0			11343	17.9	-30.0	-0.6	104.7
15.5	0.0	INVSLE	Max	11342	-47.0	-12.9	0.5	92.3
-1.2	0.0			11345	24.1	20.7	0.3	90.8
-21.1	0.0			11346	12.2	14.5	-0.2	113.0
35.5	0.0			11343	29.5	-19.9	-0.5	120.1
5.1	0.0		Min	11342	-55.5	-13.7	0.4	75.3
-11.8	0.0			11345	13.8	19.2	0.3	74.8
-33.1	0.0			11346	3.8	14.0	-0.3	88.0
23.7	0.0			11343	19.1	-21.2	-0.5	93.6
8702	2	4	C1-C2;~1	Max	11343	0.0	0.0	0.0
0.0	0.0			11346	0.0	0.0	0.0	0.0
0.0	0.0			11347	0.0	0.0	0.0	0.0
0.0	0.0			11344	0.0	0.0	0.0	0.0
0.0	0.0		Min	11343	0.0	0.0	0.0	0.0
0.0	0.0			11346	0.0	0.0	0.0	0.0
0.0	0.0			11347	0.0	0.0	0.0	0.0
0.0	0.0			11344	0.0	0.0	0.0	0.0
0.0	0.0		C3-C4;~1	Max	11343	0.0	0.0	0.0
0.0	0.0			11346	0.0	0.0	0.0	0.0
0.0	0.0			11347	0.0	0.0	0.0	0.0
0.0	0.0			11344	0.0	0.0	0.0	0.0
0.0	0.0		Min	11343	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	0.0		11346	0.0	0.0	0.0	0.0
0.0	0.0		11347	0.0	0.0	0.0	0.0
0.0	0.0		11344	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2 Max	11343	0.0	0.0	0.0	0.0
0.0	0.0		11346	0.0	0.0	0.0	0.0
0.0	0.0		11347	0.0	0.0	0.0	0.0
0.0	0.0		11344	0.0	0.0	0.0	0.0
0.0	0.0	Min	11343	0.0	0.0	0.0	0.0
0.0	0.0		11346	0.0	0.0	0.0	0.0
0.0	0.0		11347	0.0	0.0	0.0	0.0
0.0	0.0		11344	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2 Max	11343	0.0	0.0	0.0	0.0
0.0	0.0		11346	0.0	0.0	0.0	0.0
0.0	0.0		11347	0.0	0.0	0.0	0.0
0.0	0.0		11344	0.0	0.0	0.0	0.0
0.0	0.0	Min	11343	0.0	0.0	0.0	0.0
0.0	0.0		11346	0.0	0.0	0.0	0.0
0.0	0.0		11347	0.0	0.0	0.0	0.0
0.0	0.0		11344	0.0	0.0	0.0	0.0
-55.9	0.0	G1	11343	-67.3	-11.1	0.3	144.9
54.4	0.0		11346	33.4	23.8	0.1	135.8
38.0	0.0		11347	55.6	12.0	-0.1	-20.7
-39.6	0.0		11344	-21.7	-24.4	-0.3	-24.2
-21.5	0.0	G2	11343	-27.5	-4.2	0.1	57.0
20.8	0.0		11346	13.2	10.5	0.1	53.4
13.9	0.0		11347	22.7	4.5	-0.1	-4.7
-14.8	0.0		11344	-8.5	-10.8	-0.1	-6.1

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
			Q3	11343	0.0	0.0	0.0	0.0
0.0	0.0			11346	0.0	0.0	0.0	0.0
0.0	0.0			11347	0.0	0.0	0.0	0.0
0.0	0.0			11344	0.0	0.0	0.0	0.0
			Q5_pc	11343	5.0	-0.0	-0.0	-13.1
5.7	0.0			11346	-5.1	0.2	-0.0	-12.3
-5.8	-0.0			11347	-5.1	-0.1	0.0	8.9
-5.1	-0.0			11344	5.3	-0.1	0.0	9.3
4.9	-0.0							
			Q5_ps	11343	4.2	-0.4	-0.0	-13.2
6.0	0.0			11346	-5.4	0.8	0.0	-12.5
-6.2	-0.0			11347	-4.4	0.3	-0.0	10.4
-5.6	-0.0			11344	5.5	-0.8	0.0	10.9
5.3	-0.0							
			INVS LU Max	11343	104.3	-14.5	0.3	-106.4
76.9	0.0			11346	-134.5	33.6	0.3	-96.3
-58.1	0.0			11347	-150.5	15.3	-0.3	267.0
-70.5	-0.0			11344	209.9	-30.4	-0.3	282.0
85.2	-0.0							
			Min	11343	91.6	-15.8	0.3	-146.2
59.0	0.0			11346	-150.6	31.1	0.3	-133.8
-76.8	0.0			11347	-163.6	14.3	-0.3	235.7
-87.2	-0.0			11344	193.4	-32.7	-0.3	249.3
69.4	-0.0							
			INVS LE Max	11343	85.7	-10.5	0.2	-95.0
62.4	0.0			11346	-108.0	24.0	0.2	-86.3
-49.9	0.0			11347	-122.1	10.9	-0.2	205.8
-58.0	-0.0			11344	163.9	-21.8	-0.2	217.6
67.7	-0.0							
			Min	11343	77.2	-11.3	0.2	-121.5
50.5	0.0			11346	-118.7	22.3	0.2	-111.3
-62.3	0.0			11347	-130.9	10.2	-0.2	185.0
-69.2	-0.0			11344	152.9	-23.3	-0.2	195.7
57.2	-0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


8703	2	4	C1-C2;~1	Max	11344	0.0	0.0	0.0	0.0
0.0		0.0			11347	0.0	0.0	0.0	0.0
0.0		0.0			3690	0.0	0.0	0.0	0.0
0.0		0.0			3689	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	11344	0.0	0.0	0.0	0.0
0.0		0.0			11347	0.0	0.0	0.0	0.0
0.0		0.0			3690	0.0	0.0	0.0	0.0
0.0		0.0			3689	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	11344	0.0	0.0	0.0	0.0
0.0		0.0			11347	0.0	0.0	0.0	0.0
0.0		0.0			3690	0.0	0.0	0.0	0.0
0.0		0.0			3689	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	11344	0.0	0.0	0.0	0.0
0.0		0.0			11347	0.0	0.0	0.0	0.0
0.0		0.0			3690	0.0	0.0	0.0	0.0
0.0		0.0			3689	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	11344	0.0	0.0	0.0	0.0
0.0		0.0			11347	0.0	0.0	0.0	0.0
0.0		0.0			3690	0.0	0.0	0.0	0.0
0.0		0.0			3689	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	11344	0.0	0.0	0.0	0.0
0.0		0.0			11347	0.0	0.0	0.0	0.0
0.0		0.0			3690	0.0	0.0	0.0	0.0
0.0		0.0			3689	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	11344	0.0	0.0	0.0	0.0
0.0		0.0			11347	0.0	0.0	0.0	0.0
0.0		0.0			3690	0.0	0.0	0.0	0.0
0.0		0.0			3689	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

0.0	0.0							
		Min	11344	0.0	0.0	0.0	0.0	0.0
0.0	0.0		11347	0.0	0.0	0.0	0.0	0.0
0.0	0.0		3690	0.0	0.0	0.0	0.0	0.0
0.0	0.0		3689	0.0	0.0	0.0	0.0	0.0
0.0	0.0							
		G1	11344	-32.1	-10.5	0.5	23.5	
-4.6	0.0		11347	-2.8	25.7	0.2	22.9	
1.3	0.0		3690	20.2	11.2	-0.2	143.6	
-22.8	-0.0		3689	14.7	-26.1	-0.4	151.9	
17.7	0.0							
		G2	11344	-13.2	-3.9	0.2	5.8	
-0.4	0.0		11347	-1.5	11.4	0.1	5.6	
-1.3	0.0		3690	8.3	4.1	-0.1	64.1	
-11.2	-0.0		3689	6.4	-11.6	-0.2	67.4	
8.7	0.0							
		Q3	11344	0.0	0.0	0.0	0.0	
0.0	0.0		11347	0.0	0.0	0.0	0.0	
0.0	0.0		3690	0.0	0.0	0.0	0.0	
0.0	0.0		3689	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q5_pc	11344	5.5	0.1	-0.0	-9.3	
2.5	-0.0		11347	-5.6	0.3	-0.0	-9.0	
-2.7	-0.0		3690	-5.6	-0.2	0.0	-4.7	
-0.7	-0.0		3689	5.7	-0.2	0.0	-5.4	
0.6	-0.0							
		Q5_ps	11344	4.7	-0.4	-0.0	-10.9	
3.2	-0.0		11347	-5.9	1.0	-0.0	-10.6	
-3.6	-0.0		3690	-4.8	0.2	0.0	-1.1	
-1.8	-0.0		3689	6.0	-0.9	0.0	-1.7	
1.4	-0.0							
		INVSLU Max	11344	288.5	-13.3	-0.8	-249.1	
58.3	-0.0		11347	-321.5	41.6	-0.5	-236.1	
-48.1	-0.0							

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-12.9	-0.0			3690	-340.2	11.8	0.5	-82.8	
20.1	-0.0			3689	405.3	-36.0	0.9	-87.3	
			Min	11344	274.5	-14.3	-0.9	-281.7	
48.7	-0.0			11347	-339.0	38.6	-0.5	-267.9	
-58.8	-0.0			3690	-354.7	11.1	0.5	-91.3	
-18.3	-0.0			3689	387.2	-38.7	0.8	-97.0	
15.9	-0.0								
			INVSLE	Max	11344	226.1	-9.6	-0.7	-195.5
44.4	-0.0			11347	-250.9	30.3	-0.4	-185.4	
-37.2	-0.0			3690	-267.0	8.4	0.4	-78.9	
-7.7	-0.0			3689	313.3	-26.2	0.7	-83.0	
13.3	-0.0								
			Min	11344	216.8	-10.3	-0.7	-217.3	
38.0	-0.0			11347	-262.7	28.2	-0.4	-206.6	
-44.4	-0.0			3690	-276.7	7.9	0.4	-84.5	
-11.3	-0.0			3689	301.2	-28.0	0.6	-89.5	
10.4	-0.0								
8770	2	8	C1-C2;~1	Max	11402	0.0	0.0	0.0	
0.0	0.0	0.0			11405	0.0	0.0	0.0	
0.0	0.0	0.0			11406	0.0	0.0	0.0	
0.0	0.0	0.0			11403	0.0	0.0	0.0	
0.0	0.0	0.0							
			Min	11402	0.0	0.0	0.0	0.0	
0.0	0.0	0.0			11405	0.0	0.0	0.0	
0.0	0.0	0.0			11406	0.0	0.0	0.0	
0.0	0.0	0.0			11403	0.0	0.0	0.0	
0.0	0.0	0.0							
			C3-C4;~1	Max	11402	0.0	0.0	0.0	
0.0	0.0	0.0			11405	0.0	0.0	0.0	
0.0	0.0	0.0			11406	0.0	0.0	0.0	
0.0	0.0	0.0			11403	0.0	0.0	0.0	
0.0	0.0	0.0							
			Min	11402	0.0	0.0	0.0	0.0	
0.0	0.0	0.0			11405	0.0	0.0	0.0	
0.0	0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		11406	0.0	0.0	0.0	0.0
0.0	0.0		11403	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2; ~2	Max 11402	0.0	0.0	0.0	0.0
0.0	0.0		11405	0.0	0.0	0.0	0.0
0.0	0.0		11406	0.0	0.0	0.0	0.0
0.0	0.0		11403	0.0	0.0	0.0	0.0
0.0	0.0		Min 11402	0.0	0.0	0.0	0.0
0.0	0.0		11405	0.0	0.0	0.0	0.0
0.0	0.0		11406	0.0	0.0	0.0	0.0
0.0	0.0		11403	0.0	0.0	0.0	0.0
0.0	0.0		Min 11402	0.0	0.0	0.0	0.0
0.0	0.0		11405	0.0	0.0	0.0	0.0
0.0	0.0		11406	0.0	0.0	0.0	0.0
0.0	0.0		11403	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4; ~2	Max 11402	0.0	0.0	0.0	0.0
0.0	0.0		11405	0.0	0.0	0.0	0.0
0.0	0.0		11406	0.0	0.0	0.0	0.0
0.0	0.0		11403	0.0	0.0	0.0	0.0
0.0	0.0		Min 11402	0.0	0.0	0.0	0.0
0.0	0.0		11405	0.0	0.0	0.0	0.0
0.0	0.0		11406	0.0	0.0	0.0	0.0
0.0	0.0		11403	0.0	0.0	0.0	0.0
6.4	-0.0	G1	11402	116.6	80.3	-0.0	-19.1
-6.5	-0.0		11405	36.0	-76.2	-0.0	-20.7
-6.3	0.0		11406	-104.5	-80.9	0.0	13.2
6.2	0.0		11403	-48.1	77.1	0.0	12.1
3.4	-0.0	G2	11402	46.6	32.8	-0.0	-7.9
-3.4	-0.0		11405	14.7	-30.2	0.0	-8.5
-3.7	-0.0		11406	-41.9	-33.0	-0.0	7.7
3.6	0.0		11403	-19.5	30.4	0.0	7.2
0.0	0.0	Q3	11402	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0			11405	0.0	0.0	0.0	0.0
0.0	0.0			11406	0.0	0.0	0.0	0.0
0.0	0.0			11403	0.0	0.0	0.0	0.0
2.9	0.0	Q5_pc		11402	1.5	1.4	0.0	-4.2
-3.1	0.0			11405	0.3	-0.5	0.0	-3.9
-3.3	-0.0			11406	-1.5	-1.4	-0.0	5.3
3.1	-0.0			11403	-0.3	0.5	-0.0	5.4
3.4	0.0	Q5_ps		11402	2.5	2.3	0.0	-4.5
-3.6	0.0			11405	0.9	-1.3	0.0	-4.2
-4.0	-0.0			11406	-2.5	-2.3	-0.0	6.8
3.8	-0.0			11403	-0.9	1.2	-0.0	6.9
21.4	-0.0	INVSLU	Max	11402	281.9	170.8	-0.0	-52.4
-12.9	0.0			11405	42.1	-157.4	-0.1	-58.0
-10.2	0.0			11406	-225.9	-165.8	0.1	33.3
20.1	0.0			11403	-88.0	163.4	0.1	31.8
11.3	-0.0		Min	11402	274.4	164.0	-0.1	-65.8
-23.7	-0.0			11405	39.5	-161.1	-0.1	-70.6
-22.2	0.0			11406	-233.3	-172.6	0.1	12.8
8.8	0.0			11403	-90.8	159.7	0.1	11.0
16.1	-0.0	INVSLE	Max	11402	213.2	127.2	-0.0	-41.2
-10.7	0.0			11405	28.4	-117.8	-0.1	-45.5
-8.7	0.0			11406	-171.2	-124.1	0.1	25.1
15.1	0.0			11403	-63.6	122.1	0.1	23.9
9.3	-0.0		Min	11402	208.2	122.6	-0.0	-50.1
-17.9	-0.0			11405	26.7	-120.3	-0.1	-53.8
-16.7	0.0			11406	-176.2	-128.6	0.1	11.5
7.5	0.0			11403	-65.5	119.6	0.0	10.0

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			

8771	2	8	C1-C2;~1	Max	11403	0.0	0.0	0.0	0.0
0.0		0.0			11406	0.0	0.0	0.0	0.0
0.0		0.0			11407	0.0	0.0	0.0	0.0
0.0		0.0			11404	0.0	0.0	0.0	0.0
0.0		0.0		Min	11403	0.0	0.0	0.0	0.0
0.0		0.0			11406	0.0	0.0	0.0	0.0
0.0		0.0			11407	0.0	0.0	0.0	0.0
0.0		0.0			11404	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	11403	0.0	0.0	0.0	0.0
0.0		0.0			11406	0.0	0.0	0.0	0.0
0.0		0.0			11407	0.0	0.0	0.0	0.0
0.0		0.0			11404	0.0	0.0	0.0	0.0
0.0		0.0		Min	11403	0.0	0.0	0.0	0.0
0.0		0.0			11406	0.0	0.0	0.0	0.0
0.0		0.0			11407	0.0	0.0	0.0	0.0
0.0		0.0			11404	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	11403	0.0	0.0	0.0	0.0
0.0		0.0			11406	0.0	0.0	0.0	0.0
0.0		0.0			11407	0.0	0.0	0.0	0.0
0.0		0.0			11404	0.0	0.0	0.0	0.0
0.0		0.0		Min	11403	0.0	0.0	0.0	0.0
0.0		0.0			11406	0.0	0.0	0.0	0.0
0.0		0.0			11407	0.0	0.0	0.0	0.0
0.0		0.0			11404	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~2	Max	11403	0.0	0.0	0.0	0.0
0.0		0.0			11406	0.0	0.0	0.0	0.0
0.0		0.0			11407	0.0	0.0	0.0	0.0
0.0		0.0			11404	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
			Min	11403	0.0	0.0	0.0	0.0
0.0	0.0			11406	0.0	0.0	0.0	0.0
0.0	0.0			11407	0.0	0.0	0.0	0.0
0.0	0.0			11404	0.0	0.0	0.0	0.0
		G1		11403	81.3	83.6	-0.0	-12.2
4.0	0.0			11406	71.8	-74.5	-0.0	-13.2
-4.1	0.0			11407	-69.1	-83.1	0.0	-4.0
-2.2	0.0			11404	-84.0	74.4	0.0	-3.8
2.2	0.0							
		G2		11403	32.8	34.1	-0.0	-7.2
3.3	0.0			11406	28.8	-29.6	-0.0	-7.7
-3.4	-0.0			11407	-28.0	-34.0	0.0	3.7
-2.8	-0.0			11404	-33.6	29.4	0.0	3.7
2.9	0.0							
		Q3		11403	0.0	0.0	0.0	0.0
0.0	0.0			11406	0.0	0.0	0.0	0.0
0.0	0.0			11407	0.0	0.0	0.0	0.0
0.0	0.0			11404	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		11403	1.3	1.7	0.0	-5.4
3.3	-0.0			11406	0.4	0.0	0.0	-5.3
-3.5	-0.0			11407	-1.2	-1.7	-0.0	7.5
-3.5	-0.0			11404	-0.5	0.1	-0.0	7.4
3.4	-0.0							
		Q5_ps		11403	2.3	2.6	0.0	-6.9
4.3	-0.0			11406	1.1	-0.9	0.0	-6.8
-4.5	-0.0			11407	-2.2	-2.6	-0.0	10.6
-4.6	-0.0			11404	-1.3	0.9	-0.0	10.4
4.5	-0.0							
		INVSLU	Max	11403	137.0	180.6	-0.1	-11.6
13.7	0.0			11406	185.4	-149.7	-0.1	-12.6
-1.4	0.0			11407	-80.8	-171.7	0.1	-13.0
4.0	-0.0							

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
9.6	0.0			11404	-231.3	151.8	0.1	-9.9
			Min	11403	129.9	172.8	-0.1	-32.3
0.6	0.0			11406	182.2	-152.4	-0.1	-33.1
-14.9	0.0			11407	-87.3	-179.6	0.1	-44.7
-9.9	-0.0			11404	-235.1	149.0	0.1	-41.2
-3.9	0.0							
		INVSLE	Max	11403	102.6	134.5	-0.0	-10.5
10.0	0.0			11406	137.6	-111.9	-0.1	-11.3
-2.0	0.0			11407	-60.5	-128.5	0.1	-11.4
2.2	-0.0			11404	-172.9	113.3	0.1	-9.0
6.8	0.0							
			Min	11403	97.9	129.3	-0.1	-24.3
1.3	0.0			11406	135.4	-113.6	-0.1	-24.9
-11.0	0.0			11407	-64.8	-133.7	0.1	-32.5
-7.0	-0.0			11404	-175.4	111.4	0.0	-29.9
-2.2	0.0							
8772	2	8	C1-C2;~1	Max	11404	0.0	0.0	0.0
0.0	0.0				11407	0.0	0.0	0.0
0.0	0.0				3710	0.0	0.0	0.0
0.0	0.0				3709	0.0	0.0	0.0
0.0	0.0							
			Min	11404	0.0	0.0	0.0	0.0
0.0	0.0				11407	0.0	0.0	0.0
0.0	0.0				3710	0.0	0.0	0.0
0.0	0.0				3709	0.0	0.0	0.0
0.0	0.0							
			Max	11404	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~1			11407	0.0	0.0	0.0
0.0	0.0				3710	0.0	0.0	0.0
0.0	0.0				3709	0.0	0.0	0.0
0.0	0.0							
			Min	11404	0.0	0.0	0.0	0.0
0.0	0.0				11407	0.0	0.0	0.0
0.0	0.0				3710	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	0.0		3709	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2	Max 11404	0.0	0.0	0.0	0.0
0.0	0.0		11407	0.0	0.0	0.0	0.0
0.0	0.0		3710	0.0	0.0	0.0	0.0
0.0	0.0		3709	0.0	0.0	0.0	0.0
0.0	0.0		Min 11404	0.0	0.0	0.0	0.0
0.0	0.0		11407	0.0	0.0	0.0	0.0
0.0	0.0		3710	0.0	0.0	0.0	0.0
0.0	0.0		3709	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2	Max 11404	0.0	0.0	0.0	0.0
0.0	0.0		11407	0.0	0.0	0.0	0.0
0.0	0.0		3710	0.0	0.0	0.0	0.0
0.0	0.0		3709	0.0	0.0	0.0	0.0
0.0	0.0		Min 11404	0.0	0.0	0.0	0.0
0.0	0.0		11407	0.0	0.0	0.0	0.0
0.0	0.0		3710	0.0	0.0	0.0	0.0
0.0	0.0		3709	0.0	0.0	0.0	0.0
-0.1	0.0	G1	11404	44.4	85.4	0.0	3.7
0.2	0.0		11407	106.9	-72.5	-0.0	4.0
1.1	-0.0		3710	-32.1	-83.2	0.0	-6.5
-0.7	-0.0		3709	-119.2	70.6	-0.0	-5.0
2.6	0.0	G2	11404	18.3	35.0	0.0	-3.8
-2.3	-0.0		11407	42.7	-28.8	0.0	-3.7
-2.1	-0.0		3710	-13.4	-34.1	0.0	6.3
2.5	0.0		3709	-47.6	27.9	-0.0	6.7
0.0	0.0	Q3	11404	0.0	0.0	0.0	0.0
0.0	0.0		11407	0.0	0.0	0.0	0.0

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0			3710	0.0	0.0	0.0	0.0
0.0	0.0			3709	0.0	0.0	0.0	0.0
3.6	-0.0	Q5_pc		11404	0.9	1.7	0.0	-7.3
-3.5	-0.0			11407	0.2	1.1	0.0	-7.5
-3.4	0.0			3710	-0.9	-2.3	-0.0	10.3
3.6	0.0			3709	-0.3	-0.6	-0.0	9.9
5.1	-0.0	Q5_ps		11404	1.8	2.7	0.0	-10.4
-4.9	-0.0			11407	1.1	0.1	0.0	-10.6
-4.8	0.0			3710	-1.7	-3.1	-0.0	15.3
5.2	0.0			3709	-1.2	0.3	-0.0	14.8
9.3	0.0	INVS LU Max		11404	0.6	197.1	0.1	41.1
6.3	-0.0			11407	335.8	-147.7	0.1	44.7
3.9	-0.0			3710	51.5	-188.7	-0.1	38.8
12.1	-0.0			3709	-379.3	150.1	-0.1	41.1
-6.0	0.0	Min		11404	-4.7	188.9	0.1	9.9
-8.3	-0.0			11407	332.5	-149.7	0.1	12.9
-10.4	-0.0			3710	46.5	-198.0	-0.1	-7.1
-3.5	-0.0			3709	-383.0	149.1	-0.1	-3.2
6.2	0.0	INVS LE Max		11404	-1.1	147.0	0.1	29.8
4.2	-0.0			11407	252.4	-110.3	0.1	32.5
2.5	-0.0			3710	40.4	-141.7	-0.1	25.9
8.2	-0.0			3709	-285.9	112.3	-0.0	27.8
-3.9	0.0	Min		11404	-4.6	141.5	0.0	9.0
-5.5	-0.0			11407	250.1	-111.6	0.1	11.3
-7.0	-0.0			3710	37.1	-148.0	-0.1	-4.7
-2.2	-0.0			3709	-288.3	111.6	-0.1	-1.7
8773	2	4 C1-C2;~1	Max	11405	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0		11408	0.0	0.0	0.0	0.0
0.0	0.0		11409	0.0	0.0	0.0	0.0
0.0	0.0		11406	0.0	0.0	0.0	0.0
0.0	0.0	Min	11405	0.0	0.0	0.0	0.0
0.0	0.0		11408	0.0	0.0	0.0	0.0
0.0	0.0		11409	0.0	0.0	0.0	0.0
0.0	0.0		11406	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max	11405	0.0	0.0	0.0
0.0	0.0			11408	0.0	0.0	0.0
0.0	0.0			11409	0.0	0.0	0.0
0.0	0.0			11406	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	11405	0.0	0.0	0.0	0.0
0.0	0.0		11408	0.0	0.0	0.0	0.0
0.0	0.0		11409	0.0	0.0	0.0	0.0
0.0	0.0		11406	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max	11405	0.0	0.0	0.0
0.0	0.0			11408	0.0	0.0	0.0
0.0	0.0			11409	0.0	0.0	0.0
0.0	0.0			11406	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	11405	0.0	0.0	0.0	0.0
0.0	0.0		11408	0.0	0.0	0.0	0.0
0.0	0.0		11409	0.0	0.0	0.0	0.0
0.0	0.0		11406	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	11405	0.0	0.0	0.0
0.0	0.0			11408	0.0	0.0	0.0
0.0	0.0			11409	0.0	0.0	0.0
0.0	0.0			11406	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	11405	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		11408	0.0	0.0	0.0	0.0
0.0	0.0		11409	0.0	0.0	0.0	0.0
0.0	0.0		11406	0.0	0.0	0.0	0.0
6.6	-0.0	G1	11405	114.3	82.0	-0.0	-16.2
-8.3	0.0		11408	36.3	-72.6	-0.0	-16.8
-7.5	-0.0		11409	-102.9	-82.5	0.0	10.3
6.3	0.0		11406	-47.8	73.5	0.0	10.2
3.5	-0.0	G2	11405	45.7	33.4	0.0	-6.6
-4.0	0.0		11408	15.0	-28.9	-0.0	-6.8
-4.0	-0.0		11409	-41.2	-33.7	0.0	5.8
3.7	-0.0		11406	-19.4	29.2	0.0	5.9
0.0	0.0	Q3	11405	0.0	0.0	0.0	0.0
0.0	0.0		11408	0.0	0.0	0.0	0.0
0.0	0.0		11409	0.0	0.0	0.0	0.0
0.0	0.0		11406	0.0	0.0	0.0	0.0
3.2	0.0	Q5_pc	11405	1.2	1.2	0.0	-2.7
-2.6	0.0		11408	0.1	-0.1	0.0	-2.3
-2.9	-0.0		11409	-1.2	-1.2	0.0	3.3
3.3	-0.0		11406	-0.0	0.2	-0.0	3.7
3.6	0.0	Q5_ps	11405	2.1	2.0	0.0	-2.9
-3.0	0.0		11408	0.8	-0.9	0.0	-2.5
-3.5	-0.0		11409	-2.2	-2.1	-0.0	4.3
4.0	-0.0		11406	-0.8	1.0	-0.0	4.8
24.1	0.0	INVSLU Max	11405	282.6	177.1	-0.0	-47.1
-19.7	0.0		11408	37.5	-148.7	-0.1	-50.4
-14.2	0.0		11409	-227.6	-171.9	0.1	23.0
21.9	0.0		11406	-83.7	153.0	0.1	24.5

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


			Min	11405	276.3	171.1	-0.0	-55.8
13.1	-0.0			11408	35.0	-151.5	-0.1	-57.7
-28.9	0.0			11409	-234.1	-178.2	0.1	9.9
-24.7	-0.0			11406	-86.0	149.9	0.0	9.9
9.9	0.0							
		INVSLE	Max	11405	214.1	132.2	-0.0	-36.9
18.2	0.0			11408	24.7	-111.1	-0.1	-39.3
-15.9	0.0			11409	-172.7	-128.8	0.1	17.4
-11.8	0.0			11406	-60.2	114.1	0.0	18.5
16.5	0.0							
			Min	11405	209.9	128.2	-0.0	-42.6
10.9	-0.0			11408	23.1	-113.0	-0.1	-44.2
-22.0	0.0			11409	-177.0	-133.0	0.1	8.7
-18.8	-0.0			11406	-61.8	112.0	0.0	8.8
8.5	0.0							
8774	2	4 C1-C2;~1	Max	11406	0.0	0.0	0.0	0.0
0.0	0.0			11409	0.0	0.0	0.0	0.0
0.0	0.0			11410	0.0	0.0	0.0	0.0
0.0	0.0			11407	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	11406	0.0	0.0	0.0	0.0
0.0	0.0			11409	0.0	0.0	0.0	0.0
0.0	0.0			11410	0.0	0.0	0.0	0.0
0.0	0.0			11407	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~1	Max	11406	0.0	0.0	0.0	0.0
0.0	0.0			11409	0.0	0.0	0.0	0.0
0.0	0.0			11410	0.0	0.0	0.0	0.0
0.0	0.0			11407	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	11406	0.0	0.0	0.0	0.0
0.0	0.0			11409	0.0	0.0	0.0	0.0
0.0	0.0			11410	0.0	0.0	0.0	0.0
0.0	0.0			11407	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0	C1-C2;~2	Max	11406	0.0	0.0	0.0	0.0
0.0	0.0			11409	0.0	0.0	0.0	0.0
0.0	0.0			11410	0.0	0.0	0.0	0.0
0.0	0.0			11407	0.0	0.0	0.0	0.0
0.0	0.0		Min	11406	0.0	0.0	0.0	0.0
0.0	0.0			11409	0.0	0.0	0.0	0.0
0.0	0.0			11410	0.0	0.0	0.0	0.0
0.0	0.0			11407	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2	Max	11406	0.0	0.0	0.0	0.0
0.0	0.0			11409	0.0	0.0	0.0	0.0
0.0	0.0			11410	0.0	0.0	0.0	0.0
0.0	0.0			11407	0.0	0.0	0.0	0.0
0.0	0.0		Min	11406	0.0	0.0	0.0	0.0
0.0	0.0			11409	0.0	0.0	0.0	0.0
0.0	0.0			11410	0.0	0.0	0.0	0.0
0.0	0.0			11407	0.0	0.0	0.0	0.0
4.2	0.0	G1		11406	80.5	81.9	-0.0	-10.3
-4.6	-0.0			11409	71.2	-74.2	-0.0	-10.4
-2.2	-0.0			11410	-69.3	-82.0	0.0	-3.6
2.2	0.0			11407	-82.4	74.5	0.0	-3.1
3.4	-0.0	G2		11406	32.5	33.4	-0.0	-5.9
-3.4	-0.0			11409	28.6	-29.5	-0.0	-5.8
-2.7	-0.0			11410	-28.0	-33.5	0.0	2.5
2.8	-0.0			11407	-33.1	29.5	0.0	2.7
0.0	0.0	Q3		11406	0.0	0.0	0.0	0.0
0.0	0.0			11409	0.0	0.0	0.0	0.0
0.0	0.0			11410	0.0	0.0	0.0	0.0

PROJECT TITLE :


		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.0	0.0			11407	0.0	0.0	0.0	0.0	
			Q5_pc	11406	1.2	1.2	0.0	-3.7	
3.5	-0.0			11409	-0.4	0.3	0.0	-3.3	
-3.3	-0.0			11410	-1.2	-1.1	-0.0	5.5	
-3.4	-0.0			11407	0.4	-0.4	-0.0	5.6	
3.5	-0.0								
			Q5_ps	11406	2.2	2.2	0.0	-4.8	
4.5	-0.0			11409	0.4	-0.6	0.0	-4.4	
-4.2	-0.0			11410	-2.2	-2.0	-0.0	7.7	
-4.4	-0.0			11407	-0.4	0.5	-0.0	7.9	
4.6	-0.0								
			INVS LU Max	11406	133.8	172.1	-0.1	-10.2	
15.1	0.0			11409	182.3	-152.9	-0.1	-9.9	
-1.8	0.0			11410	-78.9	-164.8	0.1	-15.7	
6.2	-0.0			11407	-229.5	154.0	0.1	-12.2	
9.7	-0.0								
			Min	11406	127.4	165.6	-0.1	-24.7	
1.7	0.0			11409	181.0	-154.7	-0.1	-23.1	
-14.3	-0.0			11410	-85.3	-170.9	0.1	-38.9	
-6.9	-0.0			11407	-230.8	152.4	0.1	-35.9	
-4.1	-0.0								
			INVS LE Max	11406	100.4	128.2	-0.1	-9.0	
11.2	0.0			11409	135.2	-114.1	-0.1	-8.6	
-2.4	0.0			11410	-59.0	-123.2	0.1	-13.0	
3.8	-0.0			11407	-171.4	114.8	0.1	-10.4	
6.9	-0.0								
			Min	11406	96.1	123.9	-0.1	-18.6	
2.2	0.0			11409	134.3	-115.3	-0.1	-17.5	
-10.7	-0.0			11410	-63.3	-127.3	0.1	-28.5	
-5.0	-0.0			11407	-172.3	113.7	0.0	-26.2	
-2.3	-0.0								
8775	2	4	C1-C2;~1	Max	11407	0.0	0.0	0.0	0.0
0.0	0.0				11410	0.0	0.0	0.0	0.0
0.0	0.0								

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	0.0		3711	0.0	0.0	0.0	0.0
0.0	0.0		3710	0.0	0.0	0.0	0.0
0.0	0.0		Min 11407	0.0	0.0	0.0	0.0
0.0	0.0		11410	0.0	0.0	0.0	0.0
0.0	0.0		3711	0.0	0.0	0.0	0.0
0.0	0.0		3710	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max 11407	0.0	0.0	0.0	0.0
0.0	0.0		11410	0.0	0.0	0.0	0.0
0.0	0.0		3711	0.0	0.0	0.0	0.0
0.0	0.0		3710	0.0	0.0	0.0	0.0
0.0	0.0		Min 11407	0.0	0.0	0.0	0.0
0.0	0.0		11410	0.0	0.0	0.0	0.0
0.0	0.0		3711	0.0	0.0	0.0	0.0
0.0	0.0		3710	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max 11407	0.0	0.0	0.0	0.0
0.0	0.0		11410	0.0	0.0	0.0	0.0
0.0	0.0		3711	0.0	0.0	0.0	0.0
0.0	0.0		3710	0.0	0.0	0.0	0.0
0.0	0.0		Min 11407	0.0	0.0	0.0	0.0
0.0	0.0		11410	0.0	0.0	0.0	0.0
0.0	0.0		3711	0.0	0.0	0.0	0.0
0.0	0.0		3710	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max 11407	0.0	0.0	0.0	0.0
0.0	0.0		11410	0.0	0.0	0.0	0.0
0.0	0.0		3711	0.0	0.0	0.0	0.0
0.0	0.0		3710	0.0	0.0	0.0	0.0
0.0	0.0		Min 11407	0.0	0.0	0.0	0.0
0.0	0.0		11410	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
0.0	0.0		3711	0.0	0.0	0.0	0.0
0.0	0.0		3710	0.0	0.0	0.0	0.0
-0.2	0.0	G1	11407	44.6	81.1	-0.0	3.1
0.5	-0.0		11410	107.2	-74.2	-0.0	3.5
1.4	-0.0		3711	-31.3	-82.1	0.0	-6.0
-1.1	-0.0		3710	-120.5	75.5	0.0	-5.5
2.3	-0.0	G2	11407	18.3	33.2	0.0	-2.7
-2.0	-0.0		11410	42.9	-29.3	0.0	-2.5
-1.8	-0.0		3711	-13.0	-33.7	-0.0	4.2
2.1	-0.0		3710	-48.2	29.9	-0.0	4.4
0.0	0.0	Q3	11407	0.0	0.0	0.0	0.0
0.0	0.0		11410	0.0	0.0	0.0	0.0
0.0	0.0		3711	0.0	0.0	0.0	0.0
0.0	0.0		3710	0.0	0.0	0.0	0.0
3.5	-0.0	Q5_pc	11407	0.5	1.0	0.0	-5.6
-3.6	-0.0		11410	-1.6	1.5	0.0	-5.6
-3.4	-0.0		3711	-0.7	-0.4	-0.0	8.0
3.4	0.0		3710	1.7	-2.2	-0.0	7.8
4.9	-0.0	Q5_ps	11407	1.5	2.0	0.0	-7.9
-4.7	-0.0		11410	-0.6	0.6	0.0	-7.9
-4.6	-0.0		3711	-1.5	-1.5	-0.0	11.7
4.8	0.0		3710	0.6	-1.1	-0.0	11.5
8.4	-0.0	INVSLU Max	11407	-17.7	174.1	0.0	35.9
11.0	-0.0		11410	338.5	-156.5	0.1	38.7
9.0	-0.0		3711	77.8	-166.5	-0.1	24.1
11.1	-0.0		3710	-391.0	157.8	-0.1	26.8
		Min	11407	-22.1	168.2	0.0	12.3

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

-6.2	-0.0			11410	335.5	-159.2	0.1	15.0
-3.3	-0.0			3711	73.3	-170.9	-0.1	-10.8
-4.8	-0.0			3710	-394.2	153.9	-0.1	-7.9
-3.3	-0.0							
		INVSLE	Max	11407	-15.3	129.8	0.0	26.2
5.7	-0.0			11410	254.1	-116.7	0.1	28.3
7.6	-0.0			3711	60.7	-124.3	-0.0	15.8
6.3	-0.0			3710	-294.5	117.3	-0.0	17.7
7.5	-0.0							
			Min	11407	-18.3	125.8	0.0	10.5
-4.1	-0.0			11410	252.2	-118.6	0.1	12.5
-1.9	-0.0			3711	57.7	-127.2	-0.1	-7.6
-2.9	-0.0			3710	-296.6	114.7	-0.0	-5.4
-2.1	-0.0							
8785	2	4	C1-C2;~1	Max	11417	0.0	0.0	0.0
0.0	0.0				11418	0.0	0.0	0.0
0.0	0.0				11420	0.0	0.0	0.0
0.0	0.0				11419	0.0	0.0	0.0
0.0	0.0							
			Min	11417	0.0	0.0	0.0	0.0
0.0	0.0				11418	0.0	0.0	0.0
0.0	0.0				11420	0.0	0.0	0.0
0.0	0.0				11419	0.0	0.0	0.0
0.0	0.0							
			C3-C4;~1	Max	11417	0.0	0.0	0.0
0.0	0.0				11418	0.0	0.0	0.0
0.0	0.0				11420	0.0	0.0	0.0
0.0	0.0				11419	0.0	0.0	0.0
0.0	0.0							
			Min	11417	0.0	0.0	0.0	0.0
0.0	0.0				11418	0.0	0.0	0.0
0.0	0.0				11420	0.0	0.0	0.0
0.0	0.0				11419	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
		C1-C2;~2	Max	11417	0.0	0.0	0.0	0.0
0.0	0.0			11418	0.0	0.0	0.0	0.0
0.0	0.0			11420	0.0	0.0	0.0	0.0
0.0	0.0			11419	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	11417	0.0	0.0	0.0	0.0
0.0	0.0			11418	0.0	0.0	0.0	0.0
0.0	0.0			11420	0.0	0.0	0.0	0.0
0.0	0.0			11419	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	11417	0.0	0.0	0.0	0.0
0.0	0.0			11418	0.0	0.0	0.0	0.0
0.0	0.0			11420	0.0	0.0	0.0	0.0
0.0	0.0			11419	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	11417	0.0	0.0	0.0	0.0
0.0	0.0			11418	0.0	0.0	0.0	0.0
0.0	0.0			11420	0.0	0.0	0.0	0.0
0.0	0.0			11419	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		11417	-109.6	-23.7	0.0	1.4
-0.3	0.0			11418	56.6	30.4	0.0	1.2
0.4	0.0			11420	98.0	24.6	-0.0	-0.0
0.3	0.0			11419	-45.0	-31.1	-0.0	-0.3
-0.3	0.0							
		G2		11417	-42.2	-9.0	-0.0	0.9
-0.5	0.0			11418	21.0	12.6	-0.0	0.8
0.6	0.0			11420	37.7	9.3	0.0	-1.3
0.7	0.0			11419	-16.5	-12.9	0.0	-1.4
-0.7	0.0							
		Q3		11417	0.0	0.0	0.0	0.0
0.0	0.0			11418	0.0	0.0	0.0	0.0
0.0	0.0			11420	0.0	0.0	0.0	0.0
0.0	0.0			11419	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


-0.1	0.0	Q5_pc		11417	-4.1	0.7	-0.0	0.1
0.1	0.0			11418	5.6	-0.8	0.0	0.1
0.2	0.0			11420	4.1	-0.7	0.0	-0.5
-0.2	0.0			11419	-5.6	0.8	0.0	-0.5
-0.2	0.0	Q5_ps		11417	-3.8	0.7	-0.0	0.1
0.3	0.0			11418	5.4	-0.9	-0.0	0.1
0.4	0.0			11420	3.8	-0.7	0.0	-0.7
-0.3	0.0			11419	-5.4	0.9	0.0	-0.8
0.2	0.0	INVSLE	Max	11417	-74.0	-69.6	0.0	-4.4
0.4	0.0			11418	-60.3	82.9	0.0	-4.4
0.9	0.0			11420	44.3	73.1	-0.0	8.4
0.2	0.0			11419	117.4	-80.9	-0.0	8.7
-0.5	0.0		Min	11417	-85.3	-71.8	0.0	-4.7
-0.4	0.0			11418	-76.4	80.1	0.0	-4.7
-0.3	0.0			11420	33.0	70.8	-0.0	6.4
-0.8	0.0			11419	101.2	-83.7	-0.0	6.4
0.2	0.0	INVSLE	Max	11417	-48.7	-52.6	0.0	-3.9
0.1	0.0			11418	-53.3	61.9	0.0	-3.9
0.5	0.0			11420	25.1	55.0	-0.0	7.0
0.1	0.0			11419	95.2	-60.7	-0.0	7.3
-0.3	0.0		Min	11417	-56.2	-54.1	0.0	-4.1
-0.4	0.0			11418	-64.1	60.1	0.0	-4.1
-0.2	0.0			11420	17.6	53.5	-0.0	5.7
-0.5	0.0			11419	84.4	-62.6	-0.0	5.8
8786	2	4 C1-C2; ~1	Max	11419	0.0	0.0	0.0	0.0
0.0	0.0			11420	0.0	0.0	0.0	0.0
0.0	0.0			11422	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	0.0			11421	0.0	0.0	0.0	0.0
0.0	0.0	Min		11419	0.0	0.0	0.0	0.0
0.0	0.0			11420	0.0	0.0	0.0	0.0
0.0	0.0			11422	0.0	0.0	0.0	0.0
0.0	0.0			11421	0.0	0.0	0.0	0.0
0.0	0.0			11421	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~1	Max	11419	0.0	0.0	0.0	0.0
0.0	0.0			11420	0.0	0.0	0.0	0.0
0.0	0.0			11422	0.0	0.0	0.0	0.0
0.0	0.0			11421	0.0	0.0	0.0	0.0
0.0	0.0			11421	0.0	0.0	0.0	0.0
0.0	0.0	Min		11419	0.0	0.0	0.0	0.0
0.0	0.0			11420	0.0	0.0	0.0	0.0
0.0	0.0			11422	0.0	0.0	0.0	0.0
0.0	0.0			11421	0.0	0.0	0.0	0.0
0.0	0.0			11421	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2	Max	11419	0.0	0.0	0.0	0.0
0.0	0.0			11420	0.0	0.0	0.0	0.0
0.0	0.0			11422	0.0	0.0	0.0	0.0
0.0	0.0			11421	0.0	0.0	0.0	0.0
0.0	0.0			11421	0.0	0.0	0.0	0.0
0.0	0.0	Min		11419	0.0	0.0	0.0	0.0
0.0	0.0			11420	0.0	0.0	0.0	0.0
0.0	0.0			11422	0.0	0.0	0.0	0.0
0.0	0.0			11421	0.0	0.0	0.0	0.0
0.0	0.0			11421	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2	Max	11419	0.0	0.0	0.0	0.0
0.0	0.0			11420	0.0	0.0	0.0	0.0
0.0	0.0			11422	0.0	0.0	0.0	0.0
0.0	0.0			11421	0.0	0.0	0.0	0.0
0.0	0.0			11421	0.0	0.0	0.0	0.0
0.0	0.0	Min		11419	0.0	0.0	0.0	0.0
0.0	0.0			11420	0.0	0.0	0.0	0.0
0.0	0.0			11422	0.0	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0			11421	0.0	0.0	0.0	0.0
-0.2	0.0	G1		11419	-76.6	-24.2	0.0	0.3
0.2	0.0			11420	19.1	34.9	-0.0	0.0
0.1	0.0			11422	65.2	24.8	0.0	0.4
-0.1	0.0			11421	-7.7	-35.2	-0.0	0.3
-0.8	0.0	G2		11419	-29.4	-9.2	-0.0	1.4
0.9	0.0			11420	6.5	14.4	-0.0	1.3
1.0	0.0			11422	25.0	9.4	0.0	-2.4
-0.9	0.0			11421	-2.1	-14.6	0.0	-2.5
0.0	0.0	Q3		11419	0.0	0.0	0.0	0.0
0.0	0.0			11420	0.0	0.0	0.0	0.0
0.0	0.0			11422	0.0	0.0	0.0	0.0
0.0	0.0			11421	0.0	0.0	0.0	0.0
-0.3	0.0	Q5_pc		11419	-4.1	0.7	-0.0	0.5
0.3	0.0			11420	5.7	-1.0	-0.0	0.5
0.4	0.0			11422	4.1	-0.7	0.0	-1.1
-0.3	0.0			11421	-5.7	1.0	0.0	-1.1
-0.5	0.0	Q5_ps		11419	-3.8	0.7	-0.0	0.8
0.6	0.0			11420	5.6	-1.2	-0.0	0.7
0.6	0.0			11422	3.8	-0.7	0.0	-1.7
-0.5	0.0			11421	-5.6	1.2	0.0	-1.7
0.5	0.0	INVSLU	Max	11419	50.2	-66.6	0.0	-6.5
0.9	0.0			11420	-184.1	87.5	0.0	-6.7
0.8	0.0			11422	-79.8	68.7	0.0	11.5
0.7	0.0			11421	241.9	-83.7	-0.0	11.8
-1.0	0.0		Min	11419	38.8	-68.6	0.0	-8.7
				11420	-200.8	83.9	-0.0	-8.7

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	


-0.8	0.0			11422	-91.3	66.7	-0.0	6.6
-1.1	0.0			11421	225.1	-87.2	-0.0	6.7
-0.9	0.0							
		INVSLE	Max	11419	45.5	-50.4	0.0	-5.8
0.4	0.0			11420	-147.4	65.4	0.0	-5.9
0.5	0.0			11422	-69.0	51.8	0.0	9.4
0.4	0.0			11421	189.6	-62.8	-0.0	9.6
0.6	0.0							
			Min	11419	37.9	-51.7	0.0	-7.3
-0.6	0.0			11420	-158.5	63.1	-0.0	-7.3
-0.6	0.0			11422	-76.6	50.4	-0.0	6.1
-0.9	0.0			11421	178.5	-65.2	-0.0	6.2
-0.5	0.0							
8787	2	4	C1-C2;~1	Max	11421	0.0	0.0	0.0
0.0	0.0				11422	0.0	0.0	0.0
0.0	0.0				3714	0.0	0.0	0.0
0.0	0.0				3715	0.0	0.0	0.0
0.0	0.0							
			Min	11421	0.0	0.0	0.0	0.0
0.0	0.0				11422	0.0	0.0	0.0
0.0	0.0				3714	0.0	0.0	0.0
0.0	0.0				3715	0.0	0.0	0.0
0.0	0.0							
			Max	11421	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~1			11422	0.0	0.0	0.0
0.0	0.0				3714	0.0	0.0	0.0
0.0	0.0				3715	0.0	0.0	0.0
0.0	0.0							
			Min	11421	0.0	0.0	0.0	0.0
0.0	0.0				11422	0.0	0.0	0.0
0.0	0.0				3714	0.0	0.0	0.0
0.0	0.0				3715	0.0	0.0	0.0
0.0	0.0							
			Max	11421	0.0	0.0	0.0	0.0
0.0	0.0	C1-C2;~2						

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	0.0		11422	0.0	0.0	0.0	0.0
0.0	0.0		3714	0.0	0.0	0.0	0.0
0.0	0.0		3715	0.0	0.0	0.0	0.0
0.0	0.0	Min	11421	0.0	0.0	0.0	0.0
0.0	0.0		11422	0.0	0.0	0.0	0.0
0.0	0.0		3714	0.0	0.0	0.0	0.0
0.0	0.0		3715	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	11421	0.0	0.0	0.0
0.0	0.0			11422	0.0	0.0	0.0
0.0	0.0			3714	0.0	0.0	0.0
0.0	0.0			3715	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	Min	11421	0.0	0.0	0.0	0.0
0.0	0.0		11422	0.0	0.0	0.0	0.0
0.0	0.0		3714	0.0	0.0	0.0	0.0
0.0	0.0		3715	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	G1	11421	-42.7	-23.2	0.0	-0.3
0.0	0.0		11422	-17.3	38.6	-0.0	-0.4
0.0	0.0		3714	31.2	23.8	0.0	0.4
-0.0	0.0		3715	28.9	-38.8	-0.0	0.6
0.1	0.0						
-1.0	0.0	G2	11421	-16.4	-8.8	-0.0	2.5
1.2	0.0		11422	-7.5	15.9	-0.0	2.5
1.3	0.0		3714	12.1	8.9	0.0	-3.9
-1.0	0.0		3715	11.9	-16.1	-0.0	-3.8
0.0	0.0	Q3	11421	0.0	0.0	0.0	0.0
0.0	0.0		11422	0.0	0.0	0.0	0.0
0.0	0.0		3714	0.0	0.0	0.0	0.0
0.0	0.0		3715	0.0	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-0.4	0.0	Q5_pc		11421	-4.3	0.5	-0.0	1.1
				11422	5.9	-1.1	-0.0	1.1
0.5	0.0			3714	4.4	-0.5	0.0	-1.8
0.6	0.0			3715	-5.9	1.1	0.0	-1.8
-0.4	0.0							
		Q5_ps		11421	-4.0	0.5	-0.0	1.7
-0.7	0.0			11422	5.8	-1.3	-0.0	1.7
0.8	0.0			3714	4.1	-0.4	0.0	-2.8
0.9	0.0			3715	-5.9	1.3	0.0	-2.8
-0.7	0.0							
		INVSLE	Max	11421	183.1	-55.7	0.0	-6.7
1.3	0.0			11422	-301.3	85.2	0.0	-6.6
0.6	0.0			3714	-212.5	55.2	0.0	14.8
0.2	0.0			3715	360.3	-79.0	-0.0	13.5
1.7	0.0							
			Min	11421	171.0	-57.1	0.0	-11.8
-0.7	0.0			11422	-318.5	81.2	-0.0	-11.7
-1.9	0.0			3714	-224.9	53.9	-0.0	6.4
-2.5	0.0			3715	342.8	-82.9	-0.0	5.1
-0.3	0.0							
		INVSLE	Max	11421	146.3	-42.2	0.0	-6.2
1.0	0.0			11422	-236.5	63.8	0.0	-6.1
0.1	0.0			3714	-169.8	41.7	0.0	12.0
-0.2	0.0			3715	279.8	-59.4	-0.0	10.8
1.3	0.0							
			Min	11421	138.2	-43.2	0.0	-9.6
-0.3	0.0			11422	-248.0	61.2	-0.0	-9.5
-1.5	0.0			3714	-178.1	40.8	-0.0	6.4
-2.0	0.0			3715	268.1	-62.0	-0.0	5.2
-0.0	0.0							
8788	2	4 C1-C2;~1	Max	11423	0.0	0.0	0.0	0.0
0.0	0.0			11424	0.0	0.0	0.0	0.0
0.0	0.0			11426	0.0	0.0	0.0	0.0
0.0	0.0			11425	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0	Min	11423	0.0	0.0	0.0	0.0
			11424	0.0	0.0	0.0	0.0
0.0	0.0		11426	0.0	0.0	0.0	0.0
0.0	0.0		11425	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~1	Max	11423	0.0	0.0	0.0
0.0	0.0			11424	0.0	0.0	0.0
0.0	0.0			11426	0.0	0.0	0.0
0.0	0.0			11425	0.0	0.0	0.0
0.0	0.0						
			Min	11423	0.0	0.0	0.0
0.0	0.0			11424	0.0	0.0	0.0
0.0	0.0			11426	0.0	0.0	0.0
0.0	0.0			11425	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	11423	0.0	0.0	0.0
0.0	0.0			11424	0.0	0.0	0.0
0.0	0.0			11426	0.0	0.0	0.0
0.0	0.0			11425	0.0	0.0	0.0
0.0	0.0						
			Min	11423	0.0	0.0	0.0
0.0	0.0			11424	0.0	0.0	0.0
0.0	0.0			11426	0.0	0.0	0.0
0.0	0.0			11425	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	11423	0.0	0.0	0.0
0.0	0.0			11424	0.0	0.0	0.0
0.0	0.0			11426	0.0	0.0	0.0
0.0	0.0			11425	0.0	0.0	0.0
0.0	0.0						
			Min	11423	0.0	0.0	0.0
0.0	0.0			11424	0.0	0.0	0.0
0.0	0.0			11426	0.0	0.0	0.0
0.0	0.0			11425	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.1	0.0	G1	11423	-108.5	-24.1	-0.0	-2.2
-0.2	0.0		11424	54.7	30.8	0.0	-2.3
-0.0	0.0		11426	97.0	25.1	-0.0	1.6
-0.0	0.0		11425	-43.2	-31.5	0.0	1.3
0.5	0.0	G2	11423	-41.8	-9.2	0.0	-1.2
-0.6	0.0		11424	20.4	12.7	0.0	-1.2
-0.7	0.0		11426	37.3	9.4	-0.0	1.9
0.6	0.0		11425	-15.9	-13.0	-0.0	1.9
0.0	0.0	Q3	11423	0.0	0.0	0.0	0.0
0.0	0.0		11424	0.0	0.0	0.0	0.0
0.0	0.0		11426	0.0	0.0	0.0	0.0
0.0	0.0		11425	0.0	0.0	0.0	0.0
0.8	0.0	Q5_pc	11423	4.9	-0.2	0.0	-0.4
-0.9	0.0		11424	-5.7	0.6	0.0	-0.4
-1.1	0.0		11426	-5.1	0.1	-0.0	2.1
1.0	0.0		11425	5.8	-0.5	-0.0	2.2
1.1	0.0	Q5_ps	11423	4.5	-0.1	0.0	-0.7
-1.2	0.0		11424	-5.3	0.8	0.0	-0.7
-1.6	0.0		11426	-4.8	0.0	-0.0	3.1
1.4	0.0		11425	5.6	-0.7	-0.0	3.3
2.3	0.0	INVSLU Max	11423	-69.7	-68.0	0.0	6.8
1.2	0.0		11424	-59.1	80.7	-0.0	7.2
1.4	0.0		11426	42.3	69.6	0.0	-5.3
3.1	0.0		11425	116.9	-79.2	0.0	-4.4
-1.0	0.0	Min	11423	-83.3	-68.4	-0.0	4.6
-2.4	0.0		11424	-75.1	78.3	-0.0	5.2
			11426	28.0	69.3	0.0	-14.5

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

-3.4	0.0			11425	100.1	-81.3	-0.0	-14.2
-1.2	0.0							
		INVSLE	Max	11423	-45.8	-51.3	0.0	5.7
1.6	0.0			11424	-52.2	60.3	-0.0	6.1
0.8	0.0			11426	23.7	52.4	0.0	-5.4
0.9	0.0			11425	94.5	-59.4	0.0	-4.8
2.1	0.0							
			Min	11423	-54.8	-51.6	-0.0	4.3
-0.6	0.0			11424	-62.9	58.7	-0.0	4.8
-1.6	0.0			11426	14.1	52.2	0.0	-11.6
-2.3	0.0			11425	83.3	-60.8	-0.0	-11.3
-0.8	0.0							
8789	2	4	C1-C2;~1	Max	11425	0.0	0.0	0.0
0.0		0.0			11426	0.0	0.0	0.0
0.0		0.0			11428	0.0	0.0	0.0
0.0		0.0			11427	0.0	0.0	0.0
0.0		0.0						
			Min	11425	0.0	0.0	0.0	0.0
0.0		0.0			11426	0.0	0.0	0.0
0.0		0.0			11428	0.0	0.0	0.0
0.0		0.0			11427	0.0	0.0	0.0
0.0		0.0						
			C3-C4;~1	Max	11425	0.0	0.0	0.0
0.0		0.0			11426	0.0	0.0	0.0
0.0		0.0			11428	0.0	0.0	0.0
0.0		0.0			11427	0.0	0.0	0.0
0.0		0.0						
			Min	11425	0.0	0.0	0.0	0.0
0.0		0.0			11426	0.0	0.0	0.0
0.0		0.0			11428	0.0	0.0	0.0
0.0		0.0			11427	0.0	0.0	0.0
0.0		0.0						
			C1-C2;~2	Max	11425	0.0	0.0	0.0
0.0		0.0			11426	0.0	0.0	0.0
0.0		0.0						

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
				11428	0.0	0.0	0.0	0.0
0.0	0.0			11427	0.0	0.0	0.0	0.0
0.0	0.0							
		Min		11425	0.0	0.0	0.0	0.0
0.0	0.0			11426	0.0	0.0	0.0	0.0
0.0	0.0			11428	0.0	0.0	0.0	0.0
0.0	0.0			11427	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	11425	0.0	0.0	0.0	0.0
0.0	0.0			11426	0.0	0.0	0.0	0.0
0.0	0.0			11428	0.0	0.0	0.0	0.0
0.0	0.0			11427	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	11425	0.0	0.0	0.0	0.0
0.0	0.0			11426	0.0	0.0	0.0	0.0
0.0	0.0			11428	0.0	0.0	0.0	0.0
0.0	0.0			11427	0.0	0.0	0.0	0.0
0.0	0.0							
			G1	11425	-75.8	-24.7	-0.0	-1.3
-0.2	0.0			11426	17.3	35.4	-0.0	-1.5
0.2	0.0			11428	64.4	25.3	0.0	-0.2
0.3	0.0			11427	-6.0	-35.7	0.0	-0.4
-0.3	0.0							
			G2	11425	-29.0	-9.3	0.0	-1.9
0.7	0.0			11426	5.8	14.6	0.0	-1.9
-0.8	0.0			11428	24.7	9.5	-0.0	2.6
-0.9	0.0			11427	-1.4	-14.8	-0.0	2.6
0.8	0.0							
			Q3	11425	0.0	0.0	0.0	0.0
0.0	0.0			11426	0.0	0.0	0.0	0.0
0.0	0.0			11428	0.0	0.0	0.0	0.0
0.0	0.0			11427	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		11425	5.3	-0.2	0.0	-2.2
1.4	0.0							

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
-1.6	0.0			11426	-6.1	0.7	0.0	-2.1
-1.8	0.0			11428	-5.4	0.2	-0.0	4.5
1.6	0.0			11427	6.2	-0.6	-0.0	4.6
2.0	0.0	Q5_ps		11425	5.1	-0.2	0.0	-3.3
-2.3	0.0			11426	-6.0	0.8	0.0	-3.1
-2.5	0.0			11428	-5.3	0.1	-0.0	6.5
2.2	0.0			11427	6.2	-0.8	-0.0	6.6
3.9	0.0	INVS LU	Max	11425	56.9	-64.4	0.0	14.2
2.5	0.0			11426	-182.9	84.6	0.0	14.9
3.1	0.0			11428	-82.7	64.9	0.0	0.2
4.0	0.0			11427	242.7	-81.8	0.0	0.7
-2.1	0.0		Min	11425	41.5	-64.9	-0.0	4.4
-4.2	0.0			11426	-201.0	82.1	-0.0	5.5
-4.4	0.0			11428	-98.5	64.6	-0.0	-19.2
-2.6	0.0			11427	224.2	-84.1	-0.0	-19.2
2.6	0.0	INVS LE	Max	11425	50.2	-48.6	0.0	11.3
1.7	0.0			11426	-146.2	63.2	0.0	11.9
2.0	0.0			11428	-71.2	48.9	0.0	-1.7
2.7	0.0			11427	189.9	-61.4	0.0	-1.3
-1.3	0.0		Min	11425	39.9	-48.9	-0.0	4.8
-2.9	0.0			11426	-158.3	61.6	-0.0	5.6
-3.0	0.0			11428	-81.8	48.7	-0.0	-14.6
-1.7	0.0			11427	177.6	-62.9	-0.0	-14.6
8790	2	4 C1-C2;~1	Max	11427	0.0	0.0	0.0	0.0
0.0	0.0			11428	0.0	0.0	0.0	0.0
0.0	0.0			3716	0.0	0.0	0.0	0.0
0.0	0.0			3717	0.0	0.0	0.0	0.0
0.0	0.0		Min	11427	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	

0.0	0.0		11428	0.0	0.0	0.0	0.0
0.0	0.0		3716	0.0	0.0	0.0	0.0
0.0	0.0		3717	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~1	Max	11427	0.0	0.0	0.0
0.0	0.0			11428	0.0	0.0	0.0
0.0	0.0			3716	0.0	0.0	0.0
0.0	0.0			3717	0.0	0.0	0.0
0.0	0.0						
			Min	11427	0.0	0.0	0.0
0.0	0.0			11428	0.0	0.0	0.0
0.0	0.0			3716	0.0	0.0	0.0
0.0	0.0			3717	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	11427	0.0	0.0	0.0
0.0	0.0			11428	0.0	0.0	0.0
0.0	0.0			3716	0.0	0.0	0.0
0.0	0.0			3717	0.0	0.0	0.0
0.0	0.0						
			Min	11427	0.0	0.0	0.0
0.0	0.0			11428	0.0	0.0	0.0
0.0	0.0			3716	0.0	0.0	0.0
0.0	0.0			3717	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	11427	0.0	0.0	0.0
0.0	0.0			11428	0.0	0.0	0.0
0.0	0.0			3716	0.0	0.0	0.0
0.0	0.0			3717	0.0	0.0	0.0
0.0	0.0						
			Min	11427	0.0	0.0	0.0
0.0	0.0			11428	0.0	0.0	0.0
0.0	0.0			3716	0.0	0.0	0.0
0.0	0.0			3717	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
			G1	11427	-42.2	-23.8	-0.0	0.4
-0.5	0.0			11428	-19.0	39.2	-0.0	0.3
0.7	0.0			3716	30.7	24.4	0.0	-2.6
0.8	0.0			3717	30.5	-39.4	0.0	-2.4
-0.5	0.0							
			G2	11427	-16.2	-8.9	0.0	-2.6
0.9	0.0			11428	-8.2	16.2	0.0	-2.7
-1.1	0.0			3716	11.8	9.0	-0.0	3.3
-1.1	-0.0			3717	12.6	-16.3	-0.0	3.4
0.9	-0.0							
			Q3	11427	0.0	0.0	0.0	0.0
0.0	0.0			11428	0.0	0.0	0.0	0.0
0.0	0.0			3716	0.0	0.0	0.0	0.0
0.0	0.0			3717	0.0	0.0	0.0	0.0
0.0	0.0							
			Q5_pc	11427	5.4	-0.2	0.0	-4.6
1.8	0.0			11428	-6.2	0.7	0.0	-4.6
-2.3	0.0			3716	-5.4	0.1	-0.0	7.2
-2.4	-0.0			3717	6.2	-0.6	-0.0	7.3
1.9	-0.0							
			Q5_ps	11427	5.4	-0.1	0.0	-6.6
2.6	0.0			11428	-6.3	1.0	0.0	-6.6
-3.2	0.0			3716	-5.3	0.0	-0.0	10.3
-3.4	-0.0			3717	6.3	-0.8	-0.0	10.4
2.7	-0.0							
			INVSLU Max	11427	191.2	-53.3	0.0	19.2
4.2	0.0			11428	-301.1	82.0	0.0	19.3
4.4	0.0			3716	-217.3	51.7	0.0	8.2
5.3	0.0			3717	362.1	-77.1	0.0	8.9
3.8	0.0							
			Min	11427	175.1	-53.7	-0.0	-0.6
-3.6	0.0			11428	-320.1	79.1	0.0	-0.5
-5.2	0.0			3716	-233.3	51.5	-0.0	-22.8
-5.0	-0.0			3717	343.3	-79.6	0.0	-22.3

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

-4.3	-0.0							
		INVSLE	Max	11427	152.1	-40.2	0.0	14.6
2.8	0.0			11428	-236.2	61.4	0.0	14.6
2.9	0.0			3716	-173.5	38.9	-0.0	4.0
3.6	0.0			3717	280.8	-57.8	0.0	4.6
2.5	0.0							
			Min	11427	141.4	-40.5	-0.0	1.4
-2.4	0.0			11428	-248.8	59.5	0.0	1.4
-3.5	0.0			3716	-184.2	38.8	-0.0	-16.7
-3.3	-0.0			3717	268.3	-59.4	0.0	-16.2
-3.0	-0.0							
8797	2	10	C1-C2;~1	Max	11432	0.0	0.0	0.0
0.0	0.0	0.0			11417	0.0	0.0	0.0
0.0	0.0	0.0			11419	0.0	0.0	0.0
0.0	0.0	0.0			11433	0.0	0.0	0.0
0.0	0.0	0.0						
				Min	11432	0.0	0.0	0.0
0.0	0.0	0.0			11417	0.0	0.0	0.0
0.0	0.0	0.0			11419	0.0	0.0	0.0
0.0	0.0	0.0			11433	0.0	0.0	0.0
0.0	0.0	0.0						
			C3-C4;~1	Max	11432	0.0	0.0	0.0
0.0	0.0	0.0			11417	0.0	0.0	0.0
0.0	0.0	0.0			11419	0.0	0.0	0.0
0.0	0.0	0.0			11433	0.0	0.0	0.0
0.0	0.0	0.0						
				Min	11432	0.0	0.0	0.0
0.0	0.0	0.0			11417	0.0	0.0	0.0
0.0	0.0	0.0			11419	0.0	0.0	0.0
0.0	0.0	0.0			11433	0.0	0.0	0.0
0.0	0.0	0.0						
			C1-C2;~2	Max	11432	0.0	0.0	0.0
0.0	0.0	0.0			11417	0.0	0.0	0.0
0.0	0.0	0.0			11419	0.0	0.0	0.0
0.0	0.0	0.0						


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		11433	0.0	0.0	0.0	0.0
0.0	0.0	Min	11432	0.0	0.0	0.0	0.0
0.0	0.0		11417	0.0	0.0	0.0	0.0
0.0	0.0		11419	0.0	0.0	0.0	0.0
0.0	0.0		11433	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2 Max	11432	0.0	0.0	0.0	0.0
0.0	0.0		11417	0.0	0.0	0.0	0.0
0.0	0.0		11419	0.0	0.0	0.0	0.0
0.0	0.0		11433	0.0	0.0	0.0	0.0
0.0	0.0	Min	11432	0.0	0.0	0.0	0.0
0.0	0.0		11417	0.0	0.0	0.0	0.0
0.0	0.0		11419	0.0	0.0	0.0	0.0
0.0	0.0		11433	0.0	0.0	0.0	0.0
-0.3	0.0	G1	11432	-110.2	-23.4	0.0	1.2
0.3	0.0		11417	61.1	26.8	0.0	1.1
0.3	0.0		11419	98.4	24.3	-0.0	-0.4
-0.3	0.0		11433	-49.3	-27.4	-0.0	-0.5
-0.5	0.0	G2	11432	-42.4	-8.9	-0.0	0.7
0.5	0.0		11417	22.8	11.1	-0.0	0.7
0.7	0.0		11419	37.8	9.2	0.0	-1.1
-0.6	0.0		11433	-18.2	-11.4	0.0	-1.1
0.0	0.0	Q3	11432	0.0	0.0	0.0	0.0
0.0	0.0		11417	0.0	0.0	0.0	0.0
0.0	0.0		11419	0.0	0.0	0.0	0.0
0.0	0.0		11433	0.0	0.0	0.0	0.0
-0.1	0.0	Q5_pc	11432	-4.1	0.5	-0.0	0.1
0.1	0.0		11417	5.4	-0.8	-0.0	0.1

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.2	0.0			11419	4.1	-0.5	0.0	-0.4
-0.2	0.0			11433	-5.4	0.8	0.0	-0.4
-0.2	0.0	Q5_ps		11432	-3.8	0.5	-0.0	0.1
0.2	0.0			11417	5.1	-0.9	-0.0	0.1
0.3	0.0			11419	3.8	-0.5	0.0	-0.6
-0.3	0.0			11433	-5.2	0.9	0.0	-0.5
0.2	0.0	INVS LU	Max	11432	-73.1	-64.2	0.0	-3.2
0.5	0.0			11417	-52.6	79.7	-0.0	-2.9
0.8	0.0			11419	41.8	66.5	0.0	6.2
0.1	0.0			11433	110.6	-77.5	-0.0	6.5
-0.4	0.0		Min	11432	-84.4	-65.7	0.0	-3.5
-0.2	0.0			11417	-67.9	77.0	-0.0	-3.2
-0.2	0.0			11419	30.3	65.0	0.0	4.5
-0.8	0.0			11433	95.2	-80.1	-0.0	4.9
0.2	0.0	INVS LE	Max	11432	-48.1	-48.4	0.0	-2.9
0.3	0.0			11417	-47.5	59.8	-0.0	-2.7
0.5	0.0			11419	23.3	49.9	0.0	5.2
0.1	0.0			11433	90.1	-58.3	-0.0	5.4
-0.2	0.0		Min	11432	-55.6	-49.4	0.0	-3.1
-0.2	0.0			11417	-57.7	58.0	-0.0	-2.8
-0.2	0.0			11419	15.7	48.9	0.0	4.1
-0.5	0.0			11433	79.8	-60.0	-0.0	4.4
8798	2	10 C1-C2;~1	Max	11433	0.0	0.0	0.0	0.0
0.0	0.0			11419	0.0	0.0	0.0	0.0
0.0	0.0			11421	0.0	0.0	0.0	0.0
0.0	0.0			11434	0.0	0.0	0.0	0.0
0.0	0.0		Min	11433	0.0	0.0	0.0	0.0
				11419	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		11421	0.0	0.0	0.0	0.0
0.0	0.0		11434	0.0	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~1	Max	11433	0.0	0.0	0.0
0.0	0.0			11419	0.0	0.0	0.0
0.0	0.0			11421	0.0	0.0	0.0
0.0	0.0			11434	0.0	0.0	0.0
0.0	0.0						
			Min	11433	0.0	0.0	0.0
0.0	0.0			11419	0.0	0.0	0.0
0.0	0.0			11421	0.0	0.0	0.0
0.0	0.0			11434	0.0	0.0	0.0
0.0	0.0						
		C1-C2;~2	Max	11433	0.0	0.0	0.0
0.0	0.0			11419	0.0	0.0	0.0
0.0	0.0			11421	0.0	0.0	0.0
0.0	0.0			11434	0.0	0.0	0.0
0.0	0.0						
			Min	11433	0.0	0.0	0.0
0.0	0.0			11419	0.0	0.0	0.0
0.0	0.0			11421	0.0	0.0	0.0
0.0	0.0			11434	0.0	0.0	0.0
0.0	0.0						
		C3-C4;~2	Max	11433	0.0	0.0	0.0
0.0	0.0			11419	0.0	0.0	0.0
0.0	0.0			11421	0.0	0.0	0.0
0.0	0.0			11434	0.0	0.0	0.0
0.0	0.0						
			Min	11433	0.0	0.0	0.0
0.0	0.0			11419	0.0	0.0	0.0
0.0	0.0			11421	0.0	0.0	0.0
0.0	0.0			11434	0.0	0.0	0.0
0.0	0.0						
		G1		11433	-76.1	-23.4	0.0
-0.1	0.0						0.5

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
0.2	0.0			11419	23.2	31.0	-0.0	0.4
0.1	0.0			11421	64.2	23.9	0.0	0.2
-0.0	0.0			11434	-11.4	-31.2	-0.0	0.1
-0.7	0.0	G2		11433	-29.2	-8.9	-0.0	1.1
0.8	0.0			11419	8.1	12.8	-0.0	1.1
0.9	0.0			11421	24.6	9.0	0.0	-1.8
-0.8	0.0			11434	-3.5	-13.0	0.0	-1.7
0.0	0.0	Q3		11433	0.0	0.0	0.0	0.0
0.0	0.0			11419	0.0	0.0	0.0	0.0
0.0	0.0			11421	0.0	0.0	0.0	0.0
0.0	0.0			11434	0.0	0.0	0.0	0.0
-0.3	0.0	Q5_pc		11433	-4.2	0.5	-0.0	0.4
0.3	0.0			11419	5.6	-1.0	-0.0	0.4
0.3	0.0			11421	4.3	-0.5	0.0	-0.8
-0.3	0.0			11434	-5.6	0.9	0.0	-0.8
-0.4	0.0	Q5_ps		11433	-3.9	0.4	-0.0	0.5
0.5	0.0			11419	5.4	-1.1	-0.0	0.6
0.5	0.0			11421	4.0	-0.4	0.0	-1.2
-0.5	0.0			11434	-5.4	1.1	0.0	-1.2
0.4	0.0	INVSLU	Max	11433	57.9	-59.0	0.0	-5.1
1.0	0.0			11419	-181.9	85.8	0.0	-4.5
1.0	0.0			11421	-89.3	59.4	0.0	8.1
0.6	0.0			11434	241.3	-81.3	-0.0	8.4
-0.9	0.0		Min	11433	46.2	-60.4	0.0	-6.7
-0.5	0.0			11419	-198.0	82.5	-0.0	-6.2
-0.7	0.0			11421	-101.2	58.2	-0.0	4.5
-0.9	0.0			11434	224.9	-84.4	-0.0	4.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


			INVSLE	Max	11433	51.2	-44.5	0.0	-4.5
0.3	0.0				11419	-145.6	64.4	0.0	-4.0
0.6	0.0				11421	-76.1	44.6	0.0	6.6
0.6	0.0				11434	189.2	-61.2	-0.0	6.8
0.4	0.0								
				Min	11433	43.4	-45.4	0.0	-5.6
-0.5	0.0				11419	-156.3	62.2	-0.0	-5.2
-0.4	0.0				11421	-84.1	43.8	-0.0	4.2
-0.5	0.0				11434	178.3	-63.3	-0.0	4.5
-0.5	0.0								
8799	2	10	C1-C2;~1	Max	11434	0.0	0.0	0.0	0.0
0.0		0.0			11421	0.0	0.0	0.0	0.0
0.0		0.0			3715	0.0	0.0	0.0	0.0
0.0		0.0			3719	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	11434	0.0	0.0	0.0	0.0
0.0		0.0			11421	0.0	0.0	0.0	0.0
0.0		0.0			3715	0.0	0.0	0.0	0.0
0.0		0.0			3719	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	11434	0.0	0.0	0.0	0.0
0.0		0.0			11421	0.0	0.0	0.0	0.0
0.0		0.0			3715	0.0	0.0	0.0	0.0
0.0		0.0			3719	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	11434	0.0	0.0	0.0	0.0
0.0		0.0			11421	0.0	0.0	0.0	0.0
0.0		0.0			3715	0.0	0.0	0.0	0.0
0.0		0.0			3719	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	11434	0.0	0.0	0.0	0.0
0.0		0.0			11421	0.0	0.0	0.0	0.0
0.0		0.0			3715	0.0	0.0	0.0	0.0
0.0		0.0			3719	0.0	0.0	0.0	0.0
0.0		0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H

0.0	0.0	Min	11434	0.0	0.0	0.0	0.0
0.0	0.0		11421	0.0	0.0	0.0	0.0
0.0	0.0		3715	0.0	0.0	0.0	0.0
0.0	0.0		3719	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max	11434	0.0	0.0	0.0
0.0	0.0			11421	0.0	0.0	0.0
0.0	0.0			3715	0.0	0.0	0.0
0.0	0.0			3719	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	11434	0.0	0.0	0.0
0.0	0.0			11421	0.0	0.0	0.0
0.0	0.0			3715	0.0	0.0	0.0
0.0	0.0			3719	0.0	0.0	0.0
0.0	0.0						
0.1	0.0	G1		11434	-40.5	-22.0	0.0
-0.0	0.0			11421	-13.8	34.6	-0.0
-0.1	0.0			3715	28.6	21.8	0.0
0.2	0.0			3719	25.7	-34.1	-0.0
-0.8	0.0	G2		11434	-15.5	-8.2	-0.0
1.0	0.0			11421	-6.1	14.3	-0.0
1.0	0.0			3715	11.0	8.1	0.0
-0.8	0.0			3719	10.6	-14.2	0.0
0.0	0.0	Q3		11434	0.0	0.0	0.0
0.0	0.0			11421	0.0	0.0	0.0
0.0	0.0			3715	0.0	0.0	0.0
0.0	0.0			3719	0.0	0.0	0.0
-0.3	0.0	Q5_pc		11434	-4.4	0.4	-0.0
0.4	0.0			11421	5.8	-1.0	-0.0
0.4	0.0			3715	4.5	-0.4	0.0


PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H			
-0.3	0.0			3719	-5.9	1.0	0.0	-1.2	
			Q5_ps	11434	-4.2	0.3	-0.0	1.2	
-0.6	0.0			11421	5.7	-1.2	-0.0	1.2	
0.7	0.0			3715	4.3	-0.3	0.0	-1.9	
0.7	0.0			3719	-5.8	1.2	0.0	-1.8	
-0.6	0.0								
			INVS LU	Max	11434	197.7	-47.6	0.0	-4.7
0.8	0.0			11421	-306.8	84.9	0.0	-4.6	
0.6	0.0			3715	-229.2	45.8	-0.0	8.9	
0.2	0.0			3719	368.2	-78.2	0.0	9.3	
1.1	0.0								
				Min	11434	185.1	-48.7	-0.0	-8.4
-0.9	0.0			11421	-323.7	81.2	-0.0	-8.2	
-1.3	0.0			3715	-242.2	45.0	-0.0	3.2	
-1.9	0.0			3719	350.9	-81.7	0.0	3.8	
-0.6	0.0								
			INVS LE	Max	11434	157.1	-36.1	0.0	-4.4
0.6	0.0			11421	-240.6	63.7	0.0	-4.3	
0.3	0.0			3715	-182.3	34.5	-0.0	7.1	
-0.1	0.0			3719	285.7	-58.9	0.0	7.5	
0.8	0.0								
				Min	11434	148.7	-36.7	-0.0	-6.8
-0.5	0.0			11421	-251.9	61.3	0.0	-6.7	
-1.0	0.0			3715	-191.0	34.0	-0.0	3.3	
-1.5	0.0			3719	274.2	-61.2	0.0	3.8	
-0.3	0.0								
8806	2	10	C1-C2;~1	Max	11438	0.0	0.0	0.0	0.0
0.0		0.0			11423	0.0	0.0	0.0	0.0
0.0		0.0			11425	0.0	0.0	0.0	0.0
0.0		0.0			11439	0.0	0.0	0.0	0.0
0.0		0.0							
				Min	11438	0.0	0.0	0.0	0.0
0.0		0.0			11423	0.0	0.0	0.0	0.0
0.0		0.0			11425	0.0	0.0	0.0	0.0


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		11439	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~1	Max 11438	0.0	0.0	0.0	0.0
0.0	0.0		11423	0.0	0.0	0.0	0.0
0.0	0.0		11425	0.0	0.0	0.0	0.0
0.0	0.0		11439	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min 11438	0.0	0.0	0.0	0.0
0.0	0.0		11423	0.0	0.0	0.0	0.0
0.0	0.0		11425	0.0	0.0	0.0	0.0
0.0	0.0		11439	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C1-C2;~2	Max 11438	0.0	0.0	0.0	0.0
0.0	0.0		11423	0.0	0.0	0.0	0.0
0.0	0.0		11425	0.0	0.0	0.0	0.0
0.0	0.0		11439	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min 11438	0.0	0.0	0.0	0.0
0.0	0.0		11423	0.0	0.0	0.0	0.0
0.0	0.0		11425	0.0	0.0	0.0	0.0
0.0	0.0		11439	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	C3-C4;~2	Max 11438	0.0	0.0	0.0	0.0
0.0	0.0		11423	0.0	0.0	0.0	0.0
0.0	0.0		11425	0.0	0.0	0.0	0.0
0.0	0.0		11439	0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min 11438	0.0	0.0	0.0	0.0
0.0	0.0		11423	0.0	0.0	0.0	0.0
0.0	0.0		11425	0.0	0.0	0.0	0.0
0.0	0.0		11439	0.0	0.0	0.0	0.0
0.0	0.0						
0.2	0.0	G1	11438	-109.2	-23.8	-0.0	-1.5
-0.1	0.0		11423	59.3	27.2	-0.0	-1.5

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
				11425	97.5	24.7	0.0	0.8
0.0	0.0			11439	-47.5	-27.8	0.0	0.7
0.1	0.0							
		G2		11438	-42.0	-9.0	0.0	-0.8
0.5	0.0			11423	22.2	11.2	0.0	-0.8
-0.5	0.0			11425	37.4	9.3	-0.0	1.3
-0.6	0.0			11439	-17.7	-11.5	-0.0	1.2
0.5	0.0							
		Q3		11438	0.0	0.0	0.0	0.0
0.0	0.0			11423	0.0	0.0	0.0	0.0
0.0	0.0			11425	0.0	0.0	0.0	0.0
0.0	0.0			11439	0.0	0.0	0.0	0.0
0.0	0.0							
		Q5_pc		11438	4.9	0.0	0.0	-0.3
0.7	0.0			11423	-5.6	0.6	0.0	-0.3
-0.8	0.0			11425	-5.1	0.0	-0.0	1.6
-1.0	0.0			11439	5.7	-0.7	-0.0	1.5
0.9	0.0							
		Q5_ps		11438	4.5	0.1	0.0	-0.5
1.0	0.0			11423	-5.2	0.8	0.0	-0.5
-1.1	0.0			11425	-4.7	-0.0	-0.0	2.3
-1.5	0.0			11439	5.5	-0.8	-0.0	2.2
1.3	0.0							
		INVSLE Max		11438	-68.3	-62.3	-0.0	4.4
1.9	0.0			11423	-51.7	77.4	0.0	4.4
1.0	0.0			11425	39.2	63.2	0.0	-2.5
1.3	0.0			11439	110.6	-75.4	0.0	-2.7
2.7	0.0							
		Min		11438	-81.7	-62.6	-0.0	2.9
-1.0	0.0			11423	-67.2	75.2	-0.0	2.8
-2.4	0.0			11425	24.9	63.1	-0.0	-9.5
-3.1	0.0			11439	94.2	-77.9	0.0	-9.4
-1.2	0.0							
		INVSLE Max		11438	-44.7	-46.8	-0.0	3.7

PROJECT TITLE :

		Company				Client			
		Author				File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
1.3	0.0				11423	-46.6	58.1	0.0	3.7
0.6	0.0				11425	21.4	47.4	0.0	-2.8
0.8	0.0				11439	89.8	-56.7	0.0	-3.0
1.8	0.0								
			Min		11438	-53.7	-47.1	-0.0	2.7
-0.7	0.0				11423	-57.0	56.5	-0.0	2.6
-1.6	0.0				11425	11.9	47.4	-0.0	-7.5
-2.1	0.0				11439	78.9	-58.3	0.0	-7.4
-0.7	0.0								
8807	2	10	C1-C2;~1	Max	11439	0.0	0.0	0.0	0.0
0.0		0.0			11425	0.0	0.0	0.0	0.0
0.0		0.0			11427	0.0	0.0	0.0	0.0
0.0		0.0			11440	0.0	0.0	0.0	0.0
0.0		0.0							
			Min		11439	0.0	0.0	0.0	0.0
0.0		0.0			11425	0.0	0.0	0.0	0.0
0.0		0.0			11427	0.0	0.0	0.0	0.0
0.0		0.0			11440	0.0	0.0	0.0	0.0
0.0		0.0							
			C3-C4;~1	Max	11439	0.0	0.0	0.0	0.0
0.0		0.0			11425	0.0	0.0	0.0	0.0
0.0		0.0			11427	0.0	0.0	0.0	0.0
0.0		0.0			11440	0.0	0.0	0.0	0.0
0.0		0.0							
			Min		11439	0.0	0.0	0.0	0.0
0.0		0.0			11425	0.0	0.0	0.0	0.0
0.0		0.0			11427	0.0	0.0	0.0	0.0
0.0		0.0			11440	0.0	0.0	0.0	0.0
0.0		0.0							
			C1-C2;~2	Max	11439	0.0	0.0	0.0	0.0
0.0		0.0			11425	0.0	0.0	0.0	0.0
0.0		0.0			11427	0.0	0.0	0.0	0.0
0.0		0.0			11440	0.0	0.0	0.0	0.0
0.0		0.0							
			Min		11439	0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		
0.0	0.0		11425	0.0	0.0	0.0	0.0
0.0	0.0		11427	0.0	0.0	0.0	0.0
0.0	0.0		11440	0.0	0.0	0.0	0.0
0.0	0.0		11439	0.0	0.0	0.0	0.0
0.0	0.0	C3-C4;~2 Max	11425	0.0	0.0	0.0	0.0
0.0	0.0		11427	0.0	0.0	0.0	0.0
0.0	0.0		11440	0.0	0.0	0.0	0.0
0.0	0.0		11439	0.0	0.0	0.0	0.0
0.0	0.0	Min	11425	0.0	0.0	0.0	0.0
0.0	0.0		11427	0.0	0.0	0.0	0.0
0.0	0.0		11440	0.0	0.0	0.0	0.0
0.0	0.0		11439	0.0	0.0	0.0	0.0
-0.1	0.0	G1	11425	-75.3	-23.9	-0.0	-0.7
0.2	0.0		11427	21.5	31.5	-0.0	-0.8
0.3	0.0		11440	63.6	24.4	0.0	-0.3
-0.2	0.0		11439	-9.7	-31.7	0.0	-0.3
0.7	0.0	G2	11425	-28.8	-9.0	0.0	-1.2
-0.7	0.0		11427	7.5	13.0	0.0	-1.3
-0.8	0.0		11440	24.3	9.1	-0.0	1.8
0.7	0.0		11439	-2.9	-13.1	-0.0	1.8
0.0	0.0	Q3	11425	0.0	0.0	0.0	0.0
0.0	0.0		11427	0.0	0.0	0.0	0.0
0.0	0.0		11440	0.0	0.0	0.0	0.0
1.3	0.0	Q5_pc	11439	5.3	-0.1	0.0	-1.5
-1.4	0.0		11425	-6.1	0.7	0.0	-1.6
-1.6	0.0		11427	-5.4	0.1	-0.0	3.2
1.4	0.0		11440	6.2	-0.7	-0.0	3.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


1.8	0.0	Q5_ps		11439	5.1	0.0	0.0	-2.3
-2.0	0.0			11425	-6.0	0.9	0.0	-2.3
-2.2	0.0			11427	-5.3	0.0	-0.0	4.7
1.9	0.0			11440	6.1	-0.9	-0.0	4.6
3.3	0.0	INVS LU	Max	11439	64.7	-56.8	0.0	9.6
2.0	0.0			11425	-180.8	83.1	0.0	9.4
2.5	0.0			11427	-92.6	55.9	0.0	0.8
3.4	0.0			11440	242.5	-79.1	0.0	0.5
-2.0	0.0		Min	11439	49.4	-56.9	-0.0	2.8
-3.9	0.0			11425	-198.7	80.5	-0.0	2.4
-4.0	0.0			11427	-108.4	55.8	-0.0	-13.2
-2.4	0.0			11440	224.0	-81.8	-0.0	-13.2
2.2	0.0	INVS LE	Max	11439	56.0	-42.7	0.0	7.6
1.3	0.0			11425	-144.6	62.3	0.0	7.5
1.6	0.0			11427	-78.7	42.0	0.0	-0.7
2.3	0.0			11440	189.7	-59.4	0.0	-0.8
-1.3	0.0		Min	11439	45.8	-42.8	-0.0	3.1
-2.6	0.0			11425	-156.5	60.6	-0.0	2.8
-2.7	0.0			11427	-89.2	41.9	-0.0	-10.0
-1.6	0.0			11440	177.4	-61.3	-0.0	-10.0
8808	2	10 C1-C2;~1	Max	11440	0.0	0.0	0.0	0.0
0.0	0.0			11427	0.0	0.0	0.0	0.0
0.0	0.0			3717	0.0	0.0	0.0	0.0
0.0	0.0			3721	0.0	0.0	0.0	0.0
0.0	0.0		Min	11440	0.0	0.0	0.0	0.0
0.0	0.0			11427	0.0	0.0	0.0	0.0
0.0	0.0			3717	0.0	0.0	0.0	0.0
0.0	0.0			3721	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H


0.0	0.0							
		C3-C4;~1	Max	11440	0.0	0.0	0.0	0.0
0.0	0.0			11427	0.0	0.0	0.0	0.0
0.0	0.0			3717	0.0	0.0	0.0	0.0
0.0	0.0			3721	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	11440	0.0	0.0	0.0	0.0
0.0	0.0			11427	0.0	0.0	0.0	0.0
0.0	0.0			3717	0.0	0.0	0.0	0.0
0.0	0.0			3721	0.0	0.0	0.0	0.0
0.0	0.0							
		C1-C2;~2	Max	11440	0.0	0.0	0.0	0.0
0.0	0.0			11427	0.0	0.0	0.0	0.0
0.0	0.0			3717	0.0	0.0	0.0	0.0
0.0	0.0			3721	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	11440	0.0	0.0	0.0	0.0
0.0	0.0			11427	0.0	0.0	0.0	0.0
0.0	0.0			3717	0.0	0.0	0.0	0.0
0.0	0.0			3721	0.0	0.0	0.0	0.0
0.0	0.0							
		C3-C4;~2	Max	11440	0.0	0.0	0.0	0.0
0.0	0.0			11427	0.0	0.0	0.0	0.0
0.0	0.0			3717	0.0	0.0	0.0	0.0
0.0	0.0			3721	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	11440	0.0	0.0	0.0	0.0
0.0	0.0			11427	0.0	0.0	0.0	0.0
0.0	0.0			3717	0.0	0.0	0.0	0.0
0.0	0.0			3721	0.0	0.0	0.0	0.0
0.0	0.0							
		G1		11440	-40.0	-22.5	-0.0	0.3
-0.3	0.0			11427	-15.4	35.2	-0.0	0.3
0.5	0.0			3717	28.2	22.3	0.0	-1.5
0.5	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H	
-0.4	0.0		3721	27.2	-34.7	0.0	-1.5
		G2	11440	-15.3	-8.4	0.0	-1.8
0.8	0.0		11427	-6.8	14.5	0.0	-1.8
-0.9	0.0		3717	10.8	8.3	-0.0	2.4
-0.9	-0.0		3721	11.2	-14.5	-0.0	2.4
0.8	-0.0						
		Q3	11440	0.0	0.0	0.0	0.0
0.0	0.0		11427	0.0	0.0	0.0	0.0
0.0	0.0		3717	0.0	0.0	0.0	0.0
0.0	0.0		3721	0.0	0.0	0.0	0.0
0.0	0.0						
		Q5_pc	11440	5.5	-0.1	0.0	-3.2
1.6	0.0		11427	-6.2	0.7	0.0	-3.2
-1.8	0.0		3717	-5.4	0.1	-0.0	5.0
-1.9	-0.0		3721	6.2	-0.7	-0.0	4.9
1.6	-0.0						
		Q5_ps	11440	5.4	0.1	0.0	-4.7
2.3	0.0		11427	-6.3	0.9	0.0	-4.7
-2.6	0.0		3717	-5.4	-0.0	-0.0	7.1
-2.7	-0.0		3721	6.2	-0.9	-0.0	7.0
2.3	-0.0						
		INVSLE Max	11440	205.6	-45.1	0.0	13.3
3.7	0.0		11427	-306.6	81.9	0.0	13.1
3.6	0.0		3717	-234.0	42.5	0.0	5.8
4.4	0.0		3721	370.1	-76.1	0.0	4.8
3.3	0.0						
		Min	11440	189.2	-45.3	-0.0	-0.7
-3.1	0.0		11427	-325.4	79.3	-0.0	-0.8
-4.2	0.0		3717	-250.2	42.4	-0.0	-15.6
-3.8	-0.0		3721	351.4	-78.9	-0.0	-16.2
-3.5	-0.0						
		INVSLE Max	11440	162.8	-34.0	0.0	10.1
2.5	0.0		11427	-240.3	61.4	0.0	9.9


MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H		

2.4	0.0		3717	-186.0	32.0	0.0	2.9
3.0	0.0		3721	286.8	-57.2	0.0	2.1
2.2	0.0						
		Min	11440	151.9	-34.1	-0.0	0.7
-2.1	0.0		11427	-252.8	59.7	-0.0	0.6
-2.8	0.0		3717	-196.8	31.9	-0.0	-11.3
-2.4	-0.0		3721	274.3	-59.1	-0.0	-11.9
-2.4	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1113_A_AP_NOT_Allegato_H