


# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt

\*\*\* PROJECT INFORMATION

Project Name :  
Date : 2013/3/27

\*\*\* CONTROL DATA

Panel Zone Effect : Do not Calculate  
 Unit System : KN, M  
 Definition of Frame  
 - X Direction of Frame : Unbraced I Sway  
 - Y Direction of Frame : Unbraced I Sway  
 - Design Type : 3-D  
 Design Code  
 - Steel : Eurocode3:05  
 - Concrete : Eurocode2:04  
 - SRC : SSRC79

\*\*\* LOAD CASE DATA


NO	NAME	TYPE	SELF WEIGHT FACTOR			DESCRIPTION
			X	Y	Z	
1	g1	USER	0.000	0.000	-1.000	peso proprio delle s
2	g2	USER	0.000	0.000	0.000	carichi permanenti p
3	q3	USER	0.000	0.000	0.000	frenamento
4	q5_pc	USER	0.000	0.000	0.000	vento a ponte carico
5	q5_ps	USER	0.000	0.000	0.000	vento a ponte scaric

\*\*\* MATERIAL PROPERTY DATA

NO	NAME	TYPE	MODULUS OF		SHEAR	THERMAL	PO
			ELASTICITY	MODULUS			
2	S355	STEEL	2.1e+008	8.077e+007	1.2e-005		
3	rigid	USER	2.059e+011	1.03e+011	0		
4	C35/45	USER	3.408e+007	1.42e+007	1e-005		
5	Fittizio	USER		1	0.5	0	

NO	NAME	TYPE	STRENGTH OF DESIGN MATERIAL			
			STEEL	CONCRETE	MAIN REBAR	SU
2	S355	STEEL	3.55e+005	-	-	-

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt

-

\*\*\* NODE DATA


NO	X	Y	Z	TEMPERATURE
1	0	0	0.033	0
2	40	0	1.218	0
3	-0.4498	0	0.01967	0
4	40.45	0	1.231	0
5	0	0	2	0
6	40	0	3.185	0
7	-0.4498	0	1.987	0
8	40.45	0	3.198	0
9	7.73	0	0.262	0
10	32.27	0	0.989	0
11	15.91	0	0.5043	0
12	24.09	0	0.7467	0
13	7.73	0	2.229	0
14	32.27	0	2.956	0
15	15.91	0	2.471	0
16	24.09	0	2.714	0
17	5.024	0	0.1818	0
18	0	0	1	0
19	5.024	0	1.149	0
20	7.73	0	1.229	0
21	5.024	0	2.149	0
22	10	0	0.3292	0
23	10	0	1.296	0
24	15.91	0	1.471	0
25	10	0	2.296	0
26	15	0	0.4774	0
27	15	0	1.444	0
28	15	0	2.444	0
29	20	0	0.6255	0
30	20	0	1.592	0
31	24.09	0	1.714	0
32	20	0	2.592	0
33	25	0	0.7736	0
34	25	0	1.741	0
35	32.27	0	1.956	0
36	25	0	2.741	0
37	30	0	0.9217	0
38	30	0	1.889	0
39	30	0	2.889	0
40	35	0	1.07	0
41	35	0	2.037	0
42	40	0	2.185	0
43	35	0	3.037	0
44	-0.4498	0	0.9867	0
45	40.45	0	2.198	0
46	0	4.3	0.033	0
47	40	4.3	1.218	0
48	0	4.3	2	0
49	40	4.3	3.185	0
50	7.73	4.3	0.262	0
51	32.27	4.3	0.989	0
52	15.91	4.3	0.5043	0
53	24.09	4.3	0.7467	0
54	7.73	4.3	2.229	0
55	32.27	4.3	2.956	0
56	15.91	4.3	2.471	0
57	24.09	4.3	2.714	0
58	-0.4498	0	0.4867	0
59	0	0	0.5	0

PROJECT TITLE :

	Company			Client
	Author			File Name
				PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt

60	5.024	0	0.6488	0
61	7.73	0	0.729	0
62	10	0	0.7962	0
63	15.91	0	0.9713	0
64	20	0	1.092	0
65	24.09	0	1.214	0
66	25	0	1.241	0
67	32.27	0	1.456	0
68	35	0	1.537	0
69	40	0	1.685	0
70	40.45	0	1.698	0
71	0	0	1.5	0
72	5.024	0	1.649	0
73	7.73	0	1.729	0
74	15	0	0.9444	0
75	10	0	1.796	0
76	15	0	1.944	0
77	15.91	0	1.971	0
78	20	0	2.092	0
79	24.09	0	2.214	0
80	30	0	1.389	0
81	25	0	2.241	0
82	30	0	2.389	0
83	32.27	0	2.456	0
84	35	0	2.537	0
85	40	0	2.685	0
86	-0.4498	0	1.487	0
87	40.45	0	2.698	0
88	0	0	1.88	0
89	5.024	0	2.029	0
90	7.73	0	2.109	0
91	10	0	2.176	0
92	15	0	2.324	0
93	15.91	0	2.351	0
94	20	0	2.472	0
95	24.09	0	2.594	0
96	25	0	2.621	0
97	30	0	2.769	0
98	32.27	0	2.836	0
99	35	0	2.917	0
100	40	0	3.065	0
101	-0.4498	0	1.867	0
102	40.45	0	3.078	0
103	5.024	4.3	0.1818	0
104	10	4.3	0.3292	0
105	15	4.3	0.4774	0
106	20	4.3	0.6255	0
107	25	4.3	0.7736	0
108	30	4.3	0.9217	0
109	35	4.3	1.07	0
110	0	4.3	1.88	0
111	5.024	4.3	2.029	0
112	10	4.3	2.176	0
113	15	4.3	2.324	0
114	20	4.3	2.472	0
115	25	4.3	2.621	0
116	30	4.3	2.769	0
117	35	4.3	2.917	0
118	40	4.3	3.065	0
119	0	2.15	0.183	0
120	5.024	2.15	0.3318	0
121	10	2.15	0.4792	0
122	15	2.15	0.6274	0
123	20	2.15	0.7755	0
124	25	2.15	0.9236	0
125	30	2.15	1.072	0


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt

126	35	2.15	1.22	0
127	40	2.15	1.368	0
136	2.512	2.15	1.954	0
137	7.512	2.15	2.103	0
138	12.5	2.15	2.25	0
139	17.5	2.15	2.398	0
140	22.5	2.15	2.547	0
141	27.5	2.15	2.695	0
142	32.5	2.15	2.843	0
143	37.5	2.15	2.991	0
144	0.9996	0	0.06261	0
145	0.9996	0	0.5296	0
146	0.9996	0	1.03	0
147	0.9996	0	1.53	0
148	0.9996	0	1.91	0
149	0.9996	0	2.03	0
150	0.4998	0	0.04781	0
151	0.4998	0	0.5148	0
152	0.4998	0	1.015	0
153	0.4998	0	1.515	0
154	0.4998	0	1.895	0
155	0.4998	0	2.015	0
156	1.499	0	0.07742	0
157	1.499	0	0.5444	0
158	1.499	0	1.044	0
159	1.499	0	1.544	0
160	1.499	0	1.924	0
161	1.499	0	2.044	0
162	1.999	0	0.09222	0
163	1.999	0	0.5592	0
164	1.999	0	1.059	0
165	1.999	0	1.559	0
166	1.999	0	1.939	0
167	1.999	0	2.059	0
168	2.499	0	0.107	0
169	2.499	0	0.574	0
170	2.499	0	1.074	0
171	2.499	0	1.574	0
172	2.499	0	1.954	0
173	2.499	0	2.074	0
174	2.999	0	0.1218	0
175	2.999	0	0.5888	0
176	2.999	0	1.089	0
177	2.999	0	1.589	0
178	2.999	0	1.969	0
179	2.999	0	2.089	0
180	3.498	0	0.1366	0
181	3.498	0	0.6036	0
182	3.498	0	1.104	0
183	3.498	0	1.604	0
184	3.498	0	1.984	0
185	3.498	0	2.104	0
186	3.998	0	0.1514	0
187	3.998	0	0.6184	0
188	3.998	0	1.118	0
189	3.998	0	1.618	0
190	3.998	0	1.998	0
191	3.998	0	2.118	0
192	4.498	0	0.1663	0
193	4.498	0	0.6333	0
194	4.498	0	1.133	0
195	4.498	0	1.633	0
196	4.498	0	2.013	0
197	4.498	0	2.133	0
198	5.565	0	0.1979	0
199	6.106	0	0.2139	0




PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt


200	6.647	0	0.2299	0
201	6.999	0	0.2403	0
202	5.565	0	0.6649	0
203	6.106	0	0.6809	0
204	6.647	0	0.6969	0
205	6.999	0	0.7073	0
206	5.565	0	1.165	0
207	6.106	0	1.181	0
208	6.647	0	1.197	0
209	6.999	0	1.207	0
210	5.565	0	1.665	0
211	6.106	0	1.681	0
212	6.647	0	1.697	0
213	6.999	0	1.707	0
214	5.565	0	2.045	0
215	6.106	0	2.061	0
216	6.647	0	2.077	0
217	6.999	0	2.087	0
218	5.565	0	2.165	0
219	6.106	0	2.181	0
220	6.647	0	2.197	0
221	6.999	0	2.207	0
222	8.297	0	0.2788	0
223	8.865	0	0.2956	0
224	9.432	0	0.3124	0
225	8.297	0	0.7458	0
226	8.865	0	0.7626	0
227	9.432	0	0.7794	0
228	8.297	0	1.246	0
229	8.865	0	1.263	0
230	9.432	0	1.279	0
231	8.297	0	1.746	0
232	8.865	0	1.763	0
233	9.432	0	1.779	0
234	8.297	0	2.126	0
235	8.865	0	2.143	0
236	9.432	0	2.159	0
237	8.297	0	2.246	0
238	8.865	0	2.263	0
239	9.432	0	2.279	0
240	10.5	0	0.3441	0
241	11	0	0.3589	0
242	11.5	0	0.3737	0
243	12	0	0.3885	0
244	12.5	0	0.4033	0
245	13	0	0.4181	0
246	13.5	0	0.4329	0
247	14	0	0.4477	0
248	14.5	0	0.4626	0
249	10.5	0	0.8111	0
250	11	0	0.8259	0
251	11.5	0	0.8407	0
252	12	0	0.8555	0
253	12.5	0	0.8703	0
254	13	0	0.8851	0
255	13.5	0	0.8999	0
256	14	0	0.9147	0
257	14.5	0	0.9296	0
258	10.5	0	1.311	0
259	11	0	1.326	0
260	11.5	0	1.341	0
261	12	0	1.355	0
262	12.5	0	1.37	0
263	13	0	1.385	0
264	13.5	0	1.4	0
265	14	0	1.415	0

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt


266	14.5	0	1.43	0
267	10.5	0	1.811	0
268	11	0	1.826	0
269	11.5	0	1.841	0
270	12	0	1.855	0
271	12.5	0	1.87	0
272	13	0	1.885	0
273	13.5	0	1.9	0
274	14	0	1.915	0
275	14.5	0	1.93	0
276	10.5	0	2.191	0
277	11	0	2.206	0
278	11.5	0	2.221	0
279	12	0	2.235	0
280	12.5	0	2.25	0
281	13	0	2.265	0
282	13.5	0	2.28	0
283	14	0	2.295	0
284	14.5	0	2.31	0
285	10.5	0	2.311	0
286	11	0	2.326	0
287	11.5	0	2.341	0
288	12	0	2.355	0
289	12.5	0	2.37	0
290	13	0	2.385	0
291	13.5	0	2.4	0
292	14	0	2.415	0
293	14.5	0	2.43	0
294	15.45	0	0.4908	0
295	15.45	0	0.9578	0
296	15.45	0	1.458	0
297	15.45	0	1.958	0
298	15.45	0	2.338	0
299	15.45	0	2.458	0
300	16.42	0	0.5195	0
301	16.93	0	0.5346	0
302	17.44	0	0.5498	0
303	17.95	0	0.5649	0
304	18.47	0	0.5801	0
305	18.98	0	0.5952	0
306	19.49	0	0.6103	0
307	16.42	0	0.9865	0
308	16.93	0	1.002	0
309	17.44	0	1.017	0
310	17.95	0	1.032	0
311	18.47	0	1.047	0
312	18.98	0	1.062	0
313	19.49	0	1.077	0
314	16.42	0	1.486	0
315	16.93	0	1.502	0
316	17.44	0	1.517	0
317	17.95	0	1.532	0
318	18.47	0	1.547	0
319	18.98	0	1.562	0
320	19.49	0	1.577	0
321	16.42	0	1.986	0
322	16.93	0	2.002	0
323	17.44	0	2.017	0
324	17.95	0	2.032	0
325	18.47	0	2.047	0
326	18.98	0	2.062	0
327	19.49	0	2.077	0
328	16.42	0	2.366	0
329	16.93	0	2.382	0
330	17.44	0	2.397	0
331	17.95	0	2.412	0

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt


332	18.47	0	2.427	0
333	18.98	0	2.442	0
334	19.49	0	2.457	0
335	16.42	0	2.486	0
336	16.93	0	2.502	0
337	17.44	0	2.517	0
338	17.95	0	2.532	0
339	18.47	0	2.547	0
340	18.98	0	2.562	0
341	19.49	0	2.577	0
342	20.51	0	0.6406	0
343	21.02	0	0.6558	0
344	21.53	0	0.6709	0
345	22.04	0	0.6861	0
346	22.56	0	0.7012	0
347	23.07	0	0.7164	0
348	23.58	0	0.7315	0
349	20.51	0	1.108	0
350	21.02	0	1.123	0
351	21.53	0	1.138	0
352	22.04	0	1.153	0
353	22.56	0	1.168	0
354	23.07	0	1.183	0
355	23.58	0	1.199	0
356	20.51	0	1.608	0
357	21.02	0	1.623	0
358	21.53	0	1.638	0
359	22.04	0	1.653	0
360	22.56	0	1.668	0
361	23.07	0	1.683	0
362	23.58	0	1.699	0
363	20.51	0	2.108	0
364	21.02	0	2.123	0
365	21.53	0	2.138	0
366	22.04	0	2.153	0
367	22.56	0	2.168	0
368	23.07	0	2.183	0
369	23.58	0	2.199	0
370	20.51	0	2.488	0
371	21.02	0	2.503	0
372	21.53	0	2.518	0
373	22.04	0	2.533	0
374	22.56	0	2.548	0
375	23.07	0	2.563	0
376	23.58	0	2.579	0
377	20.51	0	2.608	0
378	21.02	0	2.623	0
379	21.53	0	2.638	0
380	22.04	0	2.653	0
381	22.56	0	2.668	0
382	23.07	0	2.683	0
383	23.58	0	2.699	0
384	24.54	0	0.7601	0
385	24.54	0	1.227	0
386	24.54	0	1.727	0
387	24.54	0	2.227	0
388	24.54	0	2.607	0
389	24.54	0	2.727	0
390	25.5	0	0.7884	0
391	26	0	0.8032	0
392	26.5	0	0.8181	0
393	27	0	0.8329	0
394	27.5	0	0.8477	0
395	28	0	0.8625	0
396	28.5	0	0.8773	0
397	29	0	0.8921	0

PROJECT TITLE :

	Company			Client
	Author			File Name
				PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt


398	29.5	0	0.9069	0
399	25.5	0	1.255	0
400	26	0	1.27	0
401	26.5	0	1.285	0
402	27	0	1.3	0
403	27.5	0	1.315	0
404	28	0	1.329	0
405	28.5	0	1.344	0
406	29	0	1.359	0
407	29.5	0	1.374	0
408	25.5	0	1.755	0
409	26	0	1.77	0
410	26.5	0	1.785	0
411	27	0	1.8	0
412	27.5	0	1.815	0
413	28	0	1.829	0
414	28.5	0	1.844	0
415	29	0	1.859	0
416	29.5	0	1.874	0
417	25.5	0	2.255	0
418	26	0	2.27	0
419	26.5	0	2.285	0
420	27	0	2.3	0
421	27.5	0	2.315	0
422	28	0	2.329	0
423	28.5	0	2.344	0
424	29	0	2.359	0
425	29.5	0	2.374	0
426	25.5	0	2.635	0
427	26	0	2.65	0
428	26.5	0	2.665	0
429	27	0	2.68	0
430	27.5	0	2.695	0
431	28	0	2.709	0
432	28.5	0	2.724	0
433	29	0	2.739	0
434	29.5	0	2.754	0
435	25.5	0	2.755	0
436	26	0	2.77	0
437	26.5	0	2.785	0
438	27	0	2.8	0
439	27.5	0	2.815	0
440	28	0	2.829	0
441	28.5	0	2.844	0
442	29	0	2.859	0
443	29.5	0	2.874	0
444	30.57	0	0.9386	0
445	31.14	0	0.9554	0
446	31.7	0	0.9722	0
447	30.57	0	1.406	0
448	31.14	0	1.422	0
449	31.7	0	1.439	0
450	30.57	0	1.906	0
451	31.14	0	1.922	0
452	31.7	0	1.939	0
453	30.57	0	2.406	0
454	31.14	0	2.422	0
455	31.7	0	2.439	0
456	30.57	0	2.786	0
457	31.14	0	2.802	0
458	31.7	0	2.819	0
459	30.57	0	2.906	0
460	31.14	0	2.922	0
461	31.7	0	2.939	0
462	33.01	0	1.011	0
463	33.36	0	1.021	0

PROJECT TITLE :

	Company			Client
	Author			File Name
				PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt


464	33.91	0	1.038	0
465	34.45	0	1.054	0
466	33.01	0	1.478	0
467	33.36	0	1.488	0
468	33.91	0	1.505	0
469	34.45	0	1.521	0
470	33.01	0	1.978	0
471	33.36	0	1.988	0
472	33.91	0	2.005	0
473	34.45	0	2.021	0
474	33.01	0	2.478	0
475	33.36	0	2.488	0
476	33.91	0	2.505	0
477	34.45	0	2.521	0
478	33.01	0	2.858	0
479	33.36	0	2.868	0
480	33.91	0	2.885	0
481	34.45	0	2.901	0
482	33.01	0	2.978	0
483	33.36	0	2.988	0
484	33.91	0	3.005	0
485	34.45	0	3.021	0
486	35.5	0	1.085	0
487	36	0	1.1	0
488	36.5	0	1.114	0
489	37	0	1.129	0
490	37.5	0	1.144	0
491	38	0	1.159	0
492	38.5	0	1.174	0
493	39	0	1.188	0
494	39.5	0	1.203	0
495	35.5	0	1.552	0
496	36	0	1.567	0
497	36.5	0	1.581	0
498	37	0	1.596	0
499	37.5	0	1.611	0
500	38	0	1.626	0
501	38.5	0	1.641	0
502	39	0	1.655	0
503	39.5	0	1.67	0
504	35.5	0	2.052	0
505	36	0	2.067	0
506	36.5	0	2.081	0
507	37	0	2.096	0
508	37.5	0	2.111	0
509	38	0	2.126	0
510	38.5	0	2.141	0
511	39	0	2.155	0
512	39.5	0	2.17	0
513	35.5	0	2.552	0
514	36	0	2.567	0
515	36.5	0	2.581	0
516	37	0	2.596	0
517	37.5	0	2.611	0
518	38	0	2.626	0
519	38.5	0	2.641	0
520	39	0	2.655	0
521	39.5	0	2.67	0
522	35.5	0	2.932	0
523	36	0	2.947	0
524	36.5	0	2.961	0
525	37	0	2.976	0
526	37.5	0	2.991	0
527	38	0	3.006	0
528	38.5	0	3.021	0
529	39	0	3.035	0

PROJECT TITLE :

	Company			Client
	Author			File Name
				PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt


530	39.5	0	3.05	0
531	35.5	0	3.052	0
532	36	0	3.067	0
533	36.5	0	3.081	0
534	37	0	3.096	0
535	37.5	0	3.111	0
536	38	0	3.126	0
537	38.5	0	3.141	0
538	39	0	3.155	0
539	39.5	0	3.17	0
540	0	0	2.155	0
541	40	0	3.34	0
542	-0.4498	0	2.142	0
543	40.45	0	3.353	0
544	7.73	0	2.384	0
545	32.27	0	3.111	0
546	15.91	0	2.626	0
547	24.09	0	2.869	0
548	5.024	0	2.304	0
549	10	0	2.451	0
550	15	0	2.599	0
551	20	0	2.747	0
552	25	0	2.896	0
553	30	0	3.044	0
554	35	0	3.192	0
555	0.9996	0	2.185	0
556	0.4998	0	2.17	0
557	1.499	0	2.199	0
558	1.999	0	2.214	0
559	2.499	0	2.229	0
560	2.999	0	2.244	0
561	3.498	0	2.259	0
562	3.998	0	2.273	0
563	4.498	0	2.288	0
564	5.565	0	2.32	0
565	6.106	0	2.336	0
566	6.647	0	2.352	0
567	6.999	0	2.362	0
568	8.297	0	2.401	0
569	8.865	0	2.418	0
570	9.432	0	2.434	0
571	10.5	0	2.466	0
572	11	0	2.481	0
573	11.5	0	2.496	0
574	12	0	2.51	0
575	12.5	0	2.525	0
576	13	0	2.54	0
577	13.5	0	2.555	0
578	14	0	2.57	0
579	14.5	0	2.585	0
580	15.45	0	2.613	0
581	16.42	0	2.641	0
582	16.93	0	2.657	0
583	17.44	0	2.672	0
584	17.95	0	2.687	0
585	18.47	0	2.702	0
586	18.98	0	2.717	0
587	19.49	0	2.732	0
588	20.51	0	2.763	0
589	21.02	0	2.778	0
590	21.53	0	2.793	0
591	22.04	0	2.808	0
592	22.56	0	2.823	0
593	23.07	0	2.838	0
594	23.58	0	2.854	0
595	24.54	0	2.882	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	
			PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt

596	25.5	0	2.91	0
597	26	0	2.925	0
598	26.5	0	2.94	0
599	27	0	2.955	0
600	27.5	0	2.97	0
601	28	0	2.984	0
602	28.5	0	2.999	0
603	29	0	3.014	0
604	29.5	0	3.029	0
605	30.57	0	3.061	0
606	31.14	0	3.077	0
607	31.7	0	3.094	0
608	33.01	0	3.133	0
609	33.36	0	3.143	0
610	33.91	0	3.16	0
611	34.45	0	3.176	0
612	35.5	0	3.207	0
613	36	0	3.222	0
614	36.5	0	3.236	0
615	37	0	3.251	0
616	37.5	0	3.266	0
617	38	0	3.281	0
618	38.5	0	3.296	0
619	39	0	3.31	0
620	39.5	0	3.325	0
621	-0.4498	4.3	0.01967	0
622	0	4.3	0.5	0
623	-0.4498	4.3	0.4867	0
624	0.4998	4.3	0.04781	0
625	0.4998	4.3	0.5148	0
626	8.297	4.3	0.2788	0
627	8.297	4.3	0.7458	0
628	7.73	4.3	0.729	0
629	16.42	4.3	0.5195	0
630	16.42	4.3	0.9865	0
631	15.91	4.3	0.9713	0
632	24.54	4.3	0.7601	0
633	24.54	4.3	1.227	0
634	24.09	4.3	1.214	0
635	33.01	4.3	1.011	0
636	33.01	4.3	1.478	0
637	32.27	4.3	1.456	0
638	40.45	4.3	1.231	0
639	40.45	4.3	1.698	0
640	40	4.3	1.685	0
641	5.565	4.3	0.1979	0
642	5.565	4.3	0.6649	0
643	5.024	4.3	0.6488	0
644	0	4.3	1	0
645	0.4998	4.3	1.015	0
646	0.4998	4.3	1.515	0
647	0	4.3	1.5	0
648	5.024	4.3	1.149	0
649	5.565	4.3	1.165	0
650	5.565	4.3	1.665	0
651	5.024	4.3	1.649	0
652	10.5	4.3	0.3441	0
653	10.5	4.3	0.8111	0
654	10	4.3	0.7962	0
655	7.73	4.3	1.229	0
656	8.297	4.3	1.246	0
657	8.297	4.3	1.746	0
658	7.73	4.3	1.729	0
659	10	4.3	1.296	0
660	10.5	4.3	1.311	0
661	10.5	4.3	1.811	0


PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt

662	10	4.3	1.796	0
663	15.45	4.3	0.4908	0
664	15.45	4.3	0.9578	0
665	15	4.3	0.9444	0
666	15	4.3	1.444	0
667	15.45	4.3	1.458	0
668	15.45	4.3	1.958	0
669	15	4.3	1.944	0
670	20.51	4.3	0.6406	0
671	20.51	4.3	1.108	0
672	20	4.3	1.092	0
673	15.91	4.3	1.471	0
674	16.42	4.3	1.486	0
675	16.42	4.3	1.986	0
676	15.91	4.3	1.971	0
677	20	4.3	1.592	0
678	20.51	4.3	1.608	0
679	20.51	4.3	2.108	0
680	20	4.3	2.092	0
681	25.5	4.3	0.7884	0
682	25.5	4.3	1.255	0
683	25	4.3	1.241	0
684	24.09	4.3	1.714	0
685	24.54	4.3	1.727	0
686	24.54	4.3	2.227	0
687	24.09	4.3	2.214	0
688	25	4.3	1.741	0
689	25.5	4.3	1.755	0
690	25.5	4.3	2.255	0
691	25	4.3	2.241	0
692	30.57	4.3	0.9386	0
693	30.57	4.3	1.406	0
694	30	4.3	1.389	0
695	30	4.3	1.889	0
696	30.57	4.3	1.906	0
697	30.57	4.3	2.406	0
698	30	4.3	2.389	0
699	35.5	4.3	1.085	0
700	35.5	4.3	1.552	0
701	35	4.3	1.537	0
702	32.27	4.3	1.956	0
703	33.01	4.3	1.978	0
704	33.01	4.3	2.478	0
705	32.27	4.3	2.456	0
706	35	4.3	2.037	0
707	35.5	4.3	2.052	0
708	35.5	4.3	2.552	0
709	35	4.3	2.537	0
710	-0.4498	4.3	0.9867	0
711	-0.4498	4.3	1.487	0
712	40	4.3	2.185	0
713	40.45	4.3	2.198	0
714	40.45	4.3	2.698	0
715	40	4.3	2.685	0
716	0.4998	4.3	1.895	0
717	5.565	4.3	2.045	0
718	8.297	4.3	2.126	0
719	7.73	4.3	2.109	0
720	10.5	4.3	2.191	0
721	15.45	4.3	2.338	0
722	16.42	4.3	2.366	0
723	15.91	4.3	2.351	0
724	20.51	4.3	2.488	0
725	24.54	4.3	2.607	0
726	24.09	4.3	2.594	0
727	25.5	4.3	2.635	0




PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt


728	30.57	4.3	2.786	0
729	33.01	4.3	2.858	0
730	32.27	4.3	2.836	0
731	35.5	4.3	2.932	0
732	-0.4498	4.3	1.867	0
733	40.45	4.3	3.078	0
734	0.4998	4.3	2.015	0
735	5.565	4.3	2.165	0
736	5.024	4.3	2.149	0
737	8.297	4.3	2.246	0
738	10.5	4.3	2.311	0
739	10	4.3	2.296	0
740	15.45	4.3	2.458	0
741	15	4.3	2.444	0
742	16.42	4.3	2.486	0
743	20.51	4.3	2.608	0
744	20	4.3	2.592	0
745	24.54	4.3	2.727	0
746	25.5	4.3	2.755	0
747	25	4.3	2.741	0
748	30.57	4.3	2.906	0
749	30	4.3	2.889	0
750	33.01	4.3	2.978	0
751	35.5	4.3	3.052	0
752	35	4.3	3.037	0
753	-0.4498	4.3	1.987	0
754	40.45	4.3	3.198	0
755	0.9996	4.3	0.06261	0
756	1.499	4.3	0.07742	0
757	1.499	4.3	0.5444	0
758	0.9996	4.3	0.5296	0
759	0.9996	4.3	1.03	0
760	1.499	4.3	1.044	0
761	1.499	4.3	1.544	0
762	0.9996	4.3	1.53	0
763	1.499	4.3	1.924	0
764	0.9996	4.3	1.91	0
765	1.499	4.3	2.044	0
766	0.9996	4.3	2.03	0
767	1.999	4.3	0.09222	0
768	1.999	4.3	0.5592	0
769	1.999	4.3	1.059	0
770	1.999	4.3	1.559	0
771	1.999	4.3	1.939	0
772	1.999	4.3	2.059	0
773	2.499	4.3	0.107	0
774	2.499	4.3	0.574	0
775	2.499	4.3	1.074	0
776	2.499	4.3	1.574	0
777	2.499	4.3	1.954	0
778	2.499	4.3	2.074	0
779	2.999	4.3	0.1218	0
780	2.999	4.3	0.5888	0
781	2.999	4.3	1.089	0
782	2.999	4.3	1.589	0
783	2.999	4.3	1.969	0
784	2.999	4.3	2.089	0
785	3.498	4.3	0.1366	0
786	3.498	4.3	0.6036	0
787	3.498	4.3	1.104	0
788	3.498	4.3	1.604	0
789	3.498	4.3	1.984	0
790	3.498	4.3	2.104	0
791	3.998	4.3	0.1514	0
792	3.998	4.3	0.6184	0
793	3.998	4.3	1.118	0

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt


794	3.998	4.3	1.618	0
795	3.998	4.3	1.998	0
796	3.998	4.3	2.118	0
797	4.498	4.3	0.1663	0
798	4.498	4.3	0.6333	0
799	4.498	4.3	1.133	0
800	4.498	4.3	1.633	0
801	4.498	4.3	2.013	0
802	4.498	4.3	2.133	0
803	6.106	4.3	0.2139	0
804	6.106	4.3	0.6809	0
805	6.647	4.3	0.2299	0
806	6.647	4.3	0.6969	0
807	6.999	4.3	0.2403	0
808	6.999	4.3	0.7073	0
809	6.106	4.3	1.181	0
810	6.106	4.3	1.681	0
811	6.647	4.3	1.197	0
812	6.647	4.3	1.697	0
813	6.999	4.3	1.207	0
814	6.999	4.3	1.707	0
815	6.106	4.3	2.061	0
816	6.647	4.3	2.077	0
817	6.999	4.3	2.087	0
818	6.106	4.3	2.181	0
819	6.647	4.3	2.197	0
820	6.999	4.3	2.207	0
821	8.865	4.3	0.2956	0
822	8.865	4.3	0.7626	0
823	9.432	4.3	0.3124	0
824	9.432	4.3	0.7794	0
825	8.865	4.3	1.263	0
826	8.865	4.3	1.763	0
827	9.432	4.3	1.279	0
828	9.432	4.3	1.779	0
829	8.865	4.3	2.143	0
830	9.432	4.3	2.159	0
831	8.865	4.3	2.263	0
832	9.432	4.3	2.279	0
833	11	4.3	0.3589	0
834	11	4.3	0.8259	0
835	11.5	4.3	0.3737	0
836	11.5	4.3	0.8407	0
837	12	4.3	0.3885	0
838	12	4.3	0.8555	0
839	12.5	4.3	0.4033	0
840	12.5	4.3	0.8703	0
841	13	4.3	0.4181	0
842	13	4.3	0.8851	0
843	13.5	4.3	0.4329	0
844	13.5	4.3	0.8999	0
845	14	4.3	0.4477	0
846	14	4.3	0.9147	0
847	14.5	4.3	0.4626	0
848	14.5	4.3	0.9296	0
849	11	4.3	1.326	0
850	11	4.3	1.826	0
851	11.5	4.3	1.341	0
852	11.5	4.3	1.841	0
853	12	4.3	1.355	0
854	12	4.3	1.855	0
855	12.5	4.3	1.37	0
856	12.5	4.3	1.87	0
857	13	4.3	1.385	0
858	13	4.3	1.885	0
859	13.5	4.3	1.4	0

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt


860	13.5	4.3	1.9	0
861	14	4.3	1.415	0
862	14	4.3	1.915	0
863	14.5	4.3	1.43	0
864	14.5	4.3	1.93	0
865	11	4.3	2.206	0
866	11.5	4.3	2.221	0
867	12	4.3	2.235	0
868	12.5	4.3	2.25	0
869	13	4.3	2.265	0
870	13.5	4.3	2.28	0
871	14	4.3	2.295	0
872	14.5	4.3	2.31	0
873	11	4.3	2.326	0
874	11.5	4.3	2.341	0
875	12	4.3	2.355	0
876	12.5	4.3	2.37	0
877	13	4.3	2.385	0
878	13.5	4.3	2.4	0
879	14	4.3	2.415	0
880	14.5	4.3	2.43	0
881	16.93	4.3	0.5346	0
882	16.93	4.3	1.002	0
883	17.44	4.3	0.5498	0
884	17.44	4.3	1.017	0
885	17.95	4.3	0.5649	0
886	17.95	4.3	1.032	0
887	18.47	4.3	0.5801	0
888	18.47	4.3	1.047	0
889	18.98	4.3	0.5952	0
890	18.98	4.3	1.062	0
891	19.49	4.3	0.6103	0
892	19.49	4.3	1.077	0
893	16.93	4.3	1.502	0
894	16.93	4.3	2.002	0
895	17.44	4.3	1.517	0
896	17.44	4.3	2.017	0
897	17.95	4.3	1.532	0
898	17.95	4.3	2.032	0
899	18.47	4.3	1.547	0
900	18.47	4.3	2.047	0
901	18.98	4.3	1.562	0
902	18.98	4.3	2.062	0
903	19.49	4.3	1.577	0
904	19.49	4.3	2.077	0
905	16.93	4.3	2.382	0
906	17.44	4.3	2.397	0
907	17.95	4.3	2.412	0
908	18.47	4.3	2.427	0
909	18.98	4.3	2.442	0
910	19.49	4.3	2.457	0
911	16.93	4.3	2.502	0
912	17.44	4.3	2.517	0
913	17.95	4.3	2.532	0
914	18.47	4.3	2.547	0
915	18.98	4.3	2.562	0
916	19.49	4.3	2.577	0
917	21.02	4.3	0.6558	0
918	21.02	4.3	1.123	0
919	21.53	4.3	0.6709	0
920	21.53	4.3	1.138	0
921	22.04	4.3	0.6861	0
922	22.04	4.3	1.153	0
923	22.56	4.3	0.7012	0
924	22.56	4.3	1.168	0
925	23.07	4.3	0.7164	0

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt


926	23.07	4.3	1.183	0
927	23.58	4.3	0.7315	0
928	23.58	4.3	1.199	0
929	21.02	4.3	1.623	0
930	21.02	4.3	2.123	0
931	21.53	4.3	1.638	0
932	21.53	4.3	2.138	0
933	22.04	4.3	1.653	0
934	22.04	4.3	2.153	0
935	22.56	4.3	1.668	0
936	22.56	4.3	2.168	0
937	23.07	4.3	1.683	0
938	23.07	4.3	2.183	0
939	23.58	4.3	1.699	0
940	23.58	4.3	2.199	0
941	21.02	4.3	2.503	0
942	21.53	4.3	2.518	0
943	22.04	4.3	2.533	0
944	22.56	4.3	2.548	0
945	23.07	4.3	2.563	0
946	23.58	4.3	2.579	0
947	21.02	4.3	2.623	0
948	21.53	4.3	2.638	0
949	22.04	4.3	2.653	0
950	22.56	4.3	2.668	0
951	23.07	4.3	2.683	0
952	23.58	4.3	2.699	0
953	26	4.3	0.8032	0
954	26	4.3	1.27	0
955	26.5	4.3	0.8181	0
956	26.5	4.3	1.285	0
957	27	4.3	0.8329	0
958	27	4.3	1.3	0
959	27.5	4.3	0.8477	0
960	27.5	4.3	1.315	0
961	28	4.3	0.8625	0
962	28	4.3	1.329	0
963	28.5	4.3	0.8773	0
964	28.5	4.3	1.344	0
965	29	4.3	0.8921	0
966	29	4.3	1.359	0
967	29.5	4.3	0.9069	0
968	29.5	4.3	1.374	0
969	26	4.3	1.77	0
970	26	4.3	2.27	0
971	26.5	4.3	1.785	0
972	26.5	4.3	2.285	0
973	27	4.3	1.8	0
974	27	4.3	2.3	0
975	27.5	4.3	1.815	0
976	27.5	4.3	2.315	0
977	28	4.3	1.829	0
978	28	4.3	2.329	0
979	28.5	4.3	1.844	0
980	28.5	4.3	2.344	0
981	29	4.3	1.859	0
982	29	4.3	2.359	0
983	29.5	4.3	1.874	0
984	29.5	4.3	2.374	0
985	26	4.3	2.65	0
986	26.5	4.3	2.665	0
987	27	4.3	2.68	0
988	27.5	4.3	2.695	0
989	28	4.3	2.709	0
990	28.5	4.3	2.724	0
991	29	4.3	2.739	0

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt


992	29.5	4.3	2.754	0
993	26	4.3	2.77	0
994	26.5	4.3	2.785	0
995	27	4.3	2.8	0
996	27.5	4.3	2.815	0
997	28	4.3	2.829	0
998	28.5	4.3	2.844	0
999	29	4.3	2.859	0
1000	29.5	4.3	2.874	0
1001	31.14	4.3	0.9554	0
1002	31.14	4.3	1.422	0
1003	31.7	4.3	0.9722	0
1004	31.7	4.3	1.439	0
1005	31.14	4.3	1.922	0
1006	31.14	4.3	2.422	0
1007	31.7	4.3	1.939	0
1008	31.7	4.3	2.439	0
1009	31.14	4.3	2.802	0
1010	31.7	4.3	2.819	0
1011	31.14	4.3	2.922	0
1012	31.7	4.3	2.939	0
1013	33.36	4.3	1.021	0
1014	33.36	4.3	1.488	0
1015	33.91	4.3	1.038	0
1016	33.91	4.3	1.505	0
1017	34.45	4.3	1.054	0
1018	34.45	4.3	1.521	0
1019	33.36	4.3	1.988	0
1020	33.36	4.3	2.488	0
1021	33.91	4.3	2.005	0
1022	33.91	4.3	2.505	0
1023	34.45	4.3	2.021	0
1024	34.45	4.3	2.521	0
1025	33.36	4.3	2.868	0
1026	33.91	4.3	2.885	0
1027	34.45	4.3	2.901	0
1028	33.36	4.3	2.988	0
1029	33.91	4.3	3.005	0
1030	34.45	4.3	3.021	0
1031	36	4.3	1.1	0
1032	36	4.3	1.567	0
1033	36.5	4.3	1.114	0
1034	36.5	4.3	1.581	0
1035	37	4.3	1.129	0
1036	37	4.3	1.596	0
1037	37.5	4.3	1.144	0
1038	37.5	4.3	1.611	0
1039	38	4.3	1.159	0
1040	38	4.3	1.626	0
1041	38.5	4.3	1.174	0
1042	38.5	4.3	1.641	0
1043	39	4.3	1.188	0
1044	39	4.3	1.655	0
1045	39.5	4.3	1.203	0
1046	39.5	4.3	1.67	0
1047	36	4.3	2.067	0
1048	36	4.3	2.567	0
1049	36.5	4.3	2.081	0
1050	36.5	4.3	2.581	0
1051	37	4.3	2.096	0
1052	37	4.3	2.596	0
1053	37.5	4.3	2.111	0
1054	37.5	4.3	2.611	0
1055	38	4.3	2.126	0
1056	38	4.3	2.626	0
1057	38.5	4.3	2.141	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt


1058	38.5	4.3	2.641	0
1059	39	4.3	2.155	0
1060	39	4.3	2.655	0
1061	39.5	4.3	2.17	0
1062	39.5	4.3	2.67	0
1063	36	4.3	2.947	0
1064	36.5	4.3	2.961	0
1065	37	4.3	2.976	0
1066	37.5	4.3	2.991	0
1067	38	4.3	3.006	0
1068	38.5	4.3	3.021	0
1069	39	4.3	3.035	0
1070	39.5	4.3	3.05	0
1071	36	4.3	3.067	0
1072	36.5	4.3	3.081	0
1073	37	4.3	3.096	0
1074	37.5	4.3	3.111	0
1075	38	4.3	3.126	0
1076	38.5	4.3	3.141	0
1077	39	4.3	3.155	0
1078	39.5	4.3	3.17	0
1079	0	4.3	2.155	0
1080	40	4.3	3.34	0
1081	-0.4498	4.3	2.142	0
1082	40.45	4.3	3.353	0
1083	7.73	4.3	2.384	0
1084	32.27	4.3	3.111	0
1085	15.91	4.3	2.626	0
1086	24.09	4.3	2.869	0
1087	5.024	4.3	2.304	0
1088	10	4.3	2.451	0
1089	15	4.3	2.599	0
1090	20	4.3	2.747	0
1091	25	4.3	2.896	0
1092	30	4.3	3.044	0
1093	35	4.3	3.192	0
1094	0.9996	4.3	2.185	0
1095	0.4998	4.3	2.17	0
1096	1.499	4.3	2.199	0
1097	1.999	4.3	2.214	0
1098	2.499	4.3	2.229	0
1099	2.999	4.3	2.244	0
1100	3.498	4.3	2.259	0
1101	3.998	4.3	2.273	0
1102	4.498	4.3	2.288	0
1103	5.565	4.3	2.32	0
1104	6.106	4.3	2.336	0
1105	6.647	4.3	2.352	0
1106	6.999	4.3	2.362	0
1107	8.297	4.3	2.401	0
1108	8.865	4.3	2.418	0
1109	9.432	4.3	2.434	0
1110	10.5	4.3	2.466	0
1111	11	4.3	2.481	0
1112	11.5	4.3	2.496	0
1113	12	4.3	2.51	0
1114	12.5	4.3	2.525	0
1115	13	4.3	2.54	0
1116	13.5	4.3	2.555	0
1117	14	4.3	2.57	0
1118	14.5	4.3	2.585	0
1119	15.45	4.3	2.613	0
1120	16.42	4.3	2.641	0
1121	16.93	4.3	2.657	0
1122	17.44	4.3	2.672	0
1123	17.95	4.3	2.687	0

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt

1124	18.47	4.3	2.702	0
1125	18.98	4.3	2.717	0
1126	19.49	4.3	2.732	0
1127	20.51	4.3	2.763	0
1128	21.02	4.3	2.778	0
1129	21.53	4.3	2.793	0
1130	22.04	4.3	2.808	0
1131	22.56	4.3	2.823	0
1132	23.07	4.3	2.838	0
1133	23.58	4.3	2.854	0
1134	24.54	4.3	2.882	0
1135	25.5	4.3	2.91	0
1136	26	4.3	2.925	0
1137	26.5	4.3	2.94	0
1138	27	4.3	2.955	0
1139	27.5	4.3	2.97	0
1140	28	4.3	2.984	0
1141	28.5	4.3	2.999	0
1142	29	4.3	3.014	0
1143	29.5	4.3	3.029	0
1144	30.57	4.3	3.061	0
1145	31.14	4.3	3.077	0
1146	31.7	4.3	3.094	0
1147	33.01	4.3	3.133	0
1148	33.36	4.3	3.143	0
1149	33.91	4.3	3.16	0
1150	34.45	4.3	3.176	0
1151	35.5	4.3	3.207	0
1152	36	4.3	3.222	0
1153	36.5	4.3	3.236	0
1154	37	4.3	3.251	0
1155	37.5	4.3	3.266	0
1156	38	4.3	3.281	0
1157	38.5	4.3	3.296	0
1158	39	4.3	3.31	0
1159	39.5	4.3	3.325	0
1160	0	5.15	2.155	0
1161	40	5.15	3.34	0
1162	-0.4498	5.15	2.142	0
1163	40.45	5.15	3.353	0
1164	7.73	5.15	2.384	0
1165	32.27	5.15	3.111	0
1166	15.91	5.15	2.626	0
1167	24.09	5.15	2.869	0
1168	5.024	5.15	2.304	0
1169	10	5.15	2.451	0
1170	15	5.15	2.599	0
1171	20	5.15	2.747	0
1172	25	5.15	2.896	0
1173	30	5.15	3.044	0
1174	35	5.15	3.192	0
1175	0.9996	5.15	2.185	0
1176	0.4998	5.15	2.17	0
1177	1.499	5.15	2.199	0
1178	1.999	5.15	2.214	0
1179	2.499	5.15	2.229	0
1180	2.999	5.15	2.244	0
1181	3.498	5.15	2.259	0
1182	3.998	5.15	2.273	0
1183	4.498	5.15	2.288	0
1184	5.565	5.15	2.32	0
1185	6.106	5.15	2.336	0
1186	6.647	5.15	2.352	0
1187	6.999	5.15	2.362	0
1188	8.297	5.15	2.401	0
1189	8.865	5.15	2.418	0


PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt

1190	9.432	5.15	2.434	0
1191	10.5	5.15	2.466	0
1192	11	5.15	2.481	0
1193	11.5	5.15	2.496	0
1194	12	5.15	2.51	0
1195	12.5	5.15	2.525	0
1196	13	5.15	2.54	0
1197	13.5	5.15	2.555	0
1198	14	5.15	2.57	0
1199	14.5	5.15	2.585	0
1200	15.45	5.15	2.613	0
1201	16.42	5.15	2.641	0
1202	16.93	5.15	2.657	0
1203	17.44	5.15	2.672	0
1204	17.95	5.15	2.687	0
1205	18.47	5.15	2.702	0
1206	18.98	5.15	2.717	0
1207	19.49	5.15	2.732	0
1208	20.51	5.15	2.763	0
1209	21.02	5.15	2.778	0
1210	21.53	5.15	2.793	0
1211	22.04	5.15	2.808	0
1212	22.56	5.15	2.823	0
1213	23.07	5.15	2.838	0
1214	23.58	5.15	2.854	0
1215	24.54	5.15	2.882	0
1216	25.5	5.15	2.91	0
1217	26	5.15	2.925	0
1218	26.5	5.15	2.94	0
1219	27	5.15	2.955	0
1220	27.5	5.15	2.97	0
1221	28	5.15	2.984	0
1222	28.5	5.15	2.999	0
1223	29	5.15	3.014	0
1224	29.5	5.15	3.029	0
1225	30.57	5.15	3.061	0
1226	31.14	5.15	3.077	0
1227	31.7	5.15	3.094	0
1228	33.01	5.15	3.133	0
1229	33.36	5.15	3.143	0
1230	33.91	5.15	3.16	0
1231	34.45	5.15	3.176	0
1232	35.5	5.15	3.207	0
1233	36	5.15	3.222	0
1234	36.5	5.15	3.236	0
1235	37	5.15	3.251	0
1236	37.5	5.15	3.266	0
1237	38	5.15	3.281	0
1238	38.5	5.15	3.296	0
1239	39	5.15	3.31	0
1240	39.5	5.15	3.325	0
1241	0	-0.85	2.155	0
1242	40	-0.85	3.34	0
1243	-0.4498	-0.85	2.142	0
1244	40.45	-0.85	3.353	0
1245	7.73	-0.85	2.384	0
1246	32.27	-0.85	3.111	0
1247	15.91	-0.85	2.626	0
1248	24.09	-0.85	2.869	0
1249	5.024	-0.85	2.304	0
1250	10	-0.85	2.451	0
1251	15	-0.85	2.599	0
1252	20	-0.85	2.747	0
1253	25	-0.85	2.896	0
1254	30	-0.85	3.044	0
1255	35	-0.85	3.192	0




PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt


1256	0.9996	-0.85	2.185	0
1257	0.4998	-0.85	2.17	0
1258	1.499	-0.85	2.199	0
1259	1.999	-0.85	2.214	0
1260	2.499	-0.85	2.229	0
1261	2.999	-0.85	2.244	0
1262	3.498	-0.85	2.259	0
1263	3.998	-0.85	2.273	0
1264	4.498	-0.85	2.288	0
1265	5.565	-0.85	2.32	0
1266	6.106	-0.85	2.336	0
1267	6.647	-0.85	2.352	0
1268	6.999	-0.85	2.362	0
1269	8.297	-0.85	2.401	0
1270	8.865	-0.85	2.418	0
1271	9.432	-0.85	2.434	0
1272	10.5	-0.85	2.466	0
1273	11	-0.85	2.481	0
1274	11.5	-0.85	2.496	0
1275	12	-0.85	2.51	0
1276	12.5	-0.85	2.525	0
1277	13	-0.85	2.54	0
1278	13.5	-0.85	2.555	0
1279	14	-0.85	2.57	0
1280	14.5	-0.85	2.585	0
1281	15.45	-0.85	2.613	0
1282	16.42	-0.85	2.641	0
1283	16.93	-0.85	2.657	0
1284	17.44	-0.85	2.672	0
1285	17.95	-0.85	2.687	0
1286	18.47	-0.85	2.702	0
1287	18.98	-0.85	2.717	0
1288	19.49	-0.85	2.732	0
1289	20.51	-0.85	2.763	0
1290	21.02	-0.85	2.778	0
1291	21.53	-0.85	2.793	0
1292	22.04	-0.85	2.808	0
1293	22.56	-0.85	2.823	0
1294	23.07	-0.85	2.838	0
1295	23.58	-0.85	2.854	0
1296	24.54	-0.85	2.882	0
1297	25.5	-0.85	2.91	0
1298	26	-0.85	2.925	0
1299	26.5	-0.85	2.94	0
1300	27	-0.85	2.955	0
1301	27.5	-0.85	2.97	0
1302	28	-0.85	2.984	0
1303	28.5	-0.85	2.999	0
1304	29	-0.85	3.014	0
1305	29.5	-0.85	3.029	0
1306	30.57	-0.85	3.061	0
1307	31.14	-0.85	3.077	0
1308	31.7	-0.85	3.094	0
1309	33.01	-0.85	3.133	0
1310	33.36	-0.85	3.143	0
1311	33.91	-0.85	3.16	0
1312	34.45	-0.85	3.176	0
1313	35.5	-0.85	3.207	0
1314	36	-0.85	3.222	0
1315	36.5	-0.85	3.236	0
1316	37	-0.85	3.251	0
1317	37.5	-0.85	3.266	0
1318	38	-0.85	3.281	0
1319	38.5	-0.85	3.296	0
1320	39	-0.85	3.31	0
1321	39.5	-0.85	3.325	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt


1322	0	5.85	2.155	0
1323	40	5.85	3.34	0
1324	-0.4498	5.85	2.142	0
1325	40.45	5.85	3.353	0
1326	7.73	5.85	2.384	0
1327	32.27	5.85	3.111	0
1328	15.91	5.85	2.626	0
1329	24.09	5.85	2.869	0
1330	5.024	5.85	2.304	0
1331	10	5.85	2.451	0
1332	15	5.85	2.599	0
1333	20	5.85	2.747	0
1334	25	5.85	2.896	0
1335	30	5.85	3.044	0
1336	35	5.85	3.192	0
1337	0.9996	5.85	2.185	0
1338	0.4998	5.85	2.17	0
1339	1.499	5.85	2.199	0
1340	1.999	5.85	2.214	0
1341	2.499	5.85	2.229	0
1342	2.999	5.85	2.244	0
1343	3.498	5.85	2.259	0
1344	3.998	5.85	2.273	0
1345	4.498	5.85	2.288	0
1346	5.565	5.85	2.32	0
1347	6.106	5.85	2.336	0
1348	6.647	5.85	2.352	0
1349	6.999	5.85	2.362	0
1350	8.297	5.85	2.401	0
1351	8.865	5.85	2.418	0
1352	9.432	5.85	2.434	0
1353	10.5	5.85	2.466	0
1354	11	5.85	2.481	0
1355	11.5	5.85	2.496	0
1356	12	5.85	2.51	0
1357	12.5	5.85	2.525	0
1358	13	5.85	2.54	0
1359	13.5	5.85	2.555	0
1360	14	5.85	2.57	0
1361	14.5	5.85	2.585	0
1362	15.45	5.85	2.613	0
1363	16.42	5.85	2.641	0
1364	16.93	5.85	2.657	0
1365	17.44	5.85	2.672	0
1366	17.95	5.85	2.687	0
1367	18.47	5.85	2.702	0
1368	18.98	5.85	2.717	0
1369	19.49	5.85	2.732	0
1370	20.51	5.85	2.763	0
1371	21.02	5.85	2.778	0
1372	21.53	5.85	2.793	0
1373	22.04	5.85	2.808	0
1374	22.56	5.85	2.823	0
1375	23.07	5.85	2.838	0
1376	23.58	5.85	2.854	0
1377	24.54	5.85	2.882	0
1378	25.5	5.85	2.91	0
1379	26	5.85	2.925	0
1380	26.5	5.85	2.94	0
1381	27	5.85	2.955	0
1382	27.5	5.85	2.97	0
1383	28	5.85	2.984	0
1384	28.5	5.85	2.999	0
1385	29	5.85	3.014	0
1386	29.5	5.85	3.029	0
1387	30.57	5.85	3.061	0

PROJECT TITLE :

	Company			Client
	Author			File Name
				PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt


1388	31.14	5.85	3.077	0
1389	31.7	5.85	3.094	0
1390	33.01	5.85	3.133	0
1391	33.36	5.85	3.143	0
1392	33.91	5.85	3.16	0
1393	34.45	5.85	3.176	0
1394	35.5	5.85	3.207	0
1395	36	5.85	3.222	0
1396	36.5	5.85	3.236	0
1397	37	5.85	3.251	0
1398	37.5	5.85	3.266	0
1399	38	5.85	3.281	0
1400	38.5	5.85	3.296	0
1401	39	5.85	3.31	0
1402	39.5	5.85	3.325	0
1403	0	-1.55	2.155	0
1404	40	-1.55	3.34	0
1405	-0.4498	-1.55	2.142	0
1406	40.45	-1.55	3.353	0
1407	7.73	-1.55	2.384	0
1408	32.27	-1.55	3.111	0
1409	15.91	-1.55	2.626	0
1410	24.09	-1.55	2.869	0
1411	5.024	-1.55	2.304	0
1412	10	-1.55	2.451	0
1413	15	-1.55	2.599	0
1414	20	-1.55	2.747	0
1415	25	-1.55	2.896	0
1416	30	-1.55	3.044	0
1417	35	-1.55	3.192	0
1418	0.9996	-1.55	2.185	0
1419	0.4998	-1.55	2.17	0
1420	1.499	-1.55	2.199	0
1421	1.999	-1.55	2.214	0
1422	2.499	-1.55	2.229	0
1423	2.999	-1.55	2.244	0
1424	3.498	-1.55	2.259	0
1425	3.998	-1.55	2.273	0
1426	4.498	-1.55	2.288	0
1427	5.565	-1.55	2.32	0
1428	6.106	-1.55	2.336	0
1429	6.647	-1.55	2.352	0
1430	6.999	-1.55	2.362	0
1431	8.297	-1.55	2.401	0
1432	8.865	-1.55	2.418	0
1433	9.432	-1.55	2.434	0
1434	10.5	-1.55	2.466	0
1435	11	-1.55	2.481	0
1436	11.5	-1.55	2.496	0
1437	12	-1.55	2.51	0
1438	12.5	-1.55	2.525	0
1439	13	-1.55	2.54	0
1440	13.5	-1.55	2.555	0
1441	14	-1.55	2.57	0
1442	14.5	-1.55	2.585	0
1443	15.45	-1.55	2.613	0
1444	16.42	-1.55	2.641	0
1445	16.93	-1.55	2.657	0
1446	17.44	-1.55	2.672	0
1447	17.95	-1.55	2.687	0
1448	18.47	-1.55	2.702	0
1449	18.98	-1.55	2.717	0
1450	19.49	-1.55	2.732	0
1451	20.51	-1.55	2.763	0
1452	21.02	-1.55	2.778	0
1453	21.53	-1.55	2.793	0

PROJECT TITLE :

	Company			Client
	Author			File Name
				PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt


1454	22.04	-1.55	2.808	0
1455	22.56	-1.55	2.823	0
1456	23.07	-1.55	2.838	0
1457	23.58	-1.55	2.854	0
1458	24.54	-1.55	2.882	0
1459	25.5	-1.55	2.91	0
1460	26	-1.55	2.925	0
1461	26.5	-1.55	2.94	0
1462	27	-1.55	2.955	0
1463	27.5	-1.55	2.97	0
1464	28	-1.55	2.984	0
1465	28.5	-1.55	2.999	0
1466	29	-1.55	3.014	0
1467	29.5	-1.55	3.029	0
1468	30.57	-1.55	3.061	0
1469	31.14	-1.55	3.077	0
1470	31.7	-1.55	3.094	0
1471	33.01	-1.55	3.133	0
1472	33.36	-1.55	3.143	0
1473	33.91	-1.55	3.16	0
1474	34.45	-1.55	3.176	0
1475	35.5	-1.55	3.207	0
1476	36	-1.55	3.222	0
1477	36.5	-1.55	3.236	0
1478	37	-1.55	3.251	0
1479	37.5	-1.55	3.266	0
1480	38	-1.55	3.281	0
1481	38.5	-1.55	3.296	0
1482	39	-1.55	3.31	0
1483	39.5	-1.55	3.325	0
1484	-0.4498	2.15	2.142	0
1485	0	2.15	2.155	0
1486	0.4998	2.15	2.17	0
1487	0.9996	2.15	2.185	0
1488	1.499	2.15	2.199	0
1489	1.999	2.15	2.214	0
1490	2.499	2.15	2.229	0
1491	2.999	2.15	2.244	0
1492	3.498	2.15	2.259	0
1493	3.998	2.15	2.273	0
1494	4.498	2.15	2.288	0
1495	5.024	2.15	2.304	0
1496	5.565	2.15	2.32	0
1497	6.106	2.15	2.336	0
1498	6.647	2.15	2.352	0
1499	6.999	2.15	2.362	0
1500	7.73	2.15	2.384	0
1501	8.297	2.15	2.401	0
1502	8.865	2.15	2.418	0
1503	9.432	2.15	2.434	0
1504	10	2.15	2.451	0
1505	10.5	2.15	2.466	0
1506	11	2.15	2.481	0
1507	11.5	2.15	2.496	0
1508	12	2.15	2.51	0
1509	12.5	2.15	2.525	0
1510	13	2.15	2.54	0
1511	13.5	2.15	2.555	0
1512	14	2.15	2.57	0
1513	14.5	2.15	2.585	0
1514	15	2.15	2.599	0
1515	15.45	2.15	2.613	0
1516	15.91	2.15	2.626	0
1517	16.42	2.15	2.641	0
1518	16.93	2.15	2.657	0
1519	17.44	2.15	2.672	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt


1520	17.95	2.15	2.687	0
1521	18.47	2.15	2.702	0
1522	18.98	2.15	2.717	0
1523	19.49	2.15	2.732	0
1524	20	2.15	2.747	0
1525	20.51	2.15	2.763	0
1526	21.02	2.15	2.778	0
1527	21.53	2.15	2.793	0
1528	22.04	2.15	2.808	0
1529	22.56	2.15	2.823	0
1530	23.07	2.15	2.838	0
1531	23.58	2.15	2.854	0
1532	24.09	2.15	2.869	0
1533	24.54	2.15	2.882	0
1534	25	2.15	2.896	0
1535	25.5	2.15	2.91	0
1536	26	2.15	2.925	0
1537	26.5	2.15	2.94	0
1538	27	2.15	2.955	0
1539	27.5	2.15	2.97	0
1540	28	2.15	2.984	0
1541	28.5	2.15	2.999	0
1542	29	2.15	3.014	0
1543	29.5	2.15	3.029	0
1544	30	2.15	3.044	0
1545	30.57	2.15	3.061	0
1546	31.14	2.15	3.077	0
1547	31.7	2.15	3.094	0
1548	32.27	2.15	3.111	0
1549	33.01	2.15	3.133	0
1550	33.36	2.15	3.143	0
1551	33.91	2.15	3.16	0
1552	34.45	2.15	3.176	0
1553	35	2.15	3.192	0
1554	35.5	2.15	3.207	0
1555	36	2.15	3.222	0
1556	36.5	2.15	3.236	0
1557	37	2.15	3.251	0
1558	37.5	2.15	3.266	0
1559	38	2.15	3.281	0
1560	38.5	2.15	3.296	0
1561	39	2.15	3.31	0
1562	39.5	2.15	3.325	0
1563	40	2.15	3.34	0
1564	40.45	2.15	3.353	0
1565	-0.4498	0.5375	2.142	0
1566	0	0.5375	2.155	0
1567	-0.4498	1.075	2.142	0
1568	0	1.075	2.155	0
1569	-0.4498	1.613	2.142	0
1570	0	1.613	2.155	0
1571	0.4998	0.5375	2.17	0
1572	0.4998	1.075	2.17	0
1573	0.4998	1.613	2.17	0
1574	0.9996	0.5375	2.185	0
1575	0.9996	1.075	2.185	0
1576	0.9996	1.613	2.185	0
1577	1.499	0.5375	2.199	0
1578	1.499	1.075	2.199	0
1579	1.499	1.613	2.199	0
1580	1.999	0.5375	2.214	0
1581	1.999	1.075	2.214	0
1582	1.999	1.613	2.214	0
1583	2.499	0.5375	2.229	0
1584	2.499	1.075	2.229	0
1585	2.499	1.613	2.229	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt


1586	2.999	0.5375	2.244	0
1587	2.999	1.075	2.244	0
1588	2.999	1.613	2.244	0
1589	3.498	0.5375	2.259	0
1590	3.498	1.075	2.259	0
1591	3.498	1.613	2.259	0
1592	3.998	0.5375	2.273	0
1593	3.998	1.075	2.273	0
1594	3.998	1.613	2.273	0
1595	4.498	0.5375	2.288	0
1596	4.498	1.075	2.288	0
1597	4.498	1.613	2.288	0
1598	5.024	0.5375	2.304	0
1599	5.024	1.075	2.304	0
1600	5.024	1.613	2.304	0
1601	5.565	0.5375	2.32	0
1602	5.565	1.075	2.32	0
1603	5.565	1.613	2.32	0
1604	6.106	0.5375	2.336	0
1605	6.106	1.075	2.336	0
1606	6.106	1.613	2.336	0
1607	6.647	0.5375	2.352	0
1608	6.647	1.075	2.352	0
1609	6.647	1.613	2.352	0
1610	6.999	0.5375	2.362	0
1611	6.999	1.075	2.362	0
1612	6.999	1.613	2.362	0
1613	7.73	0.5375	2.384	0
1614	7.73	1.075	2.384	0
1615	7.73	1.613	2.384	0
1616	8.297	0.5375	2.401	0
1617	8.297	1.075	2.401	0
1618	8.297	1.613	2.401	0
1619	8.865	0.5375	2.418	0
1620	8.865	1.075	2.418	0
1621	8.865	1.613	2.418	0
1622	9.432	0.5375	2.434	0
1623	9.432	1.075	2.434	0
1624	9.432	1.613	2.434	0
1625	10	0.5375	2.451	0
1626	10	1.075	2.451	0
1627	10	1.613	2.451	0
1628	10.5	0.5375	2.466	0
1629	10.5	1.075	2.466	0
1630	10.5	1.613	2.466	0
1631	11	0.5375	2.481	0
1632	11	1.075	2.481	0
1633	11	1.613	2.481	0
1634	11.5	0.5375	2.496	0
1635	11.5	1.075	2.496	0
1636	11.5	1.613	2.496	0
1637	12	0.5375	2.51	0
1638	12	1.075	2.51	0
1639	12	1.613	2.51	0
1640	12.5	0.5375	2.525	0
1641	12.5	1.075	2.525	0
1642	12.5	1.613	2.525	0
1643	13	0.5375	2.54	0
1644	13	1.075	2.54	0
1645	13	1.613	2.54	0
1646	13.5	0.5375	2.555	0
1647	13.5	1.075	2.555	0
1648	13.5	1.613	2.555	0
1649	14	0.5375	2.57	0
1650	14	1.075	2.57	0
1651	14	1.613	2.57	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt

1652	14.5	0.5375	2.585	0
1653	14.5	1.075	2.585	0
1654	14.5	1.613	2.585	0
1655	15	0.5375	2.599	0
1656	15	1.075	2.599	0
1657	15	1.613	2.599	0
1658	15.45	0.5375	2.613	0
1659	15.45	1.075	2.613	0
1660	15.45	1.613	2.613	0
1661	15.91	0.5375	2.626	0
1662	15.91	1.075	2.626	0
1663	15.91	1.613	2.626	0
1664	16.42	0.5375	2.641	0
1665	16.42	1.075	2.641	0
1666	16.42	1.613	2.641	0
1667	16.93	0.5375	2.657	0
1668	16.93	1.075	2.657	0
1669	16.93	1.613	2.657	0
1670	17.44	0.5375	2.672	0
1671	17.44	1.075	2.672	0
1672	17.44	1.613	2.672	0
1673	17.95	0.5375	2.687	0
1674	17.95	1.075	2.687	0
1675	17.95	1.613	2.687	0
1676	18.47	0.5375	2.702	0
1677	18.47	1.075	2.702	0
1678	18.47	1.613	2.702	0
1679	18.98	0.5375	2.717	0
1680	18.98	1.075	2.717	0
1681	18.98	1.613	2.717	0
1682	19.49	0.5375	2.732	0
1683	19.49	1.075	2.732	0
1684	19.49	1.613	2.732	0
1685	20	0.5375	2.747	0
1686	20	1.075	2.747	0
1687	20	1.613	2.747	0
1688	20.51	0.5375	2.763	0
1689	20.51	1.075	2.763	0
1690	20.51	1.613	2.763	0
1691	21.02	0.5375	2.778	0
1692	21.02	1.075	2.778	0
1693	21.02	1.613	2.778	0
1694	21.53	0.5375	2.793	0
1695	21.53	1.075	2.793	0
1696	21.53	1.613	2.793	0
1697	22.04	0.5375	2.808	0
1698	22.04	1.075	2.808	0
1699	22.04	1.613	2.808	0
1700	22.56	0.5375	2.823	0
1701	22.56	1.075	2.823	0
1702	22.56	1.613	2.823	0
1703	23.07	0.5375	2.838	0
1704	23.07	1.075	2.838	0
1705	23.07	1.613	2.838	0
1706	23.58	0.5375	2.854	0
1707	23.58	1.075	2.854	0
1708	23.58	1.613	2.854	0
1709	24.09	0.5375	2.869	0
1710	24.09	1.075	2.869	0
1711	24.09	1.613	2.869	0
1712	24.54	0.5375	2.882	0
1713	24.54	1.075	2.882	0
1714	24.54	1.613	2.882	0
1715	25	0.5375	2.896	0
1716	25	1.075	2.896	0
1717	25	1.613	2.896	0


PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt

1718	25.5	0.5375	2.91	0
1719	25.5	1.075	2.91	0
1720	25.5	1.613	2.91	0
1721	26	0.5375	2.925	0
1722	26	1.075	2.925	0
1723	26	1.613	2.925	0
1724	26.5	0.5375	2.94	0
1725	26.5	1.075	2.94	0
1726	26.5	1.613	2.94	0
1727	27	0.5375	2.955	0
1728	27	1.075	2.955	0
1729	27	1.613	2.955	0
1730	27.5	0.5375	2.97	0
1731	27.5	1.075	2.97	0
1732	27.5	1.613	2.97	0
1733	28	0.5375	2.984	0
1734	28	1.075	2.984	0
1735	28	1.613	2.984	0
1736	28.5	0.5375	2.999	0
1737	28.5	1.075	2.999	0
1738	28.5	1.613	2.999	0
1739	29	0.5375	3.014	0
1740	29	1.075	3.014	0
1741	29	1.613	3.014	0
1742	29.5	0.5375	3.029	0
1743	29.5	1.075	3.029	0
1744	29.5	1.613	3.029	0
1745	30	0.5375	3.044	0
1746	30	1.075	3.044	0
1747	30	1.613	3.044	0
1748	30.57	0.5375	3.061	0
1749	30.57	1.075	3.061	0
1750	30.57	1.613	3.061	0
1751	31.14	0.5375	3.077	0
1752	31.14	1.075	3.077	0
1753	31.14	1.613	3.077	0
1754	31.7	0.5375	3.094	0
1755	31.7	1.075	3.094	0
1756	31.7	1.613	3.094	0
1757	32.27	0.5375	3.111	0
1758	32.27	1.075	3.111	0
1759	32.27	1.613	3.111	0
1760	33.01	0.5375	3.133	0
1761	33.01	1.075	3.133	0
1762	33.01	1.613	3.133	0
1763	33.36	0.5375	3.143	0
1764	33.36	1.075	3.143	0
1765	33.36	1.613	3.143	0
1766	33.91	0.5375	3.16	0
1767	33.91	1.075	3.16	0
1768	33.91	1.613	3.16	0
1769	34.45	0.5375	3.176	0
1770	34.45	1.075	3.176	0
1771	34.45	1.613	3.176	0
1772	35	0.5375	3.192	0
1773	35	1.075	3.192	0
1774	35	1.613	3.192	0
1775	35.5	0.5375	3.207	0
1776	35.5	1.075	3.207	0
1777	35.5	1.613	3.207	0
1778	36	0.5375	3.222	0
1779	36	1.075	3.222	0
1780	36	1.613	3.222	0
1781	36.5	0.5375	3.236	0
1782	36.5	1.075	3.236	0
1783	36.5	1.613	3.236	0




PROJECT TITLE :

	Company	Client	
	Author	File Name	
			PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt


1784	37	0.5375	3.251	0
1785	37	1.075	3.251	0
1786	37	1.613	3.251	0
1787	37.5	0.5375	3.266	0
1788	37.5	1.075	3.266	0
1789	37.5	1.613	3.266	0
1790	38	0.5375	3.281	0
1791	38	1.075	3.281	0
1792	38	1.613	3.281	0
1793	38.5	0.5375	3.296	0
1794	38.5	1.075	3.296	0
1795	38.5	1.613	3.296	0
1796	39	0.5375	3.31	0
1797	39	1.075	3.31	0
1798	39	1.613	3.31	0
1799	39.5	0.5375	3.325	0
1800	39.5	1.075	3.325	0
1801	39.5	1.613	3.325	0
1802	40	0.5375	3.34	0
1803	40	1.075	3.34	0
1804	40	1.613	3.34	0
1805	40.45	0.5375	3.353	0
1806	40.45	1.075	3.353	0
1807	40.45	1.613	3.353	0
1808	-0.4498	2.688	2.142	0
1809	0	2.688	2.155	0
1810	-0.4498	3.225	2.142	0
1811	0	3.225	2.155	0
1812	-0.4498	3.763	2.142	0
1813	0	3.763	2.155	0
1814	0.4998	2.688	2.17	0
1815	0.4998	3.225	2.17	0
1816	0.4998	3.763	2.17	0
1817	0.9996	2.688	2.185	0
1818	0.9996	3.225	2.185	0
1819	0.9996	3.763	2.185	0
1820	1.499	2.688	2.199	0
1821	1.499	3.225	2.199	0
1822	1.499	3.763	2.199	0
1823	1.999	2.688	2.214	0
1824	1.999	3.225	2.214	0
1825	1.999	3.763	2.214	0
1826	2.499	2.688	2.229	0
1827	2.499	3.225	2.229	0
1828	2.499	3.763	2.229	0
1829	2.999	2.688	2.244	0
1830	2.999	3.225	2.244	0
1831	2.999	3.763	2.244	0
1832	3.498	2.688	2.259	0
1833	3.498	3.225	2.259	0
1834	3.498	3.763	2.259	0
1835	3.998	2.688	2.273	0
1836	3.998	3.225	2.273	0
1837	3.998	3.763	2.273	0
1838	4.498	2.688	2.288	0
1839	4.498	3.225	2.288	0
1840	4.498	3.763	2.288	0
1841	5.024	2.688	2.304	0
1842	5.024	3.225	2.304	0
1843	5.024	3.763	2.304	0
1844	5.565	2.688	2.32	0
1845	5.565	3.225	2.32	0
1846	5.565	3.763	2.32	0
1847	6.106	2.688	2.336	0
1848	6.106	3.225	2.336	0
1849	6.106	3.763	2.336	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt


1850	6.647	2.688	2.352	0
1851	6.647	3.225	2.352	0
1852	6.647	3.763	2.352	0
1853	6.999	2.688	2.362	0
1854	6.999	3.225	2.362	0
1855	6.999	3.763	2.362	0
1856	7.73	2.688	2.384	0
1857	7.73	3.225	2.384	0
1858	7.73	3.763	2.384	0
1859	8.297	2.688	2.401	0
1860	8.297	3.225	2.401	0
1861	8.297	3.763	2.401	0
1862	8.865	2.688	2.418	0
1863	8.865	3.225	2.418	0
1864	8.865	3.763	2.418	0
1865	9.432	2.688	2.434	0
1866	9.432	3.225	2.434	0
1867	9.432	3.763	2.434	0
1868	10	2.688	2.451	0
1869	10	3.225	2.451	0
1870	10	3.763	2.451	0
1871	10.5	2.688	2.466	0
1872	10.5	3.225	2.466	0
1873	10.5	3.763	2.466	0
1874	11	2.688	2.481	0
1875	11	3.225	2.481	0
1876	11	3.763	2.481	0
1877	11.5	2.688	2.496	0
1878	11.5	3.225	2.496	0
1879	11.5	3.763	2.496	0
1880	12	2.688	2.51	0
1881	12	3.225	2.51	0
1882	12	3.763	2.51	0
1883	12.5	2.688	2.525	0
1884	12.5	3.225	2.525	0
1885	12.5	3.763	2.525	0
1886	13	2.688	2.54	0
1887	13	3.225	2.54	0
1888	13	3.763	2.54	0
1889	13.5	2.688	2.555	0
1890	13.5	3.225	2.555	0
1891	13.5	3.763	2.555	0
1892	14	2.688	2.57	0
1893	14	3.225	2.57	0
1894	14	3.763	2.57	0
1895	14.5	2.688	2.585	0
1896	14.5	3.225	2.585	0
1897	14.5	3.763	2.585	0
1898	15	2.688	2.599	0
1899	15	3.225	2.599	0
1900	15	3.763	2.599	0
1901	15.45	2.688	2.613	0
1902	15.45	3.225	2.613	0
1903	15.45	3.763	2.613	0
1904	15.91	2.688	2.626	0
1905	15.91	3.225	2.626	0
1906	15.91	3.763	2.626	0
1907	16.42	2.688	2.641	0
1908	16.42	3.225	2.641	0
1909	16.42	3.763	2.641	0
1910	16.93	2.688	2.657	0
1911	16.93	3.225	2.657	0
1912	16.93	3.763	2.657	0
1913	17.44	2.688	2.672	0
1914	17.44	3.225	2.672	0
1915	17.44	3.763	2.672	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt


1916	17.95	2.688	2.687	0
1917	17.95	3.225	2.687	0
1918	17.95	3.763	2.687	0
1919	18.47	2.688	2.702	0
1920	18.47	3.225	2.702	0
1921	18.47	3.763	2.702	0
1922	18.98	2.688	2.717	0
1923	18.98	3.225	2.717	0
1924	18.98	3.763	2.717	0
1925	19.49	2.688	2.732	0
1926	19.49	3.225	2.732	0
1927	19.49	3.763	2.732	0
1928	20	2.688	2.747	0
1929	20	3.225	2.747	0
1930	20	3.763	2.747	0
1931	20.51	2.688	2.763	0
1932	20.51	3.225	2.763	0
1933	20.51	3.763	2.763	0
1934	21.02	2.688	2.778	0
1935	21.02	3.225	2.778	0
1936	21.02	3.763	2.778	0
1937	21.53	2.688	2.793	0
1938	21.53	3.225	2.793	0
1939	21.53	3.763	2.793	0
1940	22.04	2.688	2.808	0
1941	22.04	3.225	2.808	0
1942	22.04	3.763	2.808	0
1943	22.56	2.688	2.823	0
1944	22.56	3.225	2.823	0
1945	22.56	3.763	2.823	0
1946	23.07	2.688	2.838	0
1947	23.07	3.225	2.838	0
1948	23.07	3.763	2.838	0
1949	23.58	2.688	2.854	0
1950	23.58	3.225	2.854	0
1951	23.58	3.763	2.854	0
1952	24.09	2.688	2.869	0
1953	24.09	3.225	2.869	0
1954	24.09	3.763	2.869	0
1955	24.54	2.688	2.882	0
1956	24.54	3.225	2.882	0
1957	24.54	3.763	2.882	0
1958	25	2.688	2.896	0
1959	25	3.225	2.896	0
1960	25	3.763	2.896	0
1961	25.5	2.688	2.91	0
1962	25.5	3.225	2.91	0
1963	25.5	3.763	2.91	0
1964	26	2.688	2.925	0
1965	26	3.225	2.925	0
1966	26	3.763	2.925	0
1967	26.5	2.688	2.94	0
1968	26.5	3.225	2.94	0
1969	26.5	3.763	2.94	0
1970	27	2.688	2.955	0
1971	27	3.225	2.955	0
1972	27	3.763	2.955	0
1973	27.5	2.688	2.97	0
1974	27.5	3.225	2.97	0
1975	27.5	3.763	2.97	0
1976	28	2.688	2.984	0
1977	28	3.225	2.984	0
1978	28	3.763	2.984	0
1979	28.5	2.688	2.999	0
1980	28.5	3.225	2.999	0
1981	28.5	3.763	2.999	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	
			PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt


1982	29	2.688	3.014	0
1983	29	3.225	3.014	0
1984	29	3.763	3.014	0
1985	29.5	2.688	3.029	0
1986	29.5	3.225	3.029	0
1987	29.5	3.763	3.029	0
1988	30	2.688	3.044	0
1989	30	3.225	3.044	0
1990	30	3.763	3.044	0
1991	30.57	2.688	3.061	0
1992	30.57	3.225	3.061	0
1993	30.57	3.763	3.061	0
1994	31.14	2.688	3.077	0
1995	31.14	3.225	3.077	0
1996	31.14	3.763	3.077	0
1997	31.7	2.688	3.094	0
1998	31.7	3.225	3.094	0
1999	31.7	3.763	3.094	0
2000	32.27	2.688	3.111	0
2001	32.27	3.225	3.111	0
2002	32.27	3.763	3.111	0
2003	33.01	2.688	3.133	0
2004	33.01	3.225	3.133	0
2005	33.01	3.763	3.133	0
2006	33.36	2.688	3.143	0
2007	33.36	3.225	3.143	0
2008	33.36	3.763	3.143	0
2009	33.91	2.688	3.16	0
2010	33.91	3.225	3.16	0
2011	33.91	3.763	3.16	0
2012	34.45	2.688	3.176	0
2013	34.45	3.225	3.176	0
2014	34.45	3.763	3.176	0
2015	35	2.688	3.192	0
2016	35	3.225	3.192	0
2017	35	3.763	3.192	0
2018	35.5	2.688	3.207	0
2019	35.5	3.225	3.207	0
2020	35.5	3.763	3.207	0
2021	36	2.688	3.222	0
2022	36	3.225	3.222	0
2023	36	3.763	3.222	0
2024	36.5	2.688	3.236	0
2025	36.5	3.225	3.236	0
2026	36.5	3.763	3.236	0
2027	37	2.688	3.251	0
2028	37	3.225	3.251	0
2029	37	3.763	3.251	0
2030	37.5	2.688	3.266	0
2031	37.5	3.225	3.266	0
2032	37.5	3.763	3.266	0
2033	38	2.688	3.281	0
2034	38	3.225	3.281	0
2035	38	3.763	3.281	0
2036	38.5	2.688	3.296	0
2037	38.5	3.225	3.296	0
2038	38.5	3.763	3.296	0
2039	39	2.688	3.31	0
2040	39	3.225	3.31	0
2041	39	3.763	3.31	0
2042	39.5	2.688	3.325	0
2043	39.5	3.225	3.325	0
2044	39.5	3.763	3.325	0
2045	40	2.688	3.34	0
2046	40	3.225	3.34	0
2047	40	3.763	3.34	0

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt


2048	40.45	2.688	3.353	0
2049	40.45	3.225	3.353	0
2050	40.45	3.763	3.353	0
2051	-0.4498	-0.425	2.142	0
2052	0	-0.425	2.155	0
2053	0.4998	-0.425	2.17	0
2054	0.9996	-0.425	2.185	0
2055	1.499	-0.425	2.199	0
2056	1.999	-0.425	2.214	0
2057	2.499	-0.425	2.229	0
2058	2.999	-0.425	2.244	0
2059	3.498	-0.425	2.259	0
2060	3.998	-0.425	2.273	0
2061	4.498	-0.425	2.288	0
2062	5.024	-0.425	2.304	0
2063	5.565	-0.425	2.32	0
2064	6.106	-0.425	2.336	0
2065	6.647	-0.425	2.352	0
2066	6.999	-0.425	2.362	0
2067	7.73	-0.425	2.384	0
2068	8.297	-0.425	2.401	0
2069	8.865	-0.425	2.418	0
2070	9.432	-0.425	2.434	0
2071	10	-0.425	2.451	0
2072	10.5	-0.425	2.466	0
2073	11	-0.425	2.481	0
2074	11.5	-0.425	2.496	0
2075	12	-0.425	2.51	0
2076	12.5	-0.425	2.525	0
2077	13	-0.425	2.54	0
2078	13.5	-0.425	2.555	0
2079	14	-0.425	2.57	0
2080	14.5	-0.425	2.585	0
2081	15	-0.425	2.599	0
2082	15.45	-0.425	2.613	0
2083	15.91	-0.425	2.626	0
2084	16.42	-0.425	2.641	0
2085	16.93	-0.425	2.657	0
2086	17.44	-0.425	2.672	0
2087	17.95	-0.425	2.687	0
2088	18.47	-0.425	2.702	0
2089	18.98	-0.425	2.717	0
2090	19.49	-0.425	2.732	0
2091	20	-0.425	2.747	0
2092	20.51	-0.425	2.763	0
2093	21.02	-0.425	2.778	0
2094	21.53	-0.425	2.793	0
2095	22.04	-0.425	2.808	0
2096	22.56	-0.425	2.823	0
2097	23.07	-0.425	2.838	0
2098	23.58	-0.425	2.854	0
2099	24.09	-0.425	2.869	0
2100	24.54	-0.425	2.882	0
2101	25	-0.425	2.896	0
2102	25.5	-0.425	2.91	0
2103	26	-0.425	2.925	0
2104	26.5	-0.425	2.94	0
2105	27	-0.425	2.955	0
2106	27.5	-0.425	2.97	0
2107	28	-0.425	2.984	0
2108	28.5	-0.425	2.999	0
2109	29	-0.425	3.014	0
2110	29.5	-0.425	3.029	0
2111	30	-0.425	3.044	0
2112	30.57	-0.425	3.061	0
2113	31.14	-0.425	3.077	0

PROJECT TITLE :

	Company	Client		
	Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt	


2114	31.7	-0.425	3.094	0
2115	32.27	-0.425	3.111	0
2116	33.01	-0.425	3.133	0
2117	33.36	-0.425	3.143	0
2118	33.91	-0.425	3.16	0
2119	34.45	-0.425	3.176	0
2120	35	-0.425	3.192	0
2121	35.5	-0.425	3.207	0
2122	36	-0.425	3.222	0
2123	36.5	-0.425	3.236	0
2124	37	-0.425	3.251	0
2125	37.5	-0.425	3.266	0
2126	38	-0.425	3.281	0
2127	38.5	-0.425	3.296	0
2128	39	-0.425	3.31	0
2129	39.5	-0.425	3.325	0
2130	40	-0.425	3.34	0
2131	40.45	-0.425	3.353	0
2132	-0.4498	4.725	2.142	0
2133	0	4.725	2.155	0
2134	0.4998	4.725	2.17	0
2135	0.9996	4.725	2.185	0
2136	1.499	4.725	2.199	0
2137	1.999	4.725	2.214	0
2138	2.499	4.725	2.229	0
2139	2.999	4.725	2.244	0
2140	3.498	4.725	2.259	0
2141	3.998	4.725	2.273	0
2142	4.498	4.725	2.288	0
2143	5.024	4.725	2.304	0
2144	5.565	4.725	2.32	0
2145	6.106	4.725	2.336	0
2146	6.647	4.725	2.352	0
2147	6.999	4.725	2.362	0
2148	7.73	4.725	2.384	0
2149	8.297	4.725	2.401	0
2150	8.865	4.725	2.418	0
2151	9.432	4.725	2.434	0
2152	10	4.725	2.451	0
2153	10.5	4.725	2.466	0
2154	11	4.725	2.481	0
2155	11.5	4.725	2.496	0
2156	12	4.725	2.51	0
2157	12.5	4.725	2.525	0
2158	13	4.725	2.54	0
2159	13.5	4.725	2.555	0
2160	14	4.725	2.57	0
2161	14.5	4.725	2.585	0
2162	15	4.725	2.599	0
2163	15.45	4.725	2.613	0
2164	15.91	4.725	2.626	0
2165	16.42	4.725	2.641	0
2166	16.93	4.725	2.657	0
2167	17.44	4.725	2.672	0
2168	17.95	4.725	2.687	0
2169	18.47	4.725	2.702	0
2170	18.98	4.725	2.717	0
2171	19.49	4.725	2.732	0
2172	20	4.725	2.747	0
2173	20.51	4.725	2.763	0
2174	21.02	4.725	2.778	0
2175	21.53	4.725	2.793	0
2176	22.04	4.725	2.808	0
2177	22.56	4.725	2.823	0
2178	23.07	4.725	2.838	0
2179	23.58	4.725	2.854	0

PROJECT TITLE :

	Company			Client
	Author			File Name
				PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt

2180	24.09	4.725	2.869	0
2181	24.54	4.725	2.882	0
2182	25	4.725	2.896	0
2183	25.5	4.725	2.91	0
2184	26	4.725	2.925	0
2185	26.5	4.725	2.94	0
2186	27	4.725	2.955	0
2187	27.5	4.725	2.97	0
2188	28	4.725	2.984	0
2189	28.5	4.725	2.999	0
2190	29	4.725	3.014	0
2191	29.5	4.725	3.029	0
2192	30	4.725	3.044	0
2193	30.57	4.725	3.061	0
2194	31.14	4.725	3.077	0
2195	31.7	4.725	3.094	0
2196	32.27	4.725	3.111	0
2197	33.01	4.725	3.133	0
2198	33.36	4.725	3.143	0
2199	33.91	4.725	3.16	0
2200	34.45	4.725	3.176	0
2201	35	4.725	3.192	0
2202	35.5	4.725	3.207	0
2203	36	4.725	3.222	0
2204	36.5	4.725	3.236	0
2205	37	4.725	3.251	0
2206	37.5	4.725	3.266	0
2207	38	4.725	3.281	0
2208	38.5	4.725	3.296	0
2209	39	4.725	3.31	0
2210	39.5	4.725	3.325	0
2211	40	4.725	3.34	0
2212	40.45	4.725	3.353	0
2213	-0.4498	0	0.1697	0
2214	0	0	0.183	0
2215	0.4998	0	0.1978	0
2216	7.73	0	0.412	0
2217	8.297	0	0.4288	0
2218	15.91	0	0.6543	0
2219	16.42	0	0.6695	0
2220	24.09	0	0.8967	0
2221	24.54	0	0.9101	0
2222	32.27	0	1.139	0
2223	33.01	0	1.161	0
2224	40	0	1.368	0
2225	40.45	0	1.381	0
2226	5.024	0	0.3318	0
2227	5.565	0	0.3479	0
2228	10	0	0.4792	0
2229	10.5	0	0.4941	0
2230	15	0	0.6274	0
2231	15.45	0	0.6408	0
2232	20	0	0.7755	0
2233	20.51	0	0.7906	0
2234	25	0	0.9236	0
2235	25.5	0	0.9384	0
2236	30	0	1.072	0
2237	30.57	0	1.089	0
2238	35	0	1.22	0
2239	35.5	0	1.235	0
2240	0.9996	0	0.2126	0
2241	1.499	0	0.2274	0
2242	1.999	0	0.2422	0
2243	2.499	0	0.257	0
2244	2.999	0	0.2718	0
2245	3.498	0	0.2866	0


PROJECT TITLE :

	Company			Client
	Author			File Name
				PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt

2246	3.998	0	0.3014	0
2247	4.498	0	0.3163	0
2248	6.106	0	0.3639	0
2249	6.647	0	0.3799	0
2250	6.999	0	0.3903	0
2251	8.865	0	0.4456	0
2252	9.432	0	0.4624	0
2253	11	0	0.5089	0
2254	11.5	0	0.5237	0
2255	12	0	0.5385	0
2256	12.5	0	0.5533	0
2257	13	0	0.5681	0
2258	13.5	0	0.5829	0
2259	14	0	0.5977	0
2260	14.5	0	0.6126	0
2261	16.93	0	0.6846	0
2262	17.44	0	0.6998	0
2263	17.95	0	0.7149	0
2264	18.47	0	0.7301	0
2265	18.98	0	0.7452	0
2266	19.49	0	0.7603	0
2267	21.02	0	0.8058	0
2268	21.53	0	0.8209	0
2269	22.04	0	0.8361	0
2270	22.56	0	0.8512	0
2271	23.07	0	0.8664	0
2272	23.58	0	0.8815	0
2273	26	0	0.9532	0
2274	26.5	0	0.9681	0
2275	27	0	0.9829	0
2276	27.5	0	0.9977	0
2277	28	0	1.012	0
2278	28.5	0	1.027	0
2279	29	0	1.042	0
2280	29.5	0	1.057	0
2281	31.14	0	1.105	0
2282	31.7	0	1.122	0
2283	33.36	0	1.171	0
2284	33.91	0	1.188	0
2285	34.45	0	1.204	0
2286	36	0	1.25	0
2287	36.5	0	1.264	0
2288	37	0	1.279	0
2289	37.5	0	1.294	0
2290	38	0	1.309	0
2291	38.5	0	1.324	0
2292	39	0	1.338	0
2293	39.5	0	1.353	0
2294	-0.4498	4.3	0.1697	0
2295	0	4.3	0.183	0
2296	0.4998	4.3	0.1978	0
2297	7.73	4.3	0.412	0
2298	8.297	4.3	0.4288	0
2299	15.91	4.3	0.6543	0
2300	16.42	4.3	0.6695	0
2301	24.09	4.3	0.8967	0
2302	24.54	4.3	0.9101	0
2303	32.27	4.3	1.139	0
2304	33.01	4.3	1.161	0
2305	40	4.3	1.368	0
2306	40.45	4.3	1.381	0
2307	5.024	4.3	0.3318	0
2308	5.565	4.3	0.3479	0
2309	10	4.3	0.4792	0
2310	10.5	4.3	0.4941	0
2311	15	4.3	0.6274	0




PROJECT TITLE :

	Company			Client
	Author			File Name
				PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt

2312	15.45	4.3	0.6408	0
2313	20	4.3	0.7755	0
2314	20.51	4.3	0.7906	0
2315	25	4.3	0.9236	0
2316	25.5	4.3	0.9384	0
2317	30	4.3	1.072	0
2318	30.57	4.3	1.089	0
2319	35	4.3	1.22	0
2320	35.5	4.3	1.235	0
2321	0.9996	4.3	0.2126	0
2322	1.499	4.3	0.2274	0
2323	1.999	4.3	0.2422	0
2324	2.499	4.3	0.257	0
2325	2.999	4.3	0.2718	0
2326	3.498	4.3	0.2866	0
2327	3.998	4.3	0.3014	0
2328	4.498	4.3	0.3163	0
2329	6.106	4.3	0.3639	0
2330	6.647	4.3	0.3799	0
2331	6.999	4.3	0.3903	0
2332	8.865	4.3	0.4456	0
2333	9.432	4.3	0.4624	0
2334	11	4.3	0.5089	0
2335	11.5	4.3	0.5237	0
2336	12	4.3	0.5385	0
2337	12.5	4.3	0.5533	0
2338	13	4.3	0.5681	0
2339	13.5	4.3	0.5829	0
2340	14	4.3	0.5977	0
2341	14.5	4.3	0.6126	0
2342	16.93	4.3	0.6846	0
2343	17.44	4.3	0.6998	0
2344	17.95	4.3	0.7149	0
2345	18.47	4.3	0.7301	0
2346	18.98	4.3	0.7452	0
2347	19.49	4.3	0.7603	0
2348	21.02	4.3	0.8058	0
2349	21.53	4.3	0.8209	0
2350	22.04	4.3	0.8361	0
2351	22.56	4.3	0.8512	0
2352	23.07	4.3	0.8664	0
2353	23.58	4.3	0.8815	0
2354	26	4.3	0.9532	0
2355	26.5	4.3	0.9681	0
2356	27	4.3	0.9829	0
2357	27.5	4.3	0.9977	0
2358	28	4.3	1.012	0
2359	28.5	4.3	1.027	0
2360	29	4.3	1.042	0
2361	29.5	4.3	1.057	0
2362	31.14	4.3	1.105	0
2363	31.7	4.3	1.122	0
2364	33.36	4.3	1.171	0
2365	33.91	4.3	1.188	0
2366	34.45	4.3	1.204	0
2367	36	4.3	1.25	0
2368	36.5	4.3	1.264	0
2369	37	4.3	1.279	0
2370	37.5	4.3	1.294	0
2371	38	4.3	1.309	0
2372	38.5	4.3	1.324	0
2373	39	4.3	1.338	0
2374	39.5	4.3	1.353	0
2384	2.512	2.15	0.2574	0
2385	7.512	2.15	0.4055	0
2386	12.5	2.15	0.5533	0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt

2387	17.5	2.15	0.7014	0
2388	22.5	2.15	0.8496	0
2389	27.5	2.15	0.9977	0
2390	32.5	2.15	1.146	0
2391	37.5	2.15	1.294	0
2392	0	0.5375	2	0
2393	0	1.075	2	0
2394	0	1.613	2	0
2395	0	2.15	2	0
2396	0	2.688	2	0
2397	0	3.225	2	0
2398	0	3.763	2	0
2399	40	0.5375	3.185	0
2400	40	1.075	3.185	0
2401	40	1.613	3.185	0
2402	40	2.15	3.185	0
2403	40	2.688	3.185	0
2404	40	3.225	3.185	0
2405	40	3.763	3.185	0

\*\*\* SUPPORT / SPECIFIED DISPLACEMENT / POINT SPRING SUPPORT

\*\* SUPPORT / SPECIFIED DISPLACEMENT

NODE	SUPPORT	SPECIFIED DISPLACEMENT						
		DDRRR	Dx	Dy	Dz	Rx	Ry	Rz
1	001000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
2	001000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
46	001000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
47	001000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000


\*\* POINT SPRING SUPPORT

NODE	TRANSLATIONAL DIRECTION			ROTATIONAL DIRECTION		
	SDx	SDy	SDz	SRx	SRy	SRz
1	54000.0000	108000.0000	0.0000	0.0000	0.0000	0.0000
2	0.0000	108000.0000	0.0000	0.0000	0.0000	0.0000
46	54000.0000	0.0000	0.0000	0.0000	0.0000	0.0000

\*\*\* SECTION PROPERTY DATA

NO	NAME	SHAPE	H	B	tw	tf1	r1
1	Irrig cor~	SB	0.018	0.3	0	0	0
2	Irrig tra~	SB	0.025	0.3	0	0	0
3	Fittizio	SR	0.01	0	0	0	0
4	el rigido	SR	1	0	0	0	0
5	800x40+60~	SB	0.055	0.8	0	0	0
6	HEB300	H	0.3	0.3	0.011	0.019	0.027
62	600x25	SB	0.025	0.65	0	0	0
67	600x40	SB	0.04	0.6	0	0	0
69	800x40	SB	0.04	0.8	0	0	0
70	800x25	SB	0.025	0.8	0	0	0

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt

71	2L140x12	2L	0.14	0.14	0.012	0.012	0
72	2L140x10	2L	0.14	0.14	0.01	0.01	0
74	2L110x12	2L	0.11	0.11	0.012	0.012	0
75	600x35	SB	0.035	0.6	0	0	0
76	L100x12	L	0.1	0.1	0.012	0.012	0
78	2L120x12	2L	0.12	0.12	0.012	0.012	0
79	2L100x10	2L	0.1	0.1	0.01	0.01	0
80	2L100x12	2L	0.1	0.1	0.012	0.012	0

NO	NAME	STIFFNESS SCALE FACTOR						Boundary Group
		A	Asy	Asz	Ix	Iy	Iz	
1	Irrig cor~							
2	Irrig tra~							
3	Fittizio							
4	el rigido							
5	800x40+60~							
6	HEB300							
62	600x25							
67	600x40							
69	800x40							
70	800x25							
71	2L140x12							
72	2L140x10							
74	2L110x12							
75	600x35							
76	L100x12							
78	2L120x12							
79	2L100x10							
80	2L100x12							

CTOR	NO	NAME	AREA [SRC:EQIV.]	MOMENT OF INERTIA			SHAPE FA k-Y
				Ix	Iy	Iz	
	1	Irrig_cor~	0.0054	5.612e-007	1.458e-007	4.05e-005	0.8333
0.8333	2	Irrig_tra~	0.0075	1.48e-006	3.906e-007	5.625e-005	0.8333
0.8333	3	Fittizio	7.854e-005	9.817e-010	4.909e-010	4.909e-010	0.9
0.9	4	el rigido	0.7854	0.09817	0.04909	0.04909	0.9
0.9	5	800x40+60~	0.044	4.245e-005	1.109e-005	0.002347	0.8333
0.8333	6	HEB300	0.0149	1.496e-006	0.0002517	8.56e-005	0.6376
0.2215	62	600x25	0.01625	3.303e-006	8.464e-007	0.0005721	0.8333
0.8333	67	600x40	0.024	1.226e-005	3.2e-006	0.00072	0.8333
0.8333	69	800x40	0.032	1.653e-005	4.267e-006	0.001707	0.8333
0.8333	70	800x25	0.02	4.085e-006	1.042e-006	0.001067	0.8333
0.8333	71	2L140x12	0.006432	3.087e-007	1.21e-005	2.537e-005	0.4353
0.4353	72	2L140x10	0.0054	1.8e-007	1.029e-005	2.061e-005	0.4321
0.4321	74	2L110x12	0.004992	2.396e-007	5.677e-006	1.285e-005	0.4407
0.4407	75	600x35	0.021	8.26e-006	2.144e-006	0.00063	0.8333

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt

0.8333	76	L100x12	0.002256	1.083e-007	2.1e-006	2.1e-006	0.4433
0.4433	78	2L120x12	0.005472	2.627e-007	7.465e-006	1.731e-005	0.4386
0.4386	79	2L100x10	0.0038	1.267e-007	3.6e-006	8.171e-006	0.4386
0.4386	80	2L100x12	0.004512	2.166e-007	4.2e-006	9.856e-006	0.4433
0.4433							


NO	NAME	SECTION MODULUS Sy		SECTION MODULUS Sz	
		I or CONC.	J or STEEL	I or CONC.	J or STEEL
1	Irrig cor~	1.62e-005	1.62e-005	0.00027	0.00027
2	Irrig tra~	3.125e-005	3.125e-005	0.000375	0.000375
3	Fittizio	9.817e-008	9.817e-008	9.817e-008	9.817e-008
4	el rigido	0.09817	0.09817	0.09817	0.09817
5	800x40+60~	0.0004033	0.0004033	0.005867	0.005867
6	HEB300	0.00168	0.00168	0.000571	0.000571
62	600x25	6.771e-005	6.771e-005	0.00176	0.00176
67	600x40	0.00016	0.00016	0.0024	0.0024
69	800x40	0.0002133	0.0002133	0.004267	0.004267
70	800x25	8.333e-005	8.333e-005	0.002667	0.002667
71	2L140x12	0.0001203	0.0001203	0.0001738	0.0001738
72	2L140x10	0.0001016	0.0001016	0.0001421	0.0001421
74	2L110x12	7.27e-005	7.27e-005	0.0001108	0.0001108
75	600x35	0.0001225	0.0001225	0.0021	0.0021
76	L100x12	2.975e-005	2.975e-005	2.975e-005	2.975e-005
78	2L120x12	8.723e-005	8.723e-005	0.0001353	0.0001353
79	2L100x10	5.048e-005	5.048e-005	7.709e-005	7.709e-005
80	2L100x12	5.95e-005	5.95e-005	9.298e-005	9.298e-005

\*\*\* BEAM MEMBER DATA


ENGLTH	NO	NODAL CONNECTIVITY		BEAM END RELEASE		MATERIAL	SECTION	L
		I	J	I	J			
2.15	71	2214	119	000011	000000	S355	2L140x12	
2.15	72	2224	127	000011	000000	S355	2L140x12	
2.15	73	2226	120	000011	000000	S355	2L120x12	
2.15	74	2228	121	000011	000000	S355	2L120x12	
2.15	75	2230	122	000011	000000	S355	2L120x12	
2.15	76	2232	123	000011	000000	S355	2L120x12	
2.15	77	2234	124	000011	000000	S355	2L120x12	
2.15	78	2236	125	000011	000000	S355	2L120x12	
2.15	79	2238	126	000011	000000	S355	2L120x12	
4.3	81	89	111	000011	000011	S355	L100x12	
4.3	82	91	112	000011	000011	S355	L100x12	
4.3	83	92	113	000011	000011	S355	L100x12	

# MIDAS

PROJECT TITLE :


	Company					Client	
	Author					File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt
4.3							
84	94	114	000011	000011	S355	L100x12	
4.3							
85	96	115	000011	000011	S355	L100x12	
4.3							
86	97	116	000011	000011	S355	L100x12	
4.3							
87	99	117	000011	000011	S355	L100x12	
4.3							
89	119	110	000011	000011	S355	2L110x12	
2.739							
90	119	2295	000000	000011	S355	2L140x12	
2.15							
91	119	88	000011	000011	S355	2L110x12	
2.739							
92	120	111	000011	000011	S355	2L100x10	
2.739							
93	120	2307	000000	000011	S355	2L120x12	
2.15							
94	120	89	000011	000011	S355	2L100x10	
2.739							
95	121	112	000011	000011	S355	2L100x10	
2.739							
96	121	2309	000000	000011	S355	2L120x12	
2.15							
97	121	91	000011	000011	S355	2L100x10	
2.739							
98	122	113	000011	000011	S355	2L100x10	
2.739							
99	122	2311	000000	000011	S355	2L120x12	
2.15							
100	122	92	000011	000011	S355	2L100x10	
2.739							
101	123	114	000011	000011	S355	2L100x10	
2.739							
102	123	2313	000000	000011	S355	2L120x12	
2.15							
103	123	94	000011	000011	S355	2L100x10	
2.739							
104	124	115	000011	000011	S355	2L100x10	
2.739							
105	124	2315	000000	000011	S355	2L120x12	
2.15							
106	124	96	000011	000011	S355	2L100x10	
2.739							
107	125	116	000011	000011	S355	2L100x10	
2.739							
108	125	2317	000000	000011	S355	2L120x12	
2.15							
109	125	97	000011	000011	S355	2L100x10	
2.739							
110	126	117	000011	000011	S355	2L100x10	
2.739							
111	126	2319	000000	000011	S355	2L120x12	
2.15							
112	126	99	000011	000011	S355	2L100x10	
2.739							
113	127	118	000011	000011	S355	2L110x12	
2.739							
114	127	2305	000000	000011	S355	2L140x12	
2.15							
115	127	100	000011	000011	S355	2L110x12	
2.739							
116	2214	2384	000011	000011	S355	2L140x10	
3.307							
117	2295	2384	000011	000000	S355	2L140x10	

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt


3.307	118	2384	2226	000000	000011	S355	2L140x10
3.307	119	2384	2307	000011	000011	S355	2L140x10
3.307	120	2226	2385	000011	000011	S355	2L140x10
3.289	121	2307	2385	000011	000000	S355	2L140x10
3.289	122	2385	2228	000000	000011	S355	2L140x10
3.289	123	2385	2309	000011	000011	S355	2L140x10
3.289	124	2228	2386	000011	000011	S355	2L140x10
3.298	125	2309	2386	000011	000000	S355	2L140x10
3.298	126	2386	2230	000000	000011	S355	2L140x10
3.298	127	2386	2311	000011	000011	S355	2L140x10
3.298	128	2230	2387	000011	000011	S355	2L140x10
3.298	129	2311	2387	000011	000000	S355	2L140x10
3.298	130	2387	2232	000000	000011	S355	2L140x10
3.298	131	2387	2313	000011	000011	S355	2L140x10
3.298	132	2232	2388	000011	000011	S355	2L140x10
3.298	133	2313	2388	000011	000000	S355	2L140x10
3.298	134	2388	2234	000000	000011	S355	2L140x10
3.298	135	2388	2315	000011	000011	S355	2L140x10
3.298	136	2234	2389	000011	000011	S355	2L140x10
3.298	137	2315	2389	000011	000000	S355	2L140x10
3.298	138	2389	2236	000000	000011	S355	2L140x10
3.298	139	2389	2317	000011	000011	S355	2L140x10
3.298	140	2236	2390	000011	000011	S355	2L140x10
3.298	141	2317	2390	000011	000000	S355	2L140x10
3.298	142	2390	2238	000000	000011	S355	2L140x10
3.298	143	2390	2319	000011	000011	S355	2L140x10
3.298	144	2238	2391	000011	000011	S355	2L140x10
3.298	145	2319	2391	000011	000000	S355	2L140x10
3.298	146	2391	2224	000000	000011	S355	2L140x10
3.298	147	2391	2305	000011	000011	S355	2L140x10
3.298	148	88	136	000011	000011	S355	2L100x12
3.307	149	110	136	000011	000000	S355	2L100x12
3.307	150	136	89	000000	000011	S355	2L100x12

PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt

3.307							
	151	136	111	000011	000011	S355	2L100x12
3.307							
	152	89	137	000011	000011	S355	2L100x12
3.289							
	153	111	137	000011	000000	S355	2L100x12
3.289							
	154	137	91	000000	000011	S355	2L100x12
3.289							
	155	137	112	000011	000011	S355	2L100x12
3.289							
	156	91	138	000011	000011	S355	2L100x12
3.298							
	157	112	138	000011	000000	S355	2L100x12
3.298							
	158	138	92	000000	000011	S355	2L100x12
3.298							
	159	138	113	000011	000011	S355	2L100x12
3.298							
	160	92	139	000011	000011	S355	2L100x12
3.298							
	161	113	139	000011	000000	S355	2L100x12
3.298							
	162	139	94	000000	000011	S355	2L100x12
3.298							
	163	139	114	000011	000011	S355	2L100x12
3.298							
	164	94	140	000011	000011	S355	2L100x12
3.298							
	165	114	140	000011	000000	S355	2L100x12
3.298							
	166	140	96	000000	000011	S355	2L100x12
3.298							
	167	140	115	000011	000011	S355	2L100x12
3.298							
	168	96	141	000011	000011	S355	2L100x12
3.298							
	169	115	141	000011	000000	S355	2L100x12
3.298							
	170	141	97	000000	000011	S355	2L100x12
3.298							
	171	141	116	000011	000011	S355	2L100x12
3.298							
	172	97	142	000011	000011	S355	2L100x12
3.298							
	173	116	142	000011	000000	S355	2L100x12
3.298							
	174	142	99	000000	000011	S355	2L100x12
3.298							
	175	142	117	000011	000011	S355	2L100x12
3.298							
	176	99	143	000011	000011	S355	2L100x12
3.298							
	177	117	143	000011	000000	S355	2L100x12
3.298							
	178	143	100	000000	000011	S355	2L100x12
3.298							
	179	143	118	000011	000011	S355	2L100x12
3.298							
	510	7	5	-	-	S355	600x25
0.45							
	511	5	155	-	-	S355	600x25
0.5							
	512	155	149	-	-	S355	600x25
0.5							
	513	149	161	-	-	S355	600x25


PROJECT TITLE :

	Company					Client		
	Author					File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt	

0.5	514	161	167	-	-	S355	600x25	
0.5	515	167	173	-	-	S355	600x25	
0.5	516	173	179	-	-	S355	600x25	
0.5	517	179	185	-	-	S355	600x25	
0.5	518	185	191	-	-	S355	600x25	
0.5	519	191	197	-	-	S355	600x25	
0.5	520	197	21	-	-	S355	600x25	0
.5262	521	21	218	-	-	S355	600x25	0
.5414	522	218	219	-	-	S355	600x25	0
.5414	523	219	220	-	-	S355	600x25	0
.5414	524	220	221	-	-	S355	600x25	0
.3514	525	221	13	-	-	S355	600x35	0
.7314	526	13	237	-	-	S355	600x35	0
.5678	527	237	238	-	-	S355	600x35	0
.5678	528	238	239	-	-	S355	600x35	0
.5678	529	239	25	-	-	S355	600x35	0
.5678	530	25	285	-	-	S355	600x35	0
.5002	531	285	286	-	-	S355	600x35	0
.5002	532	286	287	-	-	S355	600x35	0
.5002	533	287	288	-	-	S355	600x35	0
.5002	534	288	289	-	-	S355	600x35	0
.5002	535	289	290	-	-	S355	600x35	0
.5002	536	290	291	-	-	S355	600x35	0
.5002	537	291	292	-	-	S355	600x35	0
.5002	538	292	293	-	-	S355	600x40	0
.5002	539	293	28	-	-	S355	600x40	0
.5002	540	28	299	-	-	S355	600x40	0
.4552	541	299	15	-	-	S355	600x40	0
.4552	542	15	335	-	-	S355	600x40	0
.5115	543	335	336	-	-	S355	600x40	0
.5115	544	336	337	-	-	S355	600x40	0
.5115	545	337	338	-	-	S355	600x40	0
.5115	546	338	339	-	-	S355	600x40	0




PROJECT TITLE :

	Company					Client		
	Author					File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt	


.5115	547	339	340	-	-	S355	600x40	0
.5115	548	340	341	-	-	S355	600x40	0
.5115	549	341	32	-	-	S355	600x40	0
.5115	550	32	377	-	-	S355	600x40	0
.5115	551	377	378	-	-	S355	600x40	0
.5115	552	378	379	-	-	S355	600x40	0
.5115	553	379	380	-	-	S355	600x40	0
.5115	554	380	381	-	-	S355	600x40	0
.5115	555	381	382	-	-	S355	600x40	0
.5115	556	382	383	-	-	S355	600x40	0
.5115	557	383	16	-	-	S355	600x40	0
.5115	558	16	389	-	-	S355	600x40	0
.4552	559	389	36	-	-	S355	600x40	0
.4552	560	36	435	-	-	S355	600x40	0
.5002	561	435	436	-	-	S355	600x40	0
.5002	562	436	437	-	-	S355	600x35	0
.5002	563	437	438	-	-	S355	600x35	0
.5002	564	438	439	-	-	S355	600x35	0
.5002	565	439	440	-	-	S355	600x35	0
.5002	566	440	441	-	-	S355	600x35	0
.5002	567	441	442	-	-	S355	600x35	0
.5002	568	442	443	-	-	S355	600x35	0
.5002	569	443	39	-	-	S355	600x35	0
.5002	570	39	459	-	-	S355	600x35	0
.5679	571	459	460	-	-	S355	600x35	0
.5679	572	460	461	-	-	S355	600x35	0
.5679	573	461	14	-	-	S355	600x35	0
.5679	574	14	482	-	-	S355	600x35	0
.7362	575	482	483	-	-	S355	600x25	0
.3562	576	483	484	-	-	S355	600x25	0
.5462	577	484	485	-	-	S355	600x25	0
.5462	578	485	43	-	-	S355	600x25	0
.5462	579	43	531	-	-	S355	600x25	0

PROJECT TITLE :


	Company					Client		
	Author					File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt	

.5002	580	531	532	-	-	S355	600x25	0
.5002	581	532	533	-	-	S355	600x25	0
.5002	582	533	534	-	-	S355	600x25	0
.5002	583	534	535	-	-	S355	600x25	0
.5002	584	535	536	-	-	S355	600x25	0
.5002	585	536	537	-	-	S355	600x25	0
.5002	586	537	538	-	-	S355	600x25	0
.5002	587	538	539	-	-	S355	600x25	0
.5002	588	539	6	-	-	S355	600x25	0
.5002	589	6	8	-	-	S355	600x25	
0.45	590	3	1	-	-	S355	800x25	
0.45	591	1	150	-	-	S355	800x25	
0.5	592	150	144	-	-	S355	800x25	
0.5	593	144	156	-	-	S355	800x25	
0.5	594	156	162	-	-	S355	800x25	
0.5	595	162	168	-	-	S355	800x25	
0.5	596	168	174	-	-	S355	800x25	
0.5	597	174	180	-	-	S355	800x25	
0.5	598	180	186	-	-	S355	800x25	
0.5	599	186	192	-	-	S355	800x25	
0.5	600	192	17	-	-	S355	800x25	0
.5262	601	17	198	-	-	S355	800x25	0
.5414	602	198	199	-	-	S355	800x25	0
.5414	603	199	200	-	-	S355	800x25	0
.5414	604	200	201	-	-	S355	800x25	0
.3514	605	201	9	-	-	S355	800x40	0
.7314	606	9	222	-	-	S355	800x40	0
.5678	607	222	223	-	-	S355	800x40	0
.5678	608	223	224	-	-	S355	800x40	0
.5678	609	224	22	-	-	S355	800x40	0
.5678	610	22	240	-	-	S355	800x40	0
.5002	611	240	241	-	-	S355	800x40	0
.5002	612	241	242	-	-	S355	800x40	0

PROJECT TITLE :


	Company				Client			
	Author				File Name			
.5002	613	242	243	-	-	S355	800x40	0
.5002	614	243	244	-	-	S355	800x40	0
.5002	615	244	245	-	-	S355	800x40+600x20	0
.5002	616	245	246	-	-	S355	800x40+600x20	0
.5002	617	246	247	-	-	S355	800x40+600x20	0
.5002	618	247	248	-	-	S355	800x40+600x20	0
.5002	619	248	26	-	-	S355	800x40+600x20	0
.5002	620	26	294	-	-	S355	800x40+600x20	0
.4552	621	294	11	-	-	S355	800x40+600x20	0
.4552	622	11	300	-	-	S355	800x40+600x20	0
.5115	623	300	301	-	-	S355	800x40+600x20	0
.5115	624	301	302	-	-	S355	800x40+600x20	0
.5115	625	302	303	-	-	S355	800x40+600x20	0
.5115	626	303	304	-	-	S355	800x40+600x20	0
.5115	627	304	305	-	-	S355	800x40+600x20	0
.5115	628	305	306	-	-	S355	800x40+600x20	0
.5115	629	306	29	-	-	S355	800x40+600x20	0
.5115	630	29	342	-	-	S355	800x40+600x20	0
.5115	631	342	343	-	-	S355	800x40+600x20	0
.5115	632	343	344	-	-	S355	800x40+600x20	0
.5115	633	344	345	-	-	S355	800x40+600x20	0
.5115	634	345	346	-	-	S355	800x40+600x20	0
.5115	635	346	347	-	-	S355	800x40+600x20	0
.5115	636	347	348	-	-	S355	800x40+600x20	0
.5115	637	348	12	-	-	S355	800x40+600x20	0
.5115	638	12	384	-	-	S355	800x40+600x20	0
.4552	639	384	33	-	-	S355	800x40+600x20	0
.4552	640	33	390	-	-	S355	800x40+600x20	0
.5002	641	390	391	-	-	S355	800x40+600x20	0
.5002	642	391	392	-	-	S355	800x40+600x20	0
.5002	643	392	393	-	-	S355	800x40+600x20	0
.5002	644	393	394	-	-	S355	800x40+600x20	0
.5002	645	394	395	-	-	S355	800x40	0

PROJECT TITLE :

	Company					Client		
	Author					File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt	

.5002	646	395	396	-	-	S355	800x40	0
.5002	647	396	397	-	-	S355	800x40	0
.5002	648	397	398	-	-	S355	800x40	0
.5002	649	398	37	-	-	S355	800x40	0
.5002	650	37	444	-	-	S355	800x40	0
.5679	651	444	445	-	-	S355	800x40	0
.5679	652	445	446	-	-	S355	800x40	0
.5679	653	446	10	-	-	S355	800x40	0
.5679	654	10	462	-	-	S355	800x40	0
.7362	655	462	463	-	-	S355	800x25	0
.3562	656	463	464	-	-	S355	800x25	0
.5462	657	464	465	-	-	S355	800x25	0
.5462	658	465	40	-	-	S355	800x25	0
.5462	659	40	486	-	-	S355	800x25	0
.5002	660	486	487	-	-	S355	800x25	0
.5002	661	487	488	-	-	S355	800x25	0
.5002	662	488	489	-	-	S355	800x25	0
.5002	663	489	490	-	-	S355	800x25	0
.5002	664	490	491	-	-	S355	800x25	0
.5002	665	491	492	-	-	S355	800x25	0
.5002	666	492	493	-	-	S355	800x25	0
.5002	667	493	494	-	-	S355	800x25	0
.5002	668	494	2	-	-	S355	800x25	0
.5002	669	2	4	-	-	S355	800x25	0
0.45	670	5	540	-	-	rigid	el rigido	
0.155	671	6	541	-	-	rigid	el rigido	
0.155	672	7	542	-	-	rigid	el rigido	
0.155	673	8	543	-	-	rigid	el rigido	
0.155	674	13	544	-	-	rigid	el rigido	
0.155	675	14	545	-	-	rigid	el rigido	
0.155	676	15	546	-	-	rigid	el rigido	
0.155	677	16	547	-	-	rigid	el rigido	
0.155	678	21	548	-	-	rigid	el rigido	


PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt	

0.155	679	25	549	-	-	rigid	el rigido
0.155	680	28	550	-	-	rigid	el rigido
0.155	681	32	551	-	-	rigid	el rigido
0.155	682	36	552	-	-	rigid	el rigido
0.155	683	39	553	-	-	rigid	el rigido
0.155	684	43	554	-	-	rigid	el rigido
0.155	685	149	555	-	-	rigid	el rigido
0.155	686	155	556	-	-	rigid	el rigido
0.155	687	161	557	-	-	rigid	el rigido
0.155	688	167	558	-	-	rigid	el rigido
0.155	689	173	559	-	-	rigid	el rigido
0.155	690	179	560	-	-	rigid	el rigido
0.155	691	185	561	-	-	rigid	el rigido
0.155	692	191	562	-	-	rigid	el rigido
0.155	693	197	563	-	-	rigid	el rigido
0.155	694	218	564	-	-	rigid	el rigido
0.155	695	219	565	-	-	rigid	el rigido
0.155	696	220	566	-	-	rigid	el rigido
0.155	697	221	567	-	-	rigid	el rigido
0.155	698	237	568	-	-	rigid	el rigido
0.155	699	238	569	-	-	rigid	el rigido
0.155	700	239	570	-	-	rigid	el rigido
0.155	701	285	571	-	-	rigid	el rigido
0.155	702	286	572	-	-	rigid	el rigido
0.155	703	287	573	-	-	rigid	el rigido
0.155	704	288	574	-	-	rigid	el rigido
0.155	705	289	575	-	-	rigid	el rigido
0.155	706	290	576	-	-	rigid	el rigido
0.155	707	291	577	-	-	rigid	el rigido
0.155	708	292	578	-	-	rigid	el rigido
0.155	709	293	579	-	-	rigid	el rigido
0.155	710	299	580	-	-	rigid	el rigido
0.155	711	335	581	-	-	rigid	el rigido

# MIDAS


PROJECT TITLE :

	Company					Client	
	Author					File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt

0.155	712	336	582	-	-	rigid	el rigido
0.155	713	337	583	-	-	rigid	el rigido
0.155	714	338	584	-	-	rigid	el rigido
0.155	715	339	585	-	-	rigid	el rigido
0.155	716	340	586	-	-	rigid	el rigido
0.155	717	341	587	-	-	rigid	el rigido
0.155	718	377	588	-	-	rigid	el rigido
0.155	719	378	589	-	-	rigid	el rigido
0.155	720	379	590	-	-	rigid	el rigido
0.155	721	380	591	-	-	rigid	el rigido
0.155	722	381	592	-	-	rigid	el rigido
0.155	723	382	593	-	-	rigid	el rigido
0.155	724	383	594	-	-	rigid	el rigido
0.155	725	389	595	-	-	rigid	el rigido
0.155	726	435	596	-	-	rigid	el rigido
0.155	727	436	597	-	-	rigid	el rigido
0.155	728	437	598	-	-	rigid	el rigido
0.155	729	438	599	-	-	rigid	el rigido
0.155	730	439	600	-	-	rigid	el rigido
0.155	731	440	601	-	-	rigid	el rigido
0.155	732	441	602	-	-	rigid	el rigido
0.155	733	442	603	-	-	rigid	el rigido
0.155	734	443	604	-	-	rigid	el rigido
0.155	735	459	605	-	-	rigid	el rigido
0.155	736	460	606	-	-	rigid	el rigido
0.155	737	461	607	-	-	rigid	el rigido
0.155	738	482	608	-	-	rigid	el rigido
0.155	739	483	609	-	-	rigid	el rigido
0.155	740	484	610	-	-	rigid	el rigido
0.155	741	485	611	-	-	rigid	el rigido
0.155	742	531	612	-	-	rigid	el rigido
0.155	743	532	613	-	-	rigid	el rigido
0.155	744	533	614	-	-	rigid	el rigido

# MIDAS


PROJECT TITLE :

	Company					Client		
	Author					File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt	

0.155	745	534	615	-	-	rigid	el rigido	
0.155	746	535	616	-	-	rigid	el rigido	
0.155	747	536	617	-	-	rigid	el rigido	
0.155	748	537	618	-	-	rigid	el rigido	
0.155	749	538	619	-	-	rigid	el rigido	
0.155	750	539	620	-	-	rigid	el rigido	
0.155	1151	753	48	-	-	S355	600x25	
0.45	1152	48	734	-	-	S355	600x25	
0.5	1153	734	766	-	-	S355	600x25	
0.5	1154	766	765	-	-	S355	600x25	
0.5	1155	765	772	-	-	S355	600x25	
0.5	1156	772	778	-	-	S355	600x25	
0.5	1157	778	784	-	-	S355	600x25	
0.5	1158	784	790	-	-	S355	600x25	
0.5	1159	790	796	-	-	S355	600x25	
0.5	1160	796	802	-	-	S355	600x25	
0.5	1161	802	736	-	-	S355	600x25	0
.5262	1162	736	735	-	-	S355	600x25	0
.5414	1163	735	818	-	-	S355	600x25	0
.5414	1164	818	819	-	-	S355	600x25	0
.5414	1165	819	820	-	-	S355	600x25	0
.3514	1166	820	54	-	-	S355	600x35	0
.7314	1167	54	737	-	-	S355	600x35	0
.5678	1168	737	831	-	-	S355	600x35	0
.5678	1169	831	832	-	-	S355	600x35	0
.5678	1170	832	739	-	-	S355	600x35	0
.5678	1171	739	738	-	-	S355	600x35	0
.5002	1172	738	873	-	-	S355	600x35	0
.5002	1173	873	874	-	-	S355	600x35	0
.5002	1174	874	875	-	-	S355	600x35	0
.5002	1175	875	876	-	-	S355	600x35	0
.5002	1176	876	877	-	-	S355	600x35	0
.5002	1177	877	878	-	-	S355	600x35	0

# MIDAS


PROJECT TITLE :

	Company			Client		File Name		
	Author			File Name		PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt		
.5002	1178	878	879	-	-	S355	600x35	0
.5002	1179	879	880	-	-	S355	600x40	0
.5002	1180	880	741	-	-	S355	600x40	0
.5002	1181	741	740	-	-	S355	600x40	0
.4552	1182	740	56	-	-	S355	600x40	0
.4552	1183	56	742	-	-	S355	600x40	0
.5115	1184	742	911	-	-	S355	600x40	0
.5115	1185	911	912	-	-	S355	600x40	0
.5115	1186	912	913	-	-	S355	600x40	0
.5115	1187	913	914	-	-	S355	600x40	0
.5115	1188	914	915	-	-	S355	600x40	0
.5115	1189	915	916	-	-	S355	600x40	0
.5115	1190	916	744	-	-	S355	600x40	0
.5115	1191	744	743	-	-	S355	600x40	0
.5115	1192	743	947	-	-	S355	600x40	0
.5115	1193	947	948	-	-	S355	600x40	0
.5115	1194	948	949	-	-	S355	600x40	0
.5115	1195	949	950	-	-	S355	600x40	0
.5115	1196	950	951	-	-	S355	600x40	0
.5115	1197	951	952	-	-	S355	600x40	0
.5115	1198	952	57	-	-	S355	600x40	0
.5115	1199	57	745	-	-	S355	600x40	0
.4552	1200	745	747	-	-	S355	600x40	0
.4552	1201	747	746	-	-	S355	600x40	0
.5002	1202	746	993	-	-	S355	600x40	0
.5002	1203	993	994	-	-	S355	600x35	0
.5002	1204	994	995	-	-	S355	600x35	0
.5002	1205	995	996	-	-	S355	600x35	0
.5002	1206	996	997	-	-	S355	600x35	0
.5002	1207	997	998	-	-	S355	600x35	0
.5002	1208	998	999	-	-	S355	600x35	0
.5002	1209	999	1000	-	-	S355	600x35	0
.5002	1210	1000	749	-	-	S355	600x35	0



# MIDAS


PROJECT TITLE :

	Company					Client		
	Author					File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt	

.5002	1211	749	748	-	-	S355	600x35	0
.5679	1212	748	1011	-	-	S355	600x35	0
.5679	1213	1011	1012	-	-	S355	600x35	0
.5679	1214	1012	55	-	-	S355	600x35	0
.5679	1215	55	750	-	-	S355	600x35	0
.7362	1216	750	1028	-	-	S355	600x25	0
.3562	1217	1028	1029	-	-	S355	600x25	0
.5462	1218	1029	1030	-	-	S355	600x25	0
.5462	1219	1030	752	-	-	S355	600x25	0
.5462	1220	752	751	-	-	S355	600x25	0
.5002	1221	751	1071	-	-	S355	600x25	0
.5002	1222	1071	1072	-	-	S355	600x25	0
.5002	1223	1072	1073	-	-	S355	600x25	0
.5002	1224	1073	1074	-	-	S355	600x25	0
.5002	1225	1074	1075	-	-	S355	600x25	0
.5002	1226	1075	1076	-	-	S355	600x25	0
.5002	1227	1076	1077	-	-	S355	600x25	0
.5002	1228	1077	1078	-	-	S355	600x25	0
.5002	1229	1078	49	-	-	S355	600x25	0
.5002	1230	49	754	-	-	S355	600x25	0
0.45	1231	621	46	-	-	S355	800x25	0
0.45	1232	46	624	-	-	S355	800x25	0
0.5	1233	624	755	-	-	S355	800x25	0
0.5	1234	755	756	-	-	S355	800x25	0
0.5	1235	756	767	-	-	S355	800x25	0
0.5	1236	767	773	-	-	S355	800x25	0
0.5	1237	773	779	-	-	S355	800x25	0
0.5	1238	779	785	-	-	S355	800x25	0
0.5	1239	785	791	-	-	S355	800x25	0
0.5	1240	791	797	-	-	S355	800x25	0
0.5	1241	797	103	-	-	S355	800x25	0
.5262	1242	103	641	-	-	S355	800x25	0
.5414	1243	641	803	-	-	S355	800x25	0

# MIDAS


PROJECT TITLE :

	Company					Client		
	Author					File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt	

.5414	1244	803	805	-	-	S355	800x25	0
.5414	1245	805	807	-	-	S355	800x25	0
.3514	1246	807	50	-	-	S355	800x40	0
.7314	1247	50	626	-	-	S355	800x40	0
.5678	1248	626	821	-	-	S355	800x40	0
.5678	1249	821	823	-	-	S355	800x40	0
.5678	1250	823	104	-	-	S355	800x40	0
.5678	1251	104	652	-	-	S355	800x40	0
.5002	1252	652	833	-	-	S355	800x40	0
.5002	1253	833	835	-	-	S355	800x40	0
.5002	1254	835	837	-	-	S355	800x40	0
.5002	1255	837	839	-	-	S355	800x40	0
.5002	1256	839	841	-	-	S355	800x40+600x20	0
.5002	1257	841	843	-	-	S355	800x40+600x20	0
.5002	1258	843	845	-	-	S355	800x40+600x20	0
.5002	1259	845	847	-	-	S355	800x40+600x20	0
.5002	1260	847	105	-	-	S355	800x40+600x20	0
.5002	1261	105	663	-	-	S355	800x40+600x20	0
.4552	1262	663	52	-	-	S355	800x40+600x20	0
.4552	1263	52	629	-	-	S355	800x40+600x20	0
.5115	1264	629	881	-	-	S355	800x40+600x20	0
.5115	1265	881	883	-	-	S355	800x40+600x20	0
.5115	1266	883	885	-	-	S355	800x40+600x20	0
.5115	1267	885	887	-	-	S355	800x40+600x20	0
.5115	1268	887	889	-	-	S355	800x40+600x20	0
.5115	1269	889	891	-	-	S355	800x40+600x20	0
.5115	1270	891	106	-	-	S355	800x40+600x20	0
.5115	1271	106	670	-	-	S355	800x40+600x20	0
.5115	1272	670	917	-	-	S355	800x40+600x20	0
.5115	1273	917	919	-	-	S355	800x40+600x20	0
.5115	1274	919	921	-	-	S355	800x40+600x20	0
.5115	1275	921	923	-	-	S355	800x40+600x20	0
.5115	1276	923	925	-	-	S355	800x40+600x20	0


# MIDAS

PROJECT TITLE :

	Company					Client			
	Author					File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt		

.5115	1277	925	927	-	-	S355	800x40+600x20	0
.5115	1278	927	53	-	-	S355	800x40+600x20	0
.5115	1279	53	632	-	-	S355	800x40+600x20	0
.4552	1280	632	107	-	-	S355	800x40+600x20	0
.4552	1281	107	681	-	-	S355	800x40+600x20	0
.5002	1282	681	953	-	-	S355	800x40+600x20	0
.5002	1283	953	955	-	-	S355	800x40+600x20	0
.5002	1284	955	957	-	-	S355	800x40+600x20	0
.5002	1285	957	959	-	-	S355	800x40+600x20	0
.5002	1286	959	961	-	-	S355	800x40	0
.5002	1287	961	963	-	-	S355	800x40	0
.5002	1288	963	965	-	-	S355	800x40	0
.5002	1289	965	967	-	-	S355	800x40	0
.5002	1290	967	108	-	-	S355	800x40	0
.5002	1291	108	692	-	-	S355	800x40	0
.5679	1292	692	1001	-	-	S355	800x40	0
.5679	1293	1001	1003	-	-	S355	800x40	0
.5679	1294	1003	51	-	-	S355	800x40	0
.5679	1295	51	635	-	-	S355	800x40	0
.7362	1296	635	1013	-	-	S355	800x25	0
.3562	1297	1013	1015	-	-	S355	800x25	0
.5462	1298	1015	1017	-	-	S355	800x25	0
.5462	1299	1017	109	-	-	S355	800x25	0
.5462	1300	109	699	-	-	S355	800x25	0
.5002	1301	699	1031	-	-	S355	800x25	0
.5002	1302	1031	1033	-	-	S355	800x25	0
.5002	1303	1033	1035	-	-	S355	800x25	0
.5002	1304	1035	1037	-	-	S355	800x25	0
.5002	1305	1037	1039	-	-	S355	800x25	0
.5002	1306	1039	1041	-	-	S355	800x25	0
.5002	1307	1041	1043	-	-	S355	800x25	0
.5002	1308	1043	1045	-	-	S355	800x25	0
.5002	1309	1045	47	-	-	S355	800x25	0


PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt	

.5002	1310	47	638	-	-	S355	800x25
0.45	1311	48	1079	-	-	rigid	el rigido
0.155	1312	49	1080	-	-	rigid	el rigido
0.155	1313	753	1081	-	-	rigid	el rigido
0.155	1314	754	1082	-	-	rigid	el rigido
0.155	1315	54	1083	-	-	rigid	el rigido
0.155	1316	55	1084	-	-	rigid	el rigido
0.155	1317	56	1085	-	-	rigid	el rigido
0.155	1318	57	1086	-	-	rigid	el rigido
0.155	1319	736	1087	-	-	rigid	el rigido
0.155	1320	739	1088	-	-	rigid	el rigido
0.155	1321	741	1089	-	-	rigid	el rigido
0.155	1322	744	1090	-	-	rigid	el rigido
0.155	1323	747	1091	-	-	rigid	el rigido
0.155	1324	749	1092	-	-	rigid	el rigido
0.155	1325	752	1093	-	-	rigid	el rigido
0.155	1326	766	1094	-	-	rigid	el rigido
0.155	1327	734	1095	-	-	rigid	el rigido
0.155	1328	765	1096	-	-	rigid	el rigido
0.155	1329	772	1097	-	-	rigid	el rigido
0.155	1330	778	1098	-	-	rigid	el rigido
0.155	1331	784	1099	-	-	rigid	el rigido
0.155	1332	790	1100	-	-	rigid	el rigido
0.155	1333	796	1101	-	-	rigid	el rigido
0.155	1334	802	1102	-	-	rigid	el rigido
0.155	1335	735	1103	-	-	rigid	el rigido
0.155	1336	818	1104	-	-	rigid	el rigido
0.155	1337	819	1105	-	-	rigid	el rigido
0.155	1338	820	1106	-	-	rigid	el rigido
0.155	1339	737	1107	-	-	rigid	el rigido
0.155	1340	831	1108	-	-	rigid	el rigido
0.155	1341	832	1109	-	-	rigid	el rigido
0.155	1342	738	1110	-	-	rigid	el rigido


# MIDAS

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt	


0.155	1343	873	1111	-	-	rigid	el rigido
0.155	1344	874	1112	-	-	rigid	el rigido
0.155	1345	875	1113	-	-	rigid	el rigido
0.155	1346	876	1114	-	-	rigid	el rigido
0.155	1347	877	1115	-	-	rigid	el rigido
0.155	1348	878	1116	-	-	rigid	el rigido
0.155	1349	879	1117	-	-	rigid	el rigido
0.155	1350	880	1118	-	-	rigid	el rigido
0.155	1351	740	1119	-	-	rigid	el rigido
0.155	1352	742	1120	-	-	rigid	el rigido
0.155	1353	911	1121	-	-	rigid	el rigido
0.155	1354	912	1122	-	-	rigid	el rigido
0.155	1355	913	1123	-	-	rigid	el rigido
0.155	1356	914	1124	-	-	rigid	el rigido
0.155	1357	915	1125	-	-	rigid	el rigido
0.155	1358	916	1126	-	-	rigid	el rigido
0.155	1359	743	1127	-	-	rigid	el rigido
0.155	1360	947	1128	-	-	rigid	el rigido
0.155	1361	948	1129	-	-	rigid	el rigido
0.155	1362	949	1130	-	-	rigid	el rigido
0.155	1363	950	1131	-	-	rigid	el rigido
0.155	1364	951	1132	-	-	rigid	el rigido
0.155	1365	952	1133	-	-	rigid	el rigido
0.155	1366	745	1134	-	-	rigid	el rigido
0.155	1367	746	1135	-	-	rigid	el rigido
0.155	1368	993	1136	-	-	rigid	el rigido
0.155	1369	994	1137	-	-	rigid	el rigido
0.155	1370	995	1138	-	-	rigid	el rigido
0.155	1371	996	1139	-	-	rigid	el rigido
0.155	1372	997	1140	-	-	rigid	el rigido
0.155	1373	998	1141	-	-	rigid	el rigido
0.155	1374	999	1142	-	-	rigid	el rigido
0.155	1375	1000	1143	-	-	rigid	el rigido

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt	


0.155							
	1376	748	1144	-	-	rigid	el rigido
0.155	1377	1011	1145	-	-	rigid	el rigido
0.155	1378	1012	1146	-	-	rigid	el rigido
0.155	1379	750	1147	-	-	rigid	el rigido
0.155	1380	1028	1148	-	-	rigid	el rigido
0.155	1381	1029	1149	-	-	rigid	el rigido
0.155	1382	1030	1150	-	-	rigid	el rigido
0.155	1383	751	1151	-	-	rigid	el rigido
0.155	1384	1071	1152	-	-	rigid	el rigido
0.155	1385	1072	1153	-	-	rigid	el rigido
0.155	1386	1073	1154	-	-	rigid	el rigido
0.155	1387	1074	1155	-	-	rigid	el rigido
0.155	1388	1075	1156	-	-	rigid	el rigido
0.155	1389	1076	1157	-	-	rigid	el rigido
0.155	1390	1077	1158	-	-	rigid	el rigido
0.155	1391	1078	1159	-	-	rigid	el rigido
0.155	2512	1	2214	-	-	S355	Irrig_traversi
0.15	2513	59	18	-	-	S355	Irrig_traversi
0.5	2514	18	71	-	-	S355	Irrig_traversi
0.5	2515	71	88	-	-	S355	Irrig_traversi
0.38	2516	17	2226	-	-	S355	Irrig_correnti
0.15	2517	60	19	-	-	S355	Irrig_correnti
0.5	2518	19	72	-	-	S355	Irrig_correnti
0.5	2519	72	89	-	-	S355	Irrig_correnti
0.38	2520	22	2228	-	-	S355	Irrig_correnti
0.15	2521	62	23	-	-	S355	Irrig_correnti
0.5	2522	23	75	-	-	S355	Irrig_correnti
0.5	2523	75	91	-	-	S355	Irrig_correnti
0.38	2524	26	2230	-	-	S355	Irrig_correnti
0.15	2525	74	27	-	-	S355	Irrig_correnti
0.5	2526	27	76	-	-	S355	Irrig_correnti
0.5	2527	76	92	-	-	S355	Irrig_correnti
0.38	2528	29	2232	-	-	S355	Irrig_correnti

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt		
0.15						
2529	64	30	-	-	S355	Irrig_correnti
0.5						
2530	30	78	-	-	S355	Irrig_correnti
0.5						
2531	78	94	-	-	S355	Irrig_correnti
0.38						
2532	33	2234	-	-	S355	Irrig_correnti
0.15						
2533	66	34	-	-	S355	Irrig_correnti
0.5						
2534	34	81	-	-	S355	Irrig_correnti
0.5						
2535	81	96	-	-	S355	Irrig_correnti
0.38						
2536	37	2236	-	-	S355	Irrig_correnti
0.15						
2537	80	38	-	-	S355	Irrig_correnti
0.5						
2538	38	82	-	-	S355	Irrig_correnti
0.5						
2539	82	97	-	-	S355	Irrig_correnti
0.38						
2540	40	2238	-	-	S355	Irrig_correnti
0.15						
2541	68	41	-	-	S355	Irrig_correnti
0.5						
2542	41	84	-	-	S355	Irrig_correnti
0.5						
2543	84	99	-	-	S355	Irrig_correnti
0.38						
2544	2	2224	-	-	S355	Irrig_traversi
0.15						
2545	69	42	-	-	S355	Irrig_traversi
0.5						
2546	42	85	-	-	S355	Irrig_traversi
0.5						
2547	85	100	-	-	S355	Irrig_traversi
0.38						
2548	118	715	-	-	S355	Irrig_traversi
0.38						
2549	715	712	-	-	S355	Irrig_traversi
0.5						
2550	712	640	-	-	S355	Irrig_traversi
0.5						
2551	640	2305	-	-	S355	Irrig_traversi
0.317						
2552	117	709	-	-	S355	Irrig_correnti
0.38						
2553	709	706	-	-	S355	Irrig_correnti
0.5						
2554	706	701	-	-	S355	Irrig_correnti
0.5						
2555	701	2319	-	-	S355	Irrig_correnti
0.317						
2556	116	698	-	-	S355	Irrig_correnti
0.38						
2557	698	695	-	-	S355	Irrig_correnti
0.5						
2558	695	694	-	-	S355	Irrig_correnti
0.5						
2559	694	2317	-	-	S355	Irrig_correnti
0.317						
2560	115	691	-	-	S355	Irrig_correnti
0.38						
2561	691	688	-	-	S355	Irrig_correnti


# MIDAS

PROJECT TITLE :

	Company		Client		File Name	
	Author				PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt	
0.5	2562	688	683	-	-	S355 Irrig_correnti
0.5	2563	683	2315	-	-	S355 Irrig_correnti
0.317	2564	114	680	-	-	S355 Irrig_correnti
0.38	2565	680	677	-	-	S355 Irrig_correnti
0.5	2566	677	672	-	-	S355 Irrig_correnti
0.5	2567	672	2313	-	-	S355 Irrig_correnti
0.317	2568	113	669	-	-	S355 Irrig_correnti
0.38	2569	669	666	-	-	S355 Irrig_correnti
0.5	2570	666	665	-	-	S355 Irrig_correnti
0.5	2571	665	2311	-	-	S355 Irrig_correnti
0.317	2572	112	662	-	-	S355 Irrig_correnti
0.38	2573	662	659	-	-	S355 Irrig_correnti
0.5	2574	659	654	-	-	S355 Irrig_correnti
0.5	2575	654	2309	-	-	S355 Irrig_correnti
0.317	2576	111	651	-	-	S355 Irrig_correnti
0.38	2577	651	648	-	-	S355 Irrig_correnti
0.5	2578	648	643	-	-	S355 Irrig_correnti
0.5	2579	643	2307	-	-	S355 Irrig_correnti
0.317	2580	110	647	-	-	S355 Irrig_traversi
0.38	2581	647	644	-	-	S355 Irrig_traversi
0.5	2582	644	622	-	-	S355 Irrig_traversi
0.5	2583	622	2295	-	-	S355 Irrig_traversi
0.317	2584	88	5	-	-	S355 Irrig_traversi
0.12	2585	89	21	-	-	S355 Irrig_correnti
0.12	2586	91	25	-	-	S355 Irrig_correnti
0.12	2587	92	28	-	-	S355 Irrig_correnti
0.12	2588	94	32	-	-	S355 Irrig_correnti
0.12	2589	96	36	-	-	S355 Irrig_correnti
0.12	2590	97	39	-	-	S355 Irrig_correnti
0.12	2591	99	43	-	-	S355 Irrig_correnti
0.12	2592	100	6	-	-	S355 Irrig_traversi
0.12	2593	48	110	-	-	S355 Irrig_traversi
0.12	2594	49	118	-	-	S355 Irrig_traversi




PROJECT TITLE :

	Company					Client		
	Author					File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt	

0.12									
0.12	2595	736	111	-	-	S355	Irrig_correnti		
0.12	2596	739	112	-	-	S355	Irrig_correnti		
0.12	2597	741	113	-	-	S355	Irrig_correnti		
0.12	2598	744	114	-	-	S355	Irrig_correnti		
0.12	2599	747	115	-	-	S355	Irrig_correnti		
0.12	2600	749	116	-	-	S355	Irrig_correnti		
0.12	2601	752	117	-	-	S355	Irrig_correnti		
0.12	2602	542	540	-	-	Fittizio	Fittizio		
0.45	2603	540	556	-	-	Fittizio	Fittizio		
0.5	2604	556	555	-	-	Fittizio	Fittizio		
0.5	2605	555	557	-	-	Fittizio	Fittizio		
0.5	2606	557	558	-	-	Fittizio	Fittizio		
0.5	2607	558	559	-	-	Fittizio	Fittizio		
0.5	2608	559	560	-	-	Fittizio	Fittizio		
0.5	2609	560	561	-	-	Fittizio	Fittizio		
0.5	2610	561	562	-	-	Fittizio	Fittizio		
0.5	2611	562	563	-	-	Fittizio	Fittizio		
0.5	2612	563	548	-	-	Fittizio	Fittizio		0
.5262	2613	548	564	-	-	Fittizio	Fittizio		0
.5414	2614	564	565	-	-	Fittizio	Fittizio		0
.5414	2615	565	566	-	-	Fittizio	Fittizio		0
.5414	2616	566	567	-	-	Fittizio	Fittizio		0
.3514	2617	567	544	-	-	Fittizio	Fittizio		0
.7314	2618	544	568	-	-	Fittizio	Fittizio		0
.5678	2619	568	569	-	-	Fittizio	Fittizio		0
.5678	2620	569	570	-	-	Fittizio	Fittizio		0
.5678	2621	570	549	-	-	Fittizio	Fittizio		0
.5678	2622	549	571	-	-	Fittizio	Fittizio		0
.5002	2623	571	572	-	-	Fittizio	Fittizio		0
.5002	2624	572	573	-	-	Fittizio	Fittizio		0
.5002	2625	573	574	-	-	Fittizio	Fittizio		0
.5002	2626	574	575	-	-	Fittizio	Fittizio		0
.5002	2627	575	576	-	-	Fittizio	Fittizio		0


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt

.5002	2628	576	577	-	-	Fittizio	Fittizio	0
.5002	2629	577	578	-	-	Fittizio	Fittizio	0
.5002	2630	578	579	-	-	Fittizio	Fittizio	0
.5002	2631	579	550	-	-	Fittizio	Fittizio	0
.5002	2632	550	580	-	-	Fittizio	Fittizio	0
.4552	2633	580	546	-	-	Fittizio	Fittizio	0
.4552	2634	546	581	-	-	Fittizio	Fittizio	0
.5115	2635	581	582	-	-	Fittizio	Fittizio	0
.5115	2636	582	583	-	-	Fittizio	Fittizio	0
.5115	2637	583	584	-	-	Fittizio	Fittizio	0
.5115	2638	584	585	-	-	Fittizio	Fittizio	0
.5115	2639	585	586	-	-	Fittizio	Fittizio	0
.5115	2640	586	587	-	-	Fittizio	Fittizio	0
.5115	2641	587	551	-	-	Fittizio	Fittizio	0
.5115	2642	551	588	-	-	Fittizio	Fittizio	0
.5115	2643	588	589	-	-	Fittizio	Fittizio	0
.5115	2644	589	590	-	-	Fittizio	Fittizio	0
.5115	2645	590	591	-	-	Fittizio	Fittizio	0
.5115	2646	591	592	-	-	Fittizio	Fittizio	0
.5115	2647	592	593	-	-	Fittizio	Fittizio	0
.5115	2648	593	594	-	-	Fittizio	Fittizio	0
.5115	2649	594	547	-	-	Fittizio	Fittizio	0
.5115	2650	547	595	-	-	Fittizio	Fittizio	0
.4552	2651	595	552	-	-	Fittizio	Fittizio	0
.4552	2652	552	596	-	-	Fittizio	Fittizio	0
.5002	2653	596	597	-	-	Fittizio	Fittizio	0
.5002	2654	597	598	-	-	Fittizio	Fittizio	0
.5002	2655	598	599	-	-	Fittizio	Fittizio	0
.5002	2656	599	600	-	-	Fittizio	Fittizio	0
.5002	2657	600	601	-	-	Fittizio	Fittizio	0
.5002	2658	601	602	-	-	Fittizio	Fittizio	0
.5002	2659	602	603	-	-	Fittizio	Fittizio	0
.5002	2660	603	604	-	-	Fittizio	Fittizio	0

MIDAS


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt

.5002	2661	604	553	-	-	Fittizio	Fittizio	0
.5002	2662	553	605	-	-	Fittizio	Fittizio	0
.5679	2663	605	606	-	-	Fittizio	Fittizio	0
.5679	2664	606	607	-	-	Fittizio	Fittizio	0
.5679	2665	607	545	-	-	Fittizio	Fittizio	0
.5679	2666	545	608	-	-	Fittizio	Fittizio	0
.7362	2667	608	609	-	-	Fittizio	Fittizio	0
.3562	2668	609	610	-	-	Fittizio	Fittizio	0
.5462	2669	610	611	-	-	Fittizio	Fittizio	0
.5462	2670	611	554	-	-	Fittizio	Fittizio	0
.5462	2671	554	612	-	-	Fittizio	Fittizio	0
.5002	2672	612	613	-	-	Fittizio	Fittizio	0
.5002	2673	613	614	-	-	Fittizio	Fittizio	0
.5002	2674	614	615	-	-	Fittizio	Fittizio	0
.5002	2675	615	616	-	-	Fittizio	Fittizio	0
.5002	2676	616	617	-	-	Fittizio	Fittizio	0
.5002	2677	617	618	-	-	Fittizio	Fittizio	0
.5002	2678	618	619	-	-	Fittizio	Fittizio	0
.5002	2679	619	620	-	-	Fittizio	Fittizio	0
.5002	2680	620	541	-	-	Fittizio	Fittizio	0
.5002	2681	541	543	-	-	Fittizio	Fittizio	0
0.45	2682	1081	1079	-	-	Fittizio	Fittizio	0
0.45	2683	1079	1095	-	-	Fittizio	Fittizio	0
0.5	2684	1095	1094	-	-	Fittizio	Fittizio	0
0.5	2685	1094	1096	-	-	Fittizio	Fittizio	0
0.5	2686	1096	1097	-	-	Fittizio	Fittizio	0
0.5	2687	1097	1098	-	-	Fittizio	Fittizio	0
0.5	2688	1098	1099	-	-	Fittizio	Fittizio	0
0.5	2689	1099	1100	-	-	Fittizio	Fittizio	0
0.5	2690	1100	1101	-	-	Fittizio	Fittizio	0
0.5	2691	1101	1102	-	-	Fittizio	Fittizio	0
0.5	2692	1102	1087	-	-	Fittizio	Fittizio	0
.5262	2693	1087	1103	-	-	Fittizio	Fittizio	0

# MIDAS


PROJECT TITLE :

	Company					Client		
	Author					File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt	

.5414	2694	1103	1104	-	-	Fittizio	Fittizio	0
.5414	2695	1104	1105	-	-	Fittizio	Fittizio	0
.5414	2696	1105	1106	-	-	Fittizio	Fittizio	0
.3514	2697	1106	1083	-	-	Fittizio	Fittizio	0
.7314	2698	1083	1107	-	-	Fittizio	Fittizio	0
.5678	2699	1107	1108	-	-	Fittizio	Fittizio	0
.5678	2700	1108	1109	-	-	Fittizio	Fittizio	0
.5678	2701	1109	1088	-	-	Fittizio	Fittizio	0
.5678	2702	1088	1110	-	-	Fittizio	Fittizio	0
.5002	2703	1110	1111	-	-	Fittizio	Fittizio	0
.5002	2704	1111	1112	-	-	Fittizio	Fittizio	0
.5002	2705	1112	1113	-	-	Fittizio	Fittizio	0
.5002	2706	1113	1114	-	-	Fittizio	Fittizio	0
.5002	2707	1114	1115	-	-	Fittizio	Fittizio	0
.5002	2708	1115	1116	-	-	Fittizio	Fittizio	0
.5002	2709	1116	1117	-	-	Fittizio	Fittizio	0
.5002	2710	1117	1118	-	-	Fittizio	Fittizio	0
.5002	2711	1118	1089	-	-	Fittizio	Fittizio	0
.5002	2712	1089	1119	-	-	Fittizio	Fittizio	0
.4552	2713	1119	1085	-	-	Fittizio	Fittizio	0
.4552	2714	1085	1120	-	-	Fittizio	Fittizio	0
.5115	2715	1120	1121	-	-	Fittizio	Fittizio	0
.5115	2716	1121	1122	-	-	Fittizio	Fittizio	0
.5115	2717	1122	1123	-	-	Fittizio	Fittizio	0
.5115	2718	1123	1124	-	-	Fittizio	Fittizio	0
.5115	2719	1124	1125	-	-	Fittizio	Fittizio	0
.5115	2720	1125	1126	-	-	Fittizio	Fittizio	0
.5115	2721	1126	1090	-	-	Fittizio	Fittizio	0
.5115	2722	1090	1127	-	-	Fittizio	Fittizio	0
.5115	2723	1127	1128	-	-	Fittizio	Fittizio	0
.5115	2724	1128	1129	-	-	Fittizio	Fittizio	0
.5115	2725	1129	1130	-	-	Fittizio	Fittizio	0
.5115	2726	1130	1131	-	-	Fittizio	Fittizio	0

MIDAS


PROJECT TITLE :

	Company			Client	
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt

.5115	2727	1131	1132	-	-	Fittizio	Fittizio	0
.5115	2728	1132	1133	-	-	Fittizio	Fittizio	0
.5115	2729	1133	1086	-	-	Fittizio	Fittizio	0
.5115	2730	1086	1134	-	-	Fittizio	Fittizio	0
.4552	2731	1134	1091	-	-	Fittizio	Fittizio	0
.4552	2732	1091	1135	-	-	Fittizio	Fittizio	0
.5002	2733	1135	1136	-	-	Fittizio	Fittizio	0
.5002	2734	1136	1137	-	-	Fittizio	Fittizio	0
.5002	2735	1137	1138	-	-	Fittizio	Fittizio	0
.5002	2736	1138	1139	-	-	Fittizio	Fittizio	0
.5002	2737	1139	1140	-	-	Fittizio	Fittizio	0
.5002	2738	1140	1141	-	-	Fittizio	Fittizio	0
.5002	2739	1141	1142	-	-	Fittizio	Fittizio	0
.5002	2740	1142	1143	-	-	Fittizio	Fittizio	0
.5002	2741	1143	1092	-	-	Fittizio	Fittizio	0
.5002	2742	1092	1144	-	-	Fittizio	Fittizio	0
.5679	2743	1144	1145	-	-	Fittizio	Fittizio	0
.5679	2744	1145	1146	-	-	Fittizio	Fittizio	0
.5679	2745	1146	1084	-	-	Fittizio	Fittizio	0
.5679	2746	1084	1147	-	-	Fittizio	Fittizio	0
.7362	2747	1147	1148	-	-	Fittizio	Fittizio	0
.3562	2748	1148	1149	-	-	Fittizio	Fittizio	0
.5462	2749	1149	1150	-	-	Fittizio	Fittizio	0
.5462	2750	1150	1093	-	-	Fittizio	Fittizio	0
.5462	2751	1093	1151	-	-	Fittizio	Fittizio	0
.5002	2752	1151	1152	-	-	Fittizio	Fittizio	0
.5002	2753	1152	1153	-	-	Fittizio	Fittizio	0
.5002	2754	1153	1154	-	-	Fittizio	Fittizio	0
.5002	2755	1154	1155	-	-	Fittizio	Fittizio	0
.5002	2756	1155	1156	-	-	Fittizio	Fittizio	0
.5002	2757	1156	1157	-	-	Fittizio	Fittizio	0
.5002	2758	1157	1158	-	-	Fittizio	Fittizio	0
.5002	2759	1158	1159	-	-	Fittizio	Fittizio	0


MIDAS

PROJECT TITLE :

	Company					Client		
	Author					File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt	


.5002	2760	1159	1080	-	-	Fittizio	Fittizio	0
.5002	2761	1080	1082	-	-	Fittizio	Fittizio	
0.45	2762	1324	1322	-	-	Fittizio	Fittizio	
0.45	2763	1322	1338	-	-	Fittizio	Fittizio	
0.5	2764	1338	1337	-	-	Fittizio	Fittizio	
0.5	2765	1337	1339	-	-	Fittizio	Fittizio	
0.5	2766	1339	1340	-	-	Fittizio	Fittizio	
0.5	2767	1340	1341	-	-	Fittizio	Fittizio	
0.5	2768	1341	1342	-	-	Fittizio	Fittizio	
0.5	2769	1342	1343	-	-	Fittizio	Fittizio	
0.5	2770	1343	1344	-	-	Fittizio	Fittizio	
0.5	2771	1344	1345	-	-	Fittizio	Fittizio	
0.5	2772	1345	1330	-	-	Fittizio	Fittizio	0
.5262	2773	1330	1346	-	-	Fittizio	Fittizio	0
.5414	2774	1346	1347	-	-	Fittizio	Fittizio	0
.5414	2775	1347	1348	-	-	Fittizio	Fittizio	0
.5414	2776	1348	1349	-	-	Fittizio	Fittizio	0
.3514	2777	1349	1326	-	-	Fittizio	Fittizio	0
.7314	2778	1326	1350	-	-	Fittizio	Fittizio	0
.5678	2779	1350	1351	-	-	Fittizio	Fittizio	0
.5678	2780	1351	1352	-	-	Fittizio	Fittizio	0
.5678	2781	1352	1331	-	-	Fittizio	Fittizio	0
.5678	2782	1331	1353	-	-	Fittizio	Fittizio	0
.5002	2783	1353	1354	-	-	Fittizio	Fittizio	0
.5002	2784	1354	1355	-	-	Fittizio	Fittizio	0
.5002	2785	1355	1356	-	-	Fittizio	Fittizio	0
.5002	2786	1356	1357	-	-	Fittizio	Fittizio	0
.5002	2787	1357	1358	-	-	Fittizio	Fittizio	0
.5002	2788	1358	1359	-	-	Fittizio	Fittizio	0
.5002	2789	1359	1360	-	-	Fittizio	Fittizio	0
.5002	2790	1360	1361	-	-	Fittizio	Fittizio	0
.5002	2791	1361	1332	-	-	Fittizio	Fittizio	0
.5002	2792	1332	1362	-	-	Fittizio	Fittizio	0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt


.4552	2793	1362	1328	-	-	Fittizio	Fittizio	0
.4552	2794	1328	1363	-	-	Fittizio	Fittizio	0
.5115	2795	1363	1364	-	-	Fittizio	Fittizio	0
.5115	2796	1364	1365	-	-	Fittizio	Fittizio	0
.5115	2797	1365	1366	-	-	Fittizio	Fittizio	0
.5115	2798	1366	1367	-	-	Fittizio	Fittizio	0
.5115	2799	1367	1368	-	-	Fittizio	Fittizio	0
.5115	2800	1368	1369	-	-	Fittizio	Fittizio	0
.5115	2801	1369	1333	-	-	Fittizio	Fittizio	0
.5115	2802	1333	1370	-	-	Fittizio	Fittizio	0
.5115	2803	1370	1371	-	-	Fittizio	Fittizio	0
.5115	2804	1371	1372	-	-	Fittizio	Fittizio	0
.5115	2805	1372	1373	-	-	Fittizio	Fittizio	0
.5115	2806	1373	1374	-	-	Fittizio	Fittizio	0
.5115	2807	1374	1375	-	-	Fittizio	Fittizio	0
.5115	2808	1375	1376	-	-	Fittizio	Fittizio	0
.5115	2809	1376	1329	-	-	Fittizio	Fittizio	0
.5115	2810	1329	1377	-	-	Fittizio	Fittizio	0
.4552	2811	1377	1334	-	-	Fittizio	Fittizio	0
.4552	2812	1334	1378	-	-	Fittizio	Fittizio	0
.5002	2813	1378	1379	-	-	Fittizio	Fittizio	0
.5002	2814	1379	1380	-	-	Fittizio	Fittizio	0
.5002	2815	1380	1381	-	-	Fittizio	Fittizio	0
.5002	2816	1381	1382	-	-	Fittizio	Fittizio	0
.5002	2817	1382	1383	-	-	Fittizio	Fittizio	0
.5002	2818	1383	1384	-	-	Fittizio	Fittizio	0
.5002	2819	1384	1385	-	-	Fittizio	Fittizio	0
.5002	2820	1385	1386	-	-	Fittizio	Fittizio	0
.5002	2821	1386	1335	-	-	Fittizio	Fittizio	0
.5002	2822	1335	1387	-	-	Fittizio	Fittizio	0
.5679	2823	1387	1388	-	-	Fittizio	Fittizio	0
.5679	2824	1388	1389	-	-	Fittizio	Fittizio	0
.5679	2825	1389	1327	-	-	Fittizio	Fittizio	0

PROJECT TITLE :

	Company				Client			
	Author				File Name			
.5679	2826	1327	1390	-	-	Fittizio	Fittizio	0
.7362	2827	1390	1391	-	-	Fittizio	Fittizio	0
.3562	2828	1391	1392	-	-	Fittizio	Fittizio	0
.5462	2829	1392	1393	-	-	Fittizio	Fittizio	0
.5462	2830	1393	1336	-	-	Fittizio	Fittizio	0
.5462	2831	1336	1394	-	-	Fittizio	Fittizio	0
.5002	2832	1394	1395	-	-	Fittizio	Fittizio	0
.5002	2833	1395	1396	-	-	Fittizio	Fittizio	0
.5002	2834	1396	1397	-	-	Fittizio	Fittizio	0
.5002	2835	1397	1398	-	-	Fittizio	Fittizio	0
.5002	2836	1398	1399	-	-	Fittizio	Fittizio	0
.5002	2837	1399	1400	-	-	Fittizio	Fittizio	0
.5002	2838	1400	1401	-	-	Fittizio	Fittizio	0
.5002	2839	1401	1402	-	-	Fittizio	Fittizio	0
.5002	2840	1402	1323	-	-	Fittizio	Fittizio	0
.5002	2841	1323	1325	-	-	Fittizio	Fittizio	
0.45	2842	1405	1403	-	-	Fittizio	Fittizio	
0.45	2843	1403	1419	-	-	Fittizio	Fittizio	
0.5	2844	1419	1418	-	-	Fittizio	Fittizio	
0.5	2845	1418	1420	-	-	Fittizio	Fittizio	
0.5	2846	1420	1421	-	-	Fittizio	Fittizio	
0.5	2847	1421	1422	-	-	Fittizio	Fittizio	
0.5	2848	1422	1423	-	-	Fittizio	Fittizio	
0.5	2849	1423	1424	-	-	Fittizio	Fittizio	
0.5	2850	1424	1425	-	-	Fittizio	Fittizio	
0.5	2851	1425	1426	-	-	Fittizio	Fittizio	
0.5	2852	1426	1411	-	-	Fittizio	Fittizio	0
.5262	2853	1411	1427	-	-	Fittizio	Fittizio	0
.5414	2854	1427	1428	-	-	Fittizio	Fittizio	0
.5414	2855	1428	1429	-	-	Fittizio	Fittizio	0
.5414	2856	1429	1430	-	-	Fittizio	Fittizio	0
.3514	2857	1430	1407	-	-	Fittizio	Fittizio	0
.7314	2858	1407	1431	-	-	Fittizio	Fittizio	0




PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt

.5678	2859	1431	1432	-	-	Fittizio	Fittizio	0
.5678	2860	1432	1433	-	-	Fittizio	Fittizio	0
.5678	2861	1433	1412	-	-	Fittizio	Fittizio	0
.5678	2862	1412	1434	-	-	Fittizio	Fittizio	0
.5002	2863	1434	1435	-	-	Fittizio	Fittizio	0
.5002	2864	1435	1436	-	-	Fittizio	Fittizio	0
.5002	2865	1436	1437	-	-	Fittizio	Fittizio	0
.5002	2866	1437	1438	-	-	Fittizio	Fittizio	0
.5002	2867	1438	1439	-	-	Fittizio	Fittizio	0
.5002	2868	1439	1440	-	-	Fittizio	Fittizio	0
.5002	2869	1440	1441	-	-	Fittizio	Fittizio	0
.5002	2870	1441	1442	-	-	Fittizio	Fittizio	0
.5002	2871	1442	1413	-	-	Fittizio	Fittizio	0
.5002	2872	1413	1443	-	-	Fittizio	Fittizio	0
.4552	2873	1443	1409	-	-	Fittizio	Fittizio	0
.4552	2874	1409	1444	-	-	Fittizio	Fittizio	0
.5115	2875	1444	1445	-	-	Fittizio	Fittizio	0
.5115	2876	1445	1446	-	-	Fittizio	Fittizio	0
.5115	2877	1446	1447	-	-	Fittizio	Fittizio	0
.5115	2878	1447	1448	-	-	Fittizio	Fittizio	0
.5115	2879	1448	1449	-	-	Fittizio	Fittizio	0
.5115	2880	1449	1450	-	-	Fittizio	Fittizio	0
.5115	2881	1450	1414	-	-	Fittizio	Fittizio	0
.5115	2882	1414	1451	-	-	Fittizio	Fittizio	0
.5115	2883	1451	1452	-	-	Fittizio	Fittizio	0
.5115	2884	1452	1453	-	-	Fittizio	Fittizio	0
.5115	2885	1453	1454	-	-	Fittizio	Fittizio	0
.5115	2886	1454	1455	-	-	Fittizio	Fittizio	0
.5115	2887	1455	1456	-	-	Fittizio	Fittizio	0
.5115	2888	1456	1457	-	-	Fittizio	Fittizio	0
.5115	2889	1457	1410	-	-	Fittizio	Fittizio	0
.5115	2890	1410	1458	-	-	Fittizio	Fittizio	0
.4552	2891	1458	1415	-	-	Fittizio	Fittizio	0

MIDAS

PROJECT TITLE :

	Company				Client			
	Author				File Name		PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt	
.4552	2892	1415	1459	-	-	Fittizio	Fittizio	0
.5002	2893	1459	1460	-	-	Fittizio	Fittizio	0
.5002	2894	1460	1461	-	-	Fittizio	Fittizio	0
.5002	2895	1461	1462	-	-	Fittizio	Fittizio	0
.5002	2896	1462	1463	-	-	Fittizio	Fittizio	0
.5002	2897	1463	1464	-	-	Fittizio	Fittizio	0
.5002	2898	1464	1465	-	-	Fittizio	Fittizio	0
.5002	2899	1465	1466	-	-	Fittizio	Fittizio	0
.5002	2900	1466	1467	-	-	Fittizio	Fittizio	0
.5002	2901	1467	1416	-	-	Fittizio	Fittizio	0
.5002	2902	1416	1468	-	-	Fittizio	Fittizio	0
.5679	2903	1468	1469	-	-	Fittizio	Fittizio	0
.5679	2904	1469	1470	-	-	Fittizio	Fittizio	0
.5679	2905	1470	1408	-	-	Fittizio	Fittizio	0
.5679	2906	1408	1471	-	-	Fittizio	Fittizio	0
.7362	2907	1471	1472	-	-	Fittizio	Fittizio	0
.3562	2908	1472	1473	-	-	Fittizio	Fittizio	0
.5462	2909	1473	1474	-	-	Fittizio	Fittizio	0
.5462	2910	1474	1417	-	-	Fittizio	Fittizio	0
.5462	2911	1417	1475	-	-	Fittizio	Fittizio	0
.5002	2912	1475	1476	-	-	Fittizio	Fittizio	0
.5002	2913	1476	1477	-	-	Fittizio	Fittizio	0
.5002	2914	1477	1478	-	-	Fittizio	Fittizio	0
.5002	2915	1478	1479	-	-	Fittizio	Fittizio	0
.5002	2916	1479	1480	-	-	Fittizio	Fittizio	0
.5002	2917	1480	1481	-	-	Fittizio	Fittizio	0
.5002	2918	1481	1482	-	-	Fittizio	Fittizio	0
.5002	2919	1482	1483	-	-	Fittizio	Fittizio	0
.5002	2920	1483	1404	-	-	Fittizio	Fittizio	0
.5002	2921	1404	1406	-	-	Fittizio	Fittizio	0
0.45	2922	2214	59	-	-	S355	Irrig_traversi	
0.317	2929	2224	69	-	-	S355	Irrig_traversi	
0.317	2931	2226	60	-	-	S355	Irrig_correnti	


MIDAS

PROJECT TITLE :

MIDAS	Company					Client		
	Author					File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt	

0.317									
0.317	2933	2228	62	-	-	S355	Irrig_correnti		
0.317	2935	2230	74	-	-	S355	Irrig_correnti		
0.317	2937	2232	64	-	-	S355	Irrig_correnti		
0.317	2939	2234	66	-	-	S355	Irrig_correnti		
0.317	2941	2236	80	-	-	S355	Irrig_correnti		
0.317	2943	2238	68	-	-	S355	Irrig_correnti		
0.317	3011	2295	46	-	-	S355	Irrig_traversi		
0.15	3018	2305	47	-	-	S355	Irrig_traversi		
0.15	3020	2307	103	-	-	S355	Irrig_correnti		
0.15	3022	2309	104	-	-	S355	Irrig_correnti		
0.15	3024	2311	105	-	-	S355	Irrig_correnti		
0.15	3026	2313	106	-	-	S355	Irrig_correnti		
0.15	3028	2315	107	-	-	S355	Irrig_correnti		
0.15	3030	2317	108	-	-	S355	Irrig_correnti		
0.15	3032	2319	109	-	-	S355	Irrig_correnti		
0.15	3100	5	2392	-	-	S355	HEB300	0	
.5375	3101	6	2399	-	-	S355	HEB300	0	
.5375	3102	2392	2393	-	-	S355	HEB300	0	
.5375	3103	2393	2394	-	-	S355	HEB300	0	
.5375	3104	2394	2395	-	-	S355	HEB300	0	
.5375	3105	2395	2396	-	-	S355	HEB300	0	
.5375	3106	2396	2397	-	-	S355	HEB300	0	
.5375	3107	2397	2398	-	-	S355	HEB300	0	
.5375	3108	2398	48	-	-	S355	HEB300	0	
.5375	3109	2398	1813	-	-	rigid	el rigido		
0.155	3110	2397	1811	-	-	rigid	el rigido		
0.155	3111	2396	1809	-	-	rigid	el rigido		
0.155	3112	2395	1485	-	-	rigid	el rigido		
0.155	3113	2394	1570	-	-	rigid	el rigido		
0.155	3114	2393	1568	-	-	rigid	el rigido		
0.155	3115	2392	1566	-	-	rigid	el rigido		
0.155	3116	2399	2400	-	-	S355	HEB300	0	
.5375	3117	2400	2401	-	-	S355	HEB300	0	

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt

.5375	3118	2401	2402	-	-	S355	HEB300	0
.5375	3119	2402	2403	-	-	S355	HEB300	0
.5375	3120	2403	2404	-	-	S355	HEB300	0
.5375	3121	2404	2405	-	-	S355	HEB300	0
.5375	3122	2405	49	-	-	S355	HEB300	0
.5375	3123	2405	2047	-	-	rigid	el rigido	
0.155	3124	2404	2046	-	-	rigid	el rigido	
0.155	3125	2403	2045	-	-	rigid	el rigido	
0.155	3126	2402	1563	-	-	rigid	el rigido	
0.155	3127	2401	1804	-	-	rigid	el rigido	
0.155	3128	2400	1803	-	-	rigid	el rigido	
0.155	3129	2399	1802	-	-	rigid	el rigido	


\*\*\* PLATE MEMBER DATA

NO	NODAL CONNECTIVITY				MATERIAL	THICKNESS	AREA
	1	2	3	4			
1	3	1	2214	2213	S355	0.018	0.06747
2	1	150	2215	2214	S355	0.018	0.07497
3	9	222	2217	2216	S355	0.016	0.08513
4	11	300	2219	2218	S355	0.014	0.07669
5	12	384	2221	2220	S355	0.014	0.06825
6	10	462	2223	2222	S355	0.016	0.1104
7	2	4	2225	2224	S355	0.018	0.06747
8	17	198	2227	2226	S355	0.018	0.08117
9	18	152	153	71	S355	0.018	0.2499
10	19	206	210	72	S355	0.018	0.2706
11	22	240	2229	2228	S355	0.016	0.075
12	20	228	231	73	S355	0.016	0.2838
13	23	258	267	75	S355	0.016	0.25
14	26	294	2231	2230	S355	0.014	0.06825
15	27	296	297	76	S355	0.014	0.2275
16	29	342	2233	2232	S355	0.014	0.07669
17	24	314	321	77	S355	0.014	0.2556
18	30	356	363	78	S355	0.014	0.2556
19	33	390	2235	2234	S355	0.014	0.075
20	31	386	387	79	S355	0.014	0.2275
21	34	408	417	81	S355	0.014	0.25
22	37	444	2237	2236	S355	0.016	0.08514
23	38	450	453	82	S355	0.016	0.2838
24	40	486	2239	2238	S355	0.018	0.075
25	35	470	474	83	S355	0.016	0.3679
26	41	504	513	84	S355	0.018	0.25
27	44	18	71	86	S355	0.018	0.2249
28	42	45	87	85	S355	0.018	0.2249
29	58	59	18	44	S355	0.018	0.2249
30	59	151	152	18	S355	0.018	0.2499
31	61	225	228	20	S355	0.016	0.2838
32	63	307	314	24	S355	0.014	0.2556
33	65	385	386	31	S355	0.014	0.2275
34	67	466	470	35	S355	0.016	0.3679


PROJECT TITLE :

	Company				Client		
	Author				File Name		
							PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt
35	69	70	45	42	S355	0.018	0.2249
36	60	202	206	19	S355	0.018	0.2706
37	71	153	154	88	S355	0.018	0.1899
38	72	210	214	89	S355	0.018	0.2056
39	62	249	258	23	S355	0.016	0.25
40	73	231	234	90	S355	0.016	0.2157
41	75	267	276	91	S355	0.016	0.19
42	74	295	296	27	S355	0.014	0.2275
43	76	297	298	92	S355	0.014	0.1729
44	64	349	356	30	S355	0.014	0.2556
45	77	321	328	93	S355	0.014	0.1943
46	78	363	370	94	S355	0.014	0.1943
47	66	399	408	34	S355	0.014	0.25
48	79	387	388	95	S355	0.014	0.1729
49	81	417	426	96	S355	0.014	0.19
50	80	447	450	38	S355	0.016	0.2838
51	82	453	456	97	S355	0.016	0.2157
52	68	495	504	41	S355	0.018	0.25
53	83	474	478	98	S355	0.016	0.2796
54	84	513	522	99	S355	0.018	0.19
55	86	71	88	101	S355	0.018	0.1709
56	85	87	102	100	S355	0.018	0.1709
57	88	154	155	5	S355	0.018	0.05997
58	89	214	218	21	S355	0.018	0.06494
59	90	234	237	13	S355	0.016	0.0681
60	91	276	285	25	S355	0.016	0.06
61	92	298	299	28	S355	0.014	0.0546
62	93	328	335	15	S355	0.014	0.06135
63	94	370	377	32	S355	0.014	0.06135
64	95	388	389	16	S355	0.014	0.0546
65	96	426	435	36	S355	0.014	0.06
66	97	456	459	39	S355	0.016	0.06811
67	98	478	482	14	S355	0.016	0.08831
68	99	522	531	43	S355	0.018	0.06
69	101	88	5	7	S355	0.018	0.05398
70	100	102	8	6	S355	0.018	0.05398
180	144	156	2241	2240	S355	0.018	0.07497
181	146	158	159	147	S355	0.018	0.2499
182	145	157	158	146	S355	0.018	0.2499
183	147	159	160	148	S355	0.018	0.1899
184	148	160	161	149	S355	0.018	0.05997
185	150	144	2240	2215	S355	0.018	0.07497
186	152	146	147	153	S355	0.018	0.2499
187	151	145	146	152	S355	0.018	0.2499
188	153	147	148	154	S355	0.018	0.1899
189	154	148	149	155	S355	0.018	0.05997
190	156	162	2242	2241	S355	0.018	0.07497
191	158	164	165	159	S355	0.018	0.2499
192	157	163	164	158	S355	0.018	0.2499
193	159	165	166	160	S355	0.018	0.1899
194	160	166	167	161	S355	0.018	0.05997
195	162	168	2243	2242	S355	0.018	0.07497
196	164	170	171	165	S355	0.018	0.2499
197	163	169	170	164	S355	0.018	0.2499
198	165	171	172	166	S355	0.018	0.1899
199	166	172	173	167	S355	0.018	0.05997
200	168	174	2244	2243	S355	0.018	0.07497
201	170	176	177	171	S355	0.018	0.2499
202	169	175	176	170	S355	0.018	0.2499
203	171	177	178	172	S355	0.018	0.1899
204	172	178	179	173	S355	0.018	0.05997
205	174	180	2245	2244	S355	0.018	0.07497
206	176	182	183	177	S355	0.018	0.2499
207	175	181	182	176	S355	0.018	0.2499
208	177	183	184	178	S355	0.018	0.1899
209	178	184	185	179	S355	0.018	0.05997


PROJECT TITLE :

	Company				Client			
	Author				File Name			
							PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt	
210	180	186	2246	2245	S355	0.018	0.07497	
211	182	188	189	183	S355	0.018	0.2499	
212	181	187	188	182	S355	0.018	0.2499	
213	183	189	190	184	S355	0.018	0.1899	
214	184	190	191	185	S355	0.018	0.05997	
215	186	192	2247	2246	S355	0.018	0.07497	
216	188	194	195	189	S355	0.018	0.2499	
217	187	193	194	188	S355	0.018	0.2499	
218	189	195	196	190	S355	0.018	0.1899	
219	190	196	197	191	S355	0.018	0.05997	
220	192	17	2226	2247	S355	0.018	0.0789	
221	194	19	72	195	S355	0.018	0.263	
222	193	60	19	194	S355	0.018	0.263	
223	195	72	89	196	S355	0.018	0.1999	
224	196	89	21	197	S355	0.018	0.06312	
225	198	199	2248	2227	S355	0.018	0.08117	
226	199	200	2249	2248	S355	0.018	0.08117	
227	200	201	2250	2249	S355	0.018	0.05268	
228	201	9	2216	2250	S355	0.016	0.1097	
229	206	207	211	210	S355	0.018	0.2706	
230	207	208	212	211	S355	0.018	0.2706	
231	208	209	213	212	S355	0.018	0.1756	
232	209	20	73	213	S355	0.016	0.3655	
233	202	203	207	206	S355	0.018	0.2706	
234	203	204	208	207	S355	0.018	0.2706	
235	204	205	209	208	S355	0.018	0.1756	
236	205	61	20	209	S355	0.016	0.3655	
237	210	211	215	214	S355	0.018	0.2056	
238	211	212	216	215	S355	0.018	0.2056	
239	212	213	217	216	S355	0.018	0.1335	
240	213	73	90	217	S355	0.016	0.2778	
241	214	215	219	218	S355	0.018	0.06494	
242	215	216	220	219	S355	0.018	0.06494	
243	216	217	221	220	S355	0.018	0.04215	
244	217	90	13	221	S355	0.016	0.08773	
245	222	223	2251	2217	S355	0.016	0.08513	
246	223	224	2252	2251	S355	0.016	0.08513	
247	224	22	2228	2252	S355	0.016	0.08513	
248	228	229	232	231	S355	0.016	0.2838	
249	229	230	233	232	S355	0.016	0.2838	
250	230	23	75	233	S355	0.016	0.2838	
251	225	226	229	228	S355	0.016	0.2838	
252	226	227	230	229	S355	0.016	0.2838	
253	227	62	23	230	S355	0.016	0.2838	
254	231	232	235	234	S355	0.016	0.2157	
255	232	233	236	235	S355	0.016	0.2157	
256	233	75	91	236	S355	0.016	0.2157	
257	234	235	238	237	S355	0.016	0.0681	
258	235	236	239	238	S355	0.016	0.0681	
259	236	91	25	239	S355	0.016	0.0681	
260	240	241	2253	2229	S355	0.016	0.075	
261	241	242	2254	2253	S355	0.016	0.075	
262	242	243	2255	2254	S355	0.016	0.075	
263	243	244	2256	2255	S355	0.016	0.075	
264	244	245	2257	2256	S355	0.016	0.075	
265	245	246	2258	2257	S355	0.016	0.075	
266	246	247	2259	2258	S355	0.016	0.075	
267	247	248	2260	2259	S355	0.014	0.075	
268	248	26	2230	2260	S355	0.014	0.075	
269	258	259	268	267	S355	0.016	0.25	
270	259	260	269	268	S355	0.016	0.25	
271	260	261	270	269	S355	0.016	0.25	
272	261	262	271	270	S355	0.016	0.25	
273	262	263	272	271	S355	0.016	0.25	
274	263	264	273	272	S355	0.016	0.25	
275	264	265	274	273	S355	0.016	0.25	

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt	
276	265	266	275	274	S355	0.014	0.25
277	266	27	76	275	S355	0.014	0.25
278	249	250	259	258	S355	0.016	0.25
279	250	251	260	259	S355	0.016	0.25
280	251	252	261	260	S355	0.016	0.25
281	252	253	262	261	S355	0.016	0.25
282	253	254	263	262	S355	0.016	0.25
283	254	255	264	263	S355	0.016	0.25
284	255	256	265	264	S355	0.016	0.25
285	256	257	266	265	S355	0.014	0.25
286	257	74	27	266	S355	0.014	0.25
287	267	268	277	276	S355	0.016	0.19
288	268	269	278	277	S355	0.016	0.19
289	269	270	279	278	S355	0.016	0.19
290	270	271	280	279	S355	0.016	0.19
291	271	272	281	280	S355	0.016	0.19
292	272	273	282	281	S355	0.016	0.19
293	273	274	283	282	S355	0.016	0.19
294	274	275	284	283	S355	0.014	0.19
295	275	76	92	284	S355	0.014	0.19
296	276	277	286	285	S355	0.016	0.06
297	277	278	287	286	S355	0.016	0.06
298	278	279	288	287	S355	0.016	0.06
299	279	280	289	288	S355	0.016	0.06
300	280	281	290	289	S355	0.016	0.06
301	281	282	291	290	S355	0.016	0.06
302	282	283	292	291	S355	0.016	0.06
303	283	284	293	292	S355	0.014	0.06
304	284	92	28	293	S355	0.014	0.06
305	294	11	2218	2231	S355	0.014	0.06825
306	296	24	77	297	S355	0.014	0.2275
307	295	63	24	296	S355	0.014	0.2275
308	297	77	93	298	S355	0.014	0.1729
309	298	93	15	299	S355	0.014	0.0546
310	300	301	2261	2219	S355	0.014	0.07669
311	301	302	2262	2261	S355	0.014	0.07669
312	302	303	2263	2262	S355	0.014	0.07669
313	303	304	2264	2263	S355	0.014	0.07669
314	304	305	2265	2264	S355	0.014	0.07669
315	305	306	2266	2265	S355	0.014	0.07669
316	306	29	2232	2266	S355	0.014	0.07669
317	314	315	322	321	S355	0.014	0.2556
318	315	316	323	322	S355	0.014	0.2556
319	316	317	324	323	S355	0.014	0.2556
320	317	318	325	324	S355	0.014	0.2556
321	318	319	326	325	S355	0.014	0.2556
322	319	320	327	326	S355	0.014	0.2556
323	320	30	78	327	S355	0.014	0.2556
324	307	308	315	314	S355	0.014	0.2556
325	308	309	316	315	S355	0.014	0.2556
326	309	310	317	316	S355	0.014	0.2556
327	310	311	318	317	S355	0.014	0.2556
328	311	312	319	318	S355	0.014	0.2556
329	312	313	320	319	S355	0.014	0.2556
330	313	64	30	320	S355	0.014	0.2556
331	321	322	329	328	S355	0.014	0.1943
332	322	323	330	329	S355	0.014	0.1943
333	323	324	331	330	S355	0.014	0.1943
334	324	325	332	331	S355	0.014	0.1943
335	325	326	333	332	S355	0.014	0.1943
336	326	327	334	333	S355	0.014	0.1943
337	327	78	94	334	S355	0.014	0.1943
338	328	329	336	335	S355	0.014	0.06135
339	329	330	337	336	S355	0.014	0.06135
340	330	331	338	337	S355	0.014	0.06135
341	331	332	339	338	S355	0.014	0.06135

PROJECT TITLE :


	Company				Client		
	Author				File Name		
						PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt	
342	332	333	340	339	S355	0.014	0.06135
343	333	334	341	340	S355	0.014	0.06135
344	334	94	32	341	S355	0.014	0.06135
345	342	343	2267	2233	S355	0.014	0.07669
346	343	344	2268	2267	S355	0.014	0.07669
347	344	345	2269	2268	S355	0.014	0.07669
348	345	346	2270	2269	S355	0.014	0.07669
349	346	347	2271	2270	S355	0.014	0.07669
350	347	348	2272	2271	S355	0.014	0.07669
351	348	12	2220	2272	S355	0.014	0.07669
352	356	357	364	363	S355	0.014	0.2556
353	357	358	365	364	S355	0.014	0.2556
354	358	359	366	365	S355	0.014	0.2556
355	359	360	367	366	S355	0.014	0.2556
356	360	361	368	367	S355	0.014	0.2556
357	361	362	369	368	S355	0.014	0.2556
358	362	31	79	369	S355	0.014	0.2556
359	349	350	357	356	S355	0.014	0.2556
360	350	351	358	357	S355	0.014	0.2556
361	351	352	359	358	S355	0.014	0.2556
362	352	353	360	359	S355	0.014	0.2556
363	353	354	361	360	S355	0.014	0.2556
364	354	355	362	361	S355	0.014	0.2556
365	355	65	31	362	S355	0.014	0.2556
366	363	364	371	370	S355	0.014	0.1943
367	364	365	372	371	S355	0.014	0.1943
368	365	366	373	372	S355	0.014	0.1943
369	366	367	374	373	S355	0.014	0.1943
370	367	368	375	374	S355	0.014	0.1943
371	368	369	376	375	S355	0.014	0.1943
372	369	79	95	376	S355	0.014	0.1943
373	370	371	378	377	S355	0.014	0.06135
374	371	372	379	378	S355	0.014	0.06135
375	372	373	380	379	S355	0.014	0.06135
376	373	374	381	380	S355	0.014	0.06135
377	374	375	382	381	S355	0.014	0.06135
378	375	376	383	382	S355	0.014	0.06135
379	376	95	16	383	S355	0.014	0.06135
380	384	33	2234	2221	S355	0.014	0.06825
381	386	34	81	387	S355	0.014	0.2275
382	385	66	34	386	S355	0.014	0.2275
383	387	81	96	388	S355	0.014	0.1729
384	388	96	36	389	S355	0.014	0.0546
385	390	391	2273	2235	S355	0.014	0.075
386	391	392	2274	2273	S355	0.016	0.075
387	392	393	2275	2274	S355	0.016	0.075
388	393	394	2276	2275	S355	0.016	0.075
389	394	395	2277	2276	S355	0.016	0.075
390	395	396	2278	2277	S355	0.016	0.075
391	396	397	2279	2278	S355	0.016	0.075
392	397	398	2280	2279	S355	0.016	0.075
393	398	37	2236	2280	S355	0.016	0.075
394	408	409	418	417	S355	0.014	0.25
395	409	410	419	418	S355	0.016	0.25
396	410	411	420	419	S355	0.016	0.25
397	411	412	421	420	S355	0.016	0.25
398	412	413	422	421	S355	0.016	0.25
399	413	414	423	422	S355	0.016	0.25
400	414	415	424	423	S355	0.016	0.25
401	415	416	425	424	S355	0.016	0.25
402	416	38	82	425	S355	0.016	0.25
403	399	400	409	408	S355	0.014	0.25
404	400	401	410	409	S355	0.016	0.25
405	401	402	411	410	S355	0.016	0.25
406	402	403	412	411	S355	0.016	0.25
407	403	404	413	412	S355	0.016	0.25




PROJECT TITLE :

	Company				Client			
	Author				File Name			
							PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt	
408	404	405	414	413	S355	0.016	0.25	
409	405	406	415	414	S355	0.016	0.25	
410	406	407	416	415	S355	0.016	0.25	
411	407	80	38	416	S355	0.016	0.25	
412	417	418	427	426	S355	0.014	0.19	
413	418	419	428	427	S355	0.016	0.19	
414	419	420	429	428	S355	0.016	0.19	
415	420	421	430	429	S355	0.016	0.19	
416	421	422	431	430	S355	0.016	0.19	
417	422	423	432	431	S355	0.016	0.19	
418	423	424	433	432	S355	0.016	0.19	
419	424	425	434	433	S355	0.016	0.19	
420	425	82	97	434	S355	0.016	0.19	
421	426	427	436	435	S355	0.014	0.06	
422	427	428	437	436	S355	0.016	0.06	
423	428	429	438	437	S355	0.016	0.06	
424	429	430	439	438	S355	0.016	0.06	
425	430	431	440	439	S355	0.016	0.06	
426	431	432	441	440	S355	0.016	0.06	
427	432	433	442	441	S355	0.016	0.06	
428	433	434	443	442	S355	0.016	0.06	
429	434	97	39	443	S355	0.016	0.06	
430	444	445	2281	2237	S355	0.016	0.08514	
431	445	446	2282	2281	S355	0.016	0.08514	
432	446	10	2222	2282	S355	0.016	0.08514	
433	450	451	454	453	S355	0.016	0.2838	
434	451	452	455	454	S355	0.016	0.2838	
435	452	35	83	455	S355	0.016	0.2838	
436	447	448	451	450	S355	0.016	0.2838	
437	448	449	452	451	S355	0.016	0.2838	
438	449	67	35	452	S355	0.016	0.2838	
439	453	454	457	456	S355	0.016	0.2157	
440	454	455	458	457	S355	0.016	0.2157	
441	455	83	98	458	S355	0.016	0.2157	
442	456	457	460	459	S355	0.016	0.06811	
443	457	458	461	460	S355	0.016	0.06811	
444	458	98	14	461	S355	0.016	0.06811	
445	462	463	2283	2223	S355	0.018	0.05341	
446	463	464	2284	2283	S355	0.018	0.0819	
447	464	465	2285	2284	S355	0.018	0.0819	
448	465	40	2238	2285	S355	0.018	0.0819	
449	470	471	475	474	S355	0.018	0.178	
450	471	472	476	475	S355	0.018	0.273	
451	472	473	477	476	S355	0.018	0.273	
452	473	41	84	477	S355	0.018	0.273	
453	466	467	471	470	S355	0.018	0.178	
454	467	468	472	471	S355	0.018	0.273	
455	468	469	473	472	S355	0.018	0.273	
456	469	68	41	473	S355	0.018	0.273	
457	474	475	479	478	S355	0.018	0.1353	
458	475	476	480	479	S355	0.018	0.2075	
459	476	477	481	480	S355	0.018	0.2075	
460	477	84	99	481	S355	0.018	0.2075	
461	478	479	483	482	S355	0.018	0.04273	
462	479	480	484	483	S355	0.018	0.06552	
463	480	481	485	484	S355	0.018	0.06552	
464	481	99	43	485	S355	0.018	0.06552	
465	486	487	2286	2239	S355	0.018	0.075	
466	487	488	2287	2286	S355	0.018	0.075	
467	488	489	2288	2287	S355	0.018	0.075	
468	489	490	2289	2288	S355	0.018	0.075	
469	490	491	2290	2289	S355	0.018	0.075	
470	491	492	2291	2290	S355	0.018	0.075	
471	492	493	2292	2291	S355	0.018	0.075	
472	493	494	2293	2292	S355	0.018	0.075	
473	494	2	2224	2293	S355	0.018	0.075	


PROJECT TITLE :

	Company				Client			
	Author				File Name			
							PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt	
474	504	505	514	513	S355	0.018	0.25	
475	505	506	515	514	S355	0.018	0.25	
476	506	507	516	515	S355	0.018	0.25	
477	507	508	517	516	S355	0.018	0.25	
478	508	509	518	517	S355	0.018	0.25	
479	509	510	519	518	S355	0.018	0.25	
480	510	511	520	519	S355	0.018	0.25	
481	511	512	521	520	S355	0.018	0.25	
482	512	42	85	521	S355	0.018	0.25	
483	495	496	505	504	S355	0.018	0.25	
484	496	497	506	505	S355	0.018	0.25	
485	497	498	507	506	S355	0.018	0.25	
486	498	499	508	507	S355	0.018	0.25	
487	499	500	509	508	S355	0.018	0.25	
488	500	501	510	509	S355	0.018	0.25	
489	501	502	511	510	S355	0.018	0.25	
490	502	503	512	511	S355	0.018	0.25	
491	503	69	42	512	S355	0.018	0.25	
492	513	514	523	522	S355	0.018	0.19	
493	514	515	524	523	S355	0.018	0.19	
494	515	516	525	524	S355	0.018	0.19	
495	516	517	526	525	S355	0.018	0.19	
496	517	518	527	526	S355	0.018	0.19	
497	518	519	528	527	S355	0.018	0.19	
498	519	520	529	528	S355	0.018	0.19	
499	520	521	530	529	S355	0.018	0.19	
500	521	85	100	530	S355	0.018	0.19	
501	522	523	532	531	S355	0.018	0.06	
502	523	524	533	532	S355	0.018	0.06	
503	524	525	534	533	S355	0.018	0.06	
504	525	526	535	534	S355	0.018	0.06	
505	526	527	536	535	S355	0.018	0.06	
506	527	528	537	536	S355	0.018	0.06	
507	528	529	538	537	S355	0.018	0.06	
508	529	530	539	538	S355	0.018	0.06	
509	530	100	6	539	S355	0.018	0.06	
751	621	46	2295	2294	S355	0.018	0.06747	
752	46	624	2296	2295	S355	0.018	0.07497	
753	50	626	2298	2297	S355	0.016	0.08513	
754	52	629	2300	2299	S355	0.014	0.07669	
755	53	632	2302	2301	S355	0.014	0.06825	
756	51	635	2304	2303	S355	0.016	0.11104	
757	47	638	2306	2305	S355	0.018	0.06747	
758	103	641	2308	2307	S355	0.018	0.08117	
759	644	645	646	647	S355	0.018	0.2499	
760	648	649	650	651	S355	0.018	0.2706	
761	104	652	2310	2309	S355	0.016	0.075	
762	655	656	657	658	S355	0.016	0.2838	
763	659	660	661	662	S355	0.016	0.25	
764	105	663	2312	2311	S355	0.014	0.06825	
765	666	667	668	669	S355	0.014	0.2275	
766	106	670	2314	2313	S355	0.014	0.07669	
767	673	674	675	676	S355	0.014	0.2556	
768	677	678	679	680	S355	0.014	0.2556	
769	107	681	2316	2315	S355	0.014	0.075	
770	684	685	686	687	S355	0.014	0.2275	
771	688	689	690	691	S355	0.014	0.25	
772	108	692	2318	2317	S355	0.016	0.08514	
773	695	696	697	698	S355	0.016	0.2838	
774	109	699	2320	2319	S355	0.018	0.075	
775	702	703	704	705	S355	0.016	0.3679	
776	706	707	708	709	S355	0.018	0.25	
777	710	644	647	711	S355	0.018	0.2249	
778	712	713	714	715	S355	0.018	0.2249	
779	623	622	644	710	S355	0.018	0.2249	
780	622	625	645	644	S355	0.018	0.2499	


PROJECT TITLE :

	Company				Client			
	Author				File Name			
							PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt	
781	628	627	656	655	S355	0.016	0.2838	
782	631	630	674	673	S355	0.014	0.2556	
783	634	633	685	684	S355	0.014	0.2275	
784	637	636	703	702	S355	0.016	0.3679	
785	640	639	713	712	S355	0.018	0.2249	
786	643	642	649	648	S355	0.018	0.2706	
787	647	646	716	110	S355	0.018	0.1899	
788	651	650	717	111	S355	0.018	0.2056	
789	654	653	660	659	S355	0.016	0.25	
790	658	657	718	719	S355	0.016	0.2157	
791	662	661	720	112	S355	0.016	0.19	
792	665	664	667	666	S355	0.014	0.2275	
793	669	668	721	113	S355	0.014	0.1729	
794	672	671	678	677	S355	0.014	0.2556	
795	676	675	722	723	S355	0.014	0.1943	
796	680	679	724	114	S355	0.014	0.1943	
797	683	682	689	688	S355	0.014	0.25	
798	687	686	725	726	S355	0.014	0.1729	
799	691	690	727	115	S355	0.014	0.19	
800	694	693	696	695	S355	0.016	0.2838	
801	698	697	728	116	S355	0.016	0.2157	
802	701	700	707	706	S355	0.018	0.25	
803	705	704	729	730	S355	0.016	0.2796	
804	709	708	731	117	S355	0.018	0.19	
805	711	647	110	732	S355	0.018	0.1709	
806	715	714	733	118	S355	0.018	0.1709	
807	110	716	734	48	S355	0.018	0.05997	
808	111	717	735	736	S355	0.018	0.06494	
809	719	718	737	54	S355	0.016	0.0681	
810	112	720	738	739	S355	0.016	0.06	
811	113	721	740	741	S355	0.014	0.0546	
812	723	722	742	56	S355	0.014	0.06135	
813	114	724	743	744	S355	0.014	0.06135	
814	726	725	745	57	S355	0.014	0.0546	
815	115	727	746	747	S355	0.014	0.06	
816	116	728	748	749	S355	0.016	0.06811	
817	730	729	750	55	S355	0.016	0.08831	
818	117	731	751	752	S355	0.018	0.06	
819	732	110	48	753	S355	0.018	0.05398	
820	118	733	754	49	S355	0.018	0.05398	
821	755	756	2322	2321	S355	0.018	0.07497	
822	759	760	761	762	S355	0.018	0.2499	
823	758	757	760	759	S355	0.018	0.2499	
824	762	761	763	764	S355	0.018	0.1899	
825	764	763	765	766	S355	0.018	0.05997	
826	624	755	2321	2296	S355	0.018	0.07497	
827	645	759	762	646	S355	0.018	0.2499	
828	625	758	759	645	S355	0.018	0.2499	
829	646	762	764	716	S355	0.018	0.1899	
830	716	764	766	734	S355	0.018	0.05997	
831	756	767	2323	2322	S355	0.018	0.07497	
832	760	769	770	761	S355	0.018	0.2499	
833	757	768	769	760	S355	0.018	0.2499	
834	761	770	771	763	S355	0.018	0.1899	
835	763	771	772	765	S355	0.018	0.05997	
836	767	773	2324	2323	S355	0.018	0.07497	
837	769	775	776	770	S355	0.018	0.2499	
838	768	774	775	769	S355	0.018	0.2499	
839	770	776	777	771	S355	0.018	0.1899	
840	771	777	778	772	S355	0.018	0.05997	
841	773	779	2325	2324	S355	0.018	0.07497	
842	775	781	782	776	S355	0.018	0.2499	
843	774	780	781	775	S355	0.018	0.2499	
844	776	782	783	777	S355	0.018	0.1899	
845	777	783	784	778	S355	0.018	0.05997	
846	779	785	2326	2325	S355	0.018	0.07497	


PROJECT TITLE :

	Company				Client			
	Author				File Name			
							PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt	
847	781	787	788	782	S355	0.018	0.2499	
848	780	786	787	781	S355	0.018	0.2499	
849	782	788	789	783	S355	0.018	0.1899	
850	783	789	790	784	S355	0.018	0.05997	
851	785	791	2327	2326	S355	0.018	0.07497	
852	787	793	794	788	S355	0.018	0.2499	
853	786	792	793	787	S355	0.018	0.2499	
854	788	794	795	789	S355	0.018	0.1899	
855	789	795	796	790	S355	0.018	0.05997	
856	791	797	2328	2327	S355	0.018	0.07497	
857	793	799	800	794	S355	0.018	0.2499	
858	792	798	799	793	S355	0.018	0.2499	
859	794	800	801	795	S355	0.018	0.1899	
860	795	801	802	796	S355	0.018	0.05997	
861	797	103	2307	2328	S355	0.018	0.0789	
862	799	648	651	800	S355	0.018	0.263	
863	798	643	648	799	S355	0.018	0.263	
864	800	651	111	801	S355	0.018	0.1999	
865	801	111	736	802	S355	0.018	0.06312	
866	641	803	2329	2308	S355	0.018	0.08117	
867	803	805	2330	2329	S355	0.018	0.08117	
868	805	807	2331	2330	S355	0.018	0.05268	
869	807	50	2297	2331	S355	0.016	0.1097	
870	649	809	810	650	S355	0.018	0.2706	
871	809	811	812	810	S355	0.018	0.2706	
872	811	813	814	812	S355	0.018	0.1756	
873	813	655	658	814	S355	0.016	0.3655	
874	642	804	809	649	S355	0.018	0.2706	
875	804	806	811	809	S355	0.018	0.2706	
876	806	808	813	811	S355	0.018	0.1756	
877	808	628	655	813	S355	0.016	0.3655	
878	650	810	815	717	S355	0.018	0.2056	
879	810	812	816	815	S355	0.018	0.2056	
880	812	814	817	816	S355	0.018	0.1335	
881	814	658	719	817	S355	0.016	0.2778	
882	717	815	818	735	S355	0.018	0.06494	
883	815	816	819	818	S355	0.018	0.06494	
884	816	817	820	819	S355	0.018	0.04215	
885	817	719	54	820	S355	0.016	0.08773	
886	626	821	2332	2298	S355	0.016	0.08513	
887	821	823	2333	2332	S355	0.016	0.08513	
888	823	104	2309	2333	S355	0.016	0.08513	
889	656	825	826	657	S355	0.016	0.2838	
890	825	827	828	826	S355	0.016	0.2838	
891	827	659	662	828	S355	0.016	0.2838	
892	627	822	825	656	S355	0.016	0.2838	
893	822	824	827	825	S355	0.016	0.2838	
894	824	654	659	827	S355	0.016	0.2838	
895	657	826	829	718	S355	0.016	0.2157	
896	826	828	830	829	S355	0.016	0.2157	
897	828	662	112	830	S355	0.016	0.2157	
898	718	829	831	737	S355	0.016	0.0681	
899	829	830	832	831	S355	0.016	0.0681	
900	830	112	739	832	S355	0.016	0.0681	
901	652	833	2334	2310	S355	0.016	0.075	
902	833	835	2335	2334	S355	0.016	0.075	
903	835	837	2336	2335	S355	0.016	0.075	
904	837	839	2337	2336	S355	0.016	0.075	
905	839	841	2338	2337	S355	0.016	0.075	
906	841	843	2339	2338	S355	0.016	0.075	
907	843	845	2340	2339	S355	0.016	0.075	
908	845	847	2341	2340	S355	0.014	0.075	
909	847	105	2311	2341	S355	0.014	0.075	
910	660	849	850	661	S355	0.016	0.25	
911	849	851	852	850	S355	0.016	0.25	
912	851	853	854	852	S355	0.016	0.25	


PROJECT TITLE :

	Company				Client			
	Author				File Name			
							PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt	
913	853	855	856	854	S355	0.016	0.25	
914	855	857	858	856	S355	0.016	0.25	
915	857	859	860	858	S355	0.016	0.25	
916	859	861	862	860	S355	0.016	0.25	
917	861	863	864	862	S355	0.014	0.25	
918	863	666	669	864	S355	0.014	0.25	
919	653	834	849	660	S355	0.016	0.25	
920	834	836	851	849	S355	0.016	0.25	
921	836	838	853	851	S355	0.016	0.25	
922	838	840	855	853	S355	0.016	0.25	
923	840	842	857	855	S355	0.016	0.25	
924	842	844	859	857	S355	0.016	0.25	
925	844	846	861	859	S355	0.016	0.25	
926	846	848	863	861	S355	0.014	0.25	
927	848	665	666	863	S355	0.014	0.25	
928	661	850	865	720	S355	0.016	0.19	
929	850	852	866	865	S355	0.016	0.19	
930	852	854	867	866	S355	0.016	0.19	
931	854	856	868	867	S355	0.016	0.19	
932	856	858	869	868	S355	0.016	0.19	
933	858	860	870	869	S355	0.016	0.19	
934	860	862	871	870	S355	0.016	0.19	
935	862	864	872	871	S355	0.014	0.19	
936	864	669	113	872	S355	0.014	0.19	
937	720	865	873	738	S355	0.016	0.06	
938	865	866	874	873	S355	0.016	0.06	
939	866	867	875	874	S355	0.016	0.06	
940	867	868	876	875	S355	0.016	0.06	
941	868	869	877	876	S355	0.016	0.06	
942	869	870	878	877	S355	0.016	0.06	
943	870	871	879	878	S355	0.016	0.06	
944	871	872	880	879	S355	0.014	0.06	
945	872	113	741	880	S355	0.014	0.06	
946	663	52	2299	2312	S355	0.014	0.06825	
947	667	673	676	668	S355	0.014	0.2275	
948	664	631	673	667	S355	0.014	0.2275	
949	668	676	723	721	S355	0.014	0.1729	
950	721	723	56	740	S355	0.014	0.0546	
951	629	881	2342	2300	S355	0.014	0.07669	
952	881	883	2343	2342	S355	0.014	0.07669	
953	883	885	2344	2343	S355	0.014	0.07669	
954	885	887	2345	2344	S355	0.014	0.07669	
955	887	889	2346	2345	S355	0.014	0.07669	
956	889	891	2347	2346	S355	0.014	0.07669	
957	891	106	2313	2347	S355	0.014	0.07669	
958	674	893	894	675	S355	0.014	0.2556	
959	893	895	896	894	S355	0.014	0.2556	
960	895	897	898	896	S355	0.014	0.2556	
961	897	899	900	898	S355	0.014	0.2556	
962	899	901	902	900	S355	0.014	0.2556	
963	901	903	904	902	S355	0.014	0.2556	
964	903	677	680	904	S355	0.014	0.2556	
965	630	882	893	674	S355	0.014	0.2556	
966	882	884	895	893	S355	0.014	0.2556	
967	884	886	897	895	S355	0.014	0.2556	
968	886	888	899	897	S355	0.014	0.2556	
969	888	890	901	899	S355	0.014	0.2556	
970	890	892	903	901	S355	0.014	0.2556	
971	892	672	677	903	S355	0.014	0.2556	
972	675	894	905	722	S355	0.014	0.1943	
973	894	896	906	905	S355	0.014	0.1943	
974	896	898	907	906	S355	0.014	0.1943	
975	898	900	908	907	S355	0.014	0.1943	
976	900	902	909	908	S355	0.014	0.1943	
977	902	904	910	909	S355	0.014	0.1943	
978	904	680	114	910	S355	0.014	0.1943	

PROJECT TITLE :


	Company				Client		
	Author				File Name		
						PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt	
979	722	905	911	742	S355	0.014	0.06135
980	905	906	912	911	S355	0.014	0.06135
981	906	907	913	912	S355	0.014	0.06135
982	907	908	914	913	S355	0.014	0.06135
983	908	909	915	914	S355	0.014	0.06135
984	909	910	916	915	S355	0.014	0.06135
985	910	114	744	916	S355	0.014	0.06135
986	670	917	2348	2314	S355	0.014	0.07669
987	917	919	2349	2348	S355	0.014	0.07669
988	919	921	2350	2349	S355	0.014	0.07669
989	921	923	2351	2350	S355	0.014	0.07669
990	923	925	2352	2351	S355	0.014	0.07669
991	925	927	2353	2352	S355	0.014	0.07669
992	927	53	2301	2353	S355	0.014	0.07669
993	678	929	930	679	S355	0.014	0.2556
994	929	931	932	930	S355	0.014	0.2556
995	931	933	934	932	S355	0.014	0.2556
996	933	935	936	934	S355	0.014	0.2556
997	935	937	938	936	S355	0.014	0.2556
998	937	939	940	938	S355	0.014	0.2556
999	939	684	687	940	S355	0.014	0.2556
1000	671	918	929	678	S355	0.014	0.2556
1001	918	920	931	929	S355	0.014	0.2556
1002	920	922	933	931	S355	0.014	0.2556
1003	922	924	935	933	S355	0.014	0.2556
1004	924	926	937	935	S355	0.014	0.2556
1005	926	928	939	937	S355	0.014	0.2556
1006	928	634	684	939	S355	0.014	0.2556
1007	679	930	941	724	S355	0.014	0.1943
1008	930	932	942	941	S355	0.014	0.1943
1009	932	934	943	942	S355	0.014	0.1943
1010	934	936	944	943	S355	0.014	0.1943
1011	936	938	945	944	S355	0.014	0.1943
1012	938	940	946	945	S355	0.014	0.1943
1013	940	687	726	946	S355	0.014	0.1943
1014	724	941	947	743	S355	0.014	0.06135
1015	941	942	948	947	S355	0.014	0.06135
1016	942	943	949	948	S355	0.014	0.06135
1017	943	944	950	949	S355	0.014	0.06135
1018	944	945	951	950	S355	0.014	0.06135
1019	945	946	952	951	S355	0.014	0.06135
1020	946	726	57	952	S355	0.014	0.06135
1021	632	107	2315	2302	S355	0.014	0.06825
1022	685	688	691	686	S355	0.014	0.2275
1023	633	683	688	685	S355	0.014	0.2275
1024	686	691	115	725	S355	0.014	0.1729
1025	725	115	747	745	S355	0.014	0.0546
1026	681	953	2354	2316	S355	0.014	0.075
1027	953	955	2355	2354	S355	0.016	0.075
1028	955	957	2356	2355	S355	0.016	0.075
1029	957	959	2357	2356	S355	0.016	0.075
1030	959	961	2358	2357	S355	0.016	0.075
1031	961	963	2359	2358	S355	0.016	0.075
1032	963	965	2360	2359	S355	0.016	0.075
1033	965	967	2361	2360	S355	0.016	0.075
1034	967	108	2317	2361	S355	0.016	0.075
1035	689	969	970	690	S355	0.014	0.25
1036	969	971	972	970	S355	0.016	0.25
1037	971	973	974	972	S355	0.016	0.25
1038	973	975	976	974	S355	0.016	0.25
1039	975	977	978	976	S355	0.016	0.25
1040	977	979	980	978	S355	0.016	0.25
1041	979	981	982	980	S355	0.016	0.25
1042	981	983	984	982	S355	0.016	0.25
1043	983	695	698	984	S355	0.016	0.25
1044	682	954	969	689	S355	0.014	0.25

PROJECT TITLE :

	Company				Client		
	Author				File Name		PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt
1045	954	956	971	969	S355	0.016	0.25
1046	956	958	973	971	S355	0.016	0.25
1047	958	960	975	973	S355	0.016	0.25
1048	960	962	977	975	S355	0.016	0.25
1049	962	964	979	977	S355	0.016	0.25
1050	964	966	981	979	S355	0.016	0.25
1051	966	968	983	981	S355	0.016	0.25
1052	968	694	695	983	S355	0.016	0.25
1053	690	970	985	727	S355	0.014	0.19
1054	970	972	986	985	S355	0.016	0.19
1055	972	974	987	986	S355	0.016	0.19
1056	974	976	988	987	S355	0.016	0.19
1057	976	978	989	988	S355	0.016	0.19
1058	978	980	990	989	S355	0.016	0.19
1059	980	982	991	990	S355	0.016	0.19
1060	982	984	992	991	S355	0.016	0.19
1061	984	698	116	992	S355	0.016	0.19
1062	727	985	993	746	S355	0.014	0.06
1063	985	986	994	993	S355	0.016	0.06
1064	986	987	995	994	S355	0.016	0.06
1065	987	988	996	995	S355	0.016	0.06
1066	988	989	997	996	S355	0.016	0.06
1067	989	990	998	997	S355	0.016	0.06
1068	990	991	999	998	S355	0.016	0.06
1069	991	992	1000	999	S355	0.016	0.06
1070	992	116	749	1000	S355	0.016	0.06
1071	692	1001	2362	2318	S355	0.016	0.08514
1072	1001	1003	2363	2362	S355	0.016	0.08514
1073	1003	51	2303	2363	S355	0.016	0.08514
1074	696	1005	1006	697	S355	0.016	0.2838
1075	1005	1007	1008	1006	S355	0.016	0.2838
1076	1007	702	705	1008	S355	0.016	0.2838
1077	693	1002	1005	696	S355	0.016	0.2838
1078	1002	1004	1007	1005	S355	0.016	0.2838
1079	1004	637	702	1007	S355	0.016	0.2838
1080	697	1006	1009	728	S355	0.016	0.2157
1081	1006	1008	1010	1009	S355	0.016	0.2157
1082	1008	705	730	1010	S355	0.016	0.2157
1083	728	1009	1011	748	S355	0.016	0.06811
1084	1009	1010	1012	1011	S355	0.016	0.06811
1085	1010	730	55	1012	S355	0.016	0.06811
1086	635	1013	2364	2304	S355	0.018	0.05341
1087	1013	1015	2365	2364	S355	0.018	0.0819
1088	1015	1017	2366	2365	S355	0.018	0.0819
1089	1017	109	2319	2366	S355	0.018	0.0819
1090	703	1019	1020	704	S355	0.018	0.178
1091	1019	1021	1022	1020	S355	0.018	0.273
1092	1021	1023	1024	1022	S355	0.018	0.273
1093	1023	706	709	1024	S355	0.018	0.273
1094	636	1014	1019	703	S355	0.018	0.178
1095	1014	1016	1021	1019	S355	0.018	0.273
1096	1016	1018	1023	1021	S355	0.018	0.273
1097	1018	701	706	1023	S355	0.018	0.273
1098	704	1020	1025	729	S355	0.018	0.1353
1099	1020	1022	1026	1025	S355	0.018	0.2075
1100	1022	1024	1027	1026	S355	0.018	0.2075
1101	1024	709	117	1027	S355	0.018	0.2075
1102	729	1025	1028	750	S355	0.018	0.04273
1103	1025	1026	1029	1028	S355	0.018	0.06552
1104	1026	1027	1030	1029	S355	0.018	0.06552
1105	1027	117	752	1030	S355	0.018	0.06552
1106	699	1031	2367	2320	S355	0.018	0.075
1107	1031	1033	2368	2367	S355	0.018	0.075
1108	1033	1035	2369	2368	S355	0.018	0.075
1109	1035	1037	2370	2369	S355	0.018	0.075
1110	1037	1039	2371	2370	S355	0.018	0.075




PROJECT TITLE :


	Company				Client		
	Author				File Name		
						PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt	
1111	1039	1041	2372	2371	S355	0.018	0.075
1112	1041	1043	2373	2372	S355	0.018	0.075
1113	1043	1045	2374	2373	S355	0.018	0.075
1114	1045	47	2305	2374	S355	0.018	0.075
1115	707	1047	1048	708	S355	0.018	0.25
1116	1047	1049	1050	1048	S355	0.018	0.25
1117	1049	1051	1052	1050	S355	0.018	0.25
1118	1051	1053	1054	1052	S355	0.018	0.25
1119	1053	1055	1056	1054	S355	0.018	0.25
1120	1055	1057	1058	1056	S355	0.018	0.25
1121	1057	1059	1060	1058	S355	0.018	0.25
1122	1059	1061	1062	1060	S355	0.018	0.25
1123	1061	712	715	1062	S355	0.018	0.25
1124	700	1032	1047	707	S355	0.018	0.25
1125	1032	1034	1049	1047	S355	0.018	0.25
1126	1034	1036	1051	1049	S355	0.018	0.25
1127	1036	1038	1053	1051	S355	0.018	0.25
1128	1038	1040	1055	1053	S355	0.018	0.25
1129	1040	1042	1057	1055	S355	0.018	0.25
1130	1042	1044	1059	1057	S355	0.018	0.25
1131	1044	1046	1061	1059	S355	0.018	0.25
1132	1046	640	712	1061	S355	0.018	0.25
1133	708	1048	1063	731	S355	0.018	0.19
1134	1048	1050	1064	1063	S355	0.018	0.19
1135	1050	1052	1065	1064	S355	0.018	0.19
1136	1052	1054	1066	1065	S355	0.018	0.19
1137	1054	1056	1067	1066	S355	0.018	0.19
1138	1056	1058	1068	1067	S355	0.018	0.19
1139	1058	1060	1069	1068	S355	0.018	0.19
1140	1060	1062	1070	1069	S355	0.018	0.19
1141	1062	715	118	1070	S355	0.018	0.19
1142	731	1063	1071	751	S355	0.018	0.06
1143	1063	1064	1072	1071	S355	0.018	0.06
1144	1064	1065	1073	1072	S355	0.018	0.06
1145	1065	1066	1074	1073	S355	0.018	0.06
1146	1066	1067	1075	1074	S355	0.018	0.06
1147	1067	1068	1076	1075	S355	0.018	0.06
1148	1068	1069	1077	1076	S355	0.018	0.06
1149	1069	1070	1078	1077	S355	0.018	0.06
1150	1070	118	49	1078	S355	0.018	0.06
1392	1405	1403	1241	1243	C35/45	0.19	0.315
1393	1403	1419	1257	1241	C35/45	0.19	0.35
1394	1419	1418	1256	1257	C35/45	0.19	0.35
1395	1418	1420	1258	1256	C35/45	0.19	0.35
1396	1420	1421	1259	1258	C35/45	0.19	0.35
1397	1421	1422	1260	1259	C35/45	0.19	0.35
1398	1422	1423	1261	1260	C35/45	0.19	0.35
1399	1423	1424	1262	1261	C35/45	0.19	0.35
1400	1424	1425	1263	1262	C35/45	0.19	0.35
1401	1425	1426	1264	1263	C35/45	0.19	0.35
1402	1426	1411	1249	1264	C35/45	0.19	0.3683
1403	1411	1427	1265	1249	C35/45	0.19	0.379
1404	1427	1428	1266	1265	C35/45	0.19	0.379
1405	1428	1429	1267	1266	C35/45	0.19	0.379
1406	1429	1430	1268	1267	C35/45	0.19	0.246
1407	1430	1407	1245	1268	C35/45	0.19	0.512
1408	1407	1431	1269	1245	C35/45	0.19	0.3974
1409	1431	1432	1270	1269	C35/45	0.19	0.3974
1410	1432	1433	1271	1270	C35/45	0.19	0.3974
1411	1433	1412	1250	1271	C35/45	0.19	0.3974
1412	1412	1434	1272	1250	C35/45	0.19	0.3502
1413	1434	1435	1273	1272	C35/45	0.19	0.3502
1414	1435	1436	1274	1273	C35/45	0.19	0.3502
1415	1436	1437	1275	1274	C35/45	0.19	0.3502
1416	1437	1438	1276	1275	C35/45	0.19	0.3502
1417	1438	1439	1277	1276	C35/45	0.19	0.3502




PROJECT TITLE :

	Company				Client		
	Author				File Name		
							PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt
1418	1439	1440	1278	1277	C35/45	0.19	0.3502
1419	1440	1441	1279	1278	C35/45	0.19	0.3502
1420	1441	1442	1280	1279	C35/45	0.19	0.3502
1421	1442	1413	1251	1280	C35/45	0.19	0.3502
1422	1413	1443	1281	1251	C35/45	0.19	0.3186
1423	1443	1409	1247	1281	C35/45	0.19	0.3186
1424	1409	1444	1282	1247	C35/45	0.19	0.358
1425	1444	1445	1283	1282	C35/45	0.19	0.358
1426	1445	1446	1284	1283	C35/45	0.19	0.358
1427	1446	1447	1285	1284	C35/45	0.19	0.358
1428	1447	1448	1286	1285	C35/45	0.19	0.358
1429	1448	1449	1287	1286	C35/45	0.19	0.358
1430	1449	1450	1288	1287	C35/45	0.19	0.358
1431	1450	1414	1252	1288	C35/45	0.19	0.358
1432	1414	1451	1289	1252	C35/45	0.19	0.358
1433	1451	1452	1290	1289	C35/45	0.19	0.358
1434	1452	1453	1291	1290	C35/45	0.19	0.358
1435	1453	1454	1292	1291	C35/45	0.19	0.358
1436	1454	1455	1293	1292	C35/45	0.19	0.358
1437	1455	1456	1294	1293	C35/45	0.19	0.358
1438	1456	1457	1295	1294	C35/45	0.19	0.358
1439	1457	1410	1248	1295	C35/45	0.19	0.358
1440	1410	1458	1296	1248	C35/45	0.19	0.3186
1441	1458	1415	1253	1296	C35/45	0.19	0.3186
1442	1415	1459	1297	1253	C35/45	0.19	0.3502
1443	1459	1460	1298	1297	C35/45	0.19	0.3502
1444	1460	1461	1299	1298	C35/45	0.19	0.3502
1445	1461	1462	1300	1299	C35/45	0.19	0.3502
1446	1462	1463	1301	1300	C35/45	0.19	0.3502
1447	1463	1464	1302	1301	C35/45	0.19	0.3502
1448	1464	1465	1303	1302	C35/45	0.19	0.3502
1449	1465	1466	1304	1303	C35/45	0.19	0.3502
1450	1466	1467	1305	1304	C35/45	0.19	0.3502
1451	1467	1416	1254	1305	C35/45	0.19	0.3502
1452	1416	1468	1306	1254	C35/45	0.19	0.3975
1453	1468	1469	1307	1306	C35/45	0.19	0.3975
1454	1469	1470	1308	1307	C35/45	0.19	0.3975
1455	1470	1408	1246	1308	C35/45	0.19	0.3975
1456	1408	1471	1309	1246	C35/45	0.19	0.5154
1457	1471	1472	1310	1309	C35/45	0.19	0.2494
1458	1472	1473	1311	1310	C35/45	0.19	0.3824
1459	1473	1474	1312	1311	C35/45	0.19	0.3824
1460	1474	1417	1255	1312	C35/45	0.19	0.3824
1461	1417	1475	1313	1255	C35/45	0.19	0.3501
1462	1475	1476	1314	1313	C35/45	0.19	0.3501
1463	1476	1477	1315	1314	C35/45	0.19	0.3501
1464	1477	1478	1316	1315	C35/45	0.19	0.3501
1465	1478	1479	1317	1316	C35/45	0.19	0.3501
1466	1479	1480	1318	1317	C35/45	0.19	0.3501
1467	1480	1481	1319	1318	C35/45	0.19	0.3501
1468	1481	1482	1320	1319	C35/45	0.19	0.3501
1469	1482	1483	1321	1320	C35/45	0.19	0.3501
1470	1483	1404	1242	1321	C35/45	0.19	0.3501
1471	1404	1406	1244	1242	C35/45	0.19	0.315
1472	1243	1241	2052	2051	C35/45	0.19	0.1913
1473	1241	1257	2053	2052	C35/45	0.19	0.2125
1474	1257	1256	2054	2053	C35/45	0.19	0.2125
1475	1256	1258	2055	2054	C35/45	0.19	0.2125
1476	1258	1259	2056	2055	C35/45	0.19	0.2125
1477	1259	1260	2057	2056	C35/45	0.19	0.2125
1478	1260	1261	2058	2057	C35/45	0.19	0.2125
1479	1261	1262	2059	2058	C35/45	0.19	0.2125
1480	1262	1263	2060	2059	C35/45	0.19	0.2125
1481	1263	1264	2061	2060	C35/45	0.19	0.2125
1482	1264	1249	2062	2061	C35/45	0.19	0.2236
1483	1249	1265	2063	2062	C35/45	0.19	0.2301


PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt	
1484	1265	1266	2064	2063	C35/45	0.19	0.2301
1485	1266	1267	2065	2064	C35/45	0.19	0.2301
1486	1267	1268	2066	2065	C35/45	0.19	0.1493
1487	1268	1245	2067	2066	C35/45	0.19	0.3108
1488	1245	1269	2068	2067	C35/45	0.19	0.2413
1489	1269	1270	2069	2068	C35/45	0.19	0.2413
1490	1270	1271	2070	2069	C35/45	0.19	0.2413
1491	1271	1250	2071	2070	C35/45	0.19	0.2413
1492	1250	1272	2072	2071	C35/45	0.19	0.2126
1493	1272	1273	2073	2072	C35/45	0.19	0.2126
1494	1273	1274	2074	2073	C35/45	0.19	0.2126
1495	1274	1275	2075	2074	C35/45	0.19	0.2126
1496	1275	1276	2076	2075	C35/45	0.19	0.2126
1497	1276	1277	2077	2076	C35/45	0.19	0.2126
1498	1277	1278	2078	2077	C35/45	0.19	0.2126
1499	1278	1279	2079	2078	C35/45	0.19	0.2126
1500	1279	1280	2080	2079	C35/45	0.19	0.2126
1501	1280	1251	2081	2080	C35/45	0.19	0.2126
1502	1251	1281	2082	2081	C35/45	0.19	0.1935
1503	1281	1247	2083	2082	C35/45	0.19	0.1935
1504	1247	1282	2084	2083	C35/45	0.19	0.2174
1505	1282	1283	2085	2084	C35/45	0.19	0.2174
1506	1283	1284	2086	2085	C35/45	0.19	0.2174
1507	1284	1285	2087	2086	C35/45	0.19	0.2174
1508	1285	1286	2088	2087	C35/45	0.19	0.2174
1509	1286	1287	2089	2088	C35/45	0.19	0.2174
1510	1287	1288	2090	2089	C35/45	0.19	0.2174
1511	1288	1252	2091	2090	C35/45	0.19	0.2174
1512	1252	1289	2092	2091	C35/45	0.19	0.2174
1513	1289	1290	2093	2092	C35/45	0.19	0.2174
1514	1290	1291	2094	2093	C35/45	0.19	0.2174
1515	1291	1292	2095	2094	C35/45	0.19	0.2174
1516	1292	1293	2096	2095	C35/45	0.19	0.2174
1517	1293	1294	2097	2096	C35/45	0.19	0.2174
1518	1294	1295	2098	2097	C35/45	0.19	0.2174
1519	1295	1248	2099	2098	C35/45	0.19	0.2174
1520	1248	1296	2100	2099	C35/45	0.19	0.1935
1521	1296	1253	2101	2100	C35/45	0.19	0.1935
1522	1253	1297	2102	2101	C35/45	0.19	0.2126
1523	1297	1298	2103	2102	C35/45	0.19	0.2126
1524	1298	1299	2104	2103	C35/45	0.19	0.2126
1525	1299	1300	2105	2104	C35/45	0.19	0.2126
1526	1300	1301	2106	2105	C35/45	0.19	0.2126
1527	1301	1302	2107	2106	C35/45	0.19	0.2126
1528	1302	1303	2108	2107	C35/45	0.19	0.2126
1529	1303	1304	2109	2108	C35/45	0.19	0.2126
1530	1304	1305	2110	2109	C35/45	0.19	0.2126
1531	1305	1254	2111	2110	C35/45	0.19	0.2126
1532	1254	1306	2112	2111	C35/45	0.19	0.2413
1533	1306	1307	2113	2112	C35/45	0.19	0.2413
1534	1307	1308	2114	2113	C35/45	0.19	0.2413
1535	1308	1246	2115	2114	C35/45	0.19	0.2413
1536	1246	1309	2116	2115	C35/45	0.19	0.3129
1537	1309	1310	2117	2116	C35/45	0.19	0.1514
1538	1310	1311	2118	2117	C35/45	0.19	0.2321
1539	1311	1312	2119	2118	C35/45	0.19	0.2321
1540	1312	1255	2120	2119	C35/45	0.19	0.2321
1541	1255	1313	2121	2120	C35/45	0.19	0.2126
1542	1313	1314	2122	2121	C35/45	0.19	0.2126
1543	1314	1315	2123	2122	C35/45	0.19	0.2126
1544	1315	1316	2124	2123	C35/45	0.19	0.2126
1545	1316	1317	2125	2124	C35/45	0.19	0.2126
1546	1317	1318	2126	2125	C35/45	0.19	0.2126
1547	1318	1319	2127	2126	C35/45	0.19	0.2126
1548	1319	1320	2128	2127	C35/45	0.19	0.2126
1549	1320	1321	2129	2128	C35/45	0.19	0.2126


PROJECT TITLE :

	Company				Client		
	Author				File Name		
							PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt
1550	1321	1242	2130	2129	C35/45	0.19	0.2126
1551	1242	1244	2131	2130	C35/45	0.19	0.1913
1552	542	540	1566	1565	C35/45	0.19	0.2419
1553	540	556	1571	1566	C35/45	0.19	0.2687
1554	556	555	1574	1571	C35/45	0.19	0.2687
1555	555	557	1577	1574	C35/45	0.19	0.2688
1556	557	558	1580	1577	C35/45	0.19	0.2687
1557	558	559	1583	1580	C35/45	0.19	0.2688
1558	559	560	1586	1583	C35/45	0.19	0.2687
1559	560	561	1589	1586	C35/45	0.19	0.2688
1560	561	562	1592	1589	C35/45	0.19	0.2687
1561	562	563	1595	1592	C35/45	0.19	0.2688
1562	563	548	1598	1595	C35/45	0.19	0.2828
1563	548	564	1601	1598	C35/45	0.19	0.291
1564	564	565	1604	1601	C35/45	0.19	0.291
1565	565	566	1607	1604	C35/45	0.19	0.291
1566	566	567	1610	1607	C35/45	0.19	0.1889
1567	567	544	1613	1610	C35/45	0.19	0.3931
1568	544	568	1616	1613	C35/45	0.19	0.3052
1569	568	569	1619	1616	C35/45	0.19	0.3052
1570	569	570	1622	1619	C35/45	0.19	0.3052
1571	570	549	1625	1622	C35/45	0.19	0.3052
1572	549	571	1628	1625	C35/45	0.19	0.2689
1573	571	572	1631	1628	C35/45	0.19	0.2689
1574	572	573	1634	1631	C35/45	0.19	0.2689
1575	573	574	1637	1634	C35/45	0.19	0.2689
1576	574	575	1640	1637	C35/45	0.19	0.2689
1577	575	576	1643	1640	C35/45	0.19	0.2689
1578	576	577	1646	1643	C35/45	0.19	0.2689
1579	577	578	1649	1646	C35/45	0.19	0.2689
1580	578	579	1652	1649	C35/45	0.19	0.2689
1581	579	550	1655	1652	C35/45	0.19	0.2689
1582	550	580	1658	1655	C35/45	0.19	0.2447
1583	580	546	1661	1658	C35/45	0.19	0.2447
1584	546	581	1664	1661	C35/45	0.19	0.2749
1585	581	582	1667	1664	C35/45	0.19	0.2749
1586	582	583	1670	1667	C35/45	0.19	0.2749
1587	583	584	1673	1670	C35/45	0.19	0.2749
1588	584	585	1676	1673	C35/45	0.19	0.2749
1589	585	586	1679	1676	C35/45	0.19	0.2749
1590	586	587	1682	1679	C35/45	0.19	0.2749
1591	587	551	1685	1682	C35/45	0.19	0.2749
1592	551	588	1688	1685	C35/45	0.19	0.2749
1593	588	589	1691	1688	C35/45	0.19	0.2749
1594	589	590	1694	1691	C35/45	0.19	0.2749
1595	590	591	1697	1694	C35/45	0.19	0.2749
1596	591	592	1700	1697	C35/45	0.19	0.2749
1597	592	593	1703	1700	C35/45	0.19	0.2749
1598	593	594	1706	1703	C35/45	0.19	0.2749
1599	594	547	1709	1706	C35/45	0.19	0.2749
1600	547	595	1712	1709	C35/45	0.19	0.2447
1601	595	552	1715	1712	C35/45	0.19	0.2447
1602	552	596	1718	1715	C35/45	0.19	0.2689
1603	596	597	1721	1718	C35/45	0.19	0.2689
1604	597	598	1724	1721	C35/45	0.19	0.2689
1605	598	599	1727	1724	C35/45	0.19	0.2689
1606	599	600	1730	1727	C35/45	0.19	0.2689
1607	600	601	1733	1730	C35/45	0.19	0.2689
1608	601	602	1736	1733	C35/45	0.19	0.2689
1609	602	603	1739	1736	C35/45	0.19	0.2689
1610	603	604	1742	1739	C35/45	0.19	0.2689
1611	604	553	1745	1742	C35/45	0.19	0.2689
1612	553	605	1748	1745	C35/45	0.19	0.3052
1613	605	606	1751	1748	C35/45	0.19	0.3052
1614	606	607	1754	1751	C35/45	0.19	0.3052
1615	607	545	1757	1754	C35/45	0.19	0.3052


PROJECT TITLE :

	Company			Client		
	Author			File Name		
						PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt
1616	545	608	1760	1757	C35/45	0.19 0.3957
1617	608	609	1763	1760	C35/45	0.19 0.1915
1618	609	610	1766	1763	C35/45	0.19 0.2936
1619	610	611	1769	1766	C35/45	0.19 0.2936
1620	611	554	1772	1769	C35/45	0.19 0.2936
1621	554	612	1775	1772	C35/45	0.19 0.2689
1622	612	613	1778	1775	C35/45	0.19 0.2689
1623	613	614	1781	1778	C35/45	0.19 0.2689
1624	614	615	1784	1781	C35/45	0.19 0.2689
1625	615	616	1787	1784	C35/45	0.19 0.2689
1626	616	617	1790	1787	C35/45	0.19 0.2689
1627	617	618	1793	1790	C35/45	0.19 0.2689
1628	618	619	1796	1793	C35/45	0.19 0.2689
1629	619	620	1799	1796	C35/45	0.19 0.2689
1630	620	541	1802	1799	C35/45	0.19 0.2689
1631	541	543	1805	1802	C35/45	0.19 0.2419
1632	1081	1079	2133	2132	C35/45	0.19 0.1913
1633	1079	1095	2134	2133	C35/45	0.19 0.2125
1634	1095	1094	2135	2134	C35/45	0.19 0.2125
1635	1094	1096	2136	2135	C35/45	0.19 0.2125
1636	1096	1097	2137	2136	C35/45	0.19 0.2125
1637	1097	1098	2138	2137	C35/45	0.19 0.2125
1638	1098	1099	2139	2138	C35/45	0.19 0.2125
1639	1099	1100	2140	2139	C35/45	0.19 0.2125
1640	1100	1101	2141	2140	C35/45	0.19 0.2125
1641	1101	1102	2142	2141	C35/45	0.19 0.2125
1642	1102	1087	2143	2142	C35/45	0.19 0.2236
1643	1087	1103	2144	2143	C35/45	0.19 0.2301
1644	1103	1104	2145	2144	C35/45	0.19 0.2301
1645	1104	1105	2146	2145	C35/45	0.19 0.2301
1646	1105	1106	2147	2146	C35/45	0.19 0.1493
1647	1106	1083	2148	2147	C35/45	0.19 0.3108
1648	1083	1107	2149	2148	C35/45	0.19 0.2413
1649	1107	1108	2150	2149	C35/45	0.19 0.2413
1650	1108	1109	2151	2150	C35/45	0.19 0.2413
1651	1109	1088	2152	2151	C35/45	0.19 0.2413
1652	1088	1110	2153	2152	C35/45	0.19 0.2126
1653	1110	1111	2154	2153	C35/45	0.19 0.2126
1654	1111	1112	2155	2154	C35/45	0.19 0.2126
1655	1112	1113	2156	2155	C35/45	0.19 0.2126
1656	1113	1114	2157	2156	C35/45	0.19 0.2126
1657	1114	1115	2158	2157	C35/45	0.19 0.2126
1658	1115	1116	2159	2158	C35/45	0.19 0.2126
1659	1116	1117	2160	2159	C35/45	0.19 0.2126
1660	1117	1118	2161	2160	C35/45	0.19 0.2126
1661	1118	1089	2162	2161	C35/45	0.19 0.2126
1662	1089	1119	2163	2162	C35/45	0.19 0.1935
1663	1119	1085	2164	2163	C35/45	0.19 0.1935
1664	1085	1120	2165	2164	C35/45	0.19 0.2174
1665	1120	1121	2166	2165	C35/45	0.19 0.2174
1666	1121	1122	2167	2166	C35/45	0.19 0.2174
1667	1122	1123	2168	2167	C35/45	0.19 0.2174
1668	1123	1124	2169	2168	C35/45	0.19 0.2174
1669	1124	1125	2170	2169	C35/45	0.19 0.2174
1670	1125	1126	2171	2170	C35/45	0.19 0.2174
1671	1126	1090	2172	2171	C35/45	0.19 0.2174
1672	1090	1127	2173	2172	C35/45	0.19 0.2174
1673	1127	1128	2174	2173	C35/45	0.19 0.2174
1674	1128	1129	2175	2174	C35/45	0.19 0.2174
1675	1129	1130	2176	2175	C35/45	0.19 0.2174
1676	1130	1131	2177	2176	C35/45	0.19 0.2174
1677	1131	1132	2178	2177	C35/45	0.19 0.2174
1678	1132	1133	2179	2178	C35/45	0.19 0.2174
1679	1133	1086	2180	2179	C35/45	0.19 0.2174
1680	1086	1134	2181	2180	C35/45	0.19 0.1935
1681	1134	1091	2182	2181	C35/45	0.19 0.1935

PROJECT TITLE :


	Company				Client			
	Author				File Name			
							PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt	
1682	1091	1135	2183	2182	C35/45	0.19	0.2126	
1683	1135	1136	2184	2183	C35/45	0.19	0.2126	
1684	1136	1137	2185	2184	C35/45	0.19	0.2126	
1685	1137	1138	2186	2185	C35/45	0.19	0.2126	
1686	1138	1139	2187	2186	C35/45	0.19	0.2126	
1687	1139	1140	2188	2187	C35/45	0.19	0.2126	
1688	1140	1141	2189	2188	C35/45	0.19	0.2126	
1689	1141	1142	2190	2189	C35/45	0.19	0.2126	
1690	1142	1143	2191	2190	C35/45	0.19	0.2126	
1691	1143	1092	2192	2191	C35/45	0.19	0.2126	
1692	1092	1144	2193	2192	C35/45	0.19	0.2413	
1693	1144	1145	2194	2193	C35/45	0.19	0.2413	
1694	1145	1146	2195	2194	C35/45	0.19	0.2413	
1695	1146	1084	2196	2195	C35/45	0.19	0.2413	
1696	1084	1147	2197	2196	C35/45	0.19	0.3129	
1697	1147	1148	2198	2197	C35/45	0.19	0.1514	
1698	1148	1149	2199	2198	C35/45	0.19	0.2321	
1699	1149	1150	2200	2199	C35/45	0.19	0.2321	
1700	1150	1093	2201	2200	C35/45	0.19	0.2321	
1701	1093	1151	2202	2201	C35/45	0.19	0.2126	
1702	1151	1152	2203	2202	C35/45	0.19	0.2126	
1703	1152	1153	2204	2203	C35/45	0.19	0.2126	
1704	1153	1154	2205	2204	C35/45	0.19	0.2126	
1705	1154	1155	2206	2205	C35/45	0.19	0.2126	
1706	1155	1156	2207	2206	C35/45	0.19	0.2126	
1707	1156	1157	2208	2207	C35/45	0.19	0.2126	
1708	1157	1158	2209	2208	C35/45	0.19	0.2126	
1709	1158	1159	2210	2209	C35/45	0.19	0.2126	
1710	1159	1080	2211	2210	C35/45	0.19	0.2126	
1711	1080	1082	2212	2211	C35/45	0.19	0.1913	
1712	1162	1160	1322	1324	C35/45	0.19	0.315	
1713	1160	1176	1338	1322	C35/45	0.19	0.35	
1714	1176	1175	1337	1338	C35/45	0.19	0.35	
1715	1175	1177	1339	1337	C35/45	0.19	0.35	
1716	1177	1178	1340	1339	C35/45	0.19	0.35	
1717	1178	1179	1341	1340	C35/45	0.19	0.35	
1718	1179	1180	1342	1341	C35/45	0.19	0.35	
1719	1180	1181	1343	1342	C35/45	0.19	0.35	
1720	1181	1182	1344	1343	C35/45	0.19	0.35	
1721	1182	1183	1345	1344	C35/45	0.19	0.35	
1722	1183	1168	1330	1345	C35/45	0.19	0.3683	
1723	1168	1184	1346	1330	C35/45	0.19	0.379	
1724	1184	1185	1347	1346	C35/45	0.19	0.379	
1725	1185	1186	1348	1347	C35/45	0.19	0.379	
1726	1186	1187	1349	1348	C35/45	0.19	0.246	
1727	1187	1164	1326	1349	C35/45	0.19	0.512	
1728	1164	1188	1350	1326	C35/45	0.19	0.3974	
1729	1188	1189	1351	1350	C35/45	0.19	0.3974	
1730	1189	1190	1352	1351	C35/45	0.19	0.3974	
1731	1190	1169	1331	1352	C35/45	0.19	0.3974	
1732	1169	1191	1353	1331	C35/45	0.19	0.3502	
1733	1191	1192	1354	1353	C35/45	0.19	0.3502	
1734	1192	1193	1355	1354	C35/45	0.19	0.3502	
1735	1193	1194	1356	1355	C35/45	0.19	0.3502	
1736	1194	1195	1357	1356	C35/45	0.19	0.3502	
1737	1195	1196	1358	1357	C35/45	0.19	0.3502	
1738	1196	1197	1359	1358	C35/45	0.19	0.3502	
1739	1197	1198	1360	1359	C35/45	0.19	0.3502	
1740	1198	1199	1361	1360	C35/45	0.19	0.3502	
1741	1199	1170	1332	1361	C35/45	0.19	0.3502	
1742	1170	1200	1362	1332	C35/45	0.19	0.3186	
1743	1200	1166	1328	1362	C35/45	0.19	0.3186	
1744	1166	1201	1363	1328	C35/45	0.19	0.358	
1745	1201	1202	1364	1363	C35/45	0.19	0.358	
1746	1202	1203	1365	1364	C35/45	0.19	0.358	
1747	1203	1204	1366	1365	C35/45	0.19	0.358	

PROJECT TITLE :


	Company				Client			
	Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt		
1748	1204	1205	1367	1366	C35/45	0.19	0.358	
1749	1205	1206	1368	1367	C35/45	0.19	0.358	
1750	1206	1207	1369	1368	C35/45	0.19	0.358	
1751	1207	1171	1333	1369	C35/45	0.19	0.358	
1752	1171	1208	1370	1333	C35/45	0.19	0.358	
1753	1208	1209	1371	1370	C35/45	0.19	0.358	
1754	1209	1210	1372	1371	C35/45	0.19	0.358	
1755	1210	1211	1373	1372	C35/45	0.19	0.358	
1756	1211	1212	1374	1373	C35/45	0.19	0.358	
1757	1212	1213	1375	1374	C35/45	0.19	0.358	
1758	1213	1214	1376	1375	C35/45	0.19	0.358	
1759	1214	1167	1329	1376	C35/45	0.19	0.358	
1760	1167	1215	1377	1329	C35/45	0.19	0.3186	
1761	1215	1172	1334	1377	C35/45	0.19	0.3186	
1762	1172	1216	1378	1334	C35/45	0.19	0.3502	
1763	1216	1217	1379	1378	C35/45	0.19	0.3502	
1764	1217	1218	1380	1379	C35/45	0.19	0.3502	
1765	1218	1219	1381	1380	C35/45	0.19	0.3502	
1766	1219	1220	1382	1381	C35/45	0.19	0.3502	
1767	1220	1221	1383	1382	C35/45	0.19	0.3502	
1768	1221	1222	1384	1383	C35/45	0.19	0.3502	
1769	1222	1223	1385	1384	C35/45	0.19	0.3502	
1770	1223	1224	1386	1385	C35/45	0.19	0.3502	
1771	1224	1173	1335	1386	C35/45	0.19	0.3502	
1772	1173	1225	1387	1335	C35/45	0.19	0.3975	
1773	1225	1226	1388	1387	C35/45	0.19	0.3975	
1774	1226	1227	1389	1388	C35/45	0.19	0.3975	
1775	1227	1165	1327	1389	C35/45	0.19	0.3975	
1776	1165	1228	1390	1327	C35/45	0.19	0.5154	
1777	1228	1229	1391	1390	C35/45	0.19	0.2494	
1778	1229	1230	1392	1391	C35/45	0.19	0.3824	
1779	1230	1231	1393	1392	C35/45	0.19	0.3824	
1780	1231	1174	1336	1393	C35/45	0.19	0.3824	
1781	1174	1232	1394	1336	C35/45	0.19	0.3501	
1782	1232	1233	1395	1394	C35/45	0.19	0.3501	
1783	1233	1234	1396	1395	C35/45	0.19	0.3501	
1784	1234	1235	1397	1396	C35/45	0.19	0.3501	
1785	1235	1236	1398	1397	C35/45	0.19	0.3501	
1786	1236	1237	1399	1398	C35/45	0.19	0.3501	
1787	1237	1238	1400	1399	C35/45	0.19	0.3501	
1788	1238	1239	1401	1400	C35/45	0.19	0.3501	
1789	1239	1240	1402	1401	C35/45	0.19	0.3501	
1790	1240	1161	1323	1402	C35/45	0.19	0.3501	
1791	1161	1163	1325	1323	C35/45	0.19	0.315	
1792	1484	1485	1809	1808	C35/45	0.19	0.2419	
1793	1485	1486	1814	1809	C35/45	0.19	0.2687	
1794	1486	1487	1817	1814	C35/45	0.19	0.2687	
1795	1487	1488	1820	1817	C35/45	0.19	0.2688	
1796	1488	1489	1823	1820	C35/45	0.19	0.2687	
1797	1489	1490	1826	1823	C35/45	0.19	0.2688	
1798	1490	1491	1829	1826	C35/45	0.19	0.2687	
1799	1491	1492	1832	1829	C35/45	0.19	0.2688	
1800	1492	1493	1835	1832	C35/45	0.19	0.2687	
1801	1493	1494	1838	1835	C35/45	0.19	0.2688	
1802	1494	1495	1841	1838	C35/45	0.19	0.2828	
1803	1495	1496	1844	1841	C35/45	0.19	0.291	
1804	1496	1497	1847	1844	C35/45	0.19	0.291	
1805	1497	1498	1850	1847	C35/45	0.19	0.291	
1806	1498	1499	1853	1850	C35/45	0.19	0.1889	
1807	1499	1500	1856	1853	C35/45	0.19	0.3931	
1808	1500	1501	1859	1856	C35/45	0.19	0.3052	
1809	1501	1502	1862	1859	C35/45	0.19	0.3052	
1810	1502	1503	1865	1862	C35/45	0.19	0.3052	
1811	1503	1504	1868	1865	C35/45	0.19	0.3052	
1812	1504	1505	1871	1868	C35/45	0.19	0.2689	
1813	1505	1506	1874	1871	C35/45	0.19	0.2689	



PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt	
1814	1506	1507	1877	1874	C35/45	0.19	0.2689
1815	1507	1508	1880	1877	C35/45	0.19	0.2689
1816	1508	1509	1883	1880	C35/45	0.19	0.2689
1817	1509	1510	1886	1883	C35/45	0.19	0.2689
1818	1510	1511	1889	1886	C35/45	0.19	0.2689
1819	1511	1512	1892	1889	C35/45	0.19	0.2689
1820	1512	1513	1895	1892	C35/45	0.19	0.2689
1821	1513	1514	1898	1895	C35/45	0.19	0.2689
1822	1514	1515	1901	1898	C35/45	0.19	0.2447
1823	1515	1516	1904	1901	C35/45	0.19	0.2447
1824	1516	1517	1907	1904	C35/45	0.19	0.2749
1825	1517	1518	1910	1907	C35/45	0.19	0.2749
1826	1518	1519	1913	1910	C35/45	0.19	0.2749
1827	1519	1520	1916	1913	C35/45	0.19	0.2749
1828	1520	1521	1919	1916	C35/45	0.19	0.2749
1829	1521	1522	1922	1919	C35/45	0.19	0.2749
1830	1522	1523	1925	1922	C35/45	0.19	0.2749
1831	1523	1524	1928	1925	C35/45	0.19	0.2749
1832	1524	1525	1931	1928	C35/45	0.19	0.2749
1833	1525	1526	1934	1931	C35/45	0.19	0.2749
1834	1526	1527	1937	1934	C35/45	0.19	0.2749
1835	1527	1528	1940	1937	C35/45	0.19	0.2749
1836	1528	1529	1943	1940	C35/45	0.19	0.2749
1837	1529	1530	1946	1943	C35/45	0.19	0.2749
1838	1530	1531	1949	1946	C35/45	0.19	0.2749
1839	1531	1532	1952	1949	C35/45	0.19	0.2749
1840	1532	1533	1955	1952	C35/45	0.19	0.2447
1841	1533	1534	1958	1955	C35/45	0.19	0.2447
1842	1534	1535	1961	1958	C35/45	0.19	0.2689
1843	1535	1536	1964	1961	C35/45	0.19	0.2689
1844	1536	1537	1967	1964	C35/45	0.19	0.2689
1845	1537	1538	1970	1967	C35/45	0.19	0.2689
1846	1538	1539	1973	1970	C35/45	0.19	0.2689
1847	1539	1540	1976	1973	C35/45	0.19	0.2689
1848	1540	1541	1979	1976	C35/45	0.19	0.2689
1849	1541	1542	1982	1979	C35/45	0.19	0.2689
1850	1542	1543	1985	1982	C35/45	0.19	0.2689
1851	1543	1544	1988	1985	C35/45	0.19	0.2689
1852	1544	1545	1991	1988	C35/45	0.19	0.3052
1853	1545	1546	1994	1991	C35/45	0.19	0.3052
1854	1546	1547	1997	1994	C35/45	0.19	0.3052
1855	1547	1548	2000	1997	C35/45	0.19	0.3052
1856	1548	1549	2003	2000	C35/45	0.19	0.3957
1857	1549	1550	2006	2003	C35/45	0.19	0.1915
1858	1550	1551	2009	2006	C35/45	0.19	0.2936
1859	1551	1552	2012	2009	C35/45	0.19	0.2936
1860	1552	1553	2015	2012	C35/45	0.19	0.2936
1861	1553	1554	2018	2015	C35/45	0.19	0.2689
1862	1554	1555	2021	2018	C35/45	0.19	0.2689
1863	1555	1556	2024	2021	C35/45	0.19	0.2689
1864	1556	1557	2027	2024	C35/45	0.19	0.2689
1865	1557	1558	2030	2027	C35/45	0.19	0.2689
1866	1558	1559	2033	2030	C35/45	0.19	0.2689
1867	1559	1560	2036	2033	C35/45	0.19	0.2689
1868	1560	1561	2039	2036	C35/45	0.19	0.2689
1869	1561	1562	2042	2039	C35/45	0.19	0.2689
1870	1562	1563	2045	2042	C35/45	0.19	0.2689
1871	1563	1564	2048	2045	C35/45	0.19	0.2419
1872	1565	1566	1568	1567	C35/45	0.19	0.2419
1873	1567	1568	1570	1569	C35/45	0.19	0.2419
1874	1569	1570	1485	1484	C35/45	0.19	0.2419
1875	1566	1571	1572	1568	C35/45	0.19	0.2687
1876	1568	1572	1573	1570	C35/45	0.19	0.2687
1877	1570	1573	1486	1485	C35/45	0.19	0.2687
1878	1571	1574	1575	1572	C35/45	0.19	0.2687
1879	1572	1575	1576	1573	C35/45	0.19	0.2687

PROJECT TITLE :


	Company				Client		
	Author				File Name		
							PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt
1880	1573	1576	1487	1486	C35/45	0.19	0.2687
1881	1574	1577	1578	1575	C35/45	0.19	0.2688
1882	1575	1578	1579	1576	C35/45	0.19	0.2688
1883	1576	1579	1488	1487	C35/45	0.19	0.2688
1884	1577	1580	1581	1578	C35/45	0.19	0.2687
1885	1578	1581	1582	1579	C35/45	0.19	0.2687
1886	1579	1582	1489	1488	C35/45	0.19	0.2687
1887	1580	1583	1584	1581	C35/45	0.19	0.2688
1888	1581	1584	1585	1582	C35/45	0.19	0.2688
1889	1582	1585	1490	1489	C35/45	0.19	0.2688
1890	1583	1586	1587	1584	C35/45	0.19	0.2687
1891	1584	1587	1588	1585	C35/45	0.19	0.2687
1892	1585	1588	1491	1490	C35/45	0.19	0.2687
1893	1586	1589	1590	1587	C35/45	0.19	0.2688
1894	1587	1590	1591	1588	C35/45	0.19	0.2688
1895	1588	1591	1492	1491	C35/45	0.19	0.2688
1896	1589	1592	1593	1590	C35/45	0.19	0.2687
1897	1590	1593	1594	1591	C35/45	0.19	0.2687
1898	1591	1594	1493	1492	C35/45	0.19	0.2687
1899	1592	1595	1596	1593	C35/45	0.19	0.2688
1900	1593	1596	1597	1594	C35/45	0.19	0.2688
1901	1594	1597	1494	1493	C35/45	0.19	0.2688
1902	1595	1598	1599	1596	C35/45	0.19	0.2828
1903	1596	1599	1600	1597	C35/45	0.19	0.2828
1904	1597	1600	1495	1494	C35/45	0.19	0.2828
1905	1598	1601	1602	1599	C35/45	0.19	0.291
1906	1599	1602	1603	1600	C35/45	0.19	0.291
1907	1600	1603	1496	1495	C35/45	0.19	0.291
1908	1601	1604	1605	1602	C35/45	0.19	0.291
1909	1602	1605	1606	1603	C35/45	0.19	0.291
1910	1603	1606	1497	1496	C35/45	0.19	0.291
1911	1604	1607	1608	1605	C35/45	0.19	0.291
1912	1605	1608	1609	1606	C35/45	0.19	0.291
1913	1606	1609	1498	1497	C35/45	0.19	0.291
1914	1607	1610	1611	1608	C35/45	0.19	0.1889
1915	1608	1611	1612	1609	C35/45	0.19	0.1889
1916	1609	1612	1499	1498	C35/45	0.19	0.1889
1917	1610	1613	1614	1611	C35/45	0.19	0.3931
1918	1611	1614	1615	1612	C35/45	0.19	0.3931
1919	1612	1615	1500	1499	C35/45	0.19	0.3931
1920	1613	1616	1617	1614	C35/45	0.19	0.3052
1921	1614	1617	1618	1615	C35/45	0.19	0.3052
1922	1615	1618	1501	1500	C35/45	0.19	0.3052
1923	1616	1619	1620	1617	C35/45	0.19	0.3052
1924	1617	1620	1621	1618	C35/45	0.19	0.3052
1925	1618	1621	1502	1501	C35/45	0.19	0.3052
1926	1619	1622	1623	1620	C35/45	0.19	0.3052
1927	1620	1623	1624	1621	C35/45	0.19	0.3052
1928	1621	1624	1503	1502	C35/45	0.19	0.3052
1929	1622	1625	1626	1623	C35/45	0.19	0.3052
1930	1623	1626	1627	1624	C35/45	0.19	0.3052
1931	1624	1627	1504	1503	C35/45	0.19	0.3052
1932	1625	1628	1629	1626	C35/45	0.19	0.2689
1933	1626	1629	1630	1627	C35/45	0.19	0.2689
1934	1627	1630	1505	1504	C35/45	0.19	0.2689
1935	1628	1631	1632	1629	C35/45	0.19	0.2689
1936	1629	1632	1633	1630	C35/45	0.19	0.2689
1937	1630	1633	1506	1505	C35/45	0.19	0.2689
1938	1631	1634	1635	1632	C35/45	0.19	0.2689
1939	1632	1635	1636	1633	C35/45	0.19	0.2689
1940	1633	1636	1507	1506	C35/45	0.19	0.2689
1941	1634	1637	1638	1635	C35/45	0.19	0.2689
1942	1635	1638	1639	1636	C35/45	0.19	0.2689
1943	1636	1639	1508	1507	C35/45	0.19	0.2689
1944	1637	1640	1641	1638	C35/45	0.19	0.2689
1945	1638	1641	1642	1639	C35/45	0.19	0.2689




PROJECT TITLE :

	Company				Client		
	Author				File Name		
							PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt
1946	1639	1642	1509	1508	C35/45	0.19	0.2689
1947	1640	1643	1644	1641	C35/45	0.19	0.2689
1948	1641	1644	1645	1642	C35/45	0.19	0.2689
1949	1642	1645	1510	1509	C35/45	0.19	0.2689
1950	1643	1646	1647	1644	C35/45	0.19	0.2689
1951	1644	1647	1648	1645	C35/45	0.19	0.2689
1952	1645	1648	1511	1510	C35/45	0.19	0.2689
1953	1646	1649	1650	1647	C35/45	0.19	0.2689
1954	1647	1650	1651	1648	C35/45	0.19	0.2689
1955	1648	1651	1512	1511	C35/45	0.19	0.2689
1956	1649	1652	1653	1650	C35/45	0.19	0.2689
1957	1650	1653	1654	1651	C35/45	0.19	0.2689
1958	1651	1654	1513	1512	C35/45	0.19	0.2689
1959	1652	1655	1656	1653	C35/45	0.19	0.2689
1960	1653	1656	1657	1654	C35/45	0.19	0.2689
1961	1654	1657	1514	1513	C35/45	0.19	0.2689
1962	1655	1658	1659	1656	C35/45	0.19	0.2447
1963	1656	1659	1660	1657	C35/45	0.19	0.2447
1964	1657	1660	1515	1514	C35/45	0.19	0.2447
1965	1658	1661	1662	1659	C35/45	0.19	0.2447
1966	1659	1662	1663	1660	C35/45	0.19	0.2447
1967	1660	1663	1516	1515	C35/45	0.19	0.2447
1968	1661	1664	1665	1662	C35/45	0.19	0.2749
1969	1662	1665	1666	1663	C35/45	0.19	0.2749
1970	1663	1666	1517	1516	C35/45	0.19	0.2749
1971	1664	1667	1668	1665	C35/45	0.19	0.2749
1972	1665	1668	1669	1666	C35/45	0.19	0.2749
1973	1666	1669	1518	1517	C35/45	0.19	0.2749
1974	1667	1670	1671	1668	C35/45	0.19	0.2749
1975	1668	1671	1672	1669	C35/45	0.19	0.2749
1976	1669	1672	1519	1518	C35/45	0.19	0.2749
1977	1670	1673	1674	1671	C35/45	0.19	0.2749
1978	1671	1674	1675	1672	C35/45	0.19	0.2749
1979	1672	1675	1520	1519	C35/45	0.19	0.2749
1980	1673	1676	1677	1674	C35/45	0.19	0.2749
1981	1674	1677	1678	1675	C35/45	0.19	0.2749
1982	1675	1678	1521	1520	C35/45	0.19	0.2749
1983	1676	1679	1680	1677	C35/45	0.19	0.2749
1984	1677	1680	1681	1678	C35/45	0.19	0.2749
1985	1678	1681	1522	1521	C35/45	0.19	0.2749
1986	1679	1682	1683	1680	C35/45	0.19	0.2749
1987	1680	1683	1684	1681	C35/45	0.19	0.2749
1988	1681	1684	1523	1522	C35/45	0.19	0.2749
1989	1682	1685	1686	1683	C35/45	0.19	0.2749
1990	1683	1686	1687	1684	C35/45	0.19	0.2749
1991	1684	1687	1524	1523	C35/45	0.19	0.2749
1992	1685	1688	1689	1686	C35/45	0.19	0.2749
1993	1686	1689	1690	1687	C35/45	0.19	0.2749
1994	1687	1690	1525	1524	C35/45	0.19	0.2749
1995	1688	1691	1692	1689	C35/45	0.19	0.2749
1996	1689	1692	1693	1690	C35/45	0.19	0.2749
1997	1690	1693	1526	1525	C35/45	0.19	0.2749
1998	1691	1694	1695	1692	C35/45	0.19	0.2749
1999	1692	1695	1696	1693	C35/45	0.19	0.2749
2000	1693	1696	1527	1526	C35/45	0.19	0.2749
2001	1694	1697	1698	1695	C35/45	0.19	0.2749
2002	1695	1698	1699	1696	C35/45	0.19	0.2749
2003	1696	1699	1528	1527	C35/45	0.19	0.2749
2004	1697	1700	1701	1698	C35/45	0.19	0.2749
2005	1698	1701	1702	1699	C35/45	0.19	0.2749
2006	1699	1702	1529	1528	C35/45	0.19	0.2749
2007	1700	1703	1704	1701	C35/45	0.19	0.2749
2008	1701	1704	1705	1702	C35/45	0.19	0.2749
2009	1702	1705	1530	1529	C35/45	0.19	0.2749
2010	1703	1706	1707	1704	C35/45	0.19	0.2749
2011	1704	1707	1708	1705	C35/45	0.19	0.2749


PROJECT TITLE :

	Company				Client		
	Author				File Name		
							PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt
2012	1705	1708	1531	1530	C35/45	0.19	0.2749
2013	1706	1709	1710	1707	C35/45	0.19	0.2749
2014	1707	1710	1711	1708	C35/45	0.19	0.2749
2015	1708	1711	1532	1531	C35/45	0.19	0.2749
2016	1709	1712	1713	1710	C35/45	0.19	0.2447
2017	1710	1713	1714	1711	C35/45	0.19	0.2447
2018	1711	1714	1533	1532	C35/45	0.19	0.2447
2019	1712	1715	1716	1713	C35/45	0.19	0.2447
2020	1713	1716	1717	1714	C35/45	0.19	0.2447
2021	1714	1717	1534	1533	C35/45	0.19	0.2447
2022	1715	1718	1719	1716	C35/45	0.19	0.2689
2023	1716	1719	1720	1717	C35/45	0.19	0.2689
2024	1717	1720	1535	1534	C35/45	0.19	0.2689
2025	1718	1721	1722	1719	C35/45	0.19	0.2689
2026	1719	1722	1723	1720	C35/45	0.19	0.2689
2027	1720	1723	1536	1535	C35/45	0.19	0.2689
2028	1721	1724	1725	1722	C35/45	0.19	0.2689
2029	1722	1725	1726	1723	C35/45	0.19	0.2689
2030	1723	1726	1537	1536	C35/45	0.19	0.2689
2031	1724	1727	1728	1725	C35/45	0.19	0.2689
2032	1725	1728	1729	1726	C35/45	0.19	0.2689
2033	1726	1729	1538	1537	C35/45	0.19	0.2689
2034	1727	1730	1731	1728	C35/45	0.19	0.2689
2035	1728	1731	1732	1729	C35/45	0.19	0.2689
2036	1729	1732	1539	1538	C35/45	0.19	0.2689
2037	1730	1733	1734	1731	C35/45	0.19	0.2689
2038	1731	1734	1735	1732	C35/45	0.19	0.2689
2039	1732	1735	1540	1539	C35/45	0.19	0.2689
2040	1733	1736	1737	1734	C35/45	0.19	0.2689
2041	1734	1737	1738	1735	C35/45	0.19	0.2689
2042	1735	1738	1541	1540	C35/45	0.19	0.2689
2043	1736	1739	1740	1737	C35/45	0.19	0.2689
2044	1737	1740	1741	1738	C35/45	0.19	0.2689
2045	1738	1741	1542	1541	C35/45	0.19	0.2689
2046	1739	1742	1743	1740	C35/45	0.19	0.2689
2047	1740	1743	1744	1741	C35/45	0.19	0.2689
2048	1741	1744	1543	1542	C35/45	0.19	0.2689
2049	1742	1745	1746	1743	C35/45	0.19	0.2689
2050	1743	1746	1747	1744	C35/45	0.19	0.2689
2051	1744	1747	1544	1543	C35/45	0.19	0.2689
2052	1745	1748	1749	1746	C35/45	0.19	0.3052
2053	1746	1749	1750	1747	C35/45	0.19	0.3052
2054	1747	1750	1545	1544	C35/45	0.19	0.3052
2055	1748	1751	1752	1749	C35/45	0.19	0.3052
2056	1749	1752	1753	1750	C35/45	0.19	0.3052
2057	1750	1753	1546	1545	C35/45	0.19	0.3052
2058	1751	1754	1755	1752	C35/45	0.19	0.3052
2059	1752	1755	1756	1753	C35/45	0.19	0.3052
2060	1753	1756	1547	1546	C35/45	0.19	0.3052
2061	1754	1757	1758	1755	C35/45	0.19	0.3052
2062	1755	1758	1759	1756	C35/45	0.19	0.3052
2063	1756	1759	1548	1547	C35/45	0.19	0.3052
2064	1757	1760	1761	1758	C35/45	0.19	0.3957
2065	1758	1761	1762	1759	C35/45	0.19	0.3957
2066	1759	1762	1549	1548	C35/45	0.19	0.3957
2067	1760	1763	1764	1761	C35/45	0.19	0.1915
2068	1761	1764	1765	1762	C35/45	0.19	0.1915
2069	1762	1765	1550	1549	C35/45	0.19	0.1915
2070	1763	1766	1767	1764	C35/45	0.19	0.2936
2071	1764	1767	1768	1765	C35/45	0.19	0.2936
2072	1765	1768	1551	1550	C35/45	0.19	0.2936
2073	1766	1769	1770	1767	C35/45	0.19	0.2936
2074	1767	1770	1771	1768	C35/45	0.19	0.2936
2075	1768	1771	1552	1551	C35/45	0.19	0.2936
2076	1769	1772	1773	1770	C35/45	0.19	0.2936
2077	1770	1773	1774	1771	C35/45	0.19	0.2936


PROJECT TITLE :

	Company				Client			
	Author				File Name			
							PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt	
2078	1771	1774	1553	1552	C35/45	0.19	0.2936	
2079	1772	1775	1776	1773	C35/45	0.19	0.2689	
2080	1773	1776	1777	1774	C35/45	0.19	0.2689	
2081	1774	1777	1554	1553	C35/45	0.19	0.2689	
2082	1775	1778	1779	1776	C35/45	0.19	0.2689	
2083	1776	1779	1780	1777	C35/45	0.19	0.2689	
2084	1777	1780	1555	1554	C35/45	0.19	0.2689	
2085	1778	1781	1782	1779	C35/45	0.19	0.2689	
2086	1779	1782	1783	1780	C35/45	0.19	0.2689	
2087	1780	1783	1556	1555	C35/45	0.19	0.2689	
2088	1781	1784	1785	1782	C35/45	0.19	0.2689	
2089	1782	1785	1786	1783	C35/45	0.19	0.2689	
2090	1783	1786	1557	1556	C35/45	0.19	0.2689	
2091	1784	1787	1788	1785	C35/45	0.19	0.2689	
2092	1785	1788	1789	1786	C35/45	0.19	0.2689	
2093	1786	1789	1558	1557	C35/45	0.19	0.2689	
2094	1787	1790	1791	1788	C35/45	0.19	0.2689	
2095	1788	1791	1792	1789	C35/45	0.19	0.2689	
2096	1789	1792	1559	1558	C35/45	0.19	0.2689	
2097	1790	1793	1794	1791	C35/45	0.19	0.2689	
2098	1791	1794	1795	1792	C35/45	0.19	0.2689	
2099	1792	1795	1560	1559	C35/45	0.19	0.2689	
2100	1793	1796	1797	1794	C35/45	0.19	0.2689	
2101	1794	1797	1798	1795	C35/45	0.19	0.2689	
2102	1795	1798	1561	1560	C35/45	0.19	0.2689	
2103	1796	1799	1800	1797	C35/45	0.19	0.2689	
2104	1797	1800	1801	1798	C35/45	0.19	0.2689	
2105	1798	1801	1562	1561	C35/45	0.19	0.2689	
2106	1799	1802	1803	1800	C35/45	0.19	0.2689	
2107	1800	1803	1804	1801	C35/45	0.19	0.2689	
2108	1801	1804	1563	1562	C35/45	0.19	0.2689	
2109	1802	1805	1806	1803	C35/45	0.19	0.2419	
2110	1803	1806	1807	1804	C35/45	0.19	0.2419	
2111	1804	1807	1564	1563	C35/45	0.19	0.2419	
2112	1808	1809	1811	1810	C35/45	0.19	0.2419	
2113	1810	1811	1813	1812	C35/45	0.19	0.2419	
2114	1812	1813	1079	1081	C35/45	0.19	0.2419	
2115	1809	1814	1815	1811	C35/45	0.19	0.2687	
2116	1811	1815	1816	1813	C35/45	0.19	0.2687	
2117	1813	1816	1095	1079	C35/45	0.19	0.2687	
2118	1814	1817	1818	1815	C35/45	0.19	0.2687	
2119	1815	1818	1819	1816	C35/45	0.19	0.2687	
2120	1816	1819	1094	1095	C35/45	0.19	0.2687	
2121	1817	1820	1821	1818	C35/45	0.19	0.2688	
2122	1818	1821	1822	1819	C35/45	0.19	0.2688	
2123	1819	1822	1096	1094	C35/45	0.19	0.2688	
2124	1820	1823	1824	1821	C35/45	0.19	0.2687	
2125	1821	1824	1825	1822	C35/45	0.19	0.2687	
2126	1822	1825	1097	1096	C35/45	0.19	0.2687	
2127	1823	1826	1827	1824	C35/45	0.19	0.2688	
2128	1824	1827	1828	1825	C35/45	0.19	0.2688	
2129	1825	1828	1098	1097	C35/45	0.19	0.2688	
2130	1826	1829	1830	1827	C35/45	0.19	0.2687	
2131	1827	1830	1831	1828	C35/45	0.19	0.2687	
2132	1828	1831	1099	1098	C35/45	0.19	0.2687	
2133	1829	1832	1833	1830	C35/45	0.19	0.2688	
2134	1830	1833	1834	1831	C35/45	0.19	0.2688	
2135	1831	1834	1100	1099	C35/45	0.19	0.2688	
2136	1832	1835	1836	1833	C35/45	0.19	0.2687	
2137	1833	1836	1837	1834	C35/45	0.19	0.2687	
2138	1834	1837	1101	1100	C35/45	0.19	0.2687	
2139	1835	1838	1839	1836	C35/45	0.19	0.2688	
2140	1836	1839	1840	1837	C35/45	0.19	0.2688	
2141	1837	1840	1102	1101	C35/45	0.19	0.2688	
2142	1838	1841	1842	1839	C35/45	0.19	0.2828	
2143	1839	1842	1843	1840	C35/45	0.19	0.2828	


PROJECT TITLE :

	Company				Client			
	Author				File Name			
							PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt	
2144	1840	1843	1087	1102	C35/45	0.19	0.2828	
2145	1841	1844	1845	1842	C35/45	0.19	0.291	
2146	1842	1845	1846	1843	C35/45	0.19	0.291	
2147	1843	1846	1103	1087	C35/45	0.19	0.291	
2148	1844	1847	1848	1845	C35/45	0.19	0.291	
2149	1845	1848	1849	1846	C35/45	0.19	0.291	
2150	1846	1849	1104	1103	C35/45	0.19	0.291	
2151	1847	1850	1851	1848	C35/45	0.19	0.291	
2152	1848	1851	1852	1849	C35/45	0.19	0.291	
2153	1849	1852	1105	1104	C35/45	0.19	0.291	
2154	1850	1853	1854	1851	C35/45	0.19	0.1889	
2155	1851	1854	1855	1852	C35/45	0.19	0.1889	
2156	1852	1855	1106	1105	C35/45	0.19	0.1889	
2157	1853	1856	1857	1854	C35/45	0.19	0.3931	
2158	1854	1857	1858	1855	C35/45	0.19	0.3931	
2159	1855	1858	1083	1106	C35/45	0.19	0.3931	
2160	1856	1859	1860	1857	C35/45	0.19	0.3052	
2161	1857	1860	1861	1858	C35/45	0.19	0.3052	
2162	1858	1861	1107	1083	C35/45	0.19	0.3052	
2163	1859	1862	1863	1860	C35/45	0.19	0.3052	
2164	1860	1863	1864	1861	C35/45	0.19	0.3052	
2165	1861	1864	1108	1107	C35/45	0.19	0.3052	
2166	1862	1865	1866	1863	C35/45	0.19	0.3052	
2167	1863	1866	1867	1864	C35/45	0.19	0.3052	
2168	1864	1867	1109	1108	C35/45	0.19	0.3052	
2169	1865	1868	1869	1866	C35/45	0.19	0.3052	
2170	1866	1869	1870	1867	C35/45	0.19	0.3052	
2171	1867	1870	1088	1109	C35/45	0.19	0.3052	
2172	1868	1871	1872	1869	C35/45	0.19	0.2689	
2173	1869	1872	1873	1870	C35/45	0.19	0.2689	
2174	1870	1873	1110	1088	C35/45	0.19	0.2689	
2175	1871	1874	1875	1872	C35/45	0.19	0.2689	
2176	1872	1875	1876	1873	C35/45	0.19	0.2689	
2177	1873	1876	1111	1110	C35/45	0.19	0.2689	
2178	1874	1877	1878	1875	C35/45	0.19	0.2689	
2179	1875	1878	1879	1876	C35/45	0.19	0.2689	
2180	1876	1879	1112	1111	C35/45	0.19	0.2689	
2181	1877	1880	1881	1878	C35/45	0.19	0.2689	
2182	1878	1881	1882	1879	C35/45	0.19	0.2689	
2183	1879	1882	1113	1112	C35/45	0.19	0.2689	
2184	1880	1883	1884	1881	C35/45	0.19	0.2689	
2185	1881	1884	1885	1882	C35/45	0.19	0.2689	
2186	1882	1885	1114	1113	C35/45	0.19	0.2689	
2187	1883	1886	1887	1884	C35/45	0.19	0.2689	
2188	1884	1887	1888	1885	C35/45	0.19	0.2689	
2189	1885	1888	1115	1114	C35/45	0.19	0.2689	
2190	1886	1889	1890	1887	C35/45	0.19	0.2689	
2191	1887	1890	1891	1888	C35/45	0.19	0.2689	
2192	1888	1891	1116	1115	C35/45	0.19	0.2689	
2193	1889	1892	1893	1890	C35/45	0.19	0.2689	
2194	1890	1893	1894	1891	C35/45	0.19	0.2689	
2195	1891	1894	1117	1116	C35/45	0.19	0.2689	
2196	1892	1895	1896	1893	C35/45	0.19	0.2689	
2197	1893	1896	1897	1894	C35/45	0.19	0.2689	
2198	1894	1897	1118	1117	C35/45	0.19	0.2689	
2199	1895	1898	1899	1896	C35/45	0.19	0.2689	
2200	1896	1899	1900	1897	C35/45	0.19	0.2689	
2201	1897	1900	1089	1118	C35/45	0.19	0.2689	
2202	1898	1901	1902	1899	C35/45	0.19	0.2447	
2203	1899	1902	1903	1900	C35/45	0.19	0.2447	
2204	1900	1903	1119	1089	C35/45	0.19	0.2447	
2205	1901	1904	1905	1902	C35/45	0.19	0.2447	
2206	1902	1905	1906	1903	C35/45	0.19	0.2447	
2207	1903	1906	1085	1119	C35/45	0.19	0.2447	
2208	1904	1907	1908	1905	C35/45	0.19	0.2749	
2209	1905	1908	1909	1906	C35/45	0.19	0.2749	

PROJECT TITLE :


	Company				Client		
	Author				File Name		
							PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt
2210	1906	1909	1120	1085	C35/45	0.19	0.2749
2211	1907	1910	1911	1908	C35/45	0.19	0.2749
2212	1908	1911	1912	1909	C35/45	0.19	0.2749
2213	1909	1912	1121	1120	C35/45	0.19	0.2749
2214	1910	1913	1914	1911	C35/45	0.19	0.2749
2215	1911	1914	1915	1912	C35/45	0.19	0.2749
2216	1912	1915	1122	1121	C35/45	0.19	0.2749
2217	1913	1916	1917	1914	C35/45	0.19	0.2749
2218	1914	1917	1918	1915	C35/45	0.19	0.2749
2219	1915	1918	1123	1122	C35/45	0.19	0.2749
2220	1916	1919	1920	1917	C35/45	0.19	0.2749
2221	1917	1920	1921	1918	C35/45	0.19	0.2749
2222	1918	1921	1124	1123	C35/45	0.19	0.2749
2223	1919	1922	1923	1920	C35/45	0.19	0.2749
2224	1920	1923	1924	1921	C35/45	0.19	0.2749
2225	1921	1924	1125	1124	C35/45	0.19	0.2749
2226	1922	1925	1926	1923	C35/45	0.19	0.2749
2227	1923	1926	1927	1924	C35/45	0.19	0.2749
2228	1924	1927	1126	1125	C35/45	0.19	0.2749
2229	1925	1928	1929	1926	C35/45	0.19	0.2749
2230	1926	1929	1930	1927	C35/45	0.19	0.2749
2231	1927	1930	1090	1126	C35/45	0.19	0.2749
2232	1928	1931	1932	1929	C35/45	0.19	0.2749
2233	1929	1932	1933	1930	C35/45	0.19	0.2749
2234	1930	1933	1127	1090	C35/45	0.19	0.2749
2235	1931	1934	1935	1932	C35/45	0.19	0.2749
2236	1932	1935	1936	1933	C35/45	0.19	0.2749
2237	1933	1936	1128	1127	C35/45	0.19	0.2749
2238	1934	1937	1938	1935	C35/45	0.19	0.2749
2239	1935	1938	1939	1936	C35/45	0.19	0.2749
2240	1936	1939	1129	1128	C35/45	0.19	0.2749
2241	1937	1940	1941	1938	C35/45	0.19	0.2749
2242	1938	1941	1942	1939	C35/45	0.19	0.2749
2243	1939	1942	1130	1129	C35/45	0.19	0.2749
2244	1940	1943	1944	1941	C35/45	0.19	0.2749
2245	1941	1944	1945	1942	C35/45	0.19	0.2749
2246	1942	1945	1131	1130	C35/45	0.19	0.2749
2247	1943	1946	1947	1944	C35/45	0.19	0.2749
2248	1944	1947	1948	1945	C35/45	0.19	0.2749
2249	1945	1948	1132	1131	C35/45	0.19	0.2749
2250	1946	1949	1950	1947	C35/45	0.19	0.2749
2251	1947	1950	1951	1948	C35/45	0.19	0.2749
2252	1948	1951	1133	1132	C35/45	0.19	0.2749
2253	1949	1952	1953	1950	C35/45	0.19	0.2749
2254	1950	1953	1954	1951	C35/45	0.19	0.2749
2255	1951	1954	1086	1133	C35/45	0.19	0.2749
2256	1952	1955	1956	1953	C35/45	0.19	0.2447
2257	1953	1956	1957	1954	C35/45	0.19	0.2447
2258	1954	1957	1134	1086	C35/45	0.19	0.2447
2259	1955	1958	1959	1956	C35/45	0.19	0.2447
2260	1956	1959	1960	1957	C35/45	0.19	0.2447
2261	1957	1960	1091	1134	C35/45	0.19	0.2447
2262	1958	1961	1962	1959	C35/45	0.19	0.2689
2263	1959	1962	1963	1960	C35/45	0.19	0.2689
2264	1960	1963	1135	1091	C35/45	0.19	0.2689
2265	1961	1964	1965	1962	C35/45	0.19	0.2689
2266	1962	1965	1966	1963	C35/45	0.19	0.2689
2267	1963	1966	1136	1135	C35/45	0.19	0.2689
2268	1964	1967	1968	1965	C35/45	0.19	0.2689
2269	1965	1968	1969	1966	C35/45	0.19	0.2689
2270	1966	1969	1137	1136	C35/45	0.19	0.2689
2271	1967	1970	1971	1968	C35/45	0.19	0.2689
2272	1968	1971	1972	1969	C35/45	0.19	0.2689
2273	1969	1972	1138	1137	C35/45	0.19	0.2689
2274	1970	1973	1974	1971	C35/45	0.19	0.2689
2275	1971	1974	1975	1972	C35/45	0.19	0.2689

PROJECT TITLE :


	Company				Client		
	Author				File Name		
							PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt
2276	1972	1975	1139	1138	C35/45	0.19	0.2689
2277	1973	1976	1977	1974	C35/45	0.19	0.2689
2278	1974	1977	1978	1975	C35/45	0.19	0.2689
2279	1975	1978	1140	1139	C35/45	0.19	0.2689
2280	1976	1979	1980	1977	C35/45	0.19	0.2689
2281	1977	1980	1981	1978	C35/45	0.19	0.2689
2282	1978	1981	1141	1140	C35/45	0.19	0.2689
2283	1979	1982	1983	1980	C35/45	0.19	0.2689
2284	1980	1983	1984	1981	C35/45	0.19	0.2689
2285	1981	1984	1142	1141	C35/45	0.19	0.2689
2286	1982	1985	1986	1983	C35/45	0.19	0.2689
2287	1983	1986	1987	1984	C35/45	0.19	0.2689
2288	1984	1987	1143	1142	C35/45	0.19	0.2689
2289	1985	1988	1989	1986	C35/45	0.19	0.2689
2290	1986	1989	1990	1987	C35/45	0.19	0.2689
2291	1987	1990	1092	1143	C35/45	0.19	0.2689
2292	1988	1991	1992	1989	C35/45	0.19	0.3052
2293	1989	1992	1993	1990	C35/45	0.19	0.3052
2294	1990	1993	1144	1092	C35/45	0.19	0.3052
2295	1991	1994	1995	1992	C35/45	0.19	0.3052
2296	1992	1995	1996	1993	C35/45	0.19	0.3052
2297	1993	1996	1145	1144	C35/45	0.19	0.3052
2298	1994	1997	1998	1995	C35/45	0.19	0.3052
2299	1995	1998	1999	1996	C35/45	0.19	0.3052
2300	1996	1999	1146	1145	C35/45	0.19	0.3052
2301	1997	2000	2001	1998	C35/45	0.19	0.3052
2302	1998	2001	2002	1999	C35/45	0.19	0.3052
2303	1999	2002	1084	1146	C35/45	0.19	0.3052
2304	2000	2003	2004	2001	C35/45	0.19	0.3957
2305	2001	2004	2005	2002	C35/45	0.19	0.3957
2306	2002	2005	1147	1084	C35/45	0.19	0.3957
2307	2003	2006	2007	2004	C35/45	0.19	0.1915
2308	2004	2007	2008	2005	C35/45	0.19	0.1915
2309	2005	2008	1148	1147	C35/45	0.19	0.1915
2310	2006	2009	2010	2007	C35/45	0.19	0.2936
2311	2007	2010	2011	2008	C35/45	0.19	0.2936
2312	2008	2011	1149	1148	C35/45	0.19	0.2936
2313	2009	2012	2013	2010	C35/45	0.19	0.2936
2314	2010	2013	2014	2011	C35/45	0.19	0.2936
2315	2011	2014	1150	1149	C35/45	0.19	0.2936
2316	2012	2015	2016	2013	C35/45	0.19	0.2936
2317	2013	2016	2017	2014	C35/45	0.19	0.2936
2318	2014	2017	1093	1150	C35/45	0.19	0.2936
2319	2015	2018	2019	2016	C35/45	0.19	0.2689
2320	2016	2019	2020	2017	C35/45	0.19	0.2689
2321	2017	2020	1151	1093	C35/45	0.19	0.2689
2322	2018	2021	2022	2019	C35/45	0.19	0.2689
2323	2019	2022	2023	2020	C35/45	0.19	0.2689
2324	2020	2023	1152	1151	C35/45	0.19	0.2689
2325	2021	2024	2025	2022	C35/45	0.19	0.2689
2326	2022	2025	2026	2023	C35/45	0.19	0.2689
2327	2023	2026	1153	1152	C35/45	0.19	0.2689
2328	2024	2027	2028	2025	C35/45	0.19	0.2689
2329	2025	2028	2029	2026	C35/45	0.19	0.2689
2330	2026	2029	1154	1153	C35/45	0.19	0.2689
2331	2027	2030	2031	2028	C35/45	0.19	0.2689
2332	2028	2031	2032	2029	C35/45	0.19	0.2689
2333	2029	2032	1155	1154	C35/45	0.19	0.2689
2334	2030	2033	2034	2031	C35/45	0.19	0.2689
2335	2031	2034	2035	2032	C35/45	0.19	0.2689
2336	2032	2035	1156	1155	C35/45	0.19	0.2689
2337	2033	2036	2037	2034	C35/45	0.19	0.2689
2338	2034	2037	2038	2035	C35/45	0.19	0.2689
2339	2035	2038	1157	1156	C35/45	0.19	0.2689
2340	2036	2039	2040	2037	C35/45	0.19	0.2689
2341	2037	2040	2041	2038	C35/45	0.19	0.2689



PROJECT TITLE :


	Company				Client		
	Author				File Name		
						PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt	
2342	2038	2041	1158	1157	C35/45	0.19	0.2689
2343	2039	2042	2043	2040	C35/45	0.19	0.2689
2344	2040	2043	2044	2041	C35/45	0.19	0.2689
2345	2041	2044	1159	1158	C35/45	0.19	0.2689
2346	2042	2045	2046	2043	C35/45	0.19	0.2689
2347	2043	2046	2047	2044	C35/45	0.19	0.2689
2348	2044	2047	1080	1159	C35/45	0.19	0.2689
2349	2045	2048	2049	2046	C35/45	0.19	0.2419
2350	2046	2049	2050	2047	C35/45	0.19	0.2419
2351	2047	2050	1082	1080	C35/45	0.19	0.2419
2352	2051	2052	540	542	C35/45	0.19	0.1913
2353	2052	2053	556	540	C35/45	0.19	0.2125
2354	2053	2054	555	556	C35/45	0.19	0.2125
2355	2054	2055	557	555	C35/45	0.19	0.2125
2356	2055	2056	558	557	C35/45	0.19	0.2125
2357	2056	2057	559	558	C35/45	0.19	0.2125
2358	2057	2058	560	559	C35/45	0.19	0.2125
2359	2058	2059	561	560	C35/45	0.19	0.2125
2360	2059	2060	562	561	C35/45	0.19	0.2125
2361	2060	2061	563	562	C35/45	0.19	0.2125
2362	2061	2062	548	563	C35/45	0.19	0.2236
2363	2062	2063	564	548	C35/45	0.19	0.2301
2364	2063	2064	565	564	C35/45	0.19	0.2301
2365	2064	2065	566	565	C35/45	0.19	0.2301
2366	2065	2066	567	566	C35/45	0.19	0.1493
2367	2066	2067	544	567	C35/45	0.19	0.3108
2368	2067	2068	568	544	C35/45	0.19	0.2413
2369	2068	2069	569	568	C35/45	0.19	0.2413
2370	2069	2070	570	569	C35/45	0.19	0.2413
2371	2070	2071	549	570	C35/45	0.19	0.2413
2372	2071	2072	571	549	C35/45	0.19	0.2126
2373	2072	2073	572	571	C35/45	0.19	0.2126
2374	2073	2074	573	572	C35/45	0.19	0.2126
2375	2074	2075	574	573	C35/45	0.19	0.2126
2376	2075	2076	575	574	C35/45	0.19	0.2126
2377	2076	2077	576	575	C35/45	0.19	0.2126
2378	2077	2078	577	576	C35/45	0.19	0.2126
2379	2078	2079	578	577	C35/45	0.19	0.2126
2380	2079	2080	579	578	C35/45	0.19	0.2126
2381	2080	2081	550	579	C35/45	0.19	0.2126
2382	2081	2082	580	550	C35/45	0.19	0.1935
2383	2082	2083	546	580	C35/45	0.19	0.1935
2384	2083	2084	581	546	C35/45	0.19	0.2174
2385	2084	2085	582	581	C35/45	0.19	0.2174
2386	2085	2086	583	582	C35/45	0.19	0.2174
2387	2086	2087	584	583	C35/45	0.19	0.2174
2388	2087	2088	585	584	C35/45	0.19	0.2174
2389	2088	2089	586	585	C35/45	0.19	0.2174
2390	2089	2090	587	586	C35/45	0.19	0.2174
2391	2090	2091	551	587	C35/45	0.19	0.2174
2392	2091	2092	588	551	C35/45	0.19	0.2174
2393	2092	2093	589	588	C35/45	0.19	0.2174
2394	2093	2094	590	589	C35/45	0.19	0.2174
2395	2094	2095	591	590	C35/45	0.19	0.2174
2396	2095	2096	592	591	C35/45	0.19	0.2174
2397	2096	2097	593	592	C35/45	0.19	0.2174
2398	2097	2098	594	593	C35/45	0.19	0.2174
2399	2098	2099	547	594	C35/45	0.19	0.2174
2400	2099	2100	595	547	C35/45	0.19	0.1935
2401	2100	2101	552	595	C35/45	0.19	0.1935
2402	2101	2102	596	552	C35/45	0.19	0.2126
2403	2102	2103	597	596	C35/45	0.19	0.2126
2404	2103	2104	598	597	C35/45	0.19	0.2126
2405	2104	2105	599	598	C35/45	0.19	0.2126
2406	2105	2106	600	599	C35/45	0.19	0.2126
2407	2106	2107	601	600	C35/45	0.19	0.2126

PROJECT TITLE :


	Company				Client		
	Author				File Name		
							PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt
2408	2107	2108	602	601	C35/45	0.19	0.2126
2409	2108	2109	603	602	C35/45	0.19	0.2126
2410	2109	2110	604	603	C35/45	0.19	0.2126
2411	2110	2111	553	604	C35/45	0.19	0.2126
2412	2111	2112	605	553	C35/45	0.19	0.2413
2413	2112	2113	606	605	C35/45	0.19	0.2413
2414	2113	2114	607	606	C35/45	0.19	0.2413
2415	2114	2115	545	607	C35/45	0.19	0.2413
2416	2115	2116	608	545	C35/45	0.19	0.3129
2417	2116	2117	609	608	C35/45	0.19	0.1514
2418	2117	2118	610	609	C35/45	0.19	0.2321
2419	2118	2119	611	610	C35/45	0.19	0.2321
2420	2119	2120	554	611	C35/45	0.19	0.2321
2421	2120	2121	612	554	C35/45	0.19	0.2126
2422	2121	2122	613	612	C35/45	0.19	0.2126
2423	2122	2123	614	613	C35/45	0.19	0.2126
2424	2123	2124	615	614	C35/45	0.19	0.2126
2425	2124	2125	616	615	C35/45	0.19	0.2126
2426	2125	2126	617	616	C35/45	0.19	0.2126
2427	2126	2127	618	617	C35/45	0.19	0.2126
2428	2127	2128	619	618	C35/45	0.19	0.2126
2429	2128	2129	620	619	C35/45	0.19	0.2126
2430	2129	2130	541	620	C35/45	0.19	0.2126
2431	2130	2131	543	541	C35/45	0.19	0.1913
2432	2132	2133	1160	1162	C35/45	0.19	0.1913
2433	2133	2134	1176	1160	C35/45	0.19	0.2125
2434	2134	2135	1175	1176	C35/45	0.19	0.2125
2435	2135	2136	1177	1175	C35/45	0.19	0.2125
2436	2136	2137	1178	1177	C35/45	0.19	0.2125
2437	2137	2138	1179	1178	C35/45	0.19	0.2125
2438	2138	2139	1180	1179	C35/45	0.19	0.2125
2439	2139	2140	1181	1180	C35/45	0.19	0.2125
2440	2140	2141	1182	1181	C35/45	0.19	0.2125
2441	2141	2142	1183	1182	C35/45	0.19	0.2125
2442	2142	2143	1168	1183	C35/45	0.19	0.2236
2443	2143	2144	1184	1168	C35/45	0.19	0.2301
2444	2144	2145	1185	1184	C35/45	0.19	0.2301
2445	2145	2146	1186	1185	C35/45	0.19	0.2301
2446	2146	2147	1187	1186	C35/45	0.19	0.1493
2447	2147	2148	1164	1187	C35/45	0.19	0.3108
2448	2148	2149	1188	1164	C35/45	0.19	0.2413
2449	2149	2150	1189	1188	C35/45	0.19	0.2413
2450	2150	2151	1190	1189	C35/45	0.19	0.2413
2451	2151	2152	1169	1190	C35/45	0.19	0.2413
2452	2152	2153	1191	1169	C35/45	0.19	0.2126
2453	2153	2154	1192	1191	C35/45	0.19	0.2126
2454	2154	2155	1193	1192	C35/45	0.19	0.2126
2455	2155	2156	1194	1193	C35/45	0.19	0.2126
2456	2156	2157	1195	1194	C35/45	0.19	0.2126
2457	2157	2158	1196	1195	C35/45	0.19	0.2126
2458	2158	2159	1197	1196	C35/45	0.19	0.2126
2459	2159	2160	1198	1197	C35/45	0.19	0.2126
2460	2160	2161	1199	1198	C35/45	0.19	0.2126
2461	2161	2162	1170	1199	C35/45	0.19	0.2126
2462	2162	2163	1200	1170	C35/45	0.19	0.1935
2463	2163	2164	1166	1200	C35/45	0.19	0.1935
2464	2164	2165	1201	1166	C35/45	0.19	0.2174
2465	2165	2166	1202	1201	C35/45	0.19	0.2174
2466	2166	2167	1203	1202	C35/45	0.19	0.2174
2467	2167	2168	1204	1203	C35/45	0.19	0.2174
2468	2168	2169	1205	1204	C35/45	0.19	0.2174
2469	2169	2170	1206	1205	C35/45	0.19	0.2174
2470	2170	2171	1207	1206	C35/45	0.19	0.2174
2471	2171	2172	1171	1207	C35/45	0.19	0.2174
2472	2172	2173	1208	1171	C35/45	0.19	0.2174
2473	2173	2174	1209	1208	C35/45	0.19	0.2174




PROJECT TITLE :

	Company				Client		
	Author				File Name		
							PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt
2474	2174	2175	1210	1209	C35/45	0.19	0.2174
2475	2175	2176	1211	1210	C35/45	0.19	0.2174
2476	2176	2177	1212	1211	C35/45	0.19	0.2174
2477	2177	2178	1213	1212	C35/45	0.19	0.2174
2478	2178	2179	1214	1213	C35/45	0.19	0.2174
2479	2179	2180	1167	1214	C35/45	0.19	0.2174
2480	2180	2181	1215	1167	C35/45	0.19	0.1935
2481	2181	2182	1172	1215	C35/45	0.19	0.1935
2482	2182	2183	1216	1172	C35/45	0.19	0.2126
2483	2183	2184	1217	1216	C35/45	0.19	0.2126
2484	2184	2185	1218	1217	C35/45	0.19	0.2126
2485	2185	2186	1219	1218	C35/45	0.19	0.2126
2486	2186	2187	1220	1219	C35/45	0.19	0.2126
2487	2187	2188	1221	1220	C35/45	0.19	0.2126
2488	2188	2189	1222	1221	C35/45	0.19	0.2126
2489	2189	2190	1223	1222	C35/45	0.19	0.2126
2490	2190	2191	1224	1223	C35/45	0.19	0.2126
2491	2191	2192	1173	1224	C35/45	0.19	0.2126
2492	2192	2193	1225	1173	C35/45	0.19	0.2413
2493	2193	2194	1226	1225	C35/45	0.19	0.2413
2494	2194	2195	1227	1226	C35/45	0.19	0.2413
2495	2195	2196	1165	1227	C35/45	0.19	0.2413
2496	2196	2197	1228	1165	C35/45	0.19	0.3129
2497	2197	2198	1229	1228	C35/45	0.19	0.1514
2498	2198	2199	1230	1229	C35/45	0.19	0.2321
2499	2199	2200	1231	1230	C35/45	0.19	0.2321
2500	2200	2201	1174	1231	C35/45	0.19	0.2321
2501	2201	2202	1232	1174	C35/45	0.19	0.2126
2502	2202	2203	1233	1232	C35/45	0.19	0.2126
2503	2203	2204	1234	1233	C35/45	0.19	0.2126
2504	2204	2205	1235	1234	C35/45	0.19	0.2126
2505	2205	2206	1236	1235	C35/45	0.19	0.2126
2506	2206	2207	1237	1236	C35/45	0.19	0.2126
2507	2207	2208	1238	1237	C35/45	0.19	0.2126
2508	2208	2209	1239	1238	C35/45	0.19	0.2126
2509	2209	2210	1240	1239	C35/45	0.19	0.2126
2510	2210	2211	1161	1240	C35/45	0.19	0.2126
2511	2211	2212	1163	1161	C35/45	0.19	0.1913
2923	2213	2214	59	58	S355	0.018	0.1426
2924	2214	2215	151	59	S355	0.018	0.1584
2925	2216	2217	225	61	S355	0.016	0.1799
2926	2218	2219	307	63	S355	0.014	0.1621
2927	2220	2221	385	65	S355	0.014	0.1442
2928	2222	2223	466	67	S355	0.016	0.2333
2930	2224	2225	70	69	S355	0.018	0.1426
2932	2226	2227	202	60	S355	0.018	0.1715
2934	2228	2229	249	62	S355	0.016	0.1585
2936	2230	2231	295	74	S355	0.014	0.1442
2938	2232	2233	349	64	S355	0.014	0.1621
2940	2234	2235	399	66	S355	0.014	0.1585
2942	2236	2237	447	80	S355	0.016	0.1799
2944	2238	2239	495	68	S355	0.018	0.1585
2945	2240	2241	157	145	S355	0.018	0.1584
2946	2215	2240	145	151	S355	0.018	0.1584
2947	2241	2242	163	157	S355	0.018	0.1584
2948	2242	2243	169	163	S355	0.018	0.1584
2949	2243	2244	175	169	S355	0.018	0.1584
2950	2244	2245	181	175	S355	0.018	0.1584
2951	2245	2246	187	181	S355	0.018	0.1584
2952	2246	2247	193	187	S355	0.018	0.1584
2953	2247	2226	60	193	S355	0.018	0.1667
2954	2227	2248	203	202	S355	0.018	0.1715
2955	2248	2249	204	203	S355	0.018	0.1715
2956	2249	2250	205	204	S355	0.018	0.1113
2957	2250	2216	61	205	S355	0.016	0.2317
2958	2217	2251	226	225	S355	0.016	0.1799


PROJECT TITLE :

	Company				Client			
	Author				File Name			
							PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt	
2959	2251	2252	227	226	S355	0.016	0.1799	
2960	2252	2228	62	227	S355	0.016	0.1799	
2961	2229	2253	250	249	S355	0.016	0.1585	
2962	2253	2254	251	250	S355	0.016	0.1585	
2963	2254	2255	252	251	S355	0.016	0.1585	
2964	2255	2256	253	252	S355	0.016	0.1585	
2965	2256	2257	254	253	S355	0.016	0.1585	
2966	2257	2258	255	254	S355	0.016	0.1585	
2967	2258	2259	256	255	S355	0.016	0.1585	
2968	2259	2260	257	256	S355	0.014	0.1585	
2969	2260	2230	74	257	S355	0.014	0.1585	
2970	2231	2218	63	295	S355	0.014	0.1442	
2971	2219	2261	308	307	S355	0.014	0.1621	
2972	2261	2262	309	308	S355	0.014	0.1621	
2973	2262	2263	310	309	S355	0.014	0.1621	
2974	2263	2264	311	310	S355	0.014	0.1621	
2975	2264	2265	312	311	S355	0.014	0.1621	
2976	2265	2266	313	312	S355	0.014	0.1621	
2977	2266	2232	64	313	S355	0.014	0.1621	
2978	2233	2267	350	349	S355	0.014	0.1621	
2979	2267	2268	351	350	S355	0.014	0.1621	
2980	2268	2269	352	351	S355	0.014	0.1621	
2981	2269	2270	353	352	S355	0.014	0.1621	
2982	2270	2271	354	353	S355	0.014	0.1621	
2983	2271	2272	355	354	S355	0.014	0.1621	
2984	2272	2220	65	355	S355	0.014	0.1621	
2985	2221	2234	66	385	S355	0.014	0.1442	
2986	2235	2273	400	399	S355	0.014	0.1585	
2987	2273	2274	401	400	S355	0.016	0.1585	
2988	2274	2275	402	401	S355	0.016	0.1585	
2989	2275	2276	403	402	S355	0.016	0.1585	
2990	2276	2277	404	403	S355	0.016	0.1585	
2991	2277	2278	405	404	S355	0.016	0.1585	
2992	2278	2279	406	405	S355	0.016	0.1585	
2993	2279	2280	407	406	S355	0.016	0.1585	
2994	2280	2236	80	407	S355	0.016	0.1585	
2995	2237	2281	448	447	S355	0.016	0.1799	
2996	2281	2282	449	448	S355	0.016	0.1799	
2997	2282	2222	67	449	S355	0.016	0.1799	
2998	2223	2283	467	466	S355	0.018	0.1129	
2999	2283	2284	468	467	S355	0.018	0.1731	
3000	2284	2285	469	468	S355	0.018	0.1731	
3001	2285	2238	68	469	S355	0.018	0.1731	
3002	2239	2286	496	495	S355	0.018	0.1585	
3003	2286	2287	497	496	S355	0.018	0.1585	
3004	2287	2288	498	497	S355	0.018	0.1585	
3005	2288	2289	499	498	S355	0.018	0.1585	
3006	2289	2290	500	499	S355	0.018	0.1585	
3007	2290	2291	501	500	S355	0.018	0.1585	
3008	2291	2292	502	501	S355	0.018	0.1585	
3009	2292	2293	503	502	S355	0.018	0.1585	
3010	2293	2224	69	503	S355	0.018	0.1585	
3012	2294	2295	622	623	S355	0.018	0.1426	
3013	2295	2296	625	622	S355	0.018	0.1584	
3014	2297	2298	627	628	S355	0.016	0.1799	
3015	2299	2300	630	631	S355	0.014	0.1621	
3016	2301	2302	633	634	S355	0.014	0.1442	
3017	2303	2304	636	637	S355	0.016	0.2333	
3019	2305	2306	639	640	S355	0.018	0.1426	
3021	2307	2308	642	643	S355	0.018	0.1715	
3023	2309	2310	653	654	S355	0.016	0.1585	
3025	2311	2312	664	665	S355	0.014	0.1442	
3027	2313	2314	671	672	S355	0.014	0.1621	
3029	2315	2316	682	683	S355	0.014	0.1585	
3031	2317	2318	693	694	S355	0.016	0.1799	
3033	2319	2320	700	701	S355	0.018	0.1585	

PROJECT TITLE :

	Company				Client		
	Author				File Name		
						PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt	
3034	2321	2322	757	758	S355	0.018	0.1584
3035	2296	2321	758	625	S355	0.018	0.1584
3036	2322	2323	768	757	S355	0.018	0.1584
3037	2323	2324	774	768	S355	0.018	0.1584
3038	2324	2325	780	774	S355	0.018	0.1584
3039	2325	2326	786	780	S355	0.018	0.1584
3040	2326	2327	792	786	S355	0.018	0.1584
3041	2327	2328	798	792	S355	0.018	0.1584
3042	2328	2307	643	798	S355	0.018	0.1667
3043	2308	2329	804	642	S355	0.018	0.1715
3044	2329	2330	806	804	S355	0.018	0.1715
3045	2330	2331	808	806	S355	0.018	0.1113
3046	2331	2297	628	808	S355	0.016	0.2317
3047	2298	2332	822	627	S355	0.016	0.1799
3048	2332	2333	824	822	S355	0.016	0.1799
3049	2333	2309	654	824	S355	0.016	0.1799
3050	2310	2334	834	653	S355	0.016	0.1585
3051	2334	2335	836	834	S355	0.016	0.1585
3052	2335	2336	838	836	S355	0.016	0.1585
3053	2336	2337	840	838	S355	0.016	0.1585
3054	2337	2338	842	840	S355	0.016	0.1585
3055	2338	2339	844	842	S355	0.016	0.1585
3056	2339	2340	846	844	S355	0.016	0.1585
3057	2340	2341	848	846	S355	0.014	0.1585
3058	2341	2311	665	848	S355	0.014	0.1585
3059	2312	2299	631	664	S355	0.014	0.1442
3060	2300	2342	882	630	S355	0.014	0.1621
3061	2342	2343	884	882	S355	0.014	0.1621
3062	2343	2344	886	884	S355	0.014	0.1621
3063	2344	2345	888	886	S355	0.014	0.1621
3064	2345	2346	890	888	S355	0.014	0.1621
3065	2346	2347	892	890	S355	0.014	0.1621
3066	2347	2313	672	892	S355	0.014	0.1621
3067	2314	2348	918	671	S355	0.014	0.1621
3068	2348	2349	920	918	S355	0.014	0.1621
3069	2349	2350	922	920	S355	0.014	0.1621
3070	2350	2351	924	922	S355	0.014	0.1621
3071	2351	2352	926	924	S355	0.014	0.1621
3072	2352	2353	928	926	S355	0.014	0.1621
3073	2353	2301	634	928	S355	0.014	0.1621
3074	2302	2315	683	633	S355	0.014	0.1442
3075	2316	2354	954	682	S355	0.014	0.1585
3076	2354	2355	956	954	S355	0.016	0.1585
3077	2355	2356	958	956	S355	0.016	0.1585
3078	2356	2357	960	958	S355	0.016	0.1585
3079	2357	2358	962	960	S355	0.016	0.1585
3080	2358	2359	964	962	S355	0.016	0.1585
3081	2359	2360	966	964	S355	0.016	0.1585
3082	2360	2361	968	966	S355	0.016	0.1585
3083	2361	2317	694	968	S355	0.016	0.1585
3084	2318	2362	1002	693	S355	0.016	0.1799
3085	2362	2363	1004	1002	S355	0.016	0.1799
3086	2363	2303	637	1004	S355	0.016	0.1799
3087	2304	2364	1014	636	S355	0.018	0.1129
3088	2364	2365	1016	1014	S355	0.018	0.1731
3089	2365	2366	1018	1016	S355	0.018	0.1731
3090	2366	2319	701	1018	S355	0.018	0.1731
3091	2320	2367	1032	700	S355	0.018	0.1585
3092	2367	2368	1034	1032	S355	0.018	0.1585
3093	2368	2369	1036	1034	S355	0.018	0.1585
3094	2369	2370	1038	1036	S355	0.018	0.1585
3095	2370	2371	1040	1038	S355	0.018	0.1585
3096	2371	2372	1042	1040	S355	0.018	0.1585
3097	2372	2373	1044	1042	S355	0.018	0.1585
3098	2373	2374	1046	1044	S355	0.018	0.1585
3099	2374	2305	640	1046	S355	0.018	0.1585

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt

\*\*\* TOTAL WEIGHT / VOLUME / SURFACE AREA SUMMARY

SECTION TRUSS NUMBER	SECTION NO	SECION NAME	SURFACE AREA	VOLUMN	WEIGHT	FRAME NUMBER
000000	1	Irrig_correnti	17.51	0.1487	11.45	84
000000	2	Irrig_traversi	5.114	0.05901	4.543	24
000000	3	Fittizio	5.142	0.01285	0	320
000000	4	el rigido	85.7	21.43	0	176
000000	5	800x40+600x20	51.32	1.321	101.7	60
000000	6	HEB300	15.29	0.1281	9.864	16
000000	62	600x25	40.23	0.4842	37.27	60
000000	67	600x40	30.73	0.5763	44.36	48
000000	69	800x40	37	0.7048	54.25	40
000000	70	800x25	49.17	0.5959	45.88	60
000000	71	2L140x12	9.632	0.05532	4.258	4
000000	72	2L140x10	118.2	0.5699	43.87	32
000000	74	2L110x12	9.641	0.05469	4.21	4
000000	75	600x35	35.59	0.5886	45.31	52
000000	76	L100x12	12.04	0.06791	5.227	7
000000	78	2L120x12	28.9	0.1647	12.68	14
000000	79	2L100x10	30.68	0.1457	11.22	14
000000	80	2L100x12	84.43	0.4762	36.66	32

\*\*\* LOAD DATA

; Self Weight, Nodal Load, Specified Displacement, Beam Load, Floor Load, Finishing Material Load,  
 System Temperature, Nodal Temperature, Element Temperature, Beam Section Temperature,  
 Wind Load, Static Seismic Load, Time History Analysis Data


[ LOAD CASE : g1 ]

\*\* SELF WEIGHT DATA

; X=0, Y=0, Z=-1


\*\* BEAM LOAD DATA

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt

P3	MEMBER D4	P4	TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
0	2602	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	2603	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	2604	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	2605	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	2606	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	2607	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	2608	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	2609	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	2610	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	2611	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	2612	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	2613	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	2614	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	2615	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	2616	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	2617	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	2618	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	2619	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	2620	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	2621	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	2622	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	2623	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	2624	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	2625	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	2626	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	2627	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	2628	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	2629	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	2630	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	2631	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	2632	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt		
0	0	0								
	2633		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2634		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2635		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2636		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2637		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2638		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2639		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2640		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2641		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2642		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2643		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2644		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2645		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2646		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2647		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2648		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2649		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2650		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2651		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2652		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2653		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2654		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2655		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2656		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2657		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2658		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2659		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2660		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2661		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2662		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2663		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2664		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2665		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0

PROJECT TITLE :


		Company					Client			
		Author					File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt		
0	0	0								
	2666		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2667		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2668		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2669		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2670		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2671		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2672		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2673		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2674		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2675		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2676		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2677		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2678		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2679		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2680		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2681		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2682		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2683		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2684		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2685		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2686		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2687		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2688		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2689		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2690		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2691		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2692		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2693		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2694		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2695		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2696		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2697		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2698		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0

PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt		
0	0	0								
	2699		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2700		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2701		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2702		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2703		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2704		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2705		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2706		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2707		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2708		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2709		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2710		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2711		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2712		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2713		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2714		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2715		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2716		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2717		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2718		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2719		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2720		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2721		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2722		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2723		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2724		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2725		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2726		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2727		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2728		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2729		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2730		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
	2731		Uniform Load	GZ	NO	0	-23.4	1	-23.4	0



PROJECT TITLE :


	Company					Client				
	Author					File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt			

0	0	0								
0	2732	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
0	2733	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
0	2734	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
0	2735	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
0	2736	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
0	2737	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
0	2738	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
0	2739	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
0	2740	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
0	2741	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
0	2742	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
0	2743	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
0	2744	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
0	2745	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
0	2746	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
0	2747	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
0	2748	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
0	2749	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
0	2750	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
0	2751	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
0	2752	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
0	2753	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
0	2754	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
0	2755	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
0	2756	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
0	2757	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
0	2758	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
0	2759	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
0	2760	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								
0	2761	0	Uniform Load	GZ	NO	0	-23.4	1	-23.4	0
0	0	0								

[ LOAD CASE : g2 ]


\*\* BEAM LOAD DATA

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt

MEMBER		P4	TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3	D4									
0	2762	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2763	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2764	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2765	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2766	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2767	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2768	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2769	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2770	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2771	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2772	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2773	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2774	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2775	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2776	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2777	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2778	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2779	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2780	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2781	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2782	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2783	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2784	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2785	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2786	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2787	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2788	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2789	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2790	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2791	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt		
0	2792	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2793	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2794	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2795	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2796	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2797	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2798	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2799	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2800	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2801	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2802	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2803	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2804	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2805	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2806	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2807	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2808	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2809	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2810	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2811	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2812	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2813	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2814	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2815	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2816	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2817	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2818	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2819	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2820	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2821	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2822	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2823	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2824	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt		
0	2825	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2826	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2827	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2828	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2829	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2830	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2831	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2832	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2833	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2834	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2835	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2836	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2837	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2838	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2839	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2840	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2841	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2842	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2843	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2844	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2845	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2846	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2847	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2848	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2849	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2850	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2851	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2852	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2853	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2854	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2855	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2856	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2857	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								

PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt		
0	2858	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2859	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2860	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2861	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2862	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2863	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2864	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2865	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2866	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2867	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2868	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2869	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2870	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2871	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2872	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2873	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2874	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2875	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2876	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2877	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2878	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2879	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2880	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2881	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2882	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2883	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2884	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2885	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2886	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2887	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2888	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2889	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2890	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								


PROJECT TITLE :

	Company					Client				
	Author					File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt			

0	2891	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2892	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2893	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2894	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2895	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2896	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2897	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2898	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2899	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2900	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2901	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2902	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2903	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2904	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2905	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2906	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2907	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2908	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2909	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2910	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2911	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2912	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2913	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2914	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2915	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2916	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2917	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2918	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2919	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2920	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								
0	2921	0	Uniform Load	GZ	NO	0	-3.7	1	-3.7	0
0	0	0								

[ LOAD CASE : q3 ]


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt

\*\* BEAM LOAD DATA

MEMBER	MEMBER		TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3	D4	P4								
0	2602	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2603	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2604	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2605	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2606	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2607	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2608	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2609	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2610	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2611	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2612	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2613	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2614	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2615	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2616	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2617	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2618	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2619	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2620	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2621	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2622	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2623	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2624	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2625	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2626	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2627	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2628	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2629	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2630	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2631	0	Uniform Load	LX	NO	0	5.74	1	5.74	0


PROJECT TITLE :

	Company					Client				
	Author					File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt			

0	0	0								
0	2632	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2633	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2634	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2635	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2636	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2637	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2638	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2639	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2640	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2641	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2642	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2643	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2644	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2645	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2646	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2647	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2648	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2649	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2650	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2651	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2652	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2653	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2654	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2655	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2656	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2657	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2658	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2659	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2660	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2661	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2662	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2663	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2664	0	Uniform Load	LX	NO	0	5.74	1	5.74	0




PROJECT TITLE :

	Company					Client				
	Author					File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt			


0	0	0								
0	2665	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2666	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2667	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2668	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2669	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2670	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2671	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2672	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2673	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2674	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2675	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2676	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2677	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2678	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2679	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2680	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2681	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2682	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2683	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2684	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2685	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2686	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2687	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2688	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2689	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2690	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2691	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2692	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2693	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2694	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2695	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2696	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2697	0	Uniform Load	LX	NO	0	5.74	1	5.74	0

PROJECT TITLE :

	Company					Client				
	Author					File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt			

0	0	0								
0	2698	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2699	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2700	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2701	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2702	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2703	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2704	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2705	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2706	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2707	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2708	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2709	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2710	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2711	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2712	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2713	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2714	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2715	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2716	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2717	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2718	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2719	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2720	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2721	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2722	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2723	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2724	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2725	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2726	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2727	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2728	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2729	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2730	0	Uniform Load	LX	NO	0	5.74	1	5.74	0


PROJECT TITLE :

	Company					Client				
	Author					File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt			

0	0	0								
0	2731	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2732	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2733	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2734	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2735	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2736	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2737	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2738	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2739	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2740	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2741	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2742	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2743	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2744	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2745	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2746	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2747	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2748	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2749	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2750	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2751	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2752	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2753	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2754	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2755	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2756	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2757	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2758	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2759	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2760	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								
0	2761	0	Uniform Load	LX	NO	0	5.74	1	5.74	0
0	0	0								

[ LOAD CASE : q5\_pc ]


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt


\*\* BEAM LOAD DATA

MEMBER	MEMBER		TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3	D4	P4								
0	2842	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2842	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2843	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2843	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2844	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2844	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2845	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2845	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2846	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2846	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2847	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2847	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2848	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2848	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2849	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2849	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2850	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2850	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2851	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2851	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2852	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2852	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2853	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2853	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2854	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2854	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2855	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2855	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2856	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt		
0	2856	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2857	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2857	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2858	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2858	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2859	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2859	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2860	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2860	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2861	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2861	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2862	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2862	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2863	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2863	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2864	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2864	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2865	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2865	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2866	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2866	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2867	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2867	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2868	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2868	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2869	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2869	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2870	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2870	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2871	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2871	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2872	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2872	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								


PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt		
0	2873	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2873	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2874	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2874	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2875	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2875	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2876	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2876	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2877	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2877	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2878	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2878	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2879	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2879	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2880	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2880	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2881	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2881	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2882	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2882	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2883	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2883	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2884	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2884	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2885	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2885	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2886	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2886	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2887	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2887	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2888	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2888	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2889	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								

PROJECT TITLE :

		Company					Client			
		Author					File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt		
0	2889	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2890	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2890	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2891	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2891	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2892	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2892	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2893	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2893	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2894	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2894	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2895	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2895	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2896	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2896	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2897	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2897	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2898	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2898	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2899	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2899	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2900	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2900	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2901	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2901	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2902	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2902	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2903	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2903	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2904	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2904	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2905	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2905	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								


PROJECT TITLE :

	Company			Client					
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt				

0	2906	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2906	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2907	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2907	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2908	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2908	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2909	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2909	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2910	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2910	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2911	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2911	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2912	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2912	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2913	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2913	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2914	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2914	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2915	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2915	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2916	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2916	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2917	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2917	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2918	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2918	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2919	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2919	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2920	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								
0	2920	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2921	0	Uniform Load	LY	NO	0	5.9	1	5.9	0
0	0	0								
0	2921	0	Uniform M/T	LX	NO	0	-2.9	1	-2.9	0
0	0	0								



PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt

[ LOAD CASE : q5\_ps ]


\*\* BEAM LOAD DATA

MEMBER		P4	TYPE	DIR.	PROJ.	D1	P1	D2	P2	D3
P3	D4									
0	2842	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	2842	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	2843	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	2843	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	2844	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	2844	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	2845	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	2845	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	2846	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	2846	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	2847	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	2847	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	2848	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	2848	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	2849	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	2849	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	2850	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	2850	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	2851	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	2851	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	2852	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	2852	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	2853	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	2853	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	2854	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	2854	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	2855	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	2855	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	2856	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0

PROJECT TITLE :


		Company					Client			
		Author					File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt		
0	0	0								
	2856	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
	2857	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
	2857	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
	2858	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
	2858	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
	2859	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
	2859	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
	2860	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
	2860	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
	2861	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
	2861	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
	2862	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
	2862	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
	2863	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
	2863	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
	2864	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
	2864	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
	2865	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
	2865	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
	2866	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
	2866	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
	2867	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
	2867	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
	2868	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
	2868	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
	2869	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
	2869	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
	2870	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
	2870	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
	2871	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
	2871	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
	2872	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
	2872	0	Uniform Load	LY	NO	0	4.91	1	4.91	0

PROJECT TITLE :

	Company			Client					
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt				


0	0	0								
0	2873	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2873	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2874	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2874	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2875	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2875	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2876	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2876	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2877	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2877	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2878	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2878	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2879	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2879	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2880	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2880	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2881	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2881	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2882	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2882	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2883	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2883	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2884	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2884	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2885	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2885	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2886	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2886	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2887	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2887	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2888	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2888	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2889	0	Uniform Load	LY	NO	0	4.91	1	4.91	0

PROJECT TITLE :

	Company			Client					
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt				


0	0	0								
0	2889	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2890	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2890	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2891	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2891	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2892	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2892	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2893	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2893	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2894	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2894	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2895	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2895	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2896	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2896	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2897	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2897	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2898	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2898	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2899	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2899	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2900	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2900	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2901	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2901	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2902	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2902	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2903	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2903	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2904	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2904	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2905	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2905	0	Uniform Load	LY	NO	0	4.91	1	4.91	0

PROJECT TITLE :

	Company					Client				
	Author					File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt			

0	0	0								
0	2906	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2906	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2907	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2907	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2908	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2908	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2909	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2909	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2910	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2910	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2911	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2911	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2912	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2912	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2913	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2913	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2914	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2914	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2915	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2915	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2916	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2916	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2917	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2917	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2918	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2918	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2919	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2919	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2920	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								
0	2920	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2921	0	Uniform M/T	LX	NO	0	-1.23	1	-1.23	0
0	0	0								
0	2921	0	Uniform Load	LY	NO	0	4.91	1	4.91	0
0	0	0								

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt

\*\*\* RESPONSE SPECTRUM FUNCTION DATA

NAME	FUNCTION	SCALE	GRAVITY	DATA
TYPE				
SLV-z (q=~ 8 0.32:0.16	Normalized Acc.	1	9.806	0:0.135 0.05:0.341 0.15:0.341 0.235:0.21
SLV-xy 9 0.636:0.553	Normalized Acc.	1	9.806	0:0.31 0.15:0.783 0.449:0.783 0.543:0.64
SLD-xy 1 0.568:0.288	Normalized Acc.	1	9.806	0:0.16 0.14:0.391 0.419:0.391 0.494:0.33

\*\*\* RESPONSE SPECTRUM LOAD CASE DATA


NAME	FUNCTION NAME	DIR.	ANGLE	SCALE	PERIOD FACTOR	ACCIDENTAL ECCENTRICITY
------	---------------	------	-------	-------	---------------	-------------------------

\*\*\* LOAD COMBINATION DATA

\*\* GENERAL


NO	NAME	TYPE	ACTIVE	DESCRIPTION
1	Q2a	Add	ACTIVE	
2	Q2a-	Add	ACTIVE	
3	pp+perm	Add	ACTIVE	
4	SLU1	Add	ACTIVE	
5	SLU2	Add	ACTIVE	
6	SLU3	Add	ACTIVE	
7	SLU4	Add	ACTIVE	
8	SLU5	Add	ACTIVE	
9	SLU6	Add	ACTIVE	
10	SLU7	Add	ACTIVE	
11	SLU8	Add	ACTIVE	
12	SLU9	Add	ACTIVE	
13	SLU10	Add	ACTIVE	
14	SLU11	Add	ACTIVE	
15	SLU12	Add	ACTIVE	
16	SLEQP	Add	ACTIVE	
17	SLEF1	Add	ACTIVE	
18	SLEF2	Add	ACTIVE	
19	SLEF3	Add	ACTIVE	
20	SLEF4	Add	ACTIVE	
21	SLER1	Add	ACTIVE	
22	SLER2	Add	ACTIVE	
23	SLER3	Add	ACTIVE	
24	SLER4	Add	ACTIVE	
25	SLV1x	Add	ACTIVE	
26	SLV2x	Add	ACTIVE	
27	SLV3x	Add	ACTIVE	
28	SLV4x	Add	ACTIVE	
29	SLV5x	Add	ACTIVE	
30	SLV6x	Add	ACTIVE	
31	SLV7x	Add	ACTIVE	
32	SLV8x	Add	ACTIVE	
33	SLV1y	Add	ACTIVE	
34	SLV2y	Add	ACTIVE	

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_INPUT.mgt

35	SLV3y	Add	ACTIVE
36	SLV4y	Add	ACTIVE
37	SLV5y	Add	ACTIVE
38	SLV6y	Add	ACTIVE
39	SLV7y	Add	ACTIVE
40	SLV8y	Add	ACTIVE
41	SLV1z	Add	ACTIVE
42	SLV2z	Add	ACTIVE
43	SLV3z	Add	ACTIVE
44	SLV4z	Add	ACTIVE
45	SLV5z	Add	ACTIVE
46	SLV6z	Add	ACTIVE
47	SLV7z	Add	ACTIVE
48	SLV8z	Add	ACTIVE
49	INVSLU	Envelope	ACTIVE
50	INVSLV	Envelope	ACTIVE

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

\*\*\*\*\*  
 \*\*\*\*\*  
 \*\* Gen 2011 Modeling, Integrated Design & Analysis Software  
 \*\*  
 \*\* GENERAL STRUCTURE DESIGN SYSTEM  
 \*\*  
 \*\*\*\*\*  
 \*\*\*\*\*

```

      XXX  XXX  XX  XXXXXXXX  XXXXXXXX  XXXXXXXX
    XXXX XXXX  XX  XX  XX  XX  XX  XX  XX
  XX XXX XX  XX  XX  XX  XX  XX  XX
  XX X XX  XX  XX  XX  XXXXXXXX  XXXXXXXX
  XXX  XX  XXX  XXX  XX  XX  XX  XXX
  XXX  XX  XXX  XXX  XX  XXX  XX  XX  XXX
  XXX  XX  XXX  XXXXXXXX  XXX  XX  XXXXXXXX /Gen
  
```

Gen 2011

COPYRIGHT (C) SINCE 1989. MIDAS Information Technology Co.,Ltd.

ALL RIGHTS RESERVED.

MIDAS TEAM

\*\*\*\*\*  
 \*\*\*\*\*

ANALYSIS RESULT OUTPUT

---



# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

LOAD SET FOR DISPLACEMENT OUTPUT - Load Set 2

<< LOAD COMB/CASE/ENVEL ABBREVIATION TABLE >>

ABBREVIATION	FULL NAME	TYPE	DESCRIPTION
-----			
No Abbreviation was defined in this Load Set. All names are less than 8 char.'s			
-----			

<< SELECTED LOAD CASE/COMBINATION DETAIL LIST >>

[[Selected Load Cases]]


LOAD CASE ASE DETAIL TYPE	ANAL. TYPE	DESCRIPTION	STATIC LOAD C
-----			
Q1-1-2	Moving		
Q2a-1-2	Moving		
SLVx	Res.Spec		
SLVy	Res.Spec		
SLDx	Res.Spec		
SLDy	Res.Spec		
SLVz	Res.Spec		
ad (USER) g1	Static	peso proprio delle struttura	User Defined Lo
ad (USER) g2	Static	carichi permanenti portati	User Defined Lo
ad (USER) q3	Static	frenamento	User Defined Lo
ad (USER) q5 pc	Static	vento a ponte carico	User Defined Lo
ad (USER) q5 ps	Static	vento a ponte scarico	User Defined Lo

[[Selected Load Combinations]]

L. COMB	TYPE	COMBINATION DETAIL			
-----					
INVSLU 1.000 x SLU4	Gen.Envl	1.000 x SLU1	, 1.000 x SLU3	, 1.000 x SLU2	,
.000 x SLU8		1.000 x SLU5	, 1.000 x SLU6	, 1.000 x SLU7	, 1
INVS LV 1.000 x SLV4x	Gen.Envl	1.000 x SLV1x	, 1.000 x SLV2x	, 1.000 x SLV3x	,
.000 x SLV8x		1.000 x SLV5x	, 1.000 x SLV6x	, 1.000 x SLV7y	, 1

# MIDAS

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

.000 x SLV4y , 1.000 x SLV1y , 1.000 x SLV2y , 1.000 x SLV3y , 1  
.000 x SLV8y , 1.000 x SLV5y , 1.000 x SLV6y , 1.000 x SLV7x , 1  
.000 x SLV4z , 1.000 x SLV1z , 1.000 x SLV2z , 1.000 x SLV3z , 1  
.000 x SLV8z , 1.000 x SLV5z , 1.000 x SLV6z , 1.000 x SLV7z , 1

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

LOAD SET FOR REACTION OUTPUT - Load Set 1

<< LOAD COMB/CASE/ENVEL ABBREVIATION TABLE >>

ABBREVIATION	FULL NAME	TYPE	DESCRIPTION
Dead L~1	Dead Load	Stage	
Live L~1	Live Load	Stage	
Shrink~1	Shrinkage	Stage	

<< SELECTED LOAD CASE/COMBINATION DETAIL LIST >>


[[Selected Load Cases]]

LOAD CASE ASE DETAIL TYPE	ANAL. TYPE	DESCRIPTION	STATIC LOAD C
Q1-1-2	Moving		
Q2a-1-2	Moving		
SLVx	Res.Spec		
SLVy	Res.Spec		
SLDx	Res.Spec		
SLDy	Res.Spec		
SLVz	Res.Spec		
ad (USER) g1	Static	peso proprio delle struttura	User Defined Lo
ad (USER) g2	Static	carichi permanenti portati	User Defined Lo
ad (USER) q3	Static	frenamento	User Defined Lo
ad (USER) q5 pc	Static	vento a ponte carico	User Defined Lo
ad (USER) q5 ps	Static	vento a ponte scarico	User Defined Lo

[[Selected Load Combinations]]

L. COMB	TYPE	COMBINATION DETAIL
Q2a	Gen.Comb	1.000 x q3 + 1.000 x Q2a-1-2
Q2a-	Gen.Comb	-1.000 x q3 + 1.000 x Q2a-1-2
pp+perm	Gen.Comb	1.000 x Dead L~1 + 1.000 x Live L~1

PROJECT TITLE :

		Company	Client		
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
SLU1	Gen.Comb	0.900 x q5_pc	+ 1.350 x Dead L~1	+ 1.500 x Live L~1	+
1.200 x Creep	+				
SLU2	Gen.Comb	1.200 x Shrink~1 +	1.350 x Q1-1-2		
1.200 x Creep	+	-0.900 x q5_pc	+ 1.350 x Dead L~1	+ 1.500 x Live L~1	+
SLU3	Gen.Comb	1.200 x Shrink~1 +	1.350 x Q1-1-2		
1.200 x Creep	+	1.500 x q5_ps	+ 1.350 x Dead L~1	+ 1.125 x Live L~1	+
SLU4	Gen.Comb	1.200 x Shrink~1 +	1.013 x Q1-1-2		
1.200 x Creep	+	-1.500 x q5_ps	+ 1.350 x Dead L~1	+ 1.125 x Live L~1	+
SLU5	Gen.Comb	1.200 x Shrink~1 +	1.013 x Q1-1-2		
1.200 x Creep	+	0.900 x q5_pc	+ 1.350 x Dead L~1	+ 1.500 x Live L~1	+
SLU6	Gen.Comb	1.200 x Shrink~1 +	1.350 x Q2a		
1.200 x Creep	+	-0.900 x q5_pc	+ 1.350 x Dead L~1	+ 1.500 x Live L~1	+
SLU7	Gen.Comb	1.200 x Shrink~1 +	1.350 x Q2a		
1.200 x Creep	+	1.500 x q5_ps	+ 1.350 x Dead L~1	+ 1.125 x Live L~1	+
SLU8	Gen.Comb	1.200 x Shrink~1 +	1.013 x Q2a		
1.200 x Creep	+	-1.500 x q5_ps	+ 1.350 x Dead L~1	+ 1.125 x Live L~1	+
SLU9	Gen.Comb	1.200 x Shrink~1 +	1.013 x Q2a		
1.200 x Creep	+	0.900 x q5_pc	+ 1.350 x Dead L~1	+ 1.500 x Live L~1	+
SLU10	Gen.Comb	1.200 x Shrink~1 +	1.350 x Q2a-		
1.200 x Creep	+	-0.900 x q5_pc	+ 1.350 x Dead L~1	+ 1.500 x Live L~1	+
SLU11	Gen.Comb	1.200 x Shrink~1 +	1.350 x Q2a-		
1.200 x Creep	+	1.500 x q5_ps	+ 1.350 x Dead L~1	+ 1.125 x Live L~1	+
SLU12	Gen.Comb	1.200 x Shrink~1 +	1.013 x Q2a-		
1.200 x Creep	+	-1.500 x q5_ps	+ 1.350 x Dead L~1	+ 1.125 x Live L~1	+
SLEQP	Gen.Comb	1.200 x Shrink~1 +	1.013 x Q2a-		
SLEF1	Gen.Comb	1.000 x pp+perm	+ 1.000 x Creep	+ 1.000 x Shrink~1	
0.750 x Q1-1-2	+	1.000 x pp+perm	+ 1.000 x Creep	+ 1.000 x Shrink~1	+
SLEF2	Gen.Comb	0.200 x q5 ps			
0.750 x Q1-1-2	+	1.000 x pp+perm	+ 1.000 x Creep	+ 1.000 x Shrink~1	+
SLEF3	Gen.Comb	-0.200 x q5 ps			
0.750 x Q2a-1-2	+	1.000 x pp+perm	+ 1.000 x Creep	+ 1.000 x Shrink~1	+
SLEF4	Gen.Comb	0.200 x q5 ps			
0.750 x Q2a-1-2	+	1.000 x pp+perm	+ 1.000 x Creep	+ 1.000 x Shrink~1	+
SLER1	Gen.Comb	-0.200 x q5 ps			
1.000 x Q1-1-2	+	1.000 x pp+perm	+ 1.000 x Creep	+ 1.000 x Shrink~1	+
SLER2	Gen.Comb	0.600 x q5 pc			
1.000 x Q1-1-2	+	1.000 x pp+perm	+ 1.000 x Creep	+ 1.000 x Shrink~1	+
SLER3	Gen.Comb	-0.600 x q5 pc			
0.750 x Q1-1-2	+	1.000 x pp+perm	+ 1.000 x Creep	+ 1.000 x Shrink~1	+
SLER4	Gen.Comb	1.000 x q5 ps			
0.750 x Q1-1-2	+	1.000 x pp+perm	+ 1.000 x Creep	+ 1.000 x Shrink~1	+
SLV1x	Gen.Comb	-1.000 x q5 ps			
1.000 x pp+perm		1.000 x SLVx	+ 0.300 x SLVy	+ 0.300 x SLVz	+
SLV2x	Gen.Comb	1.000 x SLVx	+ -0.300 x SLVy	+ 0.300 x SLVz	+
1.000 x pp+perm					
SLV3x	Gen.Comb	1.000 x SLVx	+ 0.300 x SLVy	+ -0.300 x SLVz	+


MIDAS

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

1.000 x pp+perm SLV4x Gen.Comb	1.000 x SLVx	+ -0.300 x SLVy	+ -0.300 x SLVz	+
1.000 x pp+perm SLV5x Gen.Comb	-1.000 x SLVx	+ 0.300 x SLVy	+ 0.300 x SLVz	+
1.000 x pp+perm SLV6x Gen.Comb	-1.000 x SLVx	+ -0.300 x SLVy	+ 0.300 x SLVz	+
1.000 x pp+perm SLV7x Gen.Comb	-1.000 x SLVx	+ 0.300 x SLVy	+ -0.300 x SLVz	+
1.000 x pp+perm SLV8x Gen.Comb	-1.000 x SLVx	+ -0.300 x SLVy	+ -0.300 x SLVz	+
1.000 x pp+perm SLV1y Gen.Comb	1.000 x SLVy	+ 0.300 x SLVx	+ 0.300 x SLVz	+
1.000 x pp+perm SLV2y Gen.Comb	1.000 x SLVy	+ -0.300 x SLVx	+ 0.300 x SLVz	+
1.000 x pp+perm SLV3y Gen.Comb	1.000 x SLVy	+ 0.300 x SLVx	+ -0.300 x SLVz	+
1.000 x pp+perm SLV4y Gen.Comb	1.000 x SLVy	+ -0.300 x SLVx	+ -0.300 x SLVz	+
1.000 x pp+perm SLV5y Gen.Comb	-1.000 x SLVy	+ 0.300 x SLVx	+ 0.300 x SLVz	+
1.000 x pp+perm SLV6y Gen.Comb	-1.000 x SLVy	+ -0.300 x SLVx	+ 0.300 x SLVz	+
1.000 x pp+perm SLV7y Gen.Comb	-1.000 x SLVy	+ 0.300 x SLVx	+ -0.300 x SLVz	+
1.000 x pp+perm SLV8y Gen.Comb	-1.000 x SLVy	+ -0.300 x SLVx	+ -0.300 x SLVz	+
1.000 x pp+perm SLV1z Gen.Comb	1.000 x SLVz	+ 0.300 x SLVx	+ 0.300 x SLVy	+
1.000 x pp+perm SLV2z Gen.Comb	1.000 x SLVz	+ -0.300 x SLVx	+ 0.300 x SLVy	+
1.000 x pp+perm SLV3z Gen.Comb	1.000 x SLVz	+ 0.300 x SLVx	+ -0.300 x SLVy	+
1.000 x pp+perm SLV4z Gen.Comb	1.000 x SLVz	+ -0.300 x SLVx	+ -0.300 x SLVy	+
1.000 x pp+perm SLV5z Gen.Comb	-1.000 x SLVz	+ 0.300 x SLVx	+ 0.300 x SLVy	+
1.000 x pp+perm SLV6z Gen.Comb	-1.000 x SLVz	+ -0.300 x SLVx	+ 0.300 x SLVy	+
1.000 x pp+perm SLV7z Gen.Comb	-1.000 x SLVz	+ 0.300 x SLVx	+ -0.300 x SLVy	+
1.000 x pp+perm SLV8z Gen.Comb	-1.000 x SLVz	+ -0.300 x SLVx	+ -0.300 x SLVy	+
1.000 x pp+perm INVSLU Gen.Env1	1.000 x SLU1	, 1.000 x SLU3	, 1.000 x SLU2	,
1.000 x SLU4	, 1.000 x SLU5	, 1.000 x SLU6	, 1.000 x SLU7	, 1
.000 x SLU8 INVSLV Gen.Env1	1.000 x SLV1x	, 1.000 x SLV2x	, 1.000 x SLV3x	,
1.000 x SLV4x	, 1.000 x SLV5x	, 1.000 x SLV6x	, 1.000 x SLV7y	, 1
.000 x SLV8x	, 1.000 x SLV1y	, 1.000 x SLV2y	, 1.000 x SLV3y	, 1
.000 x SLV4y	, 1.000 x SLV5y	, 1.000 x SLV6y	, 1.000 x SLV7x	, 1
.000 x SLV8y	, 1.000 x SLV1z	, 1.000 x SLV2z	, 1.000 x SLV3z	, 1
.000 x SLV4z	, 1.000 x SLV5z	, 1.000 x SLV6z	, 1.000 x SLV7z	, 1
.000 x SLV8z				

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

LOAD SET FOR ELEMENT OUTPUT - Load Set 2

<< LOAD COMB/CASE/ENVEL ABBREVIATION TABLE >>

ABBREVIATION	FULL NAME	TYPE	DESCRIPTION
-----			
No Abbreviation was defined in this Load Set. All names are less than 8 char.'s			
-----			

<< SELECTED LOAD CASE/COMBINATION DETAIL LIST >>

[[Selected Load Cases]]


LOAD CASE ASE DETAIL TYPE	ANAL. TYPE	DESCRIPTION	STATIC LOAD C
-----			
Q1-1-2	Moving		
Q2a-1-2	Moving		
SLVx	Res.Spec		
SLVy	Res.Spec		
SLDx	Res.Spec		
SLDy	Res.Spec		
SLVz	Res.Spec		
ad (USER) g1	Static	peso proprio delle struttura	User Defined Lo
ad (USER) g2	Static	carichi permanenti portati	User Defined Lo
ad (USER) q3	Static	frenamento	User Defined Lo
ad (USER) q5 pc	Static	vento a ponte carico	User Defined Lo
ad (USER) q5 ps	Static	vento a ponte scarico	User Defined Lo

[[Selected Load Combinations]]

L. COMB	TYPE	COMBINATION DETAIL			
-----					
INVSLU 1.000 x SLU4	Gen.Envl	1.000 x SLU1	, 1.000 x SLU3	, 1.000 x SLU2	,
.000 x SLU8		1.000 x SLU5	, 1.000 x SLU6	, 1.000 x SLU7	, 1
INVS LV 1.000 x SLV4x	Gen.Envl	1.000 x SLV1x	, 1.000 x SLV2x	, 1.000 x SLV3x	,
.000 x SLV8x		1.000 x SLV5x	, 1.000 x SLV6x	, 1.000 x SLV7y	, 1

# MIDAS

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

.000 x SLV4y , 1.000 x SLV1y , 1.000 x SLV2y , 1.000 x SLV3y , 1  
 .000 x SLV8y , 1.000 x SLV5y , 1.000 x SLV6y , 1.000 x SLV7x , 1  
 .000 x SLV4z , 1.000 x SLV1z , 1.000 x SLV2z , 1.000 x SLV3z , 1  
 .000 x SLV8z 1.000 x SLV5z , 1.000 x SLV6z , 1.000 x SLV7z , 1



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

NODE DISPLACEMENT AND ROTATIONS DEFAULT PRINTOUT  
kN , m

Unit System :

NODE RZ	LC		UX	UY	UZ	RX	RY
1	Q1-1-2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	0.000	-0.0	-0.0
-0.0							
-0.0	SLVx	(RS)	0.004	0.000	0.000	-0.0	0.0
0.0	SLVy	(RS)	0.000	0.002	0.000	-0.0	0.0
-0.0	SLDx	(RS)	0.002	0.000	0.000	-0.0	0.0
0.0	SLDy	(RS)	0.000	0.001	0.000	-0.0	0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.000	0.0	-0.0
0.0	g1		-0.000	-0.000	0.000	-0.0	0.0
0.0	g2		0.000	-0.000	0.000	-0.0	0.0
0.0	q3		0.004	0.000	0.000	0.0	0.0
0.0	q5_pc		0.000	0.002	0.000	-0.0	-0.0
0.0	q5_ps		0.000	0.002	0.000	-0.0	-0.0
0.0							
0.0	INVSLU	Max	0.007	0.002	0.000	-0.0	0.0
-0.0		Min	-0.000	-0.002	0.000	-0.0	0.0
-0.0							
0.0	INVSLV	Max	0.004	0.002	0.000	-0.0	0.0
-0.0		Min	-0.004	-0.002	0.000	-0.0	0.0
-0.0							
2	Q1-1-2	Max	0.010	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.006	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	0.000	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	0.004	0.000	0.000	-0.0	0.0
-0.0	SLVy	(RS)	-0.000	0.002	0.000	-0.0	-0.0
-0.0	SLDx	(RS)	0.002	0.000	0.000	-0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


0.0	SLDy (RS)		-0.000	0.001	0.000	-0.0	-0.0
-0.0	SLVz (RS)		-0.001	-0.000	0.000	0.0	0.0
0.0	g1		0.009	0.000	0.000	-0.0	-0.0
-0.0	g2		0.004	0.000	0.000	-0.0	-0.0
-0.0	q3		0.005	-0.000	0.000	-0.0	-0.0
-0.0	q5_pc		-0.000	0.002	0.000	-0.0	0.0
-0.0	q5_ps		-0.000	0.002	0.000	-0.0	0.0
0.0	INVSLU	Max	0.035	0.002	0.000	-0.0	-0.0
-0.0		Min	0.020	-0.002	0.000	-0.0	-0.0
0.0	INVSLV	Max	0.018	0.002	0.000	-0.0	-0.0
-0.0		Min	0.010	-0.002	0.000	-0.0	-0.0
3	Q1-1-2	Max	0.000	0.000	0.001	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	Q2a-1-2	Max	0.000	0.000	0.001	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		0.004	0.000	0.000	-0.0	0.0
-0.0	SLVy (RS)		0.000	0.002	-0.000	-0.0	0.0
0.0	SLDx (RS)		0.002	0.000	0.000	-0.0	0.0
-0.0	SLDy (RS)		0.000	0.001	-0.000	-0.0	0.0
0.0	SLVz (RS)		-0.001	0.000	-0.000	0.0	-0.0
-0.0	g1		-0.000	-0.000	0.001	-0.0	0.0
0.0	g2		0.000	-0.000	0.001	-0.0	0.0
0.0	q3		0.004	-0.000	0.000	0.0	0.0
0.0	q5_pc		0.000	0.002	-0.000	-0.0	-0.0
0.0	q5_ps		0.000	0.001	-0.000	-0.0	-0.0
0.0	INVSLU	Max	0.007	0.002	0.007	-0.0	0.0
-0.0		Min	-0.001	-0.002	0.005	-0.0	0.0
0.0	INVSLV	Max	0.004	0.002	0.003	-0.0	0.0
-0.0		Min	-0.004	-0.002	0.003	-0.0	0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

4	Q1-1-2	Max	0.010	0.000	0.001	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.006	0.000	0.001	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	SLVx	(RS)	0.004	0.000	-0.000	-0.0	0.0
0.0	SLVy	(RS)	-0.000	0.002	-0.000	-0.0	-0.0
-0.0							
	SLDx	(RS)	0.002	0.000	-0.000	-0.0	0.0
0.0	SLDy	(RS)	-0.000	0.001	-0.000	-0.0	-0.0
-0.0							
	SLVz	(RS)	-0.001	-0.000	-0.000	0.0	0.0
0.0							
	g1		0.009	-0.000	0.001	-0.0	-0.0
-0.0							
	g2		0.004	-0.000	0.001	-0.0	-0.0
-0.0							
	q3		0.005	-0.000	0.000	-0.0	-0.0
-0.0							
	q5_pc		-0.000	0.002	-0.000	-0.0	0.0
-0.0							
	q5_ps		-0.000	0.001	-0.000	-0.0	0.0
-0.0							
	INVSLU	Max	0.035	0.002	0.007	-0.0	-0.0
0.0		Min	0.020	-0.002	0.005	-0.0	-0.0
-0.0							
	INVSLV	Max	0.018	0.002	0.003	0.0	-0.0
0.0		Min	0.010	-0.002	0.003	-0.0	-0.0
-0.0							
	5	Q1-1-2	Max	0.006	0.001	0.000	0.0
0.0			Min	-0.000	-0.001	-0.000	-0.0
-0.0							
		Q2a-1-2	Max	0.004	0.001	0.000	0.0
0.0			Min	-0.000	-0.000	-0.000	-0.0
-0.0							
		SLVx	(RS)	0.004	-0.000	0.000	0.0
-0.0		SLVy	(RS)	0.000	0.003	-0.000	-0.0
0.0							
		SLDx	(RS)	0.002	-0.000	0.000	0.0
-0.0		SLDy	(RS)	0.000	0.002	-0.000	-0.0
0.0							
		SLVz	(RS)	-0.001	-0.000	0.000	-0.0
-0.0							
		g1		0.005	0.000	-0.000	0.0
0.0							
		g2		0.003	0.000	-0.000	0.0
0.0							


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	q3		0.005	-0.000	-0.000	0.0	0.0
0.0	q5_pc		0.000	0.003	-0.000	-0.0	-0.0
0.0	q5_ps		0.000	0.002	-0.000	-0.0	-0.0
0.0	INVS LU	Max	0.036	0.005	-0.000	-0.0	0.0
-0.0		Min	0.025	-0.004	-0.001	-0.0	0.0
0.0	INVS LV	Max	0.019	0.003	-0.000	0.0	0.0
-0.0		Min	0.011	-0.003	-0.000	0.0	0.0
6 0.0	Q1-1-2	Max	0.004	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q2a-1-2	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	0.000	-0.0	0.0
-0.0	SLVy	(RS)	-0.000	0.003	-0.000	-0.0	-0.0
0.0	SLDx	(RS)	0.002	-0.000	0.000	-0.0	0.0
-0.0	SLDy	(RS)	-0.000	0.002	-0.000	-0.0	-0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.000	-0.0	0.0
-0.0	g1		0.003	0.000	-0.000	0.0	-0.0
-0.0	g2		0.002	0.000	-0.000	0.0	-0.0
0.0	q3		0.005	0.000	-0.000	0.0	-0.0
-0.0	q5_pc		-0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps		-0.000	0.002	-0.000	-0.0	0.0
0.0	INVS LU	Max	0.005	0.005	-0.000	-0.0	-0.0
-0.0		Min	-0.004	-0.004	-0.001	-0.0	-0.0
0.0	INVS LV	Max	0.004	0.003	-0.000	0.0	-0.0
-0.0		Min	-0.005	-0.003	-0.000	0.0	-0.0
7 0.0	Q1-1-2	Max	0.006	0.001	0.001	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q2a-1-2	Max	0.004	0.001	0.001	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	0.004	-0.000	0.000	-0.0	0.0
-0.0	SLVy (RS)	0.000	0.003	-0.000	-0.0	0.0
0.0	SLDx (RS)	0.002	-0.000	0.000	-0.0	0.0
-0.0	SLDy (RS)	0.000	0.002	-0.000	-0.0	0.0
0.0	SLVz (RS)	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0	g1	0.005	0.000	0.001	0.0	0.0
0.0	g2	0.003	0.000	0.000	0.0	0.0
0.0	q3	0.005	-0.000	0.000	0.0	0.0
0.0	q5_pc	0.000	0.003	-0.000	-0.0	-0.0
0.0	q5_ps	0.000	0.002	-0.000	-0.0	-0.0
0.0	INVS LU Max	0.036	0.005	0.007	-0.0	0.0
-0.0	Min	0.025	-0.004	0.005	-0.0	0.0
0.0	INVS LV Max	0.019	0.003	0.003	0.0	0.0
-0.0	Min	0.010	-0.003	0.003	0.0	0.0
8	Q1-1-2 Max	0.004	0.001	0.001	0.0	0.0
0.0	Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0	Q2a-1-2 Max	0.002	0.001	0.001	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	0.004	-0.000	-0.000	-0.0	0.0
0.0	SLVy (RS)	-0.000	0.003	-0.000	-0.0	-0.0
-0.0	SLDx (RS)	0.002	-0.000	-0.000	-0.0	0.0
0.0	SLDy (RS)	-0.000	0.002	-0.000	-0.0	-0.0
-0.0	SLVz (RS)	-0.001	-0.000	-0.000	-0.0	0.0
0.0	g1	0.003	0.000	0.001	0.0	-0.0
-0.0	g2	0.002	0.000	0.000	0.0	-0.0
-0.0	q3	0.005	0.000	0.000	0.0	-0.0
0.0	q5_pc	-0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps	-0.000	0.002	-0.000	-0.0	0.0
-0.0	INVS LU Max	0.005	0.005	0.007	-0.0	-0.0
0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.0		Min	-0.005	-0.004	0.005	-0.0	-0.0
0.0	INVSLV	Max	0.004	0.003	0.003	0.0	-0.0
-0.0		Min	-0.005	-0.003	0.003	0.0	-0.0
9 0.0	Q1-1-2	Max	0.002	0.002	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.025	-0.0	-0.0
0.0	Q2a-1-2	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.015	-0.0	-0.0
-0.0		SLVx (RS)	0.004	-0.000	-0.002	-0.0	-0.0
0.0		SLVy (RS)	0.000	0.004	-0.000	-0.0	0.0
-0.0		SLDx (RS)	0.002	-0.000	-0.001	-0.0	-0.0
0.0		SLDy (RS)	0.000	0.002	-0.000	-0.0	0.0
-0.0		SLVz (RS)	-0.001	-0.000	0.001	-0.0	-0.0
0.0		g1	0.002	0.000	-0.021	0.0	0.0
0.0		g2	0.001	0.000	-0.010	-0.0	0.0
-0.0		q3	0.005	0.000	-0.001	0.0	0.0
0.0		q5_pc	0.000	0.003	0.000	-0.0	-0.0
0.0		q5_ps	0.000	0.003	0.000	-0.0	0.0
0.0	INVSLU	Max	0.014	0.007	-0.089	0.0	0.0
-0.0		Min	0.006	-0.005	-0.123	-0.0	0.0
0.0	INVSLV	Max	0.008	0.005	-0.051	0.0	0.0
-0.0		Min	-0.000	-0.004	-0.057	0.0	0.0
10 0.0	Q1-1-2	Max	0.009	0.002	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.025	-0.0	-0.0
0.0	Q2a-1-2	Max	0.005	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.015	-0.0	-0.0
0.0		SLVx (RS)	0.004	-0.000	0.002	0.0	0.0
-0.0		SLVy (RS)	-0.000	0.004	-0.000	-0.0	-0.0
0.0		SLDx (RS)	0.002	-0.000	0.001	0.0	0.0
-0.0		SLDy (RS)	-0.000	0.002	-0.000	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.0	SLVz (RS)		-0.001	-0.000	0.001	-0.0	0.0
0.0	g1		0.008	0.000	-0.021	0.0	-0.0
-0.0	g2		0.004	0.000	-0.010	-0.0	-0.0
-0.0	q3		0.005	0.000	-0.001	-0.0	-0.0
0.0	q5_pc		-0.000	0.003	0.000	-0.0	0.0
-0.0	q5_ps		-0.000	0.003	0.000	-0.0	-0.0
-0.0	INVSLU	Max	0.034	0.007	-0.089	0.0	-0.0
0.0		Min	0.020	-0.005	-0.124	-0.0	-0.0
-0.0	INVSLV	Max	0.018	0.005	-0.051	0.0	-0.0
0.0		Min	0.009	-0.004	-0.057	0.0	-0.0
-0.0							
13	Q1-1-2	Max	0.007	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.025	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.015	-0.0	-0.0
-0.0	SLVx (RS)		0.004	-0.000	-0.002	0.0	-0.0
0.0	SLVy (RS)		0.000	0.004	-0.000	0.0	0.0
0.0	SLDx (RS)		0.002	-0.000	-0.001	0.0	-0.0
0.0	SLDy (RS)		0.000	0.002	-0.000	0.0	0.0
0.0	SLVz (RS)		-0.001	-0.000	0.001	-0.0	-0.0
-0.0	g1		0.006	0.000	-0.021	0.0	0.0
-0.0	g2		0.003	0.000	-0.010	0.0	0.0
0.0	q3		0.005	-0.000	-0.001	0.0	0.0
0.0	q5_pc		0.000	0.003	0.000	-0.0	0.0
0.0	q5_ps		0.000	0.003	0.000	-0.0	0.0
0.0	INVSLU	Max	0.036	0.004	-0.089	0.0	0.0
0.0		Min	0.024	-0.005	-0.124	-0.0	0.0
-0.0	INVSLV	Max	0.019	0.004	-0.051	0.0	0.0
0.0		Min	0.010	-0.004	-0.057	0.0	0.0
-0.0							


PROJECT TITLE :

MIDAS		Company					Client	
		Author					File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt
14	Q1-1-2	Max	0.004	0.000	0.000	0.0	0.0	
0.0		Min	-0.000	-0.000	-0.025	-0.0	-0.0	
-0.0								
	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0	
0.0		Min	-0.000	-0.000	-0.015	-0.0	-0.0	
-0.0								
-0.0	SLVx	(RS)	0.004	0.000	0.002	0.0	0.0	
-0.0	SLVy	(RS)	-0.000	0.004	-0.000	0.0	-0.0	
-0.0	SLDx	(RS)	0.002	0.000	0.001	0.0	0.0	
-0.0	SLDy	(RS)	-0.000	0.002	-0.000	0.0	-0.0	
-0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	0.0	
0.0	g1		0.004	0.000	-0.021	0.0	-0.0	
0.0	g2		0.002	0.000	-0.010	0.0	-0.0	
0.0	q3		0.005	-0.000	-0.001	0.0	-0.0	
-0.0	q5_pc		-0.000	0.003	0.000	-0.0	-0.0	
-0.0	q5_ps		-0.000	0.003	0.000	-0.0	-0.0	
	INVSLU	Max	0.012	0.004	-0.089	0.0	-0.0	
0.0		Min	0.002	-0.005	-0.124	-0.0	-0.0	
-0.0								
	INVSLV	Max	0.007	0.004	-0.051	0.0	-0.0	
0.0		Min	-0.001	-0.004	-0.057	0.0	-0.0	
-0.0								
18	Q1-1-2	Max	0.003	0.001	0.000	0.0	0.0	
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0	
-0.0								
	Q2a-1-2	Max	0.002	0.000	0.000	0.0	0.0	
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0	
-0.0								
0.0	SLVx	(RS)	0.004	-0.000	0.000	-0.0	0.0	
0.0	SLVy	(RS)	0.000	0.003	-0.000	-0.0	0.0	
0.0	SLDx	(RS)	0.002	-0.000	0.000	-0.0	0.0	
0.0	SLDy	(RS)	0.000	0.002	-0.000	-0.0	0.0	
0.0	SLVz	(RS)	-0.001	-0.000	0.000	-0.0	-0.0	
-0.0	g1		0.003	0.000	-0.000	0.0	0.0	
-0.0	g2		0.002	0.000	-0.000	0.0	0.0	
-0.0	q3		0.005	-0.000	0.000	0.0	0.0	
0.0								




# MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	q5_pc		0.000	0.002	-0.000	-0.0	-0.0
0.0	q5_ps		0.000	0.002	-0.000	-0.0	-0.0
0.0	INVSLU	Max	0.021	0.004	-0.000	0.0	0.0
-0.0		Min	0.012	-0.003	-0.001	-0.0	0.0
0.0	INVSLV	Max	0.011	0.003	-0.000	0.0	0.0
-0.0		Min	0.003	-0.003	-0.000	-0.0	0.0
20 0.0	Q1-1-2	Max	0.004	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.025	-0.0	-0.0
0.0	Q2a-1-2	Max	0.002	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.015	-0.0	-0.0
-0.0	SLVx (RS)		0.004	-0.000	-0.002	0.0	-0.0
0.0	SLVy (RS)		0.000	0.005	-0.000	0.0	0.0
-0.0	SLDx (RS)		0.002	-0.000	-0.001	0.0	-0.0
0.0	SLDy (RS)		0.000	0.002	-0.000	0.0	0.0
-0.0	SLVz (RS)		-0.001	-0.000	0.001	-0.0	-0.0
0.0	g1		0.004	0.000	-0.021	0.0	0.0
-0.0	g2		0.002	0.000	-0.010	-0.0	0.0
-0.0	q3		0.005	0.000	-0.001	0.0	0.0
0.0	q5_pc		0.000	0.004	0.000	0.0	-0.0
0.0	q5_ps		0.000	0.004	0.000	0.0	0.0
0.0	INVSLU	Max	0.024	0.006	-0.089	0.0	0.0
-0.0		Min	0.014	-0.007	-0.124	-0.0	0.0
0.0	INVSLV	Max	0.013	0.005	-0.051	0.0	0.0
-0.0		Min	0.005	-0.005	-0.057	0.0	0.0
29 0.0	Q1-1-2	Max	0.006	0.003	0.000	0.0	0.0
-0.0		Min	-0.000	-0.003	-0.043	-0.0	-0.0
0.0	Q2a-1-2	Max	0.004	0.002	0.000	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.025	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
-0.0	SLVx (RS)	0.004	-0.000	0.004	-0.0	-0.0
0.0	SLVy (RS)	0.000	0.005	-0.001	0.0	-0.0
-0.0	SLDx (RS)	0.002	-0.000	0.002	-0.0	-0.0
0.0	SLDy (RS)	0.000	0.003	-0.000	0.0	-0.0
-0.0	SLVz (RS)	-0.001	-0.000	0.002	-0.0	0.0
0.0	g1	0.005	0.000	-0.035	0.0	0.0
-0.0	g2	0.003	0.000	-0.017	-0.0	0.0
-0.0	q3	0.005	0.000	-0.001	-0.0	-0.0
-0.0	q5_pc	-0.000	0.003	0.000	-0.0	-0.0
-0.0	q5_ps	-0.000	0.003	0.000	-0.0	-0.0
0.0	INVSLU Max	0.026	0.009	-0.148	0.0	0.0
-0.0	Min	0.015	-0.007	-0.207	-0.0	-0.0
0.0	INVSLV Max	0.014	0.006	-0.086	0.0	0.0
0.0	Min	0.006	-0.005	-0.095	0.0	-0.0
30	Q1-1-2 Max	0.006	0.002	0.000	0.0	0.0
0.0	Min	-0.000	-0.002	-0.043	-0.0	-0.0
-0.0	Q2a-1-2 Max	0.004	0.001	0.000	0.0	0.0
0.0	Min	-0.000	-0.001	-0.025	-0.0	-0.0
-0.0	SLVx (RS)	0.004	-0.000	0.004	0.0	-0.0
0.0	SLVy (RS)	0.000	0.005	-0.001	0.0	-0.0
0.0	SLDx (RS)	0.002	-0.000	0.002	0.0	-0.0
0.0	SLDy (RS)	0.000	0.003	-0.000	0.0	-0.0
0.0	SLVz (RS)	-0.001	-0.000	0.002	-0.0	0.0
-0.0	g1	0.005	0.000	-0.035	0.0	0.0
0.0	g2	0.003	0.000	-0.017	0.0	0.0
0.0	q3	0.005	0.000	-0.001	0.0	-0.0
0.0	q5_pc	-0.000	0.003	0.000	-0.0	-0.0
-0.0	q5_ps	-0.000	0.003	0.000	-0.0	-0.0
0.0	INVSLU Max	0.026	0.006	-0.148	0.0	0.0
-0.0	Min	0.015	-0.007	-0.207	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	INVS LV	Max	0.014	0.005	-0.086	0.0	0.0
0.0		Min	0.006	-0.005	-0.095	0.0	-0.0
32	Q1-1-2	Max	0.006	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.043	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.025	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	0.004	0.000	0.004	-0.0	-0.0
0.0	SLVy	(RS)	0.000	0.005	-0.001	0.0	-0.0
0.0	SLDx	(RS)	0.002	0.000	0.002	-0.0	-0.0
0.0	SLDy	(RS)	0.000	0.002	-0.000	0.0	-0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.002	-0.0	0.0
-0.0							
0.0	g1		0.005	0.000	-0.035	0.0	-0.0
0.0	g2		0.003	0.000	-0.017	0.0	-0.0
0.0	q3		0.005	-0.000	-0.001	0.0	-0.0
0.0	q5_pc		-0.000	0.003	0.000	-0.0	-0.0
-0.0	q5_ps		-0.000	0.003	0.000	-0.0	-0.0
-0.0							
0.0	INVSLU	Max	0.026	0.004	-0.148	0.0	0.0
0.0		Min	0.015	-0.005	-0.207	-0.0	-0.0
-0.0							
0.0	INVS LV	Max	0.014	0.004	-0.086	0.0	0.0
0.0		Min	0.006	-0.005	-0.095	-0.0	-0.0
-0.0							
35	Q1-1-2	Max	0.007	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.025	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.015	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	0.004	-0.000	0.002	0.0	0.0
0.0	SLVy	(RS)	-0.000	0.005	-0.000	0.0	-0.0
-0.0	SLDx	(RS)	0.002	-0.000	0.001	0.0	0.0
0.0	SLDy	(RS)	-0.000	0.002	-0.000	0.0	-0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


0.0							
-0.0	g1		0.006	0.000	-0.021	0.0	-0.0
0.0	g2		0.003	0.000	-0.010	-0.0	-0.0
0.0	q3		0.005	0.000	-0.001	0.0	-0.0
-0.0	q5_pc		-0.000	0.004	0.000	0.0	0.0
-0.0	q5_ps		-0.000	0.004	0.000	0.0	-0.0
0.0	INVSLU	Max	0.023	0.006	-0.089	0.0	-0.0
-0.0		Min	0.011	-0.007	-0.124	-0.0	-0.0
0.0	INVSLV	Max	0.013	0.005	-0.051	0.0	-0.0
-0.0		Min	0.004	-0.005	-0.057	0.0	-0.0
42	Q1-1-2	Max	0.007	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	0.000	-0.0	0.0
-0.0	SLVy	(RS)	-0.000	0.003	-0.000	-0.0	-0.0
-0.0	SLDx	(RS)	0.002	-0.000	0.000	-0.0	0.0
-0.0	SLDy	(RS)	-0.000	0.002	-0.000	-0.0	-0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.000	-0.0	0.0
0.0	g1		0.006	0.000	-0.000	0.0	-0.0
-0.0	g2		0.003	0.000	-0.000	0.0	-0.0
0.0	q3		0.005	0.000	-0.000	0.0	-0.0
-0.0	q5_pc		-0.000	0.002	-0.000	-0.0	0.0
-0.0	q5_ps		-0.000	0.002	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.020	0.004	-0.000	0.0	-0.0
-0.0		Min	0.008	-0.003	-0.001	-0.0	-0.0
0.0	INVSLV	Max	0.011	0.003	-0.000	0.0	-0.0
-0.0		Min	0.003	-0.003	-0.000	-0.0	-0.0
44	Q1-1-2	Max	0.003	0.001	0.001	0.0	0.0
0.0							

PROJECT TITLE :


MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q2a-1-2	Max	0.002	0.000	0.001	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0		SLVx (RS)	0.004	-0.000	0.000	-0.0	0.0
0.0		SLVy (RS)	0.000	0.003	-0.000	-0.0	0.0
0.0		SLDx (RS)	0.002	-0.000	0.000	-0.0	0.0
0.0		SLDy (RS)	0.000	0.001	-0.000	-0.0	0.0
0.0		SLVz (RS)	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0		g1	0.003	0.000	0.001	0.0	0.0
-0.0		g2	0.002	0.000	0.001	0.0	0.0
0.0		q3	0.005	-0.000	0.000	0.0	0.0
-0.0		q5_pc	0.000	0.002	-0.000	-0.0	-0.0
-0.0		q5_ps	0.000	0.002	-0.000	-0.0	-0.0
0.0	INVSLU	Max	0.021	0.004	0.007	0.0	0.0
-0.0		Min	0.012	-0.003	0.005	-0.0	0.0
-0.0	INVSLV	Max	0.011	0.003	0.003	0.0	0.0
-0.0		Min	0.003	-0.003	0.003	-0.0	0.0
0.0	45 Q1-1-2	Max	0.007	0.001	0.001	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q2a-1-2	Max	0.004	0.000	0.001	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0		SLVx (RS)	0.004	-0.000	-0.000	-0.0	0.0
-0.0		SLVy (RS)	-0.000	0.003	-0.000	-0.0	-0.0
-0.0		SLDx (RS)	0.002	-0.000	-0.000	-0.0	0.0
-0.0		SLDy (RS)	-0.000	0.001	-0.000	-0.0	-0.0
-0.0		SLVz (RS)	-0.001	-0.000	-0.000	-0.0	0.0
0.0		g1	0.006	0.000	0.001	0.0	-0.0
0.0		g2	0.003	0.000	0.001	0.0	-0.0
0.0		q3	0.005	0.000	0.000	0.0	-0.0
0.0		q5_pc	-0.000	0.002	-0.000	-0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	q5_ps		-0.000	0.002	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.020	0.004	0.007	0.0	-0.0
-0.0		Min	0.008	-0.003	0.005	-0.0	-0.0
0.0	INVSLV	Max	0.011	0.003	0.003	0.0	-0.0
0.0		Min	0.002	-0.003	0.003	-0.0	-0.0
46 0.0	Q1-1-2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	0.000	-0.0	-0.0
0.0	Q2a-1-2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	0.000	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	0.000	-0.0	0.0
0.0	SLVy	(RS)	-0.000	0.003	0.000	-0.0	-0.0
0.0	SLDx	(RS)	0.002	-0.000	0.000	-0.0	0.0
0.0	SLDy	(RS)	-0.000	0.001	0.000	-0.0	-0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.000	-0.0	-0.0
-0.0	g1		0.000	0.000	0.000	0.0	0.0
-0.0	g2		0.000	0.000	0.000	0.0	0.0
-0.0	q3		0.004	-0.000	0.000	-0.0	0.0
0.0	q5_pc		-0.000	0.002	0.000	-0.0	0.0
0.0	q5_ps		-0.000	0.002	0.000	-0.0	0.0
0.0	INVSLU	Max	0.007	0.004	0.000	0.0	0.0
-0.0		Min	-0.000	-0.003	0.000	0.0	0.0
0.0	INVSLV	Max	0.004	0.003	0.000	0.0	0.0
-0.0		Min	-0.004	-0.003	0.000	0.0	0.0
47 0.0	Q1-1-2	Max	0.010	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	0.000	-0.0	-0.0
0.0	Q2a-1-2	Max	0.006	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	0.000	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	0.000	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
-0.0	SLVy (RS)	0.000	0.003	0.000	-0.0	0.0
-0.0	SLDx (RS)	0.002	-0.000	0.000	-0.0	0.0
-0.0	SLDy (RS)	0.000	0.001	0.000	-0.0	0.0
-0.0	SLVz (RS)	-0.001	-0.000	0.000	-0.0	0.0
0.0	g1	0.009	0.000	0.000	0.0	-0.0
0.0	g2	0.004	0.000	0.000	0.0	-0.0
0.0	q3	0.005	0.000	0.000	0.0	-0.0
-0.0	q5_pc	0.000	0.002	0.000	-0.0	-0.0
-0.0	q5_ps	0.000	0.002	0.000	-0.0	-0.0
0.0	INVSLU Max	0.035	0.003	0.000	0.0	-0.0
-0.0	Min	0.020	-0.003	0.000	0.0	-0.0
0.0	INVSLV Max	0.018	0.003	0.000	0.0	-0.0
-0.0	Min	0.010	-0.003	0.000	0.0	-0.0
48 0.0	Q1-1-2 Max	0.006	0.001	0.000	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q2a-1-2 Max	0.004	0.001	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)	0.004	-0.000	0.000	-0.0	0.0
0.0	SLVy (RS)	-0.000	0.003	-0.000	-0.0	-0.0
0.0	SLDx (RS)	0.002	-0.000	0.000	-0.0	0.0
0.0	SLDy (RS)	-0.000	0.002	-0.000	-0.0	-0.0
0.0	SLVz (RS)	-0.001	-0.000	0.000	0.0	-0.0
-0.0	g1	0.005	0.000	-0.000	-0.0	0.0
-0.0	g2	0.003	0.000	-0.000	-0.0	0.0
-0.0	q3	0.005	-0.000	-0.000	-0.0	0.0
0.0	q5_pc	-0.000	0.003	-0.000	-0.0	0.0
0.0	q5_ps	-0.000	0.002	-0.000	-0.0	0.0
0.0	INVSLU Max	0.036	0.004	-0.000	0.0	0.0
-0.0	Min	0.025	-0.004	-0.001	0.0	0.0
	INVSLV Max	0.019	0.003	-0.000	-0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0		Min	0.011	-0.003	-0.000	-0.0	0.0
-0.0							
49	Q1-1-2	Max	0.004	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.002	0.001	0.000	0.0	0.0
		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0		SLVx (RS)	0.004	-0.000	0.000	0.0	0.0
-0.0		SLVy (RS)	0.000	0.003	-0.000	-0.0	0.0
-0.0		SLDx (RS)	0.002	-0.000	0.000	0.0	0.0
-0.0		SLDy (RS)	0.000	0.002	-0.000	-0.0	0.0
-0.0		SLVz (RS)	-0.001	-0.000	0.000	0.0	0.0
-0.0		g1	0.003	0.000	-0.000	-0.0	-0.0
0.0		g2	0.002	0.000	-0.000	-0.0	-0.0
0.0		q3	0.005	0.000	-0.000	-0.0	-0.0
0.0		q5_pc	0.000	0.003	-0.000	-0.0	-0.0
-0.0		q5_ps	0.000	0.002	-0.000	-0.0	-0.0
-0.0							
0.0	INVSLU	Max	0.005	0.004	-0.000	0.0	-0.0
		Min	-0.004	-0.004	-0.001	0.0	-0.0
-0.0							
0.0	INVSLV	Max	0.004	0.003	-0.000	-0.0	-0.0
		Min	-0.005	-0.003	-0.000	-0.0	-0.0
-0.0							
50	Q1-1-2	Max	0.002	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.025	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.001	0.001	0.000	0.0	0.0
		Min	-0.000	-0.001	-0.015	-0.0	-0.0
-0.0							
0.0		SLVx (RS)	0.004	0.000	-0.002	-0.0	-0.0
0.0		SLVy (RS)	-0.000	0.004	0.000	-0.0	-0.0
0.0		SLDx (RS)	0.002	0.000	-0.001	-0.0	-0.0
0.0		SLDy (RS)	-0.000	0.002	0.000	-0.0	-0.0
0.0		SLVz (RS)	-0.001	0.000	0.001	-0.0	-0.0
0.0		g1	0.002	-0.000	-0.021	-0.0	0.0



PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.0							
	g2		0.001	-0.000	-0.010	0.0	0.0
-0.0							
	q3		0.005	-0.000	-0.001	-0.0	0.0
0.0							
	q5_pc		-0.000	0.003	-0.000	-0.0	0.0
0.0							
	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
0.0							
	INVSLU	Max	0.014	0.005	-0.089	0.0	0.0
0.0		Min	0.006	-0.006	-0.123	-0.0	0.0
-0.0							
	INVSLV	Max	0.008	0.004	-0.051	0.0	0.0
0.0		Min	-0.000	-0.005	-0.057	-0.0	0.0
-0.0							
	51	Q1-1-2	Max	0.009	0.002	0.000	0.0
0.0			Min	-0.000	-0.002	-0.025	-0.0
-0.0							
		Q2a-1-2	Max	0.005	0.001	0.000	0.0
0.0			Min	-0.000	-0.001	-0.015	-0.0
-0.0							
		SLVx	(RS)	0.004	0.000	0.002	-0.0
-0.0							
		SLVy	(RS)	0.000	0.004	0.000	-0.0
-0.0							
		SLDx	(RS)	0.002	0.000	0.001	-0.0
-0.0							
		SLDy	(RS)	0.000	0.002	0.000	-0.0
-0.0							
		SLVz	(RS)	-0.001	0.000	0.001	0.0
-0.0							
		g1		0.008	-0.000	-0.021	-0.0
0.0							
		g2		0.004	-0.000	-0.010	0.0
0.0							
		q3		0.005	-0.000	-0.001	0.0
0.0							
		q5_pc		0.000	0.003	-0.000	-0.0
-0.0							
		q5_ps		0.000	0.003	-0.000	-0.0
-0.0							
		INVSLU	Max	0.034	0.005	-0.089	0.0
0.0			Min	0.020	-0.006	-0.124	-0.0
-0.0							
		INVSLV	Max	0.018	0.004	-0.051	-0.0
0.0			Min	0.009	-0.005	-0.057	-0.0
-0.0							
		54	Q1-1-2	Max	0.007	0.001	0.000
0.0			Min	-0.000	-0.000	-0.025	-0.0
-0.0							

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	


0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.015	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	-0.002	-0.0	-0.0
0.0	SLVy	(RS)	-0.000	0.004	0.000	0.0	-0.0
0.0	SLDx	(RS)	0.002	-0.000	-0.001	-0.0	-0.0
0.0	SLDy	(RS)	-0.000	0.002	0.000	0.0	-0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.001	0.0	-0.0
0.0	g1		0.006	0.000	-0.021	-0.0	0.0
-0.0	g2		0.003	0.000	-0.010	-0.0	0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	-0.0
0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
0.0	INVSLU	Max	0.036	0.005	-0.089	0.0	0.0
-0.0		Min	0.024	-0.004	-0.124	-0.0	0.0
0.0	INVSLV	Max	0.019	0.005	-0.051	-0.0	0.0
-0.0		Min	0.010	-0.003	-0.057	-0.0	0.0
55	Q1-1-2	Max	0.004	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.025	-0.0	-0.0
-0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.015	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	0.002	0.0	0.0
0.0	SLVy	(RS)	0.000	0.004	0.000	0.0	0.0
-0.0	SLDx	(RS)	0.002	-0.000	0.001	0.0	0.0
0.0	SLDy	(RS)	0.000	0.002	0.000	0.0	0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.001	0.0	0.0
0.0	g1		0.004	0.000	-0.021	-0.0	-0.0
-0.0	g2		0.002	0.000	-0.010	-0.0	-0.0
-0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0
0.0	q5_pc		0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0
-0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	INVS LU	Max	0.012	0.005	-0.089	0.0	-0.0
-0.0		Min	0.002	-0.004	-0.124	-0.0	-0.0
0.0	INVS LV	Max	0.007	0.005	-0.051	-0.0	-0.0
-0.0		Min	-0.001	-0.003	-0.057	-0.0	-0.0
58 0.0	Q1-1-2	Max	0.002	0.001	0.001	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q2a-1-2	Max	0.001	0.000	0.001	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	0.000	0.0	0.0
0.0	SLVy	(RS)	0.000	0.003	-0.000	-0.0	0.0
0.0	SLDx	(RS)	0.002	-0.000	0.000	0.0	0.0
0.0	SLDy	(RS)	0.000	0.001	-0.000	-0.0	0.0
0.0	SLVz	(RS)	-0.001	-0.000	-0.000	0.0	-0.0
-0.0	g1		0.001	0.000	0.001	-0.0	0.0
-0.0	g2		0.001	0.000	0.001	-0.0	0.0
0.0	q3		0.004	-0.000	0.000	0.0	0.0
0.0	q5_pc		0.000	0.002	-0.000	-0.0	-0.0
0.0	q5_ps		0.000	0.002	-0.000	-0.0	-0.0
-0.0	INVS LU	Max	0.013	0.004	0.007	0.0	0.0
-0.0		Min	0.006	-0.002	0.005	-0.0	0.0
0.0	INVS LV	Max	0.008	0.003	0.003	0.0	0.0
-0.0		Min	-0.000	-0.002	0.003	-0.0	0.0
59 0.0	Q1-1-2	Max	0.002	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q2a-1-2	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	0.000	0.0	0.0
0.0	SLVy	(RS)	0.000	0.003	-0.000	-0.0	0.0

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	SLDx (RS)	0.002	-0.000	0.000	0.0	0.0
0.0	SLDy (RS)	0.000	0.001	-0.000	-0.0	0.0
-0.0	SLVz (RS)	-0.001	-0.000	0.000	0.0	-0.0
-0.0	g1	0.001	0.000	-0.000	-0.0	0.0
-0.0	g2	0.001	0.000	-0.000	-0.0	0.0
0.0	q3	0.004	-0.000	0.000	0.0	0.0
0.0	q5_pc	0.000	0.002	-0.000	-0.0	-0.0
0.0	q5_ps	0.000	0.002	-0.000	-0.0	-0.0
0.0	INVSLU Max	0.014	0.004	-0.000	0.0	0.0
-0.0	Min	0.006	-0.003	-0.001	-0.0	0.0
0.0	INVSLV Max	0.008	0.003	-0.000	0.0	0.0
-0.0	Min	-0.000	-0.003	-0.000	-0.0	0.0
61 0.0	Q1-1-2 Max	0.003	0.001	0.000	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.025	-0.0	-0.0
0.0	Q2a-1-2 Max	0.002	0.001	0.000	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.015	-0.0	-0.0
-0.0	SLVx (RS)	0.004	-0.000	-0.002	-0.0	-0.0
0.0	SLVy (RS)	0.000	0.005	-0.000	-0.0	0.0
-0.0	SLDx (RS)	0.002	-0.000	-0.001	-0.0	-0.0
0.0	SLDy (RS)	0.000	0.002	-0.000	-0.0	0.0
-0.0	SLVz (RS)	-0.001	-0.000	0.001	-0.0	-0.0
0.0	g1	0.003	0.000	-0.021	0.0	0.0
-0.0	g2	0.002	0.000	-0.010	-0.0	0.0
-0.0	q3	0.005	0.000	-0.001	0.0	0.0
0.0	q5_pc	0.000	0.004	0.000	-0.0	-0.0
0.0	q5_ps	0.000	0.003	0.000	-0.0	0.0
0.0	INVSLU Max	0.019	0.007	-0.089	0.0	0.0
-0.0	Min	0.010	-0.006	-0.124	-0.0	0.0
0.0	INVSLV Max	0.010	0.005	-0.051	0.0	0.0
	Min	0.002	-0.005	-0.057	-0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.0

64	Q1-1-2	Max	0.006	0.003	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.043	-0.0	-0.0

-0.0

0.0	Q2a-1-2	Max	0.004	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.025	-0.0	-0.0

-0.0

0.0	SLVx	(RS)	0.004	-0.000	0.004	0.0	-0.0
-----	------	------	-------	--------	-------	-----	------

0.0

0.0	SLVy	(RS)	0.000	0.005	-0.001	0.0	-0.0
-----	------	------	-------	-------	--------	-----	------

0.0

0.0	SLDx	(RS)	0.002	-0.000	0.002	0.0	-0.0
-----	------	------	-------	--------	-------	-----	------

0.0

0.0	SLDy	(RS)	0.000	0.003	-0.000	0.0	-0.0
-----	------	------	-------	-------	--------	-----	------

0.0

-0.0	SLVz	(RS)	-0.001	-0.000	0.002	-0.0	0.0
------	------	------	--------	--------	-------	------	-----

-0.0

0.0	g1		0.005	0.000	-0.035	0.0	0.0
-----	----	--	-------	-------	--------	-----	-----

0.0

0.0	g2		0.003	0.000	-0.017	-0.0	0.0
-----	----	--	-------	-------	--------	------	-----

0.0

0.0	q3		0.005	0.000	-0.001	0.0	-0.0
-----	----	--	-------	-------	--------	-----	------

0.0

-0.0	q5_pc		-0.000	0.003	0.000	-0.0	-0.0
------	-------	--	--------	-------	-------	------	------

-0.0

-0.0	q5_ps		-0.000	0.003	0.000	-0.0	-0.0
------	-------	--	--------	-------	-------	------	------

-0.0

0.0	INVSLU	Max	0.026	0.007	-0.148	0.0	0.0
-----	--------	-----	-------	-------	--------	-----	-----

0.0

-0.0		Min	0.015	-0.007	-0.207	-0.0	-0.0
------	--	-----	-------	--------	--------	------	------

-0.0

0.0	INVSLV	Max	0.014	0.006	-0.086	0.0	0.0
-----	--------	-----	-------	-------	--------	-----	-----

0.0

0.0		Min	0.006	-0.005	-0.095	0.0	-0.0
-----	--	-----	-------	--------	--------	-----	------

0.0

67	Q1-1-2	Max	0.008	0.001	0.000	0.0	0.0
----	--------	-----	-------	-------	-------	-----	-----

0.0

-0.0		Min	-0.000	-0.001	-0.025	-0.0	-0.0
------	--	-----	--------	--------	--------	------	------

-0.0

0.0	Q2a-1-2	Max	0.005	0.001	0.000	0.0	0.0
-----	---------	-----	-------	-------	-------	-----	-----

0.0

-0.0		Min	-0.000	-0.001	-0.015	-0.0	-0.0
------	--	-----	--------	--------	--------	------	------

-0.0

0.0	SLVx	(RS)	0.004	-0.000	0.002	-0.0	0.0
-----	------	------	-------	--------	-------	------	-----

0.0

-0.0	SLVy	(RS)	-0.000	0.005	-0.000	-0.0	-0.0
------	------	------	--------	-------	--------	------	------

-0.0

0.0	SLDx	(RS)	0.002	-0.000	0.001	-0.0	0.0
-----	------	------	-------	--------	-------	------	-----

0.0

-0.0	SLDy	(RS)	-0.000	0.002	-0.000	-0.0	-0.0
------	------	------	--------	-------	--------	------	------

-0.0

0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	0.0
-----	------	------	--------	--------	-------	------	-----

0.0

-0.0	g1		0.007	0.000	-0.021	0.0	-0.0
------	----	--	-------	-------	--------	-----	------

-0.0

	g2		0.004	0.000	-0.010	-0.0	-0.0
--	----	--	-------	-------	--------	------	------

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.0	q3		0.005	0.000	-0.001	0.0	-0.0
-0.0	q5_pc		-0.000	0.004	0.000	-0.0	0.0
-0.0	q5_ps		-0.000	0.003	0.000	-0.0	-0.0
-0.0	INVSLU	Max	0.029	0.007	-0.089	0.0	-0.0
0.0		Min	0.016	-0.006	-0.124	-0.0	-0.0
-0.0	INVSLV	Max	0.015	0.005	-0.051	0.0	-0.0
0.0		Min	0.007	-0.005	-0.057	-0.0	-0.0
-0.0							
69	Q1-1-2	Max	0.008	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.005	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		0.004	-0.000	0.000	0.0	0.0
-0.0	SLVy (RS)		-0.000	0.003	-0.000	-0.0	-0.0
-0.0	SLDx (RS)		0.002	-0.000	0.000	0.0	0.0
-0.0	SLDy (RS)		-0.000	0.001	-0.000	-0.0	-0.0
-0.0	SLVz (RS)		-0.001	-0.000	0.000	0.0	0.0
-0.0	g1		0.007	0.000	-0.000	-0.0	-0.0
0.0	g2		0.004	0.000	-0.000	-0.0	-0.0
0.0	q3		0.005	0.000	-0.000	-0.0	-0.0
0.0	q5_pc		-0.000	0.002	-0.000	-0.0	0.0
-0.0	q5_ps		-0.000	0.002	-0.000	-0.0	0.0
-0.0							
0.0	INVSLU	Max	0.028	0.004	-0.000	0.0	-0.0
-0.0		Min	0.014	-0.003	-0.001	-0.0	-0.0
-0.0	INVSLV	Max	0.015	0.003	-0.000	0.0	-0.0
0.0		Min	0.006	-0.003	-0.000	-0.0	-0.0
-0.0							
70	Q1-1-2	Max	0.008	0.000	0.001	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.005	0.000	0.001	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	-0.000	0.0	0.0
-0.0	SLVy	(RS)	-0.000	0.003	-0.000	-0.0	-0.0
-0.0	SLDx	(RS)	0.002	-0.000	-0.000	0.0	0.0
-0.0	SLDy	(RS)	-0.000	0.001	-0.000	-0.0	-0.0
-0.0	SLVz	(RS)	-0.001	-0.000	-0.000	0.0	0.0
-0.0	g1		0.007	0.000	0.001	-0.0	-0.0
0.0	g2		0.004	0.000	0.001	-0.0	-0.0
0.0	q3		0.005	0.000	0.000	-0.0	-0.0
0.0	q5_pc		-0.000	0.002	-0.000	-0.0	0.0
-0.0	q5_ps		-0.000	0.002	-0.000	-0.0	0.0
-0.0	INVSLU	Max	0.028	0.004	0.007	0.0	-0.0
0.0		Min	0.014	-0.002	0.005	-0.0	-0.0
-0.0	INVSLV	Max	0.015	0.003	0.003	0.0	-0.0
0.0		Min	0.006	-0.002	0.003	-0.0	-0.0
-0.0							
71	Q1-1-2	Max	0.005	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	0.000	-0.0	0.0
0.0	SLVy	(RS)	0.000	0.003	-0.000	-0.0	0.0
0.0	SLDx	(RS)	0.002	-0.000	0.000	-0.0	0.0
0.0	SLDy	(RS)	0.000	0.002	-0.000	-0.0	0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.000	-0.0	-0.0
-0.0	g1		0.004	0.000	-0.000	0.0	0.0
-0.0	g2		0.002	0.000	-0.000	0.0	0.0
0.0	q3		0.005	-0.000	-0.000	0.0	0.0
0.0	q5_pc		0.000	0.003	-0.000	-0.0	-0.0
0.0	q5_ps		0.000	0.002	-0.000	-0.0	-0.0
0.0	INVSLU	Max	0.029	0.004	-0.000	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0		Min	0.018	-0.004	-0.001	-0.0	0.0
-0.0							
0.0	INVSLV	Max	0.015	0.003	-0.000	0.0	0.0
-0.0		Min	0.007	-0.003	-0.000	0.0	0.0
73	Q1-1-2	Max	0.005	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.025	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.015	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	-0.002	-0.0	-0.0
-0.0	SLVy	(RS)	0.000	0.004	-0.000	0.0	0.0
0.0	SLDx	(RS)	0.002	-0.000	-0.001	-0.0	-0.0
-0.0	SLDy	(RS)	0.000	0.002	-0.000	0.0	0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	-0.0
-0.0	g1		0.005	0.000	-0.021	0.0	0.0
0.0	g2		0.003	0.000	-0.010	0.0	0.0
-0.0	q3		0.005	-0.000	-0.001	0.0	0.0
0.0	q5_pc		0.000	0.004	0.000	0.0	-0.0
0.0	q5_ps		0.000	0.003	0.000	0.0	0.0
0.0							
0.0	INVSLU	Max	0.030	0.005	-0.089	0.0	0.0
-0.0		Min	0.019	-0.006	-0.124	-0.0	0.0
0.0	INVSLV	Max	0.016	0.004	-0.051	0.0	0.0
-0.0		Min	0.008	-0.005	-0.057	-0.0	0.0
78	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.043	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.025	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	0.004	0.0	-0.0
0.0	SLVy	(RS)	0.000	0.005	-0.001	0.0	-0.0
0.0	SLDx	(RS)	0.002	-0.000	0.002	0.0	-0.0



PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

0.0	SLDy (RS)		0.000	0.002	-0.000	0.0	-0.0
-0.0	SLVz (RS)		-0.001	-0.000	0.002	-0.0	0.0
0.0	g1		0.005	0.000	-0.035	0.0	-0.0
0.0	g2		0.003	0.000	-0.017	0.0	-0.0
-0.0	q3		0.005	-0.000	-0.001	0.0	-0.0
0.0	q5_pc		-0.000	0.003	0.000	-0.0	-0.0
0.0	q5_ps		-0.000	0.003	0.000	-0.0	-0.0
0.0	INVSLU	Max	0.026	0.005	-0.148	0.0	0.0
-0.0		Min	0.015	-0.006	-0.207	-0.0	-0.0
0.0	INVSLV	Max	0.014	0.004	-0.086	0.0	0.0
-0.0		Min	0.006	-0.005	-0.095	0.0	-0.0
83	Q1-1-2	Max	0.006	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.025	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.015	-0.0	-0.0
-0.0	SLVx (RS)		0.004	-0.000	0.002	-0.0	0.0
-0.0	SLVy (RS)		-0.000	0.004	-0.000	0.0	-0.0
-0.0	SLDx (RS)		0.002	-0.000	0.001	-0.0	0.0
-0.0	SLDy (RS)		-0.000	0.002	-0.000	0.0	-0.0
-0.0	SLVz (RS)		-0.001	-0.000	0.001	-0.0	0.0
0.0	g1		0.005	0.000	-0.021	0.0	-0.0
0.0	g2		0.003	0.000	-0.010	0.0	-0.0
0.0	q3		0.005	-0.000	-0.001	0.0	-0.0
-0.0	q5_pc		-0.000	0.004	0.000	0.0	0.0
-0.0	q5_ps		-0.000	0.003	0.000	0.0	-0.0
0.0	INVSLU	Max	0.018	0.005	-0.089	0.0	-0.0
-0.0		Min	0.007	-0.006	-0.124	-0.0	-0.0
0.0	INVSLV	Max	0.010	0.004	-0.051	0.0	-0.0
-0.0		Min	0.001	-0.005	-0.057	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

85	Q1-1-2	Max	0.005	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	0.004	-0.000	0.000	-0.0	0.0
0.0	SLVy	(RS)	-0.000	0.003	-0.000	-0.0	-0.0
-0.0							
0.0	SLDx	(RS)	0.002	-0.000	0.000	-0.0	0.0
0.0	SLDy	(RS)	-0.000	0.002	-0.000	-0.0	-0.0
-0.0							
0.0	SLVz	(RS)	-0.001	-0.000	0.000	-0.0	0.0
0.0	g1		0.004	0.000	-0.000	0.0	-0.0
-0.0							
0.0	g2		0.002	0.000	-0.000	0.0	-0.0
-0.0							
0.0	q3		0.005	0.000	-0.000	0.0	-0.0
0.0	q5_pc		-0.000	0.002	-0.000	-0.0	0.0
-0.0							
0.0	q5_ps		-0.000	0.002	-0.000	-0.0	0.0
-0.0							
	INVSLU	Max	0.013	0.004	-0.000	0.0	-0.0
0.0		Min	0.002	-0.004	-0.001	-0.0	-0.0
-0.0							
	INVSLV	Max	0.008	0.003	-0.000	0.0	-0.0
0.0		Min	-0.001	-0.003	-0.000	0.0	-0.0
-0.0							
86	Q1-1-2	Max	0.005	0.001	0.001	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.003	0.000	0.001	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	0.004	-0.000	0.000	-0.0	0.0
0.0	SLVy	(RS)	0.000	0.003	-0.000	-0.0	0.0
0.0							
0.0	SLDx	(RS)	0.002	-0.000	0.000	-0.0	0.0
0.0	SLDy	(RS)	0.000	0.002	-0.000	-0.0	0.0
0.0							
0.0	SLVz	(RS)	-0.001	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	g1		0.004	0.000	0.001	0.0	0.0
-0.0							
0.0	g2		0.002	0.000	0.000	0.0	0.0
-0.0							
0.0	q3		0.005	-0.000	0.000	-0.0	0.0

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0							
-0.0	q5_pc		0.000	0.003	-0.000	-0.0	-0.0
-0.0	q5_ps		0.000	0.002	-0.000	-0.0	-0.0
	INVSLU	Max	0.028	0.004	0.007	0.0	0.0
0.0		Min	0.018	-0.004	0.005	-0.0	0.0
-0.0							
	INVSLV	Max	0.015	0.003	0.003	0.0	0.0
-0.0		Min	0.007	-0.003	0.003	0.0	0.0
-0.0							
87	Q1-1-2	Max	0.005	0.001	0.001	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.003	0.000	0.001	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	SLVx	(RS)	0.004	-0.000	-0.000	-0.0	0.0
0.0							
	SLVy	(RS)	-0.000	0.003	-0.000	-0.0	-0.0
-0.0							
	SLDx	(RS)	0.002	-0.000	-0.000	-0.0	0.0
0.0							
	SLDy	(RS)	-0.000	0.002	-0.000	-0.0	-0.0
-0.0							
	SLVz	(RS)	-0.001	-0.000	-0.000	-0.0	0.0
0.0							
	g1		0.004	0.000	0.001	0.0	-0.0
-0.0							
	g2		0.002	0.000	0.000	0.0	-0.0
0.0							
	q3		0.005	0.000	0.000	0.0	-0.0
0.0							
	q5_pc		-0.000	0.002	-0.000	-0.0	0.0
0.0							
	q5_ps		-0.000	0.002	-0.000	-0.0	0.0
0.0							
	INVSLU	Max	0.013	0.004	0.007	0.0	-0.0
0.0		Min	0.002	-0.004	0.005	-0.0	-0.0
-0.0							
	INVSLV	Max	0.007	0.003	0.003	0.0	-0.0
0.0		Min	-0.001	-0.003	0.003	0.0	-0.0
0.0							
	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	SLVx (RS)		0.004	-0.000	0.000	0.0	0.0
0.0	SLVy (RS)		0.000	0.003	-0.000	-0.0	0.0
0.0	SLDx (RS)		0.002	-0.000	0.000	0.0	0.0
0.0	SLDy (RS)		0.000	0.002	-0.000	-0.0	0.0
0.0	SLVz (RS)		-0.001	-0.000	0.000	-0.0	-0.0
-0.0	g1		0.005	0.000	-0.000	0.0	0.0
0.0	g2		0.003	0.000	-0.000	0.0	0.0
0.0	q3		0.005	-0.000	-0.000	0.0	0.0
0.0	q5_pc		0.000	0.003	-0.000	-0.0	-0.0
0.0	q5_ps		0.000	0.002	-0.000	-0.0	-0.0
0.0	INVS LU	Max	0.034	0.005	-0.000	0.0	0.0
-0.0		Min	0.023	-0.004	-0.001	-0.0	0.0
0.0	INVS LV	Max	0.018	0.003	-0.000	0.0	0.0
-0.0		Min	0.010	-0.003	-0.000	0.0	0.0
89	Q1-1-2	Max	0.006	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.017	-0.0	-0.0
-0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.010	-0.0	-0.0
-0.0	SLVx (RS)		0.004	-0.000	-0.002	0.0	0.0
0.0	SLVy (RS)		0.000	0.004	-0.000	0.0	0.0
0.0	SLDx (RS)		0.002	-0.000	-0.001	0.0	0.0
0.0	SLDy (RS)		0.000	0.002	-0.000	0.0	0.0
0.0	SLVz (RS)		-0.001	-0.000	0.001	-0.0	-0.0
-0.0	g1		0.005	0.000	-0.014	0.0	0.0
0.0	g2		0.003	0.000	-0.007	0.0	0.0
0.0	q3		0.005	-0.000	-0.001	0.0	0.0
0.0	q5_pc		0.000	0.003	0.000	-0.0	-0.0
0.0	q5_ps		0.000	0.003	0.000	-0.0	-0.0
0.0	INVS LU	Max	0.035	0.004	-0.061	0.0	0.0
0.0		Min	0.023	-0.004	-0.085	-0.0	0.0


# MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.0							
0.0	INVSLV	Max	0.019	0.004	-0.035	0.0	0.0
-0.0		Min	0.010	-0.004	-0.039	0.0	0.0
90	Q1-1-2	Max	0.006	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.025	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.015	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	-0.002	-0.0	-0.0
0.0	SLVy	(RS)	0.000	0.004	-0.000	0.0	0.0
0.0	SLDx	(RS)	0.002	-0.000	-0.001	-0.0	-0.0
0.0	SLDy	(RS)	0.000	0.002	-0.000	0.0	0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	-0.0
-0.0	g1		0.006	0.000	-0.021	0.0	0.0
-0.0	g2		0.003	0.000	-0.010	0.0	0.0
0.0	q3		0.005	-0.000	-0.001	0.0	0.0
0.0	q5_pc		0.000	0.003	0.000	0.0	-0.0
0.0	q5_ps		0.000	0.003	0.000	0.0	0.0
0.0							
0.0	INVSLU	Max	0.034	0.004	-0.089	0.0	0.0
-0.0		Min	0.022	-0.005	-0.124	-0.0	0.0
0.0							
0.0	INVSLV	Max	0.018	0.004	-0.051	0.0	0.0
-0.0		Min	0.010	-0.004	-0.057	-0.0	0.0
91	Q1-1-2	Max	0.006	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.031	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.018	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	-0.003	0.0	-0.0
0.0	SLVy	(RS)	0.000	0.004	-0.001	0.0	0.0
-0.0	SLDx	(RS)	0.002	-0.000	-0.001	0.0	-0.0
0.0	SLDy	(RS)	0.000	0.002	-0.000	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.0	SLVz (RS)		-0.001	-0.000	0.001	-0.0	-0.0
0.0	g1		0.006	0.000	-0.026	0.0	0.0
0.0	g2		0.003	0.000	-0.012	0.0	0.0
-0.0	q3		0.005	-0.000	-0.001	0.0	0.0
0.0	q5_pc		0.000	0.003	0.000	-0.0	0.0
0.0	q5_ps		0.000	0.003	0.000	-0.0	0.0
0.0	INVSLU	Max	0.033	0.004	-0.109	0.0	0.0
0.0		Min	0.021	-0.005	-0.151	-0.0	0.0
0.0	INVSLV	Max	0.018	0.004	-0.063	0.0	0.0
0.0		Min	0.009	-0.005	-0.069	0.0	0.0
92	Q1-1-2	Max	0.006	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.040	-0.0	-0.0
-0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.023	-0.0	-0.0
-0.0	SLVx (RS)		0.004	-0.000	0.004	-0.0	-0.0
0.0	SLVy (RS)		0.000	0.005	-0.001	0.0	0.0
0.0	SLDx (RS)		0.002	-0.000	0.002	-0.0	-0.0
0.0	SLDy (RS)		0.000	0.002	-0.000	0.0	0.0
0.0	SLVz (RS)		-0.001	-0.000	0.001	-0.0	-0.0
0.0	g1		0.006	0.000	-0.033	0.0	0.0
-0.0	g2		0.003	0.000	-0.016	0.0	0.0
0.0	q3		0.005	-0.000	-0.001	0.0	0.0
0.0	q5_pc		0.000	0.003	0.000	-0.0	0.0
0.0	q5_ps		0.000	0.003	0.000	-0.0	0.0
0.0	INVSLU	Max	0.030	0.004	-0.138	0.0	0.0
-0.0		Min	0.018	-0.005	-0.192	-0.0	0.0
-0.0	INVSLV	Max	0.016	0.004	-0.080	0.0	0.0
-0.0		Min	0.008	-0.005	-0.089	-0.0	0.0
94	Q1-1-2	Max	0.006	0.000	0.000	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0		Min	-0.000	-0.000	-0.043	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.025	-0.0	-0.0
-0.0		SLVx (RS)	0.004	0.000	0.004	-0.0	-0.0
0.0		SLVy (RS)	0.000	0.005	-0.001	0.0	-0.0
0.0		SLDx (RS)	0.002	0.000	0.002	-0.0	-0.0
0.0		SLDy (RS)	0.000	0.002	-0.000	0.0	-0.0
0.0		SLVz (RS)	-0.001	-0.000	0.002	-0.0	0.0
-0.0		g1	0.005	0.000	-0.035	0.0	-0.0
0.0		g2	0.003	0.000	-0.017	0.0	-0.0
0.0		q3	0.005	-0.000	-0.001	0.0	-0.0
-0.0		q5_pc	-0.000	0.003	0.000	-0.0	-0.0
-0.0		q5_ps	-0.000	0.003	0.000	-0.0	-0.0
0.0							
0.0	INVSLU	Max	0.026	0.004	-0.148	0.0	0.0
0.0		Min	0.015	-0.006	-0.207	-0.0	-0.0
-0.0							
0.0	INVSLV	Max	0.014	0.004	-0.086	0.0	-0.0
0.0		Min	0.006	-0.005	-0.095	-0.0	-0.0
0.0							
96	Q1-1-2	Max	0.006	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.040	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.023	-0.0	-0.0
-0.0		SLVx (RS)	0.004	0.000	0.004	0.0	-0.0
0.0		SLVy (RS)	-0.000	0.005	-0.001	0.0	-0.0
-0.0		SLDx (RS)	0.002	0.000	0.002	0.0	-0.0
0.0		SLDy (RS)	-0.000	0.002	-0.000	0.0	-0.0
-0.0		SLVz (RS)	-0.001	-0.000	0.002	-0.0	0.0
0.0		g1	0.005	0.000	-0.033	0.0	-0.0
-0.0		g2	0.003	0.000	-0.016	0.0	-0.0
-0.0		q3	0.005	-0.000	-0.001	0.0	-0.0
-0.0		q5_pc	-0.000	0.003	0.000	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.0							
-0.0	q5_ps		-0.000	0.003	0.000	-0.0	-0.0
0.0	INVSLU	Max	0.021	0.004	-0.138	0.0	-0.0
-0.0		Min	0.010	-0.005	-0.192	-0.0	-0.0
0.0	INVSLV	Max	0.012	0.004	-0.080	0.0	-0.0
-0.0		Min	0.003	-0.005	-0.089	-0.0	-0.0
97	Q1-1-2	Max	0.005	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.031	-0.0	-0.0
-0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.018	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	0.000	0.003	0.0	0.0
0.0	SLVy	(RS)	-0.000	0.004	-0.001	0.0	-0.0
-0.0	SLDx	(RS)	0.002	0.000	0.001	0.0	0.0
0.0	SLDy	(RS)	-0.000	0.002	-0.000	0.0	-0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	0.0
0.0	g1		0.004	0.000	-0.026	0.0	-0.0
-0.0	g2		0.002	0.000	-0.012	0.0	-0.0
0.0	q3		0.005	-0.000	-0.001	0.0	-0.0
0.0	q5_pc		-0.000	0.003	0.000	-0.0	-0.0
-0.0	q5_ps		-0.000	0.003	0.000	-0.0	-0.0
-0.0	INVSLU	Max	0.016	0.004	-0.108	0.0	-0.0
0.0		Min	0.005	-0.005	-0.151	-0.0	-0.0
-0.0	INVSLV	Max	0.009	0.004	-0.063	0.0	-0.0
0.0		Min	0.000	-0.005	-0.069	0.0	-0.0
-0.0	Q1-1-2	Max	0.005	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.025	-0.0	-0.0
-0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.015	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	0.000	0.002	-0.0	0.0




PROJECT TITLE :


MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.0	SLVy (RS)		-0.000	0.004	-0.000	0.0	-0.0
-0.0	SLDx (RS)		0.002	0.000	0.001	-0.0	0.0
-0.0	SLDy (RS)		-0.000	0.002	-0.000	0.0	-0.0
-0.0	SLVz (RS)		-0.001	-0.000	0.001	-0.0	0.0
-0.0	g1		0.004	0.000	-0.021	0.0	-0.0
0.0	g2		0.002	0.000	-0.010	0.0	-0.0
0.0	q3		0.005	-0.000	-0.001	0.0	-0.0
0.0	q5_pc		-0.000	0.003	0.000	0.0	0.0
-0.0	q5_ps		-0.000	0.003	0.000	0.0	-0.0
-0.0	INVSLU	Max	0.014	0.004	-0.089	0.0	-0.0
0.0		Min	0.003	-0.005	-0.124	-0.0	-0.0
-0.0	INVSLV	Max	0.008	0.004	-0.051	0.0	-0.0
0.0		Min	-0.001	-0.004	-0.057	-0.0	-0.0
-0.0							
99	Q1-1-2	Max	0.004	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.017	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.010	-0.0	-0.0
-0.0	SLVx (RS)		0.004	-0.000	0.002	0.0	0.0
0.0	SLVy (RS)		-0.000	0.004	-0.000	0.0	-0.0
-0.0	SLDx (RS)		0.002	0.000	0.001	0.0	0.0
0.0	SLDy (RS)		-0.000	0.002	-0.000	0.0	-0.0
-0.0	SLVz (RS)		-0.001	-0.000	0.001	-0.0	0.0
-0.0	g1		0.004	0.000	-0.014	0.0	-0.0
0.0	g2		0.002	0.000	-0.007	0.0	-0.0
0.0	q3		0.005	-0.000	-0.000	0.0	-0.0
0.0	q5_pc		-0.000	0.003	0.000	-0.0	0.0
-0.0	q5_ps		-0.000	0.003	0.000	-0.0	0.0
-0.0							
0.0	INVSLU	Max	0.011	0.004	-0.061	0.0	-0.0
-0.0		Min	0.001	-0.004	-0.085	-0.0	-0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	INVSLV	Max	0.006	0.004	-0.035	0.0	-0.0
		Min	-0.002	-0.004	-0.039	0.0	-0.0
-0.0							
100 0.0	Q1-1-2	Max	0.004	0.001	0.000	0.0	0.0
		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.002	0.000	0.000	0.0	0.0
		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	0.004	-0.000	0.000	-0.0	0.0
-0.0	SLVy	(RS)	-0.000	0.003	-0.000	-0.0	-0.0
0.0	SLDx	(RS)	0.002	-0.000	0.000	-0.0	0.0
-0.0	SLDy	(RS)	-0.000	0.002	-0.000	-0.0	-0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.000	-0.0	0.0
-0.0	g1		0.003	0.000	-0.000	0.0	-0.0
-0.0	g2		0.002	0.000	-0.000	0.0	-0.0
0.0	q3		0.005	0.000	-0.000	0.0	-0.0
-0.0	q5_pc		-0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps		-0.000	0.002	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.007	0.004	-0.000	0.0	-0.0
-0.0		Min	-0.003	-0.004	-0.001	-0.0	-0.0
0.0	INVSLV	Max	0.005	0.003	-0.000	0.0	-0.0
-0.0		Min	-0.004	-0.003	-0.000	0.0	-0.0
101 0.0	Q1-1-2	Max	0.006	0.001	0.001	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q2a-1-2	Max	0.003	0.001	0.001	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	0.000	-0.0	0.0
0.0	SLVy	(RS)	0.000	0.003	-0.000	-0.0	0.0
0.0	SLDx	(RS)	0.002	-0.000	0.000	-0.0	0.0
0.0	SLDy	(RS)	0.000	0.002	-0.000	-0.0	0.0
-0.0	SLVz	(RS)	-0.001	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	g1		0.005	0.000	0.001	0.0	0.0
-0.0	g2		0.003	0.000	0.000	0.0	0.0
0.0	q3		0.005	-0.000	0.000	0.0	0.0
-0.0	q5_pc		0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps		0.000	0.002	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.034	0.005	0.007	0.0	0.0
-0.0		Min	0.023	-0.004	0.005	-0.0	0.0
-0.0	INVSLV	Max	0.018	0.003	0.003	0.0	0.0
-0.0		Min	0.010	-0.003	0.003	0.0	0.0
102 0.0	Q1-1-2	Max	0.004	0.001	0.001	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q2a-1-2	Max	0.002	0.001	0.001	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	-0.000	-0.0	0.0
-0.0	SLVy	(RS)	-0.000	0.003	-0.000	-0.0	-0.0
-0.0	SLDx	(RS)	0.002	-0.000	-0.000	-0.0	0.0
-0.0	SLDy	(RS)	-0.000	0.002	-0.000	-0.0	-0.0
0.0	SLVz	(RS)	-0.001	-0.000	-0.000	-0.0	0.0
-0.0	g1		0.003	0.000	0.001	0.0	-0.0
0.0	g2		0.002	0.000	0.000	0.0	-0.0
-0.0	q3		0.005	0.000	0.000	0.0	-0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	-0.0
0.0	q5_ps		-0.000	0.002	-0.000	-0.0	-0.0
0.0	INVSLU	Max	0.007	0.005	0.007	-0.0	-0.0
-0.0		Min	-0.003	-0.004	0.005	-0.0	-0.0
0.0	INVSLV	Max	0.005	0.003	0.003	0.0	-0.0
0.0		Min	-0.004	-0.003	0.003	0.0	-0.0
106 0.0	Q1-1-2	Max	0.006	0.003	0.000	0.0	0.0
		Min	-0.000	-0.003	-0.043	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


-0.0							
0.0	Q2a-1-2	Max	0.004	0.002	0.000	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.025	-0.0	-0.0
0.0	SLVx	(RS)	0.004	0.000	0.004	0.0	-0.0
0.0	SLVy	(RS)	-0.000	0.005	0.001	0.0	0.0
0.0	SLDx	(RS)	0.002	0.000	0.002	0.0	-0.0
0.0	SLDy	(RS)	-0.000	0.003	0.000	0.0	0.0
0.0	SLVz	(RS)	-0.001	0.000	0.002	0.0	0.0
-0.0	g1		0.005	-0.000	-0.035	-0.0	0.0
-0.0	g2		0.003	-0.000	-0.017	0.0	0.0
0.0	q3		0.005	-0.000	-0.001	0.0	-0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps		-0.000	0.003	-0.000	-0.0	0.0
-0.0							
0.0	INVSLU	Max	0.026	0.007	-0.148	0.0	0.0
-0.0		Min	0.015	-0.008	-0.207	-0.0	-0.0
-0.0							
-0.0	INVSLV	Max	0.014	0.005	-0.086	-0.0	0.0
-0.0		Min	0.006	-0.006	-0.095	-0.0	-0.0
-0.0							
110	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	0.000	-0.0	0.0
0.0	SLVy	(RS)	-0.000	0.003	-0.000	-0.0	-0.0
0.0	SLDx	(RS)	0.002	-0.000	0.000	-0.0	0.0
0.0	SLDy	(RS)	-0.000	0.002	-0.000	-0.0	-0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.000	0.0	-0.0
0.0	g1		0.005	0.000	-0.000	-0.0	0.0
-0.0	g2		0.003	0.000	-0.000	-0.0	0.0
-0.0	q3		0.005	-0.000	-0.000	-0.0	0.0
-0.0	q5_pc		-0.000	0.003	-0.000	-0.0	-0.0
0.0	q5_ps		-0.000	0.002	-0.000	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0							
0.0	INVSLU	Max	0.034	0.004	-0.000	0.0	0.0
-0.0		Min	0.023	-0.004	-0.001	-0.0	0.0
0.0	INVSLV	Max	0.018	0.003	-0.000	-0.0	0.0
-0.0		Min	0.010	-0.003	-0.000	-0.0	0.0
111	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.017	-0.0	-0.0
-0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.010	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	-0.002	-0.0	0.0
0.0	SLVy	(RS)	-0.000	0.004	0.000	0.0	-0.0
-0.0	SLDx	(RS)	0.002	-0.000	-0.001	-0.0	0.0
0.0	SLDy	(RS)	-0.000	0.002	0.000	0.0	-0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.001	0.0	-0.0
0.0	g1		0.005	0.000	-0.014	-0.0	0.0
-0.0	g2		0.003	0.000	-0.007	-0.0	0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	0.0
-0.0	q5_pc		-0.000	0.003	-0.000	-0.0	0.0
0.0	q5_ps		-0.000	0.003	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.035	0.005	-0.061	0.0	0.0
-0.0		Min	0.023	-0.004	-0.085	-0.0	0.0
0.0	INVSLV	Max	0.019	0.004	-0.035	-0.0	0.0
-0.0		Min	0.010	-0.003	-0.039	-0.0	0.0
112	Q1-1-2	Max	0.006	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.031	-0.0	-0.0
-0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.018	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	-0.003	-0.0	0.0
0.0	SLVy	(RS)	-0.000	0.004	0.001	0.0	-0.0


PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	SLDx (RS)	0.002	-0.000	-0.001	-0.0	0.0
0.0	SLDy (RS)	-0.000	0.002	0.000	0.0	-0.0
0.0	SLVz (RS)	-0.001	-0.000	0.001	0.0	-0.0
0.0	g1	0.006	0.000	-0.026	-0.0	0.0
0.0	g2	0.003	0.000	-0.012	-0.0	0.0
-0.0	q3	0.005	-0.000	-0.001	-0.0	0.0
0.0	q5_pc	-0.000	0.003	-0.000	-0.0	-0.0
0.0	q5_ps	-0.000	0.003	-0.000	-0.0	-0.0
0.0	INVSLU Max	0.033	0.005	-0.108	0.0	0.0
0.0	Min	0.021	-0.004	-0.151	-0.0	0.0
-0.0	INVSLV Max	0.018	0.005	-0.063	-0.0	0.0
0.0	Min	0.009	-0.004	-0.069	-0.0	0.0
-0.0						
113	Q1-1-2 Max	0.006	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.040	-0.0	-0.0
-0.0						
0.0	Q2a-1-2 Max	0.004	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.023	-0.0	-0.0
-0.0	SLVx (RS)	0.004	-0.000	0.004	0.0	-0.0
-0.0	SLVy (RS)	-0.000	0.005	0.001	0.0	-0.0
0.0	SLDx (RS)	0.002	-0.000	0.002	0.0	-0.0
-0.0	SLDy (RS)	-0.000	0.002	0.000	0.0	-0.0
0.0	SLVz (RS)	-0.001	-0.000	0.002	0.0	-0.0
-0.0	g1	0.006	0.000	-0.033	-0.0	0.0
0.0	g2	0.003	0.000	-0.016	-0.0	0.0
-0.0	q3	0.005	-0.000	-0.001	-0.0	0.0
0.0	q5_pc	-0.000	0.003	-0.000	-0.0	-0.0
0.0	q5_ps	-0.000	0.003	-0.000	-0.0	-0.0
0.0						
0.0	INVSLU Max	0.030	0.006	-0.138	0.0	0.0
0.0	Min	0.018	-0.004	-0.192	-0.0	0.0
0.0						
0.0	INVSLV Max	0.016	0.005	-0.080	0.0	0.0

PROJECT TITLE :

MIDAS		Company					Client
		Author					File Name
		Min	0.008	-0.004	-0.089	-0.0	0.0
0.0							
114	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
0.0							
-0.0		Min	-0.000	-0.000	-0.043	-0.0	-0.0
0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.025	-0.0	-0.0
-0.0		SLVx (RS)	0.004	-0.000	0.004	0.0	-0.0
0.0		SLVy (RS)	-0.000	0.005	0.001	0.0	0.0
-0.0		SLDx (RS)	0.002	-0.000	0.002	0.0	-0.0
0.0		SLDy (RS)	-0.000	0.002	0.000	0.0	0.0
0.0		SLVz (RS)	-0.001	-0.000	0.002	0.0	0.0
-0.0		g1	0.005	0.000	-0.035	-0.0	-0.0
-0.0		g2	0.003	0.000	-0.017	-0.0	-0.0
0.0		q3	0.005	-0.000	-0.001	-0.0	-0.0
-0.0		q5_pc	-0.000	0.003	-0.000	-0.0	0.0
-0.0		q5_ps	-0.000	0.003	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.026	0.006	-0.148	0.0	0.0
-0.0		Min	0.015	-0.004	-0.207	-0.0	-0.0
-0.0	INVSLV	Max	0.014	0.006	-0.086	0.0	-0.0
-0.0		Min	0.006	-0.004	-0.095	-0.0	-0.0
115	Q1-1-2	Max	0.006	0.000	0.000	0.0	0.0
0.0							
-0.0		Min	-0.000	-0.000	-0.040	-0.0	-0.0
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.023	-0.0	-0.0
-0.0		SLVx (RS)	0.004	-0.000	0.004	0.0	-0.0
-0.0		SLVy (RS)	0.000	0.005	0.001	0.0	0.0
-0.0		SLDx (RS)	0.002	-0.000	0.002	0.0	-0.0
-0.0		SLDy (RS)	0.000	0.002	0.000	0.0	0.0
-0.0		SLVz (RS)	-0.001	-0.000	0.002	0.0	0.0
-0.0		g1	0.005	0.000	-0.033	-0.0	-0.0
0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	g2		0.003	0.000	-0.016	-0.0	-0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0
-0.0	q5_pc		0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.021	0.006	-0.138	0.0	-0.0
-0.0		Min	0.010	-0.004	-0.192	-0.0	-0.0
0.0	INVSLV	Max	0.012	0.005	-0.080	0.0	-0.0
-0.0		Min	0.003	-0.004	-0.089	-0.0	-0.0
116	Q1-1-2	Max	0.005	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.031	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.018	-0.0	-0.0
-0.0	SLVx (RS)		0.004	-0.000	0.003	0.0	0.0
-0.0	SLVy (RS)		0.000	0.004	0.001	0.0	0.0
-0.0	SLDx (RS)		0.002	-0.000	0.001	0.0	0.0
-0.0	SLDy (RS)		0.000	0.002	0.000	0.0	0.0
-0.0	SLVz (RS)		-0.001	-0.000	0.001	0.0	0.0
0.0	g1		0.004	0.000	-0.026	-0.0	-0.0
-0.0	g2		0.002	0.000	-0.012	-0.0	-0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0
-0.0	q5_pc		0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.016	0.005	-0.108	0.0	-0.0
-0.0		Min	0.005	-0.004	-0.151	-0.0	-0.0
0.0	INVSLV	Max	0.009	0.005	-0.063	-0.0	-0.0
-0.0		Min	0.000	-0.004	-0.069	-0.0	-0.0
117	Q1-1-2	Max	0.004	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.017	-0.0	-0.0
-0.0							




PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
		Min	-0.000	-0.000	-0.010	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	0.002	0.0	0.0
-0.0	SLVy	(RS)	0.000	0.004	0.000	0.0	0.0
-0.0	SLDx	(RS)	0.002	-0.000	0.001	0.0	0.0
-0.0	SLDy	(RS)	0.000	0.002	0.000	0.0	0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.001	0.0	0.0
0.0	g1		0.004	0.000	-0.014	-0.0	-0.0
-0.0	g2		0.002	0.000	-0.007	-0.0	-0.0
-0.0	q3		0.005	-0.000	-0.000	-0.0	-0.0
0.0	q5_pc		0.000	0.003	-0.000	-0.0	-0.0
-0.0	q5_ps		0.000	0.003	-0.000	-0.0	-0.0
-0.0							
0.0	INVSLU	Max	0.011	0.005	-0.061	0.0	-0.0
		Min	0.001	-0.004	-0.085	-0.0	-0.0
-0.0							
0.0	INVSLV	Max	0.006	0.004	-0.035	-0.0	-0.0
		Min	-0.002	-0.003	-0.039	-0.0	-0.0
-0.0							
118	Q1-1-2	Max	0.004	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.002	0.001	0.000	0.0	0.0
		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
-0.0	SLVx	(RS)	0.004	-0.000	0.000	0.0	0.0
-0.0	SLVy	(RS)	0.000	0.003	-0.000	-0.0	0.0
-0.0	SLDx	(RS)	0.002	0.000	0.000	0.0	0.0
-0.0	SLDy	(RS)	0.000	0.002	-0.000	-0.0	0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.000	0.0	0.0
-0.0							
0.0	g1		0.003	0.000	-0.000	-0.0	-0.0
0.0	g2		0.002	0.000	-0.000	-0.0	-0.0
0.0	q3		0.005	0.000	-0.000	-0.0	-0.0
0.0	q5_pc		0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps		0.000	0.002	-0.000	-0.0	0.0
-0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	INVSLU	Max	0.007	0.004	-0.000	0.0	-0.0
		Min	-0.003	-0.004	-0.001	-0.0	-0.0
-0.0							
0.0	INVSLV	Max	0.005	0.003	-0.000	-0.0	-0.0
		Min	-0.004	-0.003	-0.000	-0.0	-0.0
-0.0							
119 0.0	Q1-1-2	Max	0.000	0.000	0.000	0.0	0.0
		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.000	0.000	0.000	0.0	0.0
		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	0.004	-0.000	0.000	0.0	0.0
0.0	SLVy	(RS)	0.000	0.003	-0.000	-0.0	0.0
0.0	SLDx	(RS)	0.002	-0.000	0.000	0.0	0.0
0.0	SLDy	(RS)	0.000	0.001	-0.000	-0.0	0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.000	0.0	-0.0
-0.0	g1		0.000	0.000	-0.000	-0.0	0.0
-0.0	g2		0.000	0.000	-0.000	0.0	0.0
-0.0	q3		0.004	-0.000	-0.000	-0.0	0.0
0.0	q5_pc		0.000	0.002	-0.000	-0.0	0.0
0.0	q5_ps		0.000	0.002	-0.000	-0.0	0.0
0.0							
0.0	INVSLU	Max	0.009	0.003	-0.001	0.0	0.0
		Min	0.002	-0.003	-0.001	-0.0	0.0
-0.0							
0.0	INVSLV	Max	0.006	0.003	-0.000	0.0	0.0
		Min	-0.003	-0.003	-0.000	-0.0	0.0
-0.0							
120 0.0	Q1-1-2	Max	0.001	0.001	0.000	0.0	0.0
		Min	-0.000	-0.001	-0.016	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.001	0.001	0.000	0.0	0.0
		Min	-0.000	-0.000	-0.009	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	0.004	-0.000	-0.002	-0.0	0.0
0.0	SLVy	(RS)	-0.000	0.004	-0.000	0.0	0.0
0.0	SLDx	(RS)	0.002	-0.000	-0.001	-0.0	0.0

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


0.0	SLDy (RS)		-0.000	0.002	-0.000	0.0	0.0
0.0	SLVz (RS)		-0.001	-0.000	0.001	0.0	-0.0
-0.0	g1		0.001	0.000	-0.014	-0.0	0.0
-0.0	g2		0.001	0.000	-0.007	-0.0	0.0
-0.0	q3		0.005	-0.000	-0.001	0.0	0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	0.0
0.0	q5_ps		-0.000	0.002	-0.000	-0.0	0.0
0.0	INVS LU	Max	0.012	0.005	-0.061	0.0	0.0
0.0		Min	0.005	-0.004	-0.083	-0.0	0.0
-0.0							
0.0	INVS LV	Max	0.008	0.004	-0.035	0.0	0.0
0.0		Min	-0.001	-0.004	-0.039	-0.0	0.0
-0.0							
121	Q1-1-2	Max	0.003	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.029	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.017	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		0.004	-0.000	-0.003	-0.0	-0.0
0.0	SLVy (RS)		-0.000	0.005	-0.000	0.0	-0.0
0.0	SLDx (RS)		0.002	-0.000	-0.001	-0.0	-0.0
0.0	SLDy (RS)		-0.000	0.002	-0.000	0.0	-0.0
0.0	SLVz (RS)		-0.001	-0.000	0.001	0.0	-0.0
-0.0							
-0.0	g1		0.003	0.000	-0.025	-0.0	0.0
-0.0	g2		0.002	0.000	-0.012	0.0	0.0
-0.0	q3		0.005	-0.000	-0.001	0.0	0.0
0.0	q5_pc		-0.000	0.003	0.000	-0.0	-0.0
0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
0.0							
0.0	INVS LU	Max	0.018	0.006	-0.108	0.0	0.0
0.0		Min	0.009	-0.006	-0.148	-0.0	0.0
-0.0							
0.0	INVS LV	Max	0.010	0.005	-0.062	0.0	0.0
0.0		Min	0.001	-0.005	-0.069	-0.0	0.0
-0.0							

PROJECT TITLE :


MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

122	Q1-1-2	Max	0.005	0.003	0.000	0.0	0.0
0.0		Min	-0.000	-0.003	-0.037	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.003	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.022	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	0.004	-0.000	0.004	-0.0	-0.0
0.0	SLVy	(RS)	-0.000	0.005	-0.000	0.0	-0.0
0.0	SLDx	(RS)	0.002	-0.000	0.002	-0.0	-0.0
0.0	SLDy	(RS)	-0.000	0.003	-0.000	0.0	-0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.002	0.0	-0.0
-0.0							
-0.0	g1		0.004	0.000	-0.032	-0.0	0.0
-0.0	g2		0.002	0.000	-0.016	0.0	0.0
-0.0	q3		0.005	-0.000	-0.001	0.0	0.0
0.0	q5_pc		-0.000	0.003	0.000	-0.0	0.0
0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
0.0							
0.0	INVSLU	Max	0.022	0.007	-0.137	0.0	0.0
0.0		Min	0.012	-0.007	-0.188	-0.0	0.0
-0.0							
0.0	INVSLV	Max	0.013	0.005	-0.079	0.0	0.0
0.0		Min	0.003	-0.005	-0.088	-0.0	0.0
-0.0							
123	Q1-1-2	Max	0.006	0.003	0.000	0.0	0.0
0.0		Min	-0.000	-0.003	-0.040	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.004	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.024	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	0.005	-0.000	0.004	0.0	-0.0
0.0	SLVy	(RS)	-0.000	0.005	-0.000	0.0	0.0
0.0	SLDx	(RS)	0.002	-0.000	0.002	0.0	-0.0
0.0	SLDy	(RS)	-0.000	0.003	-0.000	0.0	0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.002	0.0	0.0
0.0							
-0.0	g1		0.005	0.000	-0.035	-0.0	0.0
-0.0	g2		0.003	0.000	-0.017	0.0	0.0
-0.0							


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	q3		0.005	-0.000	-0.001	0.0	-0.0
-0.0	q5_pc		-0.000	0.003	0.000	-0.0	0.0
-0.0	q5_ps		-0.000	0.003	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.026	0.008	-0.147	0.0	0.0
-0.0		Min	0.015	-0.007	-0.202	-0.0	-0.0
0.0	INVSLV	Max	0.015	0.006	-0.085	0.0	0.0
-0.0		Min	0.005	-0.005	-0.094	-0.0	-0.0
124	Q1-1-2	Max	0.007	0.003	0.000	0.0	0.0
0.0		Min	-0.000	-0.003	-0.037	-0.0	-0.0
0.0	Q2a-1-2	Max	0.004	0.002	0.000	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.022	-0.0	-0.0
0.0	SLVx	(RS)	0.005	0.000	0.004	0.0	-0.0
-0.0	SLVy	(RS)	-0.000	0.005	-0.000	0.0	0.0
0.0	SLDx	(RS)	0.002	0.000	0.002	0.0	-0.0
-0.0	SLDy	(RS)	-0.000	0.003	-0.000	0.0	0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.002	-0.0	0.0
-0.0	g1		0.006	0.000	-0.032	-0.0	-0.0
-0.0	g2		0.003	0.000	-0.016	0.0	-0.0
0.0	q3		0.005	-0.000	-0.001	0.0	-0.0
-0.0	q5_pc		-0.000	0.003	0.000	-0.0	0.0
-0.0	q5_ps		-0.000	0.003	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.029	0.007	-0.137	0.0	-0.0
-0.0		Min	0.017	-0.007	-0.188	-0.0	-0.0
0.0	INVSLV	Max	0.016	0.005	-0.079	0.0	-0.0
-0.0		Min	0.006	-0.005	-0.087	-0.0	-0.0
125	Q1-1-2	Max	0.008	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.029	-0.0	-0.0
0.0	Q2a-1-2	Max	0.005	0.001	0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
	Min	-0.000	-0.001	-0.017	-0.0	-0.0
-0.0	SLVx (RS)	0.005	0.000	0.003	0.0	0.0
0.0	SLVy (RS)	-0.000	0.005	-0.000	0.0	0.0
-0.0	SLDx (RS)	0.002	0.000	0.001	0.0	0.0
0.0	SLDy (RS)	-0.000	0.002	-0.000	0.0	0.0
-0.0	SLVz (RS)	-0.001	-0.000	0.001	-0.0	0.0
-0.0	g1	0.007	0.000	-0.026	-0.0	-0.0
-0.0	g2	0.004	0.000	-0.012	0.0	-0.0
-0.0	q3	0.005	-0.000	-0.001	0.0	-0.0
0.0	q5_pc	-0.000	0.003	0.000	-0.0	0.0
-0.0	q5_ps	-0.000	0.003	-0.000	-0.0	0.0
-0.0						
0.0	INVSLU Max	0.032	0.006	-0.108	0.0	-0.0
-0.0	Min	0.018	-0.006	-0.148	-0.0	-0.0
0.0	INVSLV Max	0.017	0.005	-0.062	0.0	-0.0
-0.0	Min	0.008	-0.005	-0.068	-0.0	-0.0
126	Q1-1-2 Max	0.009	0.001	0.000	0.0	0.0
0.0	Min	-0.000	-0.001	-0.016	-0.0	-0.0
-0.0						
0.0	Q2a-1-2 Max	0.005	0.001	0.000	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.009	-0.0	-0.0
0.0	SLVx (RS)	0.005	0.000	0.002	0.0	0.0
-0.0	SLVy (RS)	0.000	0.004	-0.000	0.0	-0.0
0.0	SLDx (RS)	0.002	0.000	0.001	0.0	0.0
-0.0	SLDy (RS)	0.000	0.002	-0.000	0.0	-0.0
-0.0	SLVz (RS)	-0.001	-0.000	0.001	-0.0	0.0
-0.0	g1	0.008	0.000	-0.014	-0.0	-0.0
-0.0	g2	0.004	0.000	-0.007	0.0	-0.0
-0.0	q3	0.005	-0.000	-0.000	0.0	-0.0
0.0	q5_pc	-0.000	0.003	0.000	-0.0	-0.0
-0.0	q5_ps	-0.000	0.002	-0.000	-0.0	-0.0
-0.0						
0.0	INVSLU Max	0.033	0.005	-0.061	0.0	-0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.0		Min	0.019	-0.004	-0.083	-0.0	-0.0
0.0	INVSLV	Max	0.018	0.004	-0.035	0.0	-0.0
-0.0		Min	0.008	-0.004	-0.038	-0.0	-0.0
127	Q1-1-2	Max	0.009	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.005	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)		0.004	-0.000	0.000	-0.0	0.0
-0.0	SLVy (RS)		-0.000	0.003	-0.000	-0.0	-0.0
0.0	SLDx (RS)		0.002	-0.000	0.000	-0.0	0.0
-0.0	SLDy (RS)		-0.000	0.001	-0.000	-0.0	-0.0
-0.0	SLVz (RS)		-0.001	-0.000	0.000	-0.0	0.0
-0.0	g1		0.008	0.000	-0.000	0.0	-0.0
-0.0	g2		0.004	0.000	-0.000	0.0	-0.0
0.0	q3		0.005	0.000	-0.000	0.0	-0.0
-0.0	q5_pc		-0.000	0.002	-0.000	-0.0	0.0
-0.0	q5_ps		-0.000	0.002	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.032	0.003	-0.001	0.0	-0.0
-0.0		Min	0.018	-0.003	-0.001	-0.0	-0.0
0.0	INVSLV	Max	0.018	0.003	-0.000	0.0	-0.0
-0.0		Min	0.008	-0.003	-0.000	-0.0	-0.0
136	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.009	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.005	-0.0	-0.0
0.0	SLVx (RS)		0.004	-0.000	-0.002	0.0	0.0
0.0	SLVy (RS)		-0.000	0.003	-0.000	-0.0	0.0
0.0	SLDx (RS)		0.002	-0.000	-0.001	0.0	0.0
0.0	SLDy (RS)		-0.000	0.002	-0.000	-0.0	0.0


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


0.0	SLVz (RS)		-0.001	-0.000	-0.004	-0.0	-0.0
-0.0	g1		0.006	0.000	-0.025	0.0	0.0
-0.0	g2		0.003	0.000	-0.004	0.0	0.0
0.0	q3		0.005	-0.000	-0.000	0.0	0.0
0.0	q5_pc		-0.000	0.003	0.000	-0.0	0.0
0.0	q5_ps		-0.000	0.002	0.000	-0.0	0.0
0.0	INVSLU	Max	0.035	0.004	-0.055	0.0	0.0
-0.0		Min	0.024	-0.004	-0.067	-0.0	0.0
-0.0	INVSLV	Max	0.019	0.004	-0.032	0.0	0.0
0.0		Min	0.011	-0.003	-0.041	0.0	0.0
-0.0							
137	Q1-1-2	Max	0.006	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.024	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.014	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		0.004	-0.000	-0.011	0.0	0.0
0.0	SLVy (RS)		-0.000	0.004	-0.000	0.0	-0.0
0.0	SLDx (RS)		0.002	-0.000	-0.005	0.0	0.0
0.0	SLDy (RS)		-0.000	0.002	-0.000	0.0	-0.0
0.0	SLVz (RS)		-0.001	-0.000	-0.012	0.0	-0.0
0.0	g1		0.006	0.000	-0.031	0.0	-0.0
0.0	g2		0.003	0.000	-0.010	0.0	0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	0.0
0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
0.0	INVSLU	Max	0.035	0.005	-0.102	0.0	0.0
0.0		Min	0.023	-0.004	-0.134	0.0	0.0
0.0	INVSLV	Max	0.018	0.004	-0.048	0.0	0.0
0.0		Min	0.010	-0.004	-0.078	-0.0	-0.0
-0.0							



PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
138	Q1-1-2	Max	0.006	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.034	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.020	-0.0	-0.0
-0.0							
-0.0		SLVx (RS)	0.004	-0.000	0.005	-0.0	-0.0
-0.0		SLVy (RS)	-0.000	0.004	-0.000	0.0	-0.0
0.0		SLDx (RS)	0.002	-0.000	0.002	-0.0	-0.0
-0.0		SLDy (RS)	-0.000	0.002	-0.000	0.0	-0.0
0.0		SLVz (RS)	-0.001	-0.000	0.002	0.0	-0.0
-0.0		g1	0.006	0.000	-0.031	0.0	0.0
-0.0		g2	0.003	0.000	-0.014	-0.0	0.0
-0.0		q3	0.005	-0.000	-0.001	0.0	0.0
0.0		q5_pc	-0.000	0.003	-0.000	-0.0	-0.0
0.0		q5_ps	-0.000	0.003	-0.000	-0.0	-0.0
0.0							
	INVSLU	Max	0.032	0.005	-0.129	0.0	0.0
0.0		Min	0.020	-0.004	-0.176	-0.0	0.0
-0.0							
	INVSLV	Max	0.017	0.005	-0.073	0.0	0.0
0.0		Min	0.009	-0.004	-0.083	-0.0	0.0
-0.0							
	Q1-1-2	Max	0.006	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.039	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.023	-0.0	-0.0
-0.0							
-0.0		SLVx (RS)	0.004	-0.000	-0.007	-0.0	-0.0
0.0		SLVy (RS)	-0.000	0.005	-0.000	0.0	-0.0
0.0		SLDx (RS)	0.002	-0.000	-0.003	-0.0	-0.0
0.0		SLDy (RS)	-0.000	0.002	-0.000	0.0	-0.0
0.0		SLVz (RS)	-0.001	-0.000	-0.008	-0.0	-0.0
0.0		g1	0.006	0.000	-0.051	0.0	0.0
-0.0		g2	0.003	0.000	-0.016	0.0	0.0
-0.0		q3	0.005	-0.000	-0.001	-0.0	-0.0
0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	q5_pc	-0.000	0.003	-0.000	-0.0	0.0	
0.0	q5_ps	-0.000	0.003	-0.000	-0.0	-0.0	
-0.0	INVSLU	Max	0.029	0.005	-0.167	0.0	0.0
-0.0		Min	0.017	-0.005	-0.220	-0.0	0.0
-0.0	INVSLV	Max	0.016	0.005	-0.095	0.0	0.0
-0.0		Min	0.007	-0.005	-0.115	-0.0	0.0
140	Q1-1-2	Max	0.006	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.039	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.023	-0.0	-0.0
0.0	SLVx (RS)		0.004	-0.000	-0.007	0.0	-0.0
-0.0	SLVy (RS)		-0.000	0.005	-0.000	0.0	-0.0
0.0	SLDx (RS)		0.002	-0.000	-0.003	0.0	-0.0
-0.0	SLDy (RS)		-0.000	0.002	-0.000	0.0	-0.0
0.0	SLVz (RS)		-0.001	-0.000	-0.008	0.0	0.0
-0.0	g1		0.006	0.000	-0.051	-0.0	-0.0
-0.0	g2		0.003	0.000	-0.016	-0.0	-0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0
-0.0	q5_pc		-0.000	0.003	0.000	-0.0	0.0
-0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
-0.0							
-0.0	INVSLU	Max	0.024	0.005	-0.167	0.0	-0.0
-0.0		Min	0.013	-0.005	-0.220	-0.0	-0.0
-0.0	INVSLV	Max	0.013	0.005	-0.095	0.0	-0.0
-0.0		Min	0.005	-0.005	-0.115	-0.0	-0.0
141	Q1-1-2	Max	0.005	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.034	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.020	-0.0	-0.0

PROJECT TITLE :

MIDAS		Company	Client			
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	SLVx (RS)	0.004	-0.000	-0.006	0.0	0.0
-0.0	SLVy (RS)	-0.000	0.004	0.000	0.0	-0.0
0.0	SLDx (RS)	0.002	-0.000	-0.003	0.0	0.0
-0.0	SLDy (RS)	-0.000	0.002	0.000	0.0	-0.0
0.0	SLVz (RS)	-0.001	-0.000	-0.007	0.0	0.0
-0.0	g1	0.005	0.000	-0.046	-0.0	-0.0
-0.0	g2	0.003	0.000	-0.014	-0.0	-0.0
0.0	q3	0.005	-0.000	-0.001	-0.0	-0.0
-0.0	q5_pc	-0.000	0.003	0.000	-0.0	0.0
-0.0	q5_ps	-0.000	0.003	0.000	-0.0	0.0
-0.0	INVSLU Max	0.019	0.005	-0.147	0.0	-0.0
-0.0	Min	0.008	-0.004	-0.193	-0.0	-0.0
-0.0	INVSLV Max	0.011	0.005	-0.084	0.0	-0.0
-0.0	Min	0.002	-0.004	-0.101	-0.0	-0.0
142	Q1-1-2 Max	0.005	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.023	-0.0	-0.0
-0.0	Q2a-1-2 Max	0.003	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.013	-0.0	-0.0
-0.0	SLVx (RS)	0.004	-0.000	-0.004	0.0	0.0
0.0	SLVy (RS)	-0.000	0.004	0.000	0.0	-0.0
-0.0	SLDx (RS)	0.002	-0.000	-0.002	0.0	0.0
0.0	SLDy (RS)	-0.000	0.002	0.000	0.0	-0.0
-0.0	SLVz (RS)	-0.001	-0.000	-0.005	0.0	0.0
0.0	g1	0.005	0.000	-0.037	-0.0	-0.0
-0.0	g2	0.002	0.000	-0.010	-0.0	-0.0
-0.0	q3	0.005	-0.000	-0.001	-0.0	-0.0
0.0	q5_pc	-0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps	-0.000	0.003	-0.000	-0.0	0.0
-0.0	INVSLU Max	0.014	0.004	-0.108	0.0	-0.0
-0.0	Min	0.004	-0.004	-0.140	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


-0.0	INVSLV	Max	0.008	0.004	-0.063	0.0	-0.0
-0.0		Min	-0.000	-0.004	-0.075	-0.0	-0.0
143 0.0	Q1-1-2	Max	0.004	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.009	-0.0	-0.0
0.0	Q2a-1-2	Max	0.002	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.005	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	-0.002	0.0	0.0
-0.0	SLVy	(RS)	-0.000	0.003	0.000	-0.0	0.0
0.0	SLDx	(RS)	0.002	-0.000	-0.001	0.0	0.0
-0.0	SLDy	(RS)	-0.000	0.002	0.000	-0.0	0.0
0.0	SLVz	(RS)	-0.001	-0.000	-0.003	0.0	0.0
-0.0	g1		0.004	0.000	-0.025	-0.0	-0.0
0.0	g2		0.002	0.000	-0.004	-0.0	-0.0
0.0	q3		0.005	0.000	-0.000	-0.0	-0.0
-0.0	q5_pc		-0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps		-0.000	0.002	-0.000	-0.0	0.0
-0.0	INVSLU	Max	0.009	0.004	-0.054	0.0	-0.0
-0.0		Min	-0.000	-0.004	-0.066	-0.0	-0.0
-0.0	INVSLV	Max	0.006	0.004	-0.033	-0.0	-0.0
-0.0		Min	-0.003	-0.003	-0.039	-0.0	-0.0
150 0.0	Q1-1-2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.002	-0.0	-0.0
0.0	Q2a-1-2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.001	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	0.000	-0.000	-0.0	0.0
0.0	SLVy	(RS)	0.000	0.003	-0.000	-0.0	0.0
-0.0	SLDx	(RS)	0.002	0.000	-0.000	-0.0	0.0
0.0	SLDy	(RS)	0.000	0.001	-0.000	-0.0	0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.000	0.0	-0.0

PROJECT TITLE :


MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.0							
0.0	g1		0.000	0.000	-0.002	-0.0	0.0
0.0	g2		0.000	0.000	-0.001	-0.0	0.0
0.0	q3		0.004	0.000	-0.000	0.0	0.0
0.0	q5_pc		0.000	0.002	0.000	-0.0	-0.0
0.0	q5_ps		0.000	0.002	-0.000	-0.0	-0.0
0.0	INVSLU	Max	0.007	0.003	-0.007	0.0	0.0
-0.0		Min	-0.000	-0.003	-0.009	-0.0	0.0
0.0	INVSLV	Max	0.004	0.003	-0.004	0.0	0.0
-0.0		Min	-0.004	-0.003	-0.004	-0.0	0.0
151	Q1-1-2	Max	0.002	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.002	-0.0	-0.0
-0.0	Q2a-1-2	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.001	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	-0.000	0.0	0.0
0.0	SLVy	(RS)	0.000	0.003	-0.000	-0.0	0.0
0.0	SLDx	(RS)	0.002	-0.000	-0.000	0.0	0.0
0.0	SLDy	(RS)	0.000	0.002	-0.000	-0.0	0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.000	0.0	-0.0
0.0	g1		0.001	0.000	-0.002	-0.0	0.0
-0.0	g2		0.001	0.000	-0.001	-0.0	0.0
0.0	q3		0.004	0.000	-0.000	0.0	0.0
-0.0	q5_pc		0.000	0.002	0.000	-0.0	-0.0
0.0	q5_ps		0.000	0.002	0.000	-0.0	-0.0
0.0	INVSLU	Max	0.014	0.004	-0.007	0.0	0.0
-0.0		Min	0.006	-0.003	-0.009	-0.0	0.0
0.0	INVSLV	Max	0.008	0.003	-0.004	0.0	0.0
-0.0		Min	-0.000	-0.003	-0.004	-0.0	0.0
152	Q1-1-2	Max	0.003	0.001	0.000	0.0	0.0
0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.0		Min	-0.000	-0.000	-0.002	-0.0	-0.0
0.0	Q2a-1-2	Max	0.002	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.001	-0.0	-0.0
0.0		SLVx (RS)	0.004	-0.000	-0.000	0.0	0.0
0.0		SLVy (RS)	0.000	0.003	-0.000	-0.0	0.0
0.0		SLDx (RS)	0.002	-0.000	-0.000	0.0	0.0
0.0		SLDy (RS)	0.000	0.002	-0.000	-0.0	0.0
0.0		SLVz (RS)	-0.001	-0.000	0.000	-0.0	-0.0
-0.0		g1	0.003	0.000	-0.002	0.0	0.0
0.0		g2	0.002	0.000	-0.001	0.0	0.0
0.0		q3	0.005	-0.000	-0.000	0.0	0.0
0.0		q5_pc	0.000	0.003	0.000	-0.0	-0.0
0.0		q5_ps	0.000	0.002	0.000	-0.0	-0.0
0.0	INVSLU	Max	0.021	0.004	-0.007	0.0	0.0
-0.0		Min	0.012	-0.004	-0.010	-0.0	0.0
0.0	INVSLV	Max	0.012	0.004	-0.004	0.0	0.0
-0.0		Min	0.003	-0.003	-0.004	-0.0	0.0
153	Q1-1-2	Max	0.005	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.002	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.001	-0.0	-0.0
0.0		SLVx (RS)	0.004	-0.000	-0.000	0.0	0.0
0.0		SLVy (RS)	0.000	0.003	-0.000	0.0	0.0
0.0		SLDx (RS)	0.002	-0.000	-0.000	0.0	0.0
0.0		SLDy (RS)	0.000	0.002	-0.000	0.0	0.0
0.0		SLVz (RS)	-0.001	-0.000	0.000	-0.0	-0.0
-0.0		g1	0.004	0.000	-0.002	0.0	0.0
-0.0		g2	0.002	0.000	-0.001	0.0	0.0
0.0		q3	0.005	-0.000	-0.000	0.0	0.0
0.0		q5_pc	0.000	0.003	0.000	0.0	-0.0
0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	q5_ps		0.000	0.002	0.000	0.0	-0.0
0.0	INVSLU	Max	0.029	0.005	-0.007	0.0	0.0
-0.0		Min	0.019	-0.004	-0.010	-0.0	0.0
0.0	INVSLV	Max	0.015	0.004	-0.004	0.0	0.0
-0.0		Min	0.007	-0.003	-0.004	0.0	0.0
154 0.0	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.002	-0.0	-0.0
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.001	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	-0.000	0.0	0.0
0.0	SLVy	(RS)	0.000	0.003	-0.000	0.0	0.0
0.0	SLDx	(RS)	0.002	-0.000	-0.000	0.0	0.0
0.0	SLDy	(RS)	0.000	0.002	-0.000	0.0	0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.000	-0.0	-0.0
0.0	g1		0.005	0.000	-0.002	0.0	0.0
0.0	g2		0.003	0.000	-0.001	0.0	0.0
0.0	q3		0.005	-0.000	-0.000	0.0	0.0
0.0	q5_pc		0.000	0.003	0.000	0.0	-0.0
0.0	q5_ps		0.000	0.002	-0.000	0.0	-0.0
0.0	INVSLU	Max	0.035	0.005	-0.007	0.0	0.0
-0.0		Min	0.023	-0.004	-0.010	-0.0	0.0
0.0	INVSLV	Max	0.018	0.003	-0.004	0.0	0.0
-0.0		Min	0.010	-0.003	-0.004	0.0	0.0
155 0.0	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.002	-0.0	-0.0
0.0	Q2a-1-2	Max	0.004	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.001	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	-0.000	0.0	0.0

PROJECT TITLE :

MIDAS		Company					Client
		Author					File Name
							PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt
0.0	SLVy (RS)		0.000	0.003	-0.000	-0.0	0.0
-0.0	SLDx (RS)		0.002	-0.000	-0.000	0.0	0.0
0.0	SLDy (RS)		0.000	0.002	-0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.001	-0.000	0.000	-0.0	-0.0
0.0	g1		0.005	0.000	-0.002	0.0	0.0
0.0	g2		0.003	0.000	-0.001	0.0	0.0
0.0	q3		0.005	-0.000	-0.000	0.0	0.0
0.0	q5_pc		0.000	0.003	0.000	-0.0	-0.0
0.0	q5_ps		0.000	0.002	0.000	-0.0	-0.0
0.0	INVSLU	Max	0.037	0.005	-0.007	-0.0	0.0
-0.0		Min	0.025	-0.004	-0.010	-0.0	0.0
0.0	INVSLV	Max	0.019	0.003	-0.004	0.0	0.0
-0.0		Min	0.011	-0.003	-0.004	0.0	0.0
200	Q1-1-2	Max	0.002	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
-0.0	Q2a-1-2	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.013	-0.0	-0.0
-0.0	SLVx (RS)		0.004	-0.000	-0.002	-0.0	-0.0
0.0	SLVy (RS)		0.000	0.004	-0.000	-0.0	0.0
-0.0	SLDx (RS)		0.002	-0.000	-0.001	-0.0	-0.0
0.0	SLDy (RS)		0.000	0.002	-0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.001	-0.000	0.001	-0.0	-0.0
0.0	g1		0.001	0.000	-0.018	0.0	0.0
0.0	g2		0.001	0.000	-0.009	-0.0	0.0
-0.0	q3		0.005	0.000	-0.001	0.0	0.0
0.0	q5_pc		0.000	0.003	0.000	-0.0	-0.0
0.0	q5_ps		0.000	0.003	0.000	-0.0	0.0
0.0	INVSLU	Max	0.013	0.006	-0.079	0.0	0.0
-0.0		Min	0.005	-0.004	-0.109	-0.0	0.0
	INVSLV	Max	0.007	0.005	-0.045	0.0	0.0




PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0		Min	-0.001	-0.004	-0.050	-0.0	0.0
-0.0							
201	Q1-1-2	Max	0.002	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.023	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.001	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.013	-0.0	-0.0
-0.0							
-0.0		SLVx (RS)	0.004	-0.000	-0.002	-0.0	-0.0
-0.0		SLVy (RS)	0.000	0.004	-0.000	-0.0	0.0
0.0		SLDx (RS)	0.002	-0.000	-0.001	-0.0	-0.0
-0.0		SLDy (RS)	0.000	0.002	-0.000	-0.0	0.0
0.0		SLVz (RS)	-0.001	-0.000	0.001	-0.0	-0.0
-0.0							
0.0		g1	0.002	0.000	-0.019	0.0	0.0
0.0		g2	0.001	0.000	-0.009	-0.0	0.0
0.0		q3	0.005	0.000	-0.001	0.0	0.0
-0.0		q5_pc	0.000	0.003	0.000	-0.0	-0.0
0.0		q5_ps	0.000	0.003	0.000	-0.0	0.0
0.0							
0.0	INVSLU	Max	0.013	0.006	-0.082	0.0	0.0
0.0		Min	0.005	-0.005	-0.114	-0.0	0.0
-0.0							
0.0	INVSLV	Max	0.007	0.005	-0.047	0.0	0.0
0.0		Min	-0.001	-0.004	-0.052	-0.0	0.0
-0.0							
204	Q1-1-2	Max	0.003	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.013	-0.0	-0.0
-0.0							
-0.0		SLVx (RS)	0.004	-0.000	-0.002	-0.0	-0.0
-0.0		SLVy (RS)	0.000	0.005	-0.000	-0.0	0.0
0.0		SLDx (RS)	0.002	-0.000	-0.001	-0.0	-0.0
-0.0		SLDy (RS)	0.000	0.002	-0.000	-0.0	0.0
0.0		SLVz (RS)	-0.001	-0.000	0.001	-0.0	-0.0
-0.0							
0.0		g1	0.002	0.000	-0.018	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0						
	g2		0.001	0.000	-0.009	-0.0 0.0
0.0	q3		0.005	0.000	-0.001	0.0 0.0
-0.0	q5_pc		0.000	0.004	0.000	-0.0 -0.0
0.0	q5_ps		0.000	0.003	0.000	-0.0 0.0
0.0						
	INVSLU	Max	0.018	0.006	-0.079	0.0 0.0
0.0		Min	0.009	-0.005	-0.109	-0.0 0.0
-0.0						
	INVSLV	Max	0.010	0.005	-0.045	0.0 0.0
0.0		Min	0.002	-0.004	-0.050	-0.0 0.0
-0.0						
205	Q1-1-2	Max	0.003	0.001	0.000	0.0 0.0
0.0		Min	-0.000	-0.001	-0.023	-0.0 -0.0
-0.0						
	Q2a-1-2	Max	0.002	0.001	0.000	0.0 0.0
0.0		Min	-0.000	-0.001	-0.013	-0.0 -0.0
-0.0						
	SLVx	(RS)	0.004	-0.000	-0.002	-0.0 -0.0
-0.0	SLVy	(RS)	0.000	0.005	-0.000	-0.0 0.0
0.0	SLDx	(RS)	0.002	-0.000	-0.001	-0.0 -0.0
-0.0	SLDy	(RS)	0.000	0.002	-0.000	-0.0 0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0 -0.0
-0.0						
	g1		0.003	0.000	-0.019	0.0 0.0
0.0	g2		0.002	0.000	-0.009	-0.0 0.0
0.0	q3		0.005	0.000	-0.001	0.0 0.0
-0.0	q5_pc		0.000	0.004	0.000	-0.0 -0.0
0.0	q5_ps		0.000	0.003	0.000	-0.0 0.0
0.0						
	INVSLU	Max	0.018	0.006	-0.082	0.0 0.0
0.0		Min	0.010	-0.006	-0.114	-0.0 0.0
-0.0						
	INVSLV	Max	0.010	0.005	-0.047	0.0 0.0
0.0		Min	0.002	-0.004	-0.052	-0.0 0.0
-0.0						
208	Q1-1-2	Max	0.004	0.001	0.000	0.0 0.0
0.0		Min	-0.000	-0.001	-0.022	-0.0 -0.0
-0.0						

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	


0.0	Q2a-1-2	Max	0.002	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.013	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	-0.002	0.0	-0.0
0.0	SLVy	(RS)	0.000	0.005	-0.000	0.0	0.0
-0.0	SLDx	(RS)	0.002	-0.000	-0.001	0.0	-0.0
0.0	SLDy	(RS)	0.000	0.002	-0.000	0.0	0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	-0.0
0.0	g1		0.004	0.000	-0.018	0.0	0.0
0.0	g2		0.002	0.000	-0.009	-0.0	0.0
-0.0	q3		0.005	0.000	-0.001	0.0	0.0
0.0	q5_pc		0.000	0.004	0.000	0.0	-0.0
0.0	q5_ps		0.000	0.003	0.000	0.0	0.0
0.0	INVSLU	Max	0.024	0.006	-0.079	0.0	0.0
-0.0		Min	0.014	-0.006	-0.109	-0.0	0.0
0.0	INVSLV	Max	0.013	0.005	-0.045	0.0	0.0
-0.0		Min	0.005	-0.005	-0.050	0.0	0.0
209	Q1-1-2	Max	0.004	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.023	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.002	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.013	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	-0.002	0.0	-0.0
0.0	SLVy	(RS)	0.000	0.005	-0.000	0.0	0.0
-0.0	SLDx	(RS)	0.002	-0.000	-0.001	0.0	-0.0
0.0	SLDy	(RS)	0.000	0.002	-0.000	0.0	0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	-0.0
0.0	g1		0.004	0.000	-0.019	0.0	0.0
0.0	g2		0.002	0.000	-0.009	-0.0	0.0
-0.0	q3		0.005	0.000	-0.001	0.0	0.0
0.0	q5_pc		0.000	0.004	0.000	0.0	-0.0
0.0	q5_ps		0.000	0.004	0.000	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	INVS LU	Max	0.024	0.006	-0.082	0.0	0.0
-0.0		Min	0.014	-0.006	-0.114	-0.0	0.0
0.0	INVS LV	Max	0.013	0.005	-0.047	0.0	0.0
-0.0		Min	0.005	-0.005	-0.052	0.0	0.0
212 0.0	Q1-1-2	Max	0.005	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.013	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	-0.002	-0.0	-0.0
0.0	SLVy	(RS)	0.000	0.004	-0.000	0.0	0.0
-0.0	SLDx	(RS)	0.002	-0.000	-0.001	-0.0	-0.0
0.0	SLDy	(RS)	0.000	0.002	-0.000	0.0	0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	-0.0
0.0	g1		0.005	0.000	-0.018	0.0	0.0
0.0	g2		0.003	0.000	-0.009	0.0	0.0
-0.0	q3		0.005	-0.000	-0.001	0.0	0.0
0.0	q5_pc		0.000	0.003	0.000	0.0	-0.0
0.0	q5_ps		0.000	0.003	0.000	0.0	0.0
0.0	INVS LU	Max	0.030	0.005	-0.079	0.0	0.0
-0.0		Min	0.019	-0.006	-0.109	-0.0	0.0
0.0	INVS LV	Max	0.016	0.004	-0.045	0.0	0.0
-0.0		Min	0.008	-0.004	-0.050	-0.0	0.0
213 0.0	Q1-1-2	Max	0.005	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.023	-0.0	-0.0
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.013	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	-0.002	-0.0	-0.0
0.0	SLVy	(RS)	0.000	0.004	-0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
-0.0	SLDx (RS)	0.002	-0.000	-0.001	-0.0	-0.0
0.0	SLDy (RS)	0.000	0.002	-0.000	0.0	0.0
-0.0	SLVz (RS)	-0.001	-0.000	0.001	-0.0	-0.0
0.0	g1	0.005	0.000	-0.019	0.0	0.0
0.0	g2	0.003	0.000	-0.009	0.0	0.0
0.0	q3	0.005	-0.000	-0.001	0.0	0.0
0.0	q5_pc	0.000	0.003	0.000	0.0	-0.0
0.0	q5_ps	0.000	0.003	0.000	0.0	0.0
0.0	INVSLU Max	0.030	0.005	-0.082	0.0	0.0
-0.0	Min	0.019	-0.006	-0.114	-0.0	0.0
0.0	INVSLV Max	0.016	0.004	-0.047	0.0	0.0
-0.0	Min	0.008	-0.005	-0.052	-0.0	0.0
216 0.0	Q1-1-2 Max	0.006	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.022	-0.0	-0.0
0.0	Q2a-1-2 Max	0.004	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.013	-0.0	-0.0
0.0	SLVx (RS)	0.004	-0.000	-0.002	-0.0	-0.0
0.0	SLVy (RS)	0.000	0.004	-0.000	0.0	0.0
0.0	SLDx (RS)	0.002	-0.000	-0.001	-0.0	-0.0
0.0	SLDy (RS)	0.000	0.002	-0.000	0.0	0.0
-0.0	SLVz (RS)	-0.001	-0.000	0.001	-0.0	-0.0
-0.0	g1	0.006	0.000	-0.018	0.0	0.0
0.0	g2	0.003	0.000	-0.009	0.0	0.0
0.0	q3	0.005	-0.000	-0.001	0.0	0.0
0.0	q5_pc	0.000	0.003	0.000	0.0	-0.0
0.0	q5_ps	0.000	0.003	0.000	0.0	0.0
0.0	INVSLU Max	0.035	0.004	-0.079	0.0	0.0
-0.0	Min	0.023	-0.005	-0.109	-0.0	0.0
0.0	INVSLV Max	0.018	0.004	-0.045	0.0	0.0
	Min	0.010	-0.004	-0.050	-0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.0

217	Q1-1-2	Max	0.006	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.023	-0.0	-0.0

-0.0

0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.013	-0.0	-0.0

-0.0

0.0	SLVx	(RS)	0.004	-0.000	-0.002	-0.0	-0.0
0.0	SLVy	(RS)	0.000	0.004	-0.000	0.0	0.0
0.0	SLDx	(RS)	0.002	-0.000	-0.001	-0.0	-0.0
0.0	SLDy	(RS)	0.000	0.002	-0.000	0.0	0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	-0.0

-0.0

-0.0	g1		0.006	0.000	-0.019	0.0	0.0
------	----	--	-------	-------	--------	-----	-----

-0.0

0.0	g2		0.003	0.000	-0.009	0.0	0.0
-----	----	--	-------	-------	--------	-----	-----

0.0

0.0	q3		0.005	-0.000	-0.001	0.0	0.0
-----	----	--	-------	--------	--------	-----	-----

0.0

0.0	q5_pc		0.000	0.003	0.000	0.0	-0.0
-----	-------	--	-------	-------	-------	-----	------

0.0

0.0	q5_ps		0.000	0.003	0.000	0.0	0.0
-----	-------	--	-------	-------	-------	-----	-----

0.0

0.0	INVSLU	Max	0.034	0.004	-0.082	0.0	0.0
-0.0		Min	0.023	-0.005	-0.114	-0.0	0.0

-0.0

0.0	INVSLV	Max	0.018	0.004	-0.047	0.0	0.0
-0.0		Min	0.010	-0.004	-0.052	-0.0	0.0

-0.0

220	Q1-1-2	Max	0.007	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0

-0.0

0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.013	-0.0	-0.0

-0.0

0.0	SLVx	(RS)	0.004	-0.000	-0.002	0.0	-0.0
0.0	SLVy	(RS)	0.000	0.004	-0.000	0.0	0.0
0.0	SLDx	(RS)	0.002	-0.000	-0.001	0.0	-0.0
0.0	SLDy	(RS)	0.000	0.002	-0.000	0.0	0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	-0.0


-0.0

-0.0	g1		0.006	0.000	-0.018	0.0	0.0
------	----	--	-------	-------	--------	-----	-----

-0.0

	g2		0.003	0.000	-0.009	0.0	0.0
--	----	--	-------	-------	--------	-----	-----

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	q3		0.005	-0.000	-0.001	0.0	0.0
0.0	q5_pc		0.000	0.003	0.000	-0.0	-0.0
0.0	q5_ps		0.000	0.003	0.000	-0.0	0.0
0.0	INVSLU	Max	0.036	0.004	-0.079	0.0	0.0
0.0		Min	0.024	-0.005	-0.109	-0.0	0.0
-0.0	INVSLV	Max	0.019	0.004	-0.045	0.0	0.0
0.0		Min	0.011	-0.004	-0.050	0.0	0.0
-0.0							
221	Q1-1-2	Max	0.007	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.023	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.013	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	0.004	-0.000	-0.002	0.0	-0.0
0.0	SLVy	(RS)	0.000	0.004	-0.000	0.0	0.0
0.0	SLDx	(RS)	0.002	-0.000	-0.001	0.0	-0.0
0.0	SLDy	(RS)	0.000	0.002	-0.000	0.0	0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	-0.0
-0.0							
-0.0	g1		0.006	0.000	-0.019	0.0	0.0
-0.0	g2		0.003	0.000	-0.009	0.0	0.0
0.0	q3		0.005	-0.000	-0.001	0.0	0.0
0.0	q5_pc		0.000	0.003	0.000	-0.0	-0.0
0.0	q5_ps		0.000	0.003	0.000	-0.0	0.0
0.0	INVSLU	Max	0.036	0.004	-0.082	0.0	0.0
0.0		Min	0.024	-0.005	-0.114	-0.0	0.0
-0.0							
0.0	INVSLV	Max	0.019	0.004	-0.047	0.0	0.0
0.0		Min	0.010	-0.004	-0.052	0.0	0.0
-0.0							
246	Q1-1-2	Max	0.004	0.003	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.038	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.002	0.002	0.000	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	0.003	-0.0	-0.0
-0.0	SLVy	(RS)	0.000	0.005	-0.001	0.0	0.0
0.0	SLDx	(RS)	0.002	-0.000	0.002	-0.0	-0.0
-0.0	SLDy	(RS)	0.000	0.003	-0.000	0.0	0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	-0.0
-0.0	g1		0.003	0.000	-0.031	0.0	0.0
0.0	g2		0.002	0.000	-0.015	-0.0	0.0
-0.0	q3		0.005	0.000	-0.001	-0.0	0.0
-0.0	q5_pc		0.000	0.003	0.000	-0.0	0.0
0.0	q5_ps		0.000	0.003	0.000	-0.0	0.0
0.0	INVSLU	Max	0.020	0.008	-0.131	0.0	0.0
0.0		Min	0.010	-0.006	-0.183	-0.0	0.0
-0.0	INVSLV	Max	0.011	0.006	-0.076	0.0	0.0
0.0		Min	0.003	-0.005	-0.084	0.0	0.0
-0.0							
247	Q1-1-2	Max	0.004	0.003	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.038	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	0.003	-0.0	-0.0
-0.0	SLVy	(RS)	0.000	0.005	-0.001	0.0	0.0
0.0	SLDx	(RS)	0.002	-0.000	0.002	-0.0	-0.0
-0.0	SLDy	(RS)	0.000	0.003	-0.000	0.0	0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	-0.0
-0.0	g1		0.004	0.000	-0.031	0.0	0.0
0.0	g2		0.002	0.000	-0.015	-0.0	0.0
-0.0	q3		0.005	0.000	-0.001	-0.0	0.0
-0.0	q5_pc		0.000	0.003	0.000	-0.0	0.0
0.0	q5_ps		0.000	0.003	0.000	-0.0	0.0
0.0	INVSLU	Max	0.021	0.008	-0.134	0.0	0.0




PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0		Min	0.011	-0.006	-0.186	-0.0	0.0
-0.0							
0.0	INVSLV	Max	0.011	0.006	-0.077	0.0	0.0
-0.0		Min	0.003	-0.005	-0.086	0.0	0.0
248	Q1-1-2	Max	0.004	0.003	0.000	0.0	0.0
0.0		Min	-0.000	-0.003	-0.039	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.002	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.023	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	0.003	-0.0	-0.0
-0.0	SLVy	(RS)	0.000	0.005	-0.001	0.0	0.0
0.0	SLDx	(RS)	0.002	-0.000	0.002	-0.0	-0.0
-0.0	SLDy	(RS)	0.000	0.003	-0.000	0.0	0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	-0.0
-0.0	g1		0.004	0.000	-0.032	0.0	0.0
0.0	g2		0.002	0.000	-0.015	-0.0	0.0
-0.0	q3		0.005	0.000	-0.001	-0.0	0.0
-0.0	q5_pc		0.000	0.003	0.000	-0.0	0.0
0.0	q5_ps		0.000	0.003	0.000	-0.0	0.0
0.0							
0.0	INVSLU	Max	0.021	0.008	-0.136	0.0	0.0
-0.0		Min	0.011	-0.006	-0.189	-0.0	0.0
0.0	INVSLV	Max	0.012	0.006	-0.079	0.0	0.0
-0.0		Min	0.003	-0.005	-0.087	0.0	0.0
255	Q1-1-2	Max	0.005	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.038	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	0.003	-0.0	-0.0
-0.0	SLVy	(RS)	0.000	0.005	-0.001	-0.0	0.0
0.0	SLDx	(RS)	0.002	-0.000	0.002	-0.0	-0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
-0.0	SLDy (RS)	0.000	0.003	-0.000	-0.0	0.0
-0.0	SLVz (RS)	-0.001	-0.000	0.001	-0.0	-0.0
0.0	g1	0.004	0.000	-0.031	0.0	0.0
-0.0	g2	0.002	0.000	-0.015	-0.0	0.0
-0.0	q3	0.005	0.000	-0.001	0.0	0.0
-0.0	q5_pc	0.000	0.004	0.000	-0.0	0.0
-0.0	q5_ps	0.000	0.003	0.000	-0.0	0.0
0.0	INVSLU Max	0.023	0.008	-0.131	0.0	0.0
-0.0	Min	0.013	-0.007	-0.183	-0.0	0.0
0.0	INVSLV Max	0.012	0.006	-0.076	0.0	0.0
-0.0	Min	0.004	-0.005	-0.084	0.0	0.0
256 0.0	Q1-1-2 Max	0.005	0.002	0.000	0.0	0.0
-0.0	Min	-0.000	-0.002	-0.038	-0.0	-0.0
0.0	Q2a-1-2 Max	0.003	0.001	0.000	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.022	-0.0	-0.0
-0.0	SLVx (RS)	0.004	-0.000	0.003	-0.0	-0.0
-0.0	SLVy (RS)	0.000	0.005	-0.001	-0.0	0.0
-0.0	SLDx (RS)	0.002	-0.000	0.002	-0.0	-0.0
-0.0	SLDy (RS)	0.000	0.003	-0.000	-0.0	0.0
-0.0	SLVz (RS)	-0.001	-0.000	0.001	-0.0	-0.0
0.0	g1	0.004	0.000	-0.031	0.0	0.0
-0.0	g2	0.002	0.000	-0.015	-0.0	0.0
0.0	q3	0.005	0.000	-0.001	0.0	0.0
-0.0	q5_pc	0.000	0.004	0.000	-0.0	0.0
-0.0	q5_ps	0.000	0.003	0.000	-0.0	0.0
0.0	INVSLU Max	0.023	0.008	-0.134	0.0	0.0
-0.0	Min	0.013	-0.007	-0.186	-0.0	0.0
0.0	INVSLV Max	0.013	0.006	-0.078	0.0	0.0
-0.0	Min	0.004	-0.005	-0.086	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

257	Q1-1-2	Max	0.005	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.039	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.003	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.023	-0.0	-0.0
-0.0							
-0.0	SLVx	(RS)	0.004	-0.000	0.004	-0.0	-0.0
-0.0	SLVy	(RS)	0.000	0.005	-0.001	-0.0	0.0
-0.0	SLDx	(RS)	0.002	-0.000	0.002	-0.0	-0.0
-0.0	SLDy	(RS)	0.000	0.003	-0.000	-0.0	0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	-0.0
-0.0	g1		0.004	0.000	-0.032	0.0	0.0
0.0	g2		0.002	0.000	-0.015	-0.0	0.0
-0.0	q3		0.005	0.000	-0.001	0.0	0.0
-0.0	q5_pc		0.000	0.004	0.000	-0.0	0.0
-0.0	q5_ps		0.000	0.003	0.000	-0.0	0.0
-0.0							
	INVSLU	Max	0.023	0.007	-0.136	0.0	0.0
0.0		Min	0.013	-0.007	-0.189	-0.0	0.0
-0.0							
	INVSLV	Max	0.013	0.006	-0.079	0.0	0.0
0.0		Min	0.004	-0.005	-0.087	0.0	0.0
-0.0							
	Q1-1-2	Max	0.005	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.038	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.003	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
-0.0							
-0.0	SLVx	(RS)	0.004	-0.000	0.003	0.0	-0.0
-0.0	SLVy	(RS)	0.000	0.005	-0.001	0.0	0.0
-0.0	SLDx	(RS)	0.002	-0.000	0.002	0.0	-0.0
-0.0	SLDy	(RS)	0.000	0.003	-0.000	0.0	0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	-0.0
-0.0	g1		0.005	0.000	-0.031	0.0	0.0
0.0	g2		0.002	0.000	-0.015	-0.0	0.0
-0.0	q3		0.005	-0.000	-0.001	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0						
-0.0	q5_pc		0.000	0.004	0.000	0.0
-0.0	q5_ps		0.000	0.004	0.000	0.0
	INVSLU	Max	0.026	0.007	-0.131	0.0
0.0		Min	0.015	-0.008	-0.183	-0.0
-0.0						
	INVSLV	Max	0.014	0.005	-0.076	0.0
0.0		Min	0.006	-0.005	-0.084	0.0
-0.0						
265	Q1-1-2	Max	0.005	0.001	0.000	0.0
0.0		Min	-0.000	-0.002	-0.038	-0.0
-0.0						
	Q2a-1-2	Max	0.003	0.001	0.000	0.0
0.0		Min	-0.000	-0.001	-0.022	-0.0
-0.0						
-0.0	SLVx	(RS)	0.004	-0.000	0.003	0.0
-0.0	SLVy	(RS)	0.000	0.005	-0.001	0.0
-0.0	SLDx	(RS)	0.002	-0.000	0.002	0.0
-0.0	SLDy	(RS)	0.000	0.003	-0.000	0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0
-0.0						
0.0	g1		0.005	0.000	-0.031	0.0
0.0	g2		0.003	0.000	-0.015	-0.0
-0.0						
-0.0	q3		0.005	0.000	-0.001	0.0
0.0	q5_pc		0.000	0.004	0.000	0.0
-0.0	q5_ps		0.000	0.004	0.000	0.0
-0.0						
	INVSLU	Max	0.026	0.007	-0.134	0.0
0.0		Min	0.015	-0.007	-0.186	-0.0
-0.0						
	INVSLV	Max	0.014	0.005	-0.078	0.0
0.0		Min	0.006	-0.005	-0.086	0.0
-0.0						
266	Q1-1-2	Max	0.005	0.001	0.000	0.0
0.0		Min	-0.000	-0.002	-0.039	-0.0
-0.0						
	Q2a-1-2	Max	0.003	0.001	0.000	0.0
0.0		Min	-0.000	-0.001	-0.023	-0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	SLVx (RS)		0.004	-0.000	0.004	0.0	-0.0
0.0	SLVy (RS)		0.000	0.005	-0.001	0.0	0.0
-0.0	SLDx (RS)		0.002	-0.000	0.002	0.0	-0.0
0.0	SLDy (RS)		0.000	0.003	-0.000	0.0	0.0
-0.0	SLVz (RS)		-0.001	-0.000	0.001	-0.0	-0.0
0.0	g1		0.005	0.000	-0.032	0.0	0.0
0.0	g2		0.003	0.000	-0.016	0.0	0.0
-0.0	q3		0.005	0.000	-0.001	0.0	0.0
0.0	q5_pc		0.000	0.004	0.000	0.0	0.0
-0.0	q5_ps		0.000	0.003	0.000	0.0	0.0
-0.0	INVS LU	Max	0.026	0.006	-0.136	0.0	0.0
0.0		Min	0.015	-0.007	-0.189	-0.0	0.0
-0.0	INVS LV	Max	0.014	0.005	-0.079	0.0	0.0
0.0		Min	0.006	-0.005	-0.087	0.0	0.0
-0.0							
273	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.038	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
-0.0	SLVx (RS)		0.004	-0.000	0.003	-0.0	-0.0
-0.0	SLVy (RS)		0.000	0.005	-0.001	0.0	0.0
-0.0	SLDx (RS)		0.002	-0.000	0.002	-0.0	-0.0
-0.0	SLDy (RS)		0.000	0.002	-0.000	0.0	0.0
-0.0	SLVz (RS)		-0.001	-0.000	0.001	-0.0	-0.0
-0.0	g1		0.005	0.000	-0.031	0.0	0.0
0.0	g2		0.003	0.000	-0.015	0.0	0.0
-0.0	q3		0.005	-0.000	-0.001	0.0	0.0
0.0	q5_pc		0.000	0.004	0.000	0.0	0.0
0.0	q5_ps		0.000	0.003	0.000	0.0	0.0
0.0							
0.0	INVS LU	Max	0.029	0.006	-0.131	0.0	0.0
		Min	0.018	-0.007	-0.183	-0.0	0.0


MIDAS

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.0							
0.0	INVSLV	Max	0.016	0.005	-0.076	0.0	0.0
-0.0		Min	0.007	-0.005	-0.084	-0.0	0.0
274	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.038	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	0.003	-0.0	-0.0
-0.0	SLVy	(RS)	0.000	0.005	-0.001	0.0	0.0
-0.0	SLDx	(RS)	0.002	-0.000	0.002	-0.0	-0.0
-0.0	SLDy	(RS)	0.000	0.002	-0.000	0.0	0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	-0.0
0.0	g1		0.005	0.000	-0.031	0.0	0.0
-0.0	g2		0.003	0.000	-0.015	0.0	0.0
0.0	q3		0.005	-0.000	-0.001	0.0	0.0
-0.0	q5_pc		0.000	0.004	0.000	0.0	0.0
-0.0	q5_ps		0.000	0.003	0.000	0.0	0.0
0.0	INVSLU	Max	0.029	0.005	-0.134	0.0	0.0
-0.0		Min	0.017	-0.007	-0.186	-0.0	0.0
0.0	INVSLV	Max	0.015	0.005	-0.077	0.0	0.0
-0.0		Min	0.007	-0.005	-0.086	-0.0	0.0
275	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.039	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.023	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	0.004	-0.0	-0.0
-0.0	SLVy	(RS)	0.000	0.005	-0.001	0.0	0.0
0.0	SLDx	(RS)	0.002	-0.000	0.002	-0.0	-0.0
-0.0	SLDy	(RS)	0.000	0.002	-0.000	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	SLVz (RS)		-0.001	-0.000	0.001	-0.0	-0.0
-0.0	g1		0.005	0.000	-0.032	0.0	0.0
-0.0	g2		0.003	0.000	-0.016	0.0	0.0
0.0	q3		0.005	-0.000	-0.001	0.0	0.0
-0.0	q5_pc		0.000	0.004	0.000	0.0	-0.0
-0.0	q5_ps		0.000	0.003	0.000	0.0	0.0
0.0	INVSLU Max		0.029	0.005	-0.136	0.0	0.0
-0.0	Min		0.017	-0.006	-0.189	-0.0	0.0
0.0	INVSLV Max		0.015	0.005	-0.079	0.0	0.0
-0.0	Min		0.007	-0.005	-0.087	-0.0	0.0
282	Q1-1-2 Max		0.006	0.000	0.000	0.0	0.0
0.0	Min		-0.000	-0.001	-0.038	-0.0	-0.0
-0.0	Q2a-1-2 Max		0.004	0.000	0.000	0.0	0.0
0.0	Min		-0.000	-0.000	-0.022	-0.0	-0.0
-0.0	SLVx (RS)		0.004	-0.000	0.003	-0.0	-0.0
0.0	SLVy (RS)		0.000	0.005	-0.001	0.0	0.0
0.0	SLDx (RS)		0.002	-0.000	0.002	-0.0	-0.0
0.0	SLDy (RS)		0.000	0.002	-0.000	0.0	0.0
0.0	SLVz (RS)		-0.001	-0.000	0.001	-0.0	-0.0
0.0	g1		0.006	0.000	-0.031	0.0	0.0
0.0	g2		0.003	0.000	-0.015	0.0	0.0
-0.0	q3		0.005	-0.000	-0.001	0.0	0.0
0.0	q5_pc		0.000	0.003	0.000	0.0	0.0
0.0	q5_ps		0.000	0.003	0.000	0.0	0.0
0.0	INVSLU Max		0.031	0.004	-0.131	0.0	0.0
-0.0	Min		0.019	-0.005	-0.183	-0.0	0.0
0.0	INVSLV Max		0.017	0.004	-0.076	0.0	0.0
-0.0	Min		0.008	-0.005	-0.084	-0.0	0.0
283	Q1-1-2 Max		0.006	0.000	0.000	0.0	0.0


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0		Min	-0.000	-0.001	-0.038	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.022	-0.0	-0.0
-0.0		SLVx (RS)	0.004	-0.000	0.003	-0.0	-0.0
0.0		SLVy (RS)	0.000	0.005	-0.001	0.0	0.0
0.0		SLDx (RS)	0.002	-0.000	0.002	-0.0	-0.0
0.0		SLDy (RS)	0.000	0.002	-0.000	0.0	0.0
0.0		SLVz (RS)	-0.001	-0.000	0.001	-0.0	-0.0
0.0		g1	0.006	0.000	-0.031	0.0	0.0
0.0		g2	0.003	0.000	-0.015	0.0	0.0
0.0		q3	0.005	-0.000	-0.001	0.0	0.0
0.0		q5_pc	0.000	0.003	0.000	0.0	0.0
-0.0		q5_ps	0.000	0.003	0.000	0.0	0.0
-0.0							
0.0	INVSLU	Max	0.031	0.004	-0.134	0.0	0.0
0.0		Min	0.019	-0.005	-0.186	-0.0	0.0
-0.0							
0.0	INVSLV	Max	0.017	0.004	-0.077	0.0	0.0
0.0		Min	0.008	-0.005	-0.086	-0.0	0.0
-0.0							
284	Q1-1-2	Max	0.006	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.039	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.023	-0.0	-0.0
-0.0		SLVx (RS)	0.004	-0.000	0.004	-0.0	-0.0
0.0		SLVy (RS)	0.000	0.005	-0.001	0.0	0.0
0.0		SLDx (RS)	0.002	-0.000	0.002	-0.0	-0.0
0.0		SLDy (RS)	0.000	0.002	-0.000	0.0	0.0
0.0		SLVz (RS)	-0.001	-0.000	0.001	-0.0	-0.0
0.0		g1	0.006	0.000	-0.032	0.0	0.0
-0.0		g2	0.003	0.000	-0.016	0.0	0.0
-0.0		q3	0.005	-0.000	-0.001	0.0	0.0
0.0		q5_pc	0.000	0.003	0.000	0.0	-0.0



PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.0	q5_ps		0.000	0.003	0.000	0.0	0.0
-0.0							
0.0	INVSLU	Max	0.030	0.004	-0.136	0.0	0.0
-0.0		Min	0.019	-0.005	-0.189	-0.0	0.0
0.0	INVSLV	Max	0.016	0.004	-0.079	0.0	0.0
-0.0		Min	0.008	-0.005	-0.087	-0.0	0.0
291	Q1-1-2	Max	0.007	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.038	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.022	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	0.003	-0.0	-0.0
0.0	SLVy	(RS)	0.000	0.004	-0.001	0.0	0.0
0.0	SLDx	(RS)	0.002	-0.000	0.002	-0.0	-0.0
0.0	SLDy	(RS)	0.000	0.002	-0.000	0.0	0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	-0.0
0.0	g1		0.006	0.000	-0.031	0.0	0.0
0.0	g2		0.003	0.000	-0.015	0.0	0.0
0.0	q3		0.005	-0.000	-0.001	0.0	0.0
0.0	q5_pc		0.000	0.003	0.000	-0.0	0.0
0.0	q5_ps		0.000	0.003	0.000	-0.0	0.0
0.0							
0.0	INVSLU	Max	0.032	0.004	-0.131	0.0	0.0
-0.0		Min	0.020	-0.005	-0.183	-0.0	0.0
0.0	INVSLV	Max	0.017	0.004	-0.076	0.0	0.0
-0.0		Min	0.009	-0.005	-0.084	-0.0	0.0
292	Q1-1-2	Max	0.007	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.038	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.022	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	0.003	-0.0	-0.0

PROJECT TITLE :


MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	SLVy (RS)		0.000	0.004	-0.001	0.0	0.0
0.0	SLDx (RS)		0.002	-0.000	0.002	-0.0	-0.0
0.0	SLDy (RS)		0.000	0.002	-0.000	0.0	0.0
0.0	SLVz (RS)		-0.001	-0.000	0.001	-0.0	-0.0
0.0	g1		0.006	0.000	-0.031	0.0	0.0
-0.0	g2		0.003	0.000	-0.015	0.0	0.0
0.0	q3		0.005	-0.000	-0.001	0.0	0.0
0.0	q5_pc		0.000	0.003	0.000	-0.0	0.0
0.0	q5_ps		0.000	0.003	0.000	-0.0	0.0
0.0	INVSLU	Max	0.031	0.004	-0.134	0.0	0.0
0.0		Min	0.020	-0.005	-0.186	-0.0	0.0
-0.0							
0.0	INVSLV	Max	0.017	0.004	-0.077	0.0	0.0
0.0		Min	0.008	-0.005	-0.086	-0.0	0.0
-0.0							
293	Q1-1-2	Max	0.007	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.039	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.023	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		0.004	-0.000	0.004	-0.0	-0.0
0.0	SLVy (RS)		0.000	0.005	-0.001	0.0	0.0
0.0	SLDx (RS)		0.002	-0.000	0.002	-0.0	-0.0
0.0	SLDy (RS)		0.000	0.002	-0.000	0.0	0.0
0.0	SLVz (RS)		-0.001	-0.000	0.001	-0.0	-0.0
0.0	g1		0.006	0.000	-0.032	0.0	0.0
-0.0	g2		0.003	0.000	-0.016	0.0	0.0
-0.0	q3		0.005	-0.000	-0.001	0.0	0.0
0.0	q5_pc		0.000	0.003	0.000	-0.0	0.0
0.0	q5_ps		0.000	0.003	0.000	-0.0	0.0
0.0							
0.0	INVSLU	Max	0.031	0.004	-0.136	0.0	0.0
0.0		Min	0.019	-0.005	-0.189	-0.0	0.0
-0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	INVSLV	Max	0.017	0.004	-0.079	0.0	0.0
		Min	0.008	-0.005	-0.087	-0.0	0.0
-0.0							
306 0.0	Q1-1-2	Max	0.006	0.003	0.000	0.0	0.0
		Min	-0.000	-0.003	-0.043	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.002	0.000	0.0	0.0
		Min	-0.000	-0.002	-0.025	-0.0	-0.0
-0.0							
-0.0	SLVx	(RS)	0.004	-0.000	0.004	-0.0	-0.0
-0.0	SLVy	(RS)	0.000	0.005	-0.001	0.0	0.0
0.0	SLDx	(RS)	0.002	-0.000	0.002	-0.0	-0.0
-0.0	SLDy	(RS)	0.000	0.003	-0.000	0.0	0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.002	-0.0	-0.0
-0.0							
0.0	g1		0.005	0.000	-0.035	0.0	0.0
0.0	g2		0.003	0.000	-0.017	-0.0	0.0
-0.0							
-0.0	q3		0.005	0.000	-0.001	-0.0	-0.0
-0.0	q5_pc		-0.000	0.003	0.000	-0.0	0.0
-0.0	q5_ps		-0.000	0.003	0.000	-0.0	0.0
-0.0							
0.0	INVSLU	Max	0.026	0.009	-0.148	0.0	0.0
		Min	0.014	-0.007	-0.207	-0.0	-0.0
-0.0							
0.0	INVSLV	Max	0.014	0.006	-0.086	0.0	0.0
		Min	0.005	-0.005	-0.095	0.0	0.0
0.0							
313 0.0	Q1-1-2	Max	0.006	0.003	0.000	0.0	0.0
		Min	-0.000	-0.002	-0.043	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.001	0.000	0.0	0.0
		Min	-0.000	-0.001	-0.025	-0.0	-0.0
-0.0							
-0.0	SLVx	(RS)	0.004	-0.000	0.004	-0.0	-0.0
-0.0	SLVy	(RS)	0.000	0.005	-0.001	-0.0	0.0
-0.0	SLDx	(RS)	0.002	-0.000	0.002	-0.0	-0.0
-0.0	SLDy	(RS)	0.000	0.003	-0.000	-0.0	0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.002	-0.0	-0.0
0.0							

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	g1	0.005	0.000	-0.035	0.0	0.0
-0.0	g2	0.003	0.000	-0.017	-0.0	0.0
-0.0	q3	0.005	0.000	-0.001	0.0	-0.0
-0.0	q5_pc	-0.000	0.004	0.000	-0.0	-0.0
-0.0	q5_ps	-0.000	0.003	0.000	-0.0	-0.0
0.0	INVSLU Max	0.026	0.008	-0.148	0.0	0.0
-0.0	Min	0.015	-0.007	-0.207	-0.0	-0.0
0.0	INVSLV Max	0.014	0.006	-0.086	0.0	0.0
-0.0	Min	0.005	-0.005	-0.095	0.0	0.0
320 0.0	Q1-1-2 Max	0.006	0.002	0.000	0.0	0.0
-0.0	Min	-0.000	-0.002	-0.043	-0.0	-0.0
0.0	Q2a-1-2 Max	0.004	0.001	0.000	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.025	-0.0	-0.0
0.0	SLVx (RS)	0.004	-0.000	0.004	0.0	-0.0
-0.0	SLVy (RS)	0.000	0.005	-0.001	0.0	0.0
0.0	SLDx (RS)	0.002	-0.000	0.002	0.0	-0.0
-0.0	SLDy (RS)	0.000	0.003	-0.000	0.0	0.0
0.0	SLVz (RS)	-0.001	-0.000	0.002	-0.0	-0.0
0.0	g1	0.005	0.000	-0.035	0.0	0.0
-0.0	g2	0.003	0.000	-0.017	0.0	0.0
0.0	q3	0.005	-0.000	-0.001	0.0	-0.0
-0.0	q5_pc	-0.000	0.004	0.000	0.0	-0.0
-0.0	q5_ps	-0.000	0.004	0.000	0.0	-0.0
0.0	INVSLU Max	0.026	0.007	-0.148	0.0	0.0
-0.0	Min	0.015	-0.007	-0.207	-0.0	-0.0
0.0	INVSLV Max	0.014	0.005	-0.086	0.0	0.0
-0.0	Min	0.006	-0.005	-0.095	0.0	0.0
327 0.0	Q1-1-2 Max	0.006	0.001	0.000	0.0	0.0
	Min	-0.000	-0.001	-0.043	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0							
0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.025	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	0.004	-0.0	-0.0
-0.0	SLVy	(RS)	0.000	0.005	-0.001	0.0	0.0
0.0	SLDx	(RS)	0.002	-0.000	0.002	-0.0	-0.0
-0.0	SLDy	(RS)	0.000	0.003	-0.000	0.0	0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.002	-0.0	-0.0
-0.0	g1		0.005	0.000	-0.035	0.0	0.0
0.0	g2		0.003	0.000	-0.017	0.0	0.0
-0.0	q3		0.005	-0.000	-0.001	0.0	-0.0
0.0	q5_pc		-0.000	0.004	0.000	0.0	-0.0
-0.0	q5_ps		-0.000	0.003	0.000	0.0	-0.0
0.0	INVSLU	Max	0.026	0.005	-0.148	0.0	0.0
-0.0		Min	0.015	-0.007	-0.207	-0.0	-0.0
0.0	INVSLV	Max	0.014	0.005	-0.086	0.0	0.0
-0.0		Min	0.006	-0.005	-0.095	-0.0	0.0
334	Q1-1-2	Max	0.006	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.043	-0.0	-0.0
-0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.025	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	0.004	-0.0	-0.0
0.0	SLVy	(RS)	0.000	0.005	-0.001	0.0	0.0
-0.0	SLDx	(RS)	0.002	-0.000	0.002	-0.0	-0.0
0.0	SLDy	(RS)	0.000	0.002	-0.000	0.0	0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.002	-0.0	-0.0
0.0	g1		0.005	0.000	-0.035	0.0	0.0
-0.0	g2		0.003	0.000	-0.017	0.0	0.0
-0.0	q3		0.005	-0.000	-0.001	0.0	-0.0
0.0	q5_pc		-0.000	0.003	0.000	0.0	-0.0
-0.0	q5_ps		-0.000	0.003	0.000	0.0	-0.0

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


-0.0							
0.0	INVSLU	Max	0.026	0.004	-0.148	0.0	0.0
-0.0		Min	0.015	-0.006	-0.207	-0.0	-0.0
0.0	INVSLV	Max	0.014	0.004	-0.086	0.0	0.0
-0.0		Min	0.006	-0.005	-0.095	-0.0	0.0
341 0.0	Q1-1-2	Max	0.006	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.043	-0.0	-0.0
0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.025	-0.0	-0.0
0.0	SLVx	(RS)	0.004	0.000	0.004	-0.0	-0.0
0.0	SLVy	(RS)	0.000	0.005	-0.001	0.0	0.0
0.0	SLDx	(RS)	0.002	0.000	0.002	-0.0	-0.0
0.0	SLDy	(RS)	0.000	0.002	-0.000	0.0	0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.002	-0.0	-0.0
0.0	g1		0.005	0.000	-0.035	0.0	0.0
-0.0	g2		0.003	0.000	-0.017	0.0	0.0
0.0	q3		0.005	-0.000	-0.001	0.0	-0.0
0.0	q5_pc		-0.000	0.003	0.000	-0.0	0.0
0.0	q5_ps		-0.000	0.003	0.000	-0.0	0.0
0.0	INVSLU	Max	0.026	0.004	-0.148	0.0	0.0
-0.0		Min	0.015	-0.005	-0.207	-0.0	-0.0
0.0	INVSLV	Max	0.014	0.004	-0.086	0.0	0.0
-0.0		Min	0.006	-0.005	-0.095	-0.0	0.0
342 0.0	Q1-1-2	Max	0.006	0.003	0.000	0.0	0.0
-0.0		Min	-0.000	-0.003	-0.043	-0.0	-0.0
0.0	Q2a-1-2	Max	0.004	0.002	0.000	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.025	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	0.004	-0.0	-0.0
-0.0	SLVy	(RS)	0.000	0.005	-0.001	0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


0.0	SLDx	(RS)	0.002	-0.000	0.002	-0.0	-0.0
-0.0	SLDy	(RS)	0.000	0.003	-0.000	0.0	-0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.002	-0.0	0.0
-0.0	g1		0.005	0.000	-0.035	0.0	-0.0
0.0	g2		0.003	0.000	-0.017	-0.0	-0.0
-0.0	q3		0.005	0.000	-0.001	-0.0	-0.0
-0.0	q5_pc		-0.000	0.003	0.000	-0.0	-0.0
-0.0	q5_ps		-0.000	0.003	0.000	-0.0	-0.0
0.0	INVSLU	Max	0.027	0.009	-0.148	0.0	0.0
-0.0		Min	0.015	-0.007	-0.207	-0.0	-0.0
0.0	INVSLV	Max	0.014	0.006	-0.086	0.0	-0.0
0.0		Min	0.006	-0.005	-0.095	0.0	-0.0
349	Q1-1-2	Max	0.006	0.003	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.043	-0.0	-0.0
-0.0	Q2a-1-2	Max	0.004	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.025	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	0.004	-0.0	-0.0
-0.0	SLVy	(RS)	0.000	0.005	-0.001	-0.0	-0.0
0.0	SLDx	(RS)	0.002	-0.000	0.002	-0.0	-0.0
-0.0	SLDy	(RS)	0.000	0.003	-0.000	-0.0	-0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.002	-0.0	0.0
-0.0	g1		0.005	0.000	-0.035	0.0	-0.0
-0.0	g2		0.003	0.000	-0.017	-0.0	-0.0
0.0	q3		0.005	0.000	-0.001	0.0	-0.0
-0.0	q5_pc		-0.000	0.004	0.000	-0.0	0.0
0.0	q5_ps		-0.000	0.003	0.000	-0.0	0.0
0.0	INVSLU	Max	0.026	0.008	-0.148	0.0	0.0
0.0		Min	0.015	-0.007	-0.207	-0.0	-0.0
-0.0	INVSLV	Max	0.014	0.006	-0.086	0.0	-0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.0		Min	0.006	-0.005	-0.095	0.0	-0.0
356	Q1-1-2	Max	0.006	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.043	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.025	-0.0	-0.0
-0.0		SLVx (RS)	0.004	-0.000	0.004	0.0	-0.0
-0.0		SLVy (RS)	0.000	0.005	-0.001	0.0	-0.0
0.0		SLDx (RS)	0.002	-0.000	0.002	0.0	-0.0
-0.0		SLDy (RS)	0.000	0.003	-0.000	0.0	-0.0
0.0		SLVz (RS)	-0.001	-0.000	0.002	-0.0	0.0
-0.0		g1	0.005	0.000	-0.035	0.0	-0.0
0.0		g2	0.003	0.000	-0.017	0.0	-0.0
0.0		q3	0.005	0.000	-0.001	0.0	-0.0
-0.0		q5_pc	-0.000	0.004	0.000	-0.0	0.0
0.0		q5_ps	-0.000	0.004	0.000	-0.0	0.0
0.0							
0.0	INVSLU	Max	0.026	0.007	-0.148	0.0	0.0
-0.0		Min	0.015	-0.007	-0.207	-0.0	-0.0
0.0	INVSLV	Max	0.014	0.005	-0.086	0.0	-0.0
-0.0		Min	0.006	-0.005	-0.095	0.0	-0.0
363	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.043	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.025	-0.0	-0.0
-0.0		SLVx (RS)	0.004	-0.000	0.004	-0.0	-0.0
-0.0		SLVy (RS)	0.000	0.005	-0.001	0.0	-0.0
0.0		SLDx (RS)	0.002	-0.000	0.002	-0.0	-0.0
-0.0		SLDy (RS)	0.000	0.003	-0.000	0.0	-0.0
0.0		SLVz (RS)	-0.001	-0.000	0.002	-0.0	0.0
-0.0		g1	0.005	0.000	-0.035	0.0	-0.0
0.0							



PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	g2		0.003	0.000	-0.017	0.0	-0.0
0.0	q3		0.005	-0.000	-0.001	0.0	-0.0
0.0	q5_pc		-0.000	0.004	0.000	0.0	0.0
0.0	q5_ps		-0.000	0.003	0.000	0.0	0.0
0.0	INVSLU	Max	0.026	0.005	-0.148	0.0	-0.0
-0.0		Min	0.014	-0.007	-0.207	-0.0	-0.0
0.0	INVSLV	Max	0.014	0.005	-0.086	0.0	-0.0
-0.0		Min	0.005	-0.005	-0.095	-0.0	-0.0
370	Q1-1-2	Max	0.006	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.043	-0.0	-0.0
-0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.025	-0.0	-0.0
-0.0	SLVx (RS)		0.004	0.000	0.004	-0.0	-0.0
0.0	SLVy (RS)		0.000	0.005	-0.001	0.0	0.0
0.0	SLDx (RS)		0.002	0.000	0.002	-0.0	-0.0
0.0	SLDy (RS)		0.000	0.002	-0.000	0.0	0.0
0.0	SLVz (RS)		-0.001	-0.000	0.002	-0.0	0.0
-0.0	g1		0.005	0.000	-0.035	0.0	-0.0
0.0	g2		0.003	0.000	-0.017	0.0	-0.0
0.0	q3		0.005	-0.000	-0.001	0.0	-0.0
0.0	q5_pc		-0.000	0.003	0.000	0.0	0.0
0.0	q5_ps		-0.000	0.003	0.000	0.0	0.0
0.0	INVSLU	Max	0.025	0.004	-0.148	0.0	-0.0
-0.0		Min	0.014	-0.006	-0.207	-0.0	-0.0
0.0	INVSLV	Max	0.014	0.004	-0.086	0.0	-0.0
-0.0		Min	0.005	-0.005	-0.095	-0.0	-0.0
377	Q1-1-2	Max	0.006	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.043	-0.0	-0.0
-0.0							

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
		Min	-0.000	-0.000	-0.025	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	0.000	0.004	-0.0	-0.0
0.0	SLVy	(RS)	0.000	0.005	-0.001	0.0	-0.0
0.0	SLDx	(RS)	0.002	0.000	0.002	-0.0	-0.0
0.0	SLDy	(RS)	0.000	0.002	-0.000	0.0	-0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.002	-0.0	0.0
-0.0	g1		0.005	0.000	-0.035	0.0	-0.0
0.0	g2		0.003	0.000	-0.017	0.0	-0.0
0.0	q3		0.005	-0.000	-0.001	0.0	-0.0
0.0	q5_pc		-0.000	0.003	0.000	-0.0	-0.0
-0.0	q5_ps		-0.000	0.003	0.000	-0.0	-0.0
-0.0							
	INVSLU	Max	0.025	0.004	-0.148	0.0	-0.0
0.0		Min	0.014	-0.005	-0.207	-0.0	-0.0
-0.0							
	INVSLV	Max	0.014	0.004	-0.086	0.0	-0.0
0.0		Min	0.005	-0.005	-0.095	-0.0	-0.0
0.0							
390	Q1-1-2	Max	0.008	0.003	0.000	0.0	0.0
0.0		Min	-0.000	-0.003	-0.039	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.005	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.023	-0.0	-0.0
-0.0							
	SLVx	(RS)	0.004	-0.000	0.003	-0.0	-0.0
0.0	SLVy	(RS)	-0.000	0.005	-0.001	0.0	-0.0
-0.0	SLDx	(RS)	0.002	-0.000	0.002	-0.0	-0.0
0.0	SLDy	(RS)	-0.000	0.003	-0.000	0.0	-0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	0.0
-0.0	g1		0.007	0.000	-0.032	0.0	-0.0
-0.0	g2		0.004	0.000	-0.015	-0.0	-0.0
-0.0	q3		0.005	0.000	-0.001	-0.0	-0.0
0.0	q5_pc		-0.000	0.003	0.000	-0.0	-0.0
-0.0	q5_ps		-0.000	0.003	0.000	-0.0	-0.0
-0.0							

PROJECT TITLE :

		Company					Client
		Author					File Name
							PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt
0.0	INVSLU	Max	0.030	0.008	-0.136	0.0	-0.0
-0.0		Min	0.017	-0.006	-0.189	-0.0	-0.0
0.0	INVSLV	Max	0.016	0.006	-0.079	0.0	-0.0
-0.0		Min	0.008	-0.005	-0.087	0.0	-0.0
391 0.0	Q1-1-2	Max	0.008	0.003	0.000	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.038	-0.0	-0.0
0.0	Q2a-1-2	Max	0.005	0.002	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	0.003	-0.0	-0.0
-0.0	SLVy	(RS)	-0.000	0.005	-0.001	0.0	-0.0
0.0	SLDx	(RS)	0.002	-0.000	0.002	-0.0	-0.0
-0.0	SLDy	(RS)	-0.000	0.003	-0.000	0.0	-0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	0.0
-0.0	g1		0.007	0.000	-0.031	0.0	-0.0
-0.0	g2		0.004	0.000	-0.015	-0.0	-0.0
0.0	q3		0.005	0.000	-0.001	-0.0	-0.0
-0.0	q5_pc		-0.000	0.003	0.000	-0.0	-0.0
-0.0	q5_ps		-0.000	0.003	0.000	-0.0	-0.0
0.0	INVSLU	Max	0.031	0.008	-0.134	0.0	-0.0
-0.0		Min	0.018	-0.006	-0.186	-0.0	-0.0
0.0	INVSLV	Max	0.016	0.006	-0.078	0.0	-0.0
-0.0		Min	0.008	-0.005	-0.086	0.0	-0.0
392 0.0	Q1-1-2	Max	0.008	0.003	0.000	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.038	-0.0	-0.0
0.0	Q2a-1-2	Max	0.005	0.002	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	0.003	-0.0	0.0
-0.0	SLVy	(RS)	-0.000	0.005	-0.001	0.0	-0.0
0.0	SLDx	(RS)	0.002	-0.000	0.002	-0.0	0.0

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	SLDy (RS)		-0.000	0.003	-0.000	0.0	-0.0
-0.0	SLVz (RS)		-0.001	-0.000	0.001	-0.0	0.0
0.0	g1		0.007	0.000	-0.031	0.0	-0.0
-0.0	g2		0.004	0.000	-0.015	-0.0	-0.0
-0.0	q3		0.005	0.000	-0.001	-0.0	-0.0
0.0	q5_pc		-0.000	0.003	0.000	-0.0	-0.0
-0.0	q5_ps		-0.000	0.003	0.000	-0.0	-0.0
-0.0	INVS LU	Max	0.031	0.008	-0.131	0.0	-0.0
0.0		Min	0.018	-0.006	-0.183	-0.0	-0.0
-0.0	INVS LV	Max	0.016	0.006	-0.076	0.0	-0.0
0.0		Min	0.008	-0.005	-0.084	0.0	-0.0
-0.0							
399	Q1-1-2	Max	0.007	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.039	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.023	-0.0	-0.0
0.0	SLVx (RS)		0.004	-0.000	0.003	0.0	-0.0
0.0	SLVy (RS)		-0.000	0.005	-0.001	-0.0	-0.0
0.0	SLDx (RS)		0.002	-0.000	0.002	0.0	-0.0
0.0	SLDy (RS)		-0.000	0.003	-0.000	-0.0	-0.0
0.0	SLVz (RS)		-0.001	-0.000	0.001	-0.0	0.0
-0.0	g1		0.006	0.000	-0.032	0.0	-0.0
-0.0	g2		0.003	0.000	-0.015	-0.0	-0.0
0.0	q3		0.005	0.000	-0.001	0.0	-0.0
-0.0	q5_pc		-0.000	0.004	0.000	-0.0	-0.0
0.0	q5_ps		-0.000	0.003	0.000	-0.0	-0.0
0.0							
0.0	INVS LU	Max	0.028	0.007	-0.136	0.0	-0.0
-0.0		Min	0.015	-0.007	-0.189	-0.0	-0.0
0.0	INVS LV	Max	0.015	0.006	-0.079	0.0	-0.0
-0.0		Min	0.006	-0.005	-0.087	0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


400	Q1-1-2	Max	0.007	0.002	0.000	0.0	0.0	
0.0		Min	-0.000	-0.002	-0.038	-0.0	-0.0	
-0.0								
	Q2a-1-2	Max	0.004	0.001	0.000	0.0	0.0	
0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0	
-0.0								
	SLVx	(RS)	0.004	-0.000	0.003	-0.0	-0.0	
0.0	SLVy	(RS)	-0.000	0.005	-0.001	-0.0	-0.0	
0.0	SLDx	(RS)	0.002	-0.000	0.002	-0.0	-0.0	
0.0	SLDy	(RS)	-0.000	0.003	-0.000	-0.0	-0.0	
0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	0.0	
-0.0								
	g1		0.006	0.000	-0.031	0.0	-0.0	
-0.0								
	g2		0.003	0.000	-0.015	-0.0	-0.0	
0.0								
	q3		0.005	0.000	-0.001	0.0	-0.0	
-0.0								
	q5_pc		-0.000	0.004	0.000	-0.0	-0.0	
0.0								
	q5_ps		-0.000	0.003	0.000	-0.0	-0.0	
0.0								
	INVSLU	Max	0.028	0.008	-0.134	0.0	-0.0	
0.0		Min	0.016	-0.007	-0.186	-0.0	-0.0	
-0.0								
	INVSLV	Max	0.015	0.006	-0.078	0.0	-0.0	
0.0		Min	0.006	-0.005	-0.086	0.0	-0.0	
-0.0								
	401	Q1-1-2	Max	0.007	0.002	0.000	0.0	0.0
0.0			Min	-0.000	-0.002	-0.038	-0.0	-0.0
-0.0								
		Q2a-1-2	Max	0.004	0.001	0.000	0.0	0.0
0.0			Min	-0.000	-0.001	-0.022	-0.0	-0.0
-0.0								
		SLVx	(RS)	0.004	-0.000	0.003	-0.0	0.0
0.0		SLVy	(RS)	-0.000	0.005	-0.001	-0.0	-0.0
0.0		SLDx	(RS)	0.002	-0.000	0.002	-0.0	0.0
0.0		SLDy	(RS)	-0.000	0.003	-0.000	-0.0	-0.0
0.0		SLVz	(RS)	-0.001	-0.000	0.001	-0.0	0.0
-0.0								
		g1		0.006	0.000	-0.031	0.0	-0.0
0.0								
		g2		0.003	0.000	-0.015	-0.0	-0.0
0.0								

MIDAS


PROJECT TITLE :

MIDAS		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	q3		0.005	0.000	-0.001	0.0	-0.0
-0.0	q5_pc		-0.000	0.004	0.000	-0.0	-0.0
-0.0	q5_ps		-0.000	0.003	0.000	-0.0	-0.0
0.0	INVSLU	Max	0.028	0.008	-0.131	0.0	-0.0
-0.0		Min	0.016	-0.007	-0.183	-0.0	-0.0
0.0	INVSLV	Max	0.015	0.006	-0.076	0.0	-0.0
-0.0		Min	0.006	-0.005	-0.084	0.0	-0.0
408	Q1-1-2	Max	0.007	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.039	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.023	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	0.003	0.0	-0.0
0.0	SLVy	(RS)	-0.000	0.005	-0.001	0.0	-0.0
-0.0	SLDx	(RS)	0.002	-0.000	0.002	0.0	-0.0
0.0	SLDy	(RS)	-0.000	0.003	-0.000	0.0	-0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	0.0
0.0	g1		0.006	0.000	-0.032	0.0	-0.0
0.0	g2		0.003	0.000	-0.015	0.0	-0.0
-0.0	q3		0.005	0.000	-0.001	0.0	-0.0
0.0	q5_pc		-0.000	0.004	0.000	-0.0	-0.0
0.0	q5_ps		-0.000	0.003	0.000	-0.0	-0.0
0.0	INVSLU	Max	0.025	0.006	-0.136	0.0	-0.0
-0.0		Min	0.013	-0.007	-0.190	-0.0	-0.0
0.0	INVSLV	Max	0.014	0.005	-0.079	0.0	-0.0
-0.0		Min	0.005	-0.005	-0.087	0.0	-0.0
409	Q1-1-2	Max	0.007	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.038	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.001	0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
	Min	-0.000	-0.001	-0.022	-0.0	-0.0
-0.0	SLVx (RS)	0.004	-0.000	0.003	0.0	-0.0
0.0	SLVy (RS)	-0.000	0.005	-0.001	0.0	-0.0
0.0	SLDx (RS)	0.002	-0.000	0.002	0.0	-0.0
0.0	SLDy (RS)	-0.000	0.003	-0.000	0.0	-0.0
0.0	SLVz (RS)	-0.001	-0.000	0.001	-0.0	0.0
-0.0	g1	0.006	0.000	-0.031	0.0	-0.0
0.0	g2	0.003	0.000	-0.015	-0.0	-0.0
0.0	q3	0.005	0.000	-0.001	0.0	-0.0
-0.0	q5_pc	-0.000	0.004	0.000	-0.0	-0.0
0.0	q5_ps	-0.000	0.004	0.000	0.0	-0.0
0.0						
	INVSLU Max	0.025	0.007	-0.134	0.0	-0.0
0.0	Min	0.013	-0.007	-0.186	-0.0	-0.0
-0.0						
	INVSLV Max	0.014	0.005	-0.078	0.0	-0.0
0.0	Min	0.005	-0.005	-0.086	0.0	-0.0
-0.0						
410	Q1-1-2 Max	0.007	0.001	0.000	0.0	0.0
0.0	Min	-0.000	-0.002	-0.038	-0.0	-0.0
-0.0						
	Q2a-1-2 Max	0.004	0.001	0.000	0.0	0.0
0.0	Min	-0.000	-0.001	-0.022	-0.0	-0.0
-0.0						
	SLVx (RS)	0.004	-0.000	0.003	0.0	0.0
-0.0	SLVy (RS)	-0.000	0.005	-0.001	0.0	-0.0
0.0	SLDx (RS)	0.002	-0.000	0.002	0.0	0.0
-0.0	SLDy (RS)	-0.000	0.003	-0.000	0.0	-0.0
0.0	SLVz (RS)	-0.001	-0.000	0.001	-0.0	0.0
-0.0	g1	0.006	0.000	-0.031	0.0	-0.0
0.0	g2	0.003	0.000	-0.015	-0.0	-0.0
0.0	q3	0.005	0.000	-0.001	0.0	-0.0
0.0	q5_pc	-0.000	0.004	0.000	0.0	-0.0
0.0	q5_ps	-0.000	0.004	0.000	0.0	-0.0
0.0						
	INVSLU Max	0.025	0.007	-0.131	0.0	-0.0
0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.0		Min	0.013	-0.008	-0.183	-0.0	-0.0
0.0	INVSLV	Max	0.014	0.005	-0.076	0.0	-0.0
-0.0		Min	0.005	-0.005	-0.084	0.0	-0.0
417 0.0	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.039	-0.0	-0.0
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.023	-0.0	-0.0
-0.0		SLVx (RS)	0.004	-0.000	0.003	-0.0	-0.0
0.0		SLVy (RS)	-0.000	0.005	-0.001	0.0	-0.0
-0.0		SLDx (RS)	0.002	-0.000	0.002	-0.0	-0.0
0.0		SLDy (RS)	-0.000	0.002	-0.000	0.0	-0.0
-0.0		SLVz (RS)	-0.001	-0.000	0.001	-0.0	0.0
0.0		g1	0.005	0.000	-0.032	0.0	-0.0
0.0		g2	0.003	0.000	-0.016	0.0	-0.0
0.0		q3	0.005	-0.000	-0.001	0.0	-0.0
0.0		q5_pc	-0.000	0.004	0.000	0.0	-0.0
0.0		q5_ps	-0.000	0.003	0.000	0.0	-0.0
0.0	INVSLU	Max	0.023	0.005	-0.136	0.0	-0.0
-0.0		Min	0.011	-0.006	-0.189	-0.0	-0.0
0.0	INVSLV	Max	0.012	0.004	-0.079	0.0	-0.0
-0.0		Min	0.004	-0.005	-0.087	-0.0	-0.0
418 0.0	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.038	-0.0	-0.0
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
-0.0		SLVx (RS)	0.004	-0.000	0.003	-0.0	-0.0
0.0		SLVy (RS)	-0.000	0.005	-0.001	0.0	-0.0
-0.0		SLDx (RS)	0.002	-0.000	0.002	-0.0	-0.0
0.0		SLDy (RS)	-0.000	0.002	-0.000	0.0	-0.0




PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


0.0	SLVz (RS)		-0.001	-0.000	0.001	-0.0	0.0
-0.0	g1		0.005	0.000	-0.031	0.0	-0.0
0.0	g2		0.003	0.000	-0.015	0.0	-0.0
0.0	q3		0.005	-0.000	-0.001	0.0	-0.0
0.0	q5_pc		-0.000	0.004	0.000	0.0	-0.0
0.0	q5_ps		-0.000	0.003	0.000	0.0	-0.0
0.0	INVSLU	Max	0.022	0.005	-0.134	0.0	-0.0
0.0		Min	0.011	-0.007	-0.186	-0.0	-0.0
-0.0							
0.0	INVSLV	Max	0.012	0.005	-0.078	0.0	-0.0
0.0		Min	0.004	-0.005	-0.086	-0.0	-0.0
-0.0							
419	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.038	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		0.004	-0.000	0.003	-0.0	0.0
-0.0	SLVy (RS)		-0.000	0.005	-0.001	0.0	-0.0
0.0	SLDx (RS)		0.002	-0.000	0.002	-0.0	0.0
-0.0	SLDy (RS)		-0.000	0.002	-0.000	0.0	-0.0
0.0	SLVz (RS)		-0.001	-0.000	0.001	-0.0	0.0
-0.0							
0.0	g1		0.005	0.000	-0.031	0.0	-0.0
0.0	g2		0.003	0.000	-0.015	0.0	-0.0
0.0	q3		0.005	-0.000	-0.001	0.0	-0.0
0.0	q5_pc		-0.000	0.004	0.000	0.0	-0.0
0.0	q5_ps		-0.000	0.003	0.000	0.0	-0.0
0.0							
0.0	INVSLU	Max	0.022	0.005	-0.131	0.0	-0.0
0.0		Min	0.011	-0.007	-0.183	-0.0	-0.0
-0.0							
0.0	INVSLV	Max	0.012	0.005	-0.076	0.0	-0.0
0.0		Min	0.003	-0.005	-0.084	-0.0	-0.0
0.0							

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
426	Q1-1-2	Max	0.006	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.039	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.023	-0.0	-0.0
-0.0							
-0.0		SLVx (RS)	0.004	0.000	0.003	-0.0	-0.0
0.0		SLVy (RS)	-0.000	0.005	-0.001	0.0	-0.0
-0.0		SLDx (RS)	0.002	0.000	0.002	-0.0	-0.0
0.0		SLDy (RS)	-0.000	0.002	-0.000	0.0	-0.0
-0.0		SLVz (RS)	-0.001	-0.000	0.001	-0.0	0.0
0.0		g1	0.005	0.000	-0.032	0.0	-0.0
0.0		g2	0.003	0.000	-0.016	0.0	-0.0
0.0		q3	0.005	-0.000	-0.001	0.0	-0.0
0.0		q5_pc	-0.000	0.003	0.000	0.0	0.0
0.0		q5_ps	-0.000	0.003	0.000	0.0	-0.0
0.0	INVSLU	Max	0.021	0.004	-0.136	0.0	-0.0
-0.0		Min	0.010	-0.005	-0.189	-0.0	-0.0
0.0	INVSLV	Max	0.011	0.004	-0.079	0.0	-0.0
0.0		Min	0.003	-0.005	-0.087	-0.0	-0.0
427	Q1-1-2	Max	0.005	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.038	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.022	-0.0	-0.0
-0.0							
0.0		SLVx (RS)	0.004	0.000	0.003	-0.0	-0.0
-0.0		SLVy (RS)	-0.000	0.005	-0.001	0.0	-0.0
0.0		SLDx (RS)	0.002	0.000	0.002	-0.0	-0.0
-0.0		SLDy (RS)	-0.000	0.002	-0.000	0.0	-0.0
0.0		SLVz (RS)	-0.001	-0.000	0.001	-0.0	0.0
-0.0							
0.0		g1	0.005	0.000	-0.031	0.0	-0.0
0.0		g2	0.003	0.000	-0.015	0.0	-0.0
0.0		q3	0.005	-0.000	-0.001	0.0	-0.0
0.0							

# MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	q5_pc	-0.000	0.003	0.000	0.0	-0.0	
0.0	q5_ps	-0.000	0.003	0.000	0.0	-0.0	
0.0	INVSLU	Max	0.020	0.004	-0.134	0.0	-0.0
-0.0		Min	0.009	-0.005	-0.186	-0.0	-0.0
0.0	INVSLV	Max	0.011	0.004	-0.078	0.0	-0.0
0.0		Min	0.003	-0.005	-0.086	-0.0	-0.0
428 0.0	Q1-1-2	Max	0.005	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.038	-0.0	-0.0
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.022	-0.0	-0.0
-0.0	SLVx (RS)	0.004	0.000	0.003	-0.0	0.0	
-0.0	SLVy (RS)	-0.000	0.005	-0.001	0.0	-0.0	
-0.0	SLDx (RS)	0.002	0.000	0.002	-0.0	0.0	
-0.0	SLDy (RS)	-0.000	0.002	-0.000	0.0	-0.0	
-0.0	SLVz (RS)	-0.001	-0.000	0.001	-0.0	0.0	
0.0	g1	0.005	0.000	-0.031	0.0	-0.0	
0.0	g2	0.003	0.000	-0.015	0.0	-0.0	
0.0	q3	0.005	-0.000	-0.001	0.0	-0.0	
-0.0	q5_pc	-0.000	0.003	0.000	0.0	-0.0	
-0.0	q5_ps	-0.000	0.003	0.000	0.0	-0.0	
0.0	INVSLU	Max	0.020	0.004	-0.131	0.0	-0.0
-0.0		Min	0.009	-0.005	-0.183	-0.0	-0.0
0.0	INVSLV	Max	0.011	0.004	-0.076	0.0	-0.0
-0.0		Min	0.002	-0.005	-0.084	-0.0	-0.0
435 0.0	Q1-1-2	Max	0.005	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.039	-0.0	-0.0
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.023	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
-0.0	SLVx (RS)	0.004	0.000	0.003	-0.0	-0.0
-0.0	SLVy (RS)	-0.000	0.005	-0.001	0.0	-0.0
-0.0	SLDx (RS)	0.002	0.000	0.002	-0.0	-0.0
-0.0	SLDy (RS)	-0.000	0.002	-0.000	0.0	-0.0
-0.0	SLVz (RS)	-0.001	-0.000	0.001	-0.0	0.0
0.0	g1	0.005	0.000	-0.032	0.0	-0.0
0.0	g2	0.003	0.000	-0.016	0.0	-0.0
0.0	q3	0.005	-0.000	-0.001	0.0	-0.0
-0.0	q5_pc	-0.000	0.003	0.000	-0.0	-0.0
-0.0	q5_ps	-0.000	0.003	0.000	-0.0	-0.0
0.0	INVSLU Max	0.020	0.004	-0.136	0.0	-0.0
-0.0	Min	0.009	-0.005	-0.189	-0.0	-0.0
0.0	INVSLV Max	0.011	0.004	-0.079	0.0	-0.0
-0.0	Min	0.002	-0.005	-0.087	-0.0	-0.0
436 0.0	Q1-1-2 Max	0.005	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.038	-0.0	-0.0
0.0	Q2a-1-2 Max	0.003	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.022	-0.0	-0.0
-0.0	SLVx (RS)	0.004	0.000	0.003	-0.0	-0.0
-0.0	SLVy (RS)	-0.000	0.004	-0.001	0.0	-0.0
-0.0	SLDx (RS)	0.002	0.000	0.002	-0.0	-0.0
-0.0	SLDy (RS)	-0.000	0.002	-0.000	0.0	-0.0
-0.0	SLVz (RS)	-0.001	-0.000	0.001	-0.0	0.0
0.0	g1	0.005	0.000	-0.031	0.0	-0.0
0.0	g2	0.003	0.000	-0.015	0.0	-0.0
0.0	q3	0.005	-0.000	-0.001	0.0	-0.0
-0.0	q5_pc	-0.000	0.003	0.000	-0.0	-0.0
-0.0	q5_ps	-0.000	0.003	0.000	-0.0	-0.0
0.0	INVSLU Max	0.019	0.004	-0.134	0.0	-0.0
-0.0	Min	0.009	-0.005	-0.186	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


0.0	INVS LV	Max	0.011	0.004	-0.077	0.0	-0.0
-0.0		Min	0.002	-0.005	-0.086	-0.0	-0.0
437 0.0	Q1-1-2	Max	0.005	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.038	-0.0	-0.0
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.022	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	0.000	0.003	-0.0	0.0
-0.0	SLVy	(RS)	-0.000	0.004	-0.001	0.0	-0.0
-0.0	SLDx	(RS)	0.002	0.000	0.002	-0.0	0.0
-0.0	SLDy	(RS)	-0.000	0.002	-0.000	0.0	-0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	0.0
0.0	g1		0.005	0.000	-0.031	0.0	-0.0
0.0	g2		0.003	0.000	-0.015	0.0	-0.0
0.0	q3		0.005	-0.000	-0.001	0.0	-0.0
-0.0	q5_pc		-0.000	0.003	0.000	-0.0	-0.0
-0.0	q5_ps		-0.000	0.003	0.000	-0.0	-0.0
0.0	INVSLU	Max	0.019	0.004	-0.131	0.0	-0.0
-0.0		Min	0.008	-0.005	-0.183	-0.0	-0.0
0.0	INVS LV	Max	0.010	0.004	-0.076	0.0	-0.0
-0.0		Min	0.002	-0.005	-0.084	-0.0	-0.0
462 0.0	Q1-1-2	Max	0.009	0.002	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.023	-0.0	-0.0
0.0	Q2a-1-2	Max	0.005	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.013	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	0.002	-0.0	0.0
-0.0	SLVy	(RS)	-0.000	0.004	-0.000	-0.0	-0.0
0.0	SLDx	(RS)	0.002	-0.000	0.001	-0.0	0.0
-0.0	SLDy	(RS)	-0.000	0.002	-0.000	-0.0	-0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	0.0

PROJECT TITLE :


MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0							
-0.0	g1		0.008	0.000	-0.019	0.0	-0.0
-0.0	g2		0.004	0.000	-0.009	-0.0	-0.0
-0.0	q3		0.005	0.000	-0.001	0.0	-0.0
-0.0	q5_pc		-0.000	0.003	0.000	-0.0	0.0
-0.0	q5_ps		-0.000	0.003	0.000	-0.0	-0.0
0.0	INVSLU	Max	0.034	0.006	-0.082	0.0	-0.0
-0.0		Min	0.020	-0.005	-0.114	-0.0	-0.0
0.0	INVSLV	Max	0.018	0.005	-0.047	0.0	-0.0
-0.0		Min	0.009	-0.004	-0.052	-0.0	-0.0
463	Q1-1-2	Max	0.009	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.005	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.013	-0.0	-0.0
0.0	SLVx (RS)		0.004	-0.000	0.002	-0.0	0.0
-0.0	SLVy (RS)		-0.000	0.004	-0.000	-0.0	-0.0
0.0	SLDx (RS)		0.002	-0.000	0.001	-0.0	0.0
-0.0	SLDy (RS)		-0.000	0.002	-0.000	-0.0	-0.0
0.0	SLVz (RS)		-0.001	-0.000	0.001	-0.0	0.0
-0.0	g1		0.008	0.000	-0.018	0.0	-0.0
-0.0	g2		0.004	0.000	-0.009	-0.0	-0.0
-0.0	q3		0.005	0.000	-0.000	0.0	-0.0
-0.0	q5_pc		-0.000	0.003	0.000	-0.0	0.0
-0.0	q5_ps		-0.000	0.003	0.000	-0.0	-0.0
0.0	INVSLU	Max	0.035	0.006	-0.078	0.0	-0.0
-0.0		Min	0.020	-0.004	-0.109	-0.0	-0.0
0.0	INVSLV	Max	0.018	0.005	-0.045	0.0	-0.0
-0.0		Min	0.010	-0.004	-0.050	-0.0	-0.0
466	Q1-1-2	Max	0.008	0.001	0.000	0.0	0.0
0.0							

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.0		Min	-0.000	-0.001	-0.023	-0.0	-0.0
0.0	Q2a-1-2	Max	0.005	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.013	-0.0	-0.0
0.0		SLVx (RS)	0.004	-0.000	0.002	-0.0	0.0
-0.0		SLVy (RS)	-0.000	0.005	-0.000	-0.0	-0.0
0.0		SLDx (RS)	0.002	-0.000	0.001	-0.0	0.0
-0.0		SLDy (RS)	-0.000	0.002	-0.000	-0.0	-0.0
0.0		SLVz (RS)	-0.001	-0.000	0.001	-0.0	0.0
-0.0		g1	0.007	0.000	-0.019	0.0	-0.0
-0.0		g2	0.004	0.000	-0.009	-0.0	-0.0
-0.0		q3	0.005	0.000	-0.001	0.0	-0.0
-0.0		q5_pc	-0.000	0.004	0.000	-0.0	0.0
-0.0		q5_ps	-0.000	0.003	0.000	-0.0	-0.0
0.0	INVSLU	Max	0.029	0.006	-0.082	0.0	-0.0
-0.0		Min	0.016	-0.006	-0.114	-0.0	-0.0
0.0	INVSLV	Max	0.016	0.005	-0.047	0.0	-0.0
-0.0		Min	0.007	-0.004	-0.052	-0.0	-0.0
467	Q1-1-2	Max	0.008	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.005	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.013	-0.0	-0.0
0.0		SLVx (RS)	0.004	-0.000	0.002	-0.0	0.0
-0.0		SLVy (RS)	-0.000	0.005	-0.000	-0.0	-0.0
0.0		SLDx (RS)	0.002	-0.000	0.001	-0.0	0.0
-0.0		SLDy (RS)	-0.000	0.002	-0.000	-0.0	-0.0
0.0		SLVz (RS)	-0.001	-0.000	0.001	-0.0	0.0
-0.0		g1	0.007	0.000	-0.018	0.0	-0.0
-0.0		g2	0.004	0.000	-0.009	-0.0	-0.0
-0.0		q3	0.005	0.000	-0.000	0.0	-0.0
0.0		q5_pc	-0.000	0.003	0.000	-0.0	0.0
-0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.0	q5_ps		-0.000	0.003	0.000	-0.0	-0.0
0.0	INVSLU	Max	0.029	0.006	-0.078	0.0	-0.0
-0.0		Min	0.016	-0.005	-0.109	-0.0	-0.0
0.0	INVSLV	Max	0.016	0.005	-0.045	0.0	-0.0
-0.0		Min	0.007	-0.004	-0.050	-0.0	-0.0
470 0.0	Q1-1-2	Max	0.007	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.023	-0.0	-0.0
0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.013	-0.0	-0.0
0.0	SLVx (RS)		0.004	-0.000	0.002	0.0	0.0
-0.0	SLVy (RS)		-0.000	0.005	-0.000	0.0	-0.0
0.0	SLDx (RS)		0.002	-0.000	0.001	0.0	0.0
-0.0	SLDy (RS)		-0.000	0.002	-0.000	0.0	-0.0
0.0	SLVz (RS)		-0.001	-0.000	0.001	-0.0	0.0
-0.0	g1		0.006	0.000	-0.019	0.0	-0.0
-0.0	g2		0.003	0.000	-0.009	-0.0	-0.0
0.0	q3		0.005	0.000	-0.001	0.0	-0.0
-0.0	q5_pc		-0.000	0.004	0.000	0.0	0.0
-0.0	q5_ps		-0.000	0.004	0.000	0.0	-0.0
0.0	INVSLU	Max	0.023	0.006	-0.082	0.0	-0.0
-0.0		Min	0.011	-0.006	-0.114	-0.0	-0.0
0.0	INVSLV	Max	0.013	0.005	-0.047	0.0	-0.0
-0.0		Min	0.004	-0.005	-0.052	0.0	-0.0
471 0.0	Q1-1-2	Max	0.007	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.013	-0.0	-0.0
0.0	SLVx (RS)		0.004	-0.000	0.002	0.0	0.0



PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
-0.0	SLVy (RS)	-0.000	0.005	-0.000	0.0	-0.0
0.0	SLDx (RS)	0.002	-0.000	0.001	0.0	0.0
-0.0	SLDy (RS)	-0.000	0.002	-0.000	0.0	-0.0
0.0	SLVz (RS)	-0.001	-0.000	0.001	-0.0	0.0
-0.0	g1	0.006	0.000	-0.018	0.0	-0.0
-0.0	g2	0.003	0.000	-0.009	-0.0	-0.0
0.0	q3	0.005	0.000	-0.001	0.0	-0.0
-0.0	q5_pc	-0.000	0.004	0.000	0.0	0.0
-0.0	q5_ps	-0.000	0.003	0.000	0.0	-0.0
0.0	INVSLU Max	0.023	0.006	-0.078	0.0	-0.0
-0.0	Min	0.011	-0.006	-0.109	-0.0	-0.0
0.0	INVSLV Max	0.013	0.005	-0.045	0.0	-0.0
-0.0	Min	0.004	-0.005	-0.050	0.0	-0.0
474 0.0	Q1-1-2 Max	0.006	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.023	-0.0	-0.0
0.0	Q2a-1-2 Max	0.003	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.013	-0.0	-0.0
-0.0	SLVx (RS)	0.004	-0.000	0.002	-0.0	0.0
-0.0	SLVy (RS)	-0.000	0.004	-0.000	0.0	-0.0
-0.0	SLDx (RS)	0.002	-0.000	0.001	-0.0	0.0
-0.0	SLDy (RS)	-0.000	0.002	-0.000	0.0	-0.0
-0.0	SLVz (RS)	-0.001	-0.000	0.001	-0.0	0.0
0.0	g1	0.005	0.000	-0.019	0.0	-0.0
-0.0	g2	0.003	0.000	-0.009	0.0	-0.0
0.0	q3	0.005	0.000	-0.001	0.0	-0.0
-0.0	q5_pc	-0.000	0.003	0.000	0.0	0.0
-0.0	q5_ps	-0.000	0.003	0.000	0.0	-0.0
0.0	INVSLU Max	0.017	0.005	-0.082	0.0	-0.0
-0.0	Min	0.006	-0.006	-0.114	-0.0	-0.0
	INVSLV Max	0.010	0.004	-0.047	0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0		Min	0.001	-0.005	-0.052	-0.0	-0.0
-0.0							
475	Q1-1-2	Max	0.006	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.013	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	0.002	-0.0	0.0
-0.0	SLVy	(RS)	-0.000	0.004	-0.000	0.0	-0.0
-0.0	SLDx	(RS)	0.002	-0.000	0.001	-0.0	0.0
-0.0	SLDy	(RS)	-0.000	0.002	-0.000	0.0	-0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	0.0
0.0	g1		0.005	0.000	-0.018	0.0	-0.0
0.0	g2		0.003	0.000	-0.009	0.0	-0.0
-0.0	q3		0.005	0.000	-0.001	0.0	-0.0
0.0	q5_pc		-0.000	0.003	0.000	0.0	0.0
-0.0	q5_ps		-0.000	0.003	0.000	0.0	-0.0
-0.0							
0.0	INVSLU	Max	0.017	0.005	-0.078	0.0	-0.0
-0.0		Min	0.006	-0.006	-0.109	-0.0	-0.0
0.0	INVSLV	Max	0.010	0.004	-0.045	0.0	-0.0
-0.0		Min	0.001	-0.004	-0.050	-0.0	-0.0
478	Q1-1-2	Max	0.005	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.023	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.013	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	0.000	0.002	-0.0	0.0
-0.0	SLVy	(RS)	-0.000	0.004	-0.000	0.0	-0.0
-0.0	SLDx	(RS)	0.002	0.000	0.001	-0.0	0.0
-0.0	SLDy	(RS)	-0.000	0.002	-0.000	0.0	-0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	0.0
-0.0	g1		0.004	0.000	-0.019	0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0							
	g2		0.002	0.000	-0.009	0.0	-0.0
0.0							
	q3		0.005	-0.000	-0.001	0.0	-0.0
0.0							
	q5_pc		-0.000	0.003	0.000	0.0	0.0
-0.0							
	q5_ps		-0.000	0.003	0.000	0.0	-0.0
-0.0							
	INVSLU	Max	0.013	0.004	-0.082	0.0	-0.0
0.0		Min	0.002	-0.005	-0.114	-0.0	-0.0
-0.0							
	INVSLV	Max	0.007	0.004	-0.047	0.0	-0.0
0.0		Min	-0.001	-0.004	-0.052	-0.0	-0.0
-0.0							
479	Q1-1-2	Max	0.005	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.013	-0.0	-0.0
-0.0							
	SLVx	(RS)	0.004	0.000	0.002	-0.0	0.0
-0.0							
	SLVy	(RS)	-0.000	0.004	-0.000	0.0	-0.0
-0.0							
	SLDx	(RS)	0.002	0.000	0.001	-0.0	0.0
-0.0							
	SLDy	(RS)	-0.000	0.002	-0.000	0.0	-0.0
-0.0							
	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	0.0
-0.0							
	g1		0.004	0.000	-0.018	0.0	-0.0
0.0							
	g2		0.002	0.000	-0.009	0.0	-0.0
0.0							
	q3		0.005	-0.000	-0.001	0.0	-0.0
0.0							
	q5_pc		-0.000	0.003	0.000	0.0	0.0
-0.0							
	q5_ps		-0.000	0.003	0.000	0.0	-0.0
-0.0							
	INVSLU	Max	0.013	0.004	-0.078	0.0	-0.0
0.0		Min	0.002	-0.005	-0.109	-0.0	-0.0
-0.0							
	INVSLV	Max	0.007	0.004	-0.045	0.0	-0.0
0.0		Min	-0.001	-0.004	-0.050	-0.0	-0.0
-0.0							
482	Q1-1-2	Max	0.004	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.023	-0.0	-0.0
-0.0							

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	


0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.013	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	0.000	0.002	0.0	0.0
-0.0	SLVy	(RS)	-0.000	0.004	-0.000	0.0	-0.0
-0.0	SLDx	(RS)	0.002	0.000	0.001	0.0	0.0
-0.0	SLDy	(RS)	-0.000	0.002	-0.000	0.0	-0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	0.0
0.0	g1		0.004	0.000	-0.019	0.0	-0.0
0.0	g2		0.002	0.000	-0.009	0.0	-0.0
0.0	q3		0.005	-0.000	-0.001	0.0	-0.0
-0.0	q5_pc		-0.000	0.003	0.000	-0.0	0.0
-0.0	q5_ps		-0.000	0.003	0.000	-0.0	-0.0
0.0	INVSLU	Max	0.012	0.004	-0.082	0.0	-0.0
-0.0		Min	0.001	-0.005	-0.114	-0.0	-0.0
0.0	INVSLV	Max	0.007	0.004	-0.047	0.0	-0.0
-0.0		Min	-0.002	-0.004	-0.052	0.0	-0.0
483	Q1-1-2	Max	0.004	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.022	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.013	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	0.000	0.002	0.0	0.0
-0.0	SLVy	(RS)	-0.000	0.004	-0.000	0.0	-0.0
-0.0	SLDx	(RS)	0.002	0.000	0.001	0.0	0.0
-0.0	SLDy	(RS)	-0.000	0.002	-0.000	0.0	-0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	0.0
0.0	g1		0.004	0.000	-0.018	0.0	-0.0
0.0	g2		0.002	0.000	-0.009	0.0	-0.0
0.0	q3		0.005	-0.000	-0.001	0.0	-0.0
-0.0	q5_pc		-0.000	0.003	0.000	-0.0	0.0
-0.0	q5_ps		-0.000	0.003	0.000	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	INVSLU	Max	0.011	0.004	-0.078	0.0	-0.0
-0.0		Min	0.001	-0.004	-0.109	-0.0	-0.0
0.0	INVSLV	Max	0.007	0.004	-0.045	0.0	-0.0
-0.0		Min	-0.002	-0.004	-0.050	0.0	-0.0
494 0.0	Q1-1-2	Max	0.010	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.002	-0.0	-0.0
0.0	Q2a-1-2	Max	0.006	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.001	-0.0	-0.0
0.0	SLVx	(RS)	0.004	0.000	0.000	-0.0	0.0
-0.0	SLVy	(RS)	-0.000	0.003	-0.000	-0.0	-0.0
0.0	SLDx	(RS)	0.002	0.000	0.000	-0.0	0.0
-0.0	SLDy	(RS)	-0.000	0.001	-0.000	-0.0	-0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.000	0.0	0.0
-0.0	g1		0.009	0.000	-0.002	-0.0	-0.0
-0.0	g2		0.004	0.000	-0.001	-0.0	-0.0
-0.0	q3		0.005	0.000	-0.000	-0.0	-0.0
-0.0	q5_pc		-0.000	0.002	0.000	-0.0	0.0
-0.0	q5_ps		-0.000	0.002	0.000	-0.0	0.0
0.0	INVSLU	Max	0.035	0.003	-0.007	0.0	-0.0
-0.0		Min	0.020	-0.003	-0.009	-0.0	-0.0
0.0	INVSLV	Max	0.019	0.003	-0.004	0.0	-0.0
-0.0		Min	0.010	-0.002	-0.004	-0.0	-0.0
503 0.0	Q1-1-2	Max	0.008	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.002	-0.0	-0.0
0.0	Q2a-1-2	Max	0.005	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.001	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	0.000	0.0	0.0
-0.0	SLVy	(RS)	-0.000	0.003	-0.000	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
-0.0	SLDx (RS)	0.002	-0.000	0.000	0.0	0.0
-0.0	SLDy (RS)	-0.000	0.002	-0.000	-0.0	-0.0
-0.0	SLVz (RS)	-0.001	-0.000	0.000	0.0	0.0
0.0	g1	0.007	0.000	-0.002	-0.0	-0.0
-0.0	g2	0.004	0.000	-0.001	-0.0	-0.0
0.0	q3	0.005	0.000	-0.000	-0.0	-0.0
-0.0	q5_pc	-0.000	0.002	0.000	-0.0	0.0
-0.0	q5_ps	-0.000	0.002	0.000	-0.0	0.0
0.0	INVSLU Max	0.028	0.004	-0.007	0.0	-0.0
-0.0	Min	0.014	-0.003	-0.009	-0.0	-0.0
0.0	INVSLV Max	0.015	0.003	-0.004	0.0	-0.0
-0.0	Min	0.006	-0.003	-0.004	-0.0	-0.0
512 0.0	Q1-1-2 Max	0.007	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.002	-0.0	-0.0
0.0	Q2a-1-2 Max	0.004	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.001	-0.0	-0.0
-0.0	SLVx (RS)	0.004	-0.000	0.000	-0.0	0.0
-0.0	SLVy (RS)	-0.000	0.003	-0.000	-0.0	-0.0
-0.0	SLDx (RS)	0.002	-0.000	0.000	-0.0	0.0
-0.0	SLDy (RS)	-0.000	0.002	-0.000	-0.0	-0.0
-0.0	SLVz (RS)	-0.001	-0.000	0.000	-0.0	0.0
0.0	g1	0.006	0.000	-0.002	0.0	-0.0
-0.0	g2	0.003	0.000	-0.001	0.0	-0.0
0.0	q3	0.005	0.000	-0.000	0.0	-0.0
-0.0	q5_pc	-0.000	0.003	0.000	-0.0	0.0
-0.0	q5_ps	-0.000	0.002	0.000	-0.0	0.0
0.0	INVSLU Max	0.020	0.004	-0.007	0.0	-0.0
-0.0	Min	0.008	-0.004	-0.009	-0.0	-0.0
0.0	INVSLV Max	0.011	0.004	-0.004	0.0	-0.0
	Min	0.003	-0.003	-0.004	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.0

521	Q1-1-2	Max	0.005	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.002	-0.0	-0.0

-0.0

0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.001	-0.0	-0.0

-0.0

-0.0	SLVx	(RS)	0.004	-0.000	0.000	0.0	0.0
------	------	------	-------	--------	-------	-----	-----

-0.0	SLVy	(RS)	-0.000	0.003	-0.000	0.0	-0.0
------	------	------	--------	-------	--------	-----	------

-0.0	SLDx	(RS)	0.002	-0.000	0.000	0.0	0.0
------	------	------	-------	--------	-------	-----	-----

-0.0	SLDy	(RS)	-0.000	0.002	-0.000	0.0	-0.0
------	------	------	--------	-------	--------	-----	------

-0.0	SLVz	(RS)	-0.001	-0.000	0.000	-0.0	0.0
------	------	------	--------	--------	-------	------	-----

-0.0	g1		0.005	0.000	-0.002	0.0	-0.0
------	----	--	-------	-------	--------	-----	------

0.0	g2		0.002	0.000	-0.001	0.0	-0.0
-----	----	--	-------	-------	--------	-----	------

-0.0	q3		0.005	0.000	-0.000	0.0	-0.0
------	----	--	-------	-------	--------	-----	------

0.0	q5_pc		-0.000	0.003	0.000	0.0	0.0
-----	-------	--	--------	-------	-------	-----	-----

-0.0	q5_ps		-0.000	0.002	0.000	0.0	0.0
------	-------	--	--------	-------	-------	-----	-----

-0.0

0.0	INVSLU	Max	0.013	0.004	-0.007	0.0	-0.0
-----	--------	-----	-------	-------	--------	-----	------

-0.0		Min	0.002	-0.004	-0.010	-0.0	-0.0
------	--	-----	-------	--------	--------	------	------

-0.0

0.0	INVSLV	Max	0.008	0.003	-0.004	0.0	-0.0
-----	--------	-----	-------	-------	--------	-----	------

-0.0		Min	-0.001	-0.003	-0.004	0.0	-0.0
------	--	-----	--------	--------	--------	-----	------

-0.0

530	Q1-1-2	Max	0.004	0.001	0.000	0.0	0.0
-----	--------	-----	-------	-------	-------	-----	-----

0.0		Min	-0.000	-0.001	-0.002	-0.0	-0.0
-----	--	-----	--------	--------	--------	------	------

-0.0

0.0	Q2a-1-2	Max	0.002	0.000	0.000	0.0	0.0
-----	---------	-----	-------	-------	-------	-----	-----

-0.0		Min	-0.000	-0.000	-0.001	-0.0	-0.0
------	--	-----	--------	--------	--------	------	------

-0.0	SLVx	(RS)	0.004	-0.000	0.000	0.0	0.0
------	------	------	-------	--------	-------	-----	-----

-0.0	SLVy	(RS)	-0.000	0.003	-0.000	0.0	-0.0
------	------	------	--------	-------	--------	-----	------

-0.0	SLDx	(RS)	0.002	-0.000	0.000	0.0	0.0
------	------	------	-------	--------	-------	-----	-----


-0.0	SLDy	(RS)	-0.000	0.002	-0.000	0.0	-0.0
------	------	------	--------	-------	--------	-----	------

-0.0	SLVz	(RS)	-0.001	-0.000	0.000	-0.0	0.0
------	------	------	--------	--------	-------	------	-----

-0.0	g1		0.004	0.000	-0.002	0.0	-0.0
------	----	--	-------	-------	--------	-----	------

0.0	g2		0.002	0.000	-0.001	0.0	-0.0
-----	----	--	-------	-------	--------	-----	------

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.0	q3	0.005	0.000	-0.000	0.0	-0.0	
0.0	q5_pc	-0.000	0.003	0.000	0.0	0.0	
-0.0	q5_ps	-0.000	0.002	0.000	0.0	0.0	
-0.0	INVS LU	Max	0.007	0.005	-0.007	0.0	-0.0
0.0		Min	-0.003	-0.004	-0.010	-0.0	-0.0
-0.0	INVS LV	Max	0.005	0.003	-0.004	0.0	-0.0
0.0		Min	-0.004	-0.003	-0.004	0.0	-0.0
-0.0							
539	Q1-1-2	Max	0.004	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.002	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.002	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.001	-0.0	-0.0
0.0	SLVx (RS)		0.004	-0.000	0.000	-0.0	0.0
-0.0	SLVy (RS)		-0.000	0.003	-0.000	-0.0	-0.0
0.0	SLDx (RS)		0.002	-0.000	0.000	-0.0	0.0
-0.0	SLDy (RS)		-0.000	0.002	-0.000	-0.0	-0.0
0.0	SLVz (RS)		-0.001	-0.000	0.000	-0.0	0.0
-0.0	g1		0.003	0.000	-0.002	0.0	-0.0
0.0	g2		0.002	0.000	-0.001	0.0	-0.0
-0.0	q3		0.005	0.000	-0.000	0.0	-0.0
0.0	q5_pc		-0.000	0.003	0.000	-0.0	0.0
-0.0	q5_ps		-0.000	0.002	0.000	-0.0	0.0
-0.0	INVS LU	Max	0.006	0.005	-0.007	-0.0	-0.0
0.0		Min	-0.004	-0.004	-0.010	-0.0	-0.0
-0.0							
0.0	INVS LV	Max	0.004	0.003	-0.004	0.0	-0.0
-0.0		Min	-0.005	-0.003	-0.004	0.0	-0.0
621	Q1-1-2	Max	0.000	0.000	0.001	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.000	0.000	0.001	0.0	0.0



PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	0.000	-0.0	0.0
0.0	SLVy	(RS)	-0.000	0.003	-0.000	-0.0	0.0
0.0	SLDx	(RS)	0.002	-0.000	0.000	-0.0	0.0
0.0	SLDy	(RS)	-0.000	0.001	-0.000	-0.0	0.0
0.0	SLVz	(RS)	-0.001	-0.000	-0.000	-0.0	-0.0
0.0	g1		-0.000	0.000	0.001	0.0	0.0
-0.0	g2		0.000	0.000	0.001	0.0	0.0
-0.0	q3		0.004	-0.000	0.000	-0.0	0.0
-0.0	q5_pc		-0.000	0.002	-0.000	-0.0	0.0
0.0	q5_ps		-0.000	0.002	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.007	0.004	0.007	0.0	0.0
0.0		Min	-0.001	-0.003	0.005	0.0	0.0
-0.0	INVSLV	Max	0.004	0.003	0.003	0.0	0.0
0.0		Min	-0.004	-0.003	0.003	0.0	0.0
-0.0							
622	Q1-1-2	Max	0.002	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	0.000	-0.0	0.0
-0.0	SLVy	(RS)	-0.000	0.003	-0.000	-0.0	-0.0
0.0	SLDx	(RS)	0.002	-0.000	0.000	-0.0	0.0
-0.0	SLDy	(RS)	-0.000	0.002	-0.000	-0.0	-0.0
0.0	SLVz	(RS)	-0.001	0.000	0.000	-0.0	-0.0
0.0	g1		0.001	-0.000	-0.000	0.0	0.0
0.0	g2		0.001	-0.000	-0.000	0.0	0.0
0.0	q3		0.004	-0.000	0.000	-0.0	0.0
-0.0	q5_pc		-0.000	0.002	-0.000	-0.0	0.0
0.0	q5_ps		-0.000	0.002	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.014	0.003	-0.000	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0		Min	0.006	-0.003	-0.001	-0.0	0.0
-0.0							
0.0	INVSLV	Max	0.008	0.003	-0.000	0.0	0.0
-0.0		Min	-0.000	-0.003	-0.000	0.0	0.0
623	Q1-1-2	Max	0.002	0.000	0.001	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.001	0.000	0.001	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx	(RS)	0.004	0.000	0.000	-0.0	0.0
-0.0	SLVy	(RS)	-0.000	0.003	-0.000	-0.0	-0.0
0.0	SLDx	(RS)	0.002	0.000	0.000	-0.0	0.0
-0.0	SLDy	(RS)	-0.000	0.001	-0.000	-0.0	-0.0
0.0	SLVz	(RS)	-0.001	0.000	-0.000	-0.0	-0.0
-0.0							
0.0	g1		0.001	-0.000	0.001	0.0	0.0
0.0	g2		0.001	-0.000	0.001	0.0	0.0
0.0	q3		0.004	-0.000	0.000	-0.0	0.0
-0.0	q5_pc		-0.000	0.002	-0.000	-0.0	0.0
0.0	q5_ps		-0.000	0.002	-0.000	-0.0	0.0
0.0							
0.0	INVSLU	Max	0.013	0.003	0.007	0.0	0.0
-0.0		Min	0.006	-0.003	0.005	-0.0	0.0
0.0	INVSLV	Max	0.008	0.003	0.003	0.0	0.0
0.0		Min	-0.000	-0.003	0.003	0.0	0.0
624	Q1-1-2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.002	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.001	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	-0.000	-0.0	0.0
0.0	SLVy	(RS)	-0.000	0.003	-0.000	-0.0	-0.0
0.0	SLDx	(RS)	0.002	-0.000	-0.000	-0.0	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	SLDy (RS)	-0.000	0.002	-0.000	-0.0	-0.0	
0.0	SLVz (RS)	-0.001	-0.000	0.000	-0.0	-0.0	
-0.0	g1	0.000	0.000	-0.002	0.0	0.0	
-0.0	g2	0.000	0.000	-0.001	0.0	0.0	
-0.0	q3	0.004	-0.000	-0.000	-0.0	0.0	
0.0	q5_pc	-0.000	0.002	-0.000	-0.0	-0.0	
0.0	q5_ps	-0.000	0.002	-0.000	-0.0	-0.0	
0.0	INVSLU	Max	0.007	0.004	-0.007	0.0	0.0
-0.0		Min	-0.000	-0.003	-0.009	0.0	0.0
0.0	INVSLV	Max	0.004	0.003	-0.004	0.0	0.0
-0.0		Min	-0.004	-0.003	-0.004	0.0	0.0
625	Q1-1-2	Max	0.002	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.002	-0.0	-0.0
-0.0	Q2a-1-2	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.001	-0.0	-0.0
-0.0	SLVx (RS)	0.004	-0.000	-0.000	-0.0	0.0	
0.0	SLVy (RS)	-0.000	0.003	-0.000	-0.0	-0.0	
-0.0	SLDx (RS)	0.002	-0.000	-0.000	-0.0	0.0	
0.0	SLDy (RS)	-0.000	0.002	-0.000	-0.0	-0.0	
-0.0	SLVz (RS)	-0.001	0.000	0.000	-0.0	-0.0	
0.0	g1	0.001	-0.000	-0.002	0.0	0.0	
-0.0	g2	0.001	-0.000	-0.001	0.0	0.0	
0.0	q3	0.004	-0.000	-0.000	-0.0	0.0	
0.0	q5_pc	-0.000	0.002	-0.000	-0.0	0.0	
0.0	q5_ps	-0.000	0.002	-0.000	-0.0	0.0	
0.0	INVSLU	Max	0.014	0.003	-0.007	0.0	0.0
-0.0		Min	0.006	-0.003	-0.009	-0.0	0.0
0.0	INVSLV	Max	0.008	0.003	-0.004	0.0	0.0
-0.0		Min	-0.000	-0.003	-0.004	-0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

628	Q1-1-2	Max	0.003	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.025	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.015	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	0.004	-0.000	-0.002	-0.0	-0.0
0.0	SLVy	(RS)	-0.000	0.005	0.000	-0.0	-0.0
0.0	SLDx	(RS)	0.002	-0.000	-0.001	-0.0	-0.0
0.0	SLDy	(RS)	-0.000	0.002	0.000	-0.0	-0.0
0.0	SLVz	(RS)	-0.001	0.000	0.001	0.0	-0.0
0.0	g1		0.003	-0.000	-0.021	-0.0	0.0
-0.0	g2		0.002	-0.000	-0.010	0.0	0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	0.0
0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
0.0							
	INVSLU	Max	0.019	0.005	-0.089	0.0	0.0
0.0		Min	0.010	-0.005	-0.124	-0.0	0.0
-0.0							
	INVSLV	Max	0.010	0.005	-0.051	0.0	0.0
0.0		Min	0.002	-0.005	-0.057	-0.0	0.0
-0.0							
	Q1-1-2	Max	0.009	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.023	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.005	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.013	-0.0	-0.0
-0.0							
-0.0	SLVx	(RS)	0.004	0.000	0.002	-0.0	0.0
-0.0	SLVy	(RS)	0.000	0.004	0.000	-0.0	0.0
-0.0	SLDx	(RS)	0.002	0.000	0.001	-0.0	0.0
-0.0	SLDy	(RS)	0.000	0.002	0.000	-0.0	0.0
-0.0	SLVz	(RS)	-0.001	0.000	0.001	0.0	0.0
-0.0	g1		0.008	-0.000	-0.019	-0.0	-0.0
0.0	g2		0.004	-0.000	-0.009	0.0	-0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0						
-0.0	q5_pc		0.000	0.003	-0.000	-0.0
-0.0	q5_ps		0.000	0.003	-0.000	0.0
0.0	INVSLU	Max	0.034	0.005	-0.082	0.0
-0.0		Min	0.020	-0.006	-0.114	-0.0
0.0	INVSLV	Max	0.018	0.004	-0.047	0.0
-0.0		Min	0.009	-0.005	-0.052	-0.0
636	Q1-1-2	Max	0.008	0.001	0.000	0.0
0.0		Min	-0.000	-0.001	-0.023	-0.0
-0.0						
0.0	Q2a-1-2	Max	0.005	0.001	0.000	0.0
-0.0		Min	-0.000	-0.001	-0.013	-0.0
-0.0	SLVx	(RS)	0.004	0.000	0.002	0.0
-0.0	SLVy	(RS)	0.000	0.005	0.000	0.0
-0.0	SLDx	(RS)	0.002	0.000	0.001	0.0
-0.0	SLDy	(RS)	0.000	0.002	0.000	0.0
-0.0	SLVz	(RS)	-0.001	0.000	0.001	0.0
0.0	g1		0.007	-0.000	-0.019	-0.0
0.0	g2		0.004	-0.000	-0.009	0.0
0.0	q3		0.005	-0.000	-0.001	-0.0
0.0	q5_pc		0.000	0.003	-0.000	-0.0
-0.0	q5_ps		0.000	0.003	-0.000	0.0
-0.0						
0.0	INVSLU	Max	0.029	0.005	-0.082	0.0
-0.0		Min	0.016	-0.005	-0.114	-0.0
0.0	INVSLV	Max	0.016	0.005	-0.047	0.0
-0.0		Min	0.007	-0.005	-0.052	-0.0
637	Q1-1-2	Max	0.008	0.001	0.000	0.0
0.0		Min	-0.000	-0.001	-0.025	-0.0
-0.0						
0.0	Q2a-1-2	Max	0.005	0.001	0.000	0.0
		Min	-0.000	-0.001	-0.015	-0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	SLVx (RS)		0.004	0.000	0.002	-0.0	0.0
-0.0	SLVy (RS)		0.000	0.005	0.000	-0.0	0.0
-0.0	SLDx (RS)		0.002	0.000	0.001	-0.0	0.0
-0.0	SLDy (RS)		0.000	0.002	0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.001	0.000	0.001	0.0	0.0
-0.0	g1		0.007	-0.000	-0.021	-0.0	-0.0
0.0	g2		0.004	-0.000	-0.010	0.0	-0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0
0.0	q5_pc		0.000	0.003	-0.000	-0.0	-0.0
-0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0
-0.0	INVS LU	Max	0.029	0.005	-0.089	0.0	-0.0
0.0		Min	0.016	-0.005	-0.124	-0.0	-0.0
-0.0	INVS LV	Max	0.015	0.005	-0.051	0.0	-0.0
0.0		Min	0.007	-0.005	-0.057	-0.0	-0.0
-0.0							
638	Q1-1-2	Max	0.010	0.000	0.001	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.006	0.000	0.001	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		0.004	-0.000	-0.000	-0.0	0.0
-0.0	SLVy (RS)		0.000	0.003	-0.000	-0.0	-0.0
-0.0	SLDx (RS)		0.002	-0.000	-0.000	-0.0	0.0
-0.0	SLDy (RS)		0.000	0.001	-0.000	-0.0	-0.0
-0.0	SLVz (RS)		-0.001	-0.000	-0.000	-0.0	0.0
-0.0	g1		0.009	0.000	0.001	0.0	-0.0
0.0	g2		0.004	0.000	0.001	0.0	-0.0
0.0	q3		0.005	0.000	0.000	0.0	-0.0
0.0	q5_pc		0.000	0.002	-0.000	-0.0	-0.0
-0.0	q5_ps		0.000	0.002	-0.000	-0.0	-0.0
-0.0							
0.0	INVS LU	Max	0.035	0.004	0.007	0.0	-0.0
		Min	0.020	-0.003	0.005	0.0	-0.0


MIDAS

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.0							
0.0	INVSLV	Max	0.018	0.003	0.003	0.0	-0.0
-0.0		Min	0.010	-0.003	0.003	0.0	-0.0
639	Q1-1-2	Max	0.008	0.000	0.001	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.005	0.000	0.001	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	0.000	-0.000	-0.0	0.0
-0.0	SLVy	(RS)	0.000	0.003	-0.000	-0.0	0.0
-0.0	SLDx	(RS)	0.002	0.000	-0.000	-0.0	0.0
-0.0	SLDy	(RS)	0.000	0.001	-0.000	-0.0	0.0
-0.0	SLVz	(RS)	-0.001	0.000	-0.000	-0.0	0.0
0.0	g1		0.007	-0.000	0.001	0.0	-0.0
-0.0	g2		0.004	-0.000	0.001	0.0	-0.0
-0.0	q3		0.005	-0.000	0.000	0.0	-0.0
-0.0	q5_pc		0.000	0.002	-0.000	-0.0	-0.0
-0.0	q5_ps		0.000	0.002	-0.000	-0.0	-0.0
-0.0							
0.0	INVSLU	Max	0.028	0.003	0.007	0.0	-0.0
-0.0		Min	0.014	-0.003	0.005	-0.0	-0.0
0.0	INVSLV	Max	0.015	0.003	0.003	0.0	-0.0
-0.0		Min	0.006	-0.003	0.003	0.0	-0.0
640	Q1-1-2	Max	0.008	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.005	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	0.000	0.000	-0.0	0.0
0.0	SLVy	(RS)	0.000	0.003	-0.000	-0.0	0.0
-0.0	SLDx	(RS)	0.002	0.000	0.000	-0.0	0.0
0.0	SLDy	(RS)	0.000	0.001	-0.000	-0.0	0.0
-0.0							

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	SLVz (RS)	-0.001	0.000	0.000	-0.0	0.0
-0.0	g1	0.007	-0.000	-0.000	0.0	-0.0
-0.0	g2	0.004	-0.000	-0.000	0.0	-0.0
-0.0	q3	0.005	-0.000	-0.000	0.0	-0.0
-0.0	q5_pc	0.000	0.002	-0.000	-0.0	-0.0
-0.0	q5_ps	0.000	0.002	-0.000	-0.0	-0.0
0.0	INVSLU Max	0.028	0.003	-0.000	0.0	-0.0
-0.0	Min	0.014	-0.003	-0.001	-0.0	-0.0
0.0	INVSLV Max	0.015	0.003	-0.000	0.0	-0.0
-0.0	Min	0.006	-0.003	-0.000	0.0	-0.0
644 0.0	Q1-1-2 Max	0.003	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q2a-1-2 Max	0.002	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	0.004	-0.000	0.000	-0.0	0.0
0.0	SLVy (RS)	-0.000	0.003	-0.000	-0.0	-0.0
-0.0	SLDx (RS)	0.002	-0.000	0.000	-0.0	0.0
0.0	SLDy (RS)	-0.000	0.002	-0.000	-0.0	-0.0
0.0	SLVz (RS)	-0.001	0.000	0.000	0.0	-0.0
0.0	g1	0.003	-0.000	-0.000	-0.0	0.0
0.0	g2	0.002	-0.000	-0.000	-0.0	0.0
-0.0	q3	0.005	-0.000	0.000	-0.0	0.0
0.0	q5_pc	-0.000	0.002	-0.000	-0.0	0.0
0.0	q5_ps	-0.000	0.002	-0.000	-0.0	0.0
0.0	INVSLU Max	0.021	0.004	-0.000	0.0	0.0
-0.0	Min	0.012	-0.004	-0.001	-0.0	0.0
0.0	INVSLV Max	0.012	0.003	-0.000	-0.0	0.0
-0.0	Min	0.003	-0.003	-0.000	-0.0	0.0
645	Q1-1-2 Max	0.003	0.000	0.000	0.0	0.0



PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

0.0		Min	-0.000	-0.000	-0.002	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.002	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.001	-0.0	-0.0
-0.0		SLVx (RS)	0.004	-0.000	-0.000	-0.0	0.0
-0.0		SLVy (RS)	-0.000	0.003	-0.000	-0.0	-0.0
0.0		SLDx (RS)	0.002	-0.000	-0.000	-0.0	0.0
-0.0		SLDy (RS)	-0.000	0.002	-0.000	-0.0	-0.0
0.0		SLVz (RS)	-0.001	0.000	0.000	0.0	-0.0
-0.0		g1	0.003	-0.000	-0.002	-0.0	0.0
0.0		g2	0.002	-0.000	-0.001	-0.0	0.0
-0.0		q3	0.005	-0.000	-0.000	-0.0	0.0
-0.0		q5_pc	-0.000	0.002	-0.000	-0.0	0.0
0.0		q5_ps	-0.000	0.002	-0.000	-0.0	0.0
0.0							
0.0	INVSLU	Max	0.021	0.004	-0.007	0.0	0.0
-0.0		Min	0.012	-0.004	-0.010	-0.0	0.0
0.0	INVSLV	Max	0.012	0.003	-0.004	-0.0	0.0
-0.0		Min	0.003	-0.003	-0.004	-0.0	0.0
646	Q1-1-2	Max	0.005	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.002	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.001	-0.0	-0.0
-0.0		SLVx (RS)	0.004	-0.000	-0.000	-0.0	0.0
-0.0		SLVy (RS)	-0.000	0.003	-0.000	0.0	-0.0
0.0		SLDx (RS)	0.002	-0.000	-0.000	-0.0	0.0
-0.0		SLDy (RS)	-0.000	0.002	-0.000	0.0	-0.0
0.0		SLVz (RS)	-0.001	0.000	0.000	0.0	-0.0
-0.0		g1	0.004	0.000	-0.002	-0.0	0.0
0.0		g2	0.002	-0.000	-0.001	-0.0	0.0
-0.0		q3	0.005	-0.000	-0.000	-0.0	0.0
-0.0		q5_pc	-0.000	0.003	-0.000	-0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


0.0							
0.0	q5_ps		-0.000	0.002	-0.000	-0.0	0.0
0.0	INVS LU	Max	0.029	0.004	-0.007	0.0	0.0
-0.0		Min	0.019	-0.004	-0.010	-0.0	0.0
0.0	INVS LV	Max	0.015	0.003	-0.004	-0.0	0.0
-0.0		Min	0.007	-0.003	-0.004	-0.0	0.0
647	Q1-1-2	Max	0.005	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	0.000	-0.0	0.0
-0.0	SLVy	(RS)	-0.000	0.003	-0.000	-0.0	-0.0
0.0	SLDx	(RS)	0.002	-0.000	0.000	-0.0	0.0
-0.0	SLDy	(RS)	-0.000	0.002	-0.000	-0.0	-0.0
0.0	SLVz	(RS)	-0.001	0.000	0.000	0.0	-0.0
0.0	g1		0.004	0.000	-0.000	-0.0	0.0
0.0	g2		0.002	-0.000	-0.000	-0.0	0.0
-0.0	q3		0.005	-0.000	-0.000	-0.0	0.0
-0.0	q5_pc		-0.000	0.002	-0.000	-0.0	0.0
0.0	q5_ps		-0.000	0.002	-0.000	-0.0	-0.0
0.0							
0.0	INVS LU	Max	0.029	0.004	-0.000	0.0	0.0
-0.0		Min	0.018	-0.004	-0.001	-0.0	0.0
0.0	INVS LV	Max	0.015	0.003	-0.000	-0.0	0.0
-0.0		Min	0.007	-0.003	-0.000	-0.0	0.0
655	Q1-1-2	Max	0.004	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.025	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.015	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	-0.002	-0.0	-0.0

PROJECT TITLE :


	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	SLVy (RS)		-0.000	0.005	0.000	0.0	-0.0
0.0	SLDx (RS)		0.002	-0.000	-0.001	-0.0	-0.0
0.0	SLDy (RS)		-0.000	0.002	0.000	0.0	-0.0
0.0	SLVz (RS)		-0.001	0.000	0.001	0.0	-0.0
0.0	g1		0.004	-0.000	-0.021	-0.0	0.0
-0.0	g2		0.002	-0.000	-0.010	0.0	0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	0.0
0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
0.0	INVSLU	Max	0.024	0.005	-0.089	0.0	0.0
0.0		Min	0.014	-0.004	-0.124	-0.0	0.0
-0.0							
0.0	INVSLV	Max	0.013	0.005	-0.051	-0.0	0.0
0.0		Min	0.005	-0.005	-0.057	-0.0	0.0
-0.0							
658	Q1-1-2	Max	0.005	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.025	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.015	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		0.004	-0.000	-0.002	0.0	-0.0
0.0	SLVy (RS)		-0.000	0.004	0.000	0.0	-0.0
0.0	SLDx (RS)		0.002	-0.000	-0.001	0.0	-0.0
0.0	SLDy (RS)		-0.000	0.002	0.000	0.0	-0.0
0.0	SLVz (RS)		-0.001	0.000	0.001	0.0	-0.0
0.0	g1		0.005	0.000	-0.021	-0.0	0.0
-0.0	g2		0.003	-0.000	-0.010	-0.0	0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	0.0
0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
0.0							
0.0	INVSLU	Max	0.030	0.005	-0.089	0.0	0.0
0.0		Min	0.019	-0.004	-0.124	-0.0	0.0
-0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	INVSLV	Max	0.016	0.005	-0.051	0.0	0.0
		Min	0.008	-0.004	-0.057	-0.0	0.0
-0.0							
670 0.0	Q1-1-2	Max	0.006	0.003	0.000	0.0	0.0
		Min	-0.000	-0.003	-0.043	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.002	0.000	0.0	0.0
		Min	-0.000	-0.002	-0.025	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	0.004	0.000	0.004	0.0	-0.0
0.0	SLVy	(RS)	-0.000	0.005	0.001	0.0	0.0
0.0	SLDx	(RS)	0.002	0.000	0.002	0.0	-0.0
0.0	SLDy	(RS)	-0.000	0.003	0.000	0.0	0.0
0.0	SLVz	(RS)	-0.001	0.000	0.002	0.0	0.0
-0.0							
-0.0		g1	0.005	-0.000	-0.035	-0.0	-0.0
0.0		g2	0.003	-0.000	-0.017	0.0	-0.0
0.0		q3	0.005	-0.000	-0.001	0.0	-0.0
0.0		q5_pc	0.000	0.003	-0.000	-0.0	0.0
-0.0		q5_ps	0.000	0.003	-0.000	-0.0	0.0
-0.0							
0.0	INVSLU	Max	0.027	0.007	-0.148	0.0	0.0
		Min	0.015	-0.008	-0.207	-0.0	-0.0
-0.0							
-0.0	INVSLV	Max	0.014	0.005	-0.086	-0.0	-0.0
		Min	0.006	-0.006	-0.095	-0.0	-0.0
-0.0							
671 0.0	Q1-1-2	Max	0.006	0.002	0.000	0.0	0.0
		Min	-0.000	-0.002	-0.043	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.001	0.000	0.0	0.0
		Min	-0.000	-0.001	-0.025	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	0.004	0.000	0.004	0.0	-0.0
0.0	SLVy	(RS)	-0.000	0.005	0.001	-0.0	0.0
0.0	SLDx	(RS)	0.002	0.000	0.002	0.0	-0.0
0.0	SLDy	(RS)	-0.000	0.003	0.000	-0.0	0.0
0.0	SLVz	(RS)	-0.001	0.000	0.002	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.0	g1	0.005	-0.000	-0.035	-0.0	-0.0	
-0.0	g2	0.003	-0.000	-0.017	0.0	-0.0	
0.0	q3	0.005	-0.000	-0.001	-0.0	-0.0	
-0.0	q5_pc	0.000	0.003	-0.000	-0.0	0.0	
-0.0	q5_ps	0.000	0.003	-0.000	-0.0	0.0	
0.0	INVSLU	Max	0.026	0.007	-0.148	0.0	0.0
-0.0		Min	0.015	-0.007	-0.207	-0.0	-0.0
0.0	INVSLV	Max	0.014	0.005	-0.086	-0.0	-0.0
-0.0		Min	0.006	-0.006	-0.095	-0.0	-0.0
672 0.0	Q1-1-2	Max	0.006	0.002	0.000	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.043	-0.0	-0.0
0.0	Q2a-1-2	Max	0.004	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.025	-0.0	-0.0
-0.0	SLVx (RS)		0.004	0.000	0.004	0.0	-0.0
0.0	SLVy (RS)		-0.000	0.005	0.001	0.0	0.0
-0.0	SLDx (RS)		0.002	0.000	0.002	0.0	-0.0
0.0	SLDy (RS)		-0.000	0.003	0.000	0.0	0.0
0.0	SLVz (RS)		-0.001	0.000	0.002	0.0	0.0
-0.0	g1	0.005	-0.000	-0.035	-0.0	0.0	
-0.0	g2	0.003	-0.000	-0.017	0.0	0.0	
-0.0	q3	0.005	-0.000	-0.001	-0.0	-0.0	
-0.0	q5_pc	-0.000	0.003	-0.000	-0.0	0.0	
-0.0	q5_ps	-0.000	0.003	-0.000	-0.0	0.0	
0.0	INVSLU	Max	0.026	0.007	-0.148	0.0	0.0
-0.0		Min	0.015	-0.007	-0.207	-0.0	-0.0
-0.0	INVSLV	Max	0.014	0.005	-0.086	-0.0	0.0
-0.0		Min	0.006	-0.005	-0.095	-0.0	-0.0
677 0.0	Q1-1-2	Max	0.006	0.002	0.000	0.0	0.0
		Min	-0.000	-0.001	-0.043	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.0							
0.0	Q2a-1-2	Max	0.004	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.025	-0.0	-0.0
0.0	SLVx	(RS)	0.004	0.000	0.004	0.0	-0.0
0.0	SLVy	(RS)	-0.000	0.005	0.001	0.0	0.0
0.0	SLDx	(RS)	0.002	0.000	0.002	0.0	-0.0
0.0	SLDy	(RS)	-0.000	0.003	0.000	0.0	0.0
0.0	SLVz	(RS)	-0.001	0.000	0.002	0.0	0.0
-0.0	g1		0.005	-0.000	-0.035	-0.0	0.0
-0.0	g2		0.003	-0.000	-0.017	-0.0	0.0
-0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0
-0.0	q5_pc		-0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps		-0.000	0.003	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.026	0.007	-0.148	0.0	0.0
-0.0		Min	0.015	-0.005	-0.207	-0.0	-0.0
-0.0	INVSLV	Max	0.014	0.005	-0.086	-0.0	0.0
-0.0		Min	0.006	-0.005	-0.095	-0.0	-0.0
678	Q1-1-2	Max	0.006	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.043	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.025	-0.0	-0.0
0.0	SLVx	(RS)	0.004	0.000	0.004	0.0	-0.0
0.0	SLVy	(RS)	-0.000	0.005	0.001	0.0	0.0
0.0	SLDx	(RS)	0.002	0.000	0.002	0.0	-0.0
0.0	SLDy	(RS)	-0.000	0.003	0.000	0.0	0.0
0.0	SLVz	(RS)	-0.001	0.000	0.002	0.0	0.0
-0.0	g1		0.005	-0.000	-0.035	-0.0	-0.0
-0.0	g2		0.003	-0.000	-0.017	-0.0	-0.0
-0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0
0.0	q5_pc		0.000	0.003	-0.000	-0.0	0.0
0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0


MIDAS

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.0							
0.0	INVSLU	Max	0.026	0.007	-0.148	0.0	0.0
-0.0		Min	0.015	-0.005	-0.207	-0.0	-0.0
0.0	INVSLV	Max	0.014	0.006	-0.086	-0.0	-0.0
-0.0		Min	0.006	-0.005	-0.095	-0.0	-0.0
679 0.0	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.043	-0.0	-0.0
0.0	Q2a-1-2	Max	0.004	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.025	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	0.004	0.0	-0.0
0.0	SLVy	(RS)	-0.000	0.005	0.001	0.0	0.0
0.0	SLDx	(RS)	0.002	-0.000	0.002	0.0	-0.0
0.0	SLDy	(RS)	-0.000	0.003	0.000	0.0	0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.002	0.0	0.0
-0.0	g1		0.005	0.000	-0.035	-0.0	-0.0
-0.0	g2		0.003	-0.000	-0.017	-0.0	-0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0
0.0	q5_pc		0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.026	0.007	-0.148	0.0	-0.0
-0.0		Min	0.014	-0.004	-0.207	-0.0	-0.0
0.0	INVSLV	Max	0.014	0.006	-0.086	0.0	-0.0
-0.0		Min	0.005	-0.004	-0.095	-0.0	-0.0
680 0.0	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.043	-0.0	-0.0
0.0	Q2a-1-2	Max	0.004	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.025	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	0.004	0.0	-0.0
	SLVy	(RS)	-0.000	0.005	0.001	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	SLDx (RS)	0.002	-0.000	0.002	0.0	-0.0
0.0	SLDy (RS)	-0.000	0.002	0.000	0.0	0.0
0.0	SLVz (RS)	-0.001	-0.000	0.002	0.0	0.0
0.0	g1	0.005	0.000	-0.035	-0.0	-0.0
-0.0	g2	0.003	-0.000	-0.017	-0.0	-0.0
-0.0	q3	0.005	-0.000	-0.001	-0.0	-0.0
0.0	q5_pc	-0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps	-0.000	0.003	-0.000	-0.0	0.0
-0.0						
0.0	INVSLU Max	0.026	0.007	-0.148	0.0	0.0
0.0	Min	0.015	-0.004	-0.207	-0.0	-0.0
-0.0						
-0.0	INVSLV Max	0.014	0.005	-0.086	-0.0	0.0
-0.0	Min	0.006	-0.004	-0.095	-0.0	-0.0
-0.0						
681	Q1-1-2 Max	0.008	0.003	0.000	0.0	0.0
0.0	Min	-0.000	-0.003	-0.039	-0.0	-0.0
-0.0						
0.0	Q2a-1-2 Max	0.005	0.002	0.000	0.0	0.0
0.0	Min	-0.000	-0.002	-0.023	-0.0	-0.0
-0.0						
0.0	SLVx (RS)	0.004	0.000	0.003	0.0	-0.0
0.0	SLVy (RS)	0.000	0.005	0.001	0.0	0.0
-0.0						
0.0	SLDx (RS)	0.002	0.000	0.002	0.0	-0.0
0.0	SLDy (RS)	0.000	0.003	0.000	0.0	0.0
-0.0						
-0.0	SLVz (RS)	-0.001	0.000	0.001	0.0	0.0
-0.0						
0.0	g1	0.007	-0.000	-0.032	-0.0	-0.0
0.0	g2	0.004	-0.000	-0.015	0.0	-0.0
0.0	q3	0.005	-0.000	-0.001	0.0	-0.0
0.0	q5_pc	0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps	0.000	0.003	-0.000	-0.0	0.0
-0.0						
0.0	INVSLU Max	0.030	0.007	-0.136	0.0	-0.0
0.0	Min	0.017	-0.008	-0.189	-0.0	-0.0
-0.0						
0.0	INVSLV Max	0.016	0.005	-0.079	-0.0	-0.0




PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.0		Min	0.008	-0.006	-0.087	-0.0	-0.0
682	Q1-1-2	Max	0.007	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.039	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.023	-0.0	-0.0
0.0	SLVx (RS)		0.004	0.000	0.003	0.0	-0.0
0.0	SLVy (RS)		0.000	0.005	0.001	-0.0	0.0
0.0	SLDx (RS)		0.002	0.000	0.002	0.0	-0.0
0.0	SLDy (RS)		0.000	0.003	0.000	-0.0	0.0
0.0	SLVz (RS)		-0.001	0.000	0.001	0.0	0.0
-0.0	g1		0.006	-0.000	-0.032	-0.0	-0.0
0.0	g2		0.003	-0.000	-0.015	0.0	-0.0
-0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0
0.0	q5_pc		0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0
-0.0							
0.0	INVSLU	Max	0.028	0.007	-0.136	0.0	-0.0
-0.0		Min	0.015	-0.007	-0.190	-0.0	-0.0
0.0	INVSLV	Max	0.015	0.005	-0.079	-0.0	-0.0
-0.0		Min	0.006	-0.005	-0.087	-0.0	-0.0
689	Q1-1-2	Max	0.007	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.039	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.023	-0.0	-0.0
0.0	SLVx (RS)		0.004	0.000	0.003	0.0	-0.0
0.0	SLVy (RS)		0.000	0.005	0.001	0.0	0.0
0.0	SLDx (RS)		0.002	0.000	0.002	0.0	-0.0
0.0	SLDy (RS)		0.000	0.003	0.000	0.0	0.0
0.0	SLVz (RS)		-0.001	0.000	0.001	0.0	0.0
0.0	g1		0.006	-0.000	-0.032	-0.0	-0.0
-0.0							

# MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.0	g2		0.003	-0.000	-0.015	-0.0	-0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0
-0.0	q5_pc		0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.025	0.007	-0.136	0.0	-0.0
-0.0		Min	0.013	-0.005	-0.190	-0.0	-0.0
0.0	INVSLV	Max	0.014	0.005	-0.079	-0.0	-0.0
-0.0		Min	0.005	-0.005	-0.087	-0.0	-0.0
690	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.039	-0.0	-0.0
-0.0	Q2a-1-2	Max	0.003	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.023	-0.0	-0.0
-0.0	SLVx (RS)		0.004	0.000	0.003	0.0	-0.0
0.0	SLVy (RS)		0.000	0.005	0.001	0.0	0.0
0.0	SLDx (RS)		0.002	0.000	0.002	0.0	-0.0
0.0	SLDy (RS)		0.000	0.002	0.000	0.0	0.0
0.0	SLVz (RS)		-0.001	-0.000	0.001	0.0	0.0
-0.0	g1		0.005	0.000	-0.032	-0.0	-0.0
-0.0	g2		0.003	-0.000	-0.016	-0.0	-0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0
-0.0	q5_pc		0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.023	0.006	-0.136	0.0	-0.0
-0.0		Min	0.011	-0.004	-0.189	-0.0	-0.0
0.0	INVSLV	Max	0.012	0.005	-0.079	0.0	-0.0
-0.0		Min	0.004	-0.004	-0.087	-0.0	-0.0
702	Q1-1-2	Max	0.007	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.025	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	Q2a-1-2	Max	0.004	0.001	0.000	0.0	0.0
		Min	-0.000	-0.000	-0.015	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	0.000	0.002	0.0	0.0
-0.0	SLVy	(RS)	0.000	0.005	0.000	0.0	0.0
-0.0	SLDx	(RS)	0.002	0.000	0.001	0.0	0.0
-0.0	SLDy	(RS)	0.000	0.002	0.000	0.0	0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.001	0.0	0.0
0.0	g1		0.006	-0.000	-0.021	-0.0	-0.0
-0.0	g2		0.003	-0.000	-0.010	0.0	-0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0
-0.0	q5_pc		0.000	0.003	-0.000	-0.0	-0.0
-0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.023	0.005	-0.089	0.0	-0.0
-0.0		Min	0.011	-0.004	-0.124	-0.0	-0.0
0.0	INVSLV	Max	0.013	0.005	-0.051	-0.0	-0.0
-0.0		Min	0.004	-0.005	-0.057	-0.0	-0.0
703	Q1-1-2	Max	0.007	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.023	-0.0	-0.0
-0.0	Q2a-1-2	Max	0.004	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.013	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	0.000	0.002	0.0	0.0
-0.0	SLVy	(RS)	0.000	0.005	0.000	0.0	0.0
-0.0	SLDx	(RS)	0.002	0.000	0.001	0.0	0.0
-0.0	SLDy	(RS)	0.000	0.002	0.000	0.0	0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.001	0.0	0.0
0.0	g1		0.006	-0.000	-0.019	-0.0	-0.0
0.0	g2		0.003	-0.000	-0.009	0.0	-0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0
-0.0	q5_pc		0.000	0.003	-0.000	-0.0	-0.0
-0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	INVSLU	Max	0.023	0.005	-0.082	0.0	-0.0
		Min	0.011	-0.004	-0.114	-0.0	-0.0
-0.0							
0.0	INVSLV	Max	0.013	0.005	-0.047	-0.0	-0.0
		Min	0.004	-0.005	-0.052	-0.0	-0.0
-0.0							
704 0.0	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
		Min	-0.000	-0.000	-0.023	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.001	0.000	0.0	0.0
		Min	-0.000	-0.000	-0.013	-0.0	-0.0
-0.0							
0.0		SLVx (RS)	0.004	0.000	0.002	0.0	0.0
0.0		SLVy (RS)	0.000	0.004	0.000	0.0	0.0
-0.0		SLDx (RS)	0.002	0.000	0.001	0.0	0.0
0.0		SLDy (RS)	0.000	0.002	0.000	0.0	0.0
-0.0		SLVz (RS)	-0.001	-0.000	0.001	0.0	0.0
0.0		g1	0.005	0.000	-0.019	-0.0	-0.0
-0.0		g2	0.003	-0.000	-0.009	-0.0	-0.0
0.0		q3	0.005	-0.000	-0.001	-0.0	-0.0
0.0		q5_pc	0.000	0.003	-0.000	-0.0	-0.0
-0.0		q5_ps	0.000	0.003	-0.000	-0.0	0.0
-0.0							
0.0	INVSLU	Max	0.017	0.005	-0.082	0.0	-0.0
		Min	0.006	-0.004	-0.114	-0.0	-0.0
-0.0							
0.0	INVSLV	Max	0.010	0.005	-0.047	0.0	-0.0
		Min	0.001	-0.004	-0.052	-0.0	-0.0
-0.0							
705 0.0	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
		Min	-0.000	-0.000	-0.025	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.001	0.000	0.0	0.0
		Min	-0.000	-0.000	-0.015	-0.0	-0.0
-0.0							
0.0		SLVx (RS)	0.004	0.000	0.002	0.0	0.0
0.0		SLVy (RS)	0.000	0.004	0.000	0.0	0.0
-0.0		SLDx (RS)	0.002	0.000	0.001	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


0.0	SLDy (RS)		0.000	0.002	0.000	0.0	0.0
-0.0	SLVz (RS)		-0.001	-0.000	0.001	0.0	0.0
0.0	g1		0.005	0.000	-0.021	-0.0	-0.0
-0.0	g2		0.003	-0.000	-0.010	-0.0	-0.0
-0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0
0.0	q5_pc		0.000	0.003	-0.000	-0.0	-0.0
-0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0
-0.0	INVS LU	Max	0.018	0.005	-0.089	0.0	-0.0
0.0		Min	0.007	-0.004	-0.124	-0.0	-0.0
-0.0	INVS LV	Max	0.010	0.005	-0.051	0.0	-0.0
0.0		Min	0.001	-0.004	-0.057	-0.0	-0.0
-0.0							
710	Q1-1-2	Max	0.003	0.000	0.001	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.002	0.000	0.001	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		0.004	0.000	0.000	-0.0	0.0
-0.0	SLVy (RS)		-0.000	0.003	-0.000	-0.0	-0.0
0.0	SLDx (RS)		0.002	0.000	0.000	-0.0	0.0
-0.0	SLDy (RS)		-0.000	0.001	-0.000	-0.0	-0.0
0.0	SLVz (RS)		-0.001	0.000	-0.000	0.0	-0.0
-0.0	g1		0.003	-0.000	0.001	-0.0	0.0
0.0	g2		0.002	-0.000	0.001	-0.0	0.0
0.0	q3		0.005	-0.000	0.000	-0.0	0.0
-0.0	q5_pc		-0.000	0.002	-0.000	-0.0	0.0
0.0	q5_ps		-0.000	0.002	-0.000	-0.0	-0.0
0.0							
0.0	INVS LU	Max	0.021	0.004	0.007	0.0	0.0
0.0		Min	0.012	-0.004	0.005	-0.0	0.0
-0.0							
0.0	INVS LV	Max	0.011	0.003	0.003	-0.0	0.0
0.0		Min	0.003	-0.003	0.003	-0.0	0.0

PROJECT TITLE :


MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

711	Q1-1-2	Max	0.005	0.001	0.001	0.0	0.0
0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.003	0.001	0.001	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	SLVx	(RS)	0.004	-0.000	0.000	-0.0	0.0
-0.0	SLVy	(RS)	-0.000	0.003	-0.000	-0.0	-0.0
0.0	SLDx	(RS)	0.002	-0.000	0.000	-0.0	0.0
-0.0	SLDy	(RS)	-0.000	0.002	-0.000	-0.0	-0.0
0.0	SLVz	(RS)	-0.001	0.000	-0.000	0.0	-0.0
0.0	g1		0.004	-0.000	0.001	-0.0	0.0
0.0	g2		0.002	-0.000	0.000	-0.0	0.0
0.0	q3		0.005	-0.000	0.000	0.0	0.0
-0.0	q5_pc		-0.000	0.002	-0.000	-0.0	-0.0
0.0	q5_ps		-0.000	0.002	-0.000	-0.0	-0.0
0.0							
	INVSLU	Max	0.028	0.004	0.007	0.0	0.0
0.0		Min	0.018	-0.004	0.005	-0.0	0.0
-0.0							
	INVSLV	Max	0.015	0.003	0.003	-0.0	0.0
0.0		Min	0.007	-0.003	0.003	-0.0	0.0
0.0							
712	Q1-1-2	Max	0.007	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
	SLVx	(RS)	0.004	0.000	0.000	0.0	0.0
0.0	SLVy	(RS)	0.000	0.003	-0.000	-0.0	0.0
-0.0	SLDx	(RS)	0.002	0.000	0.000	0.0	0.0
0.0	SLDy	(RS)	0.000	0.002	-0.000	-0.0	0.0
-0.0	SLVz	(RS)	-0.001	0.000	0.000	0.0	0.0
0.0	g1		0.006	-0.000	-0.000	-0.0	-0.0
-0.0	g2		0.003	-0.000	-0.000	-0.0	-0.0
0.0							

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.0	q3		0.005	-0.000	-0.000	-0.0	-0.0
-0.0	q5_pc		0.000	0.002	-0.000	-0.0	-0.0
-0.0	q5_ps		0.000	0.002	-0.000	-0.0	-0.0
0.0	INVSLU	Max	0.020	0.004	-0.000	0.0	-0.0
-0.0		Min	0.008	-0.004	-0.001	-0.0	-0.0
0.0	INVSLV	Max	0.011	0.003	-0.000	-0.0	-0.0
-0.0		Min	0.003	-0.003	-0.000	-0.0	-0.0
713 0.0	Q1-1-2	Max	0.007	0.000	0.001	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	Q2a-1-2	Max	0.004	0.000	0.001	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	0.000	-0.000	-0.0	0.0
-0.0	SLVy	(RS)	0.000	0.003	-0.000	-0.0	0.0
-0.0	SLDx	(RS)	0.002	0.000	-0.000	-0.0	0.0
-0.0	SLDy	(RS)	0.000	0.001	-0.000	-0.0	0.0
0.0	SLVz	(RS)	-0.001	0.000	-0.000	0.0	0.0
-0.0	g1		0.006	-0.000	0.001	-0.0	-0.0
-0.0	g2		0.003	-0.000	0.001	-0.0	-0.0
-0.0	q3		0.005	-0.000	0.000	-0.0	-0.0
-0.0	q5_pc		0.000	0.002	-0.000	-0.0	-0.0
-0.0	q5_ps		0.000	0.002	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.020	0.004	0.007	0.0	-0.0
-0.0		Min	0.008	-0.004	0.005	-0.0	-0.0
-0.0	INVSLV	Max	0.011	0.003	0.003	-0.0	-0.0
-0.0		Min	0.002	-0.003	0.003	-0.0	-0.0
714 0.0	Q1-1-2	Max	0.005	0.001	0.001	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q2a-1-2	Max	0.003	0.000	0.001	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	0.004	0.000	-0.000	0.0	0.0
-0.0	SLVy (RS)	0.000	0.003	-0.000	-0.0	0.0
-0.0	SLDx (RS)	0.002	0.000	-0.000	0.0	0.0
-0.0	SLDy (RS)	0.000	0.002	-0.000	-0.0	0.0
-0.0	SLVz (RS)	-0.001	-0.000	-0.000	0.0	0.0
0.0	g1	0.004	0.000	0.001	-0.0	-0.0
0.0	g2	0.002	-0.000	0.000	-0.0	-0.0
-0.0	q3	0.005	-0.000	0.000	-0.0	-0.0
0.0	q5_pc	0.000	0.002	-0.000	-0.0	0.0
-0.0	q5_ps	0.000	0.002	-0.000	-0.0	0.0
-0.0						
0.0	INVSLU Max	0.012	0.004	0.007	0.0	-0.0
-0.0	Min	0.002	-0.004	0.005	-0.0	-0.0
-0.0						
-0.0	INVSLV Max	0.007	0.003	0.003	-0.0	-0.0
-0.0	Min	-0.001	-0.003	0.003	-0.0	-0.0
715	Q1-1-2 Max	0.005	0.001	0.000	0.0	0.0
0.0	Min	-0.000	-0.001	-0.000	-0.0	-0.0
-0.0						
0.0	Q2a-1-2 Max	0.003	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	0.004	0.000	0.000	0.0	0.0
-0.0	SLVy (RS)	0.000	0.003	-0.000	-0.0	0.0
-0.0	SLDx (RS)	0.002	0.000	0.000	0.0	0.0
-0.0	SLDy (RS)	0.000	0.002	-0.000	-0.0	0.0
-0.0	SLVz (RS)	-0.001	-0.000	0.000	0.0	0.0
0.0	g1	0.004	0.000	-0.000	-0.0	-0.0
0.0	g2	0.002	-0.000	-0.000	-0.0	-0.0
0.0	q3	0.005	-0.000	-0.000	-0.0	-0.0
0.0	q5_pc	0.000	0.002	-0.000	-0.0	-0.0
-0.0	q5_ps	0.000	0.002	-0.000	-0.0	0.0
-0.0						
0.0	INVSLU Max	0.013	0.004	-0.000	0.0	-0.0



PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.0		Min	0.002	-0.004	-0.001	-0.0	-0.0
0.0	INVSLV	Max	0.007	0.003	-0.000	-0.0	-0.0
-0.0		Min	-0.001	-0.003	-0.000	-0.0	-0.0
716 0.0	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.002	-0.0	-0.0
0.0	Q2a-1-2	Max	0.003	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.001	-0.0	-0.0
0.0	SLVx (RS)		0.004	-0.000	-0.000	-0.0	0.0
0.0	SLVy (RS)		-0.000	0.003	-0.000	0.0	-0.0
0.0	SLDx (RS)		0.002	-0.000	-0.000	-0.0	0.0
0.0	SLDy (RS)		-0.000	0.002	-0.000	0.0	-0.0
0.0	SLVz (RS)		-0.001	-0.000	0.000	0.0	-0.0
-0.0	g1		0.005	0.000	-0.002	-0.0	0.0
-0.0	g2		0.003	-0.000	-0.001	-0.0	0.0
-0.0	q3		0.005	-0.000	-0.000	-0.0	0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	0.0
0.0	q5_ps		-0.000	0.002	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.035	0.004	-0.007	0.0	0.0
-0.0		Min	0.023	-0.004	-0.010	-0.0	0.0
0.0	INVSLV	Max	0.018	0.003	-0.004	-0.0	0.0
-0.0		Min	0.010	-0.003	-0.004	-0.0	0.0
719 0.0	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.025	-0.0	-0.0
0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.015	-0.0	-0.0
0.0	SLVx (RS)		0.004	-0.000	-0.002	0.0	-0.0
0.0	SLVy (RS)		-0.000	0.004	0.000	0.0	-0.0
0.0	SLDx (RS)		0.002	-0.000	-0.001	0.0	-0.0
0.0	SLDy (RS)		-0.000	0.002	0.000	0.0	-0.0

PROJECT TITLE :


MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	SLVz (RS)		-0.001	-0.000	0.001	0.0	-0.0
0.0	g1		0.006	0.000	-0.021	-0.0	0.0
0.0	g2		0.003	-0.000	-0.010	-0.0	0.0
-0.0	q3		0.005	-0.000	-0.001	-0.0	0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	0.0
0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
0.0	INVSLU	Max	0.034	0.005	-0.089	0.0	0.0
0.0		Min	0.022	-0.004	-0.124	-0.0	0.0
-0.0							
0.0	INVSLV	Max	0.018	0.005	-0.051	0.0	0.0
0.0		Min	0.010	-0.004	-0.057	-0.0	0.0
-0.0							
724	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.043	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.025	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		0.004	-0.000	0.004	0.0	-0.0
0.0	SLVy (RS)		-0.000	0.005	0.001	0.0	0.0
0.0	SLDx (RS)		0.002	-0.000	0.002	0.0	-0.0
0.0	SLDy (RS)		-0.000	0.002	0.000	0.0	0.0
0.0	SLVz (RS)		-0.001	-0.000	0.002	0.0	0.0
0.0	g1		0.005	0.000	-0.035	-0.0	-0.0
-0.0	g2		0.003	-0.000	-0.017	-0.0	-0.0
-0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0
0.0	q5_pc		0.000	0.003	-0.000	-0.0	0.0
0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0
-0.0							
0.0	INVSLU	Max	0.025	0.006	-0.148	0.0	-0.0
0.0		Min	0.014	-0.004	-0.207	-0.0	-0.0
-0.0							
0.0	INVSLV	Max	0.014	0.006	-0.086	0.0	-0.0
0.0		Min	0.005	-0.004	-0.095	-0.0	-0.0
-0.0							


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
727	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.039	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.023	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	0.004	-0.000	0.003	0.0	-0.0
0.0	SLVy	(RS)	0.000	0.005	0.001	0.0	0.0
0.0	SLDx	(RS)	0.002	-0.000	0.002	0.0	-0.0
0.0	SLDy	(RS)	0.000	0.002	0.000	0.0	0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.001	0.0	0.0
0.0	g1		0.005	0.000	-0.032	-0.0	-0.0
-0.0	g2		0.003	-0.000	-0.016	-0.0	-0.0
-0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0
0.0	q5_pc		0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0
-0.0							
	INVSLU	Max	0.021	0.006	-0.136	0.0	-0.0
0.0		Min	0.010	-0.004	-0.189	-0.0	-0.0
-0.0							
	INVSLV	Max	0.011	0.005	-0.079	0.0	-0.0
-0.0		Min	0.003	-0.004	-0.087	-0.0	-0.0
-0.0							
729	Q1-1-2	Max	0.005	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.023	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.013	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	0.004	-0.000	0.002	0.0	0.0
0.0	SLVy	(RS)	0.000	0.004	0.000	0.0	0.0
-0.0	SLDx	(RS)	0.002	-0.000	0.001	0.0	0.0
0.0	SLDy	(RS)	0.000	0.002	0.000	0.0	0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.001	0.0	0.0
0.0	g1		0.004	0.000	-0.019	-0.0	-0.0
-0.0	g2		0.002	-0.000	-0.009	-0.0	-0.0
-0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0
0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.0	q5_pc		0.000	0.003	-0.000	-0.0	-0.0
-0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.013	0.005	-0.082	0.0	-0.0
-0.0		Min	0.002	-0.004	-0.114	-0.0	-0.0
0.0	INVSLV	Max	0.007	0.005	-0.047	0.0	-0.0
-0.0		Min	-0.001	-0.003	-0.052	-0.0	-0.0
730 0.0	Q1-1-2	Max	0.005	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.025	-0.0	-0.0
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.015	-0.0	-0.0
0.0	SLVx (RS)		0.004	-0.000	0.002	0.0	0.0
-0.0	SLVy (RS)		0.000	0.004	0.000	0.0	0.0
0.0	SLDx (RS)		0.002	-0.000	0.001	0.0	0.0
-0.0	SLDy (RS)		0.000	0.002	0.000	0.0	0.0
0.0	SLVz (RS)		-0.001	-0.000	0.001	0.0	0.0
-0.0	g1		0.004	0.000	-0.021	-0.0	-0.0
-0.0	g2		0.002	-0.000	-0.010	-0.0	-0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0
-0.0	q5_pc		0.000	0.003	-0.000	-0.0	-0.0
-0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.014	0.005	-0.089	0.0	-0.0
-0.0		Min	0.003	-0.004	-0.124	-0.0	-0.0
0.0	INVSLV	Max	0.008	0.005	-0.051	0.0	-0.0
-0.0		Min	-0.001	-0.004	-0.057	-0.0	-0.0
732 0.0	Q1-1-2	Max	0.006	0.001	0.001	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q2a-1-2	Max	0.003	0.001	0.001	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
-0.0	SLVx (RS)	0.004	-0.000	0.000	-0.0	0.0
-0.0	SLVy (RS)	-0.000	0.003	-0.000	-0.0	-0.0
-0.0	SLDx (RS)	0.002	-0.000	0.000	-0.0	0.0
-0.0	SLDy (RS)	-0.000	0.002	-0.000	-0.0	-0.0
0.0	SLVz (RS)	-0.001	-0.000	-0.000	0.0	-0.0
-0.0	g1	0.005	0.000	0.001	-0.0	0.0
0.0	g2	0.003	0.000	0.000	-0.0	0.0
-0.0	q3	0.005	-0.000	0.000	-0.0	0.0
-0.0	q5_pc	-0.000	0.003	-0.000	-0.0	-0.0
-0.0	q5_ps	-0.000	0.002	-0.000	-0.0	-0.0
0.0	INVSLU Max	0.034	0.004	0.007	0.0	0.0
-0.0	Min	0.023	-0.004	0.005	-0.0	0.0
0.0	INVSLV Max	0.018	0.003	0.003	-0.0	0.0
0.0	Min	0.010	-0.003	0.003	-0.0	0.0
733 0.0	Q1-1-2 Max	0.004	0.001	0.001	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q2a-1-2 Max	0.002	0.001	0.001	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	0.004	-0.000	-0.000	0.0	0.0
0.0	SLVy (RS)	0.000	0.003	-0.000	-0.0	0.0
-0.0	SLDx (RS)	0.002	-0.000	-0.000	0.0	0.0
0.0	SLDy (RS)	0.000	0.002	-0.000	-0.0	0.0
-0.0	SLVz (RS)	-0.001	-0.000	-0.000	0.0	0.0
0.0	g1	0.003	0.000	0.001	-0.0	-0.0
-0.0	g2	0.002	0.000	0.000	-0.0	-0.0
0.0	q3	0.005	0.000	0.000	-0.0	-0.0
0.0	q5_pc	0.000	0.003	-0.000	-0.0	0.0
0.0	q5_ps	0.000	0.002	-0.000	-0.0	0.0
0.0	INVSLU Max	0.007	0.004	0.007	0.0	-0.0
-0.0	Min	-0.003	-0.004	0.005	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


-0.0	INVS LV	Max	0.005	0.003	0.003	-0.0	-0.0
-0.0		Min	-0.004	-0.003	0.003	-0.0	-0.0
734 0.0	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.002	-0.0	-0.0
0.0	Q2a-1-2	Max	0.004	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.001	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	-0.000	-0.0	0.0
0.0	SLVy	(RS)	-0.000	0.003	-0.000	-0.0	-0.0
0.0	SLDx	(RS)	0.002	-0.000	-0.000	-0.0	0.0
0.0	SLDy	(RS)	-0.000	0.002	-0.000	-0.0	-0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.000	0.0	-0.0
-0.0	g1		0.005	0.000	-0.002	-0.0	0.0
-0.0	g2		0.003	0.000	-0.001	-0.0	0.0
-0.0	q3		0.005	-0.000	-0.000	-0.0	0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	0.0
0.0	q5_ps		-0.000	0.002	-0.000	-0.0	-0.0
0.0	INVSLU	Max	0.037	0.004	-0.007	0.0	0.0
-0.0		Min	0.025	-0.004	-0.010	0.0	0.0
0.0	INVS LV	Max	0.019	0.003	-0.004	-0.0	0.0
-0.0		Min	0.011	-0.003	-0.004	-0.0	0.0
743 0.0	Q1-1-2	Max	0.006	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.043	-0.0	-0.0
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.025	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	0.004	0.0	-0.0
0.0	SLVy	(RS)	-0.000	0.005	0.001	0.0	0.0
0.0	SLDx	(RS)	0.002	-0.000	0.002	0.0	-0.0
0.0	SLDy	(RS)	-0.000	0.002	0.000	0.0	0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.002	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


0.0							
-0.0	g1		0.005	0.000	-0.035	-0.0	-0.0
-0.0	g2		0.003	0.000	-0.017	-0.0	-0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0
-0.0	q5_pc		0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.025	0.006	-0.148	0.0	-0.0
-0.0		Min	0.014	-0.004	-0.207	-0.0	-0.0
-0.0	INVSLV	Max	0.014	0.005	-0.086	0.0	-0.0
-0.0		Min	0.005	-0.004	-0.095	-0.0	-0.0
744	Q1-1-2	Max	0.006	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.043	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.025	-0.0	-0.0
0.0	SLVx (RS)		0.004	-0.000	0.004	0.0	-0.0
0.0	SLVy (RS)		-0.000	0.005	0.001	0.0	0.0
0.0	SLDx (RS)		0.002	-0.000	0.002	0.0	-0.0
0.0	SLDy (RS)		-0.000	0.002	0.000	0.0	0.0
0.0	SLVz (RS)		-0.001	-0.000	0.002	0.0	0.0
-0.0	g1		0.005	0.000	-0.035	-0.0	-0.0
-0.0	g2		0.003	0.000	-0.017	-0.0	-0.0
-0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps		-0.000	0.003	-0.000	-0.0	0.0
-0.0							
0.0	INVSLU	Max	0.026	0.006	-0.148	0.0	0.0
-0.0		Min	0.015	-0.004	-0.207	-0.0	-0.0
-0.0							
0.0	INVSLV	Max	0.014	0.006	-0.086	0.0	0.0
-0.0		Min	0.006	-0.004	-0.095	-0.0	-0.0
-0.0							
746	Q1-1-2	Max	0.005	0.000	0.000	0.0	0.0
0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.0		Min	-0.000	-0.000	-0.039	-0.0	-0.0
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.023	-0.0	-0.0
0.0		SLVx (RS)	0.004	-0.000	0.003	0.0	-0.0
-0.0		SLVy (RS)	0.000	0.005	0.001	0.0	0.0
0.0		SLDx (RS)	0.002	-0.000	0.002	0.0	-0.0
-0.0		SLDy (RS)	0.000	0.002	0.000	0.0	0.0
0.0		SLVz (RS)	-0.001	-0.000	0.001	0.0	0.0
-0.0		g1	0.005	0.000	-0.032	-0.0	-0.0
-0.0		g2	0.003	0.000	-0.015	-0.0	-0.0
0.0		q3	0.005	-0.000	-0.001	-0.0	-0.0
-0.0		q5_pc	0.000	0.003	-0.000	-0.0	0.0
-0.0		q5_ps	0.000	0.003	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.020	0.005	-0.136	0.0	-0.0
-0.0		Min	0.009	-0.004	-0.189	-0.0	-0.0
0.0	INVSLV	Max	0.011	0.005	-0.079	0.0	-0.0
-0.0		Min	0.002	-0.004	-0.087	-0.0	-0.0
750	Q1-1-2	Max	0.004	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.023	-0.0	-0.0
-0.0		Min	-0.000	-0.000	-0.023	-0.0	-0.0
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.013	-0.0	-0.0
0.0		SLVx (RS)	0.004	-0.000	0.002	0.0	0.0
-0.0		SLVy (RS)	0.000	0.004	0.000	0.0	0.0
0.0		SLDx (RS)	0.002	-0.000	0.001	0.0	0.0
-0.0		SLDy (RS)	0.000	0.002	0.000	0.0	0.0
0.0		SLVz (RS)	-0.001	-0.000	0.001	0.0	0.0
-0.0		g1	0.004	0.000	-0.019	-0.0	-0.0
-0.0		g2	0.002	0.000	-0.009	-0.0	-0.0
0.0		q3	0.005	-0.000	-0.001	-0.0	-0.0
-0.0		q5_pc	0.000	0.003	-0.000	-0.0	0.0



PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.012	0.005	-0.082	0.0	-0.0
-0.0		Min	0.001	-0.004	-0.114	-0.0	-0.0
0.0	INVSLV	Max	0.007	0.005	-0.047	-0.0	-0.0
-0.0		Min	-0.002	-0.003	-0.052	-0.0	-0.0
753 0.0	Q1-1-2	Max	0.006	0.001	0.001	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q2a-1-2	Max	0.004	0.001	0.001	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)		0.004	-0.000	0.000	-0.0	0.0
0.0	SLVy (RS)		-0.000	0.003	-0.000	-0.0	-0.0
0.0	SLDx (RS)		0.002	-0.000	0.000	-0.0	0.0
0.0	SLDy (RS)		-0.000	0.002	-0.000	-0.0	-0.0
0.0	SLVz (RS)		-0.001	-0.000	-0.000	0.0	-0.0
-0.0	g1		0.005	0.000	0.001	-0.0	0.0
-0.0	g2		0.003	0.000	0.000	-0.0	0.0
-0.0	q3		0.005	-0.000	0.000	-0.0	0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	0.0
0.0	q5_ps		-0.000	0.002	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.036	0.004	0.007	0.0	0.0
-0.0		Min	0.025	-0.004	0.005	0.0	0.0
0.0	INVSLV	Max	0.019	0.003	0.003	-0.0	0.0
-0.0		Min	0.010	-0.003	0.003	-0.0	0.0
754 0.0	Q1-1-2	Max	0.004	0.001	0.001	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.000	-0.0	-0.0
0.0	Q2a-1-2	Max	0.002	0.001	0.001	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		0.004	-0.000	-0.000	-0.0	0.0

PROJECT TITLE :

MIDAS		Company				Client		
		Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-0.0	SLVy (RS)		0.000	0.003	-0.000	-0.0	0.0	
-0.0	SLDx (RS)		0.002	-0.000	-0.000	-0.0	0.0	
-0.0	SLDy (RS)		0.000	0.002	-0.000	-0.0	0.0	
-0.0	SLVz (RS)		-0.001	-0.000	-0.000	0.0	0.0	
0.0	g1		0.003	0.000	0.001	-0.0	-0.0	
0.0	g2		0.002	0.000	0.000	-0.0	-0.0	
0.0	q3		0.005	0.000	0.000	-0.0	-0.0	
-0.0	q5_pc		0.000	0.003	-0.000	-0.0	-0.0	
-0.0	q5_ps		0.000	0.002	-0.000	-0.0	-0.0	
0.0	INVSLU Max		0.005	0.004	0.007	0.0	-0.0	
-0.0	Min		-0.005	-0.004	0.005	0.0	-0.0	
0.0	INVSLV Max		0.004	0.003	0.003	-0.0	-0.0	
-0.0	Min		-0.005	-0.003	0.003	-0.0	-0.0	
805 0.0	Q1-1-2 Max		0.002	0.001	0.000	0.0	0.0	
-0.0	Min		-0.000	-0.001	-0.022	-0.0	-0.0	
0.0	Q2a-1-2 Max		0.001	0.001	0.000	0.0	0.0	
-0.0	Min		-0.000	-0.001	-0.013	-0.0	-0.0	
0.0	SLVx (RS)		0.004	-0.000	-0.002	-0.0	-0.0	
0.0	SLVy (RS)		-0.000	0.004	0.000	-0.0	-0.0	
0.0	SLDx (RS)		0.002	-0.000	-0.001	-0.0	-0.0	
0.0	SLDy (RS)		-0.000	0.002	0.000	-0.0	-0.0	
0.0	SLVz (RS)		-0.001	0.000	0.001	0.0	-0.0	
-0.0	g1		0.001	-0.000	-0.018	-0.0	0.0	
-0.0	g2		0.001	-0.000	-0.009	0.0	0.0	
0.0	q3		0.005	-0.000	-0.001	-0.0	0.0	
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	0.0	
0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0	
0.0	INVSLU Max		0.013	0.005	-0.079	0.0	0.0	
-0.0	Min		0.005	-0.006	-0.109	-0.0	0.0	
	INVSLV Max		0.007	0.004	-0.045	0.0	0.0	

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0		Min	-0.001	-0.005	-0.050	-0.0	0.0
-0.0							
806	Q1-1-2	Max	0.003	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.002	0.001	0.000	0.0	0.0
		Min	-0.000	-0.001	-0.013	-0.0	-0.0
-0.0							
0.0		SLVx (RS)	0.004	-0.000	-0.002	0.0	-0.0
0.0		SLVy (RS)	-0.000	0.005	0.000	-0.0	-0.0
0.0		SLDx (RS)	0.002	-0.000	-0.001	0.0	-0.0
0.0		SLDy (RS)	-0.000	0.002	0.000	-0.0	-0.0
0.0		SLVz (RS)	-0.001	0.000	0.001	0.0	-0.0
0.0		g1	0.002	-0.000	-0.018	-0.0	0.0
-0.0		g2	0.001	-0.000	-0.009	0.0	0.0
-0.0		q3	0.005	-0.000	-0.001	-0.0	0.0
0.0		q5_pc	-0.000	0.003	-0.000	-0.0	0.0
0.0		q5_ps	-0.000	0.003	-0.000	-0.0	-0.0
0.0							
0.0	INVSLU	Max	0.018	0.005	-0.079	0.0	0.0
		Min	0.009	-0.005	-0.109	-0.0	0.0
-0.0							
0.0	INVSLV	Max	0.010	0.004	-0.045	0.0	0.0
		Min	0.002	-0.005	-0.050	-0.0	0.0
-0.0							
807	Q1-1-2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.023	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.001	0.001	0.000	0.0	0.0
		Min	-0.000	-0.001	-0.013	-0.0	-0.0
-0.0							
0.0		SLVx (RS)	0.004	-0.000	-0.002	-0.0	-0.0
0.0		SLVy (RS)	-0.000	0.004	0.000	-0.0	-0.0
0.0		SLDx (RS)	0.002	-0.000	-0.001	-0.0	-0.0
0.0		SLDy (RS)	-0.000	0.002	0.000	-0.0	-0.0
0.0		SLVz (RS)	-0.001	0.000	0.001	0.0	-0.0
0.0		g1	0.002	-0.000	-0.019	-0.0	0.0

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.0							
	g2		0.001	-0.000	-0.009	0.0	0.0
-0.0							
	q3		0.005	-0.000	-0.001	-0.0	0.0
0.0							
	q5_pc		-0.000	0.003	-0.000	-0.0	0.0
0.0							
	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
0.0							
	INVSLU	Max	0.013	0.005	-0.082	0.0	0.0
0.0		Min	0.005	-0.006	-0.114	-0.0	0.0
-0.0							
	INVSLV	Max	0.007	0.004	-0.047	0.0	0.0
0.0		Min	-0.001	-0.005	-0.052	-0.0	0.0
-0.0							
808	Q1-1-2	Max	0.003	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.023	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.013	-0.0	-0.0
-0.0							
	SLVx (RS)		0.004	-0.000	-0.002	0.0	-0.0
0.0							
	SLVy (RS)		-0.000	0.005	0.000	-0.0	-0.0
0.0							
	SLDx (RS)		0.002	-0.000	-0.001	0.0	-0.0
0.0							
	SLDy (RS)		-0.000	0.002	0.000	-0.0	-0.0
0.0							
	SLVz (RS)		-0.001	0.000	0.001	0.0	-0.0
0.0							
	g1		0.003	-0.000	-0.019	-0.0	0.0
-0.0							
	g2		0.002	-0.000	-0.009	0.0	0.0
-0.0							
	q3		0.005	-0.000	-0.001	-0.0	0.0
0.0							
	q5_pc		-0.000	0.003	-0.000	-0.0	0.0
0.0							
	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
0.0							
	INVSLU	Max	0.018	0.005	-0.082	0.0	0.0
0.0		Min	0.010	-0.005	-0.114	-0.0	0.0
-0.0							
	INVSLV	Max	0.010	0.005	-0.047	0.0	0.0
0.0		Min	0.002	-0.005	-0.052	-0.0	0.0
-0.0							
811	Q1-1-2	Max	0.004	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
-0.0							

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


0.0	Q2a-1-2	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.013	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	-0.002	-0.0	-0.0
0.0	SLVy	(RS)	-0.000	0.005	0.000	0.0	-0.0
0.0	SLDx	(RS)	0.002	-0.000	-0.001	-0.0	-0.0
0.0	SLDy	(RS)	-0.000	0.002	0.000	0.0	-0.0
0.0	SLVz	(RS)	-0.001	0.000	0.001	0.0	-0.0
-0.0	g1		0.004	-0.000	-0.018	-0.0	0.0
-0.0	g2		0.002	-0.000	-0.009	0.0	0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	0.0
0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
0.0	INVSLU	Max	0.024	0.005	-0.079	0.0	0.0
-0.0		Min	0.014	-0.004	-0.109	-0.0	0.0
0.0	INVSLV	Max	0.013	0.005	-0.045	-0.0	0.0
-0.0		Min	0.005	-0.004	-0.050	-0.0	0.0
812	Q1-1-2	Max	0.005	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.022	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.013	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	-0.002	0.0	-0.0
0.0	SLVy	(RS)	-0.000	0.004	0.000	0.0	-0.0
0.0	SLDx	(RS)	0.002	-0.000	-0.001	0.0	-0.0
0.0	SLDy	(RS)	-0.000	0.002	0.000	0.0	-0.0
0.0	SLVz	(RS)	-0.001	0.000	0.001	0.0	-0.0
-0.0	g1		0.005	0.000	-0.018	-0.0	0.0
-0.0	g2		0.003	-0.000	-0.009	-0.0	0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	0.0
0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

0.0	INVS LU	Max	0.030	0.005	-0.079	0.0	0.0
-0.0		Min	0.019	-0.004	-0.109	-0.0	0.0
0.0	INVS LV	Max	0.016	0.005	-0.045	0.0	0.0
-0.0		Min	0.008	-0.004	-0.050	-0.0	0.0
813 0.0	Q1-1-2	Max	0.004	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.023	-0.0	-0.0
0.0	Q2a-1-2	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.013	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	-0.002	-0.0	-0.0
0.0	SLVy	(RS)	-0.000	0.005	0.000	0.0	-0.0
0.0	SLDx	(RS)	0.002	-0.000	-0.001	-0.0	-0.0
0.0	SLDy	(RS)	-0.000	0.002	0.000	0.0	-0.0
0.0	SLVz	(RS)	-0.001	0.000	0.001	0.0	-0.0
-0.0	g1		0.004	-0.000	-0.019	-0.0	0.0
-0.0	g2		0.002	-0.000	-0.009	0.0	0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	0.0
0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
0.0	INVS LU	Max	0.024	0.005	-0.082	0.0	0.0
-0.0		Min	0.014	-0.004	-0.114	-0.0	0.0
0.0	INVS LV	Max	0.013	0.005	-0.047	-0.0	0.0
-0.0		Min	0.005	-0.005	-0.052	-0.0	0.0
814 0.0	Q1-1-2	Max	0.005	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.023	-0.0	-0.0
0.0	Q2a-1-2	Max	0.003	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.013	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	-0.002	0.0	-0.0
0.0	SLVy	(RS)	-0.000	0.004	0.000	0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	SLDx (RS)	0.002	-0.000	-0.001	0.0	-0.0
0.0	SLDy (RS)	-0.000	0.002	0.000	0.0	-0.0
0.0	SLVz (RS)	-0.001	0.000	0.001	0.0	-0.0
-0.0	g1	0.005	0.000	-0.019	-0.0	0.0
-0.0	g2	0.003	-0.000	-0.009	-0.0	0.0
0.0	q3	0.005	-0.000	-0.001	-0.0	0.0
0.0	q5_pc	-0.000	0.003	-0.000	-0.0	0.0
0.0	q5_ps	-0.000	0.003	-0.000	-0.0	-0.0
0.0	INVSLU Max	0.030	0.005	-0.082	0.0	0.0
-0.0	Min	0.019	-0.004	-0.114	-0.0	0.0
0.0	INVSLV Max	0.016	0.005	-0.047	0.0	0.0
-0.0	Min	0.008	-0.004	-0.052	-0.0	0.0
816 0.0	Q1-1-2 Max	0.006	0.001	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.022	-0.0	-0.0
0.0	Q2a-1-2 Max	0.004	0.000	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.013	-0.0	-0.0
0.0	SLVx (RS)	0.004	-0.000	-0.002	0.0	-0.0
0.0	SLVy (RS)	-0.000	0.004	0.000	0.0	-0.0
0.0	SLDx (RS)	0.002	-0.000	-0.001	0.0	-0.0
0.0	SLDy (RS)	-0.000	0.002	0.000	0.0	-0.0
0.0	SLVz (RS)	-0.001	-0.000	0.001	0.0	-0.0
-0.0	g1	0.006	0.000	-0.018	-0.0	0.0
-0.0	g2	0.003	-0.000	-0.009	-0.0	0.0
0.0	q3	0.005	-0.000	-0.001	-0.0	0.0
0.0	q5_pc	-0.000	0.003	-0.000	-0.0	0.0
0.0	q5_ps	-0.000	0.003	-0.000	-0.0	-0.0
0.0	INVSLU Max	0.035	0.005	-0.079	0.0	0.0
-0.0	Min	0.023	-0.004	-0.109	-0.0	0.0
0.0	INVSLV Max	0.018	0.005	-0.045	0.0	0.0
	Min	0.010	-0.003	-0.050	-0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.0

817	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.023	-0.0	-0.0

-0.0

0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.013	-0.0	-0.0

-0.0

0.0	SLVx	(RS)	0.004	-0.000	-0.002	0.0	-0.0
-----	------	------	-------	--------	--------	-----	------

0.0

0.0	SLVy	(RS)	-0.000	0.004	0.000	0.0	-0.0
-----	------	------	--------	-------	-------	-----	------

0.0

0.0	SLDx	(RS)	0.002	-0.000	-0.001	0.0	-0.0
-----	------	------	-------	--------	--------	-----	------

0.0

0.0	SLDy	(RS)	-0.000	0.002	0.000	0.0	-0.0
-----	------	------	--------	-------	-------	-----	------

0.0

0.0	SLVz	(RS)	-0.001	-0.000	0.001	0.0	-0.0
-----	------	------	--------	--------	-------	-----	------

0.0

0.0	g1		0.006	0.000	-0.019	-0.0	0.0
-----	----	--	-------	-------	--------	------	-----

0.0

-0.0	g2		0.003	-0.000	-0.009	-0.0	0.0
------	----	--	-------	--------	--------	------	-----

0.0

0.0	q3		0.005	-0.000	-0.001	-0.0	0.0
-----	----	--	-------	--------	--------	------	-----

0.0

0.0	q5_pc		-0.000	0.003	-0.000	-0.0	0.0
-----	-------	--	--------	-------	--------	------	-----

0.0

0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
-----	-------	--	--------	-------	--------	------	------

0.0

0.0	INVSLU	Max	0.034	0.005	-0.082	0.0	0.0
-----	--------	-----	-------	-------	--------	-----	-----

0.0

-0.0		Min	0.023	-0.004	-0.114	-0.0	0.0
------	--	-----	-------	--------	--------	------	-----

-0.0

0.0	INVSLV	Max	0.018	0.005	-0.047	0.0	0.0
-----	--------	-----	-------	-------	--------	-----	-----

0.0

-0.0		Min	0.010	-0.003	-0.052	-0.0	0.0
------	--	-----	-------	--------	--------	------	-----

-0.0

819	Q1-1-2	Max	0.007	0.001	0.000	0.0	0.0
-----	--------	-----	-------	-------	-------	-----	-----

0.0

-0.0		Min	-0.000	-0.000	-0.022	-0.0	-0.0
------	--	-----	--------	--------	--------	------	------

-0.0

0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
-----	---------	-----	-------	-------	-------	-----	-----

0.0

-0.0		Min	-0.000	-0.000	-0.013	-0.0	-0.0
------	--	-----	--------	--------	--------	------	------

-0.0

0.0	SLVx	(RS)	0.004	-0.000	-0.002	-0.0	-0.0
-----	------	------	-------	--------	--------	------	------

0.0

0.0	SLVy	(RS)	-0.000	0.004	0.000	0.0	-0.0
-----	------	------	--------	-------	-------	-----	------

0.0

0.0	SLDx	(RS)	0.002	-0.000	-0.001	-0.0	-0.0
-----	------	------	-------	--------	--------	------	------

0.0

0.0	SLDy	(RS)	-0.000	0.002	0.000	0.0	-0.0
-----	------	------	--------	-------	-------	-----	------

0.0

0.0	SLVz	(RS)	-0.001	-0.000	0.001	0.0	-0.0
-----	------	------	--------	--------	-------	-----	------

0.0


-0.0	g1		0.006	0.000	-0.018	-0.0	0.0
------	----	--	-------	-------	--------	------	-----

-0.0

	g2		0.003	0.000	-0.009	-0.0	0.0
--	----	--	-------	-------	--------	------	-----



PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.0	q3		0.005	-0.000	-0.001	-0.0	0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	0.0
0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
0.0	INVSLU	Max	0.036	0.005	-0.079	0.0	0.0
0.0		Min	0.024	-0.004	-0.109	-0.0	0.0
-0.0	INVSLV	Max	0.019	0.005	-0.045	-0.0	0.0
0.0		Min	0.011	-0.003	-0.050	-0.0	0.0
-0.0							
820	Q1-1-2	Max	0.007	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.023	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.013	-0.0	-0.0
0.0	SLVx (RS)		0.004	-0.000	-0.002	-0.0	-0.0
0.0	SLVy (RS)		-0.000	0.004	0.000	0.0	-0.0
0.0	SLDx (RS)		0.002	-0.000	-0.001	-0.0	-0.0
0.0	SLDy (RS)		-0.000	0.002	0.000	0.0	-0.0
0.0	SLVz (RS)		-0.001	-0.000	0.001	0.0	-0.0
0.0	g1		0.006	0.000	-0.019	-0.0	0.0
-0.0	g2		0.003	0.000	-0.009	-0.0	0.0
-0.0	q3		0.005	-0.000	-0.001	-0.0	0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	-0.0
0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
0.0	INVSLU	Max	0.036	0.005	-0.082	0.0	0.0
0.0		Min	0.024	-0.004	-0.114	-0.0	0.0
-0.0	INVSLV	Max	0.019	0.005	-0.047	-0.0	0.0
0.0		Min	0.010	-0.003	-0.052	-0.0	0.0
-0.0							
843	Q1-1-2	Max	0.004	0.003	0.000	0.0	0.0
0.0		Min	-0.000	-0.003	-0.038	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.002	0.001	0.000	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


0.0		Min	-0.000	-0.002	-0.022	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	0.000	0.003	0.0	-0.0
0.0	SLVy	(RS)	-0.000	0.005	0.001	0.0	-0.0
0.0	SLDx	(RS)	0.002	0.000	0.002	0.0	-0.0
0.0	SLDy	(RS)	-0.000	0.003	0.000	0.0	-0.0
0.0	SLVz	(RS)	-0.001	0.000	0.001	0.0	-0.0
-0.0		g1	0.003	-0.000	-0.031	-0.0	0.0
-0.0		g2	0.002	-0.000	-0.015	0.0	0.0
0.0		q3	0.005	-0.000	-0.001	0.0	0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	-0.0
0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
0.0							
	INVSLU	Max	0.020	0.006	-0.131	0.0	0.0
0.0		Min	0.010	-0.008	-0.183	-0.0	0.0
-0.0							
	INVSLV	Max	0.011	0.005	-0.076	-0.0	0.0
0.0		Min	0.003	-0.006	-0.084	-0.0	0.0
-0.0							
844	Q1-1-2	Max	0.005	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.038	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.003	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
-0.0							
	SLVx	(RS)	0.004	0.000	0.003	-0.0	-0.0
0.0	SLVy	(RS)	-0.000	0.005	0.001	-0.0	-0.0
-0.0	SLDx	(RS)	0.002	0.000	0.002	-0.0	-0.0
0.0	SLDy	(RS)	-0.000	0.003	0.000	-0.0	-0.0
-0.0	SLVz	(RS)	-0.001	0.000	0.001	0.0	-0.0
-0.0		g1	0.004	-0.000	-0.031	-0.0	0.0
-0.0		g2	0.002	-0.000	-0.015	0.0	0.0
0.0		q3	0.005	-0.000	-0.001	-0.0	0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	-0.0
0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
0.0							
	INVSLU	Max	0.023	0.006	-0.131	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0		Min	0.013	-0.006	-0.183	-0.0	0.0
-0.0							
0.0	INVSLV	Max	0.012	0.005	-0.076	-0.0	0.0
0.0		Min	0.004	-0.005	-0.084	-0.0	0.0
-0.0							
845	Q1-1-2	Max	0.004	0.003	0.000	0.0	0.0
0.0		Min	-0.000	-0.003	-0.038	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.022	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	0.004	0.000	0.003	0.0	-0.0
0.0	SLVy	(RS)	-0.000	0.005	0.001	0.0	-0.0
0.0	SLDx	(RS)	0.002	0.000	0.002	0.0	-0.0
0.0	SLDy	(RS)	-0.000	0.003	0.000	0.0	-0.0
0.0	SLVz	(RS)	-0.001	0.000	0.001	0.0	-0.0
-0.0							
-0.0	g1		0.004	-0.000	-0.031	-0.0	0.0
-0.0	g2		0.002	-0.000	-0.015	0.0	0.0
0.0	q3		0.005	-0.000	-0.001	0.0	0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	-0.0
0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
0.0							
0.0	INVSLU	Max	0.021	0.007	-0.134	0.0	0.0
0.0		Min	0.011	-0.008	-0.186	-0.0	0.0
-0.0							
0.0	INVSLV	Max	0.011	0.005	-0.077	-0.0	0.0
0.0		Min	0.003	-0.006	-0.086	-0.0	0.0
-0.0							
846	Q1-1-2	Max	0.005	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.038	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	0.004	0.000	0.003	-0.0	-0.0
0.0	SLVy	(RS)	-0.000	0.005	0.001	-0.0	-0.0
-0.0							
0.0	SLDx	(RS)	0.002	0.000	0.002	-0.0	-0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
-0.0	SLDy (RS)	-0.000	0.003	0.000	-0.0	-0.0
0.0	SLVz (RS)	-0.001	0.000	0.001	0.0	-0.0
-0.0	g1	0.004	-0.000	-0.031	-0.0	0.0
0.0	g2	0.002	-0.000	-0.015	0.0	0.0
0.0	q3	0.005	-0.000	-0.001	-0.0	0.0
0.0	q5_pc	-0.000	0.003	-0.000	-0.0	-0.0
0.0	q5_ps	-0.000	0.003	-0.000	-0.0	-0.0
0.0	INVSLU Max	0.023	0.007	-0.134	0.0	0.0
-0.0	Min	0.013	-0.007	-0.186	-0.0	0.0
0.0	INVSLV Max	0.013	0.005	-0.078	-0.0	0.0
-0.0	Min	0.004	-0.005	-0.086	-0.0	0.0
847	Q1-1-2 Max	0.004	0.003	0.000	0.0	0.0
0.0	Min	-0.000	-0.003	-0.039	-0.0	-0.0
-0.0	Q2a-1-2 Max	0.003	0.002	0.000	0.0	0.0
0.0	Min	-0.000	-0.002	-0.023	-0.0	-0.0
-0.0	SLVx (RS)	0.004	0.000	0.004	0.0	-0.0
0.0	SLVy (RS)	-0.000	0.005	0.001	0.0	-0.0
0.0	SLDx (RS)	0.002	0.000	0.002	0.0	-0.0
0.0	SLDy (RS)	-0.000	0.003	0.000	0.0	-0.0
0.0	SLVz (RS)	-0.001	0.000	0.001	0.0	-0.0
-0.0	g1	0.004	-0.000	-0.032	-0.0	0.0
-0.0	g2	0.002	-0.000	-0.015	0.0	0.0
0.0	q3	0.005	-0.000	-0.001	0.0	0.0
0.0	q5_pc	-0.000	0.003	-0.000	-0.0	-0.0
0.0	q5_ps	-0.000	0.003	-0.000	-0.0	-0.0
0.0	INVSLU Max	0.021	0.007	-0.136	0.0	0.0
-0.0	Min	0.011	-0.008	-0.189	-0.0	0.0
0.0	INVSLV Max	0.012	0.005	-0.079	-0.0	0.0
-0.0	Min	0.003	-0.006	-0.087	-0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

848	Q1-1-2	Max	0.005	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.039	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.003	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.023	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	0.004	0.000	0.004	-0.0	-0.0
-0.0	SLVy	(RS)	-0.000	0.005	0.001	-0.0	-0.0
0.0	SLDx	(RS)	0.002	0.000	0.002	-0.0	-0.0
-0.0	SLDy	(RS)	-0.000	0.003	0.000	-0.0	-0.0
0.0	SLVz	(RS)	-0.001	0.000	0.001	0.0	-0.0
-0.0	g1		0.004	-0.000	-0.032	-0.0	0.0
-0.0	g2		0.002	-0.000	-0.015	0.0	0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	-0.0
0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
0.0							
	INVSLU	Max	0.023	0.007	-0.136	0.0	0.0
0.0		Min	0.013	-0.007	-0.189	-0.0	0.0
-0.0							
	INVSLV	Max	0.013	0.005	-0.079	-0.0	0.0
0.0		Min	0.004	-0.005	-0.087	-0.0	0.0
-0.0							
	Q1-1-2	Max	0.005	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.038	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.003	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	0.004	0.000	0.003	0.0	-0.0
-0.0	SLVy	(RS)	-0.000	0.005	0.001	0.0	-0.0
0.0	SLDx	(RS)	0.002	0.000	0.002	0.0	-0.0
-0.0	SLDy	(RS)	-0.000	0.003	0.000	0.0	-0.0
0.0	SLVz	(RS)	-0.001	0.000	0.001	0.0	-0.0
-0.0	g1		0.005	-0.000	-0.031	-0.0	0.0
-0.0	g2		0.002	-0.000	-0.015	0.0	0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	q5_pc	-0.000	0.003	-0.000	-0.0	-0.0	
0.0	q5_ps	-0.000	0.003	-0.000	-0.0	-0.0	
0.0	INVSLU	Max	0.026	0.007	-0.131	0.0	0.0
0.0		Min	0.015	-0.005	-0.183	-0.0	0.0
-0.0							
0.0	INVSLV	Max	0.014	0.006	-0.076	-0.0	0.0
0.0		Min	0.006	-0.005	-0.084	-0.0	0.0
-0.0							
860	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.038	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.022	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	0.004	-0.000	0.003	0.0	-0.0
0.0	SLVy	(RS)	-0.000	0.005	0.001	0.0	-0.0
-0.0							
0.0	SLDx	(RS)	0.002	-0.000	0.002	0.0	-0.0
0.0	SLDy	(RS)	-0.000	0.002	0.000	0.0	-0.0
-0.0							
-0.0	SLVz	(RS)	-0.001	-0.000	0.001	0.0	-0.0
-0.0							
-0.0	g1		0.005	0.000	-0.031	-0.0	0.0
-0.0	g2		0.003	-0.000	-0.015	-0.0	0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	-0.0
0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
0.0							
0.0	INVSLU	Max	0.029	0.006	-0.131	0.0	0.0
0.0		Min	0.018	-0.004	-0.183	-0.0	0.0
-0.0							
0.0	INVSLV	Max	0.016	0.006	-0.076	0.0	0.0
0.0		Min	0.007	-0.004	-0.084	-0.0	0.0
-0.0							
861	Q1-1-2	Max	0.005	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.038	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	SLVx (RS)		0.004	0.000	0.003	0.0	-0.0
0.0	SLVy (RS)		-0.000	0.005	0.001	0.0	-0.0
-0.0	SLDx (RS)		0.002	0.000	0.002	0.0	-0.0
0.0	SLDy (RS)		-0.000	0.003	0.000	0.0	-0.0
-0.0	SLVz (RS)		-0.001	0.000	0.001	0.0	-0.0
-0.0	g1		0.005	-0.000	-0.031	-0.0	0.0
-0.0	g2		0.003	-0.000	-0.015	0.0	0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	-0.0
0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
0.0	INVS LU	Max	0.026	0.007	-0.134	0.0	0.0
-0.0		Min	0.015	-0.005	-0.186	-0.0	0.0
0.0	INVS LV	Max	0.014	0.006	-0.078	-0.0	0.0
-0.0		Min	0.006	-0.005	-0.086	-0.0	0.0
862	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.038	-0.0	-0.0
-0.0	Q2a-1-2	Max	0.003	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.022	-0.0	-0.0
-0.0	SLVx (RS)		0.004	-0.000	0.003	0.0	-0.0
0.0	SLVy (RS)		-0.000	0.005	0.001	0.0	-0.0
-0.0	SLDx (RS)		0.002	-0.000	0.002	0.0	-0.0
0.0	SLDy (RS)		-0.000	0.002	0.000	0.0	-0.0
-0.0	SLVz (RS)		-0.001	-0.000	0.001	0.0	-0.0
-0.0	g1		0.005	0.000	-0.031	-0.0	0.0
-0.0	g2		0.003	-0.000	-0.015	-0.0	0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	-0.0
0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
0.0	INVS LU	Max	0.029	0.006	-0.134	0.0	0.0
0.0		Min	0.017	-0.004	-0.186	-0.0	0.0

MIDAS


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.0							
0.0	INVSLV	Max	0.015	0.006	-0.078	0.0	0.0
-0.0		Min	0.007	-0.004	-0.086	-0.0	0.0
863	Q1-1-2	Max	0.005	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.039	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.023	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	0.000	0.004	0.0	-0.0
-0.0	SLVy	(RS)	-0.000	0.005	0.001	0.0	-0.0
-0.0	SLDx	(RS)	0.002	0.000	0.002	0.0	-0.0
-0.0	SLDy	(RS)	-0.000	0.003	0.000	0.0	-0.0
-0.0	SLVz	(RS)	-0.001	0.000	0.001	0.0	-0.0
-0.0	g1		0.005	-0.000	-0.032	-0.0	0.0
-0.0	g2		0.003	-0.000	-0.016	-0.0	0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	0.0
-0.0	q5_pc		-0.000	0.003	-0.000	-0.0	-0.0
0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
0.0							
0.0	INVSLU	Max	0.026	0.007	-0.136	0.0	0.0
-0.0		Min	0.015	-0.005	-0.189	-0.0	0.0
0.0	INVSLV	Max	0.014	0.005	-0.079	-0.0	0.0
-0.0		Min	0.006	-0.005	-0.087	-0.0	0.0
864	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.039	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.023	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	0.004	0.0	-0.0
-0.0	SLVy	(RS)	-0.000	0.005	0.001	0.0	-0.0
-0.0	SLDx	(RS)	0.002	-0.000	0.002	0.0	-0.0
-0.0	SLDy	(RS)	-0.000	0.002	0.000	0.0	-0.0



PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.0	SLVz (RS)		-0.001	-0.000	0.001	0.0	-0.0
0.0	g1		0.005	0.000	-0.032	-0.0	0.0
0.0	g2		0.003	-0.000	-0.016	-0.0	0.0
-0.0	q3		0.005	-0.000	-0.001	-0.0	0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	-0.0
0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
0.0	INVSLU	Max	0.029	0.006	-0.136	0.0	0.0
-0.0		Min	0.017	-0.004	-0.189	-0.0	0.0
0.0	INVSLV	Max	0.015	0.005	-0.079	0.0	0.0
-0.0		Min	0.007	-0.004	-0.087	-0.0	0.0
870	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.038	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.022	-0.0	-0.0
0.0	SLVx (RS)		0.004	-0.000	0.003	0.0	-0.0
0.0	SLVy (RS)		-0.000	0.005	0.001	0.0	-0.0
0.0	SLDx (RS)		0.002	-0.000	0.002	0.0	-0.0
0.0	SLDy (RS)		-0.000	0.002	0.000	0.0	-0.0
-0.0	SLVz (RS)		-0.001	-0.000	0.001	0.0	-0.0
-0.0	g1		0.006	0.000	-0.031	-0.0	0.0
0.0	g2		0.003	-0.000	-0.015	-0.0	0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	-0.0
0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
0.0	INVSLU	Max	0.031	0.006	-0.131	0.0	0.0
-0.0		Min	0.019	-0.004	-0.183	-0.0	0.0
0.0	INVSLV	Max	0.017	0.005	-0.076	0.0	0.0
-0.0		Min	0.008	-0.004	-0.084	-0.0	0.0
871	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0		Min	-0.000	-0.000	-0.038	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.022	-0.0	-0.0
-0.0		SLVx (RS)	0.004	-0.000	0.003	0.0	-0.0
-0.0		SLVy (RS)	-0.000	0.005	0.001	0.0	-0.0
0.0		SLDx (RS)	0.002	-0.000	0.002	0.0	-0.0
-0.0		SLDy (RS)	-0.000	0.002	0.000	0.0	-0.0
0.0		SLVz (RS)	-0.001	-0.000	0.001	0.0	-0.0
-0.0		g1	0.006	0.000	-0.031	-0.0	0.0
-0.0		g2	0.003	-0.000	-0.015	-0.0	0.0
-0.0		q3	0.005	-0.000	-0.001	-0.0	0.0
0.0		q5_pc	-0.000	0.003	-0.000	-0.0	-0.0
0.0		q5_ps	-0.000	0.003	-0.000	-0.0	-0.0
0.0							
0.0	INVSLU	Max	0.031	0.006	-0.134	0.0	0.0
0.0		Min	0.019	-0.004	-0.186	-0.0	0.0
-0.0							
0.0	INVSLV	Max	0.017	0.005	-0.077	0.0	0.0
0.0		Min	0.008	-0.004	-0.086	-0.0	0.0
-0.0							
872	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.039	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.023	-0.0	-0.0
-0.0							
0.0		SLVx (RS)	0.004	-0.000	0.004	0.0	-0.0
0.0		SLVy (RS)	-0.000	0.005	0.001	0.0	-0.0
0.0		SLDx (RS)	0.002	-0.000	0.002	0.0	-0.0
0.0		SLDy (RS)	-0.000	0.002	0.000	0.0	-0.0
0.0		SLVz (RS)	-0.001	-0.000	0.001	0.0	-0.0
-0.0		g1	0.006	0.000	-0.032	-0.0	0.0
0.0		g2	0.003	-0.000	-0.016	-0.0	0.0
0.0		q3	0.005	-0.000	-0.001	-0.0	0.0
-0.0		q5_pc	-0.000	0.003	-0.000	-0.0	-0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0						
0.0	q5_ps		-0.000	0.003	-0.000	-0.0 -0.0
0.0	INVS LU	Max	0.030	0.006	-0.136	0.0 0.0
-0.0		Min	0.019	-0.004	-0.189	-0.0 0.0
0.0	INVS LV	Max	0.016	0.005	-0.079	0.0 0.0
-0.0		Min	0.008	-0.004	-0.087	-0.0 0.0
878	Q1-1-2	Max	0.007	0.000	0.000	0.0 0.0
0.0		Min	-0.000	-0.000	-0.038	-0.0 -0.0
-0.0						
0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0 0.0
-0.0		Min	-0.000	-0.000	-0.022	-0.0 -0.0
0.0	SLVx	(RS)	0.004	-0.000	0.003	0.0 -0.0
0.0	SLVy	(RS)	-0.000	0.004	0.001	0.0 -0.0
0.0	SLDx	(RS)	0.002	-0.000	0.002	0.0 -0.0
0.0	SLDy	(RS)	-0.000	0.002	0.000	0.0 -0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.001	0.0 -0.0
-0.0	g1		0.006	0.000	-0.031	-0.0 0.0
-0.0	g2		0.003	0.000	-0.015	-0.0 0.0
-0.0	q3		0.005	-0.000	-0.001	-0.0 0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0 -0.0
0.0	q5_ps		-0.000	0.003	-0.000	-0.0 -0.0
0.0						
0.0	INVS LU	Max	0.032	0.005	-0.131	0.0 0.0
-0.0		Min	0.020	-0.004	-0.183	-0.0 0.0
0.0	INVS LV	Max	0.017	0.005	-0.076	0.0 0.0
-0.0		Min	0.009	-0.004	-0.084	-0.0 0.0
879	Q1-1-2	Max	0.007	0.000	0.000	0.0 0.0
0.0		Min	-0.000	-0.000	-0.038	-0.0 -0.0
-0.0						
0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0 0.0
-0.0		Min	-0.000	-0.000	-0.022	-0.0 -0.0
0.0	SLVx	(RS)	0.004	-0.000	0.003	0.0 -0.0

PROJECT TITLE :


MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	SLVy (RS)		-0.000	0.004	0.001	0.0	-0.0
0.0	SLDx (RS)		0.002	-0.000	0.002	0.0	-0.0
0.0	SLDy (RS)		-0.000	0.002	0.000	0.0	-0.0
0.0	SLVz (RS)		-0.001	-0.000	0.001	0.0	-0.0
-0.0	g1		0.006	0.000	-0.031	-0.0	0.0
-0.0	g2		0.003	0.000	-0.015	-0.0	0.0
-0.0	q3		0.005	-0.000	-0.001	-0.0	0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	-0.0
0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
0.0	INVSLU	Max	0.031	0.005	-0.134	0.0	0.0
0.0		Min	0.020	-0.004	-0.186	-0.0	0.0
-0.0							
0.0	INVSLV	Max	0.017	0.005	-0.077	0.0	0.0
0.0		Min	0.008	-0.004	-0.086	-0.0	0.0
-0.0							
880	Q1-1-2	Max	0.007	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.039	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.023	-0.0	-0.0
-0.0							
0.0	SLVx (RS)		0.004	-0.000	0.004	0.0	-0.0
0.0	SLVy (RS)		-0.000	0.005	0.001	0.0	-0.0
0.0	SLDx (RS)		0.002	-0.000	0.002	0.0	-0.0
0.0	SLDy (RS)		-0.000	0.002	0.000	0.0	-0.0
0.0	SLVz (RS)		-0.001	-0.000	0.001	0.0	-0.0
-0.0	g1		0.006	0.000	-0.032	-0.0	0.0
-0.0	g2		0.003	0.000	-0.016	-0.0	0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	-0.0
0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
0.0							
0.0	INVSLU	Max	0.031	0.006	-0.136	0.0	0.0
0.0		Min	0.019	-0.004	-0.189	-0.0	0.0
-0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	INVSLV	Max	0.017	0.005	-0.079	0.0	0.0
		Min	0.008	-0.004	-0.087	-0.0	0.0
-0.0							
891 0.0	Q1-1-2	Max	0.006	0.003	0.000	0.0	0.0
		Min	-0.000	-0.003	-0.043	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.002	0.000	0.0	0.0
		Min	-0.000	-0.002	-0.025	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	0.004	0.000	0.004	0.0	-0.0
0.0	SLVy	(RS)	-0.000	0.005	0.001	0.0	-0.0
0.0	SLDx	(RS)	0.002	0.000	0.002	0.0	-0.0
0.0	SLDy	(RS)	-0.000	0.003	0.000	0.0	-0.0
0.0	SLVz	(RS)	-0.001	0.000	0.002	0.0	-0.0
-0.0							
-0.0		g1	0.005	-0.000	-0.035	-0.0	0.0
0.0		g2	0.003	-0.000	-0.017	0.0	0.0
0.0		q3	0.005	-0.000	-0.001	0.0	-0.0
0.0		q5_pc	-0.000	0.003	-0.000	-0.0	0.0
0.0		q5_ps	-0.000	0.003	-0.000	-0.0	0.0
0.0							
0.0	INVSLU	Max	0.026	0.007	-0.148	0.0	0.0
		Min	0.014	-0.008	-0.207	-0.0	-0.0
-0.0							
-0.0	INVSLV	Max	0.014	0.005	-0.086	-0.0	0.0
		Min	0.005	-0.006	-0.095	-0.0	0.0
-0.0							
892 0.0	Q1-1-2	Max	0.006	0.002	0.000	0.0	0.0
		Min	-0.000	-0.002	-0.043	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.001	0.000	0.0	0.0
		Min	-0.000	-0.001	-0.025	-0.0	-0.0
-0.0							
-0.0	SLVx	(RS)	0.004	0.000	0.004	-0.0	-0.0
-0.0	SLVy	(RS)	-0.000	0.005	0.001	-0.0	-0.0
-0.0	SLDx	(RS)	0.002	0.000	0.002	-0.0	-0.0
-0.0	SLDy	(RS)	-0.000	0.003	0.000	-0.0	-0.0
-0.0	SLVz	(RS)	-0.001	0.000	0.002	0.0	-0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.0	g1	0.005	-0.000	-0.035	-0.0	0.0	
0.0	g2	0.003	-0.000	-0.017	0.0	0.0	
0.0	q3	0.005	-0.000	-0.001	-0.0	-0.0	
-0.0	q5_pc	-0.000	0.003	-0.000	-0.0	-0.0	
0.0	q5_ps	-0.000	0.003	-0.000	-0.0	-0.0	
0.0	INVSLU	Max	0.026	0.007	-0.148	0.0	0.0
-0.0		Min	0.015	-0.007	-0.207	-0.0	-0.0
0.0	INVSLV	Max	0.014	0.005	-0.086	-0.0	0.0
-0.0		Min	0.005	-0.006	-0.095	-0.0	0.0
903	Q1-1-2	Max	0.006	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.043	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.025	-0.0	-0.0
-0.0	SLVx (RS)		0.004	0.000	0.004	0.0	-0.0
-0.0	SLVy (RS)		-0.000	0.005	0.001	0.0	-0.0
-0.0	SLDx (RS)		0.002	0.000	0.002	0.0	-0.0
-0.0	SLDy (RS)		-0.000	0.003	0.000	0.0	-0.0
-0.0	SLVz (RS)		-0.001	0.000	0.002	0.0	-0.0
-0.0	g1	0.005	-0.000	-0.035	-0.0	0.0	
0.0	g2	0.003	-0.000	-0.017	-0.0	0.0	
0.0	q3	0.005	-0.000	-0.001	-0.0	-0.0	
-0.0	q5_pc	-0.000	0.003	-0.000	-0.0	-0.0	
0.0	q5_ps	-0.000	0.003	-0.000	-0.0	-0.0	
0.0	INVSLU	Max	0.026	0.007	-0.148	0.0	0.0
-0.0		Min	0.015	-0.005	-0.207	-0.0	-0.0
0.0	INVSLV	Max	0.014	0.006	-0.086	-0.0	0.0
-0.0		Min	0.006	-0.005	-0.095	-0.0	0.0
904	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.043	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0							
0.0	Q2a-1-2	Max	0.004	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.025	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	0.004	0.0	-0.0
-0.0	SLVy	(RS)	-0.000	0.005	0.001	0.0	-0.0
-0.0	SLDx	(RS)	0.002	-0.000	0.002	0.0	-0.0
-0.0	SLDy	(RS)	-0.000	0.003	0.000	0.0	-0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.002	0.0	-0.0
0.0	g1		0.005	0.000	-0.035	-0.0	0.0
0.0	g2		0.003	-0.000	-0.017	-0.0	0.0
-0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0
-0.0	q5_pc		-0.000	0.003	-0.000	-0.0	-0.0
-0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
0.0	INVSLU	Max	0.026	0.007	-0.148	0.0	0.0
-0.0		Min	0.015	-0.004	-0.207	-0.0	-0.0
0.0	INVSLV	Max	0.014	0.006	-0.086	0.0	0.0
-0.0		Min	0.006	-0.004	-0.095	-0.0	0.0
910	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.043	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.025	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	0.004	0.0	-0.0
-0.0	SLVy	(RS)	-0.000	0.005	0.001	0.0	0.0
-0.0	SLDx	(RS)	0.002	-0.000	0.002	0.0	-0.0
-0.0	SLDy	(RS)	-0.000	0.002	0.000	0.0	0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.002	0.0	-0.0
0.0	g1		0.005	0.000	-0.035	-0.0	0.0
0.0	g2		0.003	-0.000	-0.017	-0.0	0.0
-0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0
-0.0	q5_pc		-0.000	0.003	-0.000	-0.0	-0.0
-0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0

# MIDAS


PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0							
	INVSLU	Max	0.026	0.006	-0.148	0.0	0.0
0.0		Min	0.015	-0.004	-0.207	-0.0	-0.0
-0.0							
	INVSLV	Max	0.014	0.006	-0.086	0.0	0.0
0.0		Min	0.006	-0.004	-0.095	-0.0	0.0
-0.0							
916	Q1-1-2	Max	0.006	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.043	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.025	-0.0	-0.0
-0.0							
	SLVx	(RS)	0.004	-0.000	0.004	0.0	-0.0
0.0							
	SLVy	(RS)	-0.000	0.005	0.001	0.0	-0.0
0.0							
	SLDx	(RS)	0.002	-0.000	0.002	0.0	-0.0
0.0							
	SLDy	(RS)	-0.000	0.002	0.000	0.0	-0.0
0.0							
	SLVz	(RS)	-0.001	-0.000	0.002	0.0	-0.0
-0.0							
	g1		0.005	0.000	-0.035	-0.0	0.0
-0.0							
	g2		0.003	0.000	-0.017	-0.0	0.0
0.0							
	q3		0.005	-0.000	-0.001	-0.0	-0.0
0.0							
	q5_pc		-0.000	0.003	-0.000	-0.0	-0.0
-0.0							
	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
0.0							
	INVSLU	Max	0.026	0.006	-0.148	0.0	0.0
0.0		Min	0.015	-0.004	-0.207	-0.0	-0.0
-0.0							
	INVSLV	Max	0.014	0.006	-0.086	0.0	0.0
0.0		Min	0.006	-0.004	-0.095	-0.0	0.0
-0.0							
	Q1-1-2	Max	0.008	0.003	0.000	0.0	0.0
953		Min	-0.000	-0.003	-0.038	-0.0	-0.0
0.0							
-0.0							
	Q2a-1-2	Max	0.005	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.022	-0.0	-0.0
-0.0							
	SLVx	(RS)	0.004	0.000	0.003	0.0	0.0
0.0							
	SLVy	(RS)	0.000	0.005	0.001	0.0	0.0



PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.0	SLDx (RS)	0.002	0.000	0.002	0.0	0.0	
0.0	SLDy (RS)	0.000	0.003	0.000	0.0	0.0	
-0.0	SLVz (RS)	-0.001	0.000	0.001	0.0	0.0	
-0.0	g1	0.007	-0.000	-0.031	-0.0	-0.0	
0.0	g2	0.004	-0.000	-0.015	0.0	-0.0	
0.0	q3	0.005	-0.000	-0.001	0.0	-0.0	
0.0	q5_pc	0.000	0.003	-0.000	-0.0	0.0	
-0.0	q5_ps	0.000	0.003	-0.000	-0.0	0.0	
-0.0	INVSLU	Max	0.031	0.007	-0.134	0.0	-0.0
0.0		Min	0.018	-0.008	-0.186	-0.0	-0.0
-0.0	INVSLV	Max	0.016	0.005	-0.078	-0.0	-0.0
0.0		Min	0.008	-0.006	-0.086	-0.0	-0.0
-0.0							
954	Q1-1-2	Max	0.007	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.038	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
0.0	SLVx (RS)	0.004	0.000	0.003	-0.0	0.0	
0.0	SLVy (RS)	0.000	0.005	0.001	-0.0	0.0	
0.0	SLDx (RS)	0.002	0.000	0.002	-0.0	0.0	
0.0	SLDy (RS)	0.000	0.003	0.000	-0.0	0.0	
0.0	SLVz (RS)	-0.001	0.000	0.001	0.0	0.0	
-0.0	g1	0.006	-0.000	-0.031	-0.0	-0.0	
0.0	g2	0.003	-0.000	-0.015	0.0	-0.0	
-0.0	q3	0.005	-0.000	-0.001	-0.0	-0.0	
0.0	q5_pc	0.000	0.003	-0.000	-0.0	0.0	
-0.0	q5_ps	0.000	0.003	-0.000	-0.0	0.0	
-0.0							
0.0	INVSLU	Max	0.028	0.007	-0.134	0.0	-0.0
-0.0		Min	0.016	-0.007	-0.186	-0.0	-0.0
0.0	INVSLV	Max	0.015	0.005	-0.078	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.0		Min	0.006	-0.005	-0.086	-0.0	-0.0
955	Q1-1-2	Max	0.008	0.003	0.000	0.0	0.0
0.0		Min	-0.000	-0.003	-0.038	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.005	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.022	-0.0	-0.0
0.0	SLVx (RS)		0.004	0.000	0.003	0.0	0.0
-0.0	SLVy (RS)		0.000	0.005	0.001	0.0	0.0
0.0	SLDx (RS)		0.002	0.000	0.002	0.0	0.0
-0.0	SLDy (RS)		0.000	0.003	0.000	0.0	0.0
-0.0	SLVz (RS)		-0.001	0.000	0.001	0.0	0.0
0.0	g1		0.007	-0.000	-0.031	-0.0	-0.0
0.0	g2		0.004	-0.000	-0.015	0.0	-0.0
0.0	q3		0.005	-0.000	-0.001	0.0	-0.0
-0.0	q5_pc		0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.031	0.006	-0.131	0.0	-0.0
-0.0		Min	0.018	-0.008	-0.183	-0.0	-0.0
0.0	INVSLV	Max	0.016	0.005	-0.076	-0.0	-0.0
-0.0		Min	0.008	-0.006	-0.084	-0.0	-0.0
956	Q1-1-2	Max	0.007	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.038	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
0.0	SLVx (RS)		0.004	0.000	0.003	-0.0	0.0
0.0	SLVy (RS)		0.000	0.005	0.001	-0.0	0.0
0.0	SLDx (RS)		0.002	0.000	0.002	-0.0	0.0
0.0	SLDy (RS)		0.000	0.003	0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.001	0.000	0.001	0.0	0.0
-0.0	g1		0.006	-0.000	-0.031	-0.0	-0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.0	g2		0.003	-0.000	-0.015	0.0	-0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0
-0.0	q5_pc		0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.028	0.006	-0.131	0.0	-0.0
-0.0		Min	0.016	-0.006	-0.183	-0.0	-0.0
0.0	INVSLV	Max	0.015	0.005	-0.076	-0.0	-0.0
-0.0		Min	0.006	-0.005	-0.084	-0.0	-0.0
969	Q1-1-2	Max	0.007	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.038	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
0.0	SLVx (RS)		0.004	0.000	0.003	0.0	0.0
0.0	SLVy (RS)		0.000	0.005	0.001	0.0	0.0
0.0	SLDx (RS)		0.002	0.000	0.002	0.0	0.0
0.0	SLDy (RS)		0.000	0.003	0.000	0.0	0.0
-0.0	SLVz (RS)		-0.001	0.000	0.001	0.0	0.0
-0.0	g1		0.006	-0.000	-0.031	-0.0	-0.0
-0.0	g2		0.003	-0.000	-0.015	0.0	-0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0
-0.0	q5_pc		0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.025	0.007	-0.134	0.0	-0.0
-0.0		Min	0.013	-0.005	-0.186	-0.0	-0.0
0.0	INVSLV	Max	0.014	0.006	-0.078	-0.0	-0.0
-0.0		Min	0.005	-0.005	-0.086	-0.0	-0.0
970	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.038	-0.0	-0.0
-0.0							

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	Q2a-1-2	Max	0.003	0.001	0.000	0.0	0.0
		Min	-0.000	-0.000	-0.022	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	0.000	0.003	0.0	0.0
0.0	SLVy	(RS)	0.000	0.005	0.001	0.0	0.0
0.0	SLDx	(RS)	0.002	0.000	0.002	0.0	0.0
0.0	SLDy	(RS)	0.000	0.002	0.000	0.0	0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.001	0.0	0.0
0.0	g1		0.005	0.000	-0.031	-0.0	-0.0
-0.0	g2		0.003	-0.000	-0.015	-0.0	-0.0
-0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0
0.0	q5_pc		0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0
-0.0							
	INVSLU	Max	0.022	0.006	-0.134	0.0	-0.0
0.0		Min	0.011	-0.004	-0.186	-0.0	-0.0
-0.0							
	INVSLV	Max	0.012	0.006	-0.078	0.0	-0.0
0.0		Min	0.004	-0.004	-0.086	-0.0	-0.0
-0.0							
971	Q1-1-2	Max	0.007	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.038	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.004	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
-0.0							
	SLVx	(RS)	0.004	0.000	0.003	0.0	0.0
0.0	SLVy	(RS)	0.000	0.005	0.001	0.0	0.0
0.0	SLDx	(RS)	0.002	0.000	0.002	0.0	0.0
0.0	SLDy	(RS)	0.000	0.003	0.000	0.0	0.0
0.0	SLVz	(RS)	-0.001	0.000	0.001	0.0	0.0
-0.0	g1		0.006	-0.000	-0.031	-0.0	-0.0
-0.0	g2		0.003	-0.000	-0.015	0.0	-0.0
-0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0
0.0	q5_pc		0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0
-0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	INVSLU	Max	0.025	0.007	-0.131	0.0	-0.0
		Min	0.013	-0.005	-0.183	-0.0	-0.0
-0.0							
0.0	INVSLV	Max	0.013	0.006	-0.076	-0.0	-0.0
		Min	0.005	-0.005	-0.084	-0.0	-0.0
-0.0							
972 0.0	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
		Min	-0.000	-0.001	-0.038	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.001	0.000	0.0	0.0
		Min	-0.000	-0.000	-0.022	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	0.004	0.000	0.003	0.0	0.0
0.0	SLVy	(RS)	0.000	0.005	0.001	0.0	0.0
0.0	SLDx	(RS)	0.002	0.000	0.002	0.0	0.0
0.0	SLDy	(RS)	0.000	0.002	0.000	0.0	0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.001	0.0	0.0
-0.0	g1		0.005	0.000	-0.031	-0.0	-0.0
-0.0	g2		0.003	-0.000	-0.015	-0.0	-0.0
-0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0
0.0	q5_pc		0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0
-0.0							
0.0	INVSLU	Max	0.022	0.006	-0.131	0.0	-0.0
		Min	0.011	-0.004	-0.183	-0.0	-0.0
-0.0							
-0.0	INVSLV	Max	0.012	0.006	-0.076	0.0	-0.0
		Min	0.003	-0.004	-0.084	-0.0	-0.0
-0.0							
985 0.0	Q1-1-2	Max	0.005	0.001	0.000	0.0	0.0
		Min	-0.000	-0.000	-0.038	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
		Min	-0.000	-0.000	-0.022	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	0.004	-0.000	0.003	0.0	-0.0
0.0	SLVy	(RS)	0.000	0.005	0.001	0.0	0.0
-0.0	SLDx	(RS)	0.002	-0.000	0.002	0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


0.0	SLDy (RS)		0.000	0.002	0.000	0.0	0.0
-0.0	SLVz (RS)		-0.001	-0.000	0.001	0.0	0.0
0.0	g1		0.005	0.000	-0.031	-0.0	-0.0
-0.0	g2		0.003	-0.000	-0.015	-0.0	-0.0
-0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0
0.0	q5_pc		0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0
-0.0	INVS LU	Max	0.020	0.006	-0.134	0.0	-0.0
0.0		Min	0.009	-0.004	-0.186	-0.0	-0.0
-0.0	INVS LV	Max	0.011	0.005	-0.078	0.0	-0.0
-0.0		Min	0.003	-0.004	-0.086	-0.0	-0.0
-0.0	Q1-1-2	Max	0.005	0.001	0.000	0.0	0.0
986		Min	-0.000	-0.000	-0.038	-0.0	-0.0
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.022	-0.0	-0.0
-0.0	SLVx (RS)		0.004	-0.000	0.003	0.0	0.0
0.0	SLVy (RS)		0.000	0.005	0.001	0.0	0.0
-0.0	SLDx (RS)		0.002	-0.000	0.002	0.0	0.0
0.0	SLDy (RS)		0.000	0.002	0.000	0.0	0.0
-0.0	SLVz (RS)		-0.001	-0.000	0.001	0.0	0.0
0.0	g1		0.005	0.000	-0.031	-0.0	-0.0
-0.0	g2		0.003	-0.000	-0.015	-0.0	-0.0
-0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0
0.0	q5_pc		0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0
-0.0	INVS LU	Max	0.020	0.006	-0.131	0.0	-0.0
0.0		Min	0.009	-0.004	-0.183	-0.0	-0.0
-0.0	INVS LV	Max	0.011	0.005	-0.076	0.0	-0.0
0.0		Min	0.002	-0.004	-0.084	-0.0	-0.0
-0.0							

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


993	Q1-1-2	Max	0.005	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.038	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.022	-0.0	-0.0
-0.0							
	SLVx	(RS)	0.004	-0.000	0.003	0.0	-0.0
0.0	SLVy	(RS)	0.000	0.004	0.001	0.0	0.0
-0.0							
	SLDx	(RS)	0.002	-0.000	0.002	0.0	-0.0
0.0	SLDy	(RS)	0.000	0.002	0.000	0.0	0.0
-0.0							
	SLVz	(RS)	-0.001	-0.000	0.001	0.0	0.0
0.0							
	g1		0.005	0.000	-0.031	-0.0	-0.0
-0.0							
	g2		0.003	0.000	-0.015	-0.0	-0.0
-0.0							
	q3		0.005	-0.000	-0.001	-0.0	-0.0
0.0							
	q5_pc		0.000	0.003	-0.000	-0.0	0.0
-0.0							
	q5_ps		0.000	0.003	-0.000	-0.0	0.0
-0.0							
	INVSLU	Max	0.019	0.005	-0.134	0.0	-0.0
0.0		Min	0.009	-0.004	-0.186	-0.0	-0.0
-0.0							
	INVSLV	Max	0.011	0.005	-0.077	0.0	-0.0
0.0		Min	0.002	-0.004	-0.086	-0.0	-0.0
-0.0							
	Q1-1-2	Max	0.005	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.038	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.022	-0.0	-0.0
-0.0							
	SLVx	(RS)	0.004	-0.000	0.003	0.0	0.0
0.0	SLVy	(RS)	0.000	0.004	0.001	0.0	0.0
-0.0							
	SLDx	(RS)	0.002	-0.000	0.002	0.0	0.0
0.0	SLDy	(RS)	0.000	0.002	0.000	0.0	0.0
-0.0							
	SLVz	(RS)	-0.001	-0.000	0.001	0.0	0.0
0.0							
	g1		0.005	0.000	-0.031	-0.0	-0.0
-0.0							
	g2		0.003	0.000	-0.015	-0.0	-0.0
-0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0
-0.0	q5_pc		0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.019	0.005	-0.131	0.0	-0.0
-0.0		Min	0.008	-0.004	-0.183	-0.0	-0.0
0.0	INVSLV	Max	0.010	0.005	-0.076	0.0	-0.0
-0.0		Min	0.002	-0.004	-0.084	-0.0	-0.0
1013	Q1-1-2	Max	0.009	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.022	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.005	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.013	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	0.000	0.002	-0.0	0.0
-0.0	SLVy	(RS)	0.000	0.004	0.000	-0.0	0.0
-0.0	SLDx	(RS)	0.002	0.000	0.001	-0.0	0.0
-0.0	SLDy	(RS)	0.000	0.002	0.000	-0.0	0.0
-0.0	SLVz	(RS)	-0.001	0.000	0.001	0.0	0.0
0.0	g1		0.008	-0.000	-0.018	-0.0	-0.0
0.0	g2		0.004	-0.000	-0.009	0.0	-0.0
0.0	q3		0.005	-0.000	-0.000	-0.0	-0.0
-0.0	q5_pc		0.000	0.003	-0.000	-0.0	-0.0
-0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.035	0.005	-0.078	0.0	-0.0
-0.0		Min	0.020	-0.006	-0.109	-0.0	-0.0
0.0	INVSLV	Max	0.018	0.004	-0.045	0.0	-0.0
-0.0		Min	0.010	-0.005	-0.050	-0.0	-0.0
1014	Q1-1-2	Max	0.008	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.005	0.001	0.000	0.0	0.0




PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
	Min	-0.000	-0.001	-0.013	-0.0	-0.0
-0.0	SLVx (RS)	0.004	0.000	0.002	-0.0	0.0
-0.0	SLVy (RS)	0.000	0.004	0.000	-0.0	0.0
-0.0	SLDx (RS)	0.002	0.000	0.001	-0.0	0.0
-0.0	SLDy (RS)	0.000	0.002	0.000	-0.0	0.0
-0.0	SLVz (RS)	-0.001	0.000	0.001	0.0	0.0
-0.0	g1	0.007	-0.000	-0.018	-0.0	-0.0
0.0	g2	0.004	-0.000	-0.009	0.0	-0.0
0.0	q3	0.005	-0.000	-0.000	-0.0	-0.0
0.0	q5_pc	0.000	0.003	-0.000	-0.0	-0.0
-0.0	q5_ps	0.000	0.003	-0.000	-0.0	0.0
-0.0						
0.0	INVSLU Max	0.029	0.005	-0.078	0.0	-0.0
-0.0	Min	0.016	-0.005	-0.109	-0.0	-0.0
0.0	INVSLV Max	0.016	0.004	-0.045	0.0	-0.0
-0.0	Min	0.007	-0.005	-0.050	-0.0	-0.0
1019	Q1-1-2 Max	0.007	0.001	0.000	0.0	0.0
0.0	Min	-0.000	-0.001	-0.022	-0.0	-0.0
-0.0						
0.0	Q2a-1-2 Max	0.004	0.001	0.000	0.0	0.0
-0.0	Min	-0.000	-0.000	-0.013	-0.0	-0.0
-0.0	SLVx (RS)	0.004	0.000	0.002	0.0	0.0
-0.0	SLVy (RS)	0.000	0.005	0.000	0.0	0.0
-0.0	SLDx (RS)	0.002	0.000	0.001	0.0	0.0
-0.0	SLDy (RS)	0.000	0.002	0.000	0.0	0.0
-0.0	SLVz (RS)	-0.001	-0.000	0.001	0.0	0.0
-0.0	g1	0.006	-0.000	-0.018	-0.0	-0.0
0.0	g2	0.003	-0.000	-0.009	0.0	-0.0
0.0	q3	0.005	-0.000	-0.001	-0.0	-0.0
0.0	q5_pc	0.000	0.003	-0.000	-0.0	-0.0
-0.0	q5_ps	0.000	0.003	-0.000	-0.0	0.0
-0.0						
0.0	INVSLU Max	0.023	0.005	-0.078	0.0	-0.0

MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.0		Min	0.011	-0.004	-0.109	-0.0	-0.0
0.0	INVSLV	Max	0.013	0.005	-0.045	-0.0	-0.0
-0.0		Min	0.004	-0.004	-0.050	-0.0	-0.0
1020	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.022	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.013	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	0.000	0.002	0.0	0.0
-0.0	SLVy	(RS)	0.000	0.004	0.000	0.0	0.0
-0.0	SLDx	(RS)	0.002	0.000	0.001	0.0	0.0
-0.0	SLDy	(RS)	0.000	0.002	0.000	0.0	0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.001	0.0	0.0
-0.0	g1		0.005	0.000	-0.018	-0.0	-0.0
0.0	g2		0.003	-0.000	-0.009	-0.0	-0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0
-0.0	q5_pc		0.000	0.003	-0.000	-0.0	-0.0
-0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.017	0.005	-0.078	0.0	-0.0
-0.0		Min	0.006	-0.004	-0.109	-0.0	-0.0
0.0	INVSLV	Max	0.009	0.005	-0.045	0.0	-0.0
-0.0		Min	0.001	-0.004	-0.050	-0.0	-0.0
1025	Q1-1-2	Max	0.005	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.022	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.013	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	0.002	0.0	0.0
-0.0	SLVy	(RS)	0.000	0.004	0.000	0.0	0.0
0.0	SLDx	(RS)	0.002	-0.000	0.001	0.0	0.0
0.0	SLDy	(RS)	0.000	0.002	0.000	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


-0.0	SLVz (RS)		-0.001	-0.000	0.001	0.0	0.0
0.0	g1		0.004	0.000	-0.018	-0.0	-0.0
-0.0	g2		0.002	-0.000	-0.009	-0.0	-0.0
-0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0
0.0	q5_pc		0.000	0.003	-0.000	-0.0	-0.0
-0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0
-0.0	INVSLU	Max	0.013	0.005	-0.078	0.0	-0.0
0.0		Min	0.002	-0.004	-0.109	-0.0	-0.0
-0.0	INVSLV	Max	0.007	0.004	-0.045	0.0	-0.0
0.0		Min	-0.001	-0.003	-0.050	-0.0	-0.0
-0.0							
1028	Q1-1-2	Max	0.004	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.022	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.013	-0.0	-0.0
-0.0	SLVx (RS)		0.004	-0.000	0.002	0.0	0.0
0.0	SLVy (RS)		0.000	0.004	0.000	0.0	0.0
-0.0	SLDx (RS)		0.002	-0.000	0.001	0.0	0.0
0.0	SLDy (RS)		0.000	0.002	0.000	0.0	0.0
-0.0	SLVz (RS)		-0.001	-0.000	0.001	0.0	0.0
0.0	g1		0.004	0.000	-0.018	-0.0	-0.0
-0.0	g2		0.002	0.000	-0.009	-0.0	-0.0
-0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0
0.0	q5_pc		0.000	0.003	-0.000	-0.0	-0.0
-0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0
-0.0	INVSLU	Max	0.011	0.005	-0.078	0.0	-0.0
0.0		Min	0.001	-0.004	-0.109	-0.0	-0.0
-0.0	INVSLV	Max	0.006	0.004	-0.045	-0.0	-0.0
0.0		Min	-0.002	-0.003	-0.050	-0.0	-0.0
-0.0							

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
1045	Q1-1-2	Max	0.010	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.002	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.006	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.001	-0.0	-0.0
-0.0							
-0.0		SLVx (RS)	0.004	-0.000	0.000	-0.0	0.0
-0.0		SLVy (RS)	0.000	0.003	-0.000	-0.0	0.0
-0.0		SLDx (RS)	0.002	-0.000	0.000	-0.0	0.0
-0.0		SLDy (RS)	0.000	0.002	-0.000	-0.0	0.0
-0.0		SLVz (RS)	-0.001	-0.000	0.000	-0.0	0.0
0.0		g1	0.009	0.000	-0.002	0.0	-0.0
0.0		g2	0.004	0.000	-0.001	0.0	-0.0
0.0		q3	0.005	0.000	-0.000	0.0	-0.0
-0.0		q5_pc	0.000	0.002	-0.000	-0.0	0.0
-0.0		q5_ps	0.000	0.002	-0.000	-0.0	0.0
	INVSLU	Max	0.035	0.004	-0.007	0.0	-0.0
0.0		Min	0.020	-0.003	-0.009	0.0	-0.0
-0.0							
	INVSLV	Max	0.019	0.003	-0.004	0.0	-0.0
0.0		Min	0.010	-0.003	-0.004	0.0	-0.0
-0.0							
1046	Q1-1-2	Max	0.008	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.002	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.005	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.001	-0.0	-0.0
-0.0							
-0.0		SLVx (RS)	0.004	0.000	0.000	-0.0	0.0
0.0		SLVy (RS)	0.000	0.003	-0.000	-0.0	0.0
-0.0		SLDx (RS)	0.002	0.000	0.000	-0.0	0.0
0.0		SLDy (RS)	0.000	0.002	-0.000	-0.0	0.0
-0.0		SLVz (RS)	-0.001	0.000	0.000	-0.0	0.0
0.0		g1	0.007	-0.000	-0.002	0.0	-0.0
-0.0		g2	0.004	-0.000	-0.001	0.0	-0.0
0.0		q3	0.005	-0.000	-0.000	0.0	-0.0
-0.0							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.0	q5_pc		0.000	0.002	-0.000	-0.0	-0.0
-0.0	q5_ps		0.000	0.002	-0.000	-0.0	-0.0
0.0	INVSLU	Max	0.028	0.003	-0.007	0.0	-0.0
-0.0		Min	0.014	-0.003	-0.009	-0.0	-0.0
0.0	INVSLV	Max	0.015	0.003	-0.004	0.0	-0.0
-0.0		Min	0.006	-0.003	-0.004	-0.0	-0.0
1061 0.0	Q1-1-2	Max	0.007	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.002	-0.0	-0.0
0.0	Q2a-1-2	Max	0.004	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.001	-0.0	-0.0
0.0	SLVx (RS)		0.004	0.000	0.000	0.0	0.0
-0.0	SLVy (RS)		0.000	0.003	-0.000	-0.0	0.0
0.0	SLDx (RS)		0.002	0.000	0.000	0.0	0.0
-0.0	SLDy (RS)		0.000	0.002	-0.000	-0.0	0.0
0.0	SLVz (RS)		-0.001	0.000	0.000	0.0	0.0
-0.0	g1		0.006	-0.000	-0.002	-0.0	-0.0
0.0	g2		0.003	-0.000	-0.001	-0.0	-0.0
-0.0	q3		0.005	-0.000	-0.000	-0.0	-0.0
-0.0	q5_pc		0.000	0.002	-0.000	-0.0	-0.0
-0.0	q5_ps		0.000	0.002	-0.000	-0.0	-0.0
0.0	INVSLU	Max	0.020	0.004	-0.007	0.0	-0.0
-0.0		Min	0.008	-0.004	-0.010	-0.0	-0.0
0.0	INVSLV	Max	0.011	0.003	-0.004	-0.0	-0.0
-0.0		Min	0.003	-0.003	-0.004	-0.0	-0.0
1062 0.0	Q1-1-2	Max	0.005	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.002	-0.0	-0.0
0.0	Q2a-1-2	Max	0.003	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.001	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	SLVx (RS)	0.004	0.000	0.000	0.0	0.0
-0.0	SLVy (RS)	0.000	0.003	-0.000	0.0	0.0
0.0	SLDx (RS)	0.002	0.000	0.000	0.0	0.0
-0.0	SLDy (RS)	0.000	0.002	-0.000	0.0	0.0
0.0	SLVz (RS)	-0.001	-0.000	0.000	0.0	0.0
-0.0	g1	0.005	0.000	-0.002	-0.0	-0.0
0.0	g2	0.002	-0.000	-0.001	-0.0	-0.0
0.0	q3	0.005	-0.000	-0.000	-0.0	-0.0
-0.0	q5_pc	0.000	0.003	-0.000	-0.0	-0.0
-0.0	q5_ps	0.000	0.002	-0.000	-0.0	-0.0
0.0	INVSLU Max	0.013	0.004	-0.007	0.0	-0.0
-0.0	Min	0.002	-0.004	-0.010	-0.0	-0.0
0.0	INVSLV Max	0.008	0.003	-0.004	-0.0	-0.0
-0.0	Min	-0.001	-0.003	-0.004	-0.0	-0.0
1070	Q1-1-2 Max	0.004	0.001	0.000	0.0	0.0
0.0	Min	-0.000	-0.001	-0.002	-0.0	-0.0
-0.0	Q2a-1-2 Max	0.002	0.001	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.001	-0.0	-0.0
-0.0	SLVx (RS)	0.004	0.000	0.000	0.0	0.0
0.0	SLVy (RS)	0.000	0.003	-0.000	0.0	0.0
-0.0	SLDx (RS)	0.002	0.000	0.000	0.0	0.0
0.0	SLDy (RS)	0.000	0.002	-0.000	0.0	0.0
-0.0	SLVz (RS)	-0.001	-0.000	0.000	0.0	0.0
0.0	g1	0.004	0.000	-0.002	-0.0	-0.0
-0.0	g2	0.002	-0.000	-0.001	-0.0	-0.0
0.0	q3	0.005	0.000	-0.000	-0.0	-0.0
0.0	q5_pc	0.000	0.003	-0.000	-0.0	-0.0
-0.0	q5_ps	0.000	0.002	-0.000	-0.0	-0.0
-0.0	INVSLU Max	0.007	0.004	-0.007	0.0	-0.0
0.0	Min	-0.003	-0.004	-0.010	-0.0	-0.0
-0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	INVS LV	Max	0.005	0.003	-0.004	-0.0	-0.0
-0.0		Min	-0.004	-0.003	-0.004	-0.0	-0.0
1078	Q1-1-2	Max	0.004	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.002	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.001	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	0.000	0.0	0.0
-0.0	SLVy	(RS)	0.000	0.003	-0.000	-0.0	0.0
-0.0	SLDx	(RS)	0.002	-0.000	0.000	0.0	0.0
-0.0	SLDy	(RS)	0.000	0.002	-0.000	-0.0	0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.000	0.0	0.0
0.0	g1		0.003	0.000	-0.002	-0.0	-0.0
0.0	g2		0.002	0.000	-0.001	-0.0	-0.0
0.0	q3		0.005	0.000	-0.000	-0.0	-0.0
-0.0	q5_pc		0.000	0.003	-0.000	-0.0	-0.0
-0.0	q5_ps		0.000	0.002	-0.000	-0.0	0.0
0.0	INVS LU	Max	0.006	0.004	-0.007	0.0	-0.0
-0.0		Min	-0.004	-0.004	-0.010	0.0	-0.0
0.0	INVS LV	Max	0.004	0.003	-0.004	-0.0	-0.0
-0.0		Min	-0.005	-0.003	-0.004	-0.0	-0.0
2213	Q1-1-2	Max	0.001	0.000	0.001	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.000	0.000	0.001	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	0.000	0.0	0.0
0.0	SLVy	(RS)	0.000	0.002	-0.000	-0.0	0.0
-0.0	SLDx	(RS)	0.002	-0.000	0.000	0.0	0.0
0.0	SLDy	(RS)	0.000	0.001	-0.000	-0.0	0.0
-0.0	SLVz	(RS)	-0.001	-0.000	-0.000	0.0	-0.0

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0							
-0.0	g1		0.000	0.000	0.001	-0.0	0.0
-0.0	g2		0.000	0.000	0.001	-0.0	0.0
-0.0	q3		0.004	-0.000	0.000	0.0	0.0
0.0	q5_pc		0.000	0.002	-0.000	-0.0	0.0
0.0	q5_ps		0.000	0.002	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.009	0.003	0.007	0.0	0.0
-0.0		Min	0.002	-0.002	0.005	-0.0	0.0
0.0	INVSLV	Max	0.005	0.002	0.003	0.0	0.0
-0.0		Min	-0.003	-0.002	0.003	-0.0	0.0
2214	Q1-1-2	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	Q2a-1-2	Max	0.000	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)		0.004	-0.000	0.000	-0.0	0.0
0.0	SLVy (RS)		0.000	0.003	-0.000	-0.0	0.0
0.0	SLDx (RS)		0.002	-0.000	0.000	-0.0	0.0
0.0	SLDy (RS)		0.000	0.001	-0.000	-0.0	0.0
0.0	SLVz (RS)		-0.001	-0.000	0.000	0.0	-0.0
-0.0	g1		0.000	0.000	-0.000	-0.0	0.0
-0.0	g2		0.000	0.000	-0.000	-0.0	0.0
-0.0	q3		0.004	-0.000	0.000	0.0	0.0
0.0	q5_pc		0.000	0.002	0.000	-0.0	-0.0
0.0	q5_ps		0.000	0.002	0.000	-0.0	-0.0
0.0	INVSLU	Max	0.009	0.003	-0.000	0.0	0.0
-0.0		Min	0.002	-0.002	-0.000	-0.0	0.0
0.0	INVSLV	Max	0.005	0.003	-0.000	0.0	0.0
-0.0		Min	-0.003	-0.002	-0.000	-0.0	0.0
2215	Q1-1-2	Max	0.001	0.000	0.000	0.0	0.0
0.0							




PROJECT TITLE :


MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0		Min	-0.000	-0.000	-0.002	-0.0	-0.0
0.0	Q2a-1-2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.001	-0.0	-0.0
-0.0		SLVx (RS)	0.004	-0.000	-0.000	-0.0	0.0
0.0		SLVy (RS)	0.000	0.003	-0.000	-0.0	0.0
-0.0		SLDx (RS)	0.002	-0.000	-0.000	-0.0	0.0
0.0		SLDy (RS)	0.000	0.001	-0.000	-0.0	0.0
0.0		SLVz (RS)	-0.001	-0.000	0.000	0.0	-0.0
-0.0		g1	0.000	0.000	-0.002	-0.0	0.0
0.0		g2	0.000	0.000	-0.001	-0.0	0.0
-0.0		q3	0.004	0.000	-0.000	-0.0	0.0
0.0		q5_pc	0.000	0.002	0.000	-0.0	-0.0
0.0		q5_ps	0.000	0.002	-0.000	-0.0	-0.0
0.0	INVSLU	Max	0.009	0.003	-0.007	0.0	0.0
-0.0		Min	0.002	-0.003	-0.009	-0.0	0.0
0.0	INVSLV	Max	0.005	0.003	-0.004	0.0	0.0
-0.0		Min	-0.002	-0.003	-0.004	-0.0	0.0
2216	Q1-1-2	Max	0.002	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.025	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.015	-0.0	-0.0
-0.0		SLVx (RS)	0.004	-0.000	-0.002	-0.0	-0.0
0.0		SLVy (RS)	0.000	0.005	-0.000	-0.0	0.0
-0.0		SLDx (RS)	0.002	-0.000	-0.001	-0.0	-0.0
0.0		SLDy (RS)	0.000	0.002	-0.000	-0.0	0.0
-0.0		SLVz (RS)	-0.001	-0.000	0.001	-0.0	-0.0
0.0		g1	0.002	0.000	-0.021	0.0	0.0
0.0		g2	0.001	0.000	-0.010	-0.0	0.0
-0.0		q3	0.005	0.000	-0.001	0.0	0.0
0.0		q5_pc	0.000	0.003	0.000	-0.0	-0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	q5_ps		0.000	0.003	0.000	-0.0	0.0
0.0	INVSLU	Max	0.015	0.007	-0.089	0.0	0.0
-0.0		Min	0.007	-0.005	-0.124	-0.0	0.0
0.0	INVSLV	Max	0.009	0.005	-0.051	0.0	0.0
-0.0		Min	0.000	-0.004	-0.057	-0.0	0.0
2222 0.0	Q1-1-2	Max	0.009	0.002	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.025	-0.0	-0.0
0.0	Q2a-1-2	Max	0.005	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.015	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	0.002	-0.0	0.0
-0.0	SLVy	(RS)	-0.000	0.005	-0.000	-0.0	-0.0
0.0	SLDx	(RS)	0.002	-0.000	0.001	-0.0	0.0
-0.0	SLDy	(RS)	-0.000	0.002	-0.000	-0.0	-0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	0.0
-0.0	g1		0.008	0.000	-0.021	0.0	-0.0
-0.0	g2		0.004	0.000	-0.010	-0.0	-0.0
-0.0	q3		0.005	0.000	-0.001	0.0	-0.0
-0.0	q5_pc		-0.000	0.003	0.000	-0.0	0.0
-0.0	q5_ps		-0.000	0.003	0.000	-0.0	-0.0
0.0	INVSLU	Max	0.032	0.007	-0.089	0.0	-0.0
-0.0		Min	0.019	-0.005	-0.124	-0.0	-0.0
0.0	INVSLV	Max	0.017	0.005	-0.051	0.0	-0.0
-0.0		Min	0.009	-0.004	-0.057	-0.0	-0.0
2223 0.0	Q1-1-2	Max	0.009	0.002	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.023	-0.0	-0.0
0.0	Q2a-1-2	Max	0.005	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.013	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	0.002	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
-0.0	SLVy (RS)	-0.000	0.004	-0.000	-0.0	-0.0
0.0	SLDx (RS)	0.002	-0.000	0.001	-0.0	0.0
-0.0	SLDy (RS)	-0.000	0.002	-0.000	-0.0	-0.0
0.0	SLVz (RS)	-0.001	-0.000	0.001	-0.0	0.0
-0.0	g1	0.008	0.000	-0.019	0.0	-0.0
-0.0	g2	0.004	0.000	-0.009	-0.0	-0.0
-0.0	q3	0.005	0.000	-0.001	0.0	-0.0
-0.0	q5_pc	-0.000	0.003	0.000	-0.0	0.0
-0.0	q5_ps	-0.000	0.003	0.000	-0.0	-0.0
0.0	INVSLU Max	0.033	0.006	-0.082	0.0	-0.0
-0.0	Min	0.019	-0.005	-0.114	-0.0	-0.0
0.0	INVSLV Max	0.017	0.005	-0.047	0.0	-0.0
-0.0	Min	0.009	-0.004	-0.052	-0.0	-0.0
2224	Q1-1-2 Max	0.009	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	Q2a-1-2 Max	0.005	0.000	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx (RS)	0.004	-0.000	0.000	-0.0	0.0
0.0	SLVy (RS)	-0.000	0.003	-0.000	-0.0	-0.0
-0.0	SLDx (RS)	0.002	-0.000	0.000	-0.0	0.0
0.0	SLDy (RS)	-0.000	0.001	-0.000	-0.0	-0.0
-0.0	SLVz (RS)	-0.001	-0.000	0.000	0.0	0.0
0.0	g1	0.008	0.000	-0.000	-0.0	-0.0
0.0	g2	0.004	0.000	-0.000	-0.0	-0.0
-0.0	q3	0.005	0.000	-0.000	-0.0	-0.0
0.0	q5_pc	-0.000	0.002	0.000	-0.0	0.0
-0.0	q5_ps	-0.000	0.002	0.000	-0.0	0.0
-0.0	INVSLU Max	0.032	0.003	-0.000	0.0	-0.0
0.0	Min	0.018	-0.002	-0.000	-0.0	-0.0
-0.0	INVSLV Max	0.017	0.003	-0.000	0.0	-0.0


# MIDAS

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0		Min	0.009	-0.002	-0.000	-0.0	-0.0
-0.0							
2225	Q1-1-2	Max	0.009	0.000	0.001	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.005	0.000	0.001	0.0	0.0
		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	0.004	-0.000	-0.000	-0.0	0.0
0.0	SLVy	(RS)	-0.000	0.002	-0.000	-0.0	-0.0
-0.0							
0.0	SLDx	(RS)	0.002	-0.000	-0.000	-0.0	0.0
0.0	SLDy	(RS)	-0.000	0.001	-0.000	-0.0	-0.0
-0.0							
0.0	SLVz	(RS)	-0.001	-0.000	-0.000	0.0	0.0
0.0	g1		0.008	0.000	0.001	-0.0	-0.0
-0.0							
	g2		0.004	0.000	0.001	-0.0	-0.0
-0.0							
	q3		0.005	0.000	0.000	-0.0	-0.0
0.0							
-0.0	q5_pc		-0.000	0.002	-0.000	-0.0	-0.0
-0.0							
-0.0	q5_ps		-0.000	0.002	-0.000	-0.0	-0.0
0.0	INVSLU	Max	0.032	0.003	0.007	0.0	-0.0
		Min	0.018	-0.002	0.005	-0.0	-0.0
-0.0							
0.0	INVSLV	Max	0.017	0.002	0.003	0.0	-0.0
		Min	0.008	-0.002	0.003	-0.0	-0.0
-0.0							
2226	Q1-1-2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.017	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.001	0.001	0.000	0.0	0.0
		Min	-0.000	-0.000	-0.010	-0.0	-0.0
-0.0							
-0.0	SLVx	(RS)	0.004	-0.000	-0.002	-0.0	0.0
-0.0							
0.0	SLVy	(RS)	0.000	0.004	-0.000	0.0	0.0
-0.0	SLDx	(RS)	0.002	-0.000	-0.001	-0.0	0.0
-0.0							
0.0	SLDy	(RS)	0.000	0.002	-0.000	0.0	0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.001	0.0	-0.0
-0.0							
	g1		0.001	0.000	-0.014	-0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	g2		0.001	0.000	-0.007	-0.0	0.0
0.0	q3		0.005	0.000	-0.001	-0.0	0.0
-0.0	q5_pc		0.000	0.003	0.000	-0.0	-0.0
0.0	q5_ps		0.000	0.002	0.000	-0.0	-0.0
0.0	INVS LU	Max	0.013	0.005	-0.061	0.0	0.0
0.0		Min	0.005	-0.004	-0.085	-0.0	0.0
-0.0							
0.0	INVS LV	Max	0.007	0.004	-0.035	0.0	0.0
0.0		Min	-0.001	-0.004	-0.039	0.0	0.0
-0.0							
2228	Q1-1-2	Max	0.003	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.031	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.018	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	0.004	-0.000	-0.003	-0.0	-0.0
0.0	SLVy	(RS)	0.000	0.005	-0.001	0.0	0.0
0.0	SLDx	(RS)	0.002	-0.000	-0.001	-0.0	-0.0
0.0	SLDy	(RS)	0.000	0.002	-0.000	0.0	0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	-0.0
0.0	g1		0.003	0.000	-0.025	0.0	0.0
-0.0	g2		0.002	0.000	-0.012	-0.0	0.0
-0.0	q3		0.005	0.000	-0.001	-0.0	0.0
-0.0	q5_pc		0.000	0.003	0.000	-0.0	-0.0
0.0	q5_ps		0.000	0.003	0.000	-0.0	0.0
0.0	INVS LU	Max	0.018	0.007	-0.109	0.0	0.0
0.0		Min	0.009	-0.005	-0.151	-0.0	0.0
-0.0							
0.0	INVS LV	Max	0.010	0.005	-0.063	0.0	0.0
0.0		Min	0.001	-0.004	-0.069	0.0	0.0
-0.0							
2230	Q1-1-2	Max	0.005	0.003	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.040	-0.0	-0.0
-0.0							

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	


0.0	Q2a-1-2	Max	0.003	0.002	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.023	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	0.004	-0.0	-0.0
0.0	SLVy	(RS)	0.000	0.005	-0.001	0.0	0.0
0.0	SLDx	(RS)	0.002	-0.000	0.002	-0.0	-0.0
0.0	SLDy	(RS)	0.000	0.003	-0.000	0.0	0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	-0.0
-0.0	g1		0.004	0.000	-0.032	0.0	0.0
-0.0	g2		0.002	0.000	-0.016	-0.0	0.0
0.0	q3		0.005	0.000	-0.001	-0.0	0.0
0.0	q5_pc		0.000	0.003	0.000	-0.0	0.0
0.0	q5_ps		0.000	0.003	0.000	-0.0	0.0
0.0	INVSLU	Max	0.022	0.008	-0.138	0.0	0.0
-0.0		Min	0.012	-0.006	-0.192	-0.0	0.0
0.0	INVSLV	Max	0.012	0.006	-0.080	0.0	0.0
-0.0		Min	0.004	-0.005	-0.089	0.0	0.0
2232	Q1-1-2	Max	0.006	0.003	0.000	0.0	0.0
0.0		Min	-0.000	-0.003	-0.043	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.002	0.000	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.025	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	0.004	-0.0	-0.0
0.0	SLVy	(RS)	0.000	0.005	-0.001	0.0	0.0
0.0	SLDx	(RS)	0.002	-0.000	0.002	-0.0	-0.0
0.0	SLDy	(RS)	0.000	0.003	-0.000	0.0	0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.002	-0.0	0.0
-0.0	g1		0.005	0.000	-0.035	0.0	0.0
0.0	g2		0.003	0.000	-0.017	-0.0	0.0
0.0	q3		0.005	0.000	-0.001	-0.0	-0.0
0.0	q5_pc		-0.000	0.003	0.000	-0.0	-0.0
-0.0	q5_ps		-0.000	0.003	0.000	-0.0	0.0
-0.0							

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

0.0	INVS LU	Max	0.026	0.008	-0.148	0.0	0.0
-0.0		Min	0.015	-0.007	-0.207	-0.0	-0.0
0.0	INVS LV	Max	0.014	0.006	-0.086	0.0	0.0
0.0		Min	0.006	-0.005	-0.095	0.0	-0.0
2233 0.0	Q1-1-2	Max	0.006	0.003	0.000	0.0	0.0
-0.0		Min	-0.000	-0.003	-0.043	-0.0	-0.0
0.0	Q2a-1-2	Max	0.004	0.002	0.000	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.025	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	0.004	0.0	-0.0
0.0	SLVy	(RS)	0.000	0.005	-0.001	0.0	-0.0
-0.0	SLDx	(RS)	0.002	-0.000	0.002	0.0	-0.0
0.0	SLDy	(RS)	0.000	0.003	-0.000	0.0	-0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.002	-0.0	0.0
-0.0	g1		0.005	0.000	-0.035	0.0	-0.0
-0.0	g2		0.003	0.000	-0.017	-0.0	-0.0
-0.0	q3		0.005	0.000	-0.001	-0.0	-0.0
0.0	q5_pc		-0.000	0.003	0.000	-0.0	0.0
0.0	q5_ps		-0.000	0.003	0.000	-0.0	0.0
0.0	INVS LU	Max	0.027	0.008	-0.148	0.0	0.0
-0.0		Min	0.015	-0.007	-0.207	-0.0	-0.0
0.0	INVS LV	Max	0.014	0.006	-0.086	0.0	-0.0
-0.0		Min	0.006	-0.005	-0.095	0.0	-0.0
2234 0.0	Q1-1-2	Max	0.008	0.003	0.000	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.040	-0.0	-0.0
0.0	Q2a-1-2	Max	0.004	0.002	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.023	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	0.004	0.0	-0.0
-0.0	SLVy	(RS)	-0.000	0.005	-0.001	0.0	-0.0

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	SLDx (RS)	0.002	-0.000	0.002	0.0	-0.0
-0.0	SLDy (RS)	-0.000	0.003	-0.000	0.0	-0.0
-0.0	SLVz (RS)	-0.001	-0.000	0.002	-0.0	0.0
0.0	g1	0.006	0.000	-0.032	0.0	-0.0
0.0	g2	0.003	0.000	-0.016	-0.0	-0.0
0.0	q3	0.005	0.000	-0.001	-0.0	-0.0
-0.0	q5_pc	-0.000	0.003	0.000	-0.0	-0.0
-0.0	q5_ps	-0.000	0.003	0.000	-0.0	-0.0
0.0	INVSLU Max	0.029	0.008	-0.138	0.0	-0.0
-0.0	Min	0.017	-0.006	-0.192	-0.0	-0.0
0.0	INVSLV Max	0.016	0.006	-0.080	0.0	-0.0
-0.0	Min	0.007	-0.005	-0.089	0.0	-0.0
2235 0.0	Q1-1-2 Max	0.008	0.003	0.000	0.0	0.0
-0.0	Min	-0.000	-0.002	-0.039	-0.0	-0.0
0.0	Q2a-1-2 Max	0.004	0.002	0.000	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.023	-0.0	-0.0
0.0	SLVx (RS)	0.004	-0.000	0.003	0.0	-0.0
0.0	SLVy (RS)	-0.000	0.005	-0.001	0.0	-0.0
0.0	SLDx (RS)	0.002	-0.000	0.002	0.0	-0.0
0.0	SLDy (RS)	-0.000	0.003	-0.000	0.0	-0.0
0.0	SLVz (RS)	-0.001	-0.000	0.001	-0.0	0.0
-0.0	g1	0.007	0.000	-0.032	0.0	-0.0
-0.0	g2	0.003	0.000	-0.015	-0.0	-0.0
-0.0	q3	0.005	0.000	-0.001	-0.0	-0.0
0.0	q5_pc	-0.000	0.003	0.000	-0.0	-0.0
0.0	q5_ps	-0.000	0.003	0.000	-0.0	-0.0
0.0	INVSLU Max	0.030	0.008	-0.136	0.0	-0.0
-0.0	Min	0.017	-0.006	-0.189	-0.0	-0.0
0.0	INVSLV Max	0.016	0.006	-0.079	0.0	-0.0
	Min	0.007	-0.005	-0.087	0.0	-0.0



# MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.0

2236	Q1-1-2	Max	0.009	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.031	-0.0	-0.0

-0.0

0.0	Q2a-1-2	Max	0.005	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.018	-0.0	-0.0

-0.0

-0.0	SLVx	(RS)	0.004	-0.000	0.003	0.0	0.0
------	------	------	-------	--------	-------	-----	-----

-0.0

-0.0	SLVy	(RS)	-0.000	0.005	-0.001	0.0	-0.0
------	------	------	--------	-------	--------	-----	------

-0.0

-0.0	SLDx	(RS)	0.002	-0.000	0.001	0.0	0.0
------	------	------	-------	--------	-------	-----	-----

-0.0

-0.0	SLDy	(RS)	-0.000	0.002	-0.000	0.0	-0.0
------	------	------	--------	-------	--------	-----	------

-0.0

-0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	0.0
------	------	------	--------	--------	-------	------	-----

-0.0

0.0	g1		0.007	0.000	-0.025	0.0	-0.0
-----	----	--	-------	-------	--------	-----	------

0.0

0.0	g2		0.004	0.000	-0.012	-0.0	-0.0
-----	----	--	-------	-------	--------	------	------

0.0

0.0	q3		0.005	0.000	-0.001	-0.0	-0.0
-----	----	--	-------	-------	--------	------	------

0.0

-0.0	q5_pc		-0.000	0.003	0.000	-0.0	0.0
------	-------	--	--------	-------	-------	------	-----

-0.0

-0.0	q5_ps		-0.000	0.003	0.000	-0.0	-0.0
------	-------	--	--------	-------	-------	------	------

-0.0

0.0	INVSLU	Max	0.032	0.007	-0.109	0.0	-0.0
-----	--------	-----	-------	-------	--------	-----	------

0.0

-0.0		Min	0.018	-0.005	-0.151	-0.0	-0.0
------	--	-----	-------	--------	--------	------	------

-0.0

0.0	INVSLV	Max	0.017	0.005	-0.063	0.0	-0.0
-----	--------	-----	-------	-------	--------	-----	------

0.0

-0.0		Min	0.008	-0.004	-0.069	0.0	-0.0
------	--	-----	-------	--------	--------	-----	------

-0.0

2238	Q1-1-2	Max	0.009	0.001	0.000	0.0	0.0
------	--------	-----	-------	-------	-------	-----	-----

0.0

-0.0		Min	-0.000	-0.001	-0.017	-0.0	-0.0
------	--	-----	--------	--------	--------	------	------

-0.0

0.0	Q2a-1-2	Max	0.005	0.001	0.000	0.0	0.0
-----	---------	-----	-------	-------	-------	-----	-----

0.0

-0.0		Min	-0.000	-0.000	-0.010	-0.0	-0.0
------	--	-----	--------	--------	--------	------	------

-0.0

0.0	SLVx	(RS)	0.004	-0.000	0.002	-0.0	0.0
-----	------	------	-------	--------	-------	------	-----

0.0

-0.0	SLVy	(RS)	-0.000	0.004	-0.000	0.0	-0.0
------	------	------	--------	-------	--------	-----	------

-0.0

0.0	SLDx	(RS)	0.002	-0.000	0.001	-0.0	0.0
-----	------	------	-------	--------	-------	------	-----

0.0

-0.0	SLDy	(RS)	-0.000	0.002	-0.000	0.0	-0.0
------	------	------	--------	-------	--------	-----	------

-0.0

0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	0.0
-----	------	------	--------	--------	-------	------	-----


0.0

-0.0	g1		0.008	0.000	-0.014	0.0	-0.0
------	----	--	-------	-------	--------	-----	------

-0.0

	g2		0.004	0.000	-0.007	-0.0	-0.0
--	----	--	-------	-------	--------	------	------

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.0	q3		0.005	0.000	-0.000	-0.0	-0.0
0.0	q5_pc		-0.000	0.003	0.000	-0.0	0.0
-0.0	q5_ps		-0.000	0.002	0.000	-0.0	0.0
-0.0							
0.0	INVSLU	Max	0.033	0.005	-0.061	0.0	-0.0
-0.0		Min	0.019	-0.004	-0.085	-0.0	-0.0
0.0							
-0.0	INVSLV	Max	0.018	0.004	-0.035	0.0	-0.0
0.0		Min	0.009	-0.004	-0.039	0.0	-0.0
-0.0							
2249	Q1-1-2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.013	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	-0.002	-0.0	-0.0
-0.0	SLVy	(RS)	0.000	0.004	-0.000	-0.0	0.0
0.0	SLDx	(RS)	0.002	-0.000	-0.001	-0.0	-0.0
-0.0	SLDy	(RS)	0.000	0.002	-0.000	-0.0	0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	-0.0
-0.0							
0.0	g1		0.002	0.000	-0.018	0.0	0.0
0.0	g2		0.001	0.000	-0.009	-0.0	0.0
0.0	q3		0.005	0.000	-0.001	0.0	0.0
-0.0	q5_pc		0.000	0.003	0.000	-0.0	-0.0
0.0	q5_ps		0.000	0.003	0.000	-0.0	0.0
0.0							
0.0	INVSLU	Max	0.014	0.006	-0.079	0.0	0.0
-0.0		Min	0.006	-0.005	-0.109	-0.0	0.0
0.0							
-0.0	INVSLV	Max	0.008	0.005	-0.045	0.0	0.0
0.0		Min	-0.000	-0.004	-0.050	-0.0	0.0
-0.0							
2250	Q1-1-2	Max	0.002	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.023	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.001	0.001	0.000	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0		Min	-0.000	-0.001	-0.013	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	-0.002	-0.0	-0.0
-0.0	SLVy	(RS)	0.000	0.004	-0.000	-0.0	0.0
0.0	SLDx	(RS)	0.002	-0.000	-0.001	-0.0	-0.0
-0.0	SLDy	(RS)	0.000	0.002	-0.000	-0.0	0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	-0.0
-0.0	g1		0.002	0.000	-0.019	0.0	0.0
0.0	g2		0.001	0.000	-0.009	-0.0	0.0
0.0	q3		0.005	0.000	-0.001	0.0	0.0
-0.0	q5_pc		0.000	0.003	0.000	-0.0	-0.0
0.0	q5_ps		0.000	0.003	0.000	-0.0	0.0
0.0							
	INVSLU	Max	0.015	0.006	-0.082	0.0	0.0
0.0		Min	0.007	-0.005	-0.114	-0.0	0.0
-0.0							
	INVSLV	Max	0.008	0.005	-0.047	0.0	0.0
0.0		Min	0.000	-0.004	-0.052	-0.0	0.0
-0.0							
2258	Q1-1-2	Max	0.004	0.003	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.038	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.003	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
-0.0							
-0.0	SLVx	(RS)	0.004	-0.000	0.003	-0.0	-0.0
-0.0	SLVy	(RS)	0.000	0.005	-0.001	-0.0	0.0
0.0	SLDx	(RS)	0.002	-0.000	0.002	-0.0	-0.0
-0.0	SLDy	(RS)	0.000	0.003	-0.000	-0.0	0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	-0.0
-0.0	g1		0.004	0.000	-0.031	0.0	0.0
0.0	g2		0.002	0.000	-0.015	-0.0	0.0
-0.0	q3		0.005	0.000	-0.001	-0.0	0.0
-0.0	q5_pc		0.000	0.003	0.000	-0.0	0.0
-0.0	q5_ps		0.000	0.003	0.000	-0.0	0.0
-0.0							
	INVSLU	Max	0.021	0.008	-0.131	0.0	0.0

# MIDAS

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0		Min	0.011	-0.006	-0.183	-0.0	0.0
-0.0							
0.0	INVSLV	Max	0.011	0.006	-0.076	0.0	0.0
-0.0		Min	0.003	-0.005	-0.084	0.0	0.0
2259	Q1-1-2	Max	0.004	0.003	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.038	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.002	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	0.003	-0.0	-0.0
0.0	SLVy	(RS)	0.000	0.005	-0.001	-0.0	0.0
0.0	SLDx	(RS)	0.002	-0.000	0.002	-0.0	-0.0
0.0	SLDy	(RS)	0.000	0.003	-0.000	-0.0	0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	-0.0
-0.0							
0.0	g1		0.004	0.000	-0.031	0.0	0.0
-0.0	g2		0.002	0.000	-0.015	-0.0	0.0
-0.0	q3		0.005	0.000	-0.001	-0.0	0.0
-0.0	q5_pc		0.000	0.003	0.000	-0.0	0.0
-0.0	q5_ps		0.000	0.003	0.000	-0.0	0.0
0.0	INVSLU	Max	0.021	0.008	-0.134	0.0	0.0
-0.0		Min	0.011	-0.006	-0.186	-0.0	0.0
0.0	INVSLV	Max	0.012	0.006	-0.077	0.0	0.0
-0.0		Min	0.003	-0.005	-0.086	0.0	0.0
2260	Q1-1-2	Max	0.005	0.003	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.039	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.002	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.023	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	0.003	0.0	-0.0
-0.0	SLVy	(RS)	0.000	0.005	-0.001	0.0	0.0
-0.0	SLDx	(RS)	0.002	-0.000	0.002	0.0	-0.0

# MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

-0.0	SLDy (RS)		0.000	0.003	-0.000	0.0	0.0
-0.0	SLVz (RS)		-0.001	-0.000	0.001	-0.0	-0.0
0.0	g1		0.004	0.000	-0.032	0.0	0.0
-0.0	g2		0.002	0.000	-0.015	-0.0	0.0
-0.0	q3		0.005	0.000	-0.001	-0.0	0.0
-0.0	q5_pc		0.000	0.003	0.000	-0.0	-0.0
-0.0	q5_ps		0.000	0.003	0.000	-0.0	0.0
0.0	INVSLU	Max	0.022	0.008	-0.136	0.0	0.0
-0.0		Min	0.012	-0.006	-0.189	-0.0	0.0
0.0	INVSLV	Max	0.012	0.006	-0.079	0.0	0.0
-0.0		Min	0.003	-0.005	-0.087	0.0	0.0
2266	Q1-1-2	Max	0.006	0.003	0.000	0.0	0.0
0.0		Min	-0.000	-0.003	-0.043	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.002	0.000	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.025	-0.0	-0.0
-0.0	SLVx (RS)		0.004	-0.000	0.004	0.0	-0.0
-0.0	SLVy (RS)		0.000	0.005	-0.001	0.0	0.0
-0.0	SLDx (RS)		0.002	-0.000	0.002	0.0	-0.0
-0.0	SLDy (RS)		0.000	0.003	-0.000	0.0	0.0
0.0	SLVz (RS)		-0.001	-0.000	0.002	-0.0	-0.0
0.0	g1		0.005	0.000	-0.035	0.0	0.0
-0.0	g2		0.003	0.000	-0.017	-0.0	0.0
-0.0	q3		0.005	0.000	-0.001	-0.0	-0.0
-0.0	q5_pc		-0.000	0.003	0.000	-0.0	-0.0
-0.0	q5_ps		-0.000	0.003	0.000	-0.0	-0.0
0.0	INVSLU	Max	0.026	0.008	-0.148	0.0	0.0
-0.0		Min	0.014	-0.007	-0.207	-0.0	0.0
0.0	INVSLV	Max	0.014	0.006	-0.086	0.0	0.0
-0.0		Min	0.005	-0.005	-0.095	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

2273	Q1-1-2	Max	0.008	0.003	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.038	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.005	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	0.004	-0.000	0.003	-0.0	-0.0
-0.0	SLVy	(RS)	-0.000	0.005	-0.001	-0.0	-0.0
0.0	SLDx	(RS)	0.002	-0.000	0.002	-0.0	-0.0
-0.0	SLDy	(RS)	-0.000	0.003	-0.000	-0.0	-0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	0.0
-0.0	g1		0.007	0.000	-0.031	0.0	-0.0
-0.0	g2		0.003	0.000	-0.015	-0.0	-0.0
-0.0	q3		0.005	0.000	-0.001	-0.0	-0.0
0.0	q5_pc		-0.000	0.003	0.000	-0.0	-0.0
0.0	q5_ps		-0.000	0.003	0.000	-0.0	-0.0
	INVSLU	Max	0.030	0.008	-0.134	0.0	-0.0
0.0		Min	0.017	-0.006	-0.186	-0.0	-0.0
-0.0							
	INVSLV	Max	0.016	0.006	-0.078	0.0	-0.0
0.0		Min	0.007	-0.005	-0.086	0.0	-0.0
-0.0							
2274	Q1-1-2	Max	0.008	0.003	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.038	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.005	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	0.004	-0.000	0.003	-0.0	0.0
-0.0	SLVy	(RS)	-0.000	0.005	-0.001	-0.0	-0.0
0.0	SLDx	(RS)	0.002	-0.000	0.002	-0.0	0.0
-0.0	SLDy	(RS)	-0.000	0.003	-0.000	-0.0	-0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	0.0
-0.0	g1		0.007	0.000	-0.031	0.0	-0.0
-0.0	g2		0.004	0.000	-0.015	-0.0	-0.0
-0.0	q3		0.005	0.000	-0.001	0.0	-0.0

PROJECT TITLE :

	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0							
-0.0	q5_pc		-0.000	0.003	0.000	-0.0	-0.0
-0.0	q5_ps		-0.000	0.003	0.000	-0.0	-0.0
	INVSLU	Max	0.030	0.008	-0.131	0.0	-0.0
0.0		Min	0.017	-0.006	-0.183	-0.0	-0.0
-0.0							
	INVSLV	Max	0.016	0.006	-0.076	0.0	-0.0
0.0		Min	0.007	-0.005	-0.084	0.0	-0.0
-0.0							
2283	Q1-1-2	Max	0.009	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.005	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.013	-0.0	-0.0
-0.0							
	SLVx	(RS)	0.004	-0.000	0.002	-0.0	0.0
0.0							
-0.0	SLVy	(RS)	-0.000	0.004	-0.000	-0.0	-0.0
0.0	SLDx	(RS)	0.002	-0.000	0.001	-0.0	0.0
-0.0							
0.0	SLDy	(RS)	-0.000	0.002	-0.000	-0.0	-0.0
-0.0							
0.0	SLVz	(RS)	-0.001	-0.000	0.001	-0.0	0.0
-0.0	g1		0.008	0.000	-0.018	0.0	-0.0
-0.0	g2		0.004	0.000	-0.009	-0.0	-0.0
-0.0	q3		0.005	0.000	-0.000	0.0	-0.0
-0.0	q5_pc		-0.000	0.003	0.000	-0.0	0.0
-0.0	q5_ps		-0.000	0.003	0.000	-0.0	-0.0
-0.0							
	INVSLU	Max	0.033	0.006	-0.078	0.0	-0.0
0.0		Min	0.019	-0.005	-0.109	-0.0	-0.0
-0.0							
	INVSLV	Max	0.017	0.005	-0.045	0.0	-0.0
0.0		Min	0.009	-0.004	-0.050	-0.0	-0.0
-0.0							
2293	Q1-1-2	Max	0.009	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.002	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.005	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.001	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.0	SLVx (RS)		0.004	-0.000	0.000	-0.0	0.0
0.0	SLVy (RS)		-0.000	0.003	-0.000	-0.0	-0.0
-0.0	SLDx (RS)		0.002	-0.000	0.000	-0.0	0.0
0.0	SLDy (RS)		-0.000	0.001	-0.000	-0.0	-0.0
-0.0	SLVz (RS)		-0.001	-0.000	0.000	0.0	0.0
0.0	g1		0.008	0.000	-0.002	-0.0	-0.0
-0.0	g2		0.004	0.000	-0.001	-0.0	-0.0
-0.0	q3		0.005	0.000	-0.000	-0.0	-0.0
0.0	q5_pc		-0.000	0.002	0.000	-0.0	0.0
-0.0	q5_ps		-0.000	0.002	0.000	-0.0	0.0
-0.0	INVS LU	Max	0.033	0.003	-0.007	0.0	-0.0
0.0		Min	0.018	-0.003	-0.009	-0.0	-0.0
-0.0	INVS LV	Max	0.017	0.003	-0.004	0.0	-0.0
0.0		Min	0.009	-0.003	-0.004	-0.0	-0.0
-0.0							
2294	Q1-1-2	Max	0.001	0.000	0.001	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.000	0.000	0.001	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
0.0	SLVx (RS)		0.004	-0.000	0.000	-0.0	0.0
0.0	SLVy (RS)		-0.000	0.003	-0.000	-0.0	-0.0
0.0	SLDx (RS)		0.002	-0.000	0.000	-0.0	0.0
0.0	SLDy (RS)		-0.000	0.001	-0.000	-0.0	-0.0
0.0	SLVz (RS)		-0.001	-0.000	-0.000	-0.0	-0.0
-0.0	g1		0.000	0.000	0.001	0.0	0.0
0.0	g2		0.000	0.000	0.001	0.0	0.0
0.0	q3		0.004	-0.000	0.000	-0.0	0.0
0.0	q5_pc		-0.000	0.002	-0.000	-0.0	0.0
0.0	q5_ps		-0.000	0.002	-0.000	-0.0	0.0
0.0							
0.0	INVS LU	Max	0.009	0.003	0.007	0.0	0.0
		Min	0.002	-0.003	0.005	0.0	0.0




MIDAS

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.0							
0.0	INVSLV	Max	0.005	0.003	0.003	0.0	0.0
-0.0		Min	-0.003	-0.003	0.003	0.0	0.0
2295	Q1-1-2	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.000	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	0.000	-0.0	0.0
-0.0	SLVy	(RS)	-0.000	0.003	-0.000	-0.0	-0.0
0.0	SLDx	(RS)	0.002	-0.000	0.000	-0.0	0.0
-0.0	SLDy	(RS)	-0.000	0.001	-0.000	-0.0	-0.0
0.0	SLVz	(RS)	-0.001	0.000	0.000	-0.0	-0.0
0.0	g1		0.000	0.000	-0.000	0.0	0.0
0.0	g2		0.000	0.000	-0.000	0.0	0.0
0.0	q3		0.004	-0.000	0.000	-0.0	0.0
-0.0	q5_pc		-0.000	0.002	-0.000	-0.0	0.0
0.0	q5_ps		-0.000	0.002	-0.000	-0.0	0.0
0.0							
0.0	INVSLU	Max	0.009	0.003	-0.000	0.0	0.0
-0.0		Min	0.002	-0.003	-0.000	0.0	0.0
0.0	INVSLV	Max	0.005	0.003	-0.000	0.0	0.0
-0.0		Min	-0.003	-0.003	-0.000	0.0	0.0
2296	Q1-1-2	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.002	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.000	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.001	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	-0.000	-0.0	0.0
0.0	SLVy	(RS)	-0.000	0.003	-0.000	-0.0	-0.0
0.0	SLDx	(RS)	0.002	-0.000	-0.000	-0.0	0.0
0.0	SLDy	(RS)	-0.000	0.002	-0.000	-0.0	-0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
-0.0	SLVz (RS)	-0.001	0.000	0.000	-0.0	-0.0
0.0	g1	0.000	0.000	-0.002	0.0	0.0
-0.0	g2	0.000	0.000	-0.001	0.0	0.0
0.0	q3	0.004	-0.000	-0.000	0.0	0.0
0.0	q5_pc	-0.000	0.002	-0.000	-0.0	0.0
0.0	q5_ps	-0.000	0.002	-0.000	-0.0	0.0
0.0	INVSLU Max	0.009	0.003	-0.007	0.0	0.0
-0.0	Min	0.002	-0.003	-0.009	0.0	0.0
0.0	INVSLV Max	0.005	0.003	-0.004	0.0	0.0
-0.0	Min	-0.002	-0.003	-0.004	0.0	0.0
2297	Q1-1-2 Max	0.002	0.001	0.000	0.0	0.0
0.0	Min	-0.000	-0.002	-0.025	-0.0	-0.0
-0.0	Q2a-1-2 Max	0.001	0.001	0.000	0.0	0.0
0.0	Min	-0.000	-0.001	-0.015	-0.0	-0.0
-0.0	SLVx (RS)	0.004	0.000	-0.002	-0.0	-0.0
0.0	SLVy (RS)	-0.000	0.005	0.000	-0.0	-0.0
0.0	SLDx (RS)	0.002	0.000	-0.001	-0.0	-0.0
0.0	SLDy (RS)	-0.000	0.002	0.000	-0.0	-0.0
0.0	SLVz (RS)	-0.001	0.000	0.001	0.0	-0.0
0.0	g1	0.002	-0.000	-0.021	-0.0	0.0
-0.0	g2	0.001	-0.000	-0.010	0.0	0.0
-0.0	q3	0.005	-0.000	-0.001	-0.0	0.0
0.0	q5_pc	-0.000	0.003	-0.000	-0.0	0.0
0.0	q5_ps	-0.000	0.003	-0.000	-0.0	-0.0
0.0	INVSLU Max	0.015	0.005	-0.089	0.0	0.0
-0.0	Min	0.007	-0.006	-0.124	-0.0	0.0
0.0	INVSLV Max	0.009	0.004	-0.051	0.0	0.0
-0.0	Min	0.000	-0.005	-0.057	-0.0	0.0
2303	Q1-1-2 Max	0.009	0.001	0.000	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0		Min	-0.000	-0.002	-0.025	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.005	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.015	-0.0	-0.0
-0.0		SLVx (RS)	0.004	0.000	0.002	-0.0	0.0
-0.0		SLVy (RS)	0.000	0.005	0.000	-0.0	0.0
-0.0		SLDx (RS)	0.002	0.000	0.001	-0.0	0.0
-0.0		SLDy (RS)	0.000	0.002	0.000	-0.0	0.0
-0.0		SLVz (RS)	-0.001	0.000	0.001	0.0	0.0
0.0		g1	0.008	-0.000	-0.021	-0.0	-0.0
0.0		g2	0.004	-0.000	-0.010	0.0	-0.0
0.0		q3	0.005	-0.000	-0.001	-0.0	-0.0
-0.0		q5_pc	0.000	0.003	-0.000	-0.0	-0.0
-0.0		q5_ps	0.000	0.003	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.032	0.005	-0.089	0.0	-0.0
-0.0		Min	0.019	-0.006	-0.124	-0.0	-0.0
0.0	INVSLV	Max	0.017	0.004	-0.051	0.0	-0.0
-0.0		Min	0.009	-0.005	-0.057	-0.0	-0.0
2304	Q1-1-2	Max	0.009	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.023	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.005	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.013	-0.0	-0.0
-0.0		SLVx (RS)	0.004	0.000	0.002	-0.0	0.0
-0.0		SLVy (RS)	0.000	0.004	0.000	-0.0	0.0
-0.0		SLDx (RS)	0.002	0.000	0.001	-0.0	0.0
-0.0		SLDy (RS)	0.000	0.002	0.000	-0.0	0.0
-0.0		SLVz (RS)	-0.001	0.000	0.001	0.0	0.0
0.0		g1	0.008	-0.000	-0.019	-0.0	-0.0
0.0		g2	0.004	-0.000	-0.009	0.0	-0.0
0.0		q3	0.005	-0.000	-0.001	-0.0	-0.0
0.0		q5_pc	0.000	0.003	-0.000	-0.0	-0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
-0.0						
-0.0	q5_ps		0.000	0.003	-0.000	0.0
0.0	INVS LU	Max	0.033	0.005	-0.082	0.0
-0.0		Min	0.019	-0.006	-0.114	-0.0
0.0	INVS LV	Max	0.017	0.004	-0.047	0.0
-0.0		Min	0.009	-0.005	-0.052	-0.0
2305	Q1-1-2	Max	0.009	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0	Q2a-1-2	Max	0.005	0.000	0.000	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0	SLVx	(RS)	0.004	0.000	0.000	0.0
-0.0	SLVy	(RS)	0.000	0.003	-0.000	0.0
-0.0	SLDx	(RS)	0.002	0.000	0.000	0.0
-0.0	SLDy	(RS)	0.000	0.001	-0.000	0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.000	0.0
-0.0	g1		0.008	0.000	-0.000	-0.0
0.0	g2		0.004	0.000	-0.000	-0.0
0.0	q3		0.005	0.000	-0.000	-0.0
-0.0	q5_pc		0.000	0.002	-0.000	-0.0
-0.0	q5_ps		0.000	0.002	-0.000	-0.0
0.0	INVS LU	Max	0.032	0.003	-0.000	0.0
-0.0		Min	0.018	-0.003	-0.000	0.0
0.0	INVS LV	Max	0.017	0.003	-0.000	0.0
-0.0		Min	0.009	-0.003	-0.000	0.0
2306	Q1-1-2	Max	0.009	0.000	0.001	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0	Q2a-1-2	Max	0.005	0.000	0.001	0.0
0.0		Min	-0.000	-0.000	-0.000	-0.0
-0.0	SLVx	(RS)	0.004	0.000	-0.000	0.0

PROJECT TITLE :


MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.0	SLVy (RS)		0.000	0.003	-0.000	-0.0	0.0
-0.0	SLDx (RS)		0.002	0.000	-0.000	-0.0	0.0
-0.0	SLDy (RS)		0.000	0.001	-0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.001	-0.000	-0.000	-0.0	0.0
-0.0	g1		0.008	0.000	0.001	0.0	-0.0
0.0	g2		0.004	0.000	0.001	0.0	-0.0
0.0	q3		0.005	0.000	0.000	0.0	-0.0
0.0	q5_pc		0.000	0.002	-0.000	-0.0	-0.0
-0.0	q5_ps		0.000	0.002	-0.000	-0.0	-0.0
-0.0	INVSLU	Max	0.032	0.003	0.007	0.0	-0.0
0.0		Min	0.018	-0.003	0.005	0.0	-0.0
-0.0	INVSLV	Max	0.017	0.003	0.003	0.0	-0.0
0.0		Min	0.008	-0.003	0.003	0.0	-0.0
-0.0							
2307	Q1-1-2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.017	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.010	-0.0	-0.0
-0.0	SLVx (RS)		0.004	-0.000	-0.002	0.0	0.0
0.0	SLVy (RS)		-0.000	0.004	0.000	0.0	-0.0
0.0	SLDx (RS)		0.002	-0.000	-0.001	0.0	0.0
0.0	SLDy (RS)		-0.000	0.002	0.000	0.0	-0.0
0.0	SLVz (RS)		-0.001	0.000	0.001	0.0	-0.0
0.0	g1		0.001	-0.000	-0.014	0.0	0.0
-0.0	g2		0.001	-0.000	-0.007	0.0	0.0
-0.0	q3		0.005	-0.000	-0.001	0.0	0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	0.0
0.0	q5_ps		-0.000	0.002	-0.000	-0.0	0.0
0.0							
0.0	INVSLU	Max	0.013	0.004	-0.061	0.0	0.0
-0.0		Min	0.005	-0.005	-0.085	-0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0 -0.0	INVSLV	Max	0.007	0.004	-0.035	-0.0	0.0
		Min	-0.001	-0.004	-0.039	-0.0	0.0
2309 0.0 -0.0	Q1-1-2	Max	0.003	0.002	0.000	0.0	0.0
		Min	-0.000	-0.002	-0.031	-0.0	-0.0
0.0 -0.0	Q2a-1-2	Max	0.002	0.001	0.000	0.0	0.0
		Min	-0.000	-0.001	-0.018	-0.0	-0.0
0.0	SLVx	(RS)	0.004	0.000	-0.003	-0.0	-0.0
0.0	SLVy	(RS)	-0.000	0.005	0.001	0.0	-0.0
0.0	SLDx	(RS)	0.002	0.000	-0.001	-0.0	-0.0
0.0	SLDy	(RS)	-0.000	0.002	0.000	0.0	-0.0
-0.0	SLVz	(RS)	-0.001	0.000	0.001	-0.0	-0.0
0.0	g1		0.003	-0.000	-0.025	-0.0	0.0
0.0	g2		0.002	-0.000	-0.012	0.0	0.0
0.0	q3		0.005	-0.000	-0.001	0.0	0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	-0.0
0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
0.0 -0.0	INVSLU	Max	0.018	0.006	-0.109	0.0	0.0
		Min	0.009	-0.007	-0.151	-0.0	0.0
0.0 -0.0	INVSLV	Max	0.010	0.005	-0.063	-0.0	0.0
		Min	0.001	-0.005	-0.069	-0.0	0.0
2311 0.0 -0.0	Q1-1-2	Max	0.005	0.003	0.000	0.0	0.0
		Min	-0.000	-0.003	-0.040	-0.0	-0.0
0.0 -0.0	Q2a-1-2	Max	0.003	0.001	0.000	0.0	0.0
		Min	-0.000	-0.002	-0.023	-0.0	-0.0
0.0	SLVx	(RS)	0.004	0.000	0.004	0.0	-0.0
0.0	SLVy	(RS)	-0.000	0.005	0.001	0.0	-0.0
0.0	SLDx	(RS)	0.002	0.000	0.002	0.0	-0.0
0.0	SLDy	(RS)	-0.000	0.003	0.000	0.0	-0.0
-0.0	SLVz	(RS)	-0.001	0.000	0.002	0.0	-0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	g1		0.004	-0.000	-0.032	-0.0	0.0
0.0	g2		0.002	-0.000	-0.016	0.0	0.0
0.0	q3		0.005	-0.000	-0.001	0.0	0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	-0.0
0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
0.0	INVSLU	Max	0.022	0.007	-0.138	0.0	0.0
-0.0		Min	0.012	-0.008	-0.192	-0.0	0.0
0.0	INVSLV	Max	0.012	0.005	-0.080	-0.0	0.0
-0.0		Min	0.004	-0.006	-0.089	-0.0	0.0
2313 0.0	Q1-1-2	Max	0.006	0.003	0.000	0.0	0.0
-0.0		Min	-0.000	-0.003	-0.043	-0.0	-0.0
0.0	Q2a-1-2	Max	0.004	0.002	0.000	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.025	-0.0	-0.0
-0.0	SLVx (RS)		0.004	0.000	0.004	0.0	-0.0
0.0	SLVy (RS)		-0.000	0.005	0.001	0.0	0.0
-0.0	SLDx (RS)		0.002	0.000	0.002	0.0	-0.0
0.0	SLDy (RS)		-0.000	0.003	0.000	0.0	0.0
0.0	SLVz (RS)		-0.001	0.000	0.002	0.0	0.0
-0.0	g1		0.005	-0.000	-0.035	-0.0	0.0
-0.0	g2		0.003	-0.000	-0.017	0.0	0.0
-0.0	q3		0.005	-0.000	-0.001	0.0	-0.0
-0.0	q5_pc		-0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps		-0.000	0.003	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.026	0.007	-0.148	0.0	0.0
-0.0		Min	0.015	-0.008	-0.207	-0.0	-0.0
-0.0	INVSLV	Max	0.014	0.005	-0.086	-0.0	0.0
-0.0		Min	0.006	-0.006	-0.095	-0.0	-0.0
2314 0.0	Q1-1-2	Max	0.006	0.003	0.000	0.0	0.0
		Min	-0.000	-0.003	-0.043	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0							
0.0	Q2a-1-2	Max	0.004	0.002	0.000	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.025	-0.0	-0.0
0.0	SLVx	(RS)	0.004	0.000	0.004	0.0	-0.0
0.0	SLVy	(RS)	-0.000	0.005	0.001	0.0	0.0
0.0	SLDx	(RS)	0.002	0.000	0.002	0.0	-0.0
0.0	SLDy	(RS)	-0.000	0.003	0.000	0.0	0.0
0.0	SLVz	(RS)	-0.001	0.000	0.002	0.0	0.0
-0.0	g1		0.005	-0.000	-0.035	-0.0	-0.0
0.0	g2		0.003	-0.000	-0.017	0.0	-0.0
0.0	q3		0.005	-0.000	-0.001	0.0	-0.0
0.0	q5_pc		0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0
-0.0							
0.0	INVSLU	Max	0.027	0.007	-0.148	0.0	0.0
-0.0		Min	0.015	-0.008	-0.207	-0.0	-0.0
0.0	INVSLV	Max	0.014	0.005	-0.086	-0.0	-0.0
-0.0		Min	0.006	-0.006	-0.095	-0.0	-0.0
2315	Q1-1-2	Max	0.008	0.003	0.000	0.0	0.0
0.0		Min	-0.000	-0.003	-0.040	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.002	-0.023	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	0.000	0.004	0.0	-0.0
-0.0	SLVy	(RS)	0.000	0.005	0.001	0.0	0.0
-0.0	SLDx	(RS)	0.002	0.000	0.002	0.0	-0.0
-0.0	SLDy	(RS)	0.000	0.003	0.000	0.0	0.0
-0.0	SLVz	(RS)	-0.001	0.000	0.002	0.0	0.0
0.0	g1		0.006	-0.000	-0.032	-0.0	-0.0
-0.0	g2		0.003	-0.000	-0.016	0.0	-0.0
-0.0	q3		0.005	-0.000	-0.001	0.0	-0.0
-0.0	q5_pc		0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0




MIDAS

PROJECT TITLE :


MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0							
0.0	INVSLU	Max	0.029	0.007	-0.138	0.0	-0.0
-0.0		Min	0.017	-0.008	-0.192	-0.0	-0.0
0.0	INVSLV	Max	0.016	0.005	-0.080	-0.0	-0.0
-0.0		Min	0.007	-0.006	-0.089	-0.0	-0.0
2316	Q1-1-2	Max	0.008	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.003	-0.039	-0.0	-0.0
-0.0	Q2a-1-2	Max	0.004	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.023	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	0.000	0.003	0.0	-0.0
0.0	SLVy	(RS)	0.000	0.005	0.001	0.0	0.0
0.0	SLDx	(RS)	0.002	0.000	0.002	0.0	-0.0
0.0	SLDy	(RS)	0.000	0.003	0.000	0.0	0.0
0.0	SLVz	(RS)	-0.001	0.000	0.001	0.0	0.0
-0.0	g1		0.007	-0.000	-0.032	-0.0	-0.0
0.0	g2		0.003	-0.000	-0.015	0.0	-0.0
0.0	q3		0.005	-0.000	-0.001	0.0	-0.0
0.0	q5_pc		0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0
-0.0							
0.0	INVSLU	Max	0.030	0.007	-0.136	0.0	-0.0
-0.0		Min	0.017	-0.007	-0.189	-0.0	-0.0
0.0	INVSLV	Max	0.016	0.005	-0.079	-0.0	-0.0
-0.0		Min	0.007	-0.006	-0.087	-0.0	-0.0
2317	Q1-1-2	Max	0.009	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.031	-0.0	-0.0
-0.0	Q2a-1-2	Max	0.005	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.018	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	0.000	0.003	0.0	0.0
0.0	SLVy	(RS)	0.000	0.005	0.001	0.0	0.0

PROJECT TITLE :


		Company	Client			
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
-0.0	SLDx (RS)	0.002	0.000	0.001	0.0	0.0
0.0	SLDy (RS)	0.000	0.002	0.000	0.0	0.0
-0.0	SLVz (RS)	-0.001	0.000	0.001	0.0	0.0
0.0	g1	0.007	-0.000	-0.025	-0.0	-0.0
-0.0	g2	0.004	-0.000	-0.012	0.0	-0.0
-0.0	q3	0.005	-0.000	-0.001	0.0	-0.0
-0.0	q5_pc	0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps	0.000	0.003	-0.000	-0.0	0.0
-0.0	INVSLU Max	0.032	0.006	-0.109	0.0	-0.0
0.0	Min	0.018	-0.007	-0.151	-0.0	-0.0
-0.0	INVSLV Max	0.017	0.005	-0.063	-0.0	-0.0
0.0	Min	0.008	-0.005	-0.069	-0.0	-0.0
-0.0						
2319	Q1-1-2 Max	0.009	0.001	0.000	0.0	0.0
0.0	Min	-0.000	-0.001	-0.017	-0.0	-0.0
-0.0						
0.0	Q2a-1-2 Max	0.005	0.001	0.000	0.0	0.0
-0.0	Min	-0.000	-0.001	-0.010	-0.0	-0.0
-0.0	SLVx (RS)	0.004	0.000	0.002	0.0	0.0
-0.0	SLVy (RS)	0.000	0.004	0.000	0.0	0.0
-0.0	SLDx (RS)	0.002	0.000	0.001	0.0	0.0
-0.0	SLDy (RS)	0.000	0.002	0.000	0.0	0.0
-0.0	SLVz (RS)	-0.001	0.000	0.001	0.0	0.0
-0.0	g1	0.008	-0.000	-0.014	-0.0	-0.0
0.0	g2	0.004	-0.000	-0.007	0.0	-0.0
0.0	q3	0.005	-0.000	-0.000	0.0	-0.0
0.0	q5_pc	0.000	0.003	-0.000	-0.0	-0.0
-0.0	q5_ps	0.000	0.002	-0.000	-0.0	-0.0
-0.0						
0.0	INVSLU Max	0.033	0.004	-0.061	0.0	-0.0
-0.0	Min	0.019	-0.005	-0.085	-0.0	-0.0
-0.0						
0.0	INVSLV Max	0.018	0.004	-0.035	-0.0	-0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.0		Min	0.009	-0.004	-0.039	-0.0	-0.0
2330	Q1-1-2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.013	-0.0	-0.0
0.0	SLVx (RS)		0.004	-0.000	-0.002	0.0	-0.0
0.0	SLVy (RS)		-0.000	0.004	0.000	-0.0	-0.0
0.0	SLDx (RS)		0.002	-0.000	-0.001	0.0	-0.0
0.0	SLDy (RS)		-0.000	0.002	0.000	-0.0	-0.0
0.0	SLVz (RS)		-0.001	0.000	0.001	0.0	-0.0
-0.0	g1		0.002	-0.000	-0.018	-0.0	0.0
-0.0	g2		0.001	-0.000	-0.009	0.0	0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	0.0
0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
0.0							
0.0	INVSLU	Max	0.014	0.005	-0.079	0.0	0.0
-0.0		Min	0.006	-0.005	-0.109	-0.0	0.0
0.0							
0.0	INVSLV	Max	0.008	0.004	-0.045	0.0	0.0
-0.0		Min	-0.000	-0.005	-0.050	-0.0	0.0
2331	Q1-1-2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.023	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.001	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.013	-0.0	-0.0
0.0	SLVx (RS)		0.004	-0.000	-0.002	-0.0	-0.0
0.0	SLVy (RS)		-0.000	0.004	0.000	-0.0	-0.0
0.0	SLDx (RS)		0.002	-0.000	-0.001	-0.0	-0.0
0.0	SLDy (RS)		-0.000	0.002	0.000	-0.0	-0.0
0.0	SLVz (RS)		-0.001	0.000	0.001	0.0	-0.0
-0.0	g1		0.002	-0.000	-0.019	-0.0	0.0

# MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.0	g2		0.001	-0.000	-0.009	0.0	0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	0.0
0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
0.0	INVSLU	Max	0.015	0.005	-0.082	0.0	0.0
-0.0		Min	0.006	-0.006	-0.114	-0.0	0.0
0.0	INVSLV	Max	0.008	0.004	-0.047	0.0	0.0
-0.0		Min	0.000	-0.005	-0.052	-0.0	0.0
2339	Q1-1-2	Max	0.004	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.003	-0.038	-0.0	-0.0
-0.0	Q2a-1-2	Max	0.003	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
-0.0	SLVx (RS)		0.004	0.000	0.003	-0.0	-0.0
0.0	SLVy (RS)		-0.000	0.005	0.001	-0.0	-0.0
0.0	SLDx (RS)		0.002	0.000	0.002	-0.0	-0.0
0.0	SLDy (RS)		-0.000	0.003	0.000	-0.0	-0.0
0.0	SLVz (RS)		-0.001	0.000	0.001	0.0	-0.0
-0.0	g1		0.004	-0.000	-0.031	-0.0	0.0
-0.0	g2		0.002	-0.000	-0.015	0.0	0.0
0.0	q3		0.005	-0.000	-0.001	0.0	0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	-0.0
0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
0.0	INVSLU	Max	0.021	0.006	-0.131	0.0	0.0
-0.0		Min	0.011	-0.007	-0.183	-0.0	0.0
0.0	INVSLV	Max	0.011	0.005	-0.076	-0.0	0.0
-0.0		Min	0.003	-0.006	-0.084	-0.0	0.0
2340	Q1-1-2	Max	0.004	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.003	-0.038	-0.0	-0.0
-0.0							


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	Q2a-1-2	Max	0.003	0.001	0.000	0.0	0.0
		Min	-0.000	-0.002	-0.022	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	0.000	0.003	-0.0	-0.0
0.0	SLVy	(RS)	-0.000	0.005	0.001	-0.0	-0.0
0.0	SLDx	(RS)	0.002	0.000	0.002	-0.0	-0.0
0.0	SLDy	(RS)	-0.000	0.003	0.000	-0.0	-0.0
0.0	SLVz	(RS)	-0.001	0.000	0.001	0.0	-0.0
-0.0	g1		0.004	-0.000	-0.031	-0.0	0.0
-0.0	g2		0.002	-0.000	-0.015	0.0	0.0
0.0	q3		0.005	-0.000	-0.001	0.0	0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	-0.0
0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
0.0	INVSLU	Max	0.021	0.007	-0.134	0.0	0.0
		Min	0.011	-0.007	-0.186	-0.0	0.0
-0.0	INVSLV	Max	0.012	0.005	-0.077	-0.0	0.0
0.0		Min	0.003	-0.006	-0.086	-0.0	0.0
-0.0							
2341	Q1-1-2	Max	0.005	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.003	-0.039	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.001	0.000	0.0	0.0
		Min	-0.000	-0.002	-0.023	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	0.000	0.004	0.0	-0.0
0.0	SLVy	(RS)	-0.000	0.005	0.001	0.0	-0.0
-0.0	SLDx	(RS)	0.002	0.000	0.002	0.0	-0.0
0.0	SLDy	(RS)	-0.000	0.003	0.000	0.0	-0.0
-0.0	SLVz	(RS)	-0.001	0.000	0.001	0.0	-0.0
-0.0	g1		0.004	-0.000	-0.032	-0.0	0.0
-0.0	g2		0.002	-0.000	-0.015	0.0	0.0
0.0	q3		0.005	-0.000	-0.001	0.0	0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	-0.0
0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
0.0							

# MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	INVSLU	Max	0.022	0.007	-0.136	0.0	0.0
		Min	0.012	-0.007	-0.189	-0.0	0.0
-0.0							
0.0	INVSLV	Max	0.012	0.005	-0.079	-0.0	0.0
		Min	0.003	-0.006	-0.087	-0.0	0.0
-0.0							
2347 0.0	Q1-1-2	Max	0.006	0.003	0.000	0.0	0.0
		Min	-0.000	-0.003	-0.043	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.002	0.000	0.0	0.0
		Min	-0.000	-0.002	-0.025	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	0.004	0.000	0.004	0.0	-0.0
-0.0	SLVy	(RS)	-0.000	0.005	0.001	0.0	-0.0
0.0	SLDx	(RS)	0.002	0.000	0.002	0.0	-0.0
-0.0	SLDy	(RS)	-0.000	0.003	0.000	0.0	-0.0
-0.0	SLVz	(RS)	-0.001	0.000	0.002	0.0	-0.0
-0.0	g1		0.005	-0.000	-0.035	-0.0	0.0
0.0	g2		0.003	-0.000	-0.017	0.0	0.0
0.0	q3		0.005	-0.000	-0.001	0.0	-0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	0.0
0.0	q5_ps		-0.000	0.003	-0.000	-0.0	-0.0
-0.0							
0.0	INVSLU	Max	0.026	0.007	-0.148	0.0	0.0
		Min	0.014	-0.008	-0.207	-0.0	0.0
-0.0							
0.0	INVSLV	Max	0.014	0.005	-0.086	-0.0	0.0
		Min	0.005	-0.006	-0.095	-0.0	0.0
-0.0							
2354 0.0	Q1-1-2	Max	0.008	0.002	0.000	0.0	0.0
		Min	-0.000	-0.003	-0.038	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.005	0.001	0.000	0.0	0.0
		Min	-0.000	-0.002	-0.022	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	0.004	0.000	0.003	-0.0	0.0
-0.0	SLVy	(RS)	0.000	0.005	0.001	-0.0	0.0
-0.0	SLDx	(RS)	0.002	0.000	0.002	-0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	SLDy (RS)		0.000	0.003	0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.001	0.000	0.001	0.0	0.0
-0.0	g1		0.007	-0.000	-0.031	-0.0	-0.0
0.0	g2		0.003	-0.000	-0.015	0.0	-0.0
0.0	q3		0.005	-0.000	-0.001	0.0	-0.0
0.0	q5_pc		0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0
-0.0	INVS LU	Max	0.030	0.007	-0.134	0.0	-0.0
0.0		Min	0.017	-0.007	-0.186	-0.0	-0.0
-0.0	INVS LV	Max	0.016	0.005	-0.078	-0.0	-0.0
0.0		Min	0.007	-0.006	-0.086	-0.0	-0.0
-0.0							
2355	Q1-1-2	Max	0.008	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.003	-0.038	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.005	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
0.0	SLVx (RS)		0.004	0.000	0.003	-0.0	0.0
0.0	SLVy (RS)		0.000	0.005	0.001	-0.0	0.0
-0.0	SLDx (RS)		0.002	0.000	0.002	-0.0	0.0
0.0	SLDy (RS)		0.000	0.003	0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.001	0.000	0.001	0.0	0.0
-0.0	g1		0.007	-0.000	-0.031	-0.0	-0.0
0.0	g2		0.004	-0.000	-0.015	0.0	-0.0
0.0	q3		0.005	-0.000	-0.001	0.0	-0.0
0.0	q5_pc		0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0
-0.0							
0.0	INVS LU	Max	0.030	0.006	-0.131	0.0	-0.0
-0.0		Min	0.017	-0.007	-0.183	-0.0	-0.0
0.0	INVS LV	Max	0.016	0.005	-0.076	-0.0	-0.0
-0.0		Min	0.007	-0.006	-0.084	-0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


2364	Q1-1-2	Max	0.009	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.022	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.005	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.013	-0.0	-0.0
-0.0							
-0.0	SLVx	(RS)	0.004	0.000	0.002	-0.0	0.0
-0.0	SLVy	(RS)	0.000	0.004	0.000	-0.0	0.0
-0.0	SLDx	(RS)	0.002	0.000	0.001	-0.0	0.0
-0.0	SLDy	(RS)	0.000	0.002	0.000	-0.0	0.0
-0.0	SLVz	(RS)	-0.001	0.000	0.001	0.0	0.0
0.0	g1		0.008	-0.000	-0.018	-0.0	-0.0
0.0	g2		0.004	-0.000	-0.009	0.0	-0.0
0.0	q3		0.005	-0.000	-0.000	-0.0	-0.0
-0.0	q5_pc		0.000	0.003	-0.000	-0.0	-0.0
-0.0	q5_ps		0.000	0.003	-0.000	-0.0	0.0
	INVSLU	Max	0.033	0.005	-0.078	0.0	-0.0
0.0		Min	0.019	-0.005	-0.109	-0.0	-0.0
-0.0							
	INVSLV	Max	0.017	0.004	-0.045	0.0	-0.0
0.0		Min	0.009	-0.005	-0.050	-0.0	-0.0
-0.0							
2374	Q1-1-2	Max	0.009	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.002	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.005	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.001	-0.0	-0.0
-0.0							
-0.0	SLVx	(RS)	0.004	0.000	0.000	-0.0	0.0
-0.0	SLVy	(RS)	0.000	0.003	-0.000	-0.0	0.0
-0.0	SLDx	(RS)	0.002	0.000	0.000	-0.0	0.0
-0.0	SLDy	(RS)	0.000	0.002	-0.000	-0.0	0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.000	-0.0	0.0
0.0	g1		0.008	0.000	-0.002	0.0	-0.0
0.0	g2		0.004	0.000	-0.001	0.0	-0.0




PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	q3		0.005	0.000	-0.000	0.0	-0.0
-0.0	q5_pc		0.000	0.002	-0.000	-0.0	-0.0
-0.0	q5_ps		0.000	0.002	-0.000	-0.0	-0.0
0.0	INVSLU	Max	0.033	0.003	-0.007	0.0	-0.0
-0.0		Min	0.018	-0.003	-0.009	0.0	-0.0
0.0	INVSLV	Max	0.017	0.003	-0.004	0.0	-0.0
-0.0		Min	0.009	-0.003	-0.004	0.0	-0.0
2384	Q1-1-2	Max	0.001	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.009	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.001	0.000	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.005	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	0.004	-0.0	0.0
0.0	SLVy	(RS)	-0.000	0.003	-0.001	-0.0	0.0
0.0	SLDx	(RS)	0.002	-0.000	0.002	-0.0	0.0
0.0	SLDy	(RS)	-0.000	0.002	-0.000	-0.0	0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.002	-0.0	-0.0
0.0	g1		0.001	0.000	-0.016	0.0	0.0
0.0	g2		0.001	0.000	-0.004	0.0	0.0
0.0	q3		0.004	-0.000	-0.000	-0.0	0.0
0.0	q5_pc		-0.000	0.002	0.000	-0.0	0.0
0.0	q5_ps		-0.000	0.002	0.000	-0.0	0.0
0.0	INVSLU	Max	0.011	0.004	-0.043	0.0	0.0
0.0		Min	0.004	-0.003	-0.054	-0.0	0.0
0.0	INVSLV	Max	0.006	0.003	-0.022	0.0	0.0
-0.0		Min	-0.002	-0.003	-0.032	0.0	0.0
2385	Q1-1-2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.023	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.001	0.001	0.000	0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
	Min	-0.000	-0.001	-0.013	-0.0	-0.0
-0.0	SLVx (RS)	0.004	-0.000	0.012	-0.0	-0.0
0.0	SLVy (RS)	-0.000	0.004	0.001	0.0	-0.0
0.0	SLDx (RS)	0.002	-0.000	0.006	-0.0	-0.0
0.0	SLDy (RS)	-0.000	0.002	0.000	0.0	-0.0
0.0	SLVz (RS)	-0.001	-0.000	0.004	-0.0	-0.0
-0.0	g1	0.002	0.000	-0.028	0.0	0.0
0.0	g2	0.001	0.000	-0.010	0.0	0.0
0.0	q3	0.005	-0.000	-0.001	-0.0	0.0
0.0	q5_pc	-0.000	0.003	0.000	-0.0	0.0
0.0	q5_ps	-0.000	0.003	-0.000	-0.0	0.0
0.0	INVS LU Max	0.015	0.006	-0.097	0.0	0.0
0.0	Min	0.007	-0.005	-0.128	-0.0	0.0
0.0	INVS LV Max	0.009	0.004	-0.047	0.0	0.0
0.0	Min	0.001	-0.004	-0.073	-0.0	0.0
2386	Q1-1-2 Max	0.004	0.002	0.000	0.0	0.0
0.0	Min	-0.000	-0.002	-0.034	-0.0	-0.0
-0.0	Q2a-1-2 Max	0.002	0.001	0.000	0.0	0.0
0.0	Min	-0.000	-0.001	-0.020	-0.0	-0.0
-0.0	SLVx (RS)	0.004	-0.000	0.017	-0.0	-0.0
0.0	SLVy (RS)	-0.000	0.005	0.001	0.0	-0.0
0.0	SLDx (RS)	0.002	-0.000	0.008	-0.0	-0.0
0.0	SLDy (RS)	-0.000	0.003	0.000	0.0	-0.0
0.0	SLVz (RS)	-0.001	-0.000	0.006	0.0	-0.0
-0.0	g1	0.004	0.000	-0.038	0.0	0.0
0.0	g2	0.002	0.000	-0.014	0.0	0.0
0.0	q3	0.005	-0.000	-0.001	-0.0	0.0
0.0	q5_pc	-0.000	0.003	-0.000	-0.0	0.0
0.0	q5_ps	-0.000	0.003	-0.000	-0.0	0.0
0.0	INVS LU Max	0.020	0.007	-0.135	0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0		Min	0.011	-0.006	-0.181	-0.0	0.0
0.0	INVSLV	Max	0.011	0.005	-0.065	0.0	0.0
0.0		Min	0.003	-0.005	-0.102	-0.0	0.0
2387	Q1-1-2	Max	0.005	0.003	0.000	0.0	0.0
0.0		Min	-0.000	-0.003	-0.039	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.003	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.023	-0.0	-0.0
-0.0							
0.0	SLVx	(RS)	0.004	-0.000	0.019	-0.0	-0.0
0.0	SLVy	(RS)	-0.000	0.005	0.000	0.0	-0.0
0.0	SLDx	(RS)	0.002	-0.000	0.010	-0.0	-0.0
0.0	SLDy	(RS)	-0.000	0.003	0.000	0.0	-0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.007	0.0	-0.0
-0.0							
0.0	g1		0.005	0.000	-0.042	0.0	0.0
0.0	g2		0.003	0.000	-0.016	0.0	0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	-0.0
0.0	q5_ps		-0.000	0.003	-0.000	-0.0	0.0
0.0							
0.0	INVSLU	Max	0.025	0.007	-0.155	0.0	0.0
0.0		Min	0.014	-0.007	-0.208	-0.0	0.0
0.0							
0.0	INVSLV	Max	0.013	0.005	-0.075	0.0	0.0
0.0		Min	0.005	-0.005	-0.117	-0.0	0.0
0.0							
2388	Q1-1-2	Max	0.007	0.003	0.000	0.0	0.0
0.0		Min	-0.000	-0.003	-0.039	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.023	-0.0	-0.0
-0.0							
-0.0	SLVx	(RS)	0.004	-0.000	0.019	0.0	-0.0
-0.0	SLVy	(RS)	-0.000	0.005	0.000	0.0	-0.0
-0.0	SLDx	(RS)	0.002	-0.000	0.009	0.0	-0.0
-0.0	SLDy	(RS)	-0.000	0.003	0.000	0.0	-0.0


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.0	SLVz (RS)		-0.001	-0.000	0.007	0.0	0.0
-0.0	g1		0.006	0.000	-0.042	-0.0	-0.0
0.0	g2		0.003	0.000	-0.016	-0.0	-0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0
0.0	q5_pc		-0.000	0.003	0.000	-0.0	0.0
-0.0	q5_ps		-0.000	0.003	-0.000	-0.0	0.0
-0.0	INVSLU	Max	0.028	0.007	-0.155	0.0	-0.0
0.0		Min	0.016	-0.007	-0.208	-0.0	-0.0
0.0	INVSLV	Max	0.015	0.005	-0.075	0.0	-0.0
0.0		Min	0.007	-0.005	-0.117	-0.0	-0.0
0.0							
2389	Q1-1-2	Max	0.008	0.002	0.000	0.0	0.0
0.0		Min	-0.000	-0.002	-0.034	-0.0	-0.0
-0.0							
-0.0	Q2a-1-2	Max	0.005	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.020	-0.0	-0.0
-0.0							
-0.0	SLVx (RS)		0.004	0.000	0.016	0.0	0.0
-0.0	SLVy (RS)		0.000	0.005	0.000	0.0	-0.0
-0.0	SLDx (RS)		0.002	0.000	0.008	0.0	0.0
-0.0	SLDy (RS)		0.000	0.002	0.000	0.0	-0.0
-0.0	SLVz (RS)		-0.001	-0.000	0.006	0.0	0.0
-0.0	g1		0.007	0.000	-0.038	-0.0	-0.0
0.0	g2		0.004	0.000	-0.014	-0.0	-0.0
0.0	q3		0.005	-0.000	-0.001	-0.0	-0.0
0.0	q5_pc		-0.000	0.003	0.000	-0.0	-0.0
-0.0	q5_ps		-0.000	0.003	0.000	-0.0	0.0
-0.0							
-0.0	INVSLU	Max	0.031	0.007	-0.135	0.0	-0.0
0.0		Min	0.018	-0.006	-0.181	-0.0	-0.0
0.0							
0.0	INVSLV	Max	0.016	0.005	-0.066	0.0	-0.0
0.0		Min	0.008	-0.005	-0.102	-0.0	-0.0
0.0							


MIDAS

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
2390	Q1-1-2	Max	0.009	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.023	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.005	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.013	-0.0	-0.0
-0.0							
-0.0		SLVx (RS)	0.004	0.000	0.011	0.0	0.0
-0.0		SLVy (RS)	0.000	0.004	0.001	0.0	-0.0
-0.0		SLDx (RS)	0.002	0.000	0.006	0.0	0.0
-0.0		SLDy (RS)	0.000	0.002	0.000	0.0	-0.0
-0.0		SLVz (RS)	-0.001	-0.000	0.004	0.0	0.0
0.0		g1	0.008	0.000	-0.028	-0.0	-0.0
0.0		g2	0.004	0.000	-0.010	-0.0	-0.0
0.0		q3	0.005	-0.000	-0.001	-0.0	-0.0
0.0		q5_pc	-0.000	0.003	-0.000	-0.0	0.0
-0.0		q5_ps	-0.000	0.003	-0.000	-0.0	0.0
-0.0							
	INVSLU	Max	0.033	0.006	-0.097	0.0	-0.0
0.0		Min	0.019	-0.005	-0.128	-0.0	-0.0
0.0							
	INVSLV	Max	0.017	0.004	-0.048	0.0	-0.0
0.0		Min	0.009	-0.004	-0.073	-0.0	-0.0
0.0							
2391	Q1-1-2	Max	0.009	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.009	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.005	0.000	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.005	-0.0	-0.0
-0.0							
-0.0		SLVx (RS)	0.004	-0.000	0.004	-0.0	0.0
-0.0		SLVy (RS)	0.000	0.003	-0.001	-0.0	0.0
-0.0		SLDx (RS)	0.002	-0.000	0.002	-0.0	0.0
-0.0		SLDy (RS)	0.000	0.002	-0.000	-0.0	0.0
-0.0		SLVz (RS)	-0.001	-0.000	0.002	0.0	0.0
0.0		g1	0.008	0.000	-0.016	-0.0	-0.0
0.0		g2	0.004	0.000	-0.003	-0.0	-0.0
0.0		q3	0.005	0.000	-0.000	-0.0	-0.0
0.0							

MIDAS

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.0	q5_pc		0.000	0.002	-0.000	-0.0	0.0
-0.0	q5_ps		0.000	0.002	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.033	0.004	-0.042	0.0	-0.0
-0.0		Min	0.019	-0.003	-0.054	-0.0	-0.0
0.0	INVSLV	Max	0.018	0.003	-0.022	-0.0	-0.0
-0.0		Min	0.009	-0.003	-0.032	-0.0	-0.0
2392 0.0	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.001	-0.0	-0.0
0.0	Q2a-1-2	Max	0.004	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.001	-0.0	-0.0
0.0	SLVx (RS)		0.004	-0.000	0.000	0.0	0.0
0.0	SLVy (RS)		0.000	0.003	-0.000	-0.0	0.0
0.0	SLDx (RS)		0.002	-0.000	0.000	0.0	0.0
0.0	SLDy (RS)		0.000	0.002	-0.000	-0.0	0.0
-0.0	SLVz (RS)		-0.001	-0.000	0.000	-0.0	-0.0
0.0	g1		0.005	0.000	-0.000	0.0	0.0
0.0	g2		0.003	0.000	-0.000	0.0	0.0
0.0	q3		0.005	-0.000	0.000	0.0	0.0
0.0	q5_pc		0.000	0.003	-0.000	-0.0	-0.0
0.0	q5_ps		0.000	0.002	-0.000	-0.0	-0.0
0.0	INVSLU	Max	0.036	0.005	-0.001	-0.0	0.0
-0.0		Min	0.025	-0.004	-0.002	-0.0	0.0
0.0	INVSLV	Max	0.019	0.003	-0.000	0.0	0.0
-0.0		Min	0.011	-0.003	-0.000	0.0	0.0
2393 0.0	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.001	-0.002	-0.0	-0.0
0.0	Q2a-1-2	Max	0.004	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.001	-0.0	-0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	SLVx (RS)	0.004	-0.000	0.000	0.0	0.0
0.0	SLVy (RS)	0.000	0.003	-0.000	-0.0	0.0
0.0	SLDx (RS)	0.002	-0.000	0.000	0.0	0.0
0.0	SLDy (RS)	0.000	0.002	-0.000	-0.0	0.0
0.0	SLVz (RS)	-0.001	-0.000	0.000	-0.0	-0.0
-0.0	g1	0.005	0.000	-0.000	0.0	0.0
0.0	g2	0.003	0.000	-0.000	0.0	0.0
0.0	q3	0.005	-0.000	0.000	0.0	0.0
0.0	q5_pc	0.000	0.003	-0.000	-0.0	-0.0
0.0	q5_ps	0.000	0.002	-0.000	-0.0	-0.0
0.0	INVS LU Max	0.036	0.005	-0.001	-0.0	0.0
0.0	Min	0.025	-0.004	-0.004	-0.0	0.0
-0.0	INVS LV Max	0.019	0.003	-0.000	0.0	0.0
0.0	Min	0.011	-0.003	-0.000	0.0	0.0
-0.0	Q1-1-2 Max	0.006	0.001	0.000	0.0	0.0
2394	Min	-0.000	-0.001	-0.002	-0.0	-0.0
0.0	Q2a-1-2 Max	0.004	0.001	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.002	-0.0	-0.0
-0.0	SLVx (RS)	0.004	-0.000	0.000	0.0	0.0
-0.0	SLVy (RS)	0.000	0.003	-0.000	-0.0	0.0
0.0	SLDx (RS)	0.002	-0.000	0.000	0.0	0.0
-0.0	SLDy (RS)	0.000	0.002	-0.000	-0.0	0.0
0.0	SLVz (RS)	-0.001	-0.000	0.000	-0.0	-0.0
-0.0	g1	0.005	0.000	-0.000	0.0	0.0
0.0	g2	0.003	0.000	-0.000	0.0	0.0
0.0	q3	0.005	-0.000	0.000	0.0	0.0
0.0	q5_pc	0.000	0.003	-0.000	-0.0	-0.0
0.0	q5_ps	0.000	0.002	-0.000	-0.0	-0.0
0.0	INVS LU Max	0.036	0.005	-0.001	-0.0	0.0
0.0	Min	0.025	-0.004	-0.004	-0.0	0.0
-0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	INVS LV	Max	0.019	0.003	-0.000	0.0	0.0
-0.0		Min	0.011	-0.003	-0.000	0.0	0.0
2395	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.002	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.002	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	0.000	0.0	0.0
0.0	SLVy	(RS)	-0.000	0.003	-0.000	-0.0	-0.0
0.0	SLDx	(RS)	0.002	-0.000	0.000	0.0	0.0
0.0	SLDy	(RS)	-0.000	0.002	-0.000	-0.0	-0.0
-0.0	SLVz	(RS)	-0.001	-0.000	0.000	0.0	-0.0
-0.0	g1		0.005	0.000	-0.000	-0.0	0.0
-0.0	g2		0.003	0.000	-0.000	-0.0	0.0
0.0	q3		0.005	-0.000	0.000	0.0	0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	0.0
0.0	q5_ps		-0.000	0.002	-0.000	-0.0	-0.0
0.0	INVS LU	Max	0.036	0.005	-0.001	0.0	0.0
-0.0		Min	0.025	-0.004	-0.005	-0.0	0.0
0.0	INVS LV	Max	0.019	0.003	-0.000	0.0	0.0
-0.0		Min	0.011	-0.003	-0.000	-0.0	0.0
2396	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.002	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.004	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.002	-0.0	-0.0
0.0	SLVx	(RS)	0.004	-0.000	0.000	-0.0	0.0
0.0	SLVy	(RS)	-0.000	0.003	-0.000	-0.0	-0.0
0.0	SLDx	(RS)	0.002	-0.000	0.000	-0.0	0.0
0.0	SLDy	(RS)	-0.000	0.002	-0.000	-0.0	-0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.000	0.0	-0.0



PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


0.0							
-0.0	g1		0.005	0.000	-0.000	-0.0	0.0
-0.0	g2		0.003	0.000	-0.000	-0.0	0.0
-0.0	q3		0.005	-0.000	0.000	-0.0	0.0
0.0	q5_pc		-0.000	0.003	-0.000	-0.0	0.0
0.0	q5_ps		-0.000	0.002	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.036	0.004	-0.001	0.0	0.0
-0.0		Min	0.025	-0.004	-0.004	0.0	0.0
0.0	INVSLV	Max	0.019	0.003	-0.000	-0.0	0.0
-0.0		Min	0.011	-0.003	-0.000	-0.0	0.0
2397	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.002	-0.0	-0.0
-0.0	Q2a-1-2	Max	0.004	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.001	-0.0	-0.0
-0.0	SLVx (RS)		0.004	-0.000	0.000	-0.0	0.0
0.0	SLVy (RS)		-0.000	0.003	-0.000	-0.0	-0.0
0.0	SLDx (RS)		0.002	-0.000	0.000	-0.0	0.0
0.0	SLDy (RS)		-0.000	0.002	-0.000	-0.0	-0.0
0.0	SLVz (RS)		-0.001	-0.000	0.000	0.0	-0.0
0.0	g1		0.005	0.000	-0.000	-0.0	0.0
-0.0	g2		0.003	0.000	-0.000	-0.0	0.0
-0.0	q3		0.005	-0.000	0.000	-0.0	0.0
-0.0	q5_pc		-0.000	0.003	-0.000	-0.0	0.0
0.0	q5_ps		-0.000	0.002	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.036	0.004	-0.001	0.0	0.0
-0.0		Min	0.025	-0.004	-0.004	0.0	0.0
0.0	INVSLV	Max	0.019	0.003	-0.000	-0.0	0.0
-0.0		Min	0.011	-0.003	-0.000	-0.0	0.0
2398	Q1-1-2	Max	0.006	0.001	0.000	0.0	0.0
0.0							

PROJECT TITLE :


MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.0		Min	-0.000	-0.001	-0.001	-0.0	-0.0
0.0	Q2a-1-2	Max	0.004	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.001	-0.0	-0.0
0.0		SLVx (RS)	0.004	-0.000	0.000	-0.0	0.0
0.0		SLVy (RS)	-0.000	0.003	-0.000	-0.0	-0.0
0.0		SLDx (RS)	0.002	-0.000	0.000	-0.0	0.0
0.0		SLDy (RS)	-0.000	0.002	-0.000	-0.0	-0.0
0.0		SLVz (RS)	-0.001	-0.000	0.000	0.0	-0.0
-0.0		g1	0.005	0.000	-0.000	-0.0	0.0
-0.0		g2	0.003	0.000	-0.000	-0.0	0.0
-0.0		q3	0.005	-0.000	0.000	-0.0	0.0
0.0		q5_pc	-0.000	0.003	-0.000	-0.0	0.0
0.0		q5_ps	-0.000	0.002	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.036	0.004	-0.001	0.0	0.0
-0.0		Min	0.025	-0.004	-0.002	0.0	0.0
0.0	INVSLV	Max	0.019	0.003	-0.000	-0.0	0.0
-0.0		Min	0.011	-0.003	-0.000	-0.0	0.0
2399	Q1-1-2	Max	0.004	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.001	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.002	0.001	0.000	0.0	0.0
-0.0		Min	-0.000	-0.000	-0.001	-0.0	-0.0
-0.0		SLVx (RS)	0.004	-0.000	0.000	-0.0	0.0
-0.0		SLVy (RS)	-0.000	0.003	-0.000	-0.0	-0.0
-0.0		SLDx (RS)	0.002	-0.000	0.000	-0.0	0.0
-0.0		SLDy (RS)	-0.000	0.002	-0.000	-0.0	-0.0
-0.0		SLVz (RS)	-0.001	-0.000	0.000	-0.0	0.0
0.0		g1	0.003	0.000	-0.000	0.0	-0.0
-0.0		g2	0.002	0.000	-0.000	0.0	-0.0
-0.0		q3	0.005	0.000	-0.000	0.0	-0.0
-0.0		q5_pc	-0.000	0.003	-0.000	-0.0	0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.0	q5_ps		-0.000	0.002	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.005	0.005	-0.001	-0.0	-0.0
-0.0		Min	-0.004	-0.004	-0.002	-0.0	-0.0
0.0	INVSLV	Max	0.004	0.003	-0.000	0.0	-0.0
-0.0		Min	-0.005	-0.003	-0.000	0.0	-0.0
2400	Q1-1-2	Max	0.004	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.002	-0.0	-0.0
-0.0	Q2a-1-2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.001	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	0.000	-0.0	0.0
-0.0	SLVy	(RS)	-0.000	0.003	-0.000	-0.0	-0.0
-0.0	SLDx	(RS)	0.002	-0.000	0.000	-0.0	0.0
-0.0	SLDy	(RS)	-0.000	0.002	-0.000	-0.0	-0.0
0.0	SLVz	(RS)	-0.001	-0.000	0.000	-0.0	0.0
-0.0	g1		0.003	0.000	-0.000	0.0	-0.0
-0.0	g2		0.002	0.000	-0.000	0.0	-0.0
0.0	q3		0.005	0.000	-0.000	0.0	-0.0
-0.0	q5_pc		-0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps		-0.000	0.002	-0.000	-0.0	0.0
0.0	INVSLU	Max	0.005	0.005	-0.001	-0.0	-0.0
-0.0		Min	-0.005	-0.004	-0.004	-0.0	-0.0
0.0	INVSLV	Max	0.004	0.003	-0.000	0.0	-0.0
-0.0		Min	-0.005	-0.003	-0.000	0.0	-0.0
2401	Q1-1-2	Max	0.004	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.002	-0.0	-0.0
-0.0	Q2a-1-2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.002	-0.0	-0.0
-0.0	SLVx	(RS)	0.004	-0.000	0.000	-0.0	0.0

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
-0.0	SLVy (RS)	-0.000	0.003	-0.000	-0.0	-0.0
0.0	SLDx (RS)	0.002	-0.000	0.000	-0.0	0.0
-0.0	SLDy (RS)	-0.000	0.002	-0.000	-0.0	-0.0
0.0	SLVz (RS)	-0.001	-0.000	0.000	-0.0	0.0
-0.0	g1	0.003	0.000	-0.000	0.0	-0.0
-0.0	g2	0.002	0.000	-0.000	0.0	-0.0
0.0	q3	0.005	0.000	-0.000	0.0	-0.0
-0.0	q5_pc	-0.000	0.003	-0.000	-0.0	0.0
-0.0	q5_ps	-0.000	0.002	-0.000	-0.0	0.0
0.0	INVSLU Max	0.005	0.005	-0.001	-0.0	-0.0
-0.0	Min	-0.005	-0.004	-0.004	-0.0	-0.0
0.0	INVSLV Max	0.004	0.003	-0.000	0.0	-0.0
-0.0	Min	-0.005	-0.003	-0.000	0.0	-0.0
2402	Q1-1-2 Max	0.004	0.001	0.000	0.0	0.0
0.0	Min	-0.000	-0.001	-0.002	-0.0	-0.0
-0.0	Q2a-1-2 Max	0.002	0.001	0.000	0.0	0.0
0.0	Min	-0.000	-0.000	-0.002	-0.0	-0.0
-0.0	SLVx (RS)	0.004	-0.000	0.000	-0.0	0.0
0.0	SLVy (RS)	-0.000	0.003	-0.000	0.0	0.0
-0.0	SLDx (RS)	0.002	-0.000	0.000	-0.0	0.0
0.0	SLDy (RS)	-0.000	0.002	-0.000	0.0	0.0
-0.0	SLVz (RS)	-0.001	-0.000	0.000	-0.0	0.0
0.0	g1	0.003	0.000	-0.000	0.0	-0.0
-0.0	g2	0.002	0.000	-0.000	0.0	-0.0
-0.0	q3	0.005	0.000	-0.000	0.0	-0.0
0.0	q5_pc	-0.000	0.003	-0.000	-0.0	-0.0
-0.0	q5_ps	-0.000	0.002	-0.000	-0.0	0.0
-0.0	INVSLU Max	0.005	0.004	-0.001	0.0	-0.0
0.0	Min	-0.005	-0.004	-0.005	-0.0	-0.0
-0.0	INVSLV Max	0.004	0.003	-0.000	0.0	-0.0

# MIDAS

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


0.0		Min	-0.005	-0.003	-0.000	-0.0	-0.0
-0.0							
2403	Q1-1-2	Max	0.004	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.002	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.002	0.001	0.000	0.0	0.0
		Min	-0.000	-0.000	-0.002	-0.0	-0.0
-0.0							
-0.0		SLVx (RS)	0.004	-0.000	0.000	0.0	0.0
-0.0		SLVy (RS)	0.000	0.003	-0.000	-0.0	0.0
-0.0		SLDx (RS)	0.002	-0.000	0.000	0.0	0.0
-0.0		SLDy (RS)	0.000	0.002	-0.000	-0.0	0.0
-0.0		SLVz (RS)	-0.001	-0.000	0.000	0.0	0.0
-0.0		g1	0.003	0.000	-0.000	-0.0	-0.0
0.0		g2	0.002	0.000	-0.000	-0.0	-0.0
0.0		q3	0.005	0.000	-0.000	-0.0	-0.0
0.0		q5_pc	0.000	0.003	-0.000	-0.0	-0.0
-0.0		q5_ps	0.000	0.002	-0.000	-0.0	-0.0
-0.0							
0.0	INVSLU	Max	0.005	0.004	-0.001	0.0	-0.0
		Min	-0.005	-0.004	-0.004	0.0	-0.0
-0.0							
0.0	INVSLV	Max	0.004	0.003	-0.000	-0.0	-0.0
		Min	-0.005	-0.003	-0.000	-0.0	-0.0
-0.0							
2404	Q1-1-2	Max	0.004	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.002	-0.0	-0.0
-0.0							
0.0	Q2a-1-2	Max	0.002	0.001	0.000	0.0	0.0
		Min	-0.000	-0.000	-0.001	-0.0	-0.0
-0.0							
-0.0		SLVx (RS)	0.004	-0.000	0.000	0.0	0.0
-0.0		SLVy (RS)	0.000	0.003	-0.000	-0.0	0.0
-0.0		SLDx (RS)	0.002	-0.000	0.000	0.0	0.0
-0.0		SLDy (RS)	0.000	0.002	-0.000	-0.0	0.0
-0.0		SLVz (RS)	-0.001	-0.000	0.000	0.0	0.0
-0.0		g1	0.003	0.000	-0.000	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0							
	g2		0.002	0.000	-0.000	-0.0	-0.0
0.0							
	q3		0.005	0.000	-0.000	-0.0	-0.0
0.0							
	q5_pc		0.000	0.003	-0.000	-0.0	-0.0
-0.0							
	q5_ps		0.000	0.002	-0.000	-0.0	-0.0
-0.0							
	INVSLU	Max	0.005	0.004	-0.001	0.0	-0.0
0.0		Min	-0.005	-0.004	-0.004	0.0	-0.0
-0.0							
	INVSLV	Max	0.004	0.003	-0.000	-0.0	-0.0
0.0		Min	-0.005	-0.003	-0.000	-0.0	-0.0
-0.0							
2405	Q1-1-2	Max	0.004	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.001	-0.001	-0.0	-0.0
-0.0							
	Q2a-1-2	Max	0.002	0.001	0.000	0.0	0.0
0.0		Min	-0.000	-0.000	-0.001	-0.0	-0.0
-0.0							
	SLVx	(RS)	0.004	-0.000	0.000	0.0	0.0
-0.0							
	SLVy	(RS)	0.000	0.003	-0.000	-0.0	0.0
-0.0							
	SLDx	(RS)	0.002	-0.000	0.000	0.0	0.0
-0.0							
	SLDy	(RS)	0.000	0.002	-0.000	-0.0	0.0
-0.0							
	SLVz	(RS)	-0.001	-0.000	0.000	0.0	0.0
-0.0							
	g1		0.003	0.000	-0.000	-0.0	-0.0
0.0							
	g2		0.002	0.000	-0.000	-0.0	-0.0
0.0							
	q3		0.005	0.000	-0.000	-0.0	-0.0
0.0							
	q5_pc		0.000	0.003	-0.000	-0.0	-0.0
-0.0							
	q5_ps		0.000	0.002	-0.000	-0.0	-0.0
-0.0							
	INVSLU	Max	0.005	0.004	-0.001	0.0	-0.0
0.0		Min	-0.004	-0.004	-0.002	0.0	-0.0
-0.0							
	INVSLV	Max	0.004	0.003	-0.000	-0.0	-0.0
0.0		Min	-0.005	-0.003	-0.000	-0.0	-0.0
-0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


BEAM ELEMENT FORCES & MOMENTS DEFAULT PRINTOUT.  
kN , m

Unit System :


ELEM MENT-y	MAT MOMENT-z	SEC	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MO
71	2	71	Q1-1-2	Max	I	111.9	0.0	0.0	0.0
0.0	0.0				J	111.9	0.0	0.0	0.0
0.4	0.0			Min	I	-127.8	-0.0	-0.2	-0.0
0.0	0.0				J	-127.8	-0.0	-0.2	-0.0
-0.0	-0.0								
			Q2a-1-2	Max	I	65.3	0.0	0.0	0.0
0.0	0.0				J	65.3	0.0	0.0	0.0
0.2	0.0			Min	I	-72.3	-0.0	-0.1	-0.0
0.0	0.0				J	-72.3	-0.0	-0.1	-0.0
-0.0	-0.0								
			SLVx (RS)		I	-8.6	-0.7	-0.0	-0.0
0.0	0.0				J	-8.6	-0.7	-0.0	-0.0
0.0	1.4								
			SLVy (RS)		I	193.2	-0.0	-0.0	-0.0
0.0	0.0				J	193.2	-0.0	-0.0	-0.0
0.1	0.0								
			SLDx (RS)		I	-4.3	-0.3	-0.0	-0.0
0.0	0.0				J	-4.3	-0.3	-0.0	-0.0
0.0	0.7								
			SLDy (RS)		I	96.5	-0.0	-0.0	-0.0
0.0	0.0				J	96.5	-0.0	-0.0	-0.0
0.0	0.0								
			SLVz (RS)		I	2.0	0.2	0.0	0.0
0.0	0.0				J	2.0	0.2	0.0	0.0
-0.0	-0.4								
			g1		I	-19.0	0.0	-0.6	-0.0
0.0	0.0				J	-19.0	0.0	0.5	-0.0
0.1	-0.0								
			g2		I	-11.2	0.0	-0.1	-0.0
0.0	0.0				J	-11.2	0.0	-0.1	-0.0
0.2	-0.0								
			q3		I	-8.7	-0.0	-0.0	-0.0
0.0	0.0				J	-8.7	-0.0	-0.0	-0.0




PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	0.0							
0.0	0.0		q5_pc	I	168.6	0.0	-0.0	0.0
0.0	-0.0			J	168.6	0.0	-0.0	0.0
0.0	0.0		q5_ps	I	146.6	0.0	-0.0	0.0
0.0	-0.0			J	146.6	0.0	-0.0	0.0
0.0	0.0		INVSLU Max	I	299.9	0.0	-0.9	0.0
1.0	0.0			J	299.9	0.0	0.6	0.0
0.0	0.0		Min	I	-382.4	-0.0	-1.2	-0.0
0.3	-0.0			J	-382.4	-0.0	0.3	-0.0
0.0	0.0		INVSLV Max	I	161.1	0.7	-0.5	0.0
0.2	1.6			J	161.1	0.7	0.5	0.0
0.0	0.0		Min	I	-231.5	-0.7	-0.6	-0.0
0.0	-1.6			J	-231.5	-0.7	0.5	-0.0
72	2	71	Q1-1-2 Max	I	108.8	0.0	0.0	0.0
0.0	0.0			J	108.8	0.0	0.0	0.0
0.4	0.0		Min	I	-127.0	-0.0	-0.2	-0.0
0.0	0.0			J	-127.0	-0.0	-0.2	-0.0
-0.0	-0.0		Q2a-1-2 Max	I	63.7	0.0	0.0	0.0
0.0	0.0			J	63.7	0.0	0.0	0.0
0.2	0.0		Min	I	-72.0	-0.0	-0.1	-0.0
0.0	0.0			J	-72.0	-0.0	-0.1	-0.0
-0.0	-0.0		SLVx (RS)	I	3.5	-0.7	0.0	0.0
0.0	0.0			J	3.5	-0.7	0.0	0.0
-0.0	1.5		SLVy (RS)	I	191.3	0.0	-0.0	0.0
0.0	0.0			J	191.3	0.0	-0.0	0.0
0.1	-0.0		SLDx (RS)	I	1.8	-0.3	0.0	0.0
0.0	0.0			J	1.8	-0.3	0.0	0.0
-0.0	0.7		SLDy (RS)	I	95.5	0.0	-0.0	0.0
0.0	0.0			J	95.5	0.0	-0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	-0.0						
			SLVz (RS)	I	2.5	0.2	0.0 -0.0
0.0	0.0			J	2.5	0.2	0.0 -0.0
-0.0	-0.3						
			g1	I	-20.6	0.0	-0.6 0.0
0.0	0.0			J	-20.6	0.0	0.5 0.0
0.1	-0.0						
			g2	I	-11.4	-0.0	-0.1 0.0
0.0	0.0			J	-11.4	-0.0	-0.1 0.0
0.2	0.0						
			q3	I	-0.4	-0.0	-0.0 0.0
0.0	0.0			J	-0.4	-0.0	-0.0 0.0
0.0	0.0						
			q5_pc	I	166.9	0.0	-0.0 -0.0
0.0	0.0			J	166.9	0.0	-0.0 -0.0
0.0	-0.0						
			q5_ps	I	145.2	0.0	-0.0 -0.0
0.0	0.0			J	145.2	0.0	-0.0 -0.0
0.0	-0.0						
			INVSLU Max	I	292.7	0.0	-0.9 0.0
0.0	0.0			J	292.7	0.0	0.6 0.0
0.9	0.0		Min	I	-381.5	-0.0	-1.1 -0.0
0.0	0.0			J	-381.5	-0.0	0.3 -0.0
0.3	-0.0						
			INVSLV Max	I	156.6	0.7	-0.5 0.0
0.0	0.0			J	156.6	0.7	0.5 0.0
0.2	1.6		Min	I	-229.7	-0.7	-0.6 -0.0
0.0	0.0			J	-229.7	-0.7	0.5 -0.0
0.0	-1.6						
73	2	78	Q1-1-2 Max	I	7.3	0.0	0.1 0.0
0.0	0.0			J	7.3	0.0	0.1 0.0
0.0	0.0		Min	I	-114.8	-0.0	-0.0 -0.0
0.0	0.0			J	-114.8	-0.0	-0.0 -0.0
-0.3	-0.0						
			Q2a-1-2 Max	I	5.0	0.0	0.1 0.0
0.0	0.0			J	5.0	0.0	0.1 0.0
0.0	0.0		Min	I	-70.1	-0.0	-0.0 -0.0
0.0	0.0			J	-70.1	-0.0	-0.0 -0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.2	-0.0						
		SLVx (RS)	I	-13.9	-0.6	-0.0	-0.0
0.0	0.0		J	-13.9	-0.6	-0.0	-0.0
0.0	1.2						
		SLVy (RS)	I	-1.5	-0.0	-0.0	-0.0
0.0	0.0		J	-1.5	-0.0	-0.0	-0.0
0.0	0.0						
		SLDx (RS)	I	-7.0	-0.3	-0.0	-0.0
0.0	0.0		J	-7.0	-0.3	-0.0	-0.0
0.0	0.6						
		SLDy (RS)	I	-0.7	-0.0	-0.0	-0.0
0.0	0.0		J	-0.7	-0.0	-0.0	-0.0
0.0	0.0						
		SLVz (RS)	I	3.7	0.2	0.0	0.0
0.0	0.0		J	3.7	0.2	0.0	0.0
-0.0	-0.3						
		g1	I	-81.6	0.0	-0.4	-0.0
0.0	0.0		J	-81.6	0.0	0.5	-0.0
-0.2	-0.0						
		g2	I	-43.4	-0.0	-0.0	-0.0
0.0	0.0		J	-43.4	-0.0	-0.0	-0.0
0.1	0.0						
		q3	I	-14.3	-0.0	-0.0	0.0
0.0	0.0		J	-14.3	-0.0	-0.0	0.0
0.0	0.0						
		q5_pc	I	2.3	-0.0	0.0	0.0
0.0	0.0		J	2.3	-0.0	0.0	0.0
-0.0	0.0						
		q5_ps	I	1.1	-0.0	-0.0	0.0
0.0	0.0		J	1.1	-0.0	-0.0	0.0
0.0	0.0						
		INVSLU Max	I	-162.5	0.0	-0.1	0.0
0.0	0.0		J	-162.5	0.0	1.1	0.0
-0.6	0.0						
		Min	I	-331.4	-0.0	-0.3	-0.0
0.0	0.0		J	-331.4	-0.0	0.9	-0.0
-1.1	-0.0						
		INVSLV Max	I	-112.9	0.6	-0.1	0.0
0.0	0.0		J	-112.9	0.6	0.8	0.0
-0.7	1.3						
		Min	I	-143.9	-0.6	-0.1	-0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	0.0			J	-143.9	-0.6	0.8	-0.0
-0.7	-1.3							
74	2	78	Q1-1-2 Max	I	2.5	0.0	0.1	0.0
0.0	0.0			J	2.5	0.0	0.1	0.0
0.0	0.0		Min	I	-175.6	-0.0	-0.0	-0.0
0.0	0.0			J	-175.6	-0.0	-0.0	-0.0
-0.3	-0.0							
			Q2a-1-2 Max	I	1.8	0.0	0.1	0.0
0.0	0.0			J	1.8	0.0	0.1	0.0
0.0	0.0		Min	I	-104.6	-0.0	-0.0	-0.0
0.0	0.0			J	-104.6	-0.0	-0.0	-0.0
-0.2	-0.0							
			SLVx (RS)	I	-14.5	-0.6	-0.0	-0.0
0.0	0.0			J	-14.5	-0.6	-0.0	-0.0
0.0	1.2							
			SLVy (RS)	I	-6.1	-0.0	0.0	-0.0
0.0	0.0			J	-6.1	-0.0	0.0	-0.0
-0.0	0.0							
			SLDx (RS)	I	-7.2	-0.3	-0.0	-0.0
0.0	0.0			J	-7.2	-0.3	-0.0	-0.0
0.0	0.6							
			SLDy (RS)	I	-3.0	-0.0	0.0	-0.0
0.0	0.0			J	-3.0	-0.0	0.0	-0.0
-0.0	0.0							
			SLVz (RS)	I	5.3	0.1	0.0	-0.0
0.0	0.0			J	5.3	0.1	0.0	-0.0
-0.0	-0.3							
			g1	I	-119.4	0.0	-0.4	-0.0
0.0	0.0			J	-119.4	0.0	0.6	-0.0
-0.2	-0.0							
			g2	I	-61.2	-0.0	-0.0	-0.0
0.0	0.0			J	-61.2	-0.0	-0.0	-0.0
0.1	0.0							
			q3	I	-9.7	0.0	-0.0	0.0
0.0	0.0			J	-9.7	0.0	-0.0	0.0
0.0	-0.0							
			q5_pc	I	-2.8	-0.0	0.0	0.0
0.0	0.0			J	-2.8	-0.0	0.0	0.0
-0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		q5_ps	I	-2.9	-0.0	-0.0	-0.0
0.0	0.0			J	-2.9	-0.0	-0.0	-0.0
0.0	0.0		INVSLU Max	I	-236.6	0.0	0.1	0.0
-1.1	0.0			J	-236.6	0.0	1.3	0.0
0.0	0.0		Min	I	-483.2	-0.0	-0.1	-0.0
-1.5	-0.0			J	-483.2	-0.0	1.1	-0.0
0.0	0.0		INVSLV Max	I	-164.4	0.6	-0.0	0.0
-0.9	1.3			J	-164.4	0.6	0.9	0.0
0.0	0.0		Min	I	-200.3	-0.6	-0.0	-0.0
-1.0	-1.3			J	-200.3	-0.6	0.9	-0.0
75	2	78	Q1-1-2 Max	I	1.8	0.0	0.2	0.0
0.0	0.0			J	1.8	0.0	0.2	0.0
0.0	0.0		Min	I	-186.1	-0.0	-0.0	-0.0
-0.3	-0.0			J	-186.1	-0.0	-0.0	-0.0
0.0	0.0		Q2a-1-2 Max	I	1.3	0.0	0.1	0.0
0.0	0.0			J	1.3	0.0	0.1	0.0
0.0	0.0		Min	I	-110.2	-0.0	-0.0	-0.0
-0.2	-0.0			J	-110.2	-0.0	-0.0	-0.0
0.0	0.0		SLVx (RS)	I	-14.6	-0.6	-0.0	0.0
0.0	1.2			J	-14.6	-0.6	-0.0	0.0
0.0	0.0		SLVy (RS)	I	-6.9	-0.0	-0.0	-0.0
0.0	0.0			J	-6.9	-0.0	-0.0	-0.0
0.0	0.0		SLDx (RS)	I	-7.3	-0.3	-0.0	0.0
0.0	0.6			J	-7.3	-0.3	-0.0	0.0
0.0	0.0		SLDy (RS)	I	-3.4	-0.0	-0.0	-0.0
0.0	0.0			J	-3.4	-0.0	-0.0	-0.0
0.0	0.0		SLVz (RS)	I	5.9	0.1	0.0	0.0
-0.0	-0.3			J	5.9	0.1	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0	g1	I	-127.7	-0.0	-0.3	-0.0
-0.2	0.0		J	-127.7	-0.0	0.6	-0.0
0.0	0.0	g2	I	-64.6	-0.0	-0.0	-0.0
0.1	0.0		J	-64.6	-0.0	-0.0	-0.0
0.0	0.0	q3	I	-6.7	-0.0	-0.0	0.0
0.0	0.0		J	-6.7	-0.0	-0.0	0.0
0.0	0.0	q5_pc	I	-2.7	-0.0	0.0	-0.0
-0.0	0.0		J	-2.7	-0.0	0.0	-0.0
0.0	0.0	q5_ps	I	-2.7	-0.0	-0.0	-0.0
0.0	0.0		J	-2.7	-0.0	-0.0	-0.0
0.0	0.0	INVSLU Max	I	-242.4	0.0	0.2	0.0
-1.3	0.0		J	-242.4	0.0	1.4	0.0
0.0	0.0	Min	I	-501.9	-0.0	-0.0	-0.0
-1.8	-0.0		J	-501.9	-0.0	1.2	-0.0
0.0	0.0	INVSLV Max	I	-170.3	0.6	0.1	0.0
-1.1	1.3		J	-170.3	0.6	1.0	0.0
0.0	0.0	Min	I	-207.1	-0.6	0.1	-0.0
-1.1	-1.3		J	-207.1	-0.6	1.0	-0.0
76	2	78	Q1-1-2 Max	I	1.3	0.0	0.2
0.0	0.0			J	1.3	0.0	0.2
0.0	0.0		Min	I	-187.0	-0.0	-0.0
-0.3	-0.0			J	-187.0	-0.0	-0.0
0.0	0.0	Q2a-1-2 Max	I	0.9	0.0	0.1	0.0
0.0	0.0			J	0.9	0.0	0.1
0.0	0.0	Min	I	-110.4	-0.0	-0.0	-0.0
-0.2	-0.0			J	-110.4	-0.0	-0.0
0.0	0.0	SLVx (RS)	I	14.8	-0.6	-0.0	-0.0
0.0	1.2			J	14.8	-0.6	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0	SLVy (RS)	I	-7.7	-0.0	0.0	0.0
-0.0	0.0		J	-7.7	-0.0	0.0	0.0
0.0	0.0	SLDx (RS)	I	7.4	-0.3	-0.0	-0.0
0.0	0.6		J	7.4	-0.3	-0.0	-0.0
0.0	0.0	SLDy (RS)	I	-3.9	-0.0	0.0	0.0
-0.0	0.0		J	-3.9	-0.0	0.0	0.0
0.0	0.0	SLVz (RS)	I	6.2	0.1	0.0	0.0
-0.0	-0.3		J	6.2	0.1	0.0	0.0
0.0	0.0	g1	I	-129.9	-0.0	-0.3	-0.0
-0.2	0.0		J	-129.9	-0.0	0.6	-0.0
0.0	0.0	g2	I	-65.4	-0.0	-0.0	-0.0
0.1	0.0		J	-65.4	-0.0	-0.0	-0.0
0.0	0.0	q3	I	-5.1	-0.0	-0.0	0.0
0.0	0.0		J	-5.1	-0.0	-0.0	0.0
0.0	0.0	q5_pc	I	-3.0	-0.0	0.0	0.0
-0.0	0.0		J	-3.0	-0.0	0.0	0.0
0.0	0.0	q5_ps	I	-2.9	-0.0	-0.0	0.0
0.0	0.0		J	-2.9	-0.0	-0.0	0.0
0.0	0.0	INVSLU Max	I	-242.6	0.0	0.3	0.0
-1.4	0.0		J	-242.6	0.0	1.5	0.0
0.0	0.0	Min	I	-503.4	-0.0	0.0	-0.0
-1.9	-0.0		J	-503.4	-0.0	1.2	-0.0
0.0	0.0	INVSLV Max	I	-170.7	0.6	0.1	-0.0
-1.1	1.3		J	-170.7	0.6	1.0	-0.0
0.0	0.0	Min	I	-208.7	-0.6	0.1	-0.0
-1.1	-1.3		J	-208.7	-0.6	1.0	-0.0
77	2	78	Q1-1-2 Max	I	1.8	0.0	0.0
0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	


0.0	0.0		J	1.8	0.0	0.2	0.0
		Min	I	-187.0	-0.0	-0.0	-0.0
0.0	0.0		J	-187.0	-0.0	-0.0	-0.0
-0.3	-0.0						
		Q2a-1-2 Max	I	1.3	0.0	0.1	0.0
0.0	0.0		J	1.3	0.0	0.1	0.0
0.0	0.0	Min	I	-110.8	-0.0	-0.0	-0.0
0.0	0.0		J	-110.8	-0.0	-0.0	-0.0
-0.2	-0.0						
		SLVx (RS)	I	14.2	-0.6	-0.0	-0.0
0.0	0.0		J	14.2	-0.6	-0.0	-0.0
0.0	1.2						
		SLVy (RS)	I	-7.0	-0.0	-0.0	0.0
0.0	0.0		J	-7.0	-0.0	-0.0	0.0
0.0	0.0						
		SLDx (RS)	I	7.1	-0.3	-0.0	-0.0
0.0	0.0		J	7.1	-0.3	-0.0	-0.0
0.0	0.6						
		SLDy (RS)	I	-3.5	-0.0	-0.0	0.0
0.0	0.0		J	-3.5	-0.0	-0.0	0.0
0.0	0.0						
		SLVz (RS)	I	6.1	0.1	0.0	-0.0
0.0	0.0		J	6.1	0.1	0.0	-0.0
-0.0	-0.3						
		g1	I	-128.3	-0.0	-0.3	0.0
0.0	0.0		J	-128.3	-0.0	0.6	0.0
-0.2	0.0						
		g2	I	-64.7	-0.0	-0.0	-0.0
0.0	0.0		J	-64.7	-0.0	-0.0	-0.0
0.1	0.0						
		q3	I	-4.0	-0.0	-0.0	0.0
0.0	0.0		J	-4.0	-0.0	-0.0	0.0
0.0	0.0						
		q5_pc	I	-2.8	0.0	0.0	0.0
0.0	0.0		J	-2.8	0.0	0.0	0.0
-0.0	-0.0						
		q5_ps	I	-2.8	0.0	-0.0	0.0
0.0	0.0		J	-2.8	0.0	-0.0	0.0
0.0	-0.0						




PROJECT TITLE :

MIDAS		Company				Client		
		Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		INVSLU Max	I	-243.1	0.0	0.2	0.0
				J	-243.1	0.0	1.5	0.0
-1.3	0.0		Min	I	-504.1	-0.0	0.0	-0.0
0.0	0.0			J	-504.1	-0.0	1.2	-0.0
-1.8	-0.0							
			INVSLV Max	I	-171.2	0.6	0.1	0.0
0.0	0.0			J	-171.2	0.6	1.0	0.0
-1.1	1.3		Min	I	-207.5	-0.6	0.1	-0.0
0.0	0.0			J	-207.5	-0.6	1.0	-0.0
-1.1	-1.3							
78	2	78	Q1-1-2 Max	I	2.6	0.0	0.1	0.0
0.0	0.0			J	2.6	0.0	0.1	0.0
0.0	0.0		Min	I	-177.9	-0.0	-0.0	-0.0
0.0	0.0			J	-177.9	-0.0	-0.0	-0.0
-0.3	-0.0							
			Q2a-1-2 Max	I	1.8	0.0	0.1	0.0
0.0	0.0			J	1.8	0.0	0.1	0.0
0.0	0.0		Min	I	-105.9	-0.0	-0.0	-0.0
0.0	0.0			J	-105.9	-0.0	-0.0	-0.0
-0.2	-0.0							
			SLVx (RS)	I	12.8	-0.6	-0.0	-0.0
0.0	0.0			J	12.8	-0.6	-0.0	-0.0
0.0	1.2							
			SLVy (RS)	I	-6.4	-0.0	0.0	0.0
0.0	0.0			J	-6.4	-0.0	0.0	0.0
-0.0	0.0							
			SLDx (RS)	I	6.4	-0.3	-0.0	-0.0
0.0	0.0			J	6.4	-0.3	-0.0	-0.0
0.0	0.6							
			SLDy (RS)	I	-3.2	-0.0	0.0	0.0
0.0	0.0			J	-3.2	-0.0	0.0	0.0
-0.0	0.0							
			SLVz (RS)	I	5.5	0.1	0.0	-0.0
0.0	0.0			J	5.5	0.1	0.0	-0.0
-0.0	-0.3							
			g1	I	-121.3	-0.0	-0.3	0.0
0.0	0.0			J	-121.3	-0.0	0.6	0.0
-0.2	0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	0.0	g2	I	-61.5	-0.0	-0.0	0.0
			J	-61.5	-0.0	-0.0	0.0
0.1	0.0						
		q3	I	-3.1	-0.0	-0.0	0.0
0.0	0.0		J	-3.1	-0.0	-0.0	0.0
0.0	0.0						
		q5_pc	I	-3.1	0.0	0.0	0.0
0.0	0.0		J	-3.1	0.0	0.0	0.0
-0.0	-0.0						
		q5_ps	I	-3.1	0.0	-0.0	0.0
0.0	0.0		J	-3.1	0.0	-0.0	0.0
0.0	-0.0						
		INVSLU Max	I	-238.7	0.0	0.1	0.0
0.0	0.0		J	-238.7	0.0	1.3	0.0
-1.1	0.0	Min	I	-488.8	-0.0	-0.1	-0.0
0.0	0.0		J	-488.8	-0.0	1.1	-0.0
-1.6	-0.0						
		INVSLV Max	I	-167.8	0.6	0.0	0.0
0.0	0.0		J	-167.8	0.6	0.9	0.0
-1.0	1.3	Min	I	-200.5	-0.6	-0.0	-0.0
0.0	0.0		J	-200.5	-0.6	0.9	-0.0
-1.0	-1.3						
79	2	78	Q1-1-2 Max	I	7.3	0.0	0.1
0.0	0.0			J	7.3	0.0	0.1
0.0	0.0		Min	I	-118.1	-0.0	-0.0
0.0	0.0			J	-118.1	-0.0	-0.0
-0.3	-0.0						
		Q2a-1-2 Max	I	5.1	0.0	0.1	0.0
0.0	0.0		J	5.1	0.0	0.1	0.0
0.0	0.0	Min	I	-72.1	-0.0	-0.0	-0.0
0.0	0.0		J	-72.1	-0.0	-0.0	-0.0
-0.2	-0.0						
		SLVx (RS)	I	8.3	-0.6	0.0	0.0
0.0	0.0		J	8.3	-0.6	0.0	0.0
-0.0	1.2						
		SLVy (RS)	I	-1.9	-0.0	-0.0	0.0
0.0	0.0		J	-1.9	-0.0	-0.0	0.0
0.0	0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	0.0	SLDx (RS)	I	4.1	-0.3	0.0	0.0
-0.0	0.6		J	4.1	-0.3	0.0	0.0
0.0	0.0	SLDy (RS)	I	-0.9	-0.0	-0.0	0.0
0.0	0.0		J	-0.9	-0.0	-0.0	0.0
0.0	0.0	SLVz (RS)	I	3.6	0.1	0.0	-0.0
-0.0	-0.3		J	3.6	0.1	0.0	-0.0
0.0	0.0	g1	I	-83.7	-0.0	-0.4	0.0
-0.2	0.0		J	-83.7	-0.0	0.6	0.0
0.0	0.0	g2	I	-43.7	-0.0	-0.0	0.0
0.1	0.0		J	-43.7	-0.0	-0.0	0.0
0.0	0.0	q3	I	-1.9	-0.0	-0.0	0.0
0.0	0.0		J	-1.9	-0.0	-0.0	0.0
0.0	0.0	q5_pc	I	1.9	0.0	0.0	-0.0
-0.0	-0.0		J	1.9	0.0	0.0	-0.0
0.0	0.0	q5_ps	I	0.7	0.0	-0.0	-0.0
0.0	-0.0		J	0.7	0.0	-0.0	-0.0
0.0	0.0	INVSLU Max	I	-165.4	0.0	-0.1	0.0
-0.7	0.0		J	-165.4	0.0	1.1	0.0
0.0	0.0	Min	I	-338.2	-0.0	-0.3	-0.0
-1.1	-0.0		J	-338.2	-0.0	0.9	-0.0
0.0	0.0	INVSLV Max	I	-120.3	0.6	-0.1	0.0
-0.7	1.3		J	-120.3	0.6	0.8	0.0
0.0	0.0	Min	I	-140.2	-0.6	-0.1	-0.0
-0.7	-1.3		J	-140.2	-0.6	0.8	-0.0
81	2	76	Q1-1-2 Max	I	52.3	0.0	0.0
0.0	0.0		J	52.3	0.0	0.0	0.0
0.0	0.0		Min	I	-3.3	0.0	-0.0
0.0	0.0		J	-3.3	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


0.0	0.0	Q2a-1-2 Max	I	34.3	0.0	0.0	0.0
0.0	0.0		J	34.3	0.0	0.0	0.0
0.0	0.0	Min	I	-1.4	0.0	0.0	-0.0
0.0	0.0		J	-1.4	-0.0	-0.0	-0.0
0.0	0.0	SLVx (RS)	I	-0.7	0.0	0.0	0.0
0.0	0.0		J	-0.7	-0.0	-0.0	0.0
0.0	0.0	SLVy (RS)	I	-0.2	0.0	0.0	-0.0
0.0	0.0		J	-0.2	0.0	0.0	-0.0
0.0	0.0	SLDx (RS)	I	-0.3	0.0	0.0	0.0
0.0	0.0		J	-0.3	-0.0	-0.0	0.0
0.0	0.0	SLDy (RS)	I	-0.1	0.0	0.0	-0.0
0.0	0.0		J	-0.1	0.0	0.0	-0.0
0.0	0.0	SLVz (RS)	I	0.2	0.0	0.0	-0.0
0.0	0.0		J	0.2	0.0	0.0	-0.0
0.0	0.0	g1	I	1.4	0.0	-0.4	-0.0
0.0	0.0		J	1.4	-0.0	0.4	-0.0
0.0	0.0	g2	I	-7.9	0.0	0.0	0.0
0.0	0.0		J	-7.9	-0.0	-0.0	0.0
0.0	0.0	q3	I	-0.8	0.0	0.0	-0.0
0.0	0.0		J	-0.8	-0.0	-0.0	-0.0
0.0	0.0	q5_pc	I	1.1	0.0	0.0	0.0
0.0	0.0		J	1.1	0.0	-0.0	0.0
0.0	0.0	q5_ps	I	-0.2	0.0	0.0	0.0
0.0	0.0		J	-0.2	0.0	-0.0	0.0
0.0	0.0	INVSLU Max	I	127.0	0.0	-0.5	0.0
0.0	0.0		J	127.0	-0.0	0.5	0.0
0.0	0.0	Min	I	50.1	0.0	-0.5	-0.0
0.0	0.0		J	50.1	0.0	0.5	0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		J	50.1	-0.0	0.5	-0.0
0.0	0.0	INVS LV Max	I	79.2	0.0	-0.4	0.0
0.0	0.0		J	79.2	-0.0	0.4	0.0
0.0	0.0	Min	I	77.6	0.0	-0.4	-0.0
0.0	0.0		J	77.6	-0.0	0.4	-0.0
82	2	76	Q1-1-2 Max	I	57.6	0.0	0.0
0.0	0.0		J	57.6	0.0	0.0	0.0
0.0	0.0	Min	I	-3.1	0.0	0.0	-0.0
0.0	0.0		J	-3.1	-0.0	-0.0	-0.0
0.0	0.0	Q2a-1-2 Max	I	37.4	0.0	0.0	0.0
0.0	0.0		J	37.4	0.0	0.0	0.0
0.0	0.0	Min	I	-1.3	0.0	0.0	-0.0
0.0	0.0		J	-1.3	-0.0	-0.0	-0.0
0.0	0.0	SLVx (RS)	I	-0.8	0.0	0.0	-0.0
0.0	0.0		J	-0.8	-0.0	-0.0	-0.0
0.0	0.0	SLVy (RS)	I	0.0	0.0	0.0	-0.0
0.0	0.0		J	0.0	0.0	0.0	-0.0
0.0	0.0	SLDx (RS)	I	-0.4	0.0	0.0	-0.0
0.0	0.0		J	-0.4	-0.0	-0.0	-0.0
0.0	0.0	SLDy (RS)	I	0.0	0.0	0.0	-0.0
0.0	0.0		J	0.0	0.0	0.0	-0.0
0.0	0.0	SLVz (RS)	I	0.4	0.0	0.0	-0.0
0.0	0.0		J	0.4	0.0	0.0	-0.0
0.0	0.0	g1	I	5.3	0.0	-0.4	-0.0
0.0	0.0		J	5.3	-0.0	0.4	-0.0
0.0	0.0	g2	I	-6.5	0.0	0.0	0.0
0.0	0.0		J	-6.5	-0.0	-0.0	0.0
0.0	0.0	q3	I	-0.6	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	0.0			J	-0.6	-0.0	-0.0	0.0
0.0	0.0							
0.0	0.0		q5_pc	I	1.3	0.0	0.0	-0.0
0.0	0.0			J	1.3	0.0	-0.0	-0.0
0.0	0.0							
0.0	0.0		q5_ps	I	-0.0	0.0	0.0	-0.0
0.0	0.0			J	-0.0	0.0	-0.0	-0.0
0.0	0.0							
0.0	0.0		INVSLU Max	I	203.0	0.0	-0.5	0.0
0.0	0.0			J	203.0	-0.0	0.5	0.0
0.0	0.0							
0.0	0.0		Min	I	118.8	0.0	-0.5	-0.0
0.0	0.0			J	118.8	-0.0	0.5	-0.0
0.0	0.0							
0.0	0.0		INVSLV Max	I	125.5	0.0	-0.4	0.0
0.0	0.0			J	125.5	-0.0	0.4	0.0
0.0	0.0							
0.0	0.0		Min	I	123.6	0.0	-0.4	-0.0
0.0	0.0			J	123.6	-0.0	0.4	-0.0
0.0	0.0							
83	2	76	Q1-1-2 Max	I	61.2	0.0	0.0	0.0
0.0	0.0			J	61.2	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	I	-3.0	0.0	0.0	-0.0
0.0	0.0			J	-3.0	-0.0	-0.0	-0.0
0.0	0.0							
0.0	0.0		Q2a-1-2 Max	I	39.7	0.0	0.0	0.0
0.0	0.0			J	39.7	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	I	-1.2	0.0	0.0	-0.0
0.0	0.0			J	-1.2	-0.0	-0.0	-0.0
0.0	0.0							
0.0	0.0		SLVx (RS)	I	-1.0	0.0	0.0	-0.0
0.0	0.0			J	-1.0	-0.0	0.0	-0.0
0.0	0.0							
0.0	0.0		SLVy (RS)	I	-0.0	0.0	0.0	-0.0
0.0	0.0			J	-0.0	0.0	0.0	-0.0
0.0	0.0							
0.0	0.0		SLDx (RS)	I	-0.5	0.0	0.0	-0.0
0.0	0.0			J	-0.5	-0.0	0.0	-0.0
0.0	0.0							
0.0	0.0		SLDy (RS)	I	-0.0	0.0	0.0	-0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		J	-0.0	0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	SLVz (RS)	I	-0.4	0.0	0.0	-0.0
0.0	0.0		J	-0.4	0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	g1	I	7.5	0.0	-0.4	-0.0
0.0	0.0		J	7.5	-0.0	0.4	-0.0
0.0	0.0						
0.0	0.0	g2	I	-5.5	0.0	0.0	-0.0
0.0	0.0		J	-5.5	-0.0	-0.0	-0.0
0.0	0.0						
0.0	0.0	q3	I	-0.4	0.0	0.0	0.0
0.0	0.0		J	-0.4	-0.0	-0.0	0.0
0.0	0.0						
0.0	0.0	q5_pc	I	1.3	0.0	0.0	-0.0
0.0	0.0		J	1.3	0.0	-0.0	-0.0
0.0	0.0						
0.0	0.0	q5_ps	I	-0.1	0.0	0.0	-0.0
0.0	0.0		J	-0.1	0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	INVS LU Max	I	240.1	0.0	-0.5	0.0
0.0	0.0		J	240.1	-0.0	0.5	0.0
0.0	0.0						
0.0	0.0	Min	I	151.1	0.0	-0.5	-0.0
0.0	0.0		J	151.1	-0.0	0.5	-0.0
0.0	0.0						
0.0	0.0	INVS LV Max	I	147.6	0.0	-0.4	0.0
0.0	0.0		J	147.6	-0.0	0.4	0.0
0.0	0.0						
0.0	0.0	Min	I	145.4	0.0	-0.4	-0.0
0.0	0.0		J	145.4	-0.0	0.4	-0.0
0.0	0.0						
84	2	76	Q1-1-2 Max	I	62.4	0.0	0.0
0.0	0.0			J	62.4	0.0	0.0
0.0	0.0						
0.0	0.0		Min	I	-3.0	0.0	-0.0
0.0	0.0			J	-3.0	-0.0	-0.0
0.0	0.0						
0.0	0.0		Q2a-1-2 Max	I	40.4	0.0	0.0
0.0	0.0			J	40.4	0.0	0.0
0.0	0.0						
0.0	0.0		Min	I	-1.2	0.0	-0.0

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		J	-1.2	-0.0	-0.0	-0.0
0.0	0.0						
0.0	0.0	SLVx (RS)	I	-0.9	0.0	0.0	0.0
0.0	0.0		J	-0.9	-0.0	0.0	0.0
0.0	0.0						
0.0	0.0	SLVy (RS)	I	-0.0	0.0	0.0	0.0
0.0	0.0		J	-0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	SLDx (RS)	I	-0.5	0.0	0.0	0.0
0.0	0.0		J	-0.5	-0.0	0.0	0.0
0.0	0.0						
0.0	0.0	SLDy (RS)	I	-0.0	0.0	0.0	0.0
0.0	0.0		J	-0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	SLVz (RS)	I	-0.4	0.0	0.0	0.0
0.0	0.0		J	-0.4	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	g1	I	8.2	0.0	-0.4	-0.0
0.0	0.0		J	8.2	-0.0	0.4	-0.0
0.0	0.0						
0.0	0.0	g2	I	-5.0	0.0	0.0	0.0
0.0	0.0		J	-5.0	-0.0	-0.0	0.0
0.0	0.0						
0.0	0.0	q3	I	-0.3	0.0	0.0	0.0
0.0	0.0		J	-0.3	-0.0	-0.0	0.0
0.0	0.0						
0.0	0.0	q5_pc	I	1.3	0.0	0.0	0.0
0.0	0.0		J	1.3	0.0	-0.0	0.0
0.0	0.0						
0.0	0.0	q5_ps	I	-0.1	0.0	0.0	0.0
0.0	0.0		J	-0.1	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	INVSLU Max	I	249.5	0.0	-0.5	0.0
0.0	0.0		J	249.5	-0.0	0.5	0.0
0.0	0.0						
0.0	0.0	Min	I	158.9	0.0	-0.5	-0.0
0.0	0.0		J	158.9	-0.0	0.5	-0.0
0.0	0.0						
0.0	0.0	INVSLV Max	I	153.0	0.0	-0.4	0.0
0.0	0.0		J	153.0	-0.0	0.4	0.0




# MIDAS

PROJECT TITLE :


MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	0.0		Min	I	150.9	0.0	-0.4	-0.0
0.0	0.0			J	150.9	-0.0	0.4	-0.0
0.0	0.0							
85	2	76	Q1-1-2 Max	I	61.6	0.0	0.0	0.0
0.0	0.0			J	61.6	0.0	0.0	0.0
0.0	0.0		Min	I	-3.0	0.0	0.0	-0.0
0.0	0.0			J	-3.0	-0.0	-0.0	-0.0
0.0	0.0							
0.0	0.0		Q2a-1-2 Max	I	39.9	0.0	0.0	0.0
0.0	0.0			J	39.9	0.0	0.0	0.0
0.0	0.0		Min	I	-1.2	0.0	0.0	-0.0
0.0	0.0			J	-1.2	-0.0	-0.0	-0.0
0.0	0.0							
0.0	0.0		SLVx (RS)	I	-0.8	0.0	0.0	-0.0
0.0	0.0			J	-0.8	-0.0	0.0	-0.0
0.0	0.0							
0.0	0.0		SLVy (RS)	I	-0.0	0.0	0.0	0.0
0.0	0.0			J	-0.0	-0.0	0.0	0.0
0.0	0.0							
0.0	0.0		SLDx (RS)	I	-0.4	0.0	0.0	-0.0
0.0	0.0			J	-0.4	-0.0	0.0	-0.0
0.0	0.0							
0.0	0.0		SLDy (RS)	I	-0.0	0.0	0.0	0.0
0.0	0.0			J	-0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		SLVz (RS)	I	-0.4	0.0	0.0	0.0
0.0	0.0			J	-0.4	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		g1	I	7.5	0.0	-0.4	-0.0
0.0	0.0			J	7.5	-0.0	0.4	-0.0
0.0	0.0							
0.0	0.0		g2	I	-5.3	0.0	0.0	0.0
0.0	0.0			J	-5.3	-0.0	-0.0	0.0
0.0	0.0							
0.0	0.0		q3	I	-0.2	0.0	0.0	0.0
0.0	0.0			J	-0.2	-0.0	-0.0	0.0
0.0	0.0							
0.0	0.0		q5_pc	I	1.3	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		J	1.3	0.0	-0.0	0.0
0.0	0.0	q5_ps	I	-0.1	0.0	0.0	0.0
0.0	0.0		J	-0.1	0.0	0.0	0.0
0.0	0.0	INVSLU Max	I	240.8	0.0	-0.5	0.0
0.0	0.0		J	240.8	-0.0	0.5	0.0
0.0	0.0	Min	I	151.3	0.0	-0.5	-0.0
0.0	0.0		J	151.3	-0.0	0.5	-0.0
0.0	0.0	INVSLV Max	I	147.5	0.0	-0.4	0.0
0.0	0.0		J	147.5	-0.0	0.4	0.0
0.0	0.0	Min	I	145.6	0.0	-0.4	-0.0
0.0	0.0		J	145.6	-0.0	0.4	-0.0
86	2	76	Q1-1-2 Max	I	58.2	0.0	0.0
0.0	0.0		J	58.2	0.0	0.0	0.0
0.0	0.0		Min	I	-3.1	0.0	-0.0
0.0	0.0		J	-3.1	-0.0	-0.0	-0.0
0.0	0.0	Q2a-1-2 Max	I	37.8	0.0	0.0	0.0
0.0	0.0		J	37.8	0.0	0.0	0.0
0.0	0.0	Min	I	-1.3	0.0	0.0	-0.0
0.0	0.0		J	-1.3	-0.0	-0.0	-0.0
0.0	0.0	SLVx (RS)	I	-0.6	0.0	0.0	0.0
0.0	0.0		J	-0.6	-0.0	0.0	0.0
0.0	0.0	SLVy (RS)	I	0.1	0.0	0.0	0.0
0.0	0.0		J	0.1	-0.0	0.0	0.0
0.0	0.0	SLDx (RS)	I	-0.3	0.0	0.0	0.0
0.0	0.0		J	-0.3	-0.0	0.0	0.0
0.0	0.0	SLDy (RS)	I	0.0	0.0	0.0	0.0
0.0	0.0		J	0.0	-0.0	0.0	0.0
0.0	0.0	SLVz (RS)	I	-0.2	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		J	-0.2	0.0	0.0	0.0
0.0	0.0	g1	I	5.1	0.0	-0.4	-0.0
0.0	0.0		J	5.1	-0.0	0.4	-0.0
0.0	0.0	g2	I	-6.3	0.0	0.0	0.0
0.0	0.0		J	-6.3	-0.0	-0.0	0.0
0.0	0.0	q3	I	-0.2	0.0	0.0	0.0
0.0	0.0		J	-0.2	-0.0	-0.0	0.0
0.0	0.0	q5_pc	I	1.3	0.0	0.0	0.0
0.0	0.0		J	1.3	-0.0	-0.0	0.0
0.0	0.0	q5_ps	I	-0.0	0.0	0.0	0.0
0.0	0.0		J	-0.0	-0.0	-0.0	0.0
0.0	0.0	INVSLU Max	I	205.1	0.0	-0.5	0.0
0.0	0.0		J	205.1	-0.0	0.5	0.0
0.0	0.0	Min	I	120.0	0.0	-0.5	-0.0
0.0	0.0		J	120.0	-0.0	0.5	-0.0
0.0	0.0	INVSLV Max	I	126.0	0.0	-0.4	0.0
0.0	0.0		J	126.0	-0.0	0.4	0.0
0.0	0.0	Min	I	124.7	0.0	-0.4	-0.0
0.0	0.0		J	124.7	-0.0	0.4	-0.0
87	2	76	Q1-1-2 Max	I	52.8	0.0	0.0
0.0	0.0		J	52.8	0.0	0.0	0.0
0.0	0.0		Min	I	-3.3	0.0	-0.0
0.0	0.0		J	-3.3	-0.0	-0.0	-0.0
0.0	0.0	Q2a-1-2 Max	I	34.6	0.0	0.0	0.0
0.0	0.0		J	34.6	0.0	0.0	0.0
0.0	0.0	Min	I	-1.4	0.0	0.0	-0.0
0.0	0.0		J	-1.4	-0.0	-0.0	-0.0
0.0	0.0	SLVx (RS)	I	-0.2	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		J	-0.2	-0.0	0.0	0.0
0.0	0.0	SLVy (RS)	I	-0.2	0.0	0.0	0.0
0.0	0.0		J	-0.2	-0.0	0.0	0.0
0.0	0.0	SLDx (RS)	I	-0.1	0.0	0.0	0.0
0.0	0.0		J	-0.1	-0.0	0.0	0.0
0.0	0.0	SLDy (RS)	I	-0.1	0.0	0.0	0.0
0.0	0.0		J	-0.1	-0.0	0.0	0.0
0.0	0.0	SLVz (RS)	I	-0.1	0.0	0.0	-0.0
0.0	0.0		J	-0.1	0.0	0.0	-0.0
0.0	0.0	g1	I	1.9	0.0	-0.4	-0.0
0.0	0.0		J	1.9	-0.0	0.4	-0.0
0.0	0.0	g2	I	-7.6	0.0	0.0	0.0
0.0	0.0		J	-7.6	-0.0	-0.0	0.0
0.0	0.0	q3	I	-0.1	0.0	0.0	0.0
0.0	0.0		J	-0.1	-0.0	-0.0	0.0
0.0	0.0	q5_pc	I	1.1	0.0	0.0	-0.0
0.0	0.0		J	1.1	-0.0	-0.0	-0.0
0.0	0.0	q5_ps	I	-0.2	0.0	0.0	-0.0
0.0	0.0		J	-0.2	-0.0	-0.0	-0.0
0.0	0.0	INVSLU Max	I	125.5	0.0	-0.5	0.0
0.0	0.0		J	125.5	-0.0	0.5	0.0
0.0	0.0	Min	I	48.0	0.0	-0.5	-0.0
0.0	0.0		J	48.0	-0.0	0.5	-0.0
0.0	0.0	INVSLV Max	I	77.2	0.0	-0.4	0.0
0.0	0.0		J	77.2	0.0	0.4	0.0
0.0	0.0	Min	I	76.5	0.0	-0.4	-0.0
0.0	0.0		J	76.5	-0.0	0.4	-0.0

PROJECT TITLE :


MIDAS		Company		Client		File Name		
		Author		File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
89	2	74	Q1-1-2 Max	I	145.1	0.0	0.0	0.0
0.0	0.0			J	145.1	0.0	0.0	0.0
0.0	0.0		Min	I	-145.5	-0.0	0.0	-0.0
0.0	0.0			J	-145.5	-0.0	0.0	-0.0
0.0	0.0		Q2a-1-2 Max	I	82.9	0.0	0.0	0.0
0.0	0.0			J	82.9	0.0	0.0	0.0
0.0	0.0		Min	I	-83.1	-0.0	0.0	-0.0
0.0	0.0			J	-83.1	-0.0	0.0	-0.0
0.0	0.0		SLVx (RS)	I	1.2	-0.0	0.0	-0.0
0.0	0.0			J	1.2	0.0	0.0	-0.0
0.0	0.0		SLVy (RS)	I	87.7	-0.0	0.0	-0.0
0.0	0.0			J	87.7	-0.0	0.0	-0.0
0.0	0.0		SLDx (RS)	I	0.6	-0.0	0.0	-0.0
0.0	0.0			J	0.6	0.0	0.0	-0.0
0.0	0.0		SLDy (RS)	I	43.8	-0.0	0.0	-0.0
0.0	0.0			J	43.8	-0.0	0.0	-0.0
0.0	0.0		SLVz (RS)	I	-0.9	0.0	0.0	0.0
0.0	0.0			J	-0.9	-0.0	0.0	0.0
0.0	0.0		g1	I	1.3	-0.0	-0.4	-0.0
0.0	0.0			J	1.9	0.0	0.4	-0.0
0.0	0.0		g2	I	-0.1	-0.0	0.0	-0.0
0.0	0.0			J	-0.1	0.0	0.0	-0.0
0.0	0.0		q3	I	-0.0	-0.0	0.0	-0.0
0.0	0.0			J	-0.0	0.0	0.0	-0.0
0.0	0.0		q5_pc	I	97.1	0.0	0.0	-0.0
0.0	0.0			J	97.1	-0.0	0.0	-0.0
0.0	0.0		q5_ps	I	82.6	0.0	0.0	-0.0
0.0	0.0			J	82.6	-0.0	0.0	-0.0

MIDAS


PROJECT TITLE :

MIDAS		Company				Client		
		Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0							
			INVSLU Max	I	284.8	-0.0	-0.6	0.0
0.0	0.0			J	285.7	0.0	0.6	0.0
0.0	0.0		Min	I	-282.2	-0.0	-0.6	-0.0
0.0	0.0			J	-281.3	0.0	0.6	-0.0
0.0	0.0							
			INVSLV Max	I	89.6	0.0	-0.4	-0.0
0.0	0.0			J	90.3	0.0	0.4	-0.0
0.0	0.0		Min	I	-87.0	-0.0	-0.4	-0.0
0.0	0.0			J	-86.4	0.0	0.4	-0.0
0.0	0.0							
90	2	71	Q1-1-2 Max	I	109.6	0.0	0.2	0.0
0.4	0.0			J	109.6	0.0	0.2	0.0
0.0	0.0		Min	I	-125.4	-0.0	-0.0	-0.0
-0.0	-0.0			J	-125.4	-0.0	-0.0	-0.0
0.0	0.0							
			Q2a-1-2 Max	I	64.0	0.0	0.1	0.0
0.2	0.0			J	64.0	0.0	0.1	0.0
0.0	0.0		Min	I	-71.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	-71.0	-0.0	-0.0	-0.0
0.0	0.0							
			SLVx (RS)	I	-7.7	0.7	0.0	0.0
0.0	1.4			J	-7.7	0.7	0.0	0.0
0.0	0.0							
			SLVy (RS)	I	55.5	0.0	0.0	-0.0
0.1	0.0			J	55.5	0.0	0.0	-0.0
0.0	0.0							
			SLDx (RS)	I	-3.8	0.3	0.0	0.0
0.0	0.7			J	-3.8	0.3	0.0	0.0
0.0	0.0							
			SLDy (RS)	I	27.7	0.0	0.0	-0.0
0.0	0.0			J	27.7	0.0	0.0	-0.0
0.0	0.0							
			SLVz (RS)	I	1.6	-0.2	-0.0	-0.0
-0.0	-0.4			J	1.6	-0.2	-0.0	-0.0
0.0	0.0							
			g1	I	-19.0	0.0	-0.5	0.0
0.1	0.0			J	-19.0	0.0	0.6	0.0

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0						
		g2	I	-11.2	0.0	0.1	0.0
0.2	0.0		J	-11.2	0.0	0.1	0.0
0.0	0.0						
		q3	I	-8.7	0.0	0.0	0.0
0.0	0.0		J	-8.7	0.0	0.0	0.0
0.0	0.0						
		q5_pc	I	16.1	0.0	0.0	0.0
0.0	0.0		J	16.1	0.0	0.0	0.0
0.0	0.0						
		q5_ps	I	16.8	0.0	0.0	0.0
0.0	0.0		J	16.8	0.0	0.0	0.0
0.0	0.0						
		INVSLU Max	I	129.2	0.0	-0.3	0.0
1.0	0.0		J	129.2	0.0	1.2	0.0
0.0	0.0						
		Min	I	-217.0	-0.0	-0.6	-0.0
0.3	-0.0		J	-217.0	-0.0	0.9	-0.0
0.0	0.0						
		INVSLV Max	I	23.0	0.7	-0.5	0.0
0.2	1.6		J	23.0	0.7	0.6	0.0
0.0	0.0						
		Min	I	-93.5	-0.7	-0.5	-0.0
0.0	-1.6		J	-93.5	-0.7	0.5	-0.0
0.0	0.0						
91	2	74	Q1-1-2 Max	I	145.1	0.0	0.0
0.0	0.0		J	145.1	0.0	0.0	0.0
0.0	0.0						
		Min	I	-145.5	0.0	0.0	-0.0
0.0	0.0		J	-145.5	-0.0	0.0	-0.0
0.0	0.0						
		Q2a-1-2 Max	I	82.9	0.0	0.0	0.0
0.0	0.0		J	82.9	0.0	0.0	0.0
0.0	0.0						
		Min	I	-83.1	0.0	0.0	-0.0
0.0	0.0		J	-83.1	-0.0	0.0	-0.0
0.0	0.0						
		SLVx (RS)	I	-1.2	0.0	0.0	0.0
0.0	0.0		J	-1.2	-0.0	0.0	0.0
0.0	0.0						
		SLVy (RS)	I	-87.8	0.0	0.0	0.0
0.0	0.0		J	-87.8	-0.0	0.0	0.0

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0						
0.0	0.0		SLDx (RS)	I	-0.6	0.0	0.0
0.0	0.0			J	-0.6	-0.0	0.0
0.0	0.0		SLDy (RS)	I	-43.8	0.0	0.0
0.0	0.0			J	-43.8	-0.0	0.0
0.0	0.0		SLVz (RS)	I	0.9	-0.0	0.0
0.0	0.0			J	0.9	0.0	-0.0
0.0	0.0		g1	I	1.4	0.0	-0.4
0.0	0.0			J	2.0	-0.0	0.4
0.0	0.0		g2	I	-0.1	0.0	0.0
0.0	0.0			J	-0.1	-0.0	0.0
0.0	0.0		q3	I	-0.0	0.0	0.0
0.0	0.0			J	-0.0	-0.0	0.0
0.0	0.0		q5_pc	I	-97.2	0.0	0.0
0.0	0.0			J	-97.2	-0.0	0.0
0.0	0.0		q5_ps	I	-82.7	0.0	0.0
0.0	0.0			J	-82.7	-0.0	0.0
0.0	0.0		INVSLU Max	I	284.9	0.0	-0.6
0.0	0.0			J	285.8	-0.0	0.6
0.0	0.0		Min	I	-282.3	0.0	-0.6
0.0	0.0			J	-281.4	-0.0	0.6
0.0	0.0		INVSLV Max	I	89.7	0.0	-0.4
0.0	0.0			J	90.4	-0.0	0.4
0.0	0.0		Min	I	-87.1	-0.0	-0.4
0.0	0.0			J	-86.4	-0.0	0.4
92	2	79	Q1-1-2 Max	I	49.1	0.0	0.0
0.0	0.0			J	49.1	0.0	0.0
0.0	0.0		Min	I	-48.9	-0.0	0.0
0.0	0.0						-0.0



PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		J	-48.9	-0.0	-0.0	-0.0
0.0	0.0	Q2a-1-2 Max	I	32.3	0.0	0.0	0.0
0.0	0.0		J	32.3	0.0	0.0	0.0
0.0	0.0	Min	I	-32.1	-0.0	0.0	-0.0
0.0	0.0		J	-32.1	-0.0	-0.0	-0.0
0.0	0.0	SLVx (RS)	I	0.4	-0.0	0.0	0.0
0.0	0.0		J	0.4	-0.0	-0.0	0.0
0.0	0.0	SLVy (RS)	I	8.1	0.0	0.0	-0.0
0.0	0.0		J	8.1	0.0	-0.0	-0.0
0.0	0.0	SLDx (RS)	I	0.2	-0.0	0.0	0.0
0.0	0.0		J	0.2	-0.0	-0.0	0.0
0.0	0.0	SLDy (RS)	I	4.1	0.0	0.0	-0.0
0.0	0.0		J	4.1	0.0	-0.0	-0.0
0.0	0.0	SLVz (RS)	I	-0.2	0.0	0.0	0.0
0.0	0.0		J	-0.2	0.0	0.0	0.0
0.0	0.0	g1	I	1.2	-0.0	-0.3	-0.0
0.0	0.0		J	1.7	-0.0	0.3	-0.0
0.0	0.0	g2	I	-0.1	-0.0	0.0	-0.0
0.0	0.0		J	-0.1	-0.0	-0.0	-0.0
0.0	0.0	q3	I	-0.0	-0.0	0.0	0.0
0.0	0.0		J	-0.0	-0.0	-0.0	0.0
0.0	0.0	q5_pc	I	14.0	0.0	0.0	0.0
0.0	0.0		J	14.0	0.0	-0.0	0.0
0.0	0.0	q5_ps	I	12.0	0.0	0.0	0.0
0.0	0.0		J	12.0	0.0	-0.0	0.0
0.0	0.0	INVSLU Max	I	80.8	-0.0	-0.4	0.0
0.0	0.0		J	81.5	-0.0	0.4	0.0

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
			Min	I	-76.7	-0.0	-0.4	-0.0
0.0	0.0			J	-76.0	-0.0	0.4	-0.0
0.0	0.0							
			INVS LV Max	I	9.8	0.0	-0.3	-0.0
0.0	0.0			J	10.3	-0.0	0.3	-0.0
0.0	0.0							
			Min	I	-6.8	-0.0	-0.3	-0.0
0.0	0.0			J	-6.3	-0.0	0.3	-0.0
0.0	0.0							
93	2	78	Q1-1-2 Max	I	7.2	0.0	0.0	0.0
0.0	0.0			J	7.2	0.0	0.0	0.0
0.0	0.0							
			Min	I	-114.7	-0.0	-0.1	-0.0
-0.3	-0.0			J	-114.7	-0.0	-0.1	-0.0
0.0	0.0							
			Q2a-1-2 Max	I	5.0	0.0	0.0	0.0
0.0	0.0			J	5.0	0.0	0.0	0.0
0.0	0.0							
			Min	I	-70.1	-0.0	-0.1	-0.0
-0.2	-0.0			J	-70.1	-0.0	-0.1	-0.0
0.0	0.0							
			SLVx (RS)	I	-14.1	0.6	0.0	-0.0
0.0	1.2			J	-14.1	0.6	0.0	-0.0
0.0	0.0							
			SLVy (RS)	I	-15.3	0.0	0.0	-0.0
0.0	0.0			J	-15.3	0.0	0.0	-0.0
0.0	0.0							
			SLDx (RS)	I	-7.0	0.3	0.0	-0.0
0.0	0.6			J	-7.0	0.3	0.0	-0.0
0.0	0.0							
			SLDy (RS)	I	-7.6	0.0	0.0	-0.0
0.0	0.0			J	-7.6	0.0	0.0	-0.0
0.0	0.0							
			SLVz (RS)	I	3.8	-0.2	-0.0	-0.0
-0.0	-0.3			J	3.8	-0.2	-0.0	-0.0
0.0	0.0							
			g1	I	-81.5	0.0	-0.5	0.0
-0.2	0.0			J	-81.5	0.0	0.4	0.0
0.0	0.0							
			g2	I	-43.4	0.0	0.0	0.0
0.1	0.0			J	-43.4	-0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0	q3	I	-14.3	0.0	0.0	-0.0
0.0	0.0		J	-14.3	0.0	0.0	-0.0
-0.0	-0.0	q5_pc	I	-19.7	-0.0	-0.0	0.0
0.0	0.0		J	-19.7	-0.0	-0.0	0.0
0.0	-0.0	q5_ps	I	-17.8	-0.0	0.0	0.0
0.0	0.0		J	-17.8	-0.0	0.0	0.0
-0.6	0.0	INVSLU Max	I	-140.1	0.0	-0.9	0.0
0.0	0.0		J	-140.1	0.0	0.3	0.0
-1.1	-0.0	Min	I	-346.8	-0.0	-1.1	-0.0
0.0	0.0		J	-346.8	-0.0	0.1	-0.0
-0.7	1.3	INVSLV Max	I	-107.6	0.6	-0.8	0.0
0.0	0.0		J	-107.6	0.6	0.1	0.0
-0.7	-1.3	Min	I	-148.9	-0.6	-0.8	-0.0
0.0	0.0		J	-148.9	-0.6	0.1	-0.0
94	2	79	Q1-1-2 Max	I	49.1	0.0	0.0
0.0	0.0		J	49.1	0.0	0.0	0.0
0.0	0.0		Min	I	-48.9	-0.0	-0.0
0.0	0.0		J	-48.9	-0.0	-0.0	-0.0
0.0	0.0	Q2a-1-2 Max	I	32.3	0.0	0.0	0.0
0.0	0.0		J	32.3	0.0	0.0	0.0
0.0	0.0	Min	I	-32.1	-0.0	0.0	-0.0
0.0	0.0		J	-32.1	-0.0	-0.0	-0.0
0.0	0.0	SLVx (RS)	I	-0.3	0.0	0.0	-0.0
0.0	0.0		J	-0.3	0.0	-0.0	-0.0
0.0	0.0	SLVy (RS)	I	-8.1	-0.0	0.0	-0.0
0.0	0.0		J	-8.1	0.0	0.0	-0.0
0.0	0.0	SLDx (RS)	I	-0.2	0.0	0.0	-0.0
0.0	0.0		J	-0.2	0.0	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0	SLDy (RS)	I	-4.1	-0.0	0.0	-0.0
0.0	0.0		J	-4.1	0.0	0.0	-0.0
0.0	0.0	SLVz (RS)	I	-0.2	-0.0	0.0	-0.0
0.0	0.0		J	-0.2	-0.0	0.0	-0.0
0.0	0.0	g1	I	1.4	0.0	-0.3	0.0
0.0	0.0		J	1.9	0.0	0.3	0.0
0.0	0.0	g2	I	-0.1	0.0	0.0	0.0
0.0	0.0		J	-0.1	0.0	-0.0	0.0
0.0	0.0	q3	I	-0.0	0.0	0.0	-0.0
0.0	0.0		J	-0.0	0.0	-0.0	-0.0
0.0	0.0	q5_pc	I	-14.0	0.0	0.0	0.0
0.0	0.0		J	-14.0	0.0	0.0	0.0
0.0	0.0	q5_ps	I	-12.1	0.0	0.0	0.0
0.0	0.0		J	-12.1	0.0	0.0	0.0
0.0	0.0	INVSLU Max	I	81.0	0.0	-0.4	0.0
0.0	0.0		J	81.7	0.0	0.4	0.0
0.0	0.0	Min	I	-76.4	0.0	-0.4	-0.0
0.0	0.0		J	-75.7	0.0	0.4	-0.0
0.0	0.0	INVSLV Max	I	10.0	0.0	-0.3	0.0
0.0	0.0		J	10.5	0.0	0.3	0.0
0.0	0.0	Min	I	-6.5	-0.0	-0.3	0.0
0.0	0.0		J	-6.0	0.0	0.3	0.0
95	2	79	Q1-1-2 Max	I	76.8	0.0	0.0
0.0	0.0		J	76.8	0.0	0.0	0.0
0.0	0.0		Min	I	-76.6	-0.0	-0.0
0.0	0.0		J	-76.6	0.0	0.0	-0.0
0.0	0.0	Q2a-1-2 Max	I	47.9	0.0	0.0	0.0
0.0	0.0		J	47.9	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		Min	I	-47.7	-0.0	-0.0	-0.0
0.0	0.0			J	-47.7	0.0	0.0	-0.0
0.0	0.0		SLVx (RS)	I	-0.7	-0.0	-0.0	-0.0
0.0	0.0			J	-0.7	0.0	0.0	-0.0
0.0	0.0		SLVy (RS)	I	-7.5	0.0	-0.0	-0.0
0.0	0.0			J	-7.5	0.0	0.0	-0.0
0.0	0.0		SLDx (RS)	I	-0.4	-0.0	-0.0	-0.0
0.0	0.0			J	-0.4	0.0	0.0	-0.0
0.0	0.0		SLDy (RS)	I	-3.8	0.0	-0.0	-0.0
0.0	0.0			J	-3.8	0.0	0.0	-0.0
0.0	0.0		SLVz (RS)	I	-0.3	0.0	0.0	-0.0
0.0	0.0			J	-0.3	0.0	0.0	-0.0
0.0	0.0		g1	I	1.3	-0.0	-0.3	-0.0
0.0	0.0			J	1.8	0.0	0.3	-0.0
0.0	0.0		g2	I	-0.1	-0.0	-0.0	-0.0
0.0	0.0			J	-0.1	0.0	0.0	-0.0
0.0	0.0		q3	I	-0.0	-0.0	-0.0	0.0
0.0	0.0			J	-0.0	0.0	0.0	0.0
0.0	0.0		q5_pc	I	-0.6	0.0	-0.0	0.0
0.0	0.0			J	-0.6	0.0	0.0	0.0
0.0	0.0		q5_ps	I	-0.2	0.0	-0.0	0.0
0.0	0.0			J	-0.2	0.0	0.0	0.0
0.0	0.0		INVSLU Max	I	106.0	-0.0	-0.4	0.0
0.0	0.0			J	106.7	0.0	0.4	0.0
0.0	0.0		Min	I	-102.1	-0.0	-0.4	-0.0
0.0	0.0			J	-101.4	0.0	0.4	-0.0
0.0	0.0		INVSLV Max	I	9.2	-0.0	-0.3	-0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	0.0			J	9.7	0.0	0.3	-0.0
0.0	0.0							
			Min	I	-6.5	-0.0	-0.3	-0.0
0.0	0.0							
				J	-6.0	0.0	0.3	-0.0
0.0	0.0							
96	2	78	Q1-1-2 Max	I	2.5	0.0	0.0	0.0
0.0	0.0							
				J	2.5	0.0	0.0	0.0
0.0	0.0							
			Min	I	-175.6	-0.0	-0.1	-0.0
-0.3	-0.0							
				J	-175.6	-0.0	-0.1	-0.0
0.0	0.0							
			Q2a-1-2 Max	I	1.8	0.0	0.0	0.0
0.0	0.0							
				J	1.8	0.0	0.0	0.0
0.0	0.0							
			Min	I	-104.6	-0.0	-0.1	-0.0
-0.2	-0.0							
				J	-104.6	-0.0	-0.1	-0.0
0.0	0.0							
			SLVx (RS)	I	-14.7	0.6	0.0	-0.0
0.0	1.2							
				J	-14.7	0.6	0.0	-0.0
0.0	0.0							
			SLVy (RS)	I	4.5	0.0	-0.0	-0.0
-0.0	0.0							
				J	4.5	0.0	-0.0	-0.0
0.0	0.0							
			SLDx (RS)	I	-7.3	0.3	0.0	-0.0
0.0	0.6							
				J	-7.3	0.3	0.0	-0.0
0.0	0.0							
			SLDy (RS)	I	2.3	0.0	-0.0	-0.0
-0.0	0.0							
				J	2.3	0.0	-0.0	-0.0
0.0	0.0							
			SLVz (RS)	I	5.3	-0.1	-0.0	-0.0
-0.0	-0.3							
				J	5.3	-0.1	-0.0	-0.0
0.0	0.0							
			g1	I	-119.4	0.0	-0.6	0.0
-0.2	0.0							
				J	-119.4	0.0	0.4	0.0
0.0	0.0							
			g2	I	-61.2	-0.0	0.0	0.0
0.1	-0.0							
				J	-61.2	-0.0	0.0	0.0
0.0	0.0							
			q3	I	-9.7	0.0	0.0	-0.0
0.0	0.0							
				J	-9.7	0.0	0.0	-0.0
0.0	0.0							

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.0	-0.0	q5_pc	I	-1.9	-0.0	-0.0	0.0
			J	-1.9	-0.0	-0.0	0.0
0.0	0.0						
		q5_ps	I	-2.5	-0.0	0.0	-0.0
0.0	-0.0		J	-2.5	-0.0	0.0	-0.0
0.0	0.0						
		INVSLU Max	I	-236.2	0.0	-1.1	0.0
-1.1	0.0		J	-236.2	0.0	0.1	0.0
0.0	0.0						
		Min	I	-481.4	-0.0	-1.3	-0.0
-1.5	-0.0		J	-481.4	-0.0	-0.1	-0.0
0.0	0.0						
		INVSLV Max	I	-163.9	0.6	-0.9	0.0
-0.9	1.3		J	-163.9	0.6	0.0	0.0
0.0	0.0						
		Min	I	-199.3	-0.6	-0.9	-0.0
-1.0	-1.3		J	-199.3	-0.6	0.0	-0.0
0.0	0.0						
97	2	79	Q1-1-2 Max	I	76.8	0.0	0.0
0.0	0.0		J	76.8	0.0	0.0	0.0
0.0	0.0						
		Min	I	-76.6	-0.0	-0.0	-0.0
0.0	0.0		J	-76.6	0.0	0.0	-0.0
0.0	0.0						
		Q2a-1-2 Max	I	47.9	0.0	0.0	0.0
0.0	0.0		J	47.9	0.0	0.0	0.0
0.0	0.0						
		Min	I	-47.7	-0.0	-0.0	-0.0
0.0	0.0		J	-47.7	0.0	0.0	-0.0
0.0	0.0						
		SLVx (RS)	I	0.5	0.0	0.0	0.0
0.0	0.0		J	0.5	0.0	0.0	0.0
0.0	0.0						
		SLVy (RS)	I	7.6	-0.0	0.0	-0.0
0.0	0.0		J	7.6	0.0	0.0	-0.0
0.0	0.0						
		SLDx (RS)	I	0.2	0.0	0.0	0.0
0.0	0.0		J	0.2	0.0	0.0	0.0
0.0	0.0						
		SLDy (RS)	I	3.8	-0.0	0.0	-0.0
0.0	0.0		J	3.8	0.0	0.0	-0.0
0.0	0.0						


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0	SLVz (RS)	I	-0.2	-0.0	0.0	-0.0
0.0	0.0		J	-0.2	0.0	0.0	-0.0
0.0	0.0	g1	I	1.3	0.0	-0.3	0.0
0.0	0.0		J	1.8	0.0	0.3	0.0
0.0	0.0	g2	I	-0.1	0.0	-0.0	0.0
0.0	0.0		J	-0.1	0.0	0.0	0.0
0.0	0.0	q3	I	-0.0	0.0	-0.0	-0.0
0.0	0.0		J	-0.0	0.0	0.0	-0.0
0.0	0.0	q5_pc	I	0.6	0.0	0.0	0.0
0.0	0.0		J	0.6	0.0	0.0	0.0
0.0	0.0	q5_ps	I	0.2	0.0	0.0	0.0
0.0	0.0		J	0.2	0.0	0.0	0.0
0.0	0.0	INVSLU Max	I	107.2	0.0	-0.4	0.0
0.0	0.0		J	107.9	0.0	0.4	0.0
0.0	0.0	Min	I	-100.9	0.0	-0.4	0.0
0.0	0.0		J	-100.3	0.0	0.4	0.0
0.0	0.0	INVSLV Max	I	10.1	0.0	-0.3	0.0
0.0	0.0		J	10.6	0.0	0.3	0.0
0.0	0.0	Min	I	-5.5	0.0	-0.3	0.0
0.0	0.0		J	-5.0	0.0	0.3	0.0
98	2	79	Q1-1-2 Max	I	81.9	0.0	0.0
0.0	0.0		J	81.9	0.0	0.0	0.0
0.0	0.0	Min	I	-81.6	-0.0	0.0	-0.0
0.0	0.0		J	-81.6	0.0	0.0	-0.0
0.0	0.0	Q2a-1-2 Max	I	50.3	0.0	0.0	0.0
0.0	0.0		J	50.3	0.0	0.0	0.0
0.0	0.0	Min	I	-50.1	-0.0	0.0	-0.0
0.0	0.0		J	-50.1	0.0	0.0	-0.0




PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0	SLVx (RS)	I	-0.9	-0.0	0.0	0.0
0.0	0.0		J	-0.9	0.0	0.0	0.0
0.0	0.0	SLVy (RS)	I	-10.2	0.0	0.0	-0.0
0.0	0.0		J	-10.2	0.0	0.0	-0.0
0.0	0.0	SLDx (RS)	I	-0.5	-0.0	0.0	0.0
0.0	0.0		J	-0.5	0.0	0.0	0.0
0.0	0.0	SLDy (RS)	I	-5.1	0.0	0.0	-0.0
0.0	0.0		J	-5.1	0.0	0.0	-0.0
0.0	0.0	SLVz (RS)	I	-0.4	0.0	0.0	0.0
0.0	0.0		J	-0.4	0.0	0.0	0.0
0.0	0.0	g1	I	1.1	-0.0	-0.3	-0.0
0.0	0.0		J	1.6	0.0	0.3	-0.0
0.0	0.0	g2	I	-0.0	-0.0	0.0	-0.0
0.0	0.0		J	-0.0	0.0	0.0	-0.0
0.0	0.0	q3	I	-0.0	-0.0	0.0	0.0
0.0	0.0		J	-0.0	0.0	0.0	0.0
0.0	0.0	q5_pc	I	-1.5	0.0	0.0	0.0
0.0	0.0		J	-1.5	0.0	0.0	0.0
0.0	0.0	q5_ps	I	-0.9	0.0	0.0	0.0
0.0	0.0		J	-0.9	0.0	0.0	0.0
0.0	0.0	INVSLU Max	I	114.3	-0.0	-0.4	0.0
0.0	0.0		J	115.0	0.0	0.4	0.0
0.0	0.0	Min	I	-109.2	-0.0	-0.4	-0.0
0.0	0.0		J	-108.5	0.0	0.4	-0.0
0.0	0.0	INVSLV Max	I	12.4	-0.0	-0.3	0.0
0.0	0.0		J	12.9	0.0	0.3	0.0
0.0	0.0	Min	I	-8.8	-0.0	-0.3	0.0
0.0	0.0		J	-8.3	0.0	0.3	0.0

MIDAS


PROJECT TITLE :

		Company				Client			
		Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	0.0								
99	2	78	Q1-1-2	Max	I	1.8	0.0	0.0	0.0
0.0	0.0				J	1.8	0.0	0.0	0.0
0.0	0.0								
-0.3	-0.0			Min	I	-186.1	-0.0	-0.2	-0.0
0.0	0.0				J	-186.1	-0.0	-0.2	-0.0
0.0	0.0								
0.0	0.0		Q2a-1-2	Max	I	1.3	0.0	0.0	0.0
0.0	0.0				J	1.3	0.0	0.0	0.0
0.0	0.0								
-0.2	-0.0			Min	I	-110.2	-0.0	-0.1	-0.0
0.0	0.0				J	-110.2	-0.0	-0.1	-0.0
0.0	0.0								
0.0	1.2			SLVx (RS)	I	-14.9	0.6	0.0	-0.0
0.0	0.0				J	-14.9	0.6	0.0	-0.0
0.0	0.0								
0.0	0.0			SLVy (RS)	I	7.7	0.0	0.0	-0.0
0.0	0.0				J	7.7	0.0	0.0	-0.0
0.0	0.0								
0.0	0.6			SLDx (RS)	I	-7.4	0.3	0.0	-0.0
0.0	0.0				J	-7.4	0.3	0.0	-0.0
0.0	0.0								
0.0	0.0			SLDy (RS)	I	3.9	0.0	0.0	-0.0
0.0	0.0				J	3.9	0.0	0.0	-0.0
0.0	0.0								
-0.0	-0.3			SLVz (RS)	I	6.0	-0.1	-0.0	-0.0
0.0	0.0				J	6.0	-0.1	-0.0	-0.0
0.0	0.0								
-0.2	-0.0			g1	I	-127.4	-0.0	-0.6	0.0
0.0	0.0				J	-127.4	-0.0	0.3	0.0
0.0	0.0								
0.1	-0.0			g2	I	-64.6	-0.0	0.0	0.0
0.0	0.0				J	-64.6	-0.0	0.0	0.0
0.0	0.0								
0.0	0.0			q3	I	-6.7	0.0	0.0	-0.0
0.0	0.0				J	-6.7	0.0	0.0	-0.0
0.0	0.0								
-0.0	-0.0			q5_pc	I	-0.4	-0.0	-0.0	-0.0
0.0	0.0				J	-0.4	-0.0	-0.0	-0.0
0.0	0.0								
				q5_ps	I	-1.3	-0.0	0.0	-0.0

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	-0.0			J	-1.3	-0.0	0.0	-0.0
0.0	0.0							
-1.3	0.0		INVS LU Max	I	-244.2	0.0	-1.2	0.0
0.0	0.0			J	-244.2	0.0	0.0	0.0
-1.8	-0.0		Min	I	-499.5	-0.0	-1.4	-0.0
0.0	0.0			J	-499.5	-0.0	-0.2	-0.0
-1.1	1.3		INVS LV Max	I	-169.5	0.6	-1.0	0.0
0.0	0.0			J	-169.5	0.6	-0.1	0.0
-1.1	-1.3		Min	I	-207.4	-0.6	-1.0	-0.0
0.0	0.0			J	-207.4	-0.6	-0.1	-0.0
100	2	79	Q1-1-2 Max	I	81.9	0.0	0.0	0.0
0.0	0.0			J	81.9	0.0	0.0	0.0
0.0	0.0		Min	I	-81.7	-0.0	0.0	-0.0
0.0	0.0			J	-81.7	0.0	0.0	-0.0
0.0	0.0		Q2a-1-2 Max	I	50.3	0.0	0.0	0.0
0.0	0.0			J	50.3	0.0	0.0	0.0
0.0	0.0		Min	I	-50.1	-0.0	0.0	-0.0
0.0	0.0			J	-50.1	0.0	0.0	-0.0
0.0	0.0		SLVx (RS)	I	-0.6	0.0	0.0	-0.0
0.0	0.0			J	-0.6	0.0	0.0	-0.0
0.0	0.0		SLVy (RS)	I	10.2	-0.0	0.0	-0.0
0.0	0.0			J	10.2	0.0	0.0	-0.0
0.0	0.0		SLDx (RS)	I	-0.3	0.0	0.0	-0.0
0.0	0.0			J	-0.3	0.0	0.0	-0.0
0.0	0.0		SLDy (RS)	I	5.1	-0.0	0.0	-0.0
0.0	0.0			J	5.1	0.0	0.0	-0.0
0.0	0.0		SLVz (RS)	I	-0.2	-0.0	0.0	-0.0
0.0	0.0			J	-0.2	0.0	0.0	-0.0
0.0	0.0		g1	I	1.5	0.0	-0.3	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	0.0		J	2.0	0.0	0.3	0.0
0.0	0.0						
0.0	0.0	g2	I	-0.0	0.0	0.0	0.0
0.0	0.0		J	-0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	q3	I	-0.0	0.0	0.0	-0.0
0.0	0.0		J	-0.0	0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	q5_pc	I	1.5	0.0	0.0	0.0
0.0	0.0		J	1.5	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	q5_ps	I	0.9	0.0	0.0	0.0
0.0	0.0		J	0.9	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	INVSLU Max	I	114.7	0.0	-0.4	0.0
0.0	0.0		J	115.3	0.0	0.4	0.0
0.0	0.0	Min	I	-108.9	0.0	-0.4	-0.0
0.0	0.0		J	-108.2	0.0	0.4	-0.0
0.0	0.0						
0.0	0.0	INVSLV Max	I	12.5	0.0	-0.3	-0.0
0.0	0.0		J	13.0	0.0	0.3	-0.0
0.0	0.0	Min	I	-8.3	0.0	-0.3	-0.0
0.0	0.0		J	-7.8	0.0	0.3	-0.0
0.0	0.0						
101	2	79	Q1-1-2 Max	I	82.5	0.0	0.0
0.0	0.0			J	82.5	0.0	0.0
0.0	0.0		Min	I	-82.2	-0.0	-0.0
0.0	0.0			J	-82.2	0.0	-0.0
0.0	0.0						
0.0	0.0		Q2a-1-2 Max	I	50.6	0.0	0.0
0.0	0.0			J	50.6	0.0	0.0
0.0	0.0		Min	I	-50.4	-0.0	-0.0
0.0	0.0			J	-50.4	0.0	-0.0
0.0	0.0						
0.0	0.0		SLVx (RS)	I	-0.9	-0.0	0.0
0.0	0.0			J	-0.9	0.0	0.0
0.0	0.0						
0.0	0.0		SLVy (RS)	I	-10.5	0.0	-0.0

MIDAS


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		J	-10.5	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	SLDx (RS)	I	-0.4	-0.0	0.0	0.0
0.0	0.0		J	-0.4	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	SLDy (RS)	I	-5.2	0.0	-0.0	0.0
0.0	0.0		J	-5.2	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	SLVz (RS)	I	-0.4	0.0	0.0	0.0
0.0	0.0		J	-0.4	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	g1	I	1.2	-0.0	-0.3	-0.0
0.0	0.0		J	1.7	0.0	0.3	-0.0
0.0	0.0						
0.0	0.0	g2	I	-0.0	-0.0	-0.0	-0.0
0.0	0.0		J	-0.0	0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	q3	I	-0.0	-0.0	-0.0	0.0
0.0	0.0		J	-0.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	q5_pc	I	-1.3	0.0	-0.0	0.0
0.0	0.0		J	-1.3	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	q5_ps	I	-0.7	0.0	-0.0	0.0
0.0	0.0		J	-0.7	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	INVSLU Max	I	115.1	-0.0	-0.4	0.0
0.0	0.0		J	115.7	0.0	0.4	0.0
0.0	0.0	Min	I	-109.7	-0.0	-0.4	-0.0
0.0	0.0		J	-109.0	0.0	0.4	-0.0
0.0	0.0						
0.0	0.0	INVSLV Max	I	12.8	-0.0	-0.3	-0.0
0.0	0.0		J	13.3	0.0	0.3	-0.0
0.0	0.0	Min	I	-8.9	-0.0	-0.3	-0.0
0.0	0.0		J	-8.4	0.0	0.3	-0.0
0.0	0.0						
102	2	78	Q1-1-2 Max	I	1.3	0.0	0.0
0.0	0.0			J	1.3	0.0	0.0
0.0	0.0						


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-0.3	-0.0	Min	I	-187.0	-0.0	-0.2	-0.0
			J	-187.0	-0.0	-0.2	-0.0
0.0	0.0						
		Q2a-1-2 Max	I	0.9	0.0	0.0	0.0
0.0	0.0		J	0.9	0.0	0.0	0.0
0.0	0.0						
		Min	I	-110.4	-0.0	-0.1	-0.0
-0.2	-0.0		J	-110.4	-0.0	-0.1	-0.0
0.0	0.0						
		SLVx (RS)	I	14.9	0.6	0.0	0.0
0.0	1.2		J	14.9	0.6	0.0	0.0
0.0	0.0						
		SLVy (RS)	I	7.3	0.0	-0.0	0.0
-0.0	0.0		J	7.3	0.0	-0.0	0.0
0.0	0.0						
		SLDx (RS)	I	7.4	0.3	0.0	0.0
0.0	0.6		J	7.4	0.3	0.0	0.0
0.0	0.0						
		SLDy (RS)	I	3.6	0.0	-0.0	0.0
-0.0	0.0		J	3.6	0.0	-0.0	0.0
0.0	0.0						
		SLVz (RS)	I	6.3	-0.1	-0.0	-0.0
-0.0	-0.3		J	6.3	-0.1	-0.0	-0.0
0.0	0.0						
		g1	I	-129.8	0.0	-0.6	0.0
-0.2	0.0		J	-129.8	0.0	0.3	0.0
0.0	0.0						
		g2	I	-65.4	0.0	0.0	0.0
0.1	0.0		J	-65.4	0.0	0.0	0.0
0.0	0.0						
		q3	I	-5.1	0.0	0.0	-0.0
0.0	0.0		J	-5.1	0.0	0.0	-0.0
0.0	0.0						
		q5_pc	I	-1.0	-0.0	-0.0	0.0
-0.0	-0.0		J	-1.0	-0.0	-0.0	0.0
0.0	0.0						
		q5_ps	I	-1.8	-0.0	0.0	0.0
0.0	-0.0		J	-1.8	-0.0	0.0	0.0
0.0	0.0						
		INVSLU Max	I	-244.1	0.0	-1.2	0.0
-1.4	0.0						

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	0.0			J	-244.1	0.0	-0.0	0.0
			Min	I	-501.5	-0.0	-1.5	-0.0
-1.9	-0.0			J	-501.5	-0.0	-0.3	-0.0
0.0	0.0							
			INVS LV Max	I	-170.6	0.6	-1.0	0.0
-1.1	1.3			J	-170.6	0.6	-0.1	0.0
0.0	0.0		Min	I	-208.6	-0.6	-1.0	0.0
-1.1	-1.3			J	-208.6	-0.6	-0.1	0.0
0.0	0.0							
103	2	79	Q1-1-2 Max	I	82.5	0.0	0.0	0.0
0.0	0.0			J	82.5	0.0	0.0	0.0
0.0	0.0		Min	I	-82.2	-0.0	-0.0	-0.0
0.0	0.0			J	-82.2	0.0	0.0	-0.0
0.0	0.0							
			Q2a-1-2 Max	I	50.6	0.0	0.0	0.0
0.0	0.0			J	50.6	0.0	0.0	0.0
0.0	0.0		Min	I	-50.4	-0.0	-0.0	-0.0
0.0	0.0			J	-50.4	0.0	0.0	-0.0
0.0	0.0							
			SLVx (RS)	I	-0.7	0.0	0.0	-0.0
0.0	0.0			J	-0.7	0.0	0.0	-0.0
0.0	0.0							
			SLVy (RS)	I	10.5	-0.0	0.0	0.0
0.0	0.0			J	10.5	0.0	0.0	0.0
0.0	0.0							
			SLDx (RS)	I	-0.3	0.0	0.0	-0.0
0.0	0.0			J	-0.3	0.0	0.0	-0.0
0.0	0.0							
			SLDy (RS)	I	5.2	-0.0	0.0	0.0
0.0	0.0			J	5.2	0.0	0.0	0.0
0.0	0.0							
			SLVz (RS)	I	-0.3	-0.0	0.0	-0.0
0.0	0.0			J	-0.3	0.0	0.0	-0.0
0.0	0.0							
			g1	I	1.4	0.0	-0.3	0.0
0.0	0.0			J	1.9	0.0	0.3	0.0
0.0	0.0							
			g2	I	-0.0	0.0	-0.0	0.0
0.0	0.0							

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	0.0		J	-0.0	0.0	0.0	0.0
0.0	0.0	q3	I	-0.0	0.0	-0.0	-0.0
0.0	0.0		J	-0.0	0.0	0.0	-0.0
0.0	0.0	q5_pc	I	1.3	0.0	0.0	-0.0
0.0	0.0		J	1.3	0.0	0.0	-0.0
0.0	0.0	q5_ps	I	0.7	0.0	0.0	0.0
0.0	0.0		J	0.7	0.0	0.0	0.0
0.0	0.0	INVSLU Max	I	115.2	0.0	-0.4	0.0
0.0	0.0		J	115.9	0.0	0.4	0.0
0.0	0.0	Min	I	-109.5	0.0	-0.4	-0.0
0.0	0.0		J	-108.9	0.0	0.4	-0.0
0.0	0.0	INVSLV Max	I	12.8	0.0	-0.3	0.0
0.0	0.0		J	13.3	0.0	0.3	0.0
0.0	0.0	Min	I	-8.7	0.0	-0.3	0.0
0.0	0.0		J	-8.2	0.0	0.3	0.0
104	2	79	Q1-1-2 Max	I	82.3	0.0	0.0
0.0	0.0		J	82.3	0.0	0.0	0.0
0.0	0.0		Min	I	-82.0	-0.0	0.0
0.0	0.0		J	-82.0	-0.0	-0.0	-0.0
0.0	0.0	Q2a-1-2 Max	I	50.5	0.0	0.0	0.0
0.0	0.0		J	50.5	0.0	0.0	0.0
0.0	0.0	Min	I	-50.3	-0.0	0.0	-0.0
0.0	0.0		J	-50.3	-0.0	-0.0	-0.0
0.0	0.0	SLVx (RS)	I	-0.7	-0.0	0.0	-0.0
0.0	0.0		J	-0.7	-0.0	0.0	-0.0
0.0	0.0	SLVy (RS)	I	-10.3	0.0	0.0	0.0
0.0	0.0		J	-10.3	-0.0	-0.0	0.0
0.0	0.0	SLDx (RS)	I	-0.4	-0.0	0.0	-0.0



PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		J	-0.4	-0.0	0.0	-0.0
0.0	0.0	SLDy (RS)	I	-5.1	0.0	0.0	0.0
0.0	0.0		J	-5.1	-0.0	-0.0	0.0
0.0	0.0	SLVz (RS)	I	-0.4	0.0	0.0	-0.0
0.0	0.0		J	-0.4	0.0	0.0	-0.0
0.0	0.0	g1	I	1.3	-0.0	-0.3	0.0
0.0	0.0		J	1.8	-0.0	0.3	0.0
0.0	0.0	g2	I	-0.0	-0.0	0.0	-0.0
0.0	0.0		J	-0.0	-0.0	-0.0	-0.0
0.0	0.0	q3	I	-0.0	-0.0	0.0	0.0
0.0	0.0		J	-0.0	-0.0	-0.0	0.0
0.0	0.0	q5_pc	I	-1.6	0.0	0.0	-0.0
0.0	0.0		J	-1.6	-0.0	-0.0	-0.0
0.0	0.0	q5_ps	I	-1.0	0.0	0.0	-0.0
0.0	0.0		J	-1.0	-0.0	-0.0	-0.0
0.0	0.0	INVSLU Max	I	115.0	-0.0	-0.4	0.0
0.0	0.0		J	115.7	-0.0	0.4	0.0
0.0	0.0	Min	I	-109.6	-0.0	-0.4	-0.0
0.0	0.0		J	-108.9	-0.0	0.4	-0.0
0.0	0.0	INVSLV Max	I	12.6	-0.0	-0.3	-0.0
0.0	0.0		J	13.1	-0.0	0.3	-0.0
0.0	0.0	Min	I	-8.7	-0.0	-0.3	-0.0
0.0	0.0		J	-8.2	-0.0	0.3	-0.0
105	2	78	Q1-1-2 Max	I	1.8	0.0	0.0
0.0	0.0			J	1.8	0.0	0.0
0.0	0.0		Min	I	-187.0	-0.0	-0.2
-0.3	-0.0			J	-187.0	-0.0	-0.2
0.0	0.0						
			Q2a-1-2 Max	I	1.3	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		J	1.3	0.0	0.0	0.0
0.0	0.0						
		Min	I	-110.8	-0.0	-0.1	-0.0
-0.2	-0.0		J	-110.8	-0.0	-0.1	-0.0
0.0	0.0						
		SLVx (RS)	I	14.3	0.6	0.0	0.0
0.0	1.2		J	14.3	0.6	0.0	0.0
0.0	0.0						
		SLVy (RS)	I	7.8	0.0	0.0	0.0
0.0	0.0		J	7.8	0.0	0.0	0.0
0.0	0.0						
		SLDx (RS)	I	7.1	0.3	0.0	0.0
0.0	0.6		J	7.1	0.3	0.0	0.0
0.0	0.0						
		SLDy (RS)	I	3.9	0.0	0.0	0.0
0.0	0.0		J	3.9	0.0	0.0	0.0
0.0	0.0						
		SLVz (RS)	I	6.2	-0.1	-0.0	0.0
-0.0	-0.3		J	6.2	-0.1	-0.0	0.0
0.0	0.0						
		g1	I	-128.2	0.0	-0.6	-0.0
-0.2	0.0		J	-128.2	0.0	0.3	-0.0
0.0	0.0						
		g2	I	-64.7	0.0	0.0	0.0
0.1	0.0		J	-64.7	0.0	0.0	0.0
0.0	0.0						
		q3	I	-4.0	0.0	0.0	-0.0
0.0	0.0		J	-4.0	0.0	0.0	-0.0
0.0	0.0						
		q5_pc	I	-0.3	0.0	-0.0	0.0
-0.0	0.0		J	-0.3	0.0	-0.0	0.0
0.0	0.0						
		q5_ps	I	-1.2	0.0	0.0	0.0
0.0	0.0		J	-1.2	0.0	0.0	0.0
0.0	0.0						
		INVSLU Max	I	-245.4	0.0	-1.2	0.0
-1.3	0.0		J	-245.4	0.0	-0.0	0.0
0.0	0.0						
		Min	I	-501.8	-0.0	-1.5	-0.0
-1.8	-0.0		J	-501.8	-0.0	-0.2	-0.0
0.0	0.0						

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-1.1	1.3	INVS LV	Max	I	-170.8	0.6	-1.0	0.0
				J	-170.8	0.6	-0.1	0.0
0.0	0.0		Min	I	-207.7	-0.6	-1.0	-0.0
-1.1	-1.3			J	-207.7	-0.6	-0.1	-0.0
0.0	0.0							
106	2	79	Q1-1-2	Max	I	82.3	0.0	0.0
0.0	0.0			J	82.3	0.0	0.0	0.0
0.0	0.0		Min	I	-82.0	-0.0	0.0	-0.0
0.0	0.0			J	-82.0	-0.0	-0.0	-0.0
0.0	0.0							
			Q2a-1-2	Max	I	50.5	0.0	0.0
0.0	0.0			J	50.5	0.0	0.0	0.0
0.0	0.0		Min	I	-50.3	-0.0	0.0	-0.0
0.0	0.0			J	-50.3	-0.0	-0.0	-0.0
0.0	0.0							
			SLVx (RS)	I	-0.7	0.0	0.0	0.0
0.0	0.0			J	-0.7	0.0	0.0	0.0
0.0	0.0							
			SLVy (RS)	I	10.3	-0.0	0.0	0.0
0.0	0.0			J	10.3	-0.0	0.0	0.0
0.0	0.0							
			SLDx (RS)	I	-0.4	0.0	0.0	0.0
0.0	0.0			J	-0.4	0.0	0.0	0.0
0.0	0.0							
			SLDy (RS)	I	5.1	-0.0	0.0	0.0
0.0	0.0			J	5.1	-0.0	0.0	0.0
0.0	0.0							
			SLVz (RS)	I	-0.3	-0.0	0.0	0.0
0.0	0.0			J	-0.3	-0.0	0.0	0.0
0.0	0.0							
			g1	I	1.3	0.0	-0.3	-0.0
0.0	0.0			J	1.8	0.0	0.3	-0.0
0.0	0.0							
			g2	I	-0.0	0.0	0.0	0.0
0.0	0.0			J	-0.0	0.0	-0.0	0.0
0.0	0.0							
			q3	I	-0.0	0.0	0.0	-0.0
0.0	0.0			J	-0.0	0.0	-0.0	-0.0


PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0						
0.0	0.0		q5_pc	I	1.6	0.0	0.0
0.0	0.0			J	1.6	-0.0	0.0
0.0	0.0						
0.0	0.0		q5_ps	I	1.0	0.0	0.0
0.0	0.0			J	1.0	-0.0	0.0
0.0	0.0						
0.0	0.0		INVSLU Max	I	115.1	0.0	-0.4
0.0	0.0			J	115.8	0.0	0.4
0.0	0.0		Min	I	-109.5	0.0	-0.4
0.0	0.0			J	-108.9	0.0	0.4
0.0	0.0						
0.0	0.0		INVSLV Max	I	12.6	0.0	-0.3
0.0	0.0			J	13.1	0.0	0.3
0.0	0.0		Min	I	-8.6	0.0	-0.3
0.0	0.0			J	-8.1	0.0	0.3
0.0	0.0						
107	2	79	Q1-1-2 Max	I	77.9	0.0	0.0
0.0	0.0			J	77.9	0.0	0.0
0.0	0.0		Min	I	-77.6	-0.0	-0.0
0.0	0.0			J	-77.6	0.0	0.0
0.0	0.0						
0.0	0.0		Q2a-1-2 Max	I	48.5	0.0	0.0
0.0	0.0			J	48.5	0.0	0.0
0.0	0.0		Min	I	-48.3	-0.0	-0.0
0.0	0.0			J	-48.3	0.0	0.0
0.0	0.0						
0.0	0.0		SLVx (RS)	I	-0.5	-0.0	0.0
0.0	0.0			J	-0.5	0.0	0.0
0.0	0.0						
0.0	0.0		SLVy (RS)	I	-7.9	0.0	-0.0
0.0	0.0			J	-7.9	0.0	0.0
0.0	0.0						
0.0	0.0		SLDx (RS)	I	-0.3	-0.0	0.0
0.0	0.0			J	-0.3	0.0	0.0
0.0	0.0						
0.0	0.0		SLDy (RS)	I	-3.9	0.0	-0.0
0.0	0.0			J	-3.9	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0						
		SLVz (RS)	I	-0.3	0.0	0.0	-0.0
0.0	0.0		J	-0.3	0.0	0.0	-0.0
0.0	0.0						
		g1	I	1.3	-0.0	-0.3	0.0
0.0	0.0		J	1.8	0.0	0.3	0.0
0.0	0.0						
		g2	I	-0.0	-0.0	-0.0	0.0
0.0	0.0		J	-0.0	0.0	0.0	0.0
0.0	0.0						
		q3	I	-0.0	-0.0	-0.0	0.0
0.0	0.0		J	-0.0	0.0	0.0	0.0
0.0	0.0						
		q5_pc	I	-0.9	0.0	-0.0	-0.0
0.0	0.0		J	-0.9	0.0	0.0	-0.0
0.0	0.0						
		q5_ps	I	-0.5	0.0	-0.0	-0.0
0.0	0.0		J	-0.5	0.0	0.0	-0.0
0.0	0.0						
		INVSLU Max	I	108.4	-0.0	-0.4	0.0
0.0	0.0		J	109.1	0.0	0.4	0.0
0.0	0.0	Min	I	-103.3	-0.0	-0.4	-0.0
0.0	0.0		J	-102.6	0.0	0.4	-0.0
0.0	0.0						
		INVSLV Max	I	10.0	-0.0	-0.3	-0.0
0.0	0.0		J	10.5	0.0	0.3	-0.0
0.0	0.0	Min	I	-6.3	-0.0	-0.3	-0.0
0.0	0.0		J	-5.8	0.0	0.3	-0.0
0.0	0.0						
108	2	78	Q1-1-2 Max	I	2.6	0.0	0.0
0.0	0.0			J	2.6	0.0	0.0
0.0	0.0		Min	I	-177.9	-0.0	-0.1
-0.3	-0.0			J	-177.9	-0.0	-0.1
0.0	0.0						
		Q2a-1-2 Max	I	1.8	0.0	0.0	0.0
0.0	0.0		J	1.8	0.0	0.0	0.0
0.0	0.0	Min	I	-105.9	-0.0	-0.1	-0.0
-0.2	-0.0		J	-105.9	-0.0	-0.1	-0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0						
		SLVx (RS)	I	12.7	0.6	0.0	0.0
0.0	1.2		J	12.7	0.6	0.0	0.0
0.0	0.0						
		SLVy (RS)	I	4.7	0.0	-0.0	0.0
-0.0	0.0		J	4.7	0.0	-0.0	0.0
0.0	0.0						
		SLDx (RS)	I	6.3	0.3	0.0	0.0
0.0	0.6		J	6.3	0.3	0.0	0.0
0.0	0.0						
		SLDy (RS)	I	2.4	0.0	-0.0	0.0
-0.0	0.0		J	2.4	0.0	-0.0	0.0
0.0	0.0						
		SLVz (RS)	I	5.6	-0.1	-0.0	0.0
-0.0	-0.3		J	5.6	-0.1	-0.0	0.0
0.0	0.0						
		g1	I	-121.3	0.0	-0.6	-0.0
-0.2	0.0		J	-121.3	0.0	0.3	-0.0
0.0	0.0						
		g2	I	-61.5	0.0	0.0	-0.0
0.1	0.0		J	-61.5	0.0	0.0	-0.0
0.0	0.0						
		q3	I	-3.1	0.0	0.0	-0.0
0.0	0.0		J	-3.1	0.0	0.0	-0.0
0.0	0.0						
		q5_pc	I	-1.6	0.0	-0.0	0.0
-0.0	0.0		J	-1.6	0.0	-0.0	0.0
0.0	0.0						
		q5_ps	I	-2.3	0.0	0.0	0.0
0.0	0.0		J	-2.3	0.0	0.0	0.0
0.0	0.0						
		INVSLU Max	I	-239.8	0.0	-1.1	0.0
-1.1	0.0		J	-239.8	0.0	0.1	0.0
0.0	0.0						
		Min	I	-487.5	-0.0	-1.3	-0.0
-1.6	-0.0		J	-487.5	-0.0	-0.1	-0.0
0.0	0.0						
		INVSLV Max	I	-168.3	0.6	-0.9	0.0
-1.0	1.3		J	-168.3	0.6	0.0	0.0
0.0	0.0						
		Min	I	-199.9	-0.6	-0.9	-0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-1.0	-1.3			J	-199.9	-0.6	-0.0	-0.0
0.0	0.0							
109	2	79	Q1-1-2 Max	I	77.9	0.0	0.0	0.0
0.0	0.0			J	77.9	0.0	0.0	0.0
0.0	0.0		Min	I	-77.6	-0.0	-0.0	-0.0
0.0	0.0			J	-77.6	0.0	0.0	-0.0
0.0	0.0		Q2a-1-2 Max	I	48.5	0.0	0.0	0.0
0.0	0.0			J	48.5	0.0	0.0	0.0
0.0	0.0		Min	I	-48.3	-0.0	-0.0	-0.0
0.0	0.0			J	-48.3	0.0	0.0	-0.0
0.0	0.0		SLVx (RS)	I	-0.6	0.0	0.0	0.0
0.0	0.0			J	-0.6	0.0	0.0	0.0
0.0	0.0		SLVy (RS)	I	7.9	-0.0	0.0	0.0
0.0	0.0			J	7.9	0.0	0.0	0.0
0.0	0.0		SLDx (RS)	I	-0.3	0.0	0.0	0.0
0.0	0.0			J	-0.3	0.0	0.0	0.0
0.0	0.0		SLDy (RS)	I	3.9	-0.0	0.0	0.0
0.0	0.0			J	3.9	0.0	0.0	0.0
0.0	0.0		SLVz (RS)	I	-0.2	-0.0	0.0	0.0
0.0	0.0			J	-0.2	0.0	0.0	0.0
0.0	0.0		g1	I	1.3	0.0	-0.3	-0.0
0.0	0.0			J	1.8	0.0	0.3	-0.0
0.0	0.0		g2	I	-0.0	0.0	-0.0	-0.0
0.0	0.0			J	-0.0	0.0	0.0	-0.0
0.0	0.0		q3	I	-0.0	0.0	-0.0	-0.0
0.0	0.0			J	-0.0	0.0	0.0	-0.0
0.0	0.0		q5_pc	I	0.9	0.0	0.0	-0.0
0.0	0.0			J	0.9	0.0	0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		q5_ps	I	0.5	0.0	0.0	-0.0
0.0	0.0			J	0.5	0.0	0.0	-0.0
0.0	0.0		INVSLU Max	I	108.4	0.0	-0.4	0.0
0.0	0.0			J	109.1	0.0	0.4	0.0
0.0	0.0		Min	I	-103.3	0.0	-0.4	-0.0
0.0	0.0			J	-102.6	0.0	0.4	-0.0
0.0	0.0		INVSLV Max	I	10.0	0.0	-0.3	0.0
0.0	0.0			J	10.5	0.0	0.3	0.0
0.0	0.0		Min	I	-6.3	0.0	-0.3	0.0
0.0	0.0			J	-5.8	0.0	0.3	0.0
110	2	79	Q1-1-2 Max	I	49.7	0.0	0.0	0.0
0.0	0.0			J	49.7	0.0	0.0	0.0
0.0	0.0		Min	I	-49.5	-0.0	-0.0	-0.0
0.0	0.0			J	-49.5	0.0	0.0	-0.0
0.0	0.0		Q2a-1-2 Max	I	32.6	0.0	0.0	0.0
0.0	0.0			J	32.6	0.0	0.0	0.0
0.0	0.0		Min	I	-32.4	-0.0	-0.0	-0.0
0.0	0.0			J	-32.4	0.0	0.0	-0.0
0.0	0.0		SLVx (RS)	I	0.3	-0.0	0.0	-0.0
0.0	0.0			J	0.3	0.0	0.0	-0.0
0.0	0.0		SLVy (RS)	I	7.8	-0.0	-0.0	0.0
0.0	0.0			J	7.8	0.0	0.0	0.0
0.0	0.0		SLDx (RS)	I	0.1	-0.0	0.0	-0.0
0.0	0.0			J	0.1	0.0	0.0	-0.0
0.0	0.0		SLDy (RS)	I	3.9	-0.0	-0.0	0.0
0.0	0.0			J	3.9	0.0	0.0	0.0
0.0	0.0		SLVz (RS)	I	-0.1	0.0	0.0	-0.0
0.0	0.0			J	-0.1	0.0	0.0	-0.0



PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		g1	I	1.3	-0.0	-0.3	0.0
0.0	0.0			J	1.8	0.0	0.3	0.0
0.0	0.0		g2	I	-0.0	-0.0	-0.0	0.0
0.0	0.0			J	-0.0	0.0	0.0	0.0
0.0	0.0		q3	I	-0.0	-0.0	-0.0	0.0
0.0	0.0			J	-0.0	0.0	0.0	0.0
0.0	0.0		q5_pc	I	13.5	0.0	-0.0	-0.0
0.0	0.0			J	13.5	0.0	0.0	-0.0
0.0	0.0		q5_ps	I	11.6	0.0	-0.0	-0.0
0.0	0.0			J	11.6	0.0	0.0	-0.0
0.0	0.0		INVSLU Max	I	81.3	-0.0	-0.4	0.0
0.0	0.0			J	82.0	0.0	0.4	0.0
0.0	0.0		Min	I	-76.9	-0.0	-0.4	-0.0
0.0	0.0			J	-76.2	0.0	0.4	-0.0
0.0	0.0		INVSLV Max	I	9.6	-0.0	-0.3	-0.0
0.0	0.0			J	10.1	0.0	0.3	-0.0
0.0	0.0		Min	I	-6.3	-0.0	-0.3	-0.0
0.0	0.0			J	-5.8	0.0	0.3	-0.0
111	2	78	Q1-1-2 Max	I	7.4	0.0	0.0	0.0
0.0	0.0			J	7.4	0.0	0.0	0.0
0.0	0.0		Min	I	-118.2	-0.0	-0.1	-0.0
-0.3	-0.0			J	-118.2	-0.0	-0.1	-0.0
0.0	0.0		Q2a-1-2 Max	I	5.1	0.0	0.0	0.0
0.0	0.0			J	5.1	0.0	0.0	0.0
0.0	0.0		Min	I	-72.1	-0.0	-0.1	-0.0
-0.2	-0.0			J	-72.1	-0.0	-0.1	-0.0
0.0	0.0		SLVx (RS)	I	8.1	0.6	-0.0	0.0
-0.0	1.2			J	8.1	0.6	-0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0	SLVy (RS)	I	-15.2	0.0	0.0	0.0
			J	-15.2	0.0	0.0	0.0
0.0	0.0						
-0.0	0.6	SLDx (RS)	I	4.1	0.3	-0.0	0.0
			J	4.1	0.3	-0.0	0.0
0.0	0.0						
0.0	0.0	SLDy (RS)	I	-7.6	0.0	0.0	0.0
			J	-7.6	0.0	0.0	0.0
0.0	0.0						
-0.0	-0.3	SLVz (RS)	I	3.5	-0.1	-0.0	0.0
			J	3.5	-0.1	-0.0	0.0
0.0	0.0						
-0.2	0.0	g1	I	-83.7	0.0	-0.6	-0.0
			J	-83.7	0.0	0.4	-0.0
0.0	0.0						
0.1	0.0	g2	I	-43.7	0.0	0.0	-0.0
			J	-43.7	0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	q3	I	-1.9	0.0	0.0	-0.0
			J	-1.9	0.0	0.0	-0.0
0.0	0.0						
-0.0	0.0	q5_pc	I	-19.3	0.0	-0.0	-0.0
			J	-19.3	0.0	-0.0	-0.0
0.0	0.0						
0.0	0.0	q5_ps	I	-17.5	0.0	0.0	-0.0
			J	-17.5	0.0	0.0	-0.0
0.0	0.0						
-0.7	0.0	INVSLU Max	I	-143.3	0.0	-0.9	0.0
			J	-143.3	0.0	0.3	0.0
0.0	0.0						
-1.1	-0.0	Min	I	-353.9	-0.0	-1.1	-0.0
			J	-353.9	-0.0	0.1	-0.0
0.0	0.0						
-0.7	1.3	INVSLV Max	I	-111.6	0.6	-0.8	0.0
			J	-111.6	0.6	0.1	0.0
0.0	0.0						
-0.7	-1.3	Min	I	-148.9	-0.6	-0.8	-0.0
			J	-148.9	-0.6	0.1	-0.0
0.0	0.0						
112	2	79	Q1-1-2 Max	I	49.7	0.0	0.0
0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		J	49.7	0.0	0.0	0.0
0.0	0.0	Min	I	-49.5	-0.0	-0.0	-0.0
0.0	0.0		J	-49.5	0.0	0.0	-0.0
0.0	0.0	Q2a-1-2 Max	I	32.6	0.0	0.0	0.0
0.0	0.0		J	32.6	0.0	0.0	0.0
0.0	0.0	Min	I	-32.4	-0.0	-0.0	-0.0
0.0	0.0		J	-32.4	0.0	0.0	-0.0
0.0	0.0	SLVx (RS)	I	-0.5	0.0	0.0	0.0
0.0	0.0		J	-0.5	0.0	0.0	0.0
0.0	0.0	SLVy (RS)	I	-7.8	0.0	0.0	0.0
0.0	0.0		J	-7.8	0.0	0.0	0.0
0.0	0.0	SLDx (RS)	I	-0.2	0.0	0.0	0.0
0.0	0.0		J	-0.2	0.0	0.0	0.0
0.0	0.0	SLDy (RS)	I	-3.9	0.0	0.0	0.0
0.0	0.0		J	-3.9	0.0	0.0	0.0
0.0	0.0	SLVz (RS)	I	-0.2	-0.0	0.0	0.0
0.0	0.0		J	-0.2	0.0	0.0	0.0
0.0	0.0	g1	I	1.3	0.0	-0.3	-0.0
0.0	0.0		J	1.8	0.0	0.3	-0.0
0.0	0.0	g2	I	-0.0	0.0	-0.0	-0.0
0.0	0.0		J	-0.0	0.0	0.0	-0.0
0.0	0.0	q3	I	-0.0	0.0	-0.0	-0.0
0.0	0.0		J	-0.0	0.0	0.0	-0.0
0.0	0.0	q5_pc	I	-13.5	0.0	0.0	-0.0
0.0	0.0		J	-13.5	0.0	0.0	-0.0
0.0	0.0	q5_ps	I	-11.6	0.0	0.0	-0.0
0.0	0.0		J	-11.6	0.0	0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


0.0	0.0		INVSLU Max	I	81.3	0.0	-0.4	0.0
				J	82.0	0.0	0.4	0.0
0.0	0.0		Min	I	-76.9	0.0	-0.4	-0.0
0.0	0.0			J	-76.2	0.0	0.4	-0.0
0.0	0.0		INVSLV Max	I	9.6	0.0	-0.3	0.0
0.0	0.0			J	10.1	0.0	0.3	0.0
0.0	0.0		Min	I	-6.4	0.0	-0.3	0.0
0.0	0.0			J	-5.9	0.0	0.3	0.0
113	2	74	Q1-1-2 Max	I	145.3	0.0	0.0	0.0
0.0	0.0			J	145.3	0.0	0.0	0.0
0.0	0.0		Min	I	-145.7	-0.0	0.0	-0.0
0.0	0.0			J	-145.7	-0.0	0.0	-0.0
0.0	0.0		Q2a-1-2 Max	I	83.1	0.0	0.0	0.0
0.0	0.0			J	83.1	0.0	0.0	0.0
0.0	0.0		Min	I	-83.3	-0.0	0.0	-0.0
0.0	0.0			J	-83.3	-0.0	0.0	-0.0
0.0	0.0		SLVx (RS)	I	1.0	-0.0	0.0	-0.0
0.0	0.0			J	1.0	0.0	0.0	-0.0
0.0	0.0		SLVy (RS)	I	86.8	0.0	0.0	0.0
0.0	0.0			J	86.8	0.0	0.0	0.0
0.0	0.0		SLDx (RS)	I	0.5	-0.0	0.0	-0.0
0.0	0.0			J	0.5	0.0	0.0	-0.0
0.0	0.0		SLDy (RS)	I	43.3	0.0	0.0	0.0
0.0	0.0			J	43.3	0.0	0.0	0.0
0.0	0.0		SLVz (RS)	I	0.9	0.0	0.0	-0.0
0.0	0.0			J	0.9	-0.0	0.0	-0.0
0.0	0.0		g1	I	1.4	-0.0	-0.4	0.0
0.0	0.0			J	2.1	0.0	0.4	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		g2	I	-0.1	-0.0	0.0	0.0
				J	-0.1	0.0	0.0	0.0
0.0	0.0							
			q3	I	-0.0	-0.0	0.0	0.0
0.0	0.0			J	-0.0	0.0	0.0	0.0
0.0	0.0							
			q5_pc	I	96.4	0.0	0.0	0.0
0.0	0.0			J	96.4	0.0	0.0	0.0
0.0	0.0							
			q5_ps	I	82.0	0.0	0.0	0.0
0.0	0.0			J	82.0	0.0	0.0	0.0
0.0	0.0							
			INVSLU Max	I	284.6	-0.0	-0.6	0.0
0.0	0.0			J	285.5	0.0	0.6	0.0
0.0	0.0		Min	I	-281.7	-0.0	-0.6	-0.0
0.0	0.0			J	-280.8	0.0	0.6	-0.0
0.0	0.0							
			INVSLV Max	I	88.7	-0.0	-0.4	0.0
0.0	0.0			J	89.4	0.0	0.4	0.0
0.0	0.0		Min	I	-85.9	-0.0	-0.4	0.0
0.0	0.0			J	-85.3	-0.0	0.4	0.0
0.0	0.0							
114	2	71	Q1-1-2 Max	I	110.6	0.0	0.2	0.0
0.4	0.0			J	110.6	0.0	0.2	0.0
0.0	0.0		Min	I	-128.8	-0.0	-0.0	-0.0
-0.0	-0.0			J	-128.8	-0.0	-0.0	-0.0
0.0	0.0							
			Q2a-1-2 Max	I	64.6	0.0	0.1	0.0
0.2	0.0			J	64.6	0.0	0.1	0.0
0.0	0.0		Min	I	-72.9	-0.0	-0.0	-0.0
-0.0	-0.0			J	-72.9	-0.0	-0.0	-0.0
0.0	0.0							
			SLVx (RS)	I	2.4	0.7	-0.0	0.0
-0.0	1.5			J	2.4	0.7	-0.0	0.0
0.0	0.0							
			SLVy (RS)	I	55.2	-0.0	0.0	0.0
0.1	-0.0			J	55.2	-0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.0	0.7	SLDx (RS)	I	1.2	0.3	-0.0	0.0
			J	1.2	0.3	-0.0	0.0
0.0	0.0						
		SLDy (RS)	I	27.5	-0.0	0.0	0.0
0.0	-0.0		J	27.5	-0.0	0.0	0.0
0.0	0.0						
		SLVz (RS)	I	1.3	-0.2	-0.0	0.0
-0.0	-0.3		J	1.3	-0.2	-0.0	0.0
0.0	0.0						
		g1	I	-20.7	0.0	-0.5	-0.0
0.1	0.0		J	-20.7	0.0	0.6	-0.0
0.0	0.0						
		g2	I	-11.4	0.0	0.1	-0.0
0.2	0.0		J	-11.4	0.0	0.1	-0.0
0.0	0.0						
		q3	I	-0.4	0.0	0.0	-0.0
0.0	0.0		J	-0.4	0.0	0.0	-0.0
0.0	0.0						
		q5_pc	I	15.6	0.0	0.0	-0.0
0.0	0.0		J	15.6	0.0	0.0	-0.0
0.0	0.0						
		q5_ps	I	16.4	0.0	0.0	-0.0
0.0	0.0		J	16.4	0.0	0.0	-0.0
0.0	0.0						
		INVSLU Max	I	128.1	0.0	-0.3	0.0
0.9	0.0		J	128.1	0.0	1.1	0.0
0.0	0.0						
		Min	I	-223.3	-0.0	-0.6	-0.0
0.3	-0.0		J	-223.3	-0.0	0.9	-0.0
0.0	0.0						
		INVSLV Max	I	19.6	0.7	-0.5	0.0
0.2	1.6		J	19.6	0.7	0.6	0.0
0.0	0.0						
		Min	I	-93.0	-0.7	-0.5	-0.0
0.0	-1.6		J	-93.0	-0.7	0.5	-0.0
0.0	0.0						
115	2	74	Q1-1-2 Max	I	145.3	0.0	0.0
0.0	0.0			J	145.3	0.0	0.0
0.0	0.0						
			Min	I	-145.7	-0.0	-0.0
0.0	0.0			J	-145.7	-0.0	-0.0
0.0	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	0.0	Q2a-1-2 Max	I	83.1	0.0	0.0	0.0
0.0	0.0		J	83.1	0.0	0.0	0.0
0.0	0.0	Min	I	-83.3	-0.0	0.0	-0.0
0.0	0.0		J	-83.3	-0.0	0.0	-0.0
0.0	0.0	SLVx (RS)	I	0.9	0.0	0.0	0.0
0.0	0.0		J	0.9	-0.0	0.0	0.0
0.0	0.0	SLVy (RS)	I	-86.8	-0.0	0.0	-0.0
0.0	0.0		J	-86.8	0.0	0.0	-0.0
0.0	0.0	SLDx (RS)	I	0.5	0.0	0.0	0.0
0.0	0.0		J	0.5	-0.0	0.0	0.0
0.0	0.0	SLDy (RS)	I	-43.4	-0.0	0.0	-0.0
0.0	0.0		J	-43.4	0.0	0.0	-0.0
0.0	0.0	SLVz (RS)	I	0.9	-0.0	0.0	0.0
0.0	0.0		J	0.9	0.0	0.0	0.0
0.0	0.0	g1	I	1.3	0.0	-0.4	-0.0
0.0	0.0		J	1.9	-0.0	0.4	-0.0
0.0	0.0	g2	I	-0.1	0.0	0.0	-0.0
0.0	0.0		J	-0.1	-0.0	0.0	-0.0
0.0	0.0	q3	I	-0.0	0.0	0.0	-0.0
0.0	0.0		J	-0.0	-0.0	0.0	-0.0
0.0	0.0	q5_pc	I	-96.4	0.0	0.0	-0.0
0.0	0.0		J	-96.4	0.0	0.0	-0.0
0.0	0.0	q5_ps	I	-82.1	0.0	0.0	-0.0
0.0	0.0		J	-82.1	0.0	0.0	-0.0
0.0	0.0	INVSLU Max	I	284.5	0.0	-0.6	0.0
0.0	0.0		J	285.3	-0.0	0.6	0.0
0.0	0.0	Min	I	-282.0	0.0	-0.6	-0.0
0.0	0.0		J				


PROJECT TITLE :

MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		J	-281.1	-0.0	0.6	-0.0
0.0	0.0	INVS LV Max	I	88.6	0.0	-0.4	-0.0
0.0	0.0		J	89.3	0.0	0.4	-0.0
0.0	0.0	Min	I	-86.1	0.0	-0.4	-0.0
0.0	0.0		J	-85.5	-0.0	0.4	-0.0
116	2	72 Q1-1-2 Max	I	222.3	0.0	0.0	0.0
0.0	0.0		J	222.3	0.0	0.0	0.0
0.0	0.0	Min	I	-159.4	-0.0	0.0	-0.0
0.0	0.0		J	-159.4	-0.0	-0.0	-0.0
0.0	0.0	Q2a-1-2 Max	I	125.9	0.0	0.0	0.0
0.0	0.0		J	125.9	0.0	0.0	0.0
0.0	0.0	Min	I	-90.8	-0.0	0.0	-0.0
0.0	0.0		J	-90.8	-0.0	-0.0	-0.0
0.0	0.0	SLVx (RS)	I	12.0	-0.0	0.0	-0.0
0.0	0.0		J	12.0	0.0	0.0	-0.0
0.0	0.0	SLVy (RS)	I	111.0	0.0	0.0	0.0
0.0	0.0		J	111.0	-0.0	-0.0	0.0
0.0	0.0	SLDx (RS)	I	6.0	-0.0	0.0	-0.0
0.0	0.0		J	6.0	0.0	0.0	-0.0
0.0	0.0	SLDy (RS)	I	55.4	0.0	0.0	0.0
0.0	0.0		J	55.4	-0.0	-0.0	0.0
0.0	0.0	SLVz (RS)	I	-3.2	0.0	-0.0	-0.0
0.0	0.0		J	-3.2	-0.0	0.0	-0.0
0.0	0.0	g1	I	40.2	-0.0	-0.7	0.0
0.0	0.0		J	40.2	0.0	0.7	0.0
0.0	0.0	g2	I	19.8	-0.0	0.0	0.0
0.0	0.0		J	19.8	0.0	-0.0	0.0
0.0	0.0	q3	I	13.7	-0.0	0.0	-0.0



MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	0.0			J	13.7	0.0	-0.0	-0.0
0.0	0.0							
0.0	0.0		q5_pc	I	44.2	0.0	0.0	0.0
0.0	0.0			J	44.2	-0.0	0.0	0.0
0.0	0.0							
0.0	0.0		q5_ps	I	43.5	0.0	0.0	0.0
0.0	0.0			J	43.5	-0.0	0.0	0.0
0.0	0.0							
0.0	0.0		INVSLU Max	I	443.2	0.0	-0.9	0.0
0.0	0.0			J	443.3	0.0	0.9	0.0
0.0	0.0							
0.0	0.0		Min	I	-151.6	-0.0	-0.9	-0.0
0.0	0.0			J	-151.6	-0.0	0.9	-0.0
0.0	0.0							
0.0	0.0		INVSLV Max	I	179.0	0.0	-0.7	0.0
0.0	0.0			J	179.0	0.0	0.7	0.0
0.0	0.0							
0.0	0.0		Min	I	-52.2	-0.0	-0.7	-0.0
0.0	0.0			J	-52.2	-0.0	0.7	-0.0
0.0	0.0							
117	2	72	Q1-1-2 Max	I	222.6	0.0	0.0	0.0
0.0	0.0			J	222.6	0.0	0.0	0.0
0.0	0.2							
0.0	0.0		Min	I	-159.8	-0.1	-0.0	-0.0
0.0	0.0			J	-159.8	-0.1	-0.0	-0.0
-0.0	-0.1							
0.0	0.0		Q2a-1-2 Max	I	126.1	0.0	0.0	0.0
0.0	0.0			J	126.1	0.0	0.0	0.0
0.0	0.1							
0.0	0.0		Min	I	-91.0	-0.0	-0.0	-0.0
0.0	0.0			J	-91.0	-0.0	-0.0	-0.0
-0.0	-0.1							
0.0	0.0		SLVx (RS)	I	12.3	-0.0	0.8	0.0
0.0	0.0			J	12.3	-0.0	0.8	0.0
-2.6	0.1							
0.0	0.0		SLVy (RS)	I	-74.0	-0.0	0.1	-0.0
0.0	0.0			J	-74.0	-0.0	0.1	-0.0
-0.4	0.2							
0.0	0.0		SLDx (RS)	I	6.2	-0.0	0.4	0.0
0.0	0.0			J	6.2	-0.0	0.4	0.0
-1.3	0.0							
0.0	0.0		SLDy (RS)	I	-37.0	-0.0	0.1	-0.0

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	0.0			J	-37.0	-0.0	0.1	-0.0
-0.2	0.1							
		SLVz (RS)		I	-2.6	-0.0	0.4	0.0
0.0	0.0			J	-2.6	-0.0	0.4	0.0
-1.2	0.0							
		g1		I	40.1	0.0	-2.1	-0.0
0.0	0.0			J	40.2	0.0	-0.7	-0.0
4.5	-0.1							
		g2		I	19.8	-0.0	-0.0	-0.0
0.0	0.0			J	19.8	-0.0	-0.0	-0.0
0.0	0.0							
		q3		I	13.7	-0.0	-0.0	0.0
0.0	0.0			J	13.7	-0.0	-0.0	0.0
0.0	0.0							
		q5_pc		I	-17.3	-0.0	-0.0	-0.0
0.0	0.0			J	-17.3	-0.0	-0.0	-0.0
0.0	0.1							
		q5_ps		I	-19.9	-0.0	-0.0	-0.0
0.0	0.0			J	-19.9	-0.0	-0.0	-0.0
0.0	0.1							
		INVSLU Max		I	419.5	0.1	-2.8	0.0
0.0	0.0			J	419.6	0.1	-0.9	0.0
6.2	0.3							
		Min		I	-127.8	-0.1	-2.8	-0.0
0.0	0.0			J	-127.8	-0.1	-0.9	-0.0
6.1	-0.3							
		INVSLV Max		I	141.9	0.1	-1.1	0.0
0.0	0.0			J	142.0	0.1	0.2	0.0
7.6	0.2							
		Min		I	-15.1	-0.0	-3.0	-0.0
0.0	0.0			J	-15.1	-0.0	-1.6	-0.0
1.5	-0.3							
118	2	72	Q1-1-2 Max	I	222.6	0.1	0.0	0.0
0.0	0.2			J	222.6	0.1	0.0	0.0
0.0	0.0							
		Min		I	-159.7	-0.0	-0.0	-0.0
-0.0	-0.1			J	-159.7	-0.0	-0.0	-0.0
0.0	0.0							
		Q2a-1-2 Max		I	126.1	0.0	0.0	0.0
0.0	0.1			J	126.1	0.0	0.0	0.0
0.0	0.0							
		Min		I	-91.0	-0.0	-0.0	-0.0

PROJECT TITLE :


MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-0.0	-0.1		J	-91.0	-0.0	-0.0	-0.0
0.0	0.0						
		SLVx (RS)	I	11.4	0.0	-0.8	0.0
-2.6	0.1		J	11.4	0.0	-0.8	0.0
0.0	0.0						
		SLVy (RS)	I	-72.8	0.0	-0.1	0.0
-0.4	0.2		J	-72.8	0.0	-0.1	0.0
0.0	0.0						
		SLDx (RS)	I	5.7	0.0	-0.4	0.0
-1.3	0.0		J	5.7	0.0	-0.4	0.0
0.0	0.0						
		SLDy (RS)	I	-36.4	0.0	-0.1	0.0
-0.2	0.1		J	-36.4	0.0	-0.1	0.0
0.0	0.0						
		SLVz (RS)	I	-2.5	0.0	-0.4	-0.0
-1.2	0.0		J	-2.5	0.0	-0.4	-0.0
0.0	0.0						
		g1	I	40.2	-0.0	0.7	-0.0
4.5	-0.1		J	40.2	-0.0	2.1	-0.0
0.0	0.0						
		g2	I	19.8	0.0	0.0	-0.0
0.0	0.0		J	19.8	0.0	0.0	-0.0
0.0	0.0						
		q3	I	13.7	0.0	0.0	0.0
0.0	0.0		J	13.7	0.0	0.0	0.0
0.0	0.0						
		q5_pc	I	-17.3	0.0	0.0	0.0
0.0	0.1		J	-17.3	0.0	0.0	0.0
0.0	0.0						
		q5_ps	I	-19.9	0.0	0.0	0.0
0.0	0.1		J	-19.9	0.0	0.0	0.0
0.0	0.0						
		INVSLU Max	I	419.6	0.1	0.9	0.0
6.1	0.3		J	419.7	0.1	2.8	0.0
0.0	0.0						
		Min	I	-127.7	-0.1	0.9	0.0
6.1	-0.3		J	-127.7	-0.1	2.8	0.0
0.0	0.0						
		INVSLV Max	I	140.4	0.0	1.6	0.0
7.6	0.2		J	140.5	0.0	3.0	0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


0.0	0.0							
			Min	I	-13.5	-0.1	-0.2	0.0
1.5	-0.3			J	-13.4	-0.1	1.1	0.0
0.0	0.0							
119	2	72	Q1-1-2 Max	I	222.2	0.0	0.0	0.0
0.0	0.0			J	222.2	0.0	0.0	0.0
0.0	0.0		Min	I	-159.4	-0.0	-0.0	-0.0
0.0	0.0			J	-159.4	0.0	-0.0	-0.0
0.0	0.0							
			Q2a-1-2 Max	I	125.9	0.0	0.0	0.0
0.0	0.0			J	125.9	0.0	0.0	0.0
0.0	0.0		Min	I	-90.8	-0.0	-0.0	-0.0
0.0	0.0			J	-90.8	0.0	-0.0	-0.0
0.0	0.0							
			SLVx (RS)	I	11.0	-0.0	-0.0	-0.0
0.0	0.0			J	11.0	0.0	-0.0	-0.0
0.0	0.0							
			SLVy (RS)	I	109.8	0.0	0.0	0.0
0.0	0.0			J	109.8	0.0	0.0	0.0
0.0	0.0							
			SLDx (RS)	I	5.5	-0.0	-0.0	-0.0
0.0	0.0			J	5.5	0.0	-0.0	-0.0
0.0	0.0							
			SLDy (RS)	I	54.8	0.0	0.0	0.0
0.0	0.0			J	54.8	0.0	0.0	0.0
0.0	0.0							
			SLVz (RS)	I	-3.0	0.0	-0.0	0.0
0.0	0.0			J	-3.0	0.0	0.0	0.0
0.0	0.0							
			g1	I	40.2	-0.0	-0.7	-0.0
0.0	0.0			J	40.2	0.0	0.7	-0.0
0.0	0.0							
			g2	I	19.7	-0.0	0.0	-0.0
0.0	0.0			J	19.7	0.0	-0.0	-0.0
0.0	0.0							
			q3	I	13.7	-0.0	0.0	-0.0
0.0	0.0			J	13.7	0.0	-0.0	-0.0
0.0	0.0							
			q5_pc	I	44.2	0.0	0.0	-0.0
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		J	44.2	0.0	-0.0	-0.0
0.0	0.0	q5_ps	I	43.4	0.0	0.0	-0.0
0.0	0.0		J	43.4	0.0	-0.0	-0.0
0.0	0.0	INVSLU Max	I	443.1	0.0	-0.9	-0.0
0.0	0.0		J	443.1	0.0	0.9	-0.0
0.0	0.0	Min	I	-151.5	-0.0	-0.9	-0.0
0.0	0.0		J	-151.5	0.0	0.9	-0.0
0.0	0.0	INVSLV Max	I	177.4	0.0	-0.7	-0.0
0.0	0.0		J	177.4	0.0	0.7	-0.0
0.0	0.0	Min	I	-50.6	-0.0	-0.7	-0.0
0.0	0.0		J	-50.5	0.0	0.7	-0.0
120	2	72	Q1-1-2 Max	I	249.8	0.0	0.0
0.0	0.0		J	249.8	0.0	0.0	0.0
0.0	0.0		Min	I	-111.5	-0.0	-0.0
0.0	0.0		J	-111.5	-0.0	-0.0	-0.0
0.0	0.0	Q2a-1-2 Max	I	142.2	0.0	0.0	0.0
0.0	0.0		J	142.2	0.0	0.0	0.0
0.0	0.0	Min	I	-64.1	-0.0	-0.0	-0.0
0.0	0.0		J	-64.1	-0.0	-0.0	-0.0
0.0	0.0	SLVx (RS)	I	11.4	0.0	0.0	-0.0
0.0	0.0		J	11.4	-0.0	0.0	-0.0
0.0	0.0	SLVy (RS)	I	61.6	-0.0	0.0	0.0
0.0	0.0		J	61.6	0.0	0.0	0.0
0.0	0.0	SLDx (RS)	I	5.7	0.0	0.0	-0.0
0.0	0.0		J	5.7	-0.0	0.0	-0.0
0.0	0.0	SLDy (RS)	I	30.8	-0.0	0.0	0.0
0.0	0.0		J	30.8	0.0	0.0	0.0
0.0	0.0	SLVz (RS)	I	-3.5	-0.0	-0.0	0.0

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		J	-3.5	0.0	0.0	0.0
0.0	0.0	g1	I	89.2	0.0	-0.7	-0.0
0.0	0.0		J	89.3	-0.0	0.7	-0.0
0.0	0.0	g2	I	42.7	0.0	0.0	-0.0
0.0	0.0		J	42.7	-0.0	-0.0	-0.0
0.0	0.0	q3	I	8.9	0.0	0.0	-0.0
0.0	0.0		J	8.9	-0.0	-0.0	-0.0
0.0	0.0	q5_pc	I	8.0	-0.0	-0.0	0.0
0.0	0.0		J	8.0	0.0	-0.0	0.0
0.0	0.0	q5_ps	I	10.6	-0.0	0.0	0.0
0.0	0.0		J	10.6	0.0	-0.0	0.0
0.0	0.0	INVSLU Max	I	544.8	0.0	-0.9	-0.0
0.0	0.0		J	544.9	-0.0	0.9	-0.0
0.0	0.0	Min	I	42.7	-0.0	-0.9	-0.0
0.0	0.0		J	42.7	-0.0	0.9	-0.0
0.0	0.0	INVSLV Max	I	202.7	0.0	-0.7	-0.0
0.0	0.0		J	202.7	0.0	0.7	-0.0
0.0	0.0	Min	I	70.4	-0.0	-0.7	-0.0
0.0	0.0		J	70.5	-0.0	0.7	-0.0
121	2	72	Q1-1-2 Max	I	249.8	0.0	0.0
0.0	0.0		J	249.8	0.0	0.0	0.0
0.0	0.2		Min	I	-111.4	-0.1	-0.0
0.0	0.0		J	-111.4	-0.1	-0.0	-0.0
-0.0	-0.1		Q2a-1-2 Max	I	142.2	0.0	0.0
0.0	0.0		J	142.2	0.0	0.0	0.0
0.0	0.1		Min	I	-64.1	-0.0	-0.0
0.0	0.0		J	-64.1	-0.0	-0.0	-0.0
-0.0	-0.1		SLVx (RS)	I	12.0	-0.1	2.1
0.0	0.0						0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


-7.0	0.3		J	12.0	-0.1	2.1	0.0
0.0	0.0	SLVy (RS)	I	-64.8	0.0	0.1	0.0
-0.5	-0.0		J	-64.8	0.0	0.1	0.0
0.0	0.0	SLDx (RS)	I	6.0	-0.0	1.1	0.0
-3.5	0.1		J	6.0	-0.0	1.1	0.0
0.0	0.0	SLDy (RS)	I	-32.3	0.0	0.1	0.0
-0.2	-0.0		J	-32.3	0.0	0.1	0.0
0.0	0.0	SLVz (RS)	I	-4.1	-0.0	0.7	-0.0
-2.4	0.1		J	-4.1	-0.0	0.7	-0.0
0.0	0.0	g1	I	89.1	0.0	-2.0	0.0
4.5	-0.1		J	89.2	0.0	-0.7	0.0
0.0	0.0	g2	I	42.7	-0.0	-0.0	0.0
0.0	0.0		J	42.7	-0.0	-0.0	0.0
0.0	0.0	q3	I	8.9	0.0	0.0	0.0
-0.0	-0.0		J	8.9	0.0	0.0	0.0
0.0	0.0	q5_pc	I	-12.1	0.0	0.0	0.0
-0.0	-0.1		J	-12.1	0.0	0.0	0.0
0.0	0.0	q5_ps	I	-14.7	0.0	0.0	0.0
-0.0	-0.0		J	-14.7	0.0	0.0	0.0
0.0	0.0	INVSLU Max	I	548.4	0.1	-2.8	0.0
6.1	0.2		J	548.4	0.1	-0.9	0.0
0.0	0.0	Min	I	38.9	-0.0	-2.8	0.0
6.1	-0.4		J	38.9	-0.0	-0.9	0.0
0.0	0.0	INVSLV Max	I	206.0	0.1	0.3	0.0
12.3	0.2		J	206.0	0.1	1.7	0.0
0.0	0.0	Min	I	66.8	-0.1	-4.4	0.0
-3.3	-0.4		J	66.9	-0.1	-3.1	0.0

PROJECT TITLE :


		Company					Client		
		Author					File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
122	2	72	Q1-1-2 Max	I	249.8	0.1	0.0	0.0	
0.0	0.2			J	249.8	0.1	0.0	0.0	
0.0	0.0		Min	I	-111.4	-0.0	-0.0	-0.0	
-0.0	-0.1			J	-111.4	-0.0	-0.0	-0.0	
0.0	0.0								
0.0	0.1		Q2a-1-2 Max	I	142.2	0.0	0.0	0.0	
0.0	0.0			J	142.2	0.0	0.0	0.0	
0.0	0.0		Min	I	-64.1	-0.0	-0.0	-0.0	
-0.0	-0.1			J	-64.1	-0.0	-0.0	-0.0	
0.0	0.0								
-7.0	0.3		SLVx (RS)	I	11.4	0.1	-2.1	0.0	
0.0	0.0			J	11.4	0.1	-2.1	0.0	
0.0	0.0								
-0.5	-0.0		SLVy (RS)	I	-63.2	-0.0	-0.1	0.0	
0.0	0.0			J	-63.2	-0.0	-0.1	0.0	
0.0	0.0								
-3.5	0.1		SLDx (RS)	I	5.7	0.0	-1.1	0.0	
0.0	0.0			J	5.7	0.0	-1.1	0.0	
0.0	0.0								
-0.2	-0.0		SLDy (RS)	I	-31.6	-0.0	-0.1	0.0	
0.0	0.0			J	-31.6	-0.0	-0.1	0.0	
0.0	0.0								
-2.4	0.1		SLVz (RS)	I	-4.1	0.0	-0.7	-0.0	
0.0	0.0			J	-4.1	0.0	-0.7	-0.0	
0.0	0.0								
4.5	-0.1		g1	I	89.2	-0.0	0.7	0.0	
0.0	0.0			J	89.2	-0.0	2.0	0.0	
0.0	0.0								
0.0	0.0		g2	I	42.7	0.0	0.0	0.0	
0.0	0.0			J	42.7	0.0	0.0	0.0	
0.0	0.0								
-0.0	-0.0		q3	I	8.9	-0.0	-0.0	0.0	
0.0	0.0			J	8.9	-0.0	-0.0	0.0	
0.0	0.0								
-0.0	-0.1		q5_pc	I	-12.1	-0.0	-0.0	0.0	
0.0	0.0			J	-12.1	-0.0	-0.0	0.0	
0.0	0.0								
-0.0	-0.0		q5_ps	I	-14.7	-0.0	-0.0	0.0	
0.0	0.0			J	-14.7	-0.0	-0.0	0.0	




PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0						
			INVSLU Max	I	548.5	0.0	0.9
6.1	0.2			J	548.5	0.0	2.8
0.0	0.0						
			Min	I	39.0	-0.1	0.9
6.1	-0.4			J	39.0	-0.1	2.8
0.0	0.0						
			INVSLV Max	I	204.4	0.1	3.1
12.3	0.2			J	204.4	0.1	4.4
0.0	0.0						
			Min	I	68.6	-0.1	-1.7
-3.3	-0.4			J	68.6	-0.1	-0.3
0.0	0.0						
123	2	72	Q1-1-2 Max	I	249.8	0.0	0.0
0.0	0.0			J	249.8	0.0	0.0
0.0	0.0						
			Min	I	-111.5	0.0	-0.0
0.0	0.0			J	-111.5	0.0	-0.0
0.0	0.0						
			Q2a-1-2 Max	I	142.1	0.0	0.0
0.0	0.0			J	142.1	0.0	0.0
0.0	0.0						
			Min	I	-64.1	0.0	-0.0
0.0	0.0			J	-64.1	0.0	-0.0
0.0	0.0						
			SLVx (RS)	I	10.8	0.0	-0.0
0.0	0.0			J	10.8	0.0	0.0
0.0	0.0						
			SLVy (RS)	I	60.2	0.0	-0.0
0.0	0.0			J	60.2	0.0	0.0
0.0	0.0						
			SLDx (RS)	I	5.4	0.0	-0.0
0.0	0.0			J	5.4	0.0	0.0
0.0	0.0						
			SLDy (RS)	I	30.0	0.0	-0.0
0.0	0.0			J	30.0	0.0	0.0
0.0	0.0						
			SLVz (RS)	I	-3.5	0.0	-0.0
0.0	0.0			J	-3.5	0.0	0.0
0.0	0.0						
			g1	I	89.3	0.0	-0.7
0.0	0.0			J	89.4	0.0	0.7


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0						
0.0	0.0		g2	I	42.7	0.0	0.0
0.0	0.0			J	42.7	0.0	0.0
0.0	0.0						
0.0	0.0		q3	I	8.9	0.0	0.0
0.0	0.0			J	8.9	0.0	0.0
0.0	0.0						
0.0	0.0		q5_pc	I	8.0	0.0	0.0
0.0	0.0			J	8.0	0.0	0.0
0.0	0.0						
0.0	0.0		q5_ps	I	10.6	0.0	0.0
0.0	0.0			J	10.6	0.0	0.0
0.0	0.0						
0.0	0.0		INVSLU Max	I	544.9	0.0	-0.9
0.0	0.0			J	544.9	0.0	0.9
0.0	0.0						
0.0	0.0		Min	I	42.8	0.0	-0.9
0.0	0.0			J	42.8	0.0	0.9
0.0	0.0						
0.0	0.0		INVSLV Max	I	201.1	0.0	-0.7
0.0	0.0			J	201.1	0.0	0.7
0.0	0.0						
0.0	0.0		Min	I	72.2	0.0	-0.7
0.0	0.0			J	72.2	0.0	0.7
0.0	0.0						
124	2	72	Q1-1-2 Max	I	221.8	0.0	0.0
0.0	0.0			J	221.8	0.0	0.0
0.0	0.0						
0.0	0.0		Min	I	-64.5	-0.0	-0.0
0.0	0.0			J	-64.5	0.0	0.0
0.0	0.0						
0.0	0.0		Q2a-1-2 Max	I	130.0	0.0	0.0
0.0	0.0			J	130.0	0.0	0.0
0.0	0.0						
0.0	0.0		Min	I	-37.9	-0.0	-0.0
0.0	0.0			J	-37.9	0.0	0.0
0.0	0.0						
0.0	0.0		SLVx (RS)	I	11.5	-0.0	0.0
0.0	0.0			J	11.5	0.0	0.0
0.0	0.0						
0.0	0.0		SLVy (RS)	I	40.8	0.0	0.0
0.0	0.0			J	40.8	0.0	0.0


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0						
			SLDx (RS)	I	5.8	-0.0	0.0
0.0	0.0			J	5.8	0.0	0.0
0.0	0.0						
			SLDy (RS)	I	20.4	0.0	0.0
0.0	0.0			J	20.4	0.0	0.0
0.0	0.0						
			SLVz (RS)	I	-4.4	0.0	-0.0
0.0	0.0			J	-4.4	0.0	0.0
0.0	0.0						
			g1	I	98.7	-0.0	-0.7
0.0	0.0			J	98.8	0.0	0.7
0.0	0.0						
			g2	I	47.0	-0.0	0.0
0.0	0.0			J	47.0	0.0	0.0
0.0	0.0						
			q3	I	6.0	-0.0	0.0
0.0	0.0			J	6.0	0.0	0.0
0.0	0.0						
			q5_pc	I	3.8	0.0	-0.0
0.0	0.0			J	3.8	0.0	0.0
0.0	0.0						
			q5_ps	I	5.5	0.0	0.0
0.0	0.0			J	5.5	0.0	0.0
0.0	0.0						
			INVSLU Max	I	511.3	-0.0	-0.9
0.0	0.0			J	511.3	0.0	0.9
0.0	0.0						
			Min	I	117.9	-0.0	-0.9
0.0	0.0			J	117.9	0.0	0.9
0.0	0.0						
			INVSLV Max	I	191.0	0.0	-0.7
0.0	0.0			J	191.1	0.0	0.7
0.0	0.0						
			Min	I	100.0	-0.0	-0.7
0.0	0.0			J	100.0	0.0	0.7
0.0	0.0						
125	2	72	Q1-1-2 Max	I	221.7	0.0	0.0
0.0	0.0			J	221.7	0.0	0.0
0.0	0.1						
			Min	I	-64.6	-0.0	-0.0
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-0.0	-0.1		J	-64.6	-0.0	-0.0	-0.0
0.0	0.0	Q2a-1-2 Max	I	129.9	0.0	0.0	0.0
0.0	0.1		J	129.9	0.0	0.0	0.0
0.0	0.0	Min	I	-37.9	-0.0	-0.0	-0.0
-0.0	-0.1		J	-37.9	-0.0	-0.0	-0.0
0.0	0.0	SLVx (RS)	I	11.9	-0.1	3.0	0.0
-9.9	0.4		J	11.9	-0.1	3.0	0.0
0.0	0.0	SLVy (RS)	I	-40.9	0.0	0.1	0.0
-0.4	-0.0		J	-40.9	0.0	0.1	0.0
0.0	0.0	SLDx (RS)	I	5.9	-0.1	1.5	0.0
-5.0	0.2		J	5.9	-0.1	1.5	0.0
0.0	0.0	SLDy (RS)	I	-20.4	0.0	0.1	0.0
-0.2	-0.0		J	-20.4	0.0	0.1	0.0
0.0	0.0	SLVz (RS)	I	-4.6	-0.0	1.1	-0.0
-3.5	0.1		J	-4.6	-0.0	1.1	-0.0
0.0	0.0	g1	I	99.2	0.1	-2.1	0.0
4.5	-0.2		J	99.2	0.1	-0.7	0.0
0.0	0.0	g2	I	47.0	-0.0	-0.0	0.0
0.0	0.0		J	47.0	-0.0	-0.0	0.0
0.0	0.0	q3	I	6.0	0.0	0.0	0.0
-0.0	-0.0		J	6.0	0.0	0.0	0.0
0.0	0.0	q5_pc	I	-5.5	0.0	0.0	0.0
-0.0	-0.0		J	-5.5	0.0	0.0	0.0
0.0	0.0	q5_ps	I	-7.4	0.0	0.0	-0.0
-0.0	-0.0		J	-7.4	0.0	0.0	-0.0
0.0	0.0	INVSLU Max	I	513.2	0.1	-2.8	0.0
6.1	-0.0		J	513.3	0.1	-0.9	0.0

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
			Min	I	116.9	0.0	-2.8	0.0
0.0	0.0			J	116.9	0.0	-0.9	0.0
6.1	-0.5							
			INVS LV Max	I	191.8	0.2	1.3	0.0
0.0	0.0			J	191.8	0.2	2.7	0.0
15.6	0.2							
			Min	I	100.1	-0.1	-5.4	0.0
0.0	0.0			J	100.1	-0.1	-4.1	0.0
-6.6	-0.6							
126	2	72	Q1-1-2 Max	I	221.7	0.0	0.0	0.0
0.0	0.1			J	221.7	0.0	0.0	0.0
0.0	0.0							
			Min	I	-64.5	-0.0	-0.0	-0.0
-0.0	-0.1			J	-64.5	-0.0	-0.0	-0.0
0.0	0.0							
			Q2a-1-2 Max	I	129.9	0.0	0.0	0.0
0.0	0.1			J	129.9	0.0	0.0	0.0
0.0	0.0							
			Min	I	-37.9	-0.0	-0.0	-0.0
-0.0	-0.1			J	-37.9	-0.0	-0.0	-0.0
0.0	0.0							
			SLVx (RS)	I	-11.5	0.1	-3.0	0.0
-9.9	0.4			J	-11.5	0.1	-3.0	0.0
0.0	0.0							
			SLVy (RS)	I	-39.1	-0.0	-0.1	0.0
-0.4	-0.0			J	-39.1	-0.0	-0.1	0.0
0.0	0.0							
			SLDx (RS)	I	-5.8	0.1	-1.5	0.0
-5.0	0.2			J	-5.8	0.1	-1.5	0.0
0.0	0.0							
			SLDy (RS)	I	-19.6	-0.0	-0.1	0.0
-0.2	-0.0			J	-19.6	-0.0	-0.1	0.0
0.0	0.0							
			SLVz (RS)	I	-4.6	0.0	-1.1	-0.0
-3.5	0.1			J	-4.6	0.0	-1.1	-0.0
0.0	0.0							
			g1	I	99.2	-0.1	0.7	0.0
4.5	-0.2			J	99.3	-0.1	2.1	0.0
0.0	0.0							
			g2	I	47.0	0.0	0.0	0.0
0.0	0.0			J	47.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.0	-0.0	q3	I	6.0	-0.0	-0.0	0.0
0.0	0.0		J	6.0	-0.0	-0.0	0.0
-0.0	-0.0	q5_pc	I	-5.5	-0.0	-0.0	-0.0
0.0	0.0		J	-5.5	-0.0	-0.0	-0.0
-0.0	-0.0	q5_ps	I	-7.4	-0.0	-0.0	-0.0
0.0	0.0		J	-7.4	-0.0	-0.0	-0.0
6.1	-0.0	INVSLU Max	I	513.3	-0.0	0.9	0.0
0.0	0.0		J	513.3	-0.0	2.8	0.0
6.1	-0.5	Min	I	116.9	-0.1	0.9	0.0
0.0	0.0		J	117.0	-0.1	2.8	0.0
15.6	0.2	INVSLV Max	I	190.0	0.1	4.1	0.0
0.0	0.0		J	190.0	0.1	5.4	0.0
-6.6	-0.6	Min	I	102.0	-0.2	-2.7	0.0
0.0	0.0		J	102.0	-0.2	-1.3	0.0
127	2	72	Q1-1-2 Max	I	221.7	0.0	0.0
0.0	0.0		J	221.7	0.0	0.0	0.0
0.0	0.0		Min	I	-64.5	0.0	-0.0
0.0	0.0		J	-64.5	0.0	0.0	-0.0
0.0	0.0	Q2a-1-2 Max	I	129.9	0.0	0.0	0.0
0.0	0.0		J	129.9	0.0	0.0	0.0
0.0	0.0	Min	I	-37.9	0.0	-0.0	-0.0
0.0	0.0		J	-37.9	0.0	0.0	-0.0
0.0	0.0	SLVx (RS)	I	11.2	0.0	-0.0	0.0
0.0	0.0		J	11.2	0.0	0.0	0.0
0.0	0.0	SLVy (RS)	I	39.0	0.0	-0.0	0.0
0.0	0.0		J	39.0	0.0	0.0	0.0
0.0	0.0	SLDx (RS)	I	5.6	0.0	-0.0	0.0
0.0	0.0		J	5.6	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0	SLDy (RS)	I	19.5	0.0	-0.0	0.0
0.0	0.0		J	19.5	0.0	0.0	0.0
0.0	0.0	SLVz (RS)	I	-4.4	0.0	-0.0	0.0
0.0	0.0		J	-4.4	0.0	0.0	0.0
0.0	0.0	g1	I	98.9	0.0	-0.7	-0.0
0.0	0.0		J	98.9	0.0	0.7	-0.0
0.0	0.0	g2	I	47.0	0.0	0.0	-0.0
0.0	0.0		J	47.0	0.0	0.0	-0.0
0.0	0.0	q3	I	6.0	0.0	0.0	-0.0
0.0	0.0		J	6.0	0.0	0.0	-0.0
0.0	0.0	q5_pc	I	3.8	0.0	0.0	0.0
0.0	0.0		J	3.8	0.0	0.0	0.0
0.0	0.0	q5_ps	I	5.5	0.0	0.0	0.0
0.0	0.0		J	5.5	0.0	0.0	0.0
0.0	0.0	INVSLU Max	I	511.4	0.0	-0.9	-0.0
0.0	0.0		J	511.4	0.0	0.9	-0.0
0.0	0.0	Min	I	118.0	0.0	-0.9	-0.0
0.0	0.0		J	118.1	0.0	0.9	-0.0
0.0	0.0	INVSLV Max	I	189.3	0.0	-0.7	-0.0
0.0	0.0		J	189.4	0.0	0.7	-0.0
0.0	0.0	Min	I	101.9	0.0	-0.7	-0.0
0.0	0.0		J	101.9	0.0	0.7	-0.0
128	2	72	Q1-1-2 Max	I	188.3	0.0	0.0
0.0	0.0		J	188.3	0.0	0.0	0.0
0.0	0.0		Min	I	-31.6	-0.0	-0.0
0.0	0.0		J	-31.6	-0.0	-0.0	-0.0
0.0	0.0	Q2a-1-2 Max	I	114.5	0.0	0.0	0.0
0.0	0.0		J	114.5	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0							
		Min	I	-19.1	-0.0	-0.0	-0.0	
0.0	0.0		J	-19.1	-0.0	-0.0	-0.0	
0.0	0.0							
		SLVx (RS)	I	11.6	0.0	-0.0	0.0	
0.0	0.0		J	11.6	0.0	-0.0	0.0	
0.0	0.0							
		SLVy (RS)	I	14.8	-0.0	0.0	-0.0	
0.0	0.0		J	14.8	-0.0	-0.0	-0.0	
0.0	0.0							
		SLDx (RS)	I	5.8	0.0	-0.0	0.0	
0.0	0.0		J	5.8	0.0	-0.0	0.0	
0.0	0.0							
		SLDy (RS)	I	7.4	-0.0	0.0	-0.0	
0.0	0.0		J	7.4	-0.0	-0.0	-0.0	
0.0	0.0							
		SLVz (RS)	I	-4.8	-0.0	-0.0	0.0	
0.0	0.0		J	-4.8	-0.0	-0.0	0.0	
0.0	0.0							
		g1	I	102.0	0.0	-0.7	-0.0	
0.0	0.0		J	102.0	0.0	0.7	-0.0	
0.0	0.0							
		g2	I	48.3	0.0	0.0	-0.0	
0.0	0.0		J	48.3	0.0	0.0	-0.0	
0.0	0.0							
		q3	I	4.4	0.0	0.0	-0.0	
0.0	0.0		J	4.4	0.0	0.0	-0.0	
0.0	0.0							
		q5_pc	I	0.8	-0.0	-0.0	0.0	
0.0	0.0		J	0.8	-0.0	0.0	0.0	
0.0	0.0							
		q5_ps	I	1.3	-0.0	0.0	0.0	
0.0	0.0		J	1.3	-0.0	0.0	0.0	
0.0	0.0							
		INVSLU Max	I	462.3	0.0	-0.9	-0.0	
0.0	0.0		J	462.4	0.0	0.9	-0.0	
0.0	0.0							
		Min	I	164.1	0.0	-0.9	-0.0	
0.0	0.0		J	164.1	0.0	0.9	-0.0	
0.0	0.0							
		INVSLV Max	I	166.1	0.0	-0.7	-0.0	




PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	0.0			J	166.1	0.0	0.7	-0.0
0.0	0.0							
			Min	I	126.6	-0.0	-0.7	-0.0
0.0	0.0							
0.0	0.0			J	126.7	0.0	0.7	-0.0
129	2	72	Q1-1-2 Max	I	188.3	0.0	0.0	0.0
0.0	0.0							
0.0	0.1			J	188.3	0.0	0.0	0.0
0.0	0.0		Min	I	-31.6	-0.0	-0.0	-0.0
0.0	0.0							
0.0	0.0			J	-31.6	-0.0	-0.0	-0.0
-0.0	-0.1							
			Q2a-1-2 Max	I	114.5	0.0	0.0	0.0
0.0	0.0							
0.0	0.1			J	114.5	0.0	0.0	0.0
0.0	0.0		Min	I	-19.1	-0.0	-0.0	-0.0
0.0	0.0							
0.0	0.0			J	-19.1	-0.0	-0.0	-0.0
-0.0	-0.1							
			SLVx (RS)	I	-12.0	-0.1	3.5	-0.0
0.0	0.0							
0.0	0.0			J	-12.0	-0.1	3.5	-0.0
-11.5	0.4							
			SLVy (RS)	I	-14.6	0.0	0.1	0.0
0.0	0.0							
0.0	0.0			J	-14.6	0.0	0.1	0.0
-0.3	-0.0							
			SLDx (RS)	I	-6.0	-0.1	1.7	-0.0
0.0	0.0							
0.0	0.0			J	-6.0	-0.1	1.7	-0.0
-5.7	0.2							
			SLDy (RS)	I	-7.3	0.0	0.0	0.0
0.0	0.0							
0.0	0.0			J	-7.3	0.0	0.0	0.0
-0.1	-0.0							
			SLVz (RS)	I	-4.9	-0.0	1.2	-0.0
0.0	0.0							
0.0	0.0			J	-4.9	-0.0	1.2	-0.0
-4.1	0.2							
			g1	I	102.1	0.1	-2.1	0.0
0.0	0.0							
0.0	0.0			J	102.1	0.1	-0.7	0.0
4.5	-0.2							
			g2	I	48.3	-0.0	-0.0	0.0
0.0	0.0							
0.0	0.0			J	48.3	-0.0	-0.0	0.0
0.0	0.0							
			q3	I	4.4	0.0	0.0	0.0
0.0	0.0							
0.0	0.0			J	4.4	0.0	0.0	0.0
-0.0	-0.0							

PROJECT TITLE :


		Company				Client		
		Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0	q5_pc	I	-2.3	0.0	0.0	-0.0	
-0.0	-0.0		J	-2.3	0.0	0.0	-0.0	
0.0	0.0	q5_ps	I	-3.0	0.0	0.0	-0.0	
-0.0	-0.0		J	-3.0	0.0	0.0	-0.0	
0.0	0.0	INVSLU Max	I	463.8	0.1	-2.8	0.0	
6.1	-0.1		J	463.8	0.1	-0.9	0.0	
0.0	0.0	Min	I	162.8	0.0	-2.8	0.0	
6.1	-0.5		J	162.9	0.0	-0.9	0.0	
0.0	0.0	INVSLV Max	I	166.1	0.2	1.8	0.0	
17.3	0.3		J	166.2	0.2	3.2	0.0	
0.0	0.0	Min	I	126.8	-0.1	-5.9	0.0	
-8.3	-0.7		J	126.8	-0.1	-4.6	0.0	
130	2	72	Q1-1-2 Max	I	188.3	0.0	0.0	
0.0	0.1		J	188.3	0.0	0.0	0.0	
0.0	0.0		Min	I	-31.6	-0.0	-0.0	
-0.0	-0.1		J	-31.6	-0.0	-0.0	-0.0	
0.0	0.0							
0.0	0.1		Q2a-1-2 Max	I	114.5	0.0	0.0	
0.0	0.0		J	114.5	0.0	0.0	0.0	
-0.0	-0.1		Min	I	-19.1	-0.0	-0.0	
0.0	0.0		J	-19.1	-0.0	-0.0	-0.0	
-11.5	0.4		SLVx (RS)	I	-11.7	0.1	-3.5	
0.0	0.0		J	-11.7	0.1	-3.5	-0.0	
-0.3	-0.0		SLVy (RS)	I	-12.7	-0.0	-0.1	
0.0	0.0		J	-12.7	-0.0	-0.1	-0.0	
-5.7	0.2		SLDx (RS)	I	-5.9	0.1	-1.7	
0.0	0.0		J	-5.9	0.1	-1.7	-0.0	
-0.1	-0.0		SLDy (RS)	I	-6.4	-0.0	-0.0	
0.0	0.0		J	-6.4	-0.0	-0.0	-0.0	

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


-4.1	0.2	SLVz (RS)	I	-4.9	0.0	-1.2	-0.0
			J	-4.9	0.0	-1.2	-0.0
0.0	0.0						
		g1	I	102.1	-0.1	0.7	0.0
4.5	-0.2		J	102.1	-0.1	2.1	0.0
0.0	0.0						
		g2	I	48.3	0.0	-0.0	0.0
-0.0	0.0		J	48.3	0.0	-0.0	0.0
0.0	0.0						
		q3	I	4.4	-0.0	-0.0	0.0
-0.0	-0.0		J	4.4	-0.0	-0.0	0.0
0.0	0.0						
		q5_pc	I	-2.3	-0.0	-0.0	-0.0
-0.0	-0.0		J	-2.3	-0.0	-0.0	-0.0
0.0	0.0						
		q5_ps	I	-3.0	-0.0	-0.0	-0.0
-0.0	-0.0		J	-3.0	-0.0	-0.0	-0.0
0.0	0.0						
		INVSLU Max	I	463.8	-0.0	0.9	0.0
6.1	-0.1		J	463.9	-0.0	2.8	0.0
0.0	0.0						
		Min	I	162.9	-0.1	0.9	0.0
6.1	-0.5		J	162.9	-0.1	2.8	0.0
0.0	0.0						
		INVSLV Max	I	164.2	0.1	4.6	0.0
17.3	0.3		J	164.3	0.1	5.9	0.0
0.0	0.0						
		Min	I	128.7	-0.2	-3.2	0.0
-8.3	-0.7		J	128.8	-0.2	-1.8	0.0
0.0	0.0						
131	2	72	Q1-1-2 Max	I	188.2	0.0	0.0
0.0	0.0			J	188.2	0.0	0.0
0.0	0.0						
			Min	I	-31.6	-0.0	-0.0
0.0	0.0			J	-31.6	-0.0	-0.0
0.0	0.0						
			Q2a-1-2 Max	I	114.5	0.0	0.0
0.0	0.0			J	114.5	0.0	0.0
0.0	0.0						
			Min	I	-19.1	-0.0	-0.0
0.0	0.0			J	-19.1	-0.0	-0.0
0.0	0.0						

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0	SLVx (RS)	I	11.4	0.0	-0.0	0.0
			J	11.4	0.0	-0.0	0.0
0.0	0.0	SLVy (RS)	I	12.9	-0.0	-0.0	0.0
			J	12.9	-0.0	-0.0	0.0
0.0	0.0	SLDx (RS)	I	5.7	0.0	-0.0	0.0
			J	5.7	0.0	-0.0	0.0
0.0	0.0	SLDy (RS)	I	6.5	-0.0	-0.0	0.0
			J	6.5	-0.0	-0.0	0.0
0.0	0.0	SLVz (RS)	I	-4.9	-0.0	-0.0	0.0
			J	-4.9	-0.0	-0.0	0.0
0.0	0.0	g1	I	102.1	0.0	-0.7	-0.0
			J	102.1	0.0	0.7	-0.0
0.0	0.0	g2	I	48.3	0.0	0.0	-0.0
			J	48.3	0.0	0.0	-0.0
0.0	0.0	q3	I	4.4	0.0	0.0	-0.0
			J	4.4	0.0	0.0	-0.0
0.0	0.0	q5_pc	I	0.8	-0.0	0.0	0.0
			J	0.8	-0.0	0.0	0.0
0.0	0.0	q5_ps	I	1.3	-0.0	0.0	0.0
			J	1.3	-0.0	0.0	0.0
0.0	0.0	INVSLU Max	I	462.5	0.0	-0.9	-0.0
			J	462.5	0.0	0.9	-0.0
0.0	0.0	Min	I	164.2	0.0	-0.9	-0.0
			J	164.3	0.0	0.9	-0.0
0.0	0.0	INVSLV Max	I	164.3	0.0	-0.7	-0.0
			J	164.3	0.0	0.7	-0.0
0.0	0.0	Min	I	128.6	0.0	-0.7	-0.0
			J	128.7	0.0	0.7	-0.0

# MIDAS


PROJECT TITLE :

		Company				Client			
		Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	0.0								
132	2	72	Q1-1-2 Max	I	188.0	0.0	0.0	0.0	
0.0	0.0			J	188.0	0.0	0.0	0.0	
0.0	0.0		Min	I	-31.1	0.0	-0.0	-0.0	
0.0	0.0			J	-31.1	-0.0	-0.0	-0.0	
0.0	0.0		Q2a-1-2 Max	I	114.4	0.0	0.0	0.0	
0.0	0.0			J	114.4	0.0	0.0	0.0	
0.0	0.0		Min	I	-18.8	0.0	-0.0	-0.0	
0.0	0.0			J	-18.8	-0.0	-0.0	-0.0	
0.0	0.0		SLVx (RS)	I	-11.5	0.0	-0.0	0.0	
0.0	0.0			J	-11.5	-0.0	0.0	0.0	
0.0	0.0		SLVy (RS)	I	-13.3	0.0	0.0	-0.0	
0.0	0.0			J	-13.3	0.0	-0.0	-0.0	
0.0	0.0		SLDx (RS)	I	-5.7	0.0	-0.0	0.0	
0.0	0.0			J	-5.7	-0.0	0.0	0.0	
0.0	0.0		SLDy (RS)	I	-6.7	0.0	0.0	-0.0	
0.0	0.0			J	-6.7	0.0	-0.0	-0.0	
0.0	0.0		SLVz (RS)	I	-4.9	0.0	-0.0	0.0	
0.0	0.0			J	-4.9	0.0	0.0	0.0	
0.0	0.0		g1	I	102.1	0.0	-0.7	-0.0	
0.0	0.0			J	102.2	-0.0	0.7	-0.0	
0.0	0.0		g2	I	48.3	0.0	0.0	-0.0	
0.0	0.0			J	48.3	-0.0	-0.0	-0.0	
0.0	0.0		q3	I	3.5	0.0	0.0	-0.0	
0.0	0.0			J	3.5	-0.0	-0.0	-0.0	
0.0	0.0		q5_pc	I	-2.8	0.0	-0.0	-0.0	
0.0	0.0			J	-2.8	0.0	-0.0	-0.0	
0.0	0.0		q5_ps	I	-3.5	0.0	0.0	0.0	

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	0.0			J	-3.5	0.0	-0.0	0.0
0.0	0.0							
			INVS LU Max	I	463.9	0.0	-0.9	-0.0
0.0	0.0			J	463.9	-0.0	0.9	-0.0
0.0	0.0		Min	I	163.2	0.0	-0.9	-0.0
0.0	0.0			J	163.2	-0.0	0.9	-0.0
0.0	0.0							
			INVS LV Max	I	164.7	0.0	-0.7	-0.0
0.0	0.0			J	164.8	-0.0	0.7	-0.0
0.0	0.0		Min	I	128.2	0.0	-0.7	-0.0
0.0	0.0			J	128.3	-0.0	0.7	-0.0
0.0	0.0							
133	2	72	Q1-1-2 Max	I	188.0	0.0	0.0	0.0
0.0	0.0			J	188.0	0.0	0.0	0.0
0.0	0.1		Min	I	-31.1	-0.0	-0.0	-0.0
0.0	0.0			J	-31.1	-0.0	-0.0	-0.0
-0.0	-0.1							
			Q2a-1-2 Max	I	114.4	0.0	0.0	0.0
0.0	0.0			J	114.4	0.0	0.0	0.0
0.0	0.1		Min	I	-18.8	-0.0	-0.0	-0.0
0.0	0.0			J	-18.8	-0.0	-0.0	-0.0
-0.0	-0.1							
			SLVx (RS)	I	-11.6	-0.1	3.5	-0.0
0.0	0.0			J	-11.6	-0.1	3.5	-0.0
-11.4	0.4							
			SLVy (RS)	I	13.5	0.0	-0.0	0.0
0.0	0.0			J	13.5	0.0	-0.0	0.0
0.2	-0.0							
			SLDx (RS)	I	-5.8	-0.1	1.7	-0.0
0.0	0.0			J	-5.8	-0.1	1.7	-0.0
-5.7	0.2							
			SLDy (RS)	I	6.8	0.0	-0.0	0.0
0.0	0.0			J	6.8	0.0	-0.0	0.0
0.1	-0.0							
			SLVz (RS)	I	-4.8	-0.0	1.2	-0.0
0.0	0.0			J	-4.8	-0.0	1.2	-0.0
-4.1	0.2							
			g1	I	102.1	0.1	-2.1	0.0

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	0.0			J	102.1	0.1	-0.7	0.0
4.5	-0.2							
			g2	I	48.3	0.0	0.0	0.0
0.0	0.0			J	48.3	0.0	0.0	0.0
-0.0	-0.0							
			q3	I	3.5	0.0	0.0	0.0
0.0	0.0			J	3.5	0.0	0.0	0.0
-0.0	-0.0							
			q5_pc	I	1.3	0.0	0.0	-0.0
0.0	0.0			J	1.3	0.0	0.0	-0.0
-0.0	-0.0							
			q5_ps	I	1.7	0.0	0.0	-0.0
0.0	0.0			J	1.7	0.0	0.0	-0.0
-0.0	-0.0							
			INVSLU Max	I	462.5	0.1	-2.8	0.0
0.0	0.0			J	462.5	0.1	-0.9	0.0
6.1	-0.1		Min	I	164.5	0.0	-2.8	0.0
0.0	0.0			J	164.6	0.0	-0.9	0.0
6.1	-0.5							
			INVSLV Max	I	164.9	0.2	1.8	0.0
0.0	0.0			J	164.9	0.2	3.2	0.0
17.2	0.3		Min	I	128.0	-0.1	-5.9	0.0
0.0	0.0			J	128.1	-0.1	-4.5	0.0
-8.2	-0.7							
134	2	72	Q1-1-2 Max	I	188.0	0.0	0.0	0.0
0.0	0.1			J	188.0	0.0	0.0	0.0
0.0	0.0		Min	I	-31.1	-0.0	-0.0	-0.0
-0.0	-0.1			J	-31.1	-0.0	-0.0	-0.0
0.0	0.0							
			Q2a-1-2 Max	I	114.4	0.0	0.0	0.0
0.0	0.1			J	114.4	0.0	0.0	0.0
0.0	0.0		Min	I	-18.8	-0.0	-0.0	-0.0
-0.0	-0.1			J	-18.8	-0.0	-0.0	-0.0
0.0	0.0							
			SLVx (RS)	I	-11.4	0.1	-3.5	-0.0
-11.4	0.4			J	-11.4	0.1	-3.5	-0.0
0.0	0.0							
			SLVy (RS)	I	15.4	-0.0	0.0	-0.0


MIDAS

PROJECT TITLE :


MIDAS		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.2	-0.0		J	15.4	-0.0	0.0	-0.0
0.0	0.0						
		SLDx (RS)	I	-5.7	0.1	-1.7	-0.0
-5.7	0.2		J	-5.7	0.1	-1.7	-0.0
0.0	0.0						
		SLDy (RS)	I	7.7	-0.0	0.0	-0.0
0.1	-0.0		J	7.7	-0.0	0.0	-0.0
0.0	0.0						
		SLVz (RS)	I	-4.8	0.0	-1.2	-0.0
-4.1	0.2		J	-4.8	0.0	-1.2	-0.0
0.0	0.0						
		g1	I	102.1	-0.1	0.7	0.0
4.5	-0.2		J	102.1	-0.1	2.1	0.0
0.0	0.0						
		g2	I	48.3	-0.0	0.0	0.0
0.0	-0.0		J	48.3	-0.0	0.0	0.0
0.0	0.0						
		q3	I	3.5	-0.0	-0.0	0.0
-0.0	-0.0		J	3.5	-0.0	-0.0	0.0
0.0	0.0						
		q5_pc	I	1.3	-0.0	-0.0	-0.0
-0.0	-0.0		J	1.3	-0.0	-0.0	-0.0
0.0	0.0						
		q5_ps	I	1.7	-0.0	-0.0	-0.0
-0.0	-0.0		J	1.7	-0.0	-0.0	-0.0
0.0	0.0						
		INVSLU Max	I	462.6	-0.0	0.9	0.0
6.1	-0.1		J	462.6	-0.0	2.8	0.0
0.0	0.0						
		Min	I	164.6	-0.1	0.9	0.0
6.1	-0.5		J	164.6	-0.1	2.8	0.0
0.0	0.0						
		INVSLV Max	I	166.8	0.1	4.5	0.0
17.2	0.3		J	166.8	0.1	5.9	0.0
0.0	0.0						
		Min	I	126.2	-0.2	-3.2	0.0
-8.2	-0.7		J	126.3	-0.2	-1.8	0.0
0.0	0.0						
		Q1-1-2 Max	I	188.0	0.0	0.0	0.0
135	2	72	J	188.0	0.0	0.0	0.0
0.0	0.0						
0.0	0.0						



PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	0.0	Min	I	-31.1	0.0	-0.0	-0.0
			J	-31.1	0.0	0.0	-0.0
0.0	0.0	Q2a-1-2 Max	I	114.4	0.0	0.0	0.0
			J	114.4	0.0	0.0	0.0
0.0	0.0	Min	I	-18.8	0.0	-0.0	-0.0
			J	-18.8	0.0	0.0	-0.0
0.0	0.0	SLVx (RS)	I	-11.3	0.0	-0.0	0.0
			J	-11.3	0.0	0.0	0.0
0.0	0.0	SLVy (RS)	I	-15.2	0.0	0.0	0.0
			J	-15.2	0.0	0.0	0.0
0.0	0.0	SLDx (RS)	I	-5.7	0.0	-0.0	0.0
			J	-5.7	0.0	0.0	0.0
0.0	0.0	SLDy (RS)	I	-7.6	0.0	0.0	0.0
			J	-7.6	0.0	0.0	0.0
0.0	0.0	SLVz (RS)	I	-5.0	0.0	-0.0	0.0
			J	-5.0	0.0	0.0	0.0
0.0	0.0	g1	I	102.2	0.0	-0.7	-0.0
			J	102.3	0.0	0.7	-0.0
0.0	0.0	g2	I	48.3	0.0	0.0	-0.0
			J	48.3	0.0	0.0	-0.0
0.0	0.0	q3	I	3.5	0.0	0.0	-0.0
			J	3.5	0.0	0.0	-0.0
0.0	0.0	q5_pc	I	-2.7	0.0	0.0	0.0
			J	-2.7	0.0	0.0	0.0
0.0	0.0	q5_ps	I	-3.4	0.0	0.0	0.0
			J	-3.4	0.0	0.0	0.0
0.0	0.0	INVSLU Max	I	464.0	0.0	-0.9	-0.0

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		J	464.1	0.0	0.9	-0.0
0.0	0.0	Min	I	163.4	0.0	-0.9	-0.0
0.0	0.0		J	163.4	0.0	0.9	-0.0
0.0	0.0	INVS LV Max	I	166.7	0.0	-0.7	-0.0
0.0	0.0		J	166.7	0.0	0.7	-0.0
0.0	0.0	Min	I	126.5	0.0	-0.7	-0.0
0.0	0.0		J	126.6	0.0	0.7	-0.0
136	2	72	Q1-1-2 Max	I	221.9	0.0	0.0
0.0	0.0		J	221.9	0.0	0.0	0.0
0.0	0.0	Min	I	-63.9	0.0	-0.0	-0.0
0.0	0.0		J	-63.9	-0.0	-0.0	-0.0
0.0	0.0	Q2a-1-2 Max	I	130.0	0.0	0.0	0.0
0.0	0.0		J	130.0	0.0	0.0	0.0
0.0	0.0	Min	I	-37.5	0.0	-0.0	-0.0
0.0	0.0		J	-37.5	-0.0	-0.0	-0.0
0.0	0.0	SLVx (RS)	I	-10.9	0.0	-0.0	0.0
0.0	0.0		J	-10.9	-0.0	0.0	0.0
0.0	0.0	SLVy (RS)	I	-39.6	0.0	0.0	-0.0
0.0	0.0		J	-39.6	0.0	0.0	-0.0
0.0	0.0	SLDx (RS)	I	-5.5	0.0	-0.0	0.0
0.0	0.0		J	-5.5	-0.0	0.0	0.0
0.0	0.0	SLDy (RS)	I	-19.8	0.0	0.0	-0.0
0.0	0.0		J	-19.8	0.0	0.0	-0.0
0.0	0.0	SLVz (RS)	I	-4.8	0.0	-0.0	0.0
0.0	0.0		J	-4.8	0.0	0.0	0.0
0.0	0.0	g1	I	99.4	0.0	-0.7	-0.0
0.0	0.0		J	99.4	-0.0	0.7	-0.0
0.0	0.0	g2	I	47.0	0.0	0.0	-0.0

MIDAS


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		J	47.0	-0.0	-0.0	-0.0
0.0	0.0	q3	I	2.7	0.0	0.0	-0.0
0.0	0.0		J	2.7	-0.0	-0.0	-0.0
0.0	0.0	q5_pc	I	-5.8	0.0	-0.0	0.0
0.0	0.0		J	-5.8	0.0	-0.0	0.0
0.0	0.0	q5_ps	I	-7.7	0.0	0.0	0.0
0.0	0.0		J	-7.7	0.0	-0.0	0.0
0.0	0.0	INVSLU Max	I	513.9	0.0	-0.9	-0.0
0.0	0.0		J	514.0	-0.0	0.9	-0.0
0.0	0.0	Min	I	117.7	0.0	-0.9	-0.0
0.0	0.0		J	117.7	-0.0	0.9	-0.0
0.0	0.0	INVSLV Max	I	190.3	0.0	-0.7	-0.0
0.0	0.0		J	190.3	-0.0	0.7	-0.0
0.0	0.0	Min	I	101.7	0.0	-0.7	-0.0
0.0	0.0		J	101.8	-0.0	0.7	-0.0
137	2	72	Q1-1-2 Max	I	221.9	0.0	0.0
0.0	0.0		J	221.9	0.0	0.0	0.0
0.0	0.1		Min	I	-63.9	-0.0	-0.0
0.0	0.0		J	-63.9	-0.0	-0.0	-0.0
-0.0	-0.1		Q2a-1-2 Max	I	130.1	0.0	0.0
0.0	0.0		J	130.1	0.0	0.0	0.0
0.0	0.1		Min	I	-37.5	-0.0	-0.0
0.0	0.0		J	-37.5	-0.0	-0.0	-0.0
-0.0	-0.1		SLVx (RS)	I	-10.7	-0.1	3.0
0.0	0.0		J	-10.7	-0.1	3.0	-0.0
-9.7	0.4		SLVy (RS)	I	39.5	0.0	0.1
0.0	0.0		J	39.5	0.0	0.1	-0.0
-0.2	-0.0		SLDx (RS)	I	-5.3	-0.1	1.5
0.0	0.0						-0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-4.9	0.2		J	-5.3	-0.1	1.5	-0.0
		SLDy (RS)	I	19.7	0.0	0.0	-0.0
0.0	0.0		J	19.7	0.0	0.0	-0.0
-0.1	-0.0						
		SLVz (RS)	I	-4.4	-0.0	1.1	-0.0
0.0	0.0		J	-4.4	-0.0	1.1	-0.0
-3.5	0.1						
		g1	I	99.3	0.1	-2.1	0.0
0.0	0.0		J	99.3	0.1	-0.7	0.0
4.5	-0.2						
		g2	I	47.0	0.0	0.0	0.0
0.0	0.0		J	47.0	0.0	0.0	0.0
-0.0	-0.0						
		q3	I	2.7	0.0	0.0	0.0
0.0	0.0		J	2.7	0.0	0.0	0.0
-0.0	-0.0						
		q5_pc	I	4.2	0.0	0.0	0.0
0.0	0.0		J	4.2	0.0	0.0	0.0
-0.0	-0.0						
		q5_ps	I	5.8	0.0	0.0	-0.0
0.0	0.0		J	5.8	0.0	0.0	-0.0
-0.0	-0.0						
		INVSLU Max	I	512.3	0.1	-2.8	0.0
0.0	0.0		J	512.4	0.1	-0.9	0.0
6.1	-0.1	Min	I	119.1	0.0	-2.8	0.0
0.0	0.0		J	119.1	0.0	-0.9	0.0
6.1	-0.5						
		INVSLV Max	I	190.0	0.2	1.2	0.0
0.0	0.0		J	190.0	0.2	2.6	0.0
15.4	0.2	Min	I	101.9	-0.1	-5.3	0.0
0.0	0.0		J	101.9	-0.1	-4.0	0.0
-6.3	-0.6						
138	2	72	Q1-1-2 Max	I	221.9	0.0	0.0
0.0	0.1			J	221.9	0.0	0.0
0.0	0.0		Min	I	-63.9	-0.0	-0.0
-0.0	-0.1			J	-63.9	-0.0	-0.0
0.0	0.0						
		Q2a-1-2 Max	I	130.1	0.0	0.0	0.0

PROJECT TITLE :


	Company				Client		
	Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.1		J	130.1	0.0	0.0	0.0
0.0	0.0	Min	I	-37.5	-0.0	-0.0	-0.0
-0.0	-0.1		J	-37.5	-0.0	-0.0	-0.0
0.0	0.0						
-9.7	0.4	SLVx (RS)	I	-10.5	0.1	-3.0	-0.0
0.0	0.0		J	-10.5	0.1	-3.0	-0.0
-0.2	-0.0	SLVy (RS)	I	41.3	-0.0	-0.1	-0.0
0.0	0.0		J	41.3	-0.0	-0.1	-0.0
-4.9	0.2	SLDx (RS)	I	-5.2	0.1	-1.5	-0.0
0.0	0.0		J	-5.2	0.1	-1.5	-0.0
-0.1	-0.0	SLDy (RS)	I	20.6	-0.0	-0.0	-0.0
0.0	0.0		J	20.6	-0.0	-0.0	-0.0
-3.5	0.1	SLVz (RS)	I	-4.5	0.0	-1.1	-0.0
0.0	0.0		J	-4.5	0.0	-1.1	-0.0
4.5	-0.2	g1	I	99.3	-0.1	0.7	0.0
0.0	0.0		J	99.3	-0.1	2.1	0.0
-0.0	-0.0	g2	I	47.0	-0.0	-0.0	0.0
0.0	0.0		J	47.0	-0.0	-0.0	0.0
-0.0	-0.0	q3	I	2.7	-0.0	-0.0	0.0
0.0	0.0		J	2.7	-0.0	-0.0	0.0
-0.0	-0.0	q5_pc	I	4.2	-0.0	-0.0	0.0
0.0	0.0		J	4.2	-0.0	-0.0	0.0
-0.0	-0.0	q5_ps	I	5.8	-0.0	-0.0	-0.0
0.0	0.0		J	5.8	-0.0	-0.0	-0.0
6.1	-0.1	INVSLU Max	I	512.4	-0.0	0.9	0.0
0.0	0.0		J	512.4	-0.0	2.8	0.0
6.1	-0.5	Min	I	119.1	-0.1	0.9	0.0
0.0	0.0		J	119.2	-0.1	2.8	0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

15.4	0.2		INVS LV Max	I	191.7	0.1	4.0	0.0
				J	191.8	0.1	5.3	0.0
0.0	0.0		Min	I	100.2	-0.2	-2.6	0.0
-6.3	-0.6			J	100.3	-0.2	-1.2	0.0
0.0	0.0							
139	2	72	Q1-1-2 Max	I	221.9	0.0	0.0	0.0
0.0	0.0			J	221.9	0.0	0.0	0.0
0.0	0.0		Min	I	-63.9	-0.0	-0.0	-0.0
0.0	0.0			J	-63.9	-0.0	-0.0	-0.0
0.0	0.0							
			Q2a-1-2 Max	I	130.1	0.0	0.0	0.0
0.0	0.0			J	130.1	0.0	0.0	0.0
0.0	0.0		Min	I	-37.5	-0.0	-0.0	-0.0
0.0	0.0			J	-37.5	-0.0	-0.0	-0.0
0.0	0.0							
			SLVx (RS)	I	-10.8	-0.0	-0.0	0.0
0.0	0.0			J	-10.8	-0.0	0.0	0.0
0.0	0.0							
			SLVy (RS)	I	-41.3	0.0	-0.0	0.0
0.0	0.0			J	-41.3	0.0	0.0	0.0
0.0	0.0							
			SLDx (RS)	I	-5.4	-0.0	-0.0	0.0
0.0	0.0			J	-5.4	-0.0	0.0	0.0
0.0	0.0							
			SLDy (RS)	I	-20.6	0.0	-0.0	0.0
0.0	0.0			J	-20.6	0.0	0.0	0.0
0.0	0.0							
			SLVz (RS)	I	-4.9	0.0	-0.0	0.0
0.0	0.0			J	-4.9	0.0	0.0	0.0
0.0	0.0							
			g1	I	99.5	-0.0	-0.7	-0.0
0.0	0.0			J	99.5	-0.0	0.7	-0.0
0.0	0.0							
			g2	I	47.0	-0.0	0.0	-0.0
0.0	0.0			J	47.0	-0.0	-0.0	-0.0
0.0	0.0							
			q3	I	2.7	-0.0	0.0	-0.0
0.0	0.0			J	2.7	-0.0	-0.0	-0.0

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0						
0.0	0.0		q5_pc	I	-5.8	0.0	0.0
0.0	0.0			J	-5.8	0.0	-0.0
0.0	0.0						
0.0	0.0		q5_ps	I	-7.7	0.0	0.0
0.0	0.0			J	-7.7	0.0	-0.0
0.0	0.0						
0.0	0.0		INVSLU Max	I	514.1	-0.0	-0.9
0.0	0.0			J	514.2	-0.0	0.9
0.0	0.0						
0.0	0.0		Min	I	117.9	-0.0	-0.9
0.0	0.0			J	117.9	-0.0	0.9
0.0	0.0						
0.0	0.0		INVSLV Max	I	192.1	-0.0	-0.7
0.0	0.0			J	192.2	-0.0	0.7
0.0	0.0						
0.0	0.0		Min	I	100.2	-0.0	-0.7
0.0	0.0			J	100.2	-0.0	0.7
0.0	0.0						
140	2	72	Q1-1-2 Max	I	252.1	0.0	0.0
0.0	0.0			J	252.1	0.0	0.0
0.0	0.0						
0.0	0.0		Min	I	-111.5	-0.0	-0.0
0.0	0.0			J	-111.5	0.0	0.0
0.0	0.0						
0.0	0.0		Q2a-1-2 Max	I	143.4	0.0	0.0
0.0	0.0			J	143.4	0.0	0.0
0.0	0.0						
0.0	0.0		Min	I	-64.1	-0.0	-0.0
0.0	0.0			J	-64.1	0.0	0.0
0.0	0.0						
0.0	0.0		SLVx (RS)	I	-9.6	0.0	-0.0
0.0	0.0			J	-9.6	0.0	0.0
0.0	0.0						
0.0	0.0		SLVy (RS)	I	-63.5	-0.0	0.0
0.0	0.0			J	-63.5	0.0	-0.0
0.0	0.0						
0.0	0.0		SLDx (RS)	I	-4.8	0.0	-0.0
0.0	0.0			J	-4.8	0.0	0.0
0.0	0.0						
0.0	0.0		SLDy (RS)	I	-31.7	-0.0	0.0
0.0	0.0			J	-31.7	0.0	-0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	0.0						
		SLVz (RS)	I	-4.3	-0.0	-0.0	0.0
0.0	0.0		J	-4.3	0.0	0.0	0.0
0.0	0.0						
		g1	I	90.7	0.0	-0.7	-0.0
0.0	0.0		J	90.7	0.0	0.7	-0.0
0.0	0.0						
		g2	I	43.0	0.0	0.0	-0.0
0.0	0.0		J	43.0	0.0	0.0	-0.0
0.0	0.0						
		q3	I	2.1	0.0	0.0	-0.0
0.0	0.0		J	2.1	0.0	0.0	-0.0
0.0	0.0						
		q5_pc	I	-12.1	-0.0	-0.0	-0.0
0.0	0.0		J	-12.1	0.0	0.0	-0.0
0.0	0.0						
		q5_ps	I	-14.7	-0.0	0.0	0.0
0.0	0.0		J	-14.7	0.0	0.0	0.0
0.0	0.0						
		INVSLU Max	I	554.0	0.0	-0.9	-0.0
0.0	0.0		J	554.1	0.0	0.9	-0.0
0.0	0.0	Min	I	41.3	0.0	-0.9	-0.0
0.0	0.0		J	41.4	0.0	0.9	-0.0
0.0	0.0						
		INVSLV Max	I	205.9	0.0	-0.7	-0.0
0.0	0.0		J	205.9	0.0	0.7	-0.0
0.0	0.0	Min	I	70.6	0.0	-0.7	-0.0
0.0	0.0		J	70.7	0.0	0.7	-0.0
0.0	0.0						
141	2	72	Q1-1-2 Max	I	252.1	0.1	0.0
0.0	0.0			J	252.1	0.1	0.0
0.0	0.1		Min	I	-111.5	-0.0	-0.0
0.0	0.0			J	-111.5	-0.0	-0.0
-0.0	-0.2						
			Q2a-1-2 Max	I	143.4	0.0	0.0
0.0	0.0			J	143.4	0.0	0.0
0.0	0.1		Min	I	-64.1	-0.0	-0.0
0.0	0.0			J	-64.1	-0.0	-0.0



PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-0.0	-0.1						
		SLVx (RS)	I	8.9	-0.1	2.0	-0.0
0.0	0.0		J	8.9	-0.1	2.0	-0.0
-6.6	0.3						
		SLVy (RS)	I	60.5	0.0	0.1	-0.0
0.0	0.0		J	60.5	0.0	0.1	-0.0
-0.3	-0.0						
		SLDx (RS)	I	4.4	-0.0	1.0	-0.0
0.0	0.0		J	4.4	-0.0	1.0	-0.0
-3.3	0.1						
		SLDy (RS)	I	30.2	0.0	0.1	-0.0
0.0	0.0		J	30.2	0.0	0.1	-0.0
-0.2	-0.0						
		SLVz (RS)	I	-3.7	-0.0	0.7	-0.0
0.0	0.0		J	-3.7	-0.0	0.7	-0.0
-2.4	0.1						
		g1	I	90.6	0.1	-2.1	0.0
0.0	0.0		J	90.6	0.1	-0.7	0.0
4.5	-0.3						
		g2	I	43.0	0.0	0.0	0.0
0.0	0.0		J	43.0	0.0	0.0	0.0
-0.0	-0.0						
		q3	I	2.1	0.0	0.0	0.0
0.0	0.0		J	2.1	0.0	0.0	0.0
-0.0	-0.0						
		q5_pc	I	8.0	0.0	0.0	-0.0
0.0	0.0		J	8.0	0.0	0.0	-0.0
-0.0	-0.0						
		q5_ps	I	10.6	0.0	0.0	-0.0
0.0	0.0		J	10.6	0.0	0.0	-0.0
-0.0	-0.0						
		INVSLU Max	I	550.2	0.2	-2.8	0.0
0.0	0.0		J	550.3	0.2	-0.9	0.0
6.1	-0.1						
		Min	I	44.9	0.0	-2.8	0.0
0.0	0.0		J	45.0	0.0	-0.9	0.0
6.1	-0.7						
		INVSLV Max	I	202.5	0.2	0.2	0.0
0.0	0.0		J	202.5	0.2	1.6	0.0
12.0	0.0						
		Min	I	73.9	-0.0	-4.3	0.0

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	0.0							
-2.9	-0.6			J	73.9	-0.0	-2.9	0.0
142	2	72	Q1-1-2 Max	I	252.1	0.0	0.0	0.0
0.0	0.1			J	252.1	0.0	0.0	0.0
0.0	0.0		Min	I	-111.5	-0.1	-0.0	-0.0
-0.0	-0.2			J	-111.5	-0.1	-0.0	-0.0
0.0	0.0							
			Q2a-1-2 Max	I	143.4	0.0	0.0	0.0
0.0	0.1			J	143.4	0.0	0.0	0.0
0.0	0.0		Min	I	-64.1	-0.0	-0.0	-0.0
-0.0	-0.1			J	-64.1	-0.0	-0.0	-0.0
0.0	0.0							
			SLVx (RS)	I	-8.8	0.1	-2.0	-0.0
-6.6	0.3			J	-8.8	0.1	-2.0	-0.0
0.0	0.0							
			SLVy (RS)	I	62.0	-0.0	-0.1	-0.0
-0.3	-0.0			J	62.0	-0.0	-0.1	-0.0
0.0	0.0							
			SLDx (RS)	I	-4.4	0.0	-1.0	-0.0
-3.3	0.1			J	-4.4	0.0	-1.0	-0.0
0.0	0.0							
			SLDy (RS)	I	31.0	-0.0	-0.1	-0.0
-0.2	-0.0			J	31.0	-0.0	-0.1	-0.0
0.0	0.0							
			SLVz (RS)	I	-3.7	0.0	-0.7	-0.0
-2.4	0.1			J	-3.7	0.0	-0.7	-0.0
0.0	0.0							
			g1	I	90.6	-0.1	0.7	0.0
4.5	-0.3			J	90.7	-0.1	2.1	0.0
0.0	0.0							
			g2	I	43.0	-0.0	-0.0	0.0
-0.0	-0.0			J	43.0	-0.0	-0.0	0.0
0.0	0.0							
			q3	I	2.1	-0.0	-0.0	0.0
-0.0	-0.0			J	2.1	-0.0	-0.0	0.0
0.0	0.0							
			q5_pc	I	8.0	-0.0	-0.0	-0.0
-0.0	-0.0			J	8.0	-0.0	-0.0	-0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.0	-0.0		q5_ps	I	10.6	-0.0	-0.0	-0.0
0.0	0.0			J	10.6	-0.0	-0.0	-0.0
6.1	-0.1		INVSLU Max	I	550.3	-0.0	0.9	0.0
0.0	0.0			J	550.3	-0.0	2.8	0.0
6.1	-0.7		Min	I	45.0	-0.2	0.9	0.0
0.0	0.0			J	45.0	-0.2	2.8	0.0
12.0	0.0		INVSLV Max	I	204.0	0.0	2.9	0.0
0.0	0.0			J	204.0	0.0	4.3	0.0
-2.9	-0.6		Min	I	72.4	-0.2	-1.6	0.0
0.0	0.0			J	72.5	-0.2	-0.2	0.0
143	2	72	Q1-1-2 Max	I	252.2	0.0	0.0	0.0
0.0	0.0			J	252.2	0.0	0.0	0.0
0.0	0.0		Min	I	-111.5	0.0	-0.0	-0.0
0.0	0.0			J	-111.5	0.0	0.0	-0.0
0.0	0.0		Q2a-1-2 Max	I	143.5	0.0	0.0	0.0
0.0	0.0			J	143.5	0.0	0.0	0.0
0.0	0.0		Min	I	-64.1	0.0	-0.0	-0.0
0.0	0.0			J	-64.1	0.0	0.0	-0.0
0.0	0.0		SLVx (RS)	I	-9.4	0.0	-0.0	0.0
0.0	0.0			J	-9.4	0.0	0.0	0.0
0.0	0.0		SLVy (RS)	I	-65.0	0.0	-0.0	-0.0
0.0	0.0			J	-65.0	0.0	0.0	-0.0
0.0	0.0		SLDx (RS)	I	-4.7	0.0	-0.0	0.0
0.0	0.0			J	-4.7	0.0	0.0	0.0
0.0	0.0		SLDy (RS)	I	-32.4	0.0	-0.0	-0.0
0.0	0.0			J	-32.4	0.0	0.0	-0.0
0.0	0.0		SLVz (RS)	I	-4.4	0.0	-0.0	0.0
0.0	0.0			J	-4.4	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


0.0	0.0		g1	I	90.8	0.0	-0.7	-0.0
0.0	0.0			J	90.9	0.0	0.7	-0.0
0.0	0.0		g2	I	43.0	0.0	0.0	-0.0
0.0	0.0			J	43.0	0.0	0.0	-0.0
0.0	0.0		q3	I	2.1	0.0	0.0	-0.0
0.0	0.0			J	2.1	0.0	0.0	-0.0
0.0	0.0		q5_pc	I	-12.1	0.0	0.0	-0.0
0.0	0.0			J	-12.1	0.0	0.0	-0.0
0.0	0.0		q5_ps	I	-14.7	0.0	0.0	-0.0
0.0	0.0			J	-14.7	0.0	0.0	-0.0
0.0	0.0		INVSLU Max	I	554.3	0.0	-0.9	-0.0
0.0	0.0			J	554.3	0.0	0.9	-0.0
0.0	0.0		Min	I	41.5	0.0	-0.9	-0.0
0.0	0.0			J	41.6	0.0	0.9	-0.0
0.0	0.0		INVSLV Max	I	207.5	0.0	-0.7	-0.0
0.0	0.0			J	207.5	0.0	0.7	-0.0
0.0	0.0		Min	I	69.3	0.0	-0.7	-0.0
0.0	0.0			J	69.4	0.0	0.7	-0.0
144	2	72	Q1-1-2 Max	I	226.4	0.0	0.0	0.0
0.0	0.0			J	226.4	0.0	0.0	0.0
0.0	0.0		Min	I	-161.5	0.0	-0.0	-0.0
0.0	0.0			J	-161.5	-0.0	0.0	-0.0
0.0	0.0		Q2a-1-2 Max	I	128.3	0.0	0.0	0.0
0.0	0.0			J	128.3	0.0	0.0	0.0
0.0	0.0		Min	I	-92.0	0.0	-0.0	-0.0
0.0	0.0			J	-92.0	-0.0	0.0	-0.0
0.0	0.0		SLVx (RS)	I	-4.5	0.0	0.0	0.0
0.0	0.0			J	-4.5	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0	SLVy (RS)	I	-72.3	0.0	-0.0	-0.0
0.0	0.0		J	-72.3	-0.0	0.0	-0.0
0.0	0.0	SLDx (RS)	I	-2.2	0.0	0.0	0.0
0.0	0.0		J	-2.2	0.0	0.0	0.0
0.0	0.0	SLDy (RS)	I	-36.1	0.0	-0.0	-0.0
0.0	0.0		J	-36.1	-0.0	0.0	-0.0
0.0	0.0	SLVz (RS)	I	-2.1	0.0	0.0	0.0
0.0	0.0		J	-2.1	-0.0	0.0	0.0
0.0	0.0	g1	I	41.4	0.0	-0.7	-0.0
0.0	0.0		J	41.5	0.0	0.7	-0.0
0.0	0.0	g2	I	19.6	0.0	-0.0	-0.0
0.0	0.0		J	19.6	0.0	0.0	-0.0
0.0	0.0	q3	I	0.8	0.0	-0.0	-0.0
0.0	0.0		J	0.8	0.0	0.0	-0.0
0.0	0.0	q5_pc	I	-16.6	0.0	0.0	-0.0
0.0	0.0		J	-16.6	-0.0	0.0	-0.0
0.0	0.0	q5_ps	I	-19.4	0.0	0.0	-0.0
0.0	0.0		J	-19.4	-0.0	0.0	-0.0
0.0	0.0	INVSLU Max	I	425.7	0.0	-0.9	-0.0
0.0	0.0		J	425.7	0.0	0.9	-0.0
0.0	0.0	Min	I	-127.9	0.0	-0.9	-0.0
0.0	0.0		J	-127.9	0.0	0.9	-0.0
0.0	0.0	INVSLV Max	I	138.8	0.0	-0.7	-0.0
0.0	0.0		J	138.8	0.0	0.7	-0.0
0.0	0.0	Min	I	-9.7	0.0	-0.7	-0.0
0.0	0.0		J	-9.7	0.0	0.7	-0.0
145	2	72	Q1-1-2 Max	I	226.7	0.1	0.0
0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.1		J	226.7	0.1	0.0	0.0
0.0	0.0	Min	I	-161.8	-0.0	-0.0	-0.0
-0.0	-0.2		J	-161.8	-0.0	-0.0	-0.0
0.0	0.0	Q2a-1-2 Max	I	128.4	0.0	0.0	0.0
0.0	0.1		J	128.4	0.0	0.0	0.0
0.0	0.0	Min	I	-92.1	-0.0	-0.0	-0.0
-0.0	-0.1		J	-92.1	-0.0	-0.0	-0.0
0.0	0.0	SLVx (RS)	I	3.6	-0.0	0.7	0.0
-2.5	0.1		J	3.6	-0.0	0.7	0.0
0.0	0.0	SLVy (RS)	I	109.4	0.1	-0.1	-0.0
0.4	-0.2		J	109.4	0.1	-0.1	-0.0
0.0	0.0	SLDx (RS)	I	1.8	-0.0	0.4	0.0
-1.2	0.0		J	1.8	-0.0	0.4	0.0
0.0	0.0	SLDy (RS)	I	54.6	0.0	-0.1	-0.0
0.2	-0.1		J	54.6	0.0	-0.1	-0.0
0.0	0.0	SLVz (RS)	I	-1.6	-0.0	0.3	0.0
-1.1	0.0		J	-1.6	-0.0	0.3	0.0
0.0	0.0	g1	I	41.4	0.1	-2.1	-0.0
4.5	-0.3		J	41.4	0.1	-0.7	-0.0
0.0	0.0	g2	I	19.6	0.0	0.0	-0.0
-0.0	-0.0		J	19.6	0.0	0.0	-0.0
0.0	0.0	q3	I	0.8	0.0	0.0	-0.0
-0.0	-0.0		J	0.8	0.0	0.0	-0.0
0.0	0.0	q5_pc	I	43.4	0.0	0.0	-0.0
-0.0	-0.1		J	43.4	0.0	0.0	-0.0
0.0	0.0	q5_ps	I	42.8	0.0	0.0	-0.0
-0.0	-0.1		J	42.8	0.0	0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		INVSLU Max	I	450.1	0.3	-2.8	0.0
				J	450.1	0.3	-0.9	0.0
6.1	-0.2		Min	I	-152.4	0.1	-2.8	0.0
0.0	0.0			J	-152.4	0.1	-0.9	0.0
6.1	-0.9							
0.0	0.0		INVSLV Max	I	175.4	0.2	-1.2	0.0
				J	175.4	0.2	0.2	0.0
7.4	-0.1		Min	I	-46.4	0.0	-2.9	-0.0
0.0	0.0			J	-46.4	0.0	-1.6	-0.0
1.6	-0.6							
146	2	72	Q1-1-2 Max	I	226.7	0.0	0.0	0.0
0.0	0.1			J	226.7	0.0	0.0	0.0
0.0	0.0		Min	I	-161.8	-0.1	-0.0	-0.0
-0.0	-0.2			J	-161.8	-0.1	-0.0	-0.0
0.0	0.0							
0.0	0.1		Q2a-1-2 Max	I	128.4	0.0	0.0	0.0
				J	128.4	0.0	0.0	0.0
0.0	0.0		Min	I	-92.1	-0.0	-0.0	-0.0
-0.0	-0.1			J	-92.1	-0.0	-0.0	-0.0
0.0	0.0							
			SLVx (RS)	I	3.5	0.0	-0.7	-0.0
-2.5	0.1			J	3.5	0.0	-0.7	-0.0
0.0	0.0							
			SLVy (RS)	I	110.5	-0.1	0.1	-0.0
0.4	-0.2			J	110.5	-0.1	0.1	-0.0
0.0	0.0							
			SLDx (RS)	I	1.7	0.0	-0.4	-0.0
-1.2	0.0			J	1.7	0.0	-0.4	-0.0
0.0	0.0							
			SLDy (RS)	I	55.2	-0.0	0.1	-0.0
0.2	-0.1			J	55.2	-0.0	0.1	-0.0
0.0	0.0							
			SLVz (RS)	I	-1.5	0.0	-0.3	0.0
-1.1	0.0			J	-1.5	0.0	-0.3	0.0
0.0	0.0							
			g1	I	41.4	-0.1	0.7	-0.0
4.5	-0.3			J	41.5	-0.1	2.1	-0.0
0.0	0.0							


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.0	-0.0		g2	I	19.6	-0.0	-0.0	-0.0
				J	19.6	-0.0	-0.0	-0.0
0.0	0.0							
			q3	I	0.8	-0.0	-0.0	-0.0
-0.0	-0.0			J	0.8	-0.0	-0.0	-0.0
0.0	0.0							
			q5_pc	I	43.3	-0.0	-0.0	-0.0
-0.0	-0.1			J	43.3	-0.0	-0.0	-0.0
0.0	0.0							
			q5_ps	I	42.8	-0.0	-0.0	-0.0
-0.0	-0.1			J	42.8	-0.0	-0.0	-0.0
0.0	0.0							
			INVSLU Max	I	450.1	-0.1	0.9	0.0
6.1	-0.2			J	450.2	-0.1	2.8	0.0
0.0	0.0		Min	I	-152.4	-0.3	0.9	-0.0
6.1	-0.9			J	-152.3	-0.3	2.8	-0.0
0.0	0.0							
			INVSLV Max	I	176.5	-0.0	1.6	0.0
7.4	-0.1			J	176.5	-0.0	2.9	0.0
0.0	0.0		Min	I	-47.5	-0.2	-0.2	-0.0
1.6	-0.6			J	-47.4	-0.2	1.2	-0.0
0.0	0.0							
147	2	72	Q1-1-2 Max	I	226.5	0.0	0.0	0.0
0.0	0.0			J	226.5	0.0	0.0	0.0
0.0	0.0		Min	I	-161.5	-0.0	-0.0	-0.0
0.0	0.0			J	-161.5	-0.0	0.0	-0.0
0.0	0.0							
			Q2a-1-2 Max	I	128.3	0.0	0.0	0.0
0.0	0.0			J	128.3	0.0	0.0	0.0
0.0	0.0		Min	I	-92.0	-0.0	-0.0	-0.0
0.0	0.0			J	-92.0	-0.0	0.0	-0.0
0.0	0.0							
			SLVx (RS)	I	-4.3	0.0	0.0	-0.0
0.0	0.0			J	-4.3	0.0	0.0	-0.0
0.0	0.0							
			SLVy (RS)	I	-73.4	-0.0	-0.0	-0.0
0.0	0.0			J	-73.4	-0.0	0.0	-0.0
0.0	0.0							



PROJECT TITLE :


		Company				Client		
		Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		SLDx (RS)	I	-2.1	0.0	0.0	-0.0
0.0	0.0			J	-2.1	0.0	0.0	-0.0
0.0	0.0		SLDy (RS)	I	-36.6	-0.0	-0.0	-0.0
0.0	0.0			J	-36.6	-0.0	0.0	-0.0
0.0	0.0		SLVz (RS)	I	-2.2	-0.0	0.0	-0.0
0.0	0.0			J	-2.2	-0.0	-0.0	-0.0
0.0	0.0		g1	I	41.6	0.0	-0.7	0.0
0.0	0.0			J	41.6	0.0	0.7	0.0
0.0	0.0		g2	I	19.6	0.0	-0.0	0.0
0.0	0.0			J	19.6	0.0	0.0	0.0
0.0	0.0		q3	I	0.8	0.0	-0.0	0.0
0.0	0.0			J	0.8	0.0	0.0	0.0
0.0	0.0		q5_pc	I	-16.5	-0.0	-0.0	-0.0
0.0	0.0			J	-16.5	-0.0	0.0	-0.0
0.0	0.0		q5_ps	I	-19.3	-0.0	-0.0	-0.0
0.0	0.0			J	-19.3	-0.0	0.0	-0.0
0.0	0.0		INVSLU Max	I	426.0	0.0	-0.9	0.0
0.0	0.0			J	426.1	0.0	0.9	0.0
0.0	0.0		Min	I	-127.6	0.0	-0.9	0.0
0.0	0.0			J	-127.5	0.0	0.9	0.0
0.0	0.0		INVSLV Max	I	140.1	0.0	-0.7	0.0
0.0	0.0			J	140.1	0.0	0.7	0.0
0.0	0.0		Min	I	-10.6	0.0	-0.7	0.0
0.0	0.0			J	-10.5	0.0	0.7	0.0
148	2	80	Q1-1-2 Max	I	26.6	0.0	0.0	0.0
0.0	0.0			J	26.6	0.0	0.0	0.0
0.0	0.0		Min	I	-19.7	-0.0	0.0	-0.0
0.0	0.0			J	-19.7	0.0	0.0	-0.0

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	0.0	Q2a-1-2 Max	I	16.5	0.0	0.0	0.0
0.0	0.0		J	16.5	0.0	0.0	0.0
0.0	0.0	Min	I	-10.9	-0.0	0.0	-0.0
0.0	0.0		J	-10.9	0.0	0.0	-0.0
0.0	0.0	SLVx (RS)	I	1.0	0.0	0.0	-0.0
0.0	0.0		J	1.0	0.0	0.0	-0.0
0.0	0.0	SLVy (RS)	I	10.5	-0.0	0.0	0.0
0.0	0.0		J	10.5	0.0	0.0	0.0
0.0	0.0	SLDx (RS)	I	0.5	0.0	0.0	-0.0
0.0	0.0		J	0.5	0.0	0.0	-0.0
0.0	0.0	SLDy (RS)	I	5.2	-0.0	0.0	0.0
0.0	0.0		J	5.2	0.0	0.0	0.0
0.0	0.0	SLVz (RS)	I	0.5	-0.0	0.0	0.0
0.0	0.0		J	0.5	0.0	0.0	0.0
0.0	0.0	g1	I	-8.0	0.0	-0.6	-0.0
0.0	0.0		J	-7.9	0.0	0.6	-0.0
0.0	0.0	g2	I	-8.4	0.0	0.0	-0.0
0.0	0.0		J	-8.4	0.0	0.0	-0.0
0.0	0.0	q3	I	0.3	0.0	0.0	-0.0
0.0	0.0		J	0.3	0.0	0.0	-0.0
0.0	0.0	q5_pc	I	4.3	-0.0	0.0	0.0
0.0	0.0		J	4.3	0.0	0.0	0.0
0.0	0.0	q5_ps	I	3.8	-0.0	0.0	0.0
0.0	0.0		J	3.8	0.0	0.0	0.0
0.0	0.0	INVSLU Max	I	-142.4	0.0	-0.8	0.0
0.0	0.0		J	-142.4	0.0	0.8	0.0
0.0	0.0	Min	I	-212.7	0.0	-0.8	-0.0
0.0	0.0		J	-212.7	0.0	0.8	-0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		J	-212.7	0.0	0.8	-0.0
0.0	0.0	INVS LV Max	I	-29.5	0.0	-0.6	-0.0
0.0	0.0		J	-29.4	0.0	0.6	-0.0
0.0	0.0	Min	I	-51.3	0.0	-0.6	-0.0
0.0	0.0		J	-51.3	0.0	0.6	-0.0
149	2	80 Q1-1-2 Max	I	26.7	0.0	0.0	0.0
0.0	0.0		J	26.7	0.0	0.0	0.0
0.0	0.0	Min	I	-19.7	-0.0	-0.0	-0.0
0.0	0.0		J	-19.7	-0.0	-0.0	-0.0
-0.0	-0.1						
0.0	0.0	Q2a-1-2 Max	I	16.5	0.0	0.0	0.0
0.0	0.0		J	16.5	0.0	0.0	0.0
0.0	0.0	Min	I	-10.9	-0.0	-0.0	-0.0
0.0	0.0		J	-10.9	-0.0	-0.0	-0.0
-0.0	-0.1						
0.0	0.0	SLVx (RS)	I	1.0	0.0	-0.2	0.0
0.0	0.0		J	1.0	0.0	-0.2	0.0
0.6	-0.0						
0.0	0.0	SLVy (RS)	I	-11.8	0.0	0.0	0.0
0.0	0.0		J	-11.8	0.0	0.0	0.0
-0.1	-0.0						
0.0	0.0	SLDx (RS)	I	0.5	0.0	-0.1	0.0
0.0	0.0		J	0.5	0.0	-0.1	0.0
0.3	-0.0						
0.0	0.0	SLDy (RS)	I	-5.9	0.0	0.0	0.0
0.0	0.0		J	-5.9	0.0	0.0	0.0
-0.0	-0.0						
0.0	0.0	SLVz (RS)	I	0.3	0.0	-0.3	-0.0
0.0	0.0		J	0.3	0.0	-0.3	-0.0
0.9	-0.0						
0.0	0.0	g1	I	-8.0	0.1	-1.7	0.0
0.0	0.0		J	-7.9	0.1	-0.6	0.0
3.8	-0.2						
0.0	0.0	g2	I	-8.4	-0.0	-0.0	0.0
0.0	0.0		J	-8.4	-0.0	-0.0	0.0
0.0	0.0						
0.0	0.0	q3	I	0.3	-0.0	-0.0	0.0

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	0.0			J	0.3	-0.0	-0.0	0.0
0.0	0.0							
0.0	0.0		q5_pc	I	-4.0	0.0	-0.0	-0.0
0.0	-0.0			J	-4.0	0.0	-0.0	-0.0
0.0	0.0		q5_ps	I	-4.8	0.0	-0.0	0.0
0.0	-0.0			J	-4.8	0.0	-0.0	0.0
0.0	0.0		INVSLU Max	I	-142.5	0.2	-2.3	0.0
5.1	-0.4			J	-142.5	0.2	-0.8	0.0
0.0	0.0		Min	I	-212.3	0.1	-2.3	-0.0
5.1	-0.5			J	-212.3	0.1	-0.8	-0.0
0.0	0.0		INVSLV Max	I	-28.0	0.1	-1.4	0.0
4.9	-0.3			J	-28.0	0.1	-0.2	0.0
0.0	0.0		Min	I	-52.5	0.1	-2.1	0.0
2.7	-0.4			J	-52.4	0.1	-0.9	0.0
150	2	80	Q1-1-2 Max	I	26.7	0.0	0.0	0.0
0.0	0.0			J	26.7	0.0	0.0	0.0
0.0	0.0		Min	I	-19.7	-0.0	-0.0	-0.0
-0.0	-0.1			J	-19.7	-0.0	-0.0	-0.0
0.0	0.0		Q2a-1-2 Max	I	16.5	0.0	0.0	0.0
0.0	0.0			J	16.5	0.0	0.0	0.0
0.0	0.0		Min	I	-10.9	-0.0	-0.0	-0.0
-0.0	-0.1			J	-10.9	-0.0	-0.0	-0.0
0.0	0.0		SLVx (RS)	I	-0.7	-0.0	0.2	0.0
0.6	-0.0			J	-0.7	-0.0	0.2	0.0
0.0	0.0		SLVy (RS)	I	-10.8	-0.0	-0.0	0.0
-0.1	-0.0			J	-10.8	-0.0	-0.0	0.0
0.0	0.0		SLDx (RS)	I	-0.3	-0.0	0.1	0.0
0.3	-0.0			J	-0.3	-0.0	0.1	0.0
0.0	0.0		SLDy (RS)	I	-5.4	-0.0	-0.0	0.0

PROJECT TITLE :

MIDAS		Company		Client		File Name		
		Author		File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
-0.0	-0.0			J	-5.4	-0.0	-0.0	0.0
0.0	0.0							
		SLVz (RS)		I	0.3	-0.0	0.3	-0.0
0.9	-0.0			J	0.3	-0.0	0.3	-0.0
0.0	0.0							
		g1		I	-7.9	-0.1	0.6	0.0
3.8	-0.2			J	-7.9	-0.1	1.7	0.0
0.0	0.0							
		g2		I	-8.4	0.0	-0.0	0.0
-0.0	0.0			J	-8.4	0.0	-0.0	0.0
0.0	0.0							
		q3		I	0.3	0.0	-0.0	0.0
-0.0	0.0			J	0.3	0.0	-0.0	0.0
0.0	0.0							
		q5_pc		I	-4.0	-0.0	-0.0	0.0
-0.0	-0.0			J	-4.0	-0.0	-0.0	0.0
0.0	0.0							
		q5_ps		I	-4.8	-0.0	-0.0	0.0
-0.0	-0.0			J	-4.8	-0.0	-0.0	0.0
0.0	0.0							
		INVS LU Max		I	-142.5	-0.1	0.8	0.0
5.1	-0.4			J	-142.4	-0.1	2.3	0.0
0.0	0.0							
		Min		I	-212.3	-0.2	0.8	-0.0
5.1	-0.5			J	-212.2	-0.2	2.3	-0.0
0.0	0.0							
		INVS LV Max		I	-29.2	-0.1	0.9	0.0
4.9	-0.3			J	-29.1	-0.1	2.1	0.0
0.0	0.0							
		Min		I	-51.3	-0.1	0.2	0.0
2.7	-0.4			J	-51.3	-0.1	1.4	0.0
0.0	0.0							
151	2	80	Q1-1-2 Max	I	26.7	0.0	0.0	0.0
0.0	0.0			J	26.7	0.0	0.0	0.0
0.0	0.0							
			Min	I	-19.7	-0.0	-0.0	-0.0
0.0	0.0			J	-19.7	0.0	0.0	-0.0
0.0	0.0							
			Q2a-1-2 Max	I	16.5	0.0	0.0	0.0
0.0	0.0			J	16.5	0.0	0.0	0.0
0.0	0.0							
			Min	I	-10.9	-0.0	-0.0	-0.0

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		J	-10.9	0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	SLVx (RS)	I	0.8	0.0	-0.0	-0.0
0.0	0.0		J	0.8	0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	SLVy (RS)	I	9.5	-0.0	-0.0	-0.0
0.0	0.0		J	9.5	0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	SLDx (RS)	I	0.4	0.0	-0.0	-0.0
0.0	0.0		J	0.4	0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	SLDy (RS)	I	4.7	-0.0	-0.0	-0.0
0.0	0.0		J	4.7	0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	SLVz (RS)	I	0.4	-0.0	-0.0	0.0
0.0	0.0		J	0.4	0.0	0.0	0.0
0.0	0.0						
0.0	0.0	g1	I	-7.8	0.0	-0.6	-0.0
0.0	0.0		J	-7.8	0.0	0.6	-0.0
0.0	0.0						
0.0	0.0	g2	I	-8.4	0.0	-0.0	-0.0
0.0	0.0		J	-8.4	0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	q3	I	0.3	0.0	-0.0	-0.0
0.0	0.0		J	0.3	0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	q5_pc	I	4.3	-0.0	0.0	-0.0
0.0	0.0		J	4.3	0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	q5_ps	I	3.8	-0.0	-0.0	-0.0
0.0	0.0		J	3.8	0.0	0.0	-0.0
0.0	0.0						
0.0	0.0	INVSLU Max	I	-142.1	0.0	-0.8	0.0
0.0	0.0		J	-142.1	0.0	0.8	0.0
0.0	0.0						
0.0	0.0	Min	I	-212.5	0.0	-0.8	-0.0
0.0	0.0		J	-212.4	0.0	0.8	-0.0
0.0	0.0						
0.0	0.0	INVSLV Max	I	-30.4	0.0	-0.6	-0.0
0.0	0.0		J	-30.3	0.0	0.6	-0.0


# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	
			PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	


0.0	0.0		Min	I	-50.0	0.0	-0.6	-0.0
0.0	0.0			J	-49.9	0.0	0.6	-0.0
0.0	0.0							
152	2	80	Q1-1-2 Max	I	22.6	0.0	0.0	0.0
0.0	0.0			J	22.6	0.0	0.0	0.0
0.0	0.0		Min	I	-22.8	-0.0	0.0	-0.0
0.0	0.0			J	-22.8	0.0	-0.0	-0.0
0.0	0.0							
0.0	0.0		Q2a-1-2 Max	I	13.5	0.0	0.0	0.0
0.0	0.0			J	13.5	0.0	0.0	0.0
0.0	0.0		Min	I	-12.6	-0.0	0.0	-0.0
0.0	0.0			J	-12.6	0.0	-0.0	-0.0
0.0	0.0							
0.0	0.0		SLVx (RS)	I	2.0	-0.0	0.0	0.0
0.0	0.0			J	2.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		SLVy (RS)	I	10.2	0.0	0.0	0.0
0.0	0.0			J	10.2	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		SLDx (RS)	I	1.0	-0.0	0.0	0.0
0.0	0.0			J	1.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		SLDy (RS)	I	5.1	0.0	0.0	0.0
0.0	0.0			J	5.1	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		SLVz (RS)	I	1.0	0.0	0.0	0.0
0.0	0.0			J	1.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		g1	I	-16.7	-0.0	-0.6	0.0
0.0	0.0			J	-16.7	0.0	0.6	0.0
0.0	0.0							
0.0	0.0		g2	I	-15.5	-0.0	0.0	-0.0
0.0	0.0			J	-15.5	0.0	0.0	-0.0
0.0	0.0							
0.0	0.0		q3	I	0.5	-0.0	0.0	-0.0
0.0	0.0			J	0.5	0.0	0.0	-0.0
0.0	0.0							
0.0	0.0		q5_pc	I	5.4	0.0	0.0	0.0

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		J	5.4	0.0	0.0	0.0
0.0	0.0	q5_ps	I	4.1	0.0	0.0	0.0
0.0	0.0		J	4.1	0.0	0.0	0.0
0.0	0.0	INVSLU Max	I	-236.2	-0.0	-0.8	0.0
0.0	0.0		J	-236.2	0.0	0.8	0.0
0.0	0.0	Min	I	-307.3	-0.0	-0.8	-0.0
0.0	0.0		J	-307.2	0.0	0.8	-0.0
0.0	0.0	INVSLV Max	I	-79.0	-0.0	-0.6	0.0
0.0	0.0		J	-79.0	0.0	0.6	0.0
0.0	0.0	Min	I	-101.3	-0.0	-0.6	-0.0
0.0	0.0		J	-101.2	0.0	0.6	-0.0
153	2	80	Q1-1-2 Max	I	22.6	0.0	0.0
0.0	0.0		J	22.6	0.0	0.0	0.0
0.3	0.1		Min	I	-22.8	-0.0	-0.1
0.0	0.0		J	-22.8	-0.0	-0.1	-0.0
-0.0	-0.0						
0.0	0.0	Q2a-1-2 Max	I	13.5	0.0	0.0	0.0
0.0	0.0		J	13.5	0.0	0.0	0.0
0.2	0.1		Min	I	-12.6	-0.0	-0.1
0.0	0.0		J	-12.6	-0.0	-0.1	-0.0
-0.0	-0.0						
0.0	0.0	SLVx (RS)	I	1.9	0.0	-0.9	0.0
0.0	0.0		J	1.9	0.0	-0.9	0.0
2.9	-0.1						
0.0	0.0	SLVy (RS)	I	-10.4	0.0	0.0	0.0
0.0	0.0		J	-10.4	0.0	0.0	0.0
-0.1	-0.0						
0.0	0.0	SLDx (RS)	I	0.9	0.0	-0.4	0.0
0.0	0.0		J	0.9	0.0	-0.4	0.0
1.4	-0.1						
0.0	0.0	SLDy (RS)	I	-5.2	0.0	0.0	0.0
0.0	0.0		J	-5.2	0.0	0.0	0.0
-0.1	-0.0						
0.0	0.0	SLVz (RS)	I	0.8	0.0	-0.9	0.0
0.0	0.0						




PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
3.0	-0.1		J	0.8	0.0	-0.9	0.0
0.0	0.0	g1	I	-17.0	0.0	-1.3	0.0
2.3	-0.1		J	-17.0	0.0	-0.1	0.0
0.0	0.0	g2	I	-15.5	-0.0	-0.0	0.0
0.0	0.0		J	-15.5	-0.0	-0.0	0.0
0.0	0.0	q3	I	0.5	0.0	-0.0	0.0
0.0	-0.0		J	0.5	0.0	-0.0	0.0
0.0	0.0	q5_pc	I	-3.4	0.0	-0.0	0.0
0.0	-0.0		J	-3.4	0.0	-0.0	0.0
0.0	0.0	q5_ps	I	-4.2	0.0	-0.0	0.0
0.0	-0.0		J	-4.2	0.0	-0.0	0.0
0.0	0.0	INVSLU Max	I	-238.4	-0.2	-1.8	0.0
3.8	0.8		J	-238.4	-0.2	-0.3	0.0
0.0	0.0	Min	I	-305.7	-0.2	-1.9	0.0
3.4	0.5		J	-305.6	-0.2	-0.4	0.0
0.0	0.0	INVSLV Max	I	-79.1	-0.0	-0.1	0.1
6.2	0.5		J	-79.1	-0.0	1.0	0.1
0.0	0.0	Min	I	-101.6	-0.2	-2.5	-0.0
-1.5	0.1		J	-101.5	-0.2	-1.3	-0.0
154	2	80	Q1-1-2 Max	I	22.7	0.0	0.1
0.3	0.0		J	22.7	0.0	0.1	0.0
0.0	0.0		Min	I	-22.7	-0.1	-0.0
-0.0	-0.2		J	-22.7	-0.1	-0.0	-0.0
0.2	0.0	Q2a-1-2 Max	I	13.6	0.0	0.1	0.0
0.0	0.0		J	13.6	0.0	0.1	0.0
-0.0	-0.2	Min	I	-12.6	-0.0	-0.0	-0.0
0.0	0.0		J	-12.6	-0.0	-0.0	-0.0
2.8	-0.1	SLVx (RS)	I	1.6	-0.0	0.9	-0.0


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	0.0		J	1.6	-0.0	0.9	-0.0
-0.1	-0.0	SLVy (RS)	I	-9.3	-0.0	-0.0	0.0
0.0	0.0		J	-9.3	-0.0	-0.0	0.0
1.4	-0.1	SLDx (RS)	I	0.8	-0.0	0.4	-0.0
0.0	0.0		J	0.8	-0.0	0.4	-0.0
-0.1	-0.0	SLDy (RS)	I	-4.6	-0.0	-0.0	0.0
0.0	0.0		J	-4.6	-0.0	-0.0	0.0
3.0	-0.1	SLVz (RS)	I	0.7	-0.0	0.9	-0.0
0.0	0.0		J	0.7	-0.0	0.9	-0.0
2.2	-0.2	g1	I	-16.9	-0.1	0.1	-0.0
0.0	0.0		J	-16.9	-0.1	1.3	-0.0
0.0	-0.0	g2	I	-15.5	-0.0	0.0	0.0
0.0	0.0		J	-15.5	-0.0	0.0	0.0
0.0	0.0	q3	I	0.5	0.0	0.0	0.0
0.0	0.0		J	0.5	0.0	0.0	0.0
0.0	-0.0	q5_pc	I	-3.4	-0.0	0.0	-0.0
0.0	0.0		J	-3.4	-0.0	0.0	-0.0
0.0	-0.0	q5_ps	I	-4.2	-0.0	0.0	-0.0
0.0	0.0		J	-4.2	-0.0	0.0	-0.0
3.8	-1.1	INVSLU Max	I	-237.1	-0.3	0.4	-0.0
0.0	0.0		J	-237.0	-0.3	1.9	-0.0
3.4	-1.5	Min	I	-304.5	-0.5	0.2	-0.0
0.0	0.0		J	-304.5	-0.5	1.8	-0.0
6.2	-0.6	INVSLV Max	I	-79.6	-0.2	1.3	0.0
0.0	0.0		J	-79.6	-0.2	2.4	0.0
-1.5	-0.9	Min	I	-99.6	-0.3	-1.0	-0.1
0.0	0.0		J	-99.6	-0.3	0.1	-0.1


PROJECT TITLE :

		Company					Client		
		Author					File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
155	2	80	Q1-1-2 Max	I	22.6	0.2	0.0	0.0	
0.0	0.3			J	22.6	0.2	0.0	0.0	
0.6	0.0		Min	I	-22.8	-0.0	-0.2	-0.0	
-0.0	-0.0			J	-22.8	-0.0	-0.2	-0.0	
-0.0	-0.4								
			Q2a-1-2 Max	I	13.5	0.1	0.0	0.0	
0.0	0.2			J	13.5	0.1	0.0	0.0	
0.4	0.0		Min	I	-12.7	-0.0	-0.1	-0.0	
-0.0	-0.0			J	-12.7	-0.0	-0.1	-0.0	
-0.0	-0.2								
			SLVx (RS)	I	1.8	0.0	0.9	-0.0	
0.1	0.0			J	1.8	0.0	0.9	-0.0	
-2.8	-0.1								
			SLVy (RS)	I	9.1	-0.0	-0.0	0.0	
0.0	-0.0			J	9.1	-0.0	-0.0	0.0	
0.1	0.0								
			SLDx (RS)	I	0.9	0.0	0.4	-0.0	
0.0	0.0			J	0.9	0.0	0.4	-0.0	
-1.4	-0.0								
			SLDy (RS)	I	4.5	-0.0	-0.0	0.0	
0.0	-0.0			J	4.5	-0.0	-0.0	0.0	
0.1	0.0								
			SLVz (RS)	I	0.9	0.0	0.9	-0.0	
0.1	-0.0			J	0.9	0.0	0.9	-0.0	
-2.9	-0.1								
			g1	I	-16.7	0.1	0.3	-0.0	
0.0	0.1			J	-16.6	0.1	1.5	-0.0	
-2.9	-0.2								
			g2	I	-15.5	0.0	-0.0	-0.0	
-0.0	0.0			J	-15.5	0.0	-0.0	-0.0	
0.0	-0.0								
			q3	I	0.5	-0.0	-0.0	-0.0	
0.0	-0.0			J	0.5	-0.0	-0.0	-0.0	
0.0	0.0								
			q5_pc	I	5.4	-0.0	-0.0	-0.0	
0.0	-0.0			J	5.4	-0.0	-0.0	-0.0	
0.0	0.0								
			q5_ps	I	4.1	-0.0	-0.0	-0.0	
0.0	-0.0			J	4.1	-0.0	-0.0	-0.0	


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	0.0							
			INVSLU Max	I	-236.2	1.4	0.2	-0.0
0.0	2.1			J	-236.2	1.4	1.8	-0.0
-2.5	-1.8		Min	I	-307.2	1.1	-0.0	-0.0
0.0	1.7			J	-307.2	1.1	1.5	-0.0
-3.3	-2.3							
			INVSLV Max	I	-80.2	0.7	1.5	-0.0
0.1	1.1			J	-80.2	0.7	2.6	-0.0
1.1	-1.1		Min	I	-100.0	0.7	-0.9	-0.0
-0.1	1.1			J	-100.0	0.7	0.2	-0.0
-6.6	-1.3							
156	2	80	Q1-1-2 Max	I	14.4	0.2	0.1	0.0
0.4	0.3			J	14.4	0.2	0.1	0.0
0.3	0.0		Min	I	-26.1	-0.0	-0.1	-0.0
-0.2	-0.0			J	-26.1	-0.0	-0.1	-0.0
-0.1	-0.3							
			Q2a-1-2 Max	I	8.2	0.1	0.1	0.0
0.3	0.2			J	8.2	0.1	0.1	0.0
0.2	0.0		Min	I	-14.9	-0.0	-0.1	-0.0
-0.1	-0.0			J	-14.9	-0.0	-0.1	-0.0
-0.0	-0.2							
			SLVx (RS)	I	2.7	0.0	0.4	-0.0
0.6	0.0			J	2.7	0.0	0.4	-0.0
-0.7	0.0							
			SLVy (RS)	I	6.8	0.0	-0.0	-0.0
0.0	-0.0			J	6.8	0.0	-0.0	-0.0
0.0	-0.0							
			SLDx (RS)	I	1.4	0.0	0.2	-0.0
0.3	0.0			J	1.4	0.0	0.2	-0.0
-0.3	0.0							
			SLDy (RS)	I	3.4	0.0	-0.0	-0.0
0.0	-0.0			J	3.4	0.0	-0.0	-0.0
0.0	-0.0							
			SLVz (RS)	I	1.3	0.0	0.2	0.0
0.3	0.0			J	1.3	0.0	0.2	0.0
-0.3	-0.0							
			g1	I	-24.2	0.0	-1.2	-0.0
-1.2	0.0			J	-24.1	0.0	-0.0	-0.0


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.7	-0.1							
		g2	I	-19.1	0.0	-0.0	-0.0	
-0.0	0.0		J	-19.1	0.0	-0.0	-0.0	
0.0	-0.0							
		q3	I	0.3	-0.0	0.0	-0.0	
0.0	-0.0		J	0.3	-0.0	0.0	-0.0	
0.0	0.0							
		q5_pc	I	3.6	0.0	0.0	0.0	
0.0	0.0		J	3.6	0.0	0.0	0.0	
0.0	-0.0							
		q5_ps	I	2.3	0.0	0.0	0.0	
0.0	-0.0		J	2.3	0.0	0.0	0.0	
0.0	-0.0							
		INVSLU Max	I	-286.8	1.1	-1.4	-0.0	
-0.6	1.6		J	-286.8	1.1	0.1	-0.0	
1.8	-1.5	Min	I	-347.9	0.8	-1.7	-0.0	
-1.5	1.1		J	-347.8	0.8	-0.1	-0.0	
1.3	-2.0							
		INVSLV Max	I	-109.0	0.6	-0.7	-0.0	
-0.4	0.8		J	-109.0	0.6	0.4	-0.0	
1.6	-1.0	Min	I	-125.0	0.5	-1.6	-0.0	
-1.9	0.7		J	-125.0	0.5	-0.5	-0.0	
0.1	-1.1							
157	2	80	Q1-1-2 Max	I	14.3	0.0	0.1	0.0
0.5	0.0			J	14.3	0.0	0.1	0.0
0.3	0.4		Min	I	-26.1	-0.2	-0.1	-0.0
-0.2	-0.4			J	-26.1	-0.2	-0.1	-0.0
-0.1	-0.0							
		Q2a-1-2 Max	I	8.2	0.0	0.1	0.0	
0.3	0.0		J	8.2	0.0	0.1	0.0	
0.2	0.2	Min	I	-14.9	-0.1	-0.1	-0.0	
-0.1	-0.3		J	-14.9	-0.1	-0.1	-0.0	
-0.0	-0.0							
		SLVx (RS)	I	2.8	0.0	0.4	0.0	
0.6	0.1		J	2.8	0.0	0.4	0.0	
-0.7	-0.0							
		SLVy (RS)	I	-6.8	0.0	0.0	-0.0	
-0.0	0.0		J	-6.8	0.0	0.0	-0.0	


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-0.0	-0.0						
		SLDx (RS)	I	1.4	0.0	0.2	0.0
0.3	0.0		J	1.4	0.0	0.2	0.0
-0.3	-0.0						
		SLDy (RS)	I	-3.4	0.0	0.0	-0.0
-0.0	0.0		J	-3.4	0.0	0.0	-0.0
-0.0	-0.0						
		SLVz (RS)	I	1.3	-0.0	0.2	-0.0
0.3	-0.1		J	1.3	-0.0	0.2	-0.0
-0.3	0.0						
		g1	I	-23.9	-0.1	-1.2	0.0
-1.2	-0.1		J	-23.9	-0.1	-0.0	0.0
0.7	0.1						
		g2	I	-19.1	-0.0	-0.0	0.0
-0.0	-0.0		J	-19.1	-0.0	-0.0	0.0
0.0	0.0						
		q3	I	0.3	0.0	0.0	0.0
0.0	0.0		J	0.3	0.0	0.0	0.0
0.0	-0.0						
		q5_pc	I	-1.3	0.0	-0.0	0.0
-0.0	-0.0		J	-1.3	0.0	-0.0	0.0
0.0	-0.0						
		q5_ps	I	-2.3	0.0	-0.0	0.0
-0.0	0.0		J	-2.3	0.0	-0.0	0.0
-0.0	-0.0						
		INVSLU Max	I	-289.8	-1.0	-1.5	0.0
-0.7	-1.8		J	-289.8	-1.0	0.1	0.0
1.8	2.2						
		Min	I	-346.8	-1.4	-1.7	0.0
-1.6	-2.3		J	-346.8	-1.4	-0.2	0.0
1.3	1.7						
		INVSLV Max	I	-109.6	-0.7	-0.7	0.0
-0.4	-1.1		J	-109.6	-0.7	0.4	0.0
1.6	1.2						
		Min	I	-125.7	-0.7	-1.6	0.0
-1.9	-1.3		J	-125.7	-0.7	-0.5	0.0
0.1	1.1						
158	2	80	Q1-1-2 Max	I	14.4	0.0	0.1
0.3	0.0			J	14.4	0.0	0.1
0.5	0.3						
		Min	I	-26.1	-0.2	-0.1	-0.0
-0.1	-0.4						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-0.1	-0.0		J	-26.1	-0.2	-0.1	-0.0
0.2	0.0	Q2a-1-2 Max	I	8.2	0.0	0.1	0.0
0.3	0.2		J	8.2	0.0	0.1	0.0
-0.0	-0.2	Min	I	-14.9	-0.1	-0.1	-0.0
-0.1	-0.0		J	-14.9	-0.1	-0.1	-0.0
-0.7	0.0	SLVx (RS)	I	2.6	0.0	-0.4	-0.0
0.6	-0.0		J	2.6	0.0	-0.4	-0.0
-0.0	-0.0	SLVy (RS)	I	-5.6	-0.0	0.0	0.0
-0.0	0.0		J	-5.6	-0.0	0.0	0.0
-0.3	0.0	SLDx (RS)	I	1.3	0.0	-0.2	-0.0
0.3	-0.0		J	1.3	0.0	-0.2	-0.0
-0.0	-0.0	SLDy (RS)	I	-2.8	-0.0	0.0	0.0
-0.0	0.0		J	-2.8	-0.0	0.0	0.0
-0.3	0.0	SLVz (RS)	I	1.2	0.0	-0.2	-0.0
0.3	-0.0		J	1.2	0.0	-0.2	-0.0
0.7	-0.1	g1	I	-23.8	-0.1	-0.0	0.0
-1.1	0.1		J	-23.8	-0.1	1.1	0.0
0.0	-0.0	g2	I	-19.1	-0.0	-0.0	0.0
0.0	0.0		J	-19.1	-0.0	-0.0	0.0
0.0	0.0	q3	I	0.3	0.0	0.0	0.0
-0.0	-0.0		J	0.3	0.0	0.0	0.0
0.0	-0.0	q5_pc	I	-1.3	-0.0	-0.0	-0.0
0.0	0.0		J	-1.3	-0.0	-0.0	-0.0
-0.0	-0.0	q5_ps	I	-2.3	-0.0	0.0	-0.0
-0.0	0.0		J	-2.3	-0.0	0.0	-0.0
1.7	-1.7	INVSLU Max	I	-289.5	-0.9	0.1	0.0
-0.4	1.9		J	-289.5	-0.9	1.6	0.0

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
1.2	-2.3		Min	I	-346.5	-1.3	-0.2	0.0
				J	-346.5	-1.3	1.4	0.0
-1.3	1.4							
1.5	-1.1		INVS LV Max	I	-110.8	-0.6	0.4	0.0
				J	-110.7	-0.6	1.6	0.0
-0.3	1.0							
0.0	-1.2		Min	I	-124.2	-0.7	-0.5	0.0
				J	-124.1	-0.7	0.7	0.0
-1.8	0.9							
159	2	80	Q1-1-2 Max	I	14.4	0.2	0.1	0.0
0.3	0.4			J	14.4	0.2	0.1	0.0
0.5	0.0							
-0.1	-0.0		Min	I	-26.1	-0.0	-0.1	-0.0
				J	-26.1	-0.0	-0.1	-0.0
-0.1	-0.3							
0.2	0.2		Q2a-1-2 Max	I	8.2	0.1	0.1	0.0
				J	8.2	0.1	0.1	0.0
0.3	0.0							
-0.0	-0.0		Min	I	-14.9	-0.0	-0.1	-0.0
				J	-14.9	-0.0	-0.1	-0.0
-0.1	-0.2							
-0.7	-0.0		SLVx (RS)	I	2.6	-0.0	-0.4	0.0
				J	2.6	-0.0	-0.4	0.0
0.6	0.0							
0.0	-0.0		SLVy (RS)	I	5.6	-0.0	-0.0	0.0
				J	5.6	-0.0	-0.0	0.0
0.0	0.0							
-0.3	-0.0		SLDx (RS)	I	1.3	-0.0	-0.2	0.0
				J	1.3	-0.0	-0.2	0.0
0.3	0.0							
0.0	-0.0		SLDy (RS)	I	2.8	-0.0	-0.0	0.0
				J	2.8	-0.0	-0.0	0.0
0.0	0.0							
-0.3	-0.0		SLVz (RS)	I	1.1	-0.0	-0.2	0.0
				J	1.1	-0.0	-0.2	0.0
0.3	0.0							
0.7	0.2		g1	I	-24.1	0.1	-0.0	-0.0
				J	-24.1	0.1	1.1	-0.0
-1.1	-0.1							
0.0	0.0		g2	I	-19.1	0.0	-0.0	-0.0
				J	-19.1	0.0	-0.0	-0.0
0.0	-0.0							



PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


0.0	-0.0	q3	I	0.3	-0.0	0.0	-0.0
-0.0	0.0		J	0.3	-0.0	0.0	-0.0
0.0	-0.0	q5_pc	I	3.6	-0.0	0.0	0.0
-0.0	0.0		J	3.6	-0.0	0.0	0.0
0.0	-0.0	q5_ps	I	2.3	-0.0	-0.0	-0.0
0.0	0.0		J	2.3	-0.0	-0.0	-0.0
1.7	2.5	INVSLU Max	I	-286.9	1.3	0.1	-0.0
-0.4	-1.4		J	-286.9	1.3	1.6	-0.0
1.2	1.9	Min	I	-348.0	1.0	-0.2	-0.0
-1.3	-1.9		J	-347.9	1.0	1.3	-0.0
1.5	1.3	INVSLV Max	I	-110.4	0.7	0.4	-0.0
-0.3	-0.9		J	-110.4	0.7	1.6	-0.0
0.0	1.2	Min	I	-123.7	0.7	-0.5	-0.0
-1.8	-1.0		J	-123.7	0.7	0.7	-0.0
160	2	80	Q1-1-2 Max	I	11.2	0.0	0.0
0.0	0.0		J	11.2	0.0	0.0	0.0
0.0	0.0		Min	I	-26.1	0.0	-0.0
0.0	0.0		J	-26.1	0.0	0.0	-0.0
0.0	0.0	Q2a-1-2 Max	I	6.1	0.0	0.0	0.0
0.0	0.0		J	6.1	0.0	0.0	0.0
0.0	0.0	Min	I	-15.2	0.0	0.0	-0.0
0.0	0.0		J	-15.2	0.0	0.0	-0.0
0.0	0.0	SLVx (RS)	I	3.1	0.0	0.0	-0.0
0.0	0.0		J	3.1	0.0	0.0	-0.0
0.0	0.0	SLVy (RS)	I	2.8	0.0	0.0	-0.0
0.0	0.0		J	2.8	0.0	0.0	-0.0
0.0	0.0	SLDx (RS)	I	1.5	0.0	0.0	-0.0
0.0	0.0		J	1.5	0.0	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	0.0	SLDy (RS)	I	1.4	0.0	0.0	-0.0
0.0	0.0		J	1.4	0.0	0.0	-0.0
0.0	0.0	SLVz (RS)	I	1.4	0.0	0.0	0.0
0.0	0.0		J	1.4	0.0	0.0	0.0
0.0	0.0	g1	I	-26.8	0.0	-0.6	-0.0
0.0	0.0		J	-26.8	0.0	0.6	-0.0
0.0	0.0	g2	I	-20.4	0.0	0.0	-0.0
0.0	0.0		J	-20.4	0.0	0.0	-0.0
0.0	0.0	q3	I	0.3	0.0	0.0	-0.0
0.0	0.0		J	0.3	0.0	0.0	-0.0
0.0	0.0	q5_pc	I	1.9	0.0	0.0	0.0
0.0	0.0		J	1.9	0.0	0.0	0.0
0.0	0.0	q5_ps	I	0.8	0.0	0.0	-0.0
0.0	0.0		J	0.8	0.0	0.0	-0.0
0.0	0.0	INVSLU Max	I	-302.8	0.0	-0.8	-0.0
0.0	0.0		J	-302.7	0.0	0.8	-0.0
0.0	0.0	Min	I	-356.6	0.0	-0.8	-0.0
0.0	0.0		J	-356.6	0.0	0.8	-0.0
0.0	0.0	INVSLV Max	I	-120.2	0.0	-0.6	-0.0
0.0	0.0		J	-120.2	0.0	0.6	-0.0
0.0	0.0	Min	I	-128.9	0.0	-0.6	-0.0
0.0	0.0		J	-128.9	0.0	0.6	-0.0
161	2	80	Q1-1-2 Max	I	11.2	0.0	0.0
0.0	0.0			J	11.2	0.0	0.0
0.0	0.1		Min	I	-26.1	-0.0	-0.0
0.0	0.0			J	-26.1	-0.0	-0.0
-0.0	-0.1						
0.0	0.0	Q2a-1-2 Max	I	6.1	0.0	0.0	0.0
0.0	0.0		J	6.1	0.0	0.0	0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.1		Min	I	-15.2	-0.0	-0.0
0.0	0.0			J	-15.2	-0.0	-0.0
-0.0	-0.1						
			SLVx (RS)	I	3.1	-0.0	0.7
0.0	0.0			J	3.1	-0.0	0.7
-2.2	0.1						
			SLVy (RS)	I	-2.8	0.0	0.0
0.0	0.0			J	-2.8	0.0	0.0
-0.0	-0.0						
			SLDx (RS)	I	1.5	-0.0	0.3
0.0	0.0			J	1.5	-0.0	0.3
-1.1	0.1						
			SLDy (RS)	I	-1.4	0.0	0.0
0.0	0.0			J	-1.4	0.0	0.0
-0.0	-0.0						
			SLVz (RS)	I	1.4	0.0	-0.6
0.0	0.0			J	1.4	0.0	-0.6
1.9	-0.1						
			g1	I	-26.8	0.1	-1.7
0.0	0.0			J	-26.8	0.1	-0.6
3.8	-0.2						
			g2	I	-20.4	0.0	-0.0
0.0	0.0			J	-20.4	0.0	-0.0
0.0	-0.0						
			q3	I	0.3	0.0	0.0
0.0	0.0			J	0.3	0.0	0.0
-0.0	-0.0						
			q5_pc	I	0.3	0.0	0.0
0.0	0.0			J	0.3	0.0	0.0
-0.0	-0.0						
			q5_ps	I	-0.8	0.0	0.0
0.0	0.0			J	-0.8	0.0	0.0
-0.0	-0.0						
			INVSLU Max	I	-304.3	0.1	-2.3
0.0	0.0			J	-304.2	0.1	-0.8
5.1	-0.1						
			Min	I	-355.2	0.0	-2.3
0.0	0.0			J	-355.1	0.0	-0.8
5.1	-0.4						
			INVSLV Max	I	-120.2	0.1	-0.9

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	0.0			J	-120.2	0.1	0.3	0.0
6.6	-0.1		Min	I	-128.9	0.0	-2.6	0.0
0.0	0.0			J	-128.9	0.0	-1.4	0.0
0.9	-0.3							
162	2	80	Q1-1-2 Max	I	11.2	0.0	0.0	0.0
0.0	0.1			J	11.2	0.0	0.0	0.0
0.0	0.0		Min	I	-26.1	-0.0	-0.0	-0.0
-0.0	-0.1			J	-26.1	-0.0	-0.0	-0.0
0.0	0.0							
0.0	0.1		Q2a-1-2 Max	I	6.1	0.0	0.0	0.0
0.0	0.0			J	6.1	0.0	0.0	0.0
0.0	0.0		Min	I	-15.2	-0.0	-0.0	-0.0
-0.0	-0.1			J	-15.2	-0.0	-0.0	-0.0
0.0	0.0							
-2.2	0.1		SLVx (RS)	I	2.9	0.0	-0.7	0.0
0.0	0.0			J	2.9	0.0	-0.7	0.0
0.0	0.0							
-0.0	-0.0		SLVy (RS)	I	-1.5	-0.0	-0.0	-0.0
0.0	0.0			J	-1.5	-0.0	-0.0	-0.0
0.0	0.0							
-1.1	0.1		SLDx (RS)	I	1.5	0.0	-0.3	0.0
0.0	0.0			J	1.5	0.0	-0.3	0.0
0.0	0.0							
-0.0	-0.0		SLDy (RS)	I	-0.7	-0.0	-0.0	-0.0
0.0	0.0			J	-0.7	-0.0	-0.0	-0.0
0.0	0.0							
1.9	-0.1		SLVz (RS)	I	1.3	-0.0	0.6	-0.0
0.0	0.0			J	1.3	-0.0	0.6	-0.0
0.0	0.0							
3.8	-0.2		g1	I	-26.8	-0.1	0.6	0.0
0.0	0.0			J	-26.7	-0.1	1.7	0.0
0.0	0.0							
-0.0	-0.0		g2	I	-20.4	-0.0	-0.0	0.0
0.0	0.0			J	-20.4	-0.0	-0.0	0.0
0.0	0.0							
0.0	-0.0		q3	I	0.3	-0.0	0.0	0.0
0.0	0.0			J	0.3	-0.0	0.0	0.0

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


-0.0	-0.0	q5_pc	I	0.3	-0.0	-0.0	-0.0
			J	0.3	-0.0	-0.0	-0.0
0.0	0.0						
		q5_ps	I	-0.8	-0.0	-0.0	-0.0
-0.0	-0.0		J	-0.8	-0.0	-0.0	-0.0
0.0	0.0						
		INVSLU Max	I	-304.2	-0.0	0.8	0.0
5.1	-0.1		J	-304.2	-0.0	2.3	0.0
0.0	0.0						
		Min	I	-355.1	-0.1	0.8	0.0
5.1	-0.4		J	-355.1	-0.1	2.3	0.0
0.0	0.0						
		INVSLV Max	I	-120.8	-0.0	1.4	0.0
6.6	-0.1		J	-120.7	-0.0	2.6	0.0
0.0	0.0						
		Min	I	-128.3	-0.1	-0.3	0.0
0.9	-0.3		J	-128.3	-0.1	0.9	0.0
0.0	0.0						
163	2	80	Q1-1-2 Max	I	11.2	0.0	0.0
0.0	0.0		J	11.2	0.0	0.0	0.0
0.0	0.0						
		Min	I	-26.1	0.0	0.0	-0.0
0.0	0.0		J	-26.1	0.0	0.0	-0.0
0.0	0.0						
		Q2a-1-2 Max	I	6.1	0.0	0.0	0.0
0.0	0.0		J	6.1	0.0	0.0	0.0
0.0	0.0						
		Min	I	-15.2	0.0	0.0	-0.0
0.0	0.0		J	-15.2	0.0	0.0	-0.0
0.0	0.0						
		SLVx (RS)	I	3.0	0.0	0.0	0.0
0.0	0.0		J	3.0	0.0	0.0	0.0
0.0	0.0						
		SLVy (RS)	I	1.4	0.0	0.0	0.0
0.0	0.0		J	1.4	0.0	0.0	0.0
0.0	0.0						
		SLDx (RS)	I	1.5	0.0	0.0	0.0
0.0	0.0		J	1.5	0.0	0.0	0.0
0.0	0.0						
		SLDy (RS)	I	0.7	0.0	0.0	0.0
0.0	0.0		J	0.7	0.0	0.0	0.0
0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0	SLVz (RS)	I	1.3	0.0	0.0	0.0
			J	1.3	0.0	0.0	0.0
0.0	0.0	g1	I	-26.7	0.0	-0.6	-0.0
			J	-26.7	0.0	0.6	-0.0
0.0	0.0	g2	I	-20.4	0.0	0.0	-0.0
			J	-20.4	0.0	0.0	-0.0
0.0	0.0	q3	I	0.3	0.0	0.0	-0.0
			J	0.3	0.0	0.0	-0.0
0.0	0.0	q5_pc	I	1.9	0.0	0.0	0.0
			J	1.9	0.0	0.0	0.0
0.0	0.0	q5_ps	I	0.8	0.0	0.0	0.0
			J	0.8	0.0	0.0	0.0
0.0	0.0	INVSLU Max	I	-302.6	0.0	-0.8	-0.0
			J	-302.5	0.0	0.8	-0.0
0.0	0.0	Min	I	-356.4	0.0	-0.8	-0.0
			J	-356.4	0.0	0.8	-0.0
0.0	0.0	INVSLV Max	I	-120.6	0.0	-0.6	-0.0
			J	-120.6	0.0	0.6	-0.0
0.0	0.0	Min	I	-128.2	0.0	-0.6	-0.0
			J	-128.2	0.0	0.6	-0.0
164	2	80	Q1-1-2 Max	I	11.4	0.0	0.0
0.0	0.0			J	11.4	0.0	0.0
0.0	0.0		Min	I	-26.0	0.0	-0.0
				J	-26.0	0.0	-0.0
0.0	0.0		Q2a-1-2 Max	I	6.3	0.0	0.0
				J	6.3	0.0	0.0
0.0	0.0		Min	I	-15.2	0.0	-0.0
				J	-15.2	0.0	-0.0

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	0.0	SLVx (RS)	I	3.1	0.0	-0.0	0.0
			J	3.1	0.0	0.0	0.0
0.0	0.0	SLVy (RS)	I	-1.5	0.0	0.0	-0.0
			J	-1.5	0.0	0.0	-0.0
0.0	0.0	SLDx (RS)	I	1.6	0.0	-0.0	0.0
			J	1.6	0.0	0.0	0.0
0.0	0.0	SLDy (RS)	I	-0.7	0.0	0.0	-0.0
			J	-0.7	0.0	0.0	-0.0
0.0	0.0	SLVz (RS)	I	1.4	0.0	-0.0	0.0
			J	1.4	0.0	0.0	0.0
0.0	0.0	g1	I	-26.8	0.0	-0.6	-0.0
			J	-26.8	0.0	0.6	-0.0
0.0	0.0	g2	I	-20.3	0.0	0.0	-0.0
			J	-20.3	0.0	0.0	-0.0
0.0	0.0	q3	I	0.2	0.0	0.0	-0.0
			J	0.2	0.0	0.0	-0.0
0.0	0.0	q5_pc	I	0.4	0.0	-0.0	0.0
			J	0.4	0.0	0.0	0.0
0.0	0.0	q5_ps	I	-0.8	0.0	0.0	0.0
			J	-0.8	0.0	0.0	0.0
0.0	0.0	INVSLU Max	I	-303.5	0.0	-0.8	-0.0
			J	-303.5	0.0	0.8	-0.0
0.0	0.0	Min	I	-354.7	0.0	-0.8	-0.0
			J	-354.7	0.0	0.8	-0.0
0.0	0.0	INVSLV Max	I	-120.4	0.0	-0.6	-0.0
			J	-120.3	0.0	0.6	-0.0
0.0	0.0	Min	I	-128.3	0.0	-0.6	-0.0
			J	-128.3	0.0	0.6	-0.0


MIDAS

PROJECT TITLE :


MIDAS		Company				Client			
		Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	0.0								
165	2	80	Q1-1-2	Max	I	11.4	0.0	0.0	0.0
0.0	0.0				J	11.4	0.0	0.0	0.0
0.0	0.1								
0.0	0.0			Min	I	-26.0	-0.0	-0.0	-0.0
-0.0	-0.1				J	-26.0	-0.0	-0.0	-0.0
			Q2a-1-2	Max	I	6.3	0.0	0.0	0.0
0.0	0.0				J	6.3	0.0	0.0	0.0
0.0	0.1								
0.0	0.0			Min	I	-15.2	-0.0	-0.0	-0.0
-0.0	-0.1				J	-15.2	-0.0	-0.0	-0.0
0.0	0.0			SLVx (RS)	I	3.1	-0.0	0.7	-0.0
-2.2	0.1				J	3.1	-0.0	0.7	-0.0
0.0	0.0			SLVy (RS)	I	1.4	0.0	-0.0	0.0
0.0	-0.0				J	1.4	0.0	-0.0	0.0
0.0	0.0			SLDx (RS)	I	1.6	-0.0	0.3	-0.0
-1.1	0.0				J	1.6	-0.0	0.3	-0.0
0.0	0.0			SLDy (RS)	I	0.7	0.0	-0.0	0.0
0.0	-0.0				J	0.7	0.0	-0.0	0.0
0.0	0.0			SLVz (RS)	I	1.4	0.0	-0.6	-0.0
1.9	-0.1				J	1.4	0.0	-0.6	-0.0
0.0	0.0			g1	I	-26.8	0.1	-1.7	0.0
3.8	-0.2				J	-26.7	0.1	-0.6	0.0
0.0	0.0			g2	I	-20.3	-0.0	0.0	0.0
-0.0	0.0				J	-20.3	-0.0	0.0	0.0
0.0	0.0			q3	I	0.2	0.0	0.0	0.0
-0.0	-0.0				J	0.2	0.0	0.0	0.0
0.0	0.0			q5_pc	I	1.9	0.0	0.0	-0.0
-0.0	-0.0				J	1.9	0.0	0.0	-0.0
				q5_ps	I	0.7	0.0	0.0	-0.0



PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	0.0			J	0.7	0.0	0.0	-0.0
-0.0	-0.0							
			INVS LU Max	I	-301.9	0.1	-2.3	0.0
0.0	0.0			J	-301.9	0.1	-0.8	0.0
5.1	-0.1		Min	I	-355.9	0.0	-2.3	0.0
0.0	0.0			J	-355.9	0.0	-0.8	0.0
5.1	-0.4							
			INVS LV Max	I	-120.2	0.1	-0.9	0.0
0.0	0.0			J	-120.2	0.1	0.3	0.0
6.6	-0.0		Min	I	-128.2	0.0	-2.6	0.0
0.0	0.0			J	-128.2	0.0	-1.4	0.0
1.0	-0.3							
166	2	80	Q1-1-2 Max	I	11.4	0.0	0.0	0.0
0.0	0.1			J	11.4	0.0	0.0	0.0
0.0	0.0		Min	I	-26.0	-0.0	-0.0	-0.0
-0.0	-0.1			J	-26.0	-0.0	-0.0	-0.0
0.0	0.0							
			Q2a-1-2 Max	I	6.3	0.0	0.0	0.0
0.0	0.1			J	6.3	0.0	0.0	0.0
0.0	0.0		Min	I	-15.2	-0.0	-0.0	-0.0
-0.0	-0.1			J	-15.2	-0.0	-0.0	-0.0
0.0	0.0							
			SLVx (RS)	I	3.0	0.0	-0.7	-0.0
-2.2	0.1			J	3.0	0.0	-0.7	-0.0
0.0	0.0							
			SLVy (RS)	I	2.8	-0.0	0.0	-0.0
0.0	-0.0			J	2.8	-0.0	0.0	-0.0
0.0	0.0							
			SLDx (RS)	I	1.5	0.0	-0.3	-0.0
-1.1	0.0			J	1.5	0.0	-0.3	-0.0
0.0	0.0							
			SLDy (RS)	I	1.4	-0.0	0.0	-0.0
0.0	-0.0			J	1.4	-0.0	0.0	-0.0
0.0	0.0							
			SLVz (RS)	I	1.3	-0.0	0.6	-0.0
1.9	-0.1			J	1.3	-0.0	0.6	-0.0
0.0	0.0							
			g1	I	-26.7	-0.1	0.6	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
3.8	-0.2		J	-26.7	-0.1	1.7	0.0
0.0	0.0						
		g2	I	-20.3	0.0	0.0	0.0
0.0	0.0		J	-20.3	0.0	0.0	0.0
0.0	0.0						
		q3	I	0.2	-0.0	0.0	0.0
0.0	-0.0		J	0.2	-0.0	0.0	0.0
0.0	0.0						
		q5_pc	I	1.9	-0.0	-0.0	-0.0
-0.0	-0.0		J	1.9	-0.0	-0.0	-0.0
0.0	0.0						
		q5_ps	I	0.7	-0.0	-0.0	-0.0
-0.0	-0.0		J	0.7	-0.0	-0.0	-0.0
0.0	0.0						
		INVSLU Max	I	-301.9	-0.0	0.8	0.0
5.1	-0.1		J	-301.9	-0.0	2.3	0.0
0.0	0.0						
		Min	I	-355.9	-0.1	0.8	0.0
5.1	-0.4		J	-355.8	-0.1	2.3	0.0
0.0	0.0						
		INVSLV Max	I	-119.9	-0.0	1.4	0.0
6.6	-0.0		J	-119.9	-0.0	2.6	0.0
0.0	0.0						
		Min	I	-128.4	-0.1	-0.3	0.0
1.0	-0.3		J	-128.4	-0.1	0.9	0.0
0.0	0.0						
		Q1-1-2 Max	I	11.4	0.0	0.0	0.0
167	2	80	J	11.4	0.0	0.0	0.0
0.0	0.0						
		Min	I	-26.0	-0.0	-0.0	-0.0
0.0	0.0		J	-26.0	0.0	0.0	-0.0
0.0	0.0						
		Q2a-1-2 Max	I	6.3	0.0	0.0	0.0
0.0	0.0		J	6.3	0.0	0.0	0.0
0.0	0.0						
		Min	I	-15.2	-0.0	-0.0	-0.0
0.0	0.0		J	-15.2	0.0	0.0	-0.0
0.0	0.0						
		SLVx (RS)	I	3.0	-0.0	0.0	0.0
0.0	0.0		J	3.0	0.0	0.0	0.0
0.0	0.0						
		SLVy (RS)	I	-2.8	0.0	0.0	0.0

# MIDAS


PROJECT TITLE :

		Company					Client
		Author					File Name
							PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt
0.0	0.0		J	-2.8	0.0	0.0	0.0
0.0	0.0						
		SLDx (RS)	I	1.5	-0.0	0.0	0.0
0.0	0.0		J	1.5	0.0	0.0	0.0
0.0	0.0						
		SLDy (RS)	I	-1.4	0.0	0.0	0.0
0.0	0.0		J	-1.4	0.0	0.0	0.0
0.0	0.0						
		SLVz (RS)	I	1.3	0.0	0.0	0.0
0.0	0.0		J	1.3	0.0	0.0	0.0
0.0	0.0						
		g1	I	-26.7	-0.0	-0.6	-0.0
0.0	0.0		J	-26.6	0.0	0.6	-0.0
0.0	0.0						
		g2	I	-20.3	-0.0	0.0	-0.0
0.0	0.0		J	-20.3	0.0	0.0	-0.0
0.0	0.0						
		q3	I	0.2	-0.0	0.0	-0.0
0.0	0.0		J	0.2	0.0	0.0	-0.0
0.0	0.0						
		q5_pc	I	0.4	0.0	0.0	0.0
0.0	0.0		J	0.4	0.0	0.0	0.0
0.0	0.0						
		q5_ps	I	-0.7	0.0	0.0	0.0
0.0	0.0		J	-0.7	0.0	0.0	0.0
0.0	0.0						
		INVSLU Max	I	-303.3	-0.0	-0.8	-0.0
0.0	0.0		J	-303.3	0.0	0.8	-0.0
0.0	0.0						
		Min	I	-354.6	-0.0	-0.8	-0.0
0.0	0.0		J	-354.5	0.0	0.8	-0.0
0.0	0.0						
		INVSLV Max	I	-120.0	-0.0	-0.6	-0.0
0.0	0.0		J	-120.0	0.0	0.6	-0.0
0.0	0.0						
		Min	I	-128.4	-0.0	-0.6	-0.0
0.0	0.0		J	-128.4	0.0	0.6	-0.0
0.0	0.0						
168	2	80	Q1-1-2 Max	I	14.9	0.0	0.0
0.0	0.0			J	14.9	0.0	0.0
0.0	0.0						


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	0.0	Min	I	-25.6	0.0	-0.0	-0.0
			J	-25.6	0.0	0.0	-0.0
0.0	0.0	Q2a-1-2 Max	I	8.6	0.0	0.0	0.0
			J	8.6	0.0	0.0	0.0
0.0	0.0	Min	I	-14.5	0.0	-0.0	-0.0
			J	-14.5	0.0	0.0	-0.0
0.0	0.0	SLVx (RS)	I	2.7	0.0	-0.0	0.0
			J	2.7	0.0	0.0	0.0
0.0	0.0	SLVy (RS)	I	-5.5	0.0	0.0	-0.0
			J	-5.5	0.0	0.0	-0.0
0.0	0.0	SLDx (RS)	I	1.3	0.0	-0.0	0.0
			J	1.3	0.0	0.0	0.0
0.0	0.0	SLDy (RS)	I	-2.8	0.0	0.0	-0.0
			J	-2.8	0.0	0.0	-0.0
0.0	0.0	SLVz (RS)	I	1.2	0.0	-0.0	0.0
			J	1.2	0.0	0.0	0.0
0.0	0.0	g1	I	-23.9	0.0	-0.6	-0.0
			J	-23.8	0.0	0.6	-0.0
0.0	0.0	g2	I	-18.9	0.0	0.0	-0.0
			J	-18.9	0.0	0.0	-0.0
0.0	0.0	q3	I	0.1	0.0	0.0	-0.0
			J	0.1	0.0	0.0	-0.0
0.0	0.0	q5_pc	I	-1.3	0.0	-0.0	0.0
			J	-1.3	0.0	0.0	0.0
0.0	0.0	q5_ps	I	-2.3	0.0	0.0	-0.0
			J	-2.3	0.0	0.0	-0.0
0.0	0.0	INVSLU Max	I	-286.5	0.0	-0.8	-0.0


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	0.0			J	-286.4	0.0	0.8	-0.0
			Min	I	-343.4	0.0	-0.8	-0.0
0.0	0.0			J	-343.4	0.0	0.8	-0.0
0.0	0.0							
			INVSLV Max	I	-109.2	0.0	-0.6	-0.0
0.0	0.0			J	-109.2	0.0	0.6	-0.0
0.0	0.0		Min	I	-122.6	0.0	-0.6	-0.0
0.0	0.0			J	-122.6	0.0	0.6	-0.0
0.0	0.0							
169	2	80	Q1-1-2 Max	I	14.9	0.0	0.0	0.0
0.0	0.0			J	14.9	0.0	0.0	0.0
0.0	0.1		Min	I	-25.6	-0.0	-0.0	-0.0
0.0	0.0			J	-25.6	-0.0	-0.0	-0.0
-0.0	-0.1							
			Q2a-1-2 Max	I	8.6	0.0	0.0	0.0
0.0	0.0			J	8.6	0.0	0.0	0.0
0.0	0.1		Min	I	-14.5	-0.0	-0.0	-0.0
0.0	0.0			J	-14.5	-0.0	-0.0	-0.0
-0.0	-0.1							
			SLVx (RS)	I	2.7	-0.0	0.6	-0.0
0.0	0.0			J	2.7	-0.0	0.6	-0.0
-1.9	0.1							
			SLVy (RS)	I	5.5	0.0	-0.0	-0.0
0.0	0.0			J	5.5	0.0	-0.0	-0.0
0.0	-0.0							
			SLDx (RS)	I	1.4	-0.0	0.3	-0.0
0.0	0.0			J	1.4	-0.0	0.3	-0.0
-0.9	0.0							
			SLDy (RS)	I	2.8	0.0	-0.0	-0.0
0.0	0.0			J	2.8	0.0	-0.0	-0.0
0.0	-0.0							
			SLVz (RS)	I	1.3	0.0	-0.5	-0.0
0.0	0.0			J	1.3	0.0	-0.5	-0.0
1.7	-0.1							
			g1	I	-23.8	0.1	-1.7	0.0
0.0	0.0			J	-23.8	0.1	-0.6	0.0
3.8	-0.2							
			g2	I	-18.9	-0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-0.0	0.0		J	-18.9	-0.0	0.0	0.0
0.0	0.0	q3	I	0.1	0.0	0.0	0.0
-0.0	-0.0		J	0.1	0.0	0.0	0.0
0.0	0.0	q5_pc	I	3.5	0.0	0.0	-0.0
-0.0	-0.0		J	3.5	0.0	0.0	-0.0
0.0	0.0	q5_ps	I	2.3	0.0	0.0	-0.0
-0.0	-0.0		J	2.3	0.0	0.0	-0.0
0.0	0.0	INVSLU Max	I	-284.2	0.1	-2.3	0.0
5.1	-0.1		J	-284.2	0.1	-0.8	0.0
0.0	0.0	Min	I	-345.2	0.0	-2.3	0.0
5.1	-0.3		J	-345.2	0.0	-0.8	0.0
0.0	0.0	INVSLV Max	I	-109.0	0.1	-1.0	0.0
6.2	-0.0		J	-109.0	0.1	0.2	0.0
0.0	0.0	Min	I	-122.4	0.0	-2.4	0.0
1.4	-0.3		J	-122.4	0.0	-1.3	0.0
170	2	80	Q1-1-2 Max	I	14.9	0.0	0.0
0.0	0.1		J	14.9	0.0	0.0	0.0
0.0	0.0		Min	I	-25.6	-0.0	-0.0
-0.0	-0.1		J	-25.6	-0.0	-0.0	-0.0
0.0	0.0		Q2a-1-2 Max	I	8.6	0.0	0.0
0.0	0.0		J	8.6	0.0	0.0	0.0
-0.0	-0.1		Min	I	-14.5	-0.0	-0.0
0.0	0.0		J	-14.5	-0.0	-0.0	-0.0
-1.9	0.1		SLVx (RS)	I	2.6	0.0	-0.6
0.0	0.0		J	2.6	0.0	-0.6	-0.0
0.0	-0.0		SLVy (RS)	I	6.8	-0.0	0.0
0.0	0.0		J	6.8	-0.0	0.0	-0.0
-0.9	0.0		SLDx (RS)	I	1.3	0.0	-0.3

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		J	1.3	0.0	-0.3	-0.0
0.0	-0.0	SLDy (RS)	I	3.4	-0.0	0.0	-0.0
0.0	0.0		J	3.4	-0.0	0.0	-0.0
1.7	-0.1	SLVz (RS)	I	1.2	-0.0	0.5	-0.0
0.0	0.0		J	1.2	-0.0	0.5	-0.0
3.8	-0.2	g1	I	-23.8	-0.1	0.6	0.0
0.0	0.0		J	-23.8	-0.1	1.7	0.0
0.0	0.0	g2	I	-18.9	0.0	0.0	0.0
0.0	0.0		J	-18.9	0.0	0.0	0.0
0.0	-0.0	q3	I	0.1	-0.0	0.0	0.0
0.0	0.0		J	0.1	-0.0	0.0	0.0
-0.0	-0.0	q5_pc	I	3.5	-0.0	-0.0	-0.0
0.0	0.0		J	3.5	-0.0	-0.0	-0.0
-0.0	-0.0	q5_ps	I	2.3	-0.0	-0.0	-0.0
0.0	0.0		J	2.3	-0.0	-0.0	-0.0
5.1	-0.1	INVSLU Max	I	-284.2	-0.0	0.8	0.0
0.0	0.0		J	-284.1	-0.0	2.3	0.0
5.1	-0.3	Min	I	-345.2	-0.1	0.8	0.0
0.0	0.0		J	-345.1	-0.1	2.3	0.0
6.2	-0.0	INVSLV Max	I	-107.8	-0.0	1.3	0.0
0.0	0.0		J	-107.7	-0.0	2.4	0.0
1.4	-0.3	Min	I	-123.6	-0.1	-0.2	0.0
0.0	0.0		J	-123.6	-0.1	1.0	0.0
171	2	80	Q1-1-2 Max	I	14.9	0.0	0.0
0.0	0.0			J	14.9	0.0	0.0
0.0	0.0		Min	I	-25.6	-0.0	-0.0
0.0	0.0			J	-25.6	0.0	-0.0
0.0	0.0		Q2a-1-2 Max	I	8.6	0.0	0.0

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		J	8.6	0.0	0.0	0.0
0.0	0.0	Min	I	-14.5	-0.0	-0.0	-0.0
0.0	0.0		J	-14.5	0.0	0.0	-0.0
0.0	0.0	SLVx (RS)	I	2.5	-0.0	0.0	0.0
0.0	0.0		J	2.5	0.0	0.0	0.0
0.0	0.0	SLVy (RS)	I	-6.8	0.0	-0.0	0.0
0.0	0.0		J	-6.8	0.0	0.0	0.0
0.0	0.0	SLDx (RS)	I	1.3	-0.0	0.0	0.0
0.0	0.0		J	1.3	0.0	0.0	0.0
0.0	0.0	SLDy (RS)	I	-3.4	0.0	-0.0	0.0
0.0	0.0		J	-3.4	0.0	0.0	0.0
0.0	0.0	SLVz (RS)	I	1.1	0.0	0.0	0.0
0.0	0.0		J	1.1	0.0	0.0	0.0
0.0	0.0	g1	I	-23.7	-0.0	-0.6	-0.0
0.0	0.0		J	-23.7	0.0	0.6	-0.0
0.0	0.0	g2	I	-18.9	-0.0	0.0	-0.0
0.0	0.0		J	-18.9	0.0	0.0	-0.0
0.0	0.0	q3	I	0.1	-0.0	0.0	-0.0
0.0	0.0		J	0.1	0.0	0.0	-0.0
0.0	0.0	q5_pc	I	-1.2	0.0	0.0	0.0
0.0	0.0		J	-1.2	0.0	0.0	0.0
0.0	0.0	q5_ps	I	-2.3	0.0	0.0	-0.0
0.0	0.0		J	-2.3	0.0	0.0	-0.0
0.0	0.0	INVS LU Max	I	-286.4	-0.0	-0.8	-0.0
0.0	0.0		J	-286.3	0.0	0.8	-0.0
0.0	0.0	Min	I	-343.3	-0.0	-0.8	-0.0
0.0	0.0		J	-343.2	0.0	0.8	-0.0




PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		INVS LV Max	I	-107.9	0.0	-0.6	-0.0
0.0	0.0			J	-107.9	0.0	0.6	-0.0
0.0	0.0		Min	I	-123.7	-0.0	-0.6	-0.0
0.0	0.0			J	-123.7	0.0	0.6	-0.0
172	2	80	Q1-1-2 Max	I	23.3	0.0	0.0	0.0
0.0	0.0			J	23.3	0.0	0.0	0.0
0.0	0.0		Min	I	-22.4	-0.0	0.0	-0.0
0.0	0.0			J	-22.4	-0.0	0.0	-0.0
0.0	0.0		Q2a-1-2 Max	I	13.9	0.0	0.0	0.0
0.0	0.0			J	13.9	0.0	0.0	0.0
0.0	0.0		Min	I	-12.4	-0.0	0.0	-0.0
0.0	0.0			J	-12.4	-0.0	0.0	-0.0
0.0	0.0		SLVx (RS)	I	1.7	0.0	0.0	0.0
0.0	0.0			J	1.7	-0.0	0.0	0.0
0.0	0.0		SLVy (RS)	I	-9.3	-0.0	0.0	-0.0
0.0	0.0			J	-9.3	0.0	0.0	-0.0
0.0	0.0		SLDx (RS)	I	0.9	0.0	0.0	0.0
0.0	0.0			J	0.9	-0.0	0.0	0.0
0.0	0.0		SLDy (RS)	I	-4.6	-0.0	0.0	-0.0
0.0	0.0			J	-4.6	0.0	0.0	-0.0
0.0	0.0		SLVz (RS)	I	0.7	-0.0	0.0	0.0
0.0	0.0			J	0.7	0.0	0.0	0.0
0.0	0.0		g1	I	-16.4	0.0	-0.6	-0.0
0.0	0.0			J	-16.3	-0.0	0.6	-0.0
0.0	0.0		g2	I	-15.1	0.0	0.0	-0.0
0.0	0.0			J	-15.1	-0.0	0.0	-0.0
0.0	0.0		q3	I	0.1	0.0	0.0	-0.0
0.0	0.0			J	0.1	-0.0	0.0	-0.0


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0						
0.0	0.0		q5_pc	I	-3.3	-0.0	0.0
0.0	0.0			J	-3.3	0.0	0.0
0.0	0.0						
0.0	0.0		q5_ps	I	-4.2	-0.0	0.0
0.0	0.0			J	-4.2	0.0	0.0
0.0	0.0						
0.0	0.0		INVSLU Max	I	-236.4	0.0	-0.8
0.0	0.0			J	-236.4	-0.0	0.8
0.0	0.0						
0.0	0.0		Min	I	-304.1	0.0	-0.8
0.0	0.0			J	-304.0	-0.0	0.8
0.0	0.0						
0.0	0.0		INVSLV Max	I	-79.6	0.0	-0.6
0.0	0.0			J	-79.6	0.0	0.6
0.0	0.0						
0.0	0.0		Min	I	-99.6	-0.0	-0.6
0.0	0.0			J	-99.6	-0.0	0.6
0.0	0.0						
173	2	80	Q1-1-2 Max	I	23.3	0.0	0.0
0.0	0.0			J	23.3	0.0	0.0
0.0	0.1						
0.0	0.0		Min	I	-22.4	-0.0	-0.0
0.0	0.0			J	-22.4	-0.0	-0.0
-0.0	-0.1						
0.0	0.0		Q2a-1-2 Max	I	13.9	0.0	0.0
0.0	0.0			J	13.9	0.0	0.0
0.0	0.1						
0.0	0.0		Min	I	-12.4	-0.0	-0.0
0.0	0.0			J	-12.4	-0.0	-0.0
-0.0	-0.0						
0.0	0.0		SLVx (RS)	I	1.8	-0.0	0.4
0.0	0.0			J	1.8	-0.0	0.4
-1.3	0.1						
0.0	0.0		SLVy (RS)	I	9.1	0.0	0.0
0.0	0.0			J	9.1	0.0	0.0
-0.1	-0.0						
0.0	0.0		SLDx (RS)	I	0.9	-0.0	0.2
0.0	0.0			J	0.9	-0.0	0.2
-0.6	0.0						
0.0	0.0		SLDy (RS)	I	4.5	0.0	0.0
0.0	0.0			J	4.5	0.0	0.0

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
-0.0	-0.0							
			SLVz (RS)	I	0.9	0.0	-0.4	-0.0
0.0	0.0			J	0.9	0.0	-0.4	-0.0
1.2	-0.1							
			g1	I	-16.3	0.1	-1.7	0.0
0.0	0.0			J	-16.3	0.1	-0.6	0.0
3.8	-0.2							
			g2	I	-15.1	-0.0	0.0	0.0
0.0	0.0			J	-15.1	-0.0	0.0	0.0
-0.0	0.0							
			q3	I	0.1	0.0	0.0	0.0
0.0	0.0			J	0.1	0.0	0.0	0.0
-0.0	-0.0							
			q5_pc	I	5.3	0.0	0.0	-0.0
0.0	0.0			J	5.3	0.0	0.0	-0.0
-0.0	-0.0							
			q5_ps	I	4.0	0.0	0.0	-0.0
0.0	0.0			J	4.0	0.0	0.0	-0.0
-0.0	-0.0							
			INVSLU Max	I	-234.4	0.1	-2.3	0.0
0.0	0.0			J	-234.3	0.1	-0.8	0.0
5.1	-0.0		Min	I	-305.7	0.0	-2.3	0.0
0.0	0.0			J	-305.6	0.0	-0.8	0.0
5.1	-0.3							
			INVSLV Max	I	-79.6	0.1	-1.2	0.0
0.0	0.0			J	-79.6	0.1	-0.1	0.0
5.4	-0.0		Min	I	-99.3	0.0	-2.2	0.0
0.0	0.0			J	-99.3	0.0	-1.1	0.0
2.1	-0.2							
174	2	80	Q1-1-2 Max	I	23.3	0.0	0.0	0.0
0.0	0.1			J	23.3	0.0	0.0	0.0
0.0	0.0		Min	I	-22.4	-0.0	-0.0	-0.0
-0.0	-0.1			J	-22.4	-0.0	-0.0	-0.0
0.0	0.0							
			Q2a-1-2 Max	I	13.9	0.0	0.0	0.0
0.0	0.1			J	13.9	0.0	0.0	0.0
0.0	0.0		Min	I	-12.4	-0.0	-0.0	-0.0
-0.0	-0.0			J	-12.4	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company				Client		
	Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0						
-1.3	0.1	SLVx (RS)	I	1.7	0.0	-0.4	-0.0
			J	1.7	0.0	-0.4	-0.0
0.0	0.0						
-0.1	-0.0	SLVy (RS)	I	10.2	-0.0	-0.0	-0.0
			J	10.2	-0.0	-0.0	-0.0
0.0	0.0						
-0.6	0.0	SLDx (RS)	I	0.8	0.0	-0.2	-0.0
			J	0.8	0.0	-0.2	-0.0
0.0	0.0						
-0.0	-0.0	SLDy (RS)	I	5.1	-0.0	-0.0	-0.0
			J	5.1	-0.0	-0.0	-0.0
0.0	0.0						
1.2	-0.1	SLVz (RS)	I	0.8	-0.0	0.4	-0.0
			J	0.8	-0.0	0.4	-0.0
0.0	0.0						
3.8	-0.2	g1	I	-16.3	-0.1	0.6	0.0
			J	-16.3	-0.1	1.7	0.0
0.0	0.0						
0.0	0.0	g2	I	-15.1	0.0	0.0	0.0
			J	-15.1	0.0	0.0	0.0
0.0	0.0						
0.0	-0.0	q3	I	0.1	-0.0	0.0	0.0
			J	0.1	-0.0	0.0	0.0
0.0	0.0						
-0.0	-0.0	q5_pc	I	5.3	-0.0	-0.0	-0.0
			J	5.3	-0.0	-0.0	-0.0
0.0	0.0						
-0.0	-0.0	q5_ps	I	4.0	-0.0	-0.0	-0.0
			J	4.0	-0.0	-0.0	-0.0
0.0	0.0						
5.1	-0.0	INVSLU Max	I	-234.3	-0.0	0.8	0.0
			J	-234.3	-0.0	2.3	0.0
0.0	0.0						
5.1	-0.3	Min	I	-305.6	-0.1	0.8	0.0
			J	-305.6	-0.1	2.3	0.0
0.0	0.0						
5.4	-0.0	INVSLV Max	I	-78.4	-0.0	1.1	0.0
			J	-78.4	-0.0	2.2	0.0
0.0	0.0						
		Min	I	-100.4	-0.1	0.1	0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

2.1	-0.2			J	-100.3	-0.1	1.2	0.0
0.0	0.0							
175	2	80	Q1-1-2 Max	I	23.3	0.0	0.0	0.0
0.0	0.0			J	23.3	0.0	0.0	0.0
0.0	0.0		Min	I	-22.4	-0.0	0.0	-0.0
0.0	0.0			J	-22.4	-0.0	0.0	-0.0
0.0	0.0		Q2a-1-2 Max	I	13.9	0.0	0.0	0.0
0.0	0.0			J	13.9	0.0	0.0	0.0
0.0	0.0		Min	I	-12.4	-0.0	0.0	-0.0
0.0	0.0			J	-12.4	-0.0	0.0	-0.0
0.0	0.0		SLVx (RS)	I	-1.6	0.0	0.0	0.0
0.0	0.0			J	-1.6	-0.0	0.0	0.0
0.0	0.0		SLVy (RS)	I	-10.4	-0.0	0.0	-0.0
0.0	0.0			J	-10.4	0.0	0.0	-0.0
0.0	0.0		SLDx (RS)	I	-0.8	0.0	0.0	0.0
0.0	0.0			J	-0.8	-0.0	0.0	0.0
0.0	0.0		SLDy (RS)	I	-5.2	-0.0	0.0	-0.0
0.0	0.0			J	-5.2	0.0	0.0	-0.0
0.0	0.0		SLVz (RS)	I	0.7	-0.0	0.0	0.0
0.0	0.0			J	0.7	0.0	0.0	0.0
0.0	0.0		g1	I	-16.3	0.0	-0.6	-0.0
0.0	0.0			J	-16.2	-0.0	0.6	-0.0
0.0	0.0		g2	I	-15.1	0.0	0.0	-0.0
0.0	0.0			J	-15.1	-0.0	0.0	-0.0
0.0	0.0		q3	I	0.1	0.0	0.0	-0.0
0.0	0.0			J	0.1	-0.0	0.0	-0.0
0.0	0.0		q5_pc	I	-3.3	-0.0	0.0	-0.0
0.0	0.0			J	-3.3	0.0	0.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		q5_ps	I	-4.2	-0.0	0.0	-0.0
0.0	0.0			J	-4.2	0.0	0.0	-0.0
0.0	0.0		INVSLU Max	I	-236.4	0.0	-0.8	0.0
0.0	0.0			J	-236.3	0.0	0.8	0.0
0.0	0.0		Min	I	-304.0	0.0	-0.8	-0.0
0.0	0.0			J	-303.9	-0.0	0.8	-0.0
0.0	0.0		INVSLV Max	I	-78.4	0.0	-0.6	-0.0
0.0	0.0			J	-78.4	0.0	0.6	-0.0
0.0	0.0		Min	I	-100.6	-0.0	-0.6	-0.0
0.0	0.0			J	-100.6	-0.0	0.6	-0.0
176	2	80	Q1-1-2 Max	I	27.9	0.0	0.0	0.0
0.0	0.0			J	27.9	0.0	0.0	0.0
0.0	0.0		Min	I	-19.0	-0.0	-0.0	-0.0
0.0	0.0			J	-19.0	-0.0	-0.0	-0.0
0.0	0.0		Q2a-1-2 Max	I	17.2	0.0	0.0	0.0
0.0	0.0			J	17.2	0.0	0.0	0.0
0.0	0.0		Min	I	-10.5	-0.0	-0.0	-0.0
0.0	0.0			J	-10.5	-0.0	-0.0	-0.0
0.0	0.0		SLVx (RS)	I	0.8	-0.0	-0.0	0.0
0.0	0.0			J	0.8	-0.0	-0.0	0.0
0.0	0.0		SLVy (RS)	I	-10.8	0.0	0.0	-0.0
0.0	0.0			J	-10.8	0.0	-0.0	-0.0
0.0	0.0		SLDx (RS)	I	0.4	-0.0	-0.0	0.0
0.0	0.0			J	0.4	-0.0	-0.0	0.0
0.0	0.0		SLDy (RS)	I	-5.4	0.0	0.0	-0.0
0.0	0.0			J	-5.4	0.0	-0.0	-0.0
0.0	0.0		SLVz (RS)	I	0.3	0.0	-0.0	0.0
0.0	0.0			J	0.3	0.0	-0.0	0.0

PROJECT TITLE :

	Company	Client
	Author	File Name
		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	0.0	g1	I	-6.9	-0.0	-0.6	-0.0
0.0	0.0		J	-6.8	-0.0	0.6	-0.0
0.0	0.0	g2	I	-7.9	-0.0	0.0	-0.0
0.0	0.0		J	-7.9	-0.0	-0.0	-0.0
0.0	0.0	q3	I	0.1	-0.0	0.0	-0.0
0.0	0.0		J	0.1	-0.0	-0.0	-0.0
0.0	0.0	q5_pc	I	-4.0	0.0	-0.0	0.0
0.0	0.0		J	-4.0	0.0	-0.0	0.0
0.0	0.0	q5_ps	I	-4.7	0.0	-0.0	0.0
0.0	0.0		J	-4.7	0.0	-0.0	0.0
0.0	0.0	INVSLU Max	I	-136.7	0.0	-0.8	0.0
0.0	0.0		J	-136.7	0.0	0.8	0.0
0.0	0.0	Min	I	-207.4	-0.0	-0.8	-0.0
0.0	0.0		J	-207.3	-0.0	0.8	-0.0
0.0	0.0	INVSLV Max	I	-26.5	0.0	-0.6	-0.0
0.0	0.0		J	-26.5	0.0	0.6	-0.0
0.0	0.0	Min	I	-48.7	-0.0	-0.6	-0.0
0.0	0.0		J	-48.7	-0.0	0.6	-0.0
177	2	80	Q1-1-2 Max	I	27.9	0.0	0.0
0.0	0.0			J	27.9	0.0	0.0
0.0	0.1		Min	I	-19.0	-0.0	-0.0
0.0	0.0			J	-19.0	-0.0	-0.0
-0.0	-0.0						
0.0	0.0		Q2a-1-2 Max	I	17.2	0.0	0.0
0.0	0.1			J	17.2	0.0	0.0
0.0	0.0		Min	I	-10.5	-0.0	-0.0
0.0	0.0			J	-10.5	-0.0	-0.0
-0.0	-0.0						
0.0	0.0		SLVx (RS)	I	0.9	-0.0	0.2
-0.5	0.0			J	0.9	-0.0	0.2

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0	SLVy (RS)	I	9.4	0.0	-0.0	-0.0
0.1	-0.0		J	9.4	0.0	-0.0	-0.0
0.0	0.0	SLDx (RS)	I	0.4	-0.0	0.1	-0.0
-0.3	0.0		J	0.4	-0.0	0.1	-0.0
0.0	0.0	SLDy (RS)	I	4.7	0.0	-0.0	-0.0
0.0	-0.0		J	4.7	0.0	-0.0	-0.0
0.0	0.0	SLVz (RS)	I	0.4	0.0	-0.2	-0.0
0.6	-0.0		J	0.4	0.0	-0.2	-0.0
0.0	0.0	g1	I	-6.8	0.1	-1.7	0.0
3.8	-0.2		J	-6.8	0.1	-0.6	0.0
0.0	0.0	g2	I	-7.9	0.0	0.0	0.0
-0.0	-0.0		J	-7.9	0.0	0.0	0.0
0.0	0.0	q3	I	0.1	0.0	0.0	0.0
-0.0	-0.0		J	0.1	0.0	0.0	0.0
0.0	0.0	q5_pc	I	4.3	0.0	-0.0	-0.0
0.0	-0.0		J	4.3	0.0	-0.0	-0.0
0.0	0.0	q5_ps	I	3.8	0.0	-0.0	-0.0
0.0	-0.0		J	3.8	0.0	-0.0	-0.0
0.0	0.0	INVSLU Max	I	-136.3	0.0	-2.3	0.0
5.1	0.0		J	-136.3	0.0	-0.8	0.0
0.0	0.0	Min	I	-207.4	-0.0	-2.3	-0.0
5.1	-0.2		J	-207.4	-0.0	-0.8	-0.0
0.0	0.0	INVSLV Max	I	-27.7	0.0	-1.5	0.0
4.6	-0.0		J	-27.7	0.0	-0.3	0.0
0.0	0.0	Min	I	-47.2	0.0	-2.0	0.0
3.0	-0.1		J	-47.2	0.0	-0.8	0.0
178	2	80	Q1-1-2 Max	I	27.9	0.0	0.0
0.0	0.1						



PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	


0.0	0.0		J	27.9	0.0	0.0	0.0
-0.0	-0.0	Min	I	-19.0	-0.0	-0.0	-0.0
0.0	0.0		J	-19.0	-0.0	-0.0	-0.0
0.0	0.1	Q2a-1-2 Max	I	17.2	0.0	0.0	0.0
0.0	0.0		J	17.2	0.0	0.0	0.0
-0.0	-0.0	Min	I	-10.5	-0.0	-0.0	-0.0
0.0	0.0		J	-10.5	-0.0	-0.0	-0.0
-0.5	0.0	SLVx (RS)	I	0.7	0.0	-0.2	-0.0
0.0	0.0		J	0.7	0.0	-0.2	-0.0
0.1	-0.0	SLVy (RS)	I	10.4	-0.0	0.0	-0.0
0.0	0.0		J	10.4	-0.0	0.0	-0.0
-0.3	0.0	SLDx (RS)	I	0.4	0.0	-0.1	-0.0
0.0	0.0		J	0.4	0.0	-0.1	-0.0
0.0	-0.0	SLDy (RS)	I	5.2	-0.0	0.0	-0.0
0.0	0.0		J	5.2	-0.0	0.0	-0.0
0.6	-0.0	SLVz (RS)	I	0.3	-0.0	0.2	-0.0
0.0	0.0		J	0.3	-0.0	0.2	-0.0
3.8	-0.2	g1	I	-6.8	-0.1	0.6	0.0
0.0	0.0		J	-6.8	-0.1	1.7	0.0
0.0	-0.0	g2	I	-7.9	-0.0	0.0	0.0
0.0	0.0		J	-7.9	-0.0	0.0	0.0
0.0	-0.0	q3	I	0.1	-0.0	0.0	0.0
0.0	0.0		J	0.1	-0.0	0.0	0.0
-0.0	-0.0	q5_pc	I	4.3	-0.0	-0.0	-0.0
0.0	0.0		J	4.3	-0.0	-0.0	-0.0
-0.0	-0.0	q5_ps	I	3.8	-0.0	-0.0	-0.0
0.0	0.0		J	3.8	-0.0	-0.0	-0.0

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

5.1	0.0		INVSLU Max	I	-136.3	0.0	0.8	0.0
				J	-136.2	0.0	2.3	0.0
0.0	0.0		Min	I	-207.3	-0.0	0.8	-0.0
5.1	-0.2			J	-207.3	-0.0	2.3	-0.0
0.0	0.0							
			INVSLV Max	I	-26.7	-0.0	0.8	0.0
4.6	-0.0			J	-26.7	-0.0	2.0	0.0
0.0	0.0		Min	I	-48.1	-0.0	0.3	0.0
3.0	-0.1			J	-48.1	-0.0	1.5	0.0
0.0	0.0							
179	2	80	Q1-1-2 Max	I	27.9	0.0	0.0	0.0
0.0	0.0			J	27.9	0.0	0.0	0.0
0.0	0.0		Min	I	-19.0	-0.0	-0.0	-0.0
0.0	0.0			J	-19.0	0.0	0.0	-0.0
0.0	0.0							
			Q2a-1-2 Max	I	17.2	0.0	0.0	0.0
0.0	0.0			J	17.2	0.0	0.0	0.0
0.0	0.0		Min	I	-10.5	-0.0	-0.0	-0.0
0.0	0.0			J	-10.5	0.0	0.0	-0.0
0.0	0.0							
			SLVx (RS)	I	-0.6	-0.0	0.0	-0.0
0.0	0.0			J	-0.6	0.0	0.0	-0.0
0.0	0.0							
			SLVy (RS)	I	-11.8	0.0	0.0	-0.0
0.0	0.0			J	-11.8	0.0	0.0	-0.0
0.0	0.0							
			SLDx (RS)	I	-0.3	-0.0	0.0	-0.0
0.0	0.0			J	-0.3	0.0	0.0	-0.0
0.0	0.0							
			SLDy (RS)	I	-5.9	0.0	0.0	-0.0
0.0	0.0			J	-5.9	0.0	0.0	-0.0
0.0	0.0							
			SLVz (RS)	I	0.2	0.0	0.0	0.0
0.0	0.0			J	0.2	0.0	0.0	0.0
0.0	0.0							
			g1	I	-6.7	-0.0	-0.6	-0.0
0.0	0.0			J	-6.7	0.0	0.6	-0.0
0.0	0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	0.0	g2	I	-7.9	-0.0	0.0	-0.0
0.0	0.0		J	-7.9	0.0	0.0	-0.0
0.0	0.0	q3	I	0.1	-0.0	0.0	0.0
0.0	0.0		J	0.1	0.0	0.0	0.0
0.0	0.0	q5_pc	I	-4.0	0.0	0.0	-0.0
0.0	0.0		J	-4.0	0.0	0.0	-0.0
0.0	0.0	q5_ps	I	-4.7	0.0	0.0	-0.0
0.0	0.0		J	-4.7	0.0	0.0	-0.0
0.0	0.0	INVSLU Max	I	-136.7	0.0	-0.8	0.0
0.0	0.0		J	-136.7	0.0	0.8	0.0
0.0	0.0	Min	I	-207.3	-0.0	-0.8	-0.0
0.0	0.0		J	-207.3	0.0	0.8	-0.0
0.0	0.0	INVSLV Max	I	-25.5	0.0	-0.6	-0.0
0.0	0.0		J	-25.5	0.0	0.6	-0.0
0.0	0.0	Min	I	-49.6	-0.0	-0.6	-0.0
0.0	0.0		J	-49.6	0.0	0.6	-0.0
510	2	62 Q1-1-2 Max	I	10.2	26.1	0.9	0.1
0.2	2.5		J	10.2	26.1	0.9	0.1
0.1	18.9	Min	I	-15.5	-48.6	-0.6	-0.2
-0.1	-3.2		J	-15.5	-48.6	-0.6	-0.2
-0.2	-9.9	Q2a-1-2 Max	I	6.2	17.8	0.6	0.1
0.1	1.8		J	6.2	17.8	0.6	0.1
0.1	13.4	Min	I	-10.2	-34.3	-0.3	-0.1
-0.1	-2.2		J	-10.2	-34.3	-0.3	-0.1
-0.2	-6.6	SLVx (RS)	I	-0.3	-0.6	-0.1	0.0
-0.0	-0.1		J	-0.3	-0.6	-0.1	0.0
0.0	0.2	SLVy (RS)	I	-1.3	-4.1	-0.1	-0.0
-0.0	-0.2		J	-1.3	-4.1	-0.1	-0.0
0.0	1.7						

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-0.0	-0.1	SLDx (RS)	I	-0.1	-0.3	-0.0	0.0
			J	-0.1	-0.3	-0.0	0.0
0.0	0.1						
-0.0	-0.1	SLDy (RS)	I	-0.7	-2.1	-0.0	-0.0
			J	-0.7	-2.1	-0.0	-0.0
0.0	0.8						
0.0	0.0	SLVz (RS)	I	-0.1	0.2	0.0	-0.0
			J	-0.1	0.2	0.0	-0.0
-0.0	-0.1						
-0.1	-1.0	g1	I	2.3	-5.0	-0.7	0.0
			J	2.3	-5.0	-0.1	0.0
0.1	1.2						
-0.1	-1.3	g2	I	3.1	-14.5	-0.3	-0.0
			J	3.1	-14.5	-0.3	-0.0
0.1	5.2						
-0.0	-0.1	q3	I	-0.3	-0.5	-0.0	0.0
			J	-0.3	-0.5	-0.0	0.0
0.0	0.1						
-0.0	-0.1	q5_pc	I	-2.6	-1.4	-0.0	-0.0
			J	-2.6	-1.4	-0.0	-0.0
0.0	0.6						
-0.0	-0.2	q5_ps	I	-1.7	-2.9	-0.0	-0.0
			J	-1.7	-2.9	-0.0	-0.0
0.0	1.2						
1.7	3.4	INVSLU Max	I	-168.8	16.9	6.3	0.1
			J	-168.8	16.9	7.0	0.1
-0.9	34.8	Min	I	-208.1	-86.6	4.2	-0.3
			J	-208.1	-86.6	5.0	-0.3
1.2	-4.5						
-1.3	-5.1						
0.0	-0.4	INVSLV Max	I	-0.6	-0.7	-0.1	0.0
			J	-0.5	-0.7	0.5	0.0
-0.0	3.4	Min	I	-3.5	-9.5	-0.3	-0.0
			J	-3.5	-9.5	0.3	-0.0
-0.0	-0.9						
-0.1	-0.1						
511	2	62 Q1-1-2 Max	I	38.4	57.5	0.0	0.1
0.0	27.1		J	38.4	57.5	0.0	0.1
0.5	5.3	Min	I	-22.9	-78.3	-2.0	-0.3
			J	-22.9	-78.3	-2.0	-0.3
-0.5	-36.9						
-0.0	-7.7						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


0.0	19.4	Q2a-1-2 Max	I	24.5	40.6	0.0	0.1
			J	24.5	40.6	0.0	0.1
0.3	3.7						
		Min	I	-16.6	-53.5	-1.2	-0.2
-0.3	-24.1		J	-16.6	-53.5	-1.2	-0.2
-0.0	-5.3						
		SLVx (RS)	I	-1.3	0.5	-0.1	0.0
-0.0	0.4		J	-1.3	0.5	-0.1	0.0
0.0	-0.2						
		SLVy (RS)	I	-5.5	6.3	0.0	0.0
0.0	2.7		J	-5.5	6.3	0.0	0.0
-0.0	-0.5						
		SLDx (RS)	I	-0.6	0.3	-0.1	0.0
-0.0	0.2		J	-0.6	0.3	-0.1	0.0
0.0	-0.1						
		SLDy (RS)	I	-2.7	3.2	0.0	0.0
0.0	1.4		J	-2.7	3.2	0.0	0.0
-0.0	-0.2						
		SLVz (RS)	I	-0.6	0.2	0.0	-0.0
0.0	0.2		J	-0.6	0.2	0.0	-0.0
-0.0	0.1						
		g1	I	13.3	-5.7	-1.6	0.0
-0.3	-4.4		J	13.3	-5.7	-1.0	0.0
0.3	-1.6						
		g2	I	4.9	14.5	-0.6	0.1
-0.2	4.3		J	4.9	14.5	-0.6	0.1
0.2	-2.9						
		q3	I	-0.4	-0.1	-0.1	0.0
-0.0	-0.2		J	-0.4	-0.1	-0.1	0.0
0.0	-0.1						
		q5_pc	I	-3.4	0.7	0.1	-0.0
0.0	0.5		J	-3.4	0.7	0.1	-0.0
-0.0	0.2						
		q5_ps	I	-3.4	3.4	0.1	0.0
0.0	1.5		J	-3.4	3.4	0.1	0.0
-0.0	-0.2						
		INVSLU Max	I	-414.7	131.9	0.7	0.2
0.3	61.6		J	-414.7	131.9	1.5	0.2
0.5	5.0						
		Min	I	-503.6	-52.6	-2.2	-0.3
-0.4	-25.7						

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-0.3	-12.9		J	-503.6	-52.6	-1.3	-0.3
		INVS LV Max	I	-34.0	7.2	-1.0	0.0
-0.2	1.7		J	-34.0	7.2	-0.4	0.0
0.2	-0.9	Min	I	-46.0	-5.9	-1.4	-0.0
-0.3	-4.0		J	-46.0	-5.9	-0.7	-0.0
0.1	-2.0						
524	2	62	Q1-1-2 Max	I	5.2	12.2	0.7
0.1	10.0		J	5.2	12.2	0.7	0.1
0.6	10.5	Min	I	-259.2	-13.3	-3.3	-0.1
-0.5	-3.4		J	-259.2	-13.3	-3.3	-0.1
-0.1	-3.5						
		Q2a-1-2 Max	I	3.9	8.3	0.5	0.1
0.1	6.9		J	3.9	8.3	0.5	0.1
0.4	7.3	Min	I	-156.7	-8.9	-2.0	-0.1
-0.3	-2.1		J	-156.7	-8.9	-2.0	-0.1
-0.1	-2.2						
		SLVx (RS)	I	17.9	0.1	0.2	-0.0
0.0	0.0		J	17.9	0.1	0.2	-0.0
-0.0	-0.0						
		SLVy (RS)	I	-32.3	0.2	-0.1	0.0
-0.0	-0.6		J	-32.3	0.2	-0.1	0.0
0.0	-0.7						
		SLDx (RS)	I	8.9	0.1	0.1	-0.0
0.0	0.0		J	8.9	0.1	0.1	-0.0
-0.0	-0.0						
		SLDy (RS)	I	-16.1	0.1	-0.1	0.0
-0.0	-0.3		J	-16.1	0.1	-0.1	0.0
0.0	-0.3						
		SLVz (RS)	I	7.9	0.0	0.1	-0.0
0.0	0.0		J	7.9	0.0	0.1	-0.0
-0.0	-0.0						
		g1	I	-181.8	-0.9	-2.0	0.0
-0.3	-0.2		J	-181.8	-0.9	-1.6	0.0
0.3	0.1						
		g2	I	-86.7	-0.4	-0.9	0.0
-0.1	-0.8		J	-86.7	-0.4	-0.9	0.0
0.2	-0.7						
		q3	I	1.7	0.0	0.1	-0.0

# MIDAS

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	0.0			J	1.7	0.0	0.1	-0.0
-0.0	0.0							
			q5_pc	I	-18.5	0.0	0.1	-0.0
0.0	-0.3			J	-18.5	0.0	0.1	-0.0
-0.0	-0.3							
			q5_ps	I	-16.9	0.0	0.0	0.0
0.0	-0.4			J	-16.9	0.0	0.0	0.0
-0.0	-0.4							
			INVSLU Max	I	-2601.3	17.3	0.2	0.2
0.2	11.9			J	-2601.3	17.3	0.8	0.2
1.0	12.4		Min	I	-2998.8	-17.1	-5.2	-0.2
-0.7	-6.7			J	-2998.8	-17.1	-4.6	-0.2
0.0	-7.1							
			INVSLV Max	I	-1309.7	-0.1	-1.0	0.0
-0.1	1.5			J	-1309.7	-0.1	-0.5	0.0
0.3	1.7		Min	I	-1389.8	-0.7	-1.5	-0.0
-0.1	0.2			J	-1389.8	-0.7	-1.1	-0.0
0.2	0.3							
525	2	75	Q1-1-2 Max	I	5.5	12.0	0.6	0.3
0.3	8.7			J	5.5	12.0	0.6	0.3
1.1	9.8		Min	I	-318.4	-13.3	-2.7	-0.3
-0.9	-4.3			J	-318.4	-13.3	-2.7	-0.3
-0.2	-4.3							
			Q2a-1-2 Max	I	4.1	8.1	0.4	0.2
0.2	6.1			J	4.1	8.1	0.4	0.2
0.6	6.7		Min	I	-193.8	-8.9	-1.6	-0.2
-0.5	-2.7			J	-193.8	-8.9	-1.6	-0.2
-0.1	-2.8							
			SLVx (RS)	I	21.4	0.1	0.2	-0.0
0.1	0.0			J	21.4	0.1	0.2	-0.0
-0.1	-0.0							
			SLVy (RS)	I	-38.6	0.2	-0.1	0.0
-0.0	-0.6			J	-38.6	0.2	-0.1	0.0
0.0	-0.7							
			SLDx (RS)	I	10.7	0.0	0.1	-0.0
0.0	0.0			J	10.7	0.0	0.1	-0.0
-0.0	-0.0							
			SLDy (RS)	I	-19.3	0.1	-0.0	0.0

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-0.0	-0.3		J	-19.3	0.1	-0.0	0.0
0.0	-0.3						
0.0	0.0	SLVz (RS)	I	9.4	0.0	0.1	-0.0
-0.0	-0.0		J	9.4	0.0	0.1	-0.0
-0.5	-0.3	g1	I	-213.4	-0.9	-2.0	-0.0
0.5	0.3		J	-213.3	-0.9	-0.9	-0.0
-0.2	-0.7	g2	I	-103.6	-0.3	-0.7	0.0
0.3	-0.4		J	-103.6	-0.3	-0.7	0.0
0.0	0.0	q3	I	2.3	0.0	0.1	-0.0
-0.0	0.0		J	2.3	0.0	0.1	-0.0
0.0	-0.3	q5_pc	I	-22.1	0.0	0.1	0.0
-0.0	-0.3		J	-22.1	0.0	0.1	0.0
0.0	-0.3	q5_ps	I	-20.3	0.1	0.0	0.0
-0.0	-0.4		J	-20.3	0.1	0.0	0.0
0.4	10.6	INVSLU Max	I	-2906.2	16.2	-0.4	0.4
1.8	12.0		J	-2906.2	16.2	1.2	0.4
-1.2	-7.4	Min	I	-3392.9	-17.9	-5.0	-0.4
0.1	-7.5		J	-3392.8	-17.9	-3.4	-0.4
-0.2	1.4	INVSLV Max	I	-1462.1	-0.1	-1.2	0.0
0.5	1.8		J	-1462.1	-0.1	-0.0	0.0
-0.3	0.2	Min	I	-1557.9	-0.6	-1.7	-0.0
0.3	0.4		J	-1557.8	-0.6	-0.5	-0.0
537	2	75	Q1-1-2 Max	I	4.5	13.7	1.7
0.5	11.7		J	4.5	13.7	1.7	0.4
0.8	11.7		Min	I	-490.8	-12.7	-2.8
-0.6	-3.8		J	-490.8	-12.7	-2.8	-0.2
-0.4	-4.0						
0.3	8.0	Q2a-1-2 Max	I	3.4	9.3	1.1	0.3
0.5	8.1		J	3.4	9.3	1.1	0.3
		Min	I	-295.9	-8.6	-1.8	-0.1




PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.4	-2.4		J	-295.9	-8.6	-1.8	-0.1
-0.2	-2.4						
		SLVx (RS)	I	38.9	0.1	0.1	0.0
0.0	-0.0		J	38.9	0.1	0.1	0.0
-0.0	0.0						
		SLVy (RS)	I	-68.5	0.2	-0.1	0.0
-0.0	-1.0		J	-68.5	0.2	-0.1	0.0
0.0	-1.1						
		SLDx (RS)	I	19.4	0.0	0.1	0.0
0.0	-0.0		J	19.4	0.0	0.1	0.0
-0.0	0.0						
		SLDy (RS)	I	-34.2	0.1	-0.0	0.0
-0.0	-0.5		J	-34.2	0.1	-0.0	0.0
0.0	-0.5						
		SLVz (RS)	I	17.2	0.0	0.1	0.0
0.0	0.0		J	17.2	0.0	0.1	0.0
-0.0	-0.0						
		g1	I	-357.0	-0.5	-1.3	-0.0
-0.2	-0.2		J	-357.0	-0.5	-0.5	-0.0
0.3	0.0						
		g2	I	-171.1	-0.5	-0.4	-0.0
-0.1	-1.1		J	-171.1	-0.5	-0.4	-0.0
0.1	-0.8						
		q3	I	2.1	0.0	0.1	0.0
0.0	0.0		J	2.1	0.0	0.1	0.0
-0.0	0.0						
		q5_pc	I	-39.4	0.0	0.0	0.0
0.0	-0.4		J	-39.4	0.0	0.0	0.0
-0.0	-0.4						
		q5_ps	I	-35.7	-0.0	0.0	0.0
0.0	-0.5		J	-35.7	-0.0	0.0	0.0
-0.0	-0.5						
		INVSLU Max	I	-4094.5	14.2	1.4	0.4
0.9	12.1		J	-4094.4	14.2	2.5	0.4
1.5	14.3						
		Min	I	-4851.7	-21.4	-4.8	-0.4
-0.6	-9.5		J	-4851.7	-21.4	-3.7	-0.4
-0.1	-7.6						
		INVSLV Max	I	-2215.0	0.1	-0.9	-0.0
0.1	1.1		J	-2215.0	0.1	-0.1	-0.0


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.4	1.2							
			Min	I	-2385.6	-0.3	-1.3	-0.0
0.0	-0.9			J	-2385.5	-0.3	-0.5	-0.0
0.3	-0.9							
538	2	67	Q1-1-2 Max	I	4.7	25.1	2.9	0.7
0.9	15.3			J	4.7	25.1	2.9	0.7
1.2	7.5		Min	I	-527.7	-8.7	-4.0	-0.3
-0.9	-3.8			J	-527.7	-8.7	-4.0	-0.3
-0.6	-5.5							
			Q2a-1-2 Max	I	3.5	16.9	1.9	0.5
0.6	10.4			J	3.5	16.9	1.9	0.5
0.7	5.2		Min	I	-318.4	-5.4	-2.5	-0.2
-0.5	-2.2			J	-318.4	-5.4	-2.5	-0.2
-0.4	-3.5							
			SLVx (RS)	I	42.0	0.1	0.2	0.0
0.0	-0.0			J	42.0	0.1	0.2	0.0
-0.1	-0.0							
			SLVy (RS)	I	-73.5	0.5	-0.1	0.0
-0.0	-1.0			J	-73.5	0.5	-0.1	0.0
0.0	-1.2							
			SLDx (RS)	I	21.0	0.1	0.1	0.0
0.0	-0.0			J	21.0	0.1	0.1	0.0
-0.0	-0.0							
			SLDy (RS)	I	-36.7	0.3	-0.1	0.0
-0.0	-0.5			J	-36.7	0.3	-0.1	0.0
0.0	-0.6							
			SLVz (RS)	I	18.6	0.1	0.1	0.0
0.0	0.0			J	18.6	0.1	0.1	0.0
-0.0	-0.0							
			g1	I	-382.8	-0.9	-1.7	-0.0
-0.2	-0.2			J	-382.7	-0.9	-0.8	-0.0
0.4	0.3							
			g2	I	-182.8	-3.5	-0.6	-0.1
-0.1	-1.6			J	-182.8	-3.5	-0.6	-0.1
0.2	0.2							
			q3	I	2.3	0.0	0.2	0.0
0.0	0.0			J	2.3	0.0	0.2	0.0
-0.0	0.0							
			q5_pc	I	-42.7	0.8	0.1	0.0
0.0	-0.2							


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-0.0	-0.6		J	-42.7	0.8	0.1	0.0
0.0	-0.5	q5_ps	I	-38.5	0.1	0.0	0.0
-0.0	-0.5		J	-38.5	0.1	0.0	0.0
1.3	16.6	INVSLU Max	I	-4300.2	18.9	2.2	0.7
2.3	14.3		J	-4300.1	18.9	3.5	0.7
-1.0	-9.5	Min	I	-5114.6	-28.3	-7.2	-0.6
-0.1	-4.2		J	-5114.5	-28.3	-5.9	-0.6
-0.1	1.1	INVSLV Max	I	-2318.4	0.5	-1.8	-0.0
0.7	1.4		J	-2318.4	0.5	-0.8	-0.0
-0.2	-0.9	Min	I	-2501.8	-0.7	-2.3	-0.1
0.5	-1.1		J	-2501.8	-0.7	-1.4	-0.1
549	2	67 Q1-1-2 Max	I	3.9	118.8	5.6	1.2
1.6	14.7		J	3.9	118.8	5.6	1.2
0.7	8.2	Min	I	-583.5	-19.7	-2.3	-0.2
-0.5	-3.9		J	-583.5	-19.7	-2.3	-0.2
-1.3	-46.6	Q2a-1-2 Max	I	2.9	77.4	3.7	0.8
1.0	10.1		J	2.9	77.4	3.7	0.8
0.4	3.9	Min	I	-351.5	-9.4	-1.4	-0.1
-0.3	-2.3		J	-351.5	-9.4	-1.4	-0.1
-0.8	-29.9	SLVx (RS)	I	47.6	0.3	0.0	0.0
0.0	0.0		J	47.6	0.3	0.0	0.0
-0.0	-0.1	SLVy (RS)	I	-84.9	2.4	-0.1	0.0
-0.0	-1.2		J	-84.9	2.4	-0.1	0.0
0.0	-2.3	SLDx (RS)	I	23.8	0.1	0.0	0.0
0.0	0.0		J	23.8	0.1	0.0	0.0
-0.0	-0.1	SLDy (RS)	I	-42.4	1.2	-0.0	0.0
-0.0	-0.6		J	-42.4	1.2	-0.0	0.0
0.0	-1.2	SLVz (RS)	I	21.1	0.1	-0.0	-0.0
-0.0	0.0		J	21.1	0.1	-0.0	-0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-0.0	-0.1		J	21.1	0.1	-0.0	-0.0
0.1	-0.1	g1	I	-428.1	-2.0	-0.3	0.0
0.1	0.9		J	-428.1	-2.0	0.6	0.0
-0.0	-1.4	g2	I	-204.5	-19.3	-0.3	-0.2
0.1	8.5		J	-204.5	-19.3	-0.3	-0.2
0.0	0.0	q3	I	1.6	0.2	0.1	0.0
-0.0	-0.1		J	1.6	0.2	0.1	0.0
0.0	-0.3	q5_pc	I	-49.3	5.7	0.1	0.0
-0.0	-3.2		J	-49.3	5.7	0.1	0.0
0.0	-0.5	q5_ps	I	-44.4	1.8	0.0	0.0
-0.0	-1.4		J	-44.4	1.8	0.0	0.0
2.6	19.7	INVSLU Max	I	-4704.8	118.4	7.0	1.4
1.4	37.6		J	-4704.8	118.4	8.2	1.4
-0.2	-6.0	Min	I	-5608.0	-78.9	-3.9	-0.5
-1.3	-42.1		J	-5608.0	-78.9	-2.6	-0.5
0.1	1.5	INVSLV Max	I	-2568.2	3.0	-1.3	-0.0
0.6	2.4		J	-2568.1	3.0	-0.4	-0.0
0.0	-0.9	Min	I	-2779.2	-2.1	-1.5	-0.0
0.5	-2.3		J	-2779.2	-2.1	-0.6	-0.0
550	2	67 Q1-1-2 Max	I	3.9	19.4	2.3	0.2
0.7	8.1		J	3.9	19.4	2.3	0.2
1.6	14.6	Min	I	-586.9	-116.2	-5.5	-1.2
-1.3	-45.5		J	-586.9	-116.2	-5.5	-1.2
-0.5	-3.9	Q2a-1-2 Max	I	2.9	9.4	1.4	0.1
0.4	3.8		J	2.9	9.4	1.4	0.1
1.0	9.9	Min	I	-353.8	-75.7	-3.6	-0.8
-0.8	-29.1		J	-353.8	-75.7	-3.6	-0.8
-0.3	-2.3	SLVx (RS)	I	47.5	-0.3	-0.0	-0.0
-0.0	-0.1						

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-0.0	0.0		J	47.5	-0.3	-0.0	-0.0
0.0	-2.3	SLVy (RS)	I	-84.9	-2.4	0.1	-0.0
-0.0	-1.2		J	-84.9	-2.4	0.1	-0.0
-0.0	-0.1	SLDx (RS)	I	23.7	-0.1	-0.0	-0.0
-0.0	0.0		J	23.7	-0.1	-0.0	-0.0
0.0	-1.1	SLDy (RS)	I	-42.4	-1.2	0.0	-0.0
-0.0	-0.6		J	-42.4	-1.2	0.0	-0.0
-0.0	-0.1	SLVz (RS)	I	21.0	-0.1	0.0	0.0
-0.0	0.0		J	21.0	-0.1	0.0	0.0
0.0	0.9	g1	I	-428.3	2.0	-0.6	-0.0
0.1	-0.1		J	-428.2	2.0	0.3	-0.0
0.1	8.3	g2	I	-204.2	18.9	0.3	0.2
-0.0	-1.3		J	-204.2	18.9	0.3	0.2
0.0	-0.1	q3	I	1.6	-0.1	0.1	-0.0
-0.0	0.0		J	1.6	-0.1	0.1	-0.0
-0.0	-3.1	q5_pc	I	-49.5	-5.5	-0.1	-0.0
0.0	-0.3		J	-49.5	-5.5	-0.1	-0.0
-0.0	-1.4	q5_ps	I	-44.5	-1.7	-0.0	-0.0
0.0	-0.5		J	-44.5	-1.7	-0.0	-0.0
1.3	37.1	INVSLU Max	I	-4705.2	77.8	2.2	0.5
2.7	19.5		J	-4705.2	77.8	3.5	0.5
-1.4	-40.8	Min	I	-5613.3	-115.3	-8.6	-1.4
-0.1	-5.9		J	-5613.2	-115.3	-7.3	-1.4
0.5	2.4	INVSLV Max	I	-2567.5	2.2	0.3	0.1
0.1	1.4		J	-2567.5	2.2	1.3	0.1
0.4	-2.3	Min	I	-2778.3	-2.7	0.1	0.0
0.1	-1.0		J	-2778.3	-2.7	1.1	0.0

PROJECT TITLE :


MIDAS		Company		Client		File Name		
		Author		File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
561	2	67	Q1-1-2 Max	I	4.7	8.8	4.0	0.3
1.2	8.1			J	4.7	8.8	4.0	0.3
0.9	15.2		Min	I	-525.3	-24.1	-2.9	-0.7
-0.6	-5.3			J	-525.3	-24.1	-2.9	-0.7
-0.9	-3.7							
			Q2a-1-2 Max	I	3.5	5.5	2.5	0.2
0.7	5.7			J	3.5	5.5	2.5	0.2
0.6	10.3		Min	I	-316.9	-16.2	-1.9	-0.5
-0.4	-3.4			J	-316.9	-16.2	-1.9	-0.5
-0.5	-2.2							
			SLVx (RS)	I	41.4	-0.1	-0.2	-0.0
-0.1	-0.0			J	41.4	-0.1	-0.2	-0.0
0.0	-0.0							
			SLVy (RS)	I	-73.5	-0.5	0.1	-0.0
0.0	-1.2			J	-73.5	-0.5	0.1	-0.0
-0.0	-1.0							
			SLDx (RS)	I	20.7	-0.1	-0.1	-0.0
-0.0	-0.0			J	20.7	-0.1	-0.1	-0.0
0.0	-0.0							
			SLDy (RS)	I	-36.7	-0.2	0.1	-0.0
0.0	-0.6			J	-36.7	-0.2	0.1	-0.0
-0.0	-0.5							
			SLVz (RS)	I	18.4	-0.1	-0.1	-0.0
-0.0	-0.0			J	18.4	-0.1	-0.1	-0.0
0.0	0.0							
			g1	I	-381.2	1.0	0.8	0.0
0.4	0.3			J	-381.2	1.0	1.7	0.0
-0.2	-0.2							
			g2	I	-182.0	3.4	0.6	0.1
0.2	0.1			J	-182.0	3.4	0.6	0.1
-0.1	-1.6							
			q3	I	1.0	-0.0	0.1	-0.0
0.0	0.0			J	1.0	-0.0	0.1	-0.0
-0.0	0.0							
			q5_pc	I	-43.0	-0.7	-0.1	-0.0
-0.0	-0.6			J	-43.0	-0.7	-0.1	-0.0
0.0	-0.2							
			q5_ps	I	-38.7	-0.1	-0.0	-0.0
-0.0	-0.5			J	-38.7	-0.1	-0.0	-0.0

MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	-0.5						
			INVSLU Max	I	-4289.8	28.0	5.4
2.1	15.5			J	-4289.8	28.0	6.6
1.5	17.0						0.6
			Min	I	-5100.5	-17.7	-4.1
-0.3	-3.6			J	-5100.4	-17.7	-2.8
-0.9	-8.9						-0.7
			INVSLV Max	I	-2310.6	0.7	0.9
0.6	1.7			J	-2310.6	0.7	1.9
-0.0	1.4						0.1
			Min	I	-2493.4	-0.4	0.4
0.4	-0.7			J	-2493.4	-0.4	1.4
-0.1	-0.6						0.0
562	2	75	Q1-1-2 Max	I	4.6	12.9	2.8
0.8	12.0			J	4.6	12.9	2.8
0.5	11.6						0.2
			Min	I	-488.0	-13.5	-1.7
-0.4	-4.0			J	-488.0	-13.5	-1.7
-0.6	-3.8						-0.4
			Q2a-1-2 Max	I	3.4	8.7	1.8
0.5	8.2			J	3.4	8.7	1.8
0.3	8.0						0.1
			Min	I	-294.2	-9.2	-1.1
-0.2	-2.5			J	-294.2	-9.2	-1.1
-0.4	-2.3						-0.3
			SLVx (RS)	I	38.4	-0.1	-0.1
-0.0	-0.0			J	38.4	-0.1	-0.1
0.0	-0.0						-0.0
			SLVy (RS)	I	-68.4	-0.1	0.1
0.0	-1.0			J	-68.4	-0.1	0.1
-0.0	-1.0						-0.0
			SLDx (RS)	I	19.2	-0.0	-0.1
-0.0	-0.0			J	19.2	-0.0	-0.1
0.0	-0.0						-0.0
			SLDy (RS)	I	-34.2	-0.1	0.0
0.0	-0.5			J	-34.2	-0.1	0.0
-0.0	-0.5						-0.0
			SLVz (RS)	I	17.1	-0.0	-0.1
-0.0	-0.0			J	17.1	-0.0	-0.1
0.0	0.0						-0.0
			g1	I	-355.4	0.5	0.4
0.2	0.0			J	-355.4	0.5	1.2
							0.0


PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt				
-0.2	-0.2							
		g2	I	-170.4	0.5	0.4	0.0	
0.1	-0.9		J	-170.4	0.5	0.4	0.0	
-0.1	-1.1							
		q3	I	0.9	-0.0	0.1	-0.0	
0.0	0.0		J	0.9	-0.0	0.1	-0.0	
-0.0	0.0							
		q5_pc	I	-39.7	0.0	-0.0	-0.0	
-0.0	-0.4		J	-39.7	0.0	-0.0	-0.0	
0.0	-0.4							
		q5_ps	I	-35.9	0.1	-0.0	-0.0	
-0.0	-0.5		J	-35.9	0.1	-0.0	-0.0	
0.0	-0.5							
		INVSLU Max	I	-4083.9	21.5	3.3	0.4	
1.4	15.0		J	-4083.9	21.5	4.3	0.4	
1.0	12.5							
		Min	I	-4837.0	-14.1	-3.0	-0.4	
-0.2	-7.2		J	-4837.0	-14.1	-1.9	-0.4	
-0.5	-9.0							
		INVSLV Max	I	-2207.5	0.3	0.2	0.0	
0.4	1.5		J	-2207.5	0.3	1.0	0.0	
0.2	1.4							
		Min	I	-2377.6	-0.1	-0.2	0.0	
0.3	-0.6		J	-2377.6	-0.1	0.6	0.0	
0.1	-0.5							
574	2	75	Q1-1-2 Max	I	5.5	13.3	2.7	0.3
1.1	9.8			J	5.5	13.3	2.7	0.3
0.3	8.7							
		Min	I	-315.0	-11.9	-0.6	-0.3	
-0.2	-4.3		J	-315.0	-11.9	-0.6	-0.3	
-0.9	-4.3							
		Q2a-1-2 Max	I	4.1	9.0	1.6	0.2	
0.7	6.7		J	4.1	9.0	1.6	0.2	
0.2	6.0							
		Min	I	-192.0	-8.1	-0.4	-0.2	
-0.1	-2.8		J	-192.0	-8.1	-0.4	-0.2	
-0.5	-2.7							
		SLVx (RS)	I	20.9	-0.1	-0.2	0.0	
-0.1	-0.0		J	20.9	-0.1	-0.2	0.0	
0.1	-0.0							
		SLVy (RS)	I	-38.6	-0.2	0.1	-0.0	
0.0	-0.7		J	-38.6	-0.2	0.1	-0.0	




# MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-0.0	-0.6						
		SLDx (RS)	I	10.4	-0.1	-0.1	0.0
-0.0	-0.0		J	10.4	-0.1	-0.1	0.0
0.0	-0.0						
		SLDy (RS)	I	-19.3	-0.1	0.0	-0.0
0.0	-0.3		J	-19.3	-0.1	0.0	-0.0
-0.0	-0.3						
		SLVz (RS)	I	9.3	-0.0	-0.1	0.0
-0.0	-0.0		J	9.3	-0.0	-0.1	0.0
0.0	0.0						
		g1	I	-210.7	0.9	0.8	-0.0
0.5	0.3		J	-210.6	0.9	2.0	-0.0
-0.5	-0.3						
		g2	I	-102.4	0.3	0.7	-0.0
0.3	-0.4		J	-102.4	0.3	0.7	-0.0
-0.2	-0.7						
		q3	I	0.9	0.0	0.1	-0.0
0.0	0.0		J	0.9	0.0	0.1	-0.0
-0.0	0.0						
		q5_pc	I	-22.5	-0.0	-0.1	-0.0
-0.0	-0.3		J	-22.5	-0.0	-0.1	-0.0
0.0	-0.3						
		q5_ps	I	-20.5	-0.0	-0.0	-0.0
-0.0	-0.4		J	-20.5	-0.0	-0.0	-0.0
0.0	-0.3						
		INVSLU Max	I	-2884.7	17.8	3.2	0.4
1.8	11.8		J	-2884.7	17.8	4.8	0.4
0.4	10.3	Min	I	-3366.6	-16.2	-1.3	-0.4
0.0	-7.8		J	-3366.5	-16.2	0.3	-0.4
-1.2	-7.6						
		INVSLV Max	I	-1447.4	0.5	0.4	0.0
0.4	1.6		J	-1447.4	0.5	1.5	0.0
-0.1	1.2	Min	I	-1542.7	0.1	-0.1	-0.0
0.2	0.2		J	-1542.6	0.1	1.1	-0.0
-0.3	0.1						
575	2	62	Q1-1-2 Max	I	5.2	13.3	3.2
0.6	10.5			J	5.2	13.3	3.2
0.1	9.9	Min	I	-253.8	-12.2	-0.6	-0.1
-0.1	-3.6						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-0.5	-3.4		J	-253.8	-12.2	-0.6	-0.1
0.4	7.2	Q2a-1-2 Max	I	3.9	9.0	1.9	0.1
0.1	6.9		J	3.9	9.0	1.9	0.1
-0.1	-2.3	Min	I	-153.3	-8.3	-0.4	-0.1
-0.3	-2.1		J	-153.3	-8.3	-0.4	-0.1
-0.0	-0.0	SLVx (RS)	I	17.5	-0.1	-0.2	0.0
0.0	-0.0		J	17.5	-0.1	-0.2	0.0
0.0	-0.7	SLVy (RS)	I	-32.2	-0.2	0.1	-0.0
-0.0	-0.6		J	-32.2	-0.2	0.1	-0.0
-0.0	-0.0	SLDx (RS)	I	8.7	-0.1	-0.1	0.0
0.0	-0.0		J	8.7	-0.1	-0.1	0.0
0.0	-0.3	SLDy (RS)	I	-16.1	-0.1	0.1	-0.0
-0.0	-0.3		J	-16.1	-0.1	0.1	-0.0
-0.0	-0.0	SLVz (RS)	I	7.8	-0.0	-0.1	0.0
0.0	0.0		J	7.8	-0.0	-0.1	0.0
0.3	0.1	g1	I	-179.5	0.9	1.5	-0.0
-0.3	-0.2		J	-179.5	0.9	2.0	-0.0
0.2	-0.7	g2	I	-85.7	0.3	0.9	-0.0
-0.1	-0.8		J	-85.7	0.3	0.9	-0.0
0.0	0.0	q3	I	0.8	0.0	0.1	-0.0
-0.0	0.0		J	0.8	0.0	0.1	-0.0
-0.0	-0.3	q5_pc	I	-18.7	-0.0	-0.1	0.0
0.0	-0.3		J	-18.7	-0.0	-0.1	0.0
-0.0	-0.4	q5_ps	I	-17.1	-0.1	-0.0	-0.0
0.0	-0.4		J	-17.1	-0.1	-0.0	-0.0
1.0	12.1	INVSLU Max	I	-2578.5	17.1	4.2	0.2
0.3	11.6		J	-2578.5	17.1	4.8	0.2

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.0	-7.5		Min	I	-2968.9	-17.4	-1.1	-0.2
				J	-2968.9	-17.4	-0.5	-0.2
-0.6	-6.9							
			INVS LV Max	I	-1294.9	0.6	0.8	-0.0
0.3	1.5			J	-1294.9	0.6	1.2	-0.0
-0.0	1.3		Min	I	-1374.4	0.1	0.3	-0.0
0.2	0.1			J	-1374.4	0.1	0.7	-0.0
-0.1	0.1							
588	2	62	Q1-1-2 Max	I	46.9	79.9	1.8	0.3
0.5	5.3			J	46.9	79.9	1.8	0.3
0.0	26.5		Min	I	-22.5	-56.2	-0.0	-0.1
-0.0	-7.8			J	-22.5	-56.2	-0.0	-0.1
-0.4	-37.6							
			Q2a-1-2 Max	I	29.9	54.6	1.1	0.2
0.3	3.7			J	29.9	54.6	1.1	0.2
0.0	18.9		Min	I	-16.3	-39.6	-0.0	-0.1
-0.0	-5.3			J	-16.3	-39.6	-0.0	-0.1
-0.3	-24.5							
			SLVx (RS)	I	1.6	-0.5	-0.1	0.0
-0.0	0.1			J	1.6	-0.5	-0.1	0.0
0.0	0.4							
			SLVy (RS)	I	-5.5	-6.5	-0.0	-0.0
-0.0	-0.4			J	-5.5	-6.5	-0.0	-0.0
0.0	2.8							
			SLDx (RS)	I	0.8	-0.3	-0.1	0.0
-0.0	0.1			J	0.8	-0.3	-0.1	0.0
0.0	0.2							
			SLDy (RS)	I	-2.7	-3.3	-0.0	-0.0
-0.0	-0.2			J	-2.7	-3.3	-0.0	-0.0
0.0	1.4							
			SLVz (RS)	I	-0.7	-0.2	-0.0	0.0
-0.0	0.1			J	-0.7	-0.2	-0.0	0.0
0.0	0.2							
			g1	I	17.3	5.5	0.9	-0.0
0.3	-1.4			J	17.3	5.5	1.5	-0.0
-0.3	-4.2							
			g2	I	6.9	-15.1	0.6	-0.1
0.1	-2.8			J	6.9	-15.1	0.6	-0.1
-0.1	4.7							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	-0.0	q3	I	0.9	0.1	0.0	-0.0
-0.0	-0.1		J	0.9	0.1	0.0	-0.0
-0.0	0.2	q5_pc	I	-3.7	-0.8	-0.1	0.0
0.0	0.6		J	-3.7	-0.8	-0.1	0.0
-0.0	-0.2	q5_ps	I	-3.6	-3.6	-0.1	-0.0
0.0	1.6		J	-3.6	-3.6	-0.1	-0.0
0.4	4.9	INVSLU Max	I	-382.1	53.9	1.0	0.3
0.3	61.1		J	-382.0	53.9	1.8	0.3
-0.3	-13.1	Min	I	-482.5	-131.2	-1.7	-0.2
-0.3	-26.4		J	-482.5	-131.2	-0.9	-0.2
0.2	-1.0	INVSLV Max	I	-21.5	6.0	0.6	0.0
-0.2	1.9		J	-21.4	6.0	1.2	0.0
0.1	-2.0	Min	I	-33.8	-7.5	0.3	-0.0
-0.3	-4.1		J	-33.8	-7.5	0.9	-0.0
589	2	62	Q1-1-2 Max	I	9.5	48.4	0.5
0.1	19.0		J	9.5	48.4	0.5	0.2
0.2	2.3		Min	I	-15.7	-24.6	-0.9
-0.2	-9.5		J	-15.7	-24.6	-0.9	-0.1
-0.1	-3.3						
0.1	13.5	Q2a-1-2 Max	I	5.6	34.2	0.3	0.1
0.1	1.7		J	5.6	34.2	0.3	0.1
-0.2	-6.4	Min	I	-10.6	-16.8	-0.7	-0.1
-0.1	-2.3		J	-10.6	-16.8	-0.7	-0.1
-0.0	0.1	SLVx (RS)	I	-0.3	0.4	-0.0	0.0
0.0	0.1		J	-0.3	0.4	-0.0	0.0
0.0	1.6	SLVy (RS)	I	-1.0	3.9	0.1	0.0
-0.0	-0.1		J	-1.0	3.9	0.1	0.0
-0.0	0.1	SLDx (RS)	I	-0.1	0.2	-0.0	0.0
0.0	0.0		J	-0.1	0.2	-0.0	0.0

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.8	SLDy (RS)	I	-0.5	1.9	0.0	0.0
-0.0	-0.1		J	-0.5	1.9	0.0	0.0
-0.0	-0.0	SLVz (RS)	I	-0.1	-0.2	-0.0	0.0
0.0	0.0		J	-0.1	-0.2	-0.0	0.0
0.1	1.2	g1	I	3.7	4.6	0.1	-0.0
-0.1	-0.9		J	3.7	4.6	0.6	-0.0
0.1	5.1	g2	I	3.9	14.0	0.2	0.0
-0.1	-1.2		J	3.9	14.0	0.2	0.0
0.0	0.0	q3	I	0.2	0.1	0.0	-0.0
-0.0	-0.0		J	0.2	0.1	0.0	-0.0
0.0	0.5	q5_pc	I	-2.3	1.3	0.0	0.0
-0.0	-0.0		J	-2.3	1.3	0.0	0.0
0.0	1.1	q5_ps	I	-1.5	2.7	0.0	0.0
-0.0	-0.1		J	-1.5	2.7	0.0	0.0
-0.9	34.7	INVSLU Max	I	-165.6	85.3	-5.2	0.3
1.7	3.2		J	-165.6	85.3	-4.5	0.3
-1.4	-4.9	Min	I	-203.9	-15.6	-7.2	-0.1
1.3	-4.5		J	-203.8	-15.6	-6.5	-0.1
-0.0	3.3	INVSLV Max	I	1.3	9.0	-0.3	0.0
0.0	-0.4		J	1.3	9.0	0.2	0.0
-0.1	-0.1	Min	I	-1.0	0.9	-0.5	-0.0
-0.0	-0.8		J	-1.0	0.9	0.0	-0.0
590	2	70 Q1-1-2 Max	I	9.8	0.0	17.8	0.0
4.6	0.0		J	9.8	0.0	17.8	0.0
0.1	0.1	Min	I	-36.8	-0.1	-0.3	-0.1
-0.1	-0.0		J	-36.8	-0.1	-0.3	-0.1
-3.4	-0.0						
2.7	0.0	Q2a-1-2 Max	I	5.4	0.0	10.4	0.0
			J	5.4	0.0	10.4	0.0

PROJECT TITLE :


MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0						
		Min	I	-20.8	-0.1	-0.1	-0.0
-0.0	-0.0		J	-20.8	-0.1	-0.1	-0.0
-2.0	-0.0						
		SLVx (RS)	I	-7.1	0.0	-0.9	-0.0
-0.2	0.0		J	-7.1	0.0	-0.9	-0.0
0.2	-0.0						
		SLVy (RS)	I	-13.9	-0.3	1.4	0.0
0.3	0.0		J	-13.9	-0.3	1.4	0.0
-0.3	0.2						
		SLDx (RS)	I	-3.6	0.0	-0.5	-0.0
-0.1	0.0		J	-3.6	0.0	-0.5	-0.0
0.1	-0.0						
		SLDy (RS)	I	-7.0	-0.2	0.7	0.0
0.2	0.0		J	-7.0	-0.2	0.7	0.0
-0.1	0.1						
		SLVz (RS)	I	1.6	-0.0	-0.4	0.0
-0.1	-0.0		J	1.6	-0.0	-0.4	0.0
0.1	-0.0						
		g1	I	-17.8	-0.1	10.5	-0.0
2.8	0.0		J	-17.8	-0.1	11.2	-0.0
-2.1	0.0						
		g2	I	-9.2	-0.0	5.3	-0.0
1.4	0.0		J	-9.2	-0.0	5.3	-0.0
-1.0	0.0						
		q3	I	-7.9	0.0	0.0	-0.0
0.0	0.0		J	-7.9	0.0	0.0	-0.0
0.0	-0.0						
		q5_pc	I	-6.1	-0.3	-0.1	0.0
-0.0	0.0		J	-6.1	-0.3	-0.1	0.0
-0.0	0.1						
		q5_ps	I	-5.9	-0.2	0.1	0.0
0.0	0.0		J	-5.9	-0.2	0.1	0.0
-0.0	0.1						
		INVSLU Max	I	-6.3	0.2	43.7	0.0
11.3	0.0		J	-6.3	0.2	44.6	0.0
-3.8	0.3						
		Min	I	-80.3	-0.7	19.2	-0.2
5.0	-0.0		J	-80.2	-0.7	20.2	-0.2
-8.5	-0.1						
		INVSLV Max	I	-7.4	0.2	16.4	-0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

4.3	0.0			J	-7.4	0.2	17.1	-0.0
-2.6	0.2							
		Min		I	-40.5	-0.5	12.9	-0.1
3.4	-0.0							
				J	-40.5	-0.5	13.6	-0.1
-3.3	-0.1							
591	2	70	Q1-1-2 Max	I	97.6	0.9	0.2	0.4
0.0	0.0			J	97.6	0.9	0.2	0.4
2.6	0.3							
		Min		I	-55.4	-0.5	-9.1	-0.0
-2.0	-0.1							
				J	-55.4	-0.5	-9.1	-0.0
-0.1	-0.5							
			Q2a-1-2 Max	I	57.0	0.6	0.1	0.3
0.0	0.0			J	57.0	0.6	0.1	0.3
1.5	0.2							
		Min		I	-31.7	-0.3	-5.3	-0.0
-1.1	-0.1							
				J	-31.7	-0.3	-5.3	-0.0
-0.0	-0.3							
			SLVx (RS)	I	149.3	0.1	0.5	-0.0
0.1	0.0			J	149.3	0.1	0.5	-0.0
-0.1	0.0							
			SLVy (RS)	I	-32.1	4.6	-0.8	-0.1
-0.2	0.2			J	-32.1	4.6	-0.8	-0.1
0.2	-2.1							
			SLDx (RS)	I	74.6	0.0	0.3	-0.0
0.1	0.0			J	74.6	0.0	0.3	-0.0
-0.1	0.0							
			SLDy (RS)	I	-16.0	2.3	-0.4	-0.0
-0.1	0.1			J	-16.0	2.3	-0.4	-0.0
0.1	-1.1							
			SLVz (RS)	I	-34.7	-0.1	0.2	-0.0
0.1	-0.0			J	-34.7	-0.1	0.2	-0.0
-0.1	0.0							
			g1	I	23.9	0.3	-6.2	0.2
-1.3	-0.0			J	23.9	0.3	-5.4	0.2
1.6	-0.2							
			g2	I	23.0	0.2	-2.8	0.1
-0.6	-0.0			J	23.0	0.2	-2.8	0.1
0.8	-0.1							
			q3	I	181.0	0.1	0.3	-0.0
0.1	0.0			J	181.0	0.1	0.3	-0.0
-0.1	-0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-0.0	0.1	q5_pc	I	-9.7	3.9	-0.0	-0.3
			J	-9.7	3.9	-0.0	-0.3
0.0	-1.9						
		q5_ps	I	-10.1	3.7	-0.1	-0.3
-0.0	0.1		J	-10.1	3.7	-0.1	-0.3
0.0	-1.8						
		INVSLU Max	I	440.2	7.0	-10.4	1.2
-2.2	-0.1		J	440.2	7.0	-9.4	1.2
6.5	2.5	Min	I	26.7	-5.6	-23.4	-0.0
-5.0	-0.4		J	26.7	-5.6	-22.3	-0.0
2.8	-3.7						
		INVSLV Max	I	225.2	5.1	-7.2	0.4
-1.5	0.1		J	225.2	5.1	-6.4	0.4
2.5	1.8	Min	I	-113.5	-4.2	-9.2	0.2
-2.0	-0.3		J	-113.5	-4.2	-8.5	0.2
1.9	-2.4						
604	2	70	Q1-1-2 Max	I	1587.4	1.9	0.0
0.0	2.2		J	1587.4	1.9	0.0	0.1
0.2	2.5		Min	I	-31.3	-2.5	-0.1
-0.1	-5.2		J	-31.3	-2.5	-0.9	-0.1
-0.0	-5.2						
		Q2a-1-2 Max	I	960.2	1.2	0.0	0.0
0.0	1.5		J	960.2	1.2	0.0	0.0
0.1	1.6	Min	I	-23.2	-1.5	-0.5	-0.0
-0.1	-3.3		J	-23.2	-1.5	-0.5	-0.0
-0.0	-3.3						
		SLVx (RS)	I	149.1	-0.1	-0.1	-0.0
0.0	0.2		J	149.1	-0.1	-0.1	-0.0
0.0	0.2						
		SLVy (RS)	I	-47.8	0.2	0.0	0.0
0.0	-9.3		J	-47.8	0.2	0.0	0.0
-0.0	-9.3						
		SLDx (RS)	I	74.4	-0.0	-0.0	-0.0
0.0	0.1		J	74.4	-0.0	-0.0	-0.0
0.0	0.1						
		SLDy (RS)	I	-23.9	0.1	0.0	0.0
0.0	-4.6		J	-23.9	0.1	0.0	0.0
-0.0	-4.6						




PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.1	SLVz (RS)	I	-47.6	0.0	0.0	-0.0
			J	-47.6	0.0	0.0	-0.0
-0.0	0.1						
-0.1	-1.6	g1	I	1125.8	-0.3	-0.9	0.0
			J	1125.9	-0.3	-0.4	0.0
0.1	-1.5						
-0.0	-0.8	g2	I	555.1	-0.1	-0.3	-0.0
			J	555.1	-0.1	-0.3	-0.0
0.1	-0.7						
0.0	-0.1	q3	I	123.8	-0.1	-0.0	-0.0
			J	123.8	-0.1	-0.0	-0.0
0.0	-0.1						
0.0	-6.4	q5_pc	I	-49.9	-0.3	0.0	-0.0
			J	-49.9	-0.3	0.0	-0.0
-0.0	-6.2						
0.0	-5.8	q5_ps	I	-41.5	-0.2	0.0	-0.0
			J	-41.5	-0.2	0.0	-0.0
-0.0	-5.7						
0.1	7.4	INVSLU Max	I	4928.6	2.2	-1.1	0.2
			J	4928.6	2.2	-0.4	0.2
0.6	7.8						
-0.1	-17.3	Min	I	2646.8	-4.2	-2.4	-0.1
			J	2646.9	-4.2	-1.7	-0.1
0.3	-17.1						
-0.0	6.9	INVSLV Max	I	2036.2	-0.1	-0.9	0.0
			J	2036.2	-0.1	-0.3	0.0
0.2	7.1						
-0.0	-11.8	Min	I	1680.8	-0.6	-1.0	0.0
			J	1680.8	-0.6	-0.5	0.0
0.2	-11.7						
605	2	69 Q1-1-2 Max	I	1817.9	1.9	0.0	0.1
0.0	2.5		J	1817.9	1.9	0.0	0.1
0.6	3.7						
-0.4	-5.2	Min	I	-33.1	-2.4	-1.2	-0.1
			J	-33.1	-2.4	-1.2	-0.1
-0.0	-6.1						
0.0	1.6	Q2a-1-2 Max	I	1097.4	1.2	0.0	0.0
			J	1097.4	1.2	0.0	0.0
0.3	2.4						
-0.2	-3.3	Min	I	-24.6	-1.5	-0.7	-0.1
			J	-24.6	-1.5	-0.7	-0.1
-0.0	-3.9						


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.0	0.2	SLVx (RS)	I	166.2	-0.1	-0.1	0.0
			J	166.2	-0.1	-0.1	0.0
0.0	0.1						
		SLVy (RS)	I	-46.3	-1.2	0.0	0.1
0.0	-9.3		J	-46.3	-1.2	0.0	0.1
0.0	-8.4						
		SLDx (RS)	I	83.0	-0.0	-0.0	0.0
-0.0	0.1		J	83.0	-0.0	-0.0	0.0
0.0	0.1						
		SLDy (RS)	I	-23.1	-0.6	0.0	0.1
0.0	-4.6		J	-23.1	-0.6	0.0	0.1
0.0	-4.2						
		SLVz (RS)	I	-54.8	0.0	0.0	0.0
0.0	0.1		J	-54.8	0.0	0.0	0.0
-0.0	0.1						
		g1	I	1291.8	-0.3	-1.7	-0.0
-0.3	-1.5		J	1291.8	-0.3	0.1	-0.0
0.2	-1.3						
		g2	I	635.6	-0.1	-0.4	0.0
-0.1	-0.7		J	635.6	-0.1	-0.4	0.0
0.2	-0.6						
		q3	I	131.3	-0.1	-0.0	-0.0
-0.0	-0.1		J	131.3	-0.1	-0.0	-0.0
0.0	-0.1						
		q5_pc	I	-54.1	-1.2	0.0	0.1
0.0	-6.2		J	-54.1	-1.2	0.0	0.1
-0.0	-5.4						
		q5_ps	I	-44.6	-1.0	0.0	0.1
0.0	-5.7		J	-44.6	-1.0	0.0	0.1
-0.0	-5.0						
		INVSLU Max	I	5607.6	3.1	-2.5	0.3
-0.2	7.8		J	5607.7	3.1	-0.1	0.3
1.5	8.4						
		Min	I	3004.4	-4.9	-4.2	-0.3
-0.7	-17.1		J	3004.5	-4.9	-1.7	-0.3
0.8	-16.5						
		INVSLV Max	I	2312.2	0.9	-1.8	0.1
-0.2	7.1		J	2312.2	0.9	0.0	0.1
0.5	6.4						
		Min	I	1919.2	-1.6	-2.0	-0.1
-0.3	-11.7		J	1919.2	-1.6	-0.2	-0.1


PROJECT TITLE :

		Company				Client			
		Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.4	-10.5								
617	2	5	Q1-1-2	Max	I	3031.7	2.2	0.0	0.2
0.7	10.7				J	3031.7	2.2	0.0	0.2
0.8	11.4								
				Min	I	-29.5	-2.0	-0.3	-0.4
-0.0	-11.7				J	-29.5	-2.0	-0.3	-0.4
-0.0	-12.6								
			Q2a-1-2	Max	I	1825.6	1.4	0.0	0.1
0.4	6.5				J	1825.6	1.4	0.0	0.1
0.5	7.0								
				Min	I	-21.9	-1.3	-0.2	-0.2
-0.0	-7.2				J	-21.9	-1.3	-0.2	-0.2
-0.0	-7.8								
				SLVx (RS)	I	256.3	0.1	0.0	0.0
0.0	0.1				J	256.3	0.1	0.0	0.0
-0.1	0.1								
				SLVy (RS)	I	-52.4	-3.9	0.0	0.5
0.0	-7.7				J	-52.4	-3.9	0.0	0.5
0.0	-5.8								
				SLDx (RS)	I	128.0	0.0	0.0	0.0
0.0	0.1				J	128.0	0.0	0.0	0.0
-0.0	0.0								
				SLDy (RS)	I	-26.2	-1.9	0.0	0.3
0.0	-3.9				J	-26.2	-1.9	0.0	0.3
0.0	-2.9								
				SLVz (RS)	I	-102.5	-0.0	0.0	0.0
-0.0	0.1				J	-102.5	-0.0	0.0	0.0
-0.0	0.0								
				g1	I	2214.9	-0.1	-1.0	-0.0
0.3	-0.3				J	2215.0	-0.1	0.7	-0.0
0.4	-0.2								
				g2	I	1076.4	-0.1	-0.0	0.0
0.2	-0.2				J	1076.4	-0.1	-0.0	0.0
0.2	-0.1								
				q3	I	120.1	0.0	-0.0	-0.0
0.0	0.1				J	120.1	0.0	-0.0	-0.0
0.0	0.1								
				q5_pc	I	-73.1	-1.7	-0.0	0.8
-0.0	-3.0				J	-73.1	-1.7	-0.0	0.8
-0.0	-2.1								
				q5_ps	I	-59.7	-1.7	-0.0	0.8


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-0.0	-2.9			J	-59.7	-1.7	-0.0 0.8
0.0	-2.1						
2.6	16.3		INVS LU Max	I	9191.4	4.6	-1.1 1.3
2.8	16.6			J	9191.4	4.6	1.2 1.3
1.7	-19.3		Min	I	4913.5	-4.8	-1.5 -1.5
1.7	-19.6			J	4913.5	-4.8	0.8 -1.5
1.1	7.2		INVS LV Max	I	3822.9	3.7	-0.8 0.5
1.1	5.3			J	3823.0	3.7	0.9 0.5
1.0	-8.4		Min	I	3217.5	-4.0	-0.9 -0.5
1.0	-6.4			J	3217.5	-4.0	0.8 -0.5
618	2	5	Q1-1-2 Max	I	3117.0	2.2	0.3 0.2
0.4	11.4			J	3117.0	2.2	0.3 0.2
0.8	12.1		Min	I	-29.3	-2.0	-1.3 -0.4
-0.0	-12.6			J	-29.3	-2.0	-1.3 -0.4
-0.0	-13.4						
0.3	7.0		Q2a-1-2 Max	I	1876.7	1.5	0.2 0.1
0.5	7.4			J	1876.7	1.5	0.2 0.1
-0.0	-7.8		Min	I	-21.7	-1.3	-0.8 -0.3
-0.0	-8.4			J	-21.7	-1.3	-0.8 -0.3
0.0	0.1		SLVx (RS)	I	263.2	0.1	0.1 0.0
-0.1	0.1			J	263.2	0.1	0.1 0.0
0.0	-5.8		SLVy (RS)	I	-50.9	-5.8	0.0 0.7
0.0	-2.9			J	-50.9	-5.8	0.0 0.7
0.0	0.0		SLDx (RS)	I	131.5	0.0	0.0 0.0
-0.0	0.0			J	131.5	0.0	0.0 0.0
0.0	-2.9		SLDy (RS)	I	-25.4	-2.9	0.0 0.3
0.0	-1.4			J	-25.4	-2.9	0.0 0.3
-0.0	0.0		SLVz (RS)	I	-106.0	-0.1	0.0 0.0
-0.0	0.0			J	-106.0	-0.1	0.0 0.0
			g1	I	2277.2	-0.1	-1.5 -0.0

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.1	-0.2		J	2277.3	-0.1	0.2	-0.0
0.4	-0.2						
		g2	I	1105.4	-0.1	-0.3	0.0
0.1	-0.1		J	1105.4	-0.1	-0.3	0.0
0.2	-0.1						
		q3	I	119.1	0.0	0.0	-0.0
0.0	0.1		J	119.1	0.0	0.0	-0.0
0.0	0.0						
		q5_pc	I	-73.9	-2.4	0.0	0.9
0.0	-2.1		J	-73.9	-2.4	0.0	0.9
-0.0	-0.9						
		q5_ps	I	-60.3	-2.4	0.0	0.9
0.0	-2.1		J	-60.3	-2.4	0.0	0.9
-0.0	-0.8						
		INVSLU Max	I	9424.5	5.8	-1.6	1.6
1.9	16.6		J	9424.6	5.8	0.7	1.6
2.8	16.5						
		Min	I	5030.1	-5.8	-3.7	-1.8
1.3	-19.6		J	5030.1	-5.8	-1.5	-1.8
1.7	-19.6						
		INVSLV Max	I	3915.9	5.7	-1.4	0.6
0.8	5.3		J	3916.0	5.7	0.3	0.6
1.2	2.4						
		Min	I	3295.5	-6.0	-1.6	-0.7
0.7	-6.4		J	3295.5	-6.0	0.1	-0.7
1.0	-3.4						
629	2	5	Q1-1-2 Max	I	3420.9	2.3	0.1
0.3	13.3		J	3420.9	2.3	0.1	0.2
1.7	13.8						
		Min	I	-23.3	-2.0	-3.3	-0.4
-0.2	-14.5		J	-23.3	-2.0	-3.3	-0.4
-0.0	-15.1						
		Q2a-1-2 Max	I	2062.3	1.6	0.0	0.1
0.2	8.1		J	2062.3	1.6	0.0	0.1
1.1	8.5						
		Min	I	-17.2	-1.4	-2.1	-0.2
-0.1	-9.0		J	-17.2	-1.4	-2.1	-0.2
-0.0	-9.4						
		SLVx (RS)	I	-286.4	0.1	-0.2	0.0
0.0	0.0		J	-286.4	0.1	-0.2	0.0
0.1	0.0						
		SLVy (RS)	I	-62.4	-9.0	-0.2	0.6

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-0.0	-3.6			J	-62.4	-9.0	-0.2 0.6
0.1	1.1						
0.0	0.0	SLDx (RS)	I		-143.1	0.0	-0.1 0.0
0.0	0.0		J		-143.1	0.0	-0.1 0.0
-0.0	-1.8	SLDy (RS)	I		-31.2	-4.5	-0.1 0.3
0.0	0.5		J		-31.2	-4.5	-0.1 0.3
0.0	0.0	SLVz (RS)	I		-121.4	0.1	0.1 0.0
-0.0	0.0		J		-121.4	0.1	0.1 0.0
0.0	-0.1	g1	I		2517.0	0.0	-2.2 -0.0
0.7	-0.1		J		2517.0	0.0	-0.5 -0.0
0.1	-0.0	g2	I		1215.8	-0.0	-0.4 0.0
0.3	-0.0		J		1215.8	-0.0	-0.4 0.0
0.0	0.0	q3	I		95.1	0.0	-0.0 -0.0
0.0	0.0		J		95.1	0.0	-0.0 -0.0
0.1	-1.3	q5_pc	I		-79.8	-3.3	0.3 0.9
-0.1	0.4		J		-79.8	-3.3	0.3 0.9
0.1	-1.2	q5_ps	I		-66.2	-3.2	0.4 0.9
-0.1	0.5		J		-66.2	-3.2	0.4 0.9
1.6	19.3	INVSLU Max	I		10306.3	7.2	-3.6 1.5
4.9	19.1		J		10306.4	7.2	-1.3 1.5
0.7	-20.5	Min	I		5493.4	-6.9	-8.9 -1.8
2.5	-20.6		J		5493.4	-6.9	-6.6 -1.8
0.7	3.7	INVSLV Max	I		4288.2	9.0	-2.1 0.5
1.6	1.2		J		4288.2	9.0	-0.4 0.5
0.7	-3.6	Min	I		3605.0	-9.1	-2.7 -0.6
1.4	-1.1		J		3605.1	-9.1	-0.9 -0.6
630	2	5 Q1-1-2 Max	I		3423.0	2.0	3.4 0.4
1.7	13.8		J		3423.0	2.0	3.4 0.4
0.3	13.3						


# MIDAS

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
-0.0	-15.1		Min	I	-23.1	-2.3	-0.1	-0.2
				J	-23.1	-2.3	-0.1	-0.2
-0.2	-14.5							
1.1	8.5	Q2a-1-2	Max	I	2063.7	1.4	2.1	0.2
				J	2063.7	1.4	2.1	0.2
0.2	8.1							
-0.0	-9.4		Min	I	-17.1	-1.6	-0.0	-0.1
				J	-17.1	-1.6	-0.0	-0.1
-0.2	-9.0							
0.1	0.0		SLVx (RS)	I	-286.0	-0.1	0.2	-0.0
				J	-286.0	-0.1	0.2	-0.0
0.0	0.0							
0.1	1.1		SLVy (RS)	I	-62.2	9.0	0.2	-0.6
				J	-62.2	9.0	0.2	-0.6
-0.0	-3.6							
0.1	0.0		SLDx (RS)	I	-142.9	-0.1	0.1	-0.0
				J	-142.9	-0.1	0.1	-0.0
0.0	0.0							
0.0	0.6		SLDy (RS)	I	-31.1	4.5	0.1	-0.3
				J	-31.1	4.5	0.1	-0.3
-0.0	-1.8							
-0.0	0.0		SLVz (RS)	I	-121.6	-0.1	-0.1	-0.0
				J	-121.6	-0.1	-0.1	-0.0
0.0	0.0							
0.8	-0.1		g1	I	2517.9	-0.0	0.6	0.0
				J	2517.9	-0.0	2.4	0.0
0.0	-0.1							
0.3	-0.0		g2	I	1215.9	0.0	0.5	0.0
				J	1215.9	0.0	0.5	0.0
0.1	-0.0							
0.0	0.0		q3	I	92.9	0.0	0.1	0.0
				J	92.9	0.0	0.1	0.0
-0.0	0.0							
-0.1	0.5		q5_pc	I	-79.8	3.3	-0.3	-0.9
				J	-79.8	3.3	-0.3	-0.9
0.1	-1.2							
-0.1	0.5		q5_ps	I	-66.3	3.2	-0.4	-0.9
				J	-66.3	3.2	-0.4	-0.9
0.1	-1.1							
5.2	19.2		INVSLU Max	I	10310.8	6.9	7.3	1.8


# MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
1.4	19.2			J	10310.9	6.9	1.8
			Min	I	5495.1	-7.2	-1.5
2.6	-20.7			J	5495.2	-7.2	4.2
0.5	-20.4						
			INVS LV Max	I	4288.7	9.1	0.6
1.7	1.2			J	4288.7	9.1	3.0
0.7	3.6		Min	I	3606.4	-9.0	-0.5
1.4	-1.1			J	3606.5	-9.0	2.5
0.6	-3.6						
641	2	5	Q1-1-2 Max	I	3130.4	2.0	0.4
0.8	12.1			J	3130.4	2.0	1.4
0.4	11.4		Min	I	-29.1	-2.2	-0.2
-0.0	-13.5			J	-29.1	-2.2	-0.2
-0.1	-12.6						
			Q2a-1-2 Max	I	1884.7	1.3	0.3
0.5	7.4			J	1884.7	1.3	0.9
0.3	7.0		Min	I	-21.6	-1.4	-0.1
-0.0	-8.4			J	-21.6	-1.4	-0.1
-0.0	-7.8						
			SLVx (RS)	I	-251.2	-0.1	-0.1
-0.1	0.1			J	-251.2	-0.1	-0.1
-0.0	0.1						
			SLVy (RS)	I	-50.4	5.8	-0.6
0.0	-2.8			J	-50.4	5.8	-0.6
0.0	-5.7						
			SLDx (RS)	I	-125.5	-0.0	-0.0
-0.0	0.0			J	-125.5	-0.0	-0.0
-0.0	0.0						
			SLDy (RS)	I	-25.2	2.9	-0.3
0.0	-1.4			J	-25.2	2.9	-0.3
0.0	-2.9						
			SLVz (RS)	I	-109.0	-0.1	-0.0
-0.0	0.0			J	-109.0	-0.1	-0.0
-0.0	0.1						
			g1	I	2286.8	0.1	0.0
0.4	-0.2			J	2286.9	0.1	1.6
0.1	-0.2						
			g2	I	1106.7	0.1	-0.0
0.3	-0.1						




PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.1	-0.1		J	1106.7	0.1	0.3	-0.0
0.0	0.0	q3	I	66.4	0.0	0.0	0.0
-0.0	0.0		J	66.4	0.0	0.0	0.0
-0.0	-0.8	q5_pc	I	-74.6	2.4	-0.0	-0.9
0.0	-2.1		J	-74.6	2.4	-0.0	-0.9
-0.0	-0.8	q5_ps	I	-60.8	2.4	-0.0	-0.9
0.0	-2.0		J	-60.8	2.4	-0.0	-0.9
3.0	16.5	INVSLU Max	I	9454.3	5.8	2.2	1.8
1.7	16.6		J	9454.4	5.8	4.5	1.8
1.9	-19.5	Min	I	5040.5	-5.8	-0.0	-1.6
1.1	-19.5		J	5040.6	-5.8	2.2	-1.6
1.3	2.4	INVSLV Max	I	3913.3	6.0	0.2	0.7
0.7	5.3		J	3913.3	6.0	1.9	0.7
1.1	-3.3	Min	I	3315.2	-5.7	0.0	-0.6
0.7	-6.3		J	3315.2	-5.7	1.7	-0.6
642	2	5 Q1-1-2 Max	I	3045.1	2.0	0.4	0.4
0.8	11.4		J	3045.1	2.0	0.4	0.4
0.6	10.7	Min	I	-29.4	-2.2	-0.0	-0.2
-0.0	-12.6		J	-29.4	-2.2	-0.0	-0.2
-0.0	-11.7	Q2a-1-2 Max	I	1833.5	1.3	0.3	0.2
0.5	7.0		J	1833.5	1.3	0.3	0.2
0.4	6.5	Min	I	-21.8	-1.4	-0.0	-0.1
-0.0	-7.8		J	-21.8	-1.4	-0.0	-0.1
-0.0	-7.2	SLVx (RS)	I	-243.2	-0.0	-0.0	-0.0
-0.1	0.1		J	-243.2	-0.0	-0.0	-0.0
-0.0	0.1	SLVy (RS)	I	-51.9	3.9	-0.0	-0.5
0.0	-5.7		J	-51.9	3.9	-0.0	-0.5
0.0	-7.7	SLDx (RS)	I	-121.5	-0.0	-0.0	-0.0
-0.0	0.0						

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt				
-0.0	0.1		J	-121.5	-0.0	-0.0	-0.0	
0.0	-2.9	SLDy (RS)	I	-26.0	1.9	-0.0	-0.3	
0.0	-3.8		J	-26.0	1.9	-0.0	-0.3	
-0.0	0.1	SLVz (RS)	I	-105.7	-0.0	-0.0	-0.0	
-0.0	0.1		J	-105.7	-0.0	-0.0	-0.0	
0.4	-0.2	g1	I	2224.9	0.1	-0.6	0.0	
0.3	-0.3		J	2224.9	0.1	1.1	0.0	
0.2	-0.1	g2	I	1077.7	0.1	0.1	-0.0	
0.2	-0.1		J	1077.7	0.1	0.1	-0.0	
0.0	0.0	q3	I	63.4	0.0	0.0	0.0	
0.0	0.0		J	63.4	0.0	0.0	0.0	
0.0	-2.1	q5_pc	I	-73.8	1.7	0.0	-0.8	
-0.0	-2.9		J	-73.8	1.7	0.0	-0.8	
0.0	-2.0	q5_ps	I	-60.2	1.7	0.0	-0.8	
-0.0	-2.8		J	-60.2	1.7	0.0	-0.8	
2.9	16.6	INVSLU Max	I	9221.4	4.8	-0.1	1.5	
2.4	16.3		J	9221.5	4.8	2.1	1.5	
1.8	-19.5	Min	I	4923.9	-4.6	-0.8	-1.3	
1.6	-19.2		J	4924.0	-4.6	1.5	-1.3	
1.2	5.3	INVSLV Max	I	3819.5	4.0	-0.6	0.6	
1.0	7.1		J	3819.6	4.0	1.1	0.6	
1.1	-6.3	Min	I	3238.5	-3.7	-0.6	-0.5	
0.9	-8.3		J	3238.5	-3.7	1.1	-0.5	
654	2	69	Q1-1-2 Max	I	1843.4	2.5	1.3	0.1
0.6	3.7		J	1843.4	2.5	1.3	0.1	
0.0	2.4	Min	I	-32.9	-1.9	-0.0	-0.1	
-0.0	-6.1		J	-32.9	-1.9	-0.0	-0.1	
-0.4	-5.2	Q2a-1-2 Max	I	1112.1	1.5	0.8	0.1	

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.4	2.4		J	1112.1	1.5	0.8	0.1
0.0	1.6						
		Min	I	-24.4	-1.2	-0.0	-0.1
-0.0	-3.9						
			J	-24.4	-1.2	-0.0	-0.1
-0.2	-3.3						
		SLVx (RS)	I	-131.6	-0.0	-0.1	-0.0
-0.0	0.1						
			J	-131.6	-0.0	-0.1	-0.0
0.0	0.1						
		SLVy (RS)	I	-46.4	1.3	-0.0	-0.1
0.0	-8.4						
			J	-46.4	1.3	-0.0	-0.1
0.0	-9.3						
		SLDx (RS)	I	-65.8	-0.0	-0.1	-0.0
-0.0	0.1						
			J	-65.8	-0.0	-0.1	-0.0
0.0	0.1						
		SLDy (RS)	I	-23.2	0.6	-0.0	-0.1
0.0	-4.2						
			J	-23.2	0.6	-0.0	-0.1
0.0	-4.6						
		SLVz (RS)	I	-57.8	-0.0	-0.0	-0.0
-0.0	0.1						
			J	-57.8	-0.0	-0.0	-0.0
0.0	0.1						
		g1	I	1308.2	0.3	-0.0	0.0
0.3	-1.3						
			J	1308.3	0.3	1.8	0.0
-0.4	-1.5						
		g2	I	637.4	0.1	0.4	-0.0
0.2	-0.6						
			J	637.4	0.1	0.4	-0.0
-0.1	-0.7						
		q3	I	29.9	0.0	0.0	0.0
0.0	-0.0						
			J	29.9	0.0	0.0	0.0
-0.0	-0.0						
		q5_pc	I	-56.2	1.2	-0.0	-0.1
-0.0	-5.4						
			J	-56.2	1.2	-0.0	-0.1
0.0	-6.3						
		q5_ps	I	-46.3	1.0	-0.0	-0.1
-0.0	-5.0						
			J	-46.3	1.0	-0.0	-0.1
0.0	-5.7						
		INVSLU Max	I	5663.4	5.0	2.2	0.3
1.7	8.2						
			J	5663.5	5.0	4.7	0.3
-0.3	7.7						
		Min	I	3021.6	-3.1	0.4	-0.3
0.9	-16.5						
			J	3021.6	-3.1	2.9	-0.3
-0.9	-17.2						

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.6	6.4	INVS LV	Max	I	2293.4	1.6	0.4	0.1	
				J	2293.5	1.6	2.2	0.1	
-0.3	7.0		Min	I	1967.6	-0.9	0.2	-0.1	
0.5	-10.5			J	1967.7	-0.9	2.0	-0.1	
-0.4	-11.7								
655	2	70	Q1-1-2	Max	I	1610.9	2.5	1.1	0.1
0.3	2.4			J	1610.9	2.5	1.1	0.1	
0.0	2.2		Min	I	-31.1	-1.9	-0.0	-0.1	
-0.0	-5.2			J	-31.1	-1.9	-0.0	-0.1	
-0.1	-5.2								
			Q2a-1-2	Max	I	973.9	1.6	0.7	0.0
0.2	1.6			J	973.9	1.6	0.7	0.0	
0.0	1.4		Min	I	-23.1	-1.2	-0.0	-0.0	
-0.0	-3.3			J	-23.1	-1.2	-0.0	-0.0	
-0.1	-3.3								
			SLVx (RS)	I	-113.7	-0.0	-0.1	-0.0	
-0.0	0.1			J	-113.7	-0.0	-0.1	-0.0	
0.0	0.1								
			SLVy (RS)	I	-48.1	-0.2	-0.0	-0.0	
-0.0	-9.3			J	-48.1	-0.2	-0.0	-0.0	
0.0	-9.3								
			SLDx (RS)	I	-56.8	-0.0	-0.0	-0.0	
-0.0	0.1			J	-56.8	-0.0	-0.0	-0.0	
0.0	0.1								
			SLDy (RS)	I	-24.0	-0.1	-0.0	-0.0	
-0.0	-4.6			J	-24.0	-0.1	-0.0	-0.0	
0.0	-4.6								
			SLVz (RS)	I	-50.0	-0.0	-0.0	0.0	
-0.0	0.1			J	-50.0	-0.0	-0.0	0.0	
0.0	0.1								
			g1	I	1140.2	0.3	0.5	0.0	
0.2	-1.5			J	1140.2	0.3	1.1	0.0	
-0.1	-1.6								
			g2	I	556.1	0.1	0.4	0.0	
0.1	-0.7			J	556.1	0.1	0.4	0.0	
-0.0	-0.8								
			q3	I	25.6	0.0	0.0	0.0	
0.0	-0.0			J	25.6	0.0	0.0	0.0	


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-0.0	-0.0						
-0.0	-6.3	q5_pc	I	-51.9	0.4	-0.0	0.0
0.0	-6.4		J	-51.9	0.4	-0.0	0.0
-0.0	-5.7	q5_ps	I	-43.2	0.2	-0.0	0.0
0.0	-5.8		J	-43.2	0.2	-0.0	0.0
0.8	7.7	INVSLU Max	I	4978.1	4.4	2.5	0.1
-0.1	7.3		J	4978.2	4.4	3.3	0.1
0.4	-17.2	Min	I	2660.5	-2.3	1.0	-0.1
-0.3	-17.5		J	2660.5	-2.3	1.7	-0.1
0.3	7.0	INVSLV Max	I	2013.7	0.6	0.9	0.0
-0.1	6.8		J	2013.7	0.6	1.4	0.0
0.3	-11.7	Min	I	1727.4	0.2	0.6	-0.0
-0.1	-11.8		J	1727.4	0.2	1.2	-0.0
668	2	70 Q1-1-2 Max	I	103.6	0.5	9.1	0.0
2.6	0.3		J	103.6	0.5	9.1	0.0
0.0	0.1	Min	I	-20.5	-1.0	-0.2	-0.4
-0.0	-0.5		J	-20.5	-1.0	-0.2	-0.4
-2.0	-0.1	Q2a-1-2 Max	I	62.6	0.3	5.3	0.0
1.5	0.2		J	62.6	0.3	5.3	0.0
0.0	0.1	Min	I	-11.7	-0.6	-0.1	-0.3
-0.0	-0.3		J	-11.7	-0.6	-0.1	-0.3
-1.1	-0.0	SLVx (RS)	I	-4.5	0.1	-0.5	0.0
-0.1	0.0		J	-4.5	0.1	-0.5	0.0
0.1	-0.0	SLVy (RS)	I	-34.5	-4.5	0.8	0.1
0.2	-2.1		J	-34.5	-4.5	0.8	0.1
-0.2	0.2	SLDx (RS)	I	-2.2	0.0	-0.2	0.0
-0.1	0.0		J	-2.2	0.0	-0.2	0.0
0.1	-0.0	SLDy (RS)	I	-17.2	-2.3	0.4	0.0
0.1	-1.0		J	-17.2	-2.3	0.4	0.0


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-0.1	0.1						
		SLVz (RS)	I	-1.9	0.0	-0.2	0.0
-0.1	0.0		J	-1.9	0.0	-0.2	0.0
0.0	-0.0						
		g1	I	46.0	-0.3	5.4	-0.2
1.6	-0.2		J	46.0	-0.3	6.2	-0.2
-1.3	0.0						
		g2	I	23.0	-0.2	2.8	-0.1
0.8	-0.1		J	23.0	-0.2	2.8	-0.1
-0.6	-0.0						
		q3	I	0.8	-0.0	0.1	-0.0
0.0	-0.0		J	0.8	-0.0	0.1	-0.0
-0.0	0.0						
		q5_pc	I	-16.2	-4.0	0.0	0.3
0.0	-1.9		J	-16.2	-4.0	0.0	0.3
-0.0	0.1						
		q5_ps	I	-15.3	-3.7	0.1	0.3
0.0	-1.8		J	-15.3	-3.7	0.1	0.3
-0.0	0.0						
		INVSLU Max	I	298.9	5.6	22.4	0.1
6.5	2.6		J	298.9	5.6	23.4	0.1
-2.3	0.0	Min	I	100.7	-7.1	9.7	-1.2
2.9	-3.7		J	100.7	-7.1	10.8	-1.2
-5.0	-0.3						
		INVSLV Max	I	113.6	4.1	8.5	-0.2
2.5	1.8		J	113.6	4.1	9.3	-0.2
-1.5	0.2	Min	I	40.8	-5.1	6.5	-0.4
1.9	-2.4		J	40.8	-5.1	7.3	-0.4
-2.0	-0.2						
669	2	70	Q1-1-2 Max	I	11.1	0.1	0.3
0.1	0.1		J	11.1	0.1	0.3	0.1
4.6	0.0		Min	I	-45.5	-0.0	-17.7
-3.4	-0.0		J	-45.5	-0.0	-17.7	-0.0
-0.1	-0.0						
		Q2a-1-2 Max	I	6.1	0.1	0.1	0.0
0.0	0.0		J	6.1	0.1	0.1	0.0
2.7	0.0	Min	I	-25.8	-0.0	-10.4	-0.0
-2.0	-0.0		J	-25.8	-0.0	-10.4	-0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-0.0	-0.0						
		SLVx (RS)	I	1.8	-0.0	0.9	-0.0
0.2	-0.0		J	1.8	-0.0	0.9	-0.0
-0.2	-0.0						
		SLVy (RS)	I	-14.8	0.4	-1.4	-0.0
-0.3	0.2		J	-14.8	0.4	-1.4	-0.0
0.3	0.0						
		SLDx (RS)	I	0.9	-0.0	0.4	-0.0
0.1	-0.0		J	0.9	-0.0	0.4	-0.0
-0.1	-0.0						
		SLDy (RS)	I	-7.4	0.2	-0.7	-0.0
-0.1	0.1		J	-7.4	0.2	-0.7	-0.0
0.2	0.0						
		SLVz (RS)	I	0.8	-0.0	0.4	-0.0
0.1	-0.0		J	0.8	-0.0	0.4	-0.0
-0.1	-0.0						
		g1	I	-22.3	0.1	-11.2	0.0
-2.1	0.0		J	-22.3	0.1	-10.5	0.0
2.8	0.0						
		g2	I	-11.0	0.0	-5.3	0.0
-1.0	0.0		J	-11.0	0.0	-5.3	0.0
1.4	0.0						
		q3	I	-0.4	0.0	-0.2	0.0
-0.0	0.0		J	-0.4	0.0	-0.2	0.0
0.1	0.0						
		q5_pc	I	-5.9	0.3	0.0	-0.0
-0.0	0.1		J	-5.9	0.3	0.0	-0.0
-0.0	0.0						
		q5_ps	I	-5.9	0.3	-0.1	-0.0
-0.0	0.1		J	-5.9	0.3	-0.1	-0.0
0.0	0.0						
		INVSLU Max	I	-10.1	0.7	-20.1	0.2
-3.8	0.3		J	-10.0	0.7	-19.1	0.2
11.3	0.0						
		Min	I	-97.2	-0.2	-44.4	0.0
-8.5	-0.1		J	-97.2	-0.2	-43.5	0.0
5.0	-0.0						
		INVSLV Max	I	-13.6	0.5	-13.6	0.1
-2.6	0.2		J	-13.6	0.5	-12.9	0.1
4.3	0.0						
		Min	I	-44.8	-0.2	-17.1	0.0

PROJECT TITLE :

		Company			Client			
		Author			File Name			
								PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt
-3.3	-0.1			J	-44.8	-0.2	-16.4	0.0
3.4	-0.0							
1151	2	62	Q1-1-2 Max	I	10.2	48.6	0.9	0.2
0.2	3.2			J	10.2	48.6	0.9	0.2
0.1	9.9		Min	I	-15.5	-26.1	-0.6	-0.1
-0.1	-2.5			J	-15.5	-26.1	-0.6	-0.1
-0.2	-18.9							
			Q2a-1-2 Max	I	6.2	34.3	0.6	0.1
0.1	2.2			J	6.2	34.3	0.6	0.1
0.1	6.6		Min	I	-10.2	-17.8	-0.3	-0.1
-0.1	-1.8			J	-10.2	-17.8	-0.3	-0.1
-0.2	-13.4							
			SLVx (RS)	I	-0.3	0.6	-0.1	-0.0
-0.0	0.1			J	-0.3	0.6	-0.1	-0.0
0.0	-0.2							
			SLVy (RS)	I	0.8	-5.1	0.0	-0.0
0.0	-0.3			J	0.8	-5.1	0.0	-0.0
-0.0	2.0							
			SLDx (RS)	I	-0.1	0.3	-0.0	-0.0
-0.0	0.1			J	-0.1	0.3	-0.0	-0.0
0.0	-0.1							
			SLDy (RS)	I	0.4	-2.5	0.0	-0.0
0.0	-0.1			J	0.4	-2.5	0.0	-0.0
-0.0	1.0							
			SLVz (RS)	I	-0.1	-0.2	0.0	0.0
0.0	-0.0			J	-0.1	-0.2	0.0	0.0
-0.0	0.1							
			g1	I	2.3	5.0	-0.7	-0.0
-0.1	1.0			J	2.3	5.0	-0.1	-0.0
0.1	-1.2							
			g2	I	3.1	14.5	-0.3	0.0
-0.1	1.3			J	3.1	14.5	-0.3	0.0
0.1	-5.2							
			q3	I	-0.3	0.5	-0.0	-0.0
-0.0	0.1			J	-0.3	0.5	-0.0	-0.0
0.0	-0.1							
			q5_pc	I	1.3	-5.4	-0.0	-0.0
0.0	-0.4			J	1.3	-5.4	-0.0	-0.0
0.0	2.1							



PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	-0.3		q5_ps	I	1.2	-4.4	-0.0	-0.0
0.0	1.7			J	1.2	-4.4	-0.0	-0.0
1.7	4.8		INVSLU Max	I	-170.1	90.2	6.3	0.3
-0.9	6.4			J	-170.1	90.2	7.0	0.3
1.2	-3.7		Min	I	-207.1	-20.4	4.3	-0.1
-1.3	-36.2			J	-207.1	-20.4	5.0	-0.1
0.0	1.0		INVSLV Max	I	-1.2	10.4	-0.1	0.0
-0.0	0.4			J	-1.1	10.4	0.5	0.0
-0.0	0.3		Min	I	-3.0	-0.2	-0.3	-0.0
-0.1	-3.7			J	-3.0	-0.2	0.3	-0.0
1152	2	62	Q1-1-2 Max	I	38.4	78.3	0.0	0.3
0.0	36.9			J	38.4	78.3	0.0	0.3
0.5	7.7		Min	I	-22.9	-57.5	-2.0	-0.1
-0.5	-27.1			J	-22.9	-57.5	-2.0	-0.1
-0.0	-5.3							
0.0	24.1		Q2a-1-2 Max	I	24.5	53.5	0.0	0.2
0.3	5.3			J	24.5	53.5	0.0	0.2
-0.3	-19.4		Min	I	-16.6	-40.6	-1.2	-0.1
-0.0	-3.7			J	-16.6	-40.6	-1.2	-0.1
-0.0	0.4		SLVx (RS)	I	-1.2	0.5	-0.1	-0.0
0.0	0.2			J	-1.2	0.5	-0.1	-0.0
0.0	3.0		SLVy (RS)	I	5.7	7.3	0.1	0.0
-0.0	-0.7			J	5.7	7.3	0.1	0.0
-0.0	0.2		SLDx (RS)	I	-0.6	0.2	-0.1	-0.0
0.0	0.1			J	-0.6	0.2	-0.1	-0.0
0.0	1.5		SLDy (RS)	I	2.9	3.7	0.1	0.0
-0.0	-0.3			J	2.9	3.7	0.1	0.0
0.0	-0.2		SLVz (RS)	I	-0.5	-0.2	0.0	0.0
-0.0	-0.1			J	-0.5	-0.2	0.0	0.0

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


-0.3	4.4	g1	I	13.3	5.7	-1.6	-0.0
0.3	1.6		J	13.3	5.7	-1.0	-0.0
-0.2	-4.3	g2	I	4.9	-14.5	-0.6	-0.1
0.2	2.9		J	4.9	-14.5	-0.6	-0.1
-0.0	0.2	q3	I	-0.4	0.1	-0.1	-0.0
0.0	0.1		J	-0.4	0.1	-0.1	-0.0
-0.0	2.8	q5_pc	I	4.6	6.9	-0.0	0.0
0.0	-0.6		J	4.6	6.9	-0.0	0.0
0.0	2.2	q5_ps	I	4.0	5.4	-0.0	0.0
0.0	-0.5		J	4.0	5.4	-0.0	0.0
0.3	27.8	INVSLU Max	I	-413.7	58.3	0.6	0.3
0.5	13.4		J	-413.6	58.3	1.4	0.3
-0.4	-63.6	Min	I	-504.8	-137.5	-2.1	-0.2
-0.2	-5.4		J	-504.7	-137.5	-1.3	-0.2
-0.2	4.3	INVSLV Max	I	-33.8	6.9	-1.0	0.0
0.2	2.2		J	-33.8	6.9	-0.4	0.0
-0.3	-2.0	Min	I	-46.3	-8.1	-1.4	-0.0
0.1	0.7		J	-46.3	-8.1	-0.8	-0.0
1165	2	62	Q1-1-2 Max	I	5.2	13.3	0.7
0.1	3.4			J	5.2	13.3	0.7
0.6	3.5		Min	I	-259.1	-12.2	-3.3
-0.5	-10.0			J	-259.1	-12.2	-3.3
-0.1	-10.5						
0.1	2.1	Q2a-1-2 Max	I	3.9	8.9	0.5	0.1
0.4	2.2		J	3.9	8.9	0.5	0.1
-0.3	-6.9	Min	I	-156.7	-8.3	-2.0	-0.1
-0.1	-7.3		J	-156.7	-8.3	-2.0	-0.1
0.0	-0.0	SLVx (RS)	I	18.2	-0.1	0.2	0.0
-0.0	-0.0		J	18.2	-0.1	0.2	0.0

PROJECT TITLE :


	Company	Client
	Author	File Name
		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-0.6	SLVy (RS)	I	32.0	0.2	0.1	0.0
			J	32.0	0.2	0.1	0.0
-0.0	-0.7						
		SLDx (RS)	I	9.1	-0.1	0.1	0.0
0.0	-0.0		J	9.1	-0.1	0.1	0.0
-0.0	-0.0						
		SLDy (RS)	I	16.0	0.1	0.0	0.0
0.0	-0.3		J	16.0	0.1	0.0	0.0
-0.0	-0.3						
		SLVz (RS)	I	8.3	-0.0	0.1	0.0
0.0	-0.0		J	8.3	-0.0	0.1	0.0
-0.0	0.0						
		g1	I	-181.7	0.9	-2.0	0.0
-0.3	0.2		J	-181.7	0.9	-1.6	0.0
0.3	-0.1						
		g2	I	-86.7	0.4	-0.9	-0.0
-0.1	0.8		J	-86.7	0.4	-0.9	-0.0
0.2	0.7						
		q3	I	1.7	-0.0	0.1	0.0
0.0	-0.0		J	1.7	-0.0	0.1	0.0
-0.0	-0.0						
		q5_pc	I	19.0	0.1	-0.1	0.0
-0.0	-0.5		J	19.0	0.1	-0.1	0.0
0.0	-0.5						
		q5_ps	I	17.4	0.1	-0.1	0.0
-0.0	-0.4		J	17.4	0.1	-0.1	0.0
0.0	-0.4						
		INVSLU Max	I	-2600.3	16.9	0.2	0.2
0.2	7.0		J	-2600.3	16.9	0.8	0.2
1.0	7.5						
		Min	I	-2999.0	-17.6	-5.3	-0.2
-0.7	-12.0		J	-2998.9	-17.6	-4.7	-0.2
0.1	-12.4						
		INVSLV Max	I	-1309.6	0.5	-1.0	0.0
-0.1	-0.1		J	-1309.6	0.5	-0.6	0.0
0.3	-0.1						
		Min	I	-1389.5	-0.0	-1.6	-0.0
-0.2	-1.4		J	-1389.5	-0.0	-1.1	-0.0
0.2	-1.6						
1166	2	75	Q1-1-2 Max	I	5.5	13.3	0.6
0.3	4.3						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
1.1	4.3		J	5.5	13.3	0.6	0.3
-0.9	-8.7	Min	I	-318.4	-12.0	-2.7	-0.3
-0.2	-9.8		J	-318.4	-12.0	-2.7	-0.3
0.2	2.7	Q2a-1-2 Max	I	4.1	8.9	0.4	0.2
0.6	2.8		J	4.1	8.9	0.4	0.2
-0.5	-6.1	Min	I	-193.8	-8.1	-1.6	-0.2
-0.1	-6.7		J	-193.8	-8.1	-1.6	-0.2
0.1	-0.0	SLVx (RS)	I	21.8	-0.1	0.2	0.0
-0.1	-0.0		J	21.8	-0.1	0.2	0.0
0.0	-0.5	SLVy (RS)	I	38.4	0.2	0.1	0.0
-0.0	-0.7		J	38.4	0.2	0.1	0.0
0.0	-0.0	SLDx (RS)	I	10.9	-0.1	0.1	0.0
-0.0	-0.0		J	10.9	-0.1	0.1	0.0
0.0	-0.3	SLDy (RS)	I	19.2	0.1	0.0	0.0
-0.0	-0.3		J	19.2	0.1	0.0	0.0
0.0	-0.0	SLVz (RS)	I	9.9	-0.0	0.1	0.0
-0.0	0.0		J	9.9	-0.0	0.1	0.0
-0.5	0.3	g1	I	-213.2	0.9	-2.0	0.0
0.5	-0.3		J	-213.2	0.9	-0.9	0.0
-0.2	0.7	g2	I	-103.6	0.3	-0.7	-0.0
0.3	0.4		J	-103.6	0.3	-0.7	-0.0
0.0	-0.0	q3	I	2.3	-0.0	0.1	0.0
-0.0	-0.0		J	2.3	-0.0	0.1	0.0
-0.0	-0.5	q5_pc	I	22.8	0.1	-0.1	0.0
0.0	-0.5		J	22.8	0.1	-0.1	0.0
-0.0	-0.4	q5_ps	I	20.9	0.1	-0.0	0.0
0.0	-0.4		J	20.9	0.1	-0.0	0.0

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.4	7.8	INVS LU Max	I	-2905.1	17.7	-0.4	0.4
			J	-2905.1	17.7	1.2	0.4
1.8	8.0	Min	I	-3393.3	-16.5	-5.0	-0.4
-1.3	-10.6		J	-3393.2	-16.5	-3.4	-0.4
0.1	-11.9						
		INVS LV Max	I	-1462.0	0.5	-1.3	0.0
-0.2	-0.1		J	-1462.0	0.5	-0.1	0.0
0.5	-0.1	Min	I	-1557.8	-0.0	-1.7	-0.0
-0.3	-1.3		J	-1557.7	-0.0	-0.5	-0.0
0.3	-1.6						
1178	2	75 Q1-1-2 Max	I	4.6	12.7	1.7	0.2
0.5	3.8		J	4.6	12.7	1.7	0.2
0.8	4.0	Min	I	-490.8	-13.7	-2.8	-0.4
-0.6	-11.7		J	-490.8	-13.7	-2.8	-0.4
-0.4	-11.7						
		Q2a-1-2 Max	I	3.4	8.6	1.1	0.1
0.3	2.4		J	3.4	8.6	1.1	0.1
0.5	2.4	Min	I	-295.9	-9.3	-1.8	-0.3
-0.4	-8.0		J	-295.9	-9.3	-1.8	-0.3
-0.2	-8.1						
		SLVx (RS)	I	39.5	-0.1	0.1	0.0
0.0	-0.0		J	39.5	-0.1	0.1	0.0
-0.0	0.0						
		SLVy (RS)	I	68.1	0.2	0.1	0.0
0.0	-1.0		J	68.1	0.2	0.1	0.0
-0.0	-1.1						
		SLDx (RS)	I	19.7	-0.0	0.1	0.0
0.0	-0.0		J	19.7	-0.0	0.1	0.0
-0.0	0.0						
		SLDy (RS)	I	34.0	0.1	0.0	0.0
0.0	-0.5		J	34.0	0.1	0.0	0.0
-0.0	-0.5						
		SLVz (RS)	I	18.0	-0.0	0.1	-0.0
0.0	-0.0		J	18.0	-0.0	0.1	-0.0
-0.0	0.0						
		g1	I	-357.1	0.5	-1.3	0.0
-0.2	0.2		J	-357.1	0.5	-0.5	0.0
0.3	-0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.1	1.1	g2	I	-171.1	0.5	-0.4	0.0
			J	-171.1	0.5	-0.4	0.0
0.1	0.8						
		q3	I	2.1	-0.0	0.1	-0.0
0.0	-0.0		J	2.1	-0.0	0.1	-0.0
-0.0	-0.0						
		q5_pc	I	40.2	0.1	-0.1	-0.0
-0.0	-0.7		J	40.2	0.1	-0.1	-0.0
0.0	-0.8						
		q5_ps	I	36.5	0.1	-0.0	0.0
-0.0	-0.6		J	36.5	0.1	-0.0	0.0
0.0	-0.6						
		INVSLU Max	I	-4094.0	21.4	1.4	0.4
0.9	9.8		J	-4094.0	21.4	2.5	0.4
1.5	7.9	Min	I	-4853.1	-14.3	-4.8	-0.4
-0.6	-12.5		J	-4853.1	-14.3	-3.7	-0.4
-0.1	-14.7						
		INVSLV Max	I	-2215.5	0.3	-0.9	0.0
0.1	0.8		J	-2215.5	0.3	-0.1	0.0
0.4	0.8	Min	I	-2386.1	-0.1	-1.3	0.0
-0.0	-1.2		J	-2386.1	-0.1	-0.5	0.0
0.3	-1.3						
1179	2	67	Q1-1-2 Max	I	4.7	8.7	2.9
0.9	3.8		J	4.7	8.7	2.9	0.3
1.2	5.5		Min	I	-527.7	-25.1	-4.0
-0.9	-15.3		J	-527.7	-25.1	-4.0	-0.7
-0.6	-7.5						
		Q2a-1-2 Max	I	3.5	5.4	1.9	0.2
0.6	2.2		J	3.5	5.4	1.9	0.2
0.7	3.5	Min	I	-318.3	-16.9	-2.5	-0.5
-0.5	-10.4		J	-318.3	-16.9	-2.5	-0.5
-0.4	-5.2						
		SLVx (RS)	I	42.6	-0.1	0.2	0.0
0.0	-0.0		J	42.6	-0.1	0.2	0.0
-0.1	-0.0						
		SLVy (RS)	I	73.1	0.5	0.1	0.0
0.0	-1.0		J	73.1	0.5	0.1	0.0
-0.0	-1.2						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	-0.0	SLDx (RS)	I	21.3	-0.1	0.1	0.0
			J	21.3	-0.1	0.1	0.0
-0.0	-0.0						
0.0	-0.5	SLDy (RS)	I	36.5	0.3	0.1	0.0
			J	36.5	0.3	0.1	0.0
-0.0	-0.6						
0.0	-0.0	SLVz (RS)	I	19.4	-0.1	0.1	-0.0
			J	19.4	-0.1	0.1	-0.0
-0.0	0.0						
-0.2	0.2	g1	I	-382.9	1.0	-1.8	0.0
			J	-382.8	1.0	-0.8	0.0
0.4	-0.3						
-0.1	1.6	g2	I	-182.8	3.5	-0.6	0.1
			J	-182.8	3.5	-0.6	0.1
0.2	-0.2						
0.0	-0.0	q3	I	2.3	-0.0	0.2	-0.0
			J	2.3	-0.0	0.2	-0.0
-0.0	-0.0						
-0.0	-0.9	q5_pc	I	43.2	-0.3	-0.1	-0.0
			J	43.2	-0.3	-0.1	-0.0
0.0	-0.7						
-0.0	-0.6	q5_ps	I	39.2	0.0	-0.0	-0.0
			J	39.2	0.0	-0.0	-0.0
0.0	-0.7						
1.3	10.0	INVSLU Max	I	-4300.0	27.8	2.2	0.6
			J	-4300.0	27.8	3.4	0.6
2.3	4.3	Min	I	-5116.0	-18.5	-7.2	-0.7
-1.1	-17.3		J	-5115.9	-18.5	-6.0	-0.7
-0.1	-14.5						
-0.1	0.8	INVSLV Max	I	-2319.1	0.7	-1.8	0.1
			J	-2319.1	0.7	-0.9	0.1
0.7	1.0	Min	I	-2502.5	-0.5	-2.3	0.0
-0.2	-1.2		J	-2502.5	-0.5	-1.4	0.0
0.5	-1.4						
1190	2	67 Q1-1-2 Max	I	3.9	19.7	5.6	0.2
1.6	3.9		J	3.9	19.7	5.6	0.2
0.7	46.6	Min	I	-583.5	-118.8	-2.3	-1.2
-0.5	-14.7		J	-583.5	-118.8	-2.3	-1.2
-1.3	-8.2						


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

1.0	2.3	Q2a-1-2 Max	I	2.9	9.4	3.7	0.1
			J	2.9	9.4	3.7	0.1
0.4	29.9						
		Min	I	-351.5	-77.4	-1.4	-0.8
-0.3	-10.1		J	-351.5	-77.4	-1.4	-0.8
-0.8	-3.9						
		SLVx (RS)	I	48.4	-0.2	0.0	-0.0
0.0	-0.0		J	48.4	-0.2	0.0	-0.0
-0.0	-0.1						
		SLVy (RS)	I	84.4	2.4	0.1	0.0
0.0	-1.2		J	84.4	2.4	0.1	0.0
-0.0	-2.3						
		SLDx (RS)	I	24.2	-0.1	0.0	-0.0
0.0	-0.0		J	24.2	-0.1	0.0	-0.0
-0.0	-0.1						
		SLDy (RS)	I	42.1	1.2	0.0	0.0
0.0	-0.6		J	42.1	1.2	0.0	0.0
-0.0	-1.2						
		SLVz (RS)	I	22.1	-0.1	-0.0	0.0
-0.0	-0.0		J	22.1	-0.1	-0.0	0.0
-0.0	0.0						
		g1	I	-428.2	2.1	-0.3	-0.0
0.1	0.1		J	-428.1	2.1	0.6	-0.0
0.1	-0.9						
		g2	I	-204.5	19.3	-0.3	0.2
-0.0	1.4		J	-204.5	19.3	-0.3	0.2
0.1	-8.5						
		q3	I	1.6	-0.2	0.1	-0.0
0.0	-0.0		J	1.6	-0.2	0.1	-0.0
-0.0	0.1						
		q5_pc	I	49.9	-2.4	0.1	-0.0
0.0	-1.0		J	49.9	-2.4	0.1	-0.0
-0.0	0.3						
		q5_ps	I	45.1	-0.7	0.0	-0.0
0.0	-0.8		J	45.1	-0.7	0.0	-0.0
-0.0	-0.4						
		INVSLU Max	I	-4704.3	75.9	6.9	0.5
2.6	6.6		J	-4704.3	75.9	8.2	0.5
1.4	39.5						
		Min	I	-5609.1	-115.4	-3.8	-1.4
-0.2	-20.3						




PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-1.3	-34.9		J	-5609.1	-115.4	-2.5	-1.4
0.1	0.9	INVSLV Max	I	-2568.6	2.1	-1.3	0.0
0.6	2.3		J	-2568.5	2.1	-0.4	0.0
0.0	-1.5	Min	I	-2779.6	-3.0	-1.5	0.0
0.5	-2.4		J	-2779.6	-3.0	-0.6	0.0
1191	2	67 Q1-1-2 Max	I	3.9	116.2	2.3	1.2
0.7	45.5		J	3.9	116.2	2.3	1.2
1.6	3.9	Min	I	-586.9	-19.4	-5.5	-0.2
-1.3	-8.1		J	-586.9	-19.4	-5.5	-0.2
-0.5	-14.6						
0.4	29.1	Q2a-1-2 Max	I	2.9	75.7	1.4	0.8
1.0	2.3		J	2.9	75.7	1.4	0.8
-0.8	-3.8	Min	I	-353.8	-9.4	-3.6	-0.1
-0.3	-9.9		J	-353.8	-9.4	-3.6	-0.1
0.0	-0.1	SLVx (RS)	I	48.3	0.2	-0.0	0.0
-0.0	-0.0		J	48.3	0.2	-0.0	0.0
-0.0	-2.3	SLVy (RS)	I	84.3	-2.4	-0.1	-0.0
0.0	-1.2		J	84.3	-2.4	-0.1	-0.0
0.0	-0.1	SLDx (RS)	I	24.1	0.1	-0.0	0.0
-0.0	-0.0		J	24.1	0.1	-0.0	0.0
-0.0	-1.1	SLDy (RS)	I	42.1	-1.2	-0.0	-0.0
0.0	-0.6		J	42.1	-1.2	-0.0	-0.0
-0.0	0.0	SLVz (RS)	I	22.0	0.1	-0.0	-0.0
-0.0	-0.0		J	22.0	0.1	-0.0	-0.0
0.0	-0.9	g1	I	-428.3	-2.0	-0.6	0.0
0.1	0.1		J	-428.3	-2.0	0.3	0.0
0.1	-8.3	g2	I	-204.2	-18.9	0.3	-0.2
-0.0	1.3		J	-204.2	-18.9	0.3	-0.2
		q3	I	1.6	0.1	0.1	0.0


# MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.1			J	1.6	0.1	0.0
-0.0	-0.0						
-0.0	0.2		q5_pc	I	49.8	2.3	0.0
0.0	-1.0			J	49.8	2.3	0.0
-0.0	-0.4		q5_ps	I	45.1	0.6	0.0
0.0	-0.8			J	45.1	0.6	0.0
1.3	38.2		INVSLU Max	I	-4704.7	112.4	1.4
2.7	6.5			J	-4704.7	112.4	1.4
-1.4	-34.5		Min	I	-5614.1	-74.9	-0.5
-0.1	-20.1			J	-5614.1	-74.9	-0.5
0.5	2.3		INVSLV Max	I	-2567.9	2.7	-0.0
0.1	1.0			J	-2567.9	2.7	-0.0
0.4	-2.4		Min	I	-2778.7	-2.2	-0.1
0.1	-1.4			J	-2778.7	-2.2	-0.1
1202	2	67	Q1-1-2 Max	I	4.7	24.1	0.7
1.2	5.3			J	4.7	24.1	0.7
0.9	3.7		Min	I	-525.3	-8.8	-0.3
-0.6	-8.1			J	-525.3	-8.8	-0.3
-0.9	-15.2		Q2a-1-2 Max	I	3.5	16.2	0.5
0.7	3.4			J	3.5	16.2	0.5
0.6	2.2		Min	I	-316.8	-5.5	-0.2
-0.4	-5.7			J	-316.8	-5.5	-0.2
-0.5	-10.3		SLVx (RS)	I	42.2	0.1	0.0
-0.1	-0.0			J	42.2	0.1	0.0
0.0	-0.0		SLVy (RS)	I	72.9	-0.5	-0.0
-0.0	-1.2			J	72.9	-0.5	-0.0
0.0	-1.0		SLDx (RS)	I	21.1	0.1	0.0
-0.0	-0.0			J	21.1	0.1	0.0
0.0	-0.0		SLDy (RS)	I	36.4	-0.2	-0.0

# MIDAS


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-0.0	-0.6		J	36.4	-0.2	-0.1	-0.0
0.0	-0.5						
		SLVz (RS)	I	19.2	0.1	-0.1	0.0
-0.0	0.0		J	19.2	0.1	-0.1	0.0
0.0	-0.0						
		g1	I	-381.2	-1.0	0.8	-0.0
0.4	-0.3		J	-381.2	-1.0	1.7	-0.0
-0.2	0.2						
		g2	I	-182.0	-3.4	0.6	-0.1
0.2	-0.1		J	-182.0	-3.4	0.6	-0.1
-0.1	1.6						
		q3	I	1.0	0.0	0.1	0.0
0.0	-0.0		J	1.0	0.0	0.1	0.0
-0.0	-0.0						
		q5_pc	I	43.5	0.3	0.1	0.0
0.0	-0.7		J	43.5	0.3	0.1	0.0
-0.0	-0.9						
		q5_ps	I	39.4	-0.0	0.0	-0.0
0.0	-0.7		J	39.4	-0.0	0.0	-0.0
-0.0	-0.6						
		INVSLU Max	I	-4289.1	17.3	5.4	0.7
2.1	3.8		J	-4289.0	17.3	6.6	0.7
1.5	9.5						
		Min	I	-5101.2	-27.6	-4.1	-0.6
-0.3	-15.7		J	-5101.1	-27.6	-2.8	-0.6
-0.9	-17.6						
		INVSLV Max	I	-2310.9	0.4	0.9	-0.0
0.6	0.7		J	-2310.8	0.4	1.9	-0.0
-0.0	0.6						
		Min	I	-2493.6	-0.7	0.5	-0.1
0.4	-1.7		J	-2493.5	-0.7	1.4	-0.1
-0.1	-1.4						
1203	2	75	Q1-1-2 Max	I	4.6	13.5	2.8
0.8	4.0			J	4.6	13.5	2.8
0.5	3.8						
		Min	I	-488.0	-12.9	-1.7	-0.2
-0.4	-12.0		J	-488.0	-12.9	-1.7	-0.2
-0.6	-11.6						
		Q2a-1-2 Max	I	3.4	9.2	1.8	0.3
0.5	2.5		J	3.4	9.2	1.8	0.3
0.3	2.3						
		Min	I	-294.2	-8.7	-1.1	-0.1


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.2	-8.2		J	-294.2	-8.7	-1.1	-0.1
-0.4	-8.0						
		SLVx (RS)	I	39.1	0.1	-0.1	0.0
-0.0	-0.0		J	39.1	0.1	-0.1	0.0
0.0	-0.0						
		SLVy (RS)	I	67.9	-0.1	-0.1	-0.0
-0.0	-1.0		J	67.9	-0.1	-0.1	-0.0
0.0	-1.0						
		SLDx (RS)	I	19.6	0.0	-0.1	0.0
-0.0	-0.0		J	19.6	0.0	-0.1	0.0
0.0	-0.0						
		SLDy (RS)	I	33.9	-0.1	-0.0	-0.0
-0.0	-0.5		J	33.9	-0.1	-0.0	-0.0
0.0	-0.5						
		SLVz (RS)	I	17.9	0.0	-0.1	-0.0
-0.0	0.0		J	17.9	0.0	-0.1	-0.0
0.0	-0.0						
		g1	I	-355.4	-0.5	0.4	-0.0
0.2	-0.0		J	-355.4	-0.5	1.2	-0.0
-0.2	0.2						
		g2	I	-170.4	-0.5	0.4	-0.0
0.1	0.9		J	-170.4	-0.5	0.4	-0.0
-0.1	1.1						
		q3	I	0.9	0.0	0.1	0.0
0.0	-0.0		J	0.9	0.0	0.1	0.0
-0.0	-0.0						
		q5_pc	I	40.5	-0.1	0.0	0.0
0.0	-0.8		J	40.5	-0.1	0.0	0.0
-0.0	-0.7						
		q5_ps	I	36.7	-0.1	0.0	-0.0
0.0	-0.6		J	36.7	-0.1	0.0	-0.0
-0.0	-0.6						
		INVSLU Max	I	-4083.1	14.2	3.3	0.4
1.4	7.6		J	-4083.0	14.2	4.3	0.4
1.0	9.3						
		Min	I	-4837.9	-21.6	-3.0	-0.4
-0.2	-15.4		J	-4837.9	-21.6	-1.9	-0.4
-0.5	-12.8						
		INVSLV Max	I	-2207.7	0.1	0.2	-0.0
0.4	0.6		J	-2207.7	0.1	1.0	-0.0


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.1	0.5		Min	I	-2377.8	-0.3	-0.2	-0.0
0.3	-1.5			J	-2377.7	-0.3	0.6	-0.0
0.1	-1.4							
1215	2	75	Q1-1-2 Max	I	5.5	11.9	2.7	0.3
1.1	4.3			J	5.5	11.9	2.7	0.3
0.3	4.3		Min	I	-315.0	-13.3	-0.6	-0.3
-0.2	-9.8			J	-315.0	-13.3	-0.6	-0.3
-0.9	-8.7							
0.7	2.8		Q2a-1-2 Max	I	4.1	8.1	1.6	0.2
0.2	2.7			J	4.1	8.1	1.6	0.2
-0.1	-6.7		Min	I	-192.0	-9.0	-0.4	-0.2
-0.5	-6.0			J	-192.0	-9.0	-0.4	-0.2
-0.1	-0.0		SLVx (RS)	I	21.3	0.1	-0.2	-0.0
0.1	-0.0			J	21.3	0.1	-0.2	-0.0
-0.0	-0.7		SLVy (RS)	I	38.1	-0.2	-0.1	-0.0
0.0	-0.6			J	38.1	-0.2	-0.1	-0.0
-0.0	-0.0		SLDx (RS)	I	10.7	0.0	-0.1	-0.0
0.0	-0.0			J	10.7	0.0	-0.1	-0.0
-0.0	-0.3		SLDy (RS)	I	19.1	-0.1	-0.0	-0.0
0.0	-0.3			J	19.1	-0.1	-0.0	-0.0
-0.0	0.0		SLVz (RS)	I	9.7	0.0	-0.1	-0.0
0.0	-0.0			J	9.7	0.0	-0.1	-0.0
0.5	-0.3		g1	I	-210.7	-0.9	0.8	0.0
-0.5	0.3			J	-210.7	-0.9	2.0	0.0
0.3	0.4		g2	I	-102.4	-0.3	0.7	0.0
-0.2	0.7			J	-102.4	-0.3	0.7	0.0
0.0	-0.0		q3	I	0.9	-0.0	0.1	0.0
-0.0	-0.0			J	0.9	-0.0	0.1	0.0
0.0	-0.5		q5_pc	I	23.1	-0.1	0.1	-0.0


PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.0	-0.5		J	23.1	-0.1	0.1	-0.0
0.0	-0.4	q5_ps	I	21.1	-0.1	0.0	-0.0
-0.0	-0.4		J	21.1	-0.1	0.0	-0.0
1.8	8.0	INVSLU Max	I	-2883.9	16.3	3.2	0.4
0.4	7.8		J	-2883.9	16.3	4.8	0.4
0.0	-12.0	Min	I	-3367.2	-17.9	-1.3	-0.4
-1.2	-10.5		J	-3367.2	-17.9	0.3	-0.4
0.4	-0.2	INVSLV Max	I	-1447.6	-0.1	0.4	0.0
-0.1	-0.1		J	-1447.6	-0.1	1.5	0.0
0.2	-1.6	Min	I	-1542.6	-0.6	-0.1	-0.0
-0.3	-1.2		J	-1542.5	-0.6	1.1	-0.0
1216	2	62 Q1-1-2 Max	I	5.2	12.2	3.2	0.1
0.6	3.6		J	5.2	12.2	3.2	0.1
0.1	3.4	Min	I	-253.8	-13.3	-0.6	-0.1
-0.1	-10.5		J	-253.8	-13.3	-0.6	-0.1
-0.5	-9.9						
0.4	2.3	Q2a-1-2 Max	I	3.9	8.3	1.9	0.1
0.1	2.1		J	3.9	8.3	1.9	0.1
-0.1	-7.2	Min	I	-153.3	-9.0	-0.4	-0.1
-0.3	-6.9		J	-153.3	-9.0	-0.4	-0.1
-0.0	0.0	SLVx (RS)	I	17.8	0.1	-0.2	-0.0
0.0	-0.0		J	17.8	0.1	-0.2	-0.0
-0.0	-0.7	SLVy (RS)	I	31.7	-0.2	-0.1	-0.0
0.0	-0.6		J	31.7	-0.2	-0.1	-0.0
-0.0	0.0	SLDx (RS)	I	8.9	0.1	-0.1	-0.0
0.0	-0.0		J	8.9	0.1	-0.1	-0.0
-0.0	-0.3	SLDy (RS)	I	15.8	-0.1	-0.1	-0.0
0.0	-0.3		J	15.8	-0.1	-0.1	-0.0
-0.0	0.0	SLVz (RS)	I	8.1	0.0	-0.1	-0.0

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt				
0.0	-0.0		J	8.1	0.0	-0.1	-0.0	
0.3	-0.1	g1	I	-179.5	-0.9	1.5	0.0	
-0.3	0.2		J	-179.5	-0.9	2.0	0.0	
0.2	0.7	g2	I	-85.7	-0.3	0.9	0.0	
-0.1	0.8		J	-85.7	-0.3	0.9	0.0	
0.0	-0.0	q3	I	0.8	-0.0	0.1	0.0	
-0.0	-0.0		J	0.8	-0.0	0.1	0.0	
0.0	-0.5	q5_pc	I	19.2	-0.1	0.1	-0.0	
-0.0	-0.5		J	19.2	-0.1	0.1	-0.0	
0.0	-0.4	q5_ps	I	17.6	-0.1	0.0	-0.0	
-0.0	-0.4		J	17.6	-0.1	0.0	-0.0	
1.0	7.7	INVSLU Max	I	-2577.8	17.5	4.2	0.2	
0.3	7.1		J	-2577.8	17.5	4.8	0.2	
-0.0	-12.3	Min	I	-2969.4	-17.2	-1.1	-0.2	
-0.6	-11.8		J	-2969.4	-17.2	-0.5	-0.2	
0.3	-0.1	INVSLV Max	I	-1295.2	-0.1	0.8	0.0	
-0.0	-0.1		J	-1295.2	-0.1	1.2	0.0	
0.2	-1.5	Min	I	-1374.2	-0.6	0.3	0.0	
-0.1	-1.3		J	-1374.2	-0.6	0.7	0.0	
1229	2	62	Q1-1-2 Max	I	46.9	56.2	1.8	0.1
0.5	7.8		J	46.9	56.2	1.8	0.1	
0.0	37.6		Min	I	-22.5	-79.9	-0.0	-0.3
-0.0	-5.3		J	-22.5	-79.9	-0.0	-0.3	
-0.4	-26.5		Q2a-1-2 Max	I	29.9	39.6	1.1	0.1
0.3	5.3		J	29.9	39.6	1.1	0.1	
0.0	24.5		Min	I	-16.3	-54.6	-0.0	-0.2
-0.0	-3.7		J	-16.3	-54.6	-0.0	-0.2	
-0.3	-18.9		SLVx (RS)	I	1.6	-0.4	-0.1	-0.0
-0.0	-0.1							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.4		J	1.6	-0.4	-0.1	-0.0
-0.0	-0.6	SLVy (RS)	I	5.5	-7.5	-0.1	-0.0
0.0	3.1		J	5.5	-7.5	-0.1	-0.0
-0.0	-0.1	SLDx (RS)	I	0.8	-0.2	-0.1	-0.0
0.0	0.2		J	0.8	-0.2	-0.1	-0.0
-0.0	-0.3	SLDy (RS)	I	2.8	-3.8	-0.0	-0.0
0.0	1.6		J	2.8	-3.8	-0.0	-0.0
-0.0	-0.1	SLVz (RS)	I	-0.6	0.2	-0.0	-0.0
0.0	-0.2		J	-0.6	0.2	-0.0	-0.0
0.3	1.4	g1	I	17.3	-5.5	0.9	0.0
-0.3	4.2		J	17.3	-5.5	1.5	0.0
0.1	2.8	g2	I	6.9	15.1	0.6	0.1
-0.1	-4.7		J	6.9	15.1	0.6	0.1
0.0	0.0	q3	I	0.9	-0.1	0.0	0.0
-0.0	0.1		J	0.9	-0.1	0.0	0.0
0.0	-0.6	q5_pc	I	4.9	-7.2	0.0	-0.0
-0.0	3.0		J	4.9	-7.2	0.0	-0.0
0.0	-0.5	q5_ps	I	4.2	-5.7	0.0	-0.0
0.0	2.3		J	4.2	-5.7	0.0	-0.0
0.4	13.5	INVSLU Max	I	-381.0	137.0	0.9	0.2
0.3	28.6		J	-380.9	137.0	1.7	0.2
-0.3	-5.3	Min	I	-483.5	-59.7	-1.6	-0.3
-0.3	-63.3		J	-483.4	-59.7	-0.8	-0.3
0.2	2.2	INVSLV Max	I	-21.4	8.5	0.6	0.0
-0.2	4.4		J	-21.4	8.5	1.2	0.0
0.1	0.8	Min	I	-33.8	-7.0	0.3	-0.0
-0.3	-2.1		J	-33.8	-7.0	0.9	-0.0




PROJECT TITLE :


MIDAS	Company				Client			
	Author				File Name			
								PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt
1230	2	62	Q1-1-2 Max	I	9.5	24.6	0.5	0.1
0.1	9.5			J	9.5	24.6	0.5	0.1
0.2	3.3							
-0.2	-19.0		Min	I	-15.7	-48.4	-0.9	-0.2
-0.1	-2.3			J	-15.7	-48.4	-0.9	-0.2
			Q2a-1-2 Max	I	5.6	16.8	0.3	0.1
0.1	6.4			J	5.6	16.8	0.3	0.1
0.1	2.3							
-0.2	-13.5		Min	I	-10.6	-34.2	-0.7	-0.1
-0.1	-1.7			J	-10.6	-34.2	-0.7	-0.1
			SLVx (RS)	I	0.3	0.5	-0.0	-0.0
-0.0	0.1			J	0.3	0.5	-0.0	-0.0
0.0	-0.1							
			SLVy (RS)	I	0.5	4.8	-0.0	0.0
-0.0	1.9			J	0.5	4.8	-0.0	0.0
0.0	-0.2							
			SLDx (RS)	I	0.1	0.2	-0.0	-0.0
-0.0	0.1			J	0.1	0.2	-0.0	-0.0
0.0	-0.0							
			SLDy (RS)	I	0.2	2.4	-0.0	0.0
-0.0	1.0			J	0.2	2.4	-0.0	0.0
0.0	-0.1							
			SLVz (RS)	I	-0.1	0.2	-0.0	-0.0
-0.0	0.1			J	-0.1	0.2	-0.0	-0.0
0.0	-0.0							
			g1	I	3.6	-4.7	0.1	0.0
0.1	-1.2			J	3.7	-4.7	0.6	0.0
-0.1	0.9							
			g2	I	3.9	-14.0	0.2	-0.0
0.1	-5.1			J	3.9	-14.0	0.2	-0.0
-0.1	1.2							
			q3	I	0.2	-0.1	0.0	0.0
0.0	-0.0			J	0.2	-0.1	0.0	0.0
-0.0	0.0							
			q5_pc	I	1.0	5.1	-0.0	0.0
0.0	2.0			J	1.0	5.1	-0.0	0.0
0.0	-0.3							
			q5_ps	I	0.9	4.2	0.0	0.0
0.0	1.6			J	0.9	4.2	0.0	0.0

# MIDAS


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	-0.2						
		INVSLU Max	I	-166.8	19.1	-5.3	0.1
-0.9	6.2		J	-166.8	19.1	-4.5	0.1
1.7	4.7						
		Min	I	-202.6	-88.8	-7.2	-0.3
-1.4	-36.0		J	-202.5	-88.8	-6.4	-0.3
1.3	-3.4						
		INVSLV Max	I	0.8	0.1	-0.4	0.0
-0.1	0.4		J	0.8	0.1	0.2	0.0
0.0	0.9						
		Min	I	-0.4	-9.9	-0.5	-0.0
-0.1	-3.6		J	-0.4	-9.9	0.1	-0.0
-0.0	0.3						
1231	2	70	Q1-1-2 Max	I	9.8	0.1	17.8
4.6	0.0			J	9.8	0.1	17.8
0.1	0.0		Min	I	-36.9	-0.0	-0.3
-0.1	-0.0		J	-36.9	-0.0	-0.3	-0.0
-3.4	-0.1						
		Q2a-1-2 Max	I	5.4	0.1	10.4	0.0
2.7	0.0		J	5.4	0.1	10.4	0.0
0.0	0.0						
		Min	I	-20.9	-0.0	-0.1	-0.0
-0.0	-0.0		J	-20.9	-0.0	-0.1	-0.0
-2.0	-0.0						
		SLVx (RS)	I	-7.1	-0.0	-0.9	0.0
-0.2	-0.0		J	-7.1	-0.0	-0.9	0.0
0.2	0.0						
		SLVy (RS)	I	5.4	-0.2	0.7	0.0
0.2	0.0		J	5.4	-0.2	0.7	0.0
-0.1	0.1						
		SLDx (RS)	I	-3.6	-0.0	-0.5	0.0
-0.1	-0.0		J	-3.6	-0.0	-0.5	0.0
0.1	0.0						
		SLDy (RS)	I	2.7	-0.1	0.4	0.0
0.1	0.0		J	2.7	-0.1	0.4	0.0
-0.1	0.0						
		SLVz (RS)	I	1.6	0.0	-0.4	-0.0
-0.1	0.0		J	1.6	0.0	-0.4	-0.0
0.1	-0.0						
		g1	I	-17.8	0.1	10.6	0.0
2.8	-0.0		J	-17.8	0.1	11.2	0.0


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-2.1	-0.0						
		g2	I	-9.2	0.0	5.3	0.0
1.4	-0.0		J	-9.2	0.0	5.3	0.0
-1.0	-0.0						
		q3	I	-7.8	-0.0	0.0	0.0
0.0	-0.0		J	-7.8	-0.0	0.0	0.0
0.0	0.0						
		q5_pc	I	-0.4	0.0	1.5	0.0
0.4	0.0		J	-0.4	0.0	1.5	0.0
-0.3	-0.0						
		q5_ps	I	0.2	0.0	1.2	0.0
0.3	0.0		J	0.2	0.0	1.2	0.0
-0.2	-0.0						
		INVSLU Max	I	-11.4	0.4	45.0	0.1
11.7	0.0		J	-11.4	0.4	46.0	0.1
-3.6	-0.1						
		Min	I	-75.3	0.1	17.6	0.1
4.6	-0.0		J	-75.2	0.1	18.6	0.1
-8.8	-0.2						
		INVSLV Max	I	-14.7	0.3	16.0	0.0
4.2	0.0		J	-14.7	0.3	16.6	0.0
-2.7	0.0						
		Min	I	-33.2	-0.1	13.5	0.0
3.5	-0.0		J	-33.1	-0.1	14.2	0.0
-3.2	-0.2						
1232	2	70	Q1-1-2 Max	I	98.0	0.5	0.2
0.0	0.1		J	98.0	0.5	0.2	0.0
2.6	0.5						
		Min	I	-55.3	-0.9	-9.1	-0.4
-2.0	-0.0		J	-55.3	-0.9	-9.1	-0.4
-0.1	-0.3						
		Q2a-1-2 Max	I	57.2	0.3	0.1	0.0
0.0	0.1		J	57.2	0.3	0.1	0.0
1.5	0.3						
		Min	I	-31.7	-0.6	-5.3	-0.3
-1.1	-0.0		J	-31.7	-0.6	-5.3	-0.3
-0.0	-0.2						
		SLVx (RS)	I	149.2	-0.1	0.5	0.0
0.1	-0.0		J	149.2	-0.1	0.5	0.0
-0.1	0.0						
		SLVy (RS)	I	17.6	2.7	-0.3	-0.2
-0.1	0.1		J	17.6	2.7	-0.3	-0.2


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.1	-1.3						
0.1	-0.0		SLDx (RS)	I	74.5	-0.1	0.3
-0.1	0.0			J	74.5	-0.1	0.0
-0.0	0.0		SLDy (RS)	I	8.8	1.3	-0.2
0.0	-0.6			J	8.8	1.3	-0.2
0.1	0.0		SLVz (RS)	I	-35.0	0.0	0.2
-0.1	-0.0			J	-35.0	0.0	0.2
-1.3	0.0		g1	I	23.9	-0.3	-6.2
1.6	0.2			J	23.9	-0.3	-5.4
-0.6	0.0		g2	I	23.0	-0.2	-2.8
0.8	0.1			J	23.0	-0.2	-2.8
0.1	-0.0		q3	I	180.9	-0.1	0.3
-0.1	0.0			J	180.9	-0.1	0.3
-0.2	0.0		q5_pc	I	0.0	0.2	-0.8
0.2	-0.1			J	0.0	0.2	-0.8
-0.1	0.0		q5_ps	I	1.7	0.1	-0.6
0.2	-0.1			J	1.7	0.1	-0.6
-2.0	0.4		INVSLU Max	I	431.7	0.4	-9.7
6.7	1.3			J	431.7	0.4	-8.7
-5.1	0.1		Min	I	35.5	-1.9	-24.0
2.6	0.0			J	35.5	-1.9	-23.0
-1.6	0.2		INVSLV Max	I	220.8	2.2	-7.6
2.4	1.6			J	220.8	2.2	-6.8
-1.9	0.0		Min	I	-109.1	-3.1	-8.9
2.0	-1.0			J	-109.1	-3.1	-8.2
1245	2	70	Q1-1-2 Max	I	1587.4	2.4	0.0
0.0	5.2			J	1587.4	2.4	0.0
0.2	5.3		Min	I	-31.2	-1.8	-0.9
-0.1	-2.3						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-0.0	-2.5		J	-31.2	-1.8	-0.9	-0.1
0.0	3.3	Q2a-1-2 Max	I	960.2	1.5	0.0	0.0
0.1	3.3		J	960.2	1.5	0.0	0.0
-0.1	-1.5	Min	I	-23.2	-1.2	-0.5	-0.0
-0.0	-1.6		J	-23.2	-1.2	-0.5	-0.0
-0.0	0.2	SLVx (RS)	I	148.0	0.1	-0.1	-0.0
0.0	-0.2		J	148.0	0.1	-0.1	-0.0
-0.0	-3.5	SLVy (RS)	I	49.2	2.8	-0.0	0.0
0.0	-4.5		J	49.2	2.8	-0.0	0.0
-0.0	0.1	SLDx (RS)	I	73.9	0.0	-0.0	-0.0
0.0	-0.1		J	73.9	0.0	-0.0	-0.0
-0.0	-1.8	SLDy (RS)	I	24.6	1.4	-0.0	0.0
0.0	-2.2		J	24.6	1.4	-0.0	0.0
-0.0	-0.1	SLVz (RS)	I	-47.4	-0.0	0.0	-0.0
-0.0	-0.1		J	-47.4	-0.0	0.0	-0.0
-0.1	1.6	g1	I	1125.8	0.3	-0.9	-0.0
0.2	1.5		J	1125.8	0.3	-0.4	-0.0
-0.0	0.8	g2	I	555.1	0.1	-0.3	0.0
0.1	0.7		J	555.1	0.1	-0.3	0.0
0.0	0.1	q3	I	123.8	0.1	-0.0	0.0
0.0	0.1		J	123.8	0.1	-0.0	0.0
-0.0	-1.3	q5_pc	I	50.9	0.5	-0.0	0.0
0.0	-1.5		J	50.9	0.5	-0.0	0.0
-0.0	-1.2	q5_ps	I	43.2	0.5	-0.0	0.0
0.0	-1.4		J	43.2	0.5	-0.0	0.0
0.0	11.7	INVSLU Max	I	4929.2	4.3	-1.2	0.1
0.7	11.7		J	4929.2	4.3	-0.4	0.1

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
-0.1	-0.8		Min	I	2644.0	-2.3	-2.4	-0.1
				J	2644.1	-2.3	-1.7	-0.1
0.3	-1.5							
			INVS LV Max	I	2035.3	3.2	-0.9	-0.0
-0.0	6.0			J	2035.3	3.2	-0.4	-0.0
0.3	6.9							
			Min	I	1681.3	-2.4	-1.1	-0.0
-0.0	-1.2			J	1681.3	-2.4	-0.5	-0.0
0.2	-2.3							
1246	2	69	Q1-1-2 Max	I	1817.9	2.4	0.0	0.1
0.0	5.3			J	1817.9	2.4	0.0	0.1
0.5	6.1							
			Min	I	-33.0	-1.9	-1.2	-0.1
-0.4	-2.5			J	-33.0	-1.9	-1.2	-0.1
-0.0	-3.7							
			Q2a-1-2 Max	I	1097.4	1.5	0.0	0.1
0.0	3.3			J	1097.4	1.5	0.0	0.1
0.3	3.9							
			Min	I	-24.5	-1.2	-0.7	-0.0
-0.2	-1.6			J	-24.5	-1.2	-0.7	-0.0
-0.0	-2.4							
			SLVx (RS)	I	165.1	0.1	-0.1	-0.0
-0.0	-0.2			J	165.1	0.1	-0.1	-0.0
-0.0	-0.2							
			SLVy (RS)	I	47.8	1.4	-0.0	0.1
-0.0	-4.5			J	47.8	1.4	-0.0	0.1
-0.0	-5.5							
			SLDx (RS)	I	82.4	0.0	-0.0	-0.0
-0.0	-0.1			J	82.4	0.0	-0.0	-0.0
-0.0	-0.1							
			SLDy (RS)	I	23.9	0.7	-0.0	0.1
-0.0	-2.2			J	23.9	0.7	-0.0	0.1
-0.0	-2.8							
			SLVz (RS)	I	-54.6	-0.0	0.0	-0.0
0.0	-0.1			J	-54.6	-0.0	0.0	-0.0
-0.0	-0.1							
			g1	I	1291.8	0.3	-1.7	0.0
-0.4	1.5			J	1291.9	0.3	0.1	0.0
0.3	1.2							
			g2	I	635.6	0.1	-0.4	-0.0
-0.1	0.7			J	635.6	0.1	-0.4	-0.0
0.2	0.6							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.0	0.1	q3	I	131.3	0.1	-0.0	0.0
			J	131.3	0.1	-0.0	0.0
0.0	0.1						
-0.0	-1.5	q5_pc	I	55.2	0.5	-0.0	0.0
			J	55.2	0.5	-0.0	0.0
0.0	-1.9						
-0.0	-1.4	q5_ps	I	46.3	0.5	-0.0	0.0
			J	46.3	0.5	-0.0	0.0
0.0	-1.7						
-0.2	11.7	INVSLU Max	I	5608.3	4.2	-2.6	0.2
			J	5608.4	4.2	-0.1	0.2
1.5	12.7						
-0.7	-1.5	Min	I	3001.5	-2.4	-4.2	-0.1
			J	3001.6	-2.4	-1.8	-0.1
0.8	-3.9						
-0.2	6.9	INVSLV Max	I	2311.3	1.8	-1.8	0.1
			J	2311.4	1.8	-0.0	0.1
0.6	7.7						
-0.3	-2.3	Min	I	1919.7	-1.1	-2.1	-0.1
			J	1919.7	-1.1	-0.3	-0.1
0.5	-3.6						
1258	2	5	Q1-1-2 Max	I	3031.7	2.1	0.0
0.7	11.7			J	3031.7	2.1	0.0
0.8	12.6						
-0.0	-10.7	Min	I	-29.5	-2.2	-0.3	-0.2
			J	-29.5	-2.2	-0.3	-0.2
-0.0	-11.4						
0.4	7.2	Q2a-1-2 Max	I	1825.6	1.3	0.0	0.2
			J	1825.6	1.3	0.0	0.2
0.5	7.8						
-0.0	-6.5	Min	I	-21.8	-1.4	-0.2	-0.1
			J	-21.8	-1.4	-0.2	-0.1
-0.0	-7.0						
0.0	-0.1	SLVx (RS)	I	255.2	-0.1	-0.0	0.0
			J	255.2	-0.1	-0.0	0.0
-0.1	-0.1						
-0.0	-8.3	SLVy (RS)	I	53.6	-4.6	-0.0	0.5
			J	53.6	-4.6	-0.0	0.5
0.0	-6.0						
0.0	-0.1	SLDx (RS)	I	127.5	-0.0	-0.0	0.0
			J	127.5	-0.0	-0.0	0.0
-0.0	-0.0						


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


-0.0	-4.2		SLDy (RS)	I	26.8	-2.3	-0.0	0.3
0.0	-3.0			J	26.8	-2.3	-0.0	0.3
-0.0	-0.1		SLVz (RS)	I	-102.2	-0.1	-0.0	0.0
-0.0	-0.1			J	-102.2	-0.1	-0.0	0.0
0.3	0.3		g1	I	2215.5	0.1	-1.0	0.0
0.4	0.3			J	2215.6	0.1	0.7	0.0
0.2	0.2		g2	I	1076.4	0.1	-0.0	-0.0
0.2	0.1			J	1076.4	0.1	-0.0	-0.0
0.0	-0.1		q3	I	120.0	-0.0	-0.0	0.0
0.0	-0.1			J	120.0	-0.0	-0.0	0.0
-0.0	-2.6		q5_pc	I	73.0	-0.1	-0.0	0.0
0.0	-2.5			J	73.0	-0.1	-0.0	0.0
-0.0	-2.5		q5_ps	I	60.6	-0.1	-0.0	0.0
0.0	-2.4			J	60.6	-0.1	-0.0	0.0
2.6	18.9		INVSLU Max	I	9192.2	3.0	-1.1	0.5
2.8	20.0			J	9192.2	3.0	1.2	0.5
1.7	-15.9		Min	I	4912.9	-2.9	-1.6	-0.3
1.7	-16.9			J	4913.0	-2.9	0.7	-0.3
1.1	9.0		INVSLV Max	I	3822.7	4.8	-0.8	0.6
1.1	6.6			J	3822.8	4.8	0.9	0.6
1.0	-7.8		Min	I	3218.9	-4.5	-0.9	-0.5
1.0	-5.5			J	3219.0	-4.5	0.8	-0.5
1259	2	5	Q1-1-2 Max	I	3117.0	2.0	0.3	0.4
0.4	12.6			J	3117.0	2.0	0.3	0.4
0.8	13.4		Min	I	-29.2	-2.2	-1.3	-0.2
-0.0	-11.4			J	-29.2	-2.2	-1.3	-0.2
-0.0	-12.1							
0.3	7.8		Q2a-1-2 Max	I	1876.7	1.3	0.2	0.3
				J	1876.7	1.3	0.2	0.3



PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.5	8.4		Min	I	-21.6	-1.5	-0.8	-0.1
-0.0	-7.0			J	-21.6	-1.5	-0.8	-0.1
-0.0	-7.4							
			SLVx (RS)	I	262.1	-0.1	0.1	-0.0
0.0	-0.1			J	262.1	-0.1	0.1	-0.0
-0.1	-0.1							
			SLVy (RS)	I	52.2	-6.6	-0.0	0.7
-0.0	-6.0			J	52.2	-6.6	-0.0	0.7
-0.0	-2.8							
			SLDx (RS)	I	130.9	-0.1	0.0	-0.0
0.0	-0.0			J	130.9	-0.1	0.0	-0.0
-0.0	-0.0							
			SLDy (RS)	I	26.1	-3.3	-0.0	0.3
-0.0	-3.0			J	26.1	-3.3	-0.0	0.3
-0.0	-1.4							
			SLVz (RS)	I	-105.7	-0.1	0.0	0.0
-0.0	-0.1			J	-105.7	-0.1	0.0	0.0
-0.0	-0.0							
			g1	I	2277.9	0.0	-1.5	0.0
0.1	0.3			J	2278.0	0.0	0.2	0.0
0.4	0.3							
			g2	I	1105.4	0.1	-0.3	-0.0
0.1	0.1			J	1105.4	0.1	-0.3	-0.0
0.2	0.1							
			q3	I	119.1	-0.0	0.0	0.0
0.0	-0.1			J	119.1	-0.0	0.0	0.0
0.0	-0.0							
			q5_pc	I	74.2	-0.1	-0.0	0.0
-0.0	-2.5			J	74.2	-0.1	-0.0	0.0
-0.0	-2.5							
			q5_ps	I	61.4	-0.1	-0.0	0.0
-0.0	-2.4			J	61.4	-0.1	-0.0	0.0
-0.0	-2.4							
			INVSLU Max	I	9425.9	2.9	-1.6	0.6
1.9	20.0			J	9425.9	2.9	0.7	0.6
2.8	21.1							
			Min	I	5029.5	-3.0	-3.8	-0.2
1.3	-16.9			J	5029.6	-3.0	-1.5	-0.2
1.8	-17.9							
			INVSLV Max	I	3916.0	6.8	-1.4	0.7

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.8	6.6			J	3916.0	6.8	0.3	0.7
1.2	3.3							
			Min	I	3297.1	-6.5	-1.6	-0.6
0.7	-5.5			J	3297.1	-6.5	0.1	-0.6
1.0	-2.3							
1270	2	5	Q1-1-2 Max	I	3420.9	2.0	0.1	0.4
0.3	14.5			J	3420.9	2.0	0.1	0.4
1.7	15.1							
			Min	I	-23.2	-2.3	-3.3	-0.2
-0.2	-13.3			J	-23.2	-2.3	-3.3	-0.2
-0.0	-13.8							
			Q2a-1-2 Max	I	2062.3	1.4	0.0	0.2
0.2	9.0			J	2062.3	1.4	0.0	0.2
1.1	9.4							
			Min	I	-17.2	-1.6	-2.1	-0.1
-0.1	-8.1			J	-17.2	-1.6	-2.1	-0.1
-0.0	-8.5							
			SLVx (RS)	I	-285.7	-0.1	-0.2	-0.0
0.0	-0.1			J	-285.7	-0.1	-0.2	-0.0
0.1	0.0							
			SLVy (RS)	I	64.5	-8.9	0.2	0.6
0.0	-3.6			J	64.5	-8.9	0.2	0.6
-0.1	1.1							
			SLDx (RS)	I	-142.8	-0.1	-0.1	-0.0
0.0	-0.0			J	-142.8	-0.1	-0.1	-0.0
0.0	0.0							
			SLDy (RS)	I	32.2	-4.4	0.1	0.3
0.0	-1.8			J	32.2	-4.4	0.1	0.3
-0.0	0.5							
			SLVz (RS)	I	-120.9	-0.1	0.1	-0.0
0.0	-0.0			J	-120.9	-0.1	0.1	-0.0
-0.0	0.0							
			g1	I	2517.2	-0.0	-2.2	0.0
0.0	0.1			J	2517.2	-0.0	-0.5	0.0
0.7	0.2							
			g2	I	1215.8	0.0	-0.4	-0.0
0.1	0.0			J	1215.8	0.0	-0.4	-0.0
0.3	0.0							
			q3	I	95.1	-0.0	-0.0	0.0
0.0	-0.0			J	95.1	-0.0	-0.0	0.0
0.0	-0.0							

MIDAS

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-0.0	-2.7	q5_pc	I	80.1	0.1	-0.1	0.0
			J	80.1	0.1	-0.1	0.0
0.0	-2.7						
		q5_ps	I	67.0	0.1	-0.1	0.0
-0.0	-2.6		J	67.0	0.1	-0.1	0.0
0.0	-2.6						
		INVSLU Max	I	10307.2	2.8	-4.1	0.5
1.5	21.8		J	10307.3	2.8	-1.7	0.5
4.9	22.7	Min	I	5492.8	-3.2	-8.7	-0.2
0.8	-20.5		J	5492.9	-3.2	-6.3	-0.2
2.6	-21.2						
		INVSLV Max	I	4288.3	9.0	-2.1	0.6
0.7	3.6		J	4288.4	9.0	-0.4	0.6
1.6	1.1	Min	I	3605.6	-8.9	-2.7	-0.5
0.7	-3.6		J	3605.7	-8.9	-0.9	-0.5
1.4	-1.1						
1271	2	5 Q1-1-2 Max	I	3423.1	2.3	3.4	0.2
1.7	15.1		J	3423.1	2.3	3.4	0.2
0.3	14.5	Min	I	-23.1	-2.0	-0.1	-0.4
-0.0	-13.8		J	-23.1	-2.0	-0.1	-0.4
-0.2	-13.3						
		Q2a-1-2 Max	I	2063.7	1.6	2.1	0.1
1.1	9.4		J	2063.7	1.6	2.1	0.1
0.2	9.0	Min	I	-17.1	-1.4	-0.0	-0.2
-0.0	-8.5		J	-17.1	-1.4	-0.0	-0.2
-0.2	-8.1						
		SLVx (RS)	I	-285.2	0.1	0.2	0.0
0.1	0.0		J	-285.2	0.1	0.2	0.0
0.0	-0.1						
		SLVy (RS)	I	64.3	8.9	-0.2	-0.6
-0.1	1.1		J	64.3	8.9	-0.2	-0.6
0.0	-3.5						
		SLDx (RS)	I	-142.5	0.1	0.1	0.0
0.1	0.0		J	-142.5	0.1	0.1	0.0
0.0	-0.0						
		SLDy (RS)	I	32.1	4.4	-0.1	-0.3
-0.0	0.6		J	32.1	4.4	-0.1	-0.3
0.0	-1.8						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


-0.0	0.0	SLVz (RS)	I	-121.1	0.1	-0.1	0.0
			J	-121.1	0.1	-0.1	0.0
0.0	-0.0						
		g1	I	2518.0	0.0	0.6	-0.0
0.8	0.2		J	2518.1	0.0	2.4	-0.0
0.0	0.1						
		g2	I	1215.9	-0.0	0.5	-0.0
0.3	0.0		J	1215.9	-0.0	0.5	-0.0
0.1	0.0						
		q3	I	92.9	-0.0	0.1	-0.0
0.0	-0.0		J	92.9	-0.0	0.1	-0.0
-0.0	-0.0						
		q5_pc	I	80.1	-0.1	0.1	-0.0
0.0	-2.7		J	80.1	-0.1	0.1	-0.0
-0.0	-2.7						
		q5_ps	I	67.0	-0.1	0.1	-0.0
0.0	-2.6		J	67.0	-0.1	0.1	-0.0
-0.0	-2.6						
		INVSLU Max	I	10311.6	3.2	7.1	0.2
5.1	22.7		J	10311.7	3.2	9.4	0.2
1.3	21.8	Min	I	5494.6	-2.8	2.3	-0.6
2.8	-21.2		J	5494.7	-2.8	4.6	-0.6
0.6	-20.5						
		INVSLV Max	I	4288.7	8.9	1.3	0.5
1.7	1.1		J	4288.8	8.9	3.0	0.5
0.7	3.6	Min	I	3607.1	-9.0	0.7	-0.6
1.4	-1.1		J	3607.1	-9.0	2.5	-0.6
0.6	-3.6						
1282	2	5 Q1-1-2 Max	I	3130.4	2.2	1.4	0.2
0.8	13.5		J	3130.4	2.2	1.4	0.2
0.4	12.6	Min	I	-29.1	-2.0	-0.2	-0.4
-0.0	-12.1		J	-29.1	-2.0	-0.2	-0.4
-0.1	-11.4						
		Q2a-1-2 Max	I	1884.7	1.4	0.9	0.1
0.5	8.4		J	1884.7	1.4	0.9	0.1
0.3	7.8	Min	I	-21.6	-1.3	-0.1	-0.3
-0.0	-7.4		J	-21.6	-1.3	-0.1	-0.3
-0.0	-7.0						

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.1	-0.1	SLVx (RS)	I	-251.0	0.1	-0.1	0.0
			J	-251.0	0.1	-0.1	0.0
-0.0	-0.1						
		SLVy (RS)	I	53.0	6.6	0.0	-0.7
-0.0	-2.7		J	53.0	6.6	0.0	-0.7
-0.0	-6.0						
		SLDx (RS)	I	-125.4	0.1	-0.0	0.0
-0.0	-0.0		J	-125.4	0.1	-0.0	0.0
-0.0	-0.1						
		SLDy (RS)	I	26.5	3.3	0.0	-0.3
-0.0	-1.3		J	26.5	3.3	0.0	-0.3
-0.0	-3.0						
		SLVz (RS)	I	-108.6	0.1	-0.0	0.0
-0.0	-0.0		J	-108.6	0.1	-0.0	0.0
-0.0	-0.1						
		g1	I	2286.9	-0.1	-0.1	-0.0
0.4	0.2		J	2286.9	-0.1	1.6	-0.0
0.1	0.3						
		g2	I	1106.7	-0.1	0.3	0.0
0.3	0.1		J	1106.7	-0.1	0.3	0.0
0.1	0.1						
		q3	I	66.4	-0.0	0.0	-0.0
0.0	-0.0		J	66.4	-0.0	0.0	-0.0
-0.0	-0.0						
		q5_pc	I	74.8	0.1	0.0	-0.0
-0.0	-2.5		J	74.8	0.1	0.0	-0.0
-0.0	-2.5						
		q5_ps	I	61.9	0.1	0.0	-0.0
-0.0	-2.4		J	61.9	0.1	0.0	-0.0
-0.0	-2.4						
		INVSLU Max	I	9454.7	3.0	2.2	0.2
3.0	21.0		J	9454.8	3.0	4.5	0.2
1.7	19.9						
		Min	I	5039.1	-2.9	-0.0	-0.6
1.9	-17.9		J	5039.1	-2.9	2.3	-0.6
1.1	-17.0						
		INVSLV Max	I	3913.8	6.5	0.2	0.6
1.3	3.2		J	3913.8	6.5	1.9	0.6
0.7	6.6						
		Min	I	3314.9	-6.8	0.0	-0.7
1.1	-2.3		J	3314.9	-6.8	1.7	-0.7

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name				
					PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt				
0.7	-5.5								
1283	2	5	Q1-1-2	Max	I	3045.1	2.2	0.4	0.2
0.8	12.6				J	3045.1	2.2	0.4	0.2
0.6	11.7								
				Min	I	-29.4	-2.0	-0.0	-0.4
-0.0	-11.4				J	-29.4	-2.0	-0.0	-0.4
-0.0	-10.7								
			Q2a-1-2	Max	I	1833.6	1.4	0.3	0.1
0.5	7.8				J	1833.6	1.4	0.3	0.1
0.4	7.2								
				Min	I	-21.8	-1.3	-0.0	-0.2
-0.0	-7.0				J	-21.8	-1.3	-0.0	-0.2
-0.0	-6.6								
				SLVx (RS)	I	-243.0	0.1	-0.0	0.0
-0.1	-0.1				J	-243.0	0.1	-0.0	0.0
-0.0	-0.2								
				SLVy (RS)	I	54.5	4.6	0.0	-0.5
-0.0	-6.0				J	54.5	4.6	0.0	-0.5
-0.0	-8.3								
				SLDx (RS)	I	-121.4	0.0	-0.0	0.0
-0.0	-0.1				J	-121.4	0.0	-0.0	0.0
-0.0	-0.1								
				SLDy (RS)	I	27.2	2.3	0.0	-0.3
-0.0	-3.0				J	27.2	2.3	0.0	-0.3
-0.0	-4.1								
				SLVz (RS)	I	-105.2	0.1	-0.0	0.0
-0.0	-0.1				J	-105.2	0.1	-0.0	0.0
-0.0	-0.1								
				g1	I	2224.9	-0.1	-0.6	-0.0
0.4	0.3				J	2224.9	-0.1	1.1	-0.0
0.3	0.3								
				g2	I	1077.7	-0.1	0.1	0.0
0.2	0.1				J	1077.7	-0.1	0.1	0.0
0.2	0.1								
				q3	I	63.4	-0.0	0.0	-0.0
0.0	-0.0				J	63.4	-0.0	0.0	-0.0
0.0	-0.0								
				q5_pc	I	73.7	0.1	0.0	-0.0
0.0	-2.5				J	73.7	0.1	0.0	-0.0
-0.0	-2.6								
				q5_ps	I	61.2	0.1	0.0	-0.0

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	-2.4			J	61.2	0.1	0.0	-0.0
-0.0	-2.5							
			INVSLU Max	I	9221.5	2.8	-0.1	0.3
2.9	19.9			J	9221.5	2.8	2.1	0.3
2.4	18.9		Min	I	4922.7	-3.0	-0.8	-0.5
1.8	-17.0			J	4922.7	-3.0	1.5	-0.5
1.6	-16.0							
			INVSLV Max	I	3820.1	4.5	-0.6	0.5
1.2	6.6			J	3820.1	4.5	1.1	0.5
1.0	9.0		Min	I	3238.2	-4.8	-0.6	-0.6
1.1	-5.5			J	3238.2	-4.8	1.1	-0.6
0.9	-7.8							
1295	2	69	Q1-1-2 Max	I	1843.4	2.0	1.3	0.1
0.6	6.1			J	1843.4	2.0	1.3	0.1
0.0	5.2		Min	I	-32.9	-2.5	-0.0	-0.1
-0.0	-3.7			J	-32.9	-2.5	-0.0	-0.1
-0.4	-2.4							
			Q2a-1-2 Max	I	1112.1	1.2	0.8	0.1
0.4	3.9			J	1112.1	1.2	0.8	0.1
0.0	3.3		Min	I	-24.5	-1.5	-0.0	-0.1
-0.0	-2.4			J	-24.5	-1.5	-0.0	-0.1
-0.2	-1.6							
			SLVx (RS)	I	-131.6	0.0	-0.1	0.0
-0.0	-0.2			J	-131.6	0.0	-0.1	0.0
0.0	-0.2							
			SLVy (RS)	I	49.8	-1.4	0.0	-0.1
0.0	-5.6			J	49.8	-1.4	0.0	-0.1
-0.0	-4.5							
			SLDx (RS)	I	-65.8	0.0	-0.1	0.0
-0.0	-0.1			J	-65.8	0.0	-0.1	0.0
0.0	-0.1							
			SLDy (RS)	I	24.9	-0.7	0.0	-0.1
0.0	-2.8			J	24.9	-0.7	0.0	-0.1
-0.0	-2.3							
			SLVz (RS)	I	-57.4	0.0	-0.0	0.0
-0.0	-0.1			J	-57.4	0.0	-0.0	0.0
0.0	-0.1							
			g1	I	1308.2	-0.3	-0.0	-0.0

PROJECT TITLE :


MIDAS		Company			Client			
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.3	1.3		J	1308.2	-0.3	1.8	-0.0	
-0.4	1.5							
		g2	I	637.4	-0.1	0.4	0.0	
0.2	0.6		J	637.4	-0.1	0.4	0.0	
-0.1	0.7							
		q3	I	29.9	-0.0	0.0	-0.0	
0.0	0.0		J	29.9	-0.0	0.0	-0.0	
-0.0	0.0							
		q5_pc	I	57.3	-0.5	0.0	-0.0	
0.0	-1.9		J	57.3	-0.5	0.0	-0.0	
-0.0	-1.5							
		q5_ps	I	48.0	-0.4	0.0	-0.0	
0.0	-1.7		J	48.0	-0.4	0.0	-0.0	
-0.0	-1.4							
		INVSLU Max	I	5664.4	2.5	2.2	0.2	
1.7	12.8		J	5664.4	2.5	4.7	0.2	
-0.3	11.8							
		Min	I	3018.9	-4.4	0.4	-0.2	
0.9	-3.7		J	3018.9	-4.4	2.9	-0.2	
-0.9	-1.3							
		INVSLV Max	I	2294.2	1.0	0.4	0.1	
0.6	7.7		J	2294.3	1.0	2.2	0.1	
-0.3	7.0							
		Min	I	1966.7	-1.8	0.2	-0.1	
0.5	-3.6		J	1966.8	-1.8	2.0	-0.1	
-0.4	-2.3							
1296	2	70	Q1-1-2 Max	I	1610.8	1.9	1.1	0.1
0.3	5.2		J	1610.8	1.9	1.1	0.1	
0.0	5.2							
		Min	I	-31.1	-2.6	-0.0	-0.1	
-0.0	-2.4		J	-31.1	-2.6	-0.0	-0.1	
-0.1	-2.2							
		Q2a-1-2 Max	I	973.8	1.2	0.7	0.0	
0.2	3.3		J	973.8	1.2	0.7	0.0	
0.0	3.3							
		Min	I	-23.1	-1.6	-0.0	-0.0	
-0.0	-1.6		J	-23.1	-1.6	-0.0	-0.0	
-0.1	-1.4							
		SLVx (RS)	I	-113.6	0.0	-0.1	0.0	
-0.0	-0.2		J	-113.6	0.0	-0.1	0.0	
0.0	-0.2							
		SLVy (RS)	I	51.3	-2.7	0.0	-0.0	




PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	-4.5		J	51.3	-2.7	0.0	-0.0
-0.0	-3.6						
		SLDx (RS)	I	-56.8	0.0	-0.0	0.0
-0.0	-0.1		J	-56.8	0.0	-0.0	0.0
0.0	-0.1						
		SLDy (RS)	I	25.6	-1.4	0.0	-0.0
0.0	-2.3		J	25.6	-1.4	0.0	-0.0
-0.0	-1.8						
		SLVz (RS)	I	-49.5	0.0	-0.0	-0.0
-0.0	-0.1		J	-49.5	0.0	-0.0	-0.0
0.0	-0.1						
		g1	I	1140.1	-0.3	0.5	-0.0
0.2	1.5		J	1140.1	-0.3	1.1	-0.0
-0.1	1.6						
		g2	I	556.1	-0.1	0.4	-0.0
0.1	0.7		J	556.1	-0.1	0.4	-0.0
-0.0	0.8						
		q3	I	25.6	-0.0	0.0	-0.0
0.0	0.0		J	25.6	-0.0	0.0	-0.0
-0.0	0.0						
		q5_pc	I	53.0	-0.5	0.0	-0.0
0.0	-1.5		J	53.0	-0.5	0.0	-0.0
-0.0	-1.4						
		q5_ps	I	44.8	-0.5	0.0	-0.0
0.0	-1.4		J	44.8	-0.5	0.0	-0.0
-0.0	-1.2						
		INVSLU Max	I	4979.0	2.4	2.5	0.1
0.8	11.8		J	4979.0	2.4	3.3	0.1
-0.1	11.8	Min	I	2657.9	-4.5	1.0	-0.1
0.4	-1.3		J	2657.9	-4.5	1.7	-0.1
-0.3	-0.6						
		INVSLV Max	I	2014.4	2.4	0.9	0.0
0.3	7.0		J	2014.4	2.4	1.4	0.0
-0.1	6.2	Min	I	1726.7	-3.1	0.6	-0.0
0.3	-2.3		J	1726.7	-3.1	1.2	-0.0
-0.1	-1.1						
1309	2	70	Q1-1-2 Max	I	103.5	1.0	9.1
2.6	0.5			J	103.5	1.0	9.1
0.0	0.1						


PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-0.0	-0.3	Min	I	-20.5	-0.5	-0.2	-0.0
			J	-20.5	-0.5	-0.2	-0.0
-2.0	-0.1						
		Q2a-1-2 Max	I	62.5	0.7	5.3	0.3
1.5	0.3		J	62.5	0.7	5.3	0.3
0.0	0.0						
		Min	I	-11.6	-0.3	-0.1	-0.0
-0.0	-0.2		J	-11.6	-0.3	-0.1	-0.0
-1.1	-0.1						
		SLVx (RS)	I	4.1	-0.1	-0.5	0.0
-0.1	-0.0		J	4.1	-0.1	-0.5	0.0
0.1	0.0						
		SLVy (RS)	I	23.6	-2.6	0.3	0.2
0.1	-1.3		J	23.6	-2.6	0.3	0.2
-0.1	0.1						
		SLDx (RS)	I	2.1	-0.0	-0.2	0.0
-0.1	-0.0		J	2.1	-0.0	-0.2	0.0
0.1	0.0						
		SLDy (RS)	I	11.8	-1.3	0.1	0.1
0.0	-0.6		J	11.8	-1.3	0.1	0.1
-0.0	0.0						
		SLVz (RS)	I	-1.6	-0.0	-0.2	-0.0
-0.1	-0.0		J	-1.6	-0.0	-0.2	-0.0
0.0	-0.0						
		g1	I	45.9	0.3	5.4	0.2
1.6	0.2		J	45.9	0.3	6.2	0.2
-1.3	-0.0						
		g2	I	23.0	0.2	2.8	0.1
0.8	0.1		J	23.0	0.2	2.8	0.1
-0.6	0.0						
		q3	I	0.8	0.0	0.1	0.0
0.0	0.0		J	0.8	0.0	0.1	0.0
-0.0	-0.0						
		q5_pc	I	8.4	-0.2	0.7	0.0
0.2	-0.1		J	8.4	-0.2	0.7	0.0
-0.2	-0.0						
		q5_ps	I	8.5	-0.1	0.6	0.0
0.2	-0.1		J	8.5	-0.1	0.6	0.0
-0.1	-0.0						
		INVSLU Max	I	291.5	2.0	23.0	1.0
6.7	1.3						

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-2.1	0.3		J	291.5	2.0	24.0	1.0
		Min	I	109.1	-0.3	9.0	0.3
2.7	-0.1		J	109.1	-0.3	10.1	0.3
-5.1	0.0						
		INVSLV Max	I	102.4	3.1	8.1	0.5
2.4	1.5		J	102.4	3.1	8.9	0.5
-1.6	0.1	Min	I	51.7	-2.2	6.9	0.1
2.0	-1.0		J	51.7	-2.2	7.6	0.1
-1.9	-0.0						
1310	2	70	Q1-1-2 Max	I	11.1	0.0	0.0
0.1	0.0		J	11.1	0.0	0.3	0.0
4.6	0.0		Min	I	-45.5	-0.1	-17.7
-3.4	-0.1		J	-45.5	-0.1	-17.7	-0.1
-0.1	-0.0						
		Q2a-1-2 Max	I	6.1	0.0	0.1	0.0
0.0	0.0		J	6.1	0.0	0.1	0.0
2.7	0.0	Min	I	-25.7	-0.1	-10.4	-0.0
-2.0	-0.0		J	-25.7	-0.1	-10.4	-0.0
-0.0	-0.0						
		SLVx (RS)	I	1.9	0.0	0.9	0.0
0.2	0.0		J	1.9	0.0	0.9	0.0
-0.2	0.0						
		SLVy (RS)	I	5.1	0.2	-0.7	-0.0
-0.1	0.1		J	5.1	0.2	-0.7	-0.0
0.2	0.0						
		SLDx (RS)	I	1.0	0.0	0.5	0.0
0.1	0.0		J	1.0	0.0	0.5	0.0
-0.1	0.0						
		SLDy (RS)	I	2.6	0.1	-0.4	-0.0
-0.1	0.0		J	2.6	0.1	-0.4	-0.0
0.1	0.0						
		SLVz (RS)	I	0.9	0.0	0.4	0.0
0.1	0.0		J	0.9	0.0	0.4	0.0
-0.1	0.0						
		g1	I	-22.4	-0.1	-11.2	-0.0
-2.1	-0.0		J	-22.3	-0.1	-10.5	-0.0
2.8	-0.0						
		g2	I	-11.0	-0.0	-5.3	-0.0
-1.0	-0.0						

PROJECT TITLE :


		Company			Client			
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
1.4	-0.0		J	-11.0	-0.0	-5.3	-0.0	
-0.0	-0.0	q3	I	-0.4	-0.0	-0.2	-0.0	
0.1	-0.0		J	-0.4	-0.0	-0.2	-0.0	
-0.3	-0.0	q5_pc	I	-1.3	-0.0	-1.5	-0.0	
0.4	-0.0		J	-1.3	-0.0	-1.5	-0.0	
-0.2	-0.0	q5_ps	I	-0.6	-0.0	-1.2	-0.0	
0.3	0.0		J	-0.6	-0.0	-1.2	-0.0	
-3.5	-0.1	INVSLU Max	I	-14.3	-0.1	-18.4	-0.1	
11.6	0.0		J	-14.3	-0.1	-17.5	-0.1	
-8.8	-0.2	Min	I	-93.0	-0.3	-45.7	-0.2	
4.5	-0.0		J	-93.0	-0.3	-44.7	-0.2	
-2.7	0.0	INVSLV Max	I	-23.3	0.1	-14.1	-0.0	
4.1	-0.0		J	-23.2	0.1	-13.4	-0.0	
-3.2	-0.2	Min	I	-35.2	-0.3	-16.6	-0.1	
3.5	-0.0		J	-35.2	-0.3	-15.9	-0.1	
3100	2	6	Q1-1-2 Max	I	111.7	67.1	11.7	0.1
9.8	24.9			J	111.7	67.1	11.7	0.1
14.9	3.8		Min	I	-226.0	-32.3	-116.4	-0.1
-51.1	-13.5			J	-226.0	-32.3	-116.4	-0.1
-5.2	-11.2							
5.5	16.6		Q2a-1-2 Max	I	62.2	44.3	6.4	0.1
9.7	2.7			J	62.2	44.3	6.4	0.1
-34.6	-9.8		Min	I	-139.6	-23.2	-79.7	-0.1
-2.8	-7.3			J	-139.6	-23.2	-79.7	-0.1
-0.4	0.5		SLVx (RS)	I	-3.5	1.5	-0.6	0.0
-0.1	-0.3			J	-3.5	1.5	-0.6	0.0
3.8	-0.8		SLVy (RS)	I	33.8	-2.0	5.1	-0.0
1.0	0.3			J	33.8	-2.0	5.1	-0.0
-0.2	0.3		SLDx (RS)	I	-1.8	0.8	-0.3	0.0

MIDAS

PROJECT TITLE :

		Company	Client					
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt				
-0.0	-0.2		J	-1.8	0.8	-0.3	0.0	
1.9	-0.4	SLDy (RS)	I	16.9	-1.0	2.5	-0.0	
0.5	0.1		J	16.9	-1.0	2.5	-0.0	
0.1	-0.2	SLVz (RS)	I	1.2	-0.6	0.2	-0.0	
0.0	0.1		J	1.2	-0.6	0.2	-0.0	
-3.5	5.0	g1	I	-31.8	14.8	-6.1	0.0	
-0.4	-3.0		J	-31.8	14.8	-5.5	0.0	
-2.3	0.9	g2	I	-37.1	3.3	-0.1	0.0	
-2.2	-0.8		J	-37.1	3.3	-0.1	0.0	
-0.2	0.3	q3	I	-2.0	0.9	-0.3	0.0	
-0.0	-0.2		J	-2.0	0.9	-0.3	0.0	
5.5	-0.0	q5_pc	I	57.6	-0.3	5.7	0.0	
2.4	0.1		J	57.6	-0.3	5.7	0.0	
4.5	-0.4	q5_ps	I	44.1	-1.1	5.4	-0.0	
1.6	0.2		J	44.1	-1.1	5.4	-0.0	
31.4	18.8	INVSLU Max	I	-18.0	47.6	15.9	0.1	
38.1	13.7		J	-18.0	47.6	16.7	0.1	
-60.7	-33.1	Min	I	-577.4	-87.1	-167.4	-0.1	
6.6	-6.8		J	-577.4	-87.1	-166.6	-0.1	
-5.1	3.6	INVSLV Max	I	37.2	8.7	-1.3	0.0	
-4.6	-0.3		J	37.2	8.7	-0.7	0.0	
-13.0	1.5	Min	I	-33.3	3.4	-11.9	0.0	
-6.8	-1.1		J	-33.3	3.4	-11.3	0.0	
3101	2	6	Q1-1-2 Max	I	113.3	31.5	12.0	0.1
10.0	12.7		J	113.3	31.5	12.0	0.1	
14.9	10.7		Min	I	-225.0	-66.5	-115.7	-0.1
-50.8	-25.1		J	-225.0	-66.5	-115.7	-0.1	
-5.2	-4.2		Q2a-1-2 Max	I	63.1	22.6	6.6	0.1

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
5.6	9.1		J	63.1	22.6	6.6	0.1
9.7	7.0						
		Min	I	-139.3	-44.0	-79.5	-0.1
-34.4	-16.7		J	-139.3	-44.0	-79.5	-0.1
-2.8	-3.0						
		SLVx (RS)	I	2.5	1.3	0.4	0.0
0.2	0.4		J	2.5	1.3	0.4	0.0
0.0	-0.2						
		SLVy (RS)	I	33.4	2.1	5.0	0.0
3.7	0.9		J	33.4	2.1	5.0	0.0
1.0	-0.2						
		SLDx (RS)	I	1.2	0.6	0.2	0.0
0.1	0.2		J	1.2	0.6	0.2	0.0
0.0	-0.1						
		SLDy (RS)	I	16.7	1.0	2.5	0.0
1.9	0.4		J	16.7	1.0	2.5	0.0
0.5	-0.1						
		SLVz (RS)	I	1.2	0.6	0.2	0.0
0.1	0.2		J	1.2	0.6	0.2	0.0
0.0	-0.1						
		g1	I	-29.5	-13.8	-5.3	-0.0
-3.1	-4.7		J	-29.5	-13.8	-4.7	-0.0
-0.4	2.7						
		g2	I	-35.9	-2.8	0.2	-0.0
-2.1	-0.9		J	-35.9	-2.8	0.2	-0.0
-2.2	0.7						
		q3	I	-0.6	-0.3	-0.1	-0.0
-0.1	-0.1		J	-0.6	-0.3	-0.1	-0.0
-0.0	0.1						
		q5_pc	I	57.2	0.2	5.6	-0.0
5.4	0.1		J	57.2	0.2	5.6	-0.0
2.4	0.0						
		q5_ps	I	43.7	1.1	5.3	-0.0
4.5	0.4		J	43.7	1.1	5.3	-0.0
1.6	-0.1						
		INVSLU Max	I	-17.5	85.9	14.9	0.1
31.7	32.4		J	-17.5	85.9	15.7	0.1
38.9	6.4						
		Min	I	-577.2	-46.8	-167.7	-0.1
-60.1	-18.8		J	-577.2	-46.8	-166.9	-0.1
7.4	-13.8						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


-4.7	-1.5		INVS LV Max	I	36.1	-3.1	-1.1	-0.0
				J	36.1	-3.1	-0.5	-0.0
-4.2	0.9		Min	I	-32.9	-8.3	-11.5	-0.0
-12.3	-3.6			J	-32.9	-8.3	-10.9	-0.0
-6.3	0.2							
3102	2	6	Q1-1-2 Max	I	175.7	45.9	14.7	0.1
8.1	12.8			J	175.7	45.9	14.7	0.1
44.0	9.1		Min	I	-116.0	-36.1	-135.3	-0.1
-31.2	-10.5			J	-116.0	-36.1	-135.3	-0.1
-3.2	-12.2							
			Q2a-1-2 Max	I	109.7	31.7	8.2	0.1
4.5	8.8			J	109.7	31.7	8.2	0.1
31.1	6.6		Min	I	-64.1	-26.3	-95.2	-0.1
-21.0	-7.6			J	-64.1	-26.3	-95.2	-0.1
-1.7	-8.4							
			SLVx (RS)	I	-2.6	-0.3	-0.2	-0.0
-0.2	-0.1			J	-2.6	-0.3	-0.2	-0.0
-0.1	0.1							
			SLVy (RS)	I	22.8	-1.3	4.7	-0.0
2.7	-0.4			J	22.8	-1.3	4.7	-0.0
0.2	0.3							
			SLDx (RS)	I	-1.3	-0.2	-0.1	-0.0
-0.1	-0.0			J	-1.3	-0.2	-0.1	-0.0
-0.1	0.1							
			SLDy (RS)	I	11.4	-0.7	2.3	-0.0
1.4	-0.2			J	11.4	-0.7	2.3	-0.0
0.1	0.1							
			SLVz (RS)	I	0.8	-0.2	0.1	-0.0
0.1	-0.0			J	0.8	-0.2	0.1	-0.0
0.1	0.1							
			g1	I	-22.4	3.6	-2.2	0.0
-2.3	0.6			J	-22.4	3.6	-1.5	0.0
-1.4	-1.4							
			g2	I	-33.6	0.1	-1.4	0.0
-3.0	-0.2			J	-33.6	0.1	-1.4	0.0
-2.2	-0.3							
			q3	I	-1.5	0.1	-0.1	-0.0
-0.1	-0.0			J	-1.5	0.1	-0.1	-0.0

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-0.1	-0.1						
4.6	0.1	q5_pc	I	43.0	0.0	6.7	0.0
1.1	0.0		J	43.0	0.0	6.7	0.0
3.6	-0.1	q5_ps	I	31.4	-0.4	5.7	0.0
0.5	0.1		J	31.4	-0.4	5.7	0.0
33.9	16.2	INVSLU Max	I	49.3	52.0	21.3	0.2
81.3	16.5		J	49.3	52.0	22.1	0.2
-27.5	-15.4	Min	I	-422.0	-58.8	-193.4	-0.2
15.8	-12.3		J	-422.0	-58.8	-192.5	-0.2
-4.4	1.4	INVSLV Max	I	35.0	3.6	-0.6	0.0
-4.3	0.1		J	35.0	3.6	0.0	0.0
-10.0	0.5	Min	I	-12.7	0.6	-10.1	0.0
-4.8	-0.6		J	-12.7	0.6	-9.5	0.0
3103	2	6 Q1-1-2 Max	I	405.8	31.5	15.4	0.1
10.5	6.2		J	405.8	31.5	15.4	0.1
59.3	11.6	Min	I	-76.4	-30.8	-107.1	-0.1
-9.7	-5.2		J	-76.4	-30.8	-107.1	-0.1
-3.4	-11.2						
6.4	4.3	Q2a-1-2 Max	I	285.0	21.9	8.6	0.1
42.6	8.6		J	285.0	21.9	8.6	0.1
-5.4	-3.8	Min	I	-41.6	-22.6	-75.4	-0.1
-1.8	-7.9		J	-41.6	-22.6	-75.4	-0.1
-0.3	-0.0	SLVx (RS)	I	-2.0	-0.1	0.1	-0.0
-0.2	0.1		J	-2.0	-0.1	0.1	-0.0
2.0	-0.2	SLVy (RS)	I	11.7	-0.7	4.5	-0.0
-0.5	0.2		J	11.7	-0.7	4.5	-0.0
-0.1	-0.0	SLDx (RS)	I	-1.0	-0.1	0.1	-0.0
-0.1	0.0		J	-1.0	-0.1	0.1	-0.0
1.0	-0.1	SLDy (RS)	I	5.8	-0.3	2.2	-0.0
			J	5.8	-0.3	2.2	-0.0




PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
-0.2	0.1							
			SLVz (RS)	I	0.6	-0.1	0.1	-0.0
0.1	0.0			J	0.6	-0.1	0.1	-0.0
0.1	0.0							
			g1	I	-17.0	1.4	-1.3	0.0
-2.6	-0.3			J	-17.0	1.4	-0.7	0.0
-2.1	-1.0							
			g2	I	-29.0	0.4	-1.5	0.0
-3.1	-0.2			J	-29.0	0.4	-1.5	0.0
-2.3	-0.4							
			q3	I	-1.2	0.0	-0.0	-0.0
-0.1	-0.0			J	-1.2	0.0	-0.0	-0.0
-0.1	-0.0							
			q5_pc	I	26.3	-0.0	7.0	0.0
3.7	0.0			J	26.3	-0.0	7.0	0.0
-0.1	0.0							
			q5_ps	I	17.6	-0.2	5.7	0.0
2.7	-0.0			J	17.6	-0.2	5.7	0.0
-0.3	0.1							
			INVSLU Max	I	341.1	38.1	22.3	0.1
41.1	9.5			J	341.1	38.1	23.1	0.1
106.1	19.2		Min	I	-357.3	-46.0	-155.7	-0.2
7.1	-5.9			J	-357.3	-46.0	-154.9	-0.2
21.2	-11.6							
			INVSLV Max	I	31.3	1.9	0.8	0.0
-3.8	0.7			J	31.3	1.9	1.5	0.0
-3.5	0.1		Min	I	6.3	0.5	-8.2	0.0
-7.9	0.3			J	6.3	0.5	-7.6	0.0
-4.6	-0.3							
3104	2	6	Q1-1-2 Max	I	541.6	23.1	22.8	0.1
39.2	8.7			J	541.6	23.1	22.8	0.1
53.5	7.8		Min	I	-37.8	-23.2	-48.9	-0.1
-7.8	-6.6			J	-37.8	-23.2	-48.9	-0.1
-5.6	-7.7							
			Q2a-1-2 Max	I	386.2	16.3	15.6	0.0
27.7	6.5			J	386.2	16.3	15.6	0.0
38.4	5.7		Min	I	-19.7	-17.1	-34.4	-0.1
-4.3	-4.6			J	-19.7	-17.1	-34.4	-0.1

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-3.1	-5.3						
		SLVx (RS)	I	-1.7	-0.0	0.1	-0.0
-0.3	-0.1		J	-1.7	-0.0	0.1	-0.0
-0.3	0.1						
		SLVy (RS)	I	1.2	-0.5	4.4	-0.0
1.3	-0.1		J	1.2	-0.5	4.4	-0.0
-1.1	0.1						
		SLDx (RS)	I	-0.8	-0.0	0.0	-0.0
-0.1	-0.0		J	-0.8	-0.0	0.0	-0.0
-0.1	0.0						
		SLDy (RS)	I	0.6	-0.2	2.2	-0.0
0.7	-0.1		J	0.6	-0.2	2.2	-0.0
-0.5	0.1						
		SLVz (RS)	I	0.5	-0.0	-0.0	-0.0
0.1	0.0		J	0.5	-0.0	-0.0	-0.0
0.1	0.0						
		g1	I	-14.1	0.4	-0.6	0.0
-2.7	-0.6		J	-14.1	0.4	-0.0	0.0
-2.5	-0.8						
		g2	I	-26.0	0.2	-0.6	0.0
-2.8	-0.3		J	-26.0	0.2	-0.6	0.0
-2.5	-0.4						
		q3	I	-1.0	-0.0	-0.0	-0.0
-0.2	-0.0		J	-1.0	-0.0	-0.0	-0.0
-0.1	-0.0						
		q5_pc	I	8.9	-0.1	7.2	0.0
2.7	-0.0		J	8.9	-0.1	7.2	0.0
-1.2	0.0						
		q5_ps	I	3.7	-0.1	5.7	0.0
1.9	-0.0		J	3.7	-0.1	5.7	0.0
-1.2	0.0						
		INVSLU Max	I	508.7	30.5	35.3	0.1
82.1	14.1		J	508.7	30.5	36.1	0.1
100.9	13.2	Min	I	-289.5	-32.2	-74.4	-0.1
13.8	-6.7		J	-289.5	-32.2	-73.6	-0.1
19.0	-7.8						
		INVSLV Max	I	25.3	0.9	3.0	0.0
-3.3	0.4		J	25.3	0.9	3.6	0.0
-2.9	0.2	Min	I	20.9	-0.1	-5.9	-0.0

PROJECT TITLE :

		Company		Client		File Name		
		Author				PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
-6.2	0.1			J	20.9	-0.1	-5.3	-0.0
-5.3	-0.1							
3105	2	6	Q1-1-2 Max	I	541.6	23.2	48.9	0.1
53.5	7.8			J	541.6	23.2	48.9	0.1
39.2	8.7		Min	I	-37.9	-23.1	-22.8	-0.1
-5.6	-7.7			J	-37.9	-23.1	-22.8	-0.1
-7.8	-6.6							
			Q2a-1-2 Max	I	386.2	17.1	34.4	0.1
38.4	5.7			J	386.2	17.1	34.4	0.1
27.7	6.5		Min	I	-19.8	-16.3	-15.6	-0.0
-3.1	-5.3			J	-19.8	-16.3	-15.6	-0.0
-4.3	-4.6							
			SLVx (RS)	I	-1.6	0.0	0.1	0.0
-0.3	0.1			J	-1.6	0.0	0.1	0.0
-0.3	-0.1							
			SLVy (RS)	I	-10.4	-0.5	4.4	-0.0
0.7	-0.1			J	-10.4	-0.5	4.4	-0.0
-1.7	0.1							
			SLDx (RS)	I	-0.8	0.0	0.0	0.0
-0.1	0.0			J	-0.8	0.0	0.0	0.0
-0.1	-0.0							
			SLDy (RS)	I	-5.2	-0.3	2.2	-0.0
0.4	-0.1			J	-5.2	-0.3	2.2	-0.0
-0.8	0.1							
			SLVz (RS)	I	0.5	0.0	-0.0	0.0
0.1	0.0			J	0.5	0.0	-0.0	0.0
0.1	0.0							
			g1	I	-14.1	-0.4	0.0	-0.0
-2.5	-0.8			J	-14.1	-0.4	0.6	-0.0
-2.7	-0.6							
			g2	I	-26.0	-0.2	0.6	-0.0
-2.5	-0.4			J	-26.0	-0.2	0.6	-0.0
-2.8	-0.3							
			q3	I	-1.0	0.0	0.0	0.0
-0.1	-0.0			J	-1.0	0.0	0.0	0.0
-0.2	-0.0							
			q5_pc	I	-8.8	-0.2	7.3	0.0
1.7	-0.1			J	-8.8	-0.2	7.3	0.0
-2.2	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

1.1	-0.0	q5_ps	I	-10.3	-0.1	5.7	0.0
-2.0	0.0		J	-10.3	-0.1	5.7	0.0
101.4	13.2	INVSLU Max	I	508.6	32.2	73.7	0.1
81.6	14.1		J	508.6	32.2	74.5	0.1
18.5	-7.8	Min	I	-289.5	-30.6	-36.2	-0.1
14.3	-6.7		J	-289.5	-30.6	-35.4	-0.1
-3.3	0.2	INVSLV Max	I	34.2	0.1	5.3	0.0
-3.0	0.4		J	34.2	0.1	5.9	0.0
-4.9	-0.1	Min	I	12.1	-0.9	-3.6	-0.0
-6.5	0.1		J	12.1	-0.9	-2.9	-0.0
3106	2	6 Q1-1-2 Max	I	405.8	30.8	107.1	0.1
59.3	11.6		J	405.8	30.8	107.1	0.1
10.5	6.2	Min	I	-76.5	-31.5	-15.4	-0.1
-3.4	-11.2		J	-76.5	-31.5	-15.4	-0.1
-9.7	-5.2						
42.6	8.6	Q2a-1-2 Max	I	285.0	22.6	75.4	0.1
6.4	4.3		J	285.0	22.6	75.4	0.1
-1.8	-7.9	Min	I	-41.6	-21.9	-8.6	-0.1
-5.4	-3.8		J	-41.6	-21.9	-8.6	-0.1
-0.2	0.1	SLVx (RS)	I	-1.8	0.1	0.1	0.0
-0.2	-0.0		J	-1.8	0.1	0.1	0.0
0.1	-0.2	SLVy (RS)	I	-21.5	-0.7	4.5	-0.0
-2.3	0.2		J	-21.5	-0.7	4.5	-0.0
-0.1	0.0	SLDx (RS)	I	-0.9	0.1	0.0	0.0
-0.1	-0.0		J	-0.9	0.1	0.0	0.0
0.1	-0.1	SLDy (RS)	I	-10.7	-0.4	2.3	-0.0
-1.2	0.1		J	-10.7	-0.4	2.3	-0.0
0.1	0.0	SLVz (RS)	I	0.6	0.1	-0.1	0.0
0.1	0.0		J	0.6	0.1	-0.1	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


-2.1	-1.0		g1	I	-17.0	-1.4	0.7	-0.0
				J	-17.0	-1.4	1.3	-0.0
-2.6	-0.3							
			g2	I	-29.0	-0.4	1.5	-0.0
-2.3	-0.4			J	-29.0	-0.4	1.5	-0.0
-3.1	-0.2							
			q3	I	-1.2	-0.0	0.0	0.0
-0.1	-0.0			J	-1.2	-0.0	0.0	0.0
-0.1	-0.0							
			q5_pc	I	-26.8	-0.4	7.4	0.0
0.7	-0.1			J	-26.8	-0.4	7.4	0.0
-3.3	0.1							
			q5_ps	I	-24.4	-0.3	5.8	0.0
0.3	-0.1			J	-24.4	-0.3	5.8	0.0
-2.8	0.0							
			INVSLU Max	I	341.5	46.3	155.3	0.2
106.6	19.3			J	341.5	46.3	156.1	0.2
40.7	9.6		Min	I	-357.9	-38.5	-23.4	-0.1
20.7	-11.8			J	-357.9	-38.5	-22.6	-0.1
7.4	-6.0							
			INVSLV Max	I	41.0	-0.4	7.7	-0.0
-3.7	0.1			J	41.0	-0.4	8.3	-0.0
-3.4	0.8		Min	I	-3.4	-2.0	-1.5	-0.0
-4.3	-0.3			J	-3.4	-2.0	-0.9	-0.0
-8.3	0.3							
3107	2	6	Q1-1-2 Max	I	175.8	36.1	135.3	0.1
44.0	9.1			J	175.8	36.1	135.3	0.1
8.1	12.8		Min	I	-116.1	-45.9	-14.7	-0.1
-3.2	-12.2			J	-116.1	-45.9	-14.7	-0.1
-31.2	-10.5							
			Q2a-1-2 Max	I	109.7	26.3	95.2	0.1
31.1	6.6			J	109.7	26.3	95.2	0.1
4.5	8.8		Min	I	-64.2	-31.7	-8.2	-0.1
-1.7	-8.4			J	-64.2	-31.7	-8.2	-0.1
-21.0	-7.6							
			SLVx (RS)	I	-2.2	0.3	0.1	0.0
-0.1	-0.1			J	-2.2	0.3	0.1	0.0
-0.2	-0.1							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


-0.5	-0.3	SLVy (RS)	I	-32.8	-1.4	4.7	-0.0
			J	-32.8	-1.4	4.7	-0.0
-3.1	0.5						
		SLDx (RS)	I	-1.1	0.2	0.1	0.0
-0.1	-0.1		J	-1.1	0.2	0.1	0.0
-0.1	-0.0						
		SLDy (RS)	I	-16.4	-0.7	2.4	-0.0
-0.3	-0.1		J	-16.4	-0.7	2.4	-0.0
-1.5	0.2						
		SLVz (RS)	I	0.8	0.1	-0.1	0.0
0.1	0.1		J	0.8	0.1	-0.1	0.0
0.1	-0.0						
		g1	I	-22.4	-3.6	1.5	-0.0
-1.4	-1.4		J	-22.4	-3.6	2.2	-0.0
-2.3	0.6						
		g2	I	-33.6	-0.1	1.4	-0.0
-2.2	-0.3		J	-33.6	-0.1	1.4	-0.0
-3.0	-0.2						
		q3	I	-1.5	-0.1	0.1	0.0
-0.1	-0.1		J	-1.5	-0.1	0.1	0.0
-0.1	-0.0						
		q5_pc	I	-44.9	-0.9	7.5	-0.0
-0.4	-0.2		J	-44.9	-0.9	7.5	-0.0
-4.5	0.2						
		q5_ps	I	-38.5	-0.6	5.8	0.0
-0.6	-0.2		J	-38.5	-0.6	5.8	0.0
-3.7	0.2						
		INVSLU Max	I	51.0	59.5	193.3	0.2
80.8	16.7		J	51.0	59.5	194.1	0.2
33.7	16.4						
		Min	I	-423.8	-52.8	-22.8	-0.2
16.3	-12.5		J	-423.8	-52.8	-22.0	-0.2
-27.4	-15.5						
		INVSLV Max	I	44.9	-0.6	9.5	-0.0
-4.0	0.1		J	44.9	-0.6	10.2	-0.0
-4.1	1.4						
		Min	I	-22.6	-3.7	-0.1	-0.0
-5.1	-0.6		J	-22.6	-3.7	0.6	-0.0
-10.4	0.4						
3108	2	6	Q1-1-2 Max	I	111.8	32.3	116.4
14.9	3.8						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
9.8	24.9		J	111.8	32.3	116.4	0.1
		Min	I	-226.1	-67.1	-11.7	-0.1
-5.2	-11.2		J	-226.1	-67.1	-11.7	-0.1
-51.1	-13.5						
		Q2a-1-2 Max	I	62.3	23.2	79.7	0.1
9.7	2.7		J	62.3	23.2	79.7	0.1
5.5	16.6						
		Min	I	-139.6	-44.3	-6.4	-0.1
-2.8	-7.3		J	-139.6	-44.3	-6.4	-0.1
-34.6	-9.8						
		SLVx (RS)	I	-3.0	-1.5	0.5	-0.0
-0.0	-0.3		J	-3.0	-1.5	0.5	-0.0
-0.3	0.5						
		SLVy (RS)	I	-43.6	-1.9	4.5	-0.0
-1.5	-0.2		J	-43.6	-1.9	4.5	-0.0
-3.9	0.8						
		SLDx (RS)	I	-1.5	-0.8	0.3	-0.0
-0.0	-0.2		J	-1.5	-0.8	0.3	-0.0
-0.2	0.2						
		SLDy (RS)	I	-21.8	-0.9	2.3	-0.0
-0.7	-0.1		J	-21.8	-0.9	2.3	-0.0
-1.9	0.4						
		SLVz (RS)	I	1.1	0.6	-0.2	0.0
0.0	0.1		J	1.1	0.6	-0.2	0.0
0.1	-0.2						
		g1	I	-31.9	-14.8	5.5	-0.0
-0.4	-3.0		J	-31.9	-14.8	6.1	-0.0
-3.6	5.0						
		g2	I	-37.1	-3.3	0.1	-0.0
-2.2	-0.8		J	-37.1	-3.3	0.1	-0.0
-2.3	0.9						
		q3	I	-2.0	-0.9	0.3	-0.0
-0.0	-0.2		J	-2.0	-0.9	0.3	-0.0
-0.2	0.3						
		q5_pc	I	-61.6	-1.8	7.0	-0.0
-1.9	-0.3		J	-61.6	-1.8	7.0	-0.0
-5.7	0.6						
		q5_ps	I	-51.5	-1.2	5.4	-0.0
-1.7	-0.2		J	-51.5	-1.2	5.4	-0.0
-4.6	0.4						


MIDAS

PROJECT TITLE :


		Company				Client		
		Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
37.6	13.9		INVSLU Max	I	-14.2	88.4	167.8	0.1
				J	-14.2	88.4	168.6	0.1
31.5	19.4		Min	I	-581.1	-49.0	-17.9	-0.1
6.9	-7.0			J	-581.1	-49.0	-17.0	-0.1
-61.0	-33.6							
			INVSLV Max	I	46.8	-3.5	10.7	-0.0
-4.2	-0.3			J	46.8	-3.5	11.3	-0.0
-5.1	3.5		Min	I	-42.9	-8.5	1.3	-0.0
-7.2	-1.1			J	-42.9	-8.5	1.9	-0.0
-13.1	1.6							
3116	2	6	Q1-1-2 Max	I	177.5	35.6	14.7	0.1
8.2	10.3			J	177.5	35.6	14.7	0.1
44.0	12.3		Min	I	-114.4	-46.1	-135.0	-0.1
-31.1	-12.7			J	-114.4	-46.1	-135.0	-0.1
-3.2	-8.9							
			Q2a-1-2 Max	I	110.8	25.9	8.2	0.1
4.6	7.5			J	110.8	25.9	8.2	0.1
31.1	8.5		Min	I	-63.2	-31.9	-95.1	-0.1
-20.9	-8.7			J	-63.2	-31.9	-95.1	-0.1
-1.6	-6.5							
			SLVx (RS)	I	1.8	0.3	0.1	0.0
0.2	0.1			J	1.8	0.3	0.1	0.0
0.1	-0.1							
			SLVy (RS)	I	22.6	1.3	4.6	0.0
2.7	0.4			J	22.6	1.3	4.6	0.0
0.2	-0.2							
			SLDx (RS)	I	0.9	0.2	0.1	0.0
0.1	0.0			J	0.9	0.2	0.1	0.0
0.1	-0.1							
			SLDy (RS)	I	11.3	0.6	2.3	0.0
1.3	0.2			J	11.3	0.6	2.3	0.0
0.1	-0.1							
			SLVz (RS)	I	0.9	0.1	0.1	0.0
0.1	0.0			J	0.9	0.1	0.1	0.0
0.1	-0.1							
			g1	I	-20.6	-3.5	-2.0	-0.0
-2.2	-0.6			J	-20.6	-3.5	-1.4	-0.0
-1.3	1.3							



PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-2.9	0.2	g2	I	-32.7	-0.1	-1.4	-0.0
			J	-32.7	-0.1	-1.4	-0.0
-2.2	0.2						
		q3	I	-0.5	-0.0	-0.0	-0.0
-0.0	0.0		J	-0.5	-0.0	-0.0	-0.0
-0.0	0.0						
		q5_pc	I	42.8	-0.1	6.6	-0.0
4.6	-0.0		J	42.8	-0.1	6.6	-0.0
1.1	0.1						
		q5_ps	I	31.1	0.4	5.6	-0.0
3.5	0.1		J	31.1	0.4	5.6	-0.0
0.5	-0.1						
		INVSLU Max	I	50.1	58.2	20.6	0.2
34.6	15.5		J	50.1	58.2	21.5	0.2
82.2	13.0	Min	I	-420.9	-52.4	-193.3	-0.2
-26.7	-15.6		J	-420.9	-52.4	-192.5	-0.2
16.7	-15.9						
		INVSLV Max	I	33.9	-0.7	-0.6	-0.0
-4.0	-0.6		J	33.9	-0.7	-0.0	-0.0
-3.8	0.4	Min	I	-12.8	-3.5	-10.0	-0.0
-9.5	-1.5		J	-12.8	-3.5	-9.3	-0.0
-4.3	-0.2						
3117	2	6 Q1-1-2 Max	I	406.9	30.7	15.2	0.1
10.6	5.7		J	406.9	30.7	15.2	0.1
59.4	11.8	Min	I	-75.2	-31.8	-106.7	-0.1
-9.5	-5.7		J	-75.2	-31.8	-106.7	-0.1
-3.2	-11.0						
		Q2a-1-2 Max	I	285.7	22.5	8.5	0.1
6.5	4.1		J	285.7	22.5	8.5	0.1
42.7	8.3	Min	I	-40.9	-22.0	-75.2	-0.1
-5.3	-4.0		J	-40.9	-22.0	-75.2	-0.1
-1.7	-8.1						
		SLVx(RS)	I	1.4	0.1	0.1	0.0
0.2	0.0		J	1.4	0.1	0.1	0.0
0.2	-0.1						
		SLVy(RS)	I	11.5	0.6	4.4	0.0
1.9	0.2		J	11.5	0.6	4.4	0.0
-0.5	-0.1						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.1	0.0	SLDx (RS)	I	0.7	0.1	0.0	0.0
			J	0.7	0.1	0.0	0.0
0.1	-0.0						
1.0	0.1	SLDy (RS)	I	5.8	0.3	2.2	0.0
			J	5.8	0.3	2.2	0.0
-0.2	-0.1						
0.1	-0.0	SLVz (RS)	I	0.7	0.1	0.1	0.0
			J	0.7	0.1	0.1	0.0
0.1	-0.0						
-2.4	0.2	g1	I	-15.4	-1.4	-1.3	-0.0
			J	-15.4	-1.4	-0.7	-0.0
-1.9	0.9						
-3.0	0.1	g2	I	-28.2	-0.5	-1.5	-0.0
			J	-28.2	-0.5	-1.5	-0.0
-2.2	0.3						
-0.0	0.0	q3	I	-0.5	0.0	-0.0	-0.0
			J	-0.5	0.0	-0.0	-0.0
-0.0	0.0						
3.7	0.0	q5_pc	I	26.2	-0.1	7.0	-0.0
			J	26.2	-0.1	7.0	-0.0
-0.1	0.1						
2.7	0.0	q5_ps	I	17.5	0.1	5.6	-0.0
			J	17.5	0.1	5.6	-0.0
-0.3	-0.0						
41.9	7.1	INVSLU Max	I	341.5	45.9	21.8	0.2
			J	341.5	45.9	22.6	0.2
106.9	13.1	Min	I	-356.5	-38.7	-155.3	-0.1
			J	-356.5	-38.7	-154.5	-0.1
8.1	-8.3						
22.3	-17.8						
-3.3	-0.4	INVSLV Max	I	30.2	-0.6	0.8	-0.0
			J	30.2	-0.6	1.4	-0.0
-3.0	0.2	Min	I	5.9	-1.8	-8.2	-0.0
			J	5.9	-1.8	-7.5	-0.0
-7.4	-0.8						
-4.0	-0.1						
3118	2	6 Q1-1-2 Max	I	542.8	23.1	22.7	0.1
39.3	7.5		J	542.8	23.1	22.7	0.1
53.6	8.5	Min	I	-36.8	-23.3	-48.9	-0.1
			J	-36.8	-23.3	-48.9	-0.1
-7.6	-7.8						
-5.4	-7.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


27.8	5.3	Q2a-1-2 Max	I	387.0	17.0	15.6	0.1
			J	387.0	17.0	15.6	0.1
38.4	5.9						
		Min	I	-19.1	-16.5	-34.4	-0.0
-4.2	-5.8		J	-19.1	-16.5	-34.4	-0.0
-3.0	-5.1						
		SLVx (RS)	I	1.1	0.0	0.0	0.0
0.2	-0.0		J	1.1	0.0	0.0	0.0
0.2	-0.1						
		SLVy (RS)	I	1.2	0.4	4.4	0.0
1.3	0.1		J	1.2	0.4	4.4	0.0
-1.0	-0.1						
		SLDx (RS)	I	0.6	0.0	0.0	0.0
0.1	-0.0		J	0.6	0.0	0.0	0.0
0.1	-0.0						
		SLDy (RS)	I	0.6	0.2	2.2	0.0
0.6	0.1		J	0.6	0.2	2.2	0.0
-0.5	-0.1						
		SLVz (RS)	I	0.5	0.0	0.0	0.0
0.1	-0.0		J	0.5	0.0	0.0	0.0
0.1	-0.0						
		g1	I	-12.7	-0.3	-0.6	-0.0
-2.5	0.5		J	-12.7	-0.3	-0.0	-0.0
-2.4	0.7						
		g2	I	-25.2	-0.2	-0.6	-0.0
-2.7	0.2		J	-25.2	-0.2	-0.6	-0.0
-2.4	0.3						
		q3	I	-0.5	0.0	-0.0	-0.0
-0.0	0.0		J	-0.5	0.0	-0.0	-0.0
-0.0	0.0						
		q5_pc	I	8.9	-0.0	7.1	-0.0
2.7	0.0		J	8.9	-0.0	7.1	-0.0
-1.1	0.0						
		q5_ps	I	3.7	-0.0	5.6	-0.0
1.9	-0.0		J	3.7	-0.0	5.6	-0.0
-1.1	0.0						
		INVSLU Max	I	509.5	32.0	35.1	0.1
83.0	8.5		J	509.5	32.0	35.9	0.1
101.8	9.4						
		Min	I	-289.1	-30.8	-74.3	-0.1
14.9	-12.3						

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

20.1	-11.5		J	-289.1	-30.8	-73.5	-0.1
		INVS LV Max	I	24.1	0.0	2.9	0.0
-2.8	-0.2		J	24.1	0.0	3.5	0.0
-2.5	0.0	Min	I	20.6	-0.8	-5.9	-0.0
-5.6	-0.5		J	20.6	-0.8	-5.3	-0.0
-4.7	-0.3						
3119	2	6	Q1-1-2 Max	I	542.8	23.3	48.9
53.6	8.5		J	542.8	23.3	48.9	0.1
39.3	7.5		Min	I	-36.7	-23.1	-22.7
-5.4	-7.0		J	-36.7	-23.1	-22.7	-0.1
-7.6	-7.8						
		Q2a-1-2 Max	I	387.0	16.5	34.4	0.0
38.4	5.9		J	387.0	16.5	34.4	0.0
27.8	5.3		Min	I	-19.1	-17.0	-15.6
-3.0	-5.1		J	-19.1	-17.0	-15.6	-0.1
-4.2	-5.8						
		SLVx (RS)	I	1.1	0.0	-0.0	0.0
0.2	-0.1		J	1.1	0.0	-0.0	0.0
0.2	-0.1						
		SLVy (RS)	I	-10.3	0.4	4.4	0.0
0.7	0.1		J	-10.3	0.4	4.4	0.0
-1.7	-0.1						
		SLDx (RS)	I	0.6	0.0	-0.0	0.0
0.1	-0.0		J	0.6	0.0	-0.0	0.0
0.1	-0.0						
		SLDy (RS)	I	-5.2	0.2	2.2	0.0
0.3	0.0		J	-5.2	0.2	2.2	0.0
-0.8	-0.1						
		SLVz (RS)	I	0.5	-0.0	-0.0	-0.0
0.1	-0.0		J	0.5	-0.0	-0.0	-0.0
0.1	-0.0						
		g1	I	-12.7	0.3	0.0	0.0
-2.4	0.7		J	-12.7	0.3	0.6	0.0
-2.5	0.5						
		g2	I	-25.2	0.2	0.6	0.0
-2.4	0.3		J	-25.2	0.2	0.6	0.0
-2.7	0.2						
		q3	I	-0.5	-0.0	-0.0	0.0


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
-0.0	0.0			J	-0.5	-0.0	-0.0	0.0
-0.0	0.0							
1.7	0.0	q5_pc		I	-8.7	0.1	7.2	-0.0
-2.2	0.0			J	-8.7	0.1	7.2	-0.0
1.1	0.0	q5_ps		I	-10.2	0.0	5.6	-0.0
-1.9	-0.0			J	-10.2	0.0	5.6	-0.0
102.3	9.4	INVSLU Max		I	509.2	30.8	73.6	0.1
82.6	8.5			J	509.2	30.8	74.4	0.1
19.5	-11.5	Min		I	-288.7	-32.0	-36.1	-0.1
15.4	-12.3			J	-288.7	-32.0	-35.2	-0.1
-2.8	0.0	INVSLV Max		I	33.1	0.8	5.3	0.0
-2.5	-0.2			J	33.1	0.8	5.9	0.0
-4.4	-0.3	Min		I	11.6	-0.0	-3.5	-0.0
-6.0	-0.5			J	11.6	-0.0	-2.9	-0.0
3120	2	6 Q1-1-2 Max		I	406.9	31.8	106.7	0.1
59.4	11.8			J	406.9	31.8	106.7	0.1
10.6	5.7	Min		I	-75.1	-30.7	-15.2	-0.1
-3.2	-11.0			J	-75.1	-30.7	-15.2	-0.1
-9.5	-5.7	Q2a-1-2 Max		I	285.7	22.0	75.2	0.1
42.7	8.3			J	285.7	22.0	75.2	0.1
6.5	4.1	Min		I	-40.9	-22.5	-8.5	-0.1
-1.7	-8.1			J	-40.9	-22.5	-8.5	-0.1
-5.3	-4.0	SLVx (RS)		I	-1.3	0.1	-0.0	0.0
0.2	-0.1			J	-1.3	0.1	-0.0	0.0
0.2	-0.0	SLVy (RS)		I	-21.3	0.7	4.5	0.0
0.1	0.1			J	-21.3	0.7	4.5	0.0
-2.3	-0.2	SLDx (RS)		I	-0.6	0.1	-0.0	0.0
0.1	-0.0			J	-0.6	0.1	-0.0	0.0
0.1	-0.0	SLDy (RS)		I	-10.6	0.3	2.2	0.0


PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.1	0.1			J	-10.6	0.3	2.2	0.0
-1.1	-0.1							
			SLVz (RS)	I	0.5	-0.1	-0.0	-0.0
0.1	-0.0			J	0.5	-0.1	-0.0	-0.0
0.1	-0.0							
			g1	I	-15.4	1.4	0.6	0.0
-1.9	0.9			J	-15.4	1.4	1.3	0.0
-2.4	0.2							
			g2	I	-28.2	0.5	1.5	0.0
-2.2	0.3			J	-28.2	0.5	1.5	0.0
-3.0	0.1							
			q3	I	-0.5	-0.0	0.0	0.0
-0.0	0.0			J	-0.5	-0.0	0.0	0.0
-0.0	0.0							
			q5_pc	I	-26.5	0.3	7.3	-0.0
0.7	0.1			J	-26.5	0.3	7.3	-0.0
-3.3	-0.1							
			q5_ps	I	-24.2	0.2	5.7	-0.0
0.3	0.0			J	-24.2	0.2	5.7	-0.0
-2.8	-0.0							
			INVSLU Max	I	341.7	38.9	154.8	0.1
107.5	13.1			J	341.7	38.9	155.6	0.1
41.6	7.1		Min	I	-356.7	-46.1	-23.0	-0.2
21.8	-17.8			J	-356.7	-46.1	-22.2	-0.2
8.5	-8.4							
			INVSLV Max	I	39.9	1.9	7.6	0.0
-3.3	0.2			J	39.9	1.9	8.2	0.0
-2.9	-0.4		Min	I	-3.7	0.5	-1.5	0.0
-3.8	-0.2			J	-3.7	0.5	-0.8	0.0
-7.7	-0.8							
3121	2	6	Q1-1-2 Max	I	177.5	46.1	135.0	0.1
44.0	12.3			J	177.5	46.1	135.0	0.1
8.2	10.3		Min	I	-114.3	-35.6	-14.7	-0.1
-3.2	-8.9			J	-114.3	-35.6	-14.7	-0.1
-31.1	-12.7							
			Q2a-1-2 Max	I	110.8	31.9	95.1	0.1
31.1	8.5			J	110.8	31.9	95.1	0.1
4.6	7.5		Min	I	-63.2	-25.9	-8.2	-0.1

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-1.6	-6.5		J	-63.2	-25.9	-8.2	-0.1
-20.9	-8.7						
		SLVx (RS)	I	-1.6	0.3	-0.1	0.0
0.1	-0.1		J	-1.6	0.3	-0.1	0.0
-0.2	-0.1						
		SLVy (RS)	I	-32.5	1.4	4.7	0.0
-0.5	0.2		J	-32.5	1.4	4.7	0.0
-3.0	-0.5						
		SLDx (RS)	I	-0.8	0.2	-0.0	0.0
0.1	-0.1		J	-0.8	0.2	-0.0	0.0
-0.1	-0.0						
		SLDy (RS)	I	-16.2	0.7	2.3	0.0
-0.3	0.1		J	-16.2	0.7	2.3	0.0
-1.5	-0.2						
		SLVz (RS)	I	0.6	-0.1	-0.0	-0.0
0.1	-0.1		J	0.6	-0.1	-0.0	-0.0
0.1	0.0						
		g1	I	-20.6	3.5	1.4	0.0
-1.3	1.3		J	-20.6	3.5	2.0	0.0
-2.2	-0.6						
		g2	I	-32.7	0.1	1.4	0.0
-2.2	0.2		J	-32.7	0.1	1.4	0.0
-2.9	0.2						
		q3	I	-0.5	0.0	0.0	0.0
-0.0	0.0		J	-0.5	0.0	0.0	0.0
-0.0	0.0						
		q5_pc	I	-44.4	0.8	7.4	0.0
-0.5	0.2		J	-44.4	0.8	7.4	0.0
-4.4	-0.3						
		q5_ps	I	-38.1	0.6	5.8	-0.0
-0.6	0.1		J	-38.1	0.6	5.8	-0.0
-3.7	-0.2						
		INVSLU Max	I	51.6	53.0	193.2	0.2
81.7	13.0		J	51.6	53.0	194.0	0.2
34.4	15.8						
		Min	I	-422.3	-58.8	-22.2	-0.2
17.3	-16.0		J	-422.3	-58.8	-21.4	-0.2
-26.5	-15.8						
		INVSLV Max	I	43.7	3.6	9.4	0.0
-3.5	0.4		J	43.7	3.6	10.0	0.0


PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-3.6	-0.5		Min	I	-22.7	0.6	-0.0	0.0
-4.6	-0.2			J	-22.7	0.6	0.6	0.0
-9.8	-1.5							
3122	2	6	Q1-1-2 Max	I	113.2	66.5	115.7	0.1
14.9	10.7			J	113.2	66.5	115.7	0.1
10.0	12.7		Min	I	-225.0	-31.5	-12.0	-0.1
-5.2	-4.2			J	-225.0	-31.5	-12.0	-0.1
-50.8	-25.1							
			Q2a-1-2 Max	I	63.1	44.0	79.5	0.1
9.7	7.0			J	63.1	44.0	79.5	0.1
5.6	9.1		Min	I	-139.3	-22.6	-6.6	-0.1
-2.8	-3.0			J	-139.3	-22.6	-6.6	-0.1
-34.4	-16.7							
			SLVx (RS)	I	-2.2	-1.2	-0.3	-0.0
0.0	-0.2			J	-2.2	-1.2	-0.3	-0.0
-0.2	0.4							
			SLVy (RS)	I	-43.2	1.9	4.4	0.0
-1.5	0.2			J	-43.2	1.9	4.4	0.0
-3.9	-0.8							
			SLDx (RS)	I	-1.1	-0.6	-0.2	-0.0
0.0	-0.1			J	-1.1	-0.6	-0.2	-0.0
-0.1	0.2							
			SLDy (RS)	I	-21.6	0.9	2.2	0.0
-0.7	0.1			J	-21.6	0.9	2.2	0.0
-1.9	-0.4							
			SLVz (RS)	I	0.9	-0.5	-0.1	-0.0
0.0	-0.1			J	0.9	-0.5	-0.1	-0.0
0.1	0.2							
			g1	I	-29.5	13.8	4.7	0.0
-0.4	2.7			J	-29.5	13.8	5.3	0.0
-3.1	-4.7							
			g2	I	-35.9	2.8	-0.2	0.0
-2.2	0.7			J	-35.9	2.8	-0.2	0.0
-2.1	-0.9							
			q3	I	-0.6	0.3	0.1	0.0
-0.0	0.1			J	-0.6	0.3	0.1	0.0
-0.1	-0.1							
			q5_pc	I	-61.0	1.7	6.9	0.0
-1.9	0.2							



# MIDAS

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-5.7	-0.7		J	-61.0	1.7	6.9	0.0
-1.7	0.1	q5_ps	I	-51.0	1.2	5.4	0.0
-4.6	-0.5		J	-51.0	1.2	5.4	0.0
38.5	6.5	INVSLU Max	I	-14.2	48.0	168.0	0.1
32.0	32.9		J	-14.2	48.0	168.9	0.1
7.8	-14.0	Min	I	-580.5	-87.2	-16.9	-0.1
-60.3	-19.3		J	-580.5	-87.2	-16.1	-0.1
-3.8	0.8	INVSLV Max	I	45.7	8.1	10.2	0.0
-4.5	-1.5		J	45.7	8.1	10.9	0.0
-6.7	0.2	Min	I	-42.5	3.3	1.1	0.0
-12.4	-3.6		J	-42.5	3.3	1.7	0.0

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

BEAM ELEMENT FORCES & MOMENTS MIN/MAX SUMMARY BY PROPERTY PRINTOUT      Unit System :  
kN , m

\* LENGTH : the length between two nodes

[ SECTION NAME : 800x40+600x20 , SECTION ID : 5 , SECTION SHAPE : SB ]  
[ SECTION SIZE ] H:0.055 B:0.8

\*\* MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH								
1271	AXL	INVSLU	1	J	10311.7	3.2	9.4	0.2	1.3
21.8		0.51							
630	SHY	INVSLV	1	I	4288.7	9.1	1.3	0.6	1.7
1.2		0.51							
630	SHZ	INVSLU	1	J	10310.9	6.9	9.6	1.8	1.4
19.2		0.51							
641	TOR	INVSLU	1	I	9454.3	5.8	2.2	1.8	3.0
16.5		0.50							
630	MTY	INVSLU	1	I	10310.8	6.9	7.3	1.8	5.2
19.2		0.51							
1270	MTZ	INVSLU	1	J	10307.3	2.8	-1.7	0.5	4.9
22.7		0.51							

\*\* MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH								
629	AXL	SLVx(RS)	1	J	-286.4	0.1	-0.2	0.0	0.1
0.0		0.51							
629	SHY	INVSLV	1	I	3605.0	-9.1	-2.7	-0.6	0.7
-3.6		0.51							
629	SHZ	INVSLU	1	I	5493.4	-6.9	-8.9	-1.8	0.7
-20.5		0.51							
618	TOR	INVSLU	1	I	5030.1	-5.8	-3.7	-1.8	1.3
-19.6		0.50							
1271	MTY	Q1-1-2	1	J	-23.1	-2.0	-0.1	-0.4	-0.2
-13.3		0.51							
1270	MTZ	INVSLU	1	J	5492.9	-3.2	-6.3	-0.2	2.6
-21.2		0.51							

[ SECTION NAME : HEB300 , SECTION ID : 6 , SECTION SHAPE : H ]  
[ SECTION SIZE ] H:0.3 B1:0.3 tw:0.011 tf1:0.019 B2:0 tf2:0

\*\* MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y	
MOMENT-z	LENGTH								
3118	AXL	Q1-1-2	1	J	542.8	23.1	22.7	0.1	53.6
8.5		0.54							
3108	SHY	INVSLU	1	I	-14.2	88.4	167.8	0.1	37.6
13.9		0.54							
3107	SHZ	INVSLU	1	J	51.0	59.5	194.1	0.2	33.7
16.4		0.54							
3116	TOR	INVSLU	1	I	50.1	58.2	20.6	0.2	34.6
15.5		0.54							
3120	MTY	INVSLU	1	I	341.7	38.9	154.8	0.1	107.5

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

13.1	0.54								
3122 MTZ	INVSLU	1	J	-14.2	48.0	168.9	0.1	32.0	
32.9	0.54								

\*\* MIN

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH						
3108 AXL	INVSLU	1	J	-581.1	-49.0	-17.0	-61.0
-33.6	0.54						
3122 SHY	INVSLU	1	I	-580.5	-87.2	-16.9	7.8
-14.0	0.54						
3102 SHZ	INVSLU	1	I	-422.0	-58.8	-193.4	-27.5
-15.4	0.54						
3102 TOR	INVSLU	1	I	-422.0	-58.8	-193.4	-27.5
-15.4	0.54						
3108 MTY	INVSLU	1	J	-581.1	-49.0	-17.0	-61.0
-33.6	0.54						
3108 MTZ	INVSLU	1	J	-581.1	-49.0	-17.0	-61.0
-33.6	0.54						

[ SECTION NAME : 600x25 , SECTION ID : 62 , SECTION SHAPE : SB ]  
 [ SECTION SIZE ] H:0.025 B:0.65

\*\* MAX

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH						
1229 AXL	Q1-1-2	1	J	46.9	56.2	1.8	0.0
37.6	0.50						
1229 SHY	INVSLU	1	I	-381.0	137.0	0.9	0.4
13.5	0.50						
510 SHZ	INVSLU	1	J	-168.8	16.9	7.0	-0.9
34.8	0.45						
1152 TOR	INVSLU	1	I	-413.7	58.3	0.6	0.3
27.8	0.50						
589 MTY	INVSLU	1	J	-165.6	85.3	-4.5	1.7
3.2	0.45						
511 MTZ	INVSLU	1	I	-414.7	131.9	0.7	0.3
61.6	0.50						

\*\* MIN

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH						
1165 AXL	INVSLU	1	I	-2999.0	-17.6	-5.3	-0.7
-12.0	0.35						
1152 SHY	INVSLU	1	I	-504.8	-137.5	-2.1	-0.4
-63.6	0.50						
589 SHZ	INVSLU	1	I	-203.9	-15.6	-7.2	-1.4
-4.9	0.45						
1229 TOR	INVSLU	1	I	-483.5	-59.7	-1.6	-0.3
-5.3	0.50						
589 MTY	INVSLU	1	I	-203.9	-15.6	-7.2	-1.4
-4.9	0.45						
1152 MTZ	INVSLU	1	I	-504.8	-137.5	-2.1	-0.4
-63.6	0.50						

[ SECTION NAME : 600x40 , SECTION ID : 67 , SECTION SHAPE : SB ]

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

[ SECTION SIZE ] H:0.04 B:0.6

\*\* MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							
1190	AXL	SLVy (RS)	1 J	84.4	2.4	0.1	0.0	-0.0
-2.3	0.51							
549	SHY	Q1-1-2	1 I	3.9	118.8	5.6	1.2	1.6
14.7	0.51							
549	SHZ	INVSLU	1 J	-4704.8	118.4	8.2	1.4	1.4
37.6	0.51							
549	TOR	INVSLU	1 I	-4704.8	118.4	7.0	1.4	2.6
19.7	0.51							
550	MTY	INVSLU	1 J	-4705.2	77.8	3.5	0.5	2.7
19.5	0.51							
1190	MTZ	Q1-1-2	1 J	3.9	19.7	5.6	0.2	0.7
46.6	0.51							

\*\* MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							
1191	AXL	INVSLU	1 I	-5614.1	-74.9	-8.6	-0.5	-1.4
-34.5	0.51							
1190	SHY	Q1-1-2	1 I	-583.5	-118.8	-2.3	-1.2	-0.5
-14.7	0.51							
550	SHZ	INVSLU	1 I	-5613.3	-115.3	-8.6	-1.4	-1.4
-40.8	0.51							
550	TOR	INVSLU	1 I	-5613.3	-115.3	-8.6	-1.4	-1.4
-40.8	0.51							
550	MTY	INVSLU	1 I	-5613.3	-115.3	-8.6	-1.4	-1.4
-40.8	0.51							
549	MTZ	Q1-1-2	1 J	-583.5	-19.7	-2.3	-0.2	-1.3
-46.6	0.51							

[ SECTION NAME : 800x40 , SECTION ID : 69 , SECTION SHAPE : SB ]

[ SECTION SIZE ] H:0.04 B:0.8

\*\* MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							
1295	AXL	INVSLU	1 J	5664.4	2.5	4.7	0.2	-0.3
11.8	0.74							
654	SHY	INVSLU	1 I	5663.4	5.0	2.2	0.3	1.7
8.2	0.74							
1295	SHZ	INVSLU	1 J	5664.4	2.5	4.7	0.2	-0.3
11.8	0.74							
654	TOR	INVSLU	1 I	5663.4	5.0	2.2	0.3	1.7
8.2	0.74							
1295	MTY	INVSLU	1 I	5664.4	2.5	2.2	0.2	1.7
12.8	0.74							
1295	MTZ	INVSLU	1 I	5664.4	2.5	2.2	0.2	1.7
12.8	0.74							

\*\* MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

```

-----
  654 AXL      SLVx (RS)   1   J   -131.6   -0.0   -0.1   -0.0   0.0
    0.1      0.74
  605 SHY      INVSLU     1   I    3004.4   -4.9   -4.2   -0.3  -0.7
 -17.1      0.73
 1246 SHZ      INVSLU     1   I    3001.5   -2.4   -4.2   -0.1  -0.7
  -1.5      0.73
  654 TOR      INVSLU     1   I    3021.6   -3.1    0.4   -0.3   0.9
 -16.5      0.74
 1295 MTY      INVSLU     1   J    3018.9   -4.4    2.9   -0.2  -0.9
  -1.3      0.74
  654 MTZ      INVSLU     1   J    3021.6   -3.1    2.9   -0.3  -0.9
 -17.2      0.74
  
```

[ SECTION NAME : 800x25 , SECTION ID : 70 , SECTION SHAPE : SB ]  
 [ SECTION SIZE ] H:0.025 B:0.8

\*\* MAX

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH						
1296 AXL	INVSLU	1 J	4979.0	2.4	3.3	0.1	-0.1
11.8	0.36						
591 SHY	INVSLU	1 I	440.2	7.0	-10.4	1.2	-2.2
-0.1	0.50						
1231 SHZ	INVSLU	1 J	-11.4	0.4	46.0	0.1	-3.6
-0.1	0.45						
591 TOR	INVSLU	1 I	440.2	7.0	-10.4	1.2	-2.2
-0.1	0.50						
1231 MTY	INVSLU	1 I	-11.4	0.4	45.0	0.1	11.7
0.0	0.45						
1296 MTZ	INVSLU	1 I	4979.0	2.4	2.5	0.1	0.8
11.8	0.36						

\*\* MIN

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH						
655 AXL	SLVx (RS)	1 J	-113.7	-0.0	-0.1	-0.0	0.0
0.1	0.36						
668 SHY	INVSLU	1 I	100.7	-7.1	9.7	-1.2	2.9
-3.7	0.50						
1310 SHZ	INVSLU	1 I	-93.0	-0.3	-45.7	-0.2	-8.8
-0.2	0.45						
668 TOR	INVSLU	1 J	100.7	-7.1	10.8	-1.2	-5.0
-0.3	0.50						
1231 MTY	INVSLU	1 J	-75.2	0.1	18.6	0.1	-8.8
-0.2	0.45						
655 MTZ	INVSLU	1 J	2660.5	-2.3	1.7	-0.1	-0.3
-17.5	0.36						

[ SECTION NAME : 2L140x12 , SECTION ID : 71 , SECTION SHAPE : 2L ]  
 [ SECTION SIZE ] H:0.14 B:0.14 tw:0.012 tf:0.012 C:0.012

\*\* MAX

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH						
71 AXL	INVSLU	1 J	299.9	0.0	0.6	0.0	1.0
0.0	2.15						

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

114 SHY	INVSLV	1	I	19.6	0.7	-0.5	0.0	0.2
1.6	2.15							
90 SHZ	INVSLU	1	J	129.2	0.0	1.2	0.0	0.0
0.0	2.15							
90 TOR	INVSLU	1	J	129.2	0.0	1.2	0.0	0.0
0.0	2.15							
71 MTY	INVSLU	1	J	299.9	0.0	0.6	0.0	1.0
0.0	2.15							
114 MTZ	INVSLV	1	I	19.6	0.7	-0.5	0.0	0.2
1.6	2.15							

\*\* MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							
71	AXL	INVSLU	1	J	-382.4	-0.0	0.3	-0.0
-0.0	2.15							0.3
114	SHY	INVSLV	1	J	-93.0	-0.7	0.5	-0.0
0.0	2.15							0.0
71	SHZ	INVSLU	1	I	-382.4	-0.0	-1.2	-0.0
0.0	2.15							0.0
72	TOR	INVSLU	1	J	-381.5	-0.0	0.3	-0.0
-0.0	2.15							0.3
72	MTY	SLVx(RS)	1	J	3.5	-0.7	0.0	0.0
1.5	2.15							-0.0
114	MTZ	INVSLV	1	I	-93.0	-0.7	-0.5	-0.0
-1.6	2.15							0.0

[ SECTION NAME : 2L140x10 , SECTION ID : 72 , SECTION SHAPE : 2L ]  
 [ SECTION SIZE ] H:0.14 B:0.14 tw:0.01 tf:0.01 C:0.01

\*\* MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							
143	AXL	INVSLU	1	J	554.3	0.0	0.9	-0.0
0.0	3.30							0.0
145	SHY	INVSLU	1	J	450.1	0.3	-0.9	0.0
-0.2	3.30							6.1
130	SHZ	INVSLV	1	J	164.3	0.1	5.9	0.0
0.0	3.30							0.0
133	TOR	INVSLU	1	I	462.5	0.1	-2.8	0.0
0.0	3.30							0.0
129	MTY	INVSLV	1	J	166.2	0.2	3.2	0.0
0.3	3.30							17.3
130	MTZ	SLVx(RS)	1	I	-11.7	0.1	-3.5	-0.0
0.4	3.30							-11.5

\*\* MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							
146	AXL	Q1-1-2	1	I	-161.8	-0.1	-0.0	-0.0
-0.2	3.30							-0.0
146	SHY	INVSLU	1	I	-152.4	-0.3	0.9	-0.0
-0.9	3.30							6.1
129	SHZ	INVSLV	1	I	126.8	-0.1	-5.9	0.0
0.0	3.30							0.0
132	TOR	INVSLU	1	J	163.2	-0.0	0.9	-0.0
0.0	3.30							0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

130 MTY	SLVx(RS)	1	I	-11.7	0.1	-3.5	-0.0	-11.5
0.4	3.30							
146 MTZ	INVSLU	1	I	-152.4	-0.3	0.9	-0.0	6.1
-0.9	3.30							

[ SECTION NAME : 2L110x12 , SECTION ID : 74 , SECTION SHAPE : 2L ]  
 [ SECTION SIZE ] H:0.11 B:0.11 tw:0.012 tf:0.012 C:0.012

\*\* MAX

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH						
91 AXL	INVSLU	1	J	285.8	-0.0	0.6	0.0
0.0	2.74						
115 SHY	INVSLU	1	I	284.5	0.0	-0.6	0.0
0.0	2.74						
115 SHZ	INVSLU	1	J	285.3	-0.0	0.6	0.0
0.0	2.74						
91 TOR	Q1-1-2	1	I	145.1	0.0	0.0	0.0
0.0	2.74						
91 MTY	INVSLU	1	J	285.8	-0.0	0.6	0.0
0.0	2.74						
91 MTZ	INVSLU	1	J	285.8	-0.0	0.6	0.0
0.0	2.74						

\*\* MIN

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH						
91 AXL	INVSLU	1	I	-282.3	0.0	-0.6	-0.0
0.0	2.74						
113 SHY	INVSLU	1	I	-281.7	-0.0	-0.6	-0.0
0.0	2.74						
115 SHZ	INVSLU	1	I	284.5	0.0	-0.6	0.0
0.0	2.74						
89 TOR	Q1-1-2	1	I	-145.5	-0.0	0.0	-0.0
0.0	2.74						
91 MTY	INVSLU	1	J	285.8	-0.0	0.6	0.0
0.0	2.74						
91 MTZ	INVSLU	1	J	285.8	-0.0	0.6	0.0
0.0	2.74						

[ SECTION NAME : 600x35 , SECTION ID : 75 , SECTION SHAPE : SB ]  
 [ SECTION SIZE ] H:0.035 B:0.6

\*\* MAX

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH						
1178 AXL	SLVy(RS)	1	J	68.1	0.2	0.1	0.0
-1.1	0.50						-0.0
562 SHY	INVSLU	1	I	-4083.9	21.5	3.3	0.4
15.0	0.50						1.4
1215 SHZ	INVSLU	1	J	-2883.9	16.3	4.8	0.4
7.8	0.74						0.4
562 TOR	INVSLU	1	I	-4083.9	21.5	3.3	0.4
15.0	0.50						1.4
1166 MTY	INVSLU	1	J	-2905.1	17.7	1.2	0.4
8.0	0.73						1.8
562 MTZ	INVSLU	1	I	-4083.9	21.5	3.3	0.4
							1.4

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

15.0 0.50

\*\* MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z		LENGTH						
1178	AXL	INVSLU	1 I	-4853.1	-14.3	-4.8	-0.4	-0.6
	-12.5	0.50						
1203	SHY	INVSLU	1 I	-4837.9	-21.6	-3.0	-0.4	-0.2
	-15.4	0.50						
1166	SHZ	INVSLU	1 I	-3393.3	-16.5	-5.0	-0.4	-1.3
	-10.6	0.73						
537	TOR	INVSLU	1 I	-4851.7	-21.4	-4.8	-0.4	-0.6
	-9.5	0.50						
1166	MTY	INVSLU	1 I	-3393.3	-16.5	-5.0	-0.4	-1.3
	-10.6	0.73						
1203	MTZ	INVSLU	1 I	-4837.9	-21.6	-3.0	-0.4	-0.2
	-15.4	0.50						

[ SECTION NAME : L100x12 , SECTION ID : 76 , SECTION SHAPE : L ]  
 [ SECTION SIZE ] H:0.1 B:0.1 tw:0.012 tf:0.012

\*\* MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z		LENGTH						
84	AXL	INVSLU	1 I	249.5	0.0	-0.5	0.0	0.0
	0.0	4.30						
87	SHY	INVSLU	1 I	48.0	0.0	-0.5	-0.0	0.0
	0.0	4.30						
87	SHZ	INVSLU	1 J	125.5	-0.0	0.5	0.0	0.0
	0.0	4.30						
87	TOR	INVSLU	1 J	125.5	-0.0	0.5	0.0	0.0
	0.0	4.30						
84	MTY	INVSLU	1 J	249.5	-0.0	0.5	0.0	0.0
	0.0	4.30						
84	MTZ	INVSLU	1 J	249.5	-0.0	0.5	0.0	0.0
	0.0	4.30						

\*\* MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z		LENGTH						
81	AXL	g2	1 I	-7.9	0.0	0.0	0.0	0.0
	0.0	4.30						
81	SHY	INVSLU	1 J	50.1	-0.0	0.5	-0.0	0.0
	0.0	4.30						
87	SHZ	INVSLU	1 I	48.0	0.0	-0.5	-0.0	0.0
	0.0	4.30						
87	TOR	INVSLU	1 I	48.0	0.0	-0.5	-0.0	0.0
	0.0	4.30						
84	MTY	INVSLU	1 J	249.5	-0.0	0.5	0.0	0.0
	0.0	4.30						
84	MTZ	INVSLU	1 J	249.5	-0.0	0.5	0.0	0.0
	0.0	4.30						

[ SECTION NAME : 2L120x12 , SECTION ID : 78 , SECTION SHAPE : 2L ]  
 [ SECTION SIZE ] H:0.12 B:0.12 tw:0.012 tf:0.012 C:0.016

\*\* MAX



MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z		LENGTH						
102	AXL	SLVx(RS)	1	I	14.9	0.6	0.0	0.0
1.2		2.15						
74	SHY	INVSLV	1	J	-164.4	0.6	0.9	0.0
1.3		2.15						
76	SHZ	INVSLU	1	J	-242.6	0.0	1.5	0.0
0.0		2.15						
93	TOR	INVSLU	1	J	-140.1	0.0	0.3	0.0
0.0		2.15						
73	MTY	g2	1	J	-43.4	-0.0	-0.0	-0.0
0.0		2.15						
74	MTZ	INVSLV	1	J	-164.4	0.6	0.9	0.0
1.3		2.15						

\*\* MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z		LENGTH						
77	AXL	INVSLU	1	J	-504.1	-0.0	1.2	-0.0
-0.0		2.15						
74	SHY	INVSLV	1	J	-200.3	-0.6	0.9	-0.0
-1.3		2.15						
102	SHZ	INVSLU	1	I	-501.5	-0.0	-1.5	-0.0
-0.0		2.15						
73	TOR	INVSLU	1	I	-331.4	-0.0	-0.3	-0.0
0.0		2.15						
76	MTY	INVSLU	1	J	-503.4	-0.0	1.2	-0.0
-0.0		2.15						
96	MTZ	INVSLV	1	I	-199.3	-0.6	-0.9	-0.0
-1.3		2.15						

[ SECTION NAME : 2L100x10 , SECTION ID : 79 , SECTION SHAPE : 2L ]  
 [ SECTION SIZE ] H:0.1 B:0.1 tw:0.01 tf:0.01 C:0.012

\*\* MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z		LENGTH						
103	AXL	INVSLU	1	J	115.9	0.0	0.4	0.0
0.0		2.74						
112	SHY	INVSLU	1	I	81.3	0.0	-0.4	0.0
0.0		2.74						
97	SHZ	INVSLU	1	J	107.9	0.0	0.4	0.0
0.0		2.74						
97	TOR	INVSLU	1	J	107.9	0.0	0.4	0.0
0.0		2.74						
103	MTY	INVSLU	1	J	115.9	0.0	0.4	0.0
0.0		2.74						
103	MTZ	INVSLU	1	J	115.9	0.0	0.4	0.0
0.0		2.74						

\*\* MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z		LENGTH						
101	AXL	INVSLU	1	I	-109.7	-0.0	-0.4	-0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	2.74								
110 SHY	INVSLU	1	I	-76.9	-0.0	-0.4	-0.0	0.0	
0.0	2.74								
101 SHZ	INVSLU	1	I	-109.7	-0.0	-0.4	-0.0	0.0	
0.0	2.74								
95 TOR	INVSLU	1	J	-101.4	0.0	0.4	-0.0	0.0	
0.0	2.74								
103 MTY	INVSLU	1	J	115.9	0.0	0.4	0.0	0.0	
0.0	2.74								
103 MTZ	INVSLU	1	J	115.9	0.0	0.4	0.0	0.0	
0.0	2.74								

[ SECTION NAME : 2L100x12 , SECTION ID : 80 , SECTION SHAPE : 2L ]

[ SECTION SIZE ] H:0.1 B:0.1 tw:0.012 tf:0.012 C:0.012

\*\* MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							
176	AXL	Q1-1-2	1	I	27.9	0.0	0.0	0.0
0.0	3.30							
155	SHY	INVSLU	1	I	-236.2	1.4	0.2	-0.0
2.1	3.29							
155	SHZ	INVSLV	1	J	-80.2	0.7	2.6	-0.0
-1.1	3.29							
153	TOR	INVSLV	1	J	-79.1	-0.0	1.0	0.1
0.5	3.29							
161	MTY	INVSLV	1	J	-120.2	0.1	0.3	0.0
-0.1	3.30							
159	MTZ	INVSLU	1	I	-286.9	1.3	0.1	-0.0
2.5	3.30							

\*\* MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-z	TORSION	MOMENT-y
MOMENT-z	LENGTH							
160	AXL	INVSLU	1	I	-356.6	0.0	-0.8	-0.0
0.0	3.30							
157	SHY	INVSLU	1	I	-346.8	-1.4	-1.7	0.0
-2.3	3.30							
161	SHZ	INVSLV	1	I	-128.9	0.0	-2.6	0.0
0.0	3.30							
154	TOR	INVSLV	1	I	-99.6	-0.3	-1.0	-0.1
-0.9	3.29							
155	MTY	INVSLV	1	J	-100.0	0.7	0.2	-0.0
-1.3	3.29							
155	MTZ	INVSLU	1	J	-307.2	1.1	1.5	-0.0
-2.3	3.29							

BEAM ELEMENT STRESSES DEFAULT PRINTOUT.  
kN , m

Unit System :

ELEM	MAT	SEC	LC	PT	AXIAL	SHEAR-y	SHEAR-z	(+y) -BENDING-	(-y)
(+z) -BENDING-	(-z)								
71	2	71	Q1-1-2	Max	I	17398.1	0.0	3.8	0.0
0	0.0	0.0							

# MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			

5	64.0	3172.6		J	17398.1	0.0	3.8	1.5	1.
			Min	I	-19864.6	-0.0	-74.2	0.0	0.
0	0.0	0.0		J	-19864.6	-0.0	-74.2	-1.5	-1.
5	-1244.0	-163.1							
			Q2a-1-2 Max	I	10155.6	0.0	1.6	0.0	0.
0	0.0	0.0		J	10155.6	0.0	1.6	0.9	0.
9	27.3	1880.1		I	-11242.2	-0.0	-44.0	0.0	0.
			Min	J	-11242.2	-0.0	-44.0	-0.9	-0.
0	0.0	0.0							
9	-737.2	-69.5							
			SLVx (RS)	I	-1331.9	-257.4	-5.6	0.0	0.
0	0.0	0.0		J	-1331.9	-257.4	-5.6	-8245.0	8245.
0	-94.3	240.6							
			SLVy (RS)	I	30029.7	-4.8	-11.2	0.0	0.
0	0.0	0.0		J	30029.7	-4.8	-11.2	-153.7	153.
7	-187.8	479.0							
			SLDx (RS)	I	-665.0	-128.6	-2.8	0.0	0.
0	0.0	0.0		J	-665.0	-128.6	-2.8	-4120.7	4120.
7	-47.1	120.2							
			SLDy (RS)	I	14996.3	-2.4	-5.6	0.0	0.
0	0.0	0.0		J	14996.3	-2.4	-5.6	-76.9	76.
9	-93.8	239.2							
			SLVz (RS)	I	304.2	69.6	2.3	0.0	0.
0	0.0	0.0		J	304.2	69.6	2.3	2227.7	-2227.
7	38.7	-98.7							
			g1	I	-2960.3	0.0	-237.1	0.0	0.
0	0.0	0.0		J	-2960.3	0.0	207.8	0.0	-0.
0	-245.6	626.3							
			g2	I	-1736.5	0.0	-38.1	0.0	0.
0	0.0	0.0		J	-1736.5	0.0	-38.1	0.0	-0.
0	-638.6	1628.7							
			q3	I	-1345.8	-0.0	-1.0	0.0	0.
0	0.0	0.0		J	-1345.8	-0.0	-1.0	-0.0	0.
0	-16.8	42.9							
			q5_pc	I	26216.6	0.0	-7.9	0.0	0.
0	0.0	0.0		J	26216.6	0.0	-7.9	0.0	-0.
0	-132.0	336.7							
			q5_ps	I	22784.7	0.0	-7.7	0.0	0.
0	0.0	0.0		J	22784.7	0.0	-7.7	0.0	-0.
0	-129.4	330.1							

MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	0.0	0.0	INVS LU Max	I	46624.6	0.1	-367.0	0.0	0.
				J	46624.6	0.1	233.7	2.0	2.
0	-1117.1	8095.3	Min	I	-59458.0	-0.1	-489.7	0.0	0.
0	0.0	0.0		J	-59458.0	-0.1	111.0	-2.0	-2.
0	-3174.2	2848.9							
			INVS LV Max	I	25043.8	279.7	-228.9	0.0	0.
0	0.0	0.0		J	25043.8	279.7	216.1	8959.4	8959.
4	-107.0	1434.5	Min	I	-35997.2	-279.7	-256.0	0.0	0.
0	0.0	0.0		J	-35997.2	-279.7	188.9	-8959.4	-8959.
4	-562.5	272.9							
	72	2	71	Q1-1-2 Max	I	16911.1	0.1	3.9	0.0
0	0.0	0.0		J	16911.1	0.1	3.9	1.6	1.
6	66.0	2994.5	Min	I	-19746.0	-0.1	-70.0	0.0	0.
0	0.0	0.0		J	-19746.0	-0.1	-70.0	-1.6	-1.
6	-1174.1	-168.3							
			Q2a-1-2 Max	I	9897.4	0.0	1.7	0.0	0.
0	0.0	0.0		J	9897.4	0.0	1.7	1.0	1.
0	28.0	1773.1	Min	I	-11192.5	-0.0	-41.5	0.0	0.
0	0.0	0.0		J	-11192.5	-0.0	-41.5	-1.0	-1.
0	-695.3	-71.4							
			SLVx (RS)	I	550.3	-264.7	5.2	0.0	0.
0	0.0	0.0		J	550.3	-264.7	5.2	-8478.8	8478.
8	86.5	-220.7							
			SLVy (RS)	I	29745.2	4.1	-11.1	0.0	0.
0	0.0	0.0		J	29745.2	4.1	-11.1	131.3	-131.
3	-185.7	473.6							
			SLDx (RS)	I	275.2	-132.3	2.6	0.0	0.
0	0.0	0.0		J	275.2	-132.3	2.6	-4236.4	4236.
4	43.2	-110.3							
			SLDy (RS)	I	14854.2	2.0	-5.5	0.0	0.
0	0.0	0.0		J	14854.2	2.0	-5.5	65.6	-65.
6	-92.7	236.5							
			SLVz (RS)	I	396.3	60.8	2.3	0.0	0.
0	0.0	0.0		J	396.3	60.8	2.3	1948.9	-1948.
9	38.1	-97.1							
			g1	I	-3197.3	0.0	-233.6	0.0	0.
0	0.0	0.0		J	-3197.3	0.0	211.3	0.0	-0.
0	-186.9	476.6							

# MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	0.0	0.0	g2	I	-1775.0	-0.0	-36.4	0.0	0.
0	-609.8	1555.2		J	-1775.0	-0.0	-36.4	-0.0	0.
0	0.0	0.0	q3	I	-66.8	-0.0	-1.3	0.0	0.
0	-21.6	55.1		J	-66.8	-0.0	-1.3	-0.0	0.
0	0.0	0.0	q5_pc	I	25955.2	0.0	-7.7	0.0	0.
0	-129.4	330.1		J	25955.2	0.0	-7.7	0.0	-0.
0	0.0	0.0	q5_ps	I	22571.6	0.0	-7.6	0.0	0.
0	-127.3	324.6		J	22571.6	0.0	-7.6	0.0	-0.
0	0.0	0.0	INVSLU Max	I	45511.4	0.1	-360.6	0.0	0.
3	-1010.5	7574.0		J	45511.4	0.1	240.1	2.3	2.
0	0.0	0.0	Min	I	-59318.8	-0.1	-477.5	0.0	0.
3	-2969.8	2577.1		J	-59318.8	-0.1	123.2	-2.3	-2.
0	0.0	0.0	INVSLV Max	I	24343.2	284.2	-225.2	0.0	0.
9	-45.9	1254.8		J	24343.2	284.2	219.7	9102.9	9102.
0	0.0	0.0	Min	I	-35715.2	-284.2	-251.8	0.0	0.
9	-492.0	117.0		J	-35715.2	-284.2	193.1	-9102.9	-9102.
0	73	2	78	Q1-1-2 Max	I	1331.7	0.0	64.6	0.0
2	0.0	0.0		J	1331.7	0.0	64.6	1.2	1.
0	1306.5	507.8		Min	I	-20972.3	-0.0	-10.1	0.0
2	0.0	0.0		J	-20972.3	-0.0	-10.1	-1.2	-1.
0	-204.2	-3248.2							
0	0.0	0.0	Q2a-1-2 Max	I	919.9	0.0	42.0	0.0	0.
7	848.2	252.5		J	919.9	0.0	42.0	0.7	0.
0	0.0	0.0	Min	I	-12815.2	-0.0	-5.0	0.0	0.
7	-101.6	-2108.7		J	-12815.2	-0.0	-5.0	-0.7	-0.
0	0.0	0.0	SLVx (RS)	I	-2549.3	-235.1	-2.3	0.0	0.
1	-45.9	114.0		J	-2549.3	-235.1	-2.3	-8985.1	8985.
0	0.0	0.0	SLVy (RS)	I	-272.4	-4.4	-0.3	0.0	0.
4	-5.4	13.5		J	-272.4	-4.4	-0.3	-167.4	167.

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	0.0	0.0	SLDx (RS)	I	-1273.0	-117.5	-1.1	0.0	0.
				J	-1273.0	-117.5	-1.1	-4490.6	4490.
6	-22.9	56.9							
			SLDy (RS)	I	-136.1	-2.2	-0.1	0.0	0.
				J	-136.1	-2.2	-0.1	-83.7	83.
7	-2.7	6.7							
			SLVz (RS)	I	673.5	62.9	0.5	0.0	0.
				J	673.5	62.9	0.5	2403.2	-2403.
0	0.0	0.0							
2	9.6	-23.7							
			g1	I	-14917.1	0.0	-176.0	0.0	0.
				J	-14917.1	0.0	268.3	0.0	-0.
0	932.8	-2319.1							
			g2	I	-7933.6	-0.0	-16.8	0.0	0.
				J	-7933.6	-0.0	-16.8	-0.0	0.
0	-338.8	842.3							
			q3	I	-2620.8	-0.0	-2.4	0.0	0.
				J	-2620.8	-0.0	-2.4	-0.0	0.
0	0.0	0.0							
0	-47.7	118.5							
			q5_pc	I	424.0	-0.0	1.7	0.0	0.
				J	424.0	-0.0	1.7	-0.1	0.
0	0.0	0.0							
1	34.4	-85.5							
			q5_ps	I	195.6	-0.0	-0.2	0.0	0.
				J	195.6	-0.0	-0.2	-0.1	0.
0	0.0	0.0							
1	-4.3	10.7							
			INVS LU Max	I	-29692.0	0.0	-53.0	0.0	0.
				J	-29692.0	0.0	546.8	1.7	1.
0	0.0	0.0							
7	4990.1	-7182.1	Min	I	-60565.7	-0.0	-156.9	0.0	0.
				J	-60565.7	-0.0	442.8	-1.7	-1.
0	0.0	0.0							
7	2888.8	-12406.6							
			INVS LV Max	I	-20636.9	255.3	-66.8	0.0	0.
				J	-20636.9	255.3	377.4	9756.3	9756.
0	0.0	0.0							
2	3138.4	-7552.4	Min	I	-26303.0	-255.3	-71.8	0.0	0.
				J	-26303.0	-255.3	372.4	-9756.2	-9756.
0	0.0	0.0							
3	3037.7	-7802.7							
			Q1-1-2 Max	I	463.0	0.0	69.1	0.0	0.
				J	463.0	0.0	69.1	0.9	1.
0	0.0	0.0							
3	1397.2	378.2	Min	I	-32099.7	-0.0	-7.5	0.0	0.
				J	-32099.7	-0.0	-7.5	-1.3	-0.
0	0.0	0.0							
9	-152.1	-3473.9							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0	0.0	0.0	Q2a-1-2 Max	I	336.1	0.0	44.7	0.0	0.
8	902.9	172.2		J	336.1	0.0	44.7	0.5	0.
0	0.0	0.0	Min	I	-19116.9	-0.0	-3.4	0.0	0.
5	-69.3	-2244.8		J	-19116.9	-0.0	-3.4	-0.8	-0.
0	0.0	0.0	SLVx (RS)	I	-2652.2	-238.4	-2.0	0.0	0.
7	-41.4	102.8		J	-2652.2	-238.4	-2.0	-9111.7	9111.
0	0.0	0.0	SLVy (RS)	I	-1109.9	-4.2	0.1	0.0	0.
6	2.3	-5.8		J	-1109.9	-4.2	0.1	-160.6	160.
0	0.0	0.0	SLDx (RS)	I	-1324.6	-119.1	-1.0	0.0	0.
9	-20.7	51.4		J	-1324.6	-119.1	-1.0	-4553.9	4553.
0	0.0	0.0	SLDy (RS)	I	-554.6	-2.1	0.1	0.0	0.
3	1.2	-2.9		J	-554.6	-2.1	0.1	-80.3	80.
0	0.0	0.0	SLVz (RS)	I	972.4	61.0	0.8	0.0	0.
2	15.8	-39.4		J	972.4	61.0	0.8	2332.2	-2332.
0	0.0	0.0	g1	I	-21826.1	0.0	-171.8	0.0	0.
2	1016.6	-2527.5		J	-21826.1	0.0	272.4	0.2	-0.
0	0.0	0.0	g2	I	-11182.1	-0.0	-15.7	0.0	0.
0	-317.0	788.1		J	-11182.1	-0.0	-15.7	-0.0	0.
0	0.0	0.0	q3	I	-1778.9	0.0	-1.7	0.0	0.
0	-33.4	83.0		J	-1778.9	0.0	-1.7	0.0	-0.
0	0.0	0.0	q5_pc	I	-513.8	-0.0	2.0	0.0	0.
1	39.9	-99.3		J	-513.8	-0.0	2.0	-0.1	0.
0	0.0	0.0	q5_ps	I	-523.6	-0.0	-0.1	0.0	0.
0	-1.3	3.3		J	-523.6	-0.0	-0.1	-0.0	0.
0	0.0	0.0	INVSLU Max	I	-43245.0	0.0	51.7	0.0	0.
7	7104.6	-12284.7		J	-43245.0	0.0	651.4	0.4	2.
0	0.0	0.0	Min	I	-88296.2	-0.1	-55.4	0.0	0.

MIDAS

PROJECT TITLE :

MIDAS	Company		Client		
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

4	4941.1	-17663.8		J	-88296.2	-0.1	544.4	-2.7	-0.
0	0.0	0.0	INVS LV Max	I	-30041.9	257.9	-2.1	0.0	0.
1	4446.9	-10823.4		J	-30041.9	257.9	442.2	9859.0	9860.
0	0.0	0.0	Min	I	-36595.8	-258.0	-6.7	0.0	0.
0	4353.3	-11056.2		J	-36595.8	-258.0	437.5	-9860.1	-9859.
0	75	2	78	Q1-1-2 Max	I	333.3	0.0	74.2	0.0
0	0.0	0.0		J	333.3	0.0	74.2	1.0	1.
0	1499.3	281.5		I	-34002.4	-0.0	-5.6	0.0	0.
0	0.0	0.0	Min	J	-34002.4	-0.0	-5.6	-1.0	-1.
0	-113.2	-3727.6		I	243.4	0.0	47.8	0.0	0.
0	0.0	0.0	Q2a-1-2 Max	J	243.4	0.0	47.8	0.6	0.
6	965.8	113.5		I	-20141.4	-0.0	-2.3	0.0	0.
0	0.0	0.0	Min	J	-20141.4	-0.0	-2.3	-0.6	-0.
6	-45.7	-2401.1		I	-2669.0	-239.2	-1.3	0.0	0.
0	0.0	0.0	SLVx (RS)	J	-2669.0	-239.2	-1.3	-9141.2	9141.
2	-26.2	65.2		I	-1251.9	-4.0	-0.0	0.0	0.
0	0.0	0.0	SLVy (RS)	J	-1251.9	-4.0	-0.0	-153.5	153.
5	-0.7	1.8		I	-1333.2	-119.5	-0.6	0.0	0.
0	0.0	0.0	SLDx (RS)	J	-1333.2	-119.5	-0.6	-4568.5	4568.
5	-13.1	32.6		I	-625.6	-2.0	-0.0	0.0	0.
0	0.0	0.0	SLDy (RS)	J	-625.6	-2.0	-0.0	-76.7	76.
7	-0.4	0.9		I	1076.3	57.9	0.2	0.0	0.
0	0.0	0.0	SLVz (RS)	J	1076.3	57.9	0.2	2213.5	-2213.
5	3.9	-9.6		I	-23338.7	-0.0	-168.2	0.0	0.
0	0.0	0.0	g1	J	-23338.7	-0.0	276.0	-0.0	0.
0	1088.8	-2707.1		I	-11805.1	-0.0	-14.1	0.0	0.
0	0.0	0.0	g2	J	-11805.1	-0.0	-14.1	-0.0	0.
0	-284.7	707.8		I	-1227.5	-0.0	-1.2	0.0	0.
0			q3						



MIDAS

PROJECT TITLE :

MIDAS		Company		Client					
		Author		File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0	0.0	0.0		J	-1227.5	-0.0	-1.2	-0.0	0.
0	-23.6	58.7							
			q5_pc	I	-498.7	-0.0	1.8	0.0	0.
0	0.0	0.0		J	-498.7	-0.0	1.8	-0.0	0.
0	37.0	-91.9							
			q5_ps	I	-491.4	-0.0	-0.3	0.0	0.
0	0.0	0.0		J	-491.4	-0.0	-0.3	-0.0	0.
0	-5.2	12.9							
			INVS LU Max	I	-44299.6	0.0	109.2	0.0	0.
0	0.0	0.0		J	-44299.6	0.0	708.9	1.2	1.
4	8267.3	-14976.7	Min	I	-91726.3	-0.0	-1.8	0.0	0.
0	0.0	0.0		J	-91726.3	-0.0	597.9	-1.4	-1.
2	6023.8	-20554.4							
			INVS LV Max	I	-31116.0	257.7	30.6	0.0	0.
0	0.0	0.0		J	-31116.0	257.7	474.8	9851.3	9851.
4	5106.8	-12559.5	Min	I	-37850.8	-257.7	27.8	0.0	0.
0	0.0	0.0		J	-37850.8	-257.7	472.1	-9851.4	-9851.
3	5051.6	-12696.7							
	76	2	78	Q1-1-2 Max	I	229.4	0.0	76.4	0.0
0	0.0	0.0		J	229.4	0.0	76.4	0.7	0.
7	1543.6	274.2	Min	I	-34167.3	-0.0	-5.5	0.0	0.
0	0.0	0.0		J	-34167.3	-0.0	-5.5	-0.7	-0.
7	-110.3	-3837.8							
			Q2a-1-2 Max	I	166.9	0.0	49.1	0.0	0.
0	0.0	0.0		J	166.9	0.0	49.1	0.5	0.
5	992.3	110.5	Min	I	-20176.6	-0.0	-2.2	0.0	0.
0	0.0	0.0		J	-20176.6	-0.0	-2.2	-0.5	-0.
5	-44.5	-2467.0							
			SLVx (RS)	I	2702.9	-238.5	-1.1	0.0	0.
0	0.0	0.0		J	2702.9	-238.5	-1.1	-9117.8	9117.
8	-22.6	56.2							
			SLVy (RS)	I	-1411.2	-3.8	0.0	0.0	0.
0	0.0	0.0		J	-1411.2	-3.8	0.0	-145.7	145.
7	0.2	-0.6							
			SLDx (RS)	I	1350.4	-119.2	-0.6	0.0	0.
0	0.0	0.0		J	1350.4	-119.2	-0.6	-4556.6	4556.
6	-11.3	28.1							
			SLDy (RS)	I	-705.1	-1.9	0.0	0.0	0.

MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	0.0	0.0		J	-705.1	-1.9	0.0	-72.8	72.
8	0.1	-0.3							
			SLVz (RS)	I	1138.2	56.0	0.2	0.0	0.
0	0.0	0.0		J	1138.2	56.0	0.2	2139.6	-2139.
6	4.2	-10.5							
			g1	I	-23732.1	-0.0	-166.9	0.0	0.
0	0.0	0.0		J	-23732.1	-0.0	277.4	-0.0	0.
0	1116.6	-2776.1							
			g2	I	-11957.0	-0.0	-13.2	0.0	0.
0	0.0	0.0		J	-11957.0	-0.0	-13.2	-0.0	0.
0	-266.4	662.2							
			q3	I	-931.6	-0.0	-0.9	0.0	0.
0	0.0	0.0		J	-931.6	-0.0	-0.9	-0.0	0.
0	-17.5	43.6							
			q5_pc	I	-550.1	-0.0	1.9	0.0	0.
0	0.0	0.0		J	-550.1	-0.0	1.9	-0.0	0.
0	38.6	-96.0							
			q5_ps	I	-532.9	-0.0	-0.2	0.0	0.
0	0.0	0.0		J	-532.9	-0.0	-0.2	-0.0	0.
0	-3.8	9.3							
			INVSLU Max	I	-44339.6	0.0	122.6	0.0	0.
0	0.0	0.0		J	-44339.6	0.0	722.4	1.0	1.
0	8538.9	-15505.9							
			Min	I	-91992.2	-0.0	8.7	0.0	0.
0	0.0	0.0		J	-91992.2	-0.0	608.5	-1.0	-1.
0	6236.7	-21229.9							
			INVSLV Max	I	-31195.7	256.5	37.9	0.0	0.
0	0.0	0.0		J	-31195.7	256.5	482.2	9803.4	9803.
4	5255.8	-12948.2							
			Min	I	-38131.1	-256.5	35.6	0.0	0.
0	0.0	0.0		J	-38131.1	-256.5	479.8	-9803.4	-9803.
4	5207.9	-13067.2							
	77	2	78	Q1-1-2 Max	I	332.5	0.0	75.9	0.0
0	0.0	0.0		J	332.5	0.0	75.9	0.8	0.
8	1534.8	276.6							
			Min	I	-34178.6	-0.0	-5.5	0.0	0.
0	0.0	0.0		J	-34178.6	-0.0	-5.5	-0.8	-0.
8	-111.2	-3815.8							
			Q2a-1-2 Max	I	242.7	0.0	48.8	0.0	0.
0	0.0	0.0		J	242.7	0.0	48.8	0.5	0.
5	986.6	111.2							
			Min	I	-20248.5	-0.0	-2.2	0.0	0.

MIDAS

PROJECT TITLE :

MIDAS	Company		Client		
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

0	0.0	0.0							
5	-44.7	-2452.9		J	-20248.5	-0.0	-2.2	-0.5	-0.
0	0.0	0.0	SLVx (RS)	I	2600.3	-237.3	-0.9	0.0	0.
0	-19.0	47.1		J	2600.3	-237.3	-0.9	-9070.0	9070.
0	0.0	0.0	SLVy (RS)	I	-1275.5	-3.6	-0.0	0.0	0.
4	-0.7	1.8		J	-1275.5	-3.6	-0.0	-138.4	138.
0	0.0	0.0	SLDx (RS)	I	1299.3	-118.6	-0.5	0.0	0.
4	-9.5	23.5		J	1299.3	-118.6	-0.5	-4532.4	4532.
0	0.0	0.0	SLDy (RS)	I	-637.4	-1.8	-0.0	0.0	0.
2	-0.4	0.9		J	-637.4	-1.8	-0.0	-69.2	69.
0	0.0	0.0	SLVz (RS)	I	1115.5	55.3	0.2	0.0	0.
2	4.1	-10.2		J	1115.5	55.3	0.2	2115.2	-2115.
0	0.0	0.0	g1	I	-23437.6	-0.0	-167.2	0.0	0.
0	1110.7	-2761.6		J	-23437.6	-0.0	277.1	-0.0	0.
0	0.0	0.0	g2	I	-11823.0	-0.0	-13.3	0.0	0.
0	-268.5	667.4		J	-11823.0	-0.0	-13.3	-0.0	0.
0	0.0	0.0	q3	I	-731.5	-0.0	-0.7	0.0	0.
0	-13.6	33.9		J	-731.5	-0.0	-0.7	-0.0	0.
0	0.0	0.0	q5_pc	I	-513.5	0.0	1.8	0.0	0.
0	37.0	-91.9		J	-513.5	0.0	1.8	0.0	-0.
0	0.0	0.0	q5_ps	I	-503.8	0.0	-0.3	0.0	0.
0	-5.2	13.0		J	-503.8	0.0	-0.3	0.0	-0.
0	0.0	0.0	INVSLU Max	I	-44433.2	0.0	114.0	0.0	0.
1	8364.6	-15106.3		J	-44433.2	0.0	713.8	1.1	1.
0	0.0	0.0	Min	I	-92128.9	-0.0	0.8	0.0	0.
1	6076.0	-20796.4		J	-92128.9	-0.0	600.5	-1.1	-1.
0	0.0	0.0	INVSLV Max	I	-31280.1	255.0	31.9	0.0	0.
				J	-31280.1	255.0	476.1	9746.1	9746.

# MIDAS

PROJECT TITLE :

MIDAS	Company		Client		
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

1	5133.7	-12662.1							
0	0.0	0.0	Min	I	-37915.3	-255.0	29.9	0.0	0.
				J	-37915.3	-255.0	474.1	-9746.1	-9746.
1	5092.9	-12763.5							
0	78	2	78	Q1-1-2 Max	I	466.1	0.0	71.1	0.0
	0.0	0.0		J	466.1	0.0	71.1	0.9	0.
9	1437.1	282.1							
0	0.0	0.0	Min	I	-32505.8	-0.0	-5.6	0.0	0.
				J	-32505.8	-0.0	-5.6	-0.9	-0.
9	-113.5	-3573.0							
0	0.0	0.0	Q2a-1-2 Max	I	337.7	0.0	45.8	0.0	0.
				J	337.7	0.0	45.8	0.5	0.
5	926.6	113.0							
0	0.0	0.0	Min	I	-19351.3	-0.0	-2.2	0.0	0.
				J	-19351.3	-0.0	-2.2	-0.5	-0.
5	-45.4	-2303.7							
0	0.0	0.0	SLVx (RS)	I	2331.4	-235.9	-0.9	0.0	0.
				J	2331.4	-235.9	-0.9	-9017.0	9017.
0	-17.9	44.6							
0	0.0	0.0	SLVy (RS)	I	-1167.6	-3.5	0.1	0.0	0.
				J	-1167.6	-3.5	0.1	-132.4	132.
4	2.8	-6.9							
0	0.0	0.0	SLDx (RS)	I	1165.0	-117.9	-0.4	0.0	0.
				J	1165.0	-117.9	-0.4	-4505.7	4505.
7	-9.0	22.3							
0	0.0	0.0	SLDy (RS)	I	-583.3	-1.7	0.1	0.0	0.
				J	-583.3	-1.7	0.1	-66.2	66.
2	1.4	-3.5							
0	0.0	0.0	SLVz (RS)	I	1008.8	54.2	0.3	0.0	0.
				J	1008.8	54.2	0.3	2072.1	-2072.
1	5.5	-13.7							
0	0.0	0.0	g1	I	-22162.8	-0.0	-170.1	0.0	0.
				J	-22162.8	-0.0	274.1	-0.0	0.
0	1051.2	-2613.5							
0	0.0	0.0	g2	I	-11244.1	-0.0	-14.3	0.0	0.
				J	-11244.1	-0.0	-14.3	-0.0	0.
0	-288.8	718.0							
0	0.0	0.0	q3	I	-570.9	-0.0	-0.5	0.0	0.
				J	-570.9	-0.0	-0.5	-0.0	0.
0	-10.5	26.2							
0	0.0	0.0	q5_pc	I	-563.6	0.0	2.0	0.0	0.

# MIDAS

PROJECT TITLE :

MIDAS		Company		Client					
		Author		File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
1	40.1	-99.6		J	-563.6	0.0	2.0	0.1	-0.
0	0.0	0.0	q5_ps	I	-565.9	0.0	-0.1	0.0	0.
0	-1.3	3.3		J	-565.9	0.0	-0.1	0.0	-0.
0	0.0	0.0	INVSLU Max	I	-43613.2	0.0	59.8	0.0	0.
3	7268.7	-12688.2		J	-43613.2	0.0	659.5	1.3	1.
0	0.0	0.0	Min	I	-89324.1	-0.0	-47.3	0.0	0.
3	5103.4	-18071.8		J	-89324.1	-0.0	552.4	-1.3	-1.
0	0.0	0.0	INVSLV Max	I	-30666.0	253.2	0.5	0.0	0.
4	4499.5	-11085.3		J	-30666.0	253.2	444.8	9678.4	9678.
0	0.0	0.0	Min	I	-36634.6	-253.2	-1.5	0.0	0.
4	4458.6	-11186.8		J	-36634.6	-253.2	442.7	-9678.4	-9678.
0	79	2	78	Q1-1-2 Max	I	1340.5	0.0	66.6	0.0
2	1345.9	317.3		J	1340.5	0.0	66.6	1.2	1.
0	0.0	0.0	Min	I	-21588.8	-0.0	-6.3	0.0	0.
2	-127.6	-3346.1		J	-21588.8	-0.0	-6.3	-1.2	-1.
0	0.0	0.0	Q2a-1-2 Max	I	927.3	0.0	43.2	0.0	0.
7	873.8	136.5		J	927.3	0.0	43.2	0.7	0.
0	0.0	0.0	Min	I	-13168.2	-0.0	-2.7	0.0	0.
7	-54.9	-2172.5		J	-13168.2	-0.0	-2.7	-0.7	-0.
0	0.0	0.0	SLVx (RS)	I	1514.6	-234.9	0.7	0.0	0.
7	13.2	-32.7		J	1514.6	-234.9	0.7	-8977.7	8977.
0	0.0	0.0	SLVy (RS)	I	-340.8	-3.3	-0.3	0.0	0.
0	-6.1	15.2		J	-340.8	-3.3	-0.3	-126.0	126.
0	0.0	0.0	SLDx (RS)	I	756.9	-117.4	0.3	0.0	0.
8	6.6	-16.4		J	756.9	-117.4	0.3	-4485.8	4485.
0	0.0	0.0	SLDy (RS)	I	-170.2	-1.6	-0.2	0.0	0.
0	-3.1	7.6		J	-170.2	-1.6	-0.2	-63.0	63.
0	0.0	0.0	SLVz (RS)	I	657.7	52.8	0.2	0.0	0.

PROJECT TITLE :

MIDAS	Company	Client		
	Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

9	4.7	-11.6		J	657.7	52.8	0.2	2019.9	-2019.
0	0.0	0.0	g1	I	-15301.9	-0.0	-172.1	0.0	0.
0	1010.4	-2512.1		J	-15301.9	-0.0	272.1	-0.0	0.
0	0.0	0.0	g2	I	-7991.6	-0.0	-14.8	0.0	0.
0	-298.4	741.9		J	-7991.6	-0.0	-14.8	-0.0	0.
0	0.0	0.0	q3	I	-344.0	-0.0	-0.3	0.0	0.
0	-6.4	15.8		J	-344.0	-0.0	-0.3	-0.0	0.
0	0.0	0.0	q5_pc	I	347.1	0.0	1.7	0.0	0.
1	33.8	-84.0		J	347.1	0.0	1.7	0.1	-0.
0	0.0	0.0	q5_ps	I	132.9	0.0	-0.2	0.0	0.
1	-4.8	12.0		J	132.9	0.0	-0.2	0.1	-0.
0	0.0	0.0	INVSLU Max	I	-30225.5	0.0	-47.0	0.0	0.
8	5110.2	-7608.5		J	-30225.5	0.0	552.7	1.8	1.
0	0.0	0.0	Min	I	-61804.8	-0.0	-148.4	0.0	0.
8	3060.2	-12705.3		J	-61804.8	-0.0	451.3	-1.8	-1.
0	0.0	0.0	INVSLV Max	I	-21987.7	251.7	-66.0	0.0	0.
4	3154.8	-7762.0		J	-21987.7	251.7	378.2	9621.4	9621.
0	0.0	0.0	Min	I	-25616.0	-251.7	-67.6	0.0	0.
4	3122.0	-7843.6		J	-25616.0	-251.7	376.6	-9621.4	-9621.
0	81	2	76	Q1-1-2 Max	I	23174.9	0.0	0.0	0.0
0	0.0	0.0		J	23174.9	0.0	0.0	0.0	0.
0	0.0	0.0		I	-1461.2	0.0	0.0	0.0	0.
0	0.0	0.0	Min	J	-1461.2	-0.0	-0.0	0.0	0.
0	0.0	0.0		I	15204.3	0.0	0.0	0.0	0.
0	0.0	0.0	Q2a-1-2 Max	J	15204.3	0.0	0.0	0.0	0.
0	0.0	0.0		I	-601.7	0.0	0.0	0.0	0.
0	0.0	0.0	Min	J	-601.7	-0.0	-0.0	0.0	0.
0	0.0	0.0		I	-308.1	0.0	0.0	0.0	0.
0	0.0	0.0	SLVx (RS)	J	-308.1	0.0	0.0	0.0	0.

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0	0.0	0.0		J	-308.1	-0.0	-0.0	0.0	0.
0	0.0	0.0	SLVy (RS)	I	-94.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	-94.0	0.0	0.0	0.0	0.
0	0.0	0.0	SLDx (RS)	I	-154.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	-154.0	-0.0	-0.0	0.0	0.
0	0.0	0.0	SLDy (RS)	I	-46.9	0.0	0.0	0.0	0.
0	0.0	0.0		J	-46.9	0.0	0.0	0.0	0.
0	0.0	0.0	SLVz (RS)	I	81.5	0.0	0.0	0.0	0.
0	0.0	0.0		J	81.5	0.0	0.0	0.0	0.
0	0.0	0.0	g1	I	599.0	0.0	-443.0	0.0	0.
0	0.0	0.0		J	599.0	-0.0	443.0	0.0	0.
0	0.0	0.0	g2	I	-3523.3	0.0	0.0	0.0	0.
0	0.0	0.0		J	-3523.3	-0.0	-0.0	0.0	0.
0	0.0	0.0	q3	I	-344.6	0.0	0.0	0.0	0.
0	0.0	0.0		J	-344.6	-0.0	-0.0	0.0	0.
0	0.0	0.0	q5_pc	I	475.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	475.0	0.0	-0.0	0.0	0.
0	0.0	0.0	q5_ps	I	-80.1	0.0	0.0	0.0	0.
0	0.0	0.0		J	-80.1	0.0	-0.0	0.0	0.
0	0.0	0.0	INVSLU Max	I	56308.6	0.0	-598.1	0.0	0.
0	0.0	0.0		J	56308.6	-0.0	598.1	0.0	0.
0	0.0	0.0	Min	I	22194.8	0.0	-598.1	0.0	0.
0	0.0	0.0		J	22194.8	-0.0	598.1	0.0	0.
0	0.0	0.0	INVSLV Max	I	35112.7	0.0	-443.0	0.0	0.
0	0.0	0.0		J	35112.7	-0.0	443.0	0.0	0.
0	0.0	0.0	Min	I	34391.1	0.0	-443.0	0.0	0.
0	0.0	0.0		J	34391.1	-0.0	443.0	0.0	0.

PROJECT TITLE :

MIDAS		Company			Client					
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt				
0	82	2	76	Q1-1-2 Max	I	25512.3	0.0	0.0	0.0	0.0
		0.0	0.0		J	25512.3	0.0	0.0	0.0	0.0
0		0.0	0.0	Min	I	-1384.5	0.0	0.0	0.0	0.0
0		0.0	0.0		J	-1384.5	-0.0	-0.0	0.0	0.0
0		0.0	0.0	Q2a-1-2 Max	I	16589.8	0.0	0.0	0.0	0.0
0		0.0	0.0		J	16589.8	0.0	0.0	0.0	0.0
0		0.0	0.0	Min	I	-563.6	0.0	0.0	0.0	0.0
0		0.0	0.0		J	-563.6	-0.0	-0.0	0.0	0.0
0		0.0	0.0	SLVx (RS)	I	-374.6	0.0	0.0	0.0	0.0
0		0.0	0.0		J	-374.6	-0.0	-0.0	0.0	0.0
0		0.0	0.0	SLVy (RS)	I	20.4	0.0	0.0	0.0	0.0
0		0.0	0.0		J	20.4	0.0	0.0	0.0	0.0
0		0.0	0.0	SLDx (RS)	I	-187.3	0.0	0.0	0.0	0.0
0		0.0	0.0		J	-187.3	-0.0	-0.0	0.0	0.0
0		0.0	0.0	SLDy (RS)	I	10.2	0.0	0.0	0.0	0.0
0		0.0	0.0		J	10.2	0.0	0.0	0.0	0.0
0		0.0	0.0	SLVz (RS)	I	182.3	0.0	0.0	0.0	0.0
0		0.0	0.0		J	182.3	0.0	0.0	0.0	0.0
0		0.0	0.0	g1	I	2358.6	0.0	-443.0	0.0	0.0
0		0.0	0.0		J	2358.6	-0.0	443.0	0.0	0.0
0		0.0	0.0	g2	I	-2886.8	0.0	0.0	0.0	0.0
0		0.0	0.0		J	-2886.8	-0.0	-0.0	0.0	0.0
0		0.0	0.0	q3	I	-254.3	0.0	0.0	0.0	0.0
0		0.0	0.0		J	-254.3	-0.0	-0.0	0.0	0.0
0		0.0	0.0	q5_pc	I	575.4	0.0	0.0	0.0	0.0
0		0.0	0.0		J	575.4	0.0	-0.0	0.0	0.0
0		0.0	0.0	q5_ps	I	-10.3	0.0	0.0	0.0	0.0
0		0.0	0.0		J	-10.3	0.0	-0.0	0.0	0.0



MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	0.0	0.0							
			INVS LU Max	I	89989.2	0.0	-598.1	0.0	0.
0	0.0	0.0		J	89989.2	-0.0	598.1	0.0	0.
0	0.0	0.0	Min	I	52642.8	0.0	-598.1	0.0	0.
0	0.0	0.0		J	52642.8	-0.0	598.1	0.0	0.
0	0.0	0.0							
			INVS LV Max	I	55638.2	0.0	-443.0	0.0	0.
0	0.0	0.0		J	55638.2	-0.0	443.0	0.0	0.
0	0.0	0.0	Min	I	54767.4	0.0	-443.0	0.0	0.
0	0.0	0.0		J	54767.4	-0.0	443.0	0.0	0.
0	0.0	0.0							
83	2	76	Q1-1-2 Max	I	27147.2	0.0	0.0	0.0	0.
0	0.0	0.0		J	27147.2	0.0	0.0	0.0	0.
0	0.0	0.0	Min	I	-1340.5	0.0	0.0	0.0	0.
0	0.0	0.0		J	-1340.5	-0.0	-0.0	0.0	0.
0	0.0	0.0							
			Q2a-1-2 Max	I	17589.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	17589.0	0.0	0.0	0.0	0.
0	0.0	0.0	Min	I	-551.4	0.0	0.0	0.0	0.
0	0.0	0.0		J	-551.4	-0.0	-0.0	0.0	0.
0	0.0	0.0							
			SLVx (RS)	I	-438.6	0.0	0.0	0.0	0.
0	0.0	0.0		J	-438.6	-0.0	0.0	0.0	0.
0	0.0	0.0							
			SLVy (RS)	I	-12.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	-12.0	0.0	0.0	0.0	0.
0	0.0	0.0							
			SLDx (RS)	I	-219.3	0.0	0.0	0.0	0.
0	0.0	0.0		J	-219.3	-0.0	0.0	0.0	0.
0	0.0	0.0							
			SLDy (RS)	I	-6.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	-6.0	0.0	0.0	0.0	0.
0	0.0	0.0							
			SLVz (RS)	I	-193.2	0.0	0.0	0.0	0.
0	0.0	0.0		J	-193.2	0.0	0.0	0.0	0.
0	0.0	0.0							
			g1	I	3336.9	0.0	-443.0	0.0	0.
0	0.0	0.0		J	3336.9	-0.0	443.0	0.0	0.

PROJECT TITLE :

MIDAS	Company	Client		
	Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

0	0.0	0.0							
			g2	I	-2417.7	0.0	0.0	0.0	0.
0	0.0	0.0		J	-2417.7	-0.0	-0.0	0.0	0.
0	0.0	0.0							
			q3	I	-182.2	0.0	0.0	0.0	0.
0	0.0	0.0		J	-182.2	-0.0	-0.0	0.0	0.
0	0.0	0.0							
			q5_pc	I	562.1	0.0	0.0	0.0	0.
0	0.0	0.0		J	562.1	0.0	-0.0	0.0	0.
0	0.0	0.0							
			q5_ps	I	-33.3	0.0	0.0	0.0	0.
0	0.0	0.0		J	-33.3	0.0	-0.0	0.0	0.
0	0.0	0.0							
			INVSLU Max	I	106445.1	0.0	-598.1	0.0	0.
0	0.0	0.0		J	106445.1	-0.0	598.1	0.0	0.
0	0.0	0.0							
			Min	I	66974.9	0.0	-598.1	0.0	0.
0	0.0	0.0		J	66974.9	-0.0	598.1	0.0	0.
0	0.0	0.0							
			INVSLV Max	I	65433.2	0.0	-443.0	0.0	0.
0	0.0	0.0		J	65433.2	-0.0	443.0	0.0	0.
0	0.0	0.0							
			Min	I	64432.8	0.0	-443.0	0.0	0.
0	0.0	0.0		J	64432.8	-0.0	443.0	0.0	0.
0	0.0	0.0							
	84	2	76	Q1-1-2 Max	I	27666.6	0.0	0.0	0.
0	0.0	0.0		J	27666.6	0.0	0.0	0.0	0.
0	0.0	0.0							
			Min	I	-1311.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	-1311.0	-0.0	-0.0	0.0	0.
0	0.0	0.0							
			Q2a-1-2 Max	I	17904.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	17904.0	0.0	0.0	0.0	0.
0	0.0	0.0							
			Min	I	-536.9	0.0	0.0	0.0	0.
0	0.0	0.0		J	-536.9	-0.0	-0.0	0.0	0.
0	0.0	0.0							
			SLVx (RS)	I	-410.5	0.0	0.0	0.0	0.
0	0.0	0.0		J	-410.5	-0.0	0.0	0.0	0.
0	0.0	0.0							
			SLVy (RS)	I	-11.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	-11.0	0.0	0.0	0.0	0.

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0	0.0	0.0							
			SLDx (RS)	I	-205.2	0.0	0.0	0.0	0.
0	0.0	0.0		J	-205.2	-0.0	0.0	0.0	0.
0	0.0	0.0							
			SLDy (RS)	I	-5.5	0.0	0.0	0.0	0.
0	0.0	0.0		J	-5.5	0.0	0.0	0.0	0.
0	0.0	0.0							
			SLVz (RS)	I	-183.3	0.0	0.0	0.0	0.
0	0.0	0.0		J	-183.3	0.0	0.0	0.0	0.
0	0.0	0.0							
			g1	I	3616.9	0.0	-443.0	0.0	0.
0	0.0	0.0		J	3616.9	-0.0	443.0	0.0	0.
0	0.0	0.0							
			g2	I	-2226.8	0.0	0.0	0.0	0.
0	0.0	0.0		J	-2226.8	-0.0	-0.0	0.0	0.
0	0.0	0.0							
			q3	I	-137.6	0.0	0.0	0.0	0.
0	0.0	0.0		J	-137.6	-0.0	-0.0	0.0	0.
0	0.0	0.0							
			q5_pc	I	574.7	0.0	0.0	0.0	0.
0	0.0	0.0		J	574.7	0.0	-0.0	0.0	0.
0	0.0	0.0							
			q5_ps	I	-22.5	0.0	0.0	0.0	0.
0	0.0	0.0		J	-22.5	0.0	-0.0	0.0	0.
0	0.0	0.0							
			INVSLU Max	I	110598.2	0.0	-598.1	0.0	0.
0	0.0	0.0		J	110598.2	-0.0	598.1	0.0	0.
0	0.0	0.0							
			Min	I	70443.9	0.0	-598.1	0.0	0.
0	0.0	0.0		J	70443.9	-0.0	598.1	0.0	0.
0	0.0	0.0							
			INVSLV Max	I	67824.1	0.0	-443.0	0.0	0.
0	0.0	0.0		J	67824.1	-0.0	443.0	0.0	0.
0	0.0	0.0							
			Min	I	66886.5	0.0	-443.0	0.0	0.
0	0.0	0.0		J	66886.5	-0.0	443.0	0.0	0.
0	0.0	0.0							
	85	2	76 Q1-1-2 Max	I	27304.6	0.0	0.0	0.0	0.
0	0.0	0.0		J	27304.6	0.0	0.0	0.0	0.
0	0.0	0.0							
			Min	I	-1335.8	0.0	0.0	0.0	0.
0	0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0	0.0	0.0		J	-1335.8	-0.0	-0.0	0.0	0.
0	0.0	0.0	Q2a-1-2 Max	I	17683.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	17683.0	0.0	0.0	0.0	0.
0	0.0	0.0	Min	I	-548.7	0.0	0.0	0.0	0.
0	0.0	0.0		J	-548.7	-0.0	-0.0	0.0	0.
0	0.0	0.0	SLVx (RS)	I	-368.7	0.0	0.0	0.0	0.
0	0.0	0.0		J	-368.7	-0.0	0.0	0.0	0.
0	0.0	0.0	SLVy (RS)	I	-9.5	0.0	0.0	0.0	0.
0	0.0	0.0		J	-9.5	-0.0	0.0	0.0	0.
0	0.0	0.0	SLDx (RS)	I	-184.3	0.0	0.0	0.0	0.
0	0.0	0.0		J	-184.3	-0.0	0.0	0.0	0.
0	0.0	0.0	SLDy (RS)	I	-4.8	0.0	0.0	0.0	0.
0	0.0	0.0		J	-4.8	-0.0	0.0	0.0	0.
0	0.0	0.0	SLVz (RS)	I	-165.9	0.0	0.0	0.0	0.
0	0.0	0.0		J	-165.9	0.0	0.0	0.0	0.
0	0.0	0.0	g1	I	3324.6	0.0	-443.0	0.0	0.
0	0.0	0.0		J	3324.6	-0.0	443.0	0.0	0.
0	0.0	0.0	g2	I	-2357.2	0.0	0.0	0.0	0.
0	0.0	0.0		J	-2357.2	-0.0	-0.0	0.0	0.
0	0.0	0.0	q3	I	-107.6	0.0	0.0	0.0	0.
0	0.0	0.0		J	-107.6	-0.0	-0.0	0.0	0.
0	0.0	0.0	q5_pc	I	562.4	0.0	0.0	0.0	0.
0	0.0	0.0		J	562.4	-0.0	-0.0	0.0	0.
0	0.0	0.0	q5_ps	I	-33.6	0.0	0.0	0.0	0.
0	0.0	0.0		J	-33.6	-0.0	-0.0	0.0	0.
0	0.0	0.0	INVSLU Max	I	106748.7	0.0	-598.1	0.0	0.
0	0.0	0.0		J	106748.7	-0.0	598.1	0.0	0.

PROJECT TITLE :

MIDAS	Company				Client				
	Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			

0	0.0	0.0	Min	I	67071.9	0.0	-598.1	0.0	0.
0	0.0	0.0		J	67071.9	-0.0	598.1	0.0	0.
0	0.0	0.0	INVS LV Max	I	65392.1	0.0	-443.0	0.0	0.
0	0.0	0.0		J	65392.1	-0.0	443.0	0.0	0.
0	0.0	0.0	Min	I	64549.5	0.0	-443.0	0.0	0.
0	0.0	0.0		J	64549.5	-0.0	443.0	0.0	0.
0	0.0	0.0							
0	86	2	76 Q1-1-2 Max	I	25789.7	0.0	0.0	0.0	0.
0	0.0	0.0		J	25789.7	0.0	0.0	0.0	0.
0	0.0	0.0	Min	I	-1380.9	0.0	0.0	0.0	0.
0	0.0	0.0		J	-1380.9	-0.0	-0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	Q2a-1-2 Max	I	16753.1	0.0	0.0	0.0	0.
0	0.0	0.0		J	16753.1	0.0	0.0	0.0	0.
0	0.0	0.0	Min	I	-561.7	0.0	0.0	0.0	0.
0	0.0	0.0		J	-561.7	-0.0	-0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	SLVx (RS)	I	-246.4	0.0	0.0	0.0	0.
0	0.0	0.0		J	-246.4	-0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	SLVy (RS)	I	23.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	23.0	-0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	SLDx (RS)	I	-123.2	0.0	0.0	0.0	0.
0	0.0	0.0		J	-123.2	-0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	SLDy (RS)	I	11.5	0.0	0.0	0.0	0.
0	0.0	0.0		J	11.5	-0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	SLVz (RS)	I	-110.5	0.0	0.0	0.0	0.
0	0.0	0.0		J	-110.5	0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	g1	I	2275.4	0.0	-443.0	0.0	0.
0	0.0	0.0		J	2275.4	-0.0	443.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	g2	I	-2789.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	-2789.0	-0.0	-0.0	0.0	0.
0	0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			

0	0.0	0.0	q3	I	-83.1	0.0	0.0	0.0	0.
0	0.0	0.0		J	-83.1	-0.0	-0.0	0.0	0.
0	0.0	0.0	q5_pc	I	576.6	0.0	0.0	0.0	0.
0	0.0	0.0		J	576.6	-0.0	-0.0	0.0	0.
0	0.0	0.0	q5_ps	I	-11.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	-11.0	-0.0	-0.0	0.0	0.
0	0.0	0.0	INVSLU Max	I	90901.1	0.0	-598.1	0.0	0.
0	0.0	0.0		J	90901.1	-0.0	598.1	0.0	0.
0	0.0	0.0	Min	I	53183.0	0.0	-598.1	0.0	0.
0	0.0	0.0		J	53183.0	-0.0	598.1	0.0	0.
0	0.0	0.0	INVSLV Max	I	55860.9	0.0	-443.0	0.0	0.
0	0.0	0.0		J	55860.9	-0.0	443.0	0.0	0.
0	0.0	0.0	Min	I	55288.0	0.0	-443.0	0.0	0.
0	0.0	0.0		J	55288.0	-0.0	443.0	0.0	0.
0	87	2	76 Q1-1-2 Max	I	23386.6	0.0	0.0	0.0	0.
0	0.0	0.0		J	23386.6	0.0	0.0	0.0	0.
0	0.0	0.0	Min	I	-1452.1	0.0	0.0	0.0	0.
0	0.0	0.0		J	-1452.1	-0.0	-0.0	0.0	0.
0	0.0	0.0	Q2a-1-2 Max	I	15318.5	0.0	0.0	0.0	0.
0	0.0	0.0		J	15318.5	0.0	0.0	0.0	0.
0	0.0	0.0	Min	I	-599.9	0.0	0.0	0.0	0.
0	0.0	0.0		J	-599.9	-0.0	-0.0	0.0	0.
0	0.0	0.0	SLVx (RS)	I	-103.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	-103.0	-0.0	0.0	0.0	0.
0	0.0	0.0	SLVy (RS)	I	-94.4	0.0	0.0	0.0	0.
0	0.0	0.0		J	-94.4	-0.0	0.0	0.0	0.
0	0.0	0.0	SLDx (RS)	I	-51.5	0.0	0.0	0.0	0.
0	0.0	0.0		J	-51.5	-0.0	0.0	0.0	0.

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	0.0	0.0	SLDy (RS)	I	-47.2	0.0	0.0	0.0	0.
0	0.0	0.0		J	-47.2	-0.0	0.0	0.0	0.
0	0.0	0.0	SLVz (RS)	I	-45.2	0.0	0.0	0.0	0.
0	0.0	0.0		J	-45.2	0.0	0.0	0.0	0.
0	0.0	0.0	g1	I	864.3	0.0	-443.0	0.0	0.
0	0.0	0.0		J	864.3	-0.0	443.0	0.0	0.
0	0.0	0.0	g2	I	-3373.6	0.0	0.0	0.0	0.
0	0.0	0.0		J	-3373.6	-0.0	-0.0	0.0	0.
0	0.0	0.0	q3	I	-52.6	0.0	0.0	0.0	0.
0	0.0	0.0		J	-52.6	-0.0	-0.0	0.0	0.
0	0.0	0.0	q5_pc	I	473.8	0.0	0.0	0.0	0.
0	0.0	0.0		J	473.8	-0.0	-0.0	0.0	0.
0	0.0	0.0	q5_ps	I	-80.9	0.0	0.0	0.0	0.
0	0.0	0.0		J	-80.9	-0.0	-0.0	0.0	0.
0	0.0	0.0	INVS LU Max	I	55642.1	0.0	-598.1	0.0	0.
0	0.0	0.0		J	55642.1	-0.0	598.1	0.0	0.
0	0.0	0.0	Min	I	21257.0	0.0	-598.1	0.0	0.
0	0.0	0.0		J	21257.0	-0.0	598.1	0.0	0.
0	0.0	0.0	INVS LV Max	I	34212.3	0.0	-443.0	0.0	0.
0	0.0	0.0		J	34212.3	0.0	443.0	0.0	0.
0	0.0	0.0	Min	I	33922.6	0.0	-443.0	0.0	0.
0	0.0	0.0		J	33922.6	-0.0	443.0	0.0	0.
0	89	2	74 Q1-1-2 Max	I	29066.1	0.0	0.0	0.0	0.
0	0.0	0.0		J	29066.1	0.0	0.0	0.0	0.
0	0.0	0.0	Min	I	-29137.3	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-29137.3	-0.0	0.0	0.0	0.
0	0.0	0.0	Q2a-1-2 Max	I	16606.3	0.0	0.0	0.0	0.
0	0.0	0.0		J	16606.3	0.0	0.0	0.0	0.

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			

0	0.0	0.0							
			Min	I	-16647.1	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-16647.1	-0.0	0.0	0.0	0.
0	0.0	0.0							
			SLVx (RS)	I	245.4	-0.0	0.0	0.0	0.
0	0.0	0.0		J	245.4	0.0	0.0	0.0	0.
0	0.0	0.0							
			SLVy (RS)	I	17567.1	-0.0	0.0	0.0	0.
0	0.0	0.0		J	17567.1	-0.0	0.0	0.0	0.
0	0.0	0.0							
			SLDx (RS)	I	122.6	-0.0	0.0	0.0	0.
0	0.0	0.0		J	122.6	0.0	0.0	0.0	0.
0	0.0	0.0							
			SLDy (RS)	I	8773.5	-0.0	0.0	0.0	0.
0	0.0	0.0		J	8773.5	-0.0	0.0	0.0	0.
0	0.0	0.0							
			SLVz (RS)	I	-186.7	0.0	0.0	0.0	0.
0	0.0	0.0		J	-186.7	-0.0	0.0	0.0	0.
0	0.0	0.0							
			g1	I	259.8	-0.0	-221.9	0.0	0.
0	0.0	0.0		J	390.4	0.0	221.9	0.0	0.
0	0.0	0.0							
			g2	I	-29.4	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-29.4	0.0	0.0	0.0	0.
0	0.0	0.0							
			q3	I	-1.1	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-1.1	0.0	0.0	0.0	0.
0	0.0	0.0							
			q5_pc	I	19456.0	-0.0	0.0	0.0	0.
0	0.0	0.0		J	19456.0	-0.0	0.0	0.0	0.
0	0.0	0.0							
			q5_ps	I	16552.4	-0.0	0.0	0.0	0.
0	0.0	0.0		J	16552.4	-0.0	0.0	0.0	0.
0	0.0	0.0							
			INVSLU Max	I	57060.2	-0.0	-299.5	0.0	0.
0	0.0	0.0		J	57236.6	0.0	299.5	0.0	0.
0	0.0	0.0							
			Min	I	-56535.3	-0.0	-299.5	0.0	0.
0	0.0	0.0		J	-56358.9	0.0	299.5	0.0	0.
0	0.0	0.0							
			INVSLV Max	I	17958.6	0.0	-221.9	0.0	0.



PROJECT TITLE :

MIDAS	Company		Client		
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

0	0.0	0.0		J	18089.3	0.0	221.9	0.0	0.	
0	0.0	0.0	Min	I	-17434.8	-0.0	-221.9	0.0	0.	
0	0.0	0.0		J	-17304.2	0.0	221.9	0.0	0.	
0	0.0	0.0								
5	90	2	71	Q1-1-2 Max	I	17039.4	0.0	74.2	1.5	1.
5	64.0		3172.6		J	17039.4	0.0	74.2	0.0	0.
0	0.0	0.0		Min	I	-19495.7	-0.0	-3.8	-1.5	-1.
5	-1244.0		-163.1		J	-19495.7	-0.0	-3.8	0.0	0.
0	0.0	0.0								
9				Q2a-1-2 Max	I	9956.1	0.0	44.0	0.9	0.
9	27.3		1880.1		J	9956.1	0.0	44.0	0.0	0.
0	0.0	0.0		Min	I	-11034.9	-0.0	-1.6	-0.9	-0.
9	-737.2		-69.5		J	-11034.9	-0.0	-1.6	0.0	0.
0	0.0	0.0								
0				SLVx (RS)	I	-1196.2	257.4	5.6	-8245.0	8245.
0	-94.3		240.6		J	-1196.2	257.4	5.6	0.0	0.
0	0.0	0.0								
6				SLVy (RS)	I	8626.6	4.8	11.2	-153.6	153.
6	-187.8		479.0		J	8626.6	4.8	11.2	0.0	0.
0	0.0	0.0								
7				SLDx (RS)	I	-597.4	128.6	2.8	-4120.7	4120.
7	-47.1		120.2		J	-597.4	128.6	2.8	0.0	0.
0	0.0	0.0								
8				SLDy (RS)	I	4308.1	2.4	5.6	-76.8	76.
8	-93.8		239.2		J	4308.1	2.4	5.6	0.0	0.
0	0.0	0.0								
7				SLVz (RS)	I	244.6	-69.6	-2.3	2227.7	-2227.
7	38.7		-98.7		J	244.6	-69.6	-2.3	0.0	0.
0	0.0	0.0								
0				g1	I	-2953.2	0.0	-207.8	-0.0	0.
0	-245.6		626.3		J	-2953.2	0.0	237.1	0.0	0.
0	0.0	0.0								
0				g2	I	-1736.6	0.0	38.1	-0.0	0.
0	-638.6		1628.7		J	-1736.6	0.0	38.1	0.0	0.
0	0.0	0.0								
0				q3	I	-1345.4	0.0	1.0	-0.0	0.
0	-16.8		42.9		J	-1345.4	0.0	1.0	0.0	0.
0	0.0	0.0								

MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


0	-132.0	336.7	q5_pc	I	2503.4	0.0	7.9	-0.0	0.
				J	2503.4	0.0	7.9	0.0	0.
0	0.0	0.0							
0	-129.4	330.1	q5_ps	I	2609.5	0.0	7.7	-0.0	0.
				J	2609.5	0.0	7.7	0.0	0.
0	0.0	0.0							
0	-1117.1	8095.3	INVSLU Max	I	20088.1	0.1	-111.0	2.0	2.
				J	20088.1	0.1	489.7	0.0	0.
0	0.0	0.0							
0	-3174.2	2848.9	Min	I	-33740.5	-0.1	-233.7	-2.0	-2.
				J	-33740.5	-0.1	367.0	0.0	0.
0	0.0	0.0							
4	-107.0	1434.5	INVSLV Max	I	3581.7	279.7	-188.9	8959.4	8959.
				J	3581.7	279.7	256.0	0.0	0.
0	0.0	0.0							
4	-562.5	272.9	Min	I	-14536.1	-279.7	-216.1	-8959.4	-8959.
				J	-14536.1	-279.7	228.9	0.0	0.
0	0.0	0.0							
0	91	2	74	Q1-1-2 Max	I	29064.9	0.0	0.0	0.0
	0.0	0.0	0.0		J	29064.9	0.0	0.0	0.0
0	0.0	0.0							
0	0.0	0.0	Min	I	-29138.8	-0.0	0.0	0.0	0.0
				J	-29138.8	-0.0	0.0	0.0	0.0
0	0.0	0.0							
0	0.0	0.0	Q2a-1-2 Max	I	16605.4	0.0	0.0	0.0	0.0
				J	16605.4	0.0	0.0	0.0	0.0
0	0.0	0.0							
0	0.0	0.0	Min	I	-16648.2	-0.0	0.0	0.0	0.0
				J	-16648.2	-0.0	0.0	0.0	0.0
0	0.0	0.0							
0	0.0	0.0	SLVx (RS)	I	-242.9	0.0	0.0	0.0	0.0
				J	-242.9	-0.0	0.0	0.0	0.0
0	0.0	0.0							
0	0.0	0.0	SLVy (RS)	I	-17579.7	0.0	0.0	0.0	0.0
				J	-17579.7	-0.0	0.0	0.0	0.0
0	0.0	0.0							
0	0.0	0.0	SLDx (RS)	I	-121.4	0.0	0.0	0.0	0.0
				J	-121.4	-0.0	0.0	0.0	0.0
0	0.0	0.0							
0	0.0	0.0	SLDy (RS)	I	-8779.8	0.0	0.0	0.0	0.0
				J	-8779.8	-0.0	0.0	0.0	0.0
0	0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			

0	0.0	0.0	SLVz (RS)	I	185.9	-0.0	0.0	0.0	0.0
0	0.0	0.0		J	185.9	0.0	0.0	0.0	0.0
0	0.0	0.0	g1	I	271.4	0.0	-221.9	0.0	0.0
0	0.0	0.0		J	402.0	-0.0	221.9	0.0	0.0
0	0.0	0.0	g2	I	-29.6	0.0	0.0	0.0	0.0
0	0.0	0.0		J	-29.6	-0.0	0.0	0.0	0.0
0	0.0	0.0	q3	I	-0.5	0.0	0.0	0.0	0.0
0	0.0	0.0		J	-0.5	-0.0	0.0	0.0	0.0
0	0.0	0.0	q5_pc	I	-19468.2	0.0	0.0	0.0	0.0
0	0.0	0.0		J	-19468.2	-0.0	0.0	0.0	0.0
0	0.0	0.0	q5_ps	I	-16564.3	0.0	0.0	0.0	0.0
0	0.0	0.0		J	-16564.3	-0.0	0.0	0.0	0.0
0	0.0	0.0	INVSLU Max	I	57069.3	0.0	-299.5	0.0	0.0
0	0.0	0.0		J	57245.6	-0.0	299.5	0.0	0.0
0	0.0	0.0	Min	I	-56548.5	0.0	-299.5	0.0	0.0
0	0.0	0.0		J	-56372.2	-0.0	299.5	0.0	0.0
0	0.0	0.0	INVSLV Max	I	17969.5	0.0	-221.9	0.0	0.0
0	0.0	0.0		J	18100.1	-0.0	221.9	0.0	0.0
0	0.0	0.0	Min	I	-17447.3	-0.0	-221.9	0.0	0.0
0	0.0	0.0		J	-17316.7	-0.0	221.9	0.0	0.0
0	92	2	79 Q1-1-2 Max	I	12917.0	0.0	0.0	0.0	0.0
0	0.0	0.0		J	12917.0	0.0	0.0	0.0	0.0
0	0.0	0.0	Min	I	-12858.9	-0.0	0.0	0.0	0.0
0	0.0	0.0		J	-12858.9	-0.0	-0.0	0.0	0.0
0	0.0	0.0	Q2a-1-2 Max	I	8487.7	0.0	0.0	0.0	0.0
0	0.0	0.0		J	8487.7	0.0	0.0	0.0	0.0
0	0.0	0.0	Min	I	-8449.4	-0.0	0.0	0.0	0.0
0	0.0	0.0		J	-8449.4	-0.0	-0.0	0.0	0.0

PROJECT TITLE :

			Company		Client				
			Author		File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0	0.0	0.0	SLVx (RS)	I	110.7	-0.0	0.0	0.0	0.
				J	110.7	-0.0	-0.0	0.0	0.
0	0.0	0.0							
			SLVy (RS)	I	2136.2	0.0	0.0	0.0	0.
				J	2136.2	0.0	-0.0	0.0	0.
0	0.0	0.0							
			SLDx (RS)	I	55.3	-0.0	0.0	0.0	0.
				J	55.3	-0.0	-0.0	0.0	0.
0	0.0	0.0							
			SLDy (RS)	I	1066.8	0.0	0.0	0.0	0.
				J	1066.8	0.0	-0.0	0.0	0.
0	0.0	0.0							
			SLVz (RS)	I	-59.0	0.0	0.0	0.0	0.
				J	-59.0	0.0	0.0	0.0	0.
0	0.0	0.0							
			g1	I	317.6	-0.0	-222.1	0.0	0.
				J	448.3	-0.0	222.1	0.0	0.
0	0.0	0.0							
			g2	I	-14.6	-0.0	0.0	0.0	0.
				J	-14.6	-0.0	-0.0	0.0	0.
0	0.0	0.0							
			q3	I	-1.2	-0.0	0.0	0.0	0.
				J	-1.2	-0.0	-0.0	0.0	0.
0	0.0	0.0							
			q5_pc	I	3690.0	0.0	0.0	0.0	0.
				J	3690.0	0.0	-0.0	0.0	0.
0	0.0	0.0							
			q5_ps	I	3170.9	0.0	0.0	0.0	0.
				J	3170.9	0.0	-0.0	0.0	0.
0	0.0	0.0							
			INVSLU Max	I	21266.5	-0.0	-299.9	0.0	0.
				J	21442.9	-0.0	299.9	0.0	0.
0	0.0	0.0							
			Min	I	-20173.0	-0.0	-299.9	0.0	0.
				J	-19996.6	-0.0	299.9	0.0	0.
0	0.0	0.0							
			INVSLV Max	I	2589.1	0.0	-222.1	0.0	0.
				J	2719.7	-0.0	222.1	0.0	0.
0	0.0	0.0							
			Min	I	-1785.1	-0.0	-222.1	0.0	0.
				J	-1654.5	-0.0	222.1	0.0	0.

MIDAS

PROJECT TITLE :

MIDAS	Company		Client		
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

0	0.0	0.0							
2	93 1306.5	2 507.8	78 Q1-1-2 Max	I	1319.4	0.0	10.1	1.2	1.
0	0.0	0.0		J	1319.4	0.0	10.1	0.0	0.
2	-204.2	-3248.2	Min	I	-20959.5	-0.0	-64.6	-1.2	-1.
0	0.0	0.0		J	-20959.5	-0.0	-64.6	0.0	0.
7	848.2	252.5	Q2a-1-2 Max	I	911.2	0.0	5.0	0.7	0.
0	0.0	0.0		J	911.2	0.0	5.0	0.0	0.
7	-101.6	-2108.7	Min	I	-12809.1	-0.0	-42.0	-0.7	-0.
0	0.0	0.0		J	-12809.1	-0.0	-42.0	0.0	0.
1	-45.9	114.0	SLVx (RS)	I	-2573.2	235.1	2.3	-8985.1	8985.
0	0.0	0.0		J	-2573.2	235.1	2.3	0.0	0.
3	-5.4	13.5	SLVy (RS)	I	-2792.0	4.4	0.3	-167.3	167.
0	0.0	0.0		J	-2792.0	4.4	0.3	0.0	0.
6	-22.9	56.9	SLDx (RS)	I	-1284.9	117.5	1.1	-4490.6	4490.
0	0.0	0.0		J	-1284.9	117.5	1.1	0.0	0.
6	-2.7	6.7	SLDy (RS)	I	-1394.2	2.2	0.1	-83.6	83.
0	0.0	0.0		J	-1394.2	2.2	0.1	0.0	0.
2	9.6	-23.7	SLVz (RS)	I	685.3	-62.9	-0.5	2403.2	-2403.
0	0.0	0.0		J	685.3	-62.9	-0.5	0.0	0.
0	932.8	-2319.1	g1	I	-14895.8	0.0	-268.3	-0.0	0.
0	0.0	0.0		J	-14895.8	0.0	176.0	0.0	0.
0	-338.8	842.3	g2	I	-7933.5	0.0	16.8	-0.0	0.
0	0.0	0.0		J	-7933.5	-0.0	16.8	0.0	0.
0	-47.7	118.5	q3	I	-2621.6	0.0	2.4	-0.0	0.
0	0.0	0.0		J	-2621.6	0.0	2.4	0.0	0.
1	34.4	-85.5	q5_pc	I	-3597.3	-0.0	-1.7	0.1	-0.
0	0.0	0.0		J	-3597.3	-0.0	-1.7	0.0	0.
			q5_ps	I	-3261.5	-0.0	0.2	0.1	-0.

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

1	-4.3	10.7			J	-3261.5	-0.0	0.2	0.0	0.
0	0.0	0.0								
7	4990.1	-7182.1	INVS LU Max	I	-25609.9	0.0	-442.8	1.7	1.	
0	0.0	0.0		J	-25609.9	0.0	156.9	0.0	0.	
7	2888.8	-12406.6	Min	I	-63370.9	-0.0	-546.8	-1.7	-1.	
0	0.0	0.0		J	-63370.9	-0.0	53.0	0.0	0.	
2	3138.4	-7552.4	INVS LV Max	I	-19670.4	255.3	-372.4	9756.2	9756.	
0	0.0	0.0		J	-19670.4	255.3	71.8	0.0	0.	
2	3037.7	-7802.7	Min	I	-27209.6	-255.2	-377.4	-9756.2	-9756.	
0	0.0	0.0		J	-27209.6	-255.2	66.8	0.0	0.	
0	94	2	79	Q1-1-2 Max	I	12917.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	12917.0	0.0	0.0	0.0	0.	
0	0.0	0.0		Min	I	-12858.9	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-12858.9	-0.0	-0.0	0.0	0.	
0	0.0	0.0		Q2a-1-2 Max	I	8487.8	0.0	0.0	0.0	0.
0	0.0	0.0		J	8487.8	0.0	0.0	0.0	0.	
0	0.0	0.0		Min	I	-8449.3	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-8449.3	-0.0	-0.0	0.0	0.	
0	0.0	0.0		SLVx (RS)	I	-84.1	0.0	0.0	0.0	0.
0	0.0	0.0		J	-84.1	0.0	-0.0	0.0	0.	
0	0.0	0.0		SLVy (RS)	I	-2134.6	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-2134.6	0.0	0.0	0.0	0.	
0	0.0	0.0		SLDx (RS)	I	-42.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	-42.0	0.0	-0.0	0.0	0.	
0	0.0	0.0		SLDy (RS)	I	-1066.0	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-1066.0	0.0	0.0	0.0	0.	
0	0.0	0.0		SLVz (RS)	I	-55.2	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-55.2	-0.0	0.0	0.0	0.	
0	0.0	0.0		g1	I	356.7	0.0	-222.1	0.0	0.

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			

0	0.0	0.0		J	487.3	0.0	222.1	0.0	0.
0	0.0	0.0							
			g2	I	-14.5	0.0	0.0	0.0	0.
0	0.0	0.0		J	-14.5	0.0	-0.0	0.0	0.
0	0.0	0.0							
			q3	I	-2.8	0.0	0.0	0.0	0.
0	0.0	0.0		J	-2.8	0.0	-0.0	0.0	0.
0	0.0	0.0							
			q5_pc	I	-3687.1	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-3687.1	0.0	0.0	0.0	0.
0	0.0	0.0							
			q5_ps	I	-3171.3	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-3171.3	0.0	0.0	0.0	0.
0	0.0	0.0							
			INVSLU Max	I	21325.0	0.0	-299.9	0.0	0.
0	0.0	0.0		J	21501.3	0.0	299.9	0.0	0.
0	0.0	0.0							
			Min	I	-20109.2	0.0	-299.9	0.0	0.
0	0.0	0.0		J	-19932.8	0.0	299.9	0.0	0.
0	0.0	0.0							
			INVSLV Max	I	2633.4	0.0	-222.1	0.0	0.
0	0.0	0.0		J	2764.0	0.0	222.1	0.0	0.
0	0.0	0.0							
			Min	I	-1719.4	-0.0	-222.1	0.0	0.
0	0.0	0.0		J	-1588.8	0.0	222.1	0.0	0.
0	0.0	0.0							
	95	2	79 Q1-1-2 Max	I	20215.3	0.0	0.0	0.0	0.
0	0.0	0.0		J	20215.3	0.0	0.0	0.0	0.
0	0.0	0.0							
			Min	I	-20145.7	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-20145.7	0.0	0.0	0.0	0.
0	0.0	0.0							
			Q2a-1-2 Max	I	12601.8	0.0	0.0	0.0	0.
0	0.0	0.0		J	12601.8	0.0	0.0	0.0	0.
0	0.0	0.0							
			Min	I	-12556.1	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-12556.1	0.0	0.0	0.0	0.
0	0.0	0.0							
			SLVx (RS)	I	-190.0	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-190.0	0.0	0.0	0.0	0.
0	0.0	0.0							
			SLVy (RS)	I	-1986.5	0.0	-0.0	0.0	0.

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0	0.0	0.0		J	-1986.5	0.0	0.0	0.0	0.
0	0.0	0.0							
			SLDx (RS)	I	-95.0	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-95.0	0.0	0.0	0.0	0.
0	0.0	0.0							
			SLDy (RS)	I	-992.6	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-992.6	0.0	0.0	0.0	0.
0	0.0	0.0							
			SLVz (RS)	I	-81.1	0.0	0.0	0.0	0.
0	0.0	0.0		J	-81.1	0.0	0.0	0.0	0.
0	0.0	0.0							
			g1	I	330.5	-0.0	-222.1	0.0	0.
0	0.0	0.0		J	461.1	0.0	222.1	0.0	0.
0	0.0	0.0							
			g2	I	-13.5	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-13.5	0.0	0.0	0.0	0.
0	0.0	0.0							
			q3	I	-0.9	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-0.9	0.0	0.0	0.0	0.
0	0.0	0.0							
			q5_pc	I	-152.9	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-152.9	0.0	0.0	0.0	0.
0	0.0	0.0							
			q5_ps	I	-59.6	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-59.6	0.0	0.0	0.0	0.
0	0.0	0.0							
			INVSLU Max	I	27893.7	-0.0	-299.9	0.0	0.
0	0.0	0.0		J	28070.0	0.0	299.9	0.0	0.
0	0.0	0.0							
			Min	I	-26868.9	-0.0	-299.9	0.0	0.
0	0.0	0.0		J	-26692.5	0.0	299.9	0.0	0.
0	0.0	0.0							
			INVSLV Max	I	2432.1	-0.0	-222.1	0.0	0.
0	0.0	0.0		J	2562.8	0.0	222.1	0.0	0.
0	0.0	0.0							
			Min	I	-1703.5	-0.0	-222.1	0.0	0.
0	0.0	0.0		J	-1572.9	0.0	222.1	0.0	0.
0	0.0	0.0							
			Q1-1-2 Max	I	464.6	0.0	7.5	1.3	0.
9	96 1397.2	2 378.2		J	464.6	0.0	7.5	0.0	0.
0	0.0	0.0							



MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

3	-152.1	-3473.9	Min	I	-32097.1	-0.0	-69.1	-0.9	-1.0
				J	-32097.1	-0.0	-69.1	0.0	0.0
0	0.0	0.0							
			Q2a-1-2 Max	I	337.4	0.0	3.4	0.8	0.0
5	902.9	172.2		J	337.4	0.0	3.4	0.0	0.0
0	0.0	0.0							
			Min	I	-19115.5	-0.0	-44.7	-0.5	-0.0
8	-69.3	-2244.8		J	-19115.5	-0.0	-44.7	0.0	0.0
0	0.0	0.0							
			SLVx (RS)	I	-2688.8	238.4	2.0	-9111.6	9111.0
6	-41.4	102.8		J	-2688.8	238.4	2.0	0.0	0.0
0	0.0	0.0							
			SLVy (RS)	I	826.7	4.2	-0.1	-160.6	160.0
6	2.3	-5.8		J	826.7	4.2	-0.1	0.0	0.0
0	0.0	0.0							
			SLDx (RS)	I	-1342.9	119.1	1.0	-4553.9	4553.0
9	-20.7	51.4		J	-1342.9	119.1	1.0	0.0	0.0
0	0.0	0.0							
			SLDy (RS)	I	413.3	2.1	-0.1	-80.3	80.0
3	1.2	-2.9		J	413.3	2.1	-0.1	0.0	0.0
0	0.0	0.0							
			SLVz (RS)	I	973.8	-61.0	-0.8	2332.2	-2332.0
2	15.8	-39.4		J	973.8	-61.0	-0.8	0.0	0.0
0	0.0	0.0							
			g1	I	-21814.9	0.0	-272.4	-0.2	0.0
2	1016.6	-2527.5		J	-21814.9	0.0	171.8	0.0	0.0
0	0.0	0.0							
			g2	I	-11182.2	-0.0	15.7	0.0	-0.0
0	-317.0	788.1		J	-11182.2	-0.0	15.7	0.0	0.0
0	0.0	0.0							
			q3	I	-1779.5	0.0	1.7	-0.0	0.0
0	-33.4	83.0		J	-1779.5	0.0	1.7	0.0	0.0
0	0.0	0.0							
			q5_pc	I	-345.3	-0.0	-2.0	0.1	-0.0
1	39.9	-99.3		J	-345.3	-0.0	-2.0	0.0	0.0
0	0.0	0.0							
			q5_ps	I	-458.7	-0.0	0.1	0.0	-0.0
0	-1.3	3.3		J	-458.7	-0.0	0.1	0.0	0.0
0	0.0	0.0							
			INVSLU Max	I	-43168.7	0.0	-544.4	2.7	0.0
4	7104.6	-12284.7							

MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


0	0.0	0.0		J	-43168.7	0.0	55.4	0.0	0.
7	4941.1	-17663.8	Min	I	-87968.9	-0.1	-651.4	-0.4	-2.
0	0.0	0.0		J	-87968.9	-0.1	-51.7	0.0	0.
9	4446.9	-10823.4	INVSLV Max	I	-29957.5	257.9	-437.5	9860.0	9858.
0	0.0	0.0		J	-29957.5	257.9	6.7	0.0	0.
0	4353.3	-11056.2	Min	I	-36415.5	-258.0	-442.2	-9858.9	-9860.
0	0.0	0.0		J	-36415.5	-258.0	2.1	0.0	0.
0	97	2	79	Q1-1-2 Max	I	20213.1	0.0	0.0	0.0
0	0.0	0.0		J	20213.1	0.0	0.0	0.0	0.
0	0.0	0.0		Min	I	-20147.6	-0.0	-0.0	0.0
0	0.0	0.0		J	-20147.6	0.0	0.0	0.0	0.
0	0.0	0.0		Q2a-1-2 Max	I	12600.7	0.0	0.0	0.0
0	0.0	0.0		J	12600.7	0.0	0.0	0.0	0.
0	0.0	0.0		Min	I	-12557.1	-0.0	-0.0	0.0
0	0.0	0.0		J	-12557.1	0.0	0.0	0.0	0.
0	0.0	0.0		SLVx (RS)	I	126.4	0.0	0.0	0.0
0	0.0	0.0		J	126.4	0.0	0.0	0.0	0.
0	0.0	0.0		SLVy (RS)	I	1988.7	-0.0	0.0	0.0
0	0.0	0.0		J	1988.7	0.0	0.0	0.0	0.
0	0.0	0.0		SLDx (RS)	I	63.2	0.0	0.0	0.0
0	0.0	0.0		J	63.2	0.0	0.0	0.0	0.
0	0.0	0.0		SLDy (RS)	I	993.7	-0.0	0.0	0.0
0	0.0	0.0		J	993.7	0.0	0.0	0.0	0.
0	0.0	0.0		SLVz (RS)	I	-54.9	-0.0	0.0	0.0
0	0.0	0.0		J	-54.9	0.0	0.0	0.0	0.
0	0.0	0.0		g1	I	351.0	0.0	-222.1	0.0
0	0.0	0.0		J	481.6	0.0	222.1	0.0	0.
0	0.0	0.0		g2	I	-13.7	0.0	-0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	0.0	0.0		J	-13.7	0.0	0.0	0.0	0.
0	0.0	0.0	q3	I	-2.0	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-2.0	0.0	0.0	0.0	0.
0	0.0	0.0	q5_pc	I	156.3	-0.0	0.0	0.0	0.
0	0.0	0.0		J	156.3	0.0	0.0	0.0	0.
0	0.0	0.0	q5_ps	I	59.5	-0.0	0.0	0.0	0.
0	0.0	0.0		J	59.5	0.0	0.0	0.0	0.
0	0.0	0.0	INVSLU Max	I	28209.5	0.0	-299.9	0.0	0.
0	0.0	0.0		J	28385.8	0.0	299.9	0.0	0.
0	0.0	0.0	Min	I	-26558.9	0.0	-299.9	0.0	0.
0	0.0	0.0		J	-26382.5	0.0	299.9	0.0	0.
0	0.0	0.0	INVSLV Max	I	2650.2	0.0	-222.1	0.0	0.
0	0.0	0.0		J	2780.9	0.0	222.1	0.0	0.
0	0.0	0.0	Min	I	-1436.0	0.0	-222.1	0.0	0.
0	0.0	0.0		J	-1305.4	0.0	222.1	0.0	0.
0	98	2	79 Q1-1-2 Max	I	21562.8	0.0	0.0	0.0	0.
0	0.0	0.0		J	21562.8	0.0	0.0	0.0	0.
0	0.0	0.0	Min	I	-21485.5	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-21485.5	0.0	0.0	0.0	0.
0	0.0	0.0	Q2a-1-2 Max	I	13245.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	13245.0	0.0	0.0	0.0	0.
0	0.0	0.0	Min	I	-13195.1	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-13195.1	0.0	0.0	0.0	0.
0	0.0	0.0	SLVx (RS)	I	-239.0	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-239.0	0.0	0.0	0.0	0.
0	0.0	0.0	SLVy (RS)	I	-2676.3	0.0	0.0	0.0	0.
0	0.0	0.0		J	-2676.3	0.0	0.0	0.0	0.
0	0.0	0.0	SLDx (RS)	I	-119.5	-0.0	0.0	0.0	0.

PROJECT TITLE :

		Company		Client					
		Author		File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0	0.0	0.0		J	-119.5	0.0	0.0	0.0	0.
0	0.0	0.0	SLDy (RS)	I	-1337.2	0.0	0.0	0.0	0.
0	0.0	0.0		J	-1337.2	0.0	0.0	0.0	0.
0	0.0	0.0	SLVz (RS)	I	-111.9	0.0	0.0	0.0	0.
0	0.0	0.0		J	-111.9	0.0	0.0	0.0	0.
0	0.0	0.0	g1	I	295.1	-0.0	-222.1	0.0	0.
0	0.0	0.0		J	425.7	0.0	222.1	0.0	0.
0	0.0	0.0	g2	I	-11.9	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-11.9	0.0	0.0	0.0	0.
0	0.0	0.0	q3	I	-0.8	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-0.8	0.0	0.0	0.0	0.
0	0.0	0.0	q5_pc	I	-393.1	0.0	0.0	0.0	0.
0	0.0	0.0		J	-393.1	0.0	0.0	0.0	0.
0	0.0	0.0	q5_ps	I	-236.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	-236.0	0.0	0.0	0.0	0.
0	0.0	0.0	INVSLU Max	I	30083.1	-0.0	-299.9	0.0	0.
0	0.0	0.0		J	30259.5	0.0	299.9	0.0	0.
0	0.0	0.0	Min	I	-28739.6	-0.0	-299.9	0.0	0.
0	0.0	0.0		J	-28563.2	0.0	299.9	0.0	0.
0	0.0	0.0	INVSLV Max	I	3256.1	-0.0	-222.1	0.0	0.
0	0.0	0.0		J	3386.8	0.0	222.1	0.0	0.
0	0.0	0.0	Min	I	-2307.0	-0.0	-222.1	0.0	0.
0	0.0	0.0		J	-2176.4	0.0	222.1	0.0	0.
0	99	2	78	Q1-1-2 Max	I	334.1	0.0	5.6	1.0
0	1499.3	281.5			J	334.1	0.0	5.6	0.0
0	0.0	0.0		Min	I	-34005.4	-0.0	-74.2	-1.0
0	-113.2	-3727.6			J	-34005.4	-0.0	-74.2	0.0
0	0.0	0.0	Q2a-1-2 Max	I	244.0	0.0	2.3	0.6	0.

# MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

6	965.8	113.5		J	244.0	0.0	2.3	0.0	0.
0	0.0	0.0							
			Min	I	-20143.0	-0.0	-47.8	-0.6	-0.
6	-45.7	-2401.1		J	-20143.0	-0.0	-47.8	0.0	0.
0	0.0	0.0							
			SLVx (RS)	I	-2718.1	239.2	1.3	-9141.2	9141.
2	-26.2	65.2		J	-2718.1	239.2	1.3	0.0	0.
0	0.0	0.0							
			SLVy (RS)	I	1409.5	4.0	0.0	-153.4	153.
4	-0.7	1.8		J	1409.5	4.0	0.0	0.0	0.
0	0.0	0.0							
			SLDx (RS)	I	-1357.8	119.5	0.6	-4568.5	4568.
5	-13.1	32.6		J	-1357.8	119.5	0.6	0.0	0.
0	0.0	0.0							
			SLDy (RS)	I	704.3	2.0	0.0	-76.7	76.
7	-0.4	0.9		J	704.3	2.0	0.0	0.0	0.
0	0.0	0.0							
			SLVz (RS)	I	1096.5	-57.9	-0.2	2213.5	-2213.
5	3.9	-9.6		J	1096.5	-57.9	-0.2	0.0	0.
0	0.0	0.0							
			g1	I	-23285.5	-0.0	-276.0	0.0	-0.
0	1088.8	-2707.1		J	-23285.5	-0.0	168.2	0.0	0.
0	0.0	0.0							
			g2	I	-11805.4	-0.0	14.1	0.0	-0.
0	-284.7	707.8		J	-11805.4	-0.0	14.1	0.0	0.
0	0.0	0.0							
			q3	I	-1227.8	0.0	1.2	-0.0	0.
0	-23.6	58.7		J	-1227.8	0.0	1.2	0.0	0.
0	0.0	0.0							
			q5_pc	I	-68.4	-0.0	-1.8	0.0	-0.
0	37.0	-91.9		J	-68.4	-0.0	-1.8	0.0	0.
0	0.0	0.0							
			q5_ps	I	-234.4	-0.0	0.3	0.0	-0.
0	-5.2	12.9		J	-234.4	-0.0	0.3	0.0	0.
0	0.0	0.0							
			INVS LU Max	I	-44632.5	0.0	-597.9	1.4	1.
2	8267.3	-14976.7		J	-44632.5	0.0	1.8	0.0	0.
0	0.0	0.0							
			Min	I	-91291.1	-0.0	-708.9	-1.2	-1.
4	6023.8	-20554.4		J	-91291.1	-0.0	-109.2	0.0	0.
0	0.0	0.0							

MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

3	5106.8	-12559.5	INVS LV Max	I	-30969.6	257.7	-472.1	9851.3	9851.
0	0.0	0.0		J	-30969.6	257.7	-27.8	0.0	0.
3	5051.6	-12696.7	Min	I	-37909.5	-257.7	-474.8	-9851.3	-9851.
0	0.0	0.0		J	-37909.5	-257.7	-30.6	0.0	0.
0	100	2	79	Q1-1-2 Max	I	21559.3	0.0	0.0	0.0
0	0.0	0.0		J	21559.3	0.0	0.0	0.0	0.
0	0.0	0.0		Min	I	-21488.5	-0.0	0.0	0.0
0	0.0	0.0		J	-21488.5	0.0	0.0	0.0	0.
0	0.0	0.0		Q2a-1-2 Max	I	13243.3	0.0	0.0	0.0
0	0.0	0.0		J	13243.3	0.0	0.0	0.0	0.
0	0.0	0.0		Min	I	-13196.7	-0.0	0.0	0.0
0	0.0	0.0		J	-13196.7	0.0	0.0	0.0	0.
0	0.0	0.0		SLVx (RS)	I	-149.5	0.0	0.0	0.0
0	0.0	0.0		J	-149.5	0.0	0.0	0.0	0.
0	0.0	0.0		SLVy (RS)	I	2678.5	-0.0	0.0	0.0
0	0.0	0.0		J	2678.5	0.0	0.0	0.0	0.
0	0.0	0.0		SLDx (RS)	I	-74.7	0.0	0.0	0.0
0	0.0	0.0		J	-74.7	0.0	0.0	0.0	0.
0	0.0	0.0		SLDy (RS)	I	1338.3	-0.0	0.0	0.0
0	0.0	0.0		J	1338.3	0.0	0.0	0.0	0.
0	0.0	0.0		SLVz (RS)	I	-62.4	-0.0	0.0	0.0
0	0.0	0.0		J	-62.4	0.0	0.0	0.0	0.
0	0.0	0.0		g1	I	392.6	0.0	-222.1	0.0
0	0.0	0.0		J	523.2	0.0	222.1	0.0	0.
0	0.0	0.0		g2	I	-12.5	0.0	0.0	0.0
0	0.0	0.0		J	-12.5	0.0	0.0	0.0	0.
0	0.0	0.0		q3	I	-1.2	0.0	0.0	0.0
0	0.0	0.0		J	-1.2	0.0	0.0	0.0	0.

PROJECT TITLE :

MIDAS	Company	Client		
	Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

0	0.0	0.0							
0	0.0	0.0	q5_pc	I	396.3	-0.0	0.0	0.0	0.0
0	0.0	0.0		J	396.3	0.0	0.0	0.0	0.0
0	0.0	0.0	q5_ps	I	235.5	-0.0	0.0	0.0	0.0
0	0.0	0.0		J	235.5	0.0	0.0	0.0	0.0
0	0.0	0.0	INVSLU Max	I	30176.6	0.0	-299.9	0.0	0.0
0	0.0	0.0		J	30353.0	0.0	299.9	0.0	0.0
0	0.0	0.0	Min	I	-28651.2	0.0	-299.9	0.0	0.0
0	0.0	0.0		J	-28474.8	0.0	299.9	0.0	0.0
0	0.0	0.0	INVSLV Max	I	3297.1	0.0	-222.1	0.0	0.0
0	0.0	0.0		J	3427.7	0.0	222.1	0.0	0.0
0	0.0	0.0	Min	I	-2187.0	0.0	-222.1	0.0	0.0
0	0.0	0.0		J	-2056.4	0.0	222.1	0.0	0.0
0	0.0	0.0							
0	101	2	79 Q1-1-2 Max	I	21718.0	0.0	0.0	0.0	0.0
0	0.0	0.0		J	21718.0	0.0	0.0	0.0	0.0
0	0.0	0.0	Min	I	-21641.0	-0.0	-0.0	0.0	0.0
0	0.0	0.0		J	-21641.0	0.0	0.0	0.0	0.0
0	0.0	0.0	Q2a-1-2 Max	I	13307.3	0.0	0.0	0.0	0.0
0	0.0	0.0		J	13307.3	0.0	0.0	0.0	0.0
0	0.0	0.0	Min	I	-13257.4	-0.0	-0.0	0.0	0.0
0	0.0	0.0		J	-13257.4	0.0	0.0	0.0	0.0
0	0.0	0.0	SLVx (RS)	I	-225.1	-0.0	0.0	0.0	0.0
0	0.0	0.0		J	-225.1	0.0	0.0	0.0	0.0
0	0.0	0.0	SLVy (RS)	I	-2752.1	0.0	-0.0	0.0	0.0
0	0.0	0.0		J	-2752.1	0.0	0.0	0.0	0.0
0	0.0	0.0	SLDx (RS)	I	-112.5	-0.0	0.0	0.0	0.0
0	0.0	0.0		J	-112.5	0.0	0.0	0.0	0.0
0	0.0	0.0	SLDy (RS)	I	-1375.2	0.0	-0.0	0.0	0.0
0	0.0	0.0		J	-1375.2	0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			

0	0.0	0.0							
			SLVz (RS)	I	-108.7	0.0	0.0	0.0	0.
0	0.0	0.0		J	-108.7	0.0	0.0	0.0	0.
0	0.0	0.0							
			g1	I	328.4	-0.0	-222.1	0.0	0.
0	0.0	0.0		J	459.0	0.0	222.1	0.0	0.
0	0.0	0.0							
			g2	I	-11.4	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-11.4	0.0	0.0	0.0	0.
0	0.0	0.0							
			q3	I	-0.7	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-0.7	0.0	0.0	0.0	0.
0	0.0	0.0							
			q5_pc	I	-336.3	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-336.3	0.0	0.0	0.0	0.
0	0.0	0.0							
			q5_ps	I	-179.7	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-179.7	0.0	0.0	0.0	0.
0	0.0	0.0							
			INVSLU Max	I	30281.4	-0.0	-299.9	0.0	0.
0	0.0	0.0		J	30457.7	0.0	299.9	0.0	0.
0	0.0	0.0							
			Min	I	-28858.6	-0.0	-299.9	0.0	0.
0	0.0	0.0		J	-28682.2	0.0	299.9	0.0	0.
0	0.0	0.0							
			INVSLV Max	I	3360.2	-0.0	-222.1	0.0	0.
0	0.0	0.0		J	3490.8	0.0	222.1	0.0	0.
0	0.0	0.0							
			Min	I	-2344.3	-0.0	-222.1	0.0	0.
0	0.0	0.0		J	-2213.7	0.0	222.1	0.0	0.
0	0.0	0.0							
			Q1-1-2 Max	I	229.6	0.0	5.5	0.7	0.
7	102 1543.6	2 274.2		J	229.6	0.0	5.5	0.0	0.
0	0.0	0.0							
			Min	I	-34169.0	-0.0	-76.4	-0.7	-0.
7	-110.3	-3837.8		J	-34169.0	-0.0	-76.4	0.0	0.
0	0.0	0.0							
			Q2a-1-2 Max	I	167.1	0.0	2.2	0.5	0.
5	992.3	110.5		J	167.1	0.0	2.2	0.0	0.
0	0.0	0.0							
			Min	I	-20177.8	-0.0	-49.1	-0.5	-0.
5	-44.5	-2467.0		J	-20177.8	-0.0	-49.1	0.0	0.



# MIDAS

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

0	0.0	0.0							
8	-22.6	56.2	SLVx (RS)	I	2725.0	238.5	1.1	-9117.8	9117.
0	0.0	0.0		J	2725.0	238.5	1.1	0.0	0.
7	0.2	-0.6	SLVy (RS)	I	1325.2	3.8	-0.0	-145.7	145.
0	0.0	0.0		J	1325.2	3.8	-0.0	0.0	0.
6	-11.3	28.1	SLDx (RS)	I	1361.5	119.2	0.6	-4556.6	4556.
0	0.0	0.0		J	1361.5	119.2	0.6	0.0	0.
8	0.1	-0.3	SLDy (RS)	I	662.3	1.9	-0.0	-72.8	72.
0	0.0	0.0		J	662.3	1.9	-0.0	0.0	0.
6	4.2	-10.5	SLVz (RS)	I	1152.4	-56.0	-0.2	2139.6	-2139.
0	0.0	0.0		J	1152.4	-56.0	-0.2	0.0	0.
0	1116.6	-2776.1	g1	I	-23714.0	0.0	-277.4	-0.0	0.
0	0.0	0.0		J	-23714.0	0.0	166.9	0.0	0.
0	-266.4	662.2	g2	I	-11957.0	0.0	13.2	-0.0	0.
0	0.0	0.0		J	-11957.0	0.0	13.2	0.0	0.
0	-17.5	43.6	q3	I	-931.7	0.0	0.9	-0.0	0.
0	0.0	0.0		J	-931.7	0.0	0.9	0.0	0.
0	38.6	-96.0	q5_pc	I	-181.7	-0.0	-1.9	0.0	-0.
0	0.0	0.0		J	-181.7	-0.0	-1.9	0.0	0.
0	-3.8	9.3	q5_ps	I	-337.1	-0.0	0.2	0.0	-0.
0	0.0	0.0		J	-337.1	-0.0	0.2	0.0	0.
0	8538.9	-15505.9	INVS LU Max	I	-44614.6	0.0	-608.5	1.0	1.
0	0.0	0.0		J	-44614.6	0.0	-8.7	0.0	0.
0	6236.7	-21229.9	Min	I	-91644.3	-0.0	-722.4	-1.0	-1.
0	0.0	0.0		J	-91644.3	-0.0	-122.6	0.0	0.
4	5255.8	-12948.2	INVS LV Max	I	-31180.5	256.5	-479.8	9803.4	9803.
0	0.0	0.0		J	-31180.5	256.5	-35.6	0.0	0.
			Min	I	-38117.0	-256.5	-482.2	-9803.4	-9803.

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

4	5207.9	-13067.2			J	-38117.0	-256.5	-37.9	0.0	0.
0	0.0	0.0								
0	103	2	79	Q1-1-2 Max	I	21717.6	0.0	0.0	0.0	0.
0	0.0	0.0			J	21717.6	0.0	0.0	0.0	0.
0	0.0	0.0		Min	I	-21641.3	-0.0	-0.0	0.0	0.
0	0.0	0.0			J	-21641.3	0.0	0.0	0.0	0.
0	0.0	0.0		Q2a-1-2 Max	I	13307.1	0.0	0.0	0.0	0.
0	0.0	0.0			J	13307.1	0.0	0.0	0.0	0.
0	0.0	0.0		Min	I	-13257.5	-0.0	-0.0	0.0	0.
0	0.0	0.0			J	-13257.5	0.0	0.0	0.0	0.
0	0.0	0.0		SLVx (RS)	I	-180.0	0.0	0.0	0.0	0.
0	0.0	0.0			J	-180.0	0.0	0.0	0.0	0.
0	0.0	0.0		SLVy (RS)	I	2754.5	-0.0	0.0	0.0	0.
0	0.0	0.0			J	2754.5	0.0	0.0	0.0	0.
0	0.0	0.0		SLDx (RS)	I	-90.0	0.0	0.0	0.0	0.
0	0.0	0.0			J	-90.0	0.0	0.0	0.0	0.
0	0.0	0.0		SLDy (RS)	I	1376.3	-0.0	0.0	0.0	0.
0	0.0	0.0			J	1376.3	0.0	0.0	0.0	0.
0	0.0	0.0		SLVz (RS)	I	-73.2	-0.0	0.0	0.0	0.
0	0.0	0.0			J	-73.2	0.0	0.0	0.0	0.
0	0.0	0.0		g1	I	361.6	0.0	-222.1	0.0	0.
0	0.0	0.0			J	492.3	0.0	222.1	0.0	0.
0	0.0	0.0		g2	I	-11.5	0.0	-0.0	0.0	0.
0	0.0	0.0			J	-11.5	0.0	0.0	0.0	0.
0	0.0	0.0		q3	I	-0.8	0.0	-0.0	0.0	0.
0	0.0	0.0			J	-0.8	0.0	0.0	0.0	0.
0	0.0	0.0		q5_pc	I	339.6	-0.0	0.0	0.0	0.
0	0.0	0.0			J	339.6	0.0	0.0	0.0	0.

MIDAS

PROJECT TITLE :

MIDAS	Company	Client		
	Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

0	0.0	0.0	q5_ps	I	179.4	-0.0	0.0	0.0	0.
0	0.0	0.0		J	179.4	0.0	0.0	0.0	0.
0	0.0	0.0	INVS LU Max	I	30317.6	0.0	-299.9	0.0	0.
0	0.0	0.0		J	30494.0	0.0	299.9	0.0	0.
0	0.0	0.0	Min	I	-28828.2	0.0	-299.9	0.0	0.
0	0.0	0.0		J	-28651.9	0.0	299.9	0.0	0.
0	0.0	0.0	INVS LV Max	I	3365.3	0.0	-222.1	0.0	0.
0	0.0	0.0		J	3495.9	0.0	222.1	0.0	0.
0	0.0	0.0	Min	I	-2295.7	0.0	-222.1	0.0	0.
0	0.0	0.0		J	-2165.1	0.0	222.1	0.0	0.
0	104	2	79 Q1-1-2 Max	I	21647.7	0.0	0.0	0.0	0.
0	0.0	0.0		J	21647.7	0.0	0.0	0.0	0.
0	0.0	0.0	Min	I	-21571.9	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-21571.9	-0.0	-0.0	0.0	0.
0	0.0	0.0	Q2a-1-2 Max	I	13293.5	0.0	0.0	0.0	0.
0	0.0	0.0		J	13293.5	0.0	0.0	0.0	0.
0	0.0	0.0	Min	I	-13244.3	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-13244.3	-0.0	-0.0	0.0	0.
0	0.0	0.0	SLVx (RS)	I	-194.5	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-194.5	-0.0	0.0	0.0	0.
0	0.0	0.0	SLVy (RS)	I	-2707.6	0.0	0.0	0.0	0.
0	0.0	0.0		J	-2707.6	-0.0	-0.0	0.0	0.
0	0.0	0.0	SLDx (RS)	I	-97.3	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-97.3	-0.0	0.0	0.0	0.
0	0.0	0.0	SLDy (RS)	I	-1352.8	0.0	0.0	0.0	0.
0	0.0	0.0		J	-1352.8	-0.0	-0.0	0.0	0.
0	0.0	0.0	SLVz (RS)	I	-98.4	0.0	0.0	0.0	0.
0	0.0	0.0		J	-98.4	0.0	0.0	0.0	0.

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	0.0	0.0	g1	I	340.1	-0.0	-222.1	0.0	0.
0	0.0	0.0		J	470.7	-0.0	222.1	0.0	0.
0	0.0	0.0	g2	I	-11.5	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-11.5	-0.0	-0.0	0.0	0.
0	0.0	0.0	q3	I	-0.6	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-0.6	-0.0	-0.0	0.0	0.
0	0.0	0.0	q5_pc	I	-421.5	0.0	0.0	0.0	0.
0	0.0	0.0		J	-421.5	-0.0	-0.0	0.0	0.
0	0.0	0.0	q5_ps	I	-259.9	0.0	0.0	0.0	0.
0	0.0	0.0		J	-259.9	-0.0	-0.0	0.0	0.
0	0.0	0.0	INVSLU Max	I	30264.6	-0.0	-299.9	0.0	0.
0	0.0	0.0		J	30441.0	-0.0	299.9	0.0	0.
0	0.0	0.0	Min	I	-28840.6	-0.0	-299.9	0.0	0.
0	0.0	0.0		J	-28664.3	-0.0	299.9	0.0	0.
0	0.0	0.0	INVSLV Max	I	3305.6	-0.0	-222.1	0.0	0.
0	0.0	0.0		J	3436.2	-0.0	222.1	0.0	0.
0	0.0	0.0	Min	I	-2285.4	-0.0	-222.1	0.0	0.
0	0.0	0.0		J	-2154.7	-0.0	222.1	0.0	0.
8	105 1534.8	2 276.6	78 Q1-1-2 Max	I	332.4	0.0	5.5	0.8	0.
0	0.0	0.0		J	332.4	0.0	5.5	0.0	0.
8	-111.2	-3815.8	Min	I	-34179.0	-0.0	-75.9	-0.8	-0.
0	0.0	0.0		J	-34179.0	-0.0	-75.9	0.0	0.
5	986.6	111.2	Q2a-1-2 Max	I	242.7	0.0	2.2	0.5	0.
0	0.0	0.0		J	242.7	0.0	2.2	0.0	0.
5	-44.7	-2452.9	Min	I	-20248.8	-0.0	-48.8	-0.5	-0.
0	0.0	0.0		J	-20248.8	-0.0	-48.8	0.0	0.
0	-19.0	47.1	SLVx (RS)	I	2604.3	237.3	0.9	-9070.0	9070.
0	0.0	0.0		J	2604.3	237.3	0.9	0.0	0.

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

5	-0.7	1.8	SLVy (RS)	I	1420.9	3.6	0.0	-138.5	138.
0	0.0	0.0		J	1420.9	3.6	0.0	0.0	0.
4	-9.5	23.5	SLDx (RS)	I	1301.3	118.6	0.5	-4532.4	4532.
0	0.0	0.0		J	1301.3	118.6	0.5	0.0	0.
2	-0.4	0.9	SLDy (RS)	I	710.1	1.8	0.0	-69.2	69.
0	0.0	0.0		J	710.1	1.8	0.0	0.0	0.
2	4.1	-10.2	SLVz (RS)	I	1128.8	-55.3	-0.2	2115.2	-2115.
0	0.0	0.0		J	1128.8	-55.3	-0.2	0.0	0.
0	1110.7	-2761.6	g1	I	-23432.5	0.0	-277.1	-0.0	0.
0	0.0	0.0		J	-23432.5	0.0	167.2	0.0	0.
0	-268.5	667.4	g2	I	-11823.0	0.0	13.3	-0.0	0.
0	0.0	0.0		J	-11823.0	0.0	13.3	0.0	0.
0	-13.6	33.9	q3	I	-731.5	0.0	0.7	-0.0	0.
0	0.0	0.0		J	-731.5	0.0	0.7	0.0	0.
0	37.0	-91.9	q5_pc	I	-52.3	0.0	-1.8	-0.0	0.
0	0.0	0.0		J	-52.3	0.0	-1.8	0.0	0.
0	-5.2	13.0	q5_ps	I	-220.7	0.0	0.3	-0.0	0.
0	0.0	0.0		J	-220.7	0.0	0.3	0.0	0.
1	8364.6	-15106.3	INVS LU Max	I	-44848.7	0.0	-600.5	1.1	1.
0	0.0	0.0		J	-44848.7	0.0	-0.8	0.0	0.
1	6076.0	-20796.4	Min	I	-91704.9	-0.0	-713.8	-1.1	-1.
0	0.0	0.0		J	-91704.9	-0.0	-114.0	0.0	0.
1	5133.7	-12662.1	INVS LV Max	I	-31221.7	255.0	-474.1	9746.1	9746.
0	0.0	0.0		J	-31221.7	255.0	-29.9	0.0	0.
1	5092.9	-12763.5	Min	I	-37960.3	-255.0	-476.1	-9746.1	-9746.
0	0.0	0.0		J	-37960.3	-255.0	-31.9	0.0	0.
0	106	2	79	Q1-1-2 Max	I	21647.7	0.0	0.0	0.0
0	0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0	0.0	0.0		J	21647.7	0.0	0.0	0.0	0.0
0	0.0	0.0	Min	I	-21571.9	-0.0	0.0	0.0	0.0
0	0.0	0.0		J	-21571.9	-0.0	-0.0	0.0	0.0
0	0.0	0.0	Q2a-1-2 Max	I	13293.4	0.0	0.0	0.0	0.0
0	0.0	0.0		J	13293.4	0.0	0.0	0.0	0.0
0	0.0	0.0	Min	I	-13244.3	-0.0	0.0	0.0	0.0
0	0.0	0.0		J	-13244.3	-0.0	-0.0	0.0	0.0
0	0.0	0.0	SLVx (RS)	I	-185.2	0.0	0.0	0.0	0.0
0	0.0	0.0		J	-185.2	0.0	0.0	0.0	0.0
0	0.0	0.0	SLVy (RS)	I	2710.0	-0.0	0.0	0.0	0.0
0	0.0	0.0		J	2710.0	-0.0	0.0	0.0	0.0
0	0.0	0.0	SLDx (RS)	I	-92.6	0.0	0.0	0.0	0.0
0	0.0	0.0		J	-92.6	0.0	0.0	0.0	0.0
0	0.0	0.0	SLDy (RS)	I	1354.0	-0.0	0.0	0.0	0.0
0	0.0	0.0		J	1354.0	-0.0	0.0	0.0	0.0
0	0.0	0.0	SLVz (RS)	I	-70.8	-0.0	0.0	0.0	0.0
0	0.0	0.0		J	-70.8	-0.0	0.0	0.0	0.0
0	0.0	0.0	g1	I	349.5	0.0	-222.1	0.0	0.0
0	0.0	0.0		J	480.1	0.0	222.1	0.0	0.0
0	0.0	0.0	g2	I	-11.5	0.0	0.0	0.0	0.0
0	0.0	0.0		J	-11.5	0.0	-0.0	0.0	0.0
0	0.0	0.0	q3	I	-0.6	0.0	0.0	0.0	0.0
0	0.0	0.0		J	-0.6	0.0	-0.0	0.0	0.0
0	0.0	0.0	q5_pc	I	424.7	-0.0	0.0	0.0	0.0
0	0.0	0.0		J	424.7	-0.0	0.0	0.0	0.0
0	0.0	0.0	q5_ps	I	259.5	-0.0	0.0	0.0	0.0
0	0.0	0.0		J	259.5	-0.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	0.0	0.0	INVS LU Max	I	30284.6	0.0	-299.9	0.0	0.
				J	30460.9	0.0	299.9	0.0	0.
0	0.0	0.0	Min	I	-28826.4	0.0	-299.9	0.0	0.
0	0.0	0.0		J	-28650.0	0.0	299.9	0.0	0.
0	0.0	0.0	INVS LV Max	I	3309.2	0.0	-222.1	0.0	0.
				J	3439.9	0.0	222.1	0.0	0.
0	0.0	0.0	Min	I	-2264.4	0.0	-222.1	0.0	0.
0	0.0	0.0		J	-2133.8	0.0	222.1	0.0	0.
0	0.0	0.0							
107	2	79	Q1-1-2 Max	I	20503.8	0.0	0.0	0.0	0.
0	0.0	0.0		J	20503.8	0.0	0.0	0.0	0.
0	0.0	0.0	Min	I	-20432.5	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-20432.5	0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	Q2a-1-2 Max	I	12768.7	0.0	0.0	0.0	0.
				J	12768.7	0.0	0.0	0.0	0.
0	0.0	0.0	Min	I	-12722.0	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-12722.0	0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	SLVx (RS)	I	-144.6	-0.0	0.0	0.0	0.
				J	-144.6	0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	SLVy (RS)	I	-2071.6	0.0	-0.0	0.0	0.
				J	-2071.6	0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	SLDx (RS)	I	-72.3	-0.0	0.0	0.0	0.
				J	-72.3	0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	SLDy (RS)	I	-1035.1	0.0	-0.0	0.0	0.
				J	-1035.1	0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	SLVz (RS)	I	-75.0	0.0	0.0	0.0	0.
				J	-75.0	0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	g1	I	341.8	-0.0	-222.1	0.0	0.
				J	472.5	0.0	222.1	0.0	0.

# MIDAS


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0	0.0	0.0	g2	I	-12.3	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-12.3	0.0	0.0	0.0	0.
0	0.0	0.0	q3	I	-0.4	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-0.4	0.0	0.0	0.0	0.
0	0.0	0.0	q5_pc	I	-241.6	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-241.6	0.0	0.0	0.0	0.
0	0.0	0.0	q5_ps	I	-133.4	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-133.4	0.0	0.0	0.0	0.
0	0.0	0.0	INVSLU Max	I	28522.2	-0.0	-299.9	0.0	0.
0	0.0	0.0		J	28698.5	0.0	299.9	0.0	0.
0	0.0	0.0	Min	I	-27176.6	-0.0	-299.9	0.0	0.
0	0.0	0.0		J	-27000.3	0.0	299.9	0.0	0.
0	0.0	0.0	INVSLV Max	I	2624.3	-0.0	-222.1	0.0	0.
0	0.0	0.0		J	2755.0	0.0	222.1	0.0	0.
0	0.0	0.0	Min	I	-1650.5	-0.0	-222.1	0.0	0.
0	0.0	0.0		J	-1519.9	0.0	222.1	0.0	0.
9	108 1437.1	2 282.1	78 Q1-1-2 Max	I	466.3	0.0	5.6	0.9	0.
0	0.0	0.0		J	466.3	0.0	5.6	0.0	0.
9	-113.5	-3573.0	Min	I	-32508.4	-0.0	-71.1	-0.9	-0.
0	0.0	0.0		J	-32508.4	-0.0	-71.1	0.0	0.
5	926.6	113.0	Q2a-1-2 Max	I	337.8	0.0	2.2	0.5	0.
0	0.0	0.0		J	337.8	0.0	2.2	0.0	0.
5	-45.4	-2303.7	Min	I	-19352.5	-0.0	-45.8	-0.5	-0.
0	0.0	0.0		J	-19352.5	-0.0	-45.8	0.0	0.
0	-17.9	44.6	SLVx(RS)	I	2321.9	235.9	0.9	-9017.0	9017.
0	0.0	0.0		J	2321.9	235.9	0.9	0.0	0.
4	2.8	-6.9	SLVy(RS)	I	864.2	3.5	-0.1	-132.4	132.
0	0.0	0.0		J	864.2	3.5	-0.1	0.0	0.



PROJECT TITLE :

			Company		Client				
			Author		File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
7	-9.0	22.3	SLDx (RS)	I	1160.2	117.9	0.4	-4505.7	4505.
				J	1160.2	117.9	0.4	0.0	0.
0	0.0	0.0							
2	1.4	-3.5	SLDy (RS)	I	432.1	1.7	-0.1	-66.2	66.
				J	432.1	1.7	-0.1	0.0	0.
0	0.0	0.0							
1	5.5	-13.7	SLVz (RS)	I	1018.9	-54.2	-0.3	2072.1	-2072.
				J	1018.9	-54.2	-0.3	0.0	0.
0	0.0	0.0							
0	1051.2	-2613.5	g1	I	-22162.3	0.0	-274.1	-0.0	0.
				J	-22162.3	0.0	170.1	0.0	0.
0	0.0	0.0							
0	-288.8	718.0	g2	I	-11244.2	0.0	14.3	-0.0	0.
				J	-11244.2	0.0	14.3	0.0	0.
0	0.0	0.0							
0	-10.5	26.2	q3	I	-570.9	0.0	0.5	-0.0	0.
				J	-570.9	0.0	0.5	0.0	0.
0	0.0	0.0							
1	40.1	-99.6	q5_pc	I	-298.4	0.0	-2.0	-0.1	0.
				J	-298.4	0.0	-2.0	0.0	0.
0	0.0	0.0							
0	-1.3	3.3	q5_ps	I	-420.5	0.0	0.1	-0.0	0.
				J	-420.5	0.0	0.1	0.0	0.
0	0.0	0.0							
3	7268.7	-12688.2	INVSLU Max	I	-43827.6	0.0	-552.4	1.3	1.
				J	-43827.6	0.0	47.3	0.0	0.
0	0.0	0.0							
3	5103.4	-18071.8	Min	I	-89085.2	-0.0	-659.5	-1.3	-1.
				J	-89085.2	-0.0	-59.8	0.0	0.
0	0.0	0.0							
4	4499.5	-11085.3	INVSLV Max	I	-30761.1	253.2	-442.7	9678.4	9678.
				J	-30761.1	253.2	1.5	0.0	0.
0	0.0	0.0							
4	4458.6	-11186.8	Min	I	-36534.8	-253.2	-444.8	-9678.4	-9678.
				J	-36534.8	-253.2	-0.5	0.0	0.
0	0.0	0.0							
0	109	2	79	Q1-1-2 Max	I	20503.6	0.0	0.0	0.0
					J	20503.6	0.0	0.0	0.0
0	0.0	0.0							
0	0.0	0.0	Min	I	-20432.7	-0.0	-0.0	0.0	0.
				J	-20432.7	0.0	0.0	0.0	0.
0	0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	0.0	0.0	Q2a-1-2 Max	I	12768.6	0.0	0.0	0.0	0.
0	0.0	0.0		J	12768.6	0.0	0.0	0.0	0.
0	0.0	0.0	Min	I	-12722.1	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-12722.1	0.0	0.0	0.0	0.
0	0.0	0.0	SLVx (RS)	I	-162.9	0.0	0.0	0.0	0.
0	0.0	0.0		J	-162.9	0.0	0.0	0.0	0.
0	0.0	0.0	SLVy (RS)	I	2074.1	-0.0	0.0	0.0	0.
0	0.0	0.0		J	2074.1	0.0	0.0	0.0	0.
0	0.0	0.0	SLDx (RS)	I	-81.4	0.0	0.0	0.0	0.
0	0.0	0.0		J	-81.4	0.0	0.0	0.0	0.
0	0.0	0.0	SLDy (RS)	I	1036.4	-0.0	0.0	0.0	0.
0	0.0	0.0		J	1036.4	0.0	0.0	0.0	0.
0	0.0	0.0	SLVz (RS)	I	-59.0	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-59.0	0.0	0.0	0.0	0.
0	0.0	0.0	g1	I	342.6	0.0	-222.1	0.0	0.
0	0.0	0.0		J	473.3	0.0	222.1	0.0	0.
0	0.0	0.0	g2	I	-12.5	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-12.5	0.0	0.0	0.0	0.
0	0.0	0.0	q3	I	-0.5	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-0.5	0.0	0.0	0.0	0.
0	0.0	0.0	q5_pc	I	245.0	-0.0	0.0	0.0	0.
0	0.0	0.0		J	245.0	0.0	0.0	0.0	0.
0	0.0	0.0	q5_ps	I	133.3	-0.0	0.0	0.0	0.
0	0.0	0.0		J	133.3	0.0	0.0	0.0	0.
0	0.0	0.0	INVSLU Max	I	28531.6	0.0	-299.9	0.0	0.
0	0.0	0.0		J	28708.0	0.0	299.9	0.0	0.
0	0.0	0.0	Min	I	-27173.4	0.0	-299.9	0.0	0.

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			

0	0.0	0.0		J	-26997.0	0.0	299.9	0.0	0.
0	0.0	0.0	INVS LV Max	I	2632.0	0.0	-222.1	0.0	0.
0	0.0	0.0		J	2762.6	0.0	222.1	0.0	0.
0	0.0	0.0	Min	I	-1649.4	0.0	-222.1	0.0	0.
0	0.0	0.0		J	-1518.8	0.0	222.1	0.0	0.
0	0.0	0.0							
0	110	2	79 Q1-1-2 Max	I	13079.4	0.0	0.0	0.0	0.
0	0.0	0.0		J	13079.4	0.0	0.0	0.0	0.
0	0.0	0.0	Min	I	-13015.7	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-13015.7	0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	Q2a-1-2 Max	I	8580.2	0.0	0.0	0.0	0.
0	0.0	0.0		J	8580.2	0.0	0.0	0.0	0.
0	0.0	0.0	Min	I	-8538.3	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-8538.3	0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	SLVx (RS)	I	76.1	-0.0	0.0	0.0	0.
0	0.0	0.0		J	76.1	0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	SLVy (RS)	I	2053.5	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	2053.5	0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	SLDx (RS)	I	38.0	-0.0	0.0	0.0	0.
0	0.0	0.0		J	38.0	0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	SLDy (RS)	I	1025.5	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	1025.5	0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	SLVz (RS)	I	-34.4	0.0	0.0	0.0	0.
0	0.0	0.0		J	-34.4	0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	g1	I	343.4	-0.0	-222.1	0.0	0.
0	0.0	0.0		J	474.1	0.0	222.1	0.0	0.
0	0.0	0.0							
0	0.0	0.0	g2	I	-12.5	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-12.5	0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	q3	I	-0.4	-0.0	-0.0	0.0	0.

# MIDAS

PROJECT TITLE :

MIDAS	Company				Client			
	Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0	0.0	0.0			J	-0.4	0.0	0.0	0.0	0.
0	0.0	0.0								
0	0.0	0.0	q5_pc		I	3552.4	0.0	-0.0	0.0	0.
0	0.0	0.0			J	3552.4	0.0	0.0	0.0	0.
0	0.0	0.0								
0	0.0	0.0	q5_ps		I	3060.7	0.0	-0.0	0.0	0.
0	0.0	0.0			J	3060.7	0.0	0.0	0.0	0.
0	0.0	0.0								
0	0.0	0.0	INVSLU Max		I	21397.0	-0.0	-299.9	0.0	0.
0	0.0	0.0			J	21573.4	0.0	299.9	0.0	0.
0	0.0	0.0								
0	0.0	0.0	Min		I	-20225.5	-0.0	-299.9	0.0	0.
0	0.0	0.0			J	-20049.2	0.0	299.9	0.0	0.
0	0.0	0.0								
0	0.0	0.0	INVSLV Max		I	2519.8	-0.0	-222.1	0.0	0.
0	0.0	0.0			J	2650.4	0.0	222.1	0.0	0.
0	0.0	0.0								
0	0.0	0.0	Min		I	-1653.7	-0.0	-222.1	0.0	0.
0	0.0	0.0			J	-1523.0	0.0	222.1	0.0	0.
0	0.0	0.0								
2	111 1345.9	2 317.3	78 Q1-1-2 Max		I	1345.9	0.0	6.3	1.2	1.
0	0.0	0.0			J	1345.9	0.0	6.3	0.0	0.
0	0.0	0.0								
2	-127.6	-3346.1	Min		I	-21597.6	-0.0	-66.6	-1.2	-1.
0	0.0	0.0			J	-21597.6	-0.0	-66.6	0.0	0.
0	0.0	0.0								
7	873.8	136.5	Q2a-1-2 Max		I	931.1	0.0	2.7	0.7	0.
0	0.0	0.0			J	931.1	0.0	2.7	0.0	0.
0	0.0	0.0								
7	-54.9	-2172.5	Min		I	-13170.6	-0.0	-43.2	-0.7	-0.
0	0.0	0.0			J	-13170.6	-0.0	-43.2	0.0	0.
0	0.0	0.0								
7	13.2	-32.7	SLVx(RS)		I	1486.9	234.9	-0.7	-8977.7	8977.
0	0.0	0.0			J	1486.9	234.9	-0.7	0.0	0.
0	0.0	0.0								
1	-6.1	15.2	SLVy(RS)		I	-2771.3	3.3	0.3	-126.1	126.
0	0.0	0.0			J	-2771.3	3.3	0.3	0.0	0.
0	0.0	0.0								
8	6.6	-16.4	SLDx(RS)		I	743.0	117.4	-0.3	-4485.8	4485.
0	0.0	0.0			J	743.0	117.4	-0.3	0.0	0.
0	0.0	0.0								
0	0.0	0.0	SLDy(RS)		I	-1383.9	1.6	0.2	-63.0	63.

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0	-3.1	7.6		J	-1383.9	1.6	0.2	0.0	0.
0	0.0	0.0							
9	4.7	-11.6	SLVz (RS)	I	646.7	-52.8	-0.2	2019.9	-2019.
0	0.0	0.0		J	646.7	-52.8	-0.2	0.0	0.
0	1010.4	-2512.1	g1	I	-15305.2	0.0	-272.1	-0.0	0.
0	0.0	0.0		J	-15305.2	0.0	172.1	0.0	0.
0	-298.4	741.9	g2	I	-7991.8	0.0	14.8	-0.0	0.
0	0.0	0.0		J	-7991.8	0.0	14.8	0.0	0.
0	-6.4	15.8	q3	I	-343.8	0.0	0.3	-0.0	0.
0	0.0	0.0		J	-343.8	0.0	0.3	0.0	0.
1	33.8	-84.0	q5_pc	I	-3524.1	0.0	-1.7	-0.1	0.
0	0.0	0.0		J	-3524.1	0.0	-1.7	0.0	0.
1	-4.8	12.0	q5_ps	I	-3204.1	0.0	0.2	-0.1	0.
0	0.0	0.0		J	-3204.1	0.0	0.2	0.0	0.
8	5110.2	-7608.5	INVSLU Max	I	-26180.7	0.0	-451.3	1.8	1.
0	0.0	0.0		J	-26180.7	0.0	148.4	0.0	0.
8	3060.2	-12705.3	Min	I	-64677.9	-0.0	-552.7	-1.8	-1.
0	0.0	0.0		J	-64677.9	-0.0	47.0	0.0	0.
4	3154.8	-7762.0	INVSLV Max	I	-20392.0	251.7	-376.6	9621.4	9621.
0	0.0	0.0		J	-20392.0	251.7	67.6	0.0	0.
4	3122.0	-7843.6	Min	I	-27214.8	-251.7	-378.2	-9621.4	-9621.
0	0.0	0.0		J	-27214.8	-251.7	66.0	0.0	0.
0	112	2	79	Q1-1-2 Max	I	13079.1	0.0	0.0	0.0
0	0.0	0.0		J	13079.1	0.0	0.0	0.0	0.
0	0.0	0.0		Min	I	-13015.9	-0.0	-0.0	0.0
0	0.0	0.0		J	-13015.9	0.0	0.0	0.0	0.
0	0.0	0.0		Q2a-1-2 Max	I	8580.0	0.0	0.0	0.0
0	0.0	0.0		J	8580.0	0.0	0.0	0.0	0.
0	0.0	0.0		Min	I	-8538.4	-0.0	-0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0	0.0	0.0		J	-8538.4	0.0	0.0	0.0	0.
0	0.0	0.0							
			SLVx (RS)	I	-123.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	-123.0	0.0	0.0	0.0	0.
0	0.0	0.0							
			SLVy (RS)	I	-2051.8	0.0	0.0	0.0	0.
0	0.0	0.0		J	-2051.8	0.0	0.0	0.0	0.
0	0.0	0.0							
			SLDx (RS)	I	-61.5	0.0	0.0	0.0	0.
0	0.0	0.0		J	-61.5	0.0	0.0	0.0	0.
0	0.0	0.0							
			SLDy (RS)	I	-1024.6	0.0	0.0	0.0	0.
0	0.0	0.0		J	-1024.6	0.0	0.0	0.0	0.
0	0.0	0.0							
			SLVz (RS)	I	-58.8	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-58.8	0.0	0.0	0.0	0.
0	0.0	0.0							
			g1	I	337.5	0.0	-222.1	0.0	0.
0	0.0	0.0		J	468.1	0.0	222.1	0.0	0.
0	0.0	0.0							
			g2	I	-13.0	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-13.0	0.0	0.0	0.0	0.
0	0.0	0.0							
			q3	I	-0.1	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-0.1	0.0	0.0	0.0	0.
0	0.0	0.0							
			q5_pc	I	-3549.5	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-3549.5	0.0	0.0	0.0	0.
0	0.0	0.0							
			q5_ps	I	-3061.1	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-3061.1	0.0	0.0	0.0	0.
0	0.0	0.0							
			INVSLU Max	I	21390.6	0.0	-299.9	0.0	0.
0	0.0	0.0		J	21566.9	0.0	299.9	0.0	0.
0	0.0	0.0							
			Min	I	-20226.8	0.0	-299.9	0.0	0.
0	0.0	0.0		J	-20050.4	0.0	299.9	0.0	0.
0	0.0	0.0							
			INVSLV Max	I	2536.6	0.0	-222.1	0.0	0.
0	0.0	0.0		J	2667.2	0.0	222.1	0.0	0.

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	0.0	0.0							
			Min	I	-1676.1	0.0	-222.1	0.0	0.
0	0.0	0.0		J	-1545.5	0.0	222.1	0.0	0.
0	0.0	0.0							
113	2	74	Q1-1-2 Max	I	29110.9	0.0	0.0	0.0	0.
0	0.0	0.0		J	29110.9	0.0	0.0	0.0	0.
0	0.0	0.0							
			Min	I	-29183.0	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-29183.0	-0.0	0.0	0.0	0.
0	0.0	0.0							
			Q2a-1-2 Max	I	16647.5	0.0	0.0	0.0	0.
0	0.0	0.0		J	16647.5	0.0	0.0	0.0	0.
0	0.0	0.0							
			Min	I	-16689.8	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-16689.8	-0.0	0.0	0.0	0.
0	0.0	0.0							
			SLVx (RS)	I	190.3	-0.0	0.0	0.0	0.
0	0.0	0.0		J	190.3	0.0	0.0	0.0	0.
0	0.0	0.0							
			SLVy (RS)	I	17379.7	0.0	0.0	0.0	0.
0	0.0	0.0		J	17379.7	0.0	0.0	0.0	0.
0	0.0	0.0							
			SLDx (RS)	I	95.1	-0.0	0.0	0.0	0.
0	0.0	0.0		J	95.1	0.0	0.0	0.0	0.
0	0.0	0.0							
			SLDy (RS)	I	8680.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	8680.0	0.0	0.0	0.0	0.
0	0.0	0.0							
			SLVz (RS)	I	174.7	0.0	0.0	0.0	0.
0	0.0	0.0		J	174.7	-0.0	0.0	0.0	0.
0	0.0	0.0							
			g1	I	281.3	-0.0	-221.9	0.0	0.
0	0.0	0.0		J	411.9	0.0	221.9	0.0	0.
0	0.0	0.0							
			g2	I	-28.1	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-28.1	0.0	0.0	0.0	0.
0	0.0	0.0							
			q3	I	-1.7	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-1.7	0.0	0.0	0.0	0.
0	0.0	0.0							
			q5_pc	I	19303.1	0.0	0.0	0.0	0.
0	0.0	0.0							

MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	0.0	0.0		J	19303.1	0.0	0.0	0.0	0.0
0	0.0	0.0	q5_ps	I	16424.9	0.0	0.0	0.0	0.0
0	0.0	0.0		J	16424.9	0.0	0.0	0.0	0.0
0	0.0	0.0	INVSLU Max	I	57007.9	-0.0	-299.5	0.0	0.0
0	0.0	0.0		J	57184.3	0.0	299.5	0.0	0.0
0	0.0	0.0	Min	I	-56434.6	-0.0	-299.5	0.0	0.0
0	0.0	0.0		J	-56258.2	0.0	299.5	0.0	0.0
0	0.0	0.0	INVSLV Max	I	17768.6	-0.0	-221.9	0.0	0.0
0	0.0	0.0		J	17899.2	0.0	221.9	0.0	0.0
0	0.0	0.0	Min	I	-17209.8	-0.0	-221.9	0.0	0.0
0	0.0	0.0		J	-17079.2	-0.0	221.9	0.0	0.0
6	114	2	71	Q1-1-2 Max	I	17200.2	0.1	70.0	1.6
6	66.0	2994.5		J	17200.2	0.1	70.0	0.0	0.0
0	0.0	0.0		I	-20030.4	-0.1	-3.9	-1.6	-1.0
6	-1174.1	-168.3		J	-20030.4	-0.1	-3.9	0.0	0.0
0	0.0	0.0		I	10044.4	0.0	41.5	1.0	1.0
0	28.0	1773.1	Q2a-1-2 Max	J	10044.4	0.0	41.5	0.0	0.0
0	0.0	0.0		I	-11336.0	-0.0	-1.7	-1.0	-1.0
0	-695.3	-71.4	Min	J	-11336.0	-0.0	-1.7	0.0	0.0
0	0.0	0.0		I	370.0	264.7	-5.2	-8478.8	8478.0
8	86.5	-220.7	SLVx (RS)	J	370.0	264.7	-5.2	0.0	0.0
0	0.0	0.0		I	8575.7	-4.1	11.1	131.5	-131.0
5	-185.7	473.6	SLVy (RS)	J	8575.7	-4.1	11.1	0.0	0.0
0	0.0	0.0		I	185.0	132.3	-2.6	-4236.4	4236.0
4	43.2	-110.3	SLDx (RS)	J	185.0	132.3	-2.6	0.0	0.0
0	0.0	0.0		I	4282.7	-2.1	5.5	65.7	-65.0
7	-92.7	236.5	SLDy (RS)	J	4282.7	-2.1	5.5	0.0	0.0
0	0.0	0.0		I	201.5	-60.8	-2.3	1948.9	-1948.0
9	38.1	-97.1	SLVz (RS)						



MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	0.0	0.0		J	201.5	-60.8	-2.3	0.0	0.
0	-186.9	476.6	g1	I	-3213.1	0.0	-211.3	-0.0	0.
0	0.0	0.0		J	-3213.1	0.0	233.6	0.0	0.
0	-609.8	1555.2	g2	I	-1775.0	0.0	36.4	-0.0	0.
0	0.0	0.0		J	-1775.0	0.0	36.4	0.0	0.
0	-21.6	55.1	q3	I	-65.9	0.0	1.3	-0.0	0.
0	0.0	0.0		J	-65.9	0.0	1.3	0.0	0.
0	-129.4	330.1	q5_pc	I	2428.5	0.0	7.7	-0.0	0.
0	0.0	0.0		J	2428.5	0.0	7.7	0.0	0.
0	-127.3	324.6	q5_ps	I	2552.0	0.0	7.6	-0.0	0.
0	0.0	0.0		J	2552.0	0.0	7.6	0.0	0.
3	-1010.5	7574.0	INVSLU Max	I	19913.0	0.1	-123.2	2.3	2.
0	0.0	0.0		J	19913.0	0.1	477.5	0.0	0.
3	-2969.8	2577.1	Min	I	-34719.6	-0.1	-240.1	-2.3	-2.
0	0.0	0.0		J	-34719.6	-0.1	360.6	0.0	0.
9	-45.9	1254.8	INVSLV Max	I	3043.1	284.2	-193.1	9102.9	9102.
0	0.0	0.0		J	3043.1	284.2	251.8	0.0	0.
9	-492.0	117.0	Min	I	-14451.3	-284.2	-219.7	-9102.9	-9102.
0	0.0	0.0		J	-14451.3	-284.2	225.2	0.0	0.
0	115	2	74	Q1-1-2 Max	I	29114.0	0.0	0.0	0.0
0	0.0	0.0		J	29114.0	0.0	0.0	0.0	0.
0	0.0	0.0		I	-29179.9	-0.0	0.0	0.0	0.
0	0.0	0.0	Min	J	-29179.9	-0.0	0.0	0.0	0.
0	0.0	0.0		I	16649.9	0.0	0.0	0.0	0.
0	0.0	0.0	Q2a-1-2 Max	J	16649.9	0.0	0.0	0.0	0.
0	0.0	0.0		I	-16687.4	-0.0	0.0	0.0	0.
0	0.0	0.0	Min	J	-16687.4	-0.0	0.0	0.0	0.
0	0.0	0.0		I	188.2	0.0	0.0	0.0	0.
0	0.0	0.0	SLVx (RS)	J	188.2	0.0	0.0	0.0	0.

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0	0.0	0.0		J	188.2	-0.0	0.0	0.0	0.0
0	0.0	0.0	SLVy (RS)	I	-17392.1	-0.0	0.0	0.0	0.0
0	0.0	0.0		J	-17392.1	0.0	0.0	0.0	0.0
0	0.0	0.0	SLDx (RS)	I	94.1	0.0	0.0	0.0	0.0
0	0.0	0.0		J	94.1	-0.0	0.0	0.0	0.0
0	0.0	0.0	SLDy (RS)	I	-8686.2	-0.0	0.0	0.0	0.0
0	0.0	0.0		J	-8686.2	0.0	0.0	0.0	0.0
0	0.0	0.0	SLVz (RS)	I	173.6	-0.0	0.0	0.0	0.0
0	0.0	0.0		J	173.6	0.0	0.0	0.0	0.0
0	0.0	0.0	g1	I	255.3	0.0	-221.9	0.0	0.0
0	0.0	0.0		J	386.0	-0.0	221.9	0.0	0.0
0	0.0	0.0	g2	I	-28.1	0.0	0.0	0.0	0.0
0	0.0	0.0		J	-28.1	-0.0	0.0	0.0	0.0
0	0.0	0.0	q3	I	-0.3	0.0	0.0	0.0	0.0
0	0.0	0.0		J	-0.3	-0.0	0.0	0.0	0.0
0	0.0	0.0	q5_pc	I	-19315.0	-0.0	0.0	0.0	0.0
0	0.0	0.0		J	-19315.0	0.0	0.0	0.0	0.0
0	0.0	0.0	q5_ps	I	-16436.6	-0.0	0.0	0.0	0.0
0	0.0	0.0		J	-16436.6	0.0	0.0	0.0	0.0
0	0.0	0.0	INVSLU Max	I	56982.8	0.0	-299.5	0.0	0.0
0	0.0	0.0		J	57159.1	-0.0	299.5	0.0	0.0
0	0.0	0.0	Min	I	-56481.0	0.0	-299.5	0.0	0.0
0	0.0	0.0		J	-56304.6	-0.0	299.5	0.0	0.0
0	0.0	0.0	INVSLV Max	I	17750.4	0.0	-221.9	0.0	0.0
0	0.0	0.0		J	17881.0	0.0	221.9	0.0	0.0
0	0.0	0.0	Min	I	-17251.0	0.0	-221.9	0.0	0.0
0	0.0	0.0		J	-17120.4	-0.0	221.9	0.0	0.0

PROJECT TITLE :

MIDAS		Company				Client				
		Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0	116	2	72	Q1-1-2 Max	I	41161.2	0.0	0.0	0.0	0.0
0	0.0		0.0		J	41161.2	0.0	0.0	0.0	0.0
0	0.0		0.0	Min	I	-29520.4	-0.0	-0.0	0.0	0.0
0	0.0		0.0		J	-29520.4	-0.0	-0.0	0.0	0.0
0	0.0		0.0	Q2a-1-2 Max	I	23318.7	0.0	0.0	0.0	0.0
0	0.0		0.0		J	23318.7	0.0	0.0	0.0	0.0
0	0.0		0.0	Min	I	-16809.8	-0.0	-0.0	0.0	0.0
0	0.0		0.0		J	-16809.8	-0.0	-0.0	0.0	0.0
0	0.0		0.0	SLVx (RS)	I	2222.1	-0.0	0.0	0.0	0.0
0	0.0		0.0		J	2222.1	0.0	0.0	0.0	0.0
0	0.0		0.0	SLVy (RS)	I	20562.0	0.0	0.0	0.0	0.0
0	0.0		0.0		J	20562.0	-0.0	-0.0	0.0	0.0
0	0.0		0.0	SLDx (RS)	I	1110.0	-0.0	0.0	0.0	0.0
0	0.0		0.0		J	1110.0	0.0	0.0	0.0	0.0
0	0.0		0.0	SLDy (RS)	I	10268.3	0.0	0.0	0.0	0.0
0	0.0		0.0		J	10268.3	-0.0	-0.0	0.0	0.0
0	0.0		0.0	SLVz (RS)	I	-590.3	0.0	-0.0	0.0	0.0
0	0.0		0.0		J	-590.3	-0.0	0.0	0.0	0.0
0	0.0		0.0	g1	I	7435.7	-0.0	-342.6	0.0	0.0
0	0.0		0.0		J	7441.5	0.0	342.6	0.0	0.0
0	0.0		0.0	g2	I	3660.6	-0.0	0.0	0.0	0.0
0	0.0		0.0		J	3660.6	0.0	-0.0	0.0	0.0
0	0.0		0.0	q3	I	2533.0	-0.0	0.0	0.0	0.0
0	0.0		0.0		J	2533.0	0.0	-0.0	0.0	0.0
0	0.0		0.0	q5_pc	I	8189.6	0.0	0.0	0.0	0.0
0	0.0		0.0		J	8189.6	-0.0	0.0	0.0	0.0
0	0.0		0.0	q5_ps	I	8048.0	0.0	0.0	0.0	0.0
0	0.0		0.0		J	8048.0	-0.0	-0.0	0.0	0.0

# MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			

0	0.0	0.0							
			INVSLU Max	I	82082.3	0.0	-462.5	0.0	0.
0	0.0	0.0		J	82090.0	0.0	462.5	0.0	0.
0	0.0	0.0	Min	I	-28079.1	-0.0	-462.5	0.0	0.
0	0.0	0.0		J	-28071.4	-0.0	462.5	0.0	0.
0	0.0	0.0							
			INVSLV Max	I	33145.8	0.0	-342.6	0.0	0.
0	0.0	0.0		J	33151.6	0.0	342.6	0.0	0.
0	0.0	0.0	Min	I	-9665.6	-0.0	-342.6	0.0	0.
0	0.0	0.0		J	-9659.8	-0.0	342.6	0.0	0.
0	0.0	0.0							
0	117	2	72	Q1-1-2 Max	I	41227.1	11.4	0.1	0.0
0	0.0	0.0		J	41227.1	11.4	0.1	556.1	1310.
7	2.3	56.0		Min	I	-29584.3	-26.8	-0.9	0.0
0	0.0	0.0		J	-29584.3	-26.8	-0.9	-1310.7	-556.
1	-21.4	-6.1							
			Q2a-1-2 Max	I	23356.8	7.7	0.1	0.0	0.
0	0.0	0.0		J	23356.8	7.7	0.1	375.7	782.
1	1.6	34.0		Min	I	-16845.1	-16.0	-0.5	0.0
0	0.0	0.0		J	-16845.1	-16.0	-0.5	-782.1	-375.
7	-13.0	-4.1							
			SLVx (RS)	I	2280.9	-14.3	386.0	0.0	0.
0	0.0	0.0		J	2280.9	-14.3	386.0	-698.8	698.
8	9630.0	-25203.9							
			SLVy (RS)	I	-13707.0	-23.2	64.3	0.0	0.
0	0.0	0.0		J	-13707.0	-23.2	64.3	-1136.4	1136.
4	1604.7	-4199.8							
			SLDx (RS)	I	1139.1	-7.1	192.7	0.0	0.
0	0.0	0.0		J	1139.1	-7.1	192.7	-348.9	348.
9	4809.0	-12586.2							
			SLDy (RS)	I	-6845.6	-11.6	32.1	0.0	0.
0	0.0	0.0		J	-6845.6	-11.6	32.1	-567.5	567.
5	801.3	-2097.2							
			SLVz (RS)	I	-490.0	-6.4	182.2	0.0	0.
0	0.0	0.0		J	-490.0	-6.4	182.2	-312.4	312.
4	4547.0	-11900.5							
			g1	I	7430.7	14.6	-1027.8	0.0	0.
0	0.0	0.0		J	7436.5	14.6	-342.5	713.3	-713.

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

3	-17094.7	44740.6								
			g2	I	3657.9	-7.1	-0.2	0.0	0.	
0	0.0	0.0		J	3657.9	-7.1	-0.2	-345.8	345.	
8	-5.9	15.5								
			q3	I	2530.1	-1.5	-0.0	0.0	0.	
0	0.0	0.0		J	2530.1	-1.5	-0.0	-71.4	71.	
4	-0.4	1.0								
			q5_pc	I	-3207.0	-15.4	-0.5	0.0	0.	
0	0.0	0.0		J	-3207.0	-15.4	-0.5	-755.1	755.	
1	-13.0	34.1								
			q5_ps	I	-3684.9	-14.0	-0.5	0.0	0.	
0	0.0	0.0		J	-3684.9	-14.0	-0.5	-685.0	685.	
0	-11.7	30.5								
			INVSLU Max	I	77692.5	40.1	-1387.2	0.0	0.	
0	0.0	0.0		J	77700.2	40.1	-462.1	1964.3	2075.	
3	-23070.3	60538.3								
			Min	I	-23675.7	-42.4	-1389.6	0.0	0.	
0	0.0	0.0		J	-23668.0	-42.4	-464.6	-2075.3	-1964.	
3	-23130.7	60380.0								
			INVSLV Max	I	26283.8	37.1	-568.1	0.0	0.	
0	0.0	0.0		J	26289.5	37.1	117.1	1816.5	1063.	
1	-5626.9	74794.8								
			Min	I	-2792.8	-21.7	-1488.0	0.0	0.	
0	0.0	0.0		J	-2787.0	-21.7	-802.8	-1063.1	-1816.	
5	-28577.9	14726.8								
	118	2	72	Q1-1-2 Max	I	41227.5	26.8	0.3	555.8	1311.
1	11.2	21.2		J	41227.5	26.8	0.3	0.0	0.	
0	0.0	0.0								
			Min	I	-29581.8	-11.4	-0.5	-1311.1	-555.	
8	-8.1	-29.4		J	-29581.8	-11.4	-0.5	0.0	0.	
0	0.0	0.0								
			Q2a-1-2 Max	I	23357.1	16.0	0.2	375.5	782.	
4	7.2	12.4		J	23357.1	16.0	0.2	0.0	0.	
0	0.0	0.0								
			Min	I	-16843.7	-7.7	-0.3	-782.4	-375.	
5	-4.7	-18.9		J	-16843.7	-7.7	-0.3	0.0	0.	
0	0.0	0.0								
			SLVx (RS)	I	2109.2	14.3	-386.0	-698.7	698.	
7	9629.7	-25203.1		J	2109.2	14.3	-386.0	0.0	0.	
0	0.0	0.0								
			SLVy (RS)	I	-13480.7	23.2	-64.6	-1136.9	1136.	
9	1612.5	-4220.3		J	-13480.7	23.2	-64.6	0.0	0.	

MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	0.0	0.0							
9	4808.8	-12585.8	SLDx (RS)	I	1053.3	7.1	-192.7	-348.9	348.
0	0.0	0.0		J	1053.3	7.1	-192.7	0.0	0.
7	805.2	-2107.4	SLDy (RS)	I	-6732.6	11.6	-32.3	-567.7	567.
0	0.0	0.0		J	-6732.6	11.6	-32.3	0.0	0.
4	4546.9	-11900.3	SLVz (RS)	I	-463.5	6.4	-182.2	-312.4	312.
0	0.0	0.0		J	-463.5	6.4	-182.2	0.0	0.
9	-17083.4	44711.2	g1	I	7440.4	-14.6	342.1	712.9	-712.
0	0.0	0.0		J	7446.2	-14.6	1027.3	0.0	0.
9	-1.2	3.2	g2	I	3658.8	7.1	0.0	-345.9	345.
0	0.0	0.0		J	3658.8	7.1	0.0	0.0	0.
3	-1.1	2.8	q3	I	2530.3	1.5	0.0	-71.3	71.
0	0.0	0.0		J	2530.3	1.5	0.0	0.0	0.
5	-2.5	6.6	q5_pc	I	-3205.2	15.4	0.1	-755.5	755.
0	0.0	0.0		J	-3205.2	15.4	0.1	0.0	0.
3	-2.4	6.4	q5_ps	I	-3683.2	14.0	0.1	-685.3	685.
0	0.0	0.0		J	-3683.2	14.0	0.1	0.0	0.
2	-23045.0	60394.2	INVSLU Max	I	77705.7	42.4	462.4	1963.5	2077.
0	0.0	0.0		J	77713.4	42.4	1387.4	0.0	0.
5	-23075.7	60314.0	Min	I	-23656.1	-40.1	461.1	-2077.2	-1963.
0	0.0	0.0		J	-23648.4	-40.1	1386.2	0.0	0.
2	-5605.1	74748.4	INVSLV Max	I	26008.5	21.7	802.1	1816.2	1064.
0	0.0	0.0		J	26014.2	21.7	1487.3	0.0	0.
2	-28560.2	14669.9	Min	I	-2496.4	-37.1	-118.0	-1064.2	-1816.
0	0.0	0.0		J	-2490.7	-37.1	567.3	0.0	0.
0	119	2	72	Q1-1-2 Max	I	41143.4	0.0	0.0	0.0
0	0.0	0.0		J	41143.4	0.0	0.0	0.0	0.
0	0.0	0.0		I	-29522.1	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-29522.1	-0.0	-0.0	0.0	0.

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0	0.0	0.0		J	-29522.1	0.0	-0.0	0.0	0.
0	0.0	0.0	Q2a-1-2 Max	I	23308.4	0.0	0.0	0.0	0.
0	0.0	0.0		J	23308.4	0.0	0.0	0.0	0.
0	0.0	0.0	Min	I	-16811.2	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-16811.2	0.0	-0.0	0.0	0.
0	0.0	0.0	SLVx (RS)	I	2046.0	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	2046.0	0.0	-0.0	0.0	0.
0	0.0	0.0	SLVy (RS)	I	20330.2	0.0	0.0	0.0	0.
0	0.0	0.0		J	20330.2	0.0	0.0	0.0	0.
0	0.0	0.0	SLDx (RS)	I	1022.0	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	1022.0	0.0	-0.0	0.0	0.
0	0.0	0.0	SLDy (RS)	I	10152.6	0.0	0.0	0.0	0.
0	0.0	0.0		J	10152.6	0.0	0.0	0.0	0.
0	0.0	0.0	SLVz (RS)	I	-550.2	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-550.2	0.0	0.0	0.0	0.
0	0.0	0.0	g1	I	7447.2	-0.0	-342.6	0.0	0.
0	0.0	0.0		J	7452.9	0.0	342.6	0.0	0.
0	0.0	0.0	g2	I	3655.0	-0.0	0.0	0.0	0.
0	0.0	0.0		J	3655.0	0.0	-0.0	0.0	0.
0	0.0	0.0	q3	I	2531.9	-0.0	0.0	0.0	0.
0	0.0	0.0		J	2531.9	0.0	-0.0	0.0	0.
0	0.0	0.0	q5_pc	I	8177.5	0.0	-0.0	0.0	0.
0	0.0	0.0		J	8177.5	0.0	-0.0	0.0	0.
0	0.0	0.0	q5_ps	I	8037.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	8037.0	0.0	-0.0	0.0	0.
0	0.0	0.0	INVSLU Max	I	82053.5	0.0	-462.5	0.0	0.
0	0.0	0.0		J	82061.2	0.0	462.5	0.0	0.

PROJECT TITLE :

MIDAS	Company				Client				
	Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			

0	0.0	0.0	Min	I	-28064.4	-0.0	-462.5	0.0	0.
				J	-28056.7	0.0	462.5	0.0	0.
0	0.0	0.0							
			INVS LV Max	I	32855.2	0.0	-342.6	0.0	0.
0	0.0	0.0		J	32861.0	0.0	342.6	0.0	0.
0	0.0	0.0							
			Min	I	-9362.8	-0.0	-342.6	0.0	0.
0	0.0	0.0		J	-9357.1	0.0	342.6	0.0	0.
0	0.0	0.0							
120	2	72	Q1-1-2 Max	I	46264.8	0.0	0.0	0.0	0.
0	0.0	0.0		J	46264.8	0.0	0.0	0.0	0.
0	0.0	0.0							
			Min	I	-20642.9	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-20642.9	-0.0	-0.0	0.0	0.
0	0.0	0.0							
			Q2a-1-2 Max	I	26329.8	0.0	0.0	0.0	0.
0	0.0	0.0		J	26329.8	0.0	0.0	0.0	0.
0	0.0	0.0							
			Min	I	-11871.8	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-11871.8	-0.0	-0.0	0.0	0.
0	0.0	0.0							
			SLVx (RS)	I	2101.9	0.0	0.0	0.0	0.
0	0.0	0.0		J	2101.9	-0.0	0.0	0.0	0.
0	0.0	0.0							
			SLVy (RS)	I	11414.1	-0.0	0.0	0.0	0.
0	0.0	0.0		J	11414.1	0.0	0.0	0.0	0.
0	0.0	0.0							
			SLDx (RS)	I	1049.6	0.0	0.0	0.0	0.
0	0.0	0.0		J	1049.6	-0.0	0.0	0.0	0.
0	0.0	0.0							
			SLDy (RS)	I	5700.9	-0.0	0.0	0.0	0.
0	0.0	0.0		J	5700.9	0.0	0.0	0.0	0.
0	0.0	0.0							
			SLVz (RS)	I	-656.9	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-656.9	0.0	0.0	0.0	0.
0	0.0	0.0							
			g1	I	16527.5	0.0	-340.7	0.0	0.
0	0.0	0.0		J	16533.1	-0.0	340.7	0.0	0.
0	0.0	0.0							
			g2	I	7907.2	0.0	0.0	0.0	0.
0	0.0	0.0		J	7907.2	-0.0	-0.0	0.0	0.
0	0.0	0.0							



MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	0.0	0.0	q3	I	1651.6	0.0	0.0	0.0	0.
0	0.0	0.0		J	1651.6	-0.0	-0.0	0.0	0.
0	0.0	0.0	q5_pc	I	1482.5	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	1482.5	0.0	-0.0	0.0	0.
0	0.0	0.0	q5_ps	I	1956.3	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	1956.3	0.0	-0.0	0.0	0.
0	0.0	0.0	INVSLU Max	I	100896.7	0.0	-460.0	0.0	0.
0	0.0	0.0		J	100904.3	-0.0	460.0	0.0	0.
0	0.0	0.0	Min	I	7902.7	-0.0	-460.0	0.0	0.
0	0.0	0.0		J	7910.4	-0.0	460.0	0.0	0.
0	0.0	0.0	INVSLV Max	I	37528.2	0.0	-340.7	0.0	0.
0	0.0	0.0		J	37533.9	0.0	340.7	0.0	0.
0	0.0	0.0	Min	I	13044.7	-0.0	-340.7	0.0	0.
0	0.0	0.0		J	13050.4	-0.0	340.7	0.0	0.
0	0.0	0.0							
0	121	2	72 Q1-1-2 Max	I	46260.7	19.3	0.4	0.0	0.
0	0.0	0.0		J	46260.7	19.3	0.4	940.2	1413.
8	10.6	44.6							
0	0.0	0.0	Min	I	-20634.5	-29.1	-0.7	0.0	0.
0	0.0	0.0		J	-20634.5	-29.1	-0.7	-1413.8	-940.
2	-17.0	-27.9							
0	0.0	0.0	Q2a-1-2 Max	I	26328.6	12.5	0.3	0.0	0.
9	6.9	27.3		J	26328.6	12.5	0.3	610.7	862.
0	0.0	0.0	Min	I	-11867.0	-17.7	-0.4	0.0	0.
0	0.0	0.0		J	-11867.0	-17.7	-0.4	-862.9	-610.
7	-10.4	-18.1							
0	0.0	0.0	SLVx (RS)	I	2213.2	-38.7	1054.2	0.0	0.
4	26155.8	-68455.7		J	2213.2	-38.7	1054.2	-1885.4	1885.
0	0.0	0.0	SLVy (RS)	I	-11992.0	6.6	73.5	0.0	0.
5	1823.9	-4773.5		J	-11992.0	6.6	73.5	323.5	-323.
0	0.0	0.0	SLDx (RS)	I	1105.2	-19.3	526.4	0.0	0.
6	13062.1	-34186.3		J	1105.2	-19.3	526.4	-941.6	941.

MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	0.0	0.0	SLDy (RS)	I	-5989.4	3.3	36.7	0.0	0.	
6	910.6	-2383.3		J	-5989.4	3.3	36.7	161.6	-161.	
0	0.0	0.0	SLVz (RS)	I	-752.2	-13.5	360.7	0.0	0.	
5	8950.1	-23424.4		J	-752.2	-13.5	360.7	-654.5	654.	
0	0.0	0.0	g1	I	16503.7	20.2	-1021.8	0.0	0.	
2	-16898.4	44226.9		J	16509.4	20.2	-340.4	981.2	-981.	
0	0.0	0.0	g2	I	7905.9	-3.8	-0.1	0.0	0.	
1	-2.3	6.1		J	7905.9	-3.8	-0.1	-184.1	184.	
0	0.0	0.0	q3	I	1651.1	1.0	0.0	0.0	0.	
6	0.5	-1.4		J	1651.1	1.0	0.0	47.6	-47.	
0	0.0	0.0	q5_pc	I	-2245.0	7.7	0.1	0.0	0.	
3	3.7	-9.6		J	-2245.0	7.7	0.1	375.3	-375.	
0	0.0	0.0	q5_ps	I	-2718.7	6.6	0.1	0.0	0.	
9	3.1	-8.1		J	-2718.7	6.6	0.1	319.9	-319.	
0	0.0	0.0	INVS LU Max	I	101551.4	56.5	-1378.8	0.0	0.	
6	-22798.9	59784.9		J	101559.0	56.5	-458.9	2747.9	1105.	
0	0.0	0.0	Min	I	7201.8	-22.7	-1380.6	0.0	0.	
9	-22842.9	59669.8		J	7209.4	-22.7	-460.7	-1105.6	-2747.	
0	0.0	0.0	INVS LV Max	I	38142.7	61.6	162.5	0.0	0.	
6	12486.6	121149.8		J	38148.4	61.6	844.0	2996.0	1361.	
0	0.0	0.0	Min	I	12379.5	-28.0	-2206.4	0.0	0.	
0	-46289.4	-32680.3		J	12385.2	-28.0	-1524.9	-1361.6	-2996.	
0	122	2	72	Q1-1-2 Max	I	46260.9	29.1	0.5	940.2	1414.
0	10.0	34.8		J	46260.9	29.1	0.5	0.0	0.	
0	0.0	0.0	Min	I	-20632.6	-19.3	-0.4	-1414.0	-940.	
2	-13.3	-26.0		J	-20632.6	-19.3	-0.4	0.0	0.	
0	0.0	0.0								
0	6.5	21.4	Q2a-1-2 Max	I	26328.9	17.7	0.3	610.7	863.	
				J	26328.9	17.7	0.3	0.0	0.	

MIDAS

PROJECT TITLE :

MIDAS	Company		Client		
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

0	0.0	0.0							
			Min	I	-11866.0	-12.5	-0.3	-863.0	-610.
7	-8.2	-16.9		J	-11866.0	-12.5	-0.3	0.0	0.
0	0.0	0.0							
			SLVx (RS)	I	2109.8	38.7	-1054.2	-1885.4	1885.
4	26155.8	-68455.5		J	2109.8	38.7	-1054.2	0.0	0.
0	0.0	0.0							
			SLVy (RS)	I	-11712.4	-6.6	-73.5	323.5	-323.
5	1823.7	-4773.0		J	-11712.4	-6.6	-73.5	0.0	0.
0	0.0	0.0							
			SLDx (RS)	I	1053.7	19.3	-526.4	-941.6	941.
6	13062.0	-34186.3		J	1053.7	19.3	-526.4	0.0	0.
0	0.0	0.0							
			SLDy (RS)	I	-5849.9	-3.3	-36.7	161.6	-161.
6	910.5	-2383.0		J	-5849.9	-3.3	-36.7	0.0	0.
0	0.0	0.0							
			SLVz (RS)	I	-757.4	13.5	-360.7	-654.5	654.
5	8950.1	-23424.6		J	-757.4	13.5	-360.7	0.0	0.
0	0.0	0.0							
			g1	I	16512.7	-20.2	340.3	981.1	-981.
1	-16896.3	44221.4		J	16518.4	-20.2	1021.7	0.0	0.
0	0.0	0.0							
			g2	I	7906.4	3.8	0.1	-184.1	184.
1	-1.5	3.9		J	7906.4	3.8	0.1	0.0	0.
0	0.0	0.0							
			q3	I	1651.0	-1.0	-0.0	47.6	-47.
6	0.4	-1.2		J	1651.0	-1.0	-0.0	0.0	0.
0	0.0	0.0							
			q5_pc	I	-2245.9	-7.7	-0.2	375.3	-375.
3	4.1	-10.7		J	-2245.9	-7.7	-0.2	0.0	0.
0	0.0	0.0							
			q5_ps	I	-2719.4	-6.6	-0.1	319.8	-319.
8	3.5	-9.3		J	-2719.4	-6.6	-0.1	0.0	0.
0	0.0	0.0							
			INVSLU Max	I	101565.0	22.7	460.2	2747.6	1106.
0	-22792.9	59755.7		J	101572.7	22.7	1380.2	0.0	0.
0	0.0	0.0							
			Min	I	7216.2	-56.5	458.7	-1106.0	-2747.
6	-22831.7	59654.2		J	7223.8	-56.5	1378.6	0.0	0.
0	0.0	0.0							
			INVSLV Max	I	37843.1	28.0	1524.7	2995.8	1361.

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			

8	12491.3	121137.1			J	37848.8	28.0	2206.2	0.0	0.
0	0.0	0.0								
			Min		I	12697.9	-61.6	-844.2	-1361.8	-2995.
8	-46284.6	-32692.4			J	12703.6	-61.6	-162.7	0.0	0.
0	0.0	0.0								
	123	2	72	Q1-1-2 Max	I	46252.7	0.0	0.0	0.0	0.
0	0.0	0.0			J	46252.7	0.0	0.0	0.0	0.
0	0.0	0.0								
			Min		I	-20639.9	0.0	-0.0	0.0	0.
0	0.0	0.0			J	-20639.9	0.0	0.0	0.0	0.
0	0.0	0.0								
			Q2a-1-2 Max		I	26323.7	0.0	0.0	0.0	0.
0	0.0	0.0			J	26323.7	0.0	0.0	0.0	0.
0	0.0	0.0								
			Min		I	-11870.6	0.0	-0.0	0.0	0.
0	0.0	0.0			J	-11870.6	0.0	0.0	0.0	0.
0	0.0	0.0								
			SLVx (RS)		I	1995.1	0.0	-0.0	0.0	0.
0	0.0	0.0			J	1995.1	0.0	0.0	0.0	0.
0	0.0	0.0								
			SLVy (RS)		I	11141.2	0.0	-0.0	0.0	0.
0	0.0	0.0			J	11141.2	0.0	0.0	0.0	0.
0	0.0	0.0								
			SLDx (RS)		I	996.3	0.0	-0.0	0.0	0.
0	0.0	0.0			J	996.3	0.0	0.0	0.0	0.
0	0.0	0.0								
			SLDy (RS)		I	5564.7	0.0	-0.0	0.0	0.
0	0.0	0.0			J	5564.7	0.0	0.0	0.0	0.
0	0.0	0.0								
			SLVz (RS)		I	-656.7	0.0	-0.0	0.0	0.
0	0.0	0.0			J	-656.7	0.0	0.0	0.0	0.
0	0.0	0.0								
			g1		I	16543.3	0.0	-340.7	0.0	0.
0	0.0	0.0			J	16549.0	0.0	340.7	0.0	0.
0	0.0	0.0								
			g2		I	7904.2	0.0	0.0	0.0	0.
0	0.0	0.0			J	7904.2	0.0	0.0	0.0	0.
0	0.0	0.0								
			q3		I	1652.3	0.0	0.0	0.0	0.
0	0.0	0.0			J	1652.3	0.0	0.0	0.0	0.
0	0.0	0.0								

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	0.0	0.0	q5_pc	I	1488.6	0.0	0.0	0.0	0.
0	0.0	0.0		J	1488.6	0.0	0.0	0.0	0.
0	0.0	0.0	q5_ps	I	1961.5	0.0	0.0	0.0	0.
0	0.0	0.0		J	1961.5	0.0	0.0	0.0	0.
0	0.0	0.0	INVSLU Max	I	100904.1	0.0	-460.0	0.0	0.
0	0.0	0.0		J	100911.8	0.0	460.0	0.0	0.
0	0.0	0.0	Min	I	7919.7	0.0	-460.0	0.0	0.
0	0.0	0.0		J	7927.4	0.0	460.0	0.0	0.
0	0.0	0.0	INVSLV Max	I	37236.4	0.0	-340.7	0.0	0.
0	0.0	0.0		J	37242.1	0.0	340.7	0.0	0.
0	0.0	0.0	Min	I	13362.9	0.0	-340.7	0.0	0.
0	0.0	0.0		J	13368.6	0.0	340.7	0.0	0.
0	0.0	0.0							
0	124	2	72	Q1-1-2 Max	I	41068.1	0.0	0.0	0.0
0	0.0	0.0	0.0		J	41068.1	0.0	0.0	0.
0	0.0	0.0	0.0	Min	I	-11953.5	-0.0	-0.0	0.0
0	0.0	0.0	0.0		J	-11953.5	0.0	0.0	0.
0	0.0	0.0	0.0						
0	0.0	0.0	0.0	Q2a-1-2 Max	I	24067.2	0.0	0.0	0.0
0	0.0	0.0	0.0		J	24067.2	0.0	0.0	0.
0	0.0	0.0	0.0	Min	I	-7014.1	-0.0	-0.0	0.0
0	0.0	0.0	0.0		J	-7014.1	0.0	0.0	0.
0	0.0	0.0	0.0						
0	0.0	0.0	0.0	SLVx (RS)	I	2132.0	-0.0	0.0	0.0
0	0.0	0.0	0.0		J	2132.0	0.0	0.0	0.
0	0.0	0.0	0.0						
0	0.0	0.0	0.0	SLVy (RS)	I	7548.8	0.0	0.0	0.0
0	0.0	0.0	0.0		J	7548.8	0.0	0.0	0.
0	0.0	0.0	0.0						
0	0.0	0.0	0.0	SLDx (RS)	I	1064.8	-0.0	0.0	0.0
0	0.0	0.0	0.0		J	1064.8	0.0	0.0	0.
0	0.0	0.0	0.0						
0	0.0	0.0	0.0	SLDy (RS)	I	3770.5	0.0	0.0	0.0
0	0.0	0.0	0.0		J	3770.5	0.0	0.0	0.


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	0.0	0.0	SLVz (RS)	I	-809.0	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-809.0	0.0	0.0	0.0	0.
0	0.0	0.0	g1	I	18285.4	-0.0	-341.7	0.0	0.
0	0.0	0.0		J	18291.1	0.0	341.7	0.0	0.
0	0.0	0.0	g2	I	8709.7	-0.0	0.0	0.0	0.
0	0.0	0.0		J	8709.7	0.0	0.0	0.0	0.
0	0.0	0.0	q3	I	1113.0	-0.0	0.0	0.0	0.
0	0.0	0.0		J	1113.0	0.0	0.0	0.0	0.
0	0.0	0.0	q5_pc	I	705.7	0.0	-0.0	0.0	0.
0	0.0	0.0		J	705.7	0.0	0.0	0.0	0.
0	0.0	0.0	q5_ps	I	1016.3	0.0	-0.0	0.0	0.
0	0.0	0.0		J	1016.3	0.0	0.0	0.0	0.
0	0.0	0.0	INVSLU Max	I	94677.0	-0.0	-461.3	0.0	0.
0	0.0	0.0		J	94684.7	0.0	461.3	0.0	0.
0	0.0	0.0	Min	I	21827.6	-0.0	-461.3	0.0	0.
0	0.0	0.0		J	21835.3	0.0	461.3	0.0	0.
0	0.0	0.0	INVSLV Max	I	35376.6	0.0	-341.7	0.0	0.
0	0.0	0.0		J	35382.3	0.0	341.7	0.0	0.
0	0.0	0.0	Min	I	18514.3	-0.0	-341.7	0.0	0.
0	0.0	0.0		J	18520.1	0.0	341.7	0.0	0.
0	125	2	72 Q1-1-2 Max	I	41060.9	18.5	0.5	0.0	0.
0	0.0	0.0		J	41060.9	18.5	0.5	900.9	955.
2	11.3	32.3	Min	I	-11954.3	-19.6	-0.5	0.0	0.
0	0.0	0.0		J	-11954.3	-19.6	-0.5	-955.2	-900.
9	-12.3	-29.6	Q2a-1-2 Max	I	24063.5	11.7	0.3	0.0	0.
0	0.0	0.0		J	24063.5	11.7	0.3	570.4	591.
7	7.1	19.9	Min	I	-7014.7	-12.1	-0.3	0.0	0.
0	0.0	0.0		J	-7014.7	-12.1	-0.3	-591.7	-570.
4	-7.6	-18.6							

MIDAS

PROJECT TITLE :

			Company		Client		File Name		
			Author		File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0	0.0	0.0	SLVx (RS)	I	2196.7	-55.1	1501.3	0.0	0.
				J	2196.7	-55.1	1501.3	-2687.2	2687.
2	37353.8	-97763.2							
0	0.0	0.0	SLVy (RS)	I	-7573.5	5.4	61.3	0.0	0.
				J	-7573.5	5.4	61.3	262.7	-262.
7	1525.7	-3993.0							
0	0.0	0.0	SLDx (RS)	I	1097.2	-27.5	749.7	0.0	0.
				J	1097.2	-27.5	749.7	-1342.0	1342.
0	18654.7	-48823.5							
0	0.0	0.0	SLDy (RS)	I	-3782.9	2.7	30.6	0.0	0.
				J	-3782.9	2.7	30.6	131.2	-131.
2	761.6	-1993.4							
0	0.0	0.0	SLVz (RS)	I	-848.0	-19.7	530.9	0.0	0.
				J	-848.0	-19.7	530.9	-961.0	961.
0	13209.7	-34572.7							
0	0.0	0.0	g1	I	18368.5	26.5	-1024.5	0.0	0.
				J	18374.2	26.5	-341.2	1293.4	-1293.
4	-16989.6	44465.6							
0	0.0	0.0	g2	I	8708.9	-0.7	-0.0	0.0	0.
				J	8708.9	-0.7	-0.0	-35.0	35.
0	-0.5	1.4							
0	0.0	0.0	q3	I	1113.1	0.6	0.0	0.0	0.
				J	1113.1	0.6	0.0	31.0	-31.
0	0.4	-0.9							
0	0.0	0.0	q5_pc	I	-1015.2	6.1	0.1	0.0	0.
				J	-1015.2	6.1	0.1	296.8	-296.
8	3.2	-8.3							
0	0.0	0.0	q5_ps	I	-1373.3	5.1	0.1	0.0	0.
				J	-1373.3	5.1	0.1	251.3	-251.
3	2.6	-6.9							
0	0.0	0.0	INVSLU Max	I	95041.9	67.4	-1382.4	0.0	0.
				J	95049.5	67.4	-459.8	3289.7	-249.
6	-22918.0	60079.9							
0	0.0	0.0	Min	I	21643.9	5.1	-1383.9	0.0	0.
				J	21651.6	5.1	-461.3	249.6	-3289.
7	-22955.6	59981.6							
0	0.0	0.0	INVSLV Max	I	35509.9	89.4	654.4	0.0	0.
				J	35515.6	89.4	1337.8	4363.3	1745.
2	24784.4	153799.6							
0	0.0	0.0	Min	I	18535.9	-35.8	-2703.5	0.0	0.
				J	18541.6	-35.8	-2020.1	-1745.2	-4363.

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

3	-58764.4	-64866.3								
3	126	2	72	Q1-1-2 Max	I	41060.5	19.6	0.3	901.0	955.
	8.7		22.6		J	41060.5	19.6	0.3	0.0	0.
0	0.0		0.0							
0	-8.6		-22.7	Min	I	-11953.4	-18.5	-0.3	-955.3	-901.
0	0.0		0.0		J	-11953.4	-18.5	-0.3	0.0	0.
7	5.6		14.2	Q2a-1-2 Max	I	24063.4	12.1	0.2	570.4	591.
					J	24063.4	12.1	0.2	0.0	0.
0	0.0		0.0							
4	-5.4		-14.6	Min	I	-7014.2	-11.7	-0.2	-591.7	-570.
0	0.0		0.0		J	-7014.2	-11.7	-0.2	0.0	0.
2	37353.8		-97763.2	SLVx (RS)	I	-2134.3	55.1	-1501.3	-2687.2	2687.
0	0.0		0.0		J	-2134.3	55.1	-1501.3	0.0	0.
7	1524.7		-3990.4	SLVy (RS)	I	-7248.6	-5.4	-61.3	262.7	-262.
0	0.0		0.0		J	-7248.6	-5.4	-61.3	0.0	0.
0	18654.7		-48823.5	SLDx (RS)	I	-1066.2	27.5	-749.7	-1342.0	1342.
0	0.0		0.0		J	-1066.2	27.5	-749.7	0.0	0.
3	761.1		-1992.1	SLDy (RS)	I	-3620.7	-2.7	-30.6	131.3	-131.
0	0.0		0.0		J	-3620.7	-2.7	-30.6	0.0	0.
0	13209.7		-34572.7	SLVz (RS)	I	-859.3	19.7	-530.9	-961.0	961.
0	0.0		0.0		J	-859.3	19.7	-530.9	0.0	0.
4	-16988.8		44463.6	g1	I	18376.8	-26.5	341.1	1293.4	-1293.
0	0.0		0.0		J	18382.5	-26.5	1024.5	0.0	0.
1	-0.2		0.5	g2	I	8708.9	0.7	0.0	-35.1	35.
0	0.0		0.0		J	8708.9	0.7	0.0	0.0	0.
0	0.3		-0.7	q3	I	1113.0	-0.6	-0.0	31.0	-31.
0	0.0		0.0		J	1113.0	-0.6	-0.0	0.0	0.
8	3.0		-7.8	q5_pc	I	-1015.9	-6.1	-0.1	296.8	-296.
0	0.0		0.0		J	-1015.9	-6.1	-0.1	0.0	0.
				q5_ps	I	-1373.9	-5.1	-0.1	251.3	-251.



MIDAS

PROJECT TITLE :

MIDAS			Company	Client					
			Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt				
3	2.6	-6.7		J	-1373.9	-5.1	-0.1	0.0	0.
0	0.0	0.0							
3	-22919.1	60059.6	INVSLU Max	I	95053.1	-5.1	461.0	3289.7	-249.
0	0.0	0.0		J	95060.7	-5.1	1383.6	0.0	0.
7	-22947.8	59984.5	Min	I	21655.5	-67.4	459.9	249.3	-3289.
0	0.0	0.0		J	21663.2	-67.4	1382.4	0.0	0.
3	24786.0	153793.8	INVSLV Max	I	35177.8	35.8	2020.0	4363.2	1745.
0	0.0	0.0		J	35183.5	35.8	2703.4	0.0	0.
2	-58762.1	-64870.5	Min	I	18884.4	-89.4	-1337.8	-1745.3	-4363.
0	0.0	0.0		J	18890.1	-89.4	-654.5	0.0	0.
0	127	2	72	Q1-1-2 Max	I	41062.6	0.0	0.0	0.0
0	0.0	0.0		J	41062.6	0.0	0.0	0.0	0.
0	0.0	0.0		Min	I	-11952.1	0.0	-0.0	0.0
0	0.0	0.0		J	-11952.1	0.0	0.0	0.0	0.
0	0.0	0.0		Q2a-1-2 Max	I	24064.7	0.0	0.0	0.0
0	0.0	0.0		J	24064.7	0.0	0.0	0.0	0.
0	0.0	0.0		Min	I	-7013.6	0.0	-0.0	0.0
0	0.0	0.0		J	-7013.6	0.0	0.0	0.0	0.
0	0.0	0.0		SLVx (RS)	I	2069.2	0.0	-0.0	0.0
0	0.0	0.0		J	2069.2	0.0	0.0	0.0	0.
0	0.0	0.0		SLVy (RS)	I	7229.6	0.0	-0.0	0.0
0	0.0	0.0		J	7229.6	0.0	0.0	0.0	0.
0	0.0	0.0		SLDx (RS)	I	1033.6	0.0	-0.0	0.0
0	0.0	0.0		J	1033.6	0.0	0.0	0.0	0.
0	0.0	0.0		SLDy (RS)	I	3611.1	0.0	-0.0	0.0
0	0.0	0.0		J	3611.1	0.0	0.0	0.0	0.
0	0.0	0.0		SLVz (RS)	I	-819.9	0.0	-0.0	0.0
0	0.0	0.0		J	-819.9	0.0	0.0	0.0	0.
0	0.0	0.0		g1	I	18306.3	0.0	-341.7	0.0

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			

0	0.0	0.0		J	18312.0	0.0	341.7	0.0	0.
0	0.0	0.0							
			g2	I	8709.1	0.0	0.0	0.0	0.
0	0.0	0.0		J	8709.1	0.0	0.0	0.0	0.
0	0.0	0.0							
			q3	I	1113.5	0.0	0.0	0.0	0.
0	0.0	0.0		J	1113.5	0.0	0.0	0.0	0.
0	0.0	0.0							
			q5_pc	I	710.5	0.0	0.0	0.0	0.
0	0.0	0.0		J	710.5	0.0	0.0	0.0	0.
0	0.0	0.0							
			q5_ps	I	1020.3	0.0	0.0	0.0	0.
0	0.0	0.0		J	1020.3	0.0	0.0	0.0	0.
0	0.0	0.0							
			INVSLU Max	I	94703.0	0.0	-461.3	0.0	0.
0	0.0	0.0		J	94710.7	0.0	461.3	0.0	0.
0	0.0	0.0							
			Min	I	21854.3	0.0	-461.3	0.0	0.
0	0.0	0.0		J	21862.0	0.0	461.3	0.0	0.
0	0.0	0.0							
			INVSLV Max	I	35062.9	0.0	-341.7	0.0	0.
0	0.0	0.0		J	35068.6	0.0	341.7	0.0	0.
0	0.0	0.0							
			Min	I	18870.3	0.0	-341.7	0.0	0.
0	0.0	0.0		J	18876.0	0.0	341.7	0.0	0.
0	0.0	0.0							
	128	2	72 Q1-1-2 Max	I	34863.9	0.0	0.0	0.0	0.
0	0.0	0.0		J	34863.9	0.0	0.0	0.0	0.
0	0.0	0.0							
			Min	I	-5852.7	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-5852.7	-0.0	-0.0	0.0	0.
0	0.0	0.0							
			Q2a-1-2 Max	I	21206.7	0.0	0.0	0.0	0.
0	0.0	0.0		J	21206.7	0.0	0.0	0.0	0.
0	0.0	0.0							
			Min	I	-3537.4	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-3537.4	-0.0	-0.0	0.0	0.
0	0.0	0.0							
			SLVx (RS)	I	2154.0	0.0	-0.0	0.0	0.
0	0.0	0.0		J	2154.0	0.0	-0.0	0.0	0.
0	0.0	0.0							
			SLVy (RS)	I	2740.8	-0.0	0.0	0.0	0.

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			

0	0.0	0.0		J	2740.8	-0.0	-0.0	0.0	0.
0	0.0	0.0							
			SLDx (RS)	I	1076.0	0.0	-0.0	0.0	0.
0	0.0	0.0		J	1076.0	0.0	-0.0	0.0	0.
0	0.0	0.0							
			SLDy (RS)	I	1369.0	-0.0	0.0	0.0	0.
0	0.0	0.0		J	1369.0	-0.0	-0.0	0.0	0.
0	0.0	0.0							
			SLVz (RS)	I	-886.3	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-886.3	-0.0	-0.0	0.0	0.
0	0.0	0.0							
			g1	I	18880.8	0.0	-341.7	0.0	0.
0	0.0	0.0		J	18886.5	0.0	341.7	0.0	0.
0	0.0	0.0							
			g2	I	8948.6	0.0	0.0	0.0	0.
0	0.0	0.0		J	8948.6	0.0	0.0	0.0	0.
0	0.0	0.0							
			q3	I	822.6	0.0	0.0	0.0	0.
0	0.0	0.0		J	822.6	0.0	0.0	0.0	0.
0	0.0	0.0							
			q5_pc	I	144.3	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	144.3	-0.0	0.0	0.0	0.
0	0.0	0.0							
			q5_ps	I	232.5	-0.0	0.0	0.0	0.
0	0.0	0.0		J	232.5	-0.0	0.0	0.0	0.
0	0.0	0.0							
			INVSLU Max	I	85613.5	0.0	-461.3	0.0	0.
0	0.0	0.0		J	85621.2	0.0	461.3	0.0	0.
0	0.0	0.0							
			Min	I	30386.4	0.0	-461.3	0.0	0.
0	0.0	0.0		J	30394.1	0.0	461.3	0.0	0.
0	0.0	0.0							
			INVSLV Max	I	30756.4	0.0	-341.7	0.0	0.
0	0.0	0.0		J	30762.2	0.0	341.7	0.0	0.
0	0.0	0.0							
			Min	I	23450.6	-0.0	-341.7	0.0	0.
0	0.0	0.0		J	23456.3	0.0	341.7	0.0	0.
0	0.0	0.0							
			Q1-1-2 Max	I	34862.6	16.5	0.4	0.0	0.
0	129	2		J	34862.6	16.5	0.4	806.5	818.
0	0.0	0.0							
8	10.4	28.6							

MIDAS


PROJECT TITLE :

MIDAS	Company		Client		
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

0	0.0	0.0	Min	I	-5853.4	-16.8	-0.4	0.0	0.
				J	-5853.4	-16.8	-0.4	-818.8	-806.
5	-10.9	-27.2							
			Q2a-1-2 Max	I	21206.3	10.4	0.3	0.0	0.
				J	21206.3	10.4	0.3	509.4	514.
6	6.5	17.8							
			Min	I	-3537.8	-10.5	-0.3	0.0	0.
0	0.0	0.0		J	-3537.8	-10.5	-0.3	-514.6	-509.
4	-6.8	-17.0							
			SLVx (RS)	I	-2216.4	-63.7	1736.2	0.0	0.
0	0.0	0.0		J	-2216.4	-63.7	1736.2	-3110.3	3110.
3	43199.7	-113063.3							
			SLVy (RS)	I	-2708.4	5.7	39.2	0.0	0.
0	0.0	0.0		J	-2708.4	5.7	39.2	278.3	-278.
3	976.1	-2554.6							
			SLDx (RS)	I	-1107.2	-31.8	867.1	0.0	0.
0	0.0	0.0		J	-1107.2	-31.8	867.1	-1553.3	1553.
3	21574.6	-56465.5							
			SLDy (RS)	I	-1352.8	2.8	19.6	0.0	0.
0	0.0	0.0		J	-1352.8	2.8	19.6	139.1	-139.
1	487.2	-1275.2							
			SLVz (RS)	I	-901.5	-22.7	614.4	0.0	0.
0	0.0	0.0		J	-901.5	-22.7	614.4	-1108.3	1108.
3	15287.7	-40011.3							
			g1	I	18900.4	27.7	-1024.5	0.0	0.
0	0.0	0.0		J	18906.1	27.7	-341.1	1353.9	-1353.
9	-16988.8	44463.5							
			g2	I	8948.4	-0.2	-0.0	0.0	0.
0	0.0	0.0		J	8948.4	-0.2	-0.0	-8.5	8.
5	-0.2	0.5							
			q3	I	823.0	0.3	0.0	0.0	0.
0	0.0	0.0		J	823.0	0.3	0.0	16.6	-16.
6	0.2	-0.5							
			q5_pc	I	-421.8	5.7	0.1	0.0	0.
0	0.0	0.0		J	-421.8	5.7	0.1	279.0	-279.
0	2.9	-7.5							
			q5_ps	I	-562.4	4.9	0.1	0.0	0.
0	0.0	0.0		J	-562.4	4.9	0.1	237.6	-237.
6	2.4	-6.2							
			INVSLU Max	I	85882.9	65.5	-1382.4	0.0	0.
0	0.0	0.0							

# MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt				
0	-22917.9	60070.2		J	85890.6	65.5	-459.8	3198.5	-502.	
			Min	I	30157.1	10.3	-1383.7	0.0	0.	
0	0.0	0.0		J	30164.8	10.3	-461.2	502.0	-3198.	
5	-22951.9	59981.4								
			INVS LV Max	I	30763.3	100.3	907.9	0.0	0.	
0	0.0	0.0		J	30769.0	100.3	1591.2	4892.6	2160.	
0	31090.1	170296.4								
			Min	I	23475.9	-44.3	-2956.8	0.0	0.	
0	0.0	0.0		J	23481.6	-44.3	-2273.4	-2160.0	-4892.	
6	-65067.5	-81369.8								
	130	2	72	Q1-1-2 Max	I	34862.2	16.8	0.3	806.6	818.
9	7.7	19.4		J	34862.2	16.8	0.3	0.0	0.	
0	0.0	0.0								
			Min	I	-5853.0	-16.5	-0.3	-818.9	-806.	
6	-7.4	-20.2		J	-5853.0	-16.5	-0.3	0.0	0.	
0	0.0	0.0								
			Q2a-1-2 Max	I	21206.1	10.5	0.2	509.5	514.	
7	5.0	12.4		J	21206.1	10.5	0.2	0.0	0.	
0	0.0	0.0								
			Min	I	-3537.6	-10.4	-0.2	-514.7	-509.	
5	-4.7	-13.0		J	-3537.6	-10.4	-0.2	0.0	0.	
0	0.0	0.0								
			SLVx (RS)	I	-2174.0	63.7	-1736.2	-3110.3	3110.	
3	43199.7	-113063.3		J	-2174.0	63.7	-1736.2	0.0	0.	
0	0.0	0.0								
			SLVy (RS)	I	-2359.8	-5.7	-39.2	278.4	-278.	
4	975.0	-2551.9		J	-2359.8	-5.7	-39.2	0.0	0.	
0	0.0	0.0								
			SLDx (RS)	I	-1086.2	31.8	-867.1	-1553.3	1553.	
3	21574.6	-56465.5		J	-1086.2	31.8	-867.1	0.0	0.	
0	0.0	0.0								
			SLDy (RS)	I	-1178.8	-2.8	-19.6	139.1	-139.	
1	486.7	-1273.9		J	-1178.8	-2.8	-19.6	0.0	0.	
0	0.0	0.0								
			SLVz (RS)	I	-912.6	22.7	-614.4	-1108.3	1108.	
3	15287.7	-40011.3		J	-912.6	22.7	-614.4	0.0	0.	
0	0.0	0.0								
			g1	I	18908.5	-27.7	341.1	1353.9	-1353.	
9	-16988.4	44462.5		J	18914.2	-27.7	1024.5	0.0	0.	
0	0.0	0.0								
			g2	I	8948.4	0.2	-0.0	-8.5	8.	
5	0.0	-0.0								

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	0.0	0.0		J	8948.4	0.2	-0.0	0.0	0.
6	0.2	-0.4	q3	I	822.9	-0.3	-0.0	16.6	-16.
0	0.0	0.0		J	822.9	-0.3	-0.0	0.0	0.
0	2.9	-7.6	q5_pc	I	-422.5	-5.7	-0.1	279.0	-279.
0	0.0	0.0		J	-422.5	-5.7	-0.1	0.0	0.
6	2.5	-6.6	q5_ps	I	-563.0	-4.9	-0.1	237.6	-237.
0	0.0	0.0		J	-563.0	-4.9	-0.1	0.0	0.
9	-22921.0	60056.5	INVSLU Max	I	85893.8	-10.3	461.0	3198.6	-501.
0	0.0	0.0		J	85901.5	-10.3	1383.5	0.0	0.
6	-22946.6	59989.4	Min	I	30167.9	-65.5	460.0	501.9	-3198.
0	0.0	0.0		J	30175.6	-65.5	1382.5	0.0	0.
1	31090.3	170294.3	INVSLV Max	I	30413.5	44.3	2273.4	4892.6	2160.
0	0.0	0.0		J	30419.2	44.3	2956.8	0.0	0.
6	-65066.7	-81370.3	Min	I	23841.9	-100.3	-1591.2	-2160.1	-4892.
0	0.0	0.0		J	23847.7	-100.3	-907.9	0.0	0.
0	131	2	72	Q1-1-2 Max	I	34859.6	0.0	0.0	0.0
0	0.0	0.0	0.0		J	34859.6	0.0	0.0	0.0
0	0.0	0.0		Min	I	-5852.7	-0.0	-0.0	0.0
0	0.0	0.0		J	-5852.7	-0.0	-0.0	0.0	0.0
0	0.0	0.0		Q2a-1-2 Max	I	21204.6	0.0	0.0	0.0
0	0.0	0.0		J	21204.6	0.0	0.0	0.0	0.0
0	0.0	0.0		Min	I	-3537.5	-0.0	-0.0	0.0
0	0.0	0.0		J	-3537.5	-0.0	-0.0	0.0	0.0
0	0.0	0.0		SLVx (RS)	I	2113.2	0.0	-0.0	0.0
0	0.0	0.0		J	2113.2	0.0	-0.0	0.0	0.0
0	0.0	0.0		SLVy (RS)	I	2398.1	-0.0	-0.0	0.0
0	0.0	0.0		J	2398.1	-0.0	-0.0	0.0	0.0
0	0.0	0.0		SLDx (RS)	I	1055.8	0.0	-0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			

0	0.0	0.0		J	1055.8	0.0	-0.0	0.0	0.
0	0.0	0.0	SLDy (RS)	I	1197.8	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	1197.8	-0.0	-0.0	0.0	0.
0	0.0	0.0	SLVz (RS)	I	-900.4	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-900.4	-0.0	-0.0	0.0	0.
0	0.0	0.0	g1	I	18902.6	0.0	-341.7	0.0	0.
0	0.0	0.0		J	18908.3	0.0	341.7	0.0	0.
0	0.0	0.0	g2	I	8948.5	0.0	0.0	0.0	0.
0	0.0	0.0		J	8948.5	0.0	0.0	0.0	0.
0	0.0	0.0	q3	I	822.9	0.0	0.0	0.0	0.
0	0.0	0.0		J	822.9	0.0	0.0	0.0	0.
0	0.0	0.0	q5_pc	I	148.8	-0.0	0.0	0.0	0.
0	0.0	0.0		J	148.8	-0.0	0.0	0.0	0.
0	0.0	0.0	q5_ps	I	236.3	-0.0	0.0	0.0	0.
0	0.0	0.0		J	236.3	-0.0	0.0	0.0	0.
0	0.0	0.0	INVSLU Max	I	85641.7	0.0	-461.3	0.0	0.
0	0.0	0.0		J	85649.4	0.0	461.3	0.0	0.
0	0.0	0.0	Min	I	30412.4	0.0	-461.3	0.0	0.
0	0.0	0.0		J	30420.1	0.0	461.3	0.0	0.
0	0.0	0.0	INVSLV Max	I	30427.7	0.0	-341.7	0.0	0.
0	0.0	0.0		J	30433.4	0.0	341.7	0.0	0.
0	0.0	0.0	Min	I	23823.4	0.0	-341.7	0.0	0.
0	0.0	0.0		J	23829.1	0.0	341.7	0.0	0.
0	132	2	72 Q1-1-2 Max	I	34806.5	0.0	0.0	0.0	0.
0	0.0	0.0		J	34806.5	0.0	0.0	0.0	0.
0	0.0	0.0	Min	I	-5755.0	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-5755.0	-0.0	-0.0	0.0	0.
0	0.0	0.0	Q2a-1-2 Max	I	21182.5	0.0	0.0	0.0	0.

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0	0.0	0.0		J	21182.5	0.0	0.0	0.0	0.
0	0.0	0.0	Min	I	-3479.3	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-3479.3	-0.0	-0.0	0.0	0.
0	0.0	0.0	SLVx (RS)	I	-2129.2	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-2129.2	-0.0	0.0	0.0	0.
0	0.0	0.0	SLVy (RS)	I	-2466.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	-2466.0	0.0	-0.0	0.0	0.
0	0.0	0.0	SLDx (RS)	I	-1063.8	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-1063.8	-0.0	0.0	0.0	0.
0	0.0	0.0	SLDy (RS)	I	-1231.8	0.0	0.0	0.0	0.
0	0.0	0.0		J	-1231.8	0.0	-0.0	0.0	0.
0	0.0	0.0	SLVz (RS)	I	-915.4	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-915.4	0.0	0.0	0.0	0.
0	0.0	0.0	g1	I	18911.9	0.0	-341.7	0.0	0.
0	0.0	0.0		J	18917.6	-0.0	341.7	0.0	0.
0	0.0	0.0	g2	I	8948.1	0.0	0.0	0.0	0.
0	0.0	0.0		J	8948.1	-0.0	-0.0	0.0	0.
0	0.0	0.0	q3	I	642.7	0.0	0.0	0.0	0.
0	0.0	0.0		J	642.7	-0.0	-0.0	0.0	0.
0	0.0	0.0	q5_pc	I	-511.1	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-511.1	0.0	-0.0	0.0	0.
0	0.0	0.0	q5_ps	I	-640.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	-640.0	0.0	-0.0	0.0	0.
0	0.0	0.0	INVSLU Max	I	85901.6	0.0	-461.3	0.0	0.
0	0.0	0.0		J	85909.3	-0.0	461.3	0.0	0.
0	0.0	0.0	Min	I	30223.5	0.0	-461.3	0.0	0.
0	0.0	0.0		J	30231.2	-0.0	461.3	0.0	0.



# MIDAS

PROJECT TITLE :

MIDAS	Company		Client		
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

0	0.0	0.0	INVS LV Max	I	30508.3	0.0	-341.7	0.0	0.
0	0.0	0.0		J	30514.0	-0.0	341.7	0.0	0.
0	0.0	0.0	Min	I	23749.6	0.0	-341.7	0.0	0.
0	0.0	0.0		J	23755.3	-0.0	341.7	0.0	0.
0	0.0	0.0							
0	133	2	72 Q1-1-2 Max	I	34810.0	16.6	0.4	0.0	0.
0	0.0	0.0		J	34810.0	16.6	0.4	812.4	818.
6	10.8	27.8							
0	0.0	0.0	Min	I	-5755.1	-16.8	-0.4	0.0	0.
0	0.0	0.0		J	-5755.1	-16.8	-0.4	-818.6	-812.
4	-10.6	-28.3							
0	0.0	0.0	Q2a-1-2 Max	I	21184.5	10.5	0.3	0.0	0.
0	0.0	0.0		J	21184.5	10.5	0.3	510.0	517.
2	6.7	17.4							
0	0.0	0.0	Min	I	-3479.3	-10.6	-0.3	0.0	0.
0	0.0	0.0		J	-3479.3	-10.6	-0.3	-517.2	-510.
0	-6.6	-17.5							
0	0.0	0.0	SLVx (RS)	I	-2149.4	-63.3	1725.2	0.0	0.
0	0.0	0.0		J	-2149.4	-63.3	1725.2	-3089.5	3089.
5	42925.9	-112346.7							
0	0.0	0.0	SLVy (RS)	I	2503.2	6.6	-24.4	0.0	0.
0	0.0	0.0		J	2503.2	6.6	-24.4	324.4	-324.
4	-608.3	1591.9							
0	0.0	0.0	SLDx (RS)	I	-1073.8	-31.6	861.6	0.0	0.
0	0.0	0.0		J	-1073.8	-31.6	861.6	-1543.0	1543.
0	21438.1	-56108.3							
0	0.0	0.0	SLDy (RS)	I	1250.3	3.3	-12.2	0.0	0.
0	0.0	0.0		J	1250.3	3.3	-12.2	162.1	-162.
1	-304.0	795.6							
0	0.0	0.0	SLVz (RS)	I	-887.4	-22.7	615.4	0.0	0.
0	0.0	0.0		J	-887.4	-22.7	615.4	-1109.4	1109.
4	15311.1	-40072.5							
0	0.0	0.0	g1	I	18902.5	28.5	-1024.4	0.0	0.
0	0.0	0.0		J	18908.2	28.5	-341.1	1392.8	-1392.
8	-16988.0	44461.4							
0	0.0	0.0	g2	I	8948.1	0.2	0.0	0.0	0.
0	0.0	0.0		J	8948.1	0.2	0.0	7.5	-7.
5	0.2	-0.4							
0	0.0	0.0	q3	I	643.1	0.2	0.0	0.0	0.
0	0.0	0.0		J	643.1	0.2	0.0	11.2	-11.

MIDAS

PROJECT TITLE :

MIDAS		Company		Client		File Name			
		Author		File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
2	0.1	-0.4							
			q5_pc	I	233.8	5.9	0.1	0.0	0.
0	0.0	0.0		J	233.8	5.9	0.1	289.3	-289.
3	3.0	-7.9							
			q5_ps	I	310.3	5.1	0.1	0.0	0.
0	0.0	0.0		J	310.3	5.1	0.1	246.5	-246.
5	2.5	-6.6							
			INVSLU Max	I	85648.6	65.7	-1382.3	0.0	0.
0	0.0	0.0		J	85656.3	65.7	-459.8	3206.9	-484.
3	-22916.6	60067.9							
			Min	I	30464.8	9.9	-1383.7	0.0	0.
0	0.0	0.0		J	30472.5	9.9	-461.2	484.3	-3206.
9	-22951.0	59978.0							
			INVSLV Max	I	30536.2	100.4	892.7	0.0	0.
0	0.0	0.0		J	30541.9	100.4	1576.1	4899.9	2139.
3	30713.7	169307.5							
			Min	I	23707.8	-43.8	-2941.6	0.0	0.
0	0.0	0.0		J	23713.5	-43.8	-2258.3	-2139.3	-4899.
9	-64689.7	-80384.7							
			Q1-1-2 Max	I	34810.4	16.8	0.3	812.5	818.
7	134	2	72	J	34810.4	16.8	0.3	0.0	0.
	7.5	20.1							
0	0.0	0.0							
			Min	I	-5755.5	-16.7	-0.3	-818.7	-812.
5	-7.7	-19.5		J	-5755.5	-16.7	-0.3	0.0	0.
0	0.0	0.0							
			Q2a-1-2 Max	I	21184.7	10.6	0.2	510.0	517.
2	4.8	12.9		J	21184.7	10.6	0.2	0.0	0.
0	0.0	0.0							
			Min	I	-3479.5	-10.5	-0.2	-517.2	-510.
0	-4.9	-12.5		J	-3479.5	-10.5	-0.2	0.0	0.
0	0.0	0.0							
			SLVx (RS)	I	-2115.9	63.3	-1725.2	-3089.5	3089.
5	42925.9	-112346.7		J	-2115.9	63.3	-1725.2	0.0	0.
0	0.0	0.0							
			SLVy (RS)	I	2851.8	-6.6	24.4	324.5	-324.
5	-607.8	1590.7		J	2851.8	-6.6	24.4	0.0	0.
0	0.0	0.0							
			SLDx (RS)	I	-1057.3	31.6	-861.6	-1543.0	1543.
0	21438.1	-56108.3		J	-1057.3	31.6	-861.6	0.0	0.
0	0.0	0.0							
			SLDy (RS)	I	1424.4	-3.3	12.2	162.1	-162.
1	-303.8	795.0		J	1424.4	-3.3	12.2	0.0	0.

MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	0.0	0.0							
4	15311.1	-40072.6	SLVz (RS)	I	-896.3	22.7	-615.4	-1109.4	1109.
0	0.0	0.0		J	-896.3	22.7	-615.4	0.0	0.
8	-16988.3	44462.3	g1	I	18910.5	-28.5	341.1	1392.8	-1392.
0	0.0	0.0		J	18916.2	-28.5	1024.5	0.0	0.
5	-0.0	0.0	g2	I	8948.1	-0.2	0.0	7.5	-7.
0	0.0	0.0		J	8948.1	-0.2	0.0	0.0	0.
2	0.1	-0.2	q3	I	643.1	-0.2	-0.0	11.2	-11.
0	0.0	0.0		J	643.1	-0.2	-0.0	0.0	0.
3	2.9	-7.7	q5_pc	I	233.1	-5.9	-0.1	289.3	-289.
0	0.0	0.0		J	233.1	-5.9	-0.1	0.0	0.
5	2.6	-6.7	q5_ps	I	309.7	-5.1	-0.1	246.5	-246.
0	0.0	0.0		J	309.7	-5.1	-0.1	0.0	0.
2	-22922.0	60059.5	INVSLU Max	I	85659.5	-9.9	461.0	3207.1	-484.
0	0.0	0.0		J	85667.2	-9.9	1383.6	0.0	0.
1	-22947.8	59992.1	Min	I	30475.8	-65.7	460.0	484.2	-3207.
0	0.0	0.0		J	30483.5	-65.7	1382.5	0.0	0.
3	30713.0	169308.7	INVSLV Max	I	30885.5	43.8	2258.3	4899.9	2139.
0	0.0	0.0		J	30891.2	43.8	2941.6	0.0	0.
9	-64690.2	-80382.7	Min	I	23374.6	-100.4	-1576.1	-2139.3	-4899.
0	0.0	0.0		J	23380.3	-100.4	-892.7	0.0	0.
0	135	2	72	Q1-1-2 Max	I	34811.0	0.0	0.0	0.0
0	0.0	0.0		J	34811.0	0.0	0.0	0.0	0.
0	0.0	0.0		Min	I	-5755.0	0.0	-0.0	0.0
0	0.0	0.0		J	-5755.0	0.0	0.0	0.0	0.
0	0.0	0.0		Q2a-1-2 Max	I	21184.7	0.0	0.0	0.0
0	0.0	0.0		J	21184.7	0.0	0.0	0.0	0.
0	0.0	0.0		Min	I	-3479.2	0.0	-0.0	0.0
0	0.0	0.0		J	-3479.2	0.0	0.0	0.0	0.

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	0.0	0.0							
			SLVx (RS)	I	-2097.6	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-2097.6	0.0	0.0	0.0	0.
0	0.0	0.0							
			SLVy (RS)	I	-2808.2	0.0	0.0	0.0	0.
0	0.0	0.0		J	-2808.2	0.0	0.0	0.0	0.
0	0.0	0.0							
			SLDx (RS)	I	-1048.2	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-1048.2	0.0	0.0	0.0	0.
0	0.0	0.0							
			SLDy (RS)	I	-1402.7	0.0	0.0	0.0	0.
0	0.0	0.0		J	-1402.7	0.0	0.0	0.0	0.
0	0.0	0.0							
			SLVz (RS)	I	-929.8	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-929.8	0.0	0.0	0.0	0.
0	0.0	0.0							
			g1	I	18934.3	0.0	-341.7	0.0	0.
0	0.0	0.0		J	18940.0	0.0	341.7	0.0	0.
0	0.0	0.0							
			g2	I	8948.2	0.0	0.0	0.0	0.
0	0.0	0.0		J	8948.2	0.0	0.0	0.0	0.
0	0.0	0.0							
			q3	I	642.9	0.0	0.0	0.0	0.
0	0.0	0.0		J	642.9	0.0	0.0	0.0	0.
0	0.0	0.0							
			q5_pc	I	-506.5	0.0	0.0	0.0	0.
0	0.0	0.0		J	-506.5	0.0	0.0	0.0	0.
0	0.0	0.0							
			q5_ps	I	-636.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	-636.0	0.0	0.0	0.0	0.
0	0.0	0.0							
			INVS LU Max	I	85933.2	0.0	-461.3	0.0	0.
0	0.0	0.0		J	85940.9	0.0	461.3	0.0	0.
0	0.0	0.0							
			Min	I	30257.5	0.0	-461.3	0.0	0.
0	0.0	0.0		J	30265.2	0.0	461.3	0.0	0.
0	0.0	0.0							
			INVS LV Max	I	30867.6	0.0	-341.7	0.0	0.
0	0.0	0.0		J	30873.3	0.0	341.7	0.0	0.
0	0.0	0.0							
			Min	I	23434.8	0.0	-341.7	0.0	0.

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			

0	0.0	0.0			J	23440.5	0.0	341.7	0.0	0.
0	0.0	0.0								
0	136	2	72	Q1-1-2 Max	I	41087.2	0.0	0.0	0.0	0.
0	0.0	0.0			J	41087.2	0.0	0.0	0.0	0.
0	0.0	0.0		Min	I	-11825.1	0.0	-0.0	0.0	0.
0	0.0	0.0			J	-11825.1	-0.0	-0.0	0.0	0.
0	0.0	0.0								
0	0.0	0.0		Q2a-1-2 Max	I	24083.1	0.0	0.0	0.0	0.
0	0.0	0.0			J	24083.1	0.0	0.0	0.0	0.
0	0.0	0.0		Min	I	-6938.6	0.0	-0.0	0.0	0.
0	0.0	0.0			J	-6938.6	-0.0	-0.0	0.0	0.
0	0.0	0.0								
0	0.0	0.0		SLVx (RS)	I	-2020.8	0.0	-0.0	0.0	0.
0	0.0	0.0			J	-2020.8	-0.0	0.0	0.0	0.
0	0.0	0.0								
0	0.0	0.0		SLVy (RS)	I	-7326.1	0.0	0.0	0.0	0.
0	0.0	0.0			J	-7326.1	0.0	0.0	0.0	0.
0	0.0	0.0								
0	0.0	0.0		SLDx (RS)	I	-1009.7	0.0	-0.0	0.0	0.
0	0.0	0.0			J	-1009.7	-0.0	0.0	0.0	0.
0	0.0	0.0								
0	0.0	0.0		SLDy (RS)	I	-3659.4	0.0	0.0	0.0	0.
0	0.0	0.0			J	-3659.4	0.0	0.0	0.0	0.
0	0.0	0.0								
0	0.0	0.0		SLVz (RS)	I	-894.6	0.0	-0.0	0.0	0.
0	0.0	0.0			J	-894.6	0.0	0.0	0.0	0.
0	0.0	0.0								
0	0.0	0.0		g1	I	18398.8	0.0	-341.7	0.0	0.
0	0.0	0.0			J	18404.5	-0.0	341.7	0.0	0.
0	0.0	0.0								
0	0.0	0.0		g2	I	8712.0	0.0	0.0	0.0	0.
0	0.0	0.0			J	8712.0	-0.0	-0.0	0.0	0.
0	0.0	0.0								
0	0.0	0.0		q3	I	507.6	0.0	0.0	0.0	0.
0	0.0	0.0			J	507.6	-0.0	-0.0	0.0	0.
0	0.0	0.0								
0	0.0	0.0		q5_pc	I	-1080.2	0.0	-0.0	0.0	0.
0	0.0	0.0			J	-1080.2	0.0	-0.0	0.0	0.
0	0.0	0.0								

MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	0.0	0.0	q5_ps	I	-1431.3	0.0	0.0	0.0	0.
0	0.0	0.0		J	-1431.3	0.0	-0.0	0.0	0.
0	0.0	0.0	INVS LU Max	I	95171.7	0.0	-461.3	0.0	0.
0	0.0	0.0		J	95179.4	-0.0	461.3	0.0	0.
0	0.0	0.0	Min	I	21795.7	0.0	-461.3	0.0	0.
0	0.0	0.0		J	21803.4	-0.0	461.3	0.0	0.
0	0.0	0.0	INVS LV Max	I	35242.8	0.0	-341.7	0.0	0.
0	0.0	0.0		J	35248.5	-0.0	341.7	0.0	0.
0	0.0	0.0	Min	I	18841.3	0.0	-341.7	0.0	0.
0	0.0	0.0		J	18847.1	-0.0	341.7	0.0	0.
0	137	2	72	Q1-1-2 Max	I	41091.0	19.6	0.5	0.0
0	0.0	0.0	0.0		J	41091.0	19.6	0.5	955.0
9	12.4	30.7		Min	I	-11825.3	-19.0	-0.5	0.0
0	0.0	0.0		J	-11825.3	-19.0	-0.5	-925.9	-955.
0	-11.7	-32.4							
0	0.0	0.0	Q2a-1-2 Max	I	24085.3	12.1	0.3	0.0	0.
6	7.6	19.3		J	24085.3	12.1	0.3	590.3	585.
0	0.0	0.0	Min	I	-6938.5	-12.0	-0.3	0.0	0.
3	-7.4	-19.9		J	-6938.5	-12.0	-0.3	-585.6	-590.
0	0.0	0.0	SLVx (RS)	I	-1974.0	-53.9	1471.5	0.0	0.
4	36614.0	-95827.1		J	-1974.0	-53.9	1471.5	-2632.4	2632.
0	0.0	0.0	SLVy (RS)	I	7316.6	6.6	37.6	0.0	0.
4	935.0	-2447.2		J	7316.6	6.6	37.6	324.4	-324.
0	0.0	0.0	SLDx (RS)	I	-986.3	-26.9	734.9	0.0	0.
7	18285.9	-47858.4		J	-986.3	-26.9	734.9	-1314.7	1314.
0	0.0	0.0	SLDy (RS)	I	3654.5	3.3	18.8	0.0	0.
1	467.3	-1223.1		J	3654.5	3.3	18.8	162.1	-162.
0	0.0	0.0	SLVz (RS)	I	-820.0	-19.5	526.7	0.0	0.
9	13105.4	-34299.8		J	-820.0	-19.5	526.7	-949.9	949.

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	0.0	0.0	g1	I	18381.2	29.7	-1024.4	0.0	0.	
1	-16987.2	44459.3		J	18386.9	29.7	-341.1	1448.1	-1448.	
0	0.0	0.0	g2	I	8712.2	0.7	0.0	0.0	0.	
6	0.5	-1.3		J	8712.2	0.7	0.0	32.6	-32.	
0	0.0	0.0	q3	I	508.0	0.2	0.0	0.0	0.	
0	0.1	-0.3		J	508.0	0.2	0.0	9.0	-9.	
0	0.0	0.0	q5_pc	I	770.5	5.8	0.1	0.0	0.	
0	2.9	-7.5		J	770.5	5.8	0.1	284.0	-284.	
0	0.0	0.0	q5_ps	I	1073.8	4.9	0.1	0.0	0.	
8	2.3	-6.1		J	1073.8	4.9	0.1	239.8	-239.	
0	0.0	0.0	INVS LU Max	I	94875.5	70.4	-1382.2	0.0	0.	
0	-22913.2	60067.5		J	94883.2	70.4	-459.6	3436.5	-386.	
0	0.0	0.0	Min	I	22051.6	7.9	-1383.7	0.0	0.	
5	-22950.9	59968.9		J	22059.3	7.9	-461.2	386.0	-3436.	
0	0.0	0.0	INVS LV Max	I	35179.5	91.1	616.5	0.0	0.	
9	23839.4	151309.3		J	35185.2	91.1	1299.8	4444.5	1584.	
0	0.0	0.0	Min	I	18870.0	-32.5	-2665.2	0.0	0.	
5	-57812.9	-62393.0		J	18875.7	-32.5	-1981.9	-1584.9	-4444.	
0	138	2	72	Q1-1-2 Max	I	41091.4	19.0	0.4	955.1	926.
0	8.6	22.9		J	41091.4	19.0	0.4	0.0	0.	
0	0.0	0.0		I	-11826.3	-19.6	-0.3	-926.0	-955.	
1	-8.8	-22.6		J	-11826.3	-19.6	-0.3	0.0	0.	
0	0.0	0.0								
6	5.4	14.7	Q2a-1-2 Max	I	24085.4	12.0	0.2	590.4	585.	
0	0.0	0.0		J	24085.4	12.0	0.2	0.0	0.	
4	-5.6	-14.2		I	-6939.0	-12.1	-0.2	-585.6	-590.	
0	0.0	0.0		J	-6939.0	-12.1	-0.2	0.0	0.	
4	36614.0	-95827.1	SLVx (RS)	I	-1945.5	53.9	-1471.5	-2632.4	2632.	
0	0.0	0.0		J	-1945.5	53.9	-1471.5	0.0	0.	

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

5	935.4	-2448.2	SLVy (RS)	I	7640.7	-6.6	-37.6	324.5	-324.
				J	7640.7	-6.6	-37.6	0.0	0.
0	0.0	0.0							
7	18285.9	-47858.4	SLDx (RS)	I	-972.2	26.9	-734.9	-1314.7	1314.
				J	-972.2	26.9	-734.9	0.0	0.
0	0.0	0.0							
1	467.5	-1223.6	SLDy (RS)	I	3816.3	-3.3	-18.8	162.1	-162.
				J	3816.3	-3.3	-18.8	0.0	0.
0	0.0	0.0							
9	13105.4	-34299.8	SLVz (RS)	I	-825.7	19.5	-526.7	-949.9	949.
				J	-825.7	19.5	-526.7	0.0	0.
0	0.0	0.0							
2	-16988.0	44461.4	g1	I	18389.1	-29.7	341.1	1448.2	-1448.
				J	18394.8	-29.7	1024.4	0.0	0.
0	0.0	0.0							
6	0.2	-0.4	g2	I	8712.2	-0.7	-0.0	32.6	-32.
				J	8712.2	-0.7	-0.0	0.0	0.
0	0.0	0.0							
0	0.1	-0.2	q3	I	508.0	-0.2	-0.0	9.0	-9.
				J	508.0	-0.2	-0.0	0.0	0.
0	0.0	0.0							
0	3.0	-7.8	q5_pc	I	769.8	-5.8	-0.1	284.0	-284.
				J	769.8	-5.8	-0.1	0.0	0.
0	0.0	0.0							
7	2.6	-6.8	q5_ps	I	1073.3	-4.9	-0.1	239.7	-239.
				J	1073.3	-4.9	-0.1	0.0	0.
0	0.0	0.0							
0	-22921.0	60065.0	INVSLU Max	I	94886.3	-7.9	461.1	3436.7	-386.
				J	94894.0	-7.9	1383.6	0.0	0.
0	0.0	0.0							
7	-22949.9	59989.5	Min	I	22061.7	-70.4	460.0	386.0	-3436.
				J	22069.4	-70.4	1382.5	0.0	0.
0	0.0	0.0							
9	23837.4	151315.1	INVSLV Max	I	35504.7	32.5	1982.0	4444.6	1584.
				J	35510.4	32.5	2665.3	0.0	0.
0	0.0	0.0							
6	-57815.1	-62387.9	Min	I	18560.6	-91.1	-1299.7	-1584.9	-4444.
				J	18566.3	-91.1	-616.4	0.0	0.
0	0.0	0.0							
0	139	2	72	Q1-1-2 Max	I	41092.9	0.0	0.0	0.0
0	0.0	0.0							



PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0	0.0	0.0		J	41092.9	0.0	0.0	0.0	0.
0	0.0	0.0	Min	I	-11826.8	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-11826.8	-0.0	-0.0	0.0	0.
0	0.0	0.0	Q2a-1-2 Max	I	24085.8	0.0	0.0	0.0	0.
0	0.0	0.0		J	24085.8	0.0	0.0	0.0	0.
0	0.0	0.0	Min	I	-6939.3	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-6939.3	-0.0	-0.0	0.0	0.
0	0.0	0.0	SLVx (RS)	I	-1992.5	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-1992.5	-0.0	0.0	0.0	0.
0	0.0	0.0	SLVy (RS)	I	-7644.1	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-7644.1	0.0	0.0	0.0	0.
0	0.0	0.0	SLDx (RS)	I	-995.8	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-995.8	-0.0	0.0	0.0	0.
0	0.0	0.0	SLDy (RS)	I	-3818.1	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-3818.1	0.0	0.0	0.0	0.
0	0.0	0.0	SLVz (RS)	I	-908.6	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-908.6	0.0	0.0	0.0	0.
0	0.0	0.0	g1	I	18422.2	-0.0	-341.7	0.0	0.
0	0.0	0.0		J	18427.9	-0.0	341.7	0.0	0.
0	0.0	0.0	g2	I	8712.5	-0.0	0.0	0.0	0.
0	0.0	0.0		J	8712.5	-0.0	-0.0	0.0	0.
0	0.0	0.0	q3	I	507.7	-0.0	0.0	0.0	0.
0	0.0	0.0		J	507.7	-0.0	-0.0	0.0	0.
0	0.0	0.0	q5_pc	I	-1075.6	0.0	0.0	0.0	0.
0	0.0	0.0		J	-1075.6	0.0	-0.0	0.0	0.
0	0.0	0.0	q5_ps	I	-1427.4	0.0	0.0	0.0	0.
0	0.0	0.0		J	-1427.4	0.0	-0.0	0.0	0.

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			

0	0.0	0.0	INVS LU Max	I	95205.7	-0.0	-461.3	0.0	0.
				J	95213.4	-0.0	461.3	0.0	0.
0	0.0	0.0	Min	I	21828.2	-0.0	-461.3	0.0	0.
0	0.0	0.0		J	21835.9	-0.0	461.3	0.0	0.
0	0.0	0.0	INVS LV Max	I	35579.7	-0.0	-341.7	0.0	0.
0	0.0	0.0		J	35585.4	-0.0	341.7	0.0	0.
0	0.0	0.0	Min	I	18550.7	-0.0	-341.7	0.0	0.
0	0.0	0.0		J	18556.4	-0.0	341.7	0.0	0.
0	140	2	72 Q1-1-2 Max	I	46686.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	46686.0	0.0	0.0	0.0	0.
0	0.0	0.0	Min	I	-20650.6	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-20650.6	0.0	0.0	0.0	0.
0	0.0	0.0	Q2a-1-2 Max	I	26562.2	0.0	0.0	0.0	0.
0	0.0	0.0		J	26562.2	0.0	0.0	0.0	0.
0	0.0	0.0	Min	I	-11873.5	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-11873.5	0.0	0.0	0.0	0.
0	0.0	0.0	SLVx (RS)	I	-1769.6	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-1769.6	0.0	0.0	0.0	0.
0	0.0	0.0	SLVy (RS)	I	-11754.3	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-11754.3	0.0	0.0	0.0	0.
0	0.0	0.0	SLDx (RS)	I	-884.3	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-884.3	0.0	0.0	0.0	0.
0	0.0	0.0	SLDy (RS)	I	-5870.8	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-5870.8	0.0	0.0	0.0	0.
0	0.0	0.0	SLVz (RS)	I	-800.3	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-800.3	0.0	0.0	0.0	0.
0	0.0	0.0	g1	I	16791.6	0.0	-341.7	0.0	0.
0	0.0	0.0		J	16797.3	0.0	341.7	0.0	0.


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	0.0	0.0	g2	I	7966.8	0.0	0.0	0.0	0.
0	0.0	0.0		J	7966.8	0.0	0.0	0.0	0.
0	0.0	0.0	q3	I	389.5	0.0	0.0	0.0	0.
0	0.0	0.0		J	389.5	0.0	0.0	0.0	0.
0	0.0	0.0	q5_pc	I	-2242.8	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-2242.8	0.0	0.0	0.0	0.
0	0.0	0.0	q5_ps	I	-2723.8	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-2723.8	0.0	0.0	0.0	0.
0	0.0	0.0	INVSLU Max	I	102594.8	0.0	-461.3	0.0	0.
0	0.0	0.0		J	102602.5	0.0	461.3	0.0	0.
0	0.0	0.0	Min	I	7653.3	0.0	-461.3	0.0	0.
0	0.0	0.0		J	7661.0	0.0	461.3	0.0	0.
0	0.0	0.0	INVSLV Max	I	38128.5	0.0	-341.7	0.0	0.
0	0.0	0.0		J	38134.2	0.0	341.7	0.0	0.
0	0.0	0.0	Min	I	13077.9	0.0	-341.7	0.0	0.
0	0.0	0.0		J	13083.6	0.0	341.7	0.0	0.
0	141	2	72	Q1-1-2 Max	I	46690.0	29.4	0.7	0.0
0	0.0	0.0		J	46690.0	29.4	0.7	1434.7	992.
8	17.4	29.6		Min	I	-20646.6	-20.3	-0.5	0.0
0	0.0	0.0		J	-20646.6	-20.3	-0.5	-992.8	-1434.
7	-11.3	-45.4		Q2a-1-2 Max	I	26564.7	17.9	0.4	0.0
0	0.0	0.0		J	26564.7	17.9	0.4	872.5	642.
7	10.6	19.2		Min	I	-11871.0	-13.2	-0.3	0.0
0	0.0	0.0		J	-11871.0	-13.2	-0.3	-642.7	-872.
5	-7.3	-27.6		SLVx(RS)	I	1647.7	-36.6	1002.1	0.0
0	0.0	0.0		J	1647.7	-36.6	1002.1	-1786.0	1786.
0	24933.9	-65257.6		SLVy(RS)	I	11204.9	6.1	50.7	0.0
0	0.0	0.0		J	11204.9	6.1	50.7	295.6	-295.
6	1262.3	-3303.7							

# MIDAS

PROJECT TITLE :

			Company		Client					
			Author		File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0	0.0	0.0	SLDx (RS)	I	823.2	-18.3	500.5	0.0	0.	
0	12452.6	-32591.2		J	823.2	-18.3	500.5	-892.0	892.	
0	0.0	0.0	SLDy (RS)	I	5596.4	3.0	25.3	0.0	0.	
6	630.6	-1650.5		J	5596.4	3.0	25.3	147.6	-147.	
0	0.0	0.0	SLVz (RS)	I	-684.7	-13.7	368.7	0.0	0.	
0	9174.6	-24011.9		J	-684.7	-13.7	368.7	-668.0	668.	
0	0.0	0.0	g1	I	16776.1	36.1	-1024.3	0.0	0.	
2	-16984.4	44451.9		J	16781.8	36.1	-340.9	1762.2	-1762.	
0	0.0	0.0	g2	I	7968.5	3.7	0.1	0.0	0.	
9	2.4	-6.2		J	7968.5	3.7	0.1	182.9	-182.	
0	0.0	0.0	q3	I	389.9	0.3	0.0	0.0	0.	
8	0.2	-0.4		J	389.9	0.3	0.0	12.8	-12.	
0	0.0	0.0	q5_pc	I	1485.3	5.3	0.1	0.0	0.	
5	2.3	-6.1		J	1485.3	5.3	0.1	256.5	-256.	
0	0.0	0.0	q5_ps	I	1965.7	4.3	0.1	0.0	0.	
9	1.9	-4.9		J	1965.7	4.3	0.1	211.9	-211.	
0	0.0	0.0	INVSLU Max	I	101896.4	97.0	-1381.6	0.0	0.	
8	-22899.4	60045.1		J	101904.1	97.0	-459.0	4733.5	-994.	
0	0.0	0.0	Min	I	8318.6	20.4	-1383.3	0.0	0.	
5	-22942.3	59932.8		J	8326.3	20.4	-460.8	994.8	-4733.	
0	0.0	0.0	INVSLV Max	I	37491.3	82.1	103.8	0.0	0.	
9	11083.7	117896.0		J	37497.0	82.1	787.1	4005.3	144.	
0	0.0	0.0	Min	I	13682.1	-3.0	-2152.1	0.0	0.	
3	-45046.2	-29008.7		J	13687.8	-3.0	-1468.7	-144.9	-4005.	
8	142	2	72	Q1-1-2 Max	I	46690.0	20.3	0.4	1434.8	992.
0	13.4	26.9		J	46690.0	20.3	0.4	0.0	0.	
0	0.0	0.0	Min	I	-20648.6	-29.4	-0.5	-992.8	-1434.	
8	-10.3	-35.1		J	-20648.6	-29.4	-0.5	0.0	0.	
0	0.0	0.0								

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

7	8.2	17.4	Q2a-1-2 Max	I	26564.5	13.2	0.3	872.6	642.
				J	26564.5	13.2	0.3	0.0	0.
0	0.0	0.0							
			Min	I	-11872.2	-17.9	-0.3	-642.7	-872.
6	-6.6	-21.5		J	-11872.2	-17.9	-0.3	0.0	0.
0	0.0	0.0							
			SLVx (RS)	I	-1620.8	36.6	-1002.1	-1786.0	1786.
0	24933.9	-65257.6		J	-1620.8	36.6	-1002.1	0.0	0.
0	0.0	0.0							
			SLVy (RS)	I	11484.6	-6.1	-50.7	295.6	-295.
6	1262.4	-3304.1		J	11484.6	-6.1	-50.7	0.0	0.
0	0.0	0.0							
			SLDx (RS)	I	-809.9	18.3	-500.5	-892.0	892.
0	12452.6	-32591.2		J	-809.9	18.3	-500.5	0.0	0.
0	0.0	0.0							
			SLDy (RS)	I	5736.1	-3.0	-25.3	147.6	-147.
6	630.7	-1650.7		J	5736.1	-3.0	-25.3	0.0	0.
0	0.0	0.0							
			SLVz (RS)	I	-686.2	13.7	-368.7	-668.0	668.
0	9174.6	-24012.0		J	-686.2	13.7	-368.7	0.0	0.
0	0.0	0.0							
			g1	I	16783.2	-36.1	341.0	1762.3	-1762.
3	-16986.4	44457.3		J	16788.9	-36.1	1024.4	0.0	0.
0	0.0	0.0							
			g2	I	7968.0	-3.7	-0.1	182.9	-182.
9	1.4	-3.7		J	7968.0	-3.7	-0.1	0.0	0.
0	0.0	0.0							
			q3	I	389.9	-0.3	-0.0	12.8	-12.
8	0.1	-0.3		J	389.9	-0.3	-0.0	0.0	0.
0	0.0	0.0							
			q5_pc	I	1484.6	-5.3	-0.1	256.5	-256.
5	3.0	-7.7		J	1484.6	-5.3	-0.1	0.0	0.
0	0.0	0.0							
			q5_ps	I	1965.2	-4.3	-0.1	211.8	-211.
8	2.5	-6.6		J	1965.2	-4.3	-0.1	0.0	0.
0	0.0	0.0							
			INVSLU Max	I	101905.0	-20.4	461.0	4734.0	-995.
1	-22911.1	60061.1		J	101912.7	-20.4	1383.6	0.0	0.
0	0.0	0.0							
			Min	I	8325.6	-97.0	459.5	995.1	-4734.
0	-22948.4	59963.5							

MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	0.0	0.0		J	8333.3	-97.0	1382.1	0.0	0.
7	11078.9	117908.9	INVSLV Max	I	37770.2	3.0	1468.9	4005.4	144.
0	0.0	0.0		J	37775.9	3.0	2152.3	0.0	0.
4	-45051.1	-28996.0	Min	I	13416.7	-82.1	-786.9	-144.7	-4005.
0	0.0	0.0		J	13422.4	-82.1	-103.6	0.0	0.
0	143	2	72	Q1-1-2 Max	I	46698.7	0.0	0.0	0.0
0	0.0	0.0		J	46698.7	0.0	0.0	0.0	0.
0	0.0	0.0		I	-20654.3	0.0	-0.0	0.0	0.
0	0.0	0.0	Min	J	-20654.3	0.0	0.0	0.0	0.
0	0.0	0.0		I	26568.6	0.0	0.0	0.0	0.
0	0.0	0.0	Q2a-1-2 Max	J	26568.6	0.0	0.0	0.0	0.
0	0.0	0.0		I	-11875.1	0.0	-0.0	0.0	0.
0	0.0	0.0	Min	J	-11875.1	0.0	0.0	0.0	0.
0	0.0	0.0		I	-1740.1	0.0	-0.0	0.0	0.
0	0.0	0.0	SLVx (RS)	J	-1740.1	0.0	0.0	0.0	0.
0	0.0	0.0		I	-12028.7	0.0	-0.0	0.0	0.
0	0.0	0.0	SLVy (RS)	J	-12028.7	0.0	0.0	0.0	0.
0	0.0	0.0		I	-869.7	0.0	-0.0	0.0	0.
0	0.0	0.0	SLDx (RS)	J	-869.7	0.0	0.0	0.0	0.
0	0.0	0.0		I	-6007.8	0.0	-0.0	0.0	0.
0	0.0	0.0	SLDy (RS)	J	-6007.8	0.0	0.0	0.0	0.
0	0.0	0.0		I	-814.0	0.0	-0.0	0.0	0.
0	0.0	0.0	SLVz (RS)	J	-814.0	0.0	0.0	0.0	0.
0	0.0	0.0		I	16820.0	0.0	-341.7	0.0	0.
0	0.0	0.0	g1	J	16825.7	0.0	341.7	0.0	0.
0	0.0	0.0		I	7969.7	0.0	0.0	0.0	0.
0	0.0	0.0	g2	J	7969.7	0.0	0.0	0.0	0.
0	0.0	0.0		I	389.7	0.0	0.0	0.0	0.
0	0.0	0.0	q3						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0	0.0	0.0		J	389.7	0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	q5_pc	I	-2238.7	0.0	0.0	0.0	0.
0	0.0	0.0		J	-2238.7	0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	q5_ps	I	-2720.3	0.0	0.0	0.0	0.
0	0.0	0.0		J	-2720.3	0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	INVS LU Max	I	102649.7	0.0	-461.3	0.0	0.
0	0.0	0.0		J	102657.4	0.0	461.3	0.0	0.
0	0.0	0.0							
0	0.0	0.0	Min	I	7693.5	0.0	-461.3	0.0	0.
0	0.0	0.0		J	7701.2	0.0	461.3	0.0	0.
0	0.0	0.0							
0	0.0	0.0	INVS LV Max	I	38429.3	0.0	-341.7	0.0	0.
0	0.0	0.0		J	38435.0	0.0	341.7	0.0	0.
0	0.0	0.0							
0	0.0	0.0	Min	I	12839.4	0.0	-341.7	0.0	0.
0	0.0	0.0		J	12845.1	0.0	341.7	0.0	0.
0	0.0	0.0							
0	144	2	72 Q1-1-2 Max	I	41921.1	0.0	0.0	0.0	0.
0	0.0	0.0		J	41921.1	0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	Min	I	-29908.8	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-29908.8	-0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	Q2a-1-2 Max	I	23750.9	0.0	0.0	0.0	0.
0	0.0	0.0		J	23750.9	0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	Min	I	-17030.5	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-17030.5	-0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	SLVx (RS)	I	-833.4	0.0	0.0	0.0	0.
0	0.0	0.0		J	-833.4	0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	SLVy (RS)	I	-13386.3	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-13386.3	-0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	SLDx (RS)	I	-416.5	0.0	0.0	0.0	0.
0	0.0	0.0		J	-416.5	0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	SLDy (RS)	I	-6685.5	0.0	-0.0	0.0	0.

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0	0.0	0.0		J	-6685.5	-0.0	0.0	0.0	0.
0	0.0	0.0							
			SLVz (RS)	I	-391.9	0.0	0.0	0.0	0.
0	0.0	0.0		J	-391.9	-0.0	0.0	0.0	0.
0	0.0	0.0							
			g1	I	7673.8	0.0	-341.7	0.0	0.
0	0.0	0.0		J	7679.5	0.0	341.7	0.0	0.
0	0.0	0.0							
			g2	I	3628.2	0.0	-0.0	0.0	0.
0	0.0	0.0		J	3628.2	0.0	0.0	0.0	0.
0	0.0	0.0							
			q3	I	153.4	0.0	-0.0	0.0	0.
0	0.0	0.0		J	153.4	0.0	0.0	0.0	0.
0	0.0	0.0							
			q5_pc	I	-3080.5	0.0	0.0	0.0	0.
0	0.0	0.0		J	-3080.5	-0.0	0.0	0.0	0.
0	0.0	0.0							
			q5_ps	I	-3584.8	0.0	0.0	0.0	0.
0	0.0	0.0		J	-3584.8	-0.0	0.0	0.0	0.
0	0.0	0.0							
			INVS LU Max	I	78824.6	0.0	-461.2	0.0	0.
0	0.0	0.0		J	78832.3	0.0	461.2	0.0	0.
0	0.0	0.0							
			Min	I	-23690.6	0.0	-461.2	0.0	0.
0	0.0	0.0		J	-23682.9	0.0	461.2	0.0	0.
0	0.0	0.0							
			INVS LV Max	I	25705.4	0.0	-341.7	0.0	0.
0	0.0	0.0		J	25711.1	0.0	341.7	0.0	0.
0	0.0	0.0							
			Min	I	-1802.2	0.0	-341.7	0.0	0.
0	0.0	0.0		J	-1796.5	0.0	341.7	0.0	0.
0	0.0	0.0							
	145	2	72 Q1-1-2 Max	I	41984.2	29.2	0.9	0.0	0.
0	0.0	0.0		J	41984.2	29.2	0.9	1425.1	639.
1	22.7	8.0							
			Min	I	-29960.0	-13.1	-0.1	0.0	0.
0	0.0	0.0		J	-29960.0	-13.1	-0.1	-639.1	-1425.
1	-3.1	-59.5							
			Q2a-1-2 Max	I	23783.7	17.4	0.5	0.0	0.
0	0.0	0.0		J	23783.7	17.4	0.5	846.8	427.
2	13.7	5.3							
			Min	I	-17056.3	-8.8	-0.1	0.0	0.



PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	0.0	0.0							
8	-2.0	-35.8		J	-17056.3	-8.8	-0.1	-427.2	-846.
			SLVx (RS)	I	663.4	-13.7	370.7	0.0	0.
0	0.0	0.0		J	663.4	-13.7	370.7	-666.5	666.
5	9223.9	-24140.9							
			SLVy (RS)	I	20252.2	27.4	-55.3	0.0	0.
0	0.0	0.0		J	20252.2	27.4	-55.3	1338.8	-1338.
8	-1375.6	3600.3							
			SLDx (RS)	I	331.3	-6.8	185.1	0.0	0.
0	0.0	0.0		J	331.3	-6.8	185.1	-332.8	332.
8	4606.5	-12056.2							
			SLDy (RS)	I	10113.6	13.7	-27.6	0.0	0.
0	0.0	0.0		J	10113.6	13.7	-27.6	668.5	-668.
5	-687.1	1798.2							
			SLVz (RS)	I	-292.2	-6.3	164.6	0.0	0.
0	0.0	0.0		J	-292.2	-6.3	164.6	-307.9	307.
9	4094.5	-10716.2							
			g1	I	7665.1	42.1	-1023.9	0.0	0.
0	0.0	0.0		J	7670.8	42.1	-340.6	2056.5	-2056.
5	-16974.3	44425.6							
			g2	I	3631.7	7.2	0.2	0.0	0.
0	0.0	0.0		J	3631.7	7.2	0.2	349.5	-349.
5	6.1	-16.1							
			q3	I	153.7	0.3	0.0	0.0	0.
0	0.0	0.0		J	153.7	0.3	0.0	15.6	-15.
6	0.3	-0.7							
			q5_pc	I	8028.5	21.5	0.4	0.0	0.
0	0.0	0.0		J	8028.5	21.5	0.4	1049.7	-1049.
7	10.7	-28.1							
			q5_ps	I	7921.9	18.9	0.4	0.0	0.
0	0.0	0.0		J	7921.9	18.9	0.4	923.9	-923.
9	9.4	-24.6							
			INVSLU Max	I	83349.9	127.8	-1380.1	0.0	0.
0	0.0	0.0		J	83357.6	127.8	-457.6	6237.1	-1335.
6	-22862.4	59986.6							
			Min	I	-28226.0	27.4	-1382.4	0.0	0.
0	0.0	0.0		J	-28218.3	27.4	-460.0	1335.6	-6237.
1	-22919.9	59836.0							
			INVSLV Max	I	32479.5	82.5	-586.9	0.0	0.
0	0.0	0.0		J	32485.2	82.5	96.4	4025.4	-763.

# MIDAS

PROJECT TITLE :

MIDAS	Company		Client		
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

2	-6101.5	72840.7							
			Min	I	-8598.3	15.6	-1460.3	0.0	0.
0	0.0	0.0		J	-8592.6	15.6	-776.9	763.2	-4025.
4	-27831.3	15969.0							
	146	2	72	Q1-1-2 Max	I	41984.2	13.1	0.5	1425.6
8	8.9		32.4		J	41984.2	13.1	0.5	0.0
0	0.0	0.0		Min	I	-29962.7	-29.2	-0.4	-638.8
6	-12.4	-23.3			J	-29962.7	-29.2	-0.4	0.0
0	0.0	0.0							
			Q2a-1-2 Max	I	23783.6	8.8	0.3	847.1	427.
0	5.2	20.6		J	23783.6	8.8	0.3	0.0	0.
0	0.0	0.0		Min	I	-17057.8	-17.4	-0.2	-427.0
1	-7.9	-13.6			J	-17057.8	-17.4	-0.2	0.0
0	0.0	0.0							
			SLVx (RS)	I	640.7	13.7	-370.7	-666.5	666.
5	9223.8	-24140.9		J	640.7	13.7	-370.7	0.0	0.
0	0.0	0.0							
			SLVy (RS)	I	20462.5	-27.4	55.3	1338.8	-1338.
8	-1376.0	3601.3		J	20462.5	-27.4	55.3	0.0	0.
0	0.0	0.0							
			SLDx (RS)	I	320.0	6.8	-185.1	-332.8	332.
8	4606.5	-12056.2		J	320.0	6.8	-185.1	0.0	0.
0	0.0	0.0							
			SLDy (RS)	I	10218.6	-13.7	27.6	668.6	-668.
6	-687.3	1798.7		J	10218.6	-13.7	27.6	0.0	0.
0	0.0	0.0							
			SLVz (RS)	I	-276.5	6.3	-164.6	-307.9	307.
9	4094.6	-10716.4		J	-276.5	6.3	-164.6	0.0	0.
0	0.0	0.0							
			g1	I	7671.5	-42.2	341.0	2056.9	-2056.
9	-16986.2	44456.6		J	7677.2	-42.2	1024.4	0.0	0.
0	0.0	0.0							
			g2	I	3630.9	-7.2	-0.0	349.7	-349.
7	1.1	-2.8		J	3630.9	-7.2	-0.0	0.0	0.
0	0.0	0.0							
			q3	I	153.7	-0.3	-0.0	15.6	-15.
6	0.0	-0.1		J	153.7	-0.3	-0.0	0.0	0.
0	0.0	0.0							
			q5_pc	I	8025.9	-21.5	-0.4	1049.7	-1049.
7	10.9	-28.6							

MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	0.0	0.0		J	8025.9	-21.5	-0.4	0.0	0.
9	9.7	-25.3	q5_ps	I	7919.7	-18.9	-0.4	923.9	-923.
0	0.0	0.0		J	7919.7	-18.9	-0.4	0.0	0.
0	-22908.2	60088.1	INVS LU Max	I	83354.8	-27.4	461.5	6238.7	-1337.
0	0.0	0.0		J	83362.5	-27.4	1384.0	0.0	0.
7	-22958.7	59955.9	Min	I	-28220.2	-127.8	459.5	1337.0	-6238.
0	0.0	0.0		J	-28212.5	-127.8	1382.0	0.0	0.
9	-6122.1	72895.3	INVS LV Max	I	32683.8	-15.7	777.8	4026.1	-763.
0	0.0	0.0		J	32689.5	-15.7	1461.1	0.0	0.
1	-27852.1	16022.9	Min	I	-8791.4	-82.5	-95.6	763.9	-4026.
0	0.0	0.0		J	-8785.7	-82.5	587.7	0.0	0.
0	147	2	72	Q1-1-2 Max	I	41940.9	0.0	0.0	0.0
0	0.0	0.0		J	41940.9	0.0	0.0	0.0	0.
0	0.0	0.0		I	-29908.7	-0.0	-0.0	0.0	0.
0	0.0	0.0	Min	J	-29908.7	-0.0	-0.0	0.0	0.
0	0.0	0.0		I	23762.4	0.0	0.0	0.0	0.
0	0.0	0.0	Q2a-1-2 Max	J	23762.4	0.0	0.0	0.0	0.
0	0.0	0.0		I	-17030.0	-0.0	-0.0	0.0	0.
0	0.0	0.0	Min	J	-17030.0	-0.0	-0.0	0.0	0.
0	0.0	0.0		I	-796.1	0.0	0.0	0.0	0.
0	0.0	0.0	SLVx (RS)	J	-796.1	0.0	0.0	0.0	0.
0	0.0	0.0		I	-13584.2	-0.0	-0.0	0.0	0.
0	0.0	0.0	SLVy (RS)	J	-13584.2	-0.0	0.0	0.0	0.
0	0.0	0.0		I	-398.0	0.0	0.0	0.0	0.
0	0.0	0.0	SLDx (RS)	J	-398.0	0.0	0.0	0.0	0.
0	0.0	0.0		I	-6784.3	-0.0	-0.0	0.0	0.
0	0.0	0.0	SLDy (RS)	J	-6784.3	-0.0	0.0	0.0	0.
0	0.0	0.0		I	-408.7	-0.0	0.0	0.0	0.
0	0.0	0.0	SLVz (RS)						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0	0.0	0.0		J	-408.7	-0.0	-0.0	0.0	0.
0	0.0	0.0	g1	I	7707.0	0.0	-341.7	0.0	0.
0	0.0	0.0		J	7712.7	0.0	341.7	0.0	0.
0	0.0	0.0	g2	I	3633.8	0.0	-0.0	0.0	0.
0	0.0	0.0		J	3633.8	0.0	0.0	0.0	0.
0	0.0	0.0	q3	I	153.7	0.0	-0.0	0.0	0.
0	0.0	0.0		J	153.7	0.0	0.0	0.0	0.
0	0.0	0.0	q5_pc	I	-3063.5	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-3063.5	-0.0	0.0	0.0	0.
0	0.0	0.0	q5_ps	I	-3569.9	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-3569.9	-0.0	0.0	0.0	0.
0	0.0	0.0	INVSLU Max	I	78890.6	0.0	-461.2	0.0	0.
0	0.0	0.0		J	78898.3	0.0	461.2	0.0	0.
0	0.0	0.0	Min	I	-23620.8	0.0	-461.2	0.0	0.
0	0.0	0.0		J	-23613.1	0.0	461.2	0.0	0.
0	0.0	0.0	INVSLV Max	I	25935.8	0.0	-341.7	0.0	0.
0	0.0	0.0		J	25941.5	0.0	341.7	0.0	0.
0	0.0	0.0	Min	I	-1955.3	0.0	-341.7	0.0	0.
0	0.0	0.0		J	-1949.6	0.0	341.7	0.0	0.
0	148	2	80 Q1-1-2 Max	I	5905.9	0.0	0.0	0.0	0.
0	0.0	0.0		J	5905.9	0.0	0.0	0.0	0.
0	0.0	0.0	Min	I	-4359.7	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-4359.7	0.0	0.0	0.0	0.
0	0.0	0.0	Q2a-1-2 Max	I	3647.3	0.0	0.0	0.0	0.
0	0.0	0.0		J	3647.3	0.0	0.0	0.0	0.
0	0.0	0.0	Min	I	-2418.5	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-2418.5	0.0	0.0	0.0	0.
0	0.0	0.0	SLVx (RS)	I	222.8	0.0	0.0	0.0	0.


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			

0	0.0	0.0		J	222.8	0.0	0.0	0.0	0.0
0	0.0	0.0	SLVy (RS)	I	2320.9	-0.0	0.0	0.0	0.0
0	0.0	0.0		J	2320.9	0.0	0.0	0.0	0.0
0	0.0	0.0	SLDx (RS)	I	111.5	0.0	0.0	0.0	0.0
0	0.0	0.0		J	111.5	0.0	0.0	0.0	0.0
0	0.0	0.0	SLDy (RS)	I	1159.0	-0.0	0.0	0.0	0.0
0	0.0	0.0		J	1159.0	0.0	0.0	0.0	0.0
0	0.0	0.0	SLVz (RS)	I	103.6	-0.0	0.0	0.0	0.0
0	0.0	0.0		J	103.6	0.0	0.0	0.0	0.0
0	0.0	0.0	g1	I	-1765.4	0.0	-340.7	0.0	0.0
0	0.0	0.0		J	-1759.7	0.0	340.7	0.0	0.0
0	0.0	0.0	g2	I	-1858.4	0.0	0.0	0.0	0.0
0	0.0	0.0		J	-1858.4	0.0	0.0	0.0	0.0
0	0.0	0.0	q3	I	66.0	0.0	0.0	0.0	0.0
0	0.0	0.0		J	66.0	0.0	0.0	0.0	0.0
0	0.0	0.0	q5_pc	I	962.2	-0.0	0.0	0.0	0.0
0	0.0	0.0		J	962.2	0.0	0.0	0.0	0.0
0	0.0	0.0	q5_ps	I	844.5	-0.0	0.0	0.0	0.0
0	0.0	0.0		J	844.5	0.0	0.0	0.0	0.0
0	0.0	0.0	INVSLU Max	I	-31557.9	0.0	-459.9	0.0	0.0
0	0.0	0.0		J	-31550.2	0.0	459.9	0.0	0.0
0	0.0	0.0	Min	I	-47148.4	0.0	-459.9	0.0	0.0
0	0.0	0.0		J	-47140.7	0.0	459.9	0.0	0.0
0	0.0	0.0	INVSLV Max	I	-6527.4	0.0	-340.7	0.0	0.0
0	0.0	0.0		J	-6521.7	0.0	340.7	0.0	0.0
0	0.0	0.0	Min	I	-11365.1	0.0	-340.7	0.0	0.0
0	0.0	0.0		J	-11359.3	0.0	340.7	0.0	0.0

# MIDAS

PROJECT TITLE :

		Company				Client				
		Author				File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0	149	2	80	Q1-1-2 Max	I	5908.2	13.9	0.5	0.0	0.
	0.0		0.0		J	5908.2	13.9	0.5	972.3	430.
1	18.5		41.8							
0	0.0		0.0	Min	I	-4356.5	-6.1	-0.4	0.0	0.
3	-17.4		-44.4		J	-4356.5	-6.1	-0.4	-430.1	-972.
0	0.0		0.0	Q2a-1-2 Max	I	3648.9	9.1	0.3	0.0	0.
4	12.1		26.7		J	3648.9	9.1	0.3	636.8	293.
0	0.0		0.0	Min	I	-2416.6	-4.2	-0.3	0.0	0.
8	-11.1		-29.1		J	-2416.6	-4.2	-0.3	-293.4	-636.
0	0.0		0.0	SLVx (RS)	I	212.8	4.2	-110.1	0.0	0.
8	-4296.2		10314.6		J	212.8	4.2	-110.1	293.8	-293.
0	0.0		0.0	SLVy (RS)	I	-2622.0	1.2	14.3	0.0	0.
5	559.4		-1343.0		J	-2622.0	1.2	14.3	83.5	-83.
0	0.0		0.0	SLDx (RS)	I	106.4	2.1	-55.0	0.0	0.
7	-2145.5		5151.0		J	106.4	2.1	-55.0	146.7	-146.
0	0.0		0.0	SLDy (RS)	I	-1309.3	0.6	7.2	0.0	0.
7	279.3		-670.7		J	-1309.3	0.6	7.2	41.7	-41.
0	0.0		0.0	SLVz (RS)	I	70.1	6.1	-159.1	0.0	0.
7	-6207.6		14903.7		J	70.1	6.1	-159.1	429.7	-429.
0	0.0		0.0	g1	I	-1762.3	30.7	-1021.4	0.0	0.
8	-26568.3		63786.9		J	-1756.6	30.7	-340.1	2155.8	-2155.
0	0.0		0.0	g2	I	-1858.9	-1.0	-0.1	0.0	0.
6	-4.8		11.6		J	-1858.9	-1.0	-0.1	-71.6	71.
0	0.0		0.0	q3	I	65.7	-0.1	-0.0	0.0	0.
0	-0.4		1.0		J	65.7	-0.1	-0.0	-10.0	10.
0	0.0		0.0	q5_pc	I	-896.5	1.1	-0.0	0.0	0.
9	-1.1		2.6		J	-896.5	1.1	-0.0	79.9	-79.
0	0.0		0.0	q5_ps	I	-1058.2	0.8	-0.0	0.0	0.
					J	-1058.2	0.8	-0.0	57.4	-57.

# MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

4	-1.0	2.5								
			INVSLU Max	I	-31581.5	84.1	-1377.7	0.0	0.	
0	0.0	0.0		J	-31573.8	84.1	-457.9	5893.8	-3856.	
6	-35819.7	86119.3								
			Min	I	-47052.6	55.0	-1379.0	0.0	0.	
0	0.0	0.0		J	-47044.8	55.0	-459.2	3856.6	-5893.	
8	-35870.1	85998.3								
			INVSLV Max	I	-6215.7	56.5	-824.7	0.0	0.	
0	0.0	0.0		J	-6210.0	56.5	-143.4	3961.2	-2875.	
5	-18890.7	82155.9								
			Min	I	-11629.4	41.0	-1217.5	0.0	0.	
0	0.0	0.0		J	-11623.7	41.0	-536.2	2875.5	-3961.	
2	-34219.3	45354.0								
	150	2	80	Q1-1-2 Max	I	5907.4	6.1	0.0	972.6	430.
7	9.9	1.4		J	5907.4	6.1	0.0	0.0	0.	
0	0.0	0.0								
			Min	I	-4356.6	-13.9	-0.3	-430.7	-972.	
6	-0.6	-23.8		J	-4356.6	-13.9	-0.3	0.0	0.	
0	0.0	0.0								
			Q2a-1-2 Max	I	3648.5	4.2	0.0	637.0	293.	
8	5.8	0.6		J	3648.5	4.2	0.0	0.0	0.	
0	0.0	0.0								
			Min	I	-2416.7	-9.1	-0.1	-293.8	-637.	
0	-0.3	-13.9		J	-2416.7	-9.1	-0.1	0.0	0.	
0	0.0	0.0								
			SLVx (RS)	I	-148.7	-4.2	110.1	293.8	-293.	
8	-4297.0	10316.4		J	-148.7	-4.2	110.1	0.0	0.	
0	0.0	0.0								
			SLVy (RS)	I	-2393.8	-1.2	-14.4	83.4	-83.	
4	561.1	-1347.2		J	-2393.8	-1.2	-14.4	0.0	0.	
0	0.0	0.0								
			SLDx (RS)	I	-74.3	-2.1	55.0	146.7	-146.	
7	-2145.8	5151.9		J	-74.3	-2.1	55.0	0.0	0.	
0	0.0	0.0								
			SLDy (RS)	I	-1195.4	-0.6	-7.2	41.6	-41.	
6	280.2	-672.8		J	-1195.4	-0.6	-7.2	0.0	0.	
0	0.0	0.0								
			SLVz (RS)	I	57.1	-6.1	159.1	429.7	-429.	
7	-6207.7	14903.8		J	57.1	-6.1	159.1	0.0	0.	
0	0.0	0.0								
			g1	I	-1755.1	-30.7	339.8	2155.5	-2155.	
5	-26557.5	63761.0		J	-1749.3	-30.7	1021.2	0.0	0.	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

0	0.0	0.0							
8	3.0	-7.3	g2	I	-1858.7	1.0	-0.1	-71.8	71.
0	0.0	0.0		J	-1858.7	1.0	-0.1	0.0	0.
0	0.2	-0.4	q3	I	65.7	0.1	-0.0	-10.0	10.
0	0.0	0.0		J	65.7	0.1	-0.0	0.0	0.
8	3.1	-7.5	q5_pc	I	-896.7	-1.1	-0.1	79.8	-79.
0	0.0	0.0		J	-896.7	-1.1	-0.1	0.0	0.
3	2.5	-6.0	q5_ps	I	-1058.3	-0.8	-0.1	57.3	-57.
0	0.0	0.0		J	-1058.3	-0.8	-0.1	0.0	0.
6	-35817.9	86043.1	INVSLU Max	I	-31575.8	-55.0	458.4	5893.7	-3855.
0	0.0	0.0		J	-31568.0	-55.0	1378.2	0.0	0.
7	-35838.3	85994.0	Min	I	-47046.2	-84.1	457.9	3855.6	-5893.
0	0.0	0.0		J	-47038.5	-84.1	1377.7	0.0	0.
0	-18874.0	82119.7	INVSLV Max	I	-6462.2	-41.0	535.8	3960.7	-2875.
0	0.0	0.0		J	-6456.5	-41.0	1217.1	0.0	0.
7	-34204.2	45314.0	Min	I	-11373.4	-56.5	143.0	2875.0	-3960.
0	0.0	0.0		J	-11367.6	-56.5	824.3	0.0	0.
0	151	2	80	Q1-1-2 Max	I	5912.6	0.0	0.0	0.0
0	0.0	0.0	0.0		J	5912.6	0.0	0.0	0.0
0	0.0	0.0	0.0	Min	I	-4359.6	-0.0	-0.0	0.0
0	0.0	0.0	0.0		J	-4359.6	0.0	0.0	0.0
0	0.0	0.0	0.0	Q2a-1-2 Max	I	3651.5	0.0	0.0	0.0
0	0.0	0.0	0.0		J	3651.5	0.0	0.0	0.0
0	0.0	0.0	0.0	Min	I	-2418.3	-0.0	-0.0	0.0
0	0.0	0.0	0.0		J	-2418.3	0.0	0.0	0.0
0	0.0	0.0	0.0	SLVx (RS)	I	171.7	0.0	-0.0	0.0
0	0.0	0.0	0.0		J	171.7	0.0	0.0	0.0
0	0.0	0.0	0.0	SLVy (RS)	I	2096.1	-0.0	-0.0	0.0
0	0.0	0.0	0.0		J	2096.1	0.0	0.0	0.0



PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			

0	0.0	0.0							
			SLDx (RS)	I	85.8	0.0	-0.0	0.0	0.
0	0.0	0.0		J	85.8	0.0	0.0	0.0	0.
0	0.0	0.0							
			SLDy (RS)	I	1046.8	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	1046.8	0.0	0.0	0.0	0.
0	0.0	0.0							
			SLVz (RS)	I	78.8	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	78.8	0.0	0.0	0.0	0.
0	0.0	0.0							
			g1	I	-1738.2	0.0	-340.7	0.0	0.
0	0.0	0.0		J	-1732.5	0.0	340.7	0.0	0.
0	0.0	0.0							
			g2	I	-1859.3	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-1859.3	0.0	0.0	0.0	0.
0	0.0	0.0							
			q3	I	65.8	0.0	-0.0	0.0	0.
0	0.0	0.0		J	65.8	0.0	0.0	0.0	0.
0	0.0	0.0							
			q5_pc	I	963.3	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	963.3	0.0	0.0	0.0	0.
0	0.0	0.0							
			q5_ps	I	845.2	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	845.2	0.0	0.0	0.0	0.
0	0.0	0.0							
			INVSLU Max	I	-31491.0	0.0	-459.9	0.0	0.
0	0.0	0.0		J	-31483.3	0.0	459.9	0.0	0.
0	0.0	0.0							
			Min	I	-47092.3	0.0	-459.9	0.0	0.
0	0.0	0.0		J	-47084.6	0.0	459.9	0.0	0.
0	0.0	0.0							
			INVSLV Max	I	-6731.9	0.0	-340.7	0.0	0.
0	0.0	0.0		J	-6726.1	0.0	340.7	0.0	0.
0	0.0	0.0							
			Min	I	-11074.4	0.0	-340.7	0.0	0.
0	0.0	0.0		J	-11068.7	0.0	340.7	0.0	0.
0	0.0	0.0							
152	2	80	Q1-1-2 Max	I	5012.7	0.0	0.0	0.0	0.
0	0.0	0.0		J	5012.7	0.0	0.0	0.0	0.
0	0.0	0.0							
			Min	I	-5047.3	-0.0	0.0	0.0	0.
0	0.0	0.0							


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0	0.0	0.0		J	-5047.3	0.0	-0.0	0.0	0.
0	0.0	0.0	Q2a-1-2 Max	I	2991.5	0.0	0.0	0.0	0.
0	0.0	0.0		J	2991.5	0.0	0.0	0.0	0.
0	0.0	0.0	Min	I	-2803.3	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-2803.3	0.0	-0.0	0.0	0.
0	0.0	0.0	SLVx (RS)	I	443.6	-0.0	0.0	0.0	0.
0	0.0	0.0		J	443.6	0.0	0.0	0.0	0.
0	0.0	0.0	SLVy (RS)	I	2268.5	0.0	0.0	0.0	0.
0	0.0	0.0		J	2268.5	0.0	0.0	0.0	0.
0	0.0	0.0	SLDx (RS)	I	221.8	-0.0	0.0	0.0	0.
0	0.0	0.0		J	221.8	0.0	0.0	0.0	0.
0	0.0	0.0	SLDy (RS)	I	1132.8	0.0	0.0	0.0	0.
0	0.0	0.0		J	1132.8	0.0	0.0	0.0	0.
0	0.0	0.0	SLVz (RS)	I	219.6	0.0	0.0	0.0	0.
0	0.0	0.0		J	219.6	0.0	0.0	0.0	0.
0	0.0	0.0	g1	I	-3711.5	-0.0	-338.8	0.0	0.
0	0.0	0.0		J	-3705.8	0.0	338.8	0.0	0.
0	0.0	0.0	g2	I	-3438.8	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-3438.8	0.0	0.0	0.0	0.
0	0.0	0.0	q3	I	103.4	-0.0	0.0	0.0	0.
0	0.0	0.0		J	103.4	0.0	0.0	0.0	0.
0	0.0	0.0	q5_pc	I	1201.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	1201.0	0.0	0.0	0.0	0.
0	0.0	0.0	q5_ps	I	907.3	0.0	0.0	0.0	0.
0	0.0	0.0		J	907.3	0.0	0.0	0.0	0.
0	0.0	0.0	INVSLU Max	I	-52356.6	-0.0	-457.4	0.0	0.
0	0.0	0.0		J	-52348.9	0.0	457.4	0.0	0.

MIDAS

PROJECT TITLE :

			Company		Client				
			Author		File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0	0.0	0.0	Min	I	-68099.3	-0.0	-457.4	0.0	0.
				J	-68091.6	0.0	457.4	0.0	0.
0	0.0	0.0							
			INVS LV Max	I	-17510.9	-0.0	-338.8	0.0	0.
0	0.0	0.0		J	-17505.2	0.0	338.8	0.0	0.
0	0.0	0.0							
			Min	I	-22445.8	-0.0	-338.8	0.0	0.
0	0.0	0.0		J	-22440.1	0.0	338.8	0.0	0.
0	0.0	0.0							
0	153	2	80	Q1-1-2 Max	I	5003.8	1.1	1.9	0.0
0	0.0	0.0		J	5003.8	1.1	1.9	79.3	1540.
0	72.2	4757.9							
			Min	I	-5045.3	-22.1	-51.1	0.0	0.
0	0.0	0.0		J	-5045.3	-22.1	-51.1	-1540.0	-79.
3	-1981.7	-173.3							
			Q2a-1-2 Max	I	2986.2	0.5	0.8	0.0	0.
0	0.0	0.0		J	2986.2	0.5	0.8	35.0	968.
4	32.0	2985.5							
			Min	I	-2802.1	-13.9	-32.0	0.0	0.
0	0.0	0.0		J	-2802.1	-13.9	-32.0	-968.4	-35.
0	-1243.5	-76.7							
			SLVx (RS)	I	412.7	21.3	-514.9	0.0	0.
0	0.0	0.0		J	412.7	21.3	-514.9	1487.5	-1487.
5	-19981.6	47973.3							
			SLVy (RS)	I	-2314.3	4.5	23.7	0.0	0.
0	0.0	0.0		J	-2314.3	4.5	23.7	315.3	-315.
3	918.2	-2204.5							
			SLDx (RS)	I	206.3	10.7	-257.1	0.0	0.
0	0.0	0.0		J	206.3	10.7	-257.1	742.8	-742.
8	-9978.5	23957.1							
			SLDy (RS)	I	-1155.7	2.3	11.8	0.0	0.
0	0.0	0.0		J	-1155.7	2.3	11.8	157.4	-157.
4	458.4	-1100.7							
			SLVz (RS)	I	168.1	22.1	-535.7	0.0	0.
0	0.0	0.0		J	168.1	22.1	-535.7	1544.2	-1544.
2	-20790.6	49915.6							
			g1	I	-3770.4	13.5	-746.7	0.0	0.
0	0.0	0.0		J	-3764.7	13.5	-69.1	939.0	-939.
0	-15831.4	38009.1							
			g2	I	-3438.9	-0.3	-2.4	0.0	0.
0	0.0	0.0		J	-3438.9	-0.3	-2.4	-21.5	21.
5	-91.9	220.6							

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	0.0	0.0	q3	I	103.7	0.5	-0.4	0.0	0.	
7	-14.6	35.1		J	103.7	0.5	-0.4	35.7	-35.	
0	0.0	0.0	q5_pc	I	-744.5	2.5	-0.3	0.0	0.	
8	-13.2	31.6		J	-744.5	2.5	-0.3	173.8	-173.	
0	0.0	0.0	q5_ps	I	-933.5	2.6	-0.0	0.0	0.	
8	-0.5	1.3		J	-933.5	2.6	-0.0	181.8	-181.	
0	0.0	0.0	INVSLU Max	I	-52837.4	-78.6	-1072.5	0.0	0.	
6	-23874.5	64033.7		J	-52829.7	-78.6	-157.8	-5482.2	8070.	
0	0.0	0.0	Min	I	-67743.8	-115.7	-1144.6	0.0	0.	
2	-26671.1	57319.6		J	-67736.1	-115.7	-229.9	-8070.6	5482.	
0	0.0	0.0	INVSLV Max	I	-17533.3	-22.8	-64.7	0.0	0.	
4	10638.6	104396.1		J	-17527.6	-22.8	612.9	-1590.3	5760.	
0	0.0	0.0	Min	I	-22510.3	-82.6	-1459.2	0.0	0.	
3	-43482.6	-25541.8		J	-22504.7	-82.6	-781.6	-5760.4	1590.	
8	154	2	80	Q1-1-2 Max	I	5038.2	7.4	50.2	2635.6	514.
0	74.5	4678.4		J	5038.2	7.4	50.2	0.0	0.	
6	-1948.6	-178.8		Min	I	-5040.3	-37.8	-1.9	-514.8	-2635.
0	0.0	0.0		J	-5040.3	-37.8	-1.9	0.0	0.	
0	32.9	2934.0	Q2a-1-2 Max	I	3007.7	4.6	31.5	1713.0	320.	
0	0.0	0.0		J	3007.7	4.6	31.5	0.0	0.	
0	-1222.1	-79.0	Min	I	-2799.0	-24.6	-0.8	-320.0	-1713.	
0	0.0	0.0		J	-2799.0	-24.6	-0.8	0.0	0.	
8	-19868.5	47701.7	SLVx (RS)	I	357.0	-18.5	511.9	1290.8	-1290.	
0	0.0	0.0		J	357.0	-18.5	511.9	0.0	0.	
4	911.6	-2188.7	SLVy (RS)	I	-2056.2	-1.2	-23.5	84.4	-84.	
0	0.0	0.0		J	-2056.2	-1.2	-23.5	0.0	0.	
6	-9922.0	23821.4	SLDx (RS)	I	178.4	-9.2	255.7	644.6	-644.	
0	0.0	0.0		J	178.4	-9.2	255.7	0.0	0.	

# MIDAS


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

1	455.2	-1092.8	SLDy (RS)	I	-1026.8	-0.6	-11.7	42.1	-42.	
0	0.0	0.0		J	-1026.8	-0.6	-11.7	0.0	0.	
7	-20672.8	49632.7	SLVz (RS)	I	150.9	-19.4	532.7	1352.7	-1352.	
0	0.0	0.0		J	150.9	-19.4	532.7	0.0	0.	
5	-15713.7	37726.5	g1	I	-3748.4	-26.7	66.1	1860.5	-1860.	
0	0.0	0.0		J	-3742.7	-26.7	743.7	0.0	0.	
0	-87.8	210.8	g2	I	-3437.0	-1.2	2.3	87.0	-87.	
0	0.0	0.0		J	-3437.0	-1.2	2.3	0.0	0.	
1	-15.8	38.0	q3	I	102.9	0.4	0.4	-26.1	26.	
0	0.0	0.0		J	102.9	0.4	0.4	0.0	0.	
2	-11.3	27.2	q5_pc	I	-745.7	-1.4	0.3	99.2	-99.	
0	0.0	0.0		J	-745.7	-1.4	0.3	0.0	0.	
9	-0.2	0.6	q5_ps	I	-935.2	-0.9	0.0	62.9	-62.	
0	0.0	0.0		J	-935.2	-0.9	0.0	0.0	0.	
2	-23502.9	63033.7	INVSLU Max	I	-52545.2	-165.2	219.1	15947.7	-11516.	
0	0.0	0.0		J	-52537.5	-165.2	1133.8	0.0	0.	
7	-26254.5	56427.5	Min	I	-67493.4	-228.7	148.2	11516.2	-15947.	
0	0.0	0.0		J	-67485.8	-228.7	1062.9	0.0	0.	
7	10739.2	103416.1	INVSLV Max	I	-17652.8	-90.9	771.1	9869.2	-6338.	
0	0.0	0.0		J	-17647.1	-90.9	1448.7	0.0	0.	
2	-43074.5	-25783.5	Min	I	-22069.9	-141.5	-615.5	6338.7	-9869.	
0	0.0	0.0		J	-22064.3	-141.5	62.1	0.0	0.	
0	155	2	80	Q1-1-2 Max	I	5010.9	107.1	3.8	120.2	3560.
0	70.3		55.3		J	5010.9	107.1	3.8	3914.3	140.
9	142.6	9546.3		Min	I	-5048.4	-3.5	-104.0	-3560.0	-120.
2	-23.1	-168.8			J	-5048.4	-3.5	-104.0	-140.9	-3914.
3	-3976.2	-342.3								
1	41.2	32.0	Q2a-1-2 Max	I	2990.4	68.5	1.7	54.9	2269.	
				J	2990.4	68.5	1.7	2479.8	62.	

# MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
3	63.1	6001.4							
			Min	I	-2804.0	-1.6	-65.3	-2269.1	-54.
9	-13.3	-98.9		J	-2804.0	-1.6	-65.3	-62.3	-2479.
8	-2499.7	-151.5							
			SLVx (RS)	I	406.6	9.4	522.6	-211.9	211.
9	-408.5	980.8		J	406.6	9.4	522.6	806.7	-806.
7	19873.8	-47714.4							
			SLVy (RS)	I	2011.9	-7.9	-25.1	239.7	-239.
7	-14.1	33.9		J	2011.9	-7.9	-25.1	-313.3	313.
3	-960.3	2305.6							
			SLDx (RS)	I	203.2	4.7	261.0	-105.9	105.
9	-204.0	489.8		J	203.2	4.7	261.0	402.8	-402.
8	9924.7	-23827.8							
			SLDy (RS)	I	1004.7	-4.0	-12.5	119.7	-119.
7	-7.0	16.9		J	1004.7	-4.0	-12.5	-156.5	156.
5	-479.5	1151.1							
			SLVz (RS)	I	206.8	9.7	542.8	182.0	-182.
0	-424.7	1019.6		J	206.8	9.7	542.8	848.2	-848.
2	20642.9	-49561.0							
			g1	I	-3691.8	40.2	201.7	-935.0	935.
0	-338.3	812.1		J	-3686.1	40.2	879.3	1867.7	-1867.
7	20638.2	-49549.6							
			g2	I	-3438.7	4.2	-4.7	-108.5	108.
5	4.1	-9.8		J	-3438.7	4.2	-4.7	185.4	-185.
4	-180.1	432.5							
			q3	I	103.5	-1.8	-0.7	61.8	-61.
8	-1.2	2.9		J	103.5	-1.8	-0.7	-62.0	62.
0	-30.2	72.5							
			q5_pc	I	1202.8	-2.1	-0.7	74.4	-74.
4	-3.5	8.4		J	1202.8	-2.1	-0.7	-70.7	70.
7	-29.6	71.2							
			q5_ps	I	909.1	-3.4	-0.0	118.8	-118.
8	-3.5	8.4		J	909.1	-3.4	-0.0	-114.9	114.
9	-4.4	10.6							
			INVSLU Max	I	-52346.4	690.7	137.0	-17854.0	23026.
9	-146.4	669.2		J	-52338.7	690.7	1051.7	25140.0	-19477.
0	22816.8	-41302.3							
			Min	I	-68091.5	535.6	-9.7	-23026.9	17854.
0	-278.7	351.4		J	-68083.9	535.6	905.0	19477.0	-25140.
0	17203.1	-54780.0							
			INVSLV Max	I	-17773.0	371.6	874.2	-11435.0	12150.

# MIDAS


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

8	350.6	1806.3		J	-17767.3	371.6	1551.8	14258.1	-11889.	
8	46325.5	17912.5								
			Min	I	-22164.8	341.7	-540.0	-12150.8	11435.	
0	-752.3	-841.7								
				J	-22159.1	341.7	137.5	11889.8	-14258.	
1	-7460.8	-111221.4								
	156	2	80	Q1-1-2 Max	I	3188.2	98.0	53.2	184.0	3389.
1	1437.7	7549.7								
				J	3188.2	98.0	53.2	3570.0	135.	
4	425.8	4725.2								
			Min	I	-5785.9	-4.4	-53.4	-3389.1	-184.	
0	-3144.6	-3451.7								
				J	-5785.9	-4.4	-53.4	-135.4	-3570.	
0	-1968.1	-1022.2								
			Q2a-1-2 Max	I	1823.1	64.3	33.0	78.5	2236.	
8	872.4	4757.5								
				J	1823.1	64.3	33.0	2308.1	59.	
5	243.8	2923.3								
			Min	I	-3304.1	-1.9	-33.4	-2236.8	-78.	
5	-1981.6	-2094.5								
				J	-3304.1	-1.9	-33.4	-59.5	-2308.	
1	-1217.6	-585.3								
			SLVx (RS)	I	605.6	7.2	232.5	-238.0	238.	
0	-4469.9	10731.7								
				J	605.6	7.2	232.5	-264.4	264.	
4	4577.4	-10989.7								
			SLVy (RS)	I	1511.4	3.7	-7.3	109.1	-109.	
1	-137.7	330.6								
				J	1511.4	3.7	-7.3	360.5	-360.	
5	-194.1	466.1								
			SLDx (RS)	I	302.8	3.6	116.2	-119.0	119.	
0	-2234.6	5365.1								
				J	302.8	3.6	116.2	-132.1	132.	
1	2288.3	-5494.0								
			SLDy (RS)	I	754.8	1.8	-3.6	54.5	-54.	
5	-69.0	165.6								
				J	754.8	1.8	-3.6	180.0	-180.	
0	-96.9	232.7								
			SLVz (RS)	I	278.4	4.0	113.2	-123.6	123.	
6	-2181.5	5237.6								
				J	278.4	4.0	113.2	160.7	-160.	
7	2225.5	-5343.2								
			g1	I	-5353.1	12.1	-684.4	-259.4	259.	
4	8521.9	-20459.9								
				J	-5347.4	12.1	-4.9	589.2	-589.	
2	-4892.3	11745.7								
			g2	I	-4237.4	2.3	-2.9	-30.0	30.	
0	53.4	-128.3								
				J	-4237.4	2.3	-2.9	130.1	-130.	
1	-59.3	142.4								
			q3	I	73.5	-1.1	0.5	31.1	-31.	
1	-34.5	82.9								
				J	73.5	-1.1	0.5	-46.9	46.	
9	-15.0	36.0								

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
4	-107.7	258.5	q5_pc	I	788.8	3.8	2.1	-6.4	6.
				J	788.8	3.8	2.1	259.8	-259.
8	-24.9	59.9							
			q5_ps	I	514.8	2.1	0.8	43.0	-43.
0	-40.7	97.8		J	514.8	2.1	0.8	188.9	-188.
9	-9.0	21.5							
			INVSLU Max	I	-63565.2	551.1	-858.2	-12281.9	17117.
1	10787.7	-10582.7		J	-63557.5	551.1	59.0	21561.5	-16087.
8	-9076.8	29659.0							
			Min	I	-77100.2	406.0	-1006.0	-17117.1	12281.
9	4407.9	-25899.9		J	-77092.5	406.0	-88.8	16087.8	-21561.
5	-12353.4	21792.2							
			INVSLV Max	I	-24153.4	280.9	-420.7	-7794.1	8409.
8	12990.8	-6384.9		J	-24147.7	280.9	258.8	11362.4	-10386.
3	-476.2	26608.3							
			Min	I	-27706.5	261.9	-957.9	-8409.8	7794.
1	2659.4	-31189.2		J	-27700.8	261.9	-278.4	10386.3	-11362.
4	-11082.8	1143.4							
	157	2	80	Q1-1-2 Max	I	3178.7	4.5	53.7	4228.3
1	1433.1	7597.2		J	3178.7	4.5	53.7	141.1	3828.
0	427.5	4715.5							
			Min	I	-5788.9	-113.3	-53.1	-182.1	-4228.
3	-3164.4	-3440.8		J	-5788.9	-113.3	-53.1	-3828.0	-141.
1	-1964.1	-1026.4							
			Q2a-1-2 Max	I	1817.2	2.0	33.3	2767.9	79.
4	869.6	4787.5		J	1817.2	2.0	33.3	62.2	2468.
9	244.9	2917.0							
			Min	I	-3306.1	-74.0	-33.2	-79.4	-2767.
9	-1994.1	-2087.7		J	-3306.1	-74.0	-33.2	-2468.9	-62.
2	-1215.0	-588.0							
			SLVx (RS)	I	610.7	15.4	230.1	-709.3	709.
3	-4399.7	10563.1		J	610.7	15.4	230.1	377.3	-377.
3	4557.2	-10941.3							
			SLVy (RS)	I	-1514.2	6.1	6.4	-28.3	28.
3	141.2	-339.0		J	-1514.2	6.1	6.4	415.1	-415.
1	161.9	-388.6							
			SLDx (RS)	I	305.3	7.7	115.0	-354.2	354.
2	-2199.6	5280.9		J	305.3	7.7	115.0	188.5	-188.
5	2278.3	-5469.8							
			SLDy (RS)	I	-756.1	3.0	3.2	-14.2	14.
2	70.7	-169.6		J	-756.1	3.0	3.2	207.3	-207.
3	81.0	-194.5							



# MIDAS


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

2	-2130.9	5115.9	SLVz (RS)	I	284.1	-13.5	111.5	652.2	-652.
				J	284.1	-13.5	111.5	-294.2	294.
2	2210.2	-5306.5							
			g1	I	-5294.3	-28.1	-691.1	1141.4	-1141.
4	8722.7	-20942.1		J	-5288.6	-28.1	-11.7	-826.2	826.
2	-4953.1	11891.7							
			g2	I	-4238.1	-3.3	-2.9	83.3	-83.
3	52.3	-125.5		J	-4238.1	-3.3	-2.9	-144.5	144.
5	-59.0	141.6							
			q3	I	73.4	1.5	0.5	-50.3	50.
3	-34.9	83.9		J	73.4	1.5	0.5	52.0	-52.
0	-14.9	35.7							
			q5_pc	I	-290.2	2.1	-2.1	39.5	-39.
5	49.8	-119.6		J	-290.2	2.1	-2.1	189.0	-189.
0	-30.7	73.7							
			q5_ps	I	-516.3	3.2	-0.7	-10.0	10.
0	33.1	-79.6		J	-516.3	3.2	-0.7	217.1	-217.
1	6.9	-16.5							
			INVSLU Max	I	-64235.6	-529.1	-865.0	25064.6	-19039.
5	10946.2	-11163.9		J	-64227.9	-529.1	52.3	-17866.0	23672.
4	-9138.2	29823.8	Min	I	-76864.3	-693.4	-1012.9	19039.5	-25064.
6	4649.9	-26280.5		J	-76856.6	-693.4	-95.6	-23672.4	17866.
0	-12422.1	21939.6							
			INVSLV Max	I	-24290.8	-333.3	-429.9	13602.9	-11776.
1	13085.8	-7018.1		J	-24285.1	-333.3	249.6	-11492.2	12725.
3	-567.2	26661.5	Min	I	-27856.0	-376.0	-960.8	11776.1	-13602.
9	2923.1	-31417.2		J	-27850.3	-376.0	-281.4	-12725.3	11492.
2	-11104.9	1361.8							
			Q1-1-2 Max	I	3183.6	4.1	49.1	3974.8	134.
158	2	80		J	3183.6	4.1	49.1	217.7	3628.
9	453.7	4566.7							
6	925.1	8351.2	Min	I	-5781.0	-107.9	-71.9	-134.9	-3974.
8	-1902.1	-1089.3		J	-5781.0	-107.9	-71.9	-3628.6	-217.
7	-3478.4	-2221.0							
			Q2a-1-2 Max	I	1820.5	1.7	30.3	2544.2	59.
4	261.4	2820.4		J	1820.5	1.7	30.3	110.2	2326.
1	584.1	5310.0	Min	I	-3300.8	-69.1	-43.8	-59.4	-2544.
2	-1174.8	-627.5		J	-3300.8	-69.1	-43.8	-2326.1	-110.
2	-2211.7	-1402.3							


MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0	4555.3	-10936.7	SLVx (RS)	I	580.8	9.2	-229.5	-394.0	394.
				J	580.8	9.2	-229.5	249.9	-249.
9	-4375.8	10505.7							
3	159.7	-383.4	SLVy (RS)	I	-1230.5	-9.8	7.2	389.3	-389.
				J	-1230.5	-9.8	7.2	-294.5	294.
5	251.2	-603.0							
0	2277.3	-5467.5	SLDx (RS)	I	290.3	4.6	-114.7	-197.0	197.
				J	290.3	4.6	-114.7	124.9	-124.
9	-2187.6	5252.1							
4	79.9	-191.9	SLDy (RS)	I	-614.5	-4.9	3.6	194.4	-194.
				J	-614.5	-4.9	3.6	-147.1	147.
1	125.4	-301.0							
3	2209.8	-5305.3	SLVz (RS)	I	270.9	4.7	-111.7	-205.3	205.
				J	270.9	4.7	-111.7	120.9	-120.
9	-2136.9	5130.3							
8	-4919.7	11811.5	g1	I	-5275.1	-39.8	-7.5	1529.8	-1529.
				J	-5269.4	-39.8	672.0	-1256.4	1256.
4	8010.0	-19231.0							
6	-51.5	123.6	g2	I	-4235.1	-9.6	-3.0	325.6	-325.
				J	-4235.1	-9.6	-3.0	-347.6	347.
6	-169.9	408.0							
3	-16.4	39.5	q3	I	73.3	1.3	0.5	-41.3	41.
				J	73.3	1.3	0.5	47.2	-47.
2	3.3	-7.8							
3	-28.0	67.2	q5_pc	I	-294.1	-6.6	-0.9	276.3	-276.
				J	-294.1	-6.6	-0.9	-185.6	185.
6	-63.6	152.8							
1	7.0	-16.9	q5_ps	I	-519.7	-5.0	0.1	207.1	-207.
				J	-519.7	-5.0	0.1	-145.6	145.
6	11.4	-27.3							
5	-8635.4	28488.9	INVSLU Max	I	-64166.6	-476.9	49.5	24492.4	-18430.
				J	-64158.9	-476.9	966.8	-14821.2	20347.
9	9196.9	-7533.0							
4	-11866.1	20732.4	Min	I	-76798.2	-640.2	-115.5	18430.5	-24492.
				J	-76790.5	-640.2	801.7	-20347.9	14821.
2	3137.6	-22080.6							
4	-260.6	25912.4	INVSLV Max	I	-24547.4	-306.1	253.1	12902.2	-11757.
				J	-24541.7	-306.1	932.5	-9639.8	10451.
3	12317.3	-5120.7							
2	-10792.9	625.8	Min	I	-27519.4	-333.9	-277.2	11757.4	-12902.
				J	-27513.7	-333.9	402.2	-10451.3	9639.


# MIDAS

PROJECT TITLE :

		Company				Client					
		Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt				
8	2132.8	-29572.1									
4	159	2	80	Q1-1-2 Max	I	3185.9	110.0	49.3	106.5	4085.	
	452.3	4577.1			J	3185.9	110.0	49.3	3666.0	165.	
2	924.8	8343.3									
				Min	I	-5781.2	-3.5	-71.8	-4085.4	-106.	
5	-1906.4	-1086.0			J	-5781.2	-3.5	-71.8	-165.2	-3666.	
0	-3475.1	-2220.4									
				Q2a-1-2 Max	I	1821.9	70.3	30.4	48.0	2609.	
7	260.5	2827.1			J	1821.9	70.3	30.4	2348.7	75.	
2	584.0	5305.3									
				Min	I	-3300.8	-1.5	-43.7	-2609.7	-48.	
0	-1177.5	-625.4			J	-3300.8	-1.5	-43.7	-75.2	-2348.	
7	-2209.7	-1402.0									
				SLVx (RS)	I	567.1	-8.4	-230.5	348.9	-348.	
9	4576.2	-10986.9			J	567.1	-8.4	-230.5	-236.6	236.	
6	-4394.9	10551.5									
				SLVy (RS)	I	1230.7	-9.7	-6.4	386.6	-386.	
6	-191.9	460.7			J	1230.7	-9.7	-6.4	-292.6	292.	
6	-210.1	504.4									
				SLDx (RS)	I	283.4	-4.2	-115.2	174.4	-174.	
4	2287.8	-5492.6			J	283.4	-4.2	-115.2	-118.3	118.	
3	-2197.1	5275.0									
				SLDy (RS)	I	614.6	-4.8	-3.2	193.1	-193.	
1	-95.8	230.0			J	614.6	-4.8	-3.2	-146.1	146.	
1	-105.1	252.3									
				SLVz (RS)	I	254.3	-3.8	-112.4	163.1	-163.	
1	2225.6	-5343.5			J	254.3	-3.8	-112.4	-106.0	106.	
0	-2149.9	5161.7									
				g1	I	-5344.4	44.4	-10.1	-1766.8	1766.	
8	-4857.2	11661.5			J	-5338.7	44.4	669.4	1337.6	-1337.	
6	7972.3	-19140.6									
				g2	I	-4235.0	9.9	-3.0	-340.0	340.	
0	-51.8	124.5			J	-4235.0	9.9	-3.0	352.8	-352.	
8	-169.7	407.5									
				q3	I	73.6	-1.4	0.5	46.4	-46.	
4	-16.6	39.8			J	73.6	-1.4	0.5	-49.0	49.	
0	3.4	-8.1									
				q5_pc	I	793.2	-3.8	0.9	172.4	-172.	
4	-25.4	61.1			J	793.2	-3.8	0.9	-91.2	91.	
2	11.4	-27.4									
				q5_ps	I	518.9	-4.5	-0.0	198.8	-198.	

MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt				
8	-9.4	22.5								
0	-9.7	23.2		J	518.9	-4.5	-0.0	-118.0	118.	
3	-8566.2	28321.5	INVS LU Max	I	-63586.0	675.5	46.9	-20297.7	26374.	
7	9109.0	-7559.2		J	-63578.3	675.5	964.1	20943.2	-15567.	
7	-11796.3	20566.3	Min	I	-77119.4	513.3	-118.3	-26374.3	20297.	
2	3148.5	-21869.4		J	-77111.7	513.3	799.0	15567.7	-20943.	
2	-165.3	25853.2	INVS LV Max	I	-24467.3	357.1	251.7	-13023.8	14104.	
0	12293.9	-5013.3		J	-24461.6	357.1	931.1	10864.8	-10074.	
8	-10768.3	396.8	Min	I	-27421.5	330.4	-280.7	-14104.2	13023.	
8	2088.1	-29515.9		J	-27415.7	330.4	398.8	10074.0	-10864.	
0	160	2	80	Q1-1-2 Max	I	2479.0	0.0	0.0	0.0	0.
0	0.0	0.0	0.0		J	2479.0	0.0	0.0	0.0	0.
0	0.0	0.0		Min	I	-5786.3	0.0	0.0	0.0	0.
0	0.0	0.0		J	-5786.3	0.0	0.0	0.0	0.0	0.
0	0.0	0.0								
0	0.0	0.0	Q2a-1-2 Max	I	1360.0	0.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	1360.0	0.0	0.0	0.0	0.0	0.
0	0.0	0.0	Min	I	-3377.8	0.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	-3377.8	0.0	0.0	0.0	0.0	0.
0	0.0	0.0								
0	0.0	0.0	SLVx (RS)	I	686.1	0.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	686.1	0.0	0.0	0.0	0.0	0.
0	0.0	0.0								
0	0.0	0.0	SLVy (RS)	I	617.9	0.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	617.9	0.0	0.0	0.0	0.0	0.
0	0.0	0.0								
0	0.0	0.0	SLDx (RS)	I	343.1	0.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	343.1	0.0	0.0	0.0	0.0	0.
0	0.0	0.0								
0	0.0	0.0	SLDy (RS)	I	308.6	0.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	308.6	0.0	0.0	0.0	0.0	0.
0	0.0	0.0								
0	0.0	0.0	SLVz (RS)	I	310.7	0.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	310.7	0.0	0.0	0.0	0.0	0.
0	0.0	0.0								
			g1	I	-5948.9	0.0	-339.7	0.0	0.0	0.

PROJECT TITLE :

MIDAS		Company		Client		File Name			
		Author		File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0	0.0	0.0		J	-5943.2	0.0	339.7	0.0	0.
0	0.0	0.0							
			g2	I	-4523.1	0.0	0.0	0.0	0.
0	0.0	0.0		J	-4523.1	0.0	0.0	0.0	0.
0	0.0	0.0							
			q3	I	57.4	0.0	0.0	0.0	0.
0	0.0	0.0		J	57.4	0.0	0.0	0.0	0.
0	0.0	0.0							
			q5_pc	I	428.4	0.0	0.0	0.0	0.
0	0.0	0.0		J	428.4	0.0	0.0	0.0	0.
0	0.0	0.0							
			q5_ps	I	167.5	0.0	0.0	0.0	0.
0	0.0	0.0		J	167.5	0.0	0.0	0.0	0.
0	0.0	0.0							
			INVSLU Max	I	-67103.8	0.0	-458.6	0.0	0.
0	0.0	0.0		J	-67096.1	0.0	458.6	0.0	0.
0	0.0	0.0							
			Min	I	-79033.0	0.0	-458.6	0.0	0.
0	0.0	0.0		J	-79025.3	0.0	458.6	0.0	0.
0	0.0	0.0							
			INVSLV Max	I	-26637.7	0.0	-339.7	0.0	0.
0	0.0	0.0		J	-26632.0	0.0	339.7	0.0	0.
0	0.0	0.0							
			Min	I	-28567.1	0.0	-339.7	0.0	0.
0	0.0	0.0		J	-28561.4	0.0	339.7	0.0	0.
0	0.0	0.0							
161	2	80	Q1-1-2 Max	I	2480.0	13.2	0.5	0.0	0.
0	0.0	0.0		J	2480.0	13.2	0.5	920.4	890.
6	20.4	50.2							
			Min	I	-5786.7	-12.7	-0.5	0.0	0.
0	0.0	0.0		J	-5786.7	-12.7	-0.5	-890.6	-920.
4	-20.9	-49.1							
			Q2a-1-2 Max	I	1360.8	8.5	0.3	0.0	0.
0	0.0	0.0		J	1360.8	8.5	0.3	595.8	577.
5	13.1	32.0							
			Min	I	-3378.0	-8.3	-0.3	0.0	0.
0	0.0	0.0		J	-3378.0	-8.3	-0.3	-577.5	-595.
8	-13.3	-31.4							
			SLVx (RS)	I	681.7	-15.6	404.3	0.0	0.
0	0.0	0.0		J	681.7	-15.6	404.3	-1091.9	1091.
9	15733.7	-37774.7							
			SLVy (RS)	I	-629.4	5.5	8.2	0.0	0.

MIDAS


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	0.0	0.0								
6	320.2	-768.8		J	-629.4	5.5	8.2	381.6	-381.	
0	0.0	0.0	SLDx (RS)	I	340.8	-7.8	201.9	0.0	0.	
3	7858.2	-18866.4		J	340.8	-7.8	201.9	-545.3	545.	
0	0.0	0.0	SLDy (RS)	I	-314.3	2.7	4.1	0.0	0.	
6	159.9	-383.8		J	-314.3	2.7	4.1	190.6	-190.	
0	0.0	0.0	SLVz (RS)	I	304.6	13.5	-348.9	0.0	0.	
5	-13578.8	32600.9		J	304.6	13.5	-348.9	943.5	-943.	
0	0.0	0.0	g1	I	-5936.8	29.7	-1018.6	0.0	0.	
8	-26419.0	63428.7		J	-5931.1	29.7	-339.1	2074.8	-2074.	
0	0.0	0.0	g2	I	-4523.1	0.1	-0.0	0.0	0.	
9	-0.2	0.5		J	-4523.1	0.1	-0.0	7.9	-7.	
0	0.0	0.0	q3	I	57.3	0.0	0.0	0.0	0.	
8	0.2	-0.4		J	57.3	0.0	0.0	1.8	-1.	
0	0.0	0.0	q5_pc	I	70.1	3.2	0.1	0.0	0.	
2	2.5	-6.1		J	70.1	3.2	0.1	226.2	-226.	
0	0.0	0.0	q5_ps	I	-174.5	2.9	0.1	0.0	0.	
8	2.6	-6.2		J	-174.5	2.9	0.1	203.8	-203.	
0	0.0	0.0	INVSLU Max	I	-67432.9	62.5	-1374.3	0.0	0.	
5	-35635.5	85701.3		J	-67425.2	62.5	-457.0	4372.6	-1520.	
0	0.0	0.0	Min	I	-78719.1	21.7	-1375.8	0.0	0.	
6	-35696.0	85556.2		J	-78711.4	21.7	-458.6	1520.5	-4372.	
0	0.0	0.0	INVSLV Max	I	-26645.5	52.2	-507.1	0.0	0.	
1	-6515.4	111213.7		J	-26639.8	52.2	172.3	3651.9	-673.	
0	0.0	0.0	Min	I	-28569.4	9.6	-1530.0	0.0	0.	
9	-46322.3	15642.6		J	-28563.7	9.6	-850.5	673.1	-3651.	
0	162	2	80	Q1-1-2 Max	I	2479.9	12.7	0.2	920.8	891.
0	8.8	18.6		J	2479.9	12.7	0.2	0.0	0.	
0	0.0	0.0								

# MIDAS

PROJECT TITLE :

			Company		Client				
			Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
8	-7.8	-21.2	Min	I	-5786.9	-13.2	-0.2	-891.0	-920.
				J	-5786.9	-13.2	-0.2	0.0	0.
0	0.0	0.0							
8	5.2	11.0	Q2a-1-2 Max	I	1360.7	8.3	0.1	596.1	577.
				J	1360.7	8.3	0.1	0.0	0.
0	0.0	0.0							
1	-4.6	-12.4	Min	I	-3378.0	-8.5	-0.1	-577.8	-596.
				J	-3378.0	-8.5	-0.1	0.0	0.
0	0.0	0.0							
9	15734.2	-37775.8	SLVx (RS)	I	650.5	15.6	-404.3	-1091.9	1091.
				J	650.5	15.6	-404.3	0.0	0.
0	0.0	0.0							
6	318.9	-765.6	SLVy (RS)	I	-324.9	-5.5	-8.2	381.6	-381.
				J	-324.9	-5.5	-8.2	0.0	0.
0	0.0	0.0							
3	7858.4	-18867.0	SLDx (RS)	I	325.1	7.8	-201.9	-545.3	545.
				J	325.1	7.8	-201.9	0.0	0.
0	0.0	0.0							
6	159.2	-382.2	SLDy (RS)	I	-162.3	-2.7	-4.1	190.6	-190.
				J	-162.3	-2.7	-4.1	0.0	0.
0	0.0	0.0							
5	-13578.9	32601.1	SLVz (RS)	I	287.9	-13.5	348.9	943.5	-943.
				J	287.9	-13.5	348.9	0.0	0.
0	0.0	0.0							
7	-26416.7	63422.9	g1	I	-5929.4	-29.7	339.0	2074.7	-2074.
				J	-5923.7	-29.7	1018.5	0.0	0.
0	0.0	0.0							
9	0.4	-0.9	g2	I	-4523.1	-0.1	-0.0	7.9	-7.
				J	-4523.1	-0.1	-0.0	0.0	0.
0	0.0	0.0							
8	-0.1	0.3	q3	I	57.3	-0.0	0.0	1.8	-1.
				J	57.3	-0.0	0.0	0.0	0.
0	0.0	0.0							
2	3.1	-7.5	q5_pc	I	69.6	-3.2	-0.1	226.2	-226.
				J	69.6	-3.2	-0.1	0.0	0.
0	0.0	0.0							
8	2.5	-6.1	q5_ps	I	-174.8	-2.9	-0.1	203.8	-203.
				J	-174.8	-2.9	-0.1	0.0	0.
0	0.0	0.0							
8	-35644.9	85646.1	INVSLU Max	I	-67423.6	-21.7	458.0	4372.8	-1519.

MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	0.0	0.0		J	-67415.9	-21.7	1375.2	0.0	0.
8	-35673.0	85578.7	Min	I	-78709.1	-62.5	457.2	1519.8	-4372.
0	0.0	0.0		J	-78701.4	-62.5	1374.5	0.0	0.
9	-6511.1	111204.0	INVSLV Max	I	-26765.7	-9.6	850.4	3651.8	-672.
0	0.0	0.0		J	-26760.0	-9.6	1529.9	0.0	0.
8	-46318.2	15632.3	Min	I	-28434.5	-52.2	-172.4	672.9	-3651.
0	0.0	0.0		J	-28428.8	-52.2	507.0	0.0	0.
0	163	2	80	Q1-1-2 Max	I	2481.0	0.0	0.0	0.0
0	0.0	0.0		J	2481.0	0.0	0.0	0.0	0.
0	0.0	0.0		Min	I	-5786.7	0.0	0.0	0.0
0	0.0	0.0		J	-5786.7	0.0	0.0	0.0	0.
0	0.0	0.0		Q2a-1-2 Max	I	1361.6	0.0	0.0	0.0
0	0.0	0.0		J	1361.6	0.0	0.0	0.0	0.
0	0.0	0.0		Min	I	-3377.9	0.0	0.0	0.0
0	0.0	0.0		J	-3377.9	0.0	0.0	0.0	0.
0	0.0	0.0		SLVx (RS)	I	659.0	0.0	0.0	0.0
0	0.0	0.0		J	659.0	0.0	0.0	0.0	0.
0	0.0	0.0		SLVy (RS)	I	319.6	0.0	0.0	0.0
0	0.0	0.0		J	319.6	0.0	0.0	0.0	0.
0	0.0	0.0		SLDx (RS)	I	329.4	0.0	0.0	0.0
0	0.0	0.0		J	329.4	0.0	0.0	0.0	0.
0	0.0	0.0		SLDy (RS)	I	159.6	0.0	0.0	0.0
0	0.0	0.0		J	159.6	0.0	0.0	0.0	0.
0	0.0	0.0		SLVz (RS)	I	291.7	0.0	0.0	0.0
0	0.0	0.0		J	291.7	0.0	0.0	0.0	0.
0	0.0	0.0		g1	I	-5922.7	0.0	-339.7	0.0
0	0.0	0.0		J	-5917.0	0.0	339.7	0.0	0.
0	0.0	0.0		g2	I	-4523.0	0.0	0.0	0.0



PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			

0	0.0	0.0		J	-4523.0	0.0	0.0	0.0	0.0
0	0.0	0.0	q3	I	57.4	0.0	0.0	0.0	0.0
0	0.0	0.0		J	57.4	0.0	0.0	0.0	0.0
0	0.0	0.0	q5_pc	I	431.3	0.0	0.0	0.0	0.0
0	0.0	0.0		J	431.3	0.0	0.0	0.0	0.0
0	0.0	0.0	q5_ps	I	170.1	0.0	0.0	0.0	0.0
0	0.0	0.0		J	170.1	0.0	0.0	0.0	0.0
0	0.0	0.0	INVSLU Max	I	-67061.4	0.0	-458.6	0.0	0.0
0	0.0	0.0		J	-67053.7	0.0	458.6	0.0	0.0
0	0.0	0.0	Min	I	-78999.2	0.0	-458.6	0.0	0.0
0	0.0	0.0		J	-78991.5	0.0	458.6	0.0	0.0
0	0.0	0.0	INVSLV Max	I	-26732.7	0.0	-339.7	0.0	0.0
0	0.0	0.0		J	-26727.0	0.0	339.7	0.0	0.0
0	0.0	0.0	Min	I	-28417.4	0.0	-339.7	0.0	0.0
0	0.0	0.0		J	-28411.7	0.0	339.7	0.0	0.0
0	164	2	80 Q1-1-2 Max	I	2536.2	0.0	0.0	0.0	0.0
0	0.0	0.0		J	2536.2	0.0	0.0	0.0	0.0
0	0.0	0.0	Min	I	-5766.3	0.0	-0.0	0.0	0.0
0	0.0	0.0		J	-5766.3	0.0	0.0	0.0	0.0
0	0.0	0.0	Q2a-1-2 Max	I	1399.2	0.0	0.0	0.0	0.0
0	0.0	0.0		J	1399.2	0.0	0.0	0.0	0.0
0	0.0	0.0	Min	I	-3360.9	0.0	-0.0	0.0	0.0
0	0.0	0.0		J	-3360.9	0.0	0.0	0.0	0.0
0	0.0	0.0	SLVx (RS)	I	689.3	0.0	-0.0	0.0	0.0
0	0.0	0.0		J	689.3	0.0	0.0	0.0	0.0
0	0.0	0.0	SLVy (RS)	I	-330.3	0.0	0.0	0.0	0.0
0	0.0	0.0		J	-330.3	0.0	0.0	0.0	0.0
0	0.0	0.0	SLDx (RS)	I	344.6	0.0	-0.0	0.0	0.0

MIDAS

PROJECT TITLE :

MIDAS		Company		Client					
		Author		File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0	0.0	0.0		J	344.6	0.0	0.0	0.0	0.
0	0.0	0.0	SLDy (RS)	I	-165.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	-165.0	0.0	0.0	0.0	0.
0	0.0	0.0	SLVz (RS)	I	308.8	0.0	-0.0	0.0	0.
0	0.0	0.0		J	308.8	0.0	0.0	0.0	0.
0	0.0	0.0	g1	I	-5937.4	0.0	-339.7	0.0	0.
0	0.0	0.0		J	-5931.7	0.0	339.7	0.0	0.
0	0.0	0.0	g2	I	-4504.8	0.0	0.0	0.0	0.
0	0.0	0.0		J	-4504.8	0.0	0.0	0.0	0.
0	0.0	0.0	q3	I	47.3	0.0	0.0	0.0	0.
0	0.0	0.0		J	47.3	0.0	0.0	0.0	0.
0	0.0	0.0	q5_pc	I	78.6	0.0	-0.0	0.0	0.
0	0.0	0.0		J	78.6	0.0	0.0	0.0	0.
0	0.0	0.0	q5_ps	I	-168.4	0.0	0.0	0.0	0.
0	0.0	0.0		J	-168.4	0.0	0.0	0.0	0.
0	0.0	0.0	INVSLU Max	I	-67264.8	0.0	-458.6	0.0	0.
0	0.0	0.0		J	-67257.1	0.0	458.6	0.0	0.
0	0.0	0.0	Min	I	-78614.7	0.0	-458.6	0.0	0.
0	0.0	0.0		J	-78607.0	0.0	458.6	0.0	0.
0	0.0	0.0	INVSLV Max	I	-26674.5	0.0	-339.7	0.0	0.
0	0.0	0.0		J	-26668.8	0.0	339.7	0.0	0.
0	0.0	0.0	Min	I	-28436.6	0.0	-339.7	0.0	0.
0	0.0	0.0		J	-28430.9	0.0	339.7	0.0	0.
0	165	2	80	Q1-1-2 Max	I	2535.3	12.8	0.5	0.0
0	0.0	0.0	0.0		J	2535.3	12.8	0.5	895.8
8	20.8	49.7		Min	I	-5766.2	-13.1	-0.5	0.0
0	0.0	0.0			J	-5766.2	-13.1	-0.5	-913.8
8	-20.7	-50.0		Q2a-1-2 Max	I	1398.5	8.3	0.3	0.0

# MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			

0	0.0	0.0		J	1398.5	8.3	0.3	581.1	591.
8	13.3	31.7							
			Min	I	-3360.9	-8.5	-0.3	0.0	0.
0	0.0	0.0		J	-3360.9	-8.5	-0.3	-591.8	-581.
1	-13.2	-31.9							
			SLVx (RS)	I	692.4	-15.3	396.2	0.0	0.
0	0.0	0.0		J	692.4	-15.3	396.2	-1071.2	1071.
2	15418.4	-37017.6							
			SLVy (RS)	I	317.7	5.7	-5.2	0.0	0.
0	0.0	0.0		J	317.7	5.7	-5.2	395.2	-395.
2	-201.7	484.3							
			SLDx (RS)	I	346.2	-7.7	197.9	0.0	0.
0	0.0	0.0		J	346.2	-7.7	197.9	-535.0	535.
0	7700.8	-18488.7							
			SLDy (RS)	I	158.7	2.8	-2.6	0.0	0.
0	0.0	0.0		J	158.7	2.8	-2.6	197.3	-197.
3	-100.9	242.2							
			SLVz (RS)	I	313.4	13.5	-349.1	0.0	0.
0	0.0	0.0		J	313.4	13.5	-349.1	944.4	-944.
4	-13586.7	32619.8							
			g1	I	-5929.1	29.3	-1018.5	0.0	0.
0	0.0	0.0		J	-5923.4	29.3	-339.1	2051.4	-2051.
4	-26417.7	63425.3							
			g2	I	-4504.9	-0.1	0.0	0.0	0.
0	0.0	0.0		J	-4504.9	-0.1	0.0	-5.4	5.
4	0.2	-0.5							
			q3	I	47.2	0.0	0.0	0.0	0.
0	0.0	0.0		J	47.2	0.0	0.0	1.2	-1.
2	0.1	-0.3							
			q5_pc	I	419.7	3.2	0.1	0.0	0.
0	0.0	0.0		J	419.7	3.2	0.1	225.9	-225.
9	2.5	-6.1							
			q5_ps	I	161.2	2.9	0.1	0.0	0.
0	0.0	0.0		J	161.2	2.9	0.1	203.4	-203.
4	2.6	-6.1							
			INVSLU Max	I	-66921.4	58.1	-1374.3	0.0	0.
0	0.0	0.0		J	-66913.7	58.1	-457.0	4059.5	-1210.
0	-35635.0	85700.4							
			Min	I	-78884.0	17.3	-1375.8	0.0	0.
0	0.0	0.0		J	-78876.3	17.3	-458.5	1210.0	-4059.
5	-35695.6	85554.9							

# MIDAS


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	0.0	0.0	INVS LV Max	I	-26645.7	49.2	-516.1	0.0	0.	
6	-6863.7	110376.5		J	-26640.0	49.2	163.4	3437.7	-491.	
0	0.0	0.0	Min	I	-28409.2	7.0	-1521.0	0.0	0.	
7	-45973.6	16478.7		J	-28403.5	7.0	-841.5	491.6	-3437.	
2	166	2	80	Q1-1-2 Max	I	2535.4	13.1	0.2	896.2	914.
0	8.0	20.6		J	2535.4	13.1	0.2	0.0	0.	
0	0.0	0.0	Min	I	-5766.1	-12.8	-0.2	-914.2	-896.	
2	-8.6	-19.3		J	-5766.1	-12.8	-0.2	0.0	0.	
0	0.0	0.0	Q2a-1-2 Max	I	1398.6	8.5	0.1	581.4	592.	
0	4.7	12.1		J	1398.6	8.5	0.1	0.0	0.	
0	0.0	0.0	Min	I	-3360.8	-8.3	-0.1	-592.0	-581.	
4	-5.0	-11.4		J	-3360.8	-8.3	-0.1	0.0	0.	
0	0.0	0.0	SLVx (RS)	I	661.1	15.3	-396.2	-1071.2	1071.	
2	15418.3	-37017.3		J	661.1	15.3	-396.2	0.0	0.	
0	0.0	0.0	SLVy (RS)	I	620.2	-5.7	5.2	395.2	-395.	
2	-201.8	484.4		J	620.2	-5.7	5.2	0.0	0.	
0	0.0	0.0	SLDx (RS)	I	330.4	7.7	-197.9	-535.0	535.	
0	7700.8	-18488.5		J	330.4	7.7	-197.9	0.0	0.	
0	0.0	0.0	SLDy (RS)	I	309.8	-2.8	2.6	197.4	-197.	
4	-100.9	242.3		J	309.8	-2.8	2.6	0.0	0.	
0	0.0	0.0	SLVz (RS)	I	295.3	-13.5	349.1	944.4	-944.	
4	-13586.6	32619.7		J	295.3	-13.5	349.1	0.0	0.	
0	0.0	0.0	g1	I	-5921.6	-29.3	339.1	2051.4	-2051.	
4	-26418.6	63427.6		J	-5915.9	-29.3	1018.5	0.0	0.	
0	0.0	0.0	g2	I	-4504.8	0.1	0.0	-5.4	5.	
4	-0.3	0.8		J	-4504.8	0.1	0.0	0.0	0.	
0	0.0	0.0	q3	I	47.2	-0.0	0.0	1.2	-1.	
2	-0.1	0.3		J	47.2	-0.0	0.0	0.0	0.	

MIDAS

PROJECT TITLE :

			Company		Client				
			Author		File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0	0.0	0.0							
9	3.2	-7.6	q5_pc	I	419.3	-3.2	-0.1	225.9	-225.9
0	0.0	0.0		J	419.3	-3.2	-0.1	0.0	0.0
4	2.6	-6.1	q5_ps	I	160.8	-2.9	-0.1	203.4	-203.4
0	0.0	0.0		J	160.8	-2.9	-0.1	0.0	0.0
6	-35653.0	85665.6	INVSLU Max	I	-66911.2	-17.3	458.2	4060.0	-1209.6
0	0.0	0.0		J	-66903.6	-17.3	1375.4	0.0	0.0
0	-35681.1	85598.1	Min	I	-78873.1	-58.1	457.4	1209.6	-4060.0
0	0.0	0.0		J	-78865.4	-58.1	1374.7	0.0	0.0
6	-6865.0	110379.1	INVSLV Max	I	-26584.0	-7.0	841.6	3437.8	-491.6
0	0.0	0.0		J	-26578.3	-7.0	1521.0	0.0	0.0
8	-45974.7	16482.0	Min	I	-28455.5	-49.2	-163.3	491.6	-3437.8
0	0.0	0.0		J	-28449.8	-49.2	516.1	0.0	0.0
0	167	2	80	Q1-1-2 Max	I	2534.3	0.0	0.0	0.0
0	0.0	0.0	0.0		J	2534.3	0.0	0.0	0.0
0	0.0	0.0	0.0	Min	I	-5765.7	-0.0	-0.0	0.0
0	0.0	0.0	0.0		J	-5765.7	0.0	0.0	0.0
0	0.0	0.0	0.0						
0	0.0	0.0	0.0	Q2a-1-2 Max	I	1397.8	0.0	0.0	0.0
0	0.0	0.0	0.0		J	1397.8	0.0	0.0	0.0
0	0.0	0.0	0.0	Min	I	-3360.7	-0.0	-0.0	0.0
0	0.0	0.0	0.0		J	-3360.7	0.0	0.0	0.0
0	0.0	0.0	0.0						
0	0.0	0.0	0.0	SLVx (RS)	I	661.2	-0.0	0.0	0.0
0	0.0	0.0	0.0		J	661.2	0.0	0.0	0.0
0	0.0	0.0	0.0						
0	0.0	0.0	0.0	SLVy (RS)	I	-626.7	0.0	0.0	0.0
0	0.0	0.0	0.0		J	-626.7	0.0	0.0	0.0
0	0.0	0.0	0.0						
0	0.0	0.0	0.0	SLDx (RS)	I	330.4	-0.0	0.0	0.0
0	0.0	0.0	0.0		J	330.4	0.0	0.0	0.0
0	0.0	0.0	0.0						
0	0.0	0.0	0.0	SLDy (RS)	I	-313.0	0.0	0.0	0.0
0	0.0	0.0	0.0		J	-313.0	0.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			

0	0.0	0.0							
			SLVz (RS)	I	289.7	0.0	0.0	0.0	0.
0	0.0	0.0		J	289.7	0.0	0.0	0.0	0.
0	0.0	0.0							
			g1	I	-5911.5	-0.0	-339.7	0.0	0.
0	0.0	0.0		J	-5905.8	0.0	339.7	0.0	0.
0	0.0	0.0							
			g2	I	-4504.8	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-4504.8	0.0	0.0	0.0	0.
0	0.0	0.0							
			q3	I	47.3	-0.0	0.0	0.0	0.
0	0.0	0.0		J	47.3	0.0	0.0	0.0	0.
0	0.0	0.0							
			q5_pc	I	81.5	0.0	0.0	0.0	0.
0	0.0	0.0		J	81.5	0.0	0.0	0.0	0.
0	0.0	0.0							
			q5_ps	I	-165.8	0.0	0.0	0.0	0.
0	0.0	0.0		J	-165.8	0.0	0.0	0.0	0.
0	0.0	0.0							
			INVSLU Max	I	-67231.4	-0.0	-458.6	0.0	0.
0	0.0	0.0		J	-67223.7	0.0	458.6	0.0	0.
0	0.0	0.0							
			Min	I	-78583.1	-0.0	-458.6	0.0	0.
0	0.0	0.0		J	-78575.4	0.0	458.6	0.0	0.
0	0.0	0.0							
			INVSLV Max	I	-26594.6	-0.0	-339.7	0.0	0.
0	0.0	0.0		J	-26588.9	0.0	339.7	0.0	0.
0	0.0	0.0							
			Min	I	-28466.8	-0.0	-339.7	0.0	0.
0	0.0	0.0		J	-28461.1	0.0	339.7	0.0	0.
0	0.0	0.0							
			Q1-1-2 Max	I	3311.0	0.0	0.0	0.0	0.
0	168	2		J	3311.0	0.0	0.0	0.0	0.
0	0.0	0.0							
			Min	I	-5665.0	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-5665.0	0.0	0.0	0.0	0.
0	0.0	0.0							
			Q2a-1-2 Max	I	1901.7	0.0	0.0	0.0	0.
0	0.0	0.0		J	1901.7	0.0	0.0	0.0	0.
0	0.0	0.0							
			Min	I	-3223.1	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-3223.1	0.0	0.0	0.0	0.


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			

0	0.0	0.0							
			SLVx (RS)	I	592.2	0.0	-0.0	0.0	0.
0	0.0	0.0		J	592.2	0.0	0.0	0.0	0.
0	0.0	0.0							
			SLVy (RS)	I	-1226.1	0.0	0.0	0.0	0.
0	0.0	0.0		J	-1226.1	0.0	0.0	0.0	0.
0	0.0	0.0							
			SLDx (RS)	I	296.1	0.0	-0.0	0.0	0.
0	0.0	0.0		J	296.1	0.0	0.0	0.0	0.
0	0.0	0.0							
			SLDy (RS)	I	-612.3	0.0	0.0	0.0	0.
0	0.0	0.0		J	-612.3	0.0	0.0	0.0	0.
0	0.0	0.0							
			SLVz (RS)	I	261.4	0.0	-0.0	0.0	0.
0	0.0	0.0		J	261.4	0.0	0.0	0.0	0.
0	0.0	0.0							
			g1	I	-5287.4	0.0	-339.7	0.0	0.
0	0.0	0.0		J	-5281.7	0.0	339.7	0.0	0.
0	0.0	0.0							
			g2	I	-4182.2	0.0	0.0	0.0	0.
0	0.0	0.0		J	-4182.2	0.0	0.0	0.0	0.
0	0.0	0.0							
			q3	I	33.1	0.0	0.0	0.0	0.
0	0.0	0.0		J	33.1	0.0	0.0	0.0	0.
0	0.0	0.0							
			q5_pc	I	-278.5	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-278.5	0.0	0.0	0.0	0.
0	0.0	0.0							
			q5_ps	I	-508.2	0.0	0.0	0.0	0.
0	0.0	0.0		J	-508.2	0.0	0.0	0.0	0.
0	0.0	0.0							
			INVS LU Max	I	-63490.3	0.0	-458.6	0.0	0.
0	0.0	0.0		J	-63482.6	0.0	458.6	0.0	0.
0	0.0	0.0							
			Min	I	-76109.3	0.0	-458.6	0.0	0.
0	0.0	0.0		J	-76101.6	0.0	458.6	0.0	0.
0	0.0	0.0							
			INVS LV Max	I	-24204.0	0.0	-339.7	0.0	0.
0	0.0	0.0		J	-24198.3	0.0	339.7	0.0	0.
0	0.0	0.0							
			Min	I	-27168.2	0.0	-339.7	0.0	0.

MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name					
					PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt					
0	0.0	0.0			J	-27162.5	0.0	339.7	0.0	0.
0	0.0	0.0								
0	169	2	80	Q1-1-2 Max	I	3310.0	12.3	0.5	0.0	0.
0	0.0	0.0			J	3310.0	12.3	0.5	862.2	943.
8	20.8	49.6		Min	I	-5665.0	-13.5	-0.5	0.0	0.
0	0.0	0.0			J	-5665.0	-13.5	-0.5	-943.8	-862.
2	-20.7	-50.0								
				Q2a-1-2 Max	I	1901.0	8.0	0.3	0.0	0.
0	0.0	0.0			J	1901.0	8.0	0.3	560.3	610.
1	13.3	31.9		Min	I	-3223.1	-8.7	-0.3	0.0	0.
0	0.0	0.0			J	-3223.1	-8.7	-0.3	-610.1	-560.
3	-13.3	-31.8								
				SLVx (RS)	I	604.0	-13.1	336.8	0.0	0.
0	0.0	0.0			J	604.0	-13.1	336.8	-913.4	913.
4	13108.6	-31472.0								
				SLVy (RS)	I	1221.8	5.1	-7.9	0.0	0.
0	0.0	0.0			J	1221.8	5.1	-7.9	354.1	-354.
1	-307.1	737.3								
				SLDx (RS)	I	302.0	-6.5	168.2	0.0	0.
0	0.0	0.0			J	302.0	-6.5	168.2	-456.2	456.
2	6547.2	-15719.0								
				SLDy (RS)	I	610.2	2.5	-3.9	0.0	0.
0	0.0	0.0			J	610.2	2.5	-3.9	176.8	-176.
8	-153.6	368.7								
				SLVz (RS)	I	277.3	11.7	-301.7	0.0	0.
0	0.0	0.0			J	277.3	11.7	-301.7	816.7	-816.
7	-11741.3	28189.3								
				g1	I	-5280.4	28.9	-1018.5	0.0	0.
0	0.0	0.0			J	-5274.7	28.9	-339.0	2020.2	-2020.
2	-26417.3	63424.4								
				g2	I	-4182.4	-0.3	0.0	0.0	0.
0	0.0	0.0			J	-4182.4	-0.3	0.0	-17.8	17.
8	0.4	-1.0								
				q3	I	33.1	0.0	0.0	0.0	0.
0	0.0	0.0			J	33.1	0.0	0.0	1.0	-1.
0	0.1	-0.3								
				q5_pc	I	777.7	2.8	0.1	0.0	0.
0	0.0	0.0			J	777.7	2.8	0.1	197.0	-197.
0	2.1	-5.1								



MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	0.0	0.0	q5_ps	I	506.2	2.5	0.1	0.0	0.	
0	2.2	-5.3		J	506.2	2.5	0.1	178.0	-178.	
0	0.0	0.0	INVS LU Max	I	-62992.9	50.9	-1374.4	0.0	0.	
2	-35641.3	85713.6		J	-62985.2	50.9	-457.1	3556.9	-764.	
0	0.0	0.0	Min	I	-76508.9	10.9	-1376.0	0.0	0.	
9	-35701.1	85570.0		J	-76501.2	10.9	-458.7	764.2	-3556.	
0	0.0	0.0	INVS LV Max	I	-24162.8	42.1	-588.9	0.0	0.	
1	-9699.1	103586.3		J	-24157.1	42.1	90.5	2940.3	-411.	
0	0.0	0.0	Min	I	-27135.1	5.9	-1448.3	0.0	0.	
3	-43145.3	23286.3		J	-27129.4	5.9	-768.9	411.1	-2940.	
1	170	2	80	Q1-1-2 Max	I	3310.1	13.5	0.2	862.6	944.
0	7.1	22.1		J	3310.1	13.5	0.2	0.0	0.	
6	-9.2	-17.0		Min	I	-5664.9	-12.3	-0.2	-944.1	-862.
0	0.0	0.0		J	-5664.9	-12.3	-0.2	0.0	0.	
3	4.3	12.9	Q2a-1-2 Max	I	1901.1	8.7	0.1	560.6	610.	
0	0.0	0.0		J	1901.1	8.7	0.1	0.0	0.	
6	-5.4	-10.2	Min	I	-3223.0	-8.0	-0.1	-610.3	-560.	
0	0.0	0.0		J	-3223.0	-8.0	-0.1	0.0	0.	
4	13108.3	-31471.3	SLVx (RS)	I	573.0	13.1	-336.8	-913.4	913.	
0	0.0	0.0		J	573.0	13.1	-336.8	0.0	0.	
2	-308.2	740.0	SLVy (RS)	I	1510.6	-5.1	7.9	354.2	-354.	
0	0.0	0.0		J	1510.6	-5.1	7.9	0.0	0.	
2	6547.1	-15718.7	SLDx (RS)	I	286.4	6.5	-168.2	-456.2	456.	
0	0.0	0.0		J	286.4	6.5	-168.2	0.0	0.	
9	-154.1	370.0	SLDy (RS)	I	754.4	-2.5	4.0	176.9	-176.	
0	0.0	0.0		J	754.4	-2.5	4.0	0.0	0.	
7	-11741.2	28189.2	SLVz (RS)	I	257.8	-11.7	301.7	816.7	-816.	
0	0.0	0.0		J	257.8	-11.7	301.7	0.0	0.	

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

2	-26419.8	63430.4	g1	I	-5272.8	-28.9	339.1	2020.2	-2020.
0	0.0	0.0		J	-5267.1	-28.9	1018.6	0.0	0.
8	-0.9	2.1	g2	I	-4182.3	0.3	0.0	-17.8	17.
0	0.0	0.0		J	-4182.3	0.3	0.0	0.0	0.
0	-0.1	0.2	q3	I	33.1	-0.0	0.0	1.0	-1.
0	0.0	0.0		J	33.1	-0.0	0.0	0.0	0.
0	2.8	-6.8	q5_pc	I	777.3	-2.8	-0.1	197.0	-197.
0	0.0	0.0		J	777.3	-2.8	-0.1	0.0	0.
0	2.3	-5.5	q5_ps	I	505.8	-2.5	-0.1	178.0	-178.
0	0.0	0.0		J	505.8	-2.5	-0.1	0.0	0.
8	-35659.5	85678.8	INVS LU Max	I	-62981.9	-10.9	458.3	3557.4	-763.
0	0.0	0.0		J	-62974.2	-10.9	1375.6	0.0	0.
4	-35686.6	85613.7	Min	I	-76497.2	-50.9	457.6	763.8	-3557.
0	0.0	0.0		J	-76489.5	-50.9	1374.9	0.0	0.
1	-9700.4	103589.4	INVS LV Max	I	-23880.9	-5.9	768.9	2940.4	-411.
0	0.0	0.0		J	-23875.2	-5.9	1448.4	0.0	0.
4	-43146.6	23289.3	Min	I	-27400.6	-42.1	-90.5	411.1	-2940.
0	0.0	0.0		J	-27394.9	-42.1	589.0	0.0	0.
0	171	2	80	Q1-1-2 Max	I	3308.8	0.0	0.0	0.0
0	0.0	0.0		J	3308.8	0.0	0.0	0.0	0.
0	0.0	0.0		Min	I	-5664.6	-0.0	-0.0	0.0
0	0.0	0.0		J	-5664.6	0.0	0.0	0.0	0.
0	0.0	0.0		Q2a-1-2 Max	I	1900.2	0.0	0.0	0.0
0	0.0	0.0		J	1900.2	0.0	0.0	0.0	0.
0	0.0	0.0		Min	I	-3222.9	-0.0	-0.0	0.0
0	0.0	0.0		J	-3222.9	0.0	0.0	0.0	0.
0	0.0	0.0		SLVx (RS)	I	562.3	-0.0	0.0	0.0
0	0.0	0.0		J	562.3	0.0	0.0	0.0	0.

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	0.0	0.0	SLVy (RS)	I	-1509.0	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-1509.0	0.0	0.0	0.0	0.
0	0.0	0.0	SLDx (RS)	I	281.0	-0.0	0.0	0.0	0.
0	0.0	0.0		J	281.0	0.0	0.0	0.0	0.
0	0.0	0.0	SLDy (RS)	I	-753.6	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-753.6	0.0	0.0	0.0	0.
0	0.0	0.0	SLVz (RS)	I	242.6	0.0	0.0	0.0	0.
0	0.0	0.0		J	242.6	0.0	0.0	0.0	0.
0	0.0	0.0	g1	I	-5261.9	-0.0	-339.7	0.0	0.
0	0.0	0.0		J	-5256.2	0.0	339.7	0.0	0.
0	0.0	0.0	g2	I	-4182.4	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-4182.4	0.0	0.0	0.0	0.
0	0.0	0.0	q3	I	33.1	-0.0	0.0	0.0	0.
0	0.0	0.0		J	33.1	0.0	0.0	0.0	0.
0	0.0	0.0	q5_pc	I	-276.1	0.0	0.0	0.0	0.
0	0.0	0.0		J	-276.1	0.0	0.0	0.0	0.
0	0.0	0.0	q5_ps	I	-506.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	-506.0	0.0	0.0	0.0	0.
0	0.0	0.0	INVS LU Max	I	-63467.5	-0.0	-458.6	0.0	0.
0	0.0	0.0		J	-63459.8	0.0	458.6	0.0	0.
0	0.0	0.0	Min	I	-76078.5	-0.0	-458.6	0.0	0.
0	0.0	0.0		J	-76070.8	0.0	458.6	0.0	0.
0	0.0	0.0	INVS LV Max	I	-23914.5	0.0	-339.7	0.0	0.
0	0.0	0.0		J	-23908.8	0.0	339.7	0.0	0.
0	0.0	0.0	Min	I	-27415.4	-0.0	-339.7	0.0	0.
0	0.0	0.0		J	-27409.7	0.0	339.7	0.0	0.
0	172	2	80 Q1-1-2 Max	I	5164.1	0.0	0.0	0.0	0.
0	0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0	0.0	0.0		J	5164.1	0.0	0.0	0.0	0.0
0	0.0	0.0	Min	I	-4966.9	-0.0	0.0	0.0	0.0
0	0.0	0.0		J	-4966.9	-0.0	0.0	0.0	0.0
0	0.0	0.0	Q2a-1-2 Max	I	3080.8	0.0	0.0	0.0	0.0
0	0.0	0.0		J	3080.8	0.0	0.0	0.0	0.0
0	0.0	0.0	Min	I	-2755.3	-0.0	0.0	0.0	0.0
0	0.0	0.0		J	-2755.3	-0.0	0.0	0.0	0.0
0	0.0	0.0	SLVx (RS)	I	385.1	0.0	0.0	0.0	0.0
0	0.0	0.0		J	385.1	-0.0	0.0	0.0	0.0
0	0.0	0.0	SLVy (RS)	I	-2054.8	-0.0	0.0	0.0	0.0
0	0.0	0.0		J	-2054.8	0.0	0.0	0.0	0.0
0	0.0	0.0	SLDx (RS)	I	192.5	0.0	0.0	0.0	0.0
0	0.0	0.0		J	192.5	-0.0	0.0	0.0	0.0
0	0.0	0.0	SLDy (RS)	I	-1026.1	-0.0	0.0	0.0	0.0
0	0.0	0.0		J	-1026.1	0.0	0.0	0.0	0.0
0	0.0	0.0	SLVz (RS)	I	162.8	-0.0	0.0	0.0	0.0
0	0.0	0.0		J	162.8	0.0	0.0	0.0	0.0
0	0.0	0.0	g1	I	-3628.2	0.0	-339.7	0.0	0.0
0	0.0	0.0		J	-3622.5	-0.0	339.7	0.0	0.0
0	0.0	0.0	g2	I	-3351.8	0.0	0.0	0.0	0.0
0	0.0	0.0		J	-3351.8	-0.0	0.0	0.0	0.0
0	0.0	0.0	q3	I	28.5	0.0	0.0	0.0	0.0
0	0.0	0.0		J	28.5	-0.0	0.0	0.0	0.0
0	0.0	0.0	q5_pc	I	-730.2	-0.0	0.0	0.0	0.0
0	0.0	0.0		J	-730.2	0.0	0.0	0.0	0.0
0	0.0	0.0	q5_ps	I	-922.6	-0.0	0.0	0.0	0.0
0	0.0	0.0		J	-922.6	0.0	0.0	0.0	0.0

# MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			

0	0.0	0.0	INVS LU Max	I	-52401.0	0.0	-458.7	0.0	0.
				J	-52393.3	-0.0	458.7	0.0	0.
0	0.0	0.0	Min	I	-67392.1	0.0	-458.7	0.0	0.
0	0.0	0.0		J	-67384.4	-0.0	458.7	0.0	0.
0	0.0	0.0	INVS LV Max	I	-17641.3	0.0	-339.7	0.0	0.
0	0.0	0.0		J	-17635.6	0.0	339.7	0.0	0.
0	0.0	0.0	Min	I	-22079.6	-0.0	-339.7	0.0	0.
0	0.0	0.0		J	-22073.9	-0.0	339.7	0.0	0.
0	0.0	0.0							
0	173	2	80	Q1-1-2 Max	I	5162.7	11.7	0.5	0.0
0	0.0	0.0	0.0		J	5162.7	11.7	0.5	818.9
1	20.5	44.3		Min	I	-4966.8	-13.4	-0.5	0.0
0	0.0	0.0		J	-4966.8	-13.4	-0.5	-940.1	-818.
9	-18.4	-49.1							
0	0.0	0.0	Q2a-1-2 Max	I	3079.9	7.7	0.3	0.0	0.
				J	3079.9	7.7	0.3	535.3	607.
6	13.1	28.6	Min	I	-2755.2	-8.7	-0.3	0.0	0.
0	0.0	0.0		J	-2755.2	-8.7	-0.3	-607.6	-535.
3	-11.9	-31.4							
0	0.0	0.0	SLVx (RS)	I	403.8	-9.0	232.7	0.0	0.
				J	403.8	-9.0	232.7	-632.1	632.
1	9055.8	-21741.8							
0	0.0	0.0	SLVy (RS)	I	2006.3	3.5	10.6	0.0	0.
				J	2006.3	3.5	10.6	247.9	-247.
9	411.3	-987.6							
0	0.0	0.0	SLDx (RS)	I	201.9	-4.5	116.2	0.0	0.
				J	201.9	-4.5	116.2	-315.7	315.
7	4523.0	-10859.1							
0	0.0	0.0	SLDy (RS)	I	1001.9	1.8	5.3	0.0	0.
				J	1001.9	1.8	5.3	123.8	-123.
8	205.6	-493.5							
0	0.0	0.0	SLVz (RS)	I	189.6	8.3	-213.7	0.0	0.
				J	189.6	8.3	-213.7	578.9	-578.
9	-8317.6	19969.5							
0	0.0	0.0	g1	I	-3621.5	28.7	-1018.5	0.0	0.
				J	-3615.8	28.7	-339.0	2005.2	-2005.
2	-26416.9	63423.5							


PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0	0.0	0.0	g2	I	-3352.0	-0.3	0.0	0.0	0.
				J	-3352.0	-0.3	0.0	-24.2	24.
2	1.4	-3.5							
			q3	I	28.5	0.0	0.0	0.0	0.
				J	28.5	0.0	0.0	1.2	-1.
2	0.2	-0.4							
			q5_pc	I	1183.4	1.9	0.0	0.0	0.
				J	1183.4	1.9	0.0	129.4	-129.
0	0.0	0.0							
4	0.5	-1.2							
			q5_ps	I	895.2	1.7	0.0	0.0	0.
				J	895.2	1.7	0.0	118.1	-118.
0	0.0	0.0							
1	0.8	-1.9							
			INVSLU Max	I	-51943.9	38.5	-1374.7	0.0	0.
				J	-51936.2	38.5	-457.4	2691.1	-83.
0	0.0	0.0							
5	-35650.9	85721.4	Min	I	-67748.7	1.2	-1376.0	0.0	0.
				J	-67741.0	1.2	-458.7	83.5	-2691.
0	0.0	0.0							
1	-35704.4	85593.2							
			INVSLV Max	I	-17637.5	29.4	-718.8	0.0	0.
				J	-17631.8	29.4	-39.3	2056.6	-296.
0	0.0	0.0							
2	-14752.4	91476.4	Min	I	-22006.1	4.2	-1318.7	0.0	0.
				J	-22000.4	4.2	-639.2	296.2	-2056.
0	0.0	0.0							
6	-38101.4	35418.5							
			Q1-1-2 Max	I	5162.8	13.4	0.2	819.4	940.
				J	5162.8	13.4	0.2	0.0	0.
0	0.0	0.0							
4	-9.7	-10.5	Min	I	-4966.5	-11.7	-0.1	-940.4	-819.
				J	-4966.5	-11.7	-0.1	0.0	0.
0	0.0	0.0							
			Q2a-1-2 Max	I	3080.0	8.7	0.1	535.6	607.
				J	3080.0	8.7	0.1	0.0	0.
0	0.0	0.0							
6	-5.7	-6.4	Min	I	-2755.1	-7.7	-0.1	-607.8	-535.
				J	-2755.1	-7.7	-0.1	0.0	0.
0	0.0	0.0							
			SLVx(RS)	I	371.1	9.0	-232.7	-632.1	632.
				J	371.1	9.0	-232.7	0.0	0.
0	0.0	0.0							
			SLVy(RS)	I	2267.7	-3.5	-10.6	247.9	-247.
				J	2267.7	-3.5	-10.6	0.0	0.
0	0.0	0.0							

MIDAS

PROJECT TITLE :

			Company		Client				
			Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
7	4522.7	-10858.4	SLDx (RS)	I	185.4	4.5	-116.2	-315.7	315.
				J	185.4	4.5	-116.2	0.0	0.
0	0.0	0.0							
8	205.6	-493.6	SLDy (RS)	I	1132.4	-1.8	-5.3	123.8	-123.
				J	1132.4	-1.8	-5.3	0.0	0.
0	0.0	0.0							
9	-8317.5	19969.3	SLVz (RS)	I	167.9	-8.3	213.7	578.9	-578.
				J	167.9	-8.3	213.7	0.0	0.
0	0.0	0.0							
4	-26423.8	63440.0	g1	I	-3613.9	-28.7	339.2	2005.4	-2005.
				J	-3608.2	-28.7	1018.7	0.0	0.
0	0.0	0.0							
1	-2.1	4.9	g2	I	-3352.0	0.3	0.1	-24.1	24.
				J	-3352.0	0.3	0.1	0.0	0.
0	0.0	0.0							
3	-0.1	0.3	q3	I	28.5	-0.0	0.0	1.3	-1.
				J	28.5	-0.0	0.0	0.0	0.
0	0.0	0.0							
3	2.8	-6.6	q5_pc	I	1183.1	-1.8	-0.1	129.3	-129.
				J	1183.1	-1.8	-0.1	0.0	0.
0	0.0	0.0							
1	2.2	-5.2	q5_ps	I	895.0	-1.7	-0.1	118.1	-118.
				J	895.0	-1.7	-0.1	0.0	0.
0	0.0	0.0							
4	-35678.7	85717.3	INVSLU Max	I	-51931.4	-1.2	458.7	2691.9	-83.
				J	-51923.7	-1.2	1376.0	0.0	0.
0	0.0	0.0							
9	-35702.6	85659.8	Min	I	-67735.6	-38.5	458.1	83.4	-2691.
				J	-67727.9	-38.5	1375.4	0.0	0.
0	0.0	0.0							
5	-14760.8	91493.6	INVSLV Max	I	-17383.2	-4.2	639.4	2056.8	-296.
				J	-17377.5	-4.2	1318.9	0.0	0.
0	0.0	0.0							
8	-38108.5	35438.6	Min	I	-22242.0	-29.4	39.5	296.5	-2056.
				J	-22236.3	-29.4	719.0	0.0	0.
0	0.0	0.0							
0	175	2	80	Q1-1-2 Max	I	5161.6	0.0	0.0	0.0
					J	5161.6	0.0	0.0	0.0
0	0.0	0.0							
0	0.0	0.0		Min	I	-4967.0	-0.0	0.0	0.0
					J	-4967.0	-0.0	0.0	0.0
0	0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			

0	0.0	0.0	Q2a-1-2 Max	I	3079.2	0.0	0.0	0.0	0.
0	0.0	0.0		J	3079.2	0.0	0.0	0.0	0.
0	0.0	0.0	Min	I	-2755.4	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-2755.4	-0.0	0.0	0.0	0.
0	0.0	0.0	SLVx (RS)	I	-349.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	-349.0	-0.0	0.0	0.0	0.
0	0.0	0.0	SLVy (RS)	I	-2311.5	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-2311.5	0.0	0.0	0.0	0.
0	0.0	0.0	SLDx (RS)	I	-174.4	0.0	0.0	0.0	0.
0	0.0	0.0		J	-174.4	-0.0	0.0	0.0	0.
0	0.0	0.0	SLDy (RS)	I	-1154.3	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-1154.3	0.0	0.0	0.0	0.
0	0.0	0.0	SLVz (RS)	I	145.3	-0.0	0.0	0.0	0.
0	0.0	0.0		J	145.3	0.0	0.0	0.0	0.
0	0.0	0.0	g1	I	-3602.9	0.0	-339.7	0.0	0.
0	0.0	0.0		J	-3597.2	-0.0	339.7	0.0	0.
0	0.0	0.0	g2	I	-3352.1	0.0	0.0	0.0	0.
0	0.0	0.0		J	-3352.1	-0.0	0.0	0.0	0.
0	0.0	0.0	q3	I	28.5	0.0	0.0	0.0	0.
0	0.0	0.0		J	28.5	-0.0	0.0	0.0	0.
0	0.0	0.0	q5_pc	I	-728.5	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-728.5	0.0	0.0	0.0	0.
0	0.0	0.0	q5_ps	I	-921.2	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-921.2	0.0	0.0	0.0	0.
0	0.0	0.0	INVSLU Max	I	-52387.2	0.0	-458.7	0.0	0.
0	0.0	0.0		J	-52379.6	0.0	458.7	0.0	0.
0	0.0	0.0	Min	I	-67372.2	0.0	-458.7	0.0	0.



PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			

0	0.0	0.0		J	-67364.5	-0.0	458.7	0.0	0.
0	0.0	0.0	INVS LV Max	I	-17385.8	0.0	-339.7	0.0	0.
0	0.0	0.0		J	-17380.1	0.0	339.7	0.0	0.
0	0.0	0.0	Min	I	-22305.4	-0.0	-339.7	0.0	0.
0	0.0	0.0		J	-22299.7	-0.0	339.7	0.0	0.
0	0.0	0.0							
0	176	2	80 Q1-1-2 Max	I	6193.8	0.0	0.0	0.0	0.
0	0.0	0.0		J	6193.8	0.0	0.0	0.0	0.
0	0.0	0.0	Min	I	-4215.3	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-4215.3	-0.0	-0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	Q2a-1-2 Max	I	3817.8	0.0	0.0	0.0	0.
0	0.0	0.0		J	3817.8	0.0	0.0	0.0	0.
0	0.0	0.0	Min	I	-2333.7	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	-2333.7	-0.0	-0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	SLVx (RS)	I	178.0	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	178.0	-0.0	-0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	SLVy (RS)	I	-2389.1	0.0	0.0	0.0	0.
0	0.0	0.0		J	-2389.1	0.0	-0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	SLDx (RS)	I	89.0	-0.0	-0.0	0.0	0.
0	0.0	0.0		J	89.0	-0.0	-0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	SLDy (RS)	I	-1193.1	0.0	0.0	0.0	0.
0	0.0	0.0		J	-1193.1	0.0	-0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	SLVz (RS)	I	59.4	0.0	-0.0	0.0	0.
0	0.0	0.0		J	59.4	0.0	-0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	g1	I	-1519.0	-0.0	-339.7	0.0	0.
0	0.0	0.0		J	-1513.3	-0.0	339.7	0.0	0.
0	0.0	0.0							
0	0.0	0.0	g2	I	-1745.9	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-1745.9	-0.0	-0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	q3	I	13.2	-0.0	0.0	0.0	0.

MIDAS

PROJECT TITLE :

MIDAS		Company		Client		File Name			
		Author		File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0	0.0	0.0		J	13.2	-0.0	-0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	q5_pc	I	-887.4	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-887.4	0.0	-0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	q5_ps	I	-1052.3	0.0	-0.0	0.0	0.
0	0.0	0.0		J	-1052.3	0.0	-0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	INVS LU Max	I	-30307.4	0.0	-458.6	0.0	0.
0	0.0	0.0		J	-30299.7	0.0	458.6	0.0	0.
0	0.0	0.0							
0	0.0	0.0	Min	I	-45956.9	-0.0	-458.6	0.0	0.
0	0.0	0.0		J	-45949.3	-0.0	458.6	0.0	0.
0	0.0	0.0							
0	0.0	0.0	INVS LV Max	I	-5872.4	0.0	-339.7	0.0	0.
0	0.0	0.0		J	-5866.7	0.0	339.7	0.0	0.
0	0.0	0.0							
0	0.0	0.0	Min	I	-10793.1	-0.0	-339.7	0.0	0.
0	0.0	0.0		J	-10787.4	-0.0	339.7	0.0	0.
0	0.0	0.0							
0	177	2	80 Q1-1-2 Max	I	6188.2	6.2	0.4	0.0	0.
0	0.0	0.0		J	6188.2	6.2	0.4	432.5	976.
8	17.1	45.0							
0	0.0	0.0	Min	I	-4213.2	-14.0	-0.5	0.0	0.
0	0.0	0.0		J	-4213.2	-14.0	-0.5	-976.8	-432.
5	-18.7	-41.1							
0	0.0	0.0	Q2a-1-2 Max	I	3814.7	4.2	0.3	0.0	0.
0	0.0	0.0		J	3814.7	4.2	0.3	295.6	639.
9	11.0	29.5							
0	0.0	0.0	Min	I	-2332.7	-9.2	-0.3	0.0	0.
0	0.0	0.0		J	-2332.7	-9.2	-0.3	-639.9	-295.
6	-12.3	-26.4							
0	0.0	0.0	SLVx (RS)	I	191.1	-3.8	96.6	0.0	0.
0	0.0	0.0		J	191.1	-3.8	96.6	-264.4	264.
4	3758.1	-9022.6							
0	0.0	0.0	SLVy (RS)	I	2079.6	1.3	-9.4	0.0	0.
0	0.0	0.0		J	2079.6	1.3	-9.4	88.2	-88.
2	-366.4	879.6							
0	0.0	0.0	SLDx (RS)	I	95.6	-1.9	48.2	0.0	0.
0	0.0	0.0		J	95.6	-1.9	48.2	-132.0	132.
0	1876.9	-4506.1							
0	0.0	0.0	SLDy (RS)	I	1038.5	0.6	-4.7	0.0	0.

MIDAS


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	0.0	0.0		J	1038.5	0.6	-4.7	44.0	-44.	
0	-183.1	439.5								
			SLVz (RS)	I	90.7	4.4	-114.1	0.0	0.	
0	0.0	0.0		J	90.7	4.4	-114.1	309.3	-309.	
3	-4441.2	10662.8								
			g1	I	-1513.7	28.2	-1018.4	0.0	0.	
0	0.0	0.0		J	-1508.0	28.2	-339.0	1969.3	-1969.	
3	-26412.3	63412.5								
			g2	I	-1745.5	1.0	0.1	0.0	0.	
0	0.0	0.0		J	-1745.5	1.0	0.1	68.3	-68.	
3	4.7	-11.3								
			q3	I	13.2	0.0	0.0	0.0	0.	
0	0.0	0.0		J	13.2	0.0	0.0	0.5	-0.	
5	0.1	-0.4								
			q5_pc	I	949.9	0.2	-0.1	0.0	0.	
0	0.0	0.0		J	949.9	0.2	-0.1	14.9	-14.	
9	-2.4	5.8								
			q5_ps	I	834.0	0.4	-0.0	0.0	0.	
0	0.0	0.0		J	834.0	0.4	-0.0	28.8	-28.	
8	-1.5	3.6								
			INVSLU Max	I	-30213.6	24.1	-1374.8	0.0	0.	
0	0.0	0.0		J	-30205.9	24.1	-457.5	1686.7	242.	
6	-35653.5	85725.9								
			Min	I	-45965.3	-3.5	-1376.1	0.0	0.	
0	0.0	0.0		J	-45957.7	-3.5	-458.9	-242.6	-1686.	
7	-35706.2	85599.4								
			INVSLV Max	I	-6135.7	16.3	-872.8	0.0	0.	
0	0.0	0.0		J	-6130.0	16.3	-193.4	1142.3	-312.	
1	-20747.3	77078.7								
			Min	I	-10464.0	4.5	-1164.7	0.0	0.	
0	0.0	0.0		J	-10458.3	4.5	-485.2	312.1	-1142.	
3	-32104.5	49811.6								
	178	2	80	Q1-1-2 Max	I	6188.9	14.0	0.3	433.0	977.
1	0.6		23.4		J	6188.9	14.0	0.3	0.0	0.
0	0.0	0.0								
			Min	I	-4213.1	-6.2	-0.0	-977.1	-433.	
0	-9.8	-1.5		J	-4213.1	-6.2	-0.0	0.0	0.	
0	0.0	0.0								
			Q2a-1-2 Max	I	3815.1	9.2	0.1	296.0	640.	
1	0.3	13.7		J	3815.1	9.2	0.1	0.0	0.	
0	0.0	0.0								
			Min	I	-2332.6	-4.2	-0.0	-640.1	-296.	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0	-5.7	-0.7		J	-2332.6	-4.2	-0.0	0.0	0.
0	0.0	0.0							
4	3757.4	-9021.1	SLVx (RS)	I	159.7	3.8	-96.5	-264.4	264.
0	0.0	0.0		J	159.7	3.8	-96.5	0.0	0.
1	-364.5	875.0	SLVy (RS)	I	2304.5	-1.3	9.4	88.1	-88.
0	0.0	0.0		J	2304.5	-1.3	9.4	0.0	0.
0	1876.5	-4505.3	SLDx (RS)	I	79.8	1.9	-48.2	-132.0	132.
0	0.0	0.0		J	79.8	1.9	-48.2	0.0	0.
0	-182.1	437.2	SLDy (RS)	I	1150.8	-0.6	4.7	44.0	-44.
0	0.0	0.0		J	1150.8	-0.6	4.7	0.0	0.
3	-4441.1	10662.6	SLVz (RS)	I	65.5	-4.4	114.1	309.3	-309.
0	0.0	0.0		J	65.5	-4.4	114.1	0.0	0.
6	-26422.6	63437.3	g1	I	-1506.0	-28.2	339.2	1969.6	-1969.
0	0.0	0.0		J	-1500.3	-28.2	1018.7	0.0	0.
5	-3.0	7.2	g2	I	-1745.6	-1.0	0.1	68.5	-68.
0	0.0	0.0		J	-1745.6	-1.0	0.1	0.0	0.
5	-0.1	0.3	q3	I	13.2	-0.0	0.0	0.5	-0.
0	0.0	0.0		J	13.2	-0.0	0.0	0.0	0.
7	2.8	-6.6	q5_pc	I	949.9	-0.2	-0.1	14.7	-14.
0	0.0	0.0		J	949.9	-0.2	-0.1	0.0	0.
7	2.2	-5.3	q5_ps	I	834.0	-0.4	-0.1	28.7	-28.
0	0.0	0.0		J	834.0	-0.4	-0.1	0.0	0.
6	-35683.9	85719.5	INVSLU Max	I	-30199.3	3.5	458.8	1687.6	242.
0	0.0	0.0		J	-30191.6	3.5	1376.0	0.0	0.
6	-35703.5	85672.4	Min	I	-45951.8	-24.1	458.3	-242.6	-1687.
0	0.0	0.0		J	-45944.1	-24.1	1375.5	0.0	0.
5	-20762.5	77111.0	INVSLV Max	I	-5917.8	-4.5	485.6	1142.6	-312.
				J	-5912.1	-4.5	1165.0	0.0	0.

MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	0.0	0.0							
6	-32118.0	49848.1	Min	I	-10661.8	-16.3	193.8	312.5	-1142.
0	0.0	0.0		J	-10656.1	-16.3	873.2	0.0	0.
0	179	2	80	Q1-1-2 Max	I	6187.1	0.0	0.0	0.0
0	0.0	0.0		J	6187.1	0.0	0.0	0.0	0.
0	0.0	0.0		Min	I	-4215.5	-0.0	-0.0	0.0
0	0.0	0.0		J	-4215.5	0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	Q2a-1-2 Max	I	3813.7	0.0	0.0	0.0	0.
0	0.0	0.0		J	3813.7	0.0	0.0	0.0	0.
0	0.0	0.0		Min	I	-2334.0	-0.0	-0.0	0.0
0	0.0	0.0		J	-2334.0	0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	SLVx (RS)	I	-135.4	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-135.4	0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	SLVy (RS)	I	-2611.4	0.0	0.0	0.0	0.
0	0.0	0.0		J	-2611.4	0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	SLDx (RS)	I	-67.6	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-67.6	0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	SLDy (RS)	I	-1304.0	0.0	0.0	0.0	0.
0	0.0	0.0		J	-1304.0	0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	SLVz (RS)	I	51.6	0.0	0.0	0.0	0.
0	0.0	0.0		J	51.6	0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	g1	I	-1494.1	-0.0	-339.7	0.0	0.
0	0.0	0.0		J	-1488.4	0.0	339.7	0.0	0.
0	0.0	0.0							
0	0.0	0.0	g2	I	-1745.1	-0.0	0.0	0.0	0.
0	0.0	0.0		J	-1745.1	0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	q3	I	13.2	-0.0	0.0	0.0	0.
0	0.0	0.0		J	13.2	0.0	0.0	0.0	0.
0	0.0	0.0							
0	0.0	0.0	q5_pc	I	-887.2	0.0	0.0	0.0	0.

MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	0.0	0.0		J	-887.2	0.0	0.0	0.0	0.0	
0	0.0	0.0	q5_ps	I	-1051.9	0.0	0.0	0.0	0.0	
0	0.0	0.0		J	-1051.9	0.0	0.0	0.0	0.0	
0	0.0	0.0	INVSLU Max	I	-30302.8	0.0	-458.6	0.0	0.0	
0	0.0	0.0		J	-30295.1	0.0	458.6	0.0	0.0	
0	0.0	0.0	Min	I	-45943.4	-0.0	-458.6	0.0	0.0	
0	0.0	0.0		J	-45935.7	0.0	458.6	0.0	0.0	
0	0.0	0.0	INVSLV Max	I	-5656.1	0.0	-339.7	0.0	0.0	
0	0.0	0.0		J	-5650.4	0.0	339.7	0.0	0.0	
0	0.0	0.0	Min	I	-10991.1	-0.0	-339.7	0.0	0.0	
0	0.0	0.0		J	-10985.4	0.0	339.7	0.0	0.0	
2	510	2	62	Q1-1-2 Max	I	625.5	2408.8	83.2	1844.3	1436.0
2	2079.5	2803.0			J	625.5	2408.8	83.2	5600.4	10740.0
3	3198.7	1789.9		Min	I	-953.6	-4485.6	-53.7	-1436.2	-1844.0
3	-2803.0	-2079.5			J	-953.6	-4485.6	-53.7	-10740.3	-5600.0
4	-1789.9	-3198.7								
2	1211.7	1999.9	Q2a-1-2 Max	I	382.7	1642.7	59.4	1253.7	1036.0	
3	2280.6	1028.7		J	382.7	1642.7	59.4	3760.3	7607.0	
7	-1999.9	-1211.7	Min	I	-629.1	-3162.1	-31.1	-1036.2	-1253.0	
3	-1028.7	-2280.6		J	-629.1	-3162.1	-31.1	-7607.3	-3760.0	
6	224.5	-224.5	SLVx (RS)	I	-16.5	-53.4	-5.9	58.6	-58.0	
7	-198.4	198.4		J	-16.5	-53.4	-5.9	-91.7	91.0	
0	331.5	-331.5	SLVy (RS)	I	-82.8	-381.5	-8.7	98.0	-98.0	
0	-297.1	297.1		J	-82.8	-381.5	-8.7	-960.0	960.0	
3	112.1	-112.1	SLDx (RS)	I	-8.3	-26.7	-2.9	29.3	-29.0	
8	-99.1	99.1		J	-8.3	-26.7	-2.9	-45.8	45.0	
0	165.5	-165.5	SLDy (RS)	I	-41.3	-190.6	-4.4	49.0	-49.0	
4	-148.4	148.4		J	-41.3	-190.6	-4.4	-479.4	479.0	
5	-62.2	62.2	SLVz (RS)	I	-6.5	18.4	1.6	-22.5	22.0	

MIDAS

PROJECT TITLE :

MIDAS		Company		Client		File Name				
		Author		File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt				
3	53.2	-53.2		J	-6.5	18.4	1.6	30.3	-30.	
2	1746.2	-1746.2	g1	I	142.3	-459.8	-62.5	575.2	-575.	
2	-881.7	881.7		J	143.3	-459.8	-10.5	-698.2	698.	
5	940.6	-940.6	g2	I	192.6	-1335.5	-25.2	745.5	-745.	
7	-874.6	874.6		J	192.6	-1335.5	-25.2	-2952.7	2952.	
0	154.6	-154.6	q3	I	-21.4	-43.2	-4.1	40.0	-40.	
6	-138.2	138.2		J	-21.4	-43.2	-4.1	-79.6	79.	
7	104.4	-104.4	q5_pc	I	-159.1	-133.0	-2.0	36.7	-36.	
6	-41.9	41.9		J	-159.1	-133.0	-2.0	-331.6	331.	
8	145.6	-145.6	q5_ps	I	-106.2	-268.9	-3.4	88.8	-88.	
8	-102.7	102.7		J	-106.2	-268.9	-3.4	-655.8	655.	
9	-18041.7	24821.0	INVSLU Max	I	-10390.4	1555.4	580.6	2565.8	1928.	
2	19519.5	-12709.5		J	-10389.0	1555.4	650.7	2872.6	19784.	
8	-24821.0	18041.7	Min	I	-12808.7	-7991.5	392.1	-1928.9	-2565.	
6	12709.5	-19519.5		J	-12807.3	-7991.5	462.2	-19784.2	-2872.	
3	598.4	236.5	INVSLV Max	I	-34.2	-66.4	-5.4	491.9	-247.	
1	1244.9	-499.7		J	-33.2	-66.4	46.5	66.0	1927.	
9	-236.5	-598.4	Min	I	-213.6	-872.6	-27.3	247.3	-491.	
0	499.7	-1244.9		J	-212.5	-872.6	24.6	-1927.1	-66.	
3	511	2	62	Q1-1-2 Max	I	2360.6	5305.3	1.6	20964.2	15407.
7	7166.3	63.5		J	2360.6	5305.3	1.6	4393.1	3011.	
2	64.3	7377.4	Min	I	-1411.7	-7231.6	-181.8	-15407.3	-20964.	
1	-63.5	-7166.3		J	-1411.7	-7231.6	-181.8	-3011.7	-4393.	
0	-7377.4	-64.3	Q2a-1-2 Max	I	1507.7	3751.1	0.8	13698.7	11027.	
9	4201.5	33.0		J	1507.7	3751.1	0.8	3001.6	2088.	
7	33.5	4318.3	Min	I	-1020.8	-4937.8	-106.5	-11027.0	-13698.	
6	-33.0	-4201.5		J	-1020.8	-4937.8	-106.5	-2088.9	-3001.	
9	-4318.3	-33.5	SLVx (RS)	I	-79.8	48.6	-13.6	-241.9	241.	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			

8	-552.7	552.7		J	-79.8	48.6	-13.6	101.8	-101.
1	-106.8	106.8	SLVy (RS)	I	-335.9	583.8	2.9	-1538.1	1538.
5	129.7	-129.7		J	-335.9	583.8	2.9	258.5	-258.
8	266.5	-266.5	SLDx (RS)	I	-39.9	24.3	-6.8	-120.8	120.
8	-276.0	276.0		J	-39.9	24.3	-6.8	50.8	-50.
1	-53.7	53.7	SLDy (RS)	I	-167.7	291.5	1.4	-768.1	768.
1	65.1	-65.1		J	-167.7	291.5	1.4	129.1	-129.
4	-177.6	177.6	SLVz (RS)	I	-37.1	23.1	4.5	-101.4	101.
5	182.0	-182.0		J	-37.1	23.1	4.5	-34.5	34.
2	5113.7	-5113.7	g1	I	819.5	-524.2	-148.5	2495.2	-2495.
5	-4456.1	4456.1		J	820.7	-524.2	-90.8	882.5	-882.
0	2295.0	-2295.0	g2	I	303.6	1337.2	-57.9	-2469.0	2469.
5	-2337.3	2337.3		J	303.6	1337.2	-57.9	1645.5	-1645.
2	295.4	-295.4	q3	I	-25.9	-7.7	-7.7	92.2	-92.
7	-322.4	322.4		J	-25.9	-7.7	-7.7	68.7	-68.
1	-320.3	320.3	q5_pc	I	-209.4	61.1	8.7	-280.1	280.
1	372.0	-372.0		J	-209.4	61.1	8.7	-92.1	92.
1	-239.2	239.2	q5_ps	I	-206.7	314.1	6.6	-857.1	857.
3	286.4	-286.4		J	-206.7	314.1	6.6	109.3	-109.
4	6001.3	4384.5	INVSLU Max	I	-25519.8	12178.6	62.3	14618.2	34987.
2	3719.3	7069.7		J	-25518.2	12178.6	140.3	7344.0	2818.
2	-4384.5	-6001.3	Min	I	-30989.4	-4856.2	-202.3	-34987.4	-14618.
0	-7069.7	-3719.3		J	-30987.8	-4856.2	-124.4	-2818.2	-7344.
2	4407.1	-3169.1	INVSLV Max	I	-2091.0	664.4	-94.2	2295.9	986.
3	-2053.5	3345.8		J	-2089.9	664.4	-36.5	1136.0	-537.
9	3169.1	-4407.1	Min	I	-2832.9	-546.2	-125.7	-986.2	-2295.
0	-3345.8	2053.5		J	-2831.7	-546.2	-68.0	537.3	-1136.



# MIDAS

PROJECT TITLE :

MIDAS		Company		Client		File Name				
		Author		File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt				
4	524	2	62	Q1-1-2 Max	I	321.1	1126.9	60.8	1950.2	5682.2
	7925.9		1965.2		J	321.1	1126.9	60.8	1993.6	5974.2
5	1458.5		9018.4	Min	I	-15948.4	-1223.2	-301.3	-5682.4	-1950.2
2	-1965.2		-7925.9		J	-15948.4	-1223.2	-301.3	-5974.5	-1993.2
6	-9018.4		-1458.5							
3	4779.3		1359.1	Q2a-1-2 Max	I	238.3	764.6	41.9	1202.6	3946.2
	1000.8		5459.3		J	238.3	764.6	41.9	1248.1	4125.2
3	1000.8		5459.3	Min	I	-9641.1	-824.1	-182.1	-3946.3	-1202.2
6	-1359.1		-4779.3		J	-9641.1	-824.1	-182.1	-4125.3	-1248.2
1	-5459.3		-1000.8							
4	-525.4		525.4	SLVx (RS)	I	1101.7	9.8	19.7	-16.4	16.2
	583.0		-583.0		J	1101.7	9.8	19.7	9.9	-9.2
9	583.0		-583.0							
6	276.2		-276.2	SLVy (RS)	I	-1987.6	21.2	-9.6	348.6	-348.2
	-265.9		265.9		J	-1987.6	21.2	-9.6	393.9	-393.2
9	-265.9		265.9							
2	-262.7		262.7	SLDx (RS)	I	550.7	4.9	9.8	-8.2	8.2
	291.4		-291.4		J	550.7	4.9	9.8	4.9	-4.2
9	291.4		-291.4							
1	138.1		-138.1	SLDy (RS)	I	-992.5	10.6	-4.8	174.1	-174.2
	-133.0		133.0		J	-992.5	10.6	-4.8	196.7	-196.2
7	-133.0		133.0							
0	-233.5		233.5	SLVz (RS)	I	485.2	4.4	8.8	-7.0	7.2
	260.0		-260.0		J	485.2	4.4	8.8	6.1	-6.2
1	260.0		-260.0							
6	4461.2		-4461.2	g1	I	-11190.2	-86.4	-184.4	113.6	-113.2
	-4766.3		4766.3		J	-11189.4	-86.4	-143.9	-73.2	73.2
2	-4766.3		4766.3							
1	2051.5		-2051.5	g2	I	-5334.4	-32.7	-79.4	464.1	-464.2
	-2412.7		2412.7		J	-5334.4	-32.7	-79.4	393.4	-393.2
4	-2412.7		2412.7							
4	-306.2		306.2	q3	I	103.1	0.9	9.9	-9.4	9.2
	248.6		-248.6		J	103.1	0.9	9.9	-7.5	7.2
5	248.6		-248.6							
8	-181.3		181.3	q5_pc	I	-1138.7	2.7	6.9	169.8	-169.2
	209.3		-209.3		J	-1138.7	2.7	6.9	175.6	-175.2
6	209.3		-209.3							
3	-118.3		118.3	q5_ps	I	-1042.0	3.8	4.6	230.3	-230.2
					J	-1042.0	3.8	4.6	238.6	-238.2

# MIDAS

PROJECT TITLE :

	Company	Client	
	Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

6	140.9	-140.9							
			INVSLU Max	I	-160079.3	1600.5	21.6	3825.8	6783.
8	10369.5	3309.8		J	-160078.2	1600.5	76.4	4055.5	7017.
5	-548.4	15068.9							
			Min	I	-184543.1	-1577.0	-479.8	-6783.8	-3825.
8	-3309.8	-10369.5		J	-184542.0	-1577.0	-425.0	-7017.5	-4055.
5	-15068.9	548.4							
			INVSLV Max	I	-80599.2	-11.9	-87.9	-115.6	826.
9	2205.5	-848.8		J	-80598.4	-11.9	-47.3	-153.3	950.
7	-2951.1	4432.6							
			Min	I	-85526.5	-62.8	-138.3	-826.9	115.
6	848.8	-2205.5		J	-85525.7	-62.8	-97.8	-950.7	153.
3	-4432.6	2951.1							
	525	2	75	Q1-1-2 Max	I	262.6	854.6	46.1	2040.6
6	7250.7	2343.9		J	262.6	854.6	46.1	2032.8	4655.
5	1519.3	8752.9							
			Min	I	-15162.2	-947.6	-191.1	-4162.6	-2040.
6	-2343.9	-7250.7		J	-15162.2	-947.6	-191.1	-4655.5	-2032.
8	-8752.9	-1519.3							
			Q2a-1-2 Max	I	194.9	578.9	31.8	1307.4	2902.
0	4372.2	1620.5		J	194.9	578.9	31.8	1313.1	3203.
4	1040.1	5294.8							
			Min	I	-9228.6	-639.0	-115.4	-2902.0	-1307.
4	-1620.5	-4372.2		J	-9228.6	-639.0	-115.4	-3203.4	-1313.
1	-5294.8	-1040.1							
			SLVx (RS)	I	1020.6	7.1	12.7	-19.8	19.
8	-480.9	480.9		J	1020.6	7.1	12.7	16.3	-16.
3	581.3	-581.3							
			SLVy (RS)	I	-1839.1	14.0	-6.6	262.1	-262.
1	264.9	-264.9		J	-1839.1	14.0	-6.6	330.0	-330.
0	-287.2	287.2							
			SLDx (RS)	I	510.2	3.6	6.3	-9.9	9.
9	-240.4	240.4		J	510.2	3.6	6.3	8.1	-8.
1	290.6	-290.6							
			SLDy (RS)	I	-918.3	7.0	-3.3	130.9	-130.
9	132.5	-132.5		J	-918.3	7.0	-3.3	164.8	-164.
8	-143.6	143.6							
			SLVz (RS)	I	449.9	3.2	5.6	-8.4	8.
4	-213.0	213.0		J	449.9	3.2	5.6	8.8	-8.
8	259.1	-259.1							
			g1	I	-10159.8	-62.0	-145.7	156.8	-156.
8	4313.8	-4313.8		J	-10158.2	-62.0	-61.3	-145.4	145.

# MIDAS


PROJECT TITLE :

	Company			Client
	Author			File Name
				PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

4	-4340.4	4340.4								
3	1784.5	-1784.5	g2	I	-4932.8	-24.1	-49.4	322.3	-322.	
0	-2346.6	2346.6		J	-4932.8	-24.1	-49.4	205.0	-205.	
4	-306.9	306.9	q3	I	111.8	0.7	6.4	-6.4	6.	
2	227.2	-227.2		J	111.8	0.7	6.4	-3.2	3.	
8	-161.8	161.8	q5_pc	I	-1053.6	3.4	4.0	125.8	-125.	
3	172.4	-172.4		J	-1053.6	3.4	4.0	142.3	-142.	
4	-106.5	106.5	q5_ps	I	-964.5	4.3	2.6	158.4	-158.	
3	113.1	-113.1		J	-964.5	4.3	2.6	179.3	-179.	
7	10062.7	3181.4	INVSLU Max	I	-138391.7	1159.0	-27.2	3544.9	5055.	
3	-680.5	14858.2		J	-138389.4	1159.0	86.8	3560.1	5725.	
9	-3181.4	-10062.7	Min	I	-161566.2	-1280.0	-354.7	-5055.7	-3544.	
1	-14858.2	680.5		J	-161564.0	-1280.0	-240.7	-5725.3	-3560.	
6	2615.0	-1366.5	INVSLV Max	I	-69623.9	-10.3	-87.1	-111.5	652.	
3	-2378.3	3868.7		J	-69622.3	-10.3	-2.6	-178.3	853.	
5	1366.5	-2615.0	Min	I	-74184.4	-44.5	-119.7	-652.6	111.	
3	-3868.7	2378.3		J	-74182.7	-44.5	-35.3	-853.3	178.	
8	537	2	75	Q1-1-2 Max	I	216.4	977.4	121.6	1825.9	5565.
0	5137.3	4147.8		J	216.4	977.4	121.6	1898.7	5594.	
9	2912.9	6530.4	Min	I	-23372.6	-904.0	-202.3	-5565.8	-1825.	
7	-4147.8	-5137.3		J	-23372.6	-904.0	-202.3	-5594.0	-1898.	
1	-6530.4	-2912.9	Q2a-1-2 Max	I	160.4	665.3	80.5	1119.9	3815.	
8	3186.2	2758.9		J	160.4	665.3	80.5	1161.5	3842.	
9	1921.8	4092.8	Min	I	-14091.1	-610.9	-126.0	-3815.1	-1119.	
5	-2758.9	-3186.2		J	-14091.1	-610.9	-126.0	-3842.8	-1161.	
0	-4092.8	-1921.8	SLVx (RS)	I	1852.9	4.7	9.9	15.0	-15.	
7	-232.3	232.3		J	1852.9	4.7	9.9	-6.7	6.	
5	336.0	-336.0	SLVy (RS)	I	-3259.9	12.1	-4.7	460.5	-460.	
	126.7	-126.7		J	-3259.9	12.1	-4.7	500.2	-500.	

# MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt				
2	-142.1	142.1								
			SLDx (RS)	I	926.2	2.3	4.9	7.5	-7.	
5	-116.1	116.1		J	926.2	2.3	4.9	-3.3	3.	
3	168.0	-168.0								
			SLDy (RS)	I	-1627.8	6.0	-2.4	230.0	-230.	
0	63.4	-63.4		J	-1627.8	6.0	-2.4	249.8	-249.	
8	-71.1	71.1								
			SLVz (RS)	I	819.0	2.3	4.5	-6.4	6.	
4	-104.6	104.6		J	819.0	2.3	4.5	4.8	-4.	
8	153.4	-153.4								
			g1	I	-16999.6	-33.5	-92.4	96.7	-96.	
7	1541.1	-1541.1		J	-16998.5	-33.5	-34.7	-14.9	14.	
9	-2093.5	2093.5								
			g2	I	-8149.2	-37.5	-28.6	514.0	-514.	
0	552.2	-552.2		J	-8149.2	-37.5	-28.6	388.9	-388.	
9	-1080.2	1080.2								
			q3	I	102.2	0.5	7.5	-6.2	6.	
2	-242.2	242.2		J	102.2	0.5	7.5	-4.5	4.	
5	187.9	-187.9								
			q5_pc	I	-1877.8	1.1	3.5	180.1	-180.	
1	-96.8	96.8		J	-1877.8	1.1	3.5	183.7	-183.	
7	101.8	-101.8								
			q5_ps	I	-1700.3	-3.3	2.5	250.1	-250.	
1	-70.4	70.4		J	-1700.3	-3.3	2.5	239.2	-239.	
2	74.1	-74.1								
			INVSLU Max	I	-194974.9	1014.7	102.8	4547.5	5755.	
6	4984.8	7724.4		J	-194973.4	1014.7	180.7	3629.3	6816.	
3	525.5	12406.2								
			Min	I	-231034.3	-1527.1	-340.8	-5755.6	-4547.	
5	-7724.4	-4984.8		J	-231032.7	-1527.1	-262.8	-6816.3	-3629.	
3	-12406.2	-525.5								
			INVSLV Max	I	-105475.8	7.2	-65.6	420.4	513.	
4	-34.5	637.8		J	-105474.7	7.2	-7.9	433.9	573.	
5	-2734.4	3583.8								
			Min	I	-113598.7	-21.2	-90.9	-513.4	-420.	
4	-637.8	34.5		J	-113597.6	-21.2	-33.1	-573.5	-433.	
9	-3583.8	2734.4								
			Q1-1-2 Max	I	195.4	1571.1	180.7	1575.3	6357.	
538	2	67		J	195.4	1571.1	180.7	2288.1	3123.	
2	5406.0	5437.3								
			Min	I	-21987.2	-546.9	-248.8	-6357.2	-1575.	
9	3749.1	7206.3								
3	-5437.3	-5406.0								

# MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			

1	-7206.3	-3749.1		J	-21987.2	-546.9	-248.8	-3123.9	-2288.
5	3335.1	3614.8	Q2a-1-2 Max	I	144.8	1053.7	119.6	923.3	4318.
6	2471.3	4500.1		J	144.8	1053.7	119.6	1469.1	2175.
3	-3614.8	-3335.1	Min	I	-13264.8	-336.3	-154.2	-4318.5	-923.
1	-4500.1	-2471.3		J	-13264.8	-336.3	-154.2	-2175.6	-1469.
8	-248.7	248.7	SLVx (RS)	I	1748.5	8.6	12.8	15.8	-15.
5	395.4	-395.4		J	1748.5	8.6	12.8	15.5	-15.
8	145.8	-145.8	SLVy (RS)	I	-3063.9	33.0	-7.0	404.8	-404.
4	-202.7	202.7		J	-3063.9	33.0	-7.0	505.4	-505.
9	-124.4	124.4	SLDx (RS)	I	874.0	4.3	6.4	7.9	-7.
7	197.6	-197.6		J	874.0	4.3	6.4	7.7	-7.
2	72.9	-72.9	SLDy (RS)	I	-1529.9	16.5	-3.5	202.2	-202.
4	-101.3	101.3		J	-1529.9	16.5	-3.5	252.4	-252.
6	-112.3	112.3	SLVz (RS)	I	773.3	4.4	5.8	-6.6	6.
6	180.4	-180.4		J	773.3	4.4	5.8	9.6	-9.
8	1494.4	-1494.4	g1	I	-15948.4	-59.3	-109.2	84.8	-84.
0	-2525.9	2525.9		J	-15947.3	-59.3	-51.5	-113.0	113.
3	622.2	-622.2	g2	I	-7615.4	-221.8	-39.5	667.3	-667.
4	-1355.5	1355.5		J	-7615.4	-221.8	-39.5	-72.4	72.
1	-276.7	276.7	q3	I	96.5	2.3	9.8	-8.1	8.
5	215.8	-215.8		J	96.5	2.3	9.8	-0.5	0.
3	-123.2	123.2	q5_pc	I	-1778.5	48.4	4.6	84.3	-84.
7	108.9	-108.9		J	-1778.5	48.4	4.6	245.7	-245.
8	-73.9	73.9	q5_ps	I	-1604.0	8.0	2.6	191.8	-191.
5	58.1	-58.1		J	-1604.0	8.0	2.6	218.5	-218.
1	6536.5	8323.7	INVSLU Max	I	-179174.0	1178.4	138.4	3950.5	6910.
0	746.8	14239.0		J	-179172.4	1178.4	216.4	1769.5	5979.

# MIDAS

PROJECT TITLE :

MIDAS		Company		Client		File Name			
		Author		File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
5	-8323.7	-6536.5	Min	I	-213107.6	-1767.9	-449.8	-6910.1	-3950.
				J	-213106.1	-1767.9	-371.8	-5979.0	-1769.
5	-14239.0	-746.8							
2	1353.4	-701.1	INVS LV Max	I	-96600.9	29.3	-110.1	368.9	454.
				J	-96599.8	29.3	-52.3	444.8	581.
1	-3355.0	4375.6							
9	701.1	-1353.4	Min	I	-104241.8	-44.5	-143.3	-454.2	-368.
				J	-104240.7	-44.5	-85.5	-581.1	-444.
8	-4375.6	3355.0							
4	549 3096.5	2 9873.7	Q1-1-2 Max	I	162.7	7427.6	348.8	1642.9	6144.
				J	162.7	7427.6	348.8	19417.5	3398.
3	7974.0	4284.1							
9	-9873.7	-3096.5	Min	I	-24310.4	-1231.1	-144.0	-6144.4	-1642.
				J	-24310.4	-1231.1	-144.0	-3398.3	-19417.
5	-4284.1	-7974.0							
0	1924.3	6481.0	Q2a-1-2 Max	I	120.3	4836.2	228.6	972.0	4197.
				J	120.3	4836.2	228.6	12445.3	1604.
8	5215.3	2685.6							
0	-6481.0	-1924.3	Min	I	-14646.1	-589.3	-90.0	-4197.0	-972.
				J	-14646.1	-589.3	-90.0	-1604.8	-12445.
3	-2685.6	-5215.3							
0	-113.2	113.2	SLVx (RS)	I	1982.3	16.4	2.1	-9.0	9.
				J	1982.3	16.4	2.1	50.6	-50.
6	91.4	-91.4							
1	109.6	-109.6	SLVy (RS)	I	-3539.1	152.2	-5.5	488.1	-488.
				J	-3539.1	152.2	-5.5	967.9	-967.
9	-172.6	172.6							
5	-56.5	56.5	SLDx (RS)	I	990.8	8.2	1.0	-4.5	4.
				J	990.8	8.2	1.0	25.3	-25.
3	45.7	-45.7							
8	54.7	-54.7	SLDy (RS)	I	-1767.3	76.1	-2.8	243.8	-243.
				J	-1767.3	76.1	-2.8	483.5	-483.
5	-86.2	86.2							
0	37.4	-37.4	SLVz (RS)	I	879.3	7.4	-0.5	-4.0	4.
				J	879.3	7.4	-0.5	26.5	-26.
5	42.9	-42.9							
1	-717.2	717.2	g1	I	-17838.0	-125.9	-21.8	47.1	-47.
				J	-17836.8	-125.9	37.3	-382.1	382.
1	-321.6	321.6							
3	73.1	-73.1	g2	I	-8522.3	-1205.8	-17.6	566.3	-566.
				J	-8522.3	-1205.8	-17.6	-3545.2	3545.
2	-826.4	826.4							

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

2	-248.3	248.3	q3	I	66.9	9.7	8.9	-5.2	5.	
8	206.6	-206.6		J	66.9	9.7	8.9	27.8	-27.	
6	-167.0	167.0	q5_pc	I	-2054.1	355.2	6.4	121.6	-121.	
8	158.3	-158.3		J	-2054.1	355.2	6.4	1332.8	-1332.	
0	-32.4	32.4	q5_ps	I	-1850.7	112.4	1.0	207.0	-207.	
4	18.7	-18.7		J	-1850.7	112.4	1.0	590.4	-590.	
0	1553.7	16256.6	INVSLU Max	I	-196035.0	7398.9	435.8	2503.8	8228.	
8	8086.1	8747.3		J	-196033.4	7398.9	515.5	17537.5	15662.	
8	-16256.6	-1553.7	Min	I	-233668.3	-4929.6	-240.9	-8228.0	-2503.	
5	-8747.3	-8086.1		J	-233666.7	-4929.6	-161.2	-15662.8	-17537.	
1	-36.9	351.4	INVSLV Max	I	-107006.3	185.1	-83.2	375.9	608.	
5	-3047.7	3473.5		J	-107005.1	185.1	-24.1	962.6	1019.	
9	-351.4	36.9	Min	I	-115801.5	-133.7	-95.8	-608.1	-375.	
6	-3473.5	3047.7		J	-115800.3	-133.7	-36.7	-1019.5	-962.	
1	550	2	67	Q1-1-2 Max	I	163.8	1215.2	144.8	18947.6	3356.
3	7944.6	4307.2		J	163.8	1215.2	144.8	1613.8	6063.	
6	3112.8	9800.2	Min	I	-24454.3	-7262.7	-346.7	-3356.1	-18947.	
8	-4307.2	-7944.6		J	-24454.3	-7262.7	-346.7	-6063.3	-1613.	
6	-9800.2	-3112.8								
6	5179.1	2698.6	Q2a-1-2 Max	I	121.1	584.8	90.4	12143.4	1594.	
9	1933.7	6413.3		J	121.1	584.8	90.4	952.6	4143.	
4	-2698.6	-5179.1	Min	I	-14743.4	-4729.9	-226.5	-1594.6	-12143.	
6	-6413.3	-1933.7		J	-14743.4	-4729.9	-226.5	-4143.9	-952.	
0	93.5	-93.5	SLVx (RS)	I	1978.2	-16.0	-1.1	50.0	-50.	
6	90.5	-90.5		J	1978.2	-16.0	-1.1	-8.6	8.	
3	-182.9	182.9	SLVy (RS)	I	-3535.7	-147.1	5.9	957.3	-957.	
9	120.5	-120.5		J	-3535.7	-147.1	5.9	494.9	-494.	
0	46.7	-46.7	SLDx (RS)	I	988.8	-8.0	-0.6	25.0	-25.	
3	45.2	-45.2		J	988.8	-8.0	-0.6	-4.3	4.	

# MIDAS

PROJECT TITLE :

	Company			Client				
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			

2	-91.3	91.3	SLDy (RS)	I	-1765.5	-73.6	3.0	478.2	-478.	
				J	-1765.5	-73.6	3.0	247.1	-247.	
1	60.2	-60.2								
3	35.4	-35.4	SLVz (RS)	I	877.0	-7.3	0.3	26.3	-26.	
				J	877.0	-7.3	0.3	-4.3	4.	
3	41.8	-41.8								
0	-272.4	272.4	g1	I	-17843.9	125.2	-39.2	-382.0	382.	
				J	-17842.7	125.2	19.9	45.1	-45.	
1	-766.3	766.3								
2	-825.5	825.5	g2	I	-8507.6	1178.5	17.5	-3466.2	3466.	
				J	-8507.6	1178.5	17.5	552.2	-552.	
2	70.0	-70.0								
9	-225.7	225.7	q3	I	66.2	-9.2	8.0	26.9	-26.	
				J	66.2	-9.2	8.0	-4.3	4.	
3	184.8	-184.8								
2	147.0	-147.0	q5_pc	I	-2060.5	-344.4	-5.9	1306.2	-1306.	
				J	-2060.5	-344.4	-5.9	132.0	-132.	
0	-154.6	154.6								
9	9.6	-9.6	q5_ps	I	-1852.5	-107.5	-0.6	580.9	-580.	
				J	-1852.5	-107.5	-0.6	214.5	-214.	
5	-22.8	22.8								
0	8673.2	8131.4	INVS LU Max	I	-196049.7	4860.6	136.3	16991.3	15470.	
				J	-196048.1	4860.6	216.0	2456.8	8144.	
9	898.5	16812.3	Min	I	-233885.8	-7204.5	-537.8	-15470.0	-16991.	
				J	-233884.2	-7204.5	-458.1	-8144.9	-2456.	
3	-8131.4	-8673.2								
8	-16812.3	-898.5								
3	-2606.0	3049.2	INVS LV Max	I	-106979.9	136.4	19.5	948.0	1012.	
				J	-106978.8	136.4	78.5	406.3	591.	
1	-487.0	807.2	Min	I	-115764.4	-171.7	6.8	-1012.3	-948.	
				J	-115763.3	-171.7	65.8	-591.1	-406.	
0	-3049.2	2606.0								
3	-807.2	487.0								
1	561	2	67	Q1-1-2 Max	I	196.4	551.3	250.9	2211.5	3383.
	3760.9		7260.4		J	196.4	551.3	250.9	1545.9	6337.
9	5398.9	5349.7		Min	I	-21886.4	-1503.6	-180.6	-3383.1	-2211.
				J	-21886.4	-1503.6	-180.6	-6337.9	-1545.	
5	-7260.4	-3760.9								
9	-5349.7	-5398.9								
2	2473.6	4551.4	Q2a-1-2 Max	I	145.6	340.9	156.2	1419.3	2356.	
				J	145.6	340.9	156.2	900.0	4304.	



MIDAS

PROJECT TITLE :

MIDAS		Company		Client					
		Author		File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
4	3339.2	3543.7							
			Min	I	-13202.2	-1011.2	-119.2	-2356.2	-1419.
3	-4551.4	-2473.6		J	-13202.2	-1011.2	-119.2	-4304.4	-900.
0	-3543.7	-3339.2							
			SLVx (RS)	I	1725.0	-7.3	-11.5	17.3	-17.
3	368.6	-368.6		J	1725.0	-7.3	-11.5	12.1	-12.
1	-208.0	208.0							
			SLVy (RS)	I	-3062.1	-29.9	7.4	499.3	-499.
3	-214.4	214.4		J	-3062.1	-29.9	7.4	409.1	-409.
1	156.6	-156.6							
			SLDx (RS)	I	862.2	-3.7	-5.8	8.6	-8.
6	184.2	-184.2		J	862.2	-3.7	-5.8	6.0	-6.
0	-103.9	103.9							
			SLDy (RS)	I	-1529.1	-15.0	3.7	249.4	-249.
4	-107.2	107.2		J	-1529.1	-15.0	3.7	204.3	-204.
3	78.3	-78.3							
			SLVz (RS)	I	766.3	-3.4	-5.1	9.9	-9.
9	162.6	-162.6		J	766.3	-3.4	-5.1	-4.8	4.
8	-91.5	91.5							
			g1	I	-15883.2	62.7	48.0	-121.0	121.
0	-2434.7	2434.7		J	-15882.0	62.7	105.7	88.1	-88.
1	1410.9	-1410.9							
			g2	I	-7582.3	210.1	39.3	-29.6	29.
6	-1347.8	1347.8		J	-7582.3	210.1	39.3	671.0	-671.
0	617.2	-617.2							
			q3	I	43.2	-0.9	8.4	-0.8	0.
8	-223.1	223.1		J	43.2	-0.9	8.4	-4.0	4.
0	197.0	-197.0							
			q5_pc	I	-1791.9	-43.5	-4.2	234.0	-234.
0	97.7	-97.7		J	-1791.9	-43.5	-4.2	88.9	-88.
9	-111.4	111.4							
			q5_ps	I	-1612.9	-5.9	-2.2	216.1	-216.
1	48.2	-48.2		J	-1612.9	-5.9	-2.2	196.3	-196.
3	-63.9	63.9							
			INVSLU Max	I	-178742.1	1748.9	335.5	1514.6	6459.
3	1742.1	13312.6		J	-178740.5	1748.9	413.5	3705.6	7097.
7	5568.9	9142.4							
			Min	I	-212519.7	-1103.4	-254.5	-6459.3	-1514.
6	-13312.6	-1742.1		J	-212518.1	-1103.4	-176.6	-7097.7	-3705.
6	-9142.4	-5568.9							
			INVSLV Max	I	-96274.6	42.3	58.6	295.4	719.

# MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

6	-2732.3	3695.7		J	-96273.4	42.3	116.4	232.7	595.	
6	681.6	-116.8								
			Min	I	-103893.6	-24.0	28.1	-719.6	-295.	
4	-3695.7	2732.3								
				J	-103892.4	-24.0	85.8	-595.6	-232.	
7	116.8	-681.6								
	562	2	75	Q1-1-2 Max	I	217.5	920.4	203.1	1910.1	5701.
7	2920.9	6566.2			J	217.5	920.4	203.1	1795.1	5546.
8	5093.4	4073.7								
			Min	I	-23238.9	-965.9	-121.5	-5701.7	-1910.	
1	-6566.2	-2920.9			J	-23238.9	-965.9	-121.5	-5546.8	-1795.
1	-4073.7	-5093.4								
			Q2a-1-2 Max	I	161.3	622.1	127.1	1167.9	3915.	
3	1922.3	4132.3			J	161.3	622.1	127.1	1096.4	3801.
9	3166.9	2698.7								
			Min	I	-14010.4	-657.4	-80.2	-3915.3	-1167.	
9	-4132.3	-1922.3			J	-14010.4	-657.4	-80.2	-3801.9	-1096.
4	-2698.7	-3166.9								
			SLVx (RS)	I	1830.3	-4.5	-8.9	10.3	-10.	
3	313.5	-313.5			J	1830.3	-4.5	-8.9	12.6	-12.
6	-196.3	196.3								
			SLVy (RS)	I	-3258.7	-10.6	5.0	497.9	-497.	
9	-150.9	150.9			J	-3258.7	-10.6	5.0	463.3	-463.
3	135.0	-135.0								
			SLDx (RS)	I	914.8	-2.2	-4.5	5.1	-5.	
1	156.7	-156.7			J	914.8	-2.2	-4.5	6.3	-6.
3	-98.1	98.1								
			SLDy (RS)	I	-1627.2	-5.3	2.5	248.7	-248.	
7	-75.5	75.5			J	-1627.2	-5.3	2.5	231.4	-231.
4	67.5	-67.5								
			SLVz (RS)	I	813.0	-2.0	-3.9	6.1	-6.	
1	138.4	-138.4			J	813.0	-2.0	-3.9	-5.3	5.
3	-86.6	86.6								
			g1	I	-16924.0	34.6	31.4	-13.5	13.	
5	-1998.8	1998.8			J	-16922.9	34.6	89.1	102.0	-102.
0	1445.8	-1445.8								
			g2	I	-8112.7	32.8	28.0	407.2	-407.	
2	-1064.7	1064.7			J	-8112.7	32.8	28.0	516.7	-516.
7	536.2	-536.2								
			q3	I	43.9	-0.0	6.2	-2.9	2.	
9	-188.2	188.2			J	43.9	-0.0	6.2	-3.0	3.
0	166.0	-166.0								


MIDAS

PROJECT TITLE :


MIDAS		Company		Client		File Name				
		Author		File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt				
6	89.6	-89.6	q5_pc	I	-1891.7	0.8	-3.0	180.6	-180.	
				J	-1891.7	0.8	-3.0	183.3	-183.	
3	-84.2	84.2								
5	63.2	-63.2	q5_ps	I	-1710.3	4.0	-2.1	239.5	-239.	
				J	-1710.3	4.0	-2.1	253.0	-253.	
0	-59.4	59.4								
1	1389.3	11579.4	INVSLU Max	I	-194472.2	1539.1	232.4	3449.9	7151.	
				J	-194470.7	1539.1	310.4	4283.9	5957.	
7	4001.8	8525.4	Min	I	-230333.0	-1008.9	-211.2	-7151.1	-3449.	
9	-11579.4	-1389.3		J	-230331.4	-1008.9	-133.3	-5957.7	-4283.	
9	-8525.4	-4001.8								
8	-2168.9	2969.4	INVSLV Max	I	-105118.0	19.3	10.8	271.9	733.	
				J	-105116.9	19.3	68.6	260.4	676.	
9	-699.6	1225.1	Min	I	-113221.4	-5.7	-12.4	-733.8	-271.	
9	-2969.4	2168.9		J	-113220.2	-5.7	45.4	-676.9	-260.	
4	-1225.1	699.6								
0	574	2	75	Q1-1-2 Max	I	263.6	948.6	191.2	2057.4	4669.
	1435.3	8823.1		J	263.6	948.6	191.2	2037.2	4122.	
4	7268.5	2234.8	Min	I	-14999.4	-850.7	-43.5	-4669.0	-2057.	
4	-8823.1	-1435.3		J	-14999.4	-850.7	-43.5	-4122.4	-2037.	
2	-2234.8	-7268.5								
8	977.5	5358.1	Q2a-1-2 Max	I	195.6	639.7	115.9	1330.4	3213.	
				J	195.6	639.7	115.9	1304.0	2874.	
4	4397.1	1540.0	Min	I	-9142.7	-576.2	-29.9	-3213.8	-1330.	
4	-5358.1	-977.5		J	-9142.7	-576.2	-29.9	-2874.4	-1304.	
0	-1540.0	-4397.1								
1	567.3	-567.3	SLVx (RS)	I	994.0	-7.2	-12.1	19.1	-19.	
				J	994.0	-7.2	-12.1	17.7	-17.	
7	-448.2	448.2								
1	-296.8	296.8	SLVy (RS)	I	-1836.5	-12.3	6.8	324.1	-324.	
				J	-1836.5	-12.3	6.8	264.2	-264.	
2	275.5	-275.5								
5	283.5	-283.5	SLDx (RS)	I	496.8	-3.6	-6.0	9.5	-9.	
				J	496.8	-3.6	-6.0	8.9	-8.	
9	-224.0	224.0								
8	-148.4	148.4	SLDy (RS)	I	-917.0	-6.2	3.4	161.8	-161.	
				J	-917.0	-6.2	3.4	131.9	-131.	
9	137.7	-137.7								

# MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt				
5	252.9	-252.9	SLVz (RS)	I	442.3	-3.2	-5.4	9.5	-9.	
				J	442.3	-3.2	-5.4	-7.6	7.	
6	-200.0	200.0								
7	-4300.8	4300.8	g1	I	-10032.4	61.5	59.6	-137.7	137.	
				J	-10030.7	61.5	144.6	164.0	-164.	
0	4289.3	-4289.3								
8	-2354.5	2354.5	g2	I	-4878.4	23.3	49.3	206.8	-206.	
				J	-4878.4	23.3	49.3	321.2	-321.	
2	1795.9	-1795.9								
2	-189.6	189.6	q3	I	44.1	0.1	4.2	-1.2	1.	
				J	44.1	0.1	4.2	-0.5	0.	
5	167.6	-167.6								
3	157.0	-157.0	q5_pc	I	-1069.8	-1.3	-3.6	137.3	-137.	
				J	-1069.8	-1.3	-3.6	131.1	-131.	
1	-145.4	145.4								
3	99.9	-99.9	q5_ps	I	-976.5	-2.4	-2.3	174.3	-174.	
				J	-976.5	-2.4	-2.3	162.7	-162.	
7	-92.3	92.3								
2	-274.8	14406.1	INVSLU Max	I	-137368.8	1273.0	227.2	3715.8	5612.	
				J	-137366.6	1273.0	341.9	3639.8	4911.	
6	9540.4	3550.6	Min	I	-160312.5	-1158.4	-96.1	-5612.2	-3715.	
8	-14406.1	274.8		J	-160310.2	-1158.4	18.6	-4911.6	-3639.	
8	-3550.6	-9540.4								
5	-2035.8	3500.2	INVSLV Max	I	-68925.4	39.0	25.6	-84.2	749.	
				J	-68923.7	39.0	110.5	-29.5	572.	
9	2226.0	-1044.4	Min	I	-73460.1	8.1	-5.9	-749.5	84.	
2	-3500.2	2035.8		J	-73458.4	8.1	79.1	-572.9	29.	
5	1044.4	-2226.0								
9	575	2	62	Q1-1-2 Max	I	322.2	1230.7	296.9	2049.5	5954.
	1408.2		9018.8		J	322.2	1230.7	296.9	1941.6	5613.
1	7908.2	1895.4		Min	I	-15619.6	-1125.8	-57.9	-5954.9	-2049.
5	-9018.8	-1408.2		J	-15619.6	-1125.8	-57.9	-5613.1	-1941.	
6	-1895.4	-7908.2								
1	963.7	5471.8	Q2a-1-2 Max	I	239.1	829.5	179.8	1287.7	4112.	
				J	239.1	829.5	179.8	1193.1	3898.	
1	4778.7	1308.3	Min	I	-9436.1	-764.4	-39.8	-4112.1	-1287.	
7	-5471.8	-963.7		J	-9436.1	-764.4	-39.8	-3898.1	-1193.	
1	-1308.3	-4778.7								

PROJECT TITLE :

			Company		Client				
			Author		File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
2	566.6	-566.6	SLVx (RS)	I	1075.1	-9.8	-18.6	12.2	-12.
				J	1075.1	-9.8	-18.6	13.7	-13.
7	-496.2	496.2							
			SLVy (RS)	I	-1979.9	-21.1	9.8	391.0	-391.
0	-274.3	274.3		J	-1979.9	-21.1	9.8	345.4	-345.
4	285.0	-285.0							
			SLDx (RS)	I	537.4	-4.9	-9.3	6.1	-6.
1	283.2	-283.2		J	537.4	-4.9	-9.3	6.8	-6.
8	-248.0	248.0							
			SLDy (RS)	I	-988.6	-10.5	4.9	195.2	-195.
2	-137.2	137.2		J	-988.6	-10.5	4.9	172.5	-172.
5	142.5	-142.5							
			SLVz (RS)	I	478.6	-4.5	-8.3	6.7	-6.
7	252.6	-252.6		J	478.6	-4.5	-8.3	-5.9	5.
9	-221.3	221.3							
			g1	I	-11046.8	86.0	140.2	-62.7	62.
7	-4727.2	4727.2		J	-11046.0	86.0	181.3	125.7	-125.
7	4434.3	-4434.3							
			g2	I	-5272.3	31.4	78.7	392.8	-392.
8	-2420.9	2420.9		J	-5272.3	31.4	78.7	461.5	-461.
5	2063.3	-2063.3							
			q3	I	49.5	0.3	6.5	-1.5	1.
5	-194.5	194.5		J	49.5	0.3	6.5	-0.8	0.
8	177.3	-177.3							
			q5_pc	I	-1152.7	-3.3	-6.3	175.2	-175.
2	192.6	-192.6		J	-1152.7	-3.3	-6.3	167.9	-167.
9	-164.6	164.6							
			q5_ps	I	-1051.8	-4.8	-4.1	237.7	-237.
7	126.8	-126.8		J	-1051.8	-4.8	-4.1	227.1	-227.
1	-104.0	104.0							
			INVSLU Max	I	-158676.1	1580.3	386.3	4247.0	6874.
2	211.3	14211.8		J	-158675.0	1580.3	441.8	3910.5	6590.
5	9388.6	4142.4							
			Min	I	-182703.9	-1607.0	-104.0	-6874.2	-4247.
0	-14211.8	-211.3		J	-182702.8	-1607.0	-48.5	-6590.5	-3910.
5	-4142.4	-9388.6							
			INVSLV Max	I	-79688.1	57.9	72.9	-59.5	852.
8	-2366.7	3816.2		J	-79687.3	57.9	114.0	-33.5	736.
2	1512.1	-215.9							
			Min	I	-84580.1	7.2	24.8	-852.8	59.
5	-3816.2	2366.7		J	-84579.3	7.2	65.9	-736.2	33.

# MIDAS

PROJECT TITLE :

MIDAS	Company		Client		
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

5	215.9	-1512.1								
8	588	2	62	Q1-1-2 Max	I	2888.2	7375.4	168.2	4413.7	3036.
8	63.5	6925.9			J	2888.2	7375.4	168.2	21357.4	15034.
7	6631.4	61.8		Min	I	-1384.5	-5183.3	-1.6	-3036.8	-4413.
7	-6925.9	-63.5			J	-1384.5	-5183.3	-1.6	-15034.7	-21357.
4	-61.8	-6631.4								
5	32.5	4075.8		Q2a-1-2 Max	I	1840.2	5035.9	98.7	3026.4	2107.
3	3896.2	31.7			J	1840.2	5035.9	98.7	13922.3	10731.
4	-4075.8	-32.5		Min	I	-1005.9	-3653.3	-0.8	-2107.5	-3026.
4	-31.7	-3896.2			J	-1005.9	-3653.3	-0.8	-10731.3	-13922.
3	-31.7	-3896.2								
7	398.4	-398.4		SLVx (RS)	I	99.9	-46.5	-9.9	-76.7	76.
8	-389.9	389.9			J	99.9	-46.5	-9.9	-218.8	218.
0	135.2	-135.2		SLVy (RS)	I	-338.1	-602.7	-2.9	244.0	-244.
5	-103.4	103.4			J	-338.1	-602.7	-2.9	-1611.5	1611.
3	199.2	-199.2		SLDx (RS)	I	49.9	-23.2	-4.9	-38.3	38.
4	-194.9	194.9			J	49.9	-23.2	-4.9	-109.4	109.
9	67.8	-67.8		SLDy (RS)	I	-168.8	-301.0	-1.5	121.9	-121.
8	-52.0	52.0			J	-168.8	-301.0	-1.5	-804.8	804.
7	179.6	-179.6		SLVz (RS)	I	-41.5	-22.8	-4.4	-33.7	33.
0	-175.6	175.6			J	-41.5	-22.8	-4.4	-103.0	103.
7	-4049.7	4049.7		g1	I	1065.2	505.1	80.7	821.7	-821.
3	4715.7	-4715.7			J	1066.4	505.1	138.4	2376.3	-2376.
4	-2129.8	2129.8		g2	I	423.0	-1389.9	52.8	1616.4	-1616.
0	2093.2	-2093.2			J	423.0	-1389.9	52.8	-2662.0	2662.
0	-117.8	117.8		q3	I	53.1	4.9	3.0	14.0	-14.
2	118.4	-118.4			J	53.1	4.9	3.0	29.2	-29.
1	364.4	-364.4		q5_pc	I	-230.1	-71.3	-8.5	-110.1	110.
6	-312.4	312.4			J	-230.1	-71.3	-8.5	-329.6	329.
				q5_ps	I	-223.3	-329.0	-6.5	93.0	-93.

MIDAS

PROJECT TITLE :

MIDAS		Company		Client				
		Author		File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0	282.5	-282.5						
8	-235.0	235.0		J	-223.3	-329.0	-6.5	-919.8 919.
9	4426.5	5739.5	INVSLU Max	I	-23510.8	4972.8	87.8	7456.5 2799.
5	4531.8	5116.9		J	-23509.2	4972.8	165.7	14989.0 34733.
5	-5739.5	-4426.5	Min	I	-29693.0	-12109.8	-158.2	-2799.9 -7456.
0	-5116.9	-4531.8		J	-29691.5	-12109.8	-80.3	-34733.5 -14989.
6	-1695.9	2681.7	INVSLV Max	I	-1321.0	552.9	52.1	1139.9 -585.
7	3801.7	-2854.6		J	-1319.9	552.9	109.9	2353.5 1062.
9	-2681.7	1695.9	Min	I	-2082.0	-694.2	28.0	585.6 -1139.
5	2854.6	-3801.7		J	-2080.9	-694.2	85.7	-1062.7 -2353.
9	589 2	62 2	Q1-1-2 Max	I	583.4	4468.7	47.9	5424.7 10816.
6	3294.0	1601.7		J	583.4	4468.7	47.9	1888.6 1306.
7	1847.8	2877.5	Min	I	-967.1	-2273.6	-85.1	-10816.9 -5424.
6	-1601.7	-3294.0		J	-967.1	-2273.6	-85.1	-1306.6 -1888.
8	2347.7	917.4	Q2a-1-2 Max	I	343.5	3157.0	27.6	3642.6 7672.
1	1074.2	2050.6		J	343.5	3157.0	27.6	1294.6 946.
6	-917.4	-2347.7	Min	I	-652.1	-1551.1	-60.6	-7672.8 -3642.
6	-2050.6	-1074.2		J	-652.1	-1551.1	-60.6	-946.1 -1294.
4	104.9	-104.9	SLVx (RS)	I	-16.6	40.5	-3.2	-63.4 63.
1	-124.6	124.6		J	-16.6	40.5	-3.2	-49.1 49.
4	-291.6	291.6	SLVy (RS)	I	-63.3	357.4	8.5	-922.4 922.
2	323.3	-323.3		J	-63.3	357.4	8.5	69.2 -69.
7	52.4	-52.4	SLDx (RS)	I	-8.3	20.2	-1.6	-31.7 31.
5	-62.3	62.3		J	-8.3	20.2	-1.6	-24.5 24.
7	-145.6	145.6	SLDy (RS)	I	-31.6	178.5	4.3	-460.7 460.
6	161.4	-161.4		J	-31.6	178.5	4.3	34.6 -34.
1	46.5	-46.5	SLVz (RS)	I	-7.2	-17.0	-1.4	26.1 -26.
4	-55.3	55.3		J	-7.2	-17.0	-1.4	-21.4 21.
			g1	I	224.6	429.1	6.2	-661.8 661.

MIDAS

PROJECT TITLE :

MIDAS		Company			Client		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
		Author			File Name				
8	-743.6	743.6		J	225.7	429.1	58.2	526.4	-526.
4	1573.7	-1573.7							
			g2	I	242.3	1289.1	22.8	-2907.2	2907.
2	-798.1	798.1		J	242.3	1289.1	22.8	662.7	-662.
7	844.4	-844.4							
			q3	I	12.8	6.7	1.4	-17.5	17.
5	-47.0	47.0		J	12.8	6.7	1.4	1.2	-1.
2	51.1	-51.1							
			q5_pc	I	-144.0	115.9	2.1	-302.3	302.
3	-45.8	45.8		J	-144.0	115.9	2.1	18.6	-18.
6	107.0	-107.0							
			q5_ps	I	-91.4	249.7	3.5	-626.2	626.
2	-105.1	105.1		J	-91.4	249.7	3.5	65.2	-65.
2	146.4	-146.4							
			INVSLU Max	I	-10193.7	7872.3	-483.5	2756.1	19714.
1	19972.3	-13280.7		J	-10192.3	7872.3	-413.4	2532.7	1814.
3	-19004.2	25576.1							
			Min	I	-12546.0	-1438.2	-666.8	-19714.1	-2756.
1	13280.7	-19972.3		J	-12544.6	-1438.2	-596.7	-1814.3	-2532.
7	-25576.1	19004.2							
			INVSLV Max	I	78.0	828.1	-30.9	33.1	1865.
5	1334.9	-660.8		J	79.0	828.1	21.1	429.9	-249.
1	309.1	445.4							
			Min	I	-63.0	78.8	-50.7	-1865.5	-33.
1	660.8	-1334.9		J	-61.9	78.8	1.2	249.1	-429.
9	-445.4	-309.1							
			Q1-1-2 Max	I	488.3	0.1	1331.9	0.7	1.
0	590	2 70		J	488.3	0.1	1331.9	0.2	25.
	902.6	55056.8							
4	40844.0	660.4							
			Min	I	-1841.0	-11.1	-21.7	-1.0	-0.
7	-55056.8	-902.6		J	-1841.0	-11.1	-21.7	-25.4	-0.
2	-660.4	-40844.0							
			Q2a-1-2 Max	I	268.9	0.1	781.5	0.4	0.
6	416.2	32327.3		J	268.9	0.1	781.5	0.1	15.
5	23944.0	305.2							
			Min	I	-1039.9	-6.8	-10.0	-0.6	-0.
4	-32327.3	-416.2		J	-1039.9	-6.8	-10.0	-15.5	-0.
1	-305.2	-23944.0							
			SLVx (RS)	I	-356.2	1.7	-68.1	-0.3	0.
3	2808.5	-2808.5		J	-356.2	1.7	-68.1	3.5	-3.
5	-2092.4	2092.4							
			SLVy (RS)	I	-696.4	-25.3	101.9	-0.8	0.



MIDAS

PROJECT TITLE :

MIDAS		Company		Client		File Name			
		Author		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt					
8	-3996.8	3996.8		J	-696.4	-25.3	101.9	-57.8	57.
8	3341.6	-3341.6							
			SLDx (RS)	I	-177.9	0.8	-34.0	-0.1	0.
1	1403.4	-1403.4		J	-177.9	0.8	-34.0	1.8	-1.
8	-1045.6	1045.6							
			SLDy (RS)	I	-347.8	-12.6	50.9	-0.4	0.
4	-1996.4	1996.4		J	-347.8	-12.6	50.9	-28.9	28.
9	1669.0	-1669.0							
			SLVz (RS)	I	81.6	-0.4	-29.2	0.1	-0.
1	1201.1	-1201.1		J	81.6	-0.4	-29.2	0.8	-0.
8	-899.5	899.5							
			g1	I	-890.2	-6.7	789.2	-0.2	0.
2	-33284.3	33284.3		J	-889.1	-6.7	841.2	-15.2	15.
2	25410.8	-25410.8							
			g2	I	-460.9	-2.9	397.0	-0.1	0.
1	-16355.3	16355.3		J	-460.9	-2.9	397.0	-6.6	6.
6	12230.3	-12230.3							
			q3	I	-392.6	1.8	0.2	-0.3	0.
3	-50.2	50.2		J	-392.6	1.8	0.2	3.8	-3.
8	-32.6	32.6							
			q5_pc	I	-303.7	-19.6	-3.8	-0.2	0.
2	301.2	-301.2		J	-303.7	-19.6	-3.8	-44.2	44.
2	24.9	-24.9							
			q5_ps	I	-296.7	-18.3	6.7	-0.1	0.
1	-151.2	151.2		J	-296.7	-18.3	6.7	-41.4	41.
4	330.0	-330.0							
			INVSLU Max	I	-315.4	16.2	3276.5	0.9	1.
7	-59923.2	136010.4		J	-314.0	16.2	3346.6	36.1	117.
7	102471.3	-46145.8							
			Min	I	-4013.6	-52.0	1442.2	-1.7	-0.
9	-136010.4	59923.2		J	-4012.2	-52.0	1512.3	-117.7	-36.
1	46145.8	-102471.3							
			INVSLV Max	I	-369.5	15.4	1232.3	0.9	1.
0	-40789.8	51189.2		J	-368.5	15.4	1284.2	35.4	82.
7	39404.6	-30926.3							
			Min	I	-2025.1	-36.4	970.1	-1.0	-0.
9	-51189.2	40789.8		J	-2024.0	-36.4	1022.0	-82.7	-35.
4	30926.3	-39404.6							
			Q1-1-2 Max	I	4881.9	70.5	13.1	34.7	18.
0	591 23552.3	2 411.2	70	J	4881.9	70.5	13.1	204.7	111.
6	642.5	31557.6							

# MIDAS

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			

7	-411.2	-23552.3	Min	I	-2768.8	-41.2	-685.9	-18.0	-34.
				J	-2768.8	-41.2	-685.9	-111.6	-204.
7	-31557.6	-642.5							
			Q2a-1-2 Max	I	2850.5	46.9	6.0	23.7	11.
0	13659.4	190.1		J	2850.5	46.9	6.0	123.4	69.
0	291.7	18355.1							
			Min	I	-1585.8	-25.8	-398.0	-11.0	-23.
7	-190.1	-13659.4		J	-1585.8	-25.8	-398.0	-69.0	-123.
4	-18355.1	-291.7							
			SLVx (RS)	I	7464.6	6.5	39.8	-7.5	7.
5	-1486.8	1486.8		J	7464.6	6.5	39.8	-10.8	10.
8	1727.0	-1727.0							
			SLVy (RS)	I	-1606.8	343.3	-59.1	-68.0	68.
0	2001.0	-2001.0		J	-1606.8	343.3	-59.1	791.1	-791.
1	-2727.6	2727.6							
			SLDx (RS)	I	3729.6	3.3	19.9	-3.7	3.
7	-743.5	743.5		J	3729.6	3.3	19.9	-5.4	5.
4	863.4	-863.4							
			SLDy (RS)	I	-802.3	171.5	-29.5	-33.9	33.
9	999.4	-999.4		J	-802.3	171.5	-29.5	395.1	-395.
1	-1362.3	1362.3							
			SLVz (RS)	I	-1735.8	-4.2	17.3	2.5	-2.
5	-629.8	629.8		J	-1735.8	-4.2	17.3	-8.3	8.
3	760.0	-760.0							
			g1	I	1193.7	21.9	-462.9	14.5	-14.
5	15416.2	-15416.2		J	1194.8	21.9	-405.2	69.2	-69.
2	-19310.3	19310.3							
			g2	I	1151.1	13.2	-210.1	11.4	-11.
4	7266.9	-7266.9		J	1151.1	13.2	-210.1	44.3	-44.
3	-9539.6	9539.6							
			q3	I	9048.2	6.5	22.4	-8.5	8.
5	-1047.4	1047.4		J	9048.2	6.5	22.4	7.8	-7.
8	745.6	-745.6							
			q5_pc	I	-484.1	296.1	-3.2	-29.3	29.
3	125.3	-125.3		J	-484.1	296.1	-3.2	711.0	-711.
0	-128.1	128.1							
			q5_ps	I	-502.9	279.0	-8.8	-24.5	24.
5	320.6	-320.6		J	-502.9	279.0	-8.8	673.1	-673.
1	-386.9	386.9							
			INVSLU Max	I	22007.7	526.7	-782.0	155.1	-25.
4	59643.3	-25951.4							

MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

8	-33441.3	77790.0		J	22009.3	526.7	-704.1	1390.8	948.	
1	25951.4	-59643.3	Min	I	1335.3	-423.5	-1752.9	25.4	-155.	
8	-77790.0	33441.3		J	1336.8	-423.5	-1674.9	-948.8	-1390.	
0	23406.2	-18134.2	INVSLV Max	I	11257.8	379.4	-541.0	101.9	40.	
7	-22828.4	29775.8		J	11258.9	379.4	-483.3	909.9	683.	
9	18134.2	-23406.2	Min	I	-5676.9	-313.7	-693.5	-40.0	-101.	
9	-29775.8	22828.4		J	-5675.8	-313.7	-635.8	-683.7	-909.	
7	604	2	70	Q1-1-2 Max	I	79370.4	140.0	0.7	1934.6	841.
6	1137.8	113.8		J	79370.4	140.0	0.7	1962.7	947.	
6	34.2	2821.8	Min	I	-1564.3	-185.5	-67.7	-841.7	-1934.	
6	-113.8	-1137.8		J	-1564.3	-185.5	-67.7	-947.6	-1962.	
7	-2821.8	-34.2								
4	687.7	75.4	Q2a-1-2 Max	I	48010.9	88.7	0.4	1233.9	549.	
8	25.2	1698.5		J	48010.9	88.7	0.4	1243.5	611.	
9	-75.4	-687.7	Min	I	-1161.4	-116.0	-40.5	-549.4	-1233.	
5	-1698.5	-25.2		J	-1161.4	-116.0	-40.5	-611.8	-1243.	
0	-82.6	82.6	SLVx (RS)	I	7452.8	-5.4	-5.9	-66.0	66.	
5	-251.2	251.2		J	7452.8	-5.4	-5.9	-59.5	59.	
4	-23.6	23.6	SLVy (RS)	I	-2391.4	14.0	0.9	3469.4	-3469.	
7	36.4	-36.4		J	-2391.4	14.0	0.9	3486.7	-3486.	
0	-41.3	41.3	SLDx (RS)	I	3721.6	-2.7	-2.9	-33.0	33.	
7	-125.5	125.5		J	3721.6	-2.7	-2.9	-29.7	29.	
5	-11.8	11.8	SLDy (RS)	I	-1194.4	7.0	0.4	1732.5	-1732.	
2	18.2	-18.2		J	-1194.4	7.0	0.4	1741.2	-1741.	
4	-34.1	34.1	SLVz (RS)	I	-2380.0	1.8	2.2	-36.4	36.	
9	89.8	-89.8		J	-2380.0	1.8	2.2	-34.9	34.	
4	872.7	-872.7	g1	I	56291.8	-21.0	-67.3	591.4	-591.	
5	-1770.9	1770.9		J	56292.6	-21.0	-26.7	554.5	-554.	
9	368.2	-368.2	g2	I	27755.8	-8.4	-24.2	285.9	-285.	

MIDAS

PROJECT TITLE :

MIDAS		Company			Client					
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt				
1	-991.9	991.9		J	27755.8	-8.4	-24.2	271.1	-271.1	
8	-6.4	6.4	q3	I	6190.5	-6.3	-2.3	55.8	-55.8	
8	-134.2	134.2		J	6190.5	-6.3	-2.3	44.8	-44.8	
5	-41.4	41.4	q5_pc	I	-2492.9	-25.2	2.2	2381.5	-2381.5	
2	80.1	-80.1		J	-2492.9	-25.2	2.2	2337.2	-2337.2	
3	-26.7	26.7	q5_ps	I	-2074.3	-11.4	1.5	2158.3	-2158.3	
2	60.0	-60.0		J	-2074.3	-11.4	1.5	2138.2	-2138.2	
5	1044.7	719.4	INVS LU Max	I	246430.4	168.1	-83.3	6496.3	2789.9	
2	-3717.7	7723.8		J	246431.5	168.1	-28.6	6418.1	2943.9	
3	-719.4	-1044.7	Min	I	132341.4	-316.7	-179.6	-2789.5	-6496.9	
1	-7723.8	3717.7		J	132342.5	-316.7	-124.9	-2943.2	-6418.9	
6	239.9	-40.1	INVS LV Max	I	101809.6	-11.0	-64.0	4411.6	2588.9	
4	-2413.4	2991.6		J	101810.4	-11.0	-23.5	4378.7	2651.9	
6	40.1	-239.9	Min	I	84041.2	-43.4	-77.6	-2588.6	-4411.9	
7	-2991.6	2413.4		J	84042.0	-43.4	-37.1	-2651.4	-4378.9	
3	605	2	69	Q1-1-2 Max	I	56810.6	88.6	0.3	1226.8	592.9
9	1698.9	10.7		J	56810.6	88.6	0.3	1420.8	868.9	
8	19.8	2581.4	Min	I	-1034.2	-112.7	-56.5	-592.3	-1226.9	
8	-10.7	-1698.9		J	-1034.2	-112.7	-56.5	-868.9	-1420.9	
8	-2581.4	-19.8								
4	1032.2	6.8	Q2a-1-2 Max	I	34293.4	56.1	0.3	777.3	382.9	
8	14.7	1566.8		J	34293.4	56.1	0.3	902.8	561.9	
3	-6.8	-1032.2	Min	I	-767.7	-70.6	-34.0	-382.4	-777.9	
8	-1566.8	-14.7		J	-767.7	-70.6	-34.0	-561.8	-902.9	
2	137.6	-137.6	SLVx (RS)	I	5193.2	-3.4	-4.5	-37.2	37.9	
9	-190.4	190.4		J	5193.2	-3.4	-4.5	-28.9	28.9	
2	-23.9	23.9	SLVy (RS)	I	-1446.2	-57.9	0.8	2179.2	-2179.9	
3	-36.4	36.4		J	-1446.2	-57.9	0.8	1968.3	-1968.9	
6	68.8	-68.8	SLDx (RS)	I	2593.3	-1.7	-2.2	-18.6	18.9	


MIDAS

PROJECT TITLE :

MIDAS		Company		Client		File Name				
		Author		File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt				
4	-95.1	95.1		J	2593.3	-1.7	-2.2	-14.4	14.	
2	-12.0	12.0	SLDy (RS)	I	-722.4	-28.9	0.4	1088.2	-1088.	
9	-18.2	18.2		J	-722.4	-28.9	0.4	982.9	-982.	
8	-54.9	54.9	SLVz (RS)	I	-1712.3	1.4	1.8	-21.8	21.	
3	74.6	-74.6		J	-1712.3	1.4	1.8	-18.3	18.	
6	1593.2	-1593.2	g1	I	40367.9	-12.7	-79.9	346.6	-346.	
0	-1161.4	1161.4		J	40369.6	-12.7	4.5	300.0	-300.	
5	532.9	-532.9	g2	I	19862.7	-6.1	-18.5	169.5	-169.	
2	-823.7	823.7		J	19862.7	-6.1	-18.5	147.2	-147.	
0	35.6	-35.6	q3	I	4104.3	-3.9	-1.4	28.0	-28.	
8	-70.3	70.3		J	4104.3	-3.9	-1.4	13.8	-13.	
7	-47.8	47.8	q5_pc	I	-1690.3	-55.3	1.2	1460.7	-1460.	
5	38.1	-38.1		J	-1690.3	-55.3	1.2	1258.5	-1258.	
3	-37.0	37.0	q5_ps	I	-1392.4	-46.4	0.9	1336.3	-1336.	
8	26.8	-26.8		J	-1392.4	-46.4	0.9	1166.8	-1166.	
4	3250.9	-848.1	INVSLU Max	I	175238.2	143.4	-117.0	4011.3	1839.	
3	-3536.2	7116.5		J	175240.5	143.4	-3.0	3858.5	1960.	
3	848.1	-3250.9	Min	I	93886.9	-227.9	-196.0	-1839.4	-4011.	
5	-7116.5	3536.2		J	93889.1	-227.9	-82.0	-1960.3	-3858.	
1	1266.0	-943.4	INVSLV Max	I	72255.6	42.7	-83.7	2736.6	1657.	
7	-2089.2	2536.7		J	72257.2	42.7	0.7	2461.3	1503.	
6	943.4	-1266.0	Min	I	59974.2	-76.1	-94.2	-1657.1	-2736.	
3	-2536.7	2089.2		J	59975.8	-76.1	-9.8	-1503.7	-2461.	
7	617	2	5	Q1-1-2 Max	I	68901.8	74.2	0.2	1994.8	1817.
8	14.7	1620.0		J	68901.8	74.2	0.2	2139.9	1938.	
8	15.3	2026.0	Min	I	-670.8	-69.8	-11.5	-1817.7	-1994.	
8	-1620.0	-14.7		J	-670.8	-69.8	-11.5	-1938.8	-2139.	
9	-2026.0	-15.3								
			Q2a-1-2 Max	I	41491.9	48.6	0.1	1233.7	1112.	

# MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt				
6	10.9	1015.5								
8	11.3	1282.5								
7	-1015.5	-10.9	Min	I	-497.3	-45.6	-7.6	-1112.6	-1233.	
5	-1282.5	-11.3		J	-497.3	-45.6	-7.6	-1190.8	-1329.	
6	-102.1	102.1	SLVx (RS)	I	5824.1	1.7	1.1	-17.6	17.	
8	143.0	-143.0		J	5824.1	1.7	1.1	-13.8	13.	
3	-30.5	30.5	SLVy (RS)	I	-1190.4	-131.6	0.5	1316.3	-1316.	
6	-13.3	13.3		J	-1190.4	-131.6	0.5	987.6	-987.	
8	-51.0	51.0	SLDx (RS)	I	2909.3	0.9	0.6	-8.8	8.	
9	71.5	-71.5		J	2909.3	0.9	0.6	-6.9	6.	
4	-15.2	15.2	SLDy (RS)	I	-594.9	-65.7	0.3	657.4	-657.	
2	-6.6	6.6		J	-594.9	-65.7	0.3	493.2	-493.	
5	41.4	-41.4	SLVz (RS)	I	-2329.6	-1.3	0.5	-10.5	10.	
7	58.5	-58.5		J	-2329.6	-1.3	0.5	-7.7	7.	
5	-815.8	815.8	g1	I	50339.4	-2.9	-34.4	48.5	-48.	
1	-1018.1	1018.1		J	50340.5	-2.9	23.3	41.1	-41.	
6	-512.6	512.6	g2	I	24463.3	-2.7	-1.6	25.6	-25.	
9	-571.9	571.9		J	24463.3	-2.7	-1.6	18.9	-18.	
0	-46.9	46.9	q3	I	2728.7	0.7	-0.1	-11.0	11.	
4	-50.9	50.9		J	2728.7	0.7	-0.1	-9.4	9.	
0	9.0	-9.0	q5_pc	I	-1660.7	-56.7	-0.2	506.0	-506.	
1	1.9	-1.9		J	-1660.7	-56.7	-0.2	364.1	-364.	
7	1.7	-1.7	q5_ps	I	-1356.0	-57.2	-0.1	494.7	-494.	
6	-2.3	2.3		J	-1356.0	-57.2	-0.1	351.6	-351.	
4	-4250.1	6473.1	INVSLU Max	I	208894.6	155.1	-36.2	3284.3	2773.	
7	-4170.3	6929.4		J	208896.2	155.1	41.7	3337.8	2823.	
3	-6473.1	4250.1	Min	I	111669.4	-162.4	-52.4	-2773.4	-3284.	
8	-6929.4	4170.3		J	111670.9	-162.4	25.6	-2823.7	-3337.	


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

8	-2505.1	2752.5	INVS LV Max	I	86884.5	127.2	-27.1	1429.7	1219.	
				J	86885.6	127.2	30.6	1085.8	902.	
3	-2453.6	2782.7	Min	I	73124.3	-137.8	-30.0	-1219.8	-1429.	
7	-2752.5	2505.1		J	73125.4	-137.8	27.7	-902.3	-1085.	
8	-2782.7	2453.6								
8	618	2	5	Q1-1-2 Max	I	70840.1	75.9	9.5	2139.9	1938.
8	82.8	1091.2		J	70840.1	75.9	9.5	2291.1	2057.	
8	9.5	1926.0	Min	I	-664.8	-68.4	-43.3	-1938.8	-2139.	
9	-1091.2	-82.8		J	-664.8	-68.4	-43.3	-2057.8	-2291.	
1	-1926.0	-9.5								
8	54.8	722.1	Q2a-1-2 Max	I	42652.1	49.7	6.3	1329.5	1190.	
				J	42652.1	49.7	6.3	1429.3	1267.	
5	7.0	1203.1	Min	I	-492.7	-44.6	-27.4	-1190.8	-1329.	
5	-722.1	-54.8		J	-492.7	-44.6	-27.4	-1267.5	-1429.	
3	-1203.1	-7.0								
8	-39.1	39.1	SLVx (RS)	I	5980.9	2.4	3.2	-13.8	13.	
				J	5980.9	2.4	3.2	-9.5	9.	
5	149.2	-149.2								
5	-65.8	65.8	SLVy (RS)	I	-1155.7	-198.4	0.4	987.5	-987.	
				J	-1155.7	-198.4	0.4	492.7	-492.	
7	-56.5	56.5								
9	-19.5	19.5	SLDx (RS)	I	2987.7	1.2	1.6	-6.9	6.	
				J	2987.7	1.2	1.6	-4.7	4.	
7	74.5	-74.5								
1	-32.8	32.8	SLDy (RS)	I	-577.7	-99.1	0.2	493.1	-493.	
				J	-577.7	-99.1	0.2	246.1	-246.	
1	-28.2	28.2								
7	12.7	-12.7	SLVz (RS)	I	-2410.0	-1.9	1.4	-7.7	7.	
				J	-2410.0	-1.9	1.4	-4.2	4.	
2	63.1	-63.1								
1	-250.5	250.5	g1	I	51754.8	-2.6	-50.2	41.1	-41.	
				J	51756.0	-2.6	7.5	34.6	-34.	
6	-1027.1	1027.1								
9	-252.3	252.3	g2	I	25122.6	-2.9	-9.0	18.9	-18.	
				J	25122.6	-2.9	-9.0	11.5	-11.	
5	-580.6	580.6								
4	-38.9	38.9	q3	I	2706.2	0.7	0.4	-9.4	9.	
				J	2706.2	0.7	0.4	-7.7	7.	

# MIDAS


PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt				
7	-22.7	22.7								
8	-26.6	26.6	q5_pc	I	-1680.3	-82.9	1.2	363.8	-363.	
6	16.1	-16.1		J	-1680.3	-82.9	1.2	156.6	-156.	
3	-33.9	33.9	q5_ps	I	-1370.0	-83.1	1.2	351.3	-351.	
5	9.0	-9.0		J	-1370.0	-83.1	1.2	143.5	-143.	
5	-3152.8	4785.6	INVSLU Max	I	214193.9	197.3	-54.4	3337.7	2823.	
2	-4325.9	6967.9		J	214195.5	197.3	23.6	3344.7	2808.	
7	-4785.6	3152.8	Min	I	114319.5	-198.1	-127.8	-2823.5	-3337.	
7	-6967.9	4325.9		J	114321.0	-198.1	-49.8	-2808.2	-3344.	
2	-1828.5	1991.2	INVSLV Max	I	88998.7	194.9	-47.8	1085.7	902.	
1	-2550.0	2920.1		J	88999.9	194.9	9.9	576.6	417.	
7	-1991.2	1828.5	Min	I	74897.5	-204.5	-55.3	-902.2	-1085.	
6	-2920.1	2550.0		J	74898.6	-204.5	2.4	-417.1	-576.	
3	629	2	5	Q1-1-2 Max	I	77748.1	79.7	2.1	2465.5	2267.
1	570.6	774.8		J	77748.1	79.7	2.1	2575.8	2346.	
5	23.8	4108.7	Min	I	-528.4	-69.1	-111.3	-2267.3	-2465.	
8	-774.8	-570.6		J	-528.4	-69.1	-111.3	-2346.1	-2575.	
6	-4108.7	-23.8	Q2a-1-2 Max	I	46870.3	53.3	1.0	1527.1	1386.	
8	354.5	481.5		J	46870.3	53.3	1.0	1605.4	1443.	
1	16.1	2618.7	Min	I	-390.6	-46.8	-71.2	-1386.6	-1527.	
4	-481.5	-354.5		J	-390.6	-46.8	-71.2	-1443.8	-1605.	
2	-2618.7	-16.1	SLVx (RS)	I	-6510.2	3.4	-6.3	-8.2	8.	
3	-63.9	63.9		J	-6510.2	3.4	-6.3	-3.3	3.	
7	-244.3	244.3	SLVy (RS)	I	-1418.0	-307.1	-6.3	614.7	-614.	
2	71.7	-71.7		J	-1418.0	-307.1	-6.3	-187.2	187.	
1	-164.9	164.9	SLDx (RS)	I	-3252.7	1.7	-3.2	-4.1	4.	
6	-31.9	31.9		J	-3252.7	1.7	-3.2	-1.6	1.	
0	-122.1	122.1	SLDy (RS)	I	-708.6	-153.4	-3.2	307.0	-307.	
	35.9	-35.9		J	-708.6	-153.4	-3.2	-93.6	93.	




# MIDAS

PROJECT TITLE :

		Company			Client						
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt					
6	-82.4	82.4									
			SLVz (RS)	I	-2758.4	2.9	3.1	-5.5	5.		
5	-23.0	23.0		J	-2758.4	2.9	3.1	-2.6	2.		
6	114.4	-114.4									
			g1	I	57204.1	0.9	-76.2	19.8	-19.		
8	-114.3	114.3		J	57205.3	0.9	-17.2	22.2	-22.		
2	-1852.0	1852.0									
			g2	I	27631.3	-0.9	-13.9	6.9	-6.		
9	-263.7	263.7		J	27631.3	-0.9	-13.9	4.5	-4.		
5	-779.3	779.3									
			q3	I	2161.4	0.2	-0.9	-3.1	3.		
1	-13.8	13.8		J	2161.4	0.2	-0.9	-2.6	2.		
6	-48.7	48.7									
			q5_pc	I	-1812.6	-112.1	11.3	214.5	-214.		
5	-220.0	220.0		J	-1812.6	-112.1	11.3	-72.3	72.		
3	199.0	-199.0									
			q5_ps	I	-1505.4	-110.7	12.6	202.9	-202.		
9	-239.2	239.2		J	-1505.4	-110.7	12.6	-80.1	80.		
1	230.8	-230.8									
			INVSLU Max	I	234233.8	246.7	-122.4	3493.2	3282.		
1	-1715.6	3927.9		J	234235.4	246.7	-42.7	3514.0	3260.		
6	-6167.0	12263.1									
			Min	I	124849.4	-236.0	-303.8	-3282.1	-3493.		
2	-3927.9	1715.6		J	124851.0	-236.0	-224.1	-3260.6	-3514.		
0	-12263.1	6167.0									
			INVSLV Max	I	97458.6	308.0	-72.9	613.6	624.		
0	-1657.3	1852.7		J	97459.8	308.0	-13.8	181.1	196.		
9	-3380.5	4036.7									
			Min	I	81932.4	-310.0	-91.2	-624.0	-613.		
6	-1852.7	1657.3		J	81933.6	-310.0	-32.2	-196.9	-181.		
1	-4036.7	3380.5									
			Q1-1-2 Max	I	77796.3	69.7	115.2	2575.0	2345.		
2	630	2	5	J	77796.3	69.7	115.2	2464.2	2265.		
2	24.1	4239.9									
			Min	I	-525.0	-79.8	-1.9	-2345.2	-2575.		
4	610.9	680.7		J	-525.0	-79.8	-1.9	-2265.4	-2464.		
0	-4239.9	-24.1									
			Q2a-1-2 Max	I	46903.0	46.2	73.3	1604.9	1443.		
2	-680.7	-610.9		J	46903.0	46.2	73.3	1526.2	1385.		
4	16.2	2696.4									
			Min	I	-388.1	-53.4	-0.9	-1443.4	-1604.		
4	376.4	418.8		J	-388.1	-53.4	-0.9	-1385.4	-1526.		
9	-2696.4	-16.2									


# MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
2	-418.8	-376.4							
			SLVx (RS)	I	-6499.8	-3.6	6.7	-3.5	3.
5	-253.3	253.3		J	-6499.8	-3.6	6.7	-8.5	8.
5	-57.3	57.3							
			SLVy (RS)	I	-1413.1	306.7	6.6	-193.1	193.
1	-168.4	168.4		J	-1413.1	306.7	6.6	607.4	-607.
4	78.0	-78.0							
			SLDx (RS)	I	-3247.5	-1.8	3.4	-1.7	1.
7	-126.6	126.6		J	-3247.5	-1.8	3.4	-4.2	4.
2	-28.6	28.6							
			SLDy (RS)	I	-706.2	153.1	3.3	-96.5	96.
5	-84.2	84.2		J	-706.2	153.1	3.3	303.3	-303.
3	39.0	-39.0							
			SLVz (RS)	I	-2762.8	-3.0	-3.2	-2.7	2.
7	118.3	-118.3		J	-2762.8	-3.0	-3.2	-5.6	5.
6	-18.4	18.4							
			g1	I	57224.0	-0.6	21.7	22.2	-22.
2	-1936.6	1936.6		J	57225.1	-0.6	80.7	20.5	-20.
5	-31.5	31.5							
			g2	I	27634.9	1.0	16.1	4.2	-4.
2	-815.7	815.7		J	27634.9	1.0	16.1	6.7	-6.
7	-217.2	217.2							
			q3	I	2112.4	0.1	2.2	-2.9	2.
9	-69.5	69.5		J	2112.4	0.1	2.2	-2.7	2.
7	13.7	-13.7							
			q5_pc	I	-1813.0	111.6	-11.0	-82.1	82.
1	191.4	-191.4		J	-1813.0	111.6	-11.0	203.3	-203.
3	-216.8	216.8							
			q5_ps	I	-1506.4	110.2	-12.4	-89.9	89.
9	224.6	-224.6		J	-1506.4	110.2	-12.4	191.9	-191.
9	-235.5	235.5							
			INVSLU Max	I	234337.4	235.7	248.2	3522.1	3267.
9	-6537.9	12795.3		J	234339.0	235.7	327.9	3481.4	3269.
6	-1320.0	3453.9							
			Min	I	124889.5	-246.2	62.3	-3267.9	-3522.
1	-12795.3	6537.9		J	124891.0	-246.2	142.0	-3269.6	-3481.
4	-3453.9	1320.0							
			INVSLV Max	I	97469.8	309.7	44.0	187.3	202.
6	-3569.7	4248.4		J	97470.9	309.7	103.0	606.8	616.
4	-1435.6	1637.1							
			Min	I	81964.7	-307.5	24.6	-202.6	-187.

# MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt				
3	-4248.4	3569.7			J	81965.8	-307.5	83.6	-616.4	-606.
8	-1637.1	1435.6								
4	641 10.4	2 5 2049.2	Q1-1-2	Max	I	71145.3	67.3	49.3	2293.5	2059.
9	151.4	980.3			J	71145.3	67.3	49.3	2142.9	1941.
5	-2049.2	-10.4		Min	I	-661.1	-75.3	-5.8	-2059.4	-2293.
9	-980.3	-151.4			J	-661.1	-75.3	-5.8	-1941.9	-2142.
2	7.7	1276.9	Q2a-1-2	Max	I	42833.1	43.9	31.2	1430.4	1268.
1	100.9	650.9			J	42833.1	43.9	31.2	1330.7	1192.
4	-1276.9	-7.7		Min	I	-489.9	-49.4	-3.8	-1268.2	-1430.
7	-650.9	-100.9			J	-489.9	-49.4	-3.8	-1192.1	-1330.
6	146.8	-146.8		SLVx (RS)	I	-5709.5	-2.3	-3.1	-9.6	9.
8	33.4	-33.4			J	-5709.5	-2.3	-3.1	-14.8	14.
5	-54.2	54.2		SLVy (RS)	I	-1145.4	198.2	-0.7	483.5	-483.
6	-76.3	76.3			J	-1145.4	198.2	-0.7	977.6	-977.
8	73.3	-73.3		SLDx (RS)	I	-2853.0	-1.1	-1.6	-4.8	4.
4	16.7	-16.7			J	-2853.0	-1.1	-1.6	-7.4	7.
5	-27.1	27.1		SLDy (RS)	I	-572.6	99.0	-0.3	241.5	-241.
2	-38.1	38.1			J	-572.6	99.0	-0.3	488.2	-488.
2	63.0	-63.0		SLVz (RS)	I	-2477.2	-1.9	-1.3	-5.2	5.
7	14.5	-14.5			J	-2477.2	-1.9	-1.3	-9.7	9.
3	-1104.6	1104.6		g1	I	51973.3	2.0	-3.6	37.3	-37.
2	-185.8	185.8			J	51974.4	2.0	54.1	42.2	-42.
4	-631.4	631.4		g2	I	25151.5	2.9	11.6	11.4	-11.
7	-209.5	209.5			J	25151.5	2.9	11.6	18.7	-18.
1	-35.0	35.0		q3	I	1509.8	0.1	1.2	-1.1	1.
9	9.3	-9.3			J	1509.8	0.1	1.2	-0.9	0.
9	17.2	-17.2		q5_pc	I	-1695.1	83.2	-1.3	143.9	-143.
9	-28.6	28.6			J	-1695.1	83.2	-1.3	351.9	-351.

# MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

2	9.9	-9.9	q5_ps	I	-1381.9	83.4	-1.3	131.2	-131.
8	-36.6	36.6		J	-1381.9	83.4	-1.3	339.8	-339.
2	-4642.0	7453.4	INVSLU Max	I	214871.4	197.3	75.3	3330.2	2805.
4	-2746.5	4325.7		J	214873.0	197.3	153.2	3324.5	2823.
2	-7453.4	4642.0	Min	I	114557.4	-197.2	-1.4	-2805.2	-3330.
5	-4325.7	2746.5		J	114559.0	-197.2	76.6	-2823.4	-3324.
9	-2748.6	3112.5	INVSLV Max	I	88937.5	204.2	7.8	563.9	411.
2	-1641.0	1822.4		J	88938.7	204.2	65.6	1072.8	897.
9	-3112.5	2748.6	Min	I	75344.9	-194.8	0.4	-411.9	-563.
8	-1822.4	1641.0		J	75346.0	-194.8	58.1	-897.2	-1072.
9	642	2064.9	Q1-1-2 Max	I	69207.6	68.6	14.9	2142.9	1941.
4	13.9	1536.8		J	69207.6	68.6	14.9	1998.4	1824.
9	-2064.9	-16.0	Min	I	-667.2	-73.7	-0.1	-1941.9	-2142.
4	-1536.8	-13.9		J	-667.2	-73.7	-0.1	-1824.4	-1998.
2	11.8	1302.3	Q2a-1-2 Max	I	41671.5	44.9	9.5	1330.7	1192.
2	10.3	968.0		J	41671.5	44.9	9.5	1235.1	1116.
7	-1302.3	-11.8	Min	I	-494.6	-48.4	-0.1	-1192.2	-1330.
1	-968.0	-10.3		J	-494.6	-48.4	-0.1	-1116.2	-1235.
8	132.7	-132.7	SLVx (RS)	I	-5528.4	-1.5	-0.9	-14.8	14.
4	100.4	-100.4		J	-5528.4	-1.5	-0.9	-18.4	18.
0	-15.7	15.7	SLVy (RS)	I	-1180.7	131.9	-0.4	978.0	-978.
5	-27.4	27.4		J	-1180.7	131.9	-0.4	1307.5	-1307.
4	66.3	-66.3	SLDx (RS)	I	-2762.5	-0.8	-0.5	-7.4	7.
2	50.2	-50.2		J	-2762.5	-0.8	-0.5	-9.2	9.
4	-7.8	7.8	SLDy (RS)	I	-590.1	65.9	-0.2	488.4	-488.
9	-13.7	13.7		J	-590.1	65.9	-0.2	652.9	-652.
7	58.4	-58.4	SLVz (RS)	I	-2401.4	-1.2	-0.4	-9.7	9.
8	43.2	-43.2		J	-2401.4	-1.2	-0.4	-12.8	12.

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

2	-1049.6	1049.6	g1	I	50565.4	2.3	-21.1	42.2	-42.	
9	-768.2	768.2		J	50566.5	2.3	36.6	47.9	-47.	
7	-596.3	596.3	g2	I	24492.4	2.7	3.2	18.7	-18.	
5	-480.6	480.6		J	24492.4	2.7	3.2	25.5	-25.	
9	-25.6	25.6	q3	I	1440.2	0.1	0.3	-0.9	0.	
7	-15.5	15.5		J	1440.2	0.1	0.3	-0.7	0.	
5	-0.0	0.0	q5_pc	I	-1677.7	57.6	0.3	352.5	-352.	
7	11.0	-11.0		J	-1677.7	57.6	0.3	496.7	-496.	
3	-4.3	4.3	q5_ps	I	-1369.2	58.2	0.2	340.3	-340.	
8	3.3	-3.3		J	-1369.2	58.2	0.2	485.8	-485.	
0	-4442.3	7252.5	INVSLU Max	I	209576.9	162.7	-4.7	3324.9	2824.	
2	-3933.2	6046.6		J	209578.4	162.7	73.2	3274.7	2780.	
9	-7252.5	4442.3	Min	I	111907.2	-155.9	-25.6	-2824.0	-3324.	
7	-6046.6	3933.2		J	111908.8	-155.9	52.4	-2780.2	-3274.	
6	-2613.3	2923.2	INVSLV Max	I	86807.8	138.0	-19.1	1073.1	897.	
9	-2333.2	2576.3		J	86808.9	138.0	38.6	1417.8	1215.	
1	-2923.2	2613.3	Min	I	73601.8	-127.5	-21.4	-897.6	-1073.	
8	-2576.3	2333.2		J	73602.9	-127.5	36.3	-1215.9	-1417.	
3	654	2	69	Q1-1-2 Max	I	57605.5	115.3	61.3	1424.9	857.
7	23.0	2770.0		J	57605.5	115.3	61.3	1226.7	569.	
9	1879.3	9.9	Min	I	-1028.9	-90.7	-0.4	-857.3	-1424.	
7	-2770.0	-23.0		J	-1028.9	-90.7	-0.4	-569.7	-1226.	
2	17.0	1679.9	Q2a-1-2 Max	I	34753.1	72.1	36.9	904.9	554.	
8	1140.7	7.2		J	34753.1	72.1	36.9	777.1	367.	
9	-1679.9	-17.0	Min	I	-763.8	-57.4	-0.3	-554.2	-904.	
1	-7.2	-1140.7		J	-763.8	-57.4	-0.3	-367.8	-777.	
6	203.9	-203.9	SLVx (RS)	I	-4113.4	-0.9	-4.9	-30.6	30.	
7	-156.5	156.5		J	-4113.4	-0.9	-4.9	-33.7	33.	


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

3	-39.6	39.6	SLVy (RS)	I	-1451.0	58.8	-0.8	1965.3	-1965.	
6	-24.4	24.4		J	-1451.0	58.8	-0.8	2180.6	-2180.	
3	101.9	-101.9	SLDx (RS)	I	-2055.5	-0.5	-2.4	-15.3	15.	
8	-78.2	78.2		J	-2055.5	-0.5	-2.4	-16.8	16.	
4	-19.8	19.8	SLDy (RS)	I	-724.9	29.3	-0.4	981.4	-981.	
9	-12.3	12.3		J	-724.9	29.3	-0.4	1088.9	-1088.	
9	90.6	-90.6	SLVz (RS)	I	-1807.4	-0.5	-2.2	-18.9	18.	
9	-69.5	69.5		J	-1807.4	-0.5	-2.2	-20.9	20.	
7	-1319.2	1319.2	g1	I	40881.9	14.4	-0.6	302.7	-302.	
7	1765.0	-1765.0		J	40883.6	14.4	84.4	355.7	-355.	
3	-889.8	889.8	g2	I	19919.4	6.5	20.3	150.3	-150.	
1	601.2	-601.2		J	19919.4	6.5	20.3	174.1	-174.	
5	-44.9	44.9	q3	I	935.5	0.3	1.1	4.5	-4.	
5	39.6	-39.6		J	935.5	0.3	1.1	5.5	-5.	
7	39.0	-39.0	q5_pc	I	-1756.5	56.8	-1.2	1256.7	-1256.	
7	-49.7	49.7		J	-1756.5	56.8	-1.2	1465.7	-1465.	
1	27.1	-27.1	q5_ps	I	-1445.4	47.8	-0.9	1166.1	-1166.	
2	-38.3	38.3		J	-1445.4	47.8	-0.9	1342.2	-1342.	
2	-4128.1	7968.9	INVS LU Max	I	176982.2	234.0	104.9	3875.8	1933.	
9	4159.7	-1510.4		J	176984.5	234.0	219.6	4039.6	1805.	
8	-7968.9	4128.1	Min	I	94424.0	-146.2	19.3	-1933.2	-3875.	
6	1510.4	-4159.7		J	94426.3	-146.2	134.0	-1805.9	-4039.	
7	-2418.7	2904.6	INVS LV Max	I	71669.4	76.9	19.7	2470.6	1489.	
5	1676.3	-1307.0		J	71671.1	76.9	104.7	2752.5	1641.	
6	-2904.6	2418.7	Min	I	61487.6	-41.5	8.1	-1489.7	-2470.	
5	1307.0	-1676.3		J	61489.2	-41.5	93.1	-1641.5	-2752.	
6	655	2	70	Q1-1-2 Max	I	80542.8	190.0	82.3	1962.5	911.
6	42.3	3214.6								


# MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
6	1610.6	26.3		J	80542.8	190.0	82.3	1934.3	807.
			Min	I	-1556.1	-143.8	-0.8	-911.6	-1962.
5	-3214.6	-42.3		J	-1556.1	-143.8	-0.8	-807.6	-1934.
3	-26.3	-1610.6							
			Q2a-1-2 Max	I	48693.0	118.6	49.3	1243.2	588.
5	31.3	1932.3		J	48693.0	118.6	49.3	1234.0	528.
1	972.9	13.2							
			Min	I	-1155.2	-91.1	-0.6	-588.5	-1243.
2	-1932.3	-31.3		J	-1155.2	-91.1	-0.6	-528.1	-1234.
0	-13.2	-972.9							
			SLVx (RS)	I	-5684.6	-1.4	-6.9	-54.0	54.
0	260.9	-260.9		J	-5684.6	-1.4	-6.9	-55.0	55.
0	-134.0	134.0							
			SLVy (RS)	I	-2405.8	-12.5	-1.0	3489.5	-3489.
5	40.0	-40.0		J	-2405.8	-12.5	-1.0	3474.9	-3474.
9	-22.7	22.7							
			SLDx (RS)	I	-2840.7	-0.7	-3.5	-27.0	27.
0	130.4	-130.4		J	-2840.7	-0.7	-3.5	-27.5	27.
5	-67.0	67.0							
			SLDy (RS)	I	-1201.7	-6.3	-0.5	1742.5	-1742.
5	20.0	-20.0		J	-1201.7	-6.3	-0.5	1735.3	-1735.
3	-11.4	11.4							
			SLVz (RS)	I	-2499.8	-0.6	-3.1	-33.4	33.
4	115.7	-115.7		J	-2499.8	-0.6	-3.1	-33.4	33.
4	-59.8	59.8							
			g1	I	57008.0	23.6	38.7	569.1	-569.
1	-2092.8	2092.8		J	57008.8	23.6	79.8	611.2	-611.
2	1285.9	-1285.9							
			g2	I	27804.0	9.0	29.5	278.5	-278.
5	-1130.4	1130.4		J	27804.0	9.0	29.5	294.6	-294.
6	553.6	-553.6							
			q3	I	1280.8	0.5	1.6	8.8	-8.
8	-56.1	56.1		J	1280.8	0.5	1.6	9.6	-9.
6	35.0	-35.0							
			q5_pc	I	-2596.9	28.4	-2.4	2345.9	-2345.
9	86.8	-86.8		J	-2596.9	28.4	-2.4	2396.4	-2396.
4	-49.2	49.2							
			q5_ps	I	-2158.4	14.6	-1.7	2148.4	-2148.
4	65.4	-65.4		J	-2158.4	14.6	-1.7	2174.4	-2174.
4	-32.8	32.8							

# MIDAS

PROJECT TITLE :

			Company	Client						
			Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt					
8	-4860.2	9418.8	INVSLU Max	I	248907.2	327.4	188.7	6464.5	2890.	
				J	248908.2	327.4	244.2	6555.8	2743.	
7	3103.5	-805.2	Min	I	133023.9	-174.3	72.1	-2890.8	-6464.	
5	-9418.8	4860.2		J	133025.0	-174.3	127.6	-2743.7	-6555.	
8	805.2	-3103.5								
			INVSLV Max	I	100684.0	41.8	64.1	4404.5	2626.	
9	-3072.3	3687.4		J	100684.8	41.8	105.2	4441.4	2561.	
5	1139.9	-822.4	Min	I	86371.5	15.6	47.8	-2626.9	-4404.	
5	-3687.4	3072.3		J	86372.4	15.6	88.9	-2561.5	-4441.	
4	822.4	-1139.9								
1	668	2	70	Q1-1-2 Max	I	5180.4	39.7	682.5	203.5	124.
	586.3		31273.3		J	5180.4	39.7	682.5	29.7	38.
4	23511.6		368.7	Min	I	-1027.2	-73.2	-11.9	-124.1	-203.
5	-31273.3		-586.3		J	-1027.2	-73.2	-11.9	-38.4	-29.
7	-368.7		-23511.6							
				Q2a-1-2 Max	I	3128.2	24.8	396.3	125.8	76.
0	268.4		18185.3		J	3128.2	24.8	396.3	17.7	22.
4	13651.7		172.2	Min	I	-583.9	-48.6	-5.5	-76.0	-125.
8	-18185.3		-268.4		J	-583.9	-48.6	-5.5	-22.4	-17.
7	-172.2		-13651.7							
				SLVx (RS)	I	-223.2	4.0	-36.1	-9.2	9.
2	1632.5		-1632.5		J	-223.2	4.0	-36.1	1.0	-1.
0	-1256.5		1256.5							
				SLVy (RS)	I	-1725.7	-340.9	58.0	782.0	-782.
0	-2680.9		2680.9		J	-1725.7	-340.9	58.0	-71.6	71.
6	1964.9		-1964.9							
				SLDx (RS)	I	-111.5	2.0	-18.0	-4.6	4.
6	815.9		-815.9		J	-111.5	2.0	-18.0	0.5	-0.
5	-628.0		628.0							
				SLDy (RS)	I	-861.8	-170.3	29.0	390.6	-390.
6	-1339.0		1339.0		J	-861.8	-170.3	29.0	-35.8	35.
8	981.4		-981.4							
				SLVz (RS)	I	-95.1	3.3	-16.0	-7.5	7.
5	723.9		-723.9		J	-95.1	3.3	-16.0	0.7	-0.
7	-557.3		557.3							
				g1	I	2300.3	-25.1	405.8	62.6	-62.
6	-19314.9		19314.9		J	2301.5	-25.1	463.5	-0.3	0.
3	15472.0		-15472.0							



MIDAS


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

2	-9583.6	9583.6	g2	I	1151.6	-14.3	211.6	41.2	-41.
				J	1151.6	-14.3	211.6	5.4	-5.
4	7353.7	-7353.7							
			q3	I	41.0	-0.4	8.4	0.9	-0.
9	-381.7	381.7		J	41.0	-0.4	8.4	-0.1	0.
1	293.5	-293.5							
			q5_pc	I	-811.4	-296.5	3.4	718.2	-718.
2	-138.0	138.0		J	-811.4	-296.5	3.4	-23.4	23.
4	136.0	-136.0							
			q5_ps	I	-764.8	-279.5	9.0	680.7	-680.
7	-392.1	392.1		J	-764.8	-279.5	9.0	-18.3	18.
3	326.9	-326.9							
			INVSLU Max	I	14945.5	417.5	1680.1	1391.0	982.
8	-34255.2	77780.2		J	14947.0	417.5	1758.1	120.1	13.
8	60018.8	-27292.1	Min	I	5034.5	-535.3	730.1	-982.8	-1391.
0	-77780.2	34255.2		J	5036.0	-535.3	808.1	-13.8	-120.
1	27292.1	-60018.8							
			INVSLV Max	I	5680.8	306.5	636.8	889.6	684.
3	-23033.6	29809.1		J	5681.9	306.5	694.5	83.1	61.
2	23462.7	-18444.6	Min	I	2038.3	-379.8	489.4	-684.3	-889.
6	-29809.1	23033.6		J	2039.5	-379.8	547.1	-61.2	-83.
1	18444.6	-23462.7							
			Q1-1-2 Max	I	556.6	10.0	21.2	1.0	23.
1	669 40731.4	2 641.5		J	556.6	10.0	21.2	0.7	1.
4	881.8	54835.7	Min	I	-2275.8	-0.5	-1327.3	-23.1	-1.
0	-641.5	-40731.4		J	-2275.8	-0.5	-1327.3	-1.4	-0.
7	-54835.7	-881.8							
			Q2a-1-2 Max	I	304.7	6.2	9.8	0.7	14.
3	23881.1	297.8		J	304.7	6.2	9.8	0.4	0.
8	408.0	32216.0	Min	I	-1288.3	-0.4	-779.1	-14.3	-0.
7	-297.8	-23881.1		J	-1288.3	-0.4	-779.1	-0.8	-0.
4	-32216.0	-408.0							
			SLVx (RS)	I	91.2	-0.5	66.9	1.1	-1.
1	-2062.1	2062.1		J	91.2	-0.5	66.9	0.0	-0.
0	2752.6	-2752.6							
			SLVy (RS)	I	-740.3	26.3	-102.2	-60.5	60.
5	3365.9	-3365.9		J	-740.3	26.3	-102.2	-1.3	1.
3	-3996.3	3996.3							

# MIDAS

PROJECT TITLE :

			Company		Client					
			Author		File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
5	-1030.5	1030.5	SLDx (RS)	I	45.6	-0.2	33.4	0.5	-0.	
				J	45.6	-0.2	33.4	0.0	-0.	
0	1375.6	-1375.6								
2	1681.1	-1681.1	SLDy (RS)	I	-369.7	13.1	-51.1	-30.2	30.	
				J	-369.7	13.1	-51.1	-0.7	0.	
7	-1996.1	1996.1								
6	-912.5	912.5	SLVz (RS)	I	38.8	-0.3	29.6	0.6	-0.	
				J	38.8	-0.3	29.6	0.0	-0.	
0	1220.4	-1220.4								
9	25452.2	-25452.2	g1	I	-1117.1	6.0	-841.0	-13.9	13.	
				J	-1116.1	6.0	-789.1	-0.4	0.	
4	-33230.9	33230.9								
2	12252.2	-12252.2	g2	I	-548.8	2.7	-396.8	-6.2	6.	
				J	-548.8	2.7	-396.8	-0.2	0.	
2	-16316.2	16316.2								
3	480.0	-480.0	q3	I	-22.3	0.1	-15.6	-0.3	0.	
				J	-22.3	0.1	-15.6	-0.0	0.	
0	-641.7	641.7								
5	57.9	-57.9	q5_pc	I	-296.0	20.4	3.0	-46.5	46.	
				J	-296.0	20.4	3.0	-0.6	0.	
6	275.0	-275.0								
4	358.1	-358.1	q5_ps	I	-295.3	19.0	-7.4	-43.4	43.	
				J	-295.3	19.0	-7.4	-0.6	0.	
6	-171.4	171.4								
1	102186.9	-45960.6	INVSLU Max	I	-503.0	50.2	-1504.9	39.4	115.	
				J	-501.6	50.2	-1434.8	1.0	3.	
0	-59579.6	135293.1								
4	45960.6	-102186.9	Min	I	-4859.7	-17.4	-3331.9	-115.1	-39.	
				J	-4858.3	-17.4	-3261.7	-3.0	-1.	
0	-135293.1	59579.6								
4	39437.6	-30921.0	INVSLV Max	I	-681.5	36.4	-1020.1	38.6	83.	
				J	-680.5	36.4	-968.2	1.0	1.	
6	-40658.2	51034.5								
6	30921.0	-39437.6	Min	I	-2240.1	-16.7	-1282.5	-83.4	-38.	
				J	-2239.1	-16.7	-1230.6	-1.6	-1.	
0	-51034.5	40658.2								
2	1151	2	62	Q1-1-2 Max	I	625.4	4485.8	83.2	1436.4	1844.
	2081.1		2802.8		J	625.4	4485.8	83.2	10740.8	5601.
0	3198.8	1791.6								
4	-2802.8	-2081.1	Min	I	-953.4	-2409.1	-53.8	-1844.2	-1436.	
				J	-953.4	-2409.1	-53.8	-5601.0	-10740.	
8	-1791.6	-3198.8								

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

6	1212.5	1999.8	Q2a-1-2 Max	I	382.7	3162.2	59.4	1036.4	1253.
				J	382.7	3162.2	59.4	7607.6	3760.
7	2280.7	1029.6							
			Min	I	-629.0	-1642.9	-31.1	-1253.6	-1036.
4	-1999.8	-1212.5		J	-629.0	-1642.9	-31.1	-3760.7	-7607.
6	-1029.6	-2280.7							
			SLVx (RS)	I	-16.5	58.4	-5.9	-60.4	60.
4	224.6	-224.6		J	-16.5	58.4	-5.9	103.4	-103.
4	-198.0	198.0							
			SLVy (RS)	I	51.0	-468.7	1.7	155.9	-155.
9	-86.2	86.2		J	51.0	-468.7	1.7	-1142.5	1142.
5	38.5	-38.5							
			SLDx (RS)	I	-8.3	29.2	-2.9	-30.1	30.
1	112.1	-112.1		J	-8.3	29.2	-2.9	51.6	-51.
6	-98.9	98.9							
			SLDy (RS)	I	25.5	-234.1	0.8	77.9	-77.
9	-43.1	43.1		J	25.5	-234.1	0.8	-570.6	570.
6	19.3	-19.3							
			SLVz (RS)	I	-5.4	-20.6	1.6	23.3	-23.
3	-62.6	62.6		J	-5.4	-20.6	1.6	-34.0	34.
0	53.5	-53.5							
			g1	I	142.9	459.0	-62.6	-575.3	575.
3	1751.0	-1751.0		J	143.9	459.0	-10.7	695.8	-695.
8	-887.3	887.3							
			g2	I	192.6	1335.5	-25.2	-745.5	745.
5	940.6	-940.6		J	192.6	1335.5	-25.2	2952.7	-2952.
7	-874.6	874.6							
			q3	I	-21.4	43.2	-4.1	-40.0	40.
0	154.5	-154.5		J	-21.4	43.2	-4.1	79.6	-79.
6	-138.1	138.1							
			q5_pc	I	82.2	-501.0	-0.3	198.9	-198.
9	-15.3	15.3		J	82.2	-501.0	-0.3	-1188.5	1188.
5	-35.9	35.9							
			q5_ps	I	73.1	-406.7	-0.4	164.0	-164.
0	-9.2	9.2		J	73.1	-406.7	-0.4	-962.2	962.
2	-36.0	36.0							
			INVSLU Max	I	-10466.3	8323.1	578.6	2075.1	2711.
8	-18104.9	24725.9		J	-10464.9	8323.1	648.7	20556.4	3644.
2	19493.5	-12691.9							
			Min	I	-12745.7	-1886.9	393.1	-2711.8	-2075.
1	-24725.9	18104.9							

MIDAS

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

4	12691.9	-19493.5		J	-12744.3	-1886.9	463.2	-3644.2	-20556.	
6	461.1	77.4	INVS LV Max	I	-71.1	961.9	-9.9	-188.6	550.	
1	1082.6	-631.3		J	-70.1	961.9	42.1	2114.3	253.	
6	-77.4	-461.1	Min	I	-186.3	-22.8	-23.6	-550.6	188.	
3	631.3	-1082.6		J	-185.2	-22.8	28.3	-253.1	-2114.	
7	1152	2	62	Q1-1-2 Max	I	2360.3	7231.4	1.6	15407.7	20964.
7	7163.7	63.8		J	2360.3	7231.4	1.6	3011.4	4393.	
0	64.7	7374.9	Min	I	-1411.7	-5305.6	-181.7	-20964.7	-15407.	
7	-63.8	-7163.7		J	-1411.7	-5305.6	-181.7	-4393.0	-3011.	
4	-7374.9	-64.7		J	-1411.7	-5305.6	-181.7	-4393.0	-3011.	
2	4200.0	33.2	Q2a-1-2 Max	I	1507.6	4937.7	0.8	11027.3	13698.	
6	33.7	4316.9		J	1507.6	4937.7	0.8	2088.7	3001.	
3	-33.2	-4200.0	Min	I	-1020.7	-3751.3	-106.4	-13698.2	-11027.	
7	-4316.9	-33.7		J	-1020.7	-3751.3	-106.4	-3001.6	-2088.	
5	531.8	-531.8	SLVx (RS)	I	-76.9	42.8	-13.5	-225.5	225.	
8	-550.0	550.0		J	-76.9	42.8	-13.5	-104.8	104.	
6	-408.3	408.3	SLVy (RS)	I	351.5	675.3	9.3	-1699.6	1699.	
3	338.8	-338.8		J	351.5	675.3	9.3	378.3	-378.	
6	265.6	-265.6	SLDx (RS)	I	-38.4	21.4	-6.8	-112.6	112.	
3	-274.6	274.6		J	-38.4	21.4	-6.8	-52.3	52.	
7	-203.9	203.9	SLDy (RS)	I	175.5	337.2	4.7	-848.7	848.	
9	169.3	-169.3		J	175.5	337.2	4.7	188.9	-188.	
6	-179.5	179.5	SLVz (RS)	I	-32.8	-17.5	4.5	88.6	-88.	
1	183.6	-183.6		J	-32.8	-17.5	4.5	36.1	-36.	
1	5106.9	-5106.9	g1	I	819.7	524.9	-148.3	-2497.1	2497.	
1	-4449.8	4449.8		J	820.9	524.9	-90.6	-882.1	882.	
0	2295.0	-2295.0	g2	I	303.6	-1337.2	-57.9	2469.0	-2469.	
5	-2337.3	2337.3		J	303.6	-1337.2	-57.9	-1645.5	1645.	
			q3	I	-25.9	7.7	-7.7	-92.3	92.	

MIDAS

PROJECT TITLE :


MIDAS		Company		Client						
		Author		File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt				
3	295.3	-295.3		J	-25.9	7.7	-7.7	-68.6	68.	
6	-322.3	322.3								
0	41.8	-41.8	q5_pc	I	285.4	635.7	-1.9	-1592.0	1592.	
0	-109.7	109.7		J	285.4	635.7	-1.9	364.0	-364.	
8	-9.7	9.7	q5_ps	I	248.7	499.9	-0.5	-1246.8	1246.	
3	-47.7	47.7		J	248.7	499.9	-0.5	291.3	-291.	
0	5738.0	4094.3	INVSLU Max	I	-25456.9	5377.8	55.0	36154.3	15814.	
5	3418.5	6822.4		J	-25455.3	5377.8	132.9	3062.7	7588.	
3	-4094.3	-5738.0	Min	I	-31062.8	-12691.4	-195.9	-15814.0	-36154.	
7	-6822.4	-3418.5		J	-31061.2	-12691.4	-118.0	-7588.5	-3062.	
5	4489.5	-3073.2	INVSLV Max	I	-2081.3	637.9	-92.1	1128.1	2459.	
0	-1987.0	3400.4		J	-2080.2	637.9	-34.4	-415.9	1257.	
1	3073.2	-4489.5	Min	I	-2850.1	-748.9	-127.5	-2459.5	-1128.	
9	-3400.4	1987.0		J	-2849.0	-748.9	-69.8	-1257.0	415.	
3	1165	2	62	Q1-1-2 Max	I	322.2	1223.3	60.9	5682.9	1949.
0	7923.1	1966.3		J	322.2	1223.3	60.9	5975.5	1993.	
9	-1459.6	-9015.4	Min	I	-15947.5	-1126.9	-301.2	-1949.3	-5682.	
5	-1966.3	-7923.1		J	-15947.5	-1126.9	-301.2	-1993.0	-5975.	
0	-9015.4	-1459.6	Q2a-1-2 Max	I	239.1	824.1	42.0	3946.6	1202.	
8	4777.5	1359.8		J	239.1	824.1	42.0	4125.9	1247.	
6	1001.6	5457.3	Min	I	-9640.5	-764.6	-182.0	-1202.0	-3946.	
9	-1359.8	-4777.5		J	-9640.5	-764.6	-182.0	-1247.8	-4125.	
7	-5457.3	-1001.6	SLVx (RS)	I	1119.1	-9.9	19.6	17.7	-17.	
2	-523.2	523.2		J	1119.1	-9.9	19.6	13.2	-13.	
7	579.7	-579.7	SLVy (RS)	I	1968.5	21.7	9.1	350.7	-350.	
2	-261.8	261.8		J	1968.5	21.7	9.1	397.2	-397.	
8	252.4	-252.4	SLDx (RS)	I	559.4	-5.0	9.8	8.8	-8.	
6	-261.6	261.6		J	559.4	-5.0	9.8	6.6	-6.	
6	289.8	-289.8	SLDy (RS)	I	983.0	10.9	4.6	175.1	-175.	

MIDAS

PROJECT TITLE :


MIDAS		Company			Client					
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt				
1	-131.0	131.0								
4	126.3	-126.3		J	983.0	10.9	4.6	198.4	-198.	
8	-234.3	234.3	SLVz (RS)	I	508.8	-4.4	8.8	9.8	-9.	
0	259.8	-259.8		J	508.8	-4.4	8.8	-8.0	8.	
1	4477.4	-4477.4	g1	I	-11181.5	85.3	-185.0	-121.1	121.	
4	-4784.5	4784.5		J	-11180.7	85.3	-144.5	63.4	-63.	
0	2051.3	-2051.3	g2	I	-5334.3	32.7	-79.4	-464.0	464.	
3	-2412.5	2412.5		J	-5334.3	32.7	-79.4	-393.3	393.	
4	-306.1	306.1	q3	I	102.8	-0.9	9.9	9.4	-9.	
5	248.6	-248.6		J	102.8	-0.9	9.9	7.5	-7.	
8	186.8	-186.8	q5_pc	I	1169.1	8.7	-7.2	288.8	-288.	
6	-215.4	215.4		J	1169.1	8.7	-7.2	307.6	-307.	
5	125.1	-125.1	q5_ps	I	1071.3	7.5	-4.9	225.5	-225.	
7	-147.9	147.9		J	1071.3	7.5	-4.9	241.7	-241.	
8	10555.9	3131.0	INVSLU Max	I	-160016.6	1564.0	15.0	6842.5	3980.	
7	-745.6	15274.5		J	-160015.5	1564.0	69.7	7048.4	4262.	
5	-3131.0	-10555.9	Min	I	-184550.9	-1624.4	-486.8	-3980.8	-6842.	
4	-15274.5	745.6		J	-184549.8	-1624.4	-432.0	-4262.7	-7048.	
1	2338.1	-994.1	INVSLV Max	I	-80593.4	49.5	-93.3	792.0	-74.	
2	-3111.7	4578.4		J	-80592.6	49.5	-52.8	887.3	-80.	
0	994.1	-2338.1	Min	I	-85507.1	-2.6	-143.3	74.1	-792.	
3	-4578.4	3111.7		J	-85506.3	-2.6	-102.7	80.2	-887.	
7	1166	2	75	Q1-1-2 Max	I	263.6	947.6	46.2	4163.1	2039.
1	7247.6	2345.3		J	263.6	947.6	46.2	4657.0	2032.	
1	1520.8	8749.6	Min	I	-15161.0	-854.6	-191.0	-2039.7	-4163.	
0	-2345.3	-7247.6		J	-15161.0	-854.6	-191.0	-2032.1	-4657.	
9	4370.2	1621.5	Q2a-1-2 Max	I	195.6	639.1	31.8	2902.3	1306.	
7	1041.1	5292.6		J	195.6	639.1	31.8	3204.4	1312.	
			Min	I	-9227.8	-578.8	-115.4	-1306.9	-2902.	

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
3	-1621.5	-4370.2		J	-9227.8	-578.8	-115.4	-1312.7	-3204.
4	-5292.6	-1041.1							
			SLVx (RS)	I	1036.6	-7.3	12.6	20.3	-20.
3	-478.1	478.1		J	1036.6	-7.3	12.6	18.6	-18.
6	577.2	-577.2							
			SLVy (RS)	I	1826.6	14.4	6.4	261.8	-261.
8	-255.3	255.3		J	1826.6	14.4	6.4	331.6	-331.
6	276.9	-276.9							
			SLDx (RS)	I	518.2	-3.7	6.3	10.2	-10.
2	-239.0	239.0		J	518.2	-3.7	6.3	9.3	-9.
3	288.5	-288.5							
			SLDy (RS)	I	912.1	7.2	3.2	130.7	-130.
7	-127.7	127.7		J	912.1	7.2	3.2	165.6	-165.
6	138.5	-138.5							
			SLVz (RS)	I	471.8	-3.3	5.6	10.2	-10.
2	-213.1	213.1		J	471.8	-3.3	5.6	-9.8	9.
8	258.2	-258.2							
			g1	I	-10153.7	60.9	-146.2	-161.8	161.
8	4332.7	-4332.7		J	-10152.1	60.9	-61.8	134.9	-134.
9	-4361.8	4361.8							
			g2	I	-4932.7	24.1	-49.4	-322.2	322.
2	1784.3	-1784.3		J	-4932.7	24.1	-49.4	-204.9	204.
9	-2346.5	2346.5							
			q3	I	111.5	-0.7	6.4	6.4	-6.
4	-306.8	306.8		J	111.5	-0.7	6.4	3.2	-3.
2	227.1	-227.1							
			q5_pc	I	1084.9	5.5	-4.1	222.2	-222.
2	167.0	-167.0		J	1084.9	5.5	-4.1	249.1	-249.
1	-178.1	178.1							
			q5_ps	I	993.5	4.9	-2.7	178.5	-178.
5	110.6	-110.6		J	993.5	4.9	-2.7	202.4	-202.
4	-117.3	117.3							
			INVSLU Max	I	-138340.0	1267.7	-31.1	5068.0	3705.
6	10228.4	3022.8		J	-138337.7	1267.7	82.9	5678.5	3800.
3	-850.2	15035.7							
			Min	I	-161585.0	-1175.2	-358.8	-3705.6	-5068.
0	-3022.8	-10228.4		J	-161582.7	-1175.2	-244.8	-3800.3	-5678.
5	-15035.7	850.2							
			INVSLV Max	I	-69620.7	34.3	-90.3	595.8	-53.
8	2733.7	-1496.5		J	-69619.0	34.3	-5.9	746.4	-66.

# MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt				
1	-2519.0	3994.5								
			Min	I	-74178.8	-0.9	-122.7	53.8	-595.	
8	1496.5	-2733.7		J	-74177.2	-0.9	-38.2	66.1	-746.	
4	-3994.5	2519.0								
	1178	2	75	Q1-1-2 Max	I	217.5	904.0	121.6	5566.6	1825.
5	5137.2	4148.1		J	217.5	904.0	121.6	5594.2	1898.	
3	2913.1	6530.3								
			Min	I	-23372.0	-977.5	-202.3	-1825.5	-5566.	
6	-4148.1	-5137.2		J	-23372.0	-977.5	-202.3	-1898.3	-5594.	
2	-6530.3	-2913.1								
			Q2a-1-2 Max	I	161.2	610.8	80.5	3815.6	1119.	
7	3186.1	2759.1		J	161.2	610.8	80.5	3842.9	1161.	
3	1921.9	4092.7								
			Min	I	-14090.7	-665.4	-126.0	-1119.7	-3815.	
6	-2759.1	-3186.1		J	-14090.7	-665.4	-126.0	-1161.3	-3842.	
9	-4092.7	-1921.9								
			SLVx (RS)	I	1879.6	-4.3	9.8	16.1	-16.	
1	-229.7	229.7		J	1879.6	-4.3	9.8	-6.7	6.	
7	333.5	-333.5								
			SLVy (RS)	I	3241.7	12.1	4.6	460.4	-460.	
4	-122.8	122.8		J	3241.7	12.1	4.6	500.2	-500.	
2	137.7	-137.7								
			SLDx (RS)	I	939.6	-2.2	4.9	8.0	-8.	
0	-114.9	114.9		J	939.6	-2.2	4.9	-3.4	3.	
4	166.7	-166.7								
			SLDy (RS)	I	1618.8	6.0	2.3	229.9	-229.	
9	-61.4	61.4		J	1618.8	6.0	2.3	249.8	-249.	
8	68.9	-68.9								
			SLVz (RS)	I	855.6	-1.9	4.4	9.5	-9.	
5	-103.1	103.1		J	855.6	-1.9	4.4	-5.5	5.	
5	151.6	-151.6								
			g1	I	-17005.3	34.0	-92.9	-104.1	104.	
1	1555.1	-1555.1		J	-17004.2	34.0	-35.2	9.3	-9.	
3	-2107.0	2107.0								
			g2	I	-8149.2	37.5	-28.6	-513.9	513.	
9	552.2	-552.2		J	-8149.2	37.5	-28.6	-388.8	388.	
8	-1080.2	1080.2								
			q3	I	101.9	-0.5	7.5	6.2	-6.	
2	-242.2	242.2		J	101.9	-0.5	7.5	4.5	-4.	
5	187.9	-187.9								
			q5_pc	I	1914.4	4.5	-3.8	351.2	-351.	
2	105.0	-105.0								



MIDAS

PROJECT TITLE :

MIDAS		Company		Client		File Name				
		Author		File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt				
1	-111.3	111.3		J	1914.4	4.5	-3.8	366.1	-366.	
6	75.9	-75.9	q5_ps	I	1735.8	6.4	-2.7	278.6	-278.	
2	-79.2	79.2		J	1735.8	6.4	-2.7	300.2	-300.	
2	5049.1	7675.0	INVSLU Max	I	-194954.4	1527.4	101.2	5960.3	4651.	
3	484.7	12464.1		J	-194952.8	1527.4	179.2	7021.5	3752.	
3	-7675.0	-5049.1	Min	I	-231099.6	-1020.6	-342.9	-4651.2	-5960.	
5	-12464.1	-484.7		J	-231098.1	-1020.6	-265.0	-3752.3	-7021.	
8	4.0	590.9	INVSLV Max	I	-105499.9	19.2	-67.2	550.4	385.	
3	-2775.8	3616.4		J	-105498.7	19.2	-9.4	603.4	404.	
4	-590.9	-4.0	Min	I	-113624.4	-8.8	-92.1	-385.8	-550.	
4	-3616.4	2775.8		J	-113623.3	-8.8	-34.4	-404.3	-603.	
0	1179	2	67	Q1-1-2 Max	I	196.4	546.8	180.7	6357.7	1575.
3	5406.1	5437.5		J	196.4	546.8	180.7	3123.8	2288.	
7	3749.2	7206.4	Min	I	-21986.8	-1571.3	-248.8	-1575.0	-6357.	
8	-5437.5	-5406.1		J	-21986.8	-1571.3	-248.8	-2288.3	-3123.	
1	-7206.4	-3749.2	Q2a-1-2 Max	I	145.5	336.2	119.6	4318.8	923.	
3	3335.1	3615.0		J	145.5	336.2	119.6	2175.5	1469.	
8	2471.4	4500.1	Min	I	-13264.6	-1053.9	-154.2	-923.1	-4318.	
5	-3615.0	-3335.1		J	-13264.6	-1053.9	-154.2	-1469.3	-2175.	
5	-4500.1	-2471.4	SLVx (RS)	I	1773.8	-7.6	12.7	16.5	-16.	
5	-245.8	245.8		J	1773.8	-7.6	12.7	11.5	-11.	
8	392.8	-392.8	SLVy (RS)	I	3046.5	33.0	6.7	404.8	-404.	
2	-140.5	140.5		J	3046.5	33.0	6.7	505.2	-505.	
2	196.4	-196.4	SLDx (RS)	I	886.7	-3.8	6.3	8.2	-8.	
7	-122.9	122.9		J	886.7	-3.8	6.3	5.7	-5.	
2	196.4	-196.4	SLDy (RS)	I	1521.3	16.5	3.4	202.2	-202.	
3	-70.3	70.3		J	1521.3	16.5	3.4	252.3	-252.	
2	98.2	-98.2	SLVz (RS)	I	808.1	-3.3	5.8	9.2	-9.	
2	-110.9	110.9								

MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

8	179.0	-179.0		J	808.1	-3.3	5.8	-5.8	5.	
2	1510.7	-1510.7	g1	I	-15953.0	61.2	-109.9	-92.2	92.	
9	-2542.2	2542.2		J	-15951.8	61.2	-52.2	111.9	-111.	
3	622.2	-622.2	g2	I	-7615.3	221.8	-39.5	-667.3	667.	
3	-1355.6	1355.6		J	-7615.3	221.8	-39.5	72.3	-72.	
1	-276.6	276.6	q3	I	96.2	-2.3	9.8	8.1	-8.	
5	215.8	-215.8		J	96.2	-2.3	9.8	0.5	-0.	
6	103.7	-103.7	q5_pc	I	1801.0	-17.9	-3.8	354.6	-354.	
8	-86.4	86.4		J	1801.0	-17.9	-3.8	294.8	-294.	
9	80.1	-80.1	q5_ps	I	1633.1	0.4	-2.8	269.9	-269.	
3	-62.1	62.1		J	1633.1	0.4	-2.8	271.3	-271.	
1	6562.7	8262.8	INVSLU Max	I	-179167.6	1737.8	136.0	7190.3	4157.	
6	686.6	14259.0		J	-179166.1	1737.8	214.0	6050.4	1786.	
3	-8262.8	-6562.7	Min	I	-213165.2	-1154.0	-450.7	-4157.1	-7190.	
4	-14259.0	-686.6		J	-213163.6	-1154.0	-372.7	-1786.6	-6050.	
7	1380.9	-738.5	INVSLV Max	I	-96628.4	42.3	-111.5	481.3	343.	
5	-3389.8	4400.6		J	-96627.2	42.3	-53.8	599.3	421.	
3	738.5	-1380.9	Min	I	-104270.5	-30.2	-144.3	-343.7	-481.	
3	-4400.6	3389.8		J	-104269.3	-30.2	-86.6	-421.5	-599.	
8	1190	2	67	Q1-1-2 Max	I	163.3	1231.1	348.8	6144.5	1642.
7	3096.8	9874.1		J	163.3	1231.1	348.8	3398.3	19417.	
5	7974.5	4284.5	Min	I	-24310.8	-7427.6	-144.0	-1642.8	-6144.	
3	-9874.1	-3096.8		J	-24310.8	-7427.6	-144.0	-19417.7	-3398.	
0	-4284.5	-7974.5	Q2a-1-2 Max	I	120.7	589.3	228.6	4197.1	972.	
4	1924.5	6481.3		J	120.7	589.3	228.6	1604.8	12445.	
1	5215.6	2685.8	Min	I	-14646.3	-4836.2	-90.0	-972.0	-4197.	
8	-6481.3	-1924.5		J	-14646.3	-4836.2	-90.0	-12445.4	-1604.	
5	-2685.8	-5215.6	SLVx (RS)	I	2014.9	-14.9	1.9	9.5	-9.	

MIDAS

PROJECT TITLE :

MIDAS		Company		Client		File Name			
		Author		File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
3	95.0	-95.0		J	2014.9	-14.9	1.9	44.3	-44.
1	-108.1	108.1	SLVy (RS)	I	3516.3	152.4	5.4	488.1	-488.
4	169.7	-169.7		J	3516.3	152.4	5.4	968.4	-968.
7	-52.8	52.8	SLDx (RS)	I	1007.2	-7.4	0.9	4.7	-4.
1	47.5	-47.5		J	1007.2	-7.4	0.9	22.1	-22.
7	-54.0	54.0	SLDy (RS)	I	1756.0	76.2	2.7	243.7	-243.
8	84.8	-84.8		J	1756.0	76.2	2.7	483.8	-483.
0	37.3	-37.3	SLVz (RS)	I	919.5	-5.5	-0.6	7.0	-7.
0	44.3	-44.3		J	919.5	-5.5	-0.6	-15.0	15.
0	-720.1	720.1	g1	I	-17840.1	128.8	-21.7	-49.0	49.
1	-318.6	318.6		J	-17839.0	128.8	37.4	390.1	-390.
3	73.1	-73.1	g2	I	-8522.3	1205.7	-17.6	-566.3	566.
1	-826.4	826.4		J	-8522.3	1205.7	-17.6	3545.1	-3545.
1	-248.3	248.3	q3	I	66.7	-9.7	8.9	5.1	-5.
9	206.5	-206.5		J	66.7	-9.7	8.9	-27.9	27.
1	-84.3	84.3	q5_pc	I	2078.9	-147.8	3.5	398.1	-398.
9	95.7	-95.7		J	2078.9	-147.8	3.5	-105.9	105.
7	-35.4	35.4	q5_ps	I	1880.4	-41.0	1.6	316.7	-316.
0	47.0	-47.0		J	1880.4	-41.0	1.6	177.0	-177.
6	1479.1	16183.4	INVSLU Max	I	-196013.2	4741.3	433.3	8475.7	2753.
3	8030.9	8691.0		J	-196011.6	4741.3	513.0	14551.9	16440.
7	-16183.4	-1479.1	Min	I	-233714.1	-7214.0	-238.3	-2753.6	-8475.
9	-8691.0	-8030.9		J	-233712.6	-7214.0	-158.6	-16440.3	-14551.
7	-43.7	345.7	INVSLV Max	I	-107023.9	131.7	-83.3	608.3	377.
4	-3048.6	3471.7		J	-107022.8	131.7	-24.2	1010.1	962.
3	-345.7	43.7	Min	I	-115817.1	-185.3	-95.6	-377.7	-608.
1	-3471.7	3048.6		J	-115816.0	-185.3	-36.6	-962.4	-1010.

MIDAS

PROJECT TITLE :

MIDAS		Company		Client		File Name			
		Author		File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
1191	2	67	Q1-1-2 Max	I	163.0	7262.8	144.8	3355.9	18947.9
8	7944.2	4307.1		J	163.0	7262.8	144.8	6063.4	1613.9
8	3112.7	9799.9	Min	I	-24454.0	-1215.2	-346.7	-18947.8	-3355.9
9	-4307.1	-7944.2		J	-24454.0	-1215.2	-346.7	-1613.8	-6063.9
4	-9799.9	-3112.7							
6	5178.8	2698.6	Q2a-1-2 Max	I	120.5	4729.9	90.4	1594.5	12143.9
6	1933.6	6413.1		J	120.5	4729.9	90.4	4144.0	952.9
5	-2698.6	-5178.8	Min	I	-14743.2	-584.8	-226.5	-12143.6	-1594.9
0	-6413.1	-1933.6		J	-14743.2	-584.8	-226.5	-952.6	-4144.9
5	-90.7	90.7	SLVx (RS)	I	2011.5	14.4	-1.1	43.5	-43.9
2	93.8	-93.8		J	2011.5	14.4	-1.1	9.2	-9.9
7	186.3	-186.3	SLVy (RS)	I	3512.8	-147.2	-6.1	957.7	-957.9
9	-125.2	125.2		J	3512.8	-147.2	-6.1	494.9	-494.9
7	-45.4	45.4	SLDx (RS)	I	1005.5	7.2	-0.6	21.7	-21.9
6	46.9	-46.9		J	1005.5	7.2	-0.6	4.6	-4.9
4	93.0	-93.0	SLDy (RS)	I	1754.2	-73.6	-3.0	478.4	-478.9
2	-62.5	62.5		J	1754.2	-73.6	-3.0	247.2	-247.9
0	38.4	-38.4	SLVz (RS)	I	917.0	5.4	-0.3	-15.0	15.9
9	40.4	-40.4		J	917.0	5.4	-0.3	6.9	-6.9
8	-273.6	273.6	g1	I	-17845.8	-127.9	-39.1	389.8	-389.9
5	-765.0	765.0		J	-17844.7	-127.9	19.9	-46.5	46.9
2	-825.5	825.5	g2	I	-8507.6	-1178.4	17.5	3466.2	-3466.9
2	70.0	-70.0		J	-8507.6	-1178.4	17.5	-552.2	552.9
0	-225.7	225.7	q3	I	66.0	9.2	8.0	-27.0	27.9
2	184.7	-184.7		J	66.0	9.2	8.0	4.2	-4.9
1	105.7	-105.7	q5_pc	I	2076.9	144.5	-3.9	-96.1	96.9
5	-94.2	94.2		J	2076.9	144.5	-3.9	396.5	-396.9
7	55.9	-55.9	q5_ps	I	1879.8	40.1	-2.0	179.7	-179.9
				J	1879.8	40.1	-2.0	316.4	-316.9

# MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

4	-44.3	44.3								
			INVSLU Max	I	-196030.8	7025.1	134.5	14373.9	15909.	
1	8636.6	8093.1		J	-196029.2	7025.1	214.2	8377.8	2700.	
1	842.8	16758.8								
			Min	I	-233921.4	-4680.2	-536.1	-15909.1	-14373.	
9	-8093.1	-8636.6		J	-233919.9	-4680.2	-456.4	-2700.1	-8377.	
8	-16758.8	-842.8								
			INVSLV Max	I	-106996.2	171.0	19.6	1002.9	947.	
6	-2601.7	3051.7		J	-106995.0	171.0	78.6	588.3	411.	
2	-482.7	813.6								
			Min	I	-115779.0	-135.3	6.6	-947.6	-1002.	
9	-3051.7	2601.7		J	-115777.8	-135.3	65.6	-411.2	-588.	
3	-813.6	482.7								
	1202	2	67	Q1-1-2 Max	I	195.9	1503.6	250.9	3383.1	2211.
6	3761.0	7260.6		J	195.9	1503.6	250.9	6337.9	1545.	
9	5399.0	5349.7								
			Min	I	-21886.2	-551.3	-180.6	-2211.6	-3383.	
1	-7260.6	-3761.0		J	-21886.2	-551.3	-180.6	-1545.9	-6337.	
9	-5349.7	-5399.0								
			Q2a-1-2 Max	I	145.2	1011.2	156.2	2356.2	1419.	
3	2473.6	4551.6		J	145.2	1011.2	156.2	4304.3	900.	
0	3339.2	3543.7								
			Min	I	-13202.0	-340.9	-119.2	-1419.3	-2356.	
2	-4551.6	-2473.6		J	-13202.0	-340.9	-119.2	-900.0	-4304.	
3	-3543.7	-3339.2								
			SLVx (RS)	I	1756.5	7.2	-11.5	12.4	-12.	
4	367.2	-367.2		J	1756.5	7.2	-11.5	14.3	-14.	
3	-206.0	206.0								
			SLVy (RS)	I	3039.4	-29.8	-7.4	498.9	-498.	
9	212.4	-212.4		J	3039.4	-29.8	-7.4	409.3	-409.	
3	-156.5	156.5								
			SLDx (RS)	I	878.0	3.6	-5.7	6.2	-6.	
2	183.5	-183.5		J	878.0	3.6	-5.7	7.1	-7.	
1	-103.0	103.0								
			SLDy (RS)	I	1517.8	-14.9	-3.7	249.2	-249.	
2	106.2	-106.2		J	1517.8	-14.9	-3.7	204.4	-204.	
4	-78.2	78.2								
			SLVz (RS)	I	801.1	3.1	-5.2	-5.6	5.	
6	165.1	-165.1		J	801.1	3.1	-5.2	8.5	-8.	
5	-93.4	93.4								
			g1	I	-15884.0	-62.8	48.1	120.9	-120.	
9	-2436.3	2436.3		J	-15882.9	-62.8	105.8	-88.6	88.	

# MIDAS

PROJECT TITLE :

MIDAS		Company			Client		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
		Author			File Name					
6	1412.5	-1412.5								
6	-1347.8	1347.8	g2	I	-7582.3	-210.1	39.3	29.6	-29.	
0	617.2	-617.2		J	-7582.3	-210.1	39.3	-671.0	671.	
8	-223.1	223.1	q3	I	43.0	0.9	8.4	0.8	-0.	
9	196.9	-196.9		J	43.0	0.9	8.4	3.9	-3.	
1	-74.1	74.1	q5_pc	I	1811.2	16.1	3.3	301.1	-301.	
9	91.5	-91.5		J	1811.2	16.1	3.3	354.9	-354.	
2	-51.5	51.5	q5_ps	I	1641.5	-0.9	2.4	273.2	-273.	
2	69.4	-69.4		J	1641.5	-0.9	2.4	270.2	-270.	
0	1720.5	13291.9	INVSLU Max	I	-178711.3	1078.7	334.8	6521.8	1573.	
3	5550.9	9124.5		J	-178709.7	1078.7	412.7	7338.7	3943.	
8	-13291.9	-1720.5	Min	I	-212548.2	-1724.4	-253.7	-1573.0	-6521.	
7	-9124.5	-5550.9		J	-212546.7	-1724.4	-175.8	-3943.3	-7338.	
7	-2733.8	3694.7	INVSLV Max	I	-96285.7	23.6	58.6	717.9	290.	
3	680.1	-118.1		J	-96284.6	23.6	116.3	598.9	233.	
9	-3694.7	2733.8	Min	I	-103899.0	-42.1	28.2	-290.7	-717.	
9	118.1	-680.1		J	-103897.9	-42.1	85.9	-233.3	-598.	
2	1203	2	75	Q1-1-2 Max	I	217.0	965.9	203.1	5701.7	1910.
2	2921.0	6566.3		J	217.0	965.9	203.1	5546.8	1795.	
7	-6566.3	-2921.0	Min	I	-23238.7	-920.4	-121.5	-1910.2	-5701.	
8	-4073.8	-5093.5		J	-23238.7	-920.4	-121.5	-1795.2	-5546.	
9	1922.4	4132.4	Q2a-1-2 Max	I	160.8	657.4	127.1	3915.3	1167.	
4	3166.9	2698.7		J	160.8	657.4	127.1	3801.9	1096.	
3	-4132.4	-1922.4	Min	I	-14010.3	-622.1	-80.2	-1167.9	-3915.	
9	-2698.7	-3166.9		J	-14010.3	-622.1	-80.2	-1096.4	-3801.	
6	311.9	-311.9	SLVx (RS)	I	1864.0	4.4	-8.9	6.6	-6.	
0	-194.6	194.6		J	1864.0	4.4	-8.9	16.0	-16.	
8	149.8	-149.8	SLVy (RS)	I	3234.2	-10.5	-5.0	497.8	-497.	
				J	3234.2	-10.5	-5.0	463.4	-463.	

MIDAS

PROJECT TITLE :

MIDAS		Company				Client				
		Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
4	-135.3	135.3								
3	155.9	-155.9	SLDx (RS)	I	931.7	2.2	-4.4	3.3	-3.	
0	-97.2	97.2		J	931.7	2.2	-4.4	8.0	-8.	
6	74.9	-74.9	SLDy (RS)	I	1615.1	-5.2	-2.5	248.6	-248.	
4	-67.7	67.7		J	1615.1	-5.2	-2.5	231.4	-231.	
3	140.1	-140.1	SLVz (RS)	I	850.1	1.9	-4.0	-5.3	5.	
5	-88.1	88.1		J	850.1	1.9	-4.0	9.5	-9.	
1	-2000.1	2000.1	g1	I	-16925.0	-34.6	31.4	13.1	-13.	
3	1447.1	-1447.1		J	-16923.8	-34.6	89.2	-102.3	102.	
2	-1064.7	1064.7	g2	I	-8112.7	-32.8	28.0	-407.2	407.	
7	536.2	-536.2		J	-8112.7	-32.8	28.0	-516.7	516.	
9	-188.2	188.2	q3	I	43.8	0.0	6.2	2.9	-2.	
0	165.9	-165.9		J	43.8	0.0	6.2	3.0	-3.	
5	-98.7	98.7	q5_pc	I	1926.4	-5.0	3.3	368.5	-368.	
9	92.3	-92.3		J	1926.4	-5.0	3.3	351.9	-351.	
0	-68.4	68.4	q5_ps	I	1745.4	-6.5	2.3	301.0	-301.	
3	65.0	-65.0		J	1745.4	-6.5	2.3	279.3	-279.	
1	1397.6	11588.0	INVSLU Max	I	-194431.6	1012.5	232.7	7322.3	3617.	
0	4009.0	8533.1		J	-194430.1	1012.5	310.6	6111.1	4434.	
3	-11588.0	-1397.6	Min	I	-230375.5	-1543.0	-211.5	-3617.1	-7322.	
1	-8533.1	-4009.0		J	-230373.9	-1543.0	-133.6	-4434.0	-6111.	
9	-2170.3	2968.1	INVSLV Max	I	-105129.5	5.5	10.8	733.9	268.	
5	-700.9	1224.1		J	-105128.4	5.5	68.5	680.6	261.	
9	-2968.1	2170.3	Min	I	-113226.4	-19.3	-12.3	-268.9	-733.	
6	-1224.1	700.9		J	-113225.3	-19.3	45.4	-261.5	-680.	
5	1215	2	75	Q1-1-2 Max	I	263.3	850.7	191.2	4669.0	2057.
2	1435.4	8823.0		J	263.3	850.7	191.2	4122.4	2037.	
0	7268.4	2234.9	Min	I	-14999.5	-948.6	-43.5	-2057.5	-4669.	
0	-8823.0	-1435.4								

MIDAS

PROJECT TITLE :


MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			

4	-2234.9	-7268.4		J	-14999.5	-948.6	-43.5	-2037.2	-4122.0
4	977.5	5358.1	Q2a-1-2 Max	I	195.4	576.2	115.9	3213.8	1330.0
0	4397.1	1540.1		J	195.4	576.2	115.9	2874.4	1304.0
8	-5358.1	-977.5	Min	I	-9142.7	-639.7	-29.9	-1330.4	-3213.0
4	-1540.1	-4397.1		J	-9142.7	-639.7	-29.9	-1304.0	-2874.0
6	569.7	-569.7	SLVx (RS)	I	1014.9	7.0	-12.1	14.6	-14.0
2	-450.1	450.1		J	1014.9	7.0	-12.1	21.2	-21.0
7	284.7	-284.7	SLVy (RS)	I	1816.6	-12.8	-6.5	325.7	-325.0
7	-265.4	265.4		J	1816.6	-12.8	-6.5	263.7	-263.0
3	284.8	-284.8	SLDx (RS)	I	507.3	3.5	-6.1	7.3	-7.0
6	-225.0	225.0		J	507.3	3.5	-6.1	10.6	-10.0
7	142.4	-142.4	SLDy (RS)	I	907.2	-6.4	-3.3	162.7	-162.0
7	-132.7	132.7		J	907.2	-6.4	-3.3	131.7	-131.0
3	256.2	-256.2	SLVz (RS)	I	463.5	3.1	-5.5	-6.3	6.0
4	-203.0	203.0		J	463.5	3.1	-5.5	10.4	-10.0
6	-4302.2	4302.2	g1	I	-10033.2	-61.5	59.6	137.6	-137.0
1	4290.6	-4290.6		J	-10031.6	-61.5	144.6	-164.1	164.0
7	-2354.5	2354.5	g2	I	-4878.4	-23.3	49.3	-206.7	206.0
2	1795.9	-1795.9		J	-4878.4	-23.3	49.3	-321.2	321.0
2	-189.6	189.6	q3	I	44.0	-0.1	4.2	1.2	-1.0
5	167.6	-167.6		J	44.0	-0.1	4.2	0.5	-0.0
8	-163.7	163.7	q5_pc	I	1100.7	-5.8	3.7	248.8	-248.0
2	151.6	-151.6		J	1100.7	-5.8	3.7	220.2	-220.0
1	-104.9	104.9	q5_ps	I	1005.2	-5.1	2.4	202.1	-202.0
1	97.4	-97.4		J	1005.2	-5.1	2.4	177.1	-177.0
3	-268.8	14412.2	INVSLU Max	I	-137330.1	1162.5	227.3	5712.3	3816.0
1	9546.1	3556.2		J	-137327.9	1162.5	342.0	4991.7	3720.0



# MIDAS

PROJECT TITLE :

		Company			Client						
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt					
3	-14412.2	268.8	Min	I	-160344.4	-1277.1	-96.3	-3816.3	-5712.		
				J	-160342.2	-1277.1	18.4	-3720.1	-4991.		
7	-3556.2	-9546.1									
			INVS LV	Max	I	-68935.6	-7.7	25.6	748.7	-84.	
7	-2036.1	3500.1		J	-68933.9	-7.7	110.5	574.3	-28.		
0	2226.0	-1044.7									
			Min	I	-73455.8	-39.4	-5.9	84.7	-748.		
7	-3500.1	2036.1		J	-73454.2	-39.4	79.1	28.0	-574.		
3	1044.7	-2226.0									
	1216	2	62	Q1-1-2	Max	I	321.9	1125.8	296.9	5954.9	2049.
5	1408.2	9018.7		J	321.9	1125.8	296.9	5613.1	1941.		
6	7908.1	1895.4									
			Min	I	-15619.7	-1230.7	-57.9	-2049.5	-5954.		
9	-9018.7	-1408.2		J	-15619.7	-1230.7	-57.9	-1941.6	-5613.		
1	-1895.4	-7908.1									
			Q2a-1-2	Max	I	238.9	764.4	179.8	4112.1	1287.	
7	963.7	5471.7		J	238.9	764.4	179.8	3898.1	1193.		
1	4778.6	1308.3									
			Min	I	-9436.1	-829.5	-39.8	-1287.7	-4112.		
1	-5471.7	-963.7		J	-9436.1	-829.5	-39.8	-1193.1	-3898.		
1	-1308.3	-4778.6									
			SLVx (RS)	I	1098.1	9.6	-18.7	-7.7	7.		
7	568.8	-568.8		J	1098.1	9.6	-18.7	17.8	-17.		
8	-498.4	498.4									
			SLVy (RS)	I	1951.5	-21.7	-9.3	394.2	-394.		
2	258.7	-258.7		J	1951.5	-21.7	-9.3	347.2	-347.		
2	-269.3	269.3									
			SLDx (RS)	I	548.9	4.8	-9.4	-3.8	3.		
8	284.3	-284.3		J	548.9	4.8	-9.4	8.9	-8.		
9	-249.1	249.1									
			SLDy (RS)	I	974.5	-10.8	-4.6	196.8	-196.		
8	129.4	-129.4		J	974.5	-10.8	-4.6	173.4	-173.		
4	-134.7	134.7									
			SLVz (RS)	I	501.4	4.2	-8.4	-4.4	4.		
4	255.6	-255.6		J	501.4	4.2	-8.4	9.4	-9.		
4	-224.5	224.5									
			g1	I	-11047.7	-86.0	140.2	62.7	-62.		
7	-4728.6	4728.6		J	-11046.9	-86.0	181.3	-125.8	125.		
8	4435.7	-4435.7									
			g2	I	-5272.3	-31.4	78.7	-392.8	392.		
8	-2420.9	2420.9		J	-5272.3	-31.4	78.7	-461.5	461.		
5	2063.3	-2063.3									

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

5	-194.4	194.4	q3	I	49.4	-0.3	6.5	1.5	-1.
8	177.2	-177.2		J	49.4	-0.3	6.5	0.8	-0.
4	-200.2	200.2	q5_pc	I	1182.5	-9.3	6.5	304.4	-304.
9	171.5	-171.5		J	1182.5	-9.3	6.5	283.9	-283.
3	-134.9	134.9	q5_ps	I	1080.5	-7.9	4.3	239.3	-239.
9	112.1	-112.1		J	1080.5	-7.9	4.3	221.9	-221.
5	218.1	14218.6	INVSLU Max	I	-158636.6	1612.4	386.5	6990.4	4363.
0	9394.8	4148.7		J	-158635.5	1612.4	442.0	6694.9	4015.
4	-14218.6	-218.1	Min	I	-182734.1	-1585.7	-104.2	-4363.5	-6990.
9	-4148.7	-9394.8		J	-182733.0	-1585.7	-48.7	-4015.0	-6694.
3	-2368.4	3814.6	INVSLV Max	I	-79705.2	-6.7	72.9	853.9	-58.
4	1510.5	-217.6		J	-79704.4	-6.7	114.0	740.2	-29.
9	-3814.6	2368.4	Min	I	-84567.9	-58.4	24.8	58.3	-853.
2	217.6	-1510.5		J	-84567.1	-58.4	65.9	29.4	-740.
1229	2	62	Q1-1-2 Max	I	2888.3	5183.4	168.3	3036.8	4413.
9	63.5	6927.4		J	2888.3	5183.4	168.3	15035.0	21356.
3	6633.2	61.8	Min	I	-1384.7	-7375.3	-1.6	-4413.9	-3036.
8	-6927.4	-63.5		J	-1384.7	-7375.3	-1.6	-21356.3	-15035.
0	-61.8	-6633.2							
4	32.5	4076.4	Q2a-1-2 Max	I	1840.2	3653.4	98.8	2107.4	3026.
2	3897.0	31.7		J	1840.2	3653.4	98.8	10731.5	13922.
4	-4076.4	-32.5	Min	I	-1006.1	-5035.8	-0.8	-3026.4	-2107.
5	-31.7	-3897.0		J	-1006.1	-5035.8	-0.8	-13922.2	-10731.
9	401.5	-401.5	SLVx (RS)	I	97.3	-40.4	-9.9	79.9	-79.
4	-393.5	393.5		J	97.3	-40.4	-9.9	-202.4	202.
9	317.5	-317.5	SLVy (RS)	I	340.4	-696.2	-8.8	361.9	-361.
3	-388.7	388.7		J	340.4	-696.2	-8.8	-1781.3	1781.
9	200.7	-200.7	SLDx (RS)	I	48.6	-20.2	-5.0	39.9	-39.
2	-196.7	196.7		J	48.6	-20.2	-5.0	-101.2	101.

MIDAS


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

7	158.6	-158.6	SLDy (RS)	I	170.0	-347.7	-4.4	180.7	-180.	
				J	170.0	-347.7	-4.4	-889.5	889.	
5	-194.2	194.2								
0	181.0	-181.0	SLVz (RS)	I	-38.7	16.7	-4.5	37.0	-37.	
				J	-38.7	16.7	-4.5	85.7	-85.	
7	-177.8	177.8								
1	-4056.8	4056.8	g1	I	1062.9	-504.4	80.8	-822.1	822.	
				J	1064.0	-504.4	138.6	-2374.7	2374.	
7	4723.4	-4723.4								
4	-2129.8	2129.8	g2	I	423.0	1389.9	52.8	-1616.4	1616.	
				J	423.0	1389.9	52.8	2661.9	-2661.	
9	2093.2	-2093.2								
0	-117.8	117.8	q3	I	53.1	-4.9	3.0	-14.0	14.	
				J	53.1	-4.9	3.0	-29.1	29.	
1	118.4	-118.4								
4	-99.5	99.5	q5_pc	I	299.1	-666.1	1.6	353.4	-353.	
				J	299.1	-666.1	1.6	-1697.0	1697.	
0	29.6	-29.6								
4	-41.5	41.5	q5_ps	I	257.3	-524.0	0.3	282.4	-282.	
				J	257.3	-524.0	0.3	-1330.4	1330.	
4	-17.7	17.7								
3	4103.4	5513.3	INVS LU Max	I	-23444.0	12645.1	81.9	3014.4	7680.	
				J	-23442.5	12645.1	159.9	35959.5	16223.	
3	4289.8	4801.7	Min	I	-29751.0	-5508.1	-150.2	-7680.3	-3014.	
				J	-29749.4	-5508.1	-72.3	-16223.3	-35959.	
5	-4801.7	-4289.8								
0	-1645.4	2747.4	INVS LV Max	I	-1316.9	783.8	54.2	-469.1	1263.	
				J	-1315.8	783.8	111.9	1218.6	2516.	
9	3899.0	-2772.1	Min	I	-2079.4	-642.9	26.3	-1263.0	469.	
				J	-2078.2	-642.9	84.1	-2516.9	-1218.	
1	-2747.4	1645.4								
6	2772.1	-3899.0								
0	1230	2	62	Q1-1-2 Max	I	583.5	2273.3	47.9	10816.7	5424.
	3294.0		1600.5		J	583.5	2273.3	47.9	1306.3	1888.
7	1846.7	2877.5	Min	I	-967.2	-4468.6	-85.1	-5424.0	-10816.	
				J	-967.2	-4468.6	-85.1	-1888.7	-1306.	
7	-1600.5	-3294.0								
3	-2877.5	-1846.7								
2	2347.6	916.9	Q2a-1-2 Max	I	343.5	1550.9	27.6	7672.7	3642.	
				J	343.5	1550.9	27.6	945.9	1294.	

MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
6	1073.6	2050.6							
			Min	I	-652.1	-3157.0	-60.6	-3642.2	-7672.
7	-916.9	-2347.6		J	-652.1	-3157.0	-60.6	-1294.6	-945.
9	-2050.6	-1073.6							
			SLVx (RS)	I	16.6	44.2	-3.3	-73.0	73.
0	107.3	-107.3		J	16.6	44.2	-3.3	49.8	-49.
8	-127.3	127.3							
			SLVy (RS)	I	30.1	443.3	-1.7	-1105.1	1105.
1	39.7	-39.7		J	30.1	443.3	-1.7	123.2	-123.
2	-81.6	81.6							
			SLDx (RS)	I	8.3	22.1	-1.6	-36.5	36.
5	53.6	-53.6		J	8.3	22.1	-1.6	24.9	-24.
9	-63.7	63.7							
			SLDy (RS)	I	15.1	221.4	-0.8	-551.9	551.
9	19.9	-19.9		J	15.1	221.4	-0.8	61.5	-61.
5	-40.8	40.8							
			SLVz (RS)	I	-6.8	21.1	-1.5	-36.4	36.
4	48.6	-48.6		J	-6.8	21.1	-1.5	22.4	-22.
4	-57.8	57.8							
			g1	I	224.0	-429.5	6.1	663.2	-663.
2	-739.1	739.1		J	225.0	-429.5	58.0	-526.1	526.
1	1569.9	-1569.9							
			g2	I	242.3	-1289.1	22.8	2907.2	-2907.
2	-798.1	798.1		J	242.3	-1289.1	22.8	-662.7	662.
7	844.4	-844.4							
			q3	I	12.8	-6.8	1.4	17.6	-17.
6	-47.0	47.0		J	12.8	-6.8	1.4	-1.2	1.
2	51.1	-51.1							
			q5_pc	I	60.6	473.6	-0.0	-1151.1	1151.
1	-22.4	22.4		J	60.6	473.6	-0.0	160.4	-160.
4	-22.9	22.9							
			q5_ps	I	54.6	384.8	0.1	-932.3	932.
3	-25.1	25.1		J	54.6	384.8	0.1	133.2	-133.
2	-14.9	14.9							
			INVSLU Max	I	-10263.2	1759.8	-486.0	20477.7	3519.
2	19971.9	-13323.9		J	-10261.8	1759.8	-415.8	1941.6	2660.
4	-19097.8	25516.6							
			Min	I	-12465.7	-8194.1	-665.4	-3519.2	-20477.
7	13323.9	-19971.9		J	-12464.4	-8194.1	-595.3	-2660.4	-1941.
6	-25516.6	19097.8							
			INVSLV Max	I	48.6	9.5	-37.0	2054.0	221.

MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

8	1146.9	-879.4		J	49.7	9.5	15.0	-194.7	484.
3	88.9	249.4	Min	I	-25.6	-916.3	-45.4	-221.8	-2054.
0	879.4	-1146.9		J	-24.6	-916.3	6.6	-484.3	194.
7	-249.4	-88.9							
1231	2	70	Q1-1-2 Max	I	492.4	11.2	1332.3	1.0	0.
7	916.2	55075.5		J	492.4	11.2	1332.3	25.5	0.
2	40856.9	671.1	Min	I	-1845.6	-0.1	-22.0	-0.7	-1.
0	-55075.5	-916.2		J	-1845.6	-0.1	-22.0	-0.2	-25.
5	-671.1	-40856.9							
4	421.9	32332.5	Q2a-1-2 Max	I	271.2	6.9	781.6	0.6	0.
				J	271.2	6.9	781.6	15.6	0.
1	23946.6	309.7	Min	I	-1042.7	-0.1	-10.2	-0.4	-0.
6	-32332.5	-421.9		J	-1042.7	-0.1	-10.2	-0.1	-15.
6	-309.7	-23946.6							
3	2792.4	-2792.4	SLVx (RS)	I	-357.3	-1.5	-67.7	0.3	-0.
2	-2083.0	2083.0		J	-357.3	-1.5	-67.7	-3.2	3.
2	-2272.7	2272.7	SLVy (RS)	I	268.2	-15.0	54.6	-0.2	0.
8	1659.7	-1659.7		J	268.2	-15.0	54.6	-33.8	33.
1	1395.4	-1395.4	SLDx (RS)	I	-178.5	-0.8	-33.8	0.1	-0.
6	-1040.9	1040.9		J	-178.5	-0.8	-33.8	-1.6	1.
1	-1136.5	1136.5	SLDy (RS)	I	134.0	-7.5	27.3	-0.1	0.
9	830.0	-830.0		J	134.0	-7.5	27.3	-16.9	16.
1	1213.5	-1213.5	SLVz (RS)	I	77.8	0.6	-29.5	-0.1	0.
2	-910.1	910.1		J	77.8	0.6	-29.5	1.2	-1.
2	-33386.2	33386.2	g1	I	-889.6	6.7	791.6	0.2	-0.
2	25478.7	-25478.7		J	-888.6	6.7	843.5	15.2	-15.
1	-16355.1	16355.1	g2	I	-460.9	2.9	397.0	0.1	-0.
6	12230.0	-12230.0		J	-460.9	2.9	397.0	6.6	-6.
3	-50.3	50.3	q3	I	-392.4	-1.8	0.2	0.3	-0.
8	-32.5	32.5		J	-392.4	-1.8	0.2	-3.8	3.

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0	-4654.5	4654.5	q5_pc	I	-19.6	1.2	112.0	-0.0	0.	
				J	-19.6	1.2	112.0	2.8	-2.	
8	3412.3	-3412.3								
			q5_ps	I	8.1	1.1	89.5	-0.1	0.	
1	-3718.3	3718.3		J	8.1	1.1	89.5	2.4	-2.	
4	2722.3	-2722.3								
			INVSLU Max	I	-572.0	29.4	3377.6	1.6	0.	
8	-55042.8	140088.9		J	-570.7	29.4	3447.7	66.8	-22.	
2	105626.5	-42635.6	Min	I	-3763.7	9.5	1321.6	-0.8	-1.	
6	-140088.9	55042.8		J	-3762.3	9.5	1391.7	22.2	-66.	
8	42635.6	-105626.5								
			INVSLV Max	I	-736.0	26.1	1196.4	0.4	0.	
3	-42251.2	49927.8		J	-734.9	26.1	1248.4	58.8	11.	
5	38085.2	-32377.4	Min	I	-1658.1	-5.1	1010.5	-0.3	-0.	
4	-49927.8	42251.2		J	-1657.1	-5.1	1062.5	-11.5	-58.	
8	32377.4	-38085.2								
	1232	2	70	Q1-1-2 Max	I	4898.1	40.6	13.2	18.2	38.
2	23560.5		414.8		J	4898.1	40.6	13.2	110.2	202.
9	651.5	31571.8		Min	I	-2767.0	-70.8	-686.2	-38.2	-18.
2	-414.8	-23560.5		J	-2767.0	-70.8	-686.2	-202.9	-110.	
2	-31571.8	-651.5								
			Q2a-1-2 Max	I	2861.1	24.3	6.0	11.1	23.	
7	13661.7	190.9		J	2861.1	24.3	6.0	68.4	123.	
9	294.9	18360.3	Min	I	-1583.2	-47.1	-398.0	-23.7	-11.	
1	-190.9	-13661.7		J	-1583.2	-47.1	-398.0	-123.9	-68.	
4	-18360.3	-294.9								
			SLVx (RS)	I	7459.5	-7.7	39.9	7.7	-7.	
7	-1489.6	1489.6		J	7459.5	-7.7	39.9	-13.2	13.	
2	1726.6	-1726.6								
			SLVy (RS)	I	879.1	198.9	-22.6	-27.9	27.	
9	771.7	-771.7		J	879.1	198.9	-22.6	470.4	-470.	
4	-1035.3	1035.3								
			SLDx (RS)	I	3727.2	-3.8	19.9	3.9	-3.	
9	-744.9	744.9		J	3727.2	-3.8	19.9	-6.6	6.	
6	863.2	-863.2								
			SLDy (RS)	I	439.2	99.3	-11.3	-13.9	13.	
9	386.2	-386.2		J	439.2	99.3	-11.3	235.0	-235.	
0	-518.3	518.3								


# MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

8	-634.5	634.5	SLVz (RS)	I	-1747.8	1.9	17.5	-1.8	1.	
				J	-1747.8	1.9	17.5	5.0	-5.	
0	768.3	-768.3								
			g1	I	1194.9	-22.1	-464.1	-14.5	14.	
5	15454.9	-15454.9		J	1196.0	-22.1	-406.4	-69.8	69.	
8	-19366.6	19366.6								
			g2	I	1152.0	-13.1	-210.1	-11.4	11.	
4	7267.1	-7267.1		J	1152.0	-13.1	-210.1	-44.2	44.	
2	-9539.7	9539.7								
			q3	I	9044.9	-6.5	22.4	8.5	-8.	
5	-1047.0	1047.0		J	9044.9	-6.5	22.4	-7.8	7.	
8	745.3	-745.3								
			q5_pc	I	1.3	11.7	-56.7	-1.5	1.	
5	1936.2	-1936.2		J	1.3	11.7	-56.7	27.8	-27.	
8	-2601.8	2601.8								
			q5_ps	I	82.9	10.3	-44.9	-2.0	2.	
0	1534.3	-1534.3		J	82.9	10.3	-44.9	23.8	-23.	
8	-2057.2	2057.2								
			INVSLU Max	I	21584.9	28.4	-729.6	-53.8	134.	
6	61339.4	-24235.2		J	21586.4	28.4	-651.7	-0.2	473.	
0	-31012.3	80115.0								
			Min	I	1774.0	-143.1	-1803.1	-134.6	53.	
8	24235.2	-61339.4		J	1775.5	-143.1	-1725.2	-473.0	0.	
2	-80115.0	31012.3								
			INVSLV Max	I	11038.8	168.7	-566.6	-0.0	61.	
5	22722.7	-18899.7		J	11039.9	168.7	-508.9	362.4	589.	
3	-24093.3	28628.8								
			Min	I	-5456.4	-234.8	-670.4	-61.5	0.	
0	18899.7	-22722.7		J	-5455.2	-234.8	-612.7	-589.3	-362.	
4	-28628.8	24093.3								
	1245	2	70	Q1-1-2 Max	I	79372.0	183.6	0.7	851.0	1944.
8	1128.4		114.8		J	79372.0	183.6	0.7	955.9	1972.
7	34.1		2812.8							
				Min	I	-1559.7	-138.4	-67.3	-1944.8	-851.
0	-114.8		-1128.4		J	-1559.7	-138.4	-67.3	-1972.7	-955.
9	-2812.8		-34.1							
				Q2a-1-2 Max	I	48012.1	114.9	0.4	555.0	1239.
7	681.9		76.0		J	48012.1	114.9	0.4	616.8	1249.
4	25.2		1693.1							
				Min	I	-1157.9	-87.7	-40.3	-1239.7	-555.
0	-76.0		-681.9		J	-1157.9	-87.7	-40.3	-1249.4	-616.
8	-1693.1		-25.2							

PROJECT TITLE :

			Company		Client				
			Author		File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
4	80.8	-80.8	SLVx (RS)	I	7400.5	4.9	-5.2	-76.4	76.
				J	7400.5	4.9	-5.2	72.6	-72.
6	-226.9	226.9							
3	25.7	-25.7	SLVy (RS)	I	2461.9	208.1	-0.9	1321.3	-1321.
				J	2461.9	208.1	-0.9	1686.5	-1686.
5	-35.1	35.1							
1	40.3	-40.3	SLDx (RS)	I	3695.5	2.4	-2.6	-38.1	38.
				J	3695.5	2.4	-2.6	36.3	-36.
3	-113.3	113.3							
8	12.9	-12.9	SLDy (RS)	I	1229.5	103.9	-0.4	659.8	-659.
				J	1229.5	103.9	-0.4	842.2	-842.
2	-17.6	17.6							
4	65.0	-65.0	SLVz (RS)	I	-2370.0	-2.8	2.6	28.4	-28.
				J	-2370.0	-2.8	2.6	30.8	-30.
8	88.6	-88.6							
3	943.1	-943.1	g1	I	56290.4	22.5	-69.9	-586.3	586.
				J	56291.2	22.5	-29.3	-546.7	546.
7	-1844.2	1844.2							
9	367.7	-367.7	g2	I	27756.1	8.4	-24.2	-285.9	285.
				J	27756.1	8.4	-24.2	-271.2	271.
2	-991.4	991.4							
8	-6.6	6.6	q3	I	6189.1	6.3	-2.3	-55.8	55.
				J	6189.1	6.3	-2.3	-44.8	44.
8	-134.1	134.1							
3	31.3	-31.3	q5_pc	I	2544.9	36.9	-1.9	504.3	-504.
				J	2544.9	36.9	-1.9	569.1	-569.
1	-73.8	73.8							
2	24.4	-24.4	q5_ps	I	2158.4	34.4	-1.5	464.2	-464.
				J	2158.4	34.4	-1.5	524.6	-524.
6	-59.7	59.7							
5	1157.4	577.3	INVSLU Max	I	246461.1	325.2	-88.2	302.7	4379.
				J	246462.2	325.2	-33.5	580.2	4397.
8	-3855.2	7842.9							
7	-577.3	-1157.4	Min	I	132201.7	-175.9	-183.7	-4379.5	-302.
				J	132202.8	-175.9	-128.9	-4397.8	-580.
2	-7842.9	3855.2							
7	355.5	-139.6	INVSLV Max	I	101764.2	238.2	-68.4	441.7	2263.
				J	101765.0	238.2	-27.9	855.5	2579.
6	-2548.3	3076.4							
7	139.6	-355.5	Min	I	84064.0	-182.5	-81.0	-2263.7	-441.
				J	84064.9	-182.5	-40.4	-2579.6	-855.



# MIDAS


PROJECT TITLE :

MIDAS	Company				Client
	Author				File Name
					PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

5	-3076.4	2548.3								
0	1246	2	69	Q1-1-2 Max	I	56810.9	111.5	0.3	597.4	1233.
	1690.5		10.8		J	56810.9	111.5	0.3	872.2	1425.
7	19.8	2572.1								
				Min	I	-1031.2	-87.6	-56.2	-1233.0	-597.
4	-10.8	-1690.5			J	-1031.2	-87.6	-56.2	-1425.7	-872.
2	-2572.1	-19.8								
				Q2a-1-2 Max	I	34293.8	69.9	0.3	385.5	780.
9	1026.9	6.8			J	34293.8	69.9	0.3	563.6	905.
6	14.6	1560.9								
				Min	I	-765.5	-55.5	-33.9	-780.9	-385.
5	-6.8	-1026.9			J	-765.5	-55.5	-33.9	-905.6	-563.
6	-1560.9	-14.6								
				SLVx (RS)	I	5159.4	3.1	-4.0	45.4	-45.
4	123.0	-123.0			J	5159.4	3.1	-4.0	39.6	-39.
6	172.1	-172.1								
				SLVy (RS)	I	1494.0	67.0	-0.8	1054.0	-1054.
0	24.2	-24.2			J	1494.0	67.0	-0.8	1298.7	-1298.
7	38.0	-38.0								
				SLDx (RS)	I	2576.5	1.5	-2.0	22.7	-22.
7	61.4	-61.4			J	2576.5	1.5	-2.0	19.8	-19.
8	86.0	-86.0								
				SLDy (RS)	I	746.2	33.4	-0.4	526.4	-526.
4	12.2	-12.2			J	746.2	33.4	-0.4	648.5	-648.
5	19.0	-19.0								
				SLVz (RS)	I	-1706.3	-1.2	1.9	19.3	-19.
3	-62.5	62.5			J	-1706.3	-1.2	1.9	21.4	-21.
4	74.7	-74.7								
				g1	I	40369.1	13.7	-81.5	-341.7	341.
7	1653.5	-1653.5			J	40370.7	13.7	2.9	-291.6	291.
6	-1222.3	1222.3								
				g2	I	19862.9	6.1	-18.5	-169.5	169.
5	532.5	-532.5			J	19862.9	6.1	-18.5	-147.2	147.
2	-823.3	823.3								
				q3	I	4103.4	3.9	-1.4	-28.0	28.
0	35.4	-35.4			J	4103.4	3.9	-1.4	-13.8	13.
8	-70.2	70.2								
				q5_pc	I	1725.0	22.8	-1.2	355.7	-355.
7	49.1	-49.1			J	1725.0	22.8	-1.2	439.1	-439.
1	-40.1	40.1								
				q5_ps	I	1447.9	21.3	-0.9	327.9	-327.

# MIDAS

PROJECT TITLE :

		Company			Client						
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt					
9	38.4	-38.4			J	1447.9	21.3	-0.9	405.9	-405.	
9	-28.6	28.6									
8	3350.5	-955.7	INVS LU	Max	I	175260.2	197.4	-120.0	362.6	2748.	
4	-3644.6	7215.9			J	175262.4	197.4	-6.0	905.0	2987.	
6	955.7	-3350.5		Min	I	93797.0	-112.4	-198.7	-2748.8	-362.	
0	-7215.9	3644.6			J	93799.2	-112.4	-84.8	-2987.4	-905.	
2	1342.0	-1044.1	INVS LV	Max	I	72229.2	85.3	-86.5	534.6	1612.	
3	-2195.8	2607.7			J	72230.8	85.3	-2.1	840.6	1793.	
6	1044.1	-1342.0		Min	I	59990.1	-51.2	-96.2	-1612.2	-534.	
6	-2607.7	2195.8			J	59991.8	-51.2	-11.8	-1793.3	-840.	
8	1258	2	5	Q1-1-2	Max	I	68902.0	70.0	0.2	1817.0	1993.
8	14.7	1621.3			J	68902.0	70.0	0.2	1938.7	2139.	
4	15.2	2024.9									
0	-1621.3	-14.7		Min	I	-669.6	-74.2	-11.5	-1993.8	-1817.	
7	-2024.9	-15.2			J	-669.6	-74.2	-11.5	-2139.4	-1938.	
2	10.9	1016.3	Q2a-1-2	Max	I	41492.0	45.7	0.1	1112.2	1233.	
2	11.3	1281.8			J	41492.0	45.7	0.1	1190.8	1329.	
2	-1016.3	-10.9		Min	I	-496.3	-48.6	-7.5	-1233.2	-1112.	
8	-1281.8	-11.3			J	-496.3	-48.6	-7.5	-1329.2	-1190.	
4	-108.0	108.0	SLVx	(RS)	I	5799.5	-2.6	-1.0	22.4	-22.	
7	138.4	-138.4			J	5799.5	-2.6	-1.0	16.7	-16.	
5	29.5	-29.5	SLVy	(RS)	I	1218.4	-157.4	-0.5	1421.5	-1421.	
5	-12.4	12.4			J	1218.4	-157.4	-0.5	1028.5	-1028.	
2	-54.0	54.0	SLDx	(RS)	I	2897.0	-1.3	-0.5	11.2	-11.	
3	69.1	-69.1			J	2897.0	-1.3	-0.5	8.3	-8.	
9	14.7	-14.7	SLDy	(RS)	I	608.7	-78.6	-0.3	709.9	-709.	
6	-6.2	6.2			J	608.7	-78.6	-0.3	513.6	-513.	
2	47.8	-47.8	SLVz	(RS)	I	-2322.8	-2.0	-0.6	18.2	-18.	
2	55.2	-55.2			J	-2322.8	-2.0	-0.6	13.2	-13.	
			g1		I	50352.4	1.9	-35.1	-51.5	51.	

MIDAS

PROJECT TITLE :

MIDAS		Company			Client					
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt				
5	-803.8	803.8		J	50353.5	1.9	22.7	-46.8	46.	
8	-1029.4	1029.4								
			g2	I	24463.3	2.7	-1.6	-25.6	25.	
6	-512.6	512.6		J	24463.3	2.7	-1.6	-18.8	18.	
8	-571.8	571.8								
			q3	I	2728.4	-0.7	-0.1	11.0	-11.	
0	-46.9	46.9		J	2728.4	-0.7	-0.1	9.4	-9.	
4	-50.9	50.9								
			q5_pc	I	1659.7	-3.8	-0.4	441.7	-441.	
7	4.6	-4.6		J	1659.7	-3.8	-0.4	432.1	-432.	
1	-11.4	11.4								
			q5_ps	I	1377.7	-2.7	-0.4	422.7	-422.	
7	5.1	-5.1		J	1377.7	-2.7	-0.4	415.8	-415.	
8	-7.8	7.8								
			INVSLU Max	I	208913.0	103.0	-37.1	2712.7	3226.	
9	-4232.7	6449.6		J	208914.5	103.0	40.9	2881.2	3402.	
0	-4182.8	6957.4	Min	I	111657.1	-98.5	-53.7	-3226.9	-2712.	
7	-6449.6	4232.7		J	111658.7	-98.5	24.3	-3402.0	-2881.	
2	-6957.4	4182.8								
			INVSLV Max	I	86880.7	163.3	-28.2	1327.2	1540.	
1	-2480.5	2742.9		J	86881.8	163.3	29.6	942.6	1132.	
4	-2476.3	2793.6	Min	I	73157.0	-154.1	-30.8	-1540.1	-1327.	
2	-2742.9	2480.5		J	73158.1	-154.1	26.9	-1132.4	-942.	
6	-2793.6	2476.3								
	1259	2	5	Q1-1-2 Max	I	70840.4	68.6	9.5	1938.7	2139.
5	82.6	1092.0		J	70840.4	68.6	9.5	2058.5	2291.	
1	9.5	1925.4	Min	I	-663.5	-76.0	-43.3	-2139.5	-1938.	
7	-1092.0	-82.6		J	-663.5	-76.0	-43.3	-2291.1	-2058.	
5	-1925.4	-9.5								
			Q2a-1-2 Max	I	42652.3	44.7	6.3	1190.7	1329.	
3	54.6	722.6		J	42652.3	44.7	6.3	1267.9	1429.	
3	7.0	1202.8	Min	I	-491.8	-49.7	-27.4	-1329.3	-1190.	
7	-722.6	-54.6		J	-491.8	-49.7	-27.4	-1429.3	-1267.	
9	-1202.8	-7.0								
			SLVx (RS)	I	5956.1	-3.5	3.1	16.7	-16.	
7	-43.9	43.9		J	5956.1	-3.5	3.1	10.5	-10.	
5	147.0	-147.0								
			SLVy (RS)	I	1185.9	-224.3	-0.4	1028.4	-1028.	

# MIDAS


PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

4	64.9	-64.9		J	1185.9	-224.3	-0.4	469.5	-469.	
5	54.5	-54.5								
3	-21.9	21.9	SLDx (RS)	I	2975.3	-1.8	1.5	8.3	-8.	
2	73.5	-73.5		J	2975.3	-1.8	1.5	5.2	-5.	
6	32.4	-32.4	SLDy (RS)	I	592.5	-112.0	-0.2	513.6	-513.	
5	27.2	-27.2		J	592.5	-112.0	-0.2	234.5	-234.	
2	18.0	-18.0	SLVz (RS)	I	-2402.8	-2.7	1.3	13.2	-13.	
6	61.2	-61.2		J	-2402.8	-2.7	1.3	6.6	-6.	
8	-242.1	242.1	g1	I	51770.5	1.6	-50.7	-46.8	46.	
8	-1035.6	1035.6		J	51771.7	1.6	7.1	-42.8	42.	
8	-252.3	252.3	g2	I	25122.6	2.9	-9.0	-18.8	18.	
5	-580.5	580.5		J	25122.6	2.9	-9.0	-11.5	11.	
4	-38.9	38.9	q3	I	2705.8	-0.7	0.4	9.4	-9.	
7	-22.7	22.7		J	2705.8	-0.7	0.4	7.7	-7.	
1	26.7	-26.7	q5_pc	I	1686.3	-3.9	-0.6	432.1	-432.	
4	3.9	-3.9		J	1686.3	-3.9	-0.6	422.4	-422.	
8	24.3	-24.3	q5_ps	I	1395.8	-2.8	-0.5	415.8	-415.	
9	7.1	-7.1		J	1395.8	-2.8	-0.5	408.9	-408.	
1	-3137.7	4771.6	INVSLU Max	I	214224.2	99.6	-55.7	2881.2	3402.	
4	-4349.6	6972.7		J	214225.7	99.6	22.3	3042.9	3589.	
2	-4771.6	3137.7	Min	I	114306.5	-102.5	-128.1	-3402.1	-2881.	
9	-6972.7	4349.6		J	114308.1	-102.5	-50.2	-3589.4	-3042.	
2	-1814.2	1981.2	INVSLV Max	I	88999.2	230.3	-48.6	942.4	1132.	
2	-2566.4	2929.8		J	89000.3	230.3	9.1	390.1	559.	
4	-1981.2	1814.2	Min	I	74933.7	-222.0	-55.8	-1132.2	-942.	
1	-2929.8	2566.4		J	74934.8	-222.0	1.9	-559.2	-390.	
5	1270	2	5	Q1-1-2 Max	I	77748.4	69.2	2.1	2267.6	2465.
6	570.6	774.8		J	77748.4	69.2	2.1	2346.3	2575.	
6	23.8	4108.7								

# MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
6	-774.8	-570.6	Min	I	-527.6	-79.7	-111.3	-2465.5	-2267.
				J	-527.6	-79.7	-111.3	-2575.6	-2346.
3	-4108.7	-23.8							
			Q2a-1-2 Max	I	46870.5	46.8	1.0	1386.7	1527.
1	354.4	481.4		J	46870.5	46.8	1.0	1443.9	1605.
3	16.1	2618.7							
			Min	I	-390.0	-53.3	-71.2	-1527.1	-1386.
7	-481.4	-354.4		J	-390.0	-53.3	-71.2	-1605.3	-1443.
9	-2618.7	-16.1							
			SLVx (RS)	I	-6494.3	-4.4	-6.3	8.7	-8.
7	-59.3	59.3		J	-6494.3	-4.4	-6.3	-4.2	4.
2	-243.8	243.8							
			SLVy (RS)	I	1464.9	-303.4	6.2	609.3	-609.
3	-70.2	70.2		J	1464.9	-303.4	6.2	-183.5	183.
5	161.0	-161.0							
			SLDx (RS)	I	-3244.7	-2.2	-3.1	4.3	-4.
3	-29.6	29.6		J	-3244.7	-2.2	-3.1	-2.1	2.
1	-121.8	121.8							
			SLDy (RS)	I	731.7	-151.5	3.1	304.3	-304.
3	-35.1	35.1		J	731.7	-151.5	3.1	-91.7	91.
7	80.5	-80.5							
			SLVz (RS)	I	-2746.7	-3.5	3.1	7.3	-7.
3	-20.9	20.9		J	-2746.7	-3.5	3.1	-2.1	2.
1	115.5	-115.5							
			g1	I	57208.1	-0.7	-76.2	-24.8	24.
8	-114.4	114.4		J	57209.2	-0.7	-17.2	-26.4	26.
4	-1851.9	1851.9							
			g2	I	27631.3	0.9	-13.9	-6.8	6.
8	-263.7	263.7		J	27631.3	0.9	-13.9	-4.5	4.
5	-779.3	779.3							
			q3	I	2161.2	-0.2	-0.9	3.1	-3.
1	-13.8	13.8		J	2161.2	-0.2	-0.9	2.6	-2.
6	-48.7	48.7							
			q5_pc	I	1821.3	1.8	-2.5	457.3	-457.
3	46.8	-46.8		J	1821.3	1.8	-2.5	461.9	-461.
9	-47.6	47.6							
			q5_ps	I	1523.2	1.8	-1.8	443.7	-443.
7	37.4	-37.4		J	1523.2	1.8	-1.8	448.3	-448.
3	-30.3	30.3							
			INVSLU Max	I	234254.6	95.1	-138.3	3496.5	3716.
2	-1872.0	3772.6							

# MIDAS

PROJECT TITLE :

MIDAS		Company		Client						
		Author		File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt				
7	-6462.5	12127.1		J	234256.2	95.1	-58.6	3607.2	3868.	
			Min	I	124836.0	-109.1	-296.0	-3716.2	-3496.	
5	-3772.6	1872.0		J	124837.5	-109.1	-216.3	-3868.7	-3607.	
2	-12127.1	6462.5								
			INVSLV Max	I	97461.8	307.0	-73.0	615.5	612.	
6	-1661.1	1849.7		J	97463.0	307.0	-14.0	189.8	181.	
0	-3382.0	4035.5								
			Min	I	81946.3	-304.7	-91.1	-612.6	-615.	
5	-1849.7	1661.1		J	81947.4	-304.7	-32.0	-181.0	-189.	
8	-4035.5	3382.0								
	1271	2	5	Q1-1-2 Max	I	77796.8	79.9	115.2	2345.3	2574.
9	24.1	4239.9		J	77796.8	79.9	115.2	2265.4	2464.	
1	610.9	680.7								
			Min	I	-525.9	-69.7	-1.9	-2574.9	-2345.	
3	-4239.9	-24.1		J	-525.9	-69.7	-1.9	-2464.1	-2265.	
4	-680.7	-610.9								
			Q2a-1-2 Max	I	46903.2	53.4	73.3	1443.4	1604.	
8	16.2	2696.4		J	46903.2	53.4	73.3	1385.4	1526.	
1	376.4	418.8								
			Min	I	-388.7	-46.2	-0.9	-1604.8	-1443.	
4	-2696.4	-16.2		J	-388.7	-46.2	-0.9	-1526.1	-1385.	
4	-418.8	-376.4								
			SLVx (RS)	I	-6482.5	4.7	6.7	-4.5	4.	
5	-252.8	252.8		J	-6482.5	4.7	6.7	9.1	-9.	
1	-60.3	60.3								
			SLVy (RS)	I	1461.4	303.0	-6.5	-189.3	189.	
3	165.0	-165.0		J	1461.4	303.0	-6.5	601.9	-601.	
9	-76.9	76.9								
			SLDx (RS)	I	-3238.9	2.3	3.3	-2.2	2.	
2	-126.3	126.3		J	-3238.9	2.3	3.3	4.5	-4.	
5	-30.1	30.1								
			SLDy (RS)	I	730.0	151.3	-3.2	-94.6	94.	
6	82.4	-82.4		J	730.0	151.3	-3.2	300.6	-300.	
6	-38.4	38.4								
			SLVz (RS)	I	-2751.4	3.6	-3.3	-2.2	2.	
2	119.2	-119.2		J	-2751.4	3.6	-3.3	7.4	-7.	
4	-19.0	19.0								
			g1	I	57227.3	0.8	21.7	-26.5	26.	
5	-1936.6	1936.6		J	57228.4	0.8	80.7	-24.5	24.	
5	-31.4	31.4								
			g2	I	27635.0	-1.0	16.1	-4.2	4.	
2	-815.7	815.7								

MIDAS

PROJECT TITLE :

MIDAS		Company			Client				
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
7	-217.2	217.2		J	27635.0	-1.0	16.1	-6.7	6.
9	-69.5	69.5	q3	I	2112.2	-0.1	2.2	2.9	-2.
7	13.7	-13.7		J	2112.2	-0.1	2.2	2.7	-2.
9	-49.2	49.2	q5_pc	I	1819.9	-1.8	2.5	461.9	-461.
2	44.0	-44.0		J	1819.9	-1.8	2.5	457.2	-457.
3	-31.2	31.2	q5_ps	I	1521.9	-1.8	1.8	448.3	-448.
6	34.9	-34.9		J	1521.9	-1.8	1.8	443.6	-443.
0	-6822.5	12667.4	INVSLU Max	I	234355.6	109.7	240.5	3605.6	3868.
7	-1475.9	3298.8		J	234357.2	109.7	320.2	3494.1	3713.
6	-12667.4	6822.5	Min	I	124876.9	-95.6	77.9	-3868.0	-3605.
1	-3298.8	1475.9		J	124878.4	-95.6	157.6	-3713.7	-3494.
1	-3571.1	4247.2	INVSLV Max	I	97471.4	304.4	43.9	195.5	187.
3	-1436.0	1637.4		J	97472.5	304.4	102.9	608.4	605.
5	-4247.2	3571.1	Min	I	81978.6	-306.5	24.6	-187.1	-195.
4	-1637.4	1436.0		J	81979.8	-306.5	83.7	-605.3	-608.
3	1282	2049.1	Q1-1-2 Max	I	71145.5	75.2	49.3	2059.1	2293.
2	151.4	980.3		J	71145.5	75.2	49.3	1942.1	2143.
1	-2049.1	-10.4	Min	I	-661.8	-67.1	-5.8	-2293.3	-2059.
1	-980.3	-151.4		J	-661.8	-67.1	-5.8	-2143.2	-1942.
3	7.7	1276.9	Q2a-1-2 Max	I	42833.2	49.4	31.2	1268.0	1430.
9	100.8	650.9		J	42833.2	49.4	31.2	1192.2	1330.
0	-1276.9	-7.7	Min	I	-490.4	-43.8	-3.8	-1430.3	-1268.
2	-650.9	-100.8		J	-490.4	-43.8	-3.8	-1330.9	-1192.
6	146.9	-146.9	SLVx (RS)	I	-5704.4	3.5	-3.1	10.6	-10.
4	34.4	-34.4		J	-5704.4	3.5	-3.1	19.4	-19.
0	52.1	-52.1	SLVy (RS)	I	1203.5	224.1	0.7	460.0	-460.
3	74.8	-74.8		J	1203.5	224.1	0.7	1018.3	-1018.
3	73.4	-73.4	SLDx (RS)	I	-2850.4	1.8	-1.6	5.3	-5.

MIDAS

PROJECT TITLE :

MIDAS		Company		Client		File Name				
		Author		File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt				
7	17.2	-17.2		J	-2850.4	1.8	-1.6	9.7	-9.	
7	26.0	-26.0	SLDy (RS)	I	601.3	111.9	0.3	229.7	-229.	
5	37.4	-37.4		J	601.3	111.9	0.3	508.5	-508.	
9	63.7	-63.7	SLVz (RS)	I	-2467.1	2.7	-1.3	6.9	-6.	
6	15.4	-15.4		J	-2467.1	2.7	-1.3	13.6	-13.	
5	-1104.7	1104.7	g1	I	51973.9	-1.9	-3.6	-38.5	38.	
3	-185.9	185.9		J	51975.1	-1.9	54.1	-43.3	43.	
4	-631.4	631.4	g2	I	25151.5	-2.9	11.6	-11.4	11.	
7	-209.5	209.5		J	25151.5	-2.9	11.6	-18.7	18.	
1	-35.0	35.0	q3	I	1509.6	-0.1	1.2	1.1	-1.	
9	9.3	-9.3		J	1509.6	-0.1	1.2	0.9	-0.	
0	3.9	-3.9	q5_pc	I	1700.1	3.8	0.7	421.0	-421.	
5	29.2	-29.2		J	1700.1	3.8	0.7	430.5	-430.	
8	6.9	-6.9	q5_ps	I	1406.6	2.7	0.5	407.8	-407.	
6	26.7	-26.7		J	1406.6	2.7	0.5	414.6	-414.	
2	-4651.0	7441.8	INVSLU Max	I	214880.5	100.8	74.8	3052.4	3581.	
3	-2746.2	4326.6		J	214882.1	100.8	152.7	2892.7	3397.	
4	-7441.8	4651.0	Min	I	114524.2	-98.1	-0.8	-3581.2	-3052.	
7	-4326.6	2746.2		J	114525.7	-98.1	77.1	-3397.3	-2892.	
6	-2749.1	3112.5	INVSLV Max	I	88949.7	221.3	7.8	387.9	542.	
3	-1642.1	1821.7		J	88950.9	221.3	65.5	939.2	1117.	
9	-3112.5	2749.1	Min	I	75338.6	-230.7	0.4	-542.6	-387.	
2	-1821.7	1642.1		J	75339.7	-230.7	58.1	-1117.3	-939.	
1	1283	2	5	Q1-1-2 Max	I	69207.8	73.6	14.9	1942.1	2143.
1	16.0	2064.9		J	69207.8	73.6	14.9	1825.1	1999.	
2	13.9	1536.8		I	-667.9	-68.5	-0.1	-2143.1	-1942.	
1	-2064.9	-16.0	Min	J	-667.9	-68.5	-0.1	-1999.2	-1825.	
1	-1536.8	-13.9		I	41671.6	48.3	9.5	1192.3	1330.	
			Q2a-1-2 Max							



MIDAS

PROJECT TITLE :

MIDAS		Company			Client					
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt				
8	11.8	1302.3								
5	10.3	968.0								
3	-1302.3	-11.8	Min	I	-495.1	-44.8	-0.1	-1330.8	-1192.	
5	-968.0	-10.3		J	-495.1	-44.8	-0.1	-1235.5	-1116.	
4	133.1	-133.1	SLVx (RS)	I	-5523.6	2.5	-0.9	19.4	-19.	
7	100.8	-100.8		J	-5523.6	2.5	-0.9	25.7	-25.	
7	13.7	-13.7	SLVy (RS)	I	1238.7	157.7	0.4	1018.7	-1018.	
6	26.1	-26.1		J	1238.7	157.7	0.4	1412.6	-1412.	
7	66.5	-66.5	SLDx (RS)	I	-2760.1	1.3	-0.5	9.7	-9.	
9	50.4	-50.4		J	-2760.1	1.3	-0.5	12.9	-12.	
7	6.9	-6.9	SLDy (RS)	I	618.8	78.8	0.2	508.7	-508.	
4	13.0	-13.0		J	618.8	78.8	0.2	705.4	-705.	
6	58.5	-58.5	SLVz (RS)	I	-2390.6	1.9	-0.4	13.6	-13.	
4	43.5	-43.5		J	-2390.6	1.9	-0.4	18.4	-18.	
2	-1049.6	1049.6	g1	I	50565.7	-2.2	-21.1	-43.2	43.	
8	-768.2	768.2		J	50566.8	-2.2	36.6	-48.8	48.	
7	-596.3	596.3	g2	I	24492.5	-2.7	3.2	-18.7	18.	
5	-480.6	480.6		J	24492.5	-2.7	3.2	-25.5	25.	
9	-25.6	25.6	q3	I	1440.1	-0.1	0.3	0.9	-0.	
7	-15.5	15.5		J	1440.1	-0.1	0.3	0.7	-0.	
5	-9.7	9.7	q5_pc	I	1675.6	3.7	0.4	430.5	-430.	
9	3.7	-3.7		J	1675.6	3.7	0.4	439.9	-439.	
6	-6.5	6.5	q5_ps	I	1390.3	2.7	0.3	414.6	-414.	
3	4.1	-4.1		J	1390.3	2.7	0.3	421.3	-421.	
2	-4434.6	7261.3	INVSLU Max	I	209579.0	96.7	-4.7	2892.8	3397.	
2	-3940.1	6040.2		J	209580.5	96.7	73.3	2728.4	3226.	
8	-7261.3	4434.6	Min	I	111878.8	-101.7	-25.7	-3397.2	-2892.	
4	-6040.2	3940.1		J	111880.3	-101.7	52.2	-3226.2	-2728.	

MIDAS

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

6	-2613.5	2923.1	INVS LV Max	I	86819.6	153.8	-19.1	939.5	1117.
				J	86820.8	153.8	38.6	1323.7	1528.
0	-2333.2	2576.6	Min	I	73594.8	-164.3	-21.4	-1117.6	-939.
5	-2923.1	2613.5		J	73596.0	-164.3	36.3	-1528.0	-1323.
7	-2576.6	2333.2							
6	1295 23.0	2 69 2770.0	Q1-1-2 Max	I	57604.8	91.5	61.3	857.3	1424.
				J	57604.8	91.5	61.3	570.6	1227.
1	1879.3	9.9	Min	I	-1029.4	-116.2	-0.4	-1424.6	-857.
3	-2770.0	-23.0		J	-1029.4	-116.2	-0.4	-1227.1	-570.
6	-9.9	-1879.3							
0	17.0	1679.9	Q2a-1-2 Max	I	34752.7	57.9	36.9	554.4	905.
				J	34752.7	57.9	36.9	368.5	777.
7	1140.8	7.2	Min	I	-764.1	-72.5	-0.3	-905.0	-554.
4	-1679.9	-17.0		J	-764.1	-72.5	-0.3	-777.7	-368.
5	-7.2	-1140.8							
9	204.6	-204.6	SLVx (RS)	I	-4112.9	1.0	-4.9	40.9	-40.
				J	-4112.9	1.0	-4.9	41.6	-41.
6	-156.7	156.7							
4	-37.6	37.6	SLVy (RS)	I	1556.5	-65.5	0.8	1304.4	-1304.
				J	1556.5	-65.5	0.8	1063.8	-1063.
8	24.1	-24.1							
4	102.3	-102.3	SLDx (RS)	I	-2055.3	0.5	-2.5	20.4	-20.
				J	-2055.3	0.5	-2.5	20.8	-20.
8	-78.3	78.3							
4	-18.8	18.8	SLDy (RS)	I	777.3	-32.7	0.4	651.4	-651.
				J	777.3	-32.7	0.4	531.2	-531.
2	12.1	-12.1							
8	91.0	-91.0	SLVz (RS)	I	-1792.4	0.7	-2.2	23.8	-23.
				J	-1792.4	0.7	-2.2	22.7	-22.
7	-69.6	69.6							
4	-1319.4	1319.4	g1	I	40880.7	-14.3	-0.6	-302.4	302.
				J	40882.4	-14.3	84.4	-355.2	355.
2	1765.1	-1765.1							
3	-889.9	889.9	g2	I	19919.3	-6.5	20.3	-150.3	150.
				J	19919.3	-6.5	20.3	-174.1	174.
1	601.2	-601.2							
5	-44.9	44.9	q3	I	935.4	-0.3	1.1	-4.5	4.
				J	935.4	-0.3	1.1	-5.5	5.

PROJECT TITLE :

MIDAS	Company	Client		
	Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

5	39.6	-39.6							
			q5_pc	I	1791.2	-22.3	1.3	440.0	-440.
0	-42.0	42.0		J	1791.2	-22.3	1.3	358.0	-358.
0	52.1	-52.1							
			q5_ps	I	1500.8	-21.0	1.0	406.6	-406.
6	-29.8	29.8		J	1500.8	-21.0	1.0	329.4	-329.
4	40.7	-40.7							
			INVSLU Max	I	177011.6	116.5	104.9	869.2	3003.
3	-4125.6	7971.7		J	177013.9	116.5	219.6	308.4	2762.
9	4161.9	-1506.8							
			Min	I	94339.6	-204.1	19.2	-3003.3	-869.
2	-7971.7	4125.6		J	94341.8	-204.1	133.9	-2762.9	-308.
4	1506.8	-4161.9							
			INVSLV Max	I	71695.1	48.4	19.7	833.2	1814.
3	-2418.6	2904.9		J	71696.8	48.4	104.7	527.7	1638.
4	1676.5	-1306.8							
			Min	I	61460.0	-83.6	8.1	-1814.3	-833.
2	-2904.9	2418.6		J	61461.7	-83.6	93.1	-1638.4	-527.
7	1306.8	-1676.5							
			Q1-1-2 Max	I	80541.9	145.2	82.3	913.0	1963.
1296	2	70		J	80541.9	145.2	82.3	810.7	1936.
2	42.3	3214.6							
1	1610.6	26.3							
			Min	I	-1556.8	-191.3	-0.8	-1963.2	-913.
0	-3214.6	-42.3		J	-1556.8	-191.3	-0.8	-1936.1	-810.
7	-26.3	-1610.6							
			Q2a-1-2 Max	I	48692.4	91.8	49.3	589.6	1244.
1	31.3	1932.3		J	48692.4	91.8	49.3	530.4	1235.
5	972.9	13.2							
			Min	I	-1155.7	-119.3	-0.6	-1244.1	-589.
6	-1932.3	-31.3		J	-1155.7	-119.3	-0.6	-1235.5	-530.
4	-13.2	-972.9							
			SLVx (RS)	I	-5681.1	2.6	-6.9	66.5	-66.
5	261.1	-261.1		J	-5681.1	2.6	-6.9	65.1	-65.
1	-133.9	133.9							
			SLVy (RS)	I	2563.4	-205.2	1.0	1702.5	-1702.
5	-42.6	42.6		J	2563.4	-205.2	1.0	1337.3	-1337.
3	22.1	-22.1							
			SLDx (RS)	I	-2838.9	1.3	-3.5	33.2	-33.
2	130.5	-130.5		J	-2838.9	1.3	-3.5	32.6	-32.
6	-67.0	67.0							
			SLDy (RS)	I	1280.1	-102.5	0.5	850.2	-850.
2	-21.3	21.3		J	1280.1	-102.5	0.5	667.8	-667.

# MIDAS

PROJECT TITLE :

MIDAS		Company			Client					
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt				
8	11.1	-11.1								
			SLVz (RS)	I	-2474.5	2.1	-3.1	36.4	-36.	
4	115.6	-115.6		J	-2474.5	2.1	-3.1	33.9	-33.	
9	-60.0	60.0								
			g1	I	57005.5	-23.5	38.7	-568.3	568.	
3	-2093.0	2093.0		J	57006.3	-23.5	79.8	-610.2	610.	
2	1286.2	-1286.2								
			g2	I	27803.9	-9.0	29.5	-278.5	278.	
5	-1130.4	1130.4		J	27803.9	-9.0	29.5	-294.6	294.	
6	553.6	-553.6								
			q3	I	1280.6	-0.5	1.6	-8.8	8.	
8	-56.1	56.1		J	1280.6	-0.5	1.6	-9.7	9.	
7	34.9	-34.9								
			q5_pc	I	2649.7	-36.0	2.2	572.8	-572.	
8	-82.9	82.9		J	2649.7	-36.0	2.2	508.6	-508.	
6	41.8	-41.8								
			q5_ps	I	2242.4	-33.8	1.8	527.0	-527.	
0	-67.0	67.0		J	2242.4	-33.8	1.8	466.9	-466.	
9	33.0	-33.0								
			INVSLU Max	I	248950.5	183.2	188.6	493.4	4420.	
4	-4857.6	9415.3		J	248951.6	183.2	244.1	217.1	4406.	
6	3097.1	-809.0								
			Min	I	132894.3	-335.9	72.0	-4420.4	-493.	
4	-9415.3	4857.6		J	132895.4	-335.9	127.5	-4406.6	-217.	
1	809.0	-3097.1								
			INVSLV Max	I	100717.9	178.0	64.1	844.8	2621.	
9	-3071.3	3688.4		J	100718.7	178.0	105.2	427.4	2306.	
5	1139.8	-822.6								
			Min	I	86333.0	-235.2	47.8	-2621.9	-844.	
8	-3688.4	3071.3		J	86333.8	-235.2	88.9	-2306.5	-427.	
4	822.6	-1139.8								
			Q1-1-2 Max	I	5175.6	73.5	682.2	126.7	206.	
1309	2	70								
0	574.4	31256.5		J	5175.6	73.5	682.2	38.1	29.	
2	23500.5	361.3								
			Min	I	-1023.5	-40.9	-11.7	-206.0	-126.	
7	-31256.5	-574.4		J	-1023.5	-40.9	-11.7	-29.2	-38.	
1	-361.3	-23500.5								
			Q2a-1-2 Max	I	3125.7	48.8	396.2	77.4	127.	
1	262.9	18178.1		J	3125.7	48.8	396.2	22.3	17.	
5	13647.3	168.6								
			Min	I	-582.0	-25.5	-5.4	-127.1	-77.	
4	-18178.1	-262.9		J	-582.0	-25.5	-5.4	-17.5	-22.	

MIDAS

PROJECT TITLE :

MIDAS	Company				Client
	Author				File Name
					PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

3	-168.6	-13647.3							
			SLVx (RS)	I	207.1	-3.8	-36.6	9.3	-9.
3	1656.8	-1656.8		J	207.1	-3.8	-36.6	-0.4	0.
4	-1274.6	1274.6							
			SLVy (RS)	I	1181.0	-196.1	21.3	470.7	-470.
7	-986.9	986.9		J	1181.0	-196.1	21.3	-21.5	21.
5	721.3	-721.3							
			SLDx (RS)	I	103.5	-1.9	-18.3	4.7	-4.
7	828.1	-828.1		J	103.5	-1.9	-18.3	-0.2	0.
2	-637.0	637.0							
			SLDy (RS)	I	589.8	-98.0	10.7	235.1	-235.
1	-494.1	494.1		J	589.8	-98.0	10.7	-10.8	10.
8	361.1	-361.1							
			SLVz (RS)	I	-81.6	-2.7	-16.2	6.4	-6.
4	734.9	-734.9		J	-81.6	-2.7	-16.2	0.3	-0.
3	-565.5	565.5							
			g1	I	2293.0	25.1	404.7	-62.5	62.
5	-19261.1	19261.1		J	2294.1	25.1	462.4	0.2	-0.
2	15434.4	-15434.4							
			g2	I	1151.1	14.3	211.6	-41.2	41.
2	-9583.5	9583.5		J	1151.1	14.3	211.6	-5.4	5.
4	7353.5	-7353.5							
			q3	I	41.0	0.4	8.4	-0.9	0.
9	-381.5	381.5		J	41.0	0.4	8.4	0.1	-0.
1	293.3	-293.3							
			q5_pc	I	417.8	-11.7	54.6	30.6	-30.
6	-2512.9	2512.9		J	417.8	-11.7	54.6	1.4	-1.
4	1859.6	-1859.6							
			q5_ps	I	424.9	-10.2	43.2	25.8	-25.
8	-1985.2	1985.2		J	424.9	-10.2	43.2	0.3	-0.
3	1471.4	-1471.4							
			INVSLU Max	I	14573.6	151.7	1724.2	34.6	469.
5	-31803.8	79821.1		J	14575.2	151.7	1802.1	-6.4	99.
7	61503.2	-25530.9							
			Min	I	5452.7	-23.8	677.5	-469.5	-34.
6	-79821.1	31803.8		J	5454.2	-23.8	755.4	-99.7	6.
4	25530.9	-61503.2							
			INVSLV Max	I	5119.1	234.7	609.8	372.8	578.
0	-24193.4	28540.2		J	5120.2	234.7	667.6	10.7	32.
7	22575.8	-19254.6							
			Min	I	2583.8	-161.4	514.0	-578.0	-372.

# MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

8	-28540.2	24193.4		J	2584.9	-161.4	571.8	-32.7	-10.
7	19254.6	-22575.8							
1310	2	70	Q1-1-2 Max	I	552.7	0.5	20.7	23.0	0.
9	40711.7	627.1		J	552.7	0.5	20.7	1.4	0.
7	863.3	54809.7							
			Min	I	-2272.8	-9.9	-1326.6	-0.9	-23.
0	-627.1	-40711.7		J	-2272.8	-9.9	-1326.6	-0.7	-1.
4	-54809.7	-863.3							
			Q2a-1-2 Max	I	302.6	0.4	9.6	14.2	0.
7	23873.5	290.9		J	302.6	0.4	9.6	0.8	0.
4	399.1	32205.5							
			Min	I	-1286.9	-6.2	-778.8	-0.7	-14.
2	-290.9	-23873.5		J	-1286.9	-6.2	-778.8	-0.4	-0.
8	-32205.5	-399.1							
			SLVx (RS)	I	96.4	0.6	67.8	-1.3	1.
3	-2090.9	2090.9		J	96.4	0.6	67.8	-0.0	0.
0	2788.4	-2788.4							
			SLVy (RS)	I	256.5	14.9	-54.2	-33.6	33.
6	1642.4	-1642.4		J	256.5	14.9	-54.2	-0.2	0.
2	-2260.1	2260.1							
			SLDx (RS)	I	48.2	0.3	33.9	-0.6	0.
6	-1045.0	1045.0		J	48.2	0.3	33.9	-0.0	0.
0	1393.6	-1393.6							
			SLDy (RS)	I	128.2	7.4	-27.1	-16.8	16.
8	821.3	-821.3		J	128.2	7.4	-27.1	-0.1	0.
1	-1130.2	1130.2							
			SLVz (RS)	I	44.6	0.3	29.9	-0.7	0.
7	-923.6	923.6		J	44.6	0.3	29.9	-0.0	0.
0	1231.8	-1231.8							
			g1	I	-1118.2	-6.0	-838.6	13.9	-13.
9	25383.2	-25383.2		J	-1117.2	-6.0	-786.7	0.4	-0.
4	-33127.4	33127.4							
			g2	I	-548.9	-2.7	-396.8	6.2	-6.
2	12252.5	-12252.5		J	-548.9	-2.7	-396.8	0.2	-0.
2	-16316.5	16316.5							
			q3	I	-22.3	-0.1	-15.6	0.3	-0.
3	479.8	-479.8		J	-22.3	-0.1	-15.6	0.0	-0.
0	-641.4	641.4							
			q5_pc	I	-67.3	-1.0	-110.2	2.3	-2.
3	3354.6	-3354.6		J	-67.3	-1.0	-110.2	0.0	-0.
0	-4582.9	4582.9							

# MIDAS

PROJECT TITLE :

MIDAS	Company		Client		
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

0	2676.5	-2676.5	q5_ps	I	-29.3	-0.9	-88.0	2.0	-2.	
0	-3662.2	3662.2		J	-29.3	-0.9	-88.0	-0.0	0.	
7	105034.9	-42405.3	INVS LU Max	I	-715.8	-9.8	-1381.1	59.7	-22.	
4	-54510.6	138995.8		J	-714.4	-9.8	-1311.0	2.4	0.	
7	42405.3	-105034.9	Min	I	-4651.5	-25.9	-3424.3	22.7	-59.	
4	-138995.8	54510.6		J	-4650.1	-25.9	-3354.2	-0.4	-2.	
8	37971.5	-32250.2	INVS LV Max	I	-1163.2	5.3	-1055.9	56.6	11.	
1	-41907.2	49579.2		J	-1162.2	5.3	-1004.0	0.5	-0.	
6	32250.2	-37971.5	Min	I	-1760.8	-25.0	-1242.0	-11.8	-56.	
5	-49579.2	41907.2		J	-1759.8	-25.0	-1190.0	0.1	-0.	
7	3100	2	6	Q1-1-2 Max	I	7495.4	8824.8	3793.3	23724.5	43614.
5	30472.4	5830.8		J	7495.4	8824.8	3793.3	19685.8	6692.	
5	3091.8	8905.4	Min	I	-15166.4	-4242.5	-37633.0	-43614.7	-23724.	
5	-5830.8	-30472.4		J	-15166.4	-4242.5	-37633.0	-6692.5	-19685.	
8	-8905.4	-3091.8								
9	20595.6	3269.2	Q2a-1-2 Max	I	4176.5	5828.1	2073.1	17111.3	29051.	
1	1660.7	5797.7		J	4176.5	5828.1	2073.1	12753.9	4753.	
3	-3269.2	-20595.6	Min	I	-9366.9	-3050.2	-25775.0	-29051.9	-17111.	
9	-5797.7	-1660.7		J	-9366.9	-3050.2	-25775.0	-4753.1	-12753.	
5	215.5	-215.5	SLVx (RS)	I	-236.1	202.9	-184.3	-888.5	888.	
2	33.4	-33.4		J	-236.1	202.9	-184.3	568.2	-568.	
3	-2254.0	2254.0	SLVy (RS)	I	2269.2	-268.2	1644.8	1410.3	-1410.	
6	-625.7	625.7		J	2269.2	-268.2	1644.8	-516.6	516.	
8	107.6	-107.6	SLDx (RS)	I	-117.9	101.3	-92.0	-443.8	443.	
7	16.7	-16.7		J	-117.9	101.3	-92.0	283.7	-283.	
2	-1126.0	1126.0	SLDy (RS)	I	1133.7	-133.9	821.6	704.2	-704.	
0	-312.6	312.6		J	1133.7	-133.9	821.6	-258.0	258.	
3	-72.8	72.8	SLVz (RS)	I	78.5	-75.0	62.9	338.3	-338.	
8	-10.9	10.9		J	78.5	-75.0	62.9	-199.8	199.	

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

6	2112.0	-2112.0	g1	I	-2136.4	1940.4	-1970.9	-8676.6	8676.
				J	-2136.4	1940.4	-1771.5	5229.8	-5229.
8	258.3	-258.3							
			g2	I	-2491.6	437.2	-30.9	-1651.2	1651.
2	1362.5	-1362.5		J	-2491.6	437.2	-30.9	1481.8	-1481.
8	1331.9	-1331.9							
			q3	I	-132.7	115.3	-99.0	-477.7	477.
7	116.7	-116.7		J	-132.7	115.3	-99.0	348.4	-348.
4	18.7	-18.7							
			q5_pc	I	3862.8	-40.1	1850.2	73.8	-73.
8	-3263.6	3263.6		J	3862.8	-40.1	1850.2	-214.0	214.
0	-1430.7	1430.7							
			q5_ps	I	2957.7	-146.8	1748.8	646.8	-646.
8	-2693.7	2693.7		J	2957.7	-146.8	1748.8	-405.4	405.
4	-961.3	961.3							
			INVS LU Max	I	-1205.1	6261.9	5132.1	58076.0	32964.
7	36192.0	18691.8		J	-1205.1	6261.9	5401.2	11988.1	24007.
7	-3926.7	22698.3	Min	I	-38751.6	-11451.2	-54123.8	-32964.7	-58076.
0	-18691.8	-36192.0		J	-38751.6	-11451.2	-53854.7	-24007.7	-11988.
1	-22698.3	3926.7							
			INVS LV Max	I	2494.1	1144.3	-411.1	-2676.7	6233.
3	7748.9	-3067.9		J	2494.1	1144.3	-211.7	2009.9	-443.
7	4036.0	-2758.0	Min	I	-2233.1	441.3	-3849.0	-6233.3	2676.
7	3067.9	-7748.9		J	-2233.1	441.3	-3649.7	443.7	-2009.
9	2758.0	-4036.0							
			Q1-1-2 Max	I	7601.2	4134.1	3884.5	43901.8	22205.
3101	2	2		J	7601.2	4134.1	3884.5	7429.2	18738.
2	30286.8	5949.1	Min	I	-15103.3	-8735.4	-37425.0	-22205.2	-43901.
2	3106.6	8897.6		J	-15103.3	-8735.4	-37425.0	-18738.2	-7429.
8	-5949.1	-30286.8							
2	-8897.6	-3106.6							
			Q2a-1-2 Max	I	4237.9	2968.7	2130.3	29302.3	15989.
9	20520.9	3341.6		J	4237.9	2968.7	2130.3	5288.6	12197.
1	1670.9	5794.3	Min	I	-9350.2	-5787.1	-25694.8	-15989.9	-29302.
3	-3341.6	-20520.9		J	-9350.2	-5787.1	-25694.8	-12197.1	-5288.
6	-5794.3	-1670.9							
			SLVx (RS)	I	164.5	166.3	121.4	-759.1	759.
1	-142.0	142.0		J	164.5	166.3	121.4	432.9	-432.
9	-22.1	22.1							



# MIDAS


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

8	-2225.5	2225.5	SLVy (RS)	I	2244.1	271.8	1617.5	-1531.8	1531.	
				J	2244.1	271.8	1617.5	418.0	-418.	
0	-624.3	624.3								
4	-71.0	71.0	SLDx (RS)	I	82.2	83.1	60.7	-379.4	379.	
				J	82.2	83.1	60.7	216.3	-216.	
3	-11.0	11.0								
0	-1111.8	1111.8	SLDy (RS)	I	1121.2	135.7	808.0	-765.0	765.	
				J	1121.2	135.7	808.0	208.8	-208.	
8	-311.9	311.9								
4	-72.7	72.7	SLVz (RS)	I	83.0	74.7	61.0	-341.4	341.	
				J	83.0	74.7	61.0	193.7	-193.	
7	-12.4	12.4								
9	1867.5	-1867.5	g1	I	-1977.0	-1810.6	-1718.6	8229.9	-8229.	
				J	-1977.0	-1810.6	-1519.2	-4746.1	4746.	
1	263.7	-263.7								
3	1263.1	-1263.1	g2	I	-2412.5	-373.5	57.2	1511.3	-1511.	
				J	-2412.5	-373.5	57.2	-1165.7	1165.	
7	1319.8	-1319.8								
2	40.2	-40.2	q3	I	-41.6	-33.3	-26.6	137.2	-137.	
				J	-41.6	-33.3	-26.6	-101.6	101.	
6	13.9	-13.9								
3	-3235.5	3235.5	q5_pc	I	3837.4	31.9	1824.0	-229.3	229.	
				J	3837.4	31.9	1824.0	-0.4	0.	
4	-1428.5	1428.5								
3	-2666.7	2666.7	q5_ps	I	2936.1	141.4	1720.2	-770.3	770.	
				J	2936.1	141.4	1720.2	242.8	-242.	
8	-962.5	962.5								
2	35832.8	18909.4	INVSLU Max	I	-1176.7	11286.3	4820.2	32941.0	56716.	
				J	-1176.7	11286.3	5089.3	24179.2	11147.	
4	-4399.5	23176.6								
0	-18909.4	-35832.8	Min	I	-38735.0	-6144.9	-54230.9	-56716.2	-32941.	
				J	-38735.0	-6144.9	-53961.8	-11147.4	-24179.	
2	-23176.6	4399.5								
0	7358.6	-2778.7	INVSLV Max	I	2425.4	-404.1	-364.9	6337.9	-2614.	
				J	2425.4	-404.1	-165.6	-269.8	1502.	
5	3783.9	-2514.6								
9	2778.7	-7358.6	Min	I	-2211.2	-1092.3	-3709.4	2614.0	-6337.	
				J	-2211.2	-1092.3	-3510.0	-1502.5	269.	
8	2514.6	-3783.9								
3	3102	2	6	Q1-1-2 Max	I	11795.0	6028.4	4765.1	18418.5	22484.
	18605.1	4816.3								

# MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
8	1901.3	26192.0		J	11795.0	6028.4	4765.1	21434.8	15936.
			Min	I	-7782.1	-4746.0	-43759.4	-22484.3	-18418.
5	-4816.3	-18605.1		J	-7782.1	-4746.0	-43759.4	-15936.8	-21434.
8	-26192.0	-1901.3							
			Q2a-1-2 Max	I	7363.6	4172.3	2650.0	13265.5	15348.
9	12527.6	2696.5		J	7363.6	4172.3	2650.0	14689.4	11645.
4	983.6	18556.3							
			Min	I	-4303.0	-3456.8	-30792.9	-15348.9	-13265.
5	-2696.5	-12527.6		J	-4303.0	-3456.8	-30792.9	-11645.4	-14689.
4	-18556.3	-983.6							
			SLVx (RS)	I	-172.1	-44.9	-62.1	110.5	-110.
5	146.3	-146.3		J	-172.1	-44.9	-62.1	-230.7	230.
7	88.4	-88.4							
			SLVy (RS)	I	1532.2	-175.6	1511.9	752.1	-752.
1	-1610.8	1610.8		J	1532.2	-175.6	1511.9	-509.0	509.
0	-115.9	115.9							
			SLDx (RS)	I	-85.9	-22.5	-31.0	55.3	-55.
3	73.1	-73.1		J	-85.9	-22.5	-31.0	-115.3	115.
3	44.1	-44.1							
			SLDy (RS)	I	765.6	-87.7	755.3	375.6	-375.
6	-804.7	804.7		J	765.6	-87.7	755.3	-254.2	254.
2	-57.9	57.9							
			SLVz (RS)	I	56.5	-20.4	21.6	51.4	-51.
4	-51.5	51.5		J	56.5	-20.4	21.6	-97.6	97.
6	-32.6	32.6							
			g1	I	-1501.6	476.5	-695.4	-991.9	991.
9	1395.5	-1395.5		J	-1501.6	476.5	-496.1	2423.2	-2423.
2	805.3	-805.3							
			g2	I	-2255.5	10.9	-463.1	398.9	-398.
9	1796.1	-1796.1		J	-2255.5	10.9	-463.1	476.9	-476.
9	1337.3	-1337.3							
			q3	I	-98.2	12.8	-32.2	8.4	-8.
4	78.6	-78.6		J	-98.2	12.8	-32.2	100.2	-100.
2	46.7	-46.7							
			q5_pc	I	2887.6	6.1	2159.8	-98.7	98.
7	-2766.1	2766.1		J	2887.6	6.1	2159.8	-55.2	55.
2	-626.4	626.4							
			q5_ps	I	2104.9	-57.9	1829.1	171.6	-171.
6	-2123.4	2123.4		J	2104.9	-57.9	1829.1	-243.2	243.
2	-311.5	311.5							

# MIDAS


PROJECT TITLE :

	Company		Client		
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

9	16409.9	20187.9	INVS LU Max	I	3305.8	6832.8	6874.9	26978.6	28417.9
				J	3305.8	6832.8	7144.0	21615.9	28935.9
1	-9420.4	48474.0	Min	I	-28321.0	-7723.6	-62520.8	-28417.9	-26978.9
6	-20187.9	-16409.9		J	-28321.0	-7723.6	-62251.7	-28935.1	-21615.9
9	-48474.0	9420.4							
9	5981.1	-2640.8	INVS LV Max	I	2346.6	473.4	-191.3	-820.6	2421.9
				J	2346.6	473.4	8.1	979.5	235.9
5	2849.6	-2545.4	Min	I	-855.0	82.9	-3265.4	-2421.9	820.9
6	2640.8	-5981.1		J	-855.0	82.9	-3066.0	-235.5	-979.9
5	2545.4	-2849.6							
3103	2	6	Q1-1-2 Max	I	27233.9	4141.4	4976.7	9128.7	10912.9
5	5786.9	6255.7		J	27233.9	4141.4	4976.7	19602.3	20342.9
8	2042.5	35352.1	Min	I	-5127.6	-4046.8	-34616.9	-10912.5	-9128.9
7	-6255.7	-5786.9		J	-5127.6	-4046.8	-34616.9	-20342.8	-19602.9
3	-35352.1	-2042.5							
3	3203.0	3838.0	Q2a-1-2 Max	I	19125.0	2872.1	2767.5	6659.8	7588.9
				J	19125.0	2872.1	2767.5	13765.5	15059.9
9	1100.8	25409.0	Min	I	-2791.5	-2966.5	-24375.4	-7588.3	-6659.9
8	-3838.0	-3203.0		J	-2791.5	-2966.5	-24375.4	-15059.9	-13765.9
5	-25409.0	-1100.8							
7	163.5	-163.5	SLVx (RS)	I	-134.8	-18.7	38.8	65.7	-65.9
				J	-134.8	-18.7	38.8	-169.9	169.9
9	131.0	-131.0							
0	-1165.8	1165.8	SLVy (RS)	I	785.0	-88.7	1450.1	332.0	-332.9
				J	785.0	-88.7	1450.1	-305.7	305.9
7	272.1	-272.1							
8	81.7	-81.7	SLDx (RS)	I	-67.3	-9.3	19.4	32.8	-32.9
				J	-67.3	-9.3	19.4	-84.9	84.9
9	65.4	-65.4							
9	-582.5	582.5	SLDy (RS)	I	392.3	-44.3	724.4	165.9	-165.9
				J	392.3	-44.3	724.4	-152.7	152.9
7	135.9	-135.9							
7	-60.5	60.5	SLVz (RS)	I	43.2	-8.7	17.6	-17.7	17.9
				J	43.2	-8.7	17.6	-74.1	74.9
1	-49.1	49.1							
5	1550.6	-1550.6	g1	I	-1137.7	187.5	-423.1	448.5	-448.9
				J	-1137.7	187.5	-223.7	1792.0	-1792.9
0	1230.2	-1230.2							


# MIDAS

PROJECT TITLE :

		Company		Client					
		Author		File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
7	1832.9	-1832.9	g2	I	-1947.2	59.1	-481.4	269.7	-269.
				J	-1947.2	59.1	-481.4	693.0	-693.
0	1356.0	-1356.0							
6	87.9	-87.9	q3	I	-77.9	0.5	-14.3	51.6	-51.
				J	-77.9	0.5	-14.3	55.2	-55.
2	73.7	-73.7							
6	-2207.5	2207.5	q5_pc	I	1767.4	-3.4	2274.6	-9.6	9.
				J	1767.4	-3.4	2274.6	-33.9	33.
9	45.9	-45.9							
8	-1620.5	1620.5	q5_ps	I	1181.1	-22.0	1840.8	39.8	-39.
				J	1181.1	-22.0	1840.8	-117.8	117.
8	203.1	-203.1							
4	-4239.6	24470.5	INVSLU Max	I	22889.6	5012.9	7200.5	10416.4	16656.
				J	22889.6	5012.9	7469.6	20413.5	33573.
4	-12657.1	63222.5	Min	I	-23979.8	-6047.2	-50345.0	-16656.4	-10416.
				J	-23979.8	-6047.2	-50075.9	-33573.4	-20413.
5	-63222.5	12657.1							
2	4703.9	-2237.7	INVSLV Max	I	2098.9	254.0	274.7	-588.1	1302.
				J	2098.9	254.0	474.0	559.6	198.
2	2714.4	-2062.2	Min	I	422.2	60.2	-2659.5	-1302.2	588.
				J	422.2	60.2	-2460.1	-198.2	-559.
1	2237.7	-4703.9							
6	2062.2	-2714.4							
3	3104 4641.1	2 23334.7	Q1-1-2 Max	I	36347.4	3031.2	7358.7	11599.3	15300.
				J	36347.4	3031.2	7358.7	13560.9	13613.
0	3350.1	31898.2	Min	I	-2538.0	-3047.7	-15817.1	-15300.3	-11599.
				J	-2538.0	-3047.7	-15817.1	-13613.0	-13560.
3	-23334.7	-4641.1							
9	-31898.2	-3350.1							
8	2553.3	16528.3	Q2a-1-2 Max	I	25917.8	2142.8	5048.8	8106.3	11309.
				J	25917.8	2142.8	5048.8	9337.7	10059.
6	1822.5	22863.6	Min	I	-1322.3	-2245.3	-11118.3	-11309.8	-8106.
				J	-1322.3	-2245.3	-11118.3	-10059.6	-9337.
3	-16528.3	-2553.3							
7	-22863.6	-1822.5							
4	172.6	-172.6	SLVx(RS)	I	-113.3	-5.1	26.4	105.4	-105.
				J	-113.3	-5.1	26.4	-134.4	134.
4	155.9	-155.9							
7	-780.6	780.6	SLVy(RS)	I	82.0	-63.0	1421.0	226.7	-226.
				J	82.0	-63.0	1421.0	-224.9	224.
9	627.9	-627.9							

# MIDAS

PROJECT TITLE :

			Company		Client					
			Author		File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
6	86.2	-86.2	SLDx (RS)	I	-56.6	-2.6	13.2	52.6	-52.	
				J	-56.6	-2.6	13.2	-67.1	67.	
1	77.9	-77.9								
3	-390.0	390.0	SLDy (RS)	I	41.2	-31.5	709.9	113.3	-113.	
				J	41.2	-31.5	709.9	-112.3	112.	
3	313.6	-313.6								
3	-64.9	64.9	SLVz (RS)	I	35.8	-2.5	-16.0	-41.3	41.	
				J	35.8	-2.5	-16.0	-58.0	58.	
0	-58.9	58.9								
1	1615.6	-1615.6	g1	I	-946.9	46.9	-202.5	1068.1	-1068.	
				J	-946.9	46.9	-3.2	1404.2	-1404.	
2	1513.7	-1513.7								
1	1667.9	-1667.9	g2	I	-1745.0	25.7	-187.8	475.1	-475.	
				J	-1745.0	25.7	-187.8	659.1	-659.	
1	1481.8	-1481.8								
1	93.2	-93.2	q3	I	-68.4	-0.7	-4.2	51.1	-51.	
				J	-68.4	-0.7	-4.2	46.2	-46.	
2	89.0	-89.0								
9	-1615.7	1615.7	q5_pc	I	599.3	-15.1	2323.1	68.9	-68.	
				J	599.3	-15.1	2323.1	-39.4	39.	
4	685.7	-685.7								
6	-1134.0	1134.0	q5_ps	I	245.4	-14.4	1838.2	41.6	-41.	
				J	245.4	-14.4	1838.2	-61.9	61.	
9	687.0	-687.0								
4	-8250.6	48926.2	INVSLU Max	I	34142.6	4006.0	11413.0	11756.1	24682.	
				J	34142.6	4006.0	11682.1	13663.0	23092.	
7	-11303.5	60123.0								
1	-48926.2	8250.6	Min	I	-19431.5	-4227.7	-24056.0	-24682.4	-11756.	
				J	-19431.5	-4227.7	-23786.8	-23092.7	-13663.	
0	-60123.0	11303.5								
6	3674.8	-1971.1	INVSLV Max	I	1699.3	115.5	956.3	-190.1	731.	
				J	1699.3	115.5	1155.6	181.5	383.	
7	3141.0	-1756.5								
1	1971.1	-3674.8	Min	I	1402.1	-15.1	-1911.1	-731.6	190.	
				J	1402.1	-15.1	-1711.8	-383.7	-181.	
5	1756.5	-3141.0								
4	3105	2	6	Q1-1-2 Max	I	36347.6	3047.8	15817.9	13560.5	13613.
	3348.1	31898.3		J	36347.6	3047.8	15817.9	11599.6	15299.	
8	4643.2	23334.3								
5	-31898.3	-3348.1	Min	I	-2544.0	-3031.0	-7358.3	-13613.4	-13560.	
				J	-2544.0	-3031.0	-7358.3	-15299.8	-11599.	
6	-23334.3	-4643.2								

# MIDAS

PROJECT TITLE :

	Company	Client		
	Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

9	1821.3	22863.8	Q2a-1-2 Max	I	25917.8	2245.4	11118.9	9337.4	10059.
				J	25917.8	2245.4	11118.9	8106.6	11309.
5	2554.5	16527.9							
			Min	I	-1325.8	-2142.7	-5048.6	-10059.9	-9337.
4	-22863.8	-1821.3		J	-1325.8	-2142.7	-5048.6	-11309.5	-8106.
6	-16527.9	-2554.5							
			SLVx (RS)	I	-108.4	4.8	20.6	-133.4	133.
4	163.3	-163.3		J	-108.4	4.8	20.6	105.7	-105.
7	160.2	-160.2							
			SLVy (RS)	I	-698.5	-66.3	1426.5	231.6	-231.
6	-421.7	421.7		J	-698.5	-66.3	1426.5	-243.8	243.
8	992.3	-992.3							
			SLDx (RS)	I	-54.1	2.4	10.3	-66.6	66.
6	81.6	-81.6		J	-54.1	2.4	10.3	52.8	-52.
8	80.0	-80.0							
			SLDy (RS)	I	-348.9	-33.1	712.6	115.7	-115.
7	-210.7	210.7		J	-348.9	-33.1	712.6	-121.8	121.
8	495.7	-495.7							
			SLVz (RS)	I	35.8	1.9	-15.9	-55.9	55.
9	-61.6	61.6		J	35.8	1.9	-15.9	-43.3	43.
3	-60.5	60.5							
			g1	I	-947.5	-46.9	5.5	1404.3	-1404.
3	1513.0	-1513.0		J	-947.5	-46.9	204.9	1068.1	-1068.
1	1617.2	-1617.2							
			g2	I	-1745.0	-25.7	187.9	659.0	-659.
0	1481.8	-1481.8		J	-1745.0	-25.7	187.9	475.1	-475.
1	1667.9	-1667.9							
			q3	I	-68.4	0.7	4.0	46.2	-46.
2	89.1	-89.1		J	-68.4	0.7	4.0	51.0	-51.
0	93.1	-93.1							
			q5_pc	I	-591.3	-28.0	2361.6	142.8	-142.
8	-1012.5	1012.5		J	-591.3	-28.0	2361.6	-57.9	57.
9	1327.0	-1327.0							
			q5_ps	I	-693.6	-18.1	1847.1	82.8	-82.
8	-656.7	656.7		J	-693.6	-18.1	1847.1	-46.8	46.
8	1173.2	-1173.2							
			INVSLU Max	I	34135.6	4237.8	23831.3	13755.7	23186.
1	-11012.1	60417.3		J	34135.6	4237.8	24100.4	11735.2	24683.
2	-8498.9	48657.2							
			Min	I	-19432.5	-4019.0	-11707.3	-23186.1	-13755.
7	-60417.3	11012.1							

# MIDAS

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

2	-48657.2	8498.9		J	-19432.5	-4019.0	-11438.2	-24683.2	-11735.
4	2937.9	-1959.6	INVS LV Max	I	2292.5	17.0	1721.9	187.3	389.
6	3887.8	-1770.8		J	2292.5	17.0	1921.3	-180.5	757.
3	1959.6	-2937.9	Min	I	808.9	-119.6	-1153.0	-389.4	-187.
5	1770.8	-3887.8		J	808.9	-119.6	-953.6	-757.6	180.
2	3106 2041.4	2 35351.9	6 Q1-1-2 Max	I	27233.9	4046.8	34617.8	19601.9	20343.
6	5789.1	6256.7		J	27233.9	4046.8	34617.8	9129.2	10911.
9	-35351.9	-2041.4	Min	I	-5133.9	-4141.2	-4976.6	-20343.2	-19601.
2	-6256.7	-5789.1		J	-5133.9	-4141.2	-4976.6	-10911.6	-9129.
1	1100.2	25408.9	Q2a-1-2 Max	I	19124.7	2966.6	24376.1	13765.2	15060.
7	3204.2	3838.3		J	19124.7	2966.6	24376.1	6660.2	7587.
2	-25408.9	-1100.2	Min	I	-2795.1	-2872.0	-2767.5	-15060.1	-13765.
2	-3838.3	-3204.2		J	-2795.1	-2872.0	-2767.5	-7587.7	-6660.
6	133.4	-133.4	SLVx (RS)	I	-120.0	18.1	24.5	-167.6	167.
5	145.7	-145.7		J	-120.0	18.1	24.5	65.5	-65.
3	-69.9	69.9	SLVy (RS)	I	-1442.4	-97.9	1465.1	322.3	-322.
5	1384.6	-1384.6		J	-1442.4	-97.9	1465.1	-380.5	380.
8	66.6	-66.6	SLDx (RS)	I	-59.9	9.1	12.3	-83.8	83.
7	72.8	-72.8		J	-59.9	9.1	12.3	32.7	-32.
9	-35.0	35.0	SLDy (RS)	I	-720.5	-48.9	731.9	160.9	-160.
1	691.6	-691.6		J	-720.5	-48.9	731.9	-190.1	190.
0	-50.0	50.0	SLVz (RS)	I	42.5	7.7	-17.4	-71.0	71.
1	-54.9	54.9		J	42.5	7.7	-17.4	-19.1	19.
2	1230.3	-1230.3	g1	I	-1139.3	-187.5	226.2	1792.2	-1792.
5	1553.2	-1553.2		J	-1139.3	-187.5	425.6	448.5	-448.
0	1356.0	-1356.0	g2	I	-1947.2	-59.1	481.4	693.0	-693.
7	1832.9	-1832.9		J	-1947.2	-59.1	481.4	269.7	-269.
			q3	I	-77.8	-0.5	14.1	55.2	-55.

MIDAS

PROJECT TITLE :

MIDAS		Company		Client		File Name				
		Author		File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt				
2	73.8	-73.8		J	-77.8	-0.5	14.1	51.5	-51.	
5	87.8	-87.8								
9	-396.0	396.0	q5_pc	I	-1799.6	-51.8	2402.3	245.9	-245.	
0	1983.9	-1983.9		J	-1799.6	-51.8	2402.3	-125.0	125.	
3	-177.9	177.9	q5_ps	I	-1638.7	-34.1	1869.2	161.3	-161.	
3	1673.9	-1673.9		J	-1638.7	-34.1	1869.2	-83.3	83.	
8	-12334.9	63528.6	INVSLU Max	I	22918.4	6089.3	50200.9	20592.8	33775.	
5	-4420.5	24253.3		J	22918.4	6089.3	50470.0	10498.5	16781.	
8	-63528.6	12334.9	Min	I	-24017.5	-5057.8	-7575.7	-33775.8	-20592.	
5	-24253.3	4420.5		J	-24017.5	-5057.8	-7306.6	-16781.5	-10498.	
4	2564.0	-2225.3	INVSLV Max	I	2751.7	-52.6	2477.2	566.3	221.	
6	4928.2	-2038.8		J	2751.7	-52.6	2676.5	-555.7	1367.	
3	2225.3	-2564.0	Min	I	-230.6	-263.9	-478.3	-221.4	-566.	
7	2038.8	-4928.2		J	-230.6	-263.9	-278.9	-1367.6	555.	
2	3107	2	6	Q1-1-2 Max	I	11798.5	4746.1	43760.4	21434.5	15937.
1	1903.2	26192.0		J	11798.5	4746.1	43760.4	18419.0	22483.	
5	18607.3	4818.2	Min	I	-7788.7	-6028.2	-4765.1	-15937.2	-21434.	
0	-26192.0	-1903.2		J	-7788.7	-6028.2	-4765.1	-22483.1	-18419.	
7	984.7	18556.2	Q2a-1-2 Max	I	7365.0	3457.0	30793.6	14689.2	11645.	
2	12528.8	2697.6		J	7365.0	3457.0	30793.6	13266.1	15348.	
2	-18556.2	-984.7	Min	I	-4306.8	-4172.2	-2650.0	-11645.7	-14689.	
1	-2697.6	-12528.8		J	-4306.8	-4172.2	-2650.0	-15348.2	-13266.	
0	85.5	-85.5	SLVx (RS)	I	-147.2	43.6	43.6	226.0	-226.	
1	122.8	-122.8		J	-147.2	43.6	43.6	106.1	-106.	
0	314.8	-314.8	SLVy (RS)	I	-2204.7	-187.6	1532.6	517.0	-517.	
2	1832.8	-1832.8		J	-2204.7	-187.6	1532.6	-829.2	829.	
9	42.7	-42.7	SLDx (RS)	I	-73.5	21.8	21.8	112.9	-112.	
1	61.3	-61.3		J	-73.5	21.8	21.8	53.1	-53.	
			SLDy (RS)	I	-1101.3	-93.7	765.6	258.2	-258.	




# MIDAS

PROJECT TITLE :

MIDAS		Company		Client		File Name				
		Author		File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt				
2	157.2	-157.2		J	-1101.3	-93.7	765.6	-414.1	414.	
1	915.5	-915.5								
9	-31.7	31.7	SLVz (RS)	I	54.4	18.6	-21.9	-92.9	92.	
3	-46.4	46.4		J	54.4	18.6	-21.9	42.3	-42.	
5	806.4	-806.4	g1	I	-1504.5	-476.6	498.9	2423.5	-2423.	
9	1399.4	-1399.4		J	-1504.5	-476.6	698.2	-991.9	991.	
8	1337.3	-1337.3	g2	I	-2255.5	-10.9	463.1	476.8	-476.	
0	1796.1	-1796.1		J	-2255.5	-10.9	463.1	399.0	-399.	
3	46.7	-46.7	q3	I	-98.0	-12.8	32.0	100.3	-100.	
2	78.4	-78.4		J	-98.0	-12.8	32.0	8.2	-8.	
1	267.6	-267.6	q5_pc	I	-3013.1	-116.6	2427.9	431.1	-431.	
8	2672.8	-2672.8		J	-3013.1	-116.6	2427.9	-404.8	404.	
1	333.1	-333.1	q5_ps	I	-2585.1	-83.6	1887.5	309.1	-309.	
1	2202.9	-2202.9		J	-2585.1	-83.6	1887.5	-290.1	290.	
3	-9723.6	48133.7	INVSLU Max	I	3423.3	7821.7	62503.0	21931.6	29296.	
2	16354.8	20080.7		J	3423.3	7821.7	62772.1	27221.3	28725.	
6	-48133.7	9723.6	Min	I	-28443.0	-6933.6	-7376.6	-29296.3	-21931.	
3	-20080.7	-16354.8		J	-28443.0	-6933.6	-7107.5	-28725.2	-27221.	
1	3060.1	-2360.3	INVSLV Max	I	3010.9	-73.1	3087.6	968.2	257.	
7	6213.5	-2446.4		J	3010.9	-73.1	3287.0	-772.3	2519.	
2	2360.3	-3060.1	Min	I	-1519.4	-485.5	-16.9	-257.1	-968.	
3	2446.4	-6213.5		J	-1519.4	-485.5	182.5	-2519.7	772.	
5	3108	2	6	Q1-1-2 Max	I	7501.5	4242.7	37632.8	19685.7	6692.
9	3094.2	8906.5		J	7501.5	4242.7	37632.8	23725.6	43613.	
7	30474.0	5831.5	Min	I	-15171.3	-8824.6	-3791.6	-6692.5	-19685.	
6	-8906.5	-3094.2		J	-15171.3	-8824.6	-3791.6	-43613.9	-23725.	
1	1662.1	5798.1	Q2a-1-2 Max	I	4179.9	3050.3	25775.2	12753.9	4753.	
3	20596.7	3269.7		J	4179.9	3050.3	25775.2	17112.1	29051.	
			Min	I	-9369.4	-5828.0	-2072.1	-4753.1	-12753.	


# MIDAS

PROJECT TITLE :

		Company			Client				
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
9	-5798.1	-1662.1		J	-9369.4	-5828.0	-2072.1	-29051.3	-17112.
1	-3269.7	-20596.7							
			SLVx (RS)	I	-201.0	-200.1	162.5	561.0	-561.
0	24.9	-24.9		J	-201.0	-200.1	162.5	-875.5	875.
5	184.0	-184.0							
			SLVy (RS)	I	-2927.1	-245.9	1457.6	412.5	-412.
5	879.4	-879.4		J	-2927.1	-245.9	1457.6	-1356.2	1356.
2	2323.1	-2323.1							
			SLDx (RS)	I	-100.4	-99.9	81.2	280.2	-280.
2	12.4	-12.4		J	-100.4	-99.9	81.2	-437.3	437.
3	91.9	-91.9							
			SLDy (RS)	I	-1462.1	-122.8	728.1	206.0	-206.
0	439.3	-439.3		J	-1462.1	-122.8	728.1	-677.2	677.
2	1160.5	-1160.5							
			SLVz (RS)	I	74.2	73.2	-57.2	-197.3	197.
3	-12.5	12.5		J	74.2	73.2	-57.2	328.0	-328.
0	-66.5	66.5							
			g1	I	-2139.6	-1940.1	1771.5	5229.0	-5229.
0	262.7	-262.7		J	-2139.6	-1940.1	1970.8	-8674.8	8674.
8	2116.4	-2116.4							
			g2	I	-2491.6	-437.2	30.9	1481.8	-1481.
8	1331.9	-1331.9		J	-2491.6	-437.2	30.9	-1651.1	1651.
1	1362.5	-1362.5							
			q3	I	-132.5	-115.3	98.9	348.4	-348.
4	18.6	-18.6		J	-132.5	-115.3	98.9	-477.9	477.
9	116.5	-116.5							
			q5_pc	I	-4134.9	-230.2	2277.4	571.6	-571.
6	1160.7	-1160.7		J	-4134.9	-230.2	2277.4	-1078.1	1078.
1	3416.9	-3416.9							
			q5_ps	I	-3457.7	-164.2	1758.4	407.8	-407.
8	1026.5	-1026.5		J	-3457.7	-164.2	1758.4	-768.9	768.
9	2768.5	-2768.5							
			INVSLU Max	I	-952.1	11621.0	54247.5	12276.3	24363.
1	-4140.6	22430.9		J	-952.1	11621.0	54516.6	58936.9	33912.
1	36366.4	18796.4							
			Min	I	-39003.3	-6434.3	-5774.9	-24363.1	-12276.
3	-22430.9	4140.6		J	-39003.3	-6434.3	-5505.8	-33912.1	-58936.
9	-18796.4	-36366.4							
			INVSLV Max	I	3140.1	-466.0	3460.6	1946.1	-458.
2	4306.6	-2525.4		J	3140.1	-466.0	3659.9	-2770.8	6205.

MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt				
3	7832.1	-3035.5								
			Min	I	-2879.2	-1121.9	413.7	458.2	-1946.	
1	2525.4	-4306.6		J	-2879.2	-1121.9	613.0	-6205.3	2770.	
8	3035.5	-7832.1								
	3116	2	6	Q1-1-2 Max	I	11913.5	4684.8	4747.0	22288.0	18110.
7	18510.6	4877.9		J	11913.5	4684.8	4747.0	15653.4	21624.	
3	1879.6	26194.6								
			Min	I	-7676.4	-6061.6	-43649.6	-18110.7	-22288.	
0	-4877.9	-18510.6		J	-7676.4	-6061.6	-43649.6	-21624.3	-15653.	
4	-26194.6	-1879.6								
			Q2a-1-2 Max	I	7438.1	3406.9	2642.5	15288.8	13063.	
0	12481.2	2732.7		J	7438.1	3406.9	2642.5	11429.0	14867.	
7	972.2	18557.2								
			Min	I	-4244.9	-4197.3	-30740.2	-13063.0	-15288.	
8	-2732.7	-12481.2		J	-4244.9	-4197.3	-30740.2	-14867.7	-11429.	
0	-18557.2	-972.2								
			SLVx (RS)	I	118.6	43.9	35.1	-105.1	105.	
1	-104.9	104.9		J	118.6	43.9	35.1	210.1	-210.	
1	-72.2	72.2								
			SLVy (RS)	I	1513.5	167.9	1489.6	-774.6	774.	
6	-1590.3	1590.3		J	1513.5	167.9	1489.6	429.4	-429.	
4	-117.7	117.7								
			SLDx (RS)	I	59.3	21.9	17.5	-52.5	52.	
5	-52.4	52.4		J	59.3	21.9	17.5	105.0	-105.	
0	-36.1	36.1								
			SLDy (RS)	I	756.2	83.9	744.1	-386.9	386.	
9	-794.5	794.5		J	756.2	83.9	744.1	214.4	-214.	
4	-58.9	58.9								
			SLVz (RS)	I	59.3	19.5	23.2	-46.8	46.	
8	-53.4	53.4		J	59.3	19.5	23.2	93.3	-93.	
3	-32.4	32.4								
			g1	I	-1382.5	-461.0	-642.7	1046.4	-1046.	
4	1286.9	-1286.9		J	-1382.5	-461.0	-443.4	-2257.4	2257.	
4	748.9	-748.9								
			g2	I	-2194.2	-9.3	-452.6	-265.7	265.	
7	1749.1	-1749.1		J	-2194.2	-9.3	-452.6	-332.3	332.	
3	1300.7	-1300.7								
			q3	I	-35.6	-0.5	-3.1	-13.1	13.	
1	25.3	-25.3		J	-35.6	-0.5	-3.1	-16.4	16.	
4	22.2	-22.2								
			q5_pc	I	2870.3	-17.6	2134.8	13.9	-13.	
9	-2745.2	2745.2								

# MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

1	-630.3	630.3		J	2870.3	-17.6	2134.8	-112.1	112.	
2	-2105.1	2105.1	q5_ps	I	2090.4	48.3	1805.4	-225.2	225.	
7	-316.6	316.6		J	2090.4	48.3	1805.4	120.7	-120.	
6	15913.9	20601.8	INVSLU Max	I	3363.8	7647.1	6668.6	27335.7	27227.	
7	-9953.5	48988.4		J	3363.8	7647.1	6937.7	27832.9	22693.	
7	-20601.8	-15913.9	Min	I	-28249.1	-6892.2	-62509.4	-27227.6	-27335.	
9	-48988.4	9953.5		J	-28249.1	-6892.2	-62240.3	-22693.7	-27832.	
7	5656.2	-2380.7	INVSLV Max	I	2272.9	-90.3	-204.8	2609.0	-968.	
5	2570.5	-2272.3		J	2272.9	-90.3	-5.4	322.3	718.	
0	2380.7	-5656.2	Min	I	-861.0	-464.2	-3218.8	968.7	-2609.	
3	2272.3	-2570.5		J	-861.0	-464.2	-3019.5	-718.5	-322.	
0	3117	2	6	Q1-1-2 Max	I	27309.8	4037.9	4920.0	10058.4	9940.
6	5677.0	6310.6		J	27309.8	4037.9	4920.0	19222.6	20723.	
4	1935.2	35374.7	Min	I	-5044.6	-4185.3	-34506.0	-9940.0	-10058.	
6	-6310.6	-5677.0		J	-5044.6	-4185.3	-34506.0	-20723.6	-19222.	
2	3141.9	3872.0	Q2a-1-2 Max	I	19175.7	2953.4	2737.3	6970.4	7267.	
2	1038.0	25423.8		J	19175.7	2953.4	2737.3	14212.2	14602.	
4	-3872.0	-3141.9	Min	I	-2745.4	-2896.6	-24311.0	-7267.2	-6970.	
2	-25423.8	-1038.0		J	-2745.4	-2896.6	-24311.0	-14602.2	-14212.	
4	-129.8	129.8	SLVx (RS)	I	92.0	17.9	23.5	-29.4	29.	
9	-110.1	110.1		J	92.0	17.9	23.5	155.9	-155.	
0	-1153.0	1153.0	SLVy (RS)	I	774.8	77.6	1434.5	-315.0	315.	
3	269.6	-269.6		J	774.8	77.6	1434.5	241.3	-241.	
7	-64.9	64.9	SLDx (RS)	I	46.0	9.0	11.8	-14.7	14.	
9	-55.0	55.0		J	46.0	9.0	11.8	77.9	-77.	
4	-576.0	576.0	SLDy (RS)	I	387.2	38.8	716.6	-157.4	157.	
5	134.7	-134.7		J	387.2	38.8	716.6	120.5	-120.	
5	-62.4	62.4	SLVz (RS)	I	44.2	8.0	18.0	12.5	-12.	

# MIDAS

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

1	-48.2	48.2		J	44.2	8.0	18.0	69.1	-69.	
8	1453.0	-1453.0	g1	I	-1035.5	-182.7	-410.1	-345.8	345.	
8	1145.4	-1145.4		J	-1035.5	-182.7	-210.8	-1654.8	1654.	
3	1782.2	-1782.2	g2	I	-1892.3	-61.6	-477.5	-142.3	142.	
9	1309.2	-1309.2		J	-1892.3	-61.6	-477.5	-583.9	583.	
0	22.6	-22.6	q3	I	-36.1	0.2	-0.4	-10.0	10.	
6	22.2	-22.2		J	-36.1	0.2	-0.4	-8.6	8.	
4	-2190.2	2190.2	q5_pc	I	1759.0	-13.1	2249.0	-7.4	7.	
4	37.7	-37.7		J	1759.0	-13.1	2249.0	-101.4	101.	
1	-1607.0	1607.0	q5_ps	I	1174.4	8.1	1819.6	-38.1	38.	
8	195.6	-195.6		J	1174.4	8.1	1819.6	19.8	-19.	
4	-4844.3	24969.9	INVSLU Max	I	22917.3	6038.2	7053.2	14622.7	12388.	
3	-13297.5	63733.7		J	22917.3	6038.2	7322.3	31201.7	22908.	
7	-24969.9	4844.3	Min	I	-23927.4	-5086.7	-50220.1	-12388.4	-14622.	
7	-63733.7	13297.5		J	-23927.4	-5086.7	-49951.0	-22908.3	-31201.	
2	4388.5	-1967.2	INVSLV Max	I	2028.7	-72.4	255.5	1410.4	-755.	
7	2413.3	-1779.1		J	2028.7	-72.4	454.8	261.0	356.	
4	1967.2	-4388.5	Min	I	397.4	-243.1	-2638.5	755.2	-1410.	
0	1779.1	-2413.3		J	397.4	-243.1	-2439.2	-356.7	-261.	
3	3118	2	6	Q1-1-2 Max	I	36430.8	3039.9	7339.3	13691.1	13200.
2	4528.4	23404.6		J	36430.8	3039.9	7339.3	12179.1	14872.	
1	3238.5	31941.6	Min	I	-2469.2	-3067.8	-15808.1	-13200.3	-13691.	
1	-23404.6	-4528.4		J	-2469.2	-3067.8	-15808.1	-14872.2	-12179.	
0	-31941.6	-3238.5	Q2a-1-2 Max	I	25975.0	2237.9	5038.2	10115.1	9257.	
6	2490.0	16576.3		J	25975.0	2237.9	5038.2	8990.8	10264.	
1	1759.5	22892.4	Min	I	-1283.6	-2162.9	-11115.5	-9257.0	-10115.	
8	-16576.3	-2490.0		J	-1283.6	-2162.9	-11115.5	-10264.6	-8990.	
6	-22892.4	-1759.5	SLVx (RS)	I	76.6	5.0	15.9	86.6	-86.	

# MIDAS


PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			

0	-132.7	132.7		J	76.6	5.0	15.9	121.0	-121.
0	-772.4	772.4	SLVy (RS)	I	81.2	51.1	1407.7	-188.0	188.
2	622.9	-622.9		J	81.2	51.1	1407.7	178.2	-178.
3	-71.1	71.1	SLDx (RS)	I	38.3	2.5	7.9	43.3	-43.
5	-66.3	66.3		J	38.3	2.5	7.9	60.5	-60.
0	-385.9	385.9	SLDy (RS)	I	40.8	25.5	703.2	-94.0	94.
0	311.2	-311.2		J	40.8	25.5	703.2	89.0	-89.
1	-66.3	66.3	SLVz (RS)	I	34.5	2.2	14.5	38.1	-38.
7	-57.3	57.3		J	34.5	2.2	14.5	53.7	-53.
0	1516.5	-1516.5	g1	I	-851.5	-45.9	-201.6	-949.0	949.
1	1415.6	-1415.6		J	-851.5	-45.9	-2.3	-1278.1	1278.
9	1614.5	-1614.5	g2	I	-1692.9	-26.8	-186.8	-368.9	368.
3	1429.4	-1429.4		J	-1692.9	-26.8	-186.8	-561.3	561.
0	22.4	-22.4	q3	I	-36.3	0.1	-0.1	-8.0	8.
2	22.3	-22.3		J	-36.3	0.1	-0.1	-7.2	7.
5	-1602.4	1602.4	q5_pc	I	600.2	-4.4	2297.1	-31.5	31.
1	673.2	-673.2		J	600.2	-4.4	2297.1	-63.1	63.
0	-1124.0	1124.0	q5_ps	I	246.3	-1.7	1817.5	1.0	-1.
9	676.5	-676.5		J	246.3	-1.7	1817.5	-10.9	10.
9	-8887.2	49481.0	INVSLU Max	I	34195.0	4204.6	11351.8	21504.3	14855.
8	-11949.4	60654.2		J	34195.0	4204.6	11620.9	20185.1	16447.
3	-49481.0	8887.2	Min	I	-19400.4	-4048.7	-24031.9	-14855.9	-21504.
1	-60654.2	11949.4		J	-19400.4	-4048.7	-23762.8	-16447.8	-20185.
8	3359.9	-1689.9	INVSLV Max	I	1614.3	2.6	935.2	802.7	-351.
5	2826.5	-1466.7		J	1614.3	2.6	1134.6	444.7	16.
7	1689.9	-3359.9	Min	I	1385.3	-103.9	-1898.4	351.8	-802.
7	1466.7	-2826.5		J	1385.3	-103.9	-1699.0	-16.5	-444.

MIDAS

PROJECT TITLE :

		Company			Client					
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt				
3	3119	2	6	Q1-1-2 Max	I	36430.3	3067.8	15807.2	12179.0	14872.0
	3240.0		31941.4		J	36430.3	3067.8	15807.2	13691.2	13200.0
4	4526.8		23405.0	Min	I	-2464.4	-3039.9	-7339.8	-14872.3	-12179.0
0	-31941.4		-3240.0		J	-2464.4	-3039.9	-7339.8	-13200.4	-13691.0
2	-23405.0		-4526.8							
7	1760.3		22892.2	Q2a-1-2 Max	I	25974.9	2162.9	11114.8	8990.8	10264.0
1	2489.1		16576.7		J	25974.9	2162.9	11114.8	10115.2	9257.0
8	-22892.2		-1760.3	Min	I	-1281.1	-2237.9	-5038.5	-10264.7	-8990.0
2	-16576.7		-2489.1		J	-1281.1	-2237.9	-5038.5	-9257.1	-10115.0
3	-136.2		136.2	SLVx (RS)	I	74.3	4.1	-12.6	118.3	-118.0
8	-136.3		136.3		J	74.3	4.1	-12.6	89.8	-89.0
9	-416.7		416.7	SLVy (RS)	I	-692.4	54.4	1413.0	-174.9	174.0
1	983.9		-983.9		J	-692.4	54.4	1413.0	215.1	-215.0
1	-68.1		68.1	SLDx (RS)	I	37.1	2.1	-6.3	59.1	-59.0
9	-68.1		68.1		J	37.1	2.1	-6.3	44.9	-44.0
4	-208.2		208.2	SLDy (RS)	I	-345.8	27.2	705.9	-87.4	87.0
5	491.5		-491.5		J	-345.8	27.2	705.9	107.5	-107.0
9	-62.3		62.3	SLVz (RS)	I	31.4	-1.8	-12.2	51.9	-51.0
2	-57.9		57.9		J	31.4	-1.8	-12.2	40.2	-40.0
3	1415.7		-1415.7	g1	I	-851.4	45.7	1.4	-1277.3	1277.0
1	1515.9		-1515.9		J	-851.4	45.7	200.8	-950.1	950.0
3	1429.4		-1429.4	g2	I	-1692.9	26.9	186.8	-561.3	561.0
8	1614.5		-1614.5		J	-1692.9	26.9	186.8	-368.8	368.0
2	22.3		-22.3	q3	I	-36.3	-0.1	-0.1	-7.2	7.0
9	22.3		-22.3		J	-36.3	-0.1	-0.1	-7.9	7.0
6	-1003.4		1003.4	q5_pc	I	-581.0	8.1	2335.2	-62.6	62.0
8	1310.1		-1310.1		J	-581.0	8.1	2335.2	-4.8	4.0
0	-650.0		650.0	q5_ps	I	-684.9	1.9	1826.3	-9.0	9.0
					J	-684.9	1.9	1826.3	4.7	-4.0

# MIDAS

PROJECT TITLE :


MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

7	1159.2	-1159.2								
			INVSLU Max	I	34177.0	4052.6	23790.4	20184.5	16447.0	
4	-11650.2	60951.2		J	34177.0	4052.6	24059.5	21484.3	14828.0	
0	-9157.9	49223.9	Min	I	-19376.6	-4207.3	-11661.4	-16447.4	-20184.0	
5	-60951.2	11650.2		J	-19376.6	-4207.3	-11392.3	-14828.0	-21484.0	
3	-49223.9	9157.9								
			INVSLV Max	I	2223.9	107.3	1698.6	440.0	11.0	
9	2622.9	-1670.3		J	2223.9	107.3	1898.0	834.3	-326.0	
0	3563.1	-1478.7	Min	I	775.7	-5.1	-1142.3	-11.9	-440.0	
0	1670.3	-2622.9		J	775.7	-5.1	-943.0	326.0	-834.0	
3	1478.7	-3563.1								
	3120	2	6	Q1-1-2 Max	I	27309.8	4185.3	34505.0	19222.5	20723.0
7	1936.2	35374.9		J	27309.8	4185.3	34505.0	10058.8	9940.0	
0	5675.3	6310.1	Min	I	-5039.7	-4037.9	-4920.1	-20723.7	-19222.0	
5	-35374.9	-1936.2		J	-5039.7	-4037.9	-4920.1	-9940.0	-10058.0	
8	-6310.1	-5675.3								
			Q2a-1-2 Max	I	19176.0	2896.6	24310.2	14212.2	14602.0	
3	1038.5	25423.8		J	19176.0	2896.6	24310.2	6970.6	7267.0	
2	3141.0	3872.0	Min	I	-2742.9	-2953.4	-2737.4	-14602.3	-14212.0	
2	-25423.8	-1038.5		J	-2742.9	-2953.4	-2737.4	-7267.2	-6970.0	
6	-3872.0	-3141.0								
			SLVx (RS)	I	-85.1	16.8	-16.0	152.6	-152.0	
6	-111.3	111.3		J	-85.1	16.8	-16.0	34.1	-34.0	
1	-121.2	121.2								
			SLVy (RS)	I	-1427.9	87.1	1449.0	-247.7	247.0	
7	-67.1	67.1		J	-1427.9	87.1	1449.0	376.6	-376.0	
6	1371.1	-1371.1								
			SLDx (RS)	I	-42.5	8.4	-8.0	76.3	-76.0	
3	-55.6	55.6		J	-42.5	8.4	-8.0	17.1	-17.0	
1	-60.6	60.6								
			SLDy (RS)	I	-713.2	43.5	723.8	-123.7	123.0	
7	-33.6	33.6		J	-713.2	43.5	723.8	188.1	-188.0	
1	684.9	-684.9								
			SLVz (RS)	I	34.8	-7.2	-11.4	66.5	-66.0	
5	-49.8	49.8		J	34.8	-7.2	-11.4	16.7	-16.0	
7	-50.5	50.5								
			g1	I	-1035.1	182.4	209.9	-1654.1	1654.0	
1	1145.1	-1145.1		J	-1035.1	182.4	409.2	-347.1	347.0	



# MIDAS

PROJECT TITLE :

		Company				Client					
		Author				File Name					
							PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt				
1	1451.7	-1451.7									
9	1309.2	-1309.2	g2	I	-1892.3	61.6	477.5	-583.9	583.		
3	1782.2	-1782.2		J	-1892.3	61.6	477.5	-142.3	142.		
6	22.2	-22.2	q3	I	-36.0	-0.2	0.3	-8.6	8.		
0	22.4	-22.4		J	-36.0	-0.2	0.3	-10.0	10.		
5	-390.6	390.6	q5_pc	I	-1779.3	34.3	2374.9	-130.5	130.		
4	1962.1	-1962.1		J	-1779.3	34.3	2374.9	115.4	-115.		
9	-174.0	174.0	q5_ps	I	-1622.2	20.1	1847.5	-61.9	61.		
2	1656.2	-1656.2		J	-1622.2	20.1	1847.5	82.2	-82.		
7	-12984.0	64057.1	INVSLU Max	I	22935.6	5106.4	50057.4	31231.7	22930.		
7	-5062.8	24774.9		J	22935.6	5106.4	50326.5	14728.3	12477.		
7	-64057.1	12984.0	Min	I	-23939.0	-6056.8	-7441.3	-22930.7	-31231.		
3	-24774.9	5062.8		J	-23939.0	-6056.8	-7172.2	-12477.7	-14728.		
4	2238.5	-1945.8	INVSLV Max	I	2676.9	252.5	2445.3	268.5	358.		
7	4592.4	-1747.2		J	2676.9	252.5	2644.6	1480.5	-696.		
5	1945.8	-2238.5	Min	I	-250.8	63.9	-469.1	-358.4	-268.		
5	1747.2	-4592.4		J	-250.8	63.9	-269.8	696.7	-1480.		
3	3121	2	6	Q1-1-2 Max	I	11911.0	6061.6	43648.4	15653.4	21624.	
1	1878.1	26194.5		J	11911.0	6061.6	43648.4	22288.5	18111.		
4	18508.2	4876.5	Min	I	-7671.3	-4684.8	-4747.0	-21624.3	-15653.		
4	-26194.5	-1878.1		J	-7671.3	-4684.8	-4747.0	-18111.1	-22288.		
5	-4876.5	-18508.2									
7	971.4	18557.3	Q2a-1-2 Max	I	7437.4	4197.3	30739.4	11429.0	14867.		
1	12479.8	2732.0		J	7437.4	4197.3	30739.4	15288.9	13063.		
0	-18557.3	-971.4	Min	I	-4242.2	-3406.9	-2642.5	-14867.7	-11429.		
9	-2732.0	-12479.8		J	-4242.2	-3406.9	-2642.5	-13063.1	-15288.		
2	-70.8	70.8	SLVx (RS)	I	-106.8	41.7	-25.5	205.2	-205.		
5	93.3	-93.3		J	-106.8	41.7	-25.5	94.5	-94.		
7	316.4	-316.4	SLVy (RS)	I	-2181.4	179.9	1508.6	-421.7	421.		
				J	-2181.4	179.9	1508.6	868.1	-868.		

# MIDAS

PROJECT TITLE :

	Company	Client		
	Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

1	1810.7	-1810.7							
6	-35.4	35.4	SLDx (RS)	I	-53.4	20.8	-12.7	102.6	-102.6
2	46.6	-46.6		J	-53.4	20.8	-12.7	47.2	-47.2
6	158.0	-158.0	SLDy (RS)	I	-1089.7	89.9	753.6	-210.6	210.6
5	904.5	-904.5		J	-1089.7	89.9	753.6	433.5	-433.5
9	-30.5	30.5	SLVz (RS)	I	43.3	-17.8	-12.6	88.9	-88.9
4	-37.9	37.9		J	43.3	-17.8	-12.6	-39.4	39.4
1	748.0	-748.0	g1	I	-1381.7	460.7	442.3	-2257.1	2257.1
7	1284.9	-1284.9		J	-1381.7	460.7	641.7	1044.7	-1044.7
4	1300.7	-1300.7	g2	I	-2194.2	9.3	452.6	-332.4	332.4
6	1749.1	-1749.1		J	-2194.2	9.3	452.6	-265.6	265.6
4	22.2	-22.2	q3	I	-35.3	0.5	2.9	-16.4	16.4
1	25.1	-25.1		J	-35.3	0.5	2.9	-13.1	13.1
3	270.4	-270.4	q5_pc	I	-2982.3	104.4	2395.8	-278.3	278.3
9	2643.9	-2643.9		J	-2982.3	104.4	2395.8	469.9	-469.9
7	335.0	-335.0	q5_ps	I	-2560.3	73.7	1862.2	-181.7	181.7
6	2179.8	-2179.8		J	-2560.3	73.7	1862.2	346.6	-346.6
6	-10290.4	48675.3	INVSLU Max	I	3461.4	6970.9	62468.1	27990.3	22835.3
7	15803.2	20525.1		J	3461.4	6970.9	62737.3	27758.6	27626.6
3	-48675.3	10290.4	Min	I	-28342.9	-7724.7	-7178.2	-22835.6	-27990.6
6	-20525.1	-15803.2		J	-28342.9	-7724.7	-6909.1	-27626.7	-27758.7
2	2760.1	-2066.5	INVSLV Max	I	2932.4	475.4	3028.4	317.6	702.6
3	5856.3	-2156.3		J	2932.4	475.4	3227.7	2705.8	-889.8
6	2066.5	-2760.1	Min	I	-1520.5	79.9	-11.7	-702.2	-317.2
8	2156.3	-5856.3		J	-1520.5	79.9	187.7	889.3	-2705.3
4	3122.7	28896.8	Q1-1-2 Max	I	7596.7	8735.4	37425.0	7429.1	18738.1
2	30284.9	5948.8		J	7596.7	8735.4	37425.0	43901.8	22205.8
1	-8896.8	-3104.7	Min	I	-15098.3	-4134.0	-3886.1	-18738.4	-7429.4

# MIDAS


PROJECT TITLE :

MIDAS	Company	Client		
	Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

8	-5948.8	-30284.9		J	-15098.3	-4134.0	-3886.1	-22205.2	-43901.1
1	1669.9	5794.1	Q2a-1-2 Max	I	4235.7	5787.1	25694.5	5288.6	12197.1
9	20519.6	3341.6		J	4235.7	5787.1	25694.5	29302.2	15989.1
6	-5794.1	-1669.9	Min	I	-9347.7	-2968.7	-2131.2	-12197.1	-5288.1
2	-3341.6	-20519.6		J	-9347.7	-2968.7	-2131.2	-15989.9	-29302.1
3	-18.1	18.1	SLVx (RS)	I	-147.5	-163.8	-110.1	430.3	-430.1
7	126.0	-126.0		J	-147.5	-163.8	-110.1	-743.7	743.1
3	876.8	-876.8	SLVy (RS)	I	-2897.0	244.3	1432.0	-290.3	290.1
9	2295.2	-2295.2		J	-2897.0	244.3	1432.0	1462.9	-1462.1
1	-9.1	9.1	SLDx (RS)	I	-73.7	-81.9	-55.0	215.1	-215.1
7	63.0	-63.0		J	-73.7	-81.9	-55.0	-371.7	371.1
0	438.0	-438.0	SLDy (RS)	I	-1447.1	122.0	715.3	-145.0	145.1
5	1146.5	-1146.5		J	-1447.1	122.0	715.3	730.5	-730.1
9	-8.5	8.5	SLVz (RS)	I	59.9	-71.9	-45.5	189.9	-189.1
4	-51.2	51.2		J	59.9	-71.9	-45.5	-325.4	325.1
6	260.1	-260.1	g1	I	-1976.7	1811.2	1521.0	-4748.6	4748.1
7	1865.6	-1865.6		J	-1976.7	1811.2	1720.4	8231.7	-8231.1
7	1319.8	-1319.8	g2	I	-2412.5	373.6	-57.2	-1165.7	1165.1
4	1263.1	-1263.1		J	-2412.5	373.6	-57.2	1511.4	-1511.1
6	13.8	-13.8	q3	I	-41.3	33.3	26.4	-101.6	101.1
2	40.0	-40.0		J	-41.3	33.3	26.4	137.2	-137.1
5	1158.4	-1158.4	q5_pc	I	-4094.9	218.6	2240.8	-354.5	354.1
1	3378.3	-3378.3		J	-4094.9	218.6	2240.8	1212.1	-1212.1
1	1024.1	-1024.1	q5_ps	I	-3425.7	154.9	1730.9	-232.1	232.1
1	2738.8	-2738.8		J	-3425.7	154.9	1730.9	878.1	-878.1
8	-4661.6	22948.8	INVSLU Max	I	-950.9	6313.5	54331.3	24509.6	11454.1
9	35936.9	19059.5		J	-950.9	6313.5	54600.4	33841.4	57584.1

# MIDAS

PROJECT TITLE :

	Company			Client					
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt				

6	-22948.8	4661.6	Min	I	-38960.0	-11453.7	-5472.1	-11454.8	-24509.
				J	-38960.0	-11453.7	-5203.0	-57584.9	-33841.
4	-19059.5	-35936.9							
			INVSLV Max	I	3066.3	1063.6	3312.4	-303.1	1451.
9	4021.9	-2252.4		J	3066.3	1063.6	3511.7	6271.2	-2703.
9	7400.9	-2704.1							
			Min	I	-2852.1	433.6	355.1	-1451.9	303.
1	2252.4	-4021.9		J	-2852.1	433.6	554.4	2703.9	-6271.
2	2704.1	-7400.9							

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

BEAM ELEMENT STRESSES MIN/MAX SUMMARY BY PROPERTY PRINTOUT  
kN , m

Unit System :

[ SECTION NAME : 800x40+600x20 , SECTION ID : 5 , SECTION SHAPE : SB ]  
[ SECTION SIZE ] H:0.055 B:0.8

\*\* MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-Z	(+y) -BENDING-	(-y)	(+z) -BENDING-	(-z)
1271	AXL	INVSLU	1	J	234357.2	109.7	320.2	3494.1	3713.7	-1
475.9	3298.8									
630	SHY	INVSLV	1	I	97469.8	309.7	44.0	187.3	202.6	-3
569.7	4248.4									
630	SHZ	INVSLU	1	J	234339.0	235.7	327.9	3481.4	3269.6	-1
320.0	3453.9									
1270	BY+	INVSLU	1	J	234256.2	95.1	-58.6	3607.2	3868.7	-6
462.5	12127.1									
1270	BY-	INVSLU	1	J	234256.2	95.1	-58.6	3607.2	3868.7	-6
462.5	12127.1									
1271	BZ+	Q1-1-2	1	J	77796.8	79.9	115.2	2265.4	2464.1	
610.9	680.7									
630	BZ-	INVSLU	1	I	234337.4	235.7	248.2	3522.1	3267.9	-6
537.9	12795.3									

\*\* MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-Z	(+y) -BENDING-	(-y)	(+z) -BENDING-	(-z)
629	AXL	SLVx(RS)	1	J	-6510.2	3.4	-6.3	-3.3	3.3	-
244.3	244.3									
629	SHY	INVSLV	1	I	81932.4	-310.0	-91.2	-624.0	-613.6	-1
852.7	1657.3									
629	SHZ	INVSLU	1	I	124849.4	-236.0	-303.8	-3282.1	-3493.2	-3
927.9	1715.6									
1270	BY+	INVSLU	1	J	124837.5	-109.1	-216.3	-3868.7	-3607.2	-12
127.1	6462.5									
1270	BY-	INVSLU	1	J	124837.5	-109.1	-216.3	-3868.7	-3607.2	-12
127.1	6462.5									
630	BZ+	INVSLU	1	I	124889.5	-246.2	62.3	-3267.9	-3522.1	-12
795.3	6537.9									
1271	BZ-	Q1-1-2	1	J	-525.9	-69.7	-1.9	-2464.1	-2265.4	-
680.7	-610.9									

[ SECTION NAME : HEB300 , SECTION ID : 6 , SECTION SHAPE : H ]  
[ SECTION SIZE ] H:0.3 B1:0.3 tw:0.011 tf1:0.019 B2:0 tf2:0

\*\* MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-Z	(+y) -BENDING-	(-y)	(+z) -BENDING-	(-z)
3118	AXL	Q1-1-2	1	I	36430.8	3039.9	7339.3	13691.1	13200.3	4
528.4	23404.6									
3108	SHY	INVSLU	1	I	-952.1	11621.0	54247.5	12276.3	24363.1	-4
140.6	22430.9									
3107	SHZ	INVSLU	1	J	3423.3	7821.7	62772.1	27221.3	28725.2	16
354.8	20080.7									
3108	BY+	INVSLU	1	J	-952.1	11621.0	54516.6	58936.9	33912.1	36

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

366.4	18796.4										
3122	BY-	INVSLU	1	J	-950.9	6313.5	54600.4	33841.4	57584.9	35	
936.9	19059.5										
3108	BZ+	INVSLU	1	J	-952.1	11621.0	54516.6	58936.9	33912.1	36	
366.4	18796.4										
3120	BZ-	INVSLU	1	I	22935.6	5106.4	50057.4	31231.7	22930.7	-12	
984.0	64057.1										

\*\* MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-Z	(+y)	-BENDING-	(-y)	(+z)
3108	AXL	INVSLU	1	J	-39003.3	-6434.3	-5505.8	-33912.1	-58936.9	-18
796.4	-36366.4									
3122	SHY	INVSLU	1	I	-38960.0	-11453.7	-5472.1	-11454.8	-24509.6	-22
948.8	4661.6									
3102	SHZ	INVSLU	1	I	-28321.0	-7723.6	-62520.8	-28417.9	-26978.6	-20
187.9	-16409.9									
3122	BY+	INVSLU	1	J	-38960.0	-11453.7	-5203.0	-57584.9	-33841.4	-19
059.5	-35936.9									
3108	BY-	INVSLU	1	J	-39003.3	-6434.3	-5505.8	-33912.1	-58936.9	-18
796.4	-36366.4									
3120	BZ+	INVSLU	1	I	-23939.0	-6056.8	-7441.3	-22930.7	-31231.7	-64
057.1	12984.0									
3108	BZ-	INVSLU	1	J	-39003.3	-6434.3	-5505.8	-33912.1	-58936.9	-18
796.4	-36366.4									

[ SECTION NAME : 600x25 , SECTION ID : 62 , SECTION SHAPE : SB ]  
 [ SECTION SIZE ] H:0.025 B:0.65

\*\* MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-Z	(+y)	-BENDING-	(-y)	(+z)
1229	AXL	Q1-1-2	1	J	2888.3	5183.4	168.3	15035.0	21356.3	6
633.2	61.8									
1229	SHY	INVSLU	1	I	-23444.0	12645.1	81.9	3014.4	7680.3	4
103.4	5513.3									
510	SHZ	INVSLU	1	J	-10389.0	1555.4	650.7	2872.6	19784.2	19
519.5	-12709.5									
1152	BY+	INVSLU	1	I	-25456.9	5377.8	55.0	36154.3	15814.0	5
738.0	4094.3									
511	BY-	INVSLU	1	I	-25519.8	12178.6	62.3	14618.2	34987.4	6
001.3	4384.5									
589	BZ+	INVSLU	1	I	-10193.7	7872.3	-483.5	2756.1	19714.1	19
972.3	-13280.7									
589	BZ-	INVSLU	1	J	-10192.3	7872.3	-413.4	2532.7	1814.3	-19
004.2	25576.1									

\*\* MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-Z	(+y)	-BENDING-	(-y)	(+z)
1165	AXL	INVSLU	1	I	-184550.9	-1624.4	-486.8	-3980.8	-6842.5	-3
131.0	-10555.9									
1152	SHY	INVSLU	1	I	-31062.8	-12691.4	-195.9	-15814.0	-36154.3	-4
094.3	-5738.0									
589	SHZ	INVSLU	1	I	-12546.0	-1438.2	-666.8	-19714.1	-2756.1	13
280.7	-19972.3									
511	BY+	INVSLU	1	I	-30989.4	-4856.2	-202.3	-34987.4	-14618.2	-4

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

384.5	-6001.3									
1152	BY- INVSLU	1	I	-31062.8	-12691.4	-195.9	-15814.0	-36154.3	-4	
094.3	-5738.0									
589	BZ+ INVSLU	1	J	-12544.6	-1438.2	-596.7	-1814.3	-2532.7	-25	
576.1	19004.2									
589	BZ- INVSLU	1	I	-12546.0	-1438.2	-666.8	-19714.1	-2756.1	13	
280.7	-19972.3									

[ SECTION NAME : 600x40 , SECTION ID : 67 , SECTION SHAPE : SB ]  
 [ SECTION SIZE ] H:0.04 B:0.6  
 \*\* MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-Z	(+y)-BENDING-	(-y)	(+z)-BENDING-	(-z)
1190	AXL	SLVy(RS)	1	J	3516.3	152.4	5.4	968.4	-968.4	
169.7	-169.7									
549	SHY	Q1-1-2	1	I	162.7	7427.6	348.8	1642.9	6144.4	3
096.5	9873.7									
549	SHZ	INVSLU	1	J	-196033.4	7398.9	515.5	17537.5	15662.8	8
086.1	8747.3									
549	BY+	Q1-1-2	1	J	162.7	7427.6	348.8	19417.5	3398.3	7
974.0	4284.1									
1190	BY-	Q1-1-2	1	J	163.3	1231.1	348.8	3398.3	19417.7	7
974.5	4284.5									
550	BZ+	INVSLU	1	I	-196049.7	4860.6	136.3	16991.3	15470.0	8
673.2	8131.4									
550	BZ-	INVSLU	1	J	-196048.1	4860.6	216.0	2456.8	8144.9	
898.5	16812.3									

\*\* MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-Z	(+y)-BENDING-	(-y)	(+z)-BENDING-	(-z)
1191	AXL	INVSLU	1	I	-233921.4	-4680.2	-536.1	-15909.1	-14373.9	-8
093.1	-8636.6									
1190	SHY	Q1-1-2	1	I	-24310.8	-7427.6	-144.0	-1642.8	-6144.5	-9
874.1	-3096.8									
550	SHZ	INVSLU	1	I	-233885.8	-7204.5	-537.8	-15470.0	-16991.3	-8
131.4	-8673.2									
1190	BY+	Q1-1-2	1	J	-24310.8	-7427.6	-144.0	-19417.7	-3398.3	-4
284.5	-7974.5									
549	BY-	Q1-1-2	1	J	-24310.4	-1231.1	-144.0	-3398.3	-19417.5	-4
284.1	-7974.0									
550	BZ+	INVSLU	1	J	-233884.2	-7204.5	-458.1	-8144.9	-2456.8	-16
812.3	-898.5									
550	BZ-	INVSLU	1	I	-233885.8	-7204.5	-537.8	-15470.0	-16991.3	-8
131.4	-8673.2									

[ SECTION NAME : 800x40 , SECTION ID : 69 , SECTION SHAPE : SB ]  
 [ SECTION SIZE ] H:0.04 B:0.8  
 \*\* MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-Z	(+y)-BENDING-	(-y)	(+z)-BENDING-	(-z)
1295	AXL	INVSLU	1	J	177013.9	116.5	219.6	308.4	2762.9	4
161.9	-1506.8									
654	SHY	INVSLU	1	I	176982.2	234.0	104.9	3875.8	1933.2	-4
128.1	7968.9									

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

1295 SHZ	INVSLU	1	J	177013.9	116.5	219.6	308.4	2762.9	4
161.9	-1506.8								
654 BY+	INVSLU	1	J	176984.5	234.0	219.6	4039.6	1805.9	4
159.7	-1510.4								
1295 BY-	INVSLU	1	I	177011.6	116.5	104.9	869.2	3003.3	-4
125.6	7971.7								
1295 BZ+	INVSLU	1	J	177013.9	116.5	219.6	308.4	2762.9	4
161.9	-1506.8								
1295 BZ-	INVSLU	1	I	177011.6	116.5	104.9	869.2	3003.3	-4
125.6	7971.7								

\*\* MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-Z	(+y) -BENDING-	(-y)	(+z) -BENDING-	(-z)
654	AXL	SLVx(RS)	1	I	-4113.4	-0.9	-4.9	-30.6	30.6	
203.9	-203.9									
605	SHY	INVSLU	1	I	93886.9	-227.9	-196.0	-1839.4	-4011.3	
848.1	-3250.9									
1246	SHZ	INVSLU	1	I	93797.0	-112.4	-198.7	-2748.8	-362.6	
955.7	-3350.5									
1295	BY+	INVSLU	1	I	94339.6	-204.1	19.2	-3003.3	-869.2	-7
971.7	4125.6									
654	BY-	INVSLU	1	J	94426.3	-146.2	134.0	-1805.9	-4039.6	1
510.4	-4159.7									
1295	BZ+	INVSLU	1	I	94339.6	-204.1	19.2	-3003.3	-869.2	-7
971.7	4125.6									
1295	BZ-	INVSLU	1	J	94341.8	-204.1	133.9	-2762.9	-308.4	1
506.8	-4161.9									

[ SECTION NAME : 800x25 , SECTION ID : 70 , SECTION SHAPE : SB ]  
 [ SECTION SIZE ] H:0.025 B:0.8

\*\* MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-Z	(+y) -BENDING-	(-y)	(+z) -BENDING-	(-z)
1296	AXL	INVSLU	1	J	248951.6	183.2	244.1	217.1	4406.6	3
097.1	-809.0									
591	SHY	INVSLU	1	I	22007.7	526.7	-782.0	155.1	-25.4	59
643.3	-25951.4									
1231	SHZ	INVSLU	1	J	-570.7	29.4	3447.7	66.8	-22.2	105
626.5	-42635.6									
655	BY+	INVSLU	1	J	248908.2	327.4	244.2	6555.8	2743.7	3
103.5	-805.2									
1296	BY-	INVSLU	1	I	248950.5	183.2	188.6	493.4	4420.4	-4
857.6	9415.3									
1231	BZ+	INVSLU	1	J	-570.7	29.4	3447.7	66.8	-22.2	105
626.5	-42635.6									
1231	BZ-	INVSLU	1	I	-572.0	29.4	3377.6	1.6	0.8	-55
042.8	140088.9									

\*\* MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-Z	(+y) -BENDING-	(-y)	(+z) -BENDING-	(-z)
655	AXL	SLVx(RS)	1	I	-5684.6	-1.4	-6.9	-54.0	54.0	
260.9	-260.9									
668	SHY	INVSLU	1	I	5034.5	-535.3	730.1	-982.8	-1391.0	-77
780.2	34255.2									



MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

1310 SHZ	INVSLU	1	I	-4651.5	-25.9	-3424.3	22.7	-59.7	42
405.3 -105034.9									
1296 BY+	INVSLU	1	I	132894.3	-335.9	72.0	-4420.4	-493.4	-9
415.3 4857.6									
655 BY-	INVSLU	1	J	133025.0	-174.3	127.6	-2743.7	-6555.8	
805.2 -3103.5									
1231 BZ+	INVSLU	1	I	-3763.7	9.5	1321.6	-0.8	-1.6	-140
088.9 55042.8									
1231 BZ-	INVSLU	1	J	-3762.3	9.5	1391.7	22.2	-66.8	42
635.6 -105626.5									

[ SECTION NAME : 2L140x12 , SECTION ID : 71 , SECTION SHAPE : 2L ]

[ SECTION SIZE ] H:0.14 B:0.14 tw:0.012 tf:0.012 C:0.012

\*\* MAX

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-Z	(+y) -BENDING-	(-y)	(+z) -BENDING-	(-z)
71 AXL	INVSLU	1	J	46624.6	0.1	233.7	2.0	2.0	-1
117.1 8095.3									
114 SHY	INVSLV	1	I	3043.1	284.2	-193.1	9102.9	9102.9	
-45.9 1254.8									
90 SHZ	INVSLU	1	J	20088.1	0.1	489.7	0.0	0.0	
0.0 0.0									
114 BY+	INVSLV	1	I	3043.1	284.2	-193.1	9102.9	9102.9	
-45.9 1254.8									
114 BY-	INVSLV	1	I	3043.1	284.2	-193.1	9102.9	9102.9	
-45.9 1254.8									
72 BZ+	SLVx(RS)	1	J	550.3	-264.7	5.2	-8478.8	8478.8	
86.5 -220.7									
71 BZ-	INVSLU	1	J	46624.6	0.1	233.7	2.0	2.0	-1
117.1 8095.3									

\*\* MIN

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-Z	(+y) -BENDING-	(-y)	(+z) -BENDING-	(-z)
71 AXL	INVSLU	1	J	-59458.0	-0.1	111.0	-2.0	-2.0	-3
174.2 2848.9									
114 SHY	INVSLV	1	I	-14451.3	-284.2	-219.7	-9102.9	-9102.9	-
492.0 117.0									
71 SHZ	INVSLU	1	I	-59458.0	-0.1	-489.7	0.0	0.0	
0.0 0.0									
114 BY+	INVSLV	1	I	-14451.3	-284.2	-219.7	-9102.9	-9102.9	-
492.0 117.0									
114 BY-	INVSLV	1	I	-14451.3	-284.2	-219.7	-9102.9	-9102.9	-
492.0 117.0									
71 BZ+	INVSLU	1	J	-59458.0	-0.1	111.0	-2.0	-2.0	-3
174.2 2848.9									
114 BZ-	SLVx(RS)	1	I	370.0	264.7	-5.2	-8478.8	8478.8	
86.5 -220.7									

[ SECTION NAME : 2L140x10 , SECTION ID : 72 , SECTION SHAPE : 2L ]

[ SECTION SIZE ] H:0.14 B:0.14 tw:0.01 tf:0.01 C:0.01

\*\* MAX

ELEM COM	LC	PT	AXIAL	SHEAR-y	SHEAR-Z	(+y) -BENDING-	(-y)	(+z) -BENDING-	(-z)
143 AXL	INVSLU	1	J	102657.4	0.0	461.3	0.0	0.0	

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	0.0									
145	SHY	INVSLU	1	I	83349.9	127.8	-1380.1	0.0	0.0	
0.0	0.0									
130	SHZ	INVSLV	1	J	30419.2	44.3	2956.8	0.0	0.0	
0.0	0.0									
146	BY+	INVSLU	1	I	83354.8	-27.4	461.5	6238.7	-1337.0	-22
908.2	60088.1									
130	BY-	SLVx(RS)	1	I	-2174.0	63.7	-1736.2	-3110.3	3110.3	43
199.7	-113063.3									
130	BZ+	SLVx(RS)	1	I	-2174.0	63.7	-1736.2	-3110.3	3110.3	43
199.7	-113063.3									
129	BZ-	INVSLV	1	J	30769.0	100.3	1591.2	4892.6	2160.0	31
090.1	170296.4									

\*\* MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-Z	(+y) -BENDING-	(-y)	(+z) -BENDING-	(-z)
146	AXL	Q1-1-2	1	I	-29962.7	-29.2	-0.4	-638.8	-1425.6	
-12.4	-23.3									
146	SHY	INVSLU	1	I	-28220.2	-127.8	459.5	1337.0	-6238.7	-22
958.7	59955.9									
129	SHZ	INVSLV	1	I	23475.9	-44.3	-2956.8	0.0	0.0	
0.0	0.0									
130	BY+	SLVx(RS)	1	I	-2174.0	63.7	-1736.2	-3110.3	3110.3	43
199.7	-113063.3									
146	BY-	INVSLU	1	I	-28220.2	-127.8	459.5	1337.0	-6238.7	-22
958.7	59955.9									
129	BZ+	INVSLV	1	J	23481.6	-44.3	-2273.4	-2160.0	-4892.6	-65
067.5	-81369.8									
130	BZ-	SLVx(RS)	1	I	-2174.0	63.7	-1736.2	-3110.3	3110.3	43
199.7	-113063.3									

[ SECTION NAME : 2L110x12 , SECTION ID : 74 , SECTION SHAPE : 2L ]  
 [ SECTION SIZE ] H:0.11 B:0.11 tw:0.012 tf:0.012 C:0.012

\*\* MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-Z	(+y) -BENDING-	(-y)	(+z) -BENDING-	(-z)
91	AXL	INVSLU	1	J	57245.6	-0.0	299.5	0.0	0.0	
0.0	0.0									
115	SHY	INVSLU	1	I	56982.8	0.0	-299.5	0.0	0.0	
0.0	0.0									
89	SHZ	INVSLU	1	J	57236.6	0.0	299.5	0.0	0.0	
0.0	0.0									
91	BY+	INVSLU	1	I	57069.3	0.0	-299.5	0.0	0.0	
0.0	0.0									
91	BY-	INVSLU	1	I	57069.3	0.0	-299.5	0.0	0.0	
0.0	0.0									
91	BZ+	INVSLU	1	I	57069.3	0.0	-299.5	0.0	0.0	
0.0	0.0									
91	BZ-	INVSLU	1	I	57069.3	0.0	-299.5	0.0	0.0	
0.0	0.0									

\*\* MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-Z	(+y) -BENDING-	(-y)	(+z) -BENDING-	(-z)
91	AXL	INVSLU	1	I	-56548.5	0.0	-299.5	0.0	0.0	

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	0.0								
113	SHY	INVSLU	1	I	-56434.6	-0.0	-299.5	0.0	0.0
0.0	0.0								
89	SHZ	INVSLU	1	I	57060.2	-0.0	-299.5	0.0	0.0
0.0	0.0								
91	BY+	INVSLU	1	I	-56548.5	0.0	-299.5	0.0	0.0
0.0	0.0								
91	BY-	INVSLU	1	I	-56548.5	0.0	-299.5	0.0	0.0
0.0	0.0								
91	BZ+	INVSLU	1	I	-56548.5	0.0	-299.5	0.0	0.0
0.0	0.0								
91	BZ-	INVSLU	1	I	-56548.5	0.0	-299.5	0.0	0.0
0.0	0.0								

[ SECTION NAME : 600x35 , SECTION ID : 75 , SECTION SHAPE : SB ]  
 [ SECTION SIZE ] H:0.035 B:0.6

\*\* MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-Z	(+y) -BENDING-	(-y)	(+z) -BENDING-	(-z)
1178	AXL	SLVy(RS)	1	J	3241.7	12.1	4.6	500.2	-500.2	
137.7	-137.7									
562	SHY	INVSLU	1	I	-194472.2	1539.1	232.4	3449.9	7151.1	1
389.3	11579.4									
1215	SHZ	INVSLU	1	J	-137327.9	1162.5	342.0	4991.7	3720.1	9
546.1	3556.2									
1203	BY+	INVSLU	1	I	-194431.6	1012.5	232.7	7322.3	3617.1	1
397.6	11588.0									
562	BY-	INVSLU	1	I	-194472.2	1539.1	232.4	3449.9	7151.1	1
389.3	11579.4									
1166	BZ+	INVSLU	1	I	-138340.0	1267.7	-31.1	5068.0	3705.6	10
228.4	3022.8									
1166	BZ-	INVSLU	1	J	-138337.7	1267.7	82.9	5678.5	3800.3	-
850.2	15035.7									

\*\* MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-Z	(+y) -BENDING-	(-y)	(+z) -BENDING-	(-z)
1178	AXL	INVSLU	1	I	-231099.6	-1020.6	-342.9	-4651.2	-5960.3	-7
675.0	-5049.1									
1203	SHY	INVSLU	1	I	-230375.5	-1543.0	-211.5	-3617.1	-7322.3	-11
588.0	-1397.6									
1166	SHZ	INVSLU	1	I	-161585.0	-1175.2	-358.8	-3705.6	-5068.0	-3
022.8	-10228.4									
562	BY+	INVSLU	1	I	-230333.0	-1008.9	-211.2	-7151.1	-3449.9	-11
579.4	-1389.3									
1203	BY-	INVSLU	1	I	-230375.5	-1543.0	-211.5	-3617.1	-7322.3	-11
588.0	-1397.6									
1166	BZ+	INVSLU	1	J	-161582.7	-1175.2	-244.8	-3800.3	-5678.5	-15
035.7	850.2									
1166	BZ-	INVSLU	1	I	-161585.0	-1175.2	-358.8	-3705.6	-5068.0	-3
022.8	-10228.4									

[ SECTION NAME : L100x12 , SECTION ID : 76 , SECTION SHAPE : L ]  
 [ SECTION SIZE ] H:0.1 B:0.1 tw:0.012 tf:0.012

\*\* MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-Z	(+y) -BENDING-	(-y)	(+z) -BENDING-	(-z)
------	-----	----	----	-------	---------	---------	----------------	------	----------------	------

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

```

-----
      84 AXL   INVSLU      1   I  110598.2      0.0   -598.1      0.0      0.0
0.0      0.0
      81 SHY   Q1-1-2      1   I   23174.9      0.0      0.0      0.0      0.0
0.0      0.0
      87 SHZ   INVSLU      1   J   55642.1     -0.0     598.1      0.0      0.0
0.0      0.0
      84 BY+   INVSLU      1   J  110598.2     -0.0     598.1      0.0      0.0
0.0      0.0
      84 BY-   INVSLU      1   J  110598.2     -0.0     598.1      0.0      0.0
0.0      0.0
      84 BZ+   INVSLU      1   I  110598.2      0.0   -598.1      0.0      0.0
0.0      0.0
      84 BZ-   INVSLU      1   I  110598.2      0.0   -598.1      0.0      0.0
0.0      0.0
  
```

\*\* MIN

```

      ELEM COM      LC      PT      AXIAL      SHEAR-y      SHEAR-Z      (+y) -BENDING- (-y)      (+
z) -BENDING- (-z)
-----
      81 AXL      g2      1   I   -3523.3      0.0      0.0      0.0      0.0
0.0      0.0
      81 SHY   Q1-1-2      1   I   23174.9      0.0      0.0      0.0      0.0
0.0      0.0
      81 SHZ   INVSLU      1   I   56308.6      0.0   -598.1      0.0      0.0
0.0      0.0
      81 BY+      g2      1   I   -3523.3      0.0      0.0      0.0      0.0
0.0      0.0
      81 BY-      g2      1   I   -3523.3      0.0      0.0      0.0      0.0
0.0      0.0
      81 BZ+      g2      1   I   -3523.3      0.0      0.0      0.0      0.0
0.0      0.0
      81 BZ-      g2      1   I   -3523.3      0.0      0.0      0.0      0.0
0.0      0.0
  
```

[ SECTION NAME : 2L120x12 , SECTION ID : 78 , SECTION SHAPE : 2L ]  
 [ SECTION SIZE ] H:0.12 B:0.12 tw:0.012 tf:0.012 C:0.016

\*\* MAX

```

      ELEM COM      LC      PT      AXIAL      SHEAR-y      SHEAR-Z      (+y) -BENDING- (-y)      (+
z) -BENDING- (-z)
-----
     102 AXL      SLVx(RS)      1   I    2725.0      238.5      1.1   -9117.8     9117.8
-22.6     56.2
      74 SHY   INVSLV      1   I  -30041.9      257.9      -2.1      0.0      0.0
0.0      0.0
      76 SHZ   INVSLU      1   J  -44339.6      0.0     722.4      1.0      1.0      8
538.9 -15505.9
      96 BY+   INVSLV      1   I  -29957.5      257.9   -437.5     9860.0     9858.9      4
446.9 -10823.4
      74 BY-   INVSLV      1   J  -30041.9      257.9     442.2     9859.0     9860.1      4
446.9 -10823.4
      76 BZ+   INVSLU      1   J  -44339.6      0.0     722.4      1.0      1.0      8
538.9 -15505.9
      93 BZ-      g2      1   I   -7933.5      0.0     16.8     -0.0      0.0      -
338.8     842.3
  
```

\*\* MIN

```

      ELEM COM      LC      PT      AXIAL      SHEAR-y      SHEAR-Z      (+y) -BENDING- (-y)      (+
z) -BENDING- (-z)
  
```

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

```

-----
-----
      77 AXL   INVSLU      1   J  -92128.9      -0.0      600.5      -1.1      -1.1      6
076.0 -20796.4
      74 SHY   INVSLV      1   I  -36595.8     -258.0      -6.7        0.0        0.0
   0.0      0.0
     102 SHZ   INVSLU      1   I  -91644.3      -0.0     -722.4      -1.0      -1.0      6
236.7 -21229.9
      74 BY+   INVSLV      1   J  -36595.8     -258.0      437.5     -9860.1     -9859.0      4
353.3 -11056.2
      96 BY-   INVSLV      1   I  -36415.5     -258.0     -442.2     -9858.9     -9860.0      4
353.3 -11056.2
      73 BZ+      g2      1   J   -7933.6      -0.0      -16.8        0.0        0.0      -
338.8   842.3
      76 BZ-   INVSLU      1   J  -91992.2      -0.0      608.5      -1.0      -1.0      6
236.7 -21229.9

```

[ SECTION NAME : 2L100x10 , SECTION ID : 79 , SECTION SHAPE : 2L ]  
[ SECTION SIZE ] H:0.1 B:0.1 tw:0.01 tf:0.01 C:0.012  
\*\* MAX

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-Z	(+y) -BENDING-	(-y)	(+z)
103	AXL	INVSLU	1	J	30494.0	0.0	299.9	0.0	0.0
0.0	0.0								
112	SHY	INVSLU	1	I	21390.6	0.0	-299.9	0.0	0.0
0.0	0.0								
101	SHZ	INVSLU	1	J	30457.7	0.0	299.9	0.0	0.0
0.0	0.0								
103	BY+	INVSLU	1	I	30317.6	0.0	-299.9	0.0	0.0
0.0	0.0								
103	BY-	INVSLU	1	I	30317.6	0.0	-299.9	0.0	0.0
0.0	0.0								
103	BZ+	INVSLU	1	I	30317.6	0.0	-299.9	0.0	0.0
0.0	0.0								
103	BZ-	INVSLU	1	I	30317.6	0.0	-299.9	0.0	0.0
0.0	0.0								

\*\* MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-Z	(+y) -BENDING-	(-y)	(+z)
101	AXL	INVSLU	1	I	-28858.6	-0.0	-299.9	0.0	0.0
0.0	0.0								
110	SHY	INVSLU	1	I	-20225.5	-0.0	-299.9	0.0	0.0
0.0	0.0								
101	SHZ	INVSLU	1	I	-28858.6	-0.0	-299.9	0.0	0.0
0.0	0.0								
101	BY+	INVSLU	1	I	-28858.6	-0.0	-299.9	0.0	0.0
0.0	0.0								
101	BY-	INVSLU	1	I	-28858.6	-0.0	-299.9	0.0	0.0
0.0	0.0								
101	BZ+	INVSLU	1	I	-28858.6	-0.0	-299.9	0.0	0.0
0.0	0.0								
101	BZ-	INVSLU	1	I	-28858.6	-0.0	-299.9	0.0	0.0
0.0	0.0								

[ SECTION NAME : 2L100x12 , SECTION ID : 80 , SECTION SHAPE : 2L ]  
[ SECTION SIZE ] H:0.1 B:0.1 tw:0.012 tf:0.012 C:0.012  
\*\* MAX

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-Z	(+y) -BENDING-	(-y)	(+z) -BENDING-	(-z)
176	AXL	Q1-1-2	1	I	6193.8	0.0	0.0	0.0	0.0	
0.0		0.0								
155	SHY	INVSLU	1	I	-52346.4	690.7	137.0	-17854.0	23026.9	-
146.4		669.2								
155	SHZ	INVSLV	1	J	-17767.3	371.6	1551.8	14258.1	-11889.8	46
325.5		17912.5								
155	BY+	INVSLU	1	J	-52338.7	690.7	1051.7	25140.0	-19477.0	22
816.8		-41302.3								
159	BY-	INVSLU	1	I	-63586.0	675.5	46.9	-20297.7	26374.3	-8
566.2		28321.5								
155	BZ+	INVSLV	1	J	-17767.3	371.6	1551.8	14258.1	-11889.8	46
325.5		17912.5								
161	BZ-	INVSLV	1	J	-26639.8	52.2	172.3	3651.9	-673.1	-6
515.4		111213.7								

\*\* MIN

ELEM	COM	LC	PT	AXIAL	SHEAR-y	SHEAR-Z	(+y) -BENDING-	(-y)	(+z) -BENDING-	(-z)
160	AXL	INVSLU	1	I	-79033.0	0.0	-458.6	0.0	0.0	
0.0		0.0								
157	SHY	INVSLU	1	I	-76864.3	-693.4	-1012.9	19039.5	-25064.6	4
649.9		-26280.5								
161	SHZ	INVSLV	1	I	-28569.4	9.6	-1530.0	0.0	0.0	
0.0		0.0								
159	BY+	INVSLU	1	I	-77119.4	513.3	-118.3	-26374.3	20297.7	-11
796.3		20566.3								
155	BY-	INVSLU	1	J	-68083.9	535.6	905.0	19477.0	-25140.0	17
203.1		-54780.0								
161	BZ+	INVSLV	1	J	-28563.7	9.6	-850.5	673.1	-3651.9	-46
322.3		15642.6								
155	BZ-	INVSLV	1	J	-22159.1	341.7	137.5	11889.8	-14258.1	-7
460.8		-111221.4								

REACTION FORCES & MOMENTS DEFAULT PRINTOUT.  
kN , m

Unit System :


Node	LC	FX	FY	FZ	MX	MY
1	Q1-1-2	Max	23.3	2.5	1064.6	0.0
0.0		Min	-23.0	-2.5	-19.8	0.0
0.0						
0.0	Q2a-1-2	Max	13.3	1.4	624.2	0.0
0.0		Min	-13.1	-1.4	-9.0	0.0
0.0						
0.0	SLVx (RS)		-195.3	-3.2	-55.9	0.0
0.0	SLVy (RS)		-6.9	-252.7	-41.2	0.0
0.0						

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	SLDx (RS)	-97.6	-1.6	-28.0	0.0	0.0
0.0	SLDy (RS)	-3.5	-126.2	-20.6	0.0	0.0
0.0	SLVz (RS)	46.1	2.6	-25.1	0.0	0.0
0.0	g1	0.0	0.0	646.5	0.0	0.0
0.0	g2	-14.1	0.0	312.5	0.0	0.0
0.0	q3	-234.8	-0.0	-19.4	0.0	0.0
0.0	q5_pc	-8.5	-190.7	-90.3	0.0	0.0
0.0	q5_ps	-7.1	-169.2	-72.0	0.0	0.0
0.0	Q2a Max	-221.6	1.4	604.8	0.0	0.0
0.0	Min	-247.9	-1.4	-28.4	0.0	0.0
0.0	Q2a- Max	248.1	1.4	643.6	0.0	0.0
0.0	Min	221.7	-1.4	10.4	0.0	0.0
0.0	pp+perm	-14.1	0.0	883.3	0.0	0.0
0.0	SLU1 Max	4.8	-168.2	2548.3	0.0	0.0
0.0	Min	-57.8	-174.9	1084.5	0.0	0.0
0.0	SLU2 Max	20.2	175.0	2710.9	0.0	0.0
0.0	Min	-42.4	168.2	1247.1	0.0	0.0
0.0	SLU3 Max	-6.0	-251.3	2162.4	0.0	0.0
0.0	Min	-53.0	-256.4	1064.5	0.0	0.0
0.0	SLU4 Max	15.3	256.4	2378.3	0.0	0.0
0.0	Min	-31.7	251.3	1280.4	0.0	0.0
0.0	SLU5 Max	-325.7	-169.7	1927.7	0.0	0.0
0.0	Min	-361.3	-173.5	1072.8	0.0	0.0
0.0	SLU6 Max	-310.4	173.5	2090.3	0.0	0.0
0.0	Min	-345.9	169.7	1235.4	0.0	0.0
0.0	SLU7 Max	-253.9	-252.4	1696.9	0.0	0.0
0.0	Min	-280.6	-255.3	1055.7	0.0	0.0
0.0	SLU8 Max	-232.7	255.3	1912.8	0.0	0.0


# MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	Min	-259.3	252.4	1271.6	0.0	0.0
0.0	SLU9 Max	308.3	-169.7	1980.1	0.0	0.0
0.0	Min	272.7	-173.5	1125.2	0.0	0.0
0.0	SLU10 Max	323.6	173.5	2142.7	0.0	0.0
0.0	Min	288.1	169.7	1287.8	0.0	0.0
0.0	SLU11 Max	221.6	-252.4	1736.2	0.0	0.0
0.0	Min	194.9	-255.3	1095.0	0.0	0.0
0.0	SLU12 Max	242.8	255.3	1952.1	0.0	0.0
0.0	Min	216.2	252.4	1310.9	0.0	0.0
0.0	SLEQP	-14.1	0.0	883.3	0.0	0.0
0.0	SLEF1 Max	2.0	-32.0	1667.3	0.0	0.0
0.0	Min	-32.8	-35.7	854.1	0.0	0.0
0.0	SLEF2 Max	4.9	35.7	1696.1	0.0	0.0
0.0	Min	-29.9	32.0	882.9	0.0	0.0
0.0	SLEF3 Max	-5.5	-32.8	1337.1	0.0	0.0
0.0	Min	-25.3	-34.9	862.2	0.0	0.0
0.0	SLEF4 Max	-2.7	34.9	1365.9	0.0	0.0
0.0	Min	-22.4	32.8	890.9	0.0	0.0
0.0	SLER1 Max	4.2	-111.9	1893.7	0.0	0.0
0.0	Min	-42.2	-116.9	809.3	0.0	0.0
0.0	SLER2 Max	14.4	116.9	2002.1	0.0	0.0
0.0	Min	-32.0	111.9	917.7	0.0	0.0
0.0	SLER3 Max	-3.7	-167.3	1609.8	0.0	0.0
0.0	Min	-38.4	-171.1	796.5	0.0	0.0
0.0	SLER4 Max	10.5	171.1	1753.7	0.0	0.0
0.0	Min	-24.2	167.4	940.5	0.0	0.0
0.0	SLV1x	-197.6	-78.2	807.5	0.0	0.0



PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	SLV2x	-193.5	73.4	832.2	0.0	0.0
0.0	SLV3x	-225.3	-79.8	822.6	0.0	0.0
0.0	SLV4x	-221.1	71.9	847.3	0.0	0.0
0.0	SLV5x	193.0	-71.9	919.4	0.0	0.0
0.0	SLV6x	197.2	79.8	944.1	0.0	0.0
0.0	SLV7x	165.4	-73.4	934.4	0.0	0.0
0.0	SLV8x	169.5	78.2	959.2	0.0	0.0
0.0	SLV1y (RS)	-65.8	-252.9	817.8	0.0	0.0
0.0	SLV2y (RS)	51.4	-251.0	851.4	0.0	0.0
0.0	SLV3y (RS)	-93.4	-254.5	832.9	0.0	0.0
0.0	SLV4y (RS)	23.8	-252.6	866.5	0.0	0.0
0.0	SLV5y (RS)	-51.9	252.6	900.2	0.0	0.0
0.0	SLV6y	65.3	254.5	933.7	0.0	0.0
0.0	SLV7y	-79.6	251.0	915.2	0.0	0.0
0.0	SLV8y	37.6	252.9	948.8	0.0	0.0
0.0	SLV1z	-28.6	-74.2	829.0	0.0	0.0
0.0	SLV2z	88.6	-72.3	862.6	0.0	0.0
0.0	SLV3z	-24.5	77.5	853.7	0.0	0.0
0.0	SLV4z	92.7	79.4	887.3	0.0	0.0
0.0	SLV5z	-120.9	-79.4	879.3	0.0	0.0
0.0	SLV6z	-3.7	-77.5	912.9	0.0	0.0
0.0	SLV7z (RS)	-116.7	72.3	904.0	0.0	0.0
0.0	SLV8z (RS)	0.5	74.2	937.6	0.0	0.0
0.0	INVSLU Max	20.2	256.4	2710.9	0.0	0.0
0.0	Min	-361.3	-256.4	1055.7	0.0	0.0
0.0	INVSLV Max	197.2	254.5	959.2	0.0	0.0
0.0	Min	-225.3	-254.5	807.5	0.0	0.0
2	Q1-1-2 Max	0.0	2.5	1062.5	0.0	0.0
0.0	Min	0.0	-2.5	-18.5	0.0	0.0
0.0	Q2a-1-2 Max	0.0	1.4	623.4	0.0	0.0
0.0	Min	0.0	-1.4	-8.5	0.0	0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

0.0	SLVx (RS)		0.0	-3.2	-53.9	0.0	0.0
0.0	SLVy (RS)		0.0	-250.9	-39.3	0.0	0.0
0.0	SLDx (RS)		0.0	-1.6	-26.9	0.0	0.0
0.0	SLDy (RS)		0.0	-125.3	-19.7	0.0	0.0
0.0	SLVz (RS)		0.0	2.6	-24.3	0.0	0.0
0.0	g1		0.0	-0.0	648.9	0.0	0.0
0.0	g2		0.0	-0.0	314.4	0.0	0.0
0.0	q3		0.0	0.0	12.5	0.0	0.0
0.0	q5_pc		0.0	-188.6	-88.2	0.0	0.0
0.0	q5_ps		0.0	-167.6	-70.2	0.0	0.0
0.0	Q2a	Max	0.0	1.4	635.8	0.0	0.0
0.0		Min	0.0	-1.4	4.0	0.0	0.0
0.0	Q2a-	Max	0.0	1.4	610.9	0.0	0.0
0.0		Min	0.0	-1.4	-21.0	0.0	0.0
0.0	pp+perm		0.0	-0.0	887.6	0.0	0.0
0.0	SLU1	Max	0.0	-166.4	2553.2	0.0	0.0
0.0		Min	0.0	-173.2	1093.8	0.0	0.0
0.0	SLU2	Max	0.0	173.1	2712.0	0.0	0.0
0.0		Min	0.0	166.4	1252.6	0.0	0.0
0.0	SLU3	Max	0.0	-248.9	2168.7	0.0	0.0
0.0		Min	0.0	-254.0	1074.2	0.0	0.0
0.0	SLU4	Max	0.0	254.0	2379.3	0.0	0.0
0.0		Min	0.0	248.9	1284.8	0.0	0.0
0.0	SLU5	Max	0.0	-167.9	1977.2	0.0	0.0
0.0		Min	0.0	-171.7	1124.2	0.0	0.0
0.0	SLU6	Max	0.0	171.7	2136.0	0.0	0.0
0.0		Min	0.0	167.9	1283.0	0.0	0.0
0.0	SLU7	Max	0.0	-250.0	1736.7	0.0	0.0

# MIDAS

PROJECT TITLE :

		Company					Client
		Author					File Name
0.0	Min	0.0	-252.9	1097.0	0.0	0.0	
0.0	SLU8 Max	0.0	252.9	1947.3	0.0	0.0	
0.0	Min	0.0	250.0	1307.5	0.0	0.0	
0.0	SLU9 Max	0.0	-167.9	1943.6	0.0	0.0	
0.0	Min	0.0	-171.7	1090.6	0.0	0.0	
0.0	SLU10 Max	0.0	171.7	2102.4	0.0	0.0	
0.0	Min	0.0	167.8	1249.3	0.0	0.0	
0.0	SLU11 Max	0.0	-250.0	1711.5	0.0	0.0	
0.0	Min	0.0	-252.9	1071.7	0.0	0.0	
0.0	SLU12 Max	0.0	252.9	1922.1	0.0	0.0	
0.0	Min	0.0	250.0	1282.3	0.0	0.0	
0.0	SLEQP	0.0	-0.0	887.6	0.0	0.0	
0.0	SLEF1 Max	0.0	-31.7	1670.4	0.0	0.0	
0.0	Min	0.0	-35.4	859.6	0.0	0.0	
0.0	SLEF2 Max	0.0	35.4	1698.5	0.0	0.0	
0.0	Min	0.0	31.6	887.7	0.0	0.0	
0.0	SLEF3 Max	0.0	-32.5	1341.1	0.0	0.0	
0.0	Min	0.0	-34.6	867.2	0.0	0.0	
0.0	SLEF4 Max	0.0	34.6	1369.1	0.0	0.0	
0.0	Min	0.0	32.5	895.2	0.0	0.0	
0.0	SLER1 Max	0.0	-110.7	1897.1	0.0	0.0	
0.0	Min	0.0	-115.7	816.1	0.0	0.0	
0.0	SLER2 Max	0.0	115.7	2003.0	0.0	0.0	
0.0	Min	0.0	110.7	922.0	0.0	0.0	
0.0	SLER3 Max	0.0	-165.8	1614.2	0.0	0.0	
0.0	Min	0.0	-169.5	803.5	0.0	0.0	
0.0	SLER4 Max	0.0	169.5	1754.6	0.0	0.0	

PROJECT TITLE :

	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

0.0		Min	0.0	165.7	943.9	0.0	0.0
0.0	SLV1x		0.0	-77.6	814.6	0.0	0.0
0.0	SLV2x		0.0	72.9	838.2	0.0	0.0
0.0	SLV3x		0.0	-79.2	829.2	0.0	0.0
0.0	SLV4x		0.0	71.3	852.8	0.0	0.0
0.0	SLV5x		0.0	-71.3	922.4	0.0	0.0
0.0	SLV6x		0.0	79.2	946.0	0.0	0.0
0.0	SLV7x		0.0	-72.9	936.9	0.0	0.0
0.0	SLV8x		0.0	77.6	960.5	0.0	0.0
0.0	SLV1y (RS)		0.0	-251.0	824.8	0.0	0.0
0.0	SLV2y (RS)		0.0	-249.1	857.2	0.0	0.0
0.0	SLV3y (RS)		0.0	-252.6	839.4	0.0	0.0
0.0	SLV4y (RS)		0.0	-250.7	871.7	0.0	0.0
0.0	SLV5y (RS)		0.0	250.7	903.4	0.0	0.0
0.0	SLV6y		0.0	252.6	935.8	0.0	0.0
0.0	SLV7y		0.0	249.1	918.0	0.0	0.0
0.0	SLV8y		0.0	251.0	950.3	0.0	0.0
0.0	SLV1z		0.0	-73.6	835.4	0.0	0.0
0.0	SLV2z		0.0	-71.7	867.7	0.0	0.0
0.0	SLV3z		0.0	77.0	858.9	0.0	0.0
0.0	SLV4z		0.0	78.9	891.3	0.0	0.0
0.0	SLV5z		0.0	-78.9	883.9	0.0	0.0
0.0	SLV6z		0.0	-77.0	916.2	0.0	0.0
0.0	SLV7z (RS)		0.0	71.7	907.5	0.0	0.0
0.0	SLV8z (RS)		0.0	73.6	939.8	0.0	0.0
0.0	INVSLU	Max	0.0	254.0	2712.0	0.0	0.0
0.0		Min	0.0	-254.0	1074.2	0.0	0.0
0.0	INVSLV	Max	0.0	252.6	960.5	0.0	0.0
0.0		Min	0.0	-252.6	814.6	0.0	0.0
46	Q1-1-2	Max	23.0	0.0	1064.5	0.0	0.0
0.0		Min	-23.3	0.0	-19.7	0.0	0.0


PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

0.0							
0.0	Q2a-1-2	Max	13.1	0.0	624.2	0.0	0.0
0.0		Min	-13.3	0.0	-9.0	0.0	0.0
0.0	SLVx	(RS)	-195.3	0.0	-55.4	0.0	0.0
0.0	SLVy	(RS)	8.8	0.0	41.7	0.0	0.0
0.0	SLDx	(RS)	-97.6	0.0	-27.7	0.0	0.0
0.0	SLDy	(RS)	4.4	0.0	20.8	0.0	0.0
0.0	SLVz	(RS)	46.0	0.0	-24.7	0.0	0.0
0.0	g1		-0.0	0.0	648.9	0.0	0.0
0.0	g2		-14.1	0.0	312.5	0.0	0.0
0.0	q3		-234.7	0.0	-19.4	0.0	0.0
0.0	q5_pc		8.5	0.0	90.3	0.0	0.0
0.0	q5_ps		7.1	0.0	72.0	0.0	0.0
0.0							
0.0	Q2a	Max	-221.7	0.0	604.8	0.0	0.0
0.0		Min	-248.0	0.0	-28.4	0.0	0.0
0.0							
0.0	Q2a-	Max	247.8	0.0	643.6	0.0	0.0
0.0		Min	221.5	0.0	10.4	0.0	0.0
0.0	pp+perm		-14.1	0.0	885.7	0.0	0.0
0.0							
0.0	SLU1	Max	19.7	0.0	2714.0	0.0	0.0
0.0		Min	-42.9	0.0	1250.3	0.0	0.0
0.0							
0.0	SLU2	Max	4.4	0.0	2551.4	0.0	0.0
0.0		Min	-58.2	0.0	1087.7	0.0	0.0
0.0							
0.0	SLU3	Max	14.9	0.0	2381.4	0.0	0.0
0.0		Min	-32.0	0.0	1283.6	0.0	0.0
0.0							
0.0	SLU4	Max	-6.4	0.0	2165.5	0.0	0.0
0.0		Min	-53.3	0.0	1067.7	0.0	0.0
0.0							
0.0	SLU5	Max	-310.6	0.0	2093.4	0.0	0.0
0.0		Min	-346.2	0.0	1238.6	0.0	0.0
0.0							
0.0	SLU6	Max	-326.0	0.0	1930.8	0.0	0.0

# MIDAS

PROJECT TITLE :

		Company	Client			
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	Min	-361.5	0.0	1076.0	0.0	0.0
0.0	SLU7 Max	-232.8	0.0	1915.9	0.0	0.0
0.0	Min	-259.5	0.0	1274.8	0.0	0.0
0.0	SLU8 Max	-254.1	0.0	1700.0	0.0	0.0
0.0	Min	-280.8	0.0	1058.9	0.0	0.0
0.0	SLU9 Max	323.1	0.0	2145.8	0.0	0.0
0.0	Min	287.6	0.0	1291.0	0.0	0.0
0.0	SLU10 Max	307.8	0.0	1983.2	0.0	0.0
0.0	Min	272.2	0.0	1128.4	0.0	0.0
0.0	SLU11 Max	242.5	0.0	1955.2	0.0	0.0
0.0	Min	215.8	0.0	1314.1	0.0	0.0
0.0	SLU12 Max	221.2	0.0	1739.3	0.0	0.0
0.0	Min	194.5	0.0	1098.2	0.0	0.0
0.0	SLEQP	-14.1	0.0	885.7	0.0	0.0
0.0	SLEF1 Max	4.6	0.0	1698.4	0.0	0.0
0.0	Min	-30.2	0.0	885.3	0.0	0.0
0.0	SLEF2 Max	1.8	0.0	1669.6	0.0	0.0
0.0	Min	-33.0	0.0	856.5	0.0	0.0
0.0	SLEF3 Max	-2.9	0.0	1368.2	0.0	0.0
0.0	Min	-22.6	0.0	893.3	0.0	0.0
0.0	SLEF4 Max	-5.7	0.0	1339.4	0.0	0.0
0.0	Min	-25.5	0.0	864.5	0.0	0.0
0.0	SLER1 Max	14.0	0.0	2004.4	0.0	0.0
0.0	Min	-32.3	0.0	920.1	0.0	0.0
0.0	SLER2 Max	3.8	0.0	1896.0	0.0	0.0
0.0	Min	-42.5	0.0	811.7	0.0	0.0
0.0	SLER3 Max	10.3	0.0	1756.0	0.0	0.0

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0		Min	-24.5	0.0	942.8	0.0	0.0
0.0							
0.0	SLER4	Max	-3.9	0.0	1612.1	0.0	0.0
0.0		Min	-38.7	0.0	798.9	0.0	0.0
0.0	SLV1x		-193.0	0.0	835.3	0.0	0.0
0.0	SLV2x		-198.2	0.0	810.3	0.0	0.0
0.0	SLV3x		-220.6	0.0	850.2	0.0	0.0
0.0	SLV4x		-225.8	0.0	825.2	0.0	0.0
0.0	SLV5x		197.6	0.0	946.1	0.0	0.0
0.0	SLV6x		192.3	0.0	921.1	0.0	0.0
0.0	SLV7x		170.0	0.0	961.0	0.0	0.0
0.0	SLV8x		164.8	0.0	936.0	0.0	0.0
0.0	SLV1y (RS)		-50.2	0.0	903.3	0.0	0.0
0.0	SLV2y (RS)		67.0	0.0	936.5	0.0	0.0
0.0	SLV3y (RS)		-77.7	0.0	918.1	0.0	0.0
0.0	SLV4y (RS)		39.4	0.0	951.3	0.0	0.0
0.0	SLV5y (RS)		-67.7	0.0	820.0	0.0	0.0
0.0	SLV6y		49.5	0.0	853.2	0.0	0.0
0.0	SLV7y		-95.2	0.0	834.8	0.0	0.0
0.0	SLV8y		21.9	0.0	868.0	0.0	0.0
0.0	SLV1z		-24.1	0.0	856.8	0.0	0.0
0.0	SLV2z		93.1	0.0	890.1	0.0	0.0
0.0	SLV3z		-29.3	0.0	831.8	0.0	0.0
0.0	SLV4z		87.8	0.0	865.1	0.0	0.0
0.0	SLV5z		-116.0	0.0	906.2	0.0	0.0
0.0	SLV6z		1.1	0.0	939.5	0.0	0.0
0.0	SLV7z (RS)		-121.3	0.0	881.2	0.0	0.0
0.0	SLV8z (RS)		-4.1	0.0	914.5	0.0	0.0
0.0							
0.0	INVSLU	Max	19.7	0.0	2714.0	0.0	0.0
0.0		Min	-361.5	0.0	1058.9	0.0	0.0
0.0							
0.0	INVSLV	Max	197.6	0.0	961.0	0.0	0.0
0.0		Min	-225.8	0.0	810.3	0.0	0.0
0.0							

PROJECT TITLE :


MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

47	Q1-1-2	Max	0.0	0.0	1062.4	0.0	0.0
0.0		Min	0.0	0.0	-18.5	0.0	0.0
0.0							
0.0	Q2a-1-2	Max	0.0	0.0	623.3	0.0	0.0
0.0		Min	0.0	0.0	-8.5	0.0	0.0
0.0							
0.0	SLVx	(RS)	0.0	0.0	-54.1	0.0	0.0
0.0	SLVy	(RS)	0.0	0.0	40.2	0.0	0.0
0.0							
0.0	SLDx	(RS)	0.0	0.0	-27.0	0.0	0.0
0.0	SLDy	(RS)	0.0	0.0	20.1	0.0	0.0
0.0							
0.0	SLVz	(RS)	0.0	0.0	-23.9	0.0	0.0
0.0							
0.0	g1		0.0	0.0	646.5	0.0	0.0
0.0							
0.0	g2		0.0	0.0	314.4	0.0	0.0
0.0							
0.0	q3		0.0	0.0	12.5	0.0	0.0
0.0							
0.0	q5_pc		0.0	0.0	88.2	0.0	0.0
0.0							
0.0	q5_ps		0.0	0.0	70.2	0.0	0.0
0.0							
0.0	Q2a	Max	0.0	0.0	635.8	0.0	0.0
0.0		Min	0.0	0.0	4.0	0.0	0.0
0.0							
0.0	Q2a-	Max	0.0	0.0	610.9	0.0	0.0
0.0		Min	0.0	0.0	-20.9	0.0	0.0
0.0							
0.0	pp+perm		0.0	0.0	885.2	0.0	0.0
0.0							
0.0	SLU1	Max	0.0	0.0	2708.7	0.0	0.0
0.0		Min	0.0	0.0	1249.5	0.0	0.0
0.0							
0.0	SLU2	Max	0.0	0.0	2550.0	0.0	0.0
0.0		Min	0.0	0.0	1090.7	0.0	0.0
0.0							
0.0	SLU3	Max	0.0	0.0	2376.1	0.0	0.0
0.0		Min	0.0	0.0	1281.6	0.0	0.0
0.0							
0.0	SLU4	Max	0.0	0.0	2165.5	0.0	0.0
0.0		Min	0.0	0.0	1071.1	0.0	0.0
0.0							
0.0	SLU5	Max	0.0	0.0	2132.8	0.0	0.0




# MIDAS

PROJECT TITLE :

		Company					Client		
		Author					File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0		Min	0.0	0.0	1279.8	0.0	0.0		
0.0	SLU6	Max	0.0	0.0	1974.0	0.0	0.0		
0.0		Min	0.0	0.0	1121.1	0.0	0.0		
0.0	SLU7	Max	0.0	0.0	1944.1	0.0	0.0		
0.0		Min	0.0	0.0	1304.4	0.0	0.0		
0.0	SLU8	Max	0.0	0.0	1733.5	0.0	0.0		
0.0		Min	0.0	0.0	1093.8	0.0	0.0		
0.0	SLU9	Max	0.0	0.0	2099.2	0.0	0.0		
0.0		Min	0.0	0.0	1246.2	0.0	0.0		
0.0	SLU10	Max	0.0	0.0	1940.4	0.0	0.0		
0.0		Min	0.0	0.0	1087.5	0.0	0.0		
0.0	SLU11	Max	0.0	0.0	1918.9	0.0	0.0		
0.0		Min	0.0	0.0	1279.2	0.0	0.0		
0.0	SLU12	Max	0.0	0.0	1708.3	0.0	0.0		
0.0		Min	0.0	0.0	1068.6	0.0	0.0		
0.0	SLEQP		0.0	0.0	885.2	0.0	0.0		
0.0	SLEF1	Max	0.0	0.0	1696.1	0.0	0.0		
0.0		Min	0.0	0.0	885.4	0.0	0.0		
0.0	SLEF2	Max	0.0	0.0	1668.0	0.0	0.0		
0.0		Min	0.0	0.0	857.3	0.0	0.0		
0.0	SLEF3	Max	0.0	0.0	1366.8	0.0	0.0		
0.0		Min	0.0	0.0	892.9	0.0	0.0		
0.0	SLEF4	Max	0.0	0.0	1338.7	0.0	0.0		
0.0		Min	0.0	0.0	864.8	0.0	0.0		
0.0	SLER1	Max	0.0	0.0	2000.6	0.0	0.0		
0.0		Min	0.0	0.0	919.7	0.0	0.0		
0.0	SLER2	Max	0.0	0.0	1894.7	0.0	0.0		

PROJECT TITLE :

	Company				Client			
	Author				File Name		PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0		Min	0.0	0.0	813.8	0.0	0.0	
0.0	SLER3	Max	0.0	0.0	1752.2	0.0	0.0	
0.0		Min	0.0	0.0	941.6	0.0	0.0	
0.0	SLER4	Max	0.0	0.0	1611.9	0.0	0.0	
0.0		Min	0.0	0.0	801.2	0.0	0.0	
0.0	SLV1x		0.0	0.0	836.0	0.0	0.0	
0.0	SLV2x		0.0	0.0	811.9	0.0	0.0	
0.0	SLV3x		0.0	0.0	850.4	0.0	0.0	
0.0	SLV4x		0.0	0.0	826.3	0.0	0.0	
0.0	SLV5x		0.0	0.0	944.2	0.0	0.0	
0.0	SLV6x		0.0	0.0	920.1	0.0	0.0	
0.0	SLV7x		0.0	0.0	958.5	0.0	0.0	
0.0	SLV8x		0.0	0.0	934.4	0.0	0.0	
0.0	SLV1y (RS)		0.0	0.0	902.0	0.0	0.0	
0.0	SLV2y (RS)		0.0	0.0	934.5	0.0	0.0	
0.0	SLV3y (RS)		0.0	0.0	916.4	0.0	0.0	
0.0	SLV4y (RS)		0.0	0.0	948.8	0.0	0.0	
0.0	SLV5y (RS)		0.0	0.0	821.6	0.0	0.0	
0.0	SLV6y		0.0	0.0	854.1	0.0	0.0	
0.0	SLV7y		0.0	0.0	836.0	0.0	0.0	
0.0	SLV8y		0.0	0.0	868.4	0.0	0.0	
0.0	SLV1z		0.0	0.0	857.1	0.0	0.0	
0.0	SLV2z		0.0	0.0	889.6	0.0	0.0	
0.0	SLV3z		0.0	0.0	833.0	0.0	0.0	
0.0	SLV4z		0.0	0.0	865.5	0.0	0.0	
0.0	SLV5z		0.0	0.0	905.0	0.0	0.0	
0.0	SLV6z		0.0	0.0	937.4	0.0	0.0	
0.0	SLV7z (RS)		0.0	0.0	880.9	0.0	0.0	
0.0	SLV8z (RS)		0.0	0.0	913.3	0.0	0.0	
0.0	INVS LU	Max	0.0	0.0	2708.7	0.0	0.0	
0.0		Min	0.0	0.0	1071.1	0.0	0.0	

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	INVS LV	Max	0.0	0.0	958.5	0.0	0.0
0.0		Min	0.0	0.0	811.9	0.0	0.0

SUMMATION OF REACTION FORCES


LC	SUM-FX	SUM-FY	SUM-FZ
SLVx (RS)	-390.6	-6.3	-217.9
SLVy (RS)	-6.3	-503.6	-5.7
SLDx (RS)	-195.2	-3.2	-108.9
SLDy (RS)	-3.2	-251.5	-2.8
SLVz (RS)	92.1	5.3	-97.8
g1	0.0	0.0	2590.9
g2	-28.2	0.0	1253.7
q3	-469.5	0.0	-13.9
q5_pc	-0.0	-379.3	-0.0
q5_ps	-0.0	-336.9	-0.0
pp+perm	-28.2	0.0	3541.8
SLEQP	-28.2	0.0	3541.8
SLV1x	-393.1	-155.8	3292.8
SLV2x	-389.3	146.4	3296.2
SLV3x	-448.3	-159.0	3351.5

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

SLV4x	-444.5	143.2	3354.9
SLV5x	388.2	-143.2	3728.6
SLV6x	392.0	159.0	3732.0
SLV7x	332.9	-146.4	3787.3
SLV8x	336.7	155.8	3790.7
SLV1y (RS)	-124.0	-503.9	3441.4
SLV2y (RS)	110.3	-500.1	3572.1
SLV3y (RS)	-179.3	-507.1	3500.1
SLV4y (RS)	55.1	-503.3	3630.8
SLV5y (RS)	-111.4	503.3	3452.7
SLV6y	122.9	507.1	3583.4
SLV7y	-166.7	500.1	3511.4
SLV8y	67.7	503.9	3642.1
SLV1z	-55.2	-147.7	3376.9
SLV2z	179.2	-143.9	3507.6
SLV3z	-51.4	154.4	3380.3
SLV4z	183.0	158.2	3511.0
SLV5z	-239.3	-158.2	3572.5
SLV6z	-5.0	-154.4	3703.3
SLV7z (RS)	-235.6	143.9	3575.9
SLV8z (RS)	-1.2	147.7	3706.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

REACTION FORCES & MOMENTS LOCAL PRINTOUT.  
kN , m

Unit System :

---

Node	LC	FX	FY	FZ	MX	MY
MZ						

---

-----

---

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

PLATE ELEMENT FORCES (GLOBAL) DEFAULT PRINTOUT  
kN , m

Unit System :


ELEM	MAT MY	SEC MZ	LC	NODE	FX	FY	FZ	MX	
1	2	8	Q1-1-2	Max	3	0.0	0.0	0.0	0.0
	0.0	0.0			1	0.0	0.0	0.0	0.0
	0.0	0.0		2214	0.0	0.0	0.0	0.0	0.0
	0.0	0.0		2213	0.0	0.0	0.0	0.0	0.0
	0.0	0.0							
	0.0	0.0		Min	3	0.0	0.0	0.0	0.0
	0.0	0.0			1	0.0	0.0	0.0	0.0
	0.0	0.0		2214	0.0	0.0	0.0	0.0	0.0
	0.0	0.0		2213	0.0	0.0	0.0	0.0	0.0
	0.0	0.0							
	0.0	0.0		Max	3	0.0	0.0	0.0	0.0
	0.0	0.0			1	0.0	0.0	0.0	0.0
	0.0	0.0		2214	0.0	0.0	0.0	0.0	0.0
	0.0	0.0		2213	0.0	0.0	0.0	0.0	0.0
	0.0	0.0							
	0.0	0.0		Min	3	0.0	0.0	0.0	0.0
	0.0	0.0			1	0.0	0.0	0.0	0.0
	0.0	0.0		2214	0.0	0.0	0.0	0.0	0.0
	0.0	0.0		2213	0.0	0.0	0.0	0.0	0.0
	0.0	0.0							
	0.2	0.0		SLVx (RS)	3	-6.9	0.0	-1.1	-0.0
	-0.6	0.0			1	-14.8	0.0	16.6	0.0
	-1.1	0.0		2214	14.5	-0.1	13.5	-0.0	-0.0
	0.7	-0.0		2213	6.1	-0.0	-7.4	-0.0	-0.0
	-0.3	0.0		SLVy (RS)	3	-14.0	-0.2	0.9	0.0
	0.6	0.0			1	-31.6	-3.7	27.1	0.3
	-2.0	-0.0		2214	36.7	3.8	-11.9	0.3	0.3
	1.7	-0.0		2213	8.9	0.2	-16.3	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.1	0.0	SLDx (RS)	3	-3.4	0.0	-0.6	-0.0
-0.3	0.0		1	-7.4	0.0	8.3	0.0
-0.5	0.0		2214	7.3	-0.0	6.7	-0.0
0.4	-0.0		2213	3.0	-0.0	-3.7	-0.0
-0.2	0.0	SLDy (RS)	3	-7.0	-0.1	0.5	0.0
0.3	0.0		1	-15.8	-1.9	13.5	0.1
-1.0	-0.0		2214	18.3	1.9	-5.9	0.1
0.9	-0.0		2213	4.4	0.1	-8.1	0.0
0.1	-0.0	SLVz (RS)	3	1.6	-0.0	-0.3	0.0
-0.3	0.0		1	4.1	0.0	-6.7	0.0
0.4	0.0		2214	-3.8	-0.0	5.7	-0.0
-0.3	0.0		2213	-1.5	0.0	2.0	-0.0
-2.8	-0.0	g1	3	-18.1	-0.1	10.0	-0.0
7.6	-0.0		1	-107.9	0.0	193.7	-0.0
-12.2	-0.0		2214	88.2	0.0	-152.0	0.1
7.4	0.0		2213	37.8	0.1	-51.6	0.0
-1.4	-0.0	g2	3	-9.4	-0.0	5.0	-0.0
3.7	-0.0		1	-53.4	0.0	94.4	-0.0
-6.0	-0.0		2214	43.9	0.0	-73.7	0.0
3.7	0.0		2213	18.8	0.0	-25.8	0.0
-0.0	0.0	q3	3	-7.8	0.0	-0.2	-0.0
-0.1	0.0		1	-12.9	0.0	3.7	-0.0
-0.4	0.0		2214	14.9	-0.0	3.3	-0.0
0.4	-0.0		2213	5.9	-0.0	-6.7	-0.0
0.0	0.0	q5_pc	3	-6.1	-0.3	-0.2	0.0
-0.3	0.0		1	-8.7	-2.9	-0.8	0.2

PROJECT TITLE :

			Company	Client				
			Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.1	-0.0			2214	12.9	2.8	5.9	0.2
0.4	-0.0			2213	1.9	0.2	-4.8	0.0
-0.0	0.0	q5_ps		3	-5.9	-0.2	-0.1	0.0
-0.2	0.0			1	-9.6	-2.5	2.0	0.2
-0.3	-0.0			2214	13.3	2.5	3.3	0.2
0.5	-0.0			2213	2.3	0.2	-5.2	0.0
-5.1	0.0	INVSLU	Max	3	-16.8	0.2	19.1	-0.0
14.4	-0.0			1	-167.9	3.8	357.5	0.2
-21.7	0.0			2214	183.9	3.8	-272.2	0.4
14.4	0.0			2213	68.7	0.4	-79.8	0.1
-5.1	-0.0		Min	3	-42.5	-0.5	18.4	-0.1
13.7	-0.0			1	-209.9	-3.8	347.8	-0.4
-22.8	-0.0			2214	129.1	-3.7	-287.2	-0.2
12.6	-0.0			2213	55.6	-0.2	-102.3	0.1
-3.4	0.0	INVSLV	Max	3	-7.9	0.1	15.5	-0.0
11.3	0.0			1	-108.6	3.8	298.1	0.2
-14.2	0.0			2214	162.0	3.8	-188.9	0.3
12.2	0.0			2213	61.7	0.3	-51.1	0.1
-4.3	-0.0		Min	3	-40.9	-0.3	12.5	-0.1
9.5	-0.0			1	-183.2	-3.8	229.9	-0.3
-19.1	-0.0			2214	77.5	-3.7	-226.4	-0.2
8.1	-0.0			2213	39.4	-0.1	-89.3	0.0
2	2	8	Q1-1-2	Max	1	0.0	0.0	0.0
0.0	0.0			150	0.0	0.0	0.0	0.0
0.0	0.0			2215	0.0	0.0	0.0	0.0
0.0	0.0			2214	0.0	0.0	0.0	0.0
0.0	0.0			1	0.0	0.0	0.0	0.0
0.0	0.0		Min	150	0.0	0.0	0.0	0.0




PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0			2215	0.0	0.0	0.0	0.0
0.0	0.0			2214	0.0	0.0	0.0	0.0
0.0	0.0							
		Q2a-1-2	Max	1	0.0	0.0	0.0	0.0
0.0	0.0			150	0.0	0.0	0.0	0.0
0.0	0.0			2215	0.0	0.0	0.0	0.0
0.0	0.0			2214	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	1	0.0	0.0	0.0	0.0
0.0	0.0			150	0.0	0.0	0.0	0.0
0.0	0.0			2215	0.0	0.0	0.0	0.0
0.0	0.0			2214	0.0	0.0	0.0	0.0
0.0	0.0							
			SLVx (RS)	1	-29.4	-0.1	-23.3	0.0
0.7	-0.0			150	-10.6	-0.0	3.5	0.0
-0.5	0.0			2215	22.7	0.0	8.5	0.0
0.8	0.0			2214	16.6	0.1	14.0	-0.0
-1.0	0.0							
			SLVy (RS)	1	8.4	-4.6	17.3	0.3
-0.7	-0.0			150	-1.3	-1.3	0.7	0.1
0.5	0.0			2215	-12.2	1.2	-2.8	0.1
-0.4	0.0			2214	3.9	4.6	-14.1	0.3
0.6	0.0							
			SLDx (RS)	1	-14.7	-0.0	-11.7	0.0
0.4	-0.0			150	-5.3	-0.0	1.8	0.0
-0.3	0.0			2215	11.4	0.0	4.3	0.0
0.4	0.0			2214	8.3	0.0	7.0	-0.0
-0.5	0.0							
			SLDy (RS)	1	4.2	-2.3	8.6	0.2
-0.3	-0.0			150	-0.6	-0.6	0.4	0.1
0.3	0.0			2215	-6.1	0.6	-1.4	0.1
-0.2	0.0			2214	1.9	2.3	-7.1	0.2
0.3	0.0							

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
		SLVz (RS)	1	-9.6	0.0	-10.0	0.0
0.3	-0.0		150	-4.5	-0.0	1.4	0.0
-0.2	-0.0		2215	7.3	0.0	2.9	-0.0
0.3	0.0		2214	6.6	-0.0	6.1	-0.0
-0.4	-0.0						
		g1	1	149.3	-0.0	242.3	-0.1
-8.6	0.0		150	104.5	0.1	-27.5	-0.0
5.9	-0.0		2215	-114.8	-0.1	-49.0	0.0
-8.5	-0.0		2214	-138.9	0.0	-165.7	0.1
11.0	0.0						
		g2	1	71.3	-0.0	117.0	-0.0
-4.2	0.0		150	51.2	0.0	-13.0	-0.0
2.9	-0.0		2215	-55.0	-0.0	-23.9	0.0
-4.1	-0.0		2214	-67.5	0.0	-80.1	0.0
5.3	0.0						
		q3	1	-32.7	-0.0	-14.7	0.0
0.0	0.0		150	-7.0	-0.0	3.4	0.0
0.0	0.0		2215	25.3	0.0	9.1	-0.0
0.4	-0.0		2214	14.4	0.0	2.2	0.0
-0.4	0.0						
		q5_pc	1	-3.6	-3.4	-9.1	0.2
0.3	-0.0		150	-3.7	-1.1	2.2	0.1
-0.2	0.0		2215	0.5	1.1	-0.1	0.1
0.3	0.0		2214	6.7	3.3	7.0	0.3
-0.5	0.0						
		q5_ps	1	-1.7	-3.0	-5.1	0.2
0.2	-0.0		150	-2.5	-1.0	1.6	0.1
-0.1	-0.0		2215	-0.9	1.0	-0.5	0.1
0.2	0.0		2214	5.1	2.9	4.0	0.2
-0.3	0.0						
		INVSLU Max	1	300.0	4.4	462.1	0.2
-15.7	0.0		150	234.0	1.8	-54.3	0.0
11.3	-0.0		2215	-208.1	1.2	-85.5	0.2
-14.4	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

20.4	0.0			2214	-258.8	4.5	-285.9	0.4
			Min	1	249.3	-4.5	426.0	-0.4
-16.3	-0.0			150	217.6	-1.4	-63.3	-0.2
11.0	-0.0			2215	-244.2	-1.7	-98.5	-0.0
-15.4	-0.0			2214	-292.0	-4.3	-301.4	-0.2
19.0	-0.0							
		INVSLV	Max	1	245.6	4.6	364.4	0.2
-10.8	0.0			150	167.2	1.4	-36.2	0.0
8.9	-0.0			2215	-138.1	1.1	-59.5	0.2
-10.4	0.0			2214	-179.2	4.7	-202.5	0.4
16.2	0.0							
			Min	1	176.0	-4.7	301.4	-0.4
-12.8	-0.0			150	142.6	-1.2	-44.5	-0.2
7.4	-0.0			2215	-195.3	-1.4	-80.1	-0.1
-12.4	-0.0			2214	-218.7	-4.6	-242.8	-0.3
13.7	-0.0							
6	2	4	Q1-1-2	Max	10	0.0	0.0	0.0
0.0	0.0				462	0.0	0.0	0.0
0.0	0.0				2223	0.0	0.0	0.0
0.0	0.0				2222	0.0	0.0	0.0
0.0	0.0							
			Min	10	0.0	0.0	0.0	0.0
0.0	0.0				462	0.0	0.0	0.0
0.0	0.0				2223	0.0	0.0	0.0
0.0	0.0				2222	0.0	0.0	0.0
0.0	0.0							
			Q2a-1-2	Max	10	0.0	0.0	0.0
0.0	0.0				462	0.0	0.0	0.0
0.0	0.0				2223	0.0	0.0	0.0
0.0	0.0				2222	0.0	0.0	0.0
0.0	0.0							
			Min	10	0.0	0.0	0.0	0.0
0.0	0.0				462	0.0	0.0	0.0
0.0	0.0				2223	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		2222	0.0	0.0	0.0	0.0
		SLVx (RS)	10	14.1	-0.0	2.0	0.0
0.1	-0.0		462	5.5	-0.0	-2.2	0.0
-0.1	0.0		2223	-15.1	0.0	-2.1	-0.0
0.2	0.0		2222	-4.4	0.0	2.2	-0.0
-0.2	-0.0						
		SLVy (RS)	10	-2.0	-0.3	-0.8	0.1
0.0	-0.0		462	-4.3	-0.3	-0.4	0.1
-0.1	0.0		2223	-1.8	0.3	0.9	-0.0
0.1	0.0		2222	5.0	0.3	-0.4	-0.0
-0.1	-0.0						
		SLDx (RS)	10	7.0	-0.0	1.0	0.0
0.1	-0.0		462	2.7	-0.0	-1.1	0.0
-0.1	0.0		2223	-7.6	0.0	-1.0	-0.0
0.1	0.0		2222	-2.2	0.0	1.1	-0.0
-0.1	-0.0						
		SLDy (RS)	10	-1.0	-0.1	-0.4	0.0
0.0	-0.0		462	-2.2	-0.1	-0.2	0.0
-0.0	0.0		2223	-0.9	0.1	0.5	-0.0
0.1	0.0		2222	2.5	0.1	-0.2	-0.0
-0.0	-0.0						
		SLVz (RS)	10	6.2	0.0	0.9	0.0
0.1	-0.0		462	2.4	0.0	-1.0	0.0
-0.0	0.0		2223	-6.7	-0.0	-0.9	-0.0
0.1	0.0		2222	-1.9	-0.0	1.0	-0.0
-0.1	-0.0						
		g1	10	-131.7	0.0	-17.2	-0.0
-1.6	0.0		462	-47.2	0.0	21.8	-0.0
1.2	-0.0		2223	143.5	-0.0	17.5	0.0
-2.0	-0.0		2222	35.5	-0.0	-22.0	0.0
2.4	0.0						
		g2	10	-63.8	-0.0	-7.9	0.0
-0.8	-0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.6	0.0			462	-22.6	-0.0	11.0	0.0
-1.0	0.0			2223	69.5	0.0	8.0	-0.0
1.2	-0.0			2222	17.0	0.0	-11.1	-0.0
-0.0	0.0	q3		10	-3.4	0.0	-0.5	-0.0
0.0	-0.0			462	-1.4	0.0	0.6	-0.0
-0.0	-0.0			2223	3.7	-0.0	0.5	0.0
0.1	0.0			2222	1.2	-0.0	-0.6	0.0
0.1	-0.0	q5_pc		10	3.6	-0.6	0.3	0.1
-0.1	0.0			462	-0.2	-0.5	-0.6	0.1
0.1	0.0			2223	-4.2	0.4	-0.2	-0.0
-0.1	-0.0			2222	0.7	0.5	0.6	-0.0
0.1	-0.0	q5_ps		10	2.6	-0.5	0.1	0.1
-0.1	0.0			462	-0.5	-0.5	-0.5	0.1
0.1	0.0			2223	-3.2	0.4	-0.1	-0.0
-0.1	-0.0			2222	1.0	0.5	0.4	-0.0
-3.4	0.0	INVSLU	Max	10	-281.8	0.8	-35.2	0.2
3.2	0.0			462	-91.2	0.8	52.3	0.2
-5.1	0.0			2223	319.4	0.6	33.4	0.0
5.8	0.0			2222	69.6	0.7	-47.3	0.1
-3.6	-0.0		Min	10	-293.7	-0.8	-36.3	-0.2
3.0	-0.0			462	-94.0	-0.7	50.2	-0.2
-5.4	-0.0			2223	306.0	-0.6	32.4	-0.1
5.5	-0.0			2222	65.5	-0.7	-49.2	-0.1
-2.3	0.0	INVSLV	Max	10	-186.2	0.3	-23.2	0.1
2.2	0.0			462	-61.2	0.3	38.0	0.1
-3.3	0.0			2223	237.7	0.3	27.1	0.0
4.1	0.0			2222	58.4	0.3	-31.4	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


			Min	10	-219.3	-0.3	-28.3	-0.1
-2.6	-0.0			462	-76.2	-0.3	32.7	-0.1
1.9	-0.0			2223	202.3	-0.3	21.9	-0.0
-3.7	-0.0			2222	44.5	-0.3	-36.6	-0.0
3.6	-0.0							
7	2	8	Q1-1-2	Max	2	0.0	0.0	0.0
0.0	0.0	0.0			4	0.0	0.0	0.0
0.0	0.0	0.0			2225	0.0	0.0	0.0
0.0	0.0	0.0			2224	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	2	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4	0.0	0.0	0.0
0.0	0.0	0.0			2225	0.0	0.0	0.0
0.0	0.0	0.0			2224	0.0	0.0	0.0
0.0	0.0	0.0						
			Q2a-1-2	Max	2	0.0	0.0	0.0
0.0	0.0	0.0			4	0.0	0.0	0.0
0.0	0.0	0.0			2225	0.0	0.0	0.0
0.0	0.0	0.0			2224	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	2	0.0	0.0	0.0	0.0
0.0	0.0	0.0			4	0.0	0.0	0.0
0.0	0.0	0.0			2225	0.0	0.0	0.0
0.0	0.0	0.0			2224	0.0	0.0	0.0
0.0	0.0	0.0						
			SLVx (RS)	2	-7.9	-0.0	-15.8	0.0
0.6	-0.0	0.0			4	-1.8	-0.0	-1.0
-0.2	0.0	0.0			2225	3.0	-0.0	4.2
0.6	0.0	0.0			2224	6.7	0.0	12.5
-1.0	0.0	0.0						-0.0
			SLVy (RS)	2	29.5	-3.7	27.0	0.3
-0.6	-0.0	0.0			4	14.7	-0.2	1.8
0.3	-0.0	0.0			2225	-8.4	0.2	-16.4
-1.6	0.0	0.0			2224	-35.8	3.8	-12.6
1.9	0.0	0.0						0.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.3	-0.0	SLDx (RS)	2	-4.0	-0.0	-7.9	0.0
-0.1	0.0		4	-0.9	-0.0	-0.5	0.0
0.3	0.0		2225	1.5	-0.0	2.1	0.0
-0.5	0.0		2224	3.3	0.0	6.3	-0.0
-0.3	-0.0	SLDy (RS)	2	14.7	-1.9	13.5	0.1
0.2	-0.0		4	7.4	-0.1	0.9	0.0
-0.8	0.0		2225	-4.2	0.1	-8.2	0.0
0.9	0.0		2224	-17.9	1.9	-6.3	0.1
0.3	-0.0	SLVz (RS)	2	-3.5	0.0	-7.0	0.0
-0.1	0.0		4	-0.8	0.0	-0.4	0.0
0.3	0.0		2225	1.3	-0.0	1.9	-0.0
-0.4	-0.0		2224	2.9	-0.0	5.6	-0.0
-7.6	0.0	g1	2	97.1	0.0	192.2	-0.0
2.8	-0.0		4	22.0	-0.1	11.2	-0.0
-7.0	0.0		2225	-36.7	0.0	-51.5	0.0
11.8	0.0		2224	-82.4	0.0	-151.8	0.1
-3.7	0.0	g2	2	47.3	0.0	93.3	-0.0
1.4	-0.0		4	10.8	-0.0	5.6	-0.0
-3.4	0.0		2225	-17.9	0.0	-25.3	0.0
5.7	0.0		2224	-40.2	0.0	-73.6	0.0
-0.1	0.0	q3	2	1.9	0.0	3.7	-0.0
0.1	-0.0		4	0.4	-0.0	0.2	-0.0
-0.1	0.0		2225	-0.7	0.0	-1.0	0.0
0.2	0.0		2224	-1.6	0.0	-2.9	0.0
0.3	-0.0	q5_pc	2	8.0	-2.8	-0.8	0.2
-0.0	-0.0		4	5.9	-0.3	0.1	0.0

PROJECT TITLE :

			Company	Client				
			Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.3	0.0		2225	-1.6	0.2	-4.6	0.0	
0.1	0.0		2224	-12.3	2.8	5.3	0.2	
0.2	-0.0	q5_ps	2	8.9	-2.5	2.0	0.2	
0.0	-0.0		4	5.9	-0.3	0.3	0.0	
-0.4	0.0		2225	-2.1	0.2	-5.1	0.0	
0.2	0.0		2224	-12.8	2.5	2.8	0.2	
-13.8	0.0	INVSLU Max	2	174.3	3.8	352.9	0.2	
5.2	-0.0		4	39.1	0.2	21.1	-0.0	
-11.7	0.0		2225	-51.6	0.3	-76.8	0.1	
21.8	0.0		2224	-115.0	3.8	-277.2	0.4	
-14.6	-0.0	Min	2	145.7	-3.8	343.0	-0.4	
5.1	-0.0		4	20.9	-0.5	20.0	-0.1	
-13.1	-0.0		2225	-58.5	-0.2	-93.2	0.1	
20.9	0.0		2224	-154.9	-3.7	-290.6	-0.2	
-9.5	0.0	INVSLV Max	2	162.6	3.8	295.1	0.2	
4.3	0.0		4	44.3	0.1	17.7	-0.0	
-7.6	0.0		2225	-38.5	0.3	-51.0	0.1	
18.3	0.0		2224	-71.5	3.8	-189.4	0.3	
-11.3	-0.0	Min	2	96.8	-3.7	227.4	-0.3	
3.4	-0.0		4	13.2	-0.3	13.3	-0.1	
-11.4	-0.0		2225	-58.0	-0.1	-87.4	0.0	
13.7	-0.0		2224	-148.9	-3.7	-225.5	-0.2	
9	2	8	Q1-1-2 Max	18	0.0	0.0	0.0	0.0
0.0	0.0			152	0.0	0.0	0.0	0.0
0.0	0.0			153	0.0	0.0	0.0	0.0
0.0	0.0			71	0.0	0.0	0.0	0.0
0.0	0.0		Min	18	0.0	0.0	0.0	0.0
0.0	0.0			152	0.0	0.0	0.0	0.0




PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		153	0.0	0.0	0.0	0.0
0.0	0.0		71	0.0	0.0	0.0	0.0
0.0	0.0						
		Q2a-1-2	Max	18	0.0	0.0	0.0
0.0	0.0			152	0.0	0.0	0.0
0.0	0.0			153	0.0	0.0	0.0
0.0	0.0			71	0.0	0.0	0.0
0.0	0.0						
			Min	18	0.0	0.0	0.0
0.0	0.0			152	0.0	0.0	0.0
0.0	0.0			153	0.0	0.0	0.0
0.0	0.0			71	0.0	0.0	0.0
0.0	0.0						
			SLVx (RS)	18	-4.2	-0.0	-9.6
0.4	0.0			152	7.3	-0.0	-3.4
-0.5	-0.0			153	5.4	-0.0	8.7
-0.3	-0.0			71	-6.1	-0.0	2.3
-0.2	0.0						
			SLVy (RS)	18	-2.2	-0.1	5.7
-0.7	-0.0			152	-2.5	0.2	8.8
0.7	-0.0			153	-1.5	-0.0	-5.1
-0.2	-0.0			71	5.4	-0.1	-9.3
0.2	-0.0						
			SLDx (RS)	18	-2.1	-0.0	-4.8
0.2	0.0			152	3.7	-0.0	-1.7
-0.2	-0.0			153	2.7	-0.0	4.4
-0.2	-0.0			71	-3.0	-0.0	1.2
-0.1	0.0						
			SLDy (RS)	18	-1.1	-0.0	2.8
-0.3	-0.0			152	-1.2	0.1	4.4
0.4	-0.0			153	-0.8	-0.0	-2.5
-0.1	-0.0			71	2.7	-0.0	-4.7
0.1	-0.0						

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
		SLVz (RS)	18	-1.7	-0.0	-3.9	0.0
0.2	-0.0		152	-2.7	-0.0	0.9	0.0
-0.2	0.0		153	2.2	0.0	3.7	-0.0
0.1	0.0		71	2.2	0.0	-0.6	0.0
-0.1	-0.0						
		g1	18	45.8	0.0	110.1	-0.0
-5.2	0.0		152	71.7	0.0	-15.7	-0.0
5.4	-0.0		153	-60.0	-0.0	-101.4	0.0
-3.4	-0.0		71	-57.5	-0.0	7.3	-0.0
3.1	0.0						
		g2	18	23.1	0.0	56.6	-0.0
-2.7	-0.0		152	36.1	0.0	-7.0	-0.0
2.8	-0.0		153	-29.6	0.0	-52.0	0.0
-1.9	-0.0		71	-29.6	-0.0	2.4	0.0
1.7	-0.0						
		q3	18	0.6	0.0	2.0	-0.0
0.0	0.0		152	4.1	0.0	-3.4	-0.0
0.1	-0.0		153	-0.9	-0.0	-1.2	0.0
-0.2	-0.0		71	-3.7	0.0	2.6	-0.0
0.0	0.0						
		q5_pc	18	-4.0	-0.3	-5.4	-0.0
0.1	-0.1		152	-4.8	0.2	4.3	-0.0
-0.0	-0.0		153	2.6	-0.1	4.5	0.0
0.2	-0.0		71	6.2	-0.2	-3.4	-0.0
-0.2	-0.1						
		q5_ps	18	-3.2	-0.3	-3.1	-0.0
-0.0	-0.1		152	-3.7	0.2	4.2	-0.0
0.1	-0.0		153	1.8	-0.1	2.6	0.0
0.1	-0.0		71	5.0	-0.2	-3.7	-0.0
-0.1	-0.1						
		INVSLU Max	18	126.3	0.6	194.5	0.0
-6.3	0.1		152	146.6	0.4	-73.5	0.0
4.2	0.0		153	-155.8	0.1	-174.3	-0.0
0.1	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

2.7	0.1			71	-91.7	0.2	79.9	-0.0
			Min	18	116.3	-0.4	182.1	-0.0
-6.5	-0.1			152	131.2	-0.3	-89.7	-0.0
3.9	-0.0			153	-162.3	-0.2	-184.0	-0.0
-0.4	-0.0			71	-110.6	-0.5	66.1	-0.1
2.3	-0.1							
		INVSLV	Max	18	80.5	0.1	165.1	0.0
-5.6	0.0			152	105.5	0.2	-24.1	0.0
6.8	0.0			153	-90.9	0.0	-126.2	0.0
-2.5	0.0			71	-65.9	0.1	29.6	0.0
3.8	0.0							
			Min	18	69.8	-0.0	140.2	-0.0
-7.3	-0.0			152	87.8	-0.2	-44.2	-0.0
5.0	-0.0			153	-104.0	-0.0	-148.9	-0.0
-3.4	-0.0			71	-82.7	-0.1	9.2	-0.0
3.1	-0.0							
16	2	10	Q1-1-2	Max	29	0.0	0.0	0.0
0.0	0.0	0.0			342	0.0	0.0	0.0
0.0	0.0	0.0			2233	0.0	0.0	0.0
0.0	0.0	0.0			2232	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	29	0.0	0.0	0.0	0.0
0.0	0.0	0.0			342	0.0	0.0	0.0
0.0	0.0	0.0			2233	0.0	0.0	0.0
0.0	0.0	0.0			2232	0.0	0.0	0.0
0.0	0.0	0.0						
			Q2a-1-2	Max	29	0.0	0.0	0.0
0.0	0.0	0.0			342	0.0	0.0	0.0
0.0	0.0	0.0			2233	0.0	0.0	0.0
0.0	0.0	0.0			2232	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	29	0.0	0.0	0.0	0.0
0.0	0.0	0.0			342	0.0	0.0	0.0
0.0	0.0	0.0			2233	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		2232	0.0	0.0	0.0	0.0
-0.1	0.0	SLVx (RS)	29	-7.3	-0.0	-1.6	-0.0
0.1	0.0		342	-6.1	-0.0	0.5	0.0
0.1	0.0		2233	7.1	0.0	1.2	-0.0
-0.1	0.0		2232	5.9	0.0	-0.9	-0.0
0.1	0.0	SLVy (RS)	29	1.1	0.3	-0.6	-0.0
-0.1	0.0		342	-2.0	-0.0	-0.5	0.0
0.1	0.0		2233	-1.2	0.0	0.7	-0.0
-0.1	-0.0		2232	2.1	-0.3	-0.3	-0.0
-0.0	0.0	SLDx (RS)	29	-3.7	-0.0	-0.8	-0.0
0.0	0.0		342	-3.0	-0.0	0.2	0.0
0.0	0.0		2233	3.5	0.0	0.6	-0.0
-0.0	0.0		2232	2.9	0.0	-0.4	-0.0
0.0	0.0	SLDy (RS)	29	0.6	0.1	-0.3	-0.0
-0.0	0.0		342	-1.0	-0.0	-0.3	0.0
0.0	0.0		2233	-0.6	0.0	0.4	-0.0
-0.0	-0.0		2232	1.0	-0.1	-0.1	-0.0
0.0	-0.0	SLVz (RS)	29	3.1	-0.0	0.6	0.0
-0.0	0.0		342	-2.6	0.0	0.2	0.0
0.0	0.0		2233	-3.0	0.0	-0.5	-0.0
-0.0	-0.0		2232	2.6	0.0	-0.4	-0.0
-1.0	0.0	g1	29	-61.9	-0.0	-10.2	-0.0
1.0	-0.0		342	54.3	0.0	-0.4	-0.0
-1.0	-0.0		2233	60.2	-0.0	6.0	0.0
1.0	0.0		2232	-52.6	0.0	4.6	0.0
-0.5	0.0	g2	29	-28.8	0.0	-4.5	-0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

0.5	-0.0			342	27.5	-0.0	0.4	-0.0
				2233	27.9	0.0	1.6	0.0
-0.5	-0.0			2232	-26.5	-0.0	2.4	0.0
0.5	0.0							
		q3		29	-3.3	-0.0	-0.7	-0.0
-0.0	0.0			342	0.9	-0.0	0.3	-0.0
0.0	0.0			2233	3.4	0.0	0.5	0.0
-0.0	-0.0			2232	-1.0	0.0	-0.2	0.0
0.0	0.0							
		q5_pc		29	2.4	0.1	2.6	0.0
-0.1	0.0			342	-1.6	-0.2	0.3	0.0
0.1	0.0			2233	-2.3	0.1	-0.7	-0.0
-0.1	0.0			2232	1.6	-0.1	-2.3	-0.0
0.1	-0.0							
		q5_ps		29	2.3	0.1	2.5	0.0
-0.1	0.0			342	-1.1	-0.2	0.3	0.0
0.1	0.0			2233	-2.3	0.1	-0.8	-0.0
-0.1	0.0			2232	1.0	-0.1	-2.1	-0.0
0.1	-0.0							
		INVSLU	Max	29	-131.7	0.1	-17.2	0.0
-2.0	0.0			342	118.3	0.3	0.7	0.0
2.2	0.0			2233	133.8	0.1	14.9	0.0
-2.1	0.0			2232	-105.8	0.2	11.3	0.0
2.4	0.0							
			Min	29	-142.1	-0.1	-25.6	-0.0
-2.3	-0.0			342	114.0	-0.3	-0.6	-0.1
1.9	-0.0			2233	123.5	-0.2	11.9	-0.0
-2.3	-0.0			2232	-110.0	-0.2	4.9	-0.0
2.1	-0.0							
		INVSLV	Max	29	-84.2	0.3	-13.0	0.0
-1.4	0.0			342	92.9	0.0	1.0	0.0
1.6	0.0			2233	95.9	0.0	8.6	0.0
-1.5	0.0			2232	-72.9	0.3	8.7	0.0
1.7	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


				Min	29	-101.4	-0.3	-16.8	-0.0
-1.6	-0.0				342	78.0	-0.0	-0.4	-0.0
1.4	-0.0				2233	79.2	-0.0	5.5	-0.0
-1.7	-0.0				2232	-87.5	-0.3	6.6	-0.0
1.5	-0.0								
18	2	10	Q1-1-2	Max	30	0.0	0.0	0.0	0.0
0.0	0.0	0.0			356	0.0	0.0	0.0	0.0
0.0	0.0	0.0			363	0.0	0.0	0.0	0.0
0.0	0.0	0.0			78	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	30	0.0	0.0	0.0	0.0
0.0	0.0	0.0			356	0.0	0.0	0.0	0.0
0.0	0.0	0.0			363	0.0	0.0	0.0	0.0
0.0	0.0	0.0			78	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	30	0.0	0.0	0.0	0.0
0.0	0.0	0.0			356	0.0	0.0	0.0	0.0
0.0	0.0	0.0			363	0.0	0.0	0.0	0.0
0.0	0.0	0.0			78	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	30	0.0	0.0	0.0	0.0
0.0	0.0	0.0			356	0.0	0.0	0.0	0.0
0.0	0.0	0.0			363	0.0	0.0	0.0	0.0
0.0	0.0	0.0			78	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			SLVx (RS)		30	-6.4	-0.0	-1.2	0.0
-0.4	0.0	0.0			356	-5.5	-0.0	0.5	0.0
0.4	-0.0	0.0			363	4.0	0.0	1.0	0.0
-0.4	-0.0	0.0			78	-2.9	0.0	-0.8	-0.0
0.4	0.0	0.0							
			SLVy (RS)		30	9.1	-0.1	1.5	0.0
0.7	-0.0	0.0			356	-9.4	0.1	0.6	-0.0
-0.8	-0.0	0.0			363	-9.5	0.0	-0.9	0.0
0.7	-0.0	0.0			78	9.9	-0.0	-1.3	-0.0
-0.7	-0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.2	0.0	SLDx (RS)	30	-3.2	-0.0	-0.6	0.0
0.2	-0.0		356	-2.7	-0.0	0.3	0.0
-0.2	-0.0		363	2.0	0.0	0.5	0.0
0.2	0.0		78	-1.4	0.0	-0.4	-0.0
0.3	-0.0	SLDy (RS)	30	4.6	-0.1	0.8	0.0
-0.4	-0.0		356	-4.7	0.1	0.3	-0.0
0.4	-0.0		363	-4.8	0.0	-0.4	0.0
-0.3	-0.0		78	4.9	-0.0	-0.6	-0.0
0.1	0.0	SLVz (RS)	30	2.4	-0.0	0.4	0.0
-0.1	0.0		356	-2.3	-0.0	0.1	0.0
0.1	-0.0		363	-1.3	0.0	-0.3	0.0
-0.1	0.0		78	1.1	0.0	-0.1	0.0
-2.9	-0.0	g1	30	-49.1	0.0	-3.1	-0.0
2.9	0.0		356	46.7	0.0	2.8	-0.0
-3.0	0.0		363	25.1	-0.0	1.8	-0.0
3.0	-0.0		78	-22.8	-0.0	-1.1	-0.0
-1.7	-0.0	g2	30	-22.9	-0.0	3.7	-0.0
1.7	-0.0		356	23.4	0.0	4.0	-0.0
-1.9	-0.0		363	12.1	0.0	-3.4	0.0
1.9	-0.0		78	-12.5	-0.0	-4.4	0.0
-0.2	0.0	q3	30	-4.7	0.0	-1.7	-0.0
0.2	-0.0		356	1.6	0.0	1.4	-0.0
-0.2	-0.0		363	4.1	-0.0	1.7	-0.0
0.2	0.0		78	-1.0	-0.0	-1.5	-0.0
0.6	-0.1	q5_pc	30	6.1	-0.3	-0.7	0.0
-0.6	-0.0		356	-7.2	0.1	-0.0	-0.0

PROJECT TITLE :

		Company			Client				
		Author			File Name				
							PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.6	-0.0			363	-6.6	-0.0	0.7	0.0	
-0.6	-0.1			78	7.7	-0.2	-0.1	-0.0	
			q5_ps	30	5.4	-0.3	0.5	0.0	
0.4	-0.1			356	-6.2	0.1	0.5	-0.0	
-0.4	-0.0			363	-5.8	-0.0	-0.1	0.0	
0.5	-0.0			78	6.6	-0.2	-0.9	-0.0	
-0.5	-0.1								
			INVSLU	Max	30	214.6	0.6	-5.9	0.0
23.3	0.1			356	-203.1	0.3	-5.1	0.0	
-21.6	0.0			363	-300.1	0.1	2.3	-0.0	
23.2	0.0			78	330.2	0.2	16.3	-0.0	
-21.7	0.1								
				Min	30	193.6	-0.5	-9.5	-0.0
21.8	-0.1			356	-223.3	-0.2	-8.2	-0.0	
-23.2	-0.0			363	-321.5	-0.1	-1.4	-0.0	
21.5	-0.0			78	309.5	-0.4	12.2	-0.0	
-23.3	-0.1								
			INVSLV	Max	30	101.9	0.1	11.9	0.0
10.6	0.0			356	-79.9	0.2	5.2	0.0	
-9.0	0.0			363	-142.3	0.0	-8.5	-0.0	
10.4	0.0			78	166.1	0.0	-2.5	-0.0	
-8.5	0.0								
				Min	30	78.3	-0.1	7.9	-0.0
8.9	-0.0			356	-103.5	-0.1	3.6	-0.0	
-10.8	-0.0			363	-164.5	-0.0	-11.4	-0.0	
8.7	-0.0			78	144.0	-0.1	-5.6	-0.0	
-10.1	-0.0								
25	2	4	Q1-1-2	Max	35	0.0	0.0	0.0	0.0
0.0	0.0	0.0			470	0.0	0.0	0.0	0.0
0.0	0.0	0.0			474	0.0	0.0	0.0	0.0
0.0	0.0	0.0			83	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	35	0.0	0.0	0.0	0.0
0.0	0.0	0.0			470	0.0	0.0	0.0	0.0



PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

0.0	0.0		474	0.0	0.0	0.0	0.0	
0.0	0.0		83	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q2a-1-2	Max	35	0.0	0.0	0.0	0.0
0.0	0.0			470	0.0	0.0	0.0	
0.0	0.0			474	0.0	0.0	0.0	
0.0	0.0			83	0.0	0.0	0.0	
0.0	0.0							
			Min	35	0.0	0.0	0.0	0.0
0.0	0.0			470	0.0	0.0	0.0	
0.0	0.0			474	0.0	0.0	0.0	
0.0	0.0			83	0.0	0.0	0.0	
0.0	0.0							
			SLVx (RS)	35	13.6	-0.0	5.5	0.0
0.4	-0.0			470	2.5	-0.0	-5.2	0.0
-0.4	-0.0			474	-11.3	0.0	-5.9	0.0
0.4	-0.0			83	-4.7	0.0	5.6	0.0
-0.4	-0.0							
			SLVy (RS)	35	3.0	0.1	-4.1	-0.1
0.7	0.0			470	-14.0	0.1	3.6	-0.1
-0.7	-0.0			474	-2.9	-0.1	4.1	0.0
0.7	-0.0			83	14.0	-0.1	-3.7	0.0
-0.7	0.0							
			SLDx (RS)	35	6.8	-0.0	2.7	0.0
0.2	-0.0			470	1.3	-0.0	-2.6	0.0
-0.2	-0.0			474	-5.6	0.0	-2.9	0.0
0.2	-0.0			83	-2.3	0.0	2.8	0.0
-0.2	-0.0							
			SLDy (RS)	35	1.5	0.1	-2.0	-0.0
0.3	0.0			470	-7.0	0.0	1.8	-0.0
-0.4	-0.0			474	-1.5	-0.0	2.1	0.0
0.3	-0.0			83	7.0	-0.1	-1.8	0.0
-0.3	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
		SLVz (RS)	35	6.0	-0.0	2.4	0.0
0.2	-0.0		470	1.0	-0.0	-2.3	0.0
-0.2	0.0		474	-5.0	0.0	-2.6	0.0
0.2	-0.0		83	-2.1	0.0	2.5	0.0
-0.2	0.0						
		g1	35	-123.9	0.0	-42.0	-0.0
-4.7	-0.0		470	-12.6	0.0	49.8	-0.0
4.2	0.0		474	100.8	-0.0	45.8	-0.0
-4.1	0.0		83	35.7	-0.0	-53.1	-0.0
4.6	-0.0						
		g2	35	-59.6	-0.0	-19.5	-0.0
-2.3	0.0		470	-6.0	-0.0	24.5	-0.0
2.1	-0.0		474	48.3	0.0	21.3	0.0
-2.0	-0.0		83	17.2	0.0	-26.3	0.0
2.3	0.0						
		q3	35	-4.1	0.0	-1.5	-0.0
-0.2	0.0		470	-0.2	0.0	1.4	-0.0
0.1	-0.0		474	3.7	-0.0	1.6	-0.0
-0.1	0.0		83	0.6	-0.0	-1.5	-0.0
0.2	-0.0						
		q5_pc	35	6.4	0.0	0.0	-0.1
0.5	0.0		470	-6.2	0.0	-0.2	-0.1
-0.5	-0.0		474	-6.0	-0.3	-0.3	0.0
0.5	-0.0		83	5.8	-0.4	0.5	0.0
-0.5	0.0						
		q5_ps	35	5.2	0.0	-0.3	-0.1
0.5	0.0		470	-5.9	0.0	0.1	-0.1
-0.5	-0.0		474	-4.8	-0.3	0.1	0.0
0.4	-0.0		83	5.6	-0.4	0.1	0.0
-0.5	0.0						
		INVSLU Max	35	40.1	0.1	-72.4	0.2
16.4	0.0		470	-272.0	0.0	90.4	0.2
-15.0	0.0		474	-123.8	0.5	70.9	0.0
16.8	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-15.3	0.0			83	392.4	0.5	-83.0	0.0
			Min	35	20.4	-0.0	-74.8	-0.2
14.8	-0.0			470	-290.0	0.0	88.1	-0.2
-16.5	-0.0			474	-142.0	-0.5	68.2	-0.1
15.3	-0.0			83	375.0	-0.6	-85.9	-0.1
-16.8	-0.0							
		INVSLV	Max	35	-27.5	0.1	-49.5	0.1
6.3	0.0			470	-126.3	0.1	73.0	0.1
-4.7	0.0			474	-3.1	0.1	63.2	0.0
6.8	0.0			83	218.1	0.1	-56.6	0.0
-5.0	0.0							
			Min	35	-60.2	-0.1	-64.3	-0.1
4.6	-0.0			470	-156.4	-0.1	59.1	-0.1
-6.4	-0.0			474	-30.4	-0.1	47.4	-0.0
5.1	-0.0			83	186.0	-0.1	-71.4	-0.0
-6.7	-0.0							
27	2	8	Q1-1-2	Max	44	0.0	0.0	0.0
0.0	0.0	0.0			18	0.0	0.0	0.0
0.0	0.0	0.0			71	0.0	0.0	0.0
0.0	0.0	0.0			86	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	44	0.0	0.0	0.0	0.0
0.0	0.0	0.0			18	0.0	0.0	0.0
0.0	0.0	0.0			71	0.0	0.0	0.0
0.0	0.0	0.0			86	0.0	0.0	0.0
0.0	0.0	0.0						
			Q2a-1-2	Max	44	0.0	0.0	0.0
0.0	0.0	0.0			18	0.0	0.0	0.0
0.0	0.0	0.0			71	0.0	0.0	0.0
0.0	0.0	0.0			86	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	44	0.0	0.0	0.0	0.0
0.0	0.0	0.0			18	0.0	0.0	0.0
0.0	0.0	0.0			71	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	0.0		86	0.0	0.0	0.0	0.0
-0.7	-0.0	SLVx (RS)	44	1.0	-0.0	10.9	-0.0
0.8	-0.0		18	3.3	0.0	4.2	-0.0
-0.5	-0.0		71	-2.9	-0.0	-8.8	-0.0
0.4	-0.0		86	-1.3	0.0	-6.3	0.0
-0.9	-0.0	SLVy (RS)	44	1.5	0.0	12.2	-0.0
0.8	0.0		18	5.2	0.0	3.5	-0.0
-0.2	0.0		71	-6.3	-0.1	-10.9	-0.0
0.3	0.0		86	-0.5	0.0	-4.7	0.0
-0.3	-0.0	SLDx (RS)	44	0.5	-0.0	5.5	-0.0
0.4	-0.0		18	1.6	0.0	2.1	-0.0
-0.2	-0.0		71	-1.4	-0.0	-4.4	-0.0
0.2	-0.0		86	-0.7	0.0	-3.1	0.0
-0.4	-0.0	SLDy (RS)	44	0.7	0.0	6.1	-0.0
0.4	0.0		18	2.6	0.0	1.8	-0.0
-0.1	0.0		71	-3.1	-0.1	-5.4	-0.0
0.2	0.0		86	-0.2	0.0	-2.4	0.0
0.2	0.0	SLVz (RS)	44	-0.2	-0.0	-3.1	0.0
-0.2	-0.0		18	-1.0	-0.0	-1.4	0.0
0.1	-0.0		71	0.8	0.0	2.8	0.0
-0.1	-0.0		86	0.4	0.0	1.7	0.0
-5.9	-0.0	g1	44	5.4	0.0	84.7	-0.0
6.7	-0.0		18	27.9	0.0	43.7	-0.0
-4.0	0.0		71	-22.9	-0.0	-80.5	-0.0
3.3	0.0		86	-10.4	-0.0	-47.6	-0.0
-3.0	-0.0	g2	44	2.7	0.0	43.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

3.4	0.0			18	13.8	-0.0	23.1	-0.0
-2.1	0.0			71	-11.0	-0.0	-41.3	0.0
1.7	0.0			86	-5.4	-0.0	-24.8	0.0
			q3	44	1.0	-0.0	9.3	0.0
-0.5	-0.0			18	2.6	0.0	2.3	-0.0
0.6	-0.0			71	-2.4	-0.0	-6.3	-0.0
-0.4	-0.0			86	-1.2	0.0	-5.3	0.0
0.3	-0.0							
			q5_pc	44	0.6	-0.0	1.4	-0.0
-0.1	-0.0			18	1.7	-0.2	-3.0	-0.0
-0.1	0.0			71	-3.1	-0.2	0.3	-0.0
0.4	0.0			86	0.8	0.0	1.3	0.0
-0.1	0.0							
			q5_ps	44	0.6	-0.0	2.5	-0.0
-0.2	-0.0			18	1.9	-0.2	-1.7	-0.0
-0.0	0.0			71	-3.0	-0.2	-1.1	-0.0
0.2	0.0			86	0.5	0.0	0.3	0.0
-0.0	0.0							
			INVSLU Max	44	26.0	0.1	79.7	0.0
-5.0	-0.0			18	84.5	0.3	-28.7	-0.0
5.5	0.1			71	-69.8	0.2	-78.1	-0.0
3.2	0.1			86	-28.1	-0.0	50.0	-0.0
-1.6	0.0							
			Min	44	23.1	0.1	62.1	-0.0
-6.2	-0.0			18	76.3	-0.2	-37.3	-0.0
4.5	-0.1			71	-81.1	-0.5	-88.6	-0.1
2.0	-0.0			86	-31.2	-0.0	40.5	-0.0
-2.3	-0.0							
			INVSLV Max	44	10.7	0.1	120.4	0.0
-6.3	0.0			18	45.1	0.0	53.3	0.0
9.0	0.0			71	-26.3	0.1	-85.6	0.0
-3.6	0.0			86	-12.1	0.0	-43.1	0.0
4.2	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

			Min	44	6.9	0.0	87.7	-0.0
-8.6	-0.0			18	32.1	-0.0	41.9	-0.0
6.9	-0.0			71	-41.1	-0.1	-114.4	-0.0
-4.8	-0.0			86	-15.3	-0.1	-59.5	-0.0
3.2	-0.0							
28	2	8	Q1-1-2	Max	42	0.0	0.0	0.0
0.0	0.0	0.0			45	0.0	0.0	0.0
0.0	0.0	0.0			87	0.0	0.0	0.0
0.0	0.0	0.0			85	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	42	0.0	0.0	0.0	0.0
0.0	0.0	0.0		45	0.0	0.0	0.0	0.0
0.0	0.0	0.0		87	0.0	0.0	0.0	0.0
0.0	0.0	0.0		85	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			Q2a-1-2	Max	42	0.0	0.0	0.0
0.0	0.0	0.0			45	0.0	0.0	0.0
0.0	0.0	0.0			87	0.0	0.0	0.0
0.0	0.0	0.0			85	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	42	0.0	0.0	0.0	0.0
0.0	0.0	0.0		45	0.0	0.0	0.0	0.0
0.0	0.0	0.0		87	0.0	0.0	0.0	0.0
0.0	0.0	0.0		85	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			SLVx (RS)	42	2.3	0.0	-3.0	-0.0
0.5	0.0	0.0		45	0.4	-0.0	-6.3	-0.0
-0.4	-0.0	0.0		87	-0.8	0.0	3.2	0.0
0.2	0.0	0.0		85	-1.9	0.0	6.1	-0.0
-0.3	0.0	0.0						
			SLVy (RS)	42	-5.0	0.0	3.4	-0.0
-0.7	-0.0	0.0		45	-1.3	0.0	11.4	-0.0
0.9	-0.0	0.0		87	0.5	0.1	-4.3	0.0
-0.3	-0.0	0.0		85	6.0	-0.1	-10.3	-0.0
0.2	-0.0	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	42	1.2	0.0	-1.5	-0.0
0.3	0.0		45	0.2	-0.0	-3.1	-0.0
-0.2	-0.0		87	-0.4	0.0	1.6	0.0
0.1	0.0		85	-1.0	0.0	3.0	-0.0
-0.1	0.0						
		SLDy (RS)	42	-2.5	0.0	1.7	-0.0
-0.4	-0.0		45	-0.7	0.0	5.7	-0.0
0.4	-0.0		87	0.2	0.0	-2.2	0.0
-0.2	-0.0		85	3.0	-0.1	-5.2	-0.0
0.1	-0.0						
		SLVz (RS)	42	1.0	-0.0	-1.3	0.0
0.2	0.0		45	0.2	-0.0	-2.8	0.0
-0.2	0.0		87	-0.4	0.0	1.4	0.0
0.1	0.0		85	-0.8	0.0	2.7	0.0
-0.1	0.0						
		g1	42	-27.1	0.0	39.3	-0.0
-6.2	-0.0		45	-4.9	0.0	77.0	-0.0
5.5	-0.0		87	9.5	-0.0	-41.0	-0.0
-3.0	-0.0		85	22.5	-0.0	-74.9	-0.0
3.6	-0.0						
		g2	42	-13.2	-0.0	20.7	-0.0
-3.1	-0.0		45	-2.4	0.0	38.6	-0.0
2.8	-0.0		87	4.9	-0.0	-21.2	-0.0
-1.6	-0.0		85	10.7	-0.0	-38.2	0.0
1.9	-0.0						
		q3	42	-0.5	0.0	0.8	-0.0
-0.1	-0.0		45	-0.1	0.0	1.6	-0.0
0.1	-0.0		87	0.2	-0.0	-0.9	-0.0
-0.1	-0.0		85	0.4	-0.0	-1.5	-0.0
0.1	0.0						
		q5_pc	42	-1.6	-0.1	-2.9	-0.0
0.1	-0.0		45	-0.6	-0.0	1.1	-0.0
0.1	-0.0						

PROJECT TITLE :

MIDAS			Company	Client				
			Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.1	-0.0			87	-0.7	0.0	1.2	0.0
-0.4	-0.0			85	2.9	-0.2	0.5	-0.0
		q5_ps		42	-1.8	-0.2	-1.7	-0.0
0.0	-0.0			45	-0.6	-0.0	2.2	-0.0
0.2	-0.0			87	-0.5	0.0	0.3	0.0
0.0	-0.0			85	2.8	-0.2	-0.9	-0.0
-0.2	-0.0							
		INVSLU	Max	42	-71.4	0.3	-38.0	-0.0
-3.4	0.1			45	-22.1	0.1	51.1	0.0
4.8	0.0			87	27.1	-0.0	63.0	-0.0
2.8	-0.0			85	75.3	0.2	-64.7	-0.0
-3.2	0.0							
			Min	42	-77.2	-0.2	-44.3	-0.0
-3.8	-0.1			45	-23.9	0.1	42.9	-0.0
4.1	0.0			87	25.6	-0.0	59.6	-0.0
2.5	-0.0			85	66.5	-0.5	-68.9	-0.1
-4.0	-0.1							
		INVSLV	Max	42	-30.3	0.0	46.7	0.0
-6.2	0.0			45	-6.4	0.1	106.5	0.0
7.9	-0.0			87	13.2	0.0	-37.1	0.0
-2.9	0.0			85	39.0	0.1	-78.3	0.0
4.1	0.0							
			Min	42	-42.4	-0.0	37.3	-0.0
-8.1	-0.0			45	-9.4	0.0	78.3	-0.0
5.8	-0.0			87	11.0	-0.1	-48.5	-0.0
-3.7	-0.0			85	25.4	-0.1	-104.3	-0.0
3.3	-0.0							
29	2	8	Q1-1-2	Max	58	0.0	0.0	0.0
0.0	0.0			59	0.0	0.0	0.0	0.0
0.0	0.0			18	0.0	0.0	0.0	0.0
0.0	0.0			44	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	58	0.0	0.0	0.0	0.0
0.0	0.0			59	0.0	0.0	0.0	0.0



PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		18	0.0	0.0	0.0	0.0	
0.0	0.0		44	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q2a-1-2	Max	58	0.0	0.0	0.0	0.0
0.0	0.0			59	0.0	0.0	0.0	0.0
0.0	0.0			18	0.0	0.0	0.0	0.0
0.0	0.0			44	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	58	0.0	0.0	0.0	0.0
0.0	0.0			59	0.0	0.0	0.0	0.0
0.0	0.0			18	0.0	0.0	0.0	0.0
0.0	0.0			44	0.0	0.0	0.0	0.0
0.0	0.0							
			SLVx (RS)	58	0.6	0.0	12.4	0.0
-0.8	-0.0			59	2.2	-0.0	9.9	0.0
1.1	0.0			18	-0.4	0.0	-11.0	-0.0
-1.0	0.0			44	-0.9	0.0	-10.9	0.0
0.7	0.0							
			SLVy (RS)	58	0.2	-0.0	17.9	-0.0
-1.5	-0.0			59	5.0	0.1	19.3	-0.0
2.0	-0.0			18	-3.7	-0.1	-25.0	0.0
-1.4	0.0			44	-1.5	0.1	-12.2	0.0
0.9	0.0							
			SLDx (RS)	58	0.3	0.0	6.2	0.0
-0.4	-0.0			59	1.1	-0.0	4.9	0.0
0.5	0.0			18	-0.2	0.0	-5.5	-0.0
-0.5	0.0			44	-0.5	0.0	-5.5	0.0
0.3	0.0							
			SLDy (RS)	58	0.1	-0.0	8.9	-0.0
-0.7	-0.0			59	2.5	0.1	9.6	-0.0
1.0	-0.0			18	-1.8	-0.1	-12.5	0.0
-0.7	0.0			44	-0.7	0.0	-6.1	0.0
0.4	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
		SLVz (RS)	58	0.5	-0.0	-3.4	0.0
0.3	0.0		59	-0.7	-0.0	-3.6	0.0
-0.4	0.0		18	0.1	0.0	3.8	-0.0
0.3	-0.0		44	0.2	0.0	3.1	-0.0
-0.2	-0.0						
		g1	58	-13.9	0.0	90.4	-0.0
-7.5	-0.0		59	19.4	0.1	106.6	-0.0
10.4	-0.0		18	-0.1	-0.0	-112.0	0.0
-8.9	-0.0		44	-5.4	-0.0	-84.7	0.0
5.9	0.0						
		g2	58	-6.9	0.0	45.3	-0.0
-3.7	-0.0		59	9.2	0.0	53.2	-0.0
5.2	-0.0		18	0.4	-0.0	-55.5	0.0
-4.5	-0.0		44	-2.7	-0.0	-43.0	0.0
3.0	0.0						
		q3	58	-0.2	0.0	11.0	0.0
-0.6	-0.0		59	1.8	-0.0	4.6	0.0
0.7	0.0		18	-0.5	-0.0	-6.2	-0.0
-0.7	0.0		44	-1.0	0.0	-9.3	-0.0
0.5	0.0						
		q5_pc	58	0.4	-0.1	4.6	-0.0
-0.4	-0.0		59	2.4	-0.1	4.4	-0.0
0.6	0.0		18	-2.2	-0.3	-7.6	-0.0
-0.3	0.0		44	-0.6	0.0	-1.4	0.0
0.1	0.0						
		q5_ps	58	0.3	-0.1	5.3	-0.0
-0.5	-0.0		59	2.3	-0.1	5.5	-0.0
0.6	0.0		18	-1.9	-0.3	-8.4	-0.0
-0.4	0.0		44	-0.6	0.0	-2.5	0.0
0.2	0.0						
		INVSLU Max	58	-10.8	0.1	148.9	-0.0
-10.6	-0.0		59	74.7	0.3	130.6	-0.0
17.7	0.0		18	-31.3	0.3	-168.6	-0.0
-9.5	0.1						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

6.2	0.0			44	-23.1	-0.1	-62.1	0.0
			Min	58	-11.9	-0.0	121.7	-0.1
-12.6	-0.0			59	66.0	0.1	109.4	-0.1
15.1	-0.1			18	-37.6	-0.5	-200.0	-0.0
-11.3	-0.1			44	-26.0	-0.1	-79.7	-0.0
5.0	0.0							
		INVSLV	Max	58	-16.0	0.1	141.4	-0.0
-8.1	0.0			59	36.5	0.2	158.0	-0.0
16.1	-0.0			18	-1.3	0.1	-119.7	0.0
-9.4	0.0			44	-7.0	-0.0	-87.7	0.0
8.6	0.0							
			Min	58	-17.6	-0.0	96.2	-0.1
-11.7	-0.0			59	24.8	-0.0	111.3	-0.1
11.2	-0.0			18	-8.9	-0.2	-178.6	0.0
-13.0	-0.0			44	-10.6	-0.1	-120.4	-0.0
6.3	-0.0							
30	2	8	Q1-1-2	Max	59	0.0	0.0	0.0
0.0	0.0				151	0.0	0.0	0.0
0.0	0.0				152	0.0	0.0	0.0
0.0	0.0				18	0.0	0.0	0.0
0.0	0.0							
			Min	59	0.0	0.0	0.0	0.0
0.0	0.0				151	0.0	0.0	0.0
0.0	0.0				152	0.0	0.0	0.0
0.0	0.0				18	0.0	0.0	0.0
0.0	0.0							
		Q2a-1-2	Max	59	0.0	0.0	0.0	0.0
0.0	0.0				151	0.0	0.0	0.0
0.0	0.0				152	0.0	0.0	0.0
0.0	0.0				18	0.0	0.0	0.0
0.0	0.0							
			Min	59	0.0	0.0	0.0	0.0
0.0	0.0				151	0.0	0.0	0.0
0.0	0.0				152	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	0.0		18	0.0	0.0	0.0	0.0
		SLVx (RS)	59	-7.4	0.0	-14.5	-0.0
0.8	0.0		151	8.7	-0.0	1.0	-0.0
0.8	-0.0		152	7.4	-0.0	11.6	0.0
-0.7	-0.0		18	-7.0	0.0	2.0	0.0
0.6	0.0						
		SLVy (RS)	59	4.6	0.1	26.6	-0.0
-1.8	-0.0		151	2.3	0.0	9.8	-0.0
1.2	-0.0		152	-7.1	0.1	-16.5	0.0
-0.8	-0.0		18	1.8	-0.2	-19.9	0.0
1.4	-0.0						
		SLDx (RS)	59	-3.7	0.0	-7.3	-0.0
0.4	0.0		151	4.3	-0.0	0.5	-0.0
0.4	-0.0		152	3.7	-0.0	5.8	0.0
-0.3	-0.0		18	-3.5	0.0	1.0	0.0
0.3	0.0						
		SLDy (RS)	59	2.3	0.0	13.3	-0.0
-0.9	-0.0		151	1.2	0.0	4.9	-0.0
0.6	-0.0		152	-3.5	0.0	-8.2	0.0
-0.4	-0.0		18	0.9	-0.1	-9.9	0.0
0.7	-0.0						
		SLVz (RS)	59	-2.5	-0.0	-6.4	0.0
0.3	-0.0		151	-3.3	-0.0	0.3	0.0
-0.3	0.0		152	2.9	0.0	5.1	-0.0
0.2	0.0		18	2.7	0.0	1.0	-0.0
-0.3	-0.0						
		g1	59	43.0	0.0	166.3	-0.0
-9.7	-0.0		151	91.2	0.0	-1.8	-0.0
8.6	-0.0		152	-60.6	-0.0	-131.4	0.0
-6.2	-0.0		18	-73.6	-0.0	-32.8	0.0
7.3	0.0						
		g2	59	21.3	0.0	82.4	-0.0
-4.8	-0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

4.3	-0.0			151	45.6	0.0	-0.9	-0.0
-3.2	-0.0			152	-29.7	0.0	-65.6	0.0
3.7	-0.0			18	-37.2	-0.0	-16.0	0.0
0.1	0.0	q3		59	-8.4	0.0	-5.4	-0.0
0.3	-0.0			151	4.1	-0.0	-0.1	-0.0
-0.5	-0.0			152	7.0	-0.0	4.8	0.0
0.1	0.0			18	-2.6	0.0	0.8	0.0
-0.5	-0.1	q5_pc		59	-1.5	-0.2	4.7	-0.0
0.2	-0.0			151	-3.5	0.0	5.5	-0.0
-0.1	-0.0			152	0.5	0.1	-0.5	0.0
0.4	-0.1			18	4.6	-0.4	-9.7	-0.0
-0.6	-0.1	q5_ps		59	-0.7	-0.2	6.5	-0.0
0.3	-0.0			151	-2.3	0.0	5.1	-0.0
-0.1	-0.0			152	-0.4	0.1	-2.3	0.0
0.5	-0.1			18	3.4	-0.4	-9.4	-0.0
-15.7	0.1	INVSLU	Max	59	114.9	0.3	327.1	-0.0
14.4	0.0			151	218.7	0.1	-53.5	0.0
-8.0	0.0			152	-147.8	0.1	-252.4	0.0
12.1	0.1			18	-160.9	0.4	19.9	-0.0
-17.6	-0.1		Min	59	100.7	-0.1	302.0	-0.1
13.1	-0.0			151	206.5	0.1	-69.0	-0.1
-9.0	-0.0			152	-158.2	-0.2	-264.0	-0.0
10.7	-0.1			18	-173.7	-0.7	-9.1	-0.0
-10.8	0.0	INVSLV	Max	59	81.2	0.1	268.4	0.0
12.6	0.0			151	146.2	0.1	-8.7	0.0
-6.6	0.0			152	-88.5	0.1	-166.0	0.0
11.2	0.0			18	-100.3	0.1	-8.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


			Min	59	62.1	-0.1	202.7	-0.1
-15.1	-0.0			151	125.5	0.0	-29.1	-0.1
9.5	-0.0			152	-109.3	-0.1	-209.0	-0.0
-8.7	-0.0			18	-117.0	-0.2	-49.6	0.0
7.9	-0.0							
34	2	4	Q1-1-2	Max	67	0.0	0.0	0.0
0.0	0.0	0.0			466	0.0	0.0	0.0
0.0	0.0	0.0			470	0.0	0.0	0.0
0.0	0.0	0.0			35	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	67	0.0	0.0	0.0	0.0
0.0	0.0	0.0			466	0.0	0.0	0.0
0.0	0.0	0.0			470	0.0	0.0	0.0
0.0	0.0	0.0			35	0.0	0.0	0.0
0.0	0.0	0.0						
			Q2a-1-2	Max	67	0.0	0.0	0.0
0.0	0.0	0.0			466	0.0	0.0	0.0
0.0	0.0	0.0			470	0.0	0.0	0.0
0.0	0.0	0.0			35	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	67	0.0	0.0	0.0	0.0
0.0	0.0	0.0			466	0.0	0.0	0.0
0.0	0.0	0.0			470	0.0	0.0	0.0
0.0	0.0	0.0			35	0.0	0.0	0.0
0.0	0.0	0.0						
			SLVx (RS)	67	19.8	0.0	5.5	0.0
1.0	-0.0	0.0			466	4.4	0.0	-5.3
-0.9	0.0	0.0			470	-17.4	0.0	-5.9
0.9	0.0	0.0			35	-2.2	-0.0	5.8
-0.9	-0.0	0.0						
			SLVy (RS)	67	3.5	-0.1	-3.6	-0.0
0.7	0.0	0.0			466	-12.9	-0.1	2.9
-0.7	-0.0	0.0			470	-3.5	0.1	3.9
0.7	-0.0	0.0			35	13.0	0.1	-3.1
-0.6	0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.5	-0.0	SLDx (RS)	67	9.9	0.0	2.7	0.0
-0.5	0.0		466	2.2	0.0	-2.6	0.0
0.4	0.0		470	-8.7	0.0	-2.9	-0.0
-0.5	-0.0		35	-1.1	-0.0	2.9	-0.0
0.3	0.0	SLDy (RS)	67	1.8	-0.0	-1.8	-0.0
-0.4	-0.0		466	-6.4	-0.0	1.4	-0.0
0.4	-0.0		470	-1.8	0.0	1.9	0.0
-0.3	0.0		35	6.5	0.0	-1.5	0.0
0.4	-0.0	SLVz (RS)	67	8.7	-0.0	2.4	0.0
-0.4	0.0		466	-1.7	-0.0	-2.4	0.0
0.4	0.0		470	-7.7	0.0	-2.6	-0.0
-0.4	-0.0		35	0.7	0.0	2.6	-0.0
-9.8	0.0	g1	67	-186.4	0.0	-44.1	-0.0
9.6	-0.0		466	47.7	0.0	52.7	-0.0
-9.3	-0.0		470	163.2	-0.0	48.0	0.0
9.5	0.0		35	-24.5	-0.0	-56.2	0.0
-4.8	0.0	g2	67	-90.1	-0.0	-20.7	-0.0
4.7	-0.0		466	23.5	-0.0	25.8	-0.0
-4.5	-0.0		470	78.7	0.0	22.5	0.0
4.7	0.0		35	-12.0	0.0	-27.6	0.0
-0.3	0.0	q3	67	-5.1	0.0	-1.4	-0.0
0.2	-0.0		466	1.0	0.0	1.5	-0.0
-0.2	-0.0		470	4.7	-0.0	1.6	0.0
0.2	0.0		35	-0.5	-0.0	-1.6	0.0
0.6	0.0	q5_pc	67	7.6	-0.3	0.2	-0.1
-0.6	-0.0		466	-7.0	-0.2	-0.6	-0.1

PROJECT TITLE :

		Company				Client		
		Author				File Name		
0.6	-0.0			470	-7.2	-0.1	-0.3	0.1
-0.6	0.0			35	6.6	-0.0	0.7	0.1
			q5_ps					
0.5	0.0			67	6.1	-0.3	-0.2	-0.1
-0.5	-0.0			466	-6.4	-0.2	-0.2	-0.1
0.5	-0.0			470	-5.8	-0.1	0.1	0.1
-0.5	0.0			35	6.1	-0.0	0.3	0.1
			INVSLU	Max				
-6.8	0.0			67	-241.4	0.4	-80.2	0.1
9.2	0.0			466	-2.0	0.4	106.3	0.1
-6.7	0.0			470	161.3	0.1	81.5	0.2
8.0	0.0			35	124.3	0.0	-101.4	0.2
				Min				
-8.7	-0.0			67	-264.8	-0.4	-82.4	-0.1
7.3	-0.0			466	-22.3	-0.3	103.3	-0.1
-8.5	-0.0			470	139.3	-0.1	79.0	-0.2
6.2	-0.0			35	105.5	-0.1	-104.7	-0.2
			INVSLV	Max				
-7.0	0.0			67	-187.7	0.1	-54.5	0.0
9.8	0.0			466	29.7	0.1	83.0	0.0
-6.7	0.0			470	171.1	0.1	70.2	0.1
8.9	0.0			35	59.8	0.1	-68.6	0.1
				Min				
-9.6	-0.0			67	-234.7	-0.1	-69.1	-0.0
7.2	-0.0			466	0.2	-0.1	69.2	-0.0
-9.2	-0.0			470	129.6	-0.1	54.5	-0.1
6.5	-0.0			35	32.1	-0.1	-83.7	-0.1
35	2	8	Q1-1-2	Max				
0.0	0.0			69	0.0	0.0	0.0	0.0
0.0	0.0			70	0.0	0.0	0.0	0.0
0.0	0.0			45	0.0	0.0	0.0	0.0
0.0	0.0			42	0.0	0.0	0.0	0.0
				Min				
0.0	0.0			69	0.0	0.0	0.0	0.0
				70	0.0	0.0	0.0	0.0



PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

0.0	0.0		45	0.0	0.0	0.0	0.0	
0.0	0.0		42	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q2a-1-2	Max	69	0.0	0.0	0.0	0.0
0.0	0.0			70	0.0	0.0	0.0	0.0
0.0	0.0			45	0.0	0.0	0.0	0.0
0.0	0.0			42	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	69	0.0	0.0	0.0	0.0
0.0	0.0			70	0.0	0.0	0.0	0.0
0.0	0.0			45	0.0	0.0	0.0	0.0
0.0	0.0			42	0.0	0.0	0.0	0.0
0.0	0.0							
			SLVx (RS)	69	1.7	0.0	-8.0	-0.0
0.8	0.0			70	-1.1	-0.0	-7.0	-0.0
-0.6	-0.0			45	0.1	0.0	6.3	0.0
0.4	0.0			42	-0.2	0.0	8.8	-0.0
-0.7	-0.0							
			SLVy (RS)	69	-5.0	0.1	18.6	-0.0
-1.9	0.0			70	-0.1	-0.0	17.0	-0.0
1.4	0.0			45	1.3	0.1	-11.4	0.0
-0.9	0.0			42	3.8	-0.1	-24.3	0.0
1.4	-0.0							
			SLDx (RS)	69	0.8	0.0	-4.0	-0.0
0.4	0.0			70	-0.5	-0.0	-3.5	-0.0
-0.3	-0.0			45	0.0	0.0	3.1	0.0
0.2	0.0			42	-0.1	0.0	4.4	-0.0
-0.3	-0.0							
			SLDy (RS)	69	-2.5	0.1	9.3	-0.0
-1.0	0.0			70	-0.1	-0.0	8.5	-0.0
0.7	0.0			45	0.7	0.0	-5.7	0.0
-0.4	0.0			42	1.9	-0.1	-12.1	0.0
0.7	-0.0							

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
		SLVz (RS)	69	0.7	-0.0	-3.5	0.0
0.4	-0.0		70	-0.5	-0.0	-3.1	0.0
-0.3	0.0		45	-0.2	0.0	2.8	-0.0
0.2	-0.0		42	-0.1	0.0	3.9	-0.0
-0.3	-0.0						
		g1	69	-19.8	0.1	99.1	-0.0
-9.8	0.0		70	12.9	0.0	85.3	-0.0
7.0	-0.0		45	4.9	-0.0	-77.0	0.0
-5.5	0.0		42	2.0	-0.0	-107.2	0.0
8.3	0.0						
		g2	69	-9.3	0.0	49.3	-0.0
-4.8	0.0		70	6.4	0.0	42.2	-0.0
3.4	-0.0		45	2.4	-0.0	-38.6	0.0
-2.8	0.0		42	0.5	-0.0	-52.8	0.0
4.2	0.0						
		q3	69	-0.4	0.0	2.0	-0.0
-0.2	0.0		70	0.3	0.0	1.7	-0.0
0.1	-0.0		45	0.1	-0.0	-1.6	0.0
-0.1	0.0		42	0.0	-0.0	-2.1	0.0
0.2	0.0						
		q5_pc	69	-2.4	-0.0	4.3	-0.0
-0.5	-0.0		70	-0.3	-0.1	4.2	-0.0
0.4	-0.0		45	0.6	0.0	-1.1	0.0
-0.1	0.0		42	2.1	-0.3	-7.3	-0.0
0.3	-0.0						
		q5_ps	69	-2.2	-0.1	5.3	-0.0
-0.6	-0.0		70	-0.2	-0.1	5.0	-0.0
0.4	-0.0		45	0.6	0.0	-2.2	0.0
-0.2	0.0		42	1.9	-0.3	-8.1	-0.0
0.4	-0.0						
		INVSLU Max	69	-65.9	0.3	111.6	-0.0
-13.6	0.1		70	9.3	0.1	123.9	-0.0
11.0	0.0		45	23.9	-0.1	-42.9	0.0
-4.1	-0.0						

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

9.5	0.1			42	40.6	0.3	-157.6	-0.0
			Min	69	-73.0	0.1	93.6	-0.1
-15.6	-0.0			70	8.3	-0.0	107.4	-0.1
9.5	-0.0			45	22.1	-0.1	-51.1	-0.0
-4.8	-0.0			42	34.9	-0.5	-184.0	-0.0
8.2	-0.1							
		INVSLV	Max	69	-25.0	0.2	146.0	0.0
-10.4	0.0			70	16.5	0.1	130.4	-0.0
10.8	-0.0			45	9.3	-0.0	-78.3	0.0
-5.8	0.0			42	11.3	0.1	-113.4	0.0
12.0	0.0							
			Min	69	-36.3	-0.1	101.8	-0.1
-14.9	0.0			70	14.1	-0.0	90.3	-0.1
7.5	-0.0			45	6.5	-0.1	-106.5	-0.0
-7.9	0.0			42	3.6	-0.2	-169.6	0.0
8.7	-0.0							
37	2	8	Q1-1-2	Max	71	0.0	0.0	0.0
0.0	0.0				153	0.0	0.0	0.0
0.0	0.0				154	0.0	0.0	0.0
0.0	0.0				88	0.0	0.0	0.0
0.0	0.0							
			Min	71	0.0	0.0	0.0	0.0
0.0	0.0				153	0.0	0.0	0.0
0.0	0.0				154	0.0	0.0	0.0
0.0	0.0				88	0.0	0.0	0.0
0.0	0.0							
		Q2a-1-2	Max	71	0.0	0.0	0.0	0.0
0.0	0.0				153	0.0	0.0	0.0
0.0	0.0				154	0.0	0.0	0.0
0.0	0.0				88	0.0	0.0	0.0
0.0	0.0							
			Min	71	0.0	0.0	0.0	0.0
0.0	0.0				153	0.0	0.0	0.0
0.0	0.0				154	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	0.0		88	0.0	0.0	0.0	0.0
		SLVx (RS)	71	5.8	0.0	6.2	0.0
0.2	0.0		153	7.2	-0.0	-4.0	0.0
-0.2	-0.0		154	-6.5	-0.0	-6.1	-0.0
0.1	-0.0		88	-6.5	-0.0	3.7	-0.0
-0.1	0.0						
		SLVy (RS)	71	-0.8	-0.0	-6.6	-0.0
0.4	-0.0		153	-1.7	0.2	2.9	-0.0
-0.1	-0.0		154	1.2	-0.1	-1.6	-0.0
-0.0	-0.0		88	2.2	-0.1	4.9	-0.0
-0.4	-0.0						
		SLDx (RS)	71	2.9	0.0	3.1	0.0
0.1	0.0		153	3.6	-0.0	-2.0	0.0
-0.1	-0.0		154	-3.2	-0.0	-3.0	-0.0
0.0	-0.0		88	-3.3	-0.0	1.8	-0.0
-0.0	0.0						
		SLDy (RS)	71	-0.4	-0.0	-3.3	-0.0
0.2	-0.0		153	-0.8	0.1	1.4	-0.0
-0.1	-0.0		154	0.6	-0.1	-0.8	-0.0
-0.0	-0.0		88	1.1	-0.0	2.5	-0.0
-0.2	-0.0						
		SLVz (RS)	71	-2.0	-0.0	-2.3	0.0
0.1	-0.0		153	-2.6	-0.0	1.2	0.0
-0.1	0.0		154	2.2	0.0	2.3	0.0
0.0	-0.0		88	2.3	0.0	-1.2	0.0
-0.0	-0.0						
		g1	71	53.6	0.0	65.8	-0.0
-2.2	0.0		153	67.8	0.0	-24.7	-0.0
2.6	0.0		154	-61.2	-0.0	-67.4	-0.0
-1.3	0.0		88	-60.3	-0.0	26.5	-0.0
1.0	0.0						
		g2	71	26.6	-0.0	36.0	-0.0
-1.3	-0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
1.5	-0.0		153	33.5	0.0	-9.9	-0.0
-0.9	-0.0		154	-29.7	0.0	-35.7	0.0
0.8	-0.0		88	-30.4	-0.0	9.6	0.0
0.0	0.0	q3	71	3.5	0.0	3.0	-0.0
-0.0	-0.0		153	4.3	0.0	-3.5	-0.0
-0.0	0.0		154	-3.6	-0.0	-2.4	-0.0
-0.0	0.0		88	-4.1	0.0	2.8	-0.0
0.8	-0.0	q5_pc	71	-1.9	-0.2	-11.3	-0.0
-0.3	-0.0		153	-3.0	0.2	0.6	-0.0
0.0	-0.0		154	3.4	-0.3	3.1	-0.0
-0.5	-0.0		88	1.5	-0.1	7.6	-0.0
0.6	-0.0	q5_ps	71	-1.4	-0.2	-8.7	-0.0
-0.2	-0.0		153	-2.4	0.2	1.0	-0.0
-0.0	-0.0		154	2.6	-0.3	1.9	-0.0
-0.4	-0.0		88	1.3	-0.1	5.8	-0.0
1.1	0.0	INVSLU Max	71	125.7	0.5	86.0	0.0
-1.8	0.0		153	81.9	0.4	-59.4	0.0
3.5	0.0		154	-129.9	0.4	-84.3	-0.0
-0.8	0.0		88	-57.1	-0.1	90.1	-0.0
-0.8	-0.1	Min	71	117.1	-0.1	56.8	-0.0
-2.5	0.0		153	69.9	-0.2	-66.2	0.0
3.4	-0.0		154	-141.6	-0.4	-93.1	-0.1
-2.0	-0.1		88	-66.0	-0.4	69.8	-0.1
-2.0	0.0	INVSLV Max	71	83.6	0.1	92.3	0.0
2.5	0.0		153	87.6	0.2	-31.6	0.0
-0.4	0.0		154	-79.3	0.1	-74.7	0.0
1.2	0.0		88	-61.4	0.0	42.3	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


				Min	71	70.3	0.0	73.9	-0.0
-3.0	-0.0				153	70.7	-0.2	-42.1	-0.0
2.0	-0.0				154	-94.3	-0.1	-89.2	-0.0
-0.6	-0.0				88	-77.1	-0.1	29.5	-0.0
0.3	-0.0								
44	2	10	Q1-1-2	Max	64	0.0	0.0	0.0	0.0
0.0	0.0	0.0			349	0.0	0.0	0.0	0.0
0.0	0.0	0.0			356	0.0	0.0	0.0	0.0
0.0	0.0	0.0			30	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	64	0.0	0.0	0.0	0.0
0.0	0.0	0.0			349	0.0	0.0	0.0	0.0
0.0	0.0	0.0			356	0.0	0.0	0.0	0.0
0.0	0.0	0.0			30	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	64	0.0	0.0	0.0	0.0
0.0	0.0	0.0			349	0.0	0.0	0.0	0.0
0.0	0.0	0.0			356	0.0	0.0	0.0	0.0
0.0	0.0	0.0			30	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	64	0.0	0.0	0.0	0.0
0.0	0.0	0.0			349	0.0	0.0	0.0	0.0
0.0	0.0	0.0			356	0.0	0.0	0.0	0.0
0.0	0.0	0.0			30	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				SLVx (RS)	64	-13.8	-0.0	-1.7	0.0
0.9	-0.0	0.0			349	-12.9	-0.0	0.3	-0.0
-0.9	0.0	0.0			356	11.2	0.0	1.5	-0.0
1.0	0.0	0.0			30	10.2	0.0	-0.6	0.0
-1.0	0.0	0.0							
				SLVy (RS)	64	7.5	-0.1	0.6	0.0
0.7	-0.0	0.0			349	-7.4	0.0	0.0	-0.0
-0.7	-0.0	0.0			356	-7.8	0.1	-0.5	0.0
0.6	-0.0	0.0			30	7.7	-0.1	-0.2	-0.0
-0.6	-0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.5	-0.0	SLDx (RS)	64	-6.9	-0.0	-0.8	0.0
-0.5	0.0		349	-6.4	-0.0	0.2	-0.0
0.5	0.0		356	5.6	0.0	0.7	-0.0
-0.5	0.0		30	5.1	0.0	-0.3	0.0
0.3	-0.0	SLDy (RS)	64	3.7	-0.0	0.3	0.0
-0.3	-0.0		349	-3.7	0.0	0.0	-0.0
0.3	-0.0		356	-3.9	0.1	-0.3	0.0
-0.3	-0.0		30	3.9	-0.1	-0.1	-0.0
0.4	0.0	SLVz (RS)	64	5.7	-0.0	0.7	0.0
-0.4	0.0		349	-5.5	-0.0	0.0	0.0
0.4	0.0		356	-4.6	0.0	-0.6	-0.0
-0.4	0.0		30	4.3	0.0	-0.1	0.0
-8.3	0.0	g1	64	-116.9	0.0	-8.1	-0.0
8.3	-0.0		349	112.9	0.0	3.6	-0.0
-8.5	-0.0		356	93.0	-0.0	6.4	0.0
8.5	0.0		30	-89.1	-0.0	-1.7	-0.0
-4.2	-0.0	g2	64	-55.1	-0.0	-0.4	-0.0
4.2	-0.0		349	55.9	-0.0	2.5	-0.0
-4.3	-0.0		356	44.1	0.0	-0.3	0.0
4.3	-0.0		30	-44.9	-0.0	-1.8	0.0
-0.4	0.0	q3	64	-6.5	0.0	-1.7	-0.0
0.4	-0.0		349	3.5	-0.0	1.4	-0.0
-0.4	-0.0		356	5.8	-0.0	1.8	0.0
0.4	0.0		30	-2.9	-0.0	-1.4	0.0
0.5	-0.1	q5_pc	64	6.1	-0.2	0.7	0.0
-0.5	-0.0		349	-6.9	-0.0	0.5	-0.0

PROJECT TITLE :

			Company	Client				
			Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.5	-0.0			356	-6.4	0.1	-0.1	0.0
-0.5	-0.1			30	7.2	-0.4	-1.1	-0.0
0.4	-0.1	q5_ps		64	5.4	-0.2	1.4	0.0
-0.4	-0.0			349	-5.6	-0.0	0.6	-0.0
0.4	-0.0			356	-5.7	0.1	-0.8	0.0
-0.4	-0.1			30	5.8	-0.3	-1.2	-0.0
-1.1	0.1	INVSLU	Max	64	-78.9	0.4	-14.8	0.0
2.6	0.0			349	85.5	0.1	5.7	0.0
-1.1	0.0			356	-4.4	0.2	14.7	0.0
2.8	0.1			30	41.1	0.4	4.0	-0.0
-2.6	-0.1		Min	64	-101.8	-0.2	-20.7	-0.0
1.0	-0.0			349	65.1	-0.0	2.4	-0.0
-2.8	-0.0			356	-27.3	-0.2	10.6	-0.0
1.2	-0.1			30	20.7	-0.6	-1.1	-0.0
-3.3	0.0	INVSLV	Max	64	-71.0	0.1	-1.2	0.0
5.8	0.0			349	104.1	0.1	4.7	-0.0
-3.7	0.0			356	40.3	0.1	2.2	0.0
6.2	0.0			30	-10.2	0.1	-0.6	0.0
-5.8	-0.0		Min	64	-106.4	-0.1	-5.4	-0.0
3.3	-0.0			349	70.6	-0.0	4.0	-0.0
-6.2	-0.0			356	10.6	-0.2	-1.4	-0.0
3.7	-0.0			30	-37.9	-0.1	-2.0	-0.0
46	2	10	Q1-1-2	Max	78	0.0	0.0	0.0
0.0	0.0	0.0			363	0.0	0.0	0.0
0.0	0.0				370	0.0	0.0	0.0
0.0	0.0				94	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	78	0.0	0.0	0.0	0.0
					363	0.0	0.0	0.0



PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		370	0.0	0.0	0.0	0.0
0.0	0.0		94	0.0	0.0	0.0	0.0
0.0	0.0						
		Q2a-1-2	Max	78	0.0	0.0	0.0
0.0	0.0			363	0.0	0.0	0.0
0.0	0.0			370	0.0	0.0	0.0
0.0	0.0			94	0.0	0.0	0.0
0.0	0.0						
			Min	78	0.0	0.0	0.0
0.0	0.0			363	0.0	0.0	0.0
0.0	0.0			370	0.0	0.0	0.0
0.0	0.0			94	0.0	0.0	0.0
0.0	0.0						
			SLVx (RS)	78	-1.9	-0.0	-0.7
-0.1	0.0			363	1.3	-0.0	0.5
0.1	-0.0			370	2.6	-0.0	0.7
-0.1	0.0			94	-2.7	0.0	-0.6
0.1	-0.0						
			SLVy (RS)	78	7.7	-0.1	2.2
0.4	-0.0			363	-9.2	0.1	1.3
-0.4	-0.0			370	-8.2	-0.1	-0.6
0.4	0.0			94	9.7	0.0	-2.8
-0.4	-0.0						
			SLDx (RS)	78	-0.9	-0.0	-0.4
-0.1	0.0			363	0.6	-0.0	0.3
0.1	-0.0			370	1.3	-0.0	0.4
-0.1	0.0			94	-1.4	0.0	-0.3
0.1	-0.0						
			SLDy (RS)	78	3.8	-0.0	1.1
0.2	-0.0			363	-4.6	0.1	0.6
-0.2	-0.0			370	-4.1	-0.0	-0.3
0.2	0.0			94	4.9	0.0	-1.4
-0.2	-0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

		SLVz (RS)	78	-0.6	-0.0	0.2	-0.0
-0.1	0.0		363	0.5	-0.0	0.1	-0.0
0.1	-0.0		370	1.1	0.0	-0.1	0.0
-0.1	-0.0		94	-1.2	0.0	-0.2	0.0
0.1	0.0						
		g1	78	10.0	0.0	0.3	0.0
1.0	-0.0		363	-10.6	0.0	1.9	0.0
-1.0	0.0		370	-23.5	0.0	-2.4	-0.0
0.9	-0.0		94	24.1	-0.0	0.4	-0.0
-1.0	-0.0						
		g2	78	4.7	-0.0	7.4	0.0
0.0	-0.0		363	-6.1	0.0	6.1	-0.0
-0.1	-0.0		370	-10.7	0.0	-5.6	0.0
-0.1	-0.0		94	12.0	-0.0	-7.8	0.0
0.2	-0.0						
		q3	78	-2.7	0.0	-1.3	-0.0
-0.1	-0.0		363	-0.4	0.0	1.1	0.0
0.0	0.0		370	2.3	-0.0	1.3	-0.0
-0.0	0.0		94	0.8	-0.0	-1.0	-0.0
0.1	-0.0						
		q5_pc	78	4.8	-0.2	-2.4	0.0
0.5	-0.0		363	-5.3	0.2	-1.2	-0.0
-0.4	-0.0		370	-5.2	-0.2	1.2	-0.0
0.5	0.0		94	5.7	-0.0	2.3	-0.0
-0.5	-0.0						
		q5_ps	78	4.2	-0.2	-0.7	0.0
0.3	-0.0		363	-4.9	0.2	-0.1	-0.0
-0.3	-0.0		370	-4.5	-0.2	0.3	-0.0
0.3	0.0		94	5.2	-0.0	0.5	-0.0
-0.4	-0.0						
		INVSLU Max	78	370.4	0.4	-1.2	0.0
26.5	0.0		363	-354.2	0.3	-12.5	0.0
-25.0	0.0		370	-414.7	0.4	-7.2	0.0
25.8	-0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-25.2	-0.0			94	429.8	-0.1	30.8	-0.0
		Min		78	355.1	-0.3	-7.3	0.0
25.4	-0.1			363	-369.4	-0.2	-16.1	0.0
-26.0	-0.0			370	-430.5	-0.3	-11.2	-0.1
24.8	-0.0			94	413.3	-0.2	25.2	-0.1
-26.3	-0.0							
		INVSLV	Max	78	200.9	0.1	22.0	0.0
12.8	0.0			363	-188.4	0.1	7.8	0.0
-12.2	0.0			370	-220.1	0.1	-13.8	0.0
13.0	0.0			94	245.9	0.0	-7.9	-0.0
-11.7	0.0							
		Min		78	184.1	-0.1	17.1	0.0
12.0	-0.0			363	-207.8	-0.1	4.8	0.0
-13.2	0.0			370	-238.7	-0.1	-15.7	-0.0
12.0	0.0			94	224.1	-0.0	-14.0	-0.0
-12.6	-0.0							
53	2	4	Q1-1-2	Max	83	0.0	0.0	0.0
0.0	0.0				474	0.0	0.0	0.0
0.0	0.0				478	0.0	0.0	0.0
0.0	0.0				98	0.0	0.0	0.0
0.0	0.0							
				Min	83	0.0	0.0	0.0
0.0	0.0				474	0.0	0.0	0.0
0.0	0.0				478	0.0	0.0	0.0
0.0	0.0				98	0.0	0.0	0.0
0.0	0.0							
			Q2a-1-2	Max	83	0.0	0.0	0.0
0.0	0.0				474	0.0	0.0	0.0
0.0	0.0				478	0.0	0.0	0.0
0.0	0.0				98	0.0	0.0	0.0
0.0	0.0							
				Min	83	0.0	0.0	0.0
0.0	0.0				474	0.0	0.0	0.0
0.0	0.0				478	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	0.0		98	0.0	0.0	0.0	0.0
-0.0	-0.0	SLVx (RS)	83	8.1	-0.0	4.1	-0.0
0.1	-0.0		474	8.1	-0.0	-3.7	-0.0
-0.1	-0.0		478	-6.8	0.0	-4.6	0.0
0.0	0.0		98	-9.3	0.0	4.2	0.0
0.4	-0.0	SLVy (RS)	83	1.8	0.3	-3.1	-0.0
-0.4	0.0		474	-12.5	0.2	2.9	-0.0
0.4	0.0		478	-1.7	-0.2	3.3	-0.1
-0.4	-0.0		98	12.3	-0.3	-3.0	-0.1
-0.0	-0.0	SLDx (RS)	83	4.0	-0.0	2.1	-0.0
0.0	-0.0		474	4.0	-0.0	-1.8	-0.0
-0.0	-0.0		478	-3.4	0.0	-2.3	0.0
0.0	0.0		98	-4.7	0.0	2.1	0.0
0.2	-0.0	SLDy (RS)	83	0.9	0.1	-1.6	-0.0
-0.2	0.0		474	-6.3	0.1	1.5	-0.0
0.2	0.0		478	-0.9	-0.1	1.6	-0.0
-0.2	-0.0		98	6.2	-0.1	-1.5	-0.0
0.0	0.0	SLVz (RS)	83	3.6	-0.0	1.8	-0.0
0.0	-0.0		474	3.6	-0.0	-1.6	-0.0
-0.0	-0.0		478	-3.0	0.0	-2.0	0.0
-0.0	0.0		98	-4.1	0.0	1.9	0.0
-0.5	-0.0	g1	83	-68.3	0.0	-28.9	0.0
0.0	0.0		474	-70.6	0.0	37.8	0.0
-0.1	0.0		478	56.1	-0.0	33.7	-0.0
0.6	-0.0		98	82.8	-0.0	-42.3	-0.0
-0.4	0.0	g2	83	-32.6	-0.0	-13.0	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.1	-0.0			474	-34.0	-0.0	18.9	-0.0
-0.1	-0.0			478	26.6	0.0	15.3	0.0
0.4	0.0			98	40.0	0.0	-21.2	0.0
-0.0	-0.0	q3		83	-2.9	0.0	-1.2	0.0
0.0	0.0			474	-1.5	0.0	1.0	0.0
-0.0	0.0			478	2.7	-0.0	1.4	-0.0
0.0	-0.0			98	1.8	-0.0	-1.2	-0.0
0.3	-0.0	q5_pc		83	4.2	0.3	0.0	-0.0
-0.2	0.0			474	-4.0	0.3	-0.1	-0.0
0.2	0.0			478	-3.8	-0.5	-0.3	-0.1
-0.3	-0.0			98	3.6	-0.6	0.4	-0.1
0.2	-0.0	q5_ps		83	3.3	0.3	-0.2	-0.0
-0.2	0.0			474	-4.1	0.3	0.2	-0.0
0.2	0.0			478	-3.0	-0.5	-0.0	-0.1
-0.2	-0.0			98	3.8	-0.6	0.0	-0.1
20.3	0.0	INVSLU	Max	83	181.7	0.5	-55.2	0.1
-20.5	0.0			474	-435.0	0.5	63.9	0.1
20.8	0.0			478	-219.8	0.8	56.5	0.2
-19.3	0.0			98	498.8	0.9	-60.6	0.2
19.6	-0.0		Min	83	168.8	-0.5	-57.1	-0.0
-21.2	0.0			474	-448.8	-0.4	62.2	-0.0
20.2	-0.0			478	-231.5	-0.8	54.2	-0.2
-20.1	-0.0			98	485.8	-0.9	-62.8	-0.2
9.9	0.0	INVSLV	Max	83	62.8	0.3	-37.0	0.0
-9.6	0.0			474	-227.1	0.2	50.6	0.0
10.6	0.0			478	-76.2	0.2	49.2	0.1
-9.3	0.0			98	290.8	0.3	-40.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


				Min	83	43.4	-0.3	-48.2	-0.0
9.1	-0.0				474	-259.1	-0.2	40.5	-0.0
-10.5	-0.0				478	-92.7	-0.2	36.8	-0.1
9.8	-0.0				98	258.1	-0.3	-51.3	-0.1
-10.0	-0.0								
55	2	8	Q1-1-2	Max	86	0.0	0.0	0.0	0.0
0.0	0.0	0.0			71	0.0	0.0	0.0	0.0
0.0	0.0	0.0			88	0.0	0.0	0.0	0.0
0.0	0.0	0.0			101	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	86	0.0	0.0	0.0	0.0
0.0	0.0	0.0			71	0.0	0.0	0.0	0.0
0.0	0.0	0.0			88	0.0	0.0	0.0	0.0
0.0	0.0	0.0			101	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	86	0.0	0.0	0.0	0.0
0.0	0.0	0.0			71	0.0	0.0	0.0	0.0
0.0	0.0	0.0			88	0.0	0.0	0.0	0.0
0.0	0.0	0.0			101	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	86	0.0	0.0	0.0	0.0
0.0	0.0	0.0			71	0.0	0.0	0.0	0.0
0.0	0.0	0.0			88	0.0	0.0	0.0	0.0
0.0	0.0	0.0			101	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				SLVx (RS)	86	1.4	-0.0	6.3	-0.0
-0.4	0.0	0.0			71	3.3	0.0	0.8	0.0
0.4	-0.0	0.0			88	-3.0	-0.0	-4.7	-0.0
-0.1	0.0	0.0			101	-1.7	0.0	-2.4	0.0
0.2	0.0	0.0							
				SLVy (RS)	86	0.5	0.0	4.7	-0.0
-0.3	-0.0	0.0			71	1.7	0.1	-6.6	-0.0
-0.4	0.0	0.0			88	1.2	-0.1	5.2	-0.0
0.3	0.0	0.0			101	-2.8	0.0	-2.9	0.0
0.4	0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	86	0.7	-0.0	3.1	-0.0
-0.2	0.0		71	1.6	0.0	0.4	0.0
0.2	-0.0		88	-1.5	-0.0	-2.3	-0.0
-0.1	0.0		101	-0.8	0.0	-1.2	0.0
0.1	0.0						
		SLDy (RS)	86	0.2	0.0	2.4	-0.0
-0.2	-0.0		71	0.9	0.0	-3.3	-0.0
-0.2	0.0		88	0.6	-0.0	2.6	-0.0
0.2	0.0		101	-1.4	0.0	-1.5	0.0
0.2	0.0						
		SLVz (RS)	86	-0.4	-0.0	-1.7	-0.0
0.1	0.0		71	-1.0	-0.0	-0.2	0.0
-0.1	-0.0		88	0.9	0.0	1.4	0.0
0.0	-0.0		101	0.5	0.0	0.6	0.0
-0.0	0.0						
		g1	86	10.4	0.0	47.6	0.0
-3.3	-0.0		71	26.7	0.0	8.5	-0.0
3.2	0.0		88	-25.5	-0.0	-39.8	-0.0
-0.9	0.0		101	-11.6	-0.0	-16.1	-0.0
1.0	-0.0						
		g2	86	5.4	0.0	24.8	-0.0
-1.7	-0.0		71	14.1	0.0	6.4	-0.0
1.7	0.0		88	-13.0	-0.0	-22.9	-0.0
-0.6	0.0		101	-6.5	0.0	-8.3	-0.0
0.6	-0.0						
		q3	86	1.2	-0.0	5.3	-0.0
-0.3	0.0		71	2.7	0.0	0.5	-0.0
0.3	-0.0		88	-2.4	-0.0	-3.8	-0.0
-0.1	0.0		101	-1.4	0.0	-2.1	0.0
0.1	0.0						
		q5_pc	86	-0.8	-0.0	-1.3	-0.0
0.1	-0.0		71	-1.1	-0.1	-8.5	-0.0
-0.9	0.0						

PROJECT TITLE :

			Company	Client				
			Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.5	0.0		88	3.4	-0.1	10.2	-0.0	
0.3	0.0		101	-1.5	-0.1	-0.4	-0.0	
0.0	-0.0	q5_ps	86	-0.5	-0.0	-0.3	-0.0	
-0.7	0.0		71	-0.5	-0.1	-6.9	-0.0	
0.4	0.0		88	2.6	-0.1	7.8	-0.0	
0.3	0.0		101	-1.6	-0.1	-0.6	-0.0	
2.3	0.0	INVSLU Max	86	31.2	0.0	-40.5	0.0	
-4.6	0.1		71	58.3	0.3	-87.3	0.0	
10.6	0.1		88	-65.0	-0.0	39.8	-0.1	
-5.7	-0.0		101	-11.5	0.2	120.1	-0.0	
1.6	-0.0	Min	86	28.1	0.0	-50.0	0.0	
-6.9	-0.0		71	52.7	-0.0	-108.5	0.0	
9.3	0.0		88	-75.1	-0.4	12.6	-0.1	
-6.7	-0.0		101	-17.6	-0.0	116.1	-0.1	
-3.2	0.0	INVSLV Max	86	15.4	0.1	59.5	0.0	
3.7	0.0		71	35.0	0.1	13.2	0.0	
0.1	0.0		88	-31.2	0.1	-37.1	0.0	
1.3	0.0		101	-6.3	0.0	-9.5	-0.0	
-4.2	-0.0	Min	86	12.1	0.0	43.1	-0.0	
2.5	-0.0		71	26.8	-0.0	-0.5	-0.0	
-0.6	-0.0		88	-38.5	-0.1	-51.0	-0.0	
0.4	-0.0		101	-13.2	-0.0	-17.2	-0.0	
56	2	8	Q1-1-2 Max	85	0.0	0.0	0.0	0.0
0.0	0.0			87	0.0	0.0	0.0	0.0
0.0	0.0			102	0.0	0.0	0.0	0.0
0.0	0.0			100	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0	Min	85	0.0	0.0	0.0	0.0	0.0
				87	0.0	0.0	0.0	0.0




PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

0.0	0.0		102	0.0	0.0	0.0	0.0	
0.0	0.0		100	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q2a-1-2	Max	85	0.0	0.0	0.0	0.0
0.0	0.0			87	0.0	0.0	0.0	0.0
0.0	0.0			102	0.0	0.0	0.0	0.0
0.0	0.0			100	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	85	0.0	0.0	0.0	0.0
0.0	0.0			87	0.0	0.0	0.0	0.0
0.0	0.0			102	0.0	0.0	0.0	0.0
0.0	0.0			100	0.0	0.0	0.0	0.0
0.0	0.0							
			SLVx (RS)	85	2.1	0.0	-0.3	0.0
0.2	0.0			87	0.8	-0.0	-3.2	-0.0
-0.2	-0.0			102	-0.9	0.0	0.8	0.0
0.1	0.0			100	-2.0	-0.0	2.7	-0.0
-0.0	0.0							
			SLVy (RS)	85	-1.5	0.1	-6.5	-0.0
0.4	-0.0			87	-0.5	0.0	4.3	-0.0
0.3	0.0			102	2.7	0.0	-2.7	0.0
-0.4	-0.0			100	-1.3	-0.1	5.2	-0.0
-0.3	-0.0							
			SLDx (RS)	85	1.0	0.0	-0.1	0.0
0.1	0.0			87	0.4	-0.0	-1.6	-0.0
-0.1	-0.0			102	-0.4	0.0	0.4	0.0
0.0	0.0			100	-1.0	-0.0	1.4	-0.0
-0.0	0.0							
			SLDy (RS)	85	-0.7	0.0	-3.2	-0.0
0.2	-0.0			87	-0.2	0.0	2.2	-0.0
0.2	0.0			102	1.4	0.0	-1.3	0.0
-0.2	-0.0			100	-0.7	-0.0	2.6	-0.0
-0.2	-0.0							

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
		SLVz (RS)	85	0.9	-0.0	-0.2	0.0
0.1	0.0		87	0.4	-0.0	-1.4	-0.0
-0.1	-0.0		102	-0.4	0.0	0.3	0.0
0.0	0.0		100	-0.9	0.0	1.2	0.0
-0.0	0.0						
		g1	85	-23.5	0.0	7.4	-0.0
-2.8	-0.0		87	-9.5	0.0	41.0	0.0
3.0	0.0		102	9.5	-0.0	-12.9	-0.0
-0.9	-0.0		100	23.5	-0.0	-35.2	-0.0
0.7	-0.0						
		g2	85	-12.3	0.0	5.7	-0.0
-1.5	-0.0		87	-4.9	0.0	21.2	0.0
1.6	0.0		102	5.3	0.0	-6.6	-0.0
-0.6	0.0		100	11.9	-0.0	-20.3	-0.0
0.5	-0.0						
		q3	85	-0.5	0.0	0.1	-0.0
-0.1	0.0		87	-0.2	0.0	0.9	0.0
0.1	0.0		102	0.2	-0.0	-0.3	-0.0
-0.0	-0.0		100	0.4	-0.0	-0.7	-0.0
0.0	-0.0						
		q5_pc	85	1.2	-0.1	-8.5	-0.0
0.9	-0.0		87	0.7	-0.0	-1.2	-0.0
-0.1	0.0		102	1.6	-0.1	-0.3	-0.0
-0.3	-0.0		100	-3.5	-0.1	10.0	-0.0
-0.5	-0.0						
		q5_ps	85	0.6	-0.1	-6.9	-0.0
0.7	-0.0		87	0.5	-0.0	-0.3	-0.0
-0.0	0.0		102	1.6	-0.1	-0.5	-0.0
-0.3	-0.0		100	-2.7	-0.1	7.7	-0.0
-0.4	-0.0						
		INVSLU Max	85	-42.8	0.3	-86.6	0.0
7.5	0.0		87	-25.6	0.0	-59.6	0.0
-2.5	0.0		102	11.0	0.2	121.4	-0.0
6.8	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-9.6	-0.0			100	66.1	-0.0	50.2	-0.1
		Min		85	-45.6	-0.0	-107.3	0.0
5.4	-0.1			87	-27.1	0.0	-63.0	0.0
-2.8	0.0			102	6.0	-0.0	119.6	-0.0
6.0	-0.0			100	57.7	-0.4	26.3	-0.1
-10.8	-0.1							
		INVSLV	Max	85	-23.3	0.1	12.3	0.0
-2.1	0.0			87	-11.0	0.1	48.5	0.0
3.7	0.0			102	10.2	0.0	-7.5	-0.0
-0.3	0.0			100	33.9	0.1	-31.5	0.0
0.4	0.0							
			Min	85	-28.9	-0.0	-0.9	-0.0
-3.2	-0.0			87	-13.2	0.0	37.1	-0.0
2.9	-0.0			102	4.0	-0.0	-13.5	-0.0
-1.1	-0.0			100	28.5	-0.1	-44.1	-0.0
-0.2	-0.0							
57	2	8	Q1-1-2	Max	88	0.0	0.0	0.0
0.0	0.0				154	0.0	0.0	0.0
0.0	0.0				155	0.0	0.0	0.0
0.0	0.0				5	0.0	0.0	0.0
0.0	0.0							
				Min	88	0.0	0.0	0.0
0.0	0.0				154	0.0	0.0	0.0
0.0	0.0				155	0.0	0.0	0.0
0.0	0.0				5	0.0	0.0	0.0
0.0	0.0							
			Q2a-1-2	Max	88	0.0	0.0	0.0
0.0	0.0				154	0.0	0.0	0.0
0.0	0.0				155	0.0	0.0	0.0
0.0	0.0				5	0.0	0.0	0.0
0.0	0.0							
				Min	88	0.0	0.0	0.0
0.0	0.0				154	0.0	0.0	0.0
0.0	0.0				155	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		5	0.0	0.0	0.0	0.0
		SLVx (RS)	88	6.9	0.0	1.5	-0.0
0.0	0.0		154	7.1	0.0	-1.2	-0.0
-0.0	0.0		155	-6.8	-0.0	-2.3	-0.0
0.0	0.0		5	-7.2	-0.0	1.9	-0.0
-0.0	-0.0						
		SLVy (RS)	88	3.8	-1.1	11.9	0.1
-0.4	-0.0		154	-1.3	-0.2	-0.2	0.0
0.4	0.0		155	-1.9	0.2	-0.8	0.0
-0.5	0.0		5	-1.6	1.1	-11.2	0.1
0.5	0.0						
		SLDx (RS)	88	3.4	0.0	0.8	-0.0
0.0	0.0		154	3.6	0.0	-0.6	-0.0
-0.0	0.0		155	-3.4	-0.0	-1.2	-0.0
0.0	0.0		5	-3.6	-0.0	1.0	-0.0
-0.0	-0.0						
		SLDy (RS)	88	1.9	-0.6	5.9	0.0
-0.2	-0.0		154	-0.6	-0.1	-0.1	0.0
0.2	0.0		155	-1.0	0.1	-0.4	0.0
-0.2	0.0		5	-0.8	0.6	-5.6	0.0
0.3	0.0						
		SLVz (RS)	88	-2.2	-0.0	-0.6	-0.0
0.0	-0.0		154	-2.4	-0.0	0.3	-0.0
-0.0	-0.0		155	2.3	0.0	0.9	0.0
0.0	-0.0		5	2.3	0.0	-0.5	0.0
-0.0	0.0						
		g1	88	59.1	0.1	19.4	0.0
-0.7	0.0		154	64.3	0.0	-0.3	0.0
0.8	0.0		155	-61.3	-0.0	-29.2	-0.0
-0.7	0.0		5	-62.2	-0.1	10.2	-0.0
0.6	-0.0						
		g2	88	27.3	-0.1	14.1	0.0
-0.7	-0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.7	-0.0		154	30.5	-0.0	2.5	-0.0
-0.6	-0.0		155	-29.4	0.0	-16.4	0.0
0.5	-0.0		5	-28.4	0.1	-0.2	0.0
0.0	0.0	q3	88	4.4	0.0	0.8	-0.0
-0.0	0.0		154	4.3	0.0	-1.1	0.0
0.0	0.0		155	-4.2	-0.0	-1.0	-0.0
-0.0	-0.0		5	-4.5	-0.0	1.3	-0.0
-0.5	-0.0	q5_pc	88	0.7	-1.6	13.2	0.1
0.4	0.0		154	-3.5	-0.2	-1.5	0.1
-0.5	0.0		155	1.4	0.2	2.1	-0.0
0.6	0.0		5	1.4	1.5	-13.8	0.1
-0.4	-0.0	q5_ps	88	0.8	-1.3	11.7	0.1
0.3	0.0		154	-2.8	-0.2	-0.8	0.0
-0.4	0.0		155	0.9	0.1	1.2	-0.0
0.5	0.0		5	1.1	1.3	-12.1	0.1
0.9	-0.0	INVSLU Max	88	42.6	-0.2	-8.1	0.3
-0.3	0.0		154	33.9	-0.2	9.1	0.2
3.0	0.0		155	-65.6	0.7	-21.7	0.0
-0.9	-0.0		5	7.7	4.1	61.8	0.2
-0.4	-0.0	Min	88	34.8	-4.2	-43.9	0.1
-1.4	-0.0		154	20.8	-0.8	5.0	0.0
1.7	-0.0		155	-73.8	0.4	-26.7	-0.0
-2.5	-0.0		5	-1.3	0.2	24.1	-0.0
-0.5	0.0	INVSLV Max	88	69.7	0.7	33.8	0.1
1.4	-0.0		154	77.1	0.1	0.8	0.0
0.1	0.0		155	-63.4	0.3	-27.9	0.0
0.9	0.0		5	-50.0	1.6	21.8	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

			Min	88	52.3	-1.6	8.9	-0.0
-1.4	-0.0			154	60.7	-0.3	-1.8	-0.0
0.6	-0.0			155	-79.6	-0.1	-33.6	-0.0
-0.9	-0.0			5	-66.7	-0.7	-2.0	-0.0
-0.2	-0.0							
63	2	10	Q1-1-2	Max	94	0.0	0.0	0.0
0.0	0.0	0.0			370	0.0	0.0	0.0
0.0	0.0	0.0			377	0.0	0.0	0.0
0.0	0.0	0.0			32	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	94	0.0	0.0	0.0	0.0
0.0	0.0	0.0		370	0.0	0.0	0.0	0.0
0.0	0.0	0.0		377	0.0	0.0	0.0	0.0
0.0	0.0	0.0		32	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			Q2a-1-2	Max	94	0.0	0.0	0.0
0.0	0.0	0.0			370	0.0	0.0	0.0
0.0	0.0	0.0			377	0.0	0.0	0.0
0.0	0.0	0.0			32	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	94	0.0	0.0	0.0	0.0
0.0	0.0	0.0		370	0.0	0.0	0.0	0.0
0.0	0.0	0.0		377	0.0	0.0	0.0	0.0
0.0	0.0	0.0		32	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			SLVx (RS)	94	-1.2	0.0	-0.4	-0.0
0.0	0.0	0.0		370	1.6	0.0	-0.1	0.0
-0.0	0.0	0.0		377	1.4	-0.0	0.2	-0.0
-0.0	0.0	0.0		32	-1.7	-0.0	0.2	-0.0
0.0	-0.0	0.0						
			SLVy (RS)	94	1.8	0.2	-0.4	-0.0
0.0	0.0	0.0		370	-3.8	0.1	1.0	0.0
-0.0	0.0	0.0		377	-2.0	-0.1	-0.7	-0.0
0.0	0.0	0.0		32	4.0	-0.2	0.5	-0.0
-0.0	-0.0	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	94	-0.6	0.0	-0.2	-0.0
0.0	0.0		370	0.8	0.0	-0.0	0.0
-0.0	0.0		377	0.7	-0.0	0.1	-0.0
-0.0	0.0		32	-0.8	-0.0	0.1	-0.0
0.0	-0.0						
		SLDy (RS)	94	0.9	0.1	-0.2	-0.0
0.0	0.0		370	-1.9	0.1	0.5	0.0
-0.0	0.0		377	-1.0	-0.1	-0.4	-0.0
0.0	0.0		32	2.0	-0.1	0.3	-0.0
-0.0	-0.0						
		SLVz (RS)	94	-0.6	0.0	0.1	-0.0
-0.0	0.0		370	0.7	0.0	0.1	-0.0
0.0	0.0		377	0.6	-0.0	-0.0	-0.0
-0.0	-0.0		32	-0.7	-0.0	-0.1	-0.0
0.0	-0.0						
		g1	94	13.2	-0.4	2.0	0.0
0.1	-0.0		370	-12.6	-0.1	3.1	0.0
-0.1	-0.0		377	-14.0	0.1	-3.9	0.0
0.0	0.0		32	13.5	0.4	-1.1	0.0
-0.0	0.0						
		g2	94	4.9	-0.6	12.8	0.0
-0.7	-0.0		370	-8.3	-0.2	6.0	0.0
0.6	-0.0		377	-5.5	0.2	-5.6	0.0
-0.6	-0.0		32	8.9	0.6	-13.2	0.0
0.7	0.0						
		q3	94	-1.7	0.0	-0.5	0.0
0.0	-0.0		370	-1.5	0.0	0.3	0.0
-0.0	0.0		377	1.6	-0.0	0.5	-0.0
0.0	-0.0		32	1.5	-0.0	-0.2	-0.0
-0.0	-0.0						
		q5_pc	94	1.9	0.1	-4.1	0.0
0.3	-0.0		370	-1.3	0.2	-1.2	0.0
-0.2	0.0						

PROJECT TITLE :

MIDAS			Company	Client				
			Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.2	0.0			377	-1.8	-0.3	1.0	-0.0
-0.3	-0.0			32	1.2	-0.2	4.4	-0.0
0.1	-0.0	q5_ps		94	1.3	0.0	-1.5	0.0
-0.1	0.0			370	-1.6	0.2	-0.2	0.0
0.1	0.0			377	-1.3	-0.2	0.2	-0.0
-0.1	-0.0			32	1.7	-0.1	1.6	-0.0
3.3	-0.0	INVSLU	Max	94	161.9	-4.1	13.1	0.3
-3.1	0.0			370	-151.1	-0.8	-6.4	0.1
3.5	0.0			377	-160.9	1.4	-1.5	0.1
-2.7	0.0			32	162.4	4.3	5.5	0.3
2.8	-0.0		Min	94	155.9	-4.3	4.9	0.3
-3.5	-0.0			370	-157.5	-1.3	-8.9	0.1
3.0	-0.0			377	-166.7	0.7	-4.0	-0.0
-3.2	0.0			32	155.9	4.0	-2.6	0.2
0.5	-0.0	INVSLV	Max	94	84.5	0.1	21.3	0.0
-0.6	0.0			370	-87.4	0.1	8.3	0.0
0.7	0.0			377	-84.1	0.2	-9.5	0.0
-0.5	-0.0			32	101.2	0.3	-17.1	0.0
0.4	-0.0		Min	94	79.8	-0.3	20.2	0.0
-0.7	-0.0			370	-96.4	-0.2	6.2	-0.0
0.6	-0.0			377	-89.3	-0.1	-11.0	-0.0
-0.6	-0.0			32	91.8	-0.0	-18.4	-0.0
67	2	4	Q1-1-2	Max	98	0.0	0.0	0.0
0.0	0.0			478	0.0	0.0	0.0	0.0
0.0	0.0			482	0.0	0.0	0.0	0.0
0.0	0.0			14	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	98	0.0	0.0	0.0	0.0
				478	0.0	0.0	0.0	0.0




PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		482	0.0	0.0	0.0	0.0	
0.0	0.0		14	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q2a-1-2	Max	98	0.0	0.0	0.0	0.0
0.0	0.0			478	0.0	0.0	0.0	0.0
0.0	0.0			482	0.0	0.0	0.0	0.0
0.0	0.0			14	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	98	0.0	0.0	0.0	0.0
0.0	0.0			478	0.0	0.0	0.0	0.0
0.0	0.0			482	0.0	0.0	0.0	0.0
0.0	0.0			14	0.0	0.0	0.0	0.0
0.0	0.0							
			SLVx (RS)	98	7.3	0.0	0.9	-0.0
0.0	0.0			478	9.3	0.0	-0.8	-0.0
0.0	-0.0			482	-7.5	-0.0	-1.9	0.0
-0.0	-0.0			14	-9.0	-0.0	1.7	0.0
-0.0	0.0							
			SLVy (RS)	98	-4.5	0.3	-0.7	0.1
0.0	-0.0			478	-8.8	0.3	1.1	0.1
-0.0	0.0			482	5.1	-0.3	1.0	-0.1
-0.0	0.0			14	8.2	-0.3	-1.3	-0.1
0.0	-0.0							
			SLDx (RS)	98	3.6	0.0	0.5	-0.0
0.0	0.0			478	4.6	0.0	-0.4	-0.0
0.0	-0.0			482	-3.7	-0.0	-0.9	0.0
-0.0	-0.0			14	-4.5	-0.0	0.9	0.0
-0.0	0.0							
			SLDy (RS)	98	-2.3	0.2	-0.4	0.0
0.0	-0.0			478	-4.4	0.2	0.5	0.0
-0.0	0.0			482	2.6	-0.2	0.5	-0.1
-0.0	0.0			14	4.1	-0.2	-0.7	-0.1
0.0	-0.0							

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
		SLVz (RS)	98	3.2	-0.0	0.4	-0.0
0.0	0.0		478	4.1	-0.0	-0.3	-0.0
0.0	-0.0		482	-3.3	0.0	-0.8	0.0
-0.0	-0.0		14	-4.0	0.0	0.8	0.0
-0.0	0.0						
		g1	98	-61.0	0.0	-0.6	0.0
-1.0	-0.0		478	-82.0	0.0	13.8	0.0
0.6	0.0		482	63.5	-0.0	9.0	-0.0
-0.8	0.0		14	79.4	-0.0	-22.1	-0.0
1.2	-0.0						
		g2	98	-29.3	-0.0	0.5	-0.0
-0.6	0.0		478	-39.3	-0.0	7.3	-0.0
0.4	-0.0		482	30.2	0.0	3.6	0.0
-0.5	-0.0		14	38.4	0.0	-11.4	0.0
0.7	0.0						
		q3	98	-2.3	0.0	-0.3	0.0
-0.0	-0.0		478	-2.2	0.0	0.1	0.0
-0.0	0.0		482	2.3	-0.0	0.6	-0.0
0.0	0.0		14	2.2	-0.0	-0.5	-0.0
0.0	-0.0						
		q5_pc	98	1.4	0.6	-0.1	0.1
0.0	-0.0		478	-1.1	0.6	0.3	0.1
-0.0	0.0		482	-1.0	-0.6	-0.4	-0.2
-0.0	0.0		14	0.8	-0.6	0.2	-0.2
-0.0	-0.0						
		q5_ps	98	0.7	0.6	-0.1	0.1
0.0	-0.0		478	-1.6	0.5	0.3	0.1
0.0	0.0		482	-0.4	-0.6	-0.3	-0.2
-0.0	0.0		14	1.2	-0.6	0.0	-0.2
-0.0	-0.0						
		INVSLU Max	98	-8.9	0.8	-7.6	0.2
1.3	0.0		478	-297.2	0.8	36.4	0.2
-1.1	0.0		482	40.0	0.9	8.2	0.3
-0.6	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.4	0.0			14	277.8	1.0	-34.7	0.3
			Min	98	-14.5	-0.9	-8.2	-0.2
1.3	-0.0			478	-304.1	-0.8	35.2	-0.2
-1.1	-0.0			482	35.0	-0.9	6.6	-0.3
-0.6	-0.0			14	271.8	-0.9	-35.7	-0.4
0.4	-0.0							
		INVSLV	Max	98	-23.8	0.3	-6.6	0.1
0.6	0.0			478	-165.5	0.3	20.2	0.1
-0.7	0.0			482	54.1	0.3	14.2	0.1
-0.0	0.0			14	180.5	0.3	-20.3	0.1
0.2	0.0							
			Min	98	-42.9	-0.3	-9.1	-0.1
0.6	-0.0			478	-191.7	-0.3	17.4	-0.1
-0.8	-0.0			482	34.1	-0.3	9.4	-0.1
-0.1	-0.0			14	155.2	-0.3	-25.0	-0.1
0.1	-0.0							
69	2	8	Q1-1-2	Max	101	0.0	0.0	0.0
0.0	0.0				88	0.0	0.0	0.0
0.0	0.0				5	0.0	0.0	0.0
0.0	0.0				7	0.0	0.0	0.0
0.0	0.0							
			Min	101	0.0	0.0	0.0	0.0
0.0	0.0				88	0.0	0.0	0.0
0.0	0.0				5	0.0	0.0	0.0
0.0	0.0				7	0.0	0.0	0.0
0.0	0.0							
		Q2a-1-2	Max	101	0.0	0.0	0.0	0.0
0.0	0.0				88	0.0	0.0	0.0
0.0	0.0				5	0.0	0.0	0.0
0.0	0.0				7	0.0	0.0	0.0
0.0	0.0							
			Min	101	0.0	0.0	0.0	0.0
0.0	0.0				88	0.0	0.0	0.0
0.0	0.0				5	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		7	0.0	0.0	0.0	0.0
-0.2	-0.0	SLVx (RS)	101	1.7	-0.0	2.4	-0.0
0.1	0.0		88	3.0	0.0	0.7	-0.0
-0.1	-0.0		5	-2.9	-0.0	-1.6	0.0
0.1	0.0		7	-1.8	0.0	-1.2	0.0
-0.4	-0.0	SLVy (RS)	101	2.8	0.0	2.9	-0.0
0.6	0.0		88	1.6	-0.9	11.4	0.0
-0.6	-0.0		5	-2.5	0.9	-12.5	0.1
0.4	0.0		7	-1.7	-0.0	-1.8	0.0
-0.1	-0.0	SLDx (RS)	101	0.8	-0.0	1.2	-0.0
0.1	0.0		88	1.5	0.0	0.4	-0.0
-0.0	-0.0		5	-1.4	-0.0	-0.8	0.0
0.0	0.0		7	-0.9	0.0	-0.6	0.0
-0.2	-0.0	SLDy (RS)	101	1.4	0.0	1.5	-0.0
0.3	0.0		88	0.8	-0.5	5.7	0.0
-0.3	-0.0		5	-1.3	0.5	-6.2	0.0
0.2	0.0		7	-0.9	-0.0	-0.9	0.0
0.0	-0.0	SLVz (RS)	101	-0.5	-0.0	-0.6	-0.0
-0.0	-0.0		88	-0.8	-0.0	0.3	-0.0
0.0	-0.0		5	0.8	0.0	0.4	0.0
-0.0	0.0		7	0.5	0.0	0.3	0.0
-1.0	0.0	g1	101	11.6	0.0	16.1	0.0
0.6	0.0		88	20.4	0.1	0.6	0.0
-0.2	0.0		5	-19.5	-0.1	-9.1	-0.0
0.6	-0.0		7	-12.5	-0.0	-7.5	-0.0
-0.6	0.0	g2	101	6.5	-0.0	8.3	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.5	0.0			88	9.7	-0.1	4.8	0.0
-0.3	0.0			5	-9.5	0.1	-9.2	0.0
0.5	0.0			7	-6.7	0.0	-3.9	0.0
-0.1	-0.0	q3		101	1.4	-0.0	2.1	-0.0
0.1	0.0			88	2.4	0.0	0.6	-0.0
-0.1	0.0			5	-2.3	-0.0	-1.6	-0.0
0.1	0.0			7	-1.5	0.0	-1.1	0.0
-0.3	-0.0	q5_pc		101	1.5	0.1	0.4	0.0
0.6	0.0			88	-2.2	-1.3	13.0	0.1
-0.7	-0.0			5	0.4	1.2	-12.9	0.1
0.4	-0.0			7	0.3	-0.1	-0.5	-0.0
-0.3	-0.0	q5_ps		101	1.6	0.1	0.6	0.0
0.5	0.0			88	-1.5	-1.1	11.5	0.1
-0.6	-0.0			5	0.0	1.0	-11.6	0.1
0.4	-0.0			7	-0.1	-0.1	-0.5	-0.0
6.7	0.0	INVSLU	Max	101	17.6	0.0	-116.1	0.1
-8.2	0.0			88	-41.5	-0.2	-28.6	0.2
7.3	0.0			5	33.6	3.3	72.3	0.1
-2.9	-0.0			7	-0.1	0.3	111.6	-0.0
5.7	0.0		Min	101	11.5	-0.2	-120.1	0.0
-9.8	0.0			88	-48.9	-3.4	-63.7	0.1
5.4	-0.0			5	29.7	0.2	36.0	-0.0
-4.1	-0.0			7	-2.6	-0.1	108.9	-0.0
-0.4	0.0	INVSLV	Max	101	13.2	0.0	17.2	0.0
1.0	0.0			88	16.1	0.5	12.4	0.1
0.5	0.0			5	-10.3	1.3	6.4	0.1
1.0	-0.0			7	-5.3	0.0	-5.1	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


				Min	101	6.3	-0.0	9.5	0.0
-1.3	-0.0				88	8.6	-1.3	-10.9	-0.0
-0.2	-0.0				5	-18.1	-0.5	-19.7	-0.0
-0.8	-0.0				7	-10.4	-0.0	-9.6	-0.0
0.1	-0.0								
70	2	8	Q1-1-2	Max	100	0.0	0.0	0.0	0.0
0.0	0.0				102	0.0	0.0	0.0	0.0
0.0	0.0				8	0.0	0.0	0.0	0.0
0.0	0.0				6	0.0	0.0	0.0	0.0
0.0	0.0								
				Min	100	0.0	0.0	0.0	0.0
0.0	0.0				102	0.0	0.0	0.0	0.0
0.0	0.0				8	0.0	0.0	0.0	0.0
0.0	0.0				6	0.0	0.0	0.0	0.0
0.0	0.0								
			Q2a-1-2	Max	100	0.0	0.0	0.0	0.0
0.0	0.0				102	0.0	0.0	0.0	0.0
0.0	0.0				8	0.0	0.0	0.0	0.0
0.0	0.0				6	0.0	0.0	0.0	0.0
0.0	0.0								
				Min	100	0.0	0.0	0.0	0.0
0.0	0.0				102	0.0	0.0	0.0	0.0
0.0	0.0				8	0.0	0.0	0.0	0.0
0.0	0.0				6	0.0	0.0	0.0	0.0
0.0	0.0								
				SLVx (RS)	100	1.5	-0.0	0.4	-0.0
0.0	0.0				102	0.9	0.0	-0.8	-0.0
-0.1	-0.0				8	-1.0	-0.0	0.2	0.0
0.0	-0.0				6	-1.5	0.0	0.4	0.0
0.0	0.0								
				SLVy (RS)	100	-1.6	-0.9	11.2	0.0
-0.6	-0.0				102	-2.7	0.0	2.7	-0.0
0.4	0.0				8	1.4	-0.0	-1.6	0.0
-0.4	0.0				6	2.7	0.9	-12.2	0.1
0.6	0.0								

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	100	0.8	-0.0	0.2	-0.0
0.0	0.0		102	0.4	0.0	-0.4	-0.0
-0.0	-0.0		8	-0.5	-0.0	0.1	0.0
0.0	-0.0		6	-0.7	0.0	0.2	0.0
0.0	0.0						
		SLDy (RS)	100	-0.8	-0.5	5.6	0.0
-0.3	-0.0		102	-1.4	0.0	1.3	-0.0
0.2	0.0		8	0.7	-0.0	-0.8	0.0
-0.2	0.0		6	1.3	0.5	-6.1	0.0
0.3	0.0						
		SLVz (RS)	100	0.7	-0.0	0.2	-0.0
0.0	0.0		102	0.4	-0.0	-0.3	-0.0
-0.0	-0.0		8	-0.4	0.0	0.1	0.0
0.0	-0.0		6	-0.7	0.0	0.1	0.0
0.0	0.0						
		g1	100	-16.4	0.1	-0.3	0.0
-0.5	-0.0		102	-9.5	0.0	12.9	0.0
0.9	0.0		8	9.7	-0.0	-5.9	-0.0
-0.5	0.0		6	16.2	-0.1	-6.6	-0.0
0.1	-0.0						
		g2	100	-7.7	-0.1	4.4	0.0
-0.4	-0.0		102	-5.3	-0.0	6.6	0.0
0.6	-0.0		8	5.2	0.0	-3.1	0.0
-0.4	-0.0		6	7.8	0.1	-7.8	0.0
0.3	-0.0						
		q3	100	-0.4	0.0	-0.0	0.0
-0.0	0.0		102	-0.2	0.0	0.3	0.0
0.0	0.0		8	0.3	-0.0	-0.1	-0.0
-0.0	0.0		6	0.4	-0.0	-0.2	-0.0
0.0	-0.0						
		q5_pc	100	2.1	-1.3	12.8	0.1
-0.5	-0.0		102	-1.6	0.1	0.3	0.0
0.3	0.0						

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-0.4	0.0			8	-0.4	-0.1	-0.5	-0.0
0.6	0.0			6	-0.1	1.2	-12.6	0.1
-0.5	-0.0	q5_ps		100	1.4	-1.1	11.4	0.1
0.3	0.0			102	-1.6	0.1	0.5	0.0
-0.4	0.0			8	-0.1	-0.1	-0.5	-0.0
0.6	0.0			6	0.2	1.0	-11.3	0.1
9.9	-0.0	INVSLU	Max	100	54.1	-0.2	-30.4	0.2
-6.0	0.0			102	-6.0	0.0	-119.6	0.0
4.2	0.0			8	-2.4	0.3	109.4	-0.0
-5.6	0.0			6	-39.7	3.3	76.6	0.1
8.4	-0.0		Min	100	49.4	-3.4	-64.5	0.1
-6.8	-0.0			102	-11.0	-0.2	-121.4	0.0
3.2	-0.0			8	-3.5	-0.1	107.7	-0.0
-7.4	-0.0			6	-40.8	0.2	42.4	-0.0
0.3	0.0	INVSLV	Max	100	-5.6	0.5	12.2	0.1
1.1	0.0			102	-4.0	0.0	13.5	0.0
-0.1	0.0			8	6.9	0.0	-4.8	-0.0
0.7	0.0			6	13.2	1.3	7.7	0.1
-0.9	-0.0		Min	100	-10.2	-1.3	-10.6	-0.0
0.3	-0.0			102	-10.2	-0.0	7.5	0.0
-0.9	-0.0			8	3.3	-0.0	-8.2	-0.0
-0.5	-0.0			6	6.5	-0.5	-17.0	-0.0
227	2	8	Q1-1-2	Max	200	0.0	0.0	0.0
0.0	0.0				201	0.0	0.0	0.0
0.0	0.0				2250	0.0	0.0	0.0
0.0	0.0				2249	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	200	0.0	0.0	0.0	0.0
					201	0.0	0.0	0.0




PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		2250	0.0	0.0	0.0	0.0
0.0	0.0		2249	0.0	0.0	0.0	0.0
0.0	0.0						
		Q2a-1-2	Max	200	0.0	0.0	0.0
0.0	0.0			201	0.0	0.0	0.0
0.0	0.0			2250	0.0	0.0	0.0
0.0	0.0			2249	0.0	0.0	0.0
0.0	0.0						
			Min	200	0.0	0.0	0.0
0.0	0.0			201	0.0	0.0	0.0
0.0	0.0			2250	0.0	0.0	0.0
0.0	0.0			2249	0.0	0.0	0.0
0.0	0.0						
			SLVx (RS)	200	-5.5	0.0	-1.8
-0.2	-0.0			201	14.7	-0.0	-2.5
0.2	0.0			2250	4.4	0.0	1.7
-0.2	0.0			2249	-13.3	-0.0	2.5
0.2	0.0						
			SLVy (RS)	200	4.1	-0.1	0.5
0.1	-0.0			201	-2.4	-0.2	0.3
-0.1	0.0			2250	-3.8	0.2	-0.8
0.1	0.0			2249	2.1	0.1	0.6
-0.1	-0.0						
			SLDx (RS)	200	-2.8	0.0	-0.9
-0.1	-0.0			201	7.4	-0.0	-1.3
0.1	0.0			2250	2.2	0.0	0.8
-0.1	0.0			2249	-6.7	-0.0	1.2
0.1	0.0						
			SLDy (RS)	200	2.0	-0.1	0.3
0.0	-0.0			201	-1.2	-0.1	0.2
-0.0	0.0			2250	-1.9	0.1	-0.4
0.0	0.0			2249	1.1	0.1	0.3
-0.0	-0.0						

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
		SLVz (RS)	200	1.3	0.0	-0.6	0.0
0.1	-0.0		201	-5.2	0.0	1.0	0.0
-0.1	0.0		2250	-1.0	-0.0	0.6	-0.0
0.1	0.0		2249	4.8	-0.0	-1.0	-0.0
-0.0	-0.0						
		g1	200	-27.8	0.0	14.7	-0.0
-1.6	0.0		201	121.5	0.0	-21.0	-0.0
1.7	-0.0		2250	16.5	-0.0	-14.9	0.0
-1.3	-0.0		2249	-110.3	-0.0	21.3	0.0
1.2	0.0						
		g2	200	-14.1	-0.0	7.2	0.0
-0.8	-0.0		201	59.5	-0.0	-10.0	0.0
0.9	0.0		2250	8.5	0.0	-7.3	-0.0
-0.7	0.0		2249	-53.8	0.0	10.1	-0.0
0.6	-0.0						
		q3	200	-6.5	0.0	0.2	-0.0
-0.2	0.0		201	9.8	0.0	-1.0	-0.0
0.2	-0.0		2250	5.4	-0.0	0.0	0.0
-0.1	-0.0		2249	-8.7	-0.0	0.7	0.0
0.2	0.0						
		q5_pc	200	2.3	-0.2	-0.3	0.0
0.1	-0.0		201	-4.4	-0.3	0.5	0.1
-0.1	0.0		2250	-1.8	0.3	0.2	-0.0
0.1	0.0		2249	3.9	0.2	-0.4	-0.0
-0.1	-0.0						
		q5_ps	200	2.0	-0.2	-0.2	0.0
0.1	-0.0		201	-3.5	-0.3	0.4	0.1
-0.1	0.0		2250	-1.7	0.3	0.1	-0.0
0.1	0.0		2249	3.1	0.2	-0.3	-0.0
-0.1	-0.0						
		INVSLU Max	200	-72.4	0.3	31.9	0.1
-3.7	0.0		201	295.7	0.5	-47.4	0.1
4.1	0.0		2250	54.3	0.4	-28.9	0.0
-2.9	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

3.2	0.0			2249	-243.8	0.3	47.2	0.0
			Min	200	-86.2	-0.3	31.2	-0.1
-4.1	-0.0			201	273.4	-0.5	-49.7	-0.1
3.7	-0.0			2250	42.7	-0.4	-29.3	-0.0
-3.2	-0.0			2249	-263.7	-0.3	45.3	-0.0
2.9	-0.0							
		INVSLV	Max	200	-41.7	0.1	24.7	0.0
-2.3	0.0			201	210.3	0.2	-30.5	0.0
2.9	0.0			2250	34.6	0.2	-19.5	0.0
-1.9	0.0			2249	-157.7	0.2	35.4	0.0
2.2	0.0							
			Min	200	-56.0	-0.1	20.5	-0.0
-2.8	-0.0			201	176.2	-0.2	-36.3	-0.0
2.4	-0.0			2250	23.0	-0.2	-23.7	-0.0
-2.3	-0.0			2249	-188.6	-0.1	29.5	-0.0
1.8	-0.0							
228	2	4	Q1-1-2	Max	201	0.0	0.0	0.0
0.0	0.0				9	0.0	0.0	0.0
0.0	0.0				2216	0.0	0.0	0.0
0.0	0.0				2250	0.0	0.0	0.0
0.0	0.0							
			Min	201	0.0	0.0	0.0	0.0
0.0	0.0				9	0.0	0.0	0.0
0.0	0.0				2216	0.0	0.0	0.0
0.0	0.0				2250	0.0	0.0	0.0
0.0	0.0							
		Q2a-1-2	Max	201	0.0	0.0	0.0	0.0
0.0	0.0				9	0.0	0.0	0.0
0.0	0.0				2216	0.0	0.0	0.0
0.0	0.0				2250	0.0	0.0	0.0
0.0	0.0							
			Min	201	0.0	0.0	0.0	0.0
0.0	0.0				9	0.0	0.0	0.0
0.0	0.0				2216	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		2250	0.0	0.0	0.0	0.0
-0.2	-0.0	SLVx (RS)	201	-5.5	0.0	2.4	0.0
0.2	0.0		9	15.0	0.0	2.1	0.0
-0.3	0.0		2216	5.1	-0.0	-2.2	-0.0
0.3	-0.0		2250	-16.4	-0.0	-2.1	-0.0
0.1	-0.0	SLVy (RS)	201	4.2	-0.3	-0.1	0.1
-0.0	0.0		9	-2.0	-0.3	-0.8	0.1
0.1	0.0		2216	-4.8	0.3	-0.6	-0.0
-0.1	-0.0		2250	1.7	0.3	1.0	-0.0
-0.1	-0.0	SLDx (RS)	201	-2.8	0.0	1.2	0.0
0.1	0.0		9	7.5	0.0	1.1	0.0
-0.1	0.0		2216	2.5	-0.0	-1.1	-0.0
0.1	-0.0		2250	-8.2	-0.0	-1.0	-0.0
0.0	-0.0	SLDy (RS)	201	2.1	-0.1	-0.1	0.0
-0.0	0.0		9	-1.0	-0.1	-0.4	0.0
0.0	0.0		2216	-2.4	0.1	-0.3	-0.0
-0.1	-0.0		2250	0.9	0.1	0.5	-0.0
0.1	-0.0	SLVz (RS)	201	-2.4	0.0	-1.1	0.0
-0.1	0.0		9	-6.0	0.0	0.6	0.0
0.1	0.0		2216	2.1	-0.0	1.0	-0.0
-0.1	-0.0		2250	6.4	-0.0	-0.5	-0.0
-1.2	0.0	g1	201	44.4	0.0	24.6	-0.0
1.6	-0.0		9	132.2	0.0	-9.9	-0.0
-2.4	-0.0		2216	-32.9	-0.0	-23.3	0.0
2.1	0.0		2250	-143.6	-0.0	8.8	0.0
-0.7	-0.0	g2	201	21.0	-0.0	12.3	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.8	0.0		9	64.2	-0.0	-4.3	0.0
-1.2	0.0		2216	-15.5	0.0	-11.8	-0.0
1.1	-0.0		2250	-69.8	0.0	3.7	-0.0
-0.2	0.0	q3	201	-2.2	0.0	1.2	-0.0
0.1	-0.0		9	6.5	0.0	0.1	-0.0
-0.2	-0.0		2216	3.6	-0.0	-0.7	0.0
0.3	0.0		2250	-7.9	-0.0	-0.6	0.0
0.1	-0.0	q5_pc	201	0.1	-0.5	-0.6	0.1
-0.1	0.0		9	-3.6	-0.5	0.1	0.1
0.1	0.0		2216	-0.7	0.4	0.5	-0.0
-0.1	-0.0		2250	4.1	0.4	0.1	-0.0
0.1	-0.0	q5_ps	201	0.4	-0.5	-0.5	0.1
-0.1	0.0		9	-2.6	-0.5	0.0	0.1
0.1	0.0		2216	-0.9	0.4	0.3	-0.0
-0.1	-0.0		2250	3.1	0.4	0.1	-0.0
-3.2	0.0	INVSLU Max	201	85.9	0.8	58.8	0.2
3.7	0.0		9	299.2	0.8	-19.2	0.2
-5.4	0.0		2216	-55.4	0.6	-49.6	0.1
5.8	0.0		2250	-306.9	0.6	13.4	0.0
-3.6	-0.0	Min	201	82.1	-0.8	55.9	-0.2
3.4	-0.0		9	283.3	-0.8	-19.5	-0.2
-5.9	-0.0		2216	-62.2	-0.7	-51.5	-0.1
5.3	-0.0		2250	-325.9	-0.6	12.3	-0.0
-2.0	0.0	INVSLV Max	201	71.4	0.3	42.3	0.1
2.7	0.0		9	221.1	0.3	-11.8	0.1
-3.4	0.0		2216	-39.9	0.3	-33.1	0.0
3.9	0.0		2250	-201.7	0.3	13.3	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

				Min	201	56.3	-0.3	36.7	-0.1
-2.4	-0.0				9	186.3	-0.3	-16.8	-0.1
2.2	-0.0				2216	-54.2	-0.3	-38.6	-0.0
-4.1	-0.0				2250	-239.3	-0.3	8.2	-0.0
3.3	-0.0								
231	2	8	Q1-1-2	Max	208	0.0	0.0	0.0	0.0
0.0	0.0	0.0			209	0.0	0.0	0.0	0.0
0.0	0.0	0.0			213	0.0	0.0	0.0	0.0
0.0	0.0	0.0			212	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	208	0.0	0.0	0.0	0.0
0.0	0.0	0.0			209	0.0	0.0	0.0	0.0
0.0	0.0	0.0			213	0.0	0.0	0.0	0.0
0.0	0.0	0.0			212	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	208	0.0	0.0	0.0	0.0
0.0	0.0	0.0			209	0.0	0.0	0.0	0.0
0.0	0.0	0.0			213	0.0	0.0	0.0	0.0
0.0	0.0	0.0			212	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	208	0.0	0.0	0.0	0.0
0.0	0.0	0.0			209	0.0	0.0	0.0	0.0
0.0	0.0	0.0			213	0.0	0.0	0.0	0.0
0.0	0.0	0.0			212	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				SLVx (RS)	208	-9.0	0.0	-5.7	-0.0
-0.7	0.0	0.0			209	11.8	0.0	6.0	-0.0
0.7	-0.0	0.0			213	7.2	0.0	5.8	0.0
-0.7	-0.0	0.0			212	-9.0	-0.0	-6.1	0.0
0.7	0.0	0.0							
				SLVy (RS)	208	10.7	0.0	4.4	-0.0
0.7	0.0	0.0			209	-5.2	0.1	-4.3	-0.0
-0.6	-0.0	0.0			213	-10.6	-0.1	-4.4	0.0
0.7	-0.0	0.0			212	5.1	-0.0	4.3	0.0
-0.7	0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.4	0.0	SLDx (RS)	208	-4.5	0.0	-2.9	-0.0
0.4	-0.0		209	5.9	0.0	3.0	-0.0
-0.4	-0.0		213	3.6	0.0	2.9	0.0
0.4	0.0		212	-4.5	-0.0	-3.0	0.0
0.3	0.0	SLDy (RS)	208	5.3	0.0	2.2	-0.0
-0.3	-0.0		209	-2.6	0.0	-2.1	-0.0
0.3	-0.0		213	-5.3	-0.0	-2.2	0.0
-0.3	0.0		212	2.6	-0.0	2.1	0.0
0.2	-0.0	SLVz (RS)	208	2.0	-0.0	-2.4	0.0
-0.2	0.0		209	-4.2	-0.0	2.4	0.0
0.2	0.0		213	-1.8	0.0	2.4	0.0
-0.2	-0.0		212	3.2	0.0	-2.5	0.0
-4.1	-0.0	g1	208	-27.0	0.0	47.3	-0.0
4.3	0.0		209	93.3	0.0	-42.1	-0.0
-4.2	0.0		213	3.8	-0.0	-49.4	-0.0
4.0	-0.0		212	-70.2	-0.0	44.4	-0.0
-2.0	0.0	g2	208	-13.6	-0.0	22.9	-0.0
2.1	-0.0		209	45.2	-0.0	-19.7	-0.0
-2.0	-0.0		213	2.2	0.0	-24.0	0.0
1.9	0.0		212	-33.8	0.0	20.8	0.0
-0.7	-0.0	q3	208	-11.2	0.0	-2.5	-0.0
0.7	0.0		209	8.1	0.0	2.5	-0.0
-0.7	0.0		213	9.2	-0.0	2.5	-0.0
0.7	-0.0		212	-6.0	-0.0	-2.5	-0.0
0.5	0.0	q5_pc	208	6.0	-0.0	0.1	-0.1
-0.5	-0.0		209	-6.2	0.1	-0.1	-0.1

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.5	-0.0			213	-5.6	-0.2	0.1	0.0
-0.5	0.0			212	5.8	-0.2	-0.0	0.0
0.4	0.0	q5_ps		208	5.5	-0.0	0.4	-0.1
-0.4	-0.0			209	-5.2	0.1	-0.4	-0.1
0.4	-0.0			213	-5.2	-0.2	-0.3	0.0
-0.4	0.0			212	4.9	-0.1	0.3	0.0
16.8	0.0	INVSLU	Max	208	215.2	0.0	98.4	0.1
-14.9	0.0			209	-71.1	0.1	-79.5	0.1
17.1	0.0			213	-294.5	0.3	-95.1	0.0
-14.9	0.0			212	199.9	0.2	84.4	0.0
14.8	-0.0		Min	208	186.4	-0.0	94.4	-0.1
-17.0	-0.0			209	-95.5	-0.1	-83.6	-0.1
15.1	-0.0			213	-319.7	-0.3	-98.9	-0.0
-16.9	-0.0			212	179.1	-0.2	80.6	-0.0
6.6	0.0	INVSLV	Max	208	99.4	0.0	78.4	0.0
-4.7	0.0			209	18.3	0.1	-51.8	0.0
6.8	0.0			213	-133.4	0.1	-63.1	0.0
-4.8	0.0			212	69.1	0.0	68.6	0.0
4.6	-0.0		Min	208	71.4	-0.0	62.8	-0.0
-6.7	-0.0			209	-11.0	-0.1	-67.8	-0.0
4.9	-0.0			213	-160.0	-0.1	-78.9	-0.0
-6.7	-0.0			212	46.1	-0.0	52.4	-0.0
232	2	4	Q1-1-2	Max	209	0.0	0.0	0.0
0.0	0.0			20	0.0	0.0	0.0	0.0
0.0	0.0			73	0.0	0.0	0.0	0.0
0.0	0.0			213	0.0	0.0	0.0	0.0
0.0	0.0			209	0.0	0.0	0.0	0.0
0.0	0.0		Min	20	0.0	0.0	0.0	0.0



PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

0.0	0.0		73	0.0	0.0	0.0	0.0	
0.0	0.0		213	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q2a-1-2	Max	209	0.0	0.0	0.0	0.0
0.0	0.0			20	0.0	0.0	0.0	0.0
0.0	0.0			73	0.0	0.0	0.0	0.0
0.0	0.0			213	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	209	0.0	0.0	0.0	0.0
0.0	0.0			20	0.0	0.0	0.0	0.0
0.0	0.0			73	0.0	0.0	0.0	0.0
0.0	0.0			213	0.0	0.0	0.0	0.0
0.0	0.0							
			SLVx (RS)	209	-9.5	-0.0	-5.7	0.0
-0.7	0.0			20	14.9	0.0	5.9	0.0
0.7	-0.0			73	8.9	-0.0	6.1	0.0
-0.7	-0.0			213	-12.1	-0.0	-6.2	0.0
0.7	0.0							
			SLVy (RS)	209	13.2	0.1	4.3	-0.1
0.7	0.0			20	-2.7	0.1	-4.2	-0.1
-0.6	-0.0			73	-13.3	-0.1	-4.3	0.0
0.6	-0.0			213	2.6	-0.1	4.2	0.0
-0.7	0.0							
			SLDx (RS)	209	-4.8	-0.0	-2.9	0.0
-0.4	0.0			20	7.4	0.0	2.9	0.0
0.4	-0.0			73	4.4	-0.0	3.1	0.0
-0.4	-0.0			213	-6.0	-0.0	-3.1	0.0
0.4	0.0							
			SLDy (RS)	209	6.6	0.0	2.1	-0.0
0.3	0.0			20	-1.4	0.1	-2.1	-0.0
-0.3	-0.0			73	-6.6	-0.1	-2.2	0.0
0.3	-0.0			213	1.3	-0.1	2.1	0.0
-0.3	0.0							

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
		SLVz (RS)	209	2.6	-0.0	-2.3	0.0
0.2	-0.0		20	-6.0	-0.0	2.2	0.0
-0.2	0.0		73	2.9	0.0	2.7	0.0
0.2	0.0		213	5.0	0.0	-2.4	0.0
-0.2	-0.0						
		g1	209	7.8	0.0	50.7	-0.0
-4.6	-0.0		20	128.1	0.0	-34.9	-0.0
5.0	0.0		73	-30.7	-0.0	-55.0	-0.0
-4.9	0.0		213	-105.3	-0.0	39.6	-0.0
4.5	-0.0						
		g2	209	2.9	-0.0	24.7	-0.0
-2.4	0.0		20	61.7	-0.0	-15.9	-0.0
2.5	-0.0		73	-14.2	0.0	-26.9	0.0
-2.5	-0.0		213	-50.5	0.0	18.1	0.0
2.3	0.0						
		q3	209	-12.2	0.0	-2.1	-0.0
-0.8	-0.0		20	5.9	0.0	2.7	-0.0
0.7	-0.0		73	10.2	-0.0	2.1	-0.0
-0.7	0.0		213	-4.0	-0.0	-2.7	-0.0
0.7	-0.0						
		q5_pc	209	5.8	0.0	-0.0	-0.1
0.5	0.0		20	-6.4	0.0	-0.2	-0.1
-0.5	-0.0		73	-5.4	-0.3	0.3	0.0
0.5	-0.0		213	6.0	-0.3	-0.0	0.0
-0.5	0.0						
		q5_ps	209	5.6	0.0	0.3	-0.1
0.4	0.0		20	-5.1	0.0	-0.5	-0.1
-0.5	-0.0		73	-5.2	-0.3	-0.1	0.0
0.4	-0.0		213	4.8	-0.3	0.3	0.0
-0.4	0.0						
		INVSLU Max	209	280.8	0.0	106.5	0.2
15.6	0.0		20	-12.3	0.1	-70.2	0.2
-13.7	0.0		73	-357.1	0.5	-103.0	0.0
16.3	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-13.9	0.0			213	136.6	0.5	75.0	0.0
			Min	209	250.8	-0.0	103.2	-0.2
13.4	-0.0			20	-33.8	-0.0	-74.7	-0.2
-15.8	-0.0			73	-383.6	-0.5	-106.3	-0.1
14.3	-0.0			213	118.1	-0.5	71.0	-0.1
-16.0	-0.0							
		INVSLV	Max	209	151.7	0.1	82.7	0.1
5.9	0.0			20	66.3	0.1	-46.1	0.1
-4.0	0.0			73	-179.3	0.1	-67.5	0.0
6.4	0.0			213	26.8	0.1	63.3	0.0
-4.4	0.0							
			Min	209	118.0	-0.1	67.4	-0.1
3.9	-0.0			20	31.3	-0.1	-61.7	-0.1
-6.0	-0.0			73	-212.9	-0.1	-84.0	-0.0
4.5	-0.0			213	-2.0	-0.1	46.9	-0.0
-6.3	-0.0							
235	2	8	Q1-1-2	Max	204	0.0	0.0	0.0
0.0	0.0				205	0.0	0.0	0.0
0.0	0.0				209	0.0	0.0	0.0
0.0	0.0				208	0.0	0.0	0.0
0.0	0.0							
			Min	204	0.0	0.0	0.0	0.0
0.0	0.0				205	0.0	0.0	0.0
0.0	0.0				209	0.0	0.0	0.0
0.0	0.0				208	0.0	0.0	0.0
0.0	0.0							
			Q2a-1-2	Max	204	0.0	0.0	0.0
0.0	0.0				205	0.0	0.0	0.0
0.0	0.0				209	0.0	0.0	0.0
0.0	0.0				208	0.0	0.0	0.0
0.0	0.0							
			Min	204	0.0	0.0	0.0	0.0
0.0	0.0				205	0.0	0.0	0.0
0.0	0.0				209	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		208	0.0	0.0	0.0	0.0
-1.3	-0.0	SLVx (RS)	204	-15.3	0.0	-5.6	0.0
1.3	0.0		205	19.6	-0.0	6.1	0.0
-1.3	0.0		209	12.7	0.0	5.8	-0.0
1.3	-0.0		208	-16.7	-0.0	-6.4	0.0
0.7	0.0	SLVy (RS)	204	10.6	-0.0	3.8	-0.0
-0.7	-0.0		205	-5.9	-0.1	-3.7	-0.0
0.7	-0.0		209	-10.5	0.0	-4.0	0.0
-0.7	0.0		208	5.8	0.0	3.9	0.0
-0.7	-0.0	SLDx (RS)	204	-7.6	0.0	-2.8	0.0
0.7	0.0		205	9.8	-0.0	3.1	0.0
-0.7	0.0		209	6.3	0.0	2.9	-0.0
0.7	-0.0		208	-8.3	-0.0	-3.2	0.0
0.3	0.0	SLDy (RS)	204	5.3	-0.0	1.9	-0.0
-0.3	-0.0		205	-2.9	-0.0	-1.9	-0.0
0.3	-0.0		209	-5.3	0.0	-2.0	0.0
-0.4	0.0		208	2.9	0.0	2.0	0.0
0.4	-0.0	SLVz (RS)	204	4.1	-0.0	-2.2	0.0
-0.4	0.0		205	-6.8	-0.0	2.3	0.0
0.4	0.0		209	-3.2	0.0	2.3	-0.0
-0.4	-0.0		208	5.8	0.0	-2.4	-0.0
-9.2	0.0	g1	204	-89.5	0.0	43.4	-0.0
9.4	-0.0		205	156.5	0.0	-42.0	-0.0
-9.3	-0.0		209	66.0	-0.0	-46.7	0.0
9.1	0.0		208	-133.0	-0.0	45.5	0.0
-4.5	0.0	g2	204	-44.4	-0.0	20.9	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

4.6	-0.0			205	76.4	-0.0	-19.7	-0.0
-4.6	-0.0			209	32.7	0.0	-22.5	0.0
4.5	0.0			208	-64.7	0.0	21.3	0.0
-1.2	0.0	q3		204	-16.3	0.0	-1.9	-0.0
1.2	-0.0			205	14.2	0.0	1.8	-0.0
-1.2	-0.0			209	14.2	-0.0	2.0	0.0
1.2	0.0			208	-12.2	-0.0	-1.9	0.0
0.6	0.0	q5_pc		204	7.2	-0.1	0.0	-0.0
-0.6	-0.0			205	-7.5	-0.2	-0.0	-0.0
0.6	-0.0			209	-6.7	0.0	0.0	0.1
-0.6	0.0			208	7.0	-0.1	-0.1	0.1
0.5	0.0	q5_ps		204	6.4	-0.1	0.3	-0.0
-0.5	-0.0			205	-6.2	-0.2	-0.3	-0.0
0.5	-0.0			209	-6.0	0.0	-0.3	0.1
-0.5	0.0			208	5.9	-0.0	0.2	0.1
-6.5	0.0	INVSLU	Max	204	-64.7	0.1	88.2	0.1
9.0	0.0			205	226.8	0.3	-81.0	0.1
-6.2	0.0			209	-5.0	-0.0	-88.7	0.1
9.5	0.0			208	-87.6	0.1	87.9	0.1
-9.4	-0.0		Min	204	-102.7	-0.1	85.2	-0.1
6.2	-0.0			205	191.5	-0.2	-83.9	-0.1
-9.1	-0.0			209	-39.3	-0.0	-91.9	-0.1
6.6	-0.0			208	-119.1	-0.1	84.9	-0.1
-6.4	0.0	INVSLV	Max	204	-58.9	0.0	71.9	0.0
9.5	0.0			205	196.2	0.1	-53.2	0.0
-6.2	0.0			209	33.8	0.0	-59.6	0.0
9.6	0.0			208	-91.1	0.0	72.5	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

				Min	204	-98.2	-0.0	57.1	-0.0
-9.7	-0.0				205	149.5	-0.0	-69.1	-0.0
6.3	-0.0				209	0.2	-0.1	-75.1	-0.0
-9.5	-0.0				208	-131.5	-0.0	55.9	-0.0
6.3	-0.0								
236	2	4	Q1-1-2	Max	205	0.0	0.0	0.0	0.0
0.0	0.0	0.0			61	0.0	0.0	0.0	0.0
0.0	0.0	0.0			20	0.0	0.0	0.0	0.0
0.0	0.0	0.0			209	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	205	0.0	0.0	0.0	0.0
0.0	0.0	0.0			61	0.0	0.0	0.0	0.0
0.0	0.0	0.0			20	0.0	0.0	0.0	0.0
0.0	0.0	0.0			209	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	205	0.0	0.0	0.0	0.0
0.0	0.0	0.0			61	0.0	0.0	0.0	0.0
0.0	0.0	0.0			20	0.0	0.0	0.0	0.0
0.0	0.0	0.0			209	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	205	0.0	0.0	0.0	0.0
0.0	0.0	0.0			61	0.0	0.0	0.0	0.0
0.0	0.0	0.0			20	0.0	0.0	0.0	0.0
0.0	0.0	0.0			209	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				SLVx (RS)	205	-13.0	-0.0	-5.9	0.0
-1.4	-0.0	0.0			61	22.3	-0.0	5.8	0.0
1.3	-0.0	0.0			20	11.0	0.0	6.3	-0.0
-1.3	-0.0	0.0			209	-19.5	0.0	-6.2	-0.0
1.3	-0.0	0.0							
				SLVy (RS)	205	12.2	-0.0	3.5	-0.0
0.7	0.0	0.0			61	-3.2	-0.1	-3.8	-0.0
-0.6	-0.0	0.0			20	-12.3	0.1	-3.7	0.1
0.6	-0.0	0.0			209	3.2	0.1	4.0	0.1
-0.7	0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.7	-0.0	SLDx (RS)	205	-6.5	-0.0	-2.9	0.0
0.7	-0.0		61	11.1	-0.0	2.9	0.0
-0.6	-0.0		20	5.5	0.0	3.1	-0.0
0.7	-0.0		209	-9.7	0.0	-3.1	-0.0
0.3	0.0	SLDy (RS)	205	6.1	-0.0	1.7	-0.0
-0.3	-0.0		61	-1.6	-0.0	-1.9	-0.0
0.3	-0.0		20	-6.1	0.0	-1.9	0.0
-0.3	0.0		209	1.6	0.0	2.0	0.0
0.4	-0.0	SLVz (RS)	205	3.0	-0.0	-2.3	0.0
-0.4	0.0		61	-8.5	-0.0	2.0	0.0
0.4	0.0		20	-2.5	0.0	2.6	-0.0
-0.4	-0.0		209	7.5	0.0	-2.3	-0.0
-9.9	0.0	g1	205	-51.9	0.0	50.1	-0.0
10.1	-0.0		61	190.0	0.0	-33.3	-0.0
-9.8	-0.0		20	29.1	-0.0	-54.4	0.0
9.6	0.0		209	-167.2	-0.0	38.1	0.0
-4.9	0.0	g2	205	-26.4	-0.0	24.4	-0.0
5.0	-0.0		61	92.2	-0.0	-15.3	-0.0
-4.9	-0.0		20	15.1	0.0	-26.6	0.0
4.8	0.0		209	-80.9	0.0	17.5	0.0
-1.2	0.0	q3	205	-16.0	0.0	-1.0	-0.0
1.1	-0.0		61	12.0	0.0	2.3	-0.0
-1.1	-0.0		20	14.1	-0.0	1.2	0.0
1.2	0.0		209	-10.1	-0.0	-2.4	0.0
0.6	0.0	q5_pc	205	6.6	-0.2	-0.3	-0.1
-0.6	-0.0		61	-7.5	-0.3	-0.2	-0.1

PROJECT TITLE :

MIDAS		Company			Client				
		Author			File Name				
							PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.6	-0.0			20	-6.2	-0.0	0.4	0.1	
-0.6	0.0			209	7.1	-0.1	0.1	0.1	
			q5_ps	205	6.1	-0.2	0.1	-0.1	
0.5	0.0			61	-6.0	-0.3	-0.4	-0.1	
-0.5	-0.0			20	-5.8	-0.0	0.0	0.1	
0.5	-0.0			209	5.7	-0.1	0.3	0.1	
-0.5	0.0								
			INVSLU	Max	205	12.6	0.3	105.8	0.1
-8.2	0.0			61	280.2	0.5	-61.8	0.1	
10.2	0.0			20	-81.5	0.0	-106.4	0.2	
-6.8	0.0			209	-146.1	0.1	69.0	0.2	
10.6	0.0								
				Min	205	-24.0	-0.3	103.9	-0.1
-11.2	-0.0			61	248.2	-0.4	-65.7	-0.1	
7.4	-0.0			20	-114.7	-0.1	-108.7	-0.2	
-9.5	-0.0			209	-174.6	-0.1	65.1	-0.2	
7.7	-0.0								
			INVSLV	Max	205	-4.3	0.0	83.4	0.0
-7.4	0.0			61	242.1	0.1	-41.5	0.0	
10.4	0.0			20	-22.7	0.1	-70.3	0.1	
-6.6	0.0			209	-132.8	0.0	60.2	0.1	
10.3	0.0								
				Min	205	-39.4	-0.0	68.1	-0.0
-10.8	-0.0			61	190.5	-0.1	-56.6	-0.0	
7.1	-0.0			20	-55.3	-0.1	-86.6	-0.1	
-9.8	-0.0			209	-178.2	-0.1	44.1	-0.1	
7.0	-0.0								
239	2	8	Q1-1-2	Max	212	0.0	0.0	0.0	0.0
0.0	0.0	0.0			213	0.0	0.0	0.0	0.0
0.0	0.0	0.0			217	0.0	0.0	0.0	0.0
0.0	0.0	0.0			216	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	212	0.0	0.0	0.0	0.0
0.0	0.0	0.0			213	0.0	0.0	0.0	0.0




PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

0.0	0.0		217	0.0	0.0	0.0	0.0	
0.0	0.0		216	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q2a-1-2	Max	212	0.0	0.0	0.0	0.0
0.0	0.0			213	0.0	0.0	0.0	0.0
0.0	0.0			217	0.0	0.0	0.0	0.0
0.0	0.0			216	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	212	0.0	0.0	0.0	0.0
0.0	0.0			213	0.0	0.0	0.0	0.0
0.0	0.0			217	0.0	0.0	0.0	0.0
0.0	0.0			216	0.0	0.0	0.0	0.0
0.0	0.0							
			SLVx (RS)	212	-5.3	0.0	-4.4	-0.0
-0.2	0.0			213	4.3	-0.0	4.5	-0.0
0.2	-0.0			217	5.7	0.0	4.3	0.0
-0.2	-0.0			216	-2.7	-0.0	-4.3	0.0
0.2	0.0							
			SLVy (RS)	212	8.9	0.1	3.6	-0.0
0.4	-0.0			213	-3.2	0.2	-3.4	-0.0
-0.4	0.0			217	-9.0	-0.2	-3.5	-0.0
0.4	0.0			216	3.3	-0.1	3.2	-0.0
-0.4	-0.0							
			SLDx (RS)	212	-2.6	0.0	-2.2	-0.0
-0.1	0.0			213	2.1	-0.0	2.3	-0.0
0.1	-0.0			217	2.9	0.0	2.2	0.0
-0.1	-0.0			216	-1.3	-0.0	-2.2	0.0
0.1	0.0							
			SLDy (RS)	212	4.4	0.1	1.8	-0.0
0.2	-0.0			213	-1.6	0.1	-1.7	-0.0
-0.2	0.0			217	-4.5	-0.1	-1.7	-0.0
0.2	0.0			216	1.6	-0.1	1.6	-0.0
-0.2	-0.0							

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
		SLVz (RS)	212	-2.0	-0.0	-2.0	-0.0
0.0	0.0		213	-1.8	-0.0	1.9	-0.0
-0.0	-0.0		217	2.4	0.0	1.9	0.0
0.0	-0.0		216	1.2	0.0	-1.9	0.0
-0.0	0.0						
		g1	212	30.9	0.0	39.8	0.0
0.1	-0.0		213	34.9	0.0	-32.0	0.0
-0.1	0.0		217	-44.9	-0.0	-39.4	-0.0
0.2	0.0		216	-20.9	-0.0	31.8	-0.0
-0.2	-0.0						
		g2	212	14.7	-0.0	19.6	-0.0
0.0	0.0		213	16.7	-0.0	-14.8	-0.0
0.0	-0.0		217	-21.5	0.0	-19.4	0.0
0.1	-0.0		216	-9.9	0.0	14.5	0.0
-0.1	0.0						
		q3	212	-5.2	0.0	-2.0	0.0
-0.2	-0.0		213	1.7	0.0	2.0	0.0
0.2	0.0		217	4.0	-0.0	1.9	-0.0
-0.2	0.0		216	-0.6	-0.0	-1.9	-0.0
0.2	-0.0						
		q5_pc	212	3.9	0.1	-0.0	-0.0
0.2	-0.0		213	-4.1	0.3	-0.0	-0.0
-0.3	0.0		217	-3.7	-0.4	0.0	-0.1
0.3	0.0		216	3.9	-0.3	0.0	-0.1
-0.2	-0.0						
		q5_ps	212	3.7	0.1	0.3	-0.0
0.2	-0.0		213	-3.4	0.3	-0.3	-0.0
-0.2	0.0		217	-3.6	-0.3	-0.3	-0.1
0.2	0.0		216	3.3	-0.3	0.3	-0.1
-0.2	-0.0						
		INVSLU Max	212	390.9	0.2	95.7	0.0
22.1	0.0		213	-246.1	0.4	-62.8	0.0
-21.0	0.0		217	-446.2	0.5	-95.9	0.1
21.9	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-21.3	0.0				216	328.2	0.4	69.5	0.1
			Min		212	374.5	-0.2	92.5	-0.0
21.3	-0.0				213	-258.0	-0.4	-66.0	-0.0
-21.8	-0.0				217	-461.1	-0.5	-98.9	-0.1
21.1	-0.0				216	317.7	-0.4	66.5	-0.1
-22.2	-0.0								
		INVSLV	Max		212	208.9	0.1	71.6	0.0
10.8	0.0				213	-98.8	0.2	-38.4	0.0
-9.8	0.0				217	-226.2	0.2	-60.5	0.0
10.7	0.0				216	148.7	0.1	51.5	0.0
-9.9	0.0								
			Min		212	186.8	-0.1	59.4	-0.0
10.0	-0.0				213	-110.3	-0.2	-50.6	-0.0
-10.7	-0.0				217	-249.0	-0.2	-72.4	-0.1
9.8	-0.0				216	139.9	-0.1	39.8	-0.1
-10.8	-0.0								
240	2	4	Q1-1-2	Max	213	0.0	0.0	0.0	0.0
0.0	0.0	0.0			73	0.0	0.0	0.0	0.0
0.0	0.0	0.0			90	0.0	0.0	0.0	0.0
0.0	0.0	0.0			217	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Min		213	0.0	0.0	0.0	0.0
0.0	0.0	0.0			73	0.0	0.0	0.0	0.0
0.0	0.0	0.0			90	0.0	0.0	0.0	0.0
0.0	0.0	0.0			217	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	213	0.0	0.0	0.0	0.0
0.0	0.0	0.0			73	0.0	0.0	0.0	0.0
0.0	0.0	0.0			90	0.0	0.0	0.0	0.0
0.0	0.0	0.0			217	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Min		213	0.0	0.0	0.0	0.0
0.0	0.0	0.0			73	0.0	0.0	0.0	0.0
0.0	0.0	0.0			90	0.0	0.0	0.0	0.0
0.0	0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		217	0.0	0.0	0.0	0.0
-0.2	0.0	SLVx (RS)	213	-9.2	-0.0	-4.3	-0.0
0.2	-0.0		73	-8.6	-0.0	3.9	-0.0
-0.2	-0.0		90	9.9	0.0	4.9	0.0
0.2	0.0		217	7.3	0.0	-4.5	0.0
0.4	-0.0	SLVy (RS)	213	11.9	0.2	3.5	-0.0
-0.4	0.0		73	-1.6	0.3	-3.2	-0.0
0.3	0.0		90	-11.7	-0.3	-3.6	-0.1
-0.4	-0.0		217	1.6	-0.2	3.3	-0.1
-0.1	0.0	SLDx (RS)	213	-4.6	-0.0	-2.2	-0.0
0.1	-0.0		73	-4.3	-0.0	2.0	-0.0
-0.1	-0.0		90	4.9	0.0	2.4	0.0
0.1	0.0		217	3.7	0.0	-2.2	0.0
0.2	-0.0	SLDy (RS)	213	5.9	0.1	1.7	-0.0
-0.2	0.0		73	-0.8	0.1	-1.6	-0.0
0.2	0.0		90	-5.9	-0.1	-1.8	-0.0
-0.2	-0.0		217	0.8	-0.1	1.7	-0.0
0.0	0.0	SLVz (RS)	213	-3.9	-0.0	-1.9	-0.0
-0.0	-0.0		73	-3.7	-0.0	1.7	-0.0
0.0	-0.0		90	4.3	0.0	2.2	0.0
-0.0	0.0		217	3.2	0.0	-2.0	0.0
-0.3	-0.0	g1	213	66.5	0.0	41.8	0.0
0.7	0.0		73	71.7	0.0	-25.1	0.0
-0.8	0.0		90	-78.5	-0.0	-46.8	-0.0
0.3	-0.0		217	-59.6	-0.0	30.4	-0.0
-0.2	0.0	g2	213	31.6	-0.0	20.7	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.4	-0.0			73	34.0	-0.0	-11.1	-0.0
-0.5	-0.0			90	-37.5	0.0	-23.1	0.0
0.3	0.0			217	-28.1	0.0	13.6	0.0
-0.2	-0.0	q3		213	-6.9	0.0	-1.8	0.0
0.2	0.0			73	-0.3	0.0	2.0	0.0
-0.2	0.0			90	5.7	-0.0	1.9	-0.0
0.2	-0.0			217	1.5	-0.0	-2.1	-0.0
0.2	-0.0	q5_pc		213	3.6	0.3	0.0	-0.0
-0.3	0.0			73	-4.3	0.4	-0.1	-0.0
0.3	0.0			90	-3.3	-0.6	0.3	-0.1
-0.2	-0.0			217	4.0	-0.5	-0.2	-0.1
0.2	-0.0	q5_ps		213	3.8	0.3	0.3	-0.0
-0.2	0.0			73	-3.4	0.4	-0.3	-0.0
0.2	0.0			90	-3.5	-0.6	-0.1	-0.1
-0.2	-0.0			217	3.1	-0.5	0.1	-0.1
20.7	0.0	INVSLU	Max	213	441.1	0.4	89.8	0.1
-19.2	0.0			73	-167.0	0.6	-63.8	0.1
19.9	0.0			90	-475.4	0.8	-86.7	0.2
-19.7	0.0			217	229.1	0.8	67.4	0.2
19.8	-0.0		Min	213	422.8	-0.4	86.9	-0.0
-20.1	0.0			73	-177.4	-0.5	-67.1	-0.0
19.1	-0.0			90	-491.6	-0.9	-89.8	-0.2
-20.5	-0.0			217	218.3	-0.8	64.2	-0.2
10.2	0.0	INVSLV	Max	213	254.6	0.2	66.4	0.0
-8.9	0.0			73	-39.3	0.3	-40.8	0.0
9.9	0.0			90	-254.6	0.3	-54.8	0.1
-9.5	0.0			217	90.1	0.2	53.7	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

				Min	213	223.0	-0.2	54.4	-0.0
9.3	-0.0				73	-59.8	-0.3	-51.6	-0.0
-9.7	-0.0				90	-286.5	-0.3	-68.1	-0.1
9.1	-0.0				217	72.6	-0.2	41.5	-0.1
-10.4	-0.0								
243	2	8	Q1-1-2	Max	216	0.0	0.0	0.0	0.0
0.0	0.0	0.0			217	0.0	0.0	0.0	0.0
0.0	0.0	0.0			221	0.0	0.0	0.0	0.0
0.0	0.0	0.0			220	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	216	0.0	0.0	0.0	0.0
0.0	0.0	0.0			217	0.0	0.0	0.0	0.0
0.0	0.0	0.0			221	0.0	0.0	0.0	0.0
0.0	0.0	0.0			220	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	216	0.0	0.0	0.0	0.0
0.0	0.0	0.0			217	0.0	0.0	0.0	0.0
0.0	0.0	0.0			221	0.0	0.0	0.0	0.0
0.0	0.0	0.0			220	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	216	0.0	0.0	0.0	0.0
0.0	0.0	0.0			217	0.0	0.0	0.0	0.0
0.0	0.0	0.0			221	0.0	0.0	0.0	0.0
0.0	0.0	0.0			220	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				SLVx (RS)	216	-4.7	-0.0	-1.7	-0.0
-0.0	0.0	0.0			217	-3.0	-0.0	1.6	-0.0
0.0	-0.0	0.0			221	4.9	0.0	1.1	0.0
-0.0	-0.0	0.0			220	2.8	0.0	-1.0	0.0
0.0	0.0	0.0							
				SLVy (RS)	216	4.9	0.2	1.2	0.0
0.0	-0.0	0.0			217	1.3	0.2	-1.3	0.1
-0.0	0.0	0.0			221	-5.1	-0.2	-0.8	-0.1
0.1	0.0	0.0			220	-1.1	-0.2	0.9	-0.1
-0.1	-0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	0.0	SLDx (RS)	216	-2.3	-0.0	-0.9	-0.0
0.0	-0.0		217	-1.5	-0.0	0.8	-0.0
-0.0	-0.0		221	2.4	0.0	0.6	0.0
0.0	0.0		220	1.4	0.0	-0.5	0.0
0.0	-0.0	SLDy (RS)	216	2.4	0.1	0.6	0.0
-0.0	0.0		217	0.6	0.1	-0.7	0.0
0.0	0.0		221	-2.6	-0.1	-0.4	-0.0
-0.0	-0.0		220	-0.5	-0.1	0.5	-0.0
-0.0	0.0	SLVz (RS)	216	-2.1	-0.0	-0.8	-0.0
0.0	-0.0		217	-1.4	-0.0	0.7	-0.0
-0.0	-0.0		221	2.2	0.0	0.5	0.0
0.0	0.0		220	1.3	0.0	-0.4	0.0
-0.0	-0.0	g1	216	40.6	0.0	18.3	0.0
0.1	0.0		217	24.1	0.0	-9.5	0.0
-0.0	0.0		221	-43.3	-0.0	-13.2	-0.0
-0.1	-0.0		220	-21.4	-0.0	4.4	-0.0
-0.1	0.0	g2	216	19.5	0.0	9.5	-0.0
0.1	-0.0		217	11.4	-0.0	-3.7	-0.0
-0.1	-0.0		221	-20.7	0.0	-7.2	0.0
0.0	0.0		220	-10.2	0.0	1.3	0.0
-0.0	-0.0	q3	216	-2.0	0.0	-0.7	0.0
0.0	0.0		217	-1.4	0.0	0.7	0.0
-0.0	0.0		221	1.8	-0.0	0.4	-0.0
0.0	-0.0		220	1.5	-0.0	-0.4	-0.0
0.0	-0.0	q5_pc	216	1.1	0.3	-0.2	0.1
-0.0	0.0		217	-1.1	0.4	-0.2	0.1

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name			PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	0.0			221	-1.2	-0.4	0.1	-0.1
-0.0	-0.0			220	1.3	-0.4	0.3	-0.1
0.0	-0.0	q5_ps		216	1.2	0.3	-0.0	0.1
-0.0	0.0			217	-0.8	0.4	-0.2	0.1
0.0	0.0			221	-1.4	-0.4	-0.0	-0.1
-0.0	-0.0			220	0.9	-0.3	0.3	-0.1
2.2	0.0	INVSLU	Max	216	230.8	0.5	46.1	0.1
-2.4	0.0			217	-63.3	0.6	-21.3	0.1
3.2	0.0			221	-248.8	0.5	-42.4	0.2
-2.8	0.0			220	91.5	0.4	20.1	0.2
2.1	-0.0		Min	216	225.1	-0.4	44.7	-0.1
-2.5	-0.0			217	-67.3	-0.5	-22.8	-0.1
3.1	-0.0			221	-254.8	-0.7	-43.2	-0.2
-2.9	-0.0			220	86.8	-0.6	18.9	-0.2
0.9	0.0	INVSLV	Max	216	136.1	0.2	35.1	0.1
-0.9	0.0			217	-17.1	0.2	-8.5	0.1
1.3	0.0			221	-133.4	0.2	-29.6	0.1
-1.1	0.0			220	35.8	0.2	10.4	0.1
0.8	-0.0		Min	216	122.4	-0.2	30.5	-0.0
-1.0	-0.0			217	-24.7	-0.2	-12.9	-0.0
1.2	-0.0			221	-147.8	-0.2	-32.6	-0.1
-1.2	-0.0			220	28.8	-0.2	7.6	-0.1
244	2	4	Q1-1-2	Max	217	0.0	0.0	0.0
0.0	0.0			90	0.0	0.0	0.0	0.0
0.0	0.0			13	0.0	0.0	0.0	0.0
0.0	0.0			221	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	217	0.0	0.0	0.0	0.0
				90	0.0	0.0	0.0	0.0




PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		13	0.0	0.0	0.0	0.0	
0.0	0.0		221	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q2a-1-2	Max	217	0.0	0.0	0.0	0.0
0.0	0.0			90	0.0	0.0	0.0	0.0
0.0	0.0			13	0.0	0.0	0.0	0.0
0.0	0.0			221	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	217	0.0	0.0	0.0	0.0
0.0	0.0			90	0.0	0.0	0.0	0.0
0.0	0.0			13	0.0	0.0	0.0	0.0
0.0	0.0			221	0.0	0.0	0.0	0.0
0.0	0.0							
			SLVx (RS)	217	-9.6	0.0	-1.4	-0.0
-0.0	0.0			90	-7.7	-0.0	0.6	-0.0
0.0	-0.0			13	9.3	0.0	2.3	0.0
0.0	-0.0			221	8.0	-0.0	-1.5	0.0
0.0	0.0							
			SLVy (RS)	217	8.4	0.3	1.5	0.1
0.0	-0.0			90	4.4	0.4	-0.5	0.1
-0.0	0.0			13	-7.8	-0.4	-1.7	-0.1
-0.0	0.0			221	-5.0	-0.3	0.7	-0.1
0.0	-0.0							
			SLDx (RS)	217	-4.8	0.0	-0.7	-0.0
-0.0	0.0			90	-3.8	-0.0	0.3	-0.0
0.0	-0.0			13	4.6	0.0	1.2	0.0
0.0	-0.0			221	4.0	-0.0	-0.8	0.0
0.0	0.0							
			SLDy (RS)	217	4.2	0.1	0.7	0.0
0.0	-0.0			90	2.2	0.2	-0.2	0.0
-0.0	0.0			13	-3.9	-0.2	-0.9	-0.1
-0.0	0.0			221	-2.5	-0.1	0.4	-0.1
0.0	-0.0							

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
		SLVz (RS)	217	-4.2	-0.0	-0.6	-0.0
-0.0	0.0		90	-3.4	-0.0	0.3	-0.0
-0.0	-0.0		13	4.1	0.0	1.0	0.0
0.0	-0.0		221	3.6	0.0	-0.7	0.0
0.0	0.0						
		g1	217	80.5	0.0	18.4	0.0
-0.6	-0.0		90	61.5	0.0	2.8	0.0
0.9	0.0		13	-77.5	-0.0	-26.5	-0.0
-1.2	0.0		221	-64.5	-0.0	5.4	-0.0
0.8	-0.0						
		g2	217	38.2	-0.0	9.5	-0.0
-0.4	0.0		90	29.2	-0.0	2.1	-0.0
0.5	-0.0		13	-37.0	0.0	-13.4	0.0
-0.6	-0.0		221	-30.4	0.0	1.8	0.0
0.5	0.0						
		q3	217	-4.1	0.0	-0.5	0.0
-0.0	-0.0		90	-3.4	0.0	0.4	0.0
0.0	0.0		13	3.8	-0.0	0.9	-0.0
0.0	0.0		221	3.7	-0.0	-0.8	-0.0
0.0	-0.0						
		q5_pc	217	0.9	0.5	0.3	0.1
0.0	-0.0		90	-1.6	0.6	-0.2	0.1
-0.0	0.0		13	-0.6	-0.7	0.2	-0.2
0.0	0.0		221	1.3	-0.6	-0.3	-0.2
0.0	-0.0						
		q5_ps	217	1.3	0.5	0.4	0.1
0.0	-0.0		90	-0.9	0.6	-0.1	0.1
-0.0	0.0		13	-1.0	-0.7	-0.0	-0.2
0.0	0.0		221	0.6	-0.6	-0.3	-0.2
0.0	-0.0						
		INVSLU Max	217	299.1	0.7	54.3	0.2
1.0	0.0		90	13.3	0.9	-7.3	0.2
-1.4	0.0		13	-265.9	1.0	-49.0	0.3
-0.2	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.8	0.0			221	-31.3	0.9	5.2	0.3
			Min	217	290.8	-0.8	52.7	-0.2
1.0	-0.0			90	5.9	-0.9	-8.0	-0.2
-1.5	-0.0			13	-273.2	-1.0	-50.6	-0.4
-0.3	-0.0			221	-38.6	-0.8	3.4	-0.3
0.7	-0.0							
		INVSLV	Max	217	190.5	0.3	31.7	0.1
0.7	0.0			90	44.6	0.4	-5.8	0.1
-0.7	0.0			13	-153.5	0.3	-28.9	0.1
-0.0	0.0			221	-34.8	0.3	11.1	0.1
0.1	0.0							
			Min	217	163.8	-0.3	27.5	-0.1
0.6	-0.0			90	24.5	-0.3	-7.4	-0.1
-0.7	-0.0			13	-179.2	-0.4	-35.2	-0.1
-0.1	-0.0			221	-55.9	-0.3	7.2	-0.1
0.1	-0.0							
266	2	4	Q1-1-2	Max	246	0.0	0.0	0.0
0.0	0.0				247	0.0	0.0	0.0
0.0	0.0				2259	0.0	0.0	0.0
0.0	0.0				2258	0.0	0.0	0.0
0.0	0.0							
			Min	246	0.0	0.0	0.0	0.0
0.0	0.0				247	0.0	0.0	0.0
0.0	0.0				2259	0.0	0.0	0.0
0.0	0.0				2258	0.0	0.0	0.0
0.0	0.0							
			Q2a-1-2	Max	246	0.0	0.0	0.0
0.0	0.0				247	0.0	0.0	0.0
0.0	0.0				2259	0.0	0.0	0.0
0.0	0.0				2258	0.0	0.0	0.0
0.0	0.0							
			Min	246	0.0	0.0	0.0	0.0
0.0	0.0				247	0.0	0.0	0.0
0.0	0.0				2259	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		2258	0.0	0.0	0.0	0.0
-0.1	-0.0	SLVx (RS)	246	-3.7	-0.0	-0.8	0.0
0.2	0.0		247	-10.4	-0.0	1.1	0.0
-0.1	0.0		2259	3.4	0.0	1.0	-0.0
0.1	-0.0		2258	10.1	0.0	-1.3	-0.0
0.0	-0.0	SLVy (RS)	246	2.7	-0.3	0.4	0.1
-0.0	0.0		247	-0.9	-0.2	-0.6	0.1
0.0	0.0		2259	-2.7	0.2	-0.3	-0.0
-0.0	-0.0		2258	0.9	0.3	0.6	-0.0
-0.1	-0.0	SLDx (RS)	246	-1.9	-0.0	-0.4	0.0
0.1	0.0		247	-5.2	-0.0	0.6	0.0
-0.1	0.0		2259	1.7	0.0	0.5	-0.0
0.1	-0.0		2258	5.0	0.0	-0.6	-0.0
0.0	-0.0	SLDy (RS)	246	1.3	-0.1	0.2	0.0
-0.0	0.0		247	-0.5	-0.1	-0.3	0.0
0.0	0.0		2259	-1.3	0.1	-0.2	-0.0
-0.0	-0.0		2258	0.5	0.1	0.3	-0.0
0.0	-0.0	SLVz (RS)	246	1.1	0.0	-0.3	0.0
-0.1	0.0		247	-4.5	0.0	0.5	0.0
0.1	0.0		2259	-1.0	-0.0	0.4	-0.0
-0.0	-0.0		2258	4.3	-0.0	-0.6	-0.0
-1.3	0.0	g1	246	-28.7	0.0	7.2	-0.0
1.5	-0.0		247	88.9	0.0	-6.2	-0.0
-1.4	-0.0		2259	25.4	-0.0	-8.4	0.0
1.3	0.0		2258	-85.6	-0.0	7.5	0.0
-0.7	-0.0	g2	246	-14.3	-0.0	3.8	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.7	0.0		247	42.7	-0.0	-2.5	0.0
-0.7	-0.0		2259	12.7	0.0	-4.4	0.0
0.7	-0.0		2258	-41.1	0.0	3.0	-0.0
-0.1	0.0	q3	246	-3.8	0.0	-0.3	-0.0
0.1	-0.0		247	2.5	0.0	0.3	-0.0
-0.1	-0.0		2259	3.7	-0.0	0.3	0.0
0.1	0.0		2258	-2.4	-0.0	-0.3	0.0
0.1	-0.0	q5_pc	246	1.6	-0.5	-0.1	0.1
-0.1	0.0		247	-2.4	-0.4	-0.0	0.1
0.1	0.0		2259	-1.6	0.4	0.2	-0.1
-0.1	-0.0		2258	2.4	0.4	-0.0	-0.1
0.0	-0.0	q5_ps	246	1.4	-0.5	-0.0	0.1
-0.0	0.0		247	-1.9	-0.4	-0.1	0.1
0.0	0.0		2259	-1.4	0.3	0.1	-0.1
-0.0	-0.0		2258	1.8	0.4	-0.0	-0.1
-3.0	0.0	INVSLU Max	246	-72.1	0.7	13.3	0.2
3.2	0.0		247	190.0	0.7	-10.9	0.2
-2.9	0.0		2259	68.1	0.5	-13.8	0.1
3.1	0.0		2258	-169.3	0.6	12.6	0.1
-3.2	-0.0	Min	246	-80.8	-0.7	12.8	-0.2
3.0	-0.0		247	181.7	-0.6	-11.4	-0.2
-3.1	-0.0		2259	59.7	-0.6	-14.5	-0.1
2.9	-0.0		2258	-177.4	-0.6	12.2	-0.1
-2.0	0.0	INVSLV Max	246	-45.2	0.3	11.1	0.1
2.4	0.0		247	144.3	0.2	-6.8	0.1
-2.0	0.0		2259	46.8	0.2	-10.0	0.0
2.3	0.0		2258	-112.9	0.3	11.1	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


				Min	246	-54.9	-0.3	9.1	-0.1
-2.3	-0.0				247	120.2	-0.2	-9.7	-0.1
2.0	-0.0				2259	37.8	-0.2	-12.3	-0.0
-2.3	-0.0				2258	-136.2	-0.3	7.8	-0.0
2.0	-0.0								
267	2	10	Q1-1-2	Max	247	0.0	0.0	0.0	0.0
0.0	0.0	0.0			248	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2260	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2259	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	247	0.0	0.0	0.0	0.0
0.0	0.0	0.0			248	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2260	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2259	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	247	0.0	0.0	0.0	0.0
0.0	0.0	0.0			248	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2260	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2259	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	247	0.0	0.0	0.0	0.0
0.0	0.0	0.0			248	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2260	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2259	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				SLVx (RS)	247	-3.5	0.0	-0.7	0.0
-0.1	-0.0	0.0			248	-9.3	0.0	0.9	0.0
0.1	0.0	0.0			2260	3.5	-0.0	1.0	-0.0
-0.1	-0.0	0.0			2259	9.4	-0.0	-1.2	-0.0
0.1	-0.0	0.0							
				SLVy (RS)	247	2.0	-0.2	0.4	0.0
0.0	-0.0	0.0			248	-1.1	-0.1	0.3	0.0
-0.0	0.0	0.0			2260	-1.7	0.2	-0.8	-0.0
-0.0	-0.0	0.0			2259	0.9	0.2	-0.2	-0.0
0.0	-0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	-0.0	SLDx (RS)	247	-1.7	0.0	-0.3	0.0
0.1	0.0		248	-4.6	0.0	0.5	0.0
-0.1	-0.0		2260	1.8	-0.0	0.5	-0.0
0.1	-0.0		2259	4.7	-0.0	-0.6	-0.0
0.0	-0.0	SLDy (RS)	247	1.0	-0.1	0.2	0.0
-0.0	0.0		248	-0.5	-0.1	0.1	0.0
-0.0	-0.0		2260	-0.8	0.1	-0.4	-0.0
0.0	-0.0		2259	0.5	0.1	-0.1	-0.0
0.0	-0.0	SLVz (RS)	247	1.0	0.0	-0.2	0.0
-0.1	0.0		248	-4.0	0.0	0.4	0.0
0.1	0.0		2260	-1.0	-0.0	0.4	-0.0
-0.0	-0.0		2259	4.0	-0.0	-0.6	-0.0
-1.2	0.0	g1	247	-26.6	0.0	5.9	-0.0
1.3	-0.0		248	78.9	-0.0	-4.5	-0.0
-1.4	-0.0		2260	27.1	0.0	-7.9	0.0
1.3	0.0		2259	-79.4	-0.0	6.7	0.0
-0.6	0.0	g2	247	-13.7	-0.0	3.1	-0.0
0.7	-0.0		248	37.3	-0.0	-1.7	-0.0
-0.7	-0.0		2260	14.1	0.0	-3.9	0.0
0.7	0.0		2259	-37.7	0.0	2.4	0.0
-0.1	0.0	q3	247	-3.5	0.0	-0.3	-0.0
0.1	-0.0		248	2.0	0.0	0.3	-0.0
-0.1	-0.0		2260	3.6	-0.0	0.3	0.0
0.1	0.0		2259	-2.0	-0.0	-0.3	0.0
0.0	-0.0	q5_pc	247	1.5	-0.3	0.1	0.1
-0.0	0.0		248	-2.0	-0.2	0.0	0.1

PROJECT TITLE :

		Company			Client		
		Author			File Name		
							PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt
0.0	0.0			2260	-1.7	0.2	0.0
-0.0	-0.0			2259	2.1	0.3	-0.1
0.0	-0.0	q5_ps		247	1.3	-0.3	0.1
-0.0	0.0			248	-1.7	-0.2	0.0
0.0	0.0			2260	-1.3	0.2	0.0
-0.0	-0.0			2259	1.8	0.3	-0.1
-2.7	0.0	INVSLU	Max	247	-65.4	0.5	11.7
2.9	0.0			248	167.7	0.4	-7.0
-3.0	0.0			2260	69.5	0.2	-14.1
3.1	0.0			2259	-156.4	0.4	10.7
-2.9	-0.0		Min	247	-73.4	-0.5	11.1
2.7	-0.0			248	160.6	-0.3	-7.5
-3.2	-0.0			2260	61.2	-0.3	-14.6
2.9	-0.0			2259	-163.7	-0.4	10.0
-1.8	0.0	INVSLV	Max	247	-42.4	0.2	9.3
2.1	0.0			248	126.3	0.1	-4.3
-2.0	0.0			2260	49.7	0.2	-9.1
2.3	0.0			2259	-103.3	0.2	8.9
-2.0	-0.0		Min	247	-51.1	-0.2	7.6
1.8	-0.0			248	104.7	-0.1	-6.6
-2.3	-0.0			2260	41.0	-0.2	-11.7
2.0	-0.0			2259	-125.0	-0.2	6.0
275	2	4	Q1-1-2	Max	264	0.0	0.0
0.0	0.0				265	0.0	0.0
0.0	0.0				274	0.0	0.0
0.0	0.0				273	0.0	0.0
0.0	0.0						
0.0	0.0		Min	264	0.0	0.0	0.0
					265	0.0	0.0




PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		274	0.0	0.0	0.0	0.0	
0.0	0.0		273	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q2a-1-2	Max	264	0.0	0.0	0.0	0.0
0.0	0.0			265	0.0	0.0	0.0	0.0
0.0	0.0			274	0.0	0.0	0.0	0.0
0.0	0.0			273	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	264	0.0	0.0	0.0	0.0
0.0	0.0			265	0.0	0.0	0.0	0.0
0.0	0.0			274	0.0	0.0	0.0	0.0
0.0	0.0			273	0.0	0.0	0.0	0.0
0.0	0.0							
			SLVx (RS)	264	-5.3	-0.0	-3.6	0.0
-0.5	0.0			265	9.1	-0.0	3.5	0.0
0.5	-0.0			274	4.1	0.0	3.6	0.0
-0.5	-0.0			273	-6.5	0.0	-3.4	0.0
0.5	0.0							
			SLVy (RS)	264	10.9	0.1	2.8	-0.0
0.7	0.0			265	-6.1	0.1	-2.9	-0.0
-0.7	-0.0			274	-11.8	-0.0	-2.8	0.0
0.8	-0.0			273	6.9	-0.1	2.8	0.0
-0.8	0.0							
			SLDx (RS)	264	-2.7	-0.0	-1.8	0.0
-0.2	0.0			265	4.5	-0.0	1.7	0.0
0.2	-0.0			274	2.0	0.0	1.8	0.0
-0.2	-0.0			273	-3.2	0.0	-1.7	0.0
0.3	0.0							
			SLDy (RS)	264	5.4	0.0	1.4	-0.0
0.4	0.0			265	-3.0	0.0	-1.4	-0.0
-0.4	-0.0			274	-5.9	-0.0	-1.4	0.0
0.4	-0.0			273	3.5	-0.0	1.4	0.0
-0.4	0.0							

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
		SLVz (RS)	264	1.3	-0.0	-1.5	0.0
0.2	-0.0		265	-3.8	-0.0	1.3	0.0
-0.2	0.0		274	-0.9	0.0	1.6	0.0
0.2	-0.0		273	2.8	0.0	-1.4	0.0
-0.2	0.0						
		g1	264	-27.8	0.0	28.2	-0.0
-3.7	-0.0		265	73.7	0.0	-15.1	-0.0
3.7	0.0		274	4.0	-0.0	-28.3	-0.0
-3.8	0.0		273	-49.9	-0.0	15.5	-0.0
3.8	-0.0						
		g2	264	-13.5	-0.0	14.1	-0.0
-1.9	0.0		265	35.0	-0.0	-6.0	-0.0
1.8	-0.0		274	1.6	0.0	-14.4	0.0
-1.8	-0.0		273	-23.1	0.0	6.2	0.0
1.8	0.0						
		q3	264	-6.5	0.0	-1.6	-0.0
-0.4	0.0		265	3.1	0.0	1.9	-0.0
0.4	-0.0		274	5.5	-0.0	1.7	-0.0
-0.4	0.0		273	-2.1	-0.0	-2.0	-0.0
0.4	-0.0						
		q5_pc	264	6.6	0.0	-0.1	-0.1
0.6	0.0		265	-6.8	-0.0	-0.2	-0.1
-0.6	-0.0		274	-6.5	-0.2	0.1	0.0
0.6	-0.0		273	6.7	-0.3	0.2	0.0
-0.6	0.0						
		q5_ps	264	6.0	0.0	0.2	-0.1
0.5	0.0		265	-5.9	-0.0	-0.2	-0.1
-0.5	-0.0		274	-6.0	-0.2	-0.2	0.0
0.5	-0.0		273	5.9	-0.3	0.3	0.0
-0.5	0.0						
		INVSLU Max	264	260.5	0.0	63.0	0.1
22.0	0.0		265	-159.4	0.1	-33.6	0.1
-20.3	0.1		274	-344.8	0.2	-56.9	0.0
21.8	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-19.7	0.0			273	288.0	0.4	33.7	0.0
			Min	264	236.0	0.0	60.5	-0.1
20.1	-0.0			265	-180.1	0.0	-36.7	-0.1
-22.1	-0.0			274	-368.3	-0.3	-59.6	-0.1
19.9	-0.0			273	268.2	-0.4	30.5	-0.1
-21.6	-0.0							
		INVSLV	Max	264	132.6	0.1	50.1	0.0
10.4	0.0			265	-47.4	0.1	-18.8	0.0
-8.6	0.0			274	-172.3	0.0	-38.9	0.0
10.3	0.0			273	135.0	0.1	27.1	0.0
-8.3	0.0							
			Min	264	106.9	-0.1	40.3	-0.0
8.5	-0.0			265	-71.5	-0.0	-28.2	-0.0
-10.4	-0.0			274	-198.9	-0.0	-48.7	-0.0
8.4	-0.0			273	115.6	-0.1	17.8	-0.0
-10.2	-0.0							
276	2	10	Q1-1-2	Max	265	0.0	0.0	0.0
0.0	0.0	0.0			266	0.0	0.0	0.0
0.0	0.0	0.0			275	0.0	0.0	0.0
0.0	0.0	0.0			274	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	265	0.0	0.0	0.0	0.0
0.0	0.0	0.0			266	0.0	0.0	0.0
0.0	0.0	0.0			275	0.0	0.0	0.0
0.0	0.0	0.0			274	0.0	0.0	0.0
0.0	0.0	0.0						
			Q2a-1-2	Max	265	0.0	0.0	0.0
0.0	0.0	0.0			266	0.0	0.0	0.0
0.0	0.0	0.0			275	0.0	0.0	0.0
0.0	0.0	0.0			274	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	265	0.0	0.0	0.0	0.0
0.0	0.0	0.0			266	0.0	0.0	0.0
0.0	0.0	0.0			275	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	0.0		274	0.0	0.0	0.0	0.0
-0.4	0.0	SLVx (RS)	265	-5.1	-0.0	-3.2	0.0
0.4	0.0		266	8.7	-0.0	3.5	0.0
-0.5	0.0		275	4.0	-0.0	3.2	0.0
0.5	0.0		274	-6.2	0.0	-3.5	0.0
0.7	0.0	SLVy (RS)	265	10.8	0.1	2.8	-0.0
-0.7	-0.0		266	-6.3	-0.0	-2.4	-0.0
0.7	-0.0		275	-11.5	-0.0	-2.8	0.0
-0.7	0.0		274	7.0	-0.1	2.4	0.0
-0.2	0.0	SLDx (RS)	265	-2.6	-0.0	-1.6	0.0
0.2	0.0		266	4.3	-0.0	1.7	0.0
-0.2	0.0		275	2.0	-0.0	1.6	0.0
0.2	0.0		274	-3.1	0.0	-1.7	0.0
0.4	0.0	SLDy (RS)	265	5.4	0.0	1.4	-0.0
-0.4	-0.0		266	-3.2	-0.0	-1.2	-0.0
0.4	-0.0		275	-5.8	-0.0	-1.4	0.0
-0.4	0.0		274	3.5	-0.0	1.2	0.0
0.1	-0.0	SLVz (RS)	265	1.2	-0.0	-1.3	0.0
-0.1	0.0		266	-3.7	-0.0	1.3	0.0
0.2	0.0		275	-0.9	0.0	1.4	0.0
-0.2	0.0		274	2.7	0.0	-1.4	0.0
-3.3	-0.0	g1	265	-27.7	0.0	23.5	-0.0
3.2	-0.0		266	70.5	0.0	-17.1	-0.0
-3.5	-0.0		275	5.0	-0.0	-23.3	-0.0
3.5	-0.0		274	-47.8	-0.0	17.2	-0.0
-1.7	0.0	g2	265	-13.5	-0.0	12.6	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

1.7	-0.0			266	33.6	-0.0	-5.9	-0.0
-1.8	-0.0			275	2.1	-0.0	-13.2	0.0
1.8	0.0			274	-22.2	0.0	6.4	0.0
-0.3	0.0	q3		265	-6.1	0.0	-1.7	-0.0
0.3	-0.0			266	2.9	0.0	1.7	-0.0
-0.3	0.0			275	5.2	-0.0	1.8	0.0
0.4	-0.0			274	-2.0	-0.0	-1.7	-0.0
0.6	0.0	q5_pc		265	6.5	0.0	-0.0	-0.0
-0.6	-0.0			266	-6.8	-0.1	-0.2	-0.0
0.5	-0.0			275	-6.3	-0.1	0.2	0.0
-0.5	0.0			274	6.6	-0.2	0.1	0.0
0.5	0.0	q5_ps		265	5.8	0.0	0.4	-0.0
-0.5	-0.0			266	-5.8	-0.1	0.0	-0.0
0.5	-0.0			275	-5.8	-0.1	-0.4	0.0
-0.5	0.0			274	5.7	-0.2	0.0	0.0
22.5	0.0	INVSLU	Max	265	257.5	0.0	51.6	0.1
-20.9	0.0			266	-161.7	0.2	-41.0	0.1
22.2	0.0			275	-337.7	0.1	-44.6	0.0
-20.3	0.0			274	284.9	0.3	40.2	0.0
20.8	-0.0		Min	265	233.7	-0.0	48.6	-0.1
-22.6	-0.0			266	-182.0	-0.2	-43.7	-0.0
20.5	-0.0			275	-360.4	-0.2	-47.9	-0.0
-22.1	-0.0			274	265.6	-0.3	37.6	-0.0
10.7	0.0	INVSLV	Max	265	131.5	0.1	43.4	0.0
-8.8	0.0			266	-49.5	0.0	-20.9	0.0
10.5	0.0			275	-169.8	-0.0	-34.7	0.0
-8.7	0.0			274	134.9	0.1	30.5	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


				Min	265	106.1	-0.1	34.6	-0.0
8.9	-0.0				266	-72.9	-0.0	-30.1	-0.0
-10.6	-0.0				275	-195.8	-0.0	-43.7	-0.0
8.7	-0.0				274	115.5	-0.1	21.3	-0.0
-10.6	-0.0								
284	2	4	Q1-1-2	Max	255	0.0	0.0	0.0	0.0
0.0	0.0	0.0			256	0.0	0.0	0.0	0.0
0.0	0.0	0.0			265	0.0	0.0	0.0	0.0
0.0	0.0	0.0			264	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	255	0.0	0.0	0.0	0.0
0.0	0.0	0.0			256	0.0	0.0	0.0	0.0
0.0	0.0	0.0			265	0.0	0.0	0.0	0.0
0.0	0.0	0.0			264	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	255	0.0	0.0	0.0	0.0
0.0	0.0	0.0			256	0.0	0.0	0.0	0.0
0.0	0.0	0.0			265	0.0	0.0	0.0	0.0
0.0	0.0	0.0			264	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	255	0.0	0.0	0.0	0.0
0.0	0.0	0.0			256	0.0	0.0	0.0	0.0
0.0	0.0	0.0			265	0.0	0.0	0.0	0.0
0.0	0.0	0.0			264	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				SLVx (RS)	255	-11.1	-0.0	-3.8	0.0
-1.0	-0.0	0.0			256	16.4	-0.0	3.9	0.0
1.0	0.0	0.0			265	8.8	0.0	3.8	-0.0
-1.1	0.0	0.0			264	-14.0	0.0	-3.9	-0.0
1.1	-0.0	0.0							
				SLVy (RS)	255	8.5	-0.1	2.3	-0.0
0.6	0.0	0.0			256	-4.6	-0.0	-2.1	-0.0
-0.5	-0.0	0.0			265	-9.3	0.0	-2.6	0.0
0.6	-0.0	0.0			264	5.3	0.1	2.4	0.0
-0.6	0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.5	-0.0	SLDx (RS)	255	-5.5	-0.0	-1.9	0.0
0.5	0.0		256	8.2	-0.0	1.9	0.0
-0.5	0.0		265	4.4	0.0	1.9	-0.0
0.5	-0.0		264	-7.0	0.0	-1.9	-0.0
0.3	0.0	SLDy (RS)	255	4.2	-0.0	1.2	-0.0
-0.3	-0.0		256	-2.3	-0.0	-1.0	-0.0
0.3	-0.0		265	-4.6	0.0	-1.3	0.0
-0.3	0.0		264	2.7	0.0	1.2	0.0
0.4	-0.0	SLVz (RS)	255	3.9	-0.0	-1.5	0.0
-0.4	0.0		256	-6.9	-0.0	1.3	0.0
0.4	0.0		265	-2.9	0.0	1.5	-0.0
-0.4	-0.0		264	5.9	0.0	-1.4	-0.0
-9.0	0.0	g1	255	-90.2	0.0	26.7	-0.0
8.9	-0.0		256	139.8	0.0	-16.3	-0.0
-9.1	-0.0		265	67.8	-0.0	-27.0	0.0
9.2	0.0		264	-117.5	-0.0	16.9	0.0
-4.4	0.0	g2	255	-44.0	-0.0	13.3	-0.0
4.4	-0.0		256	67.3	-0.0	-6.6	-0.0
-4.4	-0.0		265	32.9	0.0	-13.7	0.0
4.5	0.0		264	-56.1	0.0	7.0	0.0
-0.6	0.0	q3	255	-8.7	0.0	-1.3	-0.0
0.6	-0.0		256	6.0	0.0	1.6	-0.0
-0.6	-0.0		265	7.8	-0.0	1.5	0.0
0.6	0.0		264	-5.1	-0.0	-1.8	0.0
0.6	0.0	q5_pc	255	6.4	-0.2	-0.2	-0.0
-0.6	-0.0		256	-6.9	-0.2	-0.2	-0.0

PROJECT TITLE :

		Company			Client				
		Author			File Name				
							PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.6	-0.0			265	-6.4	-0.0	0.2	0.1	
-0.6	0.0			264	6.8	-0.0	0.1	0.1	
			q5_ps	255	5.6	-0.2	0.0	-0.0	
0.5	0.0			256	-5.7	-0.2	-0.1	-0.0	
-0.5	-0.0			265	-5.7	-0.0	-0.1	0.1	
0.5	-0.0			264	5.8	-0.0	0.2	0.1	
-0.5	0.0								
			INVSLU	Max	255	-30.2	0.3	52.3	0.0
-2.4	0.0			256	136.9	0.3	-29.5	0.0	
3.9	0.0			265	-49.1	-0.0	-47.7	0.1	
-2.3	0.0			264	-9.5	0.0	30.2	0.1	
5.0	0.0								
				Min	255	-56.1	-0.3	50.2	-0.0
-4.5	-0.0			256	113.6	-0.2	-32.0	-0.0	
1.9	-0.0			265	-74.0	-0.1	-50.0	-0.1	
-4.3	-0.0			264	-32.0	-0.0	27.4	-0.1	
2.9	-0.0								
			INVSLV	Max	255	-41.5	0.1	44.2	0.0
-4.1	0.0			256	140.6	0.0	-17.1	0.0	
6.4	0.0			265	5.6	0.0	-33.7	0.0	
-3.9	0.0			264	-39.8	0.1	26.8	0.0	
7.0	0.0								
				Min	255	-71.2	-0.1	34.3	-0.0
-6.7	-0.0			256	100.8	-0.0	-26.9	-0.0	
3.8	-0.0			265	-20.0	-0.1	-43.8	-0.0	
-6.7	-0.0			264	-74.5	-0.1	16.9	-0.1	
4.3	-0.0								
285	2	10	Q1-1-2	Max	256	0.0	0.0	0.0	0.0
0.0	0.0	0.0		257	0.0	0.0	0.0	0.0	
0.0	0.0	0.0		266	0.0	0.0	0.0	0.0	
0.0	0.0	0.0		265	0.0	0.0	0.0	0.0	
0.0	0.0	0.0							
				Min	256	0.0	0.0	0.0	0.0
0.0	0.0	0.0		257	0.0	0.0	0.0	0.0	



PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		266	0.0	0.0	0.0	0.0
0.0	0.0		265	0.0	0.0	0.0	0.0
0.0	0.0						
		Q2a-1-2	Max	256	0.0	0.0	0.0
0.0	0.0			257	0.0	0.0	0.0
0.0	0.0			266	0.0	0.0	0.0
0.0	0.0			265	0.0	0.0	0.0
0.0	0.0						
			Min	256	0.0	0.0	0.0
0.0	0.0			257	0.0	0.0	0.0
0.0	0.0			266	0.0	0.0	0.0
0.0	0.0			265	0.0	0.0	0.0
0.0	0.0						
			SLVx (RS)	256	-11.1	-0.0	-3.3
-1.0	-0.0			257	16.0	-0.0	3.9
1.0	0.0			266	8.8	0.0	3.3
-1.0	0.0			265	-13.5	0.0	-3.9
1.0	-0.0						
			SLVy (RS)	256	7.6	-0.0	2.8
0.5	0.0			257	-3.2	-0.0	-2.9
-0.5	-0.0			266	-9.3	-0.0	-2.6
0.6	-0.0			265	4.7	0.1	2.6
-0.5	0.0						
			SLDx (RS)	256	-5.5	-0.0	-1.6
-0.5	-0.0			257	8.0	-0.0	2.0
0.5	0.0			266	4.4	0.0	1.6
-0.5	0.0			265	-6.8	0.0	-2.0
0.5	-0.0						
			SLDy (RS)	256	3.8	-0.0	1.4
0.2	0.0			257	-1.6	-0.0	-1.4
-0.2	-0.0			266	-4.7	-0.0	-1.3
0.3	-0.0			265	2.3	0.0	1.3
-0.3	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

		SLVz (RS)	256	4.0	-0.0	-1.2	0.0
0.4	-0.0		257	-6.8	-0.0	1.4	0.0
-0.4	0.0		266	-2.9	0.0	1.3	-0.0
0.4	0.0		265	5.7	0.0	-1.4	-0.0
-0.4	-0.0						
		g1	256	-90.7	0.0	21.2	-0.0
-8.6	0.0		257	136.5	0.0	-18.1	-0.0
8.5	-0.0		266	68.0	-0.0	-21.5	0.0
-8.6	-0.0		265	-113.8	-0.0	18.6	0.0
8.7	0.0						
		g2	256	-44.6	-0.0	10.8	-0.0
-4.3	0.0		257	65.4	0.0	-6.6	-0.0
4.2	-0.0		266	33.5	-0.0	-11.3	0.0
-4.3	-0.0		265	-54.3	0.0	7.0	0.0
4.3	0.0						
		q3	256	-8.3	0.0	-1.5	-0.0
-0.6	0.0		257	5.6	0.0	1.5	-0.0
0.5	-0.0		266	7.4	-0.0	1.6	0.0
-0.5	-0.0		265	-4.7	-0.0	-1.6	0.0
0.6	0.0						
		q5_pc	256	6.4	-0.2	0.1	-0.0
0.6	0.0		257	-6.7	-0.1	-0.0	-0.0
-0.5	-0.0		266	-6.5	-0.1	-0.1	0.0
0.5	-0.0		265	6.8	0.0	0.1	0.0
-0.5	0.0						
		q5_ps	256	5.5	-0.2	0.3	-0.0
0.4	0.0		257	-5.5	-0.1	0.2	-0.0
-0.4	-0.0		266	-5.7	-0.1	-0.5	0.0
0.4	-0.0		265	5.7	0.0	-0.0	0.0
-0.5	0.0						
		INVSLU Max	256	-29.5	0.3	41.6	0.0
-1.6	0.0		257	129.3	0.2	-34.3	0.0
3.0	0.0		266	-49.6	0.2	-37.3	0.0
-1.4	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

3.8	0.0			265	-3.4	0.0	35.2	0.1
			Min	256	-54.7	-0.3	39.0	-0.0
-3.5	-0.0			257	107.2	-0.1	-36.5	-0.0
1.2	-0.0			266	-74.2	-0.2	-40.4	-0.1
-3.3	-0.0			265	-25.3	-0.0	33.0	-0.1
1.9	-0.0							
		INVSLV	Max	256	-42.7	0.1	36.1	0.0
-3.6	0.0			257	134.3	0.0	-17.4	0.0
5.9	0.0			266	7.0	0.0	-27.6	0.0
-3.5	0.0			265	-35.5	0.1	28.4	0.0
6.3	0.0							
			Min	256	-71.8	-0.0	27.1	-0.0
-6.1	-0.0			257	96.3	0.0	-27.8	-0.0
3.4	-0.0			266	-18.7	-0.0	-36.4	-0.0
-6.1	-0.0			265	-68.8	-0.1	18.1	-0.0
3.7	-0.0							
293	2	4	Q1-1-2	Max	273	0.0	0.0	0.0
0.0	0.0				274	0.0	0.0	0.0
0.0	0.0				283	0.0	0.0	0.0
0.0	0.0				282	0.0	0.0	0.0
0.0	0.0							
			Min	273	0.0	0.0	0.0	0.0
0.0	0.0				274	0.0	0.0	0.0
0.0	0.0				283	0.0	0.0	0.0
0.0	0.0				282	0.0	0.0	0.0
0.0	0.0							
		Q2a-1-2	Max	273	0.0	0.0	0.0	0.0
0.0	0.0				274	0.0	0.0	0.0
0.0	0.0				283	0.0	0.0	0.0
0.0	0.0				282	0.0	0.0	0.0
0.0	0.0							
			Min	273	0.0	0.0	0.0	0.0
0.0	0.0				274	0.0	0.0	0.0
0.0	0.0				283	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	0.0		282	0.0	0.0	0.0	0.0
-0.1	0.0	SLVx (RS)	273	-4.9	-0.0	-2.9	-0.0
0.1	-0.0		274	2.2	-0.0	2.4	-0.0
-0.1	0.0		283	6.0	0.0	3.0	0.0
0.1	0.0		282	-0.7	0.0	-2.4	0.0
0.5	-0.0	SLVy (RS)	273	10.6	0.2	2.4	-0.0
-0.5	-0.0		274	-5.4	0.2	-2.2	-0.0
0.5	0.0		283	-11.1	-0.1	-2.4	-0.1
-0.5	-0.0		282	5.9	-0.2	2.2	-0.1
-0.1	0.0	SLDx (RS)	273	-2.4	-0.0	-1.4	-0.0
0.1	-0.0		274	1.1	-0.0	1.2	-0.0
-0.1	0.0		283	3.0	0.0	1.5	0.0
0.1	0.0		282	-0.4	0.0	-1.2	0.0
0.3	-0.0	SLDy (RS)	273	5.3	0.1	1.2	-0.0
-0.3	-0.0		274	-2.7	0.1	-1.1	-0.0
0.3	0.0		283	-5.6	-0.1	-1.2	-0.0
-0.3	-0.0		282	3.0	-0.1	1.1	-0.0
-0.1	0.0	SLVz (RS)	273	-2.0	-0.0	-1.3	-0.0
0.0	-0.0		274	-1.1	-0.0	1.0	-0.0
-0.0	-0.0		283	2.6	0.0	1.3	0.0
0.0	0.0		282	0.4	0.0	-1.0	0.0
0.5	-0.0	g1	273	31.8	0.0	24.9	0.0
-0.4	0.0		274	14.3	0.0	-10.3	0.0
0.4	0.0		283	-46.7	-0.0	-25.6	-0.0
-0.5	-0.0		282	0.6	-0.0	11.2	-0.0
0.2	0.0	g2	273	15.0	-0.0	12.4	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.1	-0.0		274	6.2	-0.0	-3.6	-0.0
0.2	-0.0		283	-22.5	0.0	-13.0	0.0
-0.2	0.0		282	1.3	0.0	4.2	0.0
		q3					
-0.1	-0.0		273	-3.6	0.0	-1.4	0.0
0.1	0.0		274	-0.1	0.0	1.5	0.0
-0.1	0.0		283	3.1	-0.0	1.5	-0.0
0.1	-0.0		282	0.7	-0.0	-1.5	-0.0
		q5_pc					
0.3	-0.0		273	5.2	0.2	0.1	-0.0
-0.3	-0.0		274	-5.1	0.2	-0.3	-0.0
0.3	0.0		283	-5.3	-0.3	-0.1	-0.1
-0.3	-0.0		282	5.1	-0.4	0.3	-0.1
		q5_ps					
0.3	-0.0		273	4.9	0.2	0.3	-0.0
-0.3	-0.0		274	-4.5	0.2	-0.3	-0.0
0.3	0.0		283	-5.0	-0.3	-0.3	-0.1
-0.3	-0.0		282	4.5	-0.4	0.3	-0.1
		INVSLU Max					
25.6	-0.0		273	436.4	0.4	70.9	0.1
-23.8	0.0		274	-317.3	0.3	-30.0	0.1
24.6	0.0		283	-489.3	0.5	-69.8	0.1
-24.3	0.0		282	402.2	0.6	34.4	0.1
		Min					
24.5	-0.0		273	418.2	-0.3	68.4	-0.0
-24.8	-0.0		274	-330.8	-0.3	-32.7	-0.0
23.6	0.0		283	-507.3	-0.5	-72.3	-0.2
-25.3	-0.0		282	387.9	-0.7	31.6	-0.2
		INVSLV Max					
13.8	-0.0		273	248.0	0.2	51.5	0.0
-12.2	0.0		274	-157.5	0.2	-15.3	0.0
13.1	0.0		283	-263.2	0.1	-44.5	0.0
-12.4	0.0		282	211.8	0.2	23.2	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

				Min	273	222.6	-0.2	43.5	-0.0
12.6	-0.0				274	-170.3	-0.2	-22.0	-0.0
-13.3	-0.0				283	-290.7	-0.2	-52.6	-0.1
11.9	-0.0				282	199.3	-0.2	16.5	-0.1
-13.5	-0.0								
294	2	10	Q1-1-2	Max	274	0.0	0.0	0.0	0.0
0.0	0.0	0.0			275	0.0	0.0	0.0	0.0
0.0	0.0	0.0			284	0.0	0.0	0.0	0.0
0.0	0.0	0.0			283	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	274	0.0	0.0	0.0	0.0
0.0	0.0	0.0			275	0.0	0.0	0.0	0.0
0.0	0.0	0.0			284	0.0	0.0	0.0	0.0
0.0	0.0	0.0			283	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	274	0.0	0.0	0.0	0.0
0.0	0.0	0.0			275	0.0	0.0	0.0	0.0
0.0	0.0	0.0			284	0.0	0.0	0.0	0.0
0.0	0.0	0.0			283	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	274	0.0	0.0	0.0	0.0
0.0	0.0	0.0			275	0.0	0.0	0.0	0.0
0.0	0.0	0.0			284	0.0	0.0	0.0	0.0
0.0	0.0	0.0			283	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				SLVx (RS)	274	-4.6	-0.0	-2.6	-0.0
-0.2	0.0	0.0			275	2.0	-0.0	2.4	-0.0
0.1	-0.0	0.0			284	5.3	0.0	2.5	0.0
-0.1	-0.0	0.0			283	1.1	0.0	-2.2	0.0
0.1	-0.0	0.0							
				SLVy (RS)	274	10.3	0.1	2.5	-0.0
0.5	0.0	0.0			275	-5.4	0.0	-1.5	-0.0
-0.5	-0.0	0.0			284	-10.4	-0.0	-2.8	-0.0
0.4	-0.0	0.0			283	5.6	-0.2	1.8	-0.0
-0.5	-0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	274	-2.3	-0.0	-1.3	-0.0
-0.1	0.0		275	1.0	-0.0	1.2	-0.0
0.1	-0.0		284	2.6	0.0	1.2	0.0
-0.0	-0.0		283	0.5	0.0	-1.1	0.0
0.1	-0.0						
		SLDy (RS)	274	5.1	0.1	1.2	-0.0
0.2	0.0		275	-2.7	0.0	-0.7	-0.0
-0.2	-0.0		284	-5.2	-0.0	-1.4	-0.0
0.2	-0.0		283	2.8	-0.1	0.9	-0.0
-0.2	-0.0						
		SLVz (RS)	274	-1.9	-0.0	-1.1	-0.0
-0.1	0.0		275	-0.9	-0.0	1.0	-0.0
0.1	-0.0		284	2.3	0.0	1.1	0.0
-0.0	-0.0		283	0.5	0.0	-1.0	0.0
0.0	0.0						
		g1	274	29.6	0.0	21.4	0.0
0.7	-0.0		275	12.8	0.0	-11.9	0.0
-0.7	0.0		284	-41.4	-0.0	-21.0	-0.0
0.4	-0.0		283	-1.0	-0.0	11.7	-0.0
-0.5	-0.0						
		g2	274	14.4	-0.0	11.6	-0.0
0.2	0.0		275	5.9	-0.0	-4.0	-0.0
-0.2	-0.0		284	-21.0	0.0	-11.9	0.0
0.2	-0.0		283	0.7	-0.0	4.3	0.0
-0.2	0.0						
		q3	274	-3.4	0.0	-1.4	0.0
-0.1	-0.0		275	-0.1	0.0	1.3	0.0
0.1	0.0		284	2.9	-0.0	1.5	-0.0
-0.1	0.0		283	0.6	-0.0	-1.3	-0.0
0.1	-0.0						
		q5_pc	274	5.0	0.2	0.1	-0.0
0.3	0.0		275	-4.9	-0.0	-0.2	-0.0
-0.3	-0.0						

PROJECT TITLE :

MIDAS			Company	Client			
			Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.3	-0.0		284	-4.7	-0.1	-0.1	-0.0
-0.3	-0.0		283	4.6	-0.3	0.2	-0.0
0.3	0.0	q5_ps	274	4.7	0.2	0.5	-0.0
-0.3	-0.0		275	-4.2	-0.0	-0.1	-0.0
0.2	-0.0		284	-4.6	-0.1	-0.6	-0.0
-0.3	-0.0		283	4.1	-0.3	0.2	-0.0
25.1	0.0	INVSLU Max	274	414.2	0.2	52.1	0.0
-23.7	0.0		275	-302.9	-0.0	-44.9	0.0
24.2	0.0		284	-450.0	0.2	-47.8	0.0
-23.9	0.0		283	368.6	0.5	46.1	0.0
24.2	-0.0	Min	274	396.6	-0.2	49.3	-0.0
-24.6	-0.0		275	-315.6	-0.0	-47.1	0.0
23.4	-0.0		284	-466.6	-0.1	-51.0	-0.1
-24.8	-0.0		283	355.7	-0.6	43.9	-0.1
13.6	0.0	INVSLV Max	274	236.6	0.1	40.2	0.0
-12.1	0.0		275	-149.3	0.0	-24.1	0.0
13.0	0.0		284	-244.8	0.0	-33.2	0.0
-12.5	0.0		283	194.7	0.1	31.1	0.0
12.5	-0.0	Min	274	212.2	-0.1	32.9	-0.0
-13.1	-0.0		275	-161.9	-0.0	-30.5	-0.0
12.1	0.0		284	-270.1	-0.0	-41.0	-0.0
-13.5	-0.0		283	182.7	-0.2	25.0	-0.0
302	2	4 Q1-1-2 Max	282	0.0	0.0	0.0	0.0
0.0	0.0		283	0.0	0.0	0.0	0.0
0.0	0.0		292	0.0	0.0	0.0	0.0
0.0	0.0		291	0.0	0.0	0.0	0.0
0.0	0.0	Min	282	0.0	0.0	0.0	0.0
0.0	0.0		283	0.0	0.0	0.0	0.0



PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		292	0.0	0.0	0.0	0.0
0.0	0.0		291	0.0	0.0	0.0	0.0
0.0	0.0						
		Q2a-1-2	Max	282	0.0	0.0	0.0
0.0	0.0			283	0.0	0.0	0.0
0.0	0.0			292	0.0	0.0	0.0
0.0	0.0			291	0.0	0.0	0.0
0.0	0.0						
			Min	282	0.0	0.0	0.0
0.0	0.0			283	0.0	0.0	0.0
0.0	0.0			292	0.0	0.0	0.0
0.0	0.0			291	0.0	0.0	0.0
0.0	0.0						
			SLVx (RS)	282	-4.9	0.0	-1.1
-0.0	0.0			283	-2.2	0.0	0.5
0.0	-0.0			292	5.2	-0.0	1.3
-0.0	-0.0			291	1.9	-0.0	-0.7
0.0	0.0						
			SLVy (RS)	282	5.7	0.2	0.8
0.1	-0.0			283	-0.6	0.3	-0.8
-0.1	0.0			292	-6.1	-0.3	-0.9
0.1	0.0			291	0.6	-0.3	0.9
-0.1	-0.0						
			SLDx (RS)	282	-2.4	0.0	-0.5
-0.0	0.0			283	-1.1	0.0	0.2
0.0	-0.0			292	2.6	-0.0	0.7
-0.0	-0.0			291	1.0	-0.0	-0.4
0.0	0.0						
			SLDy (RS)	282	2.8	0.1	0.4
0.0	-0.0			283	-0.3	0.1	-0.4
-0.0	0.0			292	-3.1	-0.1	-0.4
0.0	0.0			291	0.3	-0.1	0.4
-0.0	-0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

		SLVz (RS)	282	-2.2	-0.0	-0.5	-0.0
-0.0	0.0		283	-1.0	0.0	0.2	-0.0
0.0	-0.0		292	2.3	-0.0	0.6	0.0
-0.0	-0.0		291	0.9	0.0	-0.3	0.0
0.0	0.0						
		g1	282	36.9	-0.0	12.6	0.0
-0.3	-0.0		283	12.6	-0.0	1.0	0.0
0.3	0.0		292	-40.6	0.0	-13.6	-0.0
-0.2	0.0		291	-8.9	0.0	0.2	-0.0
0.1	-0.0						
		g2	282	17.1	-0.0	6.8	-0.0
-0.2	0.0		283	5.5	-0.0	1.2	-0.0
0.2	-0.0		292	-19.1	0.0	-7.0	0.0
-0.2	-0.0		291	-3.6	0.0	-1.0	0.0
0.1	0.0						
		q3	282	-2.1	0.0	-0.4	0.0
-0.0	-0.0		283	-1.7	0.0	0.4	0.0
0.0	0.0		292	2.0	-0.0	0.5	-0.0
-0.0	0.0		291	1.8	-0.0	-0.5	-0.0
0.0	-0.0						
		q5_pc	282	1.9	0.4	-0.1	0.1
0.0	-0.0		283	-1.3	0.4	-0.3	0.1
-0.1	0.0		292	-2.1	-0.5	0.1	-0.1
0.1	0.0		291	1.5	-0.5	0.3	-0.1
-0.0	-0.0						
		q5_ps	282	1.9	0.4	0.0	0.1
0.0	-0.0		283	-1.1	0.4	-0.3	0.1
-0.0	0.0		292	-2.1	-0.5	-0.0	-0.1
0.1	0.0		291	1.3	-0.5	0.2	-0.1
-0.0	-0.0						
		INVSLU Max	282	241.5	0.6	39.2	0.2
1.9	0.0		283	-85.1	0.4	-9.1	0.2
-2.1	0.0		292	-259.2	0.9	-36.1	0.2
3.2	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-2.7	0.0			291	116.2	0.7	8.1	0.2
			Min	282	233.9	-0.6	38.5	-0.1
1.8	-0.0			283	-90.3	-0.9	-10.4	-0.1
-2.3	-0.0			292	-267.5	-0.5	-36.9	-0.2
3.0	-0.0			291	110.5	-0.6	6.8	-0.2
-2.8	-0.0							
		INVSLV	Max	282	146.6	0.3	29.2	0.1
0.7	0.0			283	-39.2	0.3	-0.3	0.1
-0.7	0.0			292	-143.6	0.3	-25.9	0.1
1.3	0.0			291	57.4	0.2	2.5	0.1
-1.0	0.0							
			Min	282	131.0	-0.2	26.2	-0.0
0.6	-0.0			283	-44.6	-0.3	-2.2	-0.0
-0.9	-0.0			292	-160.3	-0.3	-29.4	-0.1
1.1	-0.0			291	52.7	-0.3	0.2	-0.1
-1.2	-0.0							
303	2	10	Q1-1-2	Max	283	0.0	0.0	0.0
0.0	0.0	0.0			284	0.0	0.0	0.0
0.0	0.0	0.0			293	0.0	0.0	0.0
0.0	0.0	0.0			292	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	283	0.0	0.0	0.0	0.0
0.0	0.0	0.0			284	0.0	0.0	0.0
0.0	0.0	0.0			293	0.0	0.0	0.0
0.0	0.0	0.0			292	0.0	0.0	0.0
0.0	0.0	0.0						
			Q2a-1-2	Max	283	0.0	0.0	0.0
0.0	0.0	0.0			284	0.0	0.0	0.0
0.0	0.0	0.0			293	0.0	0.0	0.0
0.0	0.0	0.0			292	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	283	0.0	0.0	0.0	0.0
0.0	0.0	0.0			284	0.0	0.0	0.0
0.0	0.0	0.0			293	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	0.0		292	0.0	0.0	0.0	0.0
-0.0	0.0	SLVx (RS)	283	-4.7	-0.0	-1.1	-0.0
0.0	-0.0		284	-1.9	0.0	0.3	0.0
-0.0	0.0		293	4.4	-0.0	1.3	-0.0
-0.0	0.0		292	2.1	0.0	-0.5	0.0
0.0	-0.0	SLVy (RS)	283	5.5	0.1	1.3	0.0
-0.0	0.0		284	-0.6	0.1	-0.2	0.0
0.0	0.0		293	-5.0	-0.1	-1.2	-0.0
0.0	-0.0		292	0.5	-0.1	-0.1	-0.0
-0.0	0.0	SLDx (RS)	283	-2.3	-0.0	-0.6	-0.0
0.0	-0.0		284	-0.9	0.0	0.2	0.0
-0.0	0.0		293	2.2	-0.0	0.7	-0.0
-0.0	0.0		292	1.1	0.0	-0.3	0.0
0.0	-0.0	SLDy (RS)	283	2.7	0.1	0.7	0.0
-0.0	0.0		284	-0.3	0.0	-0.1	0.0
0.0	0.0		293	-2.5	-0.0	-0.6	-0.0
0.0	-0.0		292	0.3	-0.1	-0.1	-0.0
-0.0	0.0	SLVz (RS)	283	-2.1	-0.0	-0.5	-0.0
0.0	-0.0		284	-0.8	-0.0	0.2	0.0
-0.0	-0.0		293	2.0	0.0	0.6	0.0
-0.0	0.0		292	1.0	0.0	-0.2	0.0
-0.2	-0.0	g1	283	35.1	0.0	12.9	0.0
0.2	-0.0		284	10.4	0.1	0.9	-0.0
-0.3	0.0		293	-34.4	-0.1	-12.5	-0.0
0.4	-0.0		292	-11.2	-0.0	-1.2	-0.0
-0.2	0.0	g2	283	16.3	0.0	7.5	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.2	-0.0			284	4.4	0.1	1.9	-0.0
-0.3	-0.0			293	-16.1	-0.1	-7.2	0.0
0.3	0.0			292	-4.6	-0.0	-2.2	0.0
0.0	-0.0	q3		283	-1.9	0.0	-0.6	0.0
-0.0	0.0			284	-1.6	0.0	0.3	0.0
0.0	0.0			293	1.9	-0.0	0.5	-0.0
-0.0	-0.0			292	1.7	-0.0	-0.3	-0.0
0.0	-0.0	q5_pc		283	2.0	0.2	0.2	0.0
-0.1	0.0			284	-1.1	0.2	-0.3	0.0
0.0	0.0			293	-1.9	-0.2	-0.0	-0.1
-0.0	-0.0			292	1.0	-0.3	0.1	-0.1
0.0	-0.0	q5_ps		283	1.9	0.2	0.4	0.0
-0.0	0.0			284	-1.0	0.2	-0.0	0.0
0.0	0.0			293	-1.8	-0.2	-0.3	-0.1
0.0	-0.0			292	0.8	-0.3	-0.1	-0.1
2.5	0.0	INVSLU	Max	283	227.7	0.7	36.6	0.1
-2.7	0.0			284	-81.6	1.3	-11.3	0.0
1.9	0.0			293	-208.9	-0.6	-29.7	0.0
-1.6	0.0			292	74.8	0.1	7.0	0.1
2.4	-0.0		Min	283	219.9	-0.0	34.8	-0.1
-2.8	-0.0			284	-86.2	0.7	-12.3	-0.1
1.8	0.0			293	-216.1	-1.3	-31.1	-0.2
-1.6	-0.0			292	70.5	-0.8	6.4	-0.2
1.3	0.0	INVSLV	Max	283	137.6	0.2	23.6	0.0
-1.3	0.0			284	-37.2	0.1	-5.7	0.0
0.9	0.0			293	-117.1	0.0	-18.5	0.0
-0.8	0.0			292	35.8	0.1	5.5	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


			Min	283	122.6	-0.1	20.0	-0.0
1.3	-0.0			284	-41.7	-0.0	-6.7	-0.0
-1.4	-0.0			293	-130.8	-0.1	-22.3	-0.0
0.9	-0.0			292	30.7	-0.2	4.2	-0.1
-0.8	-0.0							
316	2	10	Q1-1-2	Max	306	0.0	0.0	0.0
0.0	0.0	0.0			29	0.0	0.0	0.0
0.0	0.0	0.0			2232	0.0	0.0	0.0
0.0	0.0	0.0			2266	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	306	0.0	0.0	0.0	0.0
0.0	0.0	0.0		29	0.0	0.0	0.0	0.0
0.0	0.0	0.0		2232	0.0	0.0	0.0	0.0
0.0	0.0	0.0		2266	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			Q2a-1-2	Max	306	0.0	0.0	0.0
0.0	0.0	0.0		29	0.0	0.0	0.0	0.0
0.0	0.0	0.0		2232	0.0	0.0	0.0	0.0
0.0	0.0	0.0		2266	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	306	0.0	0.0	0.0	0.0
0.0	0.0	0.0		29	0.0	0.0	0.0	0.0
0.0	0.0	0.0		2232	0.0	0.0	0.0	0.0
0.0	0.0	0.0		2266	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			SLVx (RS)	306	-6.4	0.0	-0.8	0.0
0.1	-0.0	0.0		29	-7.1	-0.0	1.1	-0.0
0.1	0.0	0.0		2232	6.3	0.0	1.3	-0.0
-0.1	0.0	0.0		2266	6.9	0.0	-0.8	-0.0
0.1	-0.0	0.0						
			SLVy (RS)	306	2.1	-0.0	-0.4	0.0
0.1	-0.0	0.0		29	-0.9	0.3	-0.7	-0.0
-0.1	-0.0	0.0		2232	-2.3	-0.3	0.3	-0.0
0.1	0.0	0.0		2266	1.1	0.0	0.9	-0.0
-0.1	-0.0	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	306	-3.2	0.0	-0.4	0.0
0.0	-0.0		29	-3.5	-0.0	0.6	-0.0
0.0	0.0		2232	3.1	0.0	0.7	-0.0
-0.0	0.0		2266	3.4	0.0	-0.4	-0.0
0.0	-0.0						
		SLDy (RS)	306	1.1	-0.0	-0.2	0.0
0.0	-0.0		29	-0.5	0.1	-0.4	-0.0
-0.0	-0.0		2232	-1.2	-0.1	0.1	-0.0
0.0	0.0		2266	0.5	0.0	0.4	-0.0
-0.0	-0.0						
		SLVz (RS)	306	2.5	-0.0	0.3	0.0
0.0	-0.0		29	-3.2	-0.0	0.5	0.0
-0.0	0.0		2232	-2.4	0.0	-0.5	-0.0
0.0	-0.0		2266	3.1	0.0	-0.4	-0.0
-0.0	-0.0						
		g1	306	-54.0	0.0	-3.4	-0.0
-1.0	0.0		29	62.7	-0.0	-7.0	-0.0
0.9	-0.0		2232	52.0	0.0	7.9	0.0
-1.0	-0.0		2266	-60.7	-0.0	2.6	0.0
1.0	0.0						
		g2	306	-27.5	0.0	-1.1	-0.0
-0.5	0.0		29	28.9	0.0	-2.8	-0.0
0.5	-0.0		2232	26.4	-0.0	4.0	0.0
-0.5	-0.0		2266	-27.9	-0.0	-0.1	0.0
0.6	0.0						
		q3	306	-3.3	0.0	-0.5	-0.0
-0.0	0.0		29	1.2	0.0	0.0	-0.0
0.0	-0.0		2232	3.1	-0.0	0.7	0.0
-0.0	0.0		2266	-1.0	-0.0	-0.3	0.0
0.0	0.0						
		q5_pc	306	1.7	-0.2	0.4	0.0
-0.1	-0.0		29	-2.4	0.1	2.4	0.0
0.1	0.0						

PROJECT TITLE :

			Company	Client				
			Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.1	0.0			2232	-1.7	-0.1	-2.4	-0.0
0.1	-0.0			2266	2.4	0.1	-0.5	-0.0
		q5_ps		306	1.1	-0.2	0.4	0.0
-0.1	-0.0			29	-2.3	0.1	2.4	0.0
0.1	0.0			2232	-1.1	-0.1	-2.2	-0.0
-0.1	0.0			2266	2.3	0.1	-0.7	-0.0
0.1	-0.0							
		INVSLU	Max	306	-113.6	0.3	-5.7	0.0
-2.1	0.0			29	141.4	0.1	-10.6	0.0
2.2	-0.0			2232	112.1	0.2	19.2	0.0
-1.9	0.0			2266	-124.4	0.2	6.5	0.0
2.4	0.0							
			Min	306	-121.3	-0.3	-7.5	-0.1
-2.3	-0.0			29	133.2	-0.1	-17.9	-0.0
1.9	-0.0			2232	104.8	-0.2	12.0	-0.0
-2.2	-0.0			2266	-132.3	-0.2	4.2	-0.0
2.2	-0.0							
		INVSLV	Max	306	-77.4	0.1	-3.3	0.0
-1.5	0.0			29	102.0	0.3	-8.4	0.0
1.5	-0.0			2232	87.3	0.3	14.2	0.0
-1.4	0.0			2266	-79.9	0.0	3.0	0.0
1.8	0.0							
			Min	306	-93.0	-0.0	-5.4	-0.0
-1.7	-0.0			29	85.3	-0.3	-11.5	-0.0
1.3	-0.0			2232	71.9	-0.3	11.1	-0.0
-1.6	-0.0			2266	-96.2	-0.1	0.5	-0.0
1.5	-0.0							
323	2	10	Q1-1-2	Max	320	0.0	0.0	0.0
0.0	0.0	0.0			30	0.0	0.0	0.0
0.0	0.0	0.0			78	0.0	0.0	0.0
0.0	0.0	0.0			327	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	320	0.0	0.0	0.0	0.0
0.0	0.0	0.0			30	0.0	0.0	0.0




PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

0.0	0.0		78	0.0	0.0	0.0	0.0	
0.0	0.0		327	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q2a-1-2	Max	320	0.0	0.0	0.0	0.0
0.0	0.0			30	0.0	0.0	0.0	0.0
0.0	0.0			78	0.0	0.0	0.0	0.0
0.0	0.0			327	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	320	0.0	0.0	0.0	0.0
0.0	0.0			30	0.0	0.0	0.0	0.0
0.0	0.0			78	0.0	0.0	0.0	0.0
0.0	0.0			327	0.0	0.0	0.0	0.0
0.0	0.0							
			SLVx (RS)	320	-6.2	-0.0	-1.0	0.0
-0.4	0.0			30	5.8	-0.0	1.2	0.0
0.4	-0.0			78	3.9	0.0	1.0	0.0
-0.4	-0.0			327	-3.2	0.0	-1.0	0.0
0.4	0.0							
			SLVy (RS)	320	9.4	0.1	1.1	-0.0
0.7	0.0			30	-9.2	-0.1	1.0	0.0
-0.7	0.0			78	-9.8	-0.0	-1.8	-0.0
0.7	0.0			327	9.6	0.0	-0.3	0.0
-0.7	0.0							
			SLDx (RS)	320	-3.1	-0.0	-0.5	0.0
-0.2	0.0			30	2.9	-0.0	0.6	0.0
0.2	-0.0			78	2.0	0.0	0.5	0.0
-0.2	-0.0			327	-1.6	0.0	-0.5	0.0
0.2	0.0							
			SLDy (RS)	320	4.7	0.1	0.5	-0.0
0.4	0.0			30	-4.6	-0.1	0.5	0.0
-0.4	0.0			78	-4.9	-0.0	-0.9	-0.0
0.3	0.0			327	4.8	0.0	-0.2	0.0
-0.4	0.0							

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
		SLVz (RS)	320	2.2	-0.0	0.3	0.0
0.1	0.0		30	-2.5	-0.0	0.3	0.0
-0.1	-0.0		78	-1.1	0.0	-0.3	0.0
0.1	-0.0		327	1.3	0.0	-0.3	0.0
-0.1	0.0						
		g1	320	-46.9	0.0	0.1	-0.0
-3.0	-0.0		30	49.1	0.0	-0.3	-0.0
2.9	-0.0		78	23.0	-0.0	0.5	-0.0
-3.0	0.0		327	-25.2	-0.0	-0.0	-0.0
3.1	-0.0						
		g2	320	-23.7	0.0	2.5	-0.0
-1.7	0.0		30	22.8	-0.0	5.3	-0.0
1.7	0.0		78	12.8	-0.0	-3.4	0.0
-1.9	0.0		327	-11.9	0.0	-4.4	0.0
1.9	0.0						
		q3	320	-4.8	-0.0	-1.7	-0.0
-0.2	-0.0		30	1.7	0.0	1.5	-0.0
0.2	-0.0		78	4.2	0.0	1.8	0.0
-0.2	-0.0		327	-1.0	-0.0	-1.5	0.0
0.2	-0.0						
		q5_pc	320	7.2	0.1	0.4	-0.0
0.6	0.0		30	-6.1	-0.3	-1.0	0.0
-0.6	0.1		78	-7.7	-0.2	-0.4	-0.0
0.6	0.1		327	6.6	-0.0	1.0	0.0
-0.6	0.0						
		q5_ps	320	6.1	0.1	0.8	-0.0
0.4	0.0		30	-5.5	-0.3	0.2	0.0
-0.4	0.1		78	-6.5	-0.2	-1.2	-0.0
0.5	0.1		327	5.8	-0.0	0.2	0.0
-0.5	0.0						
		INVSLU Max	320	222.5	0.2	6.7	0.0
23.0	0.0		30	-197.0	0.6	-16.2	0.0
-21.9	0.1		78	-305.7	0.2	0.9	-0.0
23.4	0.1						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-21.3	0.0			327	322.0	0.1	17.6	-0.0
			Min	320	199.3	-0.2	2.4	-0.0
21.4	-0.0			30	-215.1	-0.5	-19.9	-0.0
-23.4	-0.1			78	-329.4	-0.4	-4.4	-0.0
21.8	-0.1			327	303.5	-0.0	13.7	-0.0
-23.0	-0.0							
		INVSLV	Max	320	103.1	0.2	11.2	0.0
10.7	0.0			30	-78.6	0.1	6.0	0.0
-9.0	0.0			78	-143.3	0.0	-10.3	-0.0
10.2	0.0			327	164.6	0.0	-0.2	-0.0
-8.5	0.0							
			Min	320	79.3	-0.1	8.3	-0.0
8.9	-0.0			30	-101.9	-0.1	2.9	-0.0
-10.7	-0.0			78	-165.8	-0.0	-14.6	-0.0
8.6	-0.0			327	142.7	-0.0	-2.7	-0.0
-10.3	-0.0							
330	2	10	Q1-1-2	Max	313	0.0	0.0	0.0
0.0	0.0	0.0			64	0.0	0.0	0.0
0.0	0.0	0.0			30	0.0	0.0	0.0
0.0	0.0	0.0			320	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	313	0.0	0.0	0.0	0.0
0.0	0.0	0.0			64	0.0	0.0	0.0
0.0	0.0	0.0			30	0.0	0.0	0.0
0.0	0.0	0.0			320	0.0	0.0	0.0
0.0	0.0	0.0						
			Q2a-1-2	Max	313	0.0	0.0	0.0
0.0	0.0	0.0			64	0.0	0.0	0.0
0.0	0.0	0.0			30	0.0	0.0	0.0
0.0	0.0	0.0			320	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	313	0.0	0.0	0.0	0.0
0.0	0.0	0.0			64	0.0	0.0	0.0
0.0	0.0	0.0			30	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		320	0.0	0.0	0.0	0.0
		SLVx (RS)	313	-13.4	-0.0	-1.2	0.0
0.9	-0.0		64	-13.4	-0.0	-1.8	0.0
-0.9	0.0		30	10.7	0.0	1.3	0.0
1.0	0.0		320	10.8	0.0	-0.9	-0.0
-1.0	-0.0						
		SLVy (RS)	313	7.4	0.0	0.5	-0.0
0.7	0.0		64	-7.5	-0.1	0.2	0.0
-0.7	0.0		30	-7.7	-0.1	-0.6	-0.0
0.6	0.0		320	7.8	0.2	-0.1	0.0
-0.6	0.0						
		SLDx (RS)	313	-6.7	-0.0	-0.6	0.0
0.5	-0.0		64	-6.7	-0.0	-0.9	0.0
-0.5	0.0		30	5.4	0.0	0.6	0.0
0.5	0.0		320	5.4	0.0	-0.5	-0.0
-0.5	-0.0						
		SLDy (RS)	313	3.7	0.0	0.2	-0.0
0.3	0.0		64	-3.8	-0.0	0.1	0.0
-0.3	0.0		30	-3.8	-0.1	-0.3	-0.0
0.3	0.0		320	3.9	0.1	-0.0	0.0
-0.3	0.0						
		SLVz (RS)	313	5.4	-0.0	0.4	0.0
0.4	-0.0		64	-5.8	-0.0	0.4	0.0
-0.4	-0.0		30	-4.2	0.0	-0.4	0.0
0.4	-0.0		320	4.6	-0.0	-0.3	-0.0
-0.4	-0.0						
		g1	313	-112.9	0.0	-2.9	-0.0
-8.4	0.0		64	117.1	0.0	-1.7	-0.0
8.3	-0.0		30	89.1	-0.0	3.8	-0.0
-8.4	-0.0		320	-93.3	-0.0	1.0	0.0
8.5	0.0						
		g2	313	-56.0	-0.0	-0.8	-0.0
-4.2	0.0						

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

4.2	0.0		64	55.1	-0.0	2.9	-0.0
-4.3	0.0		30	45.1	-0.0	1.0	0.0
4.4	0.0		320	-44.1	0.0	-3.1	0.0
-0.4	0.0	q3	313	-6.6	0.0	-1.7	-0.0
0.4	0.0		64	3.7	-0.0	1.4	-0.0
-0.4	0.0		30	5.9	-0.0	1.8	0.0
0.4	0.0		320	-3.0	0.0	-1.5	0.0
0.5	0.0	q5_pc	313	6.8	-0.0	0.9	-0.0
-0.5	0.1		64	-6.1	-0.2	0.4	0.0
0.5	0.1		30	-7.1	-0.3	-1.4	-0.0
-0.5	0.0		320	6.5	0.1	0.2	0.0
0.4	0.0	q5_ps	313	5.5	-0.0	0.9	-0.0
-0.4	0.1		64	-5.5	-0.2	1.1	0.0
0.4	0.1		30	-5.8	-0.3	-1.5	-0.0
-0.4	0.0		320	5.7	0.1	-0.5	0.0
-1.2	0.0	INVSLU Max	313	-65.6	0.1	0.4	0.0
2.4	0.1		64	99.2	0.4	-9.8	-0.0
-1.1	0.1		30	-17.3	0.4	5.7	-0.0
3.0	0.0		320	27.2	0.2	13.2	0.0
-2.7	-0.0	Min	313	-88.9	-0.0	-3.9	-0.0
0.9	-0.1		64	79.0	-0.2	-14.5	-0.0
-2.6	-0.1		30	-40.6	-0.6	-0.6	-0.0
1.3	-0.0		320	7.0	-0.2	10.2	-0.0
-3.4	0.0	INVSLV Max	313	-70.3	0.1	1.0	0.0
5.7	0.0		64	106.3	0.1	3.5	0.0
-3.6	0.0		30	38.5	0.1	2.1	0.0
6.3	0.0		320	-11.1	0.1	-0.3	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

			Min	313	-104.6	-0.0	-1.9	-0.0
-5.9	-0.0			64	71.6	-0.1	-0.5	-0.0
3.2	-0.0			30	9.9	-0.1	-1.1	-0.0
-6.1	-0.0			320	-40.2	-0.2	-2.3	-0.0
3.8	-0.0							
337	2	10	Q1-1-2	Max	327	0.0	0.0	0.0
0.0	0.0	0.0			78	0.0	0.0	0.0
0.0	0.0	0.0			94	0.0	0.0	0.0
0.0	0.0	0.0			334	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	327	0.0	0.0	0.0	0.0
0.0	0.0	0.0		78	0.0	0.0	0.0	0.0
0.0	0.0	0.0		94	0.0	0.0	0.0	0.0
0.0	0.0	0.0		334	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			Q2a-1-2	Max	327	0.0	0.0	0.0
0.0	0.0	0.0			78	0.0	0.0	0.0
0.0	0.0	0.0			94	0.0	0.0	0.0
0.0	0.0	0.0			334	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	327	0.0	0.0	0.0	0.0
0.0	0.0	0.0		78	0.0	0.0	0.0	0.0
0.0	0.0	0.0		94	0.0	0.0	0.0	0.0
0.0	0.0	0.0		334	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			SLVx (RS)	327	-2.3	-0.0	-0.8	-0.0
-0.1	0.0	0.0		78	1.0	-0.0	0.6	0.0
0.1	-0.0	0.0		94	3.3	0.0	0.9	-0.0
-0.1	0.0	0.0		334	-2.5	-0.0	-0.7	-0.0
0.1	-0.0	0.0						
			SLVy (RS)	327	9.1	0.1	1.7	-0.0
0.4	0.0	0.0		78	-7.7	-0.1	1.7	0.0
-0.4	0.0	0.0		94	-9.6	0.0	-3.3	-0.0
0.4	0.0	0.0		334	8.3	-0.1	-0.2	-0.0
-0.4	-0.0	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	327	-1.2	-0.0	-0.4	-0.0
-0.1	0.0		78	0.5	-0.0	0.3	0.0
0.1	-0.0		94	1.6	0.0	0.5	-0.0
-0.1	0.0		334	-1.2	-0.0	-0.4	-0.0
0.1	-0.0						
		SLDy (RS)	327	4.5	0.1	0.9	-0.0
0.2	0.0		78	-3.9	-0.0	0.9	0.0
-0.2	0.0		94	-4.8	0.0	-1.6	-0.0
0.2	0.0		334	4.1	-0.0	-0.1	-0.0
-0.2	-0.0						
		SLVz (RS)	327	-0.7	-0.0	0.2	-0.0
-0.1	0.0		78	0.4	-0.0	0.2	-0.0
0.1	-0.0		94	1.4	0.0	-0.2	0.0
-0.1	-0.0		334	-1.1	0.0	-0.2	0.0
0.1	-0.0						
		g1	327	10.3	0.0	2.6	0.0
1.0	-0.0		78	-10.2	0.0	-0.2	0.0
-1.1	0.0		94	-23.9	-0.0	-0.8	-0.0
1.0	0.0		334	23.8	0.0	-1.4	-0.0
-0.9	0.0						
		g2	327	5.5	0.0	6.1	-0.0
0.0	0.0		78	-5.0	-0.0	7.3	0.0
-0.0	0.0		94	-11.5	-0.0	-8.1	0.0
-0.1	0.0		334	10.9	0.0	-5.3	0.0
0.1	0.0						
		q3	327	-2.8	0.0	-1.4	-0.0
-0.1	-0.0		78	-0.5	0.0	1.1	-0.0
0.1	-0.0		94	2.4	-0.0	1.4	-0.0
-0.0	-0.0		334	0.9	-0.0	-1.1	-0.0
0.1	-0.0						
		q5_pc	327	5.2	0.1	-0.9	-0.0
0.4	0.0		78	-4.8	-0.2	-2.7	0.0
-0.5	0.0						

PROJECT TITLE :

MIDAS			Company	Client				
			Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.5	0.0		94	-5.7	-0.0	2.1	-0.0	
-0.5	-0.0		334	5.2	-0.2	1.5	-0.0	
0.3	0.0	q5_ps	327	4.9	0.1	0.2	-0.0	
-0.3	0.0		78	-4.2	-0.2	-1.0	0.0	
0.4	0.0		94	-5.2	-0.0	0.2	-0.0	
-0.3	-0.0		334	4.5	-0.2	0.6	-0.0	
25.8	0.0	INVSLU Max	327	368.1	0.3	7.4	0.0	
-25.6	0.1		78	-358.5	0.4	-21.0	0.0	
26.5	0.0		94	-410.4	-0.1	8.5	-0.0	
-24.6	0.0		334	432.2	0.4	15.2	0.0	
24.9	-0.0	Min	327	350.7	-0.2	4.0	0.0	
-26.6	-0.0		78	-371.6	-0.3	-27.3	0.0	
25.3	0.0		94	-428.3	-0.2	2.9	-0.1	
-25.7	0.0		334	417.8	-0.3	11.0	-0.1	
13.1	0.0	INVSLV Max	327	207.2	0.1	19.6	0.0	
-12.0	0.0		78	-184.8	0.1	10.0	0.0	
12.7	0.0		94	-223.0	0.0	-20.1	-0.0	
-11.9	-0.0		334	239.1	0.1	-0.9	0.0	
12.1	-0.0	Min	327	187.2	-0.1	15.6	0.0	
-12.9	-0.0		78	-201.2	-0.1	6.0	0.0	
11.8	-0.0		94	-244.9	-0.0	-27.3	-0.0	
-12.9	-0.0		334	220.5	-0.1	-2.6	-0.0	
344	2	10	Q1-1-2 Max	334	0.0	0.0	0.0	0.0
0.0	0.0	0.0		94	0.0	0.0	0.0	0.0
0.0	0.0	0.0		32	0.0	0.0	0.0	0.0
0.0	0.0	0.0		341	0.0	0.0	0.0	0.0
0.0	0.0	0.0	Min	334	0.0	0.0	0.0	0.0
0.0	0.0	0.0		94	0.0	0.0	0.0	0.0




PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

0.0	0.0		32	0.0	0.0	0.0	0.0	
0.0	0.0		341	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q2a-1-2	Max	334	0.0	0.0	0.0	0.0
0.0	0.0			94	0.0	0.0	0.0	0.0
0.0	0.0			32	0.0	0.0	0.0	0.0
0.0	0.0			341	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	334	0.0	0.0	0.0	0.0
0.0	0.0			94	0.0	0.0	0.0	0.0
0.0	0.0			32	0.0	0.0	0.0	0.0
0.0	0.0			341	0.0	0.0	0.0	0.0
0.0	0.0							
			SLVx (RS)	334	-1.6	0.0	-0.2	0.0
-0.0	0.0			94	1.4	0.0	0.3	-0.0
0.0	0.0			32	1.6	-0.0	0.3	-0.0
-0.0	0.0			341	-1.5	-0.0	-0.2	-0.0
-0.0	0.0							
			SLVy (RS)	334	3.6	0.1	1.2	0.0
0.0	-0.0			94	-1.9	0.2	-0.5	-0.0
-0.0	0.0			32	-3.9	-0.2	0.3	-0.0
0.0	-0.0			341	2.2	-0.1	-0.6	-0.0
-0.0	-0.0							
			SLDx (RS)	334	-0.8	0.0	-0.1	-0.0
-0.0	-0.0			94	0.7	0.0	0.2	-0.0
0.0	0.0			32	0.8	-0.0	0.2	-0.0
-0.0	0.0			341	-0.8	-0.0	-0.1	-0.0
-0.0	0.0							
			SLDy (RS)	334	1.8	0.1	0.6	0.0
0.0	-0.0			94	-1.0	0.1	-0.3	-0.0
-0.0	0.0			32	-1.9	-0.1	0.1	-0.0
0.0	-0.0			341	1.1	-0.1	-0.3	-0.0
-0.0	-0.0							

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
		SLVz (RS)	334	-0.7	0.0	0.0	-0.0
-0.0	0.0		94	0.6	0.0	0.2	-0.0
0.0	-0.0		32	0.7	-0.0	-0.1	-0.0
-0.0	0.0		341	-0.6	-0.0	-0.0	-0.0
0.0	0.0						
		g1	334	12.3	-0.1	3.9	0.0
0.0	0.0		94	-13.4	-0.4	1.2	0.0
-0.1	0.0		32	-13.2	0.4	-1.7	0.0
0.1	-0.0		341	14.4	0.1	-3.3	0.0
-0.0	-0.0						
		g2	334	7.9	-0.2	6.5	0.0
-0.6	0.0		94	-5.4	-0.6	12.6	0.0
0.7	0.0		32	-8.3	0.6	-13.6	0.0
-0.7	-0.0		341	5.7	0.2	-5.5	0.0
0.7	0.0						
		q3	334	-1.8	0.0	-0.5	0.0
0.0	-0.0		94	-1.6	0.0	0.2	-0.0
-0.0	-0.0		32	1.7	-0.0	0.6	-0.0
0.0	0.0		341	1.6	-0.0	-0.3	-0.0
-0.0	-0.0						
		q5_pc	334	1.2	0.2	-1.2	0.0
0.2	-0.0		94	-1.8	0.1	-4.3	0.0
-0.3	0.0		32	-1.3	-0.2	4.4	-0.0
0.3	-0.0		341	1.9	-0.2	1.1	-0.0
-0.3	-0.0						
		q5_ps	334	1.6	0.1	-0.2	0.0
0.1	-0.0		94	-1.3	0.1	-1.6	0.0
-0.1	0.0		32	-1.6	-0.1	1.5	-0.0
0.1	-0.0		341	1.4	-0.2	0.3	-0.0
-0.1	-0.0						
		INVSLU Max	334	155.4	-0.9	2.7	0.1
3.4	0.0		94	-158.2	-4.1	3.5	0.3
-2.9	0.0		32	-153.9	4.3	-2.3	0.3
3.4	-0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-2.9	0.0			341	169.1	1.4	7.2	0.1
			Min	334	148.8	-1.3	-0.1	0.1
2.9	-0.0			94	-163.9	-4.3	-4.6	0.3
-3.4	0.0			32	-160.5	4.0	-10.9	0.2
2.9	-0.0			341	163.1	0.8	4.8	-0.0
-3.3	-0.0							
		INVSLV	Max	334	95.6	0.1	14.0	0.0
0.6	0.0			94	-80.4	0.1	16.2	0.0
-0.5	0.0			32	-90.9	0.3	-22.3	0.0
0.6	0.0			341	89.9	0.2	-4.8	0.0
-0.6	0.0							
			Min	334	86.9	-0.2	11.5	-0.0
0.5	-0.0			94	-85.5	-0.3	14.9	0.0
-0.6	0.0			32	-100.0	-0.0	-23.2	-0.0
0.5	-0.0			341	84.3	-0.1	-6.2	-0.0
-0.7	-0.0							
385	2	10	Q1-1-2	Max	390	0.0	0.0	0.0
0.0	0.0	0.0			391	0.0	0.0	0.0
0.0	0.0	0.0			2273	0.0	0.0	0.0
0.0	0.0	0.0			2235	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	390	0.0	0.0	0.0	0.0
0.0	0.0	0.0			391	0.0	0.0	0.0
0.0	0.0	0.0			2273	0.0	0.0	0.0
0.0	0.0	0.0			2235	0.0	0.0	0.0
0.0	0.0	0.0						
			Q2a-1-2	Max	390	0.0	0.0	0.0
0.0	0.0	0.0			391	0.0	0.0	0.0
0.0	0.0	0.0			2273	0.0	0.0	0.0
0.0	0.0	0.0			2235	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	390	0.0	0.0	0.0	0.0
0.0	0.0	0.0			391	0.0	0.0	0.0
0.0	0.0	0.0			2273	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		2235	0.0	0.0	0.0	0.0
-0.1	-0.0	SLVx (RS)	390	9.1	0.0	1.5	0.0
0.1	0.0		391	-2.4	0.0	0.5	0.0
-0.1	0.0		2273	-9.1	-0.0	-1.7	-0.0
0.1	-0.0		2235	2.5	-0.0	-0.8	-0.0
0.0	-0.0	SLVy (RS)	390	1.0	-0.1	0.4	0.0
-0.0	0.0		391	-2.1	-0.2	0.3	0.0
-0.0	0.0		2273	-0.9	0.2	-0.2	-0.0
0.0	-0.0		2235	1.7	0.1	-0.7	-0.0
-0.1	-0.0	SLDx (RS)	390	4.6	0.0	0.7	0.0
0.0	0.0		391	-1.2	0.0	0.2	0.0
-0.1	0.0		2273	-4.6	-0.0	-0.9	-0.0
0.1	-0.0		2235	1.2	-0.0	-0.4	-0.0
0.0	-0.0	SLDy (RS)	390	0.5	-0.1	0.2	0.0
-0.0	0.0		391	-1.0	-0.1	0.2	0.0
-0.0	0.0		2273	-0.4	0.1	-0.1	-0.0
0.0	-0.0		2235	0.8	0.1	-0.4	-0.0
0.1	-0.0	SLVz (RS)	390	3.9	0.0	0.6	0.0
-0.0	0.0		391	-1.0	0.0	-0.3	0.0
0.0	0.0		2273	-4.0	-0.0	-0.7	-0.0
-0.1	-0.0		2235	1.1	-0.0	0.4	-0.0
-1.3	0.0	g1	390	-78.1	-0.0	-9.0	-0.0
1.2	-0.0		391	26.1	0.0	7.4	-0.0
-1.3	-0.0		2273	78.5	-0.0	11.3	0.0
1.5	0.0		2235	-26.5	0.0	-9.7	0.0
-0.7	0.0	g2	390	-36.9	-0.0	-3.8	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.6	-0.0			391	13.3	-0.0	3.9	-0.0
				2273	37.3	0.0	4.7	0.0
-0.7	0.0			2235	-13.7	0.0	-4.8	0.0
0.7	0.0							
		q3		390	-2.9	-0.0	-0.4	-0.0
-0.0	0.0			391	0.1	0.0	0.4	-0.0
0.0	-0.0			2273	3.0	0.0	0.6	0.0
-0.0	-0.0			2235	-0.1	0.0	-0.5	0.0
0.0	0.0							
		q5_pc		390	2.0	-0.2	0.1	0.1
0.0	-0.0			391	-1.6	-0.3	-0.0	0.1
-0.0	0.0			2273	-2.1	0.2	-0.2	-0.0
0.0	0.0			2235	1.7	0.2	0.1	-0.0
-0.0	-0.0							
		q5_ps		390	1.7	-0.2	0.2	0.1
0.0	-0.0			391	-1.3	-0.3	0.0	0.1
-0.0	0.0			2273	-1.7	0.2	-0.2	-0.0
0.0	0.0			2235	1.3	0.2	0.1	-0.0
-0.0	-0.0							
		INVSLU	Max	390	-159.3	0.3	-16.3	0.1
-2.8	0.0			391	67.9	0.5	15.7	0.1
2.7	0.0			2273	163.4	0.4	21.2	0.0
-2.8	0.0			2235	-59.6	0.2	-18.8	0.0
3.2	0.0							
			Min	390	-167.6	-0.3	-17.2	-0.1
-3.0	-0.0			391	63.9	-0.5	15.1	-0.1
2.5	-0.0			2273	154.9	-0.4	19.9	-0.0
-2.9	-0.0			2235	-63.6	-0.3	-19.6	-0.0
3.1	-0.0							
		INVSLV	Max	390	-103.8	0.1	-10.0	0.0
-1.9	0.0			391	49.3	0.2	11.6	0.0
2.0	0.0			2273	123.5	0.2	16.4	0.0
-1.9	0.0			2235	-41.1	0.1	-12.3	0.0
2.4	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


				Min	390	-125.0	-0.1	-13.6	-0.0
-2.1	-0.0				391	42.6	-0.2	10.3	-0.0
1.7	-0.0				2273	102.3	-0.2	12.3	-0.0
-2.2	-0.0				2235	-47.7	-0.1	-14.5	-0.0
2.1	-0.0								
386	2	4	Q1-1-2	Max	391	0.0	0.0	0.0	0.0
0.0	0.0	0.0			392	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2274	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2273	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	391	0.0	0.0	0.0	0.0
0.0	0.0	0.0			392	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2274	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2273	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	391	0.0	0.0	0.0	0.0
0.0	0.0	0.0			392	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2274	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2273	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	391	0.0	0.0	0.0	0.0
0.0	0.0	0.0			392	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2274	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2273	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				SLVx (RS)	391	10.2	-0.0	1.8	0.0
0.1	-0.0	0.0			392	-2.6	-0.0	0.6	0.0
-0.1	0.0	0.0			2274	-9.8	0.0	-1.9	-0.0
-0.1	0.0	0.0			2273	2.2	0.0	-0.8	-0.0
-0.1	-0.0	0.0							
				SLVy (RS)	391	1.0	-0.2	-0.6	0.1
0.0	-0.0	0.0			392	-2.8	-0.3	0.2	0.1
-0.0	0.0	0.0			2274	-1.0	0.3	0.5	-0.0
0.0	0.0	0.0			2273	2.8	0.2	-0.2	-0.0
-0.0	-0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	391	5.1	-0.0	0.9	0.0
0.1	-0.0		392	-1.3	-0.0	0.3	0.0
-0.1	0.0		2274	-4.9	0.0	-0.9	-0.0
0.1	0.0		2273	1.1	0.0	-0.4	-0.0
-0.1	-0.0						
		SLDy (RS)	391	0.5	-0.1	-0.3	0.0
0.0	-0.0		392	-1.4	-0.1	0.1	0.0
-0.0	0.0		2274	-0.5	0.1	0.3	-0.0
0.0	0.0		2273	1.4	0.1	-0.1	-0.0
-0.0	-0.0						
		SLVz (RS)	391	4.4	0.0	0.8	0.0
0.1	-0.0		392	-1.1	0.0	-0.3	0.0
-0.0	0.0		2274	-4.2	-0.0	-0.8	-0.0
0.0	0.0		2273	1.0	-0.0	0.4	-0.0
-0.1	-0.0						
		g1	391	-88.1	0.0	-11.4	-0.0
-1.5	0.0		392	28.2	0.0	8.9	-0.0
1.3	-0.0		2274	84.5	-0.0	12.5	0.0
-1.3	-0.0		2273	-24.7	-0.0	-9.8	0.0
1.4	0.0						
		g2	391	-42.3	-0.0	-5.0	0.0
-0.8	0.0		392	13.9	-0.0	4.7	0.0
0.7	0.0		2274	40.6	0.0	5.5	-0.0
-0.7	0.0		2273	-12.2	0.0	-5.2	0.0
0.7	0.0						
		q3	391	-3.2	0.0	-0.5	-0.0
-0.0	0.0		392	0.2	0.0	0.4	-0.0
0.0	-0.0		2274	3.1	-0.0	0.6	0.0
-0.0	-0.0		2273	-0.1	-0.0	-0.5	0.0
0.0	0.0						
		q5_pc	391	2.3	-0.4	0.1	0.1
0.1	-0.0		392	-1.7	-0.4	-0.2	0.1
-0.1	0.0						

PROJECT TITLE :

			Company	Client			
			Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.1	0.0		2274	-2.3	0.4	-0.2	-0.1
-0.1	-0.0		2273	1.6	0.4	0.2	-0.1
0.0	-0.0	q5_ps	391	1.8	-0.4	0.0	0.1
-0.0	0.0		392	-1.5	-0.4	-0.1	0.1
0.0	0.0		2274	-1.8	0.4	-0.1	-0.1
-0.0	-0.0		2273	1.4	0.4	0.2	-0.1
-3.1	0.0	INVSLU Max	391	-180.2	0.7	-21.8	0.2
3.0	0.0		392	75.1	0.7	17.9	0.2
-2.7	0.0		2274	176.3	0.5	24.0	0.1
3.2	0.0		2273	-57.8	0.5	-18.0	0.1
-3.3	-0.0	Min	391	-189.3	-0.6	-22.6	-0.2
2.8	-0.0		392	70.6	-0.6	17.0	-0.2
-2.9	-0.0		2274	167.4	-0.6	22.9	-0.1
3.0	-0.0		2273	-62.2	-0.6	-19.2	-0.1
-2.1	0.0	INVSLV Max	391	-119.2	0.2	-13.7	0.1
2.2	0.0		392	52.9	0.3	13.6	0.1
-1.9	0.0		2274	134.4	0.3	19.2	0.0
2.3	0.0		2273	-37.4	0.2	-12.8	0.0
-2.4	-0.0	Min	391	-142.9	-0.2	-18.0	-0.1
1.9	-0.0		392	45.2	-0.3	12.0	-0.1
-2.1	-0.0		2274	111.7	-0.3	14.7	-0.0
2.0	-0.0		2273	-44.8	-0.2	-14.7	-0.0
394	2	10	Q1-1-2 Max	408	0.0	0.0	0.0
0.0	0.0		409	0.0	0.0	0.0	0.0
0.0	0.0		418	0.0	0.0	0.0	0.0
0.0	0.0		417	0.0	0.0	0.0	0.0
0.0	0.0		Min	408	0.0	0.0	0.0
			409	0.0	0.0	0.0	0.0




PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		418	0.0	0.0	0.0	0.0
0.0	0.0		417	0.0	0.0	0.0	0.0
0.0	0.0						
		Q2a-1-2	Max	408	0.0	0.0	0.0
0.0	0.0			409	0.0	0.0	0.0
0.0	0.0			418	0.0	0.0	0.0
0.0	0.0			417	0.0	0.0	0.0
0.0	0.0						
			Min	408	0.0	0.0	0.0
0.0	0.0			409	0.0	0.0	0.0
0.0	0.0			418	0.0	0.0	0.0
0.0	0.0			417	0.0	0.0	0.0
0.0	0.0						
			SLVx (RS)	408	8.4	-0.0	3.3
-0.3	0.0			409	2.7	-0.0	-2.9
0.3	-0.0			418	6.1	0.0	-2.8
-0.4	-0.0			417	-1.1	-0.0	2.9
0.4	0.0						
			SLVy (RS)	408	6.5	-0.0	-2.0
0.7	0.0			409	-11.1	0.1	2.3
-0.7	-0.0			418	-7.2	-0.1	2.0
0.8	-0.0			417	11.9	-0.0	-2.3
-0.7	0.0						
			SLDx (RS)	408	4.2	-0.0	1.7
-0.2	0.0			409	1.4	-0.0	-1.4
0.2	-0.0			418	3.0	0.0	-1.4
-0.2	-0.0			417	-0.6	-0.0	1.4
0.2	0.0						
			SLDy (RS)	408	3.2	-0.0	-1.0
0.4	0.0			409	-5.6	0.0	1.1
-0.4	-0.0			418	-3.6	-0.0	1.0
0.4	-0.0			417	5.9	-0.0	-1.1
-0.4	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
		SLVz (RS)	408	3.6	-0.0	1.4	0.0
0.1	-0.0		409	-1.0	-0.0	-1.3	0.0
-0.1	0.0		418	-2.5	0.0	-1.4	0.0
0.1	0.0		417	0.2	0.0	1.3	0.0
-0.1	-0.0						
		g1	408	-68.4	0.0	-20.9	-0.0
-3.1	0.0		409	25.4	0.0	25.7	-0.0
3.1	0.0		418	45.4	-0.0	19.6	-0.0
-3.3	0.0		417	-2.4	-0.0	-24.1	-0.0
3.3	-0.0						
		g2	408	-32.7	-0.0	-7.8	-0.0
-1.7	0.0		409	12.0	-0.0	13.8	-0.0
1.6	-0.0		418	21.2	0.0	7.8	0.0
-1.7	-0.0		417	-0.6	-0.0	-13.8	0.0
1.7	0.0						
		q3	408	-3.9	0.0	-1.6	-0.0
-0.2	0.0		409	1.0	0.0	1.5	-0.0
0.2	-0.0		418	3.4	-0.0	1.6	-0.0
-0.2	0.0		417	-0.5	-0.0	-1.5	-0.0
0.2	0.0						
		q5_pc	408	6.7	-0.1	0.0	-0.0
0.6	0.0		409	-6.5	0.0	-0.4	-0.0
-0.6	-0.0		418	-6.5	-0.2	-0.2	0.0
0.5	-0.0		417	6.4	-0.1	0.5	0.0
-0.5	0.0						
		q5_ps	408	5.8	-0.1	0.2	-0.0
0.5	0.0		409	-6.0	0.0	0.1	-0.0
-0.5	-0.0		418	-5.7	-0.2	-0.2	0.0
0.5	-0.0		417	5.9	-0.1	-0.1	0.0
-0.5	0.0						
		INVSLU Max	408	184.7	0.2	-32.8	0.1
22.7	0.0		409	-242.6	0.0	39.2	0.1
-21.2	0.1		418	-267.2	0.3	26.3	0.0
22.5	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-20.8	0.0			417	364.6	0.1	-26.9	0.0
			Min	408	163.5	-0.2	-35.3	-0.0
21.1	-0.0			409	-261.5	-0.0	36.5	-0.1
-22.9	-0.0			418	-287.7	-0.3	23.7	-0.0
20.9	-0.0			417	346.3	-0.2	-29.8	-0.0
-22.4	-0.0							
		INVSLV	Max	408	74.8	0.0	-17.3	0.0
10.7	0.0			409	-109.8	0.1	36.6	0.0
-9.1	0.0			418	-117.9	0.0	22.5	0.0
10.8	0.0			417	198.6	-0.0	-25.4	0.0
-8.9	0.0							
			Min	408	52.0	-0.0	-26.0	-0.0
8.9	-0.0			409	-134.3	-0.1	28.7	-0.0
-10.9	-0.0			418	-137.5	-0.1	14.8	-0.0
9.0	-0.0			417	174.0	-0.0	-33.3	-0.0
-10.7	-0.0							
395	2	4	Q1-1-2	Max	409	0.0	0.0	0.0
0.0	0.0				410	0.0	0.0	0.0
0.0	0.0				419	0.0	0.0	0.0
0.0	0.0				418	0.0	0.0	0.0
0.0	0.0							
			Min	409	0.0	0.0	0.0	0.0
0.0	0.0				410	0.0	0.0	0.0
0.0	0.0				419	0.0	0.0	0.0
0.0	0.0				418	0.0	0.0	0.0
0.0	0.0							
			Q2a-1-2	Max	409	0.0	0.0	0.0
0.0	0.0				410	0.0	0.0	0.0
0.0	0.0				419	0.0	0.0	0.0
0.0	0.0				418	0.0	0.0	0.0
0.0	0.0							
			Min	409	0.0	0.0	0.0	0.0
0.0	0.0				410	0.0	0.0	0.0
0.0	0.0				419	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	0.0		418	0.0	0.0	0.0	0.0
-0.4	0.0	SLVx (RS)	409	8.7	-0.0	3.2	0.0
0.4	-0.0		410	2.7	-0.0	-3.3	0.0
-0.4	-0.0		419	6.3	0.0	-2.8	0.0
0.4	0.0		418	-1.2	0.0	3.4	0.0
0.8	0.0	SLVy (RS)	409	6.3	0.1	-2.5	-0.0
-0.8	-0.0		410	-11.3	0.1	2.2	-0.0
0.8	-0.0		419	-7.2	-0.1	2.4	0.0
-0.8	0.0		418	12.2	-0.0	-2.2	0.0
-0.2	0.0	SLDx (RS)	409	4.3	-0.0	1.6	0.0
0.2	-0.0		410	1.4	-0.0	-1.6	0.0
-0.2	-0.0		419	3.1	0.0	-1.4	0.0
0.2	0.0		418	-0.6	0.0	1.7	0.0
0.4	0.0	SLDy (RS)	409	3.2	0.0	-1.2	-0.0
-0.4	-0.0		410	-5.6	0.0	1.1	-0.0
0.4	-0.0		419	-3.6	-0.0	1.2	0.0
-0.4	0.0		418	6.1	-0.0	-1.1	0.0
0.2	-0.0	SLVz (RS)	409	3.7	-0.0	1.4	0.0
-0.2	0.0		410	-1.0	-0.0	-1.5	0.0
0.2	-0.0		419	-2.6	0.0	-1.4	0.0
-0.2	-0.0		418	0.2	0.0	1.5	0.0
-3.5	-0.0	g1	409	-71.6	0.0	-19.2	-0.0
3.5	0.0		410	25.4	0.0	29.8	-0.0
-3.5	0.0		419	47.4	-0.0	18.6	-0.0
3.6	-0.0		418	-1.3	-0.0	-28.9	-0.0
-1.8	0.0	g2	409	-34.0	-0.0	-8.1	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

1.7	-0.0			410	12.1	-0.0	15.0	-0.0
-1.7	-0.0			419	22.1	0.0	7.9	0.0
1.7	0.0			418	-0.2	0.0	-14.8	0.0
-0.2	-0.0	q3		409	-3.9	0.0	-1.5	-0.0
0.2	-0.0			410	1.0	0.0	1.6	-0.0
-0.2	0.0			419	3.4	-0.0	1.5	-0.0
0.2	-0.0			418	-0.5	-0.0	-1.6	-0.0
0.6	0.0	q5_pc		409	6.8	-0.0	0.1	-0.1
-0.6	-0.0			410	-6.7	0.0	-0.4	-0.1
0.6	-0.0			419	-6.7	-0.2	-0.1	0.0
-0.6	0.0			418	6.6	-0.2	0.4	0.0
0.5	0.0	q5_ps		409	5.8	-0.0	0.0	-0.1
-0.5	-0.0			410	-6.1	0.0	-0.1	-0.1
0.5	-0.0			419	-5.9	-0.2	0.0	0.0
-0.5	0.0			418	6.1	-0.2	0.1	0.0
22.2	0.0	INVSLU	Max	409	183.2	0.0	-25.9	0.1
-20.7	0.0			410	-244.9	0.0	49.4	0.1
22.1	0.0			419	-270.2	0.3	19.9	0.0
-20.3	0.0			418	372.2	0.2	-38.1	0.0
20.5	-0.0		Min	409	161.7	0.0	-28.0	-0.1
-22.4	-0.0			410	-264.2	0.0	46.7	-0.1
20.4	-0.0			419	-291.2	-0.4	17.8	-0.1
-22.0	-0.0			418	353.4	-0.3	-41.0	-0.1
10.6	0.0	INVSLV	Max	409	73.6	0.1	-15.5	0.0
-8.8	0.0			410	-110.3	0.1	42.1	0.1
10.6	0.0			419	-118.2	0.1	19.6	0.0
-8.6	0.0			418	201.4	0.0	-28.7	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


				Min	409	50.2	-0.0	-24.3	-0.0
8.7	-0.0				410	-135.0	-0.1	33.3	-0.0
-10.7	-0.0				419	-137.9	-0.1	11.8	-0.0
8.7	-0.0				418	176.1	-0.1	-37.6	-0.0
-10.5	-0.0								
403	2	10	Q1-1-2	Max	399	0.0	0.0	0.0	0.0
0.0	0.0	0.0			400	0.0	0.0	0.0	0.0
0.0	0.0	0.0			409	0.0	0.0	0.0	0.0
0.0	0.0	0.0			408	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	399	0.0	0.0	0.0	0.0
0.0	0.0	0.0			400	0.0	0.0	0.0	0.0
0.0	0.0	0.0			409	0.0	0.0	0.0	0.0
0.0	0.0	0.0			408	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	399	0.0	0.0	0.0	0.0
0.0	0.0	0.0			400	0.0	0.0	0.0	0.0
0.0	0.0	0.0			409	0.0	0.0	0.0	0.0
0.0	0.0	0.0			408	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	399	0.0	0.0	0.0	0.0
0.0	0.0	0.0			400	0.0	0.0	0.0	0.0
0.0	0.0	0.0			409	0.0	0.0	0.0	0.0
0.0	0.0	0.0			408	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				SLVx (RS)	399	15.5	-0.0	3.8	-0.0
0.9	-0.0	0.0			400	-9.3	-0.0	-3.1	0.0
-0.9	0.0	0.0			409	-13.0	0.0	-3.7	-0.0
0.9	0.0	0.0			408	6.8	0.0	3.1	-0.0
-0.9	-0.0	0.0							
				SLVy (RS)	399	3.5	-0.0	-2.6	-0.0
0.5	0.0	0.0			400	-7.9	-0.1	2.4	-0.0
-0.5	-0.0	0.0			409	-4.9	0.1	2.3	0.0
0.6	-0.0	0.0			408	9.6	-0.0	-2.2	0.0
-0.6	0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	399	7.7	-0.0	1.9	-0.0
0.5	-0.0		400	-4.6	-0.0	-1.6	0.0
-0.5	0.0		409	-6.5	0.0	-1.8	-0.0
0.5	0.0		408	3.4	0.0	1.5	-0.0
-0.5	-0.0						
		SLDy (RS)	399	1.7	-0.0	-1.3	-0.0
0.2	0.0		400	-4.0	-0.0	1.2	-0.0
-0.2	-0.0		409	-2.5	0.0	1.1	0.0
0.3	-0.0		408	4.8	-0.0	-1.1	0.0
-0.3	0.0						
		SLVz (RS)	399	6.7	-0.0	1.7	0.0
0.4	-0.0		400	-4.0	-0.0	-1.4	0.0
-0.4	0.0		409	-5.6	0.0	-1.6	-0.0
0.4	0.0		408	2.9	0.0	1.3	-0.0
-0.4	-0.0						
		g1	399	-134.1	0.0	-25.6	-0.0
-8.4	0.0		400	88.5	0.0	26.8	-0.0
8.4	-0.0		409	111.3	-0.0	24.9	0.0
-8.5	-0.0		408	-65.7	-0.0	-25.8	0.0
8.5	0.0						
		g2	399	-64.2	0.0	-10.3	-0.0
-4.2	0.0		400	43.2	-0.0	13.6	-0.0
4.2	-0.0		409	53.2	0.0	10.2	0.0
-4.2	-0.0		408	-32.2	-0.0	-13.6	0.0
4.2	0.0						
		q3	399	-5.3	0.0	-1.6	-0.0
-0.3	0.0		400	2.4	0.0	1.5	-0.0
0.3	-0.0		409	4.8	-0.0	1.6	0.0
-0.3	-0.0		408	-1.9	-0.0	-1.5	0.0
0.3	0.0						
		q5_pc	399	6.6	-0.1	0.3	-0.0
0.5	0.0		400	-6.5	-0.2	-0.2	-0.0
-0.6	-0.0						

PROJECT TITLE :

		Company			Client				
		Author			File Name				
							PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.6	-0.0			409	-6.7	0.0	-0.2	0.0	
-0.5	0.0			408	6.6	-0.1	0.2	0.0	
			q5_ps	399	5.5	-0.1	0.4	-0.0	
0.4	0.0			400	-5.6	-0.2	0.1	-0.0	
-0.5	-0.0			409	-5.7	0.0	-0.3	0.0	
0.5	-0.0			408	5.8	-0.1	-0.2	0.0	
-0.4	0.0								
			INVS LU	Max	399	-103.3	0.2	-41.8	0.0
-1.0	0.0			400	44.1	0.3	45.9	0.0	
2.8	0.0			409	21.5	0.0	38.3	0.1	
-1.4	0.0			408	78.6	0.2	-36.4	0.0	
2.9	0.0								
				Min	399	-125.0	-0.1	-44.8	-0.0
-2.6	-0.0			400	25.0	-0.3	43.4	-0.0	
1.1	-0.0			409	-0.3	-0.0	35.4	-0.1	
-3.1	-0.0			408	59.4	-0.2	-38.9	-0.1	
1.2	-0.0								
			INVS LV	Max	399	-93.8	0.0	-23.8	0.0
-3.4	0.0			400	66.8	0.1	39.6	0.0	
5.8	0.0			409	65.3	0.1	31.1	0.0	
-3.5	0.0			408	21.7	0.0	-28.3	0.0	
5.9	0.0								
				Min	399	-130.8	0.0	-33.8	-0.0
-5.7	-0.0			400	41.1	-0.0	31.0	-0.0	
3.4	-0.0			409	33.1	-0.1	21.4	-0.0	
-5.9	-0.0			408	-3.4	-0.0	-36.6	-0.0	
3.5	-0.0								
404	2	4	Q1-1-2	Max	400	0.0	0.0	0.0	0.0
0.0	0.0			401	0.0	0.0	0.0	0.0	
0.0	0.0			410	0.0	0.0	0.0	0.0	
0.0	0.0			409	0.0	0.0	0.0	0.0	
0.0	0.0								
				Min	400	0.0	0.0	0.0	0.0
0.0	0.0			401	0.0	0.0	0.0	0.0	




PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		410	0.0	0.0	0.0	0.0
0.0	0.0		409	0.0	0.0	0.0	0.0
0.0	0.0						
		Q2a-1-2	Max	400	0.0	0.0	0.0
0.0	0.0			401	0.0	0.0	0.0
0.0	0.0			410	0.0	0.0	0.0
0.0	0.0			409	0.0	0.0	0.0
0.0	0.0						
			Min	400	0.0	0.0	0.0
0.0	0.0			401	0.0	0.0	0.0
0.0	0.0			410	0.0	0.0	0.0
0.0	0.0			409	0.0	0.0	0.0
0.0	0.0						
			SLVx (RS)	400	15.8	-0.0	3.7
0.9	-0.0			401	-9.1	-0.0	-3.7
-0.9	0.0			410	-13.4	0.0	-3.7
1.0	0.0			409	6.7	0.0	3.7
-1.0	-0.0						
			SLVy (RS)	400	4.8	-0.0	-1.8
0.6	0.0			401	-8.8	-0.1	1.8
-0.6	-0.0			410	-5.6	0.1	2.1
0.6	-0.0			409	9.6	0.0	-2.1
-0.6	0.0						
			SLDx (RS)	400	7.9	-0.0	1.9
0.5	-0.0			401	-4.6	-0.0	-1.8
-0.5	0.0			410	-6.7	0.0	-1.8
0.5	0.0			409	3.3	0.0	1.8
-0.5	-0.0						
			SLDy (RS)	400	2.4	-0.0	-0.9
0.3	0.0			401	-4.4	-0.0	0.9
-0.3	-0.0			410	-2.8	0.0	1.0
0.3	-0.0			409	4.8	0.0	-1.0
-0.3	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
		SLVz (RS)	400	6.8	-0.0	1.6	0.0
0.4	-0.0		401	-3.9	-0.0	-1.6	0.0
-0.4	0.0		410	-5.8	0.0	-1.6	-0.0
0.4	0.0		409	2.9	0.0	1.6	-0.0
-0.4	-0.0						
		g1	400	-137.7	0.0	-24.5	-0.0
-8.7	0.0		401	87.7	0.0	32.1	-0.0
8.8	-0.0		410	115.2	-0.0	24.1	0.0
-8.9	-0.0		409	-65.2	-0.0	-31.3	0.0
8.9	0.0						
		g2	400	-66.1	-0.0	-10.7	-0.0
-4.3	0.0		401	42.4	-0.0	16.0	-0.0
4.3	-0.0		410	55.1	0.0	10.6	0.0
-4.3	-0.0		409	-31.3	0.0	-16.0	0.0
4.3	0.0						
		q3	400	-5.3	0.0	-1.5	-0.0
-0.3	0.0		401	2.3	0.0	1.6	-0.0
0.3	-0.0		410	4.8	-0.0	1.6	0.0
-0.3	-0.0		409	-1.9	-0.0	-1.6	0.0
0.3	0.0						
		q5_pc	400	6.9	-0.2	0.2	-0.0
0.6	0.0		401	-6.5	-0.2	-0.5	-0.0
-0.6	-0.0		410	-6.8	-0.0	-0.2	0.1
0.6	-0.0		409	6.5	-0.0	0.6	0.1
-0.6	0.0						
		q5_ps	400	5.7	-0.2	0.1	-0.0
0.5	0.0		401	-5.7	-0.2	-0.3	-0.0
-0.5	-0.0		410	-5.8	-0.0	-0.1	0.1
0.5	-0.0		409	5.8	-0.0	0.2	0.1
-0.5	0.0						
		INVSLU Max	400	-109.9	0.3	-38.8	0.0
-1.6	0.0		401	44.8	0.4	56.5	0.0
3.8	0.0		410	28.2	0.0	34.6	0.1
-2.4	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

3.8	0.0			409	78.7	-0.0	-46.3	0.1
			Min	400	-132.4	-0.2	-41.2	-0.0
-3.4	-0.0			401	25.2	-0.3	53.4	-0.0
2.0	-0.0			410	6.0	-0.0	32.1	-0.1
-4.1	-0.0			409	59.4	-0.1	-49.5	-0.1
2.0	-0.1							
		INVSLV	Max	400	-98.5	0.0	-24.4	0.0
-3.7	0.0			401	65.5	0.1	47.1	0.0
6.3	0.0			410	71.1	0.1	30.9	0.0
-4.0	0.0			409	23.4	0.0	-34.2	0.0
6.3	0.0							
			Min	400	-137.1	-0.0	-33.9	-0.0
-6.1	-0.0			401	39.7	-0.1	37.7	-0.0
3.8	-0.0			410	37.5	-0.1	21.3	-0.1
-6.5	-0.0			409	-1.6	-0.1	-43.8	-0.0
3.8	-0.0							
412	2	10	Q1-1-2	Max	417	0.0	0.0	0.0
0.0	0.0	0.0			418	0.0	0.0	0.0
0.0	0.0	0.0			427	0.0	0.0	0.0
0.0	0.0	0.0			426	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	417	0.0	0.0	0.0	0.0
0.0	0.0	0.0			418	0.0	0.0	0.0
0.0	0.0	0.0			427	0.0	0.0	0.0
0.0	0.0	0.0			426	0.0	0.0	0.0
0.0	0.0	0.0						
			Q2a-1-2	Max	417	0.0	0.0	0.0
0.0	0.0	0.0			418	0.0	0.0	0.0
0.0	0.0	0.0			427	0.0	0.0	0.0
0.0	0.0	0.0			426	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	417	0.0	0.0	0.0	0.0
0.0	0.0	0.0			418	0.0	0.0	0.0
0.0	0.0	0.0			427	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		426	0.0	0.0	0.0	0.0
-0.1	0.0	SLVx (RS)	417	-2.3	-0.0	2.1	-0.0
0.1	-0.0		418	4.0	-0.0	-2.3	-0.0
-0.1	0.0		427	1.2	0.0	-2.1	0.0
0.1	-0.0		426	-5.4	-0.0	2.2	0.0
0.5	0.0	SLVy (RS)	417	5.5	0.0	-1.2	-0.0
-0.5	-0.0		418	-10.6	0.1	2.0	-0.0
0.5	0.0		427	-5.7	-0.2	1.5	-0.0
-0.4	-0.0		426	10.8	-0.0	-2.3	-0.0
-0.1	0.0	SLDx (RS)	417	-1.2	-0.0	1.1	-0.0
0.1	-0.0		418	2.0	-0.0	-1.1	-0.0
-0.1	0.0		427	0.6	0.0	-1.1	0.0
0.0	-0.0		426	-2.7	-0.0	1.1	0.0
0.2	0.0	SLDy (RS)	417	2.7	0.0	-0.6	-0.0
-0.3	-0.0		418	-5.3	0.1	1.0	-0.0
0.2	0.0		427	-2.8	-0.1	0.8	-0.0
-0.2	-0.0		426	5.4	-0.0	-1.2	-0.0
-0.0	0.0	SLVz (RS)	417	0.8	-0.0	1.0	-0.0
0.1	-0.0		418	1.8	-0.0	-1.0	-0.0
-0.0	-0.0		427	-0.3	0.0	-1.0	0.0
0.0	-0.0		426	-2.4	-0.0	0.9	0.0
0.7	0.0	g1	417	-11.6	0.0	-12.3	0.0
-0.8	0.0		418	-31.4	0.0	20.1	0.0
0.6	0.0		427	-1.0	-0.0	11.7	-0.0
-0.5	0.0		426	44.0	0.0	-19.3	-0.0
0.2	0.0	g2	417	-5.2	-0.0	-4.3	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.2	-0.0			418	-15.6	-0.0	11.0	-0.0
0.3	-0.0			427	-1.4	-0.0	4.3	0.0
-0.2	0.0			426	22.1	0.0	-11.0	0.0
-0.1	-0.0	q3		417	-2.3	0.0	-1.2	0.0
0.0	0.0			418	-0.6	0.0	1.1	0.0
-0.0	0.0			427	2.0	-0.0	1.2	-0.0
0.1	-0.0			426	0.9	-0.0	-1.1	-0.0
0.3	0.0	q5_pc		417	4.8	-0.0	-0.0	-0.0
-0.3	-0.0			418	-5.1	0.2	-0.1	-0.0
0.3	0.0			427	-4.6	-0.3	0.0	-0.1
-0.3	-0.0			426	4.8	-0.1	0.1	-0.0
0.3	0.0	q5_ps		417	4.2	-0.0	0.1	-0.0
-0.3	-0.0			418	-4.8	0.2	0.2	-0.0
0.3	0.0			427	-4.1	-0.3	-0.0	-0.0
-0.3	-0.0			426	4.7	-0.1	-0.3	-0.0
24.5	0.0	INVSLU	Max	417	317.5	-0.0	-27.4	0.1
-24.4	0.0			418	-402.9	0.3	29.1	0.0
25.1	0.0			427	-356.9	0.5	26.4	0.1
-23.6	0.0			426	471.9	0.3	-23.9	0.0
23.7	-0.0		Min	417	302.6	-0.0	-29.2	0.0
-25.3	-0.0			418	-417.9	-0.2	27.1	-0.0
24.3	-0.0			427	-371.2	-0.6	24.8	-0.1
-24.4	0.0			426	456.9	-0.2	-26.0	-0.1
13.1	0.0	INVSLV	Max	417	163.5	0.0	-14.6	0.0
-12.6	0.0			418	-214.3	0.2	26.6	0.0
13.7	0.0			427	-185.1	0.1	19.9	0.0
-12.2	0.0			426	273.9	0.0	-19.7	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


				Min	417	150.6	-0.0	-20.2	-0.0
12.1	-0.0				418	-238.9	-0.1	20.3	-0.0
-13.7	-0.0				427	-197.4	-0.2	14.2	-0.0
12.7	-0.0				426	247.7	-0.0	-26.2	-0.0
-13.1	-0.0								
413	2	4	Q1-1-2	Max	418	0.0	0.0	0.0	0.0
0.0	0.0	0.0			419	0.0	0.0	0.0	0.0
0.0	0.0	0.0			428	0.0	0.0	0.0	0.0
0.0	0.0	0.0			427	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	418	0.0	0.0	0.0	0.0
0.0	0.0	0.0			419	0.0	0.0	0.0	0.0
0.0	0.0	0.0			428	0.0	0.0	0.0	0.0
0.0	0.0	0.0			427	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	418	0.0	0.0	0.0	0.0
0.0	0.0	0.0			419	0.0	0.0	0.0	0.0
0.0	0.0	0.0			428	0.0	0.0	0.0	0.0
0.0	0.0	0.0			427	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	418	0.0	0.0	0.0	0.0
0.0	0.0	0.0			419	0.0	0.0	0.0	0.0
0.0	0.0	0.0			428	0.0	0.0	0.0	0.0
0.0	0.0	0.0			427	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				SLVx (RS)	418	-2.5	-0.0	2.0	-0.0
-0.1	0.0	0.0			419	4.3	-0.0	-2.5	-0.0
0.1	0.0	0.0			428	1.1	0.0	-2.2	0.0
-0.1	-0.0	0.0			427	-5.9	0.0	2.5	0.0
0.1	0.0	0.0							
				SLVy (RS)	418	5.6	0.2	-1.9	-0.0
0.5	0.0	0.0			419	-10.9	0.2	1.8	-0.0
-0.5	0.0	0.0			428	-6.1	-0.2	1.9	-0.1
0.5	0.0	0.0			427	11.5	-0.2	-1.8	-0.1
-0.5	-0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	0.0	SLDx (RS)	418	-1.2	-0.0	1.0	-0.0
0.1	0.0		419	2.1	-0.0	-1.2	-0.0
-0.1	-0.0		428	0.6	0.0	-1.1	0.0
0.1	0.0		427	-2.9	0.0	1.3	0.0
0.3	0.0	SLDy (RS)	418	2.8	0.1	-0.9	-0.0
-0.3	0.0		419	-5.5	0.1	0.9	-0.0
0.3	0.0		428	-3.0	-0.1	1.0	-0.0
-0.3	-0.0		427	5.7	-0.1	-0.9	-0.0
-0.0	0.0	SLVz (RS)	418	0.9	-0.0	1.0	-0.0
0.0	-0.0		419	1.9	-0.0	-1.1	-0.0
-0.1	-0.0		428	-0.2	0.0	-1.0	0.0
0.0	0.0		427	-2.6	0.0	1.1	0.0
0.5	-0.0	g1	418	-12.7	0.0	-10.8	0.0
-0.7	0.0		419	-33.5	0.0	22.8	0.0
0.7	0.0		428	-2.6	-0.0	11.4	-0.0
-0.5	-0.0		427	48.8	-0.0	-23.1	-0.0
0.2	0.0	g2	418	-5.5	-0.0	-4.0	-0.0
-0.2	-0.0		419	-16.1	-0.0	11.5	-0.0
0.3	-0.0		428	-2.0	0.0	4.3	0.0
-0.2	0.0		427	23.6	0.0	-11.9	0.0
-0.1	-0.0	q3	418	-2.4	0.0	-1.1	0.0
0.0	0.0		419	-0.6	0.0	1.1	0.0
-0.0	0.0		428	2.1	-0.0	1.1	-0.0
0.1	-0.0		427	0.9	-0.0	-1.2	-0.0
0.3	0.0	q5_pc	418	5.0	0.2	-0.1	-0.0
-0.3	0.0		419	-5.4	0.2	-0.1	-0.0

PROJECT TITLE :

			Company	Client				
			Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.3	0.0		428	-5.0	-0.4	0.1	-0.1	
-0.3	-0.0		427	5.4	-0.4	0.1	-0.1	
0.3	0.0	q5_ps	418	4.4	0.2	-0.1	-0.0	
-0.3	0.0		419	-5.0	0.2	0.1	-0.0	
0.3	0.0		428	-4.5	-0.4	0.1	-0.1	
-0.3	-0.0		427	5.1	-0.3	-0.1	-0.1	
24.8	0.0	INVSLU Max	418	332.8	0.3	-12.8	0.1	
-24.9	0.0		419	-424.6	0.4	46.3	0.1	
25.7	0.0		428	-388.9	0.6	12.9	0.1	
-23.7	0.0		427	512.1	0.5	-42.5	0.1	
23.8	-0.0	Min	418	317.2	-0.3	-14.6	-0.0	
-25.9	0.0		419	-440.2	-0.3	44.5	-0.0	
24.8	-0.0		428	-404.4	-0.6	11.1	-0.2	
-24.7	-0.0		427	495.9	-0.5	-44.4	-0.2	
13.3	0.0	INVSLV Max	418	172.1	0.2	-6.0	0.0	
-12.8	0.0		419	-224.6	0.2	36.7	0.0	
13.8	0.0		428	-201.2	0.2	11.1	0.0	
-12.0	0.0		427	293.6	0.1	-28.9	0.0	
12.2	-0.0	Min	418	159.0	-0.2	-11.8	-0.0	
-14.0	0.0		419	-250.1	-0.2	30.0	-0.0	
12.6	-0.0		428	-214.2	-0.2	5.1	-0.1	
-13.1	-0.0		427	265.5	-0.2	-35.7	-0.1	
421	2	10	Q1-1-2 Max	426	0.0	0.0	0.0	0.0
0.0	0.0	0.0		427	0.0	0.0	0.0	0.0
0.0	0.0	0.0		436	0.0	0.0	0.0	0.0
0.0	0.0	0.0		435	0.0	0.0	0.0	0.0
0.0	0.0	0.0	Min	426	0.0	0.0	0.0	0.0
0.0	0.0	0.0		427	0.0	0.0	0.0	0.0



PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

0.0	0.0		436	0.0	0.0	0.0	0.0	
0.0	0.0		435	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q2a-1-2	Max	426	0.0	0.0	0.0	0.0
0.0	0.0			427	0.0	0.0	0.0	0.0
0.0	0.0			436	0.0	0.0	0.0	0.0
0.0	0.0			435	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	426	0.0	0.0	0.0	0.0
0.0	0.0			427	0.0	0.0	0.0	0.0
0.0	0.0			436	0.0	0.0	0.0	0.0
0.0	0.0			435	0.0	0.0	0.0	0.0
0.0	0.0							
			SLVx (RS)	426	1.8	0.0	-0.5	0.0
0.0	-0.0			427	4.5	-0.0	-0.9	-0.0
-0.0	-0.0			436	-1.8	0.0	0.4	0.0
0.0	-0.0			435	-4.4	-0.0	0.8	0.0
-0.0	0.0							
			SLVy (RS)	426	0.6	0.1	-0.2	0.0
0.0	-0.0			427	-5.7	0.2	1.1	0.0
-0.0	0.0			436	-0.5	-0.2	-0.2	-0.0
-0.0	0.0			435	5.1	-0.1	-1.0	-0.0
-0.0	-0.0							
			SLDx (RS)	426	0.9	0.0	-0.2	0.0
0.0	-0.0			427	2.2	-0.0	-0.5	-0.0
-0.0	-0.0			436	-0.9	0.0	0.2	0.0
0.0	-0.0			435	-2.2	-0.0	0.4	0.0
-0.0	0.0							
			SLDy (RS)	426	0.3	0.0	-0.1	0.0
0.0	-0.0			427	-2.8	0.1	0.5	0.0
-0.0	0.0			436	-0.3	-0.1	-0.1	-0.0
-0.0	0.0			435	2.6	-0.0	-0.5	-0.0
-0.0	-0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

		SLVz (RS)	426	0.8	-0.0	0.3	0.0
-0.0	-0.0		427	2.0	-0.0	-0.4	-0.0
0.0	-0.0		436	-0.8	0.0	-0.2	0.0
-0.0	-0.0		435	-1.9	0.0	0.4	0.0
0.0	0.0						
		g1	426	-10.4	0.1	0.1	-0.0
-0.3	0.0		427	-35.7	0.0	11.2	0.0
0.2	0.0		436	10.7	-0.0	-0.9	-0.0
-0.3	0.0		435	35.4	-0.1	-10.4	-0.0
0.4	-0.0						
		g2	426	-4.3	0.1	1.7	-0.0
-0.3	0.0		427	-16.8	0.0	6.7	-0.0
0.2	-0.0		436	4.6	-0.0	-2.0	0.0
-0.2	0.0		435	16.6	-0.1	-6.5	0.0
0.3	0.0						
		q3	426	-1.5	-0.0	-0.4	0.0
-0.0	-0.0		427	-1.4	0.0	0.3	0.0
-0.0	0.0		436	1.5	-0.0	0.4	-0.0
0.0	0.0		435	1.4	0.0	-0.3	-0.0
0.0	-0.0						
		q5_pc	426	1.1	0.2	-0.2	0.0
0.1	-0.0		427	-2.2	0.3	0.1	0.1
-0.0	0.0		436	-0.9	-0.3	0.1	-0.1
0.0	0.0		435	2.0	-0.2	0.1	-0.1
-0.0	-0.0						
		q5_ps	426	0.9	0.2	-0.0	0.0
0.0	-0.0		427	-2.1	0.3	0.3	0.0
-0.0	0.0		436	-0.7	-0.3	-0.1	-0.1
0.0	0.0		435	1.9	-0.2	-0.2	-0.1
-0.0	-0.0						
		INVSLU Max	426	85.0	1.2	-6.0	0.0
2.6	0.0		427	-223.4	0.7	23.4	0.1
-2.5	0.0		436	-70.3	0.2	3.4	0.1
1.8	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-1.7	0.0			435	220.2	-0.6	-18.8	0.0
			Min	426	80.6	0.6	-7.0	-0.1
2.5	0.0			427	-230.9	-0.1	22.1	-0.1
-2.6	-0.0			436	-74.2	-0.8	2.7	-0.2
1.7	-0.0			435	213.1	-1.3	-19.7	-0.2
-1.8	-0.0							
		INVSLV	Max	426	42.3	0.1	-2.6	0.0
1.3	0.0			427	-123.3	0.2	15.5	0.0
-1.3	0.0			436	-32.2	0.1	3.4	0.0
0.9	0.0			435	132.4	0.1	-12.3	0.0
-0.8	0.0							
			Min	426	37.8	-0.1	-3.8	-0.0
1.2	-0.0			427	-138.5	-0.1	12.6	-0.0
-1.4	-0.0			436	-36.7	-0.2	2.3	-0.1
0.9	-0.0			435	118.3	-0.1	-15.0	-0.0
-0.8	-0.0							
422	2	4	Q1-1-2	Max	427	0.0	0.0	0.0
0.0	0.0				428	0.0	0.0	0.0
0.0	0.0				437	0.0	0.0	0.0
0.0	0.0				436	0.0	0.0	0.0
0.0	0.0							
			Min	427	0.0	0.0	0.0	0.0
0.0	0.0				428	0.0	0.0	0.0
0.0	0.0				437	0.0	0.0	0.0
0.0	0.0				436	0.0	0.0	0.0
0.0	0.0							
		Q2a-1-2	Max	427	0.0	0.0	0.0	0.0
0.0	0.0				428	0.0	0.0	0.0
0.0	0.0				437	0.0	0.0	0.0
0.0	0.0				436	0.0	0.0	0.0
0.0	0.0							
			Min	427	0.0	0.0	0.0	0.0
0.0	0.0				428	0.0	0.0	0.0
0.0	0.0				437	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		436	0.0	0.0	0.0	0.0
-0.0	0.0	SLVx (RS)	427	2.0	0.0	0.6	-0.0
0.0	-0.0		428	4.7	0.0	-0.7	-0.0
-0.0	-0.0		437	-1.6	-0.0	-0.8	0.0
0.0	0.0		436	-5.1	-0.0	0.9	0.0
0.1	-0.0	SLVy (RS)	427	0.6	0.3	-0.7	0.1
-0.1	0.0		428	-5.9	0.3	0.4	0.1
0.1	0.0		437	-0.6	-0.3	0.9	-0.1
-0.1	-0.0		436	6.3	-0.3	-0.5	-0.1
-0.0	0.0	SLDx (RS)	427	1.0	0.0	0.3	-0.0
0.0	-0.0		428	2.3	0.0	-0.4	-0.0
-0.0	-0.0		437	-0.8	-0.0	-0.4	0.0
0.0	0.0		436	-2.6	-0.0	0.4	0.0
0.0	-0.0	SLDy (RS)	427	0.3	0.1	-0.4	0.0
-0.0	0.0		428	-2.9	0.1	0.2	0.0
0.0	0.0		437	-0.3	-0.1	0.4	-0.0
-0.0	-0.0		436	3.1	-0.1	-0.3	-0.0
-0.0	0.0	SLVz (RS)	427	0.9	0.0	0.3	-0.0
0.0	-0.0		428	2.1	-0.0	-0.3	-0.0
-0.0	-0.0		437	-0.7	0.0	-0.3	0.0
0.0	0.0		436	-2.3	-0.0	0.4	0.0
-0.3	-0.0	g1	427	-12.1	-0.0	0.2	0.0
0.2	0.0		428	-37.4	0.0	10.2	0.0
-0.1	0.0		437	8.1	-0.0	0.9	-0.0
0.2	-0.0		436	41.4	0.0	-11.2	-0.0
-0.2	0.0	g2	427	-5.4	-0.0	0.9	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.2	-0.0			428	-17.5	-0.0	5.7	-0.0
-0.1	-0.0			437	3.4	0.0	-0.6	0.0
0.2	0.0			436	19.5	0.0	-6.0	0.0
-0.0	-0.0	q3		427	-1.6	0.0	-0.3	0.0
0.0	0.0			428	-1.4	0.0	0.3	0.0
-0.0	0.0			437	1.5	-0.0	0.4	-0.0
0.0	-0.0			436	1.5	-0.0	-0.4	-0.0
0.1	-0.0	q5_pc		427	1.3	0.4	-0.3	0.1
-0.0	0.0			428	-2.1	0.4	-0.2	0.1
0.0	0.0			437	-1.5	-0.5	0.3	-0.1
-0.1	-0.0			436	2.3	-0.5	0.2	-0.1
0.0	-0.0	q5_ps		427	1.0	0.4	-0.2	0.1
-0.0	0.0			428	-2.0	0.4	-0.0	0.1
0.0	0.0			437	-1.2	-0.5	0.2	-0.1
-0.1	-0.0			436	2.2	-0.5	0.1	-0.1
2.1	0.0	INVSLU	Max	427	89.6	0.4	-4.4	0.2
-2.0	0.0			428	-237.7	0.6	25.5	0.2
3.0	0.0			437	-110.3	0.7	2.0	0.2
-2.9	0.0			436	271.0	0.9	-21.1	0.2
2.0	-0.0		Min	427	84.8	-0.9	-5.4	-0.1
-2.1	-0.0			428	-245.0	-0.7	24.8	-0.1
2.9	-0.0			437	-115.5	-0.7	0.9	-0.2
-3.1	-0.0			436	263.0	-0.4	-22.0	-0.2
0.8	0.0	INVSLV	Max	427	45.1	0.3	2.1	0.1
-0.8	0.0			428	-132.1	0.3	20.5	0.1
1.3	0.0			437	-53.9	0.3	-0.8	0.1
-1.1	0.0			436	161.7	0.3	-17.5	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


				Min	427	40.1	-0.3	0.1	-0.0
0.7	-0.0				428	-147.8	-0.3	18.6	-0.0
-0.9	-0.0				437	-57.9	-0.3	-3.2	-0.1
1.1	-0.0				436	144.7	-0.3	-19.8	-0.1
-1.2	-0.0								
445	2	8	Q1-1-2	Max	462	0.0	0.0	0.0	0.0
0.0	0.0	0.0			463	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2283	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2223	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	462	0.0	0.0	0.0	0.0
0.0	0.0	0.0			463	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2283	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2223	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	462	0.0	0.0	0.0	0.0
0.0	0.0	0.0			463	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2283	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2223	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	462	0.0	0.0	0.0	0.0
0.0	0.0	0.0			463	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2283	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2223	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				SLVx (RS)	462	12.4	-0.0	3.1	0.0
0.2	-0.0	0.0			463	-2.3	-0.0	-1.6	0.0
-0.1	0.0	0.0			2283	-11.2	0.0	-3.0	-0.0
0.1	0.0	0.0			2223	-1.2	0.0	1.5	-0.0
-0.1	-0.0	0.0							
				SLVy (RS)	462	2.4	-0.2	-0.4	0.0
0.1	-0.0	0.0			463	-4.2	-0.1	0.3	0.0
-0.1	0.0	0.0			2283	-2.1	0.1	0.6	-0.0
0.1	0.0	0.0			2223	4.0	0.2	-0.6	-0.0
-0.1	-0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	462	6.2	-0.0	1.6	0.0
0.1	-0.0		463	-1.1	-0.0	-0.8	0.0
-0.1	0.0		2283	-5.6	0.0	-1.5	-0.0
0.1	0.0		2223	-0.6	0.0	0.7	-0.0
-0.1	-0.0						
		SLDy (RS)	462	1.2	-0.1	-0.2	0.0
0.0	-0.0		463	-2.1	-0.1	0.1	0.0
-0.0	0.0		2283	-1.1	0.1	0.3	-0.0
0.0	0.0		2223	2.0	0.1	-0.3	-0.0
-0.0	-0.0						
		SLVz (RS)	462	5.5	0.0	1.4	0.0
0.1	-0.0		463	-1.0	0.0	-0.7	0.0
-0.1	0.0		2283	-4.9	-0.0	-1.3	-0.0
0.0	0.0		2223	0.5	-0.0	0.7	-0.0
-0.1	-0.0						
		g1	462	-120.8	0.0	-28.1	-0.0
-1.7	0.0		463	26.4	0.0	16.1	-0.0
1.5	-0.0		2283	109.0	-0.0	27.7	0.0
-1.1	-0.0		2223	-14.6	-0.0	-15.6	0.0
1.3	0.0						
		g2	462	-58.7	-0.0	-13.4	0.0
-0.9	-0.0		463	13.1	-0.0	7.9	0.0
0.7	0.0		2283	52.8	0.0	13.2	-0.0
-0.5	0.0		2223	-7.2	0.0	-7.7	-0.0
0.7	-0.0						
		q3	462	-2.9	0.0	-0.7	-0.0
-0.0	0.0		463	0.4	0.0	0.4	-0.0
0.0	-0.0		2283	2.6	-0.0	0.7	0.0
-0.0	-0.0		2223	-0.2	-0.0	-0.4	0.0
0.0	0.0						
		q5_pc	462	4.4	-0.3	0.8	0.1
0.1	-0.0		463	-2.4	-0.2	-0.4	0.1
-0.1	0.0						

PROJECT TITLE :

			Company	Client			
			Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.1	0.0		2283	-4.0	0.2	-0.7	-0.0
-0.1	-0.0		2223	1.9	0.3	0.3	-0.0
0.1	-0.0	q5_ps	462	3.5	-0.3	0.6	0.1
-0.1	0.0		463	-2.1	-0.2	-0.3	0.1
0.1	0.0		2283	-3.2	0.2	-0.5	-0.0
-0.1	-0.0		2223	1.8	0.3	0.2	-0.0
-3.7	0.0	INVSLU Max	462	-270.2	0.5	-62.8	0.1
3.7	0.0		463	75.3	0.4	36.2	0.1
-2.7	0.0		2283	252.1	0.3	61.5	0.0
3.1	0.0		2223	-38.1	0.4	-31.2	0.0
-4.0	-0.0	Min	462	-283.7	-0.5	-65.3	-0.1
3.5	-0.0		463	68.5	-0.3	34.8	-0.1
-2.8	-0.0		2283	239.9	-0.3	59.3	-0.0
2.9	-0.0		2223	-43.6	-0.4	-32.3	-0.0
-2.5	0.0	INVSLV Max	462	-176.4	0.2	-40.8	0.0
2.6	0.0		463	51.4	0.1	27.0	0.0
-1.7	0.0		2283	183.9	0.1	46.1	0.0
2.2	0.0		2223	-21.1	0.2	-21.2	0.0
-2.9	-0.0	Min	462	-205.9	-0.2	-48.1	-0.0
2.3	-0.0		463	41.0	-0.1	23.2	-0.0
-2.0	-0.0		2283	157.2	-0.1	38.8	-0.0
1.9	-0.0		2223	-30.0	-0.2	-24.9	-0.0
449	2	8	Q1-1-2 Max	470	0.0	0.0	0.0
0.0	0.0			471	0.0	0.0	0.0
0.0	0.0			475	0.0	0.0	0.0
0.0	0.0			474	0.0	0.0	0.0
0.0	0.0		Min	470	0.0	0.0	0.0
0.0	0.0			471	0.0	0.0	0.0



PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

0.0	0.0		475	0.0	0.0	0.0	0.0	
0.0	0.0		474	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q2a-1-2	Max	470	0.0	0.0	0.0	0.0
0.0	0.0			471	0.0	0.0	0.0	0.0
0.0	0.0			475	0.0	0.0	0.0	0.0
0.0	0.0			474	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	470	0.0	0.0	0.0	0.0
0.0	0.0			471	0.0	0.0	0.0	0.0
0.0	0.0			475	0.0	0.0	0.0	0.0
0.0	0.0			474	0.0	0.0	0.0	0.0
0.0	0.0							
			SLVx (RS)	470	9.5	-0.0	5.7	0.0
0.4	0.0			471	2.4	-0.0	-5.1	0.0
-0.4	-0.0			475	-7.2	0.0	-5.9	0.0
0.4	-0.0			474	-1.2	0.0	5.3	0.0
-0.4	0.0							
			SLVy (RS)	470	5.6	0.1	-4.1	-0.0
0.7	0.0			471	-11.3	0.0	3.9	-0.0
-0.7	-0.0			475	-5.6	-0.0	4.0	0.0
0.7	-0.0			474	11.3	-0.1	-3.8	0.0
-0.7	0.0							
			SLDx (RS)	470	4.8	-0.0	2.9	0.0
0.2	0.0			471	1.2	-0.0	-2.5	0.0
-0.2	-0.0			475	-3.6	0.0	-2.9	0.0
0.2	-0.0			474	-0.6	0.0	2.6	0.0
-0.2	0.0							
			SLDy (RS)	470	2.8	0.0	-2.0	-0.0
0.3	0.0			471	-5.7	0.0	1.9	-0.0
-0.3	-0.0			475	-2.8	-0.0	2.0	0.0
0.4	-0.0			474	5.6	-0.1	-1.9	0.0
-0.4	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
		SLVz (RS)	470	4.2	-0.0	2.5	0.0
0.2	-0.0		471	-0.8	-0.0	-2.3	0.0
-0.2	0.0		475	-3.1	0.0	-2.6	0.0
0.1	-0.0		474	-0.3	0.0	2.3	0.0
-0.2	0.0						
		g1	470	-89.2	0.0	-48.0	-0.0
-3.9	-0.0		471	21.9	0.0	48.0	-0.0
3.7	0.0		475	65.8	-0.0	49.4	-0.0
-3.5	0.0		474	1.6	-0.0	-49.1	-0.0
3.8	-0.0						
		g2	470	-43.0	-0.0	-22.7	-0.0
-1.9	0.0		471	10.6	-0.0	23.4	-0.0
1.8	-0.0		475	31.5	0.0	23.4	0.0
-1.7	-0.0		474	1.0	0.0	-24.1	0.0
1.8	0.0						
		q3	470	-2.9	0.0	-1.5	-0.0
-0.1	0.0		471	0.9	0.0	1.4	-0.0
0.1	-0.0		475	2.5	-0.0	1.6	-0.0
-0.1	0.0		474	-0.5	-0.0	-1.4	-0.0
0.1	-0.0						
		q5_pc	470	6.4	0.1	0.2	-0.1
0.5	0.0		471	-6.3	-0.0	-0.1	-0.1
-0.5	-0.0		475	-5.9	-0.1	-0.3	0.0
0.5	-0.0		474	5.8	-0.2	0.3	0.0
-0.5	0.0						
		q5_ps	470	5.4	0.1	-0.2	-0.1
0.5	0.0		471	-5.8	-0.0	0.2	-0.1
-0.4	-0.0		475	-5.0	-0.1	0.1	0.0
0.4	-0.0		474	5.5	-0.2	-0.1	0.0
-0.5	0.0						
		INVSLU Max	470	101.9	0.1	-78.8	0.1
17.6	0.0		471	-205.9	0.0	85.6	0.1
-16.2	0.0		475	-188.0	0.2	77.4	0.0
17.7	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-16.2	0.0			474	328.0	0.3	-79.0	0.0
			Min	470	82.8	-0.1	-81.3	-0.1
16.1	-0.0			471	-224.3	0.0	83.4	-0.1
-17.6	-0.0			475	-205.6	-0.2	74.8	-0.0
16.2	-0.0			474	311.1	-0.4	-81.4	-0.0
-17.7	-0.0							
		INVSLV	Max	470	13.7	0.1	-53.2	0.0
7.1	0.0			471	-79.7	0.0	71.1	0.0
-5.3	0.0			475	-52.2	0.0	66.5	0.0
7.1	0.0			474	164.5	0.1	-54.6	0.0
-5.4	0.0							
			Min	470	-11.2	-0.1	-68.7	-0.0
5.3	-0.0			471	-104.2	-0.0	57.3	-0.0
-7.1	-0.0			475	-71.8	-0.0	50.8	-0.0
5.4	-0.0			474	141.0	-0.1	-68.9	-0.0
-7.2	-0.0							
453	2	8	Q1-1-2	Max	466	0.0	0.0	0.0
0.0	0.0				467	0.0	0.0	0.0
0.0	0.0				471	0.0	0.0	0.0
0.0	0.0				470	0.0	0.0	0.0
0.0	0.0							
			Min	466	0.0	0.0	0.0	0.0
0.0	0.0				467	0.0	0.0	0.0
0.0	0.0				471	0.0	0.0	0.0
0.0	0.0				470	0.0	0.0	0.0
0.0	0.0							
		Q2a-1-2	Max	466	0.0	0.0	0.0	0.0
0.0	0.0				467	0.0	0.0	0.0
0.0	0.0				471	0.0	0.0	0.0
0.0	0.0				470	0.0	0.0	0.0
0.0	0.0							
			Min	466	0.0	0.0	0.0	0.0
0.0	0.0				467	0.0	0.0	0.0
0.0	0.0				471	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	0.0		470	0.0	0.0	0.0	0.0
		SLVx (RS)	466	15.8	0.0	6.0	0.0
0.9	-0.0		467	-8.2	-0.0	-5.2	0.0
-0.9	0.0		471	-13.4	0.0	-6.2	-0.0
0.9	0.0		470	5.8	-0.0	5.4	-0.0
-0.9	-0.0						
		SLVy (RS)	466	6.3	-0.0	-3.5	-0.0
0.7	0.0		467	-11.2	-0.0	3.3	-0.0
-0.7	-0.0		471	-6.2	0.0	3.7	0.0
0.8	-0.0		470	11.2	0.0	-3.4	0.0
-0.7	0.0						
		SLDx (RS)	466	7.9	0.0	3.0	0.0
0.4	-0.0		467	-4.1	-0.0	-2.6	0.0
-0.4	0.0		471	-6.7	0.0	-3.1	-0.0
0.4	0.0		470	2.9	-0.0	2.7	-0.0
-0.4	-0.0						
		SLDy (RS)	466	3.1	-0.0	-1.7	-0.0
0.3	0.0		467	-5.6	-0.0	1.6	-0.0
-0.4	-0.0		471	-3.1	0.0	1.8	0.0
0.4	-0.0		470	5.6	0.0	-1.7	0.0
-0.4	0.0						
		SLVz (RS)	466	6.9	-0.0	2.6	0.0
0.4	-0.0		467	-3.6	-0.0	-2.3	0.0
-0.4	0.0		471	-5.9	-0.0	-2.8	-0.0
0.4	0.0		470	2.5	0.0	2.4	-0.0
-0.4	-0.0						
		g1	466	-153.3	0.0	-51.8	-0.0
-9.0	0.0		467	85.3	0.0	47.8	-0.0
8.8	-0.0		471	129.3	-0.0	54.1	0.0
-8.7	-0.0		470	-61.3	-0.0	-49.9	0.0
9.0	0.0						
		g2	466	-74.2	-0.0	-24.7	-0.0
-4.4	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

4.3	-0.0			467	41.6	-0.0	23.2	-0.0
-4.2	-0.0			471	62.4	0.0	25.7	0.0
4.3	0.0			470	-29.7	0.0	-24.3	0.0
-0.2	0.0	q3		466	-4.0	0.0	-1.5	-0.0
0.2	-0.0			467	2.0	0.0	1.3	-0.0
-0.2	-0.0			471	3.6	-0.0	1.6	0.0
0.2	0.0			470	-1.6	-0.0	-1.4	0.0
0.6	0.0	q5_pc		466	7.8	-0.2	0.4	-0.0
-0.6	-0.0			467	-7.6	-0.1	-0.3	-0.0
0.6	-0.0			471	-7.2	-0.0	-0.4	0.1
-0.6	0.0			470	7.0	-0.0	0.3	0.1
0.5	0.0	q5_ps		466	6.4	-0.2	0.0	-0.0
-0.5	-0.0			467	-6.7	-0.1	0.0	-0.0
0.5	-0.0			471	-6.1	-0.0	-0.0	0.1
-0.5	0.0			470	6.3	-0.0	-0.0	0.1
-5.5	0.0	INVSLU	Max	466	-184.3	0.3	-96.4	0.1
7.4	0.0			467	77.3	0.2	92.0	0.1
-5.7	0.0			471	102.4	0.1	98.0	0.1
7.3	0.0			470	48.6	-0.0	-88.1	0.1
-7.3	-0.0		Min	466	-207.7	-0.2	-99.1	-0.1
5.6	-0.0			467	55.1	-0.1	89.7	-0.1
-7.5	-0.0			471	80.5	-0.1	95.1	-0.1
5.5	-0.0			470	28.0	-0.0	-90.6	-0.1
-6.1	0.0	INVSLV	Max	466	-147.9	0.1	-64.6	0.0
8.6	0.0			467	86.5	0.0	74.5	0.0
-6.2	0.0			471	123.2	0.0	80.5	0.0
8.5	0.0			470	3.5	0.0	-60.3	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


			Min	466	-187.4	-0.0	-80.2	-0.0
-8.6	-0.0			467	57.0	-0.0	60.9	-0.0
6.2	-0.0			471	89.1	-0.0	64.2	-0.0
-8.6	-0.0			470	-23.9	-0.1	-74.6	-0.0
6.1	-0.0							
457	2	8	Q1-1-2	Max	474	0.0	0.0	0.0
0.0	0.0	0.0			475	0.0	0.0	0.0
0.0	0.0	0.0			479	0.0	0.0	0.0
0.0	0.0	0.0			478	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	474	0.0	0.0	0.0	0.0
0.0	0.0	0.0		475	0.0	0.0	0.0	0.0
0.0	0.0	0.0		479	0.0	0.0	0.0	0.0
0.0	0.0	0.0		478	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			Q2a-1-2	Max	474	0.0	0.0	0.0
0.0	0.0	0.0			475	0.0	0.0	0.0
0.0	0.0	0.0			479	0.0	0.0	0.0
0.0	0.0	0.0			478	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	474	0.0	0.0	0.0	0.0
0.0	0.0	0.0		475	0.0	0.0	0.0	0.0
0.0	0.0	0.0		479	0.0	0.0	0.0	0.0
0.0	0.0	0.0		478	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			SLVx (RS)	474	3.8	-0.0	4.3	-0.0
-0.1	0.0			475	3.9	-0.0	-3.9	-0.0
0.1	-0.0			479	-2.4	0.0	-4.2	0.0
-0.1	-0.0			478	-5.3	0.0	3.8	0.0
0.1	0.0							
			SLVy (RS)	474	3.5	0.2	-3.3	-0.0
0.4	-0.0			475	-9.4	0.1	3.1	-0.0
-0.4	0.0			479	-3.5	-0.1	3.1	-0.0
0.4	0.0			478	9.5	-0.2	-3.0	-0.1
-0.4	-0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	474	1.9	-0.0	2.2	-0.0
-0.0	0.0		475	2.0	-0.0	-1.9	-0.0
0.0	-0.0		479	-1.2	0.0	-2.1	0.0
-0.0	-0.0		478	-2.6	0.0	1.9	0.0
0.0	0.0						
		SLDy (RS)	474	1.7	0.1	-1.6	-0.0
0.2	-0.0		475	-4.7	0.1	1.6	-0.0
-0.2	0.0		479	-1.8	-0.1	1.5	-0.0
0.2	0.0		478	4.7	-0.1	-1.5	-0.0
-0.2	-0.0						
		SLVz (RS)	474	1.6	-0.0	1.9	-0.0
-0.0	0.0		475	1.7	-0.0	-1.7	-0.0
0.0	-0.0		479	-1.0	0.0	-1.9	0.0
-0.0	-0.0		478	-2.3	0.0	1.7	0.0
0.0	0.0						
		g1	474	-31.8	0.0	-34.5	0.0
0.3	-0.0		475	-35.1	0.0	37.3	0.0
-0.4	0.0		479	17.7	-0.0	33.7	-0.0
0.5	0.0		478	49.2	-0.0	-36.3	-0.0
-0.4	-0.0						
		g2	474	-15.2	-0.0	-16.1	-0.0
0.1	0.0		475	-17.1	-0.0	18.6	-0.0
-0.2	-0.0		479	8.4	0.0	15.6	0.0
0.2	-0.0		478	23.9	0.0	-18.1	0.0
-0.2	0.0						
		q3	474	-1.7	0.0	-1.2	0.0
-0.0	-0.0		475	-0.3	0.0	1.0	0.0
0.0	0.0		479	1.5	-0.0	1.1	-0.0
-0.0	0.0		478	0.5	-0.0	-1.0	-0.0
0.0	-0.0						
		q5_pc	474	4.1	0.3	0.1	-0.0
0.3	-0.0		475	-4.1	0.2	-0.1	-0.0
-0.2	0.0						

PROJECT TITLE :

			Company	Client				
			Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.2	0.0		479	-3.9	-0.3	-0.1	-0.1	
-0.3	-0.0		478	3.9	-0.4	0.1	-0.1	
0.2	-0.0	q5_ps	474	3.4	0.3	-0.2	-0.0	
-0.2	0.0		475	-3.9	0.2	0.2	-0.0	
0.2	0.0		479	-3.3	-0.3	0.1	-0.1	
-0.2	-0.0		478	3.8	-0.4	-0.2	-0.1	
22.1	0.0	INVSLU Max	474	261.3	0.4	-51.4	0.0	
-21.9	0.0		475	-385.9	0.2	73.3	0.0	
22.6	0.0		479	-319.6	0.4	53.3	0.1	
-21.4	0.0		478	467.9	0.5	-71.3	0.1	
21.4	-0.0	Min	474	249.3	-0.4	-53.4	-0.0	
-22.6	-0.0		475	-398.0	-0.2	71.5	-0.0	
21.9	-0.0		479	-331.0	-0.4	51.5	-0.1	
-22.1	-0.0		478	455.9	-0.6	-73.0	-0.2	
10.9	0.0	INVSLV Max	474	112.5	0.2	-33.3	0.0	
-10.3	0.0		475	-191.5	0.1	58.6	0.0	
11.1	0.0		479	-141.9	0.1	43.9	0.0	
-10.0	0.0		478	253.7	0.2	-47.1	0.0	
10.0	-0.0	Min	474	101.8	-0.2	-45.0	-0.0	
-11.1	-0.0		475	-213.7	-0.1	48.0	-0.0	
10.2	-0.0		479	-151.1	-0.1	32.6	-0.1	
-10.8	-0.0		478	230.1	-0.2	-57.4	-0.1	
461	2	8	Q1-1-2 Max	478	0.0	0.0	0.0	0.0
0.0	0.0		479	0.0	0.0	0.0	0.0	
0.0	0.0		483	0.0	0.0	0.0	0.0	
0.0	0.0		482	0.0	0.0	0.0	0.0	
0.0	0.0		Min	478	0.0	0.0	0.0	0.0
0.0	0.0		479	0.0	0.0	0.0	0.0	




PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		483	0.0	0.0	0.0	0.0
0.0	0.0		482	0.0	0.0	0.0	0.0
0.0	0.0						
		Q2a-1-2	Max	478	0.0	0.0	0.0
0.0	0.0			479	0.0	0.0	0.0
0.0	0.0			483	0.0	0.0	0.0
0.0	0.0			482	0.0	0.0	0.0
0.0	0.0						
			Min	478	0.0	0.0	0.0
0.0	0.0			479	0.0	0.0	0.0
0.0	0.0			483	0.0	0.0	0.0
0.0	0.0			482	0.0	0.0	0.0
0.0	0.0						
			SLVx (RS)	478	2.8	-0.0	1.7
-0.0	0.0			479	4.6	-0.0	-1.3
0.0	-0.0			483	-2.6	0.0	-1.1
-0.0	-0.0			482	-4.8	0.0	0.7
0.0	0.0						
			SLVy (RS)	478	-1.2	0.2	-1.5
0.0	-0.0			479	-5.1	0.2	1.0
-0.0	0.0			483	1.0	-0.2	1.0
0.1	0.0			482	5.3	-0.2	-0.5
-0.1	-0.0						
			SLDx (RS)	478	1.4	-0.0	0.8
-0.0	0.0			479	2.3	-0.0	-0.7
0.0	-0.0			483	-1.3	0.0	-0.5
-0.0	-0.0			482	-2.4	0.0	0.4
0.0	0.0						
			SLDy (RS)	478	-0.6	0.1	-0.7
0.0	-0.0			479	-2.5	0.1	0.5
-0.0	0.0			483	0.5	-0.1	0.5
0.0	0.0			482	2.6	-0.1	-0.3
-0.0	-0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
		SLVz (RS)	478	1.2	-0.0	0.8	-0.0
-0.0	0.0		479	2.1	-0.0	-0.6	-0.0
0.0	-0.0		483	-1.1	0.0	-0.5	0.0
-0.0	-0.0		482	-2.1	0.0	0.3	0.0
0.0	0.0						
		g1	478	-23.4	0.0	-11.1	0.0
-0.0	-0.0		479	-42.4	0.0	15.5	0.0
-0.1	0.0		483	21.0	-0.0	6.1	-0.0
0.1	0.0		482	44.9	-0.0	-10.4	-0.0
-0.0	-0.0						
		g2	478	-11.2	-0.0	-4.5	-0.0
-0.1	0.0		479	-20.6	-0.0	8.2	-0.0
0.0	-0.0		483	10.2	0.0	2.2	0.0
0.0	-0.0		482	21.7	-0.0	-5.9	0.0
0.1	0.0						
		q3	478	-1.0	0.0	-0.5	0.0
-0.0	-0.0		479	-0.9	0.0	0.4	0.0
-0.0	0.0		483	1.0	-0.0	0.3	-0.0
0.0	0.0		482	0.9	-0.0	-0.2	-0.0
0.0	-0.0						
		q5_pc	478	1.1	0.4	-0.1	0.1
0.0	-0.0		479	-1.2	0.3	-0.2	0.1
-0.0	0.0		483	-1.2	-0.4	0.2	-0.1
0.0	0.0		482	1.4	-0.4	0.2	-0.1
-0.0	-0.0						
		q5_ps	478	0.7	0.4	-0.2	0.1
0.0	-0.0		479	-1.3	0.3	-0.1	0.1
-0.0	0.0		483	-0.9	-0.4	0.2	-0.1
0.0	0.0		482	1.5	-0.4	0.1	-0.1
-0.0	-0.0						
		INVSLU Max	478	66.0	0.6	-18.3	0.1
2.4	0.0		479	-230.9	0.6	32.7	0.1
-2.2	0.0		483	-85.5	0.5	15.8	0.2
3.0	0.0						

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-3.0	0.0			482	259.1	0.5	-28.3	0.2
			Min	478	62.6	-0.5	-19.4	-0.1
2.3	-0.0			479	-235.8	-0.4	31.7	-0.1
-2.3	-0.0			483	-89.3	-0.6	14.8	-0.2
2.9	-0.0			482	253.8	-0.6	-28.8	-0.2
-3.1	-0.0							
		INVSLV	Max	478	24.6	0.2	-7.2	0.1
1.0	0.0			479	-124.9	0.2	26.9	0.1
-0.9	0.0			483	-28.8	0.2	8.9	0.1
1.3	0.0			482	150.2	0.2	-21.9	0.1
-1.1	0.0							
			Min	478	17.6	-0.2	-11.9	-0.0
0.9	-0.0			479	-139.0	-0.2	23.3	-0.0
-1.0	-0.0			483	-35.2	-0.2	5.9	-0.1
1.2	-0.0			482	135.5	-0.2	-23.9	-0.1
-1.3	-0.0							
473	2	8	Q1-1-2	Max	494	0.0	0.0	0.0
0.0	0.0				2	0.0	0.0	0.0
0.0	0.0				2224	0.0	0.0	0.0
0.0	0.0				2293	0.0	0.0	0.0
0.0	0.0							
			Min	494	0.0	0.0	0.0	0.0
0.0	0.0				2	0.0	0.0	0.0
0.0	0.0				2224	0.0	0.0	0.0
0.0	0.0				2293	0.0	0.0	0.0
0.0	0.0							
		Q2a-1-2	Max	494	0.0	0.0	0.0	0.0
0.0	0.0				2	0.0	0.0	0.0
0.0	0.0				2224	0.0	0.0	0.0
0.0	0.0				2293	0.0	0.0	0.0
0.0	0.0							
			Min	494	0.0	0.0	0.0	0.0
0.0	0.0				2	0.0	0.0	0.0
0.0	0.0				2224	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	0.0		2293	0.0	0.0	0.0	0.0
		SLVx (RS)	494	8.6	-0.0	2.8	0.0
0.5	-0.0		2	13.7	-0.1	-20.1	0.0
-0.7	0.0		2224	-12.3	0.1	13.4	-0.0
1.0	0.0		2293	-10.0	0.0	3.9	0.0
-0.8	-0.0						
		SLVy (RS)	494	-1.4	-1.3	0.7	0.1
-0.6	-0.0		2	-10.4	-4.5	18.1	0.3
0.7	0.0		2224	-2.0	4.6	-15.0	0.3
-0.6	-0.0		2293	12.7	1.2	-2.7	0.1
0.5	-0.0						
		SLDx (RS)	494	4.3	-0.0	1.4	0.0
0.2	-0.0		2	6.9	-0.0	-10.1	0.0
-0.4	0.0		2224	-6.2	0.0	6.7	-0.0
0.5	0.0		2293	-5.0	0.0	1.9	0.0
-0.4	-0.0						
		SLDy (RS)	494	-0.7	-0.6	0.4	0.1
-0.3	-0.0		2	-5.2	-2.3	9.0	0.2
0.3	0.0		2224	-1.0	2.3	-7.5	0.2
-0.3	-0.0		2293	6.4	0.6	-1.3	0.1
0.3	-0.0						
		SLVz (RS)	494	3.8	-0.0	1.2	0.0
0.2	-0.0		2	6.1	0.0	-9.0	0.0
-0.3	0.0		2224	-5.5	-0.0	6.0	-0.0
0.4	0.0		2293	-4.4	0.0	1.7	-0.0
-0.3	-0.0						
		g1	494	-101.7	0.1	-33.3	-0.0
-6.0	0.0		2	-164.2	-0.0	243.4	-0.1
8.6	-0.0		2224	146.5	0.0	-164.0	0.1
-11.7	-0.0		2293	119.4	-0.1	-46.0	0.0
9.2	0.0						
		g2	494	-50.3	0.0	-16.1	-0.0
-2.9	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
4.2	-0.0		2	-80.6	-0.0	118.3	-0.0
			2224	72.1	0.0	-79.2	0.0
-5.7	-0.0		2293	58.8	-0.0	-23.0	0.0
4.5	0.0						
		q3	494	-1.9	0.0	-0.6	-0.0
-0.1	0.0		2	-3.1	-0.0	4.7	-0.0
0.2	-0.0		2224	2.8	0.0	-3.2	0.0
-0.2	-0.0		2293	2.3	-0.0	-0.9	0.0
0.2	0.0						
		q5_pc	494	3.0	-1.2	2.2	0.1
0.1	0.0		2	2.5	-3.3	-8.2	0.2
-0.3	0.0		2224	-5.8	3.3	6.5	0.2
0.5	-0.0		2293	0.4	1.1	-0.4	0.1
-0.3	-0.0						
		q5_ps	494	1.9	-1.0	1.6	0.1
0.0	0.0		2	0.7	-3.0	-4.4	0.2
-0.2	0.0		2224	-4.2	2.9	3.5	0.2
0.3	-0.0		2293	1.7	1.0	-0.7	0.1
-0.2	-0.0						
		INVSLU Max	494	-224.4	1.8	-72.1	0.0
-11.1	0.0		2	-328.0	4.4	470.4	0.2
16.5	-0.0		2224	310.7	4.4	-284.2	0.4
-20.7	0.0		2293	260.8	1.2	-91.0	0.2
17.0	0.0						
		Min	494	-232.5	-1.4	-77.5	-0.2
-11.6	0.0		2	-336.7	-4.5	449.3	-0.4
15.7	-0.0		2224	295.1	-4.3	-300.2	-0.2
-21.9	-0.0		2293	253.5	-1.7	-94.0	-0.0
16.2	-0.0						
		INVSLV Max	494	-141.5	1.4	-46.0	0.0
-7.5	0.0		2	-215.4	4.5	363.3	0.2
12.8	0.0		2224	225.1	4.7	-199.1	0.4
-14.6	0.0		2293	192.3	1.1	-60.6	0.2
13.4	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


			Min	494	-161.9	-1.2	-52.7	-0.2
-9.1	0.0			2	-252.7	-4.6	306.9	-0.4
10.8	-0.0			2224	196.0	-4.6	-240.7	-0.3
-17.1	-0.0			2293	158.1	-1.4	-71.0	-0.1
11.4	-0.0							
482	2	8	Q1-1-2	Max	512	0.0	0.0	0.0
0.0	0.0	0.0			42	0.0	0.0	0.0
0.0	0.0	0.0			85	0.0	0.0	0.0
0.0	0.0	0.0			521	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	512	0.0	0.0	0.0	0.0
0.0	0.0	0.0		42	0.0	0.0	0.0	0.0
0.0	0.0	0.0		85	0.0	0.0	0.0	0.0
0.0	0.0	0.0		521	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			Q2a-1-2	Max	512	0.0	0.0	0.0
0.0	0.0	0.0			42	0.0	0.0	0.0
0.0	0.0	0.0			85	0.0	0.0	0.0
0.0	0.0	0.0			521	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	512	0.0	0.0	0.0	0.0
0.0	0.0	0.0		42	0.0	0.0	0.0	0.0
0.0	0.0	0.0		85	0.0	0.0	0.0	0.0
0.0	0.0	0.0		521	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			SLVx (RS)	512	6.1	-0.0	1.9	-0.0
0.4	-0.0	0.0		42	4.2	-0.0	-9.1	-0.0
-0.4	0.0	0.0		85	-4.8	-0.0	-1.2	-0.0
0.2	0.0	0.0		521	-5.4	-0.0	8.4	0.0
-0.3	-0.0	0.0						
			SLVy (RS)	512	2.6	0.2	9.2	-0.0
-0.7	0.0	0.0		42	2.2	-0.1	5.5	-0.0
0.7	0.0	0.0		85	-5.6	-0.1	-9.5	-0.0
-0.2	0.0	0.0		521	1.5	-0.0	-5.0	0.0
0.2	0.0	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	512	3.0	-0.0	1.0	-0.0
0.2	-0.0		42	2.1	-0.0	-4.5	-0.0
-0.2	0.0		85	-2.4	-0.0	-0.6	-0.0
0.1	0.0		521	-2.7	-0.0	4.2	0.0
-0.1	-0.0						
		SLDy (RS)	512	1.3	0.1	4.6	-0.0
-0.3	0.0		42	1.1	-0.0	2.7	-0.0
0.3	0.0		85	-2.8	-0.0	-4.8	-0.0
-0.1	0.0		521	0.8	-0.0	-2.5	0.0
0.1	0.0						
		SLVz (RS)	512	2.7	-0.0	0.9	0.0
0.2	-0.0		42	1.9	-0.0	-4.0	0.0
-0.2	0.0		85	-2.1	0.0	-0.6	0.0
0.1	0.0		521	-2.4	0.0	3.7	0.0
-0.1	-0.0						
		g1	512	-68.2	0.0	-15.7	-0.0
-5.4	0.0		42	-47.4	0.0	109.0	-0.0
5.3	-0.0		85	53.5	-0.0	7.0	-0.0
-3.1	-0.0		521	62.1	-0.0	-100.0	-0.0
3.3	0.0						
		g2	512	-34.2	0.0	-6.9	-0.0
-2.8	0.0		42	-23.9	0.0	56.0	-0.0
2.7	0.0		85	27.5	-0.0	2.2	0.0
-1.8	0.0		521	30.6	0.0	-51.4	0.0
1.8	0.0						
		q3	512	-1.4	0.0	-0.4	-0.0
-0.1	0.0		42	-0.9	0.0	2.1	-0.0
0.1	-0.0		85	1.1	-0.0	0.2	-0.0
-0.1	-0.0		521	1.2	-0.0	-1.9	-0.0
0.1	0.0						
		q5_pc	512	4.9	0.2	4.5	-0.0
0.1	0.0		42	4.0	-0.3	-5.5	-0.0
-0.1	0.1						

PROJECT TITLE :

		Company				Client			
		Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
					85	-6.2	-0.2	-3.5	-0.0
0.2	0.1				521	-2.7	-0.1	4.5	0.0
-0.2	0.0								
			q5_ps		512	3.8	0.2	4.4	-0.0
-0.0	0.0				42	3.2	-0.3	-3.2	-0.0
0.0	0.1				85	-5.0	-0.2	-3.8	-0.0
0.1	0.1				521	-1.9	-0.1	2.6	0.0
-0.1	0.0								
			INVS LU	Max	512	-119.4	0.3	-69.4	0.0
-3.9	0.0				42	-119.0	0.6	188.6	0.0
6.8	0.1				85	96.5	0.2	73.0	-0.0
-2.3	0.1				521	165.1	0.1	-167.3	-0.0
-0.0	0.0								
				Min	512	-132.1	-0.3	-83.1	-0.0
-4.1	-0.0				42	-129.4	-0.4	175.9	-0.0
6.5	-0.1				85	80.3	-0.4	61.3	-0.1
-2.7	-0.1				521	158.1	-0.2	-178.0	-0.0
-0.5	-0.0								
			INVS LV	Max	512	-82.5	0.2	-22.8	0.0
-5.0	0.0				42	-71.3	0.1	161.3	0.0
7.4	0.0				85	75.4	0.1	27.5	0.0
-3.1	0.0				521	105.8	0.0	-122.7	0.0
3.1	0.0								
				Min	512	-97.8	-0.1	-42.8	-0.0
-6.8	-0.0				42	-82.1	-0.0	137.4	-0.0
5.7	-0.0				85	60.0	-0.1	7.4	-0.0
-3.8	-0.0				521	92.5	-0.0	-144.6	-0.0
2.4	-0.0								
491	2	8	Q1-1-2	Max	503	0.0	0.0	0.0	0.0
0.0	0.0				69	0.0	0.0	0.0	0.0
0.0	0.0				42	0.0	0.0	0.0	0.0
0.0	0.0				512	0.0	0.0	0.0	0.0
0.0	0.0								
				Min	503	0.0	0.0	0.0	0.0
0.0	0.0				69	0.0	0.0	0.0	0.0



PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

0.0	0.0		42	0.0	0.0	0.0	0.0	
0.0	0.0		512	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q2a-1-2	Max	503	0.0	0.0	0.0	0.0
0.0	0.0			69	0.0	0.0	0.0	0.0
0.0	0.0			42	0.0	0.0	0.0	0.0
0.0	0.0			512	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	503	0.0	0.0	0.0	0.0
0.0	0.0			69	0.0	0.0	0.0	0.0
0.0	0.0			42	0.0	0.0	0.0	0.0
0.0	0.0			512	0.0	0.0	0.0	0.0
0.0	0.0							
			SLVx (RS)	503	7.9	0.0	0.8	-0.0
0.7	0.0			69	4.1	0.0	-14.1	-0.0
-0.8	0.0			42	-6.3	0.0	2.1	-0.0
0.6	0.0			512	-5.7	0.0	11.3	0.0
-0.5	0.0							
			SLVy (RS)	503	-2.3	0.0	10.0	-0.0
-1.2	0.0			69	-5.2	0.1	26.9	-0.0
1.9	0.0			42	-1.3	-0.2	-20.1	0.0
-1.4	0.0			512	7.8	0.1	-16.8	0.0
0.7	0.0							
			SLDx (RS)	503	3.9	0.0	0.4	-0.0
0.4	0.0			69	2.1	0.0	-7.1	-0.0
-0.4	0.0			42	-3.2	0.0	1.0	-0.0
0.3	0.0			512	-2.8	0.0	5.6	0.0
-0.3	0.0							
			SLDy (RS)	503	-1.2	0.0	5.0	-0.0
-0.6	0.0			69	-2.6	0.0	13.4	-0.0
0.9	0.0			42	-0.6	-0.1	-10.0	0.0
-0.7	0.0			512	3.9	0.0	-8.4	0.0
0.4	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
		SLVz (RS)	503	3.5	-0.0	0.4	0.0
0.3	-0.0		69	1.8	-0.0	-6.2	0.0
-0.4	0.0		42	-2.8	0.0	0.9	-0.0
0.3	0.0		512	-2.5	0.0	5.0	-0.0
-0.2	-0.0						
		g1	503	-90.8	0.0	-4.5	-0.0
-8.8	0.0		69	-47.7	0.0	170.1	-0.0
10.1	-0.0		42	72.6	-0.0	-30.7	0.0
-7.4	-0.0		512	65.9	-0.0	-134.6	0.0
6.2	0.0						
		g2	503	-45.2	0.0	-2.3	-0.0
-4.3	0.0		69	-24.2	0.0	84.8	-0.0
5.0	0.0		42	36.6	-0.0	-14.9	0.0
-3.7	0.0		512	32.8	0.0	-67.5	0.0
3.1	0.0						
		q3	503	-1.8	0.0	-0.1	-0.0
-0.2	0.0		69	-0.9	0.0	3.3	-0.0
0.2	-0.0		42	1.4	-0.0	-0.6	0.0
-0.1	-0.0		512	1.2	-0.0	-2.6	0.0
0.1	0.0						
		q5_pc	503	3.6	0.0	5.6	-0.0
-0.2	0.0		69	1.2	-0.2	4.8	-0.0
0.5	0.1		42	-4.7	-0.4	-9.8	-0.0
-0.4	0.1		512	-0.2	0.1	-0.7	0.0
0.0	0.0						
		q5_ps	503	2.4	0.0	5.3	-0.0
-0.3	0.0		69	0.3	-0.2	6.7	-0.0
0.6	0.1		42	-3.4	-0.4	-9.5	-0.0
-0.4	0.1		512	0.7	0.1	-2.5	0.0
0.1	0.0						
		INVSLU Max	503	-201.0	0.1	-58.1	0.0
-13.2	0.0		69	-124.5	0.4	337.0	-0.0
18.4	0.1		42	166.7	0.4	22.0	-0.0
-10.8	0.1						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

8.2	0.0			512	172.4	0.1	-261.3	0.0
			Min	503	-210.3	0.1	-74.1	-0.1
-14.3	-0.0			69	-127.9	-0.2	313.7	-0.1
16.3	-0.1			42	155.0	-0.7	-7.1	-0.0
-12.3	-0.1			512	169.0	-0.2	-271.3	-0.0
7.7	-0.0							
		INVSLV	Max	503	-123.9	0.1	-12.0	0.0
-9.7	0.0			69	-72.2	0.1	273.3	0.0
15.7	0.0			42	113.2	0.1	-5.7	0.0
-8.0	0.0			512	117.2	0.0	-169.2	0.0
8.4	0.0							
			Min	503	-143.1	0.0	-32.7	-0.1
-12.8	-0.0			69	-86.1	-0.0	207.4	-0.1
11.2	-0.0			42	98.1	-0.2	-47.7	0.0
-11.2	-0.0			512	96.7	-0.1	-212.6	-0.0
6.5	-0.0							
500	2	8	Q1-1-2	Max	521	0.0	0.0	0.0
0.0	0.0				85	0.0	0.0	0.0
0.0	0.0				100	0.0	0.0	0.0
0.0	0.0				530	0.0	0.0	0.0
0.0	0.0							
			Min	521	0.0	0.0	0.0	0.0
0.0	0.0				85	0.0	0.0	0.0
0.0	0.0				100	0.0	0.0	0.0
0.0	0.0				530	0.0	0.0	0.0
0.0	0.0							
			Q2a-1-2	Max	521	0.0	0.0	0.0
0.0	0.0				85	0.0	0.0	0.0
0.0	0.0				100	0.0	0.0	0.0
0.0	0.0				530	0.0	0.0	0.0
0.0	0.0							
			Min	521	0.0	0.0	0.0	0.0
0.0	0.0				85	0.0	0.0	0.0
0.0	0.0				100	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		530	0.0	0.0	0.0	0.0
		SLVx (RS)	521	5.5	-0.0	2.6	0.0
0.2	0.0		85	4.7	-0.0	-5.1	0.0
-0.2	0.0		100	-4.8	-0.0	-2.6	-0.0
0.1	0.0		530	-5.4	0.0	5.1	-0.0
-0.1	0.0						
		SLVy (RS)	521	1.7	0.2	3.1	-0.0
0.1	0.0		85	1.0	-0.0	-6.9	-0.0
-0.5	0.0		100	-2.3	-0.1	4.8	-0.0
0.4	0.0		530	-1.0	-0.1	-1.5	-0.0
0.0	0.0						
		SLDx (RS)	521	2.7	-0.0	1.3	0.0
0.1	0.0		85	2.3	-0.0	-2.6	0.0
-0.1	0.0		100	-2.4	-0.0	-1.3	-0.0
0.0	0.0		530	-2.7	0.0	2.6	-0.0
-0.0	0.0						
		SLDy (RS)	521	0.9	0.1	1.5	-0.0
0.0	0.0		85	0.5	-0.0	-3.4	-0.0
-0.2	0.0		100	-1.2	-0.0	2.4	-0.0
0.2	0.0		530	-0.5	-0.0	-0.7	-0.0
0.0	0.0						
		SLVz (RS)	521	2.4	-0.0	1.2	0.0
0.1	0.0		85	2.1	-0.0	-2.3	0.0
-0.1	0.0		100	-2.1	0.0	-1.1	0.0
0.0	-0.0		530	-2.4	0.0	2.3	0.0
-0.0	0.0						
		g1	521	-60.9	0.0	-23.0	-0.0
-2.5	-0.0		85	-52.5	0.0	62.6	-0.0
2.3	-0.0		100	52.5	-0.0	23.8	-0.0
-1.0	-0.0		530	60.9	-0.0	-63.1	-0.0
1.3	-0.0						
		g2	521	-30.1	0.0	-9.0	-0.0
-1.4	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

1.4	0.0			85	-25.9	-0.0	34.2	-0.0
-0.8	0.0			100	26.5	-0.0	8.4	0.0
0.9	0.0			530	29.5	0.0	-33.6	0.0
-0.0	-0.0	q3		521	-1.3	0.0	-0.6	-0.0
0.0	-0.0			85	-1.1	0.0	1.2	-0.0
-0.0	0.0			100	1.2	-0.0	0.6	-0.0
0.0	-0.0			530	1.2	-0.0	-1.2	-0.0
0.3	0.0	q5_pc		521	2.8	0.2	0.6	-0.0
-0.8	0.0			85	2.0	-0.2	-11.2	-0.0
0.5	0.0			100	-1.2	-0.1	7.6	-0.0
-0.0	0.0			530	-3.5	-0.3	3.0	-0.0
0.2	0.0	q5_ps		521	2.2	0.2	1.0	-0.0
-0.6	0.0			85	1.5	-0.2	-8.7	-0.0
0.4	0.0			100	-1.1	-0.1	5.8	-0.0
0.0	0.0			530	-2.7	-0.3	1.8	-0.0
2.4	0.0	INVSLU	Max	521	-57.2	0.4	-52.4	0.0
1.0	0.1			85	-112.0	0.4	73.8	0.0
1.9	0.1			100	48.8	-0.1	80.8	-0.0
-3.4	-0.0			530	134.1	0.4	-73.8	-0.0
1.7	-0.0		Min	521	-65.3	-0.2	-56.1	0.0
-0.9	-0.0			85	-117.7	-0.1	46.5	-0.0
0.7	-0.0			100	44.5	-0.4	62.6	-0.1
-3.5	-0.0			530	124.6	-0.4	-81.0	-0.1
-2.0	0.0	INVSLV	Max	521	-63.0	0.2	-29.4	0.0
3.1	0.0			85	-68.0	0.1	86.1	0.0
-0.3	0.0			100	65.2	0.0	37.6	0.0
0.5	0.0			530	90.7	0.1	-68.6	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


			Min	521	-76.5	-0.1	-37.7	-0.0
-2.5	-0.0			85	-79.2	0.0	67.9	-0.0
2.1	-0.0			100	53.0	-0.1	25.8	-0.0
-1.2	-0.0			530	77.9	-0.1	-81.2	-0.0
0.3	-0.0							
509	2	8	Q1-1-2	Max	530	0.0	0.0	0.0
0.0	0.0	0.0			100	0.0	0.0	0.0
0.0	0.0	0.0			6	0.0	0.0	0.0
0.0	0.0	0.0			539	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	530	0.0	0.0	0.0	0.0
0.0	0.0	0.0		100	0.0	0.0	0.0	0.0
0.0	0.0	0.0		6	0.0	0.0	0.0	0.0
0.0	0.0	0.0		539	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			Q2a-1-2	Max	530	0.0	0.0	0.0
0.0	0.0	0.0			100	0.0	0.0	0.0
0.0	0.0	0.0			6	0.0	0.0	0.0
0.0	0.0	0.0			539	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	530	0.0	0.0	0.0	0.0
0.0	0.0	0.0		100	0.0	0.0	0.0	0.0
0.0	0.0	0.0		6	0.0	0.0	0.0	0.0
0.0	0.0	0.0		539	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			SLVx (RS)	530	5.2	-0.0	0.7	-0.0
-0.0	-0.0	0.0		100	4.9	-0.0	-1.2	-0.0
0.0	0.0	0.0		6	-4.9	0.0	-1.2	0.0
-0.0	-0.0	0.0		539	-5.1	0.0	1.8	0.0
0.0	-0.0	0.0						
			SLVy (RS)	530	1.6	-0.2	-0.1	0.0
-0.4	0.0	0.0		100	-3.5	-1.1	11.4	0.1
0.4	0.0	0.0		6	1.5	1.1	-11.0	0.1
-0.5	-0.0	0.0		539	1.4	0.2	-0.6	0.0
0.5	-0.0	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-0.0	SLDx (RS)	530	2.6	-0.0	0.3	-0.0
0.0	0.0		100	2.4	-0.0	-0.6	-0.0
-0.0	-0.0		6	-2.5	0.0	-0.6	0.0
0.0	-0.0		539	-2.6	0.0	0.9	0.0
-0.2	0.0	SLDy (RS)	530	0.8	-0.1	-0.0	0.0
0.2	0.0		100	-1.7	-0.6	5.7	0.0
-0.3	-0.0		6	0.8	0.6	-5.5	0.0
0.2	-0.0		539	0.7	0.1	-0.3	0.0
0.0	0.0	SLVz (RS)	530	2.3	-0.0	0.3	-0.0
-0.0	0.0		100	2.2	-0.0	-0.5	-0.0
0.0	-0.0		6	-2.2	0.0	-0.6	0.0
-0.0	0.0		539	-2.3	0.0	0.8	0.0
-1.0	-0.0	g1	530	-57.7	0.0	-1.5	0.0
0.8	-0.0		100	-54.2	0.1	17.4	0.0
-0.6	0.0		6	54.4	-0.1	9.5	-0.0
0.8	-0.0		539	57.5	-0.0	-25.4	-0.0
-0.8	0.0	g2	530	-27.2	-0.0	2.0	-0.0
0.7	0.0		100	-24.8	-0.2	13.3	0.0
-0.6	0.0		6	24.6	0.1	-0.8	0.0
0.7	0.0		539	27.4	0.0	-14.5	0.0
-0.0	-0.0	q3	530	-1.3	0.0	-0.2	0.0
0.0	0.0		100	-1.2	0.0	0.3	-0.0
-0.0	0.0		6	1.3	-0.0	0.4	-0.0
0.0	-0.0		539	1.3	-0.0	-0.4	-0.0
-0.3	-0.0	q5_pc	530	3.6	-0.3	-1.3	0.0
0.5	0.0		100	-0.7	-1.6	13.1	0.1

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-0.6	-0.0			6	-1.1	1.5	-13.9	0.1
0.5	-0.0			539	-1.7	0.2	2.1	-0.0
			q5_ps	530	3.0	-0.2	-0.7	0.0
-0.3	-0.0			100	-0.7	-1.3	11.5	0.1
0.4	0.0			6	-1.0	1.3	-12.1	0.1
-0.5	-0.0			539	-1.3	0.1	1.2	-0.0
0.4	-0.0							
			INVSLU	Max	530	-12.6	-0.2	10.0
1.2	0.0			100	-23.9	-0.1	-11.8	0.3
0.5	0.0			6	-13.1	4.0	56.8	0.2
2.5	0.0			539	61.2	0.7	-15.7	0.0
-1.6	0.0							
				Min	530	-22.9	-0.8	7.4
0.2	-0.0			100	-27.3	-4.1	-46.7	0.1
-0.7	0.0			6	-17.3	0.2	20.0	-0.0
0.9	-0.0			539	56.0	0.3	-20.0	-0.0
-3.0	-0.0							
			INVSLV	Max	530	-54.7	0.1	-0.9
-0.7	0.0			100	-47.3	0.7	30.1	0.1
1.5	0.0			6	55.4	1.6	21.0	0.1
0.1	0.0			539	71.8	0.3	-23.6	0.0
1.0	0.0							
				Min	530	-67.4	-0.3	-2.5
-1.5	0.0			100	-60.5	-1.6	6.2	-0.0
0.7	-0.0			6	43.3	-0.7	-2.2	-0.0
-1.0	-0.0			539	59.4	-0.1	-27.9	-0.0
-0.1	-0.0							
751	2	8	Q1-1-2	Max	621	0.0	0.0	0.0
0.0	0.0				46	0.0	0.0	0.0
0.0	0.0				2295	0.0	0.0	0.0
0.0	0.0				2294	0.0	0.0	0.0
0.0	0.0							
				Min	621	0.0	0.0	0.0
0.0	0.0				46	0.0	0.0	0.0




PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		2295	0.0	0.0	0.0	0.0	
0.0	0.0		2294	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q2a-1-2	Max	621	0.0	0.0	0.0	0.0
0.0	0.0			46	0.0	0.0	0.0	0.0
0.0	0.0			2295	0.0	0.0	0.0	0.0
0.0	0.0			2294	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	621	0.0	0.0	0.0	0.0
0.0	0.0			46	0.0	0.0	0.0	0.0
0.0	0.0			2295	0.0	0.0	0.0	0.0
0.0	0.0			2294	0.0	0.0	0.0	0.0
0.0	0.0							
			SLVx (RS)	621	-6.9	-0.0	-1.1	0.0
0.2	-0.0			46	-14.8	-0.0	16.5	0.0
-0.6	-0.0			2295	14.6	0.0	13.4	0.0
-1.1	-0.0			2294	6.1	0.0	-7.4	0.0
0.7	0.0							
			SLVy (RS)	621	5.3	-0.0	0.9	0.0
-0.2	0.0			46	6.1	0.1	9.5	0.0
0.5	0.0			2295	-10.0	-0.1	-11.0	-0.0
-0.5	0.0			2294	1.4	0.0	3.5	-0.0
0.3	-0.0							
			SLDx (RS)	621	-3.5	-0.0	-0.6	0.0
0.1	-0.0			46	-7.4	-0.0	8.3	0.0
-0.3	-0.0			2295	7.3	0.0	6.7	0.0
-0.5	-0.0			2294	3.0	0.0	-3.7	0.0
0.4	0.0							
			SLDy (RS)	621	2.7	-0.0	0.4	0.0
-0.1	0.0			46	3.1	0.0	4.8	0.0
0.2	0.0			2295	-5.0	-0.0	-5.5	-0.0
-0.3	0.0			2294	0.7	0.0	1.7	-0.0
0.1	-0.0							

PROJECT TITLE :


		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
		SLVz (RS)	621	1.5	0.0	-0.4	-0.0
0.1	0.0		46	4.1	0.0	-6.9	-0.0
-0.3	-0.0		2295	-3.8	-0.0	5.7	0.0
0.4	-0.0		2294	-1.6	-0.0	2.0	0.0
-0.3	0.0						
		g1	621	-18.1	0.1	10.0	0.0
-2.8	0.0		46	-108.2	-0.0	194.4	0.0
7.7	0.0		2295	88.4	-0.0	-152.6	-0.1
-12.3	0.0		2294	37.9	-0.1	-51.7	-0.0
7.5	-0.0						
		g2	621	-9.4	0.0	5.0	0.0
-1.4	0.0		46	-53.4	-0.0	94.4	0.0
3.7	0.0		2295	43.9	-0.0	-73.7	-0.0
-6.0	0.0		2294	18.8	-0.0	-25.8	-0.0
3.7	-0.0						
		q3	621	-7.8	-0.0	-0.2	0.0
-0.0	-0.0		46	-12.9	-0.0	3.7	0.0
-0.1	-0.0		2295	14.9	0.0	3.3	0.0
-0.4	-0.0		2294	5.9	0.0	-6.7	0.0
0.4	0.0						
		q5_pc	621	-0.4	0.0	1.5	0.0
-0.4	0.0		46	-11.9	0.0	25.8	0.0
1.1	0.0		2295	7.9	-0.0	-21.8	-0.0
-1.6	0.0		2294	4.4	-0.0	-5.5	-0.0
0.9	-0.0						
		q5_ps	621	0.1	0.0	1.2	0.0
-0.3	0.0		46	-8.7	0.0	20.2	0.0
0.8	0.0		2295	5.2	-0.0	-17.4	-0.0
-1.2	0.0		2294	3.3	-0.0	-4.0	-0.0
0.7	-0.0						
		INVSLU Max	621	-25.3	0.2	20.8	0.1
-4.7	0.0		46	-169.7	0.0	385.7	0.1
15.4	0.0		2295	176.4	-0.0	-253.3	-0.1
-20.3	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

14.8	-0.0			2294	71.1	-0.1	-81.8	-0.1
			Min	621	-36.6	0.1	16.9	0.1
-5.6	0.0			46	-210.8	-0.0	321.4	0.1
12.8	0.0			2295	141.4	-0.1	-308.9	-0.1
-24.3	0.0			2294	54.2	-0.1	-101.8	-0.1
12.3	-0.0							
		INVSLV	Max	621	-15.4	0.2	15.5	0.0
-3.5	0.0			46	-128.4	0.1	286.1	0.1
11.3	0.0			2295	138.6	0.0	-189.8	-0.1
-15.3	0.0			2294	57.6	-0.1	-61.3	-0.0
11.1	-0.0							
			Min	621	-33.3	0.1	12.5	0.0
-4.2	0.0			46	-164.0	-0.1	243.2	0.1
9.6	0.0			2295	101.2	-0.1	-226.7	-0.1
-18.0	0.0			2294	43.7	-0.1	-79.4	-0.1
9.3	-0.0							
752	2	8	Q1-1-2	Max	46	0.0	0.0	0.0
0.0	0.0	0.0			624	0.0	0.0	0.0
0.0	0.0	0.0			2296	0.0	0.0	0.0
0.0	0.0	0.0			2295	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	46	0.0	0.0	0.0	0.0
0.0	0.0	0.0			624	0.0	0.0	0.0
0.0	0.0	0.0			2296	0.0	0.0	0.0
0.0	0.0	0.0			2295	0.0	0.0	0.0
0.0	0.0	0.0						
			Q2a-1-2	Max	46	0.0	0.0	0.0
0.0	0.0	0.0			624	0.0	0.0	0.0
0.0	0.0	0.0			2296	0.0	0.0	0.0
0.0	0.0	0.0			2295	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	46	0.0	0.0	0.0	0.0
0.0	0.0	0.0			624	0.0	0.0	0.0
0.0	0.0	0.0			2296	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		2295	0.0	0.0	0.0	0.0
		SLVx (RS)	46	-29.5	0.0	-23.3	-0.0
0.7	-0.0		624	-10.5	0.0	3.6	-0.0
-0.5	-0.0		2296	22.8	-0.0	8.6	0.0
0.8	-0.0		2295	16.6	-0.0	13.9	-0.0
-1.0	-0.0						
		SLVy (RS)	46	15.7	0.1	19.0	0.0
-0.6	-0.0		624	11.0	-0.1	-1.0	0.0
0.4	-0.0		2296	-5.4	0.1	-7.0	-0.0
-1.0	0.0		2295	-21.8	-0.1	-11.4	-0.0
1.2	-0.0						
		SLDx (RS)	46	-14.7	0.0	-11.6	-0.0
0.4	-0.0		624	-5.3	0.0	1.8	-0.0
-0.2	-0.0		2296	11.4	-0.0	4.3	0.0
0.4	-0.0		2295	8.3	-0.0	7.0	-0.0
-0.5	-0.0						
		SLDy (RS)	46	7.8	0.1	9.5	0.0
-0.3	-0.0		624	5.5	-0.0	-0.5	0.0
0.2	-0.0		2296	-2.7	0.1	-3.5	-0.0
-0.5	0.0		2295	-10.9	-0.1	-5.7	-0.0
0.6	-0.0						
		SLVz (RS)	46	-9.4	-0.0	-10.0	-0.0
0.3	0.0		624	-4.4	0.0	1.3	-0.0
-0.2	0.0		2296	7.3	-0.0	2.9	0.0
0.3	-0.0		2295	6.4	0.0	6.1	0.0
-0.4	0.0						
		g1	46	149.5	0.0	243.1	0.1
-8.6	-0.0		624	104.6	-0.1	-27.6	0.0
6.0	0.0		2296	-115.0	0.1	-49.1	-0.0
-8.5	0.0		2295	-139.1	-0.0	-166.4	-0.1
11.1	-0.0						
		g2	46	71.3	0.0	117.0	0.0
-4.2	-0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

2.9	0.0		624	51.2	-0.0	-13.0	0.0
-4.1	0.0		2296	-55.0	0.0	-23.9	-0.0
5.3	-0.0		2295	-67.5	-0.0	-80.1	-0.0
0.0	-0.0	q3	46	-32.7	0.0	-14.7	-0.0
0.0	-0.0		624	-7.0	0.0	3.4	-0.0
0.4	0.0		2296	25.3	-0.0	9.1	0.0
-0.4	-0.0		2295	14.4	-0.0	2.2	-0.0
-1.2	-0.0	q5_pc	46	20.7	0.0	34.6	0.0
0.8	0.0		624	12.2	-0.0	-2.8	0.0
-1.4	0.0		2296	-12.6	0.0	-7.1	-0.0
1.7	-0.0		2295	-20.3	-0.0	-24.7	-0.0
-1.0	-0.0	q5_ps	46	17.1	0.0	27.9	0.0
0.6	0.0		624	10.3	-0.0	-2.2	0.0
-1.1	0.0		2296	-10.0	0.0	-6.1	-0.0
1.4	-0.0		2295	-17.4	-0.0	-19.7	-0.0
-14.6	-0.0	INVSLU Max	46	322.8	0.1	496.9	0.1
12.1	0.0		624	245.9	-0.2	-53.9	0.1
-13.1	0.0		2296	-197.5	0.2	-79.2	-0.1
22.2	-0.0		2295	-243.9	-0.1	-264.4	-0.1
-17.5	-0.0	Min	46	234.3	0.0	398.4	0.1
10.2	0.0		624	208.0	-0.2	-64.2	0.1
-16.8	0.0		2296	-258.1	0.2	-106.9	-0.1
17.4	-0.0		2295	-310.6	-0.1	-325.6	-0.1
-10.8	-0.0	INVSLV Max	46	248.0	0.2	365.7	0.1
8.9	0.0		624	170.5	-0.0	-36.2	0.1
-10.1	0.0		2296	-140.2	0.3	-58.3	-0.0
16.6	-0.0		2295	-170.4	0.1	-204.2	-0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

			Min	46	174.0	-0.1	301.8	0.1
-12.8	-0.0			624	139.4	-0.2	-44.7	0.1
7.5	0.0			2296	-193.5	0.0	-81.3	-0.1
-12.8	0.0			2295	-227.8	-0.2	-242.5	-0.1
13.4	-0.0							
756	2	4	Q1-1-2	Max	51	0.0	0.0	0.0
0.0	0.0	0.0			635	0.0	0.0	0.0
0.0	0.0	0.0			2304	0.0	0.0	0.0
0.0	0.0	0.0			2303	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	51	0.0	0.0	0.0	0.0
0.0	0.0	0.0			635	0.0	0.0	0.0
0.0	0.0	0.0			2304	0.0	0.0	0.0
0.0	0.0	0.0			2303	0.0	0.0	0.0
0.0	0.0	0.0						
			Q2a-1-2	Max	51	0.0	0.0	0.0
0.0	0.0	0.0			635	0.0	0.0	0.0
0.0	0.0	0.0			2304	0.0	0.0	0.0
0.0	0.0	0.0			2303	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	51	0.0	0.0	0.0	0.0
0.0	0.0	0.0			635	0.0	0.0	0.0
0.0	0.0	0.0			2304	0.0	0.0	0.0
0.0	0.0	0.0			2303	0.0	0.0	0.0
0.0	0.0	0.0						
			SLVx (RS)	51	14.1	-0.0	2.1	0.0
0.1	-0.0				635	5.5	-0.0	-2.2
-0.1	0.0				2304	-15.2	0.0	-2.1
0.2	-0.0				2303	-4.5	0.0	2.2
-0.2	-0.0							-0.0
			SLVy (RS)	51	-1.9	-0.3	0.7	0.1
-0.1	-0.0				635	4.3	-0.3	0.4
0.1	0.0				2304	1.7	0.3	-0.9
-0.1	0.0				2303	-5.0	0.3	0.3
0.1	-0.0							-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	51	7.1	-0.0	1.0	0.0
0.1	-0.0		635	2.7	-0.0	-1.1	0.0
-0.1	0.0		2304	-7.6	0.0	-1.0	-0.0
0.1	-0.0		2303	-2.2	0.0	1.1	-0.0
-0.1	-0.0						
		SLDy (RS)	51	-1.0	-0.1	0.3	0.0
-0.0	-0.0		635	2.2	-0.1	0.2	0.0
0.0	0.0		2304	0.9	0.1	-0.5	-0.0
-0.1	0.0		2303	-2.5	0.1	0.2	-0.0
0.0	-0.0						
		SLVz (RS)	51	6.2	0.0	0.9	-0.0
0.1	0.0		635	2.5	0.0	-1.0	-0.0
-0.0	-0.0		2304	-6.7	-0.0	-0.9	0.0
0.1	-0.0		2303	-2.0	-0.0	1.0	0.0
-0.1	0.0						
		g1	51	-131.7	-0.0	-17.2	0.0
-1.6	-0.0		635	-47.2	-0.0	21.8	0.0
1.2	0.0		2304	143.5	0.0	17.5	-0.0
-2.0	0.0		2303	35.5	0.0	-22.0	-0.0
2.4	-0.0						
		g2	51	-63.8	0.0	-7.9	-0.0
-0.8	0.0		635	-22.6	0.0	11.0	-0.0
0.6	-0.0		2304	69.4	-0.0	8.0	0.0
-1.0	-0.0		2303	17.0	-0.0	-11.1	0.0
1.2	0.0						
		q3	51	-3.4	-0.0	-0.5	0.0
-0.0	-0.0		635	-1.4	-0.0	0.6	0.0
0.0	0.0		2304	3.7	0.0	0.5	-0.0
-0.0	0.0		2303	1.2	0.0	-0.6	-0.0
0.1	-0.0						
		q5_pc	51	-3.6	-0.0	-0.3	0.0
-0.1	0.0		635	0.2	-0.0	0.7	0.0
0.1	0.0						

PROJECT TITLE :

MIDAS		Company			Client				
		Author			File Name				
							PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
-0.1	0.0			2304	4.3	0.0	0.2	-0.0	
0.1	-0.0			2303	-0.8	0.0	-0.6	-0.0	
			q5_ps	51	-2.7	-0.0	-0.1	0.0	
-0.1	0.0			635	0.5	-0.0	0.5	0.0	
0.1	0.0			2304	3.3	0.0	0.1	-0.0	
-0.1	0.0			2303	-1.0	0.0	-0.4	-0.0	
0.1	-0.0								
			INVS LU	Max	51	-281.7	-0.0	-35.2	0.0
-3.4	-0.0			635	-91.2	-0.0	52.3	0.0	
3.2	0.0			2304	319.5	0.0	33.4	0.0	
-5.1	-0.0			2303	69.7	0.0	-47.3	0.0	
5.8	0.0								
				Min	51	-293.7	-0.0	-36.3	-0.0
-3.7	-0.0			635	-94.1	-0.0	50.2	-0.0	
3.0	-0.0			2304	305.9	0.0	32.4	0.0	
-5.4	-0.0			2303	65.5	0.0	-49.2	0.0	
5.5	-0.0								
			INVS LV	Max	51	-186.2	0.3	-23.2	0.1
-2.3	0.0			635	-61.2	0.3	38.0	0.1	
2.2	0.0			2304	237.7	0.3	27.1	0.0	
-3.3	0.0			2303	58.5	0.3	-31.4	0.0	
4.1	0.0								
				Min	51	-219.4	-0.3	-28.2	-0.1
-2.6	-0.0			635	-76.2	-0.3	32.7	-0.1	
1.9	-0.0			2304	202.3	-0.3	21.9	-0.0	
-3.7	-0.0			2303	44.5	-0.3	-36.6	-0.0	
3.6	-0.0								
757	2	8	Q1-1-2	Max	47	0.0	0.0	0.0	0.0
0.0	0.0			638	0.0	0.0	0.0	0.0	
0.0	0.0			2306	0.0	0.0	0.0	0.0	
0.0	0.0			2305	0.0	0.0	0.0	0.0	
0.0	0.0								
				Min	47	0.0	0.0	0.0	0.0
0.0	0.0			638	0.0	0.0	0.0	0.0	



PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

0.0	0.0		2306	0.0	0.0	0.0	0.0	
0.0	0.0		2305	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q2a-1-2	Max	47	0.0	0.0	0.0	0.0
0.0	0.0			638	0.0	0.0	0.0	0.0
0.0	0.0			2306	0.0	0.0	0.0	0.0
0.0	0.0			2305	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	47	0.0	0.0	0.0	0.0
0.0	0.0			638	0.0	0.0	0.0	0.0
0.0	0.0			2306	0.0	0.0	0.0	0.0
0.0	0.0			2305	0.0	0.0	0.0	0.0
0.0	0.0							
			SLVx (RS)	47	-8.2	0.0	-16.1	-0.0
0.6	0.0			638	-1.9	-0.0	-1.0	-0.0
-0.2	-0.0			2306	3.1	0.0	4.4	0.0
0.6	0.0			2305	7.0	-0.0	12.7	0.0
-1.0	0.0							
			SLVy (RS)	47	5.6	0.1	9.4	0.0
-0.5	-0.0			638	-5.1	-0.0	0.6	0.0
0.2	-0.0			2306	-1.4	0.0	-3.3	-0.0
-0.3	0.0			2305	10.0	-0.1	-10.2	-0.0
0.5	-0.0							
			SLDx (RS)	47	-4.1	0.0	-8.0	-0.0
0.3	0.0			638	-0.9	-0.0	-0.5	-0.0
-0.1	-0.0			2306	1.5	0.0	2.2	0.0
0.3	0.0			2305	3.5	-0.0	6.3	0.0
-0.5	0.0							
			SLDy (RS)	47	2.8	0.0	4.7	0.0
-0.2	-0.0			638	-2.6	-0.0	0.3	0.0
0.1	-0.0			2306	-0.7	0.0	-1.6	-0.0
-0.1	0.0			2305	5.0	-0.0	-5.1	-0.0
0.2	-0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
		SLVz (RS)	47	-3.7	0.0	-7.1	-0.0
0.3	0.0		638	-0.9	-0.0	-0.4	-0.0
-0.1	-0.0		2306	1.4	0.0	2.0	0.0
0.3	0.0		2305	3.2	0.0	5.6	0.0
-0.4	0.0						
		g1	47	96.9	-0.0	191.5	0.0
-7.6	-0.0		638	22.0	0.1	11.1	0.0
2.8	0.0		2306	-36.6	-0.0	-51.4	-0.0
-7.0	-0.0		2305	-82.3	-0.0	-151.2	-0.1
11.7	-0.0						
		g2	47	47.3	-0.0	93.3	0.0
-3.7	-0.0		638	10.8	0.0	5.6	0.0
1.4	0.0		2306	-17.9	-0.0	-25.3	-0.0
-3.4	-0.0		2305	-40.2	-0.0	-73.6	-0.0
5.7	-0.0						
		q3	47	1.9	-0.0	3.7	0.0
-0.1	-0.0		638	0.4	0.0	0.2	0.0
0.1	0.0		2306	-0.7	-0.0	-1.0	-0.0
-0.1	-0.0		2305	-1.6	-0.0	-2.9	-0.0
0.2	-0.0						
		q5_pc	47	11.1	0.0	25.4	0.0
-1.0	-0.0		638	1.3	0.0	1.5	0.0
0.4	0.0		2306	-4.6	-0.0	-5.8	-0.0
-0.9	-0.0		2305	-7.8	-0.0	-21.1	-0.0
1.5	-0.0						
		q5_ps	47	8.1	0.0	19.9	0.0
-0.8	-0.0		638	0.6	0.0	1.2	0.0
0.3	0.0		2306	-3.5	-0.0	-4.2	-0.0
-0.7	-0.0		2305	-5.1	-0.0	-16.9	-0.0
1.2	-0.0						
		INVSLU Max	47	172.8	0.0	378.8	0.1
-12.8	-0.0		638	31.6	0.2	22.4	0.1
5.6	0.0		2306	-49.3	-0.1	-78.1	-0.1
-11.3	-0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

23.2	-0.0			2305	-126.3	-0.1	-255.8	-0.1
			Min	47	146.6	-0.0	315.4	0.1
-15.5	-0.0			638	28.7	0.1	18.6	0.1
4.6	0.0			2306	-60.6	-0.1	-91.6	-0.1
-13.5	-0.0			2305	-143.4	-0.1	-309.4	-0.1
19.4	-0.0							
		INVSLV	Max	47	140.5	0.0	281.6	0.1
-9.5	-0.0			638	34.7	0.2	16.8	0.1
4.1	0.0			2306	-44.2	-0.0	-63.1	-0.0
-8.8	-0.0			2305	-97.2	0.0	-189.5	-0.1
17.2	-0.0							
			Min	47	118.6	-0.1	239.6	0.1
-11.3	-0.0			638	22.8	0.1	14.2	0.0
3.5	0.0			2306	-52.1	-0.1	-75.0	-0.1
-10.3	-0.0			2305	-123.1	-0.1	-224.3	-0.1
14.7	-0.0							
759	2	8	Q1-1-2	Max	644	0.0	0.0	0.0
0.0	0.0	0.0			645	0.0	0.0	0.0
0.0	0.0	0.0			646	0.0	0.0	0.0
0.0	0.0	0.0			647	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	644	0.0	0.0	0.0	0.0
0.0	0.0	0.0			645	0.0	0.0	0.0
0.0	0.0	0.0			646	0.0	0.0	0.0
0.0	0.0	0.0			647	0.0	0.0	0.0
0.0	0.0	0.0						
			Q2a-1-2	Max	644	0.0	0.0	0.0
0.0	0.0	0.0			645	0.0	0.0	0.0
0.0	0.0	0.0			646	0.0	0.0	0.0
0.0	0.0	0.0			647	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	644	0.0	0.0	0.0	0.0
0.0	0.0	0.0			645	0.0	0.0	0.0
0.0	0.0	0.0			646	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	0.0		647	0.0	0.0	0.0	0.0
		SLVx (RS)	644	-4.7	0.0	9.2	0.0
0.4	-0.0		645	7.3	0.0	-3.4	0.0
0.5	0.0		646	5.4	0.0	8.7	-0.0
-0.3	0.0		647	-6.0	-0.0	2.4	-0.0
-0.2	-0.0						
		SLVy (RS)	644	-5.7	-0.2	4.0	0.0
-0.7	-0.0		645	-2.3	0.2	8.4	-0.0
0.6	-0.0		646	5.0	0.0	-2.2	0.0
-0.5	-0.0		647	2.9	-0.0	-10.9	-0.0
0.6	-0.0						
		SLDx (RS)	644	-2.3	0.0	4.6	0.0
0.2	-0.0		645	3.6	0.0	-1.7	0.0
0.2	0.0		646	2.7	0.0	4.3	-0.0
-0.2	0.0		647	-3.0	-0.0	1.2	-0.0
-0.1	-0.0						
		SLDy (RS)	644	-2.8	-0.1	2.0	0.0
-0.4	-0.0		645	-1.2	0.1	4.2	-0.0
0.3	-0.0		646	2.5	0.0	-1.1	0.0
-0.3	-0.0		647	1.4	-0.0	-5.5	-0.0
0.3	-0.0						
		SLVz (RS)	644	-1.7	0.0	-3.9	-0.0
0.2	0.0		645	-2.7	0.0	0.9	-0.0
-0.2	-0.0		646	2.3	-0.0	3.7	0.0
0.1	-0.0		647	2.2	-0.0	-0.6	-0.0
-0.1	0.0						
		g1	644	45.8	-0.0	110.2	0.0
-5.2	-0.0		645	71.7	-0.0	-15.5	0.0
5.5	0.0		646	-60.0	0.0	-101.4	-0.0
-3.4	0.0		647	-57.4	0.0	7.1	0.0
3.1	-0.0						
		g2	644	23.1	-0.0	56.6	0.0
-2.7	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

2.8	0.0			645	36.1	-0.0	-7.0	0.0
-1.9	0.0			646	-29.6	-0.0	-52.0	-0.0
1.7	0.0			647	-29.6	0.0	2.4	-0.0
			q3	644	0.6	-0.0	2.0	0.0
0.0	-0.0			645	4.1	-0.0	-3.4	0.0
0.1	0.0			646	-0.9	0.0	-1.2	-0.0
-0.2	0.0			647	-3.7	-0.0	2.6	0.0
0.0	-0.0							
			q5_pc	644	-2.3	-0.0	10.8	0.0
-1.1	-0.0			645	1.0	0.0	8.7	0.0
1.0	-0.0			646	0.5	0.0	-7.4	0.0
-0.7	-0.0			647	0.8	-0.0	-12.1	0.0
0.8	-0.0							
			q5_ps	644	-2.3	-0.0	8.7	0.0
-0.9	-0.0			645	0.6	0.0	7.4	0.0
0.8	-0.0			646	0.8	0.0	-5.7	0.0
-0.6	-0.0			647	0.8	-0.0	-10.4	0.0
0.6	-0.0							
			INVSLU Max	644	124.9	-0.1	202.2	0.0
-5.0	0.0			645	143.1	-0.0	-68.5	0.0
5.4	-0.0			646	-157.3	0.1	-169.9	0.0
0.8	-0.0			647	-97.9	0.2	89.5	0.0
3.5	0.0							
			Min	644	117.6	-0.2	174.2	0.0
-7.8	-0.0			645	135.8	-0.1	-94.2	0.0
2.8	-0.0			646	-160.7	0.0	-188.2	0.0
-1.0	-0.0			647	-104.9	0.1	55.8	0.0
1.5	0.0							
			INVSLV Max	644	82.7	0.1	164.4	0.0
-5.5	0.0			645	105.3	0.1	-24.3	0.0
6.8	0.0			646	-89.8	0.0	-127.2	0.0
-2.3	0.0			647	-66.7	0.1	30.9	0.0
4.1	0.0							

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

				Min	644	67.5	-0.2	141.2	0.0
-7.4	-0.0				645	87.8	-0.2	-43.6	0.0
5.1	-0.0				646	-105.0	-0.0	-148.1	-0.0
-3.6	-0.0				647	-81.8	0.0	7.3	-0.0
2.8	-0.0								
766	2	10	Q1-1-2	Max	106	0.0	0.0	0.0	0.0
0.0	0.0	0.0			670	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2314	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2313	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	106	0.0	0.0	0.0	0.0
0.0	0.0	0.0			670	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2314	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2313	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Max	106	0.0	0.0	0.0	0.0
0.0	0.0	0.0	Q2a-1-2		670	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2314	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2313	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	106	0.0	0.0	0.0	0.0
0.0	0.0	0.0			670	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2314	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2313	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				SLVx (RS)	106	-7.4	0.0	1.2	-0.0
-0.1	0.0	0.0			670	-6.0	0.0	0.5	0.0
0.1	-0.0	0.0			2314	7.1	-0.0	1.2	-0.0
0.1	-0.0	0.0			2313	5.8	-0.0	-0.9	0.0
0.1	-0.0	0.0							
				SLVy (RS)	106	-1.2	0.3	0.5	-0.0
-0.1	0.0	0.0			670	2.0	-0.0	0.5	0.0
0.1	0.0	0.0			2314	1.2	0.0	-0.7	-0.0
-0.1	0.0	0.0			2313	-2.1	-0.2	0.3	-0.0
0.1	-0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	0.0	SLDx (RS)	106	-3.7	0.0	0.6	-0.0
0.0	-0.0		670	-3.0	0.0	0.2	0.0
0.0	-0.0		2314	3.5	-0.0	0.6	-0.0
0.0	-0.0		2313	2.9	-0.0	-0.4	0.0
-0.0	0.0	SLDy (RS)	106	-0.6	0.1	0.3	-0.0
0.0	0.0		670	1.0	-0.0	0.2	0.0
-0.0	0.0		2314	0.6	0.0	-0.3	-0.0
0.0	-0.0		2313	-1.1	-0.1	0.1	-0.0
0.0	0.0	SLVz (RS)	106	3.0	0.0	0.6	-0.0
-0.0	-0.0		670	-2.6	0.0	0.2	-0.0
0.0	-0.0		2314	-3.0	-0.0	-0.5	0.0
-0.0	0.0		2313	2.5	-0.0	-0.4	0.0
-1.0	-0.0	g1	106	-61.9	0.0	-10.2	0.0
1.0	0.0		670	54.3	-0.0	-0.4	0.0
-1.0	0.0		2314	60.2	0.0	6.0	-0.0
1.0	-0.0		2313	-52.6	-0.0	4.6	-0.0
-0.5	-0.0	g2	106	-28.8	-0.0	-4.5	0.0
0.5	0.0		670	27.5	0.0	0.4	0.0
-0.5	0.0		2314	27.9	-0.0	1.6	-0.0
0.5	-0.0		2313	-26.5	0.0	2.4	-0.0
-0.0	-0.0	q3	106	-3.3	0.0	-0.7	0.0
0.0	-0.0		670	0.9	0.0	0.3	0.0
-0.0	0.0		2314	3.4	-0.0	0.5	-0.0
0.0	-0.0		2313	-1.0	-0.0	-0.2	-0.0
-0.0	0.0	q5_pc	106	-2.2	-0.0	-0.4	0.0
0.0	0.0		670	1.7	-0.0	-0.0	0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name		
				PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.0	-0.0			2314	2.1	0.0	0.3	-0.0
0.0	-0.0			2313	-1.6	0.0	0.1	-0.0
-0.0	0.0	q5_ps		106	-1.8	-0.0	-0.3	0.0
0.0	-0.0			670	1.5	-0.0	-0.0	0.0
-0.0	-0.0			2314	1.7	0.0	0.2	-0.0
0.0	0.0			2313	-1.4	0.0	0.1	-0.0
-2.1	-0.0	INVSLU	Max	106	-132.6	-0.0	-20.6	0.0
2.1	0.0			670	118.7	-0.0	0.3	0.0
-2.1	0.0			2314	133.5	0.0	14.1	-0.0
2.4	-0.0			2313	-105.2	0.0	8.3	-0.0
-2.2	-0.0		Min	106	-141.7	-0.0	-22.3	0.0
2.0	0.0			670	113.4	-0.0	-0.1	0.0
-2.2	0.0			2314	124.4	0.0	12.8	-0.0
2.2	-0.0			2313	-110.4	0.0	7.8	-0.0
-1.4	0.0	INVSLV	Max	106	-84.2	0.3	-13.4	0.0
1.6	0.0			670	92.9	0.0	1.0	0.0
-1.5	0.0			2314	95.9	0.0	8.6	0.0
1.7	0.0			2313	-73.0	0.3	8.7	0.0
-1.6	-0.0		Min	106	-101.5	-0.3	-16.4	-0.0
1.4	-0.0			670	78.0	-0.0	-0.4	-0.0
-1.7	-0.0			2314	79.2	-0.0	5.5	-0.0
1.5	-0.0			2313	-87.4	-0.3	6.6	-0.0
768	2	10	Q1-1-2	Max	677	0.0	0.0	0.0
0.0	0.0			678	0.0	0.0	0.0	0.0
0.0	0.0			679	0.0	0.0	0.0	0.0
0.0	0.0			680	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	677	0.0	0.0	0.0	0.0
				678	0.0	0.0	0.0	0.0



PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		679	0.0	0.0	0.0	0.0
0.0	0.0		680	0.0	0.0	0.0	0.0
0.0	0.0						
		Q2a-1-2	Max	677	0.0	0.0	0.0
0.0	0.0			678	0.0	0.0	0.0
0.0	0.0			679	0.0	0.0	0.0
0.0	0.0			680	0.0	0.0	0.0
0.0	0.0						
			Min	677	0.0	0.0	0.0
0.0	0.0			678	0.0	0.0	0.0
0.0	0.0			679	0.0	0.0	0.0
0.0	0.0			680	0.0	0.0	0.0
0.0	0.0						
			SLVx (RS)	677	-6.3	0.0	-1.1
-0.4	-0.0			678	5.4	0.0	0.8
0.3	-0.0			679	3.9	-0.0	1.0
-0.4	0.0			680	-2.8	-0.0	-0.8
0.4	-0.0						
			SLVy (RS)	677	-9.1	-0.1	-1.5
-0.7	-0.0			678	9.5	0.1	-0.7
0.8	-0.0			679	9.5	0.0	0.8
-0.7	-0.0			680	-9.9	-0.0	1.3
0.7	-0.0						
			SLDx (RS)	677	-3.1	0.0	-0.6
-0.2	-0.0			678	2.7	0.0	0.4
0.2	-0.0			679	1.9	-0.0	0.5
-0.2	0.0			680	-1.4	-0.0	-0.4
0.2	-0.0						
			SLDy (RS)	677	-4.6	-0.1	-0.7
-0.3	-0.0			678	4.8	0.1	-0.3
0.4	-0.0			679	4.7	0.0	0.4
-0.4	-0.0			680	-4.9	-0.0	0.7
0.3	-0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


		SLVz (RS)	677	2.4	0.0	0.4	-0.0
0.1	-0.0		678	-2.2	0.0	0.1	-0.0
-0.1	0.0		679	-1.3	-0.0	-0.4	-0.0
0.1	0.0		680	1.1	-0.0	-0.1	-0.0
-0.1	-0.0						
		g1	677	-49.1	-0.0	-3.2	0.0
-2.9	0.0		678	46.7	-0.0	2.8	0.0
2.9	-0.0		679	25.2	0.0	1.8	0.0
-3.0	-0.0		680	-22.8	0.0	-1.1	0.0
3.0	0.0						
		g2	677	-22.9	0.0	3.7	0.0
-1.7	0.0		678	23.4	-0.0	4.0	0.0
1.7	0.0		679	12.1	-0.0	-3.4	-0.0
-1.9	0.0		680	-12.5	0.0	-4.4	-0.0
1.9	0.0						
		q3	677	-4.7	-0.0	-1.7	0.0
-0.2	-0.0		678	1.6	-0.0	1.4	0.0
0.2	0.0		679	4.1	0.0	1.7	0.0
-0.2	0.0		680	-1.0	0.0	-1.5	0.0
0.2	-0.0						
		q5_pc	677	-6.8	-0.0	-0.9	0.0
-0.5	-0.0		678	6.8	-0.0	-0.3	0.0
0.5	-0.0		679	6.8	0.0	0.7	0.0
-0.5	-0.0		680	-6.8	-0.0	0.5	0.0
0.5	-0.0						
		q5_ps	677	-6.0	-0.0	-0.5	0.0
-0.5	-0.0		678	6.0	-0.0	-0.1	0.0
0.5	-0.0		679	6.1	0.0	0.4	0.0
-0.5	-0.0		680	-6.1	0.0	0.2	0.0
0.5	-0.0						
		INVSLU Max	677	215.5	-0.1	-5.8	-0.0
23.4	0.0		678	-203.3	-0.0	-5.2	-0.0
-21.6	-0.0		679	-299.6	-0.0	2.3	0.0
23.2	-0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-21.6	0.0			680	329.6	0.1	15.4	0.0
			Min	677	192.7	-0.1	-9.7	-0.0
21.7	0.0			678	-223.1	-0.0	-7.6	-0.0
-23.2	-0.0			679	-321.9	-0.0	-1.3	0.0
21.5	-0.0			680	310.2	0.1	12.6	0.0
-23.3	0.0							
		INVSLV	Max	677	101.8	0.1	11.8	0.0
10.6	0.0			678	-80.0	0.1	5.4	0.0
-9.0	0.0			679	-142.4	0.0	-8.6	0.0
10.4	0.0			680	166.1	0.1	-2.4	0.0
-8.5	0.0							
			Min	677	78.4	-0.1	7.9	-0.0
8.9	-0.0			678	-103.6	-0.2	3.4	-0.0
-10.8	-0.0			679	-164.5	-0.0	-11.3	0.0
8.7	-0.0			680	144.0	-0.0	-5.6	0.0
-10.1	-0.0							
775	2	4	Q1-1-2	Max	702	0.0	0.0	0.0
0.0	0.0				703	0.0	0.0	0.0
0.0	0.0				704	0.0	0.0	0.0
0.0	0.0				705	0.0	0.0	0.0
0.0	0.0							
			Min	702	0.0	0.0	0.0	0.0
0.0	0.0				703	0.0	0.0	0.0
0.0	0.0				704	0.0	0.0	0.0
0.0	0.0				705	0.0	0.0	0.0
0.0	0.0							
			Q2a-1-2	Max	702	0.0	0.0	0.0
0.0	0.0				703	0.0	0.0	0.0
0.0	0.0				704	0.0	0.0	0.0
0.0	0.0				705	0.0	0.0	0.0
0.0	0.0							
			Min	702	0.0	0.0	0.0	0.0
0.0	0.0				703	0.0	0.0	0.0
0.0	0.0				704	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		705	0.0	0.0	0.0	0.0
-0.4	0.0	SLVx (RS)	702	13.6	0.0	5.5	-0.0
0.4	-0.0		703	2.6	0.0	-5.2	-0.0
-0.4	-0.0		704	-11.3	-0.0	-5.9	-0.0
0.4	0.0		705	-4.8	-0.0	5.6	-0.0
-0.7	0.0	SLVy (RS)	702	-3.2	0.1	4.0	-0.1
0.7	-0.0		703	14.1	0.1	-3.6	-0.1
-0.7	-0.0		704	3.1	-0.1	-4.0	0.0
0.7	0.0		705	-14.0	-0.1	3.6	0.0
-0.2	0.0	SLDx (RS)	702	6.8	0.0	2.8	-0.0
0.2	-0.0		703	1.3	0.0	-2.6	-0.0
-0.2	-0.0		704	-5.6	-0.0	-3.0	-0.0
0.2	0.0		705	-2.4	-0.0	2.8	-0.0
-0.3	0.0	SLDy (RS)	702	-1.6	0.1	2.0	-0.0
0.4	-0.0		703	7.0	0.0	-1.8	-0.0
-0.4	-0.0		704	1.5	-0.0	-2.0	0.0
0.3	0.0		705	-7.0	-0.1	1.8	0.0
0.2	-0.0	SLVz (RS)	702	6.0	0.0	2.5	0.0
-0.2	0.0		703	1.2	0.0	-2.3	0.0
0.1	0.0		704	-4.9	-0.0	-2.6	-0.0
-0.2	-0.0		705	-2.2	-0.0	2.5	-0.0
-4.7	0.0	g1	702	-123.9	-0.0	-42.0	0.0
4.2	-0.0		703	-12.7	-0.0	49.8	0.0
-4.1	-0.0		704	100.8	0.0	45.8	0.0
4.6	0.0		705	35.8	0.0	-53.1	0.0
-2.3	-0.0	g2	702	-59.6	0.0	-19.5	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

2.1	0.0			703	-6.0	0.0	24.5	0.0
-2.0	0.0			704	48.3	-0.0	21.3	-0.0
2.3	-0.0			705	17.2	-0.0	-26.3	-0.0
-0.2	-0.0	q3		702	-4.1	-0.0	-1.5	0.0
0.1	0.0			703	-0.2	-0.0	1.4	0.0
-0.1	-0.0			704	3.7	0.0	1.6	0.0
0.2	0.0			705	0.6	0.0	-1.5	0.0
-0.6	0.0	q5_pc		702	-6.6	-0.0	-0.0	-0.0
0.5	-0.0			703	6.4	-0.0	0.2	-0.0
-0.5	-0.0			704	6.2	0.0	0.3	0.0
0.5	0.0			705	-6.0	0.0	-0.5	0.0
-0.5	0.0	q5_ps		702	-5.3	0.0	0.2	-0.0
0.5	-0.0			703	6.1	-0.0	-0.1	-0.0
-0.5	-0.0			704	5.0	0.0	-0.1	0.0
0.5	0.0			705	-5.8	-0.0	-0.0	0.0
16.4	0.0	INVSLU	Max	702	40.3	-0.0	-72.4	-0.0
-15.0	-0.0			703	-271.8	-0.0	90.4	-0.0
16.8	-0.0			704	-123.6	0.0	70.9	0.0
-15.3	0.0			705	392.7	0.0	-83.0	0.0
14.8	0.0		Min	702	20.2	-0.0	-74.8	-0.0
-16.5	-0.0			703	-290.3	-0.0	88.1	-0.0
15.3	-0.0			704	-142.3	0.0	68.2	0.0
-16.8	0.0			705	374.7	0.0	-85.9	0.0
6.3	0.0	INVSLV	Max	702	-27.5	0.1	-49.5	0.1
-4.7	0.0			703	-126.1	0.1	73.0	0.1
6.8	0.0			704	-3.1	0.1	63.2	0.0
-5.0	0.0			705	218.2	0.1	-56.6	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


				Min	702	-60.3	-0.1	-64.4	-0.1
4.6	-0.0				703	-156.6	-0.1	59.1	-0.1
-6.4	-0.0				704	-30.5	-0.1	47.4	-0.0
5.1	-0.0				705	185.9	-0.1	-71.4	-0.0
-6.7	-0.0								
777	2	8	Q1-1-2	Max	710	0.0	0.0	0.0	0.0
0.0	0.0	0.0			644	0.0	0.0	0.0	0.0
0.0	0.0	0.0			647	0.0	0.0	0.0	0.0
0.0	0.0	0.0			711	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	710	0.0	0.0	0.0	0.0
0.0	0.0	0.0			644	0.0	0.0	0.0	0.0
0.0	0.0	0.0			647	0.0	0.0	0.0	0.0
0.0	0.0	0.0			711	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	710	0.0	0.0	0.0	0.0
0.0	0.0	0.0			644	0.0	0.0	0.0	0.0
0.0	0.0	0.0			647	0.0	0.0	0.0	0.0
0.0	0.0	0.0			711	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	710	0.0	0.0	0.0	0.0
0.0	0.0	0.0			644	0.0	0.0	0.0	0.0
0.0	0.0	0.0			647	0.0	0.0	0.0	0.0
0.0	0.0	0.0			711	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				SLVx (RS)	710	1.0	0.0	10.8	-0.0
-0.7	0.0	0.0			644	3.2	-0.0	4.1	0.0
0.7	0.0	0.0			647	-2.9	0.0	-8.7	-0.0
-0.5	0.0	0.0			711	-1.3	-0.0	-6.2	-0.0
0.4	0.0	0.0							
				SLVy (RS)	710	0.0	0.0	8.7	0.0
-0.6	0.0	0.0			644	2.0	-0.0	7.5	0.0
0.9	0.0	0.0			647	-0.4	-0.1	-9.7	-0.0
-0.8	0.0	0.0			711	-1.9	0.1	-6.5	-0.0
0.5	0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.3	0.0	SLDx (RS)	710	0.5	0.0	5.4	-0.0
0.4	0.0		644	1.6	-0.0	2.1	0.0
-0.2	0.0		647	-1.4	0.0	-4.4	-0.0
0.2	0.0		711	-0.7	-0.0	-3.1	-0.0
-0.3	0.0	SLDy (RS)	710	0.0	0.0	4.4	0.0
0.4	0.0		644	1.0	-0.0	3.7	0.0
-0.4	0.0		647	-0.2	-0.0	-4.8	-0.0
0.2	0.0		711	-0.9	0.0	-3.3	-0.0
0.2	-0.0	SLVz (RS)	710	-0.2	0.0	-3.1	-0.0
-0.2	-0.0		644	-1.0	0.0	-1.4	-0.0
0.1	0.0		647	0.9	-0.0	2.8	-0.0
-0.1	0.0		711	0.4	-0.0	1.7	-0.0
-6.0	0.0	g1	710	5.4	-0.0	84.9	0.0
6.7	0.0		644	27.9	-0.0	43.9	0.0
-4.1	-0.0		647	-22.9	0.0	-80.7	0.0
3.3	-0.0		711	-10.4	0.0	-47.8	0.0
-3.0	0.0	g2	710	2.7	-0.0	43.0	0.0
3.4	-0.0		644	13.8	0.0	23.1	0.0
-2.1	-0.0		647	-11.0	0.0	-41.3	-0.0
1.7	-0.0		711	-5.4	0.0	-24.8	-0.0
-0.5	0.0	q3	710	1.0	0.0	9.3	-0.0
0.6	0.0		644	2.6	-0.0	2.3	0.0
-0.4	0.0		647	-2.4	0.0	-6.3	0.0
0.3	0.0		711	-1.2	-0.0	-5.3	-0.0
-1.0	0.0	q5_pc	710	0.5	-0.0	14.0	0.0
1.3	0.0		644	3.8	-0.0	10.4	0.0

PROJECT TITLE :

		Company				Client			
		Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
-1.0	0.0			647	-1.9	-0.0	-15.2	0.0	
0.6	-0.0			711	-2.4	0.0	-9.2	-0.0	
			q5_ps	710	0.3	-0.0	11.5	0.0	
-0.8	0.0			644	3.1	0.0	8.8	0.0	
1.1	0.0			647	-1.4	-0.0	-12.5	0.0	
-0.8	0.0			711	-2.0	0.0	-7.7	-0.0	
0.5	-0.0								
			INVS LU	Max	710	25.8	-0.1	92.8	0.0
-4.1	0.0			644	86.4	-0.1	-18.7	0.0	
6.9	-0.0			647	-72.1	0.2	-61.3	0.0	
4.1	-0.0			711	-25.9	0.1	60.2	0.0	
-1.0	-0.0								
				Min	710	23.5	-0.1	48.9	-0.0
-7.1	0.0			644	74.5	-0.1	-47.4	0.0	
3.0	-0.0			647	-79.2	0.1	-105.3	0.0	
1.2	-0.0			711	-33.1	-0.0	31.7	0.0	
-3.0	-0.0								
			INVS LV	Max	710	9.9	-0.0	118.6	0.0
-6.5	0.0			644	42.8	0.0	56.9	0.0	
9.1	0.0			647	-30.4	0.1	-87.1	0.0	
-3.3	0.0			711	-11.4	0.1	-42.5	0.0	
4.4	-0.0								
				Min	710	7.7	-0.1	89.8	0.0
-8.4	-0.0			644	34.5	-0.0	38.6	0.0	
6.7	-0.0			647	-36.9	-0.0	-113.4	-0.0	
-5.2	-0.0			711	-16.1	-0.0	-60.4	-0.0	
3.1	-0.0								
778	2	8	Q1-1-2	Max	712	0.0	0.0	0.0	0.0
0.0	0.0				713	0.0	0.0	0.0	0.0
0.0	0.0				714	0.0	0.0	0.0	0.0
0.0	0.0				715	0.0	0.0	0.0	0.0
0.0	0.0								
				Min	712	0.0	0.0	0.0	0.0
0.0	0.0				713	0.0	0.0	0.0	0.0



PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		714	0.0	0.0	0.0	0.0	
0.0	0.0		715	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q2a-1-2	Max	712	0.0	0.0	0.0	0.0
0.0	0.0			713	0.0	0.0	0.0	0.0
0.0	0.0			714	0.0	0.0	0.0	0.0
0.0	0.0			715	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	712	0.0	0.0	0.0	0.0
0.0	0.0			713	0.0	0.0	0.0	0.0
0.0	0.0			714	0.0	0.0	0.0	0.0
0.0	0.0			715	0.0	0.0	0.0	0.0
0.0	0.0							
			SLVx (RS)	712	2.4	0.0	-3.0	-0.0
0.5	-0.0			713	0.4	0.0	-6.3	-0.0
-0.5	-0.0			714	-0.8	0.0	3.2	-0.0
0.2	-0.0			715	-2.0	-0.0	6.1	-0.0
-0.3	-0.0							
			SLVy (RS)	712	-2.2	-0.0	7.7	0.0
-0.9	-0.0			713	0.1	0.0	9.0	0.0
0.6	-0.0			714	1.8	0.1	-6.6	-0.0
-0.5	-0.0			715	0.8	-0.1	-10.1	-0.0
0.8	-0.0							
			SLDx (RS)	712	1.2	0.0	-1.5	-0.0
0.3	-0.0			713	0.2	0.0	-3.2	-0.0
-0.2	-0.0			714	-0.4	0.0	1.6	-0.0
0.1	-0.0			715	-1.0	-0.0	3.1	-0.0
-0.1	-0.0							
			SLDy (RS)	712	-1.1	-0.0	3.8	0.0
-0.5	-0.0			713	0.1	0.0	4.5	0.0
0.3	-0.0			714	0.9	0.0	-3.3	-0.0
-0.2	-0.0			715	0.4	-0.0	-5.0	-0.0
0.4	-0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
		SLVz (RS)	712	1.0	0.0	-1.3	-0.0
0.2	-0.0		713	0.2	0.0	-2.8	-0.0
-0.2	-0.0		714	-0.4	-0.0	1.4	-0.0
0.1	-0.0		715	-0.9	-0.0	2.7	-0.0
-0.1	-0.0						
		g1	712	-27.1	-0.0	39.1	0.0
-6.1	0.0		713	-4.9	-0.0	76.8	0.0
5.5	0.0		714	9.4	0.0	-40.8	0.0
-3.0	0.0		715	22.5	0.0	-74.7	0.0
3.6	0.0						
		g2	712	-13.2	0.0	20.7	0.0
-3.1	0.0		713	-2.4	-0.0	38.6	0.0
2.8	0.0		714	4.9	0.0	-21.2	0.0
-1.6	0.0		715	10.7	0.0	-38.2	-0.0
1.9	0.0						
		q3	712	-0.5	-0.0	0.8	0.0
-0.1	0.0		713	-0.1	-0.0	1.6	0.0
0.1	0.0		714	0.2	0.0	-0.9	0.0
-0.1	0.0		715	0.4	0.0	-1.5	0.0
0.1	-0.0						
		q5_pc	712	-3.9	-0.0	10.4	0.0
-1.3	-0.0		713	-0.4	-0.0	13.7	0.0
1.0	-0.0		714	2.3	0.0	-8.9	-0.0
-0.7	0.0		715	2.0	-0.0	-15.2	0.0
1.0	-0.0						
		q5_ps	712	-3.1	-0.0	8.7	0.0
-1.1	-0.0		713	-0.3	-0.0	11.3	0.0
0.8	-0.0		714	1.9	0.0	-7.5	-0.0
-0.6	0.0		715	1.5	-0.0	-12.6	0.0
0.8	-0.0						
		INVSLU Max	712	-69.3	-0.1	-28.1	0.0
-1.8	0.0		713	-22.5	-0.1	64.5	-0.0
5.7	-0.0		714	29.2	0.1	73.3	0.0
3.5	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-2.3	0.0			715	73.4	0.2	-46.8	0.0
			Min	712	-79.2	-0.1	-55.1	0.0
-5.2	0.0			713	-23.4	-0.1	28.9	-0.0
3.2	-0.0			714	23.4	-0.0	50.0	0.0
1.8	0.0			715	68.4	0.1	-86.1	0.0
-4.9	0.0							
		INVSLV	Max	712	-33.0	0.0	50.8	0.0
-6.0	0.0			713	-7.4	-0.0	104.0	0.0
7.7	0.0			714	14.3	0.1	-34.6	0.0
-2.7	0.0			715	34.6	0.1	-78.3	0.0
4.6	0.0							
			Min	712	-39.7	-0.0	32.8	0.0
-8.3	-0.0			713	-8.5	-0.1	80.4	0.0
6.0	0.0			714	9.9	-0.0	-50.7	0.0
-3.9	0.0			715	29.7	-0.0	-103.8	0.0
2.7	-0.0							
779	2	8	Q1-1-2	Max	623	0.0	0.0	0.0
0.0	0.0	0.0			622	0.0	0.0	0.0
0.0	0.0	0.0			644	0.0	0.0	0.0
0.0	0.0	0.0			710	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	623	0.0	0.0	0.0	0.0
0.0	0.0	0.0			622	0.0	0.0	0.0
0.0	0.0	0.0			644	0.0	0.0	0.0
0.0	0.0	0.0			710	0.0	0.0	0.0
0.0	0.0	0.0						
			Q2a-1-2	Max	623	0.0	0.0	0.0
0.0	0.0	0.0			622	0.0	0.0	0.0
0.0	0.0	0.0			644	0.0	0.0	0.0
0.0	0.0	0.0			710	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	623	0.0	0.0	0.0	0.0
0.0	0.0	0.0			622	0.0	0.0	0.0
0.0	0.0	0.0			644	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		710	0.0	0.0	0.0	0.0
-0.8	0.0	SLVx (RS)	623	0.6	-0.0	12.3	-0.0
1.1	-0.0		622	2.2	0.0	9.8	-0.0
-1.0	-0.0		644	-0.4	-0.0	-10.9	0.0
0.7	-0.0		710	-0.9	-0.0	-10.8	0.0
-0.6	0.0	SLVy (RS)	623	-3.6	0.0	5.8	0.0
0.9	0.0		622	0.8	-0.0	10.6	0.0
-1.0	0.0		644	2.9	-0.1	-7.6	-0.0
0.6	-0.0		710	-0.0	0.1	-8.7	-0.0
-0.4	0.0	SLDx (RS)	623	0.3	-0.0	6.1	-0.0
0.5	-0.0		622	1.1	0.0	4.9	-0.0
-0.5	-0.0		644	-0.2	-0.0	-5.5	0.0
0.3	-0.0		710	-0.5	-0.0	-5.4	0.0
-0.3	0.0	SLDy (RS)	623	-1.8	0.0	2.9	0.0
0.4	0.0		622	0.4	-0.0	5.3	0.0
-0.5	0.0		644	1.4	-0.0	-3.8	-0.0
0.3	-0.0		710	-0.0	0.0	-4.4	-0.0
0.3	-0.0	SLVz (RS)	623	0.5	0.0	-3.4	-0.0
-0.4	-0.0		622	-0.7	0.0	-3.7	-0.0
0.3	-0.0		644	0.1	-0.0	3.9	0.0
-0.2	0.0		710	0.2	-0.0	3.1	0.0
-7.5	0.0	g1	623	-14.0	-0.0	90.6	0.0
10.4	0.0		622	19.4	-0.1	106.8	0.0
-8.9	0.0		644	-0.1	0.0	-112.2	-0.0
6.0	-0.0		710	-5.4	0.0	-84.9	-0.0
-3.7	0.0	g2	623	-6.9	-0.0	45.3	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

5.2	0.0			622	9.2	-0.0	53.2	0.0
-4.5	0.0			644	0.4	0.0	-55.5	-0.0
3.0	-0.0			710	-2.7	0.0	-43.0	-0.0
		q3		623	-0.2	-0.0	11.0	-0.0
-0.6	0.0			622	1.8	0.0	4.5	-0.0
0.7	-0.0			644	-0.5	0.0	-6.2	0.0
-0.7	-0.0			710	-1.0	-0.0	-9.3	0.0
0.5	-0.0							
		q5_pc		623	-3.0	-0.0	12.7	0.0
-1.1	0.0			622	1.9	-0.0	17.6	0.0
1.6	0.0			644	1.5	0.0	-16.4	0.0
-1.5	0.0			710	-0.5	0.0	-14.0	-0.0
1.0	-0.0							
		q5_ps		623	-2.6	-0.0	10.2	0.0
-0.9	0.0			622	1.5	-0.0	14.4	0.0
1.3	0.0			644	1.4	0.0	-13.1	0.0
-1.2	0.0			710	-0.3	0.0	-11.5	-0.0
0.8	-0.0							
		INVSLU	Max	623	-7.3	-0.0	156.4	0.1
-10.0	0.0			622	73.6	-0.2	144.3	0.1
18.7	0.0			644	-32.0	0.1	-161.7	0.0
-8.2	0.0			710	-23.5	0.1	-48.9	0.0
7.1	-0.0							
			Min	623	-15.4	-0.1	114.7	0.0
-13.2	0.0			622	67.2	-0.2	96.4	0.0
14.1	0.0			644	-36.9	0.1	-207.4	0.0
-12.6	0.0			710	-25.8	0.1	-92.8	-0.0
4.1	-0.0							
		INVSLV	Max	623	-12.9	0.0	134.1	0.0
-8.9	0.0			622	33.4	-0.1	149.5	0.0
15.1	0.0			644	-2.0	0.1	-134.9	-0.0
-9.8	0.0			710	-7.8	0.1	-89.8	-0.0
8.4	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


				Min	623	-20.7	-0.0	103.9	0.0
-11.0	0.0				622	28.0	-0.1	120.2	0.0
12.2	-0.0				644	-8.1	-0.0	-163.8	-0.0
-12.6	-0.0				710	-9.8	-0.0	-118.6	-0.0
6.5	-0.0								
780	2	8	Q1-1-2	Max	622	0.0	0.0	0.0	0.0
0.0	0.0	0.0			625	0.0	0.0	0.0	0.0
0.0	0.0	0.0			645	0.0	0.0	0.0	0.0
0.0	0.0	0.0			644	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	622	0.0	0.0	0.0	0.0
0.0	0.0	0.0			625	0.0	0.0	0.0	0.0
0.0	0.0	0.0			645	0.0	0.0	0.0	0.0
0.0	0.0	0.0			644	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	622	0.0	0.0	0.0	0.0
0.0	0.0	0.0			625	0.0	0.0	0.0	0.0
0.0	0.0	0.0			645	0.0	0.0	0.0	0.0
0.0	0.0	0.0			644	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	622	0.0	0.0	0.0	0.0
0.0	0.0	0.0			625	0.0	0.0	0.0	0.0
0.0	0.0	0.0			645	0.0	0.0	0.0	0.0
0.0	0.0	0.0			644	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				SLVx (RS)	622	-7.5	-0.0	-14.5	0.0
0.8	-0.0	0.0			625	8.6	0.0	1.0	0.0
0.8	0.0	0.0			645	7.4	0.0	11.6	-0.0
-0.7	0.0	0.0			644	-6.9	-0.0	2.0	-0.0
0.6	-0.0	0.0							
				SLVy (RS)	622	-7.1	-0.1	6.1	0.0
-0.9	-0.0	0.0			625	1.5	0.1	8.1	-0.0
0.8	-0.0	0.0			645	5.9	0.1	-3.7	0.0
-0.7	-0.0	0.0			644	-1.0	-0.1	-10.7	-0.0
0.8	-0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

		SLDx (RS)	622	-3.7	-0.0	-7.3	0.0
0.4	-0.0		625	4.3	0.0	0.5	0.0
0.4	0.0		645	3.7	0.0	5.8	-0.0
-0.3	0.0		644	-3.5	-0.0	1.0	-0.0
0.3	-0.0						
		SLDy (RS)	622	-3.6	-0.0	3.1	0.0
-0.4	-0.0		625	0.8	0.0	4.0	-0.0
0.4	-0.0		645	3.0	0.1	-1.9	0.0
-0.4	-0.0		644	-0.5	-0.1	-5.4	-0.0
0.4	-0.0						
		SLVz (RS)	622	-2.6	0.0	-6.5	-0.0
0.4	0.0		625	-3.3	0.0	0.3	-0.0
-0.3	-0.0		645	3.0	-0.0	5.2	0.0
0.2	-0.0		644	2.7	-0.0	1.0	0.0
-0.3	0.0						
		g1	622	42.9	-0.0	166.5	0.0
-9.7	0.0		625	91.2	-0.0	-1.7	0.0
8.6	0.0		645	-60.6	0.0	-131.5	-0.0
-6.2	0.0		644	-73.6	0.0	-33.0	-0.0
7.3	-0.0						
		g2	622	21.3	-0.0	82.4	0.0
-4.8	0.0		625	45.6	-0.0	-0.9	0.0
4.3	0.0		645	-29.7	-0.0	-65.6	-0.0
-3.2	0.0		644	-37.2	0.0	-16.0	-0.0
3.7	0.0						
		q3	622	-8.4	-0.0	-5.4	0.0
0.1	-0.0		625	4.1	0.0	-0.1	0.0
0.3	0.0		645	7.0	0.0	4.8	-0.0
-0.5	0.0		644	-2.6	-0.0	0.8	-0.0
0.1	-0.0						
		q5_pc	622	-0.9	-0.0	18.1	0.0
-1.5	-0.0		625	5.1	-0.0	8.3	0.0
1.3	0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
-1.0	0.0			645	-1.1	0.0	-12.3	0.0
1.2	-0.0			644	-3.0	0.0	-14.1	0.0
		q5_ps		622	-1.3	-0.0	14.2	0.0
-1.2	-0.0			625	3.9	-0.0	7.0	0.0
1.0	0.0			645	-0.3	0.0	-9.5	0.0
-0.8	0.0			644	-2.3	0.0	-11.7	0.0
1.0	-0.0							
		INVSLU	Max	622	115.5	-0.1	338.9	0.1
-14.8	0.0			625	220.1	-0.1	-50.4	0.0
15.5	0.0			645	-147.2	0.0	-241.7	0.0
-7.0	0.0			644	-162.5	0.2	23.1	0.0
13.0	0.0							
			Min	622	101.2	-0.1	290.7	0.0
-18.5	0.0			625	204.1	-0.1	-71.7	0.0
12.0	0.0			645	-158.5	0.0	-275.1	0.0
-10.0	0.0			644	-172.2	0.1	-12.9	0.0
9.8	0.0							
		INVSLV	Max	622	82.0	0.1	254.1	0.0
-11.7	0.0			625	145.9	0.0	-10.3	0.0
12.2	0.0			645	-88.8	0.1	-173.3	-0.0
-6.7	0.0			644	-100.6	0.2	-17.4	-0.0
10.6	0.0							
			Min	622	61.3	-0.1	217.5	0.0
-14.2	-0.0			625	125.8	-0.1	-27.2	0.0
10.0	-0.0			645	-109.0	-0.1	-201.9	-0.0
-8.6	-0.0			644	-116.6	-0.1	-40.7	-0.0
8.5	-0.0							
784	2	4	Q1-1-2	Max	637	0.0	0.0	0.0
0.0	0.0				636	0.0	0.0	0.0
0.0	0.0				703	0.0	0.0	0.0
0.0	0.0				702	0.0	0.0	0.0
0.0	0.0							
			Min	637	0.0	0.0	0.0	0.0
0.0	0.0				636	0.0	0.0	0.0



PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		703	0.0	0.0	0.0	0.0
0.0	0.0		702	0.0	0.0	0.0	0.0
0.0	0.0						
		Q2a-1-2	Max	637	0.0	0.0	0.0
0.0	0.0			636	0.0	0.0	0.0
0.0	0.0			703	0.0	0.0	0.0
0.0	0.0			702	0.0	0.0	0.0
0.0	0.0						
			Min	637	0.0	0.0	0.0
0.0	0.0			636	0.0	0.0	0.0
0.0	0.0			703	0.0	0.0	0.0
0.0	0.0			702	0.0	0.0	0.0
0.0	0.0						
			SLVx (RS)	637	19.8	-0.0	5.5
1.0	0.0			636	4.3	-0.0	-5.3
-0.9	-0.0			703	-17.4	0.0	-5.9
0.9	-0.0			702	-2.1	0.0	5.9
-0.9	0.0						
			SLVy (RS)	637	-3.8	-0.1	3.6
-0.7	0.0			636	13.2	-0.1	-2.8
0.8	-0.0			703	3.8	0.1	-3.8
-0.7	-0.0			702	-13.2	0.1	3.0
0.7	0.0						
			SLDx (RS)	637	9.9	-0.0	2.8
0.5	0.0			636	2.1	-0.0	-2.7
-0.5	-0.0			703	-8.7	0.0	-3.0
0.4	-0.0			702	-1.1	0.0	2.9
-0.5	0.0						
			SLDy (RS)	637	-1.9	-0.0	1.8
-0.3	0.0			636	6.6	-0.0	-1.4
0.4	-0.0			703	1.9	0.0	-1.9
-0.4	-0.0			702	-6.6	0.0	1.5
0.3	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

		SLVz (RS)	637	8.7	0.0	2.5	-0.0
0.4	0.0		636	-1.6	0.0	-2.5	-0.0
-0.4	-0.0		703	-7.6	-0.0	-2.6	-0.0
0.4	-0.0		702	0.6	-0.0	2.7	-0.0
-0.4	0.0						
		g1	637	-186.4	-0.0	-44.1	0.0
-9.8	-0.0		636	47.7	-0.0	52.7	0.0
9.6	0.0		703	163.2	0.0	48.0	-0.0
-9.3	0.0		702	-24.4	0.0	-56.2	-0.0
9.5	-0.0						
		g2	637	-90.1	0.0	-20.7	0.0
-4.8	-0.0		636	23.5	0.0	25.8	0.0
4.7	0.0		703	78.7	-0.0	22.5	-0.0
-4.5	0.0		702	-12.0	-0.0	-27.6	-0.0
4.7	-0.0						
		q3	637	-5.1	-0.0	-1.4	0.0
-0.3	-0.0		636	1.0	-0.0	1.5	0.0
0.2	0.0		703	4.7	0.0	1.6	-0.0
-0.2	0.0		702	-0.5	0.0	-1.6	-0.0
0.2	-0.0						
		q5_pc	637	-7.8	-0.0	-0.1	0.0
-0.6	0.0		636	7.3	-0.0	0.6	0.0
0.7	-0.0		703	7.4	0.0	0.2	0.0
-0.6	-0.0		702	-6.8	0.0	-0.7	0.0
0.6	0.0						
		q5_ps	637	-6.3	0.0	0.2	0.0
-0.5	0.0		636	6.6	-0.0	0.2	0.0
0.6	-0.0		703	6.0	0.0	-0.1	0.0
-0.5	-0.0		702	-6.3	-0.0	-0.3	0.0
0.5	0.0						
		INVSLU Max	637	-241.1	-0.0	-80.2	-0.0
-6.8	0.0		636	-1.7	-0.0	106.3	-0.0
9.2	-0.0		703	161.6	0.0	81.5	0.0
-6.7	-0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

8.0	0.0			702	124.7	0.0	-101.4	0.0
			Min	637	-265.1	-0.0	-82.4	-0.0
-8.7	0.0			636	-22.6	-0.0	103.3	-0.0
7.3	-0.0			703	139.0	0.0	79.0	0.0
-8.5	-0.0			702	105.2	0.0	-104.8	0.0
6.1	0.0							
		INVSLV	Max	637	-187.6	0.1	-54.5	0.0
-7.0	0.0			636	29.8	0.1	83.1	0.0
9.8	0.0			703	171.2	0.1	70.2	0.1
-6.7	0.0			702	60.0	0.1	-68.6	0.1
8.9	0.0							
			Min	637	-234.8	-0.1	-69.2	-0.0
-9.6	-0.0			636	-0.0	-0.1	69.2	-0.0
7.2	-0.0			703	129.5	-0.1	54.5	-0.1
-9.2	-0.0			702	32.0	-0.1	-83.8	-0.1
6.5	-0.0							
785	2	8	Q1-1-2	Max	640	0.0	0.0	0.0
0.0	0.0			639	0.0	0.0	0.0	0.0
0.0	0.0			713	0.0	0.0	0.0	0.0
0.0	0.0			712	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	640	0.0	0.0	0.0	0.0
0.0	0.0			639	0.0	0.0	0.0	0.0
0.0	0.0			713	0.0	0.0	0.0	0.0
0.0	0.0			712	0.0	0.0	0.0	0.0
0.0	0.0							
		Q2a-1-2	Max	640	0.0	0.0	0.0	0.0
0.0	0.0			639	0.0	0.0	0.0	0.0
0.0	0.0			713	0.0	0.0	0.0	0.0
0.0	0.0			712	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	640	0.0	0.0	0.0	0.0
0.0	0.0			639	0.0	0.0	0.0	0.0
0.0	0.0			713	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	0.0		712	0.0	0.0	0.0	0.0
		SLVx (RS)	640	1.7	-0.0	-8.2	-0.0
0.8	-0.0		639	-1.0	0.0	-7.1	-0.0
-0.6	-0.0		713	-0.4	0.0	6.3	0.0
0.5	0.0		712	-0.2	-0.0	9.0	0.0
-0.7	0.0						
		SLVy (RS)	640	-0.8	-0.0	10.6	0.0
-0.9	-0.0		639	3.6	0.0	6.2	0.0
0.5	-0.0		713	-0.1	0.1	-9.0	-0.0
-0.6	0.0		712	-2.8	-0.1	-7.8	-0.0
1.0	-0.0						
		SLDx (RS)	640	0.9	-0.0	-4.1	-0.0
0.4	-0.0		639	-0.5	0.0	-3.6	-0.0
-0.3	-0.0		713	-0.2	0.0	3.2	0.0
0.2	0.0		712	-0.1	-0.0	4.5	0.0
-0.3	0.0						
		SLDy (RS)	640	-0.4	-0.0	5.3	0.0
-0.4	-0.0		639	1.8	0.0	3.1	0.0
0.3	-0.0		713	-0.1	0.0	-4.5	-0.0
-0.3	0.0		712	-1.4	-0.0	-3.9	-0.0
0.5	-0.0						
		SLVz (RS)	640	0.8	0.0	-3.6	-0.0
0.4	0.0		639	-0.4	0.0	-3.2	-0.0
-0.3	-0.0		713	-0.2	-0.0	2.8	0.0
0.2	0.0		712	-0.1	-0.0	4.0	0.0
-0.3	0.0						
		g1	640	-19.8	-0.1	98.9	0.0
-9.8	-0.0		639	12.9	-0.0	85.2	0.0
7.0	0.0		713	4.9	0.0	-76.8	-0.0
-5.5	-0.0		712	2.0	0.0	-107.0	-0.0
8.3	-0.0						
		g2	640	-9.3	-0.0	49.3	0.0
-4.8	-0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

3.4	0.0			639	6.4	-0.0	42.2	0.0
-2.8	-0.0			713	2.4	0.0	-38.6	-0.0
4.2	-0.0			712	0.5	0.0	-52.8	-0.0
-0.2	-0.0	q3		640	-0.4	-0.0	2.0	0.0
0.1	0.0			639	0.3	-0.0	1.7	0.0
-0.1	-0.0			713	0.1	0.0	-1.6	-0.0
0.2	-0.0			712	0.0	0.0	-2.1	-0.0
-1.5	-0.0	q5_pc		640	-1.9	-0.0	17.1	0.0
1.1	0.0			639	2.9	-0.0	12.7	0.0
-1.0	0.0			713	0.4	0.0	-13.7	-0.0
1.4	-0.0			712	-1.3	0.0	-16.1	0.0
-1.2	-0.0	q5_ps		640	-1.5	-0.0	14.0	0.0
0.9	0.0			639	2.5	-0.0	10.3	0.0
-0.8	0.0			713	0.3	0.0	-11.3	-0.0
1.2	-0.0			712	-1.3	0.0	-12.9	0.0
-12.6	-0.0	INVSLU	Max	640	-67.1	-0.2	124.3	0.1
11.6	0.0			639	12.7	-0.1	131.6	0.1
-3.2	0.0			713	23.4	0.1	-28.9	0.0
10.7	-0.0			712	39.8	0.1	-150.0	0.0
-16.6	-0.0		Min	640	-71.9	-0.2	80.2	0.0
8.9	0.0			639	4.8	-0.1	99.2	0.0
-5.7	0.0			713	22.5	0.1	-64.5	0.0
6.9	-0.0			712	35.8	0.1	-191.0	0.0
-11.4	0.0	INVSLV	Max	640	-28.5	-0.0	137.8	0.0
10.0	0.0			639	19.3	0.0	120.1	0.0
-6.0	-0.0			713	8.5	0.1	-80.4	-0.0
11.6	0.0			712	10.3	0.1	-128.8	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


-13.9	-0.0		Min	640	-32.9	-0.1	109.6	0.0
				639	11.3	-0.0	100.2	0.0
8.3	0.0			713	7.4	-0.0	-104.0	-0.0
-7.7	-0.0			712	4.6	-0.0	-153.8	-0.0
9.0	-0.0							
787	2	8	Q1-1-2	Max	647	0.0	0.0	0.0
0.0	0.0				646	0.0	0.0	0.0
0.0	0.0				716	0.0	0.0	0.0
0.0	0.0				110	0.0	0.0	0.0
0.0	0.0							
			Min	647	0.0	0.0	0.0	0.0
0.0	0.0			646	0.0	0.0	0.0	0.0
0.0	0.0			716	0.0	0.0	0.0	0.0
0.0	0.0			110	0.0	0.0	0.0	0.0
0.0	0.0							
			Q2a-1-2	Max	647	0.0	0.0	0.0
0.0	0.0				646	0.0	0.0	0.0
0.0	0.0				716	0.0	0.0	0.0
0.0	0.0				110	0.0	0.0	0.0
0.0	0.0							
			Min	647	0.0	0.0	0.0	0.0
0.0	0.0			646	0.0	0.0	0.0	0.0
0.0	0.0			716	0.0	0.0	0.0	0.0
0.0	0.0			110	0.0	0.0	0.0	0.0
0.0	0.0							
			SLVx (RS)	647	5.8	-0.0	6.1	0.0
0.2	-0.0			646	7.2	-0.0	-4.1	0.0
-0.2	0.0			716	-6.5	0.0	-6.0	0.0
0.1	-0.0			110	-6.5	-0.0	3.8	0.0
-0.1	-0.0							
			SLVy (RS)	647	-6.8	-0.1	5.3	0.0
-0.9	-0.0			646	-3.9	0.1	6.6	-0.0
0.6	-0.0			716	5.2	-0.1	1.8	-0.0
-0.2	-0.0			110	5.6	0.0	-13.3	-0.0
0.5	-0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	647	2.9	-0.0	3.0	0.0
0.1	-0.0		646	3.6	-0.0	-2.0	0.0
-0.1	0.0		716	-3.2	0.0	-3.0	0.0
0.0	-0.0		110	-3.3	-0.0	1.9	0.0
-0.0	-0.0						
		SLDy (RS)	647	-3.4	-0.1	2.7	0.0
-0.5	-0.0		646	-2.0	0.1	3.3	-0.0
0.3	-0.0		716	2.6	-0.0	0.9	-0.0
-0.1	-0.0		110	2.8	0.0	-6.6	-0.0
0.3	-0.0						
		SLVz (RS)	647	-2.0	0.0	-2.3	-0.0
0.1	0.0		646	-2.6	0.0	1.2	-0.0
-0.1	0.0		716	2.3	-0.0	2.3	-0.0
0.0	0.0		110	2.3	-0.0	-1.2	-0.0
-0.0	0.0						
		g1	647	53.5	-0.0	66.0	0.0
-2.3	-0.0		646	67.7	-0.0	-24.5	0.0
2.6	-0.0		716	-61.1	0.0	-67.4	0.0
-1.3	-0.0		110	-60.1	0.0	26.2	0.0
1.0	-0.0						
		g2	647	26.6	0.0	36.0	0.0
-1.3	0.0		646	33.5	-0.0	-9.9	0.0
1.5	0.0		716	-29.7	-0.0	-35.7	-0.0
-0.9	0.0		110	-30.4	0.0	9.6	-0.0
0.8	0.0						
		q3	647	3.5	-0.0	3.0	0.0
0.0	-0.0		646	4.3	-0.0	-3.5	0.0
-0.0	0.0		716	-3.6	0.0	-2.4	0.0
-0.0	-0.0		110	-4.1	-0.0	2.8	0.0
-0.0	-0.0						
		q5_pc	647	-3.9	-0.0	8.4	0.0
-1.1	-0.0		646	-1.2	-0.0	5.6	-0.0
0.7	-0.0						

PROJECT TITLE :

		Company			Client				
		Author			File Name				
							PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
-0.1	-0.0			716	0.5	0.1	-1.7	0.0	
0.4	-0.0			110	4.6	-0.0	-12.2	0.0	
			q5_ps	647	-3.7	-0.0	7.0	0.0	
-0.9	-0.0			646	-1.3	0.0	5.0	0.0	
0.6	-0.0			716	0.9	0.0	-1.2	0.0	
-0.1	-0.0			110	4.0	-0.0	-10.8	0.0	
0.4	-0.0								
			INVSLU	Max	647	128.1	-0.1	83.7	-0.0
1.5	0.0			646	80.1	-0.1	-53.2	-0.0	
-1.3	-0.0			716	-132.3	0.1	-85.2	0.1	
3.6	0.0			110	-52.7	0.2	97.0	0.1	
-0.7	0.0								
				Min	647	113.6	-0.2	59.6	-0.0
-1.2	0.0			646	71.4	-0.1	-71.7	-0.0	
-3.0	-0.0			716	-138.9	-0.0	-91.9	0.0	
3.3	-0.0			110	-69.0	0.2	61.9	0.1	
-2.0	0.0								
			INVSLV	Max	647	85.9	0.1	91.7	0.0
-1.5	0.0			646	88.1	0.1	-28.5	0.0	
2.9	0.0			716	-78.0	0.1	-74.6	0.0	
-0.3	0.0			110	-60.2	0.1	50.3	0.0	
1.3	0.0								
				Min	647	67.7	-0.2	74.9	-0.0
-3.5	-0.0			646	69.9	-0.2	-44.8	0.0	
1.6	-0.0			716	-95.4	-0.1	-89.2	-0.0	
-0.7	-0.0			110	-78.0	0.0	20.7	0.0	
0.2	-0.0								
794	2	10	Q1-1-2	Max	672	0.0	0.0	0.0	0.0
0.0	0.0	0.0			671	0.0	0.0	0.0	0.0
0.0	0.0	0.0			678	0.0	0.0	0.0	0.0
0.0	0.0	0.0			677	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	672	0.0	0.0	0.0	0.0
0.0	0.0	0.0			671	0.0	0.0	0.0	0.0



PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		678	0.0	0.0	0.0	0.0
0.0	0.0		677	0.0	0.0	0.0	0.0
0.0	0.0						
		Q2a-1-2	Max	672	0.0	0.0	0.0
0.0	0.0		671	0.0	0.0	0.0	0.0
0.0	0.0		678	0.0	0.0	0.0	0.0
0.0	0.0		677	0.0	0.0	0.0	0.0
0.0	0.0						
			Min	672	0.0	0.0	0.0
0.0	0.0		671	0.0	0.0	0.0	0.0
0.0	0.0		678	0.0	0.0	0.0	0.0
0.0	0.0		677	0.0	0.0	0.0	0.0
0.0	0.0						
			SLVx (RS)	672	-13.6	0.0	-1.7
0.9	-0.0		671	-12.9	0.0	0.3	-0.0
-0.9	-0.0		678	11.0	0.0	1.4	0.0
1.0	-0.0		677	10.2	-0.0	-0.6	-0.0
-1.0	-0.0						
			SLVy (RS)	672	-7.5	-0.1	-0.6
-0.7	-0.0		671	7.6	0.0	-0.0	-0.0
0.7	-0.0		678	7.8	0.1	0.5	0.0
-0.6	-0.0		677	-7.8	-0.1	0.1	-0.0
0.6	-0.0						
			SLDx (RS)	672	-6.8	0.0	-0.8
0.5	-0.0		671	-6.4	0.0	0.2	-0.0
-0.5	-0.0		678	5.5	0.0	0.7	0.0
0.5	-0.0		677	5.1	-0.0	-0.3	-0.0
-0.5	-0.0						
			SLDy (RS)	672	-3.8	-0.0	-0.3
-0.3	-0.0		671	3.8	0.0	-0.0	-0.0
0.3	-0.0		678	3.9	0.1	0.3	0.0
-0.3	-0.0		677	-3.9	-0.1	0.1	-0.0
0.3	-0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

		SLVz (RS)	672	5.6	0.0	0.8	-0.0
0.4	0.0		671	-5.4	0.0	0.1	-0.0
-0.4	-0.0		678	-4.5	-0.0	-0.6	0.0
0.4	-0.0		677	4.3	-0.0	-0.2	-0.0
-0.4	0.0						
		g1	672	-116.9	-0.0	-8.1	0.0
-8.3	-0.0		671	112.9	-0.0	3.7	0.0
8.3	0.0		678	93.1	0.0	6.4	-0.0
-8.5	0.0		677	-89.1	0.0	-1.7	0.0
8.5	-0.0						
		g2	672	-55.1	0.0	-0.4	0.0
-4.2	0.0		671	55.9	0.0	2.5	0.0
4.2	0.0		678	44.1	-0.0	-0.3	-0.0
-4.3	0.0		677	-44.9	0.0	-1.8	-0.0
4.3	0.0						
		q3	672	-6.5	-0.0	-1.7	0.0
-0.4	-0.0		671	3.5	0.0	1.4	0.0
0.4	0.0		678	5.8	0.0	1.8	-0.0
-0.4	0.0		677	-2.9	0.0	-1.4	-0.0
0.4	-0.0						
		q5_pc	672	-6.7	-0.0	-0.7	0.0
-0.5	-0.0		671	6.5	-0.0	0.0	0.0
0.5	-0.0		678	6.7	0.0	0.6	0.0
-0.5	-0.0		677	-6.5	0.0	0.1	0.0
0.5	-0.0						
		q5_ps	672	-5.7	-0.0	-0.5	0.0
-0.5	-0.0		671	5.7	-0.0	0.0	0.0
0.5	-0.0		678	5.8	0.0	0.4	-0.0
-0.5	-0.0		677	-5.7	0.0	0.0	0.0
0.5	-0.0						
		INVSLU Max	672	-78.5	-0.1	-16.2	0.0
-1.0	0.0		671	85.6	-0.0	5.3	0.0
2.7	-0.0		678	-4.2	0.0	14.7	0.0
-1.1	-0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

2.9	0.0			677	41.0	0.1	2.2	0.0
			Min	672	-102.3	-0.1	-19.9	0.0
-2.7	0.0			671	65.0	-0.0	3.3	0.0
0.9	-0.0			678	-27.5	0.0	11.2	0.0
-2.8	-0.0			677	20.9	0.1	0.2	0.0
1.1	0.0							
		INVSLV	Max	672	-71.1	0.1	-1.2	0.0
-3.3	0.0			671	104.1	0.0	4.7	0.0
5.8	0.0			678	40.2	0.2	2.3	0.0
-3.7	0.0			677	-10.2	0.1	-0.6	0.0
6.2	0.0							
			Min	672	-106.3	-0.1	-5.4	-0.0
-5.8	-0.0			671	70.6	-0.1	4.0	0.0
3.3	-0.0			678	10.7	-0.1	-1.3	-0.0
-6.2	-0.0			677	-37.9	-0.1	-1.9	-0.0
3.7	-0.0							
796	2	10	Q1-1-2	Max	680	0.0	0.0	0.0
0.0	0.0				679	0.0	0.0	0.0
0.0	0.0				724	0.0	0.0	0.0
0.0	0.0				114	0.0	0.0	0.0
0.0	0.0							
			Min	680	0.0	0.0	0.0	0.0
0.0	0.0				679	0.0	0.0	0.0
0.0	0.0				724	0.0	0.0	0.0
0.0	0.0				114	0.0	0.0	0.0
0.0	0.0							
		Q2a-1-2	Max	680	0.0	0.0	0.0	0.0
0.0	0.0				679	0.0	0.0	0.0
0.0	0.0				724	0.0	0.0	0.0
0.0	0.0				114	0.0	0.0	0.0
0.0	0.0							
			Min	680	0.0	0.0	0.0	0.0
0.0	0.0				679	0.0	0.0	0.0
0.0	0.0				724	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		114	0.0	0.0	0.0	0.0
-0.1	-0.0	SLVx (RS)	680	-1.9	0.0	-0.7	0.0
0.1	-0.0		679	1.3	0.0	0.5	-0.0
-0.1	-0.0		724	2.7	-0.0	0.7	-0.0
0.1	-0.0		114	-2.8	0.0	-0.6	-0.0
-0.4	-0.0	SLVy (RS)	680	-7.6	-0.1	-2.2	0.0
0.4	-0.0		679	9.2	0.1	-1.3	-0.0
-0.4	0.0		724	8.1	-0.1	0.6	-0.0
0.4	-0.0		114	-9.7	0.0	2.9	-0.0
-0.1	-0.0	SLDx (RS)	680	-0.9	0.0	-0.4	0.0
0.1	-0.0		679	0.7	0.0	0.3	-0.0
-0.1	-0.0		724	1.4	-0.0	0.4	-0.0
0.1	-0.0		114	-1.4	0.0	-0.3	-0.0
-0.2	-0.0	SLDy (RS)	680	-3.8	-0.0	-1.1	0.0
0.2	-0.0		679	4.6	0.1	-0.7	-0.0
-0.2	0.0		724	4.1	-0.0	0.3	-0.0
0.2	-0.0		114	-4.9	0.0	1.4	-0.0
-0.1	-0.0	SLVz (RS)	680	-0.7	0.0	0.2	0.0
0.1	0.0		679	0.6	0.0	-0.1	0.0
-0.1	0.0		724	1.3	0.0	-0.2	-0.0
0.1	-0.0		114	-1.3	-0.0	-0.2	-0.0
1.0	0.0	g1	680	10.0	-0.0	0.3	-0.0
-1.0	-0.0		679	-10.6	-0.0	1.9	-0.0
0.9	0.0		724	-23.5	-0.0	-2.4	0.0
-1.0	0.0		114	24.1	0.0	0.4	0.0
0.0	0.0	g2	680	4.7	0.0	7.4	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.1	0.0			679	-6.1	-0.0	6.1	0.0
-0.1	0.0			724	-10.7	-0.0	-5.6	-0.0
0.2	0.0			114	12.0	0.0	-7.8	-0.0
-0.1	0.0	q3		680	-2.7	-0.0	-1.3	0.0
0.0	-0.0			679	-0.4	-0.0	1.1	-0.0
-0.0	-0.0			724	2.3	0.0	1.3	0.0
0.1	0.0			114	0.8	0.0	-1.0	0.0
-0.3	-0.0	q5_pc		680	-5.2	-0.0	-1.1	0.0
0.3	-0.0			679	5.7	-0.0	-0.6	-0.0
-0.3	-0.0			724	5.2	0.0	0.6	0.0
0.3	-0.0			114	-5.7	0.0	1.1	0.0
-0.3	-0.0	q5_ps		680	-4.7	-0.0	-0.6	0.0
0.3	-0.0			679	5.0	-0.0	-0.3	0.0
-0.3	-0.0			724	4.8	0.0	0.4	0.0
0.3	-0.0			114	-5.0	0.0	0.6	0.0
26.4	0.0	INVSLU	Max	680	371.2	-0.0	-2.4	-0.0
-25.1	-0.0			679	-354.2	-0.0	-13.0	-0.0
25.7	0.0			724	-414.3	-0.0	-7.7	0.0
-25.3	0.0			114	429.6	0.1	29.8	0.0
25.5	0.0		Min	680	354.4	-0.0	-6.2	-0.0
-26.0	-0.0			679	-369.5	-0.0	-15.5	-0.0
24.9	0.0			724	-430.9	-0.1	-10.6	0.0
-26.2	0.0			114	413.7	0.1	26.3	0.0
12.8	0.0	INVSLV	Max	680	200.9	0.1	22.0	-0.0
-12.2	-0.0			679	-188.4	0.1	7.8	-0.0
13.0	-0.0			724	-220.1	0.1	-13.8	0.0
-11.7	0.0			114	246.0	0.0	-7.8	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


			Min	680	184.2	-0.1	17.1	-0.0
12.0	-0.0			679	-208.0	-0.1	4.8	-0.0
-13.2	-0.0			724	-238.7	-0.1	-15.7	-0.0
12.0	-0.0			114	224.1	-0.0	-14.1	0.0
-12.6	-0.0							
803	2	4	Q1-1-2	Max	705	0.0	0.0	0.0
0.0	0.0	0.0			704	0.0	0.0	0.0
0.0	0.0	0.0			729	0.0	0.0	0.0
0.0	0.0	0.0			730	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	705	0.0	0.0	0.0	0.0
0.0	0.0	0.0		704	0.0	0.0	0.0	0.0
0.0	0.0	0.0		729	0.0	0.0	0.0	0.0
0.0	0.0	0.0		730	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			Q2a-1-2	Max	705	0.0	0.0	0.0
0.0	0.0	0.0			704	0.0	0.0	0.0
0.0	0.0	0.0			729	0.0	0.0	0.0
0.0	0.0	0.0			730	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	705	0.0	0.0	0.0	0.0
0.0	0.0	0.0		704	0.0	0.0	0.0	0.0
0.0	0.0	0.0		729	0.0	0.0	0.0	0.0
0.0	0.0	0.0		730	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			SLVx (RS)	705	8.1	0.0	4.1	0.0
-0.0	-0.0			704	8.2	0.0	-3.7	0.0
0.1	0.0			729	-6.8	-0.0	-4.7	-0.0
-0.1	0.0			730	-9.4	-0.0	4.2	-0.0
0.0	-0.0							
			SLVy (RS)	705	-1.8	0.3	3.1	-0.0
-0.4	-0.0			704	12.4	0.2	-2.9	-0.0
0.4	0.0			729	1.7	-0.2	-3.2	-0.1
-0.4	0.0			730	-12.2	-0.3	3.0	-0.1
0.4	-0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	705	4.0	0.0	2.1	0.0
-0.0	-0.0		704	4.1	0.0	-1.8	0.0
0.0	0.0		729	-3.4	-0.0	-2.3	-0.0
-0.0	0.0		730	-4.7	-0.0	2.1	-0.0
0.0	-0.0						
		SLDy (RS)	705	-0.9	0.1	1.5	-0.0
-0.2	-0.0		704	6.2	0.1	-1.5	-0.0
0.2	0.0		729	0.9	-0.1	-1.6	-0.0
-0.2	0.0		730	-6.1	-0.1	1.5	-0.0
0.2	-0.0						
		SLVz (RS)	705	3.6	0.0	1.9	0.0
0.0	-0.0		704	3.7	0.0	-1.7	0.0
0.0	0.0		729	-3.0	-0.0	-2.1	-0.0
-0.0	0.0		730	-4.3	-0.0	1.9	-0.0
-0.0	-0.0						
		g1	705	-68.3	-0.0	-28.9	-0.0
-0.5	0.0		704	-70.6	-0.0	37.8	-0.0
0.0	-0.0		729	56.1	0.0	33.7	0.0
-0.1	-0.0		730	82.8	0.0	-42.3	0.0
0.6	0.0						
		g2	705	-32.6	0.0	-13.0	0.0
-0.4	-0.0		704	-34.0	0.0	18.9	0.0
0.1	0.0		729	26.6	-0.0	15.3	-0.0
-0.1	0.0		730	40.0	-0.0	-21.2	-0.0
0.4	-0.0						
		q3	705	-2.9	-0.0	-1.2	-0.0
-0.0	0.0		704	-1.5	-0.0	1.0	-0.0
0.0	-0.0		729	2.7	0.0	1.4	0.0
-0.0	-0.0		730	1.8	0.0	-1.2	0.0
0.0	0.0						
		q5_pc	705	-4.3	-0.0	0.0	-0.0
-0.3	0.0		704	4.1	-0.0	0.1	-0.0
0.3	-0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name		
							PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt
-0.2	-0.0			729	4.0	0.0	0.3
0.3	0.0			730	-3.7	0.0	-0.4
-0.2	0.0	q5_ps		705	-3.4	-0.0	0.2
0.2	-0.0			704	4.2	-0.0	-0.2
-0.2	-0.0			729	3.1	0.0	0.0
0.2	0.0			730	-3.9	0.0	0.0
20.3	0.0	INVSLU	Max	705	181.8	-0.0	-55.3
-20.5	-0.0			704	-434.9	-0.0	63.9
20.9	-0.0			729	-219.6	0.0	56.5
-19.3	0.0			730	499.0	0.0	-60.6
19.6	0.0		Min	705	168.7	-0.0	-57.1
-21.2	-0.0			704	-448.9	-0.0	62.2
20.2	-0.0			729	-231.6	0.0	54.2
-20.1	0.0			730	485.6	0.0	-62.8
9.9	0.0	INVSLV	Max	705	62.8	0.3	-37.0
-9.6	0.0			704	-227.1	0.2	50.6
10.6	0.0			729	-76.2	0.2	49.2
-9.3	0.0			730	290.8	0.3	-40.0
9.1	-0.0		Min	705	43.4	-0.3	-48.2
-10.5	-0.0			704	-259.1	-0.2	40.5
9.8	-0.0			729	-92.7	-0.2	36.8
-10.0	-0.0			730	258.2	-0.3	-51.3
805	2	8	Q1-1-2	Max	711	0.0	0.0
0.0	0.0				647	0.0	0.0
0.0	0.0				110	0.0	0.0
0.0	0.0				732	0.0	0.0
0.0	0.0						
0.0	0.0		Min	711	0.0	0.0	0.0
					647	0.0	0.0



PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

0.0	0.0		110	0.0	0.0	0.0	0.0	
0.0	0.0		732	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q2a-1-2	Max	711	0.0	0.0	0.0	0.0
0.0	0.0			647	0.0	0.0	0.0	0.0
0.0	0.0			110	0.0	0.0	0.0	0.0
0.0	0.0			732	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	711	0.0	0.0	0.0	0.0
0.0	0.0			647	0.0	0.0	0.0	0.0
0.0	0.0			110	0.0	0.0	0.0	0.0
0.0	0.0			732	0.0	0.0	0.0	0.0
0.0	0.0							
			SLVx (RS)	711	1.4	0.0	6.2	0.0
-0.4	-0.0			647	3.2	-0.0	0.7	0.0
0.4	0.0			110	-2.9	0.0	-4.5	0.0
-0.1	0.0			732	-1.7	-0.0	-2.4	-0.0
0.2	-0.0							
			SLVy (RS)	711	1.9	0.0	6.5	0.0
-0.5	-0.0			647	3.9	-0.0	7.6	0.0
1.1	0.0			110	-6.7	-0.0	-12.6	0.0
-0.4	0.0			732	1.0	0.1	-1.6	0.0
-0.2	-0.0							
			SLDx (RS)	711	0.7	0.0	3.1	0.0
-0.2	-0.0			647	1.6	-0.0	0.3	0.0
0.2	0.0			110	-1.5	0.0	-2.3	0.0
-0.1	0.0			732	-0.8	-0.0	-1.2	-0.0
0.1	-0.0							
			SLDy (RS)	711	0.9	0.0	3.3	0.0
-0.2	-0.0			647	1.9	-0.0	3.8	0.0
0.5	0.0			110	-3.3	-0.0	-6.3	0.0
-0.2	0.0			732	0.5	0.0	-0.8	0.0
-0.1	-0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

		SLVz (RS)	711	-0.4	0.0	-1.7	0.0
0.1	-0.0		647	-1.0	0.0	-0.2	-0.0
-0.1	0.0		110	0.9	-0.0	1.4	-0.0
0.0	0.0		732	0.5	-0.0	0.6	-0.0
-0.0	-0.0						
		g1	711	10.4	-0.0	47.8	-0.0
-3.3	0.0		647	26.8	-0.0	8.7	0.0
3.2	-0.0		110	-25.5	0.0	-40.0	0.0
-0.9	-0.0		732	-11.6	0.0	-16.2	0.0
1.0	0.0						
		g2	711	5.4	-0.0	24.8	0.0
-1.7	0.0		647	14.1	-0.0	6.4	0.0
1.7	-0.0		110	-13.0	0.0	-22.9	0.0
-0.6	-0.0		732	-6.5	-0.0	-8.3	0.0
0.6	0.0						
		q3	711	1.2	0.0	5.3	0.0
-0.3	-0.0		647	2.7	-0.0	0.5	0.0
0.3	0.0		110	-2.4	0.0	-3.7	0.0
-0.1	-0.0		732	-1.4	-0.0	-2.1	-0.0
0.1	-0.0						
		q5_pc	711	2.4	-0.0	9.2	0.0
-0.6	0.0		647	5.1	-0.0	7.9	0.0
1.3	0.0		110	-7.9	-0.0	-14.4	0.0
-0.5	0.0		732	0.5	0.1	-2.8	0.0
-0.2	-0.0						
		q5_ps	711	2.0	-0.0	7.7	0.0
-0.5	0.0		647	4.3	-0.0	6.9	0.0
1.1	0.0		110	-6.7	-0.0	-12.3	0.0
-0.4	0.0		732	0.5	0.1	-2.3	0.0
-0.2	-0.0						
		INVSLU Max	711	33.1	0.0	-31.7	-0.0
3.0	0.0		647	63.0	-0.1	-87.0	-0.0
-3.9	-0.0		110	-58.8	0.2	46.2	0.1
10.6	-0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


-5.9	0.0			732	-13.2	0.0	122.6	0.1
			Min	711	25.9	-0.1	-60.2	-0.0
1.0	0.0			647	47.4	-0.2	-108.2	-0.0
-7.5	-0.0			110	-81.5	0.2	5.4	0.1
9.3	-0.0			732	-16.2	-0.2	113.6	0.0
-6.5	0.0							
		INVSLV	Max	711	16.2	-0.0	60.4	0.0
-3.1	0.0			647	36.1	0.0	14.4	0.0
4.3	0.0			110	-27.1	0.1	-30.0	0.0
0.2	0.0			732	-7.7	0.1	-10.3	0.0
1.1	0.0							
			Min	711	11.3	-0.0	42.5	-0.0
-4.4	0.0			647	25.8	-0.0	-1.4	-0.0
1.9	-0.0			110	-42.8	0.0	-58.7	0.0
-0.7	-0.0			732	-11.9	-0.0	-16.4	0.0
0.6	-0.0							
806	2	8	Q1-1-2	Max	715	0.0	0.0	0.0
0.0	0.0			714	0.0	0.0	0.0	0.0
0.0	0.0			733	0.0	0.0	0.0	0.0
0.0	0.0			118	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	715	0.0	0.0	0.0	0.0
0.0	0.0			714	0.0	0.0	0.0	0.0
0.0	0.0			733	0.0	0.0	0.0	0.0
0.0	0.0			118	0.0	0.0	0.0	0.0
0.0	0.0							
		Q2a-1-2	Max	715	0.0	0.0	0.0	0.0
0.0	0.0			714	0.0	0.0	0.0	0.0
0.0	0.0			733	0.0	0.0	0.0	0.0
0.0	0.0			118	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	715	0.0	0.0	0.0	0.0
0.0	0.0			714	0.0	0.0	0.0	0.0
0.0	0.0			733	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	0.0		118	0.0	0.0	0.0	0.0
		SLVx (RS)	715	2.1	-0.0	-0.2	0.0
0.2	-0.0		714	0.8	0.0	-3.2	0.0
-0.2	0.0		733	-0.9	0.0	0.8	-0.0
0.1	-0.0		118	-2.0	-0.0	2.7	-0.0
-0.0	-0.0						
		SLVy (RS)	715	-4.1	-0.0	7.8	0.0
-1.1	-0.0		714	-1.8	0.0	6.6	0.0
0.5	0.0		733	-0.9	0.0	-1.7	0.0
0.2	0.0		118	6.8	-0.0	-12.8	0.0
0.4	-0.0						
		SLDx (RS)	715	1.0	-0.0	-0.1	0.0
0.1	-0.0		714	0.4	0.0	-1.6	0.0
-0.1	0.0		733	-0.5	0.0	0.4	-0.0
0.0	-0.0		118	-1.0	-0.0	1.3	-0.0
-0.0	-0.0						
		SLDy (RS)	715	-2.1	-0.0	3.9	0.0
-0.5	-0.0		714	-0.9	0.0	3.3	0.0
0.2	0.0		733	-0.4	0.0	-0.8	0.0
0.1	0.0		118	3.4	-0.0	-6.4	0.0
0.2	-0.0						
		SLVz (RS)	715	0.9	0.0	-0.1	-0.0
0.1	-0.0		714	0.4	0.0	-1.4	0.0
-0.1	0.0		733	-0.4	-0.0	0.3	-0.0
0.0	-0.0		118	-0.9	-0.0	1.2	-0.0
-0.0	-0.0						
		g1	715	-23.4	-0.0	7.2	0.0
-2.8	0.0		714	-9.4	-0.0	40.8	-0.0
3.0	-0.0		733	9.5	0.0	-12.8	0.0
-0.9	0.0		118	23.4	0.0	-34.9	0.0
0.7	0.0						
		g2	715	-12.3	-0.0	5.7	0.0
-1.5	0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
1.6	-0.0			714	-4.9	-0.0	21.2	-0.0
-0.6	-0.0			733	5.3	-0.0	-6.6	0.0
0.5	0.0			118	11.9	0.0	-20.3	0.0
-0.1	-0.0		q3	715	-0.5	-0.0	0.1	0.0
0.1	-0.0			714	-0.2	-0.0	0.9	-0.0
-0.0	0.0			733	0.2	0.0	-0.3	0.0
0.0	0.0			118	0.4	0.0	-0.7	0.0
-1.3	-0.0		q5_pc	715	-5.1	-0.0	8.1	0.0
0.7	-0.0			714	-2.3	-0.0	8.9	0.0
0.2	0.0			733	-0.5	0.1	-2.7	0.0
0.5	-0.0			118	7.9	-0.0	-14.3	0.0
-1.1	-0.0		q5_ps	715	-4.3	-0.0	7.1	0.0
0.6	-0.0			714	-1.9	-0.0	7.5	0.0
0.2	0.0			733	-0.5	0.0	-2.3	0.0
0.4	-0.0			118	6.7	-0.0	-12.3	0.0
8.1	0.0		INVSLU Max	715	-37.2	-0.1	-86.6	-0.0
-1.8	-0.0			714	-23.4	0.0	-50.0	-0.0
6.7	0.0			733	9.3	-0.0	124.1	0.1
-9.6	0.0			118	72.1	0.2	57.5	0.1
4.8	0.0		Min	715	-50.7	-0.1	-107.9	-0.0
-3.5	-0.0			714	-29.2	-0.1	-73.3	-0.0
6.2	-0.0			733	7.6	-0.2	117.0	0.0
-10.9	0.0			118	51.5	0.2	19.9	0.1
-1.5	0.0		INVSLV Max	715	-21.0	0.0	13.4	0.0
3.9	-0.0			714	-9.9	-0.0	50.7	-0.0
-0.5	0.0			733	8.3	0.0	-8.4	0.0
0.5	0.0			118	38.8	0.1	-23.5	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


			Min	715	-31.1	-0.0	-2.4	-0.0
-3.8	-0.0			714	-14.3	-0.0	34.6	-0.0
2.7	-0.0			733	5.7	-0.0	-12.4	0.0
-0.9	-0.0			118	23.4	0.0	-51.4	0.0
-0.4	-0.0							
807	2	8	Q1-1-2	Max	110	0.0	0.0	0.0
0.0	0.0	0.0			716	0.0	0.0	0.0
0.0	0.0	0.0			734	0.0	0.0	0.0
0.0	0.0	0.0			48	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	110	0.0	0.0	0.0	0.0
0.0	0.0	0.0		716	0.0	0.0	0.0	0.0
0.0	0.0	0.0		734	0.0	0.0	0.0	0.0
0.0	0.0	0.0		48	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			Q2a-1-2	Max	110	0.0	0.0	0.0
0.0	0.0	0.0		716	0.0	0.0	0.0	0.0
0.0	0.0	0.0		734	0.0	0.0	0.0	0.0
0.0	0.0	0.0		48	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	110	0.0	0.0	0.0	0.0
0.0	0.0	0.0		716	0.0	0.0	0.0	0.0
0.0	0.0	0.0		734	0.0	0.0	0.0	0.0
0.0	0.0	0.0		48	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			SLVx (RS)	110	7.0	-0.0	-1.3	0.0
0.0	-0.0	0.0		716	7.1	-0.0	-1.2	0.0
-0.1	-0.0	0.0		734	-6.8	0.0	-2.3	0.0
0.0	-0.0	0.0		48	-7.2	0.0	1.7	0.0
-0.0	0.0	0.0						
			SLVy (RS)	110	-9.9	-1.7	-15.0	0.1
0.4	-0.0	0.0		716	-4.6	-0.3	4.0	0.0
-0.3	-0.0	0.0		734	6.9	0.3	-0.7	0.0
0.5	0.0	0.0		48	7.4	1.7	11.6	0.1
-0.5	0.0	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	110	3.5	-0.0	-0.6	0.0
0.0	-0.0		716	3.5	-0.0	-0.6	0.0
-0.0	-0.0		734	-3.4	0.0	-1.2	0.0
0.0	-0.0		48	-3.6	0.0	0.9	0.0
-0.0	0.0						
		SLDy (RS)	110	-4.9	-0.8	-7.5	0.0
0.2	-0.0		716	-2.3	-0.2	2.0	0.0
-0.1	-0.0		734	3.5	0.2	-0.3	0.0
0.2	0.0		48	3.7	0.8	5.8	0.0
-0.3	0.0						
		SLVz (RS)	110	-2.3	0.0	-0.7	-0.0
0.0	0.0		716	-2.4	0.0	0.3	0.0
-0.0	0.0		734	2.3	-0.0	0.9	-0.0
0.0	0.0		48	2.4	-0.0	-0.5	-0.0
-0.0	-0.0						
		g1	110	59.0	-0.1	19.3	-0.0
-0.7	-0.0		716	64.2	-0.0	-0.2	-0.0
0.8	-0.0		734	-61.2	0.0	-29.3	0.0
-0.7	-0.0		48	-62.1	0.1	10.3	0.0
0.5	0.0						
		g2	110	27.3	0.1	14.1	-0.0
-0.7	0.0		716	30.5	0.0	2.5	0.0
0.7	0.0		734	-29.4	-0.0	-16.4	-0.0
-0.6	0.0		48	-28.4	-0.1	-0.2	-0.0
0.5	0.0						
		q3	110	4.4	-0.0	0.8	0.0
0.0	-0.0		716	4.3	-0.0	-1.1	-0.0
-0.0	-0.0		734	-4.2	0.0	-1.0	0.0
0.0	-0.0		48	-4.5	0.0	1.3	0.0
-0.0	0.0						
		q5_pc	110	-4.6	-2.1	-18.4	0.1
0.6	-0.0		716	0.1	-0.5	3.2	0.0
-0.5	-0.0						

PROJECT TITLE :

			Company	Client				
			Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.6	-0.0			734	2.3	0.6	-2.0	0.1
-0.7	0.0			48	2.2	2.1	17.2	0.1
0.5	-0.0	q5_ps		110	-4.7	-1.7	-15.4	0.1
-0.4	-0.0			716	-0.4	-0.5	2.9	0.0
0.5	-0.0			734	2.5	0.5	-1.6	0.0
-0.6	0.0			48	2.6	1.7	14.1	0.1
1.0	0.0	INVSLU	Max	110	47.3	4.8	-2.8	-0.0
-0.3	0.0			716	30.7	1.2	12.2	-0.1
3.1	0.0			734	-63.0	0.2	-21.2	0.1
-0.8	0.0			48	10.1	0.5	64.8	0.1
-0.5	0.0		Min	110	28.8	-0.4	-49.6	-0.3
-1.4	-0.0			716	24.2	-0.2	2.4	-0.1
1.6	0.0			734	-74.9	-1.2	-27.0	-0.1
-2.6	-0.0			48	-2.2	-4.7	21.3	-0.2
-0.6	0.0	INVSLV	Max	110	73.5	2.2	36.8	0.1
1.3	0.0			716	78.0	0.5	4.0	0.0
0.1	0.0			734	-61.7	0.2	-28.0	0.0
0.9	0.0			48	-47.9	1.2	22.3	0.1
-1.4	-0.0		Min	110	48.2	-1.2	5.7	-0.1
0.6	0.0			716	59.6	-0.2	-4.9	-0.0
-0.8	-0.0			734	-81.1	-0.5	-33.5	-0.0
-0.2	-0.0			48	-68.5	-2.2	-2.3	-0.1
813	2	10	Q1-1-2	Max	114	0.0	0.0	0.0
0.0	0.0				724	0.0	0.0	0.0
0.0	0.0				743	0.0	0.0	0.0
0.0	0.0				744	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	114	0.0	0.0	0.0	0.0
					724	0.0	0.0	0.0




PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		743	0.0	0.0	0.0	0.0	
0.0	0.0		744	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q2a-1-2	Max	114	0.0	0.0	0.0	0.0
0.0	0.0			724	0.0	0.0	0.0	0.0
0.0	0.0			743	0.0	0.0	0.0	0.0
0.0	0.0			744	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	114	0.0	0.0	0.0	0.0
0.0	0.0			724	0.0	0.0	0.0	0.0
0.0	0.0			743	0.0	0.0	0.0	0.0
0.0	0.0			744	0.0	0.0	0.0	0.0
0.0	0.0							
			SLVx (RS)	114	-1.3	-0.0	-0.4	0.0
0.0	-0.0			724	1.6	0.0	-0.1	0.0
-0.0	-0.0			743	1.5	-0.0	0.2	0.0
-0.0	-0.0			744	-1.7	0.0	0.2	0.0
0.0	0.0							
			SLVy (RS)	114	-1.8	0.2	0.4	-0.0
-0.0	0.0			724	3.8	0.1	-1.0	0.0
0.0	0.0			743	2.0	-0.1	0.7	-0.0
-0.0	0.0			744	-4.0	-0.2	-0.6	-0.0
0.0	-0.0							
			SLDx (RS)	114	-0.6	-0.0	-0.2	0.0
0.0	-0.0			724	0.8	0.0	-0.0	0.0
-0.0	-0.0			743	0.7	-0.0	0.1	0.0
-0.0	-0.0			744	-0.8	0.0	0.1	0.0
0.0	0.0							
			SLDy (RS)	114	-0.9	0.1	0.2	-0.0
-0.0	0.0			724	1.9	0.1	-0.5	0.0
0.0	0.0			743	1.0	-0.1	0.3	-0.0
-0.0	0.0			744	-2.0	-0.1	-0.3	-0.0
0.0	-0.0							

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
		SLVz (RS)	114	-0.6	-0.0	0.1	0.0
-0.0	-0.0		724	0.7	-0.0	0.1	0.0
0.0	-0.0		743	0.7	0.0	-0.1	0.0
-0.0	0.0		744	-0.8	0.0	-0.1	0.0
0.0	0.0						
		g1	114	13.2	0.4	2.0	-0.0
0.1	0.0		724	-12.7	0.1	3.1	-0.0
-0.1	0.0		743	-14.0	-0.1	-3.9	-0.0
0.0	-0.0		744	13.5	-0.4	-1.1	-0.0
-0.0	-0.0						
		g2	114	4.9	0.6	12.8	-0.0
-0.7	0.0		724	-8.3	0.2	6.0	-0.0
0.6	0.0		743	-5.5	-0.2	-5.6	-0.0
-0.6	0.0		744	8.9	-0.6	-13.2	-0.0
0.7	-0.0						
		q3	114	-1.7	-0.0	-0.5	-0.0
0.0	0.0		724	-1.5	-0.0	0.3	-0.0
-0.0	-0.0		743	1.6	0.0	0.5	0.0
0.0	0.0		744	1.5	0.0	-0.2	0.0
-0.0	0.0						
		q5_pc	114	-1.4	-0.1	-1.4	0.0
0.1	-0.0		724	2.2	-0.0	-0.5	0.0
-0.0	-0.0		743	1.4	0.0	0.4	0.0
0.0	-0.0		744	-2.2	0.1	1.5	0.0
-0.1	0.0						
		q5_ps	114	-1.3	-0.0	-0.6	0.0
0.0	-0.0		724	1.8	-0.0	-0.3	-0.0
-0.0	-0.0		743	1.4	0.0	0.2	0.0
0.0	-0.0		744	-1.8	0.0	0.6	0.0
-0.0	0.0						
		INVSLU Max	114	161.9	4.3	10.7	-0.3
3.1	0.0		724	-150.8	1.1	-7.0	-0.1
-3.2	0.0		743	-161.0	-1.1	-2.0	-0.1
3.3	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-2.9	-0.0			744	162.7	-4.1	2.9	-0.2
			Min	114	156.2	4.1	7.4	-0.3
3.0	0.0			724	-157.8	1.0	-8.3	-0.1
-3.3	0.0			743	-166.8	-1.1	-3.5	-0.1
3.2	0.0			744	155.7	-4.2	-0.1	-0.2
-3.0	-0.0							
		INVSLV	Max	114	84.5	0.3	21.3	-0.0
0.5	0.0			724	-87.4	0.2	8.3	0.0
-0.6	0.0			743	-84.1	0.1	-9.5	0.0
0.7	0.0			744	101.3	0.0	-17.1	0.0
-0.5	0.0							
			Min	114	79.8	-0.1	20.2	-0.0
0.4	0.0			724	-96.5	-0.1	6.2	-0.0
-0.7	-0.0			743	-89.3	-0.2	-11.0	-0.0
0.6	-0.0			744	91.8	-0.3	-18.4	-0.0
-0.6	0.0							
817	2	4	Q1-1-2	Max	730	0.0	0.0	0.0
0.0	0.0				729	0.0	0.0	0.0
0.0	0.0				750	0.0	0.0	0.0
0.0	0.0				55	0.0	0.0	0.0
0.0	0.0							
			Min	730	0.0	0.0	0.0	0.0
0.0	0.0				729	0.0	0.0	0.0
0.0	0.0				750	0.0	0.0	0.0
0.0	0.0				55	0.0	0.0	0.0
0.0	0.0							
		Q2a-1-2	Max	730	0.0	0.0	0.0	0.0
0.0	0.0				729	0.0	0.0	0.0
0.0	0.0				750	0.0	0.0	0.0
0.0	0.0				55	0.0	0.0	0.0
0.0	0.0							
			Min	730	0.0	0.0	0.0	0.0
0.0	0.0				729	0.0	0.0	0.0
0.0	0.0				750	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		55	0.0	0.0	0.0	0.0
		SLVx (RS)	730	7.3	0.0	0.9	0.0
0.0	-0.0		729	9.3	0.0	-0.8	0.0
0.0	0.0		750	-7.5	-0.0	-1.9	-0.0
0.0	0.0		55	-9.1	-0.0	1.7	-0.0
-0.0	-0.0						
		SLVy (RS)	730	4.4	0.3	0.7	0.1
-0.0	-0.0		729	8.6	0.3	-1.1	0.1
0.0	0.0		750	-5.0	-0.3	-1.0	-0.1
0.0	0.0		55	-8.0	-0.3	1.3	-0.1
-0.0	-0.0						
		SLDx (RS)	730	3.6	0.0	0.5	0.0
0.0	-0.0		729	4.7	0.0	-0.4	0.0
0.0	0.0		750	-3.8	-0.0	-0.9	-0.0
0.0	0.0		55	-4.6	-0.0	0.9	-0.0
-0.0	-0.0						
		SLDy (RS)	730	2.2	0.2	0.4	0.0
-0.0	-0.0		729	4.3	0.2	-0.5	0.0
0.0	0.0		750	-2.5	-0.2	-0.5	-0.1
0.0	0.0		55	-4.0	-0.2	0.6	-0.1
-0.0	-0.0						
		SLVz (RS)	730	3.3	0.0	0.4	0.0
0.0	-0.0		729	4.2	-0.0	-0.4	0.0
0.0	0.0		750	-3.4	0.0	-0.8	-0.0
-0.0	0.0		55	-4.1	-0.0	0.8	-0.0
-0.0	-0.0						
		g1	730	-61.0	-0.0	-0.6	-0.0
-1.0	0.0		729	-82.0	-0.0	13.8	-0.0
0.6	-0.0		750	63.5	0.0	9.0	0.0
-0.8	-0.0		55	79.5	0.0	-22.1	0.0
1.2	0.0						
		g2	730	-29.3	0.0	0.5	0.0
-0.6	-0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.4	0.0			729	-39.3	0.0	7.3	0.0
-0.5	0.0			750	30.2	-0.0	3.6	-0.0
0.7	-0.0			55	38.4	-0.0	-11.4	-0.0
-0.0	0.0	q3		730	-2.3	-0.0	-0.3	-0.0
-0.0	-0.0			729	-2.2	-0.0	0.1	-0.0
0.0	-0.0			750	2.3	0.0	0.6	0.0
0.0	0.0			55	2.2	0.0	-0.5	0.0
-0.0	0.0	q5_pc		730	-1.4	-0.0	0.1	-0.0
0.0	-0.0			729	1.2	-0.0	-0.3	-0.0
0.0	-0.0			750	1.1	0.0	0.4	0.0
0.0	0.0			55	-0.8	0.0	-0.2	0.0
-0.0	0.0	q5_ps		730	-0.8	-0.0	0.1	-0.0
-0.0	-0.0			729	1.6	-0.0	-0.4	-0.0
0.0	-0.0			750	0.5	0.0	0.3	0.0
0.0	0.0			55	-1.3	0.0	0.0	0.0
1.3	0.0	INVSLU	Max	730	-8.9	0.0	-7.6	-0.0
-1.1	-0.0			729	-297.2	0.0	36.4	-0.0
-0.6	-0.0			750	40.0	-0.0	8.2	0.0
0.4	0.0			55	277.9	-0.0	-34.7	0.0
1.3	0.0		Min	730	-14.5	0.0	-8.2	-0.0
-1.1	-0.0			729	-304.2	0.0	35.2	-0.0
-0.6	-0.0			750	35.0	-0.0	6.5	0.0
0.4	0.0			55	271.8	-0.0	-35.7	0.0
0.6	0.0	INVSLV	Max	730	-23.8	0.3	-6.6	0.1
-0.7	0.0			729	-165.4	0.3	20.2	0.1
-0.0	0.0			750	54.1	0.3	14.2	0.1
0.2	0.0			55	180.6	0.3	-20.3	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

				Min	730	-42.9	-0.3	-9.1	-0.1
0.6	-0.0				729	-191.8	-0.3	17.4	-0.1
-0.8	-0.0				750	34.1	-0.3	9.4	-0.1
-0.1	-0.0				55	155.1	-0.3	-25.0	-0.1
0.1	-0.0								
819	2	8	Q1-1-2	Max	732	0.0	0.0	0.0	0.0
0.0	0.0	0.0			110	0.0	0.0	0.0	0.0
0.0	0.0	0.0			48	0.0	0.0	0.0	0.0
0.0	0.0	0.0			753	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	732	0.0	0.0	0.0	0.0
0.0	0.0	0.0			110	0.0	0.0	0.0	0.0
0.0	0.0	0.0			48	0.0	0.0	0.0	0.0
0.0	0.0	0.0			753	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	732	0.0	0.0	0.0	0.0
0.0	0.0	0.0			110	0.0	0.0	0.0	0.0
0.0	0.0	0.0			48	0.0	0.0	0.0	0.0
0.0	0.0	0.0			753	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	732	0.0	0.0	0.0	0.0
0.0	0.0	0.0			110	0.0	0.0	0.0	0.0
0.0	0.0	0.0			48	0.0	0.0	0.0	0.0
0.0	0.0	0.0			753	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				SLVx (RS)	732	1.7	0.0	2.4	0.0
-0.2	0.0	0.0			110	3.0	-0.0	0.7	0.0
0.1	0.0	0.0			48	-2.9	0.0	-1.7	-0.0
-0.1	-0.0	-0.0			753	-1.8	-0.0	-1.2	0.0
0.1	-0.0	-0.0							
				SLVy (RS)	732	-1.0	-0.0	1.6	-0.0
0.2	0.0	0.0			110	2.0	-1.3	-12.7	0.1
-0.5	0.0	0.0			48	-1.0	1.3	12.4	0.1
0.6	-0.0	-0.0			753	-0.4	0.0	-1.3	0.0
-0.3	0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	732	0.9	0.0	1.2	0.0
-0.1	0.0		110	1.5	-0.0	0.4	0.0
0.1	0.0		48	-1.4	0.0	-0.9	-0.0
-0.0	-0.0		753	-0.9	-0.0	-0.6	0.0
0.0	-0.0						
		SLDy (RS)	732	-0.5	-0.0	0.8	-0.0
0.1	0.0		110	1.0	-0.7	-6.3	0.0
-0.3	0.0		48	-0.5	0.7	6.2	0.0
0.3	-0.0		753	-0.2	0.0	-0.7	0.0
-0.1	0.0						
		SLVz (RS)	732	-0.5	0.0	-0.6	0.0
0.0	0.0		110	-0.9	0.0	0.1	0.0
-0.0	0.0		48	0.8	-0.0	0.3	-0.0
0.0	0.0		753	0.5	-0.0	0.3	-0.0
-0.0	-0.0						
		g1	732	11.6	-0.0	16.2	-0.0
-1.0	-0.0		110	20.5	-0.1	0.5	-0.0
0.6	-0.0		48	-19.6	0.1	-9.0	0.0
-0.2	-0.0		753	-12.6	0.0	-7.6	0.0
0.6	0.0						
		g2	732	6.5	0.0	8.3	-0.0
-0.6	-0.0		110	9.7	0.1	4.8	-0.0
0.5	-0.0		48	-9.5	-0.1	-9.2	-0.0
-0.3	-0.0		753	-6.7	-0.0	-3.9	-0.0
0.5	-0.0						
		q3	732	1.4	0.0	2.1	0.0
-0.1	0.0		110	2.4	-0.0	0.6	0.0
0.1	-0.0		48	-2.3	0.0	-1.6	0.0
-0.1	-0.0		753	-1.5	-0.0	-1.1	-0.0
0.1	-0.0						
		q5_pc	732	-0.5	-0.1	2.8	-0.0
0.2	0.0		110	4.8	-1.7	-16.4	0.1
-0.6	0.0						

PROJECT TITLE :

MIDAS			Company	Client				
			Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.8	-0.0		48	-2.9	1.7	15.2	0.1	
-0.4	0.0		753	-1.5	0.1	-1.7	0.0	
0.2	0.0	q5_ps	732	-0.5	-0.1	2.3	-0.0	
-0.5	0.0		110	3.8	-1.4	-13.5	0.1	
0.6	-0.0		48	-2.2	1.4	12.7	0.1	
-0.3	0.0		753	-1.1	0.1	-1.5	0.0	
6.5	-0.0	INVSLU Max	732	16.2	0.2	-113.6	-0.0	
-8.2	-0.0		110	-38.4	3.9	-25.7	-0.0	
7.3	0.0		48	36.3	0.4	74.0	0.1	
-2.9	0.0		753	1.2	-0.0	113.0	0.1	
5.9	-0.0	Min	732	13.2	-0.0	-122.6	-0.1	
-9.8	-0.0		110	-52.1	-0.3	-66.8	-0.3	
5.4	-0.0		48	27.3	-3.9	34.4	-0.2	
-4.0	0.0		753	-3.8	-0.2	107.5	-0.0	
-0.6	0.0	INVSLV Max	732	11.9	0.0	16.4	-0.0	
1.0	0.0		110	16.4	1.7	13.6	0.0	
0.5	0.0		48	-10.9	1.0	6.4	0.1	
0.9	0.0		753	-5.8	0.0	-5.6	0.0	
-1.1	-0.0	Min	732	7.6	-0.0	10.3	-0.0	
-0.2	-0.0		110	8.7	-1.0	-12.2	-0.1	
-0.8	-0.0		48	-17.7	-1.7	-19.7	-0.1	
0.2	-0.0		753	-10.1	-0.0	-9.1	-0.0	
820	2	8	Q1-1-2 Max	118	0.0	0.0	0.0	0.0
0.0	0.0		733	0.0	0.0	0.0	0.0	
0.0	0.0		754	0.0	0.0	0.0	0.0	
0.0	0.0		49	0.0	0.0	0.0	0.0	
0.0	0.0		Min	118	0.0	0.0	0.0	0.0
0.0	0.0		733	0.0	0.0	0.0	0.0	



PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		754	0.0	0.0	0.0	0.0	
0.0	0.0		49	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q2a-1-2	Max	118	0.0	0.0	0.0	0.0
0.0	0.0			733	0.0	0.0	0.0	0.0
0.0	0.0			754	0.0	0.0	0.0	0.0
0.0	0.0			49	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	118	0.0	0.0	0.0	0.0
0.0	0.0			733	0.0	0.0	0.0	0.0
0.0	0.0			754	0.0	0.0	0.0	0.0
0.0	0.0			49	0.0	0.0	0.0	0.0
0.0	0.0							
			SLVx (RS)	118	1.6	0.0	0.3	0.0
0.0	-0.0			733	0.9	0.0	-0.8	0.0
-0.1	0.0			754	-1.0	-0.0	0.2	-0.0
0.0	0.0			49	-1.5	-0.0	0.4	-0.0
-0.0	0.0							
			SLVy (RS)	118	-2.1	-1.3	-12.2	0.1
0.5	-0.0			733	0.9	0.0	1.7	-0.0
-0.2	-0.0			754	0.6	0.0	-1.3	0.0
0.3	-0.0			49	0.8	1.3	11.9	0.1
-0.6	0.0							
			SLDx (RS)	118	0.8	0.0	0.2	0.0
0.0	-0.0			733	0.5	0.0	-0.4	0.0
-0.0	0.0			754	-0.5	-0.0	0.1	-0.0
0.0	0.0			49	-0.8	-0.0	0.2	-0.0
-0.0	0.0							
			SLDy (RS)	118	-1.1	-0.7	-6.1	0.0
0.2	-0.0			733	0.4	0.0	0.8	-0.0
-0.1	-0.0			754	0.3	0.0	-0.6	0.0
0.1	-0.0			49	0.4	0.7	5.9	0.0
-0.3	0.0							

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
		SLVz (RS)	118	0.7	0.0	0.1	0.0
0.0	-0.0		733	0.4	0.0	-0.3	0.0
-0.0	0.0		754	-0.4	-0.0	0.1	-0.0
0.0	0.0		49	-0.7	-0.0	0.3	-0.0
0.0	-0.0						
		g1	118	-16.4	-0.1	-0.2	-0.0
-0.5	0.0		733	-9.5	-0.0	12.8	-0.0
0.9	-0.0		754	9.7	0.0	-5.9	0.0
-0.5	-0.0		49	16.1	0.1	-6.7	0.0
0.1	0.0						
		g2	118	-7.7	0.1	4.4	-0.0
-0.4	0.0		733	-5.3	0.0	6.6	-0.0
0.6	0.0		754	5.2	-0.0	-3.1	-0.0
-0.4	0.0		49	7.8	-0.1	-7.8	-0.0
0.3	0.0						
		q3	118	-0.4	-0.0	-0.0	-0.0
-0.0	-0.0		733	-0.2	-0.0	0.3	-0.0
0.0	-0.0		754	0.3	0.0	-0.1	0.0
-0.0	-0.0		49	0.4	0.0	-0.2	0.0
0.0	0.0						
		q5_pc	118	-4.7	-1.7	-15.9	0.1
0.6	-0.0		733	0.5	-0.1	2.7	-0.0
-0.2	-0.0		754	1.6	0.1	-1.5	0.0
0.4	-0.0		49	2.6	1.7	14.7	0.1
-0.7	0.0						
		q5_ps	118	-3.6	-1.4	-13.1	0.1
0.5	-0.0		733	0.5	-0.0	2.3	-0.0
-0.2	-0.0		754	1.2	0.0	-1.4	0.0
0.3	-0.0		49	1.9	1.4	12.2	0.1
-0.6	0.0						
		INVSLU Max	118	57.6	3.8	-27.7	-0.0
9.9	0.0		733	-7.6	0.2	-117.0	-0.0
-6.2	0.0		754	-1.1	-0.0	110.7	0.1
4.2	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-5.6	0.0			49	-37.3	0.4	77.8	0.1
			Min	118	46.3	-0.3	-67.0	-0.2
8.5	0.0			733	-9.3	0.0	-124.1	-0.1
-6.7	-0.0			754	-5.1	-0.2	106.5	-0.0
3.2	-0.0			49	-43.5	-3.8	41.1	-0.2
-7.4	-0.0							
		INVSLV	Max	118	-5.0	1.7	13.2	0.0
0.2	0.0			733	-5.7	0.0	12.4	-0.0
0.9	0.0			754	6.3	0.0	-5.2	0.0
-0.2	0.0			49	11.7	1.0	7.4	0.1
0.7	0.0							
			Min	118	-10.5	-1.0	-11.6	-0.1
-0.8	-0.0			733	-8.3	-0.0	8.4	-0.0
0.5	-0.0			754	3.8	-0.0	-7.9	-0.0
-0.8	0.0			49	7.8	-1.7	-16.7	-0.1
-0.5	-0.0							
868	2	8	Q1-1-2	Max	805	0.0	0.0	0.0
0.0	0.0	0.0			807	0.0	0.0	0.0
0.0	0.0	0.0			2331	0.0	0.0	0.0
0.0	0.0	0.0			2330	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	805	0.0	0.0	0.0	0.0
0.0	0.0	0.0			807	0.0	0.0	0.0
0.0	0.0	0.0			2331	0.0	0.0	0.0
0.0	0.0	0.0			2330	0.0	0.0	0.0
0.0	0.0	0.0						
			Q2a-1-2	Max	805	0.0	0.0	0.0
0.0	0.0	0.0			807	0.0	0.0	0.0
0.0	0.0	0.0			2331	0.0	0.0	0.0
0.0	0.0	0.0			2330	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	805	0.0	0.0	0.0	0.0
0.0	0.0	0.0			807	0.0	0.0	0.0
0.0	0.0	0.0			2331	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		2330	0.0	0.0	0.0	0.0
-0.2	0.0	SLVx (RS)	805	-5.5	-0.0	-1.8	-0.0
0.2	-0.0		807	14.7	0.0	-2.5	-0.0
-0.2	0.0		2331	4.3	0.0	1.7	-0.0
0.2	-0.0		2330	-13.3	-0.0	2.4	-0.0
-0.1	-0.0	SLVy (RS)	805	-4.1	-0.1	-0.5	0.0
0.1	0.0		807	2.5	-0.2	-0.3	0.0
-0.1	0.0		2331	3.8	0.2	0.8	-0.0
0.1	-0.0		2330	-2.2	0.1	-0.6	-0.0
-0.1	0.0	SLDx (RS)	805	-2.7	-0.0	-0.9	-0.0
0.1	-0.0		807	7.3	0.0	-1.3	-0.0
-0.1	0.0		2331	2.2	0.0	0.8	-0.0
0.1	-0.0		2330	-6.6	-0.0	1.2	-0.0
-0.0	-0.0	SLDy (RS)	805	-2.1	-0.1	-0.3	0.0
0.0	0.0		807	1.3	-0.1	-0.2	0.0
-0.0	0.0		2331	1.9	0.1	0.4	-0.0
0.0	-0.0		2330	-1.1	0.1	-0.3	-0.0
0.1	0.0	SLVz (RS)	805	1.3	0.0	-0.7	-0.0
-0.1	-0.0		807	-5.2	-0.0	1.0	-0.0
0.1	-0.0		2331	-1.0	0.0	0.6	0.0
-0.1	0.0		2330	4.7	-0.0	-1.0	0.0
-1.6	-0.0	g1	805	-27.7	-0.0	14.6	0.0
1.7	0.0		807	121.5	-0.0	-21.0	0.0
-1.3	0.0		2331	16.5	0.0	-14.9	-0.0
1.2	-0.0		2330	-110.3	0.0	21.3	-0.0
-0.8	0.0	g2	805	-14.1	0.0	7.2	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.9	-0.0			807	59.5	0.0	-10.0	-0.0
				2331	8.5	-0.0	-7.3	0.0
-0.7	-0.0			2330	-53.8	-0.0	10.1	0.0
0.6	0.0							
		q3		805	-6.5	-0.0	0.2	0.0
-0.2	-0.0			807	9.7	-0.0	-1.0	0.0
0.2	0.0			2331	5.4	0.0	0.0	-0.0
-0.1	0.0			2330	-8.7	0.0	0.7	-0.0
0.2	-0.0							
		q5_pc		805	-2.3	-0.0	0.3	0.0
-0.1	-0.0			807	4.4	-0.0	-0.5	0.0
0.1	0.0			2331	1.9	0.0	-0.2	-0.0
-0.1	0.0			2330	-4.0	0.0	0.5	-0.0
0.1	-0.0							
		q5_ps		805	-2.1	-0.0	0.1	0.0
-0.1	-0.0			807	3.6	0.0	-0.4	0.0
0.1	0.0			2331	1.8	-0.0	-0.1	-0.0
-0.1	0.0			2330	-3.2	0.0	0.3	-0.0
0.1	-0.0							
		INVSLU	Max	805	-72.1	0.0	31.9	0.0
-3.7	-0.0			807	295.7	-0.0	-47.3	0.0
4.1	0.0			2331	54.4	0.0	-29.0	0.0
-2.9	0.0			2330	-243.7	0.0	47.2	0.0
3.2	-0.0							
			Min	805	-86.2	-0.0	31.1	-0.0
-4.1	-0.0			807	273.2	-0.0	-49.7	-0.0
3.7	-0.0			2331	42.6	0.0	-29.4	-0.0
-3.3	-0.0			2330	-263.9	-0.0	45.3	-0.0
2.9	-0.0							
		INVSLV	Max	805	-41.7	0.1	24.7	0.0
-2.3	0.0			807	210.2	0.2	-30.4	0.0
2.9	0.0			2331	34.6	0.2	-19.6	0.0
-1.9	0.0			2330	-157.9	0.1	35.5	0.0
2.2	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


				Min	805	-56.0	-0.1	20.4	-0.0
-2.8	-0.0				807	176.2	-0.2	-36.3	-0.0
2.4	-0.0				2331	23.0	-0.2	-23.7	-0.0
-2.3	-0.0				2330	-188.5	-0.2	29.6	-0.0
1.8	-0.0								
869	2	4	Q1-1-2	Max	807	0.0	0.0	0.0	0.0
0.0	0.0	0.0			50	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2297	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2331	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	807	0.0	0.0	0.0	0.0
0.0	0.0	0.0			50	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2297	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2331	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	807	0.0	0.0	0.0	0.0
0.0	0.0	0.0			50	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2297	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2331	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	807	0.0	0.0	0.0	0.0
0.0	0.0	0.0			50	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2297	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2331	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				SLVx (RS)	807	-5.6	-0.0	2.4	-0.0
-0.2	0.0	0.0			50	15.0	-0.0	2.1	-0.0
0.2	0.0	0.0			2297	5.1	0.0	-2.2	-0.0
-0.3	0.0	0.0			2331	-16.3	0.0	-2.1	-0.0
0.3	-0.0	0.0							
				SLVy (RS)	807	-4.2	-0.3	0.1	0.1
-0.1	-0.0	0.0			50	1.9	-0.3	0.7	0.1
0.0	0.0	0.0			2297	4.8	0.3	0.6	-0.0
-0.1	0.0	0.0			2331	-1.7	0.3	-1.0	-0.0
0.1	-0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	807	-2.8	-0.0	1.2	-0.0
-0.1	0.0		50	7.5	-0.0	1.1	-0.0
0.1	0.0		2297	2.6	0.0	-1.1	-0.0
-0.1	0.0		2331	-8.2	0.0	-1.0	-0.0
0.1	-0.0						
		SLDy (RS)	807	-2.1	-0.1	0.1	0.0
-0.0	-0.0		50	0.9	-0.1	0.4	0.0
0.0	0.0		2297	2.4	0.1	0.3	-0.0
-0.0	0.0		2331	-0.8	0.1	-0.5	-0.0
0.1	-0.0						
		SLVz (RS)	807	-2.5	0.0	-1.1	-0.0
0.1	0.0		50	-6.0	-0.0	0.6	-0.0
-0.1	-0.0		2297	2.2	0.0	1.0	0.0
0.1	-0.0		2331	6.4	-0.0	-0.5	0.0
-0.1	0.0						
		g1	807	44.4	-0.0	24.6	0.0
-1.2	-0.0		50	132.2	-0.0	-9.8	0.0
1.6	0.0		2297	-32.9	0.0	-23.4	-0.0
-2.4	0.0		2331	-143.7	0.0	8.8	-0.0
2.1	-0.0						
		g2	807	21.0	0.0	12.3	-0.0
-0.7	0.0		50	64.2	0.0	-4.3	-0.0
0.8	-0.0		2297	-15.5	-0.0	-11.8	0.0
-1.2	-0.0		2331	-69.8	-0.0	3.7	0.0
1.1	0.0						
		q3	807	-2.2	-0.0	1.2	0.0
-0.2	-0.0		50	6.5	-0.0	0.1	0.0
0.1	0.0		2297	3.6	0.0	-0.7	-0.0
-0.2	0.0		2331	-7.9	0.0	-0.6	-0.0
0.3	-0.0						
		q5_pc	807	-0.1	-0.0	0.7	0.0
-0.1	-0.0		50	3.6	-0.0	-0.1	0.0
0.1	0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
-0.1	0.0			2297	0.7	0.0	-0.5	-0.0
0.1	-0.0			2331	-4.2	0.0	-0.1	-0.0
		q5_ps		807	-0.4	-0.0	0.5	0.0
-0.1	-0.0			50	2.7	-0.0	-0.0	0.0
0.1	0.0			2297	0.9	0.0	-0.4	-0.0
-0.1	-0.0			2331	-3.2	0.0	-0.1	-0.0
0.1	-0.0							
		INVSLU	Max	807	86.0	-0.0	58.8	0.0
-3.2	0.0			50	299.2	-0.0	-19.2	0.0
3.7	0.0			2297	-55.4	0.0	-49.7	0.0
-5.4	0.0			2331	-306.8	0.0	13.4	0.0
5.8	0.0							
			Min	807	82.2	-0.0	55.8	-0.0
-3.5	-0.0			50	283.1	-0.0	-19.5	0.0
3.4	0.0			2297	-62.3	0.0	-51.6	-0.0
-6.0	0.0			2331	-326.1	0.0	12.3	-0.0
5.2	-0.0							
		INVSLV	Max	807	71.5	0.3	42.3	0.1
-2.0	0.0			50	221.1	0.3	-11.8	0.1
2.7	0.0			2297	-39.8	0.3	-33.2	0.0
-3.5	0.0			2331	-201.8	0.3	13.4	0.0
3.9	0.0							
			Min	807	56.4	-0.3	36.7	-0.1
-2.4	-0.0			50	186.3	-0.3	-16.8	-0.1
2.2	-0.0			2297	-54.2	-0.3	-38.6	-0.0
-4.2	-0.0			2331	-239.3	-0.3	8.3	-0.0
3.2	-0.0							
872	2	8	Q1-1-2	Max	811	0.0	0.0	0.0
0.0	0.0				813	0.0	0.0	0.0
0.0	0.0				814	0.0	0.0	0.0
0.0	0.0				812	0.0	0.0	0.0
0.0	0.0							
			Min	811	0.0	0.0	0.0	0.0
0.0	0.0				813	0.0	0.0	0.0




PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

0.0	0.0		814	0.0	0.0	0.0	0.0	
0.0	0.0		812	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q2a-1-2	Max	811	0.0	0.0	0.0	0.0
0.0	0.0			813	0.0	0.0	0.0	0.0
0.0	0.0			814	0.0	0.0	0.0	0.0
0.0	0.0			812	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	811	0.0	0.0	0.0	0.0
0.0	0.0			813	0.0	0.0	0.0	0.0
0.0	0.0			814	0.0	0.0	0.0	0.0
0.0	0.0			812	0.0	0.0	0.0	0.0
0.0	0.0							
			SLVx (RS)	811	-8.9	-0.0	-5.7	-0.0
-0.7	-0.0			813	11.7	0.0	6.0	-0.0
0.7	0.0			814	7.1	-0.0	5.9	-0.0
-0.7	0.0			812	-8.8	0.0	-6.1	-0.0
0.7	-0.0							
			SLVy (RS)	811	-10.6	0.0	-4.4	-0.0
-0.7	0.0			813	5.3	0.1	4.2	-0.0
0.7	-0.0			814	10.6	-0.1	4.3	0.0
-0.7	-0.0			812	-5.2	-0.0	-4.2	0.0
0.7	0.0							
			SLDx (RS)	811	-4.5	-0.0	-2.9	-0.0
-0.4	-0.0			813	5.9	0.0	3.0	-0.0
0.4	0.0			814	3.5	-0.0	2.9	-0.0
-0.3	0.0			812	-4.4	0.0	-3.1	-0.0
0.3	-0.0							
			SLDy (RS)	811	-5.3	0.0	-2.2	-0.0
-0.3	0.0			813	2.6	0.0	2.1	-0.0
0.3	-0.0			814	5.3	-0.0	2.2	0.0
-0.3	-0.0			812	-2.6	-0.0	-2.1	0.0
0.3	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
		SLVz (RS)	811	2.2	0.0	-2.4	-0.0
0.2	0.0		813	-4.2	0.0	2.5	-0.0
-0.2	-0.0		814	-1.9	-0.0	2.5	-0.0
0.2	0.0		812	3.2	-0.0	-2.6	-0.0
-0.2	-0.0						
		g1	811	-26.9	-0.0	47.3	0.0
-4.1	0.0		813	93.3	-0.0	-42.1	0.0
4.3	-0.0		814	3.9	0.0	-49.5	0.0
-4.2	-0.0		812	-70.3	0.0	44.5	0.0
4.0	0.0						
		g2	811	-13.6	0.0	22.9	0.0
-2.0	-0.0		813	45.2	0.0	-19.7	0.0
2.1	0.0		814	2.2	-0.0	-24.0	-0.0
-2.0	0.0		812	-33.8	-0.0	20.8	-0.0
1.9	-0.0						
		q3	811	-11.2	-0.0	-2.5	0.0
-0.7	0.0		813	8.1	-0.0	2.5	0.0
0.7	-0.0		814	9.2	0.0	2.5	0.0
-0.7	-0.0		812	-6.0	0.0	-2.5	0.0
0.7	0.0						
		q5_pc	811	-6.2	-0.0	-0.1	-0.0
-0.5	0.0		813	6.4	-0.0	0.1	-0.0
0.5	-0.0		814	5.8	-0.0	-0.1	0.0
-0.5	-0.0		812	-6.0	0.0	0.0	0.0
0.5	0.0						
		q5_ps	811	-5.7	-0.0	-0.4	-0.0
-0.4	0.0		813	5.4	0.0	0.4	-0.0
0.5	-0.0		814	5.4	-0.0	0.3	0.0
-0.5	-0.0		812	-5.1	0.0	-0.3	0.0
0.4	0.0						
		INVSLU Max	811	215.6	0.0	98.5	-0.0
16.9	0.0		813	-71.0	-0.0	-79.5	-0.0
-14.9	-0.0		814	-294.1	0.0	-95.1	0.0
17.1	-0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-14.8	0.0			812	200.0	0.0	84.4	0.0
			Min	811	186.3	-0.0	94.4	-0.0
14.8	0.0			813	-95.7	-0.0	-83.6	-0.0
-17.0	-0.0			814	-319.8	0.0	-99.0	0.0
15.0	-0.0			812	178.6	0.0	80.6	0.0
-16.9	0.0							
		INVSLV	Max	811	99.5	0.0	78.4	0.0
6.6	0.0			813	18.2	0.1	-51.8	0.0
-4.8	0.0			814	-133.3	0.1	-63.2	0.0
6.8	0.0			812	68.8	0.0	68.7	0.0
-4.8	0.0							
			Min	811	71.5	-0.0	62.9	-0.0
4.7	-0.0			813	-10.9	-0.1	-67.9	-0.0
-6.7	-0.0			814	-159.8	-0.1	-79.0	-0.0
4.9	-0.0			812	46.1	-0.0	52.4	-0.0
-6.6	-0.0							
873	2	4	Q1-1-2	Max	813	0.0	0.0	0.0
0.0	0.0				655	0.0	0.0	0.0
0.0	0.0				658	0.0	0.0	0.0
0.0	0.0				814	0.0	0.0	0.0
0.0	0.0							
			Min	813	0.0	0.0	0.0	0.0
0.0	0.0				655	0.0	0.0	0.0
0.0	0.0				658	0.0	0.0	0.0
0.0	0.0				814	0.0	0.0	0.0
0.0	0.0							
			Q2a-1-2	Max	813	0.0	0.0	0.0
0.0	0.0				655	0.0	0.0	0.0
0.0	0.0				658	0.0	0.0	0.0
0.0	0.0				814	0.0	0.0	0.0
0.0	0.0							
			Min	813	0.0	0.0	0.0	0.0
0.0	0.0				655	0.0	0.0	0.0
0.0	0.0				658	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	0.0		814	0.0	0.0	0.0	0.0
-0.7	-0.0	SLVx (RS)	813	-9.5	0.0	-5.7	-0.0
0.7	-0.0		655	14.8	0.0	5.9	-0.0
-0.7	-0.0		658	8.9	-0.0	6.1	-0.0
0.7	-0.0		814	-12.0	-0.0	-6.2	-0.0
-0.7	0.0	SLVy (RS)	813	-13.2	0.1	-4.2	-0.1
0.6	-0.0		655	2.8	0.1	4.1	-0.1
-0.6	-0.0		658	13.2	-0.1	4.3	0.0
0.7	0.0		814	-2.7	-0.1	-4.1	0.0
-0.4	-0.0	SLDx (RS)	813	-4.7	0.0	-2.9	-0.0
0.4	-0.0		655	7.4	0.0	3.0	-0.0
-0.3	-0.0		658	4.4	-0.0	3.1	-0.0
0.3	-0.0		814	-6.0	-0.0	-3.1	-0.0
-0.3	0.0	SLDy (RS)	813	-6.6	0.0	-2.1	-0.0
0.3	-0.0		655	1.4	0.1	2.1	-0.0
-0.3	-0.0		658	6.6	-0.1	2.1	0.0
0.3	0.0		814	-1.4	-0.1	-2.1	0.0
0.2	0.0	SLVz (RS)	813	2.8	0.0	-2.4	-0.0
-0.2	-0.0		655	-6.1	0.0	2.3	-0.0
0.2	-0.0		658	3.1	-0.0	2.8	-0.0
-0.2	-0.0		814	5.0	-0.0	-2.5	-0.0
-4.6	0.0	g1	813	8.0	-0.0	50.8	0.0
5.0	-0.0		655	128.1	-0.0	-34.9	0.0
-4.9	-0.0		658	-30.6	0.0	-55.1	0.0
4.5	0.0		814	-105.5	0.0	39.7	0.0
-2.4	-0.0	g2	813	2.9	0.0	24.7	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

2.5	0.0			655	61.7	0.0	-15.9	0.0
-2.5	0.0			658	-14.2	-0.0	-26.9	-0.0
2.3	-0.0			814	-50.5	-0.0	18.1	-0.0
-0.8	0.0	q3		813	-12.2	-0.0	-2.1	0.0
0.7	0.0			655	5.9	-0.0	2.7	0.0
-0.7	-0.0			658	10.2	0.0	2.1	0.0
0.7	0.0			814	-4.0	0.0	-2.7	0.0
-0.5	0.0	q5_pc		813	-6.0	-0.0	0.0	-0.0
0.5	-0.0			655	6.6	-0.0	0.2	-0.0
-0.5	-0.0			658	5.7	0.0	-0.3	0.0
0.5	0.0			814	-6.2	0.0	0.0	0.0
-0.4	0.0	q5_ps		813	-5.7	-0.0	-0.4	-0.0
0.5	-0.0			655	5.3	-0.0	0.5	-0.0
-0.5	-0.0			658	5.4	-0.0	0.2	0.0
0.4	0.0			814	-5.0	0.0	-0.3	0.0
15.6	0.0	INVSLU	Max	813	281.2	-0.0	106.6	-0.0
-13.8	-0.0			655	-12.2	-0.0	-70.1	-0.0
16.3	-0.0			658	-356.6	0.0	-103.1	0.0
-13.8	0.0			814	136.6	0.0	75.0	0.0
13.4	0.0		Min	813	250.8	-0.0	103.3	-0.0
-15.9	-0.0			655	-34.1	-0.0	-74.6	-0.0
14.2	-0.0			658	-383.7	0.0	-106.4	0.0
-15.9	0.0			814	117.5	0.0	71.0	0.0
5.9	0.0	INVSLV	Max	813	151.9	0.1	82.8	0.1
-4.1	0.0			655	66.3	0.1	-46.1	0.1
6.4	0.0			658	-179.1	0.1	-67.6	0.0
-4.4	0.0			814	26.5	0.1	63.4	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


			Min	813	118.1	-0.1	67.4	-0.1
3.9	-0.0			655	31.2	-0.1	-61.8	-0.1
-6.1	-0.0			658	-212.7	-0.1	-84.1	-0.0
4.5	-0.0			814	-2.1	-0.1	46.9	-0.0
-6.2	-0.0							
876	2	8	Q1-1-2	Max	806	0.0	0.0	0.0
0.0	0.0	0.0			808	0.0	0.0	0.0
0.0	0.0	0.0			813	0.0	0.0	0.0
0.0	0.0	0.0			811	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	806	0.0	0.0	0.0	0.0
0.0	0.0	0.0			808	0.0	0.0	0.0
0.0	0.0	0.0			813	0.0	0.0	0.0
0.0	0.0	0.0			811	0.0	0.0	0.0
0.0	0.0	0.0						
			Q2a-1-2	Max	806	0.0	0.0	0.0
0.0	0.0	0.0			808	0.0	0.0	0.0
0.0	0.0	0.0			813	0.0	0.0	0.0
0.0	0.0	0.0			811	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	806	0.0	0.0	0.0	0.0
0.0	0.0	0.0			808	0.0	0.0	0.0
0.0	0.0	0.0			813	0.0	0.0	0.0
0.0	0.0	0.0			811	0.0	0.0	0.0
0.0	0.0	0.0						
			SLVx (RS)	806	-15.1	-0.0	-5.6	-0.0
-1.3	0.0			808	19.5	-0.0	6.2	-0.0
1.3	-0.0			813	12.5	-0.0	5.9	0.0
-1.3	-0.0			811	-16.6	0.0	-6.4	0.0
1.3	0.0							
			SLVy (RS)	806	-10.7	-0.0	-3.8	-0.0
-0.7	0.0			808	6.0	-0.1	3.7	-0.0
0.7	-0.0			813	10.6	0.0	4.0	0.0
-0.7	-0.0			811	-5.9	0.0	-3.9	0.0
0.7	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.7	0.0	SLDx (RS)	806	-7.6	-0.0	-2.8	-0.0
0.7	-0.0		808	9.7	-0.0	3.1	-0.0
-0.6	-0.0		813	6.2	-0.0	2.9	0.0
0.7	0.0		811	-8.3	0.0	-3.2	0.0
-0.3	0.0	SLDy (RS)	806	-5.3	-0.0	-1.9	-0.0
0.3	-0.0		808	3.0	-0.0	1.9	-0.0
-0.3	-0.0		813	5.3	0.0	2.0	0.0
0.4	0.0		811	-2.9	0.0	-1.9	0.0
0.4	0.0	SLVz (RS)	806	4.1	0.0	-2.2	-0.0
-0.4	-0.0		808	-6.8	0.0	2.3	-0.0
0.4	-0.0		813	-3.2	-0.0	2.4	0.0
-0.4	0.0		811	5.8	-0.0	-2.5	0.0
-9.2	-0.0	g1	806	-89.5	-0.0	43.5	0.0
9.4	0.0		808	156.5	-0.0	-42.0	0.0
-9.3	0.0		813	66.1	0.0	-46.7	-0.0
9.2	-0.0		811	-133.2	0.0	45.5	-0.0
-4.5	-0.0	g2	806	-44.5	0.0	20.9	0.0
4.6	0.0		808	76.4	0.0	-19.7	0.0
-4.6	0.0		813	32.7	-0.0	-22.5	-0.0
4.5	-0.0		811	-64.7	-0.0	21.3	-0.0
-1.2	-0.0	q3	806	-16.3	-0.0	-1.9	0.0
1.2	0.0		808	14.2	-0.0	1.8	0.0
-1.2	0.0		813	14.2	0.0	2.0	-0.0
1.2	-0.0		811	-12.2	0.0	-1.9	-0.0
-0.6	0.0	q5_pc	806	-7.4	-0.0	-0.0	0.0
0.6	-0.0		808	7.7	-0.0	0.0	0.0

PROJECT TITLE :

		Company			Client				
		Author			File Name				
							PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
-0.6	-0.0			813	6.9	-0.0	-0.0	0.0	
0.6	0.0			811	-7.3	0.0	0.1	0.0	
			q5_ps	806	-6.6	-0.0	-0.4	0.0	
-0.5	0.0			808	6.4	0.0	0.3	0.0	
0.5	-0.0			813	6.2	-0.0	0.3	0.0	
-0.5	-0.0			811	-6.1	0.0	-0.2	0.0	
0.5	0.0								
			INVSLU	Max	806	-64.3	-0.0	88.3	-0.0
-6.4	0.0			808	226.9	-0.0	-81.0	-0.0	
9.0	-0.0			813	-4.6	0.0	-88.8	0.0	
-6.2	-0.0			811	-87.5	0.0	87.9	0.0	
9.5	0.0								
				Min	806	-102.7	-0.0	85.1	-0.0
-9.4	0.0			808	191.2	-0.0	-83.9	-0.0	
6.1	-0.0			813	-39.4	0.0	-92.0	0.0	
-9.1	-0.0			811	-119.5	0.0	85.0	0.0	
6.5	0.0								
			INVSLV	Max	806	-58.9	0.0	72.0	0.0
-6.3	0.0			808	196.1	0.0	-53.2	0.0	
9.5	0.0			813	33.7	0.1	-59.6	0.0	
-6.2	0.0			811	-91.4	0.0	72.5	0.0	
9.6	0.0								
				Min	806	-98.0	-0.0	57.1	-0.0
-9.6	-0.0			808	149.5	-0.1	-69.1	-0.0	
6.2	-0.0			813	0.5	-0.0	-75.2	-0.0	
-9.5	-0.0			811	-131.5	-0.0	56.0	-0.0	
6.4	-0.0								
877	2	4	Q1-1-2	Max	808	0.0	0.0	0.0	0.0
0.0	0.0	0.0		628	0.0	0.0	0.0	0.0	
0.0	0.0	0.0		655	0.0	0.0	0.0	0.0	
0.0	0.0	0.0		813	0.0	0.0	0.0	0.0	
0.0	0.0	0.0							
				Min	808	0.0	0.0	0.0	0.0
0.0	0.0	0.0		628	0.0	0.0	0.0	0.0	



PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


0.0	0.0		655	0.0	0.0	0.0	0.0	
0.0	0.0		813	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q2a-1-2	Max	808	0.0	0.0	0.0	0.0
0.0	0.0			628	0.0	0.0	0.0	0.0
0.0	0.0			655	0.0	0.0	0.0	0.0
0.0	0.0			813	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	808	0.0	0.0	0.0	0.0
0.0	0.0			628	0.0	0.0	0.0	0.0
0.0	0.0			655	0.0	0.0	0.0	0.0
0.0	0.0			813	0.0	0.0	0.0	0.0
0.0	0.0							
			SLVx (RS)	808	-12.9	0.0	-5.9	-0.0
-1.4	0.0			628	22.2	0.0	5.8	-0.0
1.3	-0.0			655	10.8	-0.0	6.3	0.0
-1.3	-0.0			813	-19.4	-0.0	-6.2	0.0
1.3	0.0							
			SLVy (RS)	808	-12.3	-0.0	-3.5	-0.0
-0.7	0.0			628	3.4	-0.1	3.7	-0.0
0.6	-0.0			655	12.3	0.1	3.7	0.1
-0.6	-0.0			813	-3.3	0.1	-3.9	0.1
0.7	0.0							
			SLDx (RS)	808	-6.4	0.0	-3.0	-0.0
-0.7	0.0			628	11.1	0.0	2.9	-0.0
0.7	-0.0			655	5.4	-0.0	3.1	0.0
-0.6	-0.0			813	-9.7	-0.0	-3.1	0.0
0.7	0.0							
			SLDy (RS)	808	-6.2	-0.0	-1.7	-0.0
-0.3	0.0			628	1.7	-0.0	1.9	-0.0
0.3	-0.0			655	6.2	0.0	1.8	0.0
-0.3	-0.0			813	-1.7	0.0	-2.0	0.0
0.3	0.0							

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

		SLVz (RS)	808	3.1	0.0	-2.4	-0.0
0.4	0.0		628	-8.6	0.0	2.1	-0.0
-0.4	-0.0		655	-2.6	-0.0	2.6	0.0
0.4	-0.0		813	7.5	-0.0	-2.3	0.0
-0.4	0.0						
		g1	808	-51.8	-0.0	50.1	0.0
-9.9	-0.0		628	189.9	-0.0	-33.3	0.0
10.1	0.0		655	29.2	0.0	-54.5	-0.0
-9.9	0.0		813	-167.4	0.0	38.1	-0.0
9.7	-0.0						
		g2	808	-26.4	0.0	24.4	0.0
-4.9	-0.0		628	92.2	0.0	-15.3	0.0
5.0	0.0		655	15.1	-0.0	-26.6	-0.0
-4.9	0.0		813	-80.9	-0.0	17.5	-0.0
4.8	-0.0						
		q3	808	-16.0	-0.0	-1.0	0.0
-1.2	-0.0		628	12.0	-0.0	2.3	0.0
1.1	0.0		655	14.1	0.0	1.2	-0.0
-1.1	0.0		813	-10.1	0.0	-2.4	-0.0
1.2	-0.0						
		q5_pc	808	-6.8	-0.0	0.3	0.0
-0.6	0.0		628	7.7	-0.0	0.2	0.0
0.6	-0.0		655	6.5	0.0	-0.4	0.0
-0.6	-0.0		813	-7.3	0.0	-0.1	0.0
0.6	0.0						
		q5_ps	808	-6.3	-0.0	-0.1	0.0
-0.5	0.0		628	6.2	0.0	0.4	0.0
0.5	-0.0		655	6.0	-0.0	0.0	0.0
-0.5	-0.0		813	-5.9	0.0	-0.3	0.0
0.5	0.0						
		INVSLU Max	808	13.1	-0.0	105.8	-0.0
-8.1	0.0		628	280.2	-0.0	-61.7	-0.0
10.2	-0.0		655	-81.1	0.0	-106.5	0.0
-6.8	-0.0						

PROJECT TITLE :

			Company	Client				
			Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
10.6	0.0		813	-146.1	0.0	69.1	0.0	
		Min	808	-24.0	-0.0	103.9	-0.0	
-11.2	0.0		628	247.8	-0.0	-65.6	-0.0	
7.4	-0.0		655	-114.8	0.0	-108.8	0.0	
-9.6	-0.0		813	-175.1	0.0	65.2	0.0	
7.7	0.0							
		INVSLV Max	808	-4.2	0.0	83.5	0.0	
-7.4	0.0		628	242.0	0.1	-41.4	0.0	
10.4	0.0		655	-22.5	0.1	-70.4	0.1	
-6.7	0.0		813	-133.1	0.1	60.3	0.1	
10.3	0.0							
		Min	808	-39.2	-0.1	68.1	-0.0	
-10.8	-0.0		628	190.4	-0.1	-56.6	-0.0	
7.0	-0.0		655	-55.2	-0.1	-86.7	-0.1	
-9.8	-0.0		813	-178.3	-0.1	44.1	-0.1	
7.0	-0.0							
880	2	8	Q1-1-2	Max	812	0.0	0.0	0.0
0.0	0.0				814	0.0	0.0	0.0
0.0	0.0				817	0.0	0.0	0.0
0.0	0.0				816	0.0	0.0	0.0
0.0	0.0							
			Min		812	0.0	0.0	0.0
0.0	0.0				814	0.0	0.0	0.0
0.0	0.0				817	0.0	0.0	0.0
0.0	0.0				816	0.0	0.0	0.0
0.0	0.0							
			Q2a-1-2	Max	812	0.0	0.0	0.0
0.0	0.0				814	0.0	0.0	0.0
0.0	0.0				817	0.0	0.0	0.0
0.0	0.0				816	0.0	0.0	0.0
0.0	0.0							
			Min		812	0.0	0.0	0.0
0.0	0.0				814	0.0	0.0	0.0
0.0	0.0				817	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	0.0		816	0.0	0.0	0.0	0.0
-0.2	-0.0	SLVx (RS)	812	-5.3	-0.0	-4.4	0.0
0.2	0.0		814	4.3	0.0	4.5	0.0
-0.2	0.0		817	5.8	-0.0	4.4	-0.0
0.2	-0.0		816	-2.6	0.0	-4.4	-0.0
-0.4	-0.0	SLVy (RS)	812	-8.8	0.1	-3.6	-0.0
0.4	0.0		814	3.2	0.2	3.3	-0.0
-0.4	0.0		817	8.9	-0.2	3.4	-0.0
0.4	-0.0		816	-3.3	-0.1	-3.1	-0.0
-0.1	-0.0	SLDx (RS)	812	-2.6	-0.0	-2.2	0.0
0.1	0.0		814	2.1	0.0	2.3	0.0
-0.1	0.0		817	2.9	-0.0	2.2	-0.0
0.1	-0.0		816	-1.3	0.0	-2.2	-0.0
-0.2	-0.0	SLDy (RS)	812	-4.4	0.1	-1.8	-0.0
0.2	0.0		814	1.6	0.1	1.6	-0.0
-0.2	0.0		817	4.4	-0.1	1.7	-0.0
0.2	-0.0		816	-1.6	-0.1	-1.6	-0.0
0.0	-0.0	SLVz (RS)	812	-2.1	0.0	-2.0	0.0
-0.0	0.0		814	-1.8	0.0	1.9	0.0
0.0	0.0		817	2.5	-0.0	2.0	-0.0
0.1	-0.0		816	1.1	-0.0	-1.9	-0.0
0.1	0.0	g1	812	31.0	-0.0	39.9	-0.0
-0.1	-0.0		814	34.9	-0.0	-32.1	-0.0
0.2	-0.0		817	-44.9	0.0	-39.4	0.0
-0.2	0.0		816	-21.0	0.0	31.8	0.0
0.0	-0.0	g2	812	14.7	0.0	19.6	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0			814	16.7	0.0	-14.8	0.0
0.1	0.0			817	-21.5	-0.0	-19.4	-0.0
-0.1	-0.0			816	-9.9	-0.0	14.5	-0.0
-0.2	0.0	q3		812	-5.2	-0.0	-2.0	-0.0
0.2	-0.0			814	1.7	-0.0	2.0	-0.0
-0.2	-0.0			817	4.0	0.0	1.9	0.0
0.2	0.0			816	-0.6	0.0	-1.9	0.0
-0.2	0.0	q5_pc		812	-4.0	-0.0	-0.0	-0.0
0.3	-0.0			814	4.2	-0.0	0.1	-0.0
-0.3	-0.0			817	3.9	-0.0	-0.0	0.0
0.3	0.0			816	-4.1	0.0	-0.0	0.0
-0.2	0.0	q5_ps		812	-3.8	-0.0	-0.3	-0.0
0.2	-0.0			814	3.5	0.0	0.3	-0.0
-0.2	-0.0			817	3.8	-0.0	0.3	0.0
0.2	0.0			816	-3.4	0.0	-0.2	0.0
22.2	0.0	INVSLU	Max	812	391.2	0.0	95.8	-0.0
-21.0	-0.0			814	-246.0	-0.0	-62.8	-0.0
21.9	-0.0			817	-445.8	0.0	-96.0	0.0
-21.3	0.0			816	328.2	0.0	69.4	0.0
21.3	0.0		Min	812	374.5	-0.0	92.5	-0.0
-21.9	-0.0			814	-258.2	-0.0	-66.0	-0.0
21.0	-0.0			817	-461.1	0.0	-98.9	0.0
-22.2	0.0			816	317.4	-0.0	66.5	0.0
10.8	0.0	INVSLV	Max	812	209.0	0.1	71.6	0.0
-9.8	0.0			814	-98.8	0.2	-38.4	0.0
10.6	0.0			817	-226.1	0.2	-60.5	0.1
-9.9	0.0			816	148.6	0.1	51.6	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

			Min	812	186.9	-0.1	59.4	-0.0
10.0	-0.0			814	-110.4	-0.2	-50.6	-0.0
-10.7	-0.0			817	-248.9	-0.2	-72.5	-0.0
9.8	-0.0			816	139.7	-0.1	39.8	-0.0
-10.8	-0.0							
881	2	4	Q1-1-2	Max	814	0.0	0.0	0.0
0.0	0.0	0.0			658	0.0	0.0	0.0
0.0	0.0	0.0			719	0.0	0.0	0.0
0.0	0.0	0.0			817	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	814	0.0	0.0	0.0	0.0
0.0	0.0	0.0		658	0.0	0.0	0.0	0.0
0.0	0.0	0.0		719	0.0	0.0	0.0	0.0
0.0	0.0	0.0		817	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			Q2a-1-2	Max	814	0.0	0.0	0.0
0.0	0.0	0.0			658	0.0	0.0	0.0
0.0	0.0	0.0			719	0.0	0.0	0.0
0.0	0.0	0.0			817	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	814	0.0	0.0	0.0	0.0
0.0	0.0	0.0		658	0.0	0.0	0.0	0.0
0.0	0.0	0.0		719	0.0	0.0	0.0	0.0
0.0	0.0	0.0		817	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			SLVx (RS)	814	-9.3	0.0	-4.4	0.0
-0.2	-0.0	0.0		658	-8.6	0.0	3.9	0.0
0.2	0.0	0.0		719	10.0	-0.0	4.9	-0.0
-0.2	0.0	0.0		817	7.3	-0.0	-4.5	-0.0
0.2	-0.0	0.0						
			SLVy (RS)	814	-11.8	0.2	-3.5	-0.0
-0.4	-0.0	0.0		658	1.6	0.3	3.1	-0.0
0.4	0.0	0.0		719	11.6	-0.3	3.6	-0.1
-0.3	0.0	0.0		817	-1.6	-0.2	-3.2	-0.1
0.4	-0.0	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	814	-4.6	0.0	-2.2	0.0
-0.1	-0.0		658	-4.3	0.0	2.0	0.0
0.1	0.0		719	5.0	-0.0	2.5	-0.0
-0.1	0.0		817	3.6	-0.0	-2.3	-0.0
0.1	-0.0						
		SLDy (RS)	814	-5.9	0.1	-1.7	-0.0
-0.2	-0.0		658	0.8	0.1	1.6	-0.0
0.2	0.0		719	5.8	-0.1	1.8	-0.0
-0.2	0.0		817	-0.8	-0.1	-1.6	-0.0
0.2	-0.0						
		SLVz (RS)	814	-4.0	0.0	-2.0	0.0
0.1	-0.0		658	-3.8	0.0	1.8	0.0
-0.1	0.0		719	4.5	-0.0	2.2	-0.0
0.0	0.0		817	3.2	-0.0	-2.0	-0.0
0.1	-0.0						
		g1	814	66.7	-0.0	41.9	-0.0
-0.3	0.0		658	71.7	-0.0	-25.1	-0.0
0.7	-0.0		719	-78.5	0.0	-46.8	0.0
-0.8	-0.0		817	-59.8	0.0	30.5	0.0
0.4	0.0						
		g2	814	31.6	0.0	20.7	0.0
-0.2	-0.0		658	34.0	0.0	-11.1	0.0
0.4	0.0		719	-37.5	-0.0	-23.1	-0.0
-0.5	0.0		817	-28.1	-0.0	13.6	-0.0
0.3	-0.0						
		q3	814	-6.9	-0.0	-1.8	-0.0
-0.2	0.0		658	-0.3	-0.0	2.0	-0.0
0.2	-0.0		719	5.7	0.0	1.9	0.0
-0.2	-0.0		817	1.5	0.0	-2.1	0.0
0.2	0.0						
		q5_pc	814	-3.8	-0.0	-0.0	-0.0
-0.2	0.0		658	4.5	-0.0	0.2	-0.0
0.3	-0.0						

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.3	-0.0			719	3.5	0.0	-0.3	0.0
0.2	0.0			817	-4.1	0.0	0.2	0.0
-0.2	0.0	q5_ps		814	-3.9	-0.0	-0.4	-0.0
0.2	-0.0			658	3.5	-0.0	0.3	-0.0
-0.2	-0.0			719	3.6	0.0	0.1	0.0
0.2	0.0			817	-3.2	0.0	-0.1	0.0
20.7	0.0	INVSLU	Max	814	441.5	-0.0	90.0	-0.0
-19.2	-0.0			658	-166.9	-0.0	-63.8	-0.0
19.9	-0.0			719	-475.1	0.0	-86.7	0.0
-19.6	0.0			817	229.0	0.0	67.4	0.0
19.8	0.0		Min	814	422.9	-0.0	87.0	-0.0
-20.1	-0.0			658	-177.6	-0.0	-67.1	-0.0
19.1	-0.0			719	-491.7	0.0	-89.8	0.0
-20.4	0.0			817	217.9	0.0	64.2	0.0
10.2	0.0	INVSLV	Max	814	254.7	0.2	66.4	0.0
-8.9	0.0			658	-39.4	0.3	-40.8	0.0
9.9	0.0			719	-254.6	0.3	-54.8	0.1
-9.5	0.0			817	89.8	0.2	53.7	0.1
9.3	-0.0		Min	814	223.2	-0.2	54.5	-0.0
-9.8	-0.0			658	-59.8	-0.3	-51.7	-0.0
9.1	-0.0			719	-286.4	-0.3	-68.1	-0.1
-10.3	-0.0			817	72.4	-0.2	41.5	-0.1
884	2	8	Q1-1-2	Max	816	0.0	0.0	0.0
0.0	0.0			817	0.0	0.0	0.0	0.0
0.0	0.0			820	0.0	0.0	0.0	0.0
0.0	0.0			819	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	816	0.0	0.0	0.0	0.0
				817	0.0	0.0	0.0	0.0




PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		820	0.0	0.0	0.0	0.0
0.0	0.0		819	0.0	0.0	0.0	0.0
0.0	0.0						
		Q2a-1-2	Max	816	0.0	0.0	0.0
0.0	0.0			817	0.0	0.0	0.0
0.0	0.0			820	0.0	0.0	0.0
0.0	0.0			819	0.0	0.0	0.0
0.0	0.0						
			Min	816	0.0	0.0	0.0
0.0	0.0			817	0.0	0.0	0.0
0.0	0.0			820	0.0	0.0	0.0
0.0	0.0			819	0.0	0.0	0.0
0.0	0.0						
			SLVx (RS)	816	-4.7	0.0	-1.7
-0.0	-0.0			817	-3.0	0.0	1.6
-0.0	0.0			820	4.9	-0.0	1.1
-0.0	0.0			819	2.8	-0.0	-1.0
0.0	-0.0						
			SLVy (RS)	816	-4.8	0.2	-1.2
-0.0	-0.0			817	-1.2	0.2	1.3
0.0	0.0			820	5.0	-0.2	0.8
-0.1	0.0			819	-1.0	-0.2	-1.0
0.1	-0.0						
			SLDx (RS)	816	-2.3	0.0	-0.9
-0.0	-0.0			817	-1.5	0.0	0.8
-0.0	0.0			820	2.5	-0.0	0.6
-0.0	0.0			819	1.4	-0.0	-0.5
0.0	-0.0						
			SLDy (RS)	816	-2.4	0.1	-0.6
-0.0	-0.0			817	-0.6	0.1	0.6
0.0	0.0			820	2.5	-0.1	0.4
-0.0	0.0			819	-0.5	-0.1	-0.5
0.0	-0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
		SLVz (RS)	816	-2.1	0.0	-0.8	0.0
-0.0	-0.0		817	-1.4	0.0	0.7	0.0
-0.0	0.0		820	2.2	-0.0	0.5	-0.0
-0.0	0.0		819	1.3	-0.0	-0.5	-0.0
0.0	-0.0						
		g1	816	40.7	-0.0	18.4	-0.0
-0.0	0.0		817	24.1	-0.0	-9.5	-0.0
0.1	-0.0		820	-43.3	0.0	-13.1	0.0
-0.0	-0.0		819	-21.5	0.0	4.4	0.0
-0.0	0.0						
		g2	816	19.5	-0.0	9.5	0.0
-0.1	-0.0		817	11.4	0.0	-3.7	0.0
0.1	0.0		820	-20.7	-0.0	-7.2	-0.0
-0.1	0.0		819	-10.2	-0.0	1.3	-0.0
0.0	-0.0						
		q3	816	-2.0	-0.0	-0.7	-0.0
-0.0	0.0		817	-1.4	-0.0	0.7	-0.0
0.0	-0.0		820	1.8	0.0	0.4	0.0
-0.0	-0.0		819	1.5	0.0	-0.4	0.0
0.0	0.0						
		q5_pc	816	-1.1	0.0	0.2	-0.0
-0.0	0.0		817	1.1	0.0	0.2	-0.0
0.0	-0.0		820	1.3	-0.0	-0.1	0.0
-0.0	-0.0		819	-1.3	-0.0	-0.3	0.0
0.0	0.0						
		q5_ps	816	-1.3	0.0	0.0	-0.0
-0.0	0.0		817	0.8	0.0	0.2	-0.0
0.0	-0.0		820	1.4	-0.0	0.0	0.0
-0.0	-0.0		819	-1.0	-0.0	-0.3	0.0
0.0	0.0						
		INVSLU Max	816	230.9	-0.1	46.1	-0.0
2.1	0.0		817	-63.3	-0.1	-21.3	-0.0
-2.4	-0.0		820	-248.7	0.1	-42.4	0.0
3.2	-0.0						

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

-2.8	0.0				819	91.4	0.1	20.1	0.0
				Min	816	225.1	-0.1	44.7	-0.0
2.1	0.0				817	-67.4	-0.1	-22.8	-0.0
-2.5	-0.0				820	-254.8	0.1	-43.1	0.0
3.1	-0.0				819	86.7	0.1	18.8	0.0
-2.9	0.0								
			INVSLV	Max	816	136.1	0.2	35.2	0.0
0.9	0.0				817	-17.1	0.2	-8.5	0.0
-0.9	0.0				820	-133.4	0.2	-29.5	0.1
1.3	0.0				819	35.7	0.2	10.4	0.1
-1.1	0.0								
				Min	816	122.5	-0.2	30.5	-0.1
0.8	-0.0				817	-24.8	-0.2	-12.9	-0.1
-1.0	-0.0				820	-147.7	-0.2	-32.6	-0.1
1.2	-0.0				819	28.7	-0.2	7.6	-0.1
-1.2	-0.0								
885	2	4	Q1-1-2	Max	817	0.0	0.0	0.0	0.0
0.0	0.0	0.0			719	0.0	0.0	0.0	0.0
0.0	0.0	0.0			54	0.0	0.0	0.0	0.0
0.0	0.0	0.0			820	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	817	0.0	0.0	0.0	0.0
0.0	0.0	0.0			719	0.0	0.0	0.0	0.0
0.0	0.0	0.0			54	0.0	0.0	0.0	0.0
0.0	0.0	0.0			820	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	817	0.0	0.0	0.0	0.0
0.0	0.0	0.0			719	0.0	0.0	0.0	0.0
0.0	0.0	0.0			54	0.0	0.0	0.0	0.0
0.0	0.0	0.0			820	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	817	0.0	0.0	0.0	0.0
0.0	0.0	0.0			719	0.0	0.0	0.0	0.0
0.0	0.0	0.0			54	0.0	0.0	0.0	0.0
0.0	0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	0.0		820	0.0	0.0	0.0	0.0
		SLVx (RS)	817	-9.6	0.0	-1.4	0.0
0.0	-0.0		719	-7.7	0.0	0.6	0.0
0.0	0.0		54	9.3	-0.0	2.3	-0.0
-0.0	0.0		820	8.0	-0.0	-1.5	-0.0
-0.0	-0.0						
		SLVy (RS)	817	-8.3	0.3	-1.5	0.1
-0.0	-0.0		719	-4.3	0.4	0.5	0.1
0.0	0.0		54	7.7	-0.4	1.7	-0.1
0.0	0.0		820	4.9	-0.3	-0.7	-0.1
-0.0	-0.0						
		SLDx (RS)	817	-4.8	0.0	-0.7	0.0
0.0	-0.0		719	-3.9	0.0	0.3	0.0
0.0	0.0		54	4.7	-0.0	1.2	-0.0
-0.0	0.0		820	4.0	-0.0	-0.8	-0.0
-0.0	-0.0						
		SLDy (RS)	817	-4.2	0.1	-0.8	0.0
-0.0	-0.0		719	-2.2	0.2	0.2	0.0
0.0	0.0		54	3.8	-0.2	0.8	-0.1
0.0	0.0		820	2.5	-0.1	-0.3	-0.1
-0.0	-0.0						
		SLVz (RS)	817	-4.3	0.0	-0.6	0.0
-0.0	-0.0		719	-3.5	0.0	0.3	0.0
-0.0	0.0		54	4.2	-0.0	1.0	-0.0
0.0	0.0		820	3.6	-0.0	-0.7	-0.0
0.0	-0.0						
		g1	817	80.6	-0.0	18.5	-0.0
-0.6	0.0		719	61.6	-0.0	2.8	-0.0
0.9	-0.0		54	-77.5	0.0	-26.6	0.0
-1.1	-0.0		820	-64.7	0.0	5.4	0.0
0.9	0.0						
		g2	817	38.2	0.0	9.5	0.0
-0.4	-0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.5	0.0			719	29.2	0.0	2.1	0.0
-0.6	0.0			54	-37.0	-0.0	-13.4	-0.0
0.5	-0.0			820	-30.4	-0.0	1.8	-0.0
-0.0	0.0	q3		817	-4.1	-0.0	-0.5	-0.0
0.0	-0.0			719	-3.4	-0.0	0.4	-0.0
0.0	-0.0			54	3.8	0.0	0.9	0.0
0.0	0.0			820	3.7	0.0	-0.8	0.0
-0.0	0.0	q5_pc		817	-0.9	-0.0	-0.3	-0.0
0.0	-0.0			719	1.6	-0.0	0.2	-0.0
-0.0	-0.0			54	0.6	0.0	-0.2	0.0
-0.0	0.0			820	-1.3	0.0	0.4	0.0
0.0	0.0	q5_ps		817	-1.4	-0.0	-0.4	-0.0
0.0	-0.0			719	0.9	-0.0	0.1	-0.0
-0.0	-0.0			54	1.1	0.0	0.0	0.0
-0.0	0.0			820	-0.6	0.0	0.3	0.0
1.0	0.0	INVSLU	Max	817	299.4	0.0	54.4	-0.0
-1.4	-0.0			719	13.3	0.0	-7.2	-0.0
-0.2	-0.0			54	-265.8	-0.0	-49.1	0.0
0.8	0.0			820	-31.5	-0.0	5.2	0.0
0.9	0.0		Min	817	290.9	0.0	52.6	-0.0
-1.5	-0.0			719	5.9	0.0	-8.0	-0.0
-0.3	-0.0			54	-273.2	-0.0	-50.7	0.0
0.7	0.0			820	-38.8	-0.0	3.3	0.0
0.7	0.0	INVSLV	Max	817	190.7	0.3	31.7	0.1
-0.7	0.0			719	44.6	0.3	-5.7	0.1
0.0	0.0			54	-153.4	0.4	-28.9	0.1
0.2	0.0			820	-34.9	0.3	11.1	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


				Min	817	163.9	-0.3	27.5	-0.1
0.6	-0.0				719	24.4	-0.4	-7.4	-0.1
-0.7	-0.0				54	-179.2	-0.3	-35.2	-0.1
-0.1	-0.0				820	-56.1	-0.3	7.2	-0.1
0.1	-0.0								
907	2	4	Q1-1-2	Max	843	0.0	0.0	0.0	0.0
0.0	0.0	0.0			845	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2340	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2339	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	843	0.0	0.0	0.0	0.0
0.0	0.0	0.0			845	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2340	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2339	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	843	0.0	0.0	0.0	0.0
0.0	0.0	0.0			845	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2340	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2339	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	843	0.0	0.0	0.0	0.0
0.0	0.0	0.0			845	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2340	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2339	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				SLVx (RS)	843	-3.7	-0.0	-0.8	-0.0
-0.1	0.0	0.0			845	-10.4	-0.0	1.1	-0.0
0.1	-0.0	0.0			2340	3.4	0.0	0.9	0.0
-0.1	-0.0	0.0			2339	10.0	0.0	-1.3	0.0
0.1	0.0	0.0							
				SLVy (RS)	843	-2.7	-0.3	-0.4	0.1
-0.0	-0.0	0.0			845	1.0	-0.2	0.6	0.1
0.0	0.0	0.0			2340	2.7	0.2	0.3	-0.0
-0.0	0.0	0.0			2339	-0.9	0.3	-0.5	-0.0
0.0	-0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	843	-1.8	-0.0	-0.4	-0.0
-0.1	0.0		845	-5.2	-0.0	0.6	-0.0
0.1	-0.0		2340	1.7	0.0	0.5	0.0
-0.1	-0.0		2339	5.0	0.0	-0.6	0.0
0.1	0.0						
		SLDy (RS)	843	-1.3	-0.1	-0.2	0.0
-0.0	-0.0		845	0.5	-0.1	0.3	0.0
0.0	0.0		2340	1.3	0.1	0.2	-0.0
-0.0	0.0		2339	-0.5	0.1	-0.3	-0.0
0.0	-0.0						
		SLVz (RS)	843	1.1	0.0	-0.3	-0.0
0.1	0.0		845	-4.4	0.0	0.5	-0.0
-0.1	-0.0		2340	-1.0	-0.0	0.4	0.0
0.1	-0.0		2339	4.3	-0.0	-0.6	0.0
-0.1	0.0						
		g1	843	-28.7	-0.0	7.2	0.0
-1.3	-0.0		845	89.0	-0.0	-6.2	0.0
1.5	0.0		2340	25.3	0.0	-8.4	-0.0
-1.4	0.0		2339	-85.6	0.0	7.5	-0.0
1.3	-0.0						
		g2	843	-14.3	0.0	3.8	-0.0
-0.7	0.0		845	42.7	0.0	-2.5	-0.0
0.7	-0.0		2340	12.7	-0.0	-4.4	-0.0
-0.7	0.0		2339	-41.1	-0.0	3.0	0.0
0.7	0.0						
		q3	843	-3.8	-0.0	-0.3	0.0
-0.1	-0.0		845	2.5	-0.0	0.3	0.0
0.1	0.0		2340	3.7	0.0	0.3	-0.0
-0.1	0.0		2339	-2.4	0.0	-0.3	-0.0
0.1	-0.0						
		q5_pc	843	-1.5	-0.0	0.1	0.0
-0.0	-0.0		845	2.5	-0.0	-0.0	0.0
0.1	0.0						

PROJECT TITLE :

			Company	Client				
			Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.1	0.0			2340	1.5	0.0	-0.1	-0.0
0.0	-0.0			2339	-2.4	0.0	0.1	-0.0
		q5_ps		843	-1.4	-0.0	0.0	0.0
-0.0	0.0			845	2.0	-0.0	-0.0	0.0
0.0	0.0			2340	1.3	0.0	-0.1	-0.0
-0.0	-0.0			2339	-1.9	0.0	0.0	-0.0
0.0	0.0							
		INVSLU	Max	843	-72.1	-0.0	13.4	0.0
-3.0	-0.0			845	190.3	-0.0	-10.9	0.0
3.2	0.0			2340	67.9	0.0	-13.9	-0.0
-2.9	0.0			2339	-169.2	0.0	12.7	-0.0
3.1	-0.0							
			Min	843	-80.6	-0.0	12.8	0.0
-3.2	-0.0			845	181.7	-0.0	-11.4	0.0
3.0	0.0			2340	59.6	0.0	-14.6	-0.0
-3.1	0.0			2339	-177.6	0.0	12.2	-0.0
2.9	-0.0							
		INVSLV	Max	843	-45.2	0.3	11.1	0.1
-2.0	0.0			845	144.4	0.2	-6.8	0.1
2.4	0.0			2340	46.7	0.2	-10.1	0.0
-2.0	0.0			2339	-113.0	0.3	11.1	0.0
2.3	0.0							
			Min	843	-54.8	-0.3	9.1	-0.1
-2.3	-0.0			845	120.4	-0.2	-9.8	-0.1
2.0	-0.0			2340	37.7	-0.2	-12.4	-0.0
-2.3	-0.0			2339	-136.3	-0.3	7.8	-0.0
1.9	-0.0							
908	2	10	Q1-1-2	Max	845	0.0	0.0	0.0
0.0	0.0	0.0			847	0.0	0.0	0.0
0.0	0.0	0.0			2341	0.0	0.0	0.0
0.0	0.0	0.0			2340	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	845	0.0	0.0	0.0	0.0
0.0	0.0	0.0			847	0.0	0.0	0.0



PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		2341	0.0	0.0	0.0	0.0
0.0	0.0		2340	0.0	0.0	0.0	0.0
0.0	0.0						
		Q2a-1-2	Max	845	0.0	0.0	0.0
0.0	0.0			847	0.0	0.0	0.0
0.0	0.0			2341	0.0	0.0	0.0
0.0	0.0			2340	0.0	0.0	0.0
0.0	0.0						
			Min	845	0.0	0.0	0.0
0.0	0.0			847	0.0	0.0	0.0
0.0	0.0			2341	0.0	0.0	0.0
0.0	0.0			2340	0.0	0.0	0.0
0.0	0.0						
			SLVx (RS)	845	-3.4	-0.0	-0.7
-0.1	0.0			847	-9.2	-0.0	0.9
0.1	-0.0			2341	3.5	0.0	1.0
-0.1	0.0			2340	9.3	0.0	-1.2
0.1	0.0						
			SLVy (RS)	845	-2.0	-0.2	-0.4
-0.0	-0.0			847	1.1	-0.1	-0.3
0.0	0.0			2341	1.7	0.2	0.8
0.0	-0.0			2340	-0.9	0.2	0.2
0.0	-0.0						
			SLDx (RS)	845	-1.7	-0.0	-0.3
-0.1	0.0			847	-4.6	-0.0	0.5
0.1	-0.0			2341	1.8	0.0	0.5
-0.1	0.0			2340	4.7	0.0	-0.6
0.1	0.0						
			SLDy (RS)	845	-1.0	-0.1	-0.2
-0.0	-0.0			847	0.6	-0.1	-0.2
0.0	0.0			2341	0.8	0.1	0.4
0.0	-0.0			2340	-0.5	0.1	0.1
0.0	-0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
		SLVz (RS)	845	1.0	-0.0	-0.2	-0.0
0.0	0.0		847	-4.0	-0.0	0.4	-0.0
-0.1	-0.0		2341	-1.1	0.0	0.4	0.0
0.1	-0.0		2340	4.0	0.0	-0.6	0.0
-0.1	0.0						
		g1	845	-26.6	-0.0	5.9	0.0
-1.2	-0.0		847	79.0	0.0	-4.5	0.0
1.3	0.0		2341	27.1	-0.0	-8.0	-0.0
-1.5	0.0		2340	-79.5	0.0	6.7	-0.0
1.3	-0.0						
		g2	845	-13.7	0.0	3.1	0.0
-0.6	-0.0		847	37.3	0.0	-1.7	0.0
0.7	0.0		2341	14.1	-0.0	-3.9	-0.0
-0.7	0.0		2340	-37.7	-0.0	2.4	-0.0
0.7	-0.0						
		q3	845	-3.5	-0.0	-0.3	0.0
-0.1	-0.0		847	2.0	-0.0	0.3	0.0
0.1	0.0		2341	3.6	0.0	0.3	-0.0
-0.1	0.0		2340	-2.0	0.0	-0.3	-0.0
0.1	-0.0						
		q5_pc	845	-1.3	-0.0	0.1	0.0
-0.0	-0.0		847	2.3	0.0	-0.1	0.0
0.0	0.0		2341	1.3	0.0	-0.1	-0.0
-0.0	-0.0		2340	-2.3	0.0	0.1	-0.0
0.0	-0.0						
		q5_ps	845	-1.2	-0.0	0.0	0.0
-0.0	-0.0		847	1.8	0.0	-0.1	0.0
0.0	-0.0		2341	1.2	-0.0	-0.0	-0.0
-0.0	-0.0		2340	-1.9	0.0	0.1	-0.0
0.0	0.0						
		INVSLU Max	845	-65.4	-0.0	11.7	0.0
-2.7	-0.0		847	168.0	-0.0	-7.0	0.0
2.9	0.0		2341	69.1	0.0	-14.1	-0.0
-3.0	0.0						

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

3.1	-0.0			2340	-156.4	0.0	10.7	-0.0	
			Min	845	-73.1	-0.0	11.1	0.0	
-2.8	-0.0			847	160.5	-0.0	-7.6	0.0	
2.7	0.0			2341	61.3	0.0	-14.7	-0.0	
-3.2	0.0			2340	-164.0	0.0	10.0	-0.0	
2.9	-0.0								
			INVSLV	Max	845	-42.4	0.2	9.3	0.0
-1.8	0.0			847	126.4	0.1	-4.3	0.0	
2.1	0.0			2341	49.6	0.2	-9.1	0.0	
-2.0	0.0			2340	-103.4	0.2	8.9	0.0	
2.3	0.0								
				Min	845	-51.1	-0.2	7.6	-0.0
-2.0	-0.0			847	104.8	-0.1	-6.6	-0.0	
1.8	-0.0			2341	41.0	-0.2	-11.7	-0.0	
-2.3	-0.0			2340	-125.0	-0.2	6.1	-0.0	
2.0	-0.0								
916	2	4	Q1-1-2	Max	859	0.0	0.0	0.0	0.0
0.0	0.0	0.0			861	0.0	0.0	0.0	0.0
0.0	0.0	0.0			862	0.0	0.0	0.0	0.0
0.0	0.0	0.0			860	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	859	0.0	0.0	0.0	0.0
0.0	0.0	0.0			861	0.0	0.0	0.0	0.0
0.0	0.0	0.0			862	0.0	0.0	0.0	0.0
0.0	0.0	0.0			860	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	859	0.0	0.0	0.0	0.0
0.0	0.0	0.0			861	0.0	0.0	0.0	0.0
0.0	0.0	0.0			862	0.0	0.0	0.0	0.0
0.0	0.0	0.0			860	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	859	0.0	0.0	0.0	0.0
0.0	0.0	0.0			861	0.0	0.0	0.0	0.0
0.0	0.0	0.0			862	0.0	0.0	0.0	0.0
0.0	0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	0.0		860	0.0	0.0	0.0	0.0
-0.5	0.0	SLVx (RS)	859	-5.2	0.0	-3.6	-0.0
0.5	-0.0		861	9.0	0.0	3.4	-0.0
-0.5	0.0		862	4.1	-0.0	3.6	-0.0
0.5	-0.0		860	-6.4	-0.0	-3.4	-0.0
-0.7	0.0	SLVy (RS)	859	-10.9	0.1	-2.8	-0.0
0.7	-0.0		861	6.1	0.1	2.8	-0.0
-0.8	-0.0		862	11.8	-0.0	2.7	0.0
0.8	0.0		860	-7.0	-0.1	-2.8	0.0
-0.2	0.0	SLDx (RS)	859	-2.6	0.0	-1.8	-0.0
0.2	-0.0		861	4.5	0.0	1.7	-0.0
-0.2	0.0		862	2.0	-0.0	1.8	-0.0
0.2	-0.0		860	-3.2	-0.0	-1.7	-0.0
-0.4	0.0	SLDy (RS)	859	-5.4	0.0	-1.4	-0.0
0.4	-0.0		861	3.1	0.0	1.4	-0.0
-0.4	-0.0		862	5.9	-0.0	1.3	0.0
0.4	0.0		860	-3.5	-0.0	-1.4	0.0
0.2	-0.0	SLVz (RS)	859	1.3	0.0	-1.6	-0.0
-0.2	-0.0		861	-3.7	0.0	1.3	-0.0
0.2	0.0		862	-1.1	-0.0	1.6	-0.0
-0.2	-0.0		860	2.7	-0.0	-1.4	-0.0
-3.7	0.0	g1	859	-27.7	-0.0	28.3	0.0
3.7	-0.0		861	73.8	-0.0	-15.2	0.0
-3.7	-0.0		862	3.9	0.0	-28.4	0.0
3.8	0.0		860	-49.9	0.0	15.6	0.0
-1.9	-0.0	g2	859	-13.5	0.0	14.1	0.0

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
1.8	0.0			861	35.0	0.0	-6.0	0.0
-1.8	0.0			862	1.6	-0.0	-14.4	-0.0
1.8	-0.0			860	-23.1	-0.0	6.2	-0.0
			q3	859	-6.5	-0.0	-1.6	0.0
-0.4	-0.0			861	3.1	-0.0	1.9	0.0
0.4	0.0			862	5.5	0.0	1.7	0.0
-0.4	-0.0			860	-2.1	0.0	-2.0	0.0
0.4	0.0							
			q5_pc	859	-6.8	-0.0	-0.0	-0.0
-0.6	0.0			861	6.9	-0.0	0.3	-0.0
0.6	-0.0			862	6.9	0.0	0.0	0.0
-0.6	-0.0			860	-7.0	0.0	-0.3	0.0
0.6	0.0							
			q5_ps	859	-6.0	-0.0	-0.2	0.0
-0.5	0.0			861	5.8	-0.0	0.4	0.0
0.5	-0.0			862	6.2	0.0	0.2	0.0
-0.5	-0.0			860	-5.9	0.0	-0.3	0.0
0.5	0.0							
			INVSLU Max	859	260.7	-0.0	63.2	-0.0
22.0	0.0			861	-159.3	-0.0	-33.7	-0.0
-20.2	-0.0			862	-344.8	0.0	-57.1	0.0
21.8	-0.0			860	288.1	0.0	34.0	0.0
-19.7	0.0							
			Min	859	236.0	-0.0	60.6	-0.0
20.1	0.0			861	-179.9	-0.0	-37.0	-0.0
-22.1	-0.0			862	-368.8	0.0	-59.7	0.0
19.9	-0.0			860	268.1	0.0	30.5	0.0
-21.6	0.0							
			INVSLV Max	859	132.6	0.1	50.2	0.0
10.4	0.0			861	-47.4	0.0	-18.9	0.0
-8.6	0.0			862	-172.5	0.0	-39.0	0.0
10.3	0.0			860	135.1	0.1	27.2	0.0
-8.3	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


				Min	859	107.0	-0.1	40.4	-0.1
8.5	-0.0				861	-71.2	-0.1	-28.3	-0.0
-10.4	-0.0				862	-199.1	-0.0	-48.8	-0.0
8.4	-0.0				860	115.6	-0.1	17.9	-0.0
-10.2	-0.0								
917	2	10	Q1-1-2	Max	861	0.0	0.0	0.0	0.0
0.0	0.0	0.0			863	0.0	0.0	0.0	0.0
0.0	0.0	0.0			864	0.0	0.0	0.0	0.0
0.0	0.0	0.0			862	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	861	0.0	0.0	0.0	0.0
0.0	0.0	0.0			863	0.0	0.0	0.0	0.0
0.0	0.0	0.0			864	0.0	0.0	0.0	0.0
0.0	0.0	0.0			862	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	861	0.0	0.0	0.0	0.0
0.0	0.0	0.0			863	0.0	0.0	0.0	0.0
0.0	0.0	0.0			864	0.0	0.0	0.0	0.0
0.0	0.0	0.0			862	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	861	0.0	0.0	0.0	0.0
0.0	0.0	0.0			863	0.0	0.0	0.0	0.0
0.0	0.0	0.0			864	0.0	0.0	0.0	0.0
0.0	0.0	0.0			862	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				SLVx (RS)	861	-5.0	0.0	-3.2	-0.0
-0.4	0.0	0.0			863	8.6	0.0	3.5	-0.0
0.4	-0.0	0.0			864	3.9	-0.0	3.2	-0.0
-0.5	-0.0	0.0			862	-6.2	-0.0	-3.4	-0.0
0.5	-0.0	0.0							
				SLVy (RS)	861	-10.8	0.1	-2.7	-0.0
-0.7	0.0	0.0			863	6.4	-0.0	2.4	-0.0
0.7	-0.0	0.0			864	11.5	-0.0	2.8	0.0
-0.7	-0.0	0.0			862	-7.1	-0.1	-2.4	0.0
0.7	0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.2	0.0	SLDx (RS)	861	-2.5	0.0	-1.6	-0.0
0.2	-0.0		863	4.3	0.0	1.7	-0.0
-0.2	-0.0		864	2.0	-0.0	1.6	-0.0
0.2	-0.0		862	-3.1	-0.0	-1.7	-0.0
-0.4	0.0	SLDy (RS)	861	-5.4	0.0	-1.4	-0.0
0.4	-0.0		863	3.2	-0.0	1.2	-0.0
-0.4	-0.0		864	5.7	-0.0	1.4	0.0
0.4	0.0		862	-3.5	-0.0	-1.2	0.0
0.1	0.0	SLVz (RS)	861	1.3	0.0	-1.3	-0.0
-0.1	-0.0		863	-3.6	0.0	1.4	-0.0
0.2	-0.0		864	-1.0	-0.0	1.4	-0.0
-0.2	-0.0		862	2.6	-0.0	-1.4	-0.0
-3.3	0.0	g1	861	-27.7	-0.0	23.6	0.0
3.3	0.0		863	70.6	-0.0	-17.2	0.0
-3.4	0.0		864	4.9	0.0	-23.4	0.0
3.5	0.0		862	-47.9	0.0	17.2	0.0
-1.7	-0.0	g2	861	-13.5	0.0	12.6	0.0
1.7	0.0		863	33.6	0.0	-5.9	0.0
-1.8	0.0		864	2.1	0.0	-13.2	-0.0
1.8	-0.0		862	-22.2	-0.0	6.4	-0.0
-0.3	-0.0	q3	861	-6.1	-0.0	-1.7	0.0
0.3	0.0		863	2.9	-0.0	1.7	0.0
-0.3	-0.0		864	5.2	0.0	1.8	-0.0
0.4	0.0		862	-2.0	0.0	-1.7	0.0
-0.5	0.0	q5_pc	861	-6.7	-0.0	-0.3	-0.0
0.5	-0.0		863	6.8	-0.0	-0.0	-0.0

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-0.6	-0.0			864	6.7	-0.0	0.3	0.0
0.6	0.0			862	-6.8	0.0	-0.0	0.0
			q5_ps	861	-5.9	-0.0	-0.3	0.0
-0.5	0.0			863	5.8	-0.0	0.2	0.0
0.5	-0.0			864	6.0	-0.0	0.3	0.0
-0.5	-0.0			862	-5.9	0.0	-0.2	0.0
0.5	0.0							
			INVSLU Max	861	257.8	-0.0	51.7	-0.0
22.5	0.0			863	-161.5	-0.0	-41.3	-0.0
-20.9	-0.0			864	-337.7	0.0	-44.7	0.0
22.2	-0.0			862	285.0	0.0	40.5	0.0
-20.3	0.0							
			Min	861	233.8	-0.0	48.6	-0.0
20.7	0.0			863	-181.8	-0.0	-43.8	-0.0
-22.7	-0.0			864	-361.0	0.0	-48.0	0.0
20.5	-0.0			862	265.4	0.0	37.8	0.0
-22.1	0.0							
			INVSLV Max	861	131.6	0.1	43.6	0.0
10.7	0.0			863	-49.5	0.0	-20.9	0.0
-8.8	0.0			864	-170.0	0.0	-34.9	0.0
10.5	0.0			862	134.9	0.1	30.6	0.0
-8.7	0.0							
			Min	861	106.2	-0.1	34.8	-0.0
8.9	-0.0			863	-72.7	-0.0	-30.1	-0.0
-10.6	-0.0			864	-196.0	0.0	-43.8	-0.0
8.7	-0.0			862	115.5	-0.1	21.4	-0.0
-10.6	-0.0							
925	2	4	Q1-1-2 Max	844	0.0	0.0	0.0	0.0
0.0	0.0			846	0.0	0.0	0.0	0.0
0.0	0.0			861	0.0	0.0	0.0	0.0
0.0	0.0			859	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	844	0.0	0.0	0.0	0.0
0.0	0.0			846	0.0	0.0	0.0	0.0




PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		861	0.0	0.0	0.0	0.0
0.0	0.0		859	0.0	0.0	0.0	0.0
0.0	0.0						
		Q2a-1-2	Max	844	0.0	0.0	0.0
0.0	0.0			846	0.0	0.0	0.0
0.0	0.0			861	0.0	0.0	0.0
0.0	0.0			859	0.0	0.0	0.0
0.0	0.0						
			Min	844	0.0	0.0	0.0
0.0	0.0			846	0.0	0.0	0.0
0.0	0.0			861	0.0	0.0	0.0
0.0	0.0			859	0.0	0.0	0.0
0.0	0.0						
			SLVx (RS)	844	-11.0	0.0	-3.8
-1.0	0.0			846	16.3	0.0	3.9
1.0	-0.0			861	8.8	-0.0	3.8
-1.1	-0.0			859	-13.9	-0.0	-3.9
1.1	0.0						
			SLVy (RS)	844	-8.5	-0.1	-2.3
-0.6	0.0			846	4.7	-0.0	2.0
0.6	-0.0			861	9.3	0.0	2.5
-0.6	-0.0			859	-5.4	0.1	-2.3
0.6	0.0						
			SLDx (RS)	844	-5.5	0.0	-1.9
-0.5	0.0			846	8.2	0.0	1.9
0.5	-0.0			861	4.4	-0.0	1.9
-0.5	-0.0			859	-7.0	-0.0	-1.9
0.5	0.0						
			SLDy (RS)	844	-4.2	-0.0	-1.1
-0.3	0.0			846	2.4	-0.0	1.0
0.3	-0.0			861	4.6	0.0	1.3
-0.3	-0.0			859	-2.7	0.0	-1.2
0.3	0.0						

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
		SLVz (RS)	844	3.9	0.0	-1.5	-0.0
0.4	0.0		846	-6.8	0.0	1.3	-0.0
-0.4	-0.0		861	-2.9	-0.0	1.5	0.0
0.4	-0.0		859	5.8	-0.0	-1.4	0.0
-0.4	0.0						
		g1	844	-90.2	-0.0	26.8	0.0
-9.0	-0.0		846	140.0	-0.0	-16.3	0.0
8.9	0.0		861	67.8	0.0	-27.1	-0.0
-9.1	0.0		859	-117.5	0.0	16.9	-0.0
9.2	-0.0						
		g2	844	-44.0	0.0	13.3	0.0
-4.4	-0.0		846	67.3	0.0	-6.6	0.0
4.4	0.0		861	32.9	-0.0	-13.7	-0.0
-4.4	0.0		859	-56.1	-0.0	7.0	-0.0
4.5	-0.0						
		q3	844	-8.7	-0.0	-1.3	0.0
-0.6	-0.0		846	6.0	-0.0	1.6	0.0
0.6	0.0		861	7.8	0.0	1.5	-0.0
-0.6	0.0		859	-5.1	0.0	-1.8	-0.0
0.6	-0.0						
		q5_pc	844	-6.4	-0.0	0.1	0.0
-0.6	0.0		846	6.8	-0.0	0.1	0.0
0.6	-0.0		861	6.5	0.0	-0.1	0.0
-0.6	-0.0		859	-6.9	0.0	-0.1	0.0
0.6	0.0						
		q5_ps	844	-5.6	-0.0	-0.1	0.0
-0.5	0.0		846	5.7	0.0	0.2	0.0
0.5	-0.0		861	5.7	-0.0	0.1	-0.0
-0.5	-0.0		859	-5.8	0.0	-0.2	-0.0
0.5	0.0						
		INVSLU Max	844	-30.1	-0.0	52.4	-0.0
-2.5	0.0		846	137.0	-0.0	-29.6	-0.0
3.9	-0.0		861	-49.2	0.0	-48.0	0.0
-2.3	-0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

5.0	0.0			859	-9.5	0.0	30.4	0.0
			Min	844	-56.0	-0.0	50.4	-0.0
-4.5	0.0			846	113.9	-0.0	-32.2	-0.0
1.9	-0.0			861	-74.2	0.0	-50.1	0.0
-4.3	-0.0			859	-32.1	0.0	27.6	0.0
2.9	0.0							
		INVSLV	Max	844	-41.6	0.1	44.3	0.0
-4.1	0.0			846	140.7	0.0	-17.2	0.0
6.4	0.0			861	5.4	0.1	-33.9	0.0
-3.9	0.0			859	-39.9	0.1	26.9	0.1
7.0	0.0							
			Min	844	-71.0	-0.1	34.4	-0.0
-6.7	-0.0			846	101.1	-0.0	-27.0	-0.0
3.8	-0.0			861	-20.1	-0.0	-43.9	-0.0
-6.7	-0.0			859	-74.5	-0.1	17.0	-0.0
4.3	-0.0							
926	2	10	Q1-1-2	Max	846	0.0	0.0	0.0
0.0	0.0			848	0.0	0.0	0.0	0.0
0.0	0.0			863	0.0	0.0	0.0	0.0
0.0	0.0			861	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	846	0.0	0.0	0.0	0.0
0.0	0.0			848	0.0	0.0	0.0	0.0
0.0	0.0			863	0.0	0.0	0.0	0.0
0.0	0.0			861	0.0	0.0	0.0	0.0
0.0	0.0							
		Q2a-1-2	Max	846	0.0	0.0	0.0	0.0
0.0	0.0			848	0.0	0.0	0.0	0.0
0.0	0.0			863	0.0	0.0	0.0	0.0
0.0	0.0			861	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	846	0.0	0.0	0.0	0.0
0.0	0.0			848	0.0	0.0	0.0	0.0
0.0	0.0			863	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	0.0		861	0.0	0.0	0.0	0.0
-1.0	0.0	SLVx (RS)	846	-11.0	-0.0	-3.3	-0.0
1.0	-0.0		848	16.0	-0.0	3.9	-0.0
-1.0	-0.0		863	8.7	-0.0	3.3	0.0
1.0	0.0		861	-13.5	-0.0	-3.9	0.0
-0.5	0.0	SLVy (RS)	846	-7.6	-0.0	-2.8	-0.0
0.5	-0.0		848	3.3	-0.0	2.9	-0.0
-0.6	-0.0		863	9.3	-0.0	2.5	0.0
0.6	0.0		861	-4.7	0.1	-2.6	0.0
-0.5	0.0	SLDx (RS)	846	-5.5	-0.0	-1.6	-0.0
0.5	-0.0		848	8.0	-0.0	2.0	-0.0
-0.5	-0.0		863	4.3	-0.0	1.6	0.0
0.5	0.0		861	-6.7	-0.0	-2.0	0.0
-0.2	0.0	SLDy (RS)	846	-3.8	-0.0	-1.4	-0.0
0.2	-0.0		848	1.6	-0.0	1.4	-0.0
-0.3	-0.0		863	4.7	-0.0	1.2	0.0
0.3	0.0		861	-2.4	0.0	-1.3	0.0
0.4	0.0	SLVz (RS)	846	3.9	0.0	-1.2	-0.0
-0.4	-0.0		848	-6.7	0.0	1.4	-0.0
0.4	-0.0		863	-2.9	-0.0	1.3	0.0
-0.4	0.0		861	5.7	-0.0	-1.5	0.0
-8.6	-0.0	g1	846	-90.7	-0.0	21.3	0.0
8.5	0.0		848	136.7	-0.0	-18.2	0.0
-8.6	0.0		863	67.9	0.0	-21.5	-0.0
8.7	-0.0		861	-113.9	0.0	18.7	-0.0
-4.3	-0.0	g2	846	-44.6	0.0	10.8	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

4.2	0.0			848	65.4	-0.0	-6.6	0.0
-4.3	0.0			863	33.5	0.0	-11.3	-0.0
4.3	-0.0			861	-54.3	-0.0	7.0	-0.0
-0.6	-0.0	q3		846	-8.3	-0.0	-1.5	0.0
0.5	0.0			848	5.6	-0.0	1.5	0.0
-0.5	0.0			863	7.4	0.0	1.6	-0.0
0.6	-0.0			861	-4.7	0.0	-1.6	-0.0
-0.5	0.0	q5_pc		846	-6.3	-0.0	-0.1	0.0
0.5	-0.0			848	6.6	0.0	-0.1	0.0
-0.5	-0.0			863	6.4	-0.0	0.2	-0.0
0.5	0.0			861	-6.7	0.0	0.1	0.0
-0.4	0.0	q5_ps		846	-5.4	-0.0	-0.3	0.0
0.5	-0.0			848	5.4	-0.0	0.2	0.0
-0.5	-0.0			863	5.7	-0.0	0.2	-0.0
0.5	0.0			861	-5.6	0.0	-0.1	-0.0
-1.6	0.0	INVSLU	Max	846	-29.6	-0.0	41.7	-0.0
3.0	-0.0			848	129.3	-0.0	-34.3	-0.0
-1.4	-0.0			863	-49.8	0.0	-37.5	0.0
3.8	0.0			861	-3.6	0.0	35.5	0.0
-3.5	0.0		Min	846	-54.5	-0.0	39.1	-0.0
1.2	-0.0			848	107.6	-0.0	-36.6	-0.0
-3.3	-0.0			863	-74.4	0.0	-40.2	0.0
1.8	0.0			861	-25.3	0.0	33.1	0.0
-3.6	0.0	INVSLV	Max	846	-42.8	0.0	36.2	0.0
6.0	0.0			848	134.4	-0.0	-17.4	0.0
-3.5	0.0			863	6.9	0.0	-27.7	0.0
6.3	0.0			861	-35.6	0.1	28.5	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

			Min	846	-71.7	-0.1	27.2	-0.0
-6.1	-0.0			848	96.5	-0.0	-27.9	-0.0
3.5	-0.0			863	-18.8	-0.0	-36.6	-0.0
-6.1	-0.0			861	-68.8	-0.1	18.2	-0.0
3.7	-0.0							
934	2	4	Q1-1-2	Max	860	0.0	0.0	0.0
0.0	0.0	0.0			862	0.0	0.0	0.0
0.0	0.0	0.0			871	0.0	0.0	0.0
0.0	0.0	0.0			870	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	860	0.0	0.0	0.0	0.0
0.0	0.0	0.0			862	0.0	0.0	0.0
0.0	0.0	0.0			871	0.0	0.0	0.0
0.0	0.0	0.0			870	0.0	0.0	0.0
0.0	0.0	0.0						
			Q2a-1-2	Max	860	0.0	0.0	0.0
0.0	0.0	0.0			862	0.0	0.0	0.0
0.0	0.0	0.0			871	0.0	0.0	0.0
0.0	0.0	0.0			870	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	860	0.0	0.0	0.0	0.0
0.0	0.0	0.0			862	0.0	0.0	0.0
0.0	0.0	0.0			871	0.0	0.0	0.0
0.0	0.0	0.0			870	0.0	0.0	0.0
0.0	0.0	0.0						
			SLVx (RS)	860	-4.9	0.0	-2.9	0.0
-0.1	-0.0			862	2.2	0.0	2.4	0.0
0.1	0.0			871	6.0	-0.0	3.0	-0.0
-0.1	0.0			870	-0.7	-0.0	-2.4	-0.0
0.1	-0.0							
			SLVy (RS)	860	-10.5	0.2	-2.3	-0.0
-0.5	-0.0			862	5.5	0.2	2.1	-0.0
0.5	-0.0			871	11.1	-0.1	2.3	-0.1
-0.5	0.0			870	-6.0	-0.2	-2.2	-0.1
0.5	-0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	860	-2.5	0.0	-1.4	0.0
-0.1	-0.0		862	1.1	0.0	1.2	0.0
0.1	0.0		871	3.0	-0.0	1.5	-0.0
-0.1	0.0		870	-0.3	-0.0	-1.2	-0.0
0.1	-0.0						
		SLDy (RS)	860	-5.3	0.1	-1.2	-0.0
-0.3	-0.0		862	2.7	0.1	1.1	-0.0
0.3	-0.0		871	5.5	-0.1	1.2	-0.0
-0.3	0.0		870	-3.0	-0.1	-1.1	-0.0
0.3	-0.0						
		SLVz (RS)	860	-2.2	0.0	-1.3	0.0
-0.1	-0.0		862	-1.0	0.0	1.0	0.0
0.1	0.0		871	2.7	-0.0	1.4	-0.0
-0.0	0.0		870	0.4	-0.0	-1.1	-0.0
0.0	-0.0						
		g1	860	31.9	-0.0	25.0	-0.0
0.5	0.0		862	14.4	-0.0	-10.3	-0.0
-0.4	-0.0		871	-46.8	0.0	-25.7	0.0
0.4	-0.0		870	0.6	0.0	11.3	0.0
-0.5	0.0						
		g2	860	15.0	0.0	12.4	0.0
0.2	-0.0		862	6.2	0.0	-3.6	0.0
-0.1	0.0		871	-22.5	-0.0	-13.0	-0.0
0.2	0.0		870	1.3	-0.0	4.2	-0.0
-0.2	-0.0						
		q3	860	-3.6	-0.0	-1.4	-0.0
-0.1	0.0		862	-0.1	-0.0	1.5	-0.0
0.1	-0.0		871	3.1	0.0	1.5	0.0
-0.1	-0.0		870	0.7	0.0	-1.5	0.0
0.1	0.0						
		q5_pc	860	-5.4	-0.0	-0.1	-0.0
-0.3	0.0		862	5.2	-0.0	0.3	-0.0
0.3	-0.0						

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.4	-0.0			871	5.5	0.0	0.1	0.0
0.4	0.0			870	-5.4	0.0	-0.3	0.0
-0.3	0.0	q5_ps		860	-5.0	-0.0	-0.3	-0.0
0.3	-0.0			862	4.5	-0.0	0.4	-0.0
-0.3	-0.0			871	5.1	0.0	0.3	0.0
0.3	0.0			870	-4.6	0.0	-0.4	0.0
25.5	0.0	INVSLU	Max	860	436.7	-0.0	71.0	-0.0
-23.8	-0.0			862	-317.2	-0.0	-30.1	-0.0
24.7	-0.0			871	-489.3	0.0	-69.8	0.0
-24.3	0.0			870	402.4	0.0	34.5	0.0
24.5	0.0		Min	860	418.2	-0.0	68.6	-0.0
-24.8	-0.0			862	-330.8	-0.0	-32.9	-0.0
23.6	-0.0			871	-507.7	0.0	-72.3	0.0
-25.4	0.0			870	387.7	0.0	31.7	0.0
13.8	0.0	INVSLV	Max	860	248.1	0.2	51.6	0.0
-12.2	0.0			862	-157.4	0.2	-15.4	0.0
13.1	0.0			871	-263.4	0.2	-44.5	0.1
-12.4	0.0			870	211.9	0.2	23.3	0.1
12.6	0.0		Min	860	222.7	-0.2	43.6	-0.0
-13.3	-0.0			862	-170.3	-0.2	-22.0	-0.0
11.9	-0.0			871	-290.8	-0.1	-52.7	-0.0
-13.5	-0.0			870	199.3	-0.2	16.5	-0.0
935	2	10	Q1-1-2	Max	862	0.0	0.0	0.0
0.0	0.0			864	0.0	0.0	0.0	0.0
0.0	0.0			872	0.0	0.0	0.0	0.0
0.0	0.0			871	0.0	0.0	0.0	0.0
0.0	0.0			871	0.0	0.0	0.0	0.0
0.0	0.0		Min	862	0.0	0.0	0.0	0.0
				864	0.0	0.0	0.0	0.0



PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		872	0.0	0.0	0.0	0.0
0.0	0.0		871	0.0	0.0	0.0	0.0
0.0	0.0						
		Q2a-1-2	Max	862	0.0	0.0	0.0
0.0	0.0			864	0.0	0.0	0.0
0.0	0.0			872	0.0	0.0	0.0
0.0	0.0			871	0.0	0.0	0.0
0.0	0.0						
			Min	862	0.0	0.0	0.0
0.0	0.0			864	0.0	0.0	0.0
0.0	0.0			872	0.0	0.0	0.0
0.0	0.0			871	0.0	0.0	0.0
0.0	0.0						
			SLVx (RS)	862	-4.6	0.0	-2.5
-0.2	-0.0			864	1.9	0.0	2.4
0.1	0.0			872	5.3	-0.0	2.5
-0.1	0.0			871	-0.9	-0.0	-2.3
0.1	-0.0						
			SLVy (RS)	862	-10.2	0.1	-2.4
-0.5	0.0			864	5.5	0.0	1.5
0.4	-0.0			872	10.3	-0.0	2.7
-0.4	-0.0			871	-5.6	-0.2	-1.8
0.5	-0.0						
			SLDx (RS)	862	-2.3	0.0	-1.3
-0.1	-0.0			864	1.0	0.0	1.2
0.1	0.0			872	2.7	-0.0	1.2
-0.0	0.0			871	-0.4	-0.0	-1.1
0.1	-0.0						
			SLDy (RS)	862	-5.1	0.1	-1.2
-0.2	0.0			864	2.7	0.0	0.7
0.2	-0.0			872	5.2	-0.0	1.4
-0.2	-0.0			871	-2.8	-0.1	-0.9
0.2	-0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

		SLVz (RS)	862	-2.0	0.0	-1.2	0.0
-0.1	-0.0		864	-0.9	0.0	1.1	0.0
0.1	0.0		872	2.4	-0.0	1.1	-0.0
-0.0	0.0		871	0.4	-0.0	-1.0	-0.0
0.0	-0.0						
		g1	862	29.6	-0.0	21.5	-0.0
0.7	0.0		864	12.9	-0.0	-12.0	-0.0
-0.6	-0.0		872	-41.5	0.0	-21.1	0.0
0.4	0.0		871	-1.0	0.0	11.8	0.0
-0.5	0.0						
		g2	862	14.4	0.0	11.6	0.0
0.2	-0.0		864	5.9	0.0	-4.0	0.0
-0.2	0.0		872	-21.0	-0.0	-11.9	-0.0
0.2	0.0		871	0.7	0.0	4.3	-0.0
-0.2	-0.0						
		q3	862	-3.4	-0.0	-1.4	-0.0
-0.1	0.0		864	-0.1	-0.0	1.3	-0.0
0.1	-0.0		872	2.9	0.0	1.5	0.0
-0.1	-0.0		871	0.6	0.0	-1.3	0.0
0.1	0.0						
		q5_pc	862	-5.3	-0.0	-0.3	-0.0
-0.3	0.0		864	5.0	-0.0	0.0	-0.0
0.3	-0.0		872	5.3	0.0	0.5	0.0
-0.3	-0.0		871	-5.0	0.0	-0.1	0.0
0.3	0.0						
		q5_ps	862	-4.8	-0.0	-0.4	-0.0
-0.3	0.0		864	4.4	-0.0	0.1	-0.0
0.3	-0.0		872	4.8	0.0	0.5	0.0
-0.3	-0.0		871	-4.4	0.0	-0.2	0.0
0.3	0.0						
		INVSLU Max	862	414.5	-0.0	52.2	-0.0
25.1	0.0		864	-302.6	0.0	-45.2	-0.0
-23.7	-0.0		872	-449.9	-0.0	-47.8	0.0
24.3	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-23.9	0.0			871	369.0	0.0	46.2	0.0
			Min	862	396.6	-0.0	49.3	-0.0
24.2	0.0			864	-315.8	0.0	-47.2	-0.0
-24.6	-0.0			872	-467.2	-0.0	-51.0	0.0
23.4	0.0			871	355.3	0.0	44.0	0.0
-24.8	0.0							
		INVSLV	Max	862	236.7	0.1	40.2	0.0
13.6	0.0			864	-149.3	0.0	-24.1	0.0
-12.1	0.0			872	-245.0	0.0	-33.4	0.0
13.0	-0.0			871	194.7	0.2	31.2	0.0
-12.5	0.0							
			Min	862	212.3	-0.1	33.0	-0.0
12.5	-0.0			864	-161.9	-0.0	-30.5	-0.0
-13.1	-0.0			872	-270.3	-0.0	-41.0	-0.0
12.1	-0.0			871	182.8	-0.1	24.9	-0.0
-13.5	-0.0							
943	2	4	Q1-1-2	Max	870	0.0	0.0	0.0
0.0	0.0				871	0.0	0.0	0.0
0.0	0.0				879	0.0	0.0	0.0
0.0	0.0				878	0.0	0.0	0.0
0.0	0.0							
			Min	870	0.0	0.0	0.0	0.0
0.0	0.0				871	0.0	0.0	0.0
0.0	0.0				879	0.0	0.0	0.0
0.0	0.0				878	0.0	0.0	0.0
0.0	0.0							
		Q2a-1-2	Max	870	0.0	0.0	0.0	0.0
0.0	0.0				871	0.0	0.0	0.0
0.0	0.0				879	0.0	0.0	0.0
0.0	0.0				878	0.0	0.0	0.0
0.0	0.0							
			Min	870	0.0	0.0	0.0	0.0
0.0	0.0				871	0.0	0.0	0.0
0.0	0.0				879	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	0.0		878	0.0	0.0	0.0	0.0
		SLVx (RS)	870	-4.9	0.0	-1.1	0.0
0.0	-0.0		871	-2.2	-0.0	0.5	0.0
0.0	0.0		879	5.2	0.0	1.3	-0.0
-0.0	0.0		878	1.9	-0.0	-0.7	-0.0
0.0	-0.0						
		SLVy (RS)	870	-5.6	0.3	-0.7	0.1
-0.1	-0.0		871	0.6	0.3	0.8	0.1
0.1	0.0		879	6.0	-0.3	0.8	-0.1
-0.1	0.0		878	-0.6	-0.3	-0.8	-0.1
0.1	-0.0						
		SLDx (RS)	870	-2.4	0.0	-0.5	0.0
0.0	-0.0		871	-1.1	-0.0	0.2	0.0
0.0	0.0		879	2.6	0.0	0.7	-0.0
-0.0	0.0		878	0.9	-0.0	-0.4	-0.0
0.0	-0.0						
		SLDy (RS)	870	-2.8	0.1	-0.4	0.0
-0.0	-0.0		871	0.3	0.1	0.4	0.0
0.0	0.0		879	3.0	-0.1	0.4	-0.0
-0.0	0.0		878	-0.3	-0.1	-0.4	-0.0
0.0	-0.0						
		SLVz (RS)	870	-2.2	0.0	-0.5	0.0
-0.0	-0.0		871	-1.0	-0.0	0.2	0.0
-0.0	0.0		879	2.4	0.0	0.6	-0.0
-0.0	0.0		878	0.9	-0.0	-0.3	-0.0
0.0	-0.0						
		g1	870	37.0	0.0	12.6	-0.0
-0.3	0.0		871	12.7	0.0	1.0	-0.0
0.3	-0.0		879	-40.7	-0.0	-13.7	0.0
-0.2	-0.0		878	-8.9	-0.0	0.2	0.0
0.2	0.0						
		g2	870	17.1	0.0	6.8	0.0
-0.2	-0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.2	0.0			871	5.5	0.0	1.2	0.0
-0.2	0.0			879	-19.1	-0.0	-7.0	-0.0
0.1	-0.0			878	-3.6	-0.0	-1.0	-0.0
-0.0	0.0	q3		870	-2.1	-0.0	-0.4	-0.0
0.0	-0.0			871	-1.7	-0.0	0.4	-0.0
-0.0	-0.0			879	2.0	0.0	0.5	0.0
0.0	0.0			878	1.8	0.0	-0.5	0.0
-0.0	0.0	q5_pc		870	-1.9	-0.0	0.1	-0.0
0.1	-0.0			871	1.4	-0.0	0.4	-0.0
-0.1	-0.0			879	2.1	0.0	-0.2	0.0
0.1	0.0			878	-1.7	0.0	-0.3	0.0
-0.0	0.0	q5_ps		870	-1.9	-0.0	-0.0	-0.0
0.0	-0.0			871	1.1	-0.0	0.3	-0.0
-0.1	-0.0			879	2.1	0.0	-0.1	0.0
0.0	0.0			878	-1.3	0.0	-0.2	0.0
1.9	0.0	INVSLU	Max	870	241.6	0.0	39.2	-0.0
-2.1	-0.0			871	-85.0	0.3	-9.1	-0.0
3.2	-0.0			879	-259.3	-0.2	-36.0	0.0
-2.7	0.0			878	116.3	-0.0	8.2	0.0
1.8	0.0		Min	870	233.9	0.0	38.5	-0.0
-2.3	-0.0			871	-90.3	0.2	-10.5	-0.1
3.0	-0.0			879	-267.7	-0.3	-37.0	0.0
-2.8	0.0			878	110.4	-0.0	6.9	0.0
0.7	0.0	INVSLV	Max	870	146.6	0.2	29.2	0.0
-0.7	0.0			871	-39.1	0.3	-0.3	0.0
1.3	0.0			879	-143.8	0.3	-25.9	0.1
-1.0	0.0			878	57.4	0.3	2.5	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


				Min	870	131.1	-0.3	26.3	-0.1
0.6	-0.0				871	-44.5	-0.3	-2.3	-0.1
-0.9	-0.0				879	-160.4	-0.3	-29.5	-0.1
1.1	-0.0				878	52.7	-0.3	0.2	-0.1
-1.2	-0.0								
944	2	10	Q1-1-2	Max	871	0.0	0.0	0.0	0.0
0.0	0.0	0.0			872	0.0	0.0	0.0	0.0
0.0	0.0	0.0			880	0.0	0.0	0.0	0.0
0.0	0.0	0.0			879	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	871	0.0	0.0	0.0	0.0
0.0	0.0	0.0			872	0.0	0.0	0.0	0.0
0.0	0.0	0.0			880	0.0	0.0	0.0	0.0
0.0	0.0	0.0			879	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	871	0.0	0.0	0.0	0.0
0.0	0.0	0.0			872	0.0	0.0	0.0	0.0
0.0	0.0	0.0			880	0.0	0.0	0.0	0.0
0.0	0.0	0.0			879	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	871	0.0	0.0	0.0	0.0
0.0	0.0	0.0			872	0.0	0.0	0.0	0.0
0.0	0.0	0.0			880	0.0	0.0	0.0	0.0
0.0	0.0	0.0			879	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			SLVx (RS)		871	-4.7	0.0	-1.1	0.0
0.0	-0.0	0.0			872	-1.8	0.0	0.3	0.0
0.0	0.0	0.0			880	4.4	-0.0	1.3	-0.0
-0.0	0.0	0.0			879	2.1	-0.0	-0.5	-0.0
-0.0	-0.0	0.0							
			SLVy (RS)		871	-5.4	0.1	-1.3	0.0
-0.0	-0.0	0.0			872	0.6	0.1	0.2	0.0
0.0	0.0	0.0			880	4.9	-0.1	1.2	-0.0
-0.0	0.0	0.0			879	-0.5	-0.1	0.1	-0.0
-0.0	-0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	871	-2.3	0.0	-0.6	0.0
0.0	-0.0		872	-0.9	0.0	0.2	0.0
0.0	0.0		880	2.2	-0.0	0.7	-0.0
-0.0	0.0		879	1.0	-0.0	-0.3	-0.0
-0.0	-0.0						
		SLDy (RS)	871	-2.7	0.1	-0.7	0.0
-0.0	-0.0		872	0.3	0.0	0.1	0.0
0.0	0.0		880	2.4	-0.0	0.6	-0.0
-0.0	0.0		879	-0.3	-0.1	0.1	-0.0
-0.0	-0.0						
		SLVz (RS)	871	-2.2	0.0	-0.5	0.0
-0.0	-0.0		872	-0.8	0.0	0.2	-0.0
0.0	0.0		880	2.0	-0.0	0.6	-0.0
0.0	0.0		879	1.0	-0.0	-0.2	-0.0
-0.0	-0.0						
		g1	871	35.2	-0.0	12.9	-0.0
-0.2	0.0		872	10.5	-0.1	0.9	0.0
0.2	0.0		880	-34.4	0.1	-12.5	0.0
-0.3	-0.0		879	-11.2	0.0	-1.2	0.0
0.4	0.0						
		g2	871	16.3	-0.0	7.5	0.0
-0.2	-0.0		872	4.4	-0.1	1.9	0.0
0.2	0.0		880	-16.1	0.1	-7.2	-0.0
-0.3	0.0		879	-4.6	0.0	-2.2	-0.0
0.3	-0.0						
		q3	871	-1.9	-0.0	-0.6	-0.0
0.0	0.0		872	-1.6	-0.0	0.3	-0.0
-0.0	-0.0		880	1.9	0.0	0.5	0.0
0.0	-0.0		879	1.7	0.0	-0.3	0.0
-0.0	0.0						
		q5_pc	871	-1.9	0.0	-0.4	-0.0
-0.0	0.0		872	1.5	0.0	-0.1	-0.0
0.0	-0.0						

PROJECT TITLE :

			Company	Client				
			Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.0	-0.0			880	1.6	-0.0	0.3	0.0
0.0	0.0			879	-1.2	-0.0	0.2	0.0
-0.0	0.0	q5_ps		871	-1.9	0.0	-0.4	-0.0
0.0	-0.0			872	1.2	0.0	-0.0	-0.0
-0.0	-0.0			880	1.6	-0.0	0.3	0.0
0.0	0.0			879	-1.0	-0.0	0.1	0.0
2.5	0.0	INVSLU	Max	871	227.6	-0.3	36.5	-0.0
-2.7	0.0			872	-81.2	-1.0	-11.6	0.0
1.9	-0.0			880	-209.2	1.0	-29.7	0.1
-1.6	0.0			879	75.0	0.3	7.1	0.0
2.4	0.0		Min	871	220.1	-0.3	34.9	-0.0
-2.8	0.0			872	-86.5	-1.0	-12.2	0.0
1.9	-0.0			880	-216.0	0.9	-31.1	0.1
-1.6	0.0			879	70.2	0.3	6.3	0.0
1.3	0.0	INVSLV	Max	871	137.7	0.1	23.6	0.0
-1.4	0.0			872	-37.1	0.0	-5.8	0.0
0.9	0.0			880	-117.2	0.1	-18.4	0.0
-0.8	0.0			879	35.8	0.2	5.5	0.1
1.3	-0.0		Min	871	122.7	-0.2	20.0	-0.0
-1.4	-0.0			872	-41.7	-0.1	-6.7	-0.0
0.9	-0.0			880	-130.9	-0.0	-22.2	-0.0
-0.8	-0.0			879	30.7	-0.1	4.2	-0.0
957	2	10	Q1-1-2	Max	891	0.0	0.0	0.0
0.0	0.0			106	0.0	0.0	0.0	0.0
0.0	0.0			2313	0.0	0.0	0.0	0.0
0.0	0.0			2347	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	891	0.0	0.0	0.0	0.0
				106	0.0	0.0	0.0	0.0




PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		2313	0.0	0.0	0.0	0.0
0.0	0.0		2347	0.0	0.0	0.0	0.0
0.0	0.0						
		Q2a-1-2	Max	891	0.0	0.0	0.0
0.0	0.0			106	0.0	0.0	0.0
0.0	0.0			2313	0.0	0.0	0.0
0.0	0.0			2347	0.0	0.0	0.0
0.0	0.0						
			Min	891	0.0	0.0	0.0
0.0	0.0			106	0.0	0.0	0.0
0.0	0.0			2313	0.0	0.0	0.0
0.0	0.0			2347	0.0	0.0	0.0
0.0	0.0						
			SLVx (RS)	891	-6.4	-0.0	-0.8
-0.1	-0.0			106	-7.1	0.0	1.1
0.1	0.0			2313	6.4	-0.0	-1.0
-0.1	-0.0			2347	6.9	0.0	-0.8
0.1	0.0						
			SLVy (RS)	891	-2.1	-0.1	0.4
-0.1	-0.0			106	1.0	0.3	0.7
0.1	-0.0			2313	2.4	-0.3	-0.3
-0.1	0.0			2347	-1.2	0.0	-0.8
0.1	-0.0						
			SLDx (RS)	891	-3.2	-0.0	-0.4
-0.0	-0.0			106	-3.5	0.0	0.6
0.0	0.0			2313	3.2	-0.0	-0.5
-0.0	-0.0			2347	3.4	0.0	-0.4
0.0	0.0						
			SLDy (RS)	891	-1.1	-0.0	0.2
-0.0	-0.0			106	0.5	0.1	0.3
0.0	-0.0			2313	1.2	-0.1	-0.1
-0.0	0.0			2347	-0.6	0.0	-0.4
0.0	-0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
		SLVz (RS)	891	2.5	0.0	0.3	-0.0
0.0	0.0		106	-3.2	0.0	0.5	-0.0
-0.0	-0.0		2313	-2.4	-0.0	-0.5	0.0
0.0	-0.0		2347	3.1	-0.0	-0.4	0.0
-0.0	0.0						
		g1	891	-54.0	-0.0	-3.4	0.0
-1.0	-0.0		106	62.7	0.0	-7.0	0.0
0.9	0.0		2313	52.0	-0.0	7.9	-0.0
-1.0	0.0		2347	-60.7	0.0	2.6	-0.0
1.0	-0.0						
		g2	891	-27.5	-0.0	-1.1	0.0
-0.5	-0.0		106	28.9	-0.0	-2.8	0.0
0.5	0.0		2313	26.4	0.0	4.0	-0.0
-0.5	0.0		2347	-27.9	0.0	-0.1	-0.0
0.6	-0.0						
		q3	891	-3.3	-0.0	-0.5	0.0
-0.0	-0.0		106	1.2	-0.0	0.0	0.0
0.0	0.0		2313	3.1	0.0	0.7	-0.0
-0.0	-0.0		2347	-1.0	0.0	-0.3	-0.0
0.0	-0.0						
		q5_pc	891	-1.7	-0.0	-0.1	0.0
-0.0	0.0		106	2.1	-0.0	-0.2	0.0
0.0	0.0		2313	1.8	0.0	0.2	-0.0
-0.0	-0.0		2347	-2.2	0.0	0.1	-0.0
0.0	-0.0						
		q5_ps	891	-1.5	-0.0	-0.1	0.0
-0.0	0.0		106	1.7	-0.0	-0.2	0.0
0.0	-0.0		2313	1.5	0.0	0.2	-0.0
-0.0	-0.0		2347	-1.8	0.0	0.1	-0.0
0.0	-0.0						
		INVSLU Max	891	-113.1	-0.0	-6.2	0.0
-2.1	-0.0		106	140.5	-0.0	-13.9	0.0
2.1	0.0		2313	112.2	0.0	16.4	-0.0
-2.0	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

2.3	-0.0			2347	-125.2	0.0	5.6	-0.0	
			Min	891	-121.4	-0.0	-7.1	0.0	
-2.3	-0.0			106	134.1	-0.0	-14.5	0.0	
2.0	0.0			2313	104.2	0.0	14.9	-0.0	
-2.1	0.0			2347	-131.5	0.0	5.0	-0.0	
2.2	-0.0								
			INVSLV	Max	891	-77.4	0.0	-3.4	0.0
-1.5	0.0			106	102.0	0.3	-8.4	0.0	
1.5	0.0			2313	87.4	0.3	13.8	0.0	
-1.4	0.0			2347	-79.9	0.1	2.9	0.0	
1.8	0.0								
				Min	891	-93.0	-0.1	-5.4	-0.0
-1.7	-0.0			106	85.3	-0.3	-11.5	-0.0	
1.3	0.0			2313	71.8	-0.2	11.5	-0.0	
-1.6	-0.0			2347	-96.2	-0.0	0.6	-0.0	
1.5	-0.0								
964	2	10	Q1-1-2	Max	903	0.0	0.0	0.0	0.0
0.0	0.0	0.0			677	0.0	0.0	0.0	0.0
0.0	0.0	0.0			680	0.0	0.0	0.0	0.0
0.0	0.0	0.0			904	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	903	0.0	0.0	0.0	0.0
0.0	0.0	0.0			677	0.0	0.0	0.0	0.0
0.0	0.0	0.0			680	0.0	0.0	0.0	0.0
0.0	0.0	0.0			904	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Max	903	0.0	0.0	0.0	0.0
0.0	0.0	0.0			677	0.0	0.0	0.0	0.0
0.0	0.0	0.0			680	0.0	0.0	0.0	0.0
0.0	0.0	0.0			904	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	903	0.0	0.0	0.0	0.0
0.0	0.0	0.0			677	0.0	0.0	0.0	0.0
0.0	0.0	0.0			680	0.0	0.0	0.0	0.0
0.0	0.0	0.0							

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	0.0		904	0.0	0.0	0.0	0.0
-0.4	0.0	SLVx (RS)	903	-6.1	0.0	-1.0	-0.0
0.3	0.0		677	5.8	0.0	1.1	-0.0
-0.4	0.0		680	3.8	-0.0	1.0	-0.0
0.4	0.0		904	-3.2	-0.0	-1.0	0.0
-0.7	0.0	SLVy (RS)	903	-9.4	0.1	-1.1	-0.0
0.7	0.0		677	9.2	-0.1	-1.0	0.0
-0.7	0.0		680	9.7	-0.0	1.7	-0.0
0.7	0.0		904	-9.6	0.0	0.4	0.0
-0.2	0.0	SLDx (RS)	903	-3.0	0.0	-0.5	-0.0
0.2	0.0		677	2.9	0.0	0.6	-0.0
-0.2	0.0		680	1.9	-0.0	0.5	-0.0
0.2	0.0		904	-1.6	-0.0	-0.5	0.0
-0.4	0.0	SLDy (RS)	903	-4.7	0.1	-0.5	-0.0
0.4	0.0		677	4.6	-0.1	-0.5	0.0
-0.3	0.0		680	4.9	-0.0	0.9	-0.0
0.4	0.0		904	-4.8	0.0	0.2	0.0
0.1	-0.0	SLVz (RS)	903	2.2	0.0	0.3	-0.0
-0.1	0.0		677	-2.4	0.0	0.3	-0.0
0.1	0.0		680	-1.1	-0.0	-0.3	-0.0
-0.1	-0.0		904	1.3	-0.0	-0.3	-0.0
-3.0	0.0	g1	903	-47.0	-0.0	0.1	0.0
2.9	0.0		677	49.0	-0.0	-0.3	0.0
-3.0	-0.0		680	23.1	0.0	0.6	0.0
3.1	0.0		904	-25.1	0.0	-0.0	0.0
-1.7	-0.0	g2	903	-23.7	-0.0	2.5	0.0

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

1.7	-0.0			677	22.8	0.0	5.3	0.0
-1.9	-0.0			680	12.8	0.0	-3.4	-0.0
1.9	-0.0			904	-11.9	-0.0	-4.4	-0.0
-0.2	0.0	q3		903	-4.8	0.0	-1.7	0.0
0.2	0.0			677	1.7	-0.0	1.5	0.0
-0.2	0.0			680	4.2	-0.0	1.8	-0.0
0.2	0.0			904	-1.0	0.0	-1.5	-0.0
-0.5	0.0	q5_pc		903	-6.7	-0.0	-0.6	0.0
0.5	0.0			677	6.9	-0.0	-0.6	0.0
-0.5	0.0			680	6.7	-0.0	0.8	0.0
0.5	0.0			904	-6.9	0.0	0.3	0.0
-0.5	0.0	q5_ps		903	-6.0	-0.0	-0.4	0.0
0.5	0.0			677	6.0	-0.0	-0.2	0.0
-0.5	0.0			680	6.0	-0.0	0.5	0.0
0.5	0.0			904	-6.1	0.0	0.1	0.0
23.1	0.0	INVSLU	Max	903	222.3	-0.0	6.0	-0.0
-21.9	-0.0			677	-196.2	-0.1	-16.6	-0.0
23.4	-0.0			680	-306.4	0.1	0.5	0.0
-21.3	0.0			904	322.5	-0.0	17.0	0.0
21.4	0.0		Min	903	199.5	-0.0	2.5	-0.0
-23.5	-0.0			677	-216.1	-0.1	-19.5	-0.0
21.8	-0.0			680	-328.7	0.1	-3.4	0.0
-23.0	0.0			904	303.1	-0.0	14.3	0.0
10.7	0.0	INVSLV	Max	903	103.0	0.1	11.2	0.0
-9.0	0.0			677	-78.6	0.1	6.0	0.0
10.2	0.0			680	-143.3	0.0	-10.3	0.0
-8.5	0.0			904	164.6	0.0	-0.3	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


			Min	903	79.4	-0.2	8.3	-0.0
8.9	-0.0			677	-102.0	-0.1	2.9	-0.0
-10.7	-0.0			680	-165.8	-0.0	-14.6	0.0
8.6	-0.0			904	142.7	-0.0	-2.7	0.0
-10.3	-0.0							
971	2	10	Q1-1-2	Max	892	0.0	0.0	0.0
0.0	0.0	0.0			672	0.0	0.0	0.0
0.0	0.0	0.0			677	0.0	0.0	0.0
0.0	0.0	0.0			903	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	892	0.0	0.0	0.0	0.0
0.0	0.0	0.0		672	0.0	0.0	0.0	0.0
0.0	0.0	0.0		677	0.0	0.0	0.0	0.0
0.0	0.0	0.0		903	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			Q2a-1-2	Max	892	0.0	0.0	0.0
0.0	0.0	0.0		672	0.0	0.0	0.0	0.0
0.0	0.0	0.0		677	0.0	0.0	0.0	0.0
0.0	0.0	0.0		903	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	892	0.0	0.0	0.0	0.0
0.0	0.0	0.0		672	0.0	0.0	0.0	0.0
0.0	0.0	0.0		677	0.0	0.0	0.0	0.0
0.0	0.0	0.0		903	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			SLVx (RS)	892	-13.2	0.0	-1.2	-0.0
-0.9	0.0	0.0		672	-13.3	0.0	-1.8	0.0
-0.9	0.0	0.0		677	10.6	-0.0	1.2	-0.0
0.9	0.0	0.0		903	-10.7	0.0	-1.5	0.0
1.0	0.0	0.0						
			SLVy (RS)	892	-7.4	0.0	-0.5	-0.0
-0.7	0.0	0.0		672	7.6	-0.1	-0.2	0.0
0.7	0.0	0.0		677	7.7	-0.1	0.7	-0.0
-0.6	0.0	0.0		903	-7.9	0.1	0.1	0.0
0.6	0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.5	0.0	SLDx (RS)	892	-6.6	0.0	-0.6	-0.0
-0.5	0.0		672	-6.7	0.0	-0.9	0.0
0.5	0.0		677	5.3	-0.0	0.6	-0.0
0.5	0.0		903	-5.4	0.0	-0.8	0.0
-0.3	0.0	SLDy (RS)	892	-3.7	0.0	-0.2	-0.0
0.3	0.0		672	3.8	-0.0	-0.1	0.0
-0.3	0.0		677	3.8	-0.1	0.3	-0.0
0.3	0.0		903	-3.9	0.1	0.0	0.0
0.4	0.0	SLVz (RS)	892	5.3	0.0	0.4	-0.0
-0.4	0.0		672	-5.7	0.0	0.4	-0.0
0.4	0.0		677	-4.2	-0.0	-0.5	-0.0
-0.4	0.0		903	4.6	-0.0	-0.3	0.0
-8.4	-0.0	g1	892	-112.9	-0.0	-2.9	0.0
8.3	0.0		672	117.1	-0.0	-1.7	0.0
-8.4	0.0		677	89.1	0.0	3.8	0.0
8.5	-0.0		903	-93.3	0.0	1.0	-0.0
-4.2	-0.0	g2	892	-56.0	0.0	-0.8	0.0
4.2	-0.0		672	55.1	0.0	2.9	0.0
-4.3	-0.0		677	45.1	0.0	1.0	-0.0
4.4	-0.0		903	-44.1	-0.0	-3.1	-0.0
-0.4	-0.0	q3	892	-6.6	-0.0	-1.7	0.0
0.4	-0.0		672	3.7	0.0	1.4	0.0
-0.4	-0.0		677	5.9	0.0	1.8	-0.0
0.4	-0.0		903	-3.0	-0.0	-1.5	-0.0
-0.5	0.0	q5_pc	892	-6.4	-0.0	-0.3	0.0
0.5	0.0		672	6.8	-0.0	-0.4	0.0

PROJECT TITLE :

			Company	Client				
			Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.5	0.0		677	6.4	0.0	0.4	0.0	
0.5	0.0		903	-6.8	0.0	0.3	0.0	
-0.5	0.0	q5_ps	892	-5.6	-0.0	-0.3	0.0	
0.5	0.0		672	5.8	-0.0	-0.2	0.0	
-0.5	0.0		677	5.7	0.0	0.3	0.0	
0.5	0.0		903	-5.9	0.0	0.1	-0.0	
-1.1	0.0	INVSLU Max	892	-65.6	-0.0	-0.6	0.0	
2.5	-0.0		672	99.6	-0.1	-10.6	0.0	
-1.0	-0.0		677	-17.4	0.1	4.4	0.0	
3.0	0.0		903	27.5	0.0	12.7	0.0	
-2.8	0.0	Min	892	-89.0	-0.0	-3.5	0.0	
0.8	-0.0		672	78.5	-0.1	-13.1	0.0	
-2.7	-0.0		677	-40.4	0.1	1.2	0.0	
1.3	0.0		903	6.8	0.0	10.2	0.0	
-3.4	0.0	INVSLV Max	892	-70.4	0.0	0.9	0.0	
5.7	0.0		672	106.2	0.1	3.5	0.0	
-3.6	0.0		677	38.4	0.1	2.1	0.0	
6.3	0.0		903	-11.2	0.2	0.3	0.0	
-5.9	-0.0	Min	892	-104.5	-0.1	-1.9	-0.0	
3.2	-0.0		672	71.5	-0.1	-0.4	-0.0	
-6.1	-0.0		677	10.0	-0.1	-1.0	-0.0	
3.8	-0.0		903	-40.1	-0.1	-3.0	-0.0	
978	2	10	Q1-1-2 Max	904	0.0	0.0	0.0	0.0
0.0	0.0			680	0.0	0.0	0.0	0.0
0.0	0.0			114	0.0	0.0	0.0	0.0
0.0	0.0			910	0.0	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	904	0.0	0.0	0.0	0.0
				680	0.0	0.0	0.0	0.0



PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		114	0.0	0.0	0.0	0.0
0.0	0.0		910	0.0	0.0	0.0	0.0
0.0	0.0						
		Q2a-1-2	Max	904	0.0	0.0	0.0
0.0	0.0			680	0.0	0.0	0.0
0.0	0.0			114	0.0	0.0	0.0
0.0	0.0			910	0.0	0.0	0.0
0.0	0.0						
			Min	904	0.0	0.0	0.0
0.0	0.0			680	0.0	0.0	0.0
0.0	0.0			114	0.0	0.0	0.0
0.0	0.0			910	0.0	0.0	0.0
0.0	0.0						
			SLVx (RS)	904	-2.3	0.0	-0.7
-0.1	-0.0			680	1.1	0.0	0.6
0.2	0.0			114	3.4	0.0	0.9
-0.1	0.0			910	-2.5	-0.0	-0.7
0.1	-0.0						
			SLVy (RS)	904	-9.0	0.1	-1.7
-0.4	0.0			680	7.8	-0.1	-1.8
0.4	0.0			114	9.5	0.0	3.2
-0.4	0.0			910	-8.3	-0.1	0.2
0.4	-0.0						
			SLDx (RS)	904	-1.2	0.0	-0.4
-0.1	-0.0			680	0.5	0.0	0.3
0.1	0.0			114	1.7	0.0	0.5
-0.1	0.0			910	-1.3	-0.0	-0.3
0.1	-0.0						
			SLDy (RS)	904	-4.5	0.1	-0.8
-0.2	0.0			680	3.9	-0.0	-0.9
0.2	0.0			114	4.7	0.0	1.6
-0.2	0.0			910	-4.1	-0.0	0.1
0.2	-0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

		SLVz (RS)	904	-0.9	0.0	0.2	0.0
-0.1	-0.0		680	0.5	0.0	0.2	0.0
0.1	0.0		114	1.5	-0.0	-0.2	-0.0
-0.1	0.0		910	-1.2	0.0	-0.2	-0.0
0.1	-0.0						
		g1	904	10.3	-0.0	2.6	-0.0
1.0	0.0		680	-10.2	-0.0	-0.2	-0.0
-1.1	-0.0		114	-23.8	0.0	-0.7	0.0
1.0	-0.0		910	23.8	-0.0	-1.4	0.0
-0.9	-0.0						
		g2	904	5.5	-0.0	6.1	0.0
0.0	-0.0		680	-5.0	0.0	7.3	-0.0
-0.0	-0.0		114	-11.5	0.0	-8.1	-0.0
-0.1	-0.0		910	10.9	-0.0	-5.3	-0.0
0.1	-0.0						
		q3	904	-2.8	-0.0	-1.4	0.0
-0.1	0.0		680	-0.5	-0.0	1.1	0.0
0.1	0.0		114	2.4	0.0	1.4	0.0
-0.0	0.0		910	0.9	0.0	-1.1	0.0
0.1	0.0						
		q5_pc	904	-5.5	-0.0	-0.9	-0.0
-0.3	0.0		680	5.3	-0.0	-0.9	0.0
0.3	0.0		114	5.5	0.0	1.4	0.0
-0.3	0.0		910	-5.3	0.0	0.3	0.0
0.3	0.0						
		q5_ps	904	-4.9	-0.0	-0.5	0.0
-0.3	0.0		680	4.8	-0.0	-0.4	0.0
0.3	0.0		114	4.9	0.0	0.8	0.0
-0.3	0.0		910	-4.8	0.0	0.1	0.0
0.3	0.0						
		INVSLU Max	904	368.2	-0.0	7.4	-0.0
25.8	-0.0		680	-357.8	-0.0	-22.7	-0.0
-25.7	-0.0		114	-410.7	0.1	7.9	0.0
26.3	-0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-24.7	-0.0			910	432.7	-0.1	14.1	0.0
			Min	904	350.6	-0.0	4.0	-0.0
24.9	-0.0			680	-372.5	-0.0	-25.7	-0.0
-26.5	-0.0			114	-428.0	0.1	3.5	0.0
25.5	-0.0			910	417.5	-0.1	12.0	0.0
-25.6	-0.0							
		INVSLV	Max	904	207.2	0.1	19.6	-0.0
13.1	0.0			680	-184.8	0.1	10.0	-0.0
-12.1	0.0			114	-223.0	0.0	-20.1	0.0
12.7	0.0			910	239.2	0.1	-1.0	0.0
-11.9	0.0							
			Min	904	187.2	-0.1	15.6	-0.0
12.1	-0.0			680	-201.3	-0.1	6.0	-0.0
-12.9	-0.0			114	-244.9	-0.0	-27.2	0.0
11.8	-0.0			910	220.5	-0.1	-2.6	-0.0
-12.9	0.0							
985	2	10	Q1-1-2	Max	910	0.0	0.0	0.0
0.0	0.0	0.0			114	0.0	0.0	0.0
0.0	0.0	0.0			744	0.0	0.0	0.0
0.0	0.0	0.0			916	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	910	0.0	0.0	0.0	0.0
0.0	0.0	0.0			114	0.0	0.0	0.0
0.0	0.0	0.0			744	0.0	0.0	0.0
0.0	0.0	0.0			916	0.0	0.0	0.0
0.0	0.0	0.0						
			Q2a-1-2	Max	910	0.0	0.0	0.0
0.0	0.0	0.0			114	0.0	0.0	0.0
0.0	0.0	0.0			744	0.0	0.0	0.0
0.0	0.0	0.0			916	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	910	0.0	0.0	0.0	0.0
0.0	0.0	0.0			114	0.0	0.0	0.0
0.0	0.0	0.0			744	0.0	0.0	0.0
0.0	0.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		916	0.0	0.0	0.0	0.0
-0.0	0.0	SLVx (RS)	910	-1.7	-0.0	-0.2	0.0
0.0	0.0		114	1.4	-0.0	0.3	0.0
-0.0	-0.0		744	1.6	0.0	0.3	0.0
-0.0	-0.0		916	-1.5	-0.0	-0.2	0.0
-0.0	-0.0	SLVy (RS)	910	-3.6	0.1	-1.2	0.0
0.0	0.0		114	2.0	0.2	0.5	-0.0
-0.0	-0.0		744	3.8	-0.2	-0.3	-0.0
0.0	-0.0		916	-2.2	-0.1	0.6	-0.0
-0.0	0.0	SLDx (RS)	910	-0.8	-0.0	-0.1	0.0
0.0	0.0		114	0.7	-0.0	0.2	0.0
-0.0	-0.0		744	0.8	0.0	0.2	0.0
-0.0	-0.0		916	-0.7	-0.0	-0.1	0.0
-0.0	-0.0	SLDy (RS)	910	-1.8	0.1	-0.6	0.0
0.0	0.0		114	1.0	0.1	0.3	-0.0
-0.0	-0.0		744	1.9	-0.1	-0.1	-0.0
0.0	-0.0		916	-1.1	-0.1	0.3	-0.0
-0.0	-0.0	SLVz (RS)	910	-0.8	-0.0	0.1	0.0
0.0	0.0		114	0.6	-0.0	0.2	0.0
-0.0	-0.0		744	0.8	0.0	-0.1	0.0
0.0	-0.0		916	-0.6	0.0	-0.0	0.0
0.0	-0.0	g1	910	12.2	0.1	3.9	-0.0
-0.1	-0.0		114	-13.4	0.4	1.2	-0.0
0.1	0.0		744	-13.2	-0.4	-1.7	-0.0
-0.0	0.0		916	14.4	-0.1	-3.4	-0.0
-0.6	-0.0	g2	910	7.9	0.2	6.5	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.7	-0.0			114	-5.4	0.6	12.6	-0.0
-0.7	0.0			744	-8.3	-0.6	-13.6	-0.0
0.7	-0.0			916	5.7	-0.2	-5.5	-0.0
0.0	0.0	q3		910	-1.8	-0.0	-0.5	-0.0
-0.0	0.0			114	-1.6	-0.0	0.2	0.0
0.0	-0.0			744	1.7	0.0	0.6	0.0
-0.0	0.0			916	1.6	0.0	-0.3	0.0
0.0	0.0	q5_pc		910	-2.1	-0.0	-0.6	0.0
-0.1	0.0			114	1.5	-0.1	-1.4	0.0
0.1	-0.0			744	2.1	0.1	1.6	0.0
-0.0	0.0			916	-1.5	0.0	0.4	0.0
0.0	0.0	q5_ps		910	-1.7	-0.0	-0.4	-0.0
-0.0	0.0			114	1.4	-0.0	-0.6	0.0
0.0	-0.0			744	1.8	0.0	0.7	0.0
-0.0	0.0			916	-1.4	0.0	0.2	0.0
3.2	-0.0	INVSLU	Max	910	155.6	1.1	2.1	-0.1
-3.1	-0.0			114	-158.1	4.3	0.8	-0.3
3.2	0.0			744	-153.7	-4.1	-4.8	-0.2
-3.1	0.0			916	169.0	-1.1	6.5	-0.1
3.1	-0.0		Min	910	148.6	1.1	0.4	-0.1
-3.2	-0.0			114	-163.9	4.1	-1.9	-0.3
3.1	0.0			744	-160.7	-4.2	-8.4	-0.2
-3.1	-0.0			916	163.1	-1.1	5.5	-0.1
0.6	0.0	INVSLV	Max	910	95.6	0.2	14.0	0.0
-0.5	-0.0			114	-80.4	0.3	16.2	-0.0
0.6	0.0			744	-90.9	0.0	-22.3	0.0
-0.6	0.0			916	90.0	0.1	-4.8	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

				Min	910	86.9	-0.1	11.5	-0.0
0.5	-0.0				114	-85.5	-0.1	14.9	-0.0
-0.6	-0.0				744	-100.0	-0.3	-23.2	-0.0
0.5	-0.0				916	84.4	-0.2	-6.2	-0.0
-0.7	-0.0								
1026	2	10	Q1-1-2	Max	681	0.0	0.0	0.0	0.0
0.0	0.0	0.0			953	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2354	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2316	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	681	0.0	0.0	0.0	0.0
0.0	0.0	0.0			953	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2354	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2316	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	681	0.0	0.0	0.0	0.0
0.0	0.0	0.0			953	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2354	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2316	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	681	0.0	0.0	0.0	0.0
0.0	0.0	0.0			953	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2354	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2316	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				SLVx (RS)	681	9.1	-0.0	1.5	-0.0
-0.1	0.0	0.0			953	-2.4	-0.0	0.5	-0.0
0.1	-0.0	0.0			2354	-9.1	0.0	-1.7	0.0
-0.1	-0.0	0.0			2316	2.5	0.0	-0.8	-0.0
0.1	0.0	0.0							
				SLVy (RS)	681	-1.1	-0.1	-0.4	0.0
-0.0	-0.0	0.0			953	2.1	-0.2	-0.3	0.0
0.0	0.0	0.0			2354	0.9	0.2	0.2	-0.0
-0.0	0.0	0.0			2316	-1.7	0.1	0.7	-0.0
-0.0	-0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	681	4.5	-0.0	0.7	-0.0
-0.1	0.0		953	-1.2	-0.0	0.2	-0.0
0.0	-0.0		2354	-4.6	0.0	-0.9	0.0
-0.1	-0.0		2316	1.2	0.0	-0.4	-0.0
0.1	0.0						
		SLDy (RS)	681	-0.5	-0.1	-0.2	0.0
-0.0	-0.0		953	1.1	-0.1	-0.2	0.0
0.0	0.0		2354	0.5	0.1	0.1	-0.0
-0.0	0.0		2316	-0.9	0.1	0.4	-0.0
-0.0	-0.0						
		SLVz (RS)	681	3.9	-0.0	0.6	-0.0
0.1	0.0		953	-1.0	0.0	-0.3	-0.0
-0.0	-0.0		2354	-4.0	0.0	-0.7	0.0
0.0	-0.0		2316	1.0	0.0	0.4	0.0
-0.1	0.0						
		g1	681	-78.1	0.0	-9.0	0.0
-1.3	-0.0		953	26.1	-0.0	7.4	0.0
1.2	0.0		2354	78.5	0.0	11.3	-0.0
-1.3	0.0		2316	-26.5	-0.0	-9.7	-0.0
1.5	-0.0						
		g2	681	-36.9	0.0	-3.8	0.0
-0.7	-0.0		953	13.3	0.0	3.9	0.0
0.6	0.0		2354	37.3	-0.0	4.7	-0.0
-0.7	-0.0		2316	-13.7	-0.0	-4.8	-0.0
0.7	-0.0						
		q3	681	-2.9	0.0	-0.4	0.0
-0.0	-0.0		953	0.1	-0.0	0.4	0.0
0.0	0.0		2354	3.0	-0.0	0.6	-0.0
-0.0	0.0		2316	-0.1	-0.0	-0.5	-0.0
0.0	-0.0						
		q5_pc	681	-2.3	0.0	-0.2	0.0
-0.0	0.0		953	1.3	-0.0	0.1	0.0
0.0	0.0						

PROJECT TITLE :

MIDAS	Company		Client			
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

-0.0	-0.0			2354	2.3	0.0	0.3	-0.0
0.0	0.0			2316	-1.4	-0.0	-0.2	-0.0
-0.0	0.0	q5_ps		681	-1.8	0.0	-0.2	0.0
0.0	0.0			953	1.2	-0.0	0.1	0.0
-0.0	-0.0			2354	1.8	0.0	0.2	-0.0
0.0	0.0			2316	-1.2	-0.0	-0.1	-0.0
-2.8	-0.0	INVSLU	Max	681	-159.1	-0.0	-16.2	0.0
2.7	0.0			953	67.8	-0.0	15.8	0.0
-2.8	0.0			2354	163.6	0.0	21.3	-0.0
3.2	-0.0			2316	-59.7	0.0	-18.7	-0.0
-3.0	-0.0		Min	681	-167.9	-0.0	-17.3	0.0
2.5	0.0			953	64.0	-0.0	15.1	0.0
-2.9	0.0			2354	154.8	0.0	20.0	-0.0
3.1	-0.0			2316	-63.4	0.0	-19.7	-0.0
-1.9	0.0	INVSLV	Max	681	-103.8	0.1	-10.0	0.0
2.0	0.0			953	49.3	0.2	11.6	0.0
-1.9	0.0			2354	123.5	0.2	16.4	0.0
2.4	0.0			2316	-41.1	0.2	-12.3	0.0
-2.1	-0.0		Min	681	-125.0	-0.1	-13.6	-0.0
1.7	-0.0			953	42.5	-0.2	10.3	-0.0
-2.2	-0.0			2354	102.3	-0.2	12.3	-0.0
2.1	-0.0			2316	-47.7	-0.2	-14.5	-0.0
1027	2	4	Q1-1-2	Max	953	0.0	0.0	0.0
0.0	0.0			955	0.0	0.0	0.0	0.0
0.0	0.0			2355	0.0	0.0	0.0	0.0
0.0	0.0			2354	0.0	0.0	0.0	0.0
0.0	0.0			953	0.0	0.0	0.0	0.0
0.0	0.0		Min	955	0.0	0.0	0.0	0.0




PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		2355	0.0	0.0	0.0	0.0
0.0	0.0		2354	0.0	0.0	0.0	0.0
0.0	0.0						
		Q2a-1-2	Max	953	0.0	0.0	0.0
0.0	0.0			955	0.0	0.0	0.0
0.0	0.0			2355	0.0	0.0	0.0
0.0	0.0			2354	0.0	0.0	0.0
0.0	0.0						
			Min	953	0.0	0.0	0.0
0.0	0.0			955	0.0	0.0	0.0
0.0	0.0			2355	0.0	0.0	0.0
0.0	0.0			2354	0.0	0.0	0.0
0.0	0.0						
			SLVx (RS)	953	10.2	-0.0	1.8
0.1	0.0			955	-2.6	-0.0	0.6
0.1	-0.0			2355	-9.8	0.0	-1.9
-0.1	-0.0			2354	2.2	0.0	-0.8
-0.1	0.0						
			SLVy (RS)	953	-1.0	-0.2	0.6
-0.0	-0.0			955	2.8	-0.3	-0.2
0.0	0.0			2355	1.0	0.3	-0.5
-0.0	0.0			2354	-2.8	0.2	0.2
0.0	-0.0						
			SLDx (RS)	953	5.1	-0.0	0.9
0.1	0.0			955	-1.3	-0.0	0.3
0.1	-0.0			2355	-4.9	0.0	-0.9
-0.1	-0.0			2354	1.1	0.0	-0.4
-0.1	0.0						
			SLDy (RS)	953	-0.5	-0.1	0.3
-0.0	-0.0			955	1.4	-0.1	-0.1
0.0	0.0			2355	0.5	0.1	-0.3
-0.0	0.0			2354	-1.4	0.1	0.1
0.0	-0.0						

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
		SLVz (RS)	953	4.4	0.0	0.8	-0.0
0.1	0.0		955	-1.1	0.0	-0.3	-0.0
-0.0	-0.0		2355	-4.2	-0.0	-0.8	0.0
0.0	-0.0		2354	0.9	-0.0	0.4	0.0
-0.1	0.0						
		g1	953	-88.1	-0.0	-11.4	0.0
-1.5	-0.0		955	28.2	-0.0	8.9	0.0
1.3	0.0		2355	84.5	0.0	12.5	-0.0
-1.3	0.0		2354	-24.6	0.0	-9.8	-0.0
1.4	-0.0						
		g2	953	-42.3	0.0	-5.0	-0.0
-0.8	-0.0		955	13.9	0.0	4.7	-0.0
0.7	-0.0		2355	40.6	-0.0	5.5	0.0
-0.7	-0.0		2354	-12.2	-0.0	-5.2	-0.0
0.7	-0.0						
		q3	953	-3.2	-0.0	-0.5	0.0
-0.0	-0.0		955	0.2	-0.0	0.4	0.0
0.0	0.0		2355	3.1	0.0	0.6	-0.0
-0.0	0.0		2354	-0.1	0.0	-0.5	-0.0
0.0	-0.0						
		q5_pc	953	-2.4	-0.0	-0.2	0.0
-0.1	-0.0		955	1.6	-0.0	0.2	0.0
0.0	0.0		2355	2.4	0.0	0.2	-0.0
-0.0	0.0		2354	-1.5	0.0	-0.2	-0.0
0.1	-0.0						
		q5_ps	953	-1.9	-0.0	-0.1	0.0
-0.0	0.0		955	1.4	-0.0	0.1	0.0
0.0	-0.0		2355	1.9	0.0	0.1	-0.0
-0.0	-0.0		2354	-1.4	0.0	-0.1	-0.0
0.0	-0.0						
		INVSLU Max	953	-180.1	-0.0	-21.7	0.0
-3.1	-0.0		955	75.1	-0.0	17.9	0.0
3.0	0.0		2355	176.4	0.0	24.0	-0.0
-2.7	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

3.2	-0.0			2354	-57.9	0.0	-18.1	-0.0
			Min	953	-189.4	-0.0	-22.7	0.0
-3.3	-0.0			955	70.7	-0.0	17.0	0.0
2.8	0.0			2355	167.3	0.0	22.9	-0.0
-2.9	0.0			2354	-62.1	0.0	-19.1	-0.0
3.0	-0.0							
		INVSLV	Max	953	-119.3	0.2	-13.7	0.1
-2.1	0.0			955	53.0	0.3	13.6	0.1
2.2	0.0			2355	134.4	0.3	19.2	0.0
-1.9	0.0			2354	-37.3	0.2	-12.9	0.0
2.3	0.0							
			Min	953	-142.9	-0.2	-18.0	-0.1
-2.4	-0.0			955	45.1	-0.3	12.0	-0.1
1.9	-0.0			2355	111.8	-0.3	14.7	-0.0
-2.1	-0.0			2354	-44.8	-0.2	-14.7	-0.0
2.0	-0.0							
1035	2	10	Q1-1-2	Max	689	0.0	0.0	0.0
0.0	0.0				969	0.0	0.0	0.0
0.0	0.0				970	0.0	0.0	0.0
0.0	0.0				690	0.0	0.0	0.0
0.0	0.0							
			Min	689	0.0	0.0	0.0	0.0
0.0	0.0				969	0.0	0.0	0.0
0.0	0.0				970	0.0	0.0	0.0
0.0	0.0				690	0.0	0.0	0.0
0.0	0.0							
			Q2a-1-2	Max	689	0.0	0.0	0.0
0.0	0.0				969	0.0	0.0	0.0
0.0	0.0				970	0.0	0.0	0.0
0.0	0.0				690	0.0	0.0	0.0
0.0	0.0							
			Min	689	0.0	0.0	0.0	0.0
0.0	0.0				969	0.0	0.0	0.0
0.0	0.0				970	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	0.0		690	0.0	0.0	0.0	0.0
-0.3	0.0	SLVx (RS)	689	-8.5	-0.0	2.8	-0.0
0.3	-0.0		969	2.7	0.0	-2.9	-0.0
-0.3	-0.0		970	6.0	-0.0	-2.8	-0.0
0.4	0.0		690	-1.2	-0.0	2.9	-0.0
-0.7	0.0	SLVy (RS)	689	-6.6	-0.0	2.0	-0.0
0.7	-0.0		969	11.2	0.1	-2.2	-0.0
-0.8	-0.0		970	7.3	-0.1	-2.0	0.0
0.7	0.0		690	-11.9	-0.0	2.3	0.0
-0.2	0.0	SLDx (RS)	689	-4.2	-0.0	1.4	-0.0
0.2	-0.0		969	1.3	0.0	-1.4	-0.0
-0.2	-0.0		970	3.0	-0.0	-1.4	-0.0
0.2	0.0		690	-0.6	-0.0	1.4	-0.0
-0.4	0.0	SLDy (RS)	689	-3.3	-0.0	1.0	-0.0
0.4	-0.0		969	5.6	0.0	-1.1	-0.0
-0.4	-0.0		970	3.6	-0.0	-1.0	0.0
0.4	0.0		690	-5.9	-0.0	1.1	0.0
0.1	0.0	SLVz (RS)	689	3.5	0.0	1.5	-0.0
-0.1	0.0		969	-0.9	0.0	-1.3	-0.0
0.1	0.0		970	-2.4	-0.0	-1.4	-0.0
-0.1	-0.0		690	0.3	-0.0	1.3	-0.0
-3.1	-0.0	g1	689	-68.5	-0.0	-20.9	0.0
3.1	-0.0		969	25.4	-0.0	25.7	0.0
-3.3	-0.0		970	45.5	0.0	19.6	0.0
3.3	0.0		690	-2.4	0.0	-24.1	0.0
-1.7	-0.0	g2	689	-32.7	0.0	-7.8	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

1.6	0.0			969	12.0	0.0	13.8	0.0
-1.7	0.0			970	21.2	-0.0	7.8	-0.0
1.7	-0.0			690	-0.6	0.0	-13.8	-0.0
-0.2	-0.0	q3		689	-3.9	-0.0	-1.6	0.0
0.2	0.0			969	1.0	-0.0	1.5	0.0
-0.2	-0.0			970	3.4	0.0	1.6	0.0
0.2	-0.0			690	-0.5	0.0	-1.5	0.0
-0.6	0.0	q5_pc		689	-6.7	-0.0	-0.4	-0.0
0.6	-0.0			969	6.8	-0.0	0.0	-0.0
-0.6	-0.0			970	6.8	0.0	0.3	0.0
0.6	0.0			690	-6.9	-0.0	0.0	0.0
-0.5	0.0	q5_ps		689	-5.8	-0.0	-0.1	0.0
0.5	-0.0			969	6.1	-0.0	-0.0	0.0
-0.5	-0.0			970	5.9	0.0	0.1	0.0
0.5	0.0			690	-6.1	-0.0	0.1	0.0
22.8	0.0	INVSLU	Max	689	184.7	-0.0	-32.8	-0.0
-21.2	-0.0			969	-242.5	-0.0	38.9	-0.0
22.5	-0.0			970	-266.9	0.0	26.4	0.0
-20.8	0.0			690	365.0	0.0	-27.3	0.0
21.1	0.0		Min	689	163.4	-0.0	-35.6	-0.0
-22.9	-0.0			969	-261.7	-0.0	36.8	-0.0
20.9	-0.0			970	-288.0	0.0	23.8	0.0
-22.4	0.0			690	346.0	0.0	-29.4	0.0
10.7	0.0	INVSLV	Max	689	74.9	0.0	-17.8	0.0
-9.1	0.0			969	-109.8	0.1	36.6	0.0
10.8	0.0			970	-117.9	0.1	22.5	0.0
-8.9	0.0			690	198.7	0.0	-25.4	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


			Min	689	51.9	-0.0	-25.5	-0.0
8.9	-0.0			969	-134.3	-0.1	28.7	-0.0
-10.9	-0.0			970	-137.5	-0.0	14.8	-0.0
9.0	-0.0			690	174.0	0.0	-33.3	-0.0
-10.7	-0.0							
1036	2	4	Q1-1-2	Max	969	0.0	0.0	0.0
0.0	0.0	0.0			971	0.0	0.0	0.0
0.0	0.0	0.0			972	0.0	0.0	0.0
0.0	0.0	0.0			970	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	969	0.0	0.0	0.0	0.0
0.0	0.0	0.0		971	0.0	0.0	0.0	0.0
0.0	0.0	0.0		972	0.0	0.0	0.0	0.0
0.0	0.0	0.0		970	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			Q2a-1-2	Max	969	0.0	0.0	0.0
0.0	0.0	0.0			971	0.0	0.0	0.0
0.0	0.0	0.0			972	0.0	0.0	0.0
0.0	0.0	0.0			970	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	969	0.0	0.0	0.0	0.0
0.0	0.0	0.0		971	0.0	0.0	0.0	0.0
0.0	0.0	0.0		972	0.0	0.0	0.0	0.0
0.0	0.0	0.0		970	0.0	0.0	0.0	0.0
0.0	0.0	0.0						
			SLVx (RS)	969	-8.8	0.0	2.7	-0.0
-0.4	0.0	0.0		971	2.6	0.0	-3.3	-0.0
0.4	-0.0	0.0		972	6.2	-0.0	-2.8	-0.0
-0.4	-0.0	0.0		970	-1.3	-0.0	3.4	-0.0
0.4	0.0	0.0						
			SLVy (RS)	969	-6.4	0.1	2.5	-0.0
-0.8	0.0	0.0		971	11.3	0.1	-2.2	-0.0
0.8	-0.0	0.0		972	7.2	-0.1	-2.4	0.0
-0.8	-0.0	0.0		970	-12.2	-0.0	2.1	0.0
0.8	0.0	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.2	0.0	SLDx (RS)	969	-4.4	0.0	1.4	-0.0
0.2	-0.0		971	1.3	0.0	-1.6	-0.0
-0.2	-0.0		972	3.1	-0.0	-1.4	-0.0
0.2	0.0		970	-0.6	-0.0	1.7	-0.0
-0.4	0.0	SLDy (RS)	969	-3.2	0.0	1.2	-0.0
0.4	-0.0		971	5.6	0.0	-1.1	-0.0
-0.4	-0.0		972	3.6	-0.0	-1.2	0.0
0.4	0.0		970	-6.1	-0.0	1.1	0.0
0.1	-0.0	SLVz (RS)	969	3.7	0.0	1.4	-0.0
-0.1	0.0		971	-0.9	0.0	-1.5	-0.0
0.1	0.0		972	-2.5	-0.0	-1.4	-0.0
-0.1	-0.0		970	-0.5	-0.0	1.5	-0.0
-3.5	0.0	g1	969	-71.6	-0.0	-19.3	0.0
3.5	-0.0		971	25.4	-0.0	29.8	0.0
-3.5	-0.0		972	47.5	0.0	18.6	0.0
3.6	0.0		970	-1.3	0.0	-28.9	0.0
-1.8	-0.0	g2	969	-34.0	0.0	-8.1	0.0
1.7	0.0		971	12.1	0.0	15.0	0.0
-1.7	0.0		972	22.1	-0.0	7.9	-0.0
1.7	-0.0		970	-0.2	-0.0	-14.8	-0.0
-0.2	0.0	q3	969	-3.9	-0.0	-1.5	0.0
0.2	0.0		971	1.0	-0.0	1.6	0.0
-0.2	-0.0		972	3.4	0.0	1.5	0.0
0.2	0.0		970	-0.5	0.0	-1.6	0.0
-0.6	0.0	q5_pc	969	-6.8	-0.0	-0.0	-0.0
0.6	-0.0		971	6.9	-0.0	0.3	-0.0

PROJECT TITLE :

			Company	Client				
			Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
-0.6	-0.0			972	6.9	0.0	0.1	0.0
0.6	0.0			970	-7.0	0.0	-0.3	0.0
		q5_ps		969	-5.8	-0.0	0.1	0.0
-0.5	0.0			971	6.2	-0.0	0.1	0.0
0.5	-0.0			972	5.9	0.0	-0.1	0.0
-0.5	-0.0			970	-6.3	0.0	-0.1	0.0
0.5	0.0							
		INVSLU	Max	969	183.1	-0.0	-25.8	-0.0
22.3	0.0			971	-244.8	-0.0	49.4	-0.0
-20.7	-0.0			972	-270.0	0.0	19.9	0.0
22.1	-0.0			970	372.5	0.0	-38.2	0.0
-20.3	0.0							
			Min	969	161.7	-0.0	-28.0	-0.0
20.5	0.0			971	-264.3	-0.0	46.8	-0.0
-22.4	-0.0			972	-291.3	0.0	17.7	0.0
20.4	-0.0			970	353.2	0.0	-40.9	0.0
-22.0	0.0							
		INVSLV	Max	969	73.7	0.0	-16.0	0.0
10.6	0.0			971	-110.3	0.1	42.1	0.0
-8.8	0.0			972	-118.2	0.1	19.7	0.0
10.6	0.0			970	201.5	0.1	-28.8	0.0
-8.6	0.0							
			Min	969	50.1	-0.1	-23.8	-0.0
8.7	-0.0			971	-135.0	-0.1	33.3	-0.1
-10.7	-0.0			972	-137.9	-0.1	11.8	-0.0
8.7	-0.0			970	176.1	-0.0	-37.6	-0.0
-10.5	-0.0							
1044	2	10	Q1-1-2	Max	682	0.0	0.0	0.0
0.0	0.0	0.0			954	0.0	0.0	0.0
0.0	0.0	0.0			969	0.0	0.0	0.0
0.0	0.0	0.0			689	0.0	0.0	0.0
0.0	0.0	0.0						
			Min	682	0.0	0.0	0.0	0.0
0.0	0.0	0.0			954	0.0	0.0	0.0




PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		969	0.0	0.0	0.0	0.0
0.0	0.0		689	0.0	0.0	0.0	0.0
0.0	0.0						
		Q2a-1-2	Max	682	0.0	0.0	0.0
0.0	0.0			954	0.0	0.0	0.0
0.0	0.0			969	0.0	0.0	0.0
0.0	0.0			689	0.0	0.0	0.0
0.0	0.0						
			Min	682	0.0	0.0	0.0
0.0	0.0			954	0.0	0.0	0.0
0.0	0.0			969	0.0	0.0	0.0
0.0	0.0			689	0.0	0.0	0.0
0.0	0.0						
			SLVx (RS)	682	15.4	0.0	3.8
0.9	0.0			954	-9.2	0.0	-3.1
-0.9	-0.0			969	-12.9	0.0	-3.7
0.9	-0.0			689	6.8	-0.0	3.1
-0.9	0.0						
			SLVy (RS)	682	-3.6	-0.0	2.6
-0.5	0.0			954	8.0	-0.1	-2.4
0.5	-0.0			969	5.0	0.1	-2.3
-0.6	-0.0			689	-9.7	-0.0	2.1
0.6	0.0						
			SLDx (RS)	682	7.7	0.0	1.9
0.5	0.0			954	-4.6	0.0	-1.6
-0.4	-0.0			969	-6.5	0.0	-1.8
0.5	-0.0			689	3.4	-0.0	1.5
-0.5	0.0						
			SLDy (RS)	682	-1.8	-0.0	1.3
-0.2	0.0			954	4.0	-0.0	-1.2
0.2	-0.0			969	2.5	0.0	-1.1
-0.3	-0.0			689	-4.9	-0.0	1.1
0.3	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
		SLVz (RS)	682	6.7	0.0	1.7	-0.0
0.4	0.0		954	-3.9	0.0	-1.4	-0.0
-0.4	-0.0		969	-5.5	-0.0	-1.6	0.0
0.4	-0.0		689	2.8	-0.0	1.3	0.0
-0.4	0.0						
		g1	682	-134.2	-0.0	-25.6	0.0
-8.4	-0.0		954	88.5	-0.0	26.8	0.0
8.4	0.0		969	111.3	0.0	24.9	-0.0
-8.5	0.0		689	-65.7	0.0	-25.8	-0.0
8.5	-0.0						
		g2	682	-64.2	-0.0	-10.3	0.0
-4.2	-0.0		954	43.2	0.0	13.6	0.0
4.2	0.0		969	53.2	-0.0	10.2	-0.0
-4.2	0.0		689	-32.2	0.0	-13.6	-0.0
4.2	-0.0						
		q3	682	-5.3	-0.0	-1.6	0.0
-0.3	-0.0		954	2.4	-0.0	1.5	0.0
0.3	0.0		969	4.8	0.0	1.6	-0.0
-0.3	0.0		689	-1.9	0.0	-1.5	-0.0
0.3	-0.0						
		q5_pc	682	-6.5	0.0	-0.4	0.0
-0.5	0.0		954	6.4	-0.0	0.1	0.0
0.5	-0.0		969	6.7	0.0	0.4	0.0
-0.5	-0.0		689	-6.5	-0.0	-0.1	-0.0
0.5	0.0						
		q5_ps	682	-5.3	0.0	-0.1	0.0
-0.5	0.0		954	5.5	-0.0	-0.0	0.0
0.5	-0.0		969	5.6	0.0	0.2	-0.0
-0.5	-0.0		689	-5.8	-0.0	-0.0	-0.0
0.5	0.0						
		INVSLU Max	682	-103.5	-0.0	-42.1	-0.0
-1.0	0.0		954	44.0	-0.0	45.8	-0.0
2.8	-0.0		969	21.5	-0.0	38.4	0.0
-1.4	-0.0						

PROJECT TITLE :


	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

2.9	0.0			689	78.6	0.0	-36.6	0.0
			Min	682	-124.9	-0.0	-45.0	-0.0
-2.7	0.0			954	25.0	-0.0	43.5	-0.0
1.1	-0.0			969	-0.2	-0.0	35.5	0.0
-3.1	-0.0			689	59.4	0.0	-38.9	0.0
1.2	0.0							
		INVSLV	Max	682	-93.8	-0.0	-23.8	0.0
-3.4	0.0			954	66.8	0.0	39.6	0.0
5.7	0.0			969	65.3	0.1	31.1	0.0
-3.5	0.0			689	21.8	0.0	-28.3	0.0
5.9	0.0							
			Min	682	-130.8	-0.0	-33.9	-0.0
-5.7	-0.0			954	41.1	-0.1	31.0	-0.0
3.4	-0.0			969	33.1	-0.1	21.4	-0.0
-5.9	-0.0			689	-3.4	-0.0	-36.6	-0.0
3.5	-0.0							
1045	2	4	Q1-1-2	Max	954	0.0	0.0	0.0
0.0	0.0				956	0.0	0.0	0.0
0.0	0.0				971	0.0	0.0	0.0
0.0	0.0				969	0.0	0.0	0.0
0.0	0.0							
			Min	954	0.0	0.0	0.0	0.0
0.0	0.0				956	0.0	0.0	0.0
0.0	0.0				971	0.0	0.0	0.0
0.0	0.0				969	0.0	0.0	0.0
0.0	0.0							
		Q2a-1-2	Max	954	0.0	0.0	0.0	0.0
0.0	0.0				956	0.0	0.0	0.0
0.0	0.0				971	0.0	0.0	0.0
0.0	0.0				969	0.0	0.0	0.0
0.0	0.0							
			Min	954	0.0	0.0	0.0	0.0
0.0	0.0				956	0.0	0.0	0.0
0.0	0.0				971	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	0.0		969	0.0	0.0	0.0	0.0
0.9	0.0	SLVx (RS)	954	15.8	0.0	3.7	-0.0
-0.9	-0.0		956	-9.1	0.0	-3.7	-0.0
0.9	-0.0		971	-13.3	-0.0	-3.7	0.0
-0.9	0.0		969	6.6	-0.0	3.7	0.0
-0.6	0.0	SLVy (RS)	954	-5.0	-0.0	1.8	-0.0
0.6	-0.0		956	8.9	-0.1	-1.8	-0.0
-0.6	-0.0		971	5.7	0.1	-2.1	0.0
0.6	0.0		969	-9.7	0.0	2.1	0.0
0.5	0.0	SLDx (RS)	954	7.9	0.0	1.9	-0.0
-0.5	-0.0		956	-4.5	0.0	-1.8	-0.0
0.5	-0.0		971	-6.6	-0.0	-1.8	0.0
-0.5	0.0		969	3.3	-0.0	1.8	0.0
-0.3	0.0	SLDy (RS)	954	-2.5	-0.0	0.9	-0.0
0.3	-0.0		956	4.5	-0.0	-0.9	-0.0
-0.3	-0.0		971	2.8	0.0	-1.0	0.0
0.3	0.0		969	-4.8	0.0	1.0	0.0
0.4	0.0	SLVz (RS)	954	6.8	0.0	1.6	-0.0
-0.4	-0.0		956	-3.8	0.0	-1.6	-0.0
0.4	-0.0		971	-5.7	-0.0	-1.6	0.0
-0.4	0.0		969	2.8	-0.0	1.6	0.0
-8.7	-0.0	g1	954	-137.7	-0.0	-24.5	0.0
8.8	0.0		956	87.7	-0.0	32.1	0.0
-8.9	0.0		971	115.2	0.0	24.1	-0.0
8.9	-0.0		969	-65.2	0.0	-31.3	-0.0
-4.3	-0.0	g2	954	-66.1	0.0	-10.7	0.0

PROJECT TITLE :

		Company			Client			
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
4.3	0.0			956	42.4	0.0	16.0	0.0
-4.3	0.0			971	55.1	-0.0	10.6	-0.0
4.3	-0.0			969	-31.3	-0.0	-16.0	-0.0
-0.3	-0.0	q3		954	-5.3	-0.0	-1.5	0.0
0.3	0.0			956	2.3	-0.0	1.6	0.0
-0.3	0.0			971	4.8	0.0	1.6	-0.0
0.3	-0.0			969	-1.9	0.0	-1.6	-0.0
-0.6	0.0	q5_pc		954	-6.8	-0.0	-0.3	0.0
0.6	-0.0			956	6.5	-0.0	0.4	0.0
-0.6	-0.0			971	6.9	0.0	0.2	0.0
0.6	0.0			969	-6.7	0.0	-0.4	0.0
-0.5	0.0	q5_ps		954	-5.7	0.0	-0.1	0.0
0.5	-0.0			956	5.7	-0.0	0.2	0.0
-0.5	-0.0			971	5.8	0.0	0.1	-0.0
0.5	0.0			969	-5.8	-0.0	-0.2	-0.0
-1.7	0.0	INVSLU	Max	954	-110.0	-0.0	-38.8	-0.0
3.7	-0.0			956	44.7	-0.0	56.4	-0.0
-2.4	-0.0			971	28.2	0.0	34.6	0.0
3.8	0.0			969	78.8	0.0	-46.5	0.0
-3.4	0.0		Min	954	-132.3	-0.0	-41.3	-0.0
2.0	-0.0			956	25.2	-0.0	53.5	-0.0
-4.2	-0.0			971	6.0	0.0	32.1	0.0
2.0	0.0			969	59.4	0.0	-49.4	0.0
-3.7	0.0	INVSLV	Max	954	-98.6	0.0	-24.4	0.0
6.3	0.0			956	65.5	0.1	47.1	0.0
-4.0	0.0			971	71.0	0.1	30.9	0.1
6.3	0.0			969	23.4	0.1	-34.2	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


				Min	954	-137.1	-0.0	-33.9	-0.0
-6.1	-0.0				956	39.7	-0.1	37.7	-0.0
3.8	-0.0				971	37.6	-0.1	21.3	-0.0
-6.5	-0.0				969	-1.6	-0.0	-43.8	-0.0
3.8	-0.0								
1053	2	10	Q1-1-2	Max	690	0.0	0.0	0.0	0.0
0.0	0.0	0.0			970	0.0	0.0	0.0	0.0
0.0	0.0	0.0			985	0.0	0.0	0.0	0.0
0.0	0.0	0.0			727	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	690	0.0	0.0	0.0	0.0
0.0	0.0	0.0			970	0.0	0.0	0.0	0.0
0.0	0.0	0.0			985	0.0	0.0	0.0	0.0
0.0	0.0	0.0			727	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	690	0.0	0.0	0.0	0.0
0.0	0.0	0.0			970	0.0	0.0	0.0	0.0
0.0	0.0	0.0			985	0.0	0.0	0.0	0.0
0.0	0.0	0.0			727	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	690	0.0	0.0	0.0	0.0
0.0	0.0	0.0			970	0.0	0.0	0.0	0.0
0.0	0.0	0.0			985	0.0	0.0	0.0	0.0
0.0	0.0	0.0			727	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				SLVx (RS)	690	-2.3	0.0	2.1	-0.0
-0.1	0.0	0.0			970	4.1	0.0	-2.3	0.0
0.1	0.0	0.0			985	1.1	-0.0	-2.1	-0.0
-0.1	0.0	0.0			727	-5.4	0.0	2.2	-0.0
0.1	0.0	0.0							
				SLVy (RS)	690	-5.5	0.0	1.2	-0.0
-0.5	0.0	0.0			970	10.5	0.1	-2.0	-0.0
0.5	-0.0	0.0			985	5.7	-0.2	-1.5	-0.0
-0.5	0.0	0.0			727	-10.7	-0.0	2.3	-0.0
0.4	-0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	690	-1.1	0.0	1.1	-0.0
-0.1	0.0		970	2.0	0.0	-1.1	0.0
0.1	0.0		985	0.6	-0.0	-1.1	-0.0
-0.1	0.0		727	-2.7	0.0	1.1	-0.0
0.0	0.0						
		SLDy (RS)	690	-2.7	0.0	0.6	-0.0
-0.2	0.0		970	5.3	0.1	-1.0	-0.0
0.3	-0.0		985	2.8	-0.1	-0.8	-0.0
-0.2	0.0		727	-5.4	-0.0	1.1	-0.0
0.2	-0.0						
		SLVz (RS)	690	0.8	0.0	1.0	0.0
-0.1	-0.0		970	1.9	0.0	-1.0	0.0
0.1	0.0		985	-0.3	-0.0	-1.0	-0.0
-0.1	0.0		727	-2.5	0.0	1.0	-0.0
0.0	-0.0						
		g1	690	-11.6	-0.0	-12.3	-0.0
0.7	-0.0		970	-31.4	-0.0	20.1	-0.0
-0.8	-0.0		985	-1.0	0.0	11.7	0.0
0.6	-0.0		727	44.0	-0.0	-19.3	0.0
-0.5	-0.0						
		g2	690	-5.2	0.0	-4.3	0.0
0.2	-0.0		970	-15.6	0.0	11.0	0.0
-0.2	0.0		985	-1.4	0.0	4.3	-0.0
0.3	0.0		727	22.1	-0.0	-11.0	-0.0
-0.2	-0.0						
		q3	690	-2.3	-0.0	-1.2	-0.0
-0.1	0.0		970	-0.6	-0.0	1.1	-0.0
0.0	-0.0		985	2.0	0.0	1.2	0.0
-0.0	-0.0		727	0.9	0.0	-1.1	0.0
0.1	0.0						
		q5_pc	690	-5.0	-0.0	-0.2	-0.0
-0.3	0.0		970	5.4	-0.0	-0.1	-0.0
0.3	-0.0						

PROJECT TITLE :

		Company			Client				
		Author			File Name				
							PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
-0.3	-0.0			985	5.0	0.0	0.1	0.0	
0.3	0.0			727	-5.4	0.0	0.2	0.0	
			q5_ps	690	-4.3	-0.0	-0.1	-0.0	
-0.3	0.0			970	4.9	-0.0	-0.2	-0.0	
0.3	-0.0			985	4.3	0.0	-0.0	0.0	
-0.3	-0.0			727	-4.9	0.0	0.3	0.0	
0.3	0.0								
			INVSLU	Max	690	317.7	0.0	-27.4	-0.0
24.5	0.0			970	-402.7	-0.0	29.0	-0.0	
-24.4	-0.0			985	-356.5	0.1	26.4	0.0	
25.2	-0.0			727	472.3	-0.1	-24.0	0.0	
-23.5	-0.0								
				Min	690	302.4	0.0	-29.3	-0.0
23.6	-0.0			970	-418.1	-0.0	27.2	-0.0	
-25.3	-0.0			985	-371.6	0.1	24.7	0.0	
24.3	-0.0			727	456.6	-0.1	-26.1	0.0	
-24.4	-0.0								
			INVSLV	Max	690	163.5	0.0	-14.6	0.0
13.1	0.0			970	-214.3	0.1	26.6	0.0	
-12.6	0.0			985	-185.1	0.2	19.9	0.0	
13.8	0.0			727	273.9	0.0	-19.7	0.0	
-12.2	0.0								
				Min	690	150.7	-0.0	-20.2	-0.0
12.1	-0.0			970	-239.0	-0.2	20.3	-0.0	
-13.7	-0.0			985	-197.3	-0.1	14.2	-0.0	
12.7	-0.0			727	247.7	-0.0	-26.2	-0.0	
-13.1	-0.0								
1054	2	4	Q1-1-2	Max	970	0.0	0.0	0.0	0.0
0.0	0.0	0.0			972	0.0	0.0	0.0	0.0
0.0	0.0	0.0			986	0.0	0.0	0.0	0.0
0.0	0.0	0.0			985	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	970	0.0	0.0	0.0	0.0
0.0	0.0	0.0			972	0.0	0.0	0.0	0.0




PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		986	0.0	0.0	0.0	0.0
0.0	0.0		985	0.0	0.0	0.0	0.0
0.0	0.0						
		Q2a-1-2	Max	970	0.0	0.0	0.0
0.0	0.0			972	0.0	0.0	0.0
0.0	0.0			986	0.0	0.0	0.0
0.0	0.0			985	0.0	0.0	0.0
0.0	0.0						
			Min	970	0.0	0.0	0.0
0.0	0.0			972	0.0	0.0	0.0
0.0	0.0			986	0.0	0.0	0.0
0.0	0.0			985	0.0	0.0	0.0
0.0	0.0						
			SLVx (RS)	970	-2.4	0.0	2.0
-0.1	-0.0			972	4.3	0.0	-2.5
0.1	0.0			986	1.1	-0.0	-2.2
-0.1	0.0			985	-6.0	-0.0	2.5
0.1	-0.0						
			SLVy (RS)	970	-5.6	0.2	1.9
-0.5	0.0			972	10.9	0.2	-1.8
0.5	0.0			986	6.1	-0.2	-1.9
-0.5	0.0			985	-11.4	-0.2	1.8
0.5	-0.0						
			SLDx (RS)	970	-1.2	0.0	1.0
-0.1	-0.0			972	2.2	0.0	-1.2
0.1	0.0			986	0.5	-0.0	-1.1
-0.1	0.0			985	-3.0	-0.0	1.3
0.1	-0.0						
			SLDy (RS)	970	-2.8	0.1	0.9
-0.3	0.0			972	5.4	0.1	-0.9
0.3	0.0			986	3.0	-0.1	-1.0
-0.3	0.0			985	-5.7	-0.1	0.9
0.3	-0.0						

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
		SLVz (RS)	970	0.9	0.0	1.0	0.0
-0.0	-0.0		972	2.0	0.0	-1.1	0.0
0.1	0.0		986	-0.3	-0.0	-1.0	-0.0
-0.1	0.0		985	-2.7	-0.0	1.1	-0.0
0.0	-0.0						
		g1	970	-12.8	-0.0	-10.9	-0.0
0.5	0.0		972	-33.5	-0.0	22.8	-0.0
-0.7	-0.0		986	-2.6	0.0	11.4	0.0
0.7	-0.0		985	48.8	0.0	-23.1	0.0
-0.5	0.0						
		g2	970	-5.5	0.0	-4.0	0.0
0.2	-0.0		972	-16.1	0.0	11.5	0.0
-0.2	0.0		986	-2.0	-0.0	4.3	-0.0
0.3	0.0		985	23.6	-0.0	-11.9	-0.0
-0.2	-0.0						
		q3	970	-2.4	-0.0	-1.1	-0.0
-0.1	0.0		972	-0.6	-0.0	1.1	-0.0
0.0	-0.0		986	2.1	0.0	1.1	0.0
-0.0	-0.0		985	0.9	0.0	-1.2	0.0
0.1	0.0						
		q5_pc	970	-5.2	-0.0	0.1	-0.0
-0.3	0.0		972	5.5	-0.0	0.2	-0.0
0.3	-0.0		986	5.3	0.0	-0.1	0.0
-0.4	-0.0		985	-5.7	0.0	-0.2	0.0
0.4	0.0						
		q5_ps	970	-4.5	-0.0	0.2	-0.0
-0.3	0.0		972	5.1	-0.0	-0.0	-0.0
0.3	-0.0		986	4.6	0.0	-0.2	0.0
-0.3	-0.0		985	-5.2	0.0	0.0	0.0
0.3	0.0						
		INVSLU Max	970	332.9	-0.0	-12.7	-0.0
24.8	0.0		972	-424.5	-0.0	46.3	-0.0
-24.9	-0.0		986	-388.7	0.0	12.9	0.0
25.7	-0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-23.7	0.0			985	512.3	0.0	-42.5	0.0
		Min		970	317.1	-0.0	-14.6	-0.0
23.8	0.0			972	-440.3	-0.0	44.5	-0.0
-25.9	-0.0			986	-404.6	0.0	11.1	0.0
24.8	-0.0			985	495.7	0.0	-44.4	0.0
-24.7	0.0							
		INVSLV	Max	970	172.1	0.2	-6.0	0.0
13.3	0.0			972	-224.6	0.2	36.7	0.0
-12.8	-0.0			986	-201.3	0.2	11.2	0.1
13.8	0.0			985	293.6	0.2	-28.9	0.1
-12.0	0.0							
		Min		970	159.0	-0.2	-11.8	-0.0
12.2	-0.0			972	-250.2	-0.2	30.0	-0.0
-14.0	-0.0			986	-214.2	-0.2	5.1	-0.0
12.6	-0.0			985	265.5	-0.1	-35.7	-0.0
-13.1	-0.0							
1062	2	10	Q1-1-2	Max	727	0.0	0.0	0.0
0.0	0.0				985	0.0	0.0	0.0
0.0	0.0				993	0.0	0.0	0.0
0.0	0.0				746	0.0	0.0	0.0
0.0	0.0							
		Min		727	0.0	0.0	0.0	0.0
0.0	0.0				985	0.0	0.0	0.0
0.0	0.0				993	0.0	0.0	0.0
0.0	0.0				746	0.0	0.0	0.0
0.0	0.0							
		Q2a-1-2	Max	727	0.0	0.0	0.0	0.0
0.0	0.0				985	0.0	0.0	0.0
0.0	0.0				993	0.0	0.0	0.0
0.0	0.0				746	0.0	0.0	0.0
0.0	0.0							
		Min		727	0.0	0.0	0.0	0.0
0.0	0.0				985	0.0	0.0	0.0
0.0	0.0				993	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		746	0.0	0.0	0.0	0.0
		SLVx (RS)	727	-1.8	0.0	-0.6	-0.0
0.0	-0.0		985	4.5	0.0	-0.9	0.0
-0.0	0.0		993	-1.8	-0.0	0.4	-0.0
0.0	0.0		746	-4.5	-0.0	0.8	-0.0
-0.0	-0.0						
		SLVy (RS)	727	-0.6	0.1	0.2	0.0
-0.0	-0.0		985	5.6	0.2	-1.0	0.0
0.0	0.0		993	0.5	-0.2	0.2	-0.0
0.0	0.0		746	-5.1	-0.1	1.0	-0.0
0.0	-0.0						
		SLDx (RS)	727	-0.9	0.0	-0.3	-0.0
0.0	-0.0		985	2.2	0.0	-0.5	0.0
-0.0	0.0		993	-0.9	-0.0	0.2	-0.0
0.0	0.0		746	-2.2	-0.0	0.4	-0.0
-0.0	-0.0						
		SLDy (RS)	727	-0.3	0.0	0.1	0.0
-0.0	-0.0		985	2.8	0.1	-0.5	0.0
0.0	0.0		993	0.3	-0.1	0.1	-0.0
0.0	0.0		746	-2.5	-0.0	0.5	-0.0
0.0	-0.0						
		SLVz (RS)	727	0.8	0.0	0.3	-0.0
-0.0	0.0		985	2.0	0.0	-0.4	0.0
0.0	0.0		993	-0.8	-0.0	-0.2	-0.0
-0.0	0.0		746	-2.0	-0.0	0.4	-0.0
0.0	-0.0						
		g1	727	-10.4	-0.1	0.1	0.0
-0.3	-0.0		985	-35.7	-0.0	11.2	-0.0
0.2	-0.0		993	10.7	0.0	-0.9	0.0
-0.3	-0.0		746	35.4	0.1	-10.4	0.0
0.4	0.0						
		g2	727	-4.3	-0.1	1.7	0.0
-0.3	-0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.2	0.0			985	-16.8	-0.0	6.7	0.0
-0.2	-0.0			993	4.6	0.0	-2.0	-0.0
0.3	-0.0			746	16.6	0.1	-6.5	-0.0
-0.0	0.0	q3		727	-1.5	0.0	-0.4	-0.0
-0.0	-0.0			985	-1.4	-0.0	0.3	-0.0
0.0	-0.0			993	1.5	0.0	0.4	0.0
0.0	0.0			746	1.4	-0.0	-0.3	0.0
-0.0	0.0	q5_pc		727	-1.4	0.0	-0.1	-0.0
0.0	-0.0			985	2.0	0.0	-0.3	-0.0
-0.0	-0.0			993	1.1	-0.0	0.2	0.0
0.0	0.0			746	-1.7	-0.0	0.2	0.0
-0.0	0.0	q5_ps		727	-1.1	0.0	-0.1	-0.0
0.0	-0.0			985	2.0	0.0	-0.3	-0.0
-0.0	-0.0			993	0.9	-0.0	0.2	0.0
0.0	0.0			746	-1.7	-0.0	0.2	0.0
2.6	-0.0	INVSLU	Max	727	85.3	-0.9	-6.1	0.0
-2.5	-0.0			985	-223.6	-0.3	23.3	-0.0
1.7	-0.0			993	-70.1	0.3	3.6	0.0
-1.7	0.0			746	220.0	0.9	-18.8	0.1
2.5	-0.0		Min	727	80.2	-0.9	-6.9	0.0
-2.6	-0.0			985	-230.8	-0.3	22.2	-0.0
1.7	-0.0			993	-74.4	0.3	2.6	0.0
-1.8	0.0			746	213.4	0.9	-19.7	0.1
1.3	0.0	INVSLV	Max	727	42.2	0.1	-2.5	0.0
-1.3	0.0			985	-123.4	0.1	15.5	0.0
0.9	0.0			993	-32.2	0.2	3.4	0.1
-0.8	0.0			746	132.4	0.1	-12.3	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


				Min	727	37.9	-0.1	-4.0	-0.0
1.2	-0.0				985	-138.5	-0.2	12.6	-0.0
-1.4	-0.0				993	-36.7	-0.1	2.4	-0.0
0.9	-0.0				746	118.3	-0.1	-15.0	-0.0
-0.8	-0.0								
1063	2	4	Q1-1-2	Max	985	0.0	0.0	0.0	0.0
0.0	0.0	0.0			986	0.0	0.0	0.0	0.0
0.0	0.0	0.0			994	0.0	0.0	0.0	0.0
0.0	0.0	0.0			993	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	985	0.0	0.0	0.0	0.0
0.0	0.0	0.0			986	0.0	0.0	0.0	0.0
0.0	0.0	0.0			994	0.0	0.0	0.0	0.0
0.0	0.0	0.0			993	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	985	0.0	0.0	0.0	0.0
0.0	0.0	0.0			986	0.0	0.0	0.0	0.0
0.0	0.0	0.0			994	0.0	0.0	0.0	0.0
0.0	0.0	0.0			993	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	985	0.0	0.0	0.0	0.0
0.0	0.0	0.0			986	0.0	0.0	0.0	0.0
0.0	0.0	0.0			994	0.0	0.0	0.0	0.0
0.0	0.0	0.0			993	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				SLVx (RS)	985	2.0	-0.0	0.6	0.0
-0.0	-0.0	0.0			986	4.7	0.0	-0.7	0.0
0.0	0.0	0.0			994	1.6	-0.0	-0.7	-0.0
-0.0	0.0	0.0			993	-5.1	0.0	0.9	-0.0
0.0	-0.0	0.0							
				SLVy (RS)	985	-0.6	0.3	0.8	0.1
-0.1	-0.0	0.0			986	5.8	0.3	-0.4	0.1
0.1	0.0	0.0			994	0.6	-0.3	-0.9	-0.1
-0.1	0.0	0.0			993	-6.3	-0.3	0.5	-0.1
0.1	-0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-0.0	SLDx (RS)	985	1.0	-0.0	0.3	0.0
0.0	0.0		986	2.4	0.0	-0.4	0.0
-0.0	0.0		994	0.8	-0.0	-0.3	-0.0
0.0	-0.0		993	-2.6	0.0	0.4	-0.0
-0.0	-0.0	SLDy (RS)	985	-0.3	0.1	0.4	0.0
0.0	0.0		986	2.9	0.1	-0.2	0.0
-0.0	0.0		994	0.3	-0.1	-0.4	-0.0
0.0	-0.0		993	-3.1	-0.1	0.3	-0.0
-0.0	-0.0	SLVz (RS)	985	0.9	-0.0	0.3	0.0
0.0	0.0		986	2.1	-0.0	-0.3	0.0
-0.0	0.0		994	-0.7	0.0	-0.3	-0.0
0.0	-0.0		993	-2.3	0.0	0.4	-0.0
-0.3	0.0	g1	985	-12.1	0.0	0.2	-0.0
0.2	-0.0		986	-37.4	-0.0	10.2	-0.0
-0.1	-0.0		994	8.1	0.0	0.9	0.0
0.2	0.0		993	41.4	-0.0	-11.2	0.0
-0.2	-0.0	g2	985	-5.4	0.0	0.9	0.0
0.2	0.0		986	-17.5	0.0	5.7	0.0
-0.1	0.0		994	3.4	-0.0	-0.6	-0.0
0.2	-0.0		993	19.5	-0.0	-6.0	-0.0
-0.0	0.0	q3	985	-1.6	-0.0	-0.3	-0.0
0.0	-0.0		986	-1.4	-0.0	0.3	-0.0
-0.0	-0.0		994	1.5	0.0	0.4	0.0
0.0	0.0		993	1.5	0.0	-0.4	0.0
-0.1	0.0	q5_pc	985	-1.3	-0.0	0.4	-0.0
0.0	-0.0		986	2.0	-0.0	0.2	-0.0

PROJECT TITLE :

		Company			Client		
		Author			File Name		
							PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt
-0.1	-0.0			994	1.6	0.0	-0.2 0.0
0.1	0.0			993	-2.2	0.0	-0.3 0.0
-0.0	0.0	q5_ps		985	-1.1	-0.0	0.3 -0.0
0.0	-0.0			986	2.0	-0.0	0.1 -0.0
-0.0	-0.0			994	1.3	0.0	-0.2 0.0
0.1	0.0			993	-2.2	0.0	-0.2 0.0
2.1	0.0	INVSLU	Max	985	89.6	0.3	-4.3 -0.0
-2.0	-0.0			986	-237.7	0.0	25.5 -0.0
3.0	-0.0			994	-110.2	-0.0	1.9 0.0
-2.9	0.0			993	271.1	-0.2	-21.0 0.0
2.0	0.0		Min	985	84.7	0.2	-5.5 -0.1
-2.1	-0.0			986	-245.0	0.0	24.8 -0.0
2.9	-0.0			994	-115.6	-0.0	0.9 0.0
-3.1	0.0			993	263.0	-0.2	-22.2 0.0
0.8	0.0	INVSLV	Max	985	45.1	0.3	2.1 0.0
-0.7	0.0			986	-132.1	0.3	20.5 0.0
1.3	0.0			994	-53.9	0.3	-0.8 0.1
-1.1	0.0			993	161.7	0.3	-17.5 0.1
0.7	-0.0		Min	985	40.2	-0.3	0.1 -0.1
-0.9	-0.0			986	-147.8	-0.3	18.6 -0.1
1.1	-0.0			994	-57.9	-0.3	-3.1 -0.1
-1.2	-0.0			993	144.8	-0.3	-19.8 -0.1
1086	2	8	Q1-1-2	Max	635	0.0	0.0 0.0
0.0	0.0			1013	0.0	0.0	0.0 0.0
0.0	0.0			2364	0.0	0.0	0.0 0.0
0.0	0.0			2304	0.0	0.0	0.0 0.0
0.0	0.0						
0.0	0.0		Min	635	0.0	0.0	0.0 0.0
				1013	0.0	0.0	0.0 0.0




PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		2364	0.0	0.0	0.0	0.0
0.0	0.0		2304	0.0	0.0	0.0	0.0
0.0	0.0						
		Q2a-1-2	Max	635	0.0	0.0	0.0
0.0	0.0			1013	0.0	0.0	0.0
0.0	0.0			2364	0.0	0.0	0.0
0.0	0.0			2304	0.0	0.0	0.0
0.0	0.0						
			Min	635	0.0	0.0	0.0
0.0	0.0			1013	0.0	0.0	0.0
0.0	0.0			2364	0.0	0.0	0.0
0.0	0.0			2304	0.0	0.0	0.0
0.0	0.0						
			SLVx (RS)	635	12.4	-0.0	3.1
0.2	-0.0			1013	-2.3	-0.0	-1.6
-0.1	-0.0			2364	-11.2	0.0	-3.1
0.1	-0.0			2304	-1.2	0.0	1.5
-0.1	-0.0						
			SLVy (RS)	635	-2.6	-0.2	-0.5
-0.1	-0.0			1013	4.4	-0.1	-0.3
0.1	0.0			2364	2.3	0.1	-0.5
-0.1	0.0			2304	-4.1	0.2	0.5
0.1	-0.0						
			SLDx (RS)	635	6.2	-0.0	1.6
0.1	-0.0			1013	-1.1	-0.0	-0.8
-0.1	-0.0			2364	-5.6	0.0	-1.5
0.1	-0.0			2304	-0.6	0.0	0.7
-0.1	-0.0						
			SLDy (RS)	635	-1.3	-0.1	-0.2
-0.0	-0.0			1013	2.2	-0.1	-0.1
0.0	0.0			2364	1.2	0.1	-0.3
-0.0	0.0			2304	-2.0	0.1	0.3
0.0	-0.0						

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
		SLVz (RS)	635	5.4	0.0	1.4	-0.0
0.1	0.0		1013	-0.9	0.0	-0.7	-0.0
-0.1	-0.0		2364	-4.9	-0.0	-1.3	0.0
0.0	-0.0		2304	0.4	-0.0	0.7	0.0
-0.1	0.0						
		g1	635	-120.8	-0.0	-28.1	0.0
-1.7	-0.0		1013	26.3	-0.0	16.1	0.0
1.5	0.0		2364	109.0	0.0	27.7	-0.0
-1.1	0.0		2304	-14.6	0.0	-15.6	-0.0
1.3	-0.0						
		g2	635	-58.7	0.0	-13.4	-0.0
-0.9	0.0		1013	13.1	0.0	7.9	-0.0
0.7	-0.0		2364	52.8	-0.0	13.2	0.0
-0.5	-0.0		2304	-7.2	-0.0	-7.7	0.0
0.7	0.0						
		q3	635	-2.9	-0.0	-0.7	0.0
-0.0	-0.0		1013	0.4	-0.0	0.4	0.0
0.0	0.0		2364	2.6	0.0	0.7	-0.0
-0.0	0.0		2304	-0.2	0.0	-0.4	-0.0
0.0	-0.0						
		q5_pc	635	-4.5	-0.0	-0.8	0.0
-0.1	-0.0		1013	2.4	-0.0	0.4	0.0
0.1	0.0		2364	4.1	0.0	0.7	-0.0
-0.1	0.0		2304	-2.0	0.0	-0.3	-0.0
0.1	-0.0						
		q5_ps	635	-3.7	0.0	-0.6	0.0
-0.1	-0.0		1013	2.2	-0.0	0.3	0.0
0.1	0.0		2364	3.3	0.0	0.5	-0.0
-0.1	0.0		2304	-1.9	-0.0	-0.2	-0.0
0.1	-0.0						
		INVSLU Max	635	-270.1	-0.0	-62.8	0.0
-3.7	0.0		1013	75.5	0.0	36.2	0.0
3.7	0.0		2364	252.2	0.0	61.6	0.0
-2.7	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

3.1	0.0			2304	-38.0	0.0	-31.2	0.0
			Min	635	-283.9	-0.0	-65.4	-0.0
-4.0	0.0			1013	68.3	-0.0	34.8	-0.0
3.5	0.0			2364	239.7	-0.0	59.3	0.0
-2.9	0.0			2304	-43.8	0.0	-32.3	0.0
2.9	0.0							
		INVSLV	Max	635	-176.4	0.2	-40.7	0.0
-2.5	0.0			1013	51.5	0.1	27.0	0.0
2.6	0.0			2364	184.0	0.1	46.1	0.0
-1.7	0.0			2304	-20.9	0.2	-21.2	0.0
2.2	0.0							
			Min	635	-206.0	-0.2	-48.1	-0.0
-2.9	-0.0			1013	40.8	-0.1	23.2	-0.0
2.3	-0.0			2364	157.1	-0.2	38.8	-0.0
-2.0	-0.0			2304	-30.1	-0.2	-24.9	-0.0
1.9	-0.0							
1090	2	8	Q1-1-2	Max	703	0.0	0.0	0.0
0.0	0.0				1019	0.0	0.0	0.0
0.0	0.0				1020	0.0	0.0	0.0
0.0	0.0				704	0.0	0.0	0.0
0.0	0.0							
			Min	703	0.0	0.0	0.0	0.0
0.0	0.0				1019	0.0	0.0	0.0
0.0	0.0				1020	0.0	0.0	0.0
0.0	0.0				704	0.0	0.0	0.0
0.0	0.0							
		Q2a-1-2	Max	703	0.0	0.0	0.0	0.0
0.0	0.0				1019	0.0	0.0	0.0
0.0	0.0				1020	0.0	0.0	0.0
0.0	0.0				704	0.0	0.0	0.0
0.0	0.0							
			Min	703	0.0	0.0	0.0	0.0
0.0	0.0				1019	0.0	0.0	0.0
0.0	0.0				1020	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		704	0.0	0.0	0.0	0.0
-0.4	0.0	SLVx (RS)	703	9.5	0.0	5.8	-0.0
0.4	-0.0		1019	2.3	0.0	-5.1	-0.0
-0.3	-0.0		1020	-7.1	-0.0	-5.9	-0.0
0.4	0.0		704	-1.2	-0.0	5.3	-0.0
-0.7	0.0	SLVy (RS)	703	-5.8	0.1	4.0	-0.0
0.7	-0.0		1019	11.4	0.0	-3.9	-0.0
-0.7	-0.0		1020	5.7	-0.0	-4.0	0.0
0.7	0.0		704	-11.3	-0.1	3.8	0.0
-0.2	0.0	SLDx (RS)	703	4.7	0.0	2.9	-0.0
0.2	-0.0		1019	1.1	0.0	-2.5	-0.0
-0.2	-0.0		1020	-3.6	-0.0	-3.0	-0.0
0.2	0.0		704	-0.6	-0.0	2.7	-0.0
-0.4	0.0	SLDy (RS)	703	-2.9	0.0	2.0	-0.0
0.4	-0.0		1019	5.7	0.0	-1.9	-0.0
-0.4	-0.0		1020	2.8	-0.0	-2.0	0.0
0.4	0.0		704	-5.6	-0.1	1.9	0.0
0.2	-0.0	SLVz (RS)	703	4.1	0.0	2.6	0.0
-0.1	0.0		1019	-0.7	0.0	-2.3	0.0
0.1	0.0		1020	-3.1	-0.0	-2.6	-0.0
-0.2	-0.0		704	-0.5	-0.0	2.4	-0.0
-3.9	0.0	g1	703	-89.2	-0.0	-48.0	0.0
3.7	-0.0		1019	21.9	-0.0	48.0	0.0
-3.5	-0.0		1020	65.8	0.0	49.4	0.0
3.8	0.0		704	1.6	0.0	-49.1	0.0
-1.9	-0.0	g2	703	-43.0	0.0	-22.7	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

1.8	0.0			1019	10.6	0.0	23.4	0.0
-1.7	0.0			1020	31.5	-0.0	23.4	-0.0
1.8	-0.0			704	1.0	-0.0	-24.1	-0.0
-0.1	-0.0	q3		703	-2.9	-0.0	-1.5	0.0
0.1	0.0			1019	0.9	-0.0	1.4	0.0
-0.1	-0.0			1020	2.5	0.0	1.6	0.0
0.1	0.0			704	-0.5	0.0	-1.4	0.0
-0.5	0.0	q5_pc		703	-6.6	-0.0	-0.2	-0.0
0.5	-0.0			1019	6.5	-0.0	0.1	-0.0
-0.5	-0.0			1020	6.1	0.0	0.3	0.0
0.5	0.0			704	-6.1	-0.0	-0.3	0.0
-0.5	0.0	q5_ps		703	-5.5	0.0	0.2	-0.0
0.5	-0.0			1019	6.0	-0.0	-0.2	-0.0
-0.5	-0.0			1020	5.2	0.0	-0.1	0.0
0.5	0.0			704	-5.6	-0.0	0.1	0.0
17.7	0.0	INVSLU	Max	703	102.1	-0.0	-78.8	-0.0
-16.1	-0.0			1019	-205.7	-0.0	85.7	-0.0
17.7	-0.0			1020	-187.8	0.0	77.4	0.0
-16.2	0.0			704	328.2	0.0	-79.0	0.0
16.1	0.0		Min	703	82.6	-0.0	-81.3	-0.0
-17.7	-0.0			1019	-224.5	-0.0	83.3	-0.0
16.2	-0.0			1020	-205.8	0.0	74.8	0.0
-17.8	0.0			704	310.9	0.0	-81.4	0.0
7.1	0.0	INVSLV	Max	703	13.7	0.1	-53.2	0.0
-5.3	0.0			1019	-79.7	0.0	71.2	0.0
7.1	0.0			1020	-52.2	0.0	66.6	0.0
-5.4	0.0			704	164.6	0.1	-54.6	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


				Min	703	-11.2	-0.1	-68.7	-0.0
5.3	-0.0				1019	-104.3	-0.0	57.3	-0.0
-7.1	-0.0				1020	-71.8	-0.0	50.8	-0.0
5.4	-0.0				704	140.9	-0.1	-68.9	-0.0
-7.2	-0.0								
1094	2	8	Q1-1-2	Max	636	0.0	0.0	0.0	0.0
0.0	0.0	0.0			1014	0.0	0.0	0.0	0.0
0.0	0.0	0.0			1019	0.0	0.0	0.0	0.0
0.0	0.0	0.0			703	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	636	0.0	0.0	0.0	0.0
0.0	0.0	0.0			1014	0.0	0.0	0.0	0.0
0.0	0.0	0.0			1019	0.0	0.0	0.0	0.0
0.0	0.0	0.0			703	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	636	0.0	0.0	0.0	0.0
0.0	0.0	0.0			1014	0.0	0.0	0.0	0.0
0.0	0.0	0.0			1019	0.0	0.0	0.0	0.0
0.0	0.0	0.0			703	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	636	0.0	0.0	0.0	0.0
0.0	0.0	0.0			1014	0.0	0.0	0.0	0.0
0.0	0.0	0.0			1019	0.0	0.0	0.0	0.0
0.0	0.0	0.0			703	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				SLVx (RS)	636	15.8	-0.0	6.0	-0.0
0.9	0.0	0.0			1014	-8.1	0.0	-5.2	-0.0
-0.9	-0.0	-0.0			1019	-13.4	0.0	-6.3	0.0
0.9	-0.0	-0.0			703	-6.0	0.0	5.1	0.0
-0.9	0.0	0.0							
				SLVy (RS)	636	-6.6	-0.0	3.4	-0.0
-0.7	0.0	0.0			1014	11.5	-0.0	-3.2	-0.0
0.8	-0.0	-0.0			1019	6.5	0.0	-3.6	0.0
-0.8	-0.0	-0.0			703	-11.4	0.0	3.4	0.0
0.7	0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	636	7.9	-0.0	3.0	-0.0
0.4	0.0		1014	-4.0	0.0	-2.6	-0.0
-0.4	-0.0		1019	-6.7	0.0	-3.1	0.0
0.4	-0.0		703	-3.0	0.0	2.6	0.0
-0.4	0.0						
		SLDy (RS)	636	-3.3	-0.0	1.7	-0.0
-0.4	0.0		1014	5.7	-0.0	-1.6	-0.0
0.4	-0.0		1019	3.2	0.0	-1.8	0.0
-0.4	-0.0		703	-5.7	0.0	1.7	0.0
0.4	0.0						
		SLVz (RS)	636	6.9	0.0	2.7	-0.0
0.4	0.0		1014	-3.4	0.0	-2.3	-0.0
-0.4	-0.0		1019	-5.8	-0.0	-2.8	-0.0
0.4	-0.0		703	2.4	-0.0	2.4	-0.0
-0.4	0.0						
		g1	636	-153.3	-0.0	-51.8	0.0
-9.0	-0.0		1014	85.3	-0.0	47.8	0.0
8.8	0.0		1019	129.3	0.0	54.1	-0.0
-8.7	0.0		703	-61.3	0.0	-49.9	-0.0
9.0	-0.0						
		g2	636	-74.2	0.0	-24.7	0.0
-4.4	-0.0		1014	41.6	0.0	23.2	0.0
4.3	0.0		1019	62.4	-0.0	25.7	-0.0
-4.2	0.0		703	-29.7	-0.0	-24.3	-0.0
4.3	-0.0						
		q3	636	-4.0	-0.0	-1.5	0.0
-0.2	-0.0		1014	2.0	-0.0	1.3	0.0
0.2	0.0		1019	3.6	0.0	1.6	-0.0
-0.2	0.0		703	-1.6	0.0	-1.4	-0.0
0.2	-0.0						
		q5_pc	636	-7.9	-0.0	-0.4	0.0
-0.6	0.0		1014	7.8	-0.0	0.3	0.0
0.6	-0.0						

PROJECT TITLE :

		Company			Client				
		Author			File Name				
							PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
-0.6	-0.0			1019	7.5	0.0	0.4	0.0	
0.6	0.0			703	-7.3	-0.0	-0.3	0.0	
			q5_ps	636	-6.6	0.0	-0.0	0.0	
-0.5	0.0			1014	6.9	-0.0	-0.1	0.0	
0.5	-0.0			1019	6.3	0.0	0.1	0.0	
-0.6	-0.0			703	-6.5	-0.0	0.0	0.0	
0.5	0.0								
			INVSLU	Max	636	-184.0	-0.0	-96.4	-0.0
-5.4	0.0			1014	77.6	-0.0	92.0	-0.0	
7.4	-0.0			1019	102.6	0.0	98.1	0.0	
-5.7	-0.0			703	49.0	0.0	-88.2	0.0	
7.4	0.0								
				Min	636	-207.9	-0.0	-99.1	-0.0
-7.3	0.0			1014	54.8	-0.0	89.7	-0.0	
5.6	-0.0			1019	80.2	0.0	95.1	0.0	
-7.5	-0.0			703	27.7	0.0	-90.7	0.0	
5.5	0.0								
			INVSLV	Max	636	-147.9	0.0	-64.6	0.0
-6.1	0.0			1014	86.7	0.0	74.6	0.0	
8.6	0.0			1019	123.2	0.0	80.6	0.0	
-6.2	0.0			703	3.8	0.1	-60.6	0.0	
8.5	0.0								
				Min	636	-187.5	-0.1	-80.3	-0.0
-8.6	-0.0			1014	56.8	-0.0	60.8	-0.0	
6.2	-0.0			1019	89.1	-0.0	64.2	-0.0	
-8.6	-0.0			703	-24.2	-0.0	-74.3	-0.0	
6.1	-0.0								
1098	2	8	Q1-1-2	Max	704	0.0	0.0	0.0	0.0
0.0	0.0				1020	0.0	0.0	0.0	0.0
0.0	0.0				1025	0.0	0.0	0.0	0.0
0.0	0.0				729	0.0	0.0	0.0	0.0
0.0	0.0								
				Min	704	0.0	0.0	0.0	0.0
0.0	0.0				1020	0.0	0.0	0.0	0.0



PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		1025	0.0	0.0	0.0	0.0	
0.0	0.0		729	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q2a-1-2	Max	704	0.0	0.0	0.0	0.0
0.0	0.0			1020	0.0	0.0	0.0	0.0
0.0	0.0			1025	0.0	0.0	0.0	0.0
0.0	0.0			729	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	704	0.0	0.0	0.0	0.0
0.0	0.0			1020	0.0	0.0	0.0	0.0
0.0	0.0			1025	0.0	0.0	0.0	0.0
0.0	0.0			729	0.0	0.0	0.0	0.0
0.0	0.0							
			SLVx (RS)	704	3.7	0.0	4.3	0.0
-0.1	-0.0			1020	4.0	0.0	-3.9	0.0
0.1	0.0			1025	-2.4	-0.0	-4.2	-0.0
-0.1	0.0			729	-5.4	-0.0	3.8	-0.0
0.1	-0.0							
			SLVy (RS)	704	-3.5	0.2	3.2	-0.0
-0.4	-0.0			1020	9.4	0.1	-3.1	-0.0
0.4	0.0			1025	3.6	-0.1	-3.0	-0.0
-0.4	0.0			729	-9.4	-0.2	2.9	-0.0
0.4	-0.0							
			SLDx (RS)	704	1.9	0.0	2.2	0.0
-0.0	-0.0			1020	2.0	0.0	-2.0	0.0
0.0	0.0			1025	-1.2	-0.0	-2.1	-0.0
-0.0	0.0			729	-2.7	-0.0	1.9	-0.0
0.0	-0.0							
			SLDy (RS)	704	-1.8	0.1	1.6	-0.0
-0.2	-0.0			1020	4.7	0.1	-1.6	-0.0
0.2	0.0			1025	1.8	-0.1	-1.5	-0.0
-0.2	0.0			729	-4.7	-0.1	1.5	-0.0
0.2	-0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

		SLVz (RS)	704	1.6	0.0	1.9	0.0
-0.0	-0.0		1020	1.8	0.0	-1.8	0.0
0.0	0.0		1025	-1.0	-0.0	-1.9	-0.0
-0.0	0.0		729	-2.5	-0.0	1.7	-0.0
0.0	-0.0						
		g1	704	-31.8	-0.0	-34.5	-0.0
0.3	0.0		1020	-35.1	-0.0	37.3	-0.0
-0.4	-0.0		1025	17.7	0.0	33.7	0.0
0.5	-0.0		729	49.3	0.0	-36.4	0.0
-0.4	0.0						
		g2	704	-15.2	0.0	-16.1	0.0
0.1	-0.0		1020	-17.1	0.0	18.6	0.0
-0.2	0.0		1025	8.4	-0.0	15.6	-0.0
0.2	0.0		729	23.9	-0.0	-18.1	-0.0
-0.2	-0.0						
		q3	704	-1.7	-0.0	-1.2	-0.0
-0.0	0.0		1020	-0.3	-0.0	1.0	-0.0
0.0	-0.0		1025	1.5	0.0	1.1	0.0
-0.0	-0.0		729	0.5	0.0	-1.0	0.0
0.0	0.0						
		q5_pc	704	-4.2	-0.0	-0.1	-0.0
-0.3	0.0		1020	4.2	-0.0	0.1	-0.0
0.3	-0.0		1025	4.0	0.0	0.1	0.0
-0.3	-0.0		729	-4.1	-0.0	-0.1	0.0
0.3	0.0						
		q5_ps	704	-3.5	0.0	0.1	-0.0
-0.2	0.0		1020	4.0	-0.0	-0.2	-0.0
0.2	-0.0		1025	3.4	0.0	-0.1	0.0
-0.2	-0.0		729	-3.9	-0.0	0.2	0.0
0.2	0.0						
		INVSLU Max	704	261.5	-0.0	-51.5	-0.0
22.1	0.0		1020	-385.8	0.0	73.3	-0.0
-21.9	-0.0		1025	-319.4	0.0	53.4	0.0
22.6	-0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-21.4	0.0			729	468.1	0.0	-71.3	0.0
			Min	704	249.2	-0.0	-53.4	-0.0
21.4	0.0			1020	-398.2	-0.0	71.5	-0.0
-22.6	-0.0			1025	-331.1	-0.0	51.6	0.0
21.9	-0.0			729	455.8	0.0	-73.0	0.0
-22.2	0.0							
		INVSLV	Max	704	112.5	0.2	-33.2	0.0
10.9	0.0			1020	-191.5	0.1	58.7	0.0
-10.3	0.0			1025	-141.9	0.1	43.9	0.1
11.1	0.0			729	253.7	0.2	-47.1	0.1
-10.0	0.0							
			Min	704	101.9	-0.2	-45.0	-0.0
10.0	-0.0			1020	-213.7	-0.1	47.9	-0.0
-11.1	-0.0			1025	-151.0	-0.1	32.6	-0.0
10.2	-0.0			729	230.2	-0.2	-57.4	-0.0
-10.8	-0.0							
1102	2	8	Q1-1-2	Max	729	0.0	0.0	0.0
0.0	0.0				1025	0.0	0.0	0.0
0.0	0.0				1028	0.0	0.0	0.0
0.0	0.0				750	0.0	0.0	0.0
0.0	0.0							
			Min	729	0.0	0.0	0.0	0.0
0.0	0.0				1025	0.0	0.0	0.0
0.0	0.0				1028	0.0	0.0	0.0
0.0	0.0				750	0.0	0.0	0.0
0.0	0.0							
			Q2a-1-2	Max	729	0.0	0.0	0.0
0.0	0.0				1025	0.0	0.0	0.0
0.0	0.0				1028	0.0	0.0	0.0
0.0	0.0				750	0.0	0.0	0.0
0.0	0.0							
			Min	729	0.0	0.0	0.0	0.0
0.0	0.0				1025	0.0	0.0	0.0
0.0	0.0				1028	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		750	0.0	0.0	0.0	0.0
-0.0	-0.0	SLVx (RS)	729	2.8	0.0	1.7	0.0
0.0	0.0		1025	4.7	0.0	-1.4	0.0
-0.0	0.0		1028	-2.6	-0.0	-1.1	-0.0
0.0	-0.0		750	-4.9	-0.0	0.8	-0.0
-0.0	-0.0	SLVy (RS)	729	1.2	0.2	1.4	0.0
0.0	0.0		1025	5.0	0.2	-0.9	0.0
-0.1	0.0		1028	-1.0	-0.2	-1.0	-0.1
0.1	-0.0		750	-5.2	-0.2	0.5	-0.1
-0.0	-0.0	SLDx (RS)	729	1.4	0.0	0.9	0.0
0.0	0.0		1025	2.3	0.0	-0.7	0.0
-0.0	0.0		1028	-1.3	-0.0	-0.6	-0.0
0.0	-0.0		750	-2.4	-0.0	0.4	-0.0
-0.0	-0.0	SLDy (RS)	729	0.6	0.1	0.7	0.0
0.0	0.0		1025	2.5	0.1	-0.5	0.0
-0.0	0.0		1028	-0.5	-0.1	-0.5	-0.0
0.0	-0.0		750	-2.6	-0.1	0.3	-0.0
-0.0	-0.0	SLVz (RS)	729	1.3	0.0	0.8	0.0
0.0	0.0		1025	2.1	0.0	-0.6	0.0
-0.0	0.0		1028	-1.2	-0.0	-0.5	-0.0
0.0	-0.0		750	-2.2	-0.0	0.3	-0.0
-0.0	0.0	g1	729	-23.4	-0.0	-11.2	-0.0
-0.1	-0.0		1025	-42.5	-0.0	15.5	-0.0
0.1	-0.0		1028	21.0	0.0	6.1	0.0
-0.0	0.0		750	44.9	0.0	-10.4	0.0
-0.1	-0.0	g2	729	-11.2	0.0	-4.5	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0			1025	-20.6	0.0	8.2	0.0
0.0	0.0			1028	10.2	-0.0	2.2	-0.0
0.1	-0.0			750	21.7	0.0	-5.9	-0.0
-0.0	0.0	q3		729	-1.0	-0.0	-0.5	-0.0
-0.0	-0.0			1025	-0.9	-0.0	0.4	-0.0
0.0	-0.0			1028	1.0	0.0	0.3	0.0
0.0	0.0			750	0.9	0.0	-0.2	0.0
-0.0	0.0	q5_pc		729	-1.1	0.0	0.1	-0.0
0.0	-0.0			1025	1.2	0.0	0.3	-0.0
-0.0	-0.0			1028	1.3	-0.0	-0.2	0.0
0.0	0.0			750	-1.4	-0.0	-0.2	0.0
-0.0	0.0	q5_ps		729	-0.8	0.0	0.2	-0.0
0.0	-0.0			1025	1.4	0.0	0.1	-0.0
-0.0	-0.0			1028	0.9	-0.0	-0.2	0.0
0.0	0.0			750	-1.5	-0.0	-0.1	0.0
2.4	0.0	INVSLU	Max	729	66.0	-0.0	-18.3	-0.0
-2.2	-0.0			1025	-230.9	-0.1	32.7	-0.0
3.0	-0.0			1028	-85.5	0.1	15.8	0.0
-3.0	0.0			750	259.2	0.1	-28.3	0.0
2.3	0.0		Min	729	62.6	-0.1	-19.4	-0.0
-2.3	-0.0			1025	-235.9	-0.1	31.7	-0.0
2.9	-0.0			1028	-89.4	0.1	14.8	0.0
-3.1	0.0			750	253.7	0.0	-28.8	0.0
1.0	0.0	INVSLV	Max	729	24.6	0.2	-7.2	0.0
-0.9	0.0			1025	-125.0	0.2	26.9	0.0
1.3	0.0			1028	-28.7	0.2	9.0	0.1
-1.1	0.0			750	150.2	0.2	-21.9	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


				Min	729	17.6	-0.2	-11.9	-0.1
0.9	-0.0				1025	-139.0	-0.2	23.3	-0.1
-1.0	-0.0				1028	-35.2	-0.2	5.8	-0.1
1.2	-0.0				750	135.5	-0.2	-23.9	-0.1
-1.3	-0.0								
1114	2	8	Q1-1-2	Max	1045	0.0	0.0	0.0	0.0
0.0	0.0	0.0			47	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2305	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2374	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	1045	0.0	0.0	0.0	0.0
0.0	0.0	0.0			47	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2305	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2374	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	1045	0.0	0.0	0.0	0.0
0.0	0.0	0.0			47	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2305	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2374	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	1045	0.0	0.0	0.0	0.0
0.0	0.0	0.0			47	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2305	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2374	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				SLVx (RS)	1045	8.6	-0.0	2.8	-0.0
0.5	0.0	0.0			47	13.8	-0.0	-20.3	-0.0
-0.7	-0.0	0.0			2305	-12.3	-0.0	13.6	0.0
1.0	-0.0	0.0			2374	-10.1	0.0	3.9	0.0
-0.8	0.0	0.0							
				SLVy (RS)	1045	-9.7	-0.1	-1.4	0.0
-0.4	0.0	0.0			47	-14.9	0.1	17.9	0.0
0.6	0.0	0.0			2305	20.7	-0.1	-10.6	-0.0
-1.2	0.0	0.0			2374	4.6	0.1	-6.3	-0.0
1.0	-0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	1045	4.3	-0.0	1.4	-0.0
0.3	0.0		47	6.9	-0.0	-10.1	-0.0
-0.4	-0.0		2305	-6.1	-0.0	6.8	0.0
0.5	-0.0		2374	-5.1	0.0	1.9	0.0
-0.4	0.0						
		SLDy (RS)	1045	-4.9	-0.1	-0.7	0.0
-0.2	0.0		47	-7.5	0.1	9.0	0.0
0.3	0.0		2305	10.4	-0.1	-5.3	-0.0
-0.6	0.0		2374	2.3	0.1	-3.2	-0.0
0.5	-0.0						
		SLVz (RS)	1045	3.8	0.0	1.2	-0.0
0.2	0.0		47	6.1	-0.0	-9.0	-0.0
-0.3	-0.0		2305	-5.4	0.0	6.0	0.0
0.4	-0.0		2374	-4.5	-0.0	1.7	0.0
-0.3	0.0						
		g1	1045	-101.6	-0.1	-33.2	0.0
-6.0	-0.0		47	-163.9	0.0	242.6	0.1
8.5	0.0		2305	146.2	-0.0	-163.3	-0.1
-11.6	0.0		2374	119.3	0.1	-45.9	-0.0
9.1	-0.0						
		g2	1045	-50.3	-0.0	-16.1	0.0
-2.9	-0.0		47	-80.6	0.0	118.3	0.0
4.2	0.0		2305	72.1	-0.0	-79.2	-0.0
-5.7	0.0		2374	58.8	0.0	-23.0	-0.0
4.5	-0.0						
		q3	1045	-1.9	-0.0	-0.6	0.0
-0.1	-0.0		47	-3.1	0.0	4.7	0.0
0.2	0.0		2305	2.8	-0.0	-3.2	-0.0
-0.2	0.0		2374	2.3	0.0	-0.9	-0.0
0.2	-0.0						
		q5_pc	1045	-10.8	-0.0	-3.1	0.0
-0.8	-0.0		47	-20.6	0.0	33.5	0.0
1.2	0.0						

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-1.8	0.0			2305	19.8	-0.0	-24.1	-0.0
1.4	-0.0			2374	11.6	0.0	-6.3	-0.0
-0.6	-0.0	q5_ps		1045	-9.1	-0.0	-2.4	0.0
0.9	0.0			47	-17.0	0.0	26.9	0.0
-1.5	-0.0			2305	16.9	-0.0	-19.1	-0.0
1.2	-0.0			2374	9.2	0.0	-5.4	-0.0
-10.3	-0.0	INVSLU	Max	1045	-213.4	-0.2	-70.7	0.1
17.6	0.0			47	-304.3	0.1	500.7	0.1
-18.9	0.0			2305	329.3	-0.1	-260.5	-0.1
18.4	-0.0			2374	271.8	0.3	-83.9	-0.1
-12.3	-0.0		Min	1045	-242.7	-0.2	-78.6	0.1
14.6	0.0			47	-358.4	0.0	415.2	0.1
-23.5	0.0			2305	275.7	-0.1	-320.9	-0.1
14.7	-0.0			2374	242.0	0.2	-101.0	-0.1
-7.6	-0.0	INVSLV	Max	1045	-138.1	-0.0	-45.7	0.1
12.7	0.0			47	-212.8	0.2	362.6	0.1
-14.2	0.0			2305	236.3	0.1	-200.6	-0.1
13.7	-0.0			2374	187.9	0.3	-57.7	-0.0
-8.9	-0.0		Min	1045	-165.1	-0.2	-52.9	0.1
10.8	0.0			47	-254.6	-0.1	305.9	0.1
-17.4	0.0			2305	184.3	-0.2	-237.8	-0.1
11.0	-0.0			2374	162.1	0.0	-73.8	-0.1
1123	2	8	Q1-1-2	Max	1061	0.0	0.0	0.0
0.0	0.0				712	0.0	0.0	0.0
0.0	0.0				715	0.0	0.0	0.0
0.0	0.0				1062	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	1061	0.0	0.0	0.0	0.0
					712	0.0	0.0	0.0




PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		715	0.0	0.0	0.0	0.0
0.0	0.0		1062	0.0	0.0	0.0	0.0
0.0	0.0						
		Q2a-1-2	Max	1061	0.0	0.0	0.0
0.0	0.0		712	0.0	0.0	0.0	0.0
0.0	0.0		715	0.0	0.0	0.0	0.0
0.0	0.0		1062	0.0	0.0	0.0	0.0
0.0	0.0						
			Min	1061	0.0	0.0	0.0
0.0	0.0		712	0.0	0.0	0.0	0.0
0.0	0.0		715	0.0	0.0	0.0	0.0
0.0	0.0		1062	0.0	0.0	0.0	0.0
0.0	0.0						
			SLVx (RS)	1061	6.1	0.0	1.9
0.4	0.0		712	4.2	0.0	-9.2	-0.0
-0.4	-0.0		715	-4.8	-0.0	-1.2	-0.0
0.2	-0.0		1062	-5.5	0.0	8.4	-0.0
-0.3	0.0						
			SLVy (RS)	1061	2.0	0.2	8.2
-0.7	0.0		712	5.6	-0.1	4.1	0.0
0.7	0.0		715	-2.6	-0.0	-10.5	-0.0
-0.6	0.0		1062	-5.0	0.0	-2.5	0.0
0.5	0.0						
			SLDx (RS)	1061	3.0	0.0	1.0
0.2	0.0		712	2.1	0.0	-4.6	-0.0
-0.2	-0.0		715	-2.4	-0.0	-0.6	-0.0
0.1	-0.0		1062	-2.8	0.0	4.2	-0.0
-0.1	0.0						
			SLDy (RS)	1061	1.0	0.1	4.1
-0.3	0.0		712	2.8	-0.1	2.1	0.0
0.4	0.0		715	-1.3	-0.0	-5.3	-0.0
-0.3	0.0		1062	-2.5	0.0	-1.2	0.0
0.2	0.0						

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
		SLVz (RS)	1061	2.7	0.0	0.9	-0.0
0.2	0.0		712	1.9	0.0	-4.1	-0.0
-0.2	-0.0		715	-2.1	-0.0	-0.6	-0.0
0.1	-0.0		1062	-2.5	-0.0	3.7	-0.0
-0.1	0.0						
		g1	1061	-68.2	-0.0	-15.8	0.0
-5.4	-0.0		712	-47.5	-0.0	108.9	0.0
5.3	0.0		715	53.5	0.0	7.2	0.0
-3.1	0.0		1062	62.2	0.0	-99.9	0.0
3.3	-0.0						
		g2	1061	-34.2	-0.0	-6.9	0.0
-2.8	-0.0		712	-23.9	-0.0	56.0	0.0
2.7	-0.0		715	27.5	0.0	2.2	-0.0
-1.8	-0.0		1062	30.6	-0.0	-51.4	-0.0
1.8	-0.0						
		q3	1061	-1.4	-0.0	-0.4	0.0
-0.1	-0.0		712	-0.9	-0.0	2.1	0.0
0.1	0.0		715	1.1	0.0	0.2	0.0
-0.1	0.0		1062	1.2	0.0	-1.9	0.0
0.1	-0.0						
		q5_pc	1061	-1.0	0.0	8.6	0.0
-1.0	0.0		712	2.4	-0.0	10.5	0.0
1.1	0.0		715	-0.8	-0.0	-11.8	0.0
-0.7	0.0		1062	-0.5	0.0	-7.3	0.0
0.6	0.0						
		q5_ps	1061	-0.6	0.0	7.4	0.0
-0.8	0.0		712	2.3	-0.0	8.4	0.0
0.9	0.0		715	-0.8	-0.0	-10.1	0.0
-0.6	0.0		1062	-0.9	0.0	-5.7	0.0
0.5	0.0						
		INVSLU Max	1061	-124.1	-0.0	-65.3	0.0
-2.7	0.0		712	-120.4	-0.1	195.4	0.0
8.0	0.0		715	90.3	0.2	82.7	0.0
-1.5	-0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.6	0.0			1062	163.6	0.1	-162.7	0.0
			Min	1061	-127.9	-0.0	-87.7	0.0
-5.2	0.0			712	-128.2	-0.2	168.0	0.0
5.2	-0.0			715	86.7	0.1	52.3	0.0
-3.4	-0.0			1062	159.7	0.0	-181.7	0.0
-1.1	0.0							
		INVSLV	Max	1061	-82.7	0.1	-23.9	0.0
-5.0	0.0			712	-69.3	0.1	160.8	0.0
7.5	0.0			715	74.0	0.1	28.8	0.0
-2.8	0.0			1062	107.0	0.0	-123.3	0.0
3.4	0.0							
			Min	1061	-97.7	-0.2	-42.0	0.0
-6.7	-0.0			712	-84.3	-0.2	137.5	0.0
5.7	-0.0			715	61.5	0.0	6.7	-0.0
-4.1	-0.0			1062	91.5	-0.0	-143.9	-0.0
2.2	-0.0							
1132	2	8	Q1-1-2	Max	1046	0.0	0.0	0.0
0.0	0.0				640	0.0	0.0	0.0
0.0	0.0				712	0.0	0.0	0.0
0.0	0.0				1061	0.0	0.0	0.0
0.0	0.0							
			Min	1046	0.0	0.0	0.0	0.0
0.0	0.0				640	0.0	0.0	0.0
0.0	0.0				712	0.0	0.0	0.0
0.0	0.0				1061	0.0	0.0	0.0
0.0	0.0							
			Q2a-1-2	Max	1046	0.0	0.0	0.0
0.0	0.0				640	0.0	0.0	0.0
0.0	0.0				712	0.0	0.0	0.0
0.0	0.0				1061	0.0	0.0	0.0
0.0	0.0							
			Min	1046	0.0	0.0	0.0	0.0
0.0	0.0				640	0.0	0.0	0.0
0.0	0.0				712	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		1061	0.0	0.0	0.0	0.0
		SLVx (RS)	1046	7.9	0.0	0.8	-0.0
0.7	0.0		640	4.2	0.0	-14.4	-0.0
-0.8	-0.0		712	-6.4	-0.0	2.2	0.0
0.6	-0.0		1061	-5.8	-0.0	11.4	0.0
-0.5	0.0						
		SLVy (RS)	1046	-1.8	0.1	8.0	-0.0
-0.8	0.0		640	7.4	-0.1	6.3	0.0
0.9	0.0		712	1.8	-0.1	-10.5	-0.0
-0.8	0.0		1061	-6.1	0.1	-4.0	0.0
0.7	0.0						
		SLDx (RS)	1046	4.0	0.0	0.4	-0.0
0.4	0.0		640	2.1	0.0	-7.2	-0.0
-0.4	-0.0		712	-3.2	-0.0	1.1	0.0
0.3	-0.0		1061	-2.9	-0.0	5.7	0.0
-0.3	0.0						
		SLDy (RS)	1046	-0.9	0.0	4.0	-0.0
-0.4	0.0		640	3.7	-0.0	3.1	0.0
0.4	0.0		712	0.9	-0.1	-5.3	-0.0
-0.4	0.0		1061	-3.1	0.1	-2.0	0.0
0.4	0.0						
		SLVz (RS)	1046	3.5	0.0	0.4	-0.0
0.3	0.0		640	1.9	0.0	-6.4	-0.0
-0.4	-0.0		712	-2.8	-0.0	0.9	0.0
0.3	-0.0		1061	-2.6	-0.0	5.1	0.0
-0.2	0.0						
		g1	1046	-90.7	-0.0	-4.6	0.0
-8.7	-0.0		640	-47.7	-0.0	169.9	0.0
10.0	0.0		712	72.6	0.0	-30.5	-0.0
-7.4	0.0		1061	65.9	0.0	-134.5	-0.0
6.2	-0.0						
		g2	1046	-45.2	-0.0	-2.3	0.0
-4.3	-0.0						

PROJECT TITLE :

MIDAS	Company			Client				
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
5.0	-0.0			640	-24.2	-0.0	84.8	0.0
-3.7	-0.0			712	36.6	0.0	-14.9	-0.0
3.1	-0.0			1061	32.8	-0.0	-67.5	-0.0
-0.2	-0.0	q3		1046	-1.8	-0.0	-0.1	0.0
0.2	0.0			640	-0.9	-0.0	3.3	0.0
-0.1	0.0			712	1.4	0.0	-0.6	-0.0
0.1	-0.0			1061	1.2	0.0	-2.6	-0.0
-1.3	-0.0	q5_pc		1046	-5.0	-0.0	8.2	0.0
1.5	0.0			640	1.2	-0.0	17.9	0.0
-1.2	0.0			712	2.9	0.0	-13.9	0.0
1.0	-0.0			1061	1.0	0.0	-12.2	0.0
-1.1	-0.0	q5_ps		1046	-3.9	-0.0	7.0	0.0
1.3	0.0			640	1.5	-0.0	14.1	0.0
-1.0	0.0			712	2.2	0.0	-11.6	0.0
0.8	-0.0			1061	0.2	0.0	-9.5	-0.0
-12.1	-0.0	INVSLU	Max	1046	-198.7	-0.1	-55.7	0.0
19.3	-0.0			640	-123.4	-0.1	347.9	0.1
-9.9	-0.0			712	164.8	0.2	25.5	0.0
9.2	-0.0			1061	172.7	0.1	-250.5	0.0
-15.4	-0.0		Min	1046	-212.2	-0.1	-76.9	0.0
15.3	-0.0			640	-128.9	-0.1	302.3	0.0
-13.1	-0.0			712	156.9	0.1	-10.0	0.0
6.6	-0.0			1061	169.2	0.0	-281.6	0.0
-10.1	0.0	INVSLV	Max	1046	-123.9	0.0	-14.1	0.0
14.7	0.0			640	-70.0	0.1	258.3	0.0
-8.6	0.0			712	113.4	0.1	-15.1	-0.0
8.4	0.0			1061	115.6	0.1	-176.6	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

				Min	1046	-142.9	-0.1	-30.9	0.0
-12.4	-0.0				640	-88.4	-0.1	222.0	0.0
12.2	-0.0				712	97.9	-0.1	-38.0	-0.0
-10.7	-0.0				1061	98.3	-0.1	-204.9	-0.0
6.5	-0.0								
1141	2	8	Q1-1-2	Max	1062	0.0	0.0	0.0	0.0
0.0	0.0	0.0			715	0.0	0.0	0.0	0.0
0.0	0.0	0.0			118	0.0	0.0	0.0	0.0
0.0	0.0	0.0			1070	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	1062	0.0	0.0	0.0	0.0
0.0	0.0	0.0			715	0.0	0.0	0.0	0.0
0.0	0.0	0.0			118	0.0	0.0	0.0	0.0
0.0	0.0	0.0			1070	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	1062	0.0	0.0	0.0	0.0
0.0	0.0	0.0			715	0.0	0.0	0.0	0.0
0.0	0.0	0.0			118	0.0	0.0	0.0	0.0
0.0	0.0	0.0			1070	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	1062	0.0	0.0	0.0	0.0
0.0	0.0	0.0			715	0.0	0.0	0.0	0.0
0.0	0.0	0.0			118	0.0	0.0	0.0	0.0
0.0	0.0	0.0			1070	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			SLVx (RS)		1062	5.5	0.0	2.6	-0.0
0.2	-0.0				715	4.7	-0.0	-5.1	0.0
-0.2	-0.0				118	-4.8	0.0	-2.7	-0.0
-0.1	-0.0				1070	-5.4	-0.0	5.2	-0.0
0.1	-0.0								
			SLVy (RS)		1062	3.7	0.1	6.5	-0.0
-0.5	0.0				715	6.6	-0.1	5.3	0.0
0.9	0.0				118	-5.3	0.0	-12.8	-0.0
-0.5	0.0				1070	-5.0	-0.1	1.5	-0.0
0.1	0.0								

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	1062	2.8	0.0	1.3	-0.0
0.1	-0.0		715	2.4	-0.0	-2.6	0.0
-0.1	-0.0		118	-2.4	0.0	-1.3	-0.0
-0.0	-0.0		1070	-2.7	-0.0	2.6	-0.0
0.0	-0.0						
		SLDy (RS)	1062	1.8	0.1	3.3	-0.0
-0.3	0.0		715	3.3	-0.1	2.7	0.0
0.4	0.0		118	-2.6	0.0	-6.4	-0.0
-0.3	0.0		1070	-2.5	-0.0	0.8	-0.0
0.1	0.0						
		SLVz (RS)	1062	2.4	0.0	1.2	-0.0
0.1	-0.0		715	2.1	0.0	-2.3	-0.0
-0.1	-0.0		118	-2.1	-0.0	-1.2	-0.0
0.0	-0.0		1070	-2.4	-0.0	2.3	-0.0
-0.0	-0.0						
		g1	1062	-61.0	-0.0	-23.2	0.0
-2.5	0.0		715	-52.6	-0.0	62.4	0.0
2.3	0.0		118	52.5	0.0	24.1	0.0
-1.0	0.0		1070	61.0	0.0	-63.0	0.0
1.2	0.0						
		g2	1062	-30.1	-0.0	-9.0	0.0
-1.4	-0.0		715	-25.9	0.0	34.2	0.0
1.4	-0.0		118	26.5	0.0	8.4	-0.0
-0.8	-0.0		1070	29.5	-0.0	-33.6	-0.0
0.9	-0.0						
		q3	1062	-1.3	-0.0	-0.6	0.0
-0.0	0.0		715	-1.1	-0.0	1.2	0.0
0.0	0.0		118	1.2	0.0	0.6	0.0
-0.0	-0.0		1070	1.2	0.0	-1.2	0.0
0.0	0.0						
		q5_pc	1062	1.4	-0.0	5.7	-0.0
-0.6	0.0		715	3.9	-0.1	8.0	0.0
1.0	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name			PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.4	0.0			118	-4.9	-0.0	-12.1	0.0
0.0	0.0			1070	-0.5	0.1	-1.6	0.0
-0.5	0.0	q5_ps		1062	1.4	0.0	5.1	0.0
0.9	0.0			715	3.6	-0.0	6.7	0.0
-0.4	0.0			118	-4.2	-0.0	-10.6	0.0
0.1	0.0			1070	-0.9	0.0	-1.2	0.0
2.9	0.0	INVSLU	Max	1062	-58.5	-0.1	-46.6	-0.0
1.4	-0.0			715	-109.0	-0.1	70.5	-0.0
1.9	-0.0			118	53.8	0.2	88.4	0.1
-3.4	0.0			1070	131.4	0.1	-74.8	0.1
1.2	-0.0		Min	1062	-64.2	-0.1	-62.4	-0.0
-1.3	-0.0			715	-121.0	-0.2	49.2	-0.0
0.8	-0.0			118	40.0	0.2	56.0	0.1
-3.6	-0.0			1070	127.5	-0.0	-79.7	0.0
-1.7	0.0	INVSLV	Max	1062	-62.5	0.1	-26.1	0.0
3.5	0.0			715	-65.1	0.1	84.3	0.0
-0.2	0.0			118	66.6	0.1	46.0	0.0
0.6	0.0			1070	92.0	0.1	-68.5	0.0
-2.9	-0.0		Min	1062	-77.2	-0.2	-41.4	0.0
1.6	-0.0			715	-82.4	-0.1	69.3	-0.0
-1.3	-0.0			118	51.9	0.0	18.0	0.0
0.3	-0.0			1070	76.7	-0.0	-81.2	-0.0
1150	2	8	Q1-1-2	Max	1070	0.0	0.0	0.0
0.0	0.0			118	0.0	0.0	0.0	0.0
0.0	0.0			49	0.0	0.0	0.0	0.0
0.0	0.0			1078	0.0	0.0	0.0	0.0
0.0	0.0		Min	1070	0.0	0.0	0.0	0.0
0.0	0.0			118	0.0	0.0	0.0	0.0




PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

0.0	0.0		49	0.0	0.0	0.0	0.0	
0.0	0.0		1078	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q2a-1-2	Max	1070	0.0	0.0	0.0	0.0
0.0	0.0			118	0.0	0.0	0.0	0.0
0.0	0.0			49	0.0	0.0	0.0	0.0
0.0	0.0			1078	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	1070	0.0	0.0	0.0	0.0
0.0	0.0			118	0.0	0.0	0.0	0.0
0.0	0.0			49	0.0	0.0	0.0	0.0
0.0	0.0			1078	0.0	0.0	0.0	0.0
0.0	0.0							
			SLVx (RS)	1070	5.2	0.0	0.7	0.0
0.1	-0.0			118	4.9	0.0	-1.3	0.0
-0.0	-0.0			49	-5.0	-0.0	-1.1	-0.0
0.0	0.0			1078	-5.2	-0.0	1.8	0.0
-0.0	-0.0							
			SLVy (RS)	1070	3.9	-0.4	3.9	0.0
0.3	0.0			118	9.5	-1.7	-14.8	0.1
-0.4	0.0			49	-7.0	1.6	11.8	0.1
0.6	-0.0			1078	-6.4	0.4	-1.0	0.0
-0.5	-0.0							
			SLDx (RS)	1070	2.6	0.0	0.3	0.0
0.0	-0.0			118	2.5	0.0	-0.7	0.0
-0.0	-0.0			49	-2.5	-0.0	-0.6	-0.0
0.0	0.0			1078	-2.6	-0.0	0.9	0.0
-0.0	-0.0							
			SLDy (RS)	1070	1.9	-0.2	2.0	0.0
0.2	0.0			118	4.8	-0.8	-7.4	0.0
-0.2	0.0			49	-3.5	0.8	5.9	0.0
0.3	-0.0			1078	-3.2	0.2	-0.5	0.0
-0.2	-0.0							

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
		SLVz (RS)	1070	2.3	0.0	0.3	0.0
0.0	-0.0		118	2.3	0.0	-0.6	0.0
-0.0	0.0		49	-2.3	-0.0	-0.5	-0.0
0.0	0.0		1078	-2.3	-0.0	0.8	-0.0
-0.0	-0.0						
		g1	1070	-57.8	-0.0	-1.6	-0.0
-1.0	0.0		118	-54.4	-0.1	17.5	-0.0
0.8	0.0		49	54.6	0.1	9.4	0.0
-0.6	-0.0		1078	57.6	0.0	-25.3	0.0
0.8	0.0						
		g2	1070	-27.2	0.0	2.0	0.0
-0.8	-0.0		118	-24.8	0.2	13.3	-0.0
0.7	-0.0		49	24.6	-0.1	-0.8	-0.0
-0.6	-0.0		1078	27.4	-0.0	-14.5	-0.0
0.7	-0.0						
		q3	1070	-1.3	-0.0	-0.2	-0.0
-0.0	0.0		118	-1.2	-0.0	0.3	0.0
0.0	-0.0		49	1.3	0.0	0.4	0.0
-0.0	-0.0		1078	1.3	0.0	-0.4	0.0
0.0	0.0						
		q5_pc	1070	-0.3	-0.5	3.0	0.0
0.5	0.0		118	4.7	-2.1	-18.5	0.1
-0.6	0.0		49	-2.4	2.1	17.5	0.1
0.8	-0.0		1078	-2.0	0.6	-2.0	0.1
-0.6	0.0						
		q5_ps	1070	0.2	-0.5	2.7	0.0
0.4	0.0		118	4.7	-1.7	-15.4	0.1
-0.5	0.0		49	-2.7	1.7	14.3	0.1
0.6	-0.0		1078	-2.2	0.5	-1.6	0.0
-0.5	0.0						
		INVSLU Max	1070	-16.9	1.2	12.8	-0.1
1.3	0.0		118	-18.1	4.7	-5.8	-0.0
0.7	-0.0		49	-10.4	0.5	60.0	0.1
2.7	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-1.5	0.0			1078	62.7	0.2	-15.2	0.1
		Min		1070	-19.3	-0.2	4.4	-0.1
0.1	-0.0			118	-33.5	-0.5	-52.3	-0.3
-0.9	-0.0			49	-19.7	-4.7	16.8	-0.2
0.8	-0.0			1078	54.7	-1.2	-20.4	-0.1
-3.1	-0.0							
		INVSLV	Max	1070	-54.1	0.4	2.5	0.0
-0.8	-0.0			118	-42.4	2.1	33.6	0.1
1.5	0.0			49	58.6	1.2	21.6	0.1
0.1	0.0			1078	74.3	0.3	-23.4	0.0
1.0	0.0							
		Min		1070	-68.3	-0.3	-6.0	-0.0
-1.5	-0.0			118	-65.7	-1.2	2.9	-0.1
0.7	-0.0			49	40.4	-2.1	-2.9	-0.1
-1.0	-0.0			1078	57.1	-0.5	-28.0	-0.0
-0.1	0.0							
2923	2	8	Q1-1-2	Max	2213	0.0	0.0	0.0
0.0	0.0				2214	0.0	0.0	0.0
0.0	0.0				59	0.0	0.0	0.0
0.0	0.0				58	0.0	0.0	0.0
0.0	0.0							
			Min	2213	0.0	0.0	0.0	0.0
0.0	0.0				2214	0.0	0.0	0.0
0.0	0.0				59	0.0	0.0	0.0
0.0	0.0				58	0.0	0.0	0.0
0.0	0.0							
			Q2a-1-2	Max	2213	0.0	0.0	0.0
0.0	0.0				2214	0.0	0.0	0.0
0.0	0.0				59	0.0	0.0	0.0
0.0	0.0				58	0.0	0.0	0.0
0.0	0.0							
			Min	2213	0.0	0.0	0.0	0.0
0.0	0.0				2214	0.0	0.0	0.0
0.0	0.0				59	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		58	0.0	0.0	0.0	0.0
-0.7	0.0	SLVx (RS)	2213	-6.1	0.0	7.4	0.0
1.1	0.0		2214	0.5	-0.0	16.0	0.0
-1.2	0.0		59	5.3	-0.0	12.3	-0.0
0.8	0.0		58	-0.6	-0.0	-12.4	-0.0
-1.7	0.0	SLVy (RS)	2213	-8.9	-0.1	16.3	-0.0
3.1	-0.0		2214	7.1	0.2	38.2	-0.0
-2.8	-0.0		59	2.0	-0.2	-36.6	0.0
1.5	0.0		58	-0.2	0.1	-17.9	0.0
-0.4	0.0	SLDx (RS)	2213	-3.0	0.0	3.7	0.0
0.6	0.0		2214	0.2	-0.0	8.0	0.0
-0.6	0.0		59	2.6	-0.0	6.1	-0.0
0.4	0.0		58	-0.3	-0.0	-6.2	-0.0
-0.9	0.0	SLDy (RS)	2213	-4.4	-0.1	8.1	-0.0
1.5	-0.0		2214	3.5	0.1	19.1	-0.0
-1.4	-0.0		59	1.0	-0.1	-18.3	0.0
0.7	0.0		58	-0.1	0.0	-8.9	0.0
0.3	-0.0	SLVz (RS)	2213	1.5	-0.0	-2.0	0.0
-0.4	0.0		2214	0.7	-0.0	-6.3	0.0
0.4	0.0		59	-1.6	0.0	5.0	-0.0
-0.3	-0.0		58	-0.5	0.0	3.4	-0.0
-7.4	-0.0	g1	2213	-37.8	-0.1	51.6	-0.0
11.4	-0.0		2214	-16.2	0.1	181.9	-0.0
-11.4	-0.0		59	40.1	-0.1	-142.9	0.0
7.5	0.0		58	13.9	-0.0	-90.4	0.0
-3.7	-0.0	g2	2213	-18.8	-0.0	25.8	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

5.6	-0.0			2214	-8.3	0.1	89.1	-0.0
-5.6	-0.0			59	20.2	-0.0	-69.6	0.0
3.7	0.0			58	6.9	-0.0	-45.3	0.0
-0.4	0.0	q3		2213	-5.9	0.0	6.7	0.0
0.6	0.0			2214	0.1	-0.0	5.1	0.0
-0.8	0.0			59	5.6	-0.0	-0.8	-0.0
0.6	0.0			58	0.2	-0.0	-11.0	-0.0
-0.4	0.0	q5_pc		2213	-1.9	-0.2	4.8	-0.0
1.0	-0.0			2214	2.4	0.1	12.6	-0.0
-1.0	0.0			59	-0.1	-0.2	-12.8	0.0
0.4	0.0			58	-0.4	0.1	-4.6	0.0
-0.5	0.0	q5_ps		2213	-2.3	-0.2	5.2	-0.0
1.1	-0.0			2214	2.3	0.1	13.4	-0.0
-1.1	0.0			59	0.3	-0.2	-13.3	0.0
0.5	0.0			58	-0.3	0.1	-5.3	0.0
-12.6	0.0	INVSLU	Max	2213	-55.6	0.2	102.3	-0.1
22.9	-0.0			2214	4.9	0.5	327.5	-0.1
-17.0	-0.0			59	54.0	0.1	-240.0	0.0
12.6	0.0			58	11.9	0.0	-121.7	0.1
-14.4	-0.0		Min	2213	-68.7	-0.4	79.8	-0.1
19.0	-0.0			2214	-1.9	0.2	282.1	-0.1
-20.9	-0.0			59	45.9	-0.5	-280.6	0.0
10.6	0.0			58	10.8	-0.1	-148.9	0.0
-8.1	0.0	INVSLV	Max	2213	-39.4	0.1	89.3	-0.0
19.1	-0.0			2214	-9.5	0.4	287.9	-0.0
-11.9	-0.0			59	57.0	0.1	-152.5	0.1
11.7	0.0			58	17.6	0.1	-96.2	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


				Min	2213	-61.7	-0.2	51.1	-0.1
-12.2	-0.0				2214	-24.4	-0.0	198.2	-0.1
12.0	-0.0				59	44.4	-0.2	-236.0	0.0
-18.5	-0.0				58	16.0	-0.1	-141.4	0.0
8.1	-0.0								
2924	2	8	Q1-1-2	Max	2214	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2215	0.0	0.0	0.0	0.0
0.0	0.0	0.0			151	0.0	0.0	0.0	0.0
0.0	0.0	0.0			59	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	2214	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2215	0.0	0.0	0.0	0.0
0.0	0.0	0.0			151	0.0	0.0	0.0	0.0
0.0	0.0	0.0			59	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	2214	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2215	0.0	0.0	0.0	0.0
0.0	0.0	0.0			151	0.0	0.0	0.0	0.0
0.0	0.0	0.0			59	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	2214	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2215	0.0	0.0	0.0	0.0
0.0	0.0	0.0			151	0.0	0.0	0.0	0.0
0.0	0.0	0.0			59	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				SLVx (RS)	2214	-17.1	0.0	-20.8	-0.0
0.9	0.0	0.0			2215	-8.4	-0.0	1.2	-0.0
-0.7	0.0	0.0			151	16.1	0.0	13.7	0.0
-0.7	0.0	0.0			59	8.8	0.0	8.0	0.0
-0.9	0.0	0.0							
				SLVy (RS)	2214	36.6	0.3	53.9	-0.1
-1.6	0.0	0.0			2215	-2.0	-0.2	0.9	-0.0
0.5	0.0	0.0			151	-23.9	0.1	-24.0	0.0
-1.5	0.0	0.0			59	-11.3	-0.2	-30.9	0.0
2.6	0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	2214	-8.5	0.0	-10.4	-0.0
0.4	0.0		2215	-4.2	-0.0	0.6	-0.0
-0.3	0.0		151	8.1	0.0	6.9	0.0
-0.4	0.0		59	4.4	0.0	4.0	0.0
-0.4	0.0						
		SLDy (RS)	2214	18.3	0.1	26.9	-0.0
-0.8	0.0		2215	-1.0	-0.1	0.5	-0.0
0.3	0.0		151	-11.9	0.0	-12.0	0.0
-0.8	0.0		59	-5.6	-0.1	-15.4	0.0
1.3	0.0						
		SLVz (RS)	2214	-5.6	-0.0	-8.8	0.0
0.4	-0.0		2215	-3.6	-0.0	-0.4	0.0
-0.3	0.0		151	5.3	0.0	5.6	-0.0
0.3	0.0		59	3.8	0.0	3.4	-0.0
-0.4	-0.0						
		g1	2214	97.7	0.0	221.1	-0.0
-10.4	0.0		2215	96.6	0.1	5.9	-0.0
8.0	-0.0		151	-92.2	-0.1	-129.0	0.0
-8.3	-0.0		59	-102.1	-0.0	-97.8	0.0
10.6	0.0						
		g2	2214	47.1	0.0	107.4	-0.0
-5.1	0.0		2215	47.9	0.0	2.9	-0.0
3.9	-0.0		151	-44.4	-0.0	-63.1	0.0
-4.1	-0.0		59	-50.6	-0.0	-47.3	0.0
5.2	0.0						
		q3	2214	-19.2	0.0	-12.8	-0.0
0.2	0.0		2215	0.5	-0.0	1.7	-0.0
0.1	0.0		151	17.8	-0.0	10.8	0.0
-0.2	0.0		59	0.9	0.0	0.3	0.0
-0.0	0.0						
		q5_pc	2214	11.5	0.2	17.6	-0.0
-0.5	0.0		2215	-4.9	-0.3	0.6	-0.0
-0.1	-0.0						

PROJECT TITLE :

		Company				Client			
		Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
-0.4	-0.0			151	-6.1	0.2	-5.1	0.0	
1.0	-0.0			59	-0.6	-0.3	-13.0	0.0	
			q5_ps	2214	12.3	0.1	18.8	-0.0	
-0.6	0.0			2215	-3.6	-0.3	0.6	-0.0	
0.0	-0.0			151	-7.0	0.2	-6.4	0.0	
-0.5	-0.0			59	-1.7	-0.3	-12.9	0.0	
1.0	-0.0								
			INVSLU	Max	2214	231.6	0.4	451.2	-0.0
-18.0	0.0				2215	229.8	0.6	-18.2	-0.0
14.6	-0.0				151	-179.4	0.1	-235.3	0.1
-13.5	-0.0				59	-224.8	0.2	-126.2	0.0
20.2	0.0								
				Min	2214	175.4	-0.0	381.9	-0.1
-19.8	0.0				2215	218.6	-0.2	-21.8	-0.1
14.4	-0.0				151	-219.4	-0.4	-265.4	-0.0
-15.2	-0.0				59	-230.8	-0.7	-165.4	0.0
17.2	-0.0								
			INVSLV	Max	2214	188.2	0.3	370.7	-0.0
-12.1	0.0				2215	156.5	0.3	0.1	-0.0
11.8	-0.0				151	-108.4	-0.0	-153.2	0.1
-9.3	-0.0				59	-137.4	0.1	-89.0	0.0
17.3	0.0								
				Min	2214	101.4	-0.2	245.1	-0.1
-16.1	-0.0				2215	136.3	-0.1	-3.0	-0.1
10.0	-0.0				151	-169.0	-0.1	-212.7	-0.0
-13.0	-0.0				59	-167.5	-0.2	-157.6	0.0
11.3	-0.0								
2928	2	4	Q1-1-2	Max	2222	0.0	0.0	0.0	0.0
0.0	0.0				2223	0.0	0.0	0.0	0.0
0.0	0.0				466	0.0	0.0	0.0	0.0
0.0	0.0				67	0.0	0.0	0.0	0.0
0.0	0.0								
				Min	2222	0.0	0.0	0.0	0.0
0.0	0.0				2223	0.0	0.0	0.0	0.0




PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		466	0.0	0.0	0.0	0.0
0.0	0.0		67	0.0	0.0	0.0	0.0
0.0	0.0						
		Q2a-1-2	Max	2222	0.0	0.0	0.0
0.0	0.0			2223	0.0	0.0	0.0
0.0	0.0			466	0.0	0.0	0.0
0.0	0.0			67	0.0	0.0	0.0
0.0	0.0						
			Min	2222	0.0	0.0	0.0
0.0	0.0			2223	0.0	0.0	0.0
0.0	0.0			466	0.0	0.0	0.0
0.0	0.0			67	0.0	0.0	0.0
0.0	0.0						
			SLVx (RS)	2222	18.4	0.0	3.4
0.6	-0.0			2223	1.8	-0.0	-4.1
-0.6	-0.0			466	-17.6	0.0	-3.7
0.6	0.0			67	-1.1	-0.0	4.4
-0.6	-0.0						
			SLVy (RS)	2222	2.2	-0.2	-2.0
0.3	0.0			2223	-8.4	-0.2	1.0
-0.3	-0.0			466	-2.2	0.2	2.3
0.3	-0.0			67	8.6	0.2	-1.3
-0.3	0.0						
			SLDx (RS)	2222	9.2	0.0	1.7
0.3	-0.0			2223	0.9	-0.0	-2.1
-0.3	-0.0			466	-8.8	0.0	-1.9
0.3	0.0			67	-0.6	-0.0	2.2
-0.3	-0.0						
			SLDy (RS)	2222	1.1	-0.1	-1.0
0.1	0.0			2223	-4.2	-0.1	0.5
-0.2	-0.0			466	-1.1	0.1	1.1
0.2	-0.0			67	4.3	0.1	-0.6
-0.1	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
		SLVz (RS)	2222	8.1	0.0	1.5	0.0
0.3	-0.0		2223	-0.6	0.0	-1.9	0.0
-0.3	0.0		466	-7.8	-0.0	-1.6	-0.0
0.2	0.0		67	0.3	-0.0	2.0	-0.0
-0.3	-0.0						
		g1	2222	-174.4	0.0	-28.1	-0.0
-6.1	0.0		2223	21.8	0.0	40.9	-0.0
6.1	-0.0		466	167.1	-0.0	30.6	0.0
-5.9	-0.0		67	-14.5	-0.0	-43.0	0.0
6.0	0.0						
		g2	2222	-84.5	-0.0	-13.1	0.0
-3.1	0.0		2223	11.0	-0.0	20.1	0.0
3.0	-0.0		466	80.8	0.0	14.2	0.0
-2.9	-0.0		67	-7.3	0.0	-21.3	0.0
3.0	0.0						
		q3	2222	-4.5	0.0	-0.8	-0.0
-0.1	0.0		2223	0.2	0.0	1.1	-0.0
0.1	-0.0		466	4.4	-0.0	0.9	0.0
-0.1	-0.0		67	-0.0	-0.0	-1.2	0.0
0.1	0.0						
		q5_pc	2222	5.8	-0.5	0.2	0.0
0.3	0.0		2223	-4.0	-0.4	-0.9	0.0
-0.3	-0.0		466	-5.7	0.2	-0.2	0.1
0.3	-0.0		67	3.9	0.3	0.9	0.1
-0.3	0.0						
		q5_ps	2222	4.4	-0.5	-0.0	0.0
0.2	0.0		2223	-3.7	-0.4	-0.6	0.0
-0.3	-0.0		466	-4.4	0.2	0.0	0.1
0.3	-0.0		67	3.6	0.3	0.6	0.1
-0.2	0.0						
		INVSLU Max	2222	-340.7	0.7	-53.9	0.1
-11.4	0.0		2223	45.6	0.6	91.1	0.1
12.9	0.0		466	322.9	0.3	55.6	0.1
-11.8	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

12.1	0.0			67	1.0	0.4	-87.7	0.1
			Min	2222	-358.7	-0.7	-55.4	-0.1
-12.3	-0.0			2223	34.4	-0.6	87.9	-0.0
11.9	0.0			466	305.3	-0.3	54.0	-0.1
-12.7	-0.0			67	-9.9	-0.4	-90.9	-0.1
11.3	-0.0							
		INVSLV	Max	2222	-231.3	0.2	-36.2	0.0
-7.9	0.0			2223	36.7	0.2	68.0	0.0
9.6	-0.0			466	252.4	0.2	46.6	0.0
-7.9	0.0			67	2.4	0.2	-58.4	0.0
9.1	0.0							
			Min	2222	-274.3	-0.2	-45.2	-0.0
-9.4	-0.0			2223	18.5	-0.2	58.1	-0.0
8.1	-0.0			466	211.2	-0.2	36.8	-0.0
-9.4	-0.0			67	-15.6	-0.2	-69.2	-0.0
7.7	-0.0							
2930	2	8	Q1-1-2	Max	2224	0.0	0.0	0.0
0.0	0.0				2225	0.0	0.0	0.0
0.0	0.0				70	0.0	0.0	0.0
0.0	0.0				69	0.0	0.0	0.0
0.0	0.0							
			Min	2224	0.0	0.0	0.0	0.0
0.0	0.0				2225	0.0	0.0	0.0
0.0	0.0				70	0.0	0.0	0.0
0.0	0.0				69	0.0	0.0	0.0
0.0	0.0							
		Q2a-1-2	Max	2224	0.0	0.0	0.0	0.0
0.0	0.0				2225	0.0	0.0	0.0
0.0	0.0				70	0.0	0.0	0.0
0.0	0.0				69	0.0	0.0	0.0
0.0	0.0							
			Min	2224	0.0	0.0	0.0	0.0
0.0	0.0				2225	0.0	0.0	0.0
0.0	0.0				70	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	0.0		69	0.0	0.0	0.0	0.0
0.9	0.0	SLVx (RS)	2224	-1.0	0.0	-14.1	-0.0
-0.6	-0.0		2225	-3.0	0.0	-4.2	-0.0
0.6	0.0		70	1.1	0.0	7.0	0.0
-0.9	0.0		69	3.0	-0.0	11.3	0.0
-3.0	0.0	SLVy (RS)	2224	-7.2	0.2	36.6	-0.0
1.6	-0.0		2225	8.4	-0.2	16.4	-0.0
-1.4	-0.0		70	0.1	0.1	-17.0	0.0
2.8	0.0		69	-1.4	-0.2	-36.0	0.0
0.5	0.0	SLDx (RS)	2224	-0.5	0.0	-7.1	-0.0
-0.3	-0.0		2225	-1.5	0.0	-2.1	-0.0
0.3	0.0		70	0.5	0.0	3.5	0.0
-0.4	0.0		69	1.5	-0.0	5.7	0.0
-1.5	0.0	SLDy (RS)	2224	-3.6	0.1	18.3	-0.0
0.8	-0.0		2225	4.2	-0.1	8.2	-0.0
-0.7	-0.0		70	0.1	0.0	-8.5	0.0
1.4	0.0		69	-0.7	-0.1	-18.0	0.0
0.4	-0.0	SLVz (RS)	2224	-0.5	-0.0	-6.2	0.0
-0.3	-0.0		2225	-1.3	0.0	-1.9	0.0
0.3	-0.0		70	0.5	0.0	3.1	-0.0
-0.4	-0.0		69	1.3	0.0	5.0	-0.0
-11.0	0.0	g1	2224	12.3	0.1	172.4	-0.0
7.0	-0.0		2225	36.7	-0.0	51.5	-0.0
-7.0	0.0		70	-12.9	-0.0	-85.3	0.0
10.9	0.0		69	-36.1	-0.1	-138.3	0.0
-5.3	0.0	g2	2224	6.4	0.1	84.2	-0.0

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

3.4	-0.0			2225	17.9	-0.0	25.3	-0.0
-3.4	0.0			70	-6.4	-0.0	-42.2	0.0
5.3	0.0			69	-17.9	-0.0	-67.4	0.0
-0.2	0.0	q3		2224	0.3	0.0	3.4	-0.0
0.1	-0.0			2225	0.7	-0.0	1.0	-0.0
-0.1	0.0			70	-0.3	-0.0	-1.7	0.0
0.2	0.0			69	-0.7	-0.0	-2.7	0.0
-1.0	0.0	q5_pc		2224	-2.2	0.1	12.2	-0.0
0.3	-0.0			2225	1.6	-0.2	4.6	-0.0
-0.4	0.0			70	0.3	0.1	-4.2	0.0
1.0	-0.0			69	0.3	-0.2	-12.7	0.0
-1.0	0.0	q5_ps		2224	-2.2	0.1	13.0	-0.0
0.4	-0.0			2225	2.1	-0.2	5.1	-0.0
-0.4	0.0			70	0.2	0.1	-5.0	0.0
1.0	-0.0			69	-0.1	-0.2	-13.1	0.0
-18.1	0.0	INVSLU	Max	2224	-6.3	0.5	304.8	-0.1
13.1	0.0			2225	58.5	0.2	93.2	-0.1
-9.5	0.0			70	-8.3	0.0	-107.4	0.1
19.2	0.0			69	-36.0	0.1	-231.6	0.0
-21.4	0.0		Min	2224	-13.1	0.2	262.5	-0.1
11.7	-0.0			2225	51.6	-0.3	76.8	-0.1
-11.0	-0.0			70	-9.3	-0.1	-123.9	0.0
15.8	0.0			69	-37.5	-0.5	-273.7	0.0
-11.4	0.0	INVSLV	Max	2224	19.1	0.4	271.9	-0.0
11.4	0.0			2225	58.0	0.1	87.4	-0.0
-7.5	0.0			70	-14.1	0.1	-90.3	0.1
17.6	0.0			69	-40.6	0.1	-147.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


				Min	2224	3.8	-0.0	186.5	-0.1
-18.2	0.0				2225	38.5	-0.2	51.0	-0.1
7.6	-0.0				70	-16.5	-0.1	-130.4	0.0
-10.8	0.0				69	-48.1	-0.2	-228.7	0.0
11.3	0.0								
2938	2	10	Q1-1-2	Max	2232	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2233	0.0	0.0	0.0	0.0
0.0	0.0	0.0			349	0.0	0.0	0.0	0.0
0.0	0.0	0.0			64	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	2232	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2233	0.0	0.0	0.0	0.0
0.0	0.0	0.0			349	0.0	0.0	0.0	0.0
0.0	0.0	0.0			64	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	2232	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2233	0.0	0.0	0.0	0.0
0.0	0.0	0.0			349	0.0	0.0	0.0	0.0
0.0	0.0	0.0			64	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	2232	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2233	0.0	0.0	0.0	0.0
0.0	0.0	0.0			349	0.0	0.0	0.0	0.0
0.0	0.0	0.0			64	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				SLVx (RS)	2232	-12.5	0.0	-2.0	0.0
0.5	0.0	0.0			2233	-11.5	-0.0	0.2	0.0
-0.5	-0.0	0.0			349	11.5	0.0	1.5	0.0
0.5	-0.0	0.0			64	10.4	0.0	1.4	0.0
-0.5	0.0	0.0							
				SLVy (RS)	2232	3.2	0.0	-2.2	0.0
0.3	-0.0	0.0			2233	-3.9	-0.1	-0.5	0.0
-0.3	-0.0	0.0			349	-3.5	0.1	0.7	0.0
0.3	-0.0	0.0			64	4.1	-0.1	2.0	-0.0
-0.3	-0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	2232	6.3	0.0	-0.6	0.0
0.3	0.0		2233	-5.8	-0.0	0.1	0.0
-0.3	-0.0		349	5.8	0.0	0.7	0.0
0.3	-0.0		64	5.2	0.0	0.7	0.0
-0.3	0.0						
		SLDy (RS)	2232	1.6	0.0	-1.1	0.0
0.2	-0.0		2233	-1.9	-0.0	-0.2	0.0
-0.1	-0.0		349	-1.7	0.1	0.4	0.0
0.1	-0.0		64	2.1	-0.0	1.0	-0.0
-0.2	-0.0						
		SLVz (RS)	2232	5.3	-0.0	0.9	0.0
0.2	-0.0		2233	-4.9	-0.0	0.1	0.0
-0.2	0.0		349	-4.8	0.0	-0.6	-0.0
0.2	0.0		64	4.5	0.0	-0.3	-0.0
-0.2	-0.0						
		g1	2232	-108.1	0.0	-10.7	-0.0
-4.9	0.0		2233	102.1	0.0	1.8	-0.0
4.9	-0.0		349	98.8	-0.0	7.9	0.0
-5.0	-0.0		64	-92.9	-0.0	1.2	0.0
5.0	0.0						
		g2	2232	-50.8	-0.0	-3.5	-0.0
-2.4	0.0		2233	50.7	-0.0	1.2	-0.0
2.4	-0.0		349	46.6	0.0	1.8	0.0
-2.5	-0.0		64	-46.4	0.0	0.6	0.0
2.5	0.0						
		q3	2232	-5.6	0.0	-1.2	-0.0
-0.2	0.0		2233	2.7	-0.0	0.8	-0.0
0.2	-0.0		349	5.3	-0.0	1.2	0.0
-0.2	-0.0		64	-2.4	0.0	-0.8	0.0
0.2	0.0						
		q5_pc	2232	3.9	-0.0	1.5	0.0
0.1	-0.0		2233	-4.0	-0.2	0.6	0.0
-0.1	-0.0						

PROJECT TITLE :

		Company			Client				
		Author			File Name				
							PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.2	-0.0			349	-4.1	0.1	-0.7	0.0	
-0.1	-0.0			64	4.2	-0.2	-1.3	-0.0	
			q5_ps	2232	3.6	-0.0	1.6	0.0	
0.1	-0.0			2233	-3.1	-0.2	0.5	0.0	
-0.1	-0.0			349	-3.7	0.1	-1.0	0.0	
0.1	-0.0			64	3.2	-0.2	-1.1	-0.0	
-0.1	-0.0								
			INVSLU	Max	2232	-192.8	0.1	-18.6	-0.0
-8.0	0.0				2233	188.3	0.3	5.7	0.0
8.4	0.0				349	167.2	0.2	19.4	0.0
-8.1	0.0				64	-134.4	0.2	2.1	-0.0
8.8	0.0								
				Min	2232	-209.2	0.1	-24.7	-0.0
-8.5	-0.0				2233	176.4	-0.3	3.3	-0.0
7.9	-0.0				349	150.8	-0.3	15.1	-0.0
-8.6	-0.0				64	-146.4	-0.4	-1.9	-0.0
8.2	-0.0								
			INVSLV	Max	2232	-128.3	0.0	-9.6	0.0
-5.5	0.0				2233	153.4	0.1	3.2	0.0
7.0	0.0				349	132.6	0.1	9.6	0.0
-5.8	0.0				64	-101.4	0.1	5.1	0.0
7.2	0.0								
				Min	2232	-158.5	-0.0	-15.8	-0.0
-6.9	-0.0				2233	125.1	-0.1	2.0	-0.0
5.6	-0.0				349	104.5	-0.1	5.9	0.0
-7.2	-0.0				64	-127.5	-0.1	0.0	0.0
5.8	-0.0								
2956	2	8	Q1-1-2	Max	2249	0.0	0.0	0.0	0.0
0.0	0.0				2250	0.0	0.0	0.0	0.0
0.0	0.0				205	0.0	0.0	0.0	0.0
0.0	0.0				204	0.0	0.0	0.0	0.0
0.0	0.0								
				Min	2249	0.0	0.0	0.0	0.0
0.0	0.0				2250	0.0	0.0	0.0	0.0




PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		205	0.0	0.0	0.0	0.0	
0.0	0.0		204	0.0	0.0	0.0	0.0	
0.0	0.0							
		Q2a-1-2	Max	2249	0.0	0.0	0.0	0.0
0.0	0.0			2250	0.0	0.0	0.0	0.0
0.0	0.0			205	0.0	0.0	0.0	0.0
0.0	0.0			204	0.0	0.0	0.0	0.0
0.0	0.0							
			Min	2249	0.0	0.0	0.0	0.0
0.0	0.0			2250	0.0	0.0	0.0	0.0
0.0	0.0			205	0.0	0.0	0.0	0.0
0.0	0.0			204	0.0	0.0	0.0	0.0
0.0	0.0							
			SLVx (RS)	2249	-12.3	0.0	-3.5	-0.0
-0.7	0.0			2250	18.6	-0.0	4.9	-0.0
0.7	-0.0			205	10.9	0.0	3.6	-0.0
-0.7	0.0			204	-17.1	-0.0	-4.9	-0.0
0.8	-0.0							
			SLVy (RS)	2249	7.3	-0.1	1.9	0.0
0.3	0.0			2250	-4.0	-0.2	-1.6	0.0
-0.3	-0.0			205	-7.2	0.1	-2.1	0.0
0.3	-0.0			204	3.9	0.1	1.8	0.0
-0.3	0.0							
			SLDx (RS)	2249	-6.1	0.0	-1.8	-0.0
-0.4	0.0			2250	9.3	-0.0	2.4	-0.0
0.4	-0.0			205	5.5	0.0	1.8	-0.0
-0.4	0.0			204	-8.5	-0.0	-2.4	-0.0
0.4	-0.0							
			SLDy (RS)	2249	3.6	-0.0	1.0	0.0
0.1	0.0			2250	-2.0	-0.1	-0.8	0.0
-0.1	-0.0			205	-3.6	0.1	-1.0	0.0
0.1	-0.0			204	1.9	0.0	0.9	0.0
-0.2	0.0							

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
		SLVz (RS)	2249	3.3	0.0	-1.3	0.0
0.2	-0.0		2250	-6.5	0.0	1.6	0.0
-0.2	0.0		205	-2.9	-0.0	1.4	-0.0
0.2	0.0		204	6.0	-0.0	-1.7	-0.0
-0.2	-0.0						
		g1	2249	-76.5	0.0	27.2	-0.0
-5.4	0.0		2250	152.2	0.0	-33.3	-0.0
5.5	-0.0		205	64.3	-0.0	-28.5	0.0
-5.5	-0.0		204	-140.0	-0.0	34.8	0.0
5.5	0.0						
		g2	2249	-38.2	-0.0	13.2	0.0
-2.7	0.0		2250	74.5	-0.0	-15.8	0.0
2.7	-0.0		205	32.0	0.0	-13.8	0.0
-2.7	-0.0		204	-68.3	0.0	16.4	0.0
2.7	0.0						
		q3	2249	-12.8	0.0	-0.5	-0.0
-0.7	0.0		2250	13.1	0.0	-0.2	-0.0
0.6	-0.0		205	11.8	-0.0	0.7	0.0
-0.6	-0.0		204	-12.0	-0.0	0.0	0.0
0.7	0.0						
		q5_pc	2249	5.0	-0.2	-0.2	0.0
0.3	0.0		2250	-6.0	-0.3	0.4	0.0
-0.3	-0.0		205	-4.7	0.2	0.1	0.0
0.3	-0.0		204	5.7	0.1	-0.4	0.0
-0.3	0.0						
		q5_ps	2249	4.4	-0.1	0.0	0.0
0.2	0.0		2250	-4.9	-0.3	0.2	0.0
-0.2	-0.0		205	-4.2	0.2	-0.0	0.0
0.2	-0.0		204	4.7	0.1	-0.2	0.0
-0.2	0.0						
		INVSLU Max	2249	-152.8	0.2	56.0	0.0
-10.4	0.0		2250	337.3	0.5	-70.2	0.0
11.4	0.0		205	131.6	0.3	-55.2	0.1
-10.2	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

12.2	0.0				204	-259.3	0.1	71.7	0.1
			Min		2249	-181.3	-0.2	55.0	-0.0
-11.9	-0.0				2250	306.9	-0.4	-71.3	-0.0
10.0	-0.0				205	105.2	-0.3	-56.4	-0.1
-11.7	-0.0				204	-287.7	-0.1	70.9	-0.1
10.7	-0.0								
			INVS LV	Max	2249	-97.2	0.1	45.5	0.0
-6.9	0.0				2250	246.9	0.2	-44.8	0.0
8.5	0.0				205	97.5	0.1	-37.0	0.0
-6.8	0.0				204	-176.0	0.1	57.4	0.0
8.9	0.0								
				Min	2249	-128.2	-0.1	36.5	-0.0
-8.7	-0.0				2250	203.5	-0.1	-56.4	-0.0
6.8	-0.0				205	69.6	-0.1	-46.3	-0.0
-8.6	-0.0				204	-216.1	-0.1	45.5	-0.0
7.0	-0.0								
2957	2	4	Q1-1-2	Max	2250	0.0	0.0	0.0	0.0
0.0	0.0				2216	0.0	0.0	0.0	0.0
0.0	0.0				61	0.0	0.0	0.0	0.0
0.0	0.0				205	0.0	0.0	0.0	0.0
0.0	0.0								
				Min	2250	0.0	0.0	0.0	0.0
0.0	0.0				2216	0.0	0.0	0.0	0.0
0.0	0.0				61	0.0	0.0	0.0	0.0
0.0	0.0				205	0.0	0.0	0.0	0.0
0.0	0.0								
			Q2a-1-2	Max	2250	0.0	0.0	0.0	0.0
0.0	0.0				2216	0.0	0.0	0.0	0.0
0.0	0.0				61	0.0	0.0	0.0	0.0
0.0	0.0				205	0.0	0.0	0.0	0.0
0.0	0.0								
				Min	2250	0.0	0.0	0.0	0.0
0.0	0.0				2216	0.0	0.0	0.0	0.0
0.0	0.0				61	0.0	0.0	0.0	0.0
0.0	0.0								

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		205	0.0	0.0	0.0	0.0
-0.8	0.0	SLVx (RS)	2250	-8.3	0.0	-4.5	0.0
0.8	-0.0		2216	20.4	-0.0	3.6	0.0
-0.8	0.0		61	7.8	0.0	4.7	-0.0
0.8	-0.0		205	-19.5	-0.0	-3.9	-0.0
0.3	0.0	SLVy (RS)	2250	8.0	-0.2	1.4	0.0
-0.3	0.0		2216	-2.0	-0.2	-2.1	0.0
0.3	-0.0		61	-8.2	0.2	-1.7	0.0
-0.3	0.0		205	2.0	0.2	2.4	0.0
-0.4	0.0	SLDx (RS)	2250	-4.1	0.0	-2.3	0.0
0.4	-0.0		2216	10.2	-0.0	1.8	0.0
-0.4	0.0		61	3.9	0.0	2.3	-0.0
0.4	-0.0		205	-9.7	0.0	-1.9	-0.0
0.2	0.0	SLDy (RS)	2250	4.0	-0.1	0.7	0.0
-0.1	0.0		2216	-1.0	-0.1	-1.0	0.0
0.1	-0.0		61	-4.1	0.1	-0.9	0.0
-0.2	0.0		205	1.0	0.1	1.2	0.0
0.3	-0.0	SLVz (RS)	2250	1.9	0.0	-1.7	0.0
-0.3	0.0		2216	-7.8	0.0	1.1	0.0
0.2	0.0		61	-1.8	-0.0	1.8	-0.0
-0.2	-0.0		205	7.5	-0.0	-1.2	-0.0
-6.2	0.0	g1	2250	-25.1	0.0	39.4	-0.0
6.2	-0.0		2216	176.0	0.0	-18.3	-0.0
-6.1	-0.0		61	18.0	-0.0	-41.3	0.0
6.1	0.0		205	-168.9	-0.0	20.4	0.0
-3.1	0.0	g2	2250	-13.2	-0.0	19.4	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

3.1	-0.0			2216	85.6	-0.0	-8.2	0.0
-3.0	-0.0			61	9.6	0.0	-20.4	0.0
3.0	0.0			205	-82.0	0.0	9.1	0.0
-0.7	0.0	q3		2250	-10.7	0.0	0.8	-0.0
0.6	-0.0			2216	10.5	0.0	1.2	-0.0
-0.6	-0.0			61	10.2	-0.0	-0.5	0.0
0.7	0.0			205	-10.1	-0.0	-1.5	0.0
0.3	0.0	q5_pc		2250	3.8	-0.4	-0.7	0.0
-0.3	0.0			2216	-5.7	-0.5	-0.1	0.0
0.3	-0.0			61	-3.6	0.3	0.7	0.1
-0.3	0.0			205	5.6	0.2	0.1	0.1
0.3	0.0	q5_ps		2250	3.5	-0.4	-0.4	0.0
-0.2	0.0			2216	-4.4	-0.5	-0.2	0.0
0.2	-0.0			61	-3.4	0.3	0.4	0.1
-0.2	0.0			205	4.3	0.2	0.3	0.1
-12.3	0.0	INVSLU	Max	2250	-42.7	0.6	88.3	0.0
13.0	0.0			2216	370.5	0.7	-32.3	0.1
-11.4	0.0			61	29.6	0.4	-85.9	0.1
13.9	0.0			205	-309.3	0.3	34.6	0.1
-14.0	-0.0		Min	2250	-65.7	-0.6	86.0	-0.0
11.6	-0.0			2216	344.6	-0.7	-34.3	-0.1
-12.9	-0.0			61	7.4	-0.4	-87.8	-0.1
12.3	-0.0			205	-334.4	-0.3	32.1	-0.1
-8.1	0.0	INVSLV	Max	2250	-22.3	0.2	66.9	0.0
9.7	0.0			2216	278.9	0.2	-21.5	0.0
-7.6	0.0			61	23.7	0.2	-56.3	0.0
9.9	0.0			205	-212.3	0.2	31.9	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


				Min	2250	-44.7	-0.2	56.0	-0.0
-10.1	-0.0				2216	232.2	-0.2	-30.7	-0.0
7.8	-0.0				61	1.5	-0.2	-67.8	-0.0
-9.4	-0.0				205	-256.9	-0.2	22.0	-0.0
8.0	-0.0								
2967	2	4	Q1-1-2	Max	2258	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2259	0.0	0.0	0.0	0.0
0.0	0.0	0.0			256	0.0	0.0	0.0	0.0
0.0	0.0	0.0			255	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	2258	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2259	0.0	0.0	0.0	0.0
0.0	0.0	0.0			256	0.0	0.0	0.0	0.0
0.0	0.0	0.0			255	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	2258	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2259	0.0	0.0	0.0	0.0
0.0	0.0	0.0			256	0.0	0.0	0.0	0.0
0.0	0.0	0.0			255	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	2258	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2259	0.0	0.0	0.0	0.0
0.0	0.0	0.0			256	0.0	0.0	0.0	0.0
0.0	0.0	0.0			255	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			SLVx (RS)		2258	-9.1	-0.0	-2.3	0.0
-0.6	-0.0	0.0			2259	15.2	-0.0	2.9	0.0
0.6	0.0	0.0			256	8.2	0.0	2.4	-0.0
-0.6	0.0	0.0			255	-14.3	0.0	-3.0	-0.0
0.6	0.0	0.0							
			SLVy (RS)		2258	4.8	-0.2	1.1	0.0
0.2	-0.0	0.0			2259	-2.2	-0.1	-1.0	0.0
-0.2	0.0	0.0			256	-4.9	0.1	-1.2	0.0
0.2	-0.0	0.0			255	2.3	0.2	1.1	0.0
-0.2	0.0	0.0							

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.3	-0.0	SLDx (RS)	2258	-4.5	-0.0	-1.1	0.0
0.3	0.0		2259	7.6	-0.0	1.4	0.0
-0.3	0.0		256	4.1	0.0	1.2	-0.0
0.3	0.0		255	-7.1	0.0	-1.5	-0.0
0.1	-0.0	SLDy (RS)	2258	2.4	-0.1	0.5	0.0
-0.1	0.0		2259	-1.1	-0.1	-0.5	0.0
0.1	-0.0		256	-2.5	0.1	-0.6	0.0
-0.1	0.0		255	1.1	0.1	0.6	0.0
0.2	-0.0	SLVz (RS)	2258	3.2	0.0	-0.8	0.0
-0.2	0.0		2259	-6.4	0.0	0.9	0.0
0.2	0.0		256	-2.9	-0.0	0.9	-0.0
-0.2	-0.0		255	6.0	-0.0	-1.0	-0.0
-5.2	0.0	g1	2258	-76.1	0.0	16.0	-0.0
5.3	-0.0		2259	130.6	0.0	-11.6	-0.0
-5.5	-0.0		256	67.8	-0.0	-16.9	0.0
5.4	0.0		255	-122.3	-0.0	12.8	0.0
-2.6	0.0	g2	2258	-37.3	-0.0	8.1	0.0
2.6	-0.0		2259	62.9	-0.0	-4.8	-0.0
-2.7	-0.0		256	33.2	0.0	-8.6	0.0
2.7	0.0		255	-58.8	0.0	5.3	0.0
-0.3	0.0	q3	2258	-6.8	0.0	-0.7	-0.0
0.3	-0.0		2259	4.9	0.0	0.8	-0.0
-0.3	-0.0		256	6.5	-0.0	0.7	0.0
0.3	0.0		255	-4.6	-0.0	-0.9	0.0
0.2	-0.0	q5_pc	2258	3.8	-0.4	-0.2	0.1
-0.2	0.0		2259	-4.4	-0.3	-0.0	0.1

PROJECT TITLE :

		Company			Client			
		Author			File Name			
							PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.2	-0.0			256	-3.9	0.2	0.2	0.0
-0.2	0.0			255	4.5	0.2	0.0	0.0
0.2	-0.0	q5_ps		2258	3.3	-0.4	-0.0	0.1
-0.2	0.0			2259	-3.6	-0.3	-0.0	0.1
0.2	-0.0			256	-3.4	0.2	0.0	0.0
-0.2	0.0			255	3.6	0.2	0.1	0.0
-8.8	0.0	INVSLU	Max	2258	-135.8	0.6	29.6	0.1
9.4	0.0			2259	247.2	0.5	-20.1	0.1
-8.9	0.0			256	112.6	0.2	-28.3	0.0
10.1	0.0			255	-190.8	0.3	21.5	0.0
-9.7	-0.0		Min	2258	-153.3	-0.5	28.4	-0.1
8.5	-0.0			2259	231.2	-0.4	-21.2	-0.1
-9.8	-0.0			256	95.4	-0.3	-29.6	-0.0
9.2	-0.0			255	-206.5	-0.4	20.2	-0.0
-6.2	0.0	INVSLV	Max	2258	-92.4	0.2	25.3	0.0
7.5	0.0			2259	194.2	0.2	-11.7	0.0
-6.3	0.0			256	90.1	0.1	-20.1	0.0
7.9	0.0			255	-135.3	0.2	19.6	0.0
-7.6	-0.0		Min	2258	-115.4	-0.2	19.7	-0.0
6.0	-0.0			2259	158.7	-0.1	-18.6	-0.0
-7.8	-0.0			256	68.9	-0.2	-26.1	-0.0
6.5	-0.0			255	-168.8	-0.2	12.3	-0.0
2968	2	10	Q1-1-2	Max	2259	0.0	0.0	0.0
0.0	0.0	0.0			2260	0.0	0.0	0.0
0.0	0.0				257	0.0	0.0	0.0
0.0	0.0				256	0.0	0.0	0.0
0.0	0.0				2259	0.0	0.0	0.0
0.0	0.0		Min		2260	0.0	0.0	0.0




PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		257	0.0	0.0	0.0	0.0
0.0	0.0		256	0.0	0.0	0.0	0.0
0.0	0.0						
		Q2a-1-2	Max	2259	0.0	0.0	0.0
0.0	0.0			2260	0.0	0.0	0.0
0.0	0.0			257	0.0	0.0	0.0
0.0	0.0			256	0.0	0.0	0.0
0.0	0.0						
			Min	2259	0.0	0.0	0.0
0.0	0.0			2260	0.0	0.0	0.0
0.0	0.0			257	0.0	0.0	0.0
0.0	0.0			256	0.0	0.0	0.0
0.0	0.0						
			SLVx (RS)	2259	-9.1	-0.0	-2.0
-0.6	-0.0			2260	-14.7	0.0	1.9
0.6	-0.0			257	8.2	-0.0	2.1
-0.6	0.0			256	-13.7	-0.0	-2.9
0.6	-0.0						
			SLVy (RS)	2259	4.1	-0.2	1.1
0.1	-0.0			2260	-2.3	-0.0	0.7
-0.1	-0.0			257	-3.8	0.0	-2.2
0.1	-0.0			256	2.1	0.2	0.5
-0.1	0.0						
			SLDx (RS)	2259	-4.5	-0.0	-1.0
-0.3	-0.0			2260	-7.3	0.0	0.9
0.3	-0.0			257	4.1	-0.0	1.1
-0.3	0.0			256	-6.8	-0.0	-1.4
0.3	-0.0						
			SLDy (RS)	2259	2.0	-0.1	0.6
0.1	-0.0			2260	-1.2	-0.0	0.3
-0.1	-0.0			257	-1.9	0.0	-1.1
0.0	-0.0			256	1.1	0.1	0.3
-0.0	0.0						

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
		SLVz (RS)	2259	3.3	0.0	-0.7	0.0
0.2	-0.0		2260	-6.2	0.0	0.9	0.0
-0.2	0.0		257	-2.9	-0.0	0.8	-0.0
0.2	0.0		256	5.8	-0.0	-0.9	-0.0
-0.2	-0.0						
		g1	2259	-76.6	0.0	13.4	-0.0
-5.1	0.0		2260	125.5	-0.0	-10.8	-0.0
5.2	-0.0		257	68.0	0.0	-14.4	0.0
-5.2	-0.0		256	-116.9	-0.0	12.0	0.0
5.1	0.0						
		g2	2259	-38.0	-0.0	6.7	-0.0
-2.6	0.0		2260	59.9	0.0	-3.8	-0.0
2.6	-0.0		257	33.9	-0.0	-7.3	0.0
-2.6	-0.0		256	-55.8	0.0	4.4	0.0
2.6	0.0						
		q3	2259	-6.5	0.0	-0.8	-0.0
-0.3	0.0		2260	4.5	0.0	0.7	-0.0
0.3	-0.0		257	6.2	-0.0	0.9	0.0
-0.3	-0.0		256	-4.1	-0.0	-0.9	0.0
0.3	0.0						
		q5_pc	2259	3.9	-0.3	-0.1	0.0
0.2	-0.0		2260	-4.5	-0.1	0.2	0.0
-0.2	-0.0		257	-3.8	-0.0	-0.1	0.0
0.2	-0.0		256	4.3	0.2	-0.1	0.0
-0.2	0.0						
		q5_ps	2259	3.2	-0.3	0.0	0.0
0.2	-0.0		2260	-3.8	-0.1	0.4	0.0
-0.2	-0.0		257	-3.1	-0.0	-0.3	0.0
0.1	-0.0		256	3.6	0.2	-0.2	0.0
-0.1	0.0						
		INVSLU Max	2259	-134.5	0.5	25.1	0.0
-8.5	0.0		2260	235.7	0.2	-17.9	0.0
9.2	0.0		257	110.4	0.0	-24.3	0.0
-8.4	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

9.4	0.0				256	-179.5	0.3	20.4	0.0
			Min		2259	-151.6	-0.5	24.0	-0.1
-9.4	-0.0				2260	219.9	-0.2	-19.9	-0.0
8.3	-0.0				257	94.1	-0.0	-26.0	-0.0
-9.1	-0.0				256	-194.5	-0.3	18.9	-0.0
8.6	-0.0								
			INVSLV	Max	2259	-93.3	0.2	21.4	0.0
-6.1	0.0				2260	184.5	0.0	-10.1	0.0
7.3	0.0				257	90.6	0.0	-16.7	0.0
-6.0	0.0				256	-126.9	0.1	16.8	0.0
7.5	0.0								
				Min	2259	-116.0	-0.2	16.3	-0.0
-7.4	-0.0				2260	150.0	-0.0	-14.7	-0.0
6.0	-0.0				257	70.1	-0.0	-22.9	-0.0
-7.4	-0.0				256	-159.0	-0.2	10.2	-0.0
6.1	-0.0								
2977	2	10	Q1-1-2	Max	2266	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2232	0.0	0.0	0.0	0.0
0.0	0.0	0.0			64	0.0	0.0	0.0	0.0
0.0	0.0	0.0			313	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	2266	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2232	0.0	0.0	0.0	0.0
0.0	0.0	0.0			64	0.0	0.0	0.0	0.0
0.0	0.0	0.0			313	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	2266	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2232	0.0	0.0	0.0	0.0
0.0	0.0	0.0			64	0.0	0.0	0.0	0.0
0.0	0.0	0.0			313	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	2266	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2232	0.0	0.0	0.0	0.0
0.0	0.0	0.0			64	0.0	0.0	0.0	0.0
0.0	0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	0.0		313	0.0	0.0	0.0	0.0
		SLVx (RS)	2266	-11.9	-0.0	-1.0	0.0
0.5	0.0		2232	12.4	-0.0	-1.4	0.0
-0.5	0.0		64	-10.9	0.0	0.7	-0.0
0.5	0.0		313	11.3	0.0	1.5	-0.0
-0.6	0.0						
		SLVy (RS)	2266	3.9	-0.1	-0.3	0.0
0.3	0.0		2232	-3.3	0.0	-2.4	0.0
-0.3	0.0		64	-4.1	-0.1	1.8	-0.0
0.3	0.0		313	3.5	0.1	0.9	0.0
-0.3	0.0						
		SLDx (RS)	2266	-6.0	-0.0	-0.5	0.0
0.3	0.0		2232	6.2	-0.0	-0.7	0.0
-0.3	0.0		64	-5.5	0.0	0.4	-0.0
0.3	0.0		313	5.6	0.0	0.8	-0.0
-0.3	0.0						
		SLDy (RS)	2266	2.0	-0.0	-0.1	0.0
0.1	0.0		2232	-1.7	0.0	-1.2	0.0
-0.2	0.0		64	-2.1	-0.0	0.9	-0.0
0.2	0.0		313	1.8	0.1	0.5	0.0
-0.1	0.0						
		SLVz (RS)	2266	4.8	-0.0	0.3	0.0
0.2	-0.0		2232	-5.4	-0.0	0.7	0.0
-0.2	-0.0		64	-4.4	0.0	-0.6	-0.0
0.2	-0.0		313	4.9	0.0	-0.4	-0.0
-0.2	-0.0						
		g1	2266	-101.9	0.0	-4.0	-0.0
-4.9	0.0		2232	108.7	0.0	-4.9	-0.0
4.8	-0.0		64	92.6	-0.0	6.8	0.0
-4.9	-0.0		313	-99.3	-0.0	2.3	0.0
5.0	0.0						
		g2	2266	-50.7	-0.0	-1.8	-0.0
-2.5	0.0						

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

2.4	-0.0			2232	50.9	-0.0	-0.6	-0.0
				64	46.5	0.0	3.4	0.0
-2.5	-0.0			313	-46.6	0.0	-1.0	0.0
2.5	0.0							
		q3		2266	-5.4	0.0	-1.1	-0.0
-0.2	0.0			2232	2.7	-0.0	0.7	-0.0
0.2	0.0			64	5.2	-0.0	1.2	0.0
-0.2	0.0			313	-2.5	-0.0	-0.8	0.0
0.2	0.0							
		q5_pc		2266	4.0	-0.2	0.8	0.0
0.1	0.0			2232	-4.2	-0.0	1.3	0.0
-0.1	0.0			64	-4.1	-0.2	-1.5	-0.0
0.1	0.0			313	4.3	0.2	-0.6	0.0
-0.2	0.0							
		q5_ps		2266	3.1	-0.2	0.7	0.0
0.1	0.0			2232	-3.8	-0.0	1.5	0.0
-0.1	0.0			64	-3.2	-0.2	-1.3	-0.0
0.1	0.0			313	3.9	0.2	-0.9	0.0
-0.1	0.0							
		INVSLU	Max	2266	-176.3	0.4	-5.3	0.0
-8.0	0.0			2232	207.5	0.1	-8.0	-0.0
8.3	0.0			64	149.8	0.2	13.0	-0.0
-8.0	0.0			313	-151.3	0.2	9.0	0.0
8.8	0.0							
			Min	2266	-191.8	-0.3	-8.4	-0.0
-8.6	-0.0			2232	193.4	0.1	-13.2	-0.0
7.9	-0.0			64	134.3	-0.4	7.9	-0.0
-8.5	-0.0			313	-165.5	-0.3	5.4	-0.0
8.2	-0.0							
		INVSLV	Max	2266	-124.5	0.1	-4.1	0.0
-5.7	0.0			2232	159.0	0.0	-1.9	0.0
6.8	0.0			64	127.7	0.1	11.8	0.0
-5.7	0.0			313	-105.4	0.1	2.7	0.0
7.3	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


				Min	2266	-153.6	-0.1	-6.4	-0.0
-7.1	-0.0				2232	129.0	-0.0	-8.0	-0.0
5.5	-0.0				64	100.7	-0.1	7.4	-0.0
-7.1	-0.0				313	-133.0	-0.1	-1.2	0.0
5.9	-0.0								
2986	2	10	Q1-1-2	Max	2235	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2273	0.0	0.0	0.0	0.0
0.0	0.0	0.0			400	0.0	0.0	0.0	0.0
0.0	0.0	0.0			399	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	2235	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2273	0.0	0.0	0.0	0.0
0.0	0.0	0.0			400	0.0	0.0	0.0	0.0
0.0	0.0	0.0			399	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	2235	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2273	0.0	0.0	0.0	0.0
0.0	0.0	0.0			400	0.0	0.0	0.0	0.0
0.0	0.0	0.0			399	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	2235	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2273	0.0	0.0	0.0	0.0
0.0	0.0	0.0			400	0.0	0.0	0.0	0.0
0.0	0.0	0.0			399	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				SLVx (RS)	2235	14.2	-0.0	2.6	0.0
0.5	-0.0	0.0			2273	-7.8	-0.0	-1.9	0.0
-0.5	0.0	0.0			400	-13.3	0.0	-2.7	-0.0
0.5	0.0	0.0			399	6.9	-0.0	2.1	0.0
-0.5	-0.0	0.0							
				SLVy (RS)	2235	2.3	-0.0	0.8	0.0
0.1	0.0	0.0			2273	-4.2	-0.2	0.9	0.0
-0.1	0.0	0.0			400	-2.2	0.1	0.4	0.0
0.1	-0.0	0.0			399	4.0	0.0	-2.0	0.0
-0.1	0.0	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	2235	7.1	-0.0	1.3	0.0
0.3	-0.0		2273	-3.9	-0.0	-1.0	0.0
-0.3	0.0		400	-6.6	0.0	-1.4	-0.0
0.3	0.0		399	3.4	-0.0	1.0	0.0
-0.3	-0.0						
		SLDy (RS)	2235	1.2	0.0	0.4	0.0
0.1	0.0		2273	-2.1	-0.1	0.5	0.0
-0.1	0.0		400	-1.1	0.1	0.2	0.0
0.0	-0.0		399	2.0	0.0	-1.0	0.0
-0.0	0.0						
		SLVz (RS)	2235	6.2	0.0	1.2	0.0
0.2	-0.0		2273	-3.4	0.0	-0.8	0.0
-0.2	0.0		400	-5.7	-0.0	-1.2	-0.0
0.2	0.0		399	3.0	-0.0	0.9	-0.0
-0.2	-0.0						
		g1	2235	-123.9	-0.0	-17.8	-0.0
-5.1	0.0		2273	75.3	0.0	17.8	-0.0
5.1	-0.0		400	115.2	-0.0	18.7	0.0
-5.0	-0.0		399	-66.7	0.0	-18.6	0.0
5.1	0.0						
		g2	2235	-59.1	0.0	-7.2	-0.0
-2.5	0.0		2273	37.1	-0.0	9.0	-0.0
2.5	-0.0		400	55.0	0.0	7.7	0.0
-2.5	-0.0		399	-33.0	-0.0	-9.5	0.0
2.5	0.0						
		q3	2235	-4.5	-0.0	-1.0	-0.0
-0.2	0.0		2273	1.6	0.0	0.9	-0.0
0.2	-0.0		400	4.3	-0.0	1.0	0.0
-0.2	-0.0		399	-1.4	0.0	-1.0	0.0
0.2	0.0						
		q5_pc	2235	4.4	-0.1	0.5	0.0
0.2	0.0		2273	-3.9	-0.3	-0.2	0.0
-0.2	0.0						

PROJECT TITLE :

		Company			Client			
		Author			File Name			
							PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.2	-0.0			400	-4.3	0.2	-0.3	0.0
-0.2	0.0			399	3.8	-0.0	0.1	0.0
0.2	0.0	q5_ps		2235	3.7	-0.1	0.6	0.0
-0.2	0.0			2273	-3.3	-0.3	-0.1	0.0
0.1	-0.0			400	-3.6	0.2	-0.4	0.0
-0.1	0.0			399	3.1	-0.0	-0.1	0.0
-8.3	0.0	INVSLU	Max	2235	-217.1	0.2	-31.0	0.0
8.9	0.0			2273	142.9	0.5	34.5	0.0
-8.3	0.0			400	191.7	0.2	32.9	0.0
9.0	0.0			399	-91.1	0.0	-31.8	0.0
-9.0	-0.0		Min	2235	-232.7	-0.1	-33.9	-0.0
8.3	-0.0			2273	131.5	-0.5	32.8	-0.0
-8.9	-0.0			400	176.7	-0.3	30.6	-0.0
8.4	-0.0			399	-101.9	-0.0	-33.4	-0.0
-6.0	0.0	INVSLV	Max	2235	-148.3	0.0	-18.5	0.0
7.2	0.0			2273	112.7	0.2	27.3	0.0
-6.0	0.0			400	156.4	0.1	25.2	0.0
7.3	0.0			399	-69.3	0.0	-22.0	0.0
-7.3	-0.0		Min	2235	-181.8	-0.0	-25.0	-0.0
6.0	-0.0			2273	92.5	-0.2	22.4	-0.0
-7.3	-0.0			400	125.1	-0.2	18.8	-0.0
6.0	-0.0			399	-87.2	-0.0	-27.9	-0.0
2987	2	4	Q1-1-2	Max	2273	0.0	0.0	0.0
0.0	0.0				2274	0.0	0.0	0.0
0.0	0.0				401	0.0	0.0	0.0
0.0	0.0				400	0.0	0.0	0.0
0.0	0.0				2273	0.0	0.0	0.0
0.0	0.0		Min		2274	0.0	0.0	0.0




PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		401	0.0	0.0	0.0	0.0
0.0	0.0		400	0.0	0.0	0.0	0.0
0.0	0.0						
		Q2a-1-2	Max	2273	0.0	0.0	0.0
0.0	0.0			2274	0.0	0.0	0.0
0.0	0.0			401	0.0	0.0	0.0
0.0	0.0			400	0.0	0.0	0.0
0.0	0.0						
			Min	2273	0.0	0.0	0.0
0.0	0.0			2274	0.0	0.0	0.0
0.0	0.0			401	0.0	0.0	0.0
0.0	0.0			400	0.0	0.0	0.0
0.0	0.0						
			SLVx (RS)	2273	14.8	-0.0	2.8
0.5	-0.0			2274	-7.6	-0.0	-2.2
-0.5	0.0			401	-13.8	0.0	-2.9
0.6	-0.0			400	6.7	0.0	2.3
-0.6	-0.0						
			SLVy (RS)	2273	2.2	-0.1	-0.9
0.2	0.0			2274	-4.9	-0.2	0.8
-0.2	0.0			401	-2.4	0.2	1.0
0.2	-0.0			400	5.1	0.1	-1.0
-0.2	0.0						
			SLDx (RS)	2273	7.4	-0.0	1.4
0.3	-0.0			2274	-3.8	-0.0	-1.1
-0.3	0.0			401	-6.9	0.0	-1.5
0.3	-0.0			400	3.4	0.0	1.1
-0.3	-0.0						
			SLDy (RS)	2273	1.1	-0.1	-0.4
0.1	0.0			2274	-2.5	-0.1	0.4
-0.1	0.0			401	-1.2	0.1	0.5
0.1	-0.0			400	2.5	0.1	-0.5
-0.1	0.0						

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
		SLVz (RS)	2273	6.4	0.0	1.2	0.0
0.2	-0.0		2274	-3.3	0.0	-0.9	0.0
-0.2	0.0		401	-6.0	-0.0	-1.3	-0.0
0.2	0.0		400	2.9	-0.0	1.0	-0.0
-0.2	-0.0						
		g1	2273	-129.2	0.0	-19.4	-0.0
-5.2	0.0		2274	74.6	0.0	20.3	-0.0
5.1	-0.0		401	120.7	-0.0	20.2	0.0
-5.3	-0.0		400	-66.1	-0.0	-20.9	0.0
5.4	0.0						
		g2	2273	-62.2	-0.0	-8.5	-0.0
-2.6	0.0		2274	36.3	-0.0	10.3	0.0
2.5	-0.0		401	58.0	0.0	8.9	0.0
-2.6	-0.0		400	-32.1	0.0	-10.7	0.0
2.6	0.0						
		q3	2273	-4.5	0.0	-1.0	-0.0
-0.2	0.0		2274	1.6	0.0	1.0	-0.0
0.2	-0.0		401	4.3	-0.0	1.1	0.0
-0.2	-0.0		400	-1.4	-0.0	-1.0	0.0
0.2	0.0						
		q5_pc	2273	4.4	-0.3	0.2	0.1
0.2	0.0		2274	-3.9	-0.4	-0.4	0.1
-0.2	0.0		401	-4.4	0.2	-0.2	0.0
0.2	-0.0		400	3.9	0.2	0.4	0.0
-0.2	0.0						
		q5_ps	2273	3.6	-0.3	0.2	0.1
0.2	0.0		2274	-3.4	-0.4	-0.2	0.1
-0.2	0.0		401	-3.6	0.2	-0.1	0.0
0.2	-0.0		400	3.4	0.2	0.2	0.0
-0.2	0.0						
		INVSLU Max	2273	-228.6	0.5	-34.8	0.1
-8.5	0.0		2274	144.1	0.6	38.7	0.1
9.2	0.0		401	203.3	0.3	35.6	0.0
-8.9	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

9.5	0.0			400	-91.8	0.2	-35.5	0.0
			Min	2273	-244.0	-0.4	-36.5	-0.1
-9.2	-0.0			2274	132.3	-0.6	36.8	-0.1
8.5	-0.0			401	188.0	-0.3	33.8	-0.0
-9.6	-0.0			400	-103.5	-0.3	-37.5	-0.0
8.8	-0.0							
		INVSLV	Max	2273	-157.1	0.1	-22.0	0.0
-6.0	0.0			2274	111.6	0.2	31.0	0.0
7.4	0.0			401	166.2	0.2	29.1	0.0
-6.3	0.0			400	-67.8	0.1	-25.2	0.0
7.6	0.0							
			Min	2273	-191.8	-0.1	-28.9	-0.0
-7.4	0.0			2274	91.3	-0.2	25.5	-0.0
6.1	-0.0			401	133.5	-0.2	21.9	-0.0
-7.7	-0.0			400	-86.0	-0.2	-31.0	-0.0
6.3	-0.0							
2998	2	8	Q1-1-2	Max	2223	0.0	0.0	0.0
0.0	0.0				2283	0.0	0.0	0.0
0.0	0.0				467	0.0	0.0	0.0
0.0	0.0				466	0.0	0.0	0.0
0.0	0.0							
			Min	2223	0.0	0.0	0.0	0.0
0.0	0.0				2283	0.0	0.0	0.0
0.0	0.0				467	0.0	0.0	0.0
0.0	0.0				466	0.0	0.0	0.0
0.0	0.0							
			Q2a-1-2	Max	2223	0.0	0.0	0.0
0.0	0.0				2283	0.0	0.0	0.0
0.0	0.0				467	0.0	0.0	0.0
0.0	0.0				466	0.0	0.0	0.0
0.0	0.0							
			Min	2223	0.0	0.0	0.0	0.0
0.0	0.0				2283	0.0	0.0	0.0
0.0	0.0				467	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		466	0.0	0.0	0.0	0.0
		SLVx (RS)	2223	15.4	0.0	4.8	0.0
0.5	0.0		2283	-7.0	-0.0	-3.3	0.0
-0.5	-0.0		467	-14.2	0.0	-4.8	-0.0
0.5	0.0		466	5.8	-0.0	3.4	-0.0
-0.5	-0.0						
		SLVy (RS)	2223	4.2	-0.1	-1.4	0.0
0.3	0.0		2283	-7.6	-0.1	1.5	0.0
-0.3	-0.0		467	-4.1	0.1	1.6	0.0
0.3	-0.0		466	7.6	0.1	-1.7	0.0
-0.3	0.0						
		SLDx (RS)	2223	7.7	0.0	2.4	0.0
0.3	0.0		2283	-3.5	-0.0	-1.6	0.0
-0.3	-0.0		467	-7.1	0.0	-2.4	-0.0
0.3	0.0		466	2.9	-0.0	1.7	-0.0
-0.3	-0.0						
		SLDy (RS)	2223	2.1	-0.1	-0.7	0.0
0.1	0.0		2283	-3.8	-0.0	0.8	0.0
-0.2	-0.0		467	-2.0	0.0	0.8	0.0
0.2	-0.0		466	3.8	0.1	-0.9	0.0
-0.1	0.0						
		SLVz (RS)	2223	6.8	0.0	2.1	0.0
0.2	-0.0		2283	-3.1	0.0	-1.4	0.0
-0.2	0.0		467	-6.2	-0.0	-2.1	-0.0
0.2	0.0		466	2.5	-0.0	1.5	-0.0
-0.2	-0.0						
		g1	2223	-150.7	0.0	-42.8	-0.0
-5.3	0.0		2283	74.2	0.0	31.0	-0.0
5.3	-0.0		467	138.1	-0.0	43.4	0.0
-5.3	-0.0		466	-61.6	-0.0	-31.5	0.0
5.4	0.0						
		g2	2223	-73.2	-0.0	-20.4	0.0
-2.6	0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

2.6	-0.0			2283	36.4	-0.0	15.1	0.0
-2.6	-0.0			467	66.9	0.0	20.7	0.0
2.6	0.0			466	-30.1	0.0	-15.4	0.0
-0.1	0.0	q3		2223	-3.7	0.0	-1.1	-0.0
0.1	-0.0			2283	1.6	0.0	0.8	-0.0
-0.1	-0.0			467	3.4	-0.0	1.2	0.0
0.1	0.0			466	-1.3	-0.0	-0.9	0.0
0.3	0.0	q5_pc		2223	6.2	-0.3	0.8	0.0
-0.3	-0.0			2283	-5.3	-0.2	-0.4	0.0
0.3	-0.0			467	-5.9	0.1	-0.7	0.0
-0.3	0.0			466	4.9	0.2	0.4	0.0
0.2	0.0	q5_ps		2223	5.0	-0.3	0.5	0.0
-0.2	-0.0			2283	-4.6	-0.2	-0.2	0.0
0.2	-0.0			467	-4.8	0.1	-0.5	0.0
-0.2	0.0			466	4.4	0.2	0.1	0.0
-9.7	0.0	INVSLU	Max	2223	-302.3	0.4	-89.2	0.0
10.8	0.0			2283	162.1	0.3	65.0	0.0
-10.2	0.0			467	272.3	0.1	90.2	0.1
10.8	0.0			466	-98.8	0.3	-61.0	0.1
-10.6	-0.0		Min	2223	-321.1	-0.4	-92.2	-0.0
10.0	-0.0			2283	146.6	-0.3	63.1	-0.0
-11.1	-0.0			467	254.5	-0.1	87.3	-0.1
9.9	-0.0			466	-113.3	-0.3	-62.8	-0.1
-6.7	0.0	INVSLV	Max	2223	-203.4	0.2	-58.8	0.0
8.2	0.0			2283	119.0	0.1	50.6	0.0
-6.9	0.0			467	210.0	0.1	69.7	0.0
8.2	0.0			466	-68.9	0.1	-41.1	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


				Min	2223	-240.8	-0.1	-70.4	-0.0
-8.1	-0.0				2283	97.7	-0.1	42.2	-0.0
6.8	-0.0				467	175.4	-0.1	57.8	-0.0
-8.3	-0.0				466	-89.1	-0.2	-49.8	-0.0
6.8	-0.0								
3010	2	8	Q1-1-2	Max	2293	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2224	0.0	0.0	0.0	0.0
0.0	0.0	0.0			69	0.0	0.0	0.0	0.0
0.0	0.0	0.0			503	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	2293	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2224	0.0	0.0	0.0	0.0
0.0	0.0	0.0			69	0.0	0.0	0.0	0.0
0.0	0.0	0.0			503	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	2293	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2224	0.0	0.0	0.0	0.0
0.0	0.0	0.0			69	0.0	0.0	0.0	0.0
0.0	0.0	0.0			503	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	2293	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2224	0.0	0.0	0.0	0.0
0.0	0.0	0.0			69	0.0	0.0	0.0	0.0
0.0	0.0	0.0			503	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				SLVx (RS)	2293	8.3	-0.0	0.6	-0.0
0.7	-0.0	0.0			2224	9.0	-0.0	-18.8	-0.0
-0.9	0.0	0.0			69	-8.8	0.0	7.8	-0.0
0.9	0.0	0.0			503	-8.5	0.0	11.1	0.0
-0.7	-0.0	0.0							
				SLVy (RS)	2293	2.3	-0.1	1.7	-0.0
-0.6	-0.0	0.0			2224	-38.7	0.2	54.0	-0.0
1.7	-0.0	0.0			69	11.3	-0.1	-31.5	0.0
-2.7	-0.0	0.0			503	25.5	0.1	-24.2	0.0
1.6	-0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.3	-0.0	SLDx (RS)	2293	4.1	-0.0	0.3	-0.0
-0.4	0.0		2224	4.5	-0.0	-9.4	-0.0
0.5	0.0		69	-4.4	0.0	3.9	-0.0
-0.4	-0.0		503	-4.3	0.0	5.5	0.0
-0.3	-0.0	SLDy (RS)	2293	1.2	-0.1	0.9	-0.0
0.9	-0.0		2224	-19.3	0.1	27.0	-0.0
-1.4	-0.0		69	5.6	-0.1	-15.7	0.0
0.8	-0.0		503	12.7	0.0	-12.1	0.0
0.3	-0.0	SLVz (RS)	2293	3.7	-0.0	-0.1	0.0
-0.4	0.0		2224	3.9	-0.0	-8.2	0.0
0.4	0.0		69	-3.9	0.0	3.4	-0.0
-0.3	-0.0		503	-3.7	0.0	4.9	-0.0
-8.4	0.0	g1	2293	-96.8	0.1	3.8	-0.0
10.9	-0.0		2224	-108.2	0.0	227.8	-0.0
-11.1	-0.0		69	103.4	-0.0	-97.9	0.0
8.6	0.0		503	101.6	-0.1	-133.5	0.0
-4.1	0.0	g2	2293	-48.0	0.0	1.7	-0.0
5.3	-0.0		2224	-53.4	0.0	111.7	-0.0
-5.4	-0.0		69	51.3	-0.0	-47.4	0.0
4.3	0.0		503	50.1	-0.0	-66.0	0.0
-0.2	0.0	q3	2293	-1.8	0.0	0.1	-0.0
0.2	-0.0		2224	-2.1	0.0	4.4	-0.0
-0.2	-0.0		69	2.0	-0.0	-1.9	0.0
0.2	0.0		503	1.9	-0.0	-2.6	0.0
0.1	-0.0	q5_pc	2293	5.0	-0.3	0.9	-0.0
0.5	-0.0		2224	-12.4	0.1	17.6	-0.0

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-1.0	0.0			69	0.7	-0.3	-13.3	0.0
0.4	0.0			503	6.8	0.2	-5.3	0.0
-0.0	0.0	q5_ps		2293	3.7	-0.3	0.9	-0.0
0.6	0.0			2224	-13.2	0.1	18.8	-0.0
-1.0	0.0			69	1.8	-0.3	-13.2	0.0
0.5	0.0			503	7.7	0.2	-6.5	0.0
-15.1	0.0	INVSLU	Max	2293	-217.8	0.6	-25.9	-0.0
21.0	-0.0			2224	-218.3	0.4	469.3	-0.1
-18.1	0.0			69	234.9	0.3	-124.4	0.0
15.8	0.0			503	244.6	0.1	-255.0	0.1
-15.4	0.0		Min	2293	-230.8	-0.2	-28.7	-0.1
19.1	-0.0			2224	-259.9	-0.0	408.5	-0.1
-21.4	-0.0			69	227.6	-0.7	-165.8	0.0
14.1	0.0			503	219.6	-0.4	-277.3	-0.0
-10.4	0.0	INVSLV	Max	2293	-135.9	0.2	-3.2	-0.0
17.0	0.0			2224	-118.7	0.3	380.0	-0.0
-11.9	0.0			69	168.8	0.1	-88.3	0.1
13.5	0.0			503	182.7	-0.0	-160.4	0.1
-12.4	-0.0		Min	2293	-156.1	-0.1	-7.1	-0.1
12.8	-0.0			2224	-203.8	-0.2	255.8	-0.1
-18.1	-0.0			69	138.7	-0.2	-158.0	0.0
9.7	0.0			503	124.3	-0.1	-218.4	-0.0
3012	2	8	Q1-1-2	Max	2294	0.0	0.0	0.0
0.0	0.0				2295	0.0	0.0	0.0
0.0	0.0				622	0.0	0.0	0.0
0.0	0.0				623	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	2294	0.0	0.0	0.0	0.0
					2295	0.0	0.0	0.0




PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		622	0.0	0.0	0.0	0.0
0.0	0.0		623	0.0	0.0	0.0	0.0
0.0	0.0						
		Q2a-1-2	Max	2294	0.0	0.0	0.0
0.0	0.0			2295	0.0	0.0	0.0
0.0	0.0			622	0.0	0.0	0.0
0.0	0.0			623	0.0	0.0	0.0
0.0	0.0						
			Min	2294	0.0	0.0	0.0
0.0	0.0			2295	0.0	0.0	0.0
0.0	0.0			622	0.0	0.0	0.0
0.0	0.0			623	0.0	0.0	0.0
0.0	0.0						
			SLVx (RS)	2294	-6.0	-0.0	7.4
-0.7	-0.0			2295	0.4	0.0	16.0
1.1	-0.0			622	5.2	0.0	12.3
-1.2	-0.0			623	-0.5	0.0	-12.3
0.8	-0.0						
			SLVy (RS)	2294	-1.4	0.0	-3.5
-0.3	0.0			2295	-11.4	-0.0	15.9
0.5	0.0			622	7.3	-0.0	-8.9
-0.8	0.0			623	3.6	0.0	-5.8
0.6	-0.0						
			SLDx (RS)	2294	-3.0	-0.0	3.7
-0.4	-0.0			2295	0.2	0.0	8.0
0.6	-0.0			622	2.6	0.0	6.1
-0.6	-0.0			623	-0.3	0.0	-6.1
0.4	-0.0						
			SLDy (RS)	2294	-0.7	0.0	-1.7
-0.1	0.0			2295	-5.7	-0.0	8.0
0.2	0.0			622	3.7	-0.0	-4.4
-0.4	0.0			623	1.8	0.0	-2.9
0.3	-0.0						

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
		SLVz (RS)	2294	1.6	0.0	-2.0	-0.0
0.3	-0.0		2295	0.5	0.0	-6.4	-0.0
-0.4	-0.0		622	-1.6	-0.0	5.1	0.0
0.4	-0.0		623	-0.5	-0.0	3.4	0.0
-0.3	0.0						
		g1	2294	-37.9	0.1	51.7	0.0
-7.5	0.0		2295	-16.2	-0.1	182.2	0.0
11.4	0.0		622	40.2	0.1	-143.1	-0.0
-11.4	0.0		623	14.0	0.0	-90.6	-0.0
7.5	-0.0						
		g2	2294	-18.8	0.0	25.8	0.0
-3.7	0.0		2295	-8.3	-0.1	89.1	0.0
5.6	0.0		622	20.2	0.0	-69.6	-0.0
-5.6	0.0		623	6.9	0.0	-45.3	-0.0
3.7	-0.0						
		q3	2294	-5.9	-0.0	6.7	-0.0
-0.4	-0.0		2295	0.1	0.0	5.1	-0.0
0.6	-0.0		622	5.6	0.0	-0.8	0.0
-0.8	-0.0		623	0.2	0.0	-11.0	0.0
0.6	-0.0						
		q5_pc	2294	-4.4	0.0	5.5	0.0
-0.9	0.0		2295	-5.8	-0.0	27.4	0.0
1.5	0.0		622	7.2	0.0	-20.2	-0.0
-1.7	0.0		623	3.0	0.0	-12.7	-0.0
1.1	-0.0						
		q5_ps	2294	-3.3	0.0	4.0	0.0
-0.7	0.0		2295	-5.5	-0.0	22.2	0.0
1.1	0.0		622	6.2	0.0	-16.0	-0.0
-1.3	0.0		623	2.6	0.0	-10.2	-0.0
0.9	-0.0						
		INVSLU Max	2294	-54.2	0.1	101.8	0.1
-12.3	0.0		2295	9.8	-0.3	341.2	0.1
23.0	0.0		622	61.5	0.3	-236.2	-0.0
-16.6	0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

13.2	-0.0			623	15.4	0.1	-114.7	-0.0
			Min	2294	-71.1	0.1	81.8	0.1
-14.8	0.0			2295	-6.8	-0.4	269.3	0.1
18.9	0.0			622	37.2	0.2	-285.0	-0.0
-21.3	0.0			623	7.3	0.0	-156.4	-0.1
10.0	-0.0							
		INVSLV	Max	2294	-43.7	0.1	79.4	0.1
-9.3	0.0			2295	-5.3	-0.1	266.0	0.1
17.0	0.0			622	60.1	0.1	-178.0	-0.0
-13.7	0.0			623	20.7	0.0	-103.9	-0.0
11.0	-0.0							
			Min	2294	-57.5	0.1	61.3	0.0
-11.1	0.0			2295	-28.6	-0.2	220.7	0.0
14.2	0.0			622	41.4	0.1	-210.9	-0.0
-16.8	0.0			623	12.9	-0.0	-134.1	-0.0
8.9	-0.0							
3013	2	8	Q1-1-2	Max	2295	0.0	0.0	0.0
0.0	0.0				2296	0.0	0.0	0.0
0.0	0.0				625	0.0	0.0	0.0
0.0	0.0				622	0.0	0.0	0.0
0.0	0.0							
			Min	2295	0.0	0.0	0.0	0.0
0.0	0.0				2296	0.0	0.0	0.0
0.0	0.0				625	0.0	0.0	0.0
0.0	0.0				622	0.0	0.0	0.0
0.0	0.0							
		Q2a-1-2	Max	2295	0.0	0.0	0.0	0.0
0.0	0.0				2296	0.0	0.0	0.0
0.0	0.0				625	0.0	0.0	0.0
0.0	0.0				622	0.0	0.0	0.0
0.0	0.0							
			Min	2295	0.0	0.0	0.0	0.0
0.0	0.0				2296	0.0	0.0	0.0
0.0	0.0				625	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	0.0		622	0.0	0.0	0.0	0.0
		SLVx (RS)	2295	-17.2	-0.0	-20.9	0.0
0.9	-0.0		2296	-8.3	0.0	1.1	-0.0
-0.7	-0.0		625	16.2	0.0	13.7	-0.0
-0.7	-0.0		622	8.7	-0.0	8.0	-0.0
-0.9	-0.0						
		SLVy (RS)	2295	-14.2	0.0	9.6	0.0
-1.2	-0.0		2296	7.1	-0.1	7.1	0.0
1.1	-0.0		625	8.3	0.1	-4.7	0.0
-0.8	-0.0		622	-2.6	-0.1	-11.5	-0.0
0.9	-0.0						
		SLDx (RS)	2295	-8.6	-0.0	-10.4	0.0
0.4	-0.0		2296	-4.2	0.0	0.6	-0.0
-0.3	-0.0		625	8.1	0.0	6.9	-0.0
-0.4	-0.0		622	4.4	-0.0	4.0	-0.0
-0.4	-0.0						
		SLDy (RS)	2295	-7.1	0.0	4.8	0.0
-0.6	-0.0		2296	3.6	-0.0	3.5	0.0
0.6	-0.0		625	4.1	0.1	-2.3	0.0
-0.4	-0.0		622	-1.3	-0.0	-5.8	-0.0
0.4	-0.0						
		SLVz (RS)	2295	-5.9	0.0	-9.1	-0.0
0.4	0.0		2296	-3.6	0.0	-0.5	-0.0
-0.3	-0.0		625	5.5	-0.0	5.7	0.0
0.3	-0.0		622	3.9	-0.0	3.5	0.0
-0.4	0.0						
		g1	2295	97.8	-0.0	221.3	0.0
-10.4	-0.0		2296	96.7	-0.1	6.0	0.0
8.0	0.0		625	-92.2	0.1	-129.2	-0.0
-8.3	0.0		622	-102.2	0.0	-98.0	-0.0
10.6	-0.0						
		g2	2295	47.1	-0.0	107.4	0.0
-5.1	-0.0						

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

3.9	0.0			2296	47.9	-0.0	2.9	0.0
-4.1	0.0			625	-44.4	0.0	-63.1	-0.0
5.2	-0.0			622	-50.6	0.0	-47.3	-0.0
		q3		2295	-19.2	-0.0	-12.8	0.0
0.2	-0.0			2296	0.5	0.0	1.7	0.0
0.1	-0.0			625	17.8	0.0	10.8	-0.0
-0.2	-0.0			622	0.9	-0.0	0.3	-0.0
-0.0	-0.0							
		q5_pc		2295	5.1	-0.0	27.7	0.0
-1.7	-0.0			2296	8.9	-0.0	5.7	0.0
1.3	0.0			625	-5.8	0.0	-14.5	-0.0
-1.3	0.0			622	-8.2	0.0	-18.9	-0.0
1.6	0.0							
		q5_ps		2295	2.7	-0.0	21.6	0.0
-1.4	0.0			2296	7.4	-0.0	5.0	0.0
1.1	0.0			625	-3.8	0.0	-11.3	-0.0
-1.0	0.0			622	-6.4	0.0	-15.3	-0.0
1.3	0.0							
		INVSLU	Max	2295	217.9	-0.2	455.9	0.1
-16.8	-0.0			2296	235.6	-0.2	-11.6	0.1
16.2	0.0			625	-179.7	0.2	-228.2	-0.0
-12.7	0.0			622	-217.9	0.3	-123.0	-0.0
20.7	0.0							
			Min	2295	182.7	-0.2	378.0	0.1
-21.0	-0.0			2296	212.9	-0.2	-28.3	0.1
12.9	0.0			625	-214.6	0.1	-273.0	-0.0
-16.0	0.0			622	-237.9	0.2	-169.3	-0.0
16.8	-0.0							
		INVSLV	Max	2295	168.0	0.0	334.7	0.1
-12.5	0.0			2296	158.0	-0.0	6.2	0.1
12.3	0.0			625	-118.5	0.2	-166.3	-0.0
-10.1	0.0			622	-141.8	0.1	-108.6	-0.0
15.6	0.0							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


				Min	2295	121.7	-0.1	281.7	0.0
-15.7	-0.0				2296	134.9	-0.2	-8.9	0.0
9.5	0.0				625	-159.1	-0.1	-200.0	-0.0
-12.2	0.0				622	-163.2	-0.0	-138.5	-0.0
13.1	-0.0								
3017	2	4	Q1-1-2	Max	2303	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2304	0.0	0.0	0.0	0.0
0.0	0.0	0.0			636	0.0	0.0	0.0	0.0
0.0	0.0	0.0			637	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	2303	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2304	0.0	0.0	0.0	0.0
0.0	0.0	0.0			636	0.0	0.0	0.0	0.0
0.0	0.0	0.0			637	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	2303	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2304	0.0	0.0	0.0	0.0
0.0	0.0	0.0			636	0.0	0.0	0.0	0.0
0.0	0.0	0.0			637	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	2303	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2304	0.0	0.0	0.0	0.0
0.0	0.0	0.0			636	0.0	0.0	0.0	0.0
0.0	0.0	0.0			637	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				SLVx (RS)	2303	18.5	-0.0	3.5	0.0
0.6	-0.0	0.0			2304	1.7	-0.0	-4.1	0.0
-0.6	-0.0	0.0			636	-17.7	0.0	-3.7	0.0
0.6	-0.0	0.0			637	-1.1	0.0	4.4	0.0
-0.6	0.0	0.0							
				SLVy (RS)	2303	-2.3	-0.2	1.9	0.0
-0.3	0.0	0.0			2304	8.6	-0.2	-0.9	0.0
0.3	0.0	0.0			636	2.3	0.2	-2.2	0.0
-0.3	-0.0	0.0			637	-8.8	0.2	1.2	0.0
0.3	0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client		
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

		SLDx (RS)	2303	9.2	-0.0	1.7	0.0
0.3	-0.0		2304	0.9	-0.0	-2.1	0.0
-0.3	-0.0		636	-8.8	0.0	-1.9	0.0
0.3	-0.0		637	-0.5	0.0	2.2	0.0
-0.3	0.0						
		SLDy (RS)	2303	-1.1	-0.1	1.0	0.0
-0.1	0.0		2304	4.3	-0.1	-0.5	0.0
0.2	0.0		636	1.2	0.1	-1.1	0.0
-0.2	-0.0		637	-4.4	0.1	0.6	0.0
0.1	0.0						
		SLVz (RS)	2303	8.1	0.0	1.5	-0.0
0.3	0.0		2304	-0.5	0.0	-1.9	-0.0
-0.3	-0.0		636	-7.8	-0.0	-1.7	0.0
0.2	-0.0		637	0.2	-0.0	2.0	0.0
-0.3	0.0						
		g1	2303	-174.4	-0.0	-28.2	0.0
-6.1	-0.0		2304	21.8	-0.0	40.9	0.0
6.1	0.0		636	167.1	0.0	30.6	-0.0
-5.9	0.0		637	-14.5	0.0	-43.0	-0.0
6.0	-0.0						
		g2	2303	-84.5	0.0	-13.1	-0.0
-3.1	-0.0		2304	11.0	0.0	20.1	-0.0
3.0	0.0		636	80.8	-0.0	14.2	-0.0
-2.9	0.0		637	-7.3	-0.0	-21.3	-0.0
3.0	-0.0						
		q3	2303	-4.5	-0.0	-0.8	0.0
-0.1	-0.0		2304	0.2	-0.0	1.1	0.0
0.1	0.0		636	4.4	0.0	0.9	-0.0
-0.1	0.0		637	-0.0	0.0	-1.2	-0.0
0.1	-0.0						
		q5_pc	2303	-5.8	-0.0	-0.2	0.0
-0.3	-0.0		2304	4.1	-0.0	0.9	0.0
0.3	0.0						

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-0.3	0.0			636	5.8	0.0	0.2	-0.0
0.3	-0.0			637	-4.0	0.0	-0.9	-0.0
			q5_ps	2303	-4.6	-0.0	0.0	0.0
-0.3	0.0			2304	3.8	-0.0	0.6	0.0
0.3	0.0			636	4.6	0.0	-0.0	-0.0
-0.3	0.0			637	-3.8	0.0	-0.6	-0.0
0.3	-0.0							
			INVS LU	Max	2303	-340.5	-0.0	-53.9
-11.4	0.0			2304	45.8	-0.0	91.1	-0.0
12.9	-0.0			636	323.2	0.0	55.6	0.0
-11.8	-0.0			637	1.3	0.0	-87.7	0.0
12.1	0.0							
				Min	2303	-358.8	-0.0	-55.4
-12.3	0.0			2304	34.1	-0.0	87.9	-0.0
11.9	-0.0			636	305.1	0.0	54.1	0.0
-12.7	-0.0			637	-10.1	0.0	-91.0	0.0
11.2	0.0							
			INVS LV	Max	2303	-231.2	0.2	-36.2
-7.9	-0.0			2304	36.8	0.2	68.1	0.0
9.6	0.0			636	252.5	0.2	46.6	0.0
-7.9	0.0			637	2.6	0.2	-58.4	0.0
9.1	0.0							
				Min	2303	-274.4	-0.2	-45.2
-9.4	-0.0			2304	18.3	-0.2	58.1	-0.0
8.1	0.0			636	211.1	-0.2	36.8	-0.0
-9.4	-0.0			637	-15.7	-0.2	-69.2	-0.0
7.7	-0.0							
3019	2	8	Q1-1-2	Max	2305	0.0	0.0	0.0
0.0	0.0			2306	0.0	0.0	0.0	0.0
0.0	0.0			639	0.0	0.0	0.0	0.0
0.0	0.0			640	0.0	0.0	0.0	0.0
0.0	0.0							
				Min	2305	0.0	0.0	0.0
0.0	0.0			2306	0.0	0.0	0.0	0.0




PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		639	0.0	0.0	0.0	0.0
0.0	0.0		640	0.0	0.0	0.0	0.0
0.0	0.0						
		Q2a-1-2	Max	2305	0.0	0.0	0.0
0.0	0.0			2306	0.0	0.0	0.0
0.0	0.0			639	0.0	0.0	0.0
0.0	0.0			640	0.0	0.0	0.0
0.0	0.0						
			Min	2305	0.0	0.0	0.0
0.0	0.0			2306	0.0	0.0	0.0
0.0	0.0			639	0.0	0.0	0.0
0.0	0.0			640	0.0	0.0	0.0
0.0	0.0						
			SLVx (RS)	2305	1.8	0.0	-14.3
0.9	-0.0			2306	-3.1	0.0	-4.4
-0.6	-0.0			639	1.0	0.0	7.1
0.6	0.0			640	3.0	-0.0	11.6
-0.9	-0.0						
			SLVy (RS)	2305	11.0	-0.0	15.9
-0.5	-0.0			2306	1.4	0.0	3.3
0.3	-0.0			639	-3.6	0.0	-6.2
-0.5	0.0			640	-7.4	-0.0	-8.6
0.8	-0.0						
			SLDx (RS)	2305	0.9	0.0	-7.1
0.5	-0.0			2306	-1.5	0.0	-2.2
-0.3	-0.0			639	0.5	0.0	3.6
0.3	0.0			640	1.5	-0.0	5.8
-0.5	-0.0						
			SLDy (RS)	2305	5.5	-0.0	8.0
-0.2	-0.0			2306	0.7	0.0	1.6
0.1	-0.0			639	-1.8	0.0	-3.1
-0.3	0.0			640	-3.7	-0.0	-4.3
0.4	-0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
		SLVz (RS)	2305	-0.4	0.0	-6.3	-0.0
0.4	0.0		2306	-1.4	-0.0	-2.0	-0.0
-0.3	-0.0		639	0.5	-0.0	3.2	0.0
0.3	0.0		640	1.3	-0.0	5.1	0.0
-0.4	0.0						
		g1	2305	12.3	-0.1	172.1	0.0
-10.9	-0.0		2306	36.6	0.0	51.4	0.0
7.0	0.0		639	-12.9	0.0	-85.2	-0.0
-7.0	-0.0		640	-36.0	0.1	-138.1	-0.0
10.9	-0.0						
		g2	2305	6.4	-0.1	84.2	0.0
-5.3	-0.0		2306	17.9	0.0	25.3	0.0
3.4	0.0		639	-6.4	0.0	-42.2	-0.0
-3.4	-0.0		640	-17.9	0.0	-67.4	-0.0
5.3	-0.0						
		q3	2305	0.3	-0.0	3.4	0.0
-0.2	-0.0		2306	0.7	0.0	1.0	0.0
0.1	0.0		639	-0.3	0.0	-1.7	-0.0
-0.1	-0.0		640	-0.7	0.0	-2.7	-0.0
0.2	-0.0						
		q5_pc	2305	5.4	-0.0	26.4	0.0
-1.4	-0.0		2306	4.6	0.0	5.8	0.0
0.9	0.0		639	-2.9	0.0	-12.7	-0.0
-1.1	-0.0		640	-7.1	0.0	-19.4	-0.0
1.6	-0.0						
		q5_ps	2305	5.1	-0.0	21.5	0.0
-1.1	-0.0		2306	3.5	0.0	4.2	0.0
0.7	0.0		639	-2.5	0.0	-10.3	-0.0
-0.9	-0.0		640	-6.1	0.0	-15.4	-0.0
1.3	-0.0						
		INVSLU Max	2305	-1.9	-0.3	317.1	0.1
-18.0	-0.0		2306	60.6	0.1	91.6	0.1
13.5	0.0		639	-4.8	0.1	-99.2	-0.0
-8.9	-0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

19.5	-0.0			640	-27.0	0.3	-228.0	-0.0
			Min	2305	-17.6	-0.4	249.3	0.1
-21.5	-0.0			2306	49.3	0.1	78.1	0.1
11.3	0.0			639	-12.7	0.1	-131.6	-0.1
-11.6	-0.0			640	-46.0	0.2	-276.8	-0.0
15.4	-0.0							
		INVSLV	Max	2305	23.1	-0.1	251.0	0.1
-13.6	-0.0			2306	52.1	0.1	75.0	0.1
10.3	0.0			639	-11.3	0.0	-100.2	-0.0
-8.3	-0.0			640	-35.6	0.1	-171.9	-0.0
15.7	-0.0							
			Min	2305	-0.2	-0.2	206.8	0.0
-16.0	-0.0			2306	44.2	0.1	63.1	0.0
8.8	0.0			639	-19.3	-0.0	-120.1	-0.0
-10.0	-0.0			640	-53.0	0.1	-203.4	-0.0
13.1	-0.0							
3027	2	10	Q1-1-2	Max	2313	0.0	0.0	0.0
0.0	0.0				2314	0.0	0.0	0.0
0.0	0.0				671	0.0	0.0	0.0
0.0	0.0				672	0.0	0.0	0.0
0.0	0.0							
			Min	2313	0.0	0.0	0.0	0.0
0.0	0.0			2314	0.0	0.0	0.0	0.0
0.0	0.0			671	0.0	0.0	0.0	0.0
0.0	0.0			672	0.0	0.0	0.0	0.0
0.0	0.0							
			Q2a-1-2	Max	2313	0.0	0.0	0.0
0.0	0.0				2314	0.0	0.0	0.0
0.0	0.0				671	0.0	0.0	0.0
0.0	0.0				672	0.0	0.0	0.0
0.0	0.0							
			Min	2313	0.0	0.0	0.0	0.0
0.0	0.0			2314	0.0	0.0	0.0	0.0
0.0	0.0			671	0.0	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	0.0		672	0.0	0.0	0.0	0.0
		SLVx (RS)	2313	-12.4	0.0	-2.0	0.0
0.5	-0.0		2314	-11.5	0.0	0.2	0.0
-0.5	-0.0		671	11.4	0.0	1.5	0.0
0.5	-0.0		672	10.4	-0.0	1.4	-0.0
-0.5	-0.0						
		SLVy (RS)	2313	-3.3	0.0	2.2	0.0
-0.3	-0.0		2314	4.0	-0.1	0.5	0.0
0.3	-0.0		671	3.5	0.1	-0.7	0.0
-0.3	-0.0		672	-4.2	-0.1	-2.0	-0.0
0.3	-0.0						
		SLDx (RS)	2313	-6.2	0.0	-1.0	0.0
0.3	-0.0		2314	-5.7	0.0	0.1	0.0
-0.3	-0.0		671	5.7	0.0	0.7	0.0
0.3	-0.0		672	5.2	-0.0	0.7	-0.0
-0.3	-0.0						
		SLDy (RS)	2313	-1.6	0.0	1.1	0.0
-0.2	-0.0		2314	2.0	-0.0	0.2	0.0
0.1	-0.0		671	1.8	0.1	-0.4	0.0
-0.1	-0.0		672	-2.1	-0.0	-1.0	-0.0
0.2	-0.0						
		SLVz (RS)	2313	5.3	0.0	1.0	-0.0
0.2	0.0		2314	-4.9	0.0	0.1	-0.0
-0.2	-0.0		671	-4.8	-0.0	-0.7	0.0
0.2	-0.0		672	4.4	-0.0	-0.3	0.0
-0.2	0.0						
		g1	2313	-108.1	-0.0	-10.7	0.0
-4.9	-0.0		2314	102.1	-0.0	1.8	0.0
4.9	0.0		671	98.8	0.0	7.9	-0.0
-5.0	0.0		672	-92.9	0.0	1.2	-0.0
5.0	-0.0						
		g2	2313	-50.8	0.0	-3.5	0.0
-2.4	-0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

2.4	0.0			2314	50.7	0.0	1.2	0.0
-2.5	0.0			671	46.6	-0.0	1.8	-0.0
2.5	-0.0			672	-46.4	-0.0	0.6	-0.0
-0.2	-0.0	q3		2313	-5.6	-0.0	-1.2	0.0
0.2	0.0			2314	2.7	0.0	0.8	0.0
-0.2	0.0			671	5.2	0.0	1.2	-0.0
0.2	-0.0			672	-2.4	-0.0	-0.8	-0.0
-0.2	-0.0	q5_pc		2313	-4.2	-0.0	-0.4	0.0
0.2	-0.0			2314	3.9	-0.0	0.0	0.0
-0.2	0.0			671	4.2	0.0	0.4	-0.0
0.2	-0.0			672	-3.9	0.0	0.0	0.0
-0.2	-0.0	q5_ps		2313	-3.5	-0.0	-0.3	0.0
0.2	-0.0			2314	3.4	-0.0	0.0	0.0
-0.2	-0.0			671	3.6	0.0	0.3	-0.0
0.2	0.0			672	-3.4	0.0	0.0	-0.0
-7.9	-0.0	INVSLU	Max	2313	-192.9	-0.1	-20.5	0.0
8.5	0.0			2314	188.7	-0.0	5.3	0.0
-8.0	0.0			671	167.3	0.0	18.6	0.0
8.8	0.0			672	-134.0	0.1	0.6	0.0
-8.6	-0.0		Min	2313	-209.5	-0.1	-23.1	0.0
7.8	0.0			2314	175.9	-0.0	4.1	0.0
-8.7	0.0			671	151.0	0.0	16.3	0.0
8.1	0.0			672	-146.7	0.1	-0.6	0.0
-5.6	0.0	INVSLV	Max	2313	-128.4	0.0	-9.6	0.0
7.0	0.0			2314	153.4	0.1	3.1	0.0
-5.8	0.0			671	132.5	0.1	9.6	-0.0
7.2	0.0			672	-101.4	0.1	5.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


				Min	2313	-158.4	-0.0	-15.8	-0.0
-6.9	-0.0				2314	125.1	-0.1	2.0	-0.0
5.6	-0.0				671	104.7	-0.1	5.9	-0.0
-7.2	-0.0				672	-127.5	-0.1	0.1	-0.0
5.8	-0.0								
3045	2	8	Q1-1-2	Max	2330	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2331	0.0	0.0	0.0	0.0
0.0	0.0	0.0			808	0.0	0.0	0.0	0.0
0.0	0.0	0.0			806	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	2330	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2331	0.0	0.0	0.0	0.0
0.0	0.0	0.0			808	0.0	0.0	0.0	0.0
0.0	0.0	0.0			806	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	2330	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2331	0.0	0.0	0.0	0.0
0.0	0.0	0.0			808	0.0	0.0	0.0	0.0
0.0	0.0	0.0			806	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	2330	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2331	0.0	0.0	0.0	0.0
0.0	0.0	0.0			808	0.0	0.0	0.0	0.0
0.0	0.0	0.0			806	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				SLVx (RS)	2330	-12.2	-0.0	-3.6	0.0
-0.7	-0.0	0.0			2331	18.5	0.0	4.9	0.0
0.7	0.0	0.0			808	10.8	0.0	3.6	0.0
-0.7	-0.0	0.0			806	-17.0	0.0	-4.9	0.0
0.7	0.0	0.0							
				SLVy (RS)	2330	-7.4	-0.1	-1.9	0.0
-0.3	0.0	0.0			2331	4.1	-0.2	1.6	0.0
0.3	-0.0	0.0			808	7.3	0.1	2.1	0.0
-0.3	-0.0	0.0			806	-4.0	0.1	-1.8	0.0
0.3	0.0	0.0							

PROJECT TITLE :

MIDAS	Company	Client	
	Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.4	-0.0	SLDx (RS)	2330	-6.1	-0.0	-1.8	0.0
0.4	0.0		2331	9.2	0.0	2.4	0.0
-0.4	-0.0		808	5.4	0.0	1.8	0.0
0.4	0.0		806	-8.5	0.0	-2.4	0.0
-0.1	0.0	SLDy (RS)	2330	-3.7	-0.0	-1.0	0.0
0.1	-0.0		2331	2.1	-0.1	0.8	0.0
-0.1	-0.0		808	3.6	0.1	1.0	0.0
0.2	0.0		806	-2.0	0.0	-0.9	0.0
0.2	0.0	SLVz (RS)	2330	3.3	0.0	-1.3	-0.0
-0.2	-0.0		2331	-6.6	0.0	1.7	-0.0
0.2	-0.0		808	-2.8	-0.0	1.4	0.0
-0.2	0.0		806	6.0	-0.0	-1.7	0.0
-5.4	-0.0	g1	2330	-76.5	-0.0	27.2	0.0
5.5	0.0		2331	152.2	-0.0	-33.3	0.0
-5.5	0.0		808	64.3	0.0	-28.6	-0.0
5.5	-0.0		806	-140.1	0.0	34.8	-0.0
-2.7	-0.0	g2	2330	-38.2	0.0	13.2	-0.0
2.7	0.0		2331	74.5	0.0	-15.8	-0.0
-2.7	0.0		808	32.0	-0.0	-13.8	-0.0
2.7	-0.0		806	-68.3	-0.0	16.4	-0.0
-0.7	-0.0	q3	2330	-12.8	-0.0	-0.5	0.0
0.6	0.0		2331	13.1	-0.0	-0.2	0.0
-0.6	0.0		808	11.8	0.0	0.7	-0.0
0.7	-0.0		806	-12.0	0.0	0.0	-0.0
-0.3	0.0	q5_pc	2330	-5.2	-0.0	0.1	0.0
0.3	0.0		2331	6.2	-0.0	-0.5	0.0

PROJECT TITLE :

		Company				Client		
		Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
-0.3	0.0			808	4.9	0.0	-0.1	-0.0
0.3	0.0			806	-5.9	0.0	0.4	-0.0
-0.2	0.0	q5_ps		2330	-4.6	-0.0	-0.1	0.0
0.2	0.0			2331	5.1	0.0	-0.2	0.0
-0.2	0.0			808	4.3	-0.0	0.1	-0.0
0.2	-0.0			806	-4.8	0.0	0.2	-0.0
-10.4	0.0	INVSLU	Max	2330	-152.4	-0.0	56.0	0.0
11.4	-0.0			2331	337.4	-0.0	-70.2	0.0
-10.3	-0.0			808	131.8	0.0	-55.3	0.0
12.2	0.0			806	-259.2	0.0	71.8	0.0
-11.9	0.0		Min	2330	-181.2	-0.0	55.0	-0.0
10.0	-0.0			2331	306.5	-0.0	-71.3	-0.0
-11.7	-0.0			808	105.0	0.0	-56.5	0.0
10.7	0.0			806	-287.9	-0.0	70.9	0.0
-6.9	0.0	INVSLV	Max	2330	-97.2	0.1	45.5	0.0
8.5	0.0			2331	246.8	0.1	-44.7	0.0
-6.9	0.0			808	97.5	0.1	-37.0	0.0
8.8	0.0			806	-176.2	0.1	57.5	0.0
-8.7	-0.0		Min	2330	-128.1	-0.1	36.4	-0.0
6.7	0.0			2331	203.5	-0.2	-56.4	-0.0
-8.6	-0.0			808	69.8	-0.1	-46.4	-0.0
7.0	-0.0			806	-216.1	-0.1	45.6	-0.0
3046	2	4	Q1-1-2	Max	2331	0.0	0.0	0.0
0.0	0.0				2297	0.0	0.0	0.0
0.0	0.0				628	0.0	0.0	0.0
0.0	0.0				808	0.0	0.0	0.0
0.0	0.0							
0.0	0.0		Min	2331	0.0	0.0	0.0	0.0
					2297	0.0	0.0	0.0




PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		628	0.0	0.0	0.0	0.0
0.0	0.0		808	0.0	0.0	0.0	0.0
0.0	0.0						
		Q2a-1-2	Max	2331	0.0	0.0	0.0
0.0	0.0			2297	0.0	0.0	0.0
0.0	0.0			628	0.0	0.0	0.0
0.0	0.0			808	0.0	0.0	0.0
0.0	0.0						
			Min	2331	0.0	0.0	0.0
0.0	0.0			2297	0.0	0.0	0.0
0.0	0.0			628	0.0	0.0	0.0
0.0	0.0			808	0.0	0.0	0.0
0.0	0.0						
			SLVx (RS)	2331	-8.5	0.0	4.0
-0.8	-0.0			2297	20.4	0.0	3.7
0.8	0.0			628	7.7	-0.0	4.7
-0.7	-0.0			808	-19.4	-0.0	-3.9
0.8	0.0						
			SLVy (RS)	2331	-8.1	-0.2	-1.4
-0.3	0.0			2297	2.1	-0.2	2.0
0.3	0.0			628	8.3	0.2	1.7
-0.3	-0.0			808	-2.1	0.2	-2.3
0.3	0.0						
			SLDx (RS)	2331	-4.2	0.0	2.0
-0.4	-0.0			2297	10.2	0.0	1.8
0.4	0.0			628	3.8	-0.0	2.3
-0.4	-0.0			808	-9.7	-0.0	-1.9
0.4	0.0						
			SLDy (RS)	2331	-4.0	-0.1	-0.7
-0.2	0.0			2297	1.0	-0.1	1.0
0.1	0.0			628	4.1	0.1	0.9
-0.1	-0.0			808	-1.0	0.1	-1.2
0.2	0.0						

PROJECT TITLE :


		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
		SLVz (RS)	2331	1.9	0.0	-1.8	-0.0
0.3	0.0		2297	-7.9	0.0	1.2	-0.0
-0.3	-0.0		628	-1.9	-0.0	1.8	0.0
0.2	-0.0		808	7.5	-0.0	-1.3	0.0
-0.2	0.0						
		g1	2331	-25.0	-0.0	39.4	0.0
-6.2	-0.0		2297	175.9	-0.0	-18.2	0.0
6.2	0.0		628	18.1	0.0	-41.3	-0.0
-6.1	0.0		808	-169.1	0.0	20.4	-0.0
6.1	-0.0						
		g2	2331	-13.2	0.0	19.4	-0.0
-3.1	-0.0		2297	85.6	0.0	-8.2	-0.0
3.1	0.0		628	9.6	-0.0	-20.4	-0.0
-3.0	0.0		808	-82.0	-0.0	9.1	-0.0
3.0	-0.0						
		q3	2331	-10.7	-0.0	0.8	0.0
-0.7	-0.0		2297	10.5	-0.0	1.2	0.0
0.6	0.0		628	10.2	0.0	-0.5	-0.0
-0.6	0.0		808	-10.0	0.0	-1.5	-0.0
0.7	-0.0						
		q5_pc	2331	-3.8	-0.0	0.7	0.0
-0.3	-0.0		2297	5.8	-0.0	0.1	0.0
0.3	0.0		628	3.8	0.0	-0.7	-0.0
-0.3	-0.0		808	-5.7	0.0	-0.1	-0.0
0.3	-0.0						
		q5_ps	2331	-3.6	-0.0	0.4	0.0
-0.3	-0.0		2297	4.5	-0.0	0.2	0.0
0.2	0.0		628	3.6	0.0	-0.4	-0.0
-0.2	-0.0		808	-4.5	0.0	-0.3	-0.0
0.3	-0.0						
		INVSLU Max	2331	-42.3	-0.0	88.3	0.0
-12.3	0.0		2297	370.4	-0.0	-32.2	0.0
13.0	0.0		628	29.9	0.0	-86.0	0.0
-11.4	-0.0						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

13.9	0.0			808	-309.3	0.0	34.7	0.0
			Min	2331	-65.6	-0.0	85.9	-0.0
-13.9	0.0			2297	344.3	-0.0	-34.3	-0.0
11.5	-0.0			628	7.3	0.0	-87.9	0.0
-12.9	-0.0			808	-334.7	0.0	32.1	0.0
12.2	0.0							
		INVSLV	Max	2331	-21.9	0.2	66.4	0.0
-8.1	0.0			2297	278.8	0.2	-21.4	0.0
9.7	0.0			628	23.8	0.2	-56.4	0.0
-7.7	0.0			808	-212.5	0.2	32.0	0.0
9.9	0.0							
			Min	2331	-44.9	-0.2	56.4	-0.0
-10.1	-0.0			2297	232.1	-0.2	-30.7	-0.0
7.8	-0.0			628	1.6	-0.2	-67.8	-0.0
-9.5	-0.0			808	-257.0	-0.2	22.1	-0.0
8.0	-0.0							
3056	2	4	Q1-1-2	Max	2339	0.0	0.0	0.0
0.0	0.0				2340	0.0	0.0	0.0
0.0	0.0				846	0.0	0.0	0.0
0.0	0.0				844	0.0	0.0	0.0
0.0	0.0							
			Min	2339	0.0	0.0	0.0	0.0
0.0	0.0				2340	0.0	0.0	0.0
0.0	0.0				846	0.0	0.0	0.0
0.0	0.0				844	0.0	0.0	0.0
0.0	0.0							
		Q2a-1-2	Max	2339	0.0	0.0	0.0	0.0
0.0	0.0				2340	0.0	0.0	0.0
0.0	0.0				846	0.0	0.0	0.0
0.0	0.0				844	0.0	0.0	0.0
0.0	0.0							
			Min	2339	0.0	0.0	0.0	0.0
0.0	0.0				2340	0.0	0.0	0.0
0.0	0.0				846	0.0	0.0	0.0
0.0	0.0							

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
0.0	0.0		844	0.0	0.0	0.0	0.0
-0.6	-0.0	SLVx (RS)	2339	-9.0	-0.0	-2.3	-0.0
0.6	0.0		2340	15.1	-0.0	2.9	-0.0
-0.6	-0.0		846	8.2	0.0	2.4	0.0
0.6	0.0		844	-14.2	0.0	-3.0	0.0
-0.2	-0.0	SLVy (RS)	2339	-4.8	-0.2	-1.1	0.0
0.2	0.0		2340	2.3	-0.1	1.0	0.0
-0.2	-0.0		846	4.9	0.1	1.2	0.0
0.2	0.0		844	-2.4	0.2	-1.1	0.0
-0.3	-0.0	SLDx (RS)	2339	-4.5	-0.0	-1.1	-0.0
0.3	0.0		2340	7.5	-0.0	1.4	-0.0
-0.3	-0.0		846	4.1	0.0	1.2	0.0
0.3	0.0		844	-7.1	0.0	-1.5	0.0
-0.1	-0.0	SLDy (RS)	2339	-2.4	-0.1	-0.5	0.0
0.1	0.0		2340	1.1	-0.1	0.5	0.0
-0.1	-0.0		846	2.4	0.1	0.6	0.0
0.1	0.0		844	-1.2	0.1	-0.6	0.0
0.2	0.0	SLVz (RS)	2339	3.2	0.0	-0.8	-0.0
-0.2	-0.0		2340	-6.4	0.0	0.9	-0.0
0.2	-0.0		846	-2.9	-0.0	0.9	0.0
-0.2	0.0		844	6.0	-0.0	-1.0	0.0
-5.2	-0.0	g1	2339	-76.1	-0.0	16.0	0.0
5.3	0.0		2340	130.7	-0.0	-11.7	0.0
-5.5	0.0		846	67.8	0.0	-17.0	-0.0
5.4	-0.0		844	-122.4	0.0	12.8	-0.0
-2.6	-0.0	g2	2339	-37.3	0.0	8.1	-0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

2.6	0.0			2340	62.9	0.0	-4.8	0.0
-2.7	0.0			846	33.2	-0.0	-8.6	-0.0
2.7	-0.0			844	-58.8	-0.0	5.3	-0.0
		q3		2339	-6.8	-0.0	-0.7	0.0
-0.3	-0.0			2340	4.9	-0.0	0.8	0.0
0.3	0.0			846	6.5	0.0	0.7	-0.0
-0.3	0.0			844	-4.6	0.0	-0.9	-0.0
0.3	-0.0							
		q5_pc		2339	-3.8	-0.0	0.1	0.0
-0.2	0.0			2340	4.5	-0.0	-0.0	0.0
0.2	0.0			846	3.8	0.0	-0.2	-0.0
-0.2	-0.0			844	-4.5	0.0	0.1	-0.0
0.2	0.0							
		q5_ps		2339	-3.3	-0.0	0.0	0.0
-0.2	0.0			2340	3.6	0.0	0.0	0.0
0.2	-0.0			846	3.3	-0.0	-0.1	-0.0
-0.2	-0.0			844	-3.7	0.0	-0.0	-0.0
0.2	0.0							
		INVSLU	Max	2339	-135.8	-0.0	29.6	0.0
-8.8	-0.0			2340	247.4	-0.0	-20.1	0.0
9.4	0.0			846	112.4	0.0	-28.4	0.0
-8.9	0.0			844	-190.9	0.0	21.6	0.0
10.1	-0.0							
			Min	2339	-153.2	-0.0	28.5	0.0
-9.7	-0.0			2340	231.3	-0.0	-21.3	0.0
8.5	0.0			846	95.3	0.0	-29.7	0.0
-9.8	0.0			844	-206.6	0.0	20.3	0.0
9.2	-0.0							
		INVSLV	Max	2339	-92.5	0.2	25.4	0.0
-6.2	0.0			2340	194.3	0.1	-11.7	0.0
7.5	0.0			846	89.9	0.2	-20.2	0.0
-6.3	0.0			844	-135.4	0.2	19.6	0.0
7.9	0.0							

PROJECT TITLE :

MIDAS	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


				Min	2339	-115.3	-0.2	19.7	-0.0
-7.6	-0.0				2340	158.9	-0.2	-18.6	-0.0
6.1	-0.0				846	68.9	-0.1	-26.2	-0.0
-7.8	-0.0				844	-168.9	-0.2	12.4	-0.0
6.5	-0.0								
3057	2	10	Q1-1-2	Max	2340	0.0	0.0	0.0	0.0
0.0	0.0				2341	0.0	0.0	0.0	0.0
0.0	0.0				848	0.0	0.0	0.0	0.0
0.0	0.0				846	0.0	0.0	0.0	0.0
0.0	0.0								
				Min	2340	0.0	0.0	0.0	0.0
0.0	0.0				2341	0.0	0.0	0.0	0.0
0.0	0.0				848	0.0	0.0	0.0	0.0
0.0	0.0				846	0.0	0.0	0.0	0.0
0.0	0.0								
			Q2a-1-2	Max	2340	0.0	0.0	0.0	0.0
0.0	0.0				2341	0.0	0.0	0.0	0.0
0.0	0.0				848	0.0	0.0	0.0	0.0
0.0	0.0				846	0.0	0.0	0.0	0.0
0.0	0.0								
				Min	2340	0.0	0.0	0.0	0.0
0.0	0.0				2341	0.0	0.0	0.0	0.0
0.0	0.0				848	0.0	0.0	0.0	0.0
0.0	0.0				846	0.0	0.0	0.0	0.0
0.0	0.0								
				SLVx (RS)	2340	-9.0	-0.0	-2.0	-0.0
-0.6	-0.0				2341	14.5	-0.0	2.7	-0.0
0.6	0.0				848	8.2	0.0	2.1	0.0
-0.6	-0.0				846	-13.6	0.0	-2.9	0.0
0.6	0.0								
				SLVy (RS)	2340	-4.1	-0.2	-1.1	0.0
-0.1	-0.0				2341	2.4	-0.0	-0.7	0.0
0.1	-0.0				848	3.8	0.0	2.2	0.0
-0.1	-0.0				846	-2.2	0.2	0.4	0.0
0.1	0.0								

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	2340	-4.5	-0.0	-1.0	-0.0
-0.3	-0.0		2341	7.2	-0.0	1.4	-0.0
0.3	0.0		848	4.1	0.0	1.1	0.0
-0.3	-0.0		846	-6.8	0.0	-1.4	0.0
0.3	0.0						
		SLDy (RS)	2340	-2.1	-0.1	-0.6	0.0
-0.1	-0.0		2341	1.2	-0.0	-0.3	0.0
0.1	-0.0		848	1.9	0.0	1.1	0.0
-0.0	-0.0		846	-1.1	0.1	0.2	0.0
0.0	0.0						
		SLVz (RS)	2340	3.3	0.0	-0.7	-0.0
0.2	0.0		2341	-6.2	-0.0	0.9	-0.0
-0.2	-0.0		848	-2.9	0.0	0.8	0.0
0.2	-0.0		846	5.8	-0.0	-0.9	0.0
-0.2	0.0						
		g1	2340	-76.6	-0.0	13.4	0.0
-5.1	-0.0		2341	125.6	0.0	-10.8	0.0
5.2	0.0		848	68.0	-0.0	-14.5	-0.0
-5.2	0.0		846	-117.0	0.0	12.0	-0.0
5.1	-0.0						
		g2	2340	-38.0	0.0	6.7	0.0
-2.6	-0.0		2341	59.9	-0.0	-3.8	0.0
2.6	0.0		848	33.9	0.0	-7.3	-0.0
-2.6	0.0		846	-55.8	-0.0	4.4	-0.0
2.6	-0.0						
		q3	2340	-6.5	-0.0	-0.8	0.0
-0.3	-0.0		2341	4.5	-0.0	0.7	0.0
0.3	0.0		848	6.2	0.0	0.9	-0.0
-0.3	0.0		846	-4.1	0.0	-0.9	-0.0
0.3	-0.0						
		q5_pc	2340	-3.6	-0.0	0.1	0.0
-0.2	-0.0		2341	4.4	0.0	-0.3	0.0
0.2	-0.0						

PROJECT TITLE :

		Company			Client				
		Author			File Name				
							PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
-0.2	-0.0			848	3.6	-0.0	0.1	-0.0	
0.2	0.0			846	-4.4	0.0	0.2	-0.0	
			q5_ps	2340	-3.1	-0.0	-0.0	0.0	
-0.2	0.0			2341	3.6	0.0	-0.3	0.0	
0.2	-0.0			848	3.1	-0.0	0.2	-0.0	
-0.2	-0.0			846	-3.6	0.0	0.1	-0.0	
0.2	0.0								
			INVSLU	Max	2340	-134.6	-0.0	25.2	0.0
-8.5	-0.0				2341	235.7	-0.0	-18.0	0.0
9.2	0.0			848	110.1	0.0	-24.5	-0.0	
-8.4	0.0			846	-179.7	0.0	20.4	-0.0	
9.4	-0.0								
				Min	2340	-151.3	-0.0	24.0	0.0
-9.4	-0.0				2341	220.3	-0.0	-19.8	0.0
8.4	0.0			848	94.0	0.0	-26.0	-0.0	
-9.1	0.0			846	-194.5	0.0	18.8	-0.0	
8.6	-0.0								
			INVSLV	Max	2340	-93.4	0.2	21.5	0.0
-6.1	0.0				2341	184.5	0.0	-9.2	0.0
7.3	0.0			848	90.5	0.0	-16.9	0.0	
-6.0	0.0			846	-127.0	0.2	16.8	0.0	
7.5	0.0								
				Min	2340	-115.9	-0.2	16.4	-0.0
-7.4	-0.0				2341	150.3	-0.0	-15.6	-0.0
6.0	-0.0			848	70.0	-0.0	-23.0	-0.0	
-7.4	-0.0			846	-159.0	-0.1	10.3	-0.0	
6.1	-0.0								
3066	2	10	Q1-1-2	Max	2347	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2313	0.0	0.0	0.0	0.0
0.0	0.0	0.0			672	0.0	0.0	0.0	0.0
0.0	0.0	0.0			892	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	2347	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2313	0.0	0.0	0.0	0.0




PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

0.0	0.0		672	0.0	0.0	0.0	0.0
0.0	0.0		892	0.0	0.0	0.0	0.0
0.0	0.0						
		Q2a-1-2	Max	2347	0.0	0.0	0.0
0.0	0.0			2313	0.0	0.0	0.0
0.0	0.0			672	0.0	0.0	0.0
0.0	0.0			892	0.0	0.0	0.0
0.0	0.0						
			Min	2347	0.0	0.0	0.0
0.0	0.0			2313	0.0	0.0	0.0
0.0	0.0			672	0.0	0.0	0.0
0.0	0.0			892	0.0	0.0	0.0
0.0	0.0						
			SLVx (RS)	2347	-11.9	-0.0	-0.9
0.5	0.0			2313	-12.3	0.0	-2.1
-0.5	-0.0			672	10.8	-0.0	1.4
0.5	-0.0			892	11.3	-0.0	1.5
-0.5	0.0						
			SLVy (RS)	2347	-4.0	-0.1	0.3
-0.3	0.0			2313	3.5	0.0	2.4
0.3	0.0			672	4.2	-0.1	-1.8
-0.3	0.0			892	-3.6	0.1	-0.9
0.3	0.0						
			SLDx (RS)	2347	-5.9	-0.0	-0.5
0.3	0.0			2313	-6.2	0.0	-1.0
-0.3	-0.0			672	5.4	-0.0	0.7
0.3	-0.0			892	5.6	0.0	0.8
-0.3	0.0						
			SLDy (RS)	2347	-2.0	-0.0	0.1
-0.1	0.0			2313	1.7	0.0	1.2
0.2	0.0			672	2.1	-0.0	-0.9
-0.2	0.0			892	-1.8	0.1	-0.4
0.1	0.0						

PROJECT TITLE :

		Company			Client		
		Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	
		SLVz (RS)	2347	4.8	0.0	0.4	-0.0
0.2	0.0		2313	-5.3	0.0	0.6	-0.0
-0.2	0.0		672	-4.3	-0.0	-0.6	0.0
0.2	0.0		892	4.9	-0.0	-0.4	0.0
-0.2	0.0						
		g1	2347	-102.0	-0.0	-4.1	0.0
-4.9	-0.0		2313	108.7	-0.0	-4.9	0.0
4.8	0.0		672	92.6	0.0	6.8	-0.0
-4.9	0.0		892	-99.3	0.0	2.3	-0.0
5.0	-0.0						
		g2	2347	-50.7	0.0	-1.8	0.0
-2.5	-0.0		2313	50.9	0.0	-0.6	0.0
2.4	0.0		672	46.5	-0.0	3.4	-0.0
-2.5	0.0		892	-46.6	-0.0	-1.0	-0.0
2.5	-0.0						
		q3	2347	-5.4	-0.0	-1.1	0.0
-0.2	-0.0		2313	2.7	0.0	0.7	0.0
0.2	-0.0		672	5.2	0.0	1.2	-0.0
-0.2	-0.0		892	-2.5	0.0	-0.8	-0.0
0.2	-0.0						
		q5_pc	2347	-3.9	-0.0	-0.1	0.0
-0.2	0.0		2313	4.4	-0.0	-0.3	0.0
0.2	0.0		672	3.9	0.0	0.2	0.0
-0.2	-0.0		892	-4.4	0.0	0.2	-0.0
0.2	-0.0						
		q5_ps	2347	-3.4	-0.0	-0.1	0.0
-0.2	0.0		2313	3.7	-0.0	-0.2	0.0
0.2	-0.0		672	3.4	0.0	0.2	0.0
-0.2	-0.0		892	-3.7	0.0	0.1	-0.0
0.2	0.0						
		INVSLU Max	2347	-176.0	-0.0	-6.1	0.0
-7.9	-0.0		2313	207.3	-0.1	-9.7	0.0
8.4	0.0		672	149.6	0.1	11.7	0.0
-7.9	-0.0						

PROJECT TITLE :

MIDAS	Company				Client		
	Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt	

8.8	-0.0				892	-151.6	0.0	7.8	0.0
			Min		2347	-191.8	-0.0	-7.9	0.0
-8.6	-0.0				2313	193.5	-0.1	-11.2	0.0
7.7	0.0				672	134.1	0.1	9.5	0.0
-8.6	-0.0				892	-165.2	0.0	6.3	0.0
8.1	-0.0								
			INVSLV	Max	2347	-124.6	0.1	-4.2	0.0
-5.7	0.0				2313	159.0	0.0	-1.7	0.0
6.8	0.0				672	127.6	0.1	12.0	0.0
-5.7	0.0				892	-105.3	0.1	2.7	-0.0
7.3	0.0								
				Min	2347	-153.6	-0.1	-6.4	-0.0
-7.1	-0.0				2313	129.1	-0.0	-8.1	-0.0
5.5	-0.0				672	100.9	-0.1	7.2	-0.0
-7.1	-0.0				892	-133.0	-0.1	-1.1	-0.0
5.9	-0.0								
3075	2	10	Q1-1-2	Max	2316	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2354	0.0	0.0	0.0	0.0
0.0	0.0	0.0			954	0.0	0.0	0.0	0.0
0.0	0.0	0.0			682	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	2316	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2354	0.0	0.0	0.0	0.0
0.0	0.0	0.0			954	0.0	0.0	0.0	0.0
0.0	0.0	0.0			682	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	2316	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2354	0.0	0.0	0.0	0.0
0.0	0.0	0.0			954	0.0	0.0	0.0	0.0
0.0	0.0	0.0			682	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	2316	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2354	0.0	0.0	0.0	0.0
0.0	0.0	0.0			954	0.0	0.0	0.0	0.0
0.0	0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
0.0	0.0		682	0.0	0.0	0.0	0.0
		SLVx (RS)	2316	14.2	-0.0	2.6	-0.0
0.5	0.0		2354	-7.8	-0.0	-1.9	-0.0
-0.5	0.0		954	-13.2	0.0	-2.7	0.0
0.5	-0.0		682	6.8	0.0	2.1	0.0
-0.5	0.0						
		SLVy (RS)	2316	-2.4	0.0	-0.8	0.0
-0.1	0.0		2354	4.3	-0.2	-0.9	0.0
0.1	0.0		954	2.2	0.1	0.5	0.0
-0.1	-0.0		682	-4.1	0.0	2.0	0.0
0.1	0.0						
		SLDx (RS)	2316	7.1	-0.0	1.3	-0.0
0.3	0.0		2354	-3.9	-0.0	-1.0	-0.0
-0.3	0.0		954	-6.6	0.0	-1.4	0.0
0.3	-0.0		682	3.4	0.0	1.0	0.0
-0.3	0.0						
		SLDy (RS)	2316	-1.2	0.0	-0.4	0.0
-0.1	0.0		2354	2.2	-0.1	-0.5	0.0
0.1	0.0		954	1.1	0.1	0.3	0.0
-0.0	-0.0		682	-2.0	0.0	1.0	0.0
0.0	0.0						
		SLVz (RS)	2316	6.1	-0.0	1.1	-0.0
0.2	0.0		2354	-3.3	0.0	-0.8	-0.0
-0.2	-0.0		954	-5.7	-0.0	-1.2	0.0
0.2	-0.0		682	2.9	0.0	0.9	0.0
-0.2	0.0						
		g1	2316	-123.9	0.0	-17.8	0.0
-5.1	-0.0		2354	75.3	-0.0	17.8	0.0
5.1	0.0		954	115.2	0.0	18.7	-0.0
-5.0	0.0		682	-66.7	-0.0	-18.6	-0.0
5.1	-0.0						
		g2	2316	-59.1	-0.0	-7.2	0.0
-2.5	-0.0						

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

2.5	0.0			2354	37.1	0.0	9.0	0.0
-2.5	0.0			954	55.0	-0.0	7.7	-0.0
2.5	-0.0			682	-33.0	0.0	-9.5	-0.0
-0.2	-0.0	q3		2316	-4.5	0.0	-1.0	0.0
0.2	0.0			2354	1.6	-0.0	0.9	0.0
-0.2	0.0			954	4.3	0.0	1.0	-0.0
0.2	-0.0			682	-1.4	-0.0	-1.0	-0.0
-0.2	0.0	q5_pc		2316	-4.4	0.0	-0.6	0.0
0.2	0.0			2354	3.7	-0.0	0.2	0.0
-0.2	-0.0			954	4.3	0.0	0.4	-0.0
0.2	0.0			682	-3.6	-0.0	-0.1	-0.0
-0.2	0.0	q5_ps		2316	-3.6	0.0	-0.5	0.0
0.2	-0.0			2354	3.2	-0.0	0.1	0.0
-0.2	-0.0			954	3.5	0.0	0.3	-0.0
0.2	0.0			682	-3.1	-0.0	0.0	-0.0
-8.3	0.0	INVSLU	Max	2316	-217.3	-0.0	-31.2	0.0
8.9	0.0			2354	142.8	-0.0	34.5	0.0
-8.3	0.0			954	191.7	0.0	33.0	-0.0
9.0	-0.0			682	-91.1	0.0	-31.9	-0.0
-9.0	0.0		Min	2316	-232.6	-0.0	-33.8	0.0
8.3	0.0			2354	131.6	-0.0	32.8	0.0
-8.9	0.0			954	176.8	0.0	30.7	-0.0
8.3	-0.0			682	-101.9	0.0	-33.5	-0.0
-6.0	0.0	INVSLV	Max	2316	-148.4	0.0	-18.6	0.0
7.2	0.0			2354	112.7	0.2	27.4	0.0
-6.0	0.0			954	156.4	0.2	25.3	0.0
7.3	0.0			682	-69.3	0.0	-22.0	0.0

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


				Min	2316	-181.8	-0.0	-25.0	-0.0
-7.3	-0.0				2354	92.5	-0.2	22.4	-0.0
6.0	-0.0				954	125.2	-0.1	18.8	-0.0
-7.3	-0.0				682	-87.2	-0.0	-27.9	-0.0
6.0	-0.0								
3076	2	4	Q1-1-2	Max	2354	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2355	0.0	0.0	0.0	0.0
0.0	0.0	0.0			956	0.0	0.0	0.0	0.0
0.0	0.0	0.0			954	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	2354	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2355	0.0	0.0	0.0	0.0
0.0	0.0	0.0			956	0.0	0.0	0.0	0.0
0.0	0.0	0.0			954	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
			Q2a-1-2	Max	2354	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2355	0.0	0.0	0.0	0.0
0.0	0.0	0.0			956	0.0	0.0	0.0	0.0
0.0	0.0	0.0			954	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	2354	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2355	0.0	0.0	0.0	0.0
0.0	0.0	0.0			956	0.0	0.0	0.0	0.0
0.0	0.0	0.0			954	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				SLVx (RS)	2354	14.7	-0.0	2.8	-0.0
0.5	0.0	0.0			2355	-7.6	-0.0	-2.2	-0.0
-0.5	-0.0	0.0			956	-13.8	0.0	-2.9	0.0
0.6	-0.0	0.0			954	6.7	0.0	2.3	0.0
-0.6	0.0	0.0							
				SLVy (RS)	2354	-2.4	-0.1	0.9	0.0
-0.2	0.0	0.0			2355	5.0	-0.2	-0.8	0.0
0.2	0.0	0.0			956	2.5	0.2	-1.0	0.0
-0.2	-0.0	0.0			954	-5.2	0.1	1.0	0.0
0.2	0.0	0.0							

PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

		SLDx (RS)	2354	7.4	-0.0	1.4	-0.0
0.3	0.0		2355	-3.8	-0.0	-1.1	-0.0
-0.3	-0.0		956	-6.9	0.0	-1.5	0.0
0.3	-0.0		954	3.3	0.0	1.1	0.0
-0.3	0.0						
		SLDy (RS)	2354	-1.2	-0.1	0.4	0.0
-0.1	0.0		2355	2.5	-0.1	-0.4	0.0
0.1	0.0		956	1.2	0.1	-0.5	0.0
-0.1	-0.0		954	-2.6	0.1	0.5	0.0
0.1	0.0						
		SLVz (RS)	2354	6.4	0.0	1.2	-0.0
0.2	0.0		2355	-3.3	0.0	-1.0	-0.0
-0.2	-0.0		956	-6.0	-0.0	-1.3	0.0
0.2	-0.0		954	2.9	-0.0	1.0	0.0
-0.2	0.0						
		g1	2354	-129.2	-0.0	-19.4	0.0
-5.2	-0.0		2355	74.6	-0.0	20.3	0.0
5.1	0.0		956	120.7	0.0	20.2	-0.0
-5.3	0.0		954	-66.1	0.0	-20.9	-0.0
5.4	-0.0						
		g2	2354	-62.2	0.0	-8.5	0.0
-2.6	-0.0		2355	36.3	0.0	10.3	-0.0
2.5	0.0		956	58.0	-0.0	8.9	-0.0
-2.6	0.0		954	-32.1	-0.0	-10.7	-0.0
2.6	-0.0						
		q3	2354	-4.5	-0.0	-1.0	0.0
-0.2	-0.0		2355	1.6	-0.0	1.0	0.0
0.2	0.0		956	4.3	0.0	1.1	-0.0
-0.2	0.0		954	-1.4	0.0	-1.0	-0.0
0.2	-0.0						
		q5_pc	2354	-4.4	-0.0	-0.3	0.0
-0.2	0.0		2355	3.8	-0.0	0.3	0.0
0.2	0.0						

PROJECT TITLE :

		Company			Client				
		Author			File Name				
							PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
-0.2	-0.0			956	4.5	0.0	0.3	-0.0	
0.2	0.0			954	-3.9	0.0	-0.3	-0.0	
			q5_ps	2354	-3.6	0.0	-0.2	0.0	
-0.2	0.0			2355	3.3	-0.0	0.2	0.0	
0.2	-0.0			956	3.7	0.0	0.2	-0.0	
-0.2	-0.0			954	-3.4	-0.0	-0.2	-0.0	
0.2	0.0								
			INVSLU	Max	2354	-228.5	-0.0	-34.7	0.0
-8.5	-0.0				2355	144.0	-0.0	38.7	0.0
9.2	0.0				956	203.4	0.0	35.7	0.0
-8.9	0.0				954	-91.9	0.0	-35.5	0.0
9.5	-0.0								
				Min	2354	-244.0	-0.0	-36.6	0.0
-9.2	-0.0				2355	132.4	-0.0	36.8	0.0
8.5	0.0				956	188.0	0.0	33.7	0.0
-9.6	0.0				954	-103.4	0.0	-37.5	0.0
8.8	-0.0								
			INVSLV	Max	2354	-157.1	0.1	-22.0	0.0
-6.0	-0.0				2355	111.6	0.2	31.0	0.0
7.4	0.0				956	166.2	0.2	29.2	0.0
-6.3	0.0				954	-67.8	0.2	-25.2	0.0
7.6	0.0								
				Min	2354	-191.8	-0.1	-28.9	-0.0
-7.4	-0.0				2355	91.3	-0.2	25.5	-0.0
6.1	-0.0				956	133.5	-0.2	21.9	-0.0
-7.7	-0.0				954	-86.0	-0.1	-31.0	-0.0
6.3	-0.0								
3087	2	8	Q1-1-2	Max	2304	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2364	0.0	0.0	0.0	0.0
0.0	0.0	0.0			1014	0.0	0.0	0.0	0.0
0.0	0.0	0.0			636	0.0	0.0	0.0	0.0
0.0	0.0	0.0							
				Min	2304	0.0	0.0	0.0	0.0
0.0	0.0	0.0			2364	0.0	0.0	0.0	0.0



PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		


0.0	0.0		1014	0.0	0.0	0.0	0.0
0.0	0.0		636	0.0	0.0	0.0	0.0
0.0	0.0						
		Q2a-1-2	Max	2304	0.0	0.0	0.0
0.0	0.0			2364	0.0	0.0	0.0
0.0	0.0			1014	0.0	0.0	0.0
0.0	0.0			636	0.0	0.0	0.0
0.0	0.0						
			Min	2304	0.0	0.0	0.0
0.0	0.0			2364	0.0	0.0	0.0
0.0	0.0			1014	0.0	0.0	0.0
0.0	0.0			636	0.0	0.0	0.0
0.0	0.0						
			SLVx (RS)	2304	15.4	-0.0	4.8
0.5	0.0			2364	-7.0	-0.0	-3.3
-0.5	-0.0			1014	-14.2	0.0	-4.8
0.5	-0.0			636	5.7	0.0	3.4
-0.5	0.0						
			SLVy (RS)	2304	-4.5	-0.1	1.4
-0.3	0.0			2364	7.9	-0.1	-1.5
0.3	-0.0			1014	4.4	0.1	-1.6
-0.3	-0.0			636	-7.8	0.1	1.7
0.3	0.0						
			SLDx (RS)	2304	7.7	-0.0	2.4
0.3	0.0			2364	-3.5	-0.0	-1.6
-0.3	-0.0			1014	-7.1	0.0	-2.4
0.3	-0.0			636	2.9	0.0	1.7
-0.3	0.0						
			SLDy (RS)	2304	-2.2	-0.1	0.7
-0.1	0.0			2364	4.0	-0.0	-0.8
0.2	-0.0			1014	2.2	0.0	-0.8
-0.2	-0.0			636	-3.9	0.1	0.9
0.2	0.0						

PROJECT TITLE :


MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

		SLVz (RS)	2304	6.7	0.0	2.1	-0.0
0.2	0.0		2364	-3.0	0.0	-1.5	-0.0
-0.2	-0.0		1014	-6.2	-0.0	-2.1	0.0
0.2	-0.0		636	2.4	-0.0	1.5	0.0
-0.2	0.0						
		g1	2304	-150.7	-0.0	-42.8	0.0
-5.3	-0.0		2364	74.2	-0.0	31.0	0.0
5.3	0.0		1014	138.1	0.0	43.4	-0.0
-5.3	0.0		636	-61.5	0.0	-31.5	-0.0
5.4	-0.0						
		g2	2304	-73.2	0.0	-20.4	-0.0
-2.6	-0.0		2364	36.4	0.0	15.1	-0.0
2.6	0.0		1014	66.9	-0.0	20.7	-0.0
-2.6	0.0		636	-30.1	-0.0	-15.4	-0.0
2.6	-0.0						
		q3	2304	-3.7	-0.0	-1.1	0.0
-0.1	-0.0		2364	1.6	-0.0	0.8	0.0
0.1	0.0		1014	3.4	0.0	1.2	-0.0
-0.1	0.0		636	-1.3	0.0	-0.9	-0.0
0.1	-0.0						
		q5_pc	2304	-6.3	-0.0	-0.8	0.0
-0.3	-0.0		2364	5.4	-0.0	0.4	0.0
0.3	0.0		1014	6.0	0.0	0.8	-0.0
-0.3	-0.0		636	-5.1	0.0	-0.3	-0.0
0.3	-0.0						
		q5_ps	2304	-5.2	0.0	-0.5	0.0
-0.2	-0.0		2364	4.8	-0.0	0.2	0.0
0.3	0.0		1014	5.0	0.0	0.5	-0.0
-0.3	-0.0		636	-4.6	-0.0	-0.1	-0.0
0.2	-0.0						
		INVSLU Max	2304	-302.0	-0.0	-89.2	-0.0
-9.7	0.0		2364	162.3	-0.0	65.0	-0.0
10.8	-0.0		1014	272.6	0.0	90.3	0.0
-10.2	-0.0						

PROJECT TITLE :

		Company				Client			
		Author				File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		
10.8	0.0			636	-98.5	0.0	-61.0	0.0	
			Min	2304	-321.3	-0.0	-92.3	-0.0	
-10.6	0.0			2364	146.3	-0.0	63.2	-0.0	
9.9	-0.0			1014	254.2	-0.0	87.3	0.0	
-11.1	-0.0			636	-113.5	0.0	-62.8	0.0	
9.9	0.0								
			INVSLV	Max	2304	-203.3	0.1	-58.7	0.0
-6.7	0.0			2364	119.3	0.1	50.6	0.0	
8.2	0.0			1014	210.0	0.1	69.7	0.0	
-6.9	0.0			636	-68.7	0.2	-41.1	0.0	
8.2	0.0								
			Min	2304	-240.9	-0.2	-70.4	-0.0	
-8.1	-0.0			2364	97.5	-0.1	42.2	-0.0	
6.8	-0.0			1014	175.4	-0.1	57.8	-0.0	
-8.3	-0.0			636	-89.3	-0.1	-49.8	-0.0	
6.8	-0.0								
3099	2	8	Q1-1-2	Max	2374	0.0	0.0	0.0	0.0
0.0	0.0				2305	0.0	0.0	0.0	0.0
0.0	0.0				640	0.0	0.0	0.0	0.0
0.0	0.0				1046	0.0	0.0	0.0	0.0
0.0	0.0								
			Min	2374	0.0	0.0	0.0	0.0	0.0
0.0	0.0				2305	0.0	0.0	0.0	0.0
0.0	0.0				640	0.0	0.0	0.0	0.0
0.0	0.0				1046	0.0	0.0	0.0	0.0
0.0	0.0								
			Q2a-1-2	Max	2374	0.0	0.0	0.0	0.0
0.0	0.0				2305	0.0	0.0	0.0	0.0
0.0	0.0				640	0.0	0.0	0.0	0.0
0.0	0.0				1046	0.0	0.0	0.0	0.0
0.0	0.0								
			Min	2374	0.0	0.0	0.0	0.0	0.0
0.0	0.0				2305	0.0	0.0	0.0	0.0
0.0	0.0				640	0.0	0.0	0.0	0.0
0.0	0.0								

PROJECT TITLE :

		Company	Client				
		Author	File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt			
0.0	0.0		1046	0.0	0.0	0.0	0.0
		SLVx (RS)	2374	8.3	-0.0	0.6	-0.0
0.7	0.0		2305	9.3	0.0	-19.2	-0.0
-0.9	-0.0		640	-8.9	-0.0	8.0	0.0
0.9	-0.0		1046	-8.8	0.0	11.3	0.0
-0.7	0.0						
		SLVy (RS)	2374	-7.0	-0.1	6.8	0.0
-1.1	0.0		2305	14.9	0.0	10.2	0.0
1.2	0.0		640	2.6	-0.1	-11.5	-0.0
-0.9	0.0		1046	-8.9	0.1	-5.0	0.0
0.8	0.0						
		SLDx (RS)	2374	4.1	-0.0	0.3	-0.0
0.4	0.0		2305	4.7	0.0	-9.6	-0.0
-0.5	-0.0		640	-4.4	-0.0	4.0	0.0
0.5	-0.0		1046	-4.4	0.0	5.6	0.0
-0.4	0.0						
		SLDy (RS)	2374	-3.5	-0.0	3.4	0.0
-0.6	0.0		2305	7.4	0.0	5.1	0.0
0.6	0.0		640	1.3	-0.0	-5.7	-0.0
-0.4	0.0		1046	-4.5	0.1	-2.5	0.0
0.4	0.0						
		SLVz (RS)	2374	3.6	0.0	-0.0	-0.0
0.3	0.0		2305	4.2	0.0	-8.5	-0.0
-0.4	-0.0		640	-3.9	-0.0	3.5	0.0
0.4	-0.0		1046	-3.9	-0.0	5.0	0.0
-0.3	0.0						
		g1	2374	-96.7	-0.1	3.6	0.0
-8.4	-0.0		2305	-108.2	-0.0	227.5	0.0
10.9	0.0		640	103.3	0.0	-97.6	-0.0
-11.1	0.0		1046	101.5	0.1	-133.3	-0.0
8.6	-0.0						
		g2	2374	-48.0	-0.0	1.7	0.0
-4.1	-0.0						


PROJECT TITLE :

MIDAS	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

5.3	0.0			2305	-53.4	-0.0	111.7	0.0
-5.4	0.0			640	51.3	0.0	-47.4	-0.0
4.3	-0.0			1046	50.1	0.0	-66.0	-0.0
		q3		2374	-1.8	-0.0	0.1	0.0
-0.2	-0.0			2305	-2.1	-0.0	4.4	0.0
0.2	0.0			640	2.0	0.0	-1.9	-0.0
-0.2	0.0			1046	1.9	0.0	-2.6	-0.0
0.2	-0.0							
		q5_pc		2374	-8.5	-0.0	5.8	0.0
-1.3	-0.0			2305	-5.0	-0.0	27.6	0.0
1.7	0.0			640	7.8	0.0	-19.0	-0.0
-1.6	0.0			1046	5.6	0.0	-14.4	-0.0
1.3	-0.0							
		q5_ps		2374	-7.1	-0.0	5.0	0.0
-1.1	-0.0			2305	-2.5	-0.0	21.6	0.0
1.4	0.0			640	6.0	0.0	-15.4	-0.0
-1.3	0.0			1046	3.5	0.0	-11.2	-0.0
1.0	-0.0							
		INVSLU	Max	2374	-212.5	-0.2	-19.9	0.1
-13.4	-0.0			2305	-233.6	-0.2	473.1	0.1
22.2	0.0			640	241.2	0.3	-120.8	-0.0
-17.7	-0.0			1046	238.8	0.2	-247.8	-0.0
16.6	-0.0							
			Min	2374	-235.7	-0.2	-35.1	0.1
-16.9	-0.0			2305	-245.4	-0.2	403.9	0.1
17.8	0.0			640	221.1	0.2	-168.9	-0.0
-21.9	-0.0			1046	225.8	0.1	-284.0	-0.0
13.3	-0.0							
		INVSLV	Max	2374	-134.4	-0.0	1.8	0.1
-9.9	-0.0			2305	-142.3	0.0	342.4	0.1
16.4	0.0			640	164.5	0.1	-108.0	-0.0
-13.7	0.0			1046	166.2	0.2	-174.9	-0.0
12.6	-0.0							

# MIDAS

PROJECT TITLE :

	Company			Client			
	Author			File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt		

			Min	2374	-157.3	-0.2	-12.3	0.0
-12.8	-0.0			2305	-180.2	-0.1	292.9	0.0
13.2	-0.0			640	142.8	-0.1	-137.9	-0.0
-16.3	-0.0			1046	140.7	-0.1	-203.5	-0.0
10.5	-0.0							

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

PLATE ELEMENT FORCES (LOCAL, UNIT LENGTH) PRINTOUT  
kN , m

Unit System :

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
1	2	8	Q1-1-2	Max	Cent	2.1	34.5	464.9	483.5
-446.9		46.00			3	10.3	20.6	366.8	382.3
-351.4		45.40			1	23.1	63.9	889.3	933.0
-846.0		45.66			2214	2.7	50.2	599.5	626.4
-573.6		46.13			2213	282.2	6.1	57.3	293.6
-5.3		11.28		Min	Cent	-442.1	-2055.1	-46.4	-440.8
-2056.5		-1.65			3	-274.5	-819.2	-5.7	-274.4
-819.3		-0.59			1	-1066.4	-3459.2	-97.5	-1062.4
-3463.2		-2.33			2214	-621.2	-3291.5	-112.7	-616.5
-3296.3		-2.41			2213	-114.6	-651.3	-1.3	-114.6
-651.3		-0.14							
Mmin		ANGLE			NODE	Mxx	Myy	Mxy	Mmax
				Max	Cent	0.1	0.3	0.0	0.3
0.1		85.95			3	0.0	0.2	0.0	0.2
0.0		81.66			1	0.1	0.5	0.0	0.5
0.1		85.72			2214	0.2	0.5	0.0	0.5
0.2		80.04			2213	0.0	0.2	0.0	0.2
-0.0		79.88		Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0		-27.01			3	-0.0	-0.0	-0.0	0.0
-0.0		-41.95			1	-0.0	-0.0	-0.0	0.0
-0.0		-33.26			2214	-0.0	-0.0	-0.0	0.0
-0.0		-35.96			2213	-0.0	-0.0	-0.0	-0.0
-0.0		-63.33							
					NODE	Vxx	Vyy		
				Max	Cent	0.0	0.0		
					3	0.0	0.0		
					1	0.0	0.4		
					2214	0.0	0.4		
					2213	0.0	0.0		
				Min	Cent	-0.2	-0.3		
					3	-0.0	-0.8		
					1	-0.0	-0.3		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
			2214	-0.5	-0.3		
			2213	-0.5	-0.8		
		Q2a-1-2	Max Cent	1.2	15.9	265.2	273.9
-256.8	45.79		3	4.5	9.1	216.7	223.5
-209.9	45.31		1	10.4	29.1	507.5	527.4
-487.9	45.53		2214	1.7	23.3	340.6	353.2
-328.3	45.91		2213	159.6	3.1	35.3	167.2
-4.5	12.14		Min Cent	-268.3	-1209.9	-22.9	-267.7
-1210.5	-1.39		3	-159.6	-480.2	-2.6	-159.5
-480.2	-0.47		1	-625.4	-2033.1	-49.0	-623.7
-2034.8	-1.99		2214	-384.8	-1939.9	-60.6	-382.4
-1942.2	-2.23		2213	-64.3	-386.8	-0.9	-64.3
-386.8	-0.15						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Max Cent	0.1	0.2	0.0	0.2
0.1	86.00		3	0.0	0.1	0.0	0.1
0.0	82.23		1	0.1	0.3	0.0	0.3
0.1	85.63		2214	0.2	0.3	0.0	0.3
0.2	78.76		2213	0.0	0.1	0.0	0.1
-0.0	80.48		Min Cent	-0.0	-0.0	-0.0	0.0
-0.0	-30.91		3	-0.0	-0.0	-0.0	0.0
-0.0	-42.82		1	-0.0	-0.0	-0.0	0.0
-0.0	-35.84		2214	-0.0	-0.0	-0.0	0.0
-0.0	-37.94		2213	-0.0	-0.0	-0.0	-0.0
-0.0	-66.40						
			NODE	Vxx	Vyy		
			Max Cent	0.0	0.0		
			3	0.0	0.0		
			1	0.0	0.2		
			2214	0.0	0.2		
			2213	0.0	0.0		
			Min Cent	-0.2	-0.2		
			3	-0.0	-0.5		
			1	-0.0	-0.2		
			2214	-0.3	-0.2		
			2213	-0.3	-0.5		



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVx (RS)	Cent	27.0	103.7	46.1	125.3
5.4	64.86		3	-17.6	-44.2	24.0	-3.5
-58.4	30.50		1	53.8	174.2	76.0	211.0
17.0	64.20		2214	51.8	167.3	70.6	200.8
18.4	64.65		2213	35.9	33.3	17.5	52.2
17.1	42.87						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-11.80		3	0.0	0.0	0.0	0.0
0.0	68.57		1	-0.0	-0.0	-0.0	-0.0
-0.0	-13.48		2214	-0.0	-0.0	-0.0	-0.0
-0.0	-41.17		2213	0.0	-0.0	0.0	0.0
-0.0	10.66						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	0.1		
			3	-0.0	0.2		
			1	-0.0	-0.4		
			2214	0.1	-0.4		
			2213	0.1	0.2		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVy (RS)	Cent	41.0	-70.4	99.5	99.3
-128.7	30.38		3	-20.1	-27.4	25.2	1.7
-49.2	40.85		1	-59.9	-159.3	190.7	87.5
-306.7	37.69		2214	100.8	-113.5	174.1	198.0
-210.7	29.20		2213	138.5	27.8	8.3	139.1
27.1	4.26						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	-0.0	-0.1	0.1
-0.1	-41.99		3	0.2	0.8	-0.1	0.8
0.2	-78.09		1	-0.6	-2.1	-0.1	-0.6
-2.1	-3.73						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.8	-88.67	2214	0.8	2.3	-0.0	2.3
-1.0	-10.09	2213	-0.3	-1.0	-0.1	-0.2

NODE	Vxx	Vyy
Cent	-0.1	-8.7
3	0.0	11.9
1	0.0	-29.2
2214	-0.1	-29.2
2213	-0.1	11.9

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDx (RS)	Cent	13.5	51.8	23.0	62.6
2.7	64.86		3	-8.8	-22.1	12.0	-1.8
-29.1	30.49		1	26.9	87.1	38.0	105.4
8.5	64.21		2214	25.9	83.6	35.3	100.3
9.2	64.65		2213	17.9	16.6	8.7	26.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-11.82	3	0.0	0.0	0.0	0.0
0.0	68.59	1	-0.0	-0.0	-0.0	-0.0
-0.0	-13.47	2214	-0.0	-0.0	-0.0	-0.0
-0.0	-41.21	2213	0.0	-0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.1
3	-0.0	0.1
1	-0.0	-0.2
2214	0.0	-0.2
2213	0.0	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDy (RS)	Cent	20.5	-35.2	49.7	49.6
-64.3	30.37		3	-10.0	-13.7	12.6	0.8
-24.6	40.83		1	-29.9	-79.6	95.3	43.7
-153.2	37.69		2214	50.3	-56.7	86.9	98.9
-105.3	29.19		2213	69.2	13.9	4.1	69.5

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

13.6      4.26

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	-41.98		Cent	0.0	-0.0	-0.1	0.1
0.1	-78.09		3	0.1	0.4	-0.1	0.4
-1.1	-3.73		1	-0.3	-1.1	-0.0	-0.3
0.4	-88.67		2214	0.4	1.1	-0.0	1.1
-0.5	-10.09		2213	-0.1	-0.5	-0.1	-0.1
			NODE	Vxx	Vyy		
			Cent	-0.0	-4.3		
			3	0.0	5.9		
			1	0.0	-14.6		
			2214	-0.1	-14.6		
			2213	-0.1	5.9		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
8.2	-72.92	SLVz (RS)	Cent	11.7	45.3	-11.4	48.8
1.8	-63.24		3	5.7	17.0	-7.7	20.9
16.4	-71.73		1	22.9	76.1	-19.7	82.7
15.2	-74.29		2214	19.9	74.0	-16.5	78.7
-9.2	-80.59		2213	-8.6	14.4	-3.9	15.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-18.92		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-8.41		3	-0.0	-0.0	-0.0	-0.0
-0.0	7.37		1	-0.0	-0.0	0.0	-0.0
-0.0	11.65		2214	-0.0	-0.0	0.0	-0.0
-0.0	-5.88		2213	0.0	-0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	0.1		
			3	0.0	-0.1		
			1	0.0	0.3		
			2214	-0.0	0.3		
			2213	-0.0	-0.1		
			NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE						
-1303.4	14.36	g1	Cent	-266.7	-1235.4	265.4	-198.8
-598.0	26.89		3	-161.8	-485.8	221.3	-49.6
-2235.3	17.34		1	-640.0	-2079.8	498.1	-484.4
-2042.3	10.50		2214	-371.7	-1985.0	309.5	-314.3
-393.2	3.74		2213	106.5	-391.0	32.6	108.7
			NODE	Mxx	Myy	Mxy	Mmax
0.1	86.46		Cent	0.1	0.2	0.0	0.2
0.0	-89.76		3	0.0	0.1	-0.0	0.1
0.1	87.89		1	0.1	0.3	0.0	0.3
0.1	79.86		2214	0.1	0.3	0.0	0.3
-0.0	81.64		2213	-0.0	0.1	0.0	0.1
			NODE	Vxx	Vyy		
			Cent	-0.1	-0.2		
			3	0.0	-0.4		
			1	0.0	0.0		
			2214	-0.3	0.1		
			2213	-0.3	-0.4		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-632.7	14.68	g2	Cent	-128.0	-598.0	132.2	-93.4
-292.1	27.10		3	-79.2	-236.4	108.9	-23.5
-1085.2	17.66		1	-310.3	-1006.6	246.7	-231.7
-989.5	10.84		2214	-176.8	-959.7	155.5	-147.1
-190.7	4.15		2213	54.2	-189.4	17.8	55.5
			NODE	Mxx	Myy	Mxy	Mmax
0.0	86.96		Cent	0.0	0.1	0.0	0.1
0.0	89.90		3	0.0	0.0	0.0	0.0
0.0	88.40		1	0.0	0.1	0.0	0.1
0.1	80.80		2214	0.1	0.1	0.0	0.1
			2213	-0.0	0.1	0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0      81.92

NODE	Vxx	Vyy
Cent	-0.1	-0.1
3	0.0	-0.2
1	0.0	0.0
2214	-0.1	0.0
2213	-0.1	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-32.4	41.71	q3	Cent	19.1	8.6	45.9	60.1
-31.3	41.17		3	-12.0	-16.6	16.9	2.7
-63.7	48.98		1	-1.5	18.5	71.4	80.6
-33.4	41.84		2214	50.3	33.7	75.0	117.5
-9.7	22.39		2213	39.8	-1.3	20.4	48.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-83.21	Cent	-0.0	0.0	-0.0	0.0
0.0	67.98	3	0.0	0.0	0.0	0.0
-0.0	-42.46	1	-0.0	-0.0	-0.0	0.0
-0.0	-66.85	2214	-0.0	-0.0	-0.0	-0.0
-0.0	44.44	2213	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
3	-0.0	0.1
1	-0.0	0.0
2214	0.1	0.0
2213	0.1	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
21.2	56.06	q5_pc	Cent	43.4	70.1	33.0	92.3
4.4	-85.91		3	4.5	33.3	-2.1	33.4
-15.5	59.35		1	21.3	89.3	62.1	126.1
25.5	50.17		2214	82.2	107.0	68.0	163.7
50.1	14.01		2213	65.4	51.0	3.8	66.4

NODE	Mxx	Myy	Mxy	Mmax
------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE						
			Cent	0.0	-0.0	-0.1	0.1
-0.1	-38.64		3	0.2	0.5	-0.1	0.5
0.1	-77.38		1	-0.5	-1.6	-0.1	-0.5
-1.6	-3.43		2214	0.6	1.7	-0.0	1.7
0.6	-89.06		2213	-0.2	-0.7	-0.1	-0.2
-0.8	-8.70						
			NODE	Vxx	Vyy		
			Cent	-0.0	-6.7		
			3	0.0	8.5		
			1	0.0	-22.0		
			2214	-0.1	-22.0		
			2213	-0.1	8.5		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_ps	Cent	36.5	46.8	34.6	76.6
6.6	49.25		3	1.5	22.9	1.1	23.0
1.5	86.95		1	10.5	52.7	65.2	100.2
-37.0	53.97		2214	71.4	70.7	68.1	139.2
3.0	44.85		2213	62.5	40.9	4.0	63.2
40.2	10.14						
			NODE	Mxx	Myy	Mxy	Mmax
			Cent	0.0	-0.0	-0.1	0.1
-0.1	-38.67		3	0.1	0.5	-0.1	0.5
0.1	-77.46		1	-0.4	-1.4	-0.1	-0.4
-1.4	-3.46		2214	0.5	1.5	-0.0	1.5
0.5	-89.09		2213	-0.2	-0.7	-0.1	-0.2
-0.7	-8.42						
			NODE	Vxx	Vyy		
			Cent	-0.0	-6.0		
			3	0.0	7.5		
			1	0.0	-19.5		
			2214	-0.0	-19.5		
			2213	-0.0	7.5		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		INVS LU	Max	Cent				
-2491.6	25.80				-402.8	-2168.4	1092.9	92.1
				3	-271.4	-831.6	844.5	334.7
-1229.4	35.79			1	-1126.2	-3679.9	2130.1	80.5
-4446.0	29.53							
-3832.7	21.87			2214	-507.1	-3493.8	1394.2	-29.6
				2213	660.1	-642.3	78.3	664.8
-645.3	3.39		Min	Cent	-1114.0	-5115.8	336.7	-1084.8
-5145.0	4.87			3	-664.0	-2025.3	338.0	-583.1
-2106.2	13.33			1	-2635.4	-8596.8	677.1	-2557.4
-8674.7	6.48							
-8221.5	2.67			2214	-1579.5	-8207.0	307.4	-1565.0
				2213	6.8	-1635.1	-9.8	6.8
-1635.1	-0.27							

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-----		-----		-----		-----	
		Max	Cent	0.3	0.8	0.1	0.9
0.3	79.46		3	0.3	1.0	0.1	1.0
0.3	-81.59		1	0.9	3.1	0.1	3.1
0.9	86.45						
			2214	1.3	3.3	0.1	3.3
1.3	88.00						
			2213	0.2	1.5	0.2	1.5
0.2	81.81	Min	Cent	0.1	0.3	-0.1	0.3
0.1	-71.75		3	-0.2	-0.5	-0.1	-0.1
-0.6	11.90		1	-0.5	-1.7	-0.1	-0.5
-1.7	-4.07						
			2214	-0.5	-1.7	0.0	-0.4
-1.7	2.95						
			2213	-0.3	-0.8	-0.1	-0.3
-0.8	-11.69						

NODE Vxx Vyy

Max	Cent	-0.2	8.7
	3	0.0	10.5
	1	0.0	29.7
	2214	-0.4	29.7
	2213	-0.4	10.5
Min	Cent	-0.6	-9.7
	3	-0.0	-12.8
	1	-0.0	-29.4
	2214	-1.3	-29.4
	2213	-1.3	-12.8

Fmin ANGLE LC NODE Fxx Fyy Fxy Fmax

-----		-----		-----		-----		
		INVS LV	Max	Cent	-306.0	-1544.3	475.1	-164.0
-1626.1	16.87							

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-728.9	25.91		3	-192.5	-602.7	328.3	-68.0
-2734.8	20.51		1	-789.8	-2592.2	900.2	-527.7
-2554.7	13.68		2214	-375.4	-2481.4	623.3	-226.1
-486.4	3.60		2213	307.3	-482.2	57.1	310.4
-1923.3	10.87	Min	Cent	-411.2	-1821.0	241.6	-363.5
-885.3	27.08		3	-246.7	-717.8	258.9	-77.5
-3373.6	14.06		1	-955.5	-3081.9	461.3	-776.7
-3020.6	6.42		2214	-619.9	-2928.6	222.9	-593.7
-574.6	2.15		2213	3.6	-574.1	14.8	4.4

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	62.40	Max	Cent	0.1	0.3	0.1	0.3
0.2	-79.24		3	0.3	0.9	0.1	0.9
0.8	86.36		1	0.8	2.5	0.1	2.5
1.0	89.75		2214	1.0	2.7	0.1	2.7
0.2	80.22		2213	0.3	1.1	0.2	1.2
-0.0	-80.01	Min	Cent	0.1	0.2	-0.1	0.2
-0.8	12.70		3	-0.2	-0.7	-0.1	-0.2
-1.8	-3.89		1	-0.5	-1.8	-0.1	-0.5
-1.9	3.19		2214	-0.6	-1.9	0.0	-0.6
-0.8	-10.63		2213	-0.3	-0.8	-0.1	-0.3

			NODE	Vxx	Vyy
Max	Cent			-0.1	8.4
			3	0.0	11.3
			1	0.0	29.5
			2214	-0.2	29.5
			2213	-0.2	11.3
Min	Cent			-0.3	-9.0
			3	-0.0	-12.6
			1	-0.0	-29.3
			2214	-0.6	-29.3
			2213	-0.6	-12.6

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
	Fmin	ANGLE							
2	2	8	Q1-1-2	Max	Cent	117.6	34.5	3.4	117.7
	34.4	2.36							
	44.5	79.09			1	45.3	67.9	4.5	68.8



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

141.4	87.39		150	141.9	405.8	12.0	406.4
359.8	84.99		2215	360.1	406.9	4.1	407.3
81.9	1.93		2214	161.3	82.0	2.7	161.3
-1895.2	-28.95	Min	Cent	-433.7	-1448.1	-808.4	13.5
-3719.2	-21.45		1	-1004.8	-3300.2	-1066.5	-585.7
-937.0	-44.81		150	-0.5	-13.0	-930.2	923.5
-579.1	-45.89		2215	-37.4	-2.8	-558.8	539.0
-3493.3	-15.33		2214	-946.4	-3301.9	-698.2	-755.0

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	72.54	Max	Cent	0.1	0.3	0.1	0.4
0.1	76.27		1	0.1	0.5	0.1	0.5
0.0	65.12		150	0.1	0.2	0.1	0.3
0.0	67.62		2215	0.1	0.2	0.1	0.2
0.2	77.37		2214	0.2	0.4	0.1	0.5
-0.0	-48.17	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-3.05		1	-0.0	-0.0	-0.0	-0.0
-0.0	-44.18		150	-0.0	-0.0	-0.0	0.0
-0.0	-41.83		2215	-0.0	-0.0	-0.0	0.0
-0.1	-89.63		2214	-0.1	-0.0	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.1	0.2
	1	0.0	0.4
	150	0.0	0.3
	2215	0.2	0.3
	2214	0.2	0.4
Min	Cent	-0.1	-0.1
	1	-0.0	-0.3
	150	-0.0	-0.0
	2215	-0.2	-0.0
	2214	-0.2	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
15.3	2.55	Q2a-1-2	Max	Cent	64.8	15.4	2.2	64.9
18.8	76.17			1	19.5	30.6	2.9	31.4
90.1	87.75			150	90.3	236.3	5.7	236.5

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

219.8	84.30		2215	220.0	242.0	2.2	242.2
			2214	85.8	36.5	1.8	85.9
36.4	2.10						
-1117.3	-28.99	Min	Cent	-246.9	-850.0	-482.4	20.4
			1	-586.8	-1940.3	-641.9	-330.7
-2196.3	-21.74		150	-0.3	-5.7	-544.4	541.4
-547.4	-44.86		2215	-20.2	-1.5	-329.0	318.3
-340.0	-45.82		2214	-540.3	-1936.4	-428.2	-419.4
-2057.2	-15.76						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
		Max	Cent	0.1	0.2	0.0	0.2
0.0	72.52		1	0.1	0.3	0.1	0.3
0.1	75.68		150	0.0	0.1	0.1	0.2
0.0	65.58		2215	0.0	0.1	0.0	0.1
0.0	67.45		2214	0.1	0.3	0.0	0.3
0.1	76.82	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-48.97		1	-0.0	-0.0	-0.0	-0.0
-0.0	-3.63		150	-0.0	-0.0	-0.0	0.0
-0.0	-44.17		2215	-0.0	-0.0	-0.0	0.0
-0.0	-42.48		2214	-0.0	-0.0	-0.0	-0.0
-0.0	-89.67						

	NODE	Vxx	Vyy
Max	Cent	0.1	0.1
	1	0.0	0.2
	150	0.0	0.2
	2215	0.1	0.2
	2214	0.1	0.2
Min	Cent	-0.1	-0.0
	1	-0.0	-0.2
	150	-0.0	-0.0
	2215	-0.1	-0.0
	2214	-0.1	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	104.9	73.7	78.8	169.6
9.0	39.41		1	155.5	171.0	126.7	290.2
36.3	46.74		150	137.7	22.9	53.6	158.9
1.7	21.51		2215	61.2	-24.5	35.0	73.6
-37.0	19.63						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

			2214	80.5	165.5	116.3	246.8
-0.8	55.05						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	-0.0	-0.0	0.0
-0.0	-6.42		1	-0.0	-0.0	-0.0	-0.0
-0.0	-13.50		150	-0.0	-0.0	0.0	-0.0
-0.0	23.24		2215	-0.0	-0.0	0.0	-0.0
-0.0	33.03		2214	0.0	-0.0	-0.0	0.0
-0.0	-7.59						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.1		
			1	-0.0	-0.4		
			150	-0.0	-0.1		
			2215	0.1	-0.1		
			2214	0.1	-0.4		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVy (RS)	Cent	-86.8	-74.9	-19.6	-60.4
-101.3	-53.42		1	-73.3	-150.3	21.5	-67.8
-155.9	14.59		150	-21.8	24.6	-74.2	79.2
-76.3	-53.68		2215	-101.3	-6.1	-55.5	19.4
-126.8	-65.32		2214	-152.0	-174.5	37.4	-124.1
-202.3	36.65						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	0.0	0.1	0.1
-0.1	44.93		1	-0.6	-2.1	0.0	-0.6
-2.1	1.48		150	0.1	0.4	0.1	0.5
0.1	72.61		2215	-0.3	-0.5	0.1	-0.2
-0.5	18.47		2214	0.9	2.3	0.1	2.3
0.9	87.08						
			NODE	Vxx	Vyy		
-----							
			Cent	0.3	-11.7		
			1	-0.0	-29.2		
			150	-0.0	5.8		
			2215	0.7	5.8		
			2214	0.7	-29.2		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLDx (RS)	Cent	52.4	36.9	39.4	84.8
4.5	39.42		1	77.8	85.5	63.4	145.1
18.1	46.75		150	68.8	11.4	26.8	79.4
0.8	21.52		2215	30.5	-12.3	17.5	36.8
-18.5	19.64		2214	40.2	82.7	58.1	123.4
-0.4	55.04						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	-0.0	-0.0	0.0
-0.0	-6.42		1	-0.0	-0.0	-0.0	-0.0
-0.0	-13.49		150	-0.0	-0.0	0.0	-0.0
-0.0	23.24		2215	-0.0	-0.0	0.0	-0.0
-0.0	33.02		2214	0.0	-0.0	-0.0	0.0
-0.0	-7.60						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.1		
			1	-0.0	-0.2		
			150	-0.0	-0.0		
			2215	0.0	-0.1		
			2214	0.0	-0.2		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLDy (RS)	Cent	-43.3	-37.4	-9.8	-30.2
-50.6	-53.39		1	-36.6	-75.1	10.7	-33.8
-77.9	14.59		150	-10.9	12.3	-37.1	39.6
-38.1	-53.68		2215	-50.6	-3.1	-27.7	9.7
-63.3	-65.31		2214	-75.9	-87.2	18.7	-62.0
-101.1	36.61						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	0.0	0.1	0.1
-0.0	44.93		1	-0.3	-1.1	0.0	-0.3
-1.1	1.48		150	0.1	0.2	0.0	0.2
0.1	72.61		2215	-0.1	-0.2	0.0	-0.1
-0.3	18.47						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.4      87.08      2214      0.4      1.2      0.0      1.2

NODE	Vxx	Vyy
Cent	0.2	-5.8
1	-0.0	-14.6
150	-0.0	2.9
2215	0.3	2.9
2214	0.3	-14.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-38.3	68.27	SLVz (RS)	Cent	-27.0	32.7	28.3	44.0
-59.0	72.50		1	-45.6	75.8	42.5	89.2
-45.9	58.07		150	-31.3	-8.4	23.4	6.2
-26.7	47.39		2215	-13.0	-10.6	14.8	3.1
7.6	-61.56		2214	26.8	73.2	-35.5	92.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-12.45	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-6.46	1	-0.0	-0.0	-0.0	-0.0
-0.0	-23.79	150	-0.0	-0.0	-0.0	-0.0
-0.0	-6.50	2215	0.0	-0.0	-0.0	0.0
-0.0	11.01	2214	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.1
1	0.0	0.3
150	0.0	0.0
2215	-0.0	0.0
2214	-0.0	0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1144.5	-28.78	g1	Cent	-195.6	-858.2	-521.2	90.6
-2249.1	-22.28		1	-568.6	-1967.0	-688.5	-286.6
-420.6	-48.63		150	94.6	243.6	-585.0	758.8
-141.8	-47.95		2215	177.4	250.6	-353.9	569.7
-2090.4	-15.91		2214	-485.8	-1960.1	-457.4	-355.5

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	77.15		Cent	0.1	0.2	0.0	0.2
0.1	77.41		1	0.1	0.3	0.0	0.3
0.0	70.58		150	0.0	0.1	0.0	0.2
0.0	74.99		2215	0.0	0.1	0.0	0.1
0.1	81.50		2214	0.1	0.3	0.0	0.3

NODE	Vxx	Vyy
Cent	-0.0	0.1
1	-0.0	0.1
150	-0.0	0.2
2215	-0.0	0.2
2214	-0.0	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-550.6	-28.44	g2	Cent	-86.2	-414.3	-251.5	50.0
-1081.2	-21.96		1	-263.8	-948.3	-329.5	-130.9
-199.9	-48.09		150	56.0	117.7	-285.1	373.6
-68.7	-47.33		2215	91.3	119.6	-173.6	279.6
-1007.4	-15.64		2214	-228.5	-946.4	-218.0	-167.5

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	80.57		Cent	0.0	0.1	0.0	0.1
0.0	79.21		1	0.0	0.1	0.0	0.1
0.0	75.31		150	0.0	0.1	0.0	0.1
0.0	81.57		2215	0.0	0.1	0.0	0.1
0.0	83.61		2214	0.0	0.1	0.0	0.1

NODE	Vxx	Vyy
Cent	-0.0	0.1
1	-0.0	0.0
150	-0.0	0.1
2215	-0.0	0.1
2214	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		q3	Cent	128.4	26.1	80.1	172.3
-17.8	28.71		1	183.5	68.8	136.9	274.6
-22.3	33.63		150	166.1	10.7	28.4	171.1
5.6	10.05		2215	73.3	-16.7	23.3	79.0
-22.3	13.70		2214	90.7	41.4	131.8	200.1
-68.0	39.70						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----			Cent	0.0	-0.0	0.0	0.0
-0.0	3.86		1	-0.0	-0.0	-0.0	0.0
-0.0	-42.34		150	-0.0	-0.0	0.0	-0.0
-0.0	26.38		2215	-0.0	-0.0	0.0	-0.0
-0.0	61.47		2214	0.0	0.0	-0.0	0.0
0.0	-17.28						
			NODE	Vxx	Vyy		
-----			Cent	0.0	-0.0		
			1	-0.0	0.0		
			150	-0.0	-0.1		
			2215	0.1	-0.1		
			2214	0.1	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----		q5_pc	Cent	-15.3	35.0	15.0	39.1
-19.4	74.63		1	18.3	89.9	41.9	109.2
-1.0	65.27		150	-11.6	-9.6	-1.9	-8.4
-12.8	-58.58		2215	-48.9	-20.0	-12.0	-15.7
-53.2	-70.15		2214	-19.0	79.5	31.8	88.9
-28.4	73.57						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----			Cent	-0.0	-0.0	0.0	0.0
-0.0	40.56		1	-0.5	-1.6	-0.0	-0.5
-1.6	-0.46		150	0.1	0.3	-0.0	0.3
0.1	-89.72		2215	-0.2	-0.4	-0.0	-0.2
-0.4	-3.96		2214	0.6	1.7	0.0	1.7
0.6	89.09						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

NODE	Vxx	Vyy
Cent	0.1	-9.0
1	-0.0	-22.0
150	-0.0	4.1
2215	0.3	4.1
2214	0.3	-22.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-21.1	78.06	q5_ps	Cent	-19.3	19.5	8.6	21.4
-9.1	63.08		1	7.2	54.3	32.2	70.6
-17.4	-53.36		150	-10.6	-5.1	-9.1	1.7
-51.9	-67.81		2215	-45.8	-15.2	-15.0	-9.1
-36.6	71.95		2214	-28.0	44.2	26.3	52.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	40.47	Cent	-0.0	-0.0	0.0	0.0
-1.4	-0.79	1	-0.4	-1.4	-0.0	-0.4
0.1	-85.95	150	0.1	0.2	-0.0	0.2
-0.3	-7.61	2215	-0.2	-0.3	-0.0	-0.2
0.5	89.45	2214	0.5	1.5	0.0	1.5

NODE	Vxx	Vyy
Cent	0.1	-8.0
1	-0.0	-19.5
150	-0.0	3.6
2215	0.2	3.6
2214	0.2	-19.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1976.5	-28.47	INVSLU Max	Cent	-50.8	-1496.4	-954.6	437.3
-3812.7	-20.19		1	-695.6	-3402.6	-1130.7	-284.9
-490.4	-46.15		150	591.6	1009.4	-1178.9	2827.7
153.1	-46.25		2215	865.7	1017.5	-752.9	1942.9
-3620.2	-16.56		2214	-630.2	-3438.1	-722.1	-366.5
-4794.1	-29.71	Min	Cent	-924.5	-3570.1	-2184.0	282.2
-9309.9	-22.12		1	-2359.0	-8153.8	-2834.7	-1204.4



MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-2161.6	-47.43	150	218.7	426.6	-2484.8	1793.8
-1234.5	-46.65	2215	228.8	407.6	-1566.4	1408.8
-8701.6	-16.17	2214	-2180.5	-8149.6	-1902.3	-1645.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.2	72.69	Max Cent	0.2	0.8	0.2	0.9
0.9	84.82	1	0.9	3.1	0.2	3.1
0.2	76.39	150	0.3	0.9	0.2	0.9
0.3	75.35	2215	0.4	0.9	0.2	0.9
1.0	86.20	2214	1.1	3.2	0.2	3.2
0.1	74.56	Min Cent	0.1	0.4	0.0	0.4
-1.7	3.55	1	-0.5	-1.7	0.1	-0.5
-0.1	37.13	150	-0.0	-0.1	0.0	0.0
-0.3	3.10	2215	-0.2	-0.3	-0.0	-0.2
-1.8	2.83	2214	-0.7	-1.8	0.0	-0.7

NODE	Vxx	Vyy
Max Cent	0.3	12.4
1	0.0	29.7
150	0.0	6.2
2215	0.5	6.2
2214	0.5	29.7
Min Cent	-0.3	-11.7
1	-0.0	-29.4
150	-0.0	-5.0
2215	-0.7	-5.0
2214	-0.7	-29.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1401.3	-28.16	INVSLV	Max Cent	-114.5	-1061.0	-656.8	255.6
-2756.1	-22.87		1	-560.7	-2435.2	-821.1	-211.9
-448.8	-47.95		150	304.2	368.4	-750.1	1191.4
-115.2	-48.60		2215	368.6	367.9	-462.4	861.2
-2581.4	-17.16		2214	-473.3	-2423.9	-514.2	-267.8
-1780.1	-30.43		Min Cent	-392.5	-1274.7	-843.1	81.0
-3400.0	-22.31		1	-943.2	-2912.8	-1113.0	-487.2
-774.3	-48.26		150	-3.1	300.3	-944.8	998.3

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-376.6	-46.21	2215	121.4	308.8	-603.2	792.7
-3146.6	-15.82	2214	-841.7	-2916.1	-790.5	-660.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Max Cent	0.1	0.3	0.2	0.4
0.1	60.75	1	0.8	2.5	0.1	2.5
0.8	89.03	150	0.2	0.6	0.2	0.7
0.1	72.14	2215	0.3	0.6	0.1	0.7
0.3	-81.13	2214	1.0	2.7	0.1	2.7
1.0	86.04	Min Cent	0.0	0.2	-0.1	0.2
0.0	86.30	1	-0.5	-1.8	0.0	-0.5
-1.8	4.62	150	-0.1	-0.2	-0.0	-0.1
-0.2	-14.81	2215	-0.2	-0.4	-0.1	-0.2
-0.4	31.79	2214	-0.8	-2.0	-0.0	-0.8
-2.0	-1.29					

	NODE	Vxx	Vyy
Max	Cent	0.3	12.0
	1	0.0	29.5
	150	0.0	6.1
	2215	0.7	6.1
	2214	0.7	29.5
Min	Cent	-0.4	-11.6
	1	-0.0	-29.3
	150	-0.0	-5.6
	2215	-0.8	-5.6
	2214	-0.8	-29.3

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE							
6	2	4	Q1-1-2	Max Cent	923.6	0.4	381.5	1060.8
-136.8	19.78			10	914.4	0.2	368.8	1044.6
-130.1	19.45			462	914.9	0.8	394.5	1061.6
-145.9	20.40			2223	933.1	0.6	394.5	1077.6
-143.9	20.12			2222	933.9	0.4	369.0	1062.2
-127.8	19.16			Min Cent	-16.6	-23.2	-1.7	-16.2
-23.6	-13.98			10	-16.4	-25.1	-3.7	-15.1
-26.5	-19.99			462	-16.2	-33.2	-1.9	-16.0
-33.4	-6.29			2223	-16.8	-26.7	-1.9	-16.5
-27.0	-10.33							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-23.3	-36.41		2222	-17.0	-19.9	-4.6	-13.6
-----							
		Max	Cent	0.0	0.1	0.0	0.1
0.0	84.87		10	0.0	0.1	0.0	0.1
0.0	86.03		462	0.0	0.1	0.0	0.1
0.0	85.11		2223	0.0	0.1	0.0	0.1
0.0	81.14		2222	0.0	0.1	0.0	0.1
0.0	83.90	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-22.39		10	-0.0	-0.0	-0.0	-0.0
-0.0	-20.24		462	-0.0	-0.0	-0.0	-0.0
-0.0	-15.09		2223	-0.0	-0.0	-0.0	-0.0
-0.0	-29.66		2222	-0.0	-0.0	-0.0	0.0
-0.0	-27.31						
-----							
			NODE	Vxx	Vyy		
-----							
		Max	Cent	0.0	0.3		
			10	0.0	0.2		
			462	0.0	0.3		
			2223	0.0	0.3		
			2222	0.0	0.2		
		Min	Cent	-0.0	-0.0		
			10	-0.0	-0.0		
			462	-0.0	-0.1		
			2223	-0.0	-0.1		
			2222	-0.0	-0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-84.6	19.99	Q2a-1-2	Max	Cent	556.9	0.3	233.3
				10	551.3	0.1	226.1
-80.7	19.68			462	551.8	0.6	240.6
-89.6	20.56			2223	562.6	0.5	240.7
-88.5	20.29			2222	563.1	0.3	226.2
-79.4	19.40		Min	Cent	-12.3	-15.0	-1.2
-15.4	-21.33			10	-12.2	-16.3	-2.5
-17.4	-25.31			462	-12.0	-21.8	-1.4
-22.0	-7.96			2223	-12.5	-17.8	-1.4
-18.1	-13.62			2222	-12.6	-13.2	-3.2
-16.1	-42.71						-9.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	85.12	Max	Cent	0.0	0.1	0.0	0.1
0.0	86.18		10	0.0	0.1	0.0	0.1
0.0	85.38		462	0.0	0.1	0.0	0.1
0.0	81.61		2223	0.0	0.1	0.0	0.1
0.0	84.10		2222	0.0	0.1	0.0	0.1
-0.0	-23.88	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-23.30		10	-0.0	-0.0	-0.0	-0.0
-0.0	-15.68		462	-0.0	-0.0	-0.0	-0.0
-0.0	-30.51		2223	-0.0	-0.0	-0.0	-0.0
-0.0	-29.36		2222	-0.0	-0.0	-0.0	0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.2
	10	0.0	0.2
	462	0.0	0.2
	2223	0.0	0.2
	2222	0.0	0.2
Min	Cent	-0.0	-0.0
	10	-0.0	-0.0
	462	-0.0	-0.0
	2223	-0.0	-0.0
	2222	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-75.8	-70.66	SLVx (RS)	Cent	-66.5	-0.3	-26.5	9.0
-74.5	-71.15		10	-65.8	-0.4	-25.3	8.3
-75.9	-69.75		462	-65.7	-0.6	-27.8	9.6
-77.1	-70.18		2223	-67.1	-0.2	-27.7	9.8
-75.8	-71.44		2222	-67.3	-0.6	-25.2	7.9

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-1.07		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-2.19		10	-0.0	-0.0	-0.0	-0.0
-0.0	-1.54		462	-0.0	-0.0	-0.0	-0.0
			2223	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0      -2.85  
 -0.0      -1.56

NODE	Vxx	Vyy
Cent	0.0	-0.0
10	0.0	-0.0
462	0.0	-0.0
2223	0.0	-0.0
2222	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	-25.0	0.9	8.2	3.2
-27.4	73.82		10	-23.1	0.6	11.8	5.4
-27.9	67.56		462	-22.5	2.6	5.0	3.5
-23.4	79.19		2223	-27.0	1.2	5.1	2.1
-27.9	80.07		2222	-27.6	-0.9	12.0	3.6
-32.2	69.07						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-1.19	10	-0.1	-0.2	-0.0	-0.1
-0.2	-2.42	462	-0.0	-0.2	-0.0	-0.0
-0.2	-1.21	2223	-0.0	-0.1	0.0	-0.0
-0.1	5.76	2222	-0.0	-0.1	-0.0	-0.0
-0.1	-2.50					

NODE	Vxx	Vyy
Cent	0.0	-0.8
10	-0.0	-0.8
462	-0.0	-0.7
2223	0.0	-0.7
2222	0.0	-0.8

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDx (RS)	Cent	-33.2	-0.1	-13.2	4.5
-37.9	-70.66		10	-32.9	-0.2	-12.6	4.1
-37.2	-71.15		462	-32.8	-0.3	-13.9	4.8
-37.9	-69.75		2223	-33.5	-0.1	-13.8	4.9
-38.5	-70.18		2222	-33.6	-0.3	-12.6	3.9
-37.9	-71.44						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----	-----	-----	-----	-----	-----	-----
-0.0	-1.07	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-2.19	10	-0.0	-0.0	-0.0	-0.0
-0.0	-1.54	462	-0.0	-0.0	-0.0	-0.0
-0.0	-2.86	2223	-0.0	-0.0	-0.0	-0.0
-0.0	-1.56	2222	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
-----	-----	-----
Cent	0.0	-0.0
10	0.0	-0.0
462	0.0	-0.0
2223	0.0	-0.0
2222	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----	-----	-----	-----	-----	-----	-----	-----
-13.7	73.81	SLDy (RS)	Cent	-12.5	0.4	4.1	1.6
-14.0	67.56		10	-11.5	0.3	5.9	2.7
-11.7	79.16		462	-11.2	1.3	2.5	1.8
-13.9	80.04		2223	-13.5	0.6	2.6	1.0
-16.1	69.07		2222	-13.8	-0.5	6.0	1.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----	-----	-----	-----	-----	-----	-----
-0.1	-1.20	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-2.42	10	-0.0	-0.1	-0.0	-0.0
-0.1	-1.21	462	-0.0	-0.1	-0.0	-0.0
-0.0	5.79	2223	-0.0	-0.0	0.0	-0.0
-0.0	-2.50	2222	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
-----	-----	-----
Cent	0.0	-0.4
10	-0.0	-0.4
462	-0.0	-0.4
2223	0.0	-0.4
2222	0.0	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----	-----	-----	-----	-----	-----	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		SLVz (RS)	Cent	-29.2	0.1	-11.7	4.2
-33.3	-70.72		10	-28.9	0.1	-11.2	3.9
-32.7	-71.24		462	-28.8	0.3	-12.2	4.7
-33.3	-69.98		2223	-29.5	0.1	-12.2	4.5
-33.9	-70.23		2222	-29.6	-0.3	-11.1	3.5
-33.3	-71.38						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-1.70		10	-0.0	-0.0	0.0	-0.0
-0.0	2.31		462	-0.0	-0.0	-0.0	-0.0
-0.0	-1.64		2223	-0.0	-0.0	-0.0	-0.0
-0.0	-5.61		2222	-0.0	-0.0	0.0	-0.0
-0.0	2.64						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	0.0		
			10	0.0	0.0		
			462	0.0	0.0		
			2223	0.0	0.0		
			2222	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		g1	Cent	657.6	-9.9	242.8	736.5
-88.9	18.02		10	651.1	-10.1	230.8	723.7
-82.7	17.46		462	649.9	-14.0	255.1	736.6
-100.7	18.77		2223	664.1	-9.7	254.7	749.5
-95.2	18.55		2222	665.2	-5.9	230.4	736.7
-77.4	17.24						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	0.0	0.0	0.0
0.0	89.12		10	0.0	0.0	0.0	0.0
0.0	88.56		462	0.0	0.0	0.0	0.0
0.0	87.99		2223	0.0	0.0	0.0	0.0
0.0	88.99		2222	0.0	0.0	0.0	0.0
0.0	89.45						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

NODE	Vxx	Vyy
Cent	-0.0	0.0
10	-0.0	0.0
462	-0.0	0.0
2223	-0.0	0.0
2222	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-44.2	17.85	g2	Cent	319.8	-6.5	117.2	357.5
-41.5	17.30		10	316.7	-6.7	111.6	351.5
-49.7	18.59		462	316.2	-8.3	123.0	357.6
-47.1	18.37		2223	322.9	-6.3	122.9	363.7
-38.9	17.09		2222	323.4	-4.7	111.4	357.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-1.31	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-3.19	10	-0.0	-0.0	-0.0	-0.0
-0.0	-0.50	462	-0.0	-0.0	-0.0	-0.0
-0.0	1.14	2223	-0.0	-0.0	0.0	-0.0
-0.0	-4.58	2222	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
10	-0.0	-0.0
462	-0.0	-0.0
2223	0.0	-0.0
2222	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.6	20.21	q3	Cent	15.2	-0.2	6.6	17.6
-2.4	19.09		10	14.9	-0.3	6.0	16.9
-3.2	21.69		462	14.9	-0.3	7.2	17.7
-2.9	21.22		2223	15.6	-0.1	7.2	18.4
-2.1	18.63		2222	15.6	-0.1	6.0	17.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

				Vxx	Vyy		
0.0	87.88	Cent		0.0	0.0	0.0	0.0
0.0	87.78	10		0.0	0.0	0.0	0.0
0.0	86.63	462		0.0	0.0	0.0	0.0
0.0	86.86	2223		0.0	0.0	0.0	0.0
0.0	88.34	2222		0.0	0.0	0.0	0.0
		NODE		Vxx	Vyy		
		Cent		-0.0	0.0		
		10		-0.0	0.0		
		462		-0.0	0.0		
		2223		-0.0	0.0		
		2222		-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-30.0	-81.38	q5_pc	Cent	-29.3	0.7	-4.7	1.4
-28.0	-85.86		10	-27.9	0.7	-2.1	0.8
-29.3	-76.70		462	-27.6	1.7	-7.3	3.4
-32.2	-77.64		2223	-30.7	0.7	-7.2	2.3
-31.1	-86.33		2222	-31.0	-0.2	-2.0	-0.1
			NODE	Mxx	Myy	Mxy	Mmax
-0.2	0.76		Cent	-0.1	-0.2	0.0	-0.1
-0.3	-1.92		10	-0.1	-0.3	-0.0	-0.1
-0.2	0.20		462	-0.1	-0.2	0.0	-0.1
-0.1	9.27		2223	-0.0	-0.1	0.0	-0.0
-0.1	-0.36		2222	-0.0	-0.1	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-1.3		
			10	-0.0	-1.4		
			462	-0.0	-1.2		
			2223	0.0	-1.2		
			2222	0.0	-1.4		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_ps	Cent	-24.2	0.5	-3.0	0.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-24.6	-83.25	10	-23.0	0.4	-0.6	0.4
-23.0	-88.46	462	-22.7	1.4	-5.4	2.5
-23.9	-77.92	2223	-25.5	0.5	-5.3	1.6
-26.5	-78.91	2222	-25.8	-0.4	-0.5	-0.4
-25.8	-88.79					

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-0.2	0.72	Cent	-0.1	-0.2	0.0	-0.1
-0.3	-1.93	10	-0.1	-0.3	-0.0	-0.1
-0.2	0.17	462	-0.1	-0.2	0.0	-0.1
-0.1	8.98	2223	-0.0	-0.1	0.0	-0.0
-0.1	-0.40	2222	-0.0	-0.1	-0.0	-0.0

NODE Vxx Vyy

Cent	0.0	-1.3
10	-0.0	-1.4
462	-0.0	-1.2
2223	0.0	-1.2
2222	0.0	-1.4

Fmin ANGLE LC NODE Fxx Fyy Fxy Fmax

-197.4	18.23	INVSLU Max	Cent	2767.1	-22.8	1031.2	3106.7
-238.0	19.29		10	2820.6	-2.8	1126.6	3214.8
-118.4	16.75		462	2820.9	-1.1	935.1	3102.3
-162.2	17.09		2223	2713.9	-42.8	936.4	3001.8
-284.4	19.64		2222	2715.5	-42.9	1128.0	3118.0
-363.7	17.11	Min	Cent	1440.7	-55.9	505.5	1596.4
-400.4	19.48		10	1510.0	-38.2	619.9	1730.0
-285.8	13.27		462	1510.5	-50.3	385.9	1601.5
-332.0	14.13		2223	1371.4	-81.0	387.5	1468.9
-450.2	20.47		2222	1370.9	-71.0	620.1	1603.3

Mmin ANGLE NODE Mxx Myy Mxy Mmax

0.1	89.51	Max	Cent	0.1	0.4	0.0	0.4
			10	0.2	0.6	0.0	0.6

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.2	87.81		462	0.1	0.5	0.0	0.5
0.1	89.13		2223	0.1	0.2	0.0	0.2
0.1	-87.59		2222	0.1	0.3	0.0	0.3
0.1	88.26	Min	Cent	-0.1	-0.3	-0.0	-0.1
-0.3	-1.24		10	-0.2	-0.5	-0.0	-0.2
-0.5	-2.61		462	-0.1	-0.4	-0.0	-0.1
-0.4	-1.49		2223	-0.1	-0.1	-0.0	-0.1
-0.1	0.25		2222	-0.0	-0.2	-0.0	-0.0
-0.2	-2.94						

	NODE	Vxx	Vyy
Max	Cent	0.0	2.2
	10	0.0	2.4
	462	0.0	2.0
	2223	0.1	2.0
	2222	0.1	2.4
Min	Cent	-0.0	-1.9
	10	-0.0	-2.1
	462	-0.0	-1.8
	2223	-0.1	-1.8
	2222	-0.1	-2.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-122.0	17.46	INVSLV	Max Cent	1116.0	-16.9	400.6	1240.4
-139.7	18.79		10	1144.2	-7.6	450.5	1295.1
-86.0	15.53		462	1143.4	-6.9	350.4	1239.9
-105.9	15.98		2223	1087.7	-26.1	350.8	1187.3
-160.1	19.28		2222	1088.5	-24.8	451.0	1243.8
-146.0	17.56	Min	Cent	950.5	-18.8	335.7	1058.3
-165.4	19.23		10	981.3	-9.1	386.1	1118.5
-107.6	15.06		462	981.3	-12.6	284.5	1058.7
-129.3	15.66		2223	919.6	-28.6	285.0	1000.4
-189.8	19.88		2222	919.6	-27.1	386.6	1062.1
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	89.50		Max Cent	0.0	0.1	0.0	0.1
0.1	87.94		10	0.1	0.2	0.0	0.2
			462	0.0	0.2	0.0	0.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	89.37			2223	0.0	0.1	0.0	0.1
0.0	-82.85			2222	0.0	0.1	0.0	0.1
0.0	88.56							
-0.1	-1.98	Min	Cent		-0.0	-0.1	-0.0	-0.0
-0.2	-2.79			10	-0.1	-0.2	-0.0	-0.1
-0.2	-1.82			462	-0.0	-0.2	-0.0	-0.0
-0.0	3.64			2223	-0.0	-0.0	-0.0	-0.0
-0.1	-3.75			2222	-0.0	-0.1	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.8
	10	0.0	0.8
	462	0.0	0.7
	2223	0.0	0.7
	2222	0.0	0.8
Min	Cent	-0.0	-0.8
	10	-0.0	-0.8
	462	-0.0	-0.7
	2223	-0.0	-0.7
	2222	-0.0	-0.8

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
7	2	8	Q1-1-2	Max	Cent	1.9	32.2	52.0	71.2
-37.1		53.13			2	22.3	59.2	104.6	147.0
-65.5		50.00			4	11.5	21.1	6.7	24.5
8.1		62.80			2225	291.0	5.8	2.8	291.1
5.7		0.56			2224	2.6	46.3	124.8	151.2
-102.3		49.97		Min	Cent	-419.3	-1920.8	-495.3	-270.6
-2069.4		-16.71			2	-1028.4	-3305.1	-906.2	-711.8
-3621.7		-19.26			4	-231.2	-647.0	-406.6	17.6
-895.8		-31.46			2225	-116.0	-536.6	-102.6	-92.3
-560.3		-13.00			2224	-620.2	-3195.4	-627.5	-475.5
-3340.2		-12.99							
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
				Max	Cent	0.1	0.3	0.0	0.3
0.1		89.04			2	0.1	0.4	0.0	0.5
0.1		86.73			4	0.1	0.2	0.0	0.2
0.1		83.59			2225	0.0	0.2	0.0	0.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	87.44		2224	0.3	0.5	0.0	0.5
0.3	89.12						
-0.0	-37.50	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-43.07		2	-0.0	-0.0	-0.0	0.0
-0.0	-31.82		4	-0.0	-0.0	-0.0	0.0
-0.1	-53.23		2225	-0.0	-0.0	-0.0	0.0
-0.0	-40.63		2224	-0.0	-0.0	-0.0	0.0

	NODE	Vxx	Vyy
Max	Cent	0.2	0.1
	2	0.0	0.4
	4	0.0	0.1
	2225	0.5	0.1
	2224	0.5	0.4
Min	Cent	-0.0	-0.3
	2	-0.0	-0.3
	4	-0.0	-0.6
	2225	-0.0	-0.6
	2224	-0.0	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-18.8	52.39	Q2a-1-2	Max	Cent	1.2	14.8	25.9	34.7
-35.1	49.56			2	10.0	27.1	53.0	72.2
3.3	62.37			4	4.9	9.2	3.1	10.8
2.8	0.43			2225	164.7	2.8	1.2	164.7
-56.5	49.22			2224	1.6	21.6	67.4	79.7
-1214.8	-16.41		Min	Cent	-255.2	-1131.6	-282.7	-171.9
-2120.9	-18.83			2	-603.7	-1944.5	-517.3	-427.3
-526.0	-31.56			4	-133.8	-378.0	-240.9	14.2
-332.9	-12.99			2225	-65.1	-318.6	-61.8	-50.8
-1965.9	-12.72			2224	-385.4	-1885.4	-356.6	-304.9

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
0.1	88.86		Max	Cent	0.1	0.2	0.0	0.2
0.1	86.80			2	0.1	0.3	0.0	0.3
0.0	83.68			4	0.0	0.1	0.0	0.1
0.0	87.68			2225	0.0	0.2	0.0	0.2
				2224	0.2	0.3	0.0	0.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.2	88.88	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-39.43		2	-0.0	-0.0	-0.0	0.0
-0.0	-43.27		4	-0.0	-0.0	-0.0	0.0
-0.0	-33.25		2225	-0.0	-0.0	-0.0	0.0
-0.0	-54.48		2224	-0.0	-0.0	-0.0	0.0
-0.0	-41.30						

	NODE	Vxx	Vyy
Max	Cent	0.2	0.0
	2	0.0	0.2
	4	0.0	0.0
	2225	0.3	0.0
	2224	0.3	0.2
Min	Cent	-0.0	-0.2
	2	-0.0	-0.2
	4	-0.0	-0.4
	2225	-0.0	-0.4
	2224	-0.0	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	21.1	95.5	22.8	101.9
14.6	74.23		2	50.8	164.1	41.1	177.4
37.5	72.02		4	11.1	31.6	19.8	43.6
-0.9	58.70		2225	-8.9	26.9	4.6	27.4
-9.5	82.86		2224	31.1	159.3	25.9	164.3
26.1	79.00						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	8.98		2	-0.0	-0.0	0.0	-0.0
-0.0	1.84		4	-0.0	-0.0	0.0	-0.0
-0.0	13.35		2225	0.0	-0.0	0.0	0.0
-0.0	6.01		2224	-0.0	-0.0	0.0	-0.0
-0.0	8.11						

	NODE	Vxx	Vyy
	Cent	0.0	-0.1
	2	0.0	-0.4
	4	0.0	0.2
	2225	0.0	0.2
	2224	0.0	-0.4

LC	NODE	Fxx	Fyy	Fxy	Fmax
----	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE						
-123.3	-31.77	SLVy (RS)	Cent	38.4	-61.3	-100.2	100.5
-290.3	-38.24		2	-56.3	-145.0	-184.4	89.0
-47.4	-44.71		4	-17.9	-18.5	-29.1	10.9
28.8	-8.96		2225	130.1	31.3	-16.0	132.6
-203.5	-29.98		2224	93.6	-104.6	-171.4	192.5
			NODE	Mxx	Myy	Mxy	Mmax
-0.1	40.79		Cent	0.0	-0.0	0.1	0.1
-2.1	2.05		2	-0.6	-2.1	0.1	-0.6
0.2	76.44		4	0.2	0.8	0.1	0.8
-1.0	8.88		2225	-0.3	-0.9	0.1	-0.3
0.8	86.87		2224	0.8	2.3	0.1	2.3
			NODE	Vxx	Vyy		
			Cent	0.1	-8.7		
			2	-0.0	-29.0		
			4	-0.0	11.7		
			2225	0.2	11.7		
			2224	0.2	-29.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
7.3	74.23	SLDx (RS)	Cent	10.5	47.7	11.4	50.9
18.7	72.02		2	25.4	82.0	20.5	88.7
-0.5	58.70		4	5.5	15.8	9.9	21.8
-4.8	82.86		2225	-4.5	13.4	2.3	13.7
13.0	79.00		2224	15.5	79.6	12.9	82.1
			NODE	Mxx	Myy	Mxy	Mmax
-0.0	8.98		Cent	-0.0	-0.0	0.0	-0.0
-0.0	1.84		2	-0.0	-0.0	0.0	-0.0
-0.0	13.37		4	-0.0	-0.0	0.0	-0.0
-0.0	6.01		2225	0.0	-0.0	0.0	0.0
			2224	-0.0	-0.0	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0            8.11

NODE	Vxx	Vyy
Cent	0.0	-0.1
2	0.0	-0.2
4	0.0	0.1
2225	0.0	0.1
2224	0.0	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-61.6	-31.76	SLDy (RS)	Cent	19.2	-30.7	-50.0	50.2
-145.0	-38.24		2	-28.1	-72.5	-92.1	44.4
-23.7	-44.69		4	-9.0	-9.3	-14.6	5.4
14.4	-8.97		2225	65.0	15.7	-8.0	66.2
-101.7	-29.97		2224	46.8	-52.3	-85.6	96.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.1	40.79	Cent	0.0	-0.0	0.1	0.1
-1.1	2.05	2	-0.3	-1.1	0.0	-0.3
0.1	76.44	4	0.1	0.4	0.1	0.4
-0.5	8.88	2225	-0.1	-0.5	0.1	-0.1
0.4	86.87	2224	0.4	1.1	0.0	1.1

NODE	Vxx	Vyy
Cent	0.1	-4.3
2	-0.0	-14.5
4	-0.0	5.8
2225	0.1	5.8
2224	0.1	-14.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
6.8	74.47	SLVz (RS)	Cent	9.5	42.7	10.0	45.4
16.9	72.30		2	22.6	73.2	17.9	78.9
-0.4	58.87		4	4.9	14.2	8.8	19.5
-3.9	82.94		2225	-3.7	12.2	2.0	12.4
12.0	79.29		2224	14.2	71.2	11.2	73.3

NODE	Mxx	Myy	Mxy	Mmax
------	-----	-----	-----	------



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE						
-0.0	14.72	Cent	-0.0	-0.0	0.0	-0.0	
-0.0	1.68	2	-0.0	-0.0	0.0	-0.0	
-0.0	-15.70	4	-0.0	-0.0	-0.0	-0.0	
-0.0	5.74	2225	0.0	-0.0	0.0	0.0	
-0.0	5.95	2224	-0.0	-0.0	0.0	-0.0	

NODE	Vxx	Vyy
Cent	-0.0	0.1
2	0.0	0.3
4	0.0	0.1
2225	-0.0	0.1
2224	-0.0	0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1236.6	-15.92	g1	Cent	-253.6	-1156.6	-280.3	-173.7
-2156.3	-18.13		2	-617.5	-1991.3	-503.9	-452.5
-529.1	-31.50		4	-134.4	-380.9	-241.9	13.8
-329.3	-7.35		2225	110.3	-322.0	-56.7	117.6
-1995.0	-11.11		2224	-372.8	-1932.4	-318.7	-310.2

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	-87.77		Cent	0.1	0.2	-0.0	0.2
0.1	-88.92		2	0.1	0.3	-0.0	0.3
0.0	-89.84		4	0.0	0.1	-0.0	0.1
-0.0	-83.47		2225	-0.0	0.1	-0.0	0.1
0.1	-81.24		2224	0.2	0.3	-0.0	0.3

NODE	Vxx	Vyy
Cent	0.1	-0.1
2	-0.0	0.1
4	-0.0	-0.3
2225	0.3	-0.3
2224	0.3	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-598.3	-16.03	g2	Cent	-122.4	-559.0	-136.7	-83.2
			2	-298.7	-962.8	-245.2	-218.0
-1043.5	-18.22		4	-65.0	-183.8	-117.9	7.6
-256.4	-31.63		2225	53.8	-155.1	-28.3	57.6
-158.9	-7.58		2224	-179.9	-934.2	-155.6	-149.1
-965.0	-11.21						
-----							
0.0	-88.16		Cent	0.0	0.1	-0.0	0.1
0.0	-89.08		2	0.0	0.1	-0.0	0.1
0.0	89.72		4	0.0	0.0	0.0	0.0
0.0	89.72		2225	-0.0	0.1	-0.0	0.1
-0.0	-83.91		2224	0.1	0.1	-0.0	0.1
0.1	-81.53						
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	0.1	-0.1		
			2	-0.0	0.0		
			4	-0.0	-0.1		
			2225	0.1	-0.2		
			2224	0.1	0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-23.8	-16.14	q3	Cent	-4.9	-22.2	-5.5	-3.3
			2	-11.9	-38.2	-9.8	-8.6
-41.5	-18.33		4	-2.6	-7.3	-4.7	0.3
-10.2	-31.63		2225	2.2	-6.2	-1.2	2.3
-6.3	-7.73		2224	-7.1	-37.1	-6.3	-5.8
-38.3	-11.34						
-----							
			NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	-87.71		Cent	0.0	0.0	-0.0	0.0
0.0	-89.30		2	0.0	0.0	-0.0	0.0
0.0	-89.30		4	0.0	0.0	-0.0	0.0
0.0	-88.82		2225	-0.0	0.0	-0.0	0.0
-0.0	-83.05		2224	0.0	0.0	-0.0	0.0
0.0	-81.89						
-----							
			NODE	Vxx	Vyy		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

```

-----
          Cent      0.0      -0.0
            2      -0.0        0.0
            4      -0.0      -0.0
          2225        0.0      -0.0
          2224        0.0        0.0
    
```

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
20.8	-57.82	q5_pc	Cent	40.1	69.5	-30.7	88.8
-9.5	-60.77		2	21.5	89.5	-55.4	120.5
4.4	87.43		4	4.5	32.7	1.3	32.8
46.5	-26.14		2225	58.6	49.4	-5.9	61.5
26.5	-51.87		2224	75.7	106.3	-62.6	155.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.1	37.14	Cent	0.0	-0.0	0.1	0.1
-1.6	1.80	2	-0.5	-1.6	0.0	-0.5
0.1	75.62	4	0.2	0.5	0.1	0.5
-0.7	7.50	2225	-0.2	-0.7	0.1	-0.2
0.6	87.22	2224	0.6	1.7	0.1	1.7

```

-----
          NODE      Vxx      Vyy
          Cent      0.1      -6.7
            2      -0.0     -21.7
            4      -0.0        8.3
          2225        0.1        8.3
          2224        0.1     -21.8
    
```

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
6.9	-50.81	q5_ps	Cent	33.8	47.3	-33.0	74.2
-30.8	-54.99		2	11.0	54.3	-59.6	96.1
1.6	-84.41		4	1.8	23.6	-2.2	23.8
38.1	-18.93		2225	56.5	40.3	-6.3	58.7
4.6	-46.19		2224	65.8	71.0	-63.8	132.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	37.21	Cent	0.0	-0.0	0.1	0.1
-1.4	1.84	2	-0.4	-1.4	0.0	-0.4
0.1	75.71	4	0.1	0.4	0.1	0.5
-0.7	7.23	2225	-0.2	-0.6	0.1	-0.2
0.5	87.25	2224	0.5	1.5	0.0	1.5

NODE	Vxx	Vyy
Cent	0.1	-6.0
2	-0.0	-19.3
4	-0.0	7.3
2225	0.1	7.3
2224	0.1	-19.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2125.0	-14.89	INVSLU Max	Cent	-400.0	-2029.0	-345.9	-278.9
-3750.7	-18.11		2	-1083.3	-3524.4	-672.9	-819.4
-846.6	-30.76		4	-217.0	-639.6	-361.0	2.3
-519.8	-1.39		2225	673.4	-518.8	-15.4	674.1
-3473.5	-10.51		2224	-567.2	-3414.3	-299.9	-471.8
-5084.8	-15.12	Min	Cent	-1054.6	-4790.6	-1144.2	-760.4
-8884.5	-17.84		2	-2540.6	-8227.3	-2141.5	-1883.5
-2136.4	-28.12		4	-552.8	-1600.4	-921.2	-39.4
-1372.6	-6.60		2225	18.4	-1354.0	-171.5	37.0
-8241.5	-11.16		2224	-1573.9	-7981.9	-1428.3	-1314.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
0.3	-82.95	Max	Cent	0.3	0.9	0.1	0.9
0.9	-88.85		2	0.9	3.1	0.1	3.1
0.3	78.85		4	0.3	1.1	0.2	1.1
0.2	-85.55		2225	0.2	1.5	0.1	1.5
1.3	89.17		2224	1.3	3.3	0.0	3.3
0.1	74.57	Min	Cent	0.1	0.3	-0.1	0.4
-1.6	0.52		2	-0.5	-1.6	-0.1	-0.5
-0.5	-18.66		4	-0.2	-0.5	-0.1	-0.1
			2225	-0.3	-0.7	-0.1	-0.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.7      4.95  
 -1.7      -6.48      2224      -0.4      -1.7      -0.2      -0.4

		NODE	Vxx	Vyy
Max	Cent		0.7	8.7
	2		0.0	29.4
	4		0.0	10.4
	2225		1.4	10.4
	2224		1.4	29.4
Min	Cent		0.2	-9.6
	2		-0.0	-29.2
	4		-0.0	-12.2
	2225		0.5	-12.2
	2224		0.5	-29.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1531.8	-17.74	INVSLV	Max Cent	-293.7	-1448.2	-263.4	-145.2
-2623.1	-20.78		2	-762.6	-2486.1	-479.5	-553.4
-645.4	-32.09		4	-158.4	-474.7	-280.5	19.3
-400.1	-6.63		2225	292.3	-391.0	-47.3	301.9
-2482.4	-13.69		2224	-394.2	-2421.5	-246.2	-250.8
-1831.4	-12.95		Min Cent	-388.9	-1701.5	-483.5	-323.8
-3264.8	-17.12		2	-919.3	-2945.1	-883.8	-674.4
-771.5	-29.94		4	-203.8	-557.5	-355.9	3.1
-482.1	-5.60		2225	24.5	-477.0	-83.2	29.2
-2954.8	-7.55		2224	-608.7	-2845.6	-611.3	-573.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.1	-64.13	Max Cent	0.1	0.3	0.1	0.3
0.7	-87.94	2	0.7	2.5	0.0	2.5
0.2	77.89	4	0.3	0.9	0.1	0.9
0.2	-81.49	2225	0.2	1.1	0.1	1.1
1.0	88.55	2224	1.0	2.7	0.0	2.7
-0.0	79.14	Min Cent	0.1	0.2	-0.1	0.2
-1.8	2.04	2	-0.5	-1.8	-0.1	-0.5
-0.7	-15.18	4	-0.2	-0.7	-0.1	-0.2
-0.8	9.56	2225	-0.3	-0.8	-0.1	-0.3
		2224	-0.6	-1.9	-0.1	-0.6

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-1.9          -5.11

		NODE	Vxx	Vyy
		-----	-----	-----
Max	Cent		0.3	8.5
		2	0.0	29.2
		4	0.0	11.2
		2225	0.6	11.2
		2224	0.6	29.2
Min	Cent		0.1	-9.0
		2	-0.0	-29.1
		4	-0.0	-12.3
		2225	0.2	-12.3
		2224	0.2	-29.1

ELEM	MAT	SEC	LC		NODE	Fxx	Fyy	Fxy	Fmax
Fmin		ANGLE				-----			
9	2	8	Q1-1-2	Max	Cent	22.4	12.0	67.7	85.1
		42.80			18	61.0	26.0	53.1	99.4
		35.86			152	93.1	8.6	30.6	103.0
		17.95			153	3.2	7.2	82.5	87.7
		45.70			71	6.8	20.4	105.0	118.8
		46.85		Min	Cent	-43.6	-378.6	-368.0	193.2
		-32.76			18	-33.6	-468.0	-373.0	180.8
		-29.89			152	-0.4	-265.4	-412.2	300.1
		-36.09			153	-67.8	-299.2	-365.5	199.9
		-36.22			71	-132.5	-515.1	-325.2	53.6
		-29.77							
Mmin		ANGLE			NODE	Mxx	Myy	Mxy	Mmax
					-----	-----	-----	-----	-----
		13.58		Max	Cent	0.1	0.0	0.0	0.1
		82.29			18	0.1	0.2	0.0	0.2
		56.25			152	0.0	0.0	0.0	0.0
		33.49			153	0.0	0.0	0.0	0.0
		3.11			71	0.1	0.0	0.0	0.1
		-29.85		Min	Cent	-0.0	-0.1	-0.0	-0.0
		-50.49			18	-0.0	-0.0	-0.0	-0.0
		-18.72			152	-0.0	-0.1	-0.0	-0.0
		-27.70			153	-0.0	-0.1	-0.0	-0.0
		-7.27			71	-0.1	-0.3	-0.0	-0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
Max	Cent	0.3	0.5
	18	0.1	0.9
	152	0.1	0.1
	153	0.4	0.1
	71	0.4	0.9
Min	Cent	-0.1	-0.1
	18	-0.1	-0.1
	152	-0.1	-0.0
	153	-0.2	-0.0
	71	-0.2	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax		
-40.3	42.21	Q2a-1-2	Max	Cent	14.9	5.2	50.1	60.4	
				18	39.8	13.7	39.2	68.1	
				152	55.1	3.8	22.6	63.6	
				153	2.1	3.2	61.0	63.7	
				71	3.9	10.1	77.6	84.7	
				Min	Cent	-32.2	-233.6	-220.6	109.7
					18	-24.9	-287.8	-222.1	101.7
					152	-0.3	-167.4	-245.7	175.7
					153	-47.6	-186.6	-221.0	114.6
					71	-86.8	-317.2	-196.7	26.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax			
0.0	11.18	Max	Cent	0.0	0.0	0.0	0.0		
				18	0.1	0.1	0.0	0.1	
				152	0.0	0.0	0.0	0.0	
				153	0.0	0.0	0.0	0.0	
				71	0.1	0.0	0.0	0.1	
				Min	Cent	-0.0	-0.0	-0.0	-0.0
					18	-0.0	-0.0	-0.0	-0.0
					152	-0.0	-0.0	-0.0	-0.0
					153	-0.0	-0.0	-0.0	-0.0
					71	-0.1	-0.2	-0.0	-0.1

NODE	Vxx	Vyy
------	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Max	Cent	0.2	0.3
	18	0.1	0.6
	152	0.1	0.0
	153	0.3	0.0
	71	0.3	0.6
Min	Cent	-0.1	-0.0
	18	-0.0	-0.1
	152	-0.0	-0.0
	153	-0.1	-0.0
	71	-0.1	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-13.9	-50.66	SLVx (RS)	Cent	5.1	14.3	-23.1	33.3
-33.7	-30.92		18	6.9	-19.1	-24.3	21.5
-14.9	-45.12		152	12.3	12.6	-27.3	39.8
-14.4	-50.70		153	3.6	12.5	-22.0	30.4
-34.1	32.18		71	-3.6	-22.0	19.2	8.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	30.90	Cent	0.0	0.0	0.0	0.0
0.0	38.41	18	0.0	0.0	0.0	0.0
0.0	56.01	152	0.0	0.0	0.0	0.0
-0.0	15.96	153	0.0	-0.0	0.0	0.0
0.0	32.08	71	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
18	0.0	0.0
152	0.0	0.0
153	0.0	0.0
71	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-31.0	19.53	SLVy (RS)	Cent	-6.8	-27.9	8.6	-3.8
-32.5	17.08		18	0.5	-29.4	10.2	3.7
-23.0	13.02		152	2.3	-21.7	5.8	3.6
-29.6	23.64		153	-13.7	-26.6	7.0	-10.6
-40.3	26.39		71	-15.8	-34.3	12.1	-9.8



MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	74.60		Cent	-0.0	0.1	0.0	0.1
-0.1	85.21		18	-0.1	0.1	0.0	0.1
0.1	71.39		152	0.1	0.1	0.0	0.1
0.0	54.22		153	0.0	0.1	0.0	0.1
-0.1	62.06		71	-0.1	-0.1	0.0	-0.1

NODE	Vxx	Vyy
Cent	-0.3	0.2
18	-0.3	0.4
152	-0.3	0.1
153	-0.3	0.1
71	-0.3	0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-6.9	-50.66	SLDx (RS)	Cent	2.5	7.2	-11.5	16.6
-16.8	-30.92		18	3.5	-9.5	-12.1	10.7
-7.4	-45.13		152	6.2	6.3	-13.7	19.9
-7.2	-50.71		153	1.8	6.2	-11.0	15.2
-17.0	32.18		71	-1.8	-11.0	9.6	4.2

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	30.92		Cent	0.0	0.0	0.0	0.0
0.0	38.40		18	0.0	0.0	0.0	0.0
0.0	55.95		152	0.0	0.0	0.0	0.0
-0.0	15.98		153	0.0	-0.0	0.0	0.0
0.0	32.10		71	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
18	0.0	0.0
152	0.0	0.0
153	0.0	0.0
71	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		SLDy (RS)	Cent	-3.4	-14.0	4.3	-1.9
-15.5	19.55		18	0.3	-14.7	5.1	1.8
-16.3	17.09		152	1.1	-10.8	2.9	1.8
-11.5	13.07		153	-6.8	-13.3	3.5	-5.3
-14.8	23.65		71	-7.9	-17.1	6.1	-4.9
-20.1	26.38						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----			Cent	-0.0	0.0	0.0	0.0
-0.0	74.60		18	-0.0	0.0	0.0	0.0
-0.1	85.21		152	0.0	0.1	0.0	0.1
0.0	71.38		153	0.0	0.0	0.0	0.0
0.0	54.21		71	-0.1	-0.0	0.0	-0.0
-0.1	62.06						
			NODE	Vxx	Vyy		
			Cent	-0.1	0.1		
			18	-0.2	0.2		
			152	-0.2	0.1		
			153	-0.1	0.1		
			71	-0.1	0.2		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----		SLVz (RS)	Cent	-1.1	6.2	9.0	12.2
-7.1	56.07		18	-1.6	7.6	9.2	13.3
-7.3	58.21		152	-3.0	4.7	10.1	11.7
-9.9	55.44		153	-0.8	5.2	8.7	11.4
-7.1	54.56		71	1.4	8.4	7.9	13.5
-3.7	56.91						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----			Cent	-0.0	-0.0	0.0	-0.0
-0.0	37.13		18	-0.0	-0.0	0.0	-0.0
-0.0	25.15		152	-0.0	-0.0	0.0	-0.0
-0.0	28.95		153	-0.0	-0.0	0.0	-0.0
-0.0	42.17		71	-0.0	0.0	0.0	0.0
-0.0	72.29						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
	Cent	0.0	-0.0
	18	0.0	-0.0
	152	0.0	-0.0
	153	-0.0	-0.0
	71	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g1	Cent	10.4	-182.5	-240.5	173.1
-345.2	-34.08		18	29.6	-227.8	-248.5	180.8
-378.9	-31.31		152	64.3	-112.1	-273.8	263.8
-311.5	-36.07		153	-8.9	-137.1	-232.6	168.2
-314.3	-37.29		71	-43.6	-252.8	-207.3	84.0
-380.4	-31.61						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	0.0	-0.0	0.0
0.0	-71.75	18	0.0	0.1	-0.0	0.1
0.0	-83.37	152	0.0	0.0	-0.0	0.0
0.0	-80.81	153	0.0	0.0	-0.0	0.0
0.0	-62.58	71	-0.0	-0.0	-0.0	0.0
-0.0	-19.60					

	NODE	Vxx	Vyy
	Cent	-0.0	0.1
	18	-0.0	0.1
	152	-0.0	0.0
	153	0.0	0.0
	71	0.0	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g2	Cent	6.2	-96.0	-121.2	86.7
-176.4	-33.57		18	14.2	-120.1	-126.1	89.9
-195.8	-30.98		152	32.2	-60.0	-137.8	131.4
-159.2	-35.75		153	-1.7	-71.8	-116.4	84.8
-158.3	-36.62		71	-19.8	-131.9	-104.7	42.9
-194.6	-30.91						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-76.00	Cent	-0.0	0.0	-0.0	0.0
-0.0	-80.95	18	-0.0	0.0	-0.0	0.0
0.0	-72.92	152	0.0	0.0	-0.0	0.0
0.0	-60.30	153	0.0	0.0	-0.0	0.0
-0.0	-81.61	71	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.1	0.0
18	-0.0	0.0
152	-0.0	0.0
153	-0.1	0.0
71	-0.1	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-5.1	-37.59	q3	Cent	6.9	2.0	-9.2	14.0
-10.8	-28.85		18	8.7	-4.9	-10.8	14.6
-0.9	-43.14		152	13.8	12.0	-13.7	26.6
-1.0	-51.93		153	5.1	8.9	-7.7	15.0
-10.2	-24.99		71	0.0	-8.0	-4.8	2.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	19.68	Cent	0.0	0.0	0.0	0.0
0.0	21.28	18	0.0	0.0	0.0	0.0
0.0	13.95	152	0.0	0.0	0.0	0.0
0.0	25.01	153	0.0	0.0	0.0	0.0
-0.0	21.68	71	0.0	-0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
18	0.0	0.0
152	0.0	0.0
153	0.0	0.0
71	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-18.9	50.58	q5_pc	Cent	-4.3	2.7	17.8	17.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-16.0	49.64	18	2.0	8.9	21.1	26.8
-18.6	45.09	152	-0.9	-0.8	17.7	16.9
-21.8	51.94	153	-10.6	-3.4	14.4	7.9
-19.8	55.66	71	-7.6	6.3	17.8	18.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

-0.1	70.35	Cent	-0.1	0.0	0.1	0.1
-0.3	84.70	18	-0.3	0.0	0.0	0.0
0.1	64.67	152	0.1	0.2	0.0	0.2
0.0	47.35	153	0.1	0.1	0.1	0.1
-0.2	68.56	71	-0.2	-0.1	0.1	-0.1

NODE	Vxx	Vyy
Cent	-0.6	0.2
18	-0.8	0.3
152	-0.8	0.2
153	-0.5	0.2
71	-0.5	0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

-16.6	47.09	q5_ps	Cent	-3.8	-1.8	13.7	11.0
-14.4	45.81		18	1.4	2.4	16.3	18.2
-15.2	41.57		152	-0.3	-3.5	13.2	11.4
-18.8	48.92		153	-9.0	-5.9	11.2	3.8
-18.4	52.05		71	-7.3	-0.1	14.3	11.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

-0.1	70.38	Cent	-0.1	0.0	0.0	0.1
-0.3	84.74	18	-0.3	-0.0	0.0	-0.0
0.1	64.64	152	0.1	0.2	0.0	0.2
0.0	47.27	153	0.1	0.1	0.1	0.1
-0.2	69.19	71	-0.2	-0.1	0.1	-0.1

NODE	Vxx	Vyy
Cent	-0.6	0.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

18 -0.8 0.2  
 152 -0.8 0.2  
 153 -0.5 0.2  
 71 -0.5 0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-531.7	-37.37	INVSLU	Max Cent	-49.5	-170.6	-413.9	651.1
-391.3	-34.31		18	127.6	-103.7	-386.2	678.1
-521.1	-38.15		152	167.0	-134.5	-507.7	933.9
-661.7	-40.50		153	-189.7	-210.5	-441.4	623.1
-517.0	-36.88		71	-189.8	-188.6	-319.9	320.4
-1492.6	-41.10		Min Cent	-146.3	-702.8	-1034.1	303.9
-1468.6	-37.15		18	-3.8	-786.6	-999.5	409.5
-1407.3	-37.20		152	39.1	-515.6	-1137.3	524.5
-1548.0	-44.70		153	-311.5	-638.5	-1072.1	221.0
-1622.8	-45.75		71	-393.3	-922.8	-932.9	123.1
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	-16.60		Max Cent	0.1	0.0	0.1	0.2
0.3	-8.84		18	0.6	0.3	0.0	0.6
0.1	61.95		152	0.2	0.3	0.1	0.3
-0.0	39.10		153	0.1	0.1	0.1	0.2
-0.1	-11.43		71	0.4	-0.1	0.1	0.4
-0.2	82.57		Min Cent	-0.2	-0.2	-0.1	-0.1
-0.5	88.47		18	-0.5	0.1	-0.1	0.1
-0.4	-23.38		152	-0.2	-0.4	-0.1	-0.2
-0.4	-31.94		153	-0.2	-0.3	-0.1	-0.1
-0.7	19.90		71	-0.5	-0.7	-0.1	-0.5
			NODE	Vxx	Vyy		
			Max Cent	1.2	1.2		
			18	1.2	2.1		
			152	1.2	0.5		
			153	1.1	0.5		
			71	1.1	2.1		
			Min Cent	-1.1	-0.0		
			18	-1.3	0.2		
			152	-1.3	-0.2		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

153 -0.9 -0.2  
71 -0.9 0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-470.5	-37.83	INVS LV	Max Cent	-12.1	-193.8	-322.1	280.8
-480.5	-33.70		18	25.2	-247.5	-326.7	282.9
-424.2	-38.83		152	78.1	-102.8	-367.5	424.3
-442.0	-41.13		153	-44.2	-139.0	-317.3	272.4
-515.3	-36.43		71	-88.5	-282.7	-276.1	147.9
-509.0	-35.55		Min Cent	-29.5	-262.0	-378.8	201.9
-562.1	-33.30		18	10.1	-322.3	-387.0	225.0
-463.5	-37.43		152	50.3	-156.5	-431.7	332.9
-485.1	-39.54		153	-74.3	-202.7	-370.7	194.7
-558.3	-33.35		71	-123.2	-369.5	-326.4	62.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	79.91	Max Cent	0.0	0.1	0.0	0.1
0.0	87.49	18	0.1	0.2	0.0	0.2
0.1	78.87	152	0.1	0.2	0.0	0.2
0.0	57.90	153	0.1	0.1	0.0	0.1
0.1	-30.07	71	0.1	0.1	0.0	0.1
-0.0	-47.03	Min Cent	-0.0	-0.0	-0.0	0.0
-0.1	-41.97	18	-0.1	-0.0	-0.0	0.0
-0.1	-33.01	152	-0.0	-0.1	-0.0	-0.0
-0.1	-39.10	153	-0.0	-0.1	-0.0	-0.0
-0.1	65.73	71	-0.1	-0.1	-0.0	-0.1

NODE	Vxx	Vyy
Max Cent	0.3	0.3
18	0.3	0.5
152	0.3	0.2
153	0.3	0.2
71	0.3	0.5
Min Cent	-0.3	-0.1
18	-0.4	-0.3
152	-0.4	-0.0
153	-0.3	-0.0
71	-0.3	-0.3

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
16	2	10	Q1-1-2	Max	Cent	1031.3	30.9	160.9	1056.5
5.7		8.92			29	1095.5	60.4	231.6	1145.0
10.9		12.05			342	1092.7	24.1	122.3	1106.5
10.2		6.45			2233	970.4	16.4	121.8	985.7
1.1		7.16			2232	974.4	65.1	232.3	1030.4
9.2		13.53							
				Min	Cent	-7.4	-14.3	-115.6	104.8
-126.5		-44.15			29	-7.5	-8.6	-98.6	90.5
-106.7		-44.84			342	-7.4	-8.7	-187.2	179.2
-195.3		-44.90			2233	-7.5	-42.3	-189.1	165.0
-214.8		-42.37			2232	-7.6	-40.0	-102.6	80.1
-127.7		-40.51							
Mmin		ANGLE			NODE	Mxx	Myy	Mxy	Mmax
				Max	Cent	0.0	0.0	0.0	0.0
0.0		77.27			29	0.0	0.0	0.0	0.0
0.0		71.03			342	0.0	0.1	0.0	0.1
0.0		78.29			2233	0.0	0.1	0.0	0.1
0.0		73.28			2232	0.0	0.1	0.0	0.1
0.0		47.59							
				Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0		-55.27			29	-0.0	-0.0	-0.0	0.0
-0.0		-41.16			342	-0.0	-0.0	-0.0	0.0
-0.0		-41.16			2233	-0.0	-0.0	-0.0	0.0
-0.0		-61.66			2232	-0.0	-0.0	-0.0	-0.0
-0.0		-74.50							
					NODE	Vxx	Vyy		
				Max	Cent	0.1	0.1		
					29	0.0	0.2		
					342	0.0	0.1		
					2233	0.1	0.1		
					2232	0.1	0.2		
				Min	Cent	-0.0	-0.1		
					29	-0.0	-0.3		
					342	-0.0	-0.1		
					2233	-0.1	-0.1		
					2232	-0.1	-0.3		



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.7	9.85	Q2a-1-2	Max Cent	621.2	19.4	107.7	639.9
0.9	12.95		29	659.1	35.7	151.3	693.9
5.4	6.91		342	658.6	15.0	79.2	668.2
-0.3	7.69		2233	585.7	10.4	79.1	596.4
1.8	14.54		2232	587.1	41.2	151.8	626.5
-85.5	-44.34		Min Cent	-5.5	-9.1	-78.2	70.9
-67.9	-45.20		29	-5.6	-4.7	-62.7	57.6
-126.7	-44.99		342	-5.4	-5.6	-121.2	115.7
-139.0	-42.55		2233	-5.5	-26.5	-122.6	107.0
-81.0	-40.88		2232	-5.6	-24.5	-65.2	50.9
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	77.66		Max Cent	0.0	0.0	0.0	0.0
0.0	71.25		29	0.0	0.0	0.0	0.0
0.0	78.87		342	0.0	0.0	0.0	0.0
0.0	74.57		2233	0.0	0.0	0.0	0.0
0.0	49.03		2232	0.0	0.0	0.0	0.0
-0.0	-55.80		Min Cent	-0.0	-0.0	-0.0	0.0
-0.0	-41.08		29	-0.0	-0.0	-0.0	0.0
-0.0	-41.60		342	-0.0	-0.0	-0.0	0.0
-0.0	-62.22		2233	-0.0	-0.0	-0.0	0.0
-0.0	-74.65		2232	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Max Cent	0.0	0.1		
			29	0.0	0.1		
			342	0.0	0.1		
			2233	0.1	0.1		
			2232	0.1	0.1		
			Min Cent	-0.0	-0.1		
			29	-0.0	-0.2		
			342	-0.0	-0.0		
			2233	-0.1	-0.0		
			2232	-0.1	-0.2		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		-----					
Mmin	ANGLE	SLVx (RS)	NODE	Mxx	Myy	Mxy	Mmax
-----		-----					
-87.5	87.10	Cent		-87.3	-3.8	4.2	-3.6
			29	-93.1	-7.8	9.9	-6.6
-94.3	83.46		342	-91.9	3.1	4.4	3.3
-92.1	87.37		2233	-81.4	-0.7	4.7	-0.5
-81.7	86.69		2232	-82.6	5.3	9.7	6.4
-83.7	83.78						
-----		-----					
-0.0	-13.60	Cent		-0.0	-0.0	-0.0	-0.0
			29	-0.0	-0.0	-0.0	-0.0
-0.0	-9.11		342	-0.0	-0.0	0.0	-0.0
-0.0	11.50		2233	-0.0	-0.0	0.0	-0.0
-0.0	18.34		2232	0.0	-0.0	-0.0	0.0
-0.0	-4.83						
-----		-----					
		NODE		Vxx	Vyy		
-----		-----					
		Cent		0.0	-0.0		
		29		0.0	-0.0		
		342		0.0	-0.0		
		2233		0.0	-0.0		
		2232		0.0	-0.0		
-----		-----					
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----		-----					
-21.2	84.32	SLVy (RS)	Cent	-21.0	-1.0	2.0	-0.8
			29	-20.1	2.1	3.7	2.6
-20.7	80.88		342	-19.4	1.7	0.4	1.7
-19.4	88.89		2233	-22.0	0.9	0.4	0.9
-22.0	88.89		2232	-22.7	-2.5	3.9	-1.8
-23.4	79.44						
-----		-----					
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----		-----					
-0.1	-31.19		Cent	-0.0	-0.0	-0.0	-0.0
			29	0.0	0.1	-0.0	0.1
0.0	-84.50		342	-0.0	-0.1	-0.0	-0.0
-0.1	-12.94		2233	-0.0	-0.0	-0.0	0.0
-0.0	-35.03		2232	-0.1	-0.1	-0.0	-0.1
-0.1	-16.16						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

NODE	Vxx	Vyy
Cent	-0.0	0.4
29	-0.0	1.6
342	-0.0	-0.7
2233	-0.1	-0.7
2232	-0.1	1.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-43.7	87.10	SLDx (RS)	Cent	-43.6	-1.9	2.1	-1.8
-47.1	83.46		29	-46.5	-3.9	5.0	-3.3
-46.0	87.37		342	-45.9	1.5	2.2	1.6
-40.8	86.69		2233	-40.7	-0.4	2.3	-0.2
-41.8	83.78		2232	-41.3	2.6	4.8	3.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-13.59	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-9.13	29	-0.0	-0.0	-0.0	-0.0
-0.0	11.49	342	-0.0	-0.0	0.0	-0.0
-0.0	18.33	2233	-0.0	-0.0	0.0	-0.0
-0.0	-4.84	2232	0.0	-0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
29	0.0	-0.0
342	0.0	-0.0
2233	0.0	-0.0
2232	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-10.6	84.32	SLDy (RS)	Cent	-10.5	-0.5	1.0	-0.4
-10.4	80.88		29	-10.1	1.0	1.8	1.3
-9.7	88.88		342	-9.7	0.9	0.2	0.9
-11.0	88.89		2233	-11.0	0.4	0.2	0.4
-11.7	79.43		2232	-11.3	-1.2	2.0	-0.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----							
-0.0	-31.19		Cent	-0.0	-0.0	-0.0	-0.0
0.0	-84.50		29	0.0	0.1	-0.0	0.1
-0.1	-12.94		342	-0.0	-0.1	-0.0	-0.0
-0.0	-35.03		2233	-0.0	-0.0	-0.0	0.0
-0.1	-16.16		2232	-0.0	-0.1	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	0.2		
			29	-0.0	0.8		
			342	-0.0	-0.4		
			2233	-0.0	-0.4		
			2232	-0.0	0.8		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVz (RS)	Cent	-37.0	-1.4	-1.6	-1.4
-37.1	-87.40		29	-39.4	-2.8	-4.0	-2.3
-39.9	-83.85		342	-39.1	-1.4	1.9	-1.3
-39.2	87.05		2233	-34.6	0.1	2.1	0.3
-34.7	86.60		2232	-35.0	1.8	-4.0	2.3
-35.4	-83.87						
			NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	17.98		29	-0.0	-0.0	0.0	-0.0
-0.0	8.76		342	-0.0	-0.0	-0.0	-0.0
-0.0	-9.45		2233	-0.0	-0.0	-0.0	-0.0
-0.0	-22.14		2232	-0.0	-0.0	0.0	-0.0
-0.0	14.57						
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			29	0.0	-0.0		
			342	0.0	0.0		
			2233	-0.0	0.0		
			2232	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g1	Cent	764.7	19.6	15.5	765.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

19.2	1.19		29	817.0	53.0	72.6	823.9
46.2	5.38		342	805.3	13.7	-38.6	807.1
11.8	-2.78		2233	712.3	-13.9	-41.6	714.7
-16.2	-3.27		2232	724.1	25.4	69.5	730.9
18.6	5.63						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

		Cent	0.0	0.0	0.0	0.0
0.0	86.10	29	0.0	0.0	0.0	0.0
0.0	89.38	342	0.0	0.0	0.0	0.0
0.0	85.39	2233	0.0	0.0	0.0	0.0
0.0	84.79	2232	0.0	0.0	0.0	0.0
0.0	88.91					

NODE	Vxx	Vyy
------	-----	-----

Cent	0.0	0.0
29	0.0	-0.0
342	0.0	0.0
2233	0.0	0.0
2232	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

		g2	Cent	370.1	11.3	2.8	370.1
11.3	0.45		29	396.4	31.7	30.5	398.9
29.2	4.75		342	388.1	4.0	-22.5	389.4
2.7	-3.34		2233	343.8	-9.0	-24.9	345.5
-10.8	-4.01		2232	352.1	18.6	28.1	354.4
16.3	4.79						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

		Cent	0.0	0.0	-0.0	0.0
0.0	-85.39	29	0.0	0.0	-0.0	0.0
0.0	-87.76	342	0.0	0.0	-0.0	0.0
0.0	-87.28	2233	0.0	0.0	-0.0	0.0
0.0	-81.05	2232	0.0	0.0	-0.0	0.0
0.0	-83.40					

NODE	Vxx	Vyy
------	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Cent	0.0	0.0
29	-0.0	0.0
342	-0.0	0.0
2233	0.0	0.0
2232	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
0.1	9.34	q3	Cent	29.1	0.9	4.8	29.8
0.7	11.24		29	30.1	1.9	5.8	31.3
-0.2	7.32		342	29.7	0.3	3.8	30.2
-0.7	7.34		2233	28.0	-0.2	3.7	28.5
0.2	11.42		2232	28.5	1.4	5.7	29.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----						
0.0	82.44	Cent	0.0	0.0	0.0	0.0
0.0	-72.75	29	0.0	0.0	-0.0	0.0
-0.0	61.01	342	0.0	0.0	0.0	0.0
-0.0	75.81	2233	-0.0	0.0	0.0	0.0
0.0	-42.51	2232	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
29	-0.0	-0.0
342	-0.0	-0.0
2233	0.0	-0.0
2232	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-27.4	-84.96	q5_pc	Cent	-27.2	-8.0	-1.7	-7.9
-32.0	-74.90		29	-31.0	-18.8	-3.5	-17.9
-24.7	-85.71		342	-24.6	2.6	-2.1	2.8
-23.4	89.71		2233	-23.4	2.8	0.1	2.8
-30.0	-83.17		2232	-29.8	-18.6	-1.4	-18.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----						
		Cent	-0.0	-0.1	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	-27.90					
0.0	-73.65	29	0.0	0.0	-0.0	0.0
-0.2	-11.88	342	-0.1	-0.2	-0.0	-0.1
-0.1	-28.90	2233	-0.0	-0.1	-0.0	0.0
-0.1	-46.57	2232	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.2
29	-0.0	0.5
342	-0.0	-0.8
2233	-0.1	-0.8
2232	-0.1	0.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-23.2	-80.77	q5_ps	Cent	-22.7	-7.2	-2.6	-6.7
-27.8	-68.72		29	-26.2	-16.9	-4.2	-15.3
-20.7	-82.79		342	-20.4	2.4	-2.9	2.8
-19.3	-87.51		2233	-19.3	2.6	-1.0	2.6
-25.7	-75.75		2232	-25.1	-16.8	-2.3	-16.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.1	-27.89	Cent	-0.0	-0.1	-0.0	-0.0
0.0	-73.57	29	0.0	0.0	-0.0	0.0
-0.2	-11.89	342	-0.1	-0.2	-0.0	-0.1
-0.1	-28.83	2233	-0.0	-0.1	-0.0	0.0
-0.1	-46.63	2232	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.2
29	-0.0	0.5
342	-0.0	-0.8
2233	-0.1	-0.8
2232	-0.1	0.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
62.1	4.96	INVSLU Max	Cent	3036.3	84.6	258.3	3058.7
119.2	10.40		29	3330.9	219.9	590.6	3439.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

101.7	-0.48		342	3305.0	102.0	-27.1	3305.2
-25.9	-0.65		2233	2746.3	-25.6	-31.0	2746.6
-11.0	11.91		2232	2773.8	108.9	588.1	2897.8
0.4	-2.96	Min	Cent	1578.0	9.2	-118.1	1582.2
58.7	5.64		29	1777.1	87.4	138.4	1793.8
-52.8	-12.22		342	1769.7	52.9	-448.7	1853.7
-232.6	-11.59		2233	1378.7	-109.9	-451.0	1474.1
-80.3	6.45		2232	1386.1	-66.7	133.4	1404.9

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	68.48	Max	Cent	0.1	0.2	0.1	0.2
0.0	-87.47		29	0.0	0.1	0.0	0.1
0.1	79.08		342	0.1	0.4	0.1	0.4
0.0	66.04		2233	0.1	0.2	0.1	0.2
0.1	50.14		2232	0.1	0.2	0.1	0.2
-0.1	-35.54	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.0	17.81		29	-0.0	-0.0	-0.0	-0.0
-0.3	-14.45		342	-0.1	-0.3	-0.1	-0.1
-0.1	-41.85		2233	-0.0	-0.1	-0.1	0.0
-0.1	-60.39		2232	-0.1	-0.0	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.1	0.4
	29	0.0	1.0
	342	0.0	1.5
	2233	0.2	1.5
	2232	0.2	1.0
Min	Cent	-0.1	-0.3
	29	-0.0	-1.0
	342	-0.0	-1.2
	2233	-0.2	-1.2
	2232	-0.2	-1.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
39.0	0.51	INVSLV	Max	Cent	1261.1	39.1	20.6	1261.2
94.2	6.64			29	1398.0	112.5	173.9	1415.7
28.6	-5.57			342	1376.8	41.8	-121.9	1389.7



MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-49.2	-6.64		2233	1124.1	-33.1	-125.8	1140.0
12.4	7.40		2232	1145.3	38.0	169.5	1164.5
29.7	1.10	Min	Cent	1051.7	30.0	9.9	1052.1
68.5	8.80		29	1176.1	94.1	149.5	1202.6
20.9	-6.16		342	1157.9	33.7	-132.1	1171.1
-51.3	-7.33		2233	927.4	-35.3	-136.7	943.6
2.6	10.09		2232	945.5	24.8	145.4	975.3

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
------	-------	--	------	-----	-----	-----	------

		Max	Cent	0.0	0.1	0.0	0.1
0.0	65.07		29	0.0	0.1	0.0	0.1
0.0	-85.50		342	0.0	0.2	0.0	0.2
0.0	78.39		2233	0.0	0.0	0.0	0.1
0.0	60.24		2232	0.1	0.2	0.0	0.2
0.1	76.86	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-39.13		29	-0.0	-0.1	-0.0	-0.0
-0.1	6.83		342	-0.0	-0.1	-0.0	-0.0
-0.1	-14.41		2233	0.0	-0.0	-0.0	0.0
-0.0	-55.67		2232	-0.1	-0.1	-0.0	-0.1
-0.1	-20.31						

			NODE	Vxx	Vyy
Max	Cent		29	0.0	1.6
			342	0.0	0.8
			2233	0.1	0.8
			2232	0.1	1.6
Min	Cent		29	-0.0	-1.6
			342	-0.0	-0.7
			2233	-0.1	-0.7
			2232	-0.1	-1.6

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
	Fmin	ANGLE						
18	2	10	Q1-1-2	Max	Cent	175.3	75.6	190.7
-71.6		37.67			30	393.7	164.5	251.9
2.4		32.76			356	372.1	104.4	137.7
46.2		22.90			363	5.7	6.2	131.5
-125.6		45.06						137.5

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
-213.9	47.93		78	8.1	58.6	246.0	280.6	
		Min	Cent	-1.4	-58.9	-171.8	144.0	
-204.4	-40.25		30	-2.7	-37.9	-115.0	96.0	
-136.6	-40.66		356	-2.7	-62.6	-216.1	185.5	
-250.8	-41.06		363	-57.9	-127.8	-235.8	145.5	
-331.3	-40.79		78	-36.3	-82.9	-130.5	73.0	
-192.2	-39.94							
		Max	Cent	0.0	0.0	0.0	0.0	
-0.0	25.53		30	0.1	0.1	0.0	0.1	
0.0	47.77		356	0.0	0.0	0.0	0.0	
-0.0	47.45		363	0.0	0.0	0.0	0.0	
-0.0	45.12		78	0.1	0.0	0.0	0.1	
0.0	5.46	Min	Cent	-0.0	-0.0	-0.0	-0.0	
-0.0	-5.34		30	-0.0	-0.0	-0.0	-0.0	
-0.0	-68.10		356	-0.0	-0.0	-0.0	-0.0	
-0.0	-6.58		363	-0.0	-0.1	-0.0	-0.0	
-0.1	-10.46		78	-0.0	-0.1	-0.0	-0.0	
-0.1	-1.58							
			NODE	Vxx	Vyy			
		Max	Cent	0.2	0.2			
			30	0.1	0.4			
			356	0.1	0.0			
			363	0.3	0.0			
			78	0.3	0.4			
		Min	Cent	-0.0	-0.0			
			30	-0.0	-0.0			
			356	-0.0	-0.0			
			363	-0.1	-0.0			
			78	-0.1	-0.0			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
		Q2a-1-2	Max	Cent	104.0	47.0	123.5	202.2
-51.2	38.51			30	236.6	101.4	163.0	345.5
-7.5	33.74			356	222.6	64.6	88.9	262.5
24.7	24.19			363	3.0	3.4	84.8	88.1
-81.6	45.07			78	5.5	35.9	159.3	180.7
-139.3	47.73							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		Min	Cent	-1.0	-40.7	-110.6	91.5
-133.3	-39.92		30	-2.0	-25.3	-73.5	60.7
-88.1	-40.50		356	-2.0	-44.6	-139.3	117.6
-164.2	-40.65		363	-39.1	-88.1	-152.6	91.0
-218.2	-40.44		78	-25.2	-55.1	-83.8	45.0
-125.3	-39.94						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
		Max	Cent	0.0	0.0	0.0	0.0
-0.0	24.85		30	0.0	0.0	0.0	0.0
0.0	49.81		356	0.0	0.0	0.0	0.0
-0.0	46.19		363	0.0	0.0	0.0	0.0
-0.0	44.81		78	0.0	0.0	0.0	0.0
0.0	5.23	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-4.66		30	-0.0	-0.0	-0.0	-0.0
-0.0	-66.60		356	-0.0	-0.0	-0.0	-0.0
-0.0	-5.49		363	-0.0	-0.0	-0.0	-0.0
-0.0	-9.06		78	-0.0	-0.1	-0.0	-0.0
-0.1	-1.38						

	NODE	Vxx	Vyy
Max	Cent	0.1	0.1
	30	0.1	0.3
	356	0.1	0.0
	363	0.2	0.0
	78	0.2	0.3
Min	Cent	-0.0	-0.0
	30	-0.0	-0.0
	356	-0.0	-0.0
	363	-0.0	-0.0
	78	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	18.8	1.6	2.9	19.3
1.1	9.31		30	34.5	6.2	7.4	36.4
4.4	13.78		356	34.7	-6.5	5.4	35.4
-7.2	7.37		363	6.5	3.4	5.0	10.2
-0.3	36.37		78	6.4	3.8	7.8	13.1
-2.8	40.24						
			NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE						
			Cent	0.0	0.0	0.0	0.0
0.0	31.20		30	-0.0	-0.0	0.0	-0.0
-0.0	85.86		356	0.0	0.0	0.0	0.0
0.0	59.75		363	0.0	0.0	0.0	0.0
0.0	60.72		78	0.0	-0.0	0.0	0.0
-0.0	5.86						
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			30	0.0	-0.0		
			356	0.0	-0.0		
			363	0.0	-0.0		
			78	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
			Cent	-37.9	-4.3	0.5	-4.2
-37.9	89.07	SLVy (RS)	30	-35.3	-6.2	0.8	-6.2
-35.3	88.48		356	-33.5	-1.0	-1.9	-0.9
-33.6	-86.75		363	-40.5	-2.3	0.7	-2.3
-40.5	88.93		78	-42.3	-8.3	2.8	-8.1
-42.5	85.28						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.1	0.0	0.0	0.0
-0.1	71.86		30	-0.2	-0.1	0.0	-0.1
-0.2	87.22		356	0.1	0.1	0.0	0.1
0.0	62.44		363	0.0	0.0	0.0	0.1
-0.0	45.40		78	-0.1	-0.0	0.0	-0.0
-0.1	75.47						
			NODE	Vxx	Vyy		
			Cent	-0.3	0.0		
			30	-0.4	-0.0		
			356	-0.4	0.1		
			363	-0.3	0.1		
			78	-0.3	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	Cent	9.4	0.8	1.4	9.6
0.6	9.32		30	17.3	3.1	3.7	18.2
2.2	13.78		356	17.3	-3.2	2.7	17.7
-3.6	7.37		363	3.2	1.7	2.5	5.1
-0.2	36.38		78	3.2	1.9	3.9	6.5
-1.4	40.25						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	0.0	0.0	0.0
0.0	31.23		30	-0.0	-0.0	0.0	-0.0
-0.0	85.85		356	0.0	0.0	0.0	0.0
0.0	59.76		363	0.0	0.0	0.0	0.0
0.0	60.72		78	0.0	-0.0	0.0	0.0
-0.0	5.87						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	0.0		
			30	0.0	-0.0		
			356	0.0	-0.0		
			363	0.0	-0.0		
			78	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLDy (RS)	Cent	-18.9	-2.1	0.3	-2.1
-18.9	89.07		30	-17.6	-3.1	0.4	-3.1
-17.6	88.48		356	-16.7	-0.5	-0.9	-0.4
-16.8	-86.75		363	-20.2	-1.2	0.4	-1.2
-20.2	88.92		78	-21.1	-4.2	1.4	-4.0
-21.2	85.28						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	0.0	0.0	0.0
-0.0	71.86		30	-0.1	-0.0	0.0	-0.0
-0.1	87.22		356	0.0	0.0	0.0	0.0
0.0	62.44		363	0.0	0.0	0.0	0.0
-0.0	45.40		78	-0.1	-0.0	0.0	-0.0
-0.1	75.47						
			NODE	Vxx	Vyy		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

```

-----
          Cent      -0.2      0.0
           30      -0.2     -0.0
          356      -0.2      0.0
          363     -0.1      0.0
           78     -0.1     -0.0
    
```

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-7.2	-84.32	SLVz (RS)	Cent	-7.2	-0.8	-0.6	-0.7
-14.8	-77.02		30	-14.1	-2.8	-2.7	-2.2
-14.6	78.30		356	-14.1	-2.9	2.4	-2.4
-2.5	59.79		363	-1.2	1.4	2.3	2.7
-3.1	-57.68		78	-1.2	1.5	-2.9	3.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-26.89	Cent	0.0	0.0	-0.0	0.0
-0.0	-1.41	30	0.0	-0.0	-0.0	0.0
-0.0	-27.86	356	-0.0	-0.0	-0.0	-0.0
0.0	-53.28	363	0.0	0.0	-0.0	0.0
0.0	-22.02	78	0.0	0.0	-0.0	0.0

```

-----
          NODE      Vxx      Vyy
          Cent      0.0     -0.0
           30      0.0     -0.0
          356      0.0     -0.0
          363      0.0     -0.0
           78      0.0     -0.0
    
```

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.3	1.80	g1	Cent	144.5	0.5	4.5	144.7
32.5	12.10		30	290.6	44.3	55.3	302.4
34.7	-10.90		356	290.5	44.2	-49.3	300.0
-73.3	-32.82		363	-1.5	-43.4	-46.3	28.3
-84.3	35.14		78	-1.5	-43.3	58.3	39.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-25.02	Cent	-0.0	-0.0	-0.0	-0.0
0.0	-89.85	30	0.0	0.0	-0.0	0.0
-0.0	-55.17	356	0.0	0.0	-0.0	0.0
-0.0	-9.84	363	-0.0	-0.0	-0.0	-0.0
-0.0	-4.86	78	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
30	-0.0	0.0
356	-0.0	0.0
363	-0.0	0.0
78	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-14.8	-0.87	g2	Cent	70.6	-14.8	-1.3	70.6
-2.2	8.50		30	138.3	0.9	21.0	141.5
5.3	-11.86		356	141.4	11.3	-28.6	147.5
-42.7	-27.34		363	2.9	-30.5	-23.6	15.1
-53.6	25.97		78	-0.2	-40.9	26.0	12.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-79.12	Cent	-0.0	0.0	-0.0	0.0
-0.0	-75.47	30	-0.0	-0.0	-0.0	-0.0
0.0	-72.61	356	0.0	0.0	-0.0	0.0
0.0	-53.16	363	0.0	0.0	-0.0	0.0
-0.0	-87.29	78	-0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
30	-0.0	-0.0
356	-0.0	0.0
363	-0.0	0.0
78	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.2	23.35	q3	Cent	11.8	0.4	6.1	14.4
			30	15.8	1.5	7.4	18.9

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-1.6	23.11		356	15.8	1.6	4.6	17.1
0.3	16.41		363	7.8	-0.8	4.7	9.9
-2.8	23.76		78	7.8	-0.9	7.5	12.1
-5.2	30.08						
-----							
0.0	72.43		Cent	0.0	0.0	0.0	0.0
0.0	64.14		30	0.0	0.0	0.0	0.0
0.0	-88.33		356	0.0	0.0	-0.0	0.0
-0.0	-17.96		363	0.0	-0.0	-0.0	0.0
-0.0	50.83		78	-0.0	-0.0	0.0	-0.0
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	0.0		
			30	0.0	0.0		
			356	0.0	0.0		
			363	-0.0	0.0		
			78	-0.0	0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-27.4	85.34	q5_pc	Cent	-27.2	1.0	2.3	1.2
-26.2	84.32		30	-26.0	1.3	2.7	1.5
-26.0	86.29		356	-25.9	1.5	1.8	1.7
-28.6	86.30		363	-28.5	0.7	1.9	0.9
-28.9	84.45		78	-28.6	0.5	2.9	0.7
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.1	72.38		Cent	-0.1	0.0	0.0	0.0
-0.3	87.54		30	-0.3	-0.1	0.0	-0.1
0.1	61.22		356	0.1	0.1	0.0	0.1
0.0	45.13		363	0.1	0.1	0.1	0.1
-0.2	75.11		78	-0.2	-0.1	0.0	-0.1
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	-0.6	0.1		
			30	-0.8	0.1		



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

356 -0.8 0.2  
 363 -0.5 0.1  
 78 -0.5 0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-23.8	86.12	q5_ps	Cent	-23.7	-2.1	1.5	-2.0
-23.0	85.93		30	-22.9	-3.1	1.4	-3.0
-22.1	88.56		356	-22.1	-0.3	0.5	-0.3
-24.6	86.29		363	-24.5	-1.1	1.5	-1.0
-25.6	83.70		78	-25.4	-3.9	2.4	-3.6
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	72.81		Cent	-0.1	0.0	0.0	0.0
-0.3	87.62		30	-0.3	-0.1	0.0	-0.1
0.1	62.09		356	0.1	0.1	0.0	0.1
0.0	45.43		363	0.1	0.1	0.1	0.1
-0.2	75.75		78	-0.2	-0.1	0.0	-0.1
			NODE	Vxx	Vyy		
			Cent	-0.6	0.1		
			30	-0.8	0.0		
			356	-0.8	0.2		
			363	-0.5	0.1		
			78	-0.5	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-865.6	75.23	INVSLU Max	Cent	-791.7	129.3	274.9	201.8
-303.1	52.26		30	143.2	444.3	581.6	888.3
107.2	-58.51		356	112.3	358.0	-32.3	444.0
-1655.6	-85.40		363	-1646.4	-159.4	-29.0	-154.5
-1691.6	71.78		78	-1641.0	-83.5	585.2	106.6
-1122.3	-81.74	Min	Cent	-1089.9	-54.2	-218.6	-13.8
-477.5	81.90		30	-448.8	168.8	81.4	180.4
-738.6	-76.49		356	-449.2	129.8	-513.0	312.2
-1967.4	-75.57		363	-1798.0	-341.7	-528.3	-183.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
-1896.3	87.15		78	-1767.4	-275.4	71.8	-271.8	
			Max	Cent	0.1	-0.1	0.1	0.1
-0.1	-12.95			30	0.5	0.2	0.0	0.5
0.2	-1.17			356	0.1	0.1	0.0	0.2
0.1	50.00			363	0.1	0.0	0.1	0.1
-0.1	33.61			78	0.3	-0.1	0.1	0.3
-0.1	-9.15		Min	Cent	-0.2	-0.1	-0.1	-0.1
-0.2	45.44			30	-0.5	-0.1	-0.0	-0.1
-0.5	88.59			356	-0.2	-0.3	-0.1	-0.2
-0.3	-19.26			363	-0.1	-0.2	-0.1	-0.1
-0.3	-25.66			78	-0.4	-0.4	-0.1	-0.4
-0.5	57.14							
				NODE	Vxx	Vyy		
			Max	Cent	1.0	0.5		
				30	1.2	0.9		
				356	1.2	0.3		
				363	0.8	0.3		
				78	0.8	0.9		
			Min	Cent	-1.0	0.0		
				30	-1.2	0.2		
				356	-1.2	-0.2		
				363	-0.9	-0.2		
				78	-0.9	0.2		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
		INVSLV	Max	Cent	-445.1	-22.4	5.6	-22.4
-445.1	89.61			30	-56.6	80.8	140.1	167.6
-138.4	58.14			356	-46.7	115.7	-140.7	195.3
-132.6	-61.43			363	-832.3	-122.3	-121.1	-101.5
-854.3	-80.26			78	-841.3	-153.0	161.6	-121.4
-873.6	78.19		Min	Cent	-536.5	-32.4	-0.9	-32.4
-536.5	89.79			30	-156.4	63.0	123.2	118.7
-216.3	65.75			356	-144.6	100.4	-154.1	175.6
-215.5	-63.21			363	-917.9	-131.2	-132.9	-110.0
-937.9	-80.96			78	-930.5	-172.8	142.5	-142.9
-959.7	78.97							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-16.66	Max	Cent	0.1	-0.0	0.0	0.1
0.1	-2.88		30	0.2	0.1	0.0	0.2
0.0	61.59		356	0.1	0.1	0.0	0.1
-0.0	38.96		363	0.0	0.0	0.0	0.0
0.0	-13.14		78	0.1	0.0	0.0	0.1
-0.1	65.45	Min	Cent	-0.1	-0.0	-0.0	-0.0
-0.2	87.31		30	-0.2	-0.1	-0.0	-0.1
-0.1	-26.82		356	-0.1	-0.1	-0.0	-0.0
-0.1	-26.21		363	-0.0	-0.0	-0.0	-0.0
-0.1	73.73		78	-0.1	-0.0	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.3	0.1
	30	0.4	0.0
	356	0.4	0.1
	363	0.2	0.1
	78	0.2	0.0
Min	Cent	-0.4	-0.0
	30	-0.4	0.0
	356	-0.4	-0.1
	363	-0.3	-0.1
	78	-0.3	0.0

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
	Fmin	ANGLE							
25	2	4	Q1-1-2	Max	Cent	247.9	1.5	330.7	477.5
-228.2		34.78			35	429.6	27.3	409.8	685.0
-228.0		31.93			470	455.5	74.6	231.4	564.7
-34.6		25.28			474	75.4	1.0	252.7	293.6
-217.3		40.81			83	60.9	1.5	435.5	467.7
-405.3		43.05		Min	Cent	-5.1	-134.5	-68.2	24.2
-163.8		-23.26			35	-8.6	-122.7	-27.8	-2.2
-129.1		-13.00			470	-8.7	-86.3	-118.5	77.2
-172.1		-35.94			474	-3.2	-165.3	-122.8	62.8
-231.3		-28.29			83	-10.0	-227.7	-28.7	-6.3
-231.4		-7.37							

NODE	Mxx	Myy	Mxy	Mmax
------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE							
			Max	Cent	0.0	0.0	0.0	0.0
0.0	64.02			35	0.0	0.0	0.0	0.0
-0.0	56.06			470	0.0	0.0	0.0	0.0
-0.0	55.05			474	0.0	0.0	0.0	0.0
0.0	71.46			83	0.0	0.0	0.0	0.0
0.0	72.13		Min	Cent	-0.1	-0.2	-0.0	-0.1
-0.2	-4.38			35	-0.0	-0.1	-0.0	-0.0
-0.1	-9.07			470	-0.0	-0.1	-0.0	-0.0
-0.1	-9.66			474	-0.1	-0.2	-0.0	-0.1
-0.2	-2.51			83	-0.1	-0.2	-0.0	-0.1
-0.2	-2.41							
				NODE	Vxx	Vyy		
			Max	Cent	0.0	0.2		
				35	0.0	0.2		
				470	0.0	0.2		
				474	0.0	0.2		
				83	0.0	0.2		
			Min	Cent	-0.0	-0.0		
				35	-0.0	-0.0		
				470	-0.0	-0.0		
				474	-0.0	-0.0		
				83	-0.0	-0.0		
		LC		NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE							
		Q2a-1-2	Max	Cent	147.7	1.0	201.7	288.9
-140.3	35.01			35	257.0	16.9	250.2	414.4
-140.6	32.18			470	274.0	45.7	140.4	340.7
-21.1	25.44			474	45.1	0.7	153.7	178.2
-132.4	40.89			83	36.6	1.1	266.9	286.3
-248.6	43.10		Min	Cent	-3.8	-95.6	-47.2	16.1
-115.5	-22.89			35	-6.4	-87.7	-19.3	-2.0
-92.1	-12.68			470	-6.5	-61.7	-82.2	52.6
-120.8	-35.72			474	-2.3	-114.2	-85.2	43.7
-160.2	-28.36			83	-7.2	-153.0	-19.8	-4.5
-155.6	-7.59							
				NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		Max	Cent	0.0	0.0	0.0	0.0
0.0	58.95		35	0.0	0.0	0.0	0.0
-0.0	52.73		470	0.0	0.0	0.0	0.0
-0.0	51.66		474	0.0	0.0	0.0	0.0
0.0	66.26		83	0.0	0.0	0.0	0.0
0.0	67.18						
-----		Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-3.93		35	-0.0	-0.1	-0.0	-0.0
-0.1	-8.36		470	-0.0	-0.1	-0.0	-0.0
-0.1	-8.96		474	-0.1	-0.1	-0.0	-0.1
-0.1	-2.21		83	-0.1	-0.1	-0.0	-0.1
-0.1	-2.10						

-----		NODE	Vxx	Vyy
Max	Cent		0.0	0.2
	35		0.0	0.2
	470		0.0	0.2
	474		0.0	0.2
	83		0.0	0.2
Min	Cent		-0.0	-0.0
	35		-0.0	-0.0
	470		-0.0	-0.0
	474		-0.0	-0.0
	83		-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	-19.7	-0.2	-21.5	13.7
-33.6	-57.22		35	-32.7	-2.1	-27.9	14.4
-49.3	-59.33		470	-33.8	-5.8	-14.0	0.0
-39.5	-67.53		474	7.1	2.5	-15.1	20.1
-10.5	-40.60		83	6.2	6.1	-29.1	35.2
-23.0	-44.96						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	0.0	0.0	0.0
-0.0	87.52	35	-0.0	-0.0	0.0	-0.0
-0.0	2.85	470	-0.0	-0.0	0.0	-0.0
-0.0	3.96	474	0.0	0.0	0.0	0.0
0.0	76.04	83	0.0	0.0	0.0	0.0
0.0	82.33					

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
	Cent	0.0	-0.0
	35	-0.0	-0.0
	470	-0.0	-0.0
	474	-0.0	-0.0
	83	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	-31.5	0.1	16.5	7.1
-38.6	66.92		35	-31.3	0.4	16.8	7.6
-38.5	66.68		470	-31.4	-0.6	16.3	6.4
-38.4	66.73		474	-31.8	-0.2	16.2	6.6
-38.7	67.16		83	-31.7	0.5	16.7	7.6
-38.8	66.99						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	0.0	0.1	-0.0	0.1
0.0	-85.16		35	0.1	0.2	0.0	0.2
0.1	89.29		470	0.1	0.2	-0.0	0.2
0.1	-87.09		474	0.0	0.0	-0.0	0.0
0.0	-63.74		83	0.0	0.0	-0.0	0.0
0.0	-77.46						

	NODE	Vxx	Vyy
	Cent	-0.0	0.3
	35	-0.0	0.3
	470	-0.0	0.3
	474	-0.0	0.3
	83	-0.0	0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDx (RS)	Cent	-9.9	-0.1	-10.8	6.8
-16.8	-57.21		35	-16.3	-1.1	-14.0	7.2
-24.6	-59.33		470	-16.9	-2.9	-7.0	0.0
-19.8	-67.53		474	3.6	1.2	-7.6	10.0
-5.2	-40.61		83	3.1	3.0	-14.5	17.6
-11.5	-44.96						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	87.52	Cent	-0.0	0.0	0.0	0.0
-0.0	2.85	35	-0.0	-0.0	0.0	-0.0
-0.0	3.95	470	-0.0	-0.0	0.0	-0.0
0.0	76.03	474	0.0	0.0	0.0	0.0
0.0	82.33	83	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
35	-0.0	-0.0
470	-0.0	-0.0
474	-0.0	-0.0
83	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-19.3	66.92	SLDy (RS)	Cent	-15.7	0.0	8.2	3.6
-19.2	66.68		35	-15.6	0.2	8.4	3.8
-19.2	66.73		470	-15.7	-0.3	8.1	3.2
-19.3	67.15		474	-15.9	-0.1	8.1	3.3
-19.4	66.99		83	-15.8	0.3	8.3	3.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-85.15	Cent	0.0	0.1	-0.0	0.1
0.0	89.29	35	0.0	0.1	0.0	0.1
0.0	-87.09	470	0.0	0.1	-0.0	0.1
0.0	-63.72	474	0.0	0.0	-0.0	0.0
0.0	-77.43	83	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	0.1
35	-0.0	0.2
470	-0.0	0.1
474	-0.0	0.1
83	-0.0	0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-14.6	-57.10	SLVz (RS)	Cent	-8.5	0.1	-9.5	6.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-21.6	-59.13	35	-14.2	-0.9	-12.4	6.4
-17.3	-67.28	470	-14.7	-2.5	-6.2	0.0
-7.8	-53.02	474	-2.8	1.1	-6.7	6.1
-12.9	-50.47	83	-2.3	2.7	-12.9	13.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

-0.0	5.12	Cent	-0.0	-0.0	0.0	-0.0
-0.0	1.80	35	-0.0	-0.0	0.0	-0.0
-0.0	3.08	470	-0.0	-0.0	0.0	-0.0
0.0	71.45	474	0.0	0.0	0.0	0.0
0.0	79.92	83	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
------	-----	-----

Cent	0.0	-0.0
35	0.0	-0.0
470	0.0	-0.0
474	0.0	-0.0
83	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

-124.9	30.66	g1	Cent	187.3	-15.1	185.1	297.0
-130.6	29.08		35	317.9	8.2	249.5	456.7
6.6	18.77		470	328.6	43.8	109.4	365.8
-120.6	34.24		474	56.7	-38.4	120.7	138.9
-281.6	38.52		83	46.0	-74.1	260.8	253.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

-0.0	-20.02	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-61.09	35	-0.0	0.0	-0.0	0.0
-0.0	-57.27	470	0.0	0.0	-0.0	0.0
-0.0	-9.90	474	-0.0	-0.0	-0.0	-0.0
-0.0	-8.84	83	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
------	-----	-----

Cent	-0.0	0.0
------	------	-----



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

35 -0.0 0.0  
 470 -0.0 0.0  
 474 -0.0 0.0  
 83 -0.0 0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-61.3	30.41	g2	Cent	89.9	-9.2	88.8	142.0
-64.2	28.89		35	153.3	2.0	120.0	219.5
2.2	18.40		470	158.5	19.5	52.0	175.8
-59.1	33.89		474	26.6	-20.4	57.5	65.2
-137.2	38.36		83	21.3	-37.9	125.5	120.7

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-88.76		Cent	0.0	0.0	-0.0	0.0
0.0	-88.30		35	0.0	0.0	-0.0	0.0
0.0	-88.22		470	0.0	0.0	-0.0	0.0
0.0	-89.13		474	0.0	0.0	-0.0	0.0
0.0	-89.15		83	0.0	0.0	-0.0	0.0

	NODE	Vxx	Vyy
	Cent	-0.0	-0.0
	35	-0.0	-0.0
	470	-0.0	-0.0
	474	-0.0	-0.0
	83	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-3.2	28.89	q3	Cent	7.3	-0.0	5.8	10.5
-3.5	27.93		35	9.6	0.2	6.9	13.3
-0.6	22.68		470	9.9	1.2	4.4	11.8
-3.0	30.38		474	5.0	-0.3	4.7	7.7
-6.1	33.78		83	4.7	-1.3	7.2	9.5

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-56.67		Cent	-0.0	0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-77.05	35	0.0	0.0	-0.0	0.0
0.0	-74.24	470	0.0	0.0	-0.0	0.0
-0.0	-25.79	474	-0.0	-0.0	-0.0	-0.0
-0.0	-24.12	83	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
35	-0.0	0.0
470	-0.0	0.0
474	-0.0	0.0
83	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-24.5	-89.37	q5_pc	Cent	-24.5	0.2	-0.3	0.2
-26.6	-87.35		35	-26.5	0.3	-1.2	0.4
-27.1	87.47		470	-27.0	-1.3	1.1	-1.3
-22.4	88.23		474	-22.4	0.1	0.7	0.1
-22.0	-85.95		83	-21.9	1.7	-1.7	1.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.1	-86.54	Cent	0.1	0.2	-0.0	0.2
0.1	89.60	35	0.1	0.3	0.0	0.3
0.1	-88.05	470	0.1	0.3	-0.0	0.3
0.0	-65.92	474	0.0	0.1	-0.0	0.1
0.0	-81.20	83	0.0	0.1	-0.0	0.1

NODE	Vxx	Vyy
Cent	-0.0	0.5
35	-0.0	0.5
470	-0.0	0.5
474	-0.0	0.5
83	-0.0	0.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-21.6	87.28	q5_ps	Cent	-21.5	0.1	1.0	0.2
-23.0	89.23		35	-23.0	0.2	0.3	0.3
			470	-23.4	-1.0	2.1	-0.9

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-23.6	84.71		474	-20.0	0.0	1.7	0.2
-20.1	85.04		83	-19.6	1.3	-0.0	1.3
-19.6	-89.92						
-----							
0.1	-86.60		Cent	0.1	0.2	-0.0	0.2
0.1	89.63		35	0.1	0.3	0.0	0.3
0.1	-88.05		470	0.1	0.3	-0.0	0.3
0.0	-68.24		474	0.0	0.1	-0.0	0.1
0.0	-81.94		83	0.0	0.1	-0.0	0.1
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	0.5		
			35	-0.0	0.5		
			470	-0.0	0.5		
			474	-0.0	0.5		
			83	-0.0	0.5		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-883.6	52.52	INVSLU Max	Cent	-454.6	-33.1	783.4	567.1
-701.2	42.26		35	393.6	165.4	1193.0	1477.7
24.3	37.57		470	440.2	268.0	326.7	689.9
-1363.4	72.76		474	-1290.4	-197.3	376.6	-81.0
-1714.4	56.74		83	-1321.6	-232.9	1249.7	583.6
-1082.6	70.95	Min	Cent	-848.7	-217.0	244.4	-132.3
-938.5	49.93		35	-253.5	-37.7	600.0	467.5
-296.6	-73.54		470	-242.9	48.3	-147.7	107.7
-1453.2	-82.80		474	-1445.5	-421.9	-131.6	-405.3
-2165.3	63.20		83	-1463.1	-545.4	620.0	-229.1
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	-86.78	Max	Cent	0.1	0.2	0.0	0.2
0.2	88.67		35	0.2	0.5	0.0	0.5
0.2	-88.86		470	0.2	0.4	0.0	0.4
			474	0.0	0.0	0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-48.90		83	0.0	0.1	0.0	0.1
0.0	-75.29						
		Min	Cent	-0.2	-0.5	-0.0	-0.2
-0.5	-0.00		35	-0.2	-0.7	-0.0	-0.2
-0.7	-2.07		470	-0.2	-0.6	-0.0	-0.2
-0.6	-0.53		474	-0.2	-0.4	-0.0	-0.2
-0.4	0.59		83	-0.2	-0.4	-0.0	-0.2
-0.4	-0.92						

	NODE	Vxx	Vyy
Max	Cent	0.0	1.0
	35	0.0	1.1
	470	0.0	1.0
	474	0.1	1.0
	83	0.1	1.1
Min	Cent	-0.0	-0.7
	35	-0.0	-0.7
	470	-0.0	-0.7
	474	-0.0	-0.7
	83	-0.0	-0.7

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
		INVSLV	Max	Cent	-261.1	-22.4	280.3	154.9
-409.3	57.68			35	97.0	72.9	464.2	539.7
-330.2	44.83			470	106.7	105.2	82.8	178.0
53.0	47.97			474	-618.0	-112.8	97.3	-100.8
-624.1	80.56			83	-627.0	-136.7	479.5	133.5
-863.8	59.37		Min	Cent	-341.1	-22.9	221.7	96.8
-488.6	61.64			35	4.4	67.8	390.8	436.9
-404.1	46.64			470	11.5	91.8	38.2	111.6
-27.5	63.89			474	-687.6	-118.5	51.8	-109.1
-702.5	84.20			83	-695.5	-150.8	403.6	85.5
-964.8	61.12							

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
		Max	Cent	0.0	0.1	0.0	0.1
0.0	-82.92		35	0.1	0.2	-0.0	0.2
0.1	-89.56		470	0.1	0.2	0.0	0.2
0.1	-85.75		474	0.0	0.0	0.0	0.0
0.0	-55.34		83	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-69.01						
		Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	2.79						
			35	-0.1	-0.2	-0.0	-0.1
-0.2	-1.77						
			470	-0.1	-0.2	-0.0	-0.1
-0.2	1.60						
			474	-0.0	-0.0	-0.0	-0.0
-0.1	17.64						
			83	-0.0	-0.1	-0.0	-0.0
-0.1	6.18						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.3
	35	0.0	0.3
	470	0.0	0.3
	474	0.0	0.3
	83	0.0	0.3
Min	Cent	-0.0	-0.3
	35	-0.0	-0.3
	470	-0.0	-0.3
	474	-0.0	-0.3
	83	-0.0	-0.3

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
27	2	8	Q1-1-2	Max	Cent	19.1	9.2	25.1	39.7
		39.43			44	87.8	6.2	0.8	87.8
		0.53			18	107.7	23.8	1.1	107.7
		0.75			71	0.8	14.5	53.3	61.4
		48.66			86	0.7	4.2	60.9	63.3
		45.83		Min	Cent	-19.5	-577.8	-149.4	17.9
		-14.07			44	-31.4	-662.5	-140.0	-1.8
		-11.96			18	-0.5	-447.6	-187.4	67.6
		-19.99			71	-54.1	-493.8	-161.7	-1.0
		-18.16			86	-106.2	-709.2	-113.2	-85.6
		-10.29							

	NODE	Mxx	Myy	Mxy	Mmax
	Max	Cent	0.0	0.0	0.0
		44	0.0	0.1	0.1
		18	0.1	0.2	0.2
		71	0.0	0.0	0.0
		86	0.0	0.0	0.0
	Min	Cent	-0.0	-0.1	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	-27.81		44	-0.0	-0.1	-0.0	-0.0
-0.1	-24.83		18	-0.0	-0.0	-0.0	-0.0
-0.0	-45.18		71	-0.1	-0.3	-0.0	-0.1
-0.3	-9.18		86	-0.0	-0.0	-0.0	0.0
-0.1	-30.83						

		NODE	Vxx	Vyy
Max	Cent		0.1	0.4
	44		0.0	0.1
	18		0.0	0.9
	71		0.2	0.9
	86		0.2	0.1
Min	Cent		-0.1	-0.0
	44		-0.1	-0.1
	18		-0.1	-0.1
	71		-0.2	-0.1
	86		-0.2	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-11.1	40.05	Q2a-1-2	Max Cent	11.0	4.5	18.5	26.6
3.5	0.50		44	54.2	3.5	0.4	54.2
12.7	0.70		18	63.5	12.7	0.6	63.5
-36.0	47.25		71	0.4	6.6	39.4	43.0
-43.7	45.59		86	0.3	2.2	44.9	46.2
-381.1	-13.77		Min Cent	-14.4	-359.1	-89.9	7.6
-433.6	-11.39		44	-23.3	-416.9	-82.7	-6.6
-313.5	-19.55		18	-0.3	-274.0	-111.2	39.2
-334.5	-18.33		71	-35.2	-301.6	-99.2	-2.3
-457.2	-10.17		86	-68.5	-444.7	-69.7	-56.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	51.46	Max Cent	0.0	0.0	0.0	0.0
0.0	80.12	44	0.0	0.0	0.0	0.0
0.0	86.88	18	0.0	0.1	0.0	0.1
0.0	43.28	71	0.0	0.0	0.0	0.0
0.0	40.93	86	0.0	0.0	0.0	0.0
-0.0	-25.13	Min Cent	-0.0	-0.0	-0.0	-0.0
		44	-0.0	-0.1	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	-22.32		18	-0.0	-0.0	-0.0	0.0
-0.0	-45.84		71	-0.1	-0.2	-0.0	-0.1
-0.2	-8.52		86	-0.0	-0.0	-0.0	0.0
-0.0	-29.65						

		NODE	Vxx	Vyy
Max	Cent		0.1	0.3
	44		0.0	0.1
	18		0.0	0.6
	71		0.1	0.6
	86		0.1	0.1
Min	Cent		-0.1	-0.0
	44		-0.0	-0.1
	18		-0.0	-0.1
	71		-0.1	-0.1
	86		-0.1	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-36.7	-15.26	SLVx (RS)	Cent	1.4	-33.8	-10.4	4.2
-53.8	-17.44		44	-3.9	-48.9	-15.7	1.1
-27.5	-25.54		18	11.4	-18.6	-18.6	20.3
-23.6	-14.16		71	3.1	-21.9	-6.7	4.8
-53.2	5.58		86	-9.0	-52.8	4.3	-8.5

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	51.57		Cent	0.0	0.0	0.0	0.0
-0.0	20.06		44	-0.0	-0.0	0.0	0.0
0.0	66.96		18	0.0	0.0	0.0	0.0
-0.0	44.81		71	0.0	0.0	0.0	0.0
-0.0	50.12		86	0.0	0.0	0.0	0.0

		NODE	Vxx	Vyy
	Cent		-0.0	0.0
	44		-0.0	-0.0
	18		-0.0	0.0
	71		-0.0	0.0
	86		-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	-5.2	-32.9	-15.9	2.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-40.1	-24.44	44	8.2	-33.1	-13.2	12.1
-36.9	-16.34	18	11.1	-23.9	-22.5	22.1
-34.9	-26.08	71	-18.5	-32.7	-18.5	-5.8
-45.4	-34.47	86	-21.3	-42.1	-9.3	-17.8
-45.6	-20.91					

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

		Cent	-0.0	0.0	0.0	0.0
-0.0	78.32	44	-0.0	0.0	0.0	0.0
-0.0	76.19	18	-0.1	0.1	0.0	0.1
-0.1	83.82	71	-0.1	-0.1	0.0	-0.1
-0.1	67.19	86	0.0	0.1	0.0	0.1
0.0	82.67					

NODE	Vxx	Vyy
------	-----	-----

Cent	0.2	0.2
44	0.2	-0.1
18	0.2	0.4
71	0.1	0.4
86	0.1	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

		SLDx (RS)	Cent	0.7	-16.9	-5.2	2.1
-18.3	-15.26		44	-1.9	-24.4	-7.8	0.5
-26.9	-17.44		18	5.7	-9.3	-9.3	10.1
-13.7	-25.54		71	1.6	-11.0	-3.4	2.4
-11.8	-14.17		86	-4.5	-26.4	2.2	-4.3
-26.6	5.59						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

		Cent	0.0	0.0	0.0	0.0
-0.0	51.56	44	-0.0	-0.0	0.0	0.0
-0.0	20.07	18	0.0	0.0	0.0	0.0
0.0	66.93	71	0.0	0.0	0.0	0.0
-0.0	44.82	86	0.0	0.0	0.0	0.0
-0.0	50.12					

NODE	Vxx	Vyy
------	-----	-----



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Cent	-0.0	0.0
44	-0.0	-0.0
18	-0.0	0.0
71	-0.0	0.0
86	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-20.0	-24.43	SLDy (RS)	Cent	-2.6	-16.4	-7.9	1.0
-18.5	-16.34		44	4.1	-16.5	-6.6	6.1
-17.4	-26.08		18	5.5	-11.9	-11.2	11.0
-22.7	-34.46		71	-9.2	-16.3	-9.2	-2.9
-22.8	-20.91		86	-10.7	-21.0	-4.6	-8.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	78.32	Cent	-0.0	0.0	0.0	0.0
-0.0	76.19	44	-0.0	0.0	0.0	0.0
-0.0	83.82	18	-0.0	0.1	0.0	0.1
-0.0	67.20	71	-0.0	-0.0	0.0	-0.0
0.0	82.67	86	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.1	0.1
44	0.1	-0.0
18	0.1	0.2
71	0.1	0.2
86	0.1	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.3	74.94	SLVz (RS)	Cent	-0.5	10.1	3.1	10.9
-2.7	75.75		44	-1.7	12.6	3.9	13.6
-4.8	68.87		18	-2.9	7.6	4.8	9.4
0.0	72.10		71	0.9	8.5	2.8	9.4
1.9	80.88		86	2.2	13.7	1.9	14.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	-0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	29.84		44	0.0	-0.0	0.0	0.0
-0.0	19.78		18	-0.0	-0.0	0.0	-0.0
-0.0	21.72		71	0.0	0.0	0.0	0.0
0.0	44.86		86	-0.0	-0.0	0.0	0.0
-0.0	34.60						

NODE	Vxx	Vyy
Cent	-0.0	-0.0
44	-0.0	-0.0
18	-0.0	-0.0
71	-0.0	-0.0
86	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g1	Cent	12.9	-287.8	-82.7	34.1
-309.0	-14.40		44	42.6	-320.8	-87.9	62.8
-340.9	-12.91		18	71.2	-225.6	-115.3	110.7
-265.1	-18.93		71	-16.8	-254.8	-77.4	6.1
-277.8	-16.53		86	-45.4	-350.0	-50.0	-37.4
-358.0	-9.09						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	0.0	-0.0	0.0
-0.0	-66.56	44	-0.0	0.0	-0.0	0.0
-0.0	-75.36	18	0.0	0.1	-0.0	0.1
0.0	-80.84	71	-0.0	-0.0	-0.0	0.0
-0.0	-32.38	86	0.0	0.0	-0.0	0.0
-0.0	-47.21					

NODE	Vxx	Vyy
Cent	-0.0	0.1
44	-0.0	0.1
18	-0.0	0.1
71	0.0	0.1
86	0.0	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g2	Cent	7.5	-148.5	-41.0	17.6
-158.7	-13.87		44	21.4	-164.1	-43.5	31.1
-173.8	-12.56						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-137.7	-18.09	18	34.9	-119.3	-56.4	53.3
-143.9	-15.68	71	-6.4	-133.0	-38.6	4.4
-181.9	-9.01	86	-19.9	-177.8	-25.7	-15.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----						
-0.0	-79.24	Cent	-0.0	0.0	-0.0	0.0
-0.0	-81.09	44	-0.0	0.0	-0.0	0.0
-0.0	-83.23	18	-0.0	0.0	-0.0	0.0
-0.0	-80.54	71	-0.0	0.0	-0.0	0.0
-0.0	-48.04	86	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
-----		
Cent	0.0	0.0
44	0.0	0.1
18	0.0	0.0
71	0.0	0.0
86	0.0	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-29.1	-16.28	q3	Cent	1.1	-26.5	-8.8	3.7
-51.0	-17.84		44	-1.5	-45.9	-15.9	3.7
-15.8	-33.93		18	11.2	-3.6	-18.2	23.5
-7.4	-8.61		71	3.7	-7.1	-1.7	3.9
-49.4	0.81		86	-9.0	-49.4	0.6	-9.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----						
-0.0	40.78	Cent	0.0	-0.0	0.0	0.0
-0.0	28.06	44	-0.0	-0.0	0.0	0.0
0.0	52.41	18	0.0	0.0	0.0	0.0
-0.0	34.75	71	0.0	-0.0	0.0	0.0
-0.0	48.96	86	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
-----		
Cent	-0.0	-0.0
44	-0.0	-0.0
18	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		71	-0.0	0.0			
		86	-0.0	-0.0			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		q5_pc	Cent	-5.4	5.3	-5.1	7.3
-7.4	-68.24		44	2.5	4.2	-3.9	7.3
-0.6	-51.16		18	4.9	12.1	-9.6	18.7
-1.7	-55.36		71	-13.3	6.4	-6.3	8.3
-15.2	-73.71		86	-15.7	-1.5	-0.6	-1.5
-15.7	-87.59						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.1	0.0	0.0	0.0
-0.1	84.10		44	-0.0	0.0	0.0	0.0
-0.0	80.13		18	-0.2	0.0	0.0	0.0
-0.2	85.20		71	-0.2	-0.1	0.0	-0.1
-0.2	83.83		86	0.0	0.1	-0.0	0.1
0.0	-89.42						
			NODE	Vxx	Vyy		
-----							
			Cent	0.4	0.1		
			44	0.4	-0.1		
			18	0.4	0.2		
			71	0.3	0.2		
			86	0.3	-0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		q5_ps	Cent	-4.4	-0.3	-5.5	3.5
-8.3	-55.03		44	3.0	-0.9	-4.2	5.7
-3.6	-32.67		18	4.9	5.4	-9.5	14.6
-4.3	-45.74		71	-11.8	0.2	-6.9	3.3
-14.9	-65.54		86	-13.7	-6.1	-1.6	-5.7
-14.0	-78.41						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.1	0.0	0.0	0.0
-0.1	84.51		44	-0.0	0.0	0.0	0.0
-0.0	80.74						

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.2	85.28	18	-0.2	0.0	0.0	0.0
-0.2	84.24	71	-0.2	-0.1	0.0	-0.1
0.0	-88.70	86	0.0	0.1	-0.0	0.1

NODE	Vxx	Vyy
Cent	0.4	0.1
44	0.4	-0.1
18	0.4	0.2
71	0.3	0.2
86	0.3	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-211.3	-40.07	INVS LU	Max Cent	33.9	-50.0	-192.9	196.3
9.9	-29.40		44	278.4	95.2	-141.7	363.7
-226.2	-26.59		18	236.4	-110.3	-209.1	352.4
-409.3	-32.88		71	-129.2	-192.1	-236.2	97.1
-181.6	-52.33		86	-58.9	32.2	-155.5	166.7
-1032.9	-25.51		Min Cent	-27.9	-852.0	-437.6	162.0
-923.0	-17.89		44	112.9	-815.1	-341.3	220.8
-976.2	-26.01		18	78.8	-768.4	-486.1	256.9
-1183.5	-41.03		71	-235.9	-889.8	-537.8	67.7
-1114.7	-24.06		86	-237.5	-939.9	-391.6	-62.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.1	-2.71	Max Cent	0.1	-0.0	0.0	0.1
-0.0	-89.08	44	-0.0	0.1	-0.0	0.1
0.2	88.68	18	0.3	0.4	0.0	0.4
-0.1	-2.79	71	0.1	-0.1	0.0	0.1
0.0	-25.80	86	0.1	0.0	0.0	0.1
-0.2	-48.10	Min Cent	-0.2	-0.2	-0.0	-0.1
-0.2	-26.88	44	-0.1	-0.2	-0.1	-0.0
-0.3	-86.23	18	-0.3	0.0	-0.1	0.1
-0.7	-8.48	71	-0.5	-0.7	-0.1	-0.5
-0.3	-6.94	86	0.0	-0.2	-0.1	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
Max	Cent	0.8	1.1
	44	0.7	0.4
	18	0.7	2.1
	71	0.9	2.1
	86	0.9	0.4
Min	Cent	-0.5	0.3
	44	-0.7	-0.1
	18	-0.7	0.2
	71	-0.3	0.2
	86	-0.3	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
		INVSLV	Max	Cent	17.0	-292.0	-95.6	51.0
-319.9	-16.78		44		71.4	-294.7	-90.9	102.6
-316.5	-14.35		18		100.0	-249.1	-120.8	167.2
-289.8	-20.55		71		-19.2	-278.3	-98.0	14.8
-311.3	-18.43		86		-37.1	-327.0	-69.6	-20.6
-349.0	-12.94		Min	Cent	5.6	-385.4	-135.4	41.0
-427.0	-16.63		44		51.6	-419.8	-132.5	76.3
-453.9	-13.62		18		68.8	-312.5	-179.8	109.7
-379.9	-18.61		71		-58.5	-362.0	-140.7	-4.4
-416.9	-21.64		86		-86.5	-466.1	-91.8	-66.2
-481.8	-12.81							

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
		Max	Cent	0.0	0.1	0.0	0.1
-0.0	86.73	44		0.0	0.1	0.0	0.1
-0.0	89.20	18		0.0	0.2	0.0	0.2
0.0	87.22	71		0.1	0.1	0.0	0.1
0.0	-44.23	86		0.0	0.1	-0.0	0.1
0.0	-85.34	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-59.76	44		-0.0	0.0	-0.0	0.0
-0.0	-57.09	18		-0.1	-0.1	-0.0	0.0
-0.1	-54.54	71		-0.1	-0.1	-0.0	-0.1
-0.1	88.90	86		-0.0	-0.1	-0.0	-0.0
-0.1	-16.29						

NODE	Vxx	Vyy
------	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Max	Cent	0.2	0.3
	44	0.2	0.2
	18	0.2	0.5
	71	0.2	0.5
	86	0.2	0.2
Min	Cent	-0.1	-0.0
	44	-0.2	0.1
	18	-0.2	-0.2
	71	-0.1	-0.2
	86	-0.1	0.1

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax		
Fmin		ANGLE								
28	2	8	Q1-1-2	Max	Cent	32.3	13.9	124.4	147.9	
-101.7		42.88			42	112.1	24.2	151.3	225.7	
-89.4		36.90			45	109.3	12.4	103.7	175.3	
-53.7		32.48			87	0.6	7.3	98.4	102.4	
-94.5		45.98			85	0.8	16.3	147.2	156.0	
-138.9		46.51		Min	Cent	-19.1	-555.4	-41.1	-16.0	
-558.5		-4.36			42	-0.6	-446.0	-6.3	-0.5	
-446.1		-0.82			45	-32.5	-631.0	-12.5	-32.2	
-631.3		-1.19			87	-92.8	-665.4	-79.1	-82.1	
-676.1		-7.72			85	-47.6	-480.2	-70.1	-36.5	
-491.3		-8.98								
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax		
				Max	Cent	0.0	0.0	0.0	0.0	
0.0		45.72			42	0.1	0.2	0.0	0.2	
0.0		82.28			45	0.0	0.0	0.0	0.1	
-0.0		62.71			87	0.0	0.0	0.0	0.1	
-0.0		41.53			85	0.0	0.0	0.0	0.1	
0.0		51.10		Min	Cent	-0.0	-0.1	-0.0	-0.0	
-0.1		-17.21			42	-0.0	-0.0	-0.0	-0.0	
-0.0		-35.01			45	-0.0	-0.1	-0.0	-0.0	
-0.1		-7.13			87	-0.0	-0.1	-0.0	0.0	
-0.1		-15.46			85	-0.1	-0.3	-0.0	-0.1	
-0.3		-3.64								
				NODE	Vxx	Vyy				
				Max	Cent	0.1	0.4			
					42	0.1	0.9			

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	45	0.1	0.1
	87	0.2	0.1
	85	0.2	0.9
Min	Cent	-0.1	-0.0
	42	-0.1	-0.1
	45	-0.1	-0.1
	87	-0.2	-0.1
	85	-0.2	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-63.0	42.78	Q2a-1-2	Max Cent	19.0	7.3	76.0	89.3
-54.9	36.82		42	66.0	12.8	90.5	133.7
-31.3	32.12		45	67.3	7.5	61.9	106.1
-59.7	45.84		87	0.3	3.9	61.8	63.9
-87.7	46.10		85	0.3	7.3	91.5	95.4
-350.2	-5.18		Min Cent	-14.1	-347.4	-30.4	-11.4
-274.2	-0.96		42	-0.4	-274.1	-4.6	-0.3
-401.6	-1.40		45	-24.0	-401.4	-9.2	-23.8
-430.2	-9.01		87	-61.5	-420.9	-58.5	-52.2
-303.5	-10.78		85	-31.3	-293.6	-51.9	-21.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
0.0	45.70	Max Cent	0.0	0.0	0.0	0.0	
0.0	82.19		42	0.0	0.1	0.0	0.1
-0.0	62.24		45	0.0	0.0	0.0	0.0
-0.0	39.81		87	0.0	0.0	0.0	0.0
0.0	50.44		85	0.0	0.0	0.0	0.0
-0.0	-17.42	Min Cent	-0.0	-0.0	-0.0	-0.0	
-0.0	-38.81		42	-0.0	-0.0	-0.0	-0.0
-0.1	-7.08		45	-0.0	-0.1	-0.0	-0.0
-0.0	-16.45		87	-0.0	-0.0	-0.0	0.0
-0.2	-4.11		85	-0.1	-0.2	-0.0	-0.1

NODE	Vxx	Vyy
Max Cent	0.1	0.3
42	0.0	0.6
45	0.0	0.1
87	0.1	0.1



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Min	85	0.1	0.6
Cent	42	-0.1	-0.0
	45	-0.0	-0.1
	87	-0.1	-0.1
	85	-0.1	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-3.0	-77.21	SLVx (RS)	Cent	-1.8	21.2	-5.5	22.4
-8.6	-73.25		42	-6.2	17.2	-7.8	19.5
-5.5	-79.21		45	-4.5	23.2	-5.5	24.2
2.3	-81.95		87	2.8	25.1	-3.2	25.6
-0.5	-74.36		85	1.0	19.2	-5.5	20.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-57.02	Cent	0.0	0.0	-0.0	0.0
0.0	-76.00	42	0.0	0.0	-0.0	0.0
-0.0	-73.34	45	-0.0	0.0	-0.0	0.0
-0.0	-60.15	87	-0.0	0.0	-0.0	0.0
0.0	-50.64	85	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
42	0.0	0.0
45	0.0	-0.0
87	0.0	-0.0
85	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-37.3	20.71	SLVy (RS)	Cent	-2.3	-32.3	13.2	2.7
-32.9	22.20		42	13.4	-25.2	18.9	21.1
-33.1	12.19		45	11.5	-31.1	9.6	13.6
-41.9	17.47		87	-17.8	-39.5	7.6	-15.4
-43.7	31.16		85	-15.9	-33.6	16.8	-5.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-79.26	Cent	-0.0	0.0	-0.0	0.0
-0.1	-85.13	42	-0.1	0.1	-0.0	0.1
-0.0	-77.59	45	-0.0	0.0	-0.0	0.0
0.0	-82.64	87	0.0	0.1	-0.0	0.1
-0.1	-66.85	85	-0.1	-0.1	-0.0	-0.1

NODE	Vxx	Vyy
Cent	-0.2	0.2
42	-0.2	0.4
45	-0.2	-0.0
87	-0.1	-0.0
85	-0.1	0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.5	-77.21	SLDx (RS)	Cent	-0.9	10.6	-2.7	11.2
-4.3	-73.25		42	-3.1	8.6	-3.9	9.8
-2.7	-79.21		45	-2.2	11.6	-2.7	12.1
1.2	-81.95		87	1.4	12.6	-1.6	12.8
-0.3	-74.36		85	0.5	9.6	-2.8	10.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-57.01	Cent	0.0	0.0	-0.0	0.0
0.0	-75.99	42	0.0	0.0	-0.0	0.0
-0.0	-73.33	45	-0.0	0.0	-0.0	0.0
-0.0	-60.15	87	-0.0	0.0	-0.0	0.0
0.0	-50.62	85	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
42	0.0	0.0
45	0.0	-0.0
87	0.0	-0.0
85	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-18.6	20.70	SLDy (RS)	Cent	-1.2	-16.1	6.6	1.3
			42	6.7	-12.6	9.4	10.5

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-16.4	22.20		45	5.8	-15.5	4.8	6.8
-16.6	12.19		87	-8.9	-19.7	3.8	-7.7
-20.9	17.47		85	-8.0	-16.8	8.4	-2.9
-21.8	31.16						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
------	-------	--	------	-----	-----	-----	------

-----							
			Cent	-0.0	0.0	-0.0	0.0
-0.0	-79.26		42	-0.0	0.1	-0.0	0.1
-0.0	-85.13		45	-0.0	0.0	-0.0	0.0
-0.0	-77.59		87	0.0	0.0	-0.0	0.0
0.0	-82.63		85	-0.0	-0.0	-0.0	-0.0
-0.0	-66.86						

	NODE	Vxx	Vyy
--	------	-----	-----

Cent	-0.1	0.1
42	-0.1	0.2
45	-0.1	-0.0
87	-0.1	-0.0
85	-0.1	0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

-----							
		SLVz (RS)	Cent	-0.8	9.4	-2.4	9.9
-1.3	-77.34		42	-2.7	7.6	-3.4	8.6
-3.8	-73.34		45	-1.9	10.3	-2.4	10.8
-2.4	-79.26		87	1.2	11.2	-1.4	11.4
1.0	-82.13		85	0.4	8.5	-2.4	9.1
-0.2	-74.62						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
------	-------	--	------	-----	-----	-----	------

-----							
			Cent	0.0	-0.0	-0.0	0.0
-0.0	-23.84		42	0.0	-0.0	-0.0	0.0
-0.0	-10.78		45	-0.0	-0.0	-0.0	0.0
-0.0	-20.64		87	-0.0	0.0	-0.0	0.0
-0.0	-66.43		85	0.0	0.0	-0.0	0.0
0.0	-39.07						

	NODE	Vxx	Vyy
--	------	-----	-----

Cent	0.0	-0.0
42	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

45 0.0 -0.0  
 87 0.0 -0.0  
 85 0.0 -0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-278.1	12.00	g1	Cent	20.1	-264.6	63.4	33.5
-244.9	15.71		42	73.1	-219.8	89.4	98.3
-296.5	10.05		45	53.4	-285.5	62.0	64.4
-314.4	7.56		87	-33.0	-309.4	37.4	-28.0
-260.7	14.67		85	-13.3	-243.7	64.8	3.7
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	66.04		Cent	-0.0	0.0	0.0	0.0
-0.0	81.06		42	-0.0	0.0	0.0	0.0
-0.0	73.44		45	0.0	0.0	0.0	0.0
-0.0	39.76		87	0.0	-0.0	0.0	0.0
-0.0	26.79		85	-0.0	-0.0	0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	0.1		
			42	-0.0	0.1		
			45	-0.0	0.1		
			87	-0.0	0.1		
			85	-0.0	0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-141.6	11.39	g2	Cent	10.8	-135.4	30.7	17.0
-126.9	14.65		42	35.0	-115.8	42.3	46.1
-148.9	9.58		45	26.6	-143.9	29.6	31.6
-157.6	7.56		87	-13.4	-155.1	19.1	-10.9
-134.8	13.78		85	-5.0	-127.0	31.8	2.8
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	80.61		Cent	-0.0	0.0	0.0	0.0
			42	-0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	83.54		45	0.0	0.0	0.0	0.0
0.0	80.41		87	0.0	-0.0	0.0	0.0
-0.0	35.83		85	-0.0	0.0	0.0	0.0
-0.0	84.15						

NODE	Vxx	Vyy
Cent	-0.0	0.0
42	-0.0	0.0
45	-0.0	0.0
87	-0.0	0.0
85	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-5.6	11.11	q3	Cent	0.4	-5.4	1.2	0.6
-4.7	16.17		42	1.5	-4.2	1.8	2.1
-6.4	10.01		45	0.9	-6.2	1.3	1.2
-6.6	5.36		87	-0.7	-6.6	0.6	-0.7
-4.9	12.77		85	-0.1	-4.7	1.1	0.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	67.50	Cent	0.0	0.0	0.0	0.0
-0.0	82.59	42	-0.0	0.0	0.0	0.0
-0.0	74.97	45	0.0	0.0	0.0	0.0
-0.0	43.07	87	0.0	0.0	0.0	0.0
-0.0	23.13	85	0.0	-0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
42	-0.0	0.0
45	-0.0	0.0
87	0.0	0.0
85	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-6.0	65.27	q5_pc	Cent	-3.7	4.8	5.0	7.1
-0.9	52.23		42	6.1	10.8	9.0	17.8
0.6	44.43		45	4.1	3.9	3.4	7.5

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-13.7	85.60		87	-13.6	-1.2	1.0	-1.1
-13.8	71.37		85	-11.6	5.7	6.6	7.9
-----							
-0.1	-86.17		Cent	-0.1	0.0	-0.0	0.0
-0.2	-86.96		42	-0.2	0.0	-0.0	0.0
-0.0	-84.10		45	-0.0	0.0	-0.0	0.0
0.0	87.12		87	0.0	0.1	0.0	0.1
-0.2	-85.58		85	-0.2	-0.1	-0.0	-0.1
-----							
			NODE	Vxx	Vyy		
			Cent	-0.4	0.1		
			42	-0.4	0.3		
			45	-0.4	-0.0		
			87	-0.3	-0.0		
			85	-0.3	0.3		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-7.0	51.04	q5_ps	Cent	-2.9	-0.6	5.2	3.5
-3.5	42.03		42	6.0	4.2	8.6	13.8
-2.5	26.27		45	4.5	-0.8	3.5	6.2
-12.2	75.75		87	-11.7	-5.5	1.7	-5.1
-13.7	62.76		85	-10.2	-0.5	6.8	3.0
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	-86.62		Cent	-0.1	0.0	-0.0	0.0
-0.2	-87.05		42	-0.2	0.0	-0.0	0.0
-0.0	-84.84		45	-0.0	0.0	-0.0	0.0
0.0	86.27		87	0.0	0.1	0.0	0.1
-0.2	-86.04		85	-0.2	-0.1	-0.0	-0.1
-----							
			NODE	Vxx	Vyy		
			Cent	-0.4	0.1		
			42	-0.4	0.2		
			45	-0.4	-0.0		
			87	-0.3	-0.0		
			85	-0.3	0.2		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-271.5	42.90	INVSLU	Max Cent	69.1	5.3	387.6	422.5
-295.2	33.43		42	251.4	-92.3	402.2	516.9
39.8	37.45		45	340.3	200.7	258.5	538.2
-272.9	50.60		87	-32.2	114.9	374.0	415.9
-571.4	44.05		85	-128.8	-188.9	519.4	348.2
-801.9	11.73		Min Cent	-7.1	-771.9	155.1	27.0
-781.0	11.27		42	84.8	-746.5	170.5	122.6
-686.0	6.58		45	141.5	-675.0	95.4	152.5
-828.3	11.85		87	-187.9	-800.1	132.6	-159.7
-932.0	17.63		85	-219.6	-869.4	214.2	-147.8
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	8.07		Max Cent	0.1	-0.0	0.0	0.1
0.2	86.56		42	0.3	0.4	0.0	0.4
-0.0	56.62		45	-0.0	0.0	0.1	0.1
-0.0	21.62		87	0.1	-0.0	0.0	0.1
-0.1	6.19		85	0.1	-0.1	0.0	0.1
-0.2	-40.67		Min Cent	-0.2	-0.2	-0.0	-0.1
-0.3	-89.62		42	-0.3	0.0	-0.0	0.1
-0.2	-0.87		45	-0.0	-0.2	-0.0	-0.0
-0.3	-4.46		87	0.0	-0.3	-0.0	0.0
-0.7	-7.73		85	-0.5	-0.7	-0.0	-0.5
			NODE	Vxx	Vyy		
			Max Cent	0.4	1.1		
			42	0.6	2.1		
			45	0.6	0.4		
			87	0.3	0.4		
			85	0.3	2.1		
			Min Cent	-0.9	0.2		
			42	-0.8	0.2		
			45	-0.8	-0.0		
			87	-1.0	0.0		
			85	-1.0	0.2		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-282.2	14.43	INVSLV	Max Cent	23.9	-264.3	105.0	47.8	
-263.2	17.04		42	102.7	-237.5	137.2	144.7	
-277.6	11.07		45	89.2	-265.2	88.8	106.6	
-302.0	11.27		87	-26.0	-291.0	73.0	-15.0	
-288.8	16.93		85	-17.7	-263.4	121.3	8.1	
-375.2	14.27	Min	Cent	17.7	-347.3	73.9	39.7	
-344.8	15.52		42	70.6	-302.8	92.7	96.3	
-364.8	10.79		45	62.3	-347.4	64.8	74.7	
-407.4	11.99		87	-64.0	-391.9	55.0	-48.5	
-390.4	19.84		85	-50.5	-347.1	83.0	-7.6	
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
-0.0	-86.02	Max	Cent	0.0	0.1	0.0	0.1	
0.0	-87.98		42	0.0	0.2	0.0	0.2	
0.0	-88.69		45	0.0	0.1	0.0	0.1	
0.0	89.23		87	0.0	0.1	0.0	0.1	
0.0	40.45		85	0.1	0.1	0.0	0.1	
-0.0	53.47	Min	Cent	-0.0	-0.0	-0.0	0.0	
-0.1	51.81		42	-0.1	-0.1	-0.0	0.0	
-0.0	47.42		45	-0.0	0.0	-0.0	0.0	
-0.1	12.61		87	-0.0	-0.1	0.0	-0.0	
-0.1	-81.84		85	-0.1	-0.1	-0.0	-0.1	
			NODE	Vxx	Vyy			
		Max	Cent	0.1	0.3			
			42	0.1	0.5			
			45	0.1	0.2			
			87	0.1	0.2			
			85	0.1	0.5			
		Min	Cent	-0.2	-0.0			
			42	-0.2	-0.3			
			45	-0.2	0.1			
			87	-0.2	0.1			
			85	-0.2	-0.3			
ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
	Fmin	ANGLE						



MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax		
29	2	8	Q1-1-2	Max	Cent	85.3	10.4	21.4	91.0
4.8		14.86			58	208.1	5.1	48.4	219.0
-5.9		12.75			59	137.9	19.5	21.0	141.5
15.9		9.77			18	6.2	16.7	9.0	21.9
1.0		60.05			44	33.5	4.1	26.1	48.7
-11.2		30.32		Min	Cent	-0.3	-773.2	-64.6	5.0
-778.6		-4.75			58	-1.0	-645.0	-3.0	-1.0
-645.0		-0.27			59	-0.6	-861.2	-46.3	1.9
-863.6		-3.07			18	-49.6	-903.8	-140.4	-27.2
-926.3		-9.10			44	-3.8	-689.4	-85.6	6.7
-699.9		-7.01							
Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax		
0.0		79.10		Max	Cent	0.0	0.1	0.0	0.1
0.0		82.40			58	0.0	0.2	0.0	0.2
0.1		81.56			59	0.1	0.3	0.0	0.3
0.0		84.50			18	0.0	0.1	0.0	0.1
0.0		86.70			44	0.0	0.1	0.0	0.1
-0.0		-33.94		Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0		-73.36			58	-0.0	-0.0	-0.0	-0.0
-0.0		-23.94			59	-0.0	-0.0	-0.0	0.0
-0.2		-8.31			18	-0.1	-0.2	-0.0	-0.1
-0.0		-44.18			44	-0.0	-0.0	-0.0	0.0
Fmin		ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
				Max	Cent	0.0	0.5		
					58	0.0	0.3		
					59	0.0	0.9		
					18	0.0	0.9		
					44	0.0	0.2		
				Min	Cent	-0.2	-0.0		
					58	-0.3	-0.1		
					59	-0.3	-0.1		
					18	-0.1	-0.1		
					44	-0.1	-0.1		

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		Q2a-1-2	Max	Cent	52.2	4.9	15.5	56.8
0.2	16.62			58	126.2	2.6	33.6	134.8
-6.0	14.27			59	84.6	8.7	15.4	87.6
5.7	11.05			18	3.3	7.6	6.2	12.0
-1.1	54.54			44	20.0	2.2	18.5	31.7
-9.4	32.17		Min	Cent	-0.2	-462.5	-39.6	3.1
-465.8	-4.86			58	-0.6	-388.3	-2.1	-0.6
-388.4	-0.32			59	-0.4	-512.4	-29.0	1.3
-514.1	-3.23			18	-30.6	-538.3	-85.3	-16.7
-552.3	-9.29			44	-2.2	-415.3	-51.8	4.2
-421.7	-7.03							
Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
-----								
			Max	Cent	0.0	0.1	0.0	0.1
0.0	78.37			58	0.0	0.1	0.0	0.1
0.0	82.37			59	0.1	0.2	0.0	0.2
0.1	82.13			18	0.0	0.0	0.0	0.0
0.0	82.80			44	0.0	0.1	0.0	0.1
0.0	85.77		Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-30.94			58	-0.0	-0.0	-0.0	-0.0
-0.0	-72.61			59	-0.0	-0.0	-0.0	0.0
-0.0	-26.65			18	-0.0	-0.1	-0.0	-0.0
-0.1	-8.29			44	-0.0	-0.0	-0.0	0.0
-0.0	-45.45							
				NODE	Vxx	Vyy		
			Max	Cent	0.0	0.3		
				58	0.0	0.2		
				59	0.0	0.6		
				18	0.0	0.6		
				44	0.0	0.1		
			Min	Cent	-0.1	-0.0		
				58	-0.2	-0.0		
				59	-0.2	-0.1		
				18	-0.0	-0.1		
				44	-0.0	-0.0		
Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
-----								
			SLVx (RS)	Cent	6.4	-49.9	-4.4	6.7
-50.2	-4.48							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-73.5	-13.31	58	-10.4	-69.9	-14.9	-6.9
9.7	-60.45	59	19.6	40.5	-17.4	50.3
7.5	75.80	18	9.8	43.1	9.0	45.3
-76.4	8.43	44	-9.2	-74.9	10.0	-7.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

-0.0	-6.24	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-9.79	58	-0.0	-0.0	-0.0	-0.0
-0.0	-88.21	59	-0.0	0.0	-0.0	0.0
-0.0	19.36	18	0.0	-0.0	0.0	0.0
0.0	79.60	44	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
------	-----	-----

Cent	0.0	-0.0
58	0.0	-0.0
59	0.0	0.0
18	-0.0	0.0
44	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

-83.9	-9.31	SLVy (RS)	Cent	1.0	-81.6	-13.9	3.3
-47.8	1.10		58	18.5	-47.8	1.3	18.5
-113.0	-1.98		59	-1.1	-112.9	-3.9	-1.0
-123.5	-15.22		18	-16.6	-115.6	-29.1	-8.7
-59.6	-20.95		44	3.0	-50.4	-24.0	12.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

-0.0	72.15	Cent	-0.0	0.1	0.0	0.1
-0.0	71.96	58	-0.0	0.1	0.0	0.1
0.1	73.15	59	0.1	0.2	0.0	0.2
-0.1	75.74	18	-0.1	-0.0	0.0	-0.0
0.0	74.75	44	0.0	0.1	0.0	0.1

NODE	Vxx	Vyy
------	-----	-----

Cent	0.0	0.2
------	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

58	-0.2	0.0
59	-0.2	0.4
18	0.2	0.4
44	0.2	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-25.1	-4.48	SLDx (RS)	Cent	3.2	-24.9	-2.2	3.4
-36.7	-13.32		58	-5.2	-34.9	-7.4	-3.5
4.9	-60.46		59	9.8	20.2	-8.7	25.1
3.8	75.80		18	4.9	21.5	4.5	22.7
-38.2	8.44		44	-4.6	-37.4	5.0	-3.9

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	-6.23		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-9.79		58	-0.0	-0.0	-0.0	-0.0
-0.0	-88.21		59	-0.0	0.0	-0.0	0.0
-0.0	19.36		18	0.0	-0.0	0.0	0.0
0.0	79.60		44	0.0	0.0	0.0	0.0

	NODE	Vxx	Vyy
-----			
	Cent	0.0	-0.0
	58	0.0	-0.0
	59	0.0	0.0
	18	-0.0	0.0
	44	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-41.9	-9.31	SLDy (RS)	Cent	0.5	-40.8	-7.0	1.6
-23.9	1.10		58	9.2	-23.9	0.6	9.3
-56.5	-1.98		59	-0.6	-56.4	-1.9	-0.5
-61.7	-15.22		18	-8.3	-57.7	-14.5	-4.4
-29.8	-20.95		44	1.5	-25.2	-12.0	6.1

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	72.16		Cent	-0.0	0.0	0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	71.96	58	-0.0	0.1	0.0	0.1
0.0	73.15	59	0.0	0.1	0.0	0.1
-0.0	75.75	18	-0.0	-0.0	0.0	-0.0
0.0	74.75	44	0.0	0.1	0.0	0.1

NODE	Vxx	Vyy
Cent	0.0	0.1
58	-0.1	0.0
59	-0.1	0.2
18	0.1	0.2
44	0.1	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.0	86.33	SLVz (RS)	Cent	-1.9	15.6	1.1	15.7
-5.2	80.58		58	-4.6	16.8	3.6	17.4
-5.2	80.18		59	-4.5	17.4	3.9	18.1
-2.9	81.48		18	-2.4	18.2	3.2	18.7
2.0	-80.54		44	2.4	18.0	-2.7	18.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-9.38	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-5.08	58	0.0	-0.0	-0.0	0.0
-0.0	-35.98	59	-0.0	-0.0	-0.0	-0.0
-0.0	15.03	18	0.0	-0.0	0.0	0.0
-0.0	12.98	44	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
58	0.0	-0.0
59	0.0	-0.0
18	-0.0	-0.0
44	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-449.0	-2.91	g1	Cent	53.8	-447.7	-25.6	55.1
-376.7	1.49		58	124.5	-376.3	13.1	124.9
			59	90.3	-490.3	-21.1	91.1

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-491.1	-2.07		18	-16.9	-519.1	-64.3	-8.8
-527.2	-7.18		44	17.3	-405.1	-30.1	19.5
-407.2	-4.06						
-----							
0.0	88.06		Cent	0.0	0.1	0.0	0.1
-0.0	85.32		58	-0.0	0.1	0.0	0.1
0.1	81.76		59	0.1	0.1	0.0	0.1
-0.0	-77.27		18	-0.0	0.0	-0.0	0.0
0.0	-85.22		44	0.0	0.1	-0.0	0.1
-----							
			NODE	Vxx	Vyy		
			Cent	-0.1	0.2		
			58	-0.2	0.2		
			59	-0.2	0.2		
			18	-0.0	0.1		
			44	-0.0	0.2		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-224.8	-2.70	g2	Cent	26.9	-224.2	-11.9	27.5
-192.3	1.32		58	60.1	-192.1	5.8	60.2
-242.9	-2.09		59	45.0	-242.5	-10.5	45.4
-259.8	-6.64		18	-6.2	-256.3	-29.5	-2.8
-206.8	-3.51		44	8.9	-206.0	-13.2	9.7
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	-89.94		Cent	0.0	0.0	-0.0	0.0
0.0	86.31		58	0.0	0.1	0.0	0.1
0.0	85.91		59	0.0	0.0	0.0	0.0
-0.0	-81.93		18	-0.0	0.0	-0.0	0.0
-0.0	-85.09		44	-0.0	0.0	-0.0	0.0
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	0.1		
			58	-0.1	0.1		
			59	-0.1	0.0		
			18	0.0	0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE						
-37.1	-6.12	q3	Cent	5.4	-36.6	-4.6	5.9
-76.2	-13.41		58	-1.1	-71.9	-17.9	3.2
-9.8	-33.38		59	21.7	3.8	-20.8	35.4
-5.7	26.49		18	11.9	-1.4	8.8	16.3
-79.1	9.67		44	-10.8	-77.1	11.6	-8.9
			NODE	Mxx	Myy	Mxy	Mmax
Mmin	ANGLE						
-0.0	-81.07		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-16.60		58	-0.0	-0.0	-0.0	-0.0
-0.0	88.30		59	-0.0	-0.0	0.0	-0.0
-0.0	33.23		18	0.0	-0.0	0.0	0.0
-0.0	-23.43		44	0.0	-0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			58	0.0	-0.0		
			59	0.0	0.0		
			18	-0.0	0.0		
			44	-0.0	-0.0		
		LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE						
-21.7	-17.99	q5_pc	Cent	-0.5	-19.4	-6.9	1.8
-2.8	3.16		58	8.7	-2.8	0.6	8.7
-34.5	-3.77		59	-0.8	-34.4	-2.2	-0.7
-42.4	-23.70		18	-9.6	-36.1	-14.4	-3.3
-14.1	-39.63		44	-0.1	-4.5	-11.6	9.5
			NODE	Mxx	Myy	Mxy	Mmax
Mmin	ANGLE						
-0.1	76.03		Cent	-0.1	0.1	0.0	0.1
-0.0	70.26		58	-0.0	0.1	0.0	0.1
			59	-0.0	0.1	0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	79.19		18	-0.2	-0.1	0.0	-0.1
-0.2	85.88		44	0.0	0.1	0.0	0.1
0.0	72.15						

NODE	Vxx	Vyy
Cent	0.2	0.1
58	0.1	0.0
59	0.1	0.2
18	0.4	0.2
44	0.4	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-25.3	-14.18	q5_ps	Cent	-0.0	-23.7	-6.4	1.6
-7.7	2.90		58	8.6	-7.7	0.8	8.6
-38.3	-2.75		59	-0.6	-38.2	-1.8	-0.5
-44.8	-20.60		18	-8.6	-39.7	-13.6	-3.5
-16.3	-33.08		44	0.5	-9.2	-11.0	7.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.1	76.60	Cent	-0.1	0.0	0.0	0.1
-0.0	70.32	58	-0.0	0.1	0.0	0.1
-0.1	79.84	59	-0.0	0.1	0.0	0.1
-0.2	86.38	18	-0.2	-0.1	0.0	-0.1
0.0	71.83	44	0.0	0.1	0.0	0.1

NODE	Vxx	Vyy
Cent	0.3	0.1
58	0.1	0.0
59	0.1	0.2
18	0.4	0.2
44	0.4	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-536.7	-8.87	INVSLU Max	Cent	206.2	-518.1	-111.3	224.6
-306.9	2.70		58	578.9	-306.2	42.4	580.9
-666.3	-4.48		59	353.3	-658.4	-81.3	359.7
-809.1	-17.66		18	-80.0	-729.3	-233.6	-6.4



MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-416.3	-17.34		44	60.0	-375.2	-129.9	108.6
		Min	Cent	89.7	-1625.5	-239.8	118.9
-1658.4	-8.04		58	275.6	-1196.1	-51.1	276.9
-1196.5	-1.28		59	164.9	-1928.9	-180.8	179.1
-1943.6	-5.00		18	-184.7	-2058.3	-471.6	-72.7
-2170.3	-13.36		44	-3.0	-1327.8	-307.0	43.3
-1394.9	-11.58						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
		Max	Cent	0.2	0.3	0.1	0.3
0.1	79.53		58	0.0	0.5	0.1	0.6
0.0	80.83		59	0.4	0.8	0.1	0.8
0.4	81.37		18	0.3	0.0	-0.0	0.3
0.0	-7.42		44	0.1	0.3	0.0	0.3
0.0	82.21	Min	Cent	-0.1	0.0	-0.0	0.1
-0.1	-30.07		58	-0.1	0.1	-0.0	0.1
-0.1	-66.61		59	0.1	0.1	-0.0	0.2
0.1	-30.62		18	-0.4	-0.4	-0.1	-0.4
-0.4	-71.36		44	-0.0	-0.1	-0.1	0.0
-0.1	-32.41						

	NODE	Vxx	Vyy
Max	Cent	0.2	1.3
	58	-0.3	0.7
	59	-0.3	2.1
	18	0.7	2.1
	44	0.7	0.7
Min	Cent	-0.8	0.3
	58	-0.9	0.3
	59	-0.9	0.3
	18	-0.7	0.3
	44	-0.7	0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
		INVSLV	Max	Cent	76.8	-474.3	-32.4	81.2
-476.3	-4.43			58	199.9	-373.4	28.6	200.3
-374.8	1.39			59	143.2	-515.8	-18.9	147.5
-518.1	-4.43			18	-17.6	-554.5	-75.6	-6.8
-565.0	-7.89			44	28.0	-409.7	-29.6	39.8
-418.1	-8.92							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-682.3	-3.98	Min	Cent	62.3	-676.9	-63.6	65.0
-552.1	0.74		58	153.9	-552.1	-4.2	154.0
-778.0	-1.49		59	100.6	-776.3	-58.4	101.1
-847.6	-10.13		18	-58.2	-822.5	-141.0	-33.3
-605.4	-3.89		44	6.3	-600.7	-85.1	8.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
0.0	78.01	Max	Cent	0.0	0.2	0.0	0.2
0.0	78.67		58	0.0	0.3	0.1	0.3
0.2	74.51		59	0.2	0.3	0.0	0.3
0.1	-47.58		18	0.1	0.1	0.0	0.1
0.0	80.35		44	0.0	0.2	0.0	0.2
-0.0	-40.16	Min	Cent	0.0	0.0	-0.0	0.1
-0.0	-69.89		58	-0.0	0.1	-0.0	0.1
-0.0	-20.66		59	0.0	-0.0	-0.0	0.0
-0.1	85.29		18	-0.1	0.0	-0.0	0.0
-0.1	-29.60		44	-0.0	-0.1	-0.0	-0.0

NODE	Vxx	Vyy	
Max	Cent	-0.1	0.4
	58	-0.1	0.3
	59	-0.1	0.5
	18	0.2	0.5
	44	0.2	0.3
Min	Cent	-0.2	0.0
	58	-0.5	0.3
	59	-0.5	-0.2
	18	-0.2	-0.2
	44	-0.2	0.3

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin	ANGLE								
30	2	8	Q1-1-2	Max	Cent	70.4	13.6	20.0	76.7
7.3		17.54			59	87.6	21.2	9.9	89.0
19.8		8.35			151	223.7	8.7	6.1	223.9
8.5		1.64			152	81.5	6.0	51.3	107.4
-20.0		26.84			18	10.1	18.7	68.6	83.1
-54.4		46.79		Min	Cent	-8.2	-580.4	-432.3	224.1
-812.7		-28.25							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-1104.5	-25.05	59	-24.3	-868.5	-504.8	211.6
-687.3	-39.00	151	-1.0	-237.3	-555.8	449.1
-538.3	-33.96	152	-0.6	-294.4	-362.1	243.3
-1035.0	-19.02	18	-132.7	-927.7	-311.0	-25.5

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
		Max	Cent	0.1	0.1	0.0	0.1
0.0	66.34		59	0.1	0.3	0.0	0.3
0.1	85.19		151	0.1	0.1	0.0	0.1
0.0	68.12		152	0.0	0.1	0.0	0.1
0.0	55.38		18	0.1	0.1	0.0	0.1
0.0	32.26	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-49.16		59	-0.0	-0.0	-0.0	-0.0
-0.0	-52.07		151	-0.0	-0.0	-0.0	-0.0
-0.0	-33.08		152	-0.0	-0.0	-0.0	0.0
-0.0	-42.39		18	-0.1	-0.2	-0.0	-0.1
-0.2	-8.61						

	NODE	Vxx	Vyy
Max	Cent	0.1	0.5
	59	0.0	0.9
	151	0.0	0.1
	152	0.1	0.1
	18	0.1	0.9
Min	Cent	-0.1	-0.1
	59	-0.1	-0.1
	151	-0.1	-0.0
	152	-0.1	-0.0
	18	-0.1	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
1.1	18.41	Q2a-1-2	Max	Cent	45.3	6.0	14.7	50.2
				59	53.0	9.4	6.9	54.1
8.3	8.80			151	135.2	3.7	4.3	135.3
3.6	1.88			152	49.7	2.7	38.0	70.8
-18.5	29.12			18	4.9	8.4	50.6	57.3
-44.0	45.98		Min	Cent	-6.1	-347.8	-256.2	131.0
-484.8	-28.15			59	-15.5	-519.1	-297.0	122.1
-656.7	-24.86							

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-408.3	-38.84	151	-0.6	-144.0	-328.3	263.7
-323.5	-33.86	152	-0.4	-178.1	-216.8	145.1
-618.6	-19.02	18	-81.0	-554.8	-185.3	-17.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	63.61	Max Cent	0.0	0.1	0.0	0.1
0.0	85.35	59	0.0	0.2	0.0	0.2
0.0	66.60	151	0.0	0.1	0.0	0.1
0.0	53.43	152	0.0	0.0	0.0	0.0
0.0	21.51	18	0.0	0.0	0.0	0.0
-0.0	-47.32	Min Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-54.53	59	-0.0	-0.0	-0.0	-0.0
-0.0	-29.59	151	-0.0	-0.0	-0.0	-0.0
-0.0	-42.41	152	-0.0	-0.0	-0.0	0.0
-0.1	-7.58	18	-0.1	-0.1	-0.0	-0.1

NODE	Vxx	Vyy
Max Cent	0.0	0.3
59	0.0	0.6
151	0.0	0.1
152	0.1	0.1
18	0.1	0.6
Min Cent	-0.1	-0.0
59	-0.1	-0.1
151	-0.1	-0.0
152	-0.0	-0.0
18	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.6	48.50	SLVx (RS)	Cent	20.5	26.7	25.0	48.8
5.3	49.74		59	30.0	39.7	29.2	64.5
-5.2	36.88		151	36.1	18.1	30.9	59.3
-7.6	47.50		152	11.4	15.0	20.8	34.1
-2.2	64.61		18	8.0	43.3	21.6	53.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-27.17		59	0.0	0.0	0.0	0.0
0.0	3.59		151	0.0	0.0	-0.0	0.0
0.0	-76.87		152	0.0	0.0	-0.0	0.0
0.0	-67.67		18	0.0	-0.0	0.0	0.0
-0.0	8.15						

NODE	Vxx	Vyy
Cent	0.0	0.0
59	0.0	0.0
151	0.0	-0.0
152	0.0	0.0
18	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	-10.3	-72.8	-15.8	-6.6
-76.5	-13.40		59	-20.7	-116.7	-30.6	-11.8
-125.7	-16.25		151	7.1	-24.3	-32.7	27.7
-44.9	-32.21		152	-0.6	-28.9	4.4	0.1
-29.5	8.56		18	-27.7	-121.3	5.0	-27.5
-121.6	3.05						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	0.1	-0.0	0.1
-0.0	-81.58	59	0.0	0.2	-0.0	0.2
0.0	-82.91	151	0.0	0.1	-0.0	0.1
0.0	-75.15	152	0.1	0.1	-0.0	0.1
0.1	-83.25	18	-0.1	-0.0	0.0	-0.0
-0.1	86.65					

NODE	Vxx	Vyy
Cent	-0.2	0.2
59	-0.1	0.4
151	-0.1	-0.0
152	-0.3	0.0
18	-0.3	0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDx (RS)	Cent	10.3	13.3	12.5	24.4
-0.8	48.51		59	15.0	19.9	14.6	32.2
2.6	49.75						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-2.6	36.89		151	18.0	9.0	15.5	29.6
-3.8	47.51		152	5.7	7.5	10.4	17.0
-1.1	64.60		18	4.0	21.6	10.8	26.8
-----							
0.0	-27.11		Cent	0.0	0.0	-0.0	0.0
0.0	3.58		59	0.0	0.0	0.0	0.0
0.0	-76.85		151	0.0	0.0	-0.0	0.0
0.0	-67.64		152	0.0	0.0	-0.0	0.0
-0.0	8.16		18	0.0	-0.0	0.0	0.0
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	0.0		
			59	0.0	0.0		
			151	0.0	-0.0		
			152	0.0	0.0		
			18	0.0	0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-38.2	-13.41	SLDy (RS)	Cent	-5.2	-36.3	-7.9	-3.3
-62.8	-16.26		59	-10.3	-58.3	-15.3	-5.9
-22.4	-32.21		151	3.5	-12.1	-16.4	13.8
-14.7	8.61		152	-0.3	-14.4	2.2	0.0
-60.7	3.06		18	-13.8	-60.6	2.5	-13.7
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	-81.58		Cent	-0.0	0.1	-0.0	0.1
0.0	-82.89		59	0.0	0.1	-0.0	0.1
0.0	-75.14		151	0.0	0.1	-0.0	0.1
0.0	-83.24		152	0.0	0.1	-0.0	0.1
-0.1	86.66		18	-0.1	-0.0	0.0	-0.0
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	-0.1	0.1		
			59	-0.0	0.2		
			151	-0.0	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
			152	-0.2	0.0		
			18	-0.2	0.2		
		SLVz (RS)	Cent	-4.5	11.6	11.1	17.3
-10.1	62.97		59	-6.6	17.2	12.9	22.8
-12.3	66.28		151	-8.2	6.2	13.4	14.2
-16.2	59.03		152	-2.6	6.3	9.3	12.2
-8.5	57.81		18	2.8	18.1	9.1	22.4
-1.4	65.09						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	14.39		59	-0.0	-0.0	-0.0	-0.0
-0.0	-81.26		151	-0.0	-0.0	0.0	-0.0
-0.0	15.76		152	-0.0	-0.0	0.0	-0.0
-0.0	13.43		18	-0.0	-0.0	-0.0	-0.0
-0.0	-34.21						
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			59	-0.0	-0.0		
			151	-0.0	-0.0		
			152	0.0	-0.0		
			18	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g1	Cent	44.5	-320.0	-277.9	194.6
-470.1	-28.37		59	38.3	-482.4	-325.7	194.9
-639.0	-25.68		151	147.5	-118.6	-358.4	396.7
-367.9	-34.82		152	50.7	-157.5	-230.2	199.2
-306.0	-32.83		18	-58.5	-521.3	-197.4	14.3
-594.0	-20.23						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	0.0	0.1	-0.0	0.1
0.0	-89.15		59	-0.0	0.1	-0.0	0.1
-0.0	-89.82						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	87.48	151	0.0	0.1	0.0	0.1
0.0	-87.99	152	0.0	0.0	-0.0	0.0
-0.0	-81.78	18	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	-0.1	0.1
59	-0.1	0.1
151	-0.1	0.1
152	-0.0	0.1
18	-0.0	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-233.5	-28.34	g2	Cent	23.5	-158.8	-138.6	98.2
-316.0	-25.69		59	20.6	-238.1	-161.9	98.4
-183.5	-34.66		151	73.9	-60.4	-177.9	196.9
-153.4	-32.67		152	26.4	-79.5	-115.3	100.3
-294.0	-20.38		18	-26.9	-257.2	-99.2	9.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-82.60	Cent	-0.0	0.0	-0.0	0.0
-0.0	-86.08	59	-0.0	0.0	-0.0	0.0
0.0	-82.36	151	0.0	0.0	-0.0	0.0
0.0	-73.87	152	0.0	0.0	-0.0	0.0
-0.0	-81.84	18	-0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
59	-0.1	0.0
151	-0.1	0.0
152	-0.0	0.0
18	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
4.5	23.21	q3	Cent	25.3	8.3	8.9	29.1
2.3	17.95		59	37.2	6.0	11.3	40.8
19.2	4.13		151	41.1	19.3	1.6	41.3
			152	13.3	10.6	6.5	18.6



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
5.3	39.07	18	9.4	-2.7	16.2	20.6	
-14.0	34.81						
-----							
0.0	-3.87	Cent	0.0	0.0	-0.0	0.0	
0.0	1.97	59	0.0	0.0	0.0	0.0	
0.0	-63.10	151	0.0	0.0	-0.0	0.0	
0.0	-26.40	152	0.0	0.0	-0.0	0.0	
-0.0	13.94	18	0.0	0.0	0.0	0.0	
-----							
		NODE	Vxx	Vyy			
		Cent	0.0	0.0			
		59	0.0	0.0			
		151	0.0	0.0			
		152	0.0	0.0			
		18	0.0	0.0			
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-25.5	25.30	q5_pc	Cent	-5.2	-21.0	9.6	-0.7
-37.7	8.07		59	-8.4	-37.1	4.2	-7.8
-4.0	25.56		151	2.0	-2.6	2.8	3.3
-18.5	42.47		152	-2.1	-4.8	15.0	11.6
-47.0	25.26		18	-12.5	-39.3	16.3	-4.8
-----							
Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-0.1	-79.66	Cent	-0.1	0.1	-0.0	0.1	
-0.2	-80.94	59	-0.2	0.1	-0.0	0.1	
0.1	-66.19	151	0.1	0.2	-0.1	0.2	
0.1	-79.88	152	0.1	0.2	-0.0	0.2	
-0.3	88.75	18	-0.3	-0.1	0.0	-0.1	
-----							
		NODE	Vxx	Vyy			
		Cent	-0.6	0.1			
		59	-0.4	0.2			
		151	-0.4	-0.0			
		152	-0.8	-0.0			
		18	-0.8	0.3			

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-25.1	14.47	q5_ps	Cent	-4.8	-23.7	5.2	-3.5
-40.6	-0.83		59	-8.4	-40.6	-0.5	-8.3
-5.1	-12.41		151	2.4	-4.8	-1.7	2.8
-15.4	37.89		152	-1.3	-6.9	10.9	7.2
-46.9	19.17		18	-12.1	-42.7	12.1	-7.9
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	-79.57		Cent	-0.1	0.1	-0.0	0.1
-0.2	-80.81		59	-0.2	0.0	-0.0	0.1
0.1	-65.39		151	0.1	0.2	-0.1	0.2
0.1	-79.38		152	0.1	0.2	-0.0	0.2
-0.3	88.90		18	-0.3	-0.1	0.0	-0.1
			NODE	Vxx	Vyy		
			Cent	-0.6	0.1		
			59	-0.4	0.2		
			151	-0.4	-0.0		
			152	-0.8	-0.0		
			18	-0.8	0.2		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-851.2	-31.25	INVSLU Max	Cent	160.3	-436.4	-621.2	814.8
-1015.8	-27.65		59	242.9	-622.6	-681.9	819.4
-667.2	-38.12		151	576.8	-140.5	-790.8	1489.5
-637.8	-36.65		152	118.9	-244.3	-530.3	838.0
-971.8	-26.23		18	-119.8	-716.2	-414.4	143.6
-2027.1	-31.68	Min	Cent	44.5	-1288.9	-1253.8	513.2
-2625.0	-27.88		59	73.2	-1911.1	-1395.4	558.6
-1711.5	-34.78		151	268.4	-496.6	-1554.6	998.8
-1491.1	-36.59		152	4.3	-669.7	-1115.4	478.3
-2487.6	-25.75		18	-342.7	-2087.0	-956.2	49.8
			NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE							
			Max	Cent	0.2	0.3	0.1	0.3
0.1	-84.75			59	0.3	0.6	0.1	0.6
0.3	-89.14			151	0.2	0.5	0.1	0.5
0.2	-79.61			152	0.2	0.4	0.0	0.4
0.2	-89.97			18	0.5	0.1	0.0	0.5
0.1	-1.23		Min	Cent	-0.1	-0.1	-0.1	0.0
-0.2	5.21			59	-0.3	0.1	-0.1	0.1
-0.3	76.14			151	-0.1	-0.2	-0.1	-0.0
-0.2	29.39			152	-0.2	-0.3	-0.0	-0.2
-0.3	5.10			18	-0.6	-0.4	-0.0	-0.4
-0.6	-84.23							
				NODE	Vxx	Vyy		
			Max	Cent	0.8	1.2		
				59	0.5	2.1		
				151	0.5	0.4		
				152	1.2	0.3		
				18	1.2	2.1		
			Min	Cent	-1.2	0.2		
				59	-1.1	0.2		
				151	-1.1	0.1		
				152	-1.3	0.1		
				18	-1.3	0.2		
		LC		NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE							
		INVSLV	Max	Cent	72.7	-334.9	-394.6	317.7
-583.7	-32.03			59	92.4	-498.0	-443.2	328.8
-737.7	-28.31			151	240.7	-114.3	-494.5	627.1
-469.3	-35.60			152	53.5	-171.3	-344.1	325.8
-430.3	-36.86			18	-73.7	-552.8	-289.0	81.2
-705.5	-26.13		Min	Cent	22.7	-503.5	-460.7	286.0
-762.9	-29.77			59	16.1	-765.6	-529.7	284.6
-1030.9	-26.65			151	159.4	-177.3	-586.6	562.5
-612.0	-36.73			152	28.7	-241.9	-393.8	287.8
-513.6	-34.53			18	-135.6	-832.3	-340.6	-13.6
-956.4	-21.03							
				NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		Max	Cent	0.0	0.2	0.0	0.2
0.0	-85.41		59	0.0	0.3	0.0	0.3
0.0	-86.92		151	0.1	0.3	0.0	0.3
0.1	-82.38		152	0.1	0.2	0.0	0.2
0.1	-85.94		18	0.1	0.1	0.0	0.1
0.1	-12.01	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	21.69		59	-0.1	-0.1	-0.0	-0.0
-0.1	51.30		151	0.0	-0.0	-0.0	0.0
-0.1	31.44		152	-0.1	-0.1	-0.0	-0.1
-0.1	13.26		18	-0.1	0.0	-0.0	0.0
-0.1	89.23						

-----		NODE	Vxx	Vyy
Max	Cent		0.1	0.3
	59		-0.1	0.5
	151		-0.1	0.1
	152		0.3	0.1
	18		0.3	0.5
Min	Cent		-0.3	-0.1
	59		-0.2	-0.2
	151		-0.2	0.1
	152		-0.4	0.1
	18		-0.4	-0.2

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----		ANGLE						
Fmin								
34	2	4	Q1-1-2	Max	Cent	599.7	0.3	327.8
-144.2		23.78			67	770.0	20.2	406.1
-157.6		23.64			466	794.5	74.3	230.2
7.0		16.30			470	429.3	1.0	250.9
-114.7		24.76			35	409.3	1.5	427.9
-268.6		32.26		Min	Cent	-11.3	-79.9	-52.9
-108.6		-28.52			67	-14.6	-67.4	-18.0
-72.9		-17.13			466	-14.8	-33.3	-100.1
-124.6		-42.35			470	-8.1	-106.4	-99.3
-168.0		-31.84			35	-7.9	-169.0	-16.2
-170.6		-5.70						
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----								
				Max	Cent	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	51.21		67	0.0	0.0	0.0	0.0
-0.0	59.03		466	0.0	0.0	0.0	0.0
0.0	56.30		470	0.0	0.0	0.0	0.0
-0.0	54.61		35	0.0	0.0	0.0	0.0
-0.0	53.39	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.1	-24.80		67	-0.0	-0.0	-0.0	0.0
-0.0	-41.26		466	-0.0	-0.0	-0.0	0.0
-0.0	-41.79		470	-0.0	-0.1	-0.0	-0.0
-0.1	-13.46		35	-0.0	-0.1	-0.0	-0.0
-0.1	-11.37						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.2
	67	0.0	0.2
	466	0.0	0.2
	470	0.0	0.2
	35	0.0	0.2
Min	Cent	-0.0	-0.0
	67	-0.0	-0.0
	466	-0.0	-0.0
	470	-0.0	-0.0
	35	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-89.2	24.03	Q2a-1-2	Max	Cent	360.7	0.2	200.6	450.1
-97.7	23.92			67	462.6	12.6	248.6	572.9
4.1	16.47			466	478.3	45.6	140.2	519.7
-70.5	24.94			470	258.8	0.7	153.1	330.0
-165.8	32.47			35	246.4	1.1	262.3	413.3
-76.1	-28.48		Min	Cent	-8.4	-56.2	-36.7	11.5
-51.9	-16.95			67	-10.8	-48.1	-12.5	-7.0
-87.3	-42.37			466	-11.0	-23.8	-69.7	52.6
-115.8	-32.20			470	-6.0	-72.2	-69.1	37.5
-111.6	-6.09			35	-5.9	-110.4	-11.3	-4.7
Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
-0.0	50.17		Max	Cent	0.0	0.0	0.0	0.0
				67	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	58.33		466	0.0	0.0	0.0	0.0
-0.0	55.60		470	0.0	0.0	0.0	0.0
-0.0	51.32		35	0.0	0.0	0.0	0.0
-0.0	50.63	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-24.18		67	-0.0	-0.0	-0.0	0.0
-0.0	-42.06		466	-0.0	-0.0	-0.0	0.0
-0.0	-41.85		470	-0.0	-0.1	-0.0	-0.0
-0.1	-12.90		35	-0.0	-0.1	-0.0	-0.0
-0.1	-10.67						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.1
	67	0.0	0.2
	466	0.0	0.1
	470	0.0	0.1
	35	0.0	0.2
Min	Cent	-0.0	-0.0
	67	-0.0	-0.0
	466	-0.0	-0.0
	470	-0.0	-0.0
	35	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-52.8	-67.71	SLVx (RS)	Cent	-44.0	-0.2	-21.6	8.7
-68.2	-67.28		67	-56.5	-1.9	-27.8	9.8
-61.4	-75.67		466	-57.8	-5.9	-14.2	-2.3
-37.4	-68.70		470	-31.4	2.1	-15.4	8.1
-46.3	-61.03		35	-30.2	6.1	-29.0	22.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-4.86	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-5.09	67	-0.0	-0.0	-0.0	-0.0
-0.0	-8.05	466	-0.0	-0.0	-0.0	-0.0
-0.0	-4.56	470	-0.0	-0.0	-0.0	-0.0
-0.0	2.87	35	-0.0	-0.0	0.0	-0.0

	NODE	Vxx	Vyy
	Cent	-0.0	0.0
	67	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

466 -0.0 -0.0  
 470 -0.0 -0.0  
 35 -0.0 0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-36.3	68.55	SLVy (RS)	Cent	-30.6	0.4	14.4	6.1
-36.1	67.89		67	-30.0	0.6	14.9	6.7
-35.4	68.99		466	-30.0	0.9	13.9	6.2
-36.6	69.23		470	-31.3	0.2	14.0	5.5
-37.2	68.35		35	-31.3	0.4	15.0	6.4
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	87.81		Cent	0.1	0.1	0.0	0.1
0.0	-86.57		67	0.0	0.1	-0.0	0.1
0.0	84.81		466	0.0	0.1	0.0	0.1
0.1	88.35		470	0.1	0.2	0.0	0.2
0.1	-89.32		35	0.1	0.2	-0.0	0.2
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.2		
			67	-0.0	-0.2		
			466	-0.0	-0.1		
			470	-0.0	-0.1		
			35	-0.0	-0.2		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-26.4	-67.70	SLDx (RS)	Cent	-22.0	-0.1	-10.8	4.3
-34.1	-67.27		67	-28.3	-0.9	-13.9	4.9
-30.7	-75.66		466	-28.9	-3.0	-7.1	-1.1
-18.7	-68.70		470	-15.7	1.0	-7.7	4.0
-23.1	-61.03		35	-15.1	3.1	-14.5	11.1
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-4.87		Cent	-0.0	-0.0	-0.0	-0.0
			67	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-5.10		466	-0.0	-0.0	-0.0	-0.0
-0.0	-8.07		470	-0.0	-0.0	-0.0	-0.0
-0.0	-4.56		35	-0.0	-0.0	0.0	-0.0
-0.0	2.87						

NODE	Vxx	Vyy
Cent	-0.0	0.0
67	-0.0	0.0
466	-0.0	-0.0
470	-0.0	-0.0
35	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-18.1	68.55	SLDy (RS)	Cent	-15.3	0.2	7.2	3.0
-18.0	67.89		67	-15.0	0.3	7.4	3.3
-17.7	68.99		466	-15.0	0.4	7.0	3.1
-18.3	69.22		470	-15.6	0.1	7.0	2.7
-18.6	68.35		35	-15.6	0.2	7.5	3.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	87.80	Cent	0.0	0.1	0.0	0.1
0.0	-86.55	67	0.0	0.1	-0.0	0.1
0.0	84.79	466	0.0	0.1	0.0	0.1
0.0	88.34	470	0.0	0.1	0.0	0.1
0.0	-89.32	35	0.0	0.1	-0.0	0.1

NODE	Vxx	Vyy
Cent	-0.0	-0.1
67	-0.0	-0.1
466	-0.0	-0.1
470	-0.0	-0.1
35	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-23.1	-67.68	SLVz (RS)	Cent	-19.2	0.1	-9.5	4.0
-30.0	-67.17		67	-24.8	-0.8	-12.3	4.3
-26.9	-75.58		466	-25.3	-2.6	-6.3	-1.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-16.3	-68.52	470	-13.7	0.9	-6.8	3.6
-20.3	-60.87	35	-13.1	2.7	-12.8	9.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----						
-0.0	4.28	Cent	-0.0	-0.0	0.0	-0.0
-0.0	6.82	67	-0.0	-0.0	0.0	-0.0
-0.0	8.82	466	-0.0	-0.0	0.0	-0.0
-0.0	3.30	470	-0.0	-0.0	0.0	-0.0
-0.0	1.93	35	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
-----		
Cent	0.0	-0.0
67	0.0	-0.0
466	0.0	-0.0
470	0.0	-0.0
35	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-80.1	20.16	g1	Cent	432.2	-11.1	188.1	501.3
-87.8	21.15		67	558.3	9.0	250.0	655.0
25.1	11.81		466	570.3	48.9	114.0	594.1
-73.1	18.40		470	306.1	-31.1	126.2	348.1
-207.9	27.58		35	294.2	-71.0	262.2	431.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----						
0.0	-78.27	Cent	0.0	0.0	-0.0	0.0
0.0	-85.52	67	0.0	0.0	-0.0	0.0
0.0	-82.64	466	0.0	0.0	-0.0	0.0
-0.0	-55.58	470	0.0	0.0	-0.0	0.0
-0.0	-60.84	35	-0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
-----		
Cent	-0.0	0.0
67	-0.0	0.0
466	-0.0	0.0
470	-0.0	0.0
35	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-39.5	19.94	g2	Cent	209.3	-6.8	90.3	242.1
-43.2	20.99		67	270.9	3.0	120.5	317.2
11.5	11.52		466	276.8	22.5	54.1	287.8
-36.2	18.08		470	147.7	-16.6	60.0	167.3
-101.8	27.44		35	141.9	-36.1	126.5	207.6
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	-89.09		Cent	0.0	0.0	-0.0	0.0
0.0	-83.29		67	0.0	0.0	-0.0	0.0
0.0	87.53		466	0.0	0.0	0.0	0.0
0.0	89.18		470	0.0	0.0	0.0	0.0
0.0	-88.49		35	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	-0.0		
			67	-0.0	-0.0		
			466	-0.0	-0.0		
			470	-0.0	-0.0		
			35	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-2.4	21.97	q3	Cent	11.7	-0.1	5.7	14.0
-2.6	22.18		67	13.9	0.1	6.7	16.6
-0.1	16.72		466	14.2	1.2	4.3	15.5
-2.1	21.66		470	9.5	-0.3	4.6	11.3
-4.8	26.64		35	9.2	-1.3	7.0	12.7
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	-83.50		Cent	0.0	0.0	-0.0	0.0
0.0	-87.74		67	0.0	0.0	-0.0	0.0
0.0	-85.34		466	0.0	0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-74.08	470	0.0	0.0	-0.0	0.0
0.0	-79.28	35	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
67	-0.0	0.0
466	-0.0	0.0
470	-0.0	0.0
35	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-28.5	-88.43	q5_pc	Cent	-28.4	0.3	-0.8	0.3
-30.4	-86.85		67	-30.3	0.3	-1.7	0.4
-30.7	89.09		466	-30.7	-1.0	0.5	-1.0
-26.5	89.76		470	-26.5	0.3	0.1	0.3
-26.3	-85.80		35	-26.1	1.6	-2.0	1.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.1	87.13	Cent	0.1	0.3	0.0	0.3
0.1	85.92	67	0.1	0.2	0.0	0.2
0.1	84.06	466	0.1	0.2	0.0	0.2
0.1	87.78	470	0.1	0.3	0.0	0.3
0.1	88.93	35	0.1	0.3	0.0	0.3

NODE	Vxx	Vyy
Cent	-0.0	-0.3
67	0.0	-0.3
466	0.0	-0.2
470	-0.0	-0.2
35	-0.0	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-24.3	88.89	q5_ps	Cent	-24.3	0.3	0.5	0.3
-25.6	-89.72		67	-25.6	0.3	-0.1	0.3
-26.0	86.94		466	-25.9	-0.7	1.4	-0.6
-23.1	87.34		470	-23.1	0.2	1.1	0.2
			35	-22.7	1.2	-0.4	1.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-22.8      -89.05

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	87.17		Cent	0.1	0.3	0.0	0.3
0.1	85.98		67	0.1	0.2	0.0	0.2
0.1	84.06		466	0.1	0.2	0.0	0.2
0.1	87.79		470	0.1	0.3	0.0	0.3
0.1	88.97		35	0.1	0.3	0.0	0.3

NODE	Vxx	Vyy
Cent	-0.0	-0.3
67	0.0	-0.3
466	0.0	-0.2
470	-0.0	-0.2
35	-0.0	-0.3

Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
-263.8	27.09	INVSLU	Max	Cent	1124.8	-28.6	799.6	1533.9
-281.0	26.54			67	1946.9	142.2	1201.0	2546.7
224.6	10.88			466	2002.5	290.2	342.5	2068.2
-264.5	29.65			470	302.7	-171.8	400.2	530.4
-1002.8	39.39			35	253.0	-244.1	1260.9	1288.5
-447.5	27.92		Min	Cent	241.7	-137.4	284.3	399.4
-466.3	28.56			67	826.9	23.5	625.6	1173.5
128.3	-5.55			466	848.5	143.0	-104.3	855.1
-411.9	-64.94			470	-343.5	-317.2	-72.8	-263.2
-1296.2	42.46			35	-365.2	-477.1	657.7	244.5

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	85.05	Max	Cent	0.1	0.4	0.0	0.4
0.1	83.07		67	0.1	0.3	0.0	0.3
0.1	81.50		466	0.1	0.3	0.0	0.3
0.2	86.40		470	0.2	0.4	0.0	0.4
0.2	87.56		35	0.2	0.5	0.0	0.5
		Min	Cent	-0.2	-0.5	-0.0	-0.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.5	-5.75	67	-0.1	-0.3	-0.0	-0.1
-0.3	-8.49	466	-0.1	-0.3	-0.0	-0.1
-0.3	-10.22	470	-0.2	-0.6	-0.0	-0.2
-0.6	-4.33	35	-0.2	-0.7	-0.0	-0.2
-0.7	-3.07					

	NODE	Vxx	Vyy
Max	Cent	0.0	0.7
	67	0.0	0.7
	466	0.0	0.6
	470	0.0	0.6
	35	0.0	0.7
Min	Cent	-0.0	-0.4
	67	-0.0	-0.4
	466	-0.0	-0.3
	470	-0.0	-0.3
	35	-0.0	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-137.5	26.79	INVSLV	Max Cent	403.9	-17.9	294.7	548.4
-141.0	26.54		67	763.2	64.8	474.0	995.5
108.6	7.33		466	779.8	120.3	94.7	790.9
-134.0	27.82		470	44.7	-96.9	115.5	101.2
-509.1	39.60		35	28.9	-143.0	494.8	430.1
-181.1	29.12		Min Cent	286.1	-18.9	237.2	423.0
-184.8	27.95		67	617.2	60.2	402.2	835.3
99.4	6.71		466	631.1	106.4	54.2	638.4
-180.6	36.10		470	-45.1	-101.7	72.2	13.7
-581.6	42.20		35	-59.7	-157.2	420.2	330.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.1	89.43	Max Cent	0.1	0.2	0.0	0.2
0.0	-84.77	67	0.0	0.1	0.0	0.1
0.0	87.11	466	0.0	0.1	0.0	0.1
0.1	89.73	470	0.1	0.2	0.0	0.2
0.1	-88.09	35	0.1	0.2	-0.0	0.2
-0.1	-3.82	Min Cent	-0.1	-0.1	-0.0	-0.1
		67	-0.0	-0.1	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	1.31		466	-0.0	-0.1	-0.0	-0.0
-0.1	-7.61		470	-0.1	-0.2	-0.0	-0.1
-0.2	-2.97		35	-0.1	-0.2	-0.0	-0.1
-0.2	-0.50						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.2
	67	0.0	0.2
	466	0.0	0.2
	470	0.0	0.2
	35	0.0	0.2
Min	Cent	-0.0	-0.2
	67	-0.0	-0.2
	466	-0.0	-0.1
	470	-0.0	-0.1
	35	-0.0	-0.2

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
35	2	8	Q1-1-2	Max	Cent	91.2	11.9	31.1	102.0
1.1		19.04			69	133.6	19.4	12.9	135.0
18.0		6.36			70	211.3	6.7	0.2	211.3
6.7		0.07			45	49.9	6.2	60.7	92.5
-36.5		35.09			42	5.4	17.9	110.2	122.0
-98.7		46.61		Min	Cent	-0.4	-747.2	-38.3	1.6
-749.2		-2.93			69	-0.6	-840.3	-47.8	2.1
-843.0		-3.25			70	-1.1	-607.0	-92.9	12.8
-620.9		-8.52			45	-1.7	-660.1	-41.0	0.9
-662.7		-3.55			42	-40.0	-893.5	-25.3	-39.3
-894.2		-1.70							

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
		Max	Cent	0.0	0.1	0.0	0.1
0.0	84.76		69	0.1	0.3	0.0	0.3
0.1	87.83		70	0.0	0.2	0.0	0.2
0.0	88.65		45	0.0	0.1	0.0	0.1
0.0	77.43		42	0.0	0.1	0.0	0.1
0.0	73.71		Min	Cent	-0.0	-0.0	0.0
-0.0	-38.72		69	-0.0	-0.0	-0.0	0.0
-0.0	-32.93		70	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-47.79		45	-0.0	-0.0	-0.0	-0.0
-0.0	-30.70		42	-0.1	-0.2	-0.0	-0.1
-0.2	-3.61						

	NODE	Vxx	Vyy
Max	Cent	0.2	0.5
	69	0.3	0.9
	70	0.3	0.2
	45	0.1	0.2
	42	0.1	0.9
Min	Cent	-0.0	-0.0
	69	-0.0	-0.2
	70	-0.0	-0.1
	45	-0.1	-0.1
	42	-0.1	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.7	19.42	Q2a-1-2	Max Cent	55.6	5.5	20.2	62.7
7.7	6.44		69	81.7	8.6	8.3	82.6
3.2	0.07		70	128.1	3.2	0.2	128.1
-23.6	35.14		45	30.2	3.0	37.8	56.8
-62.9	46.08		42	2.9	8.0	68.3	73.8
-450.1	-3.55		Min Cent	-0.2	-448.4	-27.9	1.5
-504.0	-3.78		69	-0.4	-501.8	-33.2	1.8
-377.2	-9.15		70	-0.6	-367.4	-60.6	9.1
-401.4	-4.23		45	-0.8	-399.2	-29.6	1.3
-534.4	-2.06		42	-24.9	-533.8	-18.3	-24.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	84.67	Max Cent	0.0	0.1	0.0	0.1
0.1	88.06	69	0.1	0.2	0.0	0.2
0.0	88.68	70	0.0	0.1	0.0	0.1
0.0	75.23	45	0.0	0.1	0.0	0.1
0.0	70.57	42	0.0	0.0	0.0	0.0
-0.0	-37.76	Min Cent	-0.0	-0.0	-0.0	0.0
-0.0	-34.76	69	-0.0	-0.0	-0.0	0.0
-0.0	-45.81	70	-0.0	-0.0	-0.0	-0.0
		45	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0      -35.84  
 -0.1      -3.63

		NODE	Vxx	Vyy
Max	Cent		0.1	0.3
	69		0.2	0.6
	70		0.2	0.1
	45		0.0	0.2
	42		0.0	0.6
Min	Cent		-0.0	-0.0
	69		-0.0	-0.1
	70		-0.0	-0.0
	45		-0.0	-0.0
	42		-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-4.7	89.44	SLVx (RS)	Cent	-4.7	34.6	0.4	34.6
-7.3	89.56		69	-7.3	38.2	0.3	38.2
-10.6	85.71		70	-10.3	28.2	2.9	28.4
-2.2	88.09		45	-2.1	31.0	1.1	31.0
-1.2	-85.07		42	-0.9	41.0	-3.6	41.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-86.61	Cent	-0.0	0.0	-0.0	0.0
0.0	83.56	69	0.0	0.0	0.0	0.0
-0.0	87.00	70	-0.0	0.0	0.0	0.0
-0.0	-80.32	45	-0.0	0.0	-0.0	0.0
-0.0	-9.78	42	0.0	-0.0	-0.0	0.0

		NODE	Vxx	Vyy
	Cent		-0.0	0.0
	69		0.0	0.0
	70		0.0	-0.0
	45		0.0	-0.0
	42		0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-80.9	6.01	SLVy (RS)	Cent	3.7	-80.0	8.9	4.7
-109.8	-0.88		69	1.7	-109.8	-1.7	1.8
			70	21.7	-43.5	-6.5	22.3



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-44.2	-5.64		45	5.7	-50.2	19.5	11.9
-56.4	17.44		42	-14.2	-116.6	24.3	-8.7
-122.1	12.72						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
------	-------	--	------	-----	-----	-----	------

-----							
			Cent	-0.0	0.1	-0.0	0.1
-0.0	-73.28		69	0.1	0.2	-0.0	0.2
0.1	-74.67		70	-0.0	0.1	-0.0	0.1
-0.0	-73.48		45	0.0	0.1	-0.0	0.1
0.0	-75.37		42	-0.1	-0.0	-0.0	-0.0
-0.1	-76.46						

	NODE	Vxx	Vyy
-----			
	Cent	-0.0	0.2
	69	0.2	0.3
	70	0.2	0.0
	45	-0.2	0.0
	42	-0.2	0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

-----							
		SLDx (RS)	Cent	-2.4	17.3	0.2	17.3
-2.4	89.44		69	-3.7	19.1	0.2	19.1
-3.7	89.56		70	-5.2	14.1	1.5	14.2
-5.3	85.71		45	-1.1	15.5	0.6	15.5
-1.1	88.09		42	-0.5	20.5	-1.8	20.6
-0.6	-85.07						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
------	-------	--	------	-----	-----	-----	------

-----							
			Cent	-0.0	0.0	-0.0	0.0
-0.0	-86.61		69	0.0	0.0	0.0	0.0
0.0	83.56		70	-0.0	0.0	0.0	0.0
-0.0	87.00		45	-0.0	0.0	-0.0	0.0
-0.0	-80.30		42	0.0	-0.0	-0.0	0.0
-0.0	-9.79						

	NODE	Vxx	Vyy
-----			
	Cent	-0.0	0.0
	69	0.0	0.0
	70	0.0	-0.0
	45	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE						
-40.4	6.01	SLDy (RS)	Cent	1.9	-40.0	4.5	2.3
-54.9	-0.88		69	0.9	-54.8	-0.9	0.9
-22.1	-5.64		70	10.8	-21.7	-3.2	11.1
-28.2	17.44		45	2.9	-25.1	9.7	5.9
-61.0	12.72		42	-7.1	-58.2	12.2	-4.4
			NODE	Mxx	Myy	Mxy	Mmax
Mmin	ANGLE						
-0.0	-73.28		Cent	-0.0	0.0	-0.0	0.1
0.0	-74.67		69	0.0	0.1	-0.0	0.1
-0.0	-73.48		70	-0.0	0.1	-0.0	0.1
0.0	-75.37		45	0.0	0.1	-0.0	0.1
-0.0	-76.47		42	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	0.1		
			69	0.1	0.2		
			70	0.1	0.0		
			45	-0.1	0.0		
			42	-0.1	0.2		
		LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE						
-2.1	-89.46	SLVz (RS)	Cent	-2.1	15.2	-0.2	15.2
-3.2	89.57		69	-3.2	16.8	0.2	16.8
-4.6	85.75		70	-4.5	12.5	1.3	12.6
-0.9	-88.21		45	-0.9	13.7	-0.5	13.7
0.2	-84.98		42	0.4	18.0	-1.6	18.1
			NODE	Mxx	Myy	Mxy	Mmax
Mmin	ANGLE						
-0.0	9.55		Cent	-0.0	-0.0	0.0	-0.0
-0.0	9.30		69	-0.0	-0.0	0.0	-0.0
			70	-0.0	-0.0	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	5.42		45	-0.0	-0.0	-0.0	0.0
-0.0	-16.14		42	0.0	-0.0	-0.0	0.0
-0.0	-9.21						

NODE	Vxx	Vyy
Cent	-0.0	-0.0
69	-0.0	-0.0
70	-0.0	-0.0
45	0.0	-0.0
42	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g1	Cent	56.4	-423.4	2.6	56.4
-423.4	0.32		69	86.3	-471.4	-7.7	86.4
-471.5	-0.79		70	125.2	-341.9	-38.4	128.3
-345.0	-4.67		45	26.4	-375.4	13.0	26.8
-375.8	1.85		42	-12.4	-504.9	43.7	-8.6
-508.7	5.03						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	0.1	-0.0	0.1
0.0	-89.73	69	0.1	0.1	-0.0	0.1
0.1	-84.44	70	0.0	0.1	-0.0	0.1
0.0	-87.45	45	0.0	0.0	0.0	0.0
0.0	83.17	42	-0.0	0.0	0.0	0.0
-0.0	78.74					

NODE	Vxx	Vyy
Cent	0.1	0.2
69	0.1	0.1
70	0.1	0.2
45	-0.0	0.2
42	-0.0	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g2	Cent	27.7	-210.1	0.2	27.7
-210.1	0.05		69	41.6	-233.4	-4.9	41.7
-233.5	-1.03		70	60.4	-170.9	-19.4	62.0
-172.6	-4.76		45	13.8	-186.8	5.3	13.9
-186.9	1.52						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-250.8	4.61		42	-5.0	-249.2	19.8	-3.4
-----							
0.0	88.29		Cent	0.0	0.0	0.0	0.0
0.0	-88.17		69	0.0	0.0	-0.0	0.0
0.0	-88.30		70	0.0	0.1	-0.0	0.1
-0.0	83.28		45	-0.0	0.0	0.0	0.0
-0.0	82.00		42	-0.0	0.0	0.0	0.0
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	0.1		
			69	0.1	0.0		
			70	0.1	0.1		
			45	-0.0	0.1		
			42	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-8.4	-0.13	q3	Cent	1.1	-8.4	-0.0	1.1
-9.2	-0.84		69	1.7	-9.1	-0.2	1.7
-7.1	-4.43		70	2.3	-7.0	-0.7	2.4
-7.6	0.81		45	0.5	-7.6	0.1	0.5
-9.8	4.06		42	-0.1	-9.8	0.7	-0.1
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	-88.98		Cent	0.0	0.0	-0.0	0.0
0.0	-83.63		69	0.0	0.0	-0.0	0.0
0.0	-87.24		70	0.0	0.0	-0.0	0.0
0.0	84.43		45	0.0	0.0	0.0	0.0
-0.0	81.86		42	-0.0	0.0	0.0	0.0
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			69	0.0	0.0		
			70	0.0	0.0		
			45	-0.0	0.0		
			42	-0.0	0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-20.5	14.12	q5_pc	Cent	1.1	-19.2	5.4	2.5
-33.9	0.51		69	0.6	-33.9	0.3	0.6
-1.2	-11.65		70	10.6	-0.7	-2.4	11.1
-12.4	37.12		45	1.6	-4.4	10.6	9.6
-42.8	21.17		42	-8.4	-37.7	13.3	-3.2
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	-77.68		Cent	-0.1	0.1	-0.0	0.1
-0.0	-80.87		69	-0.0	0.1	-0.0	0.1
-0.0	-72.48		70	-0.0	0.1	-0.0	0.1
0.0	-72.48		45	0.0	0.1	-0.0	0.1
-0.2	-87.54		42	-0.2	-0.1	-0.0	-0.1
			NODE	Vxx	Vyy		
			Cent	-0.2	0.2		
			69	-0.1	0.2		
			70	-0.1	0.1		
			45	-0.4	0.1		
			42	-0.4	0.2		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-24.2	10.52	q5_ps	Cent	1.4	-23.3	4.8	2.3
-37.6	-0.37		69	0.8	-37.6	-0.2	0.8
-6.1	-9.55		70	10.4	-5.6	-2.8	10.8
-14.7	30.19		45	2.1	-9.0	9.8	7.7
-45.0	18.12		42	-7.5	-41.0	12.3	-3.5
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	-78.29		Cent	-0.1	0.0	-0.0	0.1
-0.1	-81.56		69	-0.0	0.1	-0.0	0.1
-0.0	-72.59		70	-0.0	0.1	-0.0	0.1
0.0	-72.09		45	0.0	0.1	-0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.2	-88.06		42	-0.2	-0.1	-0.0	-0.1
			NODE	Vxx	Vyy		
			Cent	-0.3	0.1		
			69	-0.1	0.2		
			70	-0.1	0.1		
			45	-0.4	0.1		
			42	-0.4	0.2		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-488.6	12.23	INVSLU	Max Cent	226.0	-458.2	166.5	262.1
-628.4	4.56		69	343.5	-621.6	84.0	350.2
-203.8	-1.25		70	601.0	-203.7	-11.4	601.4
-388.5	25.83		45	109.9	-292.9	264.4	237.9
-854.3	25.25		42	-85.7	-711.8	415.8	97.2
-1534.3	2.26		Min Cent	99.4	-1531.1	63.1	102.8
-1862.5	0.63		69	160.8	-1862.5	1.5	161.0
-1053.9	-4.75		70	289.6	-1038.9	-143.3	298.5
-1220.7	4.96		45	36.3	-1207.8	108.2	46.8
-2060.1	7.00		42	-164.1	-2031.5	208.9	-135.5
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	-87.01		Max Cent	0.1	0.3	0.0	0.3
0.4	-88.24		69	0.4	0.7	0.0	0.7
0.0	-85.86		70	0.0	0.5	0.0	0.5
0.1	-87.77		45	0.1	0.2	0.1	0.2
0.0	9.22		42	0.3	0.0	0.0	0.3
-0.1	2.99		Min Cent	-0.1	0.0	-0.1	0.1
0.1	-12.30		69	0.1	0.1	-0.1	0.2
-0.1	64.71		70	-0.0	0.0	-0.1	0.0
-0.1	23.43		45	-0.0	-0.1	-0.0	0.0
-0.4	87.05		42	-0.4	-0.4	0.0	-0.4
			NODE	Vxx	Vyy		
			Max Cent	0.7	1.3		
			69	0.8	2.1		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	70	0.8	0.7
	45	0.6	0.8
	42	0.6	2.1
Min	Cent	-0.2	0.3
	69	0.2	0.2
	70	0.2	0.2
	45	-0.8	0.2
	42	-0.8	0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-442.9	1.71	INVS LV	Max Cent	79.4	-442.7	27.1	80.0
-492.3	-0.13		69	124.1	-492.3	0.8	124.1
-353.2	-4.67		70	205.2	-350.1	-39.4	209.7
-393.9	5.72		45	37.3	-393.1	57.1	42.9
-541.5	6.20		42	-18.6	-535.2	109.1	-12.1
-633.6	1.66		Min Cent	66.5	-632.6	9.0	66.9
-744.9	-0.01		69	106.4	-744.9	-2.9	106.4
-466.1	-4.45		70	152.9	-461.6	-54.9	156.0
-526.0	2.43		45	24.0	-520.4	17.1	24.7
-819.2	8.15		42	-47.8	-803.8	57.3	-32.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
0.0	-79.13		Max Cent	0.0	0.2	0.0	0.2
0.1	-76.26		69	0.2	0.3	0.0	0.3
0.0	-80.31		70	0.0	0.3	0.0	0.3
0.0	-80.34		45	0.0	0.2	0.0	0.2
0.1	45.44		42	0.1	0.1	0.0	0.1
-0.0	36.37		Min Cent	0.0	0.0	-0.0	0.1
-0.1	18.66		69	0.0	-0.0	-0.0	0.0
-0.0	64.17		70	-0.0	0.1	-0.1	0.1
-0.1	25.38		45	-0.0	-0.1	-0.0	0.0
-0.1	-85.47		42	-0.1	0.0	-0.0	0.0

NODE	Vxx	Vyy
Max Cent	0.1	0.4
69	0.4	0.5
70	0.4	0.3
45	0.1	0.3

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	42	0.1	0.5
Min	Cent	0.1	0.0
	69	0.0	-0.2
	70	0.0	0.3
	45	-0.2	0.3
	42	-0.2	-0.2

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
37	2	8	Q1-1-2	Max	Cent	18.7	52.8	60.2	98.3
-26.7		52.91			71	55.6	120.9	60.3	156.8
19.7		59.21			153	21.3	1.0	47.6	59.9
-37.5		38.98			154	14.8	4.0	60.5	70.1
-51.3		42.44			88	45.2	122.1	73.0	166.2
1.2		58.88		Min	Cent	-73.7	-217.2	-370.4	231.8
-522.7		-39.52			71	-59.7	-208.2	-354.1	227.8
-495.7		-39.08			153	-57.4	-264.8	-368.8	222.0
-544.3		-37.15			154	-118.3	-276.9	-397.3	207.6
-602.8		-39.35			88	-107.0	-227.3	-378.2	215.8
-550.2		-40.48							
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
				Max	Cent	0.0	0.0	0.0	0.0
0.0		23.01			71	0.2	0.1	0.0	0.2
0.1		6.18			153	0.0	0.0	0.0	0.0
0.0		53.41			154	0.1	0.1	0.0	0.1
0.1		29.97			88	0.2	0.0	0.0	0.2
0.0		1.31		Min	Cent	-0.1	-0.2	-0.0	-0.1
-0.2		-14.45			71	-0.1	-0.0	-0.0	-0.0
-0.1		-72.01			153	-0.1	-0.2	-0.0	-0.1
-0.2		-11.58			154	-0.2	-0.3	-0.0	-0.2
-0.3		-16.01			88	-0.2	-0.4	-0.0	-0.2
-0.4		-10.10							
				NODE	Vxx	Vyy			
				Max	Cent	0.6	0.6		
					71	0.4	1.2		
					153	0.4	0.4		
					154	0.7	0.4		
					88	0.7	1.2		
				Min	Cent	-0.3	-0.1		



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

71 -0.2 -0.2  
 153 -0.2 -0.2  
 154 -0.4 -0.2  
 88 -0.4 -0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-24.6	51.59	Q2a-1-2	Max Cent	10.6	31.5	44.5	66.7
8.1	55.80		71	38.3	73.5	44.5	103.7
-29.4	40.32		153	12.1	0.5	35.2	42.0
-39.7	43.02		154	8.1	1.9	44.6	49.8
-8.8	56.78		88	26.4	73.4	53.9	108.7
-322.8	-39.51		Min Cent	-52.4	-139.0	-223.0	131.5
-301.9	-39.39		71	-43.5	-127.6	-212.2	130.8
-341.4	-36.28		153	-41.8	-179.9	-219.9	119.7
-381.6	-38.93		154	-82.5	-186.4	-241.6	112.6
-338.6	-40.82		88	-71.4	-139.3	-230.7	127.8
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	15.19		Max Cent	0.0	0.0	0.0	0.0
0.1	5.51		71	0.1	0.1	0.0	0.1
0.0	51.78		153	0.0	0.0	0.0	0.0
0.0	23.46		154	0.1	0.0	0.0	0.1
0.0	0.93		88	0.1	0.0	0.0	0.1
-0.1	-15.01		Min Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-74.51		71	-0.1	-0.0	-0.0	-0.0
-0.1	-10.36		153	-0.0	-0.1	-0.0	-0.0
-0.2	-16.19		154	-0.1	-0.2	-0.0	-0.1
-0.3	-10.16		88	-0.1	-0.2	-0.0	-0.1
			NODE	Vxx	Vyy		
			Max Cent	0.4	0.4		
			71	0.3	0.8		
			153	0.3	0.2		
			154	0.4	0.2		
			88	0.4	0.8		
			Min Cent	-0.2	-0.1		
			71	-0.1	-0.1		
			153	-0.1	-0.1		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		154	-0.2	-0.1			
		88	-0.2	-0.1			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-24.2	-48.00	SLVx (RS)	Cent	-0.7	4.8	-26.1	28.4
-28.4	-41.12		71	1.4	-5.7	-26.0	24.1
-22.6	-46.77		153	3.2	6.6	-27.5	32.4
-24.0	-48.80		154	-1.0	6.0	-26.3	29.0
-30.0	-42.98		88	-3.3	-6.8	-24.9	19.9
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	18.59		Cent	0.0	-0.0	0.0	0.0
0.0	38.64		71	0.0	0.0	0.0	0.0
-0.0	37.84		153	0.0	0.0	0.0	0.0
-0.0	81.16		154	-0.0	0.0	0.0	0.0
-0.0	8.79		88	0.0	-0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			71	0.0	0.0		
			153	0.0	-0.0		
			154	0.0	-0.0		
			88	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-8.1	78.19	SLVy (RS)	Cent	-7.0	16.6	5.2	17.7
3.9	70.75		71	9.9	52.7	17.0	58.6
-26.3	36.82		153	-11.2	-17.8	11.3	-2.7
-30.2	-51.26		154	-23.8	-20.2	-8.0	-13.8
-3.7	-87.63		88	-3.6	50.4	-2.2	50.5
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	51.30		Cent	-0.0	-0.0	0.0	0.0
-0.1	78.70		71	-0.1	0.1	0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	43.10	153	0.0	0.0	0.0	0.1
-0.1	23.33	154	0.0	-0.0	0.0	0.0
-0.1	28.75	88	-0.1	-0.1	0.0	-0.1

NODE	Vxx	Vyy
Cent	-0.2	0.4
71	-0.3	0.5
153	-0.3	0.2
154	-0.2	0.2
88	-0.2	0.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-12.1	-48.00	SLDx (RS)	Cent	-0.3	2.4	-13.0	14.2
-14.2	-41.12		71	0.7	-2.9	-13.0	12.0
-11.3	-46.77		153	1.6	3.3	-13.7	16.2
-12.0	-48.80		154	-0.5	3.0	-13.1	14.5
-15.0	-42.98		88	-1.7	-3.4	-12.4	9.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	18.62	Cent	0.0	-0.0	0.0	0.0
0.0	38.65	71	0.0	0.0	0.0	0.0
-0.0	37.84	153	0.0	0.0	0.0	0.0
-0.0	81.14	154	-0.0	0.0	0.0	0.0
-0.0	8.81	88	0.0	-0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
71	0.0	0.0
153	0.0	-0.0
154	0.0	-0.0
88	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-4.0	78.17	SLDy (RS)	Cent	-3.5	8.3	2.6	8.8
2.0	70.74		71	4.9	26.3	8.5	29.3
-13.1	36.83		153	-5.6	-8.9	5.7	-1.3
			154	-11.9	-10.1	-4.0	-6.9

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-15.1	-51.26	88	-1.8	25.2	-1.1	25.2	
-1.9	-87.63						
-----							
-0.0	51.29	Cent	-0.0	-0.0	0.0	0.0	
-0.0	78.70	71	-0.0	0.0	0.0	0.0	
-0.0	43.10	153	0.0	0.0	0.0	0.0	
-0.0	23.32	154	0.0	-0.0	0.0	0.0	
-0.1	28.76	88	-0.0	-0.0	0.0	-0.0	
-----							
		NODE	Vxx	Vyy			
		Cent	-0.1	0.2			
		71	-0.1	0.3			
		153	-0.1	0.1			
		154	-0.1	0.1			
		88	-0.1	0.3			
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-8.3	48.88	SLVz (RS)	Cent	-0.3	2.2	9.2	10.2
-8.4	48.97		71	-0.5	2.0	9.1	9.9
-8.5	49.90		153	-0.7	2.5	9.3	10.4
-7.9	48.20		154	0.4	2.5	9.3	10.8
-7.6	47.15		88	0.8	2.1	9.0	10.5
-----							
Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-0.0	60.42	Cent	-0.0	0.0	0.0	0.0	
-0.0	35.95	71	-0.0	-0.0	0.0	-0.0	
-0.0	-63.04	153	-0.0	0.0	-0.0	0.0	
0.0	60.84	154	0.0	0.0	0.0	0.0	
-0.0	78.73	88	-0.0	0.0	0.0	0.0	
-----							
		NODE	Vxx	Vyy			
		Cent	-0.0	-0.0			
		71	-0.0	-0.0			
		153	-0.0	-0.0			
		154	-0.0	-0.0			
		88	-0.0	-0.0			

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		g1	Cent	2.5	-73.1	-245.3	212.8
-283.5	-40.62		71	12.1	-67.1	-240.4	216.2
-271.1	-40.32		153	10.0	-74.2	-248.4	219.8
-284.0	-40.19		154	-7.2	-79.2	-250.1	209.5
-295.9	-40.91		88	-5.1	-72.1	-242.1	205.9
-283.0	-41.06						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	-0.0	-0.0	0.0
-0.0	-18.92		71	0.0	0.0	-0.0	0.0
0.0	-73.01		153	-0.0	-0.0	-0.0	0.0
-0.0	-33.84		154	-0.0	-0.0	-0.0	-0.0
-0.0	-12.78		88	-0.0	-0.0	-0.0	0.0
-0.0	-6.68						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	0.1		
			71	0.0	0.2		
			153	0.0	0.0		
			154	0.0	0.0		
			88	0.0	0.2		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		g2	Cent	2.5	-47.3	-121.7	101.8
-146.6	-39.22		71	4.8	-50.1	-121.1	101.6
-146.9	-38.62		153	7.1	-42.3	-124.3	109.2
-144.4	-39.38		154	0.2	-44.6	-122.2	102.0
-146.4	-39.82		88	-2.2	-52.4	-119.0	94.3
-148.9	-39.05						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	0.0	0.0	0.0
-0.0	89.90		71	-0.0	0.0	-0.0	0.0
-0.0	-84.77		153	0.0	0.0	-0.0	0.0
0.0	-75.74		154	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	70.83		88	-0.0	-0.0	0.0	-0.0
-0.0	81.75						

NODE	Vxx	Vyy
Cent	-0.1	0.0
71	-0.1	0.1
153	-0.1	-0.1
154	-0.1	-0.1
88	-0.1	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-14.6	-44.65	q3	Cent	1.0	0.7	-15.5	16.3
-16.7	-40.94		71	1.5	-3.0	-15.8	15.3
-12.6	-46.19		153	4.1	5.5	-17.4	22.2
-12.8	-48.53		154	0.6	4.3	-15.1	17.7
-16.7	-42.66		88	-2.0	-4.2	-13.5	10.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	21.59	Cent	0.0	-0.0	0.0	0.0
0.0	32.33	71	0.0	0.0	0.0	0.0
-0.0	21.92	153	0.0	-0.0	0.0	0.0
-0.0	14.82	154	-0.0	-0.0	0.0	-0.0
-0.0	17.29	88	0.0	-0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
71	0.0	0.0
153	0.0	0.0
154	0.0	0.0
88	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-4.9	73.53	q5_pc	Cent	-1.8	30.7	10.5	33.9
3.8	71.67		71	10.8	67.8	21.2	74.8
-29.2	48.35		153	-11.6	-7.0	19.7	10.5
-14.3	-89.07		154	-14.3	-6.3	-0.1	-6.3
8.1	88.72		88	8.1	68.5	1.4	68.5

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	47.84		Cent	-0.0	-0.0	0.1	0.0
-0.2	74.00		71	-0.2	0.0	0.1	0.0
-0.0	43.98		153	0.1	0.1	0.1	0.1
-0.2	22.89		154	-0.0	-0.1	0.1	0.0
-0.1	43.96		88	-0.1	-0.1	0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.3	0.4		
			71	-0.5	0.4		
			153	-0.5	0.5		
			154	-0.2	0.5		
			88	-0.2	0.4		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-4.3	73.55	q5_ps	Cent	-1.9	23.5	8.2	25.9
3.3	71.33		71	9.1	54.6	17.3	60.5
-24.5	46.53		153	-9.6	-8.0	15.7	6.9
-13.1	-80.06		154	-12.9	-7.7	-0.9	-7.5
5.9	89.12		88	5.9	54.9	0.8	54.9
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	48.22		Cent	-0.0	-0.0	0.1	0.0
-0.2	73.80		71	-0.2	0.0	0.1	0.0
-0.0	44.26		153	0.1	0.1	0.1	0.1
-0.2	23.64		154	-0.0	-0.1	0.1	0.0
-0.1	45.77		88	-0.1	-0.1	0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.3	0.4		
			71	-0.5	0.3		
			153	-0.5	0.5		
			154	-0.2	0.5		
			88	-0.2	0.3		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		-----						
Mmin	ANGLE							
		INVS LU	Max	Cent	-161.7	113.8	-294.7	605.9
-351.5	-45.64			71	-2.0	405.0	-218.7	681.8
-97.2	-47.18			153	-139.0	-105.8	-289.7	534.7
-434.5	-41.31			154	-256.0	-133.5	-369.8	510.4
-573.3	-43.81			88	-130.6	379.9	-299.2	702.6
-268.6	-48.83		Min	Cent	-289.7	-306.0	-894.8	280.7
-1191.2	-54.67			71	-177.2	-161.2	-816.2	391.6
-985.4	-55.02			153	-266.2	-487.6	-887.4	145.7
-1255.0	-46.54			154	-462.9	-530.8	-988.1	158.5
-1485.5	-50.04			88	-350.7	-215.0	-910.8	373.2
-1196.2	-57.14							
				NODE	Mxx	Myy	Mxy	Mmax
			Max	Cent	0.1	-0.1	0.1	0.1
-0.1	-29.66			71	0.5	0.2	0.1	0.5
0.2	-12.75			153	0.1	-0.0	0.1	0.2
-0.1	34.40			154	0.1	0.1	0.1	0.2
0.0	-47.92			88	0.1	-0.2	0.1	0.1
-0.2	-5.91		Min	Cent	-0.2	-0.4	-0.1	-0.2
-0.4	2.08			71	-0.3	-0.0	-0.1	0.0
-0.4	84.53			153	-0.2	-0.4	-0.2	-0.1
-0.5	-23.46			154	-0.3	-0.7	-0.2	-0.3
-0.7	-0.83			88	-0.5	-0.9	-0.1	-0.5
-0.9	-2.64							
				NODE	Vxx	Vyy		
			Max	Cent	0.9	1.8		
				71	1.1	3.0		
				153	1.1	1.2		
				154	0.8	1.2		
				88	0.8	3.0		
			Min	Cent	-0.9	-0.3		
				71	-0.9	0.2		
				153	-0.9	-0.9		
				154	-1.0	-0.9		
				88	-1.0	0.3		
Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		INVS LV	Max	Cent				
-347.4	-42.93				-30.6	-66.9	-284.4	284.7
				71	-22.3	-27.6	-278.4	285.9
-310.2	-43.09			153	-21.4	-65.4	-282.9	300.0
-350.9	-43.05			154	-18.8	-65.9	-285.9	287.4
-343.9	-43.32			88	-37.1	-32.1	-284.8	283.3
-337.5	-45.41		Min	Cent	-45.2	-104.3	-345.2	223.2
-407.4	-42.72			71	-43.2	-137.5	-346.0	225.3
-432.9	-42.29			153	-46.1	-106.5	-350.1	215.5
-403.9	-42.14			154	-67.2	-111.4	-348.8	217.3
-424.1	-42.50			88	-46.9	-138.3	-341.3	219.4
-417.5	-40.47							

Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
			Max	Cent	0.0	0.0	0.0	0.1
-0.0	-37.65			71	0.1	0.1	0.0	0.1
-0.0	80.91			153	0.0	0.0	0.0	0.1
0.0	44.01			154	0.0	0.0	0.0	0.1
-0.0	-62.96			88	0.1	0.1	0.0	0.1
0.0	-45.65		Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	48.14			71	-0.1	-0.1	-0.0	0.0
-0.1	-22.99			153	-0.0	-0.0	-0.0	0.0
-0.1	-48.77			154	-0.0	-0.1	-0.0	0.0
-0.1	15.53			88	-0.1	-0.1	-0.0	-0.1
-0.2	17.43							

		NODE	Vxx	Vyy
	Max	Cent	0.2	0.5
		71	0.3	0.7
		153	0.3	0.3
		154	0.1	0.3
		88	0.1	0.7
	Min	Cent	-0.2	-0.3
		71	-0.3	-0.4
		153	-0.3	-0.2
		154	-0.2	-0.2
		88	-0.2	-0.4

ELEM	MAT	SEC	LC		NODE	Fxx	Fyy	Fxy	Fmax
	Fmin	ANGLE							
44	2	10	Q1-1-2	Max	Cent	548.3	40.8	199.9	617.6
	-28.5	19.12							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

16.3	19.14		64	753.5	105.1	255.8	842.2
68.1	11.62		349	750.5	96.9	140.3	779.3
-52.3	20.19		356	344.6	1.4	146.0	398.3
-138.6	28.43		30	348.1	4.1	263.5	490.8
-179.2	-42.17	Min	Cent	-3.8	-35.4	-158.9	140.0
-119.0	-43.37		64	-5.2	-17.4	-107.5	96.3
-223.4	-43.92		349	-5.2	-21.0	-210.1	197.2
-262.3	-39.49		356	-2.5	-85.9	-214.0	173.8
-156.8	-35.68		30	-2.5	-77.2	-110.8	77.1

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	35.81	Max	Cent	0.0	0.0	0.0	0.0
0.0	79.12		64	0.0	0.1	0.0	0.1
-0.0	46.74		349	0.0	0.0	0.0	0.0
-0.0	45.89		356	0.0	0.0	0.0	0.0
0.0	25.69		30	0.0	0.0	0.0	0.0
-0.0	-28.38	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-67.94		64	-0.0	-0.0	-0.0	-0.0
-0.0	-30.94		349	-0.0	-0.0	-0.0	0.0
-0.0	-22.39		356	-0.0	-0.0	-0.0	-0.0
-0.1	-1.88		30	-0.0	-0.1	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.1	0.2
	64	0.1	0.4
	349	0.1	0.0
	356	0.1	0.0
	30	0.1	0.4
Min	Cent	-0.0	-0.0
	64	-0.0	-0.0
	349	-0.0	-0.0
	356	-0.0	-0.0
	30	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-22.5	20.21	Q2a-1-2	Max	Cent	329.6	25.2	129.6	377.3
3.3	20.21			64	453.0	64.2	165.5	514.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

39.8	12.43		349	451.3	59.8	90.7	471.2
-36.1	21.24		356	207.3	0.7	94.6	244.0
-94.3	29.38		30	209.4	2.0	171.0	305.6
-116.7	-41.93	Min	Cent	-2.8	-24.9	-102.2	89.0
-76.5	-43.29		64	-3.8	-12.0	-68.5	60.7
-145.0	-43.85		349	-3.8	-14.7	-135.6	126.4
-170.9	-39.27		356	-1.8	-57.9	-138.2	111.2
-102.1	-35.17		30	-1.8	-52.3	-70.6	47.9

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----	-----						
		Max	Cent	0.0	0.0	0.0	0.0
-0.0	35.86		64	0.0	0.1	0.0	0.1
0.0	78.89		349	0.0	0.0	0.0	0.0
-0.0	46.14		356	0.0	0.0	0.0	0.0
-0.0	45.70		30	0.0	0.0	0.0	0.0
0.0	24.07	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-27.89		64	-0.0	-0.0	-0.0	-0.0
-0.0	-70.74		349	-0.0	-0.0	-0.0	0.0
-0.0	-29.31		356	-0.0	-0.0	-0.0	-0.0
-0.0	-20.76		30	-0.0	-0.1	-0.0	-0.0
-0.1	-1.64						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.1
	64	0.0	0.3
	349	0.0	0.0
	356	0.1	0.0
	30	0.1	0.3
Min	Cent	-0.0	-0.0
	64	-0.0	-0.0
	349	-0.0	-0.0
	356	-0.0	-0.0
	30	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----	-----						
		SLVx (RS)	Cent	-48.2	2.8	2.9	3.0
-48.3	86.73		64	-64.5	7.8	7.7	8.6
-65.3	83.96		349	-64.4	-7.2	5.0	-6.8
-64.9	85.02						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
1.9	9.16		356	32.0	2.7	4.8	32.7
-5.1	12.16		30	32.0	-3.4	8.0	33.7
-----							
			Cent	-0.0	0.0	0.0	0.0
-0.0	83.90		64	-0.0	-0.0	0.0	-0.0
-0.0	39.21		349	-0.0	0.0	-0.0	0.0
-0.0	-78.04		356	-0.0	-0.0	0.0	-0.0
-0.0	29.11		30	0.0	0.0	0.0	0.0
0.0	1.46						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.0		
			64	0.0	-0.0		
			349	0.0	-0.0		
			356	0.0	-0.0		
			30	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVy (RS)	Cent	-30.4	-1.3	-0.2	-1.3
-30.4	-89.69		64	-27.1	2.7	1.4	2.8
-27.1	87.33		349	-27.4	-1.4	-1.2	-1.3
-27.4	-87.43		356	-33.9	-1.3	-1.5	-1.2
-33.9	-87.36		30	-33.5	-1.4	1.0	-1.3
-33.6	88.18						
			NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.1	0.0	-0.0	0.0
-0.1	-74.94		64	-0.1	-0.0	-0.0	-0.0
-0.1	-78.03		349	0.0	0.0	-0.0	0.1
0.0	-46.99		356	0.1	0.1	-0.0	0.1
0.0	-61.33		30	-0.2	-0.1	-0.0	-0.1
-0.2	-89.55						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.4	-0.0		
			64	-0.3	-0.0		
			349	-0.3	-0.1		
			356	-0.4	-0.1		
			30	-0.4	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-24.1	86.73	SLDx (RS)	Cent	-24.1	1.4	1.5	1.5
-32.6	83.96		64	-32.2	3.9	3.9	4.3
-32.4	85.02		349	-32.2	-3.6	2.5	-3.4
1.0	9.17		356	16.0	1.4	2.4	16.4
-2.5	12.16		30	16.0	-1.7	4.0	16.8
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	83.90		Cent	-0.0	0.0	0.0	0.0
-0.0	39.16		64	-0.0	-0.0	0.0	-0.0
-0.0	-78.02		349	-0.0	0.0	-0.0	0.0
-0.0	29.13		356	-0.0	-0.0	0.0	-0.0
0.0	1.46		30	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			64	0.0	-0.0		
			349	0.0	-0.0		
			356	0.0	-0.0		
			30	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-15.2	-89.69	SLDy (RS)	Cent	-15.2	-0.6	-0.1	-0.6
-13.5	87.33		64	-13.5	1.4	0.7	1.4
-13.7	-87.43		349	-13.7	-0.7	-0.6	-0.7
-16.9	-87.35		356	-16.9	-0.6	-0.8	-0.6
-16.8	88.18		30	-16.7	-0.7	0.5	-0.7
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-74.94		Cent	-0.0	0.0	-0.0	0.0
-0.1	-78.03		64	-0.1	-0.0	-0.0	-0.0
0.0	-46.99		349	0.0	0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-61.33	356	0.0	0.0	-0.0	0.0
-0.1	-89.55	30	-0.1	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.2	-0.0
64	-0.1	-0.0
349	-0.1	-0.0
356	-0.2	-0.0
30	-0.2	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-20.1	-87.51	SLVz (RS)	Cent	-20.1	-1.3	-0.8	-1.3
-27.6	-82.71		64	-27.2	-3.6	-3.1	-3.2
-27.3	84.68		349	-27.1	-3.2	2.2	-3.0
-13.3	81.40		356	-13.0	1.1	2.2	1.4
-13.8	-76.65		30	-13.1	-1.0	-3.0	-0.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	67.59	Cent	-0.0	-0.0	0.0	-0.0
-0.0	-65.66	64	-0.0	-0.0	-0.0	-0.0
-0.0	39.70	349	-0.0	-0.0	0.0	-0.0
-0.0	30.59	356	-0.0	-0.0	0.0	-0.0
0.0	-0.68	30	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
64	0.0	-0.0
349	0.0	-0.0
356	0.0	-0.0
30	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
8.1	1.12	g1	Cent	413.2	8.3	7.9	413.4
46.9	6.61		64	560.3	53.8	59.5	567.2
46.6	-5.08		349	559.4	50.7	-45.6	563.4
-43.4	-8.03		356	266.1	-37.2	-43.6	272.3
			30	267.0	-34.1	61.4	279.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-46.1      11.10

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-85.43		Cent	0.0	0.0	-0.0	0.0
0.0	89.06		64	0.0	0.0	0.0	0.0
0.0	-88.52		349	0.0	0.0	-0.0	0.0
0.0	-82.87		356	0.0	0.0	-0.0	0.0
-0.0	-2.73		30	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			64	0.0	0.0		
			349	0.0	0.0		
			356	-0.0	0.0		
			30	-0.0	0.0		

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-4.1	-0.47	g2	Cent	200.1	-4.0	-1.7	200.1
14.6	5.02		64	269.5	16.5	22.4	271.5
14.2	-6.12		349	269.7	17.1	-27.4	272.6
-28.8	-9.18		356	130.7	-24.6	-25.8	134.8
-28.8	8.58		30	130.5	-25.2	24.0	134.1

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-79.68		Cent	-0.0	0.0	-0.0	0.0
-0.0	-57.10		64	-0.0	-0.0	-0.0	0.0
0.0	-74.96		349	0.0	0.0	-0.0	0.0
-0.0	-65.04		356	0.0	0.0	-0.0	0.0
-0.0	-86.70		30	-0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			64	0.0	-0.0		
			349	0.0	0.0		
			356	-0.0	0.0		
			30	-0.0	-0.0		

	LC	NODE	Fxx	Fyy	Fxy	Fmax
--	----	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE						
-1.2	15.96	q3	Cent	19.1	0.4	5.8	20.7
-0.5	16.95		64	23.1	1.6	7.2	25.3
0.8	10.99		349	23.1	1.6	4.3	23.9
-1.9	14.56		356	15.1	-0.8	4.4	16.2
-3.6	21.31		30	15.1	-0.8	7.3	17.9
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-85.11		Cent	0.0	0.0	-0.0	0.0
0.0	9.23		64	0.0	0.0	0.0	0.0
0.0	-84.19		349	0.0	0.0	-0.0	0.0
0.0	-80.02		356	0.0	0.0	-0.0	0.0
0.0	41.63		30	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			64	0.0	0.0		
			349	0.0	0.0		
			356	0.0	0.0		
			30	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-26.5	86.39	q5_pc	Cent	-26.4	-2.6	1.5	-2.5
-26.3	87.61		64	-26.3	-4.9	0.9	-4.8
-24.7	89.30		349	-24.7	0.4	0.3	0.4
-26.6	85.40		356	-26.4	-0.3	2.1	-0.1
-28.3	83.23		30	-28.0	-5.5	2.7	-5.2
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	-74.24		Cent	-0.1	0.0	-0.0	0.0
-0.2	-78.32		64	-0.2	-0.1	-0.0	-0.0
0.0	-47.82		349	0.1	0.1	-0.1	0.1
0.1	-59.84		356	0.1	0.1	-0.0	0.1
			30	-0.3	-0.1	-0.0	-0.1



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.3      -89.32

NODE	Vxx	Vyy
Cent	-0.6	-0.0
64	-0.4	0.0
349	-0.4	-0.1
356	-0.8	-0.1
30	-0.8	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-22.5	89.31	q5_ps	Cent	-22.5	-3.9	0.2	-3.9
-22.6	-88.38		64	-22.6	-6.3	-0.5	-6.3
-21.0	-87.20		349	-20.9	-0.8	-1.0	-0.8
-22.5	87.53		356	-22.4	-1.4	0.9	-1.4
-24.2	85.27		30	-24.1	-6.9	1.4	-6.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.1	-74.28	Cent	-0.1	0.0	-0.0	0.0
-0.2	-78.18	64	-0.2	-0.1	-0.0	-0.0
0.0	-48.00	349	0.1	0.1	-0.1	0.1
0.1	-59.90	356	0.1	0.1	-0.0	0.1
-0.3	-89.28	30	-0.3	-0.1	-0.0	-0.1

NODE	Vxx	Vyy
Cent	-0.6	-0.0
64	-0.4	0.0
349	-0.4	-0.1
356	-0.8	-0.1
30	-0.8	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
2.5	18.34	INVSLU Max	Cent	876.2	82.3	298.5	974.3
174.4	19.78		64	1791.7	357.3	594.0	2004.7
354.1	-0.87		349	1789.8	354.4	-21.3	1790.2
-159.2	-51.65		356	-37.3	-157.8	5.5	106.1
-553.9	42.04		30	-34.9	-159.0	623.5	523.0
-164.6	-27.17	Min	Cent	74.6	-25.2	-188.6	130.9

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

105.4	10.55	64	711.7	183.2	102.0	739.4
-100.6	-26.15	349	717.9	194.6	-494.8	912.1
-915.4	-59.49	356	-562.5	-277.5	-484.3	-135.9
-754.1	69.70	30	-568.6	-282.7	113.3	-239.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Max Cent	0.1	-0.0	0.1	0.2
-0.0	15.79	64	0.3	0.2	0.1	0.4
0.2	20.61	349	0.1	0.1	0.1	0.2
0.0	-46.25	356	0.1	0.2	0.1	0.2
0.1	-50.04	30	0.5	0.1	0.0	0.5
0.1	1.38	Min Cent	-0.2	-0.0	-0.1	-0.0
-0.2	-66.18	64	-0.3	-0.0	-0.0	-0.0
-0.3	-79.33	349	-0.1	-0.1	-0.1	-0.0
-0.2	36.15	356	-0.2	-0.2	-0.1	-0.1
-0.2	18.30	30	-0.6	-0.4	-0.0	-0.3
-0.6	-87.02					

	NODE	Vxx	Vyy
Max	Cent	0.9	0.5
	64	0.7	0.9
	349	0.7	0.2
	356	1.2	0.2
	30	1.2	0.9
Min	Cent	-0.9	0.1
	64	-0.7	0.2
	349	-0.7	-0.1
	356	-1.2	-0.1
	30	-1.2	0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
1.2	-0.00	INVSLV	Max Cent	289.4	1.4	5.8	289.4
78.6	11.76		64	695.1	119.1	145.4	722.0
92.7	-13.76		349	698.4	129.0	-136.9	734.7
-240.1	-45.32		356	-114.9	-110.4	-125.2	15.4
-271.8	44.28		30	-118.4	-120.7	157.4	33.3
-5.7	1.84		Min Cent	162.7	-5.7	-0.6	162.9
71.1	17.29		64	533.5	99.8	127.2	578.2

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

71.2	-16.47	349	536.9	111.9	-149.0	577.5
-305.7	-54.70	356	-209.5	-117.2	-137.1	-21.1
-321.3	53.87	30	-212.6	-128.9	139.0	-20.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	15.19	Max Cent	0.1	0.0	0.0	0.1
0.0	12.78	64	0.1	0.1	0.0	0.1
0.0	-51.06	349	0.0	0.0	0.0	0.1
0.0	-57.87	356	0.0	0.1	0.0	0.1
0.1	0.29	30	0.2	0.1	0.0	0.2
-0.1	-74.66	Min Cent	-0.1	0.0	-0.0	0.0
-0.1	-78.77	64	-0.1	-0.0	-0.0	-0.0
-0.1	46.82	349	-0.0	-0.0	-0.0	0.0
-0.1	25.32	356	-0.1	-0.1	-0.0	-0.0
-0.2	-89.39	30	-0.2	-0.1	-0.0	-0.1

NODE	Vxx	Vyy
Max Cent	0.4	0.1
64	0.3	0.0
349	0.3	0.1
356	0.4	0.1
30	0.4	0.0
Min Cent	-0.4	-0.0
64	-0.3	-0.0
349	-0.3	-0.0
356	-0.4	-0.0
30	-0.4	0.0

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE							
46	2	10	Q1-1-2	Max Cent	0.8	121.8	156.8	229.3
-106.7	55.55			78	56.4	269.3	221.8	408.8
-83.1	57.82			363	24.8	62.4	127.9	172.9
-85.7	49.18			370	1.9	2.8	98.4	100.8
-96.1	45.14			94	1.8	199.9	191.9	316.8
-115.1	58.65			Min Cent	-146.1	-75.4	-191.1	83.6
-305.1	-50.24			78	-4.7	-52.4	-122.7	96.5
-153.6	-39.50			363	-55.9	-146.5	-218.9	122.3
-324.7	-39.16							

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-551.5	-51.87			370	-336.2	-202.1	-274.2	13.1
-362.6	-58.25			94	-258.0	-89.4	-169.0	15.1
<b>Mmin</b>	<b>ANGLE</b>			<b>NODE</b>	<b>Mxx</b>	<b>Myy</b>	<b>Mxy</b>	<b>Mmax</b>
-----								
				Max	Cent	0.0	0.0	0.0
0.0	34.74				78	0.1	0.1	0.1
0.0	9.01				363	0.0	0.0	0.0
-0.0	49.89				370	0.0	0.0	0.0
0.0	24.30				94	0.1	0.0	0.1
0.0	2.45			Min	Cent	-0.0	-0.1	-0.0
-0.1	-5.67				78	-0.0	-0.0	-0.0
-0.0	-76.89				363	-0.1	-0.1	-0.1
-0.1	-4.81				370	-0.1	-0.2	-0.1
-0.2	-10.67				94	-0.1	-0.2	-0.0
-0.2	-7.00							
				<b>NODE</b>	<b>Vxx</b>	<b>Vyy</b>		
-----								
				Max	Cent	0.3	0.4	
					78	0.3	0.5	
					363	0.3	0.2	
					370	0.4	0.2	
					94	0.4	0.5	
				Min	Cent	-0.1	-0.0	
					78	-0.1	-0.0	
					363	-0.1	-0.0	
					370	-0.1	-0.0	
					94	-0.1	-0.0	
<b>Fmin</b>	<b>ANGLE</b>	<b>LC</b>		<b>NODE</b>	<b>Fxx</b>	<b>Fyy</b>	<b>Fxy</b>	<b>Fmax</b>
-----								
		Q2a-1-2		Max	Cent	0.6	75.7	145.3
-69.0	55.26				78	34.5	166.7	258.0
-56.7	57.42				363	14.3	38.6	109.5
-56.6	49.20				370	1.4	1.4	63.6
-60.8	45.00				94	1.3	124.1	200.1
-74.6	58.28			Min	Cent	-91.6	-51.2	53.5
-196.3	-49.65				78	-2.7	-33.1	62.2
-98.0	-39.54				363	-38.2	-105.4	72.7
-216.3	-38.28				370	-209.2	-142.4	5.4
-356.9	-50.31							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-228.6	-57.25		94	-158.1	-58.1	-109.7	12.4
-----							
		Max	Cent	0.0	0.0	0.0	0.0
0.0	28.60		78	0.1	0.0	0.0	0.1
0.0	9.13		363	0.0	0.0	0.0	0.0
-0.0	47.83		370	0.0	0.0	0.0	0.0
0.0	16.75		94	0.1	0.0	0.0	0.1
0.0	2.33	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-5.35		78	-0.0	-0.0	-0.0	-0.0
-0.0	-75.92		363	-0.0	-0.1	-0.0	-0.0
-0.1	-4.23		370	-0.1	-0.1	-0.0	-0.1
-0.1	-10.81		94	-0.0	-0.1	-0.0	-0.0
-0.1	-7.11						
-----							
			NODE	Vxx	Vyy		
-----							
		Max	Cent	0.2	0.2		
			78	0.2	0.3		
			363	0.2	0.2		
			370	0.3	0.2		
			94	0.3	0.3		
		Min	Cent	-0.0	-0.0		
			78	-0.0	-0.0		
			363	-0.0	-0.0		
			370	-0.1	-0.0		
			94	-0.1	-0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVx (RS)	Cent	10.2	0.9	2.9	11.1
0.0	15.91		78	7.5	4.5	7.5	13.6
-1.7	39.34		363	7.5	4.4	5.4	11.5
0.4	37.01		370	21.5	3.1	5.1	22.9
1.7	14.56		94	21.5	3.1	7.8	24.4
0.3	20.08						
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	-0.0	0.0	0.0
-0.0	14.72		78	0.0	0.0	0.0	0.0
0.0	19.56		363	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	61.96		370	-0.0	0.0	0.0	0.0
-0.0	75.25		94	0.0	0.0	0.0	0.0
0.0	72.21						

NODE	Vxx	Vyy
Cent	0.0	-0.0
78	0.0	-0.0
363	0.0	-0.0
370	0.0	-0.0
94	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	-45.4	-7.7	2.9	-7.5
-45.6	85.69		78	-43.9	-13.9	2.6	-13.7
-44.2	85.13		363	-39.6	0.9	-1.0	0.9
-39.6	-88.60		370	-46.9	-1.6	3.2	-1.4
-47.1	85.95		94	-51.2	-16.3	6.4	-15.1
-52.4	79.88						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.0	0.0	0.0
-0.1	47.52	78	-0.1	-0.0	0.0	-0.0
-0.1	73.12	363	0.0	0.0	0.0	0.1
-0.0	46.08	370	-0.0	-0.1	0.0	-0.0
-0.1	25.10	94	-0.0	-0.0	0.0	0.0
-0.0	48.84					

NODE	Vxx	Vyy
Cent	-0.1	0.1
78	-0.3	-0.0
363	-0.3	0.3
370	-0.0	0.3
94	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDx (RS)	Cent	5.1	0.4	1.5	5.5
0.0	15.90		78	3.7	2.2	3.7	6.8
-0.8	39.34		363	3.7	2.2	2.7	5.8
0.2	37.03		370	10.8	1.5	2.6	11.4
0.9	14.56						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

			94	10.8	1.6	3.9	12.2
0.2	20.07						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	-0.0	0.0	0.0
-0.0	14.74		78	0.0	0.0	0.0	0.0
0.0	19.57		363	0.0	0.0	0.0	0.0
0.0	61.96		370	-0.0	0.0	0.0	0.0
-0.0	75.24		94	0.0	0.0	0.0	0.0
0.0	72.20						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.0		
			78	0.0	-0.0		
			363	0.0	-0.0		
			370	0.0	-0.0		
			94	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLDy (RS)	Cent	-22.7	-3.9	1.4	-3.8
-22.8	85.69		78	-21.9	-6.9	1.3	-6.8
-22.0	85.13		363	-19.8	0.5	-0.5	0.5
-19.8	-88.60		370	-23.4	-0.8	1.6	-0.7
-23.5	85.95		94	-25.6	-8.1	3.2	-7.6
-26.1	79.88						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	0.0	0.0
-0.0	47.52		78	-0.1	-0.0	0.0	-0.0
-0.1	73.12		363	0.0	0.0	0.0	0.0
-0.0	46.08		370	-0.0	-0.0	0.0	-0.0
-0.0	25.10		94	-0.0	-0.0	0.0	0.0
-0.0	48.84						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.1	0.1		
			78	-0.1	-0.0		
			363	-0.1	0.1		
			370	-0.0	0.1		
			94	-0.0	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.6	-6.90	SLVz (RS)	Cent	4.3	-0.5	-0.6	4.4
-4.5	-42.59		78	-1.6	-2.0	-2.6	0.8
-4.2	43.13		363	-1.6	-1.9	2.4	0.7
0.6	14.82		370	9.5	1.3	2.3	10.1
0.5	-17.02		94	9.5	1.4	-2.7	10.3
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	52.65		Cent	0.0	0.0	0.0	0.0
0.0	18.39		78	0.0	0.0	0.0	0.0
0.0	-54.30		363	0.0	0.0	-0.0	0.0
-0.0	72.28		370	-0.0	0.0	0.0	0.0
0.0	65.74		94	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			78	0.0	-0.0		
			363	0.0	-0.0		
			370	0.0	-0.0		
			94	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-89.8	89.29	g1	Cent	-89.8	-4.4	1.1	-4.4
-25.8	48.23		78	21.6	33.6	53.0	81.0
-29.7	-46.33		363	18.5	23.2	-50.5	71.4
-216.1	-73.65		370	-201.1	-42.5	-50.9	-27.6
-213.3	73.81		94	-198.0	-32.1	52.6	-16.8
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-12.77		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-75.10		78	-0.0	-0.0	-0.0	0.0
-0.0	-8.03		363	-0.0	-0.0	-0.0	-0.0
-0.0	-6.12		370	0.0	-0.0	-0.0	0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-8.11		94	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			78	-0.0	0.1		
			363	-0.0	0.0		
			370	-0.0	0.0		
			94	-0.0	0.1		
			NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE	LC					
-44.7	84.86	g2	Cent	-44.5	-24.8	1.8	-24.7
-34.5	30.16		78	5.8	-20.9	23.4	19.4
-19.1	-40.27		363	13.3	4.2	-27.5	36.6
-100.3	-74.50		370	-94.8	-28.8	-19.8	-23.3
-117.5	64.00		94	-102.3	-53.8	31.0	-38.7
			NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	0.0	-0.0	0.0
-0.0	-87.16		78	-0.0	-0.0	-0.0	-0.0
-0.0	-81.58		363	0.0	0.0	-0.0	0.0
0.0	-75.57		370	0.0	0.0	0.0	0.0
0.0	79.83		94	-0.0	0.0	0.0	0.0
-0.0	88.72						
			NODE	Vxx	Vyy		
			Cent	-0.1	-0.0		
			78	-0.0	-0.0		
			363	-0.0	-0.0		
			370	-0.1	-0.0		
			94	-0.1	-0.0		
			NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE	LC					
-3.7	33.77	q3	Cent	5.4	0.4	6.1	9.6
-3.4	32.38		78	8.4	1.3	7.5	13.2
-1.2	26.34		363	8.4	1.2	4.7	10.7
-4.1	36.11		370	2.4	-0.6	4.8	5.9
-6.7	39.49		94	2.5	-0.4	7.6	8.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-21.63		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	86.06		78	-0.0	0.0	0.0	0.0
-0.0	-12.87		363	-0.0	-0.0	-0.0	-0.0
-0.0	-10.36		370	-0.0	-0.0	-0.0	-0.0
-0.0	-27.32		94	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
78	-0.0	0.0
363	-0.0	0.0
370	-0.0	0.0
94	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-27.3	88.01	q5_pc	Cent	-27.3	6.5	1.2	6.5
-25.2	85.51		78	-25.0	12.4	3.0	12.7
-28.8	85.19		363	-28.6	0.6	2.5	0.8
-29.5	-88.84		370	-29.5	0.5	-0.6	0.5
-26.0	-89.82		94	-26.0	12.4	-0.1	12.4

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	46.56		Cent	-0.0	-0.0	0.1	0.0
-0.2	73.93		78	-0.2	-0.1	0.0	-0.0
-0.0	45.08		363	0.1	0.1	0.1	0.1
-0.2	24.05		370	-0.0	-0.2	0.1	-0.0
-0.0	43.18		94	-0.0	-0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.2	0.3
78	-0.5	0.1
363	-0.5	0.5
370	-0.0	0.5
94	-0.0	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		q5_ps		Cent	-24.6	1.4	1.5	1.5
-24.7	86.70			78	-23.1	3.7	2.5	3.9
-23.3	84.78			363	-24.4	-0.5	1.6	-0.4
-24.5	86.12			370	-26.1	-1.0	0.5	-1.0
-26.2	88.77			94	-24.9	3.3	1.4	3.3
-24.9	87.19							
Mmin	ANGLE		NODE		Mxx	Myy	Mxy	Mmax
-----				Cent	-0.0	-0.0	0.1	0.0
-0.1	47.48			78	-0.2	-0.1	0.0	-0.0
-0.2	74.25			363	0.1	0.1	0.1	0.1
-0.0	45.49			370	-0.0	-0.1	0.1	-0.0
-0.2	24.57			94	-0.0	-0.0	0.0	0.0
-0.0	46.79							
			NODE		Vxx	Vyy		
			Cent		-0.2	0.3		
			78		-0.5	0.1		
			363		-0.5	0.5		
			370		-0.0	0.5		
			94		-0.0	0.0		
Fmin	ANGLE	LC	NODE		Fxx	Fyy	Fxy	Fmax
-----				Cent	-2026.7	209.7	208.7	228.5
-2031.5	84.86	INVSLU Max		78	-1478.1	597.6	530.2	722.7
-1549.7	76.72			363	-1539.0	227.8	-50.5	229.2
-1543.2	-88.41			370	-2519.6	-139.5	-102.7	-129.6
-2529.5	-85.95			94	-2497.6	216.8	476.7	296.3
-2544.0	80.53			Cent	-2291.5	-68.1	-263.0	-36.8
-2321.5	-83.20	Min		78	-1616.2	140.9	59.9	143.0
-1651.1	87.99			363	-1701.9	-55.0	-523.1	95.6
-1851.6	-73.90			370	-3043.1	-417.1	-606.9	-282.8
-3176.6	-77.60			94	-2910.5	-196.0	-10.7	-196.0
-2910.5	-89.77							
Mmin	ANGLE		NODE		Mxx	Myy	Mxy	Mmax
-----				Max	Cent	0.0	-0.1	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	-33.31		78	0.3	0.1	0.1	0.3
0.1	-12.71		363	0.1	-0.0	0.1	0.1
-0.1	34.26		370	0.1	0.2	0.1	0.2
0.0	-50.10		94	-0.0	-0.2	0.0	-0.0
-0.2	-10.09	Min	Cent	-0.1	-0.3	-0.1	-0.1
-0.3	22.15		78	-0.4	-0.1	-0.1	-0.1
-0.4	78.32		363	-0.2	-0.3	-0.1	-0.1
-0.4	-22.62		370	-0.2	-0.5	-0.1	-0.2
-0.5	4.16		94	-0.3	-0.5	-0.1	-0.3
-0.5	-0.38						

	NODE	Vxx	Vyy
Max	Cent	0.5	1.0
	78	0.8	1.2
	363	0.8	1.0
	370	0.2	1.0
	94	0.2	1.2
Min	Cent	-0.7	-0.3
	78	-0.9	0.3
	363	-0.9	-0.9
	370	-0.5	-0.8
	94	-0.5	0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1075.5	89.58	INVSLV	Max Cent	-1075.5	-43.0	13.4	-43.0
-813.1	80.56		78	-790.2	16.5	146.6	39.5
-794.7	-81.32		363	-771.2	83.8	-138.7	105.3
-1368.7	-84.61		370	-1357.5	-99.1	-111.9	-88.8
-1397.0	82.66		94	-1376.5	-163.3	174.5	-142.8
-1175.1	89.42	Min	Cent	-1175.0	-59.3	5.5	-59.2
-904.6	81.24		78	-883.5	-15.1	128.4	6.0
-878.4	-80.65		363	-855.8	73.3	-151.5	97.9
-1479.9	-85.10		370	-1469.8	-107.0	-125.5	-95.9
-1519.1	82.71		94	-1497.5	-198.5	153.4	-176.9
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-35.70		Max Cent	0.0	-0.0	0.0	0.0
			78	0.1	0.0	0.0	0.1

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-14.88		363	0.0	0.0	0.0	0.1
-0.0	41.60		370	0.0	0.1	0.0	0.1
-0.0	-59.40		94	-0.0	-0.0	0.0	0.0
-0.0	-26.40	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.1	25.95		78	-0.1	-0.1	-0.0	-0.0
-0.1	70.97		363	-0.0	-0.1	-0.0	-0.0
-0.1	-29.28		370	-0.0	-0.1	-0.0	-0.0
-0.1	20.60		94	-0.0	-0.0	-0.0	-0.0
-0.0	12.92						

	NODE	Vxx	Vyy
Max	Cent	0.1	0.2
	78	0.2	0.0
	363	0.2	0.3
	370	0.0	0.3
	94	0.0	0.0
Min	Cent	-0.1	-0.1
	78	-0.3	0.0
	363	-0.3	-0.3
	370	-0.0	-0.3
	94	-0.0	0.0

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
53	2	4	Q1-1-2	Max	Cent	0.5	5.6	334.7	337.8
-331.6		45.22			83	87.2	18.1	407.4	461.5
-356.2		42.58			474	106.1	71.1	241.9	331.2
-154.0		42.93			478	3.1	4.0	263.4	266.9
-259.8		45.05			98	3.2	1.0	435.2	437.3
-433.1		44.93		Min	Cent	-80.5	-190.9	-68.2	-48.0
-223.4		-25.51			83	-9.9	-205.7	-28.0	-6.0
-209.6		-7.98			474	-6.5	-167.4	-115.8	54.0
-228.0		-27.61			478	-222.7	-223.0	-130.2	-92.6
-353.0		-44.97			98	-245.6	-289.5	-31.2	-229.4
-305.7		-27.46							
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
				Max	Cent	0.0	0.0	0.0	0.0
0.0		60.91			83	0.0	0.0	0.0	0.0
0.0		63.63			474	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	60.05		478	0.0	0.0	0.0	0.0
-0.0	59.01		98	0.0	0.0	0.0	0.0
0.0	61.52	Min	Cent	-0.1	-0.3	-0.0	-0.1
-0.3	-3.63		83	-0.1	-0.2	-0.0	-0.1
-0.2	-3.55		474	-0.1	-0.2	-0.0	-0.1
-0.2	-3.10		478	-0.1	-0.3	-0.0	-0.1
-0.3	-3.81		98	-0.1	-0.3	-0.0	-0.1
-0.3	-4.22						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.3
	83	0.0	0.3
	474	0.0	0.3
	478	0.0	0.3
	98	0.0	0.3
Min	Cent	-0.0	-0.0
	83	-0.0	-0.0
	474	-0.0	-0.0
	478	-0.0	-0.0
	98	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-201.4	45.23	Q2a-1-2	Max Cent	0.4	3.6	203.4	205.4
-216.3	42.66		83	52.3	11.8	247.6	280.4
-93.2	43.02		474	63.7	43.4	146.4	200.3
-157.5	45.01		478	2.3	2.5	159.8	162.2
-264.3	44.91		98	2.3	0.7	265.9	267.4
-157.5	-24.34	Min	Cent	-53.8	-136.3	-46.9	-32.6
-150.3	-7.67		83	-7.0	-147.7	-19.3	-4.4
-161.3	-27.07		474	-4.6	-120.4	-80.1	36.3
-240.8	-42.20		478	-141.2	-158.9	-90.3	-59.3
-208.4	-21.98		98	-155.6	-199.8	-21.3	-146.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	55.86	Max Cent	0.0	0.0	0.0	0.0
-0.0	58.27	83	0.0	0.0	0.0	0.0
-0.0	55.27	474	0.0	0.0	0.0	0.0
		478	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	54.32		98	0.0	0.0	0.0	0.0
-0.0	56.40						
-0.2	-3.28	Min	Cent	-0.1	-0.2	-0.0	-0.1
-0.1	-3.16		83	-0.1	-0.1	-0.0	-0.1
-0.1	-2.67		474	-0.1	-0.1	-0.0	-0.1
-0.2	-3.49		478	-0.1	-0.2	-0.0	-0.1
-0.2	-3.93		98	-0.1	-0.2	-0.0	-0.1

	NODE	Vxx	Vyy
Max	Cent	0.0	0.2
	83	0.0	0.2
	474	0.0	0.2
	478	0.0	0.2
	98	0.0	0.2
Min	Cent	-0.0	-0.0
	83	-0.0	-0.0
	474	-0.0	-0.0
	478	-0.0	-0.0
	98	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-20.3	-42.71	SLVx (RS)	Cent	3.5	-0.0	-21.9	23.7
-23.9	-41.33		83	8.0	0.8	-28.1	32.7
-14.4	-31.99		474	9.2	-5.2	-14.7	18.5
-11.6	-34.38		478	11.4	-0.9	-15.7	22.1
-20.4	-41.34		98	12.7	5.2	-29.1	38.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	83.49	Cent	0.0	0.0	0.0	0.0
0.0	84.12	83	0.0	0.0	0.0	0.0
0.0	76.50	474	0.0	0.0	0.0	0.0
0.0	85.46	478	0.0	0.0	0.0	0.0
0.0	87.94	98	0.0	0.0	0.0	0.0

	NODE	Vxx	Vyy
	Cent	-0.0	-0.0
	83	-0.0	-0.0
	474	-0.0	-0.0
	478	-0.0	-0.0
	98	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-39.1	65.94	SLVy (RS)	Cent	-31.3	-0.2	17.4	7.6
-39.4	66.27		83	-31.9	-0.6	17.1	7.0
-39.7	65.77		474	-31.8	-0.7	17.6	7.2
-38.9	65.32		478	-30.7	-0.4	17.7	7.7
-38.5	66.22		98	-30.9	0.6	17.2	8.2
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	-7.01		Cent	-0.0	-0.1	-0.0	-0.0
0.0	-79.30		83	0.0	0.0	-0.0	0.0
0.0	-64.04		474	0.0	0.0	-0.0	0.0
-0.2	-4.36		478	-0.1	-0.2	-0.0	-0.1
-0.2	-2.03		98	-0.1	-0.2	-0.0	-0.1
			NODE	Vxx	Vyy		
			Cent	-0.0	0.7		
			83	-0.0	0.7		
			474	-0.0	0.6		
			478	-0.0	0.6		
			98	-0.0	0.7		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-10.1	-42.71	SLDx (RS)	Cent	1.7	-0.0	-10.9	11.8
-11.9	-41.33		83	4.0	0.4	-14.0	16.4
-7.2	-32.00		474	4.6	-2.6	-7.4	9.2
-5.8	-34.38		478	5.7	-0.4	-7.9	11.1
-10.2	-41.34		98	6.3	2.6	-14.5	19.1
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	83.48		Cent	0.0	0.0	0.0	0.0
0.0	84.12		83	0.0	0.0	0.0	0.0
0.0	76.49		474	0.0	0.0	0.0	0.0
			478	0.0	0.0	0.0	0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0      85.45  
 0.0      87.94

NODE	Vxx	Vyy
Cent	-0.0	-0.0
83	-0.0	-0.0
474	-0.0	-0.0
478	-0.0	-0.0
98	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-19.5	65.94	SLDy (RS)	Cent	-15.6	-0.1	8.7	3.8
-19.7	66.27		83	-15.9	-0.3	8.5	3.5
-19.8	65.76		474	-15.9	-0.3	8.8	3.6
-19.4	65.31		478	-15.3	-0.2	8.8	3.9
-19.2	66.22		98	-15.4	0.3	8.6	4.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-7.02	Cent	-0.0	-0.0	-0.0	-0.0
0.0	-79.25	83	0.0	0.0	-0.0	0.0
0.0	-64.01	474	0.0	0.0	-0.0	0.0
-0.1	-4.37	478	-0.0	-0.1	-0.0	-0.0
-0.1	-2.03	98	-0.0	-0.1	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.3
83	-0.0	0.4
474	-0.0	0.3
478	-0.0	0.3
98	-0.0	0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-9.2	-43.41	SLVz (RS)	Cent	1.1	0.0	-9.7	10.3
-14.3	-48.25		83	-3.2	-0.3	-12.4	10.8
-9.6	-48.20		474	-3.8	-2.3	-6.5	3.6
-4.7	-35.73		478	5.0	0.4	-7.0	10.1
-9.0	-41.33		98	5.6	2.3	-12.9	16.9

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	81.03		Cent	0.0	0.0	0.0	0.0
0.0	80.13		83	0.0	0.0	0.0	0.0
0.0	70.58		474	0.0	0.0	0.0	0.0
0.0	84.96		478	0.0	0.0	0.0	0.0
0.0	87.47		98	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			83	0.0	-0.0		
			474	0.0	-0.0		
			478	-0.0	-0.0		
			98	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-210.6	45.72	g1	Cent	-27.0	-17.6	188.3	166.1
-224.5	40.80		83	65.8	-8.2	250.6	282.1
-63.1	39.52		474	78.1	33.0	116.5	174.2
-207.5	55.11		478	-119.7	-26.9	126.0	60.9
-362.1	48.51		98	-132.1	-68.1	260.0	161.9
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-4.03		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-6.49		83	-0.0	-0.0	-0.0	-0.0
-0.0	-6.92		474	-0.0	-0.0	-0.0	-0.0
-0.0	-2.79		478	-0.0	-0.0	-0.0	-0.0
-0.0	-2.64		98	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			83	-0.0	0.0		
			474	-0.0	0.0		
			478	0.0	0.0		
			98	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-102.9	45.48		g2 Cent	-14.1	-11.1	90.3	77.7
-109.8	40.60		83	30.7	-6.6	120.4	133.9
-31.7	39.07		474	36.7	13.4	55.5	81.8
-101.2	54.92		478	-59.0	-15.6	60.1	26.6
-176.2	48.35		98	-65.0	-35.6	125.0	75.6
0.0	-89.00		Cent	0.0	0.0	-0.0	0.0
0.0	-89.47		83	0.0	0.0	-0.0	0.0
0.0	-87.73		474	0.0	0.0	-0.0	0.0
0.0	-88.71		478	0.0	0.0	-0.0	0.0
0.0	-89.90		98	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			83	-0.0	-0.0		
			474	-0.0	-0.0		
			478	-0.0	-0.0		
			98	-0.0	-0.0		
Fmin		ANGLE	LC	Fxx	Fyy	Fxy	Fmax
-4.5	37.30		q3 Cent	3.4	0.1	6.0	8.0
-5.0	35.18		83	5.1	-0.0	7.1	10.1
-1.6	33.03		474	5.5	1.4	4.6	8.5
-4.0	40.52		478	1.8	0.2	4.9	6.0
-7.4	40.17		98	1.4	-1.1	7.4	7.6
			NODE	Mxx	Myy	Mxy	Mmax
-0.0	-11.88		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-22.82		83	-0.0	-0.0	-0.0	-0.0
-0.0	-22.57		474	-0.0	-0.0	-0.0	-0.0
-0.0	-7.64		478	-0.0	-0.0	-0.0	-0.0
-0.0	-7.56		98	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

NODE	Vxx	Vyy
Cent	-0.0	0.0
83	-0.0	0.0
474	-0.0	0.0
478	0.0	0.0
98	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-20.6	-89.02	q5_pc	Cent	-20.6	0.1	-0.4	0.1
-22.4	-86.19		83	-22.3	0.4	-1.5	0.5
-22.9	86.83		474	-22.9	-1.5	1.2	-1.4
-18.9	87.51		478	-18.9	-0.2	0.8	-0.2
-18.5	-84.61		98	-18.3	1.6	-1.9	1.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.2	-5.47	Cent	-0.0	-0.2	-0.0	-0.0
0.0	-83.91	83	0.0	0.1	-0.0	0.1
0.0	-66.10	474	0.0	0.1	-0.0	0.1
-0.4	-3.70	478	-0.1	-0.4	-0.0	-0.1
-0.4	-1.44	98	-0.1	-0.4	-0.0	-0.1

NODE	Vxx	Vyy
Cent	-0.0	1.2
83	-0.0	1.3
474	-0.0	1.1
478	-0.0	1.1
98	-0.0	1.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-18.6	86.77	q5_ps	Cent	-18.5	-0.0	1.0	0.0
-19.9	89.72		83	-19.9	0.2	0.1	0.2
-20.6	83.30		474	-20.3	-1.2	2.3	-1.0
-17.4	83.35		478	-17.1	-0.2	2.0	-0.0
-16.7	-89.41		98	-16.7	1.2	-0.2	1.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.2	-5.84	Cent	-0.0	-0.2	-0.0	-0.0	-0.0
0.0	-84.39	83	0.0	0.1	-0.0	0.1	0.1
0.0	-68.22	474	0.0	0.1	-0.0	0.1	0.1
-0.4	-3.85	478	-0.1	-0.4	-0.0	-0.1	-0.1
-0.4	-1.50	98	-0.1	-0.4	-0.0	-0.1	-0.1

NODE	Vxx	Vyy
Cent	-0.0	1.2
83	-0.0	1.3
474	-0.0	1.1
478	-0.0	1.1
98	-0.0	1.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1824.0	67.95	INVSLU Max	Cent	-1708.2	-47.1	810.6	281.0
-1566.6	59.21		83	-1199.1	77.6	1179.2	779.6
-1260.7	74.60		474	-1164.1	180.0	402.8	290.4
-2145.1	77.84		478	-2112.9	-156.6	445.3	-61.0
-2472.7	64.11		98	-2122.9	-189.3	1230.9	405.1
-2080.3	80.55	Min	Cent	-1867.0	-312.5	266.0	-268.1
-1929.0	67.11		83	-1376.8	-225.3	588.7	24.0
-1366.2	-86.23		474	-1365.0	-144.7	-82.3	-139.4
-2464.0	-87.54		478	-2460.3	-463.4	-87.5	-459.7
-2751.9	74.03		98	-2499.8	-584.5	597.8	-410.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	77.91	Max Cent	0.0	0.2	0.0	0.2
0.0	-88.25		83	0.0	0.1	0.1
0.0	-51.55		474	0.0	0.1	0.1
0.1	83.31		478	0.1	0.5	0.5
0.2	86.22		98	0.2	0.5	0.5
-0.6	-3.89	Min Cent	-0.2	-0.6	-0.0	-0.2
-0.4	-1.80		83	-0.2	-0.4	-0.2
			474	-0.2	-0.4	-0.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.4	0.21		478	-0.3	-0.9	-0.0	-0.3
-1.0	-3.71		98	-0.3	-1.0	-0.0	-0.3
-1.0	-2.33						

	NODE	Vxx	Vyy
Max	Cent	0.1	2.1
	83	0.1	2.2
	474	0.1	2.0
	478	0.1	2.0
	98	0.1	2.2
Min	Cent	-0.0	-1.7
	83	-0.0	-1.9
	474	-0.0	-1.6
	478	-0.0	-1.6
	98	-0.0	-1.9

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-878.8	72.56	INVSLV	Max	Cent	-815.6	-35.6	287.7	54.5
-766.8	62.84		83		-575.5	25.6	453.5	256.4
-575.5	80.88		474		-567.8	54.9	113.3	72.4
-1056.0	83.23		478		-1050.3	-95.1	123.3	-81.1
-1201.8	68.43		98		-1056.9	-114.4	464.1	57.2
-967.9	75.17		Min	Cent	-881.0	-36.0	227.6	24.5
-867.2	64.61		83		-646.1	23.5	379.6	205.6
-656.1	83.95		474		-639.1	42.9	65.4	50.4
-1136.2	85.56		478		-1121.6	-97.3	74.3	-90.9
-1305.2	70.45		98		-1129.6	-126.6	387.9	22.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
0.0	83.39	Max	Cent	0.0	0.1	0.0	0.1
0.0	-72.08	83		0.0	0.0	0.0	0.0
0.0	-56.08	474		0.0	0.0	0.0	0.0
0.1	85.92	478		0.1	0.2	0.0	0.2
0.1	88.26	98		0.1	0.2	0.0	0.2
-0.1	-7.33	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	5.64	83		-0.0	-0.1	-0.0	-0.0
-0.1	18.08	474		-0.0	-0.0	-0.0	-0.0
		478		-0.1	-0.2	-0.0	-0.1

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.2      -4.62  
 -0.3      -2.28

	NODE	Vxx	Vyy
Max	Cent	0.0	0.7
	83	0.0	0.7
	474	0.0	0.7
	478	0.0	0.7
	98	0.0	0.7
Min	Cent	-0.0	-0.7
	83	-0.0	-0.7
	474	-0.0	-0.6
	478	-0.0	-0.6
	98	-0.0	-0.7

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
55	2	8	Q1-1-2	Max	Cent	9.5	66.5	87.3	129.8
-53.8		54.04			86	28.7	39.3	21.3	55.9
12.1		51.97			71	67.6	117.3	9.9	119.2
65.7		79.13			88	23.6	114.3	157.2	232.5
-94.6		53.04			101	1.5	37.8	167.4	188.0
-148.8		48.10		Min	Cent	-56.0	-435.0	-149.8	-3.9
-487.1		-19.17			86	-121.9	-683.8	-153.1	-82.9
-722.8		-14.30			71	-0.3	-194.8	-174.3	102.0
-297.2		-30.42			88	-25.6	-216.8	-151.9	58.3
-300.7		-28.90			101	-175.1	-718.0	-127.5	-146.6
-746.4		-12.58							

				NODE	Mxx	Myy	Mxy	Mmax	
Mmin		ANGLE							
				Max	Cent	0.0	0.0	0.0	0.0
0.0		32.57			86	0.0	0.0	0.0	0.0
-0.0		50.66			71	0.1	0.1	0.0	0.1
0.1		41.29			88	0.0	0.0	0.0	0.0
0.0		64.50			101	0.0	0.1	0.0	0.1
0.0		82.05		Min	Cent	-0.1	-0.2	-0.0	-0.0
-0.2		-8.64			86	-0.0	-0.2	-0.0	-0.0
-0.2		-12.02			71	-0.1	-0.0	-0.0	-0.0
-0.1		-64.42			88	-0.2	-0.4	-0.0	-0.2
-0.4		-3.54			101	-0.0	-0.2	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.2      -3.94

	NODE	Vxx	Vyy
Max	Cent	0.2	0.6
	86	0.2	0.4
	71	0.2	1.2
	88	0.3	1.2
Min	101	0.3	0.4
	Cent	-0.1	-0.2
	86	-0.2	-0.5
	71	-0.2	-0.2
	88	-0.0	-0.2
	101	-0.0	-0.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-43.4	52.58	Q2a-1-2	Max Cent	6.1	41.2	64.8	90.8
5.1	51.03		86	17.8	24.5	15.7	37.2
39.9	77.26		71	41.6	72.2	7.3	73.9
-76.9	51.74		88	14.8	70.6	116.3	162.3
-112.2	47.66		101	0.7	23.8	123.9	136.7
-317.6	-17.95		Min Cent	-41.3	-288.6	-89.5	-12.3
-487.9	-12.89		86	-89.6	-467.1	-91.1	-68.8
-177.7	-30.05		71	-0.2	-118.3	-102.7	59.2
-181.7	-28.84		88	-15.4	-131.3	-91.6	35.1
-504.8	-11.47		101	-122.0	-489.1	-77.7	-106.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	32.97	Max Cent	0.0	0.0	0.0	0.0
-0.0	49.17	86	0.0	0.0	0.0	0.0
0.1	47.17	71	0.1	0.1	0.0	0.1
0.0	58.81	88	0.0	0.0	0.0	0.0
0.0	83.41	101	0.0	0.1	0.0	0.1
-0.1	-8.02	Min Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-10.22	86	-0.0	-0.1	-0.0	-0.0
-0.1	-64.99	71	-0.0	-0.0	-0.0	-0.0
-0.3	-3.74	88	-0.1	-0.3	-0.0	-0.1
-0.1	-3.60	101	-0.0	-0.1	-0.0	-0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
Max	Cent	0.1	0.4
	86	0.1	0.2
	71	0.1	0.8
	88	0.2	0.8
	101	0.2	0.2
Min	Cent	-0.0	-0.1
	86	-0.1	-0.4
	71	-0.1	-0.1
	88	-0.0	-0.1
	101	-0.0	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	0.4	-15.8	-10.8	5.8
-21.2	-26.63		86	-1.9	-25.2	-12.8	3.8
-30.9	-23.91		71	5.6	5.5	-14.7	20.2
-9.1	-44.90		88	2.4	-7.3	-9.1	7.8
-12.8	-30.90		101	-4.9	-26.9	-7.1	-2.8
-29.0	-16.44						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	0.0	0.0	0.0	0.0
-0.0	59.05		86	-0.0	-0.0	0.0	0.0
-0.0	38.41		71	0.0	-0.0	0.0	0.0
-0.0	20.14		88	-0.0	-0.0	0.0	-0.0
-0.0	23.69		101	0.0	0.0	0.0	0.0
-0.0	73.88						

	NODE	Vxx	Vyy
	Cent	0.0	0.0
	86	-0.0	-0.0
	71	-0.0	0.0
	88	0.0	0.0
	101	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	1.5	14.6	-4.7	16.1
-0.0	-72.09		86	-17.8	-30.0	-19.4	-3.6
-44.3	-36.31		71	7.2	54.1	-13.6	57.8
3.5	-74.92		88	20.8	56.3	11.3	59.6
17.5	73.76		101	-4.2	-27.9	5.5	-3.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-29.1      12.51

Mmin      ANGLE      NODE      Mxx      Myy      Mxy      Mmax

-----						
		Cent	-0.0	0.0	0.0	0.0
-0.0	78.28	86	-0.0	-0.0	-0.0	-0.0
-0.0	-43.39	71	-0.0	0.1	0.0	0.1
-0.0	85.40	88	-0.1	-0.1	0.0	-0.1
-0.1	12.72	101	0.0	0.0	-0.0	0.0
0.0	-86.05					

NODE      Vxx      Vyy

-----		
Cent	0.1	0.2
86	0.1	-0.2
71	0.1	0.5
88	0.1	0.5
101	0.1	-0.2

Fmin      ANGLE      LC      NODE      Fxx      Fyy      Fxy      Fmax

-----							
		SLDx (RS)	Cent	0.2	-7.9	-5.4	2.9
-10.6	-26.63		86	-0.9	-12.6	-6.4	1.9
-15.4	-23.91		71	2.8	2.7	-7.3	10.1
-4.6	-44.90		88	1.2	-3.7	-4.5	3.9
-6.4	-30.89		101	-2.4	-13.4	-3.5	-1.4
-14.5	-16.44						

Mmin      ANGLE      NODE      Mxx      Myy      Mxy      Mmax

-----						
		Cent	0.0	0.0	0.0	0.0
-0.0	59.05	86	-0.0	-0.0	0.0	0.0
-0.0	38.41	71	0.0	-0.0	0.0	0.0
-0.0	20.16	88	-0.0	-0.0	0.0	-0.0
-0.0	23.70	101	0.0	0.0	0.0	0.0
-0.0	73.89					

NODE      Vxx      Vyy

-----		
Cent	0.0	0.0
86	-0.0	-0.0
71	-0.0	0.0
88	0.0	0.0
101	0.0	-0.0

LC      NODE      Fxx      Fyy      Fxy      Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE						
-0.0	-72.09	SLDy (RS)	Cent	0.7	7.3	-2.4	8.0
-22.1	-36.30		86	-8.9	-15.0	-9.7	-1.8
1.7	-74.92		71	3.6	27.0	-6.8	28.9
8.7	73.76		88	10.4	28.1	5.7	29.8
-14.6	12.52		101	-2.1	-13.9	2.8	-1.5
			NODE	Mxx	Myy	Mxy	Mmax
-0.0	78.27		Cent	-0.0	0.0	0.0	0.0
-0.0	-43.37		86	-0.0	-0.0	-0.0	-0.0
-0.0	85.40		71	-0.0	0.0	0.0	0.0
-0.0	12.73		88	-0.0	-0.0	0.0	-0.0
0.0	-86.01		101	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.1	0.1		
			86	0.1	-0.1		
			71	0.1	0.3		
			88	0.0	0.3		
			101	0.0	-0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.9	61.66	SLVz (RS)	Cent	-0.1	4.2	3.3	6.0
-2.3	67.44		86	-0.8	6.2	3.5	7.7
-4.3	56.86		71	-1.5	2.2	4.2	4.9
-2.7	60.34		88	-0.9	2.8	3.1	4.5
0.5	69.40		101	1.4	6.8	2.3	7.7
			NODE	Mxx	Myy	Mxy	Mmax
0.0	-62.07		Cent	0.0	0.0	-0.0	0.0
-0.0	51.75		86	0.0	0.0	0.0	0.0
-0.0	31.03		71	-0.0	-0.0	0.0	-0.0
0.0	-67.94		88	0.0	0.0	-0.0	0.0
			101	-0.0	0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

- 0.0      - 80.78

NODE	Vxx	Vyy
Cent	-0.0	-0.0
86	-0.0	-0.0
71	-0.0	-0.0
88	-0.0	-0.0
101	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-168.0	-27.28	g1	Cent	-0.9	-123.5	-86.2	43.6
-198.2	-23.05		86	11.5	-160.2	-89.2	49.5
-138.1	-31.99		71	38.9	-69.1	-110.6	108.0
-140.9	-33.08		88	-13.3	-86.8	-83.1	40.8
-201.7	-20.99		101	-40.7	-178.0	-61.8	-17.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-15.23	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-32.35	86	-0.0	-0.0	-0.0	0.0
0.0	-68.06	71	0.0	0.0	-0.0	0.0
-0.1	-4.07	88	-0.0	-0.1	-0.0	-0.0
-0.1	-4.02	101	0.0	-0.1	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.2
86	0.0	0.1
71	0.0	0.2
88	0.1	0.2
101	0.1	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-90.1	-26.78	g2	Cent	-0.2	-67.2	-45.4	22.8
-91.4	-22.56		86	11.4	-73.7	-42.7	29.1
-81.6	-28.89		71	18.1	-51.2	-55.0	48.5
-90.1	-31.50		88	-11.7	-60.7	-48.1	17.8
-99.0	-23.94		101	-18.4	-83.1	-35.8	-2.5

NODE	Mxx	Myy	Mxy	Mmax
------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE						
-0.0	-89.88		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-21.33		86	-0.0	-0.0	-0.0	-0.0
-0.0	-88.34		71	-0.0	0.0	-0.0	0.0
-0.0	88.47		88	-0.0	-0.0	0.0	-0.0
-0.0	76.76		101	-0.0	-0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			86	0.0	-0.0		
			71	0.0	0.1		
			88	0.0	0.1		
			101	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-17.5	-26.95	q3	Cent	0.2	-12.9	-9.0	4.8
-26.8	-23.21		86	-0.8	-22.0	-11.2	4.0
-11.7	-37.00		71	5.2	-2.1	-12.7	14.8
-8.6	-34.98		88	1.2	-3.8	-6.8	6.0
-25.0	-14.49		101	-4.8	-23.7	-5.2	-3.4
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	45.11		Cent	-0.0	0.0	0.0	0.0
-0.0	42.65		86	-0.0	-0.0	0.0	0.0
-0.0	45.97		71	0.0	0.0	0.0	0.0
-0.0	36.64		88	-0.0	-0.0	0.0	-0.0
-0.0	53.83		101	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			86	-0.0	-0.0		
			71	-0.0	0.0		
			88	0.0	0.0		
			101	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		q5_pc	Cent	0.7	32.4	5.0	33.2
-0.1	81.26		86	-16.9	-5.4	-8.6	-0.8
-21.4	-61.88		71	5.1	67.9	-2.9	68.1
5.0	-87.33		88	18.2	70.2	18.6	76.1
12.3	72.22		101	-3.8	-3.1	12.9	9.5
-16.4	45.73						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.1	0.0	-0.0	0.0
-0.1	-85.62		86	-0.0	0.0	-0.0	0.0
-0.0	-60.75		71	-0.1	0.0	0.0	0.0
-0.1	86.84		88	-0.1	-0.1	0.0	-0.1
-0.1	32.12		101	-0.0	0.0	-0.0	0.0
-0.0	-66.10						
			NODE	Vxx	Vyy		
-----							
			Cent	0.2	0.2		
			86	0.3	-0.1		
			71	0.3	0.4		
			88	0.1	0.4		
			101	0.1	-0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		q5_ps	Cent	0.8	25.1	2.9	25.4
0.5	83.38		86	-13.8	-6.5	-8.5	-0.9
-19.4	-56.64		71	4.6	54.9	-3.8	55.2
4.3	-85.68		88	15.4	56.7	14.2	61.1
11.0	72.75		101	-3.0	-4.7	9.5	5.7
-13.4	42.54						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	0.0	-0.0	0.0
-0.0	-84.58		86	-0.0	0.0	-0.0	0.0
-0.0	-60.85		71	-0.1	0.0	0.0	0.0
-0.1	86.83		88	-0.1	-0.1	0.0	-0.1
-0.1	35.68		101	-0.0	0.0	-0.0	0.0
-0.0	-63.98						
			NODE	Vxx	Vyy		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Cent	0.2	0.1
86	0.3	-0.0
71	0.3	0.3
88	0.1	0.3
101	0.1	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-77.5	-85.22	INVSLU	Max Cent	-73.3	520.8	-50.1	524.9
174.0	-89.20		86	174.1	744.1	-7.9	744.2
12.4	-69.78		71	65.7	404.6	-139.2	457.8
-254.1	-83.07		88	-245.4	334.9	-71.6	343.6
-138.8	88.25		101	-137.4	672.3	48.0	673.1
-568.8	-43.06		Min Cent	-163.0	-214.6	-379.2	191.3
-425.0	-35.31		86	-59.6	-241.7	-258.8	123.7
-478.5	-45.70		71	-37.4	-139.0	-393.2	240.9
-816.4	-66.76		88	-344.7	-238.4	-522.2	190.6
-735.8	-46.21		101	-383.2	-353.6	-373.3	-18.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.2	11.70		Max Cent	0.0	-0.2	0.0	0.0
-0.2	12.26		86	-0.0	-0.2	0.1	0.0
0.1	2.32		71	0.2	0.2	0.0	0.2
-0.2	8.67		88	-0.1	-0.2	0.0	-0.1
0.0	30.87		101	0.1	0.0	0.1	0.1
-0.4	-0.05		Min Cent	-0.2	-0.4	-0.0	-0.2
-0.5	-6.75		86	-0.1	-0.5	-0.1	-0.1
-0.3	-40.79		71	-0.3	-0.1	-0.0	-0.0
-0.9	0.96		88	-0.5	-0.9	0.0	-0.5
-0.5	-1.05		101	-0.0	-0.5	-0.0	-0.0
			NODE	Vxx	Vyy		
			Max Cent	0.8	1.3		
			86	0.9	0.3		
			71	0.9	2.9		
			88	0.8	2.9		
			101	0.8	0.3		
			Min Cent	-0.0	-0.1		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

86 -0.3 -1.0  
 71 -0.3 0.3  
 88 0.2 0.3  
 101 0.2 -1.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-158.1	-33.99	INVSLV Max	Cent	-18.7	-96.2	-89.5	56.7
-119.4	-23.45		86	36.9	-90.1	-67.5	69.4
-133.8	-38.88		71	43.5	-20.1	-110.3	164.1
-141.4	-42.94		88	-37.1	-46.3	-98.7	61.6
-168.8	-35.77		101	-68.2	-120.7	-65.8	-12.5
-207.5	-30.47	Min	Cent	-21.9	-139.0	-116.0	33.3
-228.1	-27.33		86	-0.4	-168.9	-116.2	55.8
-196.1	-27.41		71	24.9	-132.9	-150.3	82.4
-257.5	-36.06		88	-80.6	-165.0	-128.6	7.7
-238.2	-25.71		101	-81.4	-196.7	-84.7	-46.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-14.28	Max	Cent	0.0	-0.0	0.0	0.0
-0.0	-19.46		86	0.0	-0.0	-0.0	0.0
-0.0	88.06		71	0.0	0.1	0.0	0.1
0.0	-74.06		88	0.0	0.0	0.0	0.0
0.0	-65.44		101	0.0	0.0	0.0	0.0
-0.0	-75.36	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-28.25		86	-0.0	-0.0	-0.0	-0.0
-0.1	-37.00		71	-0.1	-0.1	-0.0	-0.0
-0.2	11.05		88	-0.1	-0.2	-0.0	-0.1
-0.1	0.23		101	-0.0	-0.1	-0.0	-0.0
			NODE	Vxx	Vyy		
		Max	Cent	0.2	0.3		
			86	0.2	0.2		
			71	0.2	0.7		
			88	0.2	0.7		
			101	0.2	0.2		
		Min	Cent	-0.0	-0.1		
			86	-0.1	-0.1		
			71	-0.1	-0.3		



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

88 0.0 -0.4  
101 0.0 -0.1

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin		ANGLE						
56	2	8	Q1-1-2	Max Cent	19.6	74.1	131.7	181.3
-87.7		50.85		85	68.1	117.8	150.1	245.1
-59.3		49.70		87	41.3	55.1	131.4	179.8
-83.4		46.51		102	3.6	51.3	114.8	144.7
-89.8		50.86		100	27.7	120.6	137.1	218.9
-70.6		54.35		Min Cent	-59.3	-428.3	-103.6	-32.2
-455.4		-14.66		85	-0.4	-196.7	-23.5	2.4
-199.4		-6.72		87	-129.1	-691.4	-36.1	-126.8
-693.7		-3.66		102	-167.0	-698.4	-186.9	-107.9
-757.6		-17.56		100	-19.9	-211.4	-175.1	83.9
-315.2		-30.66						
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax
				Max Cent	0.0	0.0	0.0	0.0
0.0		32.37		85	0.1	0.1	0.0	0.1
0.1		44.09		87	0.0	0.0	0.0	0.0
-0.0		50.85		102	0.0	0.1	0.0	0.1
0.0		83.60		100	0.0	0.0	0.0	0.0
0.0		67.47		Min Cent	-0.1	-0.2	-0.0	-0.1
-0.2		-7.80		85	-0.1	-0.0	-0.0	-0.0
-0.1		-79.20		87	-0.0	-0.2	-0.0	-0.0
-0.2		-7.19		102	-0.0	-0.2	-0.0	-0.0
-0.2		-4.13		100	-0.2	-0.4	-0.0	-0.2
-0.4		-3.89						
				NODE	Vxx	Vyy		
				Max Cent	0.0	0.6		
				85	0.2	1.2		
				87	0.2	0.3		
				102	0.0	0.3		
				100	0.0	1.2		
				Min Cent	-0.2	-0.2		
				85	-0.2	-0.2		
				87	-0.2	-0.5		
				102	-0.3	-0.5		
				100	-0.3	-0.2		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-52.6	50.85	Q2a-1-2	Max Cent	12.3	45.4	79.8	110.3
-33.8	49.83		85	41.6	72.0	89.3	147.4
-49.0	46.51		87	26.0	34.3	79.0	109.3
-55.5	50.93		102	2.2	32.0	71.0	89.6
-42.2	54.25		100	18.2	74.4	84.0	134.9
-308.3	-16.20		Min Cent	-43.8	-286.0	-76.9	-21.5
-122.3	-8.09		85	-0.2	-119.9	-17.4	2.3
-477.9	-3.98		87	-95.2	-476.0	-26.6	-93.4
-526.2	-18.76		102	-118.9	-479.2	-138.3	-71.9
-212.8	-32.98		100	-12.9	-128.6	-129.7	71.3
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	30.63		Max Cent	0.0	0.0	0.0	0.0
0.0	46.72		85	0.1	0.1	0.0	0.1
-0.0	50.35		87	0.0	0.0	0.0	0.0
0.0	85.25		102	0.0	0.1	0.0	0.1
0.0	63.63		100	0.0	0.0	0.0	0.0
-0.1	-8.90		Min Cent	-0.0	-0.1	-0.0	-0.0
-0.0	-78.30		85	-0.0	-0.0	-0.0	-0.0
-0.1	-7.42		87	-0.0	-0.1	-0.0	-0.0
-0.1	-4.30		102	-0.0	-0.1	-0.0	-0.0
-0.3	-3.90		100	-0.1	-0.3	-0.0	-0.1
			NODE	Vxx	Vyy		
			Max Cent	0.0	0.4		
			85	0.1	0.8		
			87	0.1	0.2		
			102	0.0	0.2		
			100	0.0	0.8		
			Min Cent	-0.1	-0.1		
			85	-0.1	-0.1		
			87	-0.1	-0.4		
			102	-0.2	-0.4		
			100	-0.2	-0.1		


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVx (RS)	Cent	-0.6	7.9	-6.2	11.2
-3.9	-62.07		85	-3.5	4.4	-8.0	9.3
-8.4	-58.14		87	1.9	10.5	-6.3	13.8
-1.4	-62.31		102	-2.4	11.5	-4.5	12.9
-3.8	-73.49		100	-1.2	5.5	-6.3	9.3
-5.0	-59.05						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	0.0	-0.0	0.0
0.0	-80.83		85	-0.0	-0.0	-0.0	-0.0
-0.0	-25.61		87	0.0	0.0	-0.0	0.0
-0.0	-67.16		102	0.0	0.0	-0.0	0.0
0.0	-88.82		100	-0.0	-0.0	0.0	-0.0
-0.0	3.76						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	0.0		
			85	0.0	0.0		
			87	0.0	-0.0		
			102	0.0	-0.0		
			100	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVy (RS)	Cent	1.7	15.3	4.5	16.7
0.3	73.32		85	9.3	52.0	14.4	56.3
4.9	73.03		87	-14.6	-28.4	17.6	-2.6
-40.4	34.24		102	-6.0	-24.2	-6.3	-4.0
-26.2	-17.24		100	17.9	56.3	-9.5	58.6
15.6	-76.83						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	0.0	-0.0	0.0
-0.0	-78.72		85	-0.0	0.1	-0.0	0.1
-0.0	-86.62		87	-0.0	-0.0	-0.0	-0.0
-0.0	-49.94		102	0.0	0.0	0.0	0.0
0.0	85.87						

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	-15.81		100	-0.1	-0.1	-0.0	-0.1
------	--------	--	-----	------	------	------	------

	NODE	Vxx	Vyy
Cent	Cent	-0.1	0.2
85	85	-0.1	0.5
87	87	-0.1	-0.1
102	102	-0.1	-0.1
100	100	-0.1	0.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.9	-62.08	SLDx (RS)	Cent	-0.3	4.0	-3.1	5.6
-4.2	-58.15		85	-1.7	2.2	-4.0	4.7
-0.7	-62.31		87	0.9	5.3	-3.1	6.9
-1.9	-73.49		102	-1.2	5.8	-2.3	6.4
-2.5	-59.05		100	-0.6	2.7	-3.1	4.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-80.83	Cent	0.0	0.0	-0.0	0.0
-0.0	-25.65	85	-0.0	-0.0	-0.0	-0.0
-0.0	-67.16	87	0.0	0.0	-0.0	0.0
0.0	-88.82	102	0.0	0.0	-0.0	0.0
-0.0	3.76	100	-0.0	-0.0	0.0	-0.0

	NODE	Vxx	Vyy
Cent	Cent	-0.0	0.0
85	85	0.0	0.0
87	87	0.0	-0.0
102	102	0.0	-0.0
100	100	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.2	73.32	SLDy (RS)	Cent	0.8	7.7	2.2	8.3
2.5	73.03		85	4.6	26.0	7.2	28.1
-20.2	34.24		87	-7.3	-14.2	8.8	-1.3
-13.1	-17.24		102	-3.0	-12.1	-3.1	-2.0
7.8	-76.82		100	8.9	28.1	-4.8	29.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-78.72		Cent	-0.0	0.0	-0.0	0.0
-0.0	-86.62		85	-0.0	0.0	-0.0	0.0
-0.0	-49.86		87	-0.0	-0.0	-0.0	-0.0
0.0	85.83		102	0.0	0.0	0.0	0.0
-0.0	-15.82		100	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.1	0.1
85	-0.1	0.3
87	-0.1	-0.1
102	-0.0	-0.1
100	-0.0	0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.7	-62.55	SLVz (RS)	Cent	-0.2	3.6	-2.8	5.1
-3.6	-58.93		85	-1.5	2.2	-3.5	4.3
-1.9	-67.29		87	-0.8	4.7	-2.8	5.8
0.2	-67.68		102	1.0	5.1	-2.0	6.0
-1.5	-56.37		100	0.3	2.6	-2.8	4.5

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-78.96		Cent	0.0	0.0	-0.0	0.0
-0.0	-26.86		85	-0.0	-0.0	-0.0	-0.0
-0.0	-65.81		87	0.0	0.0	-0.0	0.0
-0.0	-89.06		102	-0.0	0.0	-0.0	0.0
0.0	83.47		100	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
85	0.0	-0.0
87	0.0	-0.0
102	0.0	-0.0
100	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-142.7	25.56		g1	Cent	4.1	-109.1	70.2	37.7
-119.1	29.78			85	39.7	-67.1	90.9	91.8
-164.5	20.91			87	18.5	-137.8	69.9	45.2
-169.0	19.82			102	-31.6	-151.2	49.5	-13.7
-124.2	31.78			100	-10.3	-80.5	70.5	33.4
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	7.51			Cent	-0.0	-0.0	0.0	-0.0
0.0	69.82			85	0.0	0.0	0.0	0.0
-0.0	21.94			87	-0.0	-0.0	0.0	0.0
-0.0	0.55			102	0.0	-0.0	0.0	0.0
-0.1	-1.76			100	-0.0	-0.1	-0.0	-0.0
				NODE	Vxx	Vyy		
				Cent	-0.0	0.1		
				85	-0.0	0.2		
				87	-0.0	0.1		
				102	-0.1	0.1		
				100	-0.1	0.2		
Fmin		ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-76.0	25.06		g2	Cent	2.2	-58.9	36.6	19.3
-71.0	26.27			85	18.3	-49.2	44.1	40.1
-72.0	20.22			87	15.0	-60.2	32.1	26.8
-81.2	23.39			102	-13.9	-68.6	29.1	-1.3
-81.5	30.11			100	-10.6	-57.7	41.1	13.3
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-83.09			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-89.48			85	-0.0	0.0	-0.0	0.0
-0.0	-13.58			87	-0.0	-0.0	-0.0	0.0
-0.0	-77.56			102	-0.0	0.0	-0.0	0.0
-0.0	-82.33			100	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

NODE	Vxx	Vyy
Cent	-0.0	0.0
85	-0.0	0.0
87	-0.0	-0.0
102	-0.0	-0.0
100	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-3.0	23.59	q3	Cent	0.2	-2.4	1.4	0.8
-2.2	30.93		85	0.9	-1.1	1.9	2.1
-4.1	20.43		87	0.2	-3.5	1.6	0.8
-3.9	14.88		102	-0.5	-3.7	0.9	-0.2
-1.9	29.09		100	0.2	-1.3	1.2	0.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	9.83	Cent	-0.0	-0.0	0.0	-0.0
0.0	63.00	85	0.0	0.0	0.0	0.0
-0.0	28.17	87	-0.0	-0.0	0.0	0.0
-0.0	2.35	102	0.0	-0.0	0.0	0.0
-0.0	0.42	100	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
85	0.0	0.0
87	0.0	0.0
102	-0.0	0.0
100	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.5	-84.26	q5_pc	Cent	-0.2	33.2	-3.4	33.5
6.2	84.66		85	6.7	66.6	5.6	67.1
-19.2	60.81		87	-14.5	-4.0	8.5	0.7
-16.5	-52.74		102	-7.1	-0.2	-12.4	9.3
10.2	-75.76		100	14.1	70.4	-15.3	74.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	83.11	Cent	-0.0	0.0	0.0	0.0
-0.1	-88.82	85	-0.1	0.0	-0.0	0.0
-0.0	61.68	87	-0.0	0.0	0.0	0.0
-0.0	60.22	102	0.0	0.0	0.0	0.0
-0.1	-35.20	100	-0.1	-0.1	-0.0	-0.1

NODE	Vxx	Vyy
Cent	-0.2	0.2
85	-0.3	0.4
87	-0.3	-0.0
102	-0.1	-0.0
100	-0.1	0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.0	-86.19	q5_ps	Cent	0.1	25.8	-1.7	25.9
5.3	83.08		85	6.0	53.7	5.9	54.4
-17.2	55.82		87	-11.6	-5.2	8.1	0.3
-13.4	-50.56		102	-5.7	-2.1	-9.3	5.6
9.1	-76.35		100	11.9	56.8	-11.6	59.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	82.03	Cent	-0.0	0.0	0.0	0.0
-0.1	-88.85	85	-0.1	0.0	-0.0	0.0
-0.0	61.64	87	-0.0	0.0	0.0	0.0
-0.0	57.95	102	0.0	0.0	0.0	0.0
-0.1	-39.84	100	-0.1	-0.1	-0.0	-0.1

NODE	Vxx	Vyy
Cent	-0.2	0.2
85	-0.3	0.3
87	-0.3	0.0
102	-0.1	0.0
100	-0.1	0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-144.9	65.67	INVSLU Max	Cent	-49.6	552.4	348.3	707.1



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-85.6	57.99		85	77.9	419.3	350.2	638.2
169.1	73.28		87	210.3	817.0	215.6	877.1
-210.0	69.67		102	-120.0	713.9	358.6	846.8
-322.2	60.59		100	-243.7	332.2	503.2	600.3
-219.8	32.07	Min	Cent	-156.3	-185.7	24.5	-136.8
-192.3	32.52		85	-29.4	-125.0	105.7	40.9
-198.8	-3.94		87	-45.8	-198.1	-25.8	-45.0
-409.6	-59.32		102	-364.1	-298.6	-71.0	-269.3
-588.1	59.52		100	-333.4	-242.7	54.2	-194.7

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.2	-9.03	Max	Cent	0.0	-0.2	-0.0	0.0
0.1	5.61		85	0.2	0.2	0.0	0.2
-0.2	-4.25		87	-0.0	-0.2	0.0	-0.0
0.0	-29.18		102	0.1	0.0	-0.0	0.1
-0.2	-5.30		100	-0.1	-0.2	-0.0	-0.1
-0.4	-13.16	Min	Cent	-0.2	-0.4	-0.1	-0.2
-0.3	-33.71		85	-0.3	-0.1	-0.0	-0.1
-0.5	-5.19		87	-0.1	-0.5	-0.1	-0.1
-0.5	-5.91		102	-0.0	-0.4	-0.1	-0.0
-0.9	-6.48		100	-0.5	-0.9	-0.1	-0.5

	NODE	Vxx	Vyy
Max	Cent	0.0	1.3
	85	0.3	2.9
	87	0.3	0.1
	102	-0.2	0.1
	100	-0.2	2.9
Min	Cent	-0.8	-0.1
	85	-1.0	0.2
	87	-1.0	-1.0
	102	-0.8	-1.0
	100	-0.8	0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-134.9	33.26	INVSLV	Max	Cent	-11.3	-81.9	90.5
-106.7	37.20			85	46.8	-17.7	122.6
							139.8

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-88.3	20.66		87	41.7	-70.8	88.2	60.5
-145.9	34.30		102	-55.4	-100.5	67.5	-10.2
-121.0	43.56		100	-34.5	-38.8	108.4	50.3
-165.0	28.48	Min	Cent	-15.2	-119.5	73.6	25.4
-170.0	24.92		85	25.2	-125.6	87.0	65.6
-177.9	24.91		87	11.0	-136.8	47.5	50.6
-184.8	25.85		102	-69.5	-158.9	51.1	-44.1
-230.0	34.33		100	-71.1	-156.3	84.0	-0.6

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----	-----						
		Max	Cent	0.0	-0.0	0.0	0.0
-0.0	9.30		85	0.0	0.1	0.0	0.1
-0.0	-88.10		87	0.0	-0.0	0.0	0.0
-0.0	17.67		102	0.0	0.0	0.0	0.0
0.0	84.71		100	0.0	0.0	0.0	0.0
0.0	73.77	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-64.18		85	-0.1	-0.1	-0.0	-0.0
-0.1	22.94		87	-0.0	-0.0	-0.0	-0.0
-0.0	-2.44		102	-0.0	-0.1	-0.0	-0.0
-0.1	-3.73		100	-0.1	-0.1	-0.0	-0.1
-0.1	-15.08						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.3
	85	0.1	0.7
	87	0.1	0.2
	102	-0.0	0.2
	100	-0.0	0.7
Min	Cent	-0.2	-0.1
	85	-0.2	-0.4
	87	-0.2	-0.1
	102	-0.2	-0.1
	100	-0.2	-0.4

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
57	2	8	Q1-1-2	Max	Cent	104.4	302.2	18.9	304.0
102.6		84.59			88	179.9	630.7	11.0	630.9
179.6		88.61			154	37.2	75.1	45.6	105.5
6.8		56.29							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

24.7	53.11		155	55.9	80.2	41.7	111.4
218.4	88.54		5	218.7	645.5	10.8	645.8
-520.6	-40.20	Min	Cent	-53.9	-187.3	-394.5	279.5
-653.2	-36.41		88	-110.4	-358.0	-400.3	184.8
-586.6	-37.36		154	-118.5	-313.7	-357.3	154.3
-607.6	-37.28		155	-85.3	-305.0	-397.6	217.4
-693.0	-36.74		5	-103.0	-364.3	-440.4	225.7

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
		Max	Cent	0.0	0.1	0.1	0.1
-0.0	58.53		88	0.6	1.4	0.0	1.4
0.6	88.02		154	0.2	0.4	0.1	0.4
0.2	76.12		155	0.1	0.2	0.1	0.2
0.1	59.37		5	0.4	1.4	0.1	1.4
0.4	86.56	Min	Cent	-0.1	-0.3	-0.1	-0.0
-0.4	-22.49		88	-0.5	-1.3	-0.0	-0.5
-1.3	-2.34		154	-0.3	-0.7	-0.1	-0.3
-0.7	-17.55		155	-0.2	-0.4	-0.1	-0.1
-0.5	-26.28		5	-0.5	-1.8	-0.1	-0.5
-1.8	-3.16						

	NODE	Vxx	Vyy
Max	Cent	0.6	10.5
	88	0.7	26.4
	154	0.7	4.9
	155	0.5	4.9
	5	0.5	26.4
Min	Cent	-0.3	-8.6
	88	-0.4	-22.1
	154	-0.4	-5.5
	155	-0.3	-5.4
	5	-0.3	-22.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
60.5	83.44	Q2a-1-2	Max	Cent	62.0	179.2	13.6	180.8
104.2	88.37			88	104.5	371.7	7.6	371.9
-3.6	53.91			154	21.0	42.7	33.8	67.4
9.7	50.42			155	35.1	46.8	30.7	72.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
128.9	88.36		5	129.1	380.8	7.2	381.0
-313.8	-40.50	Min	Cent	-37.6	-112.3	-235.9	163.8
-391.5	-36.77		88	-68.2	-211.0	-241.6	112.3
-377.3	-36.21		154	-84.5	-220.3	-214.4	72.5
-386.9	-36.00		155	-61.0	-214.8	-236.8	111.1
-412.4	-36.86		5	-60.9	-214.8	-263.6	136.8
		Max	Cent	0.0	0.1	0.0	0.1
-0.0	58.08		88	0.3	0.8	0.0	0.8
0.3	87.97		154	0.1	0.2	0.0	0.2
0.1	75.52		155	0.1	0.1	0.0	0.1
0.0	55.05		5	0.2	0.8	0.0	0.8
0.2	86.47	Min	Cent	-0.1	-0.2	-0.1	-0.0
-0.2	-22.24		88	-0.3	-0.7	-0.0	-0.3
-0.7	-2.39		154	-0.2	-0.4	-0.1	-0.1
-0.4	-18.30		155	-0.1	-0.3	-0.1	-0.1
-0.3	-26.83		5	-0.3	-1.0	-0.0	-0.3
-1.0	-3.13						
			NODE	Vxx	Vyy		
		Max	Cent	0.4	6.1		
			88	0.4	15.3		
			154	0.4	2.8		
			155	0.3	2.8		
			5	0.3	15.3		
		Min	Cent	-0.2	-4.9		
			88	-0.2	-12.5		
			154	-0.2	-3.1		
			155	-0.2	-3.1		
			5	-0.2	-12.5		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-33.2	-43.13	SLVx (RS)	Cent	-3.3	-7.0	-28.0	22.9
-36.8	-41.45		88	-4.8	-11.8	-28.3	20.2
-27.4	-47.36		154	-2.5	1.9	-27.0	26.8
-27.6	-47.12		155	-1.8	2.3	-27.8	28.1
-37.7	-41.42		5	-4.8	-12.1	-29.1	20.9

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----	-----	-----	-----	-----	-----	-----
-0.0	10.42	Cent	-0.0	-0.0	0.0	-0.0
0.0	81.52	88	0.0	0.0	0.0	0.0
-0.0	13.89	154	-0.0	-0.0	0.0	-0.0
0.0	74.42	155	0.0	0.0	0.0	0.0
-0.0	3.05	5	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
-----	-----	-----
Cent	-0.0	0.1
88	0.0	0.2
154	0.0	-0.0
155	-0.0	-0.0
5	-0.0	0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----	-----	-----	-----	-----	-----	-----	-----
-55.2	-15.57	SLVy (RS)	Cent	-27.6	-53.1	-7.7	-25.5
-127.4	-16.42		88	-53.7	-121.0	-21.7	-47.3
-14.8	-82.61		154	-14.3	12.1	-3.5	12.6
-5.9	66.25		155	-1.9	14.9	9.1	18.9
-120.0	-8.62		5	-41.4	-118.2	-11.9	-39.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----	-----	-----	-----	-----	-----	-----
-0.1	38.45	Cent	-0.0	-0.0	0.0	0.0
-0.4	6.54	88	-0.2	-0.4	0.0	-0.2
-0.0	47.46	154	0.0	0.0	0.0	0.1
-0.2	11.28	155	-0.1	-0.2	0.0	-0.1
0.1	85.46	5	0.1	0.5	0.0	0.5

NODE	Vxx	Vyy
-----	-----	-----
Cent	-0.1	-2.6
88	-0.2	-7.4
154	-0.2	2.1
155	-0.0	2.1
5	-0.0	-7.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----	-----	-----	-----	-----	-----	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-16.6	-43.13		Cent	-1.6	-3.5	-14.0	11.5	
			88	-2.4	-5.9	-14.1	10.1	
-18.4	-41.45		154	-1.3	1.0	-13.5	13.4	
-13.7	-47.36		155	-0.9	1.1	-13.9	14.0	
-13.8	-47.12		5	-2.4	-6.0	-14.5	10.4	
-18.8	-41.42							
Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-0.0	10.43		Cent	-0.0	-0.0	0.0	-0.0	
			88	0.0	0.0	0.0	0.0	
0.0	81.50		154	-0.0	-0.0	0.0	-0.0	
-0.0	13.90		155	0.0	0.0	0.0	0.0	
0.0	74.42		5	-0.0	-0.0	0.0	-0.0	
-0.0	3.05							
			NODE	Vxx	Vyy			
			Cent	-0.0	0.0			
			88	0.0	0.1			
			154	0.0	-0.0			
			155	-0.0	-0.0			
			5	-0.0	0.1			
Fmin		ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-27.6	-15.58		SLDy (RS)	Cent	-13.8	-26.5	-3.8	-12.7
				88	-26.8	-60.4	-10.8	-23.6
-63.6	-16.41			154	-7.1	6.1	-1.7	6.3
-7.4	-82.59			155	-0.9	7.4	4.6	9.4
-2.9	66.23			5	-20.7	-59.0	-6.0	-19.8
-59.9	-8.63							
Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-0.0	38.45		Cent	-0.0	-0.0	0.0	0.0	
			88	-0.1	-0.2	0.0	-0.1	
-0.2	6.54		154	0.0	0.0	0.0	0.0	
-0.0	47.49		155	-0.0	-0.1	0.0	-0.0	
-0.1	11.28		5	0.1	0.2	0.0	0.2	
0.1	85.46							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
	Cent	-0.0	-1.3
	88	-0.1	-3.7
	154	-0.1	1.1
	155	-0.0	1.1
	5	-0.0	-3.7

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVz (RS)	Cent	-1.6	-2.6	9.3	7.2
-11.4	43.35		88	-2.3	-4.7	9.1	5.7
-12.7	41.27		154	-1.1	-0.7	9.1	8.2
-10.0	45.69		155	-0.8	-0.7	9.4	8.7
-10.2	45.13		5	-2.1	-4.7	9.4	6.1
-12.9	41.03						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	0.0	-0.0	0.0
0.0	-68.24	88	-0.0	0.0	-0.0	0.0
-0.0	-85.36	154	0.0	0.0	0.0	0.0
0.0	59.74	155	0.0	0.0	0.0	0.0
0.0	77.31	5	0.0	0.0	-0.0	0.0
0.0	-84.75					

	NODE	Vxx	Vyy
	Cent	-0.0	-0.0
	88	-0.0	-0.1
	154	-0.0	-0.0
	155	-0.0	-0.0
	5	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g1	Cent	30.8	50.4	-247.8	288.6
-207.5	-46.13		88	48.8	107.5	-241.6	321.6
-165.2	-48.47		154	14.4	-7.0	-244.4	248.4
-241.0	-43.75		155	12.7	-6.8	-254.0	257.2
-251.2	-43.90		5	47.1	107.8	-251.2	330.5
-175.6	-48.44						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----				-----		-----	
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.0	-3.52		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	4.78		88	0.0	-0.0	0.0	0.0
-0.0	-11.85		154	-0.0	-0.0	-0.0	-0.0
-0.0	-12.58		155	-0.0	-0.0	-0.0	-0.0
-0.1	1.33		5	-0.0	-0.1	0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	0.0	0.3		
			88	0.0	0.6		
			154	0.0	-0.0		
			155	0.0	-0.0		
			5	0.0	0.6		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-110.2	-44.04	g2	Cent	10.2	2.4	-116.4	122.8
-91.8	-44.70		88	18.4	16.1	-109.0	126.2
-121.3	-42.69		154	10.9	-8.8	-121.9	123.4
-128.7	-43.46		155	2.1	-11.3	-123.9	119.5
-99.4	-45.52		5	9.5	13.6	-111.0	122.6
			NODE	Mxx	Myy	Mxy	Mmax
-0.0	60.00		Cent	0.0	0.0	0.0	0.0
-0.1	30.79		88	-0.0	-0.1	0.0	-0.0
0.0	59.33		154	0.0	0.1	0.0	0.1
0.0	58.91		155	0.0	0.1	0.0	0.1
-0.0	73.12		5	-0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.1	-0.3		
			88	-0.1	-0.6		
			154	-0.1	-0.1		
			155	-0.1	-0.1		
			5	-0.1	-0.6		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q3	Cent	0.4	3.3	-17.4	19.3



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-15.6	-47.40	88	0.6	4.6	-17.5	20.2
-15.0	-48.23	154	-0.2	1.9	-17.0	17.9
-16.2	-46.74	155	0.1	2.0	-17.3	18.4
-16.2	-46.56	5	0.9	4.7	-17.7	20.6
-15.0	-48.04					

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

-----						
		Cent	-0.0	-0.0	0.0	-0.0
-0.0	6.99	88	0.0	0.0	0.0	0.0
0.0	63.40	154	-0.0	-0.0	-0.0	-0.0
-0.0	-0.88	155	-0.0	-0.0	-0.0	-0.0
-0.0	-3.59	5	-0.0	-0.0	0.0	-0.0
-0.0	7.55					

NODE	Vxx	Vyy
------	-----	-----

Cent	0.0	0.0
88	0.0	0.1
154	0.0	-0.0
155	0.0	-0.0
5	0.0	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

-----							
		q5_pc	Cent	-28.0	-66.3	4.7	-27.4
-66.8	6.95		88	-59.4	-156.4	-9.7	-58.4
-157.3	-5.64		154	-5.8	22.3	4.2	22.9
-6.4	81.57		155	3.4	23.9	19.1	35.3
-8.1	59.06		5	-50.2	-154.8	5.2	-49.9
-155.0	2.85						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

-----						
		Cent	-0.0	-0.1	0.1	0.0
-0.1	31.59	88	-0.2	-0.6	0.0	-0.2
-0.6	6.53	154	0.0	-0.0	0.1	0.1
-0.1	37.71	155	-0.1	-0.4	0.0	-0.1
-0.4	7.66	5	0.2	0.7	0.0	0.7
0.2	85.99					

NODE	Vxx	Vyy
------	-----	-----

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Cent	-0.1	-3.5
88	-0.2	-10.3
154	-0.2	3.3
155	-0.0	3.3
5	-0.0	-10.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-58.5	5.71	q5_ps	Cent	-24.6	-58.2	3.4	-24.3
-135.1	-5.72		88	-50.9	-134.3	-8.4	-50.1
-5.9	83.43		154	-5.6	16.8	2.6	17.1
-7.4	59.09		155	1.7	18.0	15.2	27.1
-133.3	2.67		5	-43.7	-133.1	4.2	-43.5

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.1	31.26		Cent	-0.0	-0.1	0.1	0.0
-0.5	7.58		88	-0.2	-0.5	0.0	-0.2
-0.1	35.26		154	0.0	-0.0	0.1	0.1
-0.4	8.22		155	-0.1	-0.4	0.0	-0.1
0.2	85.65		5	0.2	0.6	0.0	0.6

-----		
NODE	Vxx	Vyy
Cent	-0.1	-2.9
88	-0.2	-8.6
154	-0.2	2.9
155	-0.0	2.9
5	-0.0	-8.6

Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
-----								
-144.8	-83.64	INVSLU	Max	Cent	-133.7	743.3	-90.5	754.3
222.8	83.94			88	238.5	1616.2	148.0	1631.8
-331.3	-45.29			154	-185.4	135.2	-251.4	397.5
-593.8	-47.40			155	-463.3	57.1	-291.4	339.2
-23.1	86.86			5	-18.4	1548.4	95.5	1553.1
-890.5	-60.67		Min	Cent	-397.7	-36.7	-657.1	286.9
-574.5	-58.76			88	-260.3	0.0	-424.8	238.3
-1216.0	-57.65			154	-406.1	-429.8	-803.0	238.6

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-1505.1	-60.75	155	-660.1	-505.8	-918.9	159.4
-878.8	-62.20	5	-543.0	-93.4	-523.0	160.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	38.41	Max Cent	-0.0	0.0	0.2	0.1
0.5	88.81	88	0.5	1.3	0.1	1.3
0.3	62.39	154	0.3	0.6	0.2	0.7
0.2	72.67	155	0.2	0.4	0.2	0.4
0.9	86.29	5	0.9	3.1	0.1	3.1
-0.7	-6.25	Min Cent	-0.2	-0.7	-0.2	-0.2
-3.3	0.27	88	-1.3	-3.3	-0.1	-1.3
-0.9	-18.58	154	-0.4	-0.8	-0.2	-0.3
-1.4	-6.85	155	-0.5	-1.4	-0.2	-0.4
-2.4	-3.08	5	-0.8	-2.4	-0.1	-0.8

NODE	Vxx	Vyy
Max Cent	0.6	12.0
88	0.8	30.8
154	0.8	13.1
155	0.3	13.1
5	0.3	30.8
Min Cent	-0.8	-20.1
88	-1.0	-53.2
154	-1.0	-6.9
155	-0.8	-6.9
5	-0.8	-53.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-198.7	-49.14	INVSLV	Max Cent	8.1	87.2	-227.7	311.6
-72.8	-54.18		88	67.6	219.9	-196.1	373.9
-270.6	-45.58		154	-8.0	-10.2	-247.6	285.5
-295.9	-45.95		155	-51.1	-15.7	-254.5	277.3
-123.1	-55.15		5	24.8	208.8	-207.7	370.7
-316.1	-46.54		Min Cent	-50.1	-24.7	-293.9	223.3
-302.6	-45.96		88	-44.1	-32.0	-271.2	211.2
-332.8	-44.30		154	-38.8	-36.0	-309.1	224.8
-365.5	-46.30		155	-56.4	-47.3	-321.2	213.6

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax		
-314.8	-46.70		5	-62.1	-37.6	-278.6	199.2		
			Max	Cent	0.0	0.0	0.1	0.0	
-0.0	-46.57			88	0.1	0.2	0.0	0.2	
0.1	-78.91			154	0.1	0.1	0.1	0.1	
0.0	52.45			155	0.0	0.2	0.0	0.2	
0.0	-79.56			5	0.2	0.6	0.0	0.6	
0.2	84.75		Min	Cent	-0.0	-0.1	-0.0	-0.0	
-0.1	5.05			88	-0.2	-0.7	-0.0	-0.2	
-0.7	5.25			154	-0.0	-0.0	-0.0	0.0	
-0.1	-73.99			155	-0.1	-0.3	-0.0	-0.1	
-0.3	11.52			5	-0.1	-0.3	-0.0	-0.1	
-0.3	-2.87								
				NODE	Vxx	Vyy			
			Max	Cent	0.1	1.5			
				88	0.1	4.3			
				154	0.1	2.9			
				155	0.0	2.9			
				5	0.0	4.3			
			Min	Cent	-0.1	-3.9			
				88	-0.2	-10.6			
				154	-0.2	-1.3			
				155	-0.0	-1.3			
				5	-0.0	-10.6			
ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
	Fmin	ANGLE							
63	2	10	Q1-1-2	Max	Cent	2.0	226.9	147.0	299.5
-70.6		63.70			94	21.7	530.4	199.7	599.4
-47.3		70.93			370	1.8	35.8	106.9	127.0
-89.5		49.52			377	2.3	21.4	98.7	111.0
-87.3		47.76			32	9.0	519.5	193.4	584.4
-56.0		71.43		Min	Cent	-313.7	-142.3	-215.2	3.6
-459.6		-55.86			94	-249.7	-171.3	-173.1	-33.0
-388.0		-51.38			370	-357.4	-287.6	-229.4	-90.4
-554.6		-49.32			377	-428.1	-298.3	-268.7	-86.8
-639.6		-51.79			32	-322.6	-184.0	-205.3	-36.7
-469.9		-54.32							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	54.22	Max	Cent	0.0	0.0	0.0	0.0
0.3	88.84		94	0.3	0.8	0.0	0.8
0.0	70.78		370	0.1	0.1	0.0	0.1
-0.0	51.79		377	0.0	0.0	0.0	0.0
0.1	86.01		32	0.1	0.4	0.0	0.4
-0.2	-21.49	Min	Cent	-0.0	-0.2	-0.1	-0.0
-0.4	-6.88		94	-0.1	-0.4	-0.0	-0.1
-0.5	-14.77		370	-0.2	-0.5	-0.1	-0.2
-0.3	-27.50		377	-0.1	-0.2	-0.1	-0.1
-1.0	-4.27		32	-0.3	-1.0	-0.1	-0.2

	NODE	Vxx	Vyy
Max	Cent	0.3	6.1
	94	0.4	15.0
	370	0.4	1.3
	377	0.2	1.3
	32	0.2	15.0
Min	Cent	-0.1	-2.3
	94	-0.1	-5.9
	370	-0.1	-2.9
	377	-0.0	-2.9
	32	-0.0	-5.9

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-44.4	63.86	Q2a-1-2	Max	Cent	1.5	146.0	93.5	191.9
-30.0	71.09			94	13.6	341.7	127.3	385.3
-57.8	49.13			370	1.3	21.1	68.3	80.2
-55.2	47.55			377	1.7	12.8	62.2	69.7
-36.2	71.73			32	4.4	335.7	122.8	376.2
-290.1	-54.81		Min	Cent	-192.4	-93.6	-138.5	4.0
-240.5	-51.18			94	-151.6	-103.1	-110.5	-14.2
-363.8	-46.97			370	-226.5	-206.3	-147.0	-69.0
-417.7	-49.48			377	-268.7	-213.7	-174.4	-64.7
-292.3	-53.87			32	-195.4	-110.6	-132.7	-13.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE						
		Max	Cent	0.0	0.0	0.0	0.0
-0.0	52.23		94	0.2	0.5	0.0	0.5
0.2	88.96		370	0.0	0.1	0.0	0.1
0.0	69.33		377	0.0	0.0	0.0	0.0
-0.0	52.66		32	0.1	0.2	0.0	0.2
0.1	85.86	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-21.28		94	-0.1	-0.2	-0.0	-0.1
-0.2	-8.37		370	-0.1	-0.3	-0.0	-0.1
-0.3	-14.87		377	-0.1	-0.1	-0.1	-0.0
-0.2	-27.97		32	-0.2	-0.6	-0.0	-0.2
-0.6	-4.34						
			NODE	Vxx	Vyy		
		Max	Cent	0.2	3.8		
			94	0.3	9.4		
			370	0.3	0.7		
			377	0.1	0.7		
			32	0.1	9.4		
		Min	Cent	-0.0	-1.2		
			94	-0.1	-3.1		
			370	-0.1	-1.8		
			377	-0.0	-1.8		
			32	-0.0	-3.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	24.0	-0.6	-1.3	24.1
-0.7	-3.04		94	19.9	-2.7	-6.5	21.6
-4.5	-14.95		370	20.4	-0.9	5.3	21.6
-2.2	13.23		377	28.1	1.5	5.4	29.2
0.5	10.98		32	27.6	0.8	-6.4	29.1
-0.6	-12.83						
			NODE	Mxx	Myy	Mxy	Mmax
			Cent	0.0	0.0	-0.0	0.0
0.0	-60.89		94	0.0	0.0	0.0	0.0
0.0	88.89		370	-0.0	-0.0	0.0	-0.0
-0.0	18.02		377	-0.0	-0.0	-0.0	-0.0
-0.0	-9.81		32	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

- 0.0      - 3.12

NODE	Vxx	Vyy
Cent	0.0	0.1
94	0.0	0.3
370	0.0	-0.1
377	0.0	-0.1
32	0.0	0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-48.0	85.49	SLVy (RS)	Cent	-47.7	1.9	3.9	2.2
-45.5	82.62		94	-44.6	7.3	6.8	8.2
-47.4	87.46		370	-47.3	-3.3	2.0	-3.2
-50.8	88.61		377	-50.7	-4.2	1.1	-4.2
-48.7	83.71		32	-48.0	6.6	6.1	7.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.1	11.04	Cent	-0.0	-0.1	0.0	-0.0
0.0	76.55	94	0.0	0.1	0.0	0.1
-0.1	12.18	370	-0.0	-0.1	0.0	-0.0
-0.1	3.63	377	-0.0	-0.1	0.0	-0.0
-0.1	-1.17	32	-0.0	-0.1	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.6
94	-0.0	0.9
370	-0.0	0.3
377	0.0	0.3
32	0.0	0.9

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.4	-3.05	SLDx (RS)	Cent	12.0	-0.3	-0.7	12.0
-2.2	-14.95		94	9.9	-1.4	-3.2	10.8
-1.1	13.24		370	10.2	-0.5	2.7	10.8
0.2	10.98		377	14.1	0.8	2.7	14.6
-0.3	-12.83		32	13.8	0.4	-3.2	14.5

NODE	Mxx	Myy	Mxy	Mmax
------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE						
			Cent	0.0	0.0	-0.0	0.0
0.0	-60.88		94	0.0	0.0	0.0	0.0
0.0	88.89		370	-0.0	-0.0	0.0	-0.0
-0.0	18.01		377	-0.0	-0.0	-0.0	-0.0
-0.0	-9.82		32	-0.0	-0.0	-0.0	-0.0
-0.0	-3.12						
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			94	0.0	0.1		
			370	0.0	-0.0		
			377	0.0	-0.0		
			32	0.0	0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDy (RS)	Cent	-23.8	1.0	2.0	1.1
-24.0	85.49		94	-22.3	3.7	3.4	4.1
-22.7	82.63		370	-23.6	-1.6	1.0	-1.6
-23.7	87.45		377	-25.3	-2.1	0.6	-2.1
-25.3	88.60		32	-24.0	3.3	3.0	3.7
-24.3	83.72						
			NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	11.04		94	0.0	0.0	0.0	0.0
0.0	76.55		370	-0.0	-0.0	0.0	-0.0
-0.0	12.18		377	-0.0	-0.1	0.0	-0.0
-0.1	3.63		32	-0.0	-0.0	-0.0	-0.0
-0.0	-1.17						
			NODE	Vxx	Vyy		
			Cent	-0.0	0.3		
			94	-0.0	0.5		
			370	-0.0	0.1		
			377	0.0	0.1		
			32	0.0	0.5		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLVz (RS)	Cent	10.6	-0.4	-0.3	10.6
-0.4	-1.48		94	8.8	-1.4	-2.8	9.5
-2.1	-14.28		370	9.0	-0.5	2.4	9.6
-1.0	13.54		377	12.5	0.7	2.4	13.0
0.2	11.26		32	12.2	0.8	-2.7	12.9
0.2	-12.84						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	0.0	-0.0	0.0
0.0	-63.02		94	0.0	0.0	-0.0	0.0
0.0	-88.72		370	-0.0	-0.0	-0.0	-0.0
-0.0	-11.95		377	0.0	0.0	-0.0	0.0
0.0	-80.31		32	-0.0	-0.0	-0.0	-0.0
-0.0	-3.04						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	0.0		
			94	0.0	0.1		
			370	0.0	-0.0		
			377	0.0	-0.0		
			32	0.0	0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		g1	Cent	-222.2	-10.3	-1.3	-10.3
-222.2	-89.64		94	-186.2	7.1	49.3	19.0
-198.1	76.49		370	-190.6	-7.5	-51.4	5.9
-204.1	-75.34		377	-258.1	-27.7	-51.9	-16.5
-269.3	-77.87		32	-253.7	-13.0	48.8	-3.5
-263.2	78.97						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	0.0	0.0
-0.0	30.37		94	-0.1	-0.2	0.0	-0.1
-0.2	1.25		370	0.0	0.0	0.0	0.0
0.0	69.26		377	-0.0	-0.0	0.0	-0.0
-0.0	8.98		32	0.0	0.1	0.0	0.1
0.0	86.76						
			NODE	Vxx	Vyy		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

```

-----
          Cent      -0.0      -1.0
           94      -0.0      -2.6
          370      -0.0       0.6
          377      -0.0       0.6
           32      -0.0      -2.6
    
```

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-117.9	85.40	g2	Cent	-117.5	-49.5	5.5	-49.1
-130.9	56.97		94	-112.1	-86.5	28.8	-67.8
-93.3	-74.74		370	-86.5	-1.0	-25.2	5.9
-125.6	-81.07		377	-122.8	-12.4	-17.8	-9.7
-167.4	62.44		32	-148.5	-98.0	36.2	-79.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	61.57	Cent	0.0	0.0	0.0	0.0
-0.2	2.20	94	-0.1	-0.2	0.0	-0.1
0.0	75.26	370	0.0	0.1	0.0	0.1
-0.0	32.77	377	0.0	-0.0	0.0	0.0
0.1	86.22	32	0.1	0.2	0.0	0.2

```

-----
          NODE      Vxx      Vyy
          Cent      -0.1      -1.6
           94      -0.1      -4.0
          370      -0.1       0.8
          377      -0.0       0.8
           32      -0.0      -4.0
    
```

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-5.1	41.52	q3	Cent	1.9	0.4	6.2	7.3
-5.7	41.32		94	2.9	1.0	7.6	9.6
-3.4	38.05		370	2.7	0.4	4.8	6.5
-4.4	41.84		377	0.9	-0.2	4.7	5.1
-6.8	43.78		32	1.0	0.4	7.5	8.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-11.86	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-69.33	94	-0.0	0.0	-0.0	0.0
-0.0	2.48	370	-0.0	-0.0	0.0	-0.0
-0.0	1.06	377	-0.0	-0.0	0.0	-0.0
-0.0	-16.43	32	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
94	-0.0	0.0
370	-0.0	-0.0
377	0.0	-0.0
32	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-24.5	-88.90	q5_pc	Cent	-24.5	15.9	-0.8	15.9
-19.6	89.99		94	-19.6	33.5	0.0	33.5
-30.4	87.18		370	-30.4	-2.3	1.4	-2.2
-29.5	-86.78		377	-29.4	-1.8	-1.6	-1.7
-18.8	-86.82		32	-18.6	34.0	-2.9	34.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.1	11.63	Cent	-0.0	-0.1	0.0	-0.0
-0.0	65.60	94	-0.0	0.0	0.0	0.0
-0.2	12.99	370	-0.0	-0.2	0.0	-0.0
-0.3	3.46	377	-0.1	-0.3	0.0	-0.1
-0.1	1.86	32	-0.0	-0.1	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.8
94	-0.0	0.7
370	-0.0	0.8
377	0.0	0.8
32	0.0	0.7

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-24.1	88.57	q5_ps	Cent	-24.1	6.1	0.8	6.1
			94	-21.8	13.4	1.4	13.5

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
-21.9	87.68		370	-26.3	-1.3	1.3	-1.3	
-26.3	87.04		377	-26.3	-1.3	0.1	-1.3	
-26.3	89.81		32	-21.9	13.5	0.2	13.5	
-21.9	89.65							
-----								
			Cent	-0.0	-0.1	0.0	-0.0	
-0.1	13.87		94	-0.0	0.0	0.0	0.0	
-0.0	57.62		370	-0.0	-0.1	0.0	-0.0	
-0.2	14.81		377	-0.1	-0.3	0.0	-0.1	
-0.3	4.29		32	-0.0	-0.0	0.0	-0.0	
-0.0	12.42							
-----								
			NODE	Vxx	Vyy			
			Cent	-0.0	0.5			
			94	-0.0	0.2			
			370	-0.0	0.9			
			377	0.0	0.9			
			32	0.0	0.2			
-----								
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
		INVS LU	Max	Cent	-2624.7	282.9	186.6	294.4
-2627.4	86.44			94	-2478.1	701.9	470.0	769.1
-2523.3	81.87			370	-2458.8	107.8	-91.4	111.2
-2467.8	-87.92			377	-2753.5	-0.8	-91.0	2.2
-2759.6	-88.12			32	-2784.2	599.0	475.5	662.3
-2826.9	82.33			Cent	-3109.7	-244.1	-303.8	-212.1
-3141.3	-83.95		Min	94	-2887.6	-305.7	-33.2	-305.3
-2888.0	-89.25			370	-3012.1	-332.9	-548.0	-226.1
-3118.9	-78.92			377	-3399.9	-435.5	-589.7	-322.5
-3512.9	-79.15			32	-3278.4	-412.0	-67.9	-410.6
-3279.9	-88.73							
-----								
			NODE	Mxx	Myy	Mxy	Mmax	
			Max	Cent	0.0	0.1	0.1	0.1
-0.0	56.57			94	-0.1	-0.6	0.1	-0.1
-0.6	7.68			370	0.3	0.7	0.1	0.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.3	82.49			377	0.0	-0.0	0.1	0.1
-0.1	37.55			32	0.6	2.0	0.1	2.0
0.6	86.45							
-0.5	0.13	Min	Cent		-0.1	-0.5	-0.0	-0.1
-2.2	0.49			94	-0.8	-2.2	-0.0	-0.8
-0.4	0.36			370	-0.2	-0.4	-0.0	-0.2
-1.0	0.59			377	-0.3	-1.0	-0.1	-0.3
0.1	-72.73			32	0.1	0.1	-0.0	0.1


	NODE	Vxx	Vyy
Max	Cent	0.2	-1.4
	94	0.2	-5.7
	370	0.2	8.8
	377	0.2	8.7
	32	0.2	-5.7
Min	Cent	-0.3	-14.0
	94	-0.5	-35.2
	370	-0.5	1.5
	377	-0.1	1.5
	32	-0.1	-35.2

Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
-1436.5	89.15	INVSLV	Max	Cent	-1436.4	-76.1	21.9	-75.8
-1382.1	83.18			94	-1365.1	-110.2	165.1	-90.5
-1333.3	-84.27			370	-1320.2	25.0	-127.3	38.9
-1517.2	-85.41			377	-1507.6	-33.0	-114.0	-23.4
-1571.1	83.36			32	-1552.6	-170.8	178.1	-150.8
-1552.8	89.45		Min	Cent	-1552.5	-80.6	13.1	-80.4
-1491.3	83.37			94	-1471.6	-127.4	145.8	-110.4
-1444.8	-84.87			370	-1432.5	17.6	-140.6	29.2
-1642.7	-85.65			377	-1633.5	-42.7	-126.9	-33.5
-1693.4	83.38			32	-1672.6	-185.1	159.9	-165.8

Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
0.0	-76.39		Max	Cent	0.0	0.0	0.0	0.0
-0.0	33.32			94	-0.0	-0.0	0.0	-0.0
0.0	-78.06			370	0.0	0.1	0.0	0.1
				377	0.0	0.1	0.0	0.1

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-87.53						
0.0	85.74						
-0.1	10.57	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-4.62		94	-0.0	-0.1	-0.0	-0.0
-0.1	12.25		370	-0.0	-0.1	-0.0	-0.0
-0.2	4.04		377	-0.1	-0.2	-0.0	-0.1
-0.0	3.74		32	-0.0	-0.0	0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.3
	94	0.0	0.2
	370	0.0	0.5
	377	0.0	0.5
	32	0.0	0.2
Min	Cent	-0.0	-0.9
	94	-0.0	-1.8
	370	-0.0	-0.1
	377	-0.0	-0.1
	32	-0.0	-1.8

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
67	2	4	Q1-1-2	Max	Cent	3.5	42.4	336.8	360.3
-314.3		46.65			98	2.7	16.0	405.2	414.6
-395.9		45.47			478	2.9	108.1	265.4	326.1
-215.1		50.61			482	4.4	89.0	275.9	325.8
-232.5		49.36			14	4.2	7.1	425.4	431.1
-419.7		45.10		Min	Cent	-272.2	-266.3	-60.0	-209.2
-329.4		-46.40			98	-259.9	-343.4	-28.3	-251.2
-352.1		-17.09			478	-223.7	-277.8	-103.1	-144.1
-357.3		-37.65			482	-306.3	-294.0	-113.6	-186.4
-414.0		-46.55			14	-348.0	-369.0	-30.0	-326.7
-390.3		-35.38							

	NODE	Mxx	Myy	Mxy	Mmax		
Mmin	ANGLE						
-0.0	57.15	Max	Cent	0.0	0.0	0.0	0.0
-0.0	57.59		98	0.0	0.0	0.0	0.0
-0.0	54.31		478	0.0	0.0	0.0	0.0
-0.0	54.80		482	0.0	0.0	0.0	0.0
			14	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	58.12	Min	Cent	-0.1	-0.3	-0.0	-0.1
-0.3	-5.47		98	-0.1	-0.3	-0.0	-0.1
-0.3	-6.36		478	-0.1	-0.3	-0.0	-0.1
-0.3	-4.93		482	-0.1	-0.4	-0.0	-0.1
-0.4	-4.76		14	-0.1	-0.4	-0.0	-0.1
-0.4	-6.30						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.3
	98	0.0	0.4
	478	0.0	0.3
	482	0.0	0.3
	14	0.0	0.4
Min	Cent	-0.0	-0.0
	98	-0.0	-0.1
	478	-0.0	-0.1
	482	-0.0	-0.1
	14	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-190.0	46.63	Q2a-1-2	Max Cent	2.6	25.9	203.9	218.5
-239.6	45.50		98	2.0	10.6	245.9	252.2
-129.9	50.61		478	2.1	65.9	160.7	197.9
-140.5	49.33		482	3.2	54.2	167.2	197.9
-255.9	45.08		14	3.1	4.6	259.7	263.5
-224.5	-39.44		Min Cent	-174.7	-190.8	-41.0	-140.9
-250.8	-13.27		98	-168.5	-246.2	-19.4	-163.9
-249.4	-34.61		478	-146.4	-200.4	-71.1	-97.4
-283.4	-42.35		482	-197.2	-211.8	-78.6	-125.5
-271.3	-23.09		14	-223.3	-262.6	-20.5	-214.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	52.97	Max Cent	0.0	0.0	0.0	0.0
-0.0	53.14	98	0.0	0.0	0.0	0.0
-0.0	50.94	478	0.0	0.0	0.0	0.0
-0.0	51.29	482	0.0	0.0	0.0	0.0
-0.0	53.77	14	0.0	0.0	0.0	0.0
		Min Cent	-0.1	-0.2	-0.0	-0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.2	-5.16	98	-0.1	-0.2	-0.0	-0.1
-0.2	-6.10	478	-0.1	-0.2	-0.0	-0.1
-0.2	-4.56	482	-0.1	-0.2	-0.0	-0.1
-0.2	-4.42	14	-0.1	-0.2	-0.0	-0.1
-0.2	-6.04					

	NODE	Vxx	Vyy
Max	Cent	0.0	0.2
	98	0.0	0.2
	478	0.0	0.2
	482	0.0	0.2
	14	0.0	0.2
Min	Cent	-0.0	-0.0
	98	-0.0	-0.1
	478	-0.0	-0.1
	482	-0.0	-0.1
	14	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-18.4	-35.67	SLVx (RS)	Cent	12.8	-2.3	-22.4	28.9
-22.3	-39.64		98	11.4	0.8	-27.9	34.5
-17.4	-31.91		478	9.1	-7.1	-16.4	19.3
-15.2	-29.89		482	14.3	-5.5	-16.9	24.0
-19.8	-38.01		14	16.6	2.5	-28.4	38.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	88.83	Cent	0.0	0.0	0.0	0.0
0.0	87.83	98	0.0	0.0	0.0	0.0
0.0	89.19	478	0.0	0.0	0.0	0.0
0.0	-89.65	482	0.0	0.0	-0.0	0.0
0.0	88.70	14	0.0	0.0	0.0	0.0

	NODE	Vxx	Vyy
	Cent	-0.0	0.0
	98	-0.0	0.0
	478	-0.0	0.0
	482	0.0	0.0
	14	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		SLV <sub>y</sub> (RS)	Cent	-29.5	2.1	18.0	10.2
-37.6	65.62		98	-30.5	1.1	16.4	8.1
-37.5	66.95		478	-30.0	2.9	19.5	12.0
-39.1	65.08		482	-28.5	3.3	19.6	12.6
-37.8	64.50		14	-28.9	1.6	16.5	8.8
-36.2	66.36						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----			Cent	-0.1	-0.3	-0.0	-0.1
-0.3	-0.96		98	-0.1	-0.2	-0.0	-0.1
-0.2	-2.11		478	-0.1	-0.2	-0.0	-0.1
-0.2	-0.86		482	-0.1	-0.3	-0.0	-0.1
-0.3	-0.32		14	-0.1	-0.3	-0.0	-0.1
-0.3	-1.27						
			NODE	Vxx	Vyy		
			Cent	-0.0	0.9		
			98	-0.0	0.9		
			478	-0.0	0.9		
			482	0.0	0.9		
			14	0.0	0.9		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----		SLD <sub>x</sub> (RS)	Cent	6.4	-1.2	-11.2	14.5
-9.2	-35.67		98	5.7	0.4	-14.0	17.3
-11.2	-39.64		478	4.5	-3.6	-8.2	9.6
-8.7	-31.91		482	7.1	-2.7	-8.5	12.0
-7.6	-29.89		14	8.3	1.2	-14.2	19.4
-9.9	-38.01						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----			Cent	0.0	0.0	0.0	0.0
0.0	88.83		98	0.0	0.0	0.0	0.0
0.0	87.83		478	0.0	0.0	0.0	0.0
0.0	89.19		482	0.0	0.0	-0.0	0.0
0.0	-89.65		14	0.0	0.0	0.0	0.0
0.0	88.71						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
	Cent	-0.0	0.0
	98	-0.0	0.0
	478	-0.0	0.0
	482	0.0	0.0
	14	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDy (RS)	Cent	-14.7	1.0	9.0	5.1
-18.8	65.62		98	-15.2	0.6	8.2	4.0
-18.7	66.94		478	-15.0	1.5	9.7	6.0
-19.5	65.08		482	-14.2	1.6	9.8	6.3
-18.9	64.50		14	-14.4	0.8	8.3	4.4
-18.1	66.35						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-0.96		98	-0.0	-0.1	-0.0	-0.0
-0.1	-2.11		478	-0.0	-0.1	-0.0	-0.0
-0.1	-0.87		482	-0.0	-0.2	-0.0	-0.0
-0.2	-0.32		14	-0.1	-0.2	-0.0	-0.1
-0.2	-1.27						

	NODE	Vxx	Vyy
	Cent	-0.0	0.5
	98	-0.0	0.5
	478	-0.0	0.4
	482	0.0	0.4
	14	0.0	0.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVz (RS)	Cent	5.7	-1.1	-10.0	12.8
-8.2	-35.64		98	5.0	0.4	-12.4	15.3
-9.9	-39.64		478	4.0	-3.2	-7.3	8.5
-7.7	-31.93		482	6.3	-2.5	-7.5	10.7
-6.8	-29.85		14	7.4	1.1	-12.6	17.2
-8.8	-37.96						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	88.93	Cent	0.0	0.0	0.0	0.0
0.0	87.74	98	0.0	0.0	0.0	0.0
0.0	88.62	478	0.0	0.0	0.0	0.0
0.0	89.53	482	0.0	0.0	0.0	0.0
0.0	88.74	14	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
98	-0.0	-0.0
478	-0.0	-0.0
482	0.0	-0.0
14	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-272.6	54.74	g1	Cent	-135.7	1.3	193.6	138.2
-326.1	50.31		98	-119.4	-26.1	249.0	180.6
-178.1	59.09		478	-98.1	45.1	133.6	125.1
-226.7	61.57		482	-151.9	28.6	138.2	103.5
-369.8	52.23		14	-173.3	-42.5	253.6	154.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-1.98	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-2.46	98	-0.0	-0.0	-0.0	-0.0
-0.0	-0.02	478	-0.0	-0.0	-0.0	-0.0
-0.0	0.38	482	-0.0	-0.0	0.0	-0.0
-0.0	-1.90	14	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
98	0.0	0.0
478	0.0	0.0
482	-0.0	0.0
14	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-133.4	54.50	g2	Cent	-67.2	-3.3	92.8	62.9

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-159.6	50.05	98	-59.3	-16.7	119.7	83.6
-87.3	58.87	478	-48.9	18.1	63.7	56.6
-110.9	61.42	482	-75.0	10.1	65.9	46.0
-180.7	52.00	14	-85.5	-24.7	122.0	70.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

0.0	-89.66	Cent	0.0	0.0	-0.0	0.0
0.0	89.07	98	0.0	0.0	0.0	0.0
0.0	-87.57	478	0.0	0.0	-0.0	0.0
0.0	-88.02	482	0.0	0.0	-0.0	0.0
0.0	89.02	14	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
------	-----	-----

Cent	-0.0	-0.0
98	-0.0	-0.0
478	-0.0	-0.0
482	-0.0	-0.0
14	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

-5.1	43.29	q3	Cent	1.4	0.7	6.2	7.2
-6.8	40.90		98	1.6	-0.5	7.3	7.9
-2.5	44.58		478	2.4	2.3	4.9	7.2
-3.5	46.79		482	1.3	1.9	5.0	6.6
-7.7	42.46		14	0.4	-0.9	7.4	7.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

-0.0	-5.41	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-7.17	98	-0.0	-0.0	-0.0	-0.0
-0.0	-4.69	478	-0.0	-0.0	-0.0	-0.0
-0.0	-3.31	482	-0.0	-0.0	-0.0	-0.0
-0.0	-5.53	14	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
------	-----	-----

Cent	0.0	0.0
------	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

98 0.0 0.0  
 478 0.0 0.0  
 482 -0.0 0.0  
 14 -0.0 0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-17.9	-88.91	q5_pc	Cent	-17.8	0.4	-0.3	0.4
-18.5	-83.79		98	-18.2	1.8	-2.2	2.1
-19.5	84.43		478	-19.3	-1.7	1.7	-1.5
-17.6	84.74		482	-17.5	-1.1	1.5	-1.0
-16.7	-82.75		14	-16.4	2.4	-2.4	2.7

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.5	-0.50		Cent	-0.1	-0.5	-0.0	-0.1
-0.4	-1.61		98	-0.1	-0.4	-0.0	-0.1
-0.4	0.00		478	-0.1	-0.4	0.0	-0.1
-0.6	0.19		482	-0.2	-0.6	0.0	-0.2
-0.6	-0.93		14	-0.2	-0.6	-0.0	-0.2

	NODE	Vxx	Vyy
	Cent	-0.0	1.6
	98	-0.0	1.7
	478	-0.0	1.5
	482	0.0	1.5
	14	0.0	1.7

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-16.3	86.18	q5_ps	Cent	-16.2	0.3	1.1	0.4
-16.7	-88.43		98	-16.7	1.3	-0.5	1.3
-17.9	80.23		478	-17.4	-1.2	2.9	-0.7
-16.3	80.13		482	-15.8	-0.7	2.7	-0.3
-15.1	-87.79		14	-15.1	1.8	-0.7	1.8

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.5	-0.53		Cent	-0.1	-0.5	-0.0	-0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

			98	-0.1	-0.4	-0.0	-0.1
-0.4	-1.65		478	-0.1	-0.4	-0.0	-0.1
-0.4	-0.08		482	-0.2	-0.5	0.0	-0.2
-0.5	0.14		14	-0.2	-0.6	-0.0	-0.2
-0.6	-0.94						

NODE	Vxx	Vyy
Cent	-0.0	1.6
98	-0.0	1.7
478	-0.0	1.5
482	0.0	1.5
14	0.0	1.7

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2298.1	70.79	INVSLU	Max Cent	-2128.1	68.5	874.1	372.4
-2351.4	66.58		98	-2061.4	36.8	1121.6	519.4
-2128.2	75.63		478	-2047.8	199.3	621.9	357.8
-2276.0	75.67		482	-2194.8	129.4	639.6	292.0
-2499.3	66.78		14	-2207.7	-18.2	1152.7	472.1
-2591.0	81.43	Min	Cent	-2540.1	-349.0	337.8	-297.5
-2589.6	76.04		98	-2457.2	-451.6	532.3	-316.0
-2405.3	86.58		478	-2397.8	-324.8	121.3	-317.3
-2658.1	87.13		482	-2652.4	-389.7	111.0	-384.0
-2842.1	76.76		14	-2719.2	-530.3	533.5	-403.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.2	86.85	Max Cent	0.2	0.6	0.0	0.6
0.2	85.34		98	0.2	0.5	0.5
0.1	85.48		478	0.1	0.5	0.5
0.2	87.07		482	0.2	0.7	0.7
0.3	87.00		14	0.3	0.8	0.8
-1.1	-2.04	Min Cent	-0.4	-1.1	-0.0	-0.3
-1.0	-3.12		98	-0.3	-1.0	-0.3
-1.0	-1.76		478	-0.3	-1.0	-0.3
-1.3	-1.32		482	-0.4	-1.3	-0.4
			14	-0.4	-1.4	-0.4

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-1.4      -2.38

	NODE	Vxx	Vyy
Max	Cent	0.0	2.7
	98	0.1	2.9
	478	0.1	2.5
	482	0.0	2.5
	14	0.0	2.9
Min	Cent	-0.0	-2.5
	98	-0.0	-2.7
	478	-0.0	-2.4
	482	-0.0	-2.4
	14	-0.0	-2.7

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1127.0	75.17	INVSLV	Max Cent	-1066.5	-8.2	318.0	76.0
-1140.8	70.87		98	-1028.8	-22.4	418.6	120.7
-1039.4	79.46		478	-1014.7	37.0	215.1	76.7
-1128.5	79.82		482	-1104.2	8.0	219.3	47.1
-1226.8	71.57		14	-1118.3	-47.9	423.1	87.6
-1218.5	77.13		Min Cent	-1136.6	-14.8	256.4	43.8
-1238.4	72.93		98	-1099.7	-25.3	345.5	82.8
-1122.6	81.31		478	-1082.6	19.2	161.9	44.2
-1212.9	81.60		482	-1173.5	-6.4	165.4	18.3
-1325.5	73.55		14	-1190.6	-54.4	348.8	54.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.1	89.20	Max Cent	0.1	0.3	0.0	0.3
		98	0.1	0.2	0.0	0.2
		478	0.1	0.2	0.0	0.2
		482	0.1	0.3	0.0	0.3
		14	0.1	0.3	0.0	0.3
-0.3	-1.11	Min Cent	-0.1	-0.3	-0.0	-0.1
		98	-0.1	-0.3	-0.0	-0.1
		478	-0.1	-0.2	-0.0	-0.1
		482	-0.1	-0.3	-0.0	-0.1
		14	-0.1	-0.4	-0.0	-0.1
-0.4	-1.31					

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
Max	Cent	0.0	0.9
	98	0.0	1.0
	478	0.0	0.9
	482	-0.0	0.9
	14	-0.0	1.0
Min	Cent	-0.0	-0.9
	98	-0.0	-0.9
	478	-0.0	-0.9
	482	-0.0	-0.9
	14	-0.0	-0.9

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
69	2	8	Q1-1-2	Max	Cent	124.1	411.4	148.7	474.5
					101	97.8	294.3	116.7	348.6
					88	216.7	629.6	79.6	644.4
					5	189.8	618.0	181.7	684.7
					7	76.9	287.5	220.2	426.3
				Min	Cent	-161.5	-570.0	-145.8	-114.8
					101	-288.5	-1047.5	-140.8	-263.2
					88	-107.7	-370.9	-178.1	-17.9
					5	-112.0	-370.9	-153.2	-40.8
					7	-320.7	-1065.8	-123.1	-300.9

	NODE	Mxx	Myy	Mxy	Mmax	
Mmin	Max	Cent	0.0	0.1	0.1	
		101	0.2	0.7	0.1	
		88	0.5	1.4	0.0	
		5	0.4	1.4	0.0	
		7	0.2	0.4	0.2	
	Min	Cent	-0.1	-0.3	-0.1	-0.0
		101	-0.2	-1.0	-0.1	-0.2
		88	-0.5	-1.3	-0.0	-0.5
		5	-0.5	-1.8	-0.0	-0.5
		7	-0.1	-0.5	-0.1	-0.1

	NODE	Vxx	Vyy
--	------	-----	-----



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Max	Cent	0.3	7.6
	101	0.3	9.8
	88	0.3	26.4
	5	0.3	26.4
	7	0.3	9.8
Min	Cent	-0.1	-6.2
	101	-0.0	-11.2
	88	-0.0	-22.1
	5	-0.2	-22.1
	7	-0.2	-11.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
21.7	64.62	Q2a-1-2	Max Cent	73.9	253.8	110.1	306.0
22.7	64.68		101	63.5	204.8	86.1	245.6
114.1	77.31		88	127.1	371.4	57.9	384.5
54.4	66.60		5	112.6	365.0	134.4	423.2
-51.8	57.22		7	53.3	201.6	163.2	306.7
-438.8	-15.33		Min Cent	-117.2	-414.7	-88.2	-93.1
-788.2	-8.38		101	-213.6	-775.8	-84.6	-201.1
-270.1	-26.62		88	-60.5	-217.4	-105.0	-7.9
-262.5	-25.31		5	-65.4	-218.4	-93.2	-21.3
-799.9	-7.86		7	-237.5	-789.1	-77.7	-226.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	59.94	Max Cent	0.0	0.1	0.1	0.1
0.1	76.85		101	0.1	0.4	0.4
0.3	87.22		88	0.3	0.8	0.8
0.2	88.39		5	0.2	0.8	0.8
0.1	63.04		7	0.1	0.2	0.3
-0.2	-18.52	Min Cent	-0.0	-0.2	-0.1	-0.0
-0.6	-8.52		101	-0.1	-0.6	-0.1
-0.7	-3.47		88	-0.3	-0.7	-0.3
-1.0	-1.79		5	-0.3	-1.0	-0.3
-0.3	-20.74		7	-0.1	-0.3	-0.1

	NODE	Vxx	Vyy
Max	Cent	0.2	4.4
	101	0.2	5.6

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	88	0.2	15.3
	5	0.2	15.3
	7	0.2	5.6
Min	Cent	-0.0	-3.5
	101	-0.0	-6.5
	88	-0.0	-12.5
	5	-0.1	-12.5
	7	-0.1	-6.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-13.8	-32.02	SLVx (RS)	Cent	3.3	-7.1	-10.7	10.0
-10.4	-32.14		101	3.7	-4.8	-8.8	9.2
-18.4	-28.55		88	6.3	-11.1	-13.4	13.6
-19.8	-37.09		5	-3.1	-10.3	-12.6	6.4
-11.6	-39.28		7	-1.8	-5.0	-8.0	4.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	78.89	Cent	-0.0	0.0	0.0	0.0
-0.0	82.36	101	-0.0	0.0	0.0	0.0
0.0	76.14	88	0.0	0.0	0.0	0.0
-0.0	6.71	5	-0.0	-0.0	0.0	-0.0
0.0	-78.40	7	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.1
101	0.0	-0.1
88	0.0	0.2
5	0.0	0.2
7	0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-59.3	-13.48	SLVy (RS)	Cent	-16.0	-56.8	-10.4	-13.5
0.5	33.16		101	4.7	2.3	2.7	6.5
-116.3	-6.44		88	-31.0	-115.2	-9.6	-29.9
-120.4	-13.03		5	-36.3	-115.9	-19.5	-31.8
-11.3	-48.64		7	-1.1	1.9	-11.6	12.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----				-----		-----	
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.0	-55.35		Cent	-0.0	0.0	-0.0	0.0
0.0	-75.73		101	0.1	0.2	-0.0	0.2
-0.4	-3.72		88	-0.2	-0.4	-0.0	-0.2
0.1	-89.31		5	0.1	0.5	-0.0	0.5
-0.2	-14.65		7	-0.1	-0.2	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-1.9		
			101	0.1	3.5		
			88	0.1	-7.4		
			5	0.0	-7.4		
			7	0.0	3.5		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-6.9	-32.01	SLDx (RS)	Cent	1.6	-3.5	-5.3	5.0
-5.2	-32.13		101	1.8	-2.4	-4.4	4.6
-9.2	-28.55		88	3.1	-5.6	-6.7	6.8
-9.9	-37.08		5	-1.6	-5.1	-6.3	3.2
-5.8	-39.27		7	-0.9	-2.5	-4.0	2.4
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	78.90		Cent	-0.0	0.0	0.0	0.0
-0.0	82.36		101	-0.0	0.0	0.0	0.0
0.0	76.14		88	0.0	0.0	0.0	0.0
-0.0	6.71		5	-0.0	-0.0	0.0	-0.0
0.0	-78.40		7	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			101	0.0	-0.0		
			88	0.0	0.1		
			5	0.0	0.1		
			7	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDy (RS)	Cent	-8.0	-28.4	-5.2	-6.8

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-29.6	-13.48	101	2.4	1.2	1.4	3.3
0.3	33.23	88	-15.5	-57.5	-4.8	-15.0
-58.1	-6.44	5	-18.1	-57.9	-9.7	-15.9
-60.2	-13.02	7	-0.5	0.9	-5.8	6.0
-5.6	-48.65					

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-----						
		Cent	-0.0	0.0	-0.0	0.0
-0.0	-55.36	101	0.0	0.1	-0.0	0.1
0.0	-75.74	88	-0.1	-0.2	-0.0	-0.1
-0.2	-3.72	5	0.1	0.2	-0.0	0.2
0.1	-89.31	7	-0.0	-0.1	-0.0	-0.0
-0.1	-14.65					

NODE Vxx Vyy

Cent	0.0	-1.0
101	0.0	1.7
88	0.0	-3.7
5	0.0	-3.7
7	0.0	1.7

Fmin ANGLE LC NODE Fxx Fyy Fxy Fmax

-----							
		SLVz (RS)	Cent	-1.1	-3.0	3.0	1.1
-5.2	35.85		101	-1.0	-2.2	2.7	1.2
-4.3	39.07		88	-1.6	-4.0	3.5	0.9
-6.5	35.36		5	-1.3	-4.0	3.3	0.9
-6.2	33.94		7	-0.8	-2.2	2.5	1.1
-4.1	37.14						

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-----						
		Cent	0.0	0.0	-0.0	0.0
0.0	-80.40	101	0.0	0.0	-0.0	0.0
0.0	-82.77	88	0.0	0.0	-0.0	0.0
0.0	-82.54	5	0.0	0.0	-0.0	0.0
0.0	-86.15	7	0.0	0.0	-0.0	0.0
0.0	-77.82					

NODE Vxx Vyy

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Cent	-0.0	-0.0
101	-0.0	-0.0
88	-0.0	-0.1
5	-0.0	-0.1
7	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-32.5	-51.42	g1	Cent	25.0	57.9	-72.1	115.5
-44.2	-46.28		101	20.8	26.9	-68.0	91.8
-19.9	-53.78		88	40.6	92.8	-82.6	153.3
-22.8	-55.68		5	29.3	89.0	-76.3	141.1
-45.8	-48.13		7	9.5	23.0	-61.7	78.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.1	5.42	Cent	-0.0	-0.1	0.0	-0.0
-0.1	4.09	101	-0.0	-0.1	0.0	-0.0
-0.0	79.37	88	-0.0	-0.0	0.0	-0.0
-0.1	5.24	5	-0.0	-0.1	0.0	-0.0
-0.1	8.33	7	-0.0	-0.1	0.0	-0.0

NODE	Vxx	Vyy
Cent	0.1	0.3
101	0.1	-0.0
88	0.1	0.6
5	0.0	0.6
7	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-22.6	-48.09	g2	Cent	10.5	18.5	-36.9	51.6
-11.6	-51.10		101	15.5	30.1	-33.6	57.3
-29.7	-44.59		88	8.8	7.8	-38.0	46.4
-33.9	-45.50		5	5.5	6.9	-40.1	46.3
-15.9	-51.71		7	12.2	29.3	-35.7	57.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-59.71		101	0.0	0.0	-0.0	0.0
0.0	-65.60		88	-0.0	-0.0	0.0	-0.0
-0.0	6.14		5	-0.0	0.0	0.0	0.0
-0.0	87.07		7	0.0	-0.0	-0.0	0.0
-0.0	-18.40						

NODE	Vxx	Vyy
Cent	0.1	-0.2
101	0.0	0.3
88	0.0	-0.6
5	0.1	-0.6
7	0.1	0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q3	Cent	1.7	2.4	-8.6	10.6
-6.6	-46.14		101	2.5	0.6	-6.9	8.5
-5.4	-41.06		88	3.8	5.0	-10.8	15.2
-6.3	-46.60		5	0.9	4.1	-10.3	12.9
-8.0	-49.50		7	-0.5	-0.3	-6.4	6.0
-6.8	-45.37						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.0	0.0	0.0
-0.0	47.72	101	-0.0	-0.0	0.0	0.0
-0.0	33.71	88	0.0	0.0	0.0	0.0
-0.0	65.91	5	-0.0	-0.0	0.0	-0.0
-0.0	13.76	7	0.0	0.0	0.0	0.0
0.0	79.59					

NODE	Vxx	Vyy
Cent	0.0	0.0
101	0.0	-0.1
88	0.0	0.1
5	0.0	0.1
7	0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_pc	Cent	-26.5	-78.9	0.6	-26.5
-78.9	0.61		101	-4.1	-4.3	7.6	3.4
-11.8	44.70						

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-155.2	4.07		88	-49.2	-154.7	7.5	-48.7
-153.9	-3.53		5	-48.9	-153.5	-6.5	-48.5
-9.9	-46.56		7	-3.8	-3.1	-6.4	3.0
-----							
-0.1	-51.21		Cent	-0.0	0.0	-0.0	0.0
0.1	-75.43		101	0.1	0.3	-0.1	0.3
-0.6	-4.28		88	-0.2	-0.6	-0.0	-0.2
0.2	-89.01		5	0.2	0.7	-0.0	0.7
-0.4	-13.08		7	-0.1	-0.3	-0.1	-0.1
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	0.1	-2.5		
			101	0.1	5.2		
			88	0.1	-10.3		
			5	0.0	-10.3		
			7	0.0	5.2		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-65.8	-1.23	q5_ps	Cent	-21.5	-65.8	-1.0	-21.5
-6.3	49.15		101	-1.6	-0.1	5.4	4.6
-132.8	3.14		88	-41.4	-132.5	5.0	-41.1
-132.1	-4.62		5	-41.4	-131.5	-7.3	-40.8
-7.4	-50.18		7	-1.6	0.9	-6.9	6.7
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	-50.83		Cent	-0.0	0.0	-0.0	0.0
0.0	-74.73		101	0.1	0.2	-0.1	0.3
-0.5	-4.40		88	-0.2	-0.5	-0.0	-0.2
0.2	-89.05		5	0.2	0.6	-0.0	0.6
-0.3	-13.14		7	-0.1	-0.3	-0.1	-0.1
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	0.1	-2.1		
			101	0.1	4.5		
			88	0.1	-8.6		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

5 0.0 -8.6  
7 0.0 4.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
206.7	79.48	INVSLU	Max Cent	259.8	1744.1	286.6	1797.1
264.5	83.61		101	286.3	1999.6	208.0	2021.4
112.8	77.55		88	184.2	1577.3	337.0	1648.7
186.1	75.12		5	286.6	1609.4	378.2	1709.9
359.0	81.50		7	396.6	2038.2	251.1	2075.8
-199.2	-76.89		Min Cent	-173.4	277.2	-111.9	303.1
-284.9	-73.28		101	-242.7	180.5	-153.3	222.4
-342.7	-87.87		88	-342.3	-51.8	-24.4	-51.4
-239.6	-70.22		5	-208.9	-1.9	-85.5	28.9
-255.7	-64.80		7	-146.9	205.8	-224.1	311.3

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	46.76		Max Cent	-0.0	-0.0	0.1	0.1
0.4	85.93		101	0.4	1.4	0.2	1.4
0.4	86.10		88	0.4	1.3	0.1	1.3
0.9	89.64		5	0.9	3.1	0.0	3.1
0.1	56.27		7	0.2	0.4	0.2	0.5
-0.7	-14.94		Min Cent	-0.2	-0.6	-0.2	-0.1
-1.4	-7.25		101	-0.2	-1.4	-0.3	-0.2
-3.3	-3.10		88	-1.3	-3.3	-0.1	-1.3
-2.4	-1.77		5	-0.7	-2.4	-0.1	-0.7
-1.5	-14.17		7	-0.4	-1.5	-0.3	-0.3

	NODE	Vxx	Vyy
Max	Cent	0.6	8.5
	101	0.8	23.9
	88	0.8	30.8
	5	0.6	30.8
	7	0.6	23.9
Min	Cent	0.1	-14.7
	101	0.2	-13.9
	88	0.2	-53.3
	5	-0.1	-53.3
	7	-0.1	-13.9



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
3.0	-67.61	INVSLV	Max Cent	17.5	109.6	-35.2	123.3
-65.0	-50.53		101	-15.6	24.2	-59.8	79.7
22.9	-82.79		88	28.3	193.3	-16.9	196.0
59.4	-87.13		5	59.8	201.6	-5.2	201.9
-35.6	-49.03		7	7.9	32.1	-50.7	96.4
-75.8	-47.84		Min Cent	-17.1	-10.2	-64.5	44.9
-85.4	-55.81		101	-27.9	11.9	-80.8	63.3
-88.0	-44.62		88	-38.5	-46.2	-51.6	-0.2
-80.3	-38.87		5	-15.4	-38.9	-53.6	22.0
-65.5	-50.01		7	3.2	19.6	-80.1	67.3
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-46.88		Max Cent	-0.0	-0.0	0.0	0.0
0.1	-74.30		101	0.1	0.3	0.0	0.3
0.1	84.10		88	0.1	0.2	0.0	0.2
0.2	-89.42		5	0.2	0.6	0.0	0.6
0.0	69.81		7	0.0	0.1	0.0	0.1
-0.1	-4.43		Min Cent	-0.0	-0.1	-0.0	-0.0
-0.2	11.82		101	-0.0	-0.2	-0.1	-0.0
-0.7	-3.09		88	-0.3	-0.7	-0.0	-0.3
-0.3	1.10		5	-0.1	-0.3	-0.0	-0.1
-0.4	-12.61		7	-0.1	-0.3	-0.1	-0.1
			NODE	Vxx	Vyy		
			Max Cent	0.1	1.1		
			101	0.2	5.0		
			88	0.2	4.3		
			5	0.1	4.3		
			7	0.1	5.0		
			Min Cent	0.0	-2.8		
			101	0.0	-2.0		
			88	0.0	-10.6		
			5	0.0	-10.6		
			7	0.0	-2.0		

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
	Fmin	ANGLE							
70	2	8	Q1-1-2	Max	Cent	129.2	411.5	132.4	463.9
	76.8	68.41			100	226.2	628.8	167.5	689.3
	165.6	70.12			102	105.2	294.2	123.8	355.4
	44.0	63.68			8	79.4	288.5	107.0	333.6
	34.4	67.17			6	191.9	623.8	142.7	666.7
	149.1	73.27		Min	Cent	-159.8	-545.5	-164.9	-98.9
	-606.4	-20.27			100	-116.1	-371.7	-97.3	-83.2
	-404.5	-18.65			102	-284.1	-1016.7	-134.3	-260.3
	-1040.6	-10.07			8	-310.8	-1017.5	-235.6	-239.4
	-1088.8	-16.85			6	-111.8	-373.3	-196.1	-6.9
	-478.2	-28.15							
	Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
				Max	Cent	0.0	0.1	0.1	0.2
	-0.1	58.67			100	0.5	1.4	0.0	1.4
	0.5	88.56			102	0.2	0.7	0.1	0.7
	0.1	76.92			8	0.2	0.4	0.1	0.5
	0.1	67.53			6	0.4	1.4	0.1	1.4
	0.4	86.50		Min	Cent	-0.1	-0.3	-0.1	-0.0
	-0.3	-20.42			100	-0.5	-1.3	-0.0	-0.5
	-1.3	-1.50			102	-0.2	-1.0	-0.1	-0.2
	-1.0	-9.84			8	-0.1	-0.5	-0.1	-0.1
	-0.5	-19.10			6	-0.5	-1.8	-0.1	-0.5
	-1.8	-2.71							
				NODE	Vxx	Vyy			
				Max	Cent	0.0	7.5		
					100	0.0	26.6		
					102	0.0	9.9		
					8	0.2	9.9		
					6	0.2	26.5		
				Min	Cent	-0.3	-6.1		
					100	-0.3	-22.1		
					102	-0.3	-11.5		
					8	-0.3	-11.5		
					6	-0.3	-22.1		
	Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		-----						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
-----		-----						
		Q2a-1-2	Max	Cent	76.6	253.4	80.7	284.7
45.3	68.80			100	132.6	371.4	98.6	406.8
97.2	70.23			102	67.1	204.3	75.5	237.7
33.7	66.13			8	54.7	201.4	69.0	228.8
27.3	68.38			6	113.9	369.1	86.9	395.9
87.1	72.87		Min	Cent	-115.8	-396.3	-122.0	-70.1
-441.9	-20.50			100	-65.3	-218.1	-70.6	-37.7
-245.8	-21.37			102	-209.9	-753.0	-99.2	-192.4
-770.5	-10.03			8	-230.2	-753.5	-174.5	-177.3
-806.4	-16.85			6	-65.4	-219.8	-144.9	21.6
-306.8	-30.98							
-----		-----						
			Max	Cent	0.0	0.1	0.1	0.1
-0.0	58.39			100	0.3	0.8	0.0	0.8
0.3	88.46			102	0.1	0.4	0.1	0.4
0.1	76.20			8	0.1	0.3	0.1	0.3
0.1	65.72			6	0.2	0.8	0.0	0.8
0.2	86.23		Min	Cent	-0.0	-0.2	-0.1	-0.0
-0.2	-19.90			100	-0.3	-0.7	-0.0	-0.3
-0.7	-1.52			102	-0.1	-0.6	-0.1	-0.1
-0.6	-9.89			8	-0.1	-0.3	-0.1	-0.0
-0.3	-19.70			6	-0.3	-1.0	-0.0	-0.3
-1.0	-2.67							
-----		-----						
				NODE	Vxx	Vyy		
			Max	Cent	0.0	4.4		
				100	0.0	15.4		
				102	0.0	5.6		
				8	0.1	5.6		
				6	0.1	15.4		
			Min	Cent	-0.2	-3.5		
				100	-0.2	-12.6		
				102	-0.2	-6.6		
				8	-0.2	-6.7		
				6	-0.2	-12.6		
-----		-----						
Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
-----		-----						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLVx (RS)	Cent	-2.6	-6.5	-5.4	1.2
-10.3	-35.14		100	-3.8	-8.7	-6.3	0.5
-13.0	-34.30		102	-2.4	4.7	-5.0	7.3
-5.0	-62.62		8	1.7	4.6	-4.7	8.0
-1.8	-53.64		6	-2.8	-8.5	-5.9	0.8
-12.2	-32.12						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	80.16		Cent	0.0	0.0	0.0	0.0
0.0	84.96		100	0.0	0.0	0.0	0.0
0.0	82.02		102	0.0	0.0	0.0	0.0
-0.0	8.18		8	0.0	-0.0	0.0	0.0
0.0	84.63		6	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.0		
			100	0.0	-0.1		
			102	0.0	0.0		
			8	-0.0	0.0		
			6	-0.0	-0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVy (RS)	Cent	-17.0	-55.9	8.2	-15.4
-57.5	11.41		100	-33.7	-114.4	5.9	-33.3
-114.8	4.17		102	2.8	4.2	-2.3	5.9
1.1	-53.38		8	-0.4	2.7	11.8	13.0
-10.7	48.69		6	-35.9	-115.9	15.0	-33.2
-118.7	10.29						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	54.21		Cent	-0.0	0.0	0.0	0.0
-0.4	1.95		100	-0.2	-0.4	0.0	-0.2
0.0	74.86		102	0.1	0.2	0.0	0.2
-0.2	12.98		8	-0.1	-0.2	0.0	-0.0
0.1	87.60		6	0.1	0.5	0.0	0.5
			NODE	Vxx	Vyy		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

```

-----
          Cent      -0.0      -1.9
          100       -0.1      -7.3
          102       -0.1       3.5
           8        -0.0       3.5
           6        -0.0      -7.3
    
```

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-5.1	-35.14	SLDx (RS)	Cent	-1.3	-3.2	-2.7	0.6
-6.5	-34.31		100	-1.9	-4.4	-3.1	0.2
-2.5	-62.62		102	-1.2	2.3	-2.5	3.6
-0.9	-53.64		8	0.8	2.3	-2.3	4.0
-6.1	-32.12		6	-1.4	-4.2	-2.9	0.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	80.15	Cent	0.0	0.0	0.0	0.0
0.0	84.95	100	0.0	0.0	0.0	0.0
0.0	82.01	102	0.0	0.0	0.0	0.0
-0.0	8.19	8	0.0	-0.0	0.0	0.0
0.0	84.63	6	0.0	0.0	0.0	0.0

```

-----
          NODE      Vxx      Vyy
          Cent      0.0      -0.0
          100       0.0      -0.0
          102       0.0       0.0
           8       -0.0       0.0
           6       -0.0      -0.0
    
```

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-28.7	11.41	SLDy (RS)	Cent	-8.5	-27.9	4.1	-7.7
-57.4	4.18		100	-16.9	-57.2	3.0	-16.6
0.6	-53.31		102	1.4	2.1	-1.1	3.0
-5.3	48.70		8	-0.2	1.3	5.9	6.5
-59.3	10.28		6	-17.9	-57.9	7.5	-16.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	54.22	Cent	-0.0	0.0	0.0	0.0
-0.2	1.95	100	-0.1	-0.2	0.0	-0.1
0.0	74.86	102	0.0	0.1	0.0	0.1
-0.1	12.98	8	-0.0	-0.1	0.0	-0.0
0.1	87.60	6	0.1	0.2	0.0	0.2

NODE	Vxx	Vyy
Cent	-0.0	-1.0
100	-0.0	-3.6
102	-0.0	1.7
8	-0.0	1.7
6	-0.0	-3.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-4.7	-34.68	SLVz (RS)	Cent	-1.2	-3.1	-2.4	0.4
-6.2	-32.87		100	-1.9	-4.4	-2.8	-0.0
-3.8	-39.72		102	-1.1	-1.9	-2.2	0.8
-3.4	-37.05		8	-0.7	-1.8	-2.0	0.9
-5.8	-30.53		6	-1.4	-4.3	-2.6	0.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	75.46	Cent	0.0	0.0	0.0	0.0
0.0	86.85	100	0.0	0.0	0.0	0.0
0.0	79.96	102	0.0	0.0	0.0	0.0
0.0	73.27	8	0.0	0.0	0.0	0.0
0.0	86.06	6	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
100	0.0	-0.1
102	0.0	-0.0
8	0.0	-0.0
6	0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-17.0	52.74	g1	Cent	26.3	57.8	56.9	101.1
			100	41.4	92.1	66.9	138.4

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-4.8	55.37		102	21.6	26.1	52.9	76.8
-29.1	46.21		8	11.1	23.4	46.8	64.5
-30.0	48.75		6	30.9	89.5	60.9	127.7
-7.4	57.84						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-7.39		100	-0.0	-0.0	-0.0	-0.0
-0.0	-81.05		102	-0.0	-0.1	-0.0	-0.0
-0.1	-6.30		8	-0.0	-0.1	-0.0	-0.0
-0.1	-11.10		6	-0.0	-0.1	-0.0	-0.0
-0.1	-5.56						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.1	0.3		
			100	-0.1	0.6		
			102	-0.1	-0.1		
			8	-0.0	-0.1		
			6	-0.0	0.6		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		g2	Cent	10.5	16.6	28.3	42.0
-14.9	48.06		100	8.5	5.8	28.9	36.1
-21.8	43.69		102	15.2	28.3	25.5	48.1
-4.6	52.21		8	12.6	27.4	27.6	48.6
-8.6	52.49		6	5.8	4.8	31.0	36.4
-25.7	44.55						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	68.74		100	-0.0	-0.0	-0.0	-0.0
-0.0	-6.98		102	0.0	0.0	0.0	0.0
0.0	69.99		8	0.0	0.0	0.0	0.0
-0.0	20.74		6	-0.0	0.0	-0.0	0.0
-0.0	-89.69						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.1	-0.2		
			100	-0.0	-0.6		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

102      -0.0      0.2  
 8        -0.1      0.2  
 6        -0.1     -0.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.4	49.20	q3	Cent	0.8	1.2	1.4	2.4
-0.1	52.01		100	1.3	2.2	1.8	3.6
-0.7	40.83		102	0.7	0.4	1.2	1.8
-0.8	44.33		8	0.3	0.3	1.1	1.3
-0.3	55.15		6	0.8	2.0	1.6	3.2
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-9.18		Cent	-0.0	-0.0	-0.0	-0.0
0.0	87.55		100	0.0	0.0	0.0	0.0
-0.0	-7.76		102	-0.0	-0.0	-0.0	-0.0
-0.0	-18.75		8	-0.0	-0.0	-0.0	-0.0
-0.0	-2.24		6	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			100	-0.0	0.0		
			102	-0.0	-0.0		
			8	-0.0	-0.0		
			6	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-78.2	-2.34	q5_pc	Cent	-28.2	-78.1	-2.0	-28.2
-154.7	-6.84		100	-53.0	-153.3	-12.2	-51.5
-11.9	-56.08		102	-8.0	-3.2	-5.8	0.7
-11.4	45.90		8	-3.5	-3.0	8.1	4.9
-153.0	0.96		6	-48.5	-153.0	1.7	-48.5
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	49.06		Cent	-0.0	0.0	0.0	0.0
			100	-0.2	-0.6	0.0	-0.2



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.6	2.75		102	0.1	0.3	0.1	0.3
0.1	73.93		8	-0.1	-0.3	0.0	-0.1
-0.4	11.14		6	0.2	0.7	0.0	0.7
0.2	87.20						

NODE	Vxx	Vyy
Cent	-0.1	-2.5
100	-0.1	-10.2
102	-0.1	5.2
8	-0.0	5.2
6	-0.0	-10.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-65.3	-0.66	q5_ps	Cent	-23.0	-65.3	-0.5	-23.0
-132.4	-5.93		100	-44.5	-131.5	-9.1	-43.6
-7.1	-62.06		102	-4.9	0.7	-4.1	2.9
-8.5	48.88		8	-1.4	0.8	8.2	7.9
-131.5	2.01		6	-41.1	-131.4	3.2	-41.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	48.61	Cent	-0.0	0.0	0.0	0.0
-0.5	2.93	100	-0.2	-0.5	0.0	-0.2
0.1	73.17	102	0.1	0.2	0.1	0.3
-0.3	11.19	8	-0.1	-0.3	0.0	-0.1
0.2	87.21	6	0.2	0.6	0.0	0.6

NODE	Vxx	Vyy
Cent	-0.1	-2.1
100	-0.1	-8.6
102	-0.1	4.5
8	-0.0	4.5
6	-0.0	-8.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
263.0	86.28	INVSLU Max	Cent	269.2	1732.8	95.6	1739.0
204.4	89.35		100	204.6	1577.3	15.5	1577.5
290.3	85.56		102	300.6	1990.1	132.0	2000.3

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

375.7	83.44		8	397.4	2015.6	203.2	2037.3
287.2	87.34		6	290.0	1604.0	64.4	1606.8
-325.0	-63.66	Min	Cent	-171.8	300.3	-309.6	453.6
-595.4	-56.32		100	-352.8	-49.1	-364.0	193.4
-333.4	-67.91		102	-239.4	214.4	-226.9	308.1
-272.3	-63.22		8	-135.6	247.2	-273.9	378.1
-516.6	-55.04		6	-207.4	-17.5	-396.1	275.3

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
		Max	Cent	-0.0	-0.0	0.2	0.2
-0.1	47.51		100	0.4	1.3	0.1	1.3
0.4	88.72		102	0.4	1.4	0.3	1.5
0.4	75.68		8	0.2	0.5	0.3	0.6
0.2	61.23		6	0.9	3.1	0.1	3.1
0.9	86.56	Min	Cent	-0.2	-0.6	-0.1	-0.2
-0.6	-6.58		100	-1.2	-3.3	-0.0	-1.2
-3.3	-0.23		102	-0.2	-1.4	-0.2	-0.2
-1.4	-9.87		8	-0.4	-1.4	-0.2	-0.4
-1.4	-5.20		6	-0.7	-2.4	-0.1	-0.7
-2.4	-2.43						

	NODE	Vxx	Vyy
Max	Cent	-0.1	8.4
	100	-0.2	31.3
	102	-0.2	23.8
	8	0.1	23.8
	6	0.1	31.2
Min	Cent	-0.6	-14.6
	100	-0.8	-52.9
	102	-0.8	-14.5
	8	-0.6	-14.5
	6	-0.6	-52.9

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
		INVSLV	Max	Cent	21.5	108.7	43.1	116.2
13.9	74.20			100	34.6	194.0	27.3	195.5
33.2	84.57			102	-14.9	22.4	59.0	59.0
-49.8	53.43			8	9.4	30.1	60.6	77.7
-18.6	49.53							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax		
62.5	89.94	6	62.5	203.7	30.2	203.7		
-51.3	47.27	Min Cent	-14.9	-8.8	22.1	26.7		
-61.4	40.81	100	-36.3	-42.7	9.6	-17.6		
-64.1	54.86	102	-22.7	9.4	46.3	49.0		
-45.0	51.08	8	5.4	18.2	33.0	48.9		
-51.6	32.25	6	-11.9	-35.8	-4.9	4.0		
-----								
-0.0	46.33	Max Cent	-0.0	-0.0	0.0	0.0		
0.1	-86.14	100	0.1	0.2	0.0	0.2		
0.1	73.86	102	0.1	0.3	0.1	0.3		
0.0	-72.92	8	0.0	0.1	0.0	0.1		
0.2	87.66	6	0.2	0.6	0.0	0.6		
-0.1	0.77	Min Cent	-0.0	-0.0	-0.0	-0.0		
-0.6	1.26	100	-0.2	-0.6	-0.0	-0.2		
-0.2	-13.30	102	-0.0	-0.2	-0.0	-0.0		
-0.3	11.44	8	-0.1	-0.3	-0.0	-0.1		
-0.3	-2.57	6	-0.1	-0.3	-0.0	-0.1		
-----								
		NODE	Vxx	Vyy				
		Max Cent	-0.0	1.1				
		100	-0.0	4.4				
		102	-0.0	4.9				
		8	-0.0	4.8				
		6	-0.0	4.4				
		Min Cent	-0.1	-2.7				
		100	-0.2	-10.3				
		102	-0.2	-2.1				
		8	-0.1	-2.1				
		6	-0.1	-10.3				
-----								
ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
	Fmin	ANGLE						
227	2	8	Q1-1-2	Max Cent	1273.5	34.3	2.2	1273.5
	34.3	0.10		200	1447.3	72.1	25.2	1447.8
	71.6	1.05		201	1458.8	100.6	5.0	1458.9
	100.6	0.21		2250	1099.7	3.5	4.8	1099.8
	3.4	0.25		2249	1088.2	1.2	29.9	1089.0
	0.4	1.57						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-428.1	-45.85	Min	Cent	-25.2	-0.5	-415.0	402.4
			200	-28.4	-0.9	-277.5	263.2
-292.5	-46.42		201	-28.8	-2.2	-563.9	548.5
-579.5	-45.68		2250	-22.1	-9.4	-555.9	540.2
-571.7	-45.33		2249	-21.7	-49.9	-270.3	234.9
-306.5	-43.50						

Mmin ANGLE NODE Mxx Myy Mxy Mmax

0.0	79.56	Max	Cent	0.0	0.1	0.0	0.1
0.0	78.21		200	0.0	0.1	0.0	0.1
0.1	82.57		201	0.1	0.2	0.0	0.2
0.0	79.55		2250	0.0	0.1	0.0	0.1
0.0	76.04		2249	0.0	0.1	0.0	0.1
-0.0	-29.38	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-35.10		200	-0.0	-0.0	-0.0	0.0
-0.0	-23.60		201	-0.0	-0.0	-0.0	-0.0
-0.0	-30.55		2250	-0.0	-0.0	-0.0	-0.0
-0.0	-32.09		2249	-0.0	-0.0	-0.0	0.0

NODE Vxx Vyy

Max	Cent	0.0	0.3
	200	0.0	0.2
	201	0.0	0.4
	2250	0.0	0.4
	2249	0.0	0.2
Min	Cent	-0.0	-0.1
	200	-0.0	-0.0
	201	-0.0	-0.1
	2250	-0.0	-0.1
	2249	-0.0	-0.0

Fmin ANGLE LC NODE Fxx Fyy Fxy Fmax

20.7	0.12	Q2a-1-2	Max	Cent	770.1	20.7	1.6	770.1
43.1	1.22			200	875.0	43.5	17.7	875.4
60.2	0.26			201	882.3	60.2	3.7	882.3
2.3	0.31			2250	665.1	2.4	3.5	665.2
0.2	1.83			2249	657.9	0.9	21.0	658.6
-263.0	-46.04		Min	Cent	-18.7	-0.4	-253.2	243.9

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-180.9	-46.72	200	-21.1	-0.6	-169.7	159.1
-354.5	-45.83	201	-21.4	-1.6	-342.8	331.5
-349.5	-45.42	2250	-16.4	-6.3	-338.1	326.8
-189.7	-43.60	2249	-16.1	-32.3	-165.3	141.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----						
		Max	Cent	0.0	0.1	0.1
0.0	80.45	200	0.0	0.1	0.0	0.1
0.0	79.30	201	0.0	0.1	0.0	0.1
0.0	83.26	2250	0.0	0.1	0.0	0.1
0.0	80.39	2249	0.0	0.1	0.0	0.1
		Min	Cent	-0.0	-0.0	0.0
-0.0	-30.57	200	-0.0	-0.0	-0.0	0.0
-0.0	-36.53	201	-0.0	-0.0	-0.0	-0.0
-0.0	-24.82	2250	-0.0	-0.0	-0.0	-0.0
-0.0	-31.80	2249	-0.0	-0.0	-0.0	0.0
-0.0	-33.19					

	NODE	Vxx	Vyy
-----			
Max	Cent	0.0	0.2
	200	0.0	0.1
	201	0.0	0.3
	2250	0.0	0.3
	2249	0.0	0.1
Min	Cent	-0.0	-0.0
	200	-0.0	-0.0
	201	-0.0	-0.1
	2250	-0.0	-0.1
	2249	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVx (RS)	Cent	120.5	3.4	-29.6	127.6
-3.7	-13.41		200	135.9	5.9	18.5	138.4
3.3	7.95		201	137.3	10.7	-42.6	150.3
-2.3	-16.95		2250	105.2	1.0	-41.6	119.8
-13.6	-19.30		2249	103.7	-4.1	17.8	106.6
-7.0	9.15						
			NODE	Mxx	Myy	Mxy	Mmax
-----							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----							
-0.0	-3.22		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-3.45		200	-0.0	-0.0	-0.0	-0.0
-0.0	-1.67		201	-0.0	-0.0	-0.0	-0.0
-0.0	-3.71		2250	-0.0	-0.0	-0.0	-0.0
0.0	-83.10		2249	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			200	0.0	0.0		
			201	0.0	0.0		
			2250	-0.0	0.0		
			2249	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	-40.1	-0.6	-6.7	0.5
-41.2	-80.68		200	-43.0	-0.6	-8.5	1.0
-44.7	-79.04		201	-43.9	-3.0	5.1	-2.4
-44.6	83.00		2250	-37.2	-1.0	5.4	-0.2
-38.0	81.75		2249	-36.3	2.1	-9.0	4.1
-38.3	-77.44						
			NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-4.14		200	-0.0	-0.2	-0.0	-0.0
-0.2	-2.79		201	-0.1	-0.2	0.0	-0.1
-0.2	1.32		2250	-0.0	-0.1	-0.0	-0.0
-0.1	-8.75		2249	0.0	-0.0	-0.0	0.0
-0.0	-12.93						
			NODE	Vxx	Vyy		
			Cent	0.0	-0.9		
			200	-0.0	-0.7		
			201	-0.0	-1.0		
			2250	0.0	-1.0		
			2249	0.0	-0.7		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDx (RS)	Cent	60.2	1.7	-14.8	63.7
-1.8	-13.41						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
1.6	7.96		200	67.8	2.9	9.3	69.1
-1.2	-16.96		201	68.6	5.3	-21.3	75.1
-6.8	-19.30		2250	52.5	0.5	-20.8	59.8
-3.5	9.15		2249	51.8	-2.1	8.9	53.2
-----							
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-3.23		200	-0.0	-0.0	-0.0	-0.0
-0.0	-3.46		201	-0.0	-0.0	-0.0	-0.0
-0.0	-1.67		2250	-0.0	-0.0	-0.0	-0.0
-0.0	-3.73		2249	0.0	0.0	-0.0	0.0
0.0	-83.09						
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			200	0.0	0.0		
			201	0.0	0.0		
			2250	-0.0	0.0		
			2249	-0.0	0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDy (RS)	Cent	-20.0	-0.3	-3.3	0.3
-20.6	-80.66		200	-21.5	-0.3	-4.3	0.5
-22.3	-79.03		201	-21.9	-1.5	2.6	-1.2
-22.3	82.97		2250	-18.6	-0.5	2.7	-0.1
-19.0	81.72		2249	-18.1	1.1	-4.5	2.1
-19.1	-77.43						
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-4.16		200	-0.0	-0.1	-0.0	-0.0
-0.1	-2.80		201	-0.0	-0.1	0.0	-0.0
-0.1	1.33		2250	-0.0	-0.0	-0.0	-0.0
-0.0	-8.78		2249	0.0	-0.0	-0.0	0.0
-0.0	-12.95						
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	-0.4		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

200 -0.0 -0.4  
 201 -0.0 -0.5  
 2250 0.0 -0.5  
 2249 0.0 -0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-41.9	73.42	SLVz (RS)	Cent	-38.3	-1.2	12.1	2.4
-45.0	79.27		200	-43.5	-2.2	8.1	-0.7
-49.8	70.35		201	-43.9	-3.5	16.5	2.4
-39.9	67.70		2250	-33.2	-0.2	16.3	6.4
-34.5	77.55		2249	-32.8	1.1	7.9	2.8

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-4.83		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-3.66		200	-0.0	-0.0	-0.0	-0.0
-0.0	1.94		201	-0.0	-0.0	0.0	-0.0
-0.0	7.95		2250	-0.0	-0.0	0.0	-0.0
-0.0	-12.63		2249	-0.0	-0.0	-0.0	-0.0

NODE Vxx Vyy  
 Cent -0.0 0.0  
 200 -0.0 0.0  
 201 -0.0 0.0  
 2250 -0.0 0.0  
 2249 -0.0 0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-49.0	-15.58	g1	Cent	905.2	25.2	-266.1	979.4
23.3	-9.33		200	1028.4	50.4	-165.1	1055.5
-51.8	-18.95		201	1036.2	76.5	-373.6	1164.5
-145.4	-21.60		2250	781.9	-0.1	-367.1	927.2
-56.5	-10.81		2249	774.1	-26.2	-158.6	804.4

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	87.70		Cent	0.0	0.0	0.0	0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	85.98	200	0.0	0.0	0.0	0.0
0.0	-89.56	201	0.0	0.0	-0.0	0.0
0.0	89.21	2250	0.0	0.0	0.0	0.0
0.0	84.41	2249	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
200	0.0	0.0
201	0.0	0.0
2250	0.0	0.0
2249	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-24.3	-15.31	g2	Cent	445.8	10.9	-128.7	481.0
10.8	-9.03		200	506.6	23.3	-78.8	519.1
-25.3	-18.74		201	510.5	36.4	-181.7	572.2
-71.2	-21.37		2250	385.0	-1.4	-178.5	454.8
-28.4	-10.46		2249	381.1	-14.5	-75.6	395.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-7.24	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-5.44	200	-0.0	-0.0	-0.0	-0.0
-0.0	-2.29	201	-0.0	-0.0	-0.0	-0.0
-0.0	-12.98	2250	-0.0	-0.0	-0.0	-0.0
-0.0	-18.71	2249	0.0	-0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
200	0.0	-0.0
201	0.0	-0.0
2250	0.0	-0.0
2249	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
1.1	-5.29	q3	Cent	100.7	2.0	-9.2	101.5
3.3	0.27		200	112.4	3.3	0.5	112.4
			201	113.9	8.2	-19.9	117.5

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

			NODE	Mxx	Myy	Mxy	Mmax
4.6	-10.34		2250	89.0	0.7	-18.9	92.8
-3.2	-11.61		2249	87.5	-4.3	1.5	87.5
-4.3	0.94						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	-89.93		Cent	0.0	0.0	-0.0	0.0
0.0	88.08		200	0.0	0.0	0.0	0.0
0.0	-88.07		201	0.0	0.0	-0.0	0.0
0.0	-88.53		2250	0.0	0.0	-0.0	0.0
0.0	87.28		2249	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	0.0		
			200	0.0	0.0		
			201	0.0	0.0		
			2250	0.0	0.0		
			2249	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-41.9	81.87	q5_pc	Cent	-41.0	-0.7	5.9	0.1
-45.3	86.87		200	-45.2	-1.1	2.4	-0.9
-47.9	77.76		201	-45.8	-3.0	9.7	-0.9
-39.1	76.45		2250	-36.9	-0.3	9.3	1.9
-36.4	86.94		2249	-36.3	1.6	2.0	1.8
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.2	-7.01		Cent	-0.1	-0.2	-0.0	-0.0
-0.2	-5.25		200	-0.1	-0.2	-0.0	-0.1
-0.4	-2.48		201	-0.1	-0.4	-0.0	-0.1
-0.1	-13.93		2250	-0.0	-0.1	-0.0	-0.0
-0.1	-19.42		2249	0.0	-0.1	-0.0	0.0
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-1.4		
			200	0.0	-1.2		
			201	0.0	-1.7		
			2250	0.1	-1.7		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


		LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin	ANGLE							
		q5_ps	Cent	-34.3	-0.6	4.1	-0.2	
-34.8	83.18		200	-37.6	-0.8	1.3	-0.8	
-37.6	87.96		201	-38.1	-2.6	7.2	-1.2	
-39.5	78.98		2250	-31.0	-0.5	6.8	1.0	
-32.4	77.91		2249	-30.4	1.3	1.0	1.4	
-30.4	88.26							
			NODE	Mxx	Myy	Mxy	Mmax	
Mmin	ANGLE							
			Cent	-0.1	-0.2	-0.0	-0.0	
-0.2	-6.90		200	-0.1	-0.2	-0.0	-0.1	
-0.2	-5.20		201	-0.1	-0.4	-0.0	-0.1	
-0.4	-2.42		2250	-0.0	-0.1	-0.0	-0.0	
-0.1	-13.61		2249	0.0	-0.1	-0.0	0.0	
-0.1	-19.17							
			NODE	Vxx	Vyy			
			Cent	0.0	-1.4			
			200	0.0	-1.2			
			201	0.0	-1.7			
			2250	0.1	-1.7			
			2249	0.1	-1.2			
		LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin	ANGLE							
		INVSLU	Max	Cent	3881.8	100.5	-568.2	3968.4
14.2	-8.51			200	4498.5	222.7	-229.5	4511.3
209.9	-3.12			201	4543.1	357.9	-893.6	4733.0
168.0	-11.77			2250	3265.0	-12.3	-872.1	3490.7
-234.6	-14.24			2249	3220.4	-109.1	-201.2	3233.0
-121.6	-3.50							
			Min	Cent	2048.6	52.0	-1142.1	2449.0
-457.4	-19.25			200	2418.8	122.2	-642.5	2541.5
-42.8	-12.69			201	2446.1	213.2	-1679.5	3121.7
-670.7	-23.59			2250	1678.4	-30.4	-1646.1	2405.6
-1014.1	-27.01			2249	1651.1	-181.1	-610.1	1787.6
-360.5	-14.82							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
			-----	-----	-----	-----	-----	
		Max	Cent	0.1	0.4	0.0	0.4	
0.1	81.16		200	0.2	0.5	0.1	0.5	
0.1	82.26		201	0.2	0.7	0.0	0.7	
0.2	85.70		2250	0.1	0.3	0.0	0.3	
0.1	76.64		2249	0.0	0.2	0.1	0.2	
0.0	71.99	Min	Cent	-0.1	-0.3	-0.0	-0.1	
-0.3	-8.58		200	-0.1	-0.4	-0.0	-0.1	
-0.4	-6.84		201	-0.2	-0.6	-0.0	-0.2	
-0.6	-3.86		2250	-0.1	-0.2	-0.0	-0.0	
-0.2	-15.24		2249	-0.0	-0.1	-0.0	0.0	
-0.1	-20.25							
			NODE	Vxx	Vyy			
		Max	Cent	0.1	2.5			
			200	0.0	2.1			
			201	0.0	3.0			
			2250	0.1	3.0			
			2249	0.1	2.1			
		Min	Cent	-0.1	-2.2			
			200	-0.0	-1.8			
			201	-0.0	-2.6			
			2250	-0.1	-2.6			
			2249	-0.1	-1.8			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
		-----	-----	-----	-----	-----	-----	
		INVSLV	Max	Cent	1600.3	39.9	-374.4	1716.3
-65.5	-14.73			200	1859.1	88.9	-188.3	1880.0
68.1	-6.15			201	1878.4	152.9	-572.3	2108.3
-69.8	-18.92			2250	1341.5	-8.9	-559.4	1607.4
-244.5	-22.08			2249	1322.2	-63.3	-175.0	1345.0
-94.5	-7.22		Min	Cent	1312.2	32.1	-444.9	1415.7
-82.2	-15.30			200	1535.5	75.5	-235.3	1571.0
40.0	-8.76			201	1551.1	127.7	-670.4	1752.6
-81.0	-19.40			2250	1088.8	-11.6	-655.6	1323.3
-276.2	-22.74			2249	1073.3	-73.4	-220.8	1113.0
-104.6	-10.41							
			NODE	Mxx	Myy	Mxy	Mmax	

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE			Vxx	Vyy					
		Max	Cent	0.0	0.1	0.0	0.1			
0.0	84.08		200	0.1	0.2	0.0	0.2			
0.0	85.27		201	0.1	0.2	0.0	0.2			
0.1	-89.93		2250	0.0	0.1	0.0	0.1			
0.0	79.97		2249	0.0	0.1	0.0	0.1			
0.0	75.41	Min	Cent	-0.0	-0.1	-0.0	-0.0			
-0.1	-1.94		200	-0.0	-0.1	-0.0	-0.0			
-0.1	-0.47		201	-0.1	-0.2	-0.0	-0.1			
-0.2	2.66		2250	-0.0	-0.1	-0.0	-0.0			
-0.1	-6.52		2249	0.0	-0.0	-0.0	0.0			
-0.0	9.43									
			NODE	Vxx	Vyy					
		Max	Cent	0.0	0.9					
			200	0.0	0.8					
			201	0.0	1.0					
			2250	0.1	1.0					
			2249	0.1	0.8					
		Min	Cent	-0.0	-0.9					
			200	0.0	-0.7					
			201	0.0	-1.1					
			2250	-0.0	-1.1					
			2249	-0.0	-0.7					
ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax		
Fmin		ANGLE								
228	2	4	Q1-1-2	Max	Cent	910.8	0.4	1.7	910.8	
0.4		0.11			201	897.1	1.1	1.9	897.1	
1.1		0.12			9	906.7	0.8	2.4	906.7	
0.8		0.15			2216	924.8	4.9	3.8	924.8	
4.9		0.23			2250	914.8	0.9	1.8	914.8	
0.9		0.11		Min	Cent	-16.7	-23.3	-380.8	360.8	
-400.9		-44.75			201	-16.2	-47.9	-393.3	361.5	
-425.7		-43.85			9	-16.5	-9.6	-370.0	357.0	
-383.1		-45.27			2216	-17.1	-6.8	-368.8	356.9	
-380.8		-45.40			2250	-16.8	-42.2	-391.9	362.6	
-421.7		-44.07								
				NODE	Mxx	Myy	Mxy	Mmax		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		Max	Cent	0.0	0.1	0.0	0.1
0.0	85.88		201	0.0	0.1	0.0	0.1
0.0	86.22		9	0.0	0.1	0.0	0.1
0.0	87.84		2216	0.0	0.1	0.0	0.1
0.0	85.25		2250	0.0	0.1	0.0	0.1
0.0	81.91	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-27.39		201	-0.0	-0.0	-0.0	-0.0
-0.0	-18.00		9	-0.0	-0.0	-0.0	0.0
-0.0	-30.67		2216	-0.0	-0.0	-0.0	0.0
-0.0	-33.64		2250	-0.0	-0.0	-0.0	-0.0
-0.0	-32.07						

-----		NODE	Vxx	Vyy
Max	Cent		0.0	0.3
	201		0.0	0.3
	9		0.0	0.2
	2216		0.0	0.2
	2250		0.0	0.3
Min	Cent		-0.0	-0.0
	201		-0.0	-0.1
	9		-0.0	-0.0
	2216		-0.0	-0.0
	2250		-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
0.3	0.13	Q2a-1-2	Max	Cent	549.5	0.3	1.2
				201	541.2	0.8	1.4
0.8	0.15			9	547.2	0.5	1.6
0.5	0.17			2216	558.1	3.3	2.6
3.2	0.26			2250	551.8	0.7	1.3
0.7	0.14		Min	Cent	-12.4	-15.2	-232.9
-246.7	-44.83			201	-12.0	-31.3	-239.9
-261.7	-43.85			9	-12.3	-6.3	-226.8
-236.1	-45.38			2216	-12.7	-4.6	-226.0
-234.8	-45.51			2250	-12.5	-27.8	-239.1
-259.4	-44.08						

Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
-----								
		Max	Cent		0.0	0.1	0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	86.32		201	0.0	0.1	0.0	0.1
0.0	86.63		9	0.0	0.1	0.0	0.1
0.0	88.12		2216	0.0	0.1	0.0	0.1
0.0	85.71		2250	0.0	0.1	0.0	0.1
0.0	82.68	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-29.92		201	-0.0	-0.0	-0.0	-0.0
-0.0	-19.57		9	-0.0	-0.0	-0.0	0.0
-0.0	-35.07		2216	-0.0	-0.0	-0.0	0.0
-0.0	-36.36		2250	-0.0	-0.0	-0.0	-0.0
-0.0	-33.57						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.2
	201	0.0	0.2
	9	0.0	0.2
	2216	0.0	0.2
	2250	0.0	0.2
Min	Cent	-0.0	-0.0
	201	-0.0	-0.0
	9	-0.0	-0.0
	2216	-0.0	-0.0
	2250	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-9.1	16.12	SLVx (RS)	Cent	84.2	-1.3	27.0	92.0
-12.4	-16.95		201	82.1	-3.6	-28.8	90.9
-7.8	15.67		9	83.2	-0.6	25.5	90.4
-5.7	15.41		2216	86.3	1.3	25.4	93.3
-11.1	-16.55		2250	85.2	-2.6	-28.6	93.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-1.81	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-1.59	201	-0.0	-0.0	-0.0	-0.0
-0.0	-1.52	9	-0.0	-0.0	-0.0	-0.0
-0.0	-1.99	2216	-0.0	-0.0	-0.0	-0.0
0.0	-87.38	2250	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
------	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Cent	-0.0	0.0
201	0.0	0.0
9	0.0	0.0
2216	-0.0	0.0
2250	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-27.1	-74.20	SLVy (RS)	Cent	-24.9	1.0	-7.9	3.2
-23.4	-79.27		201	-22.4	2.5	-4.9	3.4
-27.5	-68.07		9	-22.9	0.8	-11.4	5.4
-31.6	-69.63		2216	-27.3	-0.7	-11.5	3.6
-27.6	-80.26		2250	-26.8	1.2	-4.9	2.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.1	1.96	Cent	-0.0	-0.1	0.0	-0.0
-0.2	1.06	201	-0.0	-0.2	0.0	-0.0
-0.2	1.55	9	-0.1	-0.2	0.0	-0.1
-0.1	3.17	2216	-0.0	-0.1	0.0	-0.0
-0.0	3.72	2250	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	-0.8
201	0.0	-0.7
9	0.0	-0.8
2216	0.0	-0.8
2250	0.0	-0.7

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-4.5	16.13	SLDx (RS)	Cent	42.1	-0.6	13.5	46.0
-6.2	-16.95		201	41.0	-1.8	-14.4	45.4
-3.9	15.67		9	41.5	-0.3	12.8	45.1
-2.9	15.42		2216	43.1	0.6	12.7	46.6
-5.5	-16.56		2250	42.6	-1.3	-14.3	46.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.0	-0.0	-0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-1.81		201	-0.0	-0.0	-0.0	-0.0
-0.0	-1.59		9	-0.0	-0.0	-0.0	-0.0
-0.0	-1.52		2216	-0.0	-0.0	-0.0	-0.0
-0.0	-1.99		2250	0.0	0.0	-0.0	0.0
0.0	-87.38						

NODE	Vxx	Vyy
Cent	-0.0	0.0
201	0.0	0.0
9	0.0	0.0
2216	-0.0	0.0
2250	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDy (RS)	Cent	-12.4	0.5	-4.0	1.6
-13.5	-74.19		201	-11.2	1.2	-2.5	1.7
-11.7	-79.24		9	-11.5	0.4	-5.7	2.7
-13.8	-68.07		2216	-13.6	-0.3	-5.7	1.8
-15.8	-69.63		2250	-13.4	0.6	-2.5	1.0
-13.8	-80.23						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.1	0.0	-0.0
-0.1	1.96	201	-0.0	-0.1	0.0	-0.0
-0.1	1.06	9	-0.0	-0.1	0.0	-0.0
-0.1	1.55	2216	-0.0	-0.0	0.0	-0.0
-0.0	3.18	2250	-0.0	-0.0	0.0	-0.0
-0.0	3.75					

NODE	Vxx	Vyy
Cent	0.0	-0.4
201	0.0	-0.4
9	0.0	-0.4
2216	0.0	-0.4
2250	0.0	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVz (RS)	Cent	-27.6	0.3	11.3	4.3
-31.7	70.49		201	-27.2	0.9	11.7	5.1
-31.5	70.04						

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-31.3	70.52	9	-27.5	-0.3	11.0	3.6	
-31.9	70.84	2216	-28.1	-0.4	10.9	3.4	
-32.0	70.30	2250	-27.8	0.6	11.7	4.8	
-----							
-0.0	2.24	Cent	-0.0	-0.0	0.0	-0.0	
-0.0	1.39	201	-0.0	-0.0	0.0	-0.0	
-0.0	1.58	9	-0.0	-0.0	0.0	-0.0	
-0.0	3.44	2216	-0.0	-0.0	0.0	-0.0	
-0.0	5.05	2250	-0.0	-0.0	0.0	-0.0	
-----							
		NODE	Vxx	Vyy			
		Cent	-0.0	0.0			
		201	-0.0	0.0			
		9	-0.0	0.0			
		2216	-0.0	0.0			
		2250	-0.0	0.0			
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-89.6	-18.14	g1	Cent	648.8	-10.4	-241.9	728.0
-108.5	-18.75		201	639.2	-22.4	-253.8	725.3
-76.4	-17.77		9	645.2	-2.2	-231.3	719.4
-70.9	-17.50		2216	658.3	1.6	-230.0	730.9
-102.9	-18.48		2250	652.3	-18.5	-252.4	736.7
-----							
Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
0.0	-89.10	Cent	0.0	0.0	-0.0	0.0	
0.0	-88.41	201	0.0	0.0	-0.0	0.0	
0.0	-88.89	9	0.0	0.0	-0.0	0.0	
0.0	-89.54	2216	0.0	0.0	-0.0	0.0	
0.0	-89.13	2250	0.0	0.0	-0.0	0.0	
-----							
		NODE	Vxx	Vyy			
		Cent	0.0	0.0			
		201	0.0	0.0			
		9	0.0	0.0			

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		LC	NODE	Fxx	Fyy	Fxy	Fmax
				2216	0.0	0.0	
				2250	0.0	0.0	
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		g2	Cent	318.7	-6.6	-116.8	356.3
-44.2	-17.84		201	314.1	-12.5	-122.5	354.9
-53.3	-18.44		9	317.0	-2.6	-111.6	352.2
-37.7	-17.47		2216	323.4	-0.7	-111.0	357.8
-35.1	-17.20		2250	320.4	-10.6	-121.9	360.5
-50.7	-18.18						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	2.50		201	-0.0	-0.0	-0.0	-0.0
-0.0	-0.09		9	-0.0	-0.0	0.0	-0.0
-0.0	2.53		2216	-0.0	-0.0	0.0	-0.0
-0.0	6.76		2250	-0.0	-0.0	-0.0	-0.0
-0.0	-0.02						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.0		
			201	0.0	-0.0		
			9	0.0	-0.0		
			2216	0.0	-0.0		
			2250	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		q3	Cent	67.0	-1.8	-5.9	67.5
-2.3	-4.83		201	64.4	-4.3	-9.4	65.6
-5.6	-7.68		9	65.5	-0.4	-2.5	65.6
-0.5	-2.18		2216	69.6	0.7	-2.3	69.7
0.7	-1.89		2250	68.4	-3.2	-9.2	69.6
-4.3	-7.21						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	0.0	-0.0	0.0
0.0	-87.56		201	0.0	0.0	-0.0	0.0
0.0	-87.55						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-87.97	9	0.0	0.0	-0.0	0.0
0.0	-87.60	2216	0.0	0.0	-0.0	0.0
0.0	-87.06	2250	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
201	0.0	0.0
9	0.0	0.0
2216	0.0	0.0
2250	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-28.9	80.88	q5_pc	Cent	-28.1	0.7	4.8	1.5
-28.3	76.43		201	-26.6	1.6	7.2	3.4
-27.0	85.19		9	-26.9	0.6	2.3	0.8
-29.9	85.59		2216	-29.7	-0.2	2.3	-0.0
-31.0	77.28		2250	-29.4	0.8	7.2	2.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.2	0.50	Cent	-0.1	-0.2	0.0	-0.1
-0.2	-0.27	201	-0.1	-0.2	-0.0	-0.1
-0.3	0.98	9	-0.1	-0.3	0.0	-0.1
-0.1	0.70	2216	-0.0	-0.1	0.0	-0.0
-0.1	-4.15	2250	-0.0	-0.1	-0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	-1.3
201	0.0	-1.2
9	0.0	-1.4
2216	0.0	-1.4
2250	0.0	-1.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-23.7	82.76	q5_ps	Cent	-23.3	0.5	3.1	0.9
-23.0	77.67		201	-21.9	1.3	5.3	2.5
-22.2	87.83		9	-22.2	0.4	0.9	0.4
			2216	-24.8	-0.4	0.8	-0.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-24.8	88.08		2250	-24.5	0.6	5.3	1.6
-25.6	78.55						
-----							
-0.2	0.53		Cent	-0.1	-0.2	0.0	-0.1
-0.2	-0.24		201	-0.1	-0.2	-0.0	-0.1
-0.3	0.99		9	-0.1	-0.3	0.0	-0.1
-0.1	0.75		2216	-0.0	-0.1	0.0	-0.0
-0.1	-3.98		2250	-0.0	-0.1	-0.0	-0.0
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	-1.3		
			201	0.0	-1.2		
			9	0.0	-1.4		
			2216	0.0	-1.4		
			2250	0.0	-1.2		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-115.9	-10.17	INVSLU Max	Cent	2737.1	-25.3	-503.8	2829.0
-100.8	-7.94		201	2772.3	-47.1	-387.9	2828.4
-96.5	-12.21		9	2812.2	40.3	-625.5	2948.5
-131.8	-12.34		2216	2702.4	3.9	-616.0	2838.1
-142.6	-7.99		2250	2662.0	-89.8	-380.2	2717.3
-575.4	-22.02	Min	Cent	1430.4	-58.7	-1028.8	1804.9
-537.5	-19.02		201	1488.1	-116.4	-935.2	1778.8
-580.6	-24.00		9	1514.0	25.1	-1132.5	1968.3
-634.6	-24.77		2216	1372.7	-12.3	-1123.1	1841.3
-580.9	-19.70		2250	1346.8	-149.5	-925.5	1647.2
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.1	89.01	Max	Cent	0.1	0.4	0.0	0.4
0.2	88.58		201	0.2	0.5	0.0	0.5
0.2	-89.79		9	0.2	0.6	0.0	0.6
0.1	88.45		2216	0.1	0.3	0.0	0.3
			2250	0.0	0.2	0.0	0.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	83.47						
-0.3	-1.00	Min	Cent	-0.1	-0.3	-0.0	-0.1
-0.4	-1.36		201	-0.1	-0.4	-0.0	-0.1
-0.5	0.22		9	-0.1	-0.5	-0.0	-0.1
-0.2	-1.76		2216	-0.1	-0.2	-0.0	-0.1
-0.1	-7.45		2250	-0.0	-0.1	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	2.2
	201	0.0	2.1
	9	0.0	2.4
	2216	0.0	2.4
	2250	0.0	2.1
Min	Cent	-0.0	-1.9
	201	-0.0	-1.8
	9	-0.0	-2.0
	2216	-0.1	-2.0
	2250	-0.1	-1.8

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-112.3	-15.37	INVSLV	Max	Cent	1124.6	-17.8	-333.8	1218.2
-108.1	-15.22			201	1144.0	-31.6	-283.6	1238.8
-105.7	-17.27			9	1160.9	16.7	-387.9	1283.5
-122.9	-17.60			2216	1105.2	-1.1	-383.7	1229.0
-128.0	-15.48			2250	1088.3	-51.4	-279.4	1183.5
-162.5	-19.90		Min	Cent	924.7	-21.1	-399.3	1066.7
-136.6	-15.14			201	950.0	-40.8	-351.2	1027.5
-162.4	-21.62			9	964.2	14.6	-452.4	1140.9
-186.1	-22.16			2216	899.3	-4.3	-447.9	1079.1
-154.9	-15.55			2250	885.1	-57.7	-346.6	963.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
0.0	-88.79	Max	Cent	0.0	0.1	0.0	0.1
0.0	-89.50		201	0.0	0.2	0.0	0.2
0.1	-88.78		9	0.1	0.2	0.0	0.2
0.0	-88.14		2216	0.0	0.1	0.0	0.1
0.0	-88.59		2250	0.0	0.1	0.0	0.1
		Min	Cent	-0.0	-0.1	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	2.81	201	-0.0	-0.2	-0.0	-0.0
-0.2	1.64	9	-0.1	-0.2	-0.0	-0.1
-0.2	1.91	2216	-0.0	-0.1	-0.0	-0.0
-0.1	4.85	2250	-0.0	-0.0	-0.0	-0.0
-0.0	6.80					

	NODE	Vxx	Vyy
Max	Cent	0.0	0.8
	201	0.0	0.7
	9	0.0	0.8
	2216	0.0	0.8
	2250	0.0	0.7
Min	Cent	-0.0	-0.8
	201	-0.0	-0.7
	9	-0.0	-0.8
	2216	-0.0	-0.8
	2250	-0.0	-0.7

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
231	2	8	Q1-1-2	Max	Cent	243.5	9.8	62.4	259.1
-5.8		14.06			208	435.8	61.9	81.8	452.9
44.8		11.82			209	431.8	58.1	39.4	435.9
54.0		5.96			213	62.7	1.3	46.2	87.4
-23.4		28.18			212	63.2	1.0	91.6	128.9
-64.6		35.62		Min	Cent	-5.5	-140.9	-334.5	268.1
-414.5		-39.28			208	-9.4	-105.7	-288.9	235.4
-350.4		-40.27			209	-9.3	-109.2	-375.4	319.4
-438.0		-41.21			213	-8.1	-198.5	-384.1	292.4
-499.0		-38.04			212	-3.5	-192.4	-295.5	212.3
-408.2		-36.14							

			NODE	Mxx	Myy	Mxy	Mmax		
	Mmin	ANGLE							
			Max	Cent	0.0	0.0	0.0	0.0	
0.0		62.24		208	0.0	0.0	0.0	0.0	
-0.0		53.55		209	0.0	0.0	0.0	0.0	
-0.0		54.13		213	0.0	0.0	0.0	0.0	
0.0		71.71		212	0.0	0.0	0.0	0.0	
0.0		70.56		Min	Cent	-0.1	-0.2	-0.0	-0.1
-0.2		-3.20		208	-0.1	-0.1	-0.0	-0.1	

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	-6.97		209	-0.1	-0.1	-0.0	-0.0
-0.1	-4.86		213	-0.1	-0.3	-0.0	-0.1
-0.3	-2.06		212	-0.1	-0.3	-0.0	-0.1
-0.3	-2.73						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.3
	208	0.0	0.3
	209	0.0	0.3
	213	0.0	0.3
	212	0.0	0.3
Min	Cent	-0.1	-0.0
	208	-0.0	-0.0
	209	-0.0	-0.0
	213	-0.1	-0.0
	212	-0.1	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-6.2	15.95	Q2a-1-2	Max Cent	145.9	6.3	43.4	158.3
24.3	13.50		208	262.0	38.0	57.1	275.7
32.5	6.89		209	259.2	35.8	27.4	262.5
-17.8	30.27		213	37.2	0.9	32.1	55.9
-47.4	36.98		212	37.5	0.7	64.0	85.7
-261.6	-38.34		Min Cent	-4.1	-100.5	-203.6	156.9
-219.9	-39.47		208	-7.0	-75.5	-175.3	137.4
-273.8	-40.57		209	-6.9	-78.1	-228.5	188.8
-314.7	-37.25		213	-5.7	-136.0	-234.9	172.9
-258.7	-35.08		212	-2.3	-132.2	-180.1	124.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	57.42	Max Cent	0.0	0.0	0.0	0.0
-0.0	50.95	208	0.0	0.0	0.0	0.0
-0.0	51.30	209	0.0	0.0	0.0	0.0
0.0	66.84	213	0.0	0.0	0.0	0.0
0.0	65.68	212	0.0	0.0	0.0	0.0
-0.1	-2.92	Min Cent	-0.1	-0.1	-0.0	-0.1
-0.1	-6.55	208	-0.0	-0.1	-0.0	-0.0
		209	-0.0	-0.1	-0.0	-0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	-4.44	213	-0.1	-0.2	-0.0	-0.1
-0.2	-1.83	212	-0.1	-0.2	-0.0	-0.1
-0.2	-2.46					

	NODE	Vxx	Vyy
Max	Cent	0.0	0.2
	208	0.0	0.2
	209	0.0	0.2
	213	0.0	0.2
	212	0.0	0.2
Min	Cent	-0.0	-0.0
	208	-0.0	-0.0
	209	-0.0	-0.0
	213	-0.0	-0.0
	212	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	34.2	-0.6	22.6	45.3
-11.7	26.19		208	50.1	5.7	20.4	58.0
-2.2	21.27		209	49.8	5.0	25.4	61.3
-6.5	24.29		213	19.6	-5.0	25.2	35.3
-20.8	32.01		212	19.9	-4.2	20.1	31.3
-15.6	29.56						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	0.0	0.0	0.0
0.0	79.38	208	-0.0	0.0	-0.0	0.0
-0.0	-87.03	209	-0.0	-0.0	0.0	-0.0
-0.0	5.10	213	0.0	0.0	0.0	0.0
0.0	73.05	212	0.0	0.0	0.0	0.0
0.0	70.20					

	NODE	Vxx	Vyy
	Cent	-0.0	-0.0
	208	-0.0	-0.0
	209	-0.0	-0.0
	213	-0.0	-0.0
	212	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	-32.6	0.2	-16.4	7.0
-39.4	-67.49		208	-33.2	-0.7	-16.8	6.4

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-40.3	-67.10	209	-32.9	0.7	-16.7	7.6
-39.7	-67.62	213	-32.1	0.8	-16.1	7.4
-38.6	-67.82	212	-32.4	-0.4	-16.2	6.3
-39.2	-67.35					

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

0.0	80.98	Cent	0.0	0.1	0.0	0.1
0.1	85.25	208	0.1	0.2	0.0	0.2
0.1	86.10	209	0.1	0.2	0.0	0.2
0.0	64.29	213	0.0	0.0	0.0	0.1
0.0	64.13	212	0.0	0.0	0.0	0.1

NODE	Vxx	Vyy
------	-----	-----

Cent	0.0	0.4
208	0.1	0.3
209	0.1	0.4
213	-0.0	0.4
212	-0.0	0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

-5.8	26.21	SLDx (RS)	Cent	17.1	-0.3	11.3	22.6
-1.1	21.29		208	25.0	2.9	10.2	29.0
-3.3	24.31		209	24.9	2.5	12.7	30.6
-10.4	32.02		213	9.8	-2.5	12.6	17.7
-7.8	29.58		212	9.9	-2.1	10.1	15.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

0.0	79.39	Cent	0.0	0.0	0.0	0.0
-0.0	-87.03	208	-0.0	0.0	-0.0	0.0
-0.0	5.09	209	-0.0	-0.0	0.0	-0.0
0.0	73.04	213	0.0	0.0	0.0	0.0
0.0	70.20	212	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
------	-----	-----

Cent	-0.0	-0.0
208	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

209      -0.0      -0.0  
 213      -0.0      -0.0  
 212      -0.0      -0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-19.7	-67.48	SLDy (RS)	Cent	-16.3	0.1	-8.2	3.5
-20.1	-67.09		208	-16.6	-0.3	-8.4	3.2
-19.8	-67.62		209	-16.4	0.4	-8.3	3.8
-19.3	-67.81		213	-16.0	0.4	-8.0	3.7
-19.6	-67.35		212	-16.2	-0.2	-8.1	3.2
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	80.97		Cent	0.0	0.1	0.0	0.1
0.0	85.25		208	0.0	0.1	0.0	0.1
0.0	86.10		209	0.0	0.1	0.0	0.1
0.0	64.27		213	0.0	0.0	0.0	0.0
0.0	64.12		212	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	0.2		
			208	0.0	0.2		
			209	0.0	0.2		
			213	-0.0	0.2		
			212	-0.0	0.2		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-15.5	56.64	SLVz (RS)	Cent	-8.9	-0.3	10.0	6.3
-19.0	62.39		208	-14.3	-2.0	8.9	2.7
-21.0	59.38		209	-14.3	-1.9	11.3	4.8
-12.9	52.20		213	-4.2	1.6	11.2	10.3
-10.7	53.94		212	-4.3	1.4	8.8	7.8
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-7.58		Cent	-0.0	-0.0	-0.0	-0.0
			208	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-3.86		209	-0.0	-0.0	-0.0	-0.0
-0.0	-3.30		213	0.0	0.0	-0.0	0.0
0.0	-71.27		212	0.0	0.0	-0.0	0.0
0.0	-70.17						

NODE	Vxx	Vyy
Cent	0.0	-0.0
208	-0.0	-0.0
209	-0.0	-0.0
213	0.0	-0.0
212	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g1	Cent	183.8	-9.0	-189.2	299.8
-125.0	-31.50		208	320.3	33.6	-156.3	389.0
-35.1	-23.73		209	319.1	29.8	-223.1	440.4
-91.5	-28.52		213	47.4	-51.6	-222.2	225.5
-229.8	-38.72		212	48.5	-47.8	-155.3	163.0
-162.3	-36.39						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.0	0.0	-0.0
-0.0	27.72	208	-0.0	0.0	0.0	0.0
-0.0	71.31	209	0.0	0.0	0.0	0.0
-0.0	66.58	213	-0.0	-0.0	0.0	-0.0
-0.0	7.88	212	-0.0	-0.0	0.0	-0.0
-0.0	7.96					

NODE	Vxx	Vyy
Cent	-0.0	0.0
208	-0.0	0.0
209	-0.0	0.0
213	-0.0	0.0
212	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g2	Cent	89.8	-6.5	-90.3	144.0
-60.7	-30.97		208	156.6	14.3	-74.2	188.2
-17.3	-23.10		209	156.1	12.5	-106.9	213.1
-44.5	-28.07						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-111.6	-38.36		213	22.9	-27.3	-106.4	107.2
-78.7	-35.80		212	23.5	-25.6	-73.7	76.6
-----							
0.0	88.55		Cent	0.0	0.0	0.0	0.0
0.0	89.03		208	0.0	0.0	0.0	0.0
0.0	89.93		209	0.0	0.0	0.0	0.0
0.0	88.27		213	0.0	0.0	0.0	0.0
0.0	87.64		212	0.0	0.0	0.0	0.0
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			208	0.0	-0.0		
			209	0.0	-0.0		
			213	0.0	-0.0		
			212	0.0	-0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.4	13.34	q3	Cent	35.1	-0.3	8.9	37.3
0.9	14.56		208	47.5	4.0	12.1	50.7
1.8	7.69		209	47.1	2.6	6.1	48.0
-5.8	11.28		213	22.7	-4.6	5.7	23.9
-7.7	20.77		212	23.1	-3.3	11.7	27.6
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-61.85		Cent	-0.0	0.0	-0.0	0.0
-0.0	-80.96		208	-0.0	0.0	-0.0	0.0
0.0	-81.14		209	0.0	0.0	-0.0	0.0
-0.0	-19.41		213	-0.0	-0.0	-0.0	-0.0
-0.0	-26.72		212	-0.0	-0.0	-0.0	-0.0
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			208	-0.0	0.0		
			209	-0.0	0.0		
			213	-0.0	0.0		
			212	-0.0	0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-23.6	88.45	q5_pc	Cent	-23.6	0.1	0.6	0.1
-26.1	-89.78		208	-26.1	-1.0	-0.1	-1.0
-26.0	87.56		209	-25.9	-0.3	1.1	-0.2
-21.2	86.45		213	-21.1	1.1	1.4	1.2
-21.3	89.49		212	-21.3	0.4	0.2	0.4
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.1	82.51		Cent	0.1	0.2	0.0	0.2
0.1	86.34		208	0.1	0.4	0.0	0.4
0.1	86.89		209	0.1	0.4	0.0	0.4
0.0	66.29		213	0.0	0.1	0.0	0.1
0.0	66.70		212	0.0	0.1	0.0	0.1
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	0.6		
			208	0.1	0.6		
			209	0.1	0.7		
			213	-0.0	0.7		
			212	-0.0	0.6		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-21.0	-87.82	q5_ps	Cent	-21.0	0.0	-0.8	0.0
-23.0	-86.39		208	-22.9	-0.8	-1.4	-0.8
-22.7	-88.76		209	-22.7	-0.2	-0.5	-0.2
-19.1	-89.42		213	-19.0	0.9	-0.2	0.9
-19.3	-86.74		212	-19.2	0.2	-1.1	0.3
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.1	82.71		Cent	0.1	0.2	0.0	0.2
0.1	86.38		208	0.1	0.4	0.0	0.4
0.1	86.94		209	0.1	0.4	0.0	0.4

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	68.38	213	0.0	0.1	0.0	0.1
0.0	68.46	212	0.0	0.1	0.0	0.1

NODE	Vxx	Vyy
Cent	0.0	0.6
208	0.1	0.6
209	0.1	0.6
213	-0.0	0.7
212	-0.0	0.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-588.3	-55.17	INVSLU	Max	Cent	-472.6	-17.7	-255.7	330.3
180.2	-49.39			208	409.8	218.7	-94.1	502.2
-128.1	-47.96			209	418.6	261.0	-459.2	955.7
-1474.5	-57.98			213	-1339.5	-193.5	-413.0	157.9
-1354.8	-64.81			212	-1353.0	-242.5	-43.9	-237.8
-1388.2	-68.48		Min	Cent	-859.7	-221.3	-792.7	83.3
-729.5	-54.92			208	-246.0	-9.3	-594.7	271.5
-1121.9	-48.93			209	-231.2	34.5	-1021.2	639.4
-2082.9	-72.55			213	-1480.0	-465.2	-996.3	-63.7
-1740.9	-71.15			212	-1490.0	-504.4	-566.9	-291.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax		
0.1	77.41	Max	Cent	0.1	0.3	0.0	0.3	
0.2	83.01			208	0.2	0.5	0.0	0.5
0.2	84.02			209	0.2	0.6	0.0	0.6
-0.0	50.28			213	0.0	0.1	0.0	0.1
-0.0	51.55			212	0.0	0.0	0.0	0.1
-0.7	-4.52	Min	Cent	-0.2	-0.7	-0.0	-0.2	
-0.8	-3.36			208	-0.3	-0.8	-0.0	-0.3
-0.8	-2.72			209	-0.2	-0.8	-0.0	-0.2
-0.6	-4.05			213	-0.2	-0.6	-0.0	-0.2
-0.6	-4.83			212	-0.2	-0.6	-0.0	-0.2

NODE	Vxx	Vyy
------	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Max	Cent	0.0	1.3
	208	0.1	1.2
	209	0.1	1.4
	213	0.0	1.4
	212	0.0	1.3
Min	Cent	-0.1	-0.9
	208	-0.1	-0.8
	209	-0.1	-0.9
	213	-0.1	-0.9
	212	-0.1	-0.8

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-396.3	-59.80	INVSLV	Max Cent	-257.0	-21.6	-223.6	144.1
-51.1	-43.48		208	121.8	81.0	-146.7	260.3
-207.6	-45.78		209	129.3	106.7	-320.5	457.7
-772.3	-64.12		213	-625.5	-113.3	-300.1	63.8
-667.5	-73.50		212	-633.0	-140.8	-126.4	-88.1
-510.6	-59.08		Min Cent	-350.3	-23.0	-284.6	111.0
-170.4	-47.82		208	-6.9	68.0	-202.8	222.3
-337.1	-47.13		209	1.4	95.2	-388.1	418.3
-873.3	-65.26		213	-703.9	-124.8	-367.0	14.4
-761.6	-76.48		212	-712.3	-150.2	-181.6	-118.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	78.88	Max Cent	0.0	0.1	0.0	0.1
0.1	84.12	208	0.1	0.2	0.0	0.2
0.1	85.05	209	0.1	0.2	0.0	0.2
0.0	57.65	213	0.0	0.0	0.0	0.1
0.0	58.31	212	0.0	0.0	0.0	0.0
-0.2	-7.02	Min Cent	-0.1	-0.1	-0.0	-0.0
-0.2	-3.58	208	-0.1	-0.2	-0.0	-0.1
-0.2	-2.77	209	-0.1	-0.2	-0.0	-0.1
-0.1	-19.07	213	-0.0	-0.1	-0.0	-0.0
-0.1	-19.97	212	-0.0	-0.1	-0.0	-0.0

NODE	Vxx	Vyy
Max Cent	0.0	0.4
208	0.1	0.4



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	209	0.1	0.4
	213	0.0	0.4
	212	0.0	0.4
Min	Cent	-0.0	-0.4
	208	-0.1	-0.3
	209	-0.1	-0.4
	213	-0.0	-0.4
	212	-0.0	-0.3

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
232	2	4	Q1-1-2	Max	Cent	242.3	2.0	66.6	259.6
-15.2		14.50			209	440.4	60.4	111.6	470.8
30.1		15.21			20	428.7	40.0	24.1	430.1
38.5		3.53			73	63.4	1.2	31.0	76.1
-11.6		22.45			213	66.5	1.3	124.4	162.5
-94.7		37.66		Min	Cent	-5.1	-135.6	-332.9	268.9
-409.6		-39.46			209	-8.6	-103.8	-241.4	189.8
-302.2		-39.42			20	-8.6	-106.5	-418.2	363.5
-478.6		-41.66			73	-9.6	-201.2	-429.5	334.7
-545.5		-38.71			213	-5.6	-188.4	-249.3	168.5
-362.5		-34.93							
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
				Max	Cent	0.0	0.0	0.0	0.0
0.0		59.72			209	0.0	0.0	0.0	0.0
-0.0		52.58			20	0.0	0.0	0.0	0.0
-0.0		54.11			73	0.0	0.0	0.0	0.0
0.0		68.93			213	0.0	0.0	0.0	0.0
0.0		67.76		Min	Cent	-0.1	-0.2	-0.0	-0.1
-0.2		-3.15			209	-0.1	-0.1	-0.0	-0.1
-0.1		-7.32			20	-0.0	-0.1	-0.0	-0.0
-0.1		-6.24			73	-0.1	-0.2	-0.0	-0.1
-0.2		-1.86			213	-0.1	-0.2	-0.0	-0.1
-0.2		-2.05							
				NODE	Vxx	Vyy			
				Max	Cent	0.0	0.2		
					209	0.0	0.2		
					20	0.0	0.2		
					73	0.0	0.2		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	213	0.0	0.2
Min	Cent	-0.0	-0.0
	209	-0.0	-0.0
	20	-0.0	-0.0
	73	-0.0	-0.0
	213	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-12.2	16.38	Q2a-1-2	Max Cent	144.5	1.4	46.1	158.1
13.2	17.13		209	264.7	37.1	77.5	288.6
23.4	4.09		20	256.8	24.6	16.7	258.0
-8.8	24.37		73	38.4	0.9	21.4	48.1
-68.1	38.64		213	39.9	1.0	86.4	109.0
-258.3	-38.58		Min Cent	-3.8	-96.4	-203.0	158.1
-190.6	-38.48		209	-6.4	-74.3	-146.4	110.0
-298.9	-41.11		20	-6.4	-76.2	-255.2	216.3
-342.3	-38.11		73	-6.9	-135.9	-263.1	199.5
-230.5	-33.76		213	-3.9	-129.2	-151.4	97.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	55.38	Max Cent	0.0	0.0	0.0	0.0
-0.0	50.25	209	0.0	0.0	0.0	0.0
-0.0	51.50	20	0.0	0.0	0.0	0.0
0.0	64.04	73	0.0	0.0	0.0	0.0
0.0	62.72	213	0.0	0.0	0.0	0.0
-0.1	-2.81	Min Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-6.83	209	-0.0	-0.1	-0.0	-0.0
-0.1	-5.79	20	-0.0	-0.1	-0.0	-0.0
-0.1	-1.61	73	-0.1	-0.1	-0.0	-0.1
-0.1	-1.81	213	-0.1	-0.1	-0.0	-0.1

	NODE	Vxx	Vyy
Max	Cent	0.0	0.2
	209	0.0	0.2
	20	0.0	0.2
	73	0.0	0.2
	213	0.0	0.2
Min	Cent	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

209      -0.0      -0.0  
 20       -0.0      -0.0  
 73       -0.0      -0.0  
 213      -0.0      -0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-12.0	26.72	SLVx (RS)	Cent	32.8	-0.7	22.5	44.1
-1.5	19.87		209	48.2	5.0	18.0	54.7
-10.4	26.23		20	47.9	3.8	28.7	62.1
-24.8	33.43		73	18.7	-5.8	28.8	37.7
-14.6	28.42		213	18.9	-4.8	18.1	28.7

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	82.78		Cent	0.0	0.0	0.0	0.0
-0.0	5.13		209	-0.0	-0.0	0.0	-0.0
-0.0	-1.82		20	0.0	-0.0	-0.0	0.0
0.0	79.62		73	0.0	0.0	0.0	0.0
0.0	75.52		213	0.0	0.0	0.0	0.0

NODE      Vxx      Vyy  
 Cent      -0.0      0.0  
 209      -0.0      -0.0  
 20       -0.0      0.0  
 73       -0.0      0.0  
 213      -0.0      -0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-37.9	-67.22	SLVy (RS)	Cent	-31.2	0.2	-16.0	7.0
-37.7	-66.97		209	-31.0	-0.5	-15.8	6.2
-37.8	-66.89		20	-30.8	0.6	-16.4	7.6
-38.3	-67.22		73	-31.5	0.5	-16.3	7.3
-38.1	-67.55		213	-31.6	-0.1	-15.7	6.4

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	85.88		Cent	0.0	0.1	0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.1	86.92	209	0.1	0.2	0.0	0.2
0.1	89.07	20	0.1	0.2	0.0	0.2
0.0	77.30	73	0.0	0.0	0.0	0.0
0.0	70.68	213	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.3
209	0.0	0.3
20	0.0	0.3
73	-0.0	0.3
213	-0.0	0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-6.0	26.74	SLDx (RS)	Cent	16.4	-0.3	11.3	22.0
-0.8	19.89		209	24.1	2.5	9.0	27.3
-5.2	26.25		20	23.9	1.9	14.4	31.0
-12.4	33.44		73	9.4	-2.9	14.4	18.9
-7.3	28.43		213	9.4	-2.4	9.1	14.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	82.79	Cent	0.0	0.0	0.0	0.0
-0.0	87.75	209	-0.0	0.0	0.0	0.0
-0.0	-1.82	20	0.0	-0.0	-0.0	0.0
0.0	79.61	73	0.0	0.0	0.0	0.0
0.0	75.51	213	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
209	-0.0	-0.0
20	-0.0	0.0
73	-0.0	0.0
213	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-19.0	-67.21	SLDy (RS)	Cent	-15.6	0.1	-8.0	3.5
-18.8	-66.97		209	-15.5	-0.3	-7.9	3.1
			20	-15.4	0.3	-8.2	3.8

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-18.9	-66.89		73	-15.7	0.2	-8.1	3.7
-19.1	-67.22		213	-15.8	-0.0	-7.8	3.2
-19.0	-67.54						
-----							
0.0	85.87		Cent	0.0	0.1	0.0	0.1
0.0	86.92		209	0.0	0.1	0.0	0.1
0.0	89.06		20	0.0	0.1	0.0	0.1
0.0	77.24		73	0.0	0.0	0.0	0.0
0.0	70.65		213	0.0	0.0	0.0	0.0
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	0.1		
			209	0.0	0.1		
			20	0.0	0.2		
			73	-0.0	0.2		
			213	-0.0	0.1		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-15.3	56.98	SLVz (RS)	Cent	-8.8	0.2	10.0	6.7
-17.8	64.65		209	-14.3	-1.9	7.5	1.6
-21.9	58.36		20	-14.1	-1.3	12.7	6.5
-14.1	51.73		73	-4.0	2.0	12.7	12.1
-9.4	55.12		213	-4.1	1.5	7.6	6.8
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-4.53		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-2.88		209	-0.0	-0.0	-0.0	-0.0
-0.0	-2.13		20	-0.0	-0.0	-0.0	-0.0
0.0	-78.55		73	0.0	0.0	-0.0	0.0
0.0	-74.85		213	0.0	0.0	-0.0	0.0
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			209	0.0	-0.0		
			20	0.0	-0.0		
			73	0.0	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE						
-127.0	-30.96	g1	Cent	183.8	-15.1	-186.5	295.7
-10.3	-19.52		209	320.6	31.3	-117.3	362.2
-127.6	-29.89		20	317.0	19.3	-255.6	463.9
-268.5	-39.01		73	47.1	-61.4	-255.6	254.2
-127.0	-33.45		213	50.7	-49.5	-117.4	128.2
			NODE	Mxx	Myy	Mxy	Mmax
Mmin	ANGLE						
-0.0	26.65		Cent	-0.0	-0.0	0.0	-0.0
-0.0	67.40		209	0.0	0.0	0.0	0.0
0.0	64.13		20	0.0	0.0	0.0	0.0
-0.0	8.79		73	-0.0	-0.0	0.0	-0.0
-0.0	11.02		213	-0.0	-0.0	0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			209	-0.0	0.0		
			20	-0.0	0.0		
			73	-0.0	0.0		
			213	-0.0	0.0		
		LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE						
-61.3	-30.41	g2	Cent	89.8	-9.2	-88.7	141.9
-5.2	-18.72		209	156.7	13.4	-54.9	175.3
-61.7	-29.49		20	154.9	7.6	-122.5	224.2
-130.0	-38.70		73	22.9	-31.9	-122.5	121.1
-61.2	-32.59		213	24.7	-26.1	-54.9	59.7
			NODE	Mxx	Myy	Mxy	Mmax
Mmin	ANGLE						
0.0	88.96		Cent	0.0	0.0	0.0	0.0
0.0	89.25		209	0.0	0.0	0.0	0.0
			20	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	89.17		73	0.0	0.0	0.0	0.0
0.0	88.91		213	0.0	0.0	0.0	0.0
0.0	88.92						

NODE	Vxx	Vyy
Cent	0.0	-0.0
209	0.0	-0.0
20	0.0	-0.0
73	0.0	-0.0
213	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.9	13.38	q3	Cent	32.9	-0.9	8.5	34.9
-2.0	17.04		209	44.0	2.3	14.1	48.4
2.4	3.60		20	44.1	2.6	2.6	44.3
-4.5	6.38		73	21.7	-4.1	2.9	22.0
-10.8	23.96		213	21.6	-4.4	14.4	28.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-59.21	Cent	-0.0	0.0	-0.0	0.0
0.0	-81.13	209	0.0	0.0	-0.0	0.0
0.0	-79.67	20	0.0	0.0	-0.0	0.0
-0.0	-15.28	73	-0.0	-0.0	-0.0	-0.0
-0.0	-19.17	213	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
209	-0.0	0.0
20	-0.0	0.0
73	-0.0	0.0
213	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-23.7	88.00	q5_pc	Cent	-23.6	0.2	0.8	0.3
-25.9	-89.12		209	-25.9	-1.0	-0.4	-1.0
-25.7	86.05		20	-25.6	0.2	1.8	0.4
-21.5	84.91		73	-21.3	1.5	2.0	1.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-21.7	-89.67		213	-21.7	0.2	-0.1	0.2
-----							
0.1	87.34		Cent	0.1	0.2	0.0	0.2
0.1	87.84		209	0.1	0.3	0.0	0.3
0.1	89.98		20	0.1	0.3	0.0	0.3
0.0	82.86		73	0.0	0.1	0.0	0.1
0.0	73.66		213	0.0	0.1	0.0	0.1
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	0.5		
			209	0.0	0.5		
			20	0.0	0.5		
			73	-0.0	0.5		
			213	-0.0	0.5		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-20.9	-88.46	q5_ps	Cent	-20.8	0.2	-0.6	0.2
-22.7	-86.15		209	-22.6	-0.8	-1.5	-0.7
-22.3	89.66		20	-22.3	0.2	0.1	0.2
-19.1	89.03		73	-19.1	1.1	0.3	1.1
-19.5	-86.32		213	-19.4	0.1	-1.3	0.2
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.1	87.38		Cent	0.1	0.2	0.0	0.2
0.1	87.86		209	0.1	0.3	0.0	0.3
0.1	89.97		20	0.1	0.3	0.0	0.3
0.0	83.62		73	0.0	0.1	0.0	0.1
0.0	75.12		213	0.0	0.1	0.0	0.1
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	0.5		
			209	0.0	0.5		
			20	0.0	0.5		
			73	-0.0	0.5		
			213	-0.0	0.5		



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-587.2	-55.24	INVSLU	Max Cent	-475.2	-34.3	-247.3	326.4
145.8	24.07		209	393.6	195.2	110.7	443.0
-323.2	-47.65		20	397.4	233.9	-630.1	1157.0
-1573.9	-55.72		73	-1318.2	-184.2	-591.9	369.5
-1354.5	81.93		213	-1333.6	-252.1	156.4	-230.4
-1383.6	-68.60		Min Cent	-860.0	-220.5	-788.1	66.9
-528.1	-63.13		209	-266.9	-28.4	-366.5	128.1
-1336.3	-48.11		20	-246.4	35.7	-1230.4	785.5
-2268.4	-67.36		73	-1461.3	-460.1	-1217.3	62.7
-1582.9	-79.30		213	-1477.7	-508.6	-348.3	-397.2
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	82.53		Max Cent	0.1	0.2	0.0	0.2
0.2	84.51		209	0.2	0.4	0.0	0.4
0.2	87.16		20	0.2	0.5	0.0	0.5
0.0	58.91		73	0.1	0.1	0.0	0.1
-0.0	56.12		213	0.0	0.0	0.0	0.1
-0.5	-1.86		Min Cent	-0.2	-0.5	-0.0	-0.2
-0.6	-2.14		209	-0.2	-0.6	-0.0	-0.2
-0.7	-0.50		20	-0.2	-0.7	-0.0	-0.2
-0.4	-1.85		73	-0.2	-0.4	-0.0	-0.2
-0.4	-3.09		213	-0.2	-0.4	-0.0	-0.2
			NODE	Vxx	Vyy		
			Max Cent	0.0	1.0		
			209	0.0	1.0		
			20	0.0	1.1		
			73	0.0	1.1		
			213	0.0	1.0		
			Min Cent	-0.1	-0.7		
			209	-0.0	-0.7		
			20	-0.0	-0.7		
			73	-0.1	-0.7		
			213	-0.1	-0.7		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-----								
			Max	Cent	0.0	0.1	0.0	0.1
-400.2	-59.99			209	0.1	0.2	0.0	0.2
30.9	-42.93			20	0.1	0.2	0.0	0.2
-300.1	-46.75			73	0.0	0.0	0.0	0.0
-843.8	-60.98			213	0.0	0.0	0.0	0.0
-636.9	-81.38		Min	Cent	-0.0	-0.1	-0.0	-0.0
-511.7	-59.49			209	-0.1	-0.2	-0.0	-0.1
-83.5	-52.99			20	-0.1	-0.2	0.0	-0.1
-433.6	-46.29			73	-0.0	-0.1	-0.0	-0.0
-946.8	-61.73			213	-0.0	-0.0	-0.0	-0.0
-721.4	-85.30							
				NODE	Vxx	Vyy		
			Max	Cent	0.0	0.3		
				209	0.0	0.3		
				20	0.0	0.3		
				73	0.0	0.3		
				213	0.0	0.3		
			Min	Cent	-0.0	-0.3		
				209	-0.0	-0.3		
				20	-0.0	-0.3		
				73	-0.0	-0.3		
				213	-0.0	-0.3		
ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
	Fmin	ANGLE						
-----								

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

235	2	8	Q1-1-2	Max	Cent	609.2	12.8	48.0	613.0
9.0		4.57			204	807.0	82.1	69.6	813.6
75.5		5.43			205	794.0	48.3	30.5	795.2
47.1		2.34			209	411.5	1.4	30.0	413.7
-0.8		4.16			208	424.4	0.8	71.1	436.1
-10.8		9.28							
-377.3		-42.41		Min	Cent	-12.6	-72.9	-333.2	291.7
-306.7		-43.90			204	-16.6	-38.1	-279.1	252.0
-404.1		-43.64			205	-16.5	-51.7	-369.6	335.9
-469.3		-40.06			209	-8.6	-143.6	-387.3	317.1
-360.4		-40.18			208	-8.8	-109.6	-296.9	242.0

Mmin	ANGLE		NODE		Mxx	Myy	Mxy	Mmax
				Max	Cent	0.0	0.0	0.0
-0.0	49.93				204	0.0	0.0	0.0
-0.0	52.84				205	0.0	0.0	0.0
-0.0	53.79				209	0.0	0.0	0.0
-0.0	52.23				208	0.0	0.0	0.0
-0.0	50.78			Min	Cent	-0.0	-0.1	-0.0
-0.1	-14.17				204	-0.0	-0.0	-0.0
-0.0	-48.03				205	-0.0	-0.0	-0.0
-0.0	-37.87				209	-0.1	-0.1	-0.1
-0.1	-6.17				208	-0.1	-0.1	-0.1
-0.1	-7.48							

	NODE	Vxx	Vyy
Max	Cent	0.0	0.3
	204	0.0	0.3
	205	0.0	0.3
	209	0.0	0.3
	208	0.0	0.3
Min	Cent	-0.0	-0.0
	204	-0.0	-0.0
	205	-0.0	-0.0
	209	-0.0	-0.0
	208	-0.0	-0.0

Fmin	ANGLE	LC	NODE		Fxx	Fyy	Fxy	Fmax
				Max	Cent	367.7	8.0	33.4
5.0	5.27		Q2a-1-2					370.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

45.0	6.28		204	486.7	50.4	48.6	492.0
28.8	2.72		205	478.5	29.8	21.3	479.5
-0.7	4.80		209	248.8	1.0	20.9	250.6
-8.7	10.61		208	257.0	0.6	49.8	266.3
-235.3	-42.01	Min	Cent	-9.4	-52.0	-203.5	174.0
-190.0	-43.74		204	-12.3	-27.3	-170.0	150.4
-250.7	-43.43		205	-12.2	-36.9	-225.8	201.6
-292.1	-39.68		209	-6.4	-95.4	-237.1	190.3
-225.4	-39.64		208	-6.5	-75.2	-181.3	143.7

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	49.16	Max	Cent	0.0	0.0	0.0	0.0
-0.0	52.31		204	0.0	0.0	0.0	0.0
-0.0	53.16		205	0.0	0.0	0.0	0.0
-0.0	49.91		209	0.0	0.0	0.0	0.0
-0.0	48.92		208	0.0	0.0	0.0	0.0
-0.0	-13.41	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-51.26		204	-0.0	-0.0	-0.0	-0.0
-0.0	-38.27		205	-0.0	-0.0	-0.0	-0.0
-0.1	-5.80		209	-0.0	-0.1	-0.0	-0.0
-0.1	-6.99		208	-0.0	-0.1	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.2
	204	0.0	0.2
	205	0.0	0.2
	209	0.0	0.2
	208	0.0	0.2
Min	Cent	-0.0	-0.0
	204	-0.0	-0.0
	205	-0.0	-0.0
	209	-0.0	-0.0
	208	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-7.9	17.09	SLVx (RS)	Cent	63.7	-1.1	22.0	70.5
2.9	13.70		204	80.9	7.6	19.0	85.5

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-2.8	16.61	205	80.0	4.5	24.7	87.4	
-16.0	22.17	209	46.8	-5.6	25.6	57.2	
-9.4	19.02	208	47.7	-2.6	19.7	54.4	
-----							
-0.0	-6.10	Cent	-0.0	-0.0	-0.0	-0.0	
-0.0	-8.64	204	-0.0	-0.0	-0.0	-0.0	
-0.0	-7.97	205	-0.0	-0.0	-0.0	-0.0	
-0.0	-3.78	209	-0.0	-0.0	-0.0	-0.0	
-0.0	-87.94	208	-0.0	0.0	-0.0	0.0	
-----							
		NODE	Vxx	Vyy			
-----							
		Cent	-0.0	-0.0			
		204	-0.0	-0.0			
		205	-0.0	-0.0			
		209	-0.0	-0.0			
		208	-0.0	-0.0			
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-38.9	-69.71	SLVy (RS)	Cent	-33.5	0.3	-14.5	5.6
-39.9	-69.32		204	-34.3	-0.7	-14.8	4.9
-39.4	-69.90		205	-34.0	0.6	-14.6	6.0
-38.0	-69.94		209	-32.8	0.8	-14.2	6.0
-38.5	-69.48		208	-33.1	-0.2	-14.3	5.1
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.1	-86.60		Cent	0.1	0.2	-0.0	0.2
0.1	-81.62		204	0.1	0.1	-0.0	0.1
0.0	-83.05		205	0.0	0.1	-0.0	0.1
0.1	89.14		209	0.1	0.2	0.0	0.2
0.1	89.00		208	0.1	0.2	0.0	0.2
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	0.1	-0.2		
			204	0.1	-0.2		
			205	0.1	-0.2		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

209 0.1 -0.2  
208 0.1 -0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-3.9	17.11	SLDx (RS)	Cent	31.8	-0.6	11.0	35.2
1.5	13.71		204	40.4	3.8	9.5	42.7
-1.4	16.62		205	39.9	2.3	12.3	43.6
-8.0	22.18		209	23.4	-2.8	12.8	28.6
-4.7	19.04		208	23.8	-1.3	9.8	27.2

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-6.10		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-8.66		204	-0.0	-0.0	-0.0	-0.0
-0.0	-7.99		205	-0.0	-0.0	-0.0	-0.0
-0.0	-3.77		209	-0.0	-0.0	-0.0	-0.0
-0.0	-87.94		208	-0.0	0.0	-0.0	0.0

	NODE	Vxx	Vyy
	Cent	-0.0	-0.0
	204	-0.0	-0.0
	205	-0.0	-0.0
	209	-0.0	-0.0
	208	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-19.4	-69.71	SLDy (RS)	Cent	-16.8	0.1	-7.2	2.8
-19.9	-69.31		204	-17.1	-0.4	-7.4	2.4
-19.7	-69.90		205	-17.0	0.3	-7.3	3.0
-19.0	-69.93		209	-16.4	0.4	-7.1	3.0
-19.2	-69.47		208	-16.5	-0.1	-7.2	2.6

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-86.59		Cent	0.0	0.1	-0.0	0.1
0.0	-81.60		204	0.0	0.1	-0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-83.03	205	0.0	0.1	-0.0	0.1
0.0	89.13	209	0.0	0.1	0.0	0.1
0.0	88.99	208	0.0	0.1	0.0	0.1

NODE	Vxx	Vyy
Cent	0.0	-0.1
204	0.0	-0.1
205	0.0	-0.1
209	0.0	-0.1
208	0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-23.3	66.72	SLVz (RS)	Cent	-19.1	-0.5	9.8	3.7
-27.8	71.51		204	-25.0	-2.7	8.4	0.1
-29.0	68.22		205	-24.7	-1.7	10.9	2.7
-19.3	61.82		209	-13.2	1.8	11.3	7.9
-17.6	64.68		208	-13.5	0.8	8.7	4.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-5.23	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-10.31	204	-0.0	-0.0	-0.0	-0.0
-0.0	-8.93	205	-0.0	-0.0	-0.0	-0.0
-0.0	-2.30	209	-0.0	-0.0	-0.0	-0.0
-0.0	-2.59	208	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
204	-0.0	-0.0
205	-0.0	-0.0
209	-0.0	-0.0
208	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-70.6	-20.57	g1	Cent	438.1	1.0	-190.8	509.7
14.1	-14.97		204	581.8	54.7	-151.8	622.4
-47.9	-19.53		205	574.5	30.5	-220.8	652.8
			209	294.4	-52.7	-229.9	408.9

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-167.2	-26.48		208	301.6	-28.4	-160.9	367.1
-93.9	-22.14						
-----							
0.0	77.85		Cent	0.0	0.0	0.0	0.0
0.0	81.49		204	0.0	0.0	0.0	0.0
0.0	81.64		205	0.0	0.0	0.0	0.0
0.0	81.64		209	0.0	0.0	0.0	0.0
-0.0	66.12		208	0.0	0.0	0.0	0.0
-0.0	70.69						
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			204	0.0	0.0		
			205	0.0	0.0		
			209	-0.0	0.0		
			208	-0.0	0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-34.3	-20.05	g2	Cent	215.0	-1.1	-91.0	248.2
6.8	-14.42		204	285.9	25.3	-71.8	304.3
-23.1	-19.11		205	282.4	13.6	-105.8	319.0
-81.4	-26.06		209	144.1	-27.5	-110.2	198.0
-45.8	-21.50		208	147.6	-15.8	-76.2	177.6
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-85.76		Cent	0.0	0.0	-0.0	0.0
0.0	-76.89		204	0.0	0.0	-0.0	0.0
0.0	-79.57		205	0.0	0.0	-0.0	0.0
0.0	-88.88		209	0.0	0.0	-0.0	0.0
0.0	-88.08		208	0.0	0.0	-0.0	0.0
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			204	0.0	-0.0		
			205	0.0	-0.0		
			209	0.0	-0.0		
			208	0.0	-0.0		



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.5	5.76	q3	Cent	57.7	0.0	5.9	58.3
3.6	7.99		204	70.5	4.9	9.4	71.8
2.4	2.77		205	69.8	2.6	3.3	70.0
-4.9	2.71		209	44.9	-4.8	2.4	45.0
-3.9	9.73		208	45.6	-2.5	8.5	47.1
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-88.34		Cent	0.0	0.0	-0.0	0.0
0.0	89.81		204	0.0	0.0	0.0	0.0
0.0	-89.84		205	0.0	0.0	-0.0	0.0
0.0	-83.48		209	0.0	0.0	-0.0	0.0
-0.0	-85.81		208	-0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			204	-0.0	0.0		
			205	-0.0	0.0		
			209	-0.0	0.0		
			208	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-28.5	88.16	q5_pc	Cent	-28.5	-0.0	0.9	-0.0
-31.5	-89.93		204	-31.5	-1.4	-0.0	-1.4
-31.2	87.45		205	-31.2	-0.3	1.4	-0.3
-25.6	86.02		209	-25.5	1.4	1.9	1.5
-25.8	88.99		208	-25.8	0.2	0.5	0.2
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	-86.11		Cent	0.1	0.3	-0.0	0.3
0.1	-81.35		204	0.1	0.2	-0.0	0.2
0.1	-82.59		205	0.1	0.3	-0.0	0.3
			209	0.1	0.4	-0.0	0.4

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.1 -88.95  
 0.1 -88.85

NODE	Vxx	Vyy
Cent	0.1	-0.3
204	0.1	-0.3
205	0.1	-0.3
209	0.1	-0.3
208	0.1	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-24.6	-89.12	q5_ps	Cent	-24.6	-0.0	-0.4	-0.0
-26.9	-87.52		204	-26.8	-1.1	-1.1	-1.1
-26.6	-89.82		205	-26.6	-0.2	-0.1	-0.2
-22.4	89.11		209	-22.4	1.1	0.4	1.1
-22.7	-88.31		208	-22.7	0.1	-0.7	0.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.1	-86.09	Cent	0.1	0.3	-0.0	0.3
0.1	-81.27	204	0.1	0.2	-0.0	0.2
0.1	-82.53	205	0.1	0.2	-0.0	0.3
0.1	-88.94	209	0.1	0.4	-0.0	0.4
0.1	-88.83	208	0.1	0.4	-0.0	0.4

NODE	Vxx	Vyy
Cent	0.1	-0.3
204	0.1	-0.3
205	0.1	-0.3
209	0.1	-0.3
208	0.1	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-57.0	-13.53	INVSLU Max	Cent	1176.5	14.4	-295.1	1247.8
299.2	-3.67		204	2077.0	306.6	-114.0	2084.3
123.5	-13.89		205	2053.6	241.4	-474.7	2171.6
-492.6	-43.56		209	276.0	-197.2	-471.1	696.0
-204.3	-12.16		208	299.3	-180.4	-107.7	322.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		Min	Cent	278.7	-101.4	-811.2	737.6
-740.2	-35.28		204	902.1	141.6	-584.9	1123.2
-174.4	-21.33		205	897.2	105.8	-1017.3	1407.5
-585.8	-30.38		209	-344.7	-395.3	-1037.9	375.4
-1399.8	-40.24		208	-339.7	-330.0	-605.4	62.4
-935.3	-30.73						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	89.70	Max	Cent	0.1	0.4	0.0	0.4
0.1	-87.29		204	0.1	0.3	0.1	0.3
0.1	-87.89		205	0.1	0.4	0.1	0.4
0.2	87.99		209	0.2	0.6	0.0	0.6
0.2	87.62		208	0.2	0.5	0.0	0.5
-0.6	2.28	Min	Cent	-0.2	-0.6	-0.0	-0.2
-0.4	6.57		204	-0.2	-0.4	-0.0	-0.2
-0.4	5.79		205	-0.1	-0.4	-0.0	-0.1
-0.8	0.09		209	-0.2	-0.8	-0.0	-0.2
-0.8	-0.01		208	-0.3	-0.8	-0.0	-0.3

	NODE	Vxx	Vyy
Max	Cent	0.1	0.8
	204	0.1	0.8
	205	0.1	0.9
	209	0.1	0.9
	208	0.1	0.8
Min	Cent	-0.1	-0.4
	204	-0.1	-0.4
	205	-0.1	-0.4
	209	-0.1	-0.4
	208	-0.1	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-108.8	-23.65	INVSLV	Max	Cent	449.0	-1.2	-239.4	556.4
92.1	-11.84			204	839.0	125.0	-151.5	871.8
-24.0	-21.20			205	832.6	103.9	-326.4	961.8
-376.4	-38.69			209	59.2	-115.2	-326.7	323.4
-197.0	-33.73			208	65.6	-101.0	-152.1	160.0
-184.2	-31.74		Min	Cent	289.9	-3.9	-298.0	470.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

42.1	-18.31	204	641.6	107.8	-203.4	707.3
-106.7	-27.37	205	637.4	93.5	-391.1	836.5
-479.5	-40.44	209	-62.0	-128.0	-393.1	283.8
-282.5	-39.61	208	-57.7	-106.7	-205.2	115.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Max Cent	0.1	0.2	0.0	0.2
0.1	-88.26	204	0.1	0.1	0.0	0.2
0.1	-84.49	205	0.0	0.2	0.0	0.2
0.0	-85.43	209	0.1	0.2	0.0	0.2
0.1	88.01	208	0.1	0.2	0.0	0.2
0.1	87.74	Min Cent	-0.1	-0.2	-0.0	-0.1
-0.2	5.00	204	-0.1	-0.1	-0.0	-0.1
-0.1	11.30	205	-0.0	-0.1	-0.0	-0.0
-0.1	9.35	209	-0.1	-0.2	0.0	-0.1
-0.2	0.24	208	-0.1	-0.2	0.0	-0.1
-0.2	0.27					

	NODE	Vxx	Vyy
Max	Cent	0.1	0.2
	204	0.1	0.2
	205	0.1	0.2
	209	0.1	0.2
	208	0.1	0.2
Min	Cent	-0.1	-0.2
	204	-0.0	-0.2
	205	-0.0	-0.2
	209	-0.1	-0.2
	208	-0.1	-0.2

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE							
236	2	4	Q1-1-2	Max Cent	590.2	0.4	50.6	594.5
-3.9		4.86		205	774.7	58.7	92.4	786.4
47.0		7.24		61	763.8	31.0	14.2	764.1
30.8		1.11		20	409.2	1.3	18.2	410.0
0.4		2.55		209	416.6	1.3	100.8	439.8
-21.8		12.95		Min Cent	-11.3	-81.2	-330.1	285.7
-378.2		-41.98		205	-14.7	-47.1	-240.4	210.1
-271.8		-43.07						

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-447.9	-43.68	61	-14.7	-52.7	-413.8	380.5
-503.3	-40.35	20	-8.0	-145.8	-420.7	349.4
-322.4	-38.26	209	-8.0	-126.9	-247.9	187.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	50.54	Max Cent	0.0	0.0	0.0	0.0
-0.0	53.31	205	0.0	0.0	0.0	0.0
-0.0	58.93	61	0.0	0.0	0.0	0.0
-0.0	53.15	20	0.0	0.0	0.0	0.0
-0.0	50.89	209	0.0	0.0	0.0	0.0
-0.1	-21.03	Min Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-48.97	205	-0.0	-0.0	-0.0	-0.0
-0.0	-39.09	61	-0.0	-0.0	-0.0	0.0
-0.1	-9.76	20	-0.0	-0.1	-0.0	-0.0
-0.1	-9.13	209	-0.1	-0.1	-0.0	-0.1

	NODE	Vxx	Vyy
Max	Cent	0.0	0.2
	205	0.0	0.2
	61	0.0	0.2
	20	0.0	0.2
	209	0.0	0.2
Min	Cent	-0.0	-0.0
	205	-0.0	-0.0
	61	-0.0	-0.0
	20	-0.0	-0.0
	209	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-3.2	5.60	Q2a-1-2	Max Cent	355.3	0.2	35.1	358.7
26.7	8.33		205	466.3	36.2	64.3	475.7
18.9	1.29		61	459.3	19.1	9.9	459.6
0.3	2.94		20	246.8	0.9	12.7	247.5
-17.4	14.65		209	251.2	1.0	70.2	269.5
-236.2	-41.56		Min Cent	-8.4	-57.1	-201.9	170.6
-169.1	-42.78		205	-10.9	-33.6	-146.4	124.6
-277.9	-43.49		61	-10.9	-37.6	-253.2	229.3

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-312.6	-40.06	20	-5.9	-95.7	-257.9	210.9
-202.0	-37.64	209	-5.9	-85.4	-151.2	110.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	49.79	Max Cent	0.0	0.0	0.0	0.0
-0.0	52.88	205	0.0	0.0	0.0	0.0
-0.0	58.69	61	0.0	0.0	0.0	0.0
-0.0	50.79	20	0.0	0.0	0.0	0.0
-0.0	48.99	209	0.0	0.0	0.0	0.0
-0.0	-20.73	Min Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-49.62	205	-0.0	-0.0	-0.0	-0.0
-0.0	-39.57	61	-0.0	-0.0	-0.0	0.0
-0.1	-9.48	20	-0.0	-0.1	-0.0	-0.0
-0.1	-8.70	209	-0.0	-0.1	-0.0	-0.0

NODE	Vxx	Vyy
Max Cent	0.0	0.1
205	0.0	0.1
61	0.0	0.2
20	0.0	0.2
209	0.0	0.1
Min Cent	-0.0	-0.0
205	-0.0	-0.0
61	-0.0	-0.0
20	-0.0	-0.0
209	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-8.1	17.97	SLVx (RS)	Cent	60.1	-0.9	22.1	67.3
1.1	12.80		205	75.4	4.9	16.9	79.2
-6.7	19.20		61	74.9	3.2	28.4	84.9
-18.8	24.12		20	45.1	-6.0	28.6	57.9
-9.8	17.18		209	45.5	-4.5	17.1	50.8
Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-0.0	-5.69	Cent	-0.0	-0.0	-0.0	-0.0	
		205	-0.0	-0.0	-0.0	-0.0	

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-7.74		61	-0.0	-0.0	-0.0	-0.0
-0.0	-5.77		20	0.0	-0.0	-0.0	0.0
-0.0	-1.72		209	-0.0	-0.0	-0.0	-0.0
-0.0	-4.87						

NODE	Vxx	Vyy
Cent	0.0	-0.0
205	0.0	-0.0
61	0.0	-0.0
20	-0.0	-0.0
209	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-35.7	-68.82	SLVy (RS)	Cent	-30.2	0.6	-14.0	6.0
-34.8	-69.18		205	-29.6	0.9	-13.6	6.1
-35.4	-68.15		61	-29.6	0.8	-14.5	6.6
-36.6	-68.58		20	-30.9	0.4	-14.5	6.1
-36.0	-69.50		209	-30.9	0.3	-13.6	5.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.1	-87.27	Cent	0.1	0.1	-0.0	0.1
0.0	-83.29	205	0.0	0.1	-0.0	0.1
0.0	-85.97	61	0.0	0.1	-0.0	0.1
0.1	89.38	20	0.1	0.2	0.0	0.2
0.1	-88.31	209	0.1	0.2	-0.0	0.2

NODE	Vxx	Vyy
Cent	0.0	-0.2
205	0.0	-0.1
61	0.0	-0.2
20	0.0	-0.2
209	0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-4.0	17.98	SLDx (RS)	Cent	30.0	-0.4	11.1	33.6
0.5	12.82		205	37.6	2.5	8.4	39.6
-3.4	19.21		61	37.4	1.6	14.2	42.4

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-9.4	24.13		20	22.5	-3.0	14.3	28.9
-4.9	17.20		209	22.7	-2.3	8.5	25.4
-----							
-0.0	-5.69		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-7.75		205	-0.0	-0.0	-0.0	-0.0
-0.0	-5.78		61	-0.0	-0.0	-0.0	-0.0
-0.0	-1.71		20	0.0	-0.0	-0.0	0.0
-0.0	-87.86		209	-0.0	0.0	-0.0	0.0
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			205	0.0	-0.0		
			61	0.0	-0.0		
			20	-0.0	-0.0		
			209	-0.0	-0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-17.8	-68.81	SLDy (RS)	Cent	-15.1	0.3	-7.0	3.0
-17.4	-69.18		205	-14.8	0.5	-6.8	3.0
-17.7	-68.14		61	-14.8	0.4	-7.3	3.3
-18.3	-68.58		20	-15.4	0.2	-7.3	3.1
-18.0	-69.50		209	-15.4	0.2	-6.8	2.7
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-87.26		Cent	0.0	0.1	-0.0	0.1
0.0	-83.27		205	0.0	0.1	-0.0	0.1
0.0	-85.95		61	0.0	0.1	-0.0	0.1
0.0	89.37		20	0.0	0.1	0.0	0.1
0.0	-88.31		209	0.0	0.1	-0.0	0.1
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	-0.1		
			205	0.0	-0.1		
			61	0.0	-0.1		
			20	0.0	-0.1		
			209	0.0	-0.1		



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-22.7	66.79	SLVz (RS)	Cent	-18.5	0.2	9.8	4.4
-26.2	73.21		205	-24.0	-2.0	7.3	0.3
-29.3	66.17		61	-23.8	-1.2	12.4	4.3
-20.1	60.64		20	-13.1	2.1	12.5	9.1
-16.4	67.36		209	-13.3	1.4	7.4	4.5
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-4.93		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-9.51		205	-0.0	-0.0	-0.0	-0.0
-0.0	-7.02		61	-0.0	-0.0	-0.0	-0.0
-0.0	-2.20		20	-0.0	-0.0	-0.0	-0.0
-0.0	-3.48		209	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			205	-0.0	-0.0		
			61	-0.0	-0.0		
			20	0.0	-0.0		
			209	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-82.0	-20.44	g1	Cent	426.2	-11.4	-189.3	496.7
8.6	-12.51		205	558.7	35.7	-122.1	585.8
-83.2	-21.85		61	553.8	19.1	-255.4	656.1
-193.7	-27.77		20	293.6	-58.6	-256.6	428.8
-82.0	-17.96		209	298.6	-42.0	-123.3	338.6
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	79.78		Cent	0.0	0.0	0.0	0.0
0.0	82.87		205	0.0	0.0	0.0	0.0
0.0	84.89		61	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	66.95	20	0.0	0.0	0.0	0.0
-0.0	67.15	209	-0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
205	-0.0	0.0
61	-0.0	0.0
20	-0.0	0.0
209	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-39.8	-19.96	g2	Cent	208.9	-7.0	-90.3	241.7
4.0	-11.95		205	274.1	16.1	-57.2	286.2
-40.3	-21.49		61	271.7	8.1	-122.8	320.1
-94.2	-27.43		20	143.6	-30.2	-123.4	207.7
-40.1	-17.25		209	146.0	-22.2	-57.8	164.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	89.48	Cent	0.0	0.0	0.0	0.0
0.0	-84.15	205	0.0	0.0	-0.0	0.0
0.0	87.13	61	0.0	0.0	0.0	0.0
0.0	88.14	20	0.0	0.0	0.0	0.0
0.0	-89.48	209	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
205	0.0	-0.0
61	0.0	-0.0
20	0.0	-0.0
209	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.7	5.63	q3	Cent	52.4	-1.2	5.3	52.9
0.1	9.56		205	62.8	1.9	10.6	64.6
1.9	-0.08		61	62.8	1.9	-0.1	62.8
-4.3	0.16		20	42.0	-4.3	0.1	42.0
			209	42.0	-4.3	10.8	44.4

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-6.7      12.46

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-84.58		Cent	0.0	0.0	-0.0	0.0
0.0	-87.49		205	0.0	0.0	-0.0	0.0
0.0	-85.86		61	0.0	0.0	-0.0	0.0
0.0	-85.86		20	0.0	0.0	-0.0	0.0
0.0	-77.38		209	0.0	0.0	-0.0	0.0
0.0	-82.86						
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			205	-0.0	0.0		
			61	-0.0	0.0		
			20	-0.0	0.0		
			209	-0.0	0.0		

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-27.4	87.47	q5_pc	Cent	-27.3	0.3	1.2	0.4
-29.4	89.75		205	-29.4	-0.7	0.1	-0.7
-29.3	85.86		61	-29.1	0.2	2.1	0.4
-25.4	85.05		20	-25.2	1.4	2.3	1.6
-25.5	89.32		209	-25.5	0.4	0.3	0.4

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	-86.49		Cent	0.1	0.3	-0.0	0.3
0.1	-82.49		205	0.1	0.2	-0.0	0.2
0.1	-85.17		61	0.1	0.2	-0.0	0.2
0.1	-89.02		20	0.1	0.3	-0.0	0.3
0.1	-87.69		209	0.1	0.3	-0.0	0.3
			NODE	Vxx	Vyy		
			Cent	0.0	-0.3		
			205	0.0	-0.2		
			61	0.0	-0.3		
			20	0.0	-0.3		
			209	0.0	-0.2		

		LC	NODE	Fxx	Fyy	Fxy	Fmax
--	--	----	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
-23.4	-89.74	q5_ps	Cent	205	-23.4	0.3	-0.1	0.3
-24.9	-87.98			61	-24.9	-0.5	-0.9	-0.4
-24.7	88.86			20	-24.6	0.3	0.5	0.3
-22.0	88.39			209	-22.0	1.1	0.6	1.1
-22.2	-88.19				-22.2	0.3	-0.7	0.3
Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
0.1	-86.53		Cent	205	0.1	0.2	-0.0	0.3
0.1	-82.47			61	0.1	0.2	-0.0	0.2
0.1	-85.20			20	0.1	0.3	-0.0	0.3
0.1	-89.06			209	0.1	0.3	-0.0	0.3
0.1	-87.71							
				NODE	Vxx	Vyy		
				Cent	0.0	-0.3		
				205	0.0	-0.2		
				61	0.0	-0.3		
				20	0.0	-0.3		
				209	0.0	-0.2		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-101.7	-13.59	INVSLU	Max	Cent	1100.2	-30.9	-288.3	1170.4
211.2	2.14			205	1947.4	213.7	65.0	1949.8
-15.6	-18.58			61	1941.5	205.9	-654.0	2162.6
-642.0	-43.95			20	257.8	-194.3	-628.8	876.0
-237.2	10.76			209	259.0	-225.1	96.2	277.2
-775.5	-35.61		Min	Cent	232.2	-141.7	-804.4	687.1
-91.0	-19.78			205	822.9	69.5	-384.5	932.4
-821.5	-33.74			61	832.2	92.4	-1235.7	1521.5
-1593.4	-41.86			20	-358.4	-395.4	-1225.6	516.9
-754.3	-45.43			209	-367.8	-399.0	-375.2	-136.9
Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		Max	Cent	0.1	0.4	0.0	0.4
0.1	89.23		205	0.1	0.3	0.0	0.3
0.1	-88.82		61	0.1	0.3	0.0	0.3
0.1	89.38		20	0.2	0.5	0.0	0.5
0.2	87.92		209	0.2	0.4	0.0	0.4
0.2	88.73	Min	Cent	-0.2	-0.5	-0.0	-0.2
-0.5	1.50		205	-0.1	-0.3	-0.0	-0.1
-0.3	5.20		61	-0.1	-0.3	-0.0	-0.1
-0.3	2.17		20	-0.2	-0.7	-0.0	-0.2
-0.7	-0.34		209	-0.2	-0.6	-0.0	-0.2
-0.6	0.90						

-----		NODE	Vxx	Vyy
Max	Cent		0.0	0.7
	205		0.0	0.6
	61		0.0	0.7
	20		0.0	0.7
	209		0.0	0.6
Min	Cent		-0.0	-0.4
	205		-0.1	-0.3
	61		-0.1	-0.4
	20		-0.0	-0.4
	209		-0.0	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-127.5	-24.16	INVSLV	Max	Cent	412.2	-18.8	-237.4
				205	779.3	86.3	-68.2
78.2	-5.91			61	782.0	94.9	-415.4
-104.2	-25.44			20	45.4	-113.6	-405.3
-457.6	-41.38			209	42.6	-125.8	-58.1
-152.9	-17.52		Min	Cent	262.7	-21.0	-296.0
-202.7	-32.06			205	596.4	74.7	-114.5
53.0	-11.45			61	600.0	87.3	-488.4
-203.3	-30.98			20	-71.2	-127.0	-478.7
-568.5	-41.71			209	-74.9	-135.9	-104.9
-205.8	-32.78						1.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----						
		Max	Cent	0.1	0.2	0.0
						0.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.1	-88.99		205	0.1	0.1	0.0	0.1
0.1	-86.12		61	0.0	0.1	0.0	0.1
0.0	-88.29		20	0.1	0.2	0.0	0.2
0.1	88.19		209	0.1	0.2	0.0	0.2
0.1	-89.72	Min	Cent	-0.1	-0.1	-0.0	-0.1
-0.1	4.40		205	-0.0	-0.1	-0.0	-0.0
-0.1	9.66		61	-0.0	-0.1	-0.0	-0.0
-0.1	6.52		20	-0.1	-0.2	0.0	-0.1
-0.2	0.57		209	-0.1	-0.2	-0.0	-0.1
-0.2	3.01						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.2
	205	0.0	0.2
	61	0.0	0.2
	20	0.0	0.2
	209	0.0	0.2
Min	Cent	-0.0	-0.2
	205	-0.0	-0.1
	61	-0.0	-0.2
	20	-0.0	-0.2
	209	-0.0	-0.1

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
239	2	8	Q1-1-2	Max	Cent	0.8	9.8	57.7	63.2
-52.6		47.22			212	82.6	31.5	78.2	139.3
-25.2		35.95			213	93.3	69.8	35.5	119.0
44.2		35.86			217	4.0	1.7	41.5	44.3
-38.6		44.23			216	3.8	0.7	92.3	94.6
-90.0		44.52		Min	Cent	-92.3	-207.8	-326.4	181.4
-481.5		-39.99			212	-2.8	-189.7	-289.9	208.4
-400.8		-36.07			213	-2.6	-191.7	-374.6	289.2
-483.6		-37.92			217	-245.3	-256.1	-367.3	116.6
-618.0		-44.58			216	-252.7	-272.6	-279.8	17.3
-542.6		-43.98							
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
0.0		66.96		Max	Cent	0.0	0.0	0.0	0.0
					212	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	67.53		213	0.0	0.0	0.0	0.0
0.0	68.24		217	0.0	0.0	0.0	0.0
0.0	65.37		216	0.0	0.0	0.0	0.0
0.0	64.02						
-0.4	-4.80	Min	Cent	-0.1	-0.4	-0.0	-0.1
-0.3	-4.82		212	-0.1	-0.3	-0.0	-0.1
-0.3	-3.96		213	-0.1	-0.3	-0.0	-0.1
-0.4	-4.75		217	-0.1	-0.4	-0.0	-0.1
-0.4	-5.72		216	-0.2	-0.4	-0.0	-0.2

	NODE	Vxx	Vyy
Max	Cent	0.0	0.4
	212	0.0	0.4
	213	0.0	0.4
	217	0.0	0.4
	216	0.0	0.4
Min	Cent	-0.1	-0.0
	212	-0.1	-0.0
	213	-0.1	-0.0
	217	-0.2	-0.0
	216	-0.2	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-36.5	47.02	Q2a-1-2	Max Cent	0.6	6.3	39.9	43.4
-21.6	37.50		212	49.1	20.0	54.3	90.8
24.1	37.40		213	56.3	42.9	24.6	75.0
-26.6	44.07		217	2.9	1.1	28.6	30.6
-62.7	44.48		216	2.8	0.5	64.4	66.1
-307.1	-38.70		Min Cent	-60.0	-148.6	-197.9	98.5
-256.7	-34.52		212	-1.9	-136.2	-175.3	118.7
-306.7	-36.66		213	-1.8	-137.8	-226.9	167.1
-392.1	-43.19		217	-153.8	-182.0	-223.7	56.3
-343.7	-42.39		216	-157.5	-188.6	-169.9	-2.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	62.28	Max Cent	0.0	0.0	0.0	0.0
0.0	63.02	212	0.0	0.0	0.0	0.0
		213	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	63.59		217	0.0	0.0	0.0	0.0
-0.0	60.29		216	0.0	0.0	0.0	0.0
0.0	59.26	Min	Cent	-0.1	-0.2	-0.0	-0.1
-0.2	-4.65		212	-0.1	-0.2	-0.0	-0.1
-0.2	-4.62		213	-0.1	-0.2	-0.0	-0.1
-0.2	-3.77		217	-0.1	-0.3	-0.0	-0.1
-0.3	-4.66		216	-0.1	-0.3	-0.0	-0.1
-0.3	-5.62						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.3
	212	0.0	0.3
	213	0.0	0.3
	217	0.0	0.3
	216	0.0	0.3
Min	Cent	-0.1	-0.0
	212	-0.0	-0.0
	213	-0.0	-0.0
	217	-0.1	-0.0
	216	-0.1	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	13.7	-0.4	22.5	30.2
-16.9	36.32		212	21.7	3.1	20.8	35.2
-10.3	32.92		213	21.8	5.2	25.9	40.7
-13.7	36.12		217	14.5	-3.0	24.6	31.8
-20.4	35.20		216	15.4	-4.7	19.5	27.3
-16.6	31.37						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	0.0	0.0	0.0
0.0	79.22	212	0.0	0.0	0.0	0.0
0.0	69.20	213	0.0	0.0	0.0	0.0
0.0	70.82	217	0.0	0.0	0.0	0.0
0.0	86.14	216	0.0	0.0	0.0	0.0
0.0	84.93					

	NODE	Vxx	Vyy
	Cent	0.0	-0.0
	212	-0.0	-0.0
	213	-0.0	-0.0
	217	0.0	-0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE						
-40.1	-66.97	SLV <sub>y</sub> (RS)	Cent	-32.9	-0.2	-17.0	7.0
-40.1	-66.33		212	-32.6	-1.0	-17.2	6.5
-39.6	-66.66		213	-32.0	1.2	-17.6	8.8
-40.1	-67.62		217	-33.2	0.7	-16.8	7.6
-40.6	-67.34		216	-33.8	-1.5	-16.3	5.3
			NODE	Mxx	Myy	Mxy	Mmax
Mmin	ANGLE						
-0.1	10.89		Cent	-0.0	-0.1	0.0	-0.0
0.0	62.05		212	0.0	0.0	0.0	0.1
0.0	61.32		213	0.0	0.0	0.0	0.1
-0.3	3.37		217	-0.1	-0.3	0.0	-0.1
-0.3	4.15		216	-0.1	-0.3	0.0	-0.1
			NODE	Vxx	Vyy		
			Cent	-0.1	0.9		
			212	-0.0	0.8		
			213	-0.0	0.9		
			217	-0.1	0.9		
			216	-0.1	0.8		
		LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE						
-8.4	36.32	SLD <sub>x</sub> (RS)	Cent	6.8	-0.2	11.2	15.1
-5.2	32.93		212	10.9	1.6	10.4	17.6
-6.9	36.13		213	10.9	2.6	13.0	20.4
-10.2	35.20		217	7.2	-1.5	12.3	15.9
-8.3	31.37		216	7.7	-2.4	9.8	13.6
			NODE	Mxx	Myy	Mxy	Mmax
Mmin	ANGLE						
0.0	79.21		Cent	0.0	0.0	0.0	0.0
0.0	69.19		212	0.0	0.0	0.0	0.0
			213	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	70.80		217	0.0	0.0	0.0	0.0
0.0	86.14		216	0.0	0.0	0.0	0.0
0.0	84.93						

NODE	Vxx	Vyy
Cent	0.0	-0.0
212	-0.0	-0.0
213	-0.0	-0.0
217	0.0	-0.0
216	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDy (RS)	Cent	-16.4	-0.1	-8.5	3.5
-20.0	-66.96		212	-16.3	-0.5	-8.6	3.3
-20.0	-66.32		213	-16.0	0.6	-8.8	4.4
-19.8	-66.65		217	-16.6	0.3	-8.4	3.8
-20.0	-67.62		216	-16.9	-0.7	-8.2	2.7
-20.3	-67.34						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.1	0.0	-0.0
-0.1	10.91	212	0.0	0.0	0.0	0.0
0.0	62.04	213	0.0	0.0	0.0	0.0
0.0	61.30	217	-0.0	-0.1	0.0	-0.0
-0.1	3.37	216	-0.0	-0.1	0.0	-0.0
-0.1	4.15					

NODE	Vxx	Vyy
Cent	-0.0	0.4
212	-0.0	0.4
213	-0.0	0.5
217	-0.1	0.5
216	-0.1	0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVz (RS)	Cent	-3.6	-0.2	10.0	8.2
-12.0	49.86		212	-4.8	-0.9	9.0	6.4
-12.1	51.02		213	-4.9	-2.1	11.5	8.1
-15.1	48.42		217	6.2	0.7	10.9	14.8
-7.8	37.96						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-4.6	37.07		216	6.6	1.8	8.5	13.0
-----							
0.0	-79.36		Cent	0.0	0.0	-0.0	0.0
0.0	-67.61		212	0.0	0.0	-0.0	0.0
0.0	-67.55		213	0.0	0.0	-0.0	0.0
0.0	-86.66		217	0.0	0.0	-0.0	0.0
0.0	-86.00		216	0.0	0.0	-0.0	0.0
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			212	0.0	-0.0		
			213	0.0	-0.0		
			217	0.0	-0.0		
			216	0.0	-0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-215.3	-46.72	g1	Cent	-38.4	-15.8	-187.8	161.1
-127.9	-39.67		212	64.1	4.2	-159.2	196.2
-178.9	-42.32		213	71.4	28.6	-227.9	278.9
-311.1	-51.82		217	-140.9	-35.8	-216.4	134.4
-258.4	-53.29		216	-148.2	-60.2	-147.8	50.0
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	2.44		Cent	-0.0	-0.0	0.0	-0.0
-0.0	4.92		212	-0.0	-0.0	0.0	-0.0
-0.0	5.78		213	-0.0	-0.0	0.0	-0.0
-0.0	1.56		217	-0.0	-0.0	0.0	-0.0
-0.0	0.87		216	-0.0	-0.0	0.0	-0.0
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			212	-0.0	0.0		
			213	-0.0	0.0		
			217	-0.0	0.0		
			216	-0.0	0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		g2	Cent	-18.7	-10.7	-89.8	75.3
-104.6	-46.27		212	30.8	-1.1	-76.1	92.6
-62.9	-39.08		213	34.4	10.9	-109.2	132.5
-87.2	-41.93		217	-68.1	-20.2	-103.6	62.2
-150.5	-51.51		216	-71.7	-32.2	-70.5	21.2
-125.1	-52.83						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	0.1	0.0	0.1
0.0	87.05		212	0.0	0.0	0.0	0.0
0.0	86.92		213	0.0	0.0	0.0	0.0
0.0	87.50		217	0.0	0.1	0.0	0.1
0.0	87.30		216	0.0	0.1	0.0	0.1
0.0	86.67						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.0		
			212	0.0	-0.0		
			213	0.0	-0.0		
			217	0.0	-0.0		
			216	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		q3	Cent	15.6	-0.3	9.7	20.2
-4.9	25.35		212	25.1	3.2	12.9	31.1
-2.8	24.92		213	24.6	1.6	7.0	26.5
-0.3	15.59		217	6.1	-3.9	6.5	9.3
-7.1	26.24		216	6.6	-2.3	12.5	15.5
-11.1	35.24						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-12.05		212	-0.0	-0.0	-0.0	-0.0
-0.0	-24.88		213	-0.0	-0.0	-0.0	-0.0
-0.0	-19.16		217	-0.0	-0.0	-0.0	-0.0
-0.0	-7.00						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-8.88		216	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			212	-0.0	0.0		
			213	-0.0	0.0		
			217	-0.0	0.0		
			216	-0.0	0.0		
		LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE						
		q5_pc	Cent	-20.5	0.1	0.6	0.2
-20.5	88.29		212	-21.4	0.2	0.4	0.2
-21.4	88.83		213	-21.6	-0.5	1.1	-0.5
-21.7	87.07		217	-19.6	0.1	0.8	0.1
-19.6	87.71		216	-19.4	0.8	0.1	0.8
-19.4	89.58						
			NODE	Mxx	Myy	Mxy	Mmax
Mmin	ANGLE						
			Cent	-0.1	-0.2	0.0	-0.1
-0.2	8.95		212	0.0	0.1	0.0	0.1
0.0	63.90		213	0.0	0.1	0.0	0.1
0.0	62.35		217	-0.1	-0.5	0.0	-0.1
-0.5	2.67		216	-0.2	-0.5	0.0	-0.2
-0.5	3.10						
			NODE	Vxx	Vyy		
			Cent	-0.1	1.5		
			212	-0.0	1.4		
			213	-0.0	1.6		
			217	-0.2	1.6		
			216	-0.2	1.4		
		LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE						
		q5_ps	Cent	-18.6	-0.0	-0.9	0.0
-18.7	-87.15		212	-19.3	-0.1	-1.1	-0.0
-19.4	-86.74		213	-19.4	-0.4	-0.6	-0.4
-19.5	-88.17		217	-17.9	0.0	-0.8	0.1
-18.0	-87.59		216	-17.8	0.4	-1.2	0.5
-17.9	-86.10						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
-0.2	9.61		Cent	-0.1	-0.2	0.0	-0.0	
0.0	65.65		212	0.0	0.1	0.0	0.1	
0.0	64.28		213	0.0	0.1	0.0	0.1	
-0.5	2.82		217	-0.1	-0.5	0.0	-0.1	
-0.5	3.30		216	-0.2	-0.5	0.0	-0.2	
			NODE	Vxx	Vyy			
			Cent	-0.1	1.5			
			212	-0.0	1.4			
			213	-0.0	1.6			
			217	-0.2	1.6			
			216	-0.2	1.4			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-1918.5	-80.39	INVSLU	Max	Cent	-1862.3	-46.0	-300.1	4.5
-1235.0	-85.70			212	-1226.7	132.0	-105.7	139.9
-1373.2	-59.54			213	-1201.1	220.6	-521.8	501.2
-2531.3	-77.82			217	-2419.8	-205.6	-488.7	-97.9
-2435.7	-87.59			216	-2430.5	-242.9	-61.6	-239.3
-2378.5	-71.88		Min	Cent	-2049.8	-340.0	-819.7	-53.5
-1628.8	-72.78			212	-1389.3	-167.0	-603.4	43.4
-1991.9	-71.80			213	-1378.4	-133.4	-1077.5	347.7
-3211.9	-71.44			217	-2804.6	-553.9	-1041.9	-177.6
-2960.8	-76.50			216	-2825.5	-613.3	-564.1	-476.5
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
0.1	-82.11		Max	Cent	0.1	0.2	0.1	0.2
-0.0	49.82			212	0.0	0.0	0.1	0.1
-0.0	49.43			213	0.0	0.1	0.1	0.1
0.1	-89.29			217	0.1	0.7	0.1	0.7
0.2	-89.27			216	0.2	0.6	0.0	0.6
-0.8	-0.09		Min	Cent	-0.2	-0.8	-0.1	-0.2
				212	-0.2	-0.6	-0.1	-0.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.6	-6.73	213	-0.2	-0.6	-0.1	-0.2
-0.6	-6.40	217	-0.3	-1.3	-0.1	-0.3
-1.3	0.42	216	-0.4	-1.3	-0.0	-0.4
-1.3	0.26					

	NODE	Vxx	Vyy
Max	Cent	0.2	2.7
	212	0.0	2.6
	213	0.0	2.8
	217	0.4	2.8
	216	0.4	2.6
Min	Cent	-0.3	-2.2
	212	-0.1	-2.1
	213	-0.1	-2.3
	217	-0.5	-2.3
	216	-0.5	-2.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-956.4	-73.42	INVSLV	Max Cent	-891.2	-41.8	-236.2	46.6
-613.6	-74.62		212	-577.5	40.0	-145.4	88.9
-725.0	-65.20		213	-568.0	76.0	-344.1	256.6
-1295.2	-72.83		217	-1201.1	-117.4	-326.6	3.3
-1226.0	-81.06		216	-1210.2	-148.7	-127.9	-122.1
-1050.6	-75.67		Min Cent	-967.4	-42.8	-297.3	17.7
-709.6	-77.23		212	-658.6	32.6	-202.7	71.4
-829.7	-66.73		213	-648.0	63.6	-413.4	222.0
-1397.1	-74.54		217	-1279.9	-124.4	-392.4	-33.6
-1318.7	-83.25		216	-1291.0	-160.2	-181.8	-143.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-79.35	Max Cent	0.0	0.1	0.0	0.1
-0.0	56.94	212	0.0	0.0	0.0	0.1
0.0	55.94	213	0.0	0.0	0.0	0.1
0.1	-87.00	217	0.1	0.3	0.0	0.3
0.1	-86.36	216	0.1	0.3	0.0	0.3
-0.1	10.93	Min Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-22.59	212	-0.0	-0.1	-0.0	-0.0
		213	-0.0	-0.1	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	-23.15	217	-0.1	-0.3	-0.0	-0.1
-0.3	3.64	216	-0.1	-0.3	-0.0	-0.1
-0.3	4.52					

	NODE	Vxx	Vyy
Max	Cent	0.1	0.9
	212	0.0	0.9
	213	0.0	0.9
	217	0.1	0.9
	216	0.1	0.9
Min	Cent	-0.1	-0.9
	212	-0.0	-0.8
	213	-0.0	-0.9
	217	-0.1	-0.9
	216	-0.1	-0.8

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
240	2	4	Q1-1-2	Max	Cent	0.5	7.2	66.6	70.5
-62.8		46.43			213	96.0	59.3	109.8	189.0
-33.7		40.26			73	89.7	29.3	25.4	98.9
20.1		20.03			90	3.1	0.7	33.0	34.9
-31.1		43.99			217	3.2	1.5	132.3	134.7
-130.0		44.82		Min	Cent	-83.9	-190.8	-337.4	204.3
-479.0		-40.50			213	-7.9	-185.3	-249.6	168.3
-361.6		-35.22			73	-9.9	-188.1	-414.7	325.1
-523.2		-38.94			90	-242.6	-261.2	-431.7	179.9
-683.7		-44.38			217	-232.3	-247.4	-261.9	22.1
-501.8		-44.17							

		NODE	Mxx	Myy	Mxy	Mmax
		Max	Cent	0.0	0.0	0.0
0.0	61.25		213	0.0	0.0	0.0
0.0	63.30		73	0.0	0.0	0.0
0.0	61.36		90	0.0	0.0	0.0
-0.0	59.55		217	0.0	0.0	0.0
0.0	60.69		Min	Cent	-0.1	-0.3
-0.3	-3.82		213	-0.1	-0.2	-0.1
-0.2	-4.03		73	-0.1	-0.2	-0.1
-0.2	-2.92		90	-0.1	-0.3	-0.1



MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.3      -3.81  
 -0.3      -4.62

		NODE	Vxx	Vyy
Max	Cent		0.0	0.3
	213		0.0	0.3
	73		0.0	0.3
	90		0.0	0.3
	217		0.0	0.3
Min	Cent		-0.0	-0.0
	213		-0.0	-0.0
	73		-0.0	-0.0
	90		-0.0	-0.0
	217		-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-43.3	46.31	Q2a-1-2	Max Cent	0.4	4.6	45.8	48.3
-29.7	41.00		213	57.6	36.3	75.9	123.6
11.3	22.18		73	54.2	18.4	17.5	61.3
-21.2	43.90		90	2.3	0.5	22.6	24.0
-90.2	44.79		217	2.4	1.0	91.9	93.6
-304.9	-39.45		Min Cent	-55.7	-136.2	-205.1	113.0
-233.4	-33.55		213	-5.6	-133.2	-151.0	94.5
-331.1	-37.87		73	-7.0	-135.2	-252.0	188.9
-431.4	-43.49		90	-153.4	-181.3	-263.7	96.7
-320.8	-42.44		217	-147.1	-175.5	-158.8	-1.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	56.60	Max Cent	0.0	0.0	0.0	0.0
0.0	58.78	213	0.0	0.0	0.0	0.0
-0.0	56.72	73	0.0	0.0	0.0	0.0
-0.0	55.01	90	0.0	0.0	0.0	0.0
-0.0	56.01	217	0.0	0.0	0.0	0.0
-0.2	-3.64	Min Cent	-0.1	-0.2	-0.0	-0.1
-0.1	-3.78	213	-0.1	-0.1	-0.0	-0.1
-0.1	-2.68	73	-0.1	-0.1	-0.0	-0.1
-0.2	-3.68	90	-0.1	-0.2	-0.0	-0.1
		217	-0.1	-0.2	-0.0	-0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.2      -4.50

	NODE	Vxx	Vyy
Max	Cent	0.0	0.2
	213	0.0	0.2
	73	0.0	0.2
	90	0.0	0.2
	217	0.0	0.2
Min	Cent	-0.0	-0.0
	213	-0.0	-0.0
	73	-0.0	-0.0
	90	-0.0	-0.0
	217	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-17.8	36.97	SLVx (RS)	Cent	12.9	-0.4	23.1	30.2
-8.0	33.14		213	20.9	4.3	18.9	33.2
-18.3	36.29		73	20.9	2.9	28.8	42.0
-25.7	36.29		90	13.8	-4.4	29.0	35.1
-16.0	33.40		217	13.1	-3.4	19.2	25.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	83.11	Cent	0.0	0.0	0.0	0.0
0.0	72.96	213	0.0	0.0	0.0	0.0
0.0	78.89	73	0.0	0.0	0.0	0.0
0.0	88.23	90	0.0	0.0	0.0	0.0
0.0	85.94	217	0.0	0.0	0.0	0.0

	NODE	Vxx	Vyy
	Cent	-0.0	-0.0
	213	-0.0	-0.0
	73	-0.0	-0.0
	90	0.0	-0.0
	217	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-38.7	-66.26	SLVy (RS)	Cent	-31.2	-0.1	-17.0	7.4
-39.1	-66.09		213	-31.6	-0.6	-17.1	6.9
-39.0	-66.54		73	-31.7	-0.4	-16.7	6.9
			90	-30.9	0.5	-16.9	7.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-38.2	-66.44	217	-30.7	0.5	-17.2	8.1	
-38.3	-66.10						
-----							
-0.1	6.80	Cent	-0.0	-0.1	0.0	-0.0	
0.0	65.76	213	0.0	0.0	0.0	0.0	
0.0	70.87	73	0.0	0.0	0.0	0.0	
-0.2	1.29	90	-0.1	-0.2	0.0	-0.1	
-0.2	3.68	217	-0.1	-0.2	0.0	-0.1	
-----							
		NODE	Vxx	Vyy			
		Cent	-0.0	0.7			
		213	-0.0	0.6			
		73	-0.0	0.7			
		90	-0.0	0.7			
		217	-0.0	0.6			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-8.9	36.97	SLDx (RS)	Cent	6.4	-0.2	11.5	15.1
-4.0	33.16		213	10.4	2.2	9.4	16.6
-9.1	36.30		73	10.4	1.4	14.4	21.0
-12.8	36.29		90	6.9	-2.2	14.5	17.5
-8.0	33.40		217	6.6	-1.7	9.6	12.9
-----							
Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-----							
0.0	83.11	Cent	0.0	0.0	0.0	0.0	
0.0	72.95	213	0.0	0.0	0.0	0.0	
0.0	78.88	73	0.0	0.0	0.0	0.0	
0.0	88.23	90	0.0	0.0	0.0	0.0	
0.0	85.94	217	0.0	0.0	0.0	0.0	
-----							
		NODE	Vxx	Vyy			
		Cent	-0.0	-0.0			
		213	-0.0	-0.0			
		73	-0.0	-0.0			
		90	0.0	-0.0			
		217	0.0	-0.0			

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-19.3	-66.26	SLDy (RS)	Cent	-15.6	-0.0	-8.5	3.7
-19.5	-66.08		213	-15.8	-0.3	-8.5	3.5
-19.5	-66.53		73	-15.8	-0.2	-8.4	3.4
-19.1	-66.43		90	-15.4	0.2	-8.4	3.9
-19.1	-66.09		217	-15.3	0.2	-8.6	4.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	6.81		Cent	-0.0	-0.0	0.0	-0.0
0.0	65.74		213	0.0	0.0	0.0	0.0
0.0	70.83		73	0.0	0.0	0.0	0.0
-0.1	1.29		90	-0.0	-0.1	0.0	-0.0
-0.1	3.69		217	-0.0	-0.1	0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	0.3		
			213	-0.0	0.3		
			73	-0.0	0.4		
			90	-0.0	0.4		
			217	-0.0	0.3		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-11.9	49.64	SLVz (RS)	Cent	-3.2	0.1	10.3	8.8
-11.3	50.34		213	-4.7	-1.8	7.9	4.8
-15.6	49.23		73	-4.6	-0.9	12.7	10.1
-9.2	40.26		90	5.9	1.6	12.8	16.8
-5.1	36.70		217	5.6	0.8	8.0	11.6
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-82.47		Cent	0.0	0.0	-0.0	0.0
0.0	-70.34		213	0.0	0.0	-0.0	0.0
0.0	-75.26		73	0.0	0.0	-0.0	0.0
			90	0.0	0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0      -88.17  
 0.0      -86.19

NODE	Vxx	Vyy
Cent	0.0	-0.0
213	0.0	-0.0
73	0.0	-0.0
90	0.0	-0.0
217	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-212.7	-45.94	g1	Cent	-29.3	-16.8	-189.5	166.6
-78.0	-39.20		213	72.1	21.8	-122.4	171.9
-222.3	-41.48		73	66.6	3.5	-255.4	292.4
-352.4	-49.17		90	-130.6	-55.4	-256.7	166.4
-212.4	-54.80		217	-125.1	-37.1	-123.7	50.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	4.32	Cent	-0.0	-0.0	0.0	-0.0
-0.0	9.16	213	-0.0	-0.0	0.0	-0.0
-0.0	8.00	73	-0.0	-0.0	0.0	-0.0
-0.0	2.19	90	-0.0	-0.0	0.0	-0.0
-0.0	2.30	217	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
213	-0.0	0.0
73	-0.0	0.0
90	-0.0	0.0
217	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-102.8	-45.60	g2	Cent	-14.6	-10.8	-90.1	77.4
-37.5	-38.39		213	34.9	7.9	-57.4	80.3
-107.6	-41.15		73	32.3	-0.8	-122.2	139.1
-170.8	-48.99		90	-64.0	-29.5	-122.8	77.3
-102.5	-54.64		217	-61.4	-20.8	-57.9	20.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	89.19		Cent	0.0	0.0	0.0	0.0
0.0	88.29		213	0.0	0.0	0.0	0.0
0.0	89.93		73	0.0	0.0	0.0	0.0
0.0	89.80		90	0.0	0.0	0.0	0.0
0.0	88.62		217	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			213	0.0	-0.0		
			73	0.0	-0.0		
			90	0.0	-0.0		
			217	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-5.5	26.04	q3	Cent	14.8	-0.6	9.9	19.6
-6.9	27.27		213	23.3	1.1	15.5	31.3
2.2	9.80		73	23.8	2.9	3.7	24.4
-4.1	22.15		90	6.2	-2.4	4.2	8.0
-16.0	36.44		217	5.7	-4.2	16.0	17.6
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-7.73		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-18.41		213	-0.0	-0.0	-0.0	-0.0
-0.0	-11.72		73	-0.0	-0.0	-0.0	-0.0
-0.0	-4.27		90	-0.0	-0.0	-0.0	-0.0
-0.0	-5.97		217	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			213	-0.0	0.0		
			73	-0.0	0.0		
			90	-0.0	0.0		
			217	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-20.1	87.27	q5_pc	Cent	-20.1	0.1	1.0	0.1	
-22.2	-88.92		213	-22.1	-1.2	-0.4	-1.2	
-21.9	84.65		73	-21.7	0.3	2.1	0.5	
-18.3	83.27		90	-18.0	1.4	2.3	1.7	
-18.5	-89.54		217	-18.5	-0.2	-0.1	-0.2	
Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-0.2	5.34		Cent	-0.0	-0.2	0.0	-0.0	
0.0	67.34		213	0.0	0.1	0.0	0.1	
0.0	74.38		73	0.0	0.1	0.0	0.1	
-0.4	0.62		90	-0.1	-0.4	0.0	-0.1	
-0.4	2.96		217	-0.1	-0.4	0.0	-0.1	
			NODE	Vxx	Vyy			
			Cent	-0.0	1.2			
			213	-0.0	1.1			
			73	-0.0	1.3			
			90	-0.1	1.3			
			217	-0.1	1.1			
Fmin		ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-18.1	-88.29	q5_ps	Cent		-18.1	-0.0	-0.5	-0.0
-19.9	-85.08		213		-19.8	-1.0	-1.6	-0.9
-19.4	88.95		73		-19.4	0.1	0.4	0.1
-16.5	88.23		90		-16.5	1.0	0.5	1.0
-17.0	-85.09		217		-16.8	-0.2	-1.4	-0.1
Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-0.2	5.68		Cent	-0.0	-0.2	0.0	-0.0	
0.0	68.92		213	0.0	0.1	0.0	0.1	
0.0	76.06		73	0.0	0.1	0.0	0.1	
-0.4	0.65		90	-0.1	-0.4	0.0	-0.1	
-0.4	3.09		217	-0.1	-0.4	0.0	-0.1	

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

NODE	Vxx	Vyy
Cent	-0.0	1.2
213	-0.0	1.1
73	-0.0	1.3
90	-0.1	1.3
217	-0.1	1.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1766.2	-66.62	INVSLU	Max Cent	-1714.2	-46.6	-270.4	39.3
-1209.7	87.70		213	-1207.6	113.4	53.2	115.6
-1435.9	-57.98		73	-1195.6	141.9	-611.9	604.3
-2291.3	-64.55		90	-2123.0	-142.8	-580.1	77.9
-2144.6	86.93		217	-2143.9	-212.7	104.6	-207.0
-2234.5	-70.93		Min Cent	-1888.1	-314.1	-817.5	-25.5
-1530.5	-77.60		213	-1394.8	-219.1	-432.8	-86.0
-2111.2	-69.20		73	-1375.3	-152.3	-1209.7	361.5
-3067.3	-67.72		90	-2500.1	-498.9	-1211.7	7.8
-2596.9	-78.20		217	-2507.5	-549.0	-427.9	-459.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-88.68	Max Cent	0.0	0.2	0.0	0.2
-0.0	53.12	213	0.0	0.0	0.0	0.1
0.0	53.80	73	0.1	0.1	0.0	0.1
0.1	88.17	90	0.1	0.5	0.0	0.5
0.2	-89.50	217	0.2	0.5	0.0	0.5
-0.6	-0.53	Min Cent	-0.2	-0.6	-0.0	-0.2
-0.4	-5.71	213	-0.2	-0.4	-0.0	-0.2
-0.4	-4.62	73	-0.2	-0.4	-0.0	-0.2
-1.0	-0.72	90	-0.3	-1.0	-0.0	-0.3
-1.0	0.42	217	-0.3	-1.0	-0.0	-0.3

NODE	Vxx	Vyy
Max Cent	0.1	2.1
213	0.0	2.0
73	0.0	2.2
90	0.1	2.2



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	217	0.1	2.0
Min	Cent	-0.1	-1.7
	213	-0.1	-1.6
	73	-0.1	-1.9
	90	-0.1	-1.9
	217	-0.1	-1.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-888.6	-72.73	INVSLV	Max Cent	-823.3	-35.9	-228.0	54.2
-592.8	-79.91		213	-582.2	24.7	-74.8	41.3
-767.7	-63.27		73	-571.9	56.9	-391.0	285.8
-1196.9	-69.31		90	-1060.4	-87.5	-379.5	83.5
-1075.5	-83.48		217	-1071.1	-122.8	-63.2	-110.0
-980.2	-75.18		Min Cent	-895.3	-36.9	-290.6	23.6
-681.8	-82.66		213	-660.7	14.6	-127.6	30.1
-875.0	-64.62		73	-650.6	50.5	-466.2	241.9
-1299.3	-71.06		90	-1134.0	-97.6	-455.3	33.6
-1156.6	-86.22		217	-1143.7	-130.3	-116.7	-125.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-83.66	Max Cent	0.0	0.1	0.0	0.1
0.0	60.17	213	0.0	0.0	0.0	0.0
0.0	61.55	73	0.0	0.0	0.0	0.0
0.1	-88.98	90	0.1	0.2	0.0	0.2
0.1	-86.64	217	0.1	0.2	0.0	0.2
-0.1	7.06	Min Cent	-0.0	-0.1	-0.0	-0.0
-0.0	-18.68	213	-0.0	-0.0	-0.0	-0.0
-0.1	-11.89	73	-0.0	-0.1	-0.0	-0.0
-0.2	1.51	90	-0.1	-0.2	-0.0	-0.1
-0.2	3.91	217	-0.1	-0.2	-0.0	-0.1

NODE	Vxx	Vyy
Max Cent	0.0	0.7
213	0.0	0.7
73	0.0	0.7
90	0.0	0.7
217	0.0	0.7
Min Cent	-0.0	-0.7

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

213 -0.0 -0.6  
 73 -0.0 -0.7  
 90 -0.0 -0.7  
 217 -0.0 -0.6

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin		ANGLE						
243	2	8	Q1-1-2	Max Cent	4.7	19.9	44.8	57.8
-33.1		49.81		216	3.4	14.1	71.3	80.2
-62.7		47.14		217	3.7	118.9	24.4	123.8
-1.2		78.51		221	6.1	90.9	23.6	97.1
-0.1		75.45		220	5.8	5.5	76.6	82.3
-71.0		44.94		Min Cent	-304.7	-277.8	-313.0	22.1
-604.6		-46.23		216	-269.2	-334.9	-275.8	-24.3
-579.8		-41.60		217	-244.7	-314.5	-371.6	93.6
-652.8		-42.32		221	-371.7	-341.9	-365.5	9.0
-722.6		-46.17		220	-392.7	-372.1	-260.2	-122.0
-642.8		-46.13						
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax
				Max Cent	0.0	0.0	0.0	0.1
-0.0		58.50		216	0.0	0.0	0.0	0.1
-0.0		58.64		217	0.0	0.0	0.0	0.0
-0.0		60.99		221	0.0	0.0	0.0	0.1
-0.0		57.52		220	0.0	0.0	0.0	0.1
-0.0		56.11		Min Cent	-0.1	-0.5	-0.0	-0.1
-0.5		-6.08		216	-0.2	-0.5	-0.0	-0.2
-0.5		-6.15		217	-0.1	-0.4	-0.0	-0.1
-0.4		-6.88		221	-0.2	-0.5	-0.0	-0.2
-0.5		-7.38		220	-0.2	-0.5	-0.0	-0.2
-0.5		-6.26						
				NODE	Vxx	Vyy		
				Max Cent	0.1	0.4		
				216	0.0	0.4		
				217	0.0	0.4		
				221	0.1	0.4		
				220	0.1	0.4		
				Min Cent	-0.1	-0.1		
				216	-0.2	-0.3		
				217	-0.2	-0.1		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

221 -0.1 -0.1  
 220 -0.1 -0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-23.1	49.02	Q2a-1-2	Max Cent	3.5	12.2	30.7	38.8
-43.3	47.04		216	2.5	9.5	49.2	55.3
-1.1	77.18		217	2.8	72.5	16.7	76.3
-0.1	73.88		221	4.5	55.2	16.0	59.8
-49.0	44.80		220	4.3	3.5	52.9	56.9
-384.5	-44.49		Min Cent	-192.0	-198.8	-189.1	-6.3
-371.6	-39.54		216	-169.9	-234.1	-166.5	-32.4
-419.9	-40.68		217	-158.5	-226.8	-224.7	34.6
-464.8	-44.48		221	-237.7	-245.9	-222.9	-18.8
-409.6	-43.99		220	-246.4	-257.5	-157.6	-94.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	54.22	Max Cent	0.0	0.0	0.0	0.0
-0.0	54.30	216	0.0	0.0	0.0	0.0
-0.0	56.45	217	0.0	0.0	0.0	0.0
-0.0	53.33	221	0.0	0.0	0.0	0.0
-0.0	52.30	220	0.0	0.0	0.0	0.0
-0.3	-6.00	Min Cent	-0.1	-0.3	-0.0	-0.1
-0.3	-6.09	216	-0.1	-0.3	-0.0	-0.1
-0.3	-6.84	217	-0.1	-0.3	-0.0	-0.1
-0.3	-7.34	221	-0.1	-0.3	-0.0	-0.1
-0.3	-6.20	220	-0.1	-0.3	-0.0	-0.1

NODE	Vxx	Vyy
Max Cent	0.0	0.2
216	0.0	0.3
217	0.0	0.3
221	0.1	0.3
220	0.1	0.3
Min Cent	-0.1	-0.0
216	-0.1	-0.2
217	-0.1	-0.1
221	-0.1	-0.1
220	-0.1	-0.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-15.8	34.07	SLVx (RS)	Cent	16.6	-1.0	21.9	31.4
-10.8	36.83		216	15.7	4.0	19.8	30.5
-25.8	34.30		217	12.3	-8.1	26.0	30.0
-21.2	31.92		221	18.1	-6.0	24.5	33.3
-6.1	33.55		220	21.7	6.1	18.4	33.9
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-87.64		Cent	0.0	0.0	-0.0	0.0
0.0	-85.56		216	0.0	0.0	-0.0	0.0
0.0	87.66		217	0.0	0.0	0.0	0.0
0.0	-88.63		221	0.0	0.0	-0.0	0.0
0.0	-88.14		220	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			216	0.0	-0.0		
			217	0.0	-0.0		
			221	-0.0	-0.0		
			220	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-41.8	-67.51	SLVy (RS)	Cent	-34.7	-0.5	-17.1	6.6
-41.3	-66.83		216	-34.4	-3.5	-16.2	3.4
-40.5	-66.80		217	-32.4	3.6	-18.9	11.7
-42.3	-68.19		221	-35.1	2.7	-18.0	10.0
-43.1	-68.43		220	-37.0	-4.4	-15.3	1.7
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.4	1.81		Cent	-0.1	-0.4	0.0	-0.1
-0.3	4.11		216	-0.1	-0.3	0.0	-0.1
-0.3	1.21		217	-0.1	-0.3	0.0	-0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.4	-0.26	221	-0.1	-0.4	-0.0	-0.1
-0.4	1.51	220	-0.1	-0.4	0.0	-0.1

NODE	Vxx	Vyy
Cent	-0.1	1.2
216	-0.1	1.2
217	-0.1	1.1
221	-0.0	1.1
220	-0.0	1.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-7.9	34.07	SLDx (RS)	Cent	8.3	-0.5	11.0	15.7
-5.4	36.83		216	7.8	2.0	9.9	15.3
-12.9	34.30		217	6.1	-4.0	13.0	15.0
-10.6	31.92		221	9.0	-3.0	12.2	16.7
-3.0	33.55		220	10.8	3.1	9.2	16.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-87.64	Cent	0.0	0.0	-0.0	0.0
0.0	-85.56	216	0.0	0.0	-0.0	0.0
0.0	87.66	217	0.0	0.0	0.0	0.0
0.0	-88.63	221	0.0	0.0	-0.0	0.0
0.0	-88.14	220	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
216	0.0	-0.0
217	0.0	-0.0
221	-0.0	-0.0
220	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-20.9	-67.50	SLDy (RS)	Cent	-17.3	-0.3	-8.5	3.3
-20.6	-66.82		216	-17.2	-1.8	-8.1	1.7
-20.2	-66.80		217	-16.2	1.8	-9.4	5.8
-21.1	-68.19		221	-17.5	1.4	-9.0	5.0
			220	-18.5	-2.2	-7.6	0.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-21.5      -68.43

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.2	1.81	Cent	-0.1	-0.2	0.0	-0.1
-0.1	4.12	216	-0.0	-0.1	0.0	-0.0
-0.1	1.21	217	-0.0	-0.1	0.0	-0.0
-0.2	-0.26	221	-0.1	-0.2	-0.0	-0.1
-0.2	1.51	220	-0.1	-0.2	0.0	-0.1
		NODE	Vxx	Vyy		
		Cent	-0.0	0.6		
		216	-0.1	0.6		
		217	-0.1	0.6		
		221	-0.0	0.6		
		220	-0.0	0.6		

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-7.1	34.17	SLVz (RS)	Cent	7.3	-0.5	9.7	13.9
-4.7	37.08		216	6.7	1.8	8.6	13.2
-11.6	34.71		217	5.1	-3.6	11.5	13.1
-9.5	32.01		221	7.9	-2.7	10.9	14.7
-2.6	33.36		220	9.5	2.7	8.0	14.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-88.37	Cent	0.0	0.0	-0.0	0.0
0.0	-86.26	216	0.0	0.0	-0.0	0.0
0.0	88.60	217	0.0	0.0	0.0	0.0
0.0	89.37	221	0.0	0.0	0.0	0.0
0.0	-88.61	220	0.0	0.0	-0.0	0.0
		NODE	Vxx	Vyy		
		Cent	-0.0	-0.0		
		216	0.0	-0.0		
		217	0.0	-0.0		
		221	-0.0	-0.0		
		220	-0.0	-0.0		

LC	NODE	Fxx	Fyy	Fxy	Fmax
----	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE						
-293.3	-56.38	g1	Cent	-170.4	-15.4	-184.8	107.5
-257.9	-53.53		216	-146.2	-53.5	-151.1	58.2
-279.7	-54.71		217	-116.0	47.3	-231.4	211.0
-330.0	-58.22		221	-194.6	22.7	-218.5	158.1
-307.9	-58.98		220	-224.8	-78.0	-138.2	5.1
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	0.84		Cent	-0.0	-0.0	0.0	-0.0
-0.0	2.31		216	-0.0	-0.0	0.0	-0.0
-0.0	-1.08		217	-0.0	-0.0	-0.0	-0.0
-0.0	-1.67		221	-0.0	-0.0	-0.0	-0.0
-0.0	0.39		220	-0.0	-0.0	0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			216	-0.0	0.1		
			217	-0.0	0.0		
			221	0.0	0.0		
			220	0.0	0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-141.7	-56.05	g2	Cent	-82.1	-10.2	-88.6	49.4
-124.2	-53.28		216	-70.2	-27.2	-72.3	26.8
-135.8	-54.36		217	-56.5	18.5	-110.6	97.8
-159.8	-57.85		221	-94.0	6.8	-104.8	72.7
-148.1	-58.68		220	-107.7	-38.9	-66.5	1.6
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	87.94		Cent	0.0	0.1	0.0	0.1
0.0	87.97		216	0.0	0.1	0.0	0.1
0.0	86.67		217	0.0	0.1	0.0	0.1
0.0	87.27		221	0.0	0.1	0.0	0.1
			220	0.0	0.1	0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0 88.51

NODE	Vxx	Vyy
Cent	0.0	-0.0
216	0.0	0.0
217	0.0	-0.0
221	0.0	-0.0
220	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-7.9	37.76	q3	Cent	4.4	-0.5	9.5	11.8
-7.6	39.17		216	8.1	2.8	12.8	18.6
-5.7	28.46		217	6.7	-2.1	6.7	10.3
-8.1	34.94		221	0.7	-3.8	6.2	5.0
-10.7	43.74		220	2.2	1.1	12.3	14.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-5.65	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-6.05	216	-0.0	-0.0	-0.0	-0.0
-0.0	-7.38	217	-0.0	-0.0	-0.0	-0.0
-0.0	-6.04	221	-0.0	-0.0	-0.0	-0.0
-0.0	-4.11	220	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
216	-0.0	0.0
217	-0.0	0.0
221	-0.0	0.0
220	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-20.2	89.44	q5_pc	Cent	-20.2	-0.5	0.2	-0.5
-19.4	87.66		216	-19.4	0.9	0.8	1.0
-20.1	-89.58		217	-20.1	-1.7	-0.1	-1.7
-21.1	-88.68		221	-21.1	-1.9	-0.4	-1.9
-20.3	88.57		220	-20.3	0.7	0.5	0.7

NODE	Mxx	Myy	Mxy	Mmax
------	-----	-----	-----	------



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE						
			Cent	-0.2	-0.6	0.0	-0.2
-0.6	1.27		216	-0.2	-0.5	0.0	-0.2
-0.5	3.34		217	-0.1	-0.5	0.0	-0.1
-0.5	0.49		221	-0.2	-0.8	-0.0	-0.2
-0.8	-0.54		220	-0.2	-0.7	0.0	-0.2
-0.7	1.03						
			NODE	Vxx	Vyy		
			Cent	-0.1	2.0		
			216	-0.2	2.0		
			217	-0.2	2.0		
			221	-0.0	2.0		
			220	-0.0	2.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_ps	Cent	-18.5	-0.5	-1.3	-0.4
-18.6	-85.92		216	-17.8	0.5	-0.7	0.5
-17.8	-87.71		217	-18.3	-1.2	-1.7	-1.0
-18.5	-84.52		221	-19.2	-1.4	-1.8	-1.3
-19.4	-84.12		220	-18.7	0.2	-0.9	0.3
-18.7	-87.21						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.2	-0.6	0.0	-0.2
-0.6	1.36		216	-0.2	-0.5	0.0	-0.2
-0.5	3.52		217	-0.1	-0.5	0.0	-0.1
-0.5	0.61		221	-0.2	-0.7	-0.0	-0.2
-0.7	-0.48		220	-0.2	-0.7	0.0	-0.2
-0.7	1.09						
			NODE	Vxx	Vyy		
			Cent	-0.1	2.0		
			216	-0.2	2.0		
			217	-0.2	2.0		
			221	-0.0	2.0		
			220	-0.0	2.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		INVS LU	Max	Cent				
-2711.6	-81.26				-2642.6	-51.7	-409.2	11.2
				216	-2363.2	-4.2	-85.4	-1.2
-2369.2	-87.97			217	-2344.9	200.7	-737.7	398.1
-2552.9	-75.02			221	-2921.1	-9.6	-725.0	160.6
-3095.8	-76.79			220	-2940.3	-188.9	-65.0	-187.4
-2943.9	-88.67							
-3380.1	-73.04		Min	Cent	-3107.9	-454.6	-892.6	-182.4
-2907.7	-77.17			216	-2781.5	-477.0	-555.4	-349.2
-3288.5	-68.80			217	-2730.3	-387.4	-1272.5	141.4
-3944.4	-69.50			221	-3476.8	-597.4	-1251.1	-129.7
-3615.8	-79.90			220	-3523.2	-699.9	-520.7	-606.0

Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
			Max	Cent	0.2	0.8	0.0	0.8
0.2	88.43			216	0.2	0.7	0.1	0.7
0.2	88.92			217	0.1	0.6	0.0	0.6
0.1	88.09			221	0.3	1.0	0.0	1.0
0.3	87.16			220	0.3	0.9	0.1	0.9
0.3	87.57		Min	Cent	-0.4	-1.5	-0.1	-0.4
-1.5	-0.86			216	-0.4	-1.2	-0.1	-0.4
-1.2	0.32			217	-0.3	-1.3	-0.1	-0.3
-1.3	-1.84			221	-0.5	-1.7	-0.1	-0.5
-1.7	-2.36			220	-0.5	-1.7	-0.1	-0.5
-1.7	-0.76							

		NODE	Vxx	Vyy
	Max	Cent	0.2	3.7
		216	0.4	4.2
		217	0.4	3.4
		221	0.2	3.3
		220	0.2	4.2
	Min	Cent	-0.3	-2.7
		216	-0.5	-2.4
		217	-0.5	-3.2
		221	-0.2	-3.2
		220	-0.2	-2.4

Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
			Max	Cent	-1322.4	-47.3	-280.0	33.4
-1382.6	-76.60							

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-1184.2	-81.80		216	-1170.6	-18.9	-123.4	-4.6
-1310.9	-70.35		217	-1159.5	34.1	-443.3	217.4
-1601.5	-72.94		221	-1474.0	-64.9	-436.2	89.3
-1495.2	-85.23		220	-1485.0	-112.7	-116.2	-103.0
-1485.0	-78.23	Min	Cent	-1406.1	-49.8	-339.9	8.8
-1277.3	-83.66		216	-1252.7	-30.2	-177.9	-6.3
-1413.7	-71.62		217	-1234.7	13.6	-513.5	160.9
-1710.6	-74.09		221	-1559.7	-80.1	-502.4	44.2
-1596.3	-83.46		220	-1577.8	-129.2	-167.0	-110.1

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----	-----		-----	-----	-----	-----	-----
		Max	Cent	0.1	0.3	0.0	0.3
0.1	-88.59		216	0.1	0.3	0.0	0.3
0.1	-86.47		217	0.1	0.3	0.0	0.3
0.1	-89.11		221	0.1	0.4	0.0	0.4
0.1	89.46		220	0.1	0.4	0.0	0.4
0.1	-88.92	Min	Cent	-0.1	-0.4	-0.0	-0.1
-0.4	2.17		216	-0.1	-0.3	-0.0	-0.1
-0.3	4.63		217	-0.1	-0.3	-0.0	-0.1
-0.3	1.45		221	-0.1	-0.5	-0.0	-0.1
-0.5	0.01		220	-0.1	-0.4	-0.0	-0.1
-0.4	1.90						

	NODE	Vxx	Vyy
Max	Cent	0.1	1.2
	216	0.1	1.2
	217	0.1	1.2
	221	0.0	1.1
	220	0.0	1.2
Min	Cent	-0.1	-1.1
	216	-0.1	-1.1
	217	-0.1	-1.1
	221	0.0	-1.1
	220	0.0	-1.1

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
244	2	4	Q1-1-2	Max	Cent	3.5	47.1	59.0	88.2
-37.6		55.14			217	3.0	100.5	99.9	162.8
-59.4		58.01							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-15.9	55.96		90	2.6	24.6	27.4	43.1
-22.5	48.68		13	4.1	11.9	30.3	38.6
-76.1	54.56		221	4.4	82.9	113.2	163.4
-607.3	-45.47	Min	Cent	-273.2	-262.0	-339.6	72.1
-537.4	-41.49		217	-231.4	-298.0	-270.6	8.0
-698.3	-42.79		90	-256.6	-319.8	-408.9	121.9
-766.4	-45.04		13	-341.7	-340.4	-425.4	84.3
-594.5	-44.93		221	-315.2	-316.5	-278.6	-37.2

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----	-----						
		Max	Cent	0.0	0.0	0.0	0.0
-0.0	56.03		217	0.0	0.0	0.0	0.0
-0.0	57.08		90	0.0	0.0	0.0	0.0
-0.0	54.81		13	0.0	0.0	0.0	0.0
-0.0	55.04		221	0.0	0.0	0.0	0.0
-0.0	57.35	Min	Cent	-0.1	-0.3	-0.0	-0.1
-0.3	-5.17		217	-0.1	-0.3	-0.0	-0.1
-0.3	-6.90		90	-0.1	-0.3	-0.0	-0.1
-0.3	-4.83		13	-0.1	-0.4	-0.0	-0.1
-0.4	-4.95		221	-0.1	-0.4	-0.0	-0.1
-0.4	-6.58						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.3
	217	0.0	0.3
	90	0.0	0.4
	13	0.0	0.4
	221	0.0	0.3
Min	Cent	-0.0	-0.0
	217	-0.0	-0.1
	90	-0.0	-0.1
	13	-0.0	-0.1
	221	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-----	-----							
		Q2a-1-2	Max	Cent	2.6	28.8	40.3	58.1
-26.7	53.99			217	2.2	61.1	68.8	106.4
-43.2	56.59			90	1.9	15.8	18.8	28.8
-11.1	55.11							

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-15.3	48.32		13	3.0	7.8	20.6	26.2
-55.0	53.34		221	3.3	50.2	78.3	108.5
-387.0	-44.12	Min	Cent	-174.9	-187.6	-205.6	24.4
-349.8	-39.50		217	-151.0	-214.8	-163.8	-16.0
-448.4	-41.33		90	-166.2	-230.2	-248.1	52.0
-491.4	-43.62		13	-218.9	-244.0	-259.6	28.5
-384.5	-42.89		221	-202.8	-227.7	-168.8	-45.9

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
		Max	Cent	0.0	0.0	0.0	0.0
-0.0	52.32		217	0.0	0.0	0.0	0.0
-0.0	53.20		90	0.0	0.0	0.0	0.0
-0.0	51.40		13	0.0	0.0	0.0	0.0
-0.0	51.62		221	0.0	0.0	0.0	0.0
-0.0	53.40	Min	Cent	-0.1	-0.2	-0.0	-0.1
-0.2	-5.08		217	-0.1	-0.2	-0.0	-0.1
-0.2	-6.85		90	-0.1	-0.2	-0.0	-0.1
-0.2	-4.73		13	-0.1	-0.2	-0.0	-0.1
-0.2	-4.86		221	-0.1	-0.2	-0.0	-0.1
-0.2	-6.53						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.2
	217	0.0	0.2
	90	0.0	0.2
	13	0.0	0.2
	221	0.0	0.2
Min	Cent	-0.0	-0.0
	217	-0.0	-0.1
	90	-0.0	-0.1
	13	-0.0	-0.1
	221	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	13.5	-3.2	23.6	30.2
-19.9	35.29		217	11.2	-6.7	20.2	24.3
-19.9	33.04		90	12.9	1.5	28.3	36.1
-21.7	39.28		13	16.5	-0.6	28.6	37.8
-21.9	36.69						

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-18.4	31.83		221	14.7	-5.6	20.5	27.5
-----							
0.0	-88.06		Cent	0.0	0.0	-0.0	0.0
0.0	87.45		217	0.0	0.0	0.0	0.0
0.0	-87.93		90	0.0	0.0	-0.0	0.0
0.0	-89.18		13	0.0	0.0	-0.0	0.0
0.0	-88.82		221	0.0	0.0	-0.0	0.0
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			217	0.0	-0.0		
			90	0.0	-0.0		
			13	-0.0	-0.0		
			221	-0.0	-0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-37.3	-66.02	SLVy (RS)	Cent	-29.5	2.3	-17.6	10.1
-38.7	-65.46		217	-30.0	3.0	-19.1	11.7
-37.1	-67.34		90	-30.4	1.3	-16.1	8.0
-35.9	-66.74		13	-28.9	1.8	-16.2	8.7
-37.5	-64.87		221	-28.5	3.4	-19.2	12.4
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.3	1.77		Cent	-0.1	-0.3	0.0	-0.1
-0.2	1.96		217	-0.1	-0.2	0.0	-0.1
-0.2	2.00		90	-0.1	-0.2	0.0	-0.1
-0.3	0.70		13	-0.1	-0.3	0.0	-0.1
-0.3	0.46		221	-0.1	-0.3	0.0	-0.1
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	0.9		
			217	-0.0	0.8		
			90	-0.0	1.0		
			13	-0.0	1.0		
			221	-0.0	0.8		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-9.9	35.29	SLDx (RS)	Cent	6.8	-1.6	11.8	15.1
-9.9	33.04		217	5.6	-3.4	10.1	12.2
-10.8	39.28		90	6.5	0.7	14.2	18.0
-11.0	36.69		13	8.2	-0.3	14.3	18.9
-9.2	31.83		221	7.4	-2.8	10.3	13.7
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-88.06		Cent	0.0	0.0	-0.0	0.0
0.0	87.45		217	0.0	0.0	0.0	0.0
0.0	-87.94		90	0.0	0.0	-0.0	0.0
0.0	-89.18		13	0.0	0.0	-0.0	0.0
0.0	-88.82		221	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			217	0.0	-0.0		
			90	0.0	-0.0		
			13	-0.0	-0.0		
			221	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-18.6	-66.01	SLDy (RS)	Cent	-14.7	1.1	-8.8	5.0
-19.3	-65.45		217	-15.0	1.5	-9.5	5.9
-18.6	-67.33		90	-15.2	0.6	-8.0	4.0
-17.9	-66.74		13	-14.4	0.9	-8.1	4.4
-18.7	-64.87		221	-14.2	1.7	-9.6	6.2
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	1.77		Cent	-0.0	-0.1	0.0	-0.0
-0.1	1.96		217	-0.0	-0.1	0.0	-0.0
-0.1	2.00		90	-0.0	-0.1	0.0	-0.0
-0.2	0.70		13	-0.1	-0.2	0.0	-0.1

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

			221	-0.0	-0.2	0.0	-0.0
-0.2	0.46						
			NODE	Vxx	Vyy		
			Cent	-0.0	0.4		
			217	-0.0	0.4		
			90	-0.0	0.5		
			13	-0.0	0.5		
			221	-0.0	0.4		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVz (RS)	Cent	5.9	-1.4	10.5	13.4
-8.9	35.40		217	4.6	-3.0	8.5	10.1
-8.5	32.94		90	5.4	-0.5	12.5	15.3
-10.4	38.40		13	7.3	0.2	12.7	16.9
-9.4	37.25		221	6.5	-2.5	8.6	11.7
-7.7	31.33						
			NODE	Mxx	Myy	Mxy	Mmax
			Cent	0.0	0.0	-0.0	0.0
0.0	-88.35		217	0.0	0.0	-0.0	0.0
0.0	-87.93		90	0.0	0.0	-0.0	0.0
0.0	-88.05		13	0.0	0.0	-0.0	0.0
0.0	-89.36		221	0.0	0.0	0.0	0.0
0.0	89.38						
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			217	0.0	-0.0		
			90	0.0	-0.0		
			13	-0.0	-0.0		
			221	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g1	Cent	-136.8	4.8	-195.0	141.4
-273.5	-54.98		217	-103.0	36.7	-137.0	120.6
-186.9	-58.51		90	-117.4	-11.4	-250.8	191.9
-320.7	-50.97		13	-170.7	-27.1	-253.0	164.1
-361.9	-52.92		221	-156.3	21.0	-139.2	97.4
-232.6	-61.24						



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	1.88		Cent	-0.0	-0.0	0.0	-0.0
-0.0	-0.10		217	-0.0	-0.0	-0.0	-0.0
-0.0	2.05		90	-0.0	-0.0	0.0	-0.0
-0.0	1.32		13	-0.0	-0.0	0.0	-0.0
-0.0	-0.95		221	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
217	-0.0	0.0
90	-0.0	0.0
13	0.0	0.0
221	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-133.1	-54.75	g2	Cent	-67.6	-2.0	-92.6	63.4
-90.6	-58.36		217	-51.1	13.6	-64.2	53.1
-156.4	-50.68		90	-58.1	-9.9	-120.0	88.4
-176.5	-52.69		13	-84.2	-17.6	-121.1	74.6
-113.0	-61.23		221	-77.2	5.8	-65.2	41.6

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	89.88		Cent	0.0	0.0	0.0	0.0
0.0	87.94		217	0.0	0.0	0.0	0.0
0.0	-89.00		90	0.0	0.0	-0.0	0.0
0.0	-89.15		13	0.0	0.0	-0.0	0.0
0.0	88.09		221	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
217	0.0	-0.0
90	0.0	-0.0
13	0.0	-0.0
221	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----							
-9.3	37.81	q3	Cent	4.0	-1.3	10.3	12.0
			217	6.2	-2.6	16.2	18.6
-15.0	37.44		90	7.5	1.7	4.1	9.6
-0.4	27.36		13	1.8	-0.0	4.4	5.4
-3.6	39.21		221	0.5	-4.3	16.5	14.8
-18.6	40.88						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	-3.25		Cent	-0.0	-0.0	-0.0	-0.0
			217	-0.0	-0.0	-0.0	-0.0
-0.0	-5.88		90	-0.0	-0.0	-0.0	-0.0
-0.0	-2.45		13	-0.0	-0.0	-0.0	-0.0
-0.0	-2.01		221	-0.0	-0.0	-0.0	-0.0
-0.0	-4.80						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	0.0		
			217	-0.0	0.0		
			90	-0.0	0.0		
			13	-0.0	0.0		
			221	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-17.6	86.89	q5_pc	Cent	-17.6	0.2	1.0	0.2
			217	-19.0	-1.7	-1.0	-1.7
-19.0	-86.78		90	-18.0	1.6	2.7	2.0
-18.3	82.20		13	-16.2	2.1	2.9	2.6
-16.7	81.20		221	-17.2	-1.2	-0.8	-1.2
-17.3	-87.15						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.5	1.35		Cent	-0.1	-0.5	0.0	-0.1
			217	-0.1	-0.4	0.0	-0.1
-0.4	1.30		90	-0.1	-0.4	0.0	-0.1
-0.4	1.54		13	-0.2	-0.6	0.0	-0.2
-0.6	0.33		221	-0.2	-0.5	-0.0	-0.2
-0.5	-0.02						


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

				NODE	Vxx	Vyy		
				Cent	-0.0	1.6		
				217	-0.1	1.5		
				90	-0.1	1.8		
				13	-0.0	1.8		
				221	-0.0	1.5		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
		q5_ps	Cent	-16.1	0.2	-0.6	0.2	
-16.1	-87.91		217	-17.2	-1.3	-2.2	-1.0	
-17.5	-82.12		90	-16.4	1.2	0.9	1.2	
-16.5	86.99		13	-14.9	1.6	1.1	1.7	
-15.0	86.38		221	-15.7	-0.8	-2.1	-0.5	
-16.0	-82.04							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
			Cent	-0.1	-0.5	0.0	-0.1	
-0.5	1.39		217	-0.1	-0.4	0.0	-0.1	
-0.4	1.42		90	-0.1	-0.4	0.0	-0.1	
-0.4	1.57		13	-0.2	-0.6	0.0	-0.2	
-0.6	0.33		221	-0.2	-0.5	0.0	-0.2	
-0.5	0.03							
				NODE	Vxx	Vyy		
				Cent	-0.0	1.6		
				217	-0.1	1.4		
				90	-0.1	1.8		
				13	-0.0	1.8		
				221	-0.0	1.4		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
		INVSLU	Max	Cent	-2143.6	74.5	-343.6	126.4
-2205.1	-81.39			217	-2077.3	141.7	-138.9	150.3
-2093.2	-86.45			90	-2060.7	94.6	-538.8	220.5
-2197.0	-76.68			13	-2210.0	34.9	-530.1	153.1
-2336.2	-77.33			221	-2225.9	74.6	-116.4	80.4
-2236.0	-87.12		Min	Cent	-2559.0	-343.2	-883.4	-45.5
-2867.0	-73.87			217	-2441.0	-399.4	-640.8	-215.0
-2625.4	-73.94							

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-2950.4	-69.47	90	-2457.5	-373.3	-1132.6	91.9
-3190.1	-70.33	13	-2713.1	-444.5	-1150.4	16.6
-2869.1	-74.93	221	-2694.9	-466.8	-646.8	-292.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Max Cent	0.2	0.6	0.0	0.6
0.2	88.47	217	0.2	0.5	0.0	0.5
0.2	87.94	90	0.1	0.5	0.0	0.5
0.1	87.89	13	0.3	0.8	0.0	0.8
0.3	87.60	221	0.2	0.7	0.0	0.7
0.2	87.62	Min Cent	-0.3	-1.1	-0.0	-0.3
-1.1	-0.55	217	-0.3	-1.0	-0.0	-0.3
-1.0	-1.46	90	-0.3	-1.0	-0.0	-0.3
-1.0	-0.46	13	-0.4	-1.4	-0.0	-0.4
-1.4	-1.05	221	-0.4	-1.2	-0.0	-0.4
-1.2	-1.86					

	NODE	Vxx	Vyy
Max	Cent	0.1	2.6
	217	0.1	2.4
	90	0.1	3.0
	13	0.0	3.0
	221	0.0	2.4
Min	Cent	-0.1	-2.5
	217	-0.1	-2.3
	90	-0.1	-2.8
	13	-0.0	-2.8
	221	-0.0	-2.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		INVSLV	Max Cent	-1077.9	-6.4	-258.1	79.0
-1139.0	-75.16		217	-1034.1	10.7	-167.2	54.5
-1060.8	-78.92		90	-1032.5	5.4	-348.8	146.6
-1143.9	-71.16		13	-1121.4	-21.3	-347.4	114.7
-1227.0	-72.01		221	-1123.0	-17.2	-165.8	24.2
-1147.9	-79.51		Min Cent	-1148.4	-14.9	-322.2	43.9
-1231.0	-77.17		217	-1103.6	-6.4	-224.2	19.7
-1146.8	-81.09		90	-1104.4	1.3	-422.6	109.6
-1241.9	-73.19						

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-1324.5	-73.93	13	-1193.5	-25.4	-421.9	75.7
-1233.5	-81.62	221	-1192.7	-32.0	-223.5	-7.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.1	-88.31	Max Cent	0.1	0.3	0.0	0.3
0.1	-88.24	217	0.1	0.2	0.0	0.2
0.1	-88.06	90	0.1	0.2	0.0	0.2
0.1	-89.32	13	0.1	0.3	0.0	0.3
0.1	-89.63	221	0.1	0.3	0.0	0.3
-0.3	1.85	Min Cent	-0.1	-0.3	-0.0	-0.1
-0.2	2.10	217	-0.1	-0.2	-0.0	-0.1
-0.2	2.04	90	-0.1	-0.2	-0.0	-0.1
-0.4	0.72	13	-0.1	-0.4	-0.0	-0.1
-0.3	0.54	221	-0.1	-0.3	-0.0	-0.1

NODE	Vxx	Vyy
Max Cent	0.0	0.9
217	0.0	0.8
90	0.0	1.0
13	0.0	1.0
221	0.0	0.8
Min Cent	-0.0	-0.9
217	-0.0	-0.8
90	-0.0	-1.0
13	0.0	-1.0
221	0.0	-0.8

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE							
266	2	4	Q1-1-2	Max Cent	1032.2	5.0	69.1	1036.8
0.4	3.83			246	1105.6	21.5	119.6	1118.6
8.5	6.22			247	1107.9	26.9	28.1	1108.6
26.1	1.49			2259	958.8	0.5	29.3	959.7
-0.4	1.75			2258	956.5	0.3	121.2	971.6
-14.8	7.11			Min Cent	-10.0	-14.2	-253.8	241.7
-266.0	-44.77			246	-10.8	-5.0	-180.1	172.2
-188.0	-45.46			247	-10.8	-0.6	-331.2	325.6
-336.9	-45.44			2259	-9.3	-30.5	-329.4	309.6
-349.4	-44.08							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
-203.2	-42.61		2258	-9.3	-39.2	-178.3	154.7	
-----								
		Max	Cent	0.0	0.1	0.0	0.1	
0.0	87.59		246	0.0	0.2	0.0	0.2	
0.0	88.11		247	0.0	0.1	0.0	0.1	
0.0	88.11		2259	0.0	0.1	0.0	0.1	
0.0	87.01		2258	0.0	0.1	0.0	0.1	
0.0	87.07	Min	Cent	-0.0	-0.0	-0.0	0.0	
-0.0	-38.58		246	-0.0	-0.0	-0.0	0.0	
-0.0	-32.30		247	-0.0	-0.0	-0.0	0.0	
-0.0	-38.46		2259	-0.0	-0.0	-0.0	0.0	
-0.0	-41.79		2258	-0.0	-0.0	-0.0	0.0	
-0.0	-38.83							
-----								
			NODE	Vxx	Vyy			
		Max	Cent	0.0	0.2			
			246	0.0	0.3			
			247	0.0	0.2			
			2259	0.0	0.2			
			2258	0.0	0.3			
		Min	Cent	-0.0	-0.0			
			246	-0.0	-0.0			
			247	-0.0	-0.0			
			2259	-0.0	-0.0			
			2258	-0.0	-0.0			
-----								
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-0.1	4.26	Q2a-1-2	Max	Cent	621.5	3.3	46.3	624.9
				246	665.5	13.6	80.3	675.3
3.9	6.92			247	667.0	16.8	19.0	667.6
16.3	1.67			2259	577.4	0.3	19.8	578.1
-0.4	1.96			2258	575.9	0.3	81.4	587.2
-11.0	7.89		Min	Cent	-7.4	-9.6	-159.9	151.3
-168.4	-44.81			246	-8.0	-3.5	-113.4	107.7
-119.2	-45.56			247	-8.0	-0.3	-208.2	204.1
-212.4	-45.53			2259	-6.9	-19.3	-207.1	194.1
-220.3	-44.15			2258	-6.9	-25.0	-112.3	96.7
-128.6	-42.70							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	87.89	Max	Cent	0.0	0.1	0.0	0.1
0.0	88.34		246	0.0	0.1	0.0	0.1
0.0	88.35		247	0.0	0.1	0.0	0.1
0.0	87.43		2259	0.0	0.1	0.0	0.1
0.0	87.43		2258	0.0	0.1	0.0	0.1
-0.0	-40.73	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-36.24		246	-0.0	-0.0	-0.0	0.0
-0.0	-40.64		247	-0.0	-0.0	-0.0	0.0
-0.0	-42.88		2259	-0.0	-0.0	-0.0	0.0
-0.0	-40.92		2258	-0.0	-0.0	-0.0	0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.2
	246	0.0	0.2
	247	0.0	0.1
	2259	0.0	0.1
	2258	0.0	0.2
Min	Cent	-0.0	-0.0
	246	-0.0	-0.0
	247	-0.0	-0.0
	2259	-0.0	-0.0
	2258	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-4.3	9.43	SLVx (RS)	Cent	88.0	-1.8	15.3	90.5
-4.1	5.25		246	94.1	-3.3	9.0	94.9
-8.7	12.25		247	94.3	-3.8	22.4	99.1
-6.6	14.07		2259	81.9	-1.0	22.2	87.4
-1.9	6.05		2258	81.7	-1.0	8.9	82.7

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	2.99		Cent	-0.0	-0.0	0.0	-0.0
-0.0	1.35		246	-0.0	-0.0	0.0	-0.0
-0.0	3.23		247	-0.0	-0.0	0.0	-0.0
			2259	-0.0	-0.0	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	5.47		2258	-0.0	-0.0	0.0	-0.0
-0.0	2.86						

NODE	Vxx	Vyy
Cent	-0.0	-0.0
246	-0.0	0.0
247	-0.0	-0.0
2259	0.0	-0.0
2258	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	-19.5	0.8	-5.6	2.2
-21.0	-75.57		246	-19.0	-0.6	-4.6	0.5
-20.1	-76.74		247	-18.7	1.6	-6.8	3.7
-20.7	-73.15		2259	-20.1	1.0	-6.6	3.0
-22.0	-73.95		2258	-20.4	-0.3	-4.5	0.6
-21.4	-78.05						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.1	-0.2	0.0	-0.1
-0.2	3.46	246	-0.1	-0.3	0.0	-0.1
-0.3	1.44	247	-0.1	-0.3	0.0	-0.1
-0.3	3.18	2259	-0.0	-0.1	0.0	-0.0
-0.1	7.25	2258	-0.0	-0.1	0.0	-0.0
-0.1	3.94					

NODE	Vxx	Vyy
Cent	0.0	-1.0
246	0.0	-1.0
247	0.0	-1.0
2259	0.0	-1.0
2258	0.0	-1.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDx (RS)	Cent	44.0	-0.9	7.7	45.2
-2.2	9.43		246	47.0	-1.6	4.5	47.4
-2.1	5.25		247	47.1	-1.9	11.2	49.5
-4.3	12.26		2259	40.9	-0.5	11.1	43.7
-3.3	14.08		2258	40.8	-0.5	4.4	41.3
-1.0	6.06						



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----	-----	-----	-----	-----	-----	-----
-0.0	3.00	Cent	-0.0	-0.0	0.0	-0.0
-0.0	1.35	246	-0.0	-0.0	0.0	-0.0
-0.0	3.23	247	-0.0	-0.0	0.0	-0.0
-0.0	5.47	2259	-0.0	-0.0	0.0	-0.0
-0.0	2.86	2258	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
-----	-----	-----
Cent	-0.0	-0.0
246	-0.0	0.0
247	-0.0	-0.0
2259	0.0	-0.0
2258	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----	-----	-----	-----	-----	-----	-----	-----
-10.5	-75.57	SLDy (RS)	Cent	-9.8	0.4	-2.8	1.1
-10.0	-76.74		246	-9.5	-0.3	-2.3	0.2
-10.4	-73.15		247	-9.3	0.8	-3.4	1.8
-11.0	-73.95		2259	-10.1	0.5	-3.3	1.5
-10.7	-78.05		2258	-10.2	-0.2	-2.2	0.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----	-----	-----	-----	-----	-----	-----
-0.1	3.46	Cent	-0.0	-0.1	0.0	-0.0
-0.2	1.44	246	-0.0	-0.2	0.0	-0.0
-0.1	3.18	247	-0.0	-0.1	0.0	-0.0
-0.1	7.25	2259	-0.0	-0.1	0.0	-0.0
-0.1	3.94	2258	-0.0	-0.1	0.0	-0.0

NODE	Vxx	Vyy
-----	-----	-----
Cent	0.0	-0.5
246	0.0	-0.5
247	0.0	-0.5
2259	0.0	-0.5
2258	0.0	-0.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----	-----	-----	-----	-----	-----	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		SLVz (RS)	Cent	-35.2	-0.8	6.9	0.5
-36.5	79.00		246	-37.7	-1.4	4.1	-1.0
-38.1	83.70		247	-37.8	-1.7	10.0	0.8
-40.4	75.55		2259	-32.7	-0.2	9.9	2.5
-35.4	74.34		2258	-32.6	0.3	4.0	0.8
-33.0	83.20						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	-3.62		Cent	-0.0	-0.0	-0.0	-0.0
			246	-0.0	-0.0	-0.0	-0.0
-0.0	-1.74		247	-0.0	-0.0	0.0	-0.0
-0.0	3.12		2259	-0.0	-0.0	0.0	-0.0
-0.0	6.76		2258	-0.0	-0.0	-0.0	-0.0
-0.0	-4.84						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	0.0		
			246	0.0	0.0		
			247	0.0	0.0		
			2259	-0.0	0.0		
			2258	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-18.6	-8.83	g1	Cent	755.3	0.1	-120.3	774.0
			246	809.9	14.8	-56.7	813.9
10.8	-4.06		247	811.0	18.5	-185.4	852.2
-22.7	-12.54		2259	700.7	-14.6	-183.9	745.2
-59.1	-13.61		2258	699.6	-18.3	-55.1	703.8
-22.5	-4.36						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	-88.24		Cent	0.0	0.0	-0.0	0.0
			246	0.0	0.0	-0.0	0.0
0.0	-89.19		247	0.0	0.0	-0.0	0.0
0.0	-87.33		2259	0.0	0.0	-0.0	0.0
0.0	-86.81		2258	0.0	0.0	-0.0	0.0
0.0	-88.95						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

NODE	Vxx	Vyy
Cent	0.0	0.0
246	0.0	0.0
247	0.0	0.0
2259	0.0	0.0
2258	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-12.1	-8.54	g2	Cent	365.9	-3.6	-56.7	374.5
2.3	-3.78		246	392.6	4.0	-25.8	394.3
-14.2	-12.25		247	392.9	5.0	-88.4	412.1
-31.8	-13.30		2259	339.3	-11.1	-87.7	360.0
-13.9	-4.07		2258	339.0	-12.1	-25.1	340.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	25.29	Cent	-0.0	-0.0	0.0	-0.0
-0.0	5.36	246	-0.0	-0.0	0.0	-0.0
-0.0	31.85	247	-0.0	-0.0	0.0	0.0
-0.0	61.04	2259	0.0	0.0	0.0	0.0
-0.0	25.64	2258	-0.0	-0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
246	0.0	-0.0
247	0.0	-0.0
2259	0.0	-0.0
2258	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.6	3.50	q3	Cent	41.4	-0.4	2.6	41.6
-0.4	6.80		246	43.7	0.3	5.3	44.4
0.3	-0.23		247	43.7	0.3	-0.2	43.7
-1.1	-0.18		2259	39.1	-1.1	-0.1	39.1
-1.8	7.39		2258	39.1	-1.1	5.3	39.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

				Vxx	Vyy		
0.0	-87.89	Cent		0.0	0.0	-0.0	0.0
0.0	-88.98	246		0.0	0.0	-0.0	0.0
0.0	-86.69	247		0.0	0.0	-0.0	0.0
0.0	-86.44	2259		0.0	0.0	-0.0	0.0
0.0	-88.49	2258		0.0	0.0	-0.0	0.0
		NODE		Vxx	Vyy		
		Cent		0.0	0.0		
		246		-0.0	0.0		
		247		-0.0	0.0		
		2259		0.0	0.0		
		2258		0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-26.2	86.58	q5_pc	Cent	-26.1	0.8	1.6	0.9
-26.6	87.27		246	-26.5	0.2	1.3	0.3
-26.3	86.15		247	-26.2	1.2	1.9	1.3
-25.9	85.89		2259	-25.7	1.3	2.0	1.5
-26.1	87.02		2258	-26.0	0.3	1.4	0.4
			NODE	Mxx	Myy	Mxy	Mmax
-0.3	2.68		Cent	-0.1	-0.3	0.0	-0.1
-0.5	1.00		246	-0.1	-0.5	0.0	-0.1
-0.5	2.63		247	-0.1	-0.5	0.0	-0.1
-0.2	6.17		2259	-0.1	-0.2	0.0	-0.1
-0.2	2.62		2258	-0.1	-0.2	0.0	-0.1
			NODE	Vxx	Vyy		
			Cent	0.0	-1.6		
			246	0.0	-1.5		
			247	0.0	-1.7		
			2259	0.0	-1.7		
			2258	0.0	-1.5		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_ps	Cent	-21.5	0.4	0.9	0.5

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-21.5	87.56		246	-21.7	-0.0	0.8	0.0
-21.7	87.85		247	-21.4	0.8	1.0	0.9
-21.5	87.50		2259	-21.3	0.9	1.1	0.9
-21.4	87.27		2258	-21.6	0.0	0.9	0.1
-21.6	87.61						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
------	-------	--	------	-----	-----	-----	------

-----							
			Cent	-0.1	-0.3	0.0	-0.1
-0.3	2.71		246	-0.1	-0.5	0.0	-0.1
-0.5	1.02		247	-0.1	-0.5	0.0	-0.1
-0.5	2.65		2259	-0.1	-0.2	0.0	-0.1
-0.2	6.22		2258	-0.1	-0.2	0.0	-0.1
-0.2	2.67						

	NODE	Vxx	Vyy
-----			
	Cent	0.0	-1.6
	246	0.0	-1.5
	247	0.0	-1.7
	2259	0.0	-1.7
	2258	0.0	-1.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

-----							
		INVSLU	Max	Cent	3045.7	4.9	-125.6
-0.4	-2.41			246	3360.7	76.4	195.7
64.7	3.36			247	3373.5	117.7	-442.2
57.9	-7.65			2259	2730.8	-50.4	-432.5
-117.1	-8.70			2258	2717.9	-84.7	206.0
-93.9	4.13		Min	Cent	1586.3	-22.4	-564.5
-197.3	-12.36			246	1800.8	40.2	-211.2
15.9	-4.78			247	1811.2	78.5	-930.7
-321.6	-18.95			2259	1371.8	-94.5	-920.2
-532.2	-21.28			2258	1361.4	-138.6	-200.9
-164.2	-5.26						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
------	-------	--	------	-----	-----	-----	------

-----							
			Max	Cent	0.2	0.7	0.0
0.2	-88.57			246	0.3	0.9	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.3	-89.64		247	0.3	0.9	0.0	0.9
0.3	-88.27		2259	0.1	0.4	0.0	0.5
0.1	-86.45		2258	0.1	0.5	0.0	0.5
0.1	-89.15	Min	Cent	-0.1	-0.5	-0.0	-0.1
-0.5	1.67		246	-0.2	-0.7	-0.0	-0.2
-0.7	0.44		247	-0.2	-0.7	-0.0	-0.2
-0.7	1.87		2259	-0.1	-0.3	-0.0	-0.1
-0.3	4.24		2258	-0.1	-0.3	-0.0	-0.1
-0.3	1.17						

	NODE	Vxx	Vyy
Max	Cent	0.0	2.7
	246	0.0	2.6
	247	0.0	2.9
	2259	0.0	2.9
	2258	0.0	2.6
Min	Cent	-0.0	-2.3
	246	-0.0	-2.2
	247	-0.0	-2.4
	2259	-0.0	-2.4
	2258	-0.0	-2.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-24.3	-6.64	INVSLV	Max Cent	1258.2	-3.0	-145.2	1275.6
31.2	0.11		246	1399.4	31.4	5.0	1399.5
-24.2	-12.06		247	1404.6	49.2	-299.3	1469.8
-111.4	-13.75		2259	1117.0	-36.6	-294.9	1190.6
-53.8	0.34		2258	1111.8	-53.7	9.4	1111.8
-33.4	-9.40	Min	Cent	1049.4	-7.5	-183.5	1079.1
23.6	-0.79		246	1177.2	23.6	-18.2	1177.4
-50.6	-15.77		247	1182.2	39.5	-354.1	1280.5
-148.5	-17.81		2259	921.5	-39.4	-349.2	1031.8
-56.1	-0.65		2258	916.6	-56.0	-13.4	916.7
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	-86.95	Max	Cent	0.1	0.2	0.0	0.3
0.1	-88.77		246	0.1	0.3	0.0	0.3
			247	0.1	0.3	0.0	0.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.1	-87.03			2259	0.0	0.2	0.0	0.2
0.0	-83.62			2258	0.0	0.2	0.0	0.2
0.0	-86.74							
-0.2	3.90	Min	Cent		-0.1	-0.2	-0.0	-0.1
-0.3	1.66			246	-0.1	-0.3	-0.0	-0.1
-0.3	3.44			247	-0.1	-0.3	-0.0	-0.1
-0.1	8.38			2259	-0.0	-0.1	-0.0	-0.0
-0.1	4.75			2258	-0.0	-0.1	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	1.0
	246	0.0	1.0
	247	0.0	1.0
	2259	0.0	1.0
	2258	0.0	1.0
Min	Cent	-0.0	-1.0
	246	-0.0	-1.0
	247	-0.0	-0.9
	2259	-0.0	-0.9
	2258	-0.0	-1.0

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
267	2	10	Q1-1-2	Max	Cent	956.7	8.1	75.3	962.7
2.1		4.51			247	996.7	28.8	99.8	1006.8
18.6		5.83			248	988.7	18.5	53.2	991.6
15.6		3.13			2260	916.8	7.1	54.7	920.1
3.8		3.43			2259	924.7	11.1	101.4	935.8
0.0		6.26		Min	Cent	-9.0	-13.9	-242.3	230.8
-253.8		-44.71			247	-9.3	-8.1	-204.2	195.4
-212.9		-45.08			248	-9.3	-18.9	-277.4	263.3
-291.6		-44.50			2260	-8.7	-34.2	-280.9	259.7
-302.6		-43.70			2259	-8.7	-21.8	-207.6	192.5
-222.9		-44.09							
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
				Max	Cent	0.0	0.1	0.0	0.1
0.0		86.92			247	0.0	0.1	0.0	0.1
0.0		88.23			248	0.0	0.1	0.0	0.1
0.0		86.07			2260	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	84.34		2259	0.0	0.1	0.0	0.1
0.0	86.90						
-0.0	-41.62	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-37.88		247	-0.0	-0.0	-0.0	0.0
-0.0	-38.22		248	-0.0	-0.0	-0.0	0.0
-0.0	-52.71		2260	-0.0	-0.0	-0.0	0.0
-0.0	-42.78		2259	-0.0	-0.0	-0.0	0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.1
	247	0.0	0.2
	248	0.0	0.1
	2260	0.0	0.1
	2259	0.0	0.2
Min	Cent	-0.0	-0.0
	247	-0.0	-0.0
	248	-0.0	-0.1
	2260	-0.0	-0.1
	2259	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
0.4	4.99	Q2a-1-2	Max	Cent	575.9	4.8	50.3	580.2
10.9	6.46			247	600.0	18.5	66.8	607.6
9.1	3.48			248	595.4	11.3	35.6	597.5
1.8	3.81			2260	551.7	4.2	36.6	554.1
-1.1	6.93			2259	556.3	7.2	67.8	564.6
-161.6	-44.79		Min	Cent	-6.7	-8.9	-153.8	146.0
-135.7	-45.15			247	-6.9	-5.6	-129.4	123.2
-185.3	-44.65			248	-6.9	-11.2	-176.2	167.1
-191.9	-43.86			2260	-6.4	-20.6	-178.3	164.9
-142.2	-44.10			2259	-6.4	-14.7	-131.6	121.0

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
0.0	87.42		Max	Cent	0.0	0.0	0.0	0.0
0.0	88.38			247	0.0	0.1	0.0	0.1
0.0	86.60			248	0.0	0.0	0.0	0.0
0.0	85.28			2260	0.0	0.0	0.0	0.0
				2259	0.0	0.0	0.0	0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	87.34	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-42.70		247	-0.0	-0.0	-0.0	0.0
-0.0	-40.39		248	-0.0	-0.0	-0.0	0.0
-0.0	-38.45		2260	-0.0	-0.0	-0.0	0.0
-0.0	-53.28		2259	-0.0	-0.0	-0.0	0.0
-0.0	-43.65						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.1
	247	0.0	0.1
	248	0.0	0.1
	2260	0.0	0.1
	2259	0.0	0.1
Min	Cent	-0.0	-0.0
	247	-0.0	-0.0
	248	-0.0	-0.1
	2260	-0.0	-0.1
	2259	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	81.6	-1.9	13.6	83.8
-4.1	9.03		247	84.7	-3.4	10.5	85.9
-4.6	6.68		248	84.3	-2.0	16.8	87.4
-5.1	10.64		2260	78.6	-0.7	16.9	82.1
-4.1	11.53		2259	79.0	-1.9	10.6	80.4
-3.2	7.31						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	6.51		247	-0.0	-0.0	-0.0	-0.0
-0.0	-2.64		248	-0.0	-0.0	0.0	-0.0
-0.0	7.94		2260	0.0	-0.0	0.0	0.0
-0.0	8.73		2259	-0.0	-0.0	0.0	-0.0
-0.0	8.15						

	NODE	Vxx	Vyy
	Cent	-0.0	0.0
	247	-0.0	-0.0
	248	-0.0	0.0
	2260	-0.0	0.0
	2259	-0.0	-0.0

LC	NODE	Fxx	Fyy	Fxy	Fmax
----	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE						
		SLVy (RS)	Cent	-17.0	-0.9	-3.0	-0.4
-17.6	-79.72		247	-15.9	1.3	-2.2	1.6
-16.2	-82.94		248	-16.9	-2.6	-3.6	-1.8
-17.7	-76.75		2260	-18.1	-3.0	-3.9	-2.0
-19.1	-76.26		2259	-17.2	1.0	-2.5	1.3
-17.5	-82.23						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.1	0.0	-0.0
-0.1	9.14		247	-0.1	-0.2	0.0	-0.1
-0.2	2.56		248	-0.0	-0.1	0.0	-0.0
-0.1	8.70		2260	0.0	-0.0	0.0	0.0
-0.0	28.86		2259	-0.0	-0.1	0.0	-0.0
-0.1	11.60						
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.7		
			247	0.0	-0.7		
			248	0.0	-0.7		
			2260	-0.0	-0.7		
			2259	-0.0	-0.7		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDx (RS)	Cent	40.8	-0.9	6.8	41.9
-2.0	9.04		247	42.3	-1.7	5.2	42.9
-2.3	6.69		248	42.1	-1.0	8.4	43.7
-2.6	10.64		2260	39.3	-0.3	8.4	41.0
-2.1	11.53		2259	39.5	-0.9	5.3	40.2
-1.6	7.32						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	6.51		247	-0.0	-0.0	-0.0	-0.0
-0.0	-2.64		248	-0.0	-0.0	0.0	-0.0
-0.0	7.95		2260	0.0	-0.0	0.0	0.0
-0.0	8.74		2259	-0.0	-0.0	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

- 0.0            8.15

NODE	Vxx	Vyy
Cent	-0.0	0.0
247	-0.0	-0.0
248	-0.0	0.0
2260	-0.0	0.0
2259	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-8.8	-79.72	SLDy (RS)	Cent	-8.5	-0.5	-1.5	-0.2
-8.1	-82.93		247	-8.0	0.7	-1.1	0.8
-8.9	-76.75		248	-8.4	-1.3	-1.8	-0.9
-9.5	-76.26		2260	-9.1	-1.5	-2.0	-1.0
-8.8	-82.22		2259	-8.6	0.5	-1.3	0.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.1	9.14	Cent	-0.0	-0.1	0.0	-0.0
-0.1	2.56	247	-0.0	-0.1	0.0	-0.0
-0.1	8.70	248	-0.0	-0.1	0.0	-0.0
-0.0	28.85	2260	0.0	-0.0	0.0	0.0
-0.1	11.60	2259	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.3
247	0.0	-0.3
248	0.0	-0.4
2260	-0.0	-0.4
2259	-0.0	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-34.1	79.41	SLVz (RS)	Cent	-32.9	-0.9	6.2	0.3
-34.9	81.83		247	-34.2	-1.6	4.8	-0.9
-35.7	77.69		248	-34.0	-0.9	7.6	0.8
-33.4	77.05		2260	-31.6	-0.2	7.6	1.6
-32.5	81.35		2259	-31.8	-0.8	4.8	-0.1

NODE	Mxx	Myy	Mxy	Mmax
------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE						
-0.0	-8.10		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	2.31		247	-0.0	-0.0	0.0	-0.0
-0.0	9.62		248	-0.0	-0.0	0.0	-0.0
-0.0	-21.50		2260	-0.0	-0.0	-0.0	-0.0
-0.0	10.01		2259	-0.0	-0.0	0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			247	0.0	0.0		
			248	0.0	0.0		
			2260	-0.0	0.0		
			2259	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-13.5	-8.31	g1	Cent	701.6	1.8	-104.5	716.9
7.7	-5.86		247	729.2	15.3	-74.0	736.7
-20.5	-10.20		248	725.7	3.7	-134.3	749.8
-37.3	-10.74		2260	674.1	-11.7	-135.0	699.7
-8.2	-6.22		2259	677.6	-0.1	-74.7	685.7
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-86.65		Cent	0.0	0.0	-0.0	0.0
0.0	-88.23		247	0.0	0.0	-0.0	0.0
0.0	-83.44		248	0.0	0.0	-0.0	0.0
0.0	-84.90		2260	0.0	0.0	-0.0	0.0
0.0	-86.27		2259	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			247	0.0	0.0		
			248	0.0	-0.0		
			2260	0.0	-0.0		
			2259	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-8.6	-7.72	g2	Cent	339.9	-2.2	-47.2	346.3
			247	352.8	3.6	-32.8	355.9
0.6	-5.32		248	351.5	-0.7	-61.5	361.9
-11.2	-9.62		2260	326.9	-8.1	-61.7	337.9
-19.1	-10.11		2259	328.2	-3.7	-33.0	331.5
-6.9	-5.62						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	71.24		Cent	0.0	0.0	0.0	0.0
-0.0	32.50		247	-0.0	-0.0	0.0	0.0
0.0	84.18		248	0.0	0.0	0.0	0.0
0.0	83.37		2260	0.0	0.0	0.0	0.0
0.0	56.12		2259	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.0		
			247	0.0	-0.0		
			248	0.0	-0.0		
			2260	0.0	-0.0		
			2259	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-0.5	4.68	q3	Cent	37.1	-0.3	3.1	37.4
			247	37.8	-0.2	3.9	38.2
-0.6	5.84		248	37.9	0.1	2.2	38.0
-0.0	3.30		2260	36.4	-0.3	2.2	36.6
-0.5	3.47		2259	36.3	-0.7	4.0	36.8
-1.1	6.07						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	-88.56		Cent	0.0	0.0	-0.0	0.0
0.0	-86.30		247	0.0	0.0	-0.0	0.0
0.0	89.95		248	0.0	0.0	0.0	0.0
0.0	89.44		2260	0.0	0.0	0.0	0.0
0.0	-86.46		2259	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

```

-----
                Cent      0.0      0.0
                247      -0.0      0.0
                248      -0.0      0.0
                2260      0.0      0.0
                2259      0.0      0.0
    
```

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-24.1	87.88	q5_pc	Cent	-24.0	1.4	0.9	1.4
-23.4	85.21		247	-23.2	0.9	2.0	1.1
-22.8	-89.24		248	-22.8	2.4	-0.3	2.4
-24.8	-89.67		2260	-24.8	1.8	-0.2	1.8
-25.5	85.08		2259	-25.3	0.3	2.2	0.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.2	8.86	Cent	-0.1	-0.2	0.0	-0.0
-0.3	2.63	247	-0.1	-0.3	0.0	-0.1
-0.2	8.30	248	-0.1	-0.2	0.0	-0.1
-0.1	24.17	2260	-0.0	-0.1	0.0	0.0
-0.2	11.53	2259	-0.0	-0.1	0.0	-0.0

```

-----
                NODE      Vxx      Vyy
                Cent      -0.0      -1.0
                247       0.0      -1.1
                248       0.0      -0.9
                2260      -0.0      -0.9
                2259      -0.0      -1.1
    
```

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-19.7	87.55	q5_ps	Cent	-19.7	1.0	0.9	1.1
-19.2	84.58		247	-19.0	0.6	1.9	0.7
-18.6	-89.25		248	-18.6	2.0	-0.3	2.0
-20.4	-89.75		2260	-20.4	1.5	-0.1	1.5
-21.0	84.45		2259	-20.8	0.0	2.0	0.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.2	8.88	Cent	-0.1	-0.2	0.0	-0.0
-0.3	2.64	247	-0.1	-0.3	0.0	-0.1
-0.2	8.33	248	-0.1	-0.2	0.0	-0.1
-0.1	24.09	2260	-0.0	-0.1	0.0	0.0
-0.2	11.54	2259	-0.0	-0.1	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	-1.0
247	0.0	-1.1
248	0.0	-0.9
2260	-0.0	-0.9
2259	-0.0	-1.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
11.8	-1.86	INVSLU Max	Cent	2813.0	14.7	-89.3	2815.9
82.6	2.32		247	3019.5	87.8	122.5	3024.3
45.4	-5.78		248	3008.8	76.4	-300.5	3039.2
-65.0	-6.30		2260	2606.5	-31.7	-295.3	2639.1
-35.0	2.68		2259	2617.2	-28.7	128.0	2623.0
-178.2	-12.24	Min	Cent	1461.1	-17.4	-519.6	1575.5
-14.4	-7.74		247	1615.2	36.3	-291.5	1644.8
-269.7	-17.10		248	1616.2	21.5	-747.4	1826.0
-412.3	-18.94		2260	1307.0	-90.6	-748.6	1534.1
-131.4	-8.81		2259	1306.0	-73.7	-293.1	1339.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.1	-84.00	Max	Cent	0.1	0.4	0.4
0.2	-88.34		247	0.2	0.6	0.6
0.1	-84.20		248	0.1	0.4	0.4
0.0	-74.58		2260	0.0	0.2	0.2
0.1	-82.27		2259	0.1	0.3	0.3
-0.3	8.15	Min	Cent	-0.1	-0.2	-0.1
-0.5	2.09		247	-0.1	-0.5	-0.1
-0.3	7.22		248	-0.1	-0.3	-0.1
			2260	-0.0	-0.1	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1      30.94  
 -0.2      10.24

	NODE	Vxx	Vyy
Max	Cent	0.0	1.7
	247	0.0	1.9
	248	0.0	1.5
	2260	0.1	1.5
	2259	0.1	1.9
Min	Cent	-0.0	-1.5
	247	-0.0	-1.6
	248	-0.0	-1.4
	2260	-0.0	-1.4
	2259	-0.0	-1.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-15.7	-6.05	INVSLV	Max Cent	1162.2	1.3	-121.1	1175.4
28.7	-1.13		247	1254.9	30.7	-21.3	1255.4
-16.2	-10.14		248	1254.3	28.4	-222.7	1294.9
-72.0	-11.16		2260	1069.4	-25.5	-220.7	1113.9
-27.0	-1.16		2259	1070.0	-24.8	-19.4	1070.5
-22.7	-8.61		Min Cent	968.9	-3.6	-153.9	991.7
21.8	-2.43		247	1055.5	22.2	-46.4	1057.4
-35.8	-13.33		248	1055.2	21.5	-262.9	1116.5
-97.3	-14.71		2260	882.3	-32.0	-261.4	949.7
-30.0	-2.65		2259	882.6	-29.6	-45.0	884.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-81.86	Max Cent	0.0	0.1	0.0	0.1
0.1	-87.71	247	0.1	0.2	0.0	0.2
0.0	-81.69	248	0.0	0.1	0.0	0.1
0.0	-66.31	2260	0.0	0.0	0.0	0.0
0.0	-79.60	2259	0.0	0.1	0.0	0.1
-0.1	10.26	Min Cent	-0.0	-0.1	-0.0	-0.0
-0.2	2.83	247	-0.1	-0.2	-0.0	-0.1
-0.1	9.18	248	-0.0	-0.1	-0.0	-0.0
-0.0	55.50	2260	-0.0	-0.0	-0.0	0.0
		2259	-0.0	-0.1	-0.0	-0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1      13.08

	NODE	Vxx	Vyy
Max	Cent	0.0	0.7
	247	0.0	0.7
	248	0.0	0.7
	2260	0.0	0.7
	2259	0.0	0.7
Min	Cent	-0.0	-0.7
	247	-0.0	-0.6
	248	-0.0	-0.7
	2260	-0.0	-0.7
	2259	-0.0	-0.6

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
275	2	4	Q1-1-2	Max	Cent	203.4	1.9	124.0	262.4
-57.2		25.46			264	396.5	37.6	159.2	456.9
-22.8		20.79			265	401.7	61.1	76.4	418.0
44.8		12.09			274	26.3	0.6	91.7	106.0
-79.2		41.02			273	19.7	0.8	179.8	190.3
-169.8		43.50		Min	Cent	-2.2	-145.7	-244.5	180.9
-328.7		-36.82			264	-4.1	-118.3	-190.1	137.3
-259.6		-36.64			265	-4.1	-97.3	-304.8	257.6
-359.0		-40.66			274	-16.7	-190.9	-302.0	210.5
-418.1		-36.96			273	-22.8	-222.3	-185.7	88.2
-333.4		-30.88							

	NODE	Mxx	Myy	Mxy	Mmax
Max	Cent	0.0	0.0	0.0	0.0
	264	0.0	0.0	0.0	0.0
	265	0.0	0.0	0.0	0.0
	274	0.0	0.0	0.0	0.0
	273	0.0	0.0	0.0	0.0
Min	Cent	-0.1	-0.1	-0.0	-0.1
	264	-0.0	-0.1	-0.0	-0.0
	265	-0.0	-0.1	-0.0	-0.0
	274	-0.1	-0.2	-0.0	-0.1
	273	-0.1	-0.2	-0.0	-0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
Max	Cent	0.0	0.3
	264	0.0	0.3
	265	0.0	0.3
	274	0.0	0.3
	273	0.0	0.3
Min	Cent	-0.0	-0.0
	264	-0.0	-0.0
	265	-0.0	-0.0
	274	-0.0	-0.0
	273	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax		
-40.8 -20.5 25.7 -52.9 -113.8 -213.3 -169.2 -229.8 -269.2 -216.7	26.97 22.37 13.29 41.23 43.57 -35.83 -35.52 -40.05 -36.30 -30.02	Q2a-1-2	Max	Cent	121.5	1.2	82.6	163.5	
				264	237.5	23.3	106.2	281.2	
				265	240.1	37.7	50.6	252.1	
				274	16.6	0.5	60.9	69.9	
				273	12.6	0.6	120.3	127.1	
				Min	Cent	-1.6	-103.0	-152.9	108.8
					264	-3.0	-84.5	-118.6	81.6
					265	-3.1	-69.6	-190.6	157.2
					274	-11.6	-130.2	-189.3	127.4
					273	-16.0	-149.7	-116.0	51.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax			
-0.0 -0.0 -0.0 0.0 0.0 -0.1 -0.1 -0.0 -0.1 -0.1	52.61 51.75 48.59 56.08 59.90 -2.85 -10.54 -15.28 -1.01 -1.09	Max	Cent	0.0	0.0	0.0	0.0		
			264	0.0	0.0	0.0	0.0		
			265	0.0	0.0	0.0	0.0		
			274	0.0	0.0	0.0	0.0		
			273	0.0	0.0	0.0	0.0		
				Min	Cent	-0.0	-0.1	-0.0	-0.0
					264	-0.0	-0.1	-0.0	-0.0
					265	-0.0	-0.0	-0.0	-0.0
					274	-0.1	-0.1	-0.0	-0.1
					273	-0.1	-0.1	-0.0	-0.1

NODE	Vxx	Vyy
------	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Max	Cent	0.0	0.2
	264	0.0	0.2
	265	0.0	0.2
	274	0.0	0.2
	273	0.0	0.2
Min	Cent	-0.0	-0.0
	264	-0.0	-0.0
	265	-0.0	-0.0
	274	-0.0	-0.0
	273	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-7.0	24.70	SLVx (RS)	Cent	21.9	-0.9	13.3	28.1
-5.4	12.45		264	37.0	-3.3	9.4	39.1
-12.0	20.80		265	37.5	-4.9	18.8	44.6
-16.9	33.54		274	10.3	-4.9	18.0	22.2
-10.3	23.30		273	10.1	-6.5	8.8	13.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-79.64	Cent	0.0	0.0	-0.0	0.0
-0.0	-1.61	264	0.0	-0.0	-0.0	0.0
-0.0	-8.59	265	-0.0	-0.0	-0.0	-0.0
0.0	-76.18	274	0.0	0.0	-0.0	0.0
0.0	-79.97	273	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
264	0.0	-0.0
265	0.0	-0.0
274	0.0	-0.0
273	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-38.8	-75.47	SLVy (RS)	Cent	-36.2	0.4	-10.2	3.0
-33.7	-76.06		264	-31.5	1.3	-8.7	3.4
-35.1	-72.01		265	-31.1	2.6	-12.2	6.5
-44.1	-74.99		274	-41.0	-0.6	-11.7	2.6
-42.9	-78.85		273	-41.3	-1.9	-8.1	-0.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	-82.76		Cent	0.1	0.1	-0.0	0.1
0.1	-88.89		264	0.1	0.2	-0.0	0.2
0.1	-85.71		265	0.1	0.2	-0.0	0.2
0.0	-60.32		274	0.0	0.1	-0.0	0.1
0.0	-75.11		273	0.0	0.1	-0.0	0.1

NODE	Vxx	Vyy
Cent	-0.0	0.3
264	-0.0	0.3
265	-0.0	0.2
274	-0.0	0.2
273	-0.0	0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-3.5	24.72	SLDx (RS)	Cent	11.0	-0.5	6.7	14.0
-2.7	12.46		264	18.5	-1.7	4.7	19.5
-6.0	20.81		265	18.7	-2.4	9.4	22.3
-8.4	33.54		274	5.1	-2.5	9.0	11.1
-5.1	23.31		273	5.1	-3.3	4.4	6.9

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-79.64		Cent	0.0	0.0	-0.0	0.0
-0.0	-1.62		264	0.0	-0.0	-0.0	0.0
-0.0	-8.60		265	-0.0	-0.0	-0.0	-0.0
0.0	-76.17		274	0.0	0.0	-0.0	0.0
0.0	-79.96		273	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
264	0.0	-0.0
265	0.0	-0.0
274	0.0	-0.0
273	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		SLDy (RS)	Cent	-18.1	0.2	-5.1	1.5
-19.4	-75.47		264	-15.7	0.6	-4.3	1.7
-16.8	-76.06		265	-15.5	1.3	-6.1	3.3
-17.5	-72.01		274	-20.5	-0.3	-5.8	1.3
-22.0	-74.99		273	-20.6	-0.9	-4.0	-0.1
-21.4	-78.85						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	0.1	-0.0	0.1
0.0	-82.75		264	0.0	0.1	-0.0	0.1
0.0	-88.89		265	0.0	0.1	-0.0	0.1
0.0	-85.71		274	0.0	0.0	-0.0	0.0
0.0	-60.32		273	0.0	0.0	-0.0	0.0
0.0	-75.10						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	0.1		
			264	-0.0	0.1		
			265	-0.0	0.1		
			274	-0.0	0.1		
			273	-0.0	0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVz (RS)	Cent	-7.2	0.3	6.0	3.6
-10.6	61.00		264	-13.7	-1.4	4.0	-0.3
-14.9	73.67		265	-14.0	-2.1	8.5	2.4
-18.4	62.40		274	-2.1	2.0	8.2	8.3
-8.5	52.00		273	-2.1	2.7	3.6	4.6
-4.0	61.59						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-10.66		264	-0.0	-0.0	-0.0	-0.0
-0.0	-3.52		265	-0.0	-0.0	-0.0	-0.0
-0.0	-7.05		274	0.0	0.0	-0.0	0.0
0.0	-67.86		273	0.0	0.0	-0.0	0.0
0.0	-73.90						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
	Cent	0.0	-0.0
	264	0.0	-0.0
	265	0.0	-0.0
	274	0.0	-0.0
	273	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g1	Cent	149.7	-22.9	-92.4	189.8
-63.1	-23.49		264	293.2	14.2	-45.3	300.3
7.0	-9.01		265	297.2	27.6	-147.3	362.0
-37.2	-23.77		274	6.2	-60.1	-139.6	116.5
-170.4	-38.33		273	2.1	-73.5	-37.6	17.7
-89.0	-22.44						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	15.65		264	0.0	0.0	0.0	0.0
0.0	79.25		265	0.0	0.0	0.0	0.0
0.0	78.46		274	-0.0	-0.0	0.0	-0.0
-0.0	4.66		273	-0.0	-0.0	0.0	-0.0
-0.0	4.07						

	NODE	Vxx	Vyy
	Cent	-0.0	0.0
	264	-0.0	0.0
	265	-0.0	0.0
	274	-0.0	0.0
	273	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g2	Cent	70.9	-15.1	-43.4	88.9
-33.2	-22.62		264	141.2	4.2	-20.0	144.0
1.4	-8.12		265	142.4	8.2	-69.6	172.0
-21.4	-23.03		274	0.6	-34.4	-66.8	52.1
-85.9	-37.66		273	-0.6	-38.4	-17.1	5.9
-45.0	-21.07						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-89.74	Cent	0.0	0.0	-0.0	0.0
0.0	87.32	264	0.0	0.0	0.0	0.0
0.0	87.29	265	0.0	0.0	0.0	0.0
0.0	-88.24	274	0.0	0.0	-0.0	0.0
0.0	-88.77	273	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
264	-0.0	-0.0
265	-0.0	-0.0
274	-0.0	-0.0
273	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.9	18.19	q3	Cent	17.6	-0.7	6.7	19.8
-2.1	18.67		264	23.3	0.8	8.6	26.2
0.5	11.09		265	23.5	1.4	4.5	24.4
-3.7	17.38		274	11.8	-2.1	4.8	13.3
-7.0	25.58		273	11.6	-2.8	8.9	15.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-81.55	Cent	-0.0	0.0	-0.0	0.0
0.0	-85.31	264	0.0	0.0	-0.0	0.0
0.0	-86.60	265	0.0	0.0	-0.0	0.0
-0.0	-15.80	274	-0.0	-0.0	-0.0	-0.0
-0.0	-13.85	273	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
264	0.0	0.0
265	0.0	0.0
274	0.0	0.0
273	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-26.7	88.95	q5_pc	Cent	-26.7	0.6	0.5	0.7

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-26.8	89.17	264	-26.8	0.4	0.4	0.4
-26.6	89.13	265	-26.6	0.9	0.4	0.9
-26.6	88.74	274	-26.5	0.9	0.6	0.9
-26.7	88.77	273	-26.7	0.4	0.6	0.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

0.1	-83.69	Cent	0.1	0.2	-0.0	0.2
0.1	-88.98	264	0.1	0.3	-0.0	0.3
0.1	-85.84	265	0.1	0.3	-0.0	0.3
0.1	-62.33	274	0.1	0.1	-0.0	0.1
0.0	-77.95	273	0.0	0.1	-0.0	0.1

NODE	Vxx	Vyy
------	-----	-----

Cent	-0.1	0.4
264	-0.1	0.5
265	-0.1	0.4
274	-0.1	0.4
273	-0.1	0.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

-23.7	-89.50	q5_ps	Cent	-23.7	0.1	-0.2	0.1
-23.4	-89.80		264	-23.4	0.2	-0.1	0.2
-23.3	-89.14		265	-23.3	0.3	-0.4	0.3
-24.1	-89.21		274	-24.1	0.0	-0.3	0.0
-24.1	-89.85		273	-24.1	-0.0	-0.1	-0.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

0.1	-83.86	Cent	0.1	0.2	-0.0	0.2
0.1	-89.02	264	0.1	0.3	-0.0	0.3
0.1	-85.90	265	0.1	0.3	-0.0	0.3
0.1	-64.47	274	0.1	0.1	-0.0	0.1
0.0	-78.73	273	0.0	0.1	-0.0	0.1

NODE	Vxx	Vyy
------	-----	-----

Cent	-0.1	0.4
------	------	-----



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

264 -0.1 0.4  
 265 -0.1 0.4  
 274 -0.1 0.4  
 273 -0.1 0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-776.7	-64.77	INVSLU Max	Cent	-776.6	-41.1	6.2	-9.5
-119.9	46.39		264	124.8	150.3	257.5	394.3
-93.2	-52.76		265	164.7	293.1	-314.3	708.4
-1695.3	-64.67		274	-1650.8	-185.9	-241.2	-79.8
-1717.2	77.16		273	-1688.1	-296.6	337.8	-220.5
-1324.6	-70.64	Min	Cent	-1113.0	-241.4	-492.1	-57.5
-556.5	-76.56		264	-473.8	-60.8	-214.7	11.8
-1043.2	-60.02		265	-440.7	77.6	-829.7	458.8
-2118.7	-80.87		274	-1768.8	-446.0	-773.7	-148.6
-1823.5	-82.76		273	-1808.2	-598.6	-156.7	-578.1

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	-85.86	Max	Cent	0.1	0.2	0.0	0.2
0.2	88.66		264	0.2	0.4	0.0	0.4
0.2	-89.11		265	0.2	0.4	0.0	0.4
0.1	-27.99		274	0.1	0.1	0.0	0.1
0.0	-73.06		273	0.0	0.1	0.0	0.1
-0.5	2.90	Min	Cent	-0.2	-0.5	-0.0	-0.2
-0.6	0.07		264	-0.2	-0.6	-0.0	-0.2
-0.6	2.41		265	-0.3	-0.6	-0.0	-0.3
-0.5	5.70		274	-0.2	-0.5	-0.0	-0.2
-0.5	1.52		273	-0.2	-0.5	-0.0	-0.2

	NODE	Vxx	Vyy
Max	Cent	0.1	1.0
	264	0.1	1.0
	265	0.1	1.0
	274	0.1	1.0
	273	0.1	1.0
Min	Cent	-0.2	-0.5
	264	-0.2	-0.6
	265	-0.2	-0.5

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

274 -0.2 -0.5  
273 -0.2 -0.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-482.0	-75.26	INVSLV	Max Cent	-455.1	-35.9	-103.5	0.7
-59.4	-87.53		264	-57.4	58.3	17.3	58.7
-232.2	-55.03		265	-39.0	120.4	-251.7	324.5
-914.9	-72.76		274	-847.6	-122.5	-223.5	-39.8
-868.0	87.79		273	-865.2	-180.3	45.7	-179.2
-578.2	-77.19		Min Cent	-545.1	-38.1	-139.8	-14.4
-158.8	84.94		264	-158.5	50.1	-9.0	51.9
-334.8	-55.23		265	-141.0	107.8	-301.8	289.5
-1015.9	-74.40		274	-936.9	-133.9	-271.4	-69.9
-956.0	86.92		273	-955.2	-196.0	21.1	-193.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.1	-83.11	Max Cent	0.1	0.1	0.0	0.1
0.1	-89.57		264	0.1	0.2	0.2
0.1	-86.84		265	0.1	0.2	0.2
0.0	-45.75		274	0.0	0.0	0.1
0.0	-69.72		273	0.0	0.0	0.0
-0.1	7.43	Min Cent	-0.1	-0.1	-0.0	-0.1
-0.2	1.74		264	-0.1	-0.2	-0.1
-0.2	5.23		265	-0.1	-0.2	-0.1
-0.1	21.45		274	-0.0	-0.1	-0.0
-0.1	12.10		273	-0.0	-0.1	-0.0

NODE	Vxx	Vyy
Max Cent	0.0	0.3
264	0.0	0.3
265	0.0	0.3
274	0.0	0.3
273	0.0	0.3
Min Cent	-0.0	-0.2
264	-0.1	-0.3
265	-0.1	-0.2
274	-0.0	-0.2
273	-0.0	-0.3

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
276	2	10	Q1-1-2	Max	Cent	197.3	30.1	128.2	266.7
-39.4		28.45			265	370.5	52.3	159.5	436.7
-13.9		22.54			266	391.4	111.0	80.6	412.9
89.5		14.95			275	34.3	17.3	99.8	125.9
-74.3		42.56			274	17.7	0.7	184.6	194.0
-175.6		43.67		Min	Cent	-2.0	-97.7	-233.4	188.4
-288.2		-39.21			265	-3.8	-91.8	-189.4	146.7
-242.3		-38.46			266	-3.9	-58.8	-297.0	266.9
-329.6		-42.36			275	-8.9	-116.5	-280.4	222.8
-348.3		-39.57			274	-21.7	-184.0	-172.2	87.5
-293.2		-32.39							
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
				Max	Cent	0.0	0.0	0.0	0.0
0.0		50.26			265	0.0	0.0	0.0	0.0
0.0		46.71			266	0.0	0.0	0.0	0.0
-0.0		49.17			275	0.0	0.0	0.0	0.0
0.0		43.27			274	0.0	0.0	0.0	0.0
0.0		54.26		Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1		-11.25			265	-0.0	-0.0	-0.0	-0.0
-0.1		-37.82			266	-0.0	-0.0	-0.0	-0.0
-0.1		-19.43			275	-0.0	-0.1	-0.0	-0.0
-0.1		-7.88			274	-0.1	-0.1	-0.0	-0.1
-0.1		-1.46							
				NODE	Vxx	Vyy			
				Max	Cent	0.0	0.1		
					265	0.0	0.2		
					266	0.0	0.0		
					275	0.0	0.0		
					274	0.0	0.2		
				Min	Cent	-0.1	-0.0		
					265	-0.1	-0.0		
					266	-0.1	-0.0		
					275	-0.0	-0.0		
					274	-0.0	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-29.6	29.96	Q2a-1-2	Max Cent	118.0	19.4	85.1	167.0
-15.2	24.14		265	221.4	32.3	106.0	268.9
53.2	16.37		266	234.5	68.8	53.3	250.1
-50.3	42.69		275	21.3	10.6	66.1	82.3
-117.3	43.74		274	11.3	0.5	123.1	129.1
-185.7	-38.44		Min Cent	-1.5	-69.7	-146.2	114.6
-157.0	-37.58		265	-2.8	-65.7	-118.6	88.5
-209.6	-42.02		266	-2.9	-41.8	-186.3	165.0
-222.8	-39.01		275	-5.7	-80.4	-175.9	136.7
-190.7	-31.49		274	-15.2	-124.8	-107.5	50.6
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	47.20		Max Cent	0.0	0.0	0.0	0.0
-0.0	46.33		265	0.0	0.0	0.0	0.0
-0.0	46.33		266	0.0	0.0	0.0	0.0
0.0	41.55		275	0.0	0.0	0.0	0.0
0.0	50.07		274	0.0	0.0	0.0	0.0
-0.1	-11.13		Min Cent	-0.0	-0.1	-0.0	-0.0
-0.0	-37.39		265	-0.0	-0.0	-0.0	-0.0
-0.0	-19.89		266	-0.0	-0.0	-0.0	-0.0
-0.0	-7.57		275	-0.0	-0.0	-0.0	-0.0
-0.1	-1.33		274	-0.1	-0.1	-0.0	-0.1
			NODE	Vxx	Vyy		
			Max Cent	0.0	0.1		
			265	0.0	0.1		
			266	0.0	0.0		
			275	0.0	0.0		
			274	0.0	0.1		
			Min Cent	-0.0	-0.0		
			265	-0.0	-0.0		
			266	-0.0	-0.0		
			275	-0.0	-0.0		
			274	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		SLVx (RS)	Cent	21.1	0.7	12.6	27.1
-5.3	25.47		265	35.7	-4.4	8.7	37.5
-6.2	11.72		266	36.3	6.3	18.0	44.7
-2.1	25.13		275	10.0	3.3	17.1	24.1
-10.7	39.44		274	9.8	-5.2	8.1	13.4
-8.7	23.60						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	-81.29		Cent	-0.0	0.0	-0.0	0.0
-0.0	-16.63		265	-0.0	-0.0	-0.0	-0.0
-0.0	-36.24		266	-0.0	-0.0	-0.0	-0.0
-0.0	73.07		275	-0.0	0.0	0.0	0.0
0.0	-65.53		274	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.0		
			265	0.0	-0.0		
			266	0.0	-0.0		
			275	0.0	-0.0		
			274	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVy (RS)	Cent	-36.3	-0.8	-9.4	1.5
-38.7	-76.03		265	-32.4	0.7	-8.1	2.5
-34.3	-76.91		266	-32.2	-1.6	-11.0	2.0
-35.8	-72.15		275	-40.3	-1.7	-10.7	1.1
-43.0	-75.49		274	-40.4	-2.0	-7.8	-0.5
-41.9	-78.94						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	-56.68		Cent	0.1	0.1	-0.0	0.1
0.1	-80.31		265	0.1	0.1	-0.0	0.1
0.0	-57.95		266	0.0	0.1	-0.0	0.1
0.0	-46.42		275	0.0	0.0	-0.0	0.1
0.0	-49.27		274	0.0	0.0	-0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
	Cent	0.0	0.1
	265	0.1	0.2
	266	0.1	0.1
	275	0.0	0.1
	274	0.0	0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDx (RS)	Cent	10.5	0.3	6.3	13.5
-2.7	25.49		265	17.8	-2.2	4.3	18.7
-3.1	11.73		266	18.1	3.2	9.0	22.3
-1.1	25.15		275	5.0	1.7	8.5	12.0
-5.4	39.44		274	4.9	-2.6	4.1	6.7

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	0.0	-0.0	0.0
-0.0	-81.29		265	-0.0	-0.0	-0.0	-0.0
-0.0	-16.64		266	-0.0	-0.0	-0.0	-0.0
-0.0	-36.17		275	-0.0	0.0	0.0	0.0
-0.0	73.07		274	0.0	0.0	-0.0	0.0
0.0	-65.53						

	NODE	Vxx	Vyy
	Cent	0.0	-0.0
	265	0.0	-0.0
	266	0.0	-0.0
	275	0.0	-0.0
	274	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDy (RS)	Cent	-18.1	-0.4	-4.7	0.8
-19.3	-76.03		265	-16.2	0.3	-4.1	1.3
-17.1	-76.91		266	-16.1	-0.8	-5.5	1.0
-17.9	-72.15		275	-20.1	-0.8	-5.3	0.5
-21.5	-75.49		274	-20.2	-1.0	-3.9	-0.3

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-56.68	Cent	0.0	0.0	-0.0	0.0
0.0	-80.31	265	0.0	0.1	-0.0	0.1
0.0	-57.95	266	0.0	0.0	-0.0	0.0
0.0	-46.42	275	0.0	0.0	-0.0	0.0
0.0	-49.26	274	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.1
265	0.0	0.1
266	0.0	0.0
275	0.0	0.0
274	0.0	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-10.2	60.22	SLVz (RS)	Cent	-7.0	-0.3	5.7	2.9
-14.4	73.79		265	-13.4	-1.9	3.6	-0.8
-18.0	61.82		266	-13.6	-2.8	8.2	1.6
-8.3	51.13		275	-2.1	1.3	7.8	7.5
-3.8	61.16		274	-2.0	2.1	3.3	3.9

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	81.99		Cent	-0.0	0.0	0.0	0.0
-0.0	-15.06		265	-0.0	-0.0	-0.0	-0.0
-0.0	28.21		266	-0.0	-0.0	0.0	-0.0
-0.0	71.77		275	-0.0	0.0	0.0	0.0
0.0	56.47		274	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
265	0.0	-0.0
266	0.0	-0.0
275	0.0	-0.0
274	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g1	Cent	145.3	-9.1	-85.8	183.5

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-47.3	-24.02		265	283.9	24.5	-41.0	290.2
18.2	-8.77		266	289.3	42.6	-140.0	352.5
-20.6	-24.30		275	6.6	-42.7	-130.7	115.0
-151.1	-39.66		274	1.2	-60.8	-31.7	14.5
-74.1	-22.84						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

		Cent	0.0	-0.0	0.0	0.0
-0.0	14.05	265	0.0	0.0	0.0	0.0
0.0	73.92	266	0.0	0.0	0.0	0.0
0.0	34.05	275	-0.0	-0.0	0.0	0.0
-0.0	4.60	274	-0.0	-0.0	0.0	-0.0
-0.0	5.30					

NODE	Vxx	Vyy
------	-----	-----

Cent	-0.0	0.0
265	-0.0	0.0
266	-0.0	0.0
275	-0.0	0.0
274	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

		g2	Cent	69.2	-12.3	-40.6	86.0
-29.1	-22.44		265	138.3	7.9	-17.2	140.6
5.7	-7.40		266	138.6	9.0	-65.8	166.2
-18.5	-22.71		275	0.1	-32.6	-63.9	49.8
-82.2	-37.84		274	-0.2	-33.7	-15.4	5.8
-39.7	-21.34						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

		Cent	0.0	0.0	0.0	0.0
0.0	79.99	265	0.0	0.0	0.0	0.0
0.0	72.40	266	0.0	0.0	0.0	0.0
0.0	73.22	275	0.0	0.0	0.0	0.0
0.0	75.79	274	0.0	0.0	-0.0	0.0
0.0	-85.81					

NODE	Vxx	Vyy
------	-----	-----



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Cent	0.0	-0.0
265	0.0	-0.0
266	0.0	0.0
275	0.0	0.0
274	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-2.2	19.03	q3	Cent	16.6	0.0	6.5	18.9
-1.6	19.27		265	22.0	1.3	8.2	24.9
1.1	11.78		266	22.2	2.0	4.4	23.1
-2.9	18.62		275	11.2	-1.3	4.8	12.8
-6.3	26.44		274	11.0	-2.0	8.6	15.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----						
-0.0	-80.39	Cent	-0.0	0.0	-0.0	0.0
0.0	-82.83	265	0.0	0.0	-0.0	0.0
0.0	-81.09	266	0.0	0.0	-0.0	0.0
-0.0	-81.05	275	-0.0	0.0	-0.0	0.0
-0.0	-31.38	274	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
-----		
Cent	0.0	0.0
265	0.0	0.0
266	0.0	0.0
275	-0.0	0.0
274	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-26.2	88.65	q5_pc	Cent	-26.2	0.7	0.6	0.7
-26.9	89.60		265	-26.9	-0.3	0.2	-0.3
-26.4	88.95		266	-26.4	1.4	0.5	1.4
-25.5	87.73		275	-25.5	1.6	1.1	1.7
-26.0	88.33		274	-26.0	-0.0	0.8	-0.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----						
		Cent	0.1	0.1	-0.0	0.1

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.1	-55.19		265	0.1	0.2	-0.0	0.2
0.1	-80.79		266	0.1	0.1	-0.0	0.1
0.1	-51.80		275	0.1	0.1	-0.0	0.1
0.0	-45.09		274	0.1	0.1	-0.0	0.1
0.0	-49.49						

NODE	Vxx	Vyy
Cent	0.0	0.2
265	0.1	0.3
266	0.1	0.1
275	-0.0	0.1
274	-0.0	0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-23.3	-89.66	q5_ps	Cent	-23.3	-0.7	-0.1	-0.7
-23.2	-89.76		265	-23.2	-0.6	-0.1	-0.6
-23.2	-89.62		266	-23.2	-0.7	-0.1	-0.7
-23.4	-89.56		275	-23.4	-0.7	-0.2	-0.7
-23.3	-89.69		274	-23.3	-0.7	-0.1	-0.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.1	-55.88	Cent	0.1	0.1	-0.0	0.1
0.1	-80.99	265	0.1	0.2	-0.0	0.2
0.1	-52.89	266	0.1	0.1	-0.0	0.1
0.0	-45.48	275	0.1	0.1	-0.0	0.1
0.0	-50.59	274	0.1	0.1	-0.0	0.1

NODE	Vxx	Vyy
Cent	0.0	0.2
265	0.1	0.2
266	0.1	0.1
275	-0.0	0.1
274	-0.0	0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-770.3	-66.91	INVSLU Max	Cent	-769.7	30.9	22.5	56.2
-128.8	51.38		265	77.5	194.4	258.5	400.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-52.3	-54.50		266	139.3	387.9	-288.7	726.2
-1632.8	-66.57		275	-1602.6	-119.3	-209.6	11.1
-1675.6	76.93		274	-1648.8	-255.8	345.5	-176.6
-1276.9	-74.79	Min	Cent	-1096.6	-142.9	-466.8	-2.3
-557.3	-78.13		265	-485.4	-0.7	-212.9	58.6
-994.5	-63.04		266	-451.5	156.2	-799.2	480.2
-2012.5	-82.03		275	-1716.5	-302.9	-724.8	-92.6
-1784.0	-83.87		274	-1763.4	-505.9	-137.5	-491.3

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	-39.03	Max	Cent	0.1	0.1	0.0	0.2
0.2	-85.40		265	0.2	0.3	0.0	0.3
0.1	-30.76		266	0.1	0.1	0.0	0.1
-0.0	-29.94		275	0.1	0.0	0.1	0.1
0.0	-34.17		274	0.1	0.1	0.1	0.1
-0.3	16.69	Min	Cent	-0.2	-0.3	-0.0	-0.2
-0.4	5.39		265	-0.3	-0.4	-0.0	-0.3
-0.3	13.80		266	-0.2	-0.3	-0.0	-0.2
-0.3	25.72		275	-0.1	-0.2	-0.1	-0.1
-0.3	16.04		274	-0.2	-0.3	-0.0	-0.2

	NODE	Vxx	Vyy
Max	Cent	0.0	0.4
	265	0.1	0.6
	266	0.1	0.2
	275	-0.0	0.2
	274	-0.0	0.6
Min	Cent	-0.1	-0.2
	265	-0.2	-0.3
	266	-0.2	-0.1
	275	-0.1	-0.1
	274	-0.1	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-474.1	-75.99	INVSLV	Max	Cent	-449.9	-22.9	-98.8	8.4
-66.1	-88.97			265	-63.7	75.5	20.3	75.5
-222.7	-55.22			266	-49.3	123.6	-240.1	307.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-896.5	-72.95		275	-832.3	-114.1	-217.2	-42.0
-848.5	87.86		274	-846.0	-157.5	43.5	-156.5
-569.2	-77.95	Min	Cent	-539.4	-25.1	-133.0	-2.1
-162.6	84.43		265	-162.5	65.1	-4.2	67.0
-331.3	-57.03		266	-149.4	108.4	-287.7	279.2
-995.1	-74.80		275	-920.1	-122.5	-262.5	-55.0
-934.6	87.08		274	-933.9	-170.4	20.7	-168.5

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
		Max	Cent	0.0	0.1	0.0	0.1
0.0	-52.60		265	0.1	0.1	0.0	0.1
0.1	-81.93		266	0.1	0.1	0.0	0.1
0.0	-53.36		275	0.0	0.0	0.0	0.0
-0.0	-39.60		274	0.0	0.0	0.0	0.0
0.0	-42.91	Min	Cent	-0.1	-0.1	-0.0	-0.0
-0.1	29.88		265	-0.1	-0.1	-0.0	-0.1
-0.1	10.96		266	-0.0	-0.1	-0.0	-0.0
-0.1	28.15		275	-0.0	-0.0	-0.0	-0.0
-0.1	36.78		274	-0.0	-0.1	-0.0	-0.0
-0.1	34.90						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.1
	265	0.0	0.2
	266	0.0	0.1
	275	0.0	0.1
	274	0.0	0.2
Min	Cent	-0.0	-0.1
	265	-0.1	-0.1
	266	-0.1	-0.0
	275	-0.0	-0.0
	274	-0.0	-0.1

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
	Fmin	ANGLE							
284	2	4	Q1-1-2	Max	Cent	561.0	0.5	108.3	581.2
	-19.7	10.56			255	739.8	37.6	144.5	768.3
	9.0	11.18			256	744.5	50.5	67.8	751.1
	44.0	5.53			265	383.1	0.7	77.7	398.2
	-14.5	11.06							

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-57.0	20.02		264	378.4	0.8	158.6	436.1
		Min	Cent	-5.6	-88.2	-246.2	202.7
-296.5	-40.24		255	-7.4	-61.5	-193.3	160.7
-229.6	-41.01		256	-7.4	-47.7	-304.6	277.7
-332.9	-43.11		265	-3.8	-133.3	-300.0	238.4
-375.4	-38.91		264	-3.7	-156.3	-188.8	123.6
-283.6	-34.00						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	54.11	Max	Cent	0.0	0.0	0.0	0.0
0.0	77.72		255	0.0	0.0	0.0	0.0
0.0	78.69		256	0.0	0.0	0.0	0.0
-0.0	51.57		265	0.0	0.0	0.0	0.0
-0.0	54.33		264	0.0	0.0	0.0	0.0
-0.0	-41.64	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-45.68		255	-0.0	-0.0	-0.0	0.0
-0.0	-44.97		256	-0.0	-0.0	-0.0	0.0
-0.1	-22.72		265	-0.0	-0.1	-0.0	-0.0
-0.1	-17.21		264	-0.0	-0.1	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.2
	255	0.0	0.2
	256	0.0	0.2
	265	0.0	0.2
	264	0.0	0.2
Min	Cent	-0.0	-0.0
	255	-0.0	-0.0
	256	-0.0	-0.0
	265	-0.0	-0.0
	264	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-14.6	11.61	Q2a-1-2	Max	Cent	337.2	0.3	72.3	352.1
2.2	12.36			255	443.7	23.4	96.7	464.9
26.7	6.15			256	446.7	31.6	45.2	451.5
-10.6	12.09			265	231.2	0.5	51.8	242.3
-41.3	21.52			264	228.3	0.6	106.3	270.3

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		Min	Cent	-4.1	-61.3	-154.6	124.5
-190.0	-39.76		255	-5.5	-44.0	-121.3	98.1
-147.5	-40.49		256	-5.5	-34.2	-191.4	172.1
-211.8	-42.86		265	-2.8	-87.9	-188.4	147.8
-238.5	-38.63		264	-2.8	-103.1	-118.3	75.5
-181.4	-33.50						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
		Max	Cent	0.0	0.0	0.0	0.0
-0.0	54.77		255	0.0	0.0	0.0	0.0
0.0	78.93		256	0.0	0.0	0.0	0.0
0.0	79.84		265	0.0	0.0	0.0	0.0
-0.0	49.89		264	0.0	0.0	0.0	0.0
-0.0	51.97	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-41.88		255	-0.0	-0.0	-0.0	0.0
-0.0	-46.24		256	-0.0	-0.0	-0.0	0.0
-0.0	-45.24		265	-0.0	-0.0	-0.0	-0.0
-0.1	-22.45		264	-0.0	-0.1	-0.0	-0.0
-0.1	-17.10						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.1
	255	0.0	0.2
	256	0.0	0.1
	265	0.0	0.1
	264	0.0	0.2
Min	Cent	-0.0	-0.0
	255	-0.0	-0.0
	256	-0.0	-0.0
	265	-0.0	-0.0
	264	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	49.7	-0.7	13.8	53.2
-4.3	14.35		255	64.9	-3.9	9.6	66.2
-5.2	7.77		256	65.1	-4.6	19.1	70.0
-9.5	14.33		265	34.7	-4.8	18.5	42.0
-12.1	21.59		264	34.4	-5.6	9.2	36.4
-7.6	12.30						
			NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE						
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-6.75		255	-0.0	-0.0	0.0	-0.0
-0.0	6.26		256	-0.0	-0.0	-0.0	-0.0
-0.0	-7.84		265	-0.0	-0.0	-0.0	-0.0
-0.0	-5.76		264	0.0	-0.0	-0.0	0.0
-0.0	-1.04						
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			255	-0.0	-0.0		
			256	-0.0	-0.0		
			265	0.0	-0.0		
			264	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	-27.9	-0.5	-8.5	2.0
-30.3	-74.03		255	-23.3	1.6	-6.7	3.3
-25.0	-75.81		256	-23.6	0.5	-10.0	4.1
-27.3	-70.11		265	-32.6	-2.5	-10.4	0.8
-35.8	-72.73		264	-32.2	-1.2	-7.1	0.3
-33.7	-77.77						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	0.1	0.1	0.0	0.1
0.1	83.82		255	0.0	0.1	0.0	0.1
0.0	78.97		256	0.0	0.1	0.0	0.1
0.0	70.79		265	0.1	0.2	0.0	0.2
0.1	85.61		264	0.1	0.2	0.0	0.2
0.1	88.56						
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.2		
			255	-0.0	-0.2		
			256	-0.0	-0.2		
			265	-0.0	-0.2		
			264	-0.0	-0.2		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	Cent	24.8	-0.4	6.9	26.6
-2.1	14.36		255	32.4	-1.9	4.8	33.1
-2.6	7.78		256	32.5	-2.3	9.5	35.0
-4.7	14.34		265	17.3	-2.4	9.3	21.0
-6.1	21.60		264	17.2	-2.8	4.6	18.2
-3.8	12.32						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	-6.75		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	6.27		255	-0.0	-0.0	0.0	-0.0
-0.0	-7.85		256	-0.0	-0.0	-0.0	-0.0
-0.0	-5.75		265	-0.0	-0.0	-0.0	-0.0
-0.0	-1.04		264	0.0	-0.0	-0.0	0.0
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	-0.0		
			255	-0.0	-0.0		
			256	-0.0	-0.0		
			265	0.0	-0.0		
			264	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-15.1	-74.03	SLDy (RS)	Cent	-13.9	-0.2	-4.3	1.0
-12.5	-75.81		255	-11.6	0.8	-3.4	1.7
-13.6	-70.11		256	-11.8	0.2	-5.0	2.1
-17.9	-72.73		265	-16.3	-1.2	-5.2	0.4
-16.9	-77.76		264	-16.1	-0.6	-3.5	0.2
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	83.82		Cent	0.0	0.1	0.0	0.1
0.0	78.96		255	0.0	0.0	0.0	0.0
0.0	70.78		256	0.0	0.0	0.0	0.0
0.0	85.61		265	0.0	0.1	0.0	0.1
0.0	88.56		264	0.0	0.1	0.0	0.1
			NODE	Vxx	Vyy		



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

				Cent	-0.0	-0.1		
				255	-0.0	-0.1		
				256	-0.0	-0.1		
				265	-0.0	-0.1		
				264	-0.0	-0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-21.0	73.53	SLVz (RS)	Cent	-19.1	0.2	6.3	2.1	
-26.2	80.31		255	-25.5	-1.7	4.2	-1.0	
-28.4	71.95		256	-25.6	-2.0	8.6	0.8	
-16.6	65.61		265	-12.8	1.9	8.4	5.7	
-13.6	75.99		264	-12.7	2.2	4.0	3.2	
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
-0.0	-10.17		Cent	-0.0	-0.0	-0.0	-0.0	
-0.0	-18.25		255	-0.0	-0.0	-0.0	-0.0	
-0.0	-21.77		256	-0.0	-0.0	-0.0	-0.0	
-0.0	-5.13		265	-0.0	-0.0	-0.0	-0.0	
-0.0	-3.47		264	-0.0	-0.0	-0.0	-0.0	
			NODE	Vxx	Vyy			
			Cent	0.0	-0.0			
			255	-0.0	-0.0			
			256	-0.0	-0.0			
			265	0.0	-0.0			
			264	0.0	-0.0			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-39.9	-12.50	g1	Cent	410.0	-17.8	-99.8	432.1	
15.2	-5.76		255	547.9	20.6	-53.7	553.3	
-13.1	-15.02		256	549.9	27.4	-151.1	590.5	
-111.5	-20.81		265	272.1	-56.1	-145.8	327.5	
-69.9	-8.12		264	270.0	-63.0	-48.5	276.9	
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	89.16	Cent	0.0	0.0	0.0	0.0
0.0	-89.46	255	0.0	0.0	-0.0	0.0
0.0	89.79	256	0.0	0.0	0.0	0.0
0.0	84.19	265	0.0	0.0	0.0	0.0
0.0	86.68	264	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
255	0.0	0.0
256	0.0	0.0
265	-0.0	0.0
264	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-22.3	-12.03	g2	Cent	197.8	-12.3	-46.9	207.8
5.3	-5.29		255	265.4	7.6	-24.1	267.6
-10.0	-14.54		256	265.7	8.6	-71.5	284.3
-57.9	-20.34		265	130.3	-32.1	-69.8	156.1
-36.1	-7.65		264	130.0	-33.1	-22.3	133.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	76.89	Cent	0.0	0.0	0.0	0.0
0.0	69.64	255	0.0	0.0	0.0	0.0
0.0	67.10	256	0.0	0.0	0.0	0.0
0.0	78.88	265	0.0	0.0	0.0	0.0
0.0	83.47	264	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
255	0.0	-0.0
256	0.0	-0.0
265	-0.0	-0.0
264	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.8	10.24	q3	Cent	27.8	-0.8	5.3	28.8
			255	33.2	0.6	7.1	34.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.9	11.80		256	33.3	1.1	3.3	33.7
0.7	5.77		265	22.4	-2.2	3.6	22.9
-2.7	8.07		264	22.3	-2.7	7.4	24.3
-4.7	15.31						
-----							
0.0	-85.93		Cent	0.0	0.0	-0.0	0.0
0.0	-87.12		255	0.0	0.0	-0.0	0.0
0.0	-86.98		256	0.0	0.0	-0.0	0.0
0.0	-83.48		265	0.0	0.0	-0.0	0.0
0.0	-83.64		264	0.0	0.0	-0.0	0.0
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	0.0		
			255	0.0	0.0		
			256	0.0	0.0		
			265	0.0	0.0		
			264	0.0	0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-26.6	88.02	q5_pc	Cent	-26.5	0.7	0.9	0.7
-26.5	88.10		255	-26.5	0.5	0.9	0.5
-26.3	88.34		256	-26.3	1.0	0.8	1.1
-26.6	87.94		265	-26.6	0.9	1.0	1.0
-26.8	87.70		264	-26.8	0.4	1.1	0.4
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.1	86.10		Cent	0.1	0.2	0.0	0.2
0.0	83.92		255	0.0	0.1	0.0	0.1
0.1	76.42		256	0.1	0.1	0.0	0.1
0.1	86.84		265	0.1	0.3	0.0	0.3
0.1	89.50		264	0.1	0.3	0.0	0.3
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	-0.1	-0.3		
			255	-0.0	-0.4		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

256 -0.0 -0.3  
 265 -0.1 -0.3  
 264 -0.1 -0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-22.9	89.41	q5_ps	Cent	-22.9	0.2	0.2	0.2
-22.3	88.90		255	-22.3	0.4	0.4	0.4
-22.3	89.87		256	-22.3	0.3	0.1	0.3
-23.4	89.90		265	-23.4	0.0	0.0	0.0
-23.4	88.96		264	-23.4	0.1	0.4	0.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.1	85.96	Cent	0.1	0.2	0.0	0.2
0.0	83.64	255	0.0	0.1	0.0	0.1
0.1	76.00	256	0.1	0.1	0.0	0.1
0.1	86.74	265	0.1	0.3	0.0	0.3
0.1	89.43	264	0.1	0.3	0.0	0.3

NODE	Vxx	Vyy
Cent	-0.1	-0.3
255	-0.0	-0.4
256	-0.0	-0.3
265	-0.1	-0.3
264	-0.1	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-33.6	-1.42	INVSLU Max	Cent	884.3	-33.1	-21.2	884.8
138.9	8.10		255	1749.8	172.5	230.9	1782.4
196.4	-11.40		256	1777.6	262.1	-317.4	1841.9
-372.5	-47.42		265	19.7	-188.4	-265.7	343.4
-435.9	33.09		264	-8.0	-260.3	288.4	178.6
-552.8	-36.72	Min	Cent	63.0	-154.2	-501.4	330.5
-31.2	-13.52		255	686.4	37.8	-226.6	724.8
-448.6	-32.03		256	707.8	127.6	-821.6	1118.9
-1240.6	-49.85		265	-560.4	-370.8	-777.3	74.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
-709.5	-66.07		264	-581.8	-473.1	-182.5	-370.8	
			Max	Cent	0.1	0.3	0.0	0.3
0.1	80.50			255	0.1	0.2	0.0	0.2
0.1	79.33			256	0.1	0.2	0.0	0.2
0.1	73.39			265	0.2	0.4	0.0	0.4
0.2	80.93			264	0.2	0.4	0.0	0.4
0.2	86.71		Min	Cent	-0.2	-0.4	-0.0	-0.2
-0.4	-6.03			255	-0.1	-0.2	-0.0	-0.1
-0.2	-7.97			256	-0.1	-0.2	-0.0	-0.1
-0.2	-8.63			265	-0.3	-0.6	-0.0	-0.3
-0.6	-4.12			264	-0.2	-0.6	-0.0	-0.2
-0.6	-1.84							
				NODE	Vxx	Vyy		
			Max	Cent	0.1	0.9		
				255	0.1	0.9		
				256	0.1	0.8		
				265	0.1	0.8		
				264	0.1	0.9		
			Min	Cent	-0.1	-0.4		
				255	-0.1	-0.5		
				256	-0.1	-0.4		
				265	-0.2	-0.4		
				264	-0.2	-0.5		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
		INVSLV	Max	Cent	283.0	-29.0	-111.3	320.7
-67.0	-18.13			255	681.0	74.4	8.9	681.1
73.8	0.60			256	691.8	109.4	-250.6	787.0
5.1	-20.42			265	-114.7	-123.3	-231.0	126.2
-358.7	-46.17			264	-125.5	-157.3	28.7	-113.3
-174.4	24.94		Min	Cent	155.5	-30.9	-147.8	234.2
-108.6	-28.66			255	522.0	64.6	-16.8	522.4
64.5	-1.82			256	532.0	98.7	-299.9	683.1
-43.0	-27.14			265	-211.3	-135.5	-279.3	93.0
-446.7	-47.66			264	-221.3	-170.5	3.7	-163.6
-221.9	83.88							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	83.37	Max	Cent	0.1	0.1	0.0	0.1
0.0	79.94		255	0.0	0.1	0.0	0.1
0.0	73.65		256	0.0	0.1	0.0	0.1
0.1	84.74		265	0.1	0.2	0.0	0.2
0.1	88.02		264	0.1	0.2	0.0	0.2
-0.1	-5.71	Min	Cent	-0.1	-0.1	-0.0	-0.1
-0.1	-12.24		255	-0.0	-0.1	-0.0	-0.0
-0.1	-23.52		256	-0.0	-0.1	-0.0	-0.0
-0.2	-3.56		265	-0.1	-0.2	-0.0	-0.1
-0.2	-0.92		264	-0.1	-0.2	-0.0	-0.1

	NODE	Vxx	Vyy
Max	Cent	0.0	0.3
	255	0.0	0.3
	256	0.0	0.2
	265	0.0	0.2
	264	0.0	0.3
Min	Cent	-0.0	-0.2
	255	-0.0	-0.2
	256	-0.0	-0.2
	265	-0.1	-0.2
	264	-0.1	-0.2

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin	ANGLE								
285	2	10	Q1-1-2	Max	Cent	547.0	23.5	112.7	570.2
0.2	11.64				256	729.9	62.8	148.2	761.3
31.3	11.98				257	740.6	94.4	71.2	748.3
86.7	6.21				266	365.7	2.4	82.4	383.5
-15.4	12.20				265	353.4	0.6	163.5	417.6
-63.5	21.42			Min	Cent	-5.3	-50.1	-247.0	220.3
-275.7	-42.40				256	-7.0	-39.6	-194.4	171.7
-218.4	-42.60				257	-7.1	-20.1	-311.6	298.1
-325.3	-44.40				266	-3.5	-82.5	-300.2	259.7
-345.8	-41.25				265	-3.5	-124.3	-183.6	129.5
-257.2	-35.90								

NODE	Mxx	Myy	Mxy	Mmax
------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE							
			Max	Cent	0.0	0.0	0.0	0.0
-0.0	57.29			256	0.0	0.0	0.0	0.0
0.0	78.58			257	0.0	0.0	0.0	0.0
0.0	62.87			266	0.0	0.0	0.0	0.0
0.0	46.14			265	0.0	0.0	0.0	0.0
0.0	47.37		Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-43.08			256	-0.0	-0.0	-0.0	0.0
-0.0	-47.24			257	-0.0	-0.0	-0.0	0.0
-0.0	-39.92			266	-0.0	-0.0	-0.0	0.0
-0.0	-36.53			265	-0.0	-0.1	-0.0	-0.0
-0.1	-35.73							
				NODE	Vxx		Vyy	
			Max	Cent	0.0		0.1	
				256	0.0		0.1	
				257	0.0		0.0	
				266	0.0		0.0	
				265	0.0		0.1	
			Min	Cent	-0.0		-0.0	
				256	-0.0		-0.0	
				257	-0.0		-0.0	
				266	-0.1		-0.0	
				265	-0.1		-0.0	
Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
		Q2a-1-2	Max	Cent	328.0	15.1	74.9	345.0
-1.9	12.78			256	436.6	39.0	98.8	459.8
15.8	13.21			257	443.0	57.8	47.2	448.7
52.1	6.88			266	220.6	1.1	54.6	233.4
-11.7	13.23			265	213.0	0.5	109.2	259.1
-45.6	22.89		Min	Cent	-3.9	-35.7	-155.3	136.3
-175.9	-42.08			256	-5.2	-28.4	-122.2	106.0
-139.6	-42.29			257	-5.2	-14.1	-195.6	186.0
-205.3	-44.35			266	-2.6	-55.5	-188.6	161.4
-219.5	-41.01			265	-2.6	-82.2	-115.5	79.8
-164.5	-35.48							
				NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		Max	Cent	0.0	0.0	0.0	0.0
-0.0	58.25		256	0.0	0.0	0.0	0.0
0.0	80.00		257	0.0	0.0	0.0	0.0
0.0	63.09		266	0.0	0.0	0.0	0.0
0.0	46.08		265	0.0	0.0	0.0	0.0
-0.0	46.60						
-----		Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-44.06		256	-0.0	-0.0	-0.0	0.0
-0.0	-47.48		257	-0.0	-0.0	-0.0	0.0
-0.0	-40.22		266	-0.0	-0.0	-0.0	0.0
-0.0	-36.69		265	-0.0	-0.0	-0.0	-0.0
-0.0	-35.50						

-----		NODE	Vxx	Vyy
Max	Cent		0.0	0.1
	256		0.0	0.1
	257		0.0	0.0
	266		0.0	0.0
	265		0.0	0.1
Min	Cent		-0.0	-0.0
	256		-0.0	-0.0
	257		-0.0	-0.0
	266		-0.0	-0.0
	265		-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	48.6	1.3	12.9	51.9
-2.0	14.29		256	63.9	-5.4	8.8	64.9
-6.5	7.11		257	64.2	6.5	18.2	69.4
1.2	16.12		266	33.6	3.0	17.5	41.6
-5.0	24.47		265	33.3	-4.1	8.3	35.0
-5.8	12.00						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-24.08	256	-0.0	-0.0	-0.0	-0.0
-0.0	-17.87	257	-0.0	0.0	-0.0	0.0
-0.0	-79.92	266	-0.0	-0.0	-0.0	-0.0
-0.0	-30.72	265	-0.0	-0.0	-0.0	-0.0
-0.0	-10.49					



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

NODE	Vxx	Vyy
Cent	0.0	-0.0
256	0.0	-0.0
257	0.0	-0.0
266	0.0	-0.0
265	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-28.7	-70.00	SLVy (RS)	Cent	-25.0	-0.8	-10.2	2.9
-20.5	-70.34		256	-17.7	1.5	-7.8	4.3
-23.6	-64.02		257	-16.9	4.8	-13.8	11.5
-37.0	-70.90		266	-32.7	-1.0	-12.5	3.4
-35.0	-78.22		265	-33.7	-3.9	-6.5	-2.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	58.03	Cent	0.1	0.1	0.0	0.1
0.0	50.60	256	0.0	0.1	0.0	0.1
0.0	43.45	257	0.0	0.0	0.0	0.1
0.0	63.85	266	0.0	0.1	0.0	0.1
0.1	82.82	265	0.1	0.1	0.0	0.1

NODE	Vxx	Vyy
Cent	0.0	-0.1
256	0.0	-0.1
257	0.0	-0.1
266	0.1	-0.1
265	0.1	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.0	14.30	SLDx (RS)	Cent	24.3	0.6	6.4	25.9
-3.2	7.11		256	31.9	-2.7	4.4	32.4
0.6	16.13		257	32.1	3.2	9.1	34.7
-2.5	24.48		266	16.8	1.5	8.8	20.8
-2.9	12.02		265	16.6	-2.0	4.2	17.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----							
-0.0	-24.08		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-17.89		256	-0.0	-0.0	-0.0	-0.0
-0.0	-79.91		257	-0.0	0.0	-0.0	0.0
-0.0	-30.69		266	-0.0	-0.0	-0.0	-0.0
-0.0	-10.48		265	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			256	0.0	-0.0		
			257	0.0	-0.0		
			266	0.0	-0.0		
			265	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDy (RS)	Cent	-12.5	-0.4	-5.1	1.5
-14.3	-70.00		256	-8.8	0.7	-3.9	2.1
-10.2	-70.34		257	-8.4	2.4	-6.9	5.8
-11.8	-64.03		266	-16.3	-0.5	-6.2	1.7
-18.5	-70.90		265	-16.8	-1.9	-3.2	-1.3
-17.5	-78.21						
			NODE	Mxx	Myy	Mxy	Mmax
			Cent	0.0	0.0	0.0	0.0
0.0	58.03		256	0.0	0.0	0.0	0.0
0.0	50.60		257	0.0	0.0	0.0	0.0
0.0	43.45		266	0.0	0.0	0.0	0.0
0.0	63.85		265	0.0	0.1	0.0	0.1
0.0	82.82						
			NODE	Vxx	Vyy		
			Cent	0.0	-0.1		
			256	0.0	-0.1		
			257	0.0	-0.0		
			266	0.0	-0.0		
			265	0.0	-0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVz (RS)	Cent	-18.9	-0.6	5.9	1.1
-20.6	73.69						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-25.9	80.90	256	-25.3	-2.3	3.8	-1.7
-28.2	71.95	257	-25.5	-2.8	8.3	-0.1
-16.2	65.27	266	-12.5	1.1	8.0	4.8
-13.2	76.62	265	-12.3	1.6	3.5	2.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

-0.0	-34.29	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-39.26	256	-0.0	-0.0	-0.0	-0.0
-0.0	-38.76	257	-0.0	-0.0	-0.0	-0.0
-0.0	-23.96	266	-0.0	-0.0	-0.0	-0.0
-0.0	-8.64	265	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
------	-----	-----

Cent	0.0	-0.0
256	0.0	-0.0
257	0.0	-0.0
266	0.0	-0.0
265	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

-21.6	-12.19	g1	Cent	402.5	-1.8	-91.6	422.3
30.8	-5.18		256	540.1	35.0	-46.1	544.2
6.8	-14.98		257	543.1	45.2	-143.5	581.5
-91.3	-21.05		266	265.0	-38.5	-137.1	317.8
-53.7	-7.17		265	261.9	-48.7	-39.7	266.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

0.0	86.35	Cent	0.0	0.0	0.0	0.0
0.0	89.74	256	0.0	0.0	0.0	0.0
0.0	87.46	257	0.0	0.0	0.0	0.0
0.0	71.52	266	0.0	0.0	0.0	0.0
0.0	78.04	265	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
------	-----	-----

Cent	-0.0	0.0
------	------	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

256 -0.0 0.0  
 257 -0.0 0.0  
 266 -0.0 0.0  
 265 -0.0 0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-15.0	-11.24	g2	Cent	195.1	-6.7	-41.7	203.4
11.6	-4.35		256	262.2	13.0	-19.1	263.6
-2.6	-14.02		257	262.4	13.9	-66.1	278.9
-49.8	-19.92		266	128.0	-26.4	-64.4	151.4
-29.2	-6.31		265	127.7	-27.3	-17.3	129.7

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	65.12		Cent	0.0	0.0	0.0	0.0
0.0	58.50		256	0.0	0.0	0.0	0.0
0.0	71.24		257	0.0	0.0	0.0	0.0
0.0	63.87		266	0.0	0.0	0.0	0.0
0.0	66.94		265	0.0	0.0	0.0	0.0

	NODE	Vxx	Vyy
	Cent	0.0	-0.0
	256	0.0	-0.0
	257	0.0	0.0
	266	0.0	0.0
	265	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.1	11.27	q3	Cent	26.3	-0.0	5.5	27.4
-0.3	12.64		256	31.4	1.3	7.1	33.0
1.4	6.62		257	31.6	1.8	3.5	32.0
-1.9	9.34		266	21.2	-1.3	3.8	21.9
-4.0	16.47		265	21.1	-1.8	7.4	23.3

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-80.93		Cent	0.0	0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-85.61	256	0.0	0.0	-0.0	0.0
0.0	-80.29	257	0.0	0.0	-0.0	0.0
0.0	-78.25	266	0.0	0.0	-0.0	0.0
0.0	-79.43	265	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
256	-0.0	0.0
257	-0.0	0.0
266	0.0	0.0
265	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-26.3	88.89	q5_pc	Cent	-26.3	-0.2	0.5	-0.2
-25.6	88.29		256	-25.6	0.1	0.8	0.2
-25.7	89.28		257	-25.7	-0.1	0.3	-0.1
-27.0	89.47		266	-27.0	-0.5	0.2	-0.5
-26.9	88.51		265	-26.9	-0.2	0.7	-0.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.1	58.35	Cent	0.1	0.1	0.0	0.1
0.1	53.26	256	0.1	0.1	0.0	0.1
0.0	43.70	257	0.1	0.1	0.0	0.1
0.1	59.84	266	0.1	0.1	0.0	0.1
0.1	84.11	265	0.1	0.2	0.0	0.2

NODE	Vxx	Vyy
Cent	0.0	-0.2
256	0.0	-0.2
257	0.0	-0.1
266	0.1	-0.1
265	0.1	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-22.3	89.90	q5_ps	Cent	-22.3	-1.0	0.0	-1.0
-21.1	88.40		256	-21.1	-0.2	0.6	-0.2
			257	-21.4	-1.2	-0.2	-1.2

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-21.4	-89.51			266	-23.6	-1.9	-0.5	-1.9
-23.6	-88.66			265	-23.3	-0.8	0.3	-0.8
-23.3	89.36							
Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
-----								
				Cent	0.1	0.1	0.0	0.1
0.1	58.32			256	0.1	0.1	0.0	0.1
0.1	52.97			257	0.1	0.1	0.0	0.1
0.0	43.95			266	0.1	0.1	0.0	0.1
0.1	59.95			265	0.1	0.2	0.0	0.2
0.1	83.85							
				NODE	Vxx	Vyy		
-----								
				Cent	0.0	-0.2		
				256	0.0	-0.2		
				257	0.0	-0.1		
				266	0.1	-0.1		
				265	0.1	-0.2		
Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
-----								
		INVS LU	Max	Cent	849.4	30.1	-2.8	849.4
30.1	-0.26			256	1713.6	237.5	246.6	1753.3
197.5	9.19			257	1749.2	350.6	-297.8	1810.2
289.6	-11.55			266	-12.8	-150.8	-245.1	382.7
-337.8	-49.55			265	-50.5	-224.5	305.0	178.1
-442.7	36.97							
			Min	Cent	48.4	-69.6	-489.2	330.9
-498.9	-39.66			256	666.5	99.0	-217.2	704.5
27.1	-14.21			257	687.1	195.7	-815.2	1107.1
-407.1	-33.25			266	-569.6	-267.8	-762.0	68.9
-1189.2	-52.61			265	-590.2	-394.4	-165.0	-323.4
-675.9	-74.84							
				NODE	Mxx	Myy	Mxy	Mmax
-----								
			Max	Cent	0.1	0.2	0.0	0.2
0.1	51.84			256	0.1	0.2	0.1	0.2
0.1	56.58			257	0.1	0.1	0.1	0.2
0.0	44.64			266	0.1	0.1	0.0	0.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.1	46.62		265	0.2	0.3	0.0	0.3
0.2	71.29						
		Min	Cent	-0.2	-0.2	-0.0	-0.1
-0.2	-21.72		256	-0.1	-0.1	-0.0	-0.1
-0.2	-40.83		257	-0.1	-0.1	-0.1	-0.0
-0.2	-46.16		266	-0.2	-0.2	-0.0	-0.1
-0.2	-13.53		265	-0.3	-0.4	-0.0	-0.3
-0.4	-7.32						

	NODE	Vxx	Vyy
Max	Cent	0.1	0.4
	256	0.0	0.5
	257	0.0	0.2
	266	0.1	0.2
	265	0.1	0.6
Min	Cent	-0.1	-0.2
	256	-0.0	-0.2
	257	-0.0	-0.1
	266	-0.2	-0.1
	265	-0.2	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
		INVSLV	Max	Cent	272.2	-10.8	-98.7	305.3
-43.1	-17.92			256	665.7	94.3	20.8	666.2
94.3	1.82			257	674.8	126.6	-234.8	764.5
34.0	-20.52			266	-120.9	-109.2	-217.6	116.4
-336.6	-47.35			265	-129.7	-137.0	38.3	-99.8
-170.4	40.57		Min	Cent	148.6	-14.2	-134.1	221.1
-86.7	-29.02			256	512.1	81.3	-3.7	512.2
80.5	-0.20			257	521.0	109.0	-284.5	662.8
-30.0	-26.90			266	-215.2	-116.4	-264.9	88.7
-430.9	-49.24			265	-224.3	-148.5	15.6	-142.1
-228.7	77.26							

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
		Max	Cent	0.1	0.1	0.0	0.1
0.0	58.81		256	0.0	0.1	0.0	0.1
0.0	55.06		257	0.0	0.0	0.0	0.1
0.0	48.98		266	0.1	0.1	0.0	0.1
0.0	56.12		265	0.1	0.1	0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.1	81.53	Min	Cent	-0.1	-0.1	-0.0	-0.0
-0.1	-32.86		256	-0.0	-0.0	-0.0	-0.0
-0.1	-44.32		257	-0.0	-0.0	-0.0	0.0
-0.0	-52.09		266	-0.0	-0.1	-0.0	-0.0
-0.1	-19.28		265	-0.1	-0.1	-0.0	-0.1
-0.1	-5.90						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.1
	256	0.0	0.2
	257	0.0	0.1
	266	0.0	0.1
	265	0.0	0.2
Min	Cent	-0.0	-0.1
	256	-0.0	-0.1
	257	-0.0	-0.0
	266	-0.1	-0.0
	265	-0.1	-0.1

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin	ANGLE								
293	2	4	Q1-1-2	Max	Cent	1.0	3.2	119.5	121.5
-117.4	45.26				273	42.9	35.7	158.4	197.8
-119.2	44.35				274	47.0	50.7	71.9	120.8
-23.1	45.73				283	2.5	0.4	85.2	86.6
-83.7	44.64				282	2.6	0.6	182.8	184.4
-181.1	44.84			Min	Cent	-149.9	-199.4	-248.0	74.5
-423.9	-42.15				273	-14.8	-187.9	-184.6	102.6
-305.3	-32.44				274	-13.2	-175.3	-310.1	226.3
-414.7	-37.68				283	-325.1	-256.8	-320.6	31.4
-613.3	-48.04				282	-328.9	-277.2	-189.1	-112.2
-493.9	-48.89								

	NODE	Mxx	Myy	Mxy	Mmax
Mmin	ANGLE				
	Max	Cent	0.0	0.0	0.0
-0.0	59.39		273	0.0	0.0
0.0	60.79		274	0.0	0.0
-0.0	53.60		283	0.0	0.0
-0.0	59.48		282	0.0	0.0
0.0	58.70				
	Min	Cent	-0.1	-0.3	-0.0
					-0.1



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.3	-1.18	273	-0.1	-0.2	-0.0	-0.1
-0.2	-1.20	274	-0.1	-0.2	-0.0	-0.1
-0.2	-1.27	283	-0.1	-0.3	-0.0	-0.1
-0.3	-1.25	282	-0.1	-0.3	-0.0	-0.1
-0.3	-2.35					

	NODE	Vxx	Vyy
Max	Cent	0.0	0.4
	273	0.0	0.3
	274	0.0	0.4
	283	0.0	0.4
	282	0.0	0.3
Min	Cent	-0.1	-0.0
	273	-0.0	-0.0
	274	-0.0	-0.0
	283	-0.1	-0.0
	282	-0.1	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-77.6	45.24	Q2a-1-2	Max Cent	0.8	2.1	79.0	80.5
			273	25.8	22.1	105.1	129.1
-81.3	44.50		274	28.1	31.4	47.4	77.1
-17.7	45.99		283	1.9	0.3	56.2	57.3
-55.1	44.59		282	1.9	0.5	122.1	123.3
-120.9	44.83		Min Cent	-94.1	-142.0	-154.8	38.6
-274.7	-40.61		273	-10.4	-135.0	-114.8	57.9
-203.3	-30.76		274	-9.2	-126.1	-193.5	134.5
-269.8	-36.60		283	-201.4	-179.2	-201.4	11.4
-392.0	-46.58		282	-203.5	-192.0	-118.0	-79.6
-315.9	-46.40						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	54.13	Max Cent	0.0	0.0	0.0	0.0
		273	0.0	0.0	0.0	0.0
-0.0	55.93	274	0.0	0.0	0.0	0.0
-0.0	50.01	283	0.0	0.0	0.0	0.0
-0.0	54.25	282	0.0	0.0	0.0	0.0
-0.0	53.51	Min Cent	-0.1	-0.2	-0.0	-0.1
-0.2	-1.06	273	-0.1	-0.1	-0.0	-0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	-1.06	274	-0.0	-0.1	-0.0	-0.0
-0.1	-1.13	283	-0.1	-0.2	-0.0	-0.1
-0.2	-1.18	282	-0.1	-0.2	-0.0	-0.1
-0.2	-2.28					

	NODE	Vxx	Vyy
Max	Cent	0.0	0.2
	273	0.0	0.2
	274	0.0	0.3
	283	0.0	0.3
	282	0.0	0.2
Min	Cent	-0.0	-0.0
	273	-0.0	-0.0
	274	-0.0	-0.0
	283	-0.1	-0.0
	282	-0.1	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-8.1	33.70	SLVx (RS)	Cent	12.1	0.9	13.5	21.1
-7.0	26.43		273	11.3	-2.5	9.1	15.8
-11.9	39.19		274	11.6	3.7	19.1	27.2
-7.3	31.97		283	22.5	4.3	18.6	34.1
-8.0	15.95		282	22.8	-5.5	8.8	25.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-85.09	Cent	-0.0	0.0	-0.0	0.0
0.0	-80.79	273	0.0	0.0	-0.0	0.0
0.0	-74.09	274	0.0	0.0	-0.0	0.0
0.0	-84.90	283	0.0	0.0	-0.0	0.0
0.0	-86.58	282	0.0	0.0	-0.0	0.0

	NODE	Vxx	Vyy
	Cent	0.0	-0.0
	273	0.0	-0.0
	274	0.0	-0.0
	283	0.0	-0.0
	282	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	-44.3	0.3	-10.7	2.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-46.7	-77.16		273	-40.5	1.1	-9.0	3.0
-42.3	-78.29		274	-40.2	1.9	-12.7	5.4
-43.8	-74.44		283	-48.1	-0.5	-12.4	2.5
-51.2	-76.20		282	-48.3	-1.3	-8.7	0.3
-49.9	-79.82						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
------	-------	--	------	-----	-----	-----	------

-----							
			Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-9.94		273	0.0	0.1	-0.0	0.1
0.0	-76.89		274	0.0	0.1	-0.0	0.1
0.0	-61.33		283	-0.0	-0.2	-0.0	-0.0
-0.2	-4.72		282	-0.1	-0.2	-0.0	-0.1
-0.2	-2.89						

			NODE	Vxx	Vyy
--	--	--	------	-----	-----

			Cent	-0.1	0.7
			273	-0.0	0.7
			274	-0.0	0.7
			283	-0.1	0.7
			282	-0.1	0.7

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

-----							
		SLDx (RS)	Cent	6.1	0.5	6.7	10.5
-4.0	33.70		273	5.7	-1.2	4.6	7.9
-3.5	26.45		274	5.8	1.8	9.6	13.6
-6.0	39.20		283	11.2	2.1	9.3	17.0
-3.7	31.97		282	11.4	-2.7	4.4	12.6
-4.0	15.96						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
------	-------	--	------	-----	-----	-----	------

-----							
			Cent	-0.0	0.0	-0.0	0.0
-0.0	-85.08		273	0.0	0.0	-0.0	0.0
0.0	-80.78		274	0.0	0.0	-0.0	0.0
0.0	-74.08		283	0.0	0.0	-0.0	0.0
0.0	-84.89		282	0.0	0.0	-0.0	0.0
0.0	-86.58						

			NODE	Vxx	Vyy
--	--	--	------	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Cent	0.0	-0.0
273	0.0	-0.0
274	0.0	-0.0
283	0.0	-0.0
282	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-23.3	-77.15	SLDy (RS)	Cent	-22.1	0.2	-5.4	1.4
-21.1	-78.28		273	-20.2	0.6	-4.5	1.5
-21.9	-74.44		274	-20.1	0.9	-6.4	2.7
-25.5	-76.20		283	-24.0	-0.3	-6.2	1.3
-24.9	-79.81		282	-24.1	-0.6	-4.4	0.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-9.94	Cent	-0.0	-0.0	-0.0	-0.0
0.0	-76.88	273	0.0	0.0	-0.0	0.0
0.0	-61.33	274	0.0	0.0	-0.0	0.0
-0.1	-4.72	283	-0.0	-0.1	-0.0	-0.0
-0.1	-2.90	282	-0.0	-0.1	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.4
273	-0.0	0.4
274	-0.0	0.3
283	-0.0	0.3
282	-0.0	0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-3.9	35.06	SLVz (RS)	Cent	4.7	0.4	6.1	9.0
-5.6	50.07		273	-2.4	-1.1	3.8	2.1
-10.7	46.57		274	-2.5	-1.6	8.7	6.7
-3.5	32.11		283	9.9	1.8	8.4	15.2
0.9	21.17		282	10.1	2.3	3.6	11.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	0.0	-0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-73.83		273	0.0	0.0	-0.0	0.0
0.0	-73.17		274	0.0	0.0	-0.0	0.0
0.0	-65.95		283	0.0	0.0	-0.0	0.0
0.0	-83.42		282	0.0	0.0	-0.0	0.0
0.0	-83.82						

NODE	Vxx	Vyy
Cent	0.0	-0.0
273	0.0	-0.0
274	0.0	-0.0
283	0.0	-0.0
282	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g1	Cent	-91.3	-25.0	-93.0	40.5
-156.8	-54.80		273	25.9	5.9	-40.8	57.9
-26.1	-38.10		274	28.8	15.4	-150.1	172.4
-128.2	-43.72		283	-208.5	-56.0	-145.1	31.7
-296.2	-58.86		282	-211.3	-65.5	-35.8	-57.2
-219.6	-76.92						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.0	0.0	-0.0
-0.0	3.08	273	-0.0	-0.0	0.0	-0.0
-0.0	5.31	274	-0.0	-0.0	0.0	-0.0
-0.0	4.78	283	-0.0	-0.0	0.0	-0.0
-0.0	1.77	282	-0.0	-0.0	0.0	-0.0
-0.0	1.90					

NODE	Vxx	Vyy
Cent	-0.0	0.0
273	-0.0	0.0
274	-0.0	0.0
283	0.0	0.0
282	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g2	Cent	-45.5	-16.1	-42.9	14.5
-76.2	-54.48		273	10.8	-0.3	-17.7	23.8
-13.3	-36.30						

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-63.2	-43.09	274	11.5	2.2	-70.0	77.0
-143.5	-58.60	283	-101.9	-31.9	-68.1	9.7
-106.1	-77.55	282	-102.6	-34.4	-15.8	-30.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-86.85	Cent	0.0	0.0	-0.0	0.0
0.0	-87.62	273	0.0	0.0	-0.0	0.0
0.0	-83.39	274	0.0	0.0	-0.0	0.0
0.0	-86.71	283	0.0	0.0	-0.0	0.0
0.0	-88.03	282	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
273	-0.0	-0.0
274	-0.0	-0.0
283	0.0	-0.0
282	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-4.6	30.05	q3	Cent	8.2	-0.3	7.4	12.5
-4.5	28.67		273	12.7	0.7	9.4	17.8
-0.5	21.09		274	12.9	1.5	5.2	14.9
-4.8	32.58		283	3.8	-1.3	5.5	7.3
-9.3	36.85		282	3.6	-2.1	9.7	10.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-1.10	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-8.12	273	-0.0	-0.0	-0.0	-0.0
-0.0	8.87	274	-0.0	-0.0	0.0	-0.0
-0.0	0.48	283	-0.0	-0.0	0.0	-0.0
-0.0	-1.96	282	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
273	0.0	0.0
274	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
			283	-0.0	0.0		
			282	-0.0	0.0		
		q5_pc	Cent	-27.4	0.6	-0.3	0.6
-27.4	-89.29		273	-26.6	0.7	-0.0	0.7
-26.6	-89.96		274	-26.5	1.1	-0.8	1.1
-26.5	-88.34		283	-28.2	0.6	-0.7	0.6
-28.2	-88.65		282	-28.3	0.2	0.1	0.2
-28.3	89.79						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-7.25		273	0.0	0.1	-0.0	0.1
0.0	-81.12		274	0.1	0.1	-0.0	0.1
0.1	-65.77		283	-0.1	-0.3	-0.0	-0.1
-0.3	-3.59		282	-0.1	-0.4	-0.0	-0.1
-0.4	-2.00						
			NODE	Vxx	Vyy		
			Cent	-0.1	1.2		
			273	-0.1	1.2		
			274	-0.1	1.1		
			283	-0.1	1.2		
			282	-0.1	1.2		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_ps	Cent	-24.9	0.1	-0.8	0.2
-24.9	-88.08		273	-24.0	0.4	-0.4	0.4
-24.0	-88.95		274	-24.0	0.4	-1.2	0.4
-24.1	-87.10		283	-25.7	-0.1	-1.2	-0.1
-25.8	-87.26		282	-25.7	-0.1	-0.4	-0.1
-25.7	-89.02						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-7.82		273	0.0	0.1	-0.0	0.1
0.0	-81.63						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.1	-67.37	274	0.1	0.1	-0.0	0.1
-0.3	-3.78	283	-0.1	-0.3	-0.0	-0.1
-0.4	-2.10	282	-0.1	-0.4	-0.0	-0.1

NODE	Vxx	Vyy
Cent	-0.1	1.2
273	-0.1	1.2
274	-0.1	1.1
283	-0.1	1.1
282	-0.1	1.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2151.7	-86.71	INVS LU	Max Cent	-2144.5	-39.6	-50.3	-35.2
-1572.8	82.05		273	-1552.5	132.6	247.0	167.1
-1605.1	-65.08		274	-1520.9	240.3	-394.0	355.9
-2758.9	-81.38		283	-2703.1	-171.6	-341.3	-114.0
-2745.9	82.90		282	-2729.5	-258.7	314.8	-219.8
-2551.6	-76.27		Min Cent	-2418.0	-314.2	-547.0	-179.4
-1708.6	-81.75		273	-1685.3	-170.5	-216.2	-139.1
-2064.9	-70.46		274	-1657.6	-66.7	-911.1	288.1
-3479.4	-73.26		283	-3211.7	-520.0	-890.2	-251.2
-3256.5	-85.83		282	-3243.1	-634.1	-187.3	-620.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	71.26	Max Cent	0.0	0.1	0.0	0.1
0.0	-81.32	273	0.0	0.1	0.0	0.1
0.1	-30.70	274	0.1	0.1	0.0	0.1
0.1	83.01	283	0.1	0.4	0.0	0.4
0.2	84.83	282	0.2	0.5	0.0	0.5
-0.6	-2.83	Min Cent	-0.2	-0.6	-0.0	-0.2
-0.5	0.63	273	-0.2	-0.5	-0.0	-0.2
-0.5	4.29	274	-0.2	-0.5	-0.0	-0.2
-0.9	-2.92	283	-0.2	-0.9	-0.0	-0.2
-1.0	-2.15	282	-0.3	-1.0	-0.0	-0.3



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
Max	Cent	0.2	2.2
	273	0.1	2.2
	274	0.1	2.2
	283	0.2	2.2
	282	0.2	2.2
Min	Cent	-0.2	-1.7
	273	-0.2	-1.8
	274	-0.2	-1.6
	283	-0.2	-1.6
	282	-0.2	-1.8

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax		
-1140.8 -797.2 -871.0 -1504.0 -1467.6 -1246.1 -886.2 -972.9 -1631.1 -1583.0	-82.20 -89.37 -72.15 -78.38 89.22 -83.42 88.94 -73.50 -79.01 88.78	INVSLV	Max	Cent	-1126.1	-35.2	-125.6	-14.9	
				273	-797.0	44.0	15.8	44.1	
				274	-781.6	97.3	-286.3	198.6	
				283	-1451.4	-108.5	-266.2	-51.7	
				282	-1466.6	-158.6	36.2	-158.3	
				Min	Cent	-1224.7	-37.4	-162.6	-21.5
					273	-886.1	37.8	-10.1	38.1
					274	-870.5	87.8	-337.4	178.5
					283	-1567.1	-118.4	-315.9	-58.6
					282	-1582.9	-171.7	11.2	-171.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax			
0.0 0.0 0.0 0.0 0.1 -0.1 -0.1 -0.1 -0.1 -0.2 -0.3	76.04 -71.32 -47.14 84.46 87.02 -7.59 10.27 20.52 -4.05 -2.74	Max	Cent	0.0	0.0	0.0	0.0		
			273	0.0	0.0	0.0	0.0		
			274	0.0	0.0	0.0	0.1		
			283	0.0	0.2	0.0	0.2		
			282	0.1	0.2	0.0	0.2		
				Min	Cent	-0.0	-0.1	-0.0	-0.0
					273	-0.0	-0.1	-0.0	-0.0
					274	-0.1	-0.1	-0.0	-0.0
					283	-0.0	-0.2	-0.0	-0.0
					282	-0.1	-0.3	-0.0	-0.1

NODE	Vxx	Vyy
------	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Max	Cent	0.0	0.7
	273	0.0	0.8
	274	0.0	0.7
	283	0.1	0.7
	282	0.1	0.8
Min	Cent	-0.1	-0.7
	273	-0.0	-0.7
	274	-0.0	-0.6
	283	-0.1	-0.6
	282	-0.1	-0.7

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
294	2	10	Q1-1-2	Max	Cent	0.9	18.8	124.7	134.8
-115.2		47.06			274	34.5	34.6	156.9	191.4
-122.3		45.01			275	48.0	78.6	81.4	146.2
-19.6		50.33			284	2.2	11.8	95.6	102.8
-88.7		46.44			283	2.2	0.4	180.8	182.1
-179.5		44.86		Min	Cent	-123.5	-158.5	-228.8	88.4
-370.4		-42.82			274	-13.6	-164.1	-181.9	107.9
-285.7		-33.76			275	-8.4	-131.6	-285.3	221.9
-361.9		-38.91			284	-263.5	-187.8	-282.5	59.3
-510.7		-48.81			283	-279.8	-240.5	-174.4	-84.7
-435.7		-48.21							
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
-0.0		48.30		Max	Cent	0.0	0.0	0.0	0.0
-0.0		48.17			274	0.0	0.0	0.0	0.0
-0.0		46.44			275	0.0	0.0	0.0	0.0
-0.0		44.36			284	0.0	0.0	0.0	0.0
-0.0		52.93			283	0.0	0.0	0.0	0.0
-0.2		-2.51		Min	Cent	-0.1	-0.2	-0.0	-0.1
-0.1		-2.80			274	-0.1	-0.1	-0.0	-0.1
-0.1		-3.52			275	-0.1	-0.1	-0.0	-0.1
-0.2		-2.86			284	-0.1	-0.2	-0.0	-0.1
-0.2		-1.68			283	-0.1	-0.2	-0.0	-0.1
				NODE	Vxx	Vyy			
				Max	Cent	0.1	0.3		
					274	0.0	0.3		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	275	0.0	0.3
	284	0.1	0.3
	283	0.1	0.3
Min	Cent	-0.0	-0.0
	274	-0.0	-0.0
	275	-0.0	-0.0
	284	-0.0	-0.0
	283	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-76.1	47.04	Q2a-1-2	Max Cent	0.6	12.4	82.3	89.0
-82.7	45.11		274	20.6	21.4	103.8	124.8
-15.6	50.41		275	28.8	49.3	53.6	93.6
-58.7	46.30		284	1.6	7.4	63.1	67.6
-119.5	44.84		283	1.6	0.3	120.4	121.4
-239.1	-41.40		Min Cent	-77.3	-113.3	-142.7	48.5
-189.5	-32.24		274	-9.6	-117.9	-113.4	61.9
-233.7	-37.98		275	-5.6	-94.7	-178.1	133.4
-324.9	-47.41		284	-162.3	-132.4	-176.9	30.2
-278.5	-45.73		283	-172.6	-167.0	-108.7	-61.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	46.68	Max Cent	0.0	0.0	0.0	0.0
-0.0	46.58		274	0.0	0.0	0.0
-0.0	45.67		275	0.0	0.0	0.0
-0.0	43.24		284	0.0	0.0	0.0
-0.0	49.94		283	0.0	0.0	0.0
-0.1	-1.98	Min Cent	-0.1	-0.1	-0.0	-0.1
-0.1	-2.26		274	-0.1	-0.1	-0.1
-0.1	-2.85		275	-0.0	-0.1	-0.0
-0.1	-2.30		284	-0.1	-0.1	-0.1
-0.2	-1.37		283	-0.0	-0.2	-0.0

NODE	Vxx	Vyy
Max Cent	0.0	0.2
274	0.0	0.2
275	0.0	0.2
284	0.1	0.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Min	283	0.1	0.2
Cent	274	-0.0	-0.0
	275	-0.0	-0.0
	284	-0.0	-0.0
	283	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-8.4	32.43	SLVx (RS)	Cent	11.0	-0.6	12.3	18.8
-3.3	32.29		274	10.8	2.4	8.9	16.4
-16.8	32.31		275	11.0	-5.7	17.6	22.2
-10.8	28.65		284	19.4	-1.8	16.5	28.4
1.4	22.85		283	20.4	4.7	8.0	23.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-11.08	Cent	0.0	-0.0	-0.0	0.0
0.0	-62.58	274	0.0	0.0	-0.0	0.0
0.0	65.68	275	0.0	0.0	0.0	0.0
0.0	75.91	284	0.0	0.0	0.0	0.0
0.0	-80.75	283	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
274	0.0	-0.0
275	0.0	-0.0
284	-0.0	-0.0
283	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-44.6	-77.00	SLVy (RS)	Cent	-42.3	-1.3	-10.0	1.0
-41.6	-78.10		274	-39.8	-0.3	-8.7	1.6
-43.1	-75.27		275	-40.2	-1.4	-10.9	1.4
-47.7	-75.93		284	-44.8	-2.7	-11.3	0.1
-46.2	-78.63		283	-44.4	-1.3	-9.0	0.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-29.78	Cent	-0.0	-0.0	-0.0	0.0
0.0	-49.90	274	0.0	0.0	-0.0	0.1
-0.0	-45.36	275	0.0	0.0	-0.0	0.1
-0.1	-22.36	284	-0.0	-0.1	-0.0	-0.0
-0.1	-9.47	283	-0.0	-0.1	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.3
274	0.0	0.4
275	0.0	0.2
284	-0.0	0.2
283	-0.0	0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-4.2	32.43	SLDx (RS)	Cent	5.5	-0.3	6.2	9.4
-1.6	32.31		274	5.4	1.2	4.5	8.2
-8.4	32.32		275	5.5	-2.8	8.8	11.1
-5.4	28.65		284	9.7	-0.9	8.2	14.2
0.7	22.85		283	10.2	2.4	4.0	11.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-11.09	Cent	0.0	-0.0	-0.0	0.0
0.0	-62.58	274	0.0	0.0	-0.0	0.0
0.0	-65.69	275	0.0	0.0	-0.0	0.0
0.0	75.90	284	0.0	0.0	0.0	0.0
0.0	-80.73	283	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
274	0.0	-0.0
275	0.0	-0.0
284	-0.0	-0.0
283	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-22.3	-77.00	SLDy (RS)	Cent	-21.1	-0.7	-5.0	0.5
			274	-19.9	-0.1	-4.4	0.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-20.8	-78.09		275	-20.1	-0.7	-5.5	0.7
-21.5	-75.27		284	-22.4	-1.4	-5.6	0.1
-23.8	-75.93		283	-22.2	-0.6	-4.5	0.3
-23.1	-78.63						

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-0.0	-29.78		Cent	-0.0	-0.0	-0.0	0.0
0.0	-49.90		274	0.0	0.0	-0.0	0.0
-0.0	-45.36		275	0.0	0.0	-0.0	0.0
-0.0	-22.36		284	-0.0	-0.0	-0.0	-0.0
-0.1	-9.47		283	-0.0	-0.1	-0.0	-0.0

NODE Vxx Vyy

Cent	-0.0	0.2
274	0.0	0.2
275	0.0	0.1
284	-0.0	0.1
283	-0.0	0.2

Fmin ANGLE LC NODE Fxx Fyy Fxy Fmax

-4.0	33.93	SLVz (RS)	Cent	4.2	-0.3	5.6	8.0
-5.3	49.83		274	-2.2	-1.0	3.7	2.2
-10.4	44.76		275	-2.4	-2.5	8.0	5.6
-3.9	31.05		284	8.5	0.6	7.5	13.0
0.7	21.23		283	9.0	2.0	3.2	10.2

Mmin ANGLE NODE Mxx Myy Mxy Mmax

0.0	60.00		Cent	0.0	0.0	0.0	0.0
0.0	55.07		274	0.0	0.0	0.0	0.0
0.0	56.40		275	0.0	0.0	0.0	0.0
0.0	67.40		284	0.0	0.0	0.0	0.0
0.0	78.95		283	0.0	0.0	0.0	0.0

NODE Vxx Vyy

Cent	0.0	-0.0
274	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

275 0.0 -0.0  
 284 0.0 -0.0  
 283 0.0 -0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-139.4	-55.34	g1	Cent	-80.4	-16.0	-85.3	42.9
-28.6	-39.56		274	21.0	5.2	-41.0	54.8
-110.7	-44.86		275	27.1	25.8	-137.2	163.7
-257.9	-59.57		284	-181.8	-37.3	-129.6	38.8
-196.0	-76.43		283	-187.9	-57.9	-33.3	-49.8
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-2.73		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	1.61		274	-0.0	-0.0	0.0	-0.0
-0.0	0.44		275	-0.0	-0.0	0.0	-0.0
-0.0	-2.50		284	0.0	-0.0	-0.0	0.0
-0.0	-4.00		283	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			274	-0.0	0.0		
			275	-0.0	0.0		
			284	-0.0	0.0		
			283	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-71.7	-53.71	g2	Cent	-41.6	-15.8	-41.0	14.3
-15.1	-36.61		274	9.4	-1.6	-18.2	22.9
-60.3	-42.96		275	10.1	0.8	-65.5	71.1
-132.4	-58.04		284	-92.5	-30.1	-63.8	9.8
-97.4	-75.74		283	-93.2	-32.4	-16.5	-28.2
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-72.12		Cent	0.0	0.0	-0.0	0.0
			274	0.0	0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-73.40		275	0.0	0.0	-0.0	0.0
0.0	-63.09		284	0.0	0.0	-0.0	0.0
0.0	-66.62		283	0.0	0.0	-0.0	0.0
0.0	-79.71						

NODE	Vxx	Vyy
Cent	-0.0	-0.0
274	0.0	-0.0
275	0.0	-0.0
284	-0.0	-0.0
283	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-4.1	30.66	q3	Cent	7.8	0.1	7.0	11.9
-3.8	29.36		274	12.0	1.2	8.9	17.0
-0.4	21.64		275	12.1	1.6	5.0	14.1
-4.4	33.06		284	3.6	-1.0	5.2	6.9
-8.4	37.54		283	3.4	-1.4	9.1	10.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	14.75	Cent	-0.0	-0.0	0.0	-0.0
-0.0	46.77	274	-0.0	-0.0	0.0	-0.0
-0.0	66.78	275	-0.0	-0.0	0.0	0.0
-0.0	9.20	284	-0.0	-0.0	0.0	-0.0
-0.0	5.89	283	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
274	-0.0	0.0
275	-0.0	0.0
284	0.0	0.0
283	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-25.4	-89.60	q5_pc	Cent	-25.4	0.5	-0.2	0.5
-26.0	-88.95		274	-25.9	0.1	-0.5	0.1
-25.8	-89.96		275	-25.8	0.7	-0.0	0.7



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-24.8	89.75		284	-24.8	0.9	0.1	0.9
-25.0	-89.23		283	-25.0	0.4	-0.3	0.4
-----							
			Cent	0.0	-0.1	-0.0	0.0
-0.1	-26.42		274	0.1	0.1	-0.0	0.1
0.0	-50.92		275	0.1	0.0	-0.1	0.1
0.0	-43.12		284	-0.0	-0.1	-0.0	-0.0
-0.1	-20.73		283	-0.1	-0.2	-0.0	-0.1
-0.2	-8.38						
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	0.6		
			274	-0.0	0.8		
			275	-0.0	0.4		
			284	-0.1	0.4		
			283	-0.1	0.8		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		q5_ps	Cent	-23.3	-0.7	-1.0	-0.6
-23.3	-87.54		274	-23.2	-0.3	-0.9	-0.3
-23.3	-87.72		275	-23.5	-1.1	-0.8	-1.1
-23.5	-87.90		284	-23.3	-1.0	-1.0	-1.0
-23.3	-87.36		283	-23.0	-0.3	-1.1	-0.2
-23.1	-87.19						
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	-0.0	-0.0	0.0
-0.1	-27.41		274	0.1	0.1	-0.0	0.1
0.0	-51.84		275	0.1	0.1	-0.1	0.1
0.0	-43.69		284	-0.0	-0.1	-0.0	0.0
-0.1	-21.48		283	-0.1	-0.2	-0.0	-0.1
-0.2	-8.93						
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	0.6		
			274	-0.0	0.8		
			275	-0.0	0.4		
			284	-0.1	0.4		
			283	-0.1	0.8		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1991.1	-89.22	INVSLU	Max Cent	-1985.6	-1.0	-27.7	-0.6
-1550.6	83.25		274	-1542.4	102.9	197.4	126.1
-1546.5	-67.05		275	-1496.0	257.4	-301.8	309.8
-2441.8	-82.54		284	-2405.6	-93.0	-248.5	-61.6
-2444.7	83.39		283	-2434.4	-203.4	263.7	-173.5
-2340.1	-76.47		Min Cent	-2218.6	-241.2	-505.2	-118.7
-1698.4	-80.35		274	-1661.0	-165.5	-260.7	-121.0
-1948.8	-72.40		275	-1627.6	-27.6	-796.9	241.3
-3038.9	-74.17		284	-2823.8	-364.2	-759.1	-147.3
-2894.1	-84.68		283	-2874.3	-529.4	-216.5	-509.3
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	48.64		Max Cent	0.0	0.0	0.1	0.1
0.0	-35.79		274	0.1	0.1	0.1	0.1
-0.1	-28.25		275	0.1	-0.0	0.1	0.1
0.0	51.59		284	0.1	0.1	0.1	0.2
0.1	77.14		283	0.1	0.3	0.0	0.3
-0.4	6.94		Min Cent	-0.1	-0.4	-0.1	-0.1
-0.3	14.04		274	-0.2	-0.3	-0.1	-0.2
-0.3	12.68		275	-0.2	-0.3	-0.1	-0.1
-0.5	-10.32		284	-0.2	-0.5	-0.1	-0.1
-0.7	-7.29		283	-0.3	-0.7	-0.1	-0.2
			NODE	Vxx	Vyy		
			Max Cent	0.0	1.1		
			274	-0.0	1.5		
			275	-0.0	0.8		
			284	0.1	0.8		
			283	0.1	1.5		
			Min Cent	-0.2	-0.9		
			274	-0.1	-1.1		
			275	-0.1	-0.7		
			284	-0.3	-0.7		
			283	-0.3	-1.1		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-1059.4	-82.05	INVSLV	Max Cent	-1044.8	-26.3	-121.1	-6.0	
-788.5	-88.74		274	-788.3	31.9	-11.6	32.2	
-843.9	-73.78		275	-773.7	82.8	-246.7	167.3	
-1341.4	-78.59		284	-1298.1	-81.5	-229.9	-28.9	
-1312.1	89.74		283	-1312.1	-126.1	6.1	-126.0	
-1159.3	-83.43		Min Cent	-1138.5	-29.5	-155.1	-14.2	
-877.0	-88.04		274	-875.7	26.5	-36.9	27.6	
-942.4	-75.16		275	-862.2	69.1	-293.2	135.3	
-1457.8	-79.67		284	-1404.5	-88.4	-274.1	-44.2	
-1418.8	-89.19		283	-1418.5	-137.5	-18.7	-137.2	
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
-0.0	53.56		Max Cent	-0.0	0.0	0.0	0.0	
0.0	-43.70		274	0.0	0.0	0.0	0.1	
-0.0	-40.19		275	0.0	0.0	0.0	0.1	
-0.0	63.02		284	-0.0	0.0	0.0	0.0	
0.0	77.88		283	0.0	0.1	0.0	0.1	
-0.1	-16.59		Min Cent	-0.0	-0.1	-0.0	-0.0	
-0.1	34.54		274	-0.0	-0.1	-0.0	-0.0	
-0.1	26.36		275	-0.0	-0.0	-0.0	-0.0	
-0.1	-18.99		284	-0.0	-0.1	-0.0	-0.0	
-0.2	-7.59		283	-0.1	-0.2	-0.0	-0.1	
			NODE	Vxx	Vyy			
			Max Cent	0.0	0.4			
			274	0.0	0.5			
			275	0.0	0.3			
			284	0.0	0.3			
			283	0.0	0.5			
			Min Cent	-0.0	-0.3			
			274	-0.0	-0.4			
			275	-0.0	-0.2			
			284	-0.0	-0.2			
			283	-0.0	-0.4			
ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
	Fmin	ANGLE						

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
302	2	4	Q1-1-2	Max	Cent	2.9	11.2	107.3	114.4
-100.3		46.10			282	2.4	9.1	156.4	162.2
-150.7		45.61			283	2.3	31.5	62.2	80.8
-47.0		51.60			292	3.4	16.2	66.2	76.4
-56.7		47.76			291	3.6	0.9	170.6	172.9
-168.4		44.77		Min	Cent	-390.7	-275.4	-253.0	-73.6
-592.6		-51.42			282	-334.7	-301.7	-177.7	-139.8
-496.7		-47.65			283	-341.0	-318.7	-325.6	-4.0
-655.7		-45.98			292	-478.0	-353.9	-338.1	-72.2
-759.7		-50.20			291	-473.8	-340.5	-182.3	-213.0
-601.3		-55.04							
				Max	Cent	0.0	0.0	0.0	0.0
-0.0		54.17			282	0.0	0.0	0.0	0.1
-0.0		54.44			283	0.0	0.0	0.0	0.0
-0.0		52.86			292	0.0	0.0	0.0	0.1
-0.0		58.64			291	0.0	0.0	0.0	0.1
-0.0		53.17		Min	Cent	-0.1	-0.3	-0.0	-0.1
-0.3		-2.79			282	-0.1	-0.4	-0.0	-0.1
-0.4		-2.45			283	-0.1	-0.3	-0.0	-0.1
-0.3		-4.20			292	-0.1	-0.4	-0.0	-0.1
-0.4		-3.65			291	-0.1	-0.4	-0.0	-0.1
-0.4		-2.77							
				Max	Cent	0.0	0.6		
					282	0.0	0.4		
					283	0.0	1.1		
					292	0.0	1.1		
					291	0.0	0.4		
				Min	Cent	-0.1	-0.1		
					282	-0.1	-0.1		
					283	-0.1	-0.4		
					292	-0.0	-0.4		
					291	-0.0	-0.1		
				LC	NODE	Fxx	Fyy	Fxy	Fmax

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		Q2a-1-2	Max	Cent	2.2	7.3	70.5	75.3
-65.9	46.03			282	1.8	5.4	103.3	106.9
-99.7	45.50			283	1.7	20.3	40.8	52.8
-30.8	51.41			292	2.6	10.6	43.3	50.1
-37.0	47.64			291	2.6	0.5	113.4	114.9
-111.8	44.72		Min	Cent	-243.4	-195.4	-157.6	-60.0
-378.8	-49.32			282	-210.4	-217.3	-110.2	-103.6
-324.2	-44.10			283	-215.3	-228.7	-202.7	-19.2
-424.8	-44.05			292	-299.8	-251.3	-211.8	-62.4
-488.7	-48.26			291	-296.4	-242.1	-113.3	-152.7
-385.8	-51.74							

Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
			Max	Cent	0.0	0.0	0.0	0.0
-0.0	50.60			282	0.0	0.0	0.0	0.0
-0.0	50.75			283	0.0	0.0	0.0	0.0
-0.0	49.80			292	0.0	0.0	0.0	0.0
-0.0	54.03			291	0.0	0.0	0.0	0.0
-0.0	49.96		Min	Cent	-0.1	-0.2	-0.0	-0.1
-0.2	-2.58			282	-0.1	-0.2	-0.0	-0.1
-0.2	-2.23			283	-0.0	-0.2	-0.0	-0.0
-0.2	-4.13			292	-0.1	-0.3	-0.0	-0.1
-0.3	-3.68			291	-0.1	-0.3	-0.0	-0.1
-0.3	-2.54							

		NODE	Vxx	Vyy
	Max	Cent	0.0	0.4
		282	0.0	0.2
		283	0.0	0.7
		292	0.0	0.7
		291	0.0	0.2
	Min	Cent	-0.0	-0.1
		282	-0.1	-0.1
		283	-0.1	-0.2
		292	-0.0	-0.2
		291	-0.0	-0.1

Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)		Cent	26.7	4.2	14.2	33.5
-2.7	25.79							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-1.4	20.22		282	21.8	1.7	8.6	25.0
-9.5	32.93		283	22.5	3.9	20.7	35.9
-5.1	29.49		292	31.6	6.7	20.8	43.4
2.0	16.64		291	31.0	4.6	8.7	33.6
-----							
0.0	-88.94		Cent	0.0	0.0	-0.0	0.0
0.0	88.93		282	0.0	0.0	0.0	0.0
-0.0	88.88		283	-0.0	0.0	0.0	0.0
0.0	88.42		292	0.0	0.0	0.0	0.0
0.0	88.65		291	0.0	0.0	0.0	0.0
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			282	0.0	-0.0		
			283	0.0	0.0		
			292	-0.0	0.0		
			291	-0.0	-0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	-50.8	-2.6	-11.8	0.2
-53.6	-76.92		282	-48.3	-1.2	-8.4	0.2
-49.8	-80.13		283	-48.7	-2.6	-15.2	1.9
-53.3	-73.31		292	-53.3	-4.0	-15.2	0.4
-57.7	-74.15		291	-52.9	-2.6	-8.5	-1.2
-54.3	-80.66						
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.1	-0.3	-0.0	-0.1
-0.3	-0.29		282	-0.1	-0.2	-0.0	-0.1
-0.2	-0.64		283	-0.0	-0.2	-0.0	-0.0
-0.2	-2.74		292	-0.1	-0.3	-0.0	-0.1
-0.3	-1.31		291	-0.1	-0.4	0.0	-0.1
-0.4	0.64						
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	1.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

282 -0.1 1.0  
 283 -0.1 1.0  
 292 -0.0 1.0  
 291 -0.0 1.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.3	25.79	SLDx (RS)	Cent	13.3	2.1	7.1	16.8
-0.7	20.23		282	10.9	0.9	4.3	12.5
-4.7	32.93		283	11.2	2.0	10.3	17.9
-2.5	29.49		292	15.8	3.3	10.4	21.7
1.0	16.65		291	15.5	2.3	4.3	16.8

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-88.94		Cent	0.0	0.0	-0.0	0.0
0.0	88.92		282	0.0	0.0	0.0	0.0
-0.0	88.87		283	-0.0	0.0	0.0	0.0
0.0	88.42		292	0.0	0.0	0.0	0.0
0.0	88.65		291	0.0	0.0	0.0	0.0

	NODE	Vxx	Vyy
	Cent	-0.0	0.0
	282	0.0	-0.0
	283	0.0	0.0
	292	-0.0	0.0
	291	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-26.8	-76.92	SLDy (RS)	Cent	-25.4	-1.3	-5.9	0.1
-24.9	-80.12		282	-24.1	-0.6	-4.2	0.1
-26.6	-73.31		283	-24.3	-1.3	-7.6	1.0
-28.8	-74.15		292	-26.6	-2.0	-7.6	0.2
-27.1	-80.66		291	-26.4	-1.3	-4.2	-0.6

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	-0.29		Cent	-0.0	-0.1	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	-0.64	282	-0.0	-0.1	-0.0	-0.0
-0.1	-2.74	283	-0.0	-0.1	-0.0	-0.0
-0.2	-1.31	292	-0.0	-0.2	-0.0	-0.0
-0.2	0.64	291	-0.1	-0.2	0.0	-0.1

NODE	Vxx	Vyy
Cent	-0.0	0.5
282	-0.0	0.5
283	-0.0	0.5
292	-0.0	0.5
291	-0.0	0.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.3	26.12	SLVz (RS)	Cent	11.8	1.9	6.4	14.9
-0.4	19.14		282	9.6	0.8	3.5	10.8
-4.3	33.36		283	9.9	1.9	9.3	16.1
-2.4	29.83		292	14.0	3.0	9.4	19.4
1.0	15.52		291	13.7	2.0	3.5	14.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	88.35	Cent	0.0	0.0	0.0	0.0
0.0	86.90	282	0.0	0.0	0.0	0.0
0.0	86.79	283	0.0	0.0	0.0	0.0
0.0	88.63	292	0.0	0.0	0.0	0.0
0.0	88.45	291	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
282	0.0	-0.0
283	0.0	0.0
292	-0.0	0.0
291	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-284.1	-67.85	g1	Cent	-243.5	-39.1	-99.7	1.5
-206.2	-78.85		282	-199.2	-25.0	-35.7	-18.0
			283	-199.7	-26.6	-164.5	72.8



# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-299.0	-58.87		292	-287.9	-53.1	-163.8	31.0
-372.0	-62.82		291	-287.4	-51.5	-34.9	-46.5
-292.5	-81.75						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
------	-------	--	------	-----	-----	-----	------

-----							
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-0.89		282	-0.0	-0.0	-0.0	-0.0
-0.0	-0.09		283	-0.0	-0.0	-0.0	-0.0
-0.0	-0.35		292	-0.0	-0.0	-0.0	-0.0
-0.0	-1.36		291	-0.0	-0.0	-0.0	-0.0
-0.0	-1.31						

	NODE	Vxx	Vyy
-----			
	Cent	0.0	-0.0
	282	0.0	0.1
	283	0.0	-0.1
	292	0.0	-0.1
	291	0.0	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

-----							
		g2	Cent	-116.6	-17.3	-45.7	0.5
-134.4	-68.69		282	-96.2	-13.0	-15.5	-10.2
-99.0	-79.78		283	-95.0	-9.1	-76.6	35.7
-139.9	-59.66		292	-136.9	-21.6	-75.8	15.9
-174.5	-63.62		291	-138.1	-25.6	-14.8	-23.6
-140.0	-82.65						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
------	-------	--	------	-----	-----	-----	------

-----							
			Cent	0.0	0.0	-0.0	0.0
0.0	-84.48		282	0.0	0.0	-0.0	0.0
0.0	-84.54		283	0.0	0.0	-0.0	0.0
0.0	-85.89		292	0.0	0.1	-0.0	0.1
0.0	-87.57		291	0.0	0.0	-0.0	0.0
0.0	-83.50						

	NODE	Vxx	Vyy
-----			
	Cent	0.0	-0.1
	282	0.0	0.0
	283	0.0	-0.3
	292	0.0	-0.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		291	0.0	0.0			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		q3	Cent	3.0	0.3	7.6	9.4
-6.1	39.96		282	4.2	0.1	9.6	12.0
-7.6	38.98		283	4.6	1.3	5.5	8.7
-2.8	36.68		292	1.8	0.4	5.6	6.8
-4.6	41.64		291	1.4	-0.7	9.7	10.1
-9.4	41.87						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	0.22		282	-0.0	-0.0	0.0	-0.0
-0.0	0.51		283	-0.0	-0.0	-0.0	-0.0
-0.0	-1.02		292	-0.0	-0.0	-0.0	-0.0
-0.0	-0.74		291	-0.0	-0.0	0.0	-0.0
-0.0	0.44						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	0.0		
			282	-0.0	0.0		
			283	-0.0	0.0		
			292	-0.0	0.0		
			291	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		q5_pc	Cent	-29.7	-1.6	-1.2	-1.5
-29.7	-87.62		282	-28.7	-1.0	0.2	-1.0
-28.7	89.59		283	-28.8	-1.6	-2.5	-1.4
-29.1	-84.79		292	-30.7	-2.2	-2.5	-2.0
-30.9	-84.95		291	-30.5	-1.5	0.2	-1.5
-30.5	89.68						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.1	-0.5	0.0	-0.1
-0.5	0.10		282	-0.1	-0.4	0.0	-0.1
-0.4	0.71		283	-0.1	-0.3	-0.0	-0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.3	-2.21		292	-0.2	-0.6	-0.0	-0.2
-0.6	-1.26		291	-0.2	-0.6	0.0	-0.2
-0.6	0.59						

NODE	Vxx	Vyy
Cent	-0.1	1.8
282	-0.1	1.7
283	-0.1	1.8
292	-0.0	1.8
291	-0.0	1.7

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_ps	Cent	-26.8	-1.2	-1.5	-1.2
-26.9	-86.64		282	-26.0	-0.9	-0.3	-0.9
-26.0	-89.33		283	-26.0	-1.1	-2.7	-0.8
-26.3	-83.84		292	-27.7	-1.6	-2.7	-1.3
-28.0	-84.11		291	-27.6	-1.4	-0.3	-1.4
-27.6	-89.36						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.1	-0.4	0.0	-0.1
-0.4	0.02	282	-0.1	-0.4	0.0	-0.1
-0.4	0.61	283	-0.1	-0.3	-0.0	-0.1
-0.3	-2.31	292	-0.2	-0.5	-0.0	-0.2
-0.5	-1.33	291	-0.2	-0.6	0.0	-0.2
-0.6	0.52					

NODE	Vxx	Vyy
Cent	-0.1	1.7
282	-0.1	1.7
283	-0.1	1.7
292	0.0	1.7
291	0.0	1.7

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		INVSLU Max	Cent	-2909.8	-67.2	-159.5	-56.7
-2925.4	-85.51		282	-2662.6	-26.9	276.6	1.6
-2674.9	84.12		283	-2642.0	71.5	-600.8	197.8
-2781.3	-78.12		292	-3157.0	-103.7	-584.2	8.3
-3273.5	-78.88						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-3191.1	84.22		291	-3177.6	-192.1	306.8	-161.5
-3641.4	-78.50	Min	Cent	-3509.5	-457.1	-648.0	-325.2
-3196.4	-86.37		282	-3185.4	-448.2	-174.8	-437.1
-3575.5	-70.41		283	-3173.7	-404.3	-1128.8	-2.5
-4231.1	-72.61		292	-3875.9	-607.3	-1134.6	-252.0
-3899.1	-87.00		291	-3890.3	-656.1	-170.0	-647.2

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----	-----		-----	-----	-----	-----	-----
		Max	Cent	0.2	0.6	0.0	0.6
0.2	87.73		282	0.2	0.5	0.0	0.5
0.2	87.28		283	0.0	0.2	0.0	0.2
0.0	83.03		292	0.2	0.8	0.0	0.8
0.2	87.10		291	0.2	0.7	0.0	0.7
0.2	88.38	Min	Cent	-0.3	-1.2	-0.0	-0.3
-1.2	-1.73		282	-0.3	-1.0	-0.0	-0.3
-1.0	-1.35		283	-0.2	-1.0	-0.0	-0.2
-1.0	-3.13		292	-0.4	-1.3	-0.0	-0.4
-1.3	-2.81		291	-0.4	-1.4	-0.0	-0.4
-1.4	-1.24						

	NODE	Vxx	Vyy
Max	Cent	0.1	2.7
	282	0.2	3.4
	283	0.2	2.1
	292	0.1	2.1
	291	0.1	3.4
Min	Cent	-0.1	-3.3
	282	-0.2	-2.2
	283	-0.2	-4.6
	292	-0.0	-4.6
	291	-0.0	-2.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----	-----		-----	-----	-----	-----	-----
-1588.7	-83.56	INVSLV	Max	Cent	-1568.2	-50.2	-175.5
				282	-1424.9	-22.3	36.6
-1425.8	88.52			283	-1415.3	10.1	-392.4
-1518.1	-74.67			292	-1711.6	-78.1	-386.6
-1800.2	-76.48			291	-1721.1	-110.4	42.4
-1722.2	88.51						-109.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		Min	Cent	-1693.0	-61.2	-214.8	-33.2
-1720.3	-82.55		282	-1540.4	-27.0	12.3	-26.9
-1540.5	89.53		283	-1532.2	-0.4	-448.4	109.9
-1651.8	-75.74		292	-1845.6	-95.5	-442.9	8.1
-1949.5	-77.44		291	-1853.8	-122.2	17.8	-122.0
-1854.0	89.40						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
		Max	Cent	0.1	0.2	-0.0	0.2
0.1	-89.64		282	0.1	0.2	0.0	0.2
0.1	89.68		283	0.0	0.1	0.0	0.1
0.0	87.87		292	0.1	0.3	0.0	0.3
0.1	89.50		291	0.1	0.3	0.0	0.3
0.1	-88.86	Min	Cent	-0.1	-0.3	-0.0	-0.1
-0.3	-0.77		282	-0.1	-0.3	-0.0	-0.1
-0.3	-0.90		283	-0.0	-0.2	-0.0	-0.0
-0.2	-3.14		292	-0.1	-0.4	-0.0	-0.1
-0.4	-1.93		291	-0.1	-0.4	-0.0	-0.1
-0.4	0.22						

			NODE	Vxx	Vyy
		Max	Cent	0.0	1.0
			282	0.1	1.1
			283	0.1	1.0
			292	0.0	1.0
			291	0.0	1.1
		Min	Cent	-0.0	-1.0
			282	-0.1	-1.0
			283	-0.1	-1.1
			292	-0.0	-1.1
			291	-0.0	-1.0

ELEM	MAT	SEC	LC		NODE	Fxx	Fyy	Fxy	Fmax
Fmin		ANGLE							
303	2	10	Q1-1-2	Max	Cent	2.4	22.7	106.7	119.7
-94.7		47.72			283	2.0	23.5	141.5	154.7
-129.2		47.18			284	2.0	42.2	74.0	98.8
-54.6		52.60			293	2.7	25.0	76.2	90.9
-63.1		49.17			292	2.7	14.0	152.0	160.5
-143.7		46.07		Min	Cent	-329.4	-248.8	-240.3	-45.4
-532.8		-49.76							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-480.8	-45.05	283	-293.7	-293.1	-187.4	-106.0
-573.3	-45.83	284	-285.0	-267.8	-296.8	20.5
-647.3	-49.68	293	-391.3	-291.8	-301.7	-35.8
-552.7	-50.95	292	-402.0	-323.6	-185.8	-172.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Max Cent	0.0	0.0	0.0	0.0
-0.0	53.18	283	0.0	0.0	0.0	0.0
-0.0	51.54	284	0.0	0.1	0.0	0.1
0.0	62.24	293	0.0	0.0	0.0	0.1
-0.0	48.11	292	0.0	0.0	0.0	0.0
0.0	58.56	Min Cent	-0.1	-0.3	-0.0	-0.1
-0.3	-3.44	283	-0.1	-0.2	-0.0	-0.1
-0.2	-7.03	284	-0.2	-0.5	-0.0	-0.2
-0.5	-1.28	293	-0.1	-0.2	-0.0	-0.1
-0.2	-2.70	292	-0.1	-0.3	-0.0	-0.1
-0.3	-6.88					

	NODE	Vxx	Vyy
Max	Cent	0.1	0.5
	283	0.1	0.8
	284	0.1	1.3
	293	0.0	1.3
	292	0.0	0.8
Min	Cent	-0.0	-1.0
	283	-0.0	-0.2
	284	-0.0	-2.8
	293	-0.0	-2.8
	292	-0.0	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-62.2	47.56	Q2a-1-2	Max Cent	1.7	14.3	70.0	78.3
-84.9	47.12		283	1.5	15.3	93.1	101.7
-36.4	51.93		284	1.5	25.4	48.4	63.3
-41.6	48.72		293	2.0	15.0	49.7	58.6
-95.0	46.01		292	2.0	9.1	100.5	106.1
-342.3	-47.73		Min Cent	-205.8	-177.0	-150.2	-40.6
-314.5	-41.94		283	-184.7	-209.7	-116.7	-79.9

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-372.0	-44.02	284	-179.9	-192.6	-185.6	-0.5
-418.4	-47.81	293	-246.5	-209.2	-189.6	-37.4
-357.5	-47.86	292	-252.8	-229.6	-115.7	-124.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	50.30	Max Cent	0.0	0.0	0.0	0.0
-0.0	49.27	283	0.0	0.0	0.0	0.0
0.0	58.53	284	0.0	0.1	0.0	0.1
-0.0	47.40	293	0.0	0.0	0.0	0.0
-0.0	54.71	292	0.0	0.0	0.0	0.0
-0.2	-3.42	Min Cent	-0.1	-0.2	-0.0	-0.1
-0.1	-6.86	283	-0.0	-0.1	-0.0	-0.0
-0.3	-1.03	284	-0.1	-0.3	-0.0	-0.1
-0.1	-2.30	293	-0.0	-0.1	-0.0	-0.0
-0.2	-6.94	292	-0.1	-0.2	-0.0	-0.1

NODE	Vxx	Vyy
Max Cent	0.0	0.3
283	0.1	0.5
284	0.1	0.7
293	0.0	0.7
292	0.0	0.5
Min Cent	-0.0	-0.6
283	-0.0	-0.1
284	-0.0	-1.7
293	-0.0	-1.7
292	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.3	28.53	SLVx (RS)	Cent	23.7	6.8	13.1	30.9
0.0	24.82		283	20.4	4.4	9.4	24.8
-4.1	34.07		284	21.3	7.5	17.2	32.9
-1.3	31.35		293	27.2	9.3	17.4	37.8
2.3	21.82		292	26.3	6.2	9.6	30.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-82.30		283	0.0	0.0	-0.0	0.0
0.0	-83.59		284	-0.0	-0.0	-0.0	-0.0
-0.0	-9.93		293	-0.0	-0.0	-0.0	-0.0
-0.0	-1.52		292	0.0	0.0	-0.0	0.0
0.0	-86.81						

NODE	Vxx	Vyy
Cent	0.0	0.0
283	-0.0	0.0
284	-0.0	-0.1
293	-0.0	-0.1
292	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	-44.3	-2.7	-10.6	-0.2
-46.8	-76.46		283	-44.9	-3.1	-11.5	-0.2
-47.9	-75.64		284	-44.8	-2.8	-9.8	-0.7
-47.0	-77.45		293	-43.6	-2.5	-9.8	-0.2
-45.8	-77.27		292	-43.7	-2.7	-11.4	0.3
-46.7	-75.43						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-3.64	283	-0.0	-0.1	-0.0	-0.0
-0.1	-6.69	284	-0.0	-0.1	-0.0	-0.0
-0.1	-8.80	293	-0.0	-0.1	-0.0	-0.0
-0.1	-2.50	292	-0.1	-0.2	-0.0	-0.1
-0.2	-1.62					

NODE	Vxx	Vyy
Cent	-0.0	0.5
283	-0.0	0.7
284	-0.0	0.2
293	-0.0	0.2
292	-0.0	0.7

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDx (RS)	Cent	11.9	3.4	6.5	15.4
-0.1	28.53		283	10.2	2.2	4.7	12.4
0.0	24.83						



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

			284	10.6	3.7	8.6	16.4
-2.1	34.07		293	13.6	4.6	8.7	18.9
-0.6	31.35		292	13.2	3.1	4.8	15.1
1.2	21.83						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	-82.29		Cent	0.0	0.0	-0.0	0.0
0.0	-83.58		283	0.0	0.0	-0.0	0.0
-0.0	-9.92		284	-0.0	-0.0	-0.0	-0.0
-0.0	-1.52		293	-0.0	-0.0	-0.0	-0.0
0.0	-86.81		292	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	0.0		
			283	-0.0	0.0		
			284	-0.0	-0.0		
			293	-0.0	-0.0		
			292	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-23.4	-76.45	SLDy (RS)	Cent	-22.1	-1.4	-5.3	-0.1
-23.9	-75.64		283	-22.4	-1.5	-5.7	-0.1
-23.5	-77.45		284	-22.4	-1.4	-4.9	-0.3
-22.9	-77.27		293	-21.8	-1.2	-4.9	-0.1
-23.3	-75.43		292	-21.8	-1.4	-5.7	0.1
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.1	-3.65		Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-6.69		283	-0.0	-0.1	-0.0	-0.0
-0.0	-8.80		284	-0.0	-0.0	-0.0	-0.0
-0.1	-2.50		293	-0.0	-0.1	-0.0	-0.0
-0.1	-1.62		292	-0.0	-0.1	-0.0	-0.0
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	0.2		
			283	-0.0	0.3		
			284	-0.0	0.1		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

293 -0.0 0.1  
292 -0.0 0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.1	29.11	SLVz (RS)	Cent	10.5	3.2	5.9	13.8
0.2	24.39		283	9.0	2.0	4.0	10.8
-1.7	35.01		284	9.4	3.7	7.8	14.8
-0.5	32.06		293	12.0	4.4	7.9	16.9
1.2	21.25		292	11.6	2.8	4.1	13.2

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-82.81		Cent	0.0	0.0	-0.0	0.0
0.0	-81.49		283	0.0	0.0	-0.0	0.0
-0.0	-9.02		284	-0.0	-0.0	-0.0	-0.0
0.0	-87.55		293	0.0	0.0	-0.0	0.0
0.0	-87.36		292	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
283	0.0	0.0
284	0.0	-0.0
293	-0.0	-0.0
292	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-247.3	-66.58	g1	Cent	-207.5	-35.4	-91.8	4.4
-195.7	-72.90		283	-180.2	-32.2	-50.3	-16.7
-254.8	-60.01		284	-176.9	-21.2	-134.8	56.7
-302.3	-63.18		293	-234.9	-38.6	-133.3	28.8
-250.0	-76.32		292	-238.2	-49.6	-48.8	-37.7

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	8.80		Cent	-0.0	-0.0	0.0	-0.0
-0.0	5.70		283	-0.0	-0.0	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	87.82	284	0.0	0.0	0.0	0.0
-0.0	-0.02	293	-0.0	-0.0	-0.0	-0.0
-0.0	11.02	292	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.2
283	-0.0	-0.1
284	-0.0	0.6
293	0.0	0.6
292	0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-115.3	-68.08	g2	Cent	-98.4	-11.2	-41.9	5.6
-94.2	-73.70		283	-87.3	-12.5	-23.9	-5.5
-116.7	-61.95		284	-84.2	-2.2	-61.0	30.2
-137.6	-64.89		293	-109.6	-9.9	-59.8	18.1
-118.0	-76.88		292	-112.7	-20.2	-22.8	-14.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-88.64	Cent	0.0	0.0	-0.0	0.0
0.0	85.96	283	0.0	0.0	0.0	0.0
0.0	-83.89	284	0.0	0.1	-0.0	0.1
-0.0	-30.52	293	-0.0	-0.0	-0.0	-0.0
0.0	84.76	292	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	0.3
283	-0.0	-0.2
284	-0.0	0.8
293	0.0	0.8
292	0.0	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-5.7	40.11	q3	Cent	2.7	0.2	7.1	8.6
-6.8	39.90		283	4.1	0.8	9.1	11.7
-3.2	35.38		284	4.0	0.4	5.1	7.6
			293	1.2	-0.4	5.1	5.6

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-4.7	40.48		292	1.4	0.0	9.1	9.8
-8.4	42.89						
-----							
-0.0	3.67		Cent	-0.0	-0.0	0.0	-0.0
-0.0	0.35		283	-0.0	-0.0	0.0	-0.0
-0.0	11.33		284	-0.0	-0.0	0.0	-0.0
-0.0	6.22		293	-0.0	-0.0	0.0	-0.0
-0.0	-2.12		292	-0.0	-0.0	-0.0	-0.0
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			283	0.0	0.0		
			284	0.0	0.0		
			293	-0.0	0.0		
			292	-0.0	0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-25.5	-85.84	q5_pc	Cent	-25.3	-1.1	-1.8	-1.0
-25.7	-85.41		283	-25.5	-1.5	-1.9	-1.4
-25.4	-86.15		284	-25.3	-0.8	-1.7	-0.7
-25.2	-86.27		293	-25.1	-0.8	-1.6	-0.6
-25.5	-85.52		292	-25.3	-1.5	-1.9	-1.3
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.2	-3.01		Cent	-0.1	-0.2	-0.0	-0.1
-0.2	-5.83		283	-0.1	-0.2	-0.0	-0.1
-0.1	-8.14		284	-0.0	-0.1	-0.0	-0.0
-0.2	-2.23		293	-0.1	-0.2	-0.0	-0.1
-0.4	-1.38		292	-0.1	-0.4	-0.0	-0.1
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	0.9		
			283	-0.1	1.2		
			284	-0.1	0.7		
			293	-0.0	0.7		
			292	-0.0	1.2		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-23.1	-84.90	q5_ps	Cent	-22.9	-0.7	-2.0	-0.5
-23.6	-83.84		283	-23.3	-1.1	-2.4	-0.8
-23.2	-85.93		284	-23.1	-0.5	-1.6	-0.4
-22.7	-85.97		293	-22.6	-0.3	-1.6	-0.2
-23.0	-83.84		292	-22.7	-0.9	-2.4	-0.7
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.2	-3.21		Cent	-0.1	-0.2	-0.0	-0.1
-0.2	-5.98		283	-0.1	-0.2	-0.0	-0.1
-0.1	-9.45		284	-0.0	-0.1	-0.0	-0.0
-0.2	-2.68		293	-0.1	-0.2	-0.0	-0.1
-0.4	-1.36		292	-0.1	-0.4	-0.0	-0.1
			NODE	Vxx	Vyy		
			Cent	-0.0	1.0		
			283	-0.1	1.2		
			284	-0.1	0.7		
			293	-0.0	0.7		
			292	-0.0	1.2		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2458.4	-86.80	INVSLU Max	Cent	-2444.1	19.0	-138.9	26.8
-2383.3	89.74		283	-2380.9	4.0	10.7	4.0
-2402.1	-83.34		284	-2358.1	105.9	-293.6	140.2
-2544.5	-83.76		293	-2507.3	38.3	-282.7	69.2
-2530.8	89.24		292	-2530.1	-53.2	32.8	-52.8
-3086.6	-77.42	Min	Cent	-2950.4	-349.5	-610.6	-213.3
-2917.6	-80.06		283	-2841.0	-426.2	-436.8	-349.6
-3039.0	-73.69		284	-2805.8	-314.0	-797.2	-80.8
-3311.9	-74.76		293	-3095.2	-390.7	-795.7	-174.0
-3200.7	-80.99		292	-3133.0	-511.7	-426.6	-444.1
			NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE							
			Max	Cent	0.1	0.3	0.0	0.3
0.1	77.10			283	0.0	0.2	0.0	0.2
0.0	71.25			284	0.2	0.6	0.1	0.6
0.2	81.16			293	-0.0	-0.1	0.0	-0.0
-0.1	23.81			292	0.2	0.5	0.0	0.5
0.2	84.37		Min	Cent	-0.2	-0.7	-0.0	-0.2
-0.7	-1.87			283	-0.3	-0.7	-0.0	-0.3
-0.7	-4.20			284	-0.1	-0.4	-0.0	-0.1
-0.4	-6.01			293	-0.3	-1.0	-0.0	-0.3
-1.0	-2.41			292	-0.3	-0.9	-0.0	-0.3
-0.9	-2.05							
				NODE	Vxx	Vyy		
			Max	Cent	0.0	4.5		
				283	0.1	1.5		
				284	0.1	8.5		
				293	0.1	8.5		
				292	0.1	1.5		
			Min	Cent	-0.2	0.1		
				283	-0.3	-3.1		
				284	-0.3	1.8		
				293	-0.0	1.8		
				292	-0.0	-3.1		
				NODE	Fxx	Fyy	Fxy	Fmax
		LC	Max	Cent	-1319.6	-18.9	-164.1	1.2
-1340.4	-82.99	INVSLV		283	-1280.5	-22.4	-104.0	-13.7
-1289.0	-85.31			284	-1271.8	9.3	-225.5	47.4
-1312.2	-80.42			293	-1358.6	-15.4	-222.1	20.0
-1396.2	-80.92			292	-1367.3	-47.1	-100.7	-39.3
-1374.9	-85.65		Min	Cent	-1428.6	-36.1	-200.1	-7.6
-1456.3	-81.90			283	-1388.0	-34.2	-135.0	-20.9
-1401.3	-84.35			284	-1379.8	-9.6	-270.5	42.4
-1429.3	-79.11			293	-1469.3	-38.1	-267.4	10.6
-1515.6	-79.68			292	-1477.4	-62.7	-131.7	-50.7
-1489.6	-84.73							
				NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		Max	Cent	0.0	0.1	0.0	0.1
0.0	85.85		283	0.0	0.1	0.0	0.1
0.0	83.27		284	0.0	0.1	0.0	0.1
0.0	77.87		293	0.0	0.0	0.0	0.0
0.0	82.91		292	0.1	0.2	0.0	0.2
-----		Min	Cent	-0.1	-0.2	-0.0	-0.0
-0.2	-3.20		283	-0.1	-0.2	-0.0	-0.1
-0.2	-6.49		284	-0.0	-0.1	-0.0	-0.0
-0.1	-6.03		293	-0.0	-0.2	-0.0	-0.0
-0.2	-0.99		292	-0.1	-0.2	-0.0	-0.1
-0.2	-2.42						

-----		NODE	Vxx	Vyy
Max	Cent		0.0	0.6
	283		0.0	0.7
	284		0.0	0.6
	293		0.0	0.6
	292		0.0	0.7
Min	Cent		-0.0	-0.3
	283		-0.0	-0.7
	284		-0.0	0.1
	293		-0.0	0.1
	292		-0.0	-0.7

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-----		ANGLE							
Fmin									
316	2	10	Q1-1-2	Max	Cent	1031.1	32.2	117.2	1044.6
18.6		6.60			306	1087.6	15.0	187.1	1119.3
-16.7		9.62			29	1102.1	72.1	97.0	1111.1
63.1		5.33			2232	978.3	71.4	102.4	989.7
59.9		6.36			2266	963.4	13.7	193.9	1001.4
-24.4		11.11		Min	Cent	-7.4	-11.2	-163.5	154.2
-172.9		-44.67			306	-7.4	-12.1	-125.8	116.1
-135.6		-44.46			29	-7.6	-3.8	-237.3	231.7
-243.0		-45.23			2232	-7.6	-22.7	-232.1	217.1
-247.4		-44.07			2266	-7.4	-55.5	-121.7	92.7
-155.5		-39.41							
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
-----									
				Max	Cent	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	83.33		306	0.0	0.1	0.0	0.1
0.0	81.65		29	0.0	0.0	0.0	0.0
0.0	74.88		2232	0.0	0.0	0.0	0.1
0.0	51.36		2266	0.0	0.1	0.0	0.1
0.0	78.99	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-50.67		306	-0.0	-0.0	-0.0	0.0
-0.0	-43.22		29	-0.0	-0.0	-0.0	0.0
-0.0	-42.15		2232	-0.0	-0.0	-0.0	-0.0
-0.0	-70.08		2266	-0.0	-0.0	-0.0	0.0
-0.0	-55.70						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.1
	306	0.0	0.2
	29	0.0	0.2
	2232	0.1	0.2
	2266	0.1	0.1
Min	Cent	-0.1	-0.1
	306	-0.0	-0.1
	29	-0.0	-0.3
	2232	-0.1	-0.3
	2266	-0.1	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
9.9	7.39	Q2a-1-2	Max	Cent	620.9	20.1	79.2	631.2
-12.5	10.29			306	655.4	9.5	121.3	677.4
36.4	5.62			29	663.2	42.5	61.7	669.3
37.2	6.74			2232	589.3	44.9	65.3	597.0
-17.7	11.85			2266	581.0	8.7	125.7	607.4
-115.7	-44.79		Min	Cent	-5.5	-7.1	-109.4	103.2
-88.2	-44.56			306	-5.5	-8.0	-81.5	74.8
-158.8	-45.36			29	-5.6	-1.7	-155.1	151.5
-161.4	-44.29			2232	-5.6	-13.1	-152.0	142.7
-100.4	-39.71			2266	-5.4	-34.9	-78.9	60.1
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
0.0	83.60		Max	Cent	0.0	0.0	0.0	0.0
				306	0.0	0.0	0.0	0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	81.76		29	0.0	0.0	0.0	0.0
0.0	75.12		2232	0.0	0.0	0.0	0.0
0.0	53.83		2266	0.0	0.0	0.0	0.0
0.0	79.61	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-51.05		306	-0.0	-0.0	-0.0	0.0
-0.0	-43.77		29	-0.0	-0.0	-0.0	0.0
-0.0	-42.09		2232	-0.0	-0.0	-0.0	-0.0
-0.0	-70.20		2266	-0.0	-0.0	-0.0	0.0
-0.0	-56.85						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.1
	306	0.0	0.1
	29	0.0	0.1
	2232	0.1	0.1
	2266	0.1	0.1
Min	Cent	-0.0	-0.1
	306	-0.0	-0.0
	29	-0.0	-0.2
	2232	-0.1	-0.2
	2266	-0.1	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	-87.6	-3.9	4.7	-3.6
-87.8	86.82		306	-91.7	-2.3	5.4	-1.9
-92.1	86.56		29	-93.7	-9.0	9.8	-7.9
-94.8	83.48		2232	-83.4	6.3	9.3	7.2
-84.4	84.12		2266	-81.4	1.3	6.2	1.7
-81.9	85.74						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	12.91		306	-0.0	-0.0	0.0	-0.0
-0.0	9.15		29	-0.0	-0.0	-0.0	-0.0
-0.0	-11.15		2232	-0.0	-0.0	-0.0	-0.0
-0.0	-19.84		2266	0.0	-0.0	0.0	0.0
-0.0	9.85						

	NODE	Vxx	Vyy
	Cent	0.0	-0.0
	306	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

29 -0.0 -0.0  
 2232 0.0 -0.0  
 2266 0.0 0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-22.0	-83.34	SLVy (RS)	Cent	-21.6	1.0	-2.7	1.3
-19.4	88.94		306	-19.4	1.8	0.4	1.8
-21.2	-77.33		29	-20.0	2.0	-5.2	3.2
-24.9	-78.94		2232	-23.9	2.4	-5.3	3.4
-23.3	89.33		2266	-23.3	0.6	0.3	0.6

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	29.60		Cent	-0.0	-0.0	0.0	-0.0
-0.2	11.27		306	-0.0	-0.2	0.0	-0.0
0.0	82.00		29	0.0	0.1	0.0	0.1
-0.1	16.27		2232	-0.1	-0.1	0.0	-0.1
-0.1	30.98		2266	0.0	-0.0	0.0	0.0

NODE Vxx Vyy  
 Cent 0.0 0.4  
 306 0.0 -0.8  
 29 0.0 1.6  
 2232 0.1 1.6  
 2266 0.1 -0.8

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-43.9	86.82	SLDx (RS)	Cent	-43.7	-1.9	2.3	-1.8
-46.0	86.56		306	-45.8	-1.1	2.7	-1.0
-47.4	83.48		29	-46.8	-4.5	4.9	-4.0
-42.2	84.12		2232	-41.7	3.1	4.7	3.6
-40.9	85.74		2266	-40.7	0.6	3.1	0.9

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	12.92		Cent	-0.0	-0.0	0.0	-0.0
			306	-0.0	-0.0	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	9.16		29	-0.0	-0.0	-0.0	-0.0
-0.0	-11.15		2232	-0.0	-0.0	-0.0	-0.0
-0.0	-19.84		2266	0.0	-0.0	0.0	0.0
-0.0	9.86						

NODE	Vxx	Vyy
Cent	0.0	-0.0
306	-0.0	0.0
29	-0.0	-0.0
2232	0.0	-0.0
2266	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-11.0	-83.34	SLDy (RS)	Cent	-10.8	0.5	-1.3	0.7
-9.7	88.93		306	-9.7	0.9	0.2	0.9
-10.6	-77.35		29	-10.0	1.0	-2.6	1.6
-12.5	-78.95		2232	-11.9	1.2	-2.7	1.7
-11.6	89.32		2266	-11.6	0.3	0.1	0.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	29.60	Cent	-0.0	-0.0	0.0	-0.0
-0.1	11.27	306	-0.0	-0.1	0.0	-0.0
0.0	82.00	29	0.0	0.1	0.0	0.1
-0.1	16.27	2232	-0.0	-0.1	0.0	-0.0
-0.0	30.96	2266	0.0	-0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.2
306	0.0	-0.4
29	0.0	0.8
2232	0.0	0.8
2266	0.0	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-36.9	87.76	SLVz (RS)	Cent	-36.9	-1.4	1.4	-1.4
-39.0	-87.90		306	-38.9	-1.0	-1.4	-1.0
-40.1	83.29		29	-39.6	-3.3	4.3	-2.8

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-35.4	83.09		2232	-34.9	-1.9	4.1	-1.4
-34.3	-87.27		2266	-34.2	0.4	-1.7	0.5
-----							
			Cent	-0.0	-0.0	-0.0	-0.0
			306	-0.0	-0.0	-0.0	-0.0
			29	-0.0	-0.0	0.0	-0.0
			2232	0.0	-0.0	0.0	0.0
			2266	-0.0	-0.0	-0.0	-0.0
			-----				
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			306	-0.0	-0.0		
			29	-0.0	-0.0		
			2232	-0.0	-0.0		
			2266	-0.0	-0.0		
			-----				
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
20.9	-1.27	g1	Cent	764.7	21.3	-16.4	765.1
4.0	2.57		306	802.6	5.6	35.8	804.2
57.9	-5.67		29	820.5	65.5	-75.8	828.0
30.1	-5.63		2232	726.9	36.9	-68.7	733.7
-25.4	3.34		2266	709.0	-22.9	42.9	711.5
			-----				
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	0.0	-0.0	0.0
			306	0.0	0.0	-0.0	0.0
			29	0.0	0.0	-0.0	0.0
			2232	0.0	0.0	-0.0	0.0
			2266	0.0	0.0	-0.0	0.0
			-----				
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			306	-0.0	0.0		
			29	-0.0	-0.0		
			2232	-0.0	-0.0		
			2266	-0.0	0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
11.7	-0.42	g2	Cent	370.3	11.8	-2.6	370.3
-1.0	3.19		306	386.9	0.2	21.6	388.1
34.2	-4.89		29	397.9	36.9	-31.1	400.6
21.1	-4.62		2232	353.6	23.3	-26.9	355.8
-15.3	4.13		2266	342.6	-13.4	25.9	344.5
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	83.63		Cent	0.0	0.0	0.0	0.0
0.0	80.58		306	0.0	0.0	0.0	0.0
0.0	-89.25		29	0.0	0.0	-0.0	0.0
0.0	87.30		2232	0.0	0.0	0.0	0.0
0.0	72.66		2266	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			306	0.0	0.0		
			29	0.0	0.0		
			2232	0.0	0.0		
			2266	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.1	8.05	q3	Cent	28.9	0.7	4.1	29.5
-1.2	10.82		306	30.3	-0.0	6.0	31.4
2.3	3.70		29	31.0	2.4	1.9	31.1
1.2	4.66		2232	27.5	1.4	2.1	27.7
-2.4	12.15		2266	26.8	-1.1	6.3	28.1
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-89.28		Cent	0.0	0.0	-0.0	0.0
0.0	81.61		306	0.0	0.0	0.0	0.0
0.0	-70.15		29	0.0	0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-78.35	2232	-0.0	0.0	-0.0	0.0
		2266	0.0	0.0	0.0	0.0
0.0	78.44					

NODE	Vxx	Vyy
Cent	0.0	0.0
306	-0.0	0.0
29	-0.0	-0.0
2232	0.0	-0.0
2266	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-27.9	86.52	q5_pc	Cent	-27.8	-8.5	1.2	-8.4
-24.9	85.50		306	-24.7	2.2	2.1	2.3
-31.7	78.81		29	-31.2	-19.3	2.4	-18.8
-30.9	88.88		2232	-30.9	-19.1	0.2	-19.1
-24.4	-89.83		2266	-24.4	2.4	-0.1	2.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.1	26.69	Cent	-0.0	-0.1	0.0	-0.0
-0.2	10.29	306	-0.1	-0.2	0.0	-0.1
0.0	69.56	29	0.0	0.0	0.0	0.0
-0.1	46.62	2232	-0.1	-0.1	0.0	-0.0
-0.1	26.67	2266	-0.0	-0.1	0.0	0.0

NODE	Vxx	Vyy
Cent	0.1	-0.2
306	0.0	-0.9
29	0.0	0.5
2232	0.1	0.5
2266	0.1	-0.9

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-23.5	82.36	q5_ps	Cent	-23.2	-7.7	2.1	-7.4
-20.9	82.65		306	-20.5	2.0	2.9	2.4
-27.5	71.48		29	-26.3	-17.6	3.3	-16.4
-26.2	81.62		2232	-26.0	-17.3	1.3	-17.1
			2266	-20.1	2.2	0.9	2.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-20.2      87.59

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	26.69		Cent	-0.0	-0.1	0.0	-0.0
-0.2	10.30		306	-0.1	-0.2	0.0	-0.1
0.0	69.50		29	0.0	0.0	0.0	0.0
-0.1	46.71		2232	-0.1	-0.1	0.0	-0.0
-0.1	26.61		2266	-0.0	-0.1	0.0	0.0

NODE	Vxx	Vyy
Cent	0.1	-0.2
306	0.0	-0.9
29	0.0	0.5
2232	0.1	0.5
2266	0.1	-0.9

Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
86.2	2.26	INVSLU	Max	Cent	3036.6	90.8	118.6	3041.2
18.6	7.54			306	3286.6	52.4	440.0	3344.3
275.5	-2.91			29	3353.5	283.5	-151.8	3361.4
156.5	-2.80			2232	2791.7	162.8	-128.2	2798.0
-132.3	9.21			2266	2724.2	-68.6	465.7	2799.7
-25.1	-7.29		Min	Cent	1577.3	16.9	-262.4	1603.2
-9.2	2.06			306	1757.8	11.9	13.7	1760.1
-50.5	-13.69			29	1790.4	138.5	-607.6	1929.8
-207.0	-15.24			2232	1396.6	0.4	-580.3	1539.9
-167.3	3.10			2266	1364.0	-166.3	39.4	1368.4

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	-71.77	Max	Cent	0.1	0.2	0.1	0.2
0.1	-83.36		306	0.1	0.5	0.1	0.5
0.0	76.23		29	0.0	0.1	0.0	0.1
0.1	-52.71		2232	0.1	0.2	0.0	0.2
0.0	-71.06		2266	0.0	0.2	0.1	0.2
		Min	Cent	-0.0	-0.1	-0.1	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	31.14		306	-0.1	-0.3	-0.1	-0.1
-0.3	9.24		29	-0.0	-0.0	-0.0	0.0
-0.1	-35.26		2232	-0.1	-0.0	-0.1	-0.0
-0.1	67.78		2266	-0.0	-0.1	-0.1	-0.0
-0.1	32.78						

	NODE	Vxx	Vyy
Max	Cent	0.1	0.5
	306	0.0	1.6
	29	0.0	1.0
	2232	0.2	1.0
	2266	0.2	1.6
Min	Cent	-0.1	-0.4
	306	-0.0	-1.3
	29	-0.0	-1.0
	2232	-0.3	-1.0
	2266	-0.3	-1.3

Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
40.7	-0.94	INVSLV	Max	Cent	1261.9	41.1	-9.9	1262.2
8.4	4.87			306	1369.6	18.4	127.2	1379.5
116.4	-7.80			29	1406.6	141.7	-154.5	1430.8
42.1	-8.17			2232	1154.2	65.1	-140.7	1177.5
-73.5	6.22			2266	1117.2	-56.6	142.4	1131.3
31.7	-0.65		Min	Cent	1051.6	31.8	-21.7	1051.8
-1.5	6.26			306	1151.1	12.2	115.3	1165.0
98.7	-8.27			29	1183.5	120.4	-179.8	1206.4
27.1	-8.97			2232	952.1	50.0	-165.0	974.9
-76.8	8.08			2266	919.8	-59.8	128.9	939.8

Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
0.0	-66.31		Max	Cent	0.0	0.1	0.0	0.1
0.0	-80.18			306	0.1	0.2	0.0	0.2
0.0	83.81			29	0.0	0.1	0.0	0.1
0.1	-76.58			2232	0.1	0.2	0.0	0.2
0.0	-63.58			2266	0.0	0.1	0.0	0.1
-0.0	37.08		Min	Cent	-0.0	-0.0	-0.0	0.0
				306	-0.0	-0.1	-0.0	-0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	13.00					
-0.1	-10.56	29	-0.0	-0.1	-0.0	-0.0
-0.1	20.40	2232	-0.1	-0.1	-0.0	-0.1
-0.0	48.35	2266	0.0	-0.0	-0.0	0.0

	NODE	Vxx	Vyy
Max	Cent	0.1	0.4
	306	0.0	0.8
	29	0.0	1.6
	2232	0.1	1.6
	2266	0.1	0.8
Min	Cent	-0.0	-0.4
	306	-0.0	-0.8
	29	-0.0	-1.6
	2232	-0.1	-1.6
	2266	-0.1	-0.8

ELEM	MAT	SEC	LC		NODE	Fxx	Fyy	Fxy	Fmax
Fmin		ANGLE							
323	2	10	Q1-1-2	Max	Cent	171.8	78.8	174.3	305.7
-55.1		37.53			320	361.6	96.5	212.6	479.6
-21.5		29.03			30	396.1	178.4	112.4	443.7
130.8		22.95			78	10.7	68.3	138.7	181.2
-102.1		50.87			327	4.1	2.8	245.0	248.4
-241.5		44.93		Min	Cent	-1.4	-60.2	-186.7	158.3
-219.8		-40.53			320	-2.7	-69.2	-141.0	108.9
-180.8		-38.37			30	-2.8	-31.7	-255.0	238.1
-272.6		-43.38			78	-35.9	-70.8	-234.0	181.3
-288.0		-42.87			327	-63.6	-149.3	-121.1	22.0
-234.9		-35.25							

	Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
				Max	Cent	0.0	0.0	0.0	0.0
	0.0	11.16			320	0.0	0.0	0.0	0.0
	-0.0	54.56			30	0.1	0.1	0.0	0.1
	0.1	40.46			78	0.1	0.0	0.0	0.1
	0.0	2.27			327	0.0	0.0	0.0	0.0
	0.0	43.81		Min	Cent	-0.0	-0.0	-0.0	-0.0
	-0.0	-15.85			320	-0.0	-0.0	-0.0	-0.0
	-0.1	-22.33			30	-0.0	-0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-51.73					
		78	-0.0	-0.1	-0.0	-0.0
-0.1	-6.24					
		327	-0.1	-0.1	-0.0	-0.0
-0.1	-26.80					

	NODE	Vxx	Vyy
Max	Cent	0.0	0.2
	320	0.0	0.0
	30	0.0	0.4
	78	0.1	0.4
	327	0.1	0.0
Min	Cent	-0.2	-0.0
	320	-0.1	-0.0
	30	-0.1	-0.0
	78	-0.3	-0.0
	327	-0.3	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
		Q2a-1-2	Max	Cent	101.6	49.4	112.4	190.8
-39.9	38.46			320	215.6	60.2	137.1	295.5
-19.7	30.23			30	238.1	109.8	71.9	270.3
77.6	24.13			78	7.1	42.4	89.2	115.7
-66.2	50.60			327	2.1	1.3	158.7	160.4
-157.0	44.92		Min	Cent	-1.0	-41.6	-120.8	101.2
-143.8	-40.24			320	-2.0	-49.3	-91.0	68.3
-119.6	-37.72			30	-2.0	-20.8	-164.9	153.8
-176.6	-43.38			78	-25.0	-47.0	-151.3	115.8
-187.7	-42.92			327	-42.7	-102.5	-77.9	10.8
-156.0	-34.50							

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
		Max	Cent	0.0	0.0	0.0	0.0
0.0	9.39			320	0.0	0.0	0.0
-0.0	51.26			30	0.0	0.0	0.0
0.0	48.61			78	0.1	0.0	0.1
0.0	1.88			327	0.0	0.0	0.0
-0.0	43.09		Min	Cent	-0.0	-0.0	-0.0
-0.0	-15.79			320	-0.0	-0.0	-0.0
-0.0	-23.00			30	-0.0	-0.0	0.0
-0.0	-50.27			78	-0.0	-0.1	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1      -6.06  
 -0.1      -26.51

	NODE	Vxx	Vyy
Max	Cent	0.0	0.1
	320	0.0	0.0
	30	0.0	0.3
	78	0.0	0.3
	327	0.0	0.0
Min	Cent	-0.1	-0.0
	320	-0.1	-0.0
	30	-0.1	-0.0
	78	-0.2	-0.0
	327	-0.2	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	19.0	1.7	3.2	19.6
1.1	10.20		320	34.5	5.5	6.2	35.8
4.2	11.53		30	35.1	7.4	7.2	36.8
5.6	13.70		78	6.9	2.8	6.3	11.5
-1.8	35.96		327	6.8	4.4	7.0	12.7
-1.5	40.26						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	0.0	-0.0	0.0
0.0	-29.15	320	-0.0	-0.0	-0.0	-0.0
-0.0	-32.94	30	-0.0	-0.0	-0.0	-0.0
-0.0	-87.57	78	0.0	-0.0	-0.0	0.0
-0.0	-5.10	327	0.0	0.0	-0.0	0.0
0.0	-61.83					

	NODE	Vxx	Vyy
	Cent	-0.0	-0.0
	320	-0.0	0.0
	30	-0.0	-0.0
	78	-0.0	-0.0
	327	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	-37.8	-4.2	-0.5	-4.2
-37.8	-89.12		320	-33.4	-1.0	1.7	-0.9
-33.5	86.94		30	-35.1	-6.0	-1.0	-6.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-35.1	-88.12		78	-42.2	-7.9	-2.6	-7.7
-42.4	-85.62		327	-40.5	-2.5	-0.7	-2.4
-40.6	-88.98						

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-----							
			Cent	-0.1	0.0	-0.0	0.0
-0.1	-73.24		320	0.1	0.1	-0.0	0.1
0.0	-60.28		30	-0.2	-0.1	-0.0	-0.1
-0.2	-88.90		78	-0.1	-0.0	-0.0	-0.0
-0.1	-77.23		327	0.0	0.0	-0.0	0.1
-0.0	-48.39						

NODE Vxx Vyy

Cent	0.3	0.0
320	0.4	0.1
30	0.4	-0.0
78	0.2	-0.0
327	0.2	0.1

Fmin ANGLE LC NODE Fxx Fyy Fxy Fmax

-----							
		SLDx (RS)	Cent	9.5	0.8	1.6	9.8
0.5	10.21		320	17.3	2.7	3.1	17.9
2.1	11.53		30	17.5	3.7	3.6	18.4
2.8	13.71		78	3.5	1.4	3.2	5.8
-0.9	35.97		327	3.4	2.2	3.5	6.4
-0.8	40.26						

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-----							
			Cent	0.0	0.0	-0.0	0.0
0.0	-29.18		320	-0.0	-0.0	-0.0	-0.0
-0.0	-32.93		30	-0.0	-0.0	-0.0	-0.0
-0.0	-87.57		78	0.0	-0.0	-0.0	0.0
-0.0	-5.11		327	0.0	0.0	-0.0	0.0
0.0	-61.84						

NODE Vxx Vyy

Cent	-0.0	-0.0
320	-0.0	0.0
30	-0.0	-0.0
78	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE						
-18.9	-89.12	SLDy (RS)	Cent	-18.9	-2.1	-0.3	-2.1
-16.7	86.94		320	-16.7	-0.5	0.9	-0.4
-17.5	-88.11		30	-17.5	-3.0	-0.5	-3.0
-21.1	-85.62		78	-21.0	-3.9	-1.3	-3.8
-20.3	-88.97		327	-20.2	-1.2	-0.3	-1.2
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-73.24		Cent	-0.0	0.0	-0.0	0.0
0.0	-60.29		320	0.0	0.0	-0.0	0.0
-0.1	-88.90		30	-0.1	-0.0	-0.0	-0.0
-0.1	-77.23		78	-0.1	-0.0	-0.0	-0.0
-0.0	-48.39		327	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.2	0.0		
			320	0.2	0.0		
			30	0.2	-0.0		
			78	0.1	-0.0		
			327	0.1	0.0		
		LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE						
-7.2	83.01	SLVz (RS)	Cent	-7.1	-0.8	0.8	-0.7
-14.3	-81.07		320	-14.0	-2.4	-1.9	-2.1
-15.1	74.43		30	-14.2	-3.3	3.3	-2.4
-3.3	56.37		78	-1.3	1.1	2.9	3.0
-2.5	-62.01		327	-1.3	1.8	-2.3	3.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-24.33		Cent	0.0	0.0	-0.0	0.0
-0.0	29.68		320	-0.0	-0.0	0.0	-0.0
			30	0.0	-0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-0.58		78	0.0	0.0	-0.0	0.0
0.0	-19.86		327	0.0	0.0	0.0	0.0
0.0	55.92						

NODE	Vxx	Vyy
Cent	-0.0	-0.0
320	-0.0	-0.0
30	-0.0	-0.0
78	-0.0	-0.0
327	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g1	Cent	144.4	0.5	-4.1	144.5
0.4	-1.65		320	287.5	35.0	43.3	294.7
27.8	9.47		30	293.2	54.1	-61.2	308.0
39.4	-13.55		78	1.3	-34.0	-51.6	38.2
-70.9	-35.56		327	-4.4	-53.1	52.9	29.5
-86.9	32.65						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.0	0.0	-0.0
-0.0	23.34	320	-0.0	0.0	0.0	0.0
-0.0	59.70	30	0.0	0.0	0.0	0.0
0.0	86.16	78	-0.0	-0.0	0.0	-0.0
-0.0	3.81	327	-0.0	-0.0	0.0	-0.0
-0.0	8.88					

NODE	Vxx	Vyy
Cent	0.0	0.0
320	-0.0	0.0
30	-0.0	0.0
78	0.0	0.0
327	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g2	Cent	71.2	-15.0	1.3	71.2
-15.0	0.83		320	140.7	6.6	25.6	145.5
1.8	10.46		30	140.2	4.9	-24.0	144.4
0.8	-9.78		78	1.6	-36.6	-23.1	12.5
-47.5	-25.23						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-48.8	27.53		327	2.1	-35.0	26.5	15.9
-----							
			Cent	-0.0	0.0	0.0	0.0
-0.0	77.85		320	0.0	0.0	0.0	0.0
0.0	70.99		30	-0.0	-0.0	0.0	-0.0
-0.0	74.69		78	-0.0	0.0	0.0	0.0
-0.0	85.76		327	0.0	0.0	0.0	0.0
0.0	51.64						
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			320	0.0	0.0		
			30	0.0	-0.0		
			78	0.0	-0.0		
			327	0.0	0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.3	23.23	q3	Cent	12.1	0.4	6.2	14.7
-1.8	22.67		320	16.1	1.3	7.5	19.2
0.6	16.22		30	16.2	1.9	4.6	17.6
-2.7	24.13		78	8.1	-0.6	4.9	10.3
-5.6	29.83		327	7.9	-1.2	7.8	12.4
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	0.0	0.0	0.0	0.0
0.0	86.95		320	-0.0	0.0	-0.0	0.0
-0.0	-83.11		30	0.0	0.0	0.0	0.0
0.0	79.17		78	0.0	0.0	0.0	0.0
0.0	5.63		327	-0.0	0.0	-0.0	0.0
-0.0	-75.46						
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			320	-0.0	0.0		
			30	-0.0	0.0		
			78	-0.0	0.0		
			327	-0.0	0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-27.7	-86.12	q5_pc	Cent	-27.6	1.2	-2.0	1.3
-26.3	-86.93		320	-26.2	1.6	-1.5	1.6
-26.4	-84.97		30	-26.2	1.6	-2.5	1.8
-29.1	-85.37		78	-28.9	0.8	-2.4	1.0
-29.0	-87.20		327	-28.9	0.7	-1.5	0.8
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	-73.72		Cent	-0.1	0.0	-0.0	0.0
0.1	-58.55		320	0.1	0.1	-0.0	0.1
-0.3	-89.23		30	-0.3	-0.1	-0.0	-0.1
-0.2	-76.78		78	-0.2	-0.1	-0.0	-0.1
0.0	-48.29		327	0.0	0.1	-0.1	0.1
			NODE	Vxx	Vyy		
			Cent	0.6	0.1		
			320	0.8	0.1		
			30	0.8	0.0		
			78	0.4	0.0		
			327	0.4	0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-24.0	-86.47	q5_ps	Cent	-23.9	-2.0	-1.4	-1.9
-22.3	-88.75		320	-22.3	-0.4	-0.5	-0.4
-23.1	-86.04		30	-23.0	-2.9	-1.4	-2.8
-25.8	-84.25		78	-25.6	-3.6	-2.2	-3.4
-24.9	-86.84		327	-24.8	-1.1	-1.3	-1.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	-74.17		Cent	-0.1	0.0	-0.0	0.0
0.1	-59.42		320	0.1	0.1	-0.0	0.1
-0.3	-89.30		30	-0.3	-0.1	-0.0	-0.1
-0.2	-77.44		78	-0.2	-0.1	-0.0	-0.1



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
0.0	-48.58		327	0.1	0.1	-0.1	0.1	
			NODE	Vxx	Vyy			
			Cent	0.6	0.0			
			320	0.8	0.1			
			30	0.8	-0.0			
			78	0.4	0.0			
			327	0.4	0.1			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-849.4	77.07	INVSLU	Max	Cent	-797.7	134.4	225.3	184.0
-301.5	51.44			320	84.9	309.3	484.6	692.8
125.8	-58.20			30	157.0	505.0	-108.3	593.1
-1636.4	-88.80			78	-1628.2	-30.7	-30.4	-30.0
-1725.9	71.09			327	-1660.1	-204.3	570.7	-10.1
-1145.7	-80.75		Min	Cent	-1091.7	-55.3	-265.6	-2.9
-467.9	89.15			320	-463.1	82.8	4.6	82.9
-793.6	-72.90			30	-438.7	218.6	-608.6	429.0
-1925.8	-77.27			78	-1756.7	-219.9	-537.8	-93.2
-1916.5	86.78			327	-1819.4	-411.1	73.9	-406.8
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
-0.1	14.98		Max	Cent	0.1	-0.1	0.1	0.1
0.1	-47.67			320	0.1	0.1	0.1	0.1
0.2	2.06			30	0.5	0.2	0.0	0.5
-0.1	9.17			78	0.3	-0.1	0.1	0.3
-0.0	-33.90			327	0.1	0.0	0.1	0.1
-0.2	-44.65		Min	Cent	-0.2	-0.1	-0.0	-0.1
-0.3	13.86			320	-0.2	-0.3	-0.0	-0.2
-0.5	-88.54			30	-0.5	-0.1	-0.0	-0.1
-0.4	-55.43			78	-0.4	-0.4	-0.1	-0.3
-0.3	17.68			327	-0.1	-0.3	-0.1	-0.1
			NODE	Vxx	Vyy			
			Max	Cent	1.0	0.5		
				320	1.2	0.2		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	30	1.2	0.8
	78	0.9	0.9
	327	0.9	0.2
Min	Cent	-1.0	0.1
	320	-1.2	-0.1
	30	-1.2	0.3
	78	-0.8	0.2
	327	-0.8	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-444.4	-89.81	INVS LV	Max Cent	-444.4	-22.6	1.0	-22.6
-132.8	58.79		320	-53.3	89.8	138.0	172.8
-132.8	-58.84		30	-48.4	106.1	-140.0	193.6
-857.5	-79.69		78	-833.4	-129.3	-128.1	-105.9
-868.7	78.68		327	-838.8	-145.3	151.1	-115.3
-535.7	-89.56		Min Cent	-535.7	-32.5	-6.3	-32.5
-208.7	66.21		320	-150.9	76.8	123.5	131.7
-225.3	-63.97		30	-148.2	85.8	-156.9	160.2
-947.0	-79.97		78	-922.6	-147.3	-144.0	-122.3
-949.3	79.91		327	-924.8	-156.7	135.3	-132.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	15.30	Max Cent	0.1	-0.0	0.0	0.1
0.0	-59.84		320	0.0	0.1	0.1
0.1	1.25		30	0.2	0.1	0.2
0.0	11.40		78	0.1	0.0	0.1
-0.0	-42.08		327	0.0	0.0	0.0
-0.1	-67.64		Min Cent	-0.1	-0.0	-0.0
-0.1	29.17		320	-0.1	-0.1	-0.0
-0.2	-89.05		30	-0.2	-0.1	-0.1
-0.1	-75.64		78	-0.1	-0.0	-0.0
-0.1	24.34		327	-0.0	-0.1	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.3	0.0
	320	0.4	0.1
	30	0.4	0.0
	78	0.2	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	327	0.2	0.1
Min	Cent	-0.3	0.0
	320	-0.4	-0.0
	30	-0.4	-0.0
	78	-0.2	-0.0
	327	-0.2	-0.0

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
330	2	10	Q1-1-2	Max	Cent	544.0	45.2	161.2	591.5
-2.3		16.44			313	740.6	88.1	206.3	800.4
28.4		16.15		64		754.9	119.4	104.5	771.7
102.7		9.10		30		349.3	10.6	118.5	386.6
-26.8		17.48		320		334.8	1.1	222.6	446.1
-110.2		26.58		Min	Cent	-3.9	-35.1	-199.1	180.3
-219.2		-42.76			313	-5.2	-25.6	-146.3	131.2
-162.0		-43.00			64	-5.2	-11.5	-262.8	254.4
-271.2		-44.66			30	-2.5	-61.1	-254.4	224.3
-287.9		-41.72			320	-2.5	-102.0	-137.9	94.3
-198.8		-35.08							
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
				Max	Cent	0.0	0.0	0.0	0.0
0.0		25.22			313	0.0	0.0	0.0	0.0
0.0		53.00			64	0.0	0.1	0.0	0.1
0.0		84.51			30	0.0	0.0	0.0	0.0
0.0		8.59			320	0.0	0.0	0.0	0.0
0.0		52.22		Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0		-37.52			313	-0.0	-0.0	-0.0	0.0
-0.0		-40.41			64	-0.0	-0.0	-0.0	0.0
-0.0		-59.46			30	-0.0	-0.1	-0.0	-0.0
-0.1		-7.01			320	-0.0	-0.0	-0.0	0.0
-0.0		-38.68							
				NODE	Vxx	Vyy			
				Max	Cent	0.0	0.2		
					313	0.0	0.0		
					64	0.0	0.4		
					30	0.0	0.4		
					320	0.0	0.0		
				Min	Cent	-0.1	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

313 -0.1 -0.0  
 64 -0.1 -0.0  
 30 -0.1 -0.0  
 320 -0.1 -0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-4.3	17.42	Q2a-1-2	Max Cent	326.7	28.3	103.8	359.3
13.5	17.17		313	444.8	54.7	133.2	486.0
61.4	9.64		64	453.8	72.7	66.6	465.2
-19.0	18.31		30	210.0	6.0	75.8	235.1
-74.6	27.59		320	200.8	0.6	143.9	276.0
-143.3	-42.59		Min Cent	-2.8	-24.6	-129.1	115.8
-105.7	-42.86		313	-3.8	-18.0	-94.5	83.9
-175.8	-44.68		64	-3.9	-7.7	-170.1	164.3
-187.9	-41.57		30	-1.9	-41.6	-165.0	144.5
-130.1	-34.80		320	-1.8	-68.1	-89.2	60.1
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	23.70		Max Cent	0.0	0.0	0.0	0.0
0.0	52.28		313	0.0	0.0	0.0	0.0
0.0	84.99		64	0.0	0.1	0.0	0.1
0.0	6.66		30	0.0	0.0	0.0	0.0
0.0	52.61		320	0.0	0.0	0.0	0.0
-0.0	-37.52		Min Cent	-0.0	-0.0	-0.0	0.0
-0.0	-40.19		313	-0.0	-0.0	-0.0	0.0
-0.0	-60.19		64	-0.0	-0.0	-0.0	0.0
-0.1	-7.14		30	-0.0	-0.1	-0.0	-0.0
-0.0	-38.98		320	-0.0	-0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Max Cent	0.0	0.1		
			313	0.0	0.0		
			64	0.0	0.3		
			30	0.0	0.3		
			320	0.0	0.0		
			Min Cent	-0.0	-0.0		
			313	-0.0	-0.0		
			64	-0.0	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		30	-0.1	-0.0			
		320	-0.1	-0.0			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVx (RS)	Cent	48.3	2.9	3.3	48.6
2.6	4.09		313	-64.3	-6.2	5.9	-5.6
-64.8	84.30		64	-65.0	9.0	7.7	9.8
-65.8	84.11		30	32.5	-2.7	6.5	33.7
-3.8	10.20		320	31.8	3.8	6.8	33.4
2.3	12.87						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	0.0	-0.0	0.0
-0.0	-82.13		313	-0.0	0.0	-0.0	0.0
-0.0	-76.76		64	-0.0	-0.0	-0.0	-0.0
-0.0	-30.89		30	0.0	0.0	0.0	0.0
0.0	2.49		320	-0.0	-0.0	-0.0	-0.0
-0.0	-28.74						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.0		
			313	0.0	-0.0		
			64	0.0	-0.0		
			30	-0.0	-0.0		
			320	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVy (RS)	Cent	-30.3	-1.3	0.3	-1.3
-30.3	89.46		313	-27.3	-1.2	1.1	-1.1
-27.3	87.51		64	-26.8	3.0	-1.4	3.0
-26.9	-87.30		30	-33.3	-1.4	-0.7	-1.4
-33.3	-88.72		320	-33.8	-1.6	1.8	-1.5
-33.9	86.79						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.1	0.0	0.0	0.0
-0.1	73.62		313	0.0	0.0	0.0	0.1
0.0	43.97						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	76.32	64	-0.1	-0.0	0.0	-0.0
-0.2	87.93	30	-0.2	-0.1	0.0	-0.1
0.0	64.16	320	0.1	0.1	0.0	0.1

NODE	Vxx	Vyy
Cent	0.4	-0.1
313	0.3	-0.1
64	0.3	-0.0
30	0.4	-0.0
320	0.4	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
1.3	4.09	SLDx (RS)	Cent	24.2	1.4	1.6	24.3
-32.4	84.30		313	-32.1	-3.1	2.9	-2.8
-32.9	84.10		64	-32.5	4.5	3.9	4.9
-1.9	10.21		30	16.3	-1.3	3.3	16.8
1.1	12.87		320	15.9	1.9	3.4	16.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-82.14	Cent	-0.0	0.0	-0.0	0.0
-0.0	-76.76	313	-0.0	0.0	-0.0	0.0
-0.0	-30.93	64	-0.0	-0.0	-0.0	-0.0
0.0	2.49	30	0.0	0.0	0.0	0.0
-0.0	-28.73	320	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
313	0.0	-0.0
64	0.0	-0.0
30	-0.0	-0.0
320	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-15.1	89.46	SLDy (RS)	Cent	-15.1	-0.6	0.1	-0.6
-13.7	87.51		313	-13.6	-0.6	0.6	-0.6
-13.4	-87.30		64	-13.4	1.5	-0.7	1.5
			30	-16.6	-0.7	-0.4	-0.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-16.6	-88.72		320	-16.9	-0.8	0.9	-0.7
-16.9	86.79						
-----							
			Cent	-0.0	0.0	0.0	0.0
-0.0	73.62		313	0.0	0.0	0.0	0.0
0.0	43.97		64	-0.1	-0.0	0.0	-0.0
-0.1	76.32		30	-0.1	-0.0	0.0	-0.0
-0.1	87.93		320	0.0	0.0	0.0	0.0
0.0	64.16						
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	0.2	-0.0		
			313	0.1	-0.0		
			64	0.1	-0.0		
			30	0.2	-0.0		
			320	0.2	-0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVz (RS)	Cent	-20.0	-1.4	0.8	-1.3
-20.1	87.40		313	-26.9	-2.8	-1.5	-2.7
-27.0	-86.35		64	-27.3	-4.2	3.6	-3.6
-27.8	81.41		30	-13.2	-0.9	3.0	-0.2
-13.9	77.05		320	-12.8	1.5	-2.2	1.8
-13.1	-81.58						
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	-0.0	-0.0	0.0
-0.0	-11.39		313	-0.0	-0.0	-0.0	-0.0
-0.0	-41.40		64	0.0	-0.0	-0.0	0.0
-0.0	-4.81		30	0.0	0.0	-0.0	0.0
0.0	-2.27		320	-0.0	-0.0	-0.0	-0.0
-0.0	-26.77						
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	-0.0		
			313	-0.0	-0.0		
			64	-0.0	-0.0		
			30	-0.0	-0.0		
			320	-0.0	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		g1	Cent	412.9	8.8	-8.0	413.1
8.6	-1.13		313	556.1	41.8	39.1	559.1
38.9	4.33		64	562.8	64.2	-65.8	571.4
55.7	-7.39		30	269.7	-24.3	-55.1	279.7
-34.3	-10.27		320	263.0	-46.7	49.8	270.8
-54.5	8.92						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	0.0	0.0	0.0
0.0	85.12		313	0.0	0.0	0.0	0.0
0.0	89.03		64	0.0	0.0	0.0	0.0
0.0	88.83		30	-0.0	-0.0	0.0	-0.0
-0.0	3.30		320	0.0	0.0	0.0	0.0
0.0	86.02						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	0.0		
			313	-0.0	0.0		
			64	-0.0	0.0		
			30	-0.0	0.0		
			320	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		g2	Cent	200.6	-4.3	1.8	200.6
-4.3	0.49		313	268.9	12.5	24.5	271.2
10.2	5.41		64	271.3	20.7	-25.2	273.8
18.2	-5.70		30	132.4	-21.1	-21.0	135.2
-24.0	-7.64		320	129.9	-29.4	28.7	135.0
-34.4	9.92						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	0.0	0.0	0.0
-0.0	78.60		313	0.0	0.0	0.0	0.0
0.0	73.54		64	-0.0	-0.0	0.0	-0.0
-0.0	67.96		30	-0.0	0.0	0.0	0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0      84.78  
 -0.0      64.35

NODE	Vxx	Vyy
Cent	0.0	-0.0
313	0.0	0.0
64	0.0	-0.0
30	0.0	-0.0
320	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.1	15.43	q3	Cent	19.5	0.4	5.7	21.1
-0.8	16.07		313	23.5	1.3	7.0	25.5
1.3	10.28		64	23.7	2.1	4.1	24.4
-1.5	14.51		30	15.6	-0.4	4.4	16.7
-4.0	20.81		320	15.3	-1.2	7.3	18.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-87.00	Cent	-0.0	0.0	-0.0	0.0
0.0	-70.03	313	0.0	0.0	-0.0	0.0
-0.0	87.43	64	-0.0	0.0	0.0	0.0
0.0	68.71	30	0.0	0.0	0.0	0.0
-0.0	-77.48	320	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
313	0.0	0.0
64	0.0	0.0
30	-0.0	0.0
320	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-26.7	-86.88	q5_pc	Cent	-26.6	-2.5	-1.3	-2.4
-24.9	-89.68		313	-24.9	0.2	-0.1	0.2
-26.5	-87.88		64	-26.4	-4.8	-0.8	-4.7
-28.5	-83.90		30	-28.3	-5.2	-2.5	-4.9
-26.9	-86.08		320	-26.8	-0.2	-1.8	-0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	72.88		Cent	-0.1	0.0	0.0	0.0
0.0	44.76		313	0.1	0.1	0.1	0.1
-0.2	76.58		64	-0.2	-0.1	0.0	-0.0
-0.3	87.64		30	-0.3	-0.1	0.0	-0.1
0.1	62.62		320	0.1	0.1	0.0	0.1
			NODE	Vxx	Vyy		
			Cent	0.6	-0.1		
			313	0.5	-0.2		
			64	0.5	0.0		
			30	0.8	-0.0		
			320	0.8	-0.2		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-22.6	-89.42	q5_ps	Cent	-22.6	-3.9	-0.2	-3.9
-21.0	87.10		313	-21.0	-1.1	1.0	-1.0
-22.6	88.54		64	-22.6	-6.4	0.4	-6.4
-24.3	-85.48		30	-24.2	-6.7	-1.4	-6.6
-22.6	-87.86		320	-22.6	-1.4	-0.8	-1.4
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	72.93		Cent	-0.1	0.0	0.0	0.0
0.0	44.95		313	0.1	0.1	0.1	0.1
-0.2	76.45		64	-0.2	-0.1	0.0	-0.0
-0.3	87.61		30	-0.3	-0.1	0.0	-0.1
0.1	62.60		320	0.1	0.1	0.0	0.1
			NODE	Vxx	Vyy		
			Cent	0.6	-0.1		
			313	0.5	-0.2		
			64	0.5	-0.0		
			30	0.8	-0.0		
			320	0.8	-0.2		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		INVS LU	Max	Cent	868.6	90.0	193.6	914.1
48.7	13.22							
168.8	16.24			313	1762.6	304.4	464.3	1897.9
407.5	-5.36			64	1804.0	419.8	-131.1	1816.3
-154.3	-52.01			30	-22.7	-111.0	-73.9	241.3
-527.3	41.34			320	-64.4	-197.5	524.7	397.3
-270.6	-36.07		Min	Cent	72.5	-22.9	-295.2	202.9
136.8	4.07			313	703.6	150.5	-12.0	706.4
-193.2	-30.01			64	721.8	233.0	-628.4	1001.5
-988.4	-60.69			30	-558.6	-218.9	-581.8	-48.1
-679.2	81.57			320	-576.8	-338.6	34.8	-333.4
Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
-----								
			Max	Cent	0.1	-0.0	0.1	0.1
-0.0	-12.49			313	0.1	0.1	0.1	0.2
0.0	44.56			64	0.4	0.2	0.1	0.4
0.2	-18.22			30	0.5	0.1	0.0	0.5
0.1	-1.19			320	0.1	0.2	0.1	0.2
0.1	54.85		Min	Cent	-0.2	-0.0	-0.1	-0.0
-0.2	74.67			313	-0.1	-0.1	-0.1	-0.0
-0.2	-44.30			64	-0.3	-0.0	-0.1	-0.0
-0.3	79.62			30	-0.5	-0.3	-0.0	-0.3
-0.5	88.31			320	-0.2	-0.2	-0.1	-0.1
-0.3	-19.36							
				NODE	Vxx	Vyy		
-----								
			Max	Cent	0.9	0.5		
				313	0.7	0.3		
				64	0.7	0.8		
				30	1.2	0.8		
				320	1.2	0.3		
			Min	Cent	-1.0	0.0		
				313	-0.7	-0.2		
				64	-0.7	0.3		
				30	-1.2	0.2		
				320	-1.2	-0.2		
Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
-----								

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		INVS LV	Max	Cent	290.2	1.4	0.7	290.2
1.4	0.00			313	691.4	103.6	132.8	715.1
79.9	11.14			64	703.5	145.2	-143.8	745.4
98.6	-14.59			30	-110.3	-97.4	-124.3	25.2
-232.9	-46.15			320	-121.5	-133.9	155.1	25.3
-277.2	43.89		Min	Cent	163.4	-5.9	-6.5	163.6
-6.1	-1.97			313	530.4	88.9	119.5	566.7
52.5	15.43			64	541.0	123.0	-162.2	588.0
81.1	-17.99			30	-204.3	-104.1	-139.6	-9.7
-298.7	-55.50			320	-215.8	-143.4	139.2	-33.6
-329.4	52.20							
Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
-----								
			Max	Cent	0.1	0.0	0.0	0.1
0.0	-16.71			313	0.0	0.0	0.0	0.1
0.0	48.25			64	0.1	0.1	0.0	0.1
0.0	-14.48			30	0.2	0.1	0.0	0.2
0.1	-1.87			320	0.1	0.1	0.0	0.1
0.0	61.63		Min	Cent	-0.1	0.0	-0.0	0.0
-0.1	73.57			313	-0.0	-0.0	-0.0	0.0
-0.1	-49.96			64	-0.1	-0.0	-0.0	-0.0
-0.1	77.09			30	-0.2	-0.1	-0.0	-0.1
-0.2	87.76			320	-0.1	-0.1	-0.0	-0.0
-0.1	-23.48							
				NODE	Vxx	Vyy		
-----								
			Max	Cent	0.4	0.1		
				313	0.3	0.1		
				64	0.3	0.1		
				30	0.4	0.1		
				320	0.4	0.1		
			Min	Cent	-0.4	-0.0		
				313	-0.3	-0.1		
				64	-0.3	-0.0		
				30	-0.4	-0.0		
				320	-0.4	-0.1		
ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----								
	Fmin	ANGLE						
-----								
337	2	10	Q1-1-2	Max	Cent	0.8	122.2	193.7
	-141.5	53.70						264.5

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-178.8	47.05		327	23.2	54.2	217.0	256.3
			78	59.8	280.3	122.3	334.7
5.4	66.02		94	1.8	204.6	175.7	306.0
-99.7	60.00		334	1.8	1.3	281.2	282.7
-279.6	44.97	Min	Cent	-146.9	-79.0	-152.0	42.8
-268.7	-51.29		327	-58.6	-155.3	-128.0	29.9
-243.8	-34.66		78	-5.0	-45.7	-219.8	195.4
-246.1	-42.35		94	-253.5	-80.5	-181.1	33.7
-367.7	-57.76		334	-339.9	-228.2	-91.4	-177.0
-391.2	-60.71						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	38.82	Max	Cent	0.0	0.0	0.0	0.0
0.0	49.74		327	0.0	0.0	0.0	0.0
0.1	3.11		78	0.1	0.1	0.0	0.1
0.0	6.90		94	0.1	0.0	0.0	0.1
0.0	40.39		334	0.0	0.0	0.0	0.0
-0.1	-3.49	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-8.04		327	-0.1	-0.1	-0.0	-0.1
-0.0	-61.28		78	-0.0	-0.0	-0.0	-0.0
-0.2	-2.64		94	-0.1	-0.2	-0.0	-0.1
-0.2	-1.91		334	-0.1	-0.2	-0.0	-0.1

	NODE	Vxx	Vyy
Max	Cent	0.1	0.4
	327	0.1	0.3
	78	0.1	0.6
	94	0.1	0.6
	334	0.1	0.3
Min	Cent	-0.4	-0.0
	327	-0.3	-0.0
	78	-0.3	-0.0
	94	-0.4	-0.0
	334	-0.4	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-92.1	53.45	Q2a-1-2	Max	Cent	0.6	76.5	125.0	169.2
				327	13.5	33.8	139.4	163.4
-116.1	47.08							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

1.0	65.54		78	36.7	173.6	78.5	209.3
-65.9	59.49		94	1.3	127.6	114.1	194.9
-181.7	44.94		334	1.4	0.6	182.7	183.7
-172.1	-50.58	Min	Cent	-92.2	-53.9	-97.1	25.9
-165.4	-33.20		327	-40.0	-111.7	-82.0	13.7
-157.6	-42.44		78	-3.0	-28.3	-141.3	126.2
-230.4	-57.03		94	-155.4	-52.1	-115.7	22.9
-248.9	-57.11		334	-211.7	-159.8	-57.6	-122.6

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----	-----						
-0.0	34.24	Max	Cent	0.0	0.0	0.0	0.0
-0.0	47.81		327	0.0	0.0	0.0	0.0
0.0	2.69		78	0.1	0.0	0.0	0.1
0.0	7.01		94	0.1	0.0	0.0	0.1
-0.0	39.22		334	0.0	0.0	0.0	0.0
-0.1	-3.40	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-7.92		327	-0.0	-0.1	-0.0	-0.0
-0.0	-58.38		78	-0.0	-0.0	-0.0	-0.0
-0.1	-2.59		94	-0.0	-0.1	-0.0	-0.0
-0.1	-1.52		334	-0.1	-0.1	-0.0	-0.1

	NODE	Vxx	Vyy
Max	Cent	0.0	0.3
	327	0.0	0.2
	78	0.0	0.4
	94	0.1	0.4
	334	0.1	0.2
Min	Cent	-0.2	-0.0
	327	-0.2	-0.0
	78	-0.2	-0.0
	94	-0.3	-0.0
	334	-0.3	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----	-----						
-0.1	16.54	SLVx (RS)	Cent	11.4	0.9	3.4	12.4
-6.2	24.56		327	7.5	-3.3	6.2	10.3
-0.4	40.09		78	8.0	5.6	7.1	14.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

			94	22.1	2.3	6.5	24.1
0.3	16.63		334	22.6	4.1	7.1	25.0
1.7	18.68						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	-0.0	-0.0	0.0
-0.0	-14.37		327	0.0	0.0	-0.0	0.0
0.0	-62.78		78	0.0	0.0	-0.0	0.0
0.0	-16.87		94	-0.0	0.0	-0.0	0.0
-0.0	-86.49		334	-0.0	0.0	-0.0	0.0
-0.0	-75.30						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	-0.0		
			327	-0.0	-0.0		
			78	-0.0	-0.0		
			94	-0.0	-0.0		
			334	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVy (RS)	Cent	-45.6	-7.5	-2.8	-7.2
-45.8	-85.77		327	-39.7	0.6	0.9	0.6
-39.7	88.66		78	-43.8	-13.4	-2.9	-13.1
-44.0	-84.61		94	-51.5	-15.4	-6.4	-14.3
-52.6	-80.26		334	-47.4	-1.6	-2.9	-1.4
-47.6	-86.40						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	-0.0	0.0
-0.1	-49.12		327	0.0	0.0	-0.0	0.1
-0.0	-47.06		78	-0.1	-0.0	-0.0	-0.0
-0.1	-75.39		94	-0.0	0.0	-0.0	0.0
-0.0	-49.67		334	-0.0	-0.1	-0.0	-0.0
-0.1	-27.17						
			NODE	Vxx	Vyy		
-----							
			Cent	0.1	0.1		
			327	0.2	0.3		
			78	0.2	-0.0		
			94	-0.0	-0.0		
			334	-0.0	0.3		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLDx (RS)	Cent	5.7	0.5	1.7	6.2
-0.1	16.53		327	3.7	-1.7	3.1	5.2
-3.1	24.56		78	4.0	2.8	3.5	7.0
-0.2	40.10		94	11.1	1.1	3.3	12.0
0.2	16.64		334	11.3	2.1	3.5	12.5
0.9	18.67						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	-0.0	-0.0	0.0
-0.0	-14.38		327	0.0	0.0	-0.0	0.0
0.0	-62.79		78	0.0	0.0	-0.0	0.0
0.0	-16.88		94	-0.0	0.0	-0.0	0.0
-0.0	-86.49		334	-0.0	0.0	-0.0	0.0
-0.0	-75.29						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	-0.0		
			327	-0.0	-0.0		
			78	-0.0	-0.0		
			94	-0.0	-0.0		
			334	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLDy (RS)	Cent	-22.8	-3.7	-1.4	-3.6
-22.9	-85.77		327	-19.8	0.3	0.5	0.3
-19.8	88.66		78	-21.9	-6.7	-1.4	-6.6
-22.0	-84.61		94	-25.7	-7.7	-3.2	-7.1
-26.2	-80.26		334	-23.7	-0.8	-1.4	-0.7
-23.8	-86.40						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	-0.0	0.0
-0.0	-49.12		327	0.0	0.0	-0.0	0.0
-0.0	-47.06		78	-0.1	-0.0	-0.0	-0.0
-0.1	-75.39						



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-49.68	94	-0.0	0.0	-0.0	0.0
-0.0	-27.17	334	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	0.1	0.1
327	0.1	0.1
78	0.1	-0.0
94	-0.0	-0.0
334	-0.0	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.6	-8.76	SLVz (RS)	Cent	4.6	-0.5	-0.8	4.7
-3.5	-45.07		327	-1.5	-1.5	-2.0	0.5
-5.3	41.62		78	-1.7	-2.5	3.2	1.1
0.2	16.88		94	9.8	1.1	2.9	10.6
1.1	-15.06		334	10.0	1.8	-2.4	10.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-52.75	Cent	0.0	0.0	-0.0	0.0
0.0	-56.11	327	0.0	0.0	-0.0	0.0
0.0	-16.51	78	0.0	0.0	-0.0	0.0
0.0	-69.52	94	0.0	0.0	-0.0	0.0
-0.0	-72.14	334	-0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
327	-0.0	-0.0
78	-0.0	-0.0
94	-0.0	-0.0
334	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-89.7	-89.78	g1	Cent	-89.7	-4.8	-0.3	-4.8
-31.6	44.46		327	15.7	13.9	46.4	61.3
-24.0	-49.63		78	24.4	42.9	-56.9	91.3
-207.1	-75.62		94	-195.0	-23.5	-47.1	-11.4
			334	-203.7	-52.5	56.2	-33.9

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-222.3      71.68

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	12.22		Cent	-0.0	-0.0	0.0	-0.0
-0.0	8.56		327	-0.0	-0.0	0.0	-0.0
-0.0	66.54		78	-0.0	0.0	0.0	0.0
-0.0	6.75		94	-0.0	-0.0	0.0	-0.0
-0.0	5.46		334	0.0	-0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			327	0.0	0.0		
			78	0.0	0.1		
			94	0.0	0.1		
			334	0.0	0.0		

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-44.1	-84.73	g2	Cent	-43.9	-24.8	-1.8	-24.7
-20.4	37.54		327	12.2	-1.1	25.1	31.5
-32.9	-32.42		78	7.6	-16.6	-25.7	24.0
-112.8	-65.99		94	-100.1	-48.6	-28.6	-35.8
-102.5	72.28		334	-95.5	-33.1	22.2	-26.0

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	86.15		Cent	-0.0	0.0	0.0	0.0
0.0	73.36		327	0.0	0.0	0.0	0.0
-0.0	80.65		78	-0.0	-0.0	0.0	-0.0
-0.0	89.89		94	-0.0	0.0	0.0	0.0
0.0	-78.03		334	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.1	-0.0		
			327	0.0	-0.0		
			78	0.0	-0.0		
			94	0.1	-0.0		
			334	0.1	-0.0		

		LC	NODE	Fxx	Fyy	Fxy	Fmax
--	--	----	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE						
-4.0	33.97	q3	Cent	5.6	0.3	6.4	9.9
-3.9	31.93		327	8.5	0.9	7.8	13.4
-0.8	26.86		78	8.8	1.6	4.8	11.2
-4.1	37.31		94	2.6	-0.2	5.1	6.5
-7.5	39.17		334	2.4	-0.9	8.0	8.9
			NODE	Mxx	Myy	Mxy	Mmax
-0.0	-1.43		Cent	0.0	-0.0	-0.0	0.0
-0.0	-88.90		327	-0.0	0.0	-0.0	0.0
0.0	-1.74		78	0.0	0.0	-0.0	0.0
-0.0	-0.14		94	0.0	-0.0	-0.0	0.0
-0.0	4.78		334	-0.0	-0.0	0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			327	-0.0	0.0		
			78	-0.0	0.0		
			94	-0.0	0.0		
			334	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-27.5	-89.00	q5_pc	Cent	-27.5	6.5	-0.6	6.6
-29.0	-86.22		327	-28.9	0.8	-2.0	1.0
-25.5	-86.53		78	-25.3	12.7	-2.3	12.9
-26.2	88.83		94	-26.2	12.3	0.8	12.3
-29.8	87.86		334	-29.7	0.4	1.1	0.4
			NODE	Mxx	Myy	Mxy	Mmax
-0.1	-48.06		Cent	-0.1	-0.0	-0.1	0.0
-0.0	-46.03		327	0.0	0.1	-0.1	0.1
-0.2	-76.12		78	-0.2	-0.0	-0.0	-0.0
-0.0	-42.22		94	-0.0	-0.0	-0.0	0.0
			334	-0.1	-0.1	-0.1	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.2      -26.07

NODE	Vxx	Vyy
Cent	0.2	0.3
327	0.4	0.5
78	0.4	0.0
94	-0.0	0.1
334	-0.0	0.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-24.8	-87.37	q5_ps	Cent	-24.8	1.5	-1.2	1.6
-24.7	-86.65		327	-24.7	-0.4	-1.4	-0.4
-23.5	-85.49		78	-23.3	4.0	-2.2	4.2
-25.0	-88.00		94	-24.9	3.4	-1.0	3.5
-26.3	-89.44		334	-26.3	-1.0	-0.2	-1.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.1	-49.04	Cent	-0.0	-0.0	-0.1	0.0
-0.0	-46.42	327	0.0	0.1	-0.1	0.1
-0.2	-76.44	78	-0.2	-0.0	-0.0	-0.0
-0.0	-46.33	94	-0.0	-0.0	-0.0	0.0
-0.2	-26.63	334	-0.0	-0.1	-0.1	-0.0

NODE	Vxx	Vyy
Cent	0.2	0.2
327	0.4	0.4
78	0.4	0.0
94	0.0	0.0
334	0.0	0.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2035.1	83.40	INVSLU Max	Cent	-2025.5	209.0	271.0	240.2
-1619.8	74.92		327	-1553.1	178.5	503.7	312.7
-1465.3	-87.90		78	-1462.7	652.1	-75.0	655.0
-2484.9	89.05		94	-2483.0	258.9	46.7	259.7
-2613.1	75.78		334	-2528.5	-183.3	640.5	-22.9
-2309.3	-84.88	Min	Cent	-2292.0	-74.5	-196.8	-57.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-1738.7	88.61		327	-1718.7	-105.9	34.4	-104.9
-1745.2	-78.37		78	-1606.2	189.0	-541.0	306.8
-2956.9	-81.03		94	-2890.1	-148.1	-436.4	-79.2
-3064.6	86.92		334	-3057.3	-494.5	135.5	-487.3

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			-----	-----	-----	-----	-----
		Max	Cent	0.0	-0.1	0.1	0.1
-0.1	32.98		327	0.1	-0.0	0.1	0.1
-0.1	-32.77		78	0.3	0.1	0.1	0.3
0.1	13.53		94	-0.0	-0.2	0.1	-0.0
-0.2	14.46		334	0.1	0.1	0.1	0.3
0.0	45.89	Min	Cent	-0.1	-0.3	-0.1	-0.1
-0.3	-24.31		327	-0.2	-0.3	-0.1	-0.1
-0.4	19.36		78	-0.4	-0.1	-0.1	-0.1
-0.4	-77.75		94	-0.3	-0.5	-0.0	-0.3
-0.5	-6.16		334	-0.2	-0.5	-0.1	-0.2
-0.5	-8.97						

	NODE	Vxx	Vyy
	-----	-----	-----
Max	Cent	0.7	0.9
	327	0.9	0.9
	78	0.9	1.2
	94	0.6	1.2
	334	0.6	0.9
Min	Cent	-0.4	-0.2
	327	-0.8	-0.8
	78	-0.8	0.3
	94	-0.2	0.3
	334	-0.2	-0.8

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
			-----	-----	-----	-----	-----	
		INVSLV	Max	Cent	-1074.5	-42.7	-5.2	-42.7
-1074.5	-89.69			327	-778.2	57.0	139.4	75.2
-799.3	81.50			78	-782.2	41.1	-141.7	66.4
-807.5	-80.20			94	-1368.1	-137.8	-142.4	-121.6
-1384.4	-83.48			334	-1363.6	-121.3	140.0	-106.2
-1378.3	83.80		Min	Cent	-1175.2	-58.4	-14.2	-58.3
-1175.4	-89.29			327	-862.9	49.2	125.2	70.2
-881.2	81.65							

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-901.9	-80.37	78	-875.6	9.4	-159.6	35.7
-1509.5	-83.15	94	-1490.2	-170.6	-161.0	-151.3
-1489.9	84.71	334	-1478.0	-131.5	122.7	-120.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	33.99	Max Cent	0.0	-0.0	0.0	0.0
-0.0	-42.35	327	0.0	0.0	0.0	0.1
0.0	12.80	78	0.1	0.0	0.0	0.1
-0.0	25.04	94	-0.0	-0.0	0.0	-0.0
-0.0	56.33	334	0.0	0.1	0.0	0.1
-0.1	-26.16	Min Cent	-0.0	-0.0	-0.0	-0.0
-0.1	29.00	327	-0.0	-0.1	-0.0	-0.0
-0.1	-73.42	78	-0.1	-0.1	-0.0	-0.0
-0.0	-18.76	94	-0.0	-0.0	-0.0	-0.0
-0.1	-21.92	334	-0.0	-0.1	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.1	0.2
	327	0.2	0.3
	78	0.2	0.0
	94	0.0	0.0
	334	0.0	0.3
Min	Cent	-0.1	-0.1
	327	-0.2	-0.2
	78	-0.2	0.0
	94	0.0	0.0
	334	0.0	-0.2

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
	Fmin	ANGLE						
344	2	10	Q1-1-2	Max Cent	2.0	220.9	217.0	354.5
-131.6		58.38		334	1.7	25.6	230.5	244.5
-217.1		46.48		94	19.8	536.1	172.7	588.6
-32.7		73.11		32	8.7	516.7	207.8	590.9
-65.5		70.36		341	2.3	13.0	273.3	281.0
-265.7		45.56		Min Cent	-314.9	-151.1	-144.5	-66.9
-399.1		-59.77		334	-361.3	-309.1	-103.9	-228.1
-442.3		-52.06		94	-244.5	-164.2	-198.5	-1.8
-406.8		-50.72						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-451.5	-55.35	32	-319.9	-176.1	-190.3	-44.5
-491.4	-59.82	341	-436.6	-329.5	-94.2	-274.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.1	48.13	Max Cent	0.0	0.0	0.1	0.1
0.0	55.66	334	0.1	0.1	0.1	0.2
0.4	84.97	94	0.4	0.8	0.0	0.8
0.1	81.97	32	0.1	0.4	0.0	0.4
-0.1	46.29	341	0.0	0.0	0.1	0.1
-0.2	-7.55	Min Cent	-0.0	-0.2	-0.0	-0.0
-0.5	-4.68	334	-0.2	-0.5	-0.0	-0.2
-0.4	-4.31	94	-0.1	-0.4	-0.0	-0.1
-1.0	-0.82	32	-0.3	-1.0	-0.0	-0.3
-0.2	-10.55	341	-0.1	-0.2	-0.0	-0.1

NODE	Vxx	Vyy
Max Cent	0.1	6.1
334	0.1	1.3
94	0.1	15.0
32	0.0	15.0
341	0.0	1.3
Min Cent	-0.3	-2.3
334	-0.4	-2.8
94	-0.4	-5.9
32	-0.2	-5.9
341	-0.2	-2.8

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-84.7	58.35	Q2a-1-2	Max Cent	1.5	142.2	139.8	228.4
-139.8	46.32		334	1.3	14.9	147.8	156.0
-21.0	73.20		94	12.3	344.9	110.5	378.3
-43.8	70.36		32	4.3	333.3	134.6	381.3
-172.9	45.47		341	1.7	7.5	177.5	182.2
-249.6	-58.46		Min Cent	-193.3	-100.1	-91.8	-43.8
-291.5	-46.71		334	-229.2	-221.3	-66.2	-158.9
-252.3	-50.60		94	-148.4	-98.4	-126.4	5.5
-278.1	-55.04		32	-193.7	-105.5	-120.7	-21.1

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
-317.0	-54.17		341	-274.3	-235.1	-59.2	-192.3	
			Max	Cent	0.0	0.0	0.0	0.1
-0.0	46.99			334	0.0	0.1	0.0	0.1
-0.0	53.19			94	0.2	0.5	0.0	0.5
0.2	84.91			32	0.1	0.2	0.0	0.2
0.0	80.05			341	0.0	0.0	0.1	0.1
-0.1	46.15		Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-6.12			334	-0.1	-0.3	-0.0	-0.1
-0.3	-3.95			94	-0.1	-0.2	-0.0	-0.1
-0.2	-4.50			32	-0.2	-0.6	-0.0	-0.2
-0.6	-0.71			341	-0.1	-0.1	-0.0	-0.1
-0.1	-8.99							
				NODE	Vxx	Vyy		
			Max	Cent	0.0	3.8		
				334	0.1	0.7		
				94	0.1	9.4		
				32	0.0	9.4		
				341	0.0	0.7		
			Min	Cent	-0.2	-1.2		
				334	-0.3	-1.8		
				94	-0.3	-3.1		
				32	-0.1	-3.1		
				341	-0.1	-1.8		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
		SLVx (RS)	Cent	24.4	0.8	1.7	24.5	
0.7	4.19			334	21.6	0.9	23.5	
-1.0	16.18			94	20.6	-3.9	21.9	
-5.2	12.94			32	27.4	-1.6	28.4	
-2.6	-10.46			341	28.5	2.6	30.2	
0.8	14.07							
				NODE	Mxx	Myy	Mxy	Mmax
				Cent	-0.0	0.0	0.0	0.0
-0.0	70.93			334	-0.0	-0.0	-0.0	-0.0
-0.0	-14.99			94	0.0	0.0	0.0	0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	87.18		32	-0.0	-0.0	0.0	-0.0
-0.0	1.70		341	-0.0	-0.0	-0.0	-0.0
-0.0	-9.82						

NODE	Vxx	Vyy
Cent	-0.0	0.1
334	-0.0	-0.1
94	-0.0	0.3
32	-0.0	0.3
341	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	-47.8	2.3	-3.4	2.5
-48.0	-86.11		334	-47.8	-3.2	-1.9	-3.1
-47.9	-87.55		94	-44.9	8.1	-6.0	8.8
-45.6	-83.64		32	-47.8	7.4	-5.1	7.8
-48.3	-84.75		341	-50.8	-4.1	-1.0	-4.1
-50.8	-88.80						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-10.26	334	-0.0	-0.1	-0.0	-0.0
-0.1	-13.11	94	0.0	0.1	-0.0	0.1
0.0	-80.20	32	-0.0	-0.1	0.0	-0.0
-0.1	0.77	341	-0.0	-0.1	-0.0	-0.0
-0.1	-4.48					

NODE	Vxx	Vyy
Cent	-0.0	0.6
334	-0.0	0.2
94	-0.0	0.9
32	-0.0	0.9
341	-0.0	0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDx (RS)	Cent	12.2	0.4	0.9	12.3
0.3	4.19		334	10.8	0.4	3.3	11.8
-0.5	16.17		94	10.3	-1.9	3.0	11.0
-2.6	12.94		32	13.7	-0.8	-2.8	14.2
-1.3	-10.46						

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

			341	14.2	1.3	3.5	15.1
0.4	14.06						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	0.0	0.0	0.0
-0.0	70.92		334	-0.0	-0.0	-0.0	-0.0
-0.0	-14.97		94	0.0	0.0	0.0	0.0
0.0	87.18		32	-0.0	-0.0	0.0	-0.0
-0.0	1.70		341	-0.0	-0.0	-0.0	-0.0
-0.0	-9.82						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	0.0		
			334	-0.0	-0.0		
			94	-0.0	0.1		
			32	-0.0	0.1		
			341	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLDy (RS)	Cent	-23.9	1.1	-1.7	1.3
-24.0	-86.11		334	-23.9	-1.6	-1.0	-1.6
-23.9	-87.54		94	-22.4	4.1	-3.0	4.4
-22.7	-83.64		32	-23.9	3.7	-2.6	3.9
-24.1	-84.75		341	-25.3	-2.0	-0.5	-2.0
-25.4	-88.79						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-10.26		334	-0.0	-0.0	-0.0	-0.0
-0.0	-13.11		94	0.0	0.0	-0.0	0.0
0.0	-80.20		32	-0.0	-0.0	0.0	-0.0
-0.0	0.77		341	-0.0	-0.1	-0.0	-0.0
-0.1	-4.48						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	0.3		
			334	-0.0	0.1		
			94	-0.0	0.5		
			32	-0.0	0.5		
			341	-0.0	0.1		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.4	2.40	SLVz (RS)	Cent	10.8	-0.4	0.5	10.9
-0.8	-11.93		334	9.5	-0.4	-2.2	10.0
-2.4	13.27		94	9.0	-1.7	2.7	9.7
-1.5	10.49		32	12.1	-1.0	2.5	12.6
0.7	-11.04		341	12.6	1.1	-2.3	13.1
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	61.67		Cent	0.0	0.0	0.0	0.0
-0.0	10.78		334	-0.0	-0.0	0.0	-0.0
0.0	87.49		94	0.0	0.0	0.0	0.0
-0.0	1.63		32	-0.0	-0.0	0.0	-0.0
0.0	79.94		341	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			334	-0.0	-0.0		
			94	-0.0	0.1		
			32	-0.0	0.1		
			341	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-222.2	89.47	g1	Cent	-222.2	-11.1	1.9	-11.1
-206.8	74.98		334	-193.2	-17.3	50.9	-3.7
-195.3	-76.57		94	-183.3	15.7	-50.4	27.7
-259.8	-79.56		32	-251.2	-4.9	-47.0	3.8
-273.6	77.03		341	-261.1	-37.9	54.3	-25.4
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-31.51		Cent	-0.0	-0.0	-0.0	-0.0
0.0	-71.26		334	0.0	0.0	-0.0	0.0
-0.2	-2.91		94	-0.1	-0.2	-0.0	-0.1
0.0	-88.51		32	0.0	0.1	-0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0      -10.09                                      341                      -0.0                      -0.0                      -0.0                      -0.0

NODE	Vxx	Vyy
Cent	0.0	-1.0
334	0.0	0.6
94	0.0	-2.6
32	0.0	-2.6
341	0.0	0.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g2	Cent	-117.0	-48.5	-6.1	-48.0
-117.5	-84.97		334	-87.1	-5.1	24.6	1.7
-93.9	74.53		94	-109.9	-81.3	-30.9	-61.6
-129.6	-57.44		32	-146.9	-91.9	-36.7	-73.5
-165.3	-63.41		341	-124.0	-15.7	18.7	-12.6
-127.2	80.47						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	0.0	-0.0	0.0
-0.0	-62.55	334	0.0	0.1	-0.0	0.1
0.0	-75.81	94	-0.1	-0.2	-0.0	-0.1
-0.2	-4.05	32	0.1	0.2	-0.0	0.2
0.1	-87.82	341	0.0	-0.0	-0.0	0.0
-0.0	-34.75					

NODE	Vxx	Vyy
Cent	0.1	-1.6
334	0.1	0.8
94	0.1	-4.0
32	0.0	-4.0
341	0.0	0.8

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q3	Cent	1.9	0.4	6.6	7.7
-5.4	41.71		334	2.7	0.2	7.9	9.4
-6.6	40.48		94	3.0	1.2	5.1	7.3
-3.1	39.95		32	1.1	0.6	5.2	6.1
-4.4	43.59		341	0.8	-0.4	8.0	8.2
-7.8	42.84						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	13.02		Cent	-0.0	-0.0	0.0	0.0
-0.0	30.94		334	-0.0	-0.0	0.0	-0.0
0.0	-17.47		94	0.0	0.0	-0.0	0.0
-0.0	-8.26		32	-0.0	-0.0	-0.0	-0.0
-0.0	22.43		341	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
334	-0.0	0.0
94	-0.0	0.0
32	-0.0	0.0
341	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-24.7	87.88	q5_pc	Cent	-24.6	15.6	1.5	15.6
-30.6	-88.28		334	-30.5	-2.4	-0.8	-2.3
-19.8	89.02		94	-19.8	33.4	0.9	33.4
-19.0	85.82		32	-18.7	33.5	3.8	33.8
-29.6	85.66		341	-29.4	-2.3	2.1	-2.1

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	-10.97		Cent	-0.0	-0.1	-0.0	-0.0
-0.2	-13.98		334	-0.1	-0.2	-0.0	-0.0
-0.0	-68.54		94	0.0	0.0	-0.0	0.0
-0.1	-0.05		32	-0.0	-0.1	-0.0	-0.0
-0.2	-4.32		341	-0.1	-0.2	-0.0	-0.1

NODE	Vxx	Vyy
Cent	-0.0	0.7
334	-0.0	0.7
94	-0.0	0.7
32	-0.0	0.7
341	-0.0	0.7

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-24.1	-89.28	q5_ps	Cent	-24.1	6.1	-0.4	6.1	
-26.4	-87.66		334	-26.3	-1.3	-1.0	-1.2	
-21.9	-88.46		94	-21.9	13.6	-1.0	13.6	
-21.9	89.57		32	-21.9	13.5	0.3	13.5	
-26.3	89.56		341	-26.3	-1.4	0.2	-1.4	
Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-----		-----	-----	-----	-----	-----	-----	
-0.1	-13.51		Cent	-0.0	-0.1	-0.0	-0.0	
-0.1	-16.06		334	-0.0	-0.1	-0.0	-0.0	
-0.0	-59.04		94	-0.0	0.0	-0.0	0.0	
-0.0	-5.08		32	-0.0	-0.0	-0.0	-0.0	
-0.2	-5.29		341	-0.1	-0.2	-0.0	-0.1	
			NODE	Vxx	Vyy			
-----		-----	-----	-----	-----	-----	-----	
			Cent	0.0	0.5			
			334	0.0	0.8			
			94	0.0	0.2			
			32	-0.0	0.2			
			341	-0.0	0.8			
Fmin		ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----		-----	-----	-----	-----	-----	-----	-----
-2633.2	84.11	INVSLU	Max	Cent	-2623.5	271.7	308.2	303.5
-2528.0	78.33			334	-2467.4	53.1	546.8	166.1
-2465.8	89.55			94	-2465.5	745.4	25.8	745.6
-2773.6	88.73			32	-2773.6	630.4	76.8	632.1
-2830.5	78.06			341	-2765.7	-52.9	606.8	74.6
-3121.5	-86.29		Min	Cent	-3110.3	-258.5	-182.6	-246.6
-3029.5	87.95			334	-3026.2	-403.0	93.9	-399.7
-2948.4	-79.82			94	-2866.2	-260.1	-477.0	-174.5
-3334.0	-80.96			32	-3263.9	-365.2	-467.6	-290.8
-3427.9	87.82			341	-3423.7	-519.4	107.0	-515.2
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----		-----		-----	-----	-----	-----	-----
			Max	Cent	0.0	0.1	0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	79.03			334	0.3	0.6	0.1	0.7
0.3	82.79			94	-0.1	-0.6	0.0	-0.1
-0.6	-2.32			32	0.6	2.0	0.0	2.0
0.6	89.29			341	-0.0	-0.1	0.0	0.0
-0.1	23.29	Min	Cent		-0.1	-0.5	-0.1	-0.1
-0.5	-18.92			334	-0.2	-0.4	-0.1	-0.1
-0.5	-21.01			94	-0.8	-2.3	-0.1	-0.8
-2.3	-2.81			32	0.1	0.1	-0.0	0.1
0.0	-51.31			341	-0.3	-1.0	-0.1	-0.3
-1.0	-10.31							

	NODE	Vxx	Vyy
Max	Cent	0.3	-1.4
	334	0.6	8.5
	94	0.6	-5.7
	32	0.1	-5.7
	341	0.1	8.5
Min	Cent	-0.2	-14.0
	334	-0.2	1.6
	94	-0.2	-35.2
	32	-0.2	-35.2
	341	-0.2	1.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1435.7	-89.18	INVSLV	Max Cent	-1435.5	-72.8	-13.8	-72.5
			334	-1326.1	2.4	137.6	15.7
-1339.2	84.31		94	-1356.8	-82.3	-151.6	-62.0
-1374.8	-83.14		32	-1544.9	-141.6	-157.8	-122.9
-1563.4	-83.52		341	-1514.2	-53.6	132.2	-42.7
-1525.1	85.08		Min Cent	-1552.3	-78.1	-22.0	-78.0
-1552.6	-89.38		334	-1440.4	-4.8	122.0	6.1
-1451.5	85.03		94	-1464.3	-102.0	-168.7	-83.9
-1484.6	-83.21		32	-1664.2	-157.9	-173.4	-139.4
-1682.9	-83.66		341	-1640.4	-64.0	116.4	-54.7
-1649.8	85.60						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	78.81	Max Cent	0.0	0.0	0.0	0.0
		334	0.0	0.1	0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	77.34		94	-0.0	-0.0	0.0	-0.0
-0.0	-31.54		32	0.0	0.1	-0.0	0.1
0.0	-87.95		341	0.0	0.1	0.0	0.1
0.0	87.16	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-10.12		334	-0.0	-0.1	-0.0	-0.0
-0.1	-13.25		94	-0.0	-0.1	-0.0	-0.0
-0.1	2.70		32	-0.0	-0.0	-0.0	-0.0
-0.0	-1.25		341	-0.0	-0.2	-0.0	-0.0
-0.2	-5.40						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.3
	334	0.0	0.5
	94	0.0	0.2
	32	0.0	0.2
	341	0.0	0.5
Min	Cent	0.0	-0.9
	334	0.0	-0.0
	94	0.0	-1.8
	32	-0.0	-1.8
	341	-0.0	-0.0

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
385	2	10	Q1-1-2	Max	Cent	961.1	7.7	242.9	1019.5
		13.50			390	990.0	13.5	277.2	1063.2
		14.79			391	1004.7	37.9	202.7	1045.5
		11.38			2273	932.3	17.9	209.0	977.8
		12.28			2235	917.6	5.0	283.5	998.5
		15.93		Min	Cent	-9.0	-11.9	-75.4	65.0
		-44.44			390	-9.2	-25.5	-54.6	37.8
		-40.77			391	-9.3	-0.9	-100.7	95.7
		-46.19			2273	-8.7	-11.5	-99.8	89.8
		-44.60			2235	-8.6	-44.1	-54.2	30.7
		-35.93							
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
				Max	Cent	0.0	0.1	0.0	0.1
		80.66			390	0.0	0.1	0.0	0.1
		81.31			391	0.0	0.1	0.0	0.1



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	84.37			2273	0.0	0.1	0.0	0.1
0.0	78.57			2235	0.0	0.0	0.0	0.0
0.0	75.91							
-0.0	-37.59	Min	Cent		-0.0	-0.0	-0.0	0.0
-0.0	-25.29			390	-0.0	-0.0	-0.0	-0.0
-0.0	-28.64			391	-0.0	-0.0	-0.0	0.0
-0.0	-39.09			2273	-0.0	-0.0	-0.0	0.0
-0.0	-63.24			2235	-0.0	-0.0	-0.0	0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.1
	390	0.0	0.1
	391	0.0	0.1
	2273	0.0	0.1
	2235	0.0	0.1
Min	Cent	-0.0	-0.0
	390	-0.0	-0.1
	391	-0.0	-0.0
	2273	-0.0	-0.0
	2235	-0.0	-0.1

Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
-34.3	14.13	Q2a-1-2	Max	Cent	578.5	4.5	154.3	617.3
-40.5	15.47			390	596.0	8.2	176.2	644.8
-3.4	11.94			391	604.9	23.9	128.7	632.1
-18.9	12.88			2273	560.9	11.4	132.5	591.2
-50.9	16.63			2235	552.1	2.9	180.1	605.9
-57.4	-44.72		Min	Cent	-6.6	-7.6	-50.3	43.2
-47.9	-41.64			390	-6.9	-15.4	-36.5	25.6
-71.1	-46.35			391	-6.9	-0.5	-67.3	63.7
-73.8	-44.72			2273	-6.4	-7.7	-66.7	59.6
-54.3	-37.11			2235	-6.4	-26.9	-36.3	21.0

Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
0.0	81.24		Max	Cent	0.0	0.0	0.0	0.0
0.0	82.07			390	0.0	0.0	0.0	0.0
0.0	84.38			391	0.0	0.1	0.0	0.1
				2273	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	78.81		2235	0.0	0.0	0.0	0.0
0.0	77.20						
-0.0	-39.72	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-24.88		390	-0.0	-0.0	-0.0	-0.0
-0.0	-32.84		391	-0.0	-0.0	-0.0	0.0
-0.0	-41.01		2273	-0.0	-0.0	-0.0	0.0
-0.0	-65.17		2235	-0.0	-0.0	-0.0	0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.1
	390	0.0	0.1
	391	0.0	0.1
	2273	0.0	0.1
	2235	0.0	0.1
Min	Cent	-0.0	-0.0
	390	-0.0	-0.1
	391	-0.0	-0.0
	2273	-0.0	-0.0
	2235	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	-77.8	1.7	-13.5	3.9
-80.0	-80.64		390	-80.2	1.1	-16.6	4.4
-83.5	-78.91		391	-81.1	-3.9	-10.0	-2.6
-82.4	-82.73		2273	-75.4	2.2	-10.4	3.6
-76.8	-82.52		2235	-74.6	-1.0	-17.0	2.7
-78.3	-77.62						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-7.50		390	-0.0	-0.0	-0.0	-0.0
-0.0	-11.06		391	-0.0	-0.0	-0.0	-0.0
-0.0	-2.99		2273	-0.0	-0.0	-0.0	-0.0
-0.0	-9.32		2235	-0.0	-0.0	-0.0	-0.0
-0.0	-14.94						

	NODE	Vxx	Vyy
	Cent	0.0	0.0
	390	0.0	0.0
	391	0.0	-0.0
	2273	0.0	-0.0
	2235	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-17.4	79.90	SLVy (RS)	Cent	-16.9	-0.8	3.0	-0.3
-17.7	76.64		390	-16.8	-3.1	3.5	-2.2
-15.8	83.67		391	-15.6	2.1	2.0	2.3
-17.2	82.51		2273	-16.9	1.7	2.5	2.0
-19.2	75.65		2235	-18.2	-3.5	4.0	-2.5
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	-9.44		Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-9.77		390	-0.0	-0.1	-0.0	-0.0
-0.2	-3.44		391	-0.1	-0.2	-0.0	-0.1
-0.1	-13.15		2273	-0.0	-0.1	-0.0	-0.0
-0.0	-27.68		2235	0.0	-0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.6		
			390	-0.0	-0.7		
			391	-0.0	-0.6		
			2273	0.1	-0.6		
			2235	0.1	-0.7		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-40.0	-80.64	SLDx (RS)	Cent	-38.9	0.8	-6.7	1.9
-41.7	-78.91		390	-40.1	0.6	-8.3	2.2
-41.2	-82.73		391	-40.5	-2.0	-5.0	-1.3
-38.4	-82.52		2273	-37.7	1.1	-5.2	1.8
-39.1	-77.62		2235	-37.3	-0.5	-8.5	1.4
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-7.50		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-11.05		390	-0.0	-0.0	-0.0	-0.0
-0.0	-2.99		391	-0.0	-0.0	-0.0	-0.0
			2273	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0      -9.32  
 -0.0      -14.94

NODE	Vxx	Vyy
Cent	0.0	0.0
390	0.0	0.0
391	0.0	-0.0
2273	0.0	-0.0
2235	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-8.7	79.89	SLDy (RS)	Cent	-8.4	-0.4	1.5	-0.1
-8.8	76.64		390	-8.4	-1.5	1.7	-1.1
-7.9	83.66		391	-7.8	1.1	1.0	1.2
-8.6	82.50		2273	-8.5	0.8	1.2	1.0
-9.6	75.66		2235	-9.1	-1.8	2.0	-1.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.1	-9.44	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-9.77	390	-0.0	-0.1	-0.0	-0.0
-0.1	-3.44	391	-0.0	-0.1	-0.0	-0.0
-0.1	-13.15	2273	-0.0	-0.0	-0.0	-0.0
-0.0	-27.67	2235	0.0	-0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.3
390	-0.0	-0.3
391	-0.0	-0.3
2273	0.0	-0.3
2235	0.0	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-34.8	-80.28	SLVz (RS)	Cent	-33.8	-0.8	-5.8	0.2
-36.3	-78.64		390	-34.8	-0.5	-7.2	0.9
-35.8	-82.76		391	-35.2	-1.8	-4.3	-1.2
-33.4	-82.12		2273	-32.8	-1.0	-4.5	-0.4
-34.0	-77.91		2235	-32.4	0.3	-7.3	1.9

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----	-----	-----	-----	-----	-----	-----
-0.0	-8.01	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-9.44	390	-0.0	-0.0	-0.0	-0.0
-0.0	3.20	391	-0.0	-0.0	0.0	-0.0
-0.0	-10.70	2273	-0.0	-0.0	-0.0	-0.0
-0.0	-21.21	2235	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
-----	-----	-----
Cent	0.0	0.0
390	0.0	0.0
391	0.0	0.0
2273	0.0	0.0
2235	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----	-----	-----	-----	-----	-----	-----	-----
-13.2	8.24	g1	Cent	704.5	1.8	104.0	719.6
-26.7	9.99		390	726.6	-3.3	132.7	750.0
15.6	5.72		391	734.5	22.8	72.0	741.7
-1.3	6.28		2273	682.5	7.0	75.3	690.7
-44.8	10.70		2235	674.6	-19.1	135.9	700.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----	-----	-----	-----	-----	-----	-----
0.0	86.15	Cent	0.0	0.0	0.0	0.0
0.0	81.79	390	0.0	0.0	0.0	0.0
0.0	88.17	391	0.0	0.0	0.0	0.0
0.0	86.27	2273	0.0	0.0	0.0	0.0
0.0	83.61	2235	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
-----	-----	-----
Cent	-0.0	-0.0
390	-0.0	-0.0
391	-0.0	0.0
2273	-0.0	0.0
2235	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----	-----	-----	-----	-----	-----	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-8.4	7.71		g2 Cent	340.3	-2.0	47.2	346.7	
-14.4	9.46		390	350.9	-4.2	60.9	361.0	
4.9	5.23		391	354.5	7.8	32.0	357.4	
-3.1	5.75		2273	329.7	0.3	33.5	333.1	
-22.9	10.14		2235	326.1	-11.7	62.4	337.2	
Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
0.0	-73.34		Cent	0.0	0.0	-0.0	0.0	
0.0	-87.62		390	0.0	0.0	-0.0	0.0	
-0.0	-39.71		391	-0.0	-0.0	-0.0	0.0	
0.0	-57.83		2273	0.0	0.0	-0.0	0.0	
0.0	-86.60		2235	0.0	0.0	-0.0	0.0	
			NODE	Vxx	Vyy			
			Cent	-0.0	-0.0			
			390	-0.0	-0.0			
			391	-0.0	-0.0			
			2273	-0.0	-0.0			
			2235	-0.0	-0.0			
Fmin		ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.4	14.36		q3 Cent		20.8	0.0	5.7	22.2
-1.9	14.88		390		21.0	-0.3	6.1	22.7
-0.5	13.20		391		21.3	0.7	5.1	22.5
-0.9	13.79		2273		20.5	0.4	5.2	21.8
-2.3	15.45		2235		20.2	-0.6	6.2	21.9
Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
0.0	81.18		Cent	0.0	0.0	0.0	0.0	
-0.0	57.85		390	0.0	0.0	0.0	0.0	
0.0	87.70		391	0.0	0.0	0.0	0.0	
0.0	82.31		2273	0.0	0.0	0.0	0.0	
-0.0	77.90		2235	-0.0	0.0	0.0	0.0	

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
	Cent	-0.0	-0.0
	390	-0.0	-0.0
	391	-0.0	0.0
	2273	-0.0	0.0
	2235	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_pc	Cent	-24.2	1.3	-0.8	1.4
-24.3	-88.20		390	-23.1	2.3	0.4	2.3
-23.1	89.09		391	-23.4	1.0	-1.9	1.1
-23.6	-85.58		2273	-25.4	0.4	-2.0	0.6
-25.6	-85.57		2235	-25.0	1.7	0.3	1.7
-25.0	89.38						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.2	-0.0	-0.0
-0.2	-9.14		390	-0.1	-0.2	-0.0	-0.1
-0.2	-9.33		391	-0.1	-0.3	-0.0	-0.1
-0.3	-3.51		2273	-0.1	-0.1	-0.0	-0.1
-0.2	-13.13		2235	0.0	-0.1	-0.0	0.0
-0.1	-23.10						

	NODE	Vxx	Vyy
	Cent	0.0	-0.9
	390	-0.0	-0.8
	391	-0.0	-1.1
	2273	0.1	-1.1
	2235	0.1	-0.8

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_ps	Cent	-19.9	1.0	-0.8	1.0
-19.9	-87.71		390	-18.8	1.8	0.3	1.8
-18.8	89.29		391	-19.1	0.7	-1.8	0.9
-19.3	-84.78		2273	-20.9	0.2	-1.9	0.4
-21.1	-84.84		2235	-20.6	1.3	0.2	1.3
-20.6	89.58						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.2	-9.15	Cent		-0.0	-0.2	-0.0	-0.0
-0.2	-9.36	390		-0.1	-0.2	-0.0	-0.1
-0.3	-3.53	391		-0.1	-0.3	-0.0	-0.1
-0.2	-13.14	2273		-0.1	-0.1	-0.0	-0.1
-0.1	-23.04	2235		0.0	-0.1	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.9
390	-0.0	-0.8
391	-0.0	-1.1
2273	0.1	-1.1
2235	0.1	-0.8

Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
-16.4	10.16	INVSLU	Max	Cent	2822.5	14.6	520.5	2915.8
-64.0	13.24			390	3004.2	36.1	740.9	3178.4
108.2	5.49			391	3044.6	135.1	282.5	3071.8
-9.9	6.46			2273	2640.7	14.8	301.3	2674.8
-182.7	14.80			2235	2600.3	-68.9	759.6	2800.9
-81.1	4.41		Min	Cent	1464.3	-14.3	89.3	1473.1
-142.1	9.89			390	1609.4	-20.6	292.3	1664.8
70.9	-3.60			391	1629.0	81.0	-130.6	1635.2
-35.4	-3.68			2273	1319.1	-25.7	-119.3	1324.7
-272.9	11.43			2235	1299.5	-138.2	303.1	1366.3

Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
0.1	81.92		Max	Cent	0.1	0.3	0.0	0.4
0.1	81.49			390	0.1	0.4	0.0	0.4
0.2	86.58			391	0.2	0.6	0.0	0.6
0.1	78.55			2273	0.1	0.3	0.0	0.3
0.0	72.06			2235	0.0	0.2	0.1	0.2
-0.2	-11.43		Min	Cent	-0.1	-0.2	-0.0	-0.1
-0.2	-11.13			390	-0.1	-0.2	-0.0	-0.1
				391	-0.1	-0.4	-0.0	-0.1



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.4	-4.40		2273	-0.1	-0.2	-0.0	-0.1
-0.2	-15.66		2235	-0.0	-0.0	-0.1	0.0
-0.1	-37.82						

	NODE	Vxx	Vyy
Max	Cent	0.1	1.6
	390	0.0	1.3
	391	0.0	1.9
	2273	0.1	1.9
	2235	0.1	1.4
Min	Cent	-0.1	-1.4
	390	-0.0	-1.3
	391	-0.0	-1.5
	2273	-0.2	-1.5
	2235	-0.2	-1.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-14.0	7.29	INVSLV	Max	Cent	1161.1	1.1	153.0	1180.4
-37.1	11.20		390		1246.9	7.6	258.2	1297.6
51.8	1.88		391		1260.8	53.2	40.8	1262.1
-3.8	2.45		2273		1075.2	-3.0	47.9	1077.2
-98.6	12.68		2235		1061.4	-46.3	265.3	1120.5
-22.7	7.06		Min	Cent	975.0	-3.2	120.8	990.2
-50.1	11.39		390		1055.5	0.4	218.7	1099.9
42.8	1.02		391		1068.1	43.0	17.0	1068.4
-10.9	1.56		2273		894.5	-9.1	23.0	895.2
-113.3	12.96		2235		881.9	-54.2	224.6	934.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	81.57	Max	Cent	0.0	0.1	0.1
0.0	80.62	390		0.0	0.1	0.1
0.1	86.92	391		0.1	0.2	0.2
0.0	78.39	2273		0.0	0.1	0.1
0.0	67.20	2235		0.0	0.0	0.0
-0.1	-10.74	Min	Cent	-0.0	-0.1	-0.0
-0.1	-10.26	390		-0.0	-0.1	-0.0
-0.2	-3.83	391		-0.0	-0.2	-0.0
		2273		-0.0	-0.1	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1      -15.07  
 -0.0      -56.22

	NODE	Vxx	Vyy
Max	Cent	0.0	0.6
	390	0.0	0.6
	391	0.0	0.7
	2273	0.1	0.7
	2235	0.1	0.6
Min	Cent	-0.0	-0.6
	390	-0.0	-0.7
	391	-0.0	-0.6
	2273	-0.1	-0.6
	2235	-0.1	-0.7

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
386	2	4	Q1-1-2	Max	Cent	1037.5	6.9	253.9	1096.6
-52.2		13.12			391	1109.0	20.1	329.5	1200.9
-71.8		15.59			392	1115.3	33.6	177.5	1143.6
5.2		9.08			2274	966.0	0.3	180.2	998.5
-32.2		10.23			2273	959.7	0.5	332.3	1063.6
-103.4		17.36		Min	Cent	-10.0	-12.6	-70.2	58.9
-81.6		-44.47			391	-10.7	-6.6	-31.0	22.5
-39.7		-46.88			392	-10.7	-0.3	-122.4	117.0
-128.0		-46.22			2274	-9.3	-22.8	-120.2	104.3
-136.4		-43.39			2273	-9.3	-42.7	-29.5	7.9
-59.9		-30.23							
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
				Max	Cent	0.0	0.1	0.0	0.1
0.0		83.90			391	0.0	0.1	0.0	0.1
0.0		83.94			392	0.0	0.1	0.0	0.2
0.0		86.30			2274	0.0	0.1	0.0	0.1
0.0		83.05			2273	0.0	0.1	0.0	0.1
0.0		80.29		Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0		-31.90			391	-0.0	-0.0	-0.0	0.0
-0.0		-29.30			392	-0.0	-0.0	-0.0	-0.0
-0.0		-26.23			2274	-0.0	-0.0	-0.0	0.0
-0.0		-33.32			2273	-0.0	-0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

- 0.0      - 35.74

	NODE	Vxx	Vyy
Max	Cent	0.0	0.2
	391	0.0	0.2
	392	0.0	0.3
	2274	0.0	0.3
	2273	0.0	0.2
Min	Cent	-0.0	-0.0
	391	-0.0	-0.0
	392	-0.0	-0.0
	2274	-0.0	-0.0
	2273	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-34.3	13.65	Q2a-1-2	Max Cent	624.5	4.6	160.1	663.4
-47.3	16.18		391	667.4	12.8	207.3	727.6
2.1	9.48		392	671.4	20.8	111.8	690.1
-21.2	10.66		2274	581.7	0.2	113.5	603.1
-67.4	17.96		2273	577.7	0.3	209.1	645.5
-55.0	-44.66	Min	Cent	-7.4	-8.5	-47.0	39.0
-27.2	-47.31		391	-7.9	-4.5	-21.0	14.8
-86.2	-46.36		392	-8.0	-0.2	-82.0	78.1
-91.4	-43.61		2274	-6.9	-14.7	-80.5	69.8
-39.3	-31.54		2273	-6.9	-27.1	-19.9	5.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	84.08	Max	Cent	0.0	0.1	0.0
0.0	84.10		391	0.0	0.1	0.0
0.0	86.46		392	0.0	0.1	0.0
0.0	83.23		2274	0.0	0.1	0.0
0.0	80.49		2273	0.0	0.1	0.0
-0.0	-35.14	Min	Cent	-0.0	-0.0	-0.0
-0.0	-32.83		391	-0.0	-0.0	-0.0
-0.0	-30.59		392	-0.0	-0.0	-0.0
-0.0	-36.30		2274	-0.0	-0.0	-0.0
-0.0	-37.95		2273	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
Max	Cent	0.0	0.1
	391	0.0	0.1
	392	0.0	0.2
	2274	0.0	0.2
	2273	0.0	0.1
Min	Cent	-0.0	-0.0
	391	-0.0	-0.0
	392	-0.0	-0.0
	2274	-0.0	-0.0
	2273	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	-83.4	-1.5	-15.3	1.2
-86.2	-79.77		391	-89.2	2.7	-22.2	7.8
-94.3	-77.12		392	-89.6	-4.0	-8.1	-3.2
-90.4	-84.64		2274	-77.6	-0.4	-8.4	0.5
-78.5	-83.87		2273	-77.2	-1.3	-22.4	4.8
-83.3	-74.69						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-2.82		391	-0.0	-0.0	-0.0	-0.0
-0.0	-3.59		392	-0.0	-0.0	-0.0	-0.0
-0.0	-1.74		2274	-0.0	-0.0	-0.0	-0.0
-0.0	-2.87		2273	-0.0	-0.0	-0.0	-0.0
-0.0	-5.26						

	NODE	Vxx	Vyy
	Cent	0.0	-0.0
	391	0.0	-0.0
	392	0.0	-0.0
	2274	0.0	-0.0
	2273	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	-19.4	1.0	5.8	2.5
-20.9	75.24		391	-18.5	1.8	7.0	3.9
-20.7	72.76		392	-18.8	0.8	4.7	1.9
-19.8	77.29		2274	-20.3	-0.4	4.6	0.6
-21.3	77.65		2273	-20.0	1.2	6.9	3.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-22.0      73.50

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.2	-3.28		Cent	-0.1	-0.2	-0.0	-0.1
-0.3	-3.87		391	-0.1	-0.3	-0.0	-0.1
-0.3	-1.97		392	-0.1	-0.3	-0.0	-0.1
-0.2	-4.09		2274	-0.1	-0.2	-0.0	-0.1
-0.1	-6.70		2273	-0.0	-0.1	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-1.0		
			391	-0.0	-0.9		
			392	-0.0	-1.0		
			2274	0.1	-1.0		
			2273	0.1	-0.9		

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-43.1	-79.77	SLDx (RS)	Cent	-41.7	-0.8	-7.6	0.6
-47.1	-77.12		391	-44.6	1.3	-11.1	3.9
-45.2	-84.64		392	-44.8	-2.0	-4.1	-1.6
-39.2	-83.87		2274	-38.8	-0.2	-4.2	0.3
-41.6	-74.69		2273	-38.6	-0.7	-11.2	2.4

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-2.82		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-3.59		391	-0.0	-0.0	-0.0	-0.0
-0.0	-1.74		392	-0.0	-0.0	-0.0	-0.0
-0.0	-2.87		2274	-0.0	-0.0	-0.0	-0.0
-0.0	-5.26		2273	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			391	0.0	-0.0		
			392	0.0	-0.0		
			2274	0.0	-0.0		
			2273	0.0	-0.0		

	LC	NODE	Fxx	Fyy	Fxy	Fmax
--	----	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE						
		SLDy (RS)	Cent	-9.7	0.5	2.9	1.3
-10.4	75.24		391	-9.2	0.9	3.5	2.0
-10.3	72.76		392	-9.4	0.4	2.3	0.9
-9.9	77.30		2274	-10.1	-0.2	2.3	0.3
-10.6	77.65		2273	-10.0	0.6	3.4	1.6
-11.0	73.50						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-3.28		391	-0.0	-0.1	-0.0	-0.0
-0.1	-3.87		392	-0.0	-0.1	-0.0	-0.0
-0.2	-1.97		2274	-0.0	-0.1	-0.0	-0.0
-0.1	-4.10		2273	-0.0	-0.1	-0.0	-0.0
-0.1	-6.70						
			NODE	Vxx	Vyy		
			Cent	0.0	-0.5		
			391	-0.0	-0.5		
			392	-0.0	-0.5		
			2274	0.0	-0.5		
			2273	0.0	-0.5		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVz (RS)	Cent	-36.2	-0.7	-6.6	0.5
-37.4	-79.82		391	-38.8	-1.2	-9.6	1.1
-41.1	-76.44		392	-38.9	-1.7	-3.5	-1.4
-39.3	-84.71		2274	-33.7	-0.2	-3.6	0.2
-34.1	-83.97		2273	-33.5	0.4	-9.7	3.0
-36.1	-75.08						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-3.31		391	-0.0	-0.0	-0.0	-0.0
-0.0	-3.61		392	-0.0	-0.0	0.0	-0.0
-0.0	2.08		2274	-0.0	-0.0	0.0	-0.0
-0.0	4.88		2273	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0      -5.96

NODE	Vxx	Vyy
Cent	0.0	0.0
391	0.0	0.0
392	0.0	0.0
2274	0.0	0.0
2273	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-18.0	8.76	g1	Cent	758.9	0.4	119.7	777.3
-29.7	12.26		391	812.1	10.1	183.0	851.9
20.4	3.87		392	816.3	24.1	53.8	819.9
-13.6	4.49		2274	705.7	-9.2	56.4	710.1
-68.0	13.56		2273	701.5	-23.2	185.6	746.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	88.32	Cent	0.0	0.0	0.0	0.0
0.0	87.18	391	0.0	0.0	0.0	0.0
0.0	88.92	392	0.0	0.0	0.0	0.0
0.0	89.02	2274	0.0	0.0	0.0	0.0
0.0	87.01	2273	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
391	-0.0	0.0
392	-0.0	0.0
2274	-0.0	0.0
2273	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-11.6	8.53	g2	Cent	366.6	-3.0	56.7	375.1
-17.5	12.04		391	392.2	1.1	87.4	410.9
7.4	3.65		392	394.6	9.0	24.7	396.1
-9.2	4.26		2274	340.9	-7.2	26.1	342.8
-36.1	13.33		2273	338.5	-15.0	88.8	359.6

NODE	Mxx	Myy	Mxy	Mmax
------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE						
-0.0	-25.45		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-39.88		391	-0.0	-0.0	-0.0	0.0
-0.0	-6.37		392	-0.0	-0.0	-0.0	-0.0
-0.0	-27.28		2274	-0.0	-0.0	-0.0	-0.0
0.0	-57.61		2273	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			391	-0.0	-0.0		
			392	-0.0	-0.0		
			2274	0.0	-0.0		
			2273	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.5	14.33	q3	Cent	21.9	0.1	6.0	23.4
-1.9	16.48		391	23.1	0.3	7.4	25.3
-0.3	10.81		392	23.2	0.6	4.5	24.1
-1.1	11.76		2274	20.7	-0.2	4.5	21.7
-2.8	17.65		2273	20.6	-0.5	7.5	23.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	87.12		Cent	0.0	0.0	0.0	0.0
0.0	86.17		391	0.0	0.0	0.0	0.0
0.0	88.24		392	0.0	0.0	0.0	0.0
0.0	87.59		2274	0.0	0.0	0.0	0.0
0.0	85.23		2273	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			391	-0.0	0.0		
			392	-0.0	0.0		
			2274	-0.0	0.0		
			2273	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		q5_pc	Cent	-26.4	0.7	-1.4	0.8
-26.5	-87.08		391	-26.5	1.2	-1.6	1.3
-26.6	-86.68		392	-26.8	0.2	-1.0	0.2
-26.8	-87.77		2274	-26.3	0.3	-1.2	0.4
-26.4	-87.51		2273	-26.0	1.3	-1.7	1.4
-26.1	-86.41						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.1	-0.3	-0.0	-0.1
-0.3	-2.46		391	-0.1	-0.5	-0.0	-0.1
-0.5	-3.35		392	-0.1	-0.5	-0.0	-0.1
-0.5	-1.49		2274	-0.1	-0.2	-0.0	-0.1
-0.2	-2.53		2273	-0.0	-0.2	-0.0	-0.0
-0.2	-5.65						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-1.6		
			391	-0.0	-1.6		
			392	-0.0	-1.6		
			2274	0.1	-1.6		
			2273	0.1	-1.6		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		q5_ps	Cent	-21.7	0.4	-0.8	0.4
-21.8	-88.03		391	-21.7	0.8	-0.8	0.8
-21.7	-87.98		392	-21.9	-0.0	-0.7	0.0
-21.9	-88.30		2274	-21.8	0.0	-0.7	0.1
-21.8	-88.07		2273	-21.6	0.8	-0.9	0.8
-21.6	-87.76						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.1	-0.3	-0.0	-0.1
-0.3	-2.50		391	-0.1	-0.5	-0.0	-0.1
-0.5	-3.37		392	-0.1	-0.5	-0.0	-0.1
-0.5	-1.51		2274	-0.1	-0.2	-0.0	-0.1
-0.2	-2.59		2273	-0.0	-0.2	-0.0	-0.0
-0.2	-5.70						
			NODE	Vxx	Vyy		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin		LC	NODE	Fxx	Fyy	Fxy	Fmax
ANGLE							
			Cent	0.0	-1.6		
			391	-0.0	-1.6		
			392	-0.0	-1.5		
			2274	0.1	-1.5		
			2273	0.1	-1.6		
Mmin			NODE	Mxx	Myy	Mxy	Mmax
ANGLE							
		Max	Cent	0.2	0.7	0.0	0.7
			391	0.3	0.9	0.0	0.9
			392	0.3	0.9	0.0	0.9
			2274	0.2	0.5	0.0	0.5
			2273	0.1	0.4	0.0	0.4
		Min	Cent	-0.1	-0.5	-0.0	-0.1
			391	-0.2	-0.6	-0.0	-0.2
			392	-0.2	-0.7	-0.0	-0.2
			2274	-0.1	-0.3	-0.0	-0.1
			2273	-0.0	-0.3	-0.0	-0.0
			Cent	0.1	2.7		
			391	0.0	2.8		
			392	0.0	2.6		
			2274	0.1	2.6		
			2273	0.1	2.8		
		Min	Cent	-0.1	-2.3		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

391 -0.0 -2.3  
 392 -0.0 -2.3  
 2274 -0.2 -2.3  
 2273 -0.2 -2.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-26.0	7.95	INVSLV Max	Cent	1257.1	-2.8	182.9	1282.1
-47.4	13.27		391	1395.8	24.0	348.2	1476.9
57.3	0.36		392	1406.0	57.4	11.2	1406.1
-29.5	0.75		2274	1118.3	-29.4	17.7	1118.5
-146.9	15.47		2273	1108.1	-60.4	354.7	1205.2
-29.0	7.80	Min	Cent	1056.9	-6.8	145.0	1077.2
-65.0	13.60		391	1183.0	16.9	293.9	1255.1
47.8	-0.36		392	1192.1	47.9	-9.9	1192.2
-30.6	-0.07		2274	930.8	-30.5	-4.0	930.8
-160.7	15.85		2273	921.7	-63.9	299.9	1008.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	87.13	Max	Cent	0.1	0.2	0.0	0.2
0.1	86.41		391	0.1	0.3	0.0	0.3
0.1	88.27		392	0.1	0.3	0.0	0.3
0.1	86.73		2274	0.1	0.2	0.0	0.2
0.0	84.14		2273	0.0	0.2	0.0	0.2
-0.2	-3.78	Min	Cent	-0.1	-0.2	-0.0	-0.1
-0.3	-4.21		391	-0.1	-0.3	-0.0	-0.1
-0.3	-2.21		392	-0.1	-0.3	-0.0	-0.1
-0.1	-5.09		2274	-0.0	-0.1	-0.0	-0.0
-0.1	-7.80		2273	-0.0	-0.1	-0.0	-0.0
			NODE	Vxx	Vyy		
		Max	Cent	0.0	1.0		
			391	0.0	1.0		
			392	0.0	1.0		
			2274	0.1	1.0		
			2273	0.1	1.0		
		Min	Cent	-0.0	-0.9		
			391	-0.0	-0.9		
			392	-0.0	-1.0		

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

2274 -0.1 -1.0  
2273 -0.1 -0.9

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
394	2	10	Q1-1-2	Max	Cent	200.3	27.5	233.5	362.9
-135.1		34.84			408	389.6	97.5	290.8	569.0
-81.9		31.67			409	378.1	57.2	183.1	461.1
-25.8		24.39			418	22.9	0.5	177.9	190.0
-166.5		43.20			417	33.8	12.4	287.0	310.3
-264.0		43.93		Min	Cent	-2.0	-96.1	-128.8	88.1
-186.1		-34.97			408	-3.8	-63.6	-84.6	56.0
-123.4		-35.27			409	-3.8	-83.1	-165.1	126.4
-213.3		-38.25			418	-18.0	-168.0	-180.2	102.3
-288.2		-33.70			417	-9.5	-127.1	-96.8	44.9
-181.6		-29.36							
Mmin		ANGLE			NODE	Mxx	Myy	Mxy	Mmax
-0.0		48.45		Max	Cent	0.0	0.0	0.0	0.0
-0.0		46.99			408	0.0	0.0	0.0	0.0
-0.0		45.64			409	0.0	0.0	0.0	0.0
0.0		69.63			418	0.0	0.0	0.0	0.0
0.0		44.77			417	0.0	0.0	0.0	0.0
-0.1		-7.05		Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1		-9.13			408	-0.0	-0.1	-0.0	-0.0
-0.0		-27.04			409	-0.0	-0.0	-0.0	-0.0
-0.1		-4.91			418	-0.1	-0.1	-0.0	-0.1
-0.1		-9.08			417	-0.0	-0.1	-0.0	-0.0
					NODE	Vxx	Vyy		
				Max	Cent	0.0	0.1		
					408	0.1	0.0		
					409	0.1	0.2		
					418	0.0	0.2		
					417	0.0	0.0		
				Min	Cent	-0.0	-0.0		
					408	-0.0	-0.0		
					409	-0.0	-0.0		
					418	-0.0	-0.0		
					417	-0.0	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-86.2	35.38	Q2a-1-2	Max Cent	119.9	17.7	146.3	223.8
-55.2	32.33		408	233.3	60.4	182.6	348.8
-18.7	25.11		409	226.2	35.1	114.7	279.9
-103.9	43.19		418	14.5	0.4	111.2	118.8
-166.1	43.90		417	21.0	7.1	180.0	194.2
-126.7	-34.30		Min Cent	-1.5	-68.4	-85.4	56.8
-83.7	-34.63		408	-2.8	-45.1	-55.8	35.7
-144.5	-37.77		409	-2.8	-59.4	-109.8	82.2
-194.0	-33.52		418	-12.6	-114.4	-120.1	67.0
-122.2	-28.91		417	-6.1	-86.8	-64.1	29.3
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	46.63		Max Cent	0.0	0.0	0.0	0.0
-0.0	45.70		408	0.0	0.0	0.0	0.0
-0.0	45.33		409	0.0	0.0	0.0	0.0
0.0	59.85		418	0.0	0.0	0.0	0.0
-0.0	43.96		417	0.0	0.0	0.0	0.0
-0.1	-6.30		Min Cent	-0.0	-0.1	-0.0	-0.0
-0.0	-7.75		408	-0.0	-0.0	-0.0	-0.0
-0.0	-25.02		409	-0.0	-0.0	-0.0	-0.0
-0.1	-4.67		418	-0.1	-0.1	-0.0	-0.1
-0.0	-8.21		417	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Max Cent	0.0	0.1		
			408	0.0	0.0		
			409	0.0	0.1		
			418	0.0	0.1		
			417	0.0	0.0		
			Min Cent	-0.0	-0.0		
			408	-0.0	-0.0		
			409	-0.0	-0.0		
			418	-0.0	-0.0		
			417	-0.0	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-5.7	-27.27	SLVx (RS)	Cent	17.5	0.4	-12.0	23.7
-39.4	-68.74		408	-32.7	4.8	-17.2	11.5
-34.1	-77.64		409	-32.7	-4.9	-6.4	-3.5
-2.2	-44.34		418	4.7	4.4	-6.7	11.3
-13.0	-44.94		417	4.6	4.5	-17.5	22.1
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	60.29		Cent	0.0	0.0	0.0	0.0
-0.0	33.91		408	-0.0	-0.0	0.0	-0.0
-0.0	17.70		409	-0.0	-0.0	0.0	-0.0
0.0	66.13		418	0.0	0.0	0.0	0.0
0.0	65.94		417	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			408	-0.0	0.0		
			409	-0.0	-0.0		
			418	-0.0	-0.0		
			417	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-38.7	75.64	SLVy (RS)	Cent	-36.2	-1.0	9.7	1.5
-35.8	72.24		408	-32.2	-1.2	11.1	2.3
-34.1	76.82		409	-32.2	0.7	8.1	2.6
-41.9	78.36		418	-40.3	-2.0	8.2	-0.3
-43.3	74.82		417	-40.3	-2.2	11.2	0.8
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	56.94		Cent	0.1	0.1	0.0	0.1
0.0	61.89		408	0.0	0.1	0.0	0.1
0.1	80.99		409	0.1	0.1	0.0	0.1
0.0	47.42		418	0.0	0.0	0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.0	44.64		417	0.0	0.0	0.0	0.1
				NODE	Vxx	Vyy	
				Cent	-0.0	0.1	
				408	-0.1	0.1	
				409	-0.1	0.1	
				418	-0.0	0.1	
				417	-0.0	0.1	
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.9	-27.27	SLDx (RS)	Cent	8.7	0.2	-6.0	11.8
-19.7	-68.73		408	-16.3	2.4	-8.6	5.8
-17.0	-77.64		409	-16.3	-2.4	-3.2	-1.7
-1.1	-44.35		418	2.4	2.2	-3.4	5.6
-6.5	-44.94		417	2.3	2.3	-8.8	11.1
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	60.31		Cent	0.0	0.0	0.0	0.0
-0.0	33.90		408	-0.0	-0.0	0.0	-0.0
-0.0	17.69		409	-0.0	-0.0	0.0	-0.0
0.0	66.14		418	0.0	0.0	0.0	0.0
0.0	65.94		417	0.0	0.0	0.0	0.0
				NODE	Vxx	Vyy	
				Cent	-0.0	-0.0	
				408	-0.0	0.0	
				409	-0.0	-0.0	
				418	-0.0	-0.0	
				417	-0.0	0.0	
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-19.3	75.63	SLDy (RS)	Cent	-18.1	-0.5	4.8	0.7
-17.9	72.23		408	-16.1	-0.6	5.5	1.2
-17.0	76.82		409	-16.1	0.4	4.1	1.3
-20.9	78.36		418	-20.1	-1.0	4.1	-0.1
-21.6	74.81		417	-20.1	-1.1	5.6	0.4

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	56.94		Cent	0.0	0.0	0.0	0.0
0.0	61.89		408	0.0	0.0	0.0	0.0
0.0	80.98		409	0.0	0.1	0.0	0.1
0.0	47.42		418	0.0	0.0	0.0	0.0
0.0	44.64		417	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	0.1
408	-0.0	0.0
409	-0.0	0.1
418	-0.0	0.1
417	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-9.9	-61.94	SLVz (RS)	Cent	-7.2	-0.2	-5.2	2.6
-17.6	-64.00		408	-13.9	-2.2	-7.5	1.4
-14.5	-77.43		409	-13.9	-2.1	-2.8	-1.5
-2.7	-57.98		418	-0.9	1.9	-2.9	3.7
-7.3	-50.22		417	-0.9	1.9	-7.6	8.2

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	82.66		Cent	-0.0	0.0	0.0	0.0
-0.0	31.09		408	-0.0	-0.0	0.0	-0.0
-0.0	13.87		409	-0.0	-0.0	0.0	-0.0
0.0	-57.10		418	0.0	0.0	-0.0	0.0
0.0	-56.67		417	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
408	0.0	-0.0
409	0.0	-0.0
418	-0.0	-0.0
417	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----				-----			
Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-----				-----			
		g1	Cent	146.6	-11.5	85.6	184.1
-49.0	23.65		408	288.3	31.5	133.9	345.4
-25.6	23.11		409	288.0	30.4	34.8	292.6
25.8	7.56		418	5.0	-54.4	37.4	23.0
-72.5	25.75		417	5.3	-53.3	136.5	115.6
-163.6	38.94						
-----				-----			
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-15.99		408	0.0	0.0	-0.0	0.0
-0.0	-48.57		409	0.0	0.0	-0.0	0.0
0.0	-66.56		418	-0.0	-0.0	-0.0	-0.0
-0.0	-5.37		417	-0.0	-0.0	-0.0	-0.0
-0.0	-6.89						
-----				-----			
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			408	0.0	0.0		
			409	0.0	0.0		
			418	0.0	0.0		
			417	0.0	0.0		
-----				-----			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----				-----			
		g2	Cent	69.1	-13.4	40.8	85.9
-30.2	22.35		408	137.3	3.9	63.1	162.4
-21.2	21.70		409	139.5	11.1	14.6	141.1
9.5	6.39		418	0.9	-30.6	18.5	9.5
-39.2	24.80		417	-1.3	-37.9	67.1	49.9
-89.1	37.36						
-----				-----			
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----				-----			
			Cent	0.0	0.0	-0.0	0.0
0.0	-77.73		408	0.0	0.0	-0.0	0.0
0.0	-73.29		409	0.0	0.0	-0.0	0.0
0.0	-69.50		418	0.0	0.0	0.0	0.0
0.0	86.41		417	0.0	0.0	-0.0	0.0
0.0	-59.78						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
	Cent	-0.0	-0.0
	408	-0.0	0.0
	409	-0.0	-0.0
	418	-0.0	-0.0
	417	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.9	26.01	q3	Cent	9.2	0.0	5.9	12.0
-2.4	25.31		408	12.2	0.9	6.9	15.5
-0.8	20.09		409	12.2	1.0	4.8	14.0
-3.3	27.06		418	6.1	-0.9	4.8	8.6
-5.2	31.60		417	6.1	-0.9	7.0	10.4

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-61.98		Cent	0.0	0.0	-0.0	0.0
0.0	-74.44		408	0.0	0.0	-0.0	0.0
0.0	-79.67		409	0.0	0.0	-0.0	0.0
-0.0	-33.30		418	-0.0	-0.0	-0.0	-0.0
-0.0	-26.11		417	0.0	-0.0	-0.0	0.0

	NODE	Vxx	Vyy
	Cent	0.0	0.0
	408	0.0	0.0
	409	0.0	0.0
	418	0.0	0.0
	417	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-26.3	-89.40	q5_pc	Cent	-26.3	0.8	-0.3	0.8
-26.5	-89.73		408	-26.5	1.6	-0.1	1.6
-27.1	89.55		409	-27.1	-0.3	0.2	-0.3
-26.1	-89.04		418	-26.1	0.1	-0.4	0.1
-25.6	-88.37		417	-25.5	1.9	-0.8	1.9

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.1	55.41	Cent	0.1	0.1	0.0	0.1
0.1	56.36	408	0.1	0.1	0.0	0.1
0.1	81.45	409	0.1	0.2	0.0	0.2
0.0	47.72	418	0.1	0.1	0.0	0.1
0.0	43.18	417	0.1	0.1	0.0	0.1

NODE	Vxx	Vyy
Cent	-0.0	0.2
408	-0.1	0.1
409	-0.1	0.2
418	-0.0	0.2
417	-0.0	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-23.4	89.01	q5_ps	Cent	-23.4	-0.6	0.4	-0.6
-23.3	88.98		408	-23.3	-0.6	0.4	-0.6
-23.3	89.07		409	-23.3	-0.6	0.4	-0.5
-23.4	89.05		418	-23.4	-0.6	0.4	-0.6
-23.5	88.96		417	-23.4	-0.6	0.4	-0.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.1	56.20	Cent	0.1	0.1	0.0	0.1
0.1	57.58	408	0.1	0.1	0.0	0.1
0.1	81.72	409	0.1	0.2	0.0	0.2
0.0	48.98	418	0.1	0.1	0.0	0.1
0.0	43.56	417	0.1	0.1	0.0	0.1

NODE	Vxx	Vyy
Cent	-0.0	0.2
408	-0.1	0.1
409	-0.1	0.2
418	-0.0	0.2
417	-0.0	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-969.4	64.97	INVSLU Max	Cent	-760.2	25.1	468.0	242.2

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-510.3	48.66		408	129.4	328.7	766.0	999.9
-24.9	54.90		409	101.8	231.8	180.8	358.5
-1633.7	83.14		418	-1629.7	-219.7	172.5	-199.7
-1703.5	66.75		417	-1606.2	-161.2	759.8	161.8
-1091.9	-88.65	Min	Cent	-1091.4	-143.1	-21.6	-142.6
-588.4	68.64		408	-459.4	108.5	258.9	212.6
-594.1	-74.02		409	-471.8	41.8	-289.8	143.6
-1807.3	-77.08		418	-1741.4	-448.0	-311.8	-376.3
-1970.8	79.89		417	-1720.5	-353.1	240.4	-309.9

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----	-----			-----	-----	-----	-----
		Max	Cent	0.1	0.1	0.0	0.2
0.1	38.63		408	0.1	0.1	0.0	0.2
0.1	42.25		409	0.2	0.3	0.0	0.3
0.2	74.14		418	0.1	0.1	0.0	0.1
0.0	31.66		417	0.1	-0.0	0.1	0.1
-0.0	27.96	Min	Cent	-0.2	-0.3	-0.0	-0.2
-0.3	-19.19		408	-0.2	-0.3	-0.0	-0.2
-0.3	-20.86		409	-0.3	-0.4	-0.0	-0.3
-0.4	-9.89		418	-0.2	-0.3	-0.0	-0.2
-0.4	-17.08		417	-0.1	-0.2	-0.1	-0.1
-0.3	-27.49						

	NODE	Vxx	Vyy
Max	Cent	0.1	0.4
	408	0.1	0.3
	409	0.1	0.6
	418	0.1	0.6
	417	0.1	0.3
Min	Cent	-0.1	-0.2
	408	-0.1	-0.1
	409	-0.1	-0.3
	418	-0.0	-0.3
	417	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----	-----			-----	-----	-----	-----
-472.5	75.79	INVSLV	Max	Cent	-448.0	-25.3	132.8
				408	-57.8	95.9	270.9
-239.3	52.62						288.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-60.1	-83.22		409	-58.0	95.0	-12.3	96.8
-837.9	-87.99		418	-837.0	-137.4	-4.3	-136.6
-910.2	71.62		417	-836.8	-136.5	279.1	-55.3
-565.7	77.77	Min	Cent	-535.2	-27.7	99.9	-4.2
-309.4	58.32		408	-150.8	84.1	225.3	233.7
-154.3	-83.30		409	-151.0	83.6	-34.1	87.3
-920.9	-89.59		418	-920.9	-148.6	-26.5	-148.6
-1007.7	73.66		417	-920.7	-148.1	232.7	-68.3

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	51.06	Max	Cent	0.0	0.1	0.0	0.1
0.0	61.87		408	0.0	0.1	0.0	0.1
0.1	82.48		409	0.1	0.1	0.0	0.1
0.0	38.36		418	0.0	0.0	0.0	0.1
-0.0	35.38		417	0.0	0.0	0.0	0.0
-0.1	-28.64	Min	Cent	-0.1	-0.1	-0.0	-0.0
-0.1	-27.75		408	-0.1	-0.1	-0.0	-0.0
-0.1	-10.00		409	-0.1	-0.1	-0.0	-0.1
-0.1	-34.16		418	-0.0	-0.1	-0.0	-0.0
-0.1	-36.33		417	-0.0	-0.0	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.1
	408	0.1	0.1
	409	0.1	0.2
	418	0.0	0.2
	417	0.0	0.1
Min	Cent	-0.0	-0.1
	408	-0.1	-0.0
	409	-0.1	-0.1
	418	-0.0	-0.1
	417	-0.0	-0.0

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
395	2	4	Q1-1-2	Max	Cent	207.1	2.1	242.5	367.9
-158.6		33.54			409	400.0	50.0	296.0	568.9
-118.9		29.70			410	406.1	48.1	181.4	481.9
-27.8		22.69							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-178.0	43.11		419	26.0	0.7	190.9	204.7
-295.0	43.87		418	25.0	0.7	307.6	320.7
-218.6	-30.11	Min	Cent	-2.2	-145.8	-125.5	70.7
-153.2	-28.69		409	-4.1	-108.6	-81.6	40.6
-229.9	-36.45		410	-4.1	-106.7	-166.8	119.1
-310.5	-31.07		419	-19.2	-204.8	-175.5	86.5
-242.5	-21.44		418	-16.8	-207.7	-88.7	18.1

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	63.23	Max	Cent	0.0	0.0	0.0	0.0
-0.0	48.93		409	0.0	0.0	0.0	0.0
-0.0	52.16		410	0.0	0.0	0.0	0.0
0.0	77.71		419	0.0	0.0	0.0	0.0
0.0	76.18		418	0.0	0.0	0.0	0.0
-0.1	-5.18	Min	Cent	-0.1	-0.1	-0.0	-0.1
-0.1	-17.92		409	-0.0	-0.1	-0.0	-0.0
-0.1	-8.57		410	-0.0	-0.1	-0.0	-0.0
-0.2	-3.00		419	-0.1	-0.2	-0.0	-0.1
-0.2	-3.71		418	-0.1	-0.2	-0.0	-0.1

	NODE	Vxx	Vyy
Max	Cent	0.0	0.3
	409	0.0	0.3
	410	0.0	0.3
	419	0.0	0.3
	418	0.0	0.3
Min	Cent	-0.0	-0.0
	409	-0.0	-0.0
	410	-0.0	-0.0
	419	-0.0	-0.0
	418	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-101.0	34.01	Q2a-1-2	Max	Cent	123.8	1.4	151.7	226.1
-77.4	30.34			409	239.0	31.0	185.2	347.4
-19.2	23.31			410	243.5	29.6	113.2	292.3
-111.1	43.09			419	16.4	0.5	119.4	128.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-185.0	43.88		418	15.6	0.6	192.9	201.1
		Min	Cent	-1.6	-103.0	-83.5	45.4
-150.1	-29.37		409	-3.0	-77.7	-54.0	25.3
-106.0	-27.68		410	-3.0	-76.2	-111.2	77.5
-156.7	-35.90		419	-13.5	-138.6	-117.4	57.0
-209.0	-30.97		418	-11.6	-140.9	-58.9	11.2
		Max	Cent	0.0	0.0	0.0	0.0
0.0	57.37		409	0.0	0.0	0.0	0.0
-0.0	47.70		410	0.0	0.0	0.0	0.0
-0.0	49.65		419	0.0	0.0	0.0	0.0
0.0	72.89		418	0.0	0.0	0.0	0.0
0.0	70.10	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-4.90		409	-0.0	-0.0	-0.0	-0.0
-0.0	-16.70		410	-0.0	-0.1	-0.0	-0.0
-0.1	-7.85		419	-0.1	-0.1	-0.0	-0.1
-0.1	-2.85		418	-0.1	-0.1	-0.0	-0.1
-0.1	-3.53						
			NODE	Vxx	Vyy		
		Max	Cent	0.0	0.2		
			409	0.0	0.2		
			410	0.0	0.2		
			419	0.0	0.2		
			418	0.0	0.2		
		Min	Cent	-0.0	-0.0		
			409	-0.0	-0.0		
			410	-0.0	-0.0		
			419	-0.0	-0.0		
			418	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	17.9	0.8	-12.7	24.7
-5.9	-28.03		409	-33.3	-3.6	-17.9	4.8
-41.8	-64.84		410	-33.6	-4.3	-6.9	-2.8
-35.1	-77.43		419	4.9	5.2	-7.4	12.5
-2.4	-45.59		418	4.8	5.9	-18.5	23.9
-13.2	-45.90						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	81.14		Cent	0.0	0.0	0.0	0.0
-0.0	8.15		409	-0.0	-0.0	0.0	-0.0
-0.0	3.12		410	-0.0	-0.0	0.0	-0.0
0.0	80.98		419	0.0	0.0	0.0	0.0
0.0	78.15		418	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			409	0.0	-0.0		
			410	0.0	-0.0		
			419	-0.0	-0.0		
			418	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-39.0	75.20	SLVy (RS)	Cent	-36.3	0.3	10.4	3.1
-35.3	71.92		409	-31.3	2.1	12.2	6.0
-33.6	76.16		410	-31.5	1.5	8.7	3.7
-43.0	78.33		419	-41.2	-1.5	8.6	0.3
-44.5	74.42		418	-41.1	-1.0	12.1	2.4
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	83.10		Cent	0.1	0.1	0.0	0.1
0.1	85.11		409	0.1	0.2	0.0	0.2
0.1	88.22		410	0.1	0.2	0.0	0.2
0.0	75.60		419	0.0	0.1	0.0	0.1
0.0	67.21		418	0.0	0.1	0.0	0.1
			NODE	Vxx	Vyy		
			Cent	0.0	0.3		
			409	0.0	0.2		
			410	0.0	0.3		
			419	0.0	0.3		
			418	0.0	0.2		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-3.0	-28.03		Cent	8.9	0.4	-6.3	12.3	
-20.9	-64.84		409	-16.7	-1.8	-9.0	2.4	
-17.5	-77.42		410	-16.8	-2.2	-3.4	-1.4	
-1.2	-45.59		419	2.4	2.6	-3.7	6.2	
-6.6	-45.90		418	2.4	3.0	-9.3	11.9	
Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
0.0	81.14		Cent	0.0	0.0	0.0	0.0	
-0.0	8.15		409	-0.0	-0.0	0.0	-0.0	
-0.0	3.12		410	-0.0	-0.0	0.0	-0.0	
0.0	80.98		419	0.0	0.0	0.0	0.0	
0.0	78.15		418	0.0	0.0	0.0	0.0	
			NODE	Vxx	Vyy			
			Cent	-0.0	-0.0			
			409	0.0	-0.0			
			410	0.0	-0.0			
			419	-0.0	-0.0			
			418	-0.0	-0.0			
Fmin		ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
			SLDy (RS)	Cent	-18.1	0.2	5.2	1.5
-19.5	75.20			409	-15.7	1.0	6.1	3.0
-17.6	71.92			410	-15.7	0.8	4.3	1.8
-16.8	76.16			419	-20.6	-0.8	4.3	0.1
-21.5	78.33			418	-20.5	-0.5	6.1	1.2
-22.2	74.42							
Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
0.0	83.10		Cent	0.0	0.1	0.0	0.1	
0.0	85.11		409	0.0	0.1	0.0	0.1	
0.0	88.21		410	0.0	0.1	0.0	0.1	
0.0	75.59		419	0.0	0.0	0.0	0.0	
0.0	67.21		418	0.0	0.0	0.0	0.0	

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
	Cent	0.0	0.1
	409	0.0	0.1
	410	0.0	0.1
	419	0.0	0.1
	418	0.0	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVz (RS)	Cent	-7.4	0.3	-5.5	3.2
-10.2	-62.51		409	-14.2	-1.6	-7.8	2.1
-18.0	-64.48		410	-14.3	-1.9	-3.0	-1.2
-15.0	-77.29		419	-1.0	2.3	-3.2	4.3
-2.9	-58.50		418	-1.0	2.6	-8.1	9.1
-7.4	-51.18						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	0.0	0.0	0.0
-0.0	86.46		409	-0.0	-0.0	0.0	-0.0
-0.0	6.46		410	-0.0	-0.0	0.0	-0.0
-0.0	3.42		419	0.0	0.0	0.0	0.0
0.0	74.22		418	0.0	0.0	0.0	0.0
0.0	72.46						

	NODE	Vxx	Vyy
	Cent	-0.0	-0.0
	409	-0.0	-0.0
	410	-0.0	-0.0
	419	-0.0	-0.0
	418	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g1	Cent	151.3	-23.5	91.5	190.5
-62.6	23.16		409	296.2	17.2	140.0	354.4
-40.9	22.55		410	298.1	23.6	37.8	303.3
18.4	7.70		419	6.4	-64.2	43.0	26.8
-84.5	25.34		418	4.5	-70.5	145.2	117.0
-183.0	37.77						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		-----					
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.0	-10.72		Cent	-0.0	-0.0	-0.0	-0.0
0.0	-78.47		409	0.0	0.0	-0.0	0.0
0.0	-78.70		410	0.0	0.0	-0.0	0.0
-0.0	-3.56		419	-0.0	-0.0	-0.0	-0.0
-0.0	-4.58		418	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			409	-0.0	0.0		
			410	-0.0	0.0		
			419	0.0	0.0		
			418	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-33.2	22.55	g2	Cent	71.1	-15.3	43.3	89.0
-23.4	21.99		409	141.1	3.4	66.5	168.0
6.7	7.05		410	142.7	8.8	16.8	144.8
-43.1	24.57		419	1.0	-33.9	20.2	10.2
-92.4	37.27		418	-0.6	-39.3	69.8	52.5
			NODE	Mxx	Myy	Mxy	Mmax
0.0	89.73		Cent	0.0	0.0	0.0	0.0
0.0	-85.13		409	0.0	0.0	-0.0	0.0
0.0	-86.38		410	0.0	0.0	-0.0	0.0
0.0	88.24		419	0.0	0.0	0.0	0.0
0.0	87.62		418	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			409	0.0	-0.0		
			410	0.0	-0.0		
			419	0.0	-0.0		
			418	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q3	Cent	9.2	-0.3	5.9	12.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-3.1	25.52		409	12.2	0.5	6.9	15.4
-2.7	24.71		410	12.3	0.8	4.7	14.0
-0.9	19.61		419	6.1	-1.1	4.9	8.6
-3.5	26.72		418	6.1	-1.4	7.0	10.3
-5.6	31.04						

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-0.0	-72.43		Cent	-0.0	0.0	-0.0	0.0
0.0	-83.92		409	0.0	0.0	-0.0	0.0
0.0	-84.82		410	0.0	0.0	-0.0	0.0
-0.0	-28.90		419	-0.0	-0.0	-0.0	-0.0
-0.0	-31.04		418	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
409	-0.0	0.0
410	-0.0	0.0
419	0.0	0.0
418	0.0	0.0

Fmin ANGLE LC NODE Fxx Fyy Fxy Fmax

-26.8	-89.76	q5_pc	Cent	-26.8	0.7	-0.1	0.7
-26.8	-89.93		409	-26.8	1.0	-0.0	1.0
-27.0	90.00		410	-27.0	0.4	0.0	0.4
-26.9	-89.59		419	-26.9	0.4	-0.2	0.4
-26.7	-89.52		418	-26.7	1.0	-0.2	1.0

Mmin ANGLE NODE Mxx Myy Mxy Mmax

0.1	83.96		Cent	0.1	0.2	0.0	0.2
0.1	85.17		409	0.1	0.3	0.0	0.3
0.1	88.23		410	0.1	0.3	0.0	0.3
0.0	78.89		419	0.0	0.1	0.0	0.1
0.1	69.89		418	0.1	0.1	0.0	0.1

NODE	Vxx	Vyy
------	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Cent	0.1	0.4
409	0.1	0.4
410	0.1	0.4
419	0.0	0.4
418	0.0	0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-23.9	88.76	q5_ps	Cent	-23.9	0.2	0.5	0.2
-23.5	88.44		409	-23.5	0.3	0.6	0.3
-23.5	89.07		410	-23.5	0.3	0.4	0.3
-24.3	89.08		419	-24.3	0.1	0.4	0.1
-24.3	88.46		418	-24.3	0.1	0.7	0.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.1	84.13	Cent	0.1	0.2	0.0	0.2
0.1	85.26	409	0.1	0.3	0.0	0.3
0.1	88.29	410	0.1	0.3	0.0	0.3
0.0	79.69	419	0.0	0.1	0.0	0.1
0.1	71.28	418	0.1	0.1	0.0	0.1

NODE	Vxx	Vyy
Cent	0.1	0.4
409	0.1	0.3
410	0.1	0.4
419	0.0	0.4
418	0.0	0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-995.3	63.30	INVSLU Max	Cent	-765.4	-40.2	487.3	203.6
-531.0	46.42		409	154.4	234.4	787.1	981.6
4.3	49.02		410	154.6	204.3	173.1	353.9
-1671.6	82.48		419	-1665.8	-252.1	190.3	-227.7
-1768.9	65.83		418	-1658.7	-224.5	807.1	135.9
-1108.4	-89.33	Min	Cent	-1107.2	-241.2	-9.7	-241.1
-619.3	64.83		409	-449.1	18.7	277.2	150.6
-596.6	-72.38		410	-457.3	-5.3	-297.0	120.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
-1849.1	-76.99		419	-1784.4	-530.3	-304.8	-459.1	
-2064.4	78.35		418	-1773.8	-507.8	271.7	-449.9	
			Max	Cent	0.1	0.2	0.0	0.2
0.1	79.71			409	0.2	0.4	0.0	0.4
0.2	81.98			410	0.2	0.4	0.0	0.4
0.2	86.62			419	0.0	0.1	0.0	0.1
0.0	62.21			418	0.1	0.1	0.0	0.1
0.0	37.83		Min	Cent	-0.2	-0.5	-0.0	-0.2
-0.5	-4.77			409	-0.3	-0.6	-0.0	-0.3
-0.6	-5.70			410	-0.2	-0.6	-0.0	-0.2
-0.6	-2.80			419	-0.2	-0.5	-0.0	-0.2
-0.5	-4.34			418	-0.2	-0.5	-0.0	-0.2
-0.5	-6.62							
				NODE	Vxx	Vyy		
			Max	Cent	0.1	1.0		
				409	0.2	0.9		
				410	0.2	1.0		
				419	0.1	1.0		
				418	0.1	0.9		
			Min	Cent	-0.1	-0.5		
				409	-0.2	-0.4		
				410	-0.2	-0.6		
				419	-0.1	-0.6		
				418	-0.1	-0.4		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-478.9	75.21	INVSLV	Max	Cent	-452.7	-35.9	137.7	-1.4
-243.6	52.87			409	-47.9	92.1	281.8	305.5
-52.5	-82.69			410	-50.3	84.0	-10.9	85.3
-856.1	-87.77			419	-855.1	-154.9	-5.6	-153.8
-928.9	71.30			418	-852.6	-145.4	287.7	-62.1
-573.2	77.32		Min	Cent	-540.3	-37.9	102.8	-12.9
-312.5	56.88			409	-141.9	82.8	234.0	235.5
-148.3	-82.90			410	-144.9	73.3	-34.2	77.7
-941.1	-89.51			419	-941.1	-167.6	-29.1	-167.6

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-1029.5      73.47		418	-938.2	-159.5	238.5	-74.6		
Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax		
-----								
		Max	Cent	0.1	0.1	0.1		
0.1	82.80		409	0.1	0.2	0.2		
0.1	85.80		410	0.1	0.2	0.2		
0.1	88.68		419	0.0	0.0	0.0		
0.0	67.28		418	0.0	0.0	0.0		
0.0	52.64	Min	Cent	-0.1	-0.1	-0.1		
-0.1	-6.69		409	-0.1	-0.2	-0.1		
-0.2	-5.38		410	-0.1	-0.2	-0.1		
-0.2	-2.15		419	-0.0	-0.1	-0.0		
-0.1	-10.66		418	-0.0	-0.1	-0.0		
-0.1	-15.91							
			NODE	Vxx	Vyy			
-----								
		Max	Cent	0.0	0.3			
			409	0.0	0.3			
			410	0.0	0.3			
			419	0.0	0.3			
			418	0.0	0.3			
		Min	Cent	-0.0	-0.2			
			409	-0.0	-0.2			
			410	-0.0	-0.3			
			419	-0.0	-0.3			
			418	-0.0	-0.2			
ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----								
403	2	10	Q1-1-2	Max	Cent	550.3	20.4	647.4
-76.7		21.48			399	739.7	80.8	858.8
-38.3		21.37			400	737.4	68.7	786.3
19.8		14.63			409	360.8	0.5	442.5
-81.1		23.26			408	364.6	1.9	539.7
-173.2		29.71		Min	Cent	-5.2	-49.1	87.5
-141.9		-39.48			399	-7.0	-24.4	59.8
-91.2		-41.69			400	-7.0	-32.1	133.9
-172.9		-42.66			409	-3.5	-109.6	110.8
-223.9		-35.76			408	-3.5	-95.7	41.7
-140.9		-29.84						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	48.14	Max	Cent	0.0	0.0	0.0	0.0
-0.0	50.66		399	0.0	0.0	0.0	0.0
-0.0	61.56		400	0.0	0.0	0.0	0.0
-0.0	45.71		409	0.0	0.0	0.0	0.0
-0.0	45.55		408	0.0	0.0	0.0	0.0
-0.0	-38.01	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-30.32		399	-0.0	-0.0	-0.0	0.0
-0.0	-48.50		400	-0.0	-0.0	-0.0	0.0
-0.1	-21.31		409	-0.0	-0.1	-0.0	-0.0
-0.0	-26.13		408	-0.0	-0.0	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.1
	399	0.0	0.0
	400	0.0	0.1
	409	0.1	0.1
	408	0.1	0.0
Min	Cent	-0.0	-0.0
	399	-0.0	-0.0
	400	-0.0	-0.0
	409	-0.0	-0.0
	408	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-50.3	22.21	Q2a-1-2	Max	Cent	330.0	13.1	155.2	393.4
-28.3	22.11			399	442.5	49.4	191.3	520.3
10.2	15.29			400	441.4	42.4	117.9	473.6
-52.6	23.88			409	217.6	0.4	119.6	270.5
-111.4	30.22			408	219.8	0.9	192.9	332.2
-95.7	-39.14		Min	Cent	-3.9	-34.9	-74.7	56.9
-61.1	-41.58			399	-5.2	-17.1	-49.6	38.9
-116.3	-42.51			400	-5.2	-23.0	-101.9	88.2
-149.2	-35.84			409	-2.6	-72.7	-105.9	73.9
-93.7	-29.84			408	-2.6	-63.7	-52.2	27.4

NODE	Mxx	Myy	Mxy	Mmax
------	-----	-----	-----	------



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE						
		Max	Cent	0.0	0.0	0.0	0.0
-0.0	47.81		399	0.0	0.0	0.0	0.0
-0.0	49.89		400	0.0	0.0	0.0	0.0
-0.0	61.58		409	0.0	0.0	0.0	0.0
-0.0	45.33		408	0.0	0.0	0.0	0.0
-0.0	45.50	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-37.63		399	-0.0	-0.0	-0.0	0.0
-0.0	-28.12		400	-0.0	-0.0	-0.0	0.0
-0.0	-49.71		409	-0.0	-0.0	-0.0	-0.0
-0.0	-19.20		408	-0.0	-0.0	-0.0	-0.0
-0.0	-24.48						
			NODE	Vxx		Vyy	
		Max	Cent	0.0		0.1	
			399	0.0		0.0	
			400	0.0		0.1	
			409	0.0		0.1	
			408	0.0		0.0	
		Min	Cent	-0.0		-0.0	
			399	-0.0		-0.0	
			400	-0.0		-0.0	
			409	-0.0		-0.0	
			408	-0.0		-0.0	
		LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	-45.2	1.0	-12.4	4.2
-48.3	-75.89		399	-60.2	5.2	-17.4	9.5
-64.5	-75.98		400	-60.4	-6.0	6.8	-5.1
-61.3	82.98		409	-30.3	3.2	-7.4	4.7
-31.9	-78.04		408	-30.0	4.1	-18.0	11.9
-37.8	-66.73						
			NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	27.56		399	-0.0	0.0	0.0	0.0
-0.0	79.14		400	-0.0	-0.0	0.0	-0.0
-0.0	20.97		409	-0.0	-0.0	0.0	-0.0
-0.0	12.59		408	-0.0	-0.0	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

- 0.0      32.63

NODE	Vxx	Vyy
Cent	0.0	-0.0
399	0.0	-0.0
400	0.0	-0.0
409	-0.0	-0.0
408	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-28.7	70.03	SLVy (RS)	Cent	-25.0	-0.7	10.2	3.0
-23.7	63.89		399	-17.1	3.9	13.5	10.5
-20.3	70.80		400	-17.7	1.4	7.6	4.1
-34.9	77.59		409	-33.4	-3.7	6.9	-2.2
-37.3	70.31		408	-32.7	-1.5	12.8	3.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-57.37	Cent	0.1	0.1	-0.0	0.1
0.0	-45.33	399	0.0	0.0	-0.0	0.1
0.0	-51.99	400	0.0	0.1	-0.0	0.1
0.1	-81.91	409	0.1	0.1	-0.0	0.1
0.0	-58.60	408	0.0	0.1	-0.0	0.1

NODE	Vxx	Vyy
Cent	-0.0	-0.1
399	-0.0	-0.1
400	-0.0	-0.1
409	-0.1	-0.1
408	-0.1	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-24.1	-75.89	SLDx (RS)	Cent	-22.6	0.5	-6.2	2.1
-32.2	-75.98		399	-30.1	2.6	-8.7	4.8
-30.6	82.98		400	-30.2	-3.0	3.4	-2.6
-15.9	-78.04		409	-15.1	1.6	-3.7	2.4
-18.9	-66.73		408	-15.0	2.1	-9.0	5.9

NODE	Mxx	Myy	Mxy	Mmax
------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE						
-0.0	27.57		Cent	-0.0	-0.0	0.0	-0.0
-0.0	79.13		399	-0.0	0.0	0.0	0.0
-0.0	20.99		400	-0.0	-0.0	0.0	-0.0
-0.0	12.57		409	-0.0	-0.0	0.0	-0.0
-0.0	32.62		408	-0.0	-0.0	0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			399	0.0	-0.0		
			400	0.0	-0.0		
			409	-0.0	-0.0		
			408	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-14.3	70.02	SLDy (RS)	Cent	-12.5	-0.3	5.1	1.5
-11.8	63.90		399	-8.5	1.9	6.7	5.2
-10.1	70.80		400	-8.8	0.7	3.8	2.0
-17.4	77.58		409	-16.7	-1.9	3.4	-1.1
-18.6	70.30		408	-16.3	-0.8	6.4	1.5
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-57.37		Cent	0.0	0.0	-0.0	0.0
0.0	-45.33		399	0.0	0.0	-0.0	0.0
0.0	-51.99		400	0.0	0.0	-0.0	0.0
0.0	-81.91		409	0.0	0.1	-0.0	0.1
0.0	-58.60		408	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			399	-0.0	-0.0		
			400	-0.0	-0.1		
			409	-0.0	-0.1		
			408	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLVz (RS)	Cent	-19.4	-0.5	-5.4	0.9
-20.9	-75.19		399	-26.1	-2.4	-7.6	-0.1
-28.3	-73.66		400	-26.1	-2.6	-2.9	-2.3
-26.5	-82.97		409	-12.8	1.4	-3.2	2.1
-13.5	-77.99		408	-12.8	1.7	-7.8	5.1
-16.2	-66.33						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	37.52		Cent	-0.0	-0.0	0.0	-0.0
-0.0	38.67		399	-0.0	-0.0	0.0	-0.0
-0.0	38.95		400	-0.0	-0.0	0.0	-0.0
-0.0	8.73		409	-0.0	-0.0	0.0	-0.0
-0.0	33.69		408	-0.0	-0.0	0.0	-0.0
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.0		
			399	0.0	-0.0		
			400	0.0	-0.0		
			409	0.0	-0.0		
			408	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-23.1	12.03	g1	Cent	404.3	-3.7	91.1	423.7
0.1	14.20		399	542.4	34.8	137.2	577.1
38.4	4.49		400	544.4	41.5	39.7	547.6
-48.6	8.13		409	266.2	-42.2	45.0	272.6
-104.0	21.15		408	264.2	-48.9	142.4	319.3
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	-83.95		Cent	0.0	0.0	-0.0	0.0
0.0	-87.45		399	0.0	0.0	-0.0	0.0
0.0	-89.39		400	0.0	0.0	-0.0	0.0
0.0	-62.70		409	0.0	0.0	-0.0	0.0
0.0	-69.88		408	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
-----							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

```

-----
                Cent      -0.0      0.0
                399      -0.0      0.0
                400      -0.0      0.0
                409       0.0      0.0
                408       0.0      0.0
    
```

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-15.8	11.22	g2	Cent	195.0	-7.5	41.8	203.3
-6.0	13.34		399	261.0	9.0	63.3	276.1
15.4	3.76		400	263.3	16.4	16.3	264.3
-26.7	7.42		409	128.9	-24.1	20.3	131.6
-56.3	20.20		408	126.7	-31.5	67.3	151.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-64.95	Cent	0.0	0.0	-0.0	0.0
0.0	-71.99	399	0.0	0.0	-0.0	0.0
0.0	-58.21	400	0.0	0.0	-0.0	0.0
0.0	-65.98	409	0.0	0.0	-0.0	0.0
-0.0	-63.08	408	0.0	0.0	-0.0	0.0

```

-----
                NODE      Vxx      Vyy
                Cent      -0.0      -0.0
                399      -0.0      0.0
                400      -0.0      -0.0
                409      -0.0      -0.0
                408      -0.0      0.0
    
```

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.0	19.27	q3	Cent	14.7	0.1	5.8	16.7
-1.6	19.46		399	17.6	0.8	6.8	20.0
-0.1	14.73		400	17.7	1.1	4.7	19.0
-2.4	19.02		409	11.7	-0.7	4.9	13.4
-4.1	23.88		408	11.6	-1.0	7.0	14.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-88.56	Cent	0.0	0.0	-0.0	0.0
0.0	89.93	399	0.0	0.0	0.0	0.0
0.0	86.27	400	0.0	0.0	0.0	0.0
0.0	-85.66	409	0.0	0.0	-0.0	0.0
0.0	-76.39	408	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
399	-0.0	0.0
400	-0.0	0.0
409	0.0	0.0
408	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-26.4	-89.62	q5_pc	Cent	-26.4	-0.1	-0.2	-0.1
-25.7	89.93		399	-25.7	0.0	0.0	0.0
-25.7	-89.01		400	-25.7	0.2	-0.4	0.2
-27.1	-89.18		409	-27.1	-0.2	-0.4	-0.2
-27.1	89.79		408	-27.1	-0.4	0.1	-0.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.1	-57.61	Cent	0.1	0.1	-0.0	0.1
0.0	-45.78	399	0.1	0.1	-0.0	0.1
0.0	-54.29	400	0.1	0.1	-0.0	0.1
0.1	-83.10	409	0.1	0.2	-0.0	0.2
0.1	-54.14	408	0.1	0.1	-0.0	0.1

NODE	Vxx	Vyy
Cent	-0.0	-0.1
399	-0.0	-0.1
400	-0.0	-0.2
409	-0.1	-0.2
408	-0.1	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-22.5	89.48	q5_ps	Cent	-22.5	-1.0	0.2	-1.0
			399	-21.5	-1.2	0.4	-1.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-21.5	88.89		400	-21.2	-0.1	-0.4	-0.1
-21.2	-88.95		409	-23.4	-0.8	-0.0	-0.8
-23.4	-89.98		408	-23.7	-1.9	0.8	-1.8
-23.8	87.98						
-----							
0.1	-57.62		Cent	0.1	0.1	-0.0	0.1
0.0	-45.99		399	0.1	0.1	-0.0	0.1
0.0	-54.04		400	0.1	0.1	-0.0	0.1
0.1	-82.86		409	0.1	0.2	-0.0	0.2
0.1	-54.37		408	0.1	0.1	-0.0	0.1
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.1		
			399	-0.0	-0.1		
			400	-0.0	-0.2		
			409	-0.1	-0.2		
			408	-0.1	-0.1		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-62.4	24.79	INVSLU Max	Cent	856.9	23.2	489.3	1082.8
45.4	23.57		399	1739.1	292.0	780.0	2079.4
254.5	7.03		400	1736.4	277.4	182.8	1758.9
-301.3	33.75		409	-25.3	-190.1	199.9	108.3
-712.8	41.96		408	-20.7	-188.8	796.9	695.6
-211.3	1.75	Min	Cent	51.3	-70.9	4.0	59.5
-55.9	22.52		399	678.0	149.9	267.7	795.7
25.0	-16.14		400	678.9	141.1	-277.3	747.7
-747.0	-66.41		409	-575.4	-340.1	-271.5	-198.0
-929.6	56.89		408	-576.4	-323.0	276.1	-142.8
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.1	-50.59	Max	Cent	0.1	0.2	0.0	0.2
0.0	-44.46		399	0.1	0.1	0.1	0.2
			400	0.1	0.2	0.1	0.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.1	-61.84			409	0.2	0.3	0.0	0.3
0.2	-83.93			408	0.1	0.1	0.0	0.2
0.1	-42.85							
		Min	Cent		-0.2	-0.2	-0.1	-0.1
-0.2	21.30			399	-0.1	-0.1	-0.1	-0.1
-0.2	41.63			400	-0.1	-0.1	-0.1	-0.1
-0.2	32.59			409	-0.3	-0.4	-0.0	-0.3
-0.4	-1.10			408	-0.2	-0.2	-0.0	-0.2
-0.2	14.60							

	NODE	Vxx	Vyy
Max	Cent	0.1	0.4
	399	0.0	0.2
	400	0.0	0.6
	409	0.1	0.6
	408	0.1	0.2
Min	Cent	-0.1	-0.2
	399	-0.0	-0.1
	400	-0.0	-0.2
	409	-0.1	-0.2
	408	-0.1	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
		INVSLV	Max	Cent	270.7	-13.5	133.3	319.1
-51.7	20.82			399	665.3	99.5	267.3	764.5
4.1	20.93			400	670.3	114.7	-13.8	672.2
113.3	-3.33			409	-121.6	-117.2	-0.6	-106.0
-129.0	-46.64			408	-126.9	-132.3	281.0	138.2
-379.7	44.33							
		Min	Cent	153.6	-16.3	99.2	204.3	
-77.0	25.73			399	519.1	85.4	219.8	618.9
-18.0	23.64			400	523.2	100.4	-34.7	523.8
99.4	-2.18			409	-214.3	-127.4	-21.5	-127.4
-215.3	-89.05			408	-218.0	-142.4	232.6	69.1
-445.0	49.90							

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
		Max	Cent	0.1	0.1	0.0	0.1
0.0	-58.07			399	0.0	0.0	0.1
0.0	-51.20			400	0.0	0.1	0.1
0.0	-55.53			409	0.1	0.1	0.1



MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.1	-78.96		408	0.0	0.1	0.0	0.1
0.0	-53.17						
		Min	Cent	-0.1	-0.1	-0.0	-0.0
-0.1	33.48		399	-0.0	-0.0	-0.0	-0.0
-0.1	50.67		400	-0.0	-0.0	-0.0	-0.0
-0.1	42.03		409	-0.1	-0.1	-0.0	-0.1
-0.1	5.40		408	-0.0	-0.1	-0.0	-0.0
-0.1	25.13						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.1
	399	0.0	0.1
	400	0.0	0.2
	409	0.1	0.2
	408	0.1	0.1
Min	Cent	-0.0	-0.1
	399	-0.0	-0.0
	400	-0.0	-0.1
	409	-0.1	-0.1
	408	-0.1	-0.0

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
404	2	4	Q1-1-2	Max	Cent	565.3	0.8	245.6	657.2
-91.1		20.52			400	743.6	41.4	297.3	852.6
-67.5		20.13			401	748.2	48.2	185.9	794.5
1.9		13.99			410	387.0	0.7	194.7	468.1
-80.4		22.61			409	382.7	0.8	306.0	552.5
-169.0		29.02		Min	Cent	-5.6	-87.3	-109.3	70.2
-163.1		-34.74			400	-7.4	-55.3	-72.8	45.3
-108.0		-35.89			401	-7.4	-52.2	-150.6	122.4
-182.0		-40.77			410	-3.8	-140.0	-154.1	96.6
-240.4		-33.08			409	-3.7	-147.1	-75.1	28.4
-179.2		-23.17							

			NODE	Mxx	Myy	Mxy	Mmax
			Max	Cent	0.0	0.0	0.0
				400	0.0	0.0	0.0
				401	0.0	0.0	0.0
				410	0.0	0.0	0.0
				409	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	47.57	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-37.22		400	-0.0	-0.0	-0.0	0.0
-0.0	-47.15		401	-0.0	-0.0	-0.0	0.0
-0.0	-42.87		410	-0.0	-0.1	-0.0	-0.0
-0.1	-9.96		409	-0.0	-0.1	-0.0	-0.0
-0.1	-13.84						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.2
	400	0.0	0.2
	401	0.0	0.2
	410	0.0	0.2
	409	0.0	0.2
Min	Cent	-0.0	-0.0
	400	-0.0	-0.0
	401	-0.0	-0.0
	410	-0.0	-0.0
	409	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-59.2	21.15	Q2a-1-2	Max Cent	339.8	0.4	154.3	399.5
-44.9	20.84		400	446.0	26.2	186.9	517.1
-0.5	14.56		401	449.0	29.9	116.7	479.3
-51.7	23.16		410	233.7	0.5	122.1	285.9
-108.3	29.53		409	231.0	0.6	192.2	339.9
-110.6	-34.38		Min Cent	-4.1	-60.8	-72.9	45.7
-74.0	-35.31		400	-5.5	-39.6	-48.5	28.9
-123.4	-40.50		401	-5.5	-37.3	-100.7	80.5
-160.4	-33.23		410	-2.8	-92.8	-103.3	64.9
-118.3	-23.44		409	-2.8	-96.6	-50.1	19.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	48.11	Max Cent	0.0	0.0	0.0	0.0
-0.0	65.49	400	0.0	0.0	0.0	0.0
-0.0	64.81	401	0.0	0.0	0.0	0.0
-0.0	48.26	410	0.0	0.0	0.0	0.0
-0.0	46.65	409	0.0	0.0	0.0	0.0
		Min Cent	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-36.93		400	-0.0	-0.0	-0.0	0.0
-0.0	-48.15		401	-0.0	-0.0	-0.0	0.0
-0.0	-43.84		410	-0.0	-0.1	-0.0	-0.0
-0.1	-9.04		409	-0.0	-0.0	-0.0	-0.0
-0.0	-12.34						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.1
	400	0.0	0.1
	401	0.0	0.2
	410	0.0	0.2
	409	0.0	0.1
Min	Cent	-0.0	-0.0
	400	-0.0	-0.0
	401	-0.0	-0.0
	410	-0.0	-0.0
	409	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	-45.8	-0.4	-13.4	3.2
-49.5	-74.71		400	-60.7	-3.5	-18.3	1.9
-66.0	-73.68		401	-61.1	-4.8	-7.7	-3.8
-62.1	-82.31		410	-31.0	4.3	-8.5	6.2
-33.0	-77.11		409	-30.6	5.6	-19.1	13.8
-38.8	-66.75						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.0	0.0	-0.0
-0.0	7.35	400	-0.0	-0.0	0.0	-0.0
-0.0	10.41	401	-0.0	-0.0	-0.0	-0.0
-0.0	-8.25	410	-0.0	-0.0	-0.0	-0.0
-0.0	-1.79	409	-0.0	-0.0	0.0	-0.0
-0.0	5.31					

	NODE	Vxx	Vyy
	Cent	0.0	-0.0
	400	0.0	-0.0
	401	0.0	-0.0
	410	0.0	-0.0
	409	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		SLVy (RS)	Cent	-27.9	-0.5	8.7	2.0
-30.5	73.81		400	-23.8	-0.3	10.0	3.3
-27.4	69.79		401	-23.2	2.0	6.7	3.6
-24.9	76.08		410	-32.2	-1.0	7.4	0.7
-33.9	77.31		409	-32.8	-2.9	10.7	0.6
-36.2	72.15						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.1	0.1	-0.0	0.1
0.1	-83.54		400	0.0	0.1	-0.0	0.1
0.0	-65.76		401	0.0	0.1	-0.0	0.1
0.0	-78.34		410	0.1	0.2	-0.0	0.2
0.1	-89.11		409	0.1	0.2	-0.0	0.2
0.1	-86.14						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.2		
			400	0.0	-0.2		
			401	0.0	-0.3		
			410	0.0	-0.3		
			409	0.0	-0.2		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLDx (RS)	Cent	-22.9	-0.2	-6.7	1.6
-24.7	-74.71		400	-30.3	-1.8	-9.1	0.9
-33.0	-73.68		401	-30.5	-2.4	-3.9	-1.9
-31.0	-82.31		410	-15.5	2.1	-4.3	3.1
-16.5	-77.11		409	-15.3	2.8	-9.5	6.9
-19.4	-66.74						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	7.36		400	-0.0	-0.0	0.0	-0.0
-0.0	10.42		401	-0.0	-0.0	-0.0	-0.0
-0.0	-8.26		410	-0.0	-0.0	-0.0	-0.0
-0.0	-1.79		409	-0.0	-0.0	0.0	-0.0
-0.0	5.30						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
	Cent	0.0	-0.0
	400	0.0	-0.0
	401	0.0	-0.0
	410	0.0	-0.0
	409	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDy (RS)	Cent	-14.0	-0.3	4.3	1.0
-15.2	73.81		400	-11.9	-0.2	5.0	1.7
-13.7	69.79		401	-11.6	1.0	3.3	1.8
-12.4	76.08		410	-16.1	-0.5	3.7	0.3
-16.9	77.31		409	-16.4	-1.4	5.4	0.3
-18.1	72.15						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	0.0	0.1	-0.0	0.1
0.0	-83.54		400	0.0	0.0	-0.0	0.0
0.0	-65.75		401	0.0	0.0	-0.0	0.0
0.0	-78.33		410	0.0	0.1	-0.0	0.1
0.0	-89.11		409	0.0	0.1	-0.0	0.1
0.0	-86.14						

	NODE	Vxx	Vyy
	Cent	0.0	-0.1
	400	0.0	-0.1
	401	0.0	-0.1
	410	0.0	-0.1
	409	0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVz (RS)	Cent	-19.7	0.2	-5.8	1.7
-21.3	-74.89		400	-26.3	-1.6	-8.0	0.8
-28.6	-73.61		401	-26.5	-2.1	-3.3	-1.7
-26.9	-82.37		410	-13.2	1.9	-3.6	2.7
-14.0	-77.10		409	-13.0	2.4	-8.3	6.0
-16.6	-66.51						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	10.60	Cent	-0.0	-0.0	0.0	-0.0
-0.0	27.80	400	-0.0	-0.0	0.0	-0.0
-0.0	18.91	401	-0.0	-0.0	0.0	-0.0
-0.0	3.39	410	-0.0	-0.0	0.0	-0.0
-0.0	4.54	409	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
400	0.0	-0.0
401	0.0	-0.0
410	-0.0	-0.0
409	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-39.9	12.40	g1	Cent	412.3	-18.0	99.4	434.1
-18.8	14.28		400	549.6	18.1	144.6	586.4
25.5	5.11		401	553.1	29.7	47.2	557.4
-62.7	9.11		410	274.9	-54.1	54.2	283.6
-123.9	20.99		409	271.4	-65.7	151.6	329.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-88.11	Cent	0.0	0.0	-0.0	0.0
0.0	-89.78	400	0.0	0.0	-0.0	0.0
0.0	89.23	401	0.0	0.0	0.0	0.0
0.0	-80.13	410	0.0	0.0	-0.0	0.0
0.0	-75.30	409	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
400	-0.0	0.0
401	-0.0	0.0
410	-0.0	0.0
409	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-22.4	12.08	g2	Cent	198.0	-12.3	47.2	208.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-13.0	13.92	400	264.6	4.0	68.8	281.6
10.4	4.75	401	267.0	12.1	21.3	268.8
-32.7	8.85	410	131.5	-28.7	25.6	135.5
-64.4	20.68	409	129.1	-36.8	73.0	156.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

0.0	-75.34	Cent	0.0	0.0	-0.0	0.0
0.0	-64.16	400	0.0	0.0	-0.0	0.0
0.0	-66.82	401	0.0	0.0	-0.0	0.0
0.0	-83.43	410	0.0	0.0	-0.0	0.0
0.0	-77.57	409	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
------	-----	-----

Cent	0.0	-0.0
400	-0.0	-0.0
401	-0.0	-0.0
410	0.0	-0.0
409	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

-2.4	19.04	q3	Cent	14.6	-0.3	5.9	16.6
-2.0	19.16		400	17.4	0.3	6.8	19.8
-0.5	14.70		401	17.6	0.7	4.7	18.8
-2.7	18.88		410	11.8	-1.0	4.9	13.5
-4.5	23.43		409	11.6	-1.4	7.0	14.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

0.0	88.19	Cent	0.0	0.0	0.0	0.0
0.0	87.10	400	0.0	0.0	0.0	0.0
0.0	86.58	401	0.0	0.0	0.0	0.0
0.0	-88.70	410	0.0	0.0	-0.0	0.0
0.0	-89.39	409	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
------	-----	-----

Cent	-0.0	0.0
------	------	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

400 -0.0 0.0  
 401 -0.0 0.0  
 410 -0.0 0.0  
 409 -0.0 0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-26.8	-88.62	q5_pc	Cent	-26.7	0.7	-0.7	0.8
-26.5	-88.92		400	-26.5	1.1	-0.5	1.1
-26.7	-88.71		401	-26.7	0.5	-0.6	0.5
-27.0	-88.33		410	-27.0	0.4	-0.8	0.5
-26.8	-88.54		409	-26.8	1.0	-0.7	1.0

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	-85.88		Cent	0.1	0.2	-0.0	0.2
0.1	-71.67		400	0.1	0.1	-0.0	0.1
0.0	-82.86		401	0.0	0.1	-0.0	0.1
0.1	89.84		410	0.1	0.3	0.0	0.3
0.1	-87.38		409	0.1	0.3	-0.0	0.3

	NODE	Vxx	Vyy
	Cent	0.1	-0.4
	400	0.1	-0.3
	401	0.1	-0.4
	410	0.1	-0.4
	409	0.1	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-23.1	-89.98	q5_ps	Cent	-23.1	0.2	-0.0	0.2
-22.5	89.63		400	-22.5	0.3	0.1	0.3
-22.5	-89.42		401	-22.5	0.5	-0.2	0.5
-23.6	-89.60		410	-23.6	0.1	-0.2	0.1
-23.6	89.47		409	-23.6	-0.0	0.2	-0.0

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	-85.73		Cent	0.1	0.2	-0.0	0.2



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.1	-71.16	400	0.1	0.1	-0.0	0.1
0.0	-82.58	401	0.0	0.1	-0.0	0.1
0.1	89.91	410	0.1	0.3	0.0	0.3
0.1	-87.27	409	0.1	0.3	-0.0	0.3

NODE	Vxx	Vyy
Cent	0.1	-0.4
400	0.1	-0.3
401	0.1	-0.4
410	0.1	-0.4
409	0.1	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-131.9	23.58	INVSLU Max	Cent	894.1	-32.5	500.4	1112.5
-25.3	22.56		400	1766.9	207.9	783.6	2092.5
203.5	6.86		401	1776.3	226.7	189.4	1799.1
-314.9	30.58		410	21.3	-218.0	218.1	150.2
-765.2	40.77		409	12.4	-227.6	812.3	712.8
-258.2	5.02	Min	Cent	66.7	-152.8	20.1	77.1
-124.4	21.02		400	697.9	75.4	283.1	814.1
-7.7	-14.09		401	701.0	90.2	-266.0	760.8
-746.0	-64.63		410	-564.5	-408.8	-254.3	-245.3
-948.5	51.19		409	-567.6	-429.1	296.5	-188.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.1	-88.49	Max	Cent	0.1	0.3	0.0
0.1	-81.65		400	0.1	0.2	0.0
0.1	-88.11		401	0.1	0.2	0.0
0.2	88.18		410	0.2	0.4	0.0
0.2	-88.97		409	0.2	0.4	0.0
-0.4	-0.55	Min	Cent	-0.2	-0.4	-0.0
-0.2	7.87		400	-0.1	-0.2	-0.0
-0.2	0.98		401	-0.1	-0.2	-0.0
-0.6	-2.07		410	-0.2	-0.6	-0.0
			409	-0.3	-0.6	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.6      -1.21

	NODE	Vxx	Vyy
Max	Cent	0.1	0.9
	400	0.1	0.9
	401	0.1	0.9
	410	0.2	0.9
	409	0.2	0.9
Min	Cent	-0.1	-0.5
	400	-0.1	-0.4
	401	-0.1	-0.5
	410	-0.2	-0.5
	409	-0.2	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-73.2	21.18	INVSLV	Max Cent	282.0	-29.4	147.2	337.0
-16.1	21.31		400	682.0	82.3	281.9	789.6
100.2	-0.60		401	687.1	100.2	-2.1	687.2
-139.6	16.59		410	-117.2	-133.2	12.6	-115.6
-401.2	43.19		409	-121.6	-147.1	296.6	149.2
-97.2	25.28		Min Cent	161.7	-30.8	111.7	216.9
-38.3	23.25		400	530.6	74.2	234.5	633.9
86.9	-2.51		401	535.1	88.1	-23.6	536.0
-208.4	82.23		410	-208.2	-143.5	-11.1	-138.7
-464.4	48.54		409	-213.3	-161.5	247.0	75.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.1	-82.73	Max Cent	0.1	0.1	0.0	0.1
0.0	-69.42	400	0.0	0.1	0.0	0.1
0.0	-78.97	401	0.0	0.1	0.0	0.1
0.1	-88.44	410	0.1	0.2	0.0	0.2
0.1	-84.77	409	0.1	0.2	0.0	0.2
-0.1	5.60	Min Cent	-0.1	-0.1	-0.0	-0.1
-0.1	29.82	400	-0.0	-0.1	-0.0	-0.0
-0.1	12.32	401	-0.0	-0.1	-0.0	-0.0
-0.2	0.24	410	-0.1	-0.2	-0.0	-0.1
-0.2	2.61	409	-0.1	-0.2	-0.0	-0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
Max	Cent	0.0	0.3
	400	0.0	0.3
	401	0.0	0.3
	410	0.0	0.3
	409	0.0	0.3
Min	Cent	-0.0	-0.2
	400	-0.0	-0.2
	401	-0.0	-0.2
	410	-0.0	-0.2
	409	-0.0	-0.2

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
412	2	10	Q1-1-2	Max	Cent	0.9	16.7	228.6	237.5
					417	46.9	65.1	280.3	336.5
					418	39.7	43.1	177.0	218.4
					427	2.2	0.4	178.7	180.0
					426	2.2	4.7	287.6	291.0
				Min	Cent	-121.3	-159.2	-125.6	-13.3
					417	-8.1	-140.7	-84.8	33.3
					418	-11.7	-152.6	-161.3	93.9
					427	-272.9	-223.1	-177.0	-69.2
					426	-266.0	-204.3	-93.7	-136.5

	NODE	Mxx	Myy	Mxy	Mmax	
Mmin	Max	Cent	0.0	0.0	0.0	
		417	0.0	0.0	0.0	
		418	0.0	0.0	0.0	
		427	0.0	0.0	0.0	
		426	0.0	0.0	0.0	
	Min	Cent	-0.1	-0.2	-0.0	-0.1
		417	-0.1	-0.1	-0.0	-0.1
		418	-0.1	-0.1	-0.0	-0.1
		427	-0.1	-0.2	-0.0	-0.1
		426	-0.1	-0.2	-0.0	-0.1

NODE	Vxx	Vyy
------	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Max	Cent	0.0	0.3
	417	0.0	0.2
	418	0.0	0.3
	427	0.1	0.3
	426	0.1	0.2
Min	Cent	-0.1	-0.0
	417	-0.0	-0.0
	418	-0.0	-0.0
	427	-0.1	-0.0
	426	-0.1	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-137.0	46.03	Q2a-1-2	Max Cent	0.6	10.9	142.7	148.5
-140.6	46.04		417	28.2	40.9	175.0	209.7
-85.2	45.39		418	23.7	26.8	110.4	135.7
-110.5	44.82		427	1.6	0.3	111.4	112.4
-178.2	45.06		426	1.6	2.4	180.2	182.2
-179.9	-38.58		Min Cent	-76.0	-113.8	-82.9	-9.8
-126.8	-24.67		417	-5.4	-101.2	-55.7	20.2
-177.1	-32.28		418	-8.2	-109.7	-106.7	59.2
-280.0	-46.53		427	-168.3	-155.6	-117.9	-43.9
-216.2	-49.78		426	-163.9	-143.1	-61.8	-90.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	54.56	Max Cent	0.0	0.0	0.0	0.0
0.0	52.08	417	0.0	0.0	0.0	0.0
0.0	53.21	418	0.0	0.0	0.0	0.0
0.0	68.48	427	0.0	0.0	0.0	0.0
0.0	27.31	426	0.0	0.0	0.0	0.0
-0.1	-12.39	Min Cent	-0.1	-0.1	-0.0	-0.0
-0.1	-15.19	417	-0.0	-0.1	-0.0	-0.0
-0.1	-12.14	418	-0.0	-0.1	-0.0	-0.0
-0.2	-8.88	427	-0.0	-0.2	-0.0	-0.0
-0.1	-14.87	426	-0.1	-0.1	-0.0	-0.1

	NODE	Vxx	Vyy
Max	Cent	0.0	0.2
	417	0.0	0.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	418	0.0	0.2
	427	0.0	0.2
	426	0.0	0.2
Min	Cent	-0.0	-0.0
	417	-0.0	-0.0
	418	-0.0	-0.0
	427	-0.1	-0.0
	426	-0.1	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-7.9	-35.22	SLVx (RS)	Cent	9.0	0.5	-11.9	17.4
-12.6	-42.67		417	5.9	3.1	-17.1	21.6
-6.4	-28.25		418	5.8	-2.9	-6.6	9.3
1.5	-20.25		427	19.7	4.0	-6.7	22.2
-7.2	-32.64		426	19.7	3.8	-17.3	30.8

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-12.59		Cent	0.0	-0.0	-0.0	0.0
0.0	68.02		417	0.0	0.0	0.0	0.0
0.0	-64.36		418	0.0	0.0	-0.0	0.0
0.0	-79.71		427	0.0	0.0	-0.0	0.0
-0.0	-79.45		426	-0.0	0.0	-0.0	0.0

	NODE	Vxx	Vyy
	Cent	-0.0	-0.0
	417	-0.0	-0.0
	418	-0.0	-0.0
	427	-0.0	-0.0
	426	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-44.8	76.53	SLVy (RS)	Cent	-42.3	-1.5	10.4	1.0
-43.2	74.84		417	-40.2	-1.8	11.2	1.2
-41.5	77.98		418	-39.6	0.4	8.9	2.3
-46.4	78.10		427	-44.4	-1.2	9.5	0.8
-48.1	75.24		426	-45.0	-3.3	11.8	-0.2

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
------	-------	--	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

				Vxx	Vyy		
-0.0	29.08	Cent		-0.0	-0.0	0.0	0.0
-0.0	45.83	417		0.0	0.0	0.0	0.1
0.0	47.28	418		0.0	0.0	0.0	0.1
-0.1	7.43	427		-0.0	-0.1	0.0	-0.0
-0.1	21.70	426		-0.0	-0.1	0.0	-0.0
		NODE		Vxx	Vyy		
		Cent		-0.0	0.4		
		417		-0.0	0.3		
		418		-0.0	0.5		
		427		0.0	0.5		
		426		0.0	0.2		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-3.9	-35.21	SLDx (RS)	Cent	4.5	0.3	-5.9	8.7
-6.3	-42.67		417	2.9	1.6	-8.5	10.8
-3.2	-28.25		418	2.9	-1.4	-3.3	4.6
0.7	-20.24		427	9.9	2.0	-3.4	11.1
-3.6	-32.63		426	9.9	1.9	-8.6	15.4
			NODE	Mxx	Myy	Mxy	Mmax
-0.0	-12.60		Cent	0.0	-0.0	-0.0	0.0
0.0	68.03		417	0.0	0.0	0.0	0.0
0.0	-64.38		418	0.0	0.0	-0.0	0.0
0.0	-79.71		427	0.0	0.0	-0.0	0.0
-0.0	-79.45		426	-0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			417	-0.0	-0.0		
			418	-0.0	-0.0		
			427	-0.0	-0.0		
			426	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDy (RS)	Cent	-21.1	-0.7	5.2	0.5

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-22.4	76.52		417	-20.1	-0.9	5.6	0.6
-21.6	74.84		418	-19.8	0.2	4.5	1.2
-20.7	77.97		427	-22.2	-0.6	4.8	0.4
-23.2	78.10		426	-22.5	-1.6	5.9	-0.1
-24.0	75.23						

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-0.0	29.08	Cent	-0.0	-0.0	0.0	0.0
-0.0	45.83	417	0.0	0.0	0.0	0.0
0.0	47.28	418	0.0	0.0	0.0	0.0
-0.1	7.43	427	-0.0	-0.1	0.0	-0.0
-0.0	21.70	426	-0.0	-0.0	0.0	-0.0

NODE Vxx Vyy

Cent	-0.0	0.2
417	-0.0	0.1
418	-0.0	0.2
427	0.0	0.2
426	0.0	0.1

Fmin ANGLE LC NODE Fxx Fyy Fxy Fmax

-3.5	-35.49	SLVz (RS)	Cent	3.8	0.2	-5.2	7.5
-8.9	-45.40		417	-1.6	-1.4	-7.4	6.0
-4.2	-46.28		418	-1.5	-1.3	-2.8	1.4
0.7	-19.79		427	8.8	1.7	-2.9	9.8
-3.1	-32.41		426	8.7	1.7	-7.5	13.5

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-0.0	-62.52	Cent	0.0	0.0	-0.0	0.0
0.0	-58.62	417	0.0	0.0	-0.0	0.0
0.0	-55.97	418	0.0	0.0	-0.0	0.0
0.0	-82.54	427	0.0	0.0	-0.0	0.0
-0.0	-76.77	426	-0.0	0.0	-0.0	0.0

NODE Vxx Vyy

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Cent	-0.0	-0.0
417	-0.0	-0.0
418	-0.0	-0.0
427	-0.0	-0.0
426	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-140.2	54.79	g1	Cent	-79.9	-19.1	85.5	41.2
			417	25.2	12.8	132.8	151.9
-114.0	43.67		418	24.9	11.9	36.1	55.1
-18.3	39.91		427	-184.9	-51.0	38.1	-40.9
-195.0	75.19		426	-184.7	-50.2	134.8	33.2
-268.1	58.26						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----						
-0.0	5.10	Cent	-0.0	-0.0	0.0	-0.0
-0.0	0.12	417	-0.0	-0.0	0.0	-0.0
-0.0	3.61	418	-0.0	-0.0	0.0	-0.0
-0.0	9.71	427	-0.0	-0.0	0.0	-0.0
-0.0	2.93	426	0.0	-0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
417	0.0	0.0
418	0.0	0.0
427	0.0	0.0
426	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-72.0	53.45	g2	Cent	-41.5	-16.5	41.1	14.0
			417	9.0	-3.6	63.5	66.5
-61.1	42.15		418	10.6	1.5	16.3	22.9
-10.9	37.22		427	-92.0	-29.4	18.7	-24.2
-97.1	74.57		426	-93.5	-34.5	65.9	8.2
-136.3	57.05						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----						
		Cent	0.0	0.0	0.0	0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	72.10		417	0.0	0.0	0.0	0.0
0.0	65.53		418	0.0	0.0	0.0	0.0
0.0	74.08		427	0.0	0.0	0.0	0.0
0.0	79.29		426	0.0	0.0	0.0	0.0
0.0	63.76						

NODE	Vxx	Vyy
Cent	0.0	-0.0
417	-0.0	-0.0
418	-0.0	-0.0
427	0.0	-0.0
426	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q3	Cent	4.2	-0.1	5.9	8.3
-4.1	35.01		417	6.6	0.7	6.9	11.2
-3.9	33.54		418	6.6	0.6	4.7	9.2
-2.0	28.87		427	1.8	-0.8	4.8	5.4
-4.5	37.26		426	1.8	-0.7	7.0	7.6
-6.5	39.86						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-12.48	417	-0.0	-0.0	-0.0	0.0
-0.0	-17.37	418	-0.0	-0.0	-0.0	-0.0
-0.0	-33.39	427	-0.0	-0.0	-0.0	-0.0
-0.0	-9.33	426	-0.0	-0.0	-0.0	-0.0
-0.0	-7.43					

NODE	Vxx	Vyy
Cent	0.0	0.0
417	0.0	0.0
418	0.0	0.0
427	0.0	0.0
426	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_pc	Cent	-25.5	0.6	0.6	0.6
-25.5	88.71		417	-25.9	0.6	0.4	0.6
-25.9	89.10						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-26.1	88.10	418	-26.0	0.2	0.9	0.3
-25.1	88.31	427	-25.0	0.5	0.8	0.6
-24.9	89.33	426	-24.9	0.9	0.3	0.9

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-----						
-0.1	24.71	Cent	0.0	-0.1	0.0	0.0
0.0	43.75	417	0.1	0.1	0.1	0.1
0.0	47.98	418	0.1	0.1	0.0	0.1
-0.2	6.35	427	-0.1	-0.2	0.0	-0.1
-0.1	20.17	426	-0.0	-0.1	0.0	-0.0

NODE Vxx Vyy

Cent	0.0	0.6
417	-0.0	0.4
418	-0.0	0.8
427	0.0	0.8
426	0.0	0.4

Fmin ANGLE LC NODE Fxx Fyy Fxy Fmax

-----							
-23.4	86.83	q5_ps	Cent	-23.4	-0.7	1.3	-0.6
-23.6	87.21		417	-23.6	-1.1	1.1	-1.0
-23.4	87.04		418	-23.3	-0.2	1.2	-0.2
-23.2	86.47		427	-23.1	-0.2	1.4	-0.1
-23.5	86.62		426	-23.4	-1.1	1.3	-1.0

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-----						
-0.1	25.66	Cent	0.0	-0.1	0.0	0.0
0.0	44.32	417	0.1	0.1	0.1	0.1
0.0	48.98	418	0.1	0.1	0.0	0.1
-0.2	6.81	427	-0.1	-0.2	0.0	-0.1
-0.1	20.88	426	-0.0	-0.1	0.0	-0.0

NODE Vxx Vyy

Cent	0.0	0.6
417	-0.0	0.4
418	-0.0	0.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

427 0.0 0.8  
426 0.0 0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2041.0	76.54	INVSLU	Max Cent	-1981.9	-6.7	506.4	113.2
-1620.9	68.87		417	-1502.5	196.7	772.2	493.7
-1536.7	82.12		418	-1517.7	148.1	236.7	180.2
-2422.4	84.05		427	-2416.4	-166.9	242.9	-141.6
-2552.5	72.72		426	-2410.3	-142.0	785.8	100.6
-2209.0	89.19		Min Cent	-2208.6	-245.2	27.1	-244.9
-1841.7	80.05		417	-1632.8	-82.2	278.5	-32.0
-1665.3	-81.92		418	-1641.6	-116.5	-221.5	-84.9
-2869.0	-84.21		427	-2845.5	-469.5	-238.7	-445.3
-2860.6	83.54		426	-2830.5	-425.8	270.6	-395.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	21.52	Max Cent	0.0	0.0	0.1	0.0
-0.1	30.62		417	0.1	-0.0	0.1
0.0	35.69		418	0.1	0.1	0.2
0.1	-88.84		427	0.1	0.3	0.3
0.1	-50.92		426	0.1	0.1	0.2
-0.4	4.68	Min Cent	-0.1	-0.4	-0.1	-0.1
-0.4	-18.66		417	-0.2	-0.3	-0.1
-0.3	-18.96		418	-0.2	-0.3	-0.1
-0.7	2.92		427	-0.2	-0.7	-0.0
-0.5	3.21		426	-0.2	-0.5	-0.2

NODE	Vxx	Vyy
Max Cent	0.1	1.1
417	0.1	0.8
418	0.1	1.5
427	0.3	1.5
426	0.3	0.8
Min Cent	0.0	-1.0
417	-0.0	-0.8
418	-0.0	-1.1
427	0.0	-1.2
426	0.0	-0.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1056.0	81.99	INVSLV	Max Cent	-1041.3	-28.8	154.9	-9.8
-843.9	73.79		417	-778.7	53.6	281.0	128.0
-779.6	88.52		418	-779.5	52.5	24.7	53.1
-1300.8	89.63		427	-1300.8	-105.8	30.8	-105.7
-1348.2	77.93		426	-1300.1	-104.9	286.8	-53.7
-1154.7	83.38	Min	Cent	-1133.6	-32.3	121.8	-15.3
-940.3	75.59		417	-863.6	45.5	235.7	113.4
-863.7	89.81		418	-863.1	45.7	1.2	45.7
-1407.4	88.70		427	-1406.6	-115.5	5.9	-114.8
-1466.4	79.09		426	-1407.1	-115.5	240.7	-59.1
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-53.52	Max	Cent	-0.0	0.0	0.0	0.0
-0.0	39.21		417	0.0	0.0	0.0	0.0
0.0	39.52		418	0.0	0.0	0.0	0.1
0.0	-82.39		427	0.0	0.1	0.0	0.1
0.0	-61.83		426	0.0	0.0	0.0	0.1
-0.1	16.17	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-22.51		417	-0.0	-0.1	-0.0	-0.0
-0.1	-34.39		418	-0.0	-0.1	-0.0	-0.0
-0.2	7.31		427	-0.1	-0.2	-0.0	-0.1
-0.1	17.76		426	-0.0	-0.1	-0.0	-0.0
			NODE	Vxx	Vyy		
		Max	Cent	0.0	0.4		
			417	0.0	0.3		
			418	0.0	0.5		
			427	0.0	0.5		
			426	0.0	0.3		
		Min	Cent	-0.0	-0.3		
			417	-0.0	-0.2		
			418	-0.0	-0.4		
			427	0.0	-0.4		
			426	0.0	-0.2		

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
	Fmin	ANGLE							
413	2	4	Q1-1-2	Max	Cent	1.0	2.8	245.6	247.5
	-243.8	45.10			418	46.8	39.5	302.5	345.7
	-259.3	44.65			419	50.0	46.6	177.3	225.6
	-129.0	44.73			428	2.6	0.5	192.3	193.9
	-190.8	44.85			427	2.6	0.5	324.8	326.4
	-323.2	44.91		Min	Cent	-147.4	-199.0	-121.1	-49.4
	-297.0	-38.99			418	-12.6	-188.7	-75.8	15.5
	-216.8	-20.37			419	-12.1	-174.2	-164.7	90.4
	-276.7	-31.90			428	-322.2	-257.6	-179.6	-107.4
	-472.4	-50.09			427	-328.2	-279.3	-82.9	-217.3
	-390.2	-53.21							
	Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
	0.0	77.21		Max	Cent	0.0	0.0	0.0	0.0
	0.0	73.69			418	0.0	0.0	0.0	0.0
	0.0	76.82			419	0.0	0.0	0.0	0.0
	0.0	67.02			428	0.0	0.0	0.0	0.0
	0.0	77.39			427	0.0	0.0	0.0	0.0
	-0.3	-4.32		Min	Cent	-0.1	-0.3	-0.0	-0.1
	-0.2	-6.25			418	-0.1	-0.2	-0.0	-0.1
	-0.2	-3.59			419	-0.1	-0.2	-0.0	-0.1
	-0.3	-4.34			428	-0.1	-0.3	-0.0	-0.1
	-0.3	-4.82			427	-0.1	-0.3	-0.0	-0.1
				NODE	Vxx	Vyy			
				Max	Cent	0.0	0.4		
					418	0.0	0.4		
					419	0.0	0.3		
					428	0.1	0.3		
					427	0.1	0.4		
				Min	Cent	-0.0	-0.0		
					418	-0.0	-0.0		
					419	-0.0	-0.0		
					428	-0.0	-0.0		
					427	-0.0	-0.0		
	Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----								
		Q2a-1-2	Max	Cent	0.8	1.8	153.3	154.6
-152.0	45.10							
				418	28.1	24.6	188.8	215.1
-162.5	44.73			419	30.0	28.7	110.3	139.7
-80.9	44.83			428	1.9	0.4	120.1	121.2
-118.9	44.82			427	1.9	0.4	204.1	205.3
-203.0	44.89		Min	Cent	-92.7	-141.6	-80.1	-33.4
-200.9	-36.50			418	-8.8	-135.7	-49.9	8.5
-152.9	-19.10			419	-8.5	-125.2	-109.3	57.0
-190.7	-30.95			428	-199.4	-179.3	-119.9	-69.0
-309.7	-47.40			427	-203.5	-194.0	-54.7	-143.8
-253.7	-47.47							
-----								
			Max	Cent	0.0	0.0	0.0	0.0
0.0	72.54			418	0.0	0.0	0.0	0.0
0.0	67.27			419	0.0	0.0	0.0	0.0
0.0	72.17			428	0.0	0.0	0.0	0.0
0.0	60.39			427	0.0	0.0	0.0	0.0
0.0	73.34		Min	Cent	-0.1	-0.2	-0.0	-0.1
-0.2	-4.40			418	-0.1	-0.1	-0.0	-0.0
-0.1	-6.29			419	-0.1	-0.1	-0.0	-0.1
-0.1	-3.31			428	-0.1	-0.2	-0.0	-0.1
-0.2	-4.43			427	-0.1	-0.2	-0.0	-0.1
-0.2	-4.95							
-----								
				NODE	Vxx	Vyy		
			Max	Cent	0.0	0.2		
				418	0.0	0.3		
				419	0.0	0.2		
				428	0.1	0.2		
				427	0.1	0.3		
			Min	Cent	-0.0	-0.0		
				418	-0.0	-0.0		
				419	-0.0	-0.0		
				428	-0.0	-0.0		
				427	-0.0	-0.0		
-----								
		LC		NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE							
-----								

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLVx (RS)	Cent	10.0	0.9	-12.7	18.9
-8.0	-35.17		418	6.0	-2.4	-18.3	20.6
-17.0	-38.52		419	6.3	-3.6	-6.5	9.5
-6.8	-26.44		428	22.0	4.2	-7.1	24.4
1.7	-19.24		427	22.3	5.3	-18.9	34.5
-6.9	-32.90						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	0.0	0.0	0.0
-0.0	85.16		418	0.0	0.0	0.0	0.0
0.0	76.96		419	0.0	0.0	0.0	0.0
0.0	79.71		428	0.0	0.0	0.0	0.0
0.0	87.19		427	0.0	0.0	0.0	0.0
0.0	85.29						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.0		
			418	-0.0	-0.0		
			419	-0.0	-0.0		
			428	0.0	-0.0		
			427	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVy (RS)	Cent	-44.3	0.3	11.1	2.9
-46.9	76.79		418	-40.3	1.6	12.9	5.3
-44.0	74.20		419	-40.4	1.4	9.2	3.4
-42.3	78.12		428	-48.2	-1.0	9.2	0.8
-50.0	79.32		427	-48.2	-0.8	12.9	2.5
-51.5	75.67						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.1	0.0	-0.0
-0.1	8.54		418	0.0	0.1	0.0	0.1
0.0	64.67		419	0.0	0.1	0.0	0.1
0.0	72.72		428	-0.1	-0.2	0.0	-0.1
-0.2	1.47		427	-0.1	-0.2	0.0	-0.1
-0.2	3.41						
			NODE	Vxx	Vyy		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

				Cent	0.0	0.7		
				418	0.0	0.7		
				419	0.0	0.8		
				428	0.0	0.8		
				427	0.0	0.7		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-----								
		SLDx (RS)	Cent	5.0	0.4	-6.3	9.4	
-4.0	-35.16		418	3.0	-1.2	-9.1	10.3	
-8.5	-38.52		419	3.1	-1.8	-3.2	4.7	
-3.4	-26.44		428	11.0	2.1	-3.5	12.2	
0.8	-19.23		427	11.1	2.7	-9.4	17.2	
-3.4	-32.90							
Mmin	ANGLE	NODE		Mxx	Myy	Mxy	Mmax	
-----								
		Cent		-0.0	0.0	0.0	0.0	
-0.0	85.16	418		0.0	0.0	0.0	0.0	
0.0	76.96	419		0.0	0.0	0.0	0.0	
0.0	79.71	428		0.0	0.0	0.0	0.0	
0.0	87.19	427		0.0	0.0	0.0	0.0	
0.0	85.29							
		NODE		Vxx	Vyy			
		Cent		0.0	-0.0			
		418		-0.0	-0.0			
		419		-0.0	-0.0			
		428		0.0	-0.0			
		427		0.0	-0.0			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-----								
		SLDy (RS)	Cent	-22.1	0.2	5.5	1.5	
-23.4	76.79		418	-20.1	0.8	6.4	2.6	
-22.0	74.19		419	-20.2	0.7	4.6	1.7	
-21.1	78.11		428	-24.1	-0.5	4.6	0.4	
-24.9	79.31		427	-24.0	-0.4	6.5	1.3	
-25.7	75.67							
Mmin	ANGLE	NODE		Mxx	Myy	Mxy	Mmax	
-----								



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	8.55	Cent	-0.0	-0.0	0.0	-0.0
0.0	64.66	418	0.0	0.0	0.0	0.0
0.0	72.70	419	0.0	0.0	0.0	0.0
-0.1	1.48	428	-0.0	-0.1	0.0	-0.0
-0.1	3.41	427	-0.0	-0.1	0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	0.4
418	0.0	0.3
419	0.0	0.4
428	0.0	0.4
427	0.0	0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-3.6	-35.39	SLVz (RS)	Cent	4.2	0.4	-5.5	8.2
-9.4	-46.08		418	-1.7	-1.1	-8.0	6.6
-4.5	-46.22		419	-1.8	-1.6	-2.8	1.1
0.8	-18.85		428	9.7	1.8	-3.1	10.8
-3.0	-32.67		427	9.9	2.3	-8.3	15.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-74.62	Cent	0.0	0.0	-0.0	0.0
0.0	-70.38	418	0.0	0.0	-0.0	0.0
0.0	-71.42	419	0.0	0.0	-0.0	0.0
0.0	84.48	428	0.0	0.0	0.0	0.0
0.0	-84.54	427	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
418	-0.0	-0.0
419	-0.0	-0.0
428	0.0	-0.0
427	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-154.8	54.72	g1	Cent	-90.0	-25.2	91.7	39.7
			418	27.2	5.4	143.8	160.5

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-127.9	42.83		419	30.3	15.7	34.4	58.2
-12.2	39.00		428	-207.1	-55.8	39.6	-46.0
-216.9	76.19		427	-210.2	-66.1	149.0	27.4
-303.7	57.91						

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-0.0	-2.10		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-1.05		418	-0.0	-0.0	-0.0	-0.0
-0.0	-3.05		419	-0.0	-0.0	-0.0	-0.0
-0.0	-2.22		428	-0.0	-0.0	-0.0	-0.0
-0.0	-1.35		427	-0.0	-0.0	-0.0	-0.0

NODE Vxx Vyy

Cent	-0.0	0.0
418	0.0	0.0
419	0.0	0.0
428	-0.0	0.0
427	-0.0	0.0

Fmin ANGLE LC NODE Fxx Fyy Fxy Fmax

-75.7	54.38	g2	Cent	-45.1	-16.2	42.6	14.4
-63.6	42.26		418	10.4	-2.5	67.2	71.4
-7.3	37.45		419	12.4	4.3	15.1	24.0
-105.0	76.48		428	-100.7	-29.8	18.1	-25.4
-147.3	57.61		427	-102.7	-36.6	70.2	7.9

Mmin ANGLE NODE Mxx Myy Mxy Mmax

0.0	86.65		Cent	0.0	0.0	0.0	0.0
0.0	83.35		418	0.0	0.0	0.0	0.0
0.0	87.82		419	0.0	0.0	0.0	0.0
0.0	87.88		428	0.0	0.0	0.0	0.0
0.0	86.11		427	0.0	0.0	0.0	0.0

NODE Vxx Vyy

Cent	-0.0	-0.0
418	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

419 0.0 -0.0  
 428 -0.0 -0.0  
 427 -0.0 -0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-4.3	34.64	q3	Cent	4.2	-0.2	5.9	8.3
-4.2	32.78		418	6.6	0.3	6.9	11.0
-1.9	28.77		419	6.7	0.7	4.7	9.3
-4.5	37.43		428	1.9	-0.8	4.9	5.6
-6.9	39.15		427	1.8	-1.2	7.1	7.5
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-13.99		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-32.45		418	-0.0	-0.0	-0.0	-0.0
-0.0	-28.69		419	-0.0	-0.0	-0.0	-0.0
-0.0	-8.19		428	-0.0	-0.0	-0.0	-0.0
-0.0	-8.74		427	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			418	0.0	0.0		
			419	0.0	0.0		
			428	0.0	0.0		
			427	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-27.6	88.34	q5_pc	Cent	-27.6	0.7	0.8	0.7
-26.7	87.40		418	-26.6	1.2	1.3	1.2
-26.8	89.02		419	-26.8	0.8	0.5	0.8
-28.5	89.25		428	-28.5	0.2	0.4	0.2
-28.4	87.69		427	-28.4	0.7	1.2	0.7
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	5.86		Cent	-0.0	-0.1	0.0	-0.0
			418	0.1	0.1	0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.1	68.53		419	0.0	0.1	0.0	0.1
0.0	76.85		428	-0.1	-0.4	0.0	-0.1
-0.4	0.51		427	-0.1	-0.3	0.0	-0.1
-0.3	2.22						

NODE	Vxx	Vyy
Cent	0.0	1.2
418	0.0	1.2
419	0.0	1.2
428	0.0	1.2
427	0.0	1.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-25.1	87.26	q5_ps	Cent	-25.0	0.2	1.2	0.3
-24.3	86.32		418	-24.2	0.4	1.6	0.5
-24.2	88.13		419	-24.2	0.5	0.8	0.5
-25.9	88.16		428	-25.9	-0.0	0.8	-0.0
-26.0	86.43		427	-25.9	-0.1	1.6	0.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.1	6.35	Cent	-0.0	-0.1	0.0	-0.0
0.1	69.68	418	0.1	0.1	0.0	0.1
0.0	77.77	419	0.0	0.1	0.0	0.1
-0.4	0.57	428	-0.1	-0.4	0.0	-0.1
-0.3	2.40	427	-0.1	-0.3	0.0	-0.1

NODE	Vxx	Vyy
Cent	0.0	1.2
418	0.0	1.1
419	0.0	1.2
428	0.0	1.2
427	0.0	1.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2202.5	76.46	INVSLU Max	Cent	-2139.4	-38.1	542.3	90.8
-1682.8	67.18		418	-1526.7	183.2	875.5	548.5
-1536.2	84.15		419	-1522.9	190.5	182.4	209.2

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-2709.9	85.26		428	-2707.4	-212.8	213.8	-195.1
-2884.4	71.95		427	-2706.9	-210.5	916.8	86.4
-2406.8	88.72	Min	Cent	-2405.7	-311.7	45.7	-310.7
-1936.2	76.95		418	-1662.9	-126.9	362.5	-42.9
-1703.8	-80.07		419	-1662.9	-108.9	-280.2	-58.7
-3241.6	-83.86		428	-3210.6	-561.8	-289.0	-530.3
-3268.1	82.11		427	-3218.0	-589.5	364.3	-539.0

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			-----	-----	-----	-----	-----
		Max	Cent	0.0	0.1	0.0	0.1
0.0	-84.02		418	0.1	0.1	0.0	0.1
0.0	42.21		419	0.0	0.1	0.0	0.1
0.0	58.83		428	0.1	0.5	0.0	0.5
0.1	88.67		427	0.1	0.4	0.0	0.4
0.1	-89.59	Min	Cent	-0.2	-0.6	-0.0	-0.2
-0.6	-0.52		418	-0.2	-0.5	-0.0	-0.2
-0.5	-7.34		419	-0.2	-0.5	-0.0	-0.2
-0.5	-4.89		428	-0.3	-1.0	-0.0	-0.3
-1.0	-0.82		427	-0.3	-1.0	-0.0	-0.3
-1.0	0.12						

	NODE	Vxx	Vyy
	-----	-----	-----
Max	Cent	0.1	2.2
	418	0.1	2.2
	419	0.1	2.2
	428	0.1	2.2
	427	0.1	2.2
Min	Cent	-0.1	-1.7
	418	-0.1	-1.7
	419	-0.1	-1.8
	428	-0.1	-1.8
	427	-0.1	-1.7

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
			-----	-----	-----	-----	-----	
		INVSLV	Max	Cent	-1121.3	-33.9	159.9	-14.1
-1135.6	82.49			418	-786.9	70.3	320.1	171.0
-868.8	72.55			419	-786.8	71.6	-6.1	71.6
-787.7	-89.50			428	-1452.3	-132.1	1.2	-131.7
-1452.7	-89.06							

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-1509.8	77.81		427	-1452.2	-130.8	327.8	-70.2
-1239.2	83.49	Min	Cent	-1218.3	-36.1	124.5	-20.6
-967.6	74.13		418	-872.2	63.9	270.9	140.9
-872.4	-88.15		419	-872.4	62.6	-30.1	63.5
-1567.8	-89.99		428	-1567.8	-142.0	-23.4	-142.0
-1637.8	78.44		427	-1567.8	-143.3	277.3	-76.3

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-78.58	Max	Cent	0.0	0.0	0.0	0.0
0.0	50.86		418	0.0	0.0	0.0	0.1
0.0	63.41		419	0.0	0.0	0.0	0.0
0.1	-88.66		428	0.1	0.2	0.0	0.2
0.0	-86.45		427	0.0	0.2	0.0	0.2
-0.1	7.01	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-16.84		418	-0.0	-0.1	-0.0	-0.0
-0.1	-12.15		419	-0.0	-0.1	-0.0	-0.0
-0.3	1.51		428	-0.1	-0.3	-0.0	-0.1
-0.2	3.27		427	-0.1	-0.2	-0.0	-0.1

	NODE	Vxx	Vyy
Max	Cent	0.0	0.8
	418	0.0	0.7
	419	0.0	0.8
	428	0.0	0.8
	427	0.0	0.7
Min	Cent	-0.0	-0.7
	418	-0.0	-0.6
	419	-0.0	-0.7
	428	-0.0	-0.7
	427	-0.0	-0.6

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
421	2	10	Q1-1-2	Max	Cent	2.4	22.1	240.7	253.1
-228.6		46.18			426	2.0	32.1	296.5	313.9
-279.8		46.45			427	2.0	28.9	185.4	201.3
-170.5		47.07			436	2.7	18.4	186.7	197.4
-176.3		46.21			435	2.8	16.9	305.4	315.3
-295.7		45.66							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-402.7	-55.14	Min	Cent	-328.7	-250.1	-106.3	-176.0
			426	-288.1	-287.4	-73.9	-213.9
-361.6	-45.14		427	-287.1	-279.1	-143.1	-139.9
-426.3	-45.80		436	-396.6	-308.1	-151.3	-194.7
-510.0	-53.15		435	-397.4	-314.8	-74.3	-271.2
-441.1	-59.54						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	61.41	Max	Cent	0.0	0.0	0.0	0.0
0.0	82.41		426	0.0	0.1	0.0	0.1
-0.0	51.93		427	0.0	0.0	0.0	0.0
-0.0	56.54		436	0.0	0.0	0.0	0.0
0.0	63.84		435	0.0	0.0	0.0	0.0
-0.3	-7.62	Min	Cent	-0.1	-0.3	-0.0	-0.1
-0.5	-9.17		426	-0.2	-0.5	-0.0	-0.2
-0.2	-7.88		427	-0.1	-0.2	-0.0	-0.1
-0.3	-5.47		436	-0.1	-0.3	-0.0	-0.1
-0.2	-14.34		435	-0.1	-0.2	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.5
	426	0.1	1.2
	427	0.1	0.8
	436	0.0	0.8
	435	0.0	1.2
Min	Cent	-0.1	-1.1
	426	-0.1	-2.9
	427	-0.1	-0.2
	436	-0.0	-0.2
	435	-0.0	-2.9

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-142.7	46.16	Q2a-1-2	Max	Cent	1.8	14.0	150.4	158.4
-175.4	46.36			426	1.5	19.1	185.5	196.1
-105.7	47.14			427	1.5	18.7	115.5	125.9
-109.4	46.23			436	2.0	12.0	116.3	123.4
-186.2	45.59			435	2.0	9.9	192.1	198.2
-262.6	-50.61		Min	Cent	-205.4	-177.8	-69.6	-120.6

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-244.0	-37.86	426	-182.0	-206.5	-48.2	-144.5
-285.0	-42.02	427	-180.5	-200.2	-94.1	-95.7
-335.4	-49.31	436	-249.4	-219.1	-100.0	-133.1
-288.0	-52.34	435	-250.6	-225.3	-48.4	-187.9

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
		Max	Cent	0.0	0.0	0.0	0.0
-0.0	55.72		426	0.0	0.1	0.0	0.1
0.0	81.90		427	0.0	0.0	0.0	0.0
-0.0	49.34		436	0.0	0.0	0.0	0.0
-0.0	52.71		435	0.0	0.0	0.0	0.0
0.0	63.43	Min	Cent	-0.1	-0.2	-0.0	-0.1
-0.2	-7.50		426	-0.1	-0.3	-0.0	-0.1
-0.3	-9.48		427	-0.0	-0.1	-0.0	-0.0
-0.1	-7.32		436	-0.1	-0.2	-0.0	-0.1
-0.2	-5.14		435	-0.0	-0.1	-0.0	-0.0
-0.1	-15.03						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.3
	426	0.0	0.7
	427	0.0	0.5
	436	0.0	0.5
	435	0.0	0.7
Min	Cent	-0.0	-0.7
	426	-0.1	-1.8
	427	-0.1	-0.1
	436	-0.0	-0.1
	435	-0.0	-1.8

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	21.8	1.4	-12.4	27.6
-4.5	-25.34		426	18.6	-0.4	-17.0	28.6
-10.4	-30.44		427	18.8	0.8	-7.9	21.8
-2.1	-20.55		436	24.9	2.7	-7.9	27.4
0.2	-17.61		435	24.7	2.0	-17.0	33.8
-7.1	-28.13						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----							
0.0	81.56		Cent	0.0	0.0	0.0	0.0
-0.0	-7.26		426	-0.0	-0.0	-0.0	-0.0
0.0	81.14		427	0.0	0.0	0.0	0.0
0.0	83.80		436	0.0	0.0	0.0	0.0
-0.0	-1.84		435	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			426	-0.0	-0.1		
			427	-0.0	0.0		
			436	0.0	0.0		
			435	0.0	-0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	-44.2	-2.5	10.9	0.1
-46.9	76.18		426	-44.8	-2.7	10.1	-0.4
-47.1	77.17		427	-44.8	-2.8	11.8	0.3
-47.9	75.38		436	-43.6	-2.4	11.7	0.7
-46.7	75.16		435	-43.5	-2.3	10.1	0.0
-45.8	76.99						
			NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.1	0.0	-0.0
-0.1	3.85		426	-0.0	-0.1	0.0	-0.0
-0.1	9.36		427	-0.0	-0.1	0.0	-0.0
-0.1	6.03		436	-0.1	-0.2	0.0	-0.1
-0.2	0.92		435	-0.0	-0.1	0.0	-0.0
-0.1	2.54						
			NODE	Vxx	Vyy		
			Cent	0.0	0.5		
			426	0.0	0.3		
			427	0.0	0.7		
			436	0.0	0.7		
			435	0.0	0.3		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDx (RS)	Cent	10.9	0.7	-6.2	13.8
-2.2	-25.34						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-5.2	-30.44		426	9.3	-0.2	-8.5	14.3
-1.1	-20.54		427	9.4	0.4	-3.9	10.9
0.1	-17.60		436	12.5	1.3	-3.9	13.7
-3.6	-28.13		435	12.4	1.0	-8.5	16.9
-----							
0.0	81.55		Cent	0.0	0.0	0.0	0.0
-0.0	-7.25		426	-0.0	-0.0	-0.0	-0.0
0.0	81.13		427	0.0	0.0	0.0	0.0
0.0	83.80		436	0.0	0.0	0.0	0.0
-0.0	-1.84		435	-0.0	-0.0	-0.0	-0.0
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			426	-0.0	-0.0		
			427	-0.0	0.0		
			436	0.0	0.0		
			435	0.0	-0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-23.4	76.18	SLDy (RS)	Cent	-22.1	-1.3	5.4	0.1
-23.5	77.17		426	-22.4	-1.4	5.0	-0.2
-23.9	75.38		427	-22.4	-1.4	5.9	0.1
-23.3	75.16		436	-21.8	-1.2	5.9	0.4
-22.9	76.98		435	-21.7	-1.2	5.0	0.0
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	3.85		Cent	-0.0	-0.1	0.0	-0.0
-0.0	9.36		426	-0.0	-0.0	0.0	-0.0
-0.1	6.03		427	-0.0	-0.1	0.0	-0.0
-0.1	0.92		436	-0.0	-0.1	0.0	-0.0
-0.1	2.54		435	-0.0	-0.1	0.0	-0.0
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	0.2		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

426	0.0	0.1
427	0.0	0.4
436	0.0	0.4
435	0.0	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.9	-25.07	SLVz (RS)	Cent	9.7	0.6	-5.4	12.2
-4.5	-30.14		426	8.2	-0.2	-7.4	12.6
-0.9	-20.30		427	8.3	0.4	-3.4	9.6
0.1	-17.32		436	11.1	1.2	-3.4	12.1
-3.1	-27.86		435	11.0	0.9	-7.4	14.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	83.32	Cent	0.0	0.0	0.0	0.0
-0.0	-5.67	426	-0.0	-0.0	-0.0	-0.0
0.0	80.77	427	0.0	0.0	0.0	0.0
0.0	86.43	436	0.0	0.0	0.0	0.0
0.0	-88.28	435	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
426	-0.0	-0.0
427	-0.0	0.0
436	0.0	0.0
435	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-242.5	67.09	g1	Cent	-203.8	-26.2	91.4	12.5
-250.1	60.38		426	-174.2	-15.2	133.6	60.7
-189.7	73.92		427	-175.5	-19.7	49.0	-5.6
-245.1	76.69		436	-233.5	-37.1	49.2	-25.5
-299.3	63.36		435	-232.1	-32.6	133.8	34.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-9.09	Cent	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	84.89	426	0.0	0.0	0.0	0.0
-0.0	-7.05	427	-0.0	-0.0	-0.0	-0.0
-0.0	-13.90	436	-0.0	-0.0	-0.0	-0.0
-0.0	0.14	435	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	0.2
426	0.0	0.6
427	0.0	-0.1
436	-0.0	-0.1
435	-0.0	0.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-115.0	67.99	g2	Cent	-98.1	-11.6	41.8	5.3
-117.8	61.54		426	-85.2	-6.7	60.2	25.9
-92.4	74.37		427	-85.8	-8.9	23.3	-2.4
-116.6	76.83		436	-111.1	-16.5	23.4	-11.0
-139.5	64.28		435	-110.4	-14.3	60.3	14.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	88.88	Cent	0.0	0.0	0.0	0.0
0.0	82.64	426	0.0	0.1	0.0	0.1
0.0	-84.41	427	0.0	0.0	-0.0	0.0
0.0	-84.74	436	0.0	0.0	-0.0	0.0
-0.0	29.65	435	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	0.3
426	0.0	0.8
427	0.0	-0.2
436	-0.0	-0.2
435	-0.0	0.8

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-5.5	41.07	q3	Cent	1.2	-0.4	5.8	6.3
-6.0	40.86		426	2.0	0.0	7.0	8.1
			427	1.9	-0.4	4.7	5.6

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-4.0	38.14		436	0.4	-0.8	4.7	4.5
-4.9	41.40		435	0.5	-0.5	7.0	7.0
-7.0	43.10						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	-6.47		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-4.68		426	-0.0	-0.0	-0.0	-0.0
-0.0	-8.79		427	-0.0	-0.0	-0.0	-0.0
-0.0	-5.82		436	-0.0	-0.0	-0.0	-0.0
-0.0	-6.17		435	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	0.0		
			426	0.0	-0.0		
			427	0.0	0.0		
			436	0.0	0.0		
			435	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-25.7	84.85	q5_pc	Cent	-25.5	-1.3	2.2	-1.1
-25.7	85.06		426	-25.5	-1.0	2.1	-0.8
-25.9	84.53		427	-25.7	-1.6	2.3	-1.4
-25.8	84.64		436	-25.6	-1.6	2.3	-1.4
-25.5	85.18		435	-25.4	-0.9	2.1	-0.7
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.2	3.27		Cent	-0.1	-0.2	0.0	-0.1
-0.1	8.81		426	-0.0	-0.1	0.0	-0.0
-0.2	5.30		427	-0.1	-0.2	0.0	-0.1
-0.4	0.73		436	-0.1	-0.4	0.0	-0.1
-0.2	2.06		435	-0.1	-0.2	0.0	-0.1
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	1.0		
			426	0.0	0.7		
			427	0.0	1.3		
			436	0.0	1.3		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

				435	0.0	0.7		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-----								
		q5_ps	Cent	-23.1	-0.8	2.3	-0.5	
-23.3	84.21		426	-23.2	-0.5	1.9	-0.4	
-23.4	85.20		427	-23.4	-1.1	2.7	-0.8	
-23.7	83.17		436	-22.9	-1.0	2.7	-0.7	
-23.2	83.20		435	-22.7	-0.4	1.9	-0.2	
-22.8	85.26							
Mmin	ANGLE	NODE		Mxx	Myy	Mxy	Mmax	
-----								
			Cent	-0.1	-0.2	0.0	-0.1	
-0.2	3.46		426	-0.0	-0.1	0.0	-0.0	
-0.1	10.21		427	-0.1	-0.2	0.0	-0.1	
-0.2	5.40		436	-0.1	-0.4	0.0	-0.1	
-0.4	0.69		435	-0.1	-0.2	0.0	-0.1	
-0.2	2.44							
		NODE		Vxx	Vyy			
-----								
			Cent	0.0	1.0			
			426	0.0	0.8			
			427	0.0	1.2			
			436	0.0	1.2			
			435	0.0	0.8			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-----								
		INVSLU	Max	Cent	-2434.6	29.3	611.3	170.3
-2511.0	76.93			426	-2357.6	71.1	794.5	304.8
-2492.1	73.53			427	-2361.4	54.3	428.4	126.3
-2396.9	80.37			436	-2511.1	-4.2	430.5	66.1
-2545.9	80.64			435	-2507.4	6.3	807.0	240.2
-2640.6	73.76							
			Min	Cent	-2938.8	-340.5	139.0	-332.7
-2946.6	86.86			426	-2808.0	-361.9	290.8	-326.9
-2843.0	83.23			427	-2810.7	-364.4	-19.3	-364.3
-2810.8	-89.65			436	-3106.6	-447.9	-29.8	-447.6
-3106.9	-89.45			435	-3103.6	-443.2	290.7	-411.0
-3135.8	83.76							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	-86.66	Max	Cent	0.1	0.3	0.0	0.3
0.3	89.61		426	0.3	0.6	0.1	0.6
0.0	-84.38		427	0.0	0.2	0.0	0.2
0.2	89.30		436	0.2	0.5	0.0	0.5
-0.1	12.23		435	-0.0	-0.0	0.0	-0.0
-0.7	-1.76	Min	Cent	-0.2	-0.7	-0.0	-0.2
-0.4	-4.35		426	-0.1	-0.4	-0.1	-0.1
-0.7	-0.34		427	-0.3	-0.7	-0.0	-0.3
-0.9	-2.35		436	-0.3	-0.9	-0.0	-0.3
-0.9	-1.60		435	-0.3	-0.9	-0.0	-0.3

	NODE	Vxx	Vyy
Max	Cent	0.1	4.5
	426	0.3	8.4
	427	0.3	1.6
	436	0.0	1.6
	435	0.0	8.4
Min	Cent	-0.0	-0.2
	426	0.0	1.4
	427	0.0	-3.1
	436	-0.1	-3.1
	435	-0.1	1.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-1333.4	82.12	INVSLV	Max	Cent	-1312.8	-15.5	198.3	7.1
-1310.2	79.23			426	-1270.5	-6.4	267.1	41.6
-1275.9	85.27			427	-1268.0	1.7	130.6	9.9
-1363.0	85.57			436	-1355.2	-24.3	132.2	-16.2
-1396.2	79.65			435	-1357.7	-32.7	268.7	10.5
-1447.3	82.86		Min	Cent	-1420.0	-21.8	163.6	3.5
-1424.8	80.35			426	-1376.1	-12.1	222.5	28.4
-1386.3	84.82			427	-1373.9	-4.6	100.3	7.4
-1476.1	84.83			436	-1464.0	-31.8	101.9	-20.1
-1513.4	80.67			435	-1466.2	-39.1	224.1	3.5

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE						
		Max	Cent	0.0	0.1	0.0	0.1
0.0	-86.12		426	0.0	0.1	0.0	0.1
0.0	-81.02		427	0.0	0.1	0.0	0.1
0.0	-83.64		436	0.1	0.2	0.0	0.2
0.1	-89.36		435	0.0	0.1	0.0	0.1
0.0	-88.44	Min	Cent	-0.0	-0.2	-0.0	-0.0
-0.2	3.71		426	-0.0	-0.1	-0.0	-0.0
-0.1	9.32		427	-0.1	-0.2	-0.0	-0.1
-0.2	5.62		436	-0.1	-0.2	-0.0	-0.1
-0.2	1.07		435	-0.0	-0.1	-0.0	-0.0
-0.1	3.00						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.6
	426	0.0	0.4
	427	0.0	0.7
	436	0.0	0.7
	435	0.0	0.4
Min	Cent	0.0	-0.4
	426	0.0	-0.1
	427	0.0	-0.7
	436	-0.0	-0.7
	435	-0.0	-0.1

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
422	2	4	Q1-1-2	Max	Cent	2.9	10.5	250.4	257.1
-243.7		45.43			427	2.4	24.6	321.4	335.1
-308.1		45.99			428	2.4	16.6	173.9	183.5
-164.5		46.17			437	3.5	0.9	181.9	184.1
-179.7		44.79			436	3.5	10.3	337.9	344.8
-331.0		45.29		Min	Cent	-389.4	-275.7	-108.2	-210.4
-454.8		-58.87			427	-344.7	-341.3	-63.4	-279.6
-406.4		-45.78			428	-327.6	-286.0	-159.6	-145.9
-467.7		-48.71			437	-466.4	-320.5	-171.2	-207.4
-579.5		-56.54			436	-483.3	-380.1	-65.4	-348.5
-515.0		-64.14							

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		Max	Cent	0.0	0.0	0.0	0.0
0.0	64.33		427	0.0	0.0	0.0	0.0
-0.0	55.96		428	0.0	0.0	0.0	0.0
0.0	67.77		437	0.0	0.0	0.0	0.0
0.0	64.10		436	0.0	0.0	0.0	0.0
0.0	64.43	Min	Cent	-0.1	-0.3	-0.0	-0.1
-0.4	-6.64		427	-0.1	-0.3	-0.0	-0.1
-0.3	-6.47		428	-0.1	-0.4	-0.0	-0.1
-0.4	-6.88		437	-0.1	-0.4	-0.0	-0.1
-0.4	-7.25		436	-0.1	-0.4	-0.0	-0.1
-0.4	-5.74						

-----		NODE	Vxx	Vyy
Max	Cent		0.1	0.7
	427		0.1	1.2
	428		0.1	0.4
	437		0.0	0.4
	436		0.0	1.2
Min	Cent		-0.0	-0.1
	427		-0.0	-0.4
	428		-0.0	-0.1
	437		-0.0	-0.1
	436		-0.0	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-151.5	45.42	Q2a-1-2	Max Cent	2.2	6.8	156.0	160.5
			427	1.7	15.8	200.2	209.1
-191.5	46.01		428	1.8	9.8	107.9	113.8
-102.2	46.07		437	2.6	0.4	113.1	114.7
-111.6	44.72		436	2.6	6.5	211.7	216.3
-207.1	45.26		Min Cent	-242.7	-195.4	-71.1	-144.1
-294.0	-54.19		427	-217.8	-244.1	-41.6	-187.3
-274.5	-36.20		428	-206.0	-206.2	-105.4	-100.8
-311.5	-44.97		437	-291.8	-228.9	-113.7	-142.3
-378.3	-52.72		436	-303.4	-269.2	-42.7	-240.3
-332.3	-55.91						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----						
		Max Cent	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	58.93		427	0.0	0.0	0.0	0.0
-0.0	51.98		428	0.0	0.0	0.0	0.0
0.0	62.36		437	0.0	0.0	0.0	0.0
-0.0	58.87		436	0.0	0.0	0.0	0.0
-0.0	59.62						
-0.2	-6.82	Min	Cent	-0.1	-0.2	-0.0	-0.1
-0.2	-6.52		427	-0.0	-0.2	-0.0	-0.0
-0.2	-6.52		428	-0.1	-0.2	-0.0	-0.1
-0.2	-7.09		437	-0.1	-0.3	-0.0	-0.1
-0.3	-7.43		436	-0.1	-0.3	-0.0	-0.1
-0.3	-5.94						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.4
	427	0.1	0.7
	428	0.1	0.2
	437	0.0	0.2
	436	0.0	0.7
Min	Cent	-0.0	-0.1
	427	-0.0	-0.2
	428	-0.0	-0.1
	437	-0.0	-0.1
	436	-0.0	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-3.9	-24.29	SLVx (RS)	Cent	25.6	2.1	-13.3	31.6
-10.9	-32.07		427	21.2	1.7	-20.2	33.9
-1.3	-15.93		428	20.6	0.5	-6.3	22.4
1.0	-12.69		437	30.0	2.5	-6.5	31.5
-6.6	-28.73		436	30.6	4.6	-20.4	41.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-88.71	Cent	0.0	0.0	-0.0	0.0
0.0	87.16	427	0.0	0.0	0.0	0.0
0.0	-88.64	428	0.0	0.0	-0.0	0.0
0.0	-88.67	437	0.0	0.0	-0.0	0.0
0.0	-88.59	436	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
------	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Cent	0.0	0.0
427	0.0	0.0
428	0.0	-0.0
437	0.0	-0.0
436	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-53.7	76.60	SLVy (RS)	Cent	-50.8	-2.4	12.2	0.5
-53.4	73.05		427	-48.7	-2.6	15.5	2.1
-49.8	79.85		428	-48.2	-0.9	8.7	0.7
-54.3	80.27		437	-52.8	-2.3	8.9	-0.7
-57.9	73.79		436	-53.3	-3.9	15.7	0.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.3	0.46	Cent	-0.1	-0.3	0.0	-0.1
-0.2	2.90	427	-0.1	-0.2	0.0	-0.1
-0.2	0.54	428	-0.1	-0.2	0.0	-0.1
-0.4	-1.03	437	-0.1	-0.4	-0.0	-0.1
-0.3	0.85	436	-0.1	-0.3	0.0	-0.1

NODE	Vxx	Vyy
Cent	0.0	1.0
427	0.0	1.1
428	0.0	1.0
437	0.0	1.0
436	0.0	1.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.0	-24.29	SLDx (RS)	Cent	12.8	1.0	-6.7	15.8
-5.5	-32.07		427	10.6	0.9	-10.1	16.9
-0.7	-15.92		428	10.3	0.2	-3.1	11.2
0.5	-12.69		437	15.0	1.2	-3.3	15.7
-3.3	-28.73		436	15.3	2.3	-10.2	20.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-88.71		427	0.0	0.0	0.0	0.0
0.0	87.15		428	0.0	0.0	-0.0	0.0
0.0	-88.64		437	0.0	0.0	-0.0	0.0
0.0	-88.67		436	0.0	0.0	-0.0	0.0
0.0	-88.59						

NODE	Vxx	Vyy
Cent	0.0	0.0
427	0.0	0.0
428	0.0	-0.0
437	0.0	-0.0
436	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDy (RS)	Cent	-25.3	-1.2	6.1	0.2
-26.8	76.60		427	-24.3	-1.3	7.7	1.1
-26.7	73.05		428	-24.1	-0.4	4.4	0.3
-24.8	79.85		437	-26.4	-1.1	4.5	-0.4
-27.1	80.27		436	-26.6	-2.0	7.8	0.3
-28.9	73.78						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.1	0.0	-0.0
-0.1	0.46	427	-0.0	-0.1	0.0	-0.0
-0.1	2.90	428	-0.0	-0.1	0.0	-0.0
-0.1	0.55	437	-0.1	-0.2	-0.0	-0.1
-0.2	-1.03	436	-0.0	-0.2	0.0	-0.0
-0.2	0.85					

NODE	Vxx	Vyy
Cent	0.0	0.5
427	0.0	0.5
428	0.0	0.5
437	0.0	0.5
436	0.0	0.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVz (RS)	Cent	11.4	0.9	-5.8	14.0
-1.7	-24.07		427	9.4	0.7	-8.8	14.9
-4.8	-31.93						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.9	-15.09		428	9.1	-0.2	-2.7	9.9
0.5	-12.43		437	13.3	1.1	-2.8	14.0
-2.9	-28.53		436	13.6	2.0	-9.0	18.5
-----							
0.0	-88.48		Cent	0.0	0.0	-0.0	0.0
0.0	-86.17		427	0.0	0.0	-0.0	0.0
0.0	-87.10		428	0.0	0.0	-0.0	0.0
0.0	-88.37		437	0.0	0.0	-0.0	0.0
0.0	-89.08		436	0.0	0.0	-0.0	0.0
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	0.0		
			427	0.0	0.0		
			428	0.0	-0.0		
			437	0.0	-0.0		
			436	0.0	0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-280.5	68.17	g1	Cent	-241.2	-35.3	98.2	4.0
-297.2	58.82		427	-199.5	-30.4	161.5	67.4
-200.2	80.09		428	-194.5	-13.7	32.6	-8.0
-287.8	81.97		437	-282.9	-40.3	34.9	-35.4
-372.8	62.59		436	-287.9	-57.0	163.8	28.0
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	1.22		Cent	-0.0	-0.0	0.0	-0.0
-0.0	-0.37		427	-0.0	-0.0	-0.0	-0.0
-0.0	0.96		428	-0.0	-0.0	0.0	-0.0
-0.0	1.41		437	-0.0	-0.0	0.0	-0.0
-0.0	1.79		436	-0.0	-0.0	0.0	-0.0
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	-0.0		
			427	-0.0	-0.1		
			428	-0.0	0.1		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

437 -0.0 0.1  
 436 -0.0 -0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-133.6	68.71	g2	Cent	-115.9	-17.1	45.4	0.6
-140.5	59.32		427	-95.7	-13.2	75.5	31.6
-96.6	80.69		428	-94.3	-8.4	14.5	-6.1
-138.1	82.56		437	-136.1	-21.0	15.3	-19.0
-176.3	63.10		436	-137.5	-25.8	76.3	12.9

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	84.59		Cent	0.0	0.0	0.0	0.0
0.0	86.92		427	0.0	0.0	0.0	0.0
0.0	84.55		428	0.0	0.0	0.0	0.0
0.0	83.47		437	0.0	0.0	0.0	0.0
0.0	87.22		436	0.0	0.1	0.0	0.1

NODE	Vxx	Vyy
Cent	-0.0	-0.1
427	-0.0	-0.3
428	-0.0	0.0
437	-0.0	0.0
436	-0.0	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-5.5	41.00	q3	Cent	1.3	-0.4	5.9	6.4
-6.5	39.86		427	1.9	-0.6	7.0	7.8
-3.6	39.44		428	2.2	0.3	4.7	6.1
-4.6	42.67		437	0.7	-0.1	4.8	5.1
-7.5	42.06		436	0.4	-1.1	7.1	6.8

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-6.30		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-6.85		427	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-7.75	428	-0.0	-0.0	-0.0	-0.0
-0.0	-5.91	437	-0.0	-0.0	-0.0	-0.0
-0.0	-4.57	436	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
427	0.0	0.0
428	0.0	0.0
437	0.0	0.0
436	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-30.0	86.67	q5_pc	Cent	-29.9	-1.7	1.6	-1.6
-29.4	83.87		427	-29.1	-1.8	3.0	-1.5
-28.9	89.50		428	-28.9	-1.0	0.2	-1.0
-30.7	89.35		437	-30.7	-1.6	0.3	-1.5
-31.3	83.97		436	-31.0	-2.4	3.1	-2.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.5	0.23	Cent	-0.1	-0.5	0.0	-0.1
-0.3	2.32	427	-0.1	-0.3	0.0	-0.1
-0.4	-0.48	428	-0.1	-0.4	-0.0	-0.1
-0.6	-0.94	437	-0.2	-0.6	-0.0	-0.2
-0.6	0.78	436	-0.2	-0.6	0.0	-0.2

NODE	Vxx	Vyy
Cent	0.0	1.8
427	0.0	1.9
428	0.0	1.7
437	-0.0	1.7
436	-0.0	1.9

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-27.1	85.83	q5_ps	Cent	-27.0	-1.3	1.9	-1.1
-26.6	83.08		427	-26.2	-1.1	3.1	-0.8
-26.1	88.53		428	-26.1	-0.9	0.6	-0.9
			437	-27.8	-1.4	0.7	-1.4

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-27.8	88.51		436	-27.9	-1.6	3.1	-1.3
-28.2	83.29						
-----							
-0.5	0.31		Cent	-0.1	-0.5	0.0	-0.1
-0.3	2.42		427	-0.1	-0.3	0.0	-0.1
-0.4	-0.38		428	-0.1	-0.4	-0.0	-0.1
-0.4	-0.38		437	-0.2	-0.6	-0.0	-0.2
-0.6	-0.88		436	-0.2	-0.6	0.0	-0.2
-0.6	0.84						
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	1.8		
			427	0.0	1.8		
			428	0.0	1.7		
			437	-0.0	1.7		
			436	-0.0	1.8		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-2973.6	77.92	INVSLU Max	Cent	-2899.3	-58.7	643.0	78.3
-2910.5	70.24		427	-2644.2	30.7	1113.9	428.9
-2640.0	86.66		428	-2639.5	33.8	158.0	43.0
-3155.3	86.70		437	-3154.2	-141.6	175.6	-131.9
-3408.2	71.54		436	-3158.6	-143.3	1142.8	236.3
-3504.3	87.02	Min	Cent	-3496.0	-448.0	156.0	-439.8
-3303.3	78.16		427	-3178.7	-466.5	589.1	-341.9
-3181.4	-84.06		428	-3151.0	-376.5	-292.5	-346.1
-3884.3	-84.80		437	-3856.8	-578.7	-301.7	-551.3
-3992.2	79.77		436	-3884.3	-674.6	592.9	-566.7
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.2	86.82	Max	Cent	0.2	0.6	0.0	0.6
0.1	87.52		427	0.1	0.3	0.0	0.3
0.1	86.12		428	0.2	0.5	0.0	0.5
0.1	86.12		437	0.2	0.7	0.0	0.7
0.2	86.08		436	0.2	0.8	0.0	0.8



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.2	87.66						
		Min	Cent	-0.3	-1.2	-0.0	-0.3
-1.2	-0.89		427	-0.3	-1.0	-0.0	-0.3
-1.0	0.10		428	-0.3	-1.0	-0.0	-0.3
-1.0	-1.67		437	-0.4	-1.4	-0.0	-0.4
-1.4	-1.74		436	-0.4	-1.3	-0.0	-0.4
-1.3	-0.38						

	NODE	Vxx	Vyy
Max	Cent	0.0	2.8
	427	0.1	2.4
	428	0.1	3.4
	437	0.0	3.4
	436	0.0	2.4
Min	Cent	-0.1	-3.3
	427	-0.1	-4.6
	428	-0.1	-2.2
	437	-0.1	-2.2
	436	-0.1	-4.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
		INVSLV	Max	Cent	-1560.4	-44.8	212.0	-23.8
-1580.4	82.77			427	-1414.7	-8.9	441.0	105.4
-1515.3	74.74			428	-1409.5	8.8	-20.5	10.0
-1410.8	-88.32			437	-1706.1	-80.5	-15.4	-79.7
-1707.0	-88.70			436	-1711.3	-97.6	446.2	-1.3
-1802.3	76.28		Min	Cent	-1684.1	-51.4	174.5	-25.6
-1711.0	83.45			427	-1530.5	-15.5	386.1	88.4
-1647.9	75.77			428	-1523.7	6.6	-43.4	6.9
-1524.0	-89.17			437	-1837.7	-87.5	-38.9	-87.3
-1837.9	-89.44			436	-1844.5	-110.3	390.6	-8.8
-1951.0	77.19							

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
		Max	Cent	0.1	0.2	0.0	0.2
0.1	89.84		427	0.0	0.2	0.0	0.2
0.0	-87.57		428	0.1	0.2	0.0	0.2
0.1	-89.90		437	0.1	0.3	0.0	0.3
0.1	88.40		436	0.1	0.3	0.0	0.3
0.1	-89.85	Min	Cent	-0.1	-0.3	0.0	-0.1

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.3	0.94	427	-0.1	-0.2	-0.0	-0.1
-0.2	3.16	428	-0.1	-0.3	-0.0	-0.1
-0.3	0.90	437	-0.1	-0.4	-0.0	-0.1
-0.4	-0.53	436	-0.1	-0.4	-0.0	-0.1
-0.4	1.40					

	NODE	Vxx	Vyy
Max	Cent	0.0	1.1
	427	0.0	1.1
	428	0.0	1.1
	437	0.0	1.1
	436	0.0	1.1
Min	Cent	-0.0	-1.0
	427	-0.0	-1.1
	428	-0.0	-1.0
	437	-0.0	-1.0
	436	-0.0	-1.1

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
445	2	8	Q1-1-2	Max	Cent	1295.3	38.9	414.7	1419.9
-85.6		16.72			462	1477.5	94.5	561.2	1676.5
-104.5		19.53			463	1473.7	86.3	269.8	1524.3
35.7		10.63			2283	1113.2	0.9	272.4	1176.3
-62.2		13.05			2223	1117.4	0.5	563.6	1352.4
-234.5		22.63		Min	Cent	-25.2	-0.5	-2.1	-0.4
-25.3		-85.16			462	-28.6	-1.9	-4.9	-1.1
-29.5		-79.97			463	-28.3	-1.1	-28.4	16.8
-46.2		-57.82			2283	-21.7	-33.4	-29.4	2.4
-57.5		-39.38			2223	-22.0	-16.7	-4.8	-13.9
-24.8		-59.44							
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
				Max	Cent	0.0	0.1	0.0	0.1
0.0		81.59			462	0.1	0.2	0.0	0.2
0.1		82.21			463	0.0	0.1	0.0	0.1
0.0		80.98			2283	0.0	0.1	0.0	0.1
0.0		80.93			2223	0.0	0.1	0.0	0.1
0.0		81.50		Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0		-31.50			462	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-23.42		463	-0.0	-0.0	-0.0	0.0
-0.0	-36.58		2283	-0.0	-0.0	-0.0	0.0
-0.0	-36.16		2223	-0.0	-0.0	-0.0	0.0
-0.0	-31.20						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.3
	462	0.0	0.4
	463	0.0	0.2
	2283	0.0	0.2
	2223	0.0	0.4
Min	Cent	-0.0	-0.1
	462	-0.0	-0.1
	463	-0.0	-0.0
	2283	-0.0	-0.0
	2223	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-53.2	16.85	Q2a-1-2	Max Cent	782.8	23.5	253.2	859.4
-65.1	19.61		462	892.9	56.5	341.4	1014.5
20.7	10.74		463	890.6	52.0	165.0	921.9
-38.4	13.19		2283	672.6	0.7	166.6	711.6
-143.3	22.73		2223	675.3	0.4	342.9	818.9
-18.8	-85.19		Min Cent	-18.7	-0.4	-1.6	-0.3
-21.9	-79.99		462	-21.2	-1.4	-3.6	-0.8
-33.2	-58.47		463	-21.0	-0.8	-19.9	11.4
-39.9	-40.88		2283	-16.1	-22.1	-20.6	1.7
-18.2	-62.96		2223	-16.3	-11.2	-3.6	-9.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	82.31	Max Cent	0.0	0.1	0.0	0.1
0.0	82.73	462	0.0	0.1	0.0	0.1
0.0	81.87	463	0.0	0.1	0.0	0.1
0.0	81.81	2283	0.0	0.1	0.0	0.1
0.0	82.11	2223	0.0	0.1	0.0	0.1
-0.0	-32.37	Min Cent	-0.0	-0.0	-0.0	0.0
-0.0	-24.07	462	-0.0	-0.0	-0.0	-0.0
		463	-0.0	-0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-37.63		2283	-0.0	-0.0	-0.0	0.0
-0.0	-36.93		2223	-0.0	-0.0	-0.0	0.0
-0.0	-32.09						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.2
	462	0.0	0.3
	463	0.0	0.2
	2283	0.0	0.2
	2223	0.0	0.3
Min	Cent	-0.0	-0.0
	462	-0.0	-0.1
	463	-0.0	-0.0
	2283	-0.0	-0.0
	2223	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	-91.8	-3.4	-28.5	5.0
-100.2	-73.58		462	-104.7	-8.0	-39.1	5.8
-118.6	-70.52		463	-104.2	-6.4	-17.9	-3.2
-107.4	-79.94		2283	-78.8	1.3	-17.9	5.1
-82.6	-77.92		2223	-79.3	-0.5	-39.1	15.6
-95.4	-67.61						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-3.04		462	-0.0	-0.0	-0.0	-0.0
-0.0	-1.96		463	-0.0	-0.0	-0.0	-0.0
-0.0	-2.63		2283	-0.0	-0.0	-0.0	-0.0
-0.0	-8.82		2223	-0.0	-0.0	-0.0	-0.0
-0.0	-3.49						

	NODE	Vxx	Vyy
	Cent	0.0	-0.0
	462	0.0	-0.0
	463	0.0	-0.0
	2283	0.0	-0.0
	2223	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	-40.5	-0.6	7.0	0.6
-41.7	80.33		462	-44.1	-2.8	5.5	-2.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-44.9	82.60		463	-43.3	-0.8	8.9	1.0
-45.1	78.68		2283	-36.8	2.1	9.2	4.2
-38.9	77.30		2223	-37.7	-0.9	5.7	-0.0
-38.5	81.40						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.1	0.0	-0.0
-0.1	3.74		462	-0.1	-0.2	-0.0	-0.1
-0.2	-1.59		463	-0.0	-0.2	-0.0	-0.0
-0.2	-2.19		2283	-0.0	-0.0	0.0	-0.0
-0.1	16.22		2223	-0.0	-0.1	0.0	-0.0
-0.1	6.05						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.9		
			462	0.0	-1.0		
			463	0.0	-0.8		
			2283	0.0	-0.8		
			2223	0.0	-1.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLDx (RS)	Cent	-45.9	-1.7	-14.2	2.5
-50.1	-73.58		462	-52.3	-4.0	-19.5	2.9
-59.2	-70.52		463	-52.1	-3.2	-9.0	-1.6
-53.7	-79.94		2283	-39.4	0.6	-9.0	2.6
-41.3	-77.92		2223	-39.6	-0.2	-19.5	7.8
-47.7	-67.61						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-3.05		462	-0.0	-0.0	-0.0	-0.0
-0.0	-1.96		463	-0.0	-0.0	-0.0	-0.0
-0.0	-2.64		2283	-0.0	-0.0	-0.0	-0.0
-0.0	-8.84		2223	-0.0	-0.0	-0.0	-0.0
-0.0	-3.50						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.0		
			462	0.0	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

463 0.0 -0.0  
 2283 0.0 -0.0  
 2223 0.0 -0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-20.8	80.32	SLDy (RS)	Cent	-20.2	-0.3	3.5	0.3
-22.4	82.58		462	-22.1	-1.4	2.7	-1.1
-22.5	78.67		463	-21.6	-0.4	4.4	0.5
-19.4	77.30		2283	-18.4	1.0	4.6	2.1
-19.3	81.37		2223	-18.8	-0.5	2.9	-0.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	3.76		Cent	-0.0	-0.1	0.0	-0.0
-0.1	-1.59		462	-0.0	-0.1	-0.0	-0.0
-0.1	-2.20		463	-0.0	-0.1	-0.0	-0.0
-0.0	16.24		2283	-0.0	-0.0	0.0	-0.0
-0.0	6.07		2223	-0.0	-0.0	0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.4		
			462	0.0	-0.5		
			463	0.0	-0.4		
			2283	0.0	-0.4		
			2223	0.0	-0.5		

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-44.1	-73.55	SLVz (RS)	Cent	-40.3	-1.5	-12.6	2.2
-52.2	-70.49		462	-46.1	-3.5	-17.2	2.6
-47.2	-79.91		463	-45.8	-2.8	-7.9	-1.4
-36.3	-77.89		2283	-34.6	0.5	-7.9	2.2
-42.0	-67.58		2223	-34.9	-0.2	-17.2	6.9
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	4.02		Cent	-0.0	-0.0	0.0	-0.0
			462	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-2.03	463	-0.0	-0.0	0.0	-0.0
-0.0	2.83	2283	-0.0	-0.0	0.0	-0.0
-0.0	12.40	2223	-0.0	-0.0	-0.0	-0.0
-0.0	-5.57					

NODE	Vxx	Vyy
Cent	0.0	0.0
462	0.0	0.0
463	0.0	0.0
2283	0.0	0.0
2223	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-44.7	15.42	g1	Cent	919.1	28.6	265.9	992.5
-52.6	18.63		462	1047.9	72.5	371.1	1173.1
35.6	9.00		463	1044.4	60.9	159.8	1069.7
-46.1	10.87		2283	790.3	-15.2	160.7	821.1
-150.2	21.51		2223	793.8	-3.6	372.0	940.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-88.79	Cent	0.0	0.0	-0.0	0.0
0.0	88.30	462	0.0	0.0	0.0	0.0
0.0	-87.19	463	0.0	0.0	-0.0	0.0
0.0	-85.17	2283	0.0	0.0	-0.0	0.0
0.0	89.71	2223	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
462	-0.0	0.0
463	-0.0	0.0
2283	-0.0	0.0
2223	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-22.6	15.27	g2	Cent	447.7	12.4	128.4	482.7
-26.4	18.51		462	510.6	33.8	179.8	570.8
16.4	8.83		463	508.9	28.3	76.5	520.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-23.5	10.68	2283	384.7	-8.9	77.0	399.3
-74.0	21.38	2223	386.4	-3.4	180.3	457.0

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-----						
-0.0	4.67	Cent	-0.0	-0.0	0.0	-0.0
-0.0	0.24	462	-0.0	-0.0	0.0	-0.0
-0.0	3.27	463	-0.0	-0.0	0.0	-0.0
-0.0	14.10	2283	-0.0	-0.0	0.0	-0.0
-0.0	5.72	2223	-0.0	-0.0	0.0	-0.0

NODE Vxx Vyy

-----		
Cent	0.0	-0.0
462	-0.0	-0.0
463	-0.0	-0.0
2283	0.0	-0.0
2223	0.0	-0.0

Fmin ANGLE LC NODE Fxx Fyy Fxy Fmax

-----							
-1.4	17.18	q3	Cent	20.8	0.7	6.9	23.0
-1.7	19.83		462	23.5	1.6	9.1	26.8
0.5	11.40		463	23.5	1.4	4.6	24.4
-1.3	13.51		2283	18.1	-0.2	4.7	19.2
-3.8	22.55		2223	18.2	-0.0	9.1	22.0

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-----							
0.0	87.79		Cent	0.0	0.0	0.0	0.0
0.0	85.49		462	0.0	0.0	0.0	0.0
0.0	88.14		463	0.0	0.0	0.0	0.0
0.0	-89.18		2283	0.0	0.0	-0.0	0.0
0.0	87.26		2223	0.0	0.0	0.0	0.0

NODE Vxx Vyy

-----		
Cent	-0.0	0.0
462	-0.0	0.0
463	-0.0	0.0
2283	-0.0	0.0
2223	-0.0	0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-43.6	-82.35	q5_pc	Cent	-42.8	-0.8	-5.8	-0.0
-49.6	-78.35		462	-47.6	-3.0	-9.6	-1.0
-47.2	-87.44		463	-47.1	-1.3	-2.1	-1.2
-38.1	-87.26		2283	-38.0	1.4	-1.9	1.5
-40.8	-76.85		2223	-38.6	-0.3	-9.5	1.9
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.2	6.46		Cent	-0.0	-0.2	0.0	-0.0
-0.3	0.99		462	-0.1	-0.3	0.0	-0.1
-0.3	4.20		463	-0.1	-0.3	0.0	-0.1
-0.1	23.96		2283	-0.0	-0.1	0.0	-0.0
-0.1	9.60		2223	-0.0	-0.1	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-1.4		
			462	-0.0	-1.6		
			463	-0.0	-1.3		
			2283	0.1	-1.3		
			2223	0.1	-1.6		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-36.2	-83.65	q5_ps	Cent	-35.7	-0.7	-4.0	-0.3
-40.9	-79.56		462	-39.6	-2.6	-7.1	-1.3
-39.2	-88.51		463	-39.1	-1.0	-1.0	-1.0
-31.9	-88.55		2283	-31.9	1.2	-0.8	1.2
-33.8	-78.30		2223	-32.3	-0.4	-6.9	1.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.2	6.35		Cent	-0.1	-0.2	0.0	-0.0
-0.3	0.93		462	-0.1	-0.3	0.0	-0.1
-0.3	4.15		463	-0.1	-0.3	0.0	-0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	23.59	2283	-0.0	-0.1	0.0	-0.0
-0.1	9.38	2223	-0.0	-0.1	0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	-1.4
462	-0.0	-1.6
463	-0.0	-1.2
2283	0.1	-1.3
2223	0.1	-1.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-85.4	15.42	INVSLU	Max	Cent	3931.7	115.3	1139.3	4245.9
-107.4	19.02			462	4577.1	325.4	1663.4	5150.5
194.0	8.00			463	4561.8	280.4	614.1	4648.2
-121.8	10.15			2283	3286.3	-68.4	620.8	3397.4
-425.2	22.50			2223	3302.2	-37.5	1669.9	3993.9
-200.4	14.73		Min	Cent	2065.4	60.4	566.2	2214.2
-251.3	18.97			462	2451.2	189.3	881.6	2754.2
139.0	5.40			463	2442.5	160.1	207.8	2463.1
-182.2	6.94			2283	1679.5	-117.5	209.9	1706.4
-729.3	22.71			2223	1688.3	-61.5	885.2	2058.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
0.1	-87.40	Max	Cent	0.1	0.4	0.0	0.4
0.2	89.16			462	0.2	0.7	0.7
0.2	-88.45			463	0.2	0.5	0.5
0.1	-78.19			2283	0.1	0.2	0.2
0.0	-86.53			2223	0.0	0.3	0.3
-0.3	0.23	Min	Cent	-0.1	-0.3	-0.0	-0.1
-0.6	-2.29			462	-0.2	-0.6	-0.2
-0.4	-1.17			463	-0.1	-0.4	-0.1
-0.1	8.44			2283	-0.0	-0.1	-0.0
-0.2	1.45			2223	-0.0	-0.2	-0.0

NODE	Vxx	Vyy
------	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Max	Cent	0.1	2.5
	462	0.0	2.9
	463	0.0	2.2
	2283	0.1	2.2
	2223	0.1	2.9
Min	Cent	-0.1	-2.2
	462	-0.0	-2.5
	463	-0.0	-1.8
	2283	-0.2	-1.8
	2223	-0.2	-2.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-58.1	14.83	INVSLV	Max Cent	1586.0	45.9	442.8	1702.2
-69.4	18.71		462	1853.3	136.7	659.8	2075.6
86.0	7.08		463	1846.2	113.2	223.8	1873.3
-68.9	8.96		2283	1318.8	-40.4	226.0	1353.5
-254.2	22.18		2223	1325.9	-20.9	661.9	1594.3
-75.7	14.94		Min Cent	1354.0	37.9	374.0	1455.0
-95.3	18.90		462	1589.7	116.8	568.0	1785.3
75.9	6.93		463	1584.3	98.3	177.9	1606.5
-80.9	8.87		2283	1118.3	-45.6	179.8	1147.3
-295.8	22.50		2223	1123.8	-23.1	570.0	1361.3
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-84.50		Max Cent	0.0	0.1	0.0	0.1
0.1	89.61		462	0.1	0.2	0.0	0.2
0.1	90.00		463	0.1	0.2	0.0	0.2
0.0	-71.96		2283	0.0	0.1	0.0	0.1
0.0	-82.47		2223	0.0	0.1	0.0	0.1
-0.1	1.60		Min Cent	-0.0	-0.1	-0.0	-0.0
-0.2	-2.86		462	-0.1	-0.2	-0.0	-0.1
-0.2	-4.61		463	-0.0	-0.1	-0.0	-0.0
-0.0	12.84		2283	-0.0	-0.0	-0.0	-0.0
-0.1	3.88		2223	-0.0	-0.1	-0.0	-0.0
			NODE	Vxx	Vyy		
			Max Cent	0.0	0.9		
			462	-0.0	1.0		

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	463	-0.0	0.8
	2283	0.0	0.8
	2223	0.0	1.0
Min	Cent	-0.0	-0.9
	462	-0.0	-1.0
	463	-0.0	-0.8
	2283	-0.0	-0.8
	2223	-0.0	-1.0

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
449	2	8	Q1-1-2	Max	Cent	249.8	14.4	333.6	485.9
		35.28			470	436.4	56.7	368.0	660.6
		31.35			471	447.9	74.6	279.8	597.6
		28.15			475	68.7	0.8	300.6	337.3
		41.78			474	63.5	1.4	391.4	425.1
		42.73		Min	Cent	-5.5	-138.0	-63.2	19.8
		-21.82			470	-9.3	-113.4	-42.8	6.0
		-19.71			471	-9.5	-95.4	-87.6	45.1
		-31.94			475	-2.4	-177.3	-89.1	35.0
		-22.77			474	-7.9	-206.4	-43.1	1.1
		-11.74							
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
				Max	Cent	0.0	0.0	0.0	0.0
		64.94			470	0.0	0.0	0.0	0.0
		59.04			471	0.0	0.0	0.0	0.0
		55.66			475	0.0	0.0	0.0	0.0
		68.64			474	0.0	0.0	0.0	0.0
		72.44		Min	Cent	-0.1	-0.2	-0.0	-0.1
		-3.78			470	-0.1	-0.1	-0.0	-0.1
		-8.63			471	-0.1	-0.1	-0.0	-0.1
		-8.99			475	-0.1	-0.3	-0.0	-0.1
		-1.97			474	-0.1	-0.3	-0.0	-0.1
		-1.97							
				NODE	Vxx	Vyy			
				Max	Cent	0.0	0.3		
					470	0.0	0.3		
					471	0.0	0.3		
					475	0.0	0.3		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	474	0.0	0.3
Min	Cent	-0.0	-0.0
	470	-0.0	-0.0
	471	-0.0	-0.0
	475	-0.0	-0.0
	474	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-135.7	35.47	Q2a-1-2	Max Cent	149.4	9.1	203.2	294.2
-102.8	31.58		470	261.6	34.9	224.1	399.3
-45.8	28.33		471	269.2	45.7	169.8	360.8
-163.5	41.84		475	41.1	0.6	183.2	205.2
-220.5	42.79		474	38.1	1.1	239.4	259.8
-115.7	-21.48		Min Cent	-4.1	-98.5	-43.9	13.2
-91.4	-19.34		470	-6.9	-81.0	-29.7	3.5
-105.9	-31.72		471	-7.0	-68.1	-61.1	30.7
-149.0	-22.88		475	-1.6	-122.7	-62.2	24.7
-147.6	-11.91		474	-5.6	-141.3	-30.0	0.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	59.49	Max Cent	0.0	0.0	0.0	0.0
-0.0	54.86	470	0.0	0.0	0.0	0.0
-0.0	52.12	471	0.0	0.0	0.0	0.0
0.0	63.19	475	0.0	0.0	0.0	0.0
0.0	67.25	474	0.0	0.0	0.0	0.0
-0.1	-3.40	Min Cent	-0.1	-0.1	-0.0	-0.1
-0.1	-8.11	470	-0.0	-0.1	-0.0	-0.0
-0.1	-8.37	471	-0.0	-0.1	-0.0	-0.0
-0.2	-1.69	475	-0.1	-0.2	-0.0	-0.1
-0.2	-1.72	474	-0.1	-0.2	-0.0	-0.1

	NODE	Vxx	Vyy
Max	Cent	0.0	0.2
	470	0.0	0.2
	471	0.0	0.2
	475	0.0	0.2
	474	0.0	0.2
Min	Cent	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

470 -0.0 -0.0  
 471 -0.0 -0.0  
 475 -0.0 -0.0  
 474 -0.0 -0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-33.8	-56.72	SLVx (RS)	Cent	-19.6	-0.9	-21.6	13.3
-46.9	-60.15		470	-32.9	-4.3	-24.5	9.8
-42.0	-63.95		471	-33.3	-5.7	-17.7	2.9
-14.2	-41.71		475	6.8	2.5	-18.7	23.4
-20.4	-43.63		474	6.4	3.9	-25.5	30.6

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	81.64		Cent	0.0	0.0	0.0	0.0
-0.0	3.57		470	-0.0	-0.0	0.0	-0.0
0.0	85.56		471	0.0	0.0	0.0	0.0
0.0	72.92		475	0.0	0.0	0.0	0.0
0.0	75.90		474	0.0	0.0	0.0	0.0

	NODE	Vxx	Vyy
	Cent	-0.0	-0.0
	470	-0.0	-0.0
	471	-0.0	-0.0
	475	-0.0	-0.0
	474	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-40.0	67.27	SLVy (RS)	Cent	-32.9	0.2	16.8	7.3
-40.4	67.44		470	-33.3	0.7	17.1	7.8
-41.1	66.82		471	-33.7	-0.8	17.2	6.6
-39.6	67.08		475	-32.6	-0.4	16.6	6.7
-39.0	67.63		474	-32.2	1.0	16.5	7.8

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-81.43		Cent	0.0	0.1	-0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.1	-87.22	470	0.1	0.2	-0.0	0.2
0.1	-86.26	471	0.1	0.2	-0.0	0.2
0.0	-60.95	475	0.0	0.0	-0.0	0.1
0.0	-66.63	474	0.0	0.1	-0.0	0.1

NODE	Vxx	Vyy
Cent	-0.0	0.4
470	-0.1	0.4
471	-0.1	0.4
475	-0.0	0.4
474	-0.0	0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-16.9	-56.71	SLDx (RS)	Cent	-9.8	-0.5	-10.8	6.6
-23.5	-60.15		470	-16.4	-2.1	-12.2	4.9
-21.0	-63.95		471	-16.7	-2.9	-8.9	1.5
-7.1	-41.72		475	3.4	1.2	-9.3	11.7
-10.2	-43.63		474	3.2	2.0	-12.7	15.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	81.64	Cent	0.0	0.0	0.0	0.0
-0.0	3.57	470	-0.0	-0.0	0.0	-0.0
0.0	85.57	471	0.0	0.0	0.0	0.0
0.0	72.91	475	0.0	0.0	0.0	0.0
0.0	75.90	474	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
470	-0.0	-0.0
471	-0.0	-0.0
475	-0.0	-0.0
474	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-20.0	67.27	SLDy (RS)	Cent	-16.5	0.1	8.4	3.6
-20.2	67.44		470	-16.6	0.4	8.5	3.9
			471	-16.8	-0.4	8.6	3.3

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-20.5	66.82		475	-16.3	-0.2	8.3	3.3
-19.8	67.08		474	-16.1	0.5	8.2	3.9
-19.5	67.62						

Mmin ANGLE NODE Mxx Myy Mxy Mmax

0.0	-81.42	Cent	0.0	0.1	-0.0	0.1
0.0	-87.21	470	0.0	0.1	-0.0	0.1
0.0	-86.26	471	0.0	0.1	-0.0	0.1
0.0	-60.94	475	0.0	0.0	-0.0	0.0
0.0	-66.61	474	0.0	0.0	-0.0	0.0

NODE Vxx Vyy

Cent	-0.0	0.2
470	-0.0	0.2
471	-0.0	0.2
475	-0.0	0.2
474	-0.0	0.2

Fmin ANGLE LC NODE Fxx Fyy Fxy Fmax

-14.8	-56.42	SLVz (RS)	Cent	-8.4	-0.4	-9.5	5.9
-20.6	-59.95		470	-14.3	-1.9	-10.8	4.4
-18.4	-63.73		471	-14.5	-2.5	-7.8	1.3
-9.2	-51.27		475	-2.6	1.1	-8.3	7.7
-11.8	-50.19		474	-2.4	1.7	-11.3	11.1

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-0.0	8.02	Cent	-0.0	-0.0	0.0	-0.0
-0.0	2.78	470	-0.0	-0.0	0.0	-0.0
-0.0	3.64	471	-0.0	-0.0	0.0	-0.0
0.0	68.39	475	0.0	0.0	0.0	0.0
0.0	72.56	474	0.0	0.0	0.0	0.0

NODE Vxx Vyy

Cent	0.0	-0.0
470	0.0	-0.0
471	0.0	-0.0
475	0.0	-0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE						
		g1	Cent	187.8	-5.6	189.0	303.4
-121.2	31.45		470	322.4	27.8	217.8	438.1
-87.8	27.97		471	327.2	43.8	149.5	391.5
-20.5	23.27		475	53.2	-39.0	160.2	173.8
-159.6	36.97		474	48.4	-55.0	228.5	231.0
-237.6	38.63						
			NODE	Mxx	Myy	Mxy	Mmax
Mmin	ANGLE						
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-19.72		470	-0.0	0.0	-0.0	0.0
-0.0	-60.05		471	-0.0	0.0	-0.0	0.0
-0.0	-62.59		475	-0.0	-0.0	-0.0	-0.0
-0.0	-8.20		474	-0.0	-0.0	-0.0	-0.0
-0.0	-8.59						
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			470	0.0	0.0		
			471	0.0	0.0		
			475	0.0	0.0		
			474	0.0	0.0		
		LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE						
		g2	Cent	90.1	-4.8	90.9	145.2
-60.0	31.22		470	155.5	11.5	105.0	210.8
-43.8	27.78		471	157.7	19.1	71.8	188.2
-11.4	23.00		475	24.6	-21.2	76.9	82.0
-78.5	36.71		474	22.4	-28.7	110.1	109.8
-116.2	38.46						
			NODE	Mxx	Myy	Mxy	Mmax
Mmin	ANGLE						
			Cent	0.0	0.0	-0.0	0.0
0.0	-88.62		470	0.0	0.0	-0.0	0.0
0.0	-89.36		471	0.0	0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-88.22		475	0.0	0.0	-0.0	0.0
0.0	-88.09		474	0.0	0.0	-0.0	0.0
0.0	-88.79						

NODE	Vxx	Vyy
Cent	-0.0	-0.0
470	-0.0	-0.0
471	-0.0	-0.0
475	-0.0	-0.0
474	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q3	Cent	7.1	0.2	5.7	10.3
-3.0	29.37		470	9.5	0.8	6.2	12.7
-2.4	27.43		471	9.6	1.1	5.0	11.9
-1.2	24.75		475	4.7	-0.4	5.2	7.9
-3.6	31.91		474	4.6	-0.7	6.4	8.9
-4.9	33.72						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	0.0	-0.0	0.0
-0.0	-59.12	470	0.0	0.0	-0.0	0.0
0.0	-75.55	471	0.0	0.0	-0.0	0.0
0.0	-77.08	475	-0.0	-0.0	-0.0	-0.0
-0.0	-25.22	474	-0.0	-0.0	-0.0	-0.0
-0.0	-23.68					

NODE	Vxx	Vyy
Cent	0.0	0.0
470	0.0	0.0
471	0.0	0.0
475	0.0	0.0
474	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_pc	Cent	-24.5	-0.0	-0.1	-0.0
-24.5	-89.72		470	-27.1	-0.4	-0.5	-0.3
-27.1	-88.90		471	-27.3	-1.3	0.8	-1.3
-27.4	88.22		475	-22.0	0.3	0.3	0.3
-22.0	89.29						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-21.8	-87.41		474	-21.7	1.3	-1.0	1.3
-----							
0.1	-83.01		Cent	0.1	0.2	-0.0	0.2
0.1	-88.05		470	0.1	0.4	-0.0	0.4
0.1	-87.42		471	0.1	0.4	-0.0	0.4
0.0	-63.18		475	0.0	0.1	-0.0	0.1
0.0	-68.51		474	0.0	0.1	-0.0	0.1
-----							
			NODE	Vxx	Vyy		
			Cent	-0.1	0.6		
			470	-0.1	0.7		
			471	-0.1	0.6		
			475	-0.0	0.6		
			474	-0.0	0.7		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-21.8	86.73	q5_ps	Cent	-21.7	-0.1	1.2	0.0
-23.7	87.63		470	-23.6	-0.3	1.0	-0.2
-24.1	85.06		471	-23.9	-1.1	2.0	-1.0
-19.9	85.69		475	-19.8	0.1	1.5	0.2
-19.6	88.61		474	-19.5	1.0	0.5	1.0
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.1	-83.20		Cent	0.1	0.2	-0.0	0.2
0.1	-88.07		470	0.1	0.4	-0.0	0.4
0.1	-87.43		471	0.1	0.4	-0.0	0.4
0.0	-65.24		475	0.0	0.1	-0.0	0.1
0.0	-70.16		474	0.0	0.1	-0.0	0.1
-----							
			NODE	Vxx	Vyy		
			Cent	-0.1	0.6		
			470	-0.1	0.6		
			471	-0.1	0.6		
			475	-0.0	0.6		
			474	-0.0	0.6		

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-886.5	52.88	INVSLU	Max Cent	-449.6	-2.8	791.5	596.2
-510.3	42.25		470	428.2	238.6	985.8	1323.8
-176.8	40.51		471	446.1	270.9	555.4	919.3
-1415.3	66.47		475	-1320.1	-204.8	599.5	55.5
-1593.4	59.18		474	-1329.5	-210.3	1034.4	404.5
-1076.8	70.47		Min Cent	-847.2	-208.5	255.6	-117.9
-678.7	52.50		470	-230.1	8.4	430.4	338.7
-258.6	77.71		471	-228.6	39.0	57.9	52.0
-1614.7	85.73		475	-1464.8	-445.8	72.9	-440.3
-1973.3	68.76		474	-1472.1	-493.1	445.9	-317.5
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	-82.43		Max Cent	0.1	0.3	0.0	0.3
0.2	-88.61		470	0.2	0.6	0.0	0.6
0.2	-88.32		471	0.2	0.5	0.0	0.5
0.0	-48.87		475	0.0	0.0	0.0	0.1
-0.0	-57.68		474	0.0	0.1	0.0	0.1
-0.7	2.04		Min Cent	-0.2	-0.7	-0.0	-0.2
-0.8	-0.23		470	-0.2	-0.8	-0.0	-0.2
-0.8	0.13		471	-0.3	-0.8	-0.0	-0.3
-0.6	1.92		475	-0.2	-0.6	-0.1	-0.2
-0.6	1.44		474	-0.2	-0.6	-0.1	-0.2
			NODE	Vxx	Vyy		
			Max Cent	0.1	1.3		
			470	0.1	1.4		
			471	0.1	1.3		
			475	0.1	1.3		
			474	0.1	1.4		
			Min Cent	-0.1	-0.9		
			470	-0.1	-0.9		
			471	-0.1	-0.8		
			475	-0.1	-0.8		
			474	-0.1	-0.9		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		-----		-----		-----		-----	
		INVS LV	Max	Cent					
-404.2	57.60				-253.1	-15.0	283.8	165.1	
				470	115.6	95.4	372.7	468.1	
-224.7	45.00			471	117.8	102.4	183.9	283.6	
-41.0	43.75			475	-621.6	-119.7	194.9	-63.1	
-661.5	72.27			474	-623.7	-123.2	383.8	66.8	
-783.7	62.61		Min	Cent	-335.8	-17.2	224.8	105.4	
-486.1	61.39			470	20.6	85.2	307.0	370.9	
-297.3	47.06			471	21.7	88.9	133.4	201.2	
-114.9	50.02			475	-692.4	-125.4	142.6	-83.2	
-750.6	75.66			474	-693.4	-132.6	316.3	25.7	
-881.3	64.70								
Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax	
-----		-----		-----		-----		-----	
			Max	Cent	0.0	0.1	0.0	0.1	
0.0	-79.19			470	0.1	0.2	0.0	0.2	
0.1	-86.13			471	0.1	0.2	0.0	0.2	
0.1	-85.03			475	0.0	0.0	0.0	0.1	
0.0	-54.27			474	0.0	0.0	0.0	0.1	
-0.0	-60.33		Min	Cent	-0.1	-0.2	-0.0	-0.0	
-0.2	6.38			470	-0.1	-0.3	-0.0	-0.1	
-0.3	1.73			471	-0.1	-0.2	-0.0	-0.1	
-0.2	2.48			475	-0.0	-0.1	-0.0	-0.0	
-0.1	21.89			474	-0.0	-0.1	-0.0	-0.0	
-0.1	17.09								
				NODE	Vxx	Vyy			
-----		-----		-----		-----		-----	
			Max	Cent	0.0	0.4			
				470	0.1	0.4			
				471	0.1	0.4			
				475	0.0	0.4			
				474	0.0	0.4			
			Min	Cent	-0.0	-0.4			
				470	-0.1	-0.4			
				471	-0.1	-0.3			
				475	-0.0	-0.3			
				474	-0.0	-0.4			
ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
-----		-----		-----		-----		-----	

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

453	2	8	Q1-1-2	Max	Cent	620.4	17.8	332.7	767.9
-129.8		23.92				466	806.2	49.5	363.1
		21.91				467	825.7	97.2	270.0
8.0		18.27				471	434.5	0.6	302.4
-154.6		27.17				470	415.8	1.5	396.0
-238.3		31.19							
				Min	Cent	-12.6	-69.3	-49.6	16.2
-98.1		-30.13				466	-16.4	-54.5	-33.8
		-30.32				467	-16.7	-29.4	-75.9
-99.3		-42.61				471	-8.8	-96.9	-68.6
-134.4		-28.66				470	-8.6	-152.5	-27.7
-157.7		-10.54							

Mmin ANGLE NODE Mxx Myy Mxy Mmax

			Max	Cent		0.0	0.0	0.0	0.0
-0.0	54.42				466	0.0	0.0	0.0	0.0
0.0	62.61				467	0.0	0.0	0.0	0.0
0.0	60.95				471	0.0	0.0	0.0	0.0
0.0	56.65				470	0.0	0.0	0.0	0.0
-0.0	58.30								
			Min	Cent		-0.0	-0.1	-0.0	-0.0
-0.1	-25.66				466	-0.0	-0.0	-0.0	0.0
-0.0	-42.08				467	-0.0	-0.0	-0.0	0.0
-0.0	-43.03				471	-0.1	-0.1	-0.0	-0.1
-0.1	-14.31				470	-0.1	-0.1	-0.0	-0.0
-0.1	-12.00								

NODE Vxx Vyy

	Max	Cent	0.0	0.3
		466	0.0	0.3
		467	0.0	0.3
		471	0.0	0.3
		470	0.0	0.3
	Min	Cent	-0.0	-0.0
		466	-0.0	-0.0
		467	-0.0	-0.0
		471	-0.0	-0.0
		470	-0.0	-0.0

Fmin ANGLE LC NODE Fxx Fyy Fxy Fmax

			Q2a-1-2	Max	Cent	374.2	11.1	203.3	465.2
-79.9	24.12								

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-59.8	22.14		466	485.5	30.5	221.9	575.8
4.6	18.45		467	497.8	59.5	164.5	552.6
-95.0	27.31		471	262.9	0.5	184.8	358.4
-146.7	31.36		470	251.2	1.1	242.5	399.0
-69.4	-29.99	Min	Cent	-9.4	-49.4	-34.6	10.6
-52.7	-30.23		466	-12.2	-38.9	-23.6	1.6
-70.0	-42.68		467	-12.4	-21.0	-53.1	36.6
-93.7	-28.85		471	-6.6	-67.2	-48.0	19.9
-105.1	-11.10		470	-6.4	-101.3	-19.4	-2.6

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	53.11	Max	Cent	0.0	0.0	0.0	0.0
0.0	62.12		466	0.0	0.0	0.0	0.0
-0.0	60.48		467	0.0	0.0	0.0	0.0
-0.0	53.00		471	0.0	0.0	0.0	0.0
-0.0	54.24		470	0.0	0.0	0.0	0.0
-0.0	-25.30	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-42.37		466	-0.0	-0.0	-0.0	0.0
-0.0	-44.02		467	-0.0	-0.0	-0.0	0.0
-0.1	-13.81		471	-0.0	-0.1	-0.0	-0.0
-0.1	-11.55		470	-0.0	-0.1	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.2
	466	0.0	0.2
	467	0.0	0.2
	471	0.0	0.2
	470	0.0	0.2
Min	Cent	-0.0	-0.0
	466	-0.0	-0.0
	467	-0.0	-0.0
	471	-0.0	-0.0
	470	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-53.8	-67.56	SLVx (RS)	Cent	-44.9	-1.5	-21.6	7.4
-67.6	-69.23		466	-58.4	-4.1	-24.1	5.1

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-64.6	-73.35		467	-59.5	-7.6	-17.1	-2.5
-40.1	-65.15		471	-31.3	1.0	-19.1	9.9
-44.2	-61.84		470	-30.3	4.6	-26.1	18.5
-----							
-0.0	-6.90		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-10.23		466	-0.0	-0.0	-0.0	-0.0
-0.0	-11.19		467	-0.0	-0.0	-0.0	-0.0
0.0	-85.47		471	0.0	0.0	-0.0	0.0
-0.0	-3.93		470	-0.0	-0.0	-0.0	-0.0
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			466	0.0	-0.0		
			467	0.0	-0.0		
			471	-0.0	-0.0		
			470	-0.0	-0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-39.6	69.32	SLVy (RS)	Cent	-34.0	-0.3	14.9	5.3
-40.1	69.74		466	-34.5	0.6	15.0	6.2
-40.7	69.10		467	-34.9	-0.9	15.2	4.9
-39.1	69.29		471	-33.6	-0.3	14.7	5.3
-38.6	69.79		470	-33.2	0.9	14.5	6.3
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.1	86.27		Cent	0.1	0.2	0.0	0.2
0.0	82.87		466	0.0	0.1	0.0	0.1
0.1	82.23		467	0.1	0.1	0.0	0.1
0.1	88.62		471	0.1	0.2	0.0	0.2
0.1	88.64		470	0.1	0.2	0.0	0.2
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.2		
			466	-0.0	-0.2		
			467	-0.0	-0.2		



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		LC	NODE	Fxx	Fyy	Fxy	Fmax
471				-0.1	-0.2		
470				-0.1	-0.2		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLDx (RS)	Cent	-22.4	-0.8	-10.8	3.7
-26.9	-67.56		466	-29.2	-2.0	-12.0	2.5
-33.8	-69.23		467	-29.7	-3.8	-8.5	-1.2
-32.3	-73.34		471	-15.6	0.5	-9.5	4.9
-20.1	-65.14		470	-15.1	2.3	-13.0	9.3
-22.1	-61.84						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-6.91		466	-0.0	-0.0	-0.0	-0.0
-0.0	-10.26		467	-0.0	-0.0	-0.0	-0.0
-0.0	-11.21		471	0.0	0.0	-0.0	0.0
0.0	-85.47		470	-0.0	-0.0	-0.0	-0.0
-0.0	-3.93						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.0		
			466	0.0	-0.0		
			467	0.0	-0.0		
			471	-0.0	-0.0		
			470	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLDy (RS)	Cent	-17.0	-0.1	7.4	2.7
-19.8	69.32		466	-17.2	0.3	7.5	3.1
-20.0	69.74		467	-17.4	-0.4	7.6	2.4
-20.3	69.09		471	-16.8	-0.1	7.3	2.6
-19.5	69.28		470	-16.6	0.5	7.3	3.1
-19.3	69.78						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	0.1	0.0	0.1
0.0	86.26		466	0.0	0.1	0.0	0.1
0.0	82.85						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	82.21	467	0.0	0.1	0.0	0.1
0.0	88.61	471	0.0	0.1	0.0	0.1
0.0	88.64	470	0.0	0.1	0.0	0.1

NODE	Vxx	Vyy
Cent	-0.0	-0.1
466	-0.0	-0.1
467	-0.0	-0.1
471	-0.0	-0.1
470	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-23.6	-67.44	SLVz (RS)	Cent	-19.6	-0.7	-9.5	3.3
-29.7	-69.14		466	-25.7	-1.8	-10.6	2.3
-28.4	-73.27		467	-26.1	-3.3	-7.5	-1.1
-17.6	-64.98		471	-13.6	0.5	-8.4	4.4
-19.4	-61.69		470	-13.2	2.0	-11.5	8.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	5.82	Cent	-0.0	-0.0	0.0	-0.0
-0.0	10.49	466	-0.0	-0.0	0.0	-0.0
-0.0	11.40	467	-0.0	-0.0	0.0	-0.0
-0.0	2.95	471	-0.0	-0.0	0.0	-0.0
-0.0	2.73	470	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
466	0.0	-0.0
467	0.0	-0.0
471	0.0	-0.0
470	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-66.4	20.47	g1	Cent	445.1	4.9	190.9	516.4
-44.1	19.04		466	582.4	30.5	216.2	657.0
28.8	14.43		467	593.1	66.2	145.2	630.5
			471	307.8	-20.7	165.7	376.9

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-89.8	22.62		470	297.1	-56.4	236.7	415.8
-175.1	26.62						
-----							
0.0	-76.23		Cent	0.0	0.0	-0.0	0.0
0.0	-82.21		466	0.0	0.0	-0.0	0.0
0.0	-81.71		467	0.0	0.0	-0.0	0.0
0.0	-81.71		471	0.0	0.0	-0.0	0.0
-0.0	-61.19		470	-0.0	0.0	-0.0	0.0
-0.0	-58.13						
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			466	-0.0	0.0		
			467	-0.0	0.0		
			471	0.0	0.0		
			470	0.0	0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-33.0	20.24	g2	Cent	215.7	0.8	91.7	249.5
-22.1	18.85		466	282.9	13.5	104.1	318.4
13.2	14.16		467	288.0	30.7	69.3	305.5
-44.4	22.34		471	148.5	-11.8	79.2	181.0
-85.8	26.46		470	143.3	-29.1	114.0	200.0
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	85.82		Cent	0.0	0.0	0.0	0.0
0.0	80.15		466	0.0	0.0	0.0	0.0
0.0	78.57		467	0.0	0.0	0.0	0.0
0.0	87.64		471	0.0	0.0	0.0	0.0
0.0	88.22		470	0.0	0.0	0.0	0.0
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			466	-0.0	-0.0		
			467	-0.0	-0.0		
			471	-0.0	-0.0		
			470	-0.0	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.0	22.10	q3	Cent	11.7	0.3	5.5	13.9
-1.6	20.73		466	14.1	0.7	5.9	16.4
-0.0	17.97		467	14.4	1.5	4.7	15.9
-2.3	23.87		471	9.2	-0.1	5.1	11.5
-4.1	26.16		470	9.0	-0.9	6.4	12.1
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-81.10		Cent	0.0	0.0	-0.0	0.0
0.0	-84.40		466	0.0	0.0	-0.0	0.0
0.0	-83.92		467	0.0	0.0	-0.0	0.0
0.0	-75.47		471	0.0	0.0	-0.0	0.0
0.0	-75.23		470	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			466	-0.0	0.0		
			467	-0.0	0.0		
			471	0.0	0.0		
			470	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-29.8	-88.98	q5_pc	Cent	-29.8	-0.2	-0.5	-0.2
-32.7	-88.37		466	-32.6	-0.4	-0.9	-0.4
-33.1	88.88		467	-33.1	-1.8	0.6	-1.8
-26.9	-89.71		471	-26.9	0.1	-0.1	0.1
-26.6	-86.61		470	-26.5	1.4	-1.7	1.5
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	85.73		Cent	0.1	0.3	0.0	0.3
0.1	82.38		466	0.1	0.3	0.0	0.3
0.1	81.87		467	0.1	0.2	0.0	0.2
			471	0.1	0.4	0.0	0.4

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.1	88.13		470	0.1	0.4	0.0	0.4
0.1	88.14						

NODE	Vxx	Vyy
Cent	-0.0	-0.3
466	-0.0	-0.3
467	-0.0	-0.3
471	-0.1	-0.3
470	-0.1	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-25.7	88.40	q5_ps	Cent	-25.7	-0.2	0.7	-0.1
-27.8	89.03		466	-27.7	-0.3	0.5	-0.3
-28.2	86.60		467	-28.1	-1.5	1.6	-1.4
-23.6	87.66		471	-23.6	-0.0	1.0	-0.0
-23.2	-89.61		470	-23.2	1.1	-0.2	1.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.1	85.72	Cent	0.1	0.3	0.0	0.3
0.1	82.33	466	0.1	0.3	0.0	0.3
0.1	81.82	467	0.1	0.2	0.0	0.2
0.1	88.12	471	0.1	0.4	0.0	0.4
0.1	88.14	470	0.1	0.4	0.0	0.4

NODE	Vxx	Vyy
Cent	-0.0	-0.3
466	-0.0	-0.3
467	-0.0	-0.3
471	-0.1	-0.3
470	-0.1	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-224.0	27.05	INVSLU Max	Cent	1205.2	30.5	811.2	1619.3
-85.5	23.41		466	2077.7	227.8	985.3	2504.2
210.9	15.86		467	2126.0	365.6	545.3	2280.7
-406.7	34.68		471	332.7	-147.0	637.1	773.6
-824.6	38.42		470	285.4	-216.7	1078.9	1141.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-394.4	28.41	Min	Cent	289.6	-87.4	294.1	456.1
-207.6	23.73		466	901.7	86.7	447.9	1105.3
183.2	5.99		467	922.6	191.4	77.2	937.5
-603.8	48.73		471	-322.5	-278.8	136.0	-159.4
-1089.1	42.47		470	-343.3	-427.2	503.8	125.9

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	83.94	Max	Cent	0.1	0.4	0.0	0.4
0.1	80.51		466	0.1	0.4	0.0	0.4
0.1	79.38		467	0.1	0.3	0.0	0.3
0.2	86.67		471	0.2	0.5	0.0	0.5
0.2	87.10		470	0.2	0.6	0.0	0.6
-0.6	-6.77	Min	Cent	-0.2	-0.6	-0.0	-0.2
-0.4	-11.34		466	-0.1	-0.4	-0.1	-0.1
-0.4	-11.83		467	-0.1	-0.4	-0.1	-0.1
-0.8	-3.91		471	-0.3	-0.8	-0.0	-0.3
-0.8	-3.68		470	-0.2	-0.8	-0.0	-0.2

	NODE	Vxx	Vyy
Max	Cent	0.1	0.8
	466	0.0	0.9
	467	0.0	0.8
	471	0.1	0.7
	470	0.1	0.9
Min	Cent	-0.1	-0.4
	466	-0.1	-0.4
	467	-0.1	-0.4
	471	-0.1	-0.4
	470	-0.1	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-114.8	26.59	INVSLV	Max	Cent	439.3	5.8	298.3
-40.7	22.81			466	817.2	96.3	377.6
110.9	13.63			467	833.1	149.1	185.4
-203.5	35.43			471	63.0	-82.2	219.1
-414.5	38.59			470	47.6	-126.7	411.3
-160.2	28.86		Min	Cent	317.4	2.2	240.5

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-76.7	24.11	466	664.2	86.7	314.0	808.8
88.8	14.13	467	677.5	131.4	137.6	714.5
-263.8	40.73	471	-31.0	-84.7	167.1	122.0
-483.3	41.60	470	-44.9	-137.6	343.5	269.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Max Cent	0.1	0.2	0.0	0.2
0.1	87.77	466	0.0	0.2	0.0	0.2
0.0	85.01	467	0.1	0.1	0.0	0.1
0.1	84.52	471	0.1	0.2	0.0	0.2
0.1	89.93	470	0.1	0.2	0.0	0.2
0.1	89.75	Min Cent	-0.1	-0.2	-0.0	-0.1
-0.2	-5.21	466	-0.0	-0.1	-0.0	-0.0
-0.1	-9.34	467	-0.1	-0.1	-0.0	-0.0
-0.1	-10.13	471	-0.1	-0.2	-0.0	-0.1
-0.2	-2.56	470	-0.1	-0.3	-0.0	-0.1
-0.3	-2.42					

	NODE	Vxx	Vyy
Max	Cent	0.0	0.2
	466	0.0	0.2
	467	0.0	0.2
	471	0.1	0.2
	470	0.1	0.2
Min	Cent	-0.0	-0.2
	466	-0.0	-0.2
	467	-0.0	-0.2
	471	-0.1	-0.2
	470	-0.1	-0.2

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
	Fmin	ANGLE						
457	2	8	Q1-1-2	Max Cent	0.8	14.2	324.3	331.9
-316.8		45.59		474	96.2	67.1	368.4	450.4
-287.0		43.87		475	87.5	39.3	283.1	347.5
-220.7		42.57		479	3.8	0.7	282.3	284.6
-280.1		44.84		478	4.0	2.4	371.1	374.3
-367.9		44.94		Min Cent	-88.4	-207.1	-58.8	-64.2
-231.3		-22.37		474	-2.5	-198.7	-37.8	4.5
-205.8		-10.53						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-212.2	-21.48		475	-2.8	-179.8	-82.4	29.7
-341.0	-43.23		479	-245.5	-256.6	-89.8	-161.1
-296.1	-37.29		478	-244.1	-265.9	-39.6	-214.0

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	58.70	Max	Cent	0.0	0.0	0.0	0.0
-0.0	60.87		474	0.0	0.0	0.0	0.0
-0.0	58.45		475	0.0	0.0	0.0	0.0
-0.0	56.69		479	0.0	0.0	0.0	0.1
-0.0	59.20		478	0.0	0.0	0.0	0.1
-0.4	-2.54	Min	Cent	-0.1	-0.4	-0.0	-0.1
-0.3	-2.36		474	-0.1	-0.3	-0.0	-0.1
-0.3	-2.45		475	-0.1	-0.3	-0.0	-0.1
-0.4	-3.02		479	-0.2	-0.4	-0.0	-0.2
-0.5	-2.86		478	-0.1	-0.5	-0.0	-0.1

	NODE	Vxx	Vyy
Max	Cent	0.1	0.4
	474	0.0	0.4
	475	0.0	0.4
	479	0.1	0.4
	478	0.1	0.4
Min	Cent	-0.0	-0.0
	474	-0.0	-0.0
	475	-0.0	-0.0
	479	-0.0	-0.0
	478	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-191.8	45.61	Q2a-1-2	Max Cent	0.6	9.0	196.6	201.4
-173.8	43.93		474	58.0	41.3	223.2	273.0
-133.2	42.67		475	52.5	24.6	171.2	210.3
-169.8	44.80		479	2.8	0.4	171.4	173.1
-223.8	44.90		478	3.0	1.5	226.0	228.3
-163.8	-21.01		Min Cent	-58.0	-148.1	-40.6	-42.3
-147.5	-10.14		474	-1.7	-142.8	-26.1	2.9
-151.0	-20.99		475	-1.9	-129.1	-57.2	20.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-229.8	-39.30	479	-153.3	-178.6	-62.6	-102.1
-203.8	-28.46	478	-153.4	-189.0	-27.3	-138.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Max Cent	0.0	0.0	0.0	0.0
-0.0	54.01	474	0.0	0.0	0.0	0.0
-0.0	55.84	475	0.0	0.0	0.0	0.0
-0.0	53.94	479	0.0	0.0	0.0	0.0
-0.0	52.47	478	0.0	0.0	0.0	0.0
-0.0	54.43	Min Cent	-0.1	-0.3	-0.0	-0.1
-0.3	-2.18	474	-0.1	-0.2	-0.0	-0.1
-0.2	-1.99	475	-0.1	-0.2	-0.0	-0.1
-0.2	-2.04	479	-0.1	-0.3	-0.0	-0.1
-0.3	-2.67	478	-0.1	-0.3	-0.0	-0.1
-0.3	-2.56					

	NODE	Vxx	Vyy
Max	Cent	0.1	0.3
	474	0.0	0.3
	475	0.0	0.3
	479	0.1	0.3
	478	0.1	0.3
Min	Cent	-0.0	-0.0
	474	-0.0	-0.0
	475	-0.0	-0.0
	479	-0.0	-0.0
	478	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	4.0	-0.6	-21.4	23.2
-19.8	-41.92		474	8.7	-4.7	-25.0	27.9
-23.9	-37.53		475	8.2	-2.8	-18.2	21.7
-16.3	-36.57		479	13.7	3.4	-17.7	27.0
-9.9	-36.94		478	13.1	-1.6	-24.6	31.4
-19.9	-36.68						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	0.0	0.0	0.0	0.0
0.0	78.52		474	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	75.76		475	0.0	0.0	0.0	0.0
0.0	73.33		479	0.0	0.0	0.0	0.0
0.0	84.31		478	0.0	0.0	0.0	0.0
0.0	84.74						

NODE	Vxx	Vyy
Cent	-0.0	-0.0
474	-0.0	-0.0
475	-0.0	-0.0
479	-0.0	-0.0
478	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	-32.9	-0.1	17.3	7.3
-40.4	66.70		474	-32.1	1.3	18.0	9.2
-40.0	66.47		475	-32.9	-1.2	17.6	6.7
-40.7	65.98		479	-33.8	-1.5	16.7	5.6
-40.8	67.02		478	-33.0	1.0	17.1	8.1
-40.1	67.46						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-12.20	474	0.0	0.1	-0.0	0.1
0.0	-66.43	475	0.0	0.0	-0.0	0.1
0.0	-61.36	479	-0.1	-0.3	-0.0	-0.1
-0.3	-5.31	478	-0.1	-0.3	-0.0	-0.1
-0.3	-5.01					

NODE	Vxx	Vyy
Cent	-0.0	0.9
474	-0.0	0.9
475	-0.0	0.8
479	0.0	0.8
478	0.0	0.9

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDx (RS)	Cent	2.0	-0.3	-10.7	11.6
-9.9	-41.92		474	4.3	-2.3	-12.5	14.0
-11.9	-37.54		475	4.1	-1.4	-9.1	10.9
-8.1	-36.57						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-5.0	-36.94		479	6.8	1.7	-8.9	13.5
-9.9	-36.68		478	6.5	-0.8	-12.3	15.7
-----							
0.0	78.50		Cent	0.0	0.0	0.0	0.0
0.0	75.75		474	0.0	0.0	0.0	0.0
0.0	73.32		475	0.0	0.0	0.0	0.0
0.0	84.31		479	0.0	0.0	0.0	0.0
0.0	84.73		478	0.0	0.0	0.0	0.0
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			474	-0.0	-0.0		
			475	-0.0	-0.0		
			479	-0.0	-0.0		
			478	-0.0	-0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-20.2	66.69	SLDy (RS)	Cent	-16.5	-0.1	8.7	3.7
-20.0	66.46		474	-16.1	0.7	9.0	4.6
-20.3	65.98		475	-16.4	-0.6	8.8	3.3
-20.4	67.02		479	-16.9	-0.7	8.3	2.8
-20.0	67.45		478	-16.5	0.5	8.5	4.1
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.1	-12.22		Cent	-0.0	-0.1	-0.0	-0.0
0.0	-66.41		474	0.0	0.0	-0.0	0.0
0.0	-61.34		475	0.0	0.0	-0.0	0.0
-0.1	-5.31		479	-0.0	-0.1	-0.0	-0.0
-0.1	-5.01		478	-0.0	-0.1	-0.0	-0.0
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	0.4		
			474	-0.0	0.5		
			475	-0.0	0.4		
			479	0.0	0.4		
			478	0.0	0.5		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-8.9	-42.46	SLVz (RS)	Cent	1.4	-0.3	-9.5	10.1
-13.9	-46.86		474	-3.5	-2.1	-11.1	8.3
-10.4	-48.59		475	-3.3	-1.2	-8.1	5.9
-4.4	-36.91		479	6.1	1.5	-7.8	11.9
-7.9	-38.37		478	5.8	0.7	-10.9	14.4
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	75.84		Cent	0.0	0.0	0.0	0.0
0.0	71.63		474	0.0	0.0	0.0	0.0
0.0	68.21		475	0.0	0.0	0.0	0.0
0.0	84.00		479	0.0	0.0	0.0	0.0
0.0	84.35		478	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			474	0.0	-0.0		
			475	0.0	-0.0		
			479	-0.0	-0.0		
			478	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-212.1	46.73	g1	Cent	-35.5	-12.8	187.6	163.8
-176.1	41.99		474	72.5	25.4	223.8	274.0
-116.3	39.82		475	68.6	12.3	154.1	197.1
-255.6	53.49		479	-143.5	-51.0	151.4	61.1
-315.6	51.48		478	-139.5	-37.9	221.1	138.1
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-3.32		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-5.61		474	-0.0	-0.0	-0.0	-0.0
-0.0	-4.84		475	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-2.19	479	-0.0	-0.0	-0.0	-0.0
-0.0	-2.68	478	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
474	0.0	0.0
475	0.0	0.0
479	0.0	0.0
478	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-104.1	46.40	g2	Cent	-18.0	-9.2	90.4	77.0
-87.0	41.76		474	33.8	9.3	107.9	130.1
-58.7	39.46		475	31.8	2.6	74.5	93.1
-124.7	53.04		479	-69.8	-27.7	73.0	27.3
-153.3	51.20		478	-67.8	-21.0	106.4	64.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-87.18	Cent	0.0	0.1	-0.0	0.1
0.0	-87.36	474	0.0	0.0	-0.0	0.0
0.0	-86.66	475	0.0	0.0	-0.0	0.0
0.0	-86.99	479	0.0	0.1	-0.0	0.1
0.0	-87.73	478	0.0	0.1	-0.0	0.1

NODE	Vxx	Vyy
Cent	-0.0	-0.0
474	-0.0	-0.0
475	-0.0	-0.0
479	-0.0	-0.0
478	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-4.0	37.32	q3	Cent	3.3	0.2	5.6	7.6
-3.5	36.17		474	5.2	1.2	6.3	9.8
-3.0	33.04		475	4.9	0.3	5.2	8.3
-4.6	38.82		479	1.5	-0.7	4.9	5.4
			478	1.7	0.1	6.0	7.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-5.2      41.28

Mmin      ANGLE      NODE      Mxx      Myy      Mxy      Mmax

-----						
-0.0	-9.92	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-20.09	474	-0.0	-0.0	-0.0	-0.0
-0.0	-21.07	475	-0.0	-0.0	-0.0	-0.0
-0.0	-5.93	479	-0.0	-0.0	-0.0	-0.0
-0.0	-6.25	478	-0.0	-0.0	-0.0	-0.0

NODE      Vxx      Vyy

Cent	0.0	0.0
474	0.0	0.0
475	0.0	0.0
479	0.0	0.0
478	0.0	0.0

Fmin      ANGLE      LC      NODE      Fxx      Fyy      Fxy      Fmax

-----							
-21.0	-89.88	q5_pc	Cent	-21.0	0.1	-0.0	0.1
-22.3	-88.71		474	-22.3	-0.5	-0.5	-0.5
-22.2	89.26		475	-22.2	-0.1	0.3	-0.1
-19.8	88.87		479	-19.8	0.6	0.4	0.6
-19.9	-88.94		478	-19.9	0.2	-0.4	0.2

Mmin      ANGLE      NODE      Mxx      Myy      Mxy      Mmax

-----							
-0.2	-10.17		Cent	-0.1	-0.2	-0.0	-0.1
0.0	-68.13		474	0.0	0.1	-0.0	0.1
0.0	-63.65		475	0.0	0.1	-0.0	0.1
-0.5	-4.35		479	-0.1	-0.5	-0.0	-0.1
-0.5	-4.28		478	-0.1	-0.5	-0.0	-0.1

NODE      Vxx      Vyy

Cent	-0.0	1.5
474	-0.0	1.6
475	-0.0	1.4
479	0.0	1.4
478	0.0	1.6

LC      NODE      Fxx      Fyy      Fxy      Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE						
-19.1	85.81	q5_ps	Cent	-19.0	-0.1	1.4	0.0
-20.0	86.81		474	-20.0	-0.4	1.1	-0.3
-20.1	85.10		475	-19.9	-0.3	1.7	-0.2
-18.3	84.75		479	-18.1	0.2	1.7	0.4
-18.2	86.57		478	-18.1	0.2	1.1	0.2
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.2	-10.89		Cent	-0.1	-0.2	-0.0	-0.0
0.0	-69.65		474	0.0	0.1	-0.0	0.1
0.0	-65.68		475	0.0	0.1	-0.0	0.1
-0.5	-4.57		479	-0.1	-0.4	-0.0	-0.1
-0.5	-4.47		478	-0.1	-0.5	-0.0	-0.1
			NODE	Vxx	Vyy		
			Cent	-0.0	1.5		
			474	-0.0	1.6		
			475	-0.0	1.4		
			479	0.0	1.4		
			478	0.0	1.6		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1979.3	69.14	INVSLU Max	Cent	-1854.3	-33.4	817.1	277.8
-1498.2	61.72		474	-1189.9	194.2	1048.3	758.3
-1315.1	70.09		475	-1196.2	175.2	572.1	382.2
-2467.6	75.93		479	-2402.3	-206.9	589.6	-60.5
-2670.7	67.84		478	-2407.5	-223.8	1070.3	211.7
-2211.2	80.25	Min	Cent	-2025.1	-332.2	299.9	-280.6
-1784.7	70.10		474	-1372.4	-165.6	499.1	15.1
-1438.8	86.38		475	-1366.9	-120.7	78.1	-115.8
-2786.4	87.74		479	-2783.0	-555.3	86.5	-551.9
-2901.6	77.46		478	-2786.9	-586.5	515.2	-471.5
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		Max	Cent	0.1	0.2	0.1	0.2
0.0	70.89		474	0.0	0.1	0.1	0.1
0.0	-60.31		475	0.0	0.0	0.1	0.1
0.0	-48.70		479	0.2	0.6	0.1	0.6
0.2	81.92		478	0.2	0.7	0.1	0.7
0.2	82.85						
-----		Min	Cent	-0.2	-0.8	-0.1	-0.2
-0.8	-4.65		474	-0.2	-0.6	-0.1	-0.2
-0.6	1.31		475	-0.2	-0.6	-0.1	-0.2
-0.6	1.26		479	-0.4	-1.3	-0.1	-0.4
-1.3	-4.03		478	-0.4	-1.3	-0.1	-0.4
-1.3	-3.93						

-----		NODE	Vxx	Vyy
-----		Max	Cent	0.1
		474	0.1	2.7
		475	0.1	2.8
		479	0.1	2.5
		478	0.2	2.5
		478	0.2	2.8
-----		Min	Cent	-0.0
		474	-0.1	-2.2
		475	-0.1	-2.3
		479	-0.1	-2.1
		478	-0.1	-2.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-945.3	73.23	INVSLV	Max	Cent	-881.7	-36.7	296.3
				474	-567.2	62.9	52.5
-717.3	65.23			475	-567.2	59.2	400.5
-597.4	75.57			479	-1189.9	-127.8	187.1
-1208.7	80.67			478	-1190.3	-128.5	106.6
-1292.8	72.10						-103.6
-1037.0	75.60		Min	Cent	-950.8	-38.2	192.2
				474	-638.8	51.5	405.5
-815.3	66.87			475	-639.8	52.1	2.1
-684.9	78.53			479	-1269.2	-136.4	237.5
-1300.6	82.47			478	-1267.8	-132.7	22.8
-1394.4	73.82						332.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----						
		Max	Cent	0.0	0.1	0.0
						0.1



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	77.84			474	0.0	0.0	0.0	0.1
-0.0	-60.54			475	0.0	0.0	0.0	0.1
0.0	-54.66			479	0.1	0.2	0.0	0.3
0.1	85.18			478	0.1	0.3	0.0	0.3
0.1	85.37		Min Cent		-0.0	-0.1	-0.0	-0.0
-0.1	-12.24			474	-0.0	-0.1	-0.0	-0.0
-0.1	17.78			475	-0.0	-0.1	-0.0	-0.0
-0.1	21.52			479	-0.1	-0.3	-0.0	-0.1
-0.3	-5.74			478	-0.1	-0.3	-0.0	-0.1
-0.3	-5.34							

	NODE	Vxx	Vyy
Max	Cent	0.0	0.9
	474	0.0	0.9
	475	0.0	0.8
	479	0.0	0.8
	478	0.0	0.9
Min	Cent	-0.0	-0.9
	474	-0.0	-0.9
	475	-0.0	-0.8
	479	-0.0	-0.8
	478	-0.0	-0.9

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin		ANGLE						
461	2	8	Q1-1-2	Max Cent	4.7	25.7	311.5	326.9
-296.4		45.96		478	3.8	116.8	368.0	432.6
-312.0		49.37		479	3.4	16.7	272.5	282.6
-262.6		45.70		483	5.7	7.0	259.9	266.3
-253.5		45.07		482	6.1	92.6	364.6	416.5
-317.8		48.38		Min Cent	-300.5	-280.2	-44.5	-244.7
-335.9		-51.42		478	-245.3	-326.3	-24.7	-238.4
-333.2		-15.68		479	-261.9	-319.6	-72.8	-212.5
-369.1		-34.20		483	-382.6	-352.7	-78.1	-288.1
-447.2		-50.41		482	-372.9	-356.2	-22.3	-340.7
-388.3		-55.24						
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0		55.68		Max Cent	0.0	0.0	0.0	0.1
				478	0.0	0.0	0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	54.64		479	0.0	0.0	0.0	0.1
-0.0	56.14		483	0.0	0.0	0.0	0.1
-0.0	54.92		482	0.0	0.0	0.0	0.1
-0.0	53.86						
		Min	Cent	-0.2	-0.5	-0.0	-0.1
-0.5	-4.44		478	-0.1	-0.5	-0.0	-0.1
-0.5	-3.78		479	-0.2	-0.5	-0.0	-0.2
-0.5	-4.67		483	-0.2	-0.5	-0.0	-0.2
-0.5	-5.27		482	-0.2	-0.5	-0.0	-0.2
-0.5	-4.72						

	NODE	Vxx	Vyy
Max	Cent	0.1	0.4
	478	0.1	0.5
	479	0.1	0.4
	483	0.1	0.4
	482	0.1	0.5
Min	Cent	-0.1	-0.1
	478	-0.0	-0.1
	479	-0.0	-0.3
	483	-0.1	-0.3
	482	-0.1	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-178.8	45.93	Q2a-1-2	Max	Cent	3.5	15.7	188.3	198.0
-188.2	49.37			478	2.8	71.3	222.6	262.3
-157.8	45.77			479	2.5	11.3	164.6	171.6
-152.9	45.04			483	4.3	4.6	157.3	161.8
-193.5	48.31			482	4.6	56.2	222.3	254.2
-226.0	-39.94		Min	Cent	-189.7	-200.6	-30.4	-164.3
-238.7	-12.03			478	-159.4	-235.1	-16.9	-155.8
-253.1	-29.83			479	-165.6	-224.3	-50.2	-136.8
-296.8	-43.70			483	-240.3	-245.2	-54.0	-188.7
-264.9	-30.46			482	-239.3	-256.1	-15.1	-230.4

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
-0.0	51.85		Max	Cent	0.0	0.0	0.0	0.0
-0.0	51.16			478	0.0	0.0	0.0	0.0
				479	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	52.13		483	0.0	0.0	0.0	0.0
-0.0	51.18		482	0.0	0.0	0.0	0.0
-0.0	50.55						
-0.3	-4.10	Min	Cent	-0.1	-0.3	-0.0	-0.1
-0.3	-3.42		478	-0.1	-0.3	-0.0	-0.1
-0.3	-4.35		479	-0.1	-0.3	-0.0	-0.1
-0.3	-4.96		483	-0.1	-0.3	-0.0	-0.1
-0.3	-4.35		482	-0.1	-0.3	-0.0	-0.1

	NODE	Vxx	Vyy
Max	Cent	0.1	0.2
	478	0.1	0.3
	479	0.1	0.3
	483	0.1	0.3
	482	0.1	0.3
Min	Cent	-0.0	-0.0
	478	-0.0	-0.1
	479	-0.0	-0.2
	483	-0.1	-0.2
	482	-0.1	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-15.2	-34.08	SLVx (RS)	Cent	15.7	-1.1	-20.9	29.8
-25.3	-35.30		478	10.5	-7.4	-25.3	28.4
-10.0	-36.72		479	13.6	3.1	-17.6	26.7
-5.1	-32.24		483	20.9	5.3	-16.4	31.3
-20.5	-32.26		482	17.8	-5.3	-24.2	33.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	88.05	Cent	0.0	0.0	0.0	0.0
0.0	88.15	478	0.0	0.0	0.0	0.0
0.0	85.99	479	0.0	0.0	0.0	0.0
0.0	88.05	483	0.0	0.0	0.0	0.0
0.0	-89.36	482	0.0	0.0	-0.0	0.0

	NODE	Vxx	Vyy
	Cent	0.0	-0.0
	478	-0.0	0.0
	479	-0.0	-0.0
	483	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		482	0.0	0.0			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLV <sub>y</sub> (RS)	Cent	-34.6	-0.4	17.4	6.9
-41.9	67.25		478	-32.3	3.9	19.1	12.1
-40.5	66.68		479	-34.4	-3.6	16.5	3.6
-41.6	66.49		483	-36.9	-4.3	15.7	2.0
-43.2	68.07		482	-34.8	3.2	18.3	10.6
-42.1	68.04						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.1	-0.4	-0.0	-0.1
-0.4	-1.78		478	-0.1	-0.3	-0.0	-0.1
-0.3	-1.71		479	-0.1	-0.3	-0.0	-0.1
-0.3	-3.70		483	-0.1	-0.4	-0.0	-0.1
-0.4	-1.80		482	-0.1	-0.4	-0.0	-0.1
-0.4	-0.53						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	1.2		
			478	0.0	1.2		
			479	0.0	1.1		
			483	0.0	1.1		
			482	0.0	1.2		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLD <sub>x</sub> (RS)	Cent	7.8	-0.5	-10.4	14.9
-7.6	-34.08		478	5.2	-3.7	-12.7	14.2
-12.7	-35.30		479	6.8	1.6	-8.8	13.3
-5.0	-36.72		483	10.5	2.6	-8.2	15.6
-2.5	-32.24		482	8.9	-2.6	-12.1	16.5
-10.3	-32.26						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	0.0	0.0	0.0
0.0	88.05		478	0.0	0.0	0.0	0.0
0.0	88.14		479	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	85.98		483	0.0	0.0	0.0	0.0
0.0	88.05		482	0.0	0.0	-0.0	0.0
0.0	-89.36						

NODE	Vxx	Vyy
Cent	0.0	-0.0
478	-0.0	0.0
479	-0.0	-0.0
483	0.0	-0.0
482	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDy (RS)	Cent	-17.3	-0.2	8.7	3.5
-20.9	67.25		478	-16.1	1.9	9.6	6.1
-20.2	66.68		479	-17.2	-1.8	8.2	1.8
-20.8	66.48		483	-18.4	-2.1	7.8	1.0
-21.6	68.07		482	-17.4	1.6	9.1	5.3
-21.0	68.04						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.1	-0.2	-0.0	-0.1
-0.2	-1.78	478	-0.0	-0.1	-0.0	-0.0
-0.1	-1.71	479	-0.0	-0.1	-0.0	-0.0
-0.1	-3.70	483	-0.1	-0.2	-0.0	-0.1
-0.2	-1.80	482	-0.1	-0.2	-0.0	-0.1
-0.2	-0.53					

NODE	Vxx	Vyy
Cent	0.0	0.6
478	0.0	0.6
479	0.0	0.6
483	0.0	0.6
482	0.0	0.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVz (RS)	Cent	7.0	-0.5	-9.2	13.2
-6.7	-34.04		478	4.6	-3.3	-11.2	12.6
-11.3	-35.29		479	6.0	1.4	-7.8	11.8
-4.4	-36.73		483	9.3	2.3	-7.3	13.9
-2.2	-32.18						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-9.1	-32.20		482	7.9	-2.4	-10.7	14.7
-----							
0.0	88.07		Cent	0.0	0.0	0.0	0.0
0.0	87.81		478	0.0	0.0	0.0	0.0
0.0	85.98		479	0.0	0.0	0.0	0.0
0.0	88.11		483	0.0	0.0	0.0	0.0
0.0	89.31		482	0.0	0.0	0.0	0.0
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			478	-0.0	-0.0		
			479	-0.0	-0.0		
			483	0.0	-0.0		
			482	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-290.0	56.37	g1	Cent	-167.3	-12.5	184.5	110.2
-279.0	54.51		478	-115.2	43.2	229.7	206.9
-250.4	53.94		479	-141.9	-45.8	149.0	62.7
-302.2	59.23		483	-219.3	-68.2	139.3	14.7
-330.4	57.93		482	-192.6	20.8	220.0	158.6
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	-1.65		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	0.10		478	-0.0	-0.0	0.0	-0.0
-0.0	-2.69		479	-0.0	-0.0	-0.0	-0.0
-0.0	-1.52		483	-0.0	-0.0	-0.0	-0.0
-0.0	0.70		482	-0.0	-0.0	0.0	-0.0
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			478	0.0	0.0		
			479	0.0	0.1		
			483	-0.0	0.1		
			482	-0.0	0.0		

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		g2	Cent	-80.8	-8.6	89.1	51.4
-140.8	56.03		478	-56.4	17.0	110.4	96.6
-136.0	54.19		479	-68.6	-23.6	72.2	29.6
-121.7	53.65		483	-105.2	-34.2	67.8	6.9
-146.2	58.81		482	-93.0	6.4	106.0	73.7
-160.4	57.56						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	0.1	-0.0	0.1
0.0	-87.95		478	0.0	0.1	-0.0	0.1
0.0	-86.76		479	0.0	0.1	-0.0	0.1
0.0	-88.14		483	0.0	0.1	-0.0	0.1
0.0	-88.48		482	0.0	0.1	-0.0	0.1
0.0	-87.32						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	-0.0		
			478	-0.0	-0.0		
			479	-0.0	0.0		
			483	-0.0	0.0		
			482	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		q3	Cent	1.5	0.6	5.3	6.4
-4.3	42.63		478	2.4	2.4	6.0	8.4
-3.6	45.02		479	1.4	-1.0	5.1	5.4
-5.1	38.34		483	0.5	-1.3	4.7	4.4
-5.2	39.64		482	1.5	2.2	5.6	7.5
-3.7	46.63						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-4.55		478	-0.0	-0.0	-0.0	-0.0
-0.0	-3.83		479	-0.0	-0.0	-0.0	-0.0
-0.0	-5.51		483	-0.0	-0.0	-0.0	-0.0
-0.0	-4.24						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

			482	-0.0	-0.0	-0.0	-0.0
-0.0	-3.23						
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			478	0.0	0.0		
			479	0.0	0.0		
			483	-0.0	0.0		
			482	-0.0	0.0		

		LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE						
		q5_pc	Cent	-20.5	-0.5	0.4	-0.5
-20.5	88.98		478	-20.4	-1.4	0.7	-1.4
-20.4	87.99		479	-19.8	0.6	-0.2	0.6
-19.8	-89.42		483	-20.6	0.4	0.0	0.4
-20.6	89.88		482	-21.3	-1.7	0.9	-1.6
-21.3	87.32						

			NODE	Mxx	Myy	Mxy	Mmax
Mmin	ANGLE						
			Cent	-0.2	-0.6	-0.0	-0.2
-0.6	-1.21		478	-0.1	-0.5	-0.0	-0.1
-0.5	-0.95		479	-0.1	-0.5	-0.0	-0.1
-0.5	-2.91		483	-0.2	-0.7	-0.0	-0.2
-0.7	-1.29		482	-0.2	-0.8	-0.0	-0.2
-0.8	-0.06						

			NODE	Vxx	Vyy		
			Cent	0.0	2.0		
			478	0.0	2.2		
			479	0.0	1.9		
			483	0.0	1.9		
			482	0.0	2.2		

		LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE						
		q5_ps	Cent	-18.7	-0.5	1.7	-0.3
-18.9	84.60		478	-18.5	-1.0	2.1	-0.7
-18.7	83.30		479	-18.1	0.2	1.2	0.3
-18.2	86.15		483	-18.9	-0.0	1.4	0.1
-19.0	85.82		482	-19.3	-1.2	2.2	-0.9
-19.6	83.06						



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.6	-1.30		Cent	-0.2	-0.6	-0.0	-0.2
-0.5	-1.08		478	-0.1	-0.5	-0.0	-0.1
-0.4	-3.07		479	-0.1	-0.4	-0.0	-0.1
-0.7	-1.36		483	-0.2	-0.7	-0.0	-0.2
-0.8	-0.12		482	-0.2	-0.8	-0.0	-0.2

NODE	Vxx	Vyy
Cent	0.0	2.0
478	0.0	2.1
479	0.0	1.9
483	0.0	1.9
482	0.0	2.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2781.2	72.75	INVSLU Max	Cent	-2619.7	-37.9	890.9	238.6
-2688.5	67.48		478	-2334.3	172.5	1261.1	694.8
-2385.0	77.82		479	-2336.7	34.7	538.8	149.9
-2946.1	79.55		483	-2904.1	-149.7	527.3	-53.1
-3220.7	69.39		482	-2902.6	-31.1	1262.4	442.9
-3139.5	81.32	Min	Cent	-3076.9	-451.8	409.7	-389.1
-2930.4	73.71		478	-2716.8	-428.3	729.8	-214.7
-2741.5	88.18		479	-2739.2	-420.4	72.3	-418.1
-3475.1	88.55		483	-3473.3	-636.1	70.9	-634.3
-3642.6	76.15		482	-3460.2	-640.0	738.4	-457.6

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.2	85.57	Max	Cent	0.2	0.8	0.1	0.8
0.2	84.36		478	0.2	0.7	0.1	0.7
0.2	83.85		479	0.2	0.6	0.0	0.7
0.3	85.99		483	0.3	0.9	0.0	0.9
0.3	86.60		482	0.3	1.1	0.1	1.1
-1.5	-2.49	Min	Cent	-0.4	-1.5	-0.0	-0.4
			478	-0.4	-1.3	-0.0	-0.4

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-1.3	-2.07		479	-0.4	-1.2	-0.1	-0.4
-1.2	-4.13		483	-0.5	-1.7	-0.1	-0.5
-1.7	-2.89		482	-0.6	-1.8	-0.0	-0.5
-1.8	-1.51						

	NODE	Vxx	Vyy
Max	Cent	0.2	3.8
	478	0.2	3.6
	479	0.2	4.1
	483	0.2	4.1
	482	0.2	3.6
Min	Cent	-0.1	-2.7
	478	-0.1	-3.4
	479	-0.1	-2.3
	483	-0.2	-2.3
	482	-0.2	-3.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1366.7	76.53	INVSLV	Max Cent	-1306.0	-42.7	338.6	38.1
-1301.2	70.19		478	-1150.3	18.8	508.0	201.7
-1162.7	82.20		479	-1150.3	2.6	168.8	16.1
-1472.6	84.97		483	-1461.6	-90.1	169.2	-79.3
-1594.4	72.54		482	-1461.7	-78.8	508.3	81.1
-1468.1	78.10		Min Cent	-1388.7	-45.4	280.9	14.0
-1402.7	71.50		478	-1223.9	-0.3	439.1	146.6
-1253.5	83.86		479	-1230.9	-7.3	119.1	14.0
-1572.9	83.38		483	-1553.6	-104.6	122.6	-85.0
-1703.2	73.67		482	-1546.6	-92.7	442.6	37.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.1	88.77	Max Cent	0.1	0.3	0.0	0.3
0.1	88.74	478	0.1	0.3	0.0	0.3
0.1	87.04	479	0.1	0.2	0.0	0.2
0.1	88.78	483	0.1	0.4	0.0	0.4
0.1	89.84	482	0.1	0.4	0.0	0.4
-0.4	-2.27	Min Cent	-0.1	-0.4	-0.0	-0.1
-0.3	-2.10	478	-0.1	-0.3	-0.0	-0.1
		479	-0.1	-0.3	-0.0	-0.1

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.3	-4.35	483	-0.1	-0.4	-0.0	-0.1
-0.4	-2.32	482	-0.1	-0.5	-0.0	-0.1
-0.5	-0.86					

	NODE	Vxx	Vyy
Max	Cent	0.0	1.2
	478	0.0	1.2
	479	0.0	1.1
	483	-0.0	1.1
	482	-0.0	1.2
Min	Cent	-0.0	-1.1
	478	-0.0	-1.2
	479	-0.0	-1.1
	483	-0.0	-1.1
	482	-0.0	-1.2

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
473	2	8	Q1-1-2	Max	Cent	108.4	34.3	799.0	871.2
-728.5		43.67			494	137.3	267.6	917.1	1121.8
-716.9		47.03			2	38.8	65.0	1063.0	1115.0
-1011.3		45.35			2224	154.3	78.3	690.3	807.7
-575.0		43.42			2293	364.5	338.2	542.5	894.0
-191.3		44.30		Min	Cent	-420.4	-1553.9	-3.2	-420.4
-1553.9		-0.16			494	-0.5	-9.8	-10.0	5.8
-16.2		-32.51			2	-1014.5	-3440.9	-4.2	-1014.5
-3440.9		-0.10			2224	-923.9	-3375.4	-2.5	-923.9
-3375.4		-0.06			2293	-25.8	-1.8	-3.4	-1.3
-26.2		-81.97							

	Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax		
			Max	Cent	0.1	0.3	0.0	0.3	
	0.1	87.68		494	0.1	0.2	0.0	0.2	
	0.1	83.20		2	0.1	0.5	0.0	0.5	
	0.1	89.91		2224	0.2	0.5	0.0	0.5	
	0.2	89.91		2293	0.1	0.2	0.0	0.2	
	0.0	81.70		Min	Cent	-0.0	-0.0	-0.1	0.1
	-0.1	-45.39		494	-0.0	-0.0	-0.1	0.1	
	-0.1	-44.72		2	-0.0	-0.0	-0.1	0.1	
	-0.1	-44.42		2224	-0.1	-0.0	-0.1	-0.0	

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1      -57.21  
 -0.1      -45.37

	NODE	Vxx	Vyy
Max	Cent	0.1	0.3
	494	0.0	0.2
	2	0.0	0.4
	2224	0.3	0.4
	2293	0.3	0.2
Min	Cent	-0.1	-0.1
	494	-0.0	-0.0
	2	-0.0	-0.3
	2224	-0.3	-0.3
	2293	-0.3	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-440.9	43.67	Q2a-1-2	Max Cent	59.6	15.4	477.9	515.9
-417.8	46.82		494	86.6	155.2	537.6	659.6
-618.3	45.29		2	16.8	29.5	641.4	664.6
-366.7	43.41		2224	82.1	35.0	424.6	483.8
-107.7	44.08		2293	222.6	202.0	319.9	532.4
-912.1	-0.18		Min Cent	-239.6	-912.1	-2.1	-239.5
-7.6	-34.11		494	-0.3	-4.3	-4.9	3.0
-2022.8	-0.11		2	-594.6	-2022.8	-2.8	-594.6
-1979.4	-0.07		2224	-527.8	-1979.4	-1.7	-527.8
-13.7	-81.34		2293	-13.4	-1.0	-1.9	-0.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.1	88.00	Max Cent	0.1	0.2	0.0	0.2
0.0	83.90	494	0.0	0.1	0.0	0.1
0.1	89.92	2	0.1	0.3	0.0	0.3
0.1	89.92	2224	0.1	0.3	0.0	0.3
0.0	82.53	2293	0.0	0.1	0.0	0.1
-0.1	-45.40	Min Cent	-0.0	-0.0	-0.0	0.0
-0.1	-44.77	494	-0.0	-0.0	-0.1	0.1
-0.1	-44.51	2	-0.0	-0.0	-0.0	0.0
-0.1	-56.62	2224	-0.0	-0.0	-0.0	0.0
		2293	-0.0	-0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

- 0.0      -45.38

	NODE	Vxx	Vyy
Max	Cent	0.1	0.2
	494	0.0	0.1
	2	0.0	0.2
	2224	0.1	0.2
	2293	0.1	0.1
Min	Cent	-0.1	-0.1
	494	-0.0	-0.0
	2	-0.0	-0.2
	2224	-0.2	-0.2
	2293	-0.2	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-7.0	-62.48	SLVx (RS)	Cent	15.7	76.6	-43.6	99.3
-59.1	-43.39		494	-7.9	-13.3	-48.4	37.9
24.4	-68.33		2	47.5	170.7	-58.1	193.8
28.1	-74.36		2224	38.9	166.6	-38.8	177.4
-46.2	-44.72		2293	-16.9	-17.4	-29.0	11.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	11.33	Cent	-0.0	-0.0	0.0	-0.0
0.0	-70.34	494	0.0	0.0	-0.0	0.0
-0.0	-6.24	2	-0.0	-0.0	-0.0	-0.0
-0.0	-6.05	2224	-0.0	-0.0	-0.0	-0.0
-0.0	11.64	2293	-0.0	-0.0	0.0	-0.0

	NODE	Vxx	Vyy
	Cent	-0.0	-0.1
	494	-0.0	0.1
	2	-0.0	-0.4
	2224	-0.0	-0.4
	2293	-0.0	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-109.4	45.75	SLVy (RS)	Cent	-88.2	-87.0	21.8	-65.8
-82.4	52.62		494	-28.6	9.8	70.4	63.6
-167.0	-8.95		2	-79.7	-164.9	-13.8	-77.5
			2224	-148.0	-183.4	-27.9	-132.6

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-198.7	-28.83		2293	-97.5	-12.2	53.3	13.4
-123.0	64.33						
-----							
-0.1	-46.40		Cent	0.0	0.0	-0.1	0.1
0.1	-73.99		494	0.1	0.4	-0.1	0.4
-2.1	-3.13		2	-0.6	-2.1	-0.1	-0.6
0.9	-88.83		2224	0.9	2.3	-0.0	2.3
-0.5	-19.08		2293	-0.3	-0.5	-0.1	-0.2
-----							
			NODE	Vxx	Vyy		
			Cent	-0.3	-11.6		
			494	0.0	5.8		
			2	0.0	-29.0		
			2224	-0.6	-29.0		
			2293	-0.6	5.8		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-3.5	-62.48	SLDx (RS)	Cent	7.9	38.3	-21.8	49.6
-29.5	-43.39		494	-3.9	-6.7	-24.2	18.9
12.2	-68.33		2	23.7	85.3	-29.0	96.8
14.0	-74.36		2224	19.5	83.3	-19.4	88.7
-23.1	-44.72		2293	-8.4	-8.7	-14.5	5.9
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	11.32		Cent	-0.0	-0.0	0.0	-0.0
0.0	-70.34		494	0.0	0.0	-0.0	0.0
-0.0	-6.24		2	-0.0	-0.0	-0.0	-0.0
-0.0	-6.05		2224	-0.0	-0.0	-0.0	-0.0
-0.0	11.63		2293	-0.0	-0.0	0.0	-0.0
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.1		
			494	-0.0	0.0		
			2	-0.0	-0.2		
			2224	-0.0	-0.2		
			2293	-0.0	0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-54.7	45.72	SLDy (RS)	Cent	-44.0	-43.5	10.9	-32.9
-41.2	52.62		494	-14.3	4.9	35.2	31.8
-83.5	-8.95		2	-39.8	-82.4	-6.9	-38.7
-99.3	-28.80		2224	-73.9	-91.6	-13.9	-66.3
-61.4	64.33		2293	-48.7	-6.1	26.6	6.7
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-46.41		Cent	0.0	0.0	-0.1	0.1
0.0	-73.99		494	0.1	0.2	-0.0	0.2
-1.1	-3.13		2	-0.3	-1.1	-0.0	-0.3
0.4	-88.83		2224	0.4	1.1	-0.0	1.1
-0.3	-19.08		2293	-0.1	-0.2	-0.0	-0.1
			NODE	Vxx	Vyy		
			Cent	-0.2	-5.8		
			494	0.0	2.9		
			2	0.0	-14.5		
			2224	-0.3	-14.5		
			2293	-0.3	2.9		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-3.2	-62.60	SLVz (RS)	Cent	6.8	34.1	-19.3	44.2
-26.2	-43.35		494	-3.5	-6.0	-21.5	16.8
10.9	-68.36		2	21.1	76.1	-25.9	86.4
12.4	-74.44		2224	17.2	74.2	-17.2	79.0
-20.5	-44.66		2293	-7.5	-7.8	-12.8	5.1
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	12.19		Cent	-0.0	-0.0	0.0	-0.0
-0.0	18.40		494	-0.0	-0.0	0.0	-0.0
-0.0	3.80		2	-0.0	-0.0	0.0	-0.0
			2224	-0.0	-0.0	0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0      3.52  
 -0.0      10.35

NODE	Vxx	Vyy
Cent	-0.0	0.1
494	-0.0	-0.1
2	-0.0	0.3
2224	-0.0	0.3
2293	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1198.2	27.30	g1	Cent	-194.0	-930.7	518.3	73.6
-454.8	46.78		494	90.1	162.2	579.8	707.0
-2344.1	21.43		2	-580.3	-2072.3	692.3	-308.6
-2148.5	15.30		2224	-478.0	-2023.6	456.9	-353.0
-142.9	45.77		2293	192.4	210.9	344.4	546.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.1	-77.72	Cent	0.1	0.2	-0.0	0.2
0.0	-70.26	494	0.0	0.1	-0.0	0.1
0.1	-78.25	2	0.1	0.3	-0.0	0.3
0.1	-82.41	2224	0.1	0.3	-0.0	0.3
0.0	-75.55	2293	0.0	0.1	-0.0	0.1

NODE	Vxx	Vyy
Cent	0.0	0.1
494	0.0	0.1
2	0.0	0.1
2224	0.0	0.1
2293	0.0	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-583.5	27.49	g2	Cent	-92.8	-450.6	255.3	40.0
-224.3	46.68		494	43.9	77.2	284.4	345.4
-1137.1	21.63		2	-280.0	-1002.3	340.0	-145.1
-1041.5	15.57		2224	-229.5	-978.4	226.2	-166.5
-73.0	45.56		2293	94.4	101.0	170.6	268.4



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-81.40		Cent	0.0	0.1	-0.0	0.1
0.0	-75.71		494	0.0	0.1	-0.0	0.1
0.0	-79.83		2	0.0	0.1	-0.0	0.1
0.0	-84.45		2224	0.0	0.1	-0.0	0.1
0.0	-83.09		2293	0.0	0.1	-0.0	0.1
			NODE	Vxx	Vyy		
			Cent	0.0	0.1		
			494	0.0	0.1		
			2	0.0	0.0		
			2224	0.0	0.0		
			2293	0.0	0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-23.0	27.25	q3	Cent	-3.8	-17.9	9.9	1.3
-8.7	46.85		494	1.7	3.1	11.1	13.5
-45.0	21.39		2	-11.2	-39.8	13.2	-6.0
-41.2	15.23		2224	-9.2	-38.8	8.7	-6.8
-2.7	45.85		2293	3.6	4.0	6.5	10.4
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-77.61		Cent	0.0	0.0	-0.0	0.0
0.0	-69.75		494	0.0	0.0	-0.0	0.0
0.0	-78.62		2	0.0	0.0	-0.0	0.0
0.0	-82.55		2224	0.0	0.0	-0.0	0.0
0.0	-75.31		2293	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			494	0.0	0.0		
			2	0.0	0.0		
			2224	-0.0	0.0		
			2293	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-20.8	-78.57	q5_pc	Cent	-18.6	31.1	-10.5	33.2
-18.7	76.93		494	-18.4	-12.7	1.4	-12.4
-1.8	-69.15		2	10.8	84.6	-32.9	97.1
-23.9	-77.25		2224	-18.8	74.9	-22.4	80.0
-52.7	68.55		2293	-48.0	-22.4	11.9	-17.7
Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-42.04		Cent	-0.0	-0.0	-0.0	0.0
0.1	87.09		494	0.1	0.2	0.0	0.3
-1.6	-1.08		2	-0.5	-1.6	-0.0	-0.5
0.5	89.00		2224	0.5	1.7	0.0	1.7
-0.4	3.17		2293	-0.2	-0.4	0.0	-0.2
			NODE	Vxx	Vyy		
			Cent	-0.1	-8.9		
			494	0.0	4.0		
			2	0.0	-21.7		
			2224	-0.2	-21.7		
			2293	-0.2	4.0		
Fmin		ANGLE	LC	Fxx	Fyy	Fxy	Fmax
-22.6	-82.61	q5_ps	Cent	-22.0	15.3	-4.9	16.0
-21.9	57.01		494	-16.5	-9.0	8.4	-3.6
-9.6	-67.11		2	0.8	48.6	-24.6	59.0
-32.2	-75.76		2224	-27.5	39.6	-18.2	44.2
-51.3	66.19		2293	-44.8	-18.0	14.7	-11.5
Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-41.74		Cent	-0.0	-0.0	-0.0	-0.0
0.1	83.12		494	0.1	0.2	0.0	0.2
-1.4	-0.72		2	-0.4	-1.4	-0.0	-0.4
0.5	88.62		2224	0.5	1.5	0.0	1.5
-0.3	6.69		2293	-0.2	-0.3	0.0	-0.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

NODE	Vxx	Vyy
Cent	-0.1	-7.9
494	0.0	3.5
2	0.0	-19.3
2224	-0.2	-19.3
2293	-0.2	3.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2727.7	35.26	INVSLU	Max Cent	-163.4	-1648.7	2178.2	1376.5
-932.6	46.46		494	422.5	674.4	2469.2	3018.3
-4822.0	32.07		2	-955.2	-3660.1	2849.4	793.1
-4238.0	25.59		2224	-648.3	-3574.3	1902.6	263.0
-363.6	44.58		2293	899.5	854.8	1538.8	2394.7
-4208.8	18.38	Min	Cent	-910.9	-3848.7	1076.5	-553.2
-1952.3	45.87		494	195.3	277.0	1207.2	1458.3
-8852.5	12.31		2	-2396.4	-8545.2	1343.6	-2089.0
-8517.6	8.45		2224	-2137.8	-8371.7	920.7	-2000.0
-725.0	46.24		2293	270.8	349.3	770.1	1123.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
0.3	-86.71	Max	Cent	0.3	0.8	-0.0	0.8
0.3	-88.07		494	0.3	0.8	-0.0	0.8
0.9	-88.15		2	0.9	3.1	-0.1	3.1
1.1	-89.36		2224	1.1	3.2	-0.0	3.2
0.3	-85.00		2293	0.3	0.9	0.0	0.9
-0.0	-68.68	Min	Cent	0.1	0.3	-0.2	0.4
-0.2	-41.81		494	-0.0	-0.1	-0.2	0.1
-1.7	-7.94		2	-0.5	-1.6	-0.2	-0.5
-1.8	-7.93		2224	-0.7	-1.8	-0.2	-0.7
-0.3	-22.19		2293	-0.2	-0.3	-0.2	-0.2

NODE	Vxx	Vyy
Max Cent	0.3	12.4
494	0.0	5.9
2	0.0	29.4
2224	0.6	29.4

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	Min	2293	0.6	5.9
	Cent	494	-0.3	-11.7
		2	-0.0	-4.8
		2224	-0.0	-29.2
		2293	-0.6	-29.2
			-0.6	-4.9

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1522.9	27.63	INVSLV	Max Cent	-162.5	-1149.8	809.0	216.7
-569.1	46.94		494	168.2	240.2	935.5	1112.0
-2958.0	22.76		2	-677.8	-2582.1	1053.0	-270.2
-2701.9	16.84		2224	-486.1	-2506.7	714.4	-282.4
-137.0	44.91		2293	368.0	308.3	589.0	850.1
-1819.7	28.46		Min Cent	-352.3	-1390.3	697.2	71.0
-763.4	45.86		494	104.1	204.1	752.7	937.0
-3483.4	21.15		2	-878.3	-3068.0	913.0	-493.5
-3203.7	15.30		2224	-815.8	-3017.9	609.8	-637.8
-364.8	46.32		2293	158.4	261.4	457.4	745.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.1	-61.74	Max Cent	0.1	0.3	0.1	0.4
0.1	-72.81	494	0.2	0.6	0.0	0.6
0.8	89.40	2	0.8	2.5	0.0	2.5
1.0	-87.70	2224	1.0	2.7	-0.0	2.7
0.3	80.18	2293	0.3	0.6	0.1	0.7
0.0	-86.97	Min Cent	0.1	0.2	-0.2	0.2
-0.2	12.93	494	-0.1	-0.2	-0.1	-0.1
-1.8	-6.68	2	-0.5	-1.7	-0.1	-0.5
-1.9	-0.56	2224	-0.8	-1.9	-0.1	-0.8
-0.4	-30.61	2293	-0.2	-0.4	-0.1	-0.2

	NODE	Vxx	Vyy
Max	Cent	0.3	11.8
	494	0.0	6.1
	2	0.0	29.3
	2224	0.7	29.2
	2293	0.7	6.1
Min	Cent	-0.3	-11.5

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

494 -0.0 -5.6  
 2 -0.0 -29.1  
 2224 -0.6 -29.1  
 2293 -0.6 -5.6

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
482	2	8	Q1-1-2	Max	Cent	40.8	11.2	345.7	372.0
-320.0		43.77			512	112.6	8.3	388.8	452.7
-331.9		41.18			42	82.0	25.6	348.8	403.8
-296.1		42.69			85	11.1	19.0	304.6	319.7
-289.6		45.37			521	11.0	6.3	345.8	354.5
-337.1		44.81			Min	Cent	-50.0	-385.8	-74.8
-401.8		-12.01			512	-0.7	-284.9	-39.3	4.6
-290.2		-7.73			42	-40.1	-476.8	-61.7	-31.6
-485.3		-7.90			85	-127.3	-511.1	-110.6	-97.7
-540.7		-14.98			521	-65.3	-314.1	-88.2	-37.3
-342.2		-17.67							
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
				Max	Cent	0.1	0.0	0.0	0.1
0.0		18.50			512	0.0	0.0	0.0	0.0
0.0		55.20			42	0.1	0.2	0.0	0.2
0.1		75.41			85	0.2	0.0	0.0	0.2
0.0		7.70			521	0.0	0.0	0.0	0.0
0.0		33.42			Min	Cent	-0.0	-0.1	-0.0
-0.1		-23.05			512	-0.0	-0.1	-0.0	-0.0
-0.1		-22.54			42	-0.0	-0.0	-0.0	-0.0
-0.0		-41.97			85	-0.1	-0.3	-0.0	-0.1
-0.3		-4.97			521	-0.1	-0.1	-0.0	-0.0
-0.1		-25.15							
				NODE	Vxx	Vyy			
				Max	Cent	0.1	0.5		
					512	0.1	0.1		
					42	0.1	0.9		
					85	0.2	0.9		
					521	0.2	0.1		
				Min	Cent	-0.3	-0.1		
					512	-0.1	-0.0		
					42	-0.1	-0.1		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

85 -0.5 -0.2  
521 -0.5 -0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-192.8	43.56	Q2a-1-2	Max Cent	25.8	4.9	207.8	223.4
-199.1	41.15		512	66.6	3.8	232.3	269.6
-176.1	42.35		42	52.4	13.7	208.3	242.2
-176.4	45.13		85	7.7	9.4	184.9	193.5
-205.0	44.72		521	6.8	2.8	209.8	214.6
-251.5	-14.46		Min Cent	-37.0	-237.3	-55.3	-22.8
-183.8	-9.00		512	-0.5	-179.2	-29.0	4.1
-299.7	-9.58		42	-29.7	-292.1	-45.6	-22.0
-339.8	-17.83		85	-85.9	-313.5	-81.7	-59.6
-221.2	-20.58		521	-47.6	-196.7	-65.1	-23.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	18.76	Max Cent	0.0	0.0	0.0	0.0
0.0	54.14	512	0.0	0.0	0.0	0.0
0.1	75.58	42	0.1	0.1	0.0	0.1
0.0	6.95	85	0.1	0.0	0.0	0.1
-0.0	32.36	521	0.0	0.0	0.0	0.0
-0.0	-20.18	Min Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-20.12	512	-0.0	-0.0	-0.0	-0.0
-0.0	-42.79	42	-0.0	-0.0	-0.0	-0.0
-0.2	-4.40	85	-0.1	-0.2	-0.0	-0.1
-0.1	-19.94	521	-0.0	-0.1	-0.0	-0.0

NODE	Vxx	Vyy
Max Cent	0.1	0.3
512	0.0	0.1
42	0.0	0.6
85	0.1	0.6
521	0.1	0.1
Min Cent	-0.2	-0.0
512	-0.1	-0.0
42	-0.1	-0.1
85	-0.3	-0.1
521	-0.3	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-12.3	-53.51	SLVx (RS)	Cent	2.5	14.8	-20.1	29.7
-23.0	-54.73		512	-6.9	9.2	-22.8	25.3
-10.4	-54.85		42	4.1	18.9	-20.6	33.4
-8.1	-58.74		85	2.4	20.4	-17.3	31.0
-14.1	-51.94		521	1.2	10.8	-19.5	26.1
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-78.78		Cent	-0.0	0.0	-0.0	0.0
-0.0	-13.71		512	-0.0	-0.0	-0.0	-0.0
-0.0	-85.10		42	-0.0	0.0	-0.0	0.0
-0.0	-79.13		85	-0.0	0.0	-0.0	0.0
-0.0	-35.41		521	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			512	-0.0	0.0		
			42	-0.0	0.0		
			85	0.0	0.0		
			521	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-31.6	-24.87	SLVy (RS)	Cent	-9.2	-26.8	-10.4	-4.4
-24.1	-18.29		512	-1.3	-21.6	-7.6	1.2
-32.6	-22.18		42	-2.2	-27.6	-12.4	2.8
-40.1	-31.19		85	-17.7	-31.9	-13.6	-9.5
-30.9	-29.64		521	-16.2	-26.1	-8.3	-11.4
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-74.85		Cent	-0.0	0.1	-0.0	0.1
0.1	-70.53		512	0.1	0.1	-0.0	0.1
-0.1	-86.18		42	-0.1	0.1	-0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	-61.04	85	-0.1	-0.1	-0.0	-0.1
0.0	-56.57	521	0.0	0.1	-0.0	0.1

NODE	Vxx	Vyy
Cent	0.3	0.2
512	0.3	0.1
42	0.3	0.4
85	0.2	0.4
521	0.2	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-6.1	-53.51	SLDx (RS)	Cent	1.3	7.4	-10.0	14.8
-11.5	-54.73		512	-3.4	4.6	-11.4	12.7
-5.2	-54.86		42	2.0	9.4	-10.3	16.7
-4.1	-58.74		85	1.2	10.2	-8.7	15.5
-7.1	-51.94		521	0.6	5.4	-9.7	13.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-78.77	Cent	-0.0	0.0	-0.0	0.0
-0.0	-13.73	512	-0.0	-0.0	-0.0	-0.0
-0.0	-85.09	42	-0.0	0.0	-0.0	0.0
-0.0	-79.13	85	-0.0	0.0	-0.0	0.0
-0.0	-35.42	521	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
512	-0.0	0.0
42	-0.0	0.0
85	0.0	0.0
521	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-15.8	-24.87	SLDy (RS)	Cent	-4.6	-13.4	-5.2	-2.2
-12.1	-18.32		512	-0.6	-10.8	-3.8	0.6
-16.3	-22.18		42	-1.1	-13.8	-6.2	1.4
-20.0	-31.18		85	-8.8	-15.9	-6.8	-4.7
			521	-8.1	-13.0	-4.2	-5.7



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-15.4      -29.65

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-74.85	Cent	-0.0	0.0	-0.0	0.0
0.0	-70.52	512	0.0	0.1	-0.0	0.1
-0.0	-86.19	42	-0.0	0.1	-0.0	0.1
-0.1	-61.05	85	-0.1	-0.0	-0.0	-0.0
0.0	-56.56	521	0.0	0.0	-0.0	0.0
		NODE	Vxx	Vyy		
		Cent	0.1	0.1		
		512	0.2	0.0		
		42	0.2	0.2		
		85	0.1	0.2		
		521	0.1	0.0		

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-7.0	-56.45	SLVz (RS)	Cent	-1.0	6.6	-9.0	12.5
-10.3	-54.54		512	-3.0	4.1	-10.2	11.3
-7.2	-59.30		42	-1.7	8.4	-9.3	13.9
-3.7	-58.74		85	1.0	9.1	-7.8	13.8
-6.9	-53.16		521	-0.4	4.7	-8.7	11.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-36.55	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-20.29	512	-0.0	-0.0	-0.0	-0.0
-0.0	-26.97	42	-0.0	-0.0	-0.0	-0.0
0.0	-28.75	85	0.0	0.0	-0.0	0.0
-0.0	-34.88	521	-0.0	-0.0	-0.0	-0.0
		NODE	Vxx	Vyy		
		Cent	-0.0	-0.0		
		512	-0.0	-0.0		
		42	-0.0	-0.0		
		85	0.0	-0.0		
		521	0.0	-0.0		

	LC	NODE	Fxx	Fyy	Fxy	Fmax
--	----	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE						
-333.8	32.21	g1	Cent	24.3	-191.7	225.6	166.4
-301.0	34.27		512	77.7	-125.1	258.1	253.6
-370.3	29.33		42	43.3	-239.7	232.4	173.9
-368.3	29.65		85	-29.1	-258.3	193.1	80.9
-300.4	35.59		521	5.3	-143.8	218.8	161.9
			NODE	Mxx	Myy	Mxy	Mmax
0.0	71.42		Cent	0.0	0.0	0.0	0.0
0.0	80.99		512	0.0	0.0	0.0	0.0
0.0	82.77		42	0.0	0.1	0.0	0.1
-0.0	9.58		85	0.0	-0.0	0.0	0.0
0.0	62.63		521	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	0.1		
			512	0.0	0.1		
			42	0.0	0.1		
			85	-0.0	0.1		
			521	-0.0	0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-170.6	31.66	g2	Cent	13.0	-100.8	113.3	82.9
-154.1	33.88		512	38.4	-67.3	129.2	125.2
-191.0	29.00		42	20.9	-125.9	117.4	86.0
-188.1	28.97		85	-12.3	-134.2	97.3	41.5
-151.6	34.83		521	5.2	-75.7	109.1	81.1
			NODE	Mxx	Myy	Mxy	Mmax
-0.0	75.32		Cent	-0.0	0.0	0.0	0.0
0.0	71.44		512	0.0	0.0	0.0	0.0
-0.0	79.61		42	-0.0	0.0	0.0	0.0
-0.0	82.33		85	-0.0	-0.0	0.0	-0.0
			521	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0      58.64

NODE	Vxx	Vyy
Cent	0.1	0.0
512	0.0	0.0
42	0.0	0.0
85	0.1	0.0
521	0.1	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q3	Cent	0.7	-3.6	4.5	3.5
-6.4	32.45		512	1.7	-2.2	5.2	5.3
-5.8	34.73		42	0.9	-4.6	4.7	3.6
-7.3	29.71		85	-0.3	-4.9	3.9	1.9
-7.1	29.66		521	0.4	-2.5	4.3	3.5
-5.6	35.74						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	0.0	0.0	0.0
0.0	75.18	512	0.0	0.0	0.0	0.0
0.0	81.57	42	0.0	0.0	0.0	0.0
0.0	84.40	85	-0.0	-0.0	0.0	-0.0
-0.0	13.23	521	0.0	0.0	0.0	0.0
-0.0	57.73					

NODE	Vxx	Vyy
Cent	0.0	0.0
512	0.0	0.0
42	0.0	0.0
85	-0.0	0.0
521	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_pc	Cent	-6.9	4.0	-17.6	17.0
-19.9	-53.57		512	-3.9	-0.0	-18.0	16.1
-20.1	-48.08		42	-0.6	11.1	-21.2	27.3
-16.7	-52.70		85	-9.8	8.0	-17.2	18.5
-20.3	-58.70		521	-13.2	-3.1	-14.0	6.8
-23.0	-54.87						

NODE	Mxx	Myy	Mxy	Mmax
------	-----	-----	-----	------


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE						
			Cent	-0.1	0.0	-0.0	0.1
-0.1	-71.24		512	0.1	0.2	-0.0	0.2
0.1	-63.58		42	-0.3	0.0	-0.0	0.0
-0.3	-86.09		85	-0.2	-0.1	-0.0	-0.1
-0.2	-69.29		521	0.1	0.1	-0.1	0.1
0.0	-50.25						
			NODE	Vxx	Vyy		
			Cent	0.6	0.2		
			512	0.7	0.1		
			42	0.7	0.2		
			85	0.4	0.2		
			521	0.4	0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
			Cent	-5.9	-0.7	-13.9	10.8
-17.5	-50.30	q5_ps	512	-2.8	-3.0	-13.8	10.9
-16.6	-44.85		42	-0.7	4.2	-16.7	18.6
-15.1	-49.14		85	-9.1	1.5	-14.1	11.2
-18.9	-55.26		521	-11.2	-5.7	-11.2	3.1
-20.0	-51.99						
			NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.1	0.0	-0.0	0.1
-0.1	-71.32		512	0.1	0.2	-0.0	0.2
0.1	-63.53		42	-0.3	-0.0	-0.0	-0.0
-0.3	-86.16		85	-0.2	-0.1	-0.0	-0.1
-0.2	-70.04		521	0.1	0.1	-0.1	0.1
0.0	-50.19						
			NODE	Vxx	Vyy		
			Cent	0.6	0.2		
			512	0.7	0.1		
			42	0.7	0.2		
			85	0.4	0.2		
			521	0.4	0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		INVSLU	Max	Cent	4.7	-191.0	973.9	882.4
-733.0	42.03			512	224.8	-168.8	1072.5	1117.8
-684.9	39.78			42	187.2	-115.0	930.9	970.9
-653.7	40.09			85	-157.5	-204.9	878.1	689.7
-797.9	44.01			521	-161.0	-244.9	1021.2	816.8
-837.7	43.79		Min	Cent	-130.2	-734.2	374.5	50.3
-1075.9	25.72			512	64.4	-566.3	462.1	308.8
-1063.4	27.84			42	21.3	-813.3	338.5	143.6
-958.0	19.87			85	-363.1	-934.9	286.5	-242.1
-1073.4	22.90			521	-289.1	-686.6	410.1	-32.1
-1227.5	32.07							

				NODE	Mxx	Myy	Mxy	Mmax
Mmin	ANGLE							
-----								
			Max	Cent	0.2	0.0	0.1	0.2
-0.0	18.25			512	0.2	0.2	0.1	0.3
0.1	-68.91			42	0.6	0.3	0.1	0.6
0.3	10.28			85	0.4	-0.1	0.1	0.4
-0.1	11.41			521	0.1	0.1	0.1	0.2
-0.0	-39.33		Min	Cent	-0.2	-0.2	-0.1	-0.1
-0.2	-55.87			512	-0.2	-0.4	-0.1	-0.2
-0.4	16.51			42	-0.4	0.1	-0.0	0.1
-0.4	-87.01			85	-0.5	-0.7	-0.1	-0.4
-0.7	-24.94			521	-0.2	-0.3	-0.1	-0.1
-0.3	20.86							

				NODE	Vxx	Vyy		
			Max	Cent	1.0	1.2		
				512	1.2	0.4		
				42	1.2	2.1		
				85	0.9	2.1		
				521	0.9	0.4		
			Min	Cent	-1.2	0.1		
				512	-1.3	-0.1		
				42	-1.3	0.2		
				85	-1.2	0.2		
				521	-1.2	-0.1		

		LC		NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE							
-----								
		INVSLV	Max	Cent	10.2	-207.6	352.5	258.4
-431.8	35.83							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-393.0	36.58		512	92.2	-122.1	402.6	391.0
-463.6	32.75		42	43.2	-265.6	358.4	266.3
-474.9	33.96		85	-65.4	-293.1	302.6	134.6
-405.3	39.30		521	-21.4	-149.5	346.7	255.3
-505.3	33.85	Min	Cent	-10.3	-274.0	300.8	197.5
-454.8	36.20		512	75.9	-173.4	346.4	329.4
-544.2	30.02		42	32.7	-337.1	304.2	215.6
-554.2	31.79		85	-102.8	-374.6	255.1	59.0
-472.6	38.20		521	-54.7	-211.0	297.5	186.3

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-79.10	Max	Cent	0.0	0.1	0.0	0.1
0.1	-78.47		512	0.1	0.2	0.0	0.2
0.0	-88.03		42	0.1	0.2	0.0	0.2
0.1	28.56		85	0.1	0.1	0.0	0.1
0.0	-58.96		521	0.0	0.1	0.0	0.1
-0.0	39.63	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.1	33.09		512	-0.0	-0.1	-0.0	-0.0
-0.1	26.30		42	-0.1	-0.0	-0.0	0.0
-0.1	-60.74		85	-0.1	-0.1	-0.0	-0.1
-0.1	35.50		521	-0.0	-0.1	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.3	0.3
	512	0.3	0.1
	42	0.3	0.5
	85	0.2	0.5
	521	0.2	0.2
Min	Cent	-0.3	-0.1
	512	-0.3	-0.0
	42	-0.3	-0.2
	85	-0.2	-0.2
	521	-0.2	-0.0

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
	Fmin	ANGLE						
491	2	8	Q1-1-2	Max	Cent	92.1	13.2	415.2
-364.4		42.29			503	246.3	8.0	538.7
-424.6		38.76						678.9

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-425.6	42.70		69	99.2	21.3	484.3	546.1
-277.5	45.18		42	14.7	18.5	294.1	310.7
-297.7	41.00		512	103.1	5.1	348.3	405.9
-595.4	-3.06	Min	Cent	-13.4	-593.8	-31.1	-11.7
-271.7	-1.54		503	-1.1	-271.5	-7.3	-0.9
-896.4	-0.74		69	-23.1	-896.2	-11.3	-22.9
-930.1	-5.68		42	-123.8	-922.1	-80.2	-115.8
-309.1	-11.32		512	-6.2	-297.0	-60.6	5.9

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	70.24	Max	Cent	0.1	0.1	0.0	0.1
0.1	82.91		503	0.1	0.1	0.0	0.1
0.1	86.77		69	0.1	0.3	0.0	0.3
0.1	23.63		42	0.1	0.1	0.0	0.1
0.0	66.85		512	0.0	0.1	0.0	0.1
-0.0	-44.48	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-42.39		503	-0.0	-0.0	-0.0	0.0
-0.0	-46.86		69	-0.0	-0.0	-0.0	-0.0
-0.2	-10.14		42	-0.1	-0.2	-0.0	-0.1
-0.0	-42.75		512	-0.0	-0.0	-0.0	0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.5
	503	0.1	0.2
	69	0.1	0.9
	42	0.1	0.9
	512	0.1	0.2
Min	Cent	-0.1	-0.1
	503	-0.1	-0.0
	69	-0.1	-0.2
	42	-0.1	-0.1
	512	-0.1	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-216.3	42.00	Q2a-1-2	Max	Cent	57.7	5.9	246.8	279.9
-251.1	38.61			503	148.1	3.5	318.8	402.7
-253.1	42.60			69	57.5	9.5	285.6	320.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-168.0	45.04		42	7.9	8.3	176.1	184.2
-179.2	40.94		512	62.1	2.3	209.3	243.6
-356.4	-3.80	Min	Cent	-9.9	-354.9	-23.0	-8.4
-164.4	-1.84		503	-0.7	-164.3	-5.3	-0.5
-534.3	-0.89		69	-16.3	-534.2	-8.1	-16.2
-557.4	-7.03		42	-77.9	-550.1	-59.1	-70.6
-190.6	-13.54		512	-4.6	-179.8	-44.8	6.2

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	65.89	Max	Cent	0.0	0.1	0.0	0.1
0.0	82.58		503	0.0	0.1	0.0	0.1
0.1	86.93		69	0.1	0.2	0.0	0.2
0.0	17.29		42	0.1	0.0	0.0	0.1
0.0	64.88		512	0.0	0.0	0.0	0.0
-0.0	-42.96	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-41.78		503	-0.0	-0.0	-0.0	0.0
-0.0	-48.14		69	-0.0	-0.0	-0.0	-0.0
-0.1	-8.88		42	-0.0	-0.1	-0.0	-0.0
-0.0	-42.80		512	-0.0	-0.0	-0.0	0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.3
	503	0.0	0.1
	69	0.0	0.6
	42	0.0	0.6
	512	0.0	0.1
Min	Cent	-0.1	-0.0
	503	-0.0	-0.0
	69	-0.0	-0.1
	42	-0.1	-0.1
	512	-0.1	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-17.5	-62.45	SLVx (RS)	Cent	-5.5	26.9	-23.2	39.0
-33.7	-56.36		503	-13.9	11.1	-29.8	30.9
-17.4	-65.30		69	-5.1	41.1	-26.9	53.4
-2.6	-69.95		42	3.4	42.7	-16.5	48.7



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-18.1	-57.76		512	-5.9	12.7	-19.4	25.0
-----							
			Cent	-0.0	0.0	-0.0	0.0
-0.0	-88.13		503	0.0	0.0	-0.0	0.0
0.0	-85.01		69	-0.0	0.0	0.0	0.0
-0.0	88.24		42	-0.0	-0.0	-0.0	-0.0
-0.0	-13.21		512	-0.0	-0.0	-0.0	-0.0
-0.0	-2.95						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	0.0		
			503	0.0	-0.0		
			69	0.0	0.0		
			42	-0.0	0.0		
			512	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVy (RS)	Cent	-11.9	-73.1	12.4	-9.5
-75.5	11.07		503	6.1	-27.3	29.6	23.4
-44.5	30.29		69	-21.5	-118.9	26.4	-14.8
-125.6	14.24		42	-29.8	-118.9	-7.3	-29.2
-119.5	-4.64		512	-2.6	-27.3	-5.0	-1.6
-28.2	-10.93						
			NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	0.1	0.0	0.1
-0.0	81.49		503	0.0	0.1	0.0	0.1
0.0	74.12		69	0.0	0.2	0.0	0.2
0.0	81.50		42	-0.1	-0.0	-0.0	-0.0
-0.1	-86.66		512	0.1	0.2	0.0	0.2
0.1	84.07						
			NODE	Vxx	Vyy		
-----							
			Cent	0.2	0.2		
			503	0.1	-0.0		
			69	0.1	0.4		
			42	0.3	0.3		
			512	0.3	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-8.8	-62.45	SLDx (RS)	Cent	-2.7	13.4	-11.6	19.5
-16.9	-56.36		503	-6.9	5.5	-14.9	15.5
-8.7	-65.30		69	-2.5	20.5	-13.4	26.7
-1.3	-69.95		42	1.7	21.3	-8.3	24.3
-9.1	-57.75		512	-2.9	6.3	-9.7	12.5
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-88.13		Cent	-0.0	0.0	-0.0	0.0
0.0	-85.01		503	0.0	0.0	-0.0	0.0
-0.0	88.24		69	-0.0	0.0	0.0	0.0
-0.0	-13.23		42	-0.0	-0.0	-0.0	-0.0
-0.0	-2.95		512	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			503	0.0	-0.0		
			69	0.0	0.0		
			42	-0.0	0.0		
			512	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-37.7	11.08	SLDy (RS)	Cent	-6.0	-36.5	6.2	-4.7
-22.2	30.29		503	3.0	-13.6	14.8	11.7
-62.7	14.25		69	-10.7	-59.4	13.2	-7.4
-59.7	-4.65		42	-14.9	-59.4	-3.6	-14.6
-14.1	-10.97		512	-1.3	-13.6	-2.5	-0.8
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	81.50		Cent	-0.0	0.1	0.0	0.1
0.0	74.11		503	0.0	0.1	0.0	0.1
0.0	81.49		69	0.0	0.1	0.0	0.1
-0.1	-86.66		42	-0.1	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	84.06	512	0.0	0.1	0.0	0.1
-----	-------	-----	-----	-----	-----	-----

NODE	Vxx	Vyy
Cent	0.1	0.1
503	0.0	-0.0
69	0.0	0.2
42	0.2	0.2
512	0.2	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-7.8	-62.23	SLVz (RS)	Cent	-2.3	11.8	-10.3	17.2
-14.9	-56.26		503	-6.1	4.9	-13.2	13.7
-7.7	-65.10		69	-2.2	18.0	-11.9	23.6
-1.3	-69.75		42	1.4	18.7	-7.4	21.5
-8.1	-57.55		512	-2.5	5.6	-8.7	11.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-6.26	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-9.66	503	-0.0	-0.0	-0.0	-0.0
-0.0	-3.64	69	-0.0	-0.0	-0.0	-0.0
-0.0	-44.57	42	-0.0	-0.0	-0.0	-0.0
-0.0	-4.64	512	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
503	-0.0	-0.0
69	-0.0	-0.0
42	-0.0	-0.0
512	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-468.2	26.82	g1	Cent	60.2	-333.2	267.1	195.3
-368.9	33.19		503	162.6	-141.5	347.6	390.0
-646.1	24.11		69	53.3	-506.0	313.1	193.4
-588.6	18.86		42	-42.2	-524.8	186.6	21.6
-295.4	31.39		512	67.2	-160.4	221.2	202.2

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	88.35		Cent	0.0	0.1	0.0	0.1
0.0	-89.41		503	0.0	0.1	-0.0	0.1
0.0	88.43		69	0.0	0.1	0.0	0.1
0.0	82.32		42	0.0	0.0	0.0	0.0
0.0	88.71		512	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.1
503	0.0	0.1
69	0.0	0.1
42	0.0	0.1
512	0.0	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-234.0	26.89	g2	Cent	30.1	-166.1	133.9	98.0
-185.7	33.13		503	79.3	-72.9	172.9	192.1
-321.1	24.28		69	26.0	-250.5	156.6	96.6
-292.3	19.17		42	-19.2	-259.3	94.9	13.8
-149.2	31.26		512	34.1	-81.7	111.3	101.7

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	80.84		Cent	0.0	0.0	0.0	0.0
0.0	80.59		503	0.0	0.0	0.0	0.0
-0.0	83.89		69	-0.0	0.0	0.0	0.0
-0.0	80.83		42	-0.0	0.0	0.0	0.0
0.0	72.78		512	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
503	0.0	0.0
69	0.0	0.0
42	0.0	0.0
512	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-9.0	26.69	q3	Cent	1.2	-6.4	5.1	3.8	
-7.0	33.24		503	3.2	-2.6	6.7	7.6	
-12.5	24.08		69	1.0	-9.8	6.1	3.8	
-11.4	18.56		42	-0.7	-10.2	3.6	0.5	
-5.5	31.17		512	1.4	-3.0	4.2	4.0	
Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
0.0		89.11	Cent	0.0	0.0	0.0	0.0	
0.0		-89.48	503	0.0	0.0	-0.0	0.0	
0.0		89.24	69	0.0	0.0	0.0	0.0	
0.0		85.94	42	0.0	0.0	0.0	0.0	
0.0		88.83	512	0.0	0.0	0.0	0.0	
			NODE	Vxx	Vyy			
			Cent	0.0	0.0			
			503	0.0	0.0			
			69	0.0	0.0			
			42	0.0	0.0			
			512	0.0	0.0			
Fmin		ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-26.1	-29.35	q5_pc	Cent		-7.9	-20.3	-10.3	-2.1
-5.8	-34.56		503		-0.6	-3.4	-3.6	1.9
-37.9	-10.91		69		-10.7	-36.9	-5.3	-9.7
-46.5	-28.36		42		-15.1	-37.3	-16.9	-6.0
-19.7	-46.18		512		-5.0	-3.8	-15.3	10.9
Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-0.1		78.70	Cent	-0.1	0.1	0.0	0.1	
0.1		64.10	503	0.1	0.2	0.1	0.2	
-0.2		79.44	69	-0.2	0.1	0.0	0.1	
-0.3		89.94	42	-0.3	-0.1	0.0	-0.1	
0.1		81.63	512	0.1	0.2	0.0	0.2	

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

				NODE	Vxx	Vyy		
				Cent	0.6	0.1		
				503	0.5	-0.1		
				69	0.5	0.2		
				42	0.7	0.2		
				512	0.7	-0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
		q5_ps	Cent	-6.9	-23.4	-6.1	-4.9	
-25.4	-18.38		503	0.4	-5.7	0.7	0.5	
-5.8	6.77		69	-10.1	-40.8	-0.8	-10.1	
-40.8	-1.52		42	-14.2	-41.1	-13.0	-9.0	
-46.4	-22.09		512	-3.7	-6.0	-11.5	6.7	
-16.4	-42.17							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
			Cent	-0.1	0.1	0.0	0.1	
-0.1	78.58		503	0.1	0.2	0.1	0.2	
0.1	63.21		69	-0.2	0.0	0.0	0.0	
-0.2	79.28		42	-0.3	-0.1	0.0	-0.1	
-0.3	89.74		512	0.1	0.2	0.0	0.2	
0.1	81.17							
				NODE	Vxx	Vyy		
				Cent	0.6	0.1		
				503	0.5	-0.1		
				69	0.5	0.2		
				42	0.7	0.2		
				512	0.7	-0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
		INVSLU	Max	Cent	223.1	-469.3	1214.9	1135.8
-1125.6	36.91			503	637.5	-202.6	1514.6	1788.2
-892.8	37.23			69	288.4	-668.1	1347.8	1233.3
-1321.0	35.04			42	-84.8	-736.0	918.4	555.0
-1206.1	34.98			512	182.1	-270.4	1085.0	1062.6
-823.7	39.06		Min	Cent	66.6	-1337.6	593.9	284.0
-1555.1	20.11			503	302.4	-588.8	771.0	747.3
-1356.1	29.99							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-2189.3	16.27		69	104.1	-1993.9	669.3	299.5
-2173.0	11.56		42	-301.8	-2094.8	382.7	-223.5
-1154.8	27.37		512	25.6	-689.0	505.4	287.2

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
-----								
			Max	Cent	0.2	0.3	0.1	0.3
0.1	77.99			503	0.2	0.5	0.1	0.5
0.2	71.51			69	0.4	0.7	0.1	0.7
0.3	84.52			42	0.5	0.1	0.0	0.5
0.1	3.07			512	0.2	0.4	0.0	0.4
0.2	78.54		Min	Cent	-0.1	-0.1	-0.1	0.1
-0.1	-20.09			503	-0.1	-0.2	-0.1	-0.0
-0.2	-35.32			69	-0.3	0.1	-0.1	0.2
-0.3	-53.19			42	-0.6	-0.4	-0.0	-0.4
-0.6	-88.12			512	-0.2	-0.3	-0.0	-0.2
-0.3	-15.19							

	NODE	Vxx	Vyy
-----			
Max	Cent	1.1	1.1
	503	1.0	0.4
	69	1.0	2.1
	42	1.2	2.1
	512	1.2	0.4
Min	Cent	-0.9	0.3
	503	-0.6	0.0
	69	-0.6	0.2
	42	-1.3	0.3
	512	-1.3	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-----								
		INVSLV	Max	Cent	83.9	-354.9	442.3	324.2
-584.0	29.38			503	238.6	-146.4	567.7	628.1
-482.9	34.46			69	98.1	-530.3	507.2	328.6
-750.1	26.91			42	-50.6	-563.4	320.5	89.5
-701.3	24.48			512	72.1	-179.4	379.4	333.1
-422.9	34.53		Min	Cent	55.3	-524.3	382.3	275.0
-755.9	28.90			503	203.5	-210.5	482.3	537.9
-598.0	34.74			69	50.8	-803.6	430.3	274.9
-1038.5	24.87							

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax		
-945.7	19.76	42	-113.1	-838.1	278.6	-7.8		
-488.2	34.19	512	57.3	-244.9	332.3	283.1		
-----								
0.0	84.82	Max Cent	0.0	0.2	0.0	0.2		
0.1	81.39	503	0.1	0.3	0.0	0.3		
0.0	85.28	69	0.0	0.3	0.0	0.3		
0.1	10.78	42	0.1	0.1	0.0	0.1		
0.1	86.52	512	0.1	0.2	0.0	0.2		
-0.0	-18.59	Min Cent	0.0	-0.0	-0.0	0.0		
-0.0	-33.77	503	0.0	-0.0	-0.0	0.0		
-0.1	-36.34	69	-0.1	-0.1	-0.0	-0.0		
-0.1	-89.00	42	-0.1	0.0	-0.0	0.0		
-0.1	-11.08	512	-0.1	-0.1	-0.0	-0.1		
-----								
		NODE	Vxx	Vyy				
		Max Cent	0.2	0.3				
		503	0.2	0.2				
		69	0.2	0.5				
		42	0.3	0.5				
		512	0.3	0.2				
		Min Cent	-0.1	-0.0				
		503	0.0	0.1				
		69	0.0	-0.2				
		42	-0.3	-0.2				
		512	-0.3	0.1				
-----								
ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
	Fmin	ANGLE						
500	2	8	Q1-1-2	Max Cent	28.7	49.8	340.1	379.5
-301.0		45.89		521	41.6	0.6	343.7	365.4
-323.2		43.30		85	71.2	117.1	323.1	418.0
-229.8		47.03		100	52.8	114.2	343.4	428.3
-261.2		47.55		530	23.9	1.9	368.1	381.2
-355.3		44.14		Min Cent	-71.8	-222.0	-63.7	-48.4
-245.4		-20.15		521	-58.7	-266.9	-52.3	-46.3
-279.3		-13.34		85	-65.6	-217.3	-61.9	-43.6
-239.4		-19.62		100	-109.1	-237.4	-75.3	-74.3
-272.2		-24.79						



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
-312.7	-18.42		530	-115.1	-290.8	-65.8	-93.2	
			Max	Cent	0.0	0.0	0.0	0.1
0.0	36.81			521	0.0	0.0	0.0	0.1
0.0	45.77			85	0.2	0.1	0.0	0.2
0.1	10.06			100	0.2	0.0	0.0	0.2
0.0	8.97			530	0.1	0.1	0.0	0.1
0.1	39.88		Min	Cent	-0.1	-0.2	-0.0	-0.1
-0.2	-5.10			521	-0.1	-0.2	-0.0	-0.1
-0.2	-7.24			85	-0.1	-0.0	-0.0	-0.0
-0.1	-75.80			100	-0.2	-0.4	-0.0	-0.2
-0.4	-2.55			530	-0.2	-0.3	-0.0	-0.2
-0.3	-3.55							
				NODE	Vxx	Vyy		
			Max	Cent	0.3	0.7		
				521	0.2	0.5		
				85	0.2	1.2		
				100	0.4	1.2		
				530	0.4	0.5		
			Min	Cent	-0.6	-0.2		
				521	-0.5	-0.2		
				85	-0.5	-0.2		
				100	-0.8	-0.2		
				530	-0.8	-0.2		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
		Q2a-1-2	Max	Cent	16.7	30.3	205.3	228.9
-182.0	45.95			521	24.1	0.3	205.3	217.8
-193.4	43.34			85	47.9	71.9	194.4	254.7
-134.8	46.76			100	30.7	69.4	210.5	261.5
-161.4	47.62			530	13.4	0.9	224.4	231.6
-217.4	44.20		Min	Cent	-51.9	-141.4	-47.0	-31.8
-161.6	-23.21			521	-43.1	-181.8	-38.6	-33.0
-191.9	-14.55			85	-48.5	-132.2	-45.6	-28.4
-152.3	-23.74			100	-72.6	-144.4	-55.5	-42.4
-174.6	-28.55			530	-80.7	-196.6	-48.5	-63.0
-214.3	-19.97							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	33.00	Max	Cent	0.0	0.0	0.0	0.0
0.0	44.79		521	0.0	0.0	0.0	0.0
0.1	9.38		85	0.1	0.1	0.0	0.1
0.0	8.98		100	0.1	0.0	0.0	0.1
0.0	39.09		530	0.1	0.1	0.0	0.1
-0.1	-4.75	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-5.97		521	-0.0	-0.1	-0.0	-0.0
-0.1	-78.37		85	-0.0	-0.0	-0.0	-0.0
-0.2	-2.20		100	-0.1	-0.2	-0.0	-0.1
-0.2	-2.96		530	-0.1	-0.2	-0.0	-0.1

	NODE	Vxx	Vyy
Max	Cent	0.2	0.4
	521	0.1	0.3
	85	0.1	0.8
	100	0.3	0.8
	530	0.3	0.3
Min	Cent	-0.4	-0.1
	521	-0.3	-0.1
	85	-0.3	-0.1
	100	-0.5	-0.1
	530	-0.5	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-16.5	-47.47	SLVx (RS)	Cent	2.0	5.4	-20.1	23.9
-20.0	-50.04		521	-2.7	4.7	-20.7	22.0
-15.8	-47.29		85	2.5	5.7	-19.8	23.9
-15.6	-48.18		100	1.9	6.2	-19.6	23.7
-17.0	-47.41		530	1.8	5.2	-20.5	24.0

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-24.83		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-62.28		521	-0.0	0.0	-0.0	0.0
-0.0	-35.93		85	-0.0	-0.0	-0.0	-0.0
			100	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0      -8.00  
 -0.0      -8.89

NODE	Vxx	Vyy
Cent	0.0	0.0
521	0.0	0.0
85	0.0	0.0
100	0.0	0.0
530	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-8.1	-78.24	SLVy (RS)	Cent	-7.0	16.6	-5.1	17.7
-28.6	-40.92		521	-13.7	-17.4	-12.9	-2.5
2.6	-72.63		85	7.6	53.8	-16.0	58.8
2.5	86.24		100	2.7	50.1	3.1	50.3
-27.9	45.56		530	-21.5	-21.2	6.6	-14.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-52.36	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-44.12	521	0.0	0.0	-0.0	0.1
-0.1	-79.90	85	-0.1	0.1	-0.0	0.1
-0.1	-30.22	100	-0.1	-0.1	-0.0	-0.1
-0.1	-24.67	530	0.0	-0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.2	0.3
521	0.2	0.2
85	0.2	0.5
100	0.1	0.5
530	0.1	0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-8.3	-47.47	SLDx (RS)	Cent	1.0	2.7	-10.1	11.9
-10.0	-50.03		521	-1.3	2.3	-10.3	11.0
-7.9	-47.30		85	1.2	2.8	-9.9	12.0
-7.8	-48.18		100	0.9	3.1	-9.8	11.9
-8.5	-47.41		530	0.9	2.6	-10.2	12.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-24.85		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-62.27		521	-0.0	0.0	-0.0	0.0
-0.0	-36.01		85	-0.0	-0.0	-0.0	-0.0
-0.0	-8.02		100	-0.0	-0.0	-0.0	-0.0
-0.0	-8.89		530	0.0	-0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			521	0.0	0.0		
			85	0.0	0.0		
			100	0.0	0.0		
			530	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-4.0	-78.23	SLDy (RS)	Cent	-3.5	8.3	-2.6	8.9
-14.3	-40.93		521	-6.8	-8.7	-6.4	-1.3
1.3	-72.63		85	3.8	26.9	-8.0	29.4
1.3	86.24		100	1.4	25.0	1.6	25.1
-14.0	45.56		530	-10.7	-10.6	3.3	-7.3
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-52.35		Cent	-0.0	-0.0	-0.0	0.0
-0.0	-44.12		521	0.0	0.0	-0.0	0.0
-0.0	-79.90		85	-0.0	0.0	-0.0	0.0
-0.1	-30.22		100	-0.0	-0.0	-0.0	-0.0
-0.0	-24.65		530	0.0	-0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.1	0.2		
			521	0.1	0.1		
			85	0.1	0.3		
			100	0.1	0.3		
			530	0.1	0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-8.2	-49.93	SLVz (RS)	Cent	-0.6	2.5	-9.0	10.1	
-9.0	-49.83		521	-1.2	2.0	-9.3	9.9	
-8.2	-50.94		85	-1.0	2.8	-8.9	10.0	
-7.5	-50.57		100	-0.4	3.0	-8.7	10.2	
-8.3	-49.12		530	-0.4	2.3	-9.1	10.2	
Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
0.0	-53.92		Cent	0.0	0.0	-0.0	0.0	
-0.0	-61.97		521	-0.0	0.0	-0.0	0.0	
-0.0	-44.34		85	-0.0	-0.0	-0.0	-0.0	
0.0	-71.02		100	0.0	0.0	-0.0	0.0	
0.0	-61.59		530	0.0	0.0	-0.0	0.0	
			NODE	Vxx	Vyy			
			Cent	0.0	-0.0			
			521	0.0	-0.0			
			85	0.0	-0.0			
			100	0.0	-0.0			
			530	0.0	-0.0			
Fmin		ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-264.3	39.05		g1	Cent	12.3	-82.3	224.3	194.3
-261.2	38.82			521	25.8	-75.4	230.9	211.5
-254.4	38.23			85	23.9	-81.7	219.2	196.6
-267.4	39.30			100	-1.3	-89.1	217.8	177.0
-274.4	39.85			530	0.6	-82.9	229.5	192.1
Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-0.0	11.76		Cent	0.0	-0.0	0.0	0.0	
-0.0	27.41		521	-0.0	-0.0	0.0	0.0	
0.0	71.50		85	0.0	0.0	0.0	0.0	
-0.0	3.18		100	-0.0	-0.0	0.0	-0.0	
-0.0	8.20		530	-0.0	-0.0	0.0	-0.0	

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
	Cent	-0.0	0.1
	521	-0.0	0.1
	85	-0.0	0.2
	100	-0.0	0.2
	530	-0.0	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g2	Cent	7.5	-51.6	110.4	92.3
-136.3	37.50		521	14.8	-43.8	114.5	103.7
-132.7	37.83		85	11.0	-56.5	109.5	91.9
-137.4	36.44		100	0.3	-59.4	106.3	80.8
-140.0	37.15		530	4.1	-46.7	111.3	92.8
-135.4	38.57						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	0.0	-0.0	0.0
-0.0	-88.91	521	0.0	0.0	0.0	0.0
0.0	76.70	85	-0.0	0.0	0.0	0.0
-0.0	84.47	100	-0.0	-0.0	-0.0	-0.0
-0.0	-82.43	530	0.0	0.0	-0.0	0.0
0.0	-68.14					

	NODE	Vxx	Vyy
	Cent	0.1	-0.0
	521	0.1	-0.1
	85	0.1	0.0
	100	0.1	0.0
	530	0.1	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q3	Cent	0.6	-1.3	4.8	4.5
-5.2	39.48		521	0.8	-1.1	4.9	4.8
-5.1	39.48		85	0.7	-1.4	4.7	4.5
-5.1	38.68		100	0.3	-1.5	4.6	4.1
-5.3	39.47		530	0.4	-1.2	4.8	4.5
-5.3	40.26						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	15.15	Cent		-0.0	-0.0	0.0	-0.0
-0.0	28.91	521		-0.0	-0.0	0.0	0.0
0.0	74.75	85		0.0	0.0	0.0	0.0
-0.0	4.37	100		-0.0	-0.0	0.0	-0.0
-0.0	8.68	530		-0.0	-0.0	0.0	-0.0
		NODE		Vxx		Vyy	
		Cent		-0.0		0.0	
		521		-0.0		0.0	
		85		-0.0		0.0	
		100		-0.0		0.0	
		530		-0.0		0.0	
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-3.9	-75.66	q5_pc	Cent	-1.6	30.6	-8.8	32.8
-30.6	-50.28		521	-14.3	-7.0	-19.6	9.3
3.4	-74.52		85	8.4	68.9	-18.1	73.9
11.0	87.99		100	11.1	68.2	2.0	68.2
-11.7	82.26		530	-11.7	-7.8	0.5	-7.7
			NODE	Mxx	Myy	Mxy	Mmax
-0.1	-49.34		Cent	-0.0	-0.0	-0.1	0.0
-0.0	-45.19		521	0.1	0.1	-0.1	0.1
-0.2	-75.54		85	-0.2	0.0	-0.1	0.0
-0.1	-44.83		100	-0.1	-0.1	-0.0	-0.0
-0.2	-24.47		530	-0.0	-0.1	-0.1	0.0
			NODE	Vxx		Vyy	
			Cent	0.3		0.4	
			521	0.4		0.5	
			85	0.4		0.4	
			100	0.2		0.4	
			530	0.2		0.5	
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_ps	Cent	-1.7	23.3	-7.0	25.2

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-3.6	-75.42		521	-11.9	-8.0	-15.8	6.0
-26.0	-48.51		85	7.2	55.6	-15.1	59.9
2.9	-74.08		100	8.5	54.7	1.8	54.8
8.4	87.71		530	-10.6	-8.9	1.1	-8.4
-11.1	64.42						

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-----							
			Cent	-0.0	-0.0	-0.1	0.0
-0.1	-49.75		521	0.1	0.1	-0.1	0.1
-0.0	-45.45		85	-0.2	0.0	-0.1	0.0
-0.2	-75.38		100	-0.1	-0.1	-0.0	-0.0
-0.1	-46.68		530	-0.0	-0.1	-0.1	0.0
-0.2	-25.30						

NODE Vxx Vyy

Cent	0.3	0.4
521	0.4	0.4
85	0.4	0.3
100	0.2	0.3
530	0.2	0.4

Fmin ANGLE LC NODE Fxx Fyy Fxy Fmax

-----								
		INVSLU	Max	Cent	-126.0	95.5	816.2	791.5
-466.0	48.99			521	-82.1	-120.9	816.8	712.8
-554.8	44.22			85	46.2	398.8	731.4	943.2
-226.0	52.08			100	-100.0	350.7	828.6	984.1
-437.1	52.61			530	-232.2	-161.8	916.8	716.5
-725.9	46.01		Min	Cent	-264.7	-326.4	255.3	-21.1
-863.2	41.60			521	-243.3	-500.2	246.9	-93.5
-921.3	31.25			85	-153.7	-176.7	179.1	46.9
-588.7	43.45			100	-338.7	-246.7	259.7	-28.9
-789.2	50.02			530	-441.0	-576.8	330.0	-171.0
-1134.8	39.20							

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-----								
			Max	Cent	0.1	-0.1	0.1	0.1
-0.2	30.45			521	0.1	-0.0	0.2	0.1



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	-30.77		85	0.5	0.2	0.1	0.5
0.2	14.10		100	0.1	-0.2	0.1	0.1
-0.3	10.19		530	0.2	0.1	0.1	0.3
-0.0	44.20	Min	Cent	-0.2	-0.4	-0.1	-0.2
-0.4	-13.23		521	-0.2	-0.4	-0.1	-0.2
-0.5	15.65		85	-0.3	-0.0	-0.1	0.0
-0.3	-76.64		100	-0.5	-0.9	-0.1	-0.5
-0.9	-6.04		530	-0.3	-0.7	-0.1	-0.3
-0.7	-7.47						

	NODE	Vxx	Vyy
Max	Cent	0.9	1.8
	521	0.9	1.2
	85	0.9	2.9
	100	1.0	2.9
	530	1.0	1.2
Min	Cent	-1.0	-0.2
	521	-1.2	-0.8
	85	-1.2	0.3
	100	-0.9	0.2
	530	-0.9	-0.8

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-314.8	40.99	INVSLV	Max Cent	-13.2	-77.3	308.3	247.3
-315.2	41.49		521	4.7	-68.0	317.0	280.3
-282.5	41.35		85	-5.4	-43.9	308.7	249.3
-313.6	43.59		100	-28.3	-52.4	301.4	246.5
-310.3	41.81		530	-5.8	-69.0	311.6	252.0
-375.4	41.49		Min Cent	-28.7	-115.4	259.6	208.3
-366.9	40.87		521	-25.0	-106.8	262.3	206.7
-402.7	39.86		85	-22.6	-156.5	254.2	206.2
-386.8	38.73		100	-35.2	-158.2	255.2	179.9
-386.6	41.76		530	-50.0	-115.9	261.3	204.2
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	35.14		Max Cent	0.0	0.0	0.0	0.0
0.0	-44.42		521	0.0	0.0	0.0	0.1
			85	0.1	0.1	0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-81.30			100	0.1	0.1	0.0	0.1
0.0	44.76			530	0.0	0.0	0.0	0.1
-0.0	60.97							
-0.0	-39.22	Min	Cent		-0.0	-0.0	-0.0	-0.0
				521	-0.0	-0.0	-0.0	0.0
-0.1	47.35			85	-0.1	-0.1	-0.0	0.0
-0.1	15.14			100	-0.1	-0.1	-0.0	-0.1
-0.1	-20.49			530	-0.0	-0.1	-0.0	0.0
-0.1	41.08							

	NODE	Vxx	Vyy
Max	Cent	0.2	0.4
	521	0.2	0.2
	85	0.2	0.7
	100	0.2	0.7
	530	0.2	0.2
Min	Cent	-0.2	-0.2
	521	-0.2	-0.1
	85	-0.2	-0.3
	100	-0.1	-0.4
	530	-0.1	-0.1

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
509	2	8	Q1-1-2	Max	Cent	106.7	282.4	360.9	566.0
-176.8		51.84			530	51.7	75.5	328.6	392.5
-265.2		46.04			100	175.3	602.3	367.8	814.1
-36.5		60.07			6	214.5	607.3	405.0	861.0
-39.2		57.94			539	60.7	79.6	365.1	435.4
-295.1		45.74		Min	Cent	-51.8	-199.2	-23.0	-48.3
-202.7		-8.66			530	-117.2	-319.1	-49.6	-105.6
-330.6		-13.08			100	-105.1	-370.5	-16.2	-104.1
-371.5		-3.48			6	-104.4	-374.6	-15.8	-103.4
-375.5		-3.34			539	-84.5	-321.2	-47.1	-75.5
-330.2		-10.86							
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
				Max	Cent	0.0	0.1	0.1	0.2
-0.1		54.88			530	0.2	0.4	0.1	0.5
0.1		66.31			100	0.6	1.4	0.1	1.4
0.6		86.02			6	0.4	1.4	0.0	1.4

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.4	87.53		539	0.1	0.2	0.1	0.3
-0.0	50.93						
-0.3	-15.31	Min	Cent	-0.1	-0.3	-0.1	-0.1
-0.7	-8.87		530	-0.3	-0.7	-0.1	-0.3
-1.3	-3.86		100	-0.5	-1.3	-0.1	-0.5
-1.8	-1.45		6	-0.5	-1.8	-0.0	-0.5
-0.5	-15.83		539	-0.2	-0.4	-0.1	-0.2

	NODE	Vxx	Vyy
Max	Cent	0.3	10.6
	530	0.4	4.9
	100	0.4	26.6
	6	0.3	26.6
	539	0.3	4.9
Min	Cent	-0.6	-8.6
	530	-0.8	-5.4
	100	-0.8	-22.2
	6	-0.5	-22.1
	539	-0.5	-5.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-106.2	51.74	Q2a-1-2	Max	Cent	63.8	167.2	215.6	337.2
-161.2	45.96			530	29.9	43.2	197.7	234.4
-26.5	59.89			100	102.1	355.8	221.7	484.3
-25.8	57.80			6	126.7	358.7	242.1	511.2
-175.7	45.54			539	38.2	46.4	217.9	260.2
-123.8	-10.75		Min	Cent	-36.3	-120.6	-16.6	-33.2
-234.0	-13.73			530	-83.8	-225.0	-36.7	-74.8
-219.1	-4.13			100	-60.9	-218.3	-11.4	-60.1
-221.5	-3.85			6	-61.5	-220.8	-10.8	-60.8
-233.6	-11.36			539	-60.8	-226.6	-34.7	-53.8

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
-0.0	54.29		Max	Cent	0.0	0.1	0.1	0.1
0.1	64.86			530	0.1	0.2	0.1	0.3
0.3	86.05			100	0.3	0.8	0.0	0.8
0.2	87.42			6	0.2	0.8	0.0	0.8
				539	0.1	0.1	0.1	0.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	48.70	Min	Cent	-0.1	-0.2	-0.0	-0.0
-0.2	-14.77		530	-0.2	-0.4	-0.0	-0.2
-0.4	-9.03		100	-0.3	-0.7	-0.0	-0.3
-0.7	-3.97		6	-0.3	-1.0	-0.0	-0.3
-1.1	-1.51		539	-0.1	-0.3	-0.0	-0.1
-0.3	-15.60						

	NODE	Vxx	Vyy
Max	Cent	0.2	6.1
	530	0.3	2.8
	100	0.3	15.4
	6	0.2	15.4
	539	0.2	2.8
Min	Cent	-0.4	-4.9
	530	-0.5	-3.1
	100	-0.5	-12.6
	6	-0.3	-12.6
	539	-0.3	-3.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	-3.6	-4.8	-20.0	15.9
-24.2	-44.12		530	3.2	1.9	-20.1	22.7
-17.6	-44.02		100	-4.9	-8.0	-19.5	13.1
-26.0	-42.74		6	-4.1	-7.8	-20.0	14.2
-26.0	-42.36		539	-2.3	-1.7	-20.6	18.7
-22.6	-45.42						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-10.13	530	0.0	0.0	-0.0	0.0
0.0	-73.32	100	-0.0	0.0	0.0	0.0
-0.0	86.94	6	0.0	0.0	0.0	0.0
0.0	87.57	539	-0.0	0.0	-0.0	0.0
-0.0	-83.74					

	NODE	Vxx	Vyy
	Cent	0.0	-0.0
	530	0.0	-0.0
	100	0.0	-0.1
	6	0.0	-0.1
	539	0.0	-0.0

LC	NODE	Fxx	Fyy	Fxy	Fmax
----	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE						
		SLVy (RS)	Cent	-26.3	-52.9	5.1	-25.4
-53.9	10.55		530	-12.1	10.9	2.6	11.2
-12.4	83.72		100	-50.9	-120.5	16.7	-47.1
-124.3	12.82		6	-41.0	-116.7	7.7	-40.2
-117.5	5.77		539	-1.9	14.6	-9.8	19.1
-6.5	-65.14						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	-0.0	0.0
-0.1	-40.50		530	0.0	0.1	-0.0	0.1
-0.0	-49.49		100	-0.2	-0.4	-0.0	-0.2
-0.4	-8.00		6	0.1	0.5	-0.0	0.5
0.1	-87.26		539	-0.1	-0.2	-0.0	-0.0
-0.2	-12.93						
			NODE	Vxx	Vyy		
			Cent	0.1	-2.6		
			530	0.1	2.0		
			100	0.1	-7.3		
			6	0.0	-7.3		
			539	0.0	2.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDx (RS)	Cent	-1.8	-2.4	-10.0	7.9
-12.1	-44.12		530	1.6	0.9	-10.1	11.3
-8.8	-44.03		100	-2.4	-4.0	-9.7	6.6
-13.0	-42.74		6	-2.0	-3.9	-10.0	7.1
-13.0	-42.36		539	-1.1	-0.8	-10.3	9.3
-11.3	-45.42						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-10.14		530	0.0	0.0	-0.0	0.0
0.0	-73.31		100	-0.0	0.0	0.0	0.0
-0.0	86.94		6	0.0	0.0	0.0	0.0
0.0	87.58		539	-0.0	0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0      -83.73

NODE	Vxx	Vyy
Cent	0.0	-0.0
530	0.0	-0.0
100	0.0	-0.0
6	0.0	-0.0
539	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-26.9	10.57	SLDy (RS)	Cent	-13.1	-26.4	2.6	-12.7
-6.2	83.71		530	-6.0	5.4	1.3	5.6
-62.1	12.82		100	-25.4	-60.2	8.3	-23.5
-58.7	5.79		6	-20.5	-58.3	3.9	-20.1
-3.2	-65.13		539	-1.0	7.3	-4.9	9.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-40.49	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-49.51	530	0.0	0.0	-0.0	0.0
-0.2	-8.00	100	-0.1	-0.2	-0.0	-0.1
0.1	-87.26	6	0.1	0.2	-0.0	0.2
-0.1	-12.93	539	-0.0	-0.1	-0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	-1.3
530	0.1	1.0
100	0.1	-3.6
6	0.0	-3.6
539	0.0	1.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-10.9	-43.71	SLVz (RS)	Cent	-1.5	-2.3	-9.0	7.1
-10.0	-45.64		530	-1.2	-0.8	-9.0	8.0
-11.9	-41.88		100	-2.1	-4.0	-8.7	5.7
-12.0	-41.77		6	-1.9	-3.9	-9.0	6.1
-10.1	-45.39		539	-1.0	-0.7	-9.3	8.4

NODE	Mxx	Myy	Mxy	Mmax
------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE						
			Cent	0.0	0.0	0.0	0.0
0.0	70.45		530	0.0	0.0	-0.0	0.0
0.0	-64.70		100	-0.0	0.0	0.0	0.0
-0.0	86.97		6	0.0	0.0	0.0	0.0
0.0	88.34		539	0.0	0.0	-0.0	0.0
0.0	-73.43						
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			530	0.0	-0.0		
			100	0.0	-0.1		
			6	0.0	-0.1		
			539	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
			Cent	33.7	37.8	223.0	258.7
-187.3	45.27	g1	530	23.9	-5.2	224.3	234.1
-215.4	43.15		100	50.5	83.5	214.2	281.9
-147.9	47.20		6	43.4	80.8	221.7	284.7
-160.4	47.41		539	16.8	-7.9	231.8	236.6
-227.6	43.48						
			NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	2.71		530	-0.0	-0.0	0.0	-0.0
-0.0	8.67		100	0.0	0.0	-0.0	0.0
0.0	-3.80		6	-0.0	-0.1	-0.0	-0.0
-0.1	-1.86		539	-0.0	-0.0	0.0	-0.0
-0.0	9.62						
			NODE	Vxx	Vyy		
			Cent	-0.0	0.3		
			530	-0.0	-0.0		
			100	-0.0	0.6		
			6	-0.0	0.6		
			539	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-99.3	42.86	g2	Cent	11.8	-3.6	103.0	107.4
-107.5	41.97		530	15.8	-7.8	110.9	115.5
-82.7	42.68		100	19.3	4.0	94.0	106.0
-91.1	43.91		6	7.8	0.5	95.2	99.4
-115.8	43.02		539	4.2	-11.3	112.0	108.7
-----							
-0.0	-60.57		Cent	0.0	0.0	-0.0	0.0
0.0	-57.56		530	0.0	0.1	-0.0	0.1
-0.1	-37.42		100	-0.1	-0.1	-0.0	-0.0
-0.0	-75.44		6	-0.0	0.0	-0.0	0.0
0.0	-58.85		539	0.0	0.1	-0.0	0.1
-----							
		NODE	Vxx	Vyy			
		Cent	0.1	-0.3			
		530	0.1	-0.1			
		100	0.1	-0.6			
		6	0.1	-0.6			
		539	0.1	-0.1			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-4.0	44.74	q3	Cent	1.2	1.1	5.1	6.3
-4.4	43.23		530	0.8	0.2	4.9	5.4
-3.6	46.59		100	1.3	1.9	5.2	6.8
-3.6	46.13		6	1.5	2.0	5.4	7.1
-4.4	42.83		539	1.0	0.3	5.0	5.7
-----							
Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-----							
-0.0	7.43		Cent	-0.0	-0.0	0.0	-0.0
-0.0	6.37		530	-0.0	-0.0	0.0	-0.0
0.0	81.53		100	0.0	0.0	0.0	0.0
-0.0	0.81		6	-0.0	-0.0	0.0	-0.0
-0.0	14.29		539	-0.0	-0.0	0.0	-0.0
-----							
		NODE	Vxx	Vyy			



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

```

-----
          Cent      -0.0      0.0
          530      -0.0     -0.0
          100      -0.0      0.0
           6      -0.0      0.0
          539      -0.0     -0.0
    
```

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-67.0	-9.13	q5_pc	Cent	-26.5	-65.9	-6.5	-25.5
-3.6	-82.39		530	-3.1	20.7	-3.2	21.1
-155.7	2.91		100	-56.0	-155.5	5.1	-55.7
-153.4	-5.39		6	-49.9	-152.5	-9.8	-49.0
-7.5	-59.89		539	3.0	23.6	-18.1	34.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.1	-33.70	Cent	-0.0	-0.1	-0.1	0.0
-0.0	-41.12	530	0.0	0.0	-0.1	0.1
-0.6	-7.74	100	-0.2	-0.6	-0.0	-0.2
0.2	-87.90	6	0.2	0.7	-0.0	0.7
-0.4	-9.12	539	-0.1	-0.4	-0.0	-0.1

```

-----
          NODE      Vxx      Vyy
          Cent      0.1     -3.5
          530      0.2      3.2
          100      0.2    -10.2
           6      0.0    -10.2
          539      0.0      3.2
    
```

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-58.6	-8.29	q5_ps	Cent	-23.3	-57.9	-5.1	-22.6
-3.5	-83.94		530	-3.3	15.5	-2.0	15.7
-133.8	2.87		100	-48.0	-133.6	4.3	-47.8
-132.0	-5.32		6	-43.4	-131.2	-8.3	-42.6
-7.2	-59.76		539	1.3	17.8	-14.6	26.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	-33.34	Cent	-0.0	-0.1	-0.1	0.0
-0.1	-38.45	530	0.0	-0.0	-0.1	0.1
-0.5	-8.69	100	-0.2	-0.5	-0.0	-0.2
0.2	-87.61	6	0.2	0.6	-0.0	0.6
-0.4	-9.71	539	-0.1	-0.4	-0.0	-0.1

NODE	Vxx	Vyy
Cent	0.1	-2.9
530	0.2	2.8
100	0.2	-8.6
6	0.0	-8.6
539	0.0	2.8

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-293.3	62.63	INVSLU Max	Cent	-112.2	705.4	578.4	1004.8
-504.0	50.49		530	-147.8	125.5	725.2	718.9
180.4	76.76		100	251.0	1572.8	338.4	1650.3
-125.1	74.48		6	-5.2	1481.8	447.6	1606.1
-754.2	52.33		539	-439.6	38.7	842.6	646.6
-465.1	81.33	Min	Cent	-373.9	-63.4	48.5	-56.0
-764.5	40.45		530	-381.4	-444.5	208.8	-192.7
-332.2	-60.00		100	-228.3	-20.4	-189.1	83.5
-567.9	-72.92		6	-525.5	-118.4	-138.1	-75.9
-1095.4	52.36		539	-640.9	-545.0	253.5	-307.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.1	46.94	Max	Cent	-0.0	0.0	0.1
0.3	65.30		530	0.3	0.6	0.7
0.6	83.54		100	0.6	1.4	1.4
0.8	89.38		6	0.8	3.1	3.1
0.1	55.05		539	0.2	0.3	0.4
-0.8	-18.94	Min	Cent	-0.2	-0.7	-0.2
-0.9	-8.00		530	-0.4	-0.9	-0.4
-3.3	-4.17		100	-1.3	-3.3	-1.3
			6	-0.8	-2.4	-0.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-2.4      -1.61  
 -1.4      -11.76

	NODE	Vxx	Vyy
Max	Cent	0.8	12.3
	530	1.0	12.9
	100	1.0	31.3
	6	0.8	31.2
	539	0.8	12.9
Min	Cent	-0.6	-20.1
	530	-0.9	-6.8
	100	-0.9	-52.9
	6	-0.3	-52.9
	539	-0.3	-6.8

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-174.8	48.39	INVSLV	Max Cent	17.9	73.2	253.2	279.7
-237.4	44.66		530	7.0	-9.3	273.0	256.9
-57.7	53.58		100	73.3	192.0	227.6	333.9
-107.0	54.74		6	29.4	177.5	233.4	325.4
-267.2	45.14		539	-37.0	-16.4	283.6	248.0
-276.4	45.05		Min Cent	-37.8	-36.9	204.6	188.0
-289.2	43.56		530	-19.9	-32.7	225.8	214.8
-264.7	43.40		100	-32.8	-56.1	173.4	164.7
-279.1	44.54		6	-56.2	-62.9	183.3	147.8
-319.2	45.87		539	-43.3	-47.0	230.9	194.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	43.49	Max Cent	0.0	0.0	0.0	0.0
0.0	-52.72	530	0.1	0.1	0.0	0.1
0.1	78.55	100	0.1	0.2	0.0	0.2
0.2	-86.53	6	0.2	0.6	0.0	0.6
0.0	78.34	539	0.0	0.1	0.0	0.2
-0.1	-8.28	Min Cent	-0.0	-0.1	-0.1	-0.0
-0.1	45.14	530	-0.0	-0.0	-0.1	0.0
-0.6	-6.98	100	-0.2	-0.6	-0.0	-0.2
-0.3	1.26	6	-0.1	-0.3	-0.0	-0.1
		539	-0.1	-0.3	-0.0	-0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.3      -13.55

	NODE	Vxx	Vyy
Max	Cent	0.1	1.6
	530	0.2	2.8
	100	0.2	4.4
	6	0.0	4.4
	539	0.0	2.8
Min	Cent	-0.1	-3.8
	530	-0.1	-1.3
	100	-0.1	-10.3
	6	-0.0	-10.3
	539	-0.0	-1.3

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
751	2	8	Q1-1-2	Max	Cent	2.0	34.8	465.7	484.4
-447.5		46.01			621	10.4	20.8	366.9	382.5
-351.3		45.40			46	23.4	64.5	890.7	934.9
-846.9		45.66			2295	2.6	50.6	600.7	627.8
-574.6		46.14			2294	283.0	6.1	57.4	294.4
-5.3		11.26		Min	Cent	-442.1	-2055.7	-47.0	-440.7
-2057.1		-1.67			621	-274.6	-819.5	-5.8	-274.5
-819.5		-0.61			46	-1066.8	-3460.3	-98.7	-1062.8
-3464.4		-2.36			2295	-621.1	-3292.5	-113.8	-616.3
-3297.3		-2.43			2294	-115.3	-651.3	-1.3	-115.3
-651.3		-0.14							

	NODE	Mxx	Myy	Mxy	Mmax
Mmin	ANGLE				
Max	Cent	0.0	0.0	0.0	0.0
	621	0.0	0.0	0.0	0.0
	46	0.0	0.0	0.0	0.0
	2295	0.0	0.0	0.0	0.0
	2294	0.0	0.0	0.0	0.0
Min	Cent	-0.1	-0.3	-0.0	-0.1
	621	-0.0	-0.2	-0.0	-0.0
	46	-0.1	-0.5	-0.0	-0.1
	2295	-0.2	-0.5	-0.0	-0.2
	2294	-0.0	-0.2	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
Max	Cent	0.2	0.3
	621	0.0	0.7
	46	0.0	0.0
	2295	0.5	0.0
	2294	0.5	0.7
Min	Cent	-0.0	-0.0
	621	-0.0	-0.0
	46	-0.0	-0.1
	2295	-0.0	-0.1
	2294	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax		
-257.1 -209.8 -488.5 -329.0 -4.5 -1210.7 -480.3 -2035.3 -1942.6 -386.8	45.80 45.31 45.53 45.92 12.12 -1.41 -0.48 -2.02 -2.25 -0.15	Q2a-1-2	Max	Cent	1.2	16.0	265.6	274.3	
				621	4.5	9.2	216.7	223.6	
				46	10.5	29.4	508.3	528.3	
				2295	1.6	23.4	341.3	354.0	
				2294	160.0	3.1	35.3	167.6	
				Min	Cent	-268.3	-1210.1	-23.3	-267.7
					621	-159.6	-480.3	-2.7	-159.6
					46	-625.6	-2033.6	-49.7	-623.8
					2295	-384.7	-1940.2	-61.2	-382.3
					2294	-64.8	-386.8	-0.9	-64.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax		
-0.0 -0.0 -0.0 0.0 -0.0 -0.2 -0.1 -0.3 -0.3 -0.1	60.68 50.04 49.77 62.41 21.93 -3.83 -7.04 -4.54 -11.26 -9.40	Max	Cent	0.0	0.0	0.0	0.0	
			621	0.0	0.0	0.0	0.0	
			46	0.0	0.0	0.0	0.0	
			2295	0.0	0.0	0.0	0.0	
			2294	0.0	0.0	0.0	0.0	
			Min	Cent	-0.1	-0.2	-0.0	-0.1
				621	-0.0	-0.1	-0.0	-0.0
				46	-0.1	-0.3	-0.0	-0.1
				2295	-0.2	-0.3	-0.0	-0.2
				2294	-0.0	-0.1	-0.0	0.0

NODE	Vxx	Vyy
------	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Max	Cent	0.2	0.2
	621	0.0	0.4
	46	0.0	0.0
	2295	0.3	0.0
	2294	0.3	0.4
Min	Cent	-0.0	-0.0
	621	-0.0	-0.0
	46	-0.0	-0.1
	2295	-0.0	-0.1
	2294	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
5.1	64.72	SLVx (RS)	Cent	26.9	102.8	46.2	124.6
-57.7	30.56		621	-17.5	-43.7	23.7	-3.5
16.4	64.08		46	53.4	173.1	76.1	210.1
18.0	64.46		2295	51.8	166.2	70.8	200.0
16.9	42.14		2294	36.3	32.7	17.5	52.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	83.85	Cent	0.0	0.0	0.0	0.0
-0.0	-20.89	621	-0.0	-0.0	-0.0	-0.0
0.0	68.70	46	0.0	0.0	0.0	0.0
0.0	39.98	2295	0.0	0.0	0.0	0.0
-0.0	-23.94	2294	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
621	0.0	-0.1
46	0.0	-0.0
2295	-0.1	-0.0
2294	-0.1	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-99.2	-24.98	SLVy (RS)	Cent	-45.1	-87.4	-25.2	-33.4
-34.3	28.71		621	-6.2	-25.9	15.4	2.2
-160.2	-23.16		46	-37.9	-137.8	-52.3	-15.5
-186.7	-31.51		2295	-88.4	-149.8	-60.3	-51.5
-59.5	82.72		2294	-59.1	-37.7	2.8	-37.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	31.45		Cent	-0.0	-0.0	0.0	-0.0
-0.1	20.64		621	-0.0	-0.0	0.0	-0.0
0.0	-61.77		46	0.0	0.0	-0.0	0.0
-0.1	-59.90		2295	-0.1	-0.1	-0.0	-0.1
-0.0	32.43		2294	0.0	-0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.1	0.0		
			621	0.0	-0.3		
			46	0.0	0.4		
			2295	0.2	0.4		
			2294	0.2	-0.3		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
2.6	64.73	SLDx (RS)	Cent	13.4	51.4	23.1	62.3
-28.8	30.55		621	-8.7	-21.8	11.9	-1.7
8.2	64.10		46	26.7	86.5	38.0	105.0
9.0	64.47		2295	25.9	83.1	35.4	100.0
8.5	42.15		2294	18.1	16.4	8.7	26.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	83.84		Cent	0.0	0.0	0.0	0.0
-0.0	-20.89		621	-0.0	-0.0	-0.0	-0.0
0.0	68.70		46	0.0	0.0	0.0	0.0
0.0	39.98		2295	0.0	0.0	0.0	0.0
-0.0	-23.94		2294	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			621	0.0	-0.0		
			46	0.0	-0.0		
			2295	-0.0	-0.0		
			2294	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		SLDy (RS)	Cent	-22.5	-43.7	-12.6	-16.6
-49.6	-24.97		621	-3.1	-13.0	7.7	1.1
-17.2	28.71		46	-19.0	-68.9	-26.2	-7.8
-80.1	-23.16		2295	-44.2	-74.9	-30.1	-25.7
-93.3	-31.48		2294	-29.5	-18.8	1.4	-18.7
-29.7	82.71						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----			Cent	-0.0	-0.0	0.0	-0.0
-0.0	31.43		621	-0.0	-0.0	0.0	-0.0
-0.0	20.63		46	0.0	0.0	-0.0	0.0
0.0	-61.80		2295	-0.0	-0.0	-0.0	-0.0
-0.0	-59.86		2294	0.0	-0.0	0.0	0.0
-0.0	32.41						
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			621	0.0	-0.1		
			46	0.0	0.2		
			2295	0.1	0.2		
			2294	0.1	-0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----		SLVz (RS)	Cent	11.1	45.3	-11.4	48.8
7.6	-73.11		621	5.8	17.3	-7.8	21.2
1.8	-63.12		46	23.1	76.5	-20.0	83.2
16.5	-71.55		2295	18.4	73.9	-16.2	78.3
14.0	-74.88		2294	-7.8	14.2	-3.9	14.9
-8.4	-80.27						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----			Cent	0.0	0.0	0.0	0.0
0.0	83.97		621	0.0	0.0	0.0	0.0
0.0	71.02		46	0.0	0.0	-0.0	0.0
0.0	-76.69		2295	0.0	0.0	-0.0	0.0
0.0	-57.90		2294	-0.0	0.0	0.0	0.0
-0.0	79.80						



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

NODE	Vxx	Vyy
Cent	0.0	0.0
621	-0.0	-0.0
46	-0.0	0.0
2295	0.0	0.0
2294	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1308.6	14.34	g1	Cent	-268.1	-1240.7	265.9	-200.2
-600.6	26.87		621	-162.5	-488.2	222.0	-50.0
-2243.8	17.31		46	-642.5	-2088.2	499.2	-486.8
-2050.5	10.47		2295	-373.8	-1993.2	309.9	-316.5
-395.3	3.72		2294	106.2	-393.2	32.6	108.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.2	-3.54	Cent	-0.1	-0.2	-0.0	-0.1
-0.1	0.21	621	-0.0	-0.1	0.0	-0.0
-0.3	-2.10	46	-0.1	-0.3	-0.0	-0.1
-0.3	-10.12	2295	-0.1	-0.3	-0.0	-0.1
-0.1	-8.38	2294	0.0	-0.1	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.1	0.2
621	-0.0	0.4
46	-0.0	-0.1
2295	0.3	-0.1
2294	0.3	0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-632.7	14.68	g2	Cent	-128.0	-598.0	132.2	-93.4
-292.1	27.10		621	-79.2	-236.4	108.9	-23.5
-1085.2	17.66		46	-310.3	-1006.6	246.7	-231.7
-989.5	10.83		2295	-176.9	-959.7	155.5	-147.1
-190.7	4.15		2294	54.2	-189.4	17.8	55.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	-3.04	Cent	-0.0	-0.1	-0.0	-0.0
-0.0	-0.10	621	-0.0	-0.0	-0.0	-0.0
-0.1	-1.60	46	-0.0	-0.1	-0.0	-0.0
-0.1	-9.20	2295	-0.1	-0.1	-0.0	-0.1
-0.1	-8.07	2294	0.0	-0.1	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.1	0.1
621	-0.0	0.2
46	-0.0	-0.0
2295	0.1	-0.0
2294	0.1	0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-32.4	41.71	q3	Cent	19.1	8.5	45.9	60.0
-31.3	41.17		621	-12.0	-16.6	16.9	2.7
-63.6	48.98		46	-1.5	18.4	71.4	80.5
-33.4	41.84		2295	50.3	33.7	74.9	117.4
-9.8	22.39		2294	39.8	-1.3	20.4	48.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	6.77	Cent	0.0	-0.0	0.0	0.0
-0.0	-22.05	621	-0.0	-0.0	-0.0	-0.0
-0.0	47.49	46	0.0	0.0	0.0	0.0
0.0	23.17	2295	0.0	0.0	0.0	0.0
-0.0	-45.51	2294	-0.0	-0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
621	0.0	-0.1
46	0.0	-0.0
2295	-0.1	-0.0
2294	-0.1	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-182.1	10.65	q5_pc	Cent	-47.4	-177.4	25.4	-42.6

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-82.7	26.84		621	-20.4	-66.7	31.5	-4.4
-304.1	12.02		46	-88.7	-294.4	45.9	-78.9
-289.7	5.09		2295	-74.3	-288.0	19.2	-72.6
-60.8	5.05		2294	-6.0	-60.4	4.8	-5.6
-----							
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	0.01		621	-0.0	-0.0	0.0	-0.0
-0.0	14.35		46	-0.0	-0.0	-0.0	-0.0
-0.0	-6.36		2295	-0.0	-0.0	-0.0	-0.0
-0.0	-18.95		2294	0.0	-0.0	0.0	0.0
-0.0	0.20						
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			621	-0.0	0.1		
			46	-0.0	0.0		
			2295	0.1	0.0		
			2294	0.1	0.1		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_ps	Cent	-40.1	-141.9	17.4	-37.2
-144.8	9.43		621	-15.6	-52.6	25.3	-2.7
-65.4	26.95		46	-70.2	-234.6	30.7	-64.7
-240.2	10.25		2295	-64.6	-231.3	9.4	-64.0
-231.8	3.23		2294	-9.9	-49.2	4.0	-9.5
-49.6	5.81						
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	0.62		621	-0.0	-0.0	0.0	-0.0
-0.0	17.76		46	-0.0	-0.0	-0.0	-0.0
-0.0	-7.98		2295	-0.0	-0.0	-0.0	-0.0
-0.0	-23.81		2294	0.0	-0.0	0.0	0.0
-0.0	1.91						
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

621 -0.0 0.1  
 46 -0.0 0.0  
 2295 0.1 0.0  
 2294 0.1 0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2321.5	25.87	INVSLU	Max Cent	-399.3	-2037.2	1087.8	70.7
-1159.2	35.74		621	-256.3	-792.7	872.1	328.8
-4115.0	29.55		46	-1050.9	-3440.5	2118.9	85.9
-3558.9	21.89		2295	-520.3	-3273.3	1352.4	-69.9
-634.9	3.20		2294	607.4	-632.8	79.2	611.3
-5258.0	5.46		Min Cent	-1119.4	-5220.2	350.0	-1081.6
-2151.3	14.07		621	-679.4	-2058.8	304.6	-586.9
-8893.2	7.21		46	-2699.9	-8794.2	700.7	-2600.9
-8404.2	3.25		2295	-1575.1	-8382.1	353.3	-1553.0
-1646.5	0.00		2294	58.8	-1646.5	-9.9	58.8
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.3	-2.29		Max Cent	-0.1	-0.3	-0.0	-0.1
-0.1	17.98		621	-0.0	-0.1	0.0	-0.0
-0.5	-0.56		46	-0.1	-0.5	0.0	-0.1
-0.5	-8.12		2295	-0.2	-0.5	-0.0	-0.2
-0.2	-2.26		2294	0.1	-0.2	-0.0	0.1
-0.8	-3.26		Min Cent	-0.3	-0.8	-0.0	-0.3
-0.4	-1.94		621	-0.1	-0.4	-0.0	-0.1
-1.2	-3.99		46	-0.3	-1.2	-0.1	-0.3
-1.2	-11.04		2295	-0.7	-1.2	-0.1	-0.7
-0.6	-8.30		2294	0.0	-0.6	-0.1	0.0
			NODE	Vxx	Vyy		
			Max Cent	0.7	0.9		
			621	-0.0	1.9		
			46	-0.0	-0.0		
			2295	1.3	-0.0		
			2294	1.3	1.8		
			Min Cent	0.2	0.3		
			621	-0.0	0.7		
			46	-0.0	-0.3		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

2295 0.4 -0.3  
2294 0.4 0.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1669.0	16.11	INVSLV	Max Cent	-303.5	-1545.2	416.1	-189.6
-735.5	26.26		621	-199.2	-605.9	325.0	-68.4
-2890.5	20.20		46	-803.5	-2608.1	779.7	-521.1
-2597.9	12.73		2295	-390.3	-2479.9	517.3	-277.3
-480.5	3.16		2294	227.5	-478.5	55.4	229.6
-1894.4	12.37	Min	Cent	-416.5	-1830.5	301.8	-345.6
-883.7	26.79		621	-241.4	-719.2	263.6	-78.2
-3237.9	14.58		46	-946.9	-3082.8	584.1	-791.8
-2994.3	8.30		2295	-609.2	-2946.5	329.8	-558.6
-583.9	2.81		2294	82.8	-582.1	16.4	84.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.2	-7.73	Max Cent	-0.1	-0.2	-0.0	-0.1
-0.0	-27.40		621	-0.0	-0.0	-0.0
-0.3	-2.21		46	-0.1	-0.3	-0.1
-0.3	-9.44		2295	-0.1	-0.3	-0.1
-0.1	-3.60		2294	0.0	-0.1	0.0
-0.3	-1.97	Min Cent	-0.1	-0.3	-0.0	-0.1
-0.1	8.17		621	-0.0	-0.1	-0.0
-0.4	-3.72		46	-0.1	-0.4	-0.1
-0.5	-14.54		2295	-0.3	-0.5	-0.3
-0.2	-15.41		2294	0.0	-0.2	0.0

NODE	Vxx	Vyy
Max Cent	0.3	0.3
621	0.0	1.0
46	0.0	0.3
2295	0.6	0.3
2294	0.6	1.0
Min Cent	0.1	0.2
621	-0.0	0.3
46	-0.0	-0.5
2295	0.2	-0.5
2294	0.2	0.3

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
752	2	8	Q1-1-2	Max	Cent	118.0	34.8	3.3	118.1
34.7		2.27			46	45.3	68.5	4.3	69.3
44.5		79.87			624	142.2	406.0	12.2	406.5
141.6		87.37			2296	360.4	406.9	4.2	407.3
360.0		84.92			2295	162.0	82.8	2.4	162.1
82.7		1.77		Min	Cent	-433.9	-1448.5	-808.5	13.3
-1895.7		-28.95			46	-1004.7	-3301.1	-1066.6	-585.8
-3720.1		-21.44			624	-0.8	-13.1	-930.5	923.6
-937.5		-44.81			2296	-37.5	-2.8	-559.0	539.1
-579.3		-45.89			2295	-947.1	-3303.0	-698.2	-755.7
-3494.3		-15.33							
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
				Max	Cent	0.0	0.0	0.0	0.0
0.0		42.05			46	0.0	0.0	0.0	0.0
0.0		84.08			624	0.0	0.0	0.0	0.0
-0.0		46.00			2296	0.0	0.0	0.0	0.0
-0.0		46.50			2295	0.1	0.0	0.0	0.1
0.0		0.38		Min	Cent	-0.1	-0.3	-0.1	-0.1
-0.4		-17.62			46	-0.1	-0.5	-0.1	-0.1
-0.5		-14.03			624	-0.1	-0.2	-0.1	-0.0
-0.3		-24.91			2296	-0.1	-0.2	-0.1	-0.0
-0.2		-22.77			2295	-0.2	-0.5	-0.1	-0.2
-0.5		-12.57							
				NODE	Vxx	Vyy			
				Max	Cent	0.1	0.0		
					46	0.0	0.0		
					624	0.0	0.0		
					2296	0.2	0.0		
					2295	0.2	0.1		
				Min	Cent	-0.1	-0.2		
					46	-0.0	-0.1		
					624	-0.0	-0.3		
					2296	-0.3	-0.3		
					2295	-0.3	-0.1		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
15.4	2.43	Q2a-1-2	Max Cent	65.0	15.5	2.1	65.1
18.8	77.22		46	19.4	30.8	2.7	31.5
90.3	87.74		624	90.5	236.4	5.8	236.6
219.9	84.25		2296	220.1	242.0	2.2	242.2
36.7	1.90		2295	86.3	36.7	1.6	86.3
-1117.5	-28.99		Min Cent	-247.0	-850.2	-482.4	20.3
-2196.5	-21.74		46	-586.6	-1940.6	-641.9	-330.7
-547.6	-44.86		624	-0.5	-5.7	-544.5	541.3
-340.1	-45.82		2296	-20.3	-1.5	-329.0	318.3
-2057.6	-15.76		2295	-540.7	-1936.7	-428.2	-419.8
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	41.34		Max Cent	0.0	0.0	0.0	0.0
0.0	83.28		46	0.0	0.0	0.0	0.0
-0.0	45.95		624	0.0	0.0	0.0	0.0
-0.0	46.23		2296	0.0	0.0	0.0	0.0
0.0	0.32		2295	0.0	0.0	0.0	0.0
-0.2	-17.60		Min Cent	-0.1	-0.2	-0.0	-0.0
-0.3	-14.53		46	-0.1	-0.3	-0.1	-0.1
-0.2	-24.46		624	-0.0	-0.1	-0.1	-0.0
-0.1	-22.89		2296	-0.0	-0.1	-0.0	-0.0
-0.3	-13.22		2295	-0.1	-0.3	-0.0	-0.1
			NODE	Vxx	Vyy		
			Max Cent	0.1	0.0		
			46	0.0	0.0		
			624	0.0	0.0		
			2296	0.1	0.0		
			2295	0.1	0.0		
			Min Cent	-0.1	-0.1		
			46	-0.0	-0.1		
			624	-0.0	-0.2		
			2296	-0.1	-0.2		
			2295	-0.1	-0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
8.9	39.35	SLVx (RS)	Cent	105.1	73.6	78.9	169.7	
36.2	46.63		46	156.1	170.6	126.9	290.4	
1.5	21.53		624	137.6	22.7	53.7	158.7	
-37.1	19.76		2296	60.6	-24.5	35.1	73.2	
-0.6	54.90		2295	81.1	164.9	116.4	246.7	
-0.0	-83.38		Cent	-0.0	0.0	-0.0	0.0	
0.0	68.40		46	0.0	0.0	0.0	0.0	
0.0	-67.15		624	0.0	0.0	-0.0	0.0	
0.0	-48.45		2296	0.0	0.0	-0.0	0.0	
-0.0	52.15		2295	-0.0	-0.0	0.0	-0.0	
			NODE	Vxx	Vyy			
			Cent	-0.0	0.0			
			46	0.0	-0.0			
			624	0.0	0.1			
			2296	-0.1	0.1			
			2295	-0.1	-0.0			
Fmin		ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-76.9	-24.89	SLVy (RS)	Cent	40.4	-51.7	-54.4	65.6	
-195.7	-32.28		46	-29.6	-129.5	-104.9	36.6	
-9.0	-40.53		624	16.8	9.8	-22.1	35.6	
26.1	-8.07		2296	93.8	27.5	-9.6	95.1	
-151.9	-23.19		2295	65.0	-112.1	-92.9	104.8	
			NODE	Mxx	Myy	Mxy	Mmax	
-0.1	-42.20		Cent	-0.0	-0.0	-0.0	0.0	
-0.0	-51.46		46	-0.0	0.0	-0.0	0.0	
-0.1	-36.22		624	-0.0	-0.0	-0.0	0.0	
-0.0	-46.34		2296	0.0	0.0	-0.0	0.1	
-0.1	-39.64		2295	-0.0	-0.0	-0.0	-0.0	



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

NODE	Vxx	Vyy
Cent	-0.0	0.0
46	-0.0	0.4
624	-0.0	-0.3
2296	-0.1	-0.3
2295	-0.1	0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
4.4	39.36	SLDx (RS)	Cent	52.5	36.8	39.4	84.9
18.1	46.63		46	78.0	85.3	63.4	145.2
0.7	21.54		624	68.7	11.3	26.8	79.3
-18.5	19.78		2296	30.3	-12.2	17.5	36.6
-0.3	54.90		2295	40.6	82.5	58.2	123.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-83.38	Cent	-0.0	0.0	-0.0	0.0
0.0	68.40	46	0.0	0.0	0.0	0.0
0.0	-67.16	624	0.0	0.0	-0.0	0.0
0.0	-48.45	2296	0.0	0.0	-0.0	0.0
-0.0	52.15	2295	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
46	0.0	-0.0
624	0.0	0.0
2296	-0.0	0.0
2295	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-38.5	-24.87	SLDy (RS)	Cent	20.2	-25.8	-27.2	32.8
-97.8	-32.27		46	-14.9	-64.7	-52.4	18.2
-4.5	-40.58		624	8.4	4.9	-11.1	17.9
13.1	-8.11		2296	46.8	13.7	-4.8	47.5
-75.9	-23.16		2295	32.5	-56.1	-46.4	52.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent				
		46				
		624				
		2296				
		2295				

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		-----					
-0.0	-42.20		Cent	-0.0	-0.0	-0.0	0.0
-0.0	-51.48		46	-0.0	0.0	-0.0	0.0
-0.0	-36.22		624	-0.0	-0.0	-0.0	0.0
-0.0	-46.34		2296	0.0	0.0	-0.0	0.0
-0.0	-39.66		2295	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			46	-0.0	0.2		
			624	-0.0	-0.2		
			2296	-0.0	-0.2		
			2295	-0.0	0.2		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVz (RS)	Cent	-27.6	32.8	27.8	43.7
-38.4	68.67		46	-45.5	75.9	41.3	88.6
-58.2	72.87		624	-31.6	-8.6	23.6	6.2
-46.4	57.98		2296	-13.8	-10.3	15.1	3.1
-27.2	48.26		2295	28.0	73.7	-34.4	92.1
9.5	-61.79						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	0.0	0.0	0.0	0.0
0.0	78.81		46	0.0	0.0	0.0	0.0
0.0	73.47		624	0.0	0.0	0.0	0.0
0.0	71.15		2296	-0.0	0.0	0.0	0.0
-0.0	79.59		2295	0.0	0.0	-0.0	0.0
0.0	-64.01						
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			46	-0.0	0.0		
			624	-0.0	-0.0		
			2296	0.0	-0.0		
			2295	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g1	Cent	-196.6	-861.8	-521.9	89.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-1148.1	-28.75		46	-571.0	-1975.2	-689.8	-288.9
-2257.4	-22.25		624	94.9	244.7	-586.1	760.6
-421.0	-48.64		2296	177.9	251.6	-354.0	570.7
-141.1	-47.97		2295	-488.1	-1968.2	-457.8	-357.9
-2098.4	-15.87						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

		Cent	-0.1	-0.2	-0.0	-0.0
-0.2	-12.82	46	-0.1	-0.3	-0.0	-0.1
-0.3	-12.57	624	-0.0	-0.1	-0.0	-0.0
-0.2	-19.42	2296	-0.0	-0.1	-0.0	-0.0
-0.1	-14.99	2295	-0.1	-0.3	-0.0	-0.1
-0.3	-8.47					

NODE	Vxx	Vyy
Cent	0.0	-0.1
46	0.0	-0.1
624	0.0	-0.2
2296	0.0	-0.2
2295	0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

		g2	Cent	-86.2	-414.3	-251.6	50.0
-550.6	-28.44		46	-263.8	-948.3	-329.5	-130.9
-1081.2	-21.96		624	56.0	117.7	-285.0	373.6
-199.9	-48.08		2296	91.3	119.6	-173.6	279.6
-68.7	-47.33		2295	-228.5	-946.4	-218.1	-167.4
-1007.4	-15.64						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

		Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-9.43	46	-0.0	-0.1	-0.0	-0.0
-0.1	-10.79	624	-0.0	-0.1	-0.0	-0.0
-0.1	-14.69	2296	-0.0	-0.1	-0.0	-0.0
-0.1	-8.43	2295	-0.0	-0.1	-0.0	-0.0
-0.1	-6.39					

NODE	Vxx	Vyy
------	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Cent	0.0	-0.1
46	0.0	-0.0
624	0.0	-0.1
2296	0.0	-0.1
2295	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-17.8	28.71	q3	Cent	128.4	26.0	80.1	172.2
-22.3	33.63		46	183.4	68.7	136.8	274.4
5.6	10.05		624	166.0	10.7	28.4	171.1
-22.3	13.69		2296	73.3	-16.7	23.3	79.0
-67.9	39.70		2295	90.7	41.4	131.7	200.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----						
-0.0	-86.17	Cent	-0.0	0.0	-0.0	0.0
-0.0	47.60	46	0.0	0.0	0.0	0.0
0.0	-63.64	624	0.0	0.0	-0.0	0.0
0.0	-28.51	2296	0.0	0.0	-0.0	0.0
-0.0	72.74	2295	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
46	0.0	-0.0
624	0.0	0.1
2296	-0.1	0.1
2295	-0.1	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-155.2	-26.59	q5_pc	Cent	-19.7	-121.3	-67.8	14.2
-327.2	-23.46		46	-84.4	-281.4	-105.4	-38.7
-43.6	-49.86		624	9.2	30.7	-62.6	83.5
11.5	-42.13		2296	45.0	38.9	-30.3	72.4
-294.9	-16.51		2295	-48.6	-273.2	-73.0	-27.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----						
		Cent	-0.0	-0.0	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-13.91		46	-0.0	-0.0	-0.0	-0.0
-0.0	-17.67		624	-0.0	-0.0	-0.0	-0.0
-0.0	-16.01		2296	-0.0	-0.0	-0.0	-0.0
-0.0	-15.33		2295	-0.0	-0.0	-0.0	-0.0
-0.0	-11.90						

NODE	Vxx	Vyy
Cent	0.0	-0.0
46	-0.0	0.0
624	-0.0	-0.0
2296	0.0	-0.0
2295	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-124.2	-26.58	q5_ps	Cent	-11.5	-96.0	-56.4	16.8
-264.4	-24.27		46	-65.7	-224.0	-89.6	-25.3
-33.3	-49.40		624	8.6	23.8	-48.9	65.7
13.5	-38.47		2296	42.8	32.0	-23.3	61.3
-235.8	-17.39		2295	-31.5	-215.8	-64.0	-11.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-12.44	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-18.38	46	-0.0	-0.0	-0.0	-0.0
-0.0	-12.67	624	-0.0	-0.0	-0.0	-0.0
-0.0	-11.76	2296	-0.0	-0.0	-0.0	-0.0
-0.0	-11.78	2295	0.0	-0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
46	-0.0	0.0
624	-0.0	-0.0
2296	0.0	-0.0
2295	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1874.8	-28.60	INVSLU Max	Cent	-47.8	-1402.5	-908.2	434.6
-3595.1	-19.80		46	-639.6	-3191.8	-1075.7	-252.4

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-463.2	-46.25		624	590.1	1030.0	-1120.7	2897.2
			2296	863.2	1035.9	-739.7	1989.6
122.0	-46.42		2295	-606.0	-3224.0	-685.9	-369.9
-3407.5	-16.54		Min Cent	-930.1	-3653.2	-2232.7	281.9
-4906.8	-29.60		46	-2421.7	-8338.5	-2893.7	-1241.8
-9518.4	-22.18		624	221.7	405.4	-2541.3	1700.1
-2190.3	-47.38		2296	234.0	385.1	-1583.2	1341.6
-1202.1	-46.21		2295	-2211.0	-8336.4	-1939.8	-1648.4
-8899.0	-16.17						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----	-----		-----	-----	-----	-----	-----
			Max Cent	-0.1	-0.3	-0.1	-0.1
-0.3	-11.24		46	-0.1	-0.5	-0.1	-0.1
-0.5	-13.63		624	-0.1	-0.2	-0.0	-0.1
-0.3	-18.02		2296	-0.0	-0.2	-0.0	-0.0
-0.2	-13.02		2295	-0.0	-0.4	-0.0	0.0
-0.4	-7.99		Min Cent	-0.3	-0.9	-0.2	-0.2
-0.9	-15.71		46	-0.3	-1.2	-0.2	-0.3
-1.2	-14.12		624	-0.2	-0.6	-0.2	-0.1
-0.7	-21.88		2296	-0.1	-0.5	-0.2	-0.1
-0.6	-19.83		2295	-0.4	-1.1	-0.2	-0.4
-1.2	-11.28						

	NODE	Vxx	Vyy
Max	Cent	0.2	-0.2
	46	0.0	-0.0
	624	0.0	-0.4
	2296	0.4	-0.4
	2295	0.4	-0.0
Min	Cent	-0.1	-0.6
	46	-0.0	-0.3
	624	-0.0	-0.9
	2296	-0.3	-0.9
	2295	-0.3	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----	-----		-----	-----	-----	-----	-----
		INVSLV	Max Cent	-129.0	-1072.5	-647.1	252.1
-1410.1	-28.36		46	-575.7	-2450.0	-797.6	-255.4
-2746.8	-20.91		624	302.9	363.6	-781.2	1156.2
-468.9	-47.07						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


-171.1	-46.34		2296	361.6	377.3	-490.4	909.4
-2591.9	-16.88		2295	-550.7	-2457.5	-498.1	-343.2
-1777.6	-30.37	Min	Cent	-379.9	-1270.3	-854.2	82.3
-3428.6	-24.13		46	-933.1	-2914.3	-1139.1	-444.3
-754.3	-49.16		624	-1.2	307.2	-915.9	1038.3
-318.3	-48.80		2296	129.4	301.4	-575.4	746.4
-3154.1	-15.93		2295	-768.8	-2898.8	-807.3	-590.7

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
		Max	Cent	-0.1	-0.2	-0.0	-0.0
-0.2	-20.86		46	-0.1	-0.3	-0.0	-0.1
-0.4	-20.12		624	-0.0	-0.1	-0.0	-0.0
-0.1	-26.33		2296	-0.0	-0.1	0.0	0.0
-0.1	-29.30		2295	-0.0	-0.3	-0.0	-0.0
-0.3	-2.03	Min	Cent	-0.1	-0.3	-0.1	-0.1
-0.3	-11.97		46	-0.1	-0.4	-0.1	-0.1
-0.4	-6.07		624	-0.1	-0.2	-0.1	-0.1
-0.3	-13.41		2296	-0.1	-0.2	-0.1	-0.1
-0.2	-6.52		2295	-0.1	-0.4	-0.1	-0.1
-0.4	-9.72						

	NODE	Vxx	Vyy
Max	Cent	0.1	-0.1
	46	0.0	0.3
	624	0.0	0.0
	2296	0.1	0.0
	2295	0.1	0.3
Min	Cent	-0.0	-0.2
	46	-0.0	-0.5
	624	-0.0	-0.6
	2296	-0.0	-0.6
	2295	-0.0	-0.5

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
	Fmin	ANGLE							
756	2	4	Q1-1-2	Max	Cent	923.6	0.4	381.4	1060.8
-136.8		19.78			51	914.4	0.2	368.8	1044.6
-130.1		19.45			635	914.8	0.8	394.5	1061.5
-145.9		20.40			2304	933.1	0.6	394.5	1077.6
-143.8		20.12							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
-127.8	19.16		2303	933.9	0.4	369.0	1062.2	
		Min	Cent	-16.6	-23.2	-1.7	-16.2	
-23.6	-13.97		51	-16.4	-25.1	-3.7	-15.1	
-26.5	-20.00		635	-16.2	-33.2	-1.9	-16.0	
-33.4	-6.30		2304	-16.9	-26.7	-1.9	-16.5	
-27.0	-10.35		2303	-17.0	-19.9	-4.6	-13.6	
-23.3	-36.43							
		Max	Cent	0.0	0.0	0.0	0.0	
0.0	67.61		51	0.0	0.0	0.0	0.0	
0.0	69.79		635	0.0	0.0	0.0	0.0	
0.0	74.91		2304	0.0	0.0	0.0	0.0	
0.0	60.34		2303	0.0	0.0	0.0	0.0	
-0.0	62.70	Min	Cent	-0.0	-0.1	-0.0	-0.0	
-0.1	-5.13		51	-0.0	-0.1	-0.0	-0.0	
-0.1	-3.97		635	-0.0	-0.1	-0.0	-0.0	
-0.1	-4.90		2304	-0.0	-0.1	-0.0	-0.0	
-0.1	-8.86		2303	-0.0	-0.1	-0.0	-0.0	
-0.1	-6.10							
			NODE	Vxx	Vyy			
		Max	Cent	0.0	0.0			
			51	0.0	0.0			
			635	0.0	0.1			
			2304	0.0	0.1			
			2303	0.0	0.0			
		Min	Cent	-0.0	-0.3			
			51	-0.0	-0.2			
			635	-0.0	-0.3			
			2304	-0.0	-0.3			
			2303	-0.0	-0.2			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
		Q2a-1-2	Max	Cent	556.9	0.3	233.3	641.8
-84.6	19.99			51	551.3	0.1	226.1	632.2
-80.7	19.68			635	551.8	0.6	240.6	642.1
-89.6	20.56			2304	562.6	0.5	240.7	651.6
-88.5	20.29			2303	563.1	0.3	226.2	642.8
-79.4	19.40							



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-15.4	-21.33	Min Cent	-12.3	-15.0	-1.2	-11.9	
-17.4	-25.33	51	-12.2	-16.3	-2.5	-11.0	
-22.0	-7.98	635	-12.0	-21.8	-1.4	-11.8	
-18.1	-13.66	2304	-12.5	-17.8	-1.4	-12.2	
-16.1	-42.74	2303	-12.7	-13.2	-3.2	-9.7	
0.0	66.13	Max Cent	0.0	0.0	0.0	0.0	
0.0	66.73	51	0.0	0.0	0.0	0.0	
0.0	74.32	635	0.0	0.0	0.0	0.0	
0.0	59.50	2304	0.0	0.0	0.0	0.0	
-0.0	60.65	2303	0.0	0.0	0.0	0.0	
-0.1	-4.88	Min Cent	-0.0	-0.1	-0.0	-0.0	
-0.1	-3.82	51	-0.0	-0.1	-0.0	-0.0	
-0.1	-4.62	635	-0.0	-0.1	-0.0	-0.0	
-0.1	-8.39	2304	-0.0	-0.1	-0.0	-0.0	
-0.1	-5.90	2303	-0.0	-0.1	-0.0	-0.0	
		NODE	Vxx	Vyy			
		Max Cent	0.0	0.0			
		51	0.0	0.0			
		635	0.0	0.0			
		2304	0.0	0.0			
		2303	0.0	0.0			
		Min Cent	-0.0	-0.2			
		51	-0.0	-0.2			
		635	-0.0	-0.2			
		2304	-0.0	-0.2			
		2303	-0.0	-0.2			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-75.8	-70.60	SLVx (RS)	Cent	-66.4	-0.3	-26.6	9.1
-74.6	-71.08		51	-65.8	-0.4	-25.4	8.4
-75.9	-69.72		635	-65.7	-0.6	-27.8	9.7
-77.1	-70.13		2304	-67.1	-0.2	-27.8	9.8
-75.8	-71.36		2303	-67.2	-0.6	-25.4	8.0
			NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE						
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	1.31		51	-0.0	-0.0	-0.0	-0.0
-0.0	-2.30		635	0.0	0.0	0.0	0.0
0.0	88.60		2304	-0.0	-0.0	0.0	-0.0
-0.0	6.35		2303	-0.0	-0.0	-0.0	-0.0
-0.0	-1.85						
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			51	-0.0	-0.0		
			635	-0.0	-0.0		
			2304	0.0	-0.0		
			2303	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
			Cent	26.8	-0.8	-7.9	28.9
-2.9	-14.89	SLVy (RS)	51	24.8	-0.5	-11.5	29.2
-4.9	-21.12		635	24.2	-2.5	4.7	25.0
-3.3	9.67		2304	28.8	-1.2	4.8	29.5
-1.9	8.92		2303	29.4	1.0	-11.7	33.6
-3.2	-19.72						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-1.26		51	-0.1	-0.2	-0.0	-0.1
-0.2	-2.41		635	-0.0	-0.2	-0.0	-0.0
-0.2	-1.27		2304	-0.0	-0.1	0.0	-0.0
-0.1	5.47		2303	-0.0	-0.1	-0.0	-0.0
-0.1	-2.53						
			NODE	Vxx	Vyy		
			Cent	0.0	-0.8		
			51	0.0	-0.8		
			635	0.0	-0.7		
			2304	0.0	-0.7		
			2303	0.0	-0.8		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	Cent	-33.2	-0.1	-13.3	4.5
-37.9	-70.60		51	-32.9	-0.2	-12.7	4.2
-37.3	-71.07		635	-32.8	-0.3	-13.9	4.8
-37.9	-69.72		2304	-33.5	-0.1	-13.9	4.9
-38.5	-70.13		2303	-33.6	-0.3	-12.7	4.0
-37.9	-71.36						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	1.31		Cent	-0.0	-0.0	0.0	-0.0
-0.0	-2.30		51	-0.0	-0.0	-0.0	-0.0
0.0	88.60		635	0.0	0.0	0.0	0.0
-0.0	6.37		2304	-0.0	-0.0	0.0	-0.0
-0.0	-1.85		2303	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	-0.0		
			51	-0.0	-0.0		
			635	-0.0	-0.0		
			2304	0.0	-0.0		
			2303	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-1.5	-14.91	SLDy (RS)	Cent	13.4	-0.4	-3.9	14.4
-2.5	-21.13		51	12.4	-0.3	-5.7	14.6
-1.7	9.71		635	12.1	-1.3	2.4	12.5
-1.0	8.96		2304	14.4	-0.6	2.4	14.7
-1.6	-19.72		2303	14.7	0.5	-5.8	16.8
			NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.1	-1.26		Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-2.41		51	-0.0	-0.1	-0.0	-0.0
-0.1	-1.27		635	-0.0	-0.1	-0.0	-0.0
-0.0	5.50		2304	-0.0	-0.0	0.0	-0.0
-0.0	-2.54		2303	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

```

-----
          Cent      0.0      -0.4
           51      0.0      -0.4
          635      0.0      -0.4
         2304      0.0      -0.4
         2303      0.0      -0.4
    
```

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-33.1	-70.49	SLVz (RS)	Cent	-28.9	0.1	-11.8	4.3
-32.6	-70.97		51	-28.7	0.1	-11.3	4.0
-33.1	-69.81		635	-28.6	0.2	-12.3	4.8
-33.6	-70.05		2304	-29.2	0.1	-12.2	4.5
-33.1	-71.09		2303	-29.3	-0.2	-11.3	3.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	87.94	Cent	0.0	0.0	0.0	0.0
0.0	87.50	51	0.0	0.0	0.0	0.0
0.0	88.33	635	0.0	0.0	0.0	0.0
0.0	80.91	2304	0.0	0.0	0.0	0.0
0.0	86.38	2303	0.0	0.0	0.0	0.0

```

-----
          NODE      Vxx      Vyy
          Cent      -0.0      0.0
           51      -0.0      0.0
          635      -0.0      0.0
         2304      -0.0      0.0
         2303      -0.0      0.0
    
```

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-88.9	18.02	g1	Cent	657.6	-9.9	242.8	736.5
-82.8	17.46		51	651.1	-10.1	230.9	723.7
-100.7	18.77		635	649.9	-14.0	255.2	736.6
-95.2	18.55		2304	664.0	-9.7	254.7	749.5
-77.4	17.24		2303	665.2	-5.9	230.4	736.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-0.87	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-1.43	51	-0.0	-0.0	-0.0	-0.0
-0.0	-1.99	635	-0.0	-0.0	-0.0	-0.0
-0.0	-0.97	2304	-0.0	-0.0	-0.0	-0.0
-0.0	-0.53	2303	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
51	0.0	-0.0
635	0.0	-0.0
2304	0.0	-0.0
2303	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-44.2	17.85	g2	Cent	319.8	-6.5	117.2	357.5
-41.5	17.30		51	316.7	-6.7	111.6	351.5
-49.7	18.59		635	316.2	-8.3	123.0	357.6
-47.1	18.37		2304	322.9	-6.3	122.9	363.7
-38.9	17.09		2303	323.4	-4.7	111.4	357.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	88.69	Cent	0.0	0.0	0.0	0.0
0.0	86.81	51	0.0	0.0	0.0	0.0
0.0	89.50	635	0.0	0.0	0.0	0.0
0.0	-88.86	2304	0.0	0.0	-0.0	0.0
0.0	85.42	2303	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
51	0.0	0.0
635	0.0	0.0
2304	-0.0	0.0
2303	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.6	20.21	q3	Cent	15.2	-0.2	6.6	17.6
			51	14.9	-0.3	6.0	16.9

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-2.4	19.09		635	14.9	-0.3	7.2	17.7
-3.2	21.69		2304	15.6	-0.1	7.2	18.4
-2.9	21.22		2303	15.6	-0.1	6.0	17.6
-2.1	18.63						
-----							
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-2.13		51	-0.0	-0.0	-0.0	-0.0
-0.0	-2.22		635	-0.0	-0.0	-0.0	-0.0
-0.0	-3.38		2304	-0.0	-0.0	-0.0	-0.0
-0.0	-3.16		2303	-0.0	-0.0	-0.0	-0.0
-0.0	-1.66						
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			51	0.0	-0.0		
			635	0.0	-0.0		
			2304	0.0	-0.0		
			2303	0.0	-0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_pc	Cent	30.0	-0.5	4.7	30.7
-1.2	8.53		51	28.5	-0.5	2.0	28.6
-0.6	3.86		635	28.2	-1.5	7.5	30.0
-3.3	13.39		2304	31.4	-0.5	7.4	33.1
-2.2	12.41		2303	31.7	0.5	1.9	31.8
0.4	3.39						
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-8.63		51	-0.0	-0.0	-0.0	-0.0
-0.0	-7.39		635	-0.0	-0.0	-0.0	-0.0
-0.0	-6.74		2304	-0.0	-0.0	-0.0	-0.0
-0.0	-11.48		2303	-0.0	-0.0	-0.0	-0.0
-0.0	-10.46						
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			51	0.0	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

635 0.0 -0.0  
 2304 0.0 -0.0  
 2303 0.0 -0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.8	6.70	q5_ps	Cent	25.2	-0.5	3.1	25.5
-0.4	1.53		51	23.9	-0.4	0.6	23.9
-2.6	11.99		635	23.6	-1.4	5.6	24.8
-1.6	11.02		2304	26.5	-0.5	5.5	27.5
0.4	1.20		2303	26.7	0.4	0.6	26.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-11.45	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-10.15	51	-0.0	-0.0	-0.0	-0.0
-0.0	-8.67	635	-0.0	-0.0	-0.0	-0.0
-0.0	-15.01	2304	-0.0	-0.0	-0.0	-0.0
-0.0	-13.77	2303	-0.0	-0.0	-0.0	-0.0

NODE Vxx Vyy  
 Cent 0.0 -0.0  
 51 0.0 -0.0  
 635 0.0 -0.0  
 2304 0.0 -0.0  
 2303 0.0 -0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-197.4	18.23	INVSLU Max	Cent	2767.7	-22.9	1031.3	3107.3
-237.9	19.29		51	2821.1	-2.8	1126.5	3215.3
-118.4	16.75		635	2821.4	-1.1	935.3	3102.9
-162.2	17.09		2304	2714.6	-42.9	936.6	3002.5
-284.3	19.64		2303	2716.1	-42.8	1128.0	3118.6
-363.5	17.12	Min	Cent	1439.2	-55.7	505.5	1595.1
-400.7	19.50		51	1508.6	-38.0	620.1	1728.9
-285.8	13.27		635	1509.1	-50.2	385.7	1600.1
-331.8	14.13		2304	1369.9	-80.8	387.3	1467.4

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-450.5	20.48		2303	1369.4	-71.2	620.3	1602.0
-----							
		Max	Cent	0.0	0.0	0.0	0.0
0.0	67.84		51	0.0	0.0	0.0	0.0
-0.0	63.56		635	0.0	0.1	0.0	0.1
0.0	74.98		2304	0.0	0.0	0.0	0.0
0.0	63.27		2303	0.0	0.0	0.0	0.0
-0.0	63.92	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-4.37		51	-0.1	-0.2	-0.0	-0.1
-0.2	-3.44		635	-0.1	-0.2	-0.0	-0.1
-0.2	-4.27		2304	-0.0	-0.1	-0.0	-0.0
-0.1	-7.77		2303	-0.0	-0.1	-0.0	-0.0
-0.1	-5.28						
-----							
			NODE	Vxx	Vyy		
		Max	Cent	0.0	0.0		
			51	0.0	-0.0		
			635	0.0	0.1		
			2304	0.0	0.1		
			2303	0.0	-0.0		
		Min	Cent	-0.0	-0.4		
			51	-0.0	-0.4		
			635	-0.0	-0.4		
			2304	-0.0	-0.4		
			2303	-0.0	-0.4		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-121.9	17.46	INVSLV	Max	Cent	1116.4	-16.9	400.7
				51	1144.6	-7.7	450.6
-139.6	18.79			635	1143.8	-7.0	350.4
-85.4	15.64			2304	1088.1	-26.1	350.9
-106.4	16.09			2303	1088.9	-24.7	451.1
-160.0	19.28		Min	Cent	950.0	-18.8	335.6
-146.1	17.56			51	980.9	-9.0	386.1
-165.5	19.23			635	980.8	-12.5	284.5
-108.1	14.94			2304	919.2	-28.6	285.1
-128.7	15.53			2303	919.2	-27.2	386.6
-190.0	19.88						1061.5



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	87.96	Max	Cent	0.0	0.1	0.0	0.1
0.1	87.20		51	0.1	0.2	0.0	0.2
0.0	88.11		635	0.0	0.2	0.0	0.2
0.0	-86.60		2304	0.0	0.1	0.0	0.1
0.0	86.18		2303	0.0	0.1	0.0	0.1
-0.1	-0.55	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.2	-2.07		51	-0.1	-0.2	-0.0	-0.1
-0.2	-0.69		635	-0.1	-0.2	-0.0	-0.1
-0.1	6.95		2304	-0.0	-0.1	-0.0	-0.0
-0.1	-1.49		2303	-0.0	-0.1	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.8
	51	0.0	0.8
	635	0.0	0.7
	2304	0.0	0.7
	2303	0.0	0.8
Min	Cent	-0.0	-0.8
	51	-0.0	-0.8
	635	-0.0	-0.7
	2304	-0.0	-0.7
	2303	-0.0	-0.8

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin	ANGLE								
757	2	8	Q1-1-2	Max	Cent	1.9	31.8	51.4	70.4
-36.7		53.11			47	22.0	58.3	103.6	145.3
-65.0		49.97			638	11.4	21.0	6.5	24.3
8.1		63.09			2306	290.5	5.7	2.7	290.6
5.7		0.54			2305	2.6	45.6	123.9	149.9
-101.7		49.93		Min	Cent	-419.2	-1920.2	-494.9	-270.7
-2068.6		-16.70			47	-1028.0	-3303.8	-905.4	-711.8
-3620.1		-19.25			638	-231.1	-646.9	-406.4	17.5
-895.5		-31.45			2306	-115.4	-536.6	-102.5	-91.8
-560.2		-12.98			2305	-620.2	-3194.3	-626.8	-475.7
-3338.8		-12.98							

NODE	Mxx	Myy	Mxy	Mmax
------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE							
			Max	Cent	0.0	0.0	0.0	0.0
-0.0	51.98			47	0.0	0.0	0.0	0.0
-0.0	47.92			638	0.0	0.0	0.0	0.0
-0.0	53.79			2306	0.0	0.0	0.0	0.1
-0.0	36.92			2305	0.0	0.0	0.0	0.0
-0.0	46.04		Min	Cent	-0.1	-0.3	-0.0	-0.1
-0.3	-1.04			47	-0.1	-0.5	-0.0	-0.1
-0.5	-3.15			638	-0.1	-0.2	-0.0	-0.1
-0.2	-6.95			2306	-0.0	-0.3	-0.0	-0.0
-0.3	-2.72			2305	-0.2	-0.5	-0.0	-0.2
-0.5	-0.84							
				NODE	Vxx	Vyy		
			Max	Cent	0.0	0.3		
				47	0.0	0.1		
				638	0.0	0.6		
				2306	0.0	0.6		
				2305	0.0	0.1		
			Min	Cent	-0.2	-0.0		
				47	-0.0	-0.1		
				638	-0.0	-0.0		
				2306	-0.5	-0.0		
				2305	-0.5	-0.1		
Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
		Q2a-1-2	Max	Cent	1.1	14.6	25.5	34.3
-18.5	52.37			47	9.9	26.6	52.4	71.3
-34.8	49.54			638	4.9	9.2	3.0	10.7
3.3	62.68			2306	164.5	2.8	1.2	164.5
2.8	0.42			2305	1.6	21.2	66.9	79.0
-56.2	49.18		Min	Cent	-255.2	-1131.3	-282.5	-172.0
-1214.5	-16.41			47	-603.5	-1944.0	-517.0	-427.3
-2120.2	-18.82			638	-133.7	-378.0	-240.8	14.2
-525.9	-31.56			2306	-64.7	-318.6	-61.7	-50.5
-332.8	-12.97			2305	-385.3	-1885.0	-356.3	-305.0
-1965.3	-12.71							
				NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		Max	Cent	0.0	0.0	0.0	0.0
-0.0	50.25		47	0.0	0.0	0.0	0.0
-0.0	47.32		638	0.0	0.0	0.0	0.0
-0.0	52.43		2306	0.0	0.0	0.0	0.0
-0.0	36.10		2305	0.0	0.0	0.0	0.0
-0.0	45.81	Min	Cent	-0.1	-0.2	-0.0	-0.1
-0.2	-1.21		47	-0.1	-0.3	-0.0	-0.1
-0.3	-3.11		638	-0.0	-0.1	-0.0	-0.0
-0.1	-6.75		2306	-0.0	-0.2	-0.0	-0.0
-0.2	-2.48		2305	-0.2	-0.3	-0.0	-0.2
-0.3	-1.06						

-----		NODE	Vxx	Vyy
Max	Cent		0.0	0.2
	47		0.0	0.0
	638		0.0	0.4
	2306		0.0	0.4
	2305		0.0	0.0
Min	Cent		-0.2	-0.0
	47		-0.0	-0.1
	638		-0.0	-0.0
	2306		-0.3	-0.0
	2305		-0.3	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	20.8	96.3	23.6	103.1
14.1	73.97		47	51.4	165.8	42.6	179.9
37.3	71.65		638	11.3	32.0	20.0	44.2
-0.9	58.63		2306	-9.9	26.8	4.7	27.4
-10.5	82.87		2305	30.4	160.7	27.3	166.1
25.0	78.64						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	0.0	-0.0	0.0
0.0	-87.42	47	0.0	0.0	0.0	0.0
0.0	88.58	638	0.0	0.0	-0.0	0.0
0.0	-86.67	2306	0.0	0.0	-0.0	0.0
0.0	-80.54	2305	0.0	0.0	0.0	0.0
0.0	81.42					

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

NODE	Vxx	Vyy
Cent	-0.0	0.0
47	-0.0	0.0
638	-0.0	-0.0
2306	-0.0	-0.0
2305	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	-42.6	-79.6	23.3	-31.4
-90.8	25.74		47	-36.1	-130.5	48.8	-15.4
-151.2	22.98		638	-5.6	-16.9	-18.4	8.0
-30.5	-36.54		2306	-55.9	-29.1	-4.5	-28.4
-56.6	-80.67		2305	-86.2	-144.5	58.1	-50.4
-180.3	31.68						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-31.07	47	0.0	0.0	0.0	0.0
-0.0	60.74	638	-0.0	-0.0	-0.0	-0.0
-0.1	-21.08	2306	0.0	-0.0	-0.0	0.0
-0.0	-33.70	2305	-0.1	-0.1	0.0	-0.1
-0.1	56.89					

NODE	Vxx	Vyy
Cent	-0.1	0.1
47	-0.0	0.4
638	-0.0	-0.3
2306	-0.1	-0.3
2305	-0.1	0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDx (RS)	Cent	10.4	48.1	11.8	51.5
7.0	73.97		47	25.7	82.8	21.3	89.9
18.6	71.65		638	5.6	16.0	10.0	22.1
-0.5	58.63		2306	-4.9	13.4	2.3	13.7
-5.2	82.87		2305	15.2	80.3	13.6	83.0
12.5	78.64						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-87.42	Cent	0.0	0.0	-0.0	0.0
0.0	88.58	47	0.0	0.0	0.0	0.0
0.0	-86.66	638	0.0	0.0	-0.0	0.0
0.0	-80.54	2306	0.0	0.0	-0.0	0.0
0.0	81.42	2305	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
47	-0.0	0.0
638	-0.0	-0.0
2306	-0.0	-0.0
2305	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-45.4	25.73	SLDy (RS)	Cent	-21.3	-39.8	11.6	-15.7
-75.6	22.98		47	-18.0	-65.2	24.4	-7.7
-15.3	-36.52		638	-2.8	-8.5	-9.2	4.0
-28.3	-80.66		2306	-27.9	-14.6	-2.3	-14.2
-90.1	31.66		2305	-43.1	-72.2	29.0	-25.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-31.06	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	60.77	47	0.0	0.0	0.0	0.0
-0.0	-21.07	638	-0.0	-0.0	-0.0	-0.0
-0.0	-33.69	2306	0.0	-0.0	-0.0	0.0
-0.0	56.85	2305	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
47	-0.0	0.2
638	-0.0	-0.1
2306	-0.1	-0.1
2305	-0.1	0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
6.0	73.78	SLVz (RS)	Cent	9.1	42.6	10.6	45.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

16.3	71.38		47	22.8	73.3	19.2	79.8
-0.3	58.64		638	5.1	14.2	8.9	19.6
-4.9	82.96		2306	-4.7	11.8	2.1	12.1
10.6	78.36		2305	13.2	70.9	12.4	73.5
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	-87.10		Cent	0.0	0.0	-0.0	0.0
0.0	-88.86		47	0.0	0.0	-0.0	0.0
0.0	84.59		638	0.0	0.0	0.0	0.0
-0.0	-81.86		2306	-0.0	0.0	-0.0	0.0
0.0	-82.02		2305	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.0		
			47	-0.0	0.0		
			638	-0.0	-0.0		
			2306	0.0	-0.0		
			2305	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-1231.5	-15.95	g1	Cent	-252.1	-1151.5	-279.8	-172.2
-2148.2	-18.17		47	-615.1	-1983.2	-503.0	-450.0
-526.8	-31.53		638	-133.8	-378.9	-241.1	14.1
-327.3	-7.36		2306	110.8	-319.9	-56.6	118.1
-1987.0	-11.15		2305	-370.5	-1924.2	-318.5	-307.7
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.2	2.23		Cent	-0.1	-0.2	0.0	-0.1
-0.3	1.08		47	-0.1	-0.3	0.0	-0.1
-0.1	0.15		638	-0.0	-0.1	0.0	-0.0
-0.1	6.51		2306	0.0	-0.1	0.0	0.0
-0.3	8.76		2305	-0.1	-0.3	0.0	-0.1
			NODE	Vxx	Vyy		
-----							
			Cent	-0.1	0.1		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

47 0.0 -0.1  
 638 0.0 0.3  
 2306 -0.3 0.3  
 2305 -0.3 -0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-598.3	-16.03	g2	Cent	-122.4	-559.0	-136.7	-83.1
-1043.6	-18.22		47	-298.7	-962.8	-245.2	-218.0
-256.4	-31.63		638	-65.0	-183.8	-117.9	7.6
-158.9	-7.57		2306	53.9	-155.1	-28.3	57.6
-965.0	-11.21		2305	-179.9	-934.2	-155.6	-149.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.1	1.84	Cent	-0.0	-0.1	0.0	-0.0
-0.1	0.92	47	-0.0	-0.1	0.0	-0.0
-0.0	-0.28	638	-0.0	-0.0	-0.0	-0.0
-0.1	6.09	2306	0.0	-0.1	0.0	0.0
-0.1	8.47	2305	-0.1	-0.1	0.0	-0.1

NODE Vxx Vyy  
 Cent -0.1 0.1  
 47 0.0 -0.0  
 638 0.0 0.1  
 2306 -0.1 0.2  
 2305 -0.1 -0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-23.8	-16.15	q3	Cent	-4.8	-22.2	-5.5	-3.3
-41.4	-18.34		47	-11.9	-38.2	-9.8	-8.6
-10.2	-31.63		638	-2.6	-7.3	-4.7	0.3
-6.3	-7.73		2306	2.2	-6.2	-1.2	2.3
-38.3	-11.34		2305	-7.1	-37.0	-6.3	-5.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	2.23	Cent	-0.0	-0.0	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	0.69	47	-0.0	-0.0	0.0	-0.0
-0.0	1.04	638	-0.0	-0.0	0.0	-0.0
-0.0	6.93	2306	0.0	-0.0	0.0	0.0
-0.0	8.01	2305	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
47	0.0	-0.0
638	0.0	0.0
2306	-0.0	0.0
2305	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-170.0	-13.23	q5_pc	Cent	-43.9	-163.0	-29.6	-37.0
-289.5	-13.68		47	-84.4	-277.4	-49.9	-72.3
-72.9	-32.22		638	-16.3	-50.4	-35.7	6.1
-50.5	-11.22		2306	-3.4	-48.6	-9.3	-1.6
-278.2	-6.52		2305	-71.5	-275.5	-23.6	-68.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-1.63	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	4.16	47	-0.0	-0.0	0.0	-0.0
-0.0	-10.22	638	-0.0	-0.0	-0.0	-0.0
-0.0	-1.38	2306	0.0	-0.0	-0.0	0.0
-0.0	14.55	2305	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
47	0.0	0.0
638	0.0	0.1
2306	-0.1	0.1
2305	-0.1	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-134.7	-12.08	q5_ps	Cent	-37.3	-130.3	-20.9	-32.8
-228.3	-11.94		47	-66.9	-221.1	-34.1	-59.6
			638	-12.3	-39.2	-28.7	6.0



# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-57.5	-32.45		2306	-7.7	-39.5	-7.6	-6.0
-41.2	-12.74		2305	-62.2	-221.3	-13.0	-61.2
-222.4	-4.64						
-----							
-0.0	-2.22		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	5.78		47	-0.0	-0.0	0.0	-0.0
-0.0	-13.18		638	-0.0	-0.0	-0.0	-0.0
-0.0	-2.98		2306	0.0	-0.0	-0.0	0.0
-0.0	19.28		2305	-0.0	-0.0	0.0	-0.0
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-1983.8	-13.59	INVSLU Max	Cent	-392.7	-1900.5	-351.3	-302.8
-3487.1	-16.82		47	-1007.0	-3283.2	-682.4	-797.7
-790.4	-30.54		638	-205.7	-614.8	-320.4	-1.7
-517.5	-0.77		2306	623.8	-517.3	-13.5	624.0
-3237.2	-9.20		2305	-569.3	-3183.2	-336.1	-505.6
-5183.1	-15.47	Min	Cent	-1056.0	-4867.0	-1142.1	-740.0
-9085.4	-18.20		47	-2593.4	-8383.7	-2134.4	-1891.7
-2174.5	-28.74		638	-562.6	-1613.6	-950.8	-34.8
-1371.6	-6.90		2306	69.6	-1350.5	-174.4	90.7
-8405.0	-11.51		2305	-1566.8	-8121.6	-1392.1	-1283.4
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.3	4.31	Max	Cent	-0.1	-0.3	0.0	-0.1
-0.5	5.99		47	-0.1	-0.5	0.0	-0.1
-0.2	7.07		638	-0.0	-0.2	0.0	-0.0
			2306	0.1	-0.2	0.1	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.2	10.96		2305	-0.3	-0.5	0.1	-0.2
-0.5	18.41						
-0.9	-0.12	Min	Cent	-0.3	-0.9	-0.0	-0.3
-1.2	-0.59		47	-0.3	-1.2	-0.0	-0.3
-0.5	-6.03		638	-0.1	-0.5	-0.0	-0.1
-0.6	0.88		2306	0.0	-0.6	0.0	0.0
-1.2	4.61		2305	-0.7	-1.2	0.0	-0.7

	NODE	Vxx	Vyy
Max	Cent	-0.3	0.7
	47	0.0	-0.0
	638	0.0	1.5
	2306	-0.5	1.5
	2305	-0.5	0.0
Min	Cent	-0.7	0.2
	47	0.0	-0.3
	638	0.0	0.6
	2306	-1.4	0.6
	2305	-1.4	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1537.8	-16.82	INVSLV	Max Cent	-288.2	-1436.8	-339.2	-171.5
-2697.7	-19.75		47	-769.5	-2480.6	-613.5	-524.9
-646.8	-31.41		638	-166.0	-472.9	-289.2	19.3
-396.9	-5.60		2306	219.2	-391.2	-58.6	225.3
-2484.3	-12.63		2305	-399.7	-2400.0	-358.7	-293.3
-1810.3	-14.50		Min Cent	-391.4	-1702.7	-406.8	-298.3
-3161.0	-16.44		47	-907.6	-2934.4	-748.2	-704.9
-765.0	-30.82		638	-195.1	-555.4	-345.6	3.2
-481.5	-6.94		2306	98.7	-472.7	-71.8	106.9
-2933.0	-9.42		2305	-598.4	-2850.6	-498.6	-534.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.2	6.18	Max Cent	-0.1	-0.2	0.0	-0.1
-0.3	2.90	47	-0.1	-0.3	0.0	-0.1
-0.1	20.22	638	-0.0	-0.1	0.0	-0.0
-0.2	2.22	2306	0.0	-0.2	0.0	0.0
		2305	-0.1	-0.3	0.0	-0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.3	9.19	Min	Cent	-0.1	-0.3	0.0	-0.1
-0.3	0.78		47	-0.1	-0.4	0.0	-0.1
-0.4	1.42		638	-0.0	-0.2	-0.0	-0.0
-0.2	-7.98		2306	0.0	-0.2	0.0	0.0
-0.2	12.61		2305	-0.3	-0.5	0.0	-0.3
-0.5	12.53						

	NODE	Vxx	Vyy
Max	Cent	-0.1	0.3
	47	0.0	0.3
	638	0.0	0.8
	2306	-0.3	0.8
	2305	-0.3	0.3
Min	Cent	-0.3	0.2
	47	-0.0	-0.5
	638	-0.0	0.2
	2306	-0.6	0.3
	2305	-0.6	-0.4

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
759	2	8	Q1-1-2	Max	Cent	22.4	12.2	67.7	85.2
-50.6		42.84			644	61.1	26.3	53.1	99.6
-12.2		35.94			645	93.2	8.8	30.6	103.1
-1.1		17.95			646	3.2	7.3	82.5	87.8
-77.3		45.72			647	6.8	20.8	105.0	119.1
-91.5		46.90		Min	Cent	-43.6	-378.7	-367.9	193.1
-615.4		-32.76			644	-33.6	-468.1	-372.9	180.7
-682.4		-29.89			645	-0.4	-265.6	-412.2	300.0
-565.9		-36.08			646	-67.8	-299.3	-365.4	199.8
-566.9		-36.21			647	-132.5	-515.2	-325.1	53.4
-701.1		-29.76							

	NODE	Mxx	Myy	Mxy	Mmax
Max	Cent	0.0	0.1	0.0	0.1
	644	0.0	0.0	0.0	0.0
	645	0.0	0.1	0.0	0.1
	646	0.0	0.1	0.0	0.1
	647	0.1	0.3	0.0	0.3
Min	Cent	-0.1	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	-76.60	644	-0.1	-0.2	-0.0	-0.1
-0.2	-7.68	645	-0.0	-0.0	-0.0	-0.0
-0.0	-33.93	646	-0.0	-0.0	-0.0	-0.0
-0.0	-56.78	647	-0.1	-0.0	-0.0	-0.0
-0.1	-86.88					

	NODE	Vxx	Vyy
Max	Cent	0.1	0.1
	644	0.1	0.1
	645	0.1	0.0
	646	0.2	0.0
	647	0.2	0.1
Min	Cent	-0.3	-0.5
	644	-0.1	-0.9
	645	-0.1	-0.1
	646	-0.4	-0.1
	647	-0.4	-0.9

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-40.2	42.23	Q2a-1-2	Max Cent	15.0	5.3	50.1	60.4
-14.5	35.83		644	39.8	13.9	39.2	68.1
-4.7	20.70		645	55.1	3.9	22.6	63.6
-58.4	45.25		646	2.1	3.2	61.0	63.7
-70.6	46.19		647	3.9	10.3	77.6	84.8
-375.4	-32.73		Min Cent	-32.1	-233.6	-220.6	109.7
-414.4	-29.69		644	-24.9	-287.8	-222.1	101.7
-343.3	-35.61		645	-0.3	-167.4	-245.7	175.6
-348.9	-36.26		646	-47.6	-186.7	-221.0	114.6
-429.9	-29.82		647	-86.8	-317.2	-196.6	25.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	60.80	Max Cent	0.0	0.0	0.0	0.1
0.0	38.40	644	0.0	0.0	0.0	0.0
0.0	73.32	645	0.0	0.0	0.0	0.0
0.0	66.10	646	0.0	0.0	0.0	0.1
0.1	83.55	647	0.1	0.2	0.0	0.2
-0.0	-78.88	Min Cent	-0.0	-0.0	-0.0	-0.0
		644	-0.1	-0.1	-0.0	-0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	-7.06	645	-0.0	-0.0	-0.0	-0.0
-0.0	-34.93	646	-0.0	-0.0	-0.0	-0.0
-0.0	-58.48	647	-0.1	-0.0	-0.0	-0.0
-0.1	-87.57					

	NODE	Vxx	Vyy
Max	Cent	0.1	0.0
	644	0.0	0.1
	645	0.0	0.0
	646	0.1	0.0
	647	0.1	0.1
Min	Cent	-0.2	-0.3
	644	-0.1	-0.6
	645	-0.1	-0.0
	646	-0.3	-0.0
	647	-0.3	-0.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-13.8	-50.61	SLVx (RS)	Cent	5.0	14.2	-23.0	33.0
-33.2	-31.01		644	6.9	-18.7	-24.1	21.4
-14.8	-45.19		645	12.2	12.6	-27.2	39.6
-14.3	-50.74		646	3.6	12.5	-21.9	30.4
-33.8	32.40		647	-3.6	-21.6	19.1	8.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-50.77	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-41.28	644	-0.0	-0.0	-0.0	-0.0
-0.0	85.58	645	-0.0	0.0	0.0	0.0
-0.0	-73.41	646	-0.0	0.0	-0.0	0.0
-0.0	-50.67	647	-0.0	-0.0	-0.0	-0.0

	NODE	Vxx	Vyy
	Cent	-0.0	-0.0
	644	-0.0	-0.0
	645	-0.0	0.0
	646	-0.0	0.0
	647	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	7.6	-25.5	15.0	13.5

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-31.3	21.10		644	5.0	-37.9	11.3	7.7
-40.7	13.85		645	12.7	-11.8	10.7	16.7
-15.8	20.59		646	10.4	-13.3	19.0	20.9
-23.8	29.08		647	3.0	-39.3	19.7	10.8
-47.1	21.45						

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-0.1	66.88	Cent	-0.1	0.0	0.0	0.0
-0.2	82.00	644	-0.2	-0.1	0.0	-0.1
0.0	61.02	645	0.0	0.1	0.0	0.1
-0.0	41.17	646	0.0	0.0	0.0	0.1
-0.1	73.04	647	-0.1	-0.0	0.0	-0.0

NODE Vxx Vyy

Cent	-0.3	0.0
644	-0.4	-0.0
645	-0.4	0.1
646	-0.3	0.1
647	-0.3	-0.0

Fmin ANGLE LC NODE Fxx Fyy Fxy Fmax

-6.9	-50.61	SLDx (RS)	Cent	2.5	7.1	-11.5	16.5
-16.6	-31.01		644	3.4	-9.4	-12.1	10.7
-7.4	-45.20		645	6.1	6.3	-13.6	19.8
-7.2	-50.75		646	1.8	6.2	-10.9	15.2
-16.9	32.40		647	-1.8	-10.8	9.6	4.2

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-0.0	-50.80	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-41.38	644	-0.0	-0.0	-0.0	-0.0
-0.0	85.58	645	-0.0	0.0	0.0	0.0
-0.0	-73.40	646	-0.0	0.0	-0.0	0.0
-0.0	-50.71	647	-0.0	-0.0	-0.0	-0.0

NODE Vxx Vyy

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Cent	-0.0	-0.0
644	-0.0	-0.0
645	-0.0	0.0
646	-0.0	0.0
647	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-15.7	21.10	SLDy (RS)	Cent	3.8	-12.8	7.5	6.7
-20.3	13.86		644	2.5	-18.9	5.6	3.9
-7.9	20.59		645	6.3	-5.9	5.4	8.4
-11.9	29.08		646	5.2	-6.6	9.5	10.5
-23.5	21.44		647	1.5	-19.7	9.8	5.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	66.89	Cent	-0.0	0.0	0.0	0.0
-0.1	82.00	644	-0.1	-0.0	0.0	-0.0
0.0	61.01	645	0.0	0.0	0.0	0.0
-0.0	41.17	646	0.0	0.0	0.0	0.0
-0.1	73.04	647	-0.1	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.2	0.0
644	-0.2	-0.0
645	-0.2	0.1
646	-0.1	0.1
647	-0.1	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-7.2	56.12	SLVz (RS)	Cent	-1.1	6.2	9.0	12.3
-7.3	58.17		644	-1.6	7.5	9.2	13.3
-10.0	55.48		645	-3.0	4.8	10.1	11.7
-7.2	54.83		646	-1.0	5.2	8.8	11.4
-3.7	56.76		647	1.5	8.4	7.9	13.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-29.99		644	0.0	0.0	-0.0	0.0
0.0	-17.25		645	0.0	0.0	-0.0	0.0
0.0	-78.74		646	0.0	0.0	-0.0	0.0
0.0	-47.23		647	0.0	-0.0	-0.0	0.0
-0.0	-7.64						

NODE	Vxx	Vyy
Cent	0.0	0.0
644	-0.0	0.0
645	-0.0	0.0
646	0.0	0.0
647	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g1	Cent	10.4	-183.1	-240.4	172.7
-345.5	-34.04		644	29.5	-228.7	-248.5	180.4
-379.6	-31.27		645	64.4	-112.4	-273.7	263.7
-311.7	-36.05		646	-8.8	-137.5	-232.3	167.9
-314.2	-37.26		647	-43.7	-253.8	-207.0	83.4
-380.9	-31.55						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.0	0.0	-0.0
-0.0	18.19	644	-0.0	-0.1	0.0	-0.0
-0.1	6.60	645	-0.0	-0.0	0.0	-0.0
-0.0	9.16	646	-0.0	-0.0	0.0	-0.0
-0.0	27.20	647	0.0	0.0	0.0	0.0
-0.0	70.46					

NODE	Vxx	Vyy
Cent	0.0	-0.1
644	0.0	-0.1
645	0.0	-0.0
646	-0.0	-0.0
647	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g2	Cent	6.2	-96.0	-121.2	86.7
-176.4	-33.57		644	14.2	-120.1	-126.1	89.9
-195.8	-30.98						



MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-159.2	-35.75	645	32.2	-60.0	-137.8	131.4	
-158.3	-36.62	646	-1.7	-71.8	-116.4	84.8	
-194.6	-30.91	647	-19.7	-131.9	-104.7	42.9	
-----							
-0.0	14.00	Cent	0.0	-0.0	0.0	0.0	
-0.0	9.05	644	0.0	-0.0	0.0	0.0	
-0.0	17.08	645	-0.0	-0.0	0.0	-0.0	
-0.0	29.70	646	-0.0	-0.0	0.0	-0.0	
0.0	8.39	647	0.0	0.0	0.0	0.0	
-----							
		NODE	Vxx	Vyy			
-----							
		Cent	0.1	-0.0			
		644	0.0	-0.0			
		645	0.0	-0.0			
		646	0.1	-0.0			
		647	0.1	-0.0			
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-5.1	-37.60	q3	Cent	6.9	2.0	-9.2	14.0
-10.8	-28.85		644	8.7	-4.9	-10.8	14.6
-0.9	-43.14		645	13.8	12.0	-13.7	26.6
-1.0	-51.93		646	5.1	8.9	-7.7	15.0
-10.2	-25.00		647	0.0	-8.0	-4.8	2.3
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	-70.32		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-68.73		644	-0.0	-0.0	-0.0	-0.0
-0.0	-76.05		645	-0.0	-0.0	-0.0	-0.0
-0.0	-65.02		646	-0.0	-0.0	-0.0	-0.0
-0.0	-68.31		647	-0.0	0.0	-0.0	0.0
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	-0.0		
			644	-0.0	-0.0		
			645	-0.0	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		LC	NODE	Fxx	Fyy	Fxy	Fmax
646				-0.0	-0.0		
647				-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		q5_pc	Cent	4.5	-40.3	1.3	4.5
-40.4	1.67		644	1.9	-56.8	-4.0	2.2
-57.1	-3.90		645	12.6	-21.2	-5.9	13.6
-22.2	-9.55		646	7.0	-23.9	6.6	8.4
-25.2	11.61		647	-3.6	-59.4	8.5	-2.4
-60.7	8.45						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	0.0	-0.0	0.0
-0.0	-80.25		644	-0.0	-0.0	-0.0	-0.0
-0.0	-2.06		645	0.0	0.0	-0.0	0.0
-0.0	-66.17		646	0.0	0.0	-0.0	0.0
0.0	-16.39		647	-0.0	0.0	-0.0	0.0
-0.0	-89.50						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	-0.0		
			644	-0.0	-0.1		
			645	-0.0	0.0		
			646	-0.1	0.0		
			647	-0.1	-0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		q5_ps	Cent	4.2	-33.4	2.3	4.3
-33.5	3.53		644	1.8	-47.3	-2.2	1.9
-47.4	-2.59		645	10.8	-17.3	-3.6	11.3
-17.8	-7.26		646	6.5	-19.5	6.9	8.2
-21.2	13.98		647	-2.5	-49.4	8.3	-1.1
-50.9	9.74						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-81.49		644	-0.0	-0.0	0.0	-0.0
-0.0	0.08						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-66.11	645	0.0	0.0	-0.0	0.0
-0.0	-14.15	646	0.0	0.0	-0.0	0.0
-0.0	-89.83	647	-0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
644	-0.0	-0.1
645	-0.0	0.0
646	-0.1	0.0
647	-0.1	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-530.1	-37.86	INVS LU	Max Cent	-49.3	-127.8	-428.5	645.6
-381.0	-34.82		644	127.4	-50.6	-401.6	675.3
-522.5	-37.71		645	177.8	-115.0	-518.2	922.3
-666.4	-40.90		646	-193.3	-190.6	-447.9	614.1
-512.7	-39.26		647	-195.2	-128.1	-327.9	331.3
-1497.9	-39.69		Min Cent	-146.4	-737.8	-1018.9	306.3
-1483.9	-35.30		644	-3.9	-831.3	-983.9	409.7
-1405.6	-38.58		645	24.0	-534.7	-1126.4	540.2
-1544.6	-43.59		646	-308.1	-657.7	-1064.6	226.8
-1635.3	-42.95		647	-389.8	-972.3	-923.9	103.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.1	61.83	Max Cent	0.1	0.1	0.0	0.2
-0.1	15.79	644	0.0	-0.1	0.0	0.0
0.0	72.13	645	0.0	0.1	0.0	0.1
0.1	69.98	646	0.1	0.2	0.0	0.2
0.3	84.27	647	0.3	0.6	0.0	0.6
-0.1	86.41	Min Cent	-0.1	0.0	0.0	0.0
-0.4	-0.45	644	-0.2	-0.4	-0.0	-0.2
-0.0	-42.18	645	-0.0	-0.0	-0.0	0.0
-0.0	-85.59	646	-0.0	0.1	-0.0	0.1
-0.1	87.95	647	-0.1	0.2	0.0	0.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
Max	Cent	0.3	-0.3
	644	0.2	-0.4
	645	0.2	-0.1
	646	0.4	-0.1
	647	0.4	-0.4
Min	Cent	-0.4	-1.0
	644	-0.1	-2.0
	645	-0.1	-0.2
	646	-0.6	-0.2
	647	-0.6	-2.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-474.3	-37.96	INVSLV	Max	Cent	-11.3	-196.9	-320.0	279.1
-480.6	-33.80		644	26.4	-240.2	-326.5	282.6	
-424.3	-38.85		645	81.6	-112.4	-366.1	422.3	
-441.1	-41.27		646	-47.3	-152.6	-313.4	269.8	
-520.9	-37.52		647	-100.9	-278.8	-273.1	144.2	
-505.9	-35.33		Min	Cent	-30.3	-260.2	-380.4	203.0
-563.5	-33.10		644	8.6	-331.8	-387.1	224.5	
-463.9	-37.37		645	47.1	-147.5	-432.9	334.6	
-486.4	-39.31		646	-70.8	-189.8	-373.9	196.8	
-553.5	-31.97		647	-110.9	-375.6	-328.8	67.0	

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-0.0	-15.52	Max	Cent	0.0	-0.0	0.0	0.1
0.0	-3.36	644	0.2	0.0	0.0	0.2	
0.0	44.54	645	0.0	0.0	0.0	0.1	
-0.0	38.50	646	0.0	0.0	0.0	0.1	
0.0	-13.71	647	0.1	0.0	0.0	0.1	
-0.1	36.48	Min	Cent	-0.1	-0.0	-0.0	-0.0
-0.2	70.69	644	-0.2	-0.1	-0.0	-0.1	
-0.1	-17.35	645	-0.1	-0.1	-0.0	-0.1	
-0.1	-35.32	646	-0.0	-0.0	-0.0	-0.0	
-0.1	70.56	647	-0.1	-0.0	-0.0	-0.0	

NODE	Vxx	Vyy
------	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Max	Cent	0.4	-0.1
	644	0.4	-0.1
	645	0.4	0.1
	646	0.3	0.1
	647	0.3	-0.1
Min	Cent	-0.3	-0.1
	644	-0.4	-0.2
	645	-0.4	-0.2
	646	-0.3	-0.2
	647	-0.3	-0.2

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax		
Fmin		ANGLE								
766	2	10	Q1-1-2	Max	Cent	1031.3	30.9	160.9	1056.5	
	5.7	8.92			106	1095.5	60.4	231.6	1145.0	
	10.9	12.05			670	1092.7	24.1	122.4	1106.5	
	10.2	6.45			2314	970.4	16.4	121.8	985.7	
	1.1	7.16			2313	974.4	65.1	232.3	1030.4	
	9.2	13.53			Min	Cent	-7.4	-14.3	-115.6	104.8
	-126.5	-44.15			106	-7.5	-8.6	-98.6	90.5	
	-106.7	-44.84			670	-7.4	-8.7	-187.2	179.2	
	-195.3	-44.90			2314	-7.5	-42.4	-189.1	165.0	
	-214.8	-42.36			2313	-7.6	-40.0	-102.6	80.1	
	-127.7	-40.51								
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax		
				Max	Cent	0.0	0.0	0.0	0.0	
	-0.0	34.73			106	0.0	0.0	0.0	0.0	
	-0.0	48.84			670	0.0	0.0	0.0	0.0	
	-0.0	48.83			2314	0.0	0.0	0.0	0.0	
	-0.0	28.35			2313	0.0	0.0	0.0	0.0	
	0.0	15.50			Min	Cent	-0.0	-0.0	-0.0	
	-0.0	-12.73			106	-0.0	-0.0	-0.0	-0.0	
	-0.0	-18.97			670	-0.0	-0.1	-0.0	-0.0	
	-0.1	-11.71			2314	-0.0	-0.1	-0.0	-0.0	
	-0.1	-16.72			2313	-0.0	-0.1	-0.0	-0.0	
	-0.1	-42.40								
				NODE	Vxx	Vyy				
				Max	Cent	0.0	0.1			
					106	0.0	0.3			

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	670	0.0	0.1
	2314	0.1	0.1
	2313	0.1	0.3
Min	Cent	-0.1	-0.1
	106	-0.0	-0.2
	670	-0.0	-0.1
	2314	-0.1	-0.1
	2313	-0.1	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.7	9.85	Q2a-1-2	Max Cent	621.2	19.4	107.7	639.9
0.9	12.95		106	659.1	35.7	151.3	693.9
5.4	6.91		670	658.6	15.0	79.2	668.2
-0.3	7.69		2314	585.7	10.4	79.1	596.4
1.8	14.54		2313	587.1	41.2	151.8	626.5
-85.5	-44.34		Min Cent	-5.5	-9.1	-78.2	70.9
-67.9	-45.20		106	-5.6	-4.7	-62.8	57.6
-126.7	-44.99		670	-5.5	-5.6	-121.2	115.7
-139.0	-42.55		2314	-5.5	-26.5	-122.6	107.0
-81.0	-40.88		2313	-5.6	-24.5	-65.2	50.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	34.20	Max Cent	0.0	0.0	0.0	0.0
-0.0	48.93		106	0.0	0.0	0.0
-0.0	48.39		670	0.0	0.0	0.0
-0.0	27.79		2314	0.0	0.0	0.0
0.0	15.34		2313	0.0	0.0	0.0
-0.0	-12.34		Min Cent	-0.0	-0.0	-0.0
-0.0	-18.75		106	-0.0	-0.0	-0.0
-0.0	-11.13		670	-0.0	-0.0	-0.0
-0.0	-15.43		2314	-0.0	-0.0	-0.0
-0.0	-40.96		2313	-0.0	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.1
	106	0.0	0.2
	670	0.0	0.0
	2314	0.1	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Min	2313	0.1	0.2
Cent	106	-0.0	-0.1
	670	-0.0	-0.1
	2314	-0.1	-0.1
	2313	-0.1	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-87.0	87.11	SLVx (RS)	Cent	-86.8	-3.7	4.2	-3.5
-94.1	83.32		106	-92.9	-7.8	10.1	-6.6
-91.9	87.26		670	-91.7	3.1	4.5	3.3
-81.1	86.52		2314	-80.8	-0.9	4.9	-0.6
-83.1	83.61		2313	-82.0	5.0	9.9	6.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-14.54	Cent	-0.0	-0.0	-0.0	-0.0
0.0	82.80	106	0.0	0.0	0.0	0.0
0.0	-75.36	670	0.0	0.0	-0.0	0.0
-0.0	-10.84	2314	0.0	-0.0	-0.0	0.0
-0.0	83.39	2313	-0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
106	-0.0	0.0
670	-0.0	-0.0
2314	-0.0	-0.0
2313	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.8	-5.71	SLVy (RS)	Cent	21.7	1.0	-2.1	21.9
-2.7	-8.86		106	20.9	-2.1	-3.7	21.4
-1.7	-1.19		670	20.1	-1.7	-0.5	20.1
-0.9	-1.37		2314	22.6	-0.9	-0.6	22.6
1.9	-10.38		2313	23.4	2.6	-3.9	24.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	-31.11	Cent	-0.0	-0.0	-0.0	-0.0
0.0	-84.47	106	0.0	0.1	-0.0	0.1
-0.1	-12.90	670	-0.0	-0.1	-0.0	-0.0
-0.0	-34.86	2314	-0.0	-0.0	-0.0	0.0
-0.1	-16.29	2313	-0.1	-0.1	-0.0	-0.1

NODE	Vxx	Vyy
Cent	-0.0	0.4
106	-0.0	1.5
670	-0.0	-0.7
2314	-0.1	-0.7
2313	-0.1	1.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-43.5	87.11	SLDx (RS)	Cent	-43.4	-1.9	2.1	-1.8
-47.0	83.32		106	-46.4	-3.9	5.0	-3.3
-45.9	87.26		670	-45.8	1.6	2.3	1.7
-40.5	86.52		2314	-40.4	-0.4	2.4	-0.3
-41.5	83.62		2313	-41.0	2.5	4.9	3.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-14.55	Cent	-0.0	-0.0	-0.0	-0.0
0.0	82.80	106	0.0	0.0	0.0	0.0
0.0	-75.34	670	0.0	0.0	-0.0	0.0
-0.0	-10.85	2314	0.0	-0.0	-0.0	0.0
-0.0	83.40	2313	-0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
106	-0.0	0.0
670	-0.0	-0.0
2314	-0.0	-0.0
2313	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.4	-5.71	SLDy (RS)	Cent	10.8	0.5	-1.0	10.9
			106	10.4	-1.1	-1.8	10.7



MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-1.4	-8.86		670	10.0	-0.8	-0.2	10.0
-0.8	-1.19		2314	11.3	-0.4	-0.3	11.3
-0.4	-1.37		2313	11.7	1.3	-2.0	12.0
0.9	-10.38						
-----							
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-31.11		106	0.0	0.1	-0.0	0.1
0.0	-84.47		670	-0.0	-0.1	-0.0	-0.0
-0.1	-12.90		2314	-0.0	-0.0	-0.0	0.0
-0.0	-34.87		2313	-0.0	-0.1	-0.0	-0.0
-0.1	-16.29						
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	0.2		
			106	-0.0	0.8		
			670	-0.0	-0.4		
			2314	-0.0	-0.4		
			2313	-0.0	0.8		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVz (RS)	Cent	-36.9	-1.4	-1.5	-1.4
-36.9	-87.58		106	-39.3	-2.8	-3.8	-2.4
-39.7	-84.09		670	-38.9	-1.4	2.0	-1.3
-39.0	86.97		2314	-34.5	-0.1	2.1	0.0
-34.6	86.49		2313	-34.8	-1.7	-3.8	-1.3
-35.2	-83.53						
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	0.0	0.0	-0.0	0.0
0.0	-65.08		106	0.0	0.0	-0.0	0.0
0.0	-87.03		670	0.0	0.0	0.0	0.0
0.0	74.44		2314	0.0	0.0	0.0	0.0
0.0	59.19		2313	0.0	0.0	-0.0	0.0
0.0	-72.41						
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			106	-0.0	0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

670 -0.0 0.0  
 2314 0.0 0.0  
 2313 0.0 0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
19.3	1.19	g1	Cent	764.7	19.6	15.5	765.0
46.2	5.38		106	817.1	53.0	72.6	823.9
11.9	-2.78		670	805.3	13.7	-38.5	807.2
-16.2	-3.26		2314	712.4	-13.8	-41.6	714.7
18.6	5.63		2313	724.1	25.4	69.5	731.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-3.89		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-0.60		106	-0.0	-0.0	-0.0	-0.0
-0.0	-4.60		670	-0.0	-0.0	-0.0	-0.0
-0.0	-5.20		2314	-0.0	-0.0	-0.0	-0.0
-0.0	-1.07		2313	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			106	-0.0	0.0		
			670	-0.0	-0.0		
			2314	-0.0	-0.0		
			2313	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
11.3	0.45	g2	Cent	370.1	11.3	2.8	370.1
29.2	4.75		106	396.4	31.7	30.5	398.9
2.7	-3.34		670	388.1	4.0	-22.5	389.4
-10.8	-4.01		2314	343.8	-9.0	-24.9	345.5
16.3	4.79		2313	352.1	18.6	28.1	354.4
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	4.61		Cent	-0.0	-0.0	0.0	-0.0
			106	-0.0	-0.0	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	2.24		670	-0.0	-0.0	0.0	-0.0
-0.0	2.72		2314	-0.0	-0.0	0.0	-0.0
-0.0	8.95		2313	-0.0	-0.0	0.0	-0.0
-0.0	6.60						

NODE	Vxx	Vyy
Cent	-0.0	-0.0
106	0.0	-0.0
670	0.0	-0.0
2314	-0.0	-0.0
2313	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q3	Cent	29.1	0.9	4.8	29.8
0.1	9.34		106	30.1	1.9	5.8	31.3
0.7	11.24		670	29.7	0.3	3.8	30.2
-0.2	7.32		2314	28.0	-0.2	3.7	28.5
-0.7	7.34		2313	28.5	1.4	5.7	29.6
0.2	11.43						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-7.58	106	-0.0	-0.0	0.0	-0.0
-0.0	17.26	670	-0.0	-0.0	-0.0	0.0
-0.0	-29.00	2314	0.0	-0.0	-0.0	0.0
-0.0	-14.20	2313	-0.0	-0.0	0.0	-0.0
-0.0	47.52					

NODE	Vxx	Vyy
Cent	-0.0	0.0
106	0.0	0.0
670	0.0	0.0
2314	-0.0	0.0
2313	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_pc	Cent	25.4	0.3	1.0	25.5
0.3	2.27		106	25.7	0.9	1.2	25.8
0.8	2.86		670	25.4	-0.2	0.9	25.5
-0.2	1.91						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.3	1.70		2314	25.1	-0.3	0.8	25.1
0.7	2.65		2313	25.4	0.8	1.1	25.5
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	-5.99		Cent	-0.0	-0.0	-0.0	0.0
-0.0	0.24		106	-0.0	-0.0	0.0	-0.0
-0.0	-6.84		670	0.0	-0.0	-0.0	0.0
-0.0	-7.89		2314	-0.0	-0.0	-0.0	0.0
0.0	-48.13		2313	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	-0.0		
			106	0.0	-0.0		
			670	0.0	0.0		
			2314	-0.0	0.0		
			2313	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
0.4	1.76	q5_ps	Cent	21.4	0.4	0.6	21.4
1.0	2.14		106	21.6	1.0	0.8	21.6
-0.2	1.73		670	21.2	-0.2	0.6	21.3
-0.2	1.41		2314	21.2	-0.2	0.5	21.2
1.0	1.80		2313	21.5	1.0	0.6	21.5
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	-3.28		Cent	0.0	-0.0	-0.0	0.0
-0.0	0.70		106	-0.0	-0.0	0.0	-0.0
-0.0	-6.45		670	0.0	-0.0	-0.0	0.0
-0.0	-5.65		2314	0.0	-0.0	-0.0	0.0
0.0	74.06		2313	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	-0.0		
			106	0.0	-0.0		
			670	0.0	0.0		
			2314	-0.0	0.0		
			2313	-0.0	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
55.4	4.94	INVSLU	Max Cent	3034.9	77.6	257.7	3057.1
98.9	10.33		106	3326.3	203.7	588.6	3433.5
99.5	-0.50		670	3305.9	99.7	-28.1	3306.1
-28.2	-0.63		2314	2748.0	-27.9	-30.4	2748.3
-30.7	11.86		2313	2770.0	92.8	587.9	2893.4
7.4	-2.87		Min Cent	1580.1	16.1	-117.3	1584.1
80.2	5.87		106	1784.1	109.1	140.6	1802.0
-54.0	-12.11		670	1768.5	55.2	-447.5	1851.0
-233.3	-11.56		2314	1376.1	-107.6	-451.5	1471.2
-62.8	5.23		2313	1391.6	-50.6	133.7	1410.7
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	3.57		Max Cent	-0.0	-0.0	0.0	-0.0
-0.0	20.34		106	-0.0	-0.0	0.0	-0.0
-0.0	11.39		670	-0.0	-0.0	0.0	-0.0
-0.0	8.39		2314	0.0	-0.0	0.0	0.0
-0.0	8.78		2313	0.0	-0.0	0.0	0.0
-0.1	-9.77		Min Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-12.44		106	-0.0	-0.1	-0.0	-0.0
-0.1	-8.91		670	-0.0	-0.1	-0.0	-0.0
-0.1	-12.89		2314	-0.0	-0.1	-0.0	-0.0
-0.1	-28.33		2313	-0.1	-0.1	-0.0	-0.1
			NODE	Vxx	Vyy		
			Max Cent	0.1	0.1		
			106	0.0	0.4		
			670	0.0	-0.0		
			2314	0.1	-0.0		
			2313	0.1	0.4		
			Min Cent	-0.1	-0.2		
			106	-0.0	-0.3		
			670	-0.0	-0.3		
			2314	-0.2	-0.3		
			2313	-0.2	-0.3		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
38.9	0.51	INVSLV	Max	Cent	1260.9	39.0	20.6	1261.0
94.2	6.63			106	1398.1	112.6	174.1	1415.7
28.7	-5.57			670	1376.9	41.8	-121.7	1389.8
-49.2	-6.65			2314	1123.7	-33.1	-125.5	1139.7
12.1	7.40			2313	1144.9	37.6	169.7	1164.1
29.7	1.10		Min	Cent	1052.1	30.1	10.0	1052.5
68.4	8.82			106	1176.2	94.1	149.4	1202.9
20.8	-6.14			670	1158.1	33.7	-132.2	1171.2
-51.3	-7.31			2314	928.0	-35.4	-136.9	944.1
2.7	10.09			2313	946.1	25.1	145.3	975.9
Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
-0.0	50.85		Max	Cent	0.0	0.0	0.0	0.0
0.0	-83.18			106	0.0	0.1	0.0	0.1
0.0	75.57			670	0.0	0.1	0.0	0.1
-0.0	49.28			2314	-0.0	0.0	0.0	0.0
0.1	69.98			2313	0.1	0.1	0.0	0.1
-0.1	-24.89		Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	4.48			106	-0.0	-0.1	-0.0	-0.0
-0.2	-11.62			670	-0.0	-0.2	-0.0	-0.0
-0.1	-22.81			2314	-0.0	-0.0	-0.0	-0.0
-0.2	-13.46			2313	-0.1	-0.2	-0.0	-0.1
				NODE	Vxx	Vyy		
			Max	Cent	0.0	0.4		
				106	0.0	1.5		
				670	0.0	0.7		
				2314	0.1	0.7		
				2313	0.1	1.6		
			Min	Cent	-0.0	-0.4		
				106	-0.0	-1.6		
				670	-0.0	-0.8		
				2314	-0.1	-0.8		
				2313	-0.1	-1.6		
ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
	Fmin	ANGLE						

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
768	2	10	Q1-1-2	Max	Cent	175.3	75.6	190.7	322.5
-71.6		37.67			677	393.7	164.5	251.9	555.8
2.4		32.76			678	372.1	104.4	137.7	430.2
46.2		22.90			679	5.7	6.2	131.5	137.5
-125.6		45.06			680	8.1	58.6	246.0	280.6
-213.9		47.93		Min	Cent	-1.4	-58.9	-171.8	144.0
-204.4		-40.25			677	-2.7	-37.9	-115.0	96.0
-136.7		-40.66			678	-2.7	-62.6	-216.1	185.5
-250.8		-41.06			679	-57.9	-127.8	-235.8	145.5
-331.3		-40.79			680	-36.3	-82.9	-130.5	73.0
-192.2		-39.94							
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
				Max	Cent	0.0	0.0	0.0	0.0
0.0		84.66			677	0.0	0.0	0.0	0.0
0.0		21.90			678	0.0	0.0	0.0	0.0
0.0		83.42			679	0.0	0.1	0.0	0.1
0.0		79.54			680	0.0	0.1	0.0	0.1
0.0		88.42		Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0		-64.47			677	-0.1	-0.1	-0.0	-0.0
-0.1		-42.23			678	-0.0	-0.0	-0.0	0.0
-0.0		-42.55			679	-0.0	-0.0	-0.0	0.0
-0.0		-44.88			680	-0.1	-0.0	-0.0	-0.0
-0.1		-84.54							
Fmin		ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
				Max	Cent	0.0	0.0		
					677	0.0	0.0		
					678	0.0	0.0		
					679	0.1	0.0		
					680	0.1	0.0		
				Min	Cent	-0.2	-0.2		
					677	-0.1	-0.4		
					678	-0.1	-0.0		
					679	-0.3	-0.0		
					680	-0.3	-0.4		

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		Q2a-1-2	Max	Cent	104.0	47.0	123.5	202.2
-51.2	38.51			677	236.6	101.4	163.0	345.5
-7.5	33.74			678	222.6	64.6	88.9	262.5
24.7	24.19			679	3.0	3.4	84.8	88.1
-81.6	45.07			680	5.5	35.9	159.3	180.7
-139.3	47.73		Min	Cent	-1.0	-40.7	-110.6	91.5
-133.3	-39.92			677	-2.0	-25.3	-73.5	60.7
-88.1	-40.51			678	-2.0	-44.6	-139.3	117.6
-164.2	-40.65			679	-39.1	-88.1	-152.6	91.0
-218.2	-40.44			680	-25.2	-55.1	-83.8	45.0
-125.3	-39.94							

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-----		-----						
		Max	Cent	0.0	0.0	0.0	0.0	
0.0	85.34		677	0.0	0.0	0.0	0.0	
0.0	23.40		678	0.0	0.0	0.0	0.0	
0.0	84.51		679	0.0	0.0	0.0	0.0	
0.0	80.94		680	0.0	0.1	0.0	0.1	
0.0	88.62	Min	Cent	-0.0	-0.0	-0.0	0.0	
-0.0	-65.15		677	-0.0	-0.0	-0.0	-0.0	
-0.0	-40.19		678	-0.0	-0.0	-0.0	0.0	
-0.0	-43.81		679	-0.0	-0.0	-0.0	0.0	
-0.0	-45.19		680	-0.0	-0.0	-0.0	-0.0	
-0.0	-84.77							

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	677	0.0	0.0
	678	0.0	0.0
	679	0.0	0.0
	680	0.0	0.0
Min	Cent	-0.1	-0.1
	677	-0.1	-0.3
	678	-0.1	-0.0
	679	-0.2	-0.0
	680	-0.2	-0.3

Fmin ANGLE LC NODE Fxx Fyy Fxy Fmax

-----		-----						
		SLVx (RS)	Cent	18.4	1.6	2.8	18.9	
1.1	9.14							



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

			677	34.2	6.1	7.2	35.9
4.4	13.63		678	34.3	-6.5	5.6	35.0
-7.2	7.62		679	6.3	3.4	5.1	10.2
-0.5	37.04		680	6.3	4.0	7.7	12.9
-2.6	40.65						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	64.50		677	-0.0	0.0	0.0	0.0
-0.0	88.06		678	0.0	0.0	0.0	0.0
0.0	66.30		679	-0.0	-0.0	0.0	-0.0
-0.0	34.22		680	-0.0	-0.0	0.0	-0.0
-0.0	58.05						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	0.0		
			677	-0.0	0.0		
			678	-0.0	0.0		
			679	-0.0	0.0		
			680	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVy (RS)	Cent	38.0	4.3	-0.7	38.0
4.3	-1.14		677	35.5	6.3	-0.9	35.6
6.3	-1.67		678	33.7	1.0	1.7	33.8
0.9	2.90		679	40.4	2.3	-0.8	40.5
2.3	-1.19		680	42.2	8.3	-2.9	42.5
8.1	-4.87						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.1	0.0	0.0	0.0
-0.1	71.87		677	-0.2	-0.1	0.0	-0.1
-0.2	87.22		678	0.1	0.1	0.0	0.1
0.0	62.46		679	0.0	0.0	0.0	0.1
-0.0	45.42		680	-0.1	-0.0	0.0	-0.0
-0.1	75.47						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.3	0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

677	-0.4	-0.0
678	-0.4	0.1
679	-0.3	0.1
680	-0.3	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.6	9.14	SLDx (RS)	Cent	9.2	0.8	1.4	9.4
2.2	13.63		677	17.1	3.1	3.6	17.9
-3.6	7.63		678	17.1	-3.2	2.8	17.5
-0.2	37.05		679	3.2	1.7	2.6	5.1
-1.3	40.65		680	3.1	2.0	3.8	6.4

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	64.52		Cent	-0.0	-0.0	0.0	-0.0
-0.0	88.06		677	-0.0	0.0	0.0	0.0
0.0	66.30		678	0.0	0.0	0.0	0.0
-0.0	34.23		679	-0.0	-0.0	0.0	-0.0
-0.0	58.06		680	-0.0	-0.0	0.0	-0.0

	NODE	Vxx	Vyy
	Cent	-0.0	0.0
	677	-0.0	0.0
	678	-0.0	0.0
	679	-0.0	0.0
	680	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
2.1	-1.14	SLDy (RS)	Cent	19.0	2.1	-0.3	19.0
3.1	-1.67		677	17.7	3.1	-0.4	17.8
0.4	2.90		678	16.8	0.5	0.8	16.9
1.1	-1.20		679	20.2	1.2	-0.4	20.2
4.0	-4.87		680	21.1	4.2	-1.5	21.2

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	71.87		Cent	-0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	87.22	677	-0.1	-0.0	0.0	-0.0
0.0	62.46	678	0.0	0.0	0.0	0.0
-0.0	45.41	679	0.0	0.0	0.0	0.0
-0.1	75.47	680	-0.1	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.2	0.0
677	-0.2	-0.0
678	-0.2	0.0
679	-0.1	0.0
680	-0.1	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-7.0	-82.94	SLVz (RS)	Cent	-6.9	-0.8	-0.8	-0.7
-14.5	-76.56		677	-13.8	-2.8	-2.8	-2.1
-14.4	77.83		678	-13.9	-2.9	2.5	-2.3
-2.9	62.03		679	-1.7	1.4	2.3	2.6
-3.5	-59.79		680	-1.8	1.6	-3.0	3.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-69.38	Cent	-0.0	-0.0	-0.0	-0.0
0.0	2.75	677	0.0	0.0	0.0	0.0
0.0	-63.35	678	0.0	0.0	-0.0	0.0
-0.0	-43.01	679	-0.0	-0.0	-0.0	0.0
-0.0	-70.08	680	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
677	-0.0	0.0
678	-0.0	0.0
679	-0.0	0.0
680	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.3	1.83	g1	Cent	144.5	0.5	4.6	144.7
32.5	12.12		677	290.6	44.4	55.4	302.5
			678	290.5	44.2	-49.2	300.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
34.7	-10.89		679	-1.5	-43.4	-46.2	28.3
-73.2	-32.82		680	-1.5	-43.2	58.4	39.7
-84.3	35.16						
-----							
0.0	64.84		Cent	0.0	0.0	0.0	0.0
-0.0	0.16		677	-0.0	-0.0	0.0	-0.0
-0.0	34.99		678	-0.0	-0.0	0.0	0.0
0.0	80.12		679	0.0	0.0	0.0	0.0
0.0	85.10		680	0.0	0.0	0.0	0.0
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.0		
			677	0.0	-0.0		
			678	0.0	-0.0		
			679	0.0	-0.0		
			680	0.0	-0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-14.8	-0.87	g2	Cent	70.6	-14.8	-1.3	70.6
-2.2	8.50		677	138.3	0.9	21.0	141.5
5.3	-11.86		678	141.5	11.3	-28.6	147.5
-42.7	-27.34		679	2.9	-30.5	-23.6	15.1
-53.6	25.97		680	-0.2	-40.9	26.0	12.5
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	10.88		Cent	0.0	-0.0	0.0	0.0
0.0	14.53		677	0.0	0.0	0.0	0.0
-0.0	17.39		678	-0.0	-0.0	0.0	-0.0
-0.0	36.83		679	-0.0	-0.0	0.0	-0.0
-0.0	2.71		680	0.0	-0.0	0.0	0.0
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	0.0		
			677	0.0	0.0		
			678	0.0	-0.0		
			679	0.0	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		680	0.0	0.0			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		q3	Cent	11.8	0.4	6.1	14.4
-2.2	23.36		677	15.7	1.5	7.4	18.9
-1.6	23.11		678	15.8	1.6	4.6	17.1
0.3	16.41		679	7.8	-0.8	4.7	9.9
-2.8	23.76		680	7.8	-0.9	7.5	12.1
-5.2	30.08						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-17.63		677	-0.0	-0.0	-0.0	-0.0
-0.0	-25.89		678	-0.0	-0.0	0.0	-0.0
-0.0	1.64		679	-0.0	0.0	0.0	0.0
-0.0	72.09		680	0.0	0.0	-0.0	0.0
0.0	-39.21						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	-0.0		
			677	-0.0	-0.0		
			678	-0.0	-0.0		
			679	0.0	-0.0		
			680	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		q5_pc	Cent	27.4	2.2	0.1	27.4
2.2	0.25		677	27.4	3.0	0.3	27.4
3.0	0.78		678	26.8	1.0	0.6	26.8
1.0	1.28		679	27.5	1.3	-0.1	27.5
1.3	-0.25		680	28.1	3.3	-0.4	28.1
3.3	-0.83						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	0.0	-0.0	0.0
-0.0	-72.02		677	-0.0	-0.0	-0.0	-0.0
-0.0	-27.65		678	0.0	0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-53.09		679	0.0	0.0	-0.0	0.0
0.0	-34.97		680	-0.0	0.0	-0.0	0.0
-0.0	-87.29						

NODE	Vxx	Vyy
Cent	-0.0	-0.0
677	-0.0	-0.0
678	-0.0	-0.0
679	-0.0	0.0
680	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_ps	Cent	24.3	1.2	-0.1	24.3
1.2	-0.15		677	23.8	1.6	-0.1	23.8
1.6	-0.24		678	23.5	0.5	0.4	23.5
0.5	0.89		679	24.7	0.9	-0.0	24.7
0.9	-0.06		680	25.1	2.0	-0.5	25.1
2.0	-1.19						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	-0.0	-0.0	0.0
-0.0	-17.64	677	-0.0	-0.0	-0.0	-0.0
-0.0	-7.39	678	0.0	-0.0	-0.0	0.0
-0.0	-17.06	679	0.0	0.0	-0.0	0.0
-0.0	-10.63	680	-0.0	0.0	-0.0	0.0
-0.0	-86.45					

NODE	Vxx	Vyy
Cent	-0.0	-0.0
677	-0.0	-0.0
678	-0.0	-0.0
679	-0.0	0.0
680	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		INVSLU Max	Cent	-791.7	130.3	273.0	205.1
-866.5	74.68		677	144.5	445.9	579.6	894.0
-303.7	52.29		678	113.1	357.6	-33.3	444.0
108.6	-58.60		679	-1646.3	-158.9	-30.6	-155.2
-1655.3	-85.49						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-1693.0	71.76		680	-1641.7	-80.9	583.1	111.0
		Min	Cent	-1090.8	-55.2	-216.5	-14.9
-1123.5	-83.16		677	-450.1	167.3	83.7	178.6
-477.7	82.29		678	-451.3	130.3	-511.9	312.4
-741.6	-76.42		679	-1797.3	-342.2	-526.7	-184.2
-1967.8	-75.50		680	-1767.1	-277.9	74.2	-274.2
-1895.1	87.13						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
		Max	Cent	0.1	0.1	0.0	0.1
0.1	81.29		677	0.0	0.0	0.0	0.0
0.0	12.97		678	0.0	0.1	0.0	0.1
0.0	81.72		679	0.1	0.2	0.0	0.2
0.1	81.36		680	0.1	0.3	0.0	0.3
0.1	87.04	Min	Cent	0.0	0.1	-0.0	0.1
0.0	-85.30		677	-0.1	-0.1	-0.0	-0.1
-0.1	-22.81		678	0.0	0.1	-0.0	0.1
0.0	-77.03		679	0.0	0.1	-0.0	0.1
0.0	-83.66		680	0.0	0.2	-0.0	0.2
0.0	-89.16						

	NODE	Vxx	Vyy
Max	Cent	0.1	-0.2
	677	0.1	-0.3
	678	0.1	-0.1
	679	0.2	-0.1
	680	0.2	-0.3
Min	Cent	-0.1	-0.5
	677	-0.1	-0.8
	678	-0.1	-0.1
	679	-0.2	-0.1
	680	-0.2	-0.8

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
		INVSLV	Max	Cent	-445.3	-22.4	5.6	-22.4
-445.3	89.62			677	-56.6	80.9	140.1	167.4
-138.4	58.19			678	-47.1	115.7	-140.6	195.4
-132.8	-61.44			679	-832.4	-122.2	-120.9	-101.5
-854.4	-80.27			680	-841.4	-152.9	161.6	-121.4
-873.7	78.20							

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-536.5	89.77	Min	Cent	-536.5	-32.4	-0.8	-32.4
-216.6	65.71		677	-156.5	63.0	123.4	119.0
-215.2	-63.23		678	-144.3	100.4	-154.2	175.5
-938.0	-80.96		679	-918.1	-131.3	-133.0	-110.1
-960.0	78.95		680	-930.7	-172.9	142.7	-142.9

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-19.79	Max	Cent	0.1	0.0	0.0	0.1
0.1	-2.65		677	0.2	0.1	0.0	0.2
0.0	63.31		678	0.1	0.1	0.0	0.1
0.0	51.77		679	0.0	0.0	0.0	0.1
0.0	-16.02		680	0.1	0.1	0.0	0.1
-0.1	76.40	Min	Cent	-0.1	0.0	-0.0	0.0
-0.2	87.13		677	-0.2	-0.1	-0.0	-0.1
-0.1	-28.27		678	-0.1	-0.1	-0.0	-0.0
-0.0	-64.29		679	-0.0	-0.0	-0.0	0.0
-0.1	76.75		680	-0.1	-0.0	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.4	0.0
	677	0.4	-0.0
	678	0.4	0.1
	679	0.3	0.1
	680	0.3	-0.0
Min	Cent	-0.3	-0.1
	677	-0.4	-0.0
	678	-0.4	-0.1
	679	-0.2	-0.1
	680	-0.2	-0.0

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
775	2	4	Q1-1-2	Max	Cent	247.9	1.5	330.7	477.5
-228.2		34.78			702	429.6	27.3	409.8	685.0
-228.0		31.93			703	455.5	74.6	231.4	564.7
-34.6		25.28			704	75.4	1.0	252.7	293.6
-217.3		40.82			705	60.9	1.5	435.5	467.7
-405.3		43.05		Min	Cent	-5.1	-134.5	-68.2	24.2
-163.9		-23.26							



# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-129.1	-13.00		702	-8.6	-122.7	-27.8	-2.2
-172.2	-35.94		703	-8.7	-86.3	-118.5	77.2
-231.3	-28.29		704	-3.2	-165.3	-122.8	62.8
-231.4	-7.37		705	-10.0	-227.7	-28.7	-6.3

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
			Max	Cent	0.1	0.2	0.0	0.2
0.1	85.61			702	0.0	0.1	0.0	0.1
0.0	80.93			703	0.0	0.1	0.0	0.1
0.0	80.34			704	0.1	0.2	0.0	0.2
0.1	87.49			705	0.1	0.2	0.0	0.2
0.1	87.59		Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-25.98			702	-0.0	-0.0	-0.0	0.0
-0.0	-33.95			703	-0.0	-0.0	-0.0	0.0
-0.0	-34.95			704	-0.0	-0.0	-0.0	-0.0
-0.0	-18.55			705	-0.0	-0.0	-0.0	-0.0
-0.0	-17.89							

	NODE	Vxx	Vyy	
	Max	Cent	0.0	0.0
		702	0.0	0.0
		703	0.0	0.0
		704	0.0	0.0
		705	0.0	0.0
	Min	Cent	-0.0	-0.2
		702	-0.0	-0.2
		703	-0.0	-0.2
		704	-0.0	-0.2
		705	-0.0	-0.2

Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
-140.3	35.01	Q2a-1-2	Max	Cent	147.7	1.0	201.7	288.9
				702	257.0	16.9	250.2	414.4
-140.6	32.18			703	273.9	45.7	140.4	340.7
-21.1	25.44			704	45.1	0.7	153.7	178.2
-132.4	40.89			705	36.6	1.1	266.9	286.3
-248.6	43.10		Min	Cent	-3.8	-95.6	-47.2	16.1
-115.5	-22.89			702	-6.4	-87.7	-19.3	-2.0
-92.1	-12.68							

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-120.8	-35.72	703	-6.5	-61.7	-82.2	52.6
-160.2	-28.36	704	-2.3	-114.2	-85.2	43.7
-155.6	-7.59	705	-7.2	-153.0	-19.8	-4.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	86.07	Max Cent	0.0	0.1	0.0	0.1
0.0	81.64	702	0.0	0.1	0.0	0.1
0.0	81.04	703	0.0	0.1	0.0	0.1
0.1	87.79	704	0.1	0.1	0.0	0.1
0.1	87.90	705	0.1	0.1	0.0	0.1
-0.0	-31.05	Min Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-37.27	702	-0.0	-0.0	-0.0	0.0
-0.0	-38.35	703	-0.0	-0.0	-0.0	0.0
-0.0	-23.74	704	-0.0	-0.0	-0.0	-0.0
-0.0	-22.84	705	-0.0	-0.0	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	702	0.0	0.0
	703	0.0	0.0
	704	0.0	0.0
	705	0.0	0.0
Min	Cent	-0.0	-0.2
	702	-0.0	-0.2
	703	-0.0	-0.2
	704	-0.0	-0.2
	705	-0.0	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-14.1	-32.80	SLVx (RS)	Cent	19.5	-0.2	-21.7	33.5
-49.3	-59.17		702	-32.5	-2.2	-28.1	14.6
-39.5	-67.29		703	-33.6	-5.8	-14.1	0.1
-10.7	-40.91		704	6.8	2.5	-15.2	20.1
-23.3	-45.10		705	5.9	6.1	-29.3	35.3
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	0.0	0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-81.38		702	0.0	0.0	-0.0	0.0
0.0	-87.40		703	0.0	0.0	-0.0	0.0
0.0	-85.00		704	-0.0	-0.0	-0.0	-0.0
-0.0	-25.55		705	0.0	-0.0	-0.0	0.0
-0.0	-8.44						

NODE	Vxx	Vyy
Cent	-0.0	0.0
702	0.0	0.0
703	0.0	0.0
704	-0.0	0.0
705	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	32.1	0.1	-16.2	38.9
-6.7	-22.72		702	32.1	-0.3	-16.4	38.9
-7.2	-22.65		703	32.3	0.7	-16.2	39.1
-6.2	-22.87		704	32.1	0.3	-16.1	38.8
-6.5	-22.70		705	31.9	-0.6	-16.3	38.6
-7.4	-22.54						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	0.1	-0.0	0.1
0.0	-84.82	702	0.1	0.2	0.0	0.2
0.1	89.14	703	0.1	0.2	-0.0	0.2
0.1	-86.88	704	0.0	0.0	-0.0	0.0
0.0	-65.09	705	0.0	0.0	-0.0	0.0
0.0	-77.26					

NODE	Vxx	Vyy
Cent	-0.0	0.3
702	-0.0	0.3
703	-0.0	0.3
704	-0.0	0.3
705	-0.0	0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDx (RS)	Cent	9.7	-0.1	-10.8	16.7
-7.1	-32.81		702	-16.2	-1.1	-14.1	7.3
-24.6	-59.17						

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-19.7	-67.29		703	-16.8	-2.9	-7.0	0.1
-5.4	-40.92		704	3.4	1.2	-7.6	10.0
-11.6	-45.10		705	2.9	3.0	-14.6	17.6
-----							
0.0	-81.38		Cent	0.0	0.0	-0.0	0.0
0.0	-87.40		702	0.0	0.0	-0.0	0.0
0.0	-85.00		703	0.0	0.0	-0.0	0.0
-0.0	-25.59		704	-0.0	-0.0	-0.0	-0.0
-0.0	-8.45		705	0.0	-0.0	-0.0	0.0
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	0.0		
			702	0.0	0.0		
			703	0.0	0.0		
			704	-0.0	0.0		
			705	-0.0	0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-3.4	-22.73	SLDy (RS)	Cent	16.0	0.0	-8.1	19.4
-3.6	-22.66		702	16.0	-0.2	-8.2	19.4
-3.1	-22.88		703	16.1	0.3	-8.1	19.5
-3.2	-22.71		704	16.0	0.1	-8.0	19.4
-3.7	-22.55		705	15.9	-0.3	-8.1	19.3
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	-84.81		Cent	0.0	0.1	-0.0	0.1
0.0	89.14		702	0.0	0.1	0.0	0.1
0.0	-86.87		703	0.0	0.1	-0.0	0.1
0.0	-65.07		704	0.0	0.0	-0.0	0.0
0.0	-77.23		705	0.0	0.0	-0.0	0.0
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	0.1		
			702	-0.0	0.2		
			703	-0.0	0.1		

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

704      -0.0      0.1  
 705      -0.0      0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-14.6	-56.50	SLVz (RS)	Cent	-8.2	0.1	-9.7	6.5
-21.5	-58.66		702	-13.9	-1.0	-12.5	6.7
-17.2	-66.47		703	-14.4	-2.5	-6.4	0.2
-7.8	-52.36		704	-2.5	1.1	-6.9	6.4
-13.0	-50.17		705	-2.1	2.7	-13.0	13.6

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-7.62		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-1.94		702	-0.0	-0.0	-0.0	-0.0
-0.0	-4.31		703	-0.0	-0.0	-0.0	-0.0
-0.0	-30.84		704	-0.0	-0.0	-0.0	-0.0
-0.0	-21.10		705	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
702	-0.0	0.0
703	-0.0	0.0
704	0.0	0.0
705	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-124.9	30.67	g1	Cent	187.3	-15.1	185.1	297.1
-130.7	29.09		702	317.9	8.2	249.5	456.7
6.6	18.77		703	328.6	43.8	109.4	365.8
-120.6	34.25		704	56.7	-38.4	120.7	138.9
-281.7	38.52		705	46.0	-74.1	260.8	253.6

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	69.91		Cent	0.0	0.0	0.0	0.0
-0.0	29.02		702	0.0	-0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	32.81	703	-0.0	-0.0	0.0	0.0
		704	0.0	0.0	0.0	0.0
0.0	80.05	705	0.0	0.0	0.0	0.0
0.0	81.11					

NODE	Vxx	Vyy
Cent	0.0	-0.0
702	0.0	-0.0
703	0.0	-0.0
704	0.0	-0.0
705	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g2	Cent	89.9	-9.2	88.8	142.0
-61.3	30.41		702	153.3	2.0	120.0	219.5
-64.2	28.89		703	158.5	19.5	52.0	175.8
2.2	18.40		704	26.6	-20.4	57.5	65.2
-59.1	33.89		705	21.3	-37.9	125.5	120.7
-137.2	38.36						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.0	0.0	-0.0
-0.0	1.24	702	-0.0	-0.0	0.0	-0.0
-0.0	1.70	703	-0.0	-0.0	0.0	-0.0
-0.0	1.78	704	-0.0	-0.0	0.0	-0.0
-0.0	0.87	705	-0.0	-0.0	0.0	-0.0
-0.0	0.85					

NODE	Vxx	Vyy
Cent	0.0	0.0
702	0.0	0.0
703	0.0	0.0
704	0.0	0.0
705	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q3	Cent	7.3	-0.0	5.8	10.5
-3.2	28.89		702	9.6	0.2	6.9	13.3
-3.5	27.93		703	9.9	1.2	4.4	11.8
-0.6	22.68		704	5.0	-0.3	4.7	7.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-3.0	30.38		705	4.7	-1.3	7.2	9.5
-6.1	33.78						
-----							
-0.0	33.32		Cent	0.0	-0.0	0.0	0.0
-0.0	12.92		702	-0.0	-0.0	0.0	-0.0
-0.0	15.74		703	-0.0	-0.0	0.0	-0.0
0.0	64.25		704	0.0	0.0	0.0	0.0
0.0	65.92		705	0.0	0.0	0.0	0.0
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.0		
			702	0.0	-0.0		
			703	0.0	-0.0		
			704	0.0	-0.0		
			705	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-0.3	0.55	q5_pc	Cent	25.3	-0.3	0.2	25.3
-0.5	2.54		702	27.4	-0.4	1.2	27.5
1.3	-2.60		703	28.0	1.4	-1.2	28.0
-0.1	-1.82		704	23.2	-0.1	-0.7	23.2
-2.0	3.96		705	22.7	-1.9	1.7	22.8
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	-74.19		Cent	0.0	0.0	-0.0	0.0
0.0	-63.30		702	0.0	0.0	-0.0	0.0
0.0	-61.04		703	0.0	0.0	-0.0	0.0
0.0	-80.02		704	0.0	0.0	-0.0	0.0
0.0	-80.11		705	0.0	0.0	-0.0	0.0
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	-0.0		
			702	-0.0	-0.0		
			703	-0.0	-0.0		
			704	-0.0	-0.0		
			705	-0.0	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.1	-2.73	q5_ps	Cent	22.2	-0.1	-1.1	22.2
-0.2	-0.77		702	23.8	-0.2	-0.3	23.8
1.0	-5.35		703	24.2	1.2	-2.2	24.4
-0.1	-4.99		704	20.6	0.1	-1.8	20.7
-1.3	0.13		705	20.2	-1.3	0.0	20.2
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-58.96		Cent	0.0	0.0	-0.0	0.0
-0.0	-47.59		702	0.0	0.0	-0.0	0.0
0.0	-46.89		703	0.0	0.0	-0.0	0.0
0.0	-68.86		704	0.0	0.0	-0.0	0.0
0.0	-67.59		705	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			702	-0.0	-0.0		
			703	-0.0	-0.0		
			704	-0.0	-0.0		
			705	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-882.8	52.51	INVSLU Max	Cent	-453.9	-33.0	783.4	567.4
-700.6	42.25		702	394.3	165.5	1193.0	1478.1
25.0	37.54		703	441.0	268.0	326.8	690.5
-1362.5	72.75		704	-1289.7	-197.3	376.7	-80.9
-1713.9	56.73		705	-1320.9	-232.8	1249.8	583.8
-1083.2	70.97	Min	Cent	-849.8	-217.1	244.5	-132.3
-939.0	49.95		702	-254.7	-37.8	600.0	467.3
-297.3	-73.60		703	-244.1	48.3	-147.7	107.3
-1454.0	-82.81		704	-1446.5	-421.9	-131.6	-405.3
-2165.8	63.22		705	-1464.0	-545.5	620.0	-229.1
			NODE	Mxx	Myy	Mxy	Mmax



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE							
			Max	Cent	0.1	0.3	0.0	0.3
0.1	85.92			702	0.1	0.2	0.0	0.2
0.1	82.40			703	0.1	0.2	0.0	0.2
0.1	82.14			704	0.1	0.4	0.0	0.4
0.1	87.48			705	0.1	0.4	0.0	0.4
0.1	87.53							
			Min	Cent	0.0	0.0	-0.0	0.0
0.0	-82.86			702	0.0	0.0	-0.0	0.0
0.0	-76.23			703	0.0	0.0	-0.0	0.0
0.0	-77.29			704	0.0	0.0	-0.0	0.0
0.0	-85.96			705	0.0	0.0	-0.0	0.0
0.0	-86.18							
				NODE	Vxx	Vyy		
			Max	Cent	0.0	-0.0		
				702	0.0	-0.0		
				703	0.0	-0.0		
				704	0.0	-0.0		
				705	0.0	-0.0		
			Min	Cent	-0.0	-0.4		
				702	-0.0	-0.4		
				703	-0.0	-0.4		
				704	-0.0	-0.4		
				705	-0.0	-0.4		
Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
		INVSLV	Max	Cent	-260.7	-22.4	280.5	144.2
-400.2	59.27			702	96.9	72.9	464.3	539.6
-330.0	44.85			703	106.7	105.2	82.9	177.9
53.2	48.07			704	-618.0	-112.8	97.4	-100.8
-624.2	80.56			705	-627.1	-136.7	479.7	133.6
-864.0	59.36							
-497.8	59.79		Min	Cent	-341.5	-22.9	221.6	106.2
-404.5	46.62			702	4.4	67.8	390.7	437.1
-28.0	63.82			703	11.5	91.7	38.2	111.6
-702.6	84.20			704	-687.7	-118.5	51.9	-109.0
-964.7	61.13			705	-695.5	-150.8	403.5	85.4
				NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		Max	Cent	0.0	0.1	0.0	0.1
0.0	-86.93		702	0.1	0.2	0.0	0.2
0.1	88.07		703	0.1	0.2	0.0	0.2
0.1	-88.21		704	0.0	0.1	0.0	0.1
0.0	-73.04		705	0.0	0.1	0.0	0.1
0.0	-83.34						
-----		Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	7.45		702	-0.1	-0.2	0.0	-0.1
-0.2	0.28		703	-0.1	-0.2	-0.0	-0.1
-0.2	4.45		704	-0.0	-0.0	-0.0	-0.0
-0.0	32.86		705	-0.0	-0.0	-0.0	-0.0
-0.0	21.03						

-----		NODE	Vxx	Vyy
Max	Cent		0.0	0.3
	702		0.0	0.3
	703		0.0	0.3
	704		0.0	0.3
	705		0.0	0.3
Min	Cent		-0.0	-0.3
	702		-0.0	-0.3
	703		-0.0	-0.3
	704		-0.0	-0.3
	705		-0.0	-0.3

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-----		ANGLE							
Fmin									
777	2	8	Q1-1-2	Max	Cent	19.1	9.4	25.1	39.8
-11.3		39.57			710	87.9	6.3	0.8	87.9
6.3		0.55			644	107.7	24.0	1.1	107.8
24.0		0.77			647	0.8	14.8	53.3	61.6
-46.0		48.73			711	0.7	4.4	60.9	63.5
-58.4		45.88		Min	Cent	-19.5	-578.0	-149.5	18.0
-615.5		-14.08			710	-31.5	-662.7	-140.1	-1.8
-692.4		-11.97			644	-0.6	-447.7	-187.6	67.7
-515.9		-20.00			647	-54.1	-493.9	-161.8	-1.0
-547.0		-18.17			711	-106.3	-709.4	-113.3	-85.7
-730.0		-10.29							
-----		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
Mmin									
				Max	Cent	0.0	0.1	0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	62.20		710	0.0	0.1	0.0	0.1
0.0	65.17		644	0.0	0.0	0.0	0.0
0.0	45.58		647	0.1	0.3	0.0	0.3
0.1	80.83		711	0.0	0.0	0.0	0.1
-0.0	59.22	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-36.89		710	-0.0	-0.1	-0.0	-0.0
-0.1	-8.35		644	-0.1	-0.2	-0.0	-0.1
-0.2	-2.70		647	-0.0	-0.0	-0.0	-0.0
-0.0	-45.54		711	-0.0	-0.0	-0.0	-0.0
-0.0	-44.04						

	NODE	Vxx	Vyy
Max	Cent	0.1	0.0
	710	0.1	0.1
	644	0.1	0.1
	647	0.2	0.1
	711	0.2	0.1
Min	Cent	-0.1	-0.4
	710	-0.0	-0.1
	644	-0.0	-0.9
	647	-0.2	-0.9
	711	-0.2	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-11.0	40.15	Q2a-1-2	Max	Cent	11.0	4.6	18.6	26.6
3.6	0.52			710	54.2	3.6	0.5	54.2
12.9	0.72			644	63.5	12.9	0.6	63.6
-36.0	47.31			647	0.4	6.7	39.4	43.1
-43.6	45.63			711	0.3	2.3	44.9	46.3
-381.2	-13.78		Min	Cent	-14.4	-359.1	-89.9	7.7
-433.6	-11.40			710	-23.3	-417.0	-82.7	-6.6
-313.6	-19.56			644	-0.3	-274.0	-111.3	39.2
-334.5	-18.34			647	-35.2	-301.6	-99.2	-2.3
-457.2	-10.17			711	-68.6	-444.7	-69.7	-56.1
Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
0.0	64.88		Max	Cent	0.0	0.0	0.0	0.0
				710	0.0	0.1	0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	67.68		644	0.0	0.0	0.0	0.0
0.0	44.83		647	0.1	0.2	0.0	0.2
0.1	81.49		711	0.0	0.0	0.0	0.0
-0.0	60.36	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-38.39		710	-0.0	-0.0	-0.0	-0.0
-0.0	-9.86		644	-0.0	-0.1	-0.0	-0.0
-0.1	-3.11		647	-0.0	-0.0	-0.0	-0.0
-0.0	-45.94		711	-0.0	-0.0	-0.0	-0.0
-0.0	-48.55						

	NODE	Vxx	Vyy
Max	Cent	0.1	0.0
	710	0.0	0.1
	644	0.0	0.1
	647	0.1	0.1
	711	0.1	0.1
Min	Cent	-0.1	-0.3
	710	-0.0	-0.1
	644	-0.0	-0.6
	647	-0.1	-0.6
	711	-0.1	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	1.3	-33.4	-10.3	4.1
-36.3	-15.38		710	-3.9	-48.4	-15.6	1.1
-53.4	-17.51		644	11.3	-18.3	-18.5	20.3
-27.2	-25.69		647	3.1	-21.6	-6.7	4.8
-23.3	-14.33		711	-9.1	-52.4	4.3	-8.6
-52.8	5.62						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	0.0	-0.0	0.0
-0.0	-61.77	710	0.0	0.0	-0.0	0.0
-0.0	-70.68	644	-0.0	-0.0	-0.0	-0.0
-0.0	-22.02	647	-0.0	0.0	-0.0	0.0
-0.0	-64.72	711	-0.0	-0.0	-0.0	0.0
-0.0	-41.26					

	NODE	Vxx	Vyy
	Cent	0.0	0.0
	710	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

644 0.0 -0.0  
 647 0.0 -0.0  
 711 0.0 0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-38.7	-7.13	SLVy (RS)	Cent	6.7	-38.0	-5.7	7.4
-41.6	-8.72		710	4.0	-40.5	-7.0	5.1
-37.4	-7.80		644	5.2	-36.6	-5.8	6.0
-35.9	-5.61		647	9.6	-35.5	-4.5	10.0
-40.0	-6.53		711	8.4	-39.4	-5.5	9.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	71.32		Cent	-0.0	-0.0	0.0	-0.0
-0.0	34.44		710	0.0	-0.0	0.0	0.0
-0.1	78.73		644	-0.1	-0.0	0.0	-0.0
-0.1	79.15		647	-0.1	-0.0	0.0	-0.0
-0.0	46.62		711	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.2	-0.0		
			710	0.2	-0.0		
			644	0.2	-0.1		
			647	0.2	-0.1		
			711	0.2	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-18.1	-15.38	SLDx (RS)	Cent	0.7	-16.7	-5.2	2.1
-26.6	-17.51		710	-1.9	-24.2	-7.8	0.5
-13.6	-25.69		644	5.7	-9.1	-9.3	10.1
-11.6	-14.33		647	1.6	-10.8	-3.4	2.4
-26.4	5.62		711	-4.5	-26.2	2.2	-4.3
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-61.77		Cent	-0.0	0.0	-0.0	0.0
			710	0.0	0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-70.68		644	-0.0	-0.0	-0.0	-0.0
-0.0	-22.04		647	-0.0	0.0	-0.0	0.0
-0.0	-64.72		711	-0.0	-0.0	-0.0	0.0
-0.0	-41.26						

NODE	Vxx	Vyy
Cent	0.0	0.0
710	0.0	0.0
644	0.0	-0.0
647	0.0	-0.0
711	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-19.3	-7.13	SLDy (RS)	Cent	3.3	-19.0	-2.8	3.7
-20.8	-8.72		710	2.0	-20.2	-3.5	2.5
-18.7	-7.80		644	2.6	-18.3	-2.9	3.0
-18.0	-5.62		647	4.8	-17.7	-2.2	5.0
-20.0	-6.53		711	4.2	-19.7	-2.8	4.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	71.32	Cent	-0.0	-0.0	0.0	-0.0
-0.0	34.42	710	0.0	-0.0	0.0	0.0
-0.0	78.74	644	-0.0	-0.0	0.0	-0.0
-0.0	79.15	647	-0.0	-0.0	0.0	-0.0
-0.0	46.65	711	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.1	-0.0
710	0.1	-0.0
644	0.1	-0.0
647	0.1	-0.0
711	0.1	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.3	74.83	SLVz (RS)	Cent	-0.5	10.1	3.1	11.0
-2.7	75.78		710	-1.7	12.7	3.9	13.7
-4.8	68.73		644	-2.9	7.5	4.8	9.4

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

			647	1.1	8.5	2.8	9.5
0.1	71.44		711	2.1	13.8	1.9	14.1
1.8	80.93						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	0.0	-0.0	0.0
-0.0	-68.87		710	-0.0	0.0	-0.0	0.0
-0.0	-74.78		644	0.0	0.0	-0.0	0.0
0.0	-60.95		647	-0.0	-0.0	-0.0	-0.0
-0.0	-56.46		711	0.0	0.0	-0.0	0.0
-0.0	-47.83						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	0.0		
			710	-0.0	0.0		
			644	-0.0	0.0		
			647	-0.0	0.0		
			711	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		g1	Cent	13.0	-288.7	-82.8	34.2
-309.9	-14.38		710	42.7	-321.6	-88.0	62.8
-341.7	-12.89		644	71.2	-226.5	-115.4	110.7
-266.0	-18.90		647	-16.8	-255.7	-77.6	6.2
-278.7	-16.49		711	-45.3	-350.8	-50.1	-37.3
-358.8	-9.08						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	-0.0	0.0	0.0
-0.0	23.45		710	0.0	-0.0	0.0	0.0
-0.0	14.67		644	-0.0	-0.1	0.0	-0.0
-0.1	9.14		647	0.0	0.0	0.0	0.0
-0.0	57.73		711	-0.0	-0.0	0.0	0.0
-0.0	42.68						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.1		
			710	0.0	-0.1		
			644	0.0	-0.1		
			647	-0.0	-0.1		
			711	-0.0	-0.1		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-158.7	-13.87	g2	Cent	7.5	-148.6	-41.0	17.6
-173.8	-12.56		710	21.4	-164.1	-43.5	31.1
-137.7	-18.09		644	34.9	-119.3	-56.4	53.3
-143.9	-15.67		647	-6.4	-133.0	-38.6	4.4
-181.9	-9.01		711	-19.9	-177.8	-25.7	-15.8
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	10.76		Cent	0.0	-0.0	0.0	0.0
-0.0	8.91		710	0.0	-0.0	0.0	0.0
-0.0	6.77		644	0.0	-0.0	0.0	0.0
-0.0	9.47		647	0.0	-0.0	0.0	0.0
-0.0	41.96		711	-0.0	-0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			710	-0.0	-0.1		
			644	-0.0	-0.0		
			647	-0.0	-0.0		
			711	-0.0	-0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-29.1	-16.28	q3	Cent	1.1	-26.5	-8.8	3.7
-51.0	-17.84		710	-1.5	-45.9	-15.9	3.7
-15.8	-33.93		644	11.2	-3.6	-18.2	23.4
-7.4	-8.61		647	3.7	-7.1	-1.7	3.9
-49.4	0.81		711	-9.0	-49.4	0.6	-9.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-49.23		Cent	-0.0	0.0	-0.0	0.0
-0.0	-61.94		710	0.0	0.0	-0.0	0.0
-0.0	-37.61		644	-0.0	-0.0	-0.0	-0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-55.23	647	-0.0	0.0	-0.0	0.0
-0.0	-41.05	711	-0.0	-0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
710	0.0	0.0
644	0.0	-0.0
647	0.0	-0.0
711	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-58.1	-9.92	q5_pc	Cent	6.4	-56.1	-11.3	8.3
-58.9	-9.77		710	7.2	-57.0	-11.4	9.2
-56.6	-10.68		644	8.0	-54.3	-12.2	10.3
-57.2	-10.08		647	5.5	-55.2	-11.1	7.5
-59.5	-9.16		711	4.7	-57.8	-10.3	6.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	51.53	Cent	-0.0	-0.0	0.0	0.0
-0.0	42.50	710	0.0	0.0	0.0	0.0
-0.0	17.13	644	-0.0	-0.0	0.0	-0.0
-0.0	78.38	647	-0.0	0.0	0.0	0.0
-0.0	31.15	711	-0.0	-0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
710	0.0	0.0
644	0.0	-0.1
647	0.1	-0.1
711	0.1	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-48.2	-9.53	q5_ps	Cent	5.6	-46.7	-9.0	7.1
-49.1	-9.56		710	5.9	-47.5	-9.3	7.5
-47.1	-10.21		644	6.6	-45.4	-9.7	8.3
-47.3	-9.50		647	5.3	-45.8	-8.8	6.7
			711	4.6	-48.0	-8.4	5.9

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-49.3      -8.85

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	50.30		Cent	-0.0	-0.0	0.0	0.0
-0.0	41.84		710	0.0	0.0	0.0	0.0
-0.0	18.12		644	-0.0	-0.0	0.0	-0.0
-0.0	77.72		647	-0.0	0.0	0.0	0.0
-0.0	30.83		711	-0.0	-0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
710	0.0	0.0
644	0.0	-0.1
647	0.1	-0.1
711	0.1	0.0

Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
-178.9	-44.76	INVSLU	Max	Cent	34.9	11.1	-187.5	205.3
58.9	-26.20			710	282.9	159.7	-134.3	360.7
-181.2	-24.37			644	239.4	-62.3	-208.9	345.4
-384.0	-45.22			647	-138.8	-135.2	-232.0	110.1
-170.7	-59.38			711	-72.2	94.2	-146.9	191.4
-1083.6	-23.86		Min	Cent	-28.6	-899.2	-443.4	158.5
-974.7	-18.50			710	108.7	-864.0	-348.4	218.4
-1022.1	-28.13			644	76.3	-808.0	-488.7	270.3
-1227.1	-39.18			647	-228.8	-935.3	-542.5	60.7
-1162.2	-24.58			711	-227.5	-992.0	-400.7	-52.7

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	66.88	Max	Cent	0.1	0.2	0.0	0.2
0.0	62.82		710	0.1	0.2	0.1	0.2
-0.1	17.83		644	0.0	-0.1	0.0	0.0
0.3	82.02		647	0.3	0.6	0.1	0.6
-0.0	76.07		711	-0.0	0.2	0.1	0.2
		Min	Cent	0.0	0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-87.03	710	0.0	-0.0	-0.0	0.0
-0.0	-2.47	644	-0.1	-0.4	0.0	-0.1
-0.4	1.93	647	0.1	0.2	-0.0	0.2
0.1	-79.84	711	-0.0	0.1	-0.0	0.1
-0.0	88.49					

	NODE	Vxx	Vyy
Max	Cent	0.0	-0.3
	710	0.1	-0.0
	644	0.1	-0.4
	647	0.0	-0.4
	711	0.0	-0.0
Min	Cent	-0.4	-1.0
	710	-0.1	-0.4
	644	-0.1	-2.0
	647	-0.6	-2.0
	711	-0.6	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-322.9	-15.74	INVSLV	Max Cent	18.6	-288.6	-102.7	54.0
			710	67.3	-293.7	-92.9	95.3
-316.4	-13.67		644	98.3	-237.5	-128.7	160.7
-289.4	-19.95		647	-28.0	-276.6	-110.5	13.8
-322.5	-18.48		711	-49.5	-329.0	-73.5	-26.6
-352.1	-14.82		Min Cent	4.2	-390.7	-128.6	38.5
-426.0	-17.95		710	55.9	-422.5	-130.7	83.8
-455.7	-14.48		644	70.7	-326.2	-172.1	115.9
-382.1	-19.36		647	-49.6	-365.7	-128.4	-3.1
-408.0	-22.22		711	-73.9	-465.8	-88.3	-59.0
-480.8	-11.14						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-0.74	Max Cent	0.1	-0.0	0.0	0.1
		710	0.0	-0.1	0.0	0.0
-0.1	13.95	644	0.1	-0.0	0.0	0.1
-0.0	-2.08	647	0.1	0.0	0.0	0.1
0.0	-2.12	711	0.0	0.0	0.0	0.0
-0.0	47.02	Min Cent	-0.0	-0.0	-0.0	-0.0
-0.1	40.22	710	-0.0	-0.1	-0.0	-0.0

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	0.31					
-0.1	39.97	644	-0.1	-0.1	-0.0	-0.1
-0.1	68.72	647	-0.0	-0.0	-0.0	0.0
-0.0	72.80	711	-0.0	-0.0	0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.2	-0.1
	710	0.2	-0.1
	644	0.2	-0.1
	647	0.1	-0.1
	711	0.1	-0.1
Min	Cent	-0.2	-0.2
	710	-0.2	-0.2
	644	-0.2	-0.2
	647	-0.3	-0.2
	711	-0.3	-0.2

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
778	2	8	Q1-1-2	Max	Cent	32.3	13.6	124.4	147.7
-101.8		42.85			712	112.0	23.9	151.2	225.5
-89.5		36.88			713	109.2	12.2	103.7	175.1
-53.8		32.46			714	0.6	7.1	98.4	102.3
-94.5		45.95			715	0.8	16.0	147.1	155.7
-138.9		46.48		Min	Cent	-19.1	-555.1	-41.1	-16.0
-558.3		-4.36			712	-0.6	-445.7	-6.3	-0.5
-445.8		-0.82			713	-32.5	-630.8	-12.5	-32.2
-631.0		-1.19			714	-92.8	-665.1	-79.1	-82.0
-675.8		-7.73			715	-47.6	-480.0	-70.1	-36.5
-491.0		-8.98							

	Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
			Max	Cent	0.0	0.1	0.0	0.1
	0.0	72.80		712	0.0	0.0	0.0	0.0
	0.0	52.84		713	0.0	0.1	0.0	0.1
	0.0	82.87		714	0.0	0.1	0.0	0.1
	-0.0	74.48		715	0.1	0.3	0.0	0.3
	0.1	86.35	Min	Cent	-0.0	-0.0	-0.0	-0.0
	-0.0	-44.41		712	-0.1	-0.2	-0.0	-0.0
	-0.2	-7.76		713	-0.0	-0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	-27.20		714	-0.0	-0.0	-0.0	0.0
-0.1	-48.67		715	-0.0	-0.0	-0.0	-0.0
-0.1	-39.34						

	NODE	Vxx	Vyy
Max	Cent	0.1	0.0
	712	0.1	0.1
	713	0.1	0.1
	714	0.2	0.1
	715	0.2	0.1
Min	Cent	-0.1	-0.4
	712	-0.1	-0.9
	713	-0.1	-0.1
	714	-0.1	-0.1
	715	-0.1	-0.9

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
		Q2a-1-2	Max	Cent	19.0	7.1	75.9	89.2
-63.1	42.76			712	65.9	12.7	90.4	133.6
-55.0	36.80			713	67.3	7.5	61.9	106.1
-31.3	32.10			714	0.3	3.8	61.8	63.9
-59.8	45.82			715	0.3	7.2	91.4	95.3
-87.7	46.08		Min	Cent	-14.1	-347.3	-30.4	-11.4
-350.1	-5.18			712	-0.4	-274.0	-4.6	-0.3
-274.1	-0.96			713	-24.0	-401.3	-9.2	-23.8
-401.5	-1.40			714	-61.5	-420.8	-58.5	-52.2
-430.1	-9.01			715	-31.2	-293.5	-51.9	-21.4
-303.4	-10.79							

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
			Max	Cent	0.0	0.0	0.0	0.0
0.0	72.58			712	0.0	0.0	0.0	0.0
0.0	49.53			713	0.0	0.1	0.0	0.1
0.0	82.92			714	0.0	0.0	0.0	0.0
-0.0	73.52			715	0.1	0.2	0.0	0.2
0.1	85.88		Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-44.39			712	-0.0	-0.1	-0.0	-0.0
-0.1	-7.83			713	-0.0	-0.0	-0.0	0.0
-0.0	-27.69			714	-0.0	-0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0      -50.37  
 -0.0      -39.92

	NODE	Vxx	Vyy
Max	Cent	0.1	0.0
	712	0.0	0.1
	713	0.0	0.1
	714	0.1	0.1
	715	0.1	0.1
Min	Cent	-0.1	-0.3
	712	-0.0	-0.6
	713	-0.0	-0.1
	714	-0.1	-0.1
	715	-0.1	-0.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.3	-75.20	SLVx (RS)	Cent	1.7	21.4	-5.6	22.9
-8.7	-73.18		712	-6.3	17.4	-7.9	19.7
-5.6	-79.19		713	-4.5	23.4	-5.5	24.4
2.4	-81.86		714	2.9	25.4	-3.3	25.9
-0.5	-74.17		715	1.1	19.4	-5.6	21.0

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-70.50		Cent	-0.0	0.0	-0.0	0.0
-0.0	-14.86		712	-0.0	-0.0	-0.0	-0.0
-0.0	74.42		713	0.0	0.0	0.0	0.0
-0.0	42.65		714	-0.0	-0.0	0.0	0.0
-0.0	-43.28		715	-0.0	-0.0	-0.0	-0.0

	NODE	Vxx	Vyy
	Cent	-0.0	0.0
	712	-0.0	0.0
	713	-0.0	0.0
	714	-0.0	0.0
	715	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-39.4	4.46	SLVy (RS)	Cent	6.9	-39.1	3.6	7.2
-38.1	5.00		712	5.5	-37.8	3.8	5.8
			713	4.3	-41.7	4.9	4.9

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-42.2	5.98		714	8.4	-40.4	3.4	8.7
-40.6	3.97		715	9.6	-36.5	2.6	9.8
-36.7	3.23						

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-----							
-0.0	-75.22		Cent	-0.0	-0.0	-0.0	-0.0
-0.1	-81.12		712	-0.1	-0.0	-0.0	-0.0
-0.0	-35.22		713	0.0	-0.0	-0.0	0.0
-0.0	-49.77		714	-0.0	0.0	-0.0	0.0
-0.1	-81.64		715	-0.1	-0.0	-0.0	-0.0

NODE Vxx Vyy

Cent	-0.2	-0.0
712	-0.2	-0.0
713	-0.2	0.0
714	-0.2	0.0
715	-0.2	-0.0

Fmin ANGLE LC NODE Fxx Fyy Fxy Fmax

-----							
0.1	-75.20	SLDx (RS)	Cent	0.9	10.7	-2.8	11.4
-4.4	-73.18		712	-3.2	8.7	-3.9	9.9
-2.8	-79.19		713	-2.3	11.7	-2.8	12.2
1.2	-81.86		714	1.5	12.7	-1.6	12.9
-0.2	-74.17		715	0.6	9.7	-2.8	10.5

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-----							
-0.0	-70.51		Cent	-0.0	0.0	-0.0	0.0
-0.0	-14.87		712	-0.0	-0.0	-0.0	-0.0
-0.0	74.42		713	0.0	0.0	0.0	0.0
-0.0	42.65		714	-0.0	-0.0	0.0	0.0
-0.0	-43.29		715	-0.0	-0.0	-0.0	-0.0

NODE Vxx Vyy

Cent	-0.0	0.0
712	-0.0	0.0
713	-0.0	0.0
714	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE						
-19.7	4.47	SLDy (RS)	Cent	3.4	-19.5	1.8	3.6
-19.1	5.01		712	2.7	-18.9	1.9	2.9
-21.1	5.98		713	2.2	-20.8	2.4	2.4
-20.3	3.98		714	4.2	-20.2	1.7	4.3
-18.3	3.24		715	4.8	-18.3	1.3	4.9
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-75.23		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-81.12		712	-0.0	-0.0	-0.0	-0.0
-0.0	-35.18		713	0.0	-0.0	-0.0	0.0
-0.0	-49.79		714	-0.0	0.0	-0.0	0.0
-0.0	-81.64		715	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.1	-0.0		
			712	-0.1	-0.0		
			713	-0.1	0.0		
			714	-0.1	0.0		
			715	-0.1	-0.0		
		LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE						
-1.3	-77.06	SLVz (RS)	Cent	-0.7	9.4	-2.5	10.0
-3.8	-73.06		712	-2.8	7.6	-3.5	8.7
-2.4	-79.17		713	-2.0	10.3	-2.4	10.8
1.1	-81.92		714	1.3	11.2	-1.4	11.4
-0.2	-74.05		715	0.6	8.5	-2.5	9.2
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	74.22		Cent	-0.0	0.0	0.0	0.0
-0.0	84.74		712	-0.0	0.0	0.0	0.0
			713	0.0	0.0	0.0	0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	75.08		714	0.0	-0.0	0.0	0.0
-0.0	37.15		715	-0.0	-0.0	0.0	-0.0
-0.0	62.21						

NODE	Vxx	Vyy
Cent	-0.0	0.0
712	-0.0	0.0
713	-0.0	0.0
714	-0.0	0.0
715	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g1	Cent	20.0	-263.7	63.3	33.5
-277.2	12.03		712	73.0	-218.9	89.4	98.2
-244.1	15.74		713	53.3	-284.6	61.9	64.3
-295.6	10.07		714	-33.1	-308.6	37.3	-28.2
-313.6	7.57		715	-13.4	-242.8	64.7	3.6
-259.8	14.72						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	-0.0	-0.0	0.0
-0.0	-23.96	712	0.0	-0.0	-0.0	0.0
-0.0	-8.95	713	-0.0	-0.0	-0.0	0.0
-0.0	-16.53	714	-0.0	0.0	-0.0	0.0
-0.0	-50.40	715	0.0	0.0	-0.0	0.0
0.0	-63.13					

NODE	Vxx	Vyy
Cent	0.0	-0.1
712	0.0	-0.1
713	0.0	-0.1
714	0.0	-0.1
715	0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g2	Cent	10.8	-135.4	30.7	17.0
-141.6	11.39		712	35.0	-115.8	42.3	46.1
-126.9	14.65		713	26.6	-143.9	29.6	31.6
-148.9	9.58		714	-13.4	-155.0	19.1	-10.9
-157.6	7.56						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-134.8	13.78		715	-5.0	-127.0	31.8	2.8
-----							
			Cent	0.0	-0.0	-0.0	0.0
-0.0	-9.39		712	0.0	-0.0	-0.0	0.0
-0.0	-6.46		713	-0.0	-0.0	-0.0	-0.0
-0.0	-9.59		714	-0.0	0.0	-0.0	0.0
-0.0	-54.18		715	0.0	-0.0	-0.0	0.0
-0.0	-5.85						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.0		
			712	0.0	-0.0		
			713	0.0	-0.0		
			714	0.0	-0.1		
			715	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		q3	Cent	0.4	-5.4	1.2	0.6
-5.6	11.12		712	1.5	-4.2	1.8	2.1
-4.7	16.18		713	0.9	-6.2	1.3	1.2
-6.4	10.01		714	-0.7	-6.6	0.6	-0.7
-6.6	5.36		715	-0.1	-4.7	1.1	0.1
-4.9	12.77						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	-0.0	0.0
-0.0	-22.40		712	0.0	-0.0	-0.0	0.0
-0.0	-7.38		713	-0.0	-0.0	-0.0	0.0
-0.0	-14.98		714	-0.0	-0.0	-0.0	0.0
-0.0	-46.91		715	0.0	0.0	-0.0	0.0
-0.0	-66.78						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.0		
			712	0.0	-0.0		
			713	0.0	-0.0		
			714	-0.0	-0.0		
			715	-0.0	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-56.6	7.02	q5_pc	Cent	7.1	-55.7	7.8	8.1
-55.9	7.45		712	8.6	-54.8	8.4	9.7
-56.6	6.64		713	8.4	-55.7	7.6	9.2
-57.4	6.58		714	5.6	-56.5	7.3	6.4
-56.7	7.42		715	5.8	-55.7	8.1	6.9
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-54.85		Cent	-0.0	-0.0	-0.0	0.0
-0.0	-18.14		712	-0.0	-0.0	-0.0	-0.0
-0.0	-46.90		713	0.0	0.0	-0.0	0.0
-0.0	-33.75		714	-0.0	-0.0	-0.0	0.0
-0.0	-80.84		715	-0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			712	-0.0	-0.1		
			713	-0.0	0.0		
			714	-0.1	0.0		
			715	-0.1	-0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-47.2	6.63	q5_ps	Cent	6.1	-46.5	6.2	6.9
-46.6	7.01		712	7.0	-45.8	6.6	7.8
-47.4	6.45		713	6.8	-46.7	6.1	7.4
-47.7	6.26		714	5.3	-47.1	5.8	5.9
-47.0	6.82		715	5.5	-46.3	6.3	6.3
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-53.48		Cent	-0.0	-0.0	-0.0	0.0
-0.0	-19.16		712	-0.0	-0.0	-0.0	-0.0
-0.0	-46.06		713	0.0	0.0	-0.0	0.0
-0.0	-33.35		714	-0.0	-0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.0	-80.16		715	-0.0	0.0	-0.0	0.0
				NODE	Vxx	Vyy	
				Cent	-0.0	-0.0	
				712	-0.0	-0.1	
				713	-0.0	0.0	
				714	-0.1	0.0	
				715	-0.1	-0.1	
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-240.3	44.73	INVSLU	Max Cent	72.0	67.0	390.0	431.4
-244.4	34.73		712	253.4	-40.4	401.5	505.7
80.4	40.39		713	343.9	264.0	262.0	540.2
-261.1	53.20		714	-42.1	178.2	379.5	435.0
-546.9	45.18		715	-136.0	-129.0	520.6	359.9
-848.6	11.68		Min Cent	-10.2	-816.0	152.4	21.3
-823.0	12.12		712	83.3	-784.4	173.5	123.1
-732.5	6.80		713	137.6	-720.0	91.6	148.5
-876.2	12.07		714	-180.8	-848.4	126.9	-153.7
-979.3	17.72		715	-214.5	-912.6	212.7	-146.6
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	77.32		Max Cent	0.1	0.2	0.0	0.2
-0.0	-3.28		712	0.0	-0.0	-0.0	0.0
0.0	-85.96		713	0.0	0.2	0.0	0.2
-0.0	81.67		714	-0.0	0.2	0.0	0.2
0.3	88.60		715	0.3	0.6	0.0	0.6
-0.0	-69.69		Min Cent	0.0	0.1	-0.0	0.1
-0.4	-8.57		712	-0.1	-0.3	-0.0	-0.1
-0.1	-48.58		713	0.0	-0.0	-0.1	0.0
-0.1	-75.97		714	-0.1	0.1	-0.1	0.1
0.1	-76.47		715	0.1	0.2	-0.0	0.2
				NODE	Vxx	Vyy	
				Max Cent	0.4	-0.4	
				712	0.2	-0.4	

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	713	0.2	-0.0
	714	0.6	-0.0
	715	0.6	-0.4
Min	Cent	0.0	-1.0
	712	-0.0	-2.0
	713	-0.0	-0.4
	714	0.0	-0.4
	715	0.0	-2.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-280.1	13.27	INVS LV	Max Cent	28.3	-256.5	96.8	50.0
-258.3	16.15		712	95.4	-223.8	125.0	131.5
-268.0	10.80		713	82.1	-253.7	84.4	98.2
-303.1	10.74		714	-35.4	-289.2	68.7	-22.9
-296.5	16.73		715	-24.1	-259.3	109.2	7.1
-375.8	15.77		Min Cent	13.1	-353.2	82.0	37.6
-348.1	16.79		712	77.8	-314.4	104.8	109.4
-372.7	11.17		713	69.2	-357.2	69.0	82.9
-404.8	12.88		714	-54.8	-391.9	59.0	-40.7
-381.4	20.96		715	-44.3	-349.2	94.9	-6.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	1.54	Max Cent	0.1	-0.0	0.0	0.1
-0.0	1.47		712	0.1	-0.0	0.1
-0.1	-15.28		713	0.0	-0.1	0.0
-0.0	-54.87		714	-0.0	0.0	0.0
0.0	2.98		715	0.1	0.0	0.1
-0.0	-45.77		Min Cent	-0.0	-0.0	-0.0
-0.1	-44.56		712	-0.1	-0.1	-0.1
-0.1	-1.02		713	-0.0	-0.1	-0.0
-0.0	79.05		714	-0.0	0.0	0.0
-0.1	-73.70		715	-0.0	0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.2	-0.1
	712	0.2	-0.1
	713	0.2	-0.1
	714	0.3	-0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	715	0.3	-0.1
Min	Cent	-0.1	-0.2
	712	-0.2	-0.2
	713	-0.2	-0.2
	714	-0.1	-0.2
	715	-0.1	-0.2

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
779	2	8	Q1-1-2	Max	Cent	85.3	10.8	21.4	91.0
5.1		14.92			623	208.2	5.3	48.4	219.1
-5.6		12.76			622	137.9	20.0	21.0	141.6
16.3		9.80			644	6.3	17.2	9.1	22.3
1.1		60.46			710	33.5	4.3	26.2	48.9
-11.1		30.43		Min	Cent	-0.3	-773.5	-64.7	5.0
-778.8		-4.75			623	-1.0	-645.3	-3.1	-1.0
-645.3		-0.27			622	-0.6	-861.8	-46.3	1.9
-864.3		-3.07			644	-49.7	-904.5	-140.5	-27.2
-927.0		-9.10			710	-3.9	-689.6	-85.7	6.7
-700.2		-7.02							
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
				Max	Cent	0.0	0.0	0.0	0.0
-0.0		55.79			623	0.0	0.0	0.0	0.0
0.0		17.57			622	0.0	0.0	0.0	0.0
-0.0		66.69			644	0.1	0.2	0.0	0.2
0.1		81.70			710	0.0	0.0	0.0	0.0
-0.0		46.70		Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1		-10.93			623	-0.0	-0.2	-0.0	-0.0
-0.2		-7.62			622	-0.1	-0.3	-0.0	-0.1
-0.3		-8.46			644	-0.0	-0.1	-0.0	-0.0
-0.1		-5.50			710	-0.0	-0.1	-0.0	-0.0
-0.1		-3.30							
				NODE	Vxx	Vyy			
				Max	Cent	0.2	0.0		
					623	0.3	0.1		
					622	0.3	0.1		
					644	0.1	0.1		
					710	0.1	0.1		
				Min	Cent	-0.0	-0.5		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

623 -0.0 -0.3  
 622 -0.0 -0.9  
 644 -0.0 -0.9  
 710 -0.0 -0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.4	16.68	Q2a-1-2	Max Cent	52.2	5.0	15.5	56.8
-5.8	14.27		623	126.3	2.7	33.6	134.8
5.9	11.07		622	84.7	8.9	15.4	87.7
-1.1	54.82		644	3.3	7.8	6.2	12.2
-9.4	32.27		710	20.1	2.4	18.6	31.8
-465.8	-4.86		Min Cent	-0.2	-462.5	-39.6	3.1
-388.4	-0.32		623	-0.6	-388.4	-2.2	-0.6
-514.4	-3.23		622	-0.4	-512.7	-29.0	1.3
-552.6	-9.29		644	-30.7	-538.6	-85.4	-16.7
-421.8	-7.04		710	-2.2	-415.4	-51.8	4.2
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	58.73		Max Cent	0.0	0.0	0.0	0.0
0.0	18.32		623	0.0	0.0	0.0	0.0
-0.0	64.32		622	0.0	0.0	0.0	0.0
0.0	81.71		644	0.0	0.1	0.0	0.1
-0.0	45.28		710	0.0	0.0	0.0	0.0
-0.1	-11.63		Min Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-7.64		623	-0.0	-0.1	-0.0	-0.0
-0.2	-7.88		622	-0.1	-0.2	-0.0	-0.1
-0.0	-7.19		644	-0.0	-0.0	-0.0	-0.0
-0.1	-4.22		710	-0.0	-0.1	-0.0	-0.0
			NODE	Vxx	Vyy		
			Max Cent	0.1	0.0		
			623	0.2	0.0		
			622	0.2	0.1		
			644	0.0	0.1		
			710	0.0	0.0		
			Min Cent	-0.0	-0.3		
			623	-0.0	-0.2		
			622	-0.0	-0.6		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

644 -0.0 -0.6  
710 -0.0 -0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-49.9	-4.56	SLVx (RS)	Cent	6.3	-49.5	-4.5	6.6
-73.1	-13.37		623	-10.4	-69.5	-14.9	-6.8
9.6	-60.50		622	19.5	40.4	-17.4	50.2
7.5	75.70		644	9.8	43.0	9.0	45.3
-76.0	8.49		710	-9.3	-74.5	10.0	-7.8

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	86.31		Cent	0.0	0.0	0.0	0.0
0.0	80.74		623	0.0	0.0	0.0	0.0
0.0	-13.47		622	0.0	0.0	-0.0	0.0
-0.0	-71.01		644	-0.0	0.0	-0.0	0.0
-0.0	84.75		710	-0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
623	-0.0	0.0
622	-0.0	-0.0
644	0.0	-0.0
710	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-39.4	6.16	SLVy (RS)	Cent	11.3	-38.8	5.5	11.9
-36.3	8.11		623	18.9	-35.1	7.9	20.0
-38.8	3.30		622	18.4	-38.6	3.3	18.5
-43.0	4.66		644	4.0	-42.7	3.8	4.3
-40.6	9.74		710	4.4	-39.3	7.7	5.7

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	75.57		Cent	-0.0	-0.0	0.0	-0.0
-0.0	35.96		623	0.0	-0.0	0.0	0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	83.40	622	-0.1	-0.0	0.0	-0.0
-0.1	85.39	644	-0.1	-0.0	0.0	-0.0
-0.0	27.73	710	-0.0	-0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.2	-0.0
623	0.1	0.0
622	0.1	-0.1
644	0.2	-0.1
710	0.2	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-24.9	-4.56	SLDx (RS)	Cent	3.1	-24.7	-2.2	3.3
-36.5	-13.38		623	-5.2	-34.7	-7.5	-3.4
4.8	-60.51		622	9.7	20.2	-8.7	25.1
3.7	75.69		644	4.9	21.5	4.5	22.6
-38.0	8.50		710	-4.6	-37.2	5.0	-3.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	86.31	Cent	0.0	0.0	0.0	0.0
0.0	80.74	623	0.0	0.0	0.0	0.0
0.0	-13.46	622	0.0	0.0	-0.0	0.0
-0.0	-71.01	644	-0.0	0.0	-0.0	0.0
-0.0	84.76	710	-0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
623	-0.0	0.0
622	-0.0	-0.0
644	0.0	-0.0
710	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-19.7	6.16	SLDy (RS)	Cent	5.7	-19.4	2.7	6.0
-18.1	8.10		623	9.4	-17.6	3.9	10.0
-19.4	3.30		622	9.2	-19.3	1.6	9.3
			644	2.0	-21.3	1.9	2.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-21.5	4.67		710	2.2	-19.6	3.9	2.8
-20.3	9.74						
-----							
-0.0	75.57		Cent	-0.0	-0.0	0.0	-0.0
-0.0	35.93		623	0.0	-0.0	0.0	0.0
-0.0	83.39		622	-0.0	-0.0	0.0	-0.0
-0.0	85.39		644	-0.0	-0.0	0.0	-0.0
-0.0	27.72		710	-0.0	-0.0	0.0	0.0
-----							
			NODE	Vxx	Vyy		
			Cent	0.1	-0.0		
			623	0.1	0.0		
			622	0.1	-0.0		
			644	0.1	-0.0		
			710	0.1	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-2.0	86.35	SLVz (RS)	Cent	-1.9	15.8	1.1	15.9
-5.1	80.74		623	-4.6	16.9	3.6	17.5
-5.2	80.40		622	-4.6	17.8	3.9	18.4
-3.1	81.18		644	-2.6	18.5	3.4	19.0
1.9	-80.01		710	2.4	18.2	-2.9	18.7
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	86.47		Cent	0.0	0.0	0.0	0.0
-0.0	83.13		623	-0.0	0.0	0.0	0.0
0.0	67.44		622	0.0	0.0	0.0	0.0
-0.0	-78.50		644	-0.0	0.0	-0.0	0.0
0.0	-84.80		710	0.0	0.0	-0.0	0.0
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			623	-0.0	0.0		
			622	-0.0	0.0		
			644	-0.0	0.0		
			710	-0.0	0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		g1	Cent	53.9	-448.6	-25.6	55.2
-449.9	-2.91		623	124.6	-377.2	13.1	125.0
-377.5	1.49		622	90.4	-491.3	-21.1	91.2
-492.0	-2.07		644	-16.8	-520.0	-64.3	-8.8
-528.1	-7.17		710	17.4	-406.0	-30.1	19.5
-408.1	-4.05						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-1.93		623	0.0	-0.1	-0.0	0.0
-0.1	-4.67		622	-0.1	-0.1	-0.0	-0.1
-0.1	-8.20		644	0.0	-0.0	0.0	0.0
-0.0	12.75		710	-0.0	-0.1	0.0	-0.0
-0.1	4.82						
			NODE	Vxx	Vyy		
-----							
			Cent	0.1	-0.2		
			623	0.2	-0.2		
			622	0.2	-0.2		
			644	0.0	-0.1		
			710	0.0	-0.2		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		g2	Cent	26.9	-224.2	-11.9	27.5
-224.8	-2.70		623	60.1	-192.1	5.8	60.2
-192.3	1.32		622	45.0	-242.5	-10.5	45.4
-242.9	-2.09		644	-6.2	-256.3	-29.5	-2.8
-259.8	-6.64		710	8.9	-206.0	-13.2	9.7
-206.8	-3.51						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	0.06		623	-0.0	-0.1	-0.0	-0.0
-0.1	-3.69		622	-0.0	-0.0	-0.0	-0.0
-0.0	-4.09		644	0.0	-0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	8.07		710	0.0	-0.0	0.0	0.0
-0.0	4.91						

NODE	Vxx	Vyy
Cent	0.0	-0.1
623	0.1	-0.1
622	0.1	-0.0
644	-0.0	-0.0
710	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q3	Cent	5.4	-36.6	-4.6	5.9
-37.1	-6.12		623	-1.1	-71.9	-17.9	3.2
-76.2	-13.41		622	21.7	3.8	-20.8	35.3
-9.8	-33.38		644	11.9	-1.4	8.8	16.3
-5.7	26.49		710	-10.8	-77.1	11.6	-8.9
-79.1	9.67						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	0.0	0.0	0.0
0.0	9.01	623	0.0	0.0	0.0	0.0
0.0	73.40	622	0.0	0.0	-0.0	0.0
0.0	-1.69	644	-0.0	0.0	-0.0	0.0
-0.0	-56.76	710	-0.0	0.0	0.0	0.0
-0.0	66.61					

NODE	Vxx	Vyy
Cent	-0.0	0.0
623	-0.0	0.0
622	-0.0	-0.0
644	0.0	-0.0
710	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_pc	Cent	10.1	-69.6	0.2	10.1
-69.6	0.13		623	20.4	-57.5	6.4	21.0
-58.0	4.66		622	14.3	-78.0	1.8	14.3
-78.0	1.09		644	-0.2	-81.7	-6.0	0.3
-82.1	-4.21		710	6.0	-61.3	-1.4	6.0
-61.3	-1.19						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	3.56		Cent	-0.0	-0.0	0.0	-0.0
-0.0	-2.15		623	0.0	-0.0	-0.0	0.0
-0.0	-3.39		622	-0.0	-0.0	-0.0	-0.0
0.0	76.74		644	0.0	0.0	0.0	0.0
-0.0	13.00		710	-0.0	-0.0	0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			623	0.0	0.0		
			622	0.0	-0.1		
			644	0.0	-0.1		
			710	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-56.6	0.65	q5_ps	Cent	8.8	-56.6	0.7	8.8
-47.7	4.98		623	17.2	-47.2	5.7	17.7
-62.9	1.34		622	12.5	-62.8	1.8	12.6
-66.3	-3.58		644	0.4	-66.0	-4.2	0.6
-50.4	-0.29		710	5.0	-50.4	-0.3	5.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	6.14		Cent	-0.0	-0.0	0.0	-0.0
-0.0	-1.00		623	0.0	-0.0	-0.0	0.0
-0.0	-2.11		622	-0.0	-0.0	-0.0	-0.0
0.0	74.69		644	0.0	0.0	0.0	0.0
-0.0	13.87		710	-0.0	-0.0	0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			623	0.0	0.0		
			622	0.0	-0.1		
			644	0.0	-0.1		
			710	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-493.7	-7.90		INVS LU Max Cent	215.0	-469.6	-117.3	231.3	
-248.1	2.84		623	589.8	-247.7	47.6	592.2	
-631.7	-4.06		622	365.7	-622.3	-81.7	371.5	
-785.0	-18.71		644	-88.3	-690.6	-243.5	-5.9	
-371.8	-15.00		710	65.4	-314.3	-139.0	104.8	
-1702.6	-8.81		Min Cent	77.2	-1672.3	-233.8	110.2	
-1247.2	-1.72		623	262.9	-1246.9	-56.3	264.6	
-1984.2	-5.49		622	147.2	-1970.4	-180.4	162.6	
-2207.8	-12.87		644	-176.2	-2101.7	-464.3	-70.1	
-1441.4	-12.58		710	-8.2	-1380.4	-298.0	44.0	
			Max Cent	-0.0	-0.1	0.0	-0.0	
-0.1	-1.09		623	0.0	-0.2	-0.0	0.0	
-0.2	-4.20		622	-0.2	-0.2	0.0	-0.2	
-0.2	-2.90		644	0.1	0.3	0.0	0.3	
0.1	78.33		710	0.0	-0.0	0.0	0.0	
-0.0	29.58		Min Cent	-0.1	-0.3	-0.0	-0.1	
-0.3	-8.13		623	-0.0	-0.5	-0.1	0.0	
-0.5	-6.74		622	-0.4	-0.7	-0.0	-0.4	
-0.7	-7.60		644	0.0	0.0	0.0	0.0	
0.0	21.97		710	-0.0	-0.2	-0.0	-0.0	
-0.2	2.07							
			Max Cent	0.5	-0.5			
			623	0.9	-0.3			
			622	0.9	-0.4			
			644	0.1	-0.4			
			710	0.1	-0.3			
			Min Cent	0.1	-1.3			
			623	0.4	-0.7			
			622	0.4	-2.0			
			644	-0.1	-2.0			
			710	-0.1	-0.7			
			LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		INVS LV	Max	Cent	83.4	-510.6	-40.8	86.1
-514.1	-3.51			623	200.4	-378.5	30.6	201.2
-379.7	1.97			622	148.3	-589.7	-19.1	152.4
-594.0	-4.15			644	-26.1	-628.2	-97.1	-11.0
-644.3	-8.62			710	28.5	-414.3	-44.2	37.6
-425.3	-7.89		Min	Cent	55.8	-642.5	-55.2	60.4
-646.1	-5.12			623	153.6	-548.8	-6.1	153.6
-548.8	0.10			622	95.6	-704.4	-58.2	96.2
-704.9	-1.58			644	-49.6	-750.8	-119.5	-29.4
-769.8	-9.74			710	5.9	-597.9	-70.5	10.0
-601.1	-4.78							

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-----		Max	Cent	0.0	-0.1	-0.0	0.0
-0.1	-6.50		623	-0.0	-0.2	-0.0	0.0
-0.2	-8.26		622	-0.0	-0.1	-0.0	-0.0
-0.1	-11.33		644	0.1	-0.0	0.0	0.1
-0.0	0.55		710	0.0	-0.0	0.0	0.0
-0.0	-9.55		Min	Cent	-0.1	-0.1	-0.0
-0.1	-0.70			623	-0.0	-0.2	-0.0
-0.2	-5.66			622	-0.2	-0.2	-0.0
-0.2	-24.49			644	-0.1	-0.1	0.0
-0.1	56.94			710	0.0	-0.1	-0.0
-0.1	3.02						

	NODE	Vxx	Vyy
Max	Cent	0.3	-0.2
	623	0.4	-0.3
	622	0.4	-0.1
	644	0.2	-0.1
	710	0.2	-0.3
Min	Cent	-0.1	-0.2
	623	0.1	-0.3
	622	0.1	-0.2
	644	-0.2	-0.2
	710	-0.2	-0.3

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin		ANGLE						
-----								
780	2	8	Q1-1-2	Max	Cent	70.5	13.9	20.0
	7.6	17.62						76.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

20.2	8.41		622	87.6	21.7	10.0	89.1
8.6	1.64		625	223.9	8.8	6.2	224.1
-19.9	26.85		645	81.5	6.1	51.4	107.5
-54.0	46.86		644	10.2	19.2	68.6	83.5
-813.0	-28.24	Min	Cent	-8.2	-580.8	-432.3	224.0
-1105.1	-25.04		622	-24.3	-869.2	-504.9	211.5
-687.5	-39.00		625	-1.0	-237.4	-555.9	449.1
-538.3	-33.95		645	-0.6	-294.5	-362.0	243.2
-1035.6	-19.00		644	-132.8	-928.5	-310.9	-25.7

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	40.76	Max	Cent	0.0	0.0	0.0	0.0
0.0	38.48		622	0.0	0.0	0.0	0.0
0.0	57.29		625	0.0	0.0	0.0	0.0
-0.0	47.75		645	0.0	0.0	0.0	0.0
0.1	81.40		644	0.1	0.2	0.0	0.2
-0.1	-23.57	Min	Cent	-0.1	-0.1	-0.0	-0.0
-0.3	-4.80		622	-0.1	-0.3	-0.0	-0.1
-0.1	-21.76		625	-0.1	-0.1	-0.0	-0.0
-0.1	-34.49		645	-0.0	-0.1	-0.0	-0.0
-0.1	-57.51		644	-0.1	-0.1	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.1	0.1
	622	0.1	0.1
	625	0.1	0.0
	645	0.1	0.0
	644	0.1	0.1
Min	Cent	-0.1	-0.5
	622	-0.0	-0.9
	625	-0.0	-0.1
	645	-0.1	-0.1
	644	-0.1	-0.9

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
1.2	18.46	Q2a-1-2	Max	Cent	45.3	6.2	14.7	50.2
8.5	8.84			622	53.0	9.6	6.9	54.1



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

3.6	1.88		625	135.3	3.8	4.3	135.4
-18.5	29.13		645	49.7	2.7	38.0	70.9
-43.9	46.01		644	5.0	8.6	50.7	57.5
-485.0	-28.14	Min	Cent	-6.0	-347.9	-256.2	131.0
-656.9	-24.85		622	-15.5	-519.4	-297.1	122.1
-408.3	-38.84		625	-0.6	-144.0	-328.3	263.7
-323.6	-33.86		645	-0.4	-178.1	-216.8	145.0
-618.9	-19.01		644	-81.0	-555.1	-185.3	-17.2

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	42.81	Max	Cent	0.0	0.0	0.0	0.0
0.0	35.99		622	0.0	0.0	0.0	0.0
0.0	60.67		625	0.0	0.0	0.0	0.0
0.0	47.70		645	0.0	0.0	0.0	0.0
0.1	82.43		644	0.1	0.1	0.0	0.1
-0.1	-26.32	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.2	-4.64		622	-0.0	-0.2	-0.0	-0.0
-0.1	-23.30		625	-0.0	-0.1	-0.0	-0.0
-0.0	-36.49		645	-0.0	-0.0	-0.0	-0.0
-0.0	-68.37		644	-0.0	-0.0	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.1	0.0
	622	0.1	0.1
	625	0.1	0.0
	645	0.0	0.0
	644	0.0	0.1
Min	Cent	-0.0	-0.3
	622	-0.0	-0.6
	625	-0.0	-0.1
	645	-0.1	-0.1
	644	-0.1	-0.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.6	48.53	SLVx (RS)	Cent	20.5	26.7	25.0	48.7
5.2	49.76		622	29.9	39.7	29.2	64.4
-5.1	36.96		625	35.9	18.1	30.9	59.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

			645	11.3	15.1	20.8	34.0
-7.7	47.57		644	8.1	43.2	21.7	53.5
-2.3	64.52						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	33.71		Cent	-0.0	-0.0	0.0	-0.0
-0.0	-86.65		622	-0.0	-0.0	-0.0	-0.0
-0.0	13.50		625	-0.0	-0.0	0.0	-0.0
-0.0	19.71		645	-0.0	-0.0	0.0	-0.0
-0.0	-62.12		644	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	-0.0		
			622	-0.0	-0.0		
			625	-0.0	-0.0		
			645	-0.0	-0.0		
			644	-0.0	-0.0		
			NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE	LC					
-----							
-31.3	16.50	SLVy (RS)	Cent	13.7	-27.3	13.3	17.7
-42.4	11.83		622	15.8	-39.8	12.2	18.3
-13.2	-14.69		625	23.6	-10.7	-9.7	26.2
-21.7	24.32		645	11.8	-14.8	15.1	18.6
-50.5	19.01		644	4.7	-44.0	19.0	11.3
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.1	-81.06		Cent	-0.1	0.0	-0.0	0.0
-0.1	-79.19		622	-0.1	-0.1	-0.0	-0.1
0.0	-56.03		625	0.0	0.1	-0.0	0.1
0.0	-78.24		645	0.0	0.1	-0.0	0.1
-0.2	87.71		644	-0.2	-0.0	0.0	-0.0
			NODE	Vxx	Vyy		
-----							
			Cent	-0.3	-0.0		
			622	-0.3	-0.1		
			625	-0.3	-0.0		
			645	-0.4	-0.0		
			644	-0.4	-0.1		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.8	48.54	SLDx (RS)	Cent	10.2	13.3	12.5	24.4
2.6	49.76		622	14.9	19.8	14.6	32.2
-2.6	36.98		625	17.9	9.1	15.4	29.6
-3.8	47.58		645	5.7	7.5	10.4	17.0
-1.1	64.51		644	4.0	21.6	10.8	26.7
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	33.82		Cent	-0.0	-0.0	0.0	-0.0
-0.0	-86.65		622	-0.0	-0.0	-0.0	-0.0
-0.0	6.07		625	0.0	-0.0	0.0	0.0
-0.0	19.71		645	-0.0	-0.0	0.0	-0.0
-0.0	-62.16		644	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			622	-0.0	-0.0		
			625	-0.0	-0.0		
			645	-0.0	-0.0		
			644	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-15.6	16.50	SLDy (RS)	Cent	6.8	-13.7	6.7	8.8
-21.2	11.85		622	7.9	-19.9	6.1	9.1
-6.6	-14.74		625	11.8	-5.3	-4.9	13.1
-10.8	24.32		645	5.9	-7.4	7.6	9.3
-25.2	19.00		644	2.4	-22.0	9.5	5.6
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-81.06		Cent	-0.0	0.0	-0.0	0.0
-0.1	-79.19		622	-0.1	-0.0	-0.0	-0.0
0.0	-56.02		625	0.0	0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-78.21	645	0.0	0.0	-0.0	0.0
-0.1	87.71	644	-0.1	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.2	-0.0
622	-0.1	-0.0
625	-0.1	-0.0
645	-0.2	-0.0
644	-0.2	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-10.3	63.09	SLVz (RS)	Cent	-4.6	11.9	11.2	17.6
-12.5	66.40		622	-6.8	17.5	13.1	23.3
-16.4	58.99		625	-8.2	6.2	13.6	14.4
-8.5	57.85		645	-2.7	6.4	9.4	12.2
-1.3	65.14		644	3.0	18.5	9.2	22.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-80.06	Cent	0.0	0.0	-0.0	0.0
0.0	8.19	622	0.0	0.0	0.0	0.0
0.0	-83.56	625	0.0	0.0	-0.0	0.0
0.0	-84.82	645	0.0	0.0	-0.0	0.0
0.0	11.58	644	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
622	0.0	0.0
625	0.0	0.0
645	-0.0	0.0
644	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-470.6	-28.35	g1	Cent	44.5	-320.6	-277.9	194.5
-639.9	-25.66		622	38.3	-483.4	-325.8	194.8
-368.2	-34.80		625	147.6	-119.0	-358.6	396.9
-306.2	-32.81		645	50.8	-157.8	-230.1	199.1
			644	-58.6	-522.3	-197.3	14.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-594.9      -20.20

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----	-----	-----	-----	-----	-----	-----
-0.1	0.84	Cent	-0.0	-0.1	0.0	-0.0
-0.1	0.17	622	0.0	-0.1	0.0	0.0
-0.1	-2.52	625	-0.0	-0.1	-0.0	-0.0
-0.0	1.98	645	-0.0	-0.0	0.0	-0.0
-0.0	8.20	644	-0.0	-0.0	0.0	0.0
		NODE	Vxx	Vyy		
-----	-----	-----	-----	-----		
		Cent	0.1	-0.1		
		622	0.1	-0.1		
		625	0.1	-0.1		
		645	0.0	-0.1		
		644	0.0	-0.1		

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----	-----		-----	-----	-----	-----	-----
-233.5	-28.33	g2	Cent	23.5	-158.8	-138.6	98.2
-316.0	-25.68		622	20.6	-238.1	-161.9	98.4
-183.4	-34.66		625	73.9	-60.4	-177.9	196.9
-153.4	-32.67		645	26.4	-79.5	-115.3	100.3
-294.0	-20.38		644	-26.9	-257.2	-99.2	9.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----	-----	-----	-----	-----	-----	-----
-0.0	7.40	Cent	0.0	-0.0	0.0	0.0
-0.0	3.92	622	0.0	-0.0	0.0	0.0
-0.0	7.64	625	-0.0	-0.0	0.0	-0.0
-0.0	16.13	645	-0.0	-0.0	0.0	-0.0
-0.0	8.16	644	0.0	-0.0	0.0	0.0
		NODE	Vxx	Vyy		
-----	-----	-----	-----	-----		
		Cent	0.0	-0.0		
		622	0.1	-0.0		
		625	0.1	-0.0		
		645	0.0	-0.0		
		644	0.0	-0.0		

LC	NODE	Fxx	Fyy	Fxy	Fmax
----	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE						
4.5	23.20	q3	Cent	25.2	8.3	8.9	29.1
2.3	17.95		622	37.1	6.0	11.3	40.8
19.2	4.13		625	41.1	19.3	1.6	41.2
5.3	39.07		645	13.3	10.6	6.5	18.6
-14.0	34.81		644	9.4	-2.7	16.2	20.6
			NODE	Mxx	Myy	Mxy	Mmax
-0.0	86.13		Cent	-0.0	-0.0	0.0	-0.0
-0.0	-88.03		622	-0.0	-0.0	-0.0	-0.0
-0.0	26.91		625	-0.0	-0.0	0.0	-0.0
-0.0	63.63		645	-0.0	-0.0	0.0	-0.0
-0.0	-76.06		644	-0.0	-0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			622	-0.0	-0.0		
			625	-0.0	-0.0		
			645	-0.0	-0.0		
			644	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-54.4	-8.99	q5_pc	Cent	7.8	-52.8	-9.8	9.3
-83.2	-11.76		622	4.4	-79.4	-18.2	8.2
-30.5	-22.62		625	21.8	-21.4	-21.8	30.9
-26.3	-2.16		645	11.1	-26.2	-1.4	11.2
-84.2	1.57		644	-6.3	-84.2	2.1	-6.2
			NODE	Mxx	Myy	Mxy	Mmax
-0.0	-3.13		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-0.22		622	-0.0	-0.0	-0.0	-0.0
-0.0	-17.26		625	-0.0	-0.0	-0.0	-0.0
-0.0	-19.48		645	-0.0	-0.0	-0.0	-0.0
			644	-0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0      89.29

NODE	Vxx	Vyy
Cent	-0.0	-0.0
622	0.0	-0.1
625	0.0	-0.0
645	-0.0	0.0
644	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-43.5	-7.28	q5_ps	Cent	7.1	-42.7	-6.5	8.0
-66.5	-10.49		622	4.7	-64.0	-13.2	7.1
-23.5	-20.99		625	18.7	-17.3	-16.2	24.9
-21.3	0.44		645	9.6	-21.3	0.2	9.6
-68.2	2.93		644	-4.4	-68.0	3.3	-4.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	2.82	Cent	-0.0	-0.0	0.0	-0.0
-0.0	0.84	622	-0.0	-0.0	0.0	-0.0
-0.0	-13.37	625	-0.0	-0.0	-0.0	-0.0
-0.0	-15.06	645	-0.0	-0.0	-0.0	-0.0
-0.0	87.85	644	-0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
622	0.0	-0.1
625	0.0	0.0
645	-0.0	0.0
644	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-818.9	-30.63	INVSLU Max	Cent	162.6	-408.9	-620.9	798.8
-978.6	-27.07		622	239.3	-588.4	-669.3	804.4
-642.9	-37.81		625	595.1	-123.9	-771.3	1511.3
-633.8	-36.91		645	127.2	-223.1	-542.4	822.8
-931.4	-26.58		644	-127.4	-679.2	-426.9	130.6
-2061.7	-31.16	Min	Cent	41.3	-1319.1	-1254.1	534.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-2671.1	-29.74	622	76.8	-1951.4	-1408.3	581.9
-1734.0	-35.21	625	244.2	-514.1	-1571.9	968.3
-1494.8	-35.92	645	-7.9	-689.7	-1103.0	496.5
-2531.9	-25.20	644	-337.4	-2129.8	-943.1	56.6

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
		Max	Cent	0.0	-0.0	0.0	0.0
-0.0	15.22		622	0.1	-0.2	0.0	0.1
-0.2	4.04		625	-0.0	-0.1	0.0	-0.0
-0.1	9.87		645	0.0	0.0	0.0	0.0
-0.0	36.41		644	0.2	0.3	0.0	0.3
0.2	80.33	Min	Cent	-0.1	-0.2	-0.0	-0.1
-0.2	-9.07		622	-0.1	-0.6	-0.0	-0.1
-0.6	-2.14		625	-0.1	-0.3	-0.0	-0.1
-0.3	-16.06		645	-0.0	-0.1	-0.0	-0.0
-0.1	-26.94		644	-0.0	0.0	-0.0	0.0
-0.0	-87.49						

	NODE	Vxx	Vyy
Max	Cent	0.3	-0.3
	622	0.4	-0.4
	625	0.4	-0.1
	645	0.2	-0.1
	644	0.2	-0.4
Min	Cent	0.1	-1.1
	622	0.2	-2.0
	625	0.2	-0.3
	645	-0.1	-0.3
	644	-0.1	-2.0

Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
		INVS LV	Max	Cent	73.7	-381.0	-395.3	314.1
-619.8	-30.82			622	90.9	-575.8	-449.7	322.8
-811.0	-27.52			625	245.7	-123.0	-502.8	621.0
-480.5	-35.15			645	57.2	-185.6	-340.7	323.0
-432.5	-37.00			644	-94.4	-631.2	-284.6	50.8
-763.2	-25.50		Min	Cent	21.8	-458.8	-460.0	288.6
-727.2	-30.51			622	17.6	-689.8	-523.3	289.8
-958.7	-27.26							



MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-601.2	-36.59	625	154.7	-169.3	-578.6	569.2
-511.8	-34.27	645	25.2	-228.4	-397.0	290.5
-897.2	-21.31	644	-115.1	-756.1	-344.8	15.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----	-----	-----	-----	-----	-----	-----
		Max Cent	0.0	-0.1	0.0	0.0
-0.1	3.20	622	0.2	-0.0	0.0	0.2
-0.0	3.63	625	-0.0	-0.1	0.0	0.0
-0.1	-25.93	645	0.0	0.0	0.0	0.0
0.0	-24.23	644	0.2	-0.0	0.0	0.2
-0.0	-0.35	Min Cent	-0.1	-0.1	-0.0	-0.1
-0.1	-33.70	622	-0.1	-0.2	-0.0	-0.1
-0.2	-16.86	625	-0.1	-0.2	-0.0	-0.1
-0.2	10.61	645	-0.1	-0.1	-0.0	-0.1
-0.1	3.42	644	-0.2	-0.1	-0.0	-0.1
-0.2	83.62					

	NODE	Vxx	Vyy
Max	Cent	0.4	-0.1
	622	0.4	-0.1
	625	0.4	-0.1
	645	0.4	-0.1
	644	0.4	-0.1
Min	Cent	-0.3	-0.2
	622	-0.2	-0.2
	625	-0.2	-0.1
	645	-0.4	-0.1
	644	-0.4	-0.2

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin		ANGLE						
784	2	4	Q1-1-2	Max Cent	599.7	0.3	327.8	744.1
-144.2		23.78		637	770.0	20.2	406.1	947.8
-157.6		23.64		636	794.5	74.3	230.2	861.8
7.0		16.30		703	429.3	1.0	250.9	545.0
-114.7		24.76		702	409.3	1.5	427.9	679.3
-268.6		32.26		Min Cent	-11.4	-79.9	-52.9	17.4
-108.6		-28.52		637	-14.6	-67.4	-18.0	-9.1
-72.9		-17.13		636	-14.8	-33.3	-100.1	76.5
-124.6		-42.35						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-168.0	-31.84	703	-8.1	-106.4	-99.3	53.6
-170.6	-5.70	702	-7.9	-169.0	-16.2	-6.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	65.20	Max Cent	0.0	0.0	0.0	0.1
-0.0	48.74	637	0.0	0.0	0.0	0.0
-0.0	48.21	636	0.0	0.0	0.0	0.0
0.0	76.54	703	0.0	0.1	0.0	0.1
0.0	78.63	702	0.0	0.1	0.0	0.1
-0.0	-38.79	Min Cent	-0.0	-0.0	-0.0	0.0
-0.0	-30.97	637	-0.0	-0.0	-0.0	0.0
-0.0	-33.71	636	-0.0	-0.0	-0.0	-0.0
-0.0	-35.40	703	-0.0	-0.0	-0.0	0.0
-0.0	-36.61	702	-0.0	-0.0	-0.0	0.0

NODE	Vxx	Vyy
Max Cent	0.0	0.0
637	0.0	0.0
636	0.0	0.0
703	0.0	0.0
702	0.0	0.0
Min Cent	-0.0	-0.2
637	-0.0	-0.2
636	-0.0	-0.2
703	-0.0	-0.2
702	-0.0	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-89.2	24.03	Q2a-1-2	Max Cent	360.7	0.2	200.6	450.1
-97.7	23.92		637	462.6	12.6	248.6	572.9
4.1	16.47		636	478.3	45.6	140.2	519.7
-70.5	24.94		703	258.8	0.7	153.1	330.0
-165.8	32.47		702	246.4	1.1	262.3	413.3
-76.1	-28.49		Min Cent	-8.4	-56.2	-36.7	11.5
-51.9	-16.95		637	-10.8	-48.1	-12.5	-7.0
-87.3	-42.37		636	-11.0	-23.8	-69.7	52.6
-115.8	-32.20		703	-6.0	-72.2	-69.1	37.5

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-111.6	-6.09		702	-5.9	-110.4	-11.3	-4.7
-----							
		Max	Cent	0.0	0.0	0.0	0.0
0.0	65.82		637	0.0	0.0	0.0	0.0
-0.0	47.94		636	0.0	0.0	0.0	0.0
-0.0	48.15		703	0.0	0.1	0.0	0.1
0.0	77.10		702	0.0	0.1	0.0	0.1
0.0	79.32	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-39.83		637	-0.0	-0.0	-0.0	0.0
-0.0	-31.67		636	-0.0	-0.0	-0.0	0.0
-0.0	-34.41		703	-0.0	-0.0	-0.0	0.0
-0.0	-38.68		702	-0.0	-0.0	-0.0	0.0
-0.0	-39.38						
-----							
			NODE	Vxx	Vyy		
-----							
		Max	Cent	0.0	0.0		
			637	0.0	0.0		
			636	0.0	0.0		
			703	0.0	0.0		
			702	0.0	0.0		
		Min	Cent	-0.0	-0.1		
			637	-0.0	-0.2		
			636	-0.0	-0.1		
			703	-0.0	-0.1		
			702	-0.0	-0.2		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVx (RS)	Cent	-43.8	-0.2	-21.7	8.8
-52.8	-67.56		637	-56.4	-1.9	-27.9	9.9
-68.2	-67.16		636	-57.7	-5.9	-14.3	-2.2
-61.3	-75.54		703	-31.2	2.1	-15.5	8.2
-37.3	-68.51		702	-30.0	6.2	-29.2	22.4
-46.2	-60.89						
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	0.0	0.0	0.0
0.0	87.25		637	0.0	0.0	0.0	0.0
0.0	87.51		636	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	85.78		703	0.0	0.0	0.0	0.0
0.0	86.94		702	0.0	0.0	-0.0	0.0
0.0	-87.78						

NODE	Vxx	Vyy
Cent	0.0	-0.0
637	0.0	-0.0
636	0.0	-0.0
703	0.0	-0.0
702	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	31.8	-0.4	-14.3	37.2
-5.8	-20.79		637	31.5	-0.6	-14.6	37.1
-6.2	-21.15		636	31.5	0.7	-14.0	36.9
-4.7	-21.09		703	32.1	-0.2	-14.0	37.3
-5.4	-20.41		702	32.1	-0.5	-14.6	37.7
-6.1	-20.92						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.1	0.1	-0.0	0.1
0.1	-87.99	637	0.0	0.1	-0.0	0.1
0.0	-86.77	636	0.0	0.1	0.0	0.1
0.0	84.98	703	0.1	0.2	0.0	0.2
0.1	88.51	702	0.1	0.2	-0.0	0.2
0.1	-89.35					

NODE	Vxx	Vyy
Cent	-0.0	-0.2
637	-0.0	-0.2
636	-0.0	-0.1
703	-0.0	-0.1
702	-0.0	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDx (RS)	Cent	-21.9	-0.1	-10.9	4.4
-26.4	-67.56		637	-28.2	-0.9	-14.0	4.9
-34.1	-67.16		636	-28.8	-3.0	-7.1	-1.1
-30.7	-75.54		703	-15.6	1.1	-7.8	4.1
-18.7	-68.51						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-23.1	-60.89		702	-15.0	3.1	-14.6	11.2
-----							
0.0	87.24		Cent	0.0	0.0	0.0	0.0
0.0	87.51		637	0.0	0.0	0.0	0.0
0.0	85.77		636	0.0	0.0	0.0	0.0
0.0	86.94		703	0.0	0.0	0.0	0.0
0.0	-87.78		702	0.0	0.0	-0.0	0.0
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.0		
			637	0.0	-0.0		
			636	0.0	-0.0		
			703	0.0	-0.0		
			702	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-2.9	-20.80	SLDy (RS)	Cent	15.9	-0.2	-7.1	18.6
-3.1	-21.16		637	15.7	-0.3	-7.3	18.5
-2.3	-21.10		636	15.8	0.4	-7.0	18.4
-2.7	-20.42		703	16.0	-0.1	-7.0	18.6
-3.0	-20.93		702	16.0	-0.3	-7.3	18.8
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	-87.98		Cent	0.0	0.1	-0.0	0.1
0.0	-86.75		637	0.0	0.1	-0.0	0.1
0.0	84.96		636	0.0	0.1	0.0	0.1
0.0	88.51		703	0.0	0.1	0.0	0.1
0.0	-89.35		702	0.0	0.1	-0.0	0.1
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	-0.1		
			637	-0.0	-0.1		
			636	-0.0	-0.1		
			703	-0.0	-0.1		
			702	-0.0	-0.1		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-23.0	-67.20	SLVz (RS)	Cent	-18.9	0.1	-9.7	4.1
-29.8	-66.78		637	-24.5	-0.8	-12.4	4.5
-26.7	-75.10		636	-25.0	-2.6	-6.4	-0.9
-16.2	-67.87		703	-13.3	0.9	-7.0	3.8
-20.2	-60.45		702	-12.8	2.7	-13.0	10.1
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-87.20		Cent	0.0	0.0	-0.0	0.0
0.0	-86.17		637	0.0	0.0	-0.0	0.0
0.0	-84.69		636	0.0	0.0	-0.0	0.0
-0.0	-2.28		703	-0.0	-0.0	-0.0	-0.0
-0.0	-1.64		702	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			637	-0.0	0.0		
			636	-0.0	0.0		
			703	-0.0	0.0		
			702	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-80.1	20.16	g1	Cent	432.2	-11.0	188.1	501.3
-87.8	21.16		637	558.3	9.0	250.0	655.0
25.0	11.81		636	570.2	48.9	114.0	594.1
-73.1	18.41		703	306.1	-31.1	126.2	348.1
-208.0	27.58		702	294.2	-71.0	262.3	431.1
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	11.81		Cent	-0.0	-0.0	0.0	-0.0
-0.0	4.52		637	-0.0	-0.0	0.0	-0.0
-0.0	7.41		636	-0.0	-0.0	0.0	-0.0
-0.0	34.49		703	-0.0	-0.0	0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.0	29.27		702	0.0	-0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			637	0.0	-0.0		
			636	0.0	-0.0		
			703	0.0	-0.0		
			702	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-39.5	19.94	g2	Cent	209.3	-6.8	90.3	242.1
-43.2	20.99		637	270.9	3.0	120.5	317.2
11.5	11.52		636	276.8	22.5	54.1	287.8
-36.2	18.08		703	147.7	-16.6	60.0	167.3
-101.8	27.44		702	141.9	-36.1	126.5	207.6
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	0.91		Cent	-0.0	-0.0	0.0	-0.0
-0.0	6.71		637	-0.0	-0.0	0.0	-0.0
-0.0	-2.48		636	-0.0	-0.0	-0.0	-0.0
-0.0	-0.82		703	-0.0	-0.0	-0.0	-0.0
-0.0	1.51		702	-0.0	-0.0	0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			637	0.0	0.0		
			636	0.0	0.0		
			703	0.0	0.0		
			702	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.4	21.97	q3	Cent	11.7	-0.1	5.7	13.9
-2.6	22.18		637	13.9	0.1	6.7	16.6
-0.1	16.72		636	14.2	1.2	4.3	15.5
-2.1	21.66		703	9.5	-0.3	4.6	11.3
-4.8	26.64		702	9.2	-1.3	7.0	12.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	6.48		Cent	-0.0	-0.0	0.0	-0.0
-0.0	2.24		637	-0.0	-0.0	0.0	-0.0
-0.0	4.64		636	-0.0	-0.0	0.0	-0.0
-0.0	15.90		703	-0.0	-0.0	0.0	-0.0
-0.0	10.69		702	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
637	0.0	-0.0
636	0.0	-0.0
703	0.0	-0.0
702	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.4	1.43	q5_pc	Cent	29.3	-0.3	0.7	29.3
-0.5	2.91		637	31.2	-0.4	1.6	31.3
1.0	-0.95		636	31.6	1.0	-0.5	31.6
-0.2	-0.26		703	27.5	-0.2	-0.1	27.5
-1.8	3.95		702	27.1	-1.7	2.0	27.2

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-42.74		Cent	0.0	0.0	-0.0	0.0
-0.0	-25.90		637	0.0	-0.0	-0.0	0.0
-0.0	-24.46		636	-0.0	-0.0	-0.0	0.0
0.0	-62.64		703	0.0	0.0	-0.0	0.0
0.0	-62.39		702	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
637	0.0	-0.0
636	0.0	-0.0
703	-0.0	-0.0
702	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax



MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-0.2	-1.17	q5_ps	Cent	25.2	-0.2	-0.5	25.2	
-0.3	0.27		637	26.5	-0.3	0.1	26.5	
0.7	-3.19		636	26.9	0.8	-1.5	26.9	
-0.2	-2.78		703	23.8	-0.1	-1.2	23.8	
-1.2	0.97		702	23.4	-1.2	0.4	23.5	
Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-0.0	-36.26		Cent	0.0	-0.0	-0.0	0.0	
-0.0	-27.39		637	0.0	-0.0	-0.0	0.0	
-0.0	-27.30		636	-0.0	-0.0	-0.0	0.0	
0.0	-47.02		703	0.0	0.0	-0.0	0.0	
-0.0	-47.48		702	0.0	0.0	-0.0	0.0	
			NODE	Vxx	Vyy			
			Cent	0.0	-0.0			
			637	0.0	-0.0			
			636	0.0	-0.0			
			703	-0.0	-0.0			
			702	-0.0	-0.0			
Fmin		ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-263.5	27.09	INVSLU	Max	Cent	1125.6	-28.6	799.7	1534.5
-280.7	26.53			637	1947.6	142.4	1201.0	2547.3
224.6	10.87			636	2003.3	290.2	342.6	2068.9
-263.6	29.63			703	303.5	-171.8	400.2	531.0
-1002.5	39.38			702	253.8	-244.0	1260.9	1288.9
-447.7	27.96		Min	Cent	240.4	-137.5	284.4	398.8
-466.4	28.57			637	825.5	23.4	625.7	1173.0
128.3	-5.54			636	847.1	143.0	-104.3	853.7
-412.3	-65.24			703	-344.7	-317.2	-72.8	-263.6
-1296.7	42.48			702	-366.3	-477.2	657.8	244.2
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Max	Cent	0.0	0.1	0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	71.52		637	0.0	0.0	0.0	0.0
0.0	57.36		636	0.0	0.0	0.0	0.1
0.0	57.27		703	0.1	0.2	0.0	0.2
0.1	79.37		702	0.1	0.2	0.0	0.2
0.1	80.41						
-0.0	-67.08	Min	Cent	0.0	0.0	-0.0	0.0
-0.0	-49.58		637	0.0	-0.0	-0.0	0.0
-0.0	-49.35		636	-0.0	-0.0	-0.0	0.0
0.0	-76.49		703	0.0	0.0	-0.0	0.0
0.0	-71.83		702	0.0	0.0	-0.0	0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	-0.0
	637	0.0	-0.0
	636	0.0	-0.0
	703	0.0	-0.0
	702	0.0	-0.0
Min	Cent	-0.0	-0.4
	637	-0.0	-0.4
	636	-0.0	-0.4
	703	-0.0	-0.4
	702	-0.0	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-137.3	26.80	INVSLV	Max	Cent	404.0	-17.9	294.9	548.6
-140.9	26.55			637	763.4	64.8	474.2	995.9
109.8	7.35			636	780.0	120.3	94.9	791.2
-133.7	27.85			703	45.3	-96.8	115.7	101.3
-509.0	39.61			702	29.4	-143.0	495.0	430.3
-181.5	29.11		Min	Cent	285.9	-18.8	237.1	422.7
-185.0	27.95			637	616.9	60.2	402.1	834.9
97.8	6.70			636	630.8	106.4	54.1	638.1
-181.1	36.09			703	-45.7	-101.7	72.1	13.6
-581.8	42.20			702	-60.4	-157.2	420.1	329.9
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
0.1	-89.63		Max	Cent	0.1	0.1	0.0	0.1
				637	0.0	0.1	0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-88.96		636	0.0	0.1	0.0	0.1
0.0	82.55		703	0.1	0.2	0.0	0.2
0.1	87.17		702	0.1	0.2	0.0	0.2
0.1	89.45						
-0.1	3.56	Min	Cent	-0.1	-0.1	-0.0	-0.1
-0.1	5.06		637	-0.0	-0.1	-0.0	-0.0
-0.1	-2.68		636	-0.0	-0.1	-0.0	-0.0
-0.2	-0.12		703	-0.1	-0.2	-0.0	-0.1
-0.2	1.87		702	-0.1	-0.2	0.0	-0.1

	NODE	Vxx	Vyy
Max	Cent	0.0	0.2
	637	0.0	0.2
	636	0.0	0.1
	703	0.0	0.1
	702	0.0	0.2
Min	Cent	-0.0	-0.2
	637	-0.0	-0.2
	636	-0.0	-0.2
	703	-0.0	-0.2
	702	-0.0	-0.2

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
785	2	8	Q1-1-2	Max	Cent	91.2	11.5	31.1	101.9
	0.8	18.98			640	133.5	18.9	12.9	135.0
	17.5	6.32			639	211.2	6.5	0.2	211.2
	6.5	0.06			713	49.8	6.0	60.6	92.4
	-36.6	35.06			712	5.3	17.3	110.1	121.6
	-99.0	46.55		Min	Cent	-0.4	-746.7	-38.3	1.6
	-748.7	-2.93			640	-0.6	-839.6	-47.7	2.1
	-842.3	-3.25			639	-1.1	-606.7	-92.8	12.8
	-620.6	-8.52			713	-1.7	-659.8	-41.0	0.9
	-662.4	-3.55			712	-40.0	-892.7	-25.3	-39.2
	-893.5	-1.70							
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
				Max	Cent	0.0	0.0	0.0	0.0
		51.21			640	0.0	0.0	0.0	0.0
		56.42			639	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	42.22		713	0.0	0.0	0.0	0.0
0.0	56.90		712	0.1	0.2	0.0	0.2
0.1	86.42						
-0.1	-5.11	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.3	-2.10		640	-0.1	-0.3	-0.0	-0.1
-0.2	-1.29		639	-0.0	-0.2	-0.0	-0.0
-0.1	-12.70		713	-0.0	-0.1	-0.0	-0.0
-0.1	-16.30		712	-0.0	-0.1	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	640	0.0	0.1
	639	0.0	0.1
	713	0.1	0.1
	712	0.1	0.1
Min	Cent	-0.2	-0.5
	640	-0.3	-0.9
	639	-0.3	-0.2
	713	-0.1	-0.2
	712	-0.1	-0.9

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-1.8	19.37	Q2a-1-2	Max	Cent	55.6	5.3	20.2	62.7
7.5	6.41			640	81.7	8.4	8.3	82.6
3.1	0.07			639	128.1	3.1	0.1	128.1
-23.6	35.12			713	30.2	3.0	37.8	56.8
-63.0	46.03			712	2.9	7.8	68.3	73.6
-449.9	-3.55		Min	Cent	-0.2	-448.2	-27.9	1.5
-503.7	-3.78			640	-0.4	-501.5	-33.2	1.8
-377.1	-9.15			639	-0.6	-367.3	-60.6	9.1
-401.3	-4.23			713	-0.8	-399.1	-29.6	1.4
-534.1	-2.06			712	-24.9	-533.4	-18.3	-24.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-0.0	52.18	Max	Cent	0.0	0.0	0.0	0.0
-0.0	54.50		640	0.0	0.0	0.0	0.0
0.0	44.19		639	0.0	0.0	0.0	0.0
			713	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	52.07		712	0.0	0.1	0.0	0.1
0.0	86.39						
-0.1	-5.21	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.2	-1.89		640	-0.1	-0.2	-0.0	-0.1
-0.1	-1.28		639	-0.0	-0.1	-0.0	-0.0
-0.1	-14.87		713	-0.0	-0.1	-0.0	-0.0
-0.0	-19.44		712	-0.0	-0.0	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	640	0.0	0.1
	639	0.0	0.0
	713	0.0	0.0
	712	0.0	0.1
Min	Cent	-0.1	-0.3
	640	-0.2	-0.6
	639	-0.2	-0.1
	713	-0.0	-0.2
	712	-0.0	-0.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	-4.7	35.1	-0.5	35.1
-4.7	-89.34		640	-7.3	39.0	-0.3	39.0
-7.3	-89.57		639	-10.4	28.5	2.9	28.7
-10.7	85.73		713	-2.2	31.3	-1.2	31.3
-2.2	-87.88		712	1.0	41.8	-3.8	42.1
0.7	-84.70						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	0.0	0.0	-0.0	0.0
0.0	-88.98		640	-0.0	0.0	-0.0	0.0
-0.0	-87.79		639	0.0	0.0	-0.0	0.0
0.0	-87.10		713	0.0	0.0	-0.0	0.0
0.0	-83.80		712	-0.0	0.0	0.0	0.0
-0.0	82.29						

	NODE	Vxx	Vyy
	Cent	-0.0	0.0
	640	-0.0	0.0
	639	-0.0	0.0
	713	-0.0	0.0
	712	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVy (RS)	Cent	10.9	-39.9	-7.6	12.0
-41.0	-8.35		640	17.5	-38.6	-5.5	18.0
-39.2	-5.54		639	17.4	-37.5	-9.6	19.0
-39.2	-9.64		713	4.4	-41.4	-9.8	6.4
-43.4	-11.62		712	4.6	-42.4	-5.9	5.3
-43.1	-7.05						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-78.36		640	-0.1	-0.0	-0.0	-0.0
-0.1	-85.04		639	0.0	0.0	-0.0	0.0
-0.0	-49.43		713	-0.0	-0.0	-0.0	0.0
-0.0	-27.88		712	-0.1	-0.0	-0.0	-0.0
-0.1	-87.49						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.2	-0.0		
			640	-0.1	-0.1		
			639	-0.1	0.0		
			713	-0.2	0.0		
			712	-0.2	-0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLDx (RS)	Cent	-2.4	17.6	-0.2	17.6
-2.4	-89.34		640	-3.6	19.5	-0.2	19.5
-3.6	-89.57		639	-5.2	14.2	1.5	14.4
-5.3	85.73		713	-1.1	15.6	-0.6	15.7
-1.1	-87.88		712	0.5	20.9	-1.9	21.0
0.3	-84.70						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	0.0	-0.0	0.0
0.0	-88.98		640	-0.0	0.0	-0.0	0.0
-0.0	-87.79		639	0.0	0.0	-0.0	0.0
0.0	-87.10		713	0.0	0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0      -83.80  
 -0.0      82.29

NODE	Vxx	Vyy
Cent	-0.0	0.0
640	-0.0	0.0
639	-0.0	0.0
713	-0.0	0.0
712	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-20.5	-8.34	SLDy (RS)	Cent	5.4	-19.9	-3.8	6.0
-19.6	-5.54		640	8.7	-19.3	-2.7	9.0
-19.6	-9.63		639	8.7	-18.7	-4.8	9.5
-21.7	-11.61		713	2.2	-20.7	-4.9	3.2
-21.6	-7.05		712	2.3	-21.2	-3.0	2.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-78.36	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-85.02	640	-0.0	-0.0	-0.0	-0.0
-0.0	-49.47	639	0.0	0.0	-0.0	0.0
-0.0	-27.87	713	-0.0	-0.0	-0.0	0.0
-0.0	-87.49	712	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.1	-0.0
640	-0.1	-0.0
639	-0.1	0.0
713	-0.1	0.0
712	-0.1	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.0	-89.24	SLVz (RS)	Cent	-2.0	15.5	-0.2	15.5
-3.2	89.60		640	-3.2	17.2	0.1	17.2
-4.6	85.80		639	-4.5	12.6	1.3	12.7
-0.9	-87.72		713	-0.9	13.8	-0.6	13.8
0.3	-84.63		712	0.5	18.4	-1.7	18.6

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-88.55		Cent	0.0	0.0	-0.0	0.0
0.0	-84.07		640	0.0	0.0	-0.0	0.0
0.0	-86.90		639	0.0	0.0	-0.0	0.0
0.0	84.13		713	0.0	0.0	0.0	0.0
-0.0	84.04		712	-0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			640	0.0	0.0		
			639	0.0	0.0		
			713	-0.0	0.0		
			712	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-422.5	0.33	g1	Cent	56.3	-422.5	2.7	56.3
-470.6	-0.78		640	86.2	-470.5	-7.6	86.3
-344.2	-4.66		639	125.0	-341.0	-38.3	128.1
-374.9	1.86		713	26.4	-374.5	13.0	26.8
-507.8	5.05		712	-12.5	-503.9	43.7	-8.6
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	0.29		Cent	-0.0	-0.1	0.0	-0.0
-0.1	5.59		640	-0.1	-0.1	0.0	-0.1
-0.1	2.56		639	-0.0	-0.1	0.0	-0.0
-0.0	-6.80		713	-0.0	-0.0	-0.0	-0.0
-0.0	-11.24		712	0.0	-0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.1	-0.2		
			640	-0.1	-0.1		
			639	-0.1	-0.2		
			713	0.0	-0.2		
			712	0.0	-0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		-----					
Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-----		-----					
-210.1	0.05	g2	Cent	27.7	-210.1	0.2	27.7
-233.5	-1.03		640	41.6	-233.4	-4.9	41.7
-172.6	-4.76		639	60.3	-170.9	-19.4	62.0
-186.9	1.52		713	13.8	-186.8	5.3	13.9
-250.8	4.61		712	-5.0	-249.2	19.8	-3.4
-----		-----					
-0.0	-1.71		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	1.83		640	-0.0	-0.0	0.0	-0.0
-0.1	1.70		639	-0.0	-0.1	0.0	-0.0
-0.0	-6.72		713	0.0	-0.0	-0.0	0.0
-0.0	-8.00		712	0.0	-0.0	-0.0	0.0
-----		-----					
		NODE	Vxx	Vyy			
		Cent	-0.0	-0.1			
		640	-0.1	-0.0			
		639	-0.1	-0.1			
		713	0.0	-0.1			
		712	0.0	-0.0			
-----		-----					
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----		-----					
-8.4	-0.13	q3	Cent	1.1	-8.4	-0.0	1.1
-9.1	-0.84		640	1.7	-9.1	-0.2	1.7
-7.1	-4.43		639	2.3	-7.0	-0.7	2.4
-7.6	0.82		713	0.5	-7.6	0.1	0.5
-9.8	4.06		712	-0.1	-9.8	0.7	-0.1
-----		-----					
Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-----		-----					
-0.0	1.04		Cent	-0.0	-0.0	0.0	-0.0
-0.0	6.39		640	-0.0	-0.0	0.0	-0.0
-0.0	2.77		639	-0.0	-0.0	0.0	-0.0
-0.0	-5.52		713	-0.0	-0.0	-0.0	-0.0
-0.0	-8.11		712	0.0	-0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
	Cent	-0.0	-0.0
	640	-0.0	-0.0
	639	-0.0	-0.0
	713	0.0	-0.0
	712	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_pc	Cent	10.3	-68.9	-4.2	10.5
-69.1	-3.05		640	14.1	-75.8	-5.8	14.4
-76.2	-3.69		639	19.6	-57.5	-9.9	20.8
-58.7	-7.20		713	6.5	-62.0	-2.6	6.6
-62.1	-2.19		712	1.0	-80.3	1.4	1.0
-80.3	1.02						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-6.29	640	-0.0	-0.0	0.0	-0.0
-0.0	0.93	639	0.0	-0.0	-0.0	0.0
-0.0	-1.71	713	-0.0	-0.0	-0.0	-0.0
-0.0	-16.37	712	0.0	0.0	-0.0	0.0
0.0	-79.92					

	NODE	Vxx	Vyy
	Cent	-0.0	-0.0
	640	-0.0	-0.1
	639	-0.0	0.0
	713	-0.0	0.0
	712	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_ps	Cent	8.8	-56.2	-4.1	9.1
-56.4	-3.55		640	12.2	-61.2	-5.1	12.6
-61.6	-3.94		639	16.4	-47.4	-8.5	17.5
-48.5	-7.46		713	5.4	-51.1	-3.0	5.6
-51.3	-3.04		712	1.3	-64.9	0.4	1.3
-64.9	0.34						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-8.87	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-0.21	640	-0.0	-0.0	-0.0	-0.0
-0.0	-2.89	639	0.0	-0.0	-0.0	0.0
-0.0	-17.25	713	-0.0	-0.0	-0.0	-0.0
0.0	-77.97	712	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
640	-0.0	-0.1
639	-0.0	0.0
713	-0.0	0.0
712	-0.0	-0.1

Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
-447.4	10.97	INVSLU	Max	Cent	234.0	-408.0	165.5	264.6
-594.0	4.08			640	355.3	-585.3	89.0	360.9
-139.9	-1.59			639	608.7	-139.9	-2.6	609.4
-351.8	27.89			713	114.1	-228.7	257.3	238.6
-837.7	26.69			712	-94.5	-675.2	405.1	106.1
-1576.4	3.92		Min	Cent	88.1	-1574.0	64.3	94.0
-1898.0	0.92			640	143.4	-1898.0	-3.3	143.8
-1104.1	-4.56			639	280.3	-1088.4	-149.8	288.3
-1268.1	5.76			713	31.2	-1258.0	115.5	45.1
-2093.1	6.99			712	-157.4	-2067.6	219.7	-130.5

Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
-0.1	20.59		Max	Cent	-0.0	-0.1	0.0	-0.0
-0.2	22.15			640	-0.1	-0.2	0.0	-0.1
-0.2	7.63			639	0.0	-0.2	0.0	0.0
-0.0	-63.51			713	-0.0	-0.0	-0.0	-0.0
0.1	-87.17			712	0.1	0.4	-0.0	0.4
-0.2	-2.89		Min	Cent	-0.1	-0.2	-0.0	-0.1
-0.7	-0.81			640	-0.3	-0.7	-0.0	-0.3
				639	-0.0	-0.4	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.4	0.59		713	-0.1	-0.2	-0.0	-0.0
-0.2	-15.78		712	0.0	0.0	-0.0	0.1
0.0	-38.18						

	NODE	Vxx	Vyy
Max	Cent	-0.1	-0.4
	640	-0.3	-0.4
	639	-0.3	-0.3
	713	0.2	-0.3
	712	0.2	-0.4
Min	Cent	-0.4	-1.2
	640	-0.7	-1.9
	639	-0.7	-0.7
	713	-0.0	-0.7
	712	-0.0	-2.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-482.8	0.91	INVSLV	Max	Cent	85.8	-481.6	26.0	85.9
-561.9	-0.45		640	135.7	-561.9	4.7	135.8	
-357.6	-5.01		639	200.8	-355.1	-36.2	205.8	
-405.9	2.91		713	35.9	-400.9	47.6	37.3	
-619.6	6.42		712	-28.2	-608.0	90.8	-19.7	
-592.0	2.69		Min	Cent	59.9	-591.8	10.3	61.1
-673.3	0.39		640	94.5	-673.3	-6.6	94.5	
-459.9	-4.02		639	157.0	-454.8	-57.9	159.6	
-512.2	5.05		713	25.2	-510.7	26.8	30.2	
-738.9	8.35		712	-38.3	-729.0	75.7	-25.0	

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-0.1	4.82	Max	Cent	0.0	-0.1	0.0	0.0
-0.1	8.51	640	-0.0	-0.1	0.0	-0.0	
-0.2	1.97	639	-0.0	-0.2	0.0	-0.0	
-0.0	11.42	713	0.0	-0.0	0.0	0.0	
-0.0	-1.37	712	0.1	-0.0	-0.0	0.1	
-0.1	-0.66	Min	Cent	-0.1	-0.1	-0.0	-0.1
-0.2	19.25	640	-0.1	-0.2	0.0	-0.1	
-0.2	4.66	639	-0.0	-0.2	0.0	-0.0	
		713	-0.0	-0.1	-0.0	-0.0	

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1      -8.56  
 -0.1      -62.55

		NODE	Vxx	Vyy
Max	Cent		0.1	-0.2
	640		-0.1	-0.0
	639		-0.1	-0.2
	713		0.2	-0.2
	712		0.2	-0.1
Min	Cent		-0.3	-0.2
	640		-0.4	-0.2
	639		-0.4	-0.3
	713		-0.2	-0.3
	712		-0.2	-0.2

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin		ANGLE						
787	2	8	Q1-1-2	Max Cent	18.7	52.9	60.1	98.3
-26.7		52.93		647	55.6	120.9	60.3	156.8
19.7		59.22		646	21.4	1.1	47.6	59.9
-37.5		38.98		716	14.9	4.1	60.5	70.2
-51.2		42.47		110	45.2	122.2	73.0	166.2
1.2		58.89		Min Cent	-73.7	-217.2	-370.3	231.7
-522.7		-39.52		647	-59.7	-208.3	-354.0	227.7
-495.6		-39.07		646	-57.4	-264.9	-368.8	221.9
-544.2		-37.15		716	-118.3	-277.0	-397.3	207.5
-602.8		-39.35		110	-107.0	-227.4	-378.2	215.7
-550.1		-40.48						

Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax
			Max Cent	0.1	0.2	0.0	0.2
0.1		75.57	647	0.1	0.0	0.0	0.1
0.0		18.24	646	0.1	0.2	0.0	0.2
0.1		78.44	716	0.2	0.3	0.0	0.3
0.2		74.00	110	0.2	0.4	0.0	0.4
0.2		79.93	Min Cent	-0.0	-0.0	-0.0	-0.0
-0.0		-67.16	647	-0.2	-0.1	-0.0	-0.1
-0.2		-83.80	646	-0.0	-0.0	-0.0	-0.0
-0.0		-36.56	716	-0.1	-0.1	-0.0	-0.1
-0.1		-60.23	110	-0.2	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.2      -88.69

	NODE	Vxx	Vyy
Max	Cent	0.3	0.1
	647	0.2	0.2
	646	0.2	0.2
	716	0.4	0.2
	110	0.4	0.2
Min	Cent	-0.6	-0.6
	647	-0.4	-1.2
	646	-0.4	-0.4
	716	-0.7	-0.4
	110	-0.7	-1.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-24.6	51.60	Q2a-1-2	Max Cent	10.6	31.5	44.5	66.7
8.1	55.80		647	38.3	73.5	44.5	103.7
-29.4	40.32		646	12.1	0.5	35.2	42.0
-39.7	43.04		716	8.1	2.0	44.6	49.8
-8.8	56.79		110	26.4	73.4	53.8	108.7
-322.8	-39.50		Min Cent	-52.4	-139.0	-223.0	131.4
-301.9	-39.39		647	-43.4	-127.6	-212.2	130.8
-341.4	-36.28		646	-41.7	-180.0	-219.9	119.6
-381.6	-38.93		716	-82.5	-186.5	-241.6	112.6
-338.6	-40.81		110	-71.4	-139.4	-230.7	127.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	75.00	Max Cent	0.0	0.1	0.0	0.1
0.0	15.67	647	0.1	0.0	0.0	0.1
0.0	79.65	646	0.0	0.1	0.0	0.1
0.1	73.81	716	0.1	0.2	0.0	0.2
0.1	79.86	110	0.1	0.2	0.0	0.3
-0.0	-74.93	Min Cent	-0.0	-0.0	-0.0	-0.0
-0.1	-84.48	647	-0.1	-0.1	-0.0	-0.1
-0.0	-38.19	646	-0.0	-0.0	-0.0	-0.0
-0.1	-66.73	716	-0.1	-0.0	-0.0	-0.0
-0.1	-89.07	110	-0.1	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
Max	Cent	0.2	0.1
	647	0.1	0.1
	646	0.1	0.1
	716	0.2	0.1
	110	0.2	0.1
Min	Cent	-0.4	-0.4
	647	-0.3	-0.8
	646	-0.3	-0.2
	716	-0.4	-0.2
	110	-0.4	-0.8

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	-0.6	4.5	-26.1	28.1
-24.3	-47.79		647	1.5	-4.9	-25.8	24.3
-27.7	-41.49		646	3.0	6.6	-27.3	32.2
-22.5	-46.86		716	-1.1	6.1	-26.3	29.1
-24.1	-48.85		110	-3.3	-6.0	-24.9	20.3
-29.6	-43.42						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-39.47		647	-0.0	-0.0	-0.0	-0.0
-0.0	-44.67		646	-0.0	-0.0	-0.0	0.0
-0.0	-56.01		716	0.0	0.0	-0.0	0.0
0.0	-72.22		110	-0.0	0.0	-0.0	0.0
-0.0	-80.35						

	NODE	Vxx	Vyy
	Cent	-0.0	-0.0
	647	-0.0	-0.0
	646	-0.0	0.0
	716	-0.0	0.0
	110	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	7.3	-32.9	20.6	15.9
-41.6	22.85		647	-4.9	-63.4	11.3	-2.8
-65.5	10.54		646	13.3	-3.1	14.3	21.6
-11.4	30.12		716	19.3	-3.0	30.0	40.2
-23.9	34.80		110	-2.7	-62.9	27.0	7.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-73.3      20.93

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	48.97		Cent	-0.0	-0.0	0.0	0.0
-0.1	69.27		647	-0.1	-0.0	0.0	-0.0
-0.0	43.73		646	0.0	0.0	0.0	0.1
-0.1	23.95		716	0.0	-0.1	0.0	0.0
-0.1	65.40		110	-0.1	-0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.2	0.1		
			647	-0.3	-0.1		
			646	-0.3	0.2		
			716	-0.2	0.2		
			110	-0.2	-0.1		

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-12.1	-47.79	SLDx (RS)	Cent	-0.3	2.2	-13.0	14.1
-13.8	-41.49		647	0.7	-2.4	-12.9	12.1
-11.3	-46.86		646	1.5	3.3	-13.6	16.1
-12.0	-48.85		716	-0.5	3.0	-13.2	14.5
-14.8	-43.42		110	-1.6	-3.0	-12.5	10.2

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-39.48		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-44.71		647	-0.0	-0.0	-0.0	-0.0
-0.0	-56.00		646	-0.0	-0.0	-0.0	0.0
0.0	-72.21		716	0.0	0.0	-0.0	0.0
-0.0	-80.35		110	-0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			647	-0.0	-0.0		
			646	-0.0	0.0		
			716	-0.0	0.0		
			110	-0.0	-0.0		

	LC	NODE	Fxx	Fyy	Fxy	Fmax
--	----	------	-----	-----	-----	------



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE						
-20.8	22.85	SLDy (RS)	Cent	3.6	-16.4	10.3	8.0
-32.7	10.54		647	-2.4	-31.7	5.6	-1.4
-5.7	30.11		646	6.6	-1.5	7.2	10.8
-11.9	34.79		716	9.6	-1.5	15.0	20.1
-36.6	20.93		110	-1.3	-31.4	13.5	3.8
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	48.96		Cent	-0.0	-0.0	0.0	0.0
-0.1	69.27		647	-0.1	-0.0	0.0	-0.0
-0.0	43.73		646	0.0	0.0	0.0	0.0
-0.0	23.94		716	0.0	-0.0	0.0	0.0
-0.0	65.40		110	-0.0	-0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.1	0.0		
			647	-0.1	-0.0		
			646	-0.1	0.1		
			716	-0.1	0.1		
			110	-0.1	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-8.4	48.36	SLVz (RS)	Cent	-0.2	1.9	9.2	10.1
-8.5	48.73		647	-0.6	1.8	9.0	9.7
-8.6	50.11		646	-0.8	2.6	9.3	10.4
-8.1	48.58		716	0.2	2.6	9.4	10.9
-7.7	46.96		110	0.8	2.0	9.1	10.6
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-14.94		Cent	0.0	-0.0	-0.0	0.0
0.0	-20.61		647	0.0	0.0	-0.0	0.0
-0.0	-26.42		646	0.0	-0.0	-0.0	0.0
-0.0	-21.43		716	-0.0	-0.0	-0.0	-0.0
			110	0.0	-0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

- 0.0      - 5.24

NODE	Vxx	Vyy
Cent	0.0	0.0
647	0.0	0.0
646	0.0	0.0
716	0.0	0.0
110	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-283.6	-40.57	g1	Cent	2.4	-73.9	-244.9	212.1
-271.8	-40.25		647	11.9	-68.5	-240.2	215.3
-283.8	-40.17		646	10.2	-74.2	-248.2	219.8
-295.5	-40.89		716	-7.2	-79.3	-249.6	208.9
-283.5	-40.99		110	-5.5	-73.6	-241.5	204.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	70.95	Cent	-0.0	0.0	0.0	0.0
-0.0	16.88	647	-0.0	-0.0	0.0	-0.0
-0.0	56.04	646	0.0	0.0	0.0	0.0
0.0	77.10	716	0.0	0.0	0.0	0.0
-0.0	83.26	110	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.1
647	-0.0	-0.2
646	-0.0	-0.0
716	-0.0	-0.0
110	-0.0	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-146.6	-39.22	g2	Cent	2.5	-47.3	-121.7	101.8
-146.9	-38.62		647	4.8	-50.1	-121.2	101.6
-144.4	-39.38		646	7.1	-42.3	-124.3	109.2
-146.4	-39.81		716	0.2	-44.6	-122.2	102.0
-148.9	-39.05		110	-2.2	-52.4	-119.0	94.3

NODE	Mxx	Myy	Mxy	Mmax
------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE						
-0.0	-0.10	Cent	0.0	-0.0	-0.0	0.0	
-0.0	5.22	647	0.0	-0.0	0.0	0.0	
-0.0	14.27	646	-0.0	-0.0	0.0	-0.0	
-0.0	-19.17	716	-0.0	-0.0	-0.0	-0.0	
0.0	-8.25	110	0.0	0.0	-0.0	0.0	
		NODE	Vxx	Vyy			
		Cent	0.1	-0.0			
		647	0.1	-0.1			
		646	0.1	0.1			
		716	0.1	0.1			
		110	0.1	-0.1			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-14.6	-44.65	q3	Cent	1.0	0.7	-15.5	16.3
-16.7	-40.94		647	1.5	-3.0	-15.8	15.3
-12.6	-46.19		646	4.1	5.5	-17.4	22.2
-12.8	-48.53		716	0.6	4.3	-15.1	17.7
-16.7	-42.66		110	-2.0	-4.2	-13.5	10.5
			NODE	Mxx	Myy	Mxy	Mmax
-0.0	-68.41		Cent	-0.0	0.0	-0.0	0.0
-0.0	-57.70		647	-0.0	-0.0	-0.0	-0.0
-0.0	-68.09		646	-0.0	0.0	-0.0	0.0
0.0	-75.20		716	0.0	0.0	-0.0	0.0
-0.0	-72.70		110	-0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			647	-0.0	-0.0		
			646	-0.0	-0.0		
			716	-0.0	-0.0		
			110	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-39.7	12.54	q5_pc Cent	1.9	-37.6	9.2	3.9	
-66.6	1.70	647	-5.8	-66.6	1.8	-5.7	
-6.7	2.22	646	12.2	-6.7	0.7	12.2	
-18.6	30.70	716	9.5	-8.7	16.7	19.4	
-73.4	15.28	110	-8.5	-68.6	17.7	-3.6	
-----							
-0.0	-87.58	Cent	-0.0	0.0	-0.0	0.0	
-0.0	-75.81	647	-0.0	-0.0	-0.0	-0.0	
0.0	-41.90	646	0.0	0.0	-0.0	0.0	
0.0	37.92	716	0.0	0.0	0.0	0.0	
-0.0	87.43	110	-0.0	0.0	0.0	0.0	
-----							
		NODE	Vxx	Vyy			
		Cent	-0.1	-0.1			
		647	-0.1	-0.1			
		646	-0.1	-0.1			
		716	-0.2	-0.1			
		110	-0.2	-0.1			
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-34.5	13.81	q5_ps	Cent	2.3	-32.3	9.1	4.5
-57.8	2.47		647	-5.0	-57.7	2.3	-4.9
-5.7	6.70		646	10.7	-5.5	1.9	10.9
-16.5	31.27		716	9.6	-6.9	15.8	19.2
-63.7	15.70		110	-6.1	-59.1	16.2	-1.6
-----							
Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-0.0	-87.66	Cent	-0.0	0.0	-0.0	0.0	
-0.0	-75.77	647	-0.0	-0.0	-0.0	-0.0	
0.0	-34.45	646	0.0	0.0	-0.0	0.0	
0.0	30.31	716	0.0	0.0	0.0	0.0	
-0.0	87.33	110	-0.0	0.0	0.0	0.0	
-----							
		NODE	Vxx	Vyy			

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

				Cent	-0.1	-0.1		
				647	-0.1	-0.1		
				646	-0.1	-0.1		
				716	-0.1	-0.1		
				110	-0.1	-0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-365.7	-45.71	INVSLU	Max	Cent	-161.8	118.9	-295.2	625.2
-116.9	-47.15			647	-6.8	401.6	-235.7	697.7
-439.8	-41.02			646	-138.0	-109.4	-306.5	511.3
-565.9	-44.16			716	-261.0	-134.7	-354.0	514.4
-281.8	-48.73			110	-131.0	377.5	-283.3	716.8
-1176.5	-53.30		Min	Cent	-290.0	-313.6	-892.9	249.8
-962.7	-55.41			647	-172.9	-162.6	-798.1	360.7
-1247.1	-47.03			646	-266.3	-487.3	-870.0	170.5
-1490.5	-49.34			716	-458.6	-533.2	-1002.0	150.4
-1179.8	-57.71			110	-351.9	-217.8	-924.4	342.5
Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
0.1	78.30		Max	Cent	0.2	0.4	0.1	0.4
0.0	15.05			647	0.1	0.0	0.0	0.1
0.1	80.38			646	0.2	0.4	0.0	0.4
0.3	78.28			716	0.3	0.6	0.1	0.6
0.5	83.15			110	0.5	0.9	0.1	0.9
0.0	85.09		Min	Cent	0.0	0.1	0.0	0.1
-0.3	-82.93			647	-0.3	-0.2	-0.0	-0.2
0.0	89.27			646	0.0	0.1	-0.0	0.1
-0.2	88.08			716	-0.2	-0.0	0.0	-0.0
-0.1	89.97			110	-0.1	0.3	0.0	0.3
				NODE	Vxx	Vyy		
			Max	Cent	0.7	-0.2		
				647	0.4	-0.6		
				646	0.4	0.2		
				716	1.0	0.2		
				110	1.0	-0.6		
			Min	Cent	-0.7	-1.5		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

647 -0.6 -2.7  
 646 -0.6 -0.6  
 716 -0.8 -0.6  
 110 -0.8 -2.7

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-348.9	-44.69	INVSLV	Max Cent	-30.5	-51.7	-279.2	296.3
-333.5	-45.20		647	-27.5	-18.8	-280.0	308.5
-346.2	-43.17		646	-19.0	-77.5	-281.9	294.8
-336.1	-43.69		716	-23.4	-81.0	-275.9	288.9
-342.8	-45.60		110	-38.3	-21.8	-275.0	315.6
-406.4	-40.51		Min Cent	-45.6	-121.3	-349.3	211.2
-409.9	-39.77		647	-38.5	-149.7	-343.8	202.9
-408.1	-41.97		646	-47.9	-94.2	-350.7	220.8
-431.2	-41.99		716	-62.8	-96.4	-357.4	214.5
-413.2	-39.67		110	-46.9	-152.5	-349.4	184.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-42.58		Max Cent	0.0	0.0	0.0	0.1
0.0	-15.68		647	0.1	0.0	0.0	0.1
-0.0	42.86		646	0.0	0.0	0.0	0.1
-0.0	-69.28		716	0.0	0.1	0.0	0.1
0.0	-35.70		110	0.1	0.1	0.0	0.1
-0.1	52.49		Min Cent	-0.0	-0.0	-0.0	0.0
-0.1	63.57		647	-0.1	-0.1	-0.0	-0.1
-0.1	-42.46		646	-0.0	-0.0	-0.0	-0.0
-0.1	35.63		716	-0.0	-0.0	-0.0	0.0
-0.0	73.73		110	-0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Max Cent	0.2	-0.0		
			647	0.3	-0.1		
			646	0.3	0.2		
			716	0.2	0.2		
			110	0.2	-0.1		
			Min Cent	-0.2	-0.2		
			647	-0.3	-0.2		
			646	-0.3	-0.3		

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

716 -0.1 -0.3  
110 -0.1 -0.2

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin		ANGLE						
794	2	10	Q1-1-2	Max Cent	548.3	40.8	199.9	617.6
-28.5		19.12		672	753.5	105.1	255.8	842.2
16.3		19.14		671	750.5	96.9	140.3	779.3
68.1		11.62		678	344.6	1.4	146.0	398.3
-52.3		20.19		677	348.1	4.1	263.5	490.8
-138.6		28.43		Min Cent	-3.8	-35.4	-158.9	140.0
-179.2		-42.17		672	-5.2	-17.4	-107.5	96.3
-119.0		-43.37		671	-5.2	-21.0	-210.1	197.2
-223.4		-43.92		678	-2.5	-85.9	-214.0	173.8
-262.3		-39.49		677	-2.5	-77.2	-110.8	77.1
-156.8		-35.68						
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax
				Max Cent	0.0	0.0	0.0	0.0
0.0		61.62		672	0.0	0.0	0.0	0.0
0.0		22.06		671	0.0	0.0	0.0	0.0
-0.0		59.06		678	0.0	0.0	0.0	0.0
0.0		67.61		677	0.0	0.1	0.0	0.1
0.0		88.12		Min Cent	-0.0	-0.0	-0.0	0.0
-0.0		-54.19		672	-0.0	-0.1	-0.0	-0.0
-0.1		-10.88		671	-0.0	-0.0	-0.0	0.0
-0.0		-43.26		678	-0.0	-0.0	-0.0	0.0
-0.0		-44.11		677	-0.0	-0.0	-0.0	-0.0
-0.0		-64.31						
				NODE	Vxx	Vyy		
				Max Cent	0.0	0.0		
				672	0.0	0.0		
				671	0.0	0.0		
				678	0.0	0.0		
				677	0.0	0.0		
				Min Cent	-0.1	-0.2		
				672	-0.1	-0.4		
				671	-0.1	-0.0		
				678	-0.1	-0.0		
				677	-0.1	-0.4		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-22.5	20.21	Q2a-1-2	Max Cent	329.6	25.3	129.6	377.4
3.3	20.21		672	453.0	64.2	165.5	514.0
39.8	12.43		671	451.3	59.8	90.7	471.2
-36.1	21.24		678	207.3	0.7	94.6	244.0
-94.3	29.38		677	209.4	2.0	171.0	305.6
-116.7	-41.93		Min Cent	-2.8	-24.9	-102.2	89.0
-76.6	-43.29		672	-3.8	-12.0	-68.5	60.7
-145.0	-43.85		671	-3.8	-14.7	-135.6	126.4
-170.9	-39.27		678	-1.8	-57.9	-138.2	111.2
-102.1	-35.17		677	-1.8	-52.3	-70.6	47.9
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	62.11		Max Cent	0.0	0.0	0.0	0.0
0.0	19.26		672	0.0	0.0	0.0	0.0
-0.0	60.69		671	0.0	0.0	0.0	0.0
0.0	69.23		678	0.0	0.0	0.0	0.0
0.0	88.36		677	0.0	0.1	0.0	0.1
-0.0	-54.14		Min Cent	-0.0	-0.0	-0.0	0.0
-0.1	-11.11		672	-0.0	-0.1	-0.0	-0.0
-0.0	-43.86		671	-0.0	-0.0	-0.0	0.0
-0.0	-44.30		678	-0.0	-0.0	-0.0	0.0
-0.0	-65.94		677	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Max Cent	0.0	0.0		
			672	0.0	0.0		
			671	0.0	0.0		
			678	0.0	0.0		
			677	0.0	0.0		
			Min Cent	-0.0	-0.1		
			672	-0.0	-0.3		
			671	-0.0	-0.0		
			678	-0.1	-0.0		
			677	-0.1	-0.3		



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVx (RS)	Cent	47.8	2.8	2.8	48.0
2.6	3.58		672	-64.2	7.8	7.6	8.5
-65.0	84.04		671	-64.1	-7.2	5.2	-6.7
-64.6	84.80		678	31.6	2.7	5.0	32.4
1.9	9.53		677	31.6	-3.4	7.8	33.3
-5.0	12.03						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-36.00		672	-0.0	-0.0	-0.0	-0.0
-0.0	-37.77		671	0.0	0.0	-0.0	0.0
0.0	-66.87		678	0.0	0.0	-0.0	0.0
0.0	-68.91		677	-0.0	-0.0	-0.0	-0.0
-0.0	-88.71						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	-0.0		
			672	-0.0	0.0		
			671	-0.0	0.0		
			678	-0.0	0.0		
			677	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVy (RS)	Cent	30.8	1.3	0.1	30.8
1.3	0.27		672	27.5	2.6	-1.5	27.6
2.5	-3.32		671	27.8	1.3	1.0	27.9
1.3	2.17		678	34.0	1.3	1.3	34.1
1.2	2.32		677	33.7	1.4	-1.1	33.8
1.3	-1.94						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.1	0.0	-0.0	0.0
-0.1	-74.93		672	-0.1	-0.0	-0.0	-0.0
-0.1	-78.02		671	0.0	0.0	-0.0	0.1
0.0	-47.00		678	0.1	0.1	-0.0	0.1
0.0	-61.33						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.2      -89.54      677      -0.2      -0.1      -0.0      -0.1

NODE	Vxx	Vyy
Cent	-0.4	-0.0
672	-0.3	-0.0
671	-0.3	-0.1
678	-0.4	-0.1
677	-0.4	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
1.3	3.58	SLDx (RS)	Cent	23.9	1.4	1.4	24.0
-32.5	84.04		672	-32.1	3.9	3.8	4.3
-32.3	84.79		671	-32.0	-3.6	2.6	-3.3
1.0	9.54		678	15.8	1.4	2.5	16.2
-2.5	12.03		677	15.8	-1.7	3.9	16.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-36.05	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-37.90	672	-0.0	-0.0	-0.0	-0.0
0.0	-66.86	671	0.0	0.0	-0.0	0.0
0.0	-68.91	678	0.0	0.0	-0.0	0.0
-0.0	-88.71	677	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
672	-0.0	0.0
671	-0.0	0.0
678	-0.0	0.0
677	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.6	0.28	SLDy (RS)	Cent	15.4	0.6	0.1	15.4
1.3	-3.33		672	13.8	1.3	-0.7	13.8
0.6	2.17		671	13.9	0.7	0.5	13.9
0.6	2.32		678	17.0	0.6	0.7	17.0
0.7	-1.94		677	16.8	0.7	-0.5	16.9

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-74.93		Cent	-0.0	0.0	-0.0	0.0
-0.1	-78.02		672	-0.1	-0.0	-0.0	-0.0
0.0	-47.00		671	0.0	0.0	-0.0	0.0
0.0	-61.33		678	0.0	0.0	-0.0	0.0
-0.1	-89.54		677	-0.1	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.2	-0.0
672	-0.1	-0.0
671	-0.1	-0.0
678	-0.2	-0.0
677	-0.2	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-19.9	-87.07	SLVz (RS)	Cent	-19.8	-1.3	-0.9	-1.3
-27.4	-82.49		672	-27.0	-3.6	-3.1	-3.2
-27.1	84.49		671	-26.8	-3.2	2.3	-3.0
-13.0	81.07		678	-12.7	1.1	2.2	1.4
-13.6	-76.16		677	-12.8	-1.0	-3.1	-0.3

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-24.46		Cent	0.0	0.0	-0.0	0.0
0.0	14.36		672	0.0	0.0	0.0	0.0
0.0	-56.20		671	0.0	0.0	-0.0	0.0
0.0	-65.09		678	0.0	0.0	-0.0	0.0
-0.0	89.28		677	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
672	-0.0	0.0
671	-0.0	0.0
678	-0.0	0.0
677	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----							
Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
8.2	1.13	g1	Cent	413.2	8.3	8.0	413.4
46.9	6.61		672	560.4	53.8	59.5	567.3
46.7	-5.08		671	559.4	50.7	-45.5	563.5
-43.3	-8.02		678	266.1	-37.2	-43.6	272.2
-46.1	11.11		677	267.0	-34.1	61.5	279.1
-----							
-0.0	4.59		Cent	-0.0	-0.0	0.0	-0.0
-0.0	-0.95		672	-0.0	-0.0	-0.0	-0.0
-0.0	1.51		671	-0.0	-0.0	0.0	-0.0
-0.0	7.23		678	-0.0	-0.0	0.0	-0.0
0.0	87.27		677	0.0	0.0	0.0	0.0
-----							
		NODE	Vxx	Vyy			
		Cent	-0.0	-0.0			
		672	-0.0	-0.0			
		671	-0.0	-0.0			
		678	0.0	-0.0			
		677	0.0	-0.0			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-4.1	-0.47	g2	Cent	200.1	-4.0	-1.7	200.1
14.6	5.02		672	269.5	16.5	22.4	271.5
14.2	-6.12		671	269.7	17.1	-27.4	272.6
-28.8	-9.18		678	130.7	-24.6	-25.8	134.8
-28.8	8.58		677	130.5	-25.2	24.0	134.1
-----							
Mmin	ANGLE	NODE		Mxx	Myy	Mxy	Mmax
-----							
-0.0	10.32	Cent		0.0	-0.0	0.0	0.0
-0.0	32.90	672		0.0	0.0	0.0	0.0
-0.0	15.04	671		-0.0	-0.0	0.0	-0.0
-0.0	24.96	678		-0.0	-0.0	0.0	0.0
-0.0	3.30	677		0.0	-0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
	Cent	0.0	0.0
	672	-0.0	0.0
	671	-0.0	-0.0
	678	0.0	-0.0
	677	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q3	Cent	19.1	0.4	5.8	20.7
-1.2	15.96		672	23.1	1.6	7.2	25.3
-0.5	16.95		671	23.1	1.6	4.3	23.9
0.8	10.99		678	15.1	-0.8	4.4	16.2
-1.9	14.56		677	15.1	-0.8	7.3	17.9
-3.6	21.31						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.0	0.0	-0.0
-0.0	4.87	672	-0.0	-0.0	-0.0	-0.0
-0.0	-80.76	671	-0.0	-0.0	0.0	-0.0
-0.0	5.80	678	-0.0	-0.0	0.0	-0.0
-0.0	9.96	677	-0.0	-0.0	-0.0	-0.0
-0.0	-48.37					

	NODE	Vxx	Vyy
	Cent	-0.0	-0.0
	672	-0.0	-0.0
	671	-0.0	-0.0
	678	-0.0	-0.0
	677	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_pc	Cent	26.5	1.3	0.5	26.6
1.2	1.22		672	26.3	1.5	0.6	26.3
1.5	1.28		671	26.1	0.8	0.8	26.1
0.7	1.77		678	26.8	1.0	0.5	26.8
1.0	1.15		677	27.0	1.7	0.3	27.0
1.7	0.66						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-38.46	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-5.60	672	-0.0	-0.0	-0.0	-0.0
-0.0	-28.48	671	0.0	-0.0	-0.0	0.0
-0.0	-30.04	678	0.0	-0.0	-0.0	0.0
-0.0	-85.02	677	-0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
672	-0.0	-0.0
671	-0.0	0.0
678	-0.0	0.0
677	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.8	0.49	q5_ps	Cent	23.0	0.8	0.2	23.0
0.9	0.19		672	22.5	0.9	0.1	22.5
0.3	1.34		671	22.3	0.3	0.5	22.3
0.7	0.77		678	23.5	0.7	0.3	23.5
1.3	-0.35		677	23.7	1.3	-0.1	23.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-7.54	Cent	0.0	-0.0	-0.0	0.0
-0.0	-3.40	672	-0.0	-0.0	-0.0	-0.0
-0.0	-9.76	671	0.0	-0.0	-0.0	0.0
-0.0	-10.63	678	0.0	-0.0	-0.0	0.0
0.0	-78.92	677	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
672	-0.0	-0.0
671	-0.0	0.0
678	-0.0	0.0
677	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.0	18.41	INVSLU Max	Cent	876.4	81.1	297.7	975.5

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

171.0	19.78		672	1791.8	354.4	593.8	2005.4
354.5	-0.83		671	1791.2	354.8	-20.7	1791.5
-158.7	-51.69		678	-37.1	-158.5	4.2	104.2
-557.2	42.00		677	-35.9	-166.4	621.4	523.7
-165.6	-28.01	Min	Cent	73.8	-24.0	-187.6	131.7
112.1	10.49		672	711.9	186.2	102.4	739.1
-102.4	-26.19		671	715.8	194.3	-495.2	910.0
-918.1	-59.69		678	-564.2	-278.2	-482.8	-134.1
-749.4	70.15		677	-568.2	-279.3	115.6	-237.6

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	62.21	Max	Cent	0.0	0.0	0.0	0.0
-0.0	6.62		672	0.0	-0.0	0.0	0.0
0.0	58.91		671	0.0	0.0	0.0	0.0
0.0	71.77		678	0.0	0.1	0.0	0.1
0.1	87.63		677	0.1	0.2	0.0	0.2
-0.0	-67.78	Min	Cent	-0.0	0.0	-0.0	0.0
-0.2	-6.08		672	-0.1	-0.2	-0.0	-0.1
-0.0	-55.31		671	-0.0	-0.0	-0.0	0.0
-0.0	-77.47		678	0.0	0.0	-0.0	0.0
0.0	-82.93		677	0.0	0.1	-0.0	0.1

	NODE	Vxx	Vyy
Max	Cent	0.0	-0.2
	672	0.1	-0.3
	671	0.1	-0.0
	678	0.1	-0.0
	677	0.1	-0.3
Min	Cent	-0.0	-0.4
	672	-0.1	-0.8
	671	-0.1	-0.1
	678	-0.1	-0.1
	677	-0.1	-0.8

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
1.3	1.16	INVSLV	Max	Cent	289.0	1.4	289.2
80.8	11.81			672	694.9	119.1	721.9

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

92.6	-13.78		671	698.2	129.0	-136.7	734.6
-240.2	-45.32		678	-114.9	-110.3	-125.0	15.4
-271.8	44.32		677	-118.5	-120.7	157.3	33.0
-5.7	-0.16	Min	Cent	163.0	-5.7	-0.5	163.0
68.6	17.22		672	533.8	99.8	127.5	578.3
71.5	-16.43		671	537.1	112.0	-149.1	577.6
-305.5	-54.72		678	-209.6	-117.2	-137.1	-21.3
-321.5	53.83		677	-212.6	-128.9	139.2	-19.9

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----	-----						
-0.0	14.75	Max	Cent	0.1	-0.0	0.0	0.1
0.0	11.31		672	0.1	0.0	0.0	0.1
-0.0	-43.12		671	0.0	0.0	0.0	0.1
0.0	-64.73		678	0.1	0.1	0.0	0.1
0.1	0.61		677	0.2	0.1	0.0	0.2
-0.1	-73.08	Min	Cent	-0.1	-0.0	-0.0	-0.0
-0.1	-77.15		672	-0.1	-0.1	-0.0	-0.0
-0.1	39.01		671	-0.0	-0.0	-0.0	-0.0
-0.1	32.06		678	-0.0	-0.1	-0.0	-0.0
-0.2	-89.70		677	-0.2	-0.1	-0.0	-0.1

	NODE	Vxx	Vyy
Max	Cent	0.4	0.0
	672	0.3	0.0
	671	0.3	0.0
	678	0.4	0.0
	677	0.4	-0.0
Min	Cent	-0.4	-0.1
	672	-0.3	-0.0
	671	-0.3	-0.1
	678	-0.4	-0.1
	677	-0.4	-0.0

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
796	2	10	Q1-1-2	Max	Cent	0.8	121.8	156.7	229.3
-106.7		55.55			680	56.4	269.3	221.7	408.8
-83.1		57.82			679	24.8	62.4	127.9	172.9
-85.7		49.18							



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-96.1	45.14		724	1.9	2.8	98.4	100.8
-115.1	58.65		114	1.8	199.9	191.9	316.8
-305.1	-50.24	Min	Cent	-146.1	-75.4	-191.1	83.6
-153.6	-39.50		680	-4.7	-52.4	-122.7	96.5
-324.7	-39.16		679	-55.9	-146.5	-218.9	122.3
-551.4	-51.87		724	-336.2	-202.1	-274.2	13.2
-362.6	-58.25		114	-258.0	-89.4	-169.0	15.1

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
		Max	Cent	0.0	0.1	0.0	0.1
0.0	84.33		680	0.0	0.0	0.0	0.0
0.0	13.11		679	0.1	0.1	0.0	0.1
0.1	85.19		724	0.1	0.2	0.0	0.2
0.1	79.33		114	0.1	0.2	0.0	0.2
0.0	83.00	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-55.26		680	-0.1	-0.1	-0.0	-0.0
-0.1	-80.99		679	-0.0	-0.0	-0.0	0.0
-0.0	-40.11		724	-0.0	-0.0	-0.0	-0.0
-0.0	-65.70		114	-0.1	-0.0	-0.0	-0.0
-0.1	-87.55						

	NODE	Vxx	Vyy
Max	Cent	0.1	0.0
	680	0.1	0.0
	679	0.1	0.0
	724	0.1	0.0
	114	0.1	0.0
Min	Cent	-0.3	-0.4
	680	-0.3	-0.5
	679	-0.3	-0.2
	724	-0.4	-0.2
	114	-0.4	-0.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-69.0	55.26	Q2a-1-2	Max	Cent	0.6	75.7	100.4	145.3
-56.7	57.42			680	34.5	166.7	142.8	257.9
-56.6	49.20			679	14.3	38.6	82.1	109.5
-60.8	45.00			724	1.4	1.4	62.2	63.6

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-74.6	58.28		114	1.3	124.1	122.8	200.1
-196.3	-49.65	Min	Cent	-91.5	-51.2	-123.2	53.5
-98.0	-39.54		680	-2.7	-33.1	-78.7	62.2
-216.3	-38.28		679	-38.2	-105.4	-140.5	72.7
-356.9	-50.31		724	-209.1	-142.4	-178.1	5.4
-228.6	-57.25		114	-158.1	-58.1	-109.7	12.4
		Max	Cent	0.0	0.1	0.0	0.1
0.0	84.65		680	0.0	0.0	0.0	0.0
0.0	14.09		679	0.0	0.1	0.0	0.1
0.0	85.77		724	0.1	0.1	0.0	0.1
0.1	79.19		114	0.0	0.1	0.0	0.1
0.0	82.89	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-61.40		680	-0.1	-0.0	-0.0	-0.0
-0.1	-80.87		679	-0.0	-0.0	-0.0	0.0
-0.0	-42.17		724	-0.0	-0.0	-0.0	-0.0
-0.0	-73.25		114	-0.1	-0.0	-0.0	-0.0
-0.1	-87.67						
			NODE	Vxx	Vyy		
		Max	Cent	0.0	0.0		
			680	0.0	0.0		
			679	0.0	0.0		
			724	0.1	0.0		
			114	0.1	0.0		
		Min	Cent	-0.2	-0.2		
			680	-0.2	-0.3		
			679	-0.2	-0.2		
			724	-0.3	-0.2		
			114	-0.3	-0.3		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.1	14.90	SLVx (RS)	Cent	10.6	0.8	2.8	11.3
-1.7	39.42		680	7.2	4.3	7.4	13.3
0.2	37.82		679	7.2	4.4	5.5	11.5
1.8	14.46		724	22.0	3.1	5.2	23.3
0.7	19.70		114	22.0	3.4	7.7	24.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----	-----	-----	-----	-----	-----	-----
-0.0	-25.90	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	75.14	680	-0.0	-0.0	0.0	-0.0
-0.0	70.19	679	-0.0	0.0	0.0	0.0
-0.0	-9.22	724	0.0	-0.0	-0.0	0.0
-0.0	-13.46	114	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
-----	-----	-----
Cent	-0.0	0.0
680	-0.0	0.0
679	-0.0	0.0
724	-0.0	0.0
114	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----	-----	-----	-----	-----	-----	-----	-----
7.5	-4.54	SLVy (RS)	Cent	45.2	7.8	-3.0	45.5
13.7	-5.07		680	43.9	13.9	-2.7	44.1
-0.9	1.17		679	39.5	-0.9	0.8	39.5
1.4	-4.28		724	46.6	1.6	-3.4	46.9
15.1	-10.33		114	51.0	16.3	-6.5	52.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----	-----	-----	-----	-----	-----	-----
-0.1	47.52	Cent	-0.0	-0.0	0.0	0.0
-0.1	73.13	680	-0.1	-0.0	0.0	-0.0
-0.0	46.09	679	0.0	0.0	0.0	0.1
-0.1	25.11	724	-0.0	-0.1	0.0	-0.0
-0.0	48.84	114	-0.0	-0.0	0.0	0.0

NODE	Vxx	Vyy
-----	-----	-----
Cent	-0.1	0.1
680	-0.3	-0.0
679	-0.3	0.3
724	-0.0	0.3
114	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----	-----	-----	-----	-----	-----	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	Cent	5.3	0.4	1.4	5.7
0.0	14.89		680	3.6	2.1	3.7	6.6
-0.9	39.42		679	3.6	2.2	2.7	5.8
0.1	37.83		724	11.0	1.5	2.6	11.7
0.9	14.46		114	11.0	1.7	3.8	12.4
0.3	19.69						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-25.90		680	-0.0	-0.0	0.0	-0.0
-0.0	75.14		679	-0.0	0.0	0.0	0.0
-0.0	70.18		724	0.0	-0.0	-0.0	0.0
-0.0	-9.22		114	-0.0	-0.0	-0.0	-0.0
-0.0	-13.46						
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			680	-0.0	0.0		
			679	-0.0	0.0		
			724	-0.0	0.0		
			114	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDy (RS)	Cent	22.6	3.9	-1.5	22.7
3.8	-4.54		680	21.9	7.0	-1.3	22.0
6.8	-5.07		679	19.7	-0.4	0.4	19.7
-0.4	1.17		724	23.3	0.8	-1.7	23.4
0.7	-4.29		114	25.5	8.1	-3.3	26.0
7.5	-10.33						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	0.0	0.0
-0.0	47.52		680	-0.1	-0.0	0.0	-0.0
-0.1	73.13		679	0.0	0.0	0.0	0.0
-0.0	46.09		724	-0.0	-0.0	0.0	-0.0
-0.0	25.11		114	-0.0	-0.0	0.0	0.0
-0.0	48.83						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
	Cent	-0.1	0.1
	680	-0.1	-0.0
	679	-0.1	0.1
	724	-0.0	0.1
	114	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVz (RS)	Cent	4.9	-0.5	-0.7	5.0
-0.6	-7.41		680	-1.8	-1.9	-2.7	0.9
-4.6	-44.40		679	-1.8	-1.9	2.5	0.6
-4.3	44.15		724	10.0	1.3	2.3	10.6
0.7	14.00		114	10.1	1.6	-2.8	10.9
0.7	-16.85						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-35.88		680	-0.0	-0.0	-0.0	-0.0
-0.0	-74.24		679	-0.0	-0.0	-0.0	0.0
-0.0	-40.54		724	0.0	-0.0	-0.0	0.0
-0.0	-12.59		114	-0.0	-0.0	-0.0	-0.0
-0.0	-23.63						

	NODE	Vxx	Vyy
	Cent	-0.0	0.0
	680	-0.0	0.0
	679	-0.0	0.0
	724	-0.0	0.0
	114	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g1	Cent	-89.8	-4.4	1.1	-4.4
-89.8	89.26		680	21.6	33.7	53.1	81.1
-25.8	48.25		679	18.4	23.2	-50.4	71.3
-29.7	-46.34		724	-201.2	-42.5	-50.9	-27.6
-216.1	-73.66		114	-198.0	-31.9	52.6	-16.7
-213.3	73.81						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

				Vxx	Vyy		
0.0	77.18	Cent		0.0	0.0	0.0	0.0
-0.0	14.85	680		0.0	0.0	0.0	0.0
0.0	81.96	679		0.0	0.0	0.0	0.0
-0.0	83.89	724		-0.0	0.0	0.0	0.0
0.0	81.85	114		0.0	0.0	0.0	0.0
		NODE		Vxx	Vyy		
		Cent		0.0	-0.0		
		680		0.0	-0.1		
		679		0.0	-0.0		
		724		0.0	-0.0		
		114		0.0	-0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-44.7	84.86	g2	Cent	-44.5	-24.8	1.8	-24.7
-34.5	30.15		680	5.8	-20.9	23.4	19.4
-19.1	-40.27		679	13.3	4.2	-27.5	36.6
-100.3	-74.50		724	-94.8	-28.8	-19.8	-23.3
-117.5	64.00		114	-102.3	-53.8	31.0	-38.7
			NODE	Mxx	Myy	Mxy	Mmax
-0.0	2.84		Cent	0.0	-0.0	0.0	0.0
0.0	8.42		680	0.0	0.0	0.0	0.0
-0.0	14.43		679	-0.0	-0.0	0.0	-0.0
-0.0	-10.17		724	-0.0	-0.0	-0.0	-0.0
-0.0	-1.28		114	0.0	-0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.1	0.0		
			680	0.0	0.0		
			679	0.0	0.0		
			724	0.1	0.0		
			114	0.1	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q3	Cent	5.4	0.4	6.1	9.5

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-3.7	33.78	680	8.4	1.3	7.5	13.2
-3.4	32.38	679	8.4	1.2	4.7	10.7
-1.2	26.34	724	2.4	-0.6	4.8	5.9
-4.1	36.11	114	2.5	-0.4	7.6	8.7
-6.7	39.50					

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

-----						
		Cent	0.0	0.0	0.0	0.0
0.0	68.41	680	0.0	-0.0	-0.0	0.0
-0.0	-3.97	679	0.0	0.0	0.0	0.0
0.0	77.15	724	0.0	0.0	0.0	0.0
0.0	79.65	114	0.0	0.0	0.0	0.0
0.0	62.73					

NODE	Vxx	Vyy
-----	-----	-----
Cent	0.0	-0.0
680	0.0	-0.0
679	0.0	-0.0
724	0.0	-0.0
114	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

-----							
		q5_pc	Cent	28.7	3.3	-0.8	28.7
3.3	-1.74		680	28.8	5.8	-0.3	28.8
5.8	-0.85		679	27.2	0.3	0.3	27.2
0.3	0.56		724	28.5	0.8	-1.2	28.5
0.7	-2.47		114	30.1	6.3	-1.8	30.3
6.2	-4.30						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

-----						
		Cent	-0.0	0.0	-0.0	0.0
-0.0	-89.40	680	-0.0	-0.0	-0.0	-0.0
-0.0	-77.14	679	0.0	0.0	-0.0	0.0
0.0	-71.61	724	0.0	0.0	0.0	0.0
0.0	76.50	114	-0.0	0.0	0.0	0.0
-0.0	87.87					

NODE	Vxx	Vyy
-----	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Cent -0.0 -0.0  
 680 -0.0 -0.0  
 679 -0.0 -0.0  
 724 -0.0 -0.0  
 114 -0.0 -0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
1.8	-1.24	q5_ps	Cent	25.6	1.8	-0.5	25.6
3.0	-1.17		680	25.4	3.0	-0.5	25.4
0.1	0.44		679	24.5	0.1	0.2	24.5
0.6	-1.31		724	25.9	0.6	-0.6	25.9
3.4	-2.99		114	26.7	3.5	-1.2	26.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	79.03	Cent	0.0	0.0	0.0	0.0
-0.0	-14.85	680	-0.0	-0.0	-0.0	-0.0
0.0	-6.49	679	0.0	0.0	-0.0	0.0
0.0	50.36	724	0.0	0.0	0.0	0.0
-0.0	85.81	114	-0.0	0.0	0.0	0.0

NODE Vxx Vyy  
 Cent -0.0 -0.0  
 680 -0.0 -0.0  
 679 -0.0 -0.0  
 724 -0.0 -0.0  
 114 -0.0 -0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2030.4	84.79	INVSLU Max	Cent	-2025.4	206.9	208.4	225.8
-1547.0	76.48		680	-1474.8	591.7	528.0	718.5
-1544.3	-88.30		679	-1539.0	227.6	-52.4	229.1
-2530.2	-85.95		724	-2520.3	-139.4	-102.2	-130.2
-2541.4	80.38		114	-2495.0	211.4	478.2	292.0
-2323.1	-83.40	Min	Cent	-2292.9	-65.2	-262.6	-35.0
-1653.7	87.95		680	-1619.7	146.9	62.3	149.2
-1851.9	-73.83		679	-1700.8	-54.8	-521.1	96.3



MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-3175.2	-77.62	724	-3042.4	-417.4	-607.4	-284.6
-2914.5	-89.81	114	-2914.4	-190.5	-12.2	-190.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Max Cent	0.1	0.3	0.0	0.3
0.1	82.62	680	0.1	0.1	0.0	0.1
0.1	18.42	679	0.1	0.3	0.0	0.3
0.1	84.89	724	0.1	0.4	0.0	0.4
0.1	82.82	114	0.2	0.5	0.0	0.5
0.2	82.99	Min Cent	0.0	0.1	0.0	0.1
0.0	84.89	680	-0.1	-0.0	-0.0	-0.0
-0.1	-85.33	679	0.0	0.1	-0.0	0.1
0.0	-89.56	724	-0.1	0.0	0.0	0.0
-0.1	88.54	114	0.1	0.2	0.0	0.2
0.1	88.92					

	NODE	Vxx	Vyy
Max	Cent	0.4	-0.1
	680	0.2	-0.4
	679	0.2	0.1
	724	0.5	0.1
	114	0.5	-0.4
Min	Cent	-0.2	-0.7
	680	-0.2	-1.1
	679	-0.2	-0.3
	724	-0.2	-0.3
	114	-0.2	-1.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		INVSLV	Max Cent	-1075.5	-43.0	13.5	-42.9
-1075.6	89.58		680	-790.4	16.6	146.5	39.5
-813.3	80.56		679	-771.4	83.8	-138.6	105.3
-794.9	-81.34		724	-1357.6	-99.1	-111.7	-88.8
-1368.9	-84.61		114	-1376.6	-163.1	174.5	-142.6
-1397.0	82.66		Min Cent	-1175.3	-59.3	5.4	-59.2
-1175.4	89.41		680	-883.6	-15.0	128.6	6.2
-904.7	81.23		679	-855.9	73.3	-151.6	98.0
-878.4	-80.64		724	-1470.1	-107.0	-125.6	-95.9
-1480.1	-85.11						

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-1519.4	82.70		114	-1497.8	-198.6	153.5	-176.9
0.0	-49.90	Max	Cent	0.0	0.0	0.0	0.1
0.0	-19.10		680	0.1	0.1	0.0	0.1
0.0	50.73		679	0.0	0.1	0.0	0.1
0.0	-69.45		724	0.0	0.1	0.0	0.1
0.0	-58.05		114	0.0	0.0	0.0	0.0
-0.0	67.06	Min	Cent	-0.0	0.0	-0.0	0.0
-0.1	75.04		680	-0.1	-0.0	-0.0	-0.0
-0.1	-56.75		679	-0.0	-0.0	-0.0	0.0
-0.1	30.51		724	-0.0	-0.1	-0.0	0.0
-0.0	78.35		114	0.0	0.0	-0.0	0.0

	NODE	Vxx	Vyy
Max	Cent	0.1	0.1
	680	0.3	-0.0
	679	0.3	0.3
	724	0.0	0.3
	114	0.0	-0.0
Min	Cent	-0.1	-0.2
	680	-0.2	-0.0
	679	-0.2	-0.3
	724	-0.0	-0.3
	114	-0.0	-0.0

ELEM	MAT	SEC	LC		NODE	Fxx	Fyy	Fxy	Fmax
	Fmin	ANGLE							
803	2	4	Q1-1-2	Max	Cent	0.5	5.6	334.7	337.8
-331.6		45.22			705	87.2	18.1	407.4	461.5
-356.2		42.58			704	106.1	71.1	241.9	331.2
-154.0		42.93			729	3.1	4.0	263.4	266.9
-259.9		45.05			730	3.1	1.0	435.2	437.3
-433.1		44.93		Min	Cent	-80.5	-190.9	-68.2	-48.0
-223.4		-25.51			705	-9.9	-205.7	-28.0	-6.0
-209.6		-7.98			704	-6.5	-167.4	-115.8	54.0
-228.0		-27.61			729	-222.7	-223.0	-130.2	-92.6
-353.0		-44.97			730	-245.6	-289.5	-31.2	-229.4
-305.7		-27.46							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	86.37	Max	Cent	0.1	0.3	0.0	0.3
0.1	86.45		705	0.1	0.2	0.0	0.2
0.1	86.90		704	0.1	0.2	0.0	0.2
0.1	86.19		729	0.1	0.3	0.0	0.3
0.1	85.78		730	0.1	0.3	0.0	0.3
-0.0	-29.08	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-26.37		705	-0.0	-0.0	-0.0	-0.0
-0.0	-29.95		704	-0.0	-0.0	-0.0	-0.0
-0.0	-30.97		729	-0.0	-0.0	-0.0	0.0
-0.0	-28.47		730	-0.0	-0.0	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	705	0.0	0.0
	704	0.0	0.0
	729	0.0	0.0
	730	0.0	0.0
Min	Cent	-0.0	-0.3
	705	-0.0	-0.3
	704	-0.0	-0.3
	729	-0.0	-0.3
	730	-0.0	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-201.4	45.23	Q2a-1-2	Max	Cent	0.4	3.6	203.4	205.4
-216.3	42.66			705	52.3	11.8	247.6	280.4
-93.2	43.02			704	63.7	43.4	146.4	200.3
-157.5	45.01			729	2.3	2.5	159.8	162.2
-264.3	44.91			730	2.3	0.7	265.9	267.4
-157.5	-24.34		Min	Cent	-53.8	-136.3	-46.9	-32.6
-150.3	-7.67			705	-7.0	-147.7	-19.3	-4.4
-161.3	-27.07			704	-4.6	-120.4	-80.1	36.3
-240.8	-42.20			729	-141.2	-158.9	-90.4	-59.3
-208.4	-21.98			730	-155.6	-199.8	-21.3	-146.9

NODE	Mxx	Myy	Mxy	Mmax
------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE						
		Max	Cent	0.1	0.2	0.0	0.2
0.1	86.72		705	0.1	0.1	0.0	0.1
0.1	86.84		704	0.1	0.1	0.0	0.1
0.1	87.33		729	0.1	0.2	0.0	0.2
0.1	86.51		730	0.1	0.2	0.0	0.2
0.1	86.07	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-34.12		705	-0.0	-0.0	-0.0	0.0
-0.0	-31.73		704	-0.0	-0.0	-0.0	0.0
-0.0	-34.73		729	-0.0	-0.0	-0.0	0.0
-0.0	-35.67		730	-0.0	-0.0	-0.0	0.0
-0.0	-33.59						
			NODE	Vxx	Vyy		
		Max	Cent	0.0	0.0		
			705	0.0	0.0		
			704	0.0	0.0		
			729	0.0	0.0		
			730	0.0	0.0		
		Min	Cent	-0.0	-0.2		
			705	-0.0	-0.2		
			704	-0.0	-0.2		
			729	-0.0	-0.2		
			730	-0.0	-0.2		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	3.6	-0.0	-22.1	23.9
-20.4	-42.63		705	7.8	0.8	-28.3	32.8
-24.2	-41.49		704	9.0	-5.2	-14.9	18.4
-14.6	-32.31		729	11.7	-0.9	-15.9	22.5
-11.7	-34.21		730	13.0	5.2	-29.3	38.6
-20.4	-41.21						
			NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-6.66		705	0.0	-0.0	-0.0	0.0
-0.0	-6.51		704	-0.0	-0.0	-0.0	-0.0
-0.0	-24.37		729	-0.0	-0.0	-0.0	-0.0
-0.0	-4.52		730	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0      -2.36

NODE	Vxx	Vyy
Cent	-0.0	0.0
705	-0.0	0.0
704	-0.0	0.0
729	0.0	0.0
730	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-7.3	-23.81	SLVy (RS)	Cent	31.3	0.2	-17.1	38.9
-6.6	-23.27		705	32.1	0.6	-16.7	39.3
-7.0	-24.02		704	32.1	0.7	-17.4	39.8
-7.7	-24.61		729	30.5	0.3	-17.5	38.6
-7.8	-23.51		730	30.6	-0.6	-16.7	37.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.1	-7.65	Cent	-0.0	-0.1	-0.0	-0.0
0.0	-79.24	705	0.0	0.0	-0.0	0.0
0.0	-65.35	704	0.0	0.0	-0.0	0.0
-0.2	-4.57	729	-0.1	-0.2	-0.0	-0.1
-0.2	-2.20	730	-0.1	-0.2	-0.0	-0.1

NODE	Vxx	Vyy
Cent	-0.0	0.7
705	-0.0	0.7
704	-0.0	0.6
729	-0.0	0.6
730	-0.0	0.7

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-10.2	-42.63	SLDx (RS)	Cent	1.8	-0.0	-11.0	12.0
-12.1	-41.49		705	3.9	0.4	-14.1	16.4
-7.3	-32.31		704	4.5	-2.6	-7.4	9.2
-5.8	-34.21		729	5.9	-0.4	-7.9	11.2
-10.2	-41.21		730	6.5	2.6	-14.6	19.3

NODE	Mxx	Myy	Mxy	Mmax
------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE						
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-6.66		705	0.0	-0.0	-0.0	0.0
-0.0	-6.52		704	-0.0	-0.0	-0.0	-0.0
-0.0	-24.41		729	-0.0	-0.0	-0.0	-0.0
-0.0	-4.52		730	-0.0	-0.0	-0.0	-0.0
-0.0	-2.36						
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			705	-0.0	0.0		
			704	-0.0	0.0		
			729	0.0	0.0		
			730	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDy (RS)	Cent	15.6	0.1	-8.5	19.4
-3.7	-23.82		705	16.0	0.3	-8.3	19.6
-3.3	-23.28		704	16.0	0.4	-8.7	19.9
-3.5	-24.03		729	15.2	0.2	-8.7	19.3
-3.8	-24.61		730	15.3	-0.3	-8.4	18.9
-3.9	-23.52						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-7.66		705	0.0	0.0	-0.0	0.0
0.0	-79.20		704	0.0	0.0	-0.0	0.0
0.0	-65.33		729	-0.0	-0.1	-0.0	-0.0
-0.1	-4.58		730	-0.0	-0.1	-0.0	-0.0
-0.1	-2.20						
			NODE	Vxx	Vyy		
			Cent	-0.0	0.3		
			705	-0.0	0.4		
			704	-0.0	0.3		
			729	-0.0	0.3		
			730	-0.0	0.4		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLVz (RS)	Cent	1.5	0.0	-9.9	10.7
-9.2	-42.78		705	-2.9	-0.3	-12.6	11.1
-14.3	-47.93		704	-3.5	-2.3	-6.7	3.9
-9.7	-47.53		729	5.4	0.4	-7.2	10.5
-4.7	-35.31		730	6.0	2.3	-13.1	17.3
-9.1	-40.99						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-7.62		705	-0.0	-0.0	-0.0	-0.0
-0.0	-18.89		704	-0.0	-0.0	-0.0	-0.0
-0.0	-30.38		729	-0.0	-0.0	-0.0	-0.0
-0.0	-4.71		730	-0.0	-0.0	-0.0	-0.0
-0.0	-2.50						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	0.0		
			705	0.0	0.0		
			704	0.0	0.0		
			729	0.0	0.0		
			730	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		g1	Cent	-27.0	-17.6	188.3	166.1
-210.6	45.72		705	65.8	-8.2	250.6	282.1
-224.5	40.80		704	78.1	33.0	116.5	174.2
-63.1	39.52		729	-119.7	-26.9	126.0	61.0
-207.6	55.11		730	-132.1	-68.1	260.1	162.0
-362.1	48.51						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	0.0	0.0	0.0
0.0	85.93		705	0.0	0.0	0.0	0.0
0.0	83.46		704	0.0	0.0	0.0	0.0
0.0	83.02		729	0.0	0.0	0.0	0.0
0.0	87.18		730	0.0	0.0	0.0	0.0
0.0	87.33						
			NODE	Vxx	Vyy		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

```

-----
          Cent      -0.0      -0.0
          705       0.0      -0.0
          704       0.0      -0.0
          729      -0.0      -0.0
          730      -0.0      -0.0
    
```

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-102.9	45.48	g2	Cent	-14.1	-11.1	90.3	77.7
-109.8	40.60		705	30.7	-6.6	120.4	133.9
-31.7	39.07		704	36.7	13.4	55.5	81.8
-101.2	54.92		729	-59.0	-15.6	60.1	26.6
-176.2	48.35		730	-65.0	-35.6	125.0	75.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	1.00	Cent	-0.0	-0.0	0.0	-0.0
-0.0	0.53	705	-0.0	-0.0	0.0	-0.0
-0.0	2.27	704	-0.0	-0.0	0.0	-0.0
-0.0	1.29	729	-0.0	-0.0	0.0	-0.0
-0.0	0.10	730	-0.0	-0.0	0.0	-0.0

```

-----
          NODE      Vxx      Vyy
          Cent      0.0      0.0
          705       0.0      0.0
          704       0.0      0.0
          729       0.0      0.0
          730       0.0      0.0
    
```

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-4.5	37.30	q3	Cent	3.4	0.1	6.0	8.0
-5.0	35.18		705	5.1	-0.0	7.1	10.1
-1.6	33.03		704	5.5	1.4	4.6	8.5
-4.0	40.53		729	1.8	0.2	4.9	6.0
-7.4	40.17		730	1.4	-1.1	7.4	7.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	78.16	Cent	0.0	0.0	0.0	0.0
0.0	67.23	705	0.0	0.0	0.0	0.0
0.0	67.48	704	0.0	0.0	0.0	0.0
0.0	82.39	729	0.0	0.0	0.0	0.0
0.0	82.47	730	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
705	0.0	-0.0
704	0.0	-0.0
729	-0.0	-0.0
730	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.2	0.94	q5_pc	Cent	21.3	-0.2	0.3	21.3
-0.6	3.85		705	23.1	-0.5	1.6	23.2
1.4	-3.33		704	23.7	1.5	-1.3	23.8
0.1	-2.65		729	19.4	0.2	-0.9	19.5
-2.0	5.47		730	18.8	-1.8	2.0	19.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-84.07	Cent	0.0	0.0	-0.0	0.0
0.0	-82.38	705	0.0	0.0	-0.0	0.0
0.0	-79.84	704	0.0	0.0	-0.0	0.0
0.0	-85.43	729	0.0	0.0	-0.0	0.0
0.0	-86.70	730	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
705	-0.0	-0.0
704	-0.0	-0.0
729	-0.0	-0.0
730	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.0	-3.17	q5_ps	Cent	19.1	0.1	-1.1	19.1
			705	20.5	-0.2	-0.1	20.5

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.2	-0.23		704	20.9	1.3	-2.3	21.2
1.0	-6.67		729	17.6	0.3	-2.0	17.9
0.1	-6.58		730	17.2	-1.2	0.2	17.2
-1.2	0.68						
-----							
0.0	-75.97		Cent	0.0	0.0	-0.0	0.0
0.0	-70.66		705	0.0	0.0	-0.0	0.0
0.0	-69.63		704	0.0	0.0	-0.0	0.0
0.0	-80.17		729	0.0	0.0	-0.0	0.0
0.0	-79.96		730	0.0	0.0	-0.0	0.0
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			705	-0.0	-0.0		
			704	-0.0	-0.0		
			729	-0.0	-0.0		
			730	-0.0	-0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-1823.3	67.95	INVSLU Max	Cent	-1707.4	-47.0	810.6	281.1
-1566.0	59.20		705	-1198.4	77.7	1179.3	779.8
-1259.9	74.59		704	-1163.4	180.0	403.0	290.4
-2144.4	77.84		729	-2112.2	-156.7	445.4	-61.1
-2472.2	64.10		730	-2122.2	-189.2	1231.1	405.2
-2080.9	80.56	Min	Cent	-1867.7	-312.6	266.1	-268.0
-1929.5	67.12		705	-1377.7	-225.4	588.7	23.9
-1367.1	-86.24		704	-1366.0	-144.7	-82.3	-139.4
-2464.6	-87.54		729	-2460.9	-463.4	-87.5	-459.7
-2752.3	74.04		730	-2500.3	-584.6	597.8	-410.4
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.2	86.78	Max	Cent	0.2	0.5	0.0	0.5
0.1	86.96		705	0.1	0.4	0.0	0.4
			704	0.1	0.4	0.0	0.4

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.1	86.99			729	0.2	0.5	0.0	0.5
0.2	86.53			730	0.2	0.5	0.0	0.5
0.2	86.43							
		Min	Cent		0.0	0.0	-0.0	0.0
0.0	-70.40			705	0.0	0.0	-0.0	0.0
0.0	-76.45			704	0.0	0.0	-0.0	0.0
0.0	-74.97			729	0.0	0.0	-0.0	0.1
0.0	-64.38			730	0.0	0.0	-0.0	0.1
0.0	-67.16							

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	705	0.0	-0.0
	704	0.0	0.0
	729	0.0	0.0
	730	0.0	-0.0
Min	Cent	-0.0	-0.4
	705	-0.0	-0.4
	704	-0.0	-0.4
	729	-0.1	-0.4
	730	-0.1	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
		INVSLV	Max	Cent	-815.5	-35.6	287.9	54.6
-878.8	72.56			705	-575.5	25.6	453.7	256.6
-767.0	62.83			704	-567.7	55.0	113.3	72.5
-575.5	80.86			729	-1050.3	-95.1	123.2	-81.0
-1056.1	83.22			730	-1057.0	-114.4	464.2	57.2
-1202.2	68.43							
		Min	Cent	-881.3	-36.0	227.6	24.5	
-968.0	75.17			705	-646.1	23.5	379.6	205.6
-867.2	64.61			704	-639.3	42.8	65.5	50.4
-656.2	83.97			729	-1121.6	-97.3	74.4	-91.0
-1136.2	85.56			730	-1129.6	-126.6	387.8	22.9
-1305.0	70.45							

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax		
		Max	Cent	0.0	0.1	0.0	0.1	
0.0	82.10			705	0.0	0.1	0.1	
0.0	-84.07			704	0.0	0.1	0.1	
0.0	-72.62			729	0.1	0.2	0.0	0.2

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.1	85.18		730	0.1	0.2	0.0	0.2
0.1	87.56						
-0.1	-7.31	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.0	17.87		705	-0.0	-0.0	-0.0	-0.0
-0.0	32.17		704	-0.0	-0.0	-0.0	-0.0
-0.2	-4.29		729	-0.1	-0.2	-0.0	-0.1
-0.2	-1.91		730	-0.1	-0.2	-0.0	-0.1

	NODE	Vxx	Vyy
Max	Cent	0.0	0.7
	705	0.0	0.7
	704	0.0	0.6
	729	0.0	0.6
	730	0.0	0.7
Min	Cent	-0.0	-0.7
	705	-0.0	-0.7
	704	-0.0	-0.7
	729	-0.0	-0.7
	730	-0.0	-0.7

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
805	2	8	Q1-1-2	Max	Cent	9.5	66.6	87.3	129.9
-53.8		54.06			711	28.7	39.5	21.3	56.1
12.2		52.12			647	67.6	117.3	9.9	119.2
65.7		79.12			110	23.7	114.3	157.2	232.6
-94.6		53.04			732	1.5	38.0	167.4	188.2
-148.7		48.11		Min	Cent	-56.0	-435.2	-149.9	-3.9
-487.3		-19.17			711	-121.9	-684.0	-153.2	-82.9
-723.1		-14.30			647	-0.3	-194.8	-174.5	102.2
-297.3		-30.43			110	-25.6	-216.9	-152.0	58.3
-300.8		-28.91			732	-175.1	-718.3	-127.5	-146.7
-746.7		-12.58							

	Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
				Max	Cent	0.1	0.2	0.0	0.2
	0.0	81.36			711	0.0	0.2	0.0	0.2
	0.0	77.96			647	0.1	0.0	0.0	0.1
	0.0	25.83			110	0.2	0.4	0.0	0.4
	0.2	86.47			732	0.0	0.2	0.0	0.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	86.06	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-57.54		711	-0.0	-0.0	-0.0	0.0
-0.0	-39.34		647	-0.1	-0.1	-0.0	-0.1
-0.1	-48.18		110	-0.0	-0.0	-0.0	-0.0
-0.0	-24.22		732	-0.0	-0.1	-0.0	-0.0
-0.1	-7.97						

	NODE	Vxx	Vyy
Max	Cent	0.1	0.2
	711	0.2	0.5
	647	0.2	0.2
	110	0.0	0.2
	732	0.0	0.5
Min	Cent	-0.2	-0.6
	711	-0.2	-0.4
	647	-0.2	-1.2
	110	-0.3	-1.2
	732	-0.3	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-43.4	52.60	Q2a-1-2	Max Cent	6.1	41.3	64.8	90.8
5.2	51.13		711	17.8	24.6	15.7	37.3
40.0	77.25		647	41.6	72.2	7.3	73.9
-76.9	51.74		110	14.8	70.6	116.3	162.3
-112.2	47.67		732	0.7	23.9	123.9	136.8
-317.7	-17.96		Min Cent	-41.3	-288.7	-89.6	-12.3
-488.1	-12.89		711	-89.6	-467.2	-91.2	-68.8
-177.8	-30.06		647	-0.2	-118.3	-102.8	59.3
-181.8	-28.84		110	-15.4	-131.3	-91.6	35.1
-505.0	-11.47		732	-122.1	-489.2	-77.7	-106.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	81.98	Max Cent	0.0	0.1	0.0	0.1
0.0	79.77	711	0.0	0.1	0.0	0.1
0.0	25.23	647	0.0	0.0	0.0	0.1
0.1	86.27	110	0.1	0.3	0.0	0.3
0.0	86.39	732	0.0	0.1	0.0	0.1
		Min Cent	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-57.12	711	-0.0	-0.0	-0.0	0.0
-0.0	-40.82	647	-0.1	-0.1	-0.0	-0.1
-0.1	-42.60	110	-0.0	-0.0	-0.0	-0.0
-0.0	-29.86	732	-0.0	-0.1	-0.0	-0.0
-0.1	-6.61					

	NODE	Vxx	Vyy
Max	Cent	0.0	0.1
	711	0.1	0.4
	647	0.1	0.1
	110	0.0	0.1
	732	0.0	0.4
Min	Cent	-0.1	-0.4
	711	-0.1	-0.2
	647	-0.1	-0.8
	110	-0.2	-0.8
	732	-0.2	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-20.7	-26.83	SLVx (RS)	Cent	0.4	-15.3	-10.7	5.8
-30.7	-23.97		711	-1.8	-25.0	-12.8	3.9
-15.0	-35.30		647	5.6	-4.7	-14.5	15.9
-11.8	-31.59		110	2.4	-6.4	-8.8	7.8
-28.7	-16.18		732	-4.8	-26.7	-6.9	-2.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-33.39	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-51.69	711	0.0	0.0	-0.0	0.0
-0.0	-38.97	647	-0.0	-0.0	-0.0	-0.0
-0.0	-82.26	110	-0.0	0.0	-0.0	0.0
-0.0	-16.92	732	-0.0	-0.0	-0.0	0.0

	NODE	Vxx	Vyy
	Cent	0.0	-0.0
	711	0.0	0.0
	647	0.0	-0.0
	110	0.0	-0.0
	732	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		SLVy (RS)	Cent	-3.8	-39.6	-13.9	1.0
-44.3	-18.93		711	16.2	-13.6	-2.6	16.4
-13.8	-4.91		647	2.2	-59.5	-12.6	4.6
-62.0	-11.12		110	-23.7	-66.2	-26.1	-11.3
-78.6	-25.41		732	-9.6	-20.0	-15.2	1.3
-30.9	-35.66						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----			Cent	-0.0	0.0	0.0	0.0
-0.0	77.94		711	0.0	0.0	0.0	0.0
-0.0	50.97		647	-0.1	-0.0	0.0	-0.0
-0.1	75.44		110	-0.0	0.0	0.0	0.0
-0.0	81.37		732	-0.0	0.0	0.0	0.0
-0.0	84.22						
			NODE	Vxx	Vyy		
			Cent	0.1	-0.1		
			711	0.2	-0.1		
			647	0.2	-0.1		
			110	0.1	-0.1		
			732	0.1	-0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----		SLDx (RS)	Cent	0.2	-7.6	-5.3	2.9
-10.3	-26.83		711	-0.9	-12.5	-6.4	1.9
-15.3	-23.97		647	2.8	-2.3	-7.3	7.9
-7.5	-35.30		110	1.2	-3.2	-4.4	3.9
-5.9	-31.59		732	-2.4	-13.3	-3.5	-1.4
-14.3	-16.18						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----			Cent	-0.0	-0.0	-0.0	0.0
-0.0	-33.39		711	0.0	0.0	-0.0	0.0
-0.0	-51.68		647	-0.0	-0.0	-0.0	-0.0
-0.0	-39.00		110	-0.0	0.0	-0.0	0.0
-0.0	-82.26		732	-0.0	-0.0	-0.0	0.0
-0.0	-16.92						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
	Cent	0.0	-0.0
	711	0.0	0.0
	647	0.0	-0.0
	110	0.0	-0.0
	732	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDy (RS)	Cent	-1.9	-19.8	-7.0	0.5
-22.1	-18.93		711	8.1	-6.8	-1.3	8.2
-6.9	-4.93		647	1.1	-29.7	-6.3	2.3
-31.0	-11.12		110	-11.8	-33.1	-13.0	-5.7
-39.3	-25.41		732	-4.8	-10.0	-7.6	0.6
-15.4	-35.65						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	0.0	0.0	0.0
-0.0	77.94	711	0.0	0.0	0.0	0.0
-0.0	50.98	647	-0.0	-0.0	0.0	-0.0
-0.0	75.44	110	-0.0	0.0	0.0	0.0
-0.0	81.37	732	-0.0	0.0	0.0	0.0
-0.0	84.20					

	NODE	Vxx	Vyy
	Cent	0.1	-0.0
	711	0.1	-0.0
	647	0.1	-0.0
	110	0.0	-0.0
	732	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVz (RS)	Cent	-0.1	4.3	3.3	6.0
-1.8	61.80		711	-0.6	6.3	3.6	7.8
-2.1	66.93		647	-1.6	1.8	4.3	4.7
-4.4	55.84		110	0.6	2.4	3.0	4.7
-1.6	53.42		732	1.4	6.9	2.3	7.7
0.6	69.83						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	30.58	Cent	-0.0	-0.0	0.0	-0.0
-0.0	-36.31	711	-0.0	-0.0	-0.0	0.0
0.0	-36.91	647	0.0	0.0	-0.0	0.0
-0.0	18.33	110	-0.0	-0.0	0.0	-0.0
-0.0	9.79	732	0.0	-0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
711	-0.0	0.0
647	-0.0	0.0
110	0.0	0.0
732	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-168.9	-27.21	g1	Cent	-0.9	-124.4	-86.4	43.5
-198.6	-23.00		711	11.7	-160.7	-89.3	49.6
-139.2	-31.87		647	38.8	-70.4	-110.7	107.7
-142.3	-32.96		110	-13.5	-88.2	-83.5	40.6
-202.3	-21.00		732	-40.6	-178.5	-62.1	-16.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	74.76	Cent	0.0	0.0	0.0	0.0
-0.0	57.57	711	0.0	0.0	0.0	0.0
-0.0	21.95	647	-0.0	-0.0	0.0	-0.0
0.0	85.97	110	0.0	0.1	0.0	0.1
-0.0	86.01	732	-0.0	0.1	0.0	0.1

NODE	Vxx	Vyy
Cent	-0.0	-0.2
711	-0.0	-0.1
647	-0.0	-0.2
110	-0.1	-0.2
732	-0.1	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-90.1	-26.78	g2	Cent	-0.2	-67.2	-45.4	22.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-91.4	-22.56	711	11.4	-73.7	-42.7	29.1
-81.6	-28.89	647	18.1	-51.2	-55.0	48.5
-90.1	-31.50	110	-11.7	-60.7	-48.1	17.8
-99.0	-23.94	732	-18.4	-83.1	-35.8	-2.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

0.0	0.13	Cent	0.0	0.0	0.0	0.0
0.0	68.66	711	0.0	0.0	0.0	0.0
-0.0	1.66	647	0.0	-0.0	0.0	0.0
0.0	-1.53	110	0.0	0.0	-0.0	0.0
-0.0	-13.20	732	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
------	-----	-----

Cent	-0.0	-0.0
711	-0.0	0.0
647	-0.0	-0.1
110	-0.0	-0.1
732	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

-17.5	-26.95	q3	Cent	0.2	-12.9	-9.0	4.8
-26.8	-23.21		711	-0.8	-22.0	-11.1	4.0
-11.7	-37.00		647	5.2	-2.1	-12.7	14.8
-8.5	-34.98		110	1.2	-3.8	-6.8	6.0
-25.0	-14.49		732	-4.8	-23.7	-5.2	-3.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

-0.0	-44.89	Cent	0.0	-0.0	-0.0	0.0
-0.0	-47.35	711	0.0	0.0	-0.0	0.0
-0.0	-44.04	647	-0.0	-0.0	-0.0	0.0
0.0	-53.33	110	0.0	0.0	-0.0	0.0
-0.0	-36.16	732	-0.0	-0.0	-0.0	0.0

NODE	Vxx	Vyy
------	-----	-----

Cent	0.0	-0.0
------	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

711 0.0 0.0  
 647 0.0 -0.0  
 110 -0.0 -0.0  
 732 -0.0 0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-55.1	-18.88	q5_pc	Cent	-2.5	-49.0	-18.0	3.6
-31.6	-11.12		711	13.1	-29.9	-8.8	14.8
-66.8	-14.24		647	3.4	-62.3	-17.8	7.9
-80.0	-23.73		110	-18.2	-68.0	-27.2	-6.2
-44.7	-26.59		732	-8.4	-35.6	-18.1	0.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	72.32	Cent	-0.0	0.0	0.0	0.0
-0.0	44.06	711	0.0	0.0	0.0	0.0
-0.0	59.90	647	-0.0	-0.0	0.0	-0.0
-0.0	85.74	110	-0.0	0.0	0.0	0.0
-0.0	78.40	732	-0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.1	-0.1
711	0.1	-0.1
647	0.1	-0.1
110	0.0	-0.1
732	0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-46.7	-18.85	q5_ps	Cent	-2.4	-41.5	-15.1	2.8
-25.0	-10.23		711	11.9	-23.8	-6.7	13.1
-57.7	-13.77		647	2.8	-54.1	-14.8	6.4
-69.7	-23.96		110	-16.7	-59.2	-23.6	-6.2
-37.0	-27.63		732	-7.6	-29.0	-15.4	0.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	71.43	Cent	-0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	43.04	711	0.0	0.0	0.0	0.0
-0.0	59.41	647	-0.0	-0.0	0.0	-0.0
-0.0	85.43	110	-0.0	0.0	0.0	0.0
-0.0	77.84	732	-0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.1	-0.1
711	0.1	-0.1
647	0.1	-0.1
110	0.0	-0.1
732	0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-74.0	-86.35	INVSLU Max	Cent	-71.5	534.6	-38.8	537.0
170.1	-89.27		711	171.1	766.1	-7.9	766.2
16.3	-71.71		647	64.0	397.3	-123.1	439.0
-252.7	-79.65		110	-244.9	330.8	-64.6	339.3
-130.1	86.45		732	-130.1	701.5	52.1	704.8
-590.6	-42.57	Min	Cent	-164.6	-231.0	-391.4	195.0
-432.5	-36.17		711	-55.8	-264.5	-259.3	122.2
-492.5	-45.05		647	-34.8	-136.2	-406.9	273.9
-825.2	-65.66		110	-344.8	-238.8	-530.7	196.1
-764.1	-45.13		732	-387.1	-383.6	-378.8	-6.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
0.2	88.37	Max	Cent	0.2	0.4	0.0	0.4
0.1	83.06		711	0.1	0.5	0.1	0.5
0.1	7.19		647	0.2	0.1	0.0	0.2
0.5	-89.93		110	0.5	0.9	-0.0	0.9
0.0	89.58		732	0.0	0.5	0.0	0.5
0.0	-67.91	Min	Cent	0.0	0.2	-0.0	0.2
-0.0	-83.69		711	0.0	0.2	-0.1	0.2
-0.2	-11.74		647	-0.1	-0.2	-0.0	-0.1
0.1	-72.60		110	0.1	0.3	-0.0	0.3
			732	-0.1	-0.1	-0.1	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1      -41.69

	NODE	Vxx	Vyy
Max	Cent	-0.2	0.0
	711	0.0	1.1
	647	0.0	-0.6
	110	-0.3	-0.6
Min	732	-0.3	1.1
	Cent	-0.6	-1.3
	711	-0.6	-0.3
	647	-0.6	-2.7
	110	-0.7	-2.7
	732	-0.7	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-134.4	-32.34	INVSLV	Max	Cent	-16.3	-73.1	-85.0	51.4
-137.8	-23.37		711		35.5	-98.8	-77.3	77.4
-108.0	-34.88		647		40.8	-16.7	-110.8	138.8
-121.7	-43.59		110		-34.4	-38.4	-84.6	52.5
-162.4	-33.11		732		-63.0	-124.2	-57.7	-24.7
-233.9	-32.14		Min	Cent	-24.1	-164.0	-121.2	38.3
-209.9	-28.51		711		1.7	-160.8	-106.6	48.7
-223.9	-31.60		647		27.4	-139.7	-150.0	101.5
-280.4	-36.12		110		-83.6	-176.2	-143.8	16.5
-244.4	-28.19		732		-86.0	-193.6	-93.8	-34.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
0.0	-9.11	Max	Cent	0.1	0.0	0.0	0.1
0.0	56.97	711		0.0	0.0	0.0	0.0
0.0	-5.87	647		0.1	0.0	0.0	0.1
0.1	-9.26	110		0.1	0.1	0.0	0.1
0.0	85.36	732		0.0	0.1	0.0	0.1
-0.0	76.08	Min	Cent	-0.0	0.0	-0.0	0.0
-0.0	-71.46	711		0.0	0.0	-0.0	0.0
-0.1	53.72	647		-0.1	-0.1	-0.0	-0.0
0.0	76.00	110		0.0	0.0	-0.0	0.0
-0.0	-18.09	732		-0.0	-0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
Max	Cent	0.0	-0.0
	711	0.1	0.0
	647	0.1	-0.1
	110	-0.0	-0.1
	732	-0.0	0.0
Min	Cent	-0.2	-0.2
	711	-0.3	-0.1
	647	-0.3	-0.2
	110	-0.2	-0.2
	732	-0.2	-0.1

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
806	2	8	Q1-1-2	Max	Cent	19.6	74.0	131.6	181.2
-87.6		50.84			715	68.0	117.7	150.0	245.0
-59.2		49.70			714	41.2	55.0	131.3	179.6
-83.4		46.50			733	3.6	51.1	114.8	144.5
-89.9		50.84			118	27.7	120.5	137.0	218.8
-70.6		54.35		Min	Cent	-59.3	-428.2	-103.6	-32.2
-455.3		-14.66			715	-0.4	-196.6	-23.5	2.4
-199.4		-6.72			714	-129.1	-691.2	-36.1	-126.8
-693.5		-3.66			733	-167.0	-698.2	-186.9	-107.8
-757.4		-17.57			118	-19.9	-211.3	-175.1	84.0
-315.2		-30.67							

	NODE	Mxx	Myy	Mxy	Mmax
Max	Cent	0.1	0.2	0.0	0.2
	715	0.1	0.0	0.0	0.1
	714	0.0	0.2	0.0	0.2
	733	0.0	0.2	0.0	0.2
	118	0.2	0.4	0.0	0.4
Min	Cent	-0.0	-0.0	-0.0	-0.0
	715	-0.1	-0.1	-0.0	-0.1
	714	-0.0	-0.0	-0.0	0.0
	733	-0.0	-0.1	-0.0	-0.0
	118	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
------	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Max	Cent	0.2	0.2
	715	0.2	0.2
	714	0.2	0.5
	733	0.3	0.5
	118	0.3	0.2
Min	Cent	-0.0	-0.6
	715	-0.1	-1.2
	714	-0.1	-0.3
	733	-0.0	-0.3
	118	-0.0	-1.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-52.6	50.85	Q2a-1-2	Max Cent	12.3	45.3	79.7	110.2
-33.8	49.83		715	41.6	72.0	89.3	147.4
-49.0	46.50		714	26.0	34.2	79.0	109.2
-55.5	50.92		733	2.2	31.9	71.0	89.5
-42.2	54.25		118	18.2	74.4	84.0	134.9
-308.2	-16.20		Min Cent	-43.8	-285.9	-76.9	-21.4
-122.3	-8.09		715	-0.2	-119.8	-17.4	2.3
-477.8	-3.98		714	-95.2	-476.0	-26.6	-93.4
-526.1	-18.76		733	-118.9	-479.1	-138.3	-71.9
-212.7	-32.98		118	-12.9	-128.5	-129.7	71.3
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	81.10		Max Cent	0.0	0.1	0.0	0.1
0.0	11.56		715	0.0	0.0	0.0	0.0
0.0	82.58		714	0.0	0.1	0.0	0.1
0.0	85.70		733	0.0	0.1	0.0	0.1
0.1	86.10		118	0.1	0.3	0.0	0.3
-0.0	-59.27		Min Cent	-0.0	-0.0	-0.0	-0.0
-0.1	-43.40		715	-0.1	-0.1	-0.0	-0.0
-0.0	-39.67		714	-0.0	-0.0	-0.0	0.0
-0.1	-4.74		733	-0.0	-0.1	-0.0	-0.0
-0.0	-26.95		118	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Max Cent	0.1	0.1		
			715	0.1	0.1		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	714	0.1	0.4
	733	0.2	0.4
	118	0.2	0.1
Min	Cent	-0.0	-0.4
	715	-0.1	-0.8
	714	-0.1	-0.2
	733	-0.0	-0.2
	118	-0.0	-0.8

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	-0.6	7.8	-6.3	11.2
-3.9	-61.89		715	-3.5	-4.0	-8.0	4.3
-11.8	-44.12		714	1.8	10.7	-6.4	14.0
-1.5	-62.48		733	2.5	11.7	-4.5	13.5
0.6	-67.81		118	-1.2	-5.1	-6.2	3.4
-9.6	-36.23						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-8.14		715	0.0	-0.0	-0.0	0.0
-0.0	-12.24		714	-0.0	-0.0	-0.0	0.0
-0.0	-21.60		733	0.0	-0.0	0.0	0.0
-0.0	0.83		118	-0.0	-0.0	-0.0	-0.0
-0.0	-3.73						

	NODE	Vxx	Vyy
	Cent	-0.0	0.0
	715	-0.0	0.0
	714	-0.0	0.0
	733	-0.0	0.0
	118	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	-1.6	-41.6	12.2	1.8
-45.0	15.66		715	2.2	-60.8	9.6	3.6
-62.2	8.50		714	16.0	-15.5	1.9	16.1
-15.6	3.42		733	-5.3	-22.6	14.7	3.1
-31.0	29.80		118	-19.2	-68.2	23.4	-9.8
-77.6	21.82						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		-----					
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.0	-81.33		Cent	-0.0	0.0	-0.0	0.0
-0.1	-78.25		715	-0.1	-0.0	-0.0	-0.0
-0.0	-62.36		714	0.0	0.0	-0.0	0.0
-0.0	85.42		733	-0.0	0.0	0.0	0.0
-0.0	-83.06		118	-0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.1	-0.1		
			715	-0.2	-0.1		
			714	-0.2	-0.0		
			733	-0.1	-0.1		
			118	-0.1	-0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDx (RS)	Cent	-0.3	3.9	-3.1	5.6
-2.0	-61.90		715	-1.8	-2.0	-4.0	2.1
-5.9	-44.12		714	0.9	5.3	-3.2	7.0
-0.8	-62.48		733	1.2	5.8	-2.2	6.7
0.3	-67.82		118	-0.6	-2.5	-3.1	1.7
-4.8	-36.23						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-8.14		715	0.0	-0.0	-0.0	0.0
-0.0	-12.23		714	-0.0	-0.0	-0.0	0.0
-0.0	-21.60		733	0.0	-0.0	0.0	0.0
-0.0	0.83		118	-0.0	-0.0	-0.0	-0.0
-0.0	-3.74						
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			715	-0.0	0.0		
			714	-0.0	0.0		
			733	-0.0	0.0		
			118	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDy (RS)	Cent	-0.8	-20.8	6.1	0.9

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-22.5	15.66		715	1.1	-30.4	4.8	1.8
-31.1	8.50		714	8.0	-7.7	0.9	8.0
-7.8	3.44		733	-2.7	-11.3	7.3	1.5
-15.5	29.79		118	-9.6	-34.1	11.7	-4.9
-38.7	21.82						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

-----						
		Cent	-0.0	0.0	-0.0	0.0
-0.0	-81.32	715	-0.0	-0.0	-0.0	-0.0
-0.0	-78.25	714	0.0	0.0	-0.0	0.0
-0.0	-62.36	733	-0.0	0.0	0.0	0.0
-0.0	85.38	118	-0.0	0.0	-0.0	0.0
-0.0	-83.06					

NODE	Vxx	Vyy
------	-----	-----

Cent	-0.1	-0.0
715	-0.1	-0.0
714	-0.1	-0.0
733	-0.0	-0.0
118	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

-----							
		SLVz (RS)	Cent	-0.3	3.4	-2.7	4.8
-1.7	-61.89		715	-1.5	1.7	-3.5	3.9
-3.8	-57.22		714	-0.7	4.8	-2.8	6.0
-1.9	-66.83		733	1.0	5.2	-1.9	5.9
0.3	-68.50		118	0.4	2.1	-2.6	4.0
-1.5	-54.05						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

-----						
		Cent	-0.0	-0.0	0.0	-0.0
-0.0	10.26	715	0.0	0.0	0.0	0.0
0.0	26.75	714	-0.0	-0.0	0.0	0.0
-0.0	21.40	733	0.0	-0.0	0.0	0.0
-0.0	0.99	118	-0.0	-0.0	-0.0	-0.0
-0.0	-6.83					

NODE	Vxx	Vyy
------	-----	-----

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Cent	-0.0	0.0
715	-0.0	0.0
714	-0.0	0.0
733	-0.0	0.0
118	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-141.8	25.63	g1	Cent	4.1	-108.2	70.0	37.7
-118.0	29.92		715	39.7	-65.7	90.8	92.0
-164.2	20.97		714	18.2	-137.4	69.9	45.0
-168.5	19.79		733	-31.6	-150.7	49.2	-13.8
-122.7	31.90		118	-10.1	-79.0	70.1	33.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----						
0.0	-82.49	Cent	0.0	0.0	-0.0	0.0
-0.0	-20.19	715	-0.0	-0.0	-0.0	-0.0
-0.0	-68.15	714	0.0	0.0	-0.0	0.0
-0.0	-89.43	733	-0.0	0.0	-0.0	0.0
0.0	88.29	118	0.0	0.1	0.0	0.1

NODE	Vxx	Vyy
-----		
Cent	0.0	-0.1
715	0.0	-0.2
714	0.0	-0.1
733	0.1	-0.1
118	0.1	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-76.0	25.06	g2	Cent	2.2	-58.9	36.6	19.3
-71.0	26.26		715	18.3	-49.3	44.1	40.1
-72.0	20.22		714	15.0	-60.2	32.1	26.8
-81.2	23.39		733	-13.9	-68.6	29.1	-1.3
-81.5	30.11		118	-10.6	-57.7	41.1	13.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----						
		Cent	0.0	0.0	0.0	0.0

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	6.91		715	0.0	-0.0	0.0	0.0
-0.0	0.52		714	0.0	0.0	0.0	0.0
-0.0	76.41		733	0.0	-0.0	0.0	0.0
-0.0	12.45		118	0.0	0.0	0.0	0.0
0.0	7.66						

NODE	Vxx	Vyy
Cent	0.0	-0.0
715	0.0	-0.0
714	0.0	0.0
733	0.0	0.0
118	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-3.0	23.60	q3	Cent	0.2	-2.4	1.4	0.8
-2.2	30.95		715	0.9	-1.1	1.9	2.1
-4.1	20.44		714	0.2	-3.5	1.6	0.8
-3.9	14.87		733	-0.5	-3.7	0.9	-0.2
-1.9	29.11		118	0.2	-1.3	1.2	0.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-80.19	Cent	0.0	0.0	-0.0	0.0
-0.0	-26.78	715	-0.0	-0.0	-0.0	-0.0
-0.0	-61.89	714	0.0	0.0	-0.0	0.0
-0.0	-87.68	733	-0.0	0.0	-0.0	0.0
0.0	-89.59	118	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
715	-0.0	-0.0
714	-0.0	-0.0
733	0.0	-0.0
118	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-54.7	15.42	q5_pc	Cent	0.2	-50.5	15.1	4.3
-66.3	11.06		715	3.4	-63.7	13.6	6.1

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-32.9	8.76		714	12.9	-31.9	7.1	14.0
-44.1	22.06		733	-3.1	-37.4	16.6	3.6
-77.5	19.68		118	-12.6	-69.2	23.2	-4.4
-----							
-0.0	-75.05		Cent	-0.0	0.0	-0.0	0.0
-0.0	-61.68		715	-0.0	-0.0	-0.0	-0.0
-0.0	-49.01		714	0.0	0.0	-0.0	0.0
-0.0	-80.53		733	-0.0	0.0	-0.0	0.0
-0.0	-87.74		118	-0.0	0.0	-0.0	0.0
-----							
			NODE	Vxx	Vyy		
			Cent	-0.1	-0.1		
			715	-0.1	-0.1		
			714	-0.1	-0.1		
			733	-0.0	-0.1		
			118	-0.0	-0.1		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-46.4	15.40	q5_ps	Cent	-0.1	-42.9	12.7	3.4
-57.3	10.65		715	2.8	-55.2	11.3	5.0
-26.2	7.86		714	11.8	-25.4	5.2	12.5
-36.6	22.97		733	-3.1	-30.6	14.2	2.9
-67.7	20.00		118	-12.1	-60.4	20.3	-4.7
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-74.13		Cent	-0.0	0.0	-0.0	0.0
-0.0	-61.17		715	-0.0	-0.0	-0.0	-0.0
-0.0	-47.86		714	0.0	0.0	-0.0	0.0
-0.0	-79.97		733	-0.0	0.0	-0.0	0.0
-0.0	-87.42		118	-0.0	0.0	-0.0	0.0
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.1		
			715	-0.1	-0.1		
			714	-0.1	-0.1		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

733 -0.0 -0.1  
118 -0.0 -0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-135.6	66.53	INVSLU	Max Cent	-49.7	569.1	358.4	712.8
-74.2	58.87		715	75.0	418.8	357.2	619.7
160.1	74.24		714	208.4	842.1	214.1	898.9
-191.3	71.37		733	-124.3	747.5	361.7	859.3
-319.6	60.86		118	-244.8	333.3	509.6	594.1
-230.9	30.94		Min Cent	-156.4	-199.8	13.6	-131.7
-201.9	33.66		715	-24.5	-120.1	98.4	64.6
-223.2	-11.12		714	-44.9	-222.5	-24.6	-40.0
-397.8	-53.97		733	-360.8	-331.4	-75.4	-298.3
-591.9	58.86		118	-331.9	-239.3	46.4	-186.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.1	81.35	Max Cent	0.2	0.4	0.1	0.4
0.1	11.99	715	0.2	0.1	0.0	0.2
0.1	85.11	714	0.1	0.5	0.1	0.5
0.0	84.05	733	0.0	0.5	0.1	0.5
0.4	84.63	118	0.4	0.9	0.1	0.9
0.0	76.08	Min Cent	0.0	0.1	0.0	0.2
-0.2	-20.58	715	-0.1	-0.2	-0.0	-0.1
0.0	-89.55	714	0.0	0.2	-0.0	0.2
-0.1	37.76	733	-0.1	-0.1	0.0	-0.0
0.1	79.95	118	0.1	0.3	0.0	0.3

NODE	Vxx	Vyy
Max Cent	0.6	0.0
715	0.6	-0.6
714	0.6	1.1
733	0.7	1.1
118	0.7	-0.6
Min Cent	0.2	-1.2
715	0.0	-2.7
714	0.0	-0.2
733	0.3	-0.2
118	0.3	-2.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-103.6	31.89	INVSLV	Max Cent	-11.5	-54.8	96.6	40.8
-82.8	34.22		715	40.7	-7.5	117.8	114.8
-113.3	20.62		714	42.7	-83.4	75.6	68.9
-127.0	30.41		733	-56.4	-101.8	75.5	-25.0
-100.9	46.24		118	-33.0	-25.5	121.7	45.1
-196.1	30.21		Min Cent	-15.2	-144.7	66.9	31.1
-190.4	28.85		715	31.4	-132.5	91.6	87.0
-151.9	26.71		714	9.3	-123.7	60.0	42.1
-200.4	29.94		733	-69.1	-157.1	42.2	-31.9
-247.5	34.12		118	-72.3	-166.3	69.7	6.8
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	11.40		Max Cent	0.0	0.0	0.0	0.0
0.0	5.81		715	0.1	0.0	0.0	0.1
0.0	-71.99		714	0.0	0.0	0.0	0.0
0.0	86.13		733	0.0	0.1	0.0	0.1
0.1	13.55		118	0.1	0.1	0.0	0.1
-0.0	-85.20		Min Cent	-0.0	0.0	-0.0	0.0
-0.1	-60.17		715	-0.1	-0.0	-0.0	-0.0
-0.0	59.63		714	-0.0	0.0	-0.0	0.0
-0.0	-12.76		733	-0.0	-0.0	-0.0	0.0
0.0	87.32		118	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Max Cent	0.2	-0.0		
			715	0.3	-0.1		
			714	0.3	0.0		
			733	0.1	0.0		
			118	0.1	-0.1		
			Min Cent	-0.0	-0.2		
			715	-0.1	-0.2		
			714	-0.1	-0.1		
			733	0.0	-0.1		
			118	0.0	-0.2		

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
807	2	8	Q1-1-2	Max	Cent	104.4	302.4	18.9	304.1
102.6		84.60			110	180.0	631.1	11.0	631.4
179.7		88.61			716	37.2	75.1	45.6	105.5
6.8		56.30			734	55.9	80.2	41.7	111.5
24.7		53.12			48	218.8	645.9	10.9	646.2
218.5		88.55		Min	Cent	-53.9	-187.4	-394.4	279.4
-520.7		-40.20			110	-110.6	-358.4	-400.3	184.5
-653.5		-36.40			716	-118.5	-313.8	-357.3	154.2
-586.5		-37.36			734	-85.3	-305.0	-397.6	217.3
-607.6		-37.28			48	-103.1	-364.7	-440.3	225.4
-693.2		-36.73							
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
				Max	Cent	0.1	0.3	0.1	0.4
0.0		67.51			110	0.5	1.3	0.0	1.3
0.5		87.66			716	0.3	0.7	0.1	0.7
0.3		72.47			734	0.2	0.4	0.1	0.5
0.1		63.72			48	0.5	1.8	0.1	1.8
0.5		86.84		Min	Cent	-0.0	-0.1	-0.1	0.0
-0.1		-31.46			110	-0.6	-1.4	-0.0	-0.6
-1.4		-1.98			716	-0.2	-0.4	-0.1	-0.2
-0.4		-13.86			734	-0.1	-0.2	-0.1	-0.1
-0.2		-30.63			48	-0.4	-1.4	-0.1	-0.4
-1.4		-3.44							
				NODE	Vxx	Vyy			
				Max	Cent	0.3	8.6		
					110	0.4	22.1		
					716	0.4	5.5		
					734	0.3	5.5		
					48	0.3	22.1		
				Min	Cent	-0.6	-10.5		
					110	-0.7	-26.5		
					716	-0.7	-4.9		
					734	-0.5	-4.9		
					48	-0.5	-26.5		
Fmin		ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	



MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		-----						
		Q2a-1-2	Max	Cent				
60.5	83.45				62.0	179.3	13.6	180.9
				110	104.5	372.0	7.6	372.2
104.3	88.37			716	21.0	42.8	33.8	67.4
-3.6	53.92			734	35.1	46.9	30.7	72.2
9.7	50.43			48	129.1	381.0	7.2	381.2
128.9	88.36							
			Min	Cent	-37.6	-112.4	-235.9	163.8
-313.8	-40.50			110	-68.3	-211.3	-241.6	112.1
-391.7	-36.76			716	-84.5	-220.3	-214.4	72.5
-377.3	-36.21			734	-61.0	-214.9	-236.8	111.1
-386.9	-36.00			48	-60.9	-215.0	-263.6	136.6
-412.5	-36.85							
Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
-----		-----						
			Max	Cent	0.1	0.2	0.1	0.2
0.0	67.76			110	0.3	0.7	0.0	0.7
0.3	87.61			716	0.2	0.4	0.1	0.4
0.1	71.72			734	0.1	0.3	0.1	0.3
0.1	63.17			48	0.3	1.0	0.0	1.0
0.3	86.87							
			Min	Cent	-0.0	-0.1	-0.0	0.0
-0.1	-31.91			110	-0.3	-0.8	-0.0	-0.3
-0.8	-2.03			716	-0.1	-0.2	-0.0	-0.1
-0.2	-14.46			734	-0.1	-0.1	-0.0	-0.0
-0.1	-34.94			48	-0.2	-0.8	-0.0	-0.2
-0.8	-3.53							
				NODE	Vxx	Vyy		
-----		-----						
			Max	Cent	0.2	4.9		
				110	0.2	12.6		
				716	0.2	3.2		
				734	0.2	3.1		
				48	0.2	12.6		
			Min	Cent	-0.4	-6.1		
				110	-0.4	-15.3		
				716	-0.4	-2.8		
				734	-0.3	-2.8		
				48	-0.3	-15.3		
Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
-----		-----						

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLVx (RS)	Cent				
-26.8	-49.59			-3.0	6.1	-28.0	30.0
			110	4.2	9.9	-28.5	35.7
-21.7	-47.86		716	-2.5	2.2	-27.0	27.0
-27.2	-47.46		734	-1.9	2.5	-27.6	28.1
-27.4	-47.28		48	4.1	10.1	-29.1	36.4
-22.2	-47.94						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	0.0	0.0	0.0
0.0	77.51		110	-0.0	-0.0	-0.0	-0.0
-0.0	-8.35		716	0.0	0.0	-0.0	0.0
0.0	-77.52		734	-0.0	-0.0	0.0	-0.0
-0.0	8.02		48	0.0	0.0	-0.0	0.0
0.0	-83.94						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	-0.1		
			110	-0.0	-0.2		
			716	-0.0	0.0		
			734	-0.0	0.0		
			48	-0.0	-0.2		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVy (RS)	Cent	34.7	72.1	29.5	88.3
18.5	61.21		110	69.3	165.1	47.7	184.8
49.5	67.55		716	14.8	-17.8	25.9	29.1
-32.2	28.92		734	-0.8	-20.9	11.7	4.5
-26.3	24.64		48	54.9	162.0	33.0	171.3
45.5	74.16						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	0.0	0.0
-0.1	42.36		110	-0.2	-0.6	0.0	-0.2
-0.6	4.52		716	0.1	0.1	0.1	0.1
0.0	57.83		734	-0.1	-0.2	0.0	-0.1
-0.2	12.63		48	0.2	0.7	0.0	0.7
0.2	85.91						
			NODE	Vxx	Vyy		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

```

-----
                Cent      -0.1      -4.0
                110      -0.2      -10.8
                716      -0.2        2.8
                734      -0.0        2.8
                48       -0.0      -10.8
    
```

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-13.4	-49.59	SLDx (RS)	Cent	-1.5	3.0	-14.0	15.0
-10.8	-47.86		110	2.1	4.9	-14.2	17.8
-13.6	-47.46		716	-1.2	1.1	-13.5	13.5
-13.7	-47.28		734	-0.9	1.3	-13.8	14.0
-11.1	-47.94		48	2.1	5.1	-14.5	18.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	77.51	Cent	0.0	0.0	0.0	0.0
-0.0	-8.33	110	-0.0	-0.0	-0.0	-0.0
0.0	-77.51	716	0.0	0.0	-0.0	0.0
-0.0	8.02	734	-0.0	-0.0	0.0	-0.0
0.0	-83.94	48	0.0	0.0	-0.0	0.0

```

-----
                NODE      Vxx      Vyy
                Cent      -0.0      -0.0
                110      -0.0      -0.1
                716      -0.0        0.0
                734      -0.0        0.0
                48       -0.0      -0.1
    
```

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
9.2	61.21	SLDy (RS)	Cent	17.3	36.0	14.7	44.1
24.7	67.55		110	34.6	82.5	23.8	92.3
-16.1	28.92		716	7.4	-8.9	12.9	14.5
-13.1	24.66		734	-0.4	-10.5	5.8	2.3
22.7	74.16		48	27.4	80.9	16.5	85.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	42.34	Cent	-0.0	-0.0	0.0	0.0
-0.3	4.52	110	-0.1	-0.3	0.0	-0.1
0.0	57.84	716	0.0	0.1	0.0	0.1
-0.1	12.63	734	-0.0	-0.1	0.0	-0.0
0.1	85.91	48	0.1	0.3	0.0	0.3

NODE	Vxx	Vyy
Cent	-0.1	-2.0
110	-0.1	-5.4
716	-0.1	1.4
734	-0.0	1.4
48	-0.0	-5.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-11.2	43.34	SLVz (RS)	Cent	-1.2	-2.3	9.4	7.6
-12.2	41.51		110	-1.7	-4.0	9.3	6.5
-10.1	45.25		716	-0.9	-0.8	9.2	8.4
-10.3	45.02		734	-0.8	-0.8	9.5	8.7
-12.5	41.51		48	-1.7	-4.0	9.6	6.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-22.46	Cent	-0.0	-0.0	-0.0	-0.0
0.0	86.86	110	0.0	0.0	0.0	0.0
-0.0	-22.68	716	-0.0	-0.0	-0.0	-0.0
-0.0	-11.59	734	-0.0	-0.0	-0.0	-0.0
-0.0	3.50	48	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	0.1
110	0.0	0.1
716	0.0	-0.0
734	0.0	-0.0
48	0.0	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-206.6	-46.16	g1	Cent	31.0	51.1	-247.5	288.7
			110	49.4	109.3	-241.1	322.3

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-163.7	-48.54	716	14.4	-7.4	-244.0	247.8
-240.8	-43.73	734	12.6	-7.1	-253.8	256.7
-251.2	-43.89	48	47.6	109.5	-250.9	331.4
-174.2	-48.52					

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	86.45	Cent	0.0	0.0	0.0	0.0
-0.0	-85.56	110	-0.0	0.0	-0.0	0.0
0.0	78.04	716	0.0	0.0	0.0	0.0
0.0	77.47	734	0.0	0.0	0.0	0.0
0.0	-88.69	48	0.0	0.1	-0.0	0.1

NODE	Vxx	Vyy
Cent	-0.0	-0.3
110	-0.0	-0.6
716	-0.0	0.0
734	-0.0	0.0
48	-0.0	-0.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-110.2	-44.04	g2	Cent	10.2	2.4	-116.4	122.8
-91.8	-44.70		110	18.4	16.1	-109.0	126.2
-121.2	-42.69		716	10.9	-8.8	-121.9	123.4
-128.7	-43.46		734	2.1	-11.3	-123.9	119.5
-99.4	-45.52		48	9.5	13.6	-111.0	122.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-30.00	Cent	-0.0	-0.0	-0.0	0.0
0.0	-59.18	110	0.0	0.1	-0.0	0.1
-0.1	-30.67	716	-0.0	-0.1	-0.0	-0.0
-0.1	-31.09	734	-0.0	-0.1	-0.0	-0.0
-0.0	-16.88	48	0.0	-0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.1	0.3
110	0.1	0.6

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

716 0.1 0.1  
 734 0.1 0.1  
 48 0.1 0.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-15.6	-47.40	q3	Cent	0.4	3.3	-17.4	19.3
-15.0	-48.23		110	0.6	4.6	-17.5	20.2
-16.2	-46.74		716	-0.2	1.9	-17.0	17.9
-16.2	-46.56		734	0.1	2.0	-17.3	18.4
-15.0	-48.03		48	0.9	4.7	-17.7	20.6

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-82.97		Cent	0.0	0.0	-0.0	0.0
-0.0	-26.86		110	-0.0	-0.0	-0.0	-0.0
0.0	89.14		716	0.0	0.0	0.0	0.0
0.0	86.45		734	0.0	0.0	0.0	0.0
0.0	-82.40		48	0.0	0.0	-0.0	0.0

	NODE	Vxx	Vyy
	Cent	-0.0	-0.0
	110	-0.0	-0.1
	716	-0.0	0.0
	734	-0.0	0.0
	48	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
34.4	80.13	q5_pc	Cent	36.1	91.7	10.0	93.5
70.9	79.71		110	75.5	211.5	25.5	216.1
-33.1	21.30		716	3.8	-27.5	14.4	9.5
-29.2	-12.15		734	-3.3	-28.0	-5.6	-2.1
68.2	87.77		48	68.4	210.9	5.5	211.1

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	58.80		Cent	0.0	0.1	0.0	0.1
			110	-0.3	-0.8	0.0	-0.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.8	2.25		716	0.1	0.3	0.0	0.3
0.1	75.84		734	-0.0	-0.1	0.0	-0.0
-0.1	21.27		48	0.2	0.9	0.0	0.9
0.2	86.58						

NODE	Vxx	Vyy
Cent	-0.1	-5.3
110	-0.2	-13.4
716	-0.2	2.9
734	-0.0	2.9
48	-0.0	-13.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
28.4	77.03	q5_ps	Cent	30.9	76.1	11.0	78.6
59.0	77.90		110	64.4	175.8	25.0	181.2
-28.2	22.30		716	4.8	-22.6	13.6	10.4
-24.0	-8.05		734	-2.6	-23.6	-3.0	-2.2
56.3	85.92		48	56.9	174.8	8.4	175.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	58.41	Cent	0.0	0.1	0.0	0.1
-0.6	2.27	110	-0.2	-0.6	0.0	-0.2
0.1	75.84	716	0.1	0.2	0.0	0.2
-0.1	20.66	734	-0.0	-0.1	0.0	-0.0
0.2	86.57	48	0.2	0.7	0.0	0.7

NODE	Vxx	Vyy
Cent	-0.1	-4.4
110	-0.1	-11.2
716	-0.1	2.5
734	-0.0	2.5
48	-0.0	-11.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-134.2	-84.60	INVSLU Max	Cent	-126.2	767.2	-84.0	775.3
235.2	83.52		110	253.7	1668.2	173.7	1686.7
-327.2	-45.34		716	-187.3	139.7	-241.7	416.6

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-602.2	-48.10		734	-463.6	60.7	-303.1	344.6
			48	-1.4	1601.3	100.4	1607.0
-7.2	86.57	Min	Cent	-404.9	-59.1	-661.1	283.1
-915.3	-59.51		110	-274.5	-48.3	-438.3	211.1
-614.1	-56.32		716	-404.4	-434.8	-811.4	209.2
-1206.3	-56.53		734	-660.1	-509.8	-906.2	136.5
-1494.3	-61.22		48	-559.1	-142.6	-522.6	124.6
-913.4	-60.43						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
		Max	Cent	0.2	0.7	0.1	0.7
0.2	74.31		110	1.3	3.5	0.0	3.5
1.3	89.71		716	0.4	1.1	0.2	1.1
0.4	76.82		734	0.4	1.0	0.2	1.1
0.3	81.16		48	0.8	2.6	0.1	2.6
0.8	87.04	Min	Cent	0.0	0.0	-0.2	0.2
-0.2	-55.96		110	-0.6	-1.5	-0.1	-0.6
-1.5	-2.36		716	-0.4	-0.8	-0.2	-0.4
-0.9	-19.06		734	-0.1	0.0	-0.2	0.1
-0.2	-68.81		48	-0.9	-3.3	-0.1	-0.9
-3.3	-3.59						

	NODE	Vxx	Vyy
Max	Cent	0.9	21.7
	110	1.0	56.1
	716	1.0	6.5
	734	0.8	6.5
	48	0.8	56.1
Min	Cent	-0.6	-13.6
	110	-0.8	-33.7
	716	-0.8	-12.8
	734	-0.3	-12.8
	48	-0.3	-33.7

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
		INVSLV	Max	Cent	15.0	106.4	-219.6	308.3
-166.0	-48.70			110	83.2	264.6	-174.0	390.5
-27.2	-57.38			716	-7.7	-4.6	-240.3	293.5
-264.4	-46.55			734	-51.5	-9.7	-253.5	282.9
-300.2	-46.45							



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-84.4	-57.95		48	38.3	253.2	-198.1	391.7
		Min	Cent	-56.8	-42.8	-301.0	226.2
-348.0	-46.93		110	-58.9	-73.9	-292.2	203.2
-352.7	-44.20		716	-39.2	-42.0	-315.4	216.4
-338.3	-44.15		734	-56.2	-53.6	-321.4	206.9
-360.8	-45.66		48	-74.9	-79.3	-287.4	187.1
-358.5	-44.76						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
		Max	Cent	0.0	0.0	0.0	0.1
0.0	-51.30		110	0.3	0.9	0.0	0.9
0.3	-85.91		716	0.0	0.1	0.0	0.1
0.0	54.85		734	0.1	0.3	0.0	0.3
0.1	-77.36		48	0.2	0.5	0.0	0.5
0.1	87.08	Min	Cent	-0.0	0.0	-0.1	0.0
-0.0	85.70		110	-0.2	-0.4	-0.0	-0.2
-0.4	5.20		716	-0.1	-0.2	-0.1	-0.1
-0.2	-29.79		734	-0.0	-0.2	-0.1	-0.0
-0.2	12.37		48	-0.2	-0.8	-0.1	-0.2
-0.8	-4.70						

	NODE	Vxx	Vyy
Max	Cent	0.1	5.2
	110	0.2	14.0
	716	0.2	2.0
	734	0.0	2.0
	48	0.0	14.0
Min	Cent	-0.1	-2.8
	110	-0.1	-7.7
	716	-0.1	-3.6
	734	-0.0	-3.6
	48	-0.0	-7.7

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
	Fmin	ANGLE							
813	2	10	Q1-1-2	Max	Cent	2.0	226.9	147.0	299.5
	-70.6	63.71			114	21.7	530.4	199.7	599.4
	-47.3	70.93			724	1.8	35.8	106.9	127.0
	-89.5	49.52			743	2.3	21.4	98.7	111.0
	-87.3	47.76			744	9.0	519.5	193.3	584.4
	-56.0	71.43							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-459.6	-55.86	Min	Cent	-313.7	-142.3	-215.2	3.6
			114	-249.7	-171.3	-173.1	-33.1
-388.0	-51.38		724	-357.3	-287.6	-229.4	-90.4
-554.5	-49.32		743	-428.1	-298.3	-268.7	-86.8
-639.6	-51.79		744	-322.6	-184.0	-205.2	-36.7
-469.9	-54.33						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	68.51	Max	Cent	0.0	0.2	0.1	0.2
0.1	83.12		114	0.1	0.4	0.0	0.4
0.2	75.23		724	0.2	0.5	0.1	0.5
0.1	62.50		743	0.1	0.2	0.1	0.3
0.2	85.73		744	0.3	1.0	0.1	1.0
-0.0	-35.78	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.8	-1.16		114	-0.3	-0.8	-0.0	-0.3
-0.1	-19.22		724	-0.1	-0.1	-0.0	-0.0
-0.0	-38.20		743	-0.0	-0.0	-0.0	0.0
-0.4	-3.99		744	-0.1	-0.4	-0.0	-0.1

	NODE	Vxx	Vyy
Max	Cent	0.1	2.3
	114	0.1	5.9
	724	0.1	2.9
	743	0.0	2.9
	744	0.0	5.9
Min	Cent	-0.3	-6.1
	114	-0.4	-15.0
	724	-0.4	-1.3
	743	-0.2	-1.3
	744	-0.2	-15.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-44.4	63.86	Q2a-1-2	Max	Cent	1.5	146.0	93.5	191.9
-29.9	71.09			114	13.7	341.7	127.3	385.3
-57.8	49.13			724	1.3	21.1	68.3	80.2
-55.2	47.55			743	1.7	12.8	62.2	69.7
-36.1	71.73			744	4.4	335.7	122.8	376.2
-290.0	-54.81		Min	Cent	-192.4	-93.6	-138.5	4.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-240.5	-51.18	114	-151.6	-103.1	-110.5	-14.2
-363.8	-46.96	724	-226.5	-206.3	-147.1	-69.0
-417.7	-49.48	743	-268.7	-213.7	-174.4	-64.6
-292.3	-53.87	744	-195.4	-110.6	-132.7	-13.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----						
		Max	Cent	0.0	0.1	0.1
0.0	68.72		114	0.1	0.2	0.2
0.1	81.62		724	0.1	0.3	0.3
0.1	75.13		743	0.1	0.1	0.2
0.0	62.03		744	0.2	0.6	0.6
0.2	85.66	Min	Cent	-0.0	-0.0	0.0
-0.0	-37.77		114	-0.2	-0.5	-0.2
-0.5	-1.04		724	-0.0	-0.1	-0.0
-0.1	-20.67		743	-0.0	-0.0	0.0
-0.0	-37.33		744	-0.1	-0.2	-0.1
-0.2	-4.14					

	NODE	Vxx	Vyy
-----			
Max	Cent	0.0	1.2
	114	0.1	3.1
	724	0.1	1.8
	743	0.0	1.8
	744	0.0	3.1
Min	Cent	-0.2	-3.8
	114	-0.3	-9.4
	724	-0.3	-0.7
	743	-0.1	-0.7
	744	-0.1	-9.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVx (RS)	Cent	24.4	-0.7	-1.2	24.5
-0.7	-2.82		114	20.3	-2.9	-6.4	21.9
-4.5	-14.51		724	20.9	0.9	5.4	22.2
-0.5	14.20		743	28.6	1.6	5.5	29.7
0.5	11.03		744	28.0	-0.9	-6.3	29.3
-2.2	-11.84						
			NODE	Mxx	Myy	Mxy	Mmax
-----							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	24.60	Cent	-0.0	-0.0	0.0	-0.0
-0.0	1.65	114	-0.0	-0.0	0.0	-0.0
-0.0	79.12	724	-0.0	0.0	0.0	0.0
-0.0	8.22	743	-0.0	-0.0	0.0	-0.0
0.0	86.73	744	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.1
114	-0.0	-0.2
724	-0.0	0.1
743	-0.0	0.1
744	-0.0	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.3	-4.67	SLVy (RS)	Cent	47.4	-1.9	-4.1	47.7
-8.2	-7.47		114	44.4	-7.3	-6.9	45.3
3.2	-2.76		724	47.1	3.3	-2.1	47.2
4.2	-1.60		743	50.4	4.2	-1.3	50.4
-7.3	-6.38		744	47.7	-6.6	-6.2	48.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.1	11.02	Cent	-0.0	-0.1	0.0	-0.0
0.0	76.62	114	0.0	0.1	0.0	0.1
-0.1	12.17	724	-0.0	-0.1	0.0	-0.0
-0.1	3.62	743	-0.0	-0.1	0.0	-0.0
-0.1	-1.17	744	-0.0	-0.1	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.6
114	-0.0	0.9
724	-0.0	0.3
743	0.0	0.3
744	0.0	0.9

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.4	-2.82	SLDx (RS)	Cent	12.2	-0.3	-0.6	12.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-2.3	-14.51	114	10.1	-1.4	-3.2	11.0
-0.2	14.20	724	10.4	0.4	2.7	11.1
0.3	11.03	743	14.3	0.8	2.7	14.8
-1.1	-11.84	744	14.0	-0.4	-3.2	14.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

-0.0	24.60	Cent	-0.0	-0.0	0.0	-0.0
-0.0	1.65	114	-0.0	-0.0	0.0	-0.0
-0.0	79.11	724	-0.0	0.0	0.0	0.0
-0.0	8.22	743	-0.0	-0.0	0.0	-0.0
0.0	86.73	744	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
114	-0.0	-0.1
724	-0.0	0.0
743	-0.0	0.0
744	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

-1.1	-4.67	SLDy (RS)	Cent	23.7	-1.0	-2.0	23.8
-4.1	-7.47		114	22.2	-3.7	-3.4	22.6
1.6	-2.76		724	23.5	1.7	-1.1	23.6
2.1	-1.60		743	25.2	2.1	-0.6	25.2
-3.7	-6.38		744	23.8	-3.3	-3.1	24.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

-0.0	11.03	Cent	-0.0	-0.0	0.0	-0.0
0.0	76.62	114	0.0	0.0	0.0	0.0
-0.0	12.17	724	-0.0	-0.0	0.0	-0.0
-0.1	3.62	743	-0.0	-0.1	0.0	-0.0
-0.0	-1.17	744	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

114	-0.0	0.5
724	-0.0	0.1
743	0.0	0.1
744	0.0	0.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.4	-1.97	SLVz (RS)	Cent	11.2	-0.4	-0.4	11.2
-2.2	-14.08		114	9.3	-1.5	-2.9	10.0
-1.0	12.93		724	9.5	-0.4	2.4	10.1
0.2	10.83		743	13.0	0.7	2.4	13.5
0.1	-12.63		744	12.8	0.8	-2.8	13.4

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	23.00		Cent	-0.0	-0.0	0.0	-0.0
-0.0	2.14		114	-0.0	-0.0	0.0	-0.0
0.0	61.84		724	0.0	0.0	0.0	0.0
-0.0	7.60		743	-0.0	-0.0	0.0	-0.0
0.0	86.69		744	0.0	0.0	0.0	0.0

	NODE	Vxx	Vyy
	Cent	-0.0	-0.0
	114	-0.0	-0.1
	724	-0.0	0.0
	743	-0.0	0.0
	744	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-222.2	-89.65	g1	Cent	-222.2	-10.4	-1.3	-10.3
-198.2	76.48		114	-186.3	6.9	49.3	18.8
-204.1	-75.35		724	-190.7	-7.5	-51.4	6.0
-269.3	-77.88		743	-258.1	-27.6	-51.9	-16.5
-263.3	78.95		744	-253.8	-13.2	48.8	-3.7

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-59.50		Cent	0.0	0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.1	-88.75	114	0.1	0.2	-0.0	0.2
-0.0	-20.71	724	-0.0	-0.0	-0.0	-0.0
0.0	-80.97	743	0.0	0.0	-0.0	0.0
-0.1	-3.24	744	-0.0	-0.1	-0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	1.0
114	0.0	2.6
724	0.0	-0.6
743	0.0	-0.6
744	0.0	2.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-117.9	85.40	g2	Cent	-117.5	-49.5	5.5	-49.1
-130.9	56.97		114	-112.1	-86.5	28.8	-67.8
-93.3	-74.74		724	-86.5	-1.0	-25.2	5.9
-125.6	-81.06		743	-122.8	-12.4	-17.8	-9.7
-167.4	62.44		744	-148.5	-98.0	36.2	-79.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-28.43	Cent	-0.0	-0.0	-0.0	0.0
0.1	-87.80	114	0.1	0.2	-0.0	0.2
-0.1	-14.74	724	-0.0	-0.1	-0.0	-0.0
-0.0	-57.23	743	-0.0	0.0	-0.0	0.0
-0.2	-3.78	744	-0.1	-0.2	-0.0	-0.1

NODE	Vxx	Vyy
Cent	0.1	1.6
114	0.1	4.0
724	0.1	-0.8
743	0.0	-0.8
744	0.0	4.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-5.1	41.53	q3	Cent	1.9	0.4	6.2	7.3
-5.7	41.33		114	2.9	1.0	7.6	9.6
			724	2.7	0.4	4.8	6.5

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-3.4	38.05		743	0.9	-0.2	4.7	5.1
-4.4	41.84		744	1.0	0.4	7.5	8.3
-6.8	43.79						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	78.11		Cent	0.0	0.0	0.0	0.0
			114	0.0	-0.0	0.0	0.0
-0.0	20.58		724	0.0	0.0	-0.0	0.0
0.0	-87.55		743	0.0	0.0	-0.0	0.0
0.0	-88.97		744	0.0	0.0	0.0	0.0
0.0	73.62						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.0		
			114	0.0	-0.0		
			724	0.0	0.0		
			743	-0.0	0.0		
			744	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
4.9	-3.40	q5_pc	Cent	30.2	5.0	-1.5	30.3
			114	31.4	10.5	-1.7	31.5
10.3	-4.65		724	28.0	-0.8	-0.4	28.0
-0.8	-0.70		743	28.9	-0.5	-1.3	29.0
-0.5	-2.50		744	32.3	10.8	-2.7	32.7
10.5	-6.93						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	62.62		Cent	0.0	0.0	0.0	0.0
			114	-0.0	-0.0	0.0	-0.0
-0.0	2.45		724	0.0	0.0	0.0	0.0
0.0	74.96		743	0.0	0.0	0.0	0.0
-0.0	38.51		744	0.0	0.0	0.0	0.0
0.0	85.88						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	-0.2		
			114	-0.0	-0.4		
			724	-0.0	0.1		
			743	-0.0	0.1		



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE						
2.1	-1.99	q5_ps	Cent	26.7	2.1	-0.9	26.7
4.2	-2.94		114	27.0	4.3	-1.2	27.0
-0.2	-0.35		724	25.6	-0.2	-0.2	25.6
0.0	-1.16		743	26.3	0.0	-0.5	26.3
4.4	-3.80		744	27.7	4.5	-1.5	27.8
			NODE	Mxx	Myy	Mxy	Mmax
Mmin	ANGLE						
0.0	58.60		Cent	0.0	0.0	0.0	0.0
-0.0	3.01		114	-0.0	-0.0	0.0	-0.0
0.0	72.02		724	0.0	0.0	0.0	0.0
0.0	41.85		743	0.0	0.0	0.0	0.0
0.0	84.64		744	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			114	-0.0	-0.1		
			724	-0.0	0.0		
			743	-0.0	0.0		
			744	-0.0	-0.1		
		LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE						
-2623.9	86.38	INVSLU Max	Cent	-2621.1	273.1	187.3	284.8
-2515.7	81.73		114	-2470.7	681.2	471.6	749.3
-2468.8	-87.99		724	-2460.0	106.5	-92.3	109.7
-2759.9	-88.15		743	-2753.8	-1.9	-91.2	1.0
-2817.9	82.18		744	-2775.8	578.1	475.3	642.6
-3146.3	-84.09	Min	Cent	-3115.1	-234.4	-304.3	-203.2
-2898.9	-89.31		114	-2898.5	-285.1	-34.7	-284.7
-3117.3	-78.91		724	-3010.2	-331.5	-547.0	-223.0
-3511.8	-79.20		743	-3399.8	-434.3	-589.4	-321.5
-3292.4	-88.76		744	-3291.0	-391.2	-67.5	-389.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	86.67	Max	Cent	0.1	0.4	0.0	0.4
0.8	89.80		114	0.8	2.2	0.0	2.2
0.1	82.45		724	0.1	0.3	0.0	0.3
0.2	84.89		743	0.2	0.7	0.0	0.7
-0.1	13.03		744	-0.1	-0.1	0.0	-0.1
-0.1	-51.92	Min	Cent	0.0	0.1	-0.1	0.2
0.1	-84.70		114	0.1	0.6	-0.0	0.6
-0.5	-20.43		724	-0.2	-0.5	-0.1	-0.2
0.1	-73.18		743	0.1	0.4	-0.1	0.4
-2.0	-3.68		744	-0.6	-2.0	-0.1	-0.6

	NODE	Vxx	Vyy
Max	Cent	0.3	13.5
	114	0.5	34.9
	724	0.5	-2.2
	743	0.1	-2.2
	744	0.1	34.9
Min	Cent	-0.2	1.9
	114	-0.2	6.0
	724	-0.2	-8.0
	743	-0.2	-8.0
	744	-0.2	6.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-1436.7	89.14	INVSLV	Max	Cent	-1436.6	-76.1	22.1	-75.8
-1382.3	83.18			114	-1365.3	-110.3	165.2	-90.5
-1333.5	-84.34			724	-1320.3	25.0	-127.2	38.4
-1517.4	-85.40			743	-1507.9	-32.9	-113.8	-23.3
-1571.4	83.36			744	-1552.9	-170.9	178.1	-150.4
-1553.1	89.45		Min	Cent	-1552.8	-80.6	13.0	-80.5
-1491.6	83.37			114	-1471.9	-127.5	145.8	-110.5
-1445.1	-84.79			724	-1432.7	17.6	-140.7	29.7
-1642.9	-85.66			743	-1633.7	-42.7	-127.0	-33.5
-1693.6	83.38			744	-1672.8	-185.1	160.0	-166.4

NODE	Mxx	Myy	Mxy	Mmax
------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE						
		Max	Cent	0.0	0.1	0.0	0.1
0.0	-79.45		114	0.0	0.1	0.0	0.1
0.0	85.47		724	0.0	0.1	0.0	0.1
0.0	-78.09		743	0.1	0.2	0.0	0.2
0.1	-85.81		744	0.0	0.0	-0.0	0.0
0.0	-86.27	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	13.58		114	0.0	0.0	-0.0	0.0
0.0	-56.84		724	-0.0	-0.1	-0.0	-0.0
-0.1	12.27		743	-0.0	-0.1	-0.0	-0.0
-0.1	2.78		744	-0.0	-0.1	-0.0	-0.0
-0.1	-4.26						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.9
	114	0.0	1.8
	724	0.0	0.1
	743	0.0	0.1
	744	0.0	1.8
Min	Cent	-0.0	-0.3
	114	-0.0	-0.2
	724	-0.0	-0.5
	743	-0.0	-0.5
	744	-0.0	-0.2

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
817	2	4	Q1-1-2	Max	Cent	3.5	42.4	336.8	360.3
-314.3		46.65			730	2.7	16.0	405.2	414.6
-395.9		45.47			729	2.9	108.1	265.4	326.1
-215.1		50.61			750	4.3	89.0	275.9	325.8
-232.5		49.36			55	4.2	7.1	425.4	431.1
-419.7		45.10		Min	Cent	-272.2	-266.3	-60.0	-209.2
-329.4		-46.40			730	-259.9	-343.3	-28.3	-251.2
-352.1		-17.09			729	-223.7	-277.8	-103.1	-144.1
-357.3		-37.65			750	-306.3	-294.0	-113.6	-186.4
-414.0		-46.55			55	-348.0	-369.0	-30.0	-326.7
-390.3		-35.38							

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		Max	Cent	0.1	0.3	0.0	0.3
0.1	84.53		730	0.1	0.3	0.0	0.3
0.1	83.64		729	0.1	0.3	0.0	0.3
0.1	85.07		750	0.1	0.4	0.0	0.4
0.1	85.24		55	0.1	0.4	0.0	0.4
0.1	83.70	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-32.84		730	-0.0	-0.0	-0.0	0.0
-0.0	-32.40		729	-0.0	-0.0	-0.0	0.0
-0.0	-35.68		750	-0.0	-0.0	-0.0	0.0
-0.0	-35.19		55	-0.0	-0.0	-0.0	0.0
-0.0	-31.87						

-----		NODE	Vxx	Vyy
Max	Cent		0.0	0.0
	730		0.0	0.1
	729		0.0	0.1
	750		0.0	0.1
	55		0.0	0.1
Min	Cent		-0.0	-0.3
	730		-0.0	-0.4
	729		-0.0	-0.3
	750		-0.0	-0.3
	55		-0.0	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-190.0	46.63	Q2a-1-2	Max	Cent	2.6	25.9	203.9	218.5
				730	2.0	10.6	245.9	252.2
-239.6	45.50			729	2.1	65.9	160.7	197.9
-129.9	50.61			750	3.2	54.2	167.2	197.8
-140.5	49.33			55	3.1	4.6	259.7	263.5
-255.9	45.08		Min	Cent	-174.7	-190.8	-41.0	-140.9
-224.5	-39.44			730	-168.5	-246.2	-19.4	-163.9
-250.8	-13.27			729	-146.5	-200.4	-71.1	-97.4
-249.4	-34.61			750	-197.2	-211.7	-78.6	-125.5
-283.4	-42.35			55	-223.3	-262.6	-20.5	-214.6
-271.3	-23.09							

Mmin	ANGLE	-----		NODE	Mxx	Myy	Mxy	Mmax
		Max	Cent		0.1	0.2	0.0	0.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.1	84.84		730	0.1	0.2	0.0	0.2
0.1	83.90		729	0.1	0.2	0.0	0.2
0.1	85.44		750	0.1	0.2	0.0	0.2
0.1	85.58		55	0.1	0.2	0.0	0.2
0.1	83.96						
-0.0	-37.02	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-36.85		730	-0.0	-0.0	-0.0	0.0
-0.0	-39.05		729	-0.0	-0.0	-0.0	0.0
-0.0	-38.70		750	-0.0	-0.0	-0.0	0.0
-0.0	-36.22		55	-0.0	-0.0	-0.0	0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	730	0.0	0.1
	729	0.0	0.1
	750	0.0	0.1
	55	0.0	0.1
Min	Cent	-0.0	-0.2
	730	-0.0	-0.2
	729	-0.0	-0.2
	750	-0.0	-0.2
	55	-0.0	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-18.5	-35.54	SLVx (RS)	Cent	13.1	-2.4	-22.6	29.3
-22.4	-39.51		730	11.7	0.8	-28.1	34.9
-17.4	-31.79		729	9.4	-7.1	-16.6	19.7
-15.3	-29.79		750	14.6	-5.5	-17.1	24.4
-19.8	-37.88		55	17.0	2.5	-28.6	39.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-1.36	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-2.36	730	-0.0	-0.0	-0.0	-0.0
-0.0	-0.91	729	-0.0	-0.0	-0.0	-0.0
-0.0	-0.38	750	-0.0	-0.0	-0.0	-0.0
-0.0	-1.47	55	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
------	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Cent	-0.0	0.0
730	0.0	0.0
729	0.0	0.0
750	-0.0	0.0
55	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-9.9	-24.25	SLVy (RS)	Cent	29.3	-2.0	-17.6	37.2
-7.8	-22.74		730	30.3	-1.1	-16.0	37.0
-11.6	-24.92		729	29.9	-2.6	-19.3	38.9
-12.3	-25.54		750	28.2	-3.0	-19.4	37.5
-8.5	-23.35		55	28.6	-1.6	-16.0	35.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.3	-1.02	Cent	-0.1	-0.3	-0.0	-0.1
-0.2	-2.20	730	-0.1	-0.2	-0.0	-0.1
-0.2	-0.96	729	-0.1	-0.2	-0.0	-0.1
-0.3	-0.36	750	-0.1	-0.3	-0.0	-0.1
-0.3	-1.30	55	-0.1	-0.3	-0.0	-0.1

NODE	Vxx	Vyy
Cent	-0.0	0.9
730	-0.0	0.9
729	-0.0	0.9
750	0.0	0.9
55	0.0	0.9

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-9.2	-35.53	SLDx (RS)	Cent	6.6	-1.2	-11.3	14.6
-11.2	-39.51		730	5.9	0.4	-14.0	17.4
-8.7	-31.78		729	4.7	-3.6	-8.3	9.8
-7.6	-29.79		750	7.3	-2.8	-8.6	12.2
-9.9	-37.88		55	8.5	1.2	-14.3	19.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-0.0	Cent	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-1.36		730	-0.0	-0.0	-0.0	-0.0
-0.0	-2.36		729	-0.0	-0.0	-0.0	-0.0
-0.0	-0.91		750	-0.0	-0.0	-0.0	-0.0
-0.0	-0.38		55	-0.0	-0.0	-0.0	-0.0
-0.0	-1.47						

NODE	Vxx	Vyy
Cent	-0.0	0.0
730	0.0	0.0
729	0.0	0.0
750	-0.0	0.0
55	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDy (RS)	Cent	14.6	-1.0	-8.8	18.6
-4.9	-24.26		730	15.1	-0.6	-8.0	18.5
-3.9	-22.74		729	14.9	-1.3	-9.6	19.4
-5.8	-24.92		750	14.1	-1.5	-9.7	18.7
-6.1	-25.54		55	14.3	-0.8	-8.0	17.7
-4.3	-23.36						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-1.02	730	-0.0	-0.1	-0.0	-0.0
-0.1	-2.20	729	-0.0	-0.1	-0.0	-0.0
-0.1	-0.96	750	-0.0	-0.2	-0.0	-0.0
-0.2	-0.36	55	-0.1	-0.2	-0.0	-0.1
-0.2	-1.30					

NODE	Vxx	Vyy
Cent	-0.0	0.4
730	-0.0	0.5
729	-0.0	0.4
750	0.0	0.4
55	0.0	0.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVz (RS)	Cent	6.0	-1.1	-10.2	13.2
-8.3	-35.35		730	5.4	0.3	-12.6	15.7
-9.9	-39.31						

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-7.9	-31.67		729	4.3	-3.2	-7.5	9.0
-6.9	-29.71		750	6.7	-2.5	-7.8	11.1
-8.8	-37.69		55	7.7	1.1	-12.8	17.6
-----							
-0.0	-1.22		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-2.31		730	-0.0	-0.0	-0.0	-0.0
-0.0	-1.15		729	-0.0	-0.0	-0.0	-0.0
-0.0	0.38		750	-0.0	-0.0	0.0	-0.0
-0.0	-1.37		55	-0.0	-0.0	-0.0	-0.0
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			730	0.0	-0.0		
			729	0.0	0.0		
			750	-0.0	0.0		
			55	-0.0	-0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-272.6	54.74	g1	Cent	-135.7	1.3	193.7	138.2
-326.2	50.31		730	-119.5	-26.1	249.0	180.6
-178.1	59.09		729	-98.1	45.1	133.7	125.1
-226.8	61.57		750	-151.9	28.7	138.3	103.5
-369.9	52.23		55	-173.3	-42.5	253.7	154.0
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	87.99		Cent	0.0	0.0	0.0	0.0
0.0	87.51		730	0.0	0.0	0.0	0.0
0.0	89.94		729	0.0	0.0	0.0	0.0
0.0	-89.65		750	0.0	0.0	-0.0	0.0
0.0	88.07		55	0.0	0.0	0.0	0.0
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			730	-0.0	-0.0		
			729	-0.0	-0.0		



MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

750 0.0 -0.0  
55 0.0 -0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-133.4	54.50	g2	Cent	-67.2	-3.3	92.8	62.9
-159.6	50.05		730	-59.3	-16.7	119.7	83.6
-87.3	58.87		729	-48.9	18.1	63.7	56.6
-110.9	61.42		750	-75.0	10.1	65.9	46.0
-180.7	52.00		55	-85.5	-24.7	122.0	70.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	0.34	Cent	-0.0	-0.0	0.0	-0.0
-0.0	-0.93	730	-0.0	-0.0	-0.0	-0.0
-0.0	2.43	729	-0.0	-0.0	0.0	-0.0
-0.0	1.98	750	-0.0	-0.0	0.0	-0.0
-0.0	-0.98	55	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
730	0.0	0.0
729	0.0	0.0
750	0.0	0.0
55	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-5.1	43.30	q3	Cent	1.4	0.7	6.2	7.2
-6.8	40.90		730	1.6	-0.5	7.3	7.9
-2.5	44.58		729	2.4	2.3	4.9	7.2
-3.5	46.79		750	1.3	1.9	5.0	6.6
-7.7	42.46		55	0.4	-0.9	7.4	7.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	84.62	Cent	0.0	0.0	0.0	0.0
0.0	82.86	730	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	85.35	729	0.0	0.0	0.0	0.0
0.0	86.72	750	0.0	0.0	0.0	0.0
0.0	84.50	55	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
730	-0.0	-0.0
729	-0.0	-0.0
750	0.0	-0.0
55	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.7	1.07	q5_pc	Cent	18.3	-0.7	0.4	18.3
-2.5	6.21		730	18.7	-2.3	2.3	18.9
1.3	-5.68		729	19.8	1.5	-1.8	20.0
0.8	-5.35		750	17.9	0.9	-1.6	18.0
-3.2	7.28		55	16.7	-2.9	2.5	17.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-87.79	Cent	0.0	0.0	-0.0	0.0
0.0	-88.83	730	0.0	0.0	-0.0	0.0
0.0	-84.79	729	0.0	0.0	-0.0	0.0
0.0	-86.34	750	0.0	0.0	-0.0	0.0
0.0	-89.45	55	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
730	-0.0	-0.0
729	-0.0	-0.0
750	0.0	-0.0
55	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.5	-3.68	q5_ps	Cent	16.7	-0.5	-1.1	16.7
-1.6	1.61		730	17.1	-1.6	0.5	17.1
0.7	-9.61		729	17.9	1.2	-2.9	18.4
			750	16.3	0.7	-2.7	16.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.2	-9.67		55	15.4	-2.1	0.7	15.5
-2.1	2.29						
-----							
0.0	-83.17		Cent	0.0	0.0	-0.0	0.0
0.0	-83.43		730	0.0	0.0	-0.0	0.0
0.0	-79.54		729	0.0	0.0	-0.0	0.0
0.0	-82.80		750	0.0	0.0	-0.0	0.0
0.0	-84.75		55	0.0	0.0	-0.0	0.0
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	-0.0		
			730	-0.0	-0.0		
			729	-0.0	-0.0		
			750	0.0	-0.0		
			55	0.0	-0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-2297.7	70.78	INVSLU Max	Cent	-2127.5	68.8	874.1	372.3
-2351.1	66.57		730	-2060.9	37.3	1121.7	519.2
-2127.6	75.63		729	-2047.2	199.1	622.1	357.7
-2275.4	75.67		750	-2194.2	129.2	639.7	291.9
-2499.0	66.77		55	-2207.2	-17.7	1152.9	471.9
-2591.4	81.29	Min	Cent	-2540.6	-349.3	337.8	-297.4
-2590.0	76.05		730	-2457.7	-452.0	532.3	-315.6
-2405.9	86.57		729	-2398.4	-324.6	121.3	-317.2
-2658.5	87.13		750	-2652.8	-389.5	111.0	-383.8
-2842.4	76.75		55	-2719.6	-530.7	533.4	-404.1
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.2	85.35	Max	Cent	0.2	0.6	0.0	0.6
0.2	84.67		730	0.2	0.5	0.0	0.5
0.2	85.92		729	0.2	0.5	0.0	0.5
0.2	85.97		750	0.2	0.6	0.0	0.6
			55	0.2	0.6	0.0	0.6

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.2	84.62	Min	Cent	0.0	0.0	-0.0	0.1
-0.0	-61.16		730	0.0	0.1	-0.0	0.1
0.0	-65.58		729	0.0	0.0	-0.0	0.1
-0.0	-59.03		750	0.0	0.0	-0.0	0.1
-0.0	-55.02		55	0.0	0.0	-0.0	0.1
-0.0	-60.10						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.1
	730	0.0	0.2
	729	0.0	0.2
	750	0.0	0.2
	55	0.0	0.2
Min	Cent	-0.0	-0.4
	730	-0.1	-0.4
	729	-0.1	-0.4
	750	-0.0	-0.4
	55	-0.0	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1127.2	75.16	INVSLV	Max Cent	-1066.6	-8.3	318.2	76.0
-1141.1	70.87		730	-1028.9	-22.4	418.8	120.8
-1039.4	79.45		729	-1014.7	37.0	215.0	76.7
-1128.7	79.81		750	-1104.3	8.0	219.2	47.1
-1227.2	71.57		55	-1118.4	-47.9	423.3	87.6
-1218.5	77.13		Min Cent	-1136.6	-14.8	256.3	43.8
-1238.2	72.93		730	-1099.7	-25.3	345.4	82.8
-1122.7	81.32		729	-1082.7	19.2	162.0	44.2
-1212.9	81.60		750	-1173.5	-6.4	165.6	18.3
-1325.2	73.55		55	-1190.5	-54.4	348.7	54.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.1	88.83	Max Cent	0.1	0.3	0.0	0.3
0.1	87.71	730	0.1	0.2	0.0	0.2
0.1	88.76	729	0.1	0.2	0.0	0.2
0.1	89.50	750	0.1	0.3	0.0	0.3
0.1	88.66	55	0.1	0.4	0.0	0.4
		Min Cent	-0.1	-0.3	-0.0	-0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.3	-0.86	730	-0.1	-0.2	-0.0	-0.1
-0.2	-2.10	729	-0.1	-0.2	-0.0	-0.1
-0.2	-0.64	750	-0.1	-0.3	-0.0	-0.1
-0.3	-0.20	55	-0.1	-0.3	-0.0	-0.1
-0.3	-1.27					

		NODE	Vxx	Vyy
Max	Cent		0.0	0.9
	730		0.0	0.9
	729		0.0	0.9
	750		0.0	0.9
	55		0.0	0.9
Min	Cent		-0.0	-0.9
	730		-0.0	-1.0
	729		-0.0	-0.9
	750		0.0	-0.9
	55		0.0	-1.0

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
819	2	8	Q1-1-2	Max	Cent	124.1	411.5	148.7	474.6
	61.0	67.01			732	97.8	294.3	116.7	348.6
	43.5	65.05			110	216.8	630.1	79.6	644.9
	202.0	79.47			48	190.0	618.4	181.7	685.1
	123.3	69.85			753	76.8	287.4	220.2	426.2
	-62.0	57.78		Min	Cent	-161.5	-570.1	-145.9	-114.7
	-616.8	-17.76			732	-288.5	-1047.5	-140.9	-263.2
	-1072.9	-10.19			110	-107.8	-371.3	-178.3	-17.9
	-461.2	-26.77			48	-112.1	-371.3	-153.3	-41.0
	-442.4	-24.89			753	-320.7	-1065.8	-123.2	-300.9
	-1085.6	-9.15							

Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
				Max	Cent	0.1	0.3	0.1	0.4
	0.0	71.47			732	0.2	1.0	0.1	1.0
	0.2	81.81			110	0.5	1.3	0.0	1.3
	0.5	86.67			48	0.5	1.8	0.0	1.8
	0.5	88.55			753	0.1	0.5	0.1	0.5
	0.1	70.36		Min	Cent	-0.0	-0.1	-0.1	0.1
	-0.2	-30.15			732	-0.2	-0.7	-0.1	-0.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.7	-12.68		110	-0.5	-1.4	-0.0	-0.5
-1.4	-2.83		48	-0.4	-1.4	-0.0	-0.4
-1.4	-1.57		753	-0.2	-0.4	-0.2	-0.1
-0.5	-26.00						

	NODE	Vxx	Vyy
Max	Cent	0.1	6.2
	732	0.0	11.2
	110	0.0	22.1
	48	0.2	22.1
	753	0.2	11.2
Min	Cent	-0.3	-7.6
	732	-0.3	-9.8
	110	-0.3	-26.5
	48	-0.3	-26.5
	753	-0.3	-9.8

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
21.7	64.63	Q2a-1-2	Max Cent	73.9	253.8	110.1	306.0
22.8	64.68		732	63.5	204.8	86.1	245.6
114.2	77.32		110	127.2	371.7	57.9	384.7
54.5	66.61		48	112.6	365.3	134.4	423.4
-51.9	57.22		753	53.3	201.5	163.2	306.7
-438.9	-15.33		Min Cent	-117.2	-414.7	-88.2	-93.1
-788.3	-8.38		732	-213.6	-775.8	-84.7	-201.1
-270.3	-26.61		110	-60.6	-217.7	-105.1	-7.9
-262.7	-25.30		48	-65.5	-218.6	-93.2	-21.4
-799.9	-7.87		753	-237.5	-789.2	-77.7	-226.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	71.48	Max Cent	0.0	0.2	0.1	0.2
0.1	81.48	732	0.1	0.6	0.1	0.6
0.3	86.53	110	0.3	0.7	0.0	0.7
0.3	88.21	48	0.3	1.0	0.0	1.0
0.0	69.25	753	0.1	0.3	0.1	0.3
-0.1	-30.04	Min Cent	-0.0	-0.1	-0.1	0.0
-0.4	-13.13	732	-0.1	-0.4	-0.1	-0.1
		110	-0.3	-0.8	-0.0	-0.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.8	-2.78		48	-0.2	-0.8	-0.0	-0.2
-0.8	-1.61		753	-0.1	-0.2	-0.1	-0.1
-0.3	-26.96						

	NODE	Vxx	Vyy
Max	Cent	0.0	3.5
	732	0.0	6.5
	110	0.0	12.6
	48	0.1	12.6
	753	0.1	6.5
Min	Cent	-0.2	-4.4
	732	-0.2	-5.6
	110	-0.2	-15.3
	48	-0.2	-15.3
	753	-0.2	-5.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-6.1	-49.26	SLVx (RS)	Cent	3.0	6.2	-10.6	15.3
-10.3	-31.89		732	3.7	-4.9	-8.7	9.1
-6.0	-48.74		110	5.7	9.2	-13.3	20.9
-7.5	-51.49		48	2.6	8.4	-12.6	18.4
-11.6	-39.27		753	-1.8	-5.1	-8.1	4.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-80.31	Cent	-0.0	0.0	-0.0	0.0
-0.0	-7.41	732	0.0	-0.0	-0.0	0.0
-0.0	-12.48	110	-0.0	-0.0	-0.0	-0.0
0.0	-81.95	48	0.0	0.0	-0.0	0.0
-0.0	7.28	753	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
732	0.0	0.1
110	0.0	-0.2
48	-0.0	-0.2
753	-0.0	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
22.2	-87.65	SLVy (RS)	Cent	22.3	78.9	-2.3	79.0
			732	-5.3	-4.3	-12.5	7.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-17.2	-46.17		110	44.9	161.8	-6.6	162.2
44.5	-86.80		48	49.5	162.1	10.1	163.0
48.6	84.91		753	-0.3	-4.1	3.1	1.4
-5.8	29.15						
-----							
			Cent	-0.0	0.0	-0.0	0.1
-0.0	-60.76		732	0.1	0.3	-0.0	0.3
0.1	-79.97		110	-0.2	-0.6	-0.0	-0.2
-0.6	-2.40		48	0.2	0.7	-0.0	0.7
0.2	-89.49		753	-0.1	-0.2	-0.1	-0.1
-0.3	-16.02						
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	-2.9		
			732	0.1	4.9		
			110	0.1	-10.8		
			48	0.0	-10.8		
			753	0.0	4.9		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDx (RS)	Cent	1.5	3.1	-5.3	7.6
-3.1	-49.27		732	1.8	-2.4	-4.3	4.5
-5.1	-31.89		110	2.8	4.6	-6.6	10.4
-3.0	-48.74		48	1.3	4.2	-6.3	9.2
-3.7	-51.49		753	-0.9	-2.5	-4.0	2.4
-5.8	-39.26						
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	0.0	-0.0	0.0
-0.0	-80.30		732	0.0	-0.0	-0.0	0.0
-0.0	-7.41		110	-0.0	-0.0	-0.0	-0.0
-0.0	-12.47		48	0.0	0.0	-0.0	0.0
0.0	-81.96		753	-0.0	-0.0	0.0	-0.0
-0.0	7.27						
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			732	0.0	0.0		



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

110 0.0 -0.1  
 48 -0.0 -0.1  
 753 -0.0 0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
11.1	-87.64	SLDy (RS)	Cent	11.1	39.4	-1.2	39.5
-8.6	-46.16		732	-2.6	-2.1	-6.2	3.8
22.2	-86.79		110	22.4	80.8	-3.3	81.0
24.3	84.91		48	24.7	80.9	5.0	81.4
-2.9	29.14		753	-0.2	-2.1	1.5	0.7
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-60.76		Cent	-0.0	0.0	-0.0	0.0
0.0	-79.97		732	0.0	0.2	-0.0	0.2
-0.3	-2.40		110	-0.1	-0.3	-0.0	-0.1
0.1	-89.49		48	0.1	0.3	-0.0	0.3
-0.1	-16.02		753	-0.0	-0.1	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-1.5		
			732	0.0	2.4		
			110	0.0	-5.4		
			48	0.0	-5.4		
			753	0.0	2.4		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-4.9	37.89	SLVz (RS)	Cent	-1.0	-2.6	3.0	1.3
-4.4	39.03		732	-1.1	-2.2	2.7	1.1
-6.3	37.47		110	-1.7	-3.6	3.5	1.0
-5.8	35.21		48	-1.1	-3.4	3.3	1.3
-4.1	37.01		753	-0.8	-2.2	2.5	1.2
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	19.12		Cent	-0.0	-0.0	0.0	-0.0
			732	-0.0	-0.0	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	11.94		110	-0.0	0.0	0.0	0.0
-0.0	87.51		48	-0.0	-0.0	0.0	-0.0
-0.0	2.76		753	-0.0	-0.0	0.0	-0.0
-0.0	8.22						

NODE	Vxx	Vyy
Cent	0.0	0.0
732	0.0	-0.1
110	0.0	0.1
48	0.0	0.1
753	0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g1	Cent	25.4	58.8	-72.4	116.4
-32.2	-51.50		732	21.0	26.8	-68.1	92.1
-44.3	-46.23		110	41.4	94.7	-83.1	155.3
-19.2	-53.90		48	29.8	90.8	-76.6	142.7
-22.2	-55.84		753	9.4	22.9	-61.7	78.2
-45.9	-48.11						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	0.1	-0.0	0.1
0.0	-84.60	732	0.0	0.1	-0.0	0.1
0.0	-85.87	110	0.0	0.0	-0.0	0.0
0.0	-11.53	48	0.0	0.1	-0.0	0.1
0.0	-84.78	753	0.0	0.1	-0.0	0.1
0.0	-81.69					

NODE	Vxx	Vyy
Cent	-0.1	-0.3
732	-0.1	0.0
110	-0.1	-0.6
48	-0.0	-0.6
753	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g2	Cent	10.5	18.5	-36.9	51.6
-22.6	-48.09		732	15.5	30.1	-33.6	57.2
-11.6	-51.10		110	8.8	7.8	-38.0	46.3
-29.7	-44.59						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-33.9	-45.50	48	5.5	6.9	-40.1	46.3
-15.9	-51.70	753	12.2	29.3	-35.7	57.5

Mmin ANGLE NODE Mxx Myy Mxy Mmax

0.0	30.30	Cent	0.0	0.0	0.0	0.0
-0.0	24.40	732	-0.0	-0.0	0.0	-0.0
0.0	-83.87	110	0.0	0.0	-0.0	0.0
-0.0	-2.93	48	0.0	-0.0	-0.0	0.0
-0.0	71.60	753	-0.0	0.0	0.0	0.0

NODE Vxx Vyy

Cent	-0.1	0.2
732	-0.0	-0.3
110	-0.0	0.6
48	-0.1	0.6
753	-0.1	-0.3

Fmin ANGLE LC NODE Fxx Fyy Fxy Fmax

-6.6	-46.14	q3	Cent	1.7	2.4	-8.6	10.6
-5.4	-41.06		732	2.5	0.6	-6.9	8.5
-6.3	-46.59		110	3.8	5.0	-10.8	15.2
-8.0	-49.49		48	0.8	4.1	-10.3	12.9
-6.8	-45.37		753	-0.5	-0.3	-6.4	6.0

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-0.0	-42.24	Cent	0.0	0.0	-0.0	0.0
-0.0	-56.12	732	0.0	0.0	-0.0	0.0
-0.0	-24.19	110	-0.0	-0.0	-0.0	0.0
0.0	-76.18	48	0.0	0.0	-0.0	0.0
-0.0	-10.39	753	-0.0	-0.0	-0.0	-0.0

NODE Vxx Vyy

Cent	-0.0	-0.0
732	-0.0	0.1
110	-0.0	-0.1
48	-0.0	-0.1
753	-0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
31.7	-83.01	q5_pc	Cent	32.8	103.0	-8.7	104.1
-20.0	-41.03		732	1.0	-4.1	-18.3	16.9
63.3	-82.58		110	65.9	212.1	-19.4	214.6
64.5	89.69		48	64.5	210.1	0.8	210.1
-6.6	16.78		753	-0.3	-6.0	1.9	0.2
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-63.38		Cent	0.0	0.1	-0.0	0.1
0.1	-81.08		732	0.1	0.4	-0.1	0.4
-0.8	-2.49		110	-0.3	-0.8	-0.0	-0.3
0.2	-89.23		48	0.2	0.9	-0.0	0.9
-0.3	-17.48		753	-0.1	-0.3	-0.1	-0.1
			NODE	Vxx	Vyy		
			Cent	0.0	-3.8		
			732	0.0	5.8		
			110	0.0	-13.5		
			48	0.0	-13.5		
			753	0.0	5.8		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
26.1	-83.73	q5_ps	Cent	26.8	85.3	-6.5	86.1
-17.0	-41.52		732	-0.0	-3.7	-15.0	13.3
52.0	-83.21		110	53.8	175.7	-14.7	177.4
53.6	89.04		48	53.6	174.4	2.0	174.4
-5.6	17.47		753	-0.2	-5.0	1.7	0.3
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-63.20		Cent	0.0	0.1	-0.0	0.1
0.1	-81.05		732	0.1	0.4	-0.0	0.4
-0.6	-2.46		110	-0.2	-0.6	-0.0	-0.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.2	-89.25	48	0.2	0.7	-0.0	0.7
-0.2	-17.39	753	-0.1	-0.2	-0.1	-0.0

NODE	Vxx	Vyy
Cent	0.0	-3.2
732	0.0	4.9
110	0.0	-11.2
48	0.0	-11.2
753	0.0	4.9

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
		INVSLU	Max	Cent	266.2	1767.7	293.4	1817.4
216.5	79.85			732	284.5	2000.9	217.4	2028.0
264.8	82.90			110	200.6	1631.7	346.6	1696.7
135.6	78.23			48	301.3	1662.9	372.1	1758.0
206.2	75.67			753	393.7	2042.1	246.8	2077.3
358.5	81.77		Min	Cent	-178.4	257.1	-120.0	280.8
-202.0	-77.21			732	-238.9	182.1	-163.3	226.0
-293.2	-74.34			110	-356.3	-101.9	-36.3	-101.9
-356.3	-89.67			48	-222.6	-51.4	-81.5	-18.8
-255.2	-68.20			753	-143.5	204.4	-220.2	308.3
-247.7	-64.37							

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax		
		Max	Cent	0.2	0.7	0.2	0.7	
0.1	75.98			732	0.3	1.6	0.3	1.6
0.3	83.13			110	1.3	3.5	0.1	3.5
1.3	87.20			48	0.8	2.6	0.1	2.6
0.8	88.36			753	0.4	1.4	0.3	1.5
0.3	74.26		Min	Cent	0.1	-0.0	-0.1	0.1
-0.0	5.43			732	-0.5	-1.6	-0.2	-0.4
-1.6	-3.95			110	-0.5	-1.4	-0.1	-0.5
-1.4	-3.13			48	-0.9	-3.3	-0.0	-0.9
-3.3	-0.34			753	-0.2	-0.3	-0.2	-0.0
-0.5	-37.01							

NODE	Vxx	Vyy
------	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Max	Cent	-0.1	15.9
	732	-0.3	14.5
	110	-0.3	56.1
	48	0.1	56.1
	753	0.1	14.5
Min	Cent	-0.6	-9.6
	732	-0.7	-24.4
	110	-0.7	-33.7
	48	-0.6	-33.7
	753	-0.6	-24.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
2.9	-66.83	INVSLV	Max Cent	24.2	132.5	-38.1	156.7
-54.9	-51.36		732	-14.4	25.9	-54.6	83.0
32.4	-77.37		110	42.9	240.8	-18.8	251.3
69.9	-82.09		48	73.1	248.4	-13.5	251.8
-38.4	-49.80		753	7.8	33.7	-55.7	90.7
-74.9	-42.46		Min Cent	-22.8	-30.6	-62.5	17.4
-93.9	-55.39		732	-27.8	12.3	-86.3	61.9
-103.0	-25.08		110	-51.4	-90.5	-51.4	-40.4
-102.3	-26.17		48	-28.1	-82.8	-46.8	-10.7
-61.9	-49.27		753	3.6	19.8	-75.2	74.5
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-71.86		Max Cent	0.0	0.1	0.1	0.1
0.1	-82.39		732	0.1	0.3	0.1	0.3
0.3	87.72		110	0.3	0.9	0.0	0.9
0.2	-89.31		48	0.2	0.5	0.0	0.5
0.1	76.31		753	0.1	0.4	0.1	0.4
-0.0	47.10		Min Cent	0.0	-0.0	-0.0	0.0
-0.4	11.92		732	-0.1	-0.4	-0.0	-0.1
-0.4	-2.80		110	-0.1	-0.4	-0.0	-0.1
-0.8	0.46		48	-0.2	-0.8	-0.0	-0.2
-0.1	-21.12		753	-0.0	-0.1	-0.0	-0.0
			NODE	Vxx	Vyy		
			Max Cent	-0.0	3.8		
			732	-0.0	3.4		

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	110	-0.0	14.0
	48	0.0	14.0
	753	0.0	3.4
Min	Cent	-0.1	-2.1
	732	-0.2	-6.4
	110	-0.2	-7.7
	48	-0.1	-7.7
	753	-0.1	-6.5

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
820	2	8	Q1-1-2	Max	Cent	129.2	411.3	132.4	463.7
76.8		68.41			118	226.0	628.4	167.4	688.9
165.5		70.12			733	105.2	294.2	123.7	355.4
44.0		63.69			754	79.4	288.5	107.0	333.5
34.4		67.17			49	191.8	623.5	142.6	666.3
149.0		73.27		Min	Cent	-159.7	-545.4	-164.9	-98.8
-606.4		-20.27			118	-116.0	-371.4	-97.3	-83.1
-404.2		-18.65			733	-284.1	-1016.7	-134.3	-260.3
-1040.6		-10.07			754	-310.8	-1017.5	-235.6	-239.4
-1088.8		-16.85			49	-111.8	-373.0	-196.0	-6.8
-477.9		-28.16							
Mmin		ANGLE			NODE	Mxx	Myy	Mxy	Mmax
				Max	Cent	0.1	0.3	0.1	0.3
0.0		69.58			118	0.5	1.3	0.0	1.3
0.5		88.50			733	0.2	1.0	0.1	1.0
0.2		80.16			754	0.1	0.5	0.1	0.5
0.1		70.90			49	0.5	1.8	0.1	1.8
0.5		87.29		Min	Cent	-0.0	-0.1	-0.1	0.1
-0.2		-31.34			118	-0.5	-1.4	-0.0	-0.5
-1.4		-1.45			733	-0.2	-0.7	-0.1	-0.1
-0.7		-13.09			754	-0.2	-0.4	-0.1	-0.1
-0.5		-22.48			49	-0.4	-1.4	-0.1	-0.4
-1.4		-3.50							
					NODE	Vxx	Vyy		
				Max	Cent	0.3	6.1		
					118	0.3	22.1		
					733	0.3	11.5		
					754	0.3	11.5		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	49	0.3	22.1
Min	Cent	-0.0	-7.5
	118	-0.0	-26.5
	733	-0.0	-9.9
	754	-0.2	-9.9
	49	-0.2	-26.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
45.3	68.80	Q2a-1-2	Max Cent	76.6	253.3	80.7	284.6
97.1	70.23		118	132.5	371.2	98.5	406.6
33.7	66.13		733	67.1	204.3	75.5	237.7
27.3	68.38		754	54.7	201.4	69.0	228.8
87.1	72.87		49	113.9	369.0	86.9	395.7
-441.8	-20.50		Min Cent	-115.7	-396.2	-122.0	-70.1
-245.6	-21.37		118	-65.3	-218.0	-70.6	-37.6
-770.5	-10.03		733	-209.9	-753.0	-99.2	-192.4
-806.4	-16.85		754	-230.2	-753.5	-174.5	-177.3
-306.7	-30.98		49	-65.4	-219.7	-144.9	21.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	70.10	Max Cent	0.0	0.2	0.1	0.2
0.3	88.47	118	0.3	0.7	0.0	0.7
0.1	80.10	733	0.1	0.6	0.1	0.6
0.0	70.30	754	0.1	0.3	0.1	0.3
0.3	87.33	49	0.3	1.0	0.0	1.0
-0.1	-31.62	Min Cent	-0.0	-0.1	-0.1	0.0
-0.8	-1.54	118	-0.3	-0.8	-0.0	-0.3
-0.4	-13.81	733	-0.1	-0.4	-0.1	-0.1
-0.3	-24.28	754	-0.1	-0.3	-0.1	-0.1
-0.8	-3.77	49	-0.2	-0.8	-0.0	-0.2

NODE	Vxx	Vyy
Max Cent	0.2	3.5
118	0.2	12.6
733	0.2	6.6
754	0.2	6.6
49	0.2	12.6
Min Cent	-0.0	-4.4



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

118      -0.0      -15.3  
 733      -0.0      -5.6  
 754      -0.1      -5.6  
 49       -0.1      -15.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-5.2	-64.07	SLVx (RS)	Cent	-2.5	6.1	-5.5	8.8
-6.4	-66.17		118	-3.6	7.9	-6.3	10.7
-5.1	-62.75		733	-2.5	4.7	-5.0	7.3
-1.8	-53.51		754	1.7	4.6	-4.7	8.1
-1.4	-56.51		49	2.6	7.7	-6.0	11.6

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-7.93		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-2.38		118	-0.0	-0.0	-0.0	-0.0
-0.0	-8.01		733	-0.0	-0.0	-0.0	-0.0
-0.0	-7.02		754	-0.0	-0.0	-0.0	-0.0
-0.0	-4.88		49	-0.0	-0.0	-0.0	-0.0

	NODE	Vxx	Vyy
	Cent	-0.0	0.0
	118	-0.0	0.1
	733	-0.0	-0.1
	754	-0.0	-0.1
	49	-0.0	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
24.1	85.99	SLVy (RS)	Cent	24.3	77.8	3.8	78.1
47.7	83.83		118	49.0	158.4	12.0	159.7
-11.7	37.71		733	1.6	-3.7	10.3	9.6
-6.6	-37.81		754	-0.3	-2.8	-4.8	3.4
48.2	-87.83		49	48.3	159.4	-4.2	159.5

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	58.67		Cent	-0.0	0.0	0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.6	0.84	118	-0.2	-0.6	0.0	-0.2
0.1	78.59	733	0.1	0.3	0.1	0.3
-0.3	13.66	754	-0.1	-0.2	0.0	-0.1
0.2	87.75	49	0.2	0.7	0.0	0.7

NODE	Vxx	Vyy
Cent	-0.0	-2.9
118	-0.1	-10.7
733	-0.1	4.9
754	-0.0	4.9
49	-0.0	-10.7

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.6	-64.07	SLDx (RS)	Cent	-1.3	3.0	-2.7	4.4
-3.2	-66.16		118	-1.8	3.9	-3.1	5.3
-2.5	-62.75		733	-1.2	2.3	-2.5	3.6
-0.9	-53.51		754	0.8	2.3	-2.4	4.0
-0.7	-56.50		49	1.3	3.8	-3.0	5.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-7.92	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-2.38	118	-0.0	-0.0	-0.0	-0.0
-0.0	-8.01	733	-0.0	-0.0	-0.0	-0.0
-0.0	-7.02	754	-0.0	-0.0	-0.0	-0.0
-0.0	-4.88	49	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
118	-0.0	0.1
733	-0.0	-0.0
754	-0.0	-0.0
49	-0.0	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
12.0	85.99	SLDy (RS)	Cent	12.2	38.9	1.9	39.0
23.8	83.82		118	24.5	79.1	6.0	79.8
			733	0.8	-1.9	5.2	4.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-5.9	37.70		754	-0.2	-1.4	-2.4	1.7
-3.3	-37.80		49	24.1	79.6	-2.1	79.7
24.1	-87.82						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
------	-------	--	------	-----	-----	-----	------

-----							
-0.0	58.68		Cent	-0.0	0.0	0.0	0.0
-0.3	0.84		118	-0.1	-0.3	0.0	-0.1
0.0	78.59		733	0.0	0.2	0.0	0.2
-0.1	13.66		754	-0.0	-0.1	0.0	-0.0
0.1	87.75		49	0.1	0.3	0.0	0.3

	NODE	Vxx	Vyy
-----			
	Cent	-0.0	-1.4
	118	-0.0	-5.3
	733	-0.0	2.5
	754	-0.0	2.5
	49	-0.0	-5.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

-----							
-4.3	-36.83	SLVz (RS)	Cent	-1.1	-2.5	-2.5	0.8
-5.3	-36.31		118	-1.5	-3.2	-2.8	0.6
-3.8	-39.57		733	-1.1	-2.0	-2.2	0.7
-3.5	-37.22		754	-0.7	-1.9	-2.1	0.9
-5.0	-34.59		49	-1.1	-3.1	-2.7	0.8

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
------	-------	--	------	-----	-----	-----	------

-----							
-0.0	-12.52		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-0.77		118	-0.0	-0.0	-0.0	-0.0
-0.0	-6.78		733	0.0	-0.0	-0.0	0.0
-0.0	-6.62		754	-0.0	-0.0	-0.0	-0.0
-0.0	-2.32		49	-0.0	-0.0	-0.0	-0.0

	NODE	Vxx	Vyy
-----			
	Cent	-0.0	0.0
	118	-0.0	0.1
	733	-0.0	0.0
	754	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		49	-0.0	0.1			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-17.4	52.65	g1	Cent	25.9	57.0	56.8	100.3
-5.5	55.22		118	40.8	90.5	66.6	136.8
-29.0	46.25		733	21.5	26.1	52.8	76.6
-30.0	48.76		754	11.1	23.4	46.9	64.5
-8.1	57.66		49	30.4	87.9	60.7	126.3
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	82.55		Cent	0.0	0.1	0.0	0.1
0.0	8.00		118	0.0	0.0	0.0	0.0
0.0	83.73		733	0.0	0.1	0.0	0.1
0.0	78.83		754	0.0	0.1	0.0	0.1
0.0	84.42		49	0.0	0.1	0.0	0.1
			NODE	Vxx	Vyy		
			Cent	0.1	-0.3		
			118	0.1	-0.6		
			733	0.1	0.1		
			754	0.0	0.1		
			49	0.0	-0.6		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-14.9	48.06	g2	Cent	10.5	16.6	28.3	42.0
-21.8	43.68		118	8.5	5.8	28.9	36.1
-4.6	52.21		733	15.2	28.3	25.5	48.1
-8.6	52.49		754	12.6	27.4	27.6	48.6
-25.7	44.55		49	5.8	4.8	31.0	36.4
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-21.26		Cent	0.0	0.0	-0.0	0.0
0.0	83.01		118	0.0	0.0	0.0	0.0
			733	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-20.01		754	-0.0	-0.0	-0.0	0.0
-0.0	-69.26		49	0.0	-0.0	0.0	0.0
-0.0	0.31						

NODE	Vxx	Vyy
Cent	0.1	0.2
118	0.0	0.6
733	0.0	-0.2
754	0.1	-0.2
49	0.1	0.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q3	Cent	0.8	1.2	1.4	2.4
-0.4	49.16		118	1.3	2.1	1.8	3.5
-0.1	51.94		733	0.7	0.4	1.2	1.8
-0.7	40.84		754	0.3	0.3	1.1	1.3
-0.8	44.34		49	0.8	2.0	1.6	3.2
-0.3	55.07						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	0.0	0.0	0.0
0.0	80.98	118	-0.0	-0.0	-0.0	-0.0
-0.0	-2.64	733	0.0	0.0	0.0	0.0
0.0	82.29	754	0.0	0.0	0.0	0.0
0.0	71.71	49	0.0	0.0	0.0	0.0
0.0	87.76					

NODE	Vxx	Vyy
Cent	0.0	-0.0
118	0.0	-0.0
733	0.0	0.0
754	0.0	0.0
49	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_pc	Cent	35.4	102.7	10.3	104.2
33.9	81.51		118	70.7	208.6	25.2	213.0
66.2	79.98		733	7.3	-2.6	15.0	18.2
-13.4	35.85		754	0.1	-3.2	-4.6	3.3
-6.5	-34.98						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
63.3	87.81		49	63.5	207.9	5.5	208.2
-----							
			Cent	0.0	0.1	0.0	0.1
-0.0	61.64		118	-0.3	-0.8	0.0	-0.3
-0.8	0.78		733	0.1	0.4	0.1	0.4
0.1	79.85		754	-0.1	-0.3	0.1	-0.1
-0.3	15.11		49	0.2	0.9	0.0	0.9
0.2	87.55						
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	-3.7		
			118	-0.0	-13.3		
			733	-0.0	5.9		
			754	-0.0	5.9		
			49	-0.0	-13.3		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
27.9	82.16	q5_ps	Cent	29.0	85.0	7.8	86.0
54.6	80.55		118	57.9	172.8	19.7	176.0
-11.6	36.16		733	5.3	-2.6	12.3	14.3
-5.6	-34.65		754	0.1	-2.9	-4.0	2.9
52.6	88.39		49	52.7	172.5	3.4	172.6
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	0.0	0.1	0.0	0.1
-0.0	61.47		118	-0.2	-0.6	0.0	-0.2
-0.6	0.75		733	0.1	0.4	0.1	0.4
0.1	79.82		754	-0.1	-0.2	0.0	-0.0
-0.2	15.02		49	0.2	0.7	0.0	0.7
0.2	87.57						
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	-3.1		
			118	-0.0	-11.2		
			733	-0.0	4.9		
			754	-0.0	4.9		
			49	-0.0	-11.2		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
267.9	86.06	INVSLU	Max Cent	275.0	1753.4	102.4	1760.4
218.9	88.94		118	219.3	1625.0	26.0	1625.5
287.5	86.22		733	299.1	1988.3	140.1	1995.7
371.7	83.07		754	394.1	2014.8	199.9	2039.1
299.7	87.17		49	303.0	1651.5	66.7	1654.8
-341.7	-62.83		Min Cent	-178.8	276.9	-317.5	439.9
-634.8	-54.84		118	-369.6	-100.1	-376.6	165.1
-339.0	-68.29		733	-239.7	213.8	-235.3	296.7
-273.7	-63.11		754	-132.8	245.9	-270.8	384.9
-552.2	-53.00		49	-221.1	-68.0	-400.4	238.2
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	75.57		Max Cent	0.2	0.6	0.1	0.7
1.3	89.53		118	1.3	3.5	0.0	3.5
0.2	81.06		733	0.3	1.5	0.2	1.5
0.4	84.86		754	0.4	1.4	0.2	1.4
0.8	87.65		49	0.8	2.6	0.1	2.6
-0.2	-58.49		Min Cent	0.0	-0.0	-0.2	0.2
-1.5	-1.67		118	-0.5	-1.5	-0.0	-0.5
-1.6	-12.99		733	-0.4	-1.6	-0.3	-0.4
-0.5	-26.90		754	-0.2	-0.4	-0.3	-0.1
-3.3	-3.32		49	-0.9	-3.3	-0.1	-0.9
			NODE	Vxx	Vyy		
			Max Cent	0.6	15.7		
			118	0.7	55.7		
			733	0.7	15.1		
			754	0.6	15.1		
			49	0.6	55.7		
			Min Cent	0.1	-9.5		
			118	0.3	-34.0		
			733	0.3	-24.3		
			754	-0.1	-24.3		
			49	-0.1	-34.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		INVS LV		Max	Cent	28.3	129.3	39.6	140.2
16.0	72.81				118	49.0	236.2	32.5	240.5
43.4	81.58				733	-16.1	21.4	65.0	63.3
-46.4	50.88				754	9.2	29.4	53.6	70.7
-23.3	49.79				49	74.5	245.5	20.0	245.8
74.2	87.75								
				Min	Cent	-22.6	-31.5	24.9	1.0
-56.4	42.13				118	-52.1	-87.3	3.0	-51.8
-88.5	5.64				733	-22.7	8.6	40.0	43.8
-69.6	58.74				754	5.3	17.4	39.8	54.8
-41.0	50.05				49	-24.3	-79.7	3.9	-19.5
-84.6	13.66								
					NODE	Mxx	Myy	Mxy	Mmax
Mmin	ANGLE								
-----									
				Max	Cent	0.0	0.1	0.0	0.1
0.0	68.37				118	0.3	0.8	0.0	0.8
0.3	-89.40				733	0.1	0.3	0.0	0.3
0.1	80.27				754	0.1	0.4	0.0	0.4
0.1	-78.02				49	0.2	0.5	0.0	0.5
0.2	87.69								
				Min	Cent	0.0	-0.0	-0.0	0.0
-0.0	-46.89				118	-0.1	-0.4	-0.0	-0.1
-0.4	1.25				733	-0.1	-0.4	-0.1	-0.1
-0.4	-12.66				754	-0.0	-0.1	-0.1	-0.0
-0.2	16.78				49	-0.2	-0.8	-0.0	-0.2
-0.8	-2.22								
					NODE	Vxx	Vyy		
				Max	Cent	0.1	3.7		
					118	0.1	13.7		
					733	0.1	3.6		
					754	0.1	3.6		
					49	0.1	13.7		
				Min	Cent	0.0	-2.1		
					118	0.0	-7.8		
					733	0.0	-6.3		
					754	-0.0	-6.3		
					49	-0.0	-7.8		
ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
	Fmin	ANGLE							
-----									



MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

868	2	8	Q1-1-2	Max	Cent	1273.5	34.2	2.2	1273.5
34.2		0.10			805	1447.3	72.0	25.2	1447.8
71.5		1.05			807	1458.8	100.5	5.0	1458.8
100.5		0.21			2331	1099.7	3.6	4.8	1099.7
3.6		0.25			2330	1088.2	1.2	29.9	1089.0
0.4		1.57		Min	Cent	-25.2	-0.5	-415.0	402.4
-428.0		-45.85			805	-28.3	-0.9	-277.5	263.2
-292.4		-46.42			807	-28.7	-2.2	-563.8	548.5
-579.4		-45.67			2331	-22.0	-9.5	-555.9	540.2
-571.7		-45.32			2330	-21.6	-50.0	-270.3	234.9
-306.4		-43.50							

Mmin ANGLE NODE Mxx Myy Mxy Mmax

				Max	Cent	0.0	0.0	0.0	0.0
-0.0	60.57				805	0.0	0.0	0.0	0.0
-0.0	54.87				807	0.0	0.0	0.0	0.0
0.0	66.34				2331	0.0	0.0	0.0	0.0
0.0	59.39				2330	0.0	0.0	0.0	0.0
-0.0	57.85			Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-10.42				805	-0.0	-0.1	-0.0	-0.0
-0.1	-11.77				807	-0.1	-0.2	-0.0	-0.1
-0.2	-7.41				2331	-0.0	-0.1	-0.0	-0.0
-0.1	-10.43				2330	-0.0	-0.1	-0.0	-0.0
-0.1	-13.95								

NODE Vxx Vyy

Max	Cent	0.0	0.1
	805	0.0	0.0
	807	0.0	0.1
	2331	0.0	0.1
	2330	0.0	0.0
Min	Cent	-0.0	-0.3
	805	-0.0	-0.2
	807	-0.0	-0.4
	2331	-0.0	-0.4
	2330	-0.0	-0.2

Fmin ANGLE LC NODE Fxx Fyy Fxy Fmax

				Max	Cent	770.1	20.6	1.6	770.1
20.6	0.12	Q2a-1-2							

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

43.1	1.22		805	875.0	43.4	17.7	875.4
60.1	0.26		807	882.3	60.1	3.7	882.3
2.3	0.31		2331	665.1	2.3	3.5	665.2
0.2	1.83		2330	657.9	0.9	21.0	658.6
-262.9	-46.04	Min	Cent	-18.7	-0.4	-253.2	243.9
-180.8	-46.72		805	-21.0	-0.6	-169.7	159.2
-354.4	-45.82		807	-21.3	-1.6	-342.8	331.5
-349.5	-45.42		2331	-16.3	-6.4	-338.1	326.8
-189.7	-43.59		2330	-16.0	-32.3	-165.3	141.3

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	59.37	Max	Cent	0.0	0.0	0.0	0.0
-0.0	53.44		805	0.0	0.0	0.0	0.0
0.0	65.11		807	0.0	0.0	0.0	0.0
-0.0	58.13		2331	0.0	0.0	0.0	0.0
-0.0	56.74		2330	0.0	0.0	0.0	0.0
-0.1	-9.53	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-10.67		805	-0.0	-0.1	-0.0	-0.0
-0.1	-6.72		807	-0.0	-0.1	-0.0	-0.0
-0.1	-9.59		2331	-0.0	-0.1	-0.0	-0.0
-0.1	-13.02		2330	-0.0	-0.1	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	805	0.0	0.0
	807	0.0	0.1
	2331	0.0	0.1
	2330	0.0	0.0
Min	Cent	-0.0	-0.2
	805	-0.0	-0.1
	807	-0.0	-0.3
	2331	-0.0	-0.3
	2330	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-4.0	-13.47	SLVx (RS)	Cent	119.6	3.1	-29.6	126.7
3.0	8.02		805	134.8	5.6	18.6	137.4

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-2.8	-16.99		807	136.3	10.2	-42.5	149.2
-13.6	-19.40		2331	104.3	1.0	-41.5	119.0
-7.3	9.23		2330	102.9	-4.4	17.9	105.8
-----							
0.0	-83.22		Cent	0.0	0.0	-0.0	0.0
0.0	-83.11		805	0.0	0.0	-0.0	0.0
0.0	-84.71		807	0.0	0.0	-0.0	0.0
-0.0	-7.13		2331	-0.0	-0.0	-0.0	-0.0
-0.0	-8.50		2330	-0.0	-0.0	-0.0	-0.0
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	-0.0		
			805	-0.0	-0.0		
			807	-0.0	0.0		
			2331	0.0	0.0		
			2330	0.0	-0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-0.4	8.96	SLVy (RS)	Cent	41.3	0.6	6.6	42.3
-1.0	10.68		805	44.3	0.6	8.5	45.9
2.6	-6.64		807	45.3	3.2	-5.0	45.8
0.3	-7.84		2331	38.2	1.0	-5.2	38.9
-4.1	12.33		2330	37.3	-2.1	9.0	39.2
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.1	-3.86		Cent	-0.0	-0.1	-0.0	-0.0
-0.2	-2.83		805	-0.1	-0.2	-0.0	-0.1
-0.2	1.26		807	-0.1	-0.2	0.0	-0.1
-0.1	-8.05		2331	-0.0	-0.1	-0.0	-0.0
-0.0	-13.28		2330	-0.0	-0.0	-0.0	0.0
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.9		
			805	-0.0	-0.8		
			807	-0.0	-1.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		LC	NODE	Fxx	Fyy	Fxy	Fmax
			2331	0.0	-1.0		
			2330	0.0	-0.8		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLDx (RS)	Cent	59.7	1.5	-14.8	63.3
-2.0	-13.48		805	67.3	2.8	9.3	68.6
1.5	8.03		807	68.0	5.1	-21.2	74.5
-1.4	-16.99		2331	52.1	0.5	-20.8	59.4
-6.8	-19.41		2330	51.4	-2.2	9.0	52.8
-3.6	9.24						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	0.0	-0.0	0.0
0.0	-83.21		805	0.0	0.0	-0.0	0.0
0.0	-83.10		807	0.0	0.0	-0.0	0.0
0.0	-84.71		2331	-0.0	-0.0	-0.0	-0.0
-0.0	-7.14		2330	-0.0	-0.0	-0.0	-0.0
-0.0	-8.53						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	-0.0		
			805	-0.0	-0.0		
			807	-0.0	0.0		
			2331	0.0	0.0		
			2330	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLDy (RS)	Cent	20.6	0.3	3.3	21.1
-0.2	8.98		805	22.1	0.3	4.3	22.9
-0.5	10.69		807	22.6	1.6	-2.5	22.9
1.3	-6.67		2331	19.1	0.5	-2.6	19.4
0.1	-7.87		2330	18.6	-1.1	4.5	19.6
-2.1	12.34						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-3.87		805	-0.0	-0.1	-0.0	-0.0
-0.1	-2.84						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	1.27	807	-0.0	-0.1	0.0	-0.0
-0.0	-8.07	2331	-0.0	-0.0	-0.0	-0.0
-0.0	-13.30	2330	-0.0	-0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.4
805	-0.0	-0.4
807	-0.0	-0.5
2331	0.0	-0.5
2330	0.0	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-41.8	73.23	SLVz (RS)	Cent	-38.1	-1.1	12.2	2.6
-44.8	79.07		805	-43.2	-2.0	8.3	-0.4
-49.5	70.29		807	-43.6	-3.1	16.6	2.8
-39.5	67.99		2331	-32.9	0.9	16.4	7.5
-34.4	77.36		2330	-32.6	1.5	8.0	3.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-81.90	Cent	0.0	0.0	-0.0	0.0
0.0	-82.24	805	0.0	0.0	-0.0	0.0
0.0	-84.47	807	0.0	0.0	-0.0	0.0
0.0	-79.49	2331	0.0	0.0	-0.0	0.0
0.0	-76.34	2330	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
805	0.0	-0.0
807	0.0	0.0
2331	0.0	0.0
2330	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-48.3	-15.60	g1	Cent	905.4	26.0	-266.2	979.7
23.9	-9.34		805	1028.5	51.0	-165.2	1055.7
-50.9	-18.97		807	1036.5	77.5	-373.7	1164.9
			2331	782.2	0.9	-367.2	927.6

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-144.5	-21.61		2330	774.2	-25.6	-158.6	804.6
-55.9	-10.82						
-----							
-0.0	-3.02		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-4.93		805	-0.0	-0.0	-0.0	-0.0
-0.0	-0.24		807	-0.0	-0.0	-0.0	-0.0
-0.0	-1.37		2331	-0.0	-0.0	-0.0	-0.0
-0.0	-6.30		2330	-0.0	-0.0	-0.0	-0.0
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	-0.0		
			805	-0.0	-0.0		
			807	-0.0	-0.0		
			2331	-0.0	-0.0		
			2330	-0.0	-0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-24.3	-15.31	g2	Cent	445.8	10.9	-128.7	481.0
10.8	-9.03		805	506.6	23.3	-78.8	519.1
-25.3	-18.74		807	510.5	36.4	-181.7	572.2
-71.3	-21.37		2331	385.0	-1.4	-178.5	454.8
-28.4	-10.46		2330	381.1	-14.5	-75.6	395.0
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	82.73		Cent	0.0	0.0	0.0	0.0
0.0	84.53		805	0.0	0.0	0.0	0.0
0.0	87.70		807	0.0	0.0	0.0	0.0
0.0	76.96		2331	0.0	0.0	0.0	0.0
-0.0	71.24		2330	-0.0	0.0	0.0	0.0
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	0.0		
			805	-0.0	0.0		
			807	-0.0	0.0		
			2331	-0.0	0.0		
			2330	-0.0	0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
1.1	-5.29	q3	Cent	100.7	2.0	-9.2	101.5
3.3	0.27		805	112.4	3.3	0.5	112.4
4.6	-10.34		807	113.9	8.2	-19.9	117.5
-3.2	-11.62		2331	88.9	0.7	-18.9	92.8
-4.3	0.94		2330	87.4	-4.3	1.5	87.5
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	0.08		Cent	-0.0	-0.0	0.0	-0.0
-0.0	-1.91		805	-0.0	-0.0	-0.0	-0.0
-0.0	1.95		807	-0.0	-0.0	0.0	-0.0
-0.0	1.49		2331	-0.0	-0.0	0.0	-0.0
-0.0	-2.71		2330	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			805	-0.0	-0.0		
			807	-0.0	-0.0		
			2331	-0.0	-0.0		
			2330	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.1	-8.10	q5_pc	Cent	42.0	1.0	-6.0	42.8
1.3	-3.09		805	46.2	1.4	-2.4	46.4
1.2	-12.19		807	46.8	3.3	-9.9	48.9
-1.7	-13.51		2331	37.7	0.6	-9.5	40.0
-1.4	-3.05		2330	37.2	-1.3	-2.1	37.3
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	12.89		Cent	-0.0	-0.0	0.0	-0.0
-0.0	16.34		805	-0.0	-0.0	0.0	-0.0
-0.0	9.52		807	-0.0	-0.0	0.0	-0.0
			2331	-0.0	-0.0	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0      12.15  
 -0.0      12.58

NODE	Vxx	Vyy
Cent	-0.0	-0.0
805	-0.0	-0.0
807	-0.0	-0.0
2331	0.0	-0.0
2330	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.3	-6.65	q5_ps	Cent	35.7	0.8	-4.1	36.1
1.0	-1.80		805	39.2	1.1	-1.2	39.2
1.4	-10.90		807	39.7	2.8	-7.4	41.1
-1.0	-12.00		2331	32.1	0.5	-7.0	33.6
-1.2	-1.50		2330	31.6	-1.2	-0.9	31.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	17.63	Cent	-0.0	-0.0	0.0	-0.0
-0.0	22.78	805	-0.0	-0.0	0.0	-0.0
-0.0	12.53	807	-0.0	-0.0	0.0	-0.0
-0.0	16.87	2331	-0.0	-0.0	0.0	-0.0
-0.0	18.34	2330	-0.0	-0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
805	-0.0	-0.0
807	-0.0	-0.0
2331	0.0	-0.0
2330	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
15.3	-8.51	INVSLU Max	Cent	3882.7	102.0	-568.2	3969.4
211.2	-3.12		805	4499.5	224.0	-229.6	4512.2
169.6	-11.77		807	4544.2	359.6	-893.5	4734.2
-233.0	-14.25		2331	3266.0	-10.3	-871.8	3491.8
-120.7	-3.51		2330	3221.3	-108.1	-201.2	3233.8



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-456.6	-19.27	Min	Cent	2046.7	53.2	-1142.2	2447.4
			805	2416.6	123.0	-642.6	2539.5
-42.1	-12.71		807	2444.0	214.6	-1679.6	3120.0
-669.7	-23.61		2331	1676.9	-29.0	-1646.2	2404.4
-1013.2	-27.03		2330	1649.4	-179.8	-610.2	1786.2
-359.9	-14.85						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	68.73	Max	Cent	0.0	0.0	0.0	0.0
-0.0	58.99		805	0.0	0.0	0.0	0.0
0.0	73.55		807	0.0	0.1	0.0	0.1
0.0	68.83		2331	0.0	0.0	0.0	0.0
0.0	67.65		2330	0.0	0.0	0.0	0.0
-0.2	-11.63	Min	Cent	-0.1	-0.2	-0.0	-0.0
-0.2	-12.94		805	-0.1	-0.2	-0.0	-0.1
-0.3	-8.47		807	-0.1	-0.3	-0.0	-0.1
-0.2	-11.87		2331	-0.0	-0.2	-0.0	-0.0
-0.1	-15.31		2330	-0.0	-0.1	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.1
	805	0.0	-0.0
	807	0.0	0.1
	2331	0.0	0.1
	2330	0.0	-0.0
Min	Cent	-0.0	-0.5
	805	-0.0	-0.4
	807	-0.0	-0.6
	2331	-0.0	-0.6
	2330	-0.0	-0.4

Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
-64.2	-14.75	INVSLV	Max	Cent	1599.8	40.7	-374.5	1715.9
68.7	-6.16			805	1858.5	89.5	-188.3	1879.4
-68.0	-18.94			807	1877.9	153.7	-572.5	2107.8
-242.9	-22.09			2331	1341.1	-7.3	-559.5	1607.2
-93.3	-7.23			2330	1321.7	-62.0	-174.9	1344.5
-81.4	-15.30		Min	Cent	1313.0	33.5	-445.0	1416.6

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

41.2	-8.77	805	1536.3	76.8	-235.5	1571.9
-80.5	-19.42	807	1552.1	129.6	-670.4	1753.8
-275.5	-22.75	2331	1089.7	-10.5	-655.6	1324.4
-103.6	-10.42	2330	1074.0	-72.9	-221.0	1113.7


Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-----	-----						
		Max	Cent	0.0	0.1	0.0	0.1
0.0	88.63		805	0.0	0.2	0.0	0.2
0.0	89.76		807	0.1	0.2	-0.0	0.2
0.1	-87.31		2331	0.0	0.1	0.0	0.1
0.0	84.62		2330	-0.0	0.0	0.0	0.0
-0.0	80.14	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-5.72		805	-0.1	-0.2	-0.0	-0.1
-0.2	-4.85		807	-0.1	-0.2	-0.0	-0.1
-0.2	-0.02		2331	-0.0	-0.1	-0.0	-0.0
-0.1	-9.71		2330	-0.0	-0.1	-0.0	-0.0
-0.1	-17.35						

NODE	Vxx	Vyy	
Max	Cent	0.0	0.9
	805	0.0	0.7
	807	0.0	1.0
	2331	0.0	1.1
	2330	0.0	0.7
Min	Cent	-0.0	-0.9
	805	-0.0	-0.8
	807	-0.0	-1.0
	2331	-0.0	-1.0
	2330	-0.0	-0.8

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin	ANGLE								
869	2	4	Q1-1-2	Max	Cent	910.7	0.4	1.7	910.7
0.4		0.11			807	897.1	1.1	1.9	897.1
1.1		0.12			50	906.7	0.8	2.4	906.7
0.8		0.15			2297	924.7	4.8	3.8	924.7
4.8		0.23			2331	914.8	0.9	1.8	914.8
0.9		0.11		Min	Cent	-16.6	-23.5	-380.8	360.8
-400.9		-44.74			807	-16.2	-48.0	-393.2	361.5
-425.7		-43.84							

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-383.1	-45.26	50	-16.5	-9.7	-370.0	356.9
-380.8	-45.40	2297	-17.1	-6.9	-368.8	356.8
-421.7	-44.07	2331	-16.8	-42.3	-391.9	362.6

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
		Max	Cent	0.0	0.0	0.0	0.0
0.0	62.54		807	0.0	0.0	0.0	0.0
0.0	71.95		50	0.0	0.0	0.0	0.0
-0.0	59.30		2297	0.0	0.0	0.0	0.0
-0.0	56.29		2331	0.0	0.0	0.0	0.0
0.0	57.87	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-4.11		807	-0.0	-0.1	-0.0	-0.0
-0.1	-3.77		50	-0.0	-0.1	-0.0	-0.0
-0.1	-2.15		2297	-0.0	-0.1	-0.0	-0.0
-0.1	-4.73		2331	-0.0	-0.1	-0.0	-0.0
-0.1	-8.07						

		NODE	Vxx	Vyy
-----				
Max	Cent	0.0	0.0	
	807	0.0	0.1	
	50	0.0	0.0	
	2297	0.0	0.0	
	2331	0.0	0.1	
Min	Cent	-0.0	-0.3	
	807	-0.0	-0.3	
	50	-0.0	-0.2	
	2297	-0.0	-0.2	
	2331	-0.0	-0.3	

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-----								
0.3	0.13	Q2a-1-2	Max	Cent	549.5	0.3	1.2	549.5
				807	541.2	0.8	1.4	541.2
0.8	0.15			50	547.2	0.5	1.6	547.2
0.5	0.17			2297	558.1	3.2	2.6	558.1
3.2	0.26			2331	551.8	0.7	1.3	551.8
0.7	0.14		Min	Cent	-12.3	-15.2	-232.9	219.1
-246.6	-44.82			807	-12.0	-31.3	-239.8	218.4
-261.7	-43.85			50	-12.2	-6.4	-226.7	217.4
-236.1	-45.37							

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-234.8	-45.50		2297	-12.7	-4.7	-226.0	217.3
-259.3	-44.08		2331	-12.4	-27.8	-239.1	219.1
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
		Max	Cent	0.0	0.0	0.0	0.0
-0.0	59.99		807	0.0	0.0	0.0	0.0
0.0	70.38		50	0.0	0.0	0.0	0.0
-0.0	54.90		2297	0.0	0.0	0.0	0.0
-0.0	53.57		2331	0.0	0.0	0.0	0.0
0.0	56.37						
		Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-3.67		807	-0.0	-0.1	-0.0	-0.0
-0.1	-3.36		50	-0.0	-0.1	-0.0	-0.0
-0.1	-1.87		2297	-0.0	-0.1	-0.0	-0.0
-0.1	-4.27		2331	-0.0	-0.1	-0.0	-0.0
-0.1	-7.30						
			NODE	Vxx	Vyy		
-----							
		Max	Cent	0.0	0.0		
			807	0.0	0.0		
			50	0.0	0.0		
			2297	0.0	0.0		
			2331	0.0	0.0		
		Min	Cent	-0.0	-0.2		
			807	-0.0	-0.2		
			50	-0.0	-0.2		
			2297	-0.0	-0.2		
			2331	-0.0	-0.2		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVx (RS)	Cent	83.5	-1.9	27.0	91.3
-9.7	16.15		807	81.5	-4.0	-28.8	90.3
-12.8	-16.98		50	82.5	1.2	25.6	89.9
-6.2	16.11		2297	85.5	1.3	25.5	92.6
-5.8	15.58		2331	84.5	-3.0	-28.6	93.0
-11.5	-16.59						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	0.0	0.0	0.0
0.0	87.17		807	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	86.73		50	0.0	0.0	-0.0	0.0
0.0	-88.24		2297	-0.0	-0.0	0.0	-0.0
-0.0	2.71		2331	-0.0	-0.0	-0.0	-0.0
-0.0	-5.67						

NODE	Vxx	Vyy
Cent	0.0	-0.0
807	-0.0	0.0
50	-0.0	-0.0
2297	0.0	-0.0
2331	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	25.6	-0.9	7.8	27.8
-3.1	15.19		807	23.2	-2.5	-4.8	24.1
-3.3	-10.21		50	23.7	-0.8	11.2	28.1
-5.1	21.27		2297	28.1	0.7	11.3	32.1
-3.4	19.77		2331	27.6	-1.2	-4.8	28.4
-1.9	-9.29						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.1	0.0	-0.0
-0.1	2.08	807	-0.0	-0.2	0.0	-0.0
-0.2	1.13	50	-0.1	-0.2	0.0	-0.1
-0.2	1.55	2297	-0.0	-0.1	0.0	-0.0
-0.1	3.22	2331	-0.0	-0.1	0.0	-0.0
-0.1	3.69					

NODE	Vxx	Vyy
Cent	0.0	-0.8
807	-0.0	-0.7
50	-0.0	-0.8
2297	0.0	-0.8
2331	0.0	-0.7

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDx (RS)	Cent	41.7	-0.9	13.5	45.6
-4.8	16.16		807	40.7	-2.0	-14.4	45.1
-6.4	-16.98		50	41.2	0.6	12.8	44.9
-3.1	16.11						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-2.9	15.59		2297	42.7	0.7	12.7	46.3
-5.8	-16.59		2331	42.2	-1.5	-14.3	46.5
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	87.17		Cent	0.0	0.0	0.0	0.0
0.0	86.74		807	0.0	0.0	0.0	0.0
0.0	-88.24		50	0.0	0.0	-0.0	0.0
-0.0	2.72		2297	-0.0	-0.0	0.0	-0.0
-0.0	-5.68		2331	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.0		
			807	-0.0	0.0		
			50	-0.0	-0.0		
			2297	0.0	-0.0		
			2331	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-1.5	15.20	SLDy (RS)	Cent	12.8	-0.5	3.9	13.9
-1.7	-10.25		807	11.6	-1.2	-2.4	12.0
-2.6	21.28		50	11.8	-0.4	5.6	14.0
-1.7	19.78		2297	14.0	0.4	5.6	16.1
-1.0	-9.32		2331	13.8	-0.6	-2.4	14.2
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.1	2.08		Cent	-0.0	-0.1	0.0	-0.0
-0.1	1.14		807	-0.0	-0.1	0.0	-0.0
-0.1	1.55		50	-0.0	-0.1	0.0	-0.0
-0.0	3.23		2297	-0.0	-0.0	0.0	-0.0
-0.0	3.72		2331	-0.0	-0.0	0.0	-0.0
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.4		
			807	-0.0	-0.4		
			50	-0.0	-0.4		
			2297	0.0	-0.4		
			2331	0.0	-0.4		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-31.4	70.65	SLVz (RS)	Cent	-27.4	1.2	11.5	5.3
-31.2	70.15		807	-27.0	1.5	11.8	5.7
-31.1	70.92		50	-27.2	1.3	11.2	5.1
-31.6	71.23		2297	-27.8	1.2	11.1	5.0
-31.8	70.40		2331	-27.6	1.3	11.8	5.5
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-86.22		Cent	0.0	0.0	-0.0	0.0
0.0	-86.64		807	0.0	0.0	-0.0	0.0
0.0	-87.82		50	0.0	0.0	-0.0	0.0
0.0	-85.08		2297	0.0	0.0	-0.0	0.0
0.0	-81.10		2331	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			807	0.0	0.0		
			50	0.0	-0.0		
			2297	0.0	-0.0		
			2331	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-88.6	-18.16	g1	Cent	649.1	-9.3	-242.0	728.5
-107.7	-18.77		807	639.5	-21.4	-253.9	725.8
-75.2	-17.80		50	645.6	-0.9	-231.4	719.9
-69.7	-17.52		2297	658.8	2.9	-230.0	731.4
-102.1	-18.50		2331	652.6	-17.6	-252.6	737.2
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	0.65		Cent	-0.0	-0.0	0.0	-0.0
-0.0	1.27		807	-0.0	-0.0	0.0	-0.0
-0.0	0.95		50	-0.0	-0.0	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	0.24	2297	-0.0	-0.0	0.0	-0.0
-0.0	0.40	2331	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
807	-0.0	-0.0
50	-0.0	-0.0
2297	-0.0	-0.0
2331	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-44.2	-17.83	g2	Cent	318.7	-6.6	-116.8	356.3
-53.3	-18.44		807	314.1	-12.5	-122.5	354.9
-37.7	-17.47		50	317.0	-2.6	-111.6	352.1
-35.1	-17.20		2297	323.4	-0.8	-111.0	357.8
-50.7	-18.18		2331	320.4	-10.6	-121.9	360.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-87.50	Cent	0.0	0.0	-0.0	0.0
0.0	89.90	807	0.0	0.0	0.0	0.0
0.0	-87.47	50	0.0	0.0	-0.0	0.0
0.0	-83.23	2297	0.0	0.0	-0.0	0.0
0.0	89.96	2331	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
807	-0.0	0.0
50	-0.0	0.0
2297	-0.0	0.0
2331	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.3	-4.83	q3	Cent	67.0	-1.8	-5.9	67.5
-5.6	-7.68		807	64.4	-4.3	-9.4	65.6
-0.5	-2.18		50	65.5	-0.4	-2.5	65.6
0.7	-1.90		2297	69.6	0.7	-2.3	69.6
			2331	68.4	-3.2	-9.2	69.6



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-4.3      -7.21

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	2.45	Cent	-0.0	-0.0	0.0	-0.0
-0.0	2.46	807	-0.0	-0.0	0.0	-0.0
-0.0	2.03	50	-0.0	-0.0	0.0	-0.0
-0.0	2.41	2297	-0.0	-0.0	0.0	-0.0
-0.0	2.95	2331	-0.0	-0.0	0.0	-0.0
		NODE	Vxx	Vyy		
		Cent	-0.0	-0.0		
		807	-0.0	-0.0		
		50	-0.0	-0.0		
		2297	-0.0	-0.0		
		2331	-0.0	-0.0		

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.3	-9.09	q5_pc	Cent	28.8	-0.5	-4.8	29.6
-3.3	-13.70		807	27.2	-1.5	-7.4	29.0
-0.6	-4.58		50	27.5	-0.5	-2.3	27.6
0.3	-4.18		2297	30.5	0.4	-2.2	30.7
-2.3	-12.82		2331	30.2	-0.6	-7.4	31.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	8.61	Cent	-0.0	-0.0	0.0	-0.0
-0.0	6.25	807	-0.0	-0.0	0.0	-0.0
-0.0	6.86	50	-0.0	-0.0	0.0	-0.0
-0.0	10.41	2297	-0.0	-0.0	0.0	-0.0
-0.0	11.19	2331	-0.0	-0.0	0.0	-0.0
		NODE	Vxx	Vyy		
		Cent	-0.0	-0.0		
		807	-0.0	-0.0		
		50	-0.0	-0.0		
		2297	-0.0	-0.0		
		2331	-0.0	-0.0		

LC	NODE	Fxx	Fyy	Fxy	Fmax
----	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE						
-0.9	-7.19	q5_ps	Cent	24.3	-0.5	-3.2	24.6
-2.5	-12.24		807	22.8	-1.3	-5.5	24.0
-0.4	-2.16		50	23.0	-0.4	-0.9	23.1
0.4	-1.91		2297	25.7	0.4	-0.8	25.8
-1.6	-11.37		2331	25.5	-0.5	-5.4	26.6
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	11.27		Cent	-0.0	-0.0	0.0	-0.0
-0.0	8.17		807	-0.0	-0.0	0.0	-0.0
-0.0	9.59		50	-0.0	-0.0	0.0	-0.0
-0.0	13.52		2297	-0.0	-0.0	0.0	-0.0
-0.0	14.69		2331	-0.0	-0.0	0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			807	-0.0	-0.0		
			50	-0.0	-0.0		
			2297	-0.0	-0.0		
			2331	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-114.3	-10.18	INVSLU Max	Cent	2738.1	-23.6	-503.9	2830.1
-99.4	-7.95		807	2773.1	-45.6	-387.8	2829.3
-94.8	-12.22		50	2813.2	42.1	-625.6	2949.5
-129.6	-12.34		2297	2703.6	6.1	-616.1	2839.3
-141.2	-7.99		2331	2663.0	-88.5	-380.1	2718.4
-574.2	-22.05	Min	Cent	1429.5	-56.9	-1028.9	1804.3
-536.3	-19.04		807	1487.1	-114.9	-935.5	1778.0
-579.3	-24.02		50	1513.2	27.2	-1132.4	1967.9
-633.3	-24.80		2297	1371.9	-10.5	-1122.9	1840.9
-579.6	-19.72		2331	1345.8	-147.9	-925.8	1646.4
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		Max	Cent	0.0	0.0	0.0	0.0
0.0	68.29		807	0.0	0.0	0.0	0.0
0.0	77.34		50	0.0	0.0	0.0	0.0
-0.0	56.10		2297	0.0	0.0	0.0	0.0
-0.0	63.12		2331	0.0	0.0	0.0	0.0
0.0	65.99	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-4.56		807	-0.1	-0.2	-0.0	-0.1
-0.2	-4.30		50	-0.1	-0.2	-0.0	-0.1
-0.2	-2.35		2297	-0.0	-0.1	-0.0	-0.0
-0.1	-5.39		2331	-0.0	-0.1	-0.0	-0.0
-0.1	-9.27						

-----		NODE	Vxx	Vyy
Max	Cent		0.0	0.0
	807		0.0	0.1
	50		0.0	-0.0
	2297		0.0	-0.0
	2331		0.0	0.1
Min	Cent		-0.0	-0.4
	807		-0.0	-0.4
	50		-0.0	-0.4
	2297		-0.0	-0.4
	2331		-0.0	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-111.2	-15.38	INVSLV	Max	Cent	1124.4	-15.4	-333.9
				807	1143.8	-29.8	-283.8
-106.0	-15.34			50	1160.7	19.2	-387.9
-102.0	-17.31			2297	1105.0	0.9	-383.6
-120.8	-17.62			2331	1088.1	-49.6	-279.6
-126.7	-15.60		Min	Cent	925.6	-20.5	-399.4
-160.8	-19.92			807	950.7	-40.1	-351.3
-136.5	-15.03			50	965.2	15.5	-452.5
-162.9	-21.62			2297	900.5	-2.9	-448.0
-185.0	-22.18			2331	886.0	-57.0	-346.7
-153.8	-15.43						963.2

Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
-----								
		Max	Cent		0.0	0.1	0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-87.02		807	0.0	0.2	0.0	0.2
0.0	-88.23		50	0.1	0.2	0.0	0.2
0.1	-88.06		2297	0.0	0.1	0.0	0.1
0.0	-85.02		2331	0.0	0.0	0.0	0.0
0.0	-83.26	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	1.29		807	-0.1	-0.2	-0.0	-0.1
-0.2	0.52		50	-0.1	-0.2	-0.0	-0.1
-0.2	1.22		2297	-0.0	-0.1	-0.0	-0.0
-0.1	1.91		2331	-0.0	-0.1	-0.0	-0.0
-0.1	1.26						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.8
	807	0.0	0.7
	50	0.0	0.8
	2297	0.0	0.8
	2331	0.0	0.7
Min	Cent	-0.0	-0.8
	807	-0.0	-0.7
	50	-0.0	-0.8
	2297	-0.0	-0.8
	2331	-0.0	-0.7

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
872	2	8	Q1-1-2	Max	Cent	243.5	9.8	62.5	259.2
-5.8		14.06			811	435.8	61.9	81.8	452.9
44.8		11.82			813	431.8	58.1	39.4	435.9
54.0		5.96			814	62.7	1.3	46.2	87.4
-23.5		28.18			812	63.2	1.0	91.6	128.9
-64.6		35.62		Min	Cent	-5.5	-140.9	-334.4	268.0
-414.4		-39.28			811	-9.4	-105.7	-288.9	235.3
-350.4		-40.27			813	-9.3	-109.2	-375.3	319.4
-437.9		-41.21			814	-8.1	-198.5	-384.1	292.4
-499.0		-38.04			812	-3.5	-192.4	-295.5	212.3
-408.2		-36.13							
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
0.1		86.80		Max	Cent	0.1	0.2	0.0	0.2
					811	0.1	0.1	0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.1	83.03		813	0.1	0.1	0.0	0.1
0.0	85.14		814	0.1	0.3	0.0	0.3
0.1	87.94		812	0.1	0.3	0.0	0.3
0.1	87.27	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-27.78		811	-0.0	-0.0	-0.0	0.0
-0.0	-36.46		813	-0.0	-0.0	-0.0	0.0
-0.0	-35.87		814	-0.0	-0.0	-0.0	-0.0
-0.0	-18.30		812	-0.0	-0.0	-0.0	-0.0
-0.0	-19.45						

	NODE	Vxx	Vyy
Max	Cent	0.1	0.0
	811	0.0	0.0
	813	0.0	0.0
	814	0.1	0.0
	812	0.1	0.0
Min	Cent	-0.0	-0.3
	811	-0.0	-0.3
	813	-0.0	-0.3
	814	-0.0	-0.3
	812	-0.0	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-6.2	15.95	Q2a-1-2	Max	Cent	145.9	6.3	43.5	158.3
24.3	13.51			811	262.0	38.0	57.1	275.7
32.5	6.89			813	259.2	35.8	27.4	262.5
-17.8	30.27			814	37.2	0.9	32.1	55.9
-47.4	36.98			812	37.5	0.7	64.0	85.7
-261.5	-38.34		Min	Cent	-4.1	-100.5	-203.6	156.9
-219.8	-39.47			811	-7.0	-75.5	-175.3	137.4
-273.8	-40.57			813	-6.9	-78.1	-228.5	188.8
-314.6	-37.25			814	-5.7	-136.0	-234.9	172.9
-258.6	-35.08			812	-2.3	-132.2	-180.0	124.1
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
0.1	87.08		Max	Cent	0.1	0.1	0.0	0.1
0.0	83.45			811	0.0	0.1	0.0	0.1
				813	0.0	0.1	0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	85.56			814	0.1	0.2	0.0	0.2
0.1	88.17			812	0.1	0.2	0.0	0.2
0.1	87.54							
-0.0	-32.59	Min	Cent		-0.0	-0.0	-0.0	0.0
-0.0	-39.05			811	-0.0	-0.0	-0.0	0.0
-0.0	-38.70			813	-0.0	-0.0	-0.0	0.0
-0.0	-23.17			814	-0.0	-0.0	-0.0	-0.0
-0.0	-24.33			812	-0.0	-0.0	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	811	0.0	0.0
	813	0.0	0.0
	814	0.0	0.0
	812	0.0	0.0
Min	Cent	-0.0	-0.2
	811	-0.0	-0.2
	813	-0.0	-0.2
	814	-0.0	-0.2
	812	-0.0	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-11.9	26.42	SLVx (RS)	Cent	33.7	-0.6	22.7	45.0
-2.4	21.51		811	49.5	5.7	20.4	57.6
-6.7	24.53		813	49.3	5.0	25.5	60.9
-20.9	32.20		814	19.3	-5.0	25.3	35.3
-15.7	29.78		812	19.6	-4.1	20.2	31.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	11.55	Cent	-0.0	-0.0	0.0	-0.0
0.0	84.18	811	0.0	0.0	0.0	0.0
0.0	84.71	813	0.0	0.0	0.0	0.0
-0.0	25.43	814	-0.0	-0.0	0.0	-0.0
-0.0	27.40	812	-0.0	-0.0	0.0	-0.0

	NODE	Vxx	Vyy
	Cent	-0.0	0.0
	811	0.0	0.0
	813	0.0	0.0
	814	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		812	0.0	0.0			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLV <sub>y</sub> (RS)	Cent	32.7	0.1	16.2	39.4
-6.6	22.40		811	33.4	0.8	16.5	40.4
-6.1	22.70		813	33.1	-0.6	16.4	39.7
-7.3	22.11		814	32.0	-0.8	15.8	38.4
-7.1	22.01		812	32.3	0.5	16.0	39.0
-6.1	22.53						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	0.1	0.0	0.1
0.0	80.99		811	0.1	0.2	0.0	0.2
0.1	85.19		813	0.1	0.2	0.0	0.2
0.1	86.00		814	0.0	0.1	0.0	0.1
0.0	65.62		812	0.0	0.1	0.0	0.1
0.0	65.42						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	0.4		
			811	0.1	0.3		
			813	0.1	0.4		
			814	-0.0	0.4		
			812	-0.0	0.3		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLD <sub>x</sub> (RS)	Cent	16.9	-0.3	11.3	22.5
-5.9	26.44		811	24.7	2.9	10.2	28.8
-1.2	21.53		813	24.6	2.5	12.8	30.4
-3.3	24.54		814	9.6	-2.5	12.7	17.6
-10.5	32.21		812	9.8	-2.1	10.1	15.6
-7.8	29.79						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	11.56		811	0.0	0.0	0.0	0.0
0.0	84.17		813	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	84.70		814	-0.0	-0.0	0.0	-0.0
-0.0	25.48		812	-0.0	-0.0	0.0	-0.0
-0.0	27.45						

NODE	Vxx	Vyy
Cent	-0.0	0.0
811	0.0	0.0
813	0.0	0.0
814	0.0	0.0
812	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDy (RS)	Cent	16.3	0.1	8.1	19.7
-3.3	22.41		811	16.7	0.4	8.3	20.2
-3.1	22.70		813	16.5	-0.3	8.2	19.8
-3.6	22.12		814	16.0	-0.4	7.9	19.2
-3.6	22.02		812	16.2	0.2	8.0	19.5
-3.1	22.54						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	0.1	0.0	0.1
0.0	80.99	811	0.0	0.1	0.0	0.1
0.0	85.19	813	0.0	0.1	0.0	0.1
0.0	86.00	814	0.0	0.0	0.0	0.0
0.0	65.60	812	0.0	0.0	0.0	0.0
0.0	65.41					

NODE	Vxx	Vyy
Cent	0.0	0.2
811	0.0	0.2
813	0.0	0.2
814	0.0	0.2
812	0.0	0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVz (RS)	Cent	-8.9	-0.3	10.3	6.6
-15.7	56.35		811	-14.2	-2.0	9.1	2.9
-19.1	61.89		813	-14.2	-1.9	11.6	5.1
-21.1	59.01		814	-4.4	1.6	11.5	10.4
-13.3	52.31						



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-11.1	54.02		812	-4.5	1.4	9.0	8.0
-----							
			Cent	-0.0	0.0	0.0	0.0
-0.0	83.46		811	0.0	0.0	0.0	0.0
0.0	83.08		813	0.0	0.0	0.0	0.0
0.0	84.15		814	-0.0	-0.0	0.0	-0.0
-0.0	30.22		812	-0.0	-0.0	0.0	-0.0
-0.0	30.42						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	0.0		
			811	-0.0	0.0		
			813	-0.0	0.0		
			814	-0.0	0.0		
			812	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		g1	Cent	184.0	-9.0	-189.4	300.0
-125.1	-31.50		811	320.4	33.5	-156.4	389.2
-35.3	-23.74		813	319.2	29.7	-223.3	440.6
-91.6	-28.52		814	47.5	-51.6	-222.4	225.8
-229.9	-38.72		812	48.7	-47.8	-155.5	163.2
-162.4	-36.38						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	0.0	-0.0	0.0
0.0	-63.73		811	0.0	-0.0	-0.0	0.0
-0.0	-18.81		813	-0.0	-0.0	-0.0	0.0
-0.0	-23.93		814	0.0	0.0	-0.0	0.0
0.0	-82.59		812	0.0	0.0	-0.0	0.0
0.0	-82.64						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.0		
			811	0.0	-0.0		
			813	0.0	-0.0		
			814	0.0	-0.0		
			812	0.0	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-60.7	-30.97	g2	Cent	89.8	-6.5	-90.3	143.9
-17.3	-23.09		811	156.6	14.3	-74.2	188.2
-44.5	-28.07		813	156.1	12.5	-106.9	213.1
-111.6	-38.36		814	22.9	-27.3	-106.4	107.1
-78.7	-35.80		812	23.5	-25.6	-73.7	76.6
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-1.45		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-0.97		811	-0.0	-0.0	-0.0	-0.0
-0.0	-0.07		813	-0.0	-0.0	-0.0	-0.0
-0.0	-1.73		814	-0.0	-0.0	-0.0	-0.0
-0.0	-2.36		812	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			811	-0.0	0.0		
			813	-0.0	0.0		
			814	-0.0	0.0		
			812	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.4	13.34	q3	Cent	35.1	-0.3	8.9	37.2
0.9	14.56		811	47.5	4.0	12.1	50.7
1.8	7.69		813	47.1	2.6	6.1	47.9
-5.8	11.28		814	22.7	-4.6	5.7	23.9
-7.7	20.77		812	23.1	-3.3	11.7	27.6
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	28.24		Cent	0.0	-0.0	0.0	0.0
-0.0	9.05		811	0.0	-0.0	0.0	0.0
-0.0	8.88		813	-0.0	-0.0	0.0	-0.0
0.0	70.64		814	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0      63.35      812      0.0      0.0      0.0      0.0

NODE      Vxx      Vyy

-----  
 Cent      0.0      -0.0  
 811      0.0      -0.0  
 813      0.0      -0.0  
 814      0.0      -0.0  
 812      0.0      -0.0

Fmin      ANGLE      LC      NODE      Fxx      Fyy      Fxy      Fmax

-----  
 -0.1      -1.36      q5\_pc      Cent      24.6      -0.1      -0.6      24.6  
 1.0      0.38           811      27.1      1.0      0.2      27.1  
 0.2      -2.22           813      26.9      0.3      -1.0      27.0  
 -1.3      -3.32           814      22.0      -1.2      -1.3      22.1  
 -0.4      -0.35           812      22.2      -0.4      -0.1      22.2

Mmin      ANGLE      NODE      Mxx      Myy      Mxy      Mmax

-----  
 0.0      73.95      Cent      0.0      0.0      0.0      0.0  
 0.0      56.38      811      0.0      0.0      0.0      0.0  
 0.0      65.99      813      0.0      0.0      0.0      0.0  
 0.0      79.68      814      0.0      0.0      0.0      0.0  
 0.0      77.84      812      0.0      0.0      0.0      0.0

NODE      Vxx      Vyy

-----  
 Cent      0.0      -0.0  
 811      0.0      -0.0  
 813      0.0      -0.0  
 814      0.0      -0.0  
 812      0.0      -0.0

Fmin      ANGLE      LC      NODE      Fxx      Fyy      Fxy      Fmax

-----  
 0.0      2.20      q5\_ps      Cent      21.7      0.1      0.8      21.7  
 0.9      3.63           811      23.7      1.0      1.4      23.8  
 0.3      1.25           813      23.5      0.3      0.5      23.5  
 -0.8      0.61           814      19.7      -0.8      0.2      19.7  
 -0.2      3.30           812      19.9      -0.2      1.2      19.9

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
0.0	60.03		Cent	0.0	0.0	0.0	0.0	
0.0	42.59		811	0.0	0.0	0.0	0.0	
-0.0	49.07		813	0.0	0.0	0.0	0.0	
0.0	69.91		814	0.0	0.0	0.0	0.0	
0.0	68.19		812	0.0	0.0	0.0	0.0	
			NODE	Vxx	Vyy			
			Cent	0.0	-0.0			
			811	0.0	-0.0			
			813	0.0	-0.0			
			814	0.0	-0.0			
			812	0.0	-0.0			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-587.5	-55.15	INVSLU	Max	Cent	-471.6	-17.7	-255.9	330.7
180.2	-49.37			811	410.8	218.6	-94.2	502.7
-127.8	-47.95			813	419.6	260.9	-459.4	956.1
-1473.5	-57.96			814	-1338.4	-193.5	-413.1	158.2
-1353.7	-64.79			812	-1351.9	-242.5	-44.1	-237.6
-1388.8	-68.48		Min	Cent	-860.5	-221.4	-792.8	83.3
-730.1	-54.98			811	-247.0	-9.4	-594.9	271.3
-1122.5	-48.95			813	-232.2	34.4	-1021.2	639.0
-2083.4	-72.55			814	-1480.6	-465.3	-996.3	-63.7
-1741.4	-71.15			812	-1490.6	-504.5	-566.9	-291.9
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
0.1	88.22		Max	Cent	0.1	0.4	0.0	0.4
0.1	86.34			811	0.1	0.3	0.0	0.3
0.1	87.51			813	0.1	0.3	0.0	0.3
0.1	88.82			814	0.1	0.5	0.0	0.5
0.2	88.30			812	0.2	0.5	0.0	0.5
0.0	-72.27		Min	Cent	0.0	0.1	-0.0	0.1
				811	0.0	0.0	-0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-67.69		813	0.0	0.0	-0.0	0.1
-0.0	-63.97		814	0.0	0.1	-0.0	0.1
0.0	-76.19		812	0.0	0.1	-0.0	0.1
0.0	-76.47						

	NODE	Vxx	Vyy
Max	Cent	0.1	-0.0
	811	0.1	-0.0
	813	0.1	-0.0
	814	0.1	-0.0
	812	0.1	-0.0
Min	Cent	-0.0	-0.5
	811	-0.0	-0.5
	813	-0.0	-0.6
	814	-0.0	-0.6
	812	-0.0	-0.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-396.5	-59.76	INVSLV	Max Cent	-257.3	-21.6	-223.7	144.4
-51.3	-43.49		811	121.4	81.0	-146.7	260.7
-207.8	-45.79		813	128.9	106.6	-320.5	457.8
-772.5	-64.09		814	-625.4	-113.4	-300.2	64.0
-667.6	-73.46		812	-632.8	-140.8	-126.4	-88.0
-510.4	-59.09		Min Cent	-349.7	-23.0	-284.9	111.0
-170.2	-47.78		811	-6.3	67.9	-203.0	222.4
-337.1	-47.11		813	2.0	95.2	-388.3	418.4
-873.0	-65.26		814	-703.6	-124.8	-367.2	14.5
-761.3	-76.48		812	-712.0	-150.2	-181.9	-118.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	83.00	Max Cent	0.1	0.2	0.0	0.2
0.1	86.34	811	0.1	0.2	0.0	0.2
0.1	87.04	813	0.1	0.2	0.0	0.3
0.0	72.05	814	0.0	0.1	0.0	0.1
0.0	71.18	812	0.0	0.1	0.0	0.1
-0.1	-10.99	Min Cent	-0.0	-0.1	-0.0	-0.0
-0.2	-5.98	811	-0.1	-0.2	-0.0	-0.1
		813	-0.1	-0.2	-0.0	-0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.2	-5.06		814	-0.0	-0.0	-0.0	-0.0
-0.1	-31.00		812	-0.0	-0.0	-0.0	-0.0
-0.1	-30.34						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.3
	811	0.1	0.3
	813	0.1	0.4
	814	0.0	0.4
	812	0.0	0.3
Min	Cent	-0.0	-0.4
	811	-0.0	-0.4
	813	-0.0	-0.4
	814	-0.0	-0.4
	812	-0.0	-0.4

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
873	2	4	Q1-1-2	Max	Cent	242.3	2.0	66.6	259.6
-15.2		14.50			813	440.4	60.4	111.6	470.8
30.1		15.22			655	428.7	40.0	24.1	430.1
38.5		3.53			658	63.4	1.2	31.0	76.2
-11.6		22.45			814	66.5	1.3	124.4	162.5
-94.7		37.66		Min	Cent	-5.1	-135.6	-332.8	268.9
-409.5		-39.45			813	-8.6	-103.8	-241.3	189.8
-302.2		-39.42			655	-8.6	-106.5	-418.1	363.4
-478.5		-41.66			658	-9.6	-201.2	-429.5	334.6
-545.4		-38.71			814	-5.5	-188.4	-249.2	168.5
-362.4		-34.93							

				NODE	Mxx	Myy	Mxy	Mmax	
				Max	Cent	0.1	0.2	0.0	0.2
0.1		86.85			813	0.1	0.1	0.0	0.1
0.1		82.68			655	0.0	0.1	0.0	0.1
0.0		83.76			658	0.1	0.2	0.0	0.2
0.1		88.14			814	0.1	0.2	0.0	0.2
0.1		87.95		Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0		-30.29			813	-0.0	-0.0	-0.0	0.0
-0.0		-37.41			655	-0.0	-0.0	-0.0	0.0
-0.0		-35.89			658	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0      -21.07  
 -0.0      -22.25

		NODE	Vxx	Vyy
Max	Cent		0.0	0.0
	813		0.0	0.0
	655		0.0	0.0
	658		0.0	0.0
	814		0.0	0.0
Min	Cent		-0.0	-0.2
	813		-0.0	-0.2
	655		-0.0	-0.2
	658		-0.0	-0.2
	814		-0.0	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-12.2	16.39	Q2a-1-2	Max Cent	144.5	1.4	46.1	158.1
13.2	17.13		813	264.7	37.1	77.5	288.6
23.4	4.09		655	256.8	24.6	16.7	258.0
-8.8	24.37		658	38.4	0.9	21.4	48.1
-68.1	38.64		814	39.9	1.0	86.4	109.0
-258.2	-38.57		Min Cent	-3.8	-96.4	-203.0	158.1
-190.6	-38.47		813	-6.4	-74.3	-146.4	109.9
-298.8	-41.11		655	-6.4	-76.2	-255.2	216.3
-342.3	-38.11		658	-6.9	-135.9	-263.1	199.5
-230.4	-33.76		814	-3.9	-129.2	-151.4	97.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	87.19	Max Cent	0.0	0.1	0.0	0.1
0.0	83.17	813	0.0	0.1	0.0	0.1
0.0	84.21	655	0.0	0.1	0.0	0.1
0.1	88.39	658	0.1	0.1	0.0	0.1
0.1	88.20	814	0.1	0.1	0.0	0.1
-0.0	-34.63	Min Cent	-0.0	-0.0	-0.0	0.0
-0.0	-39.75	813	-0.0	-0.0	-0.0	0.0
-0.0	-38.50	655	-0.0	-0.0	-0.0	0.0
-0.0	-25.97	658	-0.0	-0.0	-0.0	-0.0
		814	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0      -27.29

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	813	0.0	0.0
	655	0.0	0.0
	658	0.0	0.0
	814	0.0	0.0
Min	Cent	-0.0	-0.2
	813	-0.0	-0.2
	655	-0.0	-0.2
	658	-0.0	-0.2
	814	-0.0	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-12.2	26.97	SLVx (RS)	Cent	32.3	-0.7	22.6	43.8
-1.6	20.09		813	47.7	5.0	18.0	54.2
-10.5	26.45		655	47.4	3.8	28.8	61.7
-25.0	33.60		658	18.5	-5.8	28.9	37.7
-14.7	28.64		814	18.6	-4.8	18.2	28.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	3.84	Cent	0.0	-0.0	0.0	0.0
0.0	84.95	813	0.0	0.0	0.0	0.0
0.0	86.50	655	0.0	0.0	0.0	0.0
-0.0	19.89	658	-0.0	-0.0	0.0	-0.0
-0.0	24.23	814	-0.0	-0.0	0.0	-0.0

	NODE	Vxx	Vyy
	Cent	0.0	0.0
	813	0.0	0.0
	655	0.0	0.0
	658	0.0	0.0
	814	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-6.7	22.53	SLVy (RS)	Cent	31.4	-0.2	15.8	37.9
-6.0	22.74		813	31.3	0.5	15.6	37.8
-7.3	22.74		655	31.1	-0.5	16.1	37.8
			658	31.5	-0.5	16.0	38.1



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-7.1	22.49		814	31.6	0.2	15.5	38.0
-6.2	22.32						
-----							
0.0	85.53		Cent	0.0	0.1	0.0	0.1
0.1	86.71		813	0.1	0.2	0.0	0.2
0.1	88.83		655	0.1	0.2	0.0	0.2
0.0	77.11		658	0.0	0.0	0.0	0.0
0.0	71.35		814	0.0	0.0	0.0	0.0
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	0.3		
			813	0.0	0.3		
			655	0.0	0.3		
			658	-0.0	0.3		
			814	-0.0	0.3		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-6.1	26.98	SLDx (RS)	Cent	16.1	-0.3	11.3	21.9
-0.8	20.12		813	23.8	2.5	9.0	27.1
-5.3	26.47		655	23.7	1.9	14.4	30.8
-12.5	33.61		658	9.2	-2.9	14.4	18.8
-7.3	28.65		814	9.3	-2.4	9.1	14.2
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	3.84		Cent	0.0	-0.0	0.0	0.0
0.0	84.94		813	0.0	0.0	0.0	0.0
0.0	86.49		655	0.0	0.0	0.0	0.0
-0.0	19.95		658	-0.0	-0.0	0.0	-0.0
-0.0	24.27		814	-0.0	-0.0	0.0	-0.0
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	0.0		
			813	0.0	0.0		
			655	0.0	0.0		
			658	0.0	0.0		
			814	0.0	0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-3.4	22.53	SLDy (RS)	Cent	15.7	-0.1	7.9	18.9
-3.0	22.75		813	15.6	0.3	7.8	18.9
-3.6	22.74		655	15.5	-0.3	8.0	18.9
-3.6	22.49		658	15.7	-0.3	8.0	19.0
-3.1	22.32		814	15.8	0.1	7.8	19.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	85.52		Cent	0.0	0.1	0.0	0.1
0.0	86.70		813	0.0	0.1	0.0	0.1
0.0	88.83		655	0.0	0.1	0.0	0.1
0.0	77.06		658	0.0	0.0	0.0	0.0
0.0	71.33		814	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	0.1		
			813	0.0	0.1		
			655	0.0	0.2		
			658	-0.0	0.2		
			814	-0.0	0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-15.5	56.65	SLVz (RS)	Cent	-8.7	0.2	10.3	6.9
-17.9	64.01		813	-14.1	-1.9	7.8	1.9
-22.0	58.02		655	-14.0	-1.4	12.9	6.7
-14.4	51.81		658	-4.2	2.0	12.9	12.2
-9.7	55.11		814	-4.3	1.5	7.8	7.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	81.48		Cent	0.0	0.0	0.0	0.0
0.0	84.54		813	0.0	0.0	0.0	0.0
0.0	86.82		655	0.0	0.0	0.0	0.0
			658	-0.0	-0.0	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0      25.08  
 -0.0      27.35

NODE	Vxx	Vyy
Cent	-0.0	0.0
813	-0.0	0.0
655	-0.0	0.0
658	-0.0	0.0
814	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-127.1	-30.96	g1	Cent	184.0	-15.1	-186.6	296.0
-10.4	-19.53		813	320.8	31.3	-117.5	362.5
-127.7	-29.89		655	317.2	19.3	-255.7	464.2
-268.6	-39.00		658	47.3	-61.5	-255.8	254.4
-127.1	-33.44		814	50.9	-49.5	-117.5	128.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-64.53	Cent	0.0	0.0	-0.0	0.0
-0.0	-23.15	813	0.0	-0.0	-0.0	0.0
-0.0	-27.01	655	-0.0	-0.0	-0.0	-0.0
0.0	-81.52	658	0.0	0.0	-0.0	0.0
0.0	-79.47	814	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
813	0.0	-0.0
655	0.0	-0.0
658	0.0	-0.0
814	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-61.3	-30.41	g2	Cent	89.8	-9.2	-88.7	141.9
-5.2	-18.72		813	156.7	13.4	-54.9	175.3
-61.7	-29.49		655	154.9	7.6	-122.5	224.2
-130.0	-38.70		658	22.9	-31.9	-122.5	121.1
-61.2	-32.59		814	24.7	-26.1	-54.9	59.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----	-----	-----	-----	-----	-----	-----
-0.0	-1.04	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-0.75	813	-0.0	-0.0	-0.0	-0.0
-0.0	-0.83	655	-0.0	-0.0	-0.0	-0.0
-0.0	-1.09	658	-0.0	-0.0	-0.0	-0.0
-0.0	-1.08	814	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
-----	-----	-----
Cent	-0.0	0.0
813	-0.0	0.0
655	-0.0	0.0
658	-0.0	0.0
814	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----	-----	-----	-----	-----	-----	-----	-----
-2.9	13.38	q3	Cent	32.8	-0.9	8.5	34.9
-2.0	17.04		813	44.0	2.3	14.1	48.3
2.4	3.60		655	44.1	2.6	2.6	44.3
-4.5	6.38		658	21.7	-4.1	2.9	22.0
-10.8	23.96		814	21.6	-4.4	14.4	28.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----	-----	-----	-----	-----	-----	-----
-0.0	30.95	Cent	0.0	-0.0	0.0	0.0
-0.0	8.89	813	-0.0	-0.0	0.0	-0.0
-0.0	10.38	655	-0.0	-0.0	0.0	-0.0
0.0	74.76	658	0.0	0.0	0.0	0.0
0.0	70.89	814	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
-----	-----	-----
Cent	0.0	-0.0
813	0.0	-0.0
655	0.0	-0.0
658	0.0	-0.0
814	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----	-----	-----	-----	-----	-----	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.3	-1.84	q5_pc	Cent	24.5	-0.3	-0.8	24.5
1.0	1.01		813	26.9	1.0	0.5	26.9
-0.4	-3.78		655	26.5	-0.3	-1.8	26.6
-1.8	-4.91		658	22.1	-1.6	-2.1	22.3
-0.3	0.46		814	22.5	-0.3	0.2	22.5
0.0	74.26		Cent	0.0	0.0	0.0	0.0
0.0	59.12		813	0.0	0.0	0.0	0.0
0.0	65.25		655	0.0	0.0	0.0	0.0
0.0	79.98		658	0.0	0.0	0.0	0.0
0.0	79.39		814	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			813	0.0	-0.0		
			655	0.0	-0.0		
			658	0.0	-0.0		
			814	0.0	-0.0		
Fmin		ANGLE	LC	Fxx	Fyy	Fxy	Fmax
-0.1	1.58	q5_ps	Cent	21.5	-0.1	0.6	21.5
0.8	3.93		813	23.3	0.9	1.5	23.4
-0.2	-0.32		655	23.0	-0.2	-0.1	23.0
-1.1	-0.97		658	19.7	-1.1	-0.4	19.7
-0.1	3.75		814	20.0	-0.0	1.3	20.1
0.0	58.65		Cent	0.0	0.0	0.0	0.0
0.0	44.72		813	0.0	0.0	0.0	0.0
-0.0	48.24		655	0.0	0.0	0.0	0.0
0.0	67.70		658	0.0	0.0	0.0	0.0
0.0	68.02		814	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

				NODE	Vxx	Vyy		
				Cent	0.0	-0.0		
				813	0.0	-0.0		
				655	0.0	-0.0		
				658	0.0	-0.0		
				814	0.0	-0.0		
Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
				Cent	-474.2	-34.3	-247.5	326.8
-586.5	-55.22	INVSLU	Max	813	394.6	195.2	110.6	443.9
146.0	23.98		655	398.5	233.9	-630.3	1157.6	
-322.9	-47.64		658	-1317.2	-184.2	-592.1	369.8	
-1573.2	-55.71		814	-1332.6	-252.1	156.3	-230.4	
-1353.5	81.93		Cent	-860.8	-220.6	-788.2	67.0	
-1384.0	-68.60	Min	813	-267.8	-28.4	-366.7	128.0	
-528.7	-63.14	655	-247.2	35.6	-1230.5	785.2		
-1336.7	-48.13	658	-1461.9	-460.3	-1217.4	62.8		
-2268.7	-67.36	814	-1478.4	-508.7	-348.4	-397.1		
-1583.4	-79.30			Cent	0.1	0.3	0.0	0.3
Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
				813	0.1	0.2	0.0	0.2
0.1	88.47			655	0.1	0.2	0.0	0.2
0.1	86.64			658	0.1	0.4	0.0	0.4
0.1	86.96			814	0.2	0.4	0.0	0.4
0.1	89.07			Cent	0.0	0.0	-0.0	0.0
0.2	88.96	Min	813	0.0	0.0	-0.0	0.0	
0.0	-68.75	655	0.0	0.0	-0.0	0.0		
-0.0	-62.74	658	0.0	0.0	-0.0	0.0		
-0.0	-62.19	814	0.0	0.0	-0.0	0.0		
0.0	-74.23			Cent	0.1	-0.0	-0.0	
0.0	-74.08			813	0.0	-0.0	-0.0	
				655	0.0	-0.0	-0.0	
				658	0.1	-0.0	-0.0	

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	814	0.1	-0.0
Min	Cent	-0.0	-0.4
	813	-0.0	-0.4
	655	-0.0	-0.4
	658	-0.0	-0.4
	814	-0.0	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-400.4	-59.96	INVSLV	Max Cent	-264.7	-23.0	-221.5	140.2
30.8	-42.93		813	104.7	72.6	-51.6	150.4
-300.3	-46.74		655	114.5	105.0	-405.3	542.5
-844.2	-60.96		658	-623.2	-107.9	-389.7	149.0
-636.8	-81.35		814	-633.1	-143.0	-36.0	-130.8
-511.5	-59.49		Min Cent	-353.4	-24.6	-282.4	106.1
-83.1	-52.87		813	-17.8	61.2	-101.7	116.3
-433.5	-46.28		655	-7.4	96.3	-480.3	498.5
-946.5	-61.73		658	-699.8	-121.1	-464.8	89.8
-721.2	-85.27		814	-710.1	-153.5	-86.3	-150.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	87.54	Max Cent	0.0	0.1	0.0	0.1
0.1	87.97		813	0.1	0.2	0.2
0.1	89.95		655	0.1	0.2	0.2
0.0	84.32		658	0.0	0.1	0.1
0.0	77.57		814	0.0	0.0	0.0
-0.1	-6.75	Min Cent	-0.0	-0.1	-0.0	-0.0
-0.2	-4.59		813	-0.1	-0.2	-0.1
-0.2	-2.35		655	-0.1	-0.2	-0.1
-0.0	-23.87		658	-0.0	-0.0	-0.0
-0.0	-25.44		814	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Max Cent	0.0	0.3
813	0.0	0.3
655	0.0	0.3
658	0.0	0.3
814	0.0	0.3
Min Cent	-0.0	-0.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

813 -0.0 -0.3  
 655 -0.0 -0.3  
 658 -0.0 -0.3  
 814 -0.0 -0.3

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
876	2	8	Q1-1-2	Max	Cent	609.2	12.8	48.0	613.1
9.0		4.57			806	807.0	82.1	69.6	813.6
75.5		5.43			808	794.0	48.4	30.5	795.3
47.1		2.34			813	411.5	1.4	30.0	413.7
-0.8		4.16			811	424.5	0.8	71.1	436.1
-10.8		9.28		Min	Cent	-12.6	-72.9	-333.1	291.7
-377.2		-42.41			806	-16.6	-38.1	-279.1	252.0
-306.7		-43.89			808	-16.4	-51.7	-369.6	335.9
-404.0		-43.63			813	-8.6	-143.6	-387.3	317.1
-469.2		-40.05			811	-8.7	-109.6	-296.9	241.9
-360.3		-40.18							
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
				Max	Cent	0.0	0.1	0.0	0.1
0.0		75.83			806	0.0	0.0	0.0	0.0
0.0		41.84			808	0.0	0.0	0.0	0.0
0.0		52.04			813	0.1	0.1	0.0	0.1
0.1		83.84			811	0.1	0.1	0.0	0.1
0.1		82.52		Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0		-40.07			806	-0.0	-0.0	-0.0	0.0
-0.0		-37.15			808	-0.0	-0.0	-0.0	0.0
-0.0		-36.20			813	-0.0	-0.0	-0.0	0.0
-0.0		-37.76			811	-0.0	-0.0	-0.0	0.0
-0.0		-39.21							
				NODE	Vxx	Vyy			
				Max	Cent	0.0	0.0		
					806	0.0	0.0		
					808	0.0	0.0		
					813	0.0	0.0		
					811	0.0	0.0		
				Min	Cent	-0.0	-0.3		
					806	-0.0	-0.3		
					808	-0.0	-0.3		



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

813 -0.0 -0.3  
811 -0.0 -0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
5.0	5.27	Q2a-1-2	Max Cent	367.7	8.0	33.4	370.8
45.0	6.28		806	486.7	50.4	48.6	492.0
28.8	2.72		808	478.5	29.8	21.3	479.5
-0.7	4.80		813	248.9	1.0	21.0	250.6
-8.7	10.61		811	257.0	0.6	49.8	266.3
-235.3	-42.01		Min Cent	-9.3	-52.0	-203.5	174.0
-190.0	-43.74		806	-12.3	-27.3	-170.0	150.4
-250.7	-43.43		808	-12.2	-36.9	-225.8	201.6
-292.1	-39.68		813	-6.4	-95.4	-237.1	190.3
-225.4	-39.63		811	-6.5	-75.2	-181.3	143.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	76.59	Max Cent	0.0	0.0	0.0	0.0
0.0	38.61	806	0.0	0.0	0.0	0.0
0.0	51.64	808	0.0	0.0	0.0	0.0
0.0	84.20	813	0.0	0.1	0.0	0.1
0.0	83.01	811	0.0	0.1	0.0	0.1
-0.0	-40.84	Min Cent	-0.0	-0.0	-0.0	0.0
-0.0	-37.67	806	-0.0	-0.0	-0.0	0.0
-0.0	-36.83	808	-0.0	-0.0	-0.0	0.0
-0.0	-40.09	813	-0.0	-0.0	-0.0	0.0
-0.0	-41.08	811	-0.0	-0.0	-0.0	0.0

NODE	Vxx	Vyy
Max Cent	0.0	0.0
806	0.0	0.0
808	0.0	0.0
813	0.0	0.0
811	0.0	0.0
Min Cent	-0.0	-0.2
806	-0.0	-0.2
808	-0.0	-0.2
813	-0.0	-0.2
811	-0.0	-0.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-8.0	17.28	SLVx (RS)	Cent	63.1	-1.1	22.1	70.0
2.8	13.86		806	80.2	7.5	19.1	85.0
-2.9	16.78		808	79.4	4.5	24.8	86.8
-16.1	22.38		813	46.3	-5.6	25.7	56.8
-9.5	19.24		811	47.1	-2.6	19.8	54.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-86.55		Cent	0.0	0.0	-0.0	0.0
0.0	-85.19		806	0.0	0.0	-0.0	0.0
0.0	-85.55		808	0.0	0.0	-0.0	0.0
0.0	87.17		813	0.0	0.0	0.0	0.0
0.0	86.85		811	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			806	0.0	0.0		
			808	0.0	0.0		
			813	0.0	0.0		
			811	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-5.1	20.22	SLVy (RS)	Cent	33.9	0.2	14.4	39.2
-4.6	20.45		806	34.9	0.9	14.7	40.4
-5.7	19.78		808	34.5	-0.5	14.5	39.8
-5.9	19.82		813	33.0	-0.8	14.0	38.0
-5.0	20.39		811	33.3	0.3	14.2	38.6
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	-86.72		Cent	0.1	0.2	-0.0	0.2
0.1	-81.73		806	0.1	0.1	-0.0	0.1
0.0	-83.15		808	0.0	0.1	-0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.1	89.16	813	0.1	0.2	0.0	0.2
0.1	89.02	811	0.1	0.2	0.0	0.2

NODE	Vxx	Vyy
Cent	0.0	-0.2
806	0.0	-0.2
808	0.0	-0.2
813	0.1	-0.2
811	0.1	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-4.0	17.30	SLDx (RS)	Cent	31.5	-0.6	11.1	35.0
1.4	13.88		806	40.1	3.8	9.6	42.4
-1.5	16.80		808	39.6	2.3	12.4	43.4
-8.1	22.39		813	23.1	-2.8	12.8	28.4
-4.7	19.26		811	23.5	-1.3	9.9	27.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-86.54	Cent	0.0	0.0	-0.0	0.0
0.0	-85.17	806	0.0	0.0	-0.0	0.0
0.0	-85.54	808	0.0	0.0	-0.0	0.0
0.0	87.17	813	0.0	0.0	0.0	0.0
0.0	86.85	811	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
806	0.0	0.0
808	0.0	0.0
813	0.0	0.0
811	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.5	20.22	SLDy (RS)	Cent	16.9	0.1	7.2	19.6
-2.3	20.46		806	17.4	0.4	7.4	20.2
-2.9	19.79		808	17.3	-0.3	7.2	19.9
-2.9	19.83		813	16.5	-0.4	7.0	19.0
			811	16.6	0.2	7.1	19.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-2.5      20.40

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-86.71		Cent	0.0	0.1	-0.0	0.1
0.0	-81.71		806	0.0	0.1	-0.0	0.1
0.0	-83.13		808	0.0	0.1	-0.0	0.1
0.0	89.15		813	0.0	0.1	0.0	0.1
0.0	89.01		811	0.0	0.1	0.0	0.1
			NODE	Vxx	Vyy		
			Cent	0.0	-0.1		
			806	0.0	-0.1		
			808	0.0	-0.1		
			813	0.0	-0.1		
			811	0.0	-0.1		

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-23.4	66.29	SLVz (RS)	Cent	-18.9	-0.5	10.0	3.9
-27.8	71.04		806	-24.8	-2.7	8.6	0.3
-29.1	67.83		808	-24.5	-1.7	11.2	2.9
-19.4	61.48		813	-13.1	1.8	11.5	8.1
-17.7	64.23		811	-13.4	0.8	9.0	5.1

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	86.71		Cent	0.0	0.0	0.0	0.0
0.0	83.42		806	0.0	0.0	0.0	0.0
0.0	84.38		808	0.0	0.0	0.0	0.0
0.0	87.74		813	0.0	0.0	0.0	0.0
0.0	87.34		811	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			806	0.0	0.0		
			808	0.0	0.0		
			813	-0.0	0.0		
			811	-0.0	0.0		

	LC	NODE	Fxx	Fyy	Fxy	Fmax
--	----	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE						
-70.7	-20.57	g1	Cent	438.2	1.0	-191.0	509.8
14.0	-14.98		806	581.8	54.6	-151.9	622.4
-48.0	-19.54		808	574.5	30.4	-220.9	652.9
-167.3	-26.48		813	294.5	-52.7	-230.0	409.1
-94.0	-22.14		811	301.8	-28.4	-161.1	367.3
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-12.45		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-8.74		806	-0.0	-0.0	-0.0	-0.0
-0.0	-8.63		808	-0.0	-0.0	-0.0	-0.0
-0.0	-24.63		813	-0.0	-0.0	-0.0	0.0
-0.0	-19.63		811	0.0	-0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			806	-0.0	-0.0		
			808	-0.0	-0.0		
			813	0.0	-0.0		
			811	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-34.3	-20.05	g2	Cent	215.0	-1.1	-91.0	248.2
6.8	-14.42		806	285.9	25.3	-71.8	304.3
-23.1	-19.11		808	282.4	13.6	-105.8	319.0
-81.4	-26.06		813	144.1	-27.5	-110.2	198.0
-45.8	-21.50		811	147.6	-15.8	-76.2	177.6
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	4.23		Cent	-0.0	-0.0	0.0	-0.0
-0.0	13.10		806	-0.0	-0.0	0.0	-0.0
-0.0	10.43		808	-0.0	-0.0	0.0	-0.0
-0.0	1.12		813	-0.0	-0.0	0.0	-0.0
			811	-0.0	-0.0	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0            1.92

NODE	Vxx	Vyy
Cent	-0.0	0.0
806	-0.0	0.0
808	-0.0	0.0
813	-0.0	0.0
811	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.5	5.76	q3	Cent	57.7	0.0	5.9	58.3
3.6	7.99		806	70.5	4.9	9.4	71.8
2.4	2.77		808	69.8	2.6	3.3	69.9
-4.9	2.70		813	44.9	-4.8	2.4	45.0
-3.9	9.73		811	45.6	-2.5	8.5	47.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	1.67	Cent	-0.0	-0.0	0.0	-0.0
-0.0	-0.18	806	-0.0	-0.0	-0.0	-0.0
-0.0	0.17	808	-0.0	-0.0	0.0	-0.0
-0.0	6.54	813	-0.0	-0.0	0.0	-0.0
-0.0	4.20	811	0.0	-0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
806	0.0	-0.0
808	0.0	-0.0
813	0.0	-0.0
811	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.1	-1.83	q5_pc	Cent	29.4	0.1	-0.9	29.4
1.5	0.07		806	32.4	1.5	0.0	32.4
0.2	-2.40		808	32.0	0.3	-1.3	32.0
-1.5	-3.92		813	26.4	-1.4	-1.9	26.6
-0.1	-1.17		811	26.8	-0.1	-0.5	26.8

NODE	Mxx	Myy	Mxy	Mmax
------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE						
			Cent	0.0	0.0	0.0	0.0
0.0	36.45		806	0.0	-0.0	0.0	0.0
-0.0	13.54		808	0.0	-0.0	0.0	0.0
-0.0	17.56		813	0.0	0.0	0.0	0.0
0.0	67.24		811	0.0	0.0	0.0	0.0
0.0	56.61						
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			806	0.0	-0.0		
			808	0.0	-0.0		
			813	0.0	-0.0		
			811	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_ps	Cent	25.4	0.1	0.4	25.4
0.1	0.97		806	27.8	1.3	1.2	27.8
1.3	2.62		808	27.4	0.3	0.1	27.5
0.3	0.27		813	23.1	-1.0	-0.4	23.1
-1.0	-0.84		811	23.4	0.0	0.7	23.4
0.0	1.79						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	0.0	-0.0	0.0	0.0
-0.0	31.45		806	0.0	-0.0	0.0	0.0
-0.0	19.34		808	-0.0	-0.0	0.0	0.0
-0.0	22.86		813	0.0	0.0	0.0	0.0
-0.0	49.46		811	0.0	0.0	0.0	0.0
0.0	41.10						
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			806	0.0	-0.0		
			808	0.0	-0.0		
			813	0.0	-0.0		
			811	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		INVS LU	Max	Cent				
-57.0	-13.52				1177.3	14.4	-295.2	1248.7
				806	2077.7	306.6	-114.2	2085.0
299.3	-3.67			808	2054.2	241.3	-474.9	2172.2
123.3	-13.88			813	277.0	-197.2	-471.2	696.6
-492.4	-43.55			811	300.4	-180.6	-107.8	323.9
-204.1	-12.17		Min	Cent	277.5	-101.5	-811.3	737.0
-740.6	-35.31			806	900.7	141.4	-585.0	1122.1
-174.7	-21.36			808	895.7	105.8	-1017.3	1406.5
-586.1	-30.40			813	-345.6	-395.3	-1038.0	375.0
-1400.2	-40.27			811	-340.7	-329.8	-605.6	61.8
-935.8	-30.81							

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-----		-----						
		Max	Cent		0.1	0.1	0.0	0.1
0.1	82.93			806	0.0	0.0	0.0	0.0
0.0	70.76			808	0.0	0.0	0.0	0.0
0.0	74.90			813	0.1	0.3	0.0	0.3
0.1	86.34			811	0.1	0.2	0.0	0.2
0.1	85.51	Min	Cent		0.0	0.0	-0.0	0.0
-0.0	-68.38			806	-0.0	0.0	-0.0	0.0
-0.0	-54.96			808	-0.0	-0.0	-0.0	0.0
-0.0	-52.34			813	0.0	0.0	-0.0	0.1
-0.0	-61.56			811	0.0	0.0	-0.0	0.1
-0.0	-63.15							

		NODE	Vxx	Vyy
	Max	Cent	0.1	-0.0
		806	0.0	-0.0
		808	0.0	-0.0
		813	0.1	-0.0
		811	0.1	-0.0
	Min	Cent	-0.0	-0.5
		806	-0.0	-0.4
		808	-0.0	-0.5
		813	-0.0	-0.5
		811	-0.0	-0.4

Fmin ANGLE LC NODE Fxx Fyy Fxy Fmax

-----		-----						
		INVS LV	Max	Cent	448.5	-1.3	-239.4	556.1
-108.8	-23.68							



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

92.1	-11.86		806	838.4	125.0	-151.5	871.3
-24.1	-21.22		808	832.0	103.8	-326.3	961.3
-376.5	-38.70		813	58.8	-115.2	-326.7	323.7
-197.1	-33.76		811	65.2	-100.9	-152.1	160.3
-184.4	-31.72	Min	Cent	290.5	-3.9	-298.3	471.1
41.9	-18.31		806	642.1	107.7	-203.8	707.8
-106.9	-27.37		808	637.8	93.4	-391.4	836.9
-479.5	-40.44		813	-61.4	-127.9	-393.4	283.6
-282.5	-39.59		811	-57.1	-106.7	-205.5	115.4

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
		Max	Cent	0.1	0.2	0.0	0.2
0.1	-85.11		806	0.1	0.1	0.0	0.1
0.1	-78.81		808	0.0	0.1	0.0	0.1
0.0	-80.71		813	0.1	0.2	-0.0	0.2
0.1	-89.76		811	0.1	0.2	-0.0	0.2
0.1	-89.74	Min	Cent	-0.1	-0.2	-0.0	-0.1
-0.2	1.68		806	-0.1	-0.1	-0.0	-0.1
-0.1	5.47		808	-0.0	-0.2	-0.0	-0.0
-0.2	4.51		813	-0.1	-0.2	-0.0	-0.1
-0.2	-1.96		811	-0.1	-0.2	-0.0	-0.1
-0.2	-2.26						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.2
	806	0.0	0.2
	808	0.0	0.2
	813	0.1	0.2
	811	0.1	0.2
Min	Cent	-0.0	-0.2
	806	-0.0	-0.2
	808	-0.0	-0.2
	813	-0.0	-0.2
	811	-0.0	-0.2

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin		ANGLE						
-----								
877	2	4	Q1-1-2	Max	Cent	590.2	0.4	594.5
		4.87			808	774.7	58.7	786.4
		7.24						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

30.8	1.11		628	763.8	31.0	14.2	764.1
0.4	2.55		655	409.2	1.3	18.2	410.0
-21.9	12.95		813	416.6	1.3	100.8	439.8
-378.2	-41.98	Min	Cent	-11.3	-81.2	-330.1	285.6
-271.8	-43.07		808	-14.6	-47.1	-240.4	210.1
-447.9	-43.68		628	-14.6	-52.7	-413.8	380.5
-503.2	-40.35		655	-8.0	-145.9	-420.7	349.4
-322.4	-38.25		813	-7.9	-126.9	-247.9	187.5

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	68.95	Max	Cent	0.0	0.0	0.0	0.1
0.0	40.97		808	0.0	0.0	0.0	0.0
-0.0	50.86		628	0.0	0.0	0.0	0.0
0.0	80.24		655	0.0	0.1	0.0	0.1
0.1	80.88		813	0.1	0.1	0.0	0.1
-0.0	-39.46	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-36.68		808	-0.0	-0.0	-0.0	0.0
-0.0	-31.03		628	-0.0	-0.0	-0.0	0.0
-0.0	-36.84		655	-0.0	-0.0	-0.0	0.0
-0.0	-39.11		813	-0.0	-0.0	-0.0	0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	808	0.0	0.0
	628	0.0	0.0
	655	0.0	0.0
	813	0.0	0.0
Min	Cent	-0.0	-0.2
	808	-0.0	-0.2
	628	-0.0	-0.2
	655	-0.0	-0.2
	813	-0.0	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-3.2	5.60	Q2a-1-2	Max	Cent	355.2	0.2	35.1
26.7	8.33			808	466.3	36.2	475.7
18.9	1.29			628	459.3	19.1	459.6

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.3	2.95		655	246.8	0.9	12.7	247.5
-17.4	14.66		813	251.2	1.0	70.2	269.6
-236.1	-41.56	Min	Cent	-8.4	-57.1	-201.9	170.6
-169.0	-42.78		808	-10.8	-33.6	-146.4	124.6
-277.8	-43.49		628	-10.9	-37.6	-253.2	229.3
-312.5	-40.06		655	-5.9	-95.7	-257.8	210.9
-202.0	-37.63		813	-5.9	-85.4	-151.2	110.7

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
		Max	Cent	0.0	0.0	0.0	0.0
0.0	69.25		808	0.0	0.0	0.0	0.0
0.0	40.32		628	0.0	0.0	0.0	0.0
-0.0	50.38		655	0.0	0.1	0.0	0.1
0.0	80.52		813	0.0	0.1	0.0	0.1
0.0	81.30	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-40.21		808	-0.0	-0.0	-0.0	0.0
-0.0	-37.11		628	-0.0	-0.0	-0.0	0.0
-0.0	-31.27		655	-0.0	-0.0	-0.0	0.0
-0.0	-39.20		813	-0.0	-0.0	-0.0	0.0
-0.0	-41.01						

	NODE	Vxx	Vyy
-----			
Max	Cent	0.0	0.0
	808	0.0	0.0
	628	0.0	0.0
	655	0.0	0.0
	813	0.0	0.0
Min	Cent	-0.0	-0.1
	808	-0.0	-0.1
	628	-0.0	-0.2
	655	-0.0	-0.2
	813	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVx (RS)	Cent	59.5	-0.9	22.2	66.8
-8.2	18.17		808	74.8	4.9	17.0	78.7
1.0	12.95		628	74.3	3.2	28.6	84.4
-6.9	19.38		655	44.6	-6.0	28.7	57.5
-19.0	24.33						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-9.9	17.39		813	44.9	-4.5	17.2	50.3
-----							
			Cent	0.0	0.0	-0.0	0.0
0.0	-86.65		808	0.0	0.0	-0.0	0.0
0.0	-85.46		628	0.0	0.0	-0.0	0.0
0.0	-86.63		655	0.0	0.0	0.0	0.0
0.0	87.28		813	0.0	0.0	-0.0	0.0
0.0	-86.76						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	0.0		
			808	-0.0	0.0		
			628	-0.0	0.0		
			655	0.0	0.0		
			813	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVy (RS)	Cent	30.7	-0.5	13.9	36.0
-5.8	20.85		808	30.3	0.8	13.5	35.5
-4.5	21.28		628	30.2	-0.8	14.3	35.8
-6.3	21.37		655	31.1	-0.5	14.3	36.6
-6.0	21.04		813	31.2	-0.3	13.5	36.2
-5.3	20.32						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.1	0.1	-0.0	0.1
0.1	-87.51		808	0.0	0.1	-0.0	0.1
0.0	-83.51		628	0.0	0.1	-0.0	0.1
0.0	-86.23		655	0.1	0.2	0.0	0.2
0.1	89.35		813	0.1	0.2	-0.0	0.2
0.1	-88.50						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.2		
			808	0.0	-0.1		
			628	0.0	-0.2		
			655	0.0	-0.2		
			813	0.0	-0.1		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-4.1	18.18	SLDx (RS)	Cent	29.7	-0.5	11.1	33.4
0.5	12.97		808	37.3	2.4	8.5	39.3
-3.4	19.39		628	37.1	1.6	14.3	42.1
-9.5	24.34		655	22.3	-3.0	14.4	28.7
-4.9	17.41		813	22.4	-2.3	8.6	25.1
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	-86.65		Cent	0.0	0.0	-0.0	0.0
0.0	-85.44		808	0.0	0.0	-0.0	0.0
0.0	-86.63		628	0.0	0.0	-0.0	0.0
0.0	87.28		655	0.0	0.0	0.0	0.0
0.0	-86.76		813	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	0.0		
			808	-0.0	0.0		
			628	-0.0	0.0		
			655	0.0	0.0		
			813	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-2.9	20.86	SLDy (RS)	Cent	15.3	-0.3	6.9	18.0
-2.2	21.29		808	15.1	0.4	6.8	17.7
-3.2	21.37		628	15.1	-0.4	7.1	17.9
-3.0	21.05		655	15.5	-0.2	7.1	18.3
-2.6	20.33		813	15.6	-0.1	6.7	18.1
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	-87.50		Cent	0.0	0.1	-0.0	0.1
0.0	-83.49		808	0.0	0.1	-0.0	0.1
0.0	-86.22		628	0.0	0.1	-0.0	0.1
0.0	89.35		655	0.0	0.1	0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.0	-88.49		813	0.0	0.1	-0.0	0.1
				NODE	Vxx	Vyy	
				Cent	0.0	-0.1	
				808	0.0	-0.1	
				628	0.0	-0.1	
				655	0.0	-0.1	
				813	0.0	-0.1	
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-22.8	66.36	SLVz (RS)	Cent	-18.4	0.2	10.1	4.7
-26.2	72.70		808	-23.9	-2.0	7.6	0.4
-29.3	65.81		628	-23.6	-1.1	12.7	4.5
-20.2	60.32		655	-13.0	2.1	12.7	9.4
-16.4	66.78		813	-13.2	1.4	7.7	4.7
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	86.90		Cent	0.0	0.0	0.0	0.0
0.0	83.99		808	0.0	0.0	0.0	0.0
0.0	-85.67		628	0.0	0.0	-0.0	0.0
0.0	87.89		655	0.0	0.0	0.0	0.0
0.0	87.69		813	0.0	0.0	0.0	0.0
				NODE	Vxx	Vyy	
				Cent	-0.0	0.0	
				808	0.0	0.0	
				628	0.0	0.0	
				655	-0.0	0.0	
				813	-0.0	0.0	
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-82.0	-20.44	g1	Cent	426.4	-11.4	-189.5	497.0
8.6	-12.52		808	558.9	35.7	-122.2	586.0
-83.2	-21.85		628	553.9	19.2	-255.4	656.3
-193.7	-27.77		655	293.9	-58.5	-256.7	429.0
-82.0	-17.96		813	298.8	-42.0	-123.5	338.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-10.78		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-7.47		808	-0.0	-0.0	-0.0	-0.0
-0.0	-5.50		628	-0.0	-0.0	-0.0	-0.0
-0.0	-24.73		655	-0.0	-0.0	-0.0	-0.0
-0.0	-23.67		813	0.0	-0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
808	0.0	-0.0
628	0.0	-0.0
655	0.0	-0.0
813	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-39.8	-19.96	g2	Cent	208.9	-7.0	-90.3	241.7
4.0	-11.95		808	274.1	16.1	-57.2	286.2
-40.3	-21.49		628	271.7	8.1	-122.8	320.1
-94.2	-27.43		655	143.6	-30.2	-123.4	207.7
-40.1	-17.25		813	146.0	-22.2	-57.8	164.0

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-0.52		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	5.85		808	-0.0	-0.0	0.0	-0.0
-0.0	-2.86		628	-0.0	-0.0	-0.0	-0.0
-0.0	-1.86		655	-0.0	-0.0	-0.0	-0.0
-0.0	0.52		813	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
808	-0.0	0.0
628	-0.0	0.0
655	-0.0	0.0
813	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----				-----			
Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-1.7	5.63	q3	Cent	52.4	-1.2	5.3	52.9
0.1	9.56		808	62.8	1.9	10.6	64.6
1.9	-0.08		628	62.8	1.9	-0.1	62.8
-4.3	0.15		655	42.0	-4.3	0.1	42.0
-6.7	12.46		813	42.0	-4.3	10.8	44.4
-----				-----			
-0.0	5.43		Cent	-0.0	-0.0	0.0	-0.0
-0.0	2.52		808	-0.0	-0.0	0.0	-0.0
-0.0	4.15		628	-0.0	-0.0	0.0	-0.0
-0.0	12.67		655	-0.0	-0.0	0.0	-0.0
-0.0	7.16		813	-0.0	-0.0	0.0	-0.0
-----				-----			
		NODE	Vxx	Vyy			
		Cent	0.0	-0.0			
		808	0.0	-0.0			
		628	0.0	-0.0			
		655	0.0	-0.0			
		813	0.0	-0.0			
-----				-----			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.4	-2.39	q5_pc	Cent	28.2	-0.4	-1.2	28.3
0.7	-0.22		808	30.3	0.7	-0.1	30.3
-0.5	-3.89		628	30.0	-0.3	-2.1	30.1
-1.6	-4.69		655	26.2	-1.5	-2.3	26.3
-0.4	-0.69		813	26.5	-0.4	-0.3	26.5
-----				-----			
Mmin	ANGLE	NODE		Mxx	Myy	Mxy	Mmax
-0.0	41.71	Cent		0.0	0.0	0.0	0.0
-0.0	21.22	808		0.0	-0.0	0.0	0.0
-0.0	25.66	628		0.0	-0.0	0.0	0.0
0.0	63.06	655		0.0	0.0	0.0	0.0
0.0	59.90	813		0.0	0.0	0.0	0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
	Cent	0.0	-0.0
	808	0.0	-0.0
	628	0.0	-0.0
	655	0.0	-0.0
	813	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.2	0.32	q5_ps	Cent	24.2	-0.2	0.1	24.2
0.5	2.15		808	25.8	0.6	0.9	25.8
-0.2	-1.13		628	25.5	-0.2	-0.5	25.5
-1.1	-1.62		655	22.7	-1.1	-0.7	22.7
-0.3	1.93		813	22.9	-0.3	0.8	23.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	35.44	Cent	0.0	-0.0	0.0	0.0
-0.0	25.28	808	-0.0	-0.0	0.0	0.0
-0.0	27.08	628	-0.0	-0.0	0.0	0.0
-0.0	48.02	655	0.0	0.0	0.0	0.0
0.0	45.06	813	0.0	0.0	0.0	0.0

	NODE	Vxx	Vyy
	Cent	0.0	-0.0
	808	-0.0	-0.0
	628	-0.0	-0.0
	655	0.0	-0.0
	813	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-101.7	-13.58	INVSLU Max	Cent	1101.2	-30.8	-288.4	1171.4
211.2	2.13		808	1948.2	213.6	64.9	1950.6
-15.6	-18.57		628	1942.3	206.0	-654.0	2163.3
-641.6	-43.94		655	258.9	-194.1	-628.8	876.6
-237.0	10.73		813	260.1	-225.0	96.1	278.2
-775.7	-35.64	Min	Cent	231.2	-141.7	-804.4	686.5
-91.2	-19.81		808	821.7	69.5	-384.6	931.4

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-821.7	-33.76	628	831.0	92.3	-1235.6	1520.6
-1593.6	-41.88	655	-359.2	-395.3	-1225.5	516.5
-754.6	-45.49	813	-368.6	-398.9	-375.3	-137.1

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	79.04	Max	Cent	0.0	0.1	0.0	0.1
0.0	61.63		808	0.0	0.0	0.0	0.0
0.0	66.74		628	0.0	0.0	0.0	0.0
0.1	84.37		655	0.1	0.2	0.0	0.2
0.1	85.08		813	0.1	0.2	0.0	0.2
-0.0	-66.43	Min	Cent	0.0	0.0	-0.0	0.0
-0.0	-51.48		808	-0.0	-0.0	-0.0	0.0
-0.0	-48.19		628	-0.0	-0.0	-0.0	0.0
-0.0	-60.88		655	0.0	0.0	-0.0	0.0
-0.0	-60.27		813	0.0	0.0	-0.0	0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	-0.0
	808	0.0	-0.0
	628	0.0	-0.0
	655	0.0	-0.0
	813	0.0	-0.0
Min	Cent	-0.0	-0.4
	808	-0.0	-0.4
	628	-0.0	-0.4
	655	-0.0	-0.4
	813	-0.0	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-127.5	-24.18	INVSLV	Max	Cent	411.9	-18.7	-237.4	521.2
78.7	-5.93			808	778.9	86.2	-68.2	786.5
-104.1	-25.45			628	781.6	94.9	-415.3	982.9
-457.6	-41.37			655	45.1	-113.4	-405.3	400.7
-152.8	-17.57			813	42.4	-125.8	-58.1	62.2
-202.8	-32.04		Min	Cent	263.3	-21.0	-296.2	444.9
52.4	-11.45			808	596.9	74.8	-114.8	619.2
-203.2	-30.97			628	600.6	87.4	-488.6	889.3

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-568.3	-41.71	655	-70.5	-127.0	-478.9	357.2
-205.9	-32.71	813	-74.1	-135.8	-105.2	1.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Max Cent	0.1	0.1	0.0	0.1
0.1	-85.82	808	0.0	0.1	0.0	0.1
0.0	-80.52	628	0.0	0.1	0.0	0.1
0.0	-83.67	655	0.1	0.2	-0.0	0.2
0.1	-89.50	813	0.1	0.2	0.0	0.2
0.1	-87.18	Min Cent	-0.1	-0.2	-0.0	-0.1
-0.2	0.82	808	-0.0	-0.1	-0.0	-0.0
-0.1	3.71	628	-0.0	-0.1	-0.0	-0.0
-0.1	1.50	655	-0.1	-0.2	-0.0	-0.1
-0.2	-1.84	813	-0.1	-0.2	-0.0	-0.1
-0.2	0.15					

	NODE	Vxx	Vyy
Max	Cent	0.0	0.2
	808	0.0	0.1
	628	0.0	0.2
	655	0.0	0.2
	813	0.0	0.1
Min	Cent	-0.0	-0.2
	808	-0.0	-0.2
	628	-0.0	-0.2
	655	-0.0	-0.2
	813	-0.0	-0.2

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin		ANGLE						
880	2	8	Q1-1-2	Max Cent	0.9	9.8	57.7	63.3
		47.21		812	82.6	31.5	78.2	139.3
		35.95		814	93.3	69.9	35.6	119.0
		35.86		817	4.0	1.7	41.5	44.4
		44.23		816	3.9	0.7	92.3	94.6
		44.51		Min Cent	-92.3	-207.8	-326.4	181.4
		-39.99		812	-2.7	-189.7	-289.9	208.4
		-36.06		814	-2.6	-191.7	-374.6	289.2
		-37.92		817	-245.2	-256.1	-367.2	116.6
		-44.58						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
-542.5	-43.98		816	-252.7	-272.6	-279.7	17.3	
-----								
		Max	Cent	0.1	0.4	0.0	0.4	
0.1	85.20		812	0.1	0.3	0.0	0.3	
0.1	85.18		814	0.1	0.3	0.0	0.3	
0.1	86.04		817	0.1	0.4	0.0	0.4	
0.1	85.25		816	0.2	0.4	0.0	0.4	
0.2	84.28	Min	Cent	-0.0	-0.0	-0.0	-0.0	
-0.0	-23.04		812	-0.0	-0.0	-0.0	-0.0	
-0.0	-22.48		814	-0.0	-0.0	-0.0	-0.0	
-0.0	-21.77		817	-0.0	-0.0	-0.0	-0.0	
-0.0	-24.64		816	-0.0	-0.0	-0.0	-0.0	
-0.0	-25.99							
-----								
			NODE	Vxx	Vyy			
		Max	Cent	0.1	0.0			
			812	0.1	0.0			
			814	0.1	0.0			
			817	0.2	0.0			
			816	0.2	0.0			
		Min	Cent	-0.0	-0.4			
			812	-0.0	-0.4			
			814	-0.0	-0.4			
			817	-0.0	-0.4			
			816	-0.0	-0.4			
-----								
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-----								
		Q2a-1-2	Max	Cent	0.6	6.3	39.9	43.4
-36.5	47.02			812	49.1	20.0	54.3	90.8
-21.6	37.50			814	56.3	42.9	24.6	75.0
24.1	37.40			817	3.0	1.1	28.6	30.6
-26.6	44.06			816	2.9	0.5	64.4	66.1
-62.7	44.48		Min	Cent	-60.0	-148.5	-197.9	98.5
-307.0	-38.70			812	-1.9	-136.2	-175.2	118.6
-256.7	-34.52			814	-1.8	-137.8	-226.9	167.1
-306.7	-36.66			817	-153.8	-182.0	-223.7	56.2
-392.0	-43.19			816	-157.5	-188.6	-169.9	-2.5
-343.6	-42.39							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	85.35	Max	Cent	0.1	0.2	0.0	0.2
0.1	85.38		812	0.1	0.2	0.0	0.2
0.1	86.23		814	0.1	0.2	0.0	0.2
0.1	85.34		817	0.1	0.3	0.0	0.3
0.1	84.38		816	0.1	0.3	0.0	0.3
-0.0	-27.73	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-26.99		812	-0.0	-0.0	-0.0	-0.0
-0.0	-26.42		814	-0.0	-0.0	-0.0	-0.0
-0.0	-29.73		817	-0.0	-0.0	-0.0	0.0
-0.0	-30.75		816	-0.0	-0.0	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.1	0.0
	812	0.0	0.0
	814	0.0	0.0
	817	0.1	0.0
	816	0.1	0.0
Min	Cent	-0.0	-0.3
	812	-0.0	-0.3
	814	-0.0	-0.3
	817	-0.0	-0.3
	816	-0.0	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-17.0	36.37	SLVx (RS)	Cent	13.6	-0.4	22.6	30.3
-10.5	33.14		812	21.4	3.1	20.9	35.1
-13.9	36.32		814	21.5	5.2	26.0	40.7
-20.4	35.13		817	14.7	-3.0	24.7	32.1
-16.6	31.29		816	15.6	-4.7	19.6	27.5

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	8.90		Cent	-0.0	-0.0	0.0	-0.0
-0.0	28.16		812	-0.0	-0.0	0.0	-0.0
-0.0	27.37		814	-0.0	-0.0	0.0	-0.0
			817	-0.0	-0.0	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0      3.36  
 -0.0      4.03

NODE	Vxx	Vyy
Cent	-0.0	0.0
812	0.0	0.0
814	0.0	0.0
817	-0.0	0.0
816	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-6.7	22.88	SLVy (RS)	Cent	32.7	0.3	16.6	39.8
-6.2	23.55		812	32.6	1.2	16.9	39.9
-8.5	23.13		814	31.9	-1.1	17.3	39.3
-7.3	22.20		817	32.9	-0.6	16.4	39.6
-5.1	22.56		816	33.5	1.6	16.0	40.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.1	11.58	Cent	-0.0	-0.1	0.0	-0.0
0.0	63.38	812	0.0	0.1	0.0	0.1
0.0	62.61	814	0.0	0.1	0.0	0.1
-0.3	3.53	817	-0.1	-0.3	0.0	-0.1
-0.3	4.34	816	-0.1	-0.3	0.0	-0.1

NODE	Vxx	Vyy
Cent	-0.1	0.9
812	-0.0	0.8
814	-0.0	0.9
817	-0.1	0.9
816	-0.1	0.8

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-8.5	36.37	SLDx (RS)	Cent	6.8	-0.2	11.3	15.1
-5.3	33.16		812	10.7	1.6	10.4	17.5
-7.0	36.33		814	10.7	2.6	13.0	20.3
-10.2	35.13		817	7.4	-1.5	12.3	16.0
-8.3	31.30		816	7.8	-2.3	9.8	13.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----	-----	-----	-----	-----	-----	-----
-0.0	8.92	Cent	-0.0	-0.0	0.0	-0.0
-0.0	28.20	812	-0.0	-0.0	0.0	-0.0
-0.0	27.41	814	-0.0	-0.0	0.0	-0.0
-0.0	3.37	817	-0.0	-0.0	0.0	-0.0
-0.0	4.04	816	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
-----	-----	-----
Cent	-0.0	0.0
812	0.0	0.0
814	0.0	0.0
817	-0.0	0.0
816	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----	-----	-----	-----	-----	-----	-----	-----
-3.4	22.89	SLDy (RS)	Cent	16.3	0.2	8.3	19.9
-3.1	23.55		812	16.3	0.6	8.4	19.9
-4.2	23.14		814	16.0	-0.6	8.6	19.6
-3.7	22.21		817	16.4	-0.3	8.2	19.8
-2.5	22.57		816	16.7	0.8	8.0	20.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----	-----	-----	-----	-----	-----	-----
-0.1	11.60	Cent	-0.0	-0.1	0.0	-0.0
0.0	63.37	812	0.0	0.0	0.0	0.0
0.0	62.59	814	0.0	0.0	0.0	0.0
-0.1	3.54	817	-0.0	-0.1	0.0	-0.0
-0.1	4.35	816	-0.0	-0.1	0.0	-0.0

NODE	Vxx	Vyy
-----	-----	-----
Cent	-0.0	0.4
812	0.0	0.4
814	0.0	0.5
817	-0.1	0.5
816	-0.1	0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----	-----	-----	-----	-----	-----	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		SLVz (RS)	Cent	-4.1	-0.2	10.2	8.3
-12.5	50.34		812	-5.0	-0.9	9.3	6.6
-12.5	51.08		814	-5.0	-2.1	11.8	8.3
-15.5	48.48		817	6.6	0.7	11.2	15.2
-7.9	37.57		816	7.1	1.8	8.7	13.5
-4.7	36.60						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	12.43		812	-0.0	-0.0	0.0	-0.0
-0.0	31.52		814	-0.0	-0.0	0.0	-0.0
-0.0	32.03		817	-0.0	-0.0	0.0	-0.0
-0.0	4.47		816	-0.0	-0.0	0.0	-0.0
-0.0	5.43						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	0.0		
			812	-0.0	0.0		
			814	-0.0	0.0		
			817	-0.0	0.0		
			816	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		g1	Cent	-38.2	-15.9	-188.0	161.3
-215.4	-46.70		812	64.3	4.1	-159.4	196.4
-128.0	-39.66		814	71.6	28.6	-228.1	279.2
-179.0	-42.31		817	-140.7	-35.8	-216.6	134.6
-311.1	-51.80		816	-148.1	-60.3	-147.9	50.1
-258.5	-53.26						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	0.0	-0.0	0.0
0.0	-87.90		812	0.0	0.0	-0.0	0.0
0.0	-85.73		814	0.0	0.0	-0.0	0.0
0.0	-84.79		817	0.0	0.0	-0.0	0.0
0.0	-88.64		816	0.0	0.0	-0.0	0.0
0.0	-89.37						



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

NODE	Vxx	Vyy
Cent	0.0	-0.0
812	0.0	-0.0
814	0.0	-0.0
817	0.0	-0.0
816	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-104.6	-46.27	g2	Cent	-18.7	-10.7	-89.8	75.3
-62.9	-39.08		812	30.8	-1.1	-76.1	92.6
-87.2	-41.93		814	34.4	10.9	-109.2	132.5
-150.5	-51.51		817	-68.1	-20.2	-103.6	62.2
-125.1	-52.83		816	-71.7	-32.2	-70.5	21.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.1	-2.95	Cent	-0.0	-0.1	-0.0	-0.0
-0.0	-3.08	812	-0.0	-0.0	-0.0	-0.0
-0.0	-2.51	814	-0.0	-0.0	-0.0	-0.0
-0.1	-2.70	817	-0.0	-0.1	-0.0	-0.0
-0.1	-3.33	816	-0.0	-0.1	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
812	-0.0	0.0
814	-0.0	0.0
817	-0.0	0.0
816	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-4.9	25.35	q3	Cent	15.6	-0.3	9.7	20.2
-2.8	24.92		812	25.1	3.2	12.9	31.1
-0.3	15.59		814	24.6	1.6	7.0	26.5
-7.1	26.25		817	6.1	-3.9	6.5	9.3
-11.1	35.25		816	6.6	-2.3	12.5	15.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

				Vxx	Vyy		
0.0	77.97	Cent		0.0	0.0	0.0	0.0
0.0	65.18	812		0.0	0.0	0.0	0.0
0.0	70.89	814		0.0	0.0	0.0	0.0
0.0	83.01	817		0.0	0.0	0.0	0.0
0.0	81.12	816		0.0	0.0	0.0	0.0
		NODE		Vxx	Vyy		
		Cent		0.0	-0.0		
		812		0.0	-0.0		
		814		0.0	-0.0		
		817		0.0	-0.0		
		816		0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.1	-1.28	q5_pc	Cent	21.3	-0.1	-0.5	21.3
-0.0	-0.55		812	22.4	-0.0	-0.2	22.4
0.5	-2.49		814	22.5	0.5	-1.0	22.6
-0.2	-2.08		817	20.2	-0.2	-0.7	20.2
-0.7	0.02		816	20.0	-0.7	0.0	20.0
			NODE	Mxx	Myy	Mxy	Mmax
0.0	81.31		Cent	0.0	0.0	0.0	0.0
0.0	79.00		812	0.0	0.0	0.0	0.0
0.0	80.02		814	0.0	0.0	0.0	0.0
0.0	83.41		817	0.0	0.0	0.0	0.0
0.0	81.69		816	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			812	0.0	-0.0		
			814	0.0	-0.0		
			817	0.0	-0.0		
			816	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_ps	Cent	19.2	0.1	0.9	19.3

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.1	2.82		812	20.0	0.2	1.1	20.0
0.2	3.31		814	20.0	0.5	0.6	20.1
0.5	1.84		817	18.4	-0.0	0.7	18.5
-0.0	2.28		816	18.4	-0.2	1.3	18.5
-0.3	3.84						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	74.42		Cent	0.0	0.0	0.0	0.0
0.0	70.39		812	0.0	0.0	0.0	0.0
0.0	70.88		814	0.0	0.0	0.0	0.0
0.0	78.48		817	0.0	0.0	0.0	0.0
0.0	75.62		816	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
812	0.0	-0.0
814	0.0	-0.0
817	0.0	-0.0
816	0.0	-0.0

Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
-1917.5	-80.38	INVSLU	Max	Cent	-1861.2	-46.1	-300.3	4.6
-1233.9	-85.54			812	-1225.6	131.6	-106.0	139.9
-1372.2	-59.53			814	-1200.0	220.5	-522.0	501.4
-2530.3	-77.81			817	-2418.7	-205.6	-488.8	-97.8
-2434.6	-87.59			816	-2429.4	-243.1	-61.8	-239.6
-2379.0	-71.88		Min	Cent	-2050.2	-340.0	-819.7	-53.5
-1629.6	-72.78			812	-1390.0	-167.0	-603.3	43.2
-1992.5	-71.80			814	-1379.0	-133.5	-1077.4	347.6
-3212.1	-71.44			817	-2804.8	-554.0	-1041.9	-177.5
-2961.2	-76.50			816	-2825.7	-613.4	-564.1	-476.6

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.2	86.72		Max	Cent	0.2	0.6	0.0
				812	0.2	0.5	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.2	86.84		814	0.1	0.5	0.0	0.5
0.1	87.39		817	0.2	0.7	0.0	0.7
0.2	86.63		816	0.3	0.7	0.0	0.7
0.2	86.09	Min	Cent	0.0	0.1	-0.0	0.1
0.0	-71.39		812	0.0	0.1	-0.0	0.1
0.0	-74.34		814	0.0	0.1	-0.0	0.1
0.0	-73.88		817	0.0	0.1	-0.0	0.1
-0.0	-65.51		816	0.0	0.1	-0.0	0.1
-0.0	-70.15						

	NODE	Vxx	Vyy
Max	Cent	0.2	-0.0
	812	0.1	-0.0
	814	0.1	0.0
	817	0.2	0.0
	816	0.2	-0.0
Min	Cent	-0.0	-0.6
	812	-0.0	-0.6
	814	-0.0	-0.6
	817	-0.0	-0.6
	816	-0.0	-0.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-956.7	-73.40	INVSLV	Max	Cent	-891.1	-41.9	-236.3	46.7
-613.7	-74.60			812	-577.4	39.9	-145.5	88.9
-725.3	-65.18			814	-567.9	76.0	-344.1	256.8
-1295.2	-72.82			817	-1201.0	-117.6	-326.6	3.3
-1225.9	-81.05			816	-1210.0	-148.8	-127.9	-122.2
-1050.1	-75.66		Min	Cent	-967.1	-42.9	-297.5	17.6
-709.3	-77.24			812	-658.4	32.4	-202.9	71.3
-829.4	-66.61			814	-647.7	63.5	-413.6	222.0
-1396.8	-74.53			817	-1279.6	-124.4	-392.6	-33.5
-1318.4	-83.24			816	-1290.7	-160.3	-182.0	-143.1
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
0.0	-78.70		Max	Cent	0.0	0.1	0.0	0.1
				812	0.0	0.1	0.0	0.1
				814	0.0	0.1	0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	68.08			817	0.1	0.3	0.0	0.3
0.1	-86.30			816	0.1	0.3	0.0	0.3
0.1	-85.41							
-0.1	11.92	Min	Cent		-0.0	-0.1	-0.0	-0.0
-0.1	-31.72			812	-0.0	-0.0	-0.0	-0.0
-0.1	-32.84			814	-0.0	-0.0	-0.0	-0.0
-0.1	-32.84			817	-0.1	-0.3	-0.0	-0.1
-0.3	3.34			816	-0.1	-0.2	-0.0	-0.1
-0.2	4.07							

	NODE	Vxx	Vyy
Max	Cent	0.1	0.9
	812	0.0	0.8
	814	0.0	0.9
	817	0.1	0.9
	816	0.1	0.8
Min	Cent	-0.1	-0.9
	812	-0.0	-0.8
	814	-0.0	-0.9
	817	-0.1	-0.9
	816	-0.1	-0.8

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
881	2	4	Q1-1-2	Max	Cent	0.5	7.2	66.6	70.6
-62.8		46.43			814	96.0	59.3	109.9	189.0
-33.7		40.26			658	89.7	29.3	25.4	98.9
20.1		20.04			719	3.1	0.7	33.0	35.0
-31.2		43.98			817	3.2	1.5	132.4	134.7
-130.0		44.82		Min	Cent	-83.9	-190.8	-337.4	204.2
-478.9		-40.50			814	-7.9	-185.4	-249.6	168.2
-361.5		-35.22			658	-9.9	-188.1	-414.6	325.1
-523.1		-38.94			719	-242.6	-261.1	-431.6	179.9
-683.6		-44.38			817	-232.2	-247.4	-261.8	22.1
-501.7		-44.17							

				NODE	Mxx	Myy	Mxy	Mmax	
	Mmin	ANGLE							
				Max	Cent	0.1	0.3	0.0	0.3
0.1		86.18			814	0.1	0.2	0.0	0.2
0.1		85.98			658	0.1	0.2	0.0	0.2
0.1		87.08			719	0.1	0.3	0.0	0.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.1	86.19		817	0.1	0.3	0.0	0.3
0.1	85.38						
-0.0	-28.75	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-26.71		814	-0.0	-0.0	-0.0	-0.0
-0.0	-28.65		658	-0.0	-0.0	-0.0	-0.0
-0.0	-30.46		719	-0.0	-0.0	-0.0	0.0
-0.0	-29.32		817	-0.0	-0.0	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	814	0.0	0.0
	658	0.0	0.0
	719	0.0	0.0
	817	0.0	0.0
Min	Cent	-0.0	-0.3
	814	-0.0	-0.3
	658	-0.0	-0.3
	719	-0.0	-0.3
	817	-0.0	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-43.3	46.31	Q2a-1-2	Max Cent	0.4	4.6	45.8	48.3
-29.7	41.00		814	57.6	36.3	75.9	123.6
11.3	22.18		658	54.2	18.4	17.5	61.4
-21.2	43.89		719	2.3	0.5	22.6	24.0
-90.2	44.78		817	2.4	1.0	91.9	93.6
-304.9	-39.44		Min Cent	-55.7	-136.2	-205.0	113.0
-233.3	-33.55		814	-5.6	-133.2	-151.0	94.5
-331.1	-37.87		658	-7.0	-135.2	-252.0	188.9
-431.3	-43.49		719	-153.4	-181.2	-263.6	96.7
-320.7	-42.44		817	-147.1	-175.5	-158.8	-1.9

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	86.36		Max Cent	0.1	0.2	0.0	0.2
0.1	86.22		814	0.1	0.1	0.0	0.1
0.1	87.32		658	0.1	0.1	0.0	0.1
0.1	86.33		719	0.1	0.2	0.0	0.2
			817	0.1	0.2	0.0	0.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.1	85.50	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-33.40		814	-0.0	-0.0	-0.0	-0.0
-0.0	-31.22		658	-0.0	-0.0	-0.0	0.0
-0.0	-33.28		719	-0.0	-0.0	-0.0	0.0
-0.0	-35.00		817	-0.0	-0.0	-0.0	0.0
-0.0	-34.01						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	814	0.0	0.0
	658	0.0	0.0
	719	0.0	0.0
	817	0.0	0.0
Min	Cent	-0.0	-0.2
	814	-0.0	-0.2
	658	-0.0	-0.2
	719	-0.0	-0.2
	817	-0.0	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	12.8	-0.5	23.2	30.3
-17.9	37.02		814	20.6	4.3	18.9	33.1
-8.1	33.38		658	20.6	3.0	28.9	42.0
-18.4	36.50		719	14.0	-4.3	29.1	35.3
-25.6	36.27		817	13.3	-3.3	19.3	26.0
-16.0	33.31						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.0	0.0	-0.0
-0.0	6.84	814	-0.0	-0.0	0.0	-0.0
-0.0	26.79	658	-0.0	-0.0	0.0	-0.0
-0.0	22.75	719	-0.0	-0.0	0.0	-0.0
-0.0	2.06	817	-0.0	-0.0	0.0	-0.0
-0.0	3.89					

	NODE	Vxx	Vyy
	Cent	-0.0	0.0
	814	0.0	0.0
	658	0.0	0.0
	719	-0.0	0.0
	817	-0.0	0.0

LC	NODE	Fxx	Fyy	Fxy	Fmax
----	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE						
		SLVy (RS)	Cent	31.1	0.1	16.6	38.4
-7.1	23.51		814	31.6	0.6	16.8	39.0
-6.7	23.69		658	31.7	0.4	16.4	38.7
-6.6	23.16		719	30.7	-0.4	16.5	37.8
-7.6	23.33		817	30.6	-0.4	16.9	38.0
-7.9	23.77						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.1	0.0	-0.0
-0.1	7.40		814	0.0	0.0	0.0	0.0
0.0	66.67		658	0.0	0.0	0.0	0.1
0.0	71.39		719	-0.1	-0.2	0.0	-0.1
-0.2	1.41		817	-0.1	-0.2	0.0	-0.1
-0.2	3.89						
			NODE	Vxx	Vyy		
			Cent	-0.0	0.7		
			814	-0.0	0.6		
			658	-0.0	0.7		
			719	-0.0	0.7		
			817	-0.0	0.6		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDx (RS)	Cent	6.4	-0.2	11.6	15.1
-9.0	37.03		814	10.3	2.2	9.5	16.5
-4.1	33.40		658	10.3	1.5	14.4	21.0
-9.2	36.50		719	7.0	-2.1	14.5	17.7
-12.8	36.27		817	6.7	-1.7	9.6	13.0
-8.0	33.31						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	6.85		814	-0.0	-0.0	0.0	-0.0
-0.0	26.83		658	-0.0	-0.0	0.0	-0.0
-0.0	22.81		719	-0.0	-0.0	0.0	-0.0
-0.0	2.06		817	-0.0	-0.0	0.0	-0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

- 0.0            3.90

NODE	Vxx	Vyy
Cent	-0.0	0.0
814	0.0	0.0
658	0.0	0.0
719	-0.0	0.0
817	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-3.6	23.52	SLDy (RS)	Cent	15.5	0.1	8.3	19.2
-3.4	23.70		814	15.8	0.3	8.4	19.5
-3.3	23.17		658	15.8	0.2	8.2	19.3
-3.8	23.33		719	15.3	-0.2	8.2	18.9
-3.9	23.78		817	15.3	-0.2	8.5	19.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	7.41	Cent	-0.0	-0.0	0.0	-0.0
0.0	66.65	814	0.0	0.0	0.0	0.0
0.0	71.35	658	0.0	0.0	0.0	0.0
-0.1	1.42	719	-0.0	-0.1	0.0	-0.0
-0.1	3.89	817	-0.0	-0.1	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.3
814	-0.0	0.3
658	-0.0	0.4
719	-0.0	0.4
817	-0.0	0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-12.6	49.65	SLVz (RS)	Cent	-3.7	-0.2	10.5	8.7
-11.6	50.32		814	-4.8	-1.8	8.1	5.0
-16.0	49.17		658	-4.8	-1.0	12.9	10.2
-9.3	39.83		719	6.3	1.5	13.0	17.2
-5.2	36.29		817	6.0	0.8	8.2	12.1

NODE	Mxx	Myy	Mxy	Mmax
------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE						
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	9.61		814	-0.0	-0.0	0.0	-0.0
-0.0	30.01		658	-0.0	-0.0	0.0	-0.0
-0.0	29.00		719	-0.0	-0.0	0.0	-0.0
-0.0	2.96		817	-0.0	-0.0	0.0	-0.0
-0.0	5.25						
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			814	-0.0	0.0		
			658	-0.0	0.0		
			719	-0.0	0.0		
			817	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g1	Cent	-29.2	-16.9	-189.8	166.8
-212.9	-45.92		814	72.3	21.8	-122.6	172.2
-78.1	-39.19		658	66.7	3.2	-255.6	292.6
-222.6	-41.46		719	-130.6	-55.7	-257.0	166.5
-352.8	-49.15		817	-125.0	-37.1	-123.9	50.4
-212.6	-54.77						
			NODE	Mxx	Myy	Mxy	Mmax
			Cent	0.0	0.0	-0.0	0.0
0.0	-86.04		814	0.0	0.0	-0.0	0.0
0.0	-81.44		658	0.0	0.0	-0.0	0.0
0.0	-82.49		719	0.0	0.0	-0.0	0.0
0.0	-88.09		817	0.0	0.0	-0.0	0.0
0.0	-88.02						
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			814	0.0	-0.0		
			658	0.0	-0.0		
			719	0.0	-0.0		
			817	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-102.8	-45.60	g2	Cent	-14.6	-10.8	-90.1	77.4
-37.5	-38.39	814	814	34.9	7.9	-57.3	80.3
-107.6	-41.15	658	658	32.3	-0.8	-122.2	139.1
-170.8	-48.99	719	719	-64.0	-29.5	-122.8	77.3
-102.5	-54.64	817	817	-61.4	-20.8	-57.9	20.3
-----							
-0.0	-0.81	Cent	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-1.71	814	814	-0.0	-0.0	-0.0	-0.0
-0.0	-0.08	658	658	-0.0	-0.0	-0.0	-0.0
-0.0	-0.20	719	719	-0.0	-0.0	-0.0	-0.0
-0.0	-1.38	817	817	-0.0	-0.0	-0.0	-0.0
-----							
		NODE	Vxx	Vyy			
		Cent	Cent	-0.0	0.0		
		814	814	-0.0	0.0		
		658	658	-0.0	0.0		
		719	719	-0.0	0.0		
		817	817	-0.0	0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-5.5	26.04	q3	Cent	14.7	-0.6	9.9	19.6
-6.9	27.27		814	23.3	1.1	15.5	31.3
2.2	9.79		658	23.8	2.9	3.7	24.4
-4.1	22.15		719	6.2	-2.4	4.2	8.0
-16.0	36.44		817	5.7	-4.2	16.0	17.5
-----							
Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
0.0	82.28	Cent	Cent	0.0	0.0	0.0	0.0
0.0	71.64	814	814	0.0	0.0	0.0	0.0
0.0	78.31	658	658	0.0	0.0	0.0	0.0
0.0	85.73	719	719	0.0	0.0	0.0	0.0
0.0	84.04	817	817	0.0	0.0	0.0	0.0
-----							
		NODE	Vxx	Vyy			

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

```

-----
                Cent      0.0      -0.0
                814      0.0      -0.0
                658      0.0      -0.0
                719      0.0      -0.0
                817      0.0      -0.0
    
```

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.2	-2.53	q5_pc	Cent	20.8	-0.2	-0.9	20.8
1.2	1.39		814	23.0	1.2	0.5	23.0
-0.6	-5.27		658	22.5	-0.4	-2.1	22.7
-1.8	-6.67		719	18.6	-1.6	-2.4	18.8
0.1	0.82		817	19.1	0.1	0.3	19.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	84.27	Cent	0.0	0.0	0.0	0.0
0.0	80.18	814	0.0	0.0	0.0	0.0
0.0	83.20	658	0.0	0.0	0.0	0.0
0.0	86.66	719	0.0	0.0	0.0	0.0
0.0	85.19	817	0.0	0.0	0.0	0.0

```

-----
                NODE      Vxx      Vyy
                Cent      0.0      -0.0
                814      0.0      -0.0
                658      0.0      -0.0
                719      0.0      -0.0
                817      0.0      -0.0
    
```

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.0	1.74	q5_ps	Cent	18.7	0.1	0.6	18.7
1.0	4.97		814	20.4	1.1	1.7	20.5
-0.1	-1.03		658	20.0	-0.1	-0.4	20.0
-1.0	-1.76		719	17.0	-1.0	-0.6	17.0
0.1	4.96		817	17.3	0.2	1.5	17.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	76.10	Cent	0.0	0.0	0.0	0.0
0.0	69.38	814	0.0	0.0	0.0	0.0
0.0	71.52	658	0.0	0.0	0.0	0.0
0.0	80.02	719	0.0	0.0	0.0	0.0
0.0	79.87	817	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
814	0.0	-0.0
658	0.0	-0.0
719	0.0	-0.0
817	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1765.5	-66.61	INVSLU Max	Cent	-1713.2	-46.7	-270.6	39.3
-1208.7	87.69		814	-1206.6	113.3	53.2	115.5
-1435.2	-57.96		658	-1194.6	141.8	-612.0	604.5
-2290.7	-64.54		719	-2122.2	-142.9	-580.3	77.9
-2143.7	86.93		817	-2143.0	-212.8	104.6	-207.2
-2235.0	-70.93	Min	Cent	-1888.5	-314.3	-817.6	-25.5
-1531.1	-77.59		814	-1395.4	-219.2	-433.0	-86.0
-2111.7	-69.20		658	-1376.0	-152.5	-1209.9	361.4
-3067.7	-67.72		719	-2500.5	-499.2	-1211.9	7.8
-2597.4	-78.20		817	-2507.9	-549.0	-428.1	-459.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
0.2	87.24	Max	Cent	0.2	0.5	0.0	0.5
0.2	87.56		814	0.2	0.4	0.0	0.4
0.1	88.04		658	0.1	0.4	0.0	0.4
0.2	86.97		719	0.2	0.5	0.0	0.5
0.2	86.50		817	0.2	0.5	0.0	0.5
0.0	-67.25	Min	Cent	0.0	0.0	-0.0	0.1
0.0	-70.63		814	0.0	0.0	-0.0	0.0
0.0	-69.64		658	0.0	0.0	-0.0	0.1
			719	0.0	0.1	-0.0	0.1

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0      -64.98  
 0.0      -63.62

	NODE	Vxx	Vyy
Max	Cent	0.1	-0.0
	814	0.1	0.0
	658	0.1	-0.0
	719	0.1	-0.0
	817	0.1	0.0
Min	Cent	-0.0	-0.4
	814	-0.0	-0.4
	658	-0.0	-0.4
	719	-0.0	-0.4
	817	-0.0	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-888.9	-72.72	INVSLV	Max Cent	-823.1	-36.0	-228.2	54.4
-592.8	-79.88		814	-582.0	24.7	-74.9	41.4
-768.0	-63.25		658	-571.7	56.9	-391.2	285.8
-1197.3	-69.30		719	-1060.4	-87.9	-379.7	83.3
-1075.4	-83.47		817	-1071.0	-123.0	-63.3	-110.1
-979.9	-75.17		Min Cent	-895.3	-37.1	-290.8	23.4
-681.6	-82.66		814	-660.5	14.6	-127.8	30.0
-874.9	-64.61		658	-650.4	50.1	-466.5	241.9
-1299.2	-71.05		719	-1134.0	-97.7	-455.6	33.7
-1156.6	-86.21		817	-1143.7	-130.4	-117.0	-125.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-82.63	Max Cent	0.0	0.1	0.0	0.1
0.0	72.00	814	0.0	0.0	0.0	0.1
0.0	78.17	658	0.0	0.1	0.0	0.1
0.1	-88.45	719	0.1	0.2	0.0	0.2
0.1	-86.00	817	0.1	0.2	0.0	0.2
-0.1	7.44	Min Cent	-0.0	-0.1	-0.0	-0.0
-0.0	-28.76	814	-0.0	-0.0	-0.0	-0.0
-0.0	-27.66	658	-0.0	-0.0	-0.0	-0.0
-0.2	1.27	719	-0.1	-0.2	-0.0	-0.1
		817	-0.1	-0.2	-0.0	-0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

- 0.2            3.76

	NODE	Vxx	Vyy
Max	Cent	0.0	0.7
	814	0.0	0.6
	658	0.0	0.7
	719	0.0	0.7
	817	0.0	0.6
Min	Cent	-0.0	-0.7
	814	-0.0	-0.7
	658	-0.0	-0.7
	719	-0.0	-0.7
	817	-0.0	-0.7

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
884	2	8	Q1-1-2	Max	Cent	4.8	20.1	44.8	57.9
-33.1		49.85			816	3.4	14.1	71.3	80.3
-62.7		47.14			817	3.7	119.1	24.4	124.0
-1.2		78.52			820	6.1	91.1	23.6	97.2
-0.1		75.46			819	5.8	5.5	76.7	82.3
-71.0		44.94		Min	Cent	-304.7	-277.7	-313.0	22.1
-604.5		-46.23			816	-269.1	-334.8	-275.7	-24.3
-579.6		-41.61			817	-244.6	-314.4	-371.5	93.6
-652.7		-42.32			820	-371.6	-341.8	-365.4	9.0
-722.4		-46.17			819	-392.6	-372.0	-260.2	-121.9
-642.7		-46.13							

	NODE	Mxx	Myy	Mxy	Mmax
Max	Cent	0.1	0.5	0.0	0.5
	816	0.2	0.5	0.0	0.5
	817	0.1	0.4	0.0	0.4
	820	0.2	0.5	0.0	0.5
	819	0.2	0.5	0.0	0.5
Min	Cent	-0.0	-0.0	-0.0	0.0
	816	-0.0	-0.0	-0.0	0.0
	817	-0.0	-0.0	-0.0	0.0
	820	-0.0	-0.0	-0.0	0.0
	819	-0.0	-0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
Max	Cent	0.1	0.1
	816	0.2	0.3
	817	0.2	0.1
	820	0.1	0.1
	819	0.1	0.3
Min	Cent	-0.1	-0.4
	816	-0.0	-0.4
	817	-0.0	-0.4
	820	-0.1	-0.4
	819	-0.1	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax		
-23.1 -43.3 -1.0 -0.1 -49.0 -384.5 -371.5 -419.8 -464.7 -409.5	49.05 47.04 77.19 73.90 44.80 -44.49 -39.54 -40.68 -44.48 -44.00	Q2a-1-2	Max	Cent	3.5	12.3	30.7	38.9	
				816	2.5	9.6	49.2	55.4	
				817	2.8	72.6	16.7	76.5	
				820	4.5	55.3	16.0	59.9	
				819	4.3	3.6	53.0	56.9	
				Min	Cent	-192.0	-198.7	-189.1	-6.2
					816	-169.8	-234.0	-166.5	-32.4
					817	-158.5	-226.7	-224.7	34.6
					820	-237.7	-245.8	-222.9	-18.8
					819	-246.4	-257.4	-157.5	-94.2

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax		
0.1 0.1 0.1 0.1 0.1 -0.0 -0.0 -0.0 -0.0 -0.0	84.00 83.92 83.16 82.66 83.80 -35.79 -35.70 -33.56 -36.68 -37.70		Max	Cent	0.1	0.3	0.0	0.3	
				816	0.1	0.3	0.0	0.3	
				817	0.1	0.3	0.0	0.3	
				820	0.1	0.3	0.0	0.3	
				819	0.1	0.3	0.0	0.3	
				Min	Cent	-0.0	-0.0	-0.0	0.0
					816	-0.0	-0.0	-0.0	0.0
					817	-0.0	-0.0	-0.0	0.0
					820	-0.0	-0.0	-0.0	0.0
					819	-0.0	-0.0	-0.0	0.0

NODE	Vxx	Vyy
------	-----	-----



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Max	Cent	0.1	0.0
	816	0.1	0.2
	817	0.1	0.1
	820	0.1	0.1
	819	0.1	0.2
Min	Cent	-0.0	-0.2
	816	-0.0	-0.3
	817	-0.0	-0.3
	820	-0.1	-0.3
	819	-0.1	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-14.0	35.61	SLVx (RS)	Cent	16.8	1.8	22.0	32.5
-10.9	36.66		816	15.8	3.9	19.9	30.7
-26.3	33.98		817	12.4	-8.7	26.1	30.0
-21.6	31.63		820	18.2	-6.5	24.6	33.4
-6.3	33.27		819	21.9	5.8	18.5	34.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	2.08		Cent	-0.0	-0.0	0.0	-0.0
-0.0	3.89		816	-0.0	-0.0	0.0	-0.0
-0.0	1.80		817	-0.0	-0.0	0.0	-0.0
-0.0	1.25		820	-0.0	-0.0	0.0	-0.0
-0.0	1.61		819	-0.0	-0.0	0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			816	-0.0	0.0		
			817	-0.0	0.0		
			820	0.0	0.0		
			819	0.0	0.0		

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-6.2	22.35	SLVy (RS)	Cent	34.4	0.6	16.7	41.3
-3.2	22.98		816	34.1	3.5	15.8	40.8
-11.1	23.07		817	32.2	-3.3	18.5	40.1
-9.5	21.70		820	34.8	-2.5	17.6	41.8
-1.5	21.40		819	36.7	4.3	15.0	42.6

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.3	1.89		Cent	-0.1	-0.3	0.0	-0.1
-0.3	4.27		816	-0.1	-0.3	0.0	-0.1
-0.3	1.31		817	-0.1	-0.3	0.0	-0.1
-0.4	-0.24		820	-0.1	-0.4	-0.0	-0.1
-0.4	1.56		819	-0.1	-0.4	0.0	-0.1

NODE	Vxx	Vyy
Cent	-0.1	1.1
816	-0.1	1.2
817	-0.1	1.1
820	-0.0	1.1
819	-0.0	1.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-7.0	35.60	SLDx (RS)	Cent	8.4	0.9	11.0	16.3
-5.4	36.66		816	7.9	2.0	10.0	15.3
-13.1	33.98		817	6.2	-4.3	13.0	15.0
-10.8	31.63		820	9.1	-3.3	12.3	16.7
-3.1	33.27		819	10.9	2.9	9.2	17.0

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	2.08		Cent	-0.0	-0.0	0.0	-0.0
-0.0	3.89		816	-0.0	-0.0	0.0	-0.0
-0.0	1.80		817	-0.0	-0.0	0.0	-0.0
-0.0	1.25		820	-0.0	-0.0	0.0	-0.0
-0.0	1.61		819	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
816	-0.0	0.0
817	-0.0	0.0
820	0.0	0.0
819	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		SLDy (RS)	Cent	17.2	0.3	8.4	20.6
-3.1	22.36		816	17.0	1.7	7.9	20.4
-1.6	22.99		817	16.1	-1.6	9.2	20.0
-5.6	23.08		820	17.4	-1.2	8.8	20.9
-4.8	21.70		819	18.3	2.2	7.5	21.3
-0.8	21.41						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.2	0.0	-0.0
-0.2	1.89		816	-0.0	-0.1	0.0	-0.0
-0.1	4.28		817	-0.0	-0.1	0.0	-0.0
-0.1	1.31		820	-0.1	-0.2	-0.0	-0.1
-0.2	-0.24		819	-0.1	-0.2	0.0	-0.1
-0.2	1.56						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	0.6		
			816	-0.1	0.6		
			817	-0.1	0.6		
			820	-0.0	0.6		
			819	-0.0	0.6		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVz (RS)	Cent	7.6	-1.5	10.0	14.0
-7.9	32.73		816	7.0	1.8	8.9	13.7
-4.8	36.83		817	5.4	-4.4	11.8	13.3
-12.2	33.75		820	8.2	-3.5	11.1	14.9
-10.2	31.15		819	9.9	2.6	8.2	15.2
-2.7	33.00						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	2.89		816	-0.0	-0.0	0.0	-0.0
-0.0	5.37		817	-0.0	-0.0	0.0	-0.0
-0.0	2.41		820	-0.0	-0.0	0.0	-0.0
-0.0	1.42		819	-0.0	-0.0	0.0	-0.0
-0.0	2.31						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
	Cent	0.0	0.0
	816	-0.0	0.0
	817	-0.0	0.0
	820	0.0	0.0
	819	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g1	Cent	-170.6	-16.6	-185.0	106.8
-294.0	-56.30		816	-146.3	-54.6	-151.2	57.6
-258.5	-53.44		817	-116.2	45.9	-231.5	210.2
-280.5	-54.64		820	-194.9	21.4	-218.7	157.2
-330.7	-58.15		819	-225.0	-79.1	-138.4	4.4
-308.5	-58.90						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	0.0	-0.0	0.0
0.0	-89.38	816	0.0	0.0	-0.0	0.0
0.0	-87.93	817	0.0	0.0	0.0	0.0
0.0	88.71	820	0.0	0.0	0.0	0.0
0.0	88.07	819	0.0	0.0	-0.0	0.0
0.0	-89.76					

	NODE	Vxx	Vyy
	Cent	-0.0	-0.0
	816	0.0	-0.1
	817	0.0	-0.0
	820	-0.0	-0.0
	819	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g2	Cent	-82.1	-10.2	-88.5	49.4
-141.7	-56.05		816	-70.2	-27.2	-72.3	26.8
-124.2	-53.28		817	-56.5	18.5	-110.6	97.8
-135.8	-54.36		820	-94.0	6.8	-104.8	72.7
-159.8	-57.85		819	-107.7	-38.9	-66.5	1.6
-148.1	-58.68						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	-2.06	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-2.03	816	-0.0	-0.1	-0.0	-0.0
-0.1	-3.33	817	-0.0	-0.1	-0.0	-0.0
-0.1	-2.73	820	-0.0	-0.1	-0.0	-0.0
-0.1	-1.50	819	-0.0	-0.1	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
816	-0.0	-0.0
817	-0.0	0.0
820	-0.0	0.0
819	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-7.9	37.77	q3	Cent	4.4	-0.5	9.5	11.8
-7.6	39.18		816	8.1	2.9	12.8	18.6
-5.7	28.46		817	6.7	-2.1	6.7	10.3
-8.1	34.96		820	0.7	-3.8	6.2	5.0
-10.7	43.75		819	2.2	1.1	12.3	14.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	84.35	Cent	0.0	0.0	0.0	0.0
0.0	83.96	816	0.0	0.0	0.0	0.0
0.0	82.62	817	0.0	0.0	0.0	0.0
0.0	83.97	820	0.0	0.0	0.0	0.0
0.0	85.88	819	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
816	0.0	-0.0
817	0.0	-0.0
820	0.0	-0.0
819	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.1	-0.11	q5_pc	Cent	20.6	-0.1	-0.0	20.6

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-1.8	-1.78	816	19.7	-1.8	-0.7	19.7
1.4	0.62	817	20.7	1.4	0.2	20.7
1.7	1.70	820	21.5	1.7	0.6	21.6
-1.6	-0.75	819	20.6	-1.6	-0.3	20.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

0.0	86.24	Cent	0.0	0.0	0.0	0.0
0.0	85.48	816	0.0	0.0	0.0	0.0
0.0	84.02	817	0.0	0.0	0.0	0.0
0.0	85.86	820	0.0	0.0	0.0	0.0
0.0	86.29	819	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
816	0.0	0.0
817	0.0	-0.0
820	-0.0	-0.0
819	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

0.1	3.93	q5_ps	Cent	18.9	0.2	1.3	19.0
-0.9	2.12		816	18.2	-0.9	0.7	18.2
0.9	5.29		817	18.8	1.1	1.7	18.9
1.2	5.79		820	19.7	1.4	1.9	19.9
-0.7	2.70		819	19.1	-0.6	0.9	19.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

0.0	82.71	Cent	0.0	0.0	0.0	0.0
0.0	82.38	816	0.0	0.0	0.0	0.0
0.0	79.47	817	0.0	0.0	0.0	0.0
0.0	82.36	820	0.0	0.0	0.0	0.0
0.0	82.16	819	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

816 0.0 0.0  
 817 0.0 -0.0  
 820 -0.0 -0.0  
 819 -0.0 0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2711.1	-81.26	INVSLU Max	Cent	-2642.0	-53.4	-409.3	9.4
-2368.7	-87.97		816	-2362.7	-4.8	-85.5	-1.8
-2552.5	-75.01		817	-2344.3	199.1	-737.7	396.7
-3095.3	-76.79		820	-2920.5	-11.2	-725.0	159.0
-2943.4	-88.67		819	-2939.7	-189.5	-65.2	-187.9
-3380.6	-73.03	Min	Cent	-3108.3	-455.6	-892.5	-183.2
-2908.1	-76.95		816	-2781.9	-479.0	-555.2	-350.4
-3289.2	-68.80		817	-2730.9	-388.7	-1272.6	140.2
-3945.1	-69.50		820	-3477.2	-598.7	-1251.2	-130.8
-3616.1	-79.75		819	-3523.4	-701.9	-520.5	-607.8

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.2	85.35	Max	Cent	0.2	0.8	0.0	0.8
0.2	85.71		816	0.2	0.7	0.0	0.7
0.2	84.44		817	0.2	0.7	0.1	0.7
0.3	83.84		820	0.3	0.8	0.1	0.8
0.3	85.75		819	0.3	0.9	0.0	0.9
-0.0	-60.56	Min	Cent	0.0	0.1	-0.0	0.1
-0.1	-48.81		816	-0.0	-0.0	-0.0	0.0
0.0	-66.25		817	0.0	0.1	-0.0	0.1
-0.0	-60.56		820	0.0	0.1	-0.0	0.1
0.0	-63.37		819	0.0	0.1	-0.1	0.1

	NODE	Vxx	Vyy
Max	Cent	0.2	-0.3
	816	0.2	-0.5
	817	0.2	0.3
	820	0.2	0.3
	819	0.2	-0.5
Min	Cent	-0.1	-0.9
	816	-0.0	-1.4
	817	-0.0	-0.5

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

820 -0.2 -0.5  
819 -0.2 -1.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1383.0	-76.56	INVSLV	Max Cent	-1322.6	-47.4	-280.1	29.9
-1184.5	-81.79		816	-1170.8	-20.2	-123.4	-5.6
-1311.4	-70.34		817	-1159.7	33.5	-443.3	216.9
-1602.1	-72.93		820	-1474.3	-65.6	-436.2	88.7
-1495.5	-85.22		819	-1485.3	-114.2	-116.2	-104.5
-1485.0	-78.24		Min Cent	-1406.1	-52.3	-340.1	10.0
-1277.3	-83.66		816	-1252.7	-31.3	-178.0	-7.6
-1413.8	-71.60		817	-1234.8	11.5	-513.7	159.0
-1710.7	-74.07		820	-1559.8	-82.2	-502.6	42.3
-1596.2	-83.46		819	-1577.8	-130.1	-167.1	-110.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.1	-87.90	Max Cent	0.1	0.4	0.0	0.4
0.1	-85.40		816	0.3	0.0	0.3
0.1	-88.58		817	0.3	0.0	0.3
0.1	89.91		820	0.5	0.0	0.5
0.1	-88.18		819	0.4	0.0	0.4
-0.3	1.66	Min Cent	-0.1	-0.3	-0.0	-0.1
-0.2	3.91		816	-0.2	-0.0	-0.1
-0.3	1.18		817	-0.3	-0.0	-0.1
-0.4	-0.38		820	-0.4	-0.0	-0.1
-0.4	1.27		819	-0.4	-0.0	-0.1

NODE	Vxx	Vyy
Max Cent	0.1	1.1
816	0.1	1.1
817	0.1	1.1
820	0.0	1.1
819	0.0	1.1
Min Cent	-0.1	-1.2
816	-0.1	-1.2
817	-0.1	-1.1
820	-0.0	-1.1
819	-0.0	-1.2



MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
885	2	4	Q1-1-2	Max	Cent	3.5	47.3	59.0	88.4
-37.5		55.18			817	3.0	100.6	99.9	163.0
-59.4		58.02			719	2.6	24.8	27.4	43.3
-15.8		56.02			54	4.1	12.0	30.3	38.6
-22.5		48.70			820	4.5	83.1	113.2	163.6
-76.1		54.57		Min	Cent	-273.1	-261.9	-339.6	72.1
-607.1		-45.47			817	-231.3	-298.0	-270.6	8.0
-537.3		-41.49			719	-256.5	-319.6	-408.8	121.9
-698.1		-42.79			54	-341.6	-340.2	-425.3	84.4
-766.2		-45.05			820	-315.1	-316.4	-278.6	-37.2
-594.3		-44.93							
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
				Max	Cent	0.1	0.3	0.0	0.3
0.1		84.83			817	0.1	0.3	0.0	0.3
0.1		83.10			719	0.1	0.3	0.0	0.3
0.1		85.18			54	0.1	0.4	0.0	0.4
0.1		85.05			820	0.1	0.4	0.0	0.4
0.1		83.42		Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0		-33.98			817	-0.0	-0.0	-0.0	0.0
-0.0		-32.93			719	-0.0	-0.0	-0.0	0.0
-0.0		-35.20			54	-0.0	-0.0	-0.0	0.0
-0.0		-34.96			820	-0.0	-0.0	-0.0	0.0
-0.0		-32.66							
				NODE	Vxx	Vyy			
				Max	Cent	0.0	0.0		
					817	0.0	0.1		
					719	0.0	0.1		
					54	0.0	0.1		
					820	0.0	0.1		
				Min	Cent	-0.0	-0.3		
					817	-0.0	-0.3		
					719	-0.0	-0.4		
					54	-0.0	-0.4		
					820	-0.0	-0.3		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-26.6	54.02	Q2a-1-2	Max Cent	2.6	28.9	40.3	58.2
-43.2	56.60		817	2.2	61.2	68.8	106.5
-11.1	55.16		719	2.0	15.9	18.8	28.9
-15.3	48.33		54	3.1	7.9	20.7	26.3
-55.0	53.35		820	3.3	50.4	78.4	108.6
-386.9	-44.12		Min Cent	-174.9	-187.5	-205.6	24.5
-349.7	-39.50		817	-151.0	-214.7	-163.8	-16.0
-448.2	-41.33		719	-166.1	-230.1	-248.1	52.0
-491.2	-43.62		54	-218.8	-243.8	-259.6	28.5
-384.4	-42.89		820	-202.7	-227.6	-168.8	-45.9
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	84.92		Max Cent	0.1	0.2	0.0	0.2
0.1	83.15		817	0.1	0.2	0.0	0.2
0.1	85.28		719	0.1	0.2	0.0	0.2
0.1	85.14		54	0.1	0.2	0.0	0.2
0.1	83.48		820	0.1	0.2	0.0	0.2
-0.0	-37.69		Min Cent	-0.0	-0.0	-0.0	0.0
-0.0	-36.81		817	-0.0	-0.0	-0.0	0.0
-0.0	-38.60		719	-0.0	-0.0	-0.0	0.0
-0.0	-38.38		54	-0.0	-0.0	-0.0	0.0
-0.0	-36.62		820	-0.0	-0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Max Cent	0.0	0.0		
			817	0.0	0.1		
			719	0.0	0.1		
			54	0.0	0.1		
			820	0.0	0.1		
			Min Cent	-0.0	-0.2		
			817	-0.0	-0.2		
			719	-0.0	-0.2		
			54	-0.0	-0.2		
			820	-0.0	-0.2		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-15.4	39.27	SLVx (RS)	Cent	13.6	4.0	23.7	33.0	
-20.3	32.69		817	11.3	-7.3	20.3	24.4	
-20.8	40.00		719	13.0	3.0	28.4	36.9	
-22.8	36.10		54	16.5	-1.9	28.6	37.4	
-18.7	31.55		820	14.8	-6.0	20.6	27.5	
-0.0	2.22		Cent	-0.0	-0.0	0.0	-0.0	
-0.0	2.31		817	-0.0	-0.0	0.0	-0.0	
-0.0	2.49		719	-0.0	-0.0	0.0	-0.0	
-0.0	1.32		54	-0.0	-0.0	0.0	-0.0	
-0.0	1.12		820	-0.0	-0.0	0.0	-0.0	
			NODE	Vxx	Vyy			
			Cent	0.0	0.0			
			817	-0.0	0.0			
			719	-0.0	0.0			
			54	0.0	0.0			
			820	0.0	0.0			
Fmin		ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-9.7	23.84	SLVy (RS)	Cent	29.3	-2.1	17.2	37.0	
-11.3	24.46		817	29.9	-2.7	18.7	38.5	
-7.7	22.43		719	30.3	-1.2	15.7	36.8	
-8.4	23.03		54	28.7	-1.7	15.8	35.4	
-11.9	25.06		820	28.4	-3.1	18.9	37.2	
-0.3	1.84		Cent	-0.1	-0.3	0.0	-0.1	
-0.2	2.10		817	-0.1	-0.2	0.0	-0.1	
-0.2	2.08		719	-0.1	-0.2	0.0	-0.1	
-0.3	0.72		54	-0.1	-0.3	0.0	-0.1	
-0.3	0.50		820	-0.1	-0.3	0.0	-0.1	

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
	Cent	-0.0	0.9
	817	-0.0	0.8
	719	-0.0	1.0
	54	-0.0	1.0
	820	-0.0	0.8

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDx (RS)	Cent	6.8	2.0	11.8	16.5
-7.7	39.27		817	5.7	-3.6	10.1	12.2
-10.1	32.69		719	6.5	1.5	14.2	18.4
-10.4	40.00		54	8.3	-0.9	14.3	18.7
-11.4	36.10		820	7.4	-3.0	10.3	13.7
-9.3	31.55						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	2.22		817	-0.0	-0.0	0.0	-0.0
-0.0	2.32		719	-0.0	-0.0	0.0	-0.0
-0.0	2.49		54	-0.0	-0.0	0.0	-0.0
-0.0	1.32		820	-0.0	-0.0	0.0	-0.0
-0.0	1.12						

	NODE	Vxx	Vyy
	Cent	0.0	0.0
	817	-0.0	0.0
	719	-0.0	0.0
	54	0.0	0.0
	820	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDy (RS)	Cent	14.6	-1.0	8.6	18.5
-4.9	23.84		817	15.0	-1.4	9.4	19.2
-5.6	24.46		719	15.1	-0.6	7.8	18.4
-3.8	22.44		54	14.3	-0.8	7.9	17.7
-4.2	23.04		820	14.2	-1.6	9.4	18.6
-6.0	25.06						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----				-----		-----	
-0.1	1.84	Cent		-0.0	-0.1	0.0	-0.0
-0.1	2.10	817		-0.0	-0.1	0.0	-0.0
-0.1	2.08	719		-0.0	-0.1	0.0	-0.0
-0.2	0.72	54		-0.1	-0.2	0.0	-0.1
-0.1	0.51	820		-0.0	-0.1	0.0	-0.0
		NODE		Vxx		Vyy	
		Cent		-0.0		0.4	
		817		-0.0		0.4	
		719		-0.0		0.5	
		54		-0.0		0.5	
		820		-0.0		0.4	
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVz (RS)	Cent	6.1	-2.6	10.7	13.3
-9.8	33.93		817	4.9	-3.7	8.8	10.4
-9.2	31.93		719	5.7	-2.4	12.7	15.0
-11.7	36.20		54	7.4	-2.1	12.8	16.3
-11.0	34.85		820	6.7	-3.1	8.9	11.9
-8.4	30.55						
			NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	3.00		817	-0.0	-0.0	0.0	-0.0
-0.0	3.52		719	-0.0	-0.0	0.0	-0.0
-0.0	3.36		54	-0.0	-0.0	0.0	-0.0
-0.0	1.92		820	-0.0	-0.0	0.0	-0.0
-0.0	1.70						
			NODE	Vxx		Vyy	
			Cent	0.0		0.0	
			817	-0.0		0.0	
			719	-0.0		0.0	
			54	0.0		0.0	
			820	0.0		0.0	
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g1	Cent	-137.2	3.1	-195.3	140.4

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-274.6	-54.88		817	-103.3	35.5	-137.2	119.9
-187.6	-58.41		719	-118.0	-13.5	-251.0	190.7
-322.2	-50.88		54	-171.2	-29.3	-253.3	162.8
-363.3	-52.83		820	-156.5	19.7	-139.5	96.6
-233.4	-61.14						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-88.44		Cent	0.0	0.0	-0.0	0.0
0.0	89.57		817	0.0	0.0	0.0	0.0
0.0	-88.28		719	0.0	0.0	-0.0	0.0
0.0	-89.01		54	0.0	0.0	-0.0	0.0
0.0	88.77		820	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
817	0.0	-0.0
719	0.0	-0.0
54	-0.0	-0.0
820	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-133.1	-54.75	g2	Cent	-67.6	-2.0	-92.6	63.4
-90.6	-58.36		817	-51.0	13.6	-64.2	53.1
-156.4	-50.68		719	-58.1	-9.9	-120.0	88.4
-176.5	-52.69		54	-84.2	-17.6	-121.1	74.6
-113.0	-61.23		820	-77.2	5.8	-65.2	41.6

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-0.12		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-2.07		817	-0.0	-0.0	-0.0	-0.0
-0.0	1.00		719	-0.0	-0.0	0.0	-0.0
-0.0	0.84		54	-0.0	-0.0	0.0	-0.0
-0.0	-1.91		820	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
817	-0.0	-0.0
719	-0.0	-0.0
54	-0.0	-0.0
820	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Cent	-0.0	0.0
817	-0.0	0.0
719	-0.0	0.0
54	-0.0	0.0
820	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-9.3	37.82	q3	Cent	4.0	-1.3	10.3	12.0
-15.0	37.45		817	6.2	-2.6	16.2	18.6
-0.4	27.38		719	7.5	1.7	4.1	9.6
-3.6	39.23		54	1.8	-0.0	4.4	5.4
-18.6	40.88		820	0.5	-4.3	16.5	14.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	86.76	Cent	0.0	0.0	0.0	0.0
0.0	84.13	817	0.0	0.0	0.0	0.0
0.0	87.55	719	0.0	0.0	0.0	0.0
0.0	88.00	54	0.0	0.0	0.0	0.0
0.0	85.20	820	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
817	0.0	-0.0
719	0.0	-0.0
54	0.0	-0.0
820	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.6	-2.89	q5_pc	Cent	18.0	-0.5	-0.9	18.1
1.5	3.55		817	19.5	1.5	1.1	19.6
-2.4	-7.66		719	18.4	-2.1	-2.8	18.8
-3.1	-8.67		54	16.6	-2.6	-3.0	17.0
1.0	3.18		820	17.7	1.0	0.9	17.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	88.06		817	0.0	0.0	0.0	0.0
0.0	85.21		719	0.0	0.0	0.0	0.0
0.0	88.94		54	0.0	0.0	0.0	0.0
0.0	89.34		820	0.0	0.0	0.0	0.0
0.0	86.32						

NODE	Vxx	Vyy
Cent	0.0	-0.0
817	0.0	-0.0
719	0.0	-0.0
54	-0.0	-0.0
820	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.4	2.09	q5_ps	Cent	16.5	-0.4	0.6	16.5
0.9	7.85		817	17.6	1.2	2.3	18.0
-1.5	-2.94		719	16.8	-1.5	-0.9	16.9
-2.0	-3.57		54	15.3	-1.9	-1.1	15.4
0.4	7.89		820	16.1	0.7	2.2	16.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	83.44	Cent	0.0	0.0	0.0	0.0
0.0	79.90	817	0.0	0.0	0.0	0.0
0.0	83.59	719	0.0	0.0	0.0	0.0
0.0	84.71	54	0.0	0.0	0.0	0.0
0.0	82.71	820	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
817	0.0	-0.0
719	0.0	-0.0
54	-0.0	-0.0
820	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2205.0	-81.38	INVSLU Max	Cent	-2143.4	73.2	-343.8	124.6
-2092.8	-86.45		817	-2076.9	140.2	-138.8	148.8



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-2197.2	-76.66		719	-2060.6	93.0	-538.9	218.3
-2336.4	-77.33		54	-2210.0	33.2	-530.2	151.4
-2235.7	-87.12		820	-2225.5	73.1	-116.4	78.9
-2867.9	-73.87	Min	Cent	-2559.7	-345.2	-883.5	-46.8
-2626.3	-73.93		817	-2441.7	-400.6	-641.0	-216.0
-2951.4	-69.46		719	-2458.3	-375.8	-1132.8	90.4
-3191.1	-70.33		54	-2713.9	-446.9	-1150.7	15.2
-2869.8	-74.92		820	-2695.5	-468.0	-647.0	-293.7

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----	-----						
0.2	85.89	Max	Cent	0.2	0.5	0.0	0.6
0.2	84.44		817	0.2	0.5	0.0	0.5
0.2	86.26		719	0.2	0.5	0.0	0.5
0.2	85.96		54	0.2	0.6	0.0	0.6
0.2	84.46		820	0.2	0.6	0.0	0.6
-0.0	-60.10	Min	Cent	0.0	0.0	-0.0	0.1
0.0	-62.97		817	0.0	0.1	-0.0	0.1
-0.0	-61.13		719	0.0	0.1	-0.0	0.1
-0.0	-57.44		54	0.0	0.0	-0.0	0.1
-0.0	-58.79		820	0.0	0.0	-0.0	0.1

	NODE	Vxx	Vyy
Max	Cent	0.0	0.1
	817	0.1	0.2
	719	0.1	0.2
	54	0.0	0.2
	820	0.0	0.2
Min	Cent	-0.0	-0.4
	817	-0.0	-0.4
	719	-0.0	-0.5
	54	-0.0	-0.5
	820	-0.0	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----	-----						
-1139.6	-75.41	INVSLV	Max	Cent	-1078.3	-6.8	-258.3
-1061.1	-78.91			817	-1034.3	10.1	-167.3
-1144.8	-71.13			719	-1033.0	5.5	-348.9

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-1228.1	-72.01		54	-1122.1	-22.2	-347.7	114.8
-1148.3	-79.50		820	-1123.3	-17.9	-165.9	23.5
-1231.6	-76.86	Min	Cent	-1148.8	-17.7	-322.4	47.4
-1147.1	-81.08		817	-1103.9	-8.3	-224.4	17.9
-1242.4	-73.18		719	-1104.8	-2.7	-422.8	108.9
-1324.9	-73.88		54	-1193.9	-28.5	-422.1	72.2
-1233.8	-81.60		820	-1193.0	-33.8	-223.8	-9.3

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
		Max	Cent	0.1	0.3	0.0	0.3
0.1	-88.18		817	0.1	0.2	0.0	0.2
0.1	-87.89		719	0.1	0.2	0.0	0.2
0.1	-87.97		54	0.1	0.4	0.0	0.4
0.1	-89.31		820	0.1	0.3	0.0	0.3
0.1	-89.50	Min	Cent	-0.1	-0.3	-0.0	-0.1
-0.3	1.88		817	-0.1	-0.2	-0.0	-0.1
-0.2	2.10		719	-0.1	-0.2	-0.0	-0.1
-0.2	2.15		54	-0.1	-0.3	-0.0	-0.1
-0.3	0.78		820	-0.1	-0.3	-0.0	-0.1
-0.3	0.53						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.9
	817	0.0	0.8
	719	0.0	1.0
	54	0.0	1.0
	820	0.0	0.8
Min	Cent	-0.0	-0.9
	817	-0.0	-0.8
	719	-0.0	-1.0
	54	-0.0	-1.0
	820	-0.0	-0.8

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
907	2	4	Q1-1-2	Max	Cent	1032.2	5.0	69.1	1036.9
0.4		3.83			843	1105.6	21.6	119.6	1118.6
8.5		6.22			845	1107.9	26.9	28.1	1108.6
26.2		1.49			2340	958.9	0.5	29.3	959.7
-0.4		1.75							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-14.8	7.11		2339	956.5	0.3	121.2	971.7
		Min	Cent	-10.0	-14.1	-253.9	241.8
-266.0	-44.77		843	-10.7	-5.0	-180.1	172.2
-188.0	-45.46		845	-10.8	-0.6	-331.2	325.6
-336.9	-45.44		2340	-9.3	-30.4	-329.4	309.7
-349.4	-44.08		2339	-9.3	-39.1	-178.4	154.8
-203.2	-42.61						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	0.0	0.0	0.0	0.0
-0.0	51.42	Max	843	0.0	0.0	0.0	0.0
-0.0	57.71		845	0.0	0.0	0.0	0.0
-0.0	51.54		2340	0.0	0.0	0.0	0.0
-0.0	48.21		2339	0.0	0.0	0.0	0.0
-0.0	51.17	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-2.41		843	-0.0	-0.2	-0.0	-0.0
-0.2	-1.89		845	-0.0	-0.1	-0.0	-0.0
-0.1	-1.89		2340	-0.0	-0.1	-0.0	-0.0
-0.1	-2.99		2339	-0.0	-0.1	-0.0	-0.0
-0.1	-2.93						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	843	0.0	0.0
	845	0.0	0.0
	2340	0.0	0.0
	2339	0.0	0.0
Min	Cent	-0.0	-0.2
	843	-0.0	-0.3
	845	-0.0	-0.2
	2340	-0.0	-0.2
	2339	-0.0	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
		Q2a-1-2	Max	Cent	621.5	3.3	46.3	624.9
-0.1	4.26			843	665.6	13.6	80.3	675.3
3.9	6.92			845	667.0	16.9	19.0	667.6
16.3	1.67			2340	577.4	0.3	19.8	578.1
-0.4	1.96			2339	575.9	0.3	81.4	587.2
-11.0	7.89							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-168.4	-44.81	Min	Cent	-7.4	-9.6	-159.9	151.4
			843	-8.0	-3.5	-113.4	107.7
-119.2	-45.56		845	-8.0	-0.3	-208.2	204.1
-212.4	-45.53		2340	-6.9	-19.2	-207.1	194.1
-220.2	-44.15		2339	-6.9	-25.0	-112.3	96.7
-128.6	-42.70						

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-0.0	49.27	Max	Cent	0.0	0.0	0.0	0.0
			843	0.0	0.0	0.0	0.0
-0.0	53.76		845	0.0	0.0	0.0	0.0
-0.0	49.36		2340	0.0	0.0	0.0	0.0
-0.0	47.12		2339	0.0	0.0	0.0	0.0
-0.0	49.08	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-2.11		843	-0.0	-0.1	-0.0	-0.0
-0.1	-1.66		845	-0.0	-0.1	-0.0	-0.0
-0.1	-1.65		2340	-0.0	-0.1	-0.0	-0.0
-0.1	-2.58		2339	-0.0	-0.1	-0.0	-0.0
-0.1	-2.57						

NODE Vxx Vyy

Max	Cent	0.0	0.0
	843	0.0	0.0
	845	0.0	0.0
	2340	0.0	0.0
	2339	0.0	0.0
Min	Cent	-0.0	-0.2
	843	-0.0	-0.2
	845	-0.0	-0.1
	2340	-0.0	-0.1
	2339	-0.0	-0.2

Fmin ANGLE LC NODE Fxx Fyy Fxy Fmax

-4.5	9.44	SLVx (RS)	Cent	87.7	-2.0	15.3	90.2
			843	93.8	-3.5	9.0	94.6
-4.3	5.24		845	93.9	4.0	22.3	99.2
-1.3	13.21		2340	81.5	-1.1	22.2	87.1
-6.6	14.11		2339	81.4	-0.9	8.8	82.3
-1.9	6.06						

NODE Mxx Myy Mxy Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE						
			Cent	0.0	0.0	-0.0	0.0
0.0	-86.23		843	0.0	0.0	0.0	0.0
0.0	88.06		845	0.0	0.0	-0.0	0.0
0.0	-86.56		2340	0.0	0.0	-0.0	0.0
0.0	-83.63		2339	0.0	0.0	-0.0	0.0
0.0	-85.87						
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			843	0.0	-0.0		
			845	0.0	-0.0		
			2340	0.0	-0.0		
			2339	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	20.0	-0.8	5.4	21.3
-2.1	13.72		843	19.4	0.6	4.4	20.4
-0.4	12.57		845	19.1	-1.6	6.5	21.0
-3.5	16.03		2340	20.5	-1.1	6.4	22.2
-2.8	15.27		2339	20.8	0.3	4.3	21.7
-0.5	11.36						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.1	-0.2	0.0	-0.1
-0.2	3.48		843	-0.1	-0.3	0.0	-0.1
-0.3	1.47		845	-0.1	-0.3	0.0	-0.1
-0.3	3.21		2340	-0.0	-0.1	0.0	-0.0
-0.1	7.26		2339	-0.0	-0.1	0.0	-0.0
-0.1	3.99						
			NODE	Vxx	Vyy		
			Cent	0.0	-1.0		
			843	0.0	-1.0		
			845	0.0	-1.0		
			2340	0.0	-1.0		
			2339	0.0	-1.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	Cent	43.8	-1.0	7.7	45.1
-2.2	9.44		843	46.8	-1.7	4.5	47.3
-2.2	5.24		845	46.9	2.0	11.2	49.5
-0.6	13.21		2340	40.7	-0.5	11.1	43.5
-3.3	14.12		2339	40.7	-0.5	4.4	41.1
-0.9	6.06						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	-86.23		Cent	0.0	0.0	-0.0	0.0
0.0	88.06		843	0.0	0.0	0.0	0.0
0.0	-86.56		845	0.0	0.0	-0.0	0.0
0.0	-83.63		2340	0.0	0.0	-0.0	0.0
0.0	-85.87		2339	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.0		
			843	0.0	-0.0		
			845	0.0	-0.0		
			2340	0.0	-0.0		
			2339	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLDy (RS)	Cent	10.0	-0.4	2.7	10.6
-1.1	13.73		843	9.7	0.3	2.2	10.2
-0.2	12.58		845	9.6	-0.8	3.3	10.5
-1.8	16.03		2340	10.2	-0.6	3.2	11.1
-1.4	15.28		2339	10.4	0.2	2.1	10.8
-0.3	11.36						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.1	3.48		Cent	-0.0	-0.1	0.0	-0.0
-0.2	1.47		843	-0.0	-0.2	0.0	-0.0
-0.1	3.21		845	-0.0	-0.1	0.0	-0.0
-0.1	7.26		2340	-0.0	-0.1	0.0	-0.0
-0.1	3.99		2339	-0.0	-0.1	0.0	-0.0
			NODE	Vxx	Vyy		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

```

-----
                Cent      0.0      -0.5
                843      0.0      -0.5
                845      0.0      -0.5
                2340     0.0      -0.5
                2339     0.0      -0.5
    
```

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-36.5	78.88	SLVz (RS)	Cent	-35.1	-1.1	7.0	0.3
-38.1	83.61		843	-37.6	-1.7	4.1	-1.2
-40.3	75.44		845	-37.7	-1.9	10.0	0.7
-35.4	74.17		2340	-32.6	-0.5	9.9	2.3
-33.0	82.97		2339	-32.5	-0.5	4.0	0.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	85.68	Cent	0.0	0.0	0.0	0.0
0.0	87.71	843	0.0	0.0	0.0	0.0
0.0	86.60	845	0.0	0.0	0.0	0.0
0.0	82.08	2340	0.0	0.0	0.0	0.0
0.0	83.53	2339	0.0	0.0	0.0	0.0

```

-----
                NODE      Vxx      Vyy
                Cent      0.0      0.0
                843      0.0      0.0
                845      0.0      0.0
                2340     0.0      0.0
                2339     0.0      0.0
    
```

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-19.1	-8.85	g1	Cent	755.4	-0.3	-120.5	774.1
10.3	-4.07		843	809.9	14.3	-56.9	814.0
-23.1	-12.55		845	811.1	18.2	-185.7	852.5
-59.5	-13.62		2340	700.8	-14.9	-184.2	745.4
-23.1	-4.38		2339	699.6	-18.8	-55.3	703.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	1.87	Cent	-0.0	-0.0	0.0	-0.0
-0.0	0.93	843	-0.0	-0.0	0.0	-0.0
-0.0	2.79	845	-0.0	-0.0	0.0	-0.0
-0.0	3.29	2340	-0.0	-0.0	0.0	-0.0
-0.0	1.16	2339	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
843	-0.0	-0.0
845	-0.0	-0.0
2340	-0.0	-0.0
2339	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-12.1	-8.54	g2	Cent	365.9	-3.6	-56.7	374.5
2.3	-3.78		843	392.6	4.0	-25.8	394.3
-14.2	-12.25		845	392.9	5.0	-88.4	412.1
-31.8	-13.30		2340	339.3	-11.1	-87.7	360.0
-13.9	-4.07		2339	339.0	-12.1	-25.1	340.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-64.70	Cent	0.0	0.0	-0.0	0.0
0.0	-84.63	843	0.0	0.0	-0.0	0.0
-0.0	-58.14	845	0.0	0.0	-0.0	0.0
-0.0	-28.96	2340	-0.0	-0.0	-0.0	0.0
-0.0	-64.34	2339	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
843	-0.0	0.0
845	-0.0	0.0
2340	-0.0	0.0
2339	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.6	3.49	q3	Cent	41.4	-0.4	2.6	41.6
			843	43.7	0.3	5.3	44.4



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.4	6.80		845	43.7	0.3	-0.2	43.7
0.3	-0.23		2340	39.1	-1.1	-0.1	39.1
-1.1	-0.18		2339	39.1	-1.1	5.3	39.8
-1.8	7.39						
-----							
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	2.10		843	-0.0	-0.0	0.0	-0.0
-0.0	1.02		845	-0.0	-0.0	0.0	-0.0
-0.0	3.31		2340	-0.0	-0.0	0.0	-0.0
-0.0	3.56		2339	-0.0	-0.0	0.0	-0.0
-0.0	1.51						
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			843	0.0	-0.0		
			845	0.0	-0.0		
			2340	-0.0	-0.0		
			2339	-0.0	-0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		q5_pc	Cent	26.3	0.0	-1.9	26.4
-0.1	-4.17		843	26.6	0.2	-1.6	26.7
0.1	-3.36		845	26.6	-0.0	-2.3	26.7
-0.2	-4.86		2340	25.9	-0.2	-2.3	26.1
-0.4	-4.98		2339	26.0	0.0	-1.6	26.1
-0.1	-3.45						
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	5.16		843	-0.0	-0.0	0.0	-0.0
-0.0	3.67		845	-0.0	-0.0	0.0	-0.0
-0.0	4.77		2340	-0.0	-0.0	0.0	-0.0
-0.0	7.11		2339	-0.0	-0.0	0.0	-0.0
-0.0	5.57						
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			843	0.0	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

845 0.0 -0.0  
 2340 0.0 -0.0  
 2339 0.0 -0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.1	-3.17	q5_ps	Cent	21.9	-0.0	-1.2	21.9
0.1	-2.61		843	22.1	0.1	-1.0	22.1
-0.2	-3.64		845	22.0	-0.1	-1.4	22.1
-0.3	-3.73		2340	21.7	-0.2	-1.4	21.8
-0.0	-2.69		2339	21.7	0.0	-1.0	21.8
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	7.31		Cent	0.0	-0.0	0.0	0.0
-0.0	7.28		843	0.0	-0.0	0.0	0.0
-0.0	5.99		845	0.0	-0.0	0.0	0.0
-0.0	7.65		2340	0.0	-0.0	0.0	0.0
-0.0	7.88		2339	0.0	-0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			843	0.0	-0.0		
			845	0.0	-0.0		
			2340	0.0	-0.0		
			2339	0.0	-0.0		

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.7	-2.43	INVSLU Max	Cent	3045.9	3.6	-125.8	3051.4
64.4	3.34		843	3360.9	75.7	195.5	3372.1
56.2	-7.66		845	3373.9	116.1	-442.4	3434.0
-118.8	-8.71		2340	2731.0	-52.0	-432.7	2798.0
-94.5	4.12		2339	2717.9	-85.8	205.7	2732.5
-198.7	-12.36	Min	Cent	1585.8	-22.3	-565.3	1713.3
15.0	-4.78		843	1800.4	39.5	-211.9	1812.8
-323.2	-18.94		845	1810.5	79.0	-931.6	2094.8
-533.7	-21.27		2340	1371.3	-94.1	-921.1	1678.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-164.8	-5.27		2339	1361.2	-139.1	-201.5	1374.0
-----							
		Max	Cent	-0.0	-0.0	0.0	-0.0
-0.0	29.60		843	-0.0	-0.0	0.0	-0.0
-0.0	29.15		845	-0.0	-0.0	0.0	-0.0
-0.0	20.90		2340	-0.0	-0.0	0.0	0.0
-0.0	33.65		2339	-0.0	-0.0	0.0	0.0
-0.0	38.93	Min	Cent	-0.1	-0.2	-0.0	-0.1
-0.2	-2.69		843	-0.1	-0.2	-0.0	-0.1
-0.2	-1.97		845	-0.1	-0.2	-0.0	-0.1
-0.2	-1.87		2340	-0.0	-0.2	-0.0	-0.0
-0.2	-3.59		2339	-0.0	-0.2	-0.0	-0.0
-0.2	-3.59						
			NODE	Vxx	Vyy		
-----							
		Max	Cent	0.0	-0.1		
			843	0.0	-0.0		
			845	0.0	-0.1		
			2340	0.0	-0.1		
			2339	0.0	-0.0		
		Min	Cent	-0.0	-0.4		
			843	-0.0	-0.4		
			845	-0.0	-0.4		
			2340	-0.0	-0.4		
			2339	-0.0	-0.4		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-25.1	-6.66	INVSLV	Max	Cent	1258.0	-3.3	1275.5
				843	1399.3	31.0	1399.3
30.8	0.09			845	1404.5	49.0	1470.2
-17.4	-12.13			2340	1116.7	-36.9	1190.5
-112.2	-13.76			2339	1111.5	-54.4	1111.6
-54.5	0.32		Min	Cent	1049.6	-8.3	1079.4
-33.9	-9.41			843	1177.5	22.7	1177.7
22.7	-0.80			845	1182.5	38.9	1280.4
-58.4	-15.69			2340	921.8	-40.0	1032.2
-149.0	-17.81			2339	916.8	-56.7	916.9
-56.8	-0.66						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	-86.11	Max	Cent	0.1	0.2	0.0	0.2
0.1	-88.35		843	0.1	0.3	0.0	0.3
0.1	-86.58		845	0.1	0.3	0.0	0.3
0.0	-81.71		2340	0.0	0.1	0.0	0.1
0.0	-85.25		2339	0.0	0.1	0.0	0.1
-0.2	3.11	Min	Cent	-0.1	-0.2	-0.0	-0.1
-0.3	1.27		843	-0.1	-0.3	-0.0	-0.1
-0.3	3.00		845	-0.1	-0.3	-0.0	-0.1
-0.2	6.41		2340	-0.0	-0.2	-0.0	-0.0
-0.2	3.35		2339	-0.0	-0.2	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	1.0
	843	0.0	1.0
	845	0.0	0.9
	2340	0.0	0.9
	2339	0.0	1.0
Min	Cent	-0.0	-1.0
	843	-0.0	-1.0
	845	-0.0	-1.0
	2340	-0.0	-1.0
	2339	-0.0	-1.0

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE							
908	2	10	Q1-1-2	Max	Cent	956.7	8.1	75.3
2.1	4.51				845	996.7	28.8	1006.9
18.6	5.83				847	988.8	18.5	991.7
15.6	3.13				2341	916.8	7.1	920.1
3.8	3.43				2340	924.7	11.1	935.8
0.0	6.25			Min	Cent	-9.0	-13.9	-242.3
-253.8	-44.71				845	-9.3	-8.1	-204.2
-212.9	-45.08				847	-9.3	-18.9	-277.4
-291.6	-44.50				2341	-8.7	-34.1	-280.9
-302.6	-43.70				2340	-8.6	-21.8	-207.6
-222.9	-44.09							

NODE	Mxx	Myy	Mxy	Mmax
------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE							
			Max	Cent	0.0	0.0	0.0	0.0
-0.0	48.38			845	0.0	0.0	0.0	0.0
-0.0	52.12			847	0.0	0.0	0.0	0.0
-0.0	51.79			2341	0.0	0.0	0.0	0.0
-0.0	37.29			2340	0.0	0.0	0.0	0.0
-0.0	47.22							
			Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-3.08			845	-0.0	-0.1	-0.0	-0.0
-0.1	-1.77			847	-0.0	-0.1	-0.0	-0.0
-0.1	-3.93			2341	-0.0	-0.0	-0.0	-0.0
-0.0	-5.66			2340	-0.0	-0.1	-0.0	-0.0
-0.1	-3.10							
				NODE	Vxx	Vyy		
			Max	Cent	0.0	0.0		
				845	0.0	0.0		
				847	0.0	0.1		
				2341	0.0	0.1		
				2340	0.0	0.0		
			Min	Cent	-0.0	-0.1		
				845	-0.0	-0.2		
				847	-0.0	-0.1		
				2341	-0.0	-0.1		
				2340	-0.0	-0.2		
Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
		Q2a-1-2	Max	Cent	575.9	4.8	50.3	580.2
0.4	4.99			845	600.0	18.5	66.7	607.6
10.9	6.46			847	595.4	11.3	35.6	597.5
9.1	3.47			2341	551.7	4.2	36.6	554.1
1.8	3.81			2340	556.4	7.2	67.8	564.6
-1.1	6.93							
			Min	Cent	-6.7	-8.9	-153.8	146.0
-161.6	-44.79			845	-6.9	-5.6	-129.4	123.2
-135.7	-45.15			847	-6.9	-11.2	-176.2	167.1
-185.3	-44.65			2341	-6.4	-20.6	-178.3	164.9
-191.9	-43.86			2340	-6.4	-14.7	-131.6	121.1
-142.2	-44.10							
				NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		Max	Cent	0.0	0.0	0.0	0.0
-0.0	47.30		845	0.0	0.0	0.0	0.0
-0.0	49.61		847	0.0	0.0	0.0	0.0
-0.0	51.56		2341	0.0	0.0	0.0	0.0
-0.0	36.73		2340	0.0	0.0	0.0	0.0
-0.0	46.35	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-2.58		845	-0.0	-0.1	-0.0	-0.0
-0.1	-1.63		847	-0.0	-0.0	-0.0	-0.0
-0.0	-3.40		2341	-0.0	-0.0	-0.0	-0.0
-0.0	-4.72		2340	-0.0	-0.0	-0.0	-0.0
-0.0	-2.66						

-----		NODE	Vxx	Vyy
Max	Cent		0.0	0.0
	845		0.0	0.0
	847		0.0	0.1
	2341		0.0	0.1
	2340		0.0	0.0
Min	Cent		-0.0	-0.1
	845		-0.0	-0.1
	847		-0.0	-0.1
	2341		-0.0	-0.1
	2340		-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.3	9.45	SLVx (RS)	Cent	81.3	2.0	13.6	83.6
-4.7	6.67		845	84.3	-3.5	10.4	85.6
-1.3	11.12		847	83.9	2.0	16.7	87.2
-4.3	11.53		2341	78.3	-0.8	16.8	81.7
0.5	7.66		2340	78.7	2.0	10.5	80.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-80.92	Cent	0.0	0.0	-0.0	0.0
0.0	86.96	845	0.0	0.0	0.0	0.0
-0.0	-8.61	847	-0.0	-0.0	-0.0	-0.0
-0.0	-14.34	2341	-0.0	-0.0	-0.0	-0.0
0.0	78.62	2340	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

NODE	Vxx	Vyy
Cent	0.0	-0.0
845	0.0	-0.0
847	0.0	-0.0
2341	0.0	-0.0
2340	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	17.4	0.9	2.8	17.9
0.4	9.49		845	16.3	-1.3	-2.1	16.6
-1.6	-6.54		847	17.3	2.6	3.3	18.0
1.9	12.11		2341	18.5	2.9	3.7	19.3
2.1	12.72		2340	17.5	-1.0	2.4	17.8
-1.4	7.29						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.1	0.0	-0.0
-0.1	9.13	845	-0.1	-0.2	0.0	-0.1
-0.2	2.55	847	-0.0	-0.1	0.0	-0.0
-0.1	8.70	2341	0.0	-0.0	0.0	0.0
-0.0	29.21	2340	-0.0	-0.1	0.0	-0.0
-0.1	11.60					

NODE	Vxx	Vyy
Cent	-0.0	-0.7
845	0.0	-0.7
847	0.0	-0.7
2341	-0.0	-0.7
2340	-0.0	-0.7

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDx (RS)	Cent	40.6	1.0	6.8	41.7
-0.1	9.46		845	42.1	-1.8	5.2	42.7
-2.4	6.67		847	41.9	1.0	8.4	43.6
-0.6	11.13		2341	39.1	-0.4	8.4	40.8
-2.1	11.54		2340	39.3	1.0	5.3	40.0
0.3	7.66						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-80.92	Cent	0.0	0.0	-0.0	0.0
0.0	86.95	845	0.0	0.0	0.0	0.0
-0.0	-8.60	847	-0.0	-0.0	-0.0	-0.0
-0.0	-14.34	2341	-0.0	-0.0	-0.0	-0.0
0.0	78.61	2340	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
845	0.0	-0.0
847	0.0	-0.0
2341	0.0	-0.0
2340	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.2	9.50	SLDy (RS)	Cent	8.7	0.4	1.4	8.9
-0.8	-6.56		845	8.2	-0.7	-1.0	8.3
0.9	12.12		847	8.6	1.3	1.7	9.0
1.0	12.73		2341	9.2	1.5	1.8	9.6
-0.7	7.31		2340	8.7	-0.5	1.2	8.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.1	9.14	Cent	-0.0	-0.1	0.0	-0.0
-0.1	2.55	845	-0.0	-0.1	0.0	-0.0
-0.1	8.70	847	-0.0	-0.1	0.0	-0.0
-0.0	29.20	2341	0.0	-0.0	0.0	0.0
-0.1	11.60	2340	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.3
845	0.0	-0.3
847	0.0	-0.4
2341	-0.0	-0.4
2340	-0.0	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-34.0	79.35	SLVz (RS)	Cent	-32.8	-1.0	6.2	0.2



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-34.8	81.80	845	-34.1	-1.7	4.8	-1.0
-35.6	77.62	847	-33.9	-1.0	7.6	0.7
-33.3	76.94	2341	-31.5	-0.4	7.6	1.4
-32.5	81.29	2340	-31.7	-1.0	4.8	-0.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

0.0	80.69	Cent	0.0	0.0	0.0	0.0
0.0	87.02	845	0.0	0.0	0.0	0.0
0.0	-82.43	847	0.0	0.0	-0.0	0.0
0.0	-66.53	2341	0.0	0.0	-0.0	0.0
0.0	77.92	2340	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
------	-----	-----

Cent	0.0	-0.0
845	0.0	0.0
847	0.0	-0.0
2341	0.0	-0.0
2340	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

-13.8	-8.32	g1	Cent	701.8	1.5	-104.7	717.1
7.4	-5.87		845	729.3	15.0	-74.2	736.9
-20.9	-10.21		847	725.8	3.4	-134.5	750.0
-37.7	-10.75		2341	674.2	-12.0	-135.2	699.9
-8.6	-6.23		2340	677.7	-0.4	-74.9	685.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

-0.0	3.43	Cent	-0.0	-0.0	0.0	-0.0
-0.0	1.88	845	-0.0	-0.0	0.0	-0.0
-0.0	6.63	847	-0.0	-0.0	0.0	-0.0
-0.0	5.17	2341	-0.0	-0.0	0.0	-0.0
-0.0	3.83	2340	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
------	-----	-----

Cent	-0.0	-0.0
------	------	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

845	-0.0	-0.0
847	-0.0	0.0
2341	-0.0	0.0
2340	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-8.6	-7.72	g2	Cent	339.9	-2.2	-47.2	346.3
0.6	-5.32		845	352.8	3.6	-32.8	355.9
-11.2	-9.62		847	351.5	-0.7	-61.5	361.9
-19.1	-10.11		2341	326.9	-8.1	-61.7	337.9
-6.9	-5.62		2340	328.2	-3.7	-33.0	331.5

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	-18.77		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-57.50		845	0.0	0.0	-0.0	0.0
-0.0	-5.83		847	-0.0	-0.0	-0.0	-0.0
-0.0	-6.63		2341	-0.0	-0.0	-0.0	-0.0
-0.0	-33.88		2340	-0.0	-0.0	-0.0	-0.0

-----		
NODE	Vxx	Vyy
Cent	-0.0	0.0
845	-0.0	0.0
847	-0.0	0.0
2341	-0.0	0.0
2340	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-0.5	4.68	q3	Cent	37.1	-0.3	3.1	37.4
-0.6	5.83		845	37.8	-0.2	3.9	38.2
-0.0	3.30		847	37.9	0.1	2.2	38.0
-0.5	3.47		2341	36.4	-0.3	2.2	36.6
-1.1	6.07		2340	36.3	-0.7	4.0	36.7

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	1.44		Cent	-0.0	-0.0	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	3.69	845	-0.0	-0.0	0.0	-0.0
-0.0	-0.05	847	-0.0	-0.0	-0.0	-0.0
-0.0	-0.55	2341	-0.0	-0.0	-0.0	-0.0
-0.0	3.54	2340	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
845	0.0	-0.0
847	0.0	-0.0
2341	-0.0	-0.0
2340	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.1	-4.74	q5_pc	Cent	24.2	0.2	-2.0	24.4
-0.1	-6.33		845	23.7	0.2	-2.6	24.0
-0.1	-3.21		847	23.6	-0.0	-1.3	23.7
0.2	-3.18		2341	24.7	0.3	-1.4	24.8
0.2	-6.20		2340	24.8	0.5	-2.7	25.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	7.47	Cent	0.0	-0.0	0.0	0.0
-0.0	2.45	845	-0.0	-0.0	0.0	-0.0
-0.0	14.55	847	-0.0	-0.0	0.0	0.0
-0.0	13.30	2341	0.0	-0.0	0.0	0.0
-0.0	6.92	2340	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
845	0.0	-0.0
847	0.0	-0.0
2341	-0.0	-0.0
2340	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.2	-3.90	q5_ps	Cent	20.1	0.3	-1.4	20.2
-0.1	-5.74		845	19.6	0.1	-2.0	19.8
			847	19.6	0.2	-0.7	19.6

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

				NODE	Mxx	Myy	Mxy	Mmax
0.2	-2.19			2341	20.7	0.6	-0.7	20.7
0.5	-2.09			2340	20.6	0.4	-2.0	20.8
0.2	-5.52							
Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
-----								
				Cent	0.0	-0.0	0.0	0.0
-0.0	9.06			845	0.0	-0.0	0.0	0.0
-0.0	1.35			847	0.0	-0.0	0.0	0.0
-0.0	25.16			2341	0.0	-0.0	0.0	0.0
-0.0	14.38			2340	-0.0	-0.0	0.0	-0.0
-0.0	5.63							
				NODE	Vxx	Vyy		
-----								
				Cent	-0.0	0.0		
				845	0.0	-0.0		
				847	0.0	0.0		
				2341	-0.0	0.0		
				2340	-0.0	-0.0		
Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
-----								
		INVSLU	Max	Cent	2813.3	13.2	-88.7	2816.4
10.2	-1.89			845	3020.1	86.6	122.6	3024.8
81.9	2.30			847	3009.7	73.8	-300.1	3040.5
43.0	-5.82			2341	2606.5	-33.5	-294.7	2639.6
-66.6	-6.34			2340	2616.9	-29.0	128.0	2622.6
-34.8	2.66							
			Min	Cent	1460.7	-16.9	-521.0	1574.8
-179.6	-12.22			845	1614.6	36.5	-292.5	1644.2
-14.2	-7.74			847	1614.8	23.2	-748.8	1823.8
-271.3	-17.06			2341	1306.8	-89.7	-750.1	1533.1
-413.6	-18.89			2340	1306.5	-74.4	-293.9	1340.4
-132.2	-8.82							
Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
-----								
			Max	Cent	-0.0	-0.0	0.0	-0.0
-0.0	20.84			845	-0.0	-0.0	0.0	-0.0
-0.0	17.97			847	-0.0	-0.0	0.0	-0.0
-0.0	20.61			2341	0.0	-0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	17.50		2340	-0.0	-0.0	0.0	0.0
-0.0	34.02						
-0.1	-3.12	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-2.15		845	-0.0	-0.1	-0.0	-0.0
-0.1	-2.18		847	-0.0	-0.1	-0.0	-0.0
-0.1	-4.34		2341	-0.0	-0.1	-0.0	-0.0
-0.1	-4.63		2340	-0.0	-0.1	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	-0.0
	845	0.0	-0.1
	847	0.0	0.1
	2341	0.0	0.1
	2340	0.0	-0.1
Min	Cent	-0.0	-0.2
	845	-0.0	-0.3
	847	-0.0	-0.2
	2341	-0.1	-0.2
	2340	-0.1	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-12.3	-6.09	INVSLV	Max	Cent	1162.0	1.0	-121.5	1175.4
28.5	-1.20			845	1254.8	30.5	-21.7	1255.4
-12.9	-10.18			847	1254.2	28.0	-223.1	1295.1
-72.7	-11.17			2341	1069.3	-25.8	-221.2	1113.9
-25.6	-1.19			2340	1069.9	-25.0	-19.8	1070.4
-26.8	-8.58		Min	Cent	969.3	-4.1	-154.1	992.0
21.2	-2.37			845	1055.9	21.6	-46.6	1057.6
-40.0	-13.28			847	1055.6	21.0	-263.1	1116.7
-97.6	-14.71			2341	882.7	-32.4	-261.7	950.2
-32.0	-2.65			2340	883.0	-30.2	-45.1	884.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
0.0	-79.77	Max	Cent	0.0	0.1	0.0	0.1
0.1	-87.22		845	0.1	0.2	0.0	0.2
0.0	-80.94		847	0.0	0.1	0.0	0.1
-0.0	-54.19		2341	0.0	0.0	0.0	0.0
			2340	0.0	0.1	0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-77.11						
		Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	8.20						
			845	-0.1	-0.2	-0.0	-0.1
-0.2	2.30						
			847	-0.0	-0.1	-0.0	-0.0
-0.1	8.29						
			2341	-0.0	-0.0	-0.0	-0.0
-0.0	-30.27						
			2340	-0.0	-0.1	-0.0	-0.0
-0.1	10.33						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.7
	845	0.0	0.6
	847	0.0	0.7
	2341	0.0	0.7
	2340	0.0	0.6
Min	Cent	-0.0	-0.7
	845	-0.0	-0.7
	847	-0.0	-0.7
	2341	-0.0	-0.7
	2340	-0.0	-0.7

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
	Fmin	ANGLE							
916	2	4	Q1-1-2	Max	Cent	203.4	1.9	124.0	262.4
	-57.2	25.45			859	396.5	37.6	159.2	456.9
	-22.8	20.79			861	401.7	61.1	76.4	418.0
	44.8	12.09			862	26.3	0.6	91.7	106.0
	-79.2	41.02			860	19.7	0.8	179.8	190.3
	-169.8	43.50		Min	Cent	-2.1	-145.7	-244.5	180.9
	-328.7	-36.82			859	-4.0	-118.3	-190.1	137.3
	-259.6	-36.63			861	-4.1	-97.3	-304.8	257.7
	-359.0	-40.66			862	-16.7	-190.9	-302.0	210.5
	-418.1	-36.95			860	-22.8	-222.4	-185.7	88.2
	-333.4	-30.88							

	Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Max	Cent	0.1	0.1	0.0	0.1
	0.1	86.97			859	0.0	0.1	0.1
	0.0	79.28			861	0.0	0.1	0.1
	0.0	74.24			862	0.1	0.2	0.2
	0.1	88.89			860	0.1	0.2	0.2
	0.1	88.80		Min	Cent	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-33.08	859	-0.0	-0.0	-0.0	0.0
-0.0	-35.58	861	-0.0	-0.0	-0.0	0.0
-0.0	-40.13	862	-0.0	-0.0	-0.0	-0.0
-0.0	-28.20	860	-0.0	-0.0	-0.0	-0.0
-0.0	-24.20					

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	859	0.0	0.0
	861	0.0	0.0
	862	0.0	0.0
	860	0.0	0.0
Min	Cent	-0.0	-0.3
	859	-0.0	-0.3
	861	-0.0	-0.3
	862	-0.0	-0.3
	860	-0.0	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-40.8	26.97	Q2a-1-2	Max Cent	121.5	1.2	82.6	163.5
-20.4	22.37		859	237.5	23.3	106.2	281.2
25.7	13.29		861	240.1	37.7	50.6	252.1
-52.9	41.23		862	16.6	0.5	60.9	69.9
-113.8	43.57		860	12.6	0.6	120.3	127.1
-213.3	-35.83		Min Cent	-1.6	-103.0	-152.9	108.8
-169.2	-35.52		859	-3.0	-84.5	-118.6	81.7
-229.8	-40.05		861	-3.0	-69.6	-190.6	157.2
-269.2	-36.30		862	-11.6	-130.2	-189.3	127.5
-216.8	-30.02		860	-16.0	-149.7	-116.0	51.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	87.15	Max Cent	0.0	0.1	0.0	0.1
0.0	79.46	859	0.0	0.1	0.0	0.1
0.0	74.70	861	0.0	0.0	0.0	0.0
0.1	88.99	862	0.1	0.1	0.0	0.1
0.1	88.91	860	0.1	0.1	0.0	0.1
-0.0	-37.39	Min Cent	-0.0	-0.0	-0.0	0.0
		859	-0.0	-0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-38.24	861	-0.0	-0.0	-0.0	0.0
-0.0	-41.40	862	-0.0	-0.0	-0.0	-0.0
-0.0	-33.91	860	-0.0	-0.0	-0.0	-0.0
-0.0	-30.09					

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	859	0.0	0.0
	861	0.0	0.0
	862	0.0	0.0
	860	0.0	0.0
Min	Cent	-0.0	-0.2
	859	-0.0	-0.2
	861	-0.0	-0.2
	862	-0.0	-0.2
	860	-0.0	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-7.1	24.93	SLVx (RS)	Cent	21.6	-0.9	13.3	27.8
-5.4	12.52		859	36.6	-3.3	9.3	38.7
-12.1	20.94		861	37.1	-4.9	18.8	44.3
-16.9	33.66		862	10.1	-4.9	18.0	22.1
-10.3	23.35		860	10.0	-6.5	8.8	13.7

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	7.16		Cent	-0.0	-0.0	0.0	-0.0
0.0	88.01		859	0.0	0.0	0.0	0.0
0.0	86.51		861	0.0	0.0	0.0	0.0
-0.0	15.56		862	-0.0	-0.0	0.0	-0.0
-0.0	11.29		860	-0.0	-0.0	0.0	-0.0

	NODE	Vxx	Vyy
	Cent	-0.0	0.0
	859	-0.0	0.0
	861	-0.0	0.0
	862	-0.0	0.0
	860	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	36.2	-0.4	10.0	38.7



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-2.9	14.28		859	31.6	-1.2	8.5	33.7
-3.3	13.69		861	31.2	-2.6	12.0	35.0
-6.4	17.70		862	40.9	0.5	11.4	43.9
-2.5	14.76		860	41.2	1.8	7.9	42.8
0.3	10.94						

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-----							
			Cent	0.1	0.1	-0.0	0.1
0.1	-82.61		859	0.1	0.2	-0.0	0.2
0.1	-88.83		861	0.1	0.2	-0.0	0.2
0.1	-85.60		862	0.0	0.1	-0.0	0.1
0.0	-60.01		860	0.0	0.1	-0.0	0.1
0.0	-74.82						

NODE Vxx Vyy

Cent	-0.0	0.3
859	-0.0	0.3
861	-0.0	0.2
862	-0.0	0.2
860	-0.0	0.3

Fmin ANGLE LC NODE Fxx Fyy Fxy Fmax

-----							
		SLDx (RS)	Cent	10.8	-0.5	6.7	13.9
-3.6	24.95		859	18.3	-1.7	4.7	19.3
-2.7	12.54		861	18.5	-2.5	9.4	22.1
-6.1	20.95		862	5.0	-2.5	9.0	11.0
-8.5	33.66		860	5.0	-3.3	4.4	6.9
-5.1	23.36						

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-----							
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	7.16		859	0.0	0.0	0.0	0.0
0.0	88.01		861	0.0	0.0	0.0	0.0
0.0	86.52		862	-0.0	-0.0	0.0	-0.0
-0.0	15.58		860	-0.0	-0.0	0.0	-0.0
-0.0	11.31						

NODE Vxx Vyy

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Cent            -0.0            0.0  
 859            -0.0            0.0  
 861            -0.0            0.0  
 862            -0.0            0.0  
 860            -0.0            0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.5	14.29	SLDy (RS)	Cent	18.1	-0.2	5.0	19.3
-1.7	13.69		859	15.8	-0.6	4.2	16.8
-3.2	17.70		861	15.6	-1.3	6.0	17.5
-1.3	14.76		862	20.4	0.2	5.7	21.9
0.1	10.95		860	20.6	0.9	4.0	21.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-82.61	Cent	0.0	0.1	-0.0	0.1
0.0	-88.83	859	0.0	0.1	-0.0	0.1
0.0	-85.60	861	0.0	0.1	-0.0	0.1
0.0	-60.00	862	0.0	0.0	-0.0	0.0
0.0	-74.81	860	0.0	0.0	-0.0	0.0

NODE            Vxx            Vyy  
 Cent            -0.0            0.1  
 859            -0.0            0.1  
 861            -0.0            0.1  
 862            -0.0            0.1  
 860            -0.0            0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-10.5	60.56	SLVz (RS)	Cent	-7.1	0.3	6.1	3.7
-14.8	73.15		859	-13.5	-1.4	4.0	-0.2
-18.3	62.01		861	-13.8	-2.1	8.6	2.4
-8.8	52.69		862	-2.6	2.0	8.2	8.2
-4.5	62.66		860	-2.6	2.7	3.7	4.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.0	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	9.26		859	0.0	0.0	0.0	0.0
0.0	87.55		861	0.0	0.0	0.0	0.0
0.0	86.54		862	-0.0	-0.0	0.0	-0.0
-0.0	35.60		860	-0.0	-0.0	-0.0	-0.0
-0.0	-22.19						

NODE	Vxx	Vyy
Cent	-0.0	0.0
859	-0.0	0.0
861	-0.0	0.0
862	-0.0	0.0
860	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-63.3	-23.53	g1	Cent	149.6	-22.9	-92.8	190.0
7.0	-9.06		859	293.2	14.2	-45.6	300.5
-37.5	-23.79		861	297.2	27.6	-147.6	362.3
-170.7	-38.34		862	6.1	-60.1	-139.9	116.7
-89.2	-22.56		860	2.1	-73.5	-37.9	17.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-73.76	Cent	0.0	0.0	-0.0	0.0
-0.0	-11.57	859	-0.0	-0.0	-0.0	-0.0
-0.0	-12.03	861	-0.0	-0.0	-0.0	-0.0
0.0	-85.08	862	0.0	0.0	-0.0	0.0
0.0	-85.60	860	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
859	0.0	-0.0
861	0.0	-0.0
862	0.0	-0.0
860	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-33.2	-22.62	g2	Cent	70.9	-15.1	-43.4	88.9
1.4	-8.12		859	141.2	4.2	-20.0	144.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-21.4	-23.03	861	142.4	8.2	-69.6	172.0
-86.0	-37.66	862	0.6	-34.4	-66.8	52.1
-45.0	-21.07	860	-0.6	-38.4	-17.1	5.9

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-0.0	0.26	Cent	-0.0	-0.0	0.0	-0.0
-0.0	-2.68	859	-0.0	-0.0	-0.0	-0.0
-0.0	-2.71	861	-0.0	-0.0	-0.0	-0.0
-0.0	1.76	862	-0.0	-0.0	0.0	-0.0
-0.0	1.23	860	-0.0	-0.0	0.0	-0.0

NODE Vxx Vyy

Cent	0.0	0.0
859	0.0	0.0
861	0.0	0.0
862	0.0	0.0
860	0.0	0.0

Fmin ANGLE LC NODE Fxx Fyy Fxy Fmax

-2.9	18.18	q3	Cent	17.6	-0.7	6.7	19.8
-2.1	18.67		859	23.3	0.8	8.6	26.2
0.5	11.09		861	23.5	1.4	4.5	24.4
-3.7	17.38		862	11.8	-2.1	4.8	13.3
-7.0	25.59		860	11.6	-2.8	8.9	15.9

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-0.0	8.51	Cent	0.0	-0.0	0.0	0.0
-0.0	4.71	859	-0.0	-0.0	0.0	-0.0
-0.0	3.41	861	-0.0	-0.0	0.0	-0.0
0.0	74.25	862	0.0	0.0	0.0	0.0
0.0	76.14	860	0.0	0.0	0.0	0.0

NODE Vxx Vyy

Cent	-0.0	-0.0
859	-0.0	-0.0
861	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

				862	-0.0	-0.0		
				860	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-0.5	-0.41	q5_pc	Cent	27.4	-0.5	-0.2	27.4	
-0.5	-0.64		859	27.1	-0.5	-0.3	27.1	
-0.7	-0.03		861	27.0	-0.7	-0.0	27.0	
-0.4	-0.19		862	27.8	-0.4	-0.1	27.8	
-0.2	-0.78		860	27.9	-0.2	-0.4	27.9	
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
0.0	-85.14		Cent	0.0	0.0	-0.0	0.0	
0.0	68.41		859	0.0	0.0	0.0	0.0	
0.0	-2.30		861	0.0	0.0	-0.0	0.0	
0.0	-85.16		862	0.0	0.0	-0.0	0.0	
0.0	-86.81		860	0.0	0.0	-0.0	0.0	
			NODE	Vxx	Vyy			
			Cent	-0.0	-0.0			
			859	-0.0	-0.0			
			861	-0.0	-0.0			
			862	0.0	-0.0			
			860	0.0	-0.0			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-0.3	0.95	q5_ps	Cent	24.0	-0.3	0.4	24.0	
-0.4	0.58		859	23.4	-0.4	0.2	23.4	
-0.7	1.68		861	23.3	-0.7	0.7	23.3	
-0.3	1.29		862	24.6	-0.3	0.6	24.6	
0.1	0.23		860	24.7	0.1	0.1	24.7	
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
0.0	6.80		Cent	0.0	0.0	0.0	0.0	
-0.0	7.33		859	0.0	-0.0	0.0	0.0	

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	3.88	861	0.0	-0.0	0.0	0.0
0.0	15.87	862	0.0	0.0	0.0	0.0
0.0	18.06	860	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
859	-0.0	-0.0
861	-0.0	-0.0
862	0.0	-0.0
860	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-776.2	-64.76	INVS LU	Max Cent	-776.2	-41.2	5.4	-9.1
-119.4	46.38		859	124.9	150.4	256.9	393.8
-93.2	-52.76		861	165.0	292.9	-315.2	708.8
-1694.6	-64.66		862	-1650.5	-186.3	-242.2	-79.2
-1716.8	77.17		860	-1687.6	-296.8	337.1	-220.6
-1326.0	-70.62		Min Cent	-1113.6	-241.3	-492.4	-57.3
-557.2	-76.51		859	-473.9	-60.9	-215.1	12.1
-1044.4	-60.00		861	-440.7	77.9	-829.9	460.3
-2120.9	-81.16		862	-1769.9	-445.7	-773.9	-148.7
-1825.1	-82.74		860	-1809.4	-598.5	-157.0	-578.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.1	88.79	Max Cent	0.1	0.3	0.0	0.3
0.1	85.70	859	0.1	0.2	0.0	0.2
0.1	85.94	861	0.1	0.1	0.0	0.1
0.1	89.31	862	0.1	0.4	0.0	0.4
0.1	89.17	860	0.1	0.4	0.0	0.4
0.0	-77.03	Min Cent	0.0	0.1	-0.0	0.1
-0.0	-70.58	859	0.0	0.0	-0.0	0.0
-0.0	-72.53	861	-0.0	0.0	-0.0	0.0
0.0	-82.37	862	0.0	0.1	-0.0	0.1
0.0	-80.45	860	0.0	0.1	-0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
Max	Cent	0.0	-0.1
	859	0.0	-0.0
	861	0.0	-0.1
	862	0.0	-0.1
	860	0.0	-0.0
Min	Cent	0.0	-0.5
	859	0.0	-0.4
	861	0.0	-0.5
	862	0.0	-0.5
	860	0.0	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax		
-482.7 -59.8 -233.0 -915.8 -868.2 -578.3 -158.5 -334.9 -1016.0 -956.3	-75.22 -87.45 -55.03 -72.74 87.82 -77.16 85.08 -55.21 -74.38 86.94	INVSLV	Max	Cent	-455.5	-35.9	-103.9	0.9	
				859	-57.9	58.3	16.9	58.7	
				861	-39.5	120.5	-252.1	324.9	
				862	-847.9	-122.5	-224.0	-39.6	
				860	-865.5	-180.3	45.3	-179.3	
				Min	Cent	-545.1	-38.1	-140.2	-14.3
					859	-158.2	50.1	-9.3	51.8
					861	-140.6	107.8	-302.1	289.9
					862	-937.2	-133.9	-271.7	-69.8
					860	-955.6	-196.1	20.8	-194.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax			
0.1 0.1 0.1 0.0 0.0 -0.1 -0.2 -0.2 -0.1 -0.0	-82.37 -88.23 -84.65 -68.23 -77.76 7.08 0.49 3.26 44.95 20.82	Max	Cent	0.1	0.1	0.0	0.1		
			859	0.1	0.2	0.0	0.2		
			861	0.1	0.2	0.0	0.2		
			862	0.0	0.1	0.0	0.1		
			860	0.0	0.1	0.0	0.1		
				Min	Cent	-0.1	-0.1	-0.0	-0.1
					859	-0.1	-0.2	-0.0	-0.1
					861	-0.1	-0.2	-0.0	-0.1
					862	-0.0	-0.0	-0.0	-0.0
					860	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
------	-----	-----

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Max	Cent	0.0	0.2
	859	0.1	0.3
	861	0.1	0.2
	862	0.0	0.2
	860	0.0	0.3
Min	Cent	-0.0	-0.3
	859	-0.0	-0.3
	861	-0.0	-0.3
	862	-0.0	-0.3
	860	-0.0	-0.3

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
917	2	10	Q1-1-2	Max	Cent	197.3	30.1	128.2	266.7
		28.44			861	370.5	52.3	159.5	436.7
		22.54			863	391.4	111.0	80.6	412.9
		14.94			864	34.3	17.3	99.7	125.9
		42.56			862	17.7	0.7	184.6	194.0
		43.67		Min	Cent	-2.0	-97.7	-233.5	188.4
		-39.21			861	-3.8	-91.8	-189.4	146.7
		-38.46			863	-3.8	-58.8	-297.0	266.9
		-42.36			864	-8.9	-116.5	-280.4	222.8
		-39.57			862	-21.7	-184.0	-172.2	87.5
		-32.39							
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
				Max	Cent	0.0	0.1	0.0	0.1
		78.73			861	0.0	0.0	0.0	0.1
		52.15			863	0.0	0.0	0.0	0.1
		70.56			864	0.0	0.1	0.0	0.1
		82.10			862	0.1	0.1	0.0	0.1
		88.54		Min	Cent	-0.0	-0.0	-0.0	-0.0
		-39.74			861	-0.0	-0.0	-0.0	-0.0
		-43.28			863	-0.0	-0.0	-0.0	0.0
		-40.85			864	-0.0	-0.0	-0.0	-0.0
		-46.75			862	-0.0	-0.0	-0.0	-0.0
		-35.73							
				NODE	Vxx	Vyy			
				Max	Cent	0.1	0.0		
					861	0.1	0.0		



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	863	0.1	0.0
	864	0.0	0.0
	862	0.0	0.0
Min	Cent	-0.0	-0.1
	861	-0.0	-0.2
	863	-0.0	-0.0
	864	-0.0	-0.0
	862	-0.0	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-29.6	29.96	Q2a-1-2	Max Cent	118.0	19.4	85.1	167.0
-15.2	24.14		861	221.4	32.3	106.0	268.9
53.2	16.37		863	234.5	68.8	53.3	250.1
-50.3	42.69		864	21.3	10.6	66.1	82.3
-117.3	43.74		862	11.3	0.5	123.1	129.1
-185.7	-38.44		Min Cent	-1.5	-69.7	-146.2	114.6
-157.0	-37.58		861	-2.8	-65.7	-118.6	88.5
-209.6	-42.02		863	-2.8	-41.8	-186.3	165.0
-222.8	-39.01		864	-5.7	-80.4	-175.9	136.7
-190.7	-31.49		862	-15.2	-124.8	-107.5	50.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	78.86	Max Cent	0.0	0.1	0.0	0.1
0.0	52.59		861	0.0	0.0	0.0
0.0	70.11		863	0.0	0.0	0.0
0.0	82.41		864	0.0	0.0	0.0
0.1	88.66		862	0.1	0.1	0.1
-0.0	-42.80	Min Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-43.65		861	-0.0	-0.0	0.0
-0.0	-43.69		863	-0.0	-0.0	0.0
-0.0	-48.47		864	-0.0	-0.0	-0.0
-0.0	-39.92		862	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Max Cent	0.0	0.0
861	0.0	0.0
863	0.0	0.0
864	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Min	862	0.0	0.0
Cent	861	-0.0	-0.1
	863	-0.0	-0.1
	864	-0.0	-0.0
	862	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-5.3	25.75	SLVx (RS)	Cent	20.7	0.7	12.6	26.8
-6.2	11.78		861	35.3	-4.4	8.7	37.1
-2.2	25.34		863	35.9	6.4	18.0	44.4
-10.8	39.57		864	9.9	3.3	17.1	24.0
-0.9	37.21		862	9.7	5.2	8.1	15.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-8.21	Cent	0.0	-0.0	-0.0	0.0
0.0	83.58	861	0.0	0.0	0.0	0.0
0.0	-51.19	863	0.0	0.0	-0.0	0.0
-0.0	-19.76	864	0.0	-0.0	-0.0	0.0
-0.0	28.40	862	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
861	-0.0	0.0
863	-0.0	0.0
864	-0.0	0.0
862	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.5	13.69	SLVy (RS)	Cent	36.3	0.8	9.2	38.6
-1.2	13.29		861	32.5	0.7	8.0	34.4
-1.8	17.56		863	32.3	1.6	10.8	35.8
-1.1	14.20		864	40.1	1.5	10.4	42.8
0.5	10.82		862	40.3	2.0	7.6	41.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-56.55	Cent	0.1	0.1	-0.0	0.1
0.1	-80.13	861	0.1	0.1	-0.0	0.1
0.0	-57.84	863	0.0	0.1	-0.0	0.1
0.0	-46.36	864	0.0	0.0	-0.0	0.1
0.0	-49.15	862	0.0	0.0	-0.0	0.1

NODE	Vxx	Vyy
Cent	0.0	0.1
861	0.1	0.2
863	0.1	0.1
864	0.0	0.1
862	0.0	0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.7	25.77	SLDx (RS)	Cent	10.3	0.4	6.3	13.4
-3.1	11.79		861	17.6	-2.2	4.3	18.5
-1.1	25.35		863	17.9	3.2	9.0	22.2
-5.4	39.57		864	4.9	1.7	8.5	12.0
-0.5	37.22		862	4.8	2.6	4.0	7.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-8.22	Cent	0.0	-0.0	-0.0	0.0
0.0	83.59	861	0.0	0.0	0.0	0.0
0.0	-51.14	863	0.0	0.0	-0.0	0.0
-0.0	-19.78	864	0.0	-0.0	-0.0	0.0
-0.0	28.41	862	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
861	-0.0	0.0
863	-0.0	0.0
864	-0.0	0.0
862	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.7	13.69	SLDy (RS)	Cent	18.1	0.4	4.6	19.3
			861	16.2	0.3	4.0	17.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.6	13.30		863	16.1	0.8	5.4	17.9
-0.9	17.56		864	20.0	0.8	5.2	21.4
-0.6	14.21		862	20.1	1.0	3.8	20.9
0.3	10.83						
-----							
0.0	-56.55		Cent	0.0	0.0	-0.0	0.0
0.0	-80.13		861	0.0	0.1	-0.0	0.1
0.0	-57.84		863	0.0	0.0	-0.0	0.0
0.0	-46.36		864	0.0	0.0	-0.0	0.0
0.0	-49.15		862	0.0	0.0	-0.0	0.0
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	0.1		
			861	0.0	0.1		
			863	0.0	0.0		
			864	0.0	0.0		
			862	0.0	0.1		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-10.2	59.70	SLVz (RS)	Cent	-6.8	-0.3	5.8	3.0
-14.3	73.24		861	-13.2	-1.9	3.7	-0.8
-17.9	61.41		863	-13.4	-2.8	8.3	1.7
-8.7	51.89		864	-2.5	1.3	7.8	7.4
-4.3	62.35		862	-2.5	2.1	3.4	3.9
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-7.97		Cent	0.0	-0.0	-0.0	0.0
0.0	82.54		861	0.0	0.0	0.0	0.0
0.0	-48.23		863	0.0	0.0	-0.0	0.0
-0.0	-21.10		864	0.0	-0.0	-0.0	0.0
-0.0	-43.91		862	-0.0	-0.0	-0.0	-0.0
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			861	-0.0	0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

863      -0.0      0.0  
 864      -0.0      0.0  
 862      -0.0      0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-47.6	-24.07	g1	Cent	145.3	-9.2	-86.2	183.7
18.1	-8.82		861	284.0	24.5	-41.2	290.4
-20.9	-24.33		863	289.4	42.5	-140.3	352.8
-151.5	-39.67		864	6.5	-42.8	-131.1	115.2
-74.4	-22.98		862	1.2	-60.8	-32.0	14.7
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-75.59		Cent	-0.0	0.0	-0.0	0.0
-0.0	-16.54		861	-0.0	-0.0	-0.0	-0.0
-0.0	-56.43		863	-0.0	-0.0	-0.0	-0.0
-0.0	-85.17		864	-0.0	0.0	-0.0	0.0
0.0	-84.44		862	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			861	0.0	-0.0		
			863	0.0	-0.0		
			864	0.0	-0.0		
			862	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-29.1	-22.44	g2	Cent	69.2	-12.3	-40.6	86.0
5.7	-7.40		861	138.3	7.9	-17.2	140.6
-18.5	-22.71		863	138.6	9.0	-65.8	166.2
-82.2	-37.84		864	0.1	-32.6	-63.9	49.8
-39.7	-21.34		862	-0.2	-33.7	-15.4	5.8
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-10.01		Cent	-0.0	-0.0	-0.0	-0.0
			861	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-17.59		863	-0.0	-0.0	-0.0	-0.0
-0.0	-16.78		864	-0.0	-0.0	-0.0	-0.0
-0.0	-14.18		862	-0.0	-0.0	0.0	-0.0
-0.0	4.19						

NODE	Vxx	Vyy
Cent	-0.0	0.0
861	-0.0	0.0
863	-0.0	-0.0
864	-0.0	-0.0
862	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.2	19.03	q3	Cent	16.6	0.0	6.5	18.9
-1.6	19.27		861	22.0	1.3	8.2	24.9
1.1	11.78		863	22.2	2.0	4.4	23.1
-2.9	18.62		864	11.2	-1.3	4.8	12.8
-6.3	26.44		862	11.0	-2.0	8.6	15.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	9.60	Cent	0.0	-0.0	0.0	0.0
-0.0	7.17	861	-0.0	-0.0	0.0	-0.0
-0.0	8.87	863	-0.0	-0.0	0.0	-0.0
-0.0	8.95	864	0.0	-0.0	0.0	0.0
0.0	59.55	862	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
861	-0.0	-0.0
863	-0.0	-0.0
864	0.0	-0.0
862	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.7	-0.45	q5_pc	Cent	27.0	0.7	-0.2	27.0
0.3	-0.85		861	26.6	0.3	-0.4	26.6
0.9	-0.46		863	26.8	0.9	-0.2	26.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

			864	27.3	1.0	-0.0	27.3
1.0	-0.04		862	27.2	0.5	-0.2	27.2
0.5	-0.43						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	0.0	0.0	0.0
0.0	46.31		861	0.0	0.0	0.0	0.0
0.0	6.25		863	0.0	0.0	0.0	0.0
0.0	56.17		864	0.0	0.0	0.0	0.0
0.0	1.62		862	0.0	0.0	-0.0	0.0
0.0	-78.23						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.0		
			861	0.0	-0.0		
			863	0.0	-0.0		
			864	0.0	-0.0		
			862	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		q5_ps	Cent	23.6	0.4	0.3	23.6
0.4	0.72		861	23.2	0.3	0.2	23.2
0.3	0.39		863	23.2	0.2	0.5	23.2
0.2	1.15		864	24.1	0.5	0.4	24.1
0.4	1.04		862	24.1	0.5	0.1	24.1
0.5	0.31						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	-0.0	0.0	0.0
-0.0	6.59		861	0.0	-0.0	0.0	0.0
-0.0	3.35		863	0.0	-0.0	0.0	0.0
-0.0	15.56		864	0.0	-0.0	0.0	0.0
-0.0	5.24		862	0.0	0.0	0.0	0.0
0.0	0.26						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.0		
			861	0.0	-0.0		
			863	0.0	-0.0		
			864	0.0	-0.0		
			862	0.0	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-769.9	-66.91	INVSLU	Max Cent	-769.4	30.7	21.5	57.2
-128.2	51.41		861	77.2	194.5	258.2	400.0
-52.0	-54.52		863	139.5	387.2	-289.6	727.8
-1631.7	-66.59		864	-1602.2	-120.3	-211.3	12.8
-1675.1	76.93		862	-1648.2	-256.1	344.4	-176.4
-1278.7	-74.77	Min	Cent	-1097.4	-143.1	-467.1	-1.7
-557.3	-78.10		861	-485.5	-0.8	-213.6	58.7
-996.5	-63.01		863	-451.7	156.3	-799.6	481.5
-2016.1	-82.28		864	-1718.2	-302.8	-724.6	-93.5
-1785.1	-83.83		862	-1765.1	-506.4	-137.6	-491.6
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	86.23	Max	Cent	0.1	0.2	0.0	0.2
0.1	80.95		861	0.1	0.1	0.0	0.1
0.0	82.47		863	0.0	0.1	0.0	0.1
0.1	88.05		864	0.1	0.2	0.0	0.2
0.1	88.79		862	0.1	0.3	0.0	0.3
0.0	-80.51	Min	Cent	0.0	0.1	-0.0	0.1
-0.0	-70.94		861	-0.0	0.0	-0.0	0.0
0.0	-72.40		863	0.0	0.1	-0.0	0.1
0.0	-85.19		864	0.0	0.1	-0.0	0.1
0.0	-81.90		862	0.0	0.1	-0.0	0.1
			NODE	Vxx	Vyy		
		Max	Cent	0.1	-0.0		
			861	0.1	-0.0		
			863	0.1	-0.0		
			864	0.1	-0.0		
			862	0.1	-0.0		
		Min	Cent	0.0	-0.2		
			861	-0.0	-0.3		
			863	-0.0	-0.1		
			864	0.0	-0.1		
			862	0.0	-0.3		



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-474.8	-75.95	INVSLV	Max Cent	-450.3	-23.0	-99.3	8.4	
-66.5	89.90		861	-64.1	75.5	19.9	75.5	
-223.6	-55.20		863	-49.9	123.5	-240.6	308.2	
-897.6	-72.92		864	-832.8	-114.4	-217.8	-41.9	
-848.8	86.55		862	-846.3	-157.6	43.1	-155.0	
-569.4	-77.91		Min Cent	-539.5	-25.2	-133.4	-2.0	
-162.2	84.53		861	-162.2	65.1	-4.4	66.6	
-331.5	-57.01		863	-149.1	108.1	-288.1	279.3	
-995.4	-74.77		864	-920.6	-122.8	-263.0	-55.1	
-935.0	88.43		862	-934.3	-170.5	20.3	-169.9	
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
0.0	-61.05		Max Cent	0.1	0.1	0.0	0.1	
0.1	-78.90		861	0.1	0.1	0.0	0.1	
0.0	-61.76		863	0.0	0.1	0.0	0.1	
0.0	-52.46		864	0.0	0.0	0.0	0.1	
0.0	-54.93		862	0.0	0.1	0.0	0.1	
-0.1	37.43		Min Cent	-0.0	-0.1	-0.0	-0.0	
-0.1	8.26		861	-0.1	-0.1	-0.0	-0.1	
-0.1	37.04		863	-0.1	-0.1	-0.0	-0.0	
-0.0	49.93		864	-0.0	-0.0	-0.0	0.0	
-0.0	47.32		862	-0.0	-0.0	-0.0	-0.0	
			NODE	Vxx	Vyy			
			Max Cent	0.0	0.1			
			861	0.1	0.1			
			863	0.1	0.0			
			864	0.0	0.0			
			862	0.0	0.1			
			Min Cent	-0.0	-0.1			
			861	-0.0	-0.2			
			863	-0.0	-0.1			
			864	-0.0	-0.1			
			862	-0.0	-0.2			
ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
	Fmin	ANGLE						

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin		ANGLE			NODE	Mxx	Myy	Mxy	Mmax
925	2	4	Q1-1-2	Max	Cent	561.1	0.5	108.3	581.2
-19.7		10.56							
9.1		11.18			844	739.8	37.6	144.5	768.3
44.0		5.53			846	744.5	50.5	67.8	751.1
-14.5		11.05			861	383.1	0.7	77.7	398.2
-56.9		20.02			859	378.4	0.8	158.6	436.1
-296.5		-40.24		Min	Cent	-5.6	-88.2	-246.2	202.7
-229.6		-41.01			844	-7.4	-61.5	-193.3	160.7
-332.9		-43.11			846	-7.4	-47.7	-304.6	277.8
-375.4		-38.91			861	-3.7	-133.3	-300.0	238.4
-283.6		-34.00			859	-3.7	-156.3	-188.8	123.6
0.0		48.35		Max	Cent	0.0	0.0	0.0	0.0
-0.0		44.32			844	0.0	0.0	0.0	0.0
-0.0		45.03			846	0.0	0.0	0.0	0.0
0.0		67.27			861	0.0	0.1	0.0	0.1
0.0		72.78			859	0.0	0.1	0.0	0.1
-0.0		-35.88		Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0		-12.28			844	-0.0	-0.0	-0.0	-0.0
-0.0		-11.31			846	-0.0	-0.0	-0.0	-0.0
-0.0		-38.42			861	-0.0	-0.0	-0.0	0.0
-0.0		-35.66			859	-0.0	-0.0	-0.0	0.0
					NODE	Vxx	Vyy		
				Max	Cent	0.0	0.0		
					844	0.0	0.0		
					846	0.0	0.0		
					861	0.0	0.0		
					859	0.0	0.0		
				Min	Cent	-0.0	-0.2		
					844	-0.0	-0.2		
					846	-0.0	-0.2		
					861	-0.0	-0.2		
					859	-0.0	-0.2		
Fmin		ANGLE		LC	NODE	Fxx	Fyy	Fxy	Fmax

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		Q2a-1-2	Max	Cent	337.2	0.3	72.3	352.1
-14.6	11.61			844	443.7	23.4	96.7	464.9
2.2	12.36			846	446.7	31.6	45.2	451.6
26.7	6.15			861	231.2	0.5	51.8	242.3
-10.6	12.09			859	228.3	0.6	106.3	270.2
-41.3	21.52							
-190.0	-39.76		Min	Cent	-4.1	-61.3	-154.6	124.5
-147.5	-40.49			844	-5.5	-44.0	-121.3	98.1
-211.8	-42.86			846	-5.5	-34.2	-191.4	172.1
-238.5	-38.63			861	-2.8	-87.9	-188.4	147.8
-181.4	-33.50			859	-2.7	-103.1	-118.3	75.5

Mmin ANGLE NODE Mxx Myy Mxy Mmax

			Max	Cent	0.0	0.0	0.0	0.0
0.0	48.11			844	0.0	0.0	0.0	0.0
-0.0	43.76			846	0.0	0.0	0.0	0.0
-0.0	44.76			861	0.0	0.0	0.0	0.1
0.0	67.54			859	0.0	0.1	0.0	0.1
0.0	72.89							
-0.0	-35.22		Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-11.07			844	-0.0	-0.0	-0.0	-0.0
-0.0	-10.16			846	-0.0	-0.0	-0.0	-0.0
-0.0	-40.11			861	-0.0	-0.0	-0.0	0.0
-0.0	-38.02			859	-0.0	-0.0	-0.0	0.0

NODE Vxx Vyy

	Max	Cent	0.0	0.0
		844	0.0	0.0
		846	0.0	0.0
		861	0.0	0.0
		859	0.0	0.0
	Min	Cent	-0.0	-0.1
		844	-0.0	-0.2
		846	-0.0	-0.1
		861	-0.0	-0.1
		859	-0.0	-0.2

Fmin ANGLE LC NODE Fxx Fyy Fxy Fmax

		SLVx (RS)	Cent	49.3	-0.7	13.8	52.8
-4.3	14.44						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-5.2	7.79	844	64.5	-3.9	9.5	65.8
-9.5	14.40	846	64.7	-4.6	19.1	69.6
-12.2	21.73	861	34.3	-4.8	18.5	41.7
-7.6	12.37	859	34.1	-5.6	9.1	36.1

Mmin ANGLE NODE Mxx Myy Mxy Mmax

0.0	86.29	Cent	0.0	0.0	0.0	0.0
0.0	86.14	844	0.0	0.0	0.0	0.0
0.0	84.52	846	0.0	0.0	0.0	0.0
0.0	86.23	861	0.0	0.0	0.0	0.0
0.0	88.34	859	0.0	0.0	0.0	0.0

NODE Vxx Vyy

Cent	-0.0	0.0
844	0.0	0.0
846	0.0	0.0
861	-0.0	0.0
859	-0.0	0.0

Fmin ANGLE LC NODE Fxx Fyy Fxy Fmax

-1.9	15.58	SLVy (RS)	Cent	28.0	0.5	8.3	30.4
-3.2	13.78		844	23.5	-1.6	6.6	25.1
-3.1	19.98		846	23.9	0.5	9.8	27.4
-0.7	16.90		861	32.6	2.4	10.1	35.7
-0.3	11.92		859	32.3	1.2	6.9	33.7

Mmin ANGLE NODE Mxx Myy Mxy Mmax

0.1	83.89	Cent	0.1	0.1	0.0	0.1
0.0	79.07	844	0.0	0.1	0.0	0.1
0.0	70.87	846	0.0	0.1	0.0	0.1
0.1	85.68	861	0.1	0.2	0.0	0.2
0.1	88.61	859	0.1	0.2	0.0	0.2

NODE Vxx Vyy

Cent	-0.0	-0.2
------	------	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

844 -0.0 -0.2  
 846 -0.0 -0.2  
 861 -0.0 -0.2  
 859 -0.0 -0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.1	14.45	SLDx (RS)	Cent	24.6	-0.4	6.9	26.4
-2.6	7.80		844	32.2	-1.9	4.8	32.9
-4.8	14.41		846	32.3	-2.3	9.5	34.8
-6.1	21.74		861	17.1	-2.4	9.3	20.8
-3.8	12.39		859	17.0	-2.8	4.6	18.0

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	86.29		Cent	0.0	0.0	0.0	0.0
0.0	86.13		844	0.0	0.0	0.0	0.0
0.0	84.51		846	0.0	0.0	0.0	0.0
0.0	86.23		861	0.0	0.0	0.0	0.0
0.0	88.34		859	0.0	0.0	0.0	0.0

NODE Vxx Vyy  
 Cent -0.0 0.0  
 844 0.0 0.0  
 846 0.0 0.0  
 861 -0.0 0.0  
 859 -0.0 0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.9	15.59	SLDy (RS)	Cent	14.0	0.2	4.2	15.2
-1.6	13.79		844	11.8	-0.8	3.3	12.6
-1.5	19.99		846	11.9	0.2	4.9	13.7
-0.3	16.91		861	16.3	1.2	5.1	17.8
-0.1	11.93		859	16.1	0.6	3.4	16.8

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	83.88		Cent	0.0	0.1	0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	79.06	844	0.0	0.0	0.0	0.0
0.0	70.87	846	0.0	0.0	0.0	0.0
0.0	85.68	861	0.0	0.1	0.0	0.1
0.0	88.61	859	0.0	0.1	0.0	0.1

NODE	Vxx	Vyy
Cent	-0.0	-0.1
844	-0.0	-0.1
846	-0.0	-0.1
861	-0.0	-0.1
859	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-20.9	73.26	SLVz (RS)	Cent	-18.9	0.2	6.3	2.1
-26.1	80.12		844	-25.4	-1.7	4.3	-1.0
-28.3	71.74		846	-25.5	-2.0	8.7	0.9
-16.5	65.31		861	-12.6	1.9	8.5	5.8
-13.5	75.64		859	-12.5	2.3	4.0	3.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	82.55	Cent	0.0	0.0	0.0	0.0
0.0	78.66	844	0.0	0.0	0.0	0.0
0.0	77.33	846	0.0	0.0	0.0	0.0
0.0	84.90	861	0.0	0.0	0.0	0.0
0.0	86.82	859	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
844	0.0	0.0
846	0.0	0.0
861	-0.0	0.0
859	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-40.0	-12.53	g1	Cent	410.0	-17.8	-100.0	432.3
15.1	-5.79		844	548.0	20.6	-54.0	553.5
			846	550.0	27.4	-151.3	590.7

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-13.3	-15.04		861	272.1	-56.2	-146.1	327.7
-111.8	-20.84		859	270.0	-63.0	-48.7	277.0
-70.0	-8.16						
-----							
-0.0	-0.99		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	0.49		844	-0.0	-0.0	0.0	-0.0
-0.0	-0.27		846	-0.0	-0.0	-0.0	-0.0
-0.0	-6.39		861	-0.0	-0.0	-0.0	-0.0
-0.0	-3.84		859	-0.0	-0.0	-0.0	-0.0
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			844	-0.0	-0.0		
			846	-0.0	-0.0		
			861	0.0	-0.0		
			859	0.0	-0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-22.3	-12.03	g2	Cent	197.8	-12.3	-46.9	207.8
5.3	-5.29		844	265.4	7.6	-24.1	267.6
-10.0	-14.54		846	265.7	8.6	-71.5	284.3
-57.9	-20.34		861	130.3	-32.1	-69.8	156.1
-36.1	-7.65		859	130.0	-33.1	-22.3	133.0
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-13.11		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-20.35		844	-0.0	-0.0	-0.0	-0.0
-0.0	-22.90		846	-0.0	-0.0	-0.0	-0.0
-0.0	-11.12		861	-0.0	-0.0	-0.0	-0.0
-0.0	-6.52		859	-0.0	-0.0	-0.0	-0.0
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			844	-0.0	0.0		
			846	-0.0	0.0		
			861	0.0	0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		859	0.0	0.0			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.8	10.23	q3	Cent	27.8	-0.8	5.3	28.8
-0.9	11.80		844	33.2	0.6	7.1	34.7
0.7	5.77		846	33.3	1.1	3.3	33.7
-2.7	8.07		861	22.4	-2.2	3.6	22.9
-4.7	15.31		859	22.3	-2.7	7.4	24.3
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	4.07		Cent	-0.0	-0.0	0.0	-0.0
-0.0	2.88		844	-0.0	-0.0	0.0	-0.0
-0.0	3.02		846	-0.0	-0.0	0.0	-0.0
-0.0	6.53		861	-0.0	-0.0	0.0	-0.0
-0.0	6.38		859	-0.0	-0.0	0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			844	-0.0	-0.0		
			846	-0.0	-0.0		
			861	-0.0	-0.0		
			859	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.4	-1.64	q5_pc	Cent	26.7	-0.3	-0.8	26.7
-0.5	-2.03		844	26.2	-0.5	-0.9	26.2
-0.5	-1.29		846	26.2	-0.5	-0.6	26.2
-0.2	-1.26		861	27.2	-0.2	-0.6	27.2
-0.2	-1.99		859	27.1	-0.2	-0.9	27.2
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	16.12		Cent	0.0	-0.0	0.0	0.0
-0.0	10.28		844	0.0	-0.0	0.0	0.0
			846	0.0	-0.0	0.0	0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	11.71		861	0.0	0.0	0.0	0.0
0.0	28.84		859	0.0	0.0	0.0	0.0
0.0	46.18						

NODE	Vxx	Vyy
Cent	-0.0	-0.0
844	0.0	-0.0
846	0.0	-0.0
861	-0.0	-0.0
859	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.2	-0.40	q5_ps	Cent	22.8	-0.2	-0.2	22.8
-0.4	-0.99		844	22.1	-0.4	-0.4	22.1
-0.5	0.24		846	22.1	-0.5	0.1	22.1
-0.0	0.17		861	23.5	-0.0	0.1	23.5
-0.0	-1.01		859	23.5	-0.0	-0.4	23.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	9.49	Cent	0.0	-0.0	0.0	0.0
-0.0	9.12	844	0.0	-0.0	0.0	0.0
-0.0	8.67	846	0.0	-0.0	0.0	0.0
-0.0	10.23	861	0.0	-0.0	0.0	0.0
-0.0	10.64	859	0.0	-0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
844	-0.0	-0.0
846	-0.0	-0.0
861	-0.0	-0.0
859	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-34.0	-1.45	INVSLU Max	Cent	884.3	-33.5	-21.9	884.9
139.1	8.08		844	1749.6	172.5	230.5	1782.1
196.2	-11.41		846	1777.6	261.5	-318.2	1842.0
-372.3	-47.42		861	20.0	-189.2	-266.7	344.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
-435.4	33.07		859	-7.8	-260.6	287.7	178.4	
		Min	Cent	63.1	-153.9	-501.8	331.2	
-553.8	-36.73		844	686.8	37.7	-227.2	725.5	
-31.4	-13.55		846	708.2	128.0	-822.1	1120.0	
-449.7	-32.04		861	-560.6	-370.3	-777.6	74.7	
-1242.3	-49.85		859	-582.1	-473.1	-183.0	-370.5	
-710.6	-65.97							
-----								
		Max	Cent	0.0	0.1	0.0	0.1	
0.0	68.00		844	0.0	0.0	0.0	0.0	
0.0	54.43		846	0.0	0.0	0.0	0.0	
-0.0	49.08		861	0.1	0.2	0.0	0.2	
0.1	81.30		859	0.1	0.2	0.0	0.2	
0.1	81.67	Min	Cent	-0.0	0.0	-0.0	0.0	
-0.0	-60.99		844	-0.0	-0.0	-0.0	0.0	
-0.0	-21.69		846	-0.0	-0.1	-0.0	-0.0	
-0.1	-19.23		861	-0.0	0.1	-0.0	0.1	
-0.0	-73.14		859	0.0	0.0	-0.0	0.0	
-0.0	-69.03							
-----								
			NODE	Vxx	Vyy			
		Max	Cent	0.0	-0.1			
			844	0.0	-0.1			
			846	0.0	-0.1			
			861	0.0	-0.1			
			859	0.0	-0.1			
		Min	Cent	-0.0	-0.4			
			844	-0.0	-0.4			
			846	-0.0	-0.4			
			861	0.0	-0.4			
			859	0.0	-0.4			
-----								
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
		INVS LV	Max	Cent	282.6	-29.1	-111.7	320.6
-67.4	-18.21			844	680.8	74.4	8.5	680.8
73.7	0.55			846	691.5	109.3	-251.1	787.1
5.0	-20.46			861	-115.3	-123.4	-231.5	126.6
-359.5	-46.17			859	-126.0	-157.4	28.2	-114.1
-174.1	24.83							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-108.9	-28.66	Min	Cent	155.8	-30.9	-148.1	234.7
			844	522.4	64.6	-17.1	522.9
64.5	-1.85		846	532.4	98.6	-300.3	683.6
-43.5	-27.13		861	-211.0	-135.6	-279.7	93.2
-447.1	-47.66		859	-221.0	-170.6	3.4	-163.7
-221.5	84.13						

Mmin ANGLE NODE Mxx Myy Mxy Mmax

0.1	84.32	Max	Cent	0.1	0.1	0.0	0.1
0.0	77.74		844	0.0	0.1	0.0	0.1
0.0	66.63		846	0.0	0.1	0.0	0.1
0.1	86.47		861	0.1	0.2	0.0	0.2
0.1	89.10		859	0.1	0.2	0.0	0.2
-0.1	-6.48	Min	Cent	-0.1	-0.1	-0.0	-0.1
-0.1	-9.90		844	-0.0	-0.1	-0.0	-0.0
-0.1	-16.10		846	-0.0	-0.1	-0.0	-0.0
-0.2	-5.14		861	-0.1	-0.2	-0.0	-0.1
-0.2	-1.91		859	-0.1	-0.2	-0.0	-0.1

NODE Vxx Vyy

Max	Cent	0.0	0.2
	844	0.0	0.2
	846	0.0	0.2
	861	0.1	0.2
	859	0.1	0.2
Min	Cent	-0.0	-0.3
	844	-0.0	-0.3
	846	-0.0	-0.2
	861	-0.0	-0.2
	859	-0.0	-0.3

ELEM MAT SEC LC NODE Fxx Fyy Fxy Fmax  
Fmin ANGLE

926	2	10	Q1-1-2	Max	Cent	547.0	23.5	112.6	570.2
	0.2	11.64			846	729.9	62.8	148.2	761.3
		11.97			848	740.6	94.4	71.2	748.3
		6.21			863	365.7	2.4	82.3	383.5
		12.19			861	353.4	0.6	163.5	417.5
		21.41							
		-42.40		Min	Cent	-5.2	-50.1	-247.0	220.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-218.4	-42.60	846	-7.0	-39.6	-194.4	171.8
-325.3	-44.40	848	-7.1	-20.1	-311.6	298.1
-345.8	-41.25	863	-3.5	-82.5	-300.2	259.8
-257.2	-35.90	861	-3.4	-124.3	-183.6	129.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Max Cent	0.0	0.0	0.0	0.0
-0.0	46.92	846	0.0	0.0	0.0	0.0
-0.0	42.77	848	0.0	0.0	0.0	0.0
-0.0	50.08	863	0.0	0.0	0.0	0.0
-0.0	53.47	861	0.0	0.1	0.0	0.1
0.0	54.26	Min Cent	-0.0	-0.0	-0.0	0.0
-0.0	-32.72	846	-0.0	-0.0	-0.0	-0.0
-0.0	-11.42	848	-0.0	-0.0	-0.0	-0.0
-0.0	-27.14	863	-0.0	-0.0	-0.0	-0.0
-0.0	-43.89	861	-0.0	-0.0	-0.0	-0.0
-0.0	-42.62					

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	846	0.0	0.0
	848	0.0	0.0
	863	0.1	0.0
	861	0.1	0.0
Min	Cent	-0.0	-0.1
	846	-0.0	-0.1
	848	-0.0	-0.0
	863	-0.0	-0.0
	861	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.9	12.78	Q2a-1-2	Max Cent	328.0	15.1	74.8	345.0
15.8	13.21		846	436.6	39.0	98.8	459.8
52.1	6.88		848	443.0	57.8	47.2	448.7
-11.7	13.23		863	220.6	1.1	54.6	233.4
-45.6	22.89		861	213.0	0.5	109.2	259.1
-175.9	-42.08		Min Cent	-3.9	-35.7	-155.3	136.3
-139.6	-42.28		846	-5.2	-28.4	-122.2	106.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-205.3	-44.35	848	-5.2	-14.1	-195.6	186.0
-219.5	-41.01	863	-2.6	-55.5	-188.6	161.4
-164.5	-35.48	861	-2.5	-82.2	-115.5	79.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----	-----	-----	-----	-----	-----	-----
		Max Cent	0.0	0.0	0.0	0.0
-0.0	45.94	846	0.0	0.0	0.0	0.0
-0.0	42.52	848	0.0	0.0	0.0	0.0
-0.0	49.78	863	0.0	0.0	0.0	0.0
-0.0	53.31	861	0.0	0.0	0.0	0.0
0.0	54.49	Min Cent	-0.0	-0.0	-0.0	0.0
-0.0	-31.76	846	-0.0	-0.0	-0.0	-0.0
-0.0	-10.00	848	-0.0	-0.0	-0.0	-0.0
-0.0	-26.92	863	-0.0	-0.0	-0.0	-0.0
-0.0	-43.95	861	-0.0	-0.0	-0.0	0.0
-0.0	-43.39					

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	846	0.0	0.0
	848	0.0	0.0
	863	0.0	0.0
	861	0.0	0.0
Min	Cent	-0.0	-0.1
	846	-0.0	-0.1
	848	-0.0	-0.0
	863	-0.0	-0.0
	861	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----	-----	-----	-----	-----	-----	-----	-----
		SLVx (RS)	Cent	48.3	1.3	12.9	51.6
-2.0	14.39		846	63.6	-5.4	8.7	64.6
-6.5	7.11		848	63.9	6.5	18.2	69.2
1.2	16.22		863	33.2	3.0	17.6	41.3
-5.0	24.68		861	32.9	-4.1	8.3	34.6
-5.8	12.06						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----	-----		-----	-----	-----	-----	-----
			Cent	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	73.38		846	0.0	0.0	0.0	0.0
0.0	75.76		848	0.0	0.0	0.0	0.0
0.0	67.73		863	0.0	0.0	0.0	0.0
0.0	65.49		861	0.0	0.0	0.0	0.0
0.0	84.44						

NODE	Vxx	Vyy
Cent	-0.0	0.0
846	-0.0	0.0
848	-0.0	0.0
863	-0.0	0.0
861	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	25.2	0.8	10.0	28.8
-2.7	19.68		846	17.9	-1.5	7.7	20.6
-4.2	19.27		848	17.1	-4.9	13.7	23.6
-11.5	25.57		863	32.8	0.8	12.3	36.9
-3.3	18.76		861	33.8	3.9	6.3	35.1
2.6	11.46						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.1	0.1	0.0	0.1
0.0	58.03	846	0.0	0.1	0.0	0.1
0.0	50.61	848	0.0	0.0	0.0	0.1
0.0	43.37	863	0.0	0.1	0.0	0.1
0.0	63.94	861	0.1	0.1	0.0	0.1
0.1	82.94					

NODE	Vxx	Vyy
Cent	0.0	-0.1
846	0.0	-0.1
848	0.0	-0.1
863	0.1	-0.1
861	0.1	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDx (RS)	Cent	24.1	0.7	6.4	25.8
-1.0	14.40		846	31.7	-2.7	4.4	32.3
-3.2	7.12						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
0.6	16.23	848	31.9	3.3	9.1	34.6	
-2.5	24.69	863	16.6	1.5	8.8	20.6	
-2.9	12.07	861	16.4	-2.0	4.1	17.3	
-----							
0.0	73.36	Cent	0.0	0.0	0.0	0.0	
0.0	75.75	846	0.0	0.0	0.0	0.0	
0.0	67.71	848	0.0	0.0	0.0	0.0	
0.0	65.45	863	0.0	0.0	0.0	0.0	
0.0	84.43	861	0.0	0.0	0.0	0.0	
-----							
		NODE	Vxx	Vyy			
-----							
		Cent	-0.0	0.0			
		846	-0.0	0.0			
		848	-0.0	0.0			
		863	-0.0	0.0			
		861	-0.0	0.0			
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-1.4	19.69	SLDy (RS)	Cent	12.6	0.4	5.0	14.4
-2.1	19.26		846	9.0	-0.7	3.9	10.3
-5.7	25.57		848	8.5	-2.5	6.8	11.8
-1.7	18.77		863	16.4	0.4	6.1	18.4
1.3	11.46		861	16.9	1.9	3.2	17.5
-----							
Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-----							
0.0	58.03	Cent	0.0	0.0	0.0	0.0	
0.0	50.61	846	0.0	0.0	0.0	0.0	
0.0	43.37	848	0.0	0.0	0.0	0.0	
0.0	63.94	863	0.0	0.0	0.0	0.0	
0.0	82.94	861	0.0	0.1	0.0	0.1	
-----							
		NODE	Vxx	Vyy			
-----							
		Cent	0.0	-0.1			
		846	0.0	-0.1			
		848	0.0	-0.0			

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
			863	0.0	-0.0		
			861	0.0	-0.1		
		SLVz (RS)	Cent	-18.7	-0.6	5.9	1.1
-20.5	73.38		846	-25.2	-2.3	3.9	-1.7
-25.8	80.69		848	-25.4	-2.9	8.4	-0.1
-28.1	71.68		863	-12.3	1.1	8.0	4.9
-16.1	64.90		861	-12.1	1.7	3.6	2.5
-13.0	76.25						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	0.0	0.0	0.0	0.0
0.0	62.79		846	0.0	0.0	0.0	0.0
0.0	63.46		848	0.0	0.0	0.0	0.0
0.0	54.91		863	0.0	0.0	0.0	0.0
0.0	58.53		861	0.0	0.0	0.0	0.0
0.0	81.81						
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			846	-0.0	0.0		
			848	-0.0	0.0		
			863	-0.0	0.0		
			861	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g1	Cent	402.6	-1.8	-91.9	422.5
-21.7	-12.22		846	540.3	35.0	-46.4	544.5
30.8	-5.20		848	543.3	45.1	-143.9	581.9
6.6	-15.00		863	265.0	-38.6	-137.4	318.0
-91.6	-21.07		861	262.0	-48.8	-40.0	267.0
-53.8	-7.21						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-3.84		846	-0.0	-0.0	-0.0	-0.0
-0.0	-0.33						



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-2.65	848	-0.0	-0.0	-0.0	-0.0
-0.0	-18.95	863	-0.0	-0.0	-0.0	-0.0
-0.0	-12.56	861	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
846	0.0	-0.0
848	0.0	-0.0
863	0.0	-0.0
861	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-15.0	-11.24	g2	Cent	195.1	-6.7	-41.7	203.4
11.6	-4.35		846	262.2	13.0	-19.1	263.6
-2.6	-14.02		848	262.4	13.9	-66.1	278.9
-49.8	-19.92		863	128.0	-26.4	-64.4	151.4
-29.2	-6.31		861	127.7	-27.3	-17.4	129.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-24.88	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-31.50	846	-0.0	-0.0	-0.0	-0.0
-0.0	-18.75	848	-0.0	-0.0	-0.0	-0.0
-0.0	-26.14	863	-0.0	-0.0	-0.0	-0.0
-0.0	-23.05	861	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
846	-0.0	0.0
848	-0.0	-0.0
863	-0.0	-0.0
861	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.1	11.27	q3	Cent	26.3	-0.0	5.5	27.4
-0.3	12.64		846	31.4	1.3	7.1	33.0
1.4	6.62		848	31.6	1.8	3.5	32.0
			863	21.2	-1.3	3.8	21.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-1.9	9.33		861	21.1	-1.8	7.4	23.2
-4.0	16.47						
-----							
-0.0	9.07		Cent	-0.0	-0.0	0.0	-0.0
-0.0	4.39		846	-0.0	-0.0	0.0	-0.0
-0.0	9.71		848	-0.0	-0.0	0.0	-0.0
-0.0	11.74		863	-0.0	-0.0	0.0	-0.0
-0.0	10.57		861	-0.0	-0.0	0.0	-0.0
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	-0.0		
			846	0.0	-0.0		
			848	0.0	-0.0		
			863	-0.0	-0.0		
			861	-0.0	-0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
0.5	-1.33	q5_pc	Cent	25.9	0.5	-0.6	25.9
0.2	-2.03		846	25.0	0.2	-0.9	25.1
0.2	-0.63		848	25.0	0.2	-0.3	25.0
0.7	-0.65		863	26.8	0.7	-0.3	26.8
0.7	-1.99		861	26.8	0.8	-0.9	26.8
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	22.66		Cent	0.0	-0.0	0.0	0.0
-0.0	13.48		846	0.0	-0.0	0.0	0.0
-0.0	25.92		848	0.0	-0.0	0.0	0.0
-0.0	29.67		863	-0.0	-0.0	0.0	0.0
0.0	22.57		861	0.0	0.0	0.0	0.0
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.0		
			846	0.0	-0.0		
			848	0.0	-0.0		
			863	0.0	-0.0		
			861	0.0	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
0.2	0.33	q5_ps	Cent	22.1	0.3	0.1	22.1
0.1	-0.63		846	20.9	0.1	-0.2	20.9
-0.4	1.77		848	20.7	-0.3	0.7	20.8
0.4	1.20		863	23.3	0.4	0.5	23.3
0.8	-1.02		861	23.4	0.8	-0.4	23.4
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	9.04		Cent	0.0	-0.0	0.0	0.0
-0.0	8.07		846	0.0	-0.0	0.0	0.0
-0.0	9.09		848	0.0	-0.0	0.0	0.0
-0.0	8.55		863	0.0	-0.0	0.0	0.0
-0.0	8.50		861	0.0	-0.0	0.0	0.0
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.0		
			846	0.0	-0.0		
			848	0.0	-0.0		
			863	0.0	-0.0		
			861	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
30.2	-0.30	INVSLU Max	Cent	849.0	30.2	-3.3	849.1
198.0	9.17		846	1713.3	237.5	246.3	1752.8
289.3	-11.57		848	1748.8	350.5	-298.4	1810.0
-338.7	-49.55		863	-13.1	-152.4	-245.7	383.2
-442.0	36.98		861	-50.7	-224.6	304.6	177.4
-499.4	-39.70	Min	Cent	48.9	-70.0	-489.8	332.4
26.6	-14.28		846	667.0	98.8	-217.8	705.5
-407.6	-33.30		848	688.2	195.4	-815.7	1109.7
-1189.9	-52.66		863	-569.3	-268.3	-762.7	70.8
-676.3	-74.73		861	-590.5	-395.0	-165.7	-323.8
			NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE							
			Max	Cent	0.0	0.0	0.0	0.0
0.0	60.44			846	0.0	0.0	0.0	0.0
-0.0	42.31			848	0.0	0.0	0.0	0.0
0.0	56.26			863	0.0	0.1	0.0	0.1
0.0	71.93			861	0.1	0.1	0.0	0.1
0.1	75.59		Min	Cent	0.0	0.0	-0.0	0.0
-0.0	-54.66			846	-0.0	-0.0	-0.0	-0.0
-0.0	-21.72			848	-0.0	-0.0	-0.0	0.0
-0.0	-40.11			863	-0.0	0.0	-0.0	0.0
-0.0	-63.98			861	0.0	0.0	-0.0	0.0
-0.0	-69.71							
				NODE	Vxx	Vyy		
			Max	Cent	0.1	-0.1		
				846	0.0	-0.1		
				848	0.0	-0.0		
				863	0.1	-0.0		
				861	0.1	-0.1		
			Min	Cent	-0.0	-0.2		
				846	-0.0	-0.3		
				848	-0.0	-0.1		
				863	-0.0	-0.1		
				861	-0.0	-0.3		
		LC		NODE	Fxx	Fyy	Fxy	Fmax
		INVSLV	Max	Cent	271.9	-10.8	-99.1	305.2
-43.5	-17.99			846	665.6	94.3	20.4	666.1
94.3	1.78			848	674.6	126.5	-235.3	764.7
33.5	-20.54			863	-121.4	-109.4	-218.1	116.8
-337.4	-47.34			861	-129.8	-137.1	37.8	-100.5
-170.0	40.49		Min	Cent	149.0	-14.4	-134.4	221.6
-87.1	-29.01			846	512.6	81.3	-4.0	512.6
80.5	-0.23			848	521.4	108.8	-284.9	663.4
-30.3	-26.90			863	-214.9	-116.6	-265.4	88.9
-431.3	-49.23			861	-224.4	-148.6	15.3	-142.3
-228.6	77.41							
				NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		Max	Cent	0.1	0.1	0.0	0.1
0.0	57.25		846	0.0	0.0	0.0	0.1
0.0	45.82		848	0.0	0.0	0.0	0.0
-0.0	37.82		863	0.0	0.1	0.0	0.1
0.0	70.85		861	0.1	0.1	0.0	0.1
0.1	84.13	Min	Cent	-0.1	-0.1	-0.0	-0.0
-0.1	-31.10		846	-0.0	-0.1	-0.0	-0.0
-0.1	-34.82		848	-0.0	-0.0	-0.0	-0.0
-0.1	-41.27		863	-0.1	-0.1	-0.0	-0.0
-0.1	-33.96		861	-0.1	-0.1	-0.0	-0.1
-0.1	-8.24						

-----		NODE	Vxx	Vyy
Max	Cent		0.0	0.1
	846		0.0	0.1
	848		0.0	0.0
	863		0.1	0.0
	861		0.1	0.1
Min	Cent		-0.0	-0.1
	846		-0.0	-0.2
	848		-0.0	-0.1
	863		-0.0	-0.1
	861		-0.0	-0.2

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----		ANGLE						
934	2	4	Q1-1-2	Max	Cent	1.0	3.2	119.4
-117.4		45.26			860	42.9	35.7	158.4
-119.2		44.35			862	47.0	50.7	71.9
-23.1		45.73			871	2.6	0.4	85.2
-83.7		44.64			870	2.6	0.6	182.7
-181.1		44.84		Min	Cent	-149.9	-199.4	-248.0
-423.9		-42.15			860	-14.8	-187.9	-184.7
-305.3		-32.44			862	-13.2	-175.3	-310.1
-414.7		-37.68			871	-325.1	-256.9	-320.6
-613.3		-48.04			870	-328.9	-277.2	-189.1
-493.9		-48.89						-112.2
-----		ANGLE		NODE	Mxx	Myy	Mxy	Mmax
Mmin								
-----				Max	Cent	0.1	0.3	0.0
-----								0.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.1	88.82		860	0.1	0.2	0.0	0.2
0.1	88.80		862	0.1	0.2	0.0	0.2
0.1	88.73		871	0.1	0.3	0.0	0.3
0.1	88.75		870	0.1	0.3	0.0	0.3
0.1	87.65						
-0.0	-30.61	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-29.20		860	-0.0	-0.0	-0.0	-0.0
-0.0	-36.40		862	-0.0	-0.0	-0.0	0.0
-0.0	-30.52		871	-0.0	-0.0	-0.0	0.0
-0.0	-31.29		870	-0.0	-0.0	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.1	0.0
	860	0.0	0.0
	862	0.0	0.0
	871	0.1	0.0
	870	0.1	0.0
Min	Cent	-0.0	-0.4
	860	-0.0	-0.3
	862	-0.0	-0.4
	871	-0.0	-0.4
	870	-0.0	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-77.6	45.24	Q2a-1-2	Max Cent	0.8	2.1	79.0	80.5
-81.2	44.50		860	25.8	22.0	105.1	129.1
-17.7	45.99		862	28.1	31.4	47.4	77.1
-55.1	44.59		871	1.9	0.3	56.2	57.3
-120.8	44.83		870	2.0	0.5	122.1	123.3
-274.7	-40.61		Min Cent	-94.1	-142.0	-154.8	38.6
-203.3	-30.76		860	-10.4	-135.0	-114.8	57.9
-269.8	-36.60		862	-9.2	-126.1	-193.5	134.5
-392.0	-46.58		871	-201.4	-179.2	-201.4	11.4
-315.9	-46.40		870	-203.5	-192.0	-118.0	-79.6

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	88.94		Max Cent	0.1	0.2	0.0	0.2
			860	0.1	0.1	0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.1	88.94		862	0.0	0.1	0.0	0.1
0.0	88.87		871	0.1	0.2	0.0	0.2
0.1	88.82		870	0.1	0.2	0.0	0.2
0.1	87.72						
		Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-35.86		860	-0.0	-0.0	-0.0	0.0
-0.0	-34.06		862	-0.0	-0.0	-0.0	0.0
-0.0	-39.98		871	-0.0	-0.0	-0.0	0.0
-0.0	-35.75		870	-0.0	-0.0	-0.0	0.0
-0.0	-36.48						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	860	0.0	0.0
	862	0.0	0.0
	871	0.1	0.0
	870	0.1	0.0
Min	Cent	-0.0	-0.2
	860	-0.0	-0.2
	862	-0.0	-0.3
	871	-0.0	-0.3
	870	-0.0	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	12.3	0.9	13.5	21.3
-8.0	33.51		860	11.1	-2.5	9.1	15.6
-7.0	26.64		862	11.3	3.7	19.2	27.0
-12.0	39.37		871	22.8	4.3	18.6	34.4
-7.2	31.76		870	23.2	-5.5	8.8	25.6
-8.0	15.71						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.0	0.0	-0.0
-0.0	4.67	860	-0.0	-0.0	0.0	-0.0
-0.0	10.09	862	-0.0	-0.0	0.0	-0.0
-0.0	17.92	871	-0.0	-0.0	0.0	-0.0
-0.0	2.67	870	-0.0	-0.0	0.0	-0.0
-0.0	2.02					

	NODE	Vxx	Vyy
	Cent	-0.0	0.0
	860	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

862      -0.0      0.0  
 871      -0.0      0.0  
 870      -0.0      0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.7	12.66	SLVy (RS)	Cent	44.1	-0.3	10.5	46.5
-3.0	11.54		860	40.4	-1.1	8.8	42.2
-5.3	15.33		862	40.1	-1.9	12.5	43.6
-2.5	13.61		871	47.9	0.5	12.2	50.8
-0.3	10.04		870	48.1	1.2	8.6	49.6
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	-9.99		Cent	-0.0	-0.1	-0.0	-0.0
0.0	-76.64		860	0.0	0.1	-0.0	0.1
0.0	-61.02		862	0.0	0.1	-0.0	0.1
-0.2	-4.74		871	-0.0	-0.2	-0.0	-0.0
-0.2	-2.92		870	-0.1	-0.2	-0.0	-0.1
			NODE	Vxx	Vyy		
			Cent	-0.1	0.7		
			860	-0.0	0.7		
			862	-0.0	0.7		
			871	-0.1	0.7		
			870	-0.1	0.7		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-4.0	33.50	SLDx (RS)	Cent	6.2	0.5	6.7	10.6
-3.5	26.65		860	5.5	-1.2	4.5	7.8
-6.0	39.37		862	5.7	1.8	9.6	13.5
-3.6	31.75		871	11.4	2.1	9.3	17.2
-4.0	15.71		870	11.6	-2.8	4.4	12.8
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	4.67		Cent	-0.0	-0.0	0.0	-0.0
			860	-0.0	-0.0	0.0	-0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	10.11		862	-0.0	-0.0	0.0	-0.0
-0.0	17.95		871	-0.0	-0.0	0.0	-0.0
-0.0	2.67		870	-0.0	-0.0	0.0	-0.0
-0.0	2.03						

NODE	Vxx	Vyy
Cent	-0.0	0.0
860	-0.0	0.0
862	-0.0	0.0
871	-0.0	0.0
870	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.4	12.67	SLDy (RS)	Cent	22.0	-0.2	5.3	23.2
-1.5	11.55		860	20.2	-0.6	4.4	21.1
-2.7	15.34		862	20.0	-1.0	6.2	21.8
-1.2	13.62		871	23.9	0.2	6.1	25.4
-0.1	10.04		870	24.0	0.6	4.3	24.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-9.99	Cent	-0.0	-0.0	-0.0	-0.0
0.0	-76.62	860	0.0	0.0	-0.0	0.0
0.0	-61.02	862	0.0	0.0	-0.0	0.0
-0.1	-4.75	871	-0.0	-0.1	-0.0	-0.0
-0.1	-2.92	870	-0.0	-0.1	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.4
860	-0.0	0.4
862	-0.0	0.3
871	-0.0	0.3
870	-0.0	0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-3.8	34.00	SLVz (RS)	Cent	5.3	0.4	6.2	9.5
-5.8	50.99		860	-2.7	-1.1	3.9	2.1
-11.0	46.96		862	-2.8	-1.6	8.8	6.6

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-3.4	31.49		871	10.5	1.8	8.5	15.7
0.9	20.63		870	10.6	2.3	3.7	12.0
-----							
-0.0	-8.68		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-23.70		860	-0.0	-0.0	-0.0	-0.0
-0.0	-36.70		862	-0.0	-0.0	-0.0	-0.0
-0.0	-3.87		871	-0.0	-0.0	-0.0	-0.0
-0.0	-4.05		870	-0.0	-0.0	-0.0	-0.0
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			860	-0.0	0.0		
			862	-0.0	0.0		
			871	-0.0	0.0		
			870	-0.0	0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-157.1	-54.78	g1	Cent	-91.3	-25.0	-93.3	40.8
-26.4	-38.17		860	25.9	6.0	-41.1	58.2
-128.5	-43.73		862	28.8	15.4	-150.4	172.7
-296.5	-58.84		871	-208.5	-56.0	-145.5	32.0
-219.8	-76.83		870	-211.4	-65.4	-36.1	-57.0
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-86.71		Cent	0.0	0.0	-0.0	0.0
0.0	-84.36		860	0.0	0.0	-0.0	0.0
0.0	-84.94		862	0.0	0.0	-0.0	0.0
0.0	-88.08		871	0.0	0.0	-0.0	0.0
0.0	-87.93		870	0.0	0.0	-0.0	0.0
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			860	0.0	-0.0		
			862	0.0	-0.0		
			871	-0.0	-0.0		
			870	-0.0	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-76.2	-54.48	g2	Cent	-45.5	-16.1	-42.9	14.5
-13.3	-36.30		860	10.8	-0.3	-17.7	23.8
-63.2	-43.09		862	11.5	2.2	-70.0	77.0
-143.5	-58.60		871	-101.9	-31.9	-68.1	9.7
-106.1	-77.55		870	-102.6	-34.4	-15.8	-30.9
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	3.15		Cent	-0.0	-0.0	0.0	-0.0
-0.0	2.38		860	-0.0	-0.0	0.0	-0.0
-0.0	6.61		862	-0.0	-0.0	0.0	-0.0
-0.0	3.29		871	-0.0	-0.0	0.0	-0.0
-0.0	1.97		870	-0.0	-0.0	0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			860	0.0	0.0		
			862	0.0	0.0		
			871	-0.0	0.0		
			870	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-4.6	30.05	q3	Cent	8.2	-0.3	7.4	12.5
-4.5	28.67		860	12.7	0.7	9.4	17.8
-0.5	21.09		862	12.9	1.5	5.2	14.9
-4.8	32.59		871	3.8	-1.3	5.5	7.3
-9.3	36.86		870	3.6	-2.1	9.7	10.8
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	88.88		Cent	0.0	0.0	0.0	0.0
0.0	81.85		860	0.0	0.0	0.0	0.0
0.0	-81.48		862	0.0	0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-89.53	871	0.0	0.0	-0.0	0.0
0.0	88.03	870	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
860	-0.0	-0.0
862	-0.0	-0.0
871	0.0	-0.0
870	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.5	0.53	q5_pc	Cent	28.4	-0.5	0.3	28.4
-0.7	-0.03		860	27.8	-0.7	-0.0	27.8
-0.8	1.18		862	27.7	-0.8	0.6	27.7
-0.4	1.07		871	29.0	-0.4	0.5	29.1
-0.3	-0.11		870	29.1	-0.3	-0.1	29.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-85.39	Cent	0.0	0.0	-0.0	0.0
0.0	-85.16	860	0.0	0.0	-0.0	0.0
0.0	-78.27	862	0.0	0.0	-0.0	0.0
0.0	-86.19	871	0.0	0.0	-0.0	0.0
0.0	-87.48	870	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
860	0.0	-0.0
862	0.0	-0.0
871	0.0	-0.0
870	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.4	1.94	q5_ps	Cent	25.4	-0.3	0.9	25.4
-0.5	1.18		860	24.6	-0.5	0.5	24.6
-0.8	2.96		862	24.5	-0.7	1.3	24.6
-0.2	2.66		871	26.2	-0.2	1.2	26.3
			870	26.3	0.0	0.4	26.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0      0.96

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	79.91		Cent	0.0	0.0	0.0	0.0
0.0	17.36		860	0.0	0.0	0.0	0.0
0.0	-1.85		862	0.0	0.0	-0.0	0.0
0.0	88.29		871	0.0	0.0	0.0	0.0
0.0	78.55		870	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
860	0.0	-0.0
862	0.0	-0.0
871	0.0	-0.0
870	0.0	-0.0

Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
-2151.4	-86.70	INVSLU	Max	Cent	-2144.1	-39.7	-50.8	-34.8
-1572.3	82.06			860	-1551.8	132.6	246.6	167.0
-1604.6	-65.07			862	-1520.1	240.1	-394.6	356.8
-2758.8	-81.37			871	-2702.9	-171.8	-341.8	-114.2
-2745.4	82.90			870	-2729.1	-258.6	314.4	-220.0
-2553.0	-76.27		Min	Cent	-2419.3	-314.1	-547.3	-179.4
-1710.1	-81.73			860	-1686.5	-170.4	-216.6	-139.0
-2066.4	-70.47			862	-1658.7	-66.4	-911.4	288.8
-3480.7	-73.26			871	-3212.9	-519.8	-890.6	-251.3
-3257.7	-85.83			870	-3244.2	-634.3	-187.7	-620.6

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.2	88.62	Max	Cent	0.2	0.5	0.0	0.5
0.1	88.92		860	0.1	0.4	0.0	0.4
0.1	88.19		862	0.1	0.4	0.0	0.4
0.2	88.29		871	0.2	0.6	0.0	0.6
0.2	87.87		870	0.2	0.6	0.0	0.6
		Min	Cent	0.0	0.1	-0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-76.80	860	0.0	0.1	-0.0	0.1
0.0	-77.90	862	0.0	0.1	-0.0	0.1
0.0	-77.76	871	0.0	0.1	-0.0	0.1
0.0	-71.78	870	0.0	0.1	-0.0	0.1
0.0	-76.10					

	NODE	Vxx	Vyy
Max	Cent	0.1	-0.0
	860	0.0	-0.1
	862	0.0	-0.0
	871	0.1	-0.0
	870	0.1	-0.1
Min	Cent	-0.0	-0.6
	860	0.0	-0.5
	862	0.0	-0.6
	871	-0.1	-0.6
	870	-0.1	-0.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1141.1	-82.20	INVSLV	Max Cent	-1126.3	-35.1	-125.9	-14.9
-797.5	-89.35		860	-797.3	44.0	15.5	44.2
-871.7	-72.34		862	-781.9	97.4	-286.6	198.9
-1504.5	-78.38		871	-1451.7	-108.5	-266.5	-51.6
-1467.8	89.23		870	-1466.9	-158.5	35.9	-158.3
-1246.5	-83.39		Min Cent	-1225.1	-37.4	-162.8	-21.4
-886.4	88.96		860	-886.3	37.8	-10.3	38.1
-973.0	-73.50		862	-870.7	87.9	-337.7	178.7
-1631.5	-78.99		871	-1567.4	-118.4	-316.2	-58.4
-1583.4	88.79		870	-1583.3	-171.7	11.0	-171.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	82.68	Max Cent	0.0	0.1	0.0	0.1
0.0	-79.52	860	0.0	0.1	0.0	0.1
0.0	-69.17	862	0.1	0.1	0.0	0.1
0.0	86.02	871	0.0	0.2	0.0	0.2
0.1	87.33	870	0.1	0.3	0.0	0.3
-0.0	-14.52	Min Cent	-0.0	-0.0	-0.0	-0.0
		860	-0.0	-0.0	-0.0	-0.0

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	18.94		862	-0.0	-0.0	-0.0	-0.0
-0.1	43.53		871	-0.0	-0.2	-0.0	-0.0
-0.2	-5.76		870	-0.1	-0.2	-0.0	-0.1
-0.2	-3.19						

	NODE	Vxx	Vyy
Max	Cent	0.1	0.7
	860	0.0	0.7
	862	0.0	0.6
	871	0.1	0.6
	870	0.1	0.7
Min	Cent	-0.0	-0.8
	860	-0.0	-0.8
	862	-0.0	-0.7
	871	-0.1	-0.7
	870	-0.1	-0.8

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
935	2	10	Q1-1-2	Max	Cent	0.9	18.8	124.7	134.8
-115.2		47.05			862	34.5	34.6	156.8	191.4
-122.3		45.01			864	48.0	78.6	81.4	146.2
-19.6		50.33			872	2.2	11.8	95.6	102.8
-88.7		46.44			871	2.2	0.4	180.8	182.2
-179.5		44.86		Min	Cent	-123.5	-158.5	-228.8	88.5
-370.4		-42.82			862	-13.6	-164.1	-181.9	107.9
-285.7		-33.76			864	-8.4	-131.6	-285.3	221.9
-361.9		-38.91			872	-263.5	-187.8	-282.5	59.3
-510.6		-48.82			871	-279.8	-240.5	-174.4	-84.6
-435.7		-48.21							

	Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
			Max	Cent	0.1	0.2	0.0	0.2
	0.1	87.49		862	0.1	0.1	0.0	0.1
	0.1	87.20		864	0.1	0.1	0.0	0.1
	0.1	86.48		872	0.1	0.2	0.0	0.2
	0.1	87.14		871	0.1	0.2	0.0	0.2
	0.1	88.32	Min	Cent	-0.0	-0.0	-0.0	0.0
	-0.0	-41.70		862	-0.0	-0.0	-0.0	0.0
	-0.0	-41.83		864	-0.0	-0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-43.56		872	-0.0	-0.0	-0.0	0.0
-0.0	-45.63		871	-0.0	-0.0	-0.0	0.0
-0.0	-37.07						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	862	0.0	0.0
	864	0.0	0.0
	872	0.0	0.0
	871	0.0	0.0
Min	Cent	-0.1	-0.3
	862	-0.0	-0.3
	864	-0.0	-0.3
	872	-0.1	-0.3
	871	-0.1	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-76.0	47.03	Q2a-1-2	Max	Cent	0.6	12.4	82.3	89.0
-82.7	45.11		862	20.6	21.4	103.8	124.8	
-15.5	50.41		864	28.8	49.3	53.6	93.6	
-58.7	46.30		872	1.6	7.4	63.1	67.6	
-119.5	44.84		871	1.7	0.3	120.4	121.4	
-239.1	-41.40		Min	Cent	-77.3	-113.3	-142.7	48.5
-189.5	-32.24		862	-9.6	-117.9	-113.4	61.9	
-233.7	-37.98		864	-5.6	-94.7	-178.1	133.4	
-324.9	-47.41		872	-162.3	-132.4	-176.9	30.2	
-278.6	-45.73		871	-172.6	-167.0	-108.7	-61.1	

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
0.1	88.02	Max	Cent	0.1	0.1	0.0	0.1
0.1	87.74	862	0.1	0.1	0.0	0.1	
0.0	87.15	864	0.0	0.1	0.0	0.1	
0.1	87.70	872	0.1	0.1	0.0	0.1	
0.0	88.64	871	0.0	0.2	0.0	0.2	
-0.0	-43.32	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-43.42	862	-0.0	-0.0	-0.0	0.0	
-0.0	-44.33	864	-0.0	-0.0	-0.0	0.0	
		872	-0.0	-0.0	-0.0	0.0	



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0      -46.75  
 -0.0      -40.06

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	862	0.0	0.0
	864	0.0	0.0
	872	0.0	0.0
	871	0.0	0.0
Min	Cent	-0.0	-0.2
	862	-0.0	-0.2
	864	-0.0	-0.2
	872	-0.1	-0.2
	871	-0.1	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-8.3	32.22	SLVx (RS)	Cent	11.2	-0.6	12.3	19.0
-3.3	32.51		862	10.6	2.3	8.9	16.2
-16.9	32.48		864	10.8	-5.7	17.6	22.0
-10.7	28.44		872	19.7	-1.8	16.5	28.6
1.5	22.47		871	20.7	4.8	8.0	24.0

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-14.71		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	30.87		862	-0.0	-0.0	0.0	-0.0
-0.0	-72.07		864	-0.0	0.0	-0.0	0.0
-0.0	-11.33		872	-0.0	-0.0	-0.0	-0.0
-0.0	5.22		871	-0.0	-0.0	0.0	-0.0

	NODE	Vxx	Vyy
	Cent	-0.0	0.0
	862	-0.0	0.0
	864	-0.0	0.0
	872	-0.0	0.0
	871	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.9	12.77	SLVy (RS)	Cent	42.2	1.3	9.8	44.4
-1.5	11.69		862	39.7	0.3	8.5	41.5
			864	40.1	1.4	10.7	42.9

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-1.3	14.45		872	44.6	2.6	11.0	47.3
-0.1	13.84		871	44.2	1.2	8.8	45.9
-0.5	11.19						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	-29.72		Cent	-0.0	-0.0	-0.0	0.0
0.0	-49.78		862	0.0	0.0	-0.0	0.1
-0.0	-45.35		864	0.0	0.0	-0.0	0.1
-0.0	-22.36		872	-0.0	-0.1	-0.0	-0.0
-0.1	-9.49		871	-0.0	-0.1	-0.0	-0.0
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	0.3		
			862	0.0	0.4		
			864	0.0	0.2		
			872	-0.0	0.2		
			871	-0.0	0.4		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-4.2	32.22	SLDx (RS)	Cent	5.6	-0.3	6.2	9.5
-1.7	32.52		862	5.3	1.2	4.4	8.1
-8.4	32.49		864	5.4	-2.8	8.8	11.0
-5.3	28.44		872	9.9	-0.9	8.2	14.3
0.7	22.47		871	10.4	2.4	4.0	12.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	-14.71		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	30.89		862	-0.0	-0.0	0.0	-0.0
-0.0	-72.06		864	-0.0	0.0	-0.0	0.0
-0.0	-11.33		872	-0.0	-0.0	-0.0	-0.0
-0.0	5.22		871	-0.0	-0.0	0.0	-0.0
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	0.0		
			862	-0.0	0.0		
			864	-0.0	0.0		
			872	-0.0	0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE						
		SLDy (RS)	Cent	21.0	0.6	4.9	22.2
-0.5	12.77		862	19.8	0.1	4.3	20.7
-0.8	11.70		864	20.0	0.7	5.3	21.4
-0.7	14.46		872	22.3	1.3	5.5	23.6
-0.0	13.84		871	22.1	0.6	4.4	22.9
-0.3	11.20						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	-0.0	0.0
-0.0	-29.73		862	0.0	0.0	-0.0	0.0
0.0	-49.78		864	0.0	0.0	-0.0	0.0
-0.0	-45.35		872	-0.0	-0.0	-0.0	-0.0
-0.0	-22.36		871	-0.0	-0.1	-0.0	-0.0
-0.1	-9.49						
			NODE	Vxx	Vyy		
			Cent	-0.0	0.2		
			862	0.0	0.2		
			864	0.0	0.1		
			872	-0.0	0.1		
			871	-0.0	0.2		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVz (RS)	Cent	4.8	-0.3	5.6	8.4
-3.9	32.85		862	-2.5	-0.9	3.8	2.1
-5.6	50.93		864	-2.6	-2.5	8.1	5.5
-10.6	45.18		872	9.1	0.6	7.5	13.5
-3.8	30.38		871	9.5	2.0	3.3	10.8
0.7	20.70						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-20.74		862	-0.0	-0.0	-0.0	-0.0
-0.0	-43.99		864	-0.0	-0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-42.93		872	-0.0	-0.0	-0.0	-0.0
-0.0	-16.23		871	-0.0	-0.0	-0.0	-0.0
-0.0	-7.14						

NODE	Vxx	Vyy
Cent	-0.0	0.0
862	-0.0	0.0
864	-0.0	0.0
872	-0.0	0.0
871	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g1	Cent	-80.4	-16.0	-85.6	43.2
-139.7	-55.31		862	21.0	5.3	-41.3	55.1
-28.9	-39.62		864	27.1	25.7	-137.5	164.0
-111.1	-44.86		872	-181.9	-37.4	-129.9	39.0
-258.3	-59.54		871	-188.0	-57.8	-33.7	-49.6
-196.2	-76.33						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	0.0	0.0	0.0
0.0	87.35	862	0.0	0.0	-0.0	0.0
0.0	-88.10	864	0.0	0.0	-0.0	0.0
0.0	-89.44	872	-0.0	0.0	0.0	0.0
-0.0	87.53	871	0.0	0.0	0.0	0.0
0.0	86.01					

NODE	Vxx	Vyy
Cent	0.0	-0.0
862	0.0	-0.0
864	0.0	-0.0
872	0.0	-0.0
871	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g2	Cent	-41.6	-15.8	-41.0	14.3
-71.7	-53.71		862	9.4	-1.6	-18.2	22.9
-15.1	-36.61		864	10.1	0.8	-65.5	71.1
-60.3	-42.96		872	-92.5	-30.1	-63.8	9.8
-132.4	-58.04						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-97.4	-75.74		871	-93.2	-32.4	-16.5	-28.2
-----							
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	17.87		862	-0.0	-0.0	0.0	-0.0
-0.0	16.60		864	-0.0	-0.0	0.0	-0.0
-0.0	26.90		872	-0.0	-0.0	0.0	-0.0
-0.0	23.37		871	-0.0	-0.0	0.0	-0.0
-0.0	10.29						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	0.0		
			862	-0.0	0.0		
			864	-0.0	0.0		
			872	0.0	0.0		
			871	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		q3	Cent	7.8	0.1	7.0	11.9
-4.1	30.66		862	12.0	1.2	8.9	17.0
-3.8	29.36		864	12.1	1.6	5.0	14.1
-0.4	21.64		872	3.6	-1.0	5.2	6.9
-4.4	33.06		871	3.4	-1.4	9.1	10.4
-8.4	37.55						
			NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	0.0	-0.0	0.0
0.0	-75.36		862	0.0	0.0	-0.0	0.0
0.0	-43.55		864	0.0	0.0	-0.0	0.0
-0.0	-23.36		872	0.0	0.0	-0.0	0.0
0.0	-80.85		871	0.0	0.0	-0.0	0.0
0.0	-84.15						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	-0.0		
			862	0.0	-0.0		
			864	0.0	-0.0		
			872	-0.0	-0.0		
			871	-0.0	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.8	1.12	q5_pc	Cent	27.1	0.8	0.5	27.1
0.1	0.84		862	27.1	0.2	0.4	27.1
1.5	0.62		864	27.5	1.5	0.3	27.5
1.4	1.41		872	27.2	1.4	0.6	27.2
0.0	1.60		871	26.8	0.1	0.7	26.8
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-68.82		Cent	0.0	0.0	-0.0	0.0
0.0	-61.97		862	0.0	0.0	-0.0	0.0
0.0	-54.60		864	0.0	0.0	-0.0	0.0
0.0	-66.64		872	0.0	0.0	-0.0	0.0
0.0	-78.76		871	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			862	0.0	-0.0		
			864	0.0	-0.0		
			872	-0.0	-0.0		
			871	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.5	2.18	q5_ps	Cent	24.1	0.6	0.9	24.2
0.1	1.86		862	24.0	0.2	0.8	24.0
0.9	2.02		864	24.2	0.9	0.8	24.2
0.9	2.51		872	24.3	1.0	1.0	24.4
0.1	2.34		871	24.1	0.2	1.0	24.1
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-39.18		Cent	0.0	0.0	-0.0	0.0
0.0	-10.17		862	0.0	0.0	-0.0	0.0
0.0	-14.15		864	0.0	0.0	-0.0	0.0
0.0	-50.94		872	0.0	0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0      -78.28			871	0.0	0.0	-0.0	0.0	
Fmin	ANGLE	LC	NODE	Vxx	Vyy			
			Cent	-0.0	-0.0			
			862	0.0	-0.0			
			864	0.0	-0.0			
			872	-0.0	-0.0			
			871	-0.0	-0.0			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
			Cent	-1984.8	-0.7	-27.9	-0.3	
-1990.4	-89.20	INVSLU	Max	862	-1541.9	103.0	126.2	
-1550.0	83.27			864	-1494.9	258.4	312.0	
-1545.5	-67.06			872	-2404.5	-92.4	-61.3	
-2440.9	-82.52			871	-2433.4	-203.6	-173.2	
-2443.7	83.39			Cent	-2220.7	-241.3	-119.5	
-2342.5	-76.46	Min		862	-1662.6	-165.6	-121.1	
-1700.0	-80.34			864	-1629.2	-28.1	241.9	
-1951.2	-72.40			872	-2826.5	-364.4	-148.7	
-3042.2	-74.16			871	-2876.6	-529.2	-509.2	
-2896.6	-84.75							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
			Max	Cent	0.1	0.3	0.0	0.3
0.1	84.88			862	0.1	0.3	0.0	0.3
0.1	85.37			864	0.1	0.3	0.0	0.3
0.1	86.03			872	0.1	0.4	0.0	0.4
0.1	84.96			871	0.2	0.4	0.0	0.4
0.2	85.52			Cent	0.0	0.1	-0.0	0.1
-0.0	-75.62	Min		862	0.0	0.0	-0.0	0.1
-0.0	-73.37			864	0.0	0.1	-0.0	0.1
0.0	-79.99			872	-0.1	0.0	-0.0	0.1
-0.1	-78.97			871	0.0	0.1	-0.0	0.1
0.0	-58.68							
			NODE	Vxx	Vyy			
			Max	Cent	0.1	0.0		
				862	0.1	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	864	0.1	0.1
	872	0.2	0.1
	871	0.2	-0.0
Min	Cent	0.0	-0.4
	862	0.0	-0.4
	864	0.0	-0.3
	872	-0.0	-0.3
	871	-0.0	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1059.8	-82.04	INVSLV	Max Cent	-1045.1	-26.3	-121.5	-5.8
-789.0	-88.71		862	-788.7	31.9	-12.0	32.2
-844.7	-73.76		864	-774.1	83.0	-247.1	167.6
-1341.9	-78.64		872	-1298.4	-81.5	-230.3	-28.6
-1312.5	89.76		871	-1312.5	-126.1	5.7	-126.1
-1159.8	-83.42		Min Cent	-1139.0	-29.4	-155.4	-14.1
-877.3	-88.02		862	-876.0	26.5	-37.2	27.7
-942.6	-75.15		864	-862.4	69.3	-293.5	135.7
-1458.3	-79.66		872	-1404.9	-88.2	-274.3	-44.0
-1419.3	-89.18		871	-1419.0	-137.5	-18.8	-137.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	65.93	Max Cent	0.0	0.1	0.0	0.1
0.0	-55.24		862	0.0	0.1	0.1
0.0	-50.75		864	0.0	0.0	0.1
0.0	71.13		872	0.0	0.1	0.1
0.1	82.59		871	0.1	0.2	0.2
-0.0	-52.03	Min Cent	0.0	-0.0	-0.0	0.0
-0.0	46.55		862	-0.0	-0.0	-0.0
-0.1	60.00		864	-0.0	-0.0	0.0
-0.0	-26.96		872	0.0	-0.0	0.0
-0.1	-12.35		871	-0.0	-0.1	-0.0

NODE	Vxx	Vyy
Max Cent	0.0	0.3
862	0.0	0.4
864	0.0	0.2
872	0.0	0.2



MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	871	0.0	0.4
Min	Cent	-0.0	-0.4
	862	-0.0	-0.5
	864	-0.0	-0.3
	872	-0.1	-0.3
	871	-0.1	-0.5

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
943	2	4	Q1-1-2	Max	Cent	3.0	11.1	107.3	114.4
-100.3		46.09			870	2.4	9.0	156.4	162.1
-150.7		45.60			871	2.3	31.4	62.2	80.7
-47.0		51.58			879	3.5	16.2	66.2	76.3
-56.7		47.74			878	3.6	0.9	170.6	172.9
-168.4		44.77		Min	Cent	-390.8	-275.5	-253.0	-73.6
-592.7		-51.41			870	-334.7	-301.8	-177.7	-139.8
-496.7		-47.65			871	-341.0	-318.8	-325.6	-4.1
-655.7		-45.98			879	-478.0	-353.9	-338.1	-72.2
-759.7		-50.20			878	-473.8	-340.6	-182.3	-213.1
-601.3		-55.04							
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
				Max	Cent	0.1	0.3	0.0	0.3
0.1		87.21			870	0.1	0.4	0.0	0.4
0.1		87.55			871	0.1	0.3	0.0	0.3
0.1		85.80			879	0.1	0.4	0.0	0.4
0.1		86.35			878	0.1	0.4	0.0	0.4
0.1		87.23		Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0		-35.83			870	-0.0	-0.0	-0.0	0.0
-0.1		-35.56			871	-0.0	-0.0	-0.0	0.0
-0.0		-37.14			879	-0.0	-0.0	-0.0	0.0
-0.1		-31.35			878	-0.0	-0.0	-0.0	0.0
-0.1		-36.83							
				NODE	Vxx	Vyy			
				Max	Cent	0.1	0.1		
					870	0.1	0.1		
					871	0.1	0.4		
					879	0.0	0.4		
					878	0.0	0.1		
				Min	Cent	-0.0	-0.6		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

870 -0.0 -0.4  
 871 -0.0 -1.1  
 879 -0.0 -1.1  
 878 -0.0 -0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-65.9	46.02	Q2a-1-2	Max Cent	2.2	7.2	70.5	75.3
-99.7	45.49		870	1.8	5.3	103.3	106.9
-30.8	51.39		871	1.7	20.2	40.8	52.8
-37.0	47.62		879	2.6	10.5	43.3	50.0
-111.8	44.72		878	2.7	0.5	113.4	114.9
-378.9	-49.32		Min Cent	-243.4	-195.5	-157.6	-60.0
-324.2	-44.10		870	-210.4	-217.4	-110.2	-103.6
-424.8	-44.05		871	-215.3	-228.8	-202.7	-19.2
-488.7	-48.26		879	-299.8	-251.3	-211.8	-62.4
-385.9	-51.73		878	-296.4	-242.2	-113.4	-152.7
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	87.42		Max Cent	0.1	0.2	0.0	0.2
0.1	87.77		870	0.1	0.2	0.0	0.2
0.0	85.87		871	0.0	0.2	0.0	0.2
0.1	86.32		879	0.1	0.3	0.0	0.3
0.1	87.46		878	0.1	0.3	0.0	0.3
-0.0	-39.40		Min Cent	-0.0	-0.0	-0.0	0.0
-0.0	-39.25		870	-0.0	-0.0	-0.0	0.0
-0.0	-40.19		871	-0.0	-0.0	-0.0	0.0
-0.0	-35.96		879	-0.0	-0.0	-0.0	0.0
-0.0	-40.04		878	-0.0	-0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Max Cent	0.0	0.1		
			870	0.1	0.1		
			871	0.1	0.2		
			879	0.0	0.2		
			878	0.0	0.1		
			Min Cent	-0.0	-0.4		
			870	-0.0	-0.2		
			871	-0.0	-0.7		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

879 -0.0 -0.7  
878 -0.0 -0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.4	25.67	SLVx (RS)	Cent	27.1	4.4	14.2	34.0
-1.0	20.10		870	22.3	2.1	8.5	25.4
-9.3	32.82		871	22.9	4.1	20.7	36.3
-4.9	29.37		879	32.1	6.8	20.8	43.8
2.3	16.50		878	31.5	4.9	8.6	34.1

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	0.79		Cent	-0.0	-0.0	0.0	-0.0
-0.0	0.99		870	-0.0	-0.0	0.0	-0.0
-0.0	-1.99		871	-0.0	-0.0	-0.0	-0.0
-0.0	-1.67		879	-0.0	-0.0	-0.0	-0.0
-0.0	0.76		878	-0.0	-0.0	0.0	-0.0

	NODE	Vxx	Vyy
	Cent	-0.0	-0.0
	870	-0.0	0.0
	871	-0.0	-0.0
	879	0.0	-0.0
	878	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.2	12.92	SLVy (RS)	Cent	50.5	2.5	11.6	53.2
-0.2	9.73		870	48.1	1.2	8.3	49.5
-1.9	16.51		871	48.5	2.5	14.9	52.9
-0.4	15.68		879	53.0	3.8	15.0	57.2
1.2	9.20		878	52.6	2.5	8.3	54.0

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.3	-0.29		Cent	-0.1	-0.3	-0.0	-0.1
-0.2	-0.63		870	-0.1	-0.2	-0.0	-0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.2	-2.76	871	-0.0	-0.2	-0.0	-0.0
-0.3	-1.31	879	-0.1	-0.3	-0.0	-0.1
-0.4	0.64	878	-0.1	-0.4	0.0	-0.1

NODE	Vxx	Vyy
Cent	-0.0	1.0
870	-0.1	1.0
871	-0.1	1.0
879	-0.0	1.0
878	-0.0	1.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.2	25.67	SLDx (RS)	Cent	13.6	2.2	7.1	17.0
-0.5	20.11		870	11.1	1.0	4.3	12.7
-4.6	32.82		871	11.4	2.1	10.4	18.1
-2.4	29.37		879	16.0	3.4	10.4	21.9
1.2	16.50		878	15.7	2.4	4.3	17.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	0.79	Cent	-0.0	-0.0	0.0	-0.0
-0.0	0.99	870	-0.0	-0.0	0.0	-0.0
-0.0	-1.99	871	-0.0	-0.0	-0.0	-0.0
-0.0	-1.67	879	-0.0	-0.0	-0.0	-0.0
-0.0	0.76	878	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
870	-0.0	0.0
871	-0.0	-0.0
879	0.0	-0.0
878	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.1	12.92	SLDy (RS)	Cent	25.2	1.2	5.8	26.6
-0.1	9.73		870	24.0	0.6	4.1	24.7
-1.0	16.51		871	24.2	1.3	7.5	26.4
			879	26.5	1.9	7.5	28.6

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.2	15.68		878	26.3	1.3	4.2	27.0
0.6	9.21						
-----							
			Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-0.29		870	-0.0	-0.1	-0.0	-0.0
-0.1	-0.63		871	-0.0	-0.1	-0.0	-0.0
-0.1	-2.76		879	-0.0	-0.2	-0.0	-0.0
-0.2	-1.31		878	-0.1	-0.2	0.0	-0.1
-0.2	0.64						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	0.5		
			870	-0.0	0.5		
			871	-0.0	0.5		
			879	-0.0	0.5		
			878	-0.0	0.5		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVz (RS)	Cent	12.4	2.2	6.5	15.6
-1.0	25.85		870	10.3	1.2	3.6	11.5
-0.0	19.18		871	10.5	2.1	9.5	16.7
-4.1	32.99		879	14.6	3.2	9.5	20.0
-2.2	29.52		878	14.4	2.3	3.6	15.4
1.3	15.53						
			NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-1.43		870	-0.0	-0.0	-0.0	-0.0
-0.0	-2.46		871	-0.0	-0.0	-0.0	-0.0
-0.0	-2.58		879	-0.0	-0.0	-0.0	-0.0
-0.0	-1.76		878	-0.0	-0.0	-0.0	-0.0
-0.0	-1.23						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.0		
			870	-0.0	0.0		
			871	-0.0	-0.0		
			879	0.0	-0.0		
			878	0.0	0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		g1	Cent	-243.5	-38.6	-100.1	2.2
-284.2	-67.84		870	-199.0	-24.4	-36.0	-17.2
-206.2	-78.80		871	-199.6	-26.3	-164.9	73.2
-299.2	-58.86		879	-287.9	-52.8	-164.1	31.5
-372.2	-62.81		878	-287.3	-50.8	-35.2	-45.7
-292.5	-81.70						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	89.17		Cent	0.0	0.0	0.0	0.0
0.0	-89.98		870	0.0	0.0	-0.0	0.0
0.0	89.72		871	0.0	0.0	0.0	0.0
0.0	89.72		879	0.0	0.0	0.0	0.0
0.0	88.73		878	0.0	0.0	0.0	0.0
0.0	88.73						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	0.0		
			870	-0.0	-0.1		
			871	-0.0	0.1		
			879	-0.0	0.1		
			878	-0.0	-0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		g2	Cent	-116.6	-17.3	-45.7	0.5
-134.4	-68.69		870	-96.2	-13.0	-15.5	-10.2
-99.0	-79.78		871	-95.0	-9.1	-76.6	35.7
-139.9	-59.66		879	-136.9	-21.7	-75.8	15.9
-174.5	-63.62		878	-138.1	-25.6	-14.8	-23.7
-140.0	-82.65						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	5.52		Cent	-0.0	-0.0	0.0	-0.0
-0.0	5.46		870	-0.0	-0.0	0.0	-0.0
-0.0	5.46		871	-0.0	-0.0	0.0	-0.0
-0.0	4.11		879	-0.0	-0.1	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	2.43		878	-0.0	-0.0	0.0	-0.0
-0.0	6.50						

NODE	Vxx	Vyy
Cent	-0.0	0.1
870	-0.0	-0.0
871	-0.0	0.3
879	-0.0	0.3
878	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q3	Cent	3.0	0.3	7.6	9.4
-6.1	39.96		870	4.2	0.1	9.6	12.0
-7.6	38.98		871	4.6	1.3	5.5	8.7
-2.8	36.68		879	1.8	0.4	5.6	6.8
-4.6	41.65		878	1.4	-0.7	9.7	10.1
-9.4	41.88						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	0.0	-0.0	0.0
0.0	-89.77	870	0.0	0.0	-0.0	0.0
0.0	-89.49	871	0.0	0.0	0.0	0.0
0.0	89.00	879	0.0	0.0	0.0	0.0
0.0	89.27	878	0.0	0.0	-0.0	0.0
0.0	-89.55					

NODE	Vxx	Vyy
Cent	0.0	-0.0
870	0.0	-0.0
871	0.0	-0.0
879	0.0	-0.0
878	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_pc	Cent	29.8	-0.2	0.9	29.9
-0.2	1.70		870	29.2	0.0	-0.2	29.2
0.0	-0.47		871	28.9	-0.9	2.1	29.0
-1.1	4.05		879	30.5	-0.4	2.0	30.6
-0.5	3.73		878	30.8	0.5	-0.3	30.8
0.5	-0.63						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-84.42		Cent	0.0	0.0	-0.0	0.0
0.0	-83.91		870	0.0	0.0	-0.0	0.0
0.0	-86.95		871	0.0	0.0	-0.0	0.0
0.0	-87.99		879	0.0	0.0	-0.0	0.0
0.0	-83.85		878	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			870	0.0	-0.0		
			871	0.0	-0.0		
			879	-0.0	-0.0		
			878	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.2	3.15	q5_ps	Cent	27.1	0.3	1.5	27.2
0.3	0.67		870	26.4	0.3	0.3	26.4
-0.6	5.82		871	26.2	-0.3	2.7	26.5
-0.0	5.44		879	27.8	0.2	2.7	28.1
0.8	0.49		878	28.0	0.8	0.2	28.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	88.20		Cent	0.0	0.0	0.0	0.0
0.0	88.67		870	0.0	0.0	0.0	0.0
0.0	78.11		871	0.0	0.0	0.0	0.0
0.0	81.86		879	0.0	0.0	0.0	0.0
0.0	89.17		878	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			870	0.0	-0.0		
			871	0.0	-0.0		
			879	-0.0	-0.0		
			878	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax



MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-2925.4	-85.50		INVS LU Max Cent	-2909.8	-68.2	-160.1	-57.8
-2674.5	84.12		870	-2662.3	-27.2	276.3	1.2
-2781.7	-78.24		871	-2642.2	70.9	-601.5	196.9
-3274.0	-78.86		879	-3157.3	-105.3	-585.2	6.6
-3190.8	84.23		878	-3177.4	-192.3	306.6	-161.9
-3641.9	-78.50		Min Cent	-3510.1	-455.5	-648.1	-323.4
-3197.2	-86.37		870	-3186.1	-446.8	-175.1	-435.7
-3575.7	-70.42		871	-3174.2	-403.5	-1128.9	-0.4
-4231.2	-72.63		879	-3876.2	-605.6	-1134.7	-249.9
-3899.8	-87.00		878	-3890.9	-654.7	-170.5	-645.8
0.2	86.26		Max Cent	0.2	0.6	0.0	0.6
0.2	86.68		870	0.2	0.6	0.0	0.6
0.2	86.10		871	0.2	0.6	0.0	0.6
0.2	85.13		879	0.2	0.6	0.0	0.6
0.2	86.34		878	0.2	0.7	0.0	0.7
0.0	-72.13		Min Cent	0.0	0.1	-0.0	0.1
-0.0	-63.09		870	0.0	0.0	-0.0	0.1
0.1	-83.12		871	0.1	0.2	-0.0	0.2
-0.0	-46.51		879	0.0	0.0	-0.0	0.0
0.0	-70.90		878	0.0	0.1	-0.0	0.1
			NODE	Vxx	Vyy		
			Max Cent	0.1	0.8		
			870	0.1	-0.3		
			871	0.1	2.1		
			879	0.0	2.1		
			878	0.0	-0.3		
			Min Cent	-0.0	-0.3		
			870	-0.1	-1.0		
			871	-0.1	0.1		
			879	-0.1	0.1		
			878	-0.1	-1.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		INVS LV	Max	Cent				
-1589.0	-83.55				-1568.5	-49.5	-175.8	-29.6
				870	-1425.0	-21.3	36.4	-20.4
-1425.9	88.54			871	-1415.6	10.5	-392.7	122.6
-1518.6	-74.67			879	-1711.9	-77.7	-387.0	11.1
-1800.8	-76.47			878	-1721.3	-109.4	42.1	-108.3
-1722.4	88.52		Min	Cent	-1693.3	-61.2	-215.0	-33.1
-1720.7	-82.55			870	-1540.6	-26.9	12.2	-26.8
-1540.7	89.53			871	-1532.5	-0.4	-448.8	110.4
-1652.2	-75.73			879	-1846.0	-95.6	-443.3	8.6
-1949.9	-77.43			878	-1854.1	-122.1	17.7	-121.9
-1854.3	89.41							

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-----		-----		-----		-----		-----	
		Max	Cent		0.1	0.3	0.0	0.3	
0.1	89.34		870		0.1	0.3	0.0	0.3	
0.1	89.27		871		0.0	0.2	0.0	0.2	
0.0	86.98		879		0.1	0.4	0.0	0.4	
0.1	88.15		878		0.1	0.4	0.0	0.4	
0.1	-89.68	Min	Cent		-0.1	-0.2	0.0	-0.1	
-0.2	0.21		870		-0.1	-0.2	-0.0	-0.1	
-0.2	-0.49		871		-0.0	-0.1	-0.0	-0.0	
-0.1	-2.34		879		-0.1	-0.3	-0.0	-0.1	
-0.3	-0.63		878		-0.1	-0.3	-0.0	-0.1	
-0.3	1.02								

	NODE	Vxx	Vyy
Max	Cent	0.0	1.0
	870	0.1	1.0
	871	0.1	1.1
	879	0.0	1.1
	878	0.0	1.0
Min	Cent	-0.0	-1.0
	870	-0.1	-1.1
	871	-0.1	-1.0
	879	-0.0	-1.0
	878	-0.0	-1.1

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-----		-----		-----		-----		-----	
944	2	10	Q1-1-2	Max	2.4	22.6	106.7	119.7	
	Fmin	ANGLE		Cent					
	-94.7	47.71							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-129.2	47.17		871	2.0	23.5	141.5	154.7
			872	2.0	42.2	74.0	98.8
-54.6	52.59		880	2.7	25.0	76.2	90.9
-63.1	49.16		879	2.7	14.0	152.0	160.5
-143.7	46.06	Min	Cent	-329.4	-248.8	-240.4	-45.4
-532.8	-49.76		871	-293.7	-293.1	-187.4	-106.0
-480.8	-45.04		872	-285.0	-267.8	-296.8	20.5
-573.3	-45.83		880	-391.3	-291.8	-301.7	-35.8
-647.3	-49.68		879	-402.0	-323.7	-185.8	-173.0
-552.7	-50.95						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
			Max	Cent	0.1	0.3	0.0	0.3
0.1	86.56			871	0.1	0.2	0.0	0.2
0.1	82.97			872	0.2	0.5	0.0	0.5
0.2	88.72			880	0.1	0.2	0.0	0.2
0.1	87.31			879	0.1	0.3	0.0	0.3
0.1	83.12	Min	Cent	-0.0	-0.0	-0.0	0.0	
-0.0	-36.81			871	-0.0	-0.0	-0.0	0.0
-0.0	-38.45			872	-0.0	-0.1	-0.0	-0.0
-0.1	-27.76			880	-0.0	-0.0	-0.0	0.0
-0.1	-41.90			879	-0.0	-0.0	-0.0	-0.0
-0.0	-31.42							

	NODE	Vxx	Vyy
Max	Cent	0.0	1.0
	871	0.0	0.2
	872	0.0	2.8
	880	0.0	2.8
	879	0.0	0.2
Min	Cent	-0.1	-0.5
	871	-0.1	-0.8
	872	-0.1	-1.3
	880	-0.0	-1.3
	879	-0.0	-0.8

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
			Max	Cent	1.8	14.2	70.0	78.2
-62.2	47.55	Q2a-1-2		871	1.5	15.3	93.1	101.7
-84.9	47.12							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-36.4	51.92		872	1.5	25.3	48.4	63.3
-41.6	48.71		880	2.0	15.0	49.7	58.6
-95.0	46.00		879	2.0	9.1	100.5	106.1
-342.3	-47.73	Min	Cent	-205.8	-177.1	-150.2	-40.6
-314.6	-41.94		871	-184.7	-209.7	-116.7	-79.9
-372.0	-44.02		872	-179.9	-192.7	-185.6	-0.6
-418.4	-47.81		880	-246.5	-209.2	-189.6	-37.4
-357.5	-47.86		879	-252.8	-229.6	-115.7	-124.9

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	86.58	Max	Cent	0.1	0.2	0.0	0.2
0.0	83.14		871	0.0	0.1	0.0	0.1
0.1	88.98		872	0.1	0.3	0.0	0.3
0.0	87.70		880	0.0	0.1	0.0	0.1
0.1	83.06		879	0.1	0.2	0.0	0.2
-0.0	-39.70	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-40.72		871	-0.0	-0.0	-0.0	0.0
-0.1	-31.47		872	-0.0	-0.1	-0.0	-0.0
-0.0	-42.61		880	-0.0	-0.0	-0.0	0.0
-0.0	-35.27		879	-0.0	-0.0	-0.0	0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.6
	871	0.0	0.1
	872	0.0	1.7
	880	0.0	1.7
	879	0.0	0.1
Min	Cent	-0.0	-0.3
	871	-0.1	-0.5
	872	-0.1	-0.7
	880	-0.0	-0.7
	879	-0.0	-0.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.1	28.35	SLVx (RS)	Cent	24.1	7.0	13.1	31.2
0.2	24.61		871	20.8	4.5	9.4	25.1
-3.9	33.90		872	21.6	7.6	17.2	33.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-1.1	31.19	880	27.6	9.4	17.4	38.1	
2.5	21.64	879	26.7	6.3	9.6	30.5	
-----							
-0.0	3.29	Cent	-0.0	-0.0	0.0	-0.0	
-0.0	3.21	871	-0.0	-0.0	0.0	-0.0	
-0.0	86.00	872	-0.0	0.0	0.0	0.0	
-0.0	-1.09	880	-0.0	-0.0	-0.0	-0.0	
-0.0	1.54	879	-0.0	-0.0	0.0	-0.0	
-----							
		NODE	Vxx	Vyy			
		Cent	-0.0	0.0			
		871	-0.0	-0.0			
		872	-0.0	0.1			
		880	0.0	0.1			
		879	0.0	-0.0			
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.2	13.32	SLVy (RS)	Cent	44.0	2.6	10.4	46.5
0.1	14.18		871	44.7	3.0	11.3	47.6
0.6	12.27		872	44.6	2.7	9.6	46.6
0.2	12.46		880	43.3	2.3	9.5	45.4
-0.3	14.40		879	43.4	2.6	11.2	46.3
-----							
Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-0.1	-3.65	Cent	-0.0	-0.1	-0.0	-0.0	
-0.1	-6.69	871	-0.0	-0.1	-0.0	-0.0	
-0.1	-8.82	872	-0.0	-0.1	-0.0	-0.0	
-0.1	-2.50	880	-0.0	-0.1	-0.0	-0.0	
-0.2	-1.63	879	-0.1	-0.2	-0.0	-0.1	
-----							
		NODE	Vxx	Vyy			
		Cent	-0.0	0.5			
		871	-0.0	0.7			
		872	-0.0	0.2			
		880	-0.0	0.2			
		879	-0.0	0.7			

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLDx (RS)	Cent	12.1	3.5	6.5	15.6
-0.1	28.35		871	10.4	2.3	4.7	12.5
0.1	24.62		872	10.8	3.8	8.6	16.6
-2.0	33.90		880	13.8	4.7	8.7	19.0
-0.6	31.19		879	13.4	3.2	4.8	15.3
1.3	21.65						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	3.29		871	-0.0	-0.0	0.0	-0.0
-0.0	3.21		872	-0.0	0.0	0.0	0.0
-0.0	86.00		880	-0.0	-0.0	-0.0	-0.0
-0.0	-1.09		879	-0.0	-0.0	0.0	-0.0
-0.0	1.54						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	0.0		
			871	-0.0	-0.0		
			872	-0.0	0.0		
			880	0.0	0.0		
			879	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLDy (RS)	Cent	22.0	1.3	5.2	23.2
0.1	13.33		871	22.3	1.5	5.6	23.7
0.1	14.18		872	22.3	1.4	4.8	23.3
0.3	12.28		880	21.6	1.2	4.8	22.7
0.1	12.47		879	21.7	1.3	5.6	23.1
-0.1	14.41						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-3.65		871	-0.0	-0.1	-0.0	-0.0
-0.1	-6.69		872	-0.0	-0.0	-0.0	-0.0
-0.0	-8.82						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	-2.50	880	-0.0	-0.1	-0.0	-0.0
-0.1	-1.63	879	-0.0	-0.1	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.2
871	-0.0	0.3
872	-0.0	0.1
880	-0.0	0.1
879	-0.0	0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.1	28.62	SLVz (RS)	Cent	11.1	3.3	6.0	14.3
0.4	24.09		871	9.6	2.2	4.1	11.4
-1.5	34.38		872	10.0	3.8	7.9	15.3
-0.4	31.55		880	12.5	4.5	7.9	17.4
1.3	21.13		879	12.2	3.0	4.2	13.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	2.49	Cent	-0.0	-0.0	0.0	-0.0
-0.0	4.10	871	-0.0	-0.0	0.0	-0.0
0.0	80.42	872	0.0	0.0	0.0	0.0
-0.0	-1.32	880	-0.0	-0.0	-0.0	-0.0
-0.0	1.51	879	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
871	-0.0	-0.0
872	-0.0	0.0
880	0.0	0.0
879	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-247.5	-66.54	g1	Cent	-207.6	-35.2	-92.1	4.8
-195.9	-72.84		871	-180.2	-31.9	-50.6	-16.3
-255.0	-59.99		872	-177.0	-21.1	-135.1	57.0
-302.5	-63.15		880	-234.9	-38.5	-133.6	29.1
			879	-238.1	-49.4	-49.1	-37.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-250.2      -76.25

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-80.97	Cent	0.0	0.0	-0.0	0.0
0.0	-84.19	871	0.0	0.0	-0.0	0.0
-0.0	-2.19	872	-0.0	-0.0	-0.0	-0.0
0.0	-90.00	880	0.0	0.0	-0.0	0.0
0.0	-78.55	879	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.3
871	0.0	0.1
872	0.0	-0.6
880	-0.0	-0.6
879	-0.0	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-115.3	-68.08	g2	Cent	-98.4	-11.2	-41.9	5.6
-94.2	-73.70		871	-87.3	-12.5	-23.9	-5.5
-116.7	-61.95		872	-84.2	-2.2	-61.0	30.2
-137.6	-64.89		880	-109.6	-9.9	-59.8	18.1
-118.0	-76.88		879	-112.7	-20.2	-22.8	-14.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	1.36	Cent	-0.0	-0.0	0.0	-0.0
-0.0	-4.04	871	-0.0	-0.0	-0.0	-0.0
-0.1	6.10	872	-0.0	-0.1	0.0	-0.0
0.0	59.50	880	0.0	0.0	0.0	0.0
-0.0	-5.24	879	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	-0.3
871	0.0	0.2
872	0.0	-0.8
880	-0.0	-0.8
879	-0.0	0.2

LC	NODE	Fxx	Fyy	Fxy	Fmax
----	------	-----	-----	-----	------



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE						
-5.7	40.11	q3	Cent	2.7	0.2	7.1	8.6
-6.8	39.90		871	4.1	0.8	9.1	11.7
-3.2	35.38		872	4.0	0.4	5.1	7.6
-4.7	40.49		880	1.2	-0.4	5.1	5.6
-8.4	42.89		879	1.3	0.0	9.1	9.8
			NODE	Mxx	Myy	Mxy	Mmax
0.0	-86.35		Cent	0.0	0.0	-0.0	0.0
0.0	-89.62		871	0.0	0.0	-0.0	0.0
0.0	-78.88		872	0.0	0.0	-0.0	0.0
0.0	-83.77		880	0.0	0.0	-0.0	0.0
0.0	87.93		879	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			871	-0.0	-0.0		
			872	-0.0	-0.0		
			880	0.0	-0.0		
			879	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.0	1.81	q5_pc	Cent	25.7	-1.0	0.8	25.7
-0.6	4.46		871	26.7	-0.4	2.1	26.8
-1.0	-0.83		872	26.5	-1.0	-0.4	26.5
-1.5	-0.94		880	24.8	-1.5	-0.4	24.8
-1.1	4.60		879	24.9	-0.9	2.1	25.1
			NODE	Mxx	Myy	Mxy	Mmax
0.0	-86.84		Cent	0.0	0.0	-0.0	0.0
0.0	87.11		871	0.0	0.0	0.0	0.0
0.0	-82.27		872	0.0	0.0	-0.0	0.0
-0.0	-49.91		880	0.0	0.0	-0.0	0.0
			879	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0 85.12

NODE	Vxx	Vyy
Cent	-0.0	0.0
871	-0.0	-0.0
872	-0.0	0.1
880	0.0	0.1
879	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.5	3.23	q5_ps	Cent	23.3	-0.4	1.3	23.4
-0.1	5.41		871	24.1	0.1	2.3	24.3
-0.5	1.01		872	23.9	-0.5	0.4	23.9
-0.9	0.96		880	22.6	-0.9	0.4	22.6
-0.5	5.52		879	22.8	-0.3	2.3	23.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-88.06	Cent	0.0	0.0	-0.0	0.0
0.0	67.51	871	0.0	0.0	0.0	0.0
0.0	-78.61	872	0.0	0.0	-0.0	0.0
0.0	-65.82	880	0.0	0.0	-0.0	0.0
0.0	76.64	879	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
871	-0.0	-0.0
872	-0.0	0.0
880	-0.0	0.0
879	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2458.4	-86.80	INVSLU Max	Cent	-2444.0	19.0	-140.1	26.9
-2382.8	89.84		871	-2380.4	2.9	10.5	3.0
-2402.0	-83.43		872	-2357.5	106.4	-295.0	140.4
-2545.3	-83.84		880	-2507.6	39.4	-284.0	70.0
-2531.3	89.35		879	-2530.5	-53.7	32.6	-53.4
-3087.1	-77.27	Min	Cent	-2951.3	-349.2	-610.1	-211.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-2919.3	-79.95	871	-2842.6	-425.2	-437.4	-348.4
-3039.5	-73.74	872	-2807.4	-313.9	-796.3	-80.0
-3311.1	-74.80	880	-3095.3	-391.1	-794.9	-172.6
-3201.0	-80.91	879	-3133.2	-511.2	-427.1	-443.4

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
		Max	Cent	0.1	0.4	0.0	0.4
0.1	89.02		871	0.2	0.4	0.0	0.4
0.2	86.88		872	0.1	0.3	0.0	0.3
0.1	85.66		880	0.2	0.7	0.0	0.7
0.2	87.81		879	0.1	0.4	0.0	0.4
0.1	85.95	Min	Cent	0.0	0.1	-0.0	0.1
-0.0	-60.31		871	0.1	0.2	-0.0	0.2
0.1	-73.94		872	-0.2	-0.5	-0.1	-0.2
-0.5	-10.55		880	0.1	0.4	-0.0	0.4
0.1	-81.62		879	-0.0	-0.0	-0.0	0.0
-0.0	-49.25						

	NODE	Vxx	Vyy
Max	Cent	0.1	-1.1
	871	0.2	1.4
	872	0.2	-2.4
	880	0.0	-2.4
	879	0.0	1.4
Min	Cent	-0.0	-3.3
	871	-0.0	0.0
	872	-0.0	-7.9
	880	-0.1	-7.9
	879	-0.1	0.0

Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
-1340.8	-82.98	INVSLV	Max	Cent	-1319.9	-18.5	-164.4	1.7
-1289.5	-85.29			871	-1280.8	-22.0	-104.5	-13.3
-1312.6	-80.41			872	-1272.1	9.8	-225.8	48.0
-1396.6	-80.92			880	-1358.9	-14.9	-222.3	20.6
-1375.3	-85.64			879	-1367.6	-46.7	-101.1	-38.9
-1456.6	-81.90		Min	Cent	-1429.0	-36.0	-200.3	-7.5
-1401.8	-84.34			871	-1388.5	-34.2	-135.1	-21.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-1429.6	-79.11	872	-1380.2	-9.4	-270.6	42.7
-1515.8	-79.68	880	-1469.5	-37.8	-267.5	10.9
-1490.0	-84.72	879	-1477.8	-62.7	-131.8	-50.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.1	86.91	Max Cent	0.1	0.2	0.0	0.2
0.1	83.62	871	0.1	0.2	0.0	0.2
0.0	84.32	872	0.0	0.1	0.0	0.1
0.0	89.19	880	0.0	0.2	0.0	0.2
0.1	87.63	879	0.1	0.2	0.0	0.2
-0.1	-4.36	Min Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-6.89	871	-0.0	-0.1	-0.0	-0.0
-0.1	-12.60	872	-0.0	-0.1	-0.0	-0.0
-0.0	-7.79	880	-0.0	-0.0	-0.0	-0.0
-0.2	-0.59	879	-0.1	-0.2	-0.0	-0.1

	NODE	Vxx	Vyy
Max	Cent	0.0	0.3
	871	0.0	0.7
	872	0.0	-0.1
	880	0.0	-0.1
	879	0.0	0.7
Min	Cent	-0.0	-0.6
	871	-0.1	-0.7
	872	-0.1	-0.6
	880	-0.0	-0.6
	879	-0.0	-0.7

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE							
957	2	10	Q1-1-2	Max Cent	1031.1	32.2	117.2	1044.6
18.6	6.60			891	1087.6	15.0	187.1	1119.3
-16.7	9.62			106	1102.1	72.1	97.0	1111.2
63.1	5.33			2313	978.3	71.4	102.4	989.7
60.0	6.36			2347	963.4	13.7	193.9	1001.4
-24.4	11.11			Min Cent	-7.4	-11.3	-163.5	154.2
-172.9	-44.66			891	-7.4	-12.1	-125.8	116.1
-135.6	-44.46			106	-7.6	-3.8	-237.3	231.7
-243.0	-45.23							

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-247.4	-44.07		2313	-7.6	-22.7	-232.1	217.1
-155.5	-39.41		2347	-7.4	-55.5	-121.7	92.7
-0.0	39.33	Max	Cent	0.0	0.0	0.0	0.0
-0.0	46.78		891	0.0	0.0	0.0	0.0
-0.0	47.84		106	0.0	0.0	0.0	0.0
0.0	19.92		2313	0.0	0.0	0.0	0.0
-0.0	34.30		2347	0.0	0.0	0.0	0.0
-0.0	-6.67	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.1	-8.35		891	-0.0	-0.1	-0.0	-0.0
-0.0	-15.12		106	-0.0	-0.0	-0.0	-0.0
-0.1	-38.64		2313	-0.0	-0.0	-0.0	-0.0
-0.1	-11.01		2347	-0.0	-0.1	-0.0	-0.0
			NODE	Vxx	Vyy		
		Max	Cent	0.1	0.1		
			891	0.0	0.1		
			106	0.0	0.3		
			2313	0.1	0.3		
			2347	0.1	0.1		
		Min	Cent	-0.0	-0.1		
			891	-0.0	-0.2		
			106	-0.0	-0.2		
			2313	-0.1	-0.2		
			2347	-0.1	-0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
9.9	7.39	Q2a-1-2	Max Cent	620.9	20.1	79.2	631.2
-12.5	10.29		891	655.4	9.5	121.3	677.4
36.4	5.62		106	663.2	42.5	61.7	669.3
37.2	6.74		2313	589.3	44.9	65.3	597.0
-17.7	11.85		2347	581.0	8.7	125.7	607.4
-115.8	-44.79		Min Cent	-5.5	-7.1	-109.5	103.2
-88.2	-44.56		891	-5.5	-8.0	-81.5	74.8
-158.8	-45.36		106	-5.6	-1.7	-155.1	151.5
-161.4	-44.29		2313	-5.6	-13.1	-152.0	142.7

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-100.4	-39.71		2347	-5.4	-34.9	-78.9	60.1
-----							
		Max	Cent	0.0	0.0	0.0	0.0
-0.0	38.94		891	0.0	0.0	0.0	0.0
-0.0	46.23		106	0.0	0.0	0.0	0.0
-0.0	47.91		2313	0.0	0.0	0.0	0.0
0.0	19.80		2347	0.0	0.0	0.0	0.0
-0.0	33.15	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-6.40		891	-0.0	-0.0	-0.0	-0.0
-0.0	-8.23		106	-0.0	-0.0	-0.0	-0.0
-0.0	-14.88		2313	-0.0	-0.0	-0.0	-0.0
-0.0	-36.18		2347	-0.0	-0.0	-0.0	-0.0
-0.0	-10.39						
-----							
			NODE	Vxx	Vyy		
		Max	Cent	0.0	0.1		
			891	0.0	0.0		
			106	0.0	0.2		
			2313	0.1	0.2		
			2347	0.1	0.0		
		Min	Cent	-0.0	-0.1		
			891	-0.0	-0.1		
			106	-0.0	-0.1		
			2313	-0.1	-0.1		
			2347	-0.1	-0.1		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	-87.5	-4.0	4.8	-3.7
-87.8	86.75		891	-91.5	-2.3	5.2	-2.0
-91.8	86.70		106	-93.5	-9.1	9.8	-7.9
-94.6	83.45		2313	-83.6	6.5	9.4	7.5
-84.6	84.10		2347	-81.6	1.1	6.0	1.6
-82.0	85.90						
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	0.0	-0.0	0.0	0.0
-0.0	8.73		891	0.0	0.0	-0.0	0.0
0.0	-75.58		106	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	82.66		2313	0.0	0.0	0.0	0.0
0.0	58.67		2347	-0.0	-0.0	0.0	-0.0
-0.0	23.41						

NODE	Vxx	Vyy
Cent	-0.0	0.0
891	0.0	-0.0
106	0.0	0.0
2313	-0.0	0.0
2347	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	22.3	-1.0	2.5	22.6
-1.3	6.15		891	20.1	-1.8	-0.4	20.1
-1.8	-1.06		106	20.7	-2.0	5.0	21.8
-3.1	11.85		2313	24.5	2.4	5.1	25.6
1.3	12.46		2347	23.9	-0.6	-0.3	23.9
-0.6	-0.60						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.0	0.0	-0.0
-0.1	29.53	891	-0.0	-0.2	0.0	-0.0
-0.2	11.24	106	0.0	0.1	0.0	0.1
0.0	81.97	2313	-0.1	-0.1	0.0	-0.1
-0.1	16.42	2347	0.0	-0.0	0.0	0.0
-0.1	30.86					

NODE	Vxx	Vyy
Cent	0.0	0.4
891	0.0	-0.8
106	0.0	1.5
2313	0.1	1.5
2347	0.1	-0.8

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDx (RS)	Cent	-43.7	-2.0	2.4	-1.8
-43.9	86.75		891	-45.7	-1.1	2.6	-1.0
-45.9	86.70		106	-46.7	-4.5	4.9	-4.0
-47.3	83.44		2313	-41.8	3.3	4.7	3.7
-42.2	84.10						

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-41.0	85.90		2347	-40.8	0.6	3.0	0.8
-----							
			Cent	0.0	-0.0	0.0	0.0
-0.0	8.74		891	0.0	0.0	-0.0	0.0
0.0	-75.59		106	0.0	0.0	0.0	0.0
0.0	82.65		2313	0.0	0.0	0.0	0.0
0.0	58.65		2347	-0.0	-0.0	0.0	-0.0
-0.0	23.41						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	0.0		
			891	0.0	-0.0		
			106	0.0	0.0		
			2313	-0.0	0.0		
			2347	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLDy (RS)	Cent	11.1	-0.5	1.3	11.3
-0.7	6.15		891	10.0	-0.9	-0.2	10.0
-0.9	-1.07		106	10.3	-1.0	2.5	10.9
-1.5	11.84		2313	12.2	1.2	2.6	12.8
0.7	12.47		2347	11.9	-0.3	-0.1	11.9
-0.3	-0.60						
			NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	29.53		891	-0.0	-0.1	0.0	-0.0
-0.1	11.24		106	0.0	0.1	0.0	0.1
0.0	81.97		2313	-0.0	-0.1	0.0	-0.0
-0.1	16.42		2347	0.0	-0.0	0.0	0.0
-0.0	30.85						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	0.2		
			891	0.0	-0.4		
			106	0.0	0.8		
			2313	0.0	0.8		
			2347	0.0	-0.4		



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-36.7	87.71	SLVz (RS)	Cent	-36.7	-1.5	1.4	-1.4
-38.8	-87.85		891	-38.8	-1.1	-1.4	-1.0
-39.9	83.16		106	-39.4	-3.3	4.4	-2.8
-35.1	82.91		2313	-34.6	-2.0	4.1	-1.4
-34.1	-87.23		2347	-34.0	0.4	-1.7	0.5
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	66.23		Cent	0.0	0.0	0.0	0.0
0.0	78.83		891	0.0	0.0	0.0	0.0
0.0	-83.46		106	0.0	0.0	-0.0	0.0
0.0	-72.96		2313	0.0	0.0	-0.0	0.0
0.0	59.79		2347	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			891	0.0	0.0		
			106	0.0	0.0		
			2313	0.0	0.0		
			2347	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
20.9	-1.26	g1	Cent	764.8	21.3	-16.4	765.1
4.0	2.57		891	802.6	5.6	35.9	804.2
57.9	-5.67		106	820.6	65.5	-75.7	828.1
30.1	-5.62		2313	726.9	36.9	-68.6	733.7
-25.4	3.35		2347	709.0	-22.9	43.0	711.5
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	2.96		Cent	-0.0	-0.0	0.0	-0.0
-0.0	1.50		891	-0.0	-0.0	0.0	-0.0
-0.0	3.58		106	-0.0	-0.0	0.0	-0.0
-0.0	4.08		2313	-0.0	-0.0	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0      2.56      2347      -0.0      -0.0      0.0      -0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
891	0.0	-0.0
106	0.0	0.0
2313	0.0	0.0
2347	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
11.7	-0.42	g2	Cent	370.3	11.8	-2.6	370.3
-1.0	3.19		891	386.9	0.2	21.6	388.1
34.2	-4.89		106	397.9	36.9	-31.1	400.6
21.1	-4.62		2313	353.6	23.3	-26.9	355.8
-15.3	4.13		2347	342.6	-13.4	25.9	344.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-6.37	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-9.42	891	-0.0	-0.0	-0.0	-0.0
-0.0	0.75	106	-0.0	-0.0	0.0	-0.0
-0.0	-2.70	2313	-0.0	-0.0	-0.0	-0.0
-0.0	-17.34	2347	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
891	-0.0	-0.0
106	-0.0	-0.0
2313	-0.0	-0.0
2347	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.1	8.06	q3	Cent	28.9	0.7	4.1	29.5
-1.2	10.81		891	30.3	-0.0	6.0	31.4
2.3	3.70		106	31.0	2.4	1.9	31.1
1.2	4.66		2313	27.5	1.4	2.1	27.7
-2.4	12.15		2347	26.8	-1.1	6.3	28.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	0.71		Cent	-0.0	-0.0	0.0	-0.0
-0.0	-8.39		891	-0.0	-0.0	-0.0	-0.0
-0.0	19.86		106	-0.0	-0.0	0.0	-0.0
-0.0	11.65		2313	0.0	-0.0	0.0	0.0
-0.0	-11.58		2347	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
891	0.0	-0.0
106	0.0	0.0
2313	-0.0	0.0
2347	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.5	-1.65	q5_pc	Cent	25.8	0.5	-0.7	25.9
-0.2	-2.34		891	25.4	-0.2	-1.0	25.5
1.0	-1.22		106	25.8	1.0	-0.5	25.8
1.1	-0.93		2313	26.2	1.1	-0.4	26.2
-0.1	-2.05		2347	25.9	-0.1	-0.9	25.9

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	3.98		Cent	0.0	-0.0	0.0	0.0
-0.0	1.72		891	-0.0	-0.0	0.0	-0.0
-0.0	2.36		106	-0.0	-0.0	0.0	-0.0
0.0	22.78		2313	0.0	0.0	0.0	0.0
-0.0	4.56		2347	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
891	-0.0	0.0
106	-0.0	-0.0
2313	-0.0	-0.0
2347	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		q5_ps		Cent	21.8	0.5	-0.4	21.8
0.5	-1.09			891	21.3	-0.2	-0.8	21.3
-0.2	-2.17			106	21.7	1.1	-0.1	21.7
1.1	-0.34			2313	22.2	1.3	0.0	22.2
1.3	0.01			2347	21.8	-0.0	-0.7	21.9
-0.0	-1.80							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
-----				Cent	0.0	-0.0	0.0	0.0
-0.0	0.74			891	0.0	-0.0	-0.0	0.0
-0.0	-0.78			106	-0.0	-0.0	0.0	-0.0
-0.0	1.56			2313	0.0	0.0	0.0	0.0
0.0	17.73			2347	-0.0	-0.0	0.0	-0.0
-0.0	0.84							
			NODE	Vxx	Vyy			
			Cent	-0.0	-0.0			
			891	-0.0	0.0			
			106	-0.0	-0.0			
			2313	-0.0	-0.0			
			2347	-0.0	0.0			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-----								
79.0	2.27	INVSLU	Max	Cent	3035.0	83.6	118.3	3039.6
				891	3287.4	50.6	439.1	3345.4
16.2	7.56			106	3348.8	267.0	-153.5	3356.6
259.3	-2.86			2313	2787.6	146.6	-128.0	2793.9
140.4	-2.78			2347	2725.6	-70.7	466.6	2800.9
-133.5	9.20			Cent	1579.6	24.1	-261.9	1606.4
-18.2	-7.41		Min	891	1756.9	13.7	14.8	1758.9
-8.8	1.96			106	1797.6	162.7	-605.8	1940.2
-36.1	-13.94			2313	1402.3	17.6	-580.4	1547.9
-192.1	-15.46			2347	1361.5	-164.2	38.7	1365.9
-165.2	3.09							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
-----				Max	Cent	-0.0	-0.0	0.0
								-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	17.62		891	-0.0	-0.0	0.0	-0.0
-0.1	19.82		106	-0.0	-0.0	0.0	-0.0
-0.0	27.45		2313	0.0	-0.0	0.0	0.0
-0.0	15.64		2347	0.0	-0.0	0.0	0.0
-0.0	19.64	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-2.08		891	-0.0	-0.1	-0.0	-0.0
-0.1	-4.89		106	-0.0	-0.1	-0.0	-0.0
-0.1	-7.30		2313	-0.1	-0.1	-0.0	-0.1
-0.1	-12.88		2347	-0.0	-0.1	-0.0	-0.0
-0.1	-5.51						

	NODE	Vxx	Vyy
Max	Cent	0.1	0.1
	891	0.0	-0.0
	106	0.0	0.4
	2313	0.1	0.4
	2347	0.1	-0.0
Min	Cent	-0.1	-0.2
	891	-0.0	-0.3
	106	-0.0	-0.3
	2313	-0.1	-0.3
	2347	-0.1	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
40.8	-0.94	INVSLV	Max	Cent	1262.1	41.2	-9.8	1262.4
8.3	4.89			891	1369.6	18.4	127.1	1379.6
116.4	-7.80			106	1406.7	141.7	-154.5	1430.9
43.7	-8.18			2313	1154.6	65.4	-140.6	1177.8
-73.5	6.24			2347	1117.4	-56.7	142.3	1131.7
31.6	-0.63		Min	Cent	1051.6	31.7	-21.6	1051.8
-1.4	6.25			891	1151.3	12.2	115.7	1165.1
98.7	-8.26			106	1183.7	120.4	-179.8	1206.5
25.6	-8.95			2313	951.9	49.7	-164.9	974.6
-77.0	8.07			2347	919.6	-59.6	129.2	939.6
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
-0.0	-53.03		Max	Cent	0.0	0.0	0.0	0.0
				891	0.0	0.1	0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-76.98		106	0.0	0.1	0.0	0.1
0.0	79.44		2313	0.1	0.1	0.0	0.1
0.1	-69.53		2347	-0.0	0.0	0.0	0.0
-0.0	-54.11	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	23.84		891	-0.1	-0.2	-0.0	-0.0
-0.2	9.82		106	-0.0	-0.1	-0.0	-0.0
-0.1	-6.17		2313	-0.1	-0.2	-0.0	-0.1
-0.2	13.65		2347	-0.0	-0.1	-0.0	-0.0
-0.1	19.45						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.4
	891	0.0	0.8
	106	0.0	1.5
	2313	0.1	1.5
	2347	0.1	0.8
Min	Cent	-0.1	-0.4
	891	-0.0	-0.8
	106	-0.0	-1.6
	2313	-0.1	-1.6
	2347	-0.1	-0.8

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
964	2	10	Q1-1-2	Max	Cent	171.8	78.8	174.3	305.7
		37.53			903	361.6	96.5	212.6	479.6
		29.03			677	396.1	178.3	112.4	443.7
		22.95			680	10.7	68.3	138.7	181.2
		50.87			904	4.1	2.8	245.0	248.4
		44.93		Min	Cent	-1.4	-60.2	-186.7	158.3
		-40.53			903	-2.7	-69.2	-141.0	108.9
		-38.37			677	-2.8	-31.7	-255.0	238.1
		-43.38			680	-35.9	-70.8	-234.0	181.3
		-42.87			904	-63.6	-149.3	-121.1	22.0
		-35.25							
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
				Max	Cent	0.0	0.0	0.0	0.0
		74.15			903	0.0	0.0	0.0	0.1
		67.67			677	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	38.27			680	0.0	0.1	0.0	0.1
0.0	83.76			904	0.1	0.1	0.0	0.1
0.0	63.20							
-0.0	-78.84	Min	Cent		-0.0	-0.0	-0.0	-0.0
-0.0	-35.44			903	-0.0	-0.0	-0.0	0.0
-0.1	-49.55			677	-0.1	-0.1	-0.0	-0.1
-0.1	-87.73			680	-0.1	-0.0	-0.0	-0.0
-0.1	-46.19			904	-0.0	-0.0	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.2	0.0
	903	0.1	0.0
	677	0.1	0.0
	680	0.3	0.0
	904	0.3	0.0
Min	Cent	-0.0	-0.2
	903	-0.0	-0.0
	677	-0.0	-0.4
	680	-0.1	-0.4
	904	-0.1	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-39.9	38.46	Q2a-1-2	Max Cent	101.6	49.4	112.4	190.8
-19.7	30.23		903	215.6	60.2	137.1	295.5
77.6	24.13		677	238.1	109.8	71.9	270.3
-66.2	50.60		680	7.1	42.4	89.2	115.7
-157.0	44.92		904	2.1	1.3	158.7	160.4
-143.8	-40.24		Min Cent	-1.0	-41.6	-120.8	101.2
-119.6	-37.72		903	-2.0	-49.3	-91.0	68.3
-176.6	-43.37		677	-2.0	-20.8	-164.9	153.8
-187.7	-42.92		680	-25.0	-47.0	-151.3	115.8
-156.0	-34.50		904	-42.7	-102.5	-77.9	10.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	74.21	Max Cent	0.0	0.0	0.0	0.0
0.0	67.00	903	0.0	0.0	0.0	0.0
-0.0	39.73	677	0.0	0.0	0.0	0.0
		680	0.0	0.1	0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	83.94		904	0.0	0.0	0.0	0.1
0.0	63.49						
-0.0	-80.62	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-38.74		903	-0.0	-0.0	-0.0	0.0
-0.0	-41.40		677	-0.0	-0.0	-0.0	-0.0
-0.1	-88.12		680	-0.1	-0.0	-0.0	-0.0
-0.0	-46.91		904	-0.0	-0.0	-0.0	0.0

	NODE	Vxx	Vyy
Max	Cent	0.1	0.0
	903	0.1	0.0
	677	0.1	0.0
	680	0.2	0.0
	904	0.2	0.0
Min	Cent	-0.0	-0.1
	903	-0.0	-0.0
	677	-0.0	-0.3
	680	-0.0	-0.3
	904	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	18.7	1.6	3.1	19.2
1.1	10.02		903	34.2	5.5	6.0	35.4
4.3	11.31		677	34.7	7.3	7.3	36.5
5.5	13.97		680	6.8	2.9	6.4	11.6
-1.9	36.70		904	6.7	4.5	6.8	12.5
-1.3	40.43						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	0.0	-0.0	0.0
-0.0	-78.43		903	0.0	0.0	-0.0	0.0
0.0	-66.31		677	-0.0	0.0	0.0	0.0
-0.0	89.37		680	-0.0	-0.0	-0.0	-0.0
-0.0	-55.72		904	-0.0	-0.0	-0.0	-0.0
-0.0	-32.71						

	NODE	Vxx	Vyy
	Cent	0.0	0.0
	903	0.0	0.0
	677	0.0	0.0
	680	0.0	0.0
	904	0.0	0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVy (RS)	Cent	37.9	4.3	0.4	37.9
4.3	0.72		903	33.6	1.0	-1.8	33.7
0.9	-3.17		677	35.3	6.1	0.8	35.3
6.1	1.56		680	42.1	7.9	2.5	42.3
7.7	4.14		904	40.5	2.4	0.7	40.5
2.4	1.05						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.1	0.0	-0.0	0.0
-0.1	-73.25		903	0.1	0.1	-0.0	0.1
0.0	-60.30		677	-0.2	-0.1	-0.0	-0.1
-0.2	-88.90		680	-0.1	-0.0	-0.0	-0.0
-0.1	-77.23		904	0.0	0.0	-0.0	0.1
-0.0	-48.41						
			NODE	Vxx	Vyy		
-----							
			Cent	0.3	0.0		
			903	0.4	0.1		
			677	0.4	-0.0		
			680	0.2	-0.0		
			904	0.2	0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLDx (RS)	Cent	9.3	0.8	1.6	9.6
0.5	10.03		903	17.1	2.7	3.0	17.7
2.1	11.31		677	17.3	3.6	3.6	18.2
2.7	13.98		680	3.4	1.5	3.2	5.8
-0.9	36.70		904	3.3	2.2	3.4	6.2
-0.7	40.43						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	0.0	-0.0	0.0
-0.0	-78.43		903	0.0	0.0	-0.0	0.0
0.0	-66.30		677	-0.0	0.0	0.0	0.0
-0.0	89.37		680	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0      -55.75  
 -0.0      -32.72

NODE	Vxx	Vyy
Cent	0.0	0.0
903	0.0	0.0
677	0.0	0.0
680	0.0	0.0
904	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
2.1	0.73	SLDy (RS)	Cent	18.9	2.1	0.2	18.9
0.5	-3.17		903	16.8	0.5	-0.9	16.9
3.0	1.56		677	17.6	3.1	0.4	17.6
3.8	4.14		680	21.0	3.9	1.2	21.1
1.2	1.05		904	20.2	1.2	0.3	20.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-73.25	Cent	-0.0	0.0	-0.0	0.0
0.0	-60.30	903	0.0	0.0	-0.0	0.0
-0.1	-88.90	677	-0.1	-0.0	-0.0	-0.0
-0.1	-77.23	680	-0.1	-0.0	-0.0	-0.0
-0.0	-48.41	904	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.2	0.0
903	0.2	0.0
677	0.2	-0.0
680	0.1	-0.0
904	0.1	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-7.0	-82.17	SLVz (RS)	Cent	-6.9	-0.8	-0.9	-0.7
-14.0	-80.61		903	-13.7	-2.4	-1.9	-2.1
-14.9	74.11		677	-13.9	-3.3	3.3	-2.3
-3.6	58.62		680	-1.8	1.2	2.9	3.0
-2.9	-64.00		904	-1.8	1.9	-2.3	3.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----	-----	-----	-----	-----	-----	-----
-0.0	70.58	Cent	-0.0	-0.0	0.0	-0.0
-0.0	-28.76	903	-0.0	-0.0	-0.0	-0.0
0.0	0.98	677	0.0	0.0	0.0	0.0
-0.0	71.47	680	-0.0	-0.0	0.0	-0.0
-0.0	41.66	904	-0.0	-0.0	0.0	0.0

NODE	Vxx	Vyy
-----	-----	-----
Cent	0.0	0.0
903	0.0	0.0
677	0.0	0.0
680	0.0	0.0
904	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----	-----	-----	-----	-----	-----	-----	-----
0.4	-1.61	g1	Cent	144.4	0.6	-4.0	144.5
27.8	9.49		903	287.5	35.0	43.4	294.8
39.5	-13.53		677	293.3	54.2	-61.1	308.0
-70.7	-35.56		680	1.3	-33.9	-51.5	38.1
-87.0	32.68		904	-4.4	-53.0	53.0	29.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----	-----	-----	-----	-----	-----	-----
0.0	-66.46	Cent	0.0	0.0	-0.0	0.0
-0.0	-30.49	903	0.0	-0.0	-0.0	0.0
-0.0	-3.89	677	-0.0	-0.0	-0.0	-0.0
0.0	-86.13	680	0.0	0.0	-0.0	0.0
0.0	-81.07	904	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
-----	-----	-----
Cent	-0.0	-0.0
903	0.0	-0.0
677	0.0	-0.0
680	-0.0	-0.0
904	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----	-----	-----	-----	-----	-----	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-15.0	0.83		g2 Cent	71.2	-15.0	1.3	71.2	
1.8	10.46		903	140.7	6.6	25.6	145.5	
0.8	-9.78		677	140.2	4.9	-24.0	144.4	
-47.5	-25.23		680	1.6	-36.6	-23.1	12.5	
-48.8	27.53		904	2.1	-35.0	26.5	15.9	
Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-0.0	-12.15		Cent	0.0	-0.0	-0.0	0.0	
-0.0	-19.01		903	-0.0	-0.0	-0.0	-0.0	
0.0	-15.31		677	0.0	0.0	-0.0	0.0	
-0.0	-4.24		680	0.0	-0.0	-0.0	0.0	
-0.0	-38.36		904	-0.0	-0.0	-0.0	-0.0	
			NODE	Vxx	Vyy			
			Cent	-0.0	0.0			
			903	-0.0	-0.0			
			677	-0.0	0.0			
			680	-0.0	0.0			
			904	-0.0	-0.0			
Fmin		ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.3	23.23		q3	Cent	12.1	0.4	6.2	14.7
-1.8	22.67		903		16.1	1.3	7.5	19.2
0.6	16.22		677		16.2	1.9	4.6	17.6
-2.7	24.13		680		8.1	-0.6	4.9	10.3
-5.6	29.84		904		7.9	-1.2	7.8	12.4
Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-0.0	-3.05		Cent	-0.0	-0.0	-0.0	-0.0	
-0.0	6.89		903	0.0	-0.0	0.0	0.0	
-0.0	-10.84		677	-0.0	-0.0	-0.0	-0.0	
-0.0	-84.37		680	-0.0	-0.0	-0.0	-0.0	
-0.0	14.53		904	0.0	-0.0	0.0	0.0	

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
	Cent	0.0	-0.0
	903	0.0	-0.0
	677	0.0	-0.0
	680	0.0	-0.0
	904	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_pc	Cent	27.4	2.2	-0.3	27.4
2.2	-0.58		903	26.7	1.1	-0.7	26.7
1.1	-1.60		677	27.3	3.1	-0.5	27.3
3.1	-1.08		680	28.0	3.2	0.2	28.0
3.2	0.47		904	27.4	1.3	-0.1	27.4
1.3	-0.13						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	0.0	0.0	0.0
-0.0	71.76		903	0.0	0.0	0.0	0.0
0.0	49.24		677	-0.0	-0.0	0.0	-0.0
-0.0	27.14		680	-0.0	0.0	0.0	0.0
-0.0	86.17		904	0.0	0.0	0.0	0.0
0.0	31.29						

	NODE	Vxx	Vyy
	Cent	0.0	-0.0
	903	0.0	-0.0
	677	0.0	-0.0
	680	0.0	-0.0
	904	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_ps	Cent	24.2	1.2	-0.1	24.2
1.2	-0.29		903	23.4	0.6	-0.5	23.5
0.5	-1.27		677	23.7	1.5	-0.0	23.7
1.5	-0.12		680	25.0	1.9	0.3	25.0
1.9	0.69		904	24.7	0.9	-0.2	24.7
0.9	-0.44						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		Cent	Vxx	Vyy		
-0.0	16.51	903	0.0	-0.0	0.0	0.0
-0.0	14.40	677	-0.0	-0.0	0.0	-0.0
-0.0	4.25	680	-0.0	0.0	0.0	0.0
-0.0	86.46	904	0.0	0.0	0.0	0.0
-0.0	8.71					

NODE	Vxx	Vyy
Cent	0.0	-0.0
903	0.0	-0.0
677	0.0	-0.0
680	0.0	-0.0
904	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-848.7	77.20	INVS LU	Max Cent	-798.0	135.3	224.0	186.1
-298.5	51.52		903	85.2	309.0	484.1	692.7
125.7	-58.22		677	157.9	506.4	-110.0	598.7
-1637.7	-88.86		680	-1629.3	-28.5	-32.2	-27.8
-1725.8	71.15		904	-1660.5	-203.8	569.6	-9.4
-1144.8	-81.09		Min Cent	-1092.3	-56.2	-264.0	-4.5
-470.0	89.28		903	-464.9	83.2	5.5	83.3
-793.0	-73.14		677	-439.8	217.3	-606.7	429.5
-1924.4	-77.38		680	-1756.0	-222.1	-535.7	-92.1
-1916.5	86.94		904	-1818.2	-411.6	75.3	-407.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	85.99	Max Cent	0.0	0.1	0.0	0.1
0.0	80.49	903	0.0	0.1	0.0	0.1
0.0	18.31	677	0.0	0.0	0.0	0.0
0.1	87.48	680	0.1	0.3	0.0	0.3
0.1	84.75	904	0.1	0.2	0.0	0.2
0.0	-77.31	Min Cent	0.0	0.1	-0.0	0.1
0.0	-70.68	903	0.0	0.1	-0.0	0.1
		677	-0.1	-0.1	-0.0	-0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	-23.77		680	-0.0	0.2	-0.0	0.2
-0.0	-86.32		904	0.0	0.1	-0.0	0.1
0.0	-78.36						

	NODE	Vxx	Vyy
Max	Cent	0.2	-0.2
	903	0.1	-0.1
	677	0.1	-0.3
	680	0.3	-0.3
	904	0.3	-0.1
Min	Cent	-0.1	-0.5
	903	-0.1	-0.1
	677	-0.1	-0.8
	680	-0.2	-0.8
	904	-0.2	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-444.6	-89.87	INVSLV	Max	Cent	-444.6	-22.5	0.9	-22.5
-132.9	58.83		903		-53.8	89.8	138.0	172.6
-133.1	-58.85		677		-48.5	106.1	-139.9	193.7
-857.6	-79.84		680		-833.5	-129.2	-127.9	-105.8
-868.8	78.69		904		-839.0	-145.2	151.0	-115.3
-535.7	-89.53		Min	Cent	-535.7	-32.5	-6.0	-32.5
-209.0	66.16		903		-150.5	76.8	123.8	132.0
-225.0	-64.00		677		-148.2	85.9	-156.9	160.1
-947.1	-79.98		680		-922.8	-147.4	-144.0	-122.4
-949.6	79.89		904		-925.0	-156.8	135.6	-132.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
0.0	18.25	Max	Cent	0.1	0.0	0.0	0.1
0.0	-60.88	903		0.1	0.1	0.0	0.1
0.1	0.92	677		0.2	0.1	0.0	0.2
0.0	14.22	680		0.1	0.0	0.0	0.1
0.0	-54.45	904		0.0	0.1	0.0	0.1
-0.1	-77.06	Min	Cent	-0.1	0.0	-0.0	0.0
-0.1	30.12	903		-0.0	-0.1	-0.0	-0.0
-0.2	-88.73	677		-0.2	-0.1	-0.0	-0.1
		680		-0.1	-0.0	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1      -78.45  
 -0.0      61.48

		NODE	Vxx	Vyy
Max	Cent		0.3	-0.0
	903		0.4	0.0
	677		0.4	0.0
	680		0.2	0.0
	904		0.2	0.0
Min	Cent		-0.3	-0.0
	903		-0.4	-0.1
	677		-0.4	-0.0
	680		-0.2	-0.0
	904		-0.2	-0.1

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin		ANGLE						
971	2	10	Q1-1-2	Max Cent	544.0	45.2	161.2	591.5
-2.3		16.44		892	740.7	88.1	206.3	800.4
28.4		16.15		672	754.9	119.4	104.5	771.7
102.7		9.10		677	349.3	10.6	118.5	386.6
-26.8		17.48		903	334.8	1.1	222.6	446.1
-110.2		26.58		Min Cent	-3.8	-35.1	-199.1	180.3
-219.2		-42.76		892	-5.2	-25.6	-146.3	131.3
-162.0		-43.00		672	-5.2	-11.5	-262.8	254.4
-271.2		-44.66		677	-2.5	-61.1	-254.5	224.3
-287.9		-41.72		903	-2.5	-102.0	-137.9	94.4
-198.8		-35.08						

Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax
			Max Cent	0.0	0.0	0.0	0.0
-0.0		52.48	892	0.0	0.0	0.0	0.0
-0.0		49.59	672	0.0	0.0	0.0	0.0
-0.0		30.54	677	0.0	0.1	0.0	0.1
0.0		82.99	903	0.0	0.0	0.0	0.0
-0.0		51.33	Min Cent	-0.0	-0.0	-0.0	-0.0
-0.0		-64.78	892	-0.0	-0.0	-0.0	-0.0
-0.0		-36.99	672	-0.0	-0.1	-0.0	-0.0
-0.1		-5.49	677	-0.0	-0.0	-0.0	-0.0
-0.0		-81.41	903	-0.0	-0.0	-0.0	-0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0      -37.78

	NODE	Vxx	Vyy
Max	Cent	0.1	0.0
	892	0.1	0.0
	672	0.1	0.0
	677	0.1	0.0
	903	0.1	0.0
Min	Cent	-0.0	-0.2
	892	-0.0	-0.0
	672	-0.0	-0.4
	677	-0.0	-0.4
	903	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-4.3	17.42	Q2a-1-2	Max Cent	326.7	28.3	103.8	359.3
13.5	17.17		892	444.8	54.7	133.2	486.0
61.4	9.64		672	453.8	72.7	66.6	465.2
-19.0	18.31		677	210.0	6.0	75.8	235.1
-74.6	27.59		903	200.8	0.6	143.9	276.0
-143.3	-42.59		Min Cent	-2.8	-24.6	-129.1	115.8
-105.7	-42.86		892	-3.8	-18.0	-94.5	83.9
-175.8	-44.68		672	-3.9	-7.7	-170.1	164.3
-187.9	-41.57		677	-1.9	-41.6	-165.0	144.5
-130.1	-34.80		903	-1.8	-68.1	-89.2	60.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	52.48	Max Cent	0.0	0.0	0.0	0.0
-0.0	49.81	892	0.0	0.0	0.0	0.0
-0.0	29.81	672	0.0	0.0	0.0	0.0
0.0	82.86	677	0.0	0.1	0.0	0.1
-0.0	51.02	903	0.0	0.0	0.0	0.0
-0.0	-66.30	Min Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-37.72	892	-0.0	-0.0	-0.0	-0.0
-0.1	-5.01	672	-0.0	-0.1	-0.0	-0.0
-0.0	-83.34	677	-0.0	-0.0	-0.0	-0.0
-0.0	-37.39	903	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	892	0.0	0.0
	672	0.0	0.0
	677	0.1	0.0
	903	0.1	0.0
Min	Cent	-0.0	-0.1
	892	-0.0	-0.0
	672	-0.0	-0.3
	677	-0.0	-0.3
	903	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	48.0	2.8	3.1	48.2
2.6	3.91		892	-64.0	-6.2	5.6	-5.6
-64.5	84.51		672	64.7	8.9	7.8	65.8
7.9	7.79		677	32.2	-2.7	6.6	33.4
-3.9	10.42		903	31.5	3.8	6.5	32.9
2.3	12.68						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	0.0	0.0	0.0	0.0
0.0	49.44		892	0.0	0.0	0.0	0.0
0.0	64.58		672	0.0	-0.0	0.0	0.0
-0.0	5.88		677	-0.0	-0.0	0.0	-0.0
-0.0	86.93		903	0.0	0.0	0.0	0.0
0.0	72.05						

	NODE	Vxx	Vyy
	Cent	0.0	-0.0
	892	0.0	0.0
	672	0.0	0.0
	677	0.0	-0.0
	903	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	30.6	1.2	-0.4	30.6
1.2	-0.75		892	27.7	1.1	-1.2	27.8
1.1	-2.62		672	27.3	-2.9	1.2	27.3
-2.9	2.34		677	33.5	1.4	0.6	33.5
1.4	1.01		903	33.9	1.6	-1.9	34.0

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
1.4	-3.30						
-----							
			Cent	-0.1	0.0	0.0	0.0
-0.1	73.61		892	0.0	0.0	0.0	0.1
0.0	43.98		672	-0.1	-0.0	0.0	-0.0
-0.1	76.31		677	-0.2	-0.1	0.0	-0.1
-0.2	87.93		903	0.1	0.1	0.0	0.1
0.0	64.15						
-----							
			NODE	Vxx	Vyy		
			Cent	0.4	-0.1		
			892	0.3	-0.1		
			672	0.3	-0.0		
			677	0.4	-0.0		
			903	0.4	-0.1		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLDx (RS)	Cent	24.0	1.4	1.6	24.1
1.3	3.92		892	-32.0	-3.1	2.8	-2.8
-32.2	84.51		672	32.3	4.5	3.9	32.9
3.9	7.80		677	16.1	-1.3	3.3	16.7
-1.9	10.43		903	15.7	1.9	3.3	16.5
1.2	12.67						
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	0.0	0.0	0.0
0.0	49.44		892	0.0	0.0	0.0	0.0
0.0	64.57		672	0.0	-0.0	0.0	0.0
-0.0	5.88		677	-0.0	-0.0	0.0	-0.0
-0.0	86.93		903	0.0	0.0	0.0	0.0
0.0	72.04						
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			892	0.0	0.0		
			672	0.0	0.0		
			677	0.0	-0.0		
			903	0.0	0.0		
-----							
		LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE						
		SLDy (RS)	Cent	15.3	0.6	-0.2	15.3
0.6	-0.75		892	13.9	0.6	-0.6	13.9
0.5	-2.62		672	13.6	-1.4	0.6	13.7
-1.5	2.35		677	16.7	0.7	0.3	16.7
0.7	1.01		903	16.9	0.8	-0.9	17.0
0.7	-3.30						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	0.0	0.0	0.0
-0.0	73.61		892	0.0	0.0	0.0	0.0
0.0	43.98		672	-0.1	-0.0	0.0	-0.0
-0.1	76.31		677	-0.1	-0.0	0.0	-0.0
-0.1	87.93		903	0.0	0.0	0.0	0.0
0.0	64.15						
			NODE	Vxx	Vyy		
			Cent	0.2	-0.0		
			892	0.1	-0.0		
			672	0.1	-0.0		
			677	0.2	-0.0		
			903	0.2	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVz (RS)	Cent	-19.8	-1.4	0.9	-1.3
-19.8	87.28		892	-26.6	-2.8	-1.6	-2.7
-26.7	-86.21		672	-27.0	-4.2	3.6	-3.6
-27.6	81.33		677	-12.9	-0.9	3.0	-0.1
-13.6	76.75		903	-12.5	1.5	-2.2	1.9
-12.8	-81.22						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	0.0	0.0	-0.0	0.0
0.0	-28.08		892	0.0	0.0	-0.0	0.0
0.0	-53.61		672	-0.0	0.0	0.0	0.0
-0.0	82.69		677	-0.0	-0.0	-0.0	-0.0
-0.0	-87.88		903	0.0	0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0 -66.33

NODE	Vxx	Vyy
Cent	0.0	0.0
892	0.0	0.0
672	0.0	0.0
677	0.0	0.0
903	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
8.6	-1.12	g1	Cent	412.9	8.8	-7.9	413.1
38.9	4.34		892	556.1	41.8	39.2	559.1
55.7	-7.38		672	562.9	64.2	-65.7	571.4
-34.2	-10.26		677	269.7	-24.3	-55.0	279.7
-54.6	8.94		903	263.0	-46.7	49.9	270.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-4.94	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-1.02	892	-0.0	-0.0	-0.0	-0.0
-0.0	-1.19	672	-0.0	-0.0	-0.0	-0.0
0.0	-86.58	677	0.0	0.0	-0.0	0.0
-0.0	-4.11	903	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
892	-0.0	-0.0
672	-0.0	-0.0
677	0.0	-0.0
903	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-4.3	0.49	g2	Cent	200.6	-4.3	1.8	200.6
10.2	5.41		892	268.9	12.5	24.5	271.2
18.2	-5.70		672	271.3	20.7	-25.2	273.8
-24.0	-7.64		677	132.4	-21.1	-21.0	135.2
-34.4	9.92		903	129.9	-29.4	28.7	135.0

NODE	Mxx	Myy	Mxy	Mmax
------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE						
-0.0	-11.40		Cent	0.0	-0.0	-0.0	0.0
-0.0	-16.46		892	-0.0	-0.0	-0.0	-0.0
0.0	-22.04		672	0.0	0.0	-0.0	0.0
-0.0	-5.22		677	0.0	-0.0	-0.0	0.0
-0.0	-25.65		903	-0.0	-0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			892	-0.0	-0.0		
			672	-0.0	0.0		
			677	-0.0	0.0		
			903	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.1	15.43	q3	Cent	19.5	0.4	5.7	21.1
-0.8	16.07		892	23.4	1.3	7.0	25.5
1.3	10.28		672	23.7	2.1	4.1	24.4
-1.5	14.50		677	15.5	-0.4	4.4	16.7
-4.0	20.81		903	15.3	-1.2	7.3	18.1
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	3.00		Cent	0.0	-0.0	0.0	0.0
-0.0	19.97		892	-0.0	-0.0	0.0	-0.0
-0.0	-2.57		672	0.0	-0.0	-0.0	0.0
-0.0	-21.30		677	-0.0	-0.0	-0.0	-0.0
-0.0	12.52		903	-0.0	-0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			892	-0.0	-0.0		
			672	-0.0	-0.0		
			677	0.0	-0.0		
			903	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		q5_pc	Cent	26.5	1.3	-0.7	26.5
1.3	-1.67		892	26.1	0.9	-1.0	26.1
0.8	-2.21		672	26.3	1.6	-0.8	26.3
1.6	-1.74		677	26.9	1.8	-0.5	26.9
1.8	-1.13		903	26.7	1.0	-0.7	26.7
1.0	-1.60						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	37.86		Cent	-0.0	-0.0	0.0	-0.0
-0.0	28.21		892	0.0	-0.0	0.0	0.0
-0.0	3.56		672	-0.0	-0.0	0.0	-0.0
-0.0	83.81		677	-0.0	0.0	0.0	0.0
-0.0	28.83		903	0.0	-0.0	0.0	0.0
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.0		
			892	0.0	0.0		
			672	0.0	-0.0		
			677	0.0	-0.0		
			903	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
0.8	-1.00	q5_ps	Cent	23.0	0.8	-0.4	23.0
0.4	-1.79		892	22.3	0.4	-0.7	22.3
0.9	-0.66		672	22.4	0.9	-0.2	22.4
1.3	-0.23		677	23.7	1.3	-0.1	23.7
0.8	-1.32		903	23.5	0.8	-0.5	23.5
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	5.95		Cent	0.0	-0.0	0.0	0.0
-0.0	9.80		892	0.0	-0.0	0.0	0.0
-0.0	0.96		672	-0.0	-0.0	0.0	-0.0
0.0	80.61		677	0.0	0.0	0.0	0.0
-0.0	9.69		903	0.0	-0.0	0.0	0.0
			NODE	Vxx	Vyy		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

```

-----
                Cent      0.0      -0.0
                892      0.0      0.0
                672      0.0      -0.0
                677      0.0      -0.0
                903      0.0      0.0
    
```

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
44.7	13.10	INVSLU	Max Cent	868.5	89.0	193.2	913.2
170.2	16.22		892	1763.7	305.0	465.2	1898.5
404.4	-5.40		672	1803.9	417.0	-131.0	1816.4
-159.2	-51.93		677	-24.0	-115.9	-75.5	241.5
-526.6	41.35		903	-64.6	-198.3	523.9	395.4
-268.0	-36.47		Min Cent	71.9	-21.8	-294.6	203.1
137.7	4.06		892	701.7	149.9	-12.6	704.4
-189.8	-30.20		672	722.1	237.3	-628.2	1003.9
-983.9	-61.38		677	-557.8	-215.9	-579.9	-43.6
-682.1	80.98		903	-578.2	-339.4	35.9	-333.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	67.54	Max Cent	0.0	0.0	0.0	0.0
0.0	55.60	892	0.0	0.0	0.0	0.0
-0.0	7.77	672	0.0	-0.0	0.0	0.0
0.1	85.97	677	0.1	0.2	0.0	0.2
0.0	66.15	903	0.0	0.1	0.0	0.1
-0.0	-64.28	Min Cent	-0.0	0.0	-0.0	0.0
-0.0	-46.35	892	-0.0	-0.0	-0.0	0.0
-0.2	-5.19	672	-0.1	-0.2	-0.0	-0.1
0.0	-84.82	677	0.0	0.1	-0.0	0.1
0.0	-63.46	903	0.0	0.0	-0.0	0.0

	NODE	Vxx	Vyy
Max	Cent	0.1	-0.2
	892	0.1	-0.0
	672	0.1	-0.3
	677	0.1	-0.3
	903	0.1	-0.0
Min	Cent	-0.0	-0.4



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

892	-0.1	-0.1
672	-0.1	-0.8
677	-0.1	-0.8
903	-0.1	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
1.4	-0.02	INVSLV	Max Cent	289.9	1.4	0.7	289.9
79.8	11.17		892	691.2	103.6	132.7	715.0
108.1	-13.76		672	703.3	145.2	-143.7	739.0
-233.0	-46.15		677	-110.4	-97.4	-124.2	25.2
-277.2	43.93		903	-121.6	-133.9	155.1	25.0
-6.0	-1.87		Min Cent	163.6	-5.9	-6.3	163.8
52.6	15.41		892	530.6	88.9	119.8	566.9
70.4	-18.77		672	541.3	123.1	-162.1	595.6
-298.5	-55.52		677	-204.4	-104.1	-139.6	-9.9
-329.6	52.15		903	-215.9	-143.4	139.5	-33.2
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-15.90		Max Cent	0.1	-0.0	0.0	0.1
-0.0	39.97		892	0.0	0.0	0.0	0.1
0.0	-12.68		672	0.1	0.0	0.0	0.1
0.1	-2.24		677	0.2	0.1	0.0	0.2
0.0	66.66		903	0.1	0.1	0.0	0.1
-0.1	72.27		Min Cent	-0.1	-0.0	-0.0	-0.0
-0.1	-41.82		892	-0.0	-0.0	-0.0	-0.0
-0.1	75.13		672	-0.1	-0.1	-0.0	-0.0
-0.2	88.12		677	-0.2	-0.1	-0.0	-0.1
-0.1	-28.21		903	-0.1	-0.1	-0.0	-0.0
			NODE	Vxx	Vyy		
			Max Cent	0.4	0.0		
			892	0.3	0.1		
			672	0.3	0.0		
			677	0.4	0.0		
			903	0.4	0.1		
			Min Cent	-0.4	-0.1		
			892	-0.3	-0.1		
			672	-0.3	-0.1		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

677 -0.4 -0.1  
903 -0.4 -0.1

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin		ANGLE						
978	2	10	Q1-1-2	Max Cent	0.8	122.2	193.7	264.5
-141.5		53.70						
-178.8		47.05		904	23.2	54.3	217.0	256.3
5.4		66.02		680	59.8	280.3	122.3	334.7
-99.7		60.00		114	1.8	204.6	175.6	306.0
-279.6		44.97		910	1.8	1.3	281.2	282.7
-268.7		-51.30		Min Cent	-146.9	-79.0	-152.0	42.7
-243.8		-34.66		904	-58.6	-155.3	-128.0	29.9
-246.1		-42.35		680	-5.0	-45.7	-219.9	195.4
-367.8		-57.76		114	-253.5	-80.5	-181.1	33.7
-391.2		-60.71		910	-340.0	-228.2	-91.4	-177.0
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0		86.51		Max Cent	0.0	0.1	0.0	0.1
0.1		81.96		904	0.1	0.1	0.0	0.1
0.0		28.72		680	0.0	0.0	0.0	0.0
0.1		87.36		114	0.1	0.2	0.0	0.2
0.1		88.09		910	0.1	0.2	0.0	0.2
-0.0		-51.18		Min Cent	-0.0	-0.0	-0.0	-0.0
-0.0		-40.26		904	-0.0	-0.0	-0.0	-0.0
-0.1		-86.89		680	-0.1	-0.1	-0.0	-0.1
-0.1		-83.10		114	-0.1	-0.0	-0.0	-0.0
-0.0		-49.61		910	-0.0	-0.0	-0.0	-0.0
				NODE	Vxx	Vyy		
				Max Cent	0.4	0.0		
				904	0.3	0.0		
				680	0.3	0.0		
				114	0.4	0.0		
				910	0.4	0.0		
				Min Cent	-0.1	-0.4		
				904	-0.1	-0.3		
				680	-0.1	-0.6		
				114	-0.1	-0.6		
				910	-0.1	-0.3		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-92.1	53.45	Q2a-1-2	Max Cent	0.6	76.5	125.0	169.2
-116.1	47.08		904	13.5	33.8	139.4	163.4
1.0	65.54		680	36.7	173.6	78.5	209.3
-65.9	59.49		114	1.3	127.6	114.1	194.8
-181.7	44.94		910	1.4	0.6	182.7	183.7
-172.1	-50.58		Min Cent	-92.3	-53.9	-97.1	25.9
-165.4	-33.20		904	-40.0	-111.7	-82.0	13.7
-157.6	-42.44		680	-3.0	-28.3	-141.3	126.2
-230.5	-57.04		114	-155.4	-52.1	-115.7	22.9
-248.9	-57.12		910	-211.7	-159.8	-57.6	-122.6
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	86.60		Max Cent	0.0	0.1	0.0	0.1
0.0	82.08		904	0.0	0.1	0.0	0.1
0.0	31.62		680	0.0	0.0	0.0	0.0
0.0	87.41		114	0.0	0.1	0.0	0.1
0.1	88.48		910	0.1	0.1	0.0	0.1
-0.0	-55.76		Min Cent	-0.0	-0.0	-0.0	0.0
-0.0	-42.19		904	-0.0	-0.0	-0.0	0.0
-0.1	-87.31		680	-0.1	-0.0	-0.0	-0.0
-0.1	-82.99		114	-0.1	-0.0	-0.0	-0.0
-0.0	-50.78		910	-0.0	-0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Max Cent	0.2	0.0		
			904	0.2	0.0		
			680	0.2	0.0		
			114	0.3	0.0		
			910	0.3	0.0		
			Min Cent	-0.0	-0.3		
			904	-0.0	-0.2		
			680	-0.0	-0.4		
			114	-0.1	-0.4		
			910	-0.1	-0.2		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.1	15.63	SLVx (RS)	Cent	11.7	0.9	3.3	12.6
-6.0	24.42		904	7.2	-3.3	6.0	10.0
-0.7	40.37		680	7.7	5.4	7.2	13.8
0.5	16.71		114	22.6	2.5	6.6	24.6
2.0	17.92		910	23.0	4.2	6.8	25.2
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	23.88		Cent	-0.0	-0.0	0.0	-0.0
-0.0	-71.05		904	-0.0	0.0	-0.0	0.0
-0.0	76.67		680	-0.0	-0.0	0.0	-0.0
-0.0	10.18		114	-0.0	-0.0	0.0	-0.0
-0.0	9.23		910	0.0	-0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			904	0.0	0.0		
			680	0.0	0.0		
			114	-0.0	0.0		
			910	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
7.3	4.09	SLVy (RS)	Cent	45.4	7.5	2.7	45.6
-0.5	-1.43		904	39.6	-0.5	-1.0	39.6
13.2	5.09		680	43.7	13.5	2.7	44.0
14.3	9.58		114	51.2	15.4	6.2	52.2
1.4	3.57		910	47.1	1.5	2.9	47.3
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	-49.13		Cent	-0.0	-0.0	-0.0	0.0
-0.0	-47.06		904	0.0	0.0	-0.0	0.1
-0.1	-75.40		680	-0.1	-0.0	-0.0	-0.0
-0.0	-49.66		114	-0.0	0.0	-0.0	0.0

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

910      -0.0      -0.1      -0.0      -0.0

NODE	Vxx	Vyy
Cent	0.1	0.1
904	0.2	0.3
680	0.2	-0.0
114	-0.0	-0.0
910	-0.0	0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.0	15.62	SLDx (RS)	Cent	5.8	0.4	1.6	6.3
-3.0	24.42		904	3.6	-1.7	3.0	5.0
-0.4	40.38		680	3.9	2.7	3.6	6.9
0.2	16.71		114	11.3	1.2	3.3	12.3
1.0	17.90		910	11.5	2.1	3.4	12.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	23.87	Cent	-0.0	-0.0	0.0	-0.0
-0.0	-71.04	904	-0.0	0.0	-0.0	0.0
-0.0	76.68	680	-0.0	-0.0	0.0	-0.0
-0.0	10.17	114	-0.0	-0.0	0.0	-0.0
-0.0	9.23	910	0.0	-0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
904	0.0	0.0
680	0.0	0.0
114	-0.0	0.0
910	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
3.6	4.09	SLDy (RS)	Cent	22.7	3.7	1.4	22.8
-0.3	-1.43		904	19.8	-0.3	-0.5	19.8
6.6	5.09		680	21.8	6.7	1.4	22.0
7.1	9.58		114	25.6	7.7	3.1	26.1
0.7	3.57		910	23.5	0.8	1.4	23.6

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-49.13		Cent	-0.0	-0.0	-0.0	0.0
-0.0	-47.06		904	0.0	0.0	-0.0	0.0
-0.1	-75.40		680	-0.1	-0.0	-0.0	-0.0
-0.0	-49.67		114	-0.0	0.0	-0.0	0.0
-0.0	-27.18		910	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	0.1	0.1
904	0.1	0.1
680	0.1	-0.0
114	-0.0	-0.0
910	-0.0	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.6	-8.81	SLVz (RS)	Cent	5.2	-0.5	-0.9	5.4
-3.7	-46.62		904	-1.7	-1.5	-2.1	0.5
-5.4	43.05		680	-1.9	-2.4	3.2	1.1
0.4	16.64		114	10.4	1.3	3.0	11.3
1.2	-14.34		910	10.6	1.8	-2.4	11.2

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	35.11		Cent	-0.0	-0.0	0.0	-0.0
-0.0	39.38		904	-0.0	-0.0	0.0	0.0
-0.0	77.05		680	-0.0	-0.0	0.0	-0.0
-0.0	17.31		114	-0.0	-0.0	0.0	-0.0
-0.0	12.41		910	0.0	-0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
904	0.0	0.0
680	0.0	0.0
114	0.0	0.0
910	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----				-----			
Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-89.7	-89.86	g1	Cent	-89.7	-4.7	-0.2	-4.7
-31.7	44.47		904	15.7	13.9	46.5	61.3
-23.8	-49.66		680	24.4	43.0	-56.8	91.3
-207.0	-75.66		114	-195.0	-23.4	-47.0	-11.4
-222.4	71.65		910	-203.8	-52.5	56.4	-33.8
-----				-----			
0.0	-77.74		Cent	0.0	0.0	-0.0	0.0
0.0	-81.43		904	0.0	0.0	-0.0	0.0
-0.0	-23.34		680	0.0	-0.0	-0.0	0.0
0.0	-83.22		114	0.0	0.0	-0.0	0.0
-0.0	-84.55		910	-0.0	0.0	-0.0	0.0
-----				-----			
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			904	-0.0	-0.0		
			680	-0.0	-0.1		
			114	-0.0	-0.1		
			910	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----				-----			
-44.1	-84.73	g2	Cent	-43.9	-24.8	-1.8	-24.7
-20.4	37.54		904	12.2	-1.1	25.1	31.5
-32.9	-32.42		680	7.6	-16.6	-25.7	24.0
-112.8	-65.99		114	-100.1	-48.6	-28.6	-35.8
-102.5	72.28		910	-95.5	-33.1	22.2	-26.0
-----				-----			
Mmin	ANGLE			Mxx	Myy	Mxy	Mmax
-----				-----			
-0.0	-3.85			Cent	0.0	-0.0	0.0
-0.0	-16.64			904	-0.0	-0.0	-0.0
0.0	-9.35			680	0.0	0.0	0.0
-0.0	-0.11			114	0.0	-0.0	0.0
-0.0	11.97			910	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
	Cent	-0.1	0.0
	904	-0.0	0.0
	680	-0.0	0.0
	114	-0.1	0.0
	910	-0.1	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q3	Cent	5.6	0.3	6.4	9.9
-4.0	33.97		904	8.5	0.9	7.8	13.4
-3.9	31.93		680	8.8	1.6	4.8	11.2
-0.8	26.86		114	2.6	-0.2	5.1	6.5
-4.1	37.32		910	2.4	-0.9	8.0	8.9
-7.5	39.18						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	0.0	0.0	0.0
-0.0	88.58	904	0.0	-0.0	0.0	0.0
-0.0	1.10	680	-0.0	-0.0	0.0	-0.0
-0.0	88.26	114	-0.0	0.0	0.0	0.0
-0.0	89.87	910	0.0	0.0	-0.0	0.0
0.0	-85.19					

	NODE	Vxx	Vyy
	Cent	0.0	-0.0
	904	0.0	-0.0
	680	0.0	-0.0
	114	0.0	-0.0
	910	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_pc	Cent	28.6	3.2	0.6	28.6
3.2	1.37		904	27.2	0.4	-0.4	27.2
0.4	-0.81		680	28.8	5.8	0.2	28.8
5.8	0.55		114	30.0	6.0	1.6	30.1
5.9	3.79		910	28.4	0.7	1.0	28.4
0.7	2.06						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	88.58	Cent	-0.0	0.0	0.0	0.0
0.0	63.49	904	0.0	0.0	0.0	0.0
-0.0	78.10	680	-0.0	-0.0	0.0	-0.0
-0.0	-89.37	114	-0.0	0.0	-0.0	0.0
0.0	-74.17	910	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
904	0.0	-0.0
680	0.0	-0.0
114	0.0	-0.0
910	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
1.7	0.79	q5_ps	Cent	25.6	1.7	0.3	25.6
0.2	-0.80		904	24.5	0.2	-0.3	24.5
2.9	0.77		680	25.3	2.9	0.3	25.3
3.2	2.43		114	26.7	3.3	1.0	26.7
0.5	0.80		910	25.8	0.6	0.4	25.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-81.83	Cent	0.0	0.0	-0.0	0.0
0.0	0.93	904	0.0	0.0	0.0	0.0
-0.0	19.49	680	-0.0	-0.0	0.0	-0.0
-0.0	-87.76	114	-0.0	0.0	-0.0	0.0
0.0	-43.40	910	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
904	0.0	-0.0
680	0.0	-0.0
114	0.0	-0.0
910	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2034.0	83.22	INVSLU Max	Cent	-2024.6	206.0	271.1	238.3

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-1619.8	74.99		904	-1553.5	178.1	502.4	312.7
-1462.6	-87.92		680	-1459.8	645.9	-76.7	648.7
-2482.5	89.01		114	-2480.7	253.3	47.5	254.1
-2614.2	75.75		910	-2529.4	-183.8	640.6	-21.2
-2310.5	-84.98	Min	Cent	-2293.2	-71.5	-196.7	-54.2
-1738.6	88.70		904	-1717.3	-105.5	36.0	-104.6
-1748.4	-78.70		680	-1609.4	195.4	-539.0	307.0
-2961.6	-81.19		114	-2893.9	-142.5	-437.0	-74.7
-3063.6	86.98		910	-3056.4	-494.9	135.7	-487.7

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----	-----			-----	-----	-----	-----
		Max	Cent	0.1	0.3	-0.0	0.3
0.1	-88.30		904	0.1	0.3	0.0	0.3
0.1	89.99		680	0.1	0.1	0.0	0.1
0.1	6.99		114	0.2	0.5	-0.0	0.5
0.2	-89.93		910	0.1	0.4	-0.0	0.4
0.1	-89.47	Min	Cent	0.0	0.1	-0.0	0.1
0.0	-72.73		904	0.0	0.1	-0.0	0.1
0.0	-80.95		680	-0.1	-0.0	-0.0	-0.0
-0.1	-79.57		114	0.0	0.2	-0.0	0.2
0.0	-82.66		910	-0.1	0.0	-0.0	0.0
-0.1	-77.75						

	NODE	Vxx	Vyy
Max	Cent	0.2	-0.1
	904	0.3	0.1
	680	0.3	-0.4
	114	0.2	-0.3
	910	0.2	0.1
Min	Cent	-0.4	-0.7
	904	-0.2	-0.3
	680	-0.2	-1.2
	114	-0.6	-1.2
	910	-0.6	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----	-----			-----	-----	-----	-----
-1074.6	-89.69	INVSLV	Max	Cent	-1074.6	-42.7	-5.2
				904	-778.4	57.0	139.4
-799.5	81.49						75.3

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-807.8	-80.20		680	-782.4	41.2	-141.6	66.5
-1384.5	-83.48		114	-1368.3	-137.7	-142.2	-121.4
-1378.5	83.80		910	-1363.8	-121.3	139.8	-106.2
-1175.7	-89.30	Min	Cent	-1175.5	-58.4	-13.9	-58.3
-881.4	81.65		904	-863.0	49.2	125.5	70.2
-901.9	-80.38		680	-875.7	9.6	-159.5	35.7
-1509.7	-83.16		114	-1490.4	-170.7	-161.0	-151.4
-1490.1	84.70		910	-1478.2	-131.6	123.1	-120.0

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	48.65	Max	Cent	0.0	0.0	0.0	0.1
0.0	-51.84		904	0.0	0.0	0.0	0.1
0.0	16.58		680	0.1	0.1	0.0	0.1
0.0	-64.53		114	0.0	0.0	0.0	0.0
0.0	68.13		910	0.0	0.1	0.0	0.1
-0.0	-68.26	Min	Cent	-0.0	0.0	-0.0	0.0
-0.1	56.79		904	-0.0	-0.0	-0.0	0.0
-0.1	-77.21		680	-0.1	-0.0	-0.0	-0.0
0.0	73.63		114	0.0	0.0	-0.0	0.0
-0.1	-33.56		910	-0.0	-0.1	-0.0	0.0

	NODE	Vxx	Vyy
Max	Cent	0.1	0.1
	904	0.2	0.2
	680	0.2	-0.0
	114	-0.0	-0.0
	910	-0.0	0.2
Min	Cent	-0.1	-0.2
	904	-0.2	-0.3
	680	-0.2	-0.0
	114	-0.0	-0.0
	910	-0.0	-0.3

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
985	2	10	Q1-1-2	Max	Cent	2.0	220.9	217.1	354.5
-131.6		58.38			910	1.7	25.6	230.5	244.5
-217.1		46.48			114	19.7	536.1	172.8	588.6
-32.8		73.11							

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-65.5	70.35		744	8.7	516.7	207.8	590.9
-265.7	45.56		916	2.3	13.0	273.3	281.0
-399.1	-59.77	Min	Cent	-314.9	-151.1	-144.5	-66.9
-442.4	-52.06		910	-361.4	-309.1	-103.9	-228.1
-406.8	-50.72		114	-244.5	-164.2	-198.5	-1.8
-451.5	-55.35		744	-319.9	-176.1	-190.4	-44.5
-491.4	-59.82		916	-436.6	-329.5	-94.2	-274.7

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
		Max	Cent	0.0	0.2	0.0	0.2
0.0	82.45		910	0.2	0.5	0.0	0.5
0.2	85.32		114	0.1	0.4	0.0	0.4
0.1	85.69		744	0.3	1.0	0.0	1.0
0.3	89.18		916	0.1	0.2	0.0	0.2
0.1	79.45	Min	Cent	-0.0	-0.0	-0.1	0.1
-0.1	-41.87		910	-0.1	-0.1	-0.1	-0.0
-0.2	-34.34		114	-0.4	-0.8	-0.0	-0.4
-0.8	-5.03		744	-0.1	-0.4	-0.0	-0.1
-0.4	-8.03		916	-0.0	-0.0	-0.1	0.1
-0.1	-43.71						

	NODE	Vxx	Vyy
Max	Cent	0.3	2.3
	910	0.4	2.8
	114	0.4	5.9
	744	0.2	5.9
	916	0.2	2.8
Min	Cent	-0.1	-6.1
	910	-0.1	-1.3
	114	-0.1	-15.0
	744	-0.0	-15.0
	916	-0.0	-1.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-84.7	58.35	Q2a-1-2	Max	Cent	1.5	142.2	139.9	228.4
-139.8	46.32			910	1.3	14.9	147.8	156.0
-21.1	73.19			114	12.3	344.9	110.5	378.3
-43.8	70.35			744	4.3	333.3	134.6	381.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-172.9	45.47		916	1.7	7.5	177.5	182.2
		Min	Cent	-193.3	-100.1	-91.8	-43.8
-249.6	-58.46		910	-229.2	-221.3	-66.2	-158.9
-291.6	-46.71		114	-148.4	-98.4	-126.4	5.5
-252.3	-50.60		744	-193.7	-105.5	-120.7	-21.1
-278.1	-55.04		916	-274.3	-235.1	-59.2	-192.3
-317.0	-54.17						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
		Max	Cent	0.0	0.1	0.0	0.1
0.0	83.88		910	0.1	0.3	0.0	0.3
0.1	86.05		114	0.1	0.2	0.0	0.2
0.1	85.50		744	0.2	0.6	0.0	0.6
0.2	89.29		916	0.1	0.1	0.0	0.1
0.1	81.01	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.1	-43.01		910	-0.0	-0.1	-0.0	0.0
-0.1	-36.81		114	-0.2	-0.5	-0.0	-0.2
-0.5	-5.09		744	-0.1	-0.2	-0.0	-0.0
-0.2	-9.95		916	-0.0	-0.0	-0.1	0.1
-0.1	-43.85						

	NODE	Vxx	Vyy
-----			
Max	Cent	0.2	1.2
	910	0.3	1.8
	114	0.3	3.1
	744	0.1	3.1
	916	0.1	1.8
Min	Cent	-0.0	-3.8
	910	-0.1	-0.7
	114	-0.1	-9.4
	744	-0.0	-9.4
	916	-0.0	-0.7

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVx (RS)	Cent	24.8	0.8	1.6	24.9
0.7	3.79		910	22.0	0.9	6.3	23.8
-0.9	15.48		114	20.9	-4.1	6.2	22.3
-5.5	13.19		744	27.8	-1.7	5.8	28.9
-2.8	10.68		916	29.0	2.6	6.7	30.6
1.0	13.52						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----	-----	-----	-----	-----	-----	-----
-0.0	-25.01	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-80.49	910	-0.0	0.0	-0.0	0.0
-0.0	-3.19	114	-0.0	-0.0	-0.0	-0.0
0.0	-88.28	744	0.0	0.0	-0.0	0.0
-0.0	-8.46	916	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
-----	-----	-----
Cent	0.0	-0.1
910	-0.0	0.1
114	-0.0	-0.2
744	0.0	-0.2
916	0.0	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----	-----	-----	-----	-----	-----	-----	-----
-2.5	3.82	SLVy (RS)	Cent	47.5	-2.3	3.3	47.7
3.1	2.41		910	47.6	3.2	1.9	47.6
-8.7	6.27		114	44.6	-8.1	5.9	45.3
-7.8	5.16		744	47.5	-7.4	5.0	47.9
4.1	1.17		916	50.4	4.1	0.9	50.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----	-----	-----	-----	-----	-----	-----
-0.1	-10.25	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-13.10	910	-0.0	-0.1	-0.0	-0.0
0.0	-80.26	114	0.0	0.1	-0.0	0.1
-0.1	0.77	744	-0.0	-0.1	0.0	-0.0
-0.1	-4.47	916	-0.0	-0.1	-0.0	-0.0

NODE	Vxx	Vyy
-----	-----	-----
Cent	-0.0	0.6
910	-0.0	0.2
114	-0.0	0.9
744	-0.0	0.9
916	-0.0	0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----	-----	-----	-----	-----	-----	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	Cent	12.4	0.4	0.8	12.5
0.4	3.79		910	11.0	0.4	3.2	11.9
-0.4	15.47		114	10.4	-2.0	3.1	11.2
-2.8	13.18		744	13.9	-0.8	2.9	14.4
-1.4	10.67		916	14.5	1.3	3.4	15.3
0.5	13.51						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-25.01		910	-0.0	0.0	-0.0	0.0
-0.0	-80.48		114	-0.0	-0.0	-0.0	-0.0
-0.0	-3.19		744	0.0	0.0	-0.0	0.0
0.0	-88.28		916	-0.0	-0.0	-0.0	-0.0
-0.0	-8.46						
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			910	-0.0	0.0		
			114	-0.0	-0.1		
			744	0.0	-0.1		
			916	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
			Cent	23.7	-1.1	1.7	23.8
-1.3	3.82	SLDy (RS)	910	23.7	1.6	0.9	23.8
1.5	2.42		114	22.3	-4.1	2.9	22.6
-4.4	6.27		744	23.7	-3.7	2.5	23.9
-3.9	5.16		916	25.2	2.0	0.5	25.2
2.0	1.17						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-10.25		910	-0.0	-0.0	-0.0	-0.0
-0.0	-13.10		114	0.0	0.0	-0.0	0.0
0.0	-80.27		744	-0.0	-0.0	0.0	-0.0
-0.0	0.77		916	-0.0	-0.1	-0.0	-0.0
-0.1	-4.47						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

NODE	Vxx	Vyy
Cent	-0.0	0.3
910	-0.0	0.1
114	-0.0	0.5
744	-0.0	0.5
916	-0.0	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.4	-2.43	SLVz (RS)	Cent	11.4	-0.4	-0.5	11.4
-0.8	-11.41		910	10.1	-0.4	-2.2	10.6
-2.4	12.76		114	9.6	-1.8	2.7	10.2
-1.5	10.14		744	12.7	-1.0	2.5	13.1
0.7	-10.73		916	13.2	1.2	-2.4	13.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-23.09	Cent	-0.0	-0.0	-0.0	-0.0
0.0	-64.53	910	0.0	0.0	-0.0	0.0
-0.0	-3.65	114	-0.0	-0.0	-0.0	-0.0
0.0	-88.29	744	0.0	0.0	-0.0	0.0
-0.0	-7.93	916	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
910	0.0	0.0
114	0.0	-0.1
744	0.0	-0.1
916	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-222.3	89.44	g1	Cent	-222.2	-11.2	2.0	-11.2
-206.9	74.95		910	-193.2	-17.3	51.0	-3.6
-195.4	-76.59		114	-183.4	15.5	-50.3	27.5
-259.9	-79.57		744	-251.3	-5.1	-46.9	3.5
-273.6	77.01		916	-261.1	-37.8	54.4	-25.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	58.35	Cent		0.0	0.0	0.0	0.0
-0.0	18.71	910		-0.0	-0.0	0.0	-0.0
0.1	87.09	114		0.1	0.2	0.0	0.2
-0.1	1.49	744		-0.0	-0.1	0.0	-0.0
0.0	79.86	916		0.0	0.0	0.0	0.0
		NODE		Vxx		Vyy	
		Cent		-0.0		1.0	
		910		-0.0		-0.6	
		114		-0.0		2.6	
		744		-0.0		2.6	
		916		-0.0		-0.6	
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-117.5	-84.97	g2	Cent	-117.0	-48.5	-6.1	-48.0
-93.9	74.53		910	-87.1	-5.1	24.6	1.7
-129.6	-57.45		114	-109.9	-81.3	-30.8	-61.6
-165.3	-63.41		744	-146.9	-91.9	-36.7	-73.5
-127.2	80.47		916	-124.0	-15.7	18.7	-12.6
			NODE	Mxx		Myy	
			Cent	-0.0		-0.0	0.0
			910	-0.0		-0.1	0.0
			114	0.1		0.2	0.0
			744	-0.1		-0.2	0.0
			916	-0.0		0.0	0.0
			NODE	Vxx		Vyy	
			Cent	-0.1		1.6	
			910	-0.1		-0.8	
			114	-0.1		4.0	
			744	-0.0		4.0	
			916	-0.0		-0.8	
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q3	Cent	1.9	0.4	6.6	7.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-5.4	41.72		910	2.7	0.2	7.9	9.4
-6.6	40.49		114	3.0	1.2	5.1	7.3
-3.1	39.96		744	1.1	0.6	5.2	6.1
-4.4	43.60		916	0.8	-0.4	8.0	8.2
-7.8	42.85						
-----							
			Cent	0.0	0.0	-0.0	0.0
-0.0	-76.95		910	0.0	0.0	-0.0	0.0
0.0	-59.08		114	-0.0	-0.0	0.0	-0.0
-0.0	72.45		744	0.0	0.0	0.0	0.0
0.0	81.79		916	0.0	0.0	-0.0	0.0
0.0	-67.53						
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.0		
			910	0.0	-0.0		
			114	0.0	-0.0		
			744	0.0	-0.0		
			916	0.0	-0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		q5_pc	Cent	30.1	4.8	1.4	30.2
4.7	3.14		910	27.9	-0.9	0.2	27.9
-0.9	0.40		114	31.3	10.2	1.7	31.4
10.1	4.54		744	32.2	10.4	2.6	32.5
10.1	6.66		916	28.9	-0.7	1.1	28.9
-0.7	2.13						
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	0.0	-0.0	0.0
0.0	-63.50		910	0.0	0.0	-0.0	0.0
0.0	-74.90		114	-0.0	-0.0	-0.0	-0.0
-0.0	-4.22		744	0.0	0.0	-0.0	0.0
0.0	-87.57		916	0.0	0.0	-0.0	0.0
-0.0	-40.68						
-----							
			NODE	Vxx	Vyy		
-----							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Cent	0.0	-0.2
910	0.0	0.1
114	0.0	-0.4
744	0.0	-0.4
916	0.0	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
2.0	1.59	q5_ps	Cent	26.6	2.0	0.7	26.6
-0.2	-0.05		910	25.6	-0.2	-0.0	25.6
4.0	2.61		114	26.9	4.1	1.0	26.9
4.2	3.39		744	27.6	4.2	1.4	27.7
-0.1	0.70		916	26.3	-0.0	0.3	26.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-59.74	Cent	0.0	0.0	-0.0	0.0
0.0	-69.76	910	0.0	0.0	-0.0	0.0
-0.0	-4.27	114	-0.0	-0.0	-0.0	-0.0
0.0	-86.79	744	0.0	0.0	-0.0	0.0
0.0	-44.68	916	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
910	0.0	0.0
114	0.0	-0.1
744	0.0	-0.1
916	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2629.8	83.99	INVSLU Max	Cent	-2620.0	262.0	308.3	294.4
-2529.0	78.34		910	-2468.7	51.8	546.4	163.0
-2458.7	89.52		114	-2458.4	724.4	26.6	724.6
-2765.3	88.72		744	-2765.3	609.5	75.8	611.2
-2831.2	78.00		916	-2766.0	-54.3	606.1	73.2
-3127.1	-86.37	Min	Cent	-3115.6	-248.8	-182.4	-237.2
-3027.6	87.89		910	-3024.2	-401.7	94.7	-398.2
-2960.7	-80.05		114	-2876.8	-239.4	-477.6	-155.5

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-3348.8	-81.18		744	-3276.4	-344.5	-466.4	-272.1
-3427.5	87.80		916	-3423.5	-517.9	108.0	-513.7

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	69.86	Max	Cent	0.1	0.4	0.1	0.4
0.1	66.82		910	0.1	0.3	0.1	0.3
0.8	86.60		114	0.8	2.2	0.1	2.2
-0.1	33.40		744	-0.1	-0.1	0.0	-0.0
0.2	77.47		916	0.3	0.7	0.1	0.7
0.0	-64.09	Min	Cent	0.0	0.1	-0.0	0.1
-0.5	-5.92		910	-0.2	-0.5	-0.0	-0.2
0.1	89.47		114	0.1	0.6	0.0	0.6
-2.0	-0.69		744	-0.6	-2.0	-0.0	-0.6
0.1	-88.61		916	0.1	0.4	-0.0	0.4

	NODE	Vxx	Vyy
Max	Cent	0.2	13.5
	910	0.2	-2.2
	114	0.2	34.9
	744	0.2	34.9
	916	0.2	-2.2
Min	Cent	-0.3	1.9
	910	-0.6	-7.9
	114	-0.6	6.0
	744	-0.1	6.0
	916	-0.1	-7.9

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1435.9	-89.20	INVSLV	Max	Cent	-1435.8	-72.9	-13.9
-1339.4	84.31			910	-1326.3	2.4	137.4
-1375.0	-83.15			114	-1357.0	-82.4	-151.3
-1563.0	-83.60			744	-1545.2	-141.7	-157.5
-1525.3	85.08			916	-1514.4	-53.6	132.1
-1552.8	-89.37		Min	Cent	-1552.5	-78.2	-21.8
-1451.8	85.02			910	-1440.7	-4.7	122.3
-1484.8	-83.21			114	-1464.5	-102.1	-168.8
-1683.9	-83.58			744	-1664.5	-158.0	-173.5

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-1650.0	85.60	916	-1640.6	-64.0	116.7	-54.6
0.0	79.67	Max Cent	0.0	0.1	0.0	0.1
0.0	77.06	910	0.0	0.1	0.0	0.1
0.0	-87.33	114	0.0	0.1	0.0	0.1
0.0	88.73	744	0.0	0.0	0.0	0.0
0.0	84.62	916	0.0	0.2	0.0	0.2
-0.0	-11.31	Min Cent	-0.0	-0.0	-0.0	-0.0
-0.1	-13.06	910	-0.0	-0.1	-0.0	-0.0
0.0	58.54	114	0.0	0.0	-0.0	0.0
-0.1	2.06	744	-0.0	-0.1	0.0	-0.0
-0.1	-2.84	916	-0.0	-0.1	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	-0.0	0.9
	910	-0.0	0.0
	114	-0.0	1.8
	744	0.0	1.8
	916	0.0	0.0
Min	Cent	-0.0	-0.3
	910	-0.0	-0.5
	114	-0.0	-0.2
	744	-0.0	-0.2
	916	-0.0	-0.5

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin		ANGLE						
1026	2	10	Q1-1-2	Max Cent	961.2	7.7	242.9	1019.5
-50.6		13.50		681	990.0	13.5	277.2	1063.2
-59.7		14.79		953	1004.7	37.9	202.7	1045.5
-2.9		11.38		2354	932.3	17.9	209.0	977.8
-27.6		12.28		2316	917.6	5.0	283.5	998.5
-75.9		15.93		Min Cent	-9.0	-11.9	-75.4	65.0
-85.8		-44.44		681	-9.3	-25.5	-54.6	37.8
-72.5		-40.77		953	-9.3	-0.9	-100.7	95.7
-105.9		-46.19		2354	-8.7	-11.5	-99.8	89.8
-109.9		-44.60		2316	-8.6	-44.1	-54.2	30.7
-83.4		-35.93						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	52.40	Max	Cent	0.0	0.0	0.0	0.0
0.0	64.69		681	0.0	0.0	0.0	0.0
-0.0	61.36		953	0.0	0.0	0.0	0.0
-0.0	50.90		2354	0.0	0.0	0.0	0.0
-0.0	26.74		2316	0.0	0.0	0.0	0.0
-0.1	-9.34	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-8.69		681	-0.0	-0.1	-0.0	-0.0
-0.1	-5.63		953	-0.0	-0.1	-0.0	-0.0
-0.1	-11.43		2354	-0.0	-0.1	-0.0	-0.0
-0.0	-14.10		2316	-0.0	-0.0	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	681	0.0	0.1
	953	0.0	0.0
	2354	0.0	0.0
	2316	0.0	0.1
Min	Cent	-0.0	-0.1
	681	-0.0	-0.1
	953	-0.0	-0.1
	2354	-0.0	-0.1
	2316	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-34.3	14.13	Q2a-1-2	Max	Cent	578.5	4.5	154.3	617.3
-40.5	15.47			681	596.0	8.2	176.2	644.8
-3.4	11.94			953	604.9	23.9	128.7	632.1
-18.9	12.88			2354	560.9	11.4	132.5	591.2
-50.9	16.63			2316	552.1	2.9	180.1	605.9
-57.4	-44.72		Min	Cent	-6.6	-7.6	-50.3	43.2
-47.9	-41.64			681	-6.9	-15.4	-36.5	25.6
-71.1	-46.35			953	-6.9	-0.5	-67.3	63.7
-73.8	-44.72			2354	-6.4	-7.7	-66.7	59.6
-54.3	-37.12			2316	-6.4	-26.9	-36.3	21.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE						
		Max	Cent	0.0	0.0	0.0	0.0
-0.0	50.28		681	0.0	0.0	0.0	0.0
0.0	65.11		953	0.0	0.0	0.0	0.0
-0.0	57.16		2354	0.0	0.0	0.0	0.0
-0.0	48.98		2316	0.0	0.0	0.0	0.0
-0.0	24.82	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-8.76		681	-0.0	-0.0	-0.0	-0.0
-0.0	-7.93		953	-0.0	-0.1	-0.0	-0.0
-0.1	-5.62		2354	-0.0	-0.0	-0.0	-0.0
-0.0	-11.19		2316	-0.0	-0.0	-0.0	-0.0
-0.0	-12.80						
			NODE	Vxx	Vyy		
		Max	Cent	0.0	0.0		
			681	0.0	0.1		
			953	0.0	0.0		
			2354	0.0	0.0		
			2316	0.0	0.1		
		Min	Cent	-0.0	-0.1		
			681	-0.0	-0.1		
			953	-0.0	-0.1		
			2354	-0.0	-0.1		
			2316	-0.0	-0.1		
		LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	-77.7	1.6	-13.4	3.9
-80.0	-80.65		681	-80.1	1.1	-16.6	4.3
-83.4	-78.91		953	-81.0	-3.9	10.0	-2.7
-82.3	82.76		2354	-75.3	2.2	-10.3	3.6
-76.7	-82.55		2316	-74.5	-0.9	-16.9	2.8
-78.2	-77.64						
			NODE	Mxx	Myy	Mxy	Mmax
			Cent	0.0	0.0	-0.0	0.0
0.0	-80.64		681	0.0	0.0	0.0	0.0
0.0	80.32		953	0.0	0.0	-0.0	0.0
0.0	-86.25		2354	0.0	0.0	-0.0	0.0
0.0	-76.91		2316	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0      75.96

NODE	Vxx	Vyy
Cent	-0.0	-0.0
681	-0.0	-0.0
953	-0.0	-0.0
2354	-0.0	-0.0
2316	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.3	-9.48	SLVy (RS)	Cent	17.6	0.8	-2.9	18.1
2.3	-12.29		681	17.7	3.1	-3.3	18.4
-2.3	6.07		953	16.4	-2.1	2.0	16.6
-2.0	-7.22		2354	17.6	-1.7	-2.5	17.9
2.6	-13.36		2316	18.9	3.5	-3.9	19.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.1	-9.44	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-9.77	681	-0.0	-0.1	-0.0	-0.0
-0.2	-3.44	953	-0.1	-0.2	-0.0	-0.1
-0.1	-13.15	2354	-0.0	-0.1	-0.0	-0.0
-0.0	-27.99	2316	0.0	-0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.6
681	-0.0	-0.7
953	-0.0	-0.6
2354	0.1	-0.6
2316	0.1	-0.7

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-40.0	-80.65	SLDx (RS)	Cent	-38.8	0.8	-6.7	1.9
-41.7	-78.91		681	-40.0	0.5	-8.3	2.2
-41.1	82.76		953	-40.5	-2.0	5.0	-1.3
-38.3	-82.55		2354	-37.6	1.1	-5.2	1.8
-39.1	-77.64		2316	-37.2	-0.5	-8.5	1.4

NODE	Mxx	Myy	Mxy	Mmax
------	-----	-----	-----	------



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE						
			Cent	0.0	0.0	-0.0	0.0
0.0	-80.63		681	0.0	0.0	0.0	0.0
0.0	80.31		953	0.0	0.0	-0.0	0.0
0.0	-86.25		2354	0.0	0.0	-0.0	0.0
0.0	-76.90		2316	0.0	0.0	0.0	0.0
0.0	75.94						
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			681	-0.0	-0.0		
			953	-0.0	-0.0		
			2354	-0.0	-0.0		
			2316	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDy (RS)	Cent	8.8	0.4	-1.5	9.1
0.1	-9.50		681	8.8	1.5	-1.7	9.2
1.2	-12.30		953	8.2	-1.1	1.0	8.3
-1.2	6.08		2354	8.8	-0.9	-1.2	9.0
-1.0	-7.24		2316	9.5	1.7	-1.9	9.9
1.3	-13.37						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-9.44		681	-0.0	-0.1	-0.0	-0.0
-0.1	-9.77		953	-0.0	-0.1	-0.0	-0.0
-0.1	-3.44		2354	-0.0	-0.0	-0.0	-0.0
-0.1	-13.15		2316	0.0	-0.0	-0.0	0.0
-0.0	-27.99						
			NODE	Vxx	Vyy		
			Cent	0.0	-0.3		
			681	-0.0	-0.3		
			953	-0.0	-0.3		
			2354	0.0	-0.3		
			2316	0.0	-0.3		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLVz (RS)	Cent	-33.6	-0.8	-5.9	0.2
-34.7	-80.19		681	-34.7	-0.5	-7.2	1.0
-36.1	-78.55		953	-35.1	-1.8	-4.3	-1.2
-35.6	-82.69		2354	-32.6	-1.0	-4.5	-0.4
-33.2	-82.04		2316	-32.2	0.3	-7.4	1.9
-33.8	-77.79						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	80.11		Cent	0.0	0.0	0.0	0.0
0.0	80.30		681	0.0	0.0	0.0	0.0
0.0	86.51		953	0.0	0.0	0.0	0.0
0.0	75.98		2354	0.0	0.0	0.0	0.0
0.0	61.95		2316	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	-0.0		
			681	-0.0	-0.0		
			953	-0.0	0.0		
			2354	-0.0	0.0		
			2316	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-13.3	8.24	g1	Cent	704.6	1.8	104.0	719.6
-26.7	9.99		681	726.6	-3.4	132.7	750.0
15.6	5.72		953	734.5	22.8	72.0	741.7
-1.3	6.28		2354	682.5	7.0	75.3	690.8
-44.9	10.70		2316	674.6	-19.2	136.0	700.3
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	-3.84		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-8.18		681	-0.0	-0.0	-0.0	-0.0
-0.0	-1.82		953	-0.0	-0.0	-0.0	-0.0
-0.0	-3.72		2354	-0.0	-0.0	-0.0	-0.0
-0.0	-6.37		2316	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
-----							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

```

-----
                Cent      0.0      0.0
                681      0.0      0.0
                953      0.0     -0.0
                2354     0.0     -0.0
                2316     0.0      0.0
    
```

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-8.4	7.71	g2	Cent	340.3	-2.0	47.2	346.7
-14.4	9.46		681	350.9	-4.2	60.9	361.0
4.9	5.23		953	354.5	7.8	32.0	357.4
-3.1	5.75		2354	329.7	0.3	33.5	333.1
-22.9	10.14		2316	326.1	-11.7	62.4	337.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	16.66	Cent	-0.0	-0.0	0.0	-0.0
-0.0	2.38	681	-0.0	-0.0	0.0	-0.0
-0.0	50.29	953	0.0	0.0	0.0	0.0
-0.0	32.17	2354	-0.0	-0.0	0.0	-0.0
-0.0	3.40	2316	-0.0	-0.0	0.0	-0.0

```

-----
                NODE      Vxx      Vyy
                Cent      0.0      0.0
                681      0.0      0.0
                953      0.0      0.0
                2354     0.0      0.0
                2316     0.0      0.0
    
```

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.4	14.36	q3	Cent	20.8	0.0	5.7	22.2
-1.9	14.88		681	21.0	-0.3	6.1	22.7
-0.5	13.20		953	21.3	0.7	5.1	22.5
-0.9	13.79		2354	20.5	0.4	5.2	21.8
-2.3	15.45		2316	20.2	-0.6	6.2	21.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-8.83	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-32.19	681	-0.0	-0.0	-0.0	0.0
-0.0	-2.30	953	-0.0	-0.0	-0.0	-0.0
-0.0	-7.70	2354	-0.0	-0.0	-0.0	-0.0
-0.0	-12.11	2316	0.0	-0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
681	0.0	0.0
953	0.0	-0.0
2354	0.0	-0.0
2316	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.1	4.40	q5_pc	Cent	24.4	0.3	1.9	24.5
0.1	2.93		681	23.9	0.2	1.2	23.9
-0.2	6.03		953	23.8	0.1	2.5	24.1
0.1	5.79		2354	25.0	0.4	2.5	25.2
0.5	2.79		2316	25.0	0.5	1.2	25.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-8.63	Cent	0.0	-0.0	-0.0	0.0
-0.0	-18.12	681	0.0	-0.0	-0.0	0.0
-0.0	-3.01	953	-0.0	-0.0	-0.0	-0.0
-0.0	-7.72	2354	-0.0	-0.0	-0.0	-0.0
-0.0	-14.59	2316	0.0	-0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
681	-0.0	0.0
953	-0.0	-0.0
2354	0.0	-0.0
2316	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.3	3.55	q5_ps	Cent	20.3	0.3	1.2	20.4
			681	19.8	0.4	0.6	19.8

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
0.4	1.91		953	19.7	-0.1	1.9	19.9	
-0.2	5.44		2354	20.7	0.3	1.8	20.9	
0.1	5.08		2316	20.9	0.7	0.6	20.9	
0.7	1.67							
-----								
			Cent	0.0	-0.0	-0.0	0.0	
-0.0	-10.95		681	0.0	-0.0	-0.0	0.0	
-0.0	-31.27		953	0.0	-0.0	-0.0	0.0	
-0.0	-1.92		2354	-0.0	-0.0	-0.0	-0.0	
-0.0	-6.76		2316	0.0	-0.0	-0.0	0.0	
-0.0	-16.12							
-----								
			NODE	Vxx	Vyy			
			Cent	0.0	0.0			
			681	-0.0	0.0			
			953	-0.0	-0.0			
			2354	0.0	-0.0			
			2316	0.0	0.0			
-----								
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
		INVSLU	Max	Cent	2822.7	13.6	521.5	2916.4
-17.5	10.19			681	3005.0	34.2	741.7	3179.9
-64.1	13.27			953	3045.0	134.3	283.1	3072.3
107.4	5.50			2354	2640.4	14.8	301.8	2674.6
-10.3	6.47			2316	2600.3	-69.9	760.5	2801.8
-180.8	14.83			Cent	1463.7	-13.4	88.4	1472.4
-80.8	4.39		Min	681	1607.9	-18.8	291.6	1663.6
-142.3	9.83			953	1628.3	81.8	-131.2	1634.4
70.8	-3.60			2354	1319.4	-25.7	-119.7	1325.0
-36.2	-3.67			2316	1299.1	-137.2	302.4	1365.8
-274.1	11.38							
-----								
				NODE	Mxx	Myy	Mxy	Mmax
			Max	Cent	-0.0	-0.0	0.0	-0.0
-0.0	12.94			681	-0.0	-0.0	0.0	-0.0
-0.0	8.54			953	-0.0	-0.0	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	11.87			2354	-0.0	-0.0	0.0	-0.0
-0.0	29.47			2316	0.0	-0.0	0.0	0.0
-0.0	7.02							
-0.1	-5.61	Min	Cent		-0.0	-0.1	-0.0	-0.0
-0.1	-6.50			681	-0.0	-0.1	-0.0	-0.0
-0.1	-3.48			953	-0.0	-0.1	-0.0	-0.0
-0.1	-7.23			2354	-0.0	-0.1	-0.0	-0.0
-0.1	-8.82			2316	-0.0	-0.1	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	-0.0
	681	0.0	0.1
	953	0.0	-0.1
	2354	0.1	-0.1
	2316	0.1	0.1
Min	Cent	0.0	-0.2
	681	-0.0	-0.2
	953	-0.0	-0.3
	2354	0.0	-0.3
	2316	0.0	-0.2

Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
-14.0	7.29	INVSLV	Max	Cent	1161.2	1.0	153.0	1180.5
-37.2	11.20			681	1247.1	7.5	258.2	1297.8
52.9	0.99			953	1260.9	53.3	40.8	1261.3
-3.8	2.45			2354	1075.3	-3.0	47.9	1077.3
-98.6	12.68			2316	1061.5	-46.4	265.3	1120.6
-22.7	7.06		Min	Cent	974.9	-3.2	120.9	990.1
-50.1	11.39			681	1055.4	0.4	218.8	1099.8
41.6	2.07			953	1068.0	43.0	17.1	1069.3
-10.9	1.56			2354	894.5	-9.1	23.0	895.2
-113.3	12.96			2316	881.9	-54.1	224.7	934.1

Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
0.0	79.30		Max	Cent	0.0	0.1	0.0	0.1
0.0	79.74			681	0.0	0.1	0.0	0.1
0.0	86.17			953	0.0	0.2	0.0	0.2
				2354	0.0	0.1	0.0	0.1

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	74.97		2316	0.0	-0.0	0.0	0.0
-0.0	-23.14	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-8.39		681	-0.0	-0.1	-0.0	-0.0
-0.1	-9.38		953	-0.1	-0.2	-0.0	-0.1
-0.2	-3.07		2354	-0.0	-0.1	-0.0	-0.0
-0.1	-11.56		2316	-0.0	-0.0	-0.0	-0.0
-0.0	26.59						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.6
	681	0.0	0.7
	953	0.0	0.6
	2354	0.1	0.6
	2316	0.1	0.7
Min	Cent	-0.0	-0.7
	681	-0.0	-0.7
	953	-0.0	-0.7
	2354	-0.1	-0.7
	2316	-0.1	-0.7

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
1027	2	4	Q1-1-2	Max	Cent	1037.5	6.9	253.9	1096.6
-52.2		13.12			953	1109.0	20.1	329.5	1200.9
-71.8		15.59			955	1115.3	33.6	177.5	1143.6
5.2		9.08			2355	966.0	0.3	180.2	998.5
-32.2		10.23			2354	959.7	0.5	332.3	1063.6
-103.4		17.36		Min	Cent	-10.0	-12.6	-70.2	58.9
-81.6		-44.47			953	-10.7	-6.6	-31.0	22.5
-39.7		-46.88			955	-10.8	-0.3	-122.4	117.0
-128.1		-46.22			2355	-9.3	-22.8	-120.2	104.3
-136.4		-43.39			2354	-9.3	-42.7	-29.5	7.9
-59.9		-30.23							

	NODE	Mxx	Myy	Mxy	Mmax
Mmin	ANGLE				
	Max	Cent	0.0	0.0	0.0
-0.0		953	0.0	0.0	0.0
-0.0		955	0.0	0.0	0.0
0.0		2355	0.0	0.0	0.0
-0.0		2354	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	54.26	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-6.10		953	-0.0	-0.1	-0.0	-0.0
-0.1	-6.06		955	-0.0	-0.1	-0.0	-0.0
-0.2	-3.70		2355	-0.0	-0.1	-0.0	-0.0
-0.1	-6.95		2354	-0.0	-0.1	-0.0	-0.0
-0.1	-9.71						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	953	0.0	0.0
	955	0.0	0.0
	2355	0.0	0.0
	2354	0.0	0.0
Min	Cent	-0.0	-0.2
	953	-0.0	-0.2
	955	-0.0	-0.3
	2355	-0.0	-0.3
	2354	-0.0	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-34.3	13.65	Q2a-1-2	Max Cent	624.5	4.6	160.1	663.4
-47.3	16.18		953	667.4	12.8	207.3	727.6
2.1	9.48		955	671.4	20.8	111.8	690.1
-21.2	10.66		2355	581.7	0.2	113.5	603.1
-67.4	17.96		2354	577.7	0.3	209.1	645.5
-55.0	-44.66		Min Cent	-7.4	-8.5	-47.0	39.0
-27.2	-47.32		953	-7.9	-4.5	-21.0	14.8
-86.2	-46.36		955	-8.0	-0.2	-82.0	78.0
-91.4	-43.61		2355	-6.9	-14.7	-80.5	69.8
-39.3	-31.55		2354	-6.9	-27.1	-19.9	5.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	54.85	Max Cent	0.0	0.0	0.0	0.0
-0.0	57.17	953	0.0	0.0	0.0	0.0
-0.0	59.41	955	0.0	0.0	0.0	0.0
-0.0	53.70	2355	0.0	0.0	0.0	0.0
-0.0	52.05	2354	0.0	0.0	0.0	0.0
		Min Cent	-0.0	-0.1	-0.0	-0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	-5.92	953	-0.0	-0.1	-0.0	-0.0
-0.1	-5.90	955	-0.0	-0.1	-0.0	-0.0
-0.1	-3.54	2355	-0.0	-0.1	-0.0	-0.0
-0.1	-6.77	2354	-0.0	-0.1	-0.0	-0.0
-0.1	-9.51					

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	953	0.0	0.0
	955	0.0	0.0
	2355	0.0	0.0
	2354	0.0	0.0
Min	Cent	-0.0	-0.1
	953	-0.0	-0.1
	955	-0.0	-0.2
	2355	-0.0	-0.2
	2354	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-86.1	-79.78	SLVx (RS)	Cent	-83.3	-1.5	-15.3	1.2
-94.5	-76.43		953	-89.2	-2.7	-22.2	2.7
-90.3	-84.66		955	-89.6	-4.0	-8.1	-3.2
-78.4	-83.90		2355	-77.5	-0.4	-8.3	0.5
-83.2	-74.69		2354	-77.1	-1.2	-22.4	4.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-86.54	Cent	0.0	0.0	-0.0	0.0
0.0	86.03	953	0.0	0.0	0.0	0.0
0.0	-87.88	955	0.0	0.0	-0.0	0.0
0.0	-85.78	2355	0.0	0.0	-0.0	0.0
0.0	83.27	2354	0.0	0.0	0.0	0.0

	NODE	Vxx	Vyy
	Cent	-0.0	-0.0
	953	-0.0	-0.0
	955	-0.0	-0.0
	2355	-0.0	-0.0
	2354	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		SLV <sub>y</sub> (RS)	Cent	20.2	-1.0	-5.7	21.7
-2.4	-14.03		953	19.4	-1.8	-6.8	21.4
-3.8	-16.29		955	19.7	0.8	-4.7	20.8
-0.3	-13.10		2355	21.1	0.4	-4.6	22.1
-0.6	-11.88		2354	20.8	-1.2	-6.7	22.7
-3.1	-15.62						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----			Cent	-0.1	-0.2	-0.0	-0.1
-0.2	-3.30		953	-0.1	-0.3	-0.0	-0.1
-0.3	-3.90		955	-0.1	-0.3	-0.0	-0.1
-0.3	-2.00		2355	-0.1	-0.2	-0.0	-0.1
-0.2	-4.15		2354	-0.0	-0.1	-0.0	-0.0
-0.1	-6.72						
			NODE	Vxx	Vyy		
			Cent	0.0	-1.0		
			953	-0.0	-0.9		
			955	-0.0	-1.0		
			2355	0.1	-1.0		
			2354	0.1	-0.9		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----		SLD <sub>x</sub> (RS)	Cent	-41.6	-0.8	-7.6	0.6
-43.0	-79.77		953	-44.5	-1.3	-11.1	1.3
-47.2	-76.43		955	-44.8	-2.0	-4.0	-1.6
-45.1	-84.66		2355	-38.7	-0.2	-4.2	0.3
-39.2	-83.90		2354	-38.5	-0.6	-11.2	2.5
-41.6	-74.69						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----			Cent	0.0	0.0	-0.0	0.0
0.0	-86.53		953	0.0	0.0	0.0	0.0
0.0	86.02		955	0.0	0.0	-0.0	0.0
0.0	-87.88		2355	0.0	0.0	-0.0	0.0
0.0	-85.77		2354	0.0	0.0	0.0	0.0
0.0	83.26						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
	Cent	-0.0	-0.0
	953	-0.0	-0.0
	955	-0.0	-0.0
	2355	-0.0	-0.0
	2354	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDy (RS)	Cent	10.1	-0.5	-2.8	10.8
-1.2	-14.04		953	9.7	-0.9	-3.4	10.7
-1.9	-16.30		955	9.8	0.4	-2.3	10.4
-0.1	-13.10		2355	10.5	0.2	-2.3	11.0
-0.3	-11.89		2354	10.4	-0.6	-3.3	11.3
-1.6	-15.63						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-3.30		953	-0.0	-0.1	-0.0	-0.0
-0.1	-3.90		955	-0.0	-0.1	-0.0	-0.0
-0.1	-2.00		2355	-0.0	-0.1	-0.0	-0.0
-0.1	-4.15		2354	-0.0	-0.1	-0.0	-0.0
-0.1	-6.72						

	NODE	Vxx	Vyy
	Cent	0.0	-0.5
	953	-0.0	-0.5
	955	-0.0	-0.5
	2355	0.0	-0.5
	2354	0.0	-0.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVz (RS)	Cent	-36.1	-0.7	-6.7	0.5
-37.3	-79.67		953	-38.6	-1.2	-9.7	1.1
-41.0	-76.29		955	-38.8	-1.7	-3.5	-1.4
-39.1	-84.61		2355	-33.5	-0.2	-3.6	0.2
-33.9	-83.85		2354	-33.3	0.4	-9.8	3.0
-36.0	-74.91						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	86.00	Cent	0.0	0.0	0.0	0.0
0.0	86.11	953	0.0	0.0	0.0	0.0
0.0	87.55	955	0.0	0.0	0.0	0.0
0.0	83.01	2355	0.0	0.0	0.0	0.0
0.0	82.52	2354	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
953	-0.0	0.0
955	-0.0	0.0
2355	-0.0	0.0
2354	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-18.0	8.76	g1	Cent	758.9	0.4	119.7	777.3
-29.7	12.26		953	812.1	10.1	183.0	851.9
20.4	3.87		955	816.3	24.1	53.9	819.9
-13.7	4.49		2355	705.7	-9.2	56.5	710.1
-68.0	13.56		2354	701.5	-23.2	185.6	746.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-1.67	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-2.81	953	-0.0	-0.0	-0.0	-0.0
-0.0	-1.07	955	-0.0	-0.0	-0.0	-0.0
-0.0	-0.97	2355	-0.0	-0.0	-0.0	-0.0
-0.0	-2.98	2354	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
953	0.0	-0.0
955	0.0	-0.0
2355	0.0	-0.0
2354	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-11.6	8.53	g2	Cent	366.6	-3.0	56.7	375.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-17.5	12.04	953	392.2	1.1	87.4	410.9
7.4	3.65	955	394.6	9.0	24.7	396.1
-9.2	4.26	2355	340.9	-7.2	26.1	342.8
-36.1	13.33	2354	338.5	-15.0	88.8	359.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

0.0	64.55	Cent	0.0	0.0	0.0	0.0
-0.0	50.12	953	0.0	0.0	0.0	0.0
0.0	83.63	955	0.0	0.0	0.0	0.0
0.0	62.72	2355	0.0	0.0	0.0	0.0
-0.0	32.39	2354	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
953	0.0	0.0
955	0.0	0.0
2355	-0.0	0.0
2354	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

-1.5	14.33	q3	Cent	21.9	0.1	6.0	23.4
-1.9	16.48		953	23.1	0.3	7.4	25.3
-0.3	10.81		955	23.2	0.6	4.5	24.1
-1.1	11.76		2355	20.7	-0.2	4.5	21.7
-2.8	17.65		2354	20.6	-0.5	7.5	23.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

-0.0	-2.88	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-3.83	953	-0.0	-0.0	-0.0	-0.0
-0.0	-1.76	955	-0.0	-0.0	-0.0	-0.0
-0.0	-2.41	2355	-0.0	-0.0	-0.0	-0.0
-0.0	-4.77	2354	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

953 0.0 -0.0  
 955 0.0 -0.0  
 2355 0.0 -0.0  
 2354 0.0 -0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.1	3.64	q5_pc	Cent	26.5	0.0	1.7	26.7
-0.1	4.31		953	26.8	0.0	2.0	27.0
0.2	2.84		955	26.9	0.2	1.3	26.9
-0.0	2.95		2355	26.3	0.0	1.4	26.3
-0.3	4.44		2354	26.2	-0.2	2.1	26.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-5.78	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-5.44	953	-0.0	-0.0	-0.0	-0.0
-0.0	-4.47	955	-0.0	-0.0	-0.0	-0.0
-0.0	-6.48	2355	-0.0	-0.0	-0.0	-0.0
-0.0	-7.73	2354	-0.0	-0.0	-0.0	-0.0

NODE Vxx Vyy  
 Cent -0.0 -0.0  
 953 -0.0 -0.0  
 955 -0.0 -0.0  
 2355 -0.0 -0.0  
 2354 -0.0 -0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.1	2.64	q5_ps	Cent	22.1	-0.0	1.0	22.1
-0.1	3.09		953	22.2	-0.1	1.2	22.3
0.1	2.10		955	22.3	0.1	0.8	22.3
-0.0	2.18		2355	21.9	0.0	0.8	22.0
-0.2	3.18		2354	21.9	-0.2	1.2	22.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-8.16	Cent	0.0	-0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-6.76	953	0.0	-0.0	-0.0	0.0
-0.0	-8.19	955	0.0	-0.0	-0.0	0.0
-0.0	-8.88	2355	0.0	-0.0	-0.0	0.0
-0.0	-8.50	2354	0.0	-0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
953	-0.0	-0.0
955	-0.0	-0.0
2355	-0.0	-0.0
2354	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-28.0	10.16	INVSLU Max	Cent	3057.4	7.6	564.7	3158.6
-65.1	14.57		953	3368.0	68.7	920.0	3607.2
121.2	3.48		955	3390.4	133.3	198.7	3402.5
-48.6	4.32		2355	2746.8	-44.5	211.9	2762.8
-250.3	16.77		2354	2724.4	-90.5	933.3	3005.7
-94.1	5.22	Min	Cent	1589.6	-18.8	124.1	1603.1
-171.8	13.24		953	1802.6	32.6	429.7	1906.1
62.5	-5.47		955	1816.3	87.2	-208.5	1832.3
-101.8	-6.07		2355	1376.7	-75.9	-196.0	1393.3
-373.7	15.08		2354	1363.0	-149.1	441.1	1488.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	23.38	Max	Cent	-0.0	-0.0	0.0
-0.0	10.36		953	-0.0	-0.0	0.0
-0.0	26.13		955	-0.0	-0.0	0.0
-0.0	38.86		2355	-0.0	-0.0	0.0
-0.0	23.89		2354	-0.0	-0.0	0.0
-0.2	-4.24	Min	Cent	-0.1	-0.2	-0.0
-0.2	-4.28		953	-0.1	-0.2	-0.0
-0.2	-2.87		955	-0.1	-0.2	-0.0
-0.2	-4.91		2355	-0.1	-0.2	-0.0
			2354	-0.0	-0.1	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

- 0.1      - 6.67

	NODE	Vxx	Vyy
Max	Cent	0.0	-0.1
	953	0.0	-0.1
	955	0.0	-0.0
	2355	0.0	-0.0
	2354	0.0	-0.1
Min	Cent	0.0	-0.4
	953	-0.0	-0.4
	955	-0.0	-0.4
	2355	0.0	-0.4
	2354	0.0	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-26.0	7.95	INVSLV	Max Cent	1257.2	-2.7	183.0	1282.3
-52.5	13.31		953	1396.0	24.0	348.2	1477.5
57.3	0.36		955	1406.2	57.4	11.2	1406.3
-29.5	0.75		2355	1118.4	-29.4	17.7	1118.6
-146.9	15.48		2354	1108.2	-60.4	354.7	1205.3
-29.0	7.80	Min	Cent	1056.8	-6.8	145.1	1077.2
-59.9	13.55		953	1182.9	16.9	294.0	1254.7
47.8	-0.35		955	1192.0	47.9	-9.9	1192.0
-30.6	-0.07		2355	930.7	-30.6	-3.9	930.7
-160.8	15.85		2354	921.6	-63.9	300.0	1007.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.1	86.21	Max	Cent	0.1	0.2	0.0
0.1	85.75		953	0.1	0.3	0.0
0.1	87.75		955	0.1	0.3	0.0
0.0	84.81		2355	0.0	0.1	0.0
0.0	82.16		2354	0.0	0.1	0.0
-0.2	-2.88	Min	Cent	-0.1	-0.2	-0.0
-0.3	-3.61		953	-0.1	-0.3	-0.0
-0.3	-1.76		955	-0.1	-0.3	-0.0
-0.2	-3.32		2355	-0.1	-0.2	-0.0
-0.2	-5.88		2354	-0.0	-0.2	-0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
Max	Cent	0.0	0.9
	953	0.0	0.9
	955	0.0	1.0
	2355	0.1	1.0
	2354	0.1	0.9
Min	Cent	-0.0	-1.0
	953	-0.0	-1.0
	955	-0.0	-1.0
	2355	-0.0	-1.0
	2354	-0.0	-1.0

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
1035	2	10	Q1-1-2	Max	Cent	200.3	27.5	233.5	362.9
-135.1		34.84			689	389.6	97.5	290.8	569.0
-81.9		31.67			969	378.1	57.2	183.1	461.1
-25.8		24.39			970	22.9	0.5	177.9	190.0
-166.5		43.20			690	33.9	12.4	287.0	310.3
-264.0		43.93		Min	Cent	-2.0	-96.1	-128.8	88.1
-186.1		-34.97			689	-3.8	-63.6	-84.6	56.0
-123.4		-35.27			969	-3.8	-83.1	-165.2	126.4
-213.3		-38.25			970	-18.0	-168.0	-180.2	102.3
-288.2		-33.70			690	-9.5	-127.1	-96.8	44.9
-181.6		-29.36							

	NODE	Mxx	Myy	Mxy	Mmax
Max	Cent	0.0	0.1	0.0	0.1
	689	0.0	0.1	0.0	0.1
	969	0.0	0.0	0.0	0.0
	970	0.1	0.1	0.0	0.1
	690	0.0	0.1	0.0	0.1
Min	Cent	-0.0	-0.0	-0.0	0.0
	689	-0.0	-0.0	-0.0	0.0
	969	-0.0	-0.0	-0.0	0.0
	970	-0.0	-0.0	-0.0	-0.0
	690	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
------	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Max	Cent	0.0	0.0
	689	0.0	0.0
	969	0.0	0.0
	970	0.0	0.0
	690	0.0	0.0
Min	Cent	-0.0	-0.1
	689	-0.1	-0.0
	969	-0.1	-0.2
	970	-0.0	-0.2
	690	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-86.2	35.38	Q2a-1-2	Max Cent	119.9	17.7	146.3	223.8
-55.2	32.33		689	233.3	60.4	182.6	348.8
-18.7	25.11		969	226.2	35.1	114.7	279.9
-103.9	43.19		970	14.5	0.4	111.2	118.8
-166.1	43.90		690	21.0	7.1	180.0	194.2
-126.7	-34.31		Min Cent	-1.5	-68.4	-85.4	56.8
-83.7	-34.63		689	-2.8	-45.1	-55.8	35.7
-144.5	-37.77		969	-2.8	-59.4	-109.8	82.2
-194.0	-33.52		970	-12.6	-114.4	-120.1	67.0
-122.2	-28.91		690	-6.1	-86.8	-64.1	29.3
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	83.70		Max Cent	0.0	0.1	0.0	0.1
0.0	82.26		689	0.0	0.0	0.0	0.0
0.0	64.98		969	0.0	0.0	0.0	0.0
0.1	85.33		970	0.1	0.1	0.0	0.1
0.0	81.79		690	0.0	0.0	0.0	0.0
-0.0	-43.37		Min Cent	-0.0	-0.0	-0.0	0.0
-0.0	-44.30		689	-0.0	-0.0	-0.0	0.0
-0.0	-44.67		969	-0.0	-0.0	-0.0	0.0
-0.0	-30.15		970	-0.0	-0.0	-0.0	-0.0
-0.0	-46.04		690	-0.0	-0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Max Cent	0.0	0.0		
			689	0.0	0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	969	0.0	0.0
	970	0.0	0.0
	690	0.0	0.0
Min	Cent	-0.0	-0.1
	689	-0.0	-0.0
	969	-0.0	-0.1
	970	-0.0	-0.1
	690	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-5.8	-27.48	SLVx (RS)	Cent	17.1	0.4	-12.0	23.4
-11.6	-21.39		689	32.4	-4.8	-17.2	39.1
-5.9	-9.44		969	32.4	-4.9	-6.4	33.5
-2.2	-44.78		970	4.5	4.4	-6.7	11.2
-13.1	-45.08		690	4.4	4.6	-17.6	22.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	6.99	Cent	0.0	-0.0	0.0	0.0
0.0	-67.59	689	0.0	0.0	-0.0	0.0
0.0	-82.87	969	0.0	0.0	-0.0	0.0
-0.0	10.28	970	0.0	-0.0	0.0	0.0
-0.0	74.94	690	-0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
689	-0.0	0.0
969	-0.0	0.0
970	-0.0	0.0
690	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.5	-14.26	SLVy (RS)	Cent	36.4	0.9	-9.6	38.8
-2.3	-17.54		689	32.5	1.2	-11.0	36.0
-1.3	-13.64		969	32.5	0.7	-8.2	34.5
0.2	-11.64		970	40.2	1.9	-8.2	41.9
-0.9	-15.02		690	40.3	2.0	-11.0	43.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

				Vxx	Vyy		
0.0	56.79	Cent		0.1	0.1	0.0	0.1
0.0	61.73	689		0.0	0.1	0.0	0.1
0.1	80.80	969		0.1	0.1	0.0	0.1
0.0	47.30	970		0.0	0.0	0.0	0.1
0.0	44.58	690		0.0	0.0	0.0	0.1
		NODE		Vxx	Vyy		
		Cent		-0.0	0.1		
		689		-0.1	0.1		
		969		-0.1	0.2		
		970		-0.0	0.1		
		690		-0.0	0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.9	-27.48	SLDx (RS)	Cent	8.6	0.2	-6.0	11.7
-5.8	-21.39		689	16.2	-2.4	-8.6	19.5
-3.0	-9.44		969	16.2	-2.4	-3.2	16.7
-1.1	-44.78		970	2.3	2.2	-3.4	5.6
-6.5	-45.08		690	2.2	2.3	-8.8	11.0
Mmin	ANGLE	NODE		Mxx	Myy	Mxy	Mmax
-0.0	7.00	Cent		0.0	-0.0	0.0	0.0
0.0	-67.59	689		0.0	0.0	-0.0	0.0
0.0	-82.87	969		0.0	0.0	-0.0	0.0
-0.0	10.29	970		0.0	-0.0	0.0	0.0
-0.0	74.92	690		-0.0	0.0	0.0	0.0
		NODE		Vxx	Vyy		
		Cent		-0.0	0.0		
		689		-0.0	0.0		
		969		-0.0	0.0		
		970		-0.0	0.0		
		690		-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDy (RS)	Cent	18.2	0.5	-4.8	19.4

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.8	-14.26	689	16.2	0.6	-5.5	18.0
-1.1	-17.55	969	16.2	0.4	-4.1	17.2
-0.6	-13.64	970	20.1	0.9	-4.1	20.9
0.1	-11.64	690	20.1	1.0	-5.5	21.6
-0.5	-15.03					

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

		Cent	0.0	0.0	0.0	0.0
0.0	56.79	689	0.0	0.0	0.0	0.0
0.0	61.73	969	0.0	0.1	0.0	0.1
0.0	80.80	970	0.0	0.0	0.0	0.0
0.0	47.30	690	0.0	0.0	0.0	0.0
0.0	44.58					

NODE	Vxx	Vyy
------	-----	-----

Cent	-0.0	0.1
689	-0.0	0.0
969	-0.0	0.1
970	-0.0	0.1
690	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

		SLVz (RS)	Cent	-6.8	-0.2	-5.3	2.7
-9.8	-61.11		689	-13.6	-2.2	-7.6	1.6
-17.4	-63.42		969	-13.6	-2.1	-2.9	-1.5
-14.3	-76.76		970	-1.2	1.9	-3.0	3.7
-3.0	-59.09		690	-1.3	1.9	-7.7	8.2
-7.6	-50.82						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-38.43	689	0.0	0.0	-0.0	0.0
0.0	-63.91	969	0.0	0.0	-0.0	0.0
0.0	-81.68	970	-0.0	-0.0	-0.0	-0.0
-0.0	-48.90	690	-0.0	-0.0	-0.0	-0.0
-0.0	-42.18					

NODE	Vxx	Vyy
------	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Cent	0.0	0.0
689	0.0	0.0
969	0.0	0.0
970	0.0	0.0
690	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-49.0	23.66	g1	Cent	146.6	-11.4	85.7	184.2
			689	288.3	31.5	134.0	345.5
-25.7	23.11		969	287.9	30.4	34.9	292.6
25.8	7.57		970	5.0	-54.4	37.4	23.0
-72.5	25.77		690	5.3	-53.3	136.5	115.6
-163.7	38.94						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	73.97		Cent	0.0	0.0	0.0	0.0
-0.0	41.44		689	-0.0	-0.0	0.0	0.0
-0.0	23.53		969	-0.0	-0.0	0.0	-0.0
0.0	84.61		970	0.0	0.0	0.0	0.0
0.0	83.09		690	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
689	-0.0	-0.0
969	-0.0	-0.0
970	-0.0	-0.0
690	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-30.2	22.35	g2	Cent	69.1	-13.4	40.8	85.9
			689	137.3	3.9	63.1	162.4
-21.2	21.70		969	139.5	11.1	14.6	141.1
9.5	6.39		970	0.9	-30.6	18.5	9.5
-39.2	24.80		690	-1.3	-37.9	67.1	49.9
-89.1	37.36						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	12.27		689	-0.0	-0.0	0.0	-0.0
-0.0	16.71		969	-0.0	-0.0	0.0	-0.0
-0.0	20.50		970	-0.0	-0.0	-0.0	-0.0
-0.0	-3.59		690	-0.0	-0.0	0.0	-0.0
-0.0	30.22						

NODE	Vxx	Vyy
Cent	0.0	0.0
689	0.0	-0.0
969	0.0	0.0
970	0.0	0.0
690	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.9	26.02	q3	Cent	9.2	0.0	5.9	12.0
-2.4	25.32		689	12.2	0.9	6.9	15.5
-0.8	20.09		969	12.2	1.0	4.8	14.0
-3.3	27.06		970	6.1	-0.9	4.8	8.6
-5.2	31.60		690	6.1	-0.9	7.0	10.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	28.00	Cent	-0.0	-0.0	0.0	-0.0
-0.0	15.54	689	-0.0	-0.0	0.0	-0.0
-0.0	10.31	969	-0.0	-0.0	0.0	-0.0
0.0	56.73	970	0.0	0.0	0.0	0.0
-0.0	63.92	690	-0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
689	-0.0	-0.0
969	-0.0	-0.0
970	-0.0	-0.0
690	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.7	-0.25	q5_pc	Cent	27.2	0.7	-0.1	27.2
0.9	-0.19		689	27.0	0.9	-0.1	27.1

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
0.3	0.19	969	26.9	0.3	0.1	26.9	
0.4	-0.31	970	27.4	0.4	-0.1	27.4	
1.1	-0.69	690	27.6	1.1	-0.3	27.6	
-----							
0.0	-48.74	Cent	0.0	0.0	-0.0	0.0	
0.0	-59.19	689	0.0	0.0	-0.0	0.0	
0.0	-11.21	969	0.0	0.0	-0.0	0.0	
0.0	80.03	970	0.0	0.0	0.0	0.0	
0.0	-10.44	690	0.0	0.0	-0.0	0.0	
-----							
		NODE	Vxx	Vyy			
-----							
		Cent	-0.0	-0.0			
		689	-0.0	0.0			
		969	-0.0	-0.0			
		970	-0.0	-0.0			
		690	-0.0	0.0			
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
0.3	-1.40	q5_ps	Cent	23.8	0.4	-0.6	23.8
0.2	-1.76		689	23.4	0.3	-0.7	23.4
0.2	-1.02		969	23.4	0.2	-0.4	23.4
0.5	-1.05		970	24.2	0.5	-0.4	24.2
0.5	-1.77		690	24.2	0.5	-0.7	24.3
-----							
Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-----							
-0.0	-9.50	Cent	0.0	-0.0	-0.0	0.0	
-0.0	-20.98	689	0.0	-0.0	-0.0	0.0	
-0.0	-5.48	969	0.0	-0.0	-0.0	0.0	
0.0	-3.67	970	0.0	0.0	-0.0	0.0	
-0.0	-7.86	690	0.0	-0.0	-0.0	0.0	
-----							
		NODE	Vxx	Vyy			
-----							
		Cent	-0.0	-0.0			
		689	-0.0	0.0			
		969	-0.0	-0.0			



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

970 -0.0 -0.0  
690 -0.0 0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-968.9	64.99	INVSLU	Max Cent	-759.4	25.0	467.9	243.2
-509.5	48.69		689	129.8	328.2	766.0	1001.3
-25.4	54.90		969	101.6	231.8	180.7	358.8
-1632.7	83.16		970	-1628.6	-219.9	172.3	-199.4
-1702.4	66.78		690	-1605.2	-161.9	759.5	163.7
-1092.7	-88.71		Min Cent	-1092.1	-143.0	-21.3	-142.5
-588.8	68.58		689	-459.5	109.1	259.1	210.8
-594.1	-74.05		969	-471.9	41.8	-289.6	144.0
-1808.3	-77.11		970	-1742.7	-448.3	-311.5	-377.1
-1973.6	80.23		690	-1721.8	-352.3	240.9	-310.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.1	84.33	Max Cent	0.1	0.2	0.0	0.2
0.0	79.17		689	0.0	0.1	0.1
0.1	75.68		969	0.1	0.1	0.1
0.1	87.26		970	0.1	0.3	0.3
0.1	85.53		690	0.1	0.2	0.2
0.0	-83.34	Min Cent	0.0	0.1	-0.0	0.1
0.0	-80.62		689	0.0	0.1	0.1
-0.0	-78.56		969	-0.0	0.0	0.0
-0.0	-87.02		970	-0.0	0.1	0.1
0.0	-87.90		690	0.0	0.1	0.1

NODE	Vxx	Vyy
Max Cent	0.0	-0.1
689	0.0	-0.1
969	0.0	-0.0
970	0.0	-0.0
690	0.0	-0.1
Min Cent	-0.0	-0.2
689	-0.1	-0.1
969	-0.1	-0.3
970	-0.0	-0.3
690	-0.0	-0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-472.7	75.78	INVSLV	Max Cent	-448.1	-25.4	132.8	6.6
-227.0	54.86		689	-58.0	95.9	271.0	275.4
-64.7	-80.70		969	-58.2	95.1	-12.2	96.8
-838.0	-87.99		970	-837.1	-137.4	-4.2	-136.6
-910.6	71.61		690	-836.9	-136.6	279.2	-55.2
-565.7	77.77		Min Cent	-535.2	-27.6	100.0	-4.2
-321.4	56.57		689	-150.6	84.2	225.4	243.6
-151.7	-85.38		969	-150.8	83.6	-34.1	87.9
-921.1	-89.59		970	-921.0	-148.6	-26.5	-148.6
-1007.6	73.67		690	-920.8	-148.0	232.8	-68.4
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	61.71		Max Cent	0.1	0.1	0.0	0.1
0.0	62.12		689	0.1	0.1	0.0	0.1
0.1	79.82		969	0.1	0.1	0.0	0.1
0.0	55.80		970	0.0	0.1	0.0	0.1
0.0	53.57		690	0.0	0.0	0.0	0.1
-0.1	-39.02		Min Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-28.29		689	-0.0	-0.1	-0.0	-0.0
-0.1	-7.73		969	-0.1	-0.1	-0.0	-0.1
-0.1	-51.59		970	-0.0	-0.0	-0.0	-0.0
-0.0	-54.53		690	-0.0	-0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Max Cent	0.0	0.1		
			689	0.1	0.0		
			969	0.1	0.1		
			970	0.0	0.1		
			690	0.0	0.0		
			Min Cent	-0.0	-0.1		
			689	-0.1	-0.1		
			969	-0.1	-0.2		
			970	-0.0	-0.2		
			690	-0.0	-0.1		

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
	Fmin	ANGLE							
1036	2	4	Q1-1-2	Max	Cent	207.1	2.1	242.5	367.9
	-158.6	33.54			969	400.0	50.0	296.0	568.9
	-118.9	29.70			971	406.1	48.1	181.4	481.9
	-27.8	22.69			972	26.0	0.7	190.9	204.7
	-178.0	43.11			970	25.0	0.7	307.6	320.7
	-295.0	43.87		Min	Cent	-2.2	-145.8	-125.5	70.6
	-218.6	-30.11			969	-4.1	-108.6	-81.6	40.6
	-153.2	-28.70			971	-4.1	-106.7	-166.8	119.1
	-229.9	-36.46			972	-19.2	-204.8	-175.5	86.5
	-310.5	-31.07			970	-16.8	-207.7	-88.7	18.1
	-242.5	-21.44							
	Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
				Max	Cent	0.1	0.1	0.0	0.1
	0.1	84.82			969	0.0	0.1	0.0	0.1
	0.0	72.08			971	0.0	0.1	0.0	0.1
	0.0	81.43			972	0.1	0.2	0.0	0.2
	0.1	87.00			970	0.1	0.2	0.0	0.2
	0.1	86.29		Min	Cent	-0.0	-0.0	-0.0	-0.0
	-0.0	-26.77			969	-0.0	-0.0	-0.0	0.0
	-0.0	-41.07			971	-0.0	-0.0	-0.0	0.0
	-0.0	-37.84			972	-0.0	-0.0	-0.0	-0.0
	-0.0	-12.29			970	-0.0	-0.0	-0.0	-0.0
	-0.0	-13.82							
				NODE	Vxx	Vyy			
				Max	Cent	0.0	0.0		
					969	0.0	0.0		
					971	0.0	0.0		
					972	0.0	0.0		
					970	0.0	0.0		
				Min	Cent	-0.0	-0.3		
					969	-0.0	-0.3		
					971	-0.0	-0.3		
					972	-0.0	-0.3		
					970	-0.0	-0.3		
	Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		-----						
Mmin	ANGLE							
-----		-----						
		Q2a-1-2	Max	Cent	123.8	1.4	151.7	226.1
-101.0	34.01							
				969	239.0	31.0	185.2	347.4
-77.4	30.34			971	243.5	29.6	113.2	292.3
-19.2	23.31			972	16.4	0.5	119.4	128.1
-111.1	43.09			970	15.6	0.6	192.9	201.1
-185.0	43.88		Min	Cent	-1.6	-103.0	-83.5	45.4
-150.1	-29.37			969	-3.0	-77.7	-54.0	25.3
-106.0	-27.68			971	-3.0	-76.2	-111.2	77.5
-156.7	-35.90			972	-13.5	-138.6	-117.4	57.0
-209.0	-30.97			970	-11.6	-140.9	-58.9	11.2
-163.7	-21.16							
				NODE	Mxx	Myy	Mxy	Mmax
-----		-----						
			Max	Cent	0.0	0.1	0.0	0.1
0.0	85.10			969	0.0	0.0	0.0	0.0
0.0	73.30			971	0.0	0.1	0.0	0.1
0.0	82.15			972	0.1	0.1	0.0	0.1
0.1	87.15			970	0.1	0.1	0.0	0.1
0.1	86.47		Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-32.63			969	-0.0	-0.0	-0.0	0.0
-0.0	-42.29			971	-0.0	-0.0	-0.0	0.0
-0.0	-40.35			972	-0.0	-0.0	-0.0	-0.0
-0.0	-17.11			970	-0.0	-0.0	-0.0	-0.0
-0.0	-19.89							
				NODE	Vxx	Vyy		
-----		-----						
			Max	Cent	0.0	0.0		
				969	0.0	0.0		
				971	0.0	0.0		
				972	0.0	0.0		
				970	0.0	0.0		
			Min	Cent	-0.0	-0.2		
				969	-0.0	-0.2		
				971	-0.0	-0.2		
				972	-0.0	-0.2		
				970	-0.0	-0.2		
-----		-----						
Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
-----		-----						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLVx (RS)	Cent	17.6	0.8	-12.7	24.4
-6.0	-28.29		969	-33.0	-3.6	-17.9	4.9
-41.5	-64.69		971	-33.3	-4.3	-6.8	-2.8
-34.8	-77.35		972	4.7	5.2	-7.4	12.4
-2.5	-45.98		970	4.6	6.0	-18.5	23.8
-13.2	-46.03						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	82.96		Cent	0.0	0.0	0.0	0.0
0.0	-86.22		969	0.0	0.0	-0.0	0.0
0.0	-88.28		971	0.0	0.0	-0.0	0.0
-0.0	11.11		972	-0.0	-0.0	0.0	-0.0
-0.0	14.62		970	-0.0	-0.0	0.0	-0.0
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	0.0		
			969	0.0	0.0		
			971	0.0	0.0		
			972	0.0	0.0		
			970	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVy (RS)	Cent	36.4	-0.3	-10.4	39.1
-3.1	-14.71		969	31.7	-2.1	-12.1	35.6
-6.0	-17.85		971	31.8	-1.5	-8.7	34.0
-3.6	-13.79		972	41.2	1.4	-8.6	43.0
-0.3	-11.69		970	41.0	0.9	-12.0	44.4
-2.4	-15.45						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.1	82.96		Cent	0.1	0.1	0.0	0.1
0.1	85.00		969	0.1	0.2	0.0	0.2
0.1	88.15		971	0.1	0.2	0.0	0.2
0.0	75.27		972	0.0	0.1	0.0	0.1
0.0	66.89		970	0.0	0.1	0.0	0.1
			NODE	Vxx	Vyy		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

```

-----
                Cent      0.0      0.3
                969      0.0      0.2
                971      0.0      0.3
                972      0.0      0.3
                970      0.0      0.2
    
```

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-3.0	-28.29	SLDx (RS)	Cent	8.8	0.4	-6.3	12.2
-20.8	-64.68		969	-16.5	-1.8	-9.0	2.4
-17.4	-77.35		971	-16.6	-2.2	-3.4	-1.4
-1.2	-45.98		972	2.4	2.6	-3.7	6.2
-6.6	-46.03		970	2.3	3.0	-9.3	11.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	82.94	Cent	0.0	0.0	0.0	0.0
0.0	-86.21	969	0.0	0.0	-0.0	0.0
0.0	-88.28	971	0.0	0.0	-0.0	0.0
-0.0	11.15	972	-0.0	-0.0	0.0	-0.0
-0.0	14.66	970	-0.0	-0.0	0.0	-0.0

```

-----
                NODE      Vxx      Vyy
                Cent      0.0      0.0
                969      0.0      0.0
                971      0.0      0.0
                972      0.0      0.0
                970      0.0      0.0
    
```

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.5	-14.71	SLDy (RS)	Cent	18.2	-0.2	-5.2	19.5
-3.0	-17.86		969	15.8	-1.0	-6.1	17.8
-1.8	-13.79		971	15.9	-0.7	-4.3	17.0
-0.2	-11.69		972	20.6	0.7	-4.3	21.5
-1.2	-15.45		970	20.5	0.4	-6.0	22.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	82.96	Cent	0.0	0.1	0.0	0.1
0.0	85.00	969	0.0	0.1	0.0	0.1
0.0	88.15	971	0.0	0.1	0.0	0.1
0.0	75.26	972	0.0	0.0	0.0	0.0
0.0	66.88	970	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.1
969	0.0	0.1
971	0.0	0.1
972	0.0	0.1
970	0.0	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-10.1	-61.67	SLVz (RS)	Cent	-7.1	0.3	-5.6	3.4
-17.8	-63.89		969	-13.9	-1.6	-8.0	2.3
-14.8	-76.63		971	-14.0	-1.9	-3.1	-1.2
-3.3	-59.37		972	-1.3	2.3	-3.3	4.3
-7.8	-51.73		970	-1.3	2.6	-8.2	9.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-9.97	Cent	-0.0	-0.0	-0.0	-0.0
0.0	-85.35	969	0.0	0.0	-0.0	0.0
0.0	-87.24	971	0.0	0.0	-0.0	0.0
-0.0	-24.45	972	-0.0	-0.0	-0.0	-0.0
-0.0	-30.79	970	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
969	-0.0	0.0
971	-0.0	0.0
972	0.0	0.0
970	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-62.7	23.17	g1	Cent	151.3	-23.5	91.6	190.5
			969	296.3	17.2	140.1	354.4

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-40.9	22.56		971	298.1	23.6	37.9	303.3
18.4	7.71		972	6.4	-64.2	43.1	26.8
-84.6	25.36		970	4.5	-70.5	145.3	117.0
-183.1	37.77						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
------	-------	--	------	-----	-----	-----	------

0.0	79.22		Cent	0.0	0.0	0.0	0.0
-0.0	11.62		969	-0.0	-0.0	0.0	-0.0
-0.0	11.43		971	-0.0	-0.0	0.0	-0.0
0.0	86.41		972	0.0	0.0	0.0	0.0
0.0	85.40		970	0.0	0.0	0.0	0.0

	NODE	Vxx	Vyy
--	------	-----	-----

Cent	-0.0	-0.0
969	0.0	-0.0
971	0.0	-0.0
972	-0.0	-0.0
970	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

-33.2	22.55	g2	Cent	71.1	-15.3	43.3	89.0
-23.4	21.99		969	141.1	3.4	66.5	168.0
6.7	7.05		971	142.7	8.8	16.8	144.8
-43.1	24.57		972	1.0	-33.9	20.2	10.2
-92.4	37.27		970	-0.6	-39.3	69.8	52.5

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
------	-------	--	------	-----	-----	-----	------

-0.0	-0.27		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	4.87		969	-0.0	-0.0	0.0	-0.0
-0.0	3.62		971	-0.0	-0.0	0.0	-0.0
-0.0	-1.76		972	-0.0	-0.0	-0.0	-0.0
-0.0	-2.38		970	-0.0	-0.0	-0.0	-0.0

	NODE	Vxx	Vyy
--	------	-----	-----

Cent	-0.0	0.0
969	-0.0	0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

971 -0.0 0.0  
 972 -0.0 0.0  
 970 -0.0 0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-3.1	25.52	q3	Cent	9.2	-0.3	5.9	12.0
-2.7	24.71		969	12.2	0.5	6.9	15.4
-0.9	19.61		971	12.3	0.8	4.7	14.0
-3.5	26.72		972	6.1	-1.1	4.9	8.6
-5.6	31.04		970	6.1	-1.4	7.0	10.3
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	17.54		Cent	0.0	-0.0	0.0	0.0
-0.0	6.06		969	-0.0	-0.0	0.0	-0.0
-0.0	5.16		971	-0.0	-0.0	0.0	-0.0
0.0	61.14		972	0.0	0.0	0.0	0.0
0.0	58.99		970	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			969	0.0	-0.0		
			971	0.0	-0.0		
			972	-0.0	-0.0		
			970	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.5	-0.33	q5_pc	Cent	27.7	-0.5	-0.2	27.7
-0.7	-0.66		969	27.3	-0.7	-0.3	27.3
-0.5	-0.10		971	27.3	-0.5	-0.0	27.3
-0.3	-0.01		972	28.1	-0.3	-0.0	28.1
-0.4	-0.56		970	28.1	-0.4	-0.3	28.1
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	86.61		Cent	0.0	0.0	0.0	0.0
			969	0.0	0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-4.09		971	0.0	0.0	-0.0	0.0
0.0	-59.13		972	0.0	0.0	0.0	0.0
0.0	86.56		970	0.0	0.0	0.0	0.0
0.0	84.45						

NODE	Vxx	Vyy
Cent	0.0	-0.0
969	0.0	-0.0
971	0.0	-0.0
972	0.0	-0.0
970	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.4	-1.65	q5_ps	Cent	24.2	-0.3	-0.7	24.2
-0.7	-2.30		969	23.5	-0.7	-1.0	23.6
-0.4	-1.25		971	23.6	-0.4	-0.5	23.6
-0.0	-1.02		972	24.9	-0.0	-0.4	24.9
-0.3	-2.03		970	24.8	-0.3	-0.9	24.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-8.55	Cent	0.0	0.0	-0.0	0.0
-0.0	-5.75	969	0.0	-0.0	-0.0	0.0
-0.0	-9.58	971	0.0	-0.0	-0.0	0.0
0.0	-20.13	972	0.0	0.0	-0.0	0.0
0.0	-12.49	970	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
969	0.0	-0.0
971	0.0	-0.0
972	0.0	-0.0
970	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-994.8	63.30	INVSLU Max	Cent	-764.6	-40.4	487.5	203.8
-530.4	46.42		969	154.8	234.2	787.4	981.7
4.4	48.99		971	154.9	204.4	173.2	354.0

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-1670.8	82.48		972	-1665.0	-252.2	190.2	-227.6
-1768.2	65.83		970	-1658.0	-225.0	807.2	136.2
-1109.0	-89.31	Min	Cent	-1107.7	-241.0	-9.7	-240.9
-620.1	64.82		969	-449.2	18.9	277.0	150.6
-596.8	-72.41		971	-457.4	-5.4	-296.9	120.0
-1850.2	-77.01		972	-1785.5	-530.2	-304.6	-459.4
-2066.0	78.33		970	-1774.7	-507.2	271.7	-450.2

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
		Max	Cent	0.1	0.3	0.0	0.3
0.1	86.23		969	0.1	0.1	0.0	0.1
0.1	80.69		971	0.1	0.2	0.0	0.2
0.1	83.34		972	0.1	0.4	0.0	0.4
0.1	87.97		970	0.1	0.4	0.0	0.4
0.1	87.64	Min	Cent	0.0	0.1	-0.0	0.1
0.0	-85.12		969	-0.0	0.0	-0.0	0.1
-0.0	-80.92		971	0.0	0.0	-0.0	0.0
-0.0	-76.63		972	0.0	0.1	-0.0	0.1
0.0	-85.13		970	0.0	0.1	-0.0	0.1
0.0	-87.23						

	NODE	Vxx	Vyy
Max	Cent	0.0	-0.1
	969	0.0	-0.1
	971	0.0	-0.0
	972	0.0	-0.0
	970	0.0	-0.1
Min	Cent	-0.0	-0.5
	969	-0.0	-0.5
	971	-0.0	-0.4
	972	-0.0	-0.4
	970	-0.0	-0.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-479.1	75.20	INVSLV	Max	Cent	-452.8	-35.9	137.8	-1.3
-243.7	52.89			969	-48.2	92.2	281.9	305.5
-52.8	-82.72			971	-50.6	84.0	-10.8	85.3
-856.2	-87.77			972	-855.1	-154.9	-5.5	-153.8

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-929.2	71.30		970	-852.7	-145.4	287.8	-62.0
		Min	Cent	-540.3	-37.9	102.9	-12.9
-573.2	77.32		969	-141.7	82.8	234.0	235.6
-312.5	56.85		971	-144.6	73.3	-34.2	77.6
-148.1	-82.91		972	-941.2	-167.6	-29.1	-167.6
-941.2	-89.52		970	-938.3	-159.4	238.6	-74.7
-1029.4	73.48						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
		Max	Cent	0.1	0.1	0.0	0.1
0.1	83.21		969	0.1	0.2	0.0	0.2
0.1	84.52		971	0.1	0.2	0.0	0.2
0.1	87.78		972	0.0	0.1	0.0	0.1
0.0	79.16		970	0.0	0.1	0.0	0.1
0.0	73.91	Min	Cent	-0.1	-0.1	-0.0	-0.1
-0.1	-7.40		969	-0.1	-0.2	-0.0	-0.1
-0.2	-4.30		971	-0.1	-0.2	-0.0	-0.1
-0.2	-1.39		972	-0.0	-0.0	-0.0	-0.0
-0.0	-23.25		970	-0.0	-0.0	-0.0	-0.0
-0.0	-37.88						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.2
	969	0.0	0.2
	971	0.0	0.3
	972	0.0	0.3
	970	0.0	0.2
Min	Cent	-0.0	-0.3
	969	-0.0	-0.3
	971	-0.0	-0.3
	972	-0.0	-0.3
	970	-0.0	-0.3

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin		ANGLE						
-----								
1044	2	10	Q1-1-2	Max	Cent	550.3	20.4	246.7
-76.7		21.48			682	739.7	80.8	304.4
-38.3		21.37			954	737.4	68.7	187.3
19.8		14.63			969	360.8	0.5	190.0
-81.1		23.26			689	364.6	1.9	306.8
-173.2		29.71						539.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		Min	Cent	-5.2	-49.1	-112.5	87.5
-141.9	-39.48		682	-7.0	-24.4	-75.0	59.8
-91.2	-41.69		954	-7.0	-32.1	-152.9	133.9
-173.0	-42.66		969	-3.5	-109.6	-158.7	110.8
-223.9	-35.76		689	-3.5	-95.7	-78.8	41.7
-140.9	-29.84						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
		Max	Cent	0.0	0.0	0.0	0.0
0.0	51.99		682	0.0	0.0	0.0	0.0
-0.0	59.69		954	0.0	0.0	0.0	0.0
-0.0	41.50		969	0.0	0.1	0.0	0.1
0.0	68.69		689	0.0	0.0	0.0	0.0
0.0	63.87						
		Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-41.86		682	-0.0	-0.0	-0.0	0.0
-0.0	-39.34		954	-0.0	-0.0	-0.0	0.0
-0.0	-28.44		969	-0.0	-0.0	-0.0	0.0
-0.0	-44.29		689	-0.0	-0.0	-0.0	0.0
-0.0	-44.45						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	682	0.0	0.0
	954	0.0	0.0
	969	0.0	0.0
	689	0.0	0.0
Min	Cent	-0.0	-0.1
	682	-0.0	-0.0
	954	-0.0	-0.1
	969	-0.1	-0.1
	689	-0.1	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
		Q2a-1-2	Max	Cent	330.0	13.1	155.2	393.4
-50.3	22.21			682	442.5	49.4	191.3	520.3
-28.3	22.11			954	441.4	42.4	117.9	473.6
10.2	15.29			969	217.6	0.4	119.6	270.5
-52.6	23.88			689	219.8	0.9	192.9	332.2
-111.4	30.22							
			Min	Cent	-3.9	-34.9	-74.7	56.9
-95.7	-39.14							

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-61.2	-41.58	682	-5.2	-17.1	-49.6	38.8
-116.4	-42.51	954	-5.2	-23.0	-101.9	88.2
-149.2	-35.84	969	-2.6	-72.7	-105.9	73.9
-93.7	-29.84	689	-2.6	-63.7	-52.2	27.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Max Cent	0.0	0.0	0.0	0.0
0.0	52.37	682	0.0	0.0	0.0	0.0
-0.0	61.88	954	0.0	0.0	0.0	0.0
-0.0	40.29	969	0.0	0.0	0.0	0.0
0.0	70.80	689	0.0	0.0	0.0	0.0
0.0	65.52	Min Cent	-0.0	-0.0	-0.0	0.0
-0.0	-42.19	682	-0.0	-0.0	-0.0	0.0
-0.0	-40.11	954	-0.0	-0.0	-0.0	0.0
-0.0	-28.42	969	-0.0	-0.0	-0.0	0.0
-0.0	-44.67	689	-0.0	-0.0	-0.0	0.0
-0.0	-44.50					

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	682	0.0	0.0
	954	0.0	0.0
	969	0.0	0.0
	689	0.0	0.0
Min	Cent	-0.0	-0.1
	682	-0.0	-0.0
	954	-0.0	-0.1
	969	-0.0	-0.1
	689	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	-45.0	1.0	-12.4	4.1
-48.1	-75.84		682	-60.0	-5.2	-17.4	-0.1
-65.1	-73.79		954	-60.3	-6.0	6.8	-5.1
-61.1	82.99		969	30.0	3.2	-7.4	31.9
1.3	-14.42		689	29.7	4.1	-18.0	39.0
-5.2	-27.30						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-69.94	Cent	0.0	0.0	-0.0	0.0
0.0	-69.67	682	0.0	0.0	-0.0	0.0
0.0	-72.65	954	0.0	0.0	-0.0	0.0
0.0	-78.81	969	0.0	0.0	-0.0	0.0
0.0	-62.54	689	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
682	-0.0	-0.0
954	-0.0	0.0
969	-0.0	0.0
689	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-3.0	-19.69	SLVy (RS)	Cent	25.5	0.7	-10.2	29.1
-10.4	-25.64		682	17.6	-4.0	-13.5	24.1
-4.0	-18.92		954	18.2	-1.4	-7.6	20.9
2.2	-12.31		969	33.7	3.7	-6.9	35.2
-3.1	-19.38		689	33.0	1.3	-12.7	37.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-57.37	Cent	0.1	0.1	-0.0	0.1
0.0	-45.26	682	0.0	0.0	-0.0	0.1
0.0	-52.00	954	0.0	0.1	-0.0	0.1
0.1	-82.01	969	0.1	0.1	-0.0	0.1
0.0	-58.62	689	0.0	0.1	-0.0	0.1

NODE	Vxx	Vyy
Cent	-0.0	-0.1
682	-0.0	-0.1
954	-0.0	-0.1
969	-0.1	-0.1
689	-0.1	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-24.0	-75.84	SLDx (RS)	Cent	-22.5	0.5	-6.2	2.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-32.5	-73.79	682	-30.0	-2.6	-8.7	-0.1
-30.5	82.99	954	-30.1	-3.0	3.4	-2.6
0.6	-14.43	969	15.0	1.6	-3.7	15.9
-2.6	-27.30	689	14.9	2.1	-9.0	19.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

0.0	-69.93	Cent	0.0	0.0	-0.0	0.0
0.0	-69.65	682	0.0	0.0	-0.0	0.0
0.0	-72.64	954	0.0	0.0	-0.0	0.0
0.0	-78.81	969	0.0	0.0	-0.0	0.0
0.0	-62.54	689	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
------	-----	-----

Cent	-0.0	0.0
682	-0.0	-0.0
954	-0.0	0.0
969	-0.0	0.0
689	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

-1.5	-19.69	SLDy (RS)	Cent	12.7	0.3	-5.1	14.5
-5.2	-25.64		682	8.8	-2.0	-6.7	12.0
-2.0	-18.92		954	9.1	-0.7	-3.8	10.4
1.1	-12.31		969	16.8	1.8	-3.4	17.6
-1.6	-19.39		689	16.5	0.7	-6.4	18.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

0.0	-57.37	Cent	0.0	0.0	-0.0	0.0
0.0	-45.26	682	0.0	0.0	-0.0	0.0
0.0	-51.99	954	0.0	0.0	-0.0	0.0
0.0	-82.01	969	0.0	0.1	-0.0	0.1
0.0	-58.62	689	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
------	-----	-----

Cent	-0.0	-0.0
------	------	------



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

682 -0.0 -0.0  
 954 -0.0 -0.1  
 969 -0.0 -0.1  
 689 -0.0 -0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-20.7	-74.79	SLVz (RS)	Cent	-19.2	-0.5	-5.5	1.0
-28.2	-73.32		682	-25.9	-2.4	-7.7	-0.1
-26.4	-82.73		954	-26.0	-2.6	-3.0	-2.2
-13.2	-77.51		969	-12.5	1.4	-3.3	2.2
-16.0	-65.79		689	-12.4	1.7	-8.0	5.3

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-62.57		Cent	0.0	0.0	-0.0	0.0
0.0	-58.33		682	0.0	0.0	-0.0	0.0
0.0	-62.82		954	0.0	0.0	-0.0	0.0
0.0	-78.58		969	0.0	0.0	-0.0	0.0
0.0	-59.69		689	0.0	0.0	-0.0	0.0

	NODE	Vxx	Vyy
	Cent	0.0	0.0
	682	-0.0	0.0
	954	-0.0	0.0
	969	0.0	0.0
	689	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-23.1	12.03	g1	Cent	404.3	-3.7	91.1	423.7
0.1	14.20		682	542.5	34.8	137.2	577.2
38.4	4.49		954	544.5	41.5	39.8	547.6
-48.6	8.14		969	266.2	-42.2	45.0	272.6
-104.0	21.16		689	264.2	-48.9	142.5	319.3

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	6.09		Cent	-0.0	-0.0	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	2.57	682	-0.0	-0.0	0.0	-0.0
-0.0	0.64	954	-0.0	-0.0	0.0	-0.0
-0.0	27.42	969	-0.0	-0.0	0.0	-0.0
-0.0	20.16	689	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
682	0.0	-0.0
954	0.0	-0.0
969	-0.0	-0.0
689	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-15.8	11.22	g2	Cent	195.0	-7.5	41.8	203.3
-6.0	13.34		682	261.0	9.0	63.3	276.1
15.4	3.76		954	263.3	16.4	16.3	264.3
-26.7	7.42		969	128.9	-24.1	20.3	131.6
-56.3	20.20		689	126.7	-31.5	67.3	151.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	25.05	Cent	-0.0	-0.0	0.0	-0.0
-0.0	18.01	682	-0.0	-0.0	0.0	-0.0
-0.0	31.79	954	-0.0	-0.0	0.0	-0.0
-0.0	24.02	969	-0.0	-0.0	0.0	-0.0
-0.0	26.92	689	-0.0	-0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
682	0.0	-0.0
954	0.0	0.0
969	0.0	0.0
689	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.0	19.27	q3	Cent	14.7	0.1	5.8	16.7
-1.6	19.46		682	17.6	0.8	6.8	20.0
			954	17.7	1.1	4.7	19.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	14.73		969	11.7	-0.7	4.9	13.4
-2.4	19.02		689	11.6	-1.0	7.0	14.7
-4.1	23.88						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	1.42		682	-0.0	-0.0	-0.0	-0.0
-0.0	-0.07		954	-0.0	-0.0	-0.0	-0.0
-0.0	-3.74		969	-0.0	-0.0	0.0	-0.0
-0.0	4.32		689	-0.0	-0.0	0.0	-0.0
-0.0	13.60						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	-0.0		
			682	0.0	-0.0		
			954	0.0	-0.0		
			969	-0.0	-0.0		
			689	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		q5_pc	Cent	26.1	0.5	0.3	26.1
0.5	0.71		682	25.2	0.3	0.0	25.2
0.3	0.05		954	25.2	0.2	0.7	25.2
0.2	1.50		969	27.0	0.8	0.6	27.0
0.8	1.33		689	27.0	0.8	-0.0	27.0
0.8	-0.04						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	-0.0	-0.0	0.0
-0.0	-24.05		682	0.0	-0.0	-0.0	0.0
-0.0	-26.42		954	0.0	-0.0	-0.0	0.0
-0.0	-15.54		969	0.0	0.0	-0.0	0.0
0.0	-24.52		689	-0.0	-0.0	-0.0	0.0
-0.0	-29.99						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	-0.0		
			682	-0.0	-0.0		
			954	-0.0	-0.0		
			969	-0.0	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE						
0.3	-0.93	q5_ps	Cent	22.2	0.3	-0.4	22.2
-0.3	-2.29		682	20.9	-0.3	-0.8	20.9
0.1	0.13		954	21.0	0.1	0.0	21.0
0.8	0.33		969	23.6	0.8	0.1	23.6
0.5	-1.90		689	23.5	0.5	-0.8	23.5
			NODE	Mxx	Myy	Mxy	Mmax
Mmin	ANGLE						
-0.0	-10.25		Cent	0.0	-0.0	-0.0	0.0
-0.0	-9.57		682	0.0	-0.0	-0.0	0.0
-0.0	-9.86		954	0.0	-0.0	-0.0	0.0
-0.0	-9.95		969	0.0	-0.0	-0.0	0.0
-0.0	-9.14		689	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			682	-0.0	-0.0		
			954	-0.0	-0.0		
			969	-0.0	-0.0		
			689	-0.0	-0.0		
		LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE						
-63.4	24.80	INVSLU Max	Cent	856.6	23.6	489.5	1082.8
45.5	23.58		682	1738.6	292.3	780.1	2079.2
254.8	7.05		954	1736.0	277.4	183.1	1758.6
-301.5	33.79		969	-25.4	-190.2	200.2	108.6
-712.9	41.97		689	-20.8	-190.2	796.9	695.9
-211.5	1.72	Min	Cent	51.6	-71.3	3.9	59.8
-56.1	22.51		682	678.9	149.7	267.9	796.2
24.6	-16.09		954	679.2	141.0	-277.4	747.7
-747.3	-66.41		969	-575.7	-340.5	-271.7	-197.9
-929.8	56.87		689	-576.0	-323.4	276.3	-143.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	60.87	Max	Cent	0.0	0.0	0.0	0.0
0.0	53.47		682	0.0	0.0	0.0	0.0
-0.0	46.28		954	0.0	0.0	0.0	0.0
0.1	74.53		969	0.1	0.1	0.0	0.1
0.0	66.51		689	0.0	0.1	0.0	0.1
-0.0	-75.63	Min	Cent	0.0	0.0	-0.0	0.0
-0.0	-35.15		682	0.0	-0.0	-0.0	0.0
-0.0	-14.61		954	-0.0	-0.0	-0.0	-0.0
-0.0	-75.32		969	-0.0	0.0	-0.0	0.0
0.0	-84.32		689	0.0	0.0	-0.0	0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	-0.1
	682	0.0	-0.0
	954	0.0	-0.1
	969	0.0	-0.1
	689	0.0	-0.0
Min	Cent	-0.0	-0.2
	682	-0.0	-0.1
	954	-0.0	-0.3
	969	-0.1	-0.3
	689	-0.1	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-51.7	20.84	INVSLV	Max	Cent	270.5	-13.5	133.4	319.0
1.6	21.20			682	665.3	99.6	267.4	765.9
113.3	-3.32			954	670.3	114.7	-13.6	672.2
-139.0	-47.56			969	-121.5	-117.2	-0.6	-100.6
-367.1	46.03			689	-126.8	-132.3	281.1	117.1
-77.1	25.72		Min	Cent	153.8	-16.3	99.2	204.5
-16.1	23.29			682	519.2	85.4	219.9	617.3
99.4	-2.17			954	523.2	100.4	-34.8	523.8
-214.6	-89.33			969	-214.5	-127.4	-21.4	-127.3
-458.4	47.95			689	-218.2	-142.3	232.6	88.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE						
		Max	Cent	0.1	0.1	0.0	0.1
0.0	-56.63		682	0.0	0.0	0.0	0.1
0.0	-39.23		954	0.0	0.0	0.0	0.1
0.0	-48.09		969	0.1	0.1	0.0	0.1
0.1	-84.70		689	0.0	0.1	0.0	0.1
0.0	-64.98	Min	Cent	-0.1	-0.1	-0.0	-0.0
-0.1	31.85		682	-0.0	-0.0	-0.0	-0.0
-0.1	38.97		954	-0.0	-0.1	-0.0	-0.0
-0.1	34.38		969	-0.1	-0.1	-0.0	-0.1
-0.1	10.95		689	-0.0	-0.1	-0.0	-0.0
-0.1	36.80						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.1
	682	0.0	0.0
	954	0.0	0.1
	969	0.1	0.1
	689	0.1	0.0
Min	Cent	-0.0	-0.1
	682	-0.0	-0.1
	954	-0.0	-0.2
	969	-0.1	-0.2
	689	-0.1	-0.1

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
1045	2	4	Q1-1-2	Max	Cent	565.3	0.8	245.6	657.2
-91.1		20.52			954	743.6	41.4	297.3	852.6
-67.5		20.13			956	748.2	48.2	185.9	794.5
1.9		13.99			971	387.0	0.7	194.7	468.1
-80.4		22.61			969	382.7	0.8	306.0	552.5
-169.0		29.02		Min	Cent	-5.6	-87.3	-109.3	70.2
-163.2		-34.75			954	-7.4	-55.3	-72.8	45.3
-108.0		-35.89			956	-7.4	-52.2	-150.6	122.4
-182.0		-40.77			971	-3.8	-140.0	-154.1	96.6
-240.4		-33.08			969	-3.7	-147.1	-75.1	28.4
-179.2		-23.17							

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		Max	Cent	0.0	0.0	0.0	0.0
0.0	52.78		954	0.0	0.0	0.0	0.0
-0.0	42.85		956	0.0	0.0	0.0	0.0
-0.0	47.13		971	0.0	0.1	0.0	0.1
0.0	80.04		969	0.0	0.1	0.0	0.1
0.0	76.16	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-41.74		954	-0.0	-0.0	-0.0	0.0
-0.0	-24.49		956	-0.0	-0.0	-0.0	0.0
-0.0	-25.15		971	-0.0	-0.0	-0.0	0.0
-0.0	-39.96		969	-0.0	-0.0	-0.0	0.0
-0.0	-42.43						

-----		NODE	Vxx	Vyy
Max	Cent		0.0	0.0
	954		0.0	0.0
	956		0.0	0.0
	971		0.0	0.0
	969		0.0	0.0
Min	Cent		-0.0	-0.2
	954		-0.0	-0.2
	956		-0.0	-0.2
	971		-0.0	-0.2
	969		-0.0	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-59.2	21.15	Q2a-1-2	Max	Cent	339.8	0.4	154.3
				954	446.0	26.2	186.9
-44.9	20.84			956	449.0	29.9	116.7
-0.5	14.56			971	233.7	0.5	122.1
-51.7	23.16			969	231.0	0.6	192.2
-108.3	29.53						339.9
-110.6	-34.38		Min	Cent	-4.1	-60.8	-72.9
				954	-5.5	-39.6	-48.5
-74.0	-35.31			956	-5.5	-37.3	-100.7
-123.4	-40.51			971	-2.8	-92.8	-103.3
-160.4	-33.23			969	-2.8	-96.6	-50.1
-118.3	-23.44						19.0

Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
-----								
		Max	Cent		0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	53.07						
-0.0	41.84		954	0.0	0.0	0.0	0.0
-0.0	46.16		956	0.0	0.0	0.0	0.0
0.0	80.96		971	0.0	0.1	0.0	0.1
0.0	77.66		969	0.0	0.0	0.0	0.0
-0.0	-41.89	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-24.51		954	-0.0	-0.0	-0.0	0.0
-0.0	-25.19		956	-0.0	-0.0	-0.0	0.0
-0.0	-41.74		971	-0.0	-0.0	-0.0	0.0
-0.0	-43.35		969	-0.0	-0.0	-0.0	0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	954	0.0	0.0
	956	0.0	0.0
	971	0.0	0.0
	969	0.0	0.0
Min	Cent	-0.0	-0.1
	954	-0.0	-0.1
	956	-0.0	-0.2
	971	-0.0	-0.2
	969	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-49.3	-74.66	SLVx (RS)	Cent	-45.6	-0.4	-13.4	3.2
-65.9	-73.63		954	-60.5	-3.5	-18.3	1.9
-62.0	-82.32		956	-60.9	-4.9	-7.7	-3.8
1.8	-16.36		971	30.7	4.3	-8.5	33.2
-4.8	-28.58		969	30.3	5.6	-19.1	40.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-85.11	Cent	0.0	0.0	-0.0	0.0
0.0	-82.14	954	0.0	0.0	-0.0	0.0
0.0	-84.61	956	0.0	0.0	-0.0	0.0
0.0	-88.39	971	0.0	0.0	-0.0	0.0
0.0	-85.10	969	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
------	-----	-----



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Cent	0.0	0.0
954	-0.0	0.0
956	-0.0	0.0
971	0.0	0.0
969	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.0	-15.88	SLVy (RS)	Cent	28.4	0.5	-8.6	30.9
-3.2	-19.70		954	24.4	0.3	-9.9	27.9
-3.5	-13.69		956	23.9	-1.9	-6.7	25.5
-0.7	-12.56		971	32.5	0.9	-7.4	34.2
-0.6	-17.52		969	33.0	2.8	-10.6	36.4

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	-83.61		Cent	0.1	0.1	-0.0	0.1
0.0	-65.85		954	0.0	0.1	-0.0	0.1
0.0	-78.44		956	0.0	0.1	-0.0	0.1
0.1	-89.15		971	0.1	0.2	-0.0	0.2
0.1	-86.20		969	0.1	0.2	-0.0	0.2

NODE	Vxx	Vyy
Cent	0.0	-0.2
954	0.0	-0.2
956	0.0	-0.3
971	0.0	-0.3
969	0.0	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-24.6	-74.65	SLDx (RS)	Cent	-22.8	-0.2	-6.7	1.6
-32.9	-73.63		954	-30.2	-1.8	-9.2	0.9
-31.0	-82.32		956	-30.4	-2.4	-3.8	-1.9
0.9	-16.36		971	15.3	2.1	-4.2	16.6
-2.4	-28.58		969	15.1	2.8	-9.5	20.3

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	0.0	0.0	-0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-85.10		954	0.0	0.0	-0.0	0.0
0.0	-82.13		956	0.0	0.0	-0.0	0.0
0.0	-84.60		971	0.0	0.0	-0.0	0.0
0.0	-88.39		969	0.0	0.0	-0.0	0.0
0.0	-85.10						

NODE	Vxx	Vyy
Cent	0.0	0.0
954	-0.0	0.0
956	-0.0	0.0
971	0.0	0.0
969	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDy (RS)	Cent	14.2	0.2	-4.3	15.4
-1.0	-15.89		954	12.2	0.2	-4.9	13.9
-1.6	-19.71		956	11.9	-1.0	-3.3	12.7
-1.8	-13.69		971	16.2	0.5	-3.7	17.1
-0.4	-12.57		969	16.5	1.4	-5.3	18.2
-0.3	-17.53						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	0.1	-0.0	0.1
0.0	-83.61	954	0.0	0.0	-0.0	0.0
0.0	-65.84	956	0.0	0.0	-0.0	0.0
0.0	-78.43	971	0.0	0.1	-0.0	0.1
0.0	-89.15	969	0.0	0.1	-0.0	0.1
0.0	-86.20					

NODE	Vxx	Vyy
Cent	0.0	-0.1
954	0.0	-0.1
956	0.0	-0.1
971	0.0	-0.1
969	0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVz (RS)	Cent	-19.5	0.2	-5.9	1.8
-21.1	-74.51		954	-26.1	-1.6	-8.1	0.9
-28.5	-73.31						

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-26.7	-82.13		956	-26.2	-2.1	-3.4	-1.7
-13.8	-76.61		971	-12.9	1.9	-3.7	2.8
-16.5	-66.05		969	-12.7	2.5	-8.4	6.2
-----							
0.0	-82.14		Cent	0.0	0.0	-0.0	0.0
0.0	-74.77		954	0.0	0.0	-0.0	0.0
0.0	78.48		956	0.0	0.0	0.0	0.0
0.0	-86.95		971	0.0	0.0	-0.0	0.0
0.0	-84.70		969	0.0	0.0	-0.0	0.0
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	0.0		
			954	-0.0	0.0		
			956	-0.0	0.0		
			971	-0.0	0.0		
			969	-0.0	0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-39.9	12.40	g1	Cent	412.3	-18.0	99.4	434.1
-18.8	14.28		954	549.6	18.0	144.7	586.5
25.5	5.11		956	553.2	29.7	47.2	557.4
-62.8	9.12		971	274.9	-54.1	54.2	283.6
-123.9	20.99		969	271.4	-65.8	151.6	329.5
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	1.94		Cent	-0.0	-0.0	0.0	-0.0
-0.0	0.25		954	-0.0	-0.0	0.0	-0.0
-0.0	-0.75		956	-0.0	-0.0	-0.0	-0.0
-0.0	10.00		971	-0.0	-0.0	0.0	-0.0
-0.0	14.84		969	-0.0	-0.0	0.0	-0.0
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.0		
			954	0.0	-0.0		
			956	0.0	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		LC	NODE	Fxx	Fyy	Fxy	Fmax
			971	0.0	-0.0		
			969	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g2	Cent	198.0	-12.3	47.2	208.1
-22.4	12.08		954	264.6	4.0	68.8	281.6
-13.0	13.92		956	267.0	12.1	21.3	268.8
10.4	4.75		971	131.5	-28.7	25.6	135.5
-32.7	8.85		969	129.1	-36.8	73.0	156.6
-64.4	20.68						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	14.66		954	-0.0	-0.0	0.0	-0.0
-0.0	25.84		956	-0.0	-0.0	0.0	-0.0
-0.0	23.18		971	-0.0	-0.0	0.0	-0.0
-0.0	6.57		969	-0.0	-0.0	0.0	-0.0
-0.0	12.43						
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			954	0.0	0.0		
			956	0.0	0.0		
			971	-0.0	0.0		
			969	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q3	Cent	14.6	-0.3	5.9	16.6
-2.4	19.04		954	17.4	0.3	6.8	19.8
-2.0	19.16		956	17.6	0.7	4.7	18.8
-0.5	14.70		971	11.8	-1.0	4.9	13.5
-2.7	18.88		969	11.6	-1.4	7.0	14.7
-4.5	23.43						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-1.82		954	-0.0	-0.0	-0.0	-0.0
-0.0	-2.91						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-3.43	956	-0.0	-0.0	-0.0	-0.0
-0.0	1.28	971	-0.0	-0.0	0.0	-0.0
-0.0	0.59	969	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
954	0.0	-0.0
956	0.0	-0.0
971	0.0	-0.0
969	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.3	1.01	q5_pc	Cent	26.9	-0.3	0.5	27.0
-0.4	0.71		954	26.5	-0.4	0.3	26.5
-0.6	1.46		956	26.4	-0.6	0.7	26.4
-0.3	1.30		971	27.4	-0.2	0.6	27.4
-0.1	0.57		969	27.5	-0.1	0.3	27.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-18.06	Cent	0.0	-0.0	-0.0	0.0
-0.0	-13.61	954	0.0	-0.0	-0.0	0.0
-0.0	-12.86	956	0.0	-0.0	-0.0	0.0
0.0	-47.92	971	0.0	0.0	-0.0	0.0
0.0	-26.76	969	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
954	0.0	-0.0
956	0.0	-0.0
971	0.0	-0.0
969	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.2	-0.21	q5_ps	Cent	23.0	-0.2	-0.1	23.0
-0.4	-0.77		954	22.3	-0.4	-0.3	22.4
-0.5	0.46		956	22.3	-0.5	0.2	22.3
			971	23.7	-0.1	0.1	23.7

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	0.33		969	23.7	0.0	-0.4	23.7
0.0	-0.85						
-----							
-0.0	-11.02		Cent	0.0	-0.0	-0.0	0.0
-0.0	-10.40		954	0.0	-0.0	-0.0	0.0
-0.0	-10.87		956	0.0	-0.0	-0.0	0.0
-0.0	-12.06		971	0.0	-0.0	-0.0	0.0
-0.0	-11.21		969	0.0	-0.0	-0.0	0.0
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			954	0.0	-0.0		
			956	0.0	-0.0		
			971	0.0	-0.0		
			969	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-131.9	23.58	INVSLU Max	Cent	894.2	-32.9	500.3	1112.6
-25.4	22.56		954	1766.9	207.3	783.5	2092.4
203.5	6.87		956	1776.1	226.8	189.5	1798.9
-314.8	30.56		971	21.7	-218.2	218.0	150.5
-765.0	40.77		969	13.0	-228.5	812.0	713.1
-258.7	5.07	Min	Cent	66.7	-152.4	20.3	76.9
-125.1	21.01		954	698.2	75.9	283.3	814.3
-7.6	-14.08		956	701.3	90.2	-266.0	761.0
-746.1	-64.65		971	-564.8	-408.6	-254.0	-245.5
-949.7	51.18		969	-567.9	-428.3	297.0	-189.1
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	67.35	Max	Cent	0.0	0.1	0.0	0.1
-0.0	46.72		954	0.0	0.0	0.0	0.0
-0.0	57.49		956	0.0	0.0	0.0	0.0
0.1	81.18		971	0.1	0.2	0.0	0.2
			969	0.1	0.2	0.0	0.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.1	79.41						
-0.0	-71.22	Min	Cent	-0.0	0.0	-0.0	0.0
-0.1	-11.02		954	-0.0	-0.1	-0.0	-0.0
-0.0	-30.54		956	-0.0	-0.0	-0.0	-0.0
-0.0	-73.14		971	0.0	0.0	-0.0	0.0
-0.0	-77.75		969	0.0	0.1	-0.0	0.1

	NODE	Vxx	Vyy
Max	Cent	0.0	-0.1
	954	0.0	-0.1
	956	0.0	-0.1
	971	0.0	-0.1
	969	0.0	-0.1
Min	Cent	-0.0	-0.4
	954	0.0	-0.4
	956	0.0	-0.4
	971	-0.0	-0.4
	969	-0.0	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-73.2	21.20	INVSLV	Max	Cent	281.8	-29.4	147.3	336.9
-16.1	21.32			954	682.0	82.3	281.9	789.7
100.3	-0.59			956	687.1	100.3	-2.1	687.1
-138.3	-19.68			971	-117.1	-133.2	12.6	-114.3
-386.3	44.81			969	-121.5	-147.1	296.6	127.0
-97.3	25.27		Min	Cent	161.9	-30.8	111.7	217.1
-38.4	23.24			954	530.7	74.2	234.5	634.0
86.9	-2.50			956	535.2	88.1	-23.5	536.0
-209.6	78.04			971	-208.3	-143.5	-11.0	-141.2
-480.1	46.65			969	-213.5	-161.6	247.0	95.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
0.1	-84.49	Max	Cent	0.1	0.1	0.0	0.1
0.0	-60.51		954	0.0	0.1	0.0	0.1
0.0	-77.91		956	0.0	0.1	0.0	0.1
0.1	-89.78		971	0.1	0.2	0.0	0.2
0.1	-87.45		969	0.1	0.2	0.0	0.2
		Min	Cent	-0.1	-0.1	-0.0	-0.1

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	7.19		954	-0.0	-0.1	-0.0	-0.0
-0.1	20.42		956	-0.0	-0.1	-0.0	-0.0
-0.1	10.89		971	-0.1	-0.2	-0.0	-0.1
-0.2	1.54		969	-0.1	-0.2	-0.0	-0.1
-0.2	5.17						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.2
	954	0.0	0.2
	956	0.0	0.2
	971	0.0	0.2
	969	0.0	0.2
Min	Cent	-0.0	-0.3
	954	-0.0	-0.2
	956	-0.0	-0.3
	971	-0.0	-0.3
	969	-0.0	-0.2

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
1053	2	10	Q1-1-2	Max	Cent	0.9	16.7	228.6	237.5
-220.0		45.99			690	46.9	65.1	280.3	336.5
-224.5		45.93			970	39.7	43.1	177.0	218.4
-135.5		45.27			985	2.2	0.4	178.7	180.0
-177.4		44.85			727	2.2	4.7	287.6	291.0
-284.1		45.12		Min	Cent	-121.3	-159.2	-125.6	-13.3
-267.3		-40.71			690	-8.1	-140.7	-84.8	33.3
-182.1		-25.99			970	-11.7	-152.6	-161.3	93.9
-258.2		-33.20			985	-272.9	-223.1	-177.0	-69.2
-426.8		-49.00			727	-266.0	-204.3	-93.7	-136.5
-333.8		-54.12							

		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
			Max	Cent	0.1	0.2	0.0	0.2
0.1		77.60		690	0.1	0.1	0.0	0.1
0.1		74.82		970	0.1	0.1	0.0	0.1
0.1		77.79		985	0.1	0.2	0.0	0.2
0.1		81.19		727	0.1	0.2	0.0	0.2
0.1		75.16	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0		-29.52		690	-0.0	-0.0	-0.0	-0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-34.30		970	-0.0	-0.0	-0.0	-0.0
-0.0	-30.03		985	-0.0	-0.0	-0.0	-0.0
-0.0	-17.52		727	-0.0	-0.0	-0.0	-0.0
-0.0	-56.03						

	NODE	Vxx	Vyy
Max	Cent	0.1	0.0
	690	0.0	0.0
	970	0.0	0.0
	985	0.1	0.0
	727	0.1	0.0
Min	Cent	-0.0	-0.3
	690	-0.0	-0.2
	970	-0.0	-0.3
	985	-0.1	-0.3
	727	-0.1	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-137.0	46.03	Q2a-1-2	Max Cent	0.6	10.9	142.7	148.5
-140.6	46.04		690	28.2	40.9	175.0	209.7
-85.2	45.39		970	23.7	26.8	110.4	135.7
-110.5	44.83		985	1.6	0.3	111.4	112.4
-178.2	45.06		727	1.6	2.4	180.2	182.2
-179.9	-38.58		Min Cent	-76.0	-113.8	-82.9	-9.8
-126.8	-24.67		690	-5.4	-101.2	-55.7	20.2
-177.1	-32.28		970	-8.2	-109.7	-106.7	59.2
-280.0	-46.53		985	-168.3	-155.6	-117.9	-43.9
-216.2	-49.78		727	-163.9	-143.1	-61.8	-90.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	77.61	Max Cent	0.1	0.1	0.0	0.1
0.0	74.81	690	0.0	0.1	0.0	0.1
0.0	77.86	970	0.0	0.1	0.0	0.1
0.0	81.12	985	0.0	0.2	0.0	0.2
0.1	75.13	727	0.1	0.1	0.0	0.1
-0.0	-35.44	Min Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-37.92	690	-0.0	-0.0	-0.0	-0.0
		970	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-36.79		985	-0.0	-0.0	-0.0	-0.0
-0.0	-21.52		727	-0.0	-0.0	-0.0	-0.0
-0.0	-62.69						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	690	0.0	0.0
	970	0.0	0.0
	985	0.1	0.0
	727	0.1	0.0
Min	Cent	-0.0	-0.2
	690	-0.0	-0.2
	970	-0.0	-0.2
	985	-0.0	-0.2
	727	-0.0	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-7.7	-34.85	SLVx (RS)	Cent	9.3	0.5	-11.9	17.6
-12.8	-42.91		690	5.6	3.1	-17.1	21.5
-6.5	-28.65		970	5.5	-2.9	-6.5	9.0
1.6	-19.83		985	20.2	4.0	-6.7	22.6
-7.1	-32.36		727	20.2	3.9	-17.3	31.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	13.08	Cent	0.0	-0.0	0.0	0.0
-0.0	73.12	690	-0.0	0.0	0.0	0.0
-0.0	13.60	970	0.0	-0.0	0.0	0.0
-0.0	8.59	985	-0.0	-0.0	0.0	-0.0
-0.0	10.01	727	0.0	-0.0	0.0	0.0

	NODE	Vxx	Vyy
	Cent	0.0	0.0
	690	-0.0	0.0
	970	-0.0	0.0
	985	0.0	0.0
	727	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.0	-13.44	SLVy (RS)	Cent	42.1	1.4	-10.3	44.6
			690	40.2	1.8	-11.1	43.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-1.2	-15.03		970	39.6	0.4	-8.9	41.5
-1.5	-12.27		985	44.1	1.1	-9.5	46.1
-0.9	-11.95		727	44.7	3.2	-11.7	47.8
0.1	-14.69						
-----							
-0.0	29.02		Cent	-0.0	-0.0	0.0	0.0
-0.0	45.81		690	0.0	0.0	0.0	0.1
0.0	47.16		970	0.0	0.0	0.0	0.1
-0.1	7.45		985	-0.0	-0.1	0.0	-0.0
-0.1	21.70		727	-0.0	-0.1	0.0	-0.0
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	0.4		
			690	-0.0	0.3		
			970	-0.0	0.5		
			985	0.0	0.5		
			727	0.0	0.2		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-3.9	-34.84	SLDx (RS)	Cent	4.7	0.3	-5.9	8.8
-6.4	-42.91		690	2.8	1.5	-8.5	10.7
-3.2	-28.66		970	2.7	-1.5	-3.3	4.5
0.8	-19.83		985	10.1	2.0	-3.4	11.3
-3.5	-32.36		727	10.1	1.9	-8.6	15.6
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	13.09		Cent	0.0	-0.0	0.0	0.0
-0.0	73.10		690	-0.0	0.0	0.0	0.0
-0.0	13.62		970	0.0	-0.0	0.0	0.0
-0.0	8.59		985	-0.0	-0.0	0.0	-0.0
-0.0	10.01		727	0.0	-0.0	0.0	0.0
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			690	-0.0	0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

970 -0.0 0.0  
 985 0.0 0.0  
 727 0.0 0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.5	-13.45	SLDy (RS)	Cent	21.0	0.7	-5.2	22.3
-0.6	-15.04		690	20.1	0.9	-5.6	21.6
-0.8	-12.27		970	19.8	0.2	-4.5	20.7
-0.4	-11.96		985	22.0	0.6	-4.8	23.0
0.1	-14.69		727	22.3	1.6	-5.8	23.9
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	29.02		Cent	-0.0	-0.0	0.0	0.0
-0.0	45.81		690	0.0	0.0	0.0	0.0
0.0	47.16		970	0.0	0.0	0.0	0.0
-0.1	7.45		985	-0.0	-0.1	0.0	-0.0
-0.0	21.70		727	-0.0	-0.0	0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	0.2		
			690	-0.0	0.1		
			970	-0.0	0.2		
			985	0.0	0.2		
			727	0.0	0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-3.4	-34.43	SLVz (RS)	Cent	4.3	0.2	-5.3	8.0
-9.0	-45.43		690	-1.6	-1.4	-7.6	6.1
-4.3	-46.18		970	-1.5	-1.3	-2.9	1.5
0.7	-19.35		985	9.3	1.7	-3.0	10.3
-3.1	-31.86		727	9.3	1.7	-7.7	14.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	21.14		Cent	-0.0	-0.0	0.0	0.0
			690	-0.0	-0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-39.35		970	-0.0	-0.0	0.0	-0.0
-0.0	48.21		985	-0.0	-0.0	0.0	-0.0
-0.0	8.33		727	0.0	-0.0	0.0	0.0
-0.0	12.48						

NODE	Vxx	Vyy
Cent	0.0	0.0
690	0.0	0.0
970	0.0	0.0
985	0.0	0.0
727	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g1	Cent	-79.9	-19.1	85.5	41.2
-140.2	54.78		690	25.1	12.8	132.9	152.0
-114.1	43.67		970	24.9	11.9	36.2	55.2
-18.3	39.92		985	-184.9	-51.0	38.1	-40.9
-195.0	75.18		727	-184.7	-50.2	134.8	33.3
-268.1	58.26						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	0.0	-0.0	0.0
0.0	-84.90	690	0.0	0.0	-0.0	0.0
0.0	-89.88	970	0.0	0.0	-0.0	0.0
0.0	-86.39	985	0.0	0.0	-0.0	0.0
0.0	-80.27	727	-0.0	0.0	-0.0	0.0
-0.0	-87.07					

NODE	Vxx	Vyy
Cent	-0.0	-0.0
690	-0.0	-0.0
970	-0.0	-0.0
985	-0.0	-0.0
727	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g2	Cent	-41.5	-16.5	41.1	14.0
-72.0	53.45		690	9.0	-3.6	63.5	66.5
-61.1	42.15		970	10.6	1.5	16.3	22.9
-10.9	37.22						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-97.1	74.57	985	-92.0	-29.4	18.7	-24.2
-136.3	57.05	727	-93.5	-34.5	65.9	8.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----						
-0.0	-17.90	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-24.47	690	-0.0	-0.0	-0.0	-0.0
-0.0	-15.92	970	-0.0	-0.0	-0.0	-0.0
-0.0	-10.71	985	-0.0	-0.0	-0.0	-0.0
-0.0	-26.24	727	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
-----		
Cent	-0.0	0.0
690	0.0	0.0
970	0.0	0.0
985	-0.0	0.0
727	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-4.1	35.01	q3	Cent	4.2	-0.1	5.8	8.3
-3.9	33.54		690	6.6	0.7	6.9	11.2
-2.0	28.88		970	6.6	0.6	4.7	9.2
-4.5	37.26		985	1.8	-0.8	4.8	5.4
-6.5	39.86		727	1.8	-0.7	7.0	7.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----						
0.0	77.54	Cent	0.0	0.0	0.0	0.0
-0.0	72.65	690	0.0	0.0	0.0	0.0
0.0	56.64	970	0.0	0.0	0.0	0.0
0.0	80.68	985	0.0	0.0	0.0	0.0
0.0	82.58	727	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
-----		
Cent	-0.0	-0.0
690	-0.0	-0.0
970	-0.0	-0.0
985	-0.0	-0.0
727	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
0.7	-1.82	q5_pc	Cent	27.3	0.7	-0.8	27.3
1.4	-1.33		690	27.7	1.4	-0.6	27.7
0.1	-1.57		970	27.3	0.1	-0.7	27.3
0.0	-2.30		985	27.0	0.1	-1.1	27.0
1.3	-2.09		727	27.4	1.4	-0.9	27.4
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	69.37		Cent	0.0	0.0	0.0	0.0
0.0	57.85		690	0.0	0.0	0.0	0.0
0.0	63.69		970	0.0	0.0	0.0	0.0
0.0	78.71		985	0.0	0.0	0.0	0.0
0.0	63.73		727	0.0	0.0	0.0	0.0
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.0		
			690	-0.0	-0.0		
			970	-0.0	-0.0		
			985	0.0	-0.0		
			727	0.0	-0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
0.5	-2.90	q5_ps	Cent	24.3	0.6	-1.2	24.3
0.9	-2.71		690	24.4	1.0	-1.1	24.4
0.1	-2.56		970	24.1	0.1	-1.1	24.2
0.1	-3.08		985	24.2	0.2	-1.3	24.3
0.9	-3.24		727	24.4	1.0	-1.3	24.5
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	31.80		Cent	0.0	0.0	0.0	0.0
0.0	5.78		690	0.0	0.0	0.0	0.0
0.0	6.72		970	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	78.60	985	0.0	0.0	0.0	0.0
0.0	23.56	727	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
690	-0.0	-0.0
970	-0.0	-0.0
985	0.0	-0.0
727	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-2039.8	76.54	INVSLU	Max	Cent	-1980.7	-6.6	506.7	114.3
-1619.9	68.88			690	-1501.1	197.5	772.4	495.5
-1535.7	82.11			970	-1516.8	148.0	236.7	180.6
-2421.0	83.97			985	-2414.9	-167.2	243.3	-141.8
-2551.1	72.73			727	-2408.9	-141.6	786.5	102.4
-2210.8	89.17		Min	Cent	-2210.4	-245.4	26.9	-245.0
-1843.6	80.04			690	-1634.1	-82.8	278.4	-33.8
-1666.5	-81.92			970	-1643.0	-116.4	-221.4	-85.2
-2870.8	-84.36			985	-2847.4	-469.1	-238.9	-445.7
-2863.1	83.64			727	-2832.8	-426.2	270.1	-395.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax		
0.1	86.18	Max	Cent	0.1	0.3	0.0	0.3	
0.1	85.32			690	0.1	0.3	0.0	0.3
0.1	86.22			970	0.1	0.3	0.0	0.3
0.2	86.49			985	0.2	0.4	0.0	0.4
0.1	85.41			727	0.1	0.4	0.0	0.4
-0.0	-74.57		Min	Cent	-0.0	0.1	-0.0	0.1
0.0	-83.53			690	0.0	0.1	-0.0	0.1
-0.0	-76.04			970	-0.0	0.1	-0.0	0.1
0.0	-52.07			985	0.1	0.1	-0.0	0.1
-0.1	-80.04			727	-0.1	0.0	-0.0	0.1

NODE	Vxx	Vyy
------	-----	-----



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Max	Cent	-0.0	0.1
	690	0.0	0.1
	970	0.0	0.0
	985	-0.0	0.0
	727	-0.0	0.1
Min	Cent	-0.1	-0.3
	690	-0.0	-0.3
	970	-0.0	-0.4
	985	-0.3	-0.4
	727	-0.3	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1056.0	81.99	INVSLV	Max Cent	-1041.3	-28.8	155.0	-9.8
-844.1	73.78		690	-778.9	53.6	281.1	128.1
-779.7	88.83		970	-779.7	52.5	24.8	52.9
-1300.9	89.63		985	-1300.9	-105.8	30.8	-105.7
-1348.3	77.94		727	-1300.1	-104.8	286.9	-53.7
-1154.9	83.38		Min Cent	-1133.8	-32.2	121.8	-15.3
-940.3	75.59		690	-863.6	45.5	235.7	113.4
-863.7	89.46		970	-863.1	45.7	1.2	45.8
-1407.5	88.70		985	-1406.8	-115.5	5.9	-114.8
-1466.5	79.09		727	-1407.2	-115.5	240.7	-59.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-66.23	Max Cent	0.0	0.1	0.0	0.1
0.0	52.99		690	0.0	0.1	0.1
0.0	55.02		970	0.0	0.1	0.1
0.1	-82.67		985	0.1	0.2	0.2
0.0	-72.36		727	0.0	0.1	0.1
-0.0	57.45	Min Cent	0.0	-0.0	-0.0	0.0
-0.0	-60.87		690	-0.0	-0.0	0.0
-0.1	-50.45		970	-0.0	-0.0	-0.0
-0.1	7.64		985	-0.0	-0.1	-0.0
-0.1	28.74		727	-0.0	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.3
	690	0.0	0.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	970	0.0	0.4
	985	-0.0	0.4
	727	-0.0	0.2
Min	Cent	-0.0	-0.4
	690	-0.0	-0.3
	970	-0.0	-0.5
	985	-0.0	-0.5
	727	-0.0	-0.3

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
1054	2	4	Q1-1-2	Max	Cent	1.0	2.8	245.6	247.5
-243.8		45.10			970	46.8	39.5	302.5	345.7
-259.3		44.65			972	50.0	46.6	177.3	225.6
-129.0		44.73			986	2.6	0.5	192.3	193.9
-190.8		44.85			985	2.6	0.5	324.8	326.4
-323.2		44.91		Min	Cent	-147.4	-199.0	-121.1	-49.4
-297.0		-38.99			970	-12.6	-188.7	-75.8	15.5
-216.8		-20.37			972	-12.1	-174.2	-164.7	90.4
-276.7		-31.90			986	-322.2	-257.6	-179.6	-107.4
-472.4		-50.09			985	-328.2	-279.3	-82.9	-217.3
-390.2		-53.20							

Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
0.1		85.68		Max	Cent	0.1	0.3	0.0	0.3
0.1		83.75			970	0.1	0.2	0.0	0.2
0.1		86.41			972	0.1	0.2	0.0	0.2
0.1		85.66			986	0.1	0.3	0.0	0.3
0.1		85.18			985	0.1	0.3	0.0	0.3
-0.0		-12.79		Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0		-16.30			970	-0.0	-0.0	-0.0	-0.0
-0.0		-13.18			972	-0.0	-0.0	-0.0	-0.0
-0.0		-22.98			986	-0.0	-0.0	-0.0	-0.0
-0.0		-12.61			985	-0.0	-0.0	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	970	0.0	0.0
	972	0.0	0.0
	986	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	985	0.0	0.0
Min	Cent	-0.0	-0.4
	970	-0.0	-0.4
	972	-0.0	-0.3
	986	-0.1	-0.3
	985	-0.1	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-152.1	45.10	Q2a-1-2	Max Cent	0.8	1.8	153.3	154.6
-162.5	44.73		970	28.1	24.6	188.8	215.1
-80.9	44.83		972	30.0	28.7	110.3	139.7
-118.9	44.82		986	1.9	0.4	120.1	121.2
-203.0	44.89		985	1.9	0.4	204.1	205.3
-200.9	-36.50		Min Cent	-92.7	-141.6	-80.1	-33.4
-152.9	-19.10		970	-8.8	-135.7	-49.9	8.5
-190.7	-30.95		972	-8.5	-125.2	-109.3	57.0
-309.7	-47.40		986	-199.4	-179.3	-119.9	-69.0
-253.7	-47.47		985	-203.5	-194.0	-54.7	-143.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.1	85.60	Max Cent	0.1	0.2	0.0	0.2
0.0	83.71	970	0.1	0.1	0.0	0.1
0.1	86.69	972	0.1	0.1	0.0	0.1
0.1	85.57	986	0.1	0.2	0.0	0.2
0.1	85.05	985	0.1	0.2	0.0	0.2
-0.0	-17.46	Min Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-22.73	970	-0.0	-0.0	-0.0	-0.0
-0.0	-17.83	972	-0.0	-0.0	-0.0	-0.0
-0.0	-29.61	986	-0.0	-0.0	-0.0	-0.0
-0.0	-16.66	985	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Max Cent	0.0	0.0
970	0.0	0.0
972	0.0	0.0
986	0.0	0.0
985	0.0	0.0
Min Cent	-0.0	-0.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

970 -0.0 -0.3  
 972 -0.0 -0.2  
 986 -0.1 -0.2  
 985 -0.1 -0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-7.9	-34.78	SLVx (RS)	Cent	10.3	0.9	-12.7	19.1
-17.1	-38.73		970	5.7	-2.4	-18.3	20.4
-6.9	-26.80		972	6.0	-3.6	-6.5	9.2
1.8	-18.82		986	22.4	4.2	-7.0	24.8
-6.8	-32.61		985	22.8	5.3	-18.9	34.9

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	4.87		Cent	-0.0	-0.0	0.0	-0.0
-0.0	19.98		970	-0.0	-0.0	0.0	-0.0
-0.0	13.65		972	-0.0	-0.0	0.0	-0.0
-0.0	-1.34		986	-0.0	-0.0	-0.0	-0.0
-0.0	2.63		985	-0.0	-0.0	0.0	-0.0

	NODE	Vxx	Vyy
	Cent	0.0	0.0
	970	0.0	0.0
	972	0.0	0.0
	986	-0.0	0.0
	985	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-3.0	-13.20	SLVy (RS)	Cent	44.1	-0.4	-11.0	46.7
-5.2	-15.71		970	40.3	-1.6	-12.8	43.9
-3.4	-11.94		972	40.4	-1.4	-9.3	42.3
-0.9	-10.77		986	47.9	0.9	-9.3	49.7
-2.6	-14.28		985	47.8	0.7	-12.8	51.1

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	8.59		Cent	-0.0	-0.1	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	64.39	970	0.0	0.1	0.0	0.1
0.0	72.42	972	0.0	0.1	0.0	0.1
-0.2	1.49	986	-0.1	-0.2	0.0	-0.1
-0.2	3.44	985	-0.1	-0.2	0.0	-0.1

NODE	Vxx	Vyy
Cent	0.0	0.7
970	0.0	0.7
972	0.0	0.8
986	0.0	0.8
985	0.0	0.7

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-4.0	-34.77	SLDx (RS)	Cent	5.2	0.4	-6.3	9.6
-8.6	-38.73		970	2.9	-1.2	-9.2	10.2
-3.4	-26.81		972	3.0	-1.8	-3.2	4.6
0.9	-18.82		986	11.2	2.1	-3.5	12.4
-3.4	-32.61		985	11.4	2.7	-9.4	17.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	4.88	Cent	-0.0	-0.0	0.0	-0.0
-0.0	20.03	970	-0.0	-0.0	0.0	-0.0
-0.0	13.70	972	-0.0	-0.0	0.0	-0.0
-0.0	-1.35	986	-0.0	-0.0	-0.0	-0.0
-0.0	2.63	985	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
970	0.0	0.0
972	0.0	0.0
986	-0.0	0.0
985	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.5	-13.21	SLDy (RS)	Cent	22.0	-0.2	-5.5	23.3
-2.6	-15.71		970	20.1	-0.8	-6.4	21.9
			972	20.2	-0.7	-4.6	21.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-1.7	-11.95		986	23.9	0.4	-4.6	24.8
-0.4	-10.77		985	23.9	0.4	-6.4	25.5
-1.3	-14.29						
-----							
-0.0	8.60		Cent	-0.0	-0.0	0.0	-0.0
0.0	64.39		970	0.0	0.0	0.0	0.0
0.0	72.41		972	0.0	0.0	0.0	0.0
-0.1	1.50		986	-0.0	-0.1	0.0	-0.0
-0.1	3.44		985	-0.0	-0.1	0.0	-0.0
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	0.4		
			970	0.0	0.3		
			972	0.0	0.4		
			986	0.0	0.4		
			985	0.0	0.3		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-3.5	-34.31	SLVz (RS)	Cent	4.8	0.4	-5.7	8.7
-9.5	-46.00		970	-1.7	-1.1	-8.2	6.8
-4.6	-45.81		972	-1.8	-1.6	-2.9	1.3
0.8	-18.39		986	10.3	1.8	-3.2	11.4
-2.9	-32.09		985	10.5	2.3	-8.4	15.7
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	-9.29		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-33.77		970	-0.0	-0.0	-0.0	-0.0
-0.0	-27.60		972	-0.0	-0.0	-0.0	-0.0
-0.0	-3.64		986	-0.0	-0.0	-0.0	-0.0
-0.0	-3.94		985	-0.0	-0.0	-0.0	-0.0
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	0.0		
			970	0.0	0.0		
			972	0.0	0.0		
			986	-0.0	0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE						
-154.9	54.72	g1	Cent	-90.0	-25.2	91.8	39.7
-128.0	42.83		970	27.2	5.4	143.9	160.6
-12.2	39.01		972	30.3	15.7	34.5	58.2
-216.9	76.18		986	-207.2	-55.8	39.7	-46.0
-303.8	57.90		985	-210.3	-66.1	149.1	27.4
			NODE	Mxx	Myy	Mxy	Mmax
Mmin	ANGLE						
0.0	87.88		Cent	0.0	0.0	0.0	0.0
0.0	88.93		970	0.0	0.0	0.0	0.0
0.0	86.92		972	0.0	0.0	0.0	0.0
0.0	87.76		986	0.0	0.0	0.0	0.0
0.0	88.64		985	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			970	-0.0	-0.0		
			972	-0.0	-0.0		
			986	0.0	-0.0		
			985	0.0	-0.0		
		LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE						
-75.7	54.38	g2	Cent	-45.1	-16.2	42.6	14.4
-63.6	42.26		970	10.4	-2.5	67.2	71.4
-7.3	37.45		972	12.4	4.3	15.1	24.0
-105.0	76.48		986	-100.7	-29.8	18.1	-25.4
-147.3	57.61		985	-102.7	-36.6	70.2	7.9
			NODE	Mxx	Myy	Mxy	Mmax
Mmin	ANGLE						
-0.0	-3.35		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-6.65		970	-0.0	-0.0	-0.0	-0.0
			972	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-2.18		986	-0.0	-0.0	-0.0	-0.0
-0.0	-2.12		985	-0.0	-0.0	-0.0	-0.0
-0.0	-3.89						

NODE	Vxx	Vyy
Cent	0.0	0.0
970	-0.0	0.0
972	-0.0	0.0
986	0.0	0.0
985	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q3	Cent	4.2	-0.2	5.9	8.3
-4.3	34.64		970	6.6	0.3	6.9	11.0
-4.2	32.78		972	6.7	0.7	4.7	9.3
-1.9	28.77		986	1.9	-0.8	4.9	5.6
-4.5	37.43		985	1.8	-1.2	7.1	7.5
-6.9	39.15						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	0.0	0.0	0.0
0.0	76.04	970	0.0	0.0	0.0	0.0
0.0	57.59	972	0.0	0.0	0.0	0.0
0.0	61.35	986	0.0	0.0	0.0	0.0
0.0	81.83	985	0.0	0.0	0.0	0.0
0.0	81.28					

NODE	Vxx	Vyy
Cent	-0.0	-0.0
970	-0.0	-0.0
972	-0.0	-0.0
986	-0.0	-0.0
985	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_pc	Cent	28.6	-0.6	-0.7	28.6
-0.6	-1.33		970	28.0	-0.8	-1.0	28.0
-0.8	-1.92		972	28.0	-0.7	-0.4	28.0
-0.7	-0.79		986	29.2	-0.3	-0.4	29.2
-0.3	-0.75						



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.5	-1.84		985	29.2	-0.4	-1.0	29.2
-----							
			Cent	0.0	0.0	0.0	0.0
0.0	85.61		970	0.0	0.0	0.0	0.0
0.0	78.98		972	0.0	0.0	0.0	0.0
0.0	86.35		986	0.0	0.0	0.0	0.0
0.0	87.62		985	0.0	0.0	0.0	0.0
0.0	85.75						
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	-0.0		
			970	0.0	-0.0		
			972	0.0	-0.0		
			986	-0.0	-0.0		
			985	-0.0	-0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		q5_ps	Cent	25.5	-0.4	-1.2	25.6
-0.4	-2.71		970	24.7	-0.7	-1.6	24.8
-0.8	-3.65		972	24.7	-0.5	-0.9	24.8
-0.6	-1.94		986	26.4	-0.0	-0.8	26.4
-0.1	-1.80		985	26.4	-0.2	-1.6	26.4
-0.3	-3.43						
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	0.0	-0.0	0.0
0.0	-75.26		970	0.0	0.0	-0.0	0.0
0.0	-3.58		972	0.0	0.0	-0.0	0.0
0.0	-24.11		986	0.0	0.0	-0.0	0.0
0.0	-75.95		985	0.0	0.0	-0.0	0.0
0.0	-88.43						
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	-0.0		
			970	0.0	-0.0		
			972	0.0	-0.0		
			986	-0.0	-0.0		
			985	-0.0	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2201.9	76.46	INVSLU	Max Cent	-2138.7	-38.2	542.2	91.1
-1682.2	67.17		970	-1525.5	182.9	875.3	549.3
-1535.4	84.15		972	-1521.9	190.5	182.4	209.1
-2709.3	85.26		986	-2706.7	-212.7	213.9	-195.0
-2884.0	71.94		985	-2706.4	-210.7	916.7	86.8
-2407.9	88.71		Min Cent	-2406.8	-311.6	45.9	-310.6
-1937.3	77.27		970	-1663.8	-126.6	362.9	-42.7
-1705.0	-80.08		972	-1663.9	-108.9	-280.1	-58.7
-3242.4	-83.86		986	-3211.4	-561.9	-288.9	-530.3
-3269.0	82.10		985	-3218.9	-589.3	364.6	-538.7
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	87.55		Max Cent	0.2	0.5	0.0	0.5
0.1	87.47		970	0.1	0.4	0.0	0.4
0.1	87.92		972	0.1	0.4	0.0	0.4
0.2	87.12		986	0.2	0.6	0.0	0.6
0.2	87.12		985	0.2	0.6	0.0	0.6
0.0	-81.27		Min Cent	0.0	0.1	-0.0	0.1
0.0	-81.67		970	0.0	0.1	-0.0	0.1
0.0	-82.95		972	0.0	0.1	-0.0	0.1
0.0	-79.27		986	0.0	0.1	-0.0	0.1
0.0	-73.77		985	0.0	0.1	-0.0	0.1
			NODE	Vxx	Vyy		
			Max Cent	0.0	-0.0		
			970	0.0	0.0		
			972	0.0	-0.1		
			986	0.1	-0.1		
			985	0.1	0.0		
			Min Cent	-0.0	-0.5		
			970	-0.0	-0.6		
			972	-0.0	-0.5		
			986	-0.1	-0.5		
			985	-0.1	-0.6		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax		
-----									
			INVS LV	Max	Cent	-1121.3	-33.9	160.0	-14.0
-1135.6	82.49				970	-787.1	70.4	320.2	171.1
-869.0	72.54				972	-787.0	71.6	-6.0	71.6
-787.9	-89.50				986	-1452.4	-132.1	1.3	-131.7
-1452.8	-89.07				985	-1452.3	-130.8	327.9	-70.1
-1510.0	77.81								
				Min	Cent	-1218.5	-36.1	124.6	-20.6
-1239.5	83.48				970	-872.2	63.9	271.0	140.9
-967.6	74.13				972	-872.3	62.6	-30.2	63.5
-872.4	-88.15				986	-1567.9	-142.0	-23.4	-142.0
-1567.9	-89.99				985	-1568.0	-143.3	277.4	-76.4
-1637.9	78.43								
-----									
				Max	Cent	0.0	0.1	0.0	0.1
0.0	-83.11				970	0.0	0.1	0.0	0.1
0.0	72.90				972	0.0	0.1	0.0	0.1
0.0	77.57				986	0.1	0.3	0.0	0.3
0.1	-88.48				985	0.1	0.2	0.0	0.2
0.1	-86.72								
				Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.1	11.44				970	-0.0	-0.0	-0.0	-0.0
-0.1	-39.58				972	-0.0	-0.0	-0.0	-0.0
-0.0	-27.17				986	-0.1	-0.2	-0.0	-0.1
-0.2	1.36				985	-0.0	-0.2	-0.0	-0.0
-0.2	3.58								
-----									
					NODE	Vxx	Vyy		
				Max	Cent	0.0	0.7		
					970	0.0	0.6		
					972	0.0	0.7		
					986	0.0	0.7		
					985	0.0	0.6		
				Min	Cent	-0.0	-0.8		
					970	-0.0	-0.7		
					972	-0.0	-0.8		
					986	-0.0	-0.8		
					985	-0.0	-0.7		
-----									
ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
	Fmin	ANGLE							
-----									

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

1062	2	10	Q1-1-2	Max	Cent	2.4	22.2	240.7	253.1
-228.6		46.18			727	2.0	32.1	296.5	313.9
-279.8		46.45			985	2.0	28.9	185.4	201.3
-170.5		47.07			993	2.7	18.5	186.7	197.4
-176.3		46.21			746	2.8	16.9	305.4	315.3
-295.7		45.66		Min	Cent	-328.7	-250.1	-106.3	-176.0
-402.7		-55.14			727	-288.1	-287.4	-73.9	-213.9
-361.6		-45.14			985	-287.1	-279.1	-143.1	-139.9
-426.3		-45.80			993	-396.6	-308.1	-151.3	-194.7
-510.0		-53.15			746	-397.4	-314.8	-74.3	-271.1
-441.1		-59.54							

Mmin ANGLE NODE Mxx Myy Mxy Mmax

			Max	Cent		0.1	0.3	0.0	0.3
0.1	82.38			727		0.2	0.5	0.0	0.5
0.2	80.83			985		0.1	0.2	0.0	0.2
0.1	82.12			993		0.1	0.3	0.0	0.3
0.1	84.53			746		0.1	0.2	0.0	0.2
0.0	75.66		Min	Cent		-0.0	-0.0	-0.0	-0.0
-0.0	-28.59			727		-0.0	-0.1	-0.0	-0.0
-0.1	-7.59			985		-0.0	-0.0	-0.0	0.0
-0.0	-38.07			993		-0.0	-0.0	-0.0	0.0
-0.0	-33.46			746		-0.0	-0.0	-0.0	-0.0
-0.0	-26.16								

		NODE	Vxx	Vyy
	Max	Cent	0.1	1.1
		727	0.1	2.9
		985	0.1	0.2
		993	0.0	0.2
		746	0.0	2.9
	Min	Cent	-0.0	-0.5
		727	-0.1	-1.2
		985	-0.1	-0.8
		993	-0.0	-0.8
		746	-0.0	-1.2

Fmin ANGLE LC NODE Fxx Fyy Fxy Fmax

		Q2a-1-2	Max	Cent		1.8	14.0	150.4	158.4
-142.7	46.16								

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-175.4	46.36		727	1.5	19.2	185.5	196.1
-105.7	47.14		985	1.5	18.7	115.5	125.9
-109.4	46.23		993	2.0	12.0	116.3	123.4
-186.2	45.59		746	2.0	10.0	192.1	198.2
-262.6	-50.62	Min	Cent	-205.4	-177.8	-69.6	-120.6
-244.0	-37.86		727	-182.0	-206.5	-48.2	-144.4
-285.0	-42.02		985	-180.5	-200.2	-94.1	-95.7
-335.4	-49.31		993	-249.4	-219.1	-100.0	-133.1
-288.0	-52.34		746	-250.6	-225.3	-48.4	-187.9

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
		Max	Cent	0.1	0.2	0.0	0.2
0.1	82.50		727	0.1	0.3	0.0	0.3
0.1	80.52		985	0.0	0.1	0.0	0.1
0.0	82.68		993	0.1	0.2	0.0	0.2
0.1	84.86		746	0.0	0.1	0.0	0.1
0.0	74.97	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-34.28		727	-0.0	-0.1	-0.0	-0.0
-0.1	-8.10		985	-0.0	-0.0	-0.0	0.0
-0.0	-40.66		993	-0.0	-0.0	-0.0	0.0
-0.0	-37.29		746	-0.0	-0.0	-0.0	-0.0
-0.0	-26.57						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.7
	727	0.1	1.8
	985	0.1	0.1
	993	0.0	0.1
	746	0.0	1.8
Min	Cent	-0.0	-0.3
	727	-0.0	-0.7
	985	-0.0	-0.5
	993	-0.0	-0.5
	746	-0.0	-0.7

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-4.4	-25.04	SLVx (RS)	Cent	22.2	1.4	-12.4	28.0
			727	19.1	0.3	-17.0	29.1
-9.8	-30.56						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-2.1	-20.23	985	19.3	0.8	-7.9	22.2	
0.2	-17.37	993	25.4	2.7	-7.9	27.8	
-7.0	-27.88	746	25.2	2.0	-17.0	34.2	
-----							
-0.0	-3.43	Cent	-0.0	-0.0	-0.0	-0.0	
0.0	75.91	727	0.0	0.0	0.0	0.0	
-0.0	-3.61	985	-0.0	-0.0	-0.0	-0.0	
-0.0	3.58	993	-0.0	-0.0	0.0	-0.0	
-0.0	1.29	746	-0.0	-0.0	0.0	-0.0	
-----							
		NODE	Vxx	Vyy			
		Cent	0.0	0.0			
		727	0.0	0.1			
		985	0.0	-0.0			
		993	-0.0	-0.0			
		746	-0.0	0.1			
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-0.2	-13.83	SLVy (RS)	Cent	43.9	2.5	-10.8	46.5
0.4	-12.76		727	44.5	2.7	-10.0	46.8
-0.3	-14.68		985	44.6	2.8	-11.8	47.7
-0.8	-14.92		993	43.3	2.4	-11.7	46.4
-0.0	-12.96		746	43.2	2.3	-9.9	45.5
-----							
Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-----							
-0.1	3.86	Cent	-0.0	-0.1	0.0	-0.0	
-0.1	9.38	727	-0.0	-0.1	0.0	-0.0	
-0.1	6.04	985	-0.0	-0.1	0.0	-0.0	
-0.2	0.92	993	-0.1	-0.2	0.0	-0.1	
-0.1	2.54	746	-0.0	-0.1	0.0	-0.0	
-----							
		NODE	Vxx	Vyy			
		Cent	0.0	0.5			
		727	0.0	0.3			
		985	0.0	0.7			

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

993 0.0 0.7  
746 0.0 0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.2	-25.04	SLDx (RS)	Cent	11.1	0.7	-6.2	14.0
-4.9	-30.55		727	9.5	0.1	-8.5	14.5
-1.0	-20.22		985	9.6	0.4	-3.9	11.1
0.1	-17.36		993	12.7	1.3	-3.9	13.9
-3.5	-27.87		746	12.6	1.0	-8.5	17.1

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-3.43		Cent	-0.0	-0.0	-0.0	-0.0
0.0	75.88		727	0.0	0.0	0.0	0.0
-0.0	-3.60		985	-0.0	-0.0	-0.0	-0.0
-0.0	3.58		993	-0.0	-0.0	0.0	-0.0
-0.0	1.29		746	-0.0	-0.0	0.0	-0.0

	NODE	Vxx	Vyy
	Cent	0.0	0.0
	727	0.0	0.0
	985	0.0	-0.0
	993	-0.0	-0.0
	746	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.1	-13.83	SLDy (RS)	Cent	21.9	1.3	-5.4	23.2
0.2	-12.76		727	22.2	1.3	-5.0	23.4
-0.2	-14.68		985	22.3	1.4	-5.9	23.8
-0.4	-14.92		993	21.6	1.2	-5.9	23.2
-0.0	-12.96		746	21.6	1.1	-5.0	22.7

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	3.86		Cent	-0.0	-0.1	0.0	-0.0
-0.0	9.38		727	-0.0	-0.0	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	6.04	985	-0.0	-0.1	0.0	-0.0
-0.1	0.92	993	-0.0	-0.1	0.0	-0.0
-0.1	2.54	746	-0.0	-0.1	0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	0.2
727	0.0	0.1
985	0.0	0.4
993	0.0	0.4
746	0.0	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.9	-24.66	SLVz (RS)	Cent	10.2	0.6	-5.5	12.7
-4.5	-29.61		727	8.8	-0.2	-7.5	13.1
-0.9	-20.00		985	8.9	0.4	-3.6	10.2
0.1	-17.22		993	11.6	1.2	-3.6	12.7
-3.0	-27.45		746	11.5	0.9	-7.5	15.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-2.81	Cent	-0.0	-0.0	-0.0	-0.0
0.0	71.45	727	0.0	0.0	0.0	0.0
-0.0	-3.77	985	-0.0	-0.0	-0.0	-0.0
-0.0	-2.01	993	-0.0	-0.0	-0.0	-0.0
-0.0	-1.69	746	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
727	0.0	0.0
985	0.0	-0.0
993	-0.0	-0.0
746	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-242.5	67.09	g1	Cent	-203.8	-26.2	91.4	12.5
-250.2	60.37		727	-174.2	-15.2	133.6	60.8
-189.7	73.91		985	-175.6	-19.7	49.0	-5.6
			993	-233.5	-37.1	49.3	-25.4



# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-245.2	76.68		746	-232.1	-32.6	133.8	34.6
-299.3	63.35						
-----							
0.0	80.88		Cent	0.0	0.0	0.0	0.0
-0.0	-5.10		727	-0.0	-0.0	-0.0	-0.0
0.0	82.92		985	0.0	0.0	0.0	0.0
0.0	76.05		993	0.0	0.0	0.0	0.0
0.0	-89.86		746	0.0	0.0	-0.0	0.0
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.2		
			727	-0.0	-0.6		
			985	-0.0	0.1		
			993	0.0	0.1		
			746	0.0	-0.6		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-115.0	67.99	g2	Cent	-98.1	-11.6	41.8	5.3
-117.8	61.54		727	-85.2	-6.7	60.2	25.9
-92.4	74.37		985	-85.8	-8.9	23.3	-2.4
-116.6	76.83		993	-111.1	-16.5	23.4	-11.0
-139.5	64.28		746	-110.4	-14.3	60.3	14.8
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-1.12		Cent	-0.0	-0.0	-0.0	-0.0
-0.1	-7.36		727	-0.0	-0.1	-0.0	-0.0
-0.0	5.59		985	-0.0	-0.0	0.0	-0.0
-0.0	5.26		993	-0.0	-0.0	0.0	-0.0
0.0	-60.35		746	0.0	0.0	-0.0	0.0
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.3		
			727	-0.0	-0.8		
			985	-0.0	0.2		
			993	0.0	0.2		
			746	0.0	-0.8		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-5.5	41.08	q3	Cent	1.2	-0.4	5.8	6.3
-6.0	40.86		727	2.0	0.0	7.0	8.1
-4.0	38.14		985	1.9	-0.4	4.7	5.6
-4.9	41.40		993	0.4	-0.8	4.7	4.5
-7.0	43.10		746	0.5	-0.5	7.0	7.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	83.55		Cent	0.0	0.0	0.0	0.0
0.0	85.33		727	0.0	0.0	0.0	0.0
0.0	81.23		985	0.0	0.0	0.0	0.0
0.0	84.20		993	0.0	0.0	0.0	0.0
0.0	83.84		746	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			727	-0.0	0.0		
			985	-0.0	-0.0		
			993	-0.0	-0.0		
			746	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.0	-2.47	q5_pc	Cent	25.9	-1.0	-1.2	25.9
-1.0	0.19		727	26.7	-1.0	0.1	26.7
-0.6	-5.16		985	26.8	-0.4	-2.5	27.1
-1.1	-5.25		993	25.1	-0.9	-2.4	25.3
-1.5	0.35		746	24.9	-1.5	0.2	24.9
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	87.51		Cent	0.0	0.0	0.0	0.0
0.0	81.07		727	0.0	0.0	0.0	0.0
0.0	-84.87		985	0.0	0.0	-0.0	0.0
			993	0.0	0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0      -84.64  
 -0.0      52.04

NODE	Vxx	Vyy
Cent	0.0	0.0
727	0.0	0.1
985	0.0	-0.0
993	-0.0	-0.0
746	-0.0	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.5	-3.90	q5_ps	Cent	23.4	-0.4	-1.6	23.6
-0.5	-1.69		727	24.0	-0.5	-0.7	24.0
-0.2	-6.09		985	24.2	0.1	-2.6	24.4
-0.6	-6.18		993	22.9	-0.3	-2.5	23.2
-0.9	-1.61		746	22.7	-0.9	-0.7	22.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-89.83	Cent	0.0	0.0	-0.0	0.0
0.0	72.79	727	0.0	0.0	0.0	0.0
0.0	-67.13	985	0.0	0.0	-0.0	0.0
0.0	-72.46	993	0.0	0.0	-0.0	0.0
0.0	72.64	746	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
727	0.0	0.0
985	0.0	-0.0
993	0.0	-0.0
746	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2511.0	77.08	INVSLU Max	Cent	-2434.1	29.0	610.5	169.0
-2492.1	73.49		727	-2356.6	71.2	792.8	304.5
-2396.0	80.45		985	-2360.5	53.2	428.6	125.3
-2546.1	80.71		993	-2511.3	-4.7	430.7	65.7
-2641.6	73.72		746	-2507.5	6.8	805.4	239.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-2947.0	86.87	Min	Cent	-2939.2	-340.2	140.0	-332.5
-2843.7	83.14		727	-2809.2	-361.9	292.7	-326.7
-2811.9	-89.54		985	-2811.9	-363.3	-19.4	-363.1
-3106.6	-89.35		993	-3106.3	-447.3	-29.9	-446.9
-3135.1	83.69		746	-3103.3	-443.7	292.5	-411.4

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	82.58	Max	Cent	0.1	0.4	0.0	0.4
0.1	79.19		727	0.1	0.3	0.0	0.3
0.2	83.30		985	0.2	0.4	0.0	0.4
0.1	82.92		993	0.1	0.4	0.0	0.4
0.2	84.91		746	0.2	0.7	0.0	0.7
-0.0	-80.50	Min	Cent	0.0	0.0	-0.0	0.0
-0.5	-7.37		727	-0.2	-0.5	-0.0	-0.2
0.1	-81.39		985	0.1	0.2	-0.0	0.2
-0.0	-53.08		993	-0.0	0.0	-0.0	0.0
0.1	-85.77		746	0.1	0.4	-0.0	0.4

	NODE	Vxx	Vyy
Max	Cent	-0.0	-1.0
	727	-0.0	-2.0
	985	-0.0	1.4
	993	0.1	1.4
	746	0.1	-2.0
Min	Cent	-0.1	-3.2
	727	-0.3	-7.7
	985	-0.3	-0.0
	993	-0.0	-0.0
	746	-0.0	-7.7

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-1333.6	82.12	INVSLV	Max	Cent	-1313.0	-15.5	198.3	7.1
-1310.3	79.23			727	-1270.6	-6.4	267.1	41.0
-1275.9	85.27			985	-1268.0	1.7	130.7	9.9
-1363.1	85.57			993	-1355.4	-24.3	132.2	-16.2
-1396.4	79.65			746	-1357.9	-32.8	268.7	10.5
-1447.4	82.86		Min	Cent	-1420.2	-21.8	163.6	3.5

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-1424.9	80.35	727	-1376.3	-12.1	222.6	29.0
-1386.5	84.81	985	-1374.1	-4.5	100.3	7.4
-1476.1	84.83	993	-1464.0	-31.8	101.9	-20.1
-1513.4	80.66	746	-1466.2	-39.0	224.2	3.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Max Cent	0.0	0.2	0.0	0.2
0.0	-86.29	727	0.0	0.1	0.0	0.1
0.0	-80.66	985	0.1	0.2	0.0	0.2
0.1	-84.38	993	0.1	0.2	0.0	0.2
0.1	-88.89	746	0.0	0.2	0.0	0.2
0.0	-87.01	Min Cent	-0.0	-0.1	-0.0	-0.0
-0.1	3.89	727	-0.0	-0.1	-0.0	-0.0
-0.1	9.02	985	-0.0	-0.1	-0.0	-0.0
-0.1	6.37	993	-0.1	-0.2	-0.0	-0.1
-0.2	0.69	746	-0.0	-0.1	-0.0	-0.0
-0.1	1.58					

	NODE	Vxx	Vyy
Max	Cent	-0.0	0.4
	727	-0.0	0.1
	985	-0.0	0.7
	993	0.0	0.7
	746	0.0	0.1
Min	Cent	-0.0	-0.6
	727	-0.0	-0.4
	985	-0.0	-0.7
	993	-0.0	-0.7
	746	-0.0	-0.4

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
	Fmin	ANGLE						
1063	2	4	Q1-1-2	Max Cent	2.9	10.5	250.4	257.1
-243.7		45.43		985	2.3	24.6	321.4	335.1
-308.1		45.99		986	2.4	16.6	173.9	183.5
-164.5		46.17		994	3.5	0.9	181.9	184.1
-179.7		44.79		993	3.5	10.3	337.9	344.8
-331.0		45.29		Min Cent	-389.4	-275.7	-108.2	-210.4
-454.8		-58.87		985	-344.7	-341.3	-63.4	-279.6
-406.4		-45.78						

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-467.7	-48.71	986	-327.6	-286.0	-159.6	-145.9
-579.5	-56.54	994	-466.4	-320.5	-171.2	-207.4
-515.0	-64.14	993	-483.3	-380.1	-65.4	-348.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.1	83.36	Max Cent	0.1	0.3	0.0	0.4
0.1	83.53	985	0.1	0.3	0.0	0.3
0.1	83.12	986	0.1	0.4	0.0	0.4
0.1	82.75	994	0.1	0.4	0.0	0.4
0.1	84.26	993	0.1	0.4	0.0	0.4
-0.0	-25.67	Min Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-34.04	985	-0.0	-0.0	-0.0	0.0
-0.0	-22.23	986	-0.0	-0.0	-0.0	-0.0
-0.0	-25.90	994	-0.0	-0.0	-0.0	-0.0
-0.0	-25.57	993	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Max Cent	0.0	0.1
985	0.0	0.4
986	0.0	0.1
994	0.0	0.1
993	0.0	0.4
Min Cent	-0.1	-0.7
985	-0.1	-1.2
986	-0.1	-0.4
994	-0.0	-0.4
993	-0.0	-1.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-151.5	45.42	Q2a-1-2	Max Cent	2.2	6.8	156.0	160.5
-191.5	46.01		985	1.7	15.9	200.2	209.1
-102.2	46.07		986	1.8	9.8	107.9	113.8
-111.6	44.72		994	2.6	0.4	113.1	114.6
-207.2	45.26		993	2.6	6.5	211.7	216.2
-294.0	-54.19		Min Cent	-242.7	-195.4	-71.1	-144.1
-274.5	-36.20		985	-217.8	-244.1	-41.6	-187.3
-311.5	-44.97		986	-206.0	-206.2	-105.4	-100.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-378.3	-52.72	994	-291.8	-228.9	-113.7	-142.3
-332.3	-55.91	993	-303.4	-269.2	-42.7	-240.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Max Cent	0.1	0.2	0.0	0.2
0.1	83.18	985	0.0	0.2	0.0	0.2
0.0	83.48	986	0.1	0.2	0.0	0.2
0.1	82.91	994	0.1	0.3	0.0	0.3
0.1	82.57	993	0.1	0.3	0.0	0.3
0.1	84.06	Min Cent	-0.0	-0.0	-0.0	0.0
-0.0	-31.07	985	-0.0	-0.0	-0.0	0.0
-0.0	-38.02	986	-0.0	-0.0	-0.0	-0.0
-0.0	-27.64	994	-0.0	-0.0	-0.0	0.0
-0.0	-31.13	993	-0.0	-0.0	-0.0	0.0
-0.0	-30.38					

	NODE	Vxx	Vyy
Max	Cent	0.0	0.1
	985	0.0	0.2
	986	0.0	0.1
	994	0.0	0.1
	993	0.0	0.2
Min	Cent	-0.0	-0.4
	985	-0.1	-0.7
	986	-0.1	-0.2
	994	-0.0	-0.2
	993	-0.0	-0.7

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	26.1	2.1	-13.4	32.1
-3.8	-24.00		985	21.7	1.7	-20.2	34.3
-10.8	-31.83		986	21.1	0.5	-6.2	22.9
-1.3	-15.56		994	30.6	2.5	-6.5	32.0
1.1	-12.44		993	31.2	4.6	-20.5	42.3
-6.5	-28.50						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	0.86		985	-0.0	-0.0	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	1.75		986	-0.0	-0.0	-0.0	-0.0
-0.0	-0.79		994	-0.0	-0.0	0.0	-0.0
-0.0	0.71		993	-0.0	-0.0	0.0	-0.0
-0.0	1.21						

NODE	Vxx	Vyy
Cent	-0.0	-0.0
985	-0.0	-0.0
986	-0.0	0.0
994	-0.0	0.0
993	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.5	-13.43	SLVy (RS)	Cent	50.4	2.4	-12.2	53.3
-2.1	-16.92		985	48.4	2.5	-15.4	53.1
-0.7	-10.25		986	47.9	0.9	-8.8	49.5
0.7	-9.83		994	52.4	2.2	-9.0	54.0
-0.6	-16.20		993	52.9	3.9	-15.6	57.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.3	0.47	Cent	-0.1	-0.3	0.0	-0.1
-0.2	2.91	985	-0.1	-0.2	0.0	-0.1
-0.2	0.54	986	-0.1	-0.2	0.0	-0.1
-0.4	-1.02	994	-0.1	-0.4	-0.0	-0.1
-0.3	0.86	993	-0.1	-0.3	0.0	-0.1

NODE	Vxx	Vyy
Cent	0.0	1.0
985	0.0	1.1
986	0.0	1.0
994	0.0	1.0
993	0.0	1.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.9	-24.00	SLDx (RS)	Cent	13.1	1.1	-6.7	16.0
-5.4	-31.82		985	10.9	0.9	-10.1	17.1
-0.6	-15.56		986	10.6	0.2	-3.1	11.4



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
0.5	-12.44	994	15.3	1.2	-3.3	16.0	
-3.3	-28.50	993	15.6	2.3	-10.2	21.1	
-----							
-0.0	0.87	Cent	-0.0	-0.0	0.0	-0.0	
-0.0	1.75	985	-0.0	-0.0	0.0	-0.0	
-0.0	-0.80	986	-0.0	-0.0	-0.0	-0.0	
-0.0	0.71	994	-0.0	-0.0	0.0	-0.0	
-0.0	1.21	993	-0.0	-0.0	0.0	-0.0	
-----							
		NODE	Vxx	Vyy			
-----							
		Cent	-0.0	-0.0			
		985	-0.0	-0.0			
		986	-0.0	0.0			
		994	-0.0	0.0			
		993	-0.0	-0.0			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-0.3	-13.44	SLDy (RS)	Cent	25.2	1.2	-6.1	26.6
-1.1	-16.92		985	24.2	1.3	-7.7	26.5
-0.4	-10.25		986	23.9	0.4	-4.4	24.7
0.3	-9.83		994	26.2	1.1	-4.5	26.9
-0.3	-16.20		993	26.4	1.9	-7.8	28.7
-----							
Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-----							
-0.1	0.47	Cent	-0.0	-0.1	0.0	-0.0	
-0.1	2.91	985	-0.0	-0.1	0.0	-0.0	
-0.1	0.54	986	-0.0	-0.1	0.0	-0.0	
-0.2	-1.02	994	-0.1	-0.2	-0.0	-0.1	
-0.2	0.86	993	-0.0	-0.2	0.0	-0.0	
-----							
		NODE	Vxx	Vyy			
-----							
		Cent	0.0	0.5			
		985	0.0	0.5			
		986	0.0	0.5			
		994	0.0	0.5			
		993	0.0	0.5			

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.7	-23.66	SLVz (RS)	Cent	12.0	0.9	-6.0	14.6
-4.7	-31.46		985	10.0	0.8	-9.0	15.5
-0.9	-14.81		986	9.7	-0.2	-2.8	10.5
0.5	-12.31		994	13.9	1.1	-2.9	14.6
-2.9	-28.16		993	14.2	2.0	-9.1	19.1
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	1.19		Cent	-0.0	-0.0	0.0	-0.0
-0.0	-2.46		985	-0.0	-0.0	-0.0	-0.0
-0.0	-2.02		986	-0.0	-0.0	-0.0	-0.0
-0.0	0.92		994	-0.0	-0.0	0.0	-0.0
-0.0	1.10		993	-0.0	-0.0	0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			985	-0.0	-0.0		
			986	-0.0	0.0		
			994	-0.0	0.0		
			993	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-280.6	68.17	g1	Cent	-241.2	-35.3	98.3	4.0
-297.3	58.82		985	-199.5	-30.4	161.5	67.4
-200.3	80.07		986	-194.5	-13.7	32.6	-8.0
-287.8	81.96		994	-282.9	-40.3	35.0	-35.4
-372.9	62.58		993	-287.9	-57.0	163.9	28.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-88.79		Cent	0.0	0.0	-0.0	0.0
0.0	89.62		985	0.0	0.0	0.0	0.0
0.0	-89.05		986	0.0	0.0	-0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-88.60	994	0.0	0.0	-0.0	0.0
0.0	-88.22	993	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
985	0.0	0.1
986	0.0	-0.1
994	0.0	-0.1
993	0.0	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-133.6	68.71	g2	Cent	-115.9	-17.1	45.4	0.6
-140.5	59.32		985	-95.7	-13.2	75.5	31.6
-96.6	80.69		986	-94.3	-8.4	14.5	-6.1
-138.1	82.56		994	-136.1	-21.0	15.3	-19.0
-176.3	63.10		993	-137.5	-25.8	76.3	12.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-5.41	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-3.08	985	-0.0	-0.0	-0.0	-0.0
-0.0	-5.45	986	-0.0	-0.0	-0.0	-0.0
-0.0	-6.53	994	-0.0	-0.0	-0.0	-0.0
-0.1	-2.78	993	-0.0	-0.1	-0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	0.1
985	0.0	0.3
986	0.0	-0.0
994	0.0	-0.0
993	0.0	0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-5.5	41.01	q3	Cent	1.3	-0.4	5.9	6.4
-6.5	39.86		985	1.9	-0.6	7.0	7.8
-3.6	39.45		986	2.2	0.3	4.7	6.1
-4.6	42.68		994	0.7	-0.1	4.8	5.1
			993	0.4	-1.1	7.1	6.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

- 7.5      42.06

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	83.71		Cent	0.0	0.0	0.0	0.0
0.0	83.17		985	0.0	0.0	0.0	0.0
0.0	82.27		986	0.0	0.0	0.0	0.0
0.0	84.11		994	0.0	0.0	0.0	0.0
0.0	85.44		993	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			985	-0.0	-0.0		
			986	-0.0	-0.0		
			994	-0.0	-0.0		
			993	-0.0	-0.0		

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.3	-2.51	q5_pc	Cent	30.0	-0.2	-1.3	30.1
-1.2	-4.82		985	29.1	-1.0	-2.5	29.3
0.0	-0.34		986	29.3	0.0	-0.2	29.3
0.5	-0.20		994	31.0	0.5	-0.1	31.0
-0.7	-4.53		993	30.7	-0.5	-2.5	30.9

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	84.97		Cent	0.0	0.0	0.0	0.0
0.0	88.30		985	0.0	0.0	0.0	0.0
0.0	84.39		986	0.0	0.0	0.0	0.0
0.0	84.09		994	0.0	0.0	0.0	0.0
0.0	88.05		993	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			985	-0.0	-0.0		
			986	-0.0	-0.0		
			994	0.0	-0.0		
			993	0.0	-0.0		

	LC	NODE	Fxx	Fyy	Fxy	Fmax
--	----	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE						
0.1	-3.92	q5_ps	Cent	27.2	0.2	-1.9	27.4
-0.7	-6.54		985	26.3	-0.3	-3.1	26.7
0.3	-1.43		986	26.5	0.3	-0.7	26.5
0.8	-1.30		994	28.2	0.8	-0.6	28.2
-0.1	-6.21		993	28.0	0.2	-3.1	28.3
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-84.73		Cent	0.0	0.0	-0.0	0.0
0.0	-75.73		985	0.0	0.0	-0.0	0.0
0.0	-84.56		986	0.0	0.0	-0.0	0.0
0.0	-87.29		994	0.0	0.0	-0.0	0.0
0.0	-78.41		993	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			985	-0.0	-0.0		
			986	-0.0	-0.0		
			994	0.0	-0.0		
			993	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2973.4	77.91	INVSLU	Max	Cent	-2899.1	-60.0	642.8
-2910.7	70.23			985	-2644.1	30.0	1113.7
-2639.6	86.65			986	-2639.1	32.9	158.0
-3154.9	86.70			994	-3153.9	-142.5	175.4
-3408.5	71.53			993	-3158.6	-145.0	1142.4
-3504.5	87.02		Min	Cent	-3496.2	-446.7	156.4
-3303.1	78.05			985	-3178.8	-465.7	589.6
-3182.0	-84.06			986	-3151.5	-375.6	-292.4
-3884.7	-84.80			994	-3857.2	-577.7	-301.4
-3991.9	79.69			993	-3884.2	-672.9	593.6
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		Max	Cent	0.2	0.6	0.0	0.6
0.2	86.61		985	0.2	0.6	0.0	0.6
0.2	87.16		986	0.2	0.6	0.0	0.6
0.2	85.93		994	0.2	0.7	0.0	0.7
0.2	86.05		993	0.2	0.6	0.0	0.6
0.2	86.74	Min	Cent	0.0	0.1	-0.0	0.1
0.0	-70.22		985	0.1	0.2	-0.0	0.2
0.1	-79.48		986	-0.0	0.0	-0.0	0.1
-0.0	-65.59		994	0.0	0.1	-0.0	0.1
0.0	-71.01		993	0.0	0.0	-0.0	0.0
-0.0	-46.88						

-----		NODE	Vxx	Vyy
Max	Cent		0.1	0.8
		985	0.1	2.0
		986	0.1	-0.3
		994	0.1	-0.3
		993	0.1	2.0
Min	Cent		-0.0	-0.4
		985	-0.1	-0.0
		986	-0.1	-0.9
		994	-0.0	-0.9
		993	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-1580.5	82.77	INVSLV	Max	Cent	-1560.5	-44.8	212.1
				985	-1414.8	-8.9	441.2
-1515.5	74.74			986	-1409.6	8.8	-20.5
-1410.9	-88.32			994	-1706.3	-80.5	-15.3
-1707.2	-88.70			993	-1711.5	-97.5	446.4
-1802.6	76.28		Min	Cent	-1684.2	-51.4	174.5
-1711.1	83.45			985	-1530.6	-15.5	386.1
-1648.0	75.76			986	-1523.9	6.6	-43.5
-1524.2	-89.17			994	-1837.8	-87.5	-38.9
-1837.9	-89.44			993	-1844.5	-110.3	390.6
-1951.1	77.19						-8.7

Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
-----								
		Max	Cent		0.1	0.3	-0.0	0.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.1	-89.06			985	0.1	0.2	0.0	0.2
0.1	-86.84			986	0.1	0.3	0.0	0.3
0.1	-89.14			994	0.1	0.4	0.0	0.4
0.1	89.47			993	0.1	0.4	0.0	0.4
0.1	-88.60							
		Min	Cent		-0.1	-0.2	-0.0	-0.1
-0.2	-0.14			985	-0.0	-0.2	-0.0	-0.0
-0.2	2.45			986	-0.1	-0.2	-0.0	-0.1
-0.2	0.07			994	-0.1	-0.3	-0.0	-0.1
-0.3	-1.59			993	-0.1	-0.3	-0.0	-0.1
-0.3	0.17							

	NODE	Vxx	Vyy
Max	Cent	0.0	1.0
	985	0.0	1.1
	986	0.0	1.0
	994	0.0	1.0
	993	0.0	1.1
Min	Cent	-0.0	-1.1
	985	-0.0	-1.1
	986	-0.0	-1.1
	994	-0.0	-1.1
	993	-0.0	-1.1

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
1086	2	8	Q1-1-2	Max	Cent	1295.3	38.9	414.7	1419.9
	-85.6	16.72			635	1477.4	94.5	561.2	1676.5
	-104.5	19.53			1013	1473.7	86.3	269.8	1524.3
	35.7	10.63			2364	1113.1	0.9	272.4	1176.3
	-62.2	13.05			2304	1117.4	0.5	563.6	1352.4
	-234.5	22.63		Min	Cent	-25.2	-0.5	-2.1	-0.4
	-25.4	-85.16			635	-28.6	-1.9	-4.9	-1.1
	-29.5	-79.97			1013	-28.3	-1.1	-28.4	16.8
	-46.2	-57.83			2364	-21.8	-33.4	-29.4	2.4
	-57.5	-39.39			2304	-22.0	-16.7	-4.8	-13.9
	-24.9	-59.45							
Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax	
				Max	Cent	0.0	0.0	0.0	0.0
	-0.0	58.51			635	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	66.59		1013	0.0	0.0	0.0	0.0
-0.0	53.42		2364	0.0	0.0	0.0	0.0
-0.0	53.84		2304	0.0	0.0	0.0	0.0
-0.0	58.80	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-8.41		635	-0.1	-0.2	-0.0	-0.1
-0.2	-7.79		1013	-0.0	-0.1	-0.0	-0.0
-0.1	-9.02		2364	-0.0	-0.1	-0.0	-0.0
-0.1	-9.07		2304	-0.0	-0.1	-0.0	-0.0
-0.1	-8.50						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.1
	635	0.0	0.1
	1013	0.0	0.0
	2364	0.0	0.0
	2304	0.0	0.1
Min	Cent	-0.0	-0.3
	635	-0.0	-0.4
	1013	-0.0	-0.2
	2364	-0.0	-0.2
	2304	-0.0	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-53.2	16.85	Q2a-1-2	Max Cent	782.7	23.5	253.2	859.4
-65.1	19.61		635	892.9	56.5	341.3	1014.5
20.7	10.74		1013	890.6	52.0	165.0	921.9
-38.4	13.19		2364	672.6	0.7	166.6	711.6
-143.3	22.73		2304	675.3	0.4	342.9	818.9
-18.8	-85.18		Min Cent	-18.7	-0.4	-1.6	-0.3
-21.9	-79.98		635	-21.2	-1.4	-3.6	-0.8
-33.2	-58.48		1013	-21.0	-0.8	-19.9	11.4
-39.9	-40.89		2364	-16.2	-22.1	-20.6	1.7
-18.2	-62.97		2304	-16.3	-11.2	-3.6	-9.4
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	57.64		Max Cent	0.0	0.0	0.0	0.0
0.0	65.94		635	0.0	0.0	0.0	0.0
			1013	0.0	0.0	0.0	0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	52.37			2364	0.0	0.0	0.0	0.0
-0.0	53.07			2304	0.0	0.0	0.0	0.0
-0.0	57.92							
-0.1	-7.70	Min	Cent		-0.0	-0.1	-0.0	-0.0
-0.1	-7.27			635	-0.0	-0.1	-0.0	-0.0
-0.1	-8.13			1013	-0.0	-0.1	-0.0	-0.0
-0.1	-8.19			2364	-0.0	-0.1	-0.0	-0.0
-0.1	-8.19			2304	-0.0	-0.1	-0.0	-0.0
-0.1	-7.89							

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	635	0.0	0.1
	1013	0.0	0.0
	2364	0.0	0.0
	2304	0.0	0.1
Min	Cent	-0.0	-0.2
	635	-0.0	-0.3
	1013	-0.0	-0.2
	2364	-0.0	-0.2
	2304	-0.0	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-100.2	-73.52	SLVx (RS)	Cent	-91.7	-3.4	-28.6	5.1
-118.6	-70.48		635	-104.7	-8.0	-39.2	5.9
-107.4	-79.88		1013	-104.2	-6.4	-18.0	-3.2
-82.6	-77.85		2364	-78.7	1.2	-18.0	5.1
-95.4	-67.56		2304	-79.2	-0.5	-39.2	15.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	84.60	Cent	0.0	0.0	0.0	0.0
0.0	88.09	635	0.0	0.0	0.0	0.0
0.0	86.06	1013	0.0	0.0	0.0	0.0
-0.0	13.15	2364	-0.0	-0.0	0.0	-0.0
-0.0	7.58	2304	-0.0	-0.0	0.0	-0.0

	NODE	Vxx	Vyy
	Cent	-0.0	-0.0
	635	-0.0	-0.0
	1013	-0.0	-0.0
	2364	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE						
-0.4	-8.79	SLV <sub>y</sub> (RS)	Cent	43.0	0.7	-6.7	44.1
2.6	6.50		635	47.1	3.1	5.1	47.7
-0.9	-10.63		1013	46.2	0.7	-8.8	47.8
-4.1	-12.07		2364	39.0	-2.1	-9.2	40.9
0.3	7.61		2304	39.9	1.0	5.3	40.6
			NODE	Mxx	Myy	Mxy	Mmax
Mmin	ANGLE						
-0.1	3.52		Cent	-0.0	-0.1	0.0	-0.0
-0.2	-1.69		635	-0.1	-0.2	-0.0	-0.1
-0.2	-2.25		1013	-0.1	-0.2	-0.0	-0.1
-0.1	16.15		2364	-0.0	-0.1	0.0	-0.0
-0.1	5.59		2304	-0.0	-0.1	0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.9		
			635	0.0	-1.0		
			1013	0.0	-0.8		
			2364	0.0	-0.8		
			2304	0.0	-1.0		
		LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE						
-50.0	-73.52	SLD <sub>x</sub> (RS)	Cent	-45.8	-1.7	-14.3	2.5
-59.2	-70.47		635	-52.3	-4.0	-19.6	2.9
-53.7	-79.88		1013	-52.1	-3.2	-9.0	-1.6
-41.3	-77.85		2364	-39.3	0.6	-9.0	2.6
-47.7	-67.56		2304	-39.6	-0.2	-19.6	7.9
			NODE	Mxx	Myy	Mxy	Mmax
Mmin	ANGLE						
0.0	84.58		Cent	0.0	0.0	0.0	0.0
-0.0	88.91		635	-0.0	0.0	0.0	0.0
			1013	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	86.05		2364	-0.0	-0.0	0.0	-0.0
-0.0	13.20		2304	-0.0	-0.0	0.0	-0.0
-0.0	7.61						

NODE	Vxx	Vyy
Cent	-0.0	-0.0
635	-0.0	-0.0
1013	-0.0	-0.0
2364	0.0	-0.0
2304	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDy (RS)	Cent	21.5	0.3	-3.4	22.0
-0.2	-8.81		635	23.5	1.6	2.5	23.8
1.3	6.53		1013	23.1	0.4	-4.4	23.9
-0.5	-10.63		2364	19.5	-1.0	-4.6	20.4
-2.0	-12.08		2304	19.9	0.5	2.7	20.3
0.1	7.64						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.1	0.0	-0.0
-0.1	3.54	635	-0.0	-0.1	-0.0	-0.0
-0.1	-1.70	1013	-0.0	-0.1	-0.0	-0.0
-0.1	-2.26	2364	-0.0	-0.0	0.0	-0.0
-0.0	16.17	2304	-0.0	-0.0	0.0	-0.0
-0.0	5.61					

NODE	Vxx	Vyy
Cent	0.0	-0.4
635	0.0	-0.5
1013	0.0	-0.4
2364	0.0	-0.4
2304	0.0	-0.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVz (RS)	Cent	-39.9	-1.5	-12.6	2.3
-43.7	-73.33		635	-45.6	-3.5	-17.3	2.7
-51.8	-70.32		1013	-45.4	-2.8	-8.0	-1.4
-46.8	-79.70		2364	-34.2	0.5	-8.0	2.3
-36.0	-77.63						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-41.7	-67.38		2304	-34.5	-0.2	-17.3	7.0
-----							
0.0	-84.85		Cent	0.0	0.0	-0.0	0.0
0.0	87.80		635	0.0	0.0	0.0	0.0
0.0	-86.65		1013	0.0	0.0	-0.0	0.0
0.0	-72.04		2364	0.0	0.0	-0.0	0.0
0.0	-81.00		2304	0.0	0.0	-0.0	0.0
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			635	-0.0	0.0		
			1013	-0.0	0.0		
			2364	-0.0	0.0		
			2304	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-44.7	15.42	g1	Cent	919.1	28.6	265.9	992.4
-52.6	18.64		635	1047.9	72.5	371.1	1173.0
35.6	9.00		1013	1044.4	60.9	159.8	1069.7
-46.1	10.88		2364	790.2	-15.2	160.7	821.1
-150.2	21.51		2304	793.7	-3.6	372.1	940.4
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	1.26		Cent	-0.0	-0.0	0.0	-0.0
-0.0	-1.66		635	-0.0	-0.0	-0.0	-0.0
-0.0	2.87		1013	-0.0	-0.0	0.0	-0.0
-0.0	4.89		2364	-0.0	-0.0	0.0	-0.0
-0.0	-0.25		2304	-0.0	-0.0	-0.0	-0.0
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			635	0.0	-0.0		
			1013	0.0	-0.0		
			2364	0.0	-0.0		
			2304	0.0	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-22.6	15.27	g2	Cent	447.7	12.4	128.4	482.7
-26.4	18.51		635	510.6	33.8	179.8	570.8
16.4	8.83		1013	508.9	28.3	76.5	520.8
-23.5	10.68		2364	384.7	-8.9	77.0	399.3
-74.0	21.38		2304	386.4	-3.4	180.3	457.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-85.32		Cent	0.0	0.0	-0.0	0.0
0.0	-89.76		635	0.0	0.0	-0.0	0.0
0.0	-86.73		1013	0.0	0.0	-0.0	0.0
0.0	-75.89		2364	0.0	0.0	-0.0	0.0
0.0	-84.28		2304	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			635	0.0	0.0		
			1013	0.0	0.0		
			2364	-0.0	0.0		
			2304	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.4	17.18	q3	Cent	20.8	0.7	6.9	23.0
-1.7	19.83		635	23.5	1.6	9.1	26.8
0.5	11.40		1013	23.5	1.4	4.6	24.4
-1.3	13.51		2364	18.1	-0.2	4.7	19.2
-3.8	22.55		2304	18.2	-0.0	9.1	22.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-2.23		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-4.53		635	-0.0	-0.0	-0.0	-0.0
-0.0	-1.88		1013	-0.0	-0.0	-0.0	-0.0
-0.0	0.80		2364	-0.0	-0.0	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0      -2.76    2304      -0.0      -0.0      -0.0      -0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
635	0.0	-0.0
1013	0.0	-0.0
2364	0.0	-0.0
2304	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.3	7.59	q5_pc	Cent	43.8	1.1	5.8	44.6
1.3	11.57		635	48.7	3.3	9.7	50.7
1.6	2.49		1013	48.2	1.6	2.0	48.3
-1.2	2.69		2364	39.0	-1.1	1.9	39.0
-1.7	13.08		2304	39.4	0.5	9.6	41.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-13.81	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-10.68	635	-0.0	-0.0	-0.0	-0.0
-0.0	-17.15	1013	-0.0	-0.0	-0.0	-0.0
-0.0	-14.14	2364	-0.0	-0.0	-0.0	-0.0
-0.0	-12.70	2304	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
635	0.0	-0.0
1013	0.0	-0.0
2364	-0.0	-0.0
2304	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.4	6.19	q5_ps	Cent	37.1	0.9	4.0	37.6
1.4	10.32		635	41.2	2.8	7.2	42.5
1.2	1.26		1013	40.7	1.2	0.9	40.8
-1.1	1.21		2364	33.1	-1.0	0.7	33.1
-1.0	11.62		2304	33.5	0.5	7.1	35.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-18.43		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-13.59		635	-0.0	-0.0	-0.0	-0.0
-0.0	-23.45		1013	-0.0	-0.0	-0.0	-0.0
-0.0	-19.62		2364	-0.0	-0.0	-0.0	0.0
-0.0	-17.25		2304	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			635	0.0	-0.0		
			1013	0.0	-0.0		
			2364	-0.0	-0.0		
			2304	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-85.1	15.42	INVSLU Max	Cent	3932.5	115.6	1139.4	4246.8
-107.1	19.02		635	4577.9	325.7	1663.5	5151.3
194.4	8.00		1013	4562.7	280.7	614.1	4649.0
-122.1	10.15		2364	3287.1	-68.6	620.8	3398.2
-425.1	22.50		2304	3303.0	-37.4	1670.0	3994.6
-200.7	14.74	Min	Cent	2063.2	60.2	566.2	2212.2
-251.6	18.98		635	2448.8	189.0	881.4	2751.9
138.6	5.41		1013	2440.0	159.8	207.9	2460.7
-181.9	6.95		2364	1677.6	-117.2	210.0	1704.5
-729.2	22.72		2304	1686.4	-61.7	885.0	2057.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	59.58	Max	Cent	0.0	0.0	0.0	0.1
0.0	66.66		635	0.0	0.1	0.0	0.1
-0.0	52.82		1013	0.0	0.0	0.0	0.1
-0.0	56.10		2364	0.0	0.0	0.0	0.1
0.0	61.49		2304	0.0	0.1	0.0	0.1
-0.2	-6.96	Min	Cent	-0.1	-0.2	-0.0	-0.0
			635	-0.1	-0.2	-0.0	-0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.2	-6.61		1013	-0.1	-0.2	-0.0	-0.1
-0.2	-6.94		2364	-0.0	-0.1	-0.0	-0.0
-0.1	-7.31		2304	-0.0	-0.2	-0.0	-0.0
-0.2	-7.48						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.1
	635	0.0	0.2
	1013	0.0	-0.0
	2364	0.0	-0.0
	2304	0.0	0.2
Min	Cent	-0.0	-0.5
	635	-0.0	-0.6
	1013	-0.0	-0.4
	2364	-0.0	-0.4
	2304	-0.0	-0.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-57.9	14.83	INVSLV	Max Cent	1586.6	45.9	442.9	1702.8
-74.2	18.77		635	1854.0	136.8	659.8	2078.2
86.0	7.08		1013	1846.8	113.2	224.0	1874.0
-68.9	8.96		2364	1319.2	-40.4	226.2	1354.0
-256.3	22.25		2304	1326.3	-20.8	662.0	1597.1
-75.8	14.94		Min Cent	1353.4	37.8	374.0	1454.3
-90.3	18.83		635	1589.0	116.7	568.0	1782.7
75.9	6.93		1013	1583.6	98.3	177.8	1605.8
-80.9	8.87		2364	1117.8	-45.6	179.7	1146.7
-293.7	22.42		2304	1123.3	-23.2	570.0	1358.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-88.64	Max Cent	0.0	0.1	0.0	0.1
0.1	87.04	635	0.1	0.2	0.0	0.2
0.0	85.27	1013	0.0	0.2	0.0	0.2
0.0	-77.03	2364	0.0	0.0	0.0	0.0
0.0	-86.48	2304	0.0	0.1	0.0	0.1
-0.1	5.31	Min Cent	-0.0	-0.1	-0.0	-0.0
-0.2	-0.50	635	-0.1	-0.2	-0.0	-0.1
		1013	-0.1	-0.2	-0.0	-0.1



# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.2	-0.03		2364	-0.0	-0.1	-0.0	-0.0
-0.1	18.15		2304	-0.0	-0.1	-0.0	-0.0
-0.1	7.24						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.9
	635	0.0	1.0
	1013	0.0	0.8
	2364	0.1	0.8
	2304	0.1	1.0
Min	Cent	-0.0	-0.9
	635	-0.0	-1.0
	1013	-0.0	-0.8
	2364	-0.0	-0.8
	2304	-0.0	-1.0

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
1090	2	8	Q1-1-2	Max	Cent	249.8	14.4	333.6	485.9
-221.7		35.28			703	436.4	56.7	368.0	660.6
-167.5		31.35			1019	447.9	74.6	279.8	597.6
-75.1		28.15			1020	68.7	0.8	300.6	337.3
-267.8		41.78			704	63.5	1.4	391.4	425.1
-360.1		42.73		Min	Cent	-5.5	-138.0	-63.2	19.8
-163.3		-21.83			703	-9.3	-113.4	-42.8	6.0
-128.7		-19.71			1019	-9.5	-95.4	-87.6	45.1
-150.0		-31.94			1020	-2.4	-177.3	-89.1	35.0
-214.7		-22.77			704	-7.9	-206.4	-43.1	1.1
-215.3		-11.74							

	Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
				Max	Cent	0.1	0.2	0.0	0.2
	0.1	86.22			703	0.1	0.1	0.0	0.1
	0.1	81.37			1019	0.1	0.1	0.0	0.1
	0.1	81.01			1020	0.1	0.3	0.0	0.3
	0.1	88.03			704	0.1	0.3	0.0	0.3
	0.1	88.03		Min	Cent	-0.0	-0.0	-0.0	-0.0
	-0.0	-25.06			703	-0.0	-0.0	-0.0	-0.0
	-0.0	-30.97			1019	-0.0	-0.0	-0.0	0.0
	-0.0	-34.34			1020	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0      -21.36  
 -0.0      -17.56

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	703	0.0	0.0
	1019	0.0	0.0
	1020	0.0	0.0
	704	0.0	0.0
Min	Cent	-0.0	-0.3
	703	-0.0	-0.3
	1019	-0.0	-0.3
	1020	-0.0	-0.3
	704	-0.0	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-135.7	35.47	Q2a-1-2	Max Cent	149.4	9.1	203.2	294.2
-102.8	31.58		703	261.6	34.9	224.1	399.3
-45.8	28.33		1019	269.2	45.7	169.8	360.8
-163.5	41.84		1020	41.1	0.6	183.2	205.2
-220.5	42.79		704	38.1	1.1	239.4	259.8
-115.7	-21.48		Min Cent	-4.1	-98.5	-43.9	13.2
-91.4	-19.34		703	-6.9	-81.0	-29.7	3.5
-105.9	-31.72		1019	-7.1	-68.1	-61.1	30.7
-149.0	-22.88		1020	-1.6	-122.7	-62.2	24.7
-147.6	-11.91		704	-5.6	-141.3	-30.0	0.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.1	86.60	Max Cent	0.1	0.1	0.0	0.1
0.0	81.89	703	0.0	0.1	0.0	0.1
0.0	81.63	1019	0.0	0.1	0.0	0.1
0.1	88.31	1020	0.1	0.2	0.0	0.2
0.1	88.28	704	0.1	0.2	0.0	0.2
-0.0	-30.51	Min Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-35.14	703	-0.0	-0.0	-0.0	0.0
-0.0	-37.88	1019	-0.0	-0.0	-0.0	0.0
-0.0	-26.81	1020	-0.0	-0.0	-0.0	-0.0
		704	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

- 0.0      - 22.75

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	703	0.0	0.0
	1019	0.0	0.0
	1020	0.0	0.0
	704	0.0	0.0
Min	Cent	-0.0	-0.2
	703	-0.0	-0.2
	1019	-0.0	-0.2
	1020	-0.0	-0.2
	704	-0.0	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-14.8	-32.49	SLVx (RS)	Cent	19.4	-0.9	-21.7	33.2
-46.9	-59.96		703	-32.7	-4.3	-24.6	9.9
-41.9	-63.72		1019	-33.1	-5.8	-17.9	3.1
-14.5	-41.96		1020	6.5	2.5	-18.8	23.4
-20.7	-43.80		704	6.1	3.9	-25.6	30.6

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-78.14		Cent	0.0	0.0	-0.0	0.0
0.0	-85.48		703	0.0	0.0	-0.0	0.0
0.0	-84.50		1019	0.0	0.0	-0.0	0.0
-0.0	-27.16		1020	-0.0	-0.0	-0.0	-0.0
-0.0	-24.06		704	-0.0	-0.0	-0.0	-0.0

	NODE	Vxx	Vyy
	Cent	-0.0	0.0
	703	-0.0	0.0
	1019	-0.0	0.0
	1020	-0.0	0.0
	704	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-6.7	-22.50	SLVy (RS)	Cent	33.4	0.2	-16.6	40.3
-6.4	-22.53		703	34.1	0.6	-16.8	41.1
-6.1	-22.83		1019	34.5	1.1	-17.1	41.7
			1020	32.7	0.4	-16.4	39.6

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-6.5	-22.76		704	32.3	-1.0	-16.1	38.8
-7.5	-22.06						
-----							
0.0	-81.45		Cent	0.0	0.1	-0.0	0.1
0.1	-87.11		703	0.1	0.2	-0.0	0.2
0.1	-86.19		1019	0.1	0.2	-0.0	0.2
0.0	-62.49		1020	0.0	0.1	-0.0	0.1
0.0	-67.70		704	0.0	0.1	-0.0	0.1
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	0.4		
			703	-0.1	0.4		
			1019	-0.1	0.3		
			1020	-0.0	0.3		
			704	-0.0	0.4		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-7.4	-32.49	SLDx (RS)	Cent	9.7	-0.5	-10.9	16.6
-23.5	-59.96		703	-16.3	-2.2	-12.3	5.0
-21.0	-63.72		1019	-16.6	-2.9	-8.9	1.5
-7.2	-41.96		1020	3.2	1.2	-9.4	11.7
-10.3	-43.80		704	3.0	2.0	-12.8	15.3
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-78.14		Cent	0.0	0.0	-0.0	0.0
0.0	-85.48		703	0.0	0.0	-0.0	0.0
0.0	-84.50		1019	0.0	0.0	-0.0	0.0
-0.0	-27.20		1020	-0.0	-0.0	-0.0	-0.0
-0.0	-24.10		704	-0.0	-0.0	-0.0	-0.0
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			703	-0.0	0.0		
			1019	-0.0	0.0		
			1020	-0.0	0.0		
			704	-0.0	0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLDy (RS)	Cent	16.7	0.1	-8.3	20.1
-3.4	-22.51		703	17.0	0.3	-8.4	20.5
-3.2	-22.54		1019	17.2	0.5	-8.6	20.8
-3.1	-22.84		1020	16.3	0.2	-8.2	19.8
-3.2	-22.76		704	16.1	-0.5	-8.1	19.4
-3.8	-22.06						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	0.1	-0.0	0.1
0.0	-81.45		703	0.0	0.1	-0.0	0.1
0.0	-87.11		1019	0.0	0.1	-0.0	0.1
0.0	-86.19		1020	0.0	0.0	-0.0	0.0
0.0	-62.48		704	0.0	0.0	-0.0	0.0
0.0	-67.68						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	0.2		
			703	-0.0	0.2		
			1019	-0.0	0.2		
			1020	-0.0	0.2		
			704	-0.0	0.2		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVz (RS)	Cent	-8.1	-0.4	-9.7	6.2
-14.7	-55.80		703	-14.0	-1.9	-11.0	4.6
-20.5	-59.38		1019	-14.2	-2.5	-8.0	1.6
-18.3	-62.99		1020	-2.3	1.1	-8.5	8.0
-9.3	-50.75		704	-2.2	1.7	-11.4	11.4
-11.8	-49.81						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-10.77		703	-0.0	-0.0	-0.0	-0.0
-0.0	-3.87		1019	-0.0	-0.0	-0.0	-0.0
-0.0	-4.81		1020	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0      -31.74  
 -0.0      -27.18

NODE	Vxx	Vyy
Cent	0.0	0.0
703	0.0	0.0
1019	0.0	0.0
1020	0.0	0.0
704	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-121.3	31.46	g1	Cent	187.8	-5.6	189.1	303.5
-87.9	27.97		703	322.4	27.8	217.9	438.1
-20.6	23.28		1019	327.2	43.8	149.6	391.5
-159.7	36.98		1020	53.2	-39.0	160.3	173.9
-237.6	38.63		704	48.4	-55.0	228.6	231.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	70.21	Cent	0.0	0.0	0.0	0.0
-0.0	30.04	703	0.0	-0.0	0.0	0.0
-0.0	27.50	1019	0.0	-0.0	0.0	0.0
0.0	81.75	1020	0.0	0.0	0.0	0.0
0.0	81.37	704	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
703	-0.0	-0.0
1019	-0.0	-0.0
1020	-0.0	-0.0
704	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-60.0	31.22	g2	Cent	90.0	-4.8	90.9	145.2
-43.8	27.78		703	155.5	11.5	105.0	210.7
-11.4	23.00		1019	157.7	19.1	71.8	188.2
-78.5	36.71		1020	24.6	-21.2	76.9	82.0
-116.2	38.46		704	22.4	-28.7	110.1	109.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----	-----	-----	-----	-----	-----	-----
-0.0	1.38	Cent	-0.0	-0.0	0.0	-0.0
-0.0	0.64	703	-0.0	-0.0	0.0	-0.0
-0.0	1.78	1019	-0.0	-0.0	0.0	-0.0
-0.0	1.91	1020	-0.0	-0.0	0.0	-0.0
-0.0	1.21	704	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
-----	-----	-----
Cent	0.0	0.0
703	0.0	0.0
1019	0.0	0.0
1020	0.0	0.0
704	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----	-----	-----	-----	-----	-----	-----	-----
-3.0	29.37	q3	Cent	7.1	0.2	5.7	10.3
-2.4	27.43		703	9.5	0.8	6.2	12.7
-1.2	24.75		1019	9.6	1.1	5.0	11.9
-3.6	31.91		1020	4.7	-0.4	5.2	7.9
-4.9	33.73		704	4.6	-0.7	6.4	8.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----	-----	-----	-----	-----	-----	-----
-0.0	30.87	Cent	0.0	-0.0	0.0	0.0
-0.0	14.44	703	-0.0	-0.0	0.0	-0.0
-0.0	12.91	1019	-0.0	-0.0	0.0	-0.0
0.0	64.80	1020	0.0	0.0	0.0	0.0
0.0	66.34	704	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
-----	-----	-----
Cent	-0.0	-0.0
703	-0.0	-0.0
1019	-0.0	-0.0
1020	-0.0	-0.0
704	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----	-----	-----	-----	-----	-----	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
0.0	0.15	q5_pc	Cent	25.4	0.0	0.1	25.4	
0.3	0.95		703	28.0	0.3	0.5	28.0	
1.3	-1.88		1019	28.3	1.4	-0.9	28.3	
-0.3	-0.80		1020	22.9	-0.3	-0.3	22.9	
-1.4	2.43		704	22.6	-1.3	1.0	22.6	
0.0	-74.47		Cent	0.0	0.0	-0.0	0.0	
0.0	-65.50		703	0.0	0.0	-0.0	0.0	
0.0	-58.22		1019	0.0	0.0	-0.0	0.0	
0.0	-78.85		1020	0.0	0.0	-0.0	0.0	
0.0	-80.44		704	0.0	0.0	-0.0	0.0	
			NODE	Vxx	Vyy			
			Cent	-0.0	-0.0			
			703	-0.0	-0.0			
			1019	-0.0	-0.0			
			1020	-0.0	-0.0			
			704	-0.0	-0.0			
Fmin		ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.1	-3.27	q5_ps	Cent		22.4	0.2	-1.3	22.4
0.3	-2.35		703		24.3	0.4	-1.0	24.4
1.1	-4.95		1019		24.6	1.3	-2.0	24.8
-0.2	-4.33		1020		20.4	-0.0	-1.6	20.5
-0.9	-1.38		704		20.1	-0.9	-0.5	20.1
0.0	-60.83		Cent		0.0	0.0	-0.0	0.0
-0.0	-49.55		703		0.0	0.0	-0.0	0.0
0.0	-44.68		1019		0.0	0.0	-0.0	0.0
0.0	-69.27		1020		0.0	0.0	-0.0	0.0
0.0	-70.61		704		0.0	0.0	-0.0	0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

				NODE	Vxx	Vyy		
				Cent	-0.0	-0.0		
				703	-0.0	-0.0		
				1019	-0.0	-0.0		
				1020	-0.0	-0.0		
				704	-0.0	-0.0		
Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
-885.7	52.87	INVSLU	Max	Cent	-448.9	-2.8	791.5	596.5
-509.7	42.24			703	429.0	238.6	985.8	1324.2
-176.1	40.49			1019	446.9	270.9	555.5	919.8
-1414.5	66.46			1020	-1319.4	-204.8	599.6	55.7
-1592.8	59.17			704	-1328.8	-210.2	1034.4	404.7
-1077.5	70.48	Min	Cent	Cent	-848.2	-208.5	255.7	-117.9
-679.2	52.52			703	-231.3	8.4	430.5	338.5
-259.8	77.72			1019	-229.7	39.0	57.9	51.9
-1615.5	85.72			1020	-1465.7	-445.8	72.9	-440.3
-1974.0	68.77			704	-1473.1	-493.1	446.0	-317.5
Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
0.1	86.57	Max	Cent	Cent	0.1	0.4	0.0	0.4
0.1	83.15			703	0.1	0.3	0.0	0.3
0.1	83.46			1019	0.1	0.3	0.0	0.3
0.2	87.98			1020	0.2	0.5	0.0	0.5
0.2	87.90			704	0.2	0.5	0.0	0.5
0.0	-83.41	Min	Cent	Cent	0.0	0.1	-0.0	0.1
0.0	-79.73			703	0.0	0.0	-0.0	0.0
0.0	-78.67			1019	0.0	0.0	-0.0	0.1
0.0	-84.03			1020	0.0	0.1	-0.0	0.1
0.0	-86.22			704	0.0	0.1	-0.0	0.1
				NODE	Vxx	Vyy		
		Max		Cent	0.0	-0.0		
				703	0.0	-0.0		
				1019	0.0	-0.0		
				1020	0.0	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	704	0.0	-0.0
Min	Cent	-0.1	-0.5
	703	-0.0	-0.5
	1019	-0.0	-0.5
	1020	-0.1	-0.5
	704	-0.1	-0.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-395.3	59.17	INVSLV	Max Cent	-252.8	-15.0	284.0	154.4
-223.8	44.22		703	116.2	95.4	372.9	468.2
-40.8	43.77		1019	118.4	102.5	184.1	283.9
-661.5	72.25		1020	-621.6	-119.6	195.2	-63.0
-783.8	62.60		704	-623.8	-123.2	384.0	67.0
-495.3	59.56		Min Cent	-336.1	-17.2	224.7	114.9
-298.3	47.06		703	20.0	85.2	306.9	371.2
-115.2	49.98		1019	21.0	88.8	133.3	201.4
-750.7	75.68		1020	-692.4	-125.5	142.5	-83.2
-881.3	64.71		704	-693.4	-132.6	316.2	25.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-83.59	Max Cent	0.0	0.2	0.0	0.2
0.1	-88.19		703	0.1	0.3	0.3
0.1	-87.44		1019	0.1	0.2	0.2
0.0	-69.28		1020	0.0	0.1	0.1
0.0	-73.61		704	0.0	0.1	0.1
-0.1	10.78	Min Cent	-0.0	-0.1	-0.0	-0.0
-0.2	3.96		703	-0.1	-0.2	-0.1
-0.2	5.05		1019	-0.1	-0.2	-0.1
-0.1	34.03		1020	-0.0	-0.0	-0.0
-0.1	28.34		704	-0.0	-0.0	0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.3
	703	0.1	0.4
	1019	0.1	0.3
	1020	0.0	0.3
	704	0.0	0.4
Min	Cent	-0.0	-0.4

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

703 -0.1 -0.4  
 1019 -0.1 -0.4  
 1020 -0.0 -0.4  
 704 -0.0 -0.4

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
1094	2	8	Q1-1-2	Max	Cent	620.3	17.8	332.7	767.9
-129.8		23.92			636	806.2	49.5	363.1	952.2
-96.6		21.91			1014	825.7	97.2	270.0	914.8
8.0		18.27			1019	434.5	0.6	302.4	589.8
-154.6		27.17			703	415.8	1.5	396.0	655.6
-238.3		31.19		Min	Cent	-12.6	-69.3	-49.6	16.2
-98.1		-30.13			636	-16.4	-54.5	-33.8	3.3
-74.2		-30.32			1014	-16.7	-29.4	-75.9	53.2
-99.3		-42.61			1019	-8.8	-96.9	-68.6	28.7
-134.4		-28.66			703	-8.6	-152.5	-27.7	-3.4
-157.7		-10.54							
Mmin		ANGLE			NODE	Mxx	Myy	Mxy	Mmax
				Max	Cent	0.0	0.1	0.0	0.1
0.0		64.34			636	0.0	0.0	0.0	0.0
-0.0		47.92			1014	0.0	0.0	0.0	0.0
-0.0		46.98			1019	0.1	0.1	0.0	0.1
0.1		75.69			703	0.1	0.1	0.0	0.1
0.0		78.00		Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0		-35.59			636	-0.0	-0.0	-0.0	-0.0
-0.0		-27.39			1014	-0.0	-0.0	-0.0	-0.0
-0.0		-29.06			1019	-0.0	-0.0	-0.0	-0.0
-0.0		-33.36			703	-0.0	-0.0	-0.0	0.0
-0.0		-31.71							
					NODE	Vxx	Vyy		
				Max	Cent	0.0	0.0		
					636	0.0	0.0		
					1014	0.0	0.0		
					1019	0.0	0.0		
					703	0.0	0.0		
				Min	Cent	-0.0	-0.3		
					636	-0.0	-0.3		
					1014	-0.0	-0.3		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

				1019	-0.0	-0.3		
				703	-0.0	-0.3		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-79.9	24.12	Q2a-1-2	Max Cent	374.2	11.1	203.3	465.2	
-59.8	22.14		636	485.5	30.5	221.9	575.8	
4.6	18.45		1014	497.8	59.5	164.5	552.6	
-95.0	27.31		1019	262.9	0.5	184.8	358.4	
-146.7	31.36		703	251.2	1.1	242.5	399.0	
-69.4	-29.99		Min Cent	-9.4	-49.4	-34.6	10.6	
-52.7	-30.24		636	-12.2	-38.9	-23.6	1.6	
-70.0	-42.68		1014	-12.4	-21.0	-53.1	36.6	
-93.7	-28.85		1019	-6.6	-67.2	-48.0	19.9	
-105.1	-11.10		703	-6.4	-101.3	-19.4	-2.6	
Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
0.0	64.70		Max Cent		0.0	0.0	0.0	0.0
-0.0	47.63		636		0.0	0.0	0.0	0.0
-0.0	45.98		1014		0.0	0.0	0.0	0.0
0.0	76.19		1019		0.0	0.1	0.0	0.1
0.0	78.44		703		0.0	0.1	0.0	0.1
-0.0	-36.89		Min Cent		-0.0	-0.0	-0.0	0.0
-0.0	-27.88		636		-0.0	-0.0	-0.0	-0.0
-0.0	-29.52		1014		-0.0	-0.0	-0.0	0.0
-0.0	-37.00		1019		-0.0	-0.0	-0.0	0.0
-0.0	-35.77		703		-0.0	-0.0	-0.0	0.0
				NODE	Vxx	Vyy		
			Max Cent		0.0	0.0		
			636		0.0	0.0		
			1014		0.0	0.0		
			1019		0.0	0.0		
			703		0.0	0.0		
			Min Cent		-0.0	-0.2		
			636		-0.0	-0.2		
			1014		-0.0	-0.2		
			1019		-0.0	-0.2		
			703		-0.0	-0.2		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-53.7	-67.41	SLVx (RS)	Cent	-44.7	-1.5	-21.7	7.5
-67.6	-69.10		636	-58.3	-4.1	-24.2	5.2
-64.6	-73.21		1014	-59.4	-7.6	-17.2	-2.4
-40.1	-64.96		1019	-31.1	1.0	-19.2	10.0
-44.2	-61.69		703	-30.0	4.6	-26.3	18.7
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	86.20		Cent	0.0	0.0	0.0	0.0
0.0	84.60		636	0.0	0.0	0.0	0.0
0.0	84.12		1014	0.0	0.0	0.0	0.0
0.0	86.88		1019	0.0	0.0	0.0	0.0
0.0	87.36		703	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			636	-0.0	-0.0		
			1014	-0.0	-0.0		
			1019	-0.0	-0.0		
			703	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-5.1	-20.07	SLVy (RS)	Cent	35.2	0.2	-14.7	40.6
-4.9	-19.92		636	36.1	0.5	-14.8	41.4
-4.5	-20.38		1014	36.4	1.2	-15.2	42.1
-5.1	-20.37		1019	34.3	0.3	-14.6	39.7
-6.1	-19.64		703	33.9	-1.0	-14.3	39.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	86.38		Cent	0.1	0.2	0.0	0.2
0.0	82.96		636	0.0	0.1	0.0	0.1
0.0	82.32		1014	0.1	0.1	0.0	0.1

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.1	-88.68	1019	0.1	0.2	-0.0	0.2
0.1	88.73	703	0.1	0.2	0.0	0.2

NODE	Vxx	Vyy
Cent	-0.0	-0.2
636	-0.0	-0.2
1014	-0.0	-0.2
1019	-0.1	-0.2
703	-0.1	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-26.9	-67.40	SLDx (RS)	Cent	-22.3	-0.8	-10.9	3.8
-33.8	-69.10		636	-29.1	-2.0	-12.1	2.6
-32.3	-73.20		1014	-29.7	-3.8	-8.6	-1.2
-20.0	-64.95		1019	-15.5	0.5	-9.6	5.0
-22.1	-61.68		703	-15.0	2.3	-13.1	9.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	86.19	Cent	0.0	0.0	0.0	0.0
0.0	84.59	636	0.0	0.0	0.0	0.0
0.0	84.10	1014	0.0	0.0	0.0	0.0
0.0	86.88	1019	0.0	0.0	0.0	0.0
0.0	87.36	703	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
636	-0.0	-0.0
1014	-0.0	-0.0
1019	-0.0	-0.0
703	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.6	-20.08	SLDy (RS)	Cent	17.6	0.1	-7.4	20.3
-2.4	-19.92		636	18.0	0.2	-7.4	20.7
-2.2	-20.39		1014	18.2	0.6	-7.6	21.0
-2.5	-20.37		1019	17.1	0.2	-7.3	19.8
			703	16.9	-0.5	-7.1	19.5

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-3.0      -19.65

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	86.37	Cent	0.0	0.1	0.0	0.1
0.0	82.94	636	0.0	0.1	0.0	0.1
0.0	82.30	1014	0.0	0.1	0.0	0.1
0.0	-88.68	1019	0.0	0.1	-0.0	0.1
0.0	88.72	703	0.0	0.1	0.0	0.1

NODE	Vxx	Vyy
Cent	-0.0	-0.1
636	-0.0	-0.1
1014	-0.0	-0.1
1019	-0.0	-0.1
703	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-23.4	-66.92	SLVz (RS)	Cent	-19.3	-0.7	-9.7	3.5
-29.5	-68.69		636	-25.3	-1.8	-10.8	2.4
-28.1	-72.76		1014	-25.7	-3.3	-7.7	-0.9
-17.4	-64.36		1019	-13.3	0.5	-8.6	4.6
-19.3	-61.20		703	-12.8	2.0	-11.7	8.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-86.32	Cent	0.0	0.0	-0.0	0.0
0.0	-83.73	636	0.0	0.0	-0.0	0.0
0.0	-83.22	1014	0.0	0.0	-0.0	0.0
-0.0	-2.10	1019	-0.0	-0.0	-0.0	-0.0
-0.0	-1.86	703	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
636	-0.0	0.0
1014	-0.0	0.0
1019	0.0	0.0
703	0.0	0.0

LC	NODE	Fxx	Fyy	Fxy	Fmax
----	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE						
-66.4	20.47	g1	Cent	445.1	4.9	191.0	516.4
-44.1	19.04		636	582.4	30.5	216.3	657.0
28.8	14.43		1014	593.1	66.2	145.2	630.4
-89.8	22.62		1019	307.8	-20.7	165.7	376.9
-175.1	26.63		703	297.1	-56.4	236.7	415.8
			NODE	Mxx	Myy	Mxy	Mmax
-0.0	13.83		Cent	-0.0	-0.0	0.0	-0.0
-0.0	7.84		636	-0.0	-0.0	0.0	-0.0
-0.0	8.34		1014	-0.0	-0.0	0.0	-0.0
-0.0	28.88		1019	-0.0	-0.0	0.0	0.0
-0.0	31.95		703	0.0	-0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			636	0.0	-0.0		
			1014	0.0	-0.0		
			1019	-0.0	-0.0		
			703	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-33.0	20.24	g2	Cent	215.7	0.8	91.7	249.5
-22.1	18.85		636	282.9	13.5	104.1	318.4
13.2	14.16		1014	288.0	30.7	69.3	305.5
-44.4	22.34		1019	148.5	-11.8	79.2	181.0
-85.8	26.46		703	143.3	-29.1	114.0	200.0
			NODE	Mxx	Myy	Mxy	Mmax
-0.0	-4.18		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-9.85		636	-0.0	-0.0	-0.0	-0.0
-0.0	-11.43		1014	-0.0	-0.0	-0.0	-0.0
-0.0	-2.36		1019	-0.0	-0.0	-0.0	-0.0
			703	-0.0	-0.0	-0.0	-0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0      -1.78

NODE	Vxx	Vyy
Cent	0.0	0.0
636	0.0	0.0
1014	0.0	0.0
1019	0.0	0.0
703	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.0	22.10	q3	Cent	11.7	0.3	5.5	13.9
-1.6	20.73		636	14.1	0.7	5.9	16.4
-0.0	17.97		1014	14.4	1.5	4.7	15.9
-2.3	23.87		1019	9.2	-0.1	5.1	11.5
-4.1	26.16		703	9.0	-0.9	6.4	12.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	8.88	Cent	-0.0	-0.0	0.0	-0.0
-0.0	5.58	636	-0.0	-0.0	0.0	-0.0
-0.0	6.06	1014	-0.0	-0.0	0.0	-0.0
-0.0	14.52	1019	-0.0	-0.0	0.0	-0.0
-0.0	14.76	703	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
636	0.0	-0.0
1014	0.0	-0.0
1019	-0.0	-0.0
703	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.2	0.98	q5_pc	Cent	30.7	0.2	0.5	30.7
0.4	1.48		636	33.4	0.4	0.9	33.5
1.9	-1.14		1014	33.9	2.0	-0.6	33.9
0.1	0.39		1019	27.9	0.1	0.2	27.9
-1.6	3.32		703	27.4	-1.5	1.7	27.5

NODE	Mxx	Myy	Mxy	Mmax
------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE						
0.0	-38.61	Cent	0.0	0.0	-0.0	0.0	
-0.0	-19.76	636	0.0	-0.0	-0.0	0.0	
-0.0	-17.05	1014	0.0	-0.0	-0.0	0.0	
0.0	-59.57	1019	0.0	0.0	-0.0	0.0	
0.0	-67.77	703	0.0	0.0	-0.0	0.0	

NODE	Vxx	Vyy
Cent	-0.0	-0.0
636	-0.0	-0.0
1014	-0.0	-0.0
1019	-0.0	-0.0
703	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.2	-1.71	q5_ps	Cent	26.5	0.3	-0.8	26.5
0.4	-1.07		636	28.6	0.4	-0.5	28.7
1.5	-3.56		1014	29.0	1.6	-1.7	29.1
0.1	-2.45		1019	24.3	0.2	-1.0	24.3
-1.1	0.34		703	23.9	-1.1	0.1	23.9

NODE	Mxx	Myy	Mxy	Mmax
Cent	0.0	-0.0	-0.0	0.0
636	-0.0	-0.0	-0.0	0.0
1014	0.0	-0.0	-0.0	0.0
1019	0.0	0.0	-0.0	0.0
703	0.0	0.0	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.0	-32.88		Cent	0.0	-0.0	-0.0	0.0
-0.0	-24.17		636	-0.0	-0.0	-0.0	0.0
-0.0	-21.71		1014	0.0	-0.0	-0.0	0.0
0.0	-43.20		1019	0.0	0.0	-0.0	0.0
-0.0	-49.84		703	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
636	-0.0	-0.0
1014	-0.0	-0.0
1019	-0.0	-0.0
703	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		INVS LU	Max	Cent	1205.9	30.6	811.2	1620.0
-223.6	27.04			636	2078.4	227.8	985.3	2504.8
-85.2	23.40			1014	2126.7	365.7	545.4	2281.3
211.0	15.86			1019	333.5	-147.0	637.2	774.3
-406.1	34.67			703	286.2	-216.7	1079.0	1141.6
-824.1	38.41		Min	Cent	288.4	-87.4	294.1	455.5
-394.7	28.45			636	900.3	86.8	448.0	1104.8
-207.7	23.75			1014	921.1	191.3	77.3	936.4
183.0	8.20			1019	-323.6	-278.8	136.0	-159.9
-604.2	48.82			703	-344.4	-427.2	503.9	125.5
-1089.5	42.49							

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-----				-----				
		Max	Cent	0.1	0.1	0.0	0.1	
0.0	72.26		636	0.0	0.1	0.0	0.1	
0.0	57.59		1014	0.0	0.1	0.0	0.1	
0.0	58.59		1019	0.1	0.2	0.0	0.3	
0.1	79.92		703	0.1	0.3	0.0	0.3	
0.1	80.69	Min	Cent	0.0	0.0	-0.0	0.0	
-0.0	-74.34		636	-0.0	0.0	-0.0	0.0	
-0.0	-47.56		1014	-0.0	0.0	-0.0	0.0	
-0.0	-54.39		1019	0.0	0.0	-0.0	0.0	
-0.0	-78.84		703	0.0	0.0	-0.0	0.0	
0.0	-78.70							

-----		NODE	Vxx	Vyy
Max	Cent	0.0	-0.0	
	636	0.0	-0.0	
	1014	0.0	-0.0	
	1019	0.0	-0.0	
	703	0.0	-0.0	
Min	Cent	-0.0	-0.5	
	636	-0.0	-0.5	
	1014	-0.0	-0.4	
	1019	-0.0	-0.4	
	703	-0.0	-0.5	

Fmin ANGLE LC NODE Fxx Fyy Fxy Fmax

-----				-----				
		INVS LV	Max	Cent	439.3	5.8	298.5	584.4
-114.6	26.60							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-39.6	22.83		636	817.4	96.3	377.8	972.6
111.2	13.65		1014	833.3	149.2	185.6	876.2
-203.2	35.45		1019	63.6	-82.1	219.3	211.2
-414.4	38.60		703	48.1	-126.7	411.5	367.1
-160.5	28.86	Min	Cent	317.3	2.2	240.4	454.6
-77.8	24.10		636	663.9	86.7	313.9	808.3
88.4	14.12		1014	677.3	131.3	137.5	714.1
-264.3	40.72		1019	-31.7	-84.7	167.0	121.9
-483.5	41.60		703	-45.5	-137.6	343.4	269.7

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
		Max	Cent	0.1	0.2	0.0	0.2
0.1	84.90		636	0.0	0.1	0.0	0.1
0.0	80.74		1014	0.0	0.1	0.0	0.1
0.0	79.97		1019	0.1	0.2	0.0	0.2
0.1	-89.99		703	0.1	0.3	0.0	0.3
0.1	87.65	Min	Cent	-0.1	-0.2	-0.0	-0.1
-0.2	-2.10		636	-0.0	-0.1	-0.0	-0.0
-0.2	-4.84		1014	-0.1	-0.1	-0.0	-0.1
-0.1	-5.35		1019	-0.1	-0.2	-0.0	-0.1
-0.2	2.60		703	-0.1	-0.2	-0.0	-0.1
-0.2	-0.17						

	NODE	Vxx	Vyy
-----			
Max	Cent	0.0	0.2
	636	0.0	0.2
	1014	0.0	0.2
	1019	0.1	0.2
	703	0.1	0.2
Min	Cent	-0.0	-0.2
	636	-0.0	-0.2
	1014	-0.0	-0.2
	1019	-0.1	-0.2
	703	-0.1	-0.2

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin		ANGLE						
-----								
1098	2	8	Q1-1-2	Max	Cent	0.8	14.2	324.3
-316.8		45.59			704	96.2	67.1	368.4
-287.0		43.87						450.4

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-220.7	42.57		1020	87.5	39.3	283.1	347.5
-280.1	44.84		1025	3.8	0.7	282.3	284.6
-367.9	44.94		729	4.0	2.4	371.1	374.3
-231.3	-22.37	Min	Cent	-88.4	-207.1	-58.8	-64.2
-205.8	-10.53		704	-2.5	-198.7	-37.8	4.5
-212.2	-21.48		1020	-2.8	-179.8	-82.4	29.7
-341.0	-43.23		1025	-245.5	-256.6	-89.8	-161.1
-296.1	-37.29		729	-244.1	-265.9	-39.6	-214.0

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	87.46	Max	Cent	0.1	0.4	0.0	0.4
0.1	87.64		704	0.1	0.3	0.0	0.3
0.1	87.55		1020	0.1	0.3	0.0	0.3
0.2	86.98		1025	0.2	0.4	0.0	0.4
0.1	87.14		729	0.1	0.5	0.0	0.5
-0.0	-31.29	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-29.13		704	-0.0	-0.0	-0.0	0.0
-0.0	-31.55		1020	-0.0	-0.0	-0.0	0.0
-0.1	-33.29		1025	-0.0	-0.0	-0.0	0.0
-0.1	-30.79		729	-0.0	-0.0	-0.0	0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	704	0.0	0.0
	1020	0.0	0.0
	1025	0.0	0.0
	729	0.0	0.0
Min	Cent	-0.1	-0.4
	704	-0.0	-0.4
	1020	-0.0	-0.4
	1025	-0.1	-0.4
	729	-0.1	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-191.8	45.61	Q2a-1-2	Max	Cent	0.6	9.0	196.6	201.4
-173.8	43.93			704	58.0	41.3	223.2	273.0
-133.2	42.67			1020	52.5	24.6	171.2	210.3

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-169.8	44.80		1025	2.8	0.4	171.4	173.1
-223.8	44.90		729	3.0	1.5	226.0	228.3
-163.8	-21.02	Min	Cent	-58.0	-148.1	-40.6	-42.3
-147.5	-10.14		704	-1.7	-142.8	-26.1	2.9
-151.0	-20.99		1020	-1.9	-129.1	-57.2	20.0
-229.8	-39.30		1025	-153.3	-178.6	-62.6	-102.1
-203.8	-28.47		729	-153.4	-189.0	-27.3	-138.6

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
		Max	Cent	0.1	0.3	0.0	0.3
0.1	87.82		704	0.1	0.2	0.0	0.2
0.1	88.01		1020	0.1	0.2	0.0	0.2
0.1	87.96		1025	0.1	0.3	0.0	0.3
0.1	87.33		729	0.1	0.3	0.0	0.3
0.1	87.44	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-35.97		704	-0.0	-0.0	-0.0	0.0
-0.0	-34.16		1020	-0.0	-0.0	-0.0	0.0
-0.0	-36.06		1025	-0.0	-0.0	-0.0	0.0
-0.0	-37.52		729	-0.0	-0.0	-0.0	0.0
-0.0	-35.56						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	704	0.0	0.0
	1020	0.0	0.0
	1025	0.0	0.0
	729	0.0	0.0
Min	Cent	-0.1	-0.3
	704	-0.0	-0.3
	1020	-0.0	-0.3
	1025	-0.1	-0.3
	729	-0.1	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	4.2	-0.6	-21.5	23.4
-19.9	-41.81		704	8.4	-4.7	-25.2	27.9
-24.2	-37.72		1020	7.9	-2.8	-18.3	21.7
-16.6	-36.83		1025	14.0	3.4	-17.9	27.3
-9.9	-36.75						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-17.9	-38.27		729	13.4	1.6	-24.7	33.0
-----							
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-10.44		704	-0.0	-0.0	-0.0	-0.0
-0.0	-23.38		1020	-0.0	-0.0	-0.0	-0.0
-0.0	-25.99		1025	-0.0	-0.0	-0.0	-0.0
-0.0	-5.29		729	-0.0	-0.0	-0.0	-0.0
-0.0	-5.02						
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			704	-0.0	0.0		
			1020	-0.0	0.0		
			1025	0.0	0.0		
			729	0.0	0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	32.9	0.3	-17.0	40.1
-7.0	-23.13		704	32.3	-1.2	-17.6	39.9
-8.7	-23.22		1020	33.0	1.5	-17.4	40.7
-6.2	-23.89		1025	33.4	1.6	-16.4	40.4
-5.4	-22.95		729	32.7	-1.0	-16.7	39.5
-7.8	-22.34						
-----							
			NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-12.96		704	0.0	0.1	-0.0	0.1
0.0	-67.47		1020	0.0	0.1	-0.0	0.1
0.0	-62.94		1025	-0.1	-0.3	-0.0	-0.1
-0.3	-5.52		729	-0.1	-0.3	-0.0	-0.1
-0.3	-5.21						
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	0.9		
			704	-0.0	0.9		
			1020	-0.0	0.8		
			1025	0.0	0.8		
			729	0.0	0.9		


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-9.9	-41.81	SLDx (RS)	Cent	2.1	-0.3	-10.8	11.7
-12.1	-37.73		704	4.2	-2.3	-12.6	14.0
-8.3	-36.84		1020	4.0	-1.4	-9.2	10.8
-4.9	-36.74		1025	7.0	1.7	-8.9	13.7
-9.0	-38.26		729	6.7	0.8	-12.4	16.5
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-10.44		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-23.41		704	-0.0	-0.0	-0.0	-0.0
-0.0	-26.03		1020	-0.0	-0.0	-0.0	-0.0
-0.0	-5.29		1025	-0.0	-0.0	-0.0	-0.0
-0.0	-5.02		729	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			704	-0.0	0.0		
			1020	-0.0	0.0		
			1025	0.0	0.0		
			729	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-3.5	-23.14	SLDy (RS)	Cent	16.4	0.1	-8.5	20.0
-4.4	-23.23		704	16.1	-0.6	-8.8	19.9
-3.1	-23.89		1020	16.5	0.7	-8.7	20.3
-2.7	-22.96		1025	16.7	0.8	-8.2	20.2
-3.9	-22.35		729	16.3	-0.5	-8.3	19.7
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	-12.98		Cent	-0.0	-0.1	-0.0	-0.0
0.0	-67.45		704	0.0	0.0	-0.0	0.0
0.0	-62.92		1020	0.0	0.0	-0.0	0.0
-0.1	-5.52		1025	-0.0	-0.1	-0.0	-0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1      -5.22                                      729      -0.0      -0.1      -0.0      -0.0

NODE	Vxx	Vyy
Cent	-0.0	0.4
704	-0.0	0.5
1020	-0.0	0.4
1025	0.0	0.4
729	0.0	0.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-8.9	-41.82	SLVz (RS)	Cent	1.9	-0.3	-9.7	10.5
-14.0	-46.46		704	-3.2	-2.1	-11.3	8.6
-10.4	-48.08		1020	-3.0	-1.2	-8.3	6.2
-4.4	-36.47		1025	6.5	1.5	-8.0	12.4
-8.0	-37.99		729	6.2	0.7	-11.1	14.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-11.59	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-27.04	704	-0.0	-0.0	-0.0	-0.0
-0.0	-31.15	1020	-0.0	-0.0	-0.0	-0.0
-0.0	-5.42	1025	-0.0	-0.0	-0.0	-0.0
-0.0	-5.18	729	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
704	0.0	0.0
1020	0.0	0.0
1025	0.0	0.0
729	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-212.1	46.73	g1	Cent	-35.5	-12.8	187.6	163.8
-176.1	41.99		704	72.5	25.4	223.8	274.0
-116.3	39.82		1020	68.6	12.2	154.2	197.1
-255.6	53.49		1025	-143.5	-51.0	151.5	61.1
-315.6	51.48		729	-139.6	-37.9	221.1	138.2

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	86.65		Cent	0.0	0.0	0.0	0.0
0.0	84.34		704	0.0	0.0	0.0	0.0
0.0	85.11		1020	0.0	0.0	0.0	0.0
0.0	87.78		1025	0.0	0.0	0.0	0.0
0.0	87.29		729	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			704	-0.0	-0.0		
			1020	-0.0	-0.0		
			1025	-0.0	-0.0		
			729	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-104.1	46.40	g2	Cent	-18.0	-9.2	90.4	77.0
-87.0	41.76		704	33.8	9.3	107.9	130.1
-58.7	39.46		1020	31.8	2.6	74.5	93.1
-124.7	53.04		1025	-69.8	-27.7	73.0	27.3
-153.3	51.20		729	-67.8	-21.0	106.4	64.6
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	2.82		Cent	-0.0	-0.1	0.0	-0.0
-0.0	2.64		704	-0.0	-0.0	0.0	-0.0
-0.0	3.34		1020	-0.0	-0.0	0.0	-0.0
-0.1	3.01		1025	-0.0	-0.1	0.0	-0.0
-0.1	2.27		729	-0.0	-0.1	0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			704	0.0	0.0		
			1020	0.0	0.0		
			1025	0.0	0.0		
			729	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----				-----			
Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-4.0	37.32	q3	Cent	3.3	0.2	5.6	7.6
-3.5	36.18		704	5.2	1.2	6.3	9.8
-3.0	33.04		1020	4.9	0.3	5.2	8.3
-4.6	38.82		1025	1.5	-0.7	4.9	5.4
-5.2	41.29		729	1.7	0.1	6.0	7.0
-----				-----			
0.0	80.11		Cent	0.0	0.0	0.0	0.0
0.0	69.95		704	0.0	0.0	0.0	0.0
0.0	68.97		1020	0.0	0.0	0.0	0.0
0.0	84.09		1025	0.0	0.0	0.0	0.0
0.0	83.77		729	0.0	0.0	0.0	0.0
-----				-----			
		NODE	Vxx	Vyy			
		Cent	-0.0	-0.0			
		704	-0.0	-0.0			
		1020	-0.0	-0.0			
		1025	-0.0	-0.0			
		729	-0.0	-0.0			
-----				-----			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.0	-0.15	q5_pc	Cent	21.8	-0.0	-0.1	21.8
0.5	1.00		704	23.1	0.5	0.4	23.1
0.3	-1.19		1020	23.1	0.3	-0.5	23.1
-0.5	-1.39		1025	20.4	-0.5	-0.5	20.4
-0.3	0.99		729	20.5	-0.3	0.4	20.5
-----				-----			
Mmin	ANGLE	NODE		Mxx	Myy	Mxy	Mmax
0.0	-81.67	Cent		0.0	0.0	-0.0	0.0
0.0	-79.96	704		0.0	0.0	-0.0	0.0
0.0	-78.95	1020		0.0	0.0	-0.0	0.0
0.0	-82.42	1025		0.0	0.0	-0.0	0.0
0.0	-84.05	729		0.0	0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

				NODE	Vxx	Vyy	
				Cent	-0.0	-0.0	
				704	-0.0	-0.0	
				1020	-0.0	-0.0	
				1025	-0.0	-0.0	
				729	-0.0	-0.0	
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_ps	Cent	19.6	0.2	-1.4	19.7
0.1	-4.07		704	20.5	0.4	-1.1	20.6
0.4	-3.12		1020	20.5	0.5	-1.7	20.7
0.4	-4.86		1025	18.7	-0.1	-1.7	18.8
-0.2	-5.08		729	18.6	-0.1	-1.1	18.7
-0.2	-3.22						
Mmin	ANGLE	NODE		Mxx	Myy	Mxy	Mmax
		Cent		0.0	0.0	-0.0	0.0
0.0	-74.91	704		0.0	0.0	-0.0	0.0
0.0	-70.99	1020		0.0	0.0	-0.0	0.0
0.0	-70.52	1025		0.0	0.0	-0.0	0.0
0.0	-76.65	729		0.0	0.0	-0.0	0.0
0.0	-79.15						
				NODE	Vxx	Vyy	
				Cent	-0.0	-0.0	
				704	-0.0	-0.0	
				1020	-0.0	-0.0	
				1025	-0.0	-0.0	
				729	-0.0	-0.0	
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1978.6	69.14	INVSLU	Max	Cent	-1853.5	-33.5	817.2
				704	-1189.2	194.2	1048.3
-1497.5	61.71			1020	-1195.4	175.4	572.3
-1314.2	70.09			1025	-2401.5	-207.1	589.7
-2466.9	75.93			729	-2406.8	-223.7	1070.3
-2670.2	67.84						
-2211.9	80.25		Min	Cent	-2025.9	-332.2	299.9
				704	-1373.3	-165.6	499.2
-1785.4	70.10						15.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-1439.8	86.37	1020	-1367.9	-120.9	78.0	-115.9
-2787.1	87.74	1025	-2783.6	-555.2	86.5	-551.8
-2902.2	77.46	729	-2787.5	-586.6	515.3	-471.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.2	87.32	Max Cent	0.2	0.6	0.0	0.6
0.2	87.60	704	0.2	0.5	0.0	0.5
0.2	87.52	1020	0.2	0.5	0.0	0.5
0.2	86.84	1025	0.2	0.7	0.0	0.7
0.2	86.96	729	0.2	0.7	0.0	0.7
0.0	-70.89	Min Cent	0.0	0.1	-0.0	0.1
0.0	-75.08	704	0.0	0.1	-0.0	0.1
0.0	-74.06	1020	0.0	0.1	-0.0	0.1
-0.0	-68.90	1025	0.0	0.1	-0.0	0.1
0.0	-65.45	729	0.0	0.1	-0.0	0.1

NODE	Vxx	Vyy
Max Cent	0.0	-0.0
704	0.0	0.0
1020	0.0	-0.0
1025	0.1	-0.0
729	0.1	0.0
Min Cent	-0.1	-0.6
704	-0.1	-0.6
1020	-0.1	-0.6
1025	-0.2	-0.6
729	-0.2	-0.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-945.4	73.22	INVSLV	Max Cent	-881.6	-36.7	296.5	52.5
-717.5	65.22		704	-567.3	62.9	400.6	247.8
-597.3	75.56		1020	-567.2	59.2	187.3	106.6
-1208.9	80.68		1025	-1190.0	-127.8	192.3	-103.8
-1293.1	72.07		729	-1190.5	-128.5	405.7	-0.7
-1037.1	75.60		Min Cent	-951.0	-38.3	237.4	22.9
-815.4	66.88		704	-638.9	51.5	332.8	193.7
-685.1	78.54		1020	-639.9	52.0	135.2	80.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-1300.6	82.46	1025	-1269.1	-136.5	142.0	-110.2
-1394.3	73.86	729	-1267.7	-132.7	339.6	-30.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	77.11	Max Cent	0.0	0.1	0.0	0.1
0.0	-72.93	704	0.0	0.1	0.0	0.1
0.0	-69.64	1020	0.0	0.1	0.0	0.1
0.1	84.05	1025	0.1	0.3	0.0	0.3
0.1	84.46	729	0.1	0.3	0.0	0.3
-0.1	-13.01	Min Cent	-0.0	-0.1	-0.0	-0.0
-0.1	28.16	704	-0.0	-0.0	-0.0	-0.0
-0.1	33.57	1020	-0.0	-0.0	-0.0	-0.0
-0.2	-5.02	1025	-0.1	-0.2	-0.0	-0.1
-0.3	-4.83	729	-0.1	-0.3	-0.0	-0.1

	NODE	Vxx	Vyy
Max	Cent	0.0	0.8
	704	0.0	0.9
	1020	0.0	0.8
	1025	0.0	0.8
	729	0.0	0.9
Min	Cent	-0.0	-0.9
	704	-0.0	-0.9
	1020	-0.0	-0.8
	1025	-0.0	-0.8
	729	-0.0	-0.9

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin		ANGLE						
1102	2	8	Q1-1-2	Max Cent	4.7	25.7	311.5	326.9
-296.4		45.96		729	3.8	116.8	368.0	432.6
-312.0		49.37		1025	3.3	16.7	272.5	282.6
-262.6		45.70		1028	5.7	7.0	259.9	266.3
-253.5		45.07		750	6.1	92.6	364.6	416.5
-317.8		48.38		Min Cent	-300.5	-280.2	-44.5	-244.7
-336.0		-51.42		729	-245.3	-326.3	-24.7	-238.4
-333.2		-15.68		1025	-261.9	-319.6	-72.8	-212.5
-369.1		-34.20		1028	-382.6	-352.7	-78.1	-288.1
-447.2		-50.41						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
-388.4	-55.24		750	-372.9	-356.2	-22.3	-340.7	
-----								
		Max	Cent	0.2	0.5	0.0	0.5	
0.1	85.56		729	0.1	0.5	0.0	0.5	
0.1	86.22		1025	0.2	0.5	0.0	0.5	
0.2	85.33		1028	0.2	0.5	0.0	0.5	
0.2	84.73		750	0.2	0.5	0.0	0.5	
0.2	85.29	Min	Cent	-0.0	-0.0	-0.0	0.0	
-0.1	-34.31		729	-0.0	-0.0	-0.0	0.0	
-0.1	-35.35		1025	-0.0	-0.0	-0.0	0.0	
-0.1	-33.85		1028	-0.0	-0.0	-0.0	0.0	
-0.1	-35.07		750	-0.0	-0.0	-0.0	0.0	
-0.1	-36.13							
-----								
			NODE	Vxx	Vyy			
		Max	Cent	0.1	0.1			
			729	0.0	0.1			
			1025	0.0	0.3			
			1028	0.1	0.3			
			750	0.1	0.1			
		Min	Cent	-0.1	-0.4			
			729	-0.1	-0.5			
			1025	-0.1	-0.4			
			1028	-0.1	-0.4			
			750	-0.1	-0.5			
-----								
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-178.8	45.93	Q2a-1-2	Max	Cent	3.5	15.7	188.3	198.0
				729	2.8	71.3	222.6	262.3
-188.2	49.37			1025	2.5	11.3	164.6	171.6
-157.8	45.77			1028	4.3	4.6	157.3	161.8
-152.9	45.04			750	4.6	56.2	222.3	254.2
-193.5	48.31		Min	Cent	-189.7	-200.6	-30.4	-164.3
-226.1	-39.94			729	-159.4	-235.1	-16.9	-155.8
-238.7	-12.03			1025	-165.6	-224.3	-50.2	-136.8
-253.1	-29.83			1028	-240.3	-245.2	-54.0	-188.7
-296.8	-43.70			750	-239.3	-256.1	-15.1	-230.4
-264.9	-30.46							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	85.90	Max	Cent	0.1	0.3	0.0	0.3
0.1	86.58		729	0.1	0.3	0.0	0.3
0.1	85.65		1025	0.1	0.3	0.0	0.3
0.1	85.04		1028	0.1	0.3	0.0	0.3
0.1	85.65		750	0.1	0.3	0.0	0.3
-0.0	-38.14	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-38.83		729	-0.0	-0.0	-0.0	0.0
-0.0	-37.87		1025	-0.0	-0.0	-0.0	0.0
-0.0	-38.81		1028	-0.0	-0.0	-0.0	0.0
-0.0	-39.44		750	-0.0	-0.0	-0.0	0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	729	0.0	0.1
	1025	0.0	0.2
	1028	0.1	0.2
	750	0.1	0.1
Min	Cent	-0.1	-0.2
	729	-0.1	-0.3
	1025	-0.1	-0.3
	1028	-0.1	-0.3
	750	-0.1	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-15.2	-33.93	SLVx (RS)	Cent	16.1	-1.1	-21.0	30.2
-25.4	-35.18		729	10.8	-7.4	-25.5	28.8
-9.9	-36.54		1025	14.0	3.2	-17.7	27.1
-5.0	-32.06		1028	21.4	5.3	-16.5	31.7
-20.6	-32.15		750	18.2	-5.3	-24.4	33.5

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-2.07		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-1.68		729	-0.0	-0.0	-0.0	-0.0
-0.0	-3.99		1025	-0.0	-0.0	-0.0	-0.0
			1028	-0.0	-0.0	-0.0	-0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0      -1.98  
 -0.0      -0.60

NODE	Vxx	Vyy
Cent	0.0	0.0
729	0.0	0.0
1025	0.0	0.0
1028	-0.0	0.0
750	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-6.6	-22.63	SLVy (RS)	Cent	34.2	0.5	-17.0	41.3
-11.6	-23.17		729	32.0	-3.6	-18.6	40.0
-3.4	-23.39		1025	34.0	3.6	-16.2	41.0
-1.9	-21.86		1028	36.4	4.2	-15.4	42.5
-10.2	-21.85		750	34.3	-3.0	-17.8	41.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.3	-1.86	Cent	-0.1	-0.3	-0.0	-0.1
-0.3	-1.83	729	-0.1	-0.3	-0.0	-0.1
-0.3	-3.84	1025	-0.1	-0.3	-0.0	-0.1
-0.4	-1.85	1028	-0.1	-0.4	-0.0	-0.1
-0.4	-0.58	750	-0.1	-0.4	-0.0	-0.1

NODE	Vxx	Vyy
Cent	0.0	1.1
729	0.0	1.2
1025	0.0	1.1
1028	0.0	1.1
750	0.0	1.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-7.6	-33.93	SLDx (RS)	Cent	8.0	-0.5	-10.5	15.1
-12.7	-35.18		729	5.4	-3.7	-12.8	14.4
-5.0	-36.54		1025	7.0	1.6	-8.8	13.5
-2.5	-32.06		1028	10.7	2.7	-8.3	15.9
-10.3	-32.14		750	9.1	-2.6	-12.2	16.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-2.07	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-1.68	729	-0.0	-0.0	-0.0	-0.0
-0.0	-3.99	1025	-0.0	-0.0	-0.0	-0.0
-0.0	-1.98	1028	-0.0	-0.0	-0.0	-0.0
-0.0	-0.59	750	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
729	0.0	0.0
1025	0.0	0.0
1028	-0.0	0.0
750	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-3.3	-22.64	SLDy (RS)	Cent	17.1	0.2	-8.5	20.6
-5.8	-23.17		729	16.0	-1.8	-9.3	20.0
-1.7	-23.39		1025	17.0	1.8	-8.1	20.5
-1.0	-21.86		1028	18.2	2.1	-7.7	21.2
-5.1	-21.85		750	17.1	-1.5	-8.9	20.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.2	-1.86	Cent	-0.0	-0.2	-0.0	-0.0
-0.1	-1.84	729	-0.0	-0.1	-0.0	-0.0
-0.1	-3.84	1025	-0.0	-0.1	-0.0	-0.0
-0.2	-1.85	1028	-0.1	-0.2	-0.0	-0.1
-0.2	-0.59	750	-0.1	-0.2	-0.0	-0.1

NODE	Vxx	Vyy
Cent	0.0	0.6
729	0.0	0.6
1025	0.0	0.5
1028	0.0	0.5
750	0.0	0.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-6.8	-33.73		Cent	7.4	-0.5	-9.4	13.7	
			729	5.0	-3.3	-11.4	13.0	
-11.4	-34.98		1025	6.4	1.4	-8.0	12.3	
-4.4	-36.32		1028	9.7	2.4	-7.4	14.4	
-2.2	-31.87		750	8.3	-2.4	-10.9	15.1	
-9.2	-31.95							
Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-0.0	-1.97		Cent	-0.0	-0.0	-0.0	-0.0	
			729	-0.0	-0.0	-0.0	-0.0	
-0.0	-1.83		1025	-0.0	-0.0	-0.0	-0.0	
-0.0	-3.90		1028	-0.0	-0.0	-0.0	-0.0	
-0.0	-1.88		750	-0.0	-0.0	0.0	-0.0	
-0.0	0.57							
			NODE	Vxx	Vyy			
			Cent	-0.0	0.0			
			729	0.0	0.0			
			1025	0.0	0.0			
			1028	-0.0	0.0			
			750	-0.0	0.0			
Fmin		ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-290.0	56.37		g1	Cent	-167.3	-12.5	184.5	110.2
				729	-115.3	43.2	229.7	207.0
-279.0	54.51			1025	-142.0	-45.9	149.0	62.7
-250.5	53.94			1028	-219.3	-68.3	139.4	14.7
-302.3	59.23			750	-192.6	20.8	220.0	158.6
-330.5	57.93							
Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
0.0	88.32		Cent	0.0	0.0	0.0	0.0	
			729	0.0	0.0	-0.0	0.0	
0.0	-89.93		1025	0.0	0.0	0.0	0.0	
0.0	87.27		1028	0.0	0.0	0.0	0.0	
0.0	88.46		750	0.0	0.0	-0.0	0.0	
0.0	-89.33							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
	Cent	0.0	-0.0
	729	-0.0	-0.0
	1025	-0.0	-0.1
	1028	0.0	-0.1
	750	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g2	Cent	-80.8	-8.6	89.1	51.4
-140.8	56.03		729	-56.4	17.0	110.4	96.6
-136.0	54.19		1025	-68.6	-23.6	72.2	29.6
-121.7	53.65		1028	-105.2	-34.2	67.8	6.9
-146.2	58.81		750	-93.0	6.4	106.0	73.7
-160.4	57.56						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.1	0.0	-0.0
-0.1	2.05		729	-0.0	-0.1	0.0	-0.0
-0.1	3.24		1025	-0.0	-0.1	0.0	-0.0
-0.1	1.86		1028	-0.0	-0.1	0.0	-0.0
-0.1	1.52		750	-0.0	-0.1	0.0	-0.0
-0.1	2.68						

	NODE	Vxx	Vyy
	Cent	0.0	0.0
	729	0.0	0.0
	1025	0.0	-0.0
	1028	0.0	-0.0
	750	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q3	Cent	1.5	0.6	5.3	6.4
-4.3	42.63		729	2.4	2.4	6.0	8.4
-3.6	45.02		1025	1.4	-1.0	5.1	5.4
-5.1	38.35		1028	0.5	-1.3	4.7	4.4
-5.2	39.64		750	1.5	2.2	5.6	7.5
-3.7	46.64						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

				Vxx	Vyy		
0.0	85.47	Cent		0.0	0.0	0.0	0.0
0.0	86.20	729		0.0	0.0	0.0	0.0
0.0	84.51	1025		0.0	0.0	0.0	0.0
0.0	85.79	1028		0.0	0.0	0.0	0.0
0.0	86.80	750		0.0	0.0	0.0	0.0
		NODE		Vxx	Vyy		
		Cent		-0.0	-0.0		
		729		-0.0	-0.0		
		1025		-0.0	-0.0		
		1028		0.0	-0.0		
		750		0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.0	-1.27	q5_pc	Cent	20.9	-0.0	-0.5	20.9
1.2	-2.05		729	20.9	1.2	-0.7	21.0
-1.4	0.25		1025	20.1	-1.4	0.1	20.1
-1.2	-0.58		1028	20.9	-1.2	-0.2	20.9
1.4	-2.89		750	21.7	1.4	-1.0	21.8
Mmin	ANGLE	NODE		Mxx	Myy	Mxy	Mmax
0.0	-86.39	Cent		0.0	0.0	-0.0	0.0
0.0	-84.22	729		0.0	0.0	-0.0	0.0
0.0	-86.01	1025		0.0	0.0	-0.0	0.0
0.0	-86.30	1028		0.0	0.0	-0.0	0.0
0.0	-85.98	750		0.0	0.0	-0.0	0.0
		NODE		Vxx	Vyy		
		Cent		-0.0	0.0		
		729		-0.0	-0.0		
		1025		-0.0	0.0		
		1028		0.0	0.0		
		750		0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_ps	Cent	19.1	0.3	-1.7	19.3

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.1	-5.14			729	18.9	0.9	-2.1	19.2
0.6	-6.41			1025	18.5	-0.6	-1.2	18.6
-0.7	-3.52			1028	19.3	-0.3	-1.4	19.4
-0.4	-3.94			750	19.8	1.1	-2.2	20.1
0.9	-6.75							
Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
-----								
				Cent	0.0	0.0	-0.0	0.0
0.0	-82.92			729	0.0	0.0	-0.0	0.0
0.0	-79.70			1025	0.0	0.0	-0.0	0.0
0.0	-83.04			1028	0.0	0.0	-0.0	0.0
0.0	-82.16			750	0.0	0.0	-0.0	0.0
0.0	-82.51							
				NODE	Vxx	Vyy		
-----								
				Cent	-0.0	0.0		
				729	-0.0	-0.0		
				1025	-0.0	0.0		
				1028	0.0	0.0		
				750	0.0	-0.0		
Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
-----								
-2780.7	72.74	INVSLU	Max	Cent	-2619.1	-38.3	891.0	238.2
				729	-2333.6	172.3	1261.2	694.7
-2688.0	67.48			1025	-2336.2	35.4	538.8	150.0
-2384.5	77.99			1028	-2903.5	-149.0	527.5	-52.9
-2945.6	79.68			750	-2901.9	-31.3	1262.6	442.8
-3220.1	69.39							
			Min	Cent	-3077.3	-451.3	409.7	-388.6
-3140.0	81.32			729	-2717.3	-428.1	729.8	-214.5
-2930.9	73.72			1025	-2739.6	-421.2	72.4	-418.8
-2741.9	88.18			1028	-3473.7	-636.8	70.8	-635.0
-3475.5	88.55			750	-3460.7	-639.8	738.4	-457.3
-3643.1	76.15							
Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
-----								
			Max	Cent	0.2	0.8	0.0	0.8
0.2	85.82			729	0.2	0.7	0.0	0.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.2	86.71		1025	0.2	0.7	0.0	0.7
0.2	84.86		1028	0.3	0.9	0.1	0.9
0.3	84.90		750	0.3	0.8	0.0	0.8
0.3	85.92	Min	Cent	0.0	0.1	-0.0	0.1
-0.0	-59.43		729	0.0	0.1	-0.1	0.1
-0.0	-58.93		1025	-0.0	-0.0	-0.0	0.0
-0.0	-50.16		1028	0.0	0.1	-0.0	0.1
0.0	-67.33		750	0.0	0.1	-0.1	0.1
-0.0	-61.21						

	NODE	Vxx	Vyy
Max	Cent	0.1	-0.3
	729	0.1	0.3
	1025	0.1	-0.5
	1028	0.2	-0.5
	750	0.2	0.3
Min	Cent	-0.1	-0.9
	729	-0.2	-0.5
	1025	-0.2	-1.4
	1028	-0.2	-1.4
	750	-0.2	-0.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
		INVSLV	Max	Cent	-1306.2	-42.7	338.7	38.1
-1367.0	76.53			729	-1150.4	18.8	508.1	201.8
-1301.5	70.19			1025	-1150.5	2.6	169.0	16.1
-1162.9	82.20			1028	-1462.0	-90.0	169.3	-79.3
-1473.0	84.97			750	-1461.9	-78.9	508.5	81.1
-1594.8	72.54		Min	Cent	-1388.6	-45.4	280.8	14.0
-1467.8	78.10			729	-1223.9	-0.3	439.0	146.6
-1402.5	71.50			1025	-1230.8	-7.3	119.1	14.0
-1253.4	83.87			1028	-1553.3	-104.7	122.6	-85.0
-1572.7	83.38			750	-1546.5	-92.6	442.5	37.0
-1703.0	73.67							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
			Max	Cent	0.1	0.4	0.0	0.4
0.1	87.63			729	0.1	0.3	0.0	0.3
0.1	87.77			1025	0.1	0.3	0.0	0.3

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.1	85.50			1028	0.1	0.4	0.0	0.4
0.1	87.61			750	0.1	0.5	0.0	0.5
0.1	89.07							
-0.3	-1.30	Min	Cent		-0.1	-0.3	-0.0	-0.1
-0.3	-1.37			729	-0.1	-0.3	-0.0	-0.1
-0.2	-3.08			1025	-0.1	-0.2	-0.0	-0.1
-0.4	-1.25			1028	-0.1	-0.4	-0.0	-0.1
-0.4	-0.20			750	-0.1	-0.4	-0.0	-0.1

	NODE	Vxx	Vyy
Max	Cent	0.0	1.1
	729	0.0	1.2
	1025	0.0	1.1
	1028	0.0	1.1
	750	0.0	1.2
Min	Cent	-0.0	-1.2
	729	-0.0	-1.2
	1025	-0.0	-1.1
	1028	0.0	-1.1
	750	0.0	-1.2

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
1114	2	8	Q1-1-2	Max	Cent	108.1	33.8	798.7	870.5
-728.7		43.67			1045	137.3	267.5	916.7	1121.5
-716.6		47.03			47	38.4	63.9	1062.7	1114.0
-1011.7		45.34			2305	153.6	77.3	690.1	806.6
-575.7		43.42			2374	364.5	338.2	542.3	893.8
-191.2		44.31		Min	Cent	-420.2	-1553.3	-3.2	-420.2
-1553.3		-0.16			1045	-0.5	-9.8	-9.8	5.7
-16.0		-32.37			47	-1014.0	-3439.5	-4.2	-1014.0
-3439.5		-0.10			2305	-923.4	-3374.1	-2.5	-923.4
-3374.1		-0.06			2374	-25.7	-1.8	-3.4	-1.3
-26.2		-82.10							
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
				Max	Cent	0.0	0.0	0.1	0.1
-0.1		44.60			1045	0.0	0.0	0.1	0.1
-0.1		45.17			47	0.0	0.0	0.1	0.1
-0.1		45.86			2305	0.1	0.0	0.1	0.1



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	30.29		2374	0.0	0.0	0.1	0.1
-0.1	45.22						
		Min	Cent	-0.1	-0.3	-0.0	-0.1
-0.3	-2.03		1045	-0.1	-0.2	-0.0	-0.1
-0.2	-6.51		47	-0.1	-0.5	-0.0	-0.1
-0.5	-0.09		2305	-0.2	-0.5	-0.0	-0.2
-0.5	-0.09		2374	-0.1	-0.2	-0.0	-0.0
-0.2	-7.71						

	NODE	Vxx	Vyy
Max	Cent	0.1	0.0
	1045	0.0	0.0
	47	0.0	0.1
	2305	0.3	0.0
	2374	0.3	0.0
Min	Cent	-0.1	-0.2
	1045	-0.0	-0.2
	47	-0.0	-0.1
	2305	-0.2	-0.1
	2374	-0.2	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
		Q2a-1-2	Max	Cent	59.4	15.1	477.8	515.6
-441.0	43.67			1045	86.6	155.2	537.4	659.4
-417.6	46.82			47	16.6	29.1	641.3	664.1
-618.5	45.28			2305	81.7	34.5	424.5	483.3
-367.1	43.41			2374	222.6	202.0	319.8	532.3
-107.7	44.08		Min	Cent	-239.4	-911.8	-2.1	-239.4
-911.8	-0.18			1045	-0.3	-4.2	-4.8	2.9
-7.5	-34.02			47	-594.4	-2022.2	-2.7	-594.4
-2022.2	-0.11			2305	-527.5	-1978.8	-1.7	-527.5
-1978.8	-0.07			2374	-13.4	-1.0	-1.9	-0.8
-13.7	-81.44							

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
			Max	Cent	0.0	0.0	0.0	0.1
-0.0	44.61			1045	0.0	0.0	0.1	0.1
-0.1	45.15			47	0.0	0.0	0.0	0.1
-0.0	45.65			2305	0.0	0.0	0.0	0.1
-0.0	30.93			2374	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	45.15	Min	Cent	-0.1	-0.2	-0.0	-0.1
-0.2	-1.74		1045	-0.0	-0.1	-0.0	-0.0
-0.1	-5.83		47	-0.1	-0.3	-0.0	-0.1
-0.3	-0.08		2305	-0.1	-0.3	-0.0	-0.1
-0.3	-0.08		2374	-0.0	-0.1	-0.0	-0.0
-0.1	-7.05						

	NODE	Vxx	Vyy
Max	Cent	0.1	0.0
	1045	0.0	0.0
	47	0.0	0.0
	2305	0.2	0.0
	2374	0.2	0.0
Min	Cent	-0.1	-0.1
	1045	-0.0	-0.1
	47	-0.0	-0.1
	2305	-0.1	-0.1
	2374	-0.1	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	16.5	77.6	-43.8	100.4
-6.3	-62.46		1045	-7.6	-13.5	-49.1	38.6
-59.8	-43.30		47	48.3	172.6	-58.0	195.4
25.4	-68.49		2305	40.3	168.7	-38.4	179.3
29.7	-74.54		2374	15.9	-17.4	-29.5	33.2
-34.7	-30.28						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	0.0	0.0	0.0
0.0	78.66	1045	0.0	0.0	0.0	0.0
0.0	70.94	47	0.0	0.0	0.0	0.0
0.0	78.97	2305	0.0	0.0	0.0	0.0
0.0	83.03	2374	0.0	0.0	0.0	0.0
0.0	76.90					

	NODE	Vxx	Vyy
	Cent	-0.0	0.0
	1045	0.0	-0.0
	47	0.0	0.0
	2305	-0.0	0.0
	2374	-0.0	-0.0

LC	NODE	Fxx	Fyy	Fxy	Fmax
----	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE						
		SLVy (RS)	Cent	43.1	-54.1	48.2	63.0
-74.0	22.39		1045	21.5	6.0	19.6	34.8
-7.3	34.21		47	-25.5	-131.3	96.7	31.9
-188.6	30.67		2305	66.0	-112.7	83.5	98.9
-145.6	21.53		2374	94.7	24.6	8.6	95.8
23.6	6.90						
			NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	0.0	0.0
-0.1	41.20		1045	-0.0	-0.0	0.1	0.0
-0.1	34.83		47	-0.0	0.0	0.0	0.0
-0.0	49.80		2305	-0.0	-0.1	0.0	-0.0
-0.1	39.89		2374	0.0	-0.0	0.1	0.1
-0.1	41.00						
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			1045	0.0	-0.3		
			47	0.0	0.4		
			2305	0.1	0.4		
			2374	0.1	-0.3		
		LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDx (RS)	Cent	8.2	38.8	-21.9	50.2
-3.2	-62.46		1045	-3.8	-6.7	-24.6	19.3
-29.9	-43.30		47	24.1	86.2	-29.0	97.7
12.7	-68.49		2305	20.2	84.3	-19.2	89.6
14.9	-74.54		2374	7.9	-8.7	-14.8	16.6
-17.3	-30.29						
			NODE	Mxx	Myy	Mxy	Mmax
			Cent	0.0	0.0	0.0	0.0
0.0	78.66		1045	0.0	0.0	0.0	0.0
0.0	70.94		47	0.0	0.0	0.0	0.0
0.0	78.98		2305	0.0	0.0	0.0	0.0
0.0	83.03		2374	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0      76.91

NODE	Vxx	Vyy
Cent	-0.0	0.0
1045	0.0	-0.0
47	0.0	0.0
2305	-0.0	0.0
2374	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-37.0	22.37	SLDy (RS)	Cent	21.5	-27.1	24.1	31.5
-3.6	34.28		1045	10.7	3.0	9.8	17.4
-94.3	30.66		47	-12.8	-65.7	48.3	15.8
-72.8	21.50		2305	33.0	-56.4	41.7	49.4
11.8	6.94		2374	47.3	12.3	4.3	47.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	41.20	Cent	-0.0	-0.0	0.0	0.0
-0.0	34.83	1045	-0.0	-0.0	0.0	0.0
-0.0	49.81	47	-0.0	0.0	0.0	0.0
-0.0	39.90	2305	-0.0	-0.0	0.0	-0.0
-0.0	40.99	2374	0.0	-0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
1045	0.0	-0.2
47	0.0	0.2
2305	0.0	0.2
2374	0.0	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.5	-62.42	SLVz (RS)	Cent	7.6	34.3	-19.2	44.4
-26.5	-43.18		1045	-3.2	-6.0	-21.8	17.2
11.6	-68.63		47	21.5	76.3	-25.3	86.3
13.8	-74.70		2305	18.3	74.7	-16.7	79.3
-20.2	-43.84		2374	-6.6	-7.6	-13.1	6.0

NODE	Mxx	Myy	Mxy	Mmax
------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE						
			Cent	0.0	0.0	-0.0	0.0
0.0	-79.29		1045	0.0	0.0	-0.0	0.0
0.0	-71.43		47	0.0	0.0	-0.0	0.0
0.0	-79.69		2305	0.0	0.0	-0.0	0.0
0.0	-83.49		2374	0.0	0.0	-0.0	0.0
0.0	-77.47						
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			1045	0.0	0.0		
			47	0.0	0.0		
			2305	0.0	0.0		
			2374	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g1	Cent	-193.2	-927.1	517.5	74.2
-1194.5	27.33		1045	89.7	161.4	578.7	705.4
-454.3	46.77		47	-577.9	-2064.0	690.7	-306.5
-2335.4	21.45		2305	-476.1	-2015.5	456.2	-351.1
-2140.5	15.33		2374	191.5	209.9	344.3	545.1
-143.7	45.76						
			NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.1	-0.2	0.0	-0.0
-0.2	12.31		1045	-0.0	-0.1	0.0	-0.0
-0.1	19.76		47	-0.1	-0.3	0.0	-0.1
-0.3	11.76		2305	-0.1	-0.3	0.0	-0.1
-0.3	7.62		2374	-0.0	-0.1	0.0	-0.0
-0.1	14.48						
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.1		
			1045	-0.0	-0.1		
			47	-0.0	-0.1		
			2305	-0.0	-0.1		
			2374	-0.0	-0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-583.5	27.49	g2	Cent	-92.8	-450.6	255.3	40.0
-224.3	46.68		1045	43.9	77.2	284.4	345.4
-1137.1	21.63		47	-280.0	-1002.3	339.9	-145.2
-1041.5	15.57		2305	-229.5	-978.5	226.2	-166.5
-73.0	45.56		2374	94.3	101.0	170.6	268.4
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.1	8.60		Cent	-0.0	-0.1	0.0	-0.0
-0.1	14.29		1045	-0.0	-0.1	0.0	-0.0
-0.1	10.17		47	-0.0	-0.1	0.0	-0.0
-0.1	5.55		2305	-0.0	-0.1	0.0	-0.0
-0.1	6.91		2374	-0.0	-0.1	0.0	-0.0
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	-0.1		
			1045	-0.0	-0.1		
			47	-0.0	-0.0		
			2305	-0.0	-0.0		
			2374	-0.0	-0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-23.0	27.25	q3	Cent	-3.8	-17.9	9.9	1.3
-8.7	46.85		1045	1.7	3.1	11.0	13.4
-44.9	21.39		47	-11.2	-39.8	13.2	-6.0
-41.2	15.23		2305	-9.2	-38.8	8.7	-6.8
-2.7	45.85		2374	3.6	4.0	6.5	10.4
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	12.44		Cent	-0.0	-0.0	0.0	-0.0
-0.0	20.24		1045	-0.0	-0.0	0.0	-0.0
-0.0	11.48		47	-0.0	-0.0	0.0	-0.0
-0.0	7.41		2305	-0.0	-0.0	0.0	-0.0
-0.0	14.80		2374	-0.0	-0.0	0.0	-0.0
			NODE	Vxx	Vyy		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

```

-----
          Cent      0.0      -0.0
          1045     -0.0      -0.0
             47     -0.0      -0.0
          2305      0.0      -0.0
          2374      0.0      -0.0
    
```

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-154.1	23.73	q5_pc	Cent	-15.7	-127.4	60.9	11.1
-41.5	46.52		1045	13.4	19.5	57.9	74.4
-324.6	21.38		47	-78.5	-286.9	96.4	-40.8
-290.8	14.55		2305	-44.8	-274.3	63.9	-28.2
13.2	36.75		2374	47.2	32.1	25.4	66.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	13.68	Cent	-0.0	-0.0	0.0	-0.0
-0.0	17.17	1045	-0.0	-0.0	0.0	-0.0
-0.0	16.23	47	-0.0	-0.0	0.0	-0.0
-0.0	10.75	2305	-0.0	-0.0	0.0	-0.0
-0.0	15.42	2374	-0.0	-0.0	0.0	-0.0

```

-----
          NODE      Vxx      Vyy
          Cent     -0.0     -0.0
          1045      0.0     -0.0
             47      0.0      0.0
          2305     -0.0      0.0
          2374     -0.0     -0.0
    
```

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-123.1	23.77	q5_ps	Cent	-8.1	-100.8	50.6	14.2
-31.5	45.89		1045	12.1	14.9	45.0	58.6
-261.8	22.22		47	-60.8	-228.2	82.1	-27.3
-232.1	15.44		2305	-28.4	-216.6	56.2	-12.9
14.4	32.48		2374	44.5	26.6	19.2	56.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	12.13	Cent	-0.0	-0.0	0.0	-0.0
-0.0	13.75	1045	-0.0	-0.0	0.0	-0.0
-0.0	16.95	47	-0.0	-0.0	0.0	-0.0
-0.0	10.57	2305	-0.0	-0.0	0.0	-0.0
-0.0	12.11	2374	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
1045	0.0	-0.0
47	0.0	0.0
2305	-0.0	0.0
2374	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2556.8	35.14	INVSLU Max	Cent	-165.6	-1532.6	2222.1	1370.1
-916.7	46.49		1045	417.4	679.4	2518.1	3069.9
-4509.5	32.37		47	-883.9	-3405.6	2903.9	839.3
-3948.5	26.43		2305	-623.5	-3333.5	1938.7	283.1
-409.3	44.68		2374	897.3	862.1	1550.5	2430.3
-4311.0	18.07	Min	Cent	-906.9	-3929.5	1009.9	-542.7
-1973.1	45.83		1045	201.3	268.3	1151.0	1386.3
-9039.4	12.53		47	-2453.6	-8714.2	1255.1	-2128.4
-8692.6	8.73		2305	-2158.0	-8538.4	862.7	-2003.9
-696.5	46.22		2374	270.0	335.0	763.4	1066.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.4	26.59	Max	Cent	-0.1	-0.3	0.2
-0.3	33.35		1045	-0.1	-0.2	0.2
-0.5	24.45		47	-0.1	-0.5	0.2
-0.5	15.60		2305	-0.0	-0.4	0.1
-0.2	32.17		2374	-0.0	-0.2	0.1
-0.9	5.37	Min	Cent	-0.3	-0.9	0.0
-0.6	6.21		1045	-0.2	-0.6	0.0
-1.2	6.59		47	-0.4	-1.2	0.1
			2305	-0.4	-1.2	0.1



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-1.2            5.03  
 -0.5            2.43

	NODE	Vxx	Vyy
Max	Cent	0.2	-0.2
	1045	0.0	-0.4
	47	0.0	-0.0
	2305	0.3	-0.0
	2374	0.3	-0.4
Min	Cent	-0.2	-0.5
	1045	-0.0	-0.8
	47	-0.0	-0.3
	2305	-0.4	-0.3
	2374	-0.4	-0.7

Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
-1532.0	27.67	INVSLV	Max	Cent	-206.4	-1162.3	819.4	208.8
-620.2	46.39			1045	160.5	238.5	904.6	1100.3
-2935.7	22.59			47	-713.3	-2581.9	1103.1	-342.1
-2698.7	16.59			2305	-565.6	-2529.3	761.4	-348.6
-189.4	43.99			2374	363.8	316.0	559.2	879.9
-1803.0	28.55		Min	Cent	-307.0	-1370.5	685.1	80.2
-711.0	46.53			1045	111.0	204.2	781.5	945.1
-3488.4	21.22			47	-838.1	-3051.6	859.6	-417.8
-3190.8	15.48			2305	-732.7	-2979.1	561.4	-568.1
-314.0	47.32			2374	160.8	251.8	487.0	714.4

Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
-0.2	21.40		Max	Cent	-0.1	-0.2	0.1	-0.0
-0.1	25.96			1045	-0.0	-0.1	0.1	-0.0
-0.4	19.80			47	-0.1	-0.4	0.1	-0.1
-0.3	0.37			2305	-0.0	-0.3	0.1	-0.0
-0.1	27.46			2374	-0.0	-0.1	0.1	0.0
-0.3	8.10		Min	Cent	-0.1	-0.3	-0.0	-0.1
-0.3	14.39			1045	-0.1	-0.2	-0.0	-0.0
-0.4	9.18			47	-0.1	-0.4	0.0	-0.1
-0.4	14.22			2305	-0.1	-0.4	0.0	-0.1
				2374	-0.0	-0.2	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

- 0.2            6.75

	NODE	Vxx	Vyy
Max	Cent	0.0	-0.1
	1045	0.0	0.1
	47	0.0	0.3
	2305	0.0	0.3
	2374	0.0	0.1
Min	Cent	-0.1	-0.2
	1045	-0.0	-0.6
	47	-0.0	-0.5
	2305	-0.1	-0.5
	2374	-0.1	-0.6

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin		ANGLE						
1123	2	8	Q1-1-2	Max Cent	40.8	11.0	345.8	372.0
-320.2		43.76		1061	112.5	8.2	388.9	452.7
-332.0		41.18		712	82.0	25.4	348.9	403.7
-296.4		42.68		715	11.1	18.7	304.7	319.6
-289.9		45.36		1062	11.0	6.2	345.9	354.5
-337.3		44.80		Min Cent	-50.0	-385.6	-74.8	-34.0
-401.6		-12.02		1061	-0.7	-284.8	-39.3	4.6
-290.1		-7.73		712	-40.1	-476.5	-61.7	-31.6
-485.1		-7.90		715	-127.3	-510.8	-110.6	-97.6
-540.4		-14.99		1062	-65.4	-313.9	-88.2	-37.3
-342.0		-17.68						

	NODE	Mxx	Myy	Mxy	Mmax
Mmin	ANGLE				
Max	Cent	0.0	0.1	0.0	0.1
	1061	0.0	0.1	0.0	0.1
	712	0.0	0.0	0.0	0.0
	715	0.1	0.3	0.0	0.3
	1062	0.1	0.1	0.0	0.1
Min	Cent	-0.1	-0.0	-0.0	-0.0
	1061	-0.0	-0.0	-0.0	-0.0
	712	-0.1	-0.2	-0.0	-0.1
	715	-0.2	-0.0	-0.0	-0.0
	1062	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
Max	Cent	0.3	0.1
	1061	0.1	0.0
	712	0.1	0.1
	715	0.5	0.1
	1062	0.5	0.0
Min	Cent	-0.1	-0.5
	1061	-0.1	-0.1
	712	-0.1	-0.9
	715	-0.2	-0.9
	1062	-0.2	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax		
-192.9	43.56	Q2a-1-2	Max	Cent	25.8	4.8	207.9	223.4	
				1061	66.6	3.8	232.3	269.6	
				712	52.4	13.6	208.3	242.2	
				715	7.7	9.3	185.0	193.4	
				1062	6.8	2.7	209.8	214.6	
				Min	Cent	-37.0	-237.2	-55.3	-22.8
					1061	-0.5	-179.1	-29.0	4.1
					712	-29.7	-292.0	-45.6	-22.0
					715	-85.8	-313.4	-81.7	-59.6
					1062	-47.6	-196.6	-65.1	-23.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax			
0.0	69.81	Max	Cent	0.0	0.0	0.0	0.0		
			1061	0.0	0.0	0.0	0.0		
			712	0.0	0.0	0.0	0.0		
			715	0.1	0.2	0.0	0.2		
			1062	0.0	0.1	0.0	0.1		
				Min	Cent	-0.0	-0.0	-0.0	-0.0
					1061	-0.0	-0.0	-0.0	-0.0
					712	-0.1	-0.1	-0.0	-0.1
					715	-0.1	-0.0	-0.0	-0.0
					1062	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
------	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Max	Cent	0.2	0.0
	1061	0.1	0.0
	712	0.1	0.1
	715	0.3	0.1
	1062	0.3	0.0
Min	Cent	-0.1	-0.3
	1061	-0.0	-0.1
	712	-0.0	-0.6
	715	-0.1	-0.6
	1062	-0.1	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-12.4	-53.63	SLVx (RS)	Cent	2.5	15.0	-20.2	29.9
-23.1	-54.75		1061	-6.9	9.4	-23.0	25.6
-10.5	-54.94		712	4.1	19.1	-20.8	33.6
-8.1	-58.77		715	2.5	20.7	-17.4	31.2
-14.2	-52.09		1062	1.1	11.0	-19.6	26.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	70.65	Cent	0.0	0.0	0.0	0.0
0.0	80.97	1061	0.0	0.0	0.0	0.0
-0.0	-3.26	712	0.0	-0.0	-0.0	0.0
-0.0	47.28	715	-0.0	-0.0	0.0	-0.0
0.0	-48.58	1062	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
1061	0.0	0.0
712	0.0	0.0
715	-0.0	0.0
1062	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-31.2	-22.76	SLVy (RS)	Cent	6.7	-24.5	-15.9	13.4
-16.6	-22.33		1061	11.5	-11.9	-11.5	16.2
-40.5	-15.28		712	3.9	-37.2	-12.1	7.2
-45.9	-22.98		715	2.4	-37.2	-20.5	11.1
-23.7	-30.79		1062	9.5	-11.9	-19.8	21.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.1	-68.38		Cent	-0.1	0.0	-0.0	0.0
0.0	-60.04		1061	0.0	0.1	-0.0	0.1
-0.2	-83.80		712	-0.2	-0.1	-0.0	-0.1
-0.1	-74.94		715	-0.1	-0.0	-0.0	-0.0
-0.0	-43.91		1062	0.0	0.0	-0.0	0.1
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	0.3	0.0		
			1061	0.4	0.1		
			712	0.4	-0.1		
			715	0.3	-0.1		
			1062	0.3	0.1		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-6.2	-53.63	SLDx (RS)	Cent	1.2	7.5	-10.1	14.9
-11.5	-54.75		1061	-3.4	4.7	-11.5	12.8
-5.3	-54.94		712	2.0	9.5	-10.4	16.8
-4.0	-58.77		715	1.2	10.3	-8.7	15.6
-7.1	-52.09		1062	0.5	5.5	-9.8	13.1
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	70.66		Cent	0.0	0.0	0.0	0.0
0.0	80.98		1061	0.0	0.0	0.0	0.0
-0.0	-3.25		712	0.0	-0.0	-0.0	0.0
-0.0	47.28		715	-0.0	-0.0	0.0	-0.0
0.0	-48.58		1062	0.0	0.0	-0.0	0.0
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	0.0		
			1061	0.0	0.0		
			712	0.0	0.0		
			715	0.0	0.0		
			1062	0.0	0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		SLDy (RS)	Cent	3.3	-12.2	-7.9	6.7
-15.6	-22.76		1061	5.7	-5.9	-5.8	8.1
-8.3	-22.33		712	2.0	-18.6	-6.1	3.6
-20.3	-15.28		715	1.2	-18.6	-10.2	5.5
-22.9	-22.98		1062	4.7	-5.9	-9.9	10.6
-11.8	-30.79						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	0.0	-0.0	0.0
-0.0	-68.38		1061	0.0	0.0	-0.0	0.0
0.0	-60.03		712	-0.1	-0.0	-0.0	-0.0
-0.1	-83.80		715	-0.1	-0.0	-0.0	-0.0
-0.1	-74.94		1062	0.0	0.0	-0.0	0.0
-0.0	-43.90						
			NODE	Vxx	Vyy		
-----							
			Cent	0.2	0.0		
			1061	0.2	0.0		
			712	0.2	-0.0		
			715	0.1	-0.0		
			1062	0.1	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVz (RS)	Cent	-1.0	6.6	-9.0	12.6
-7.0	-56.38		1061	-2.9	4.1	-10.2	11.4
-10.2	-54.53		712	-1.7	8.4	-9.3	13.9
-7.2	-59.25		715	1.1	9.1	-7.8	13.9
-3.7	-58.54		1062	-0.3	4.8	-8.8	11.4
-6.9	-53.18						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	0.0	0.0	0.0
0.0	58.13		1061	0.0	0.0	0.0	0.0
0.0	77.22		712	0.0	0.0	0.0	0.0
0.0	33.73		715	0.0	-0.0	0.0	0.0
-0.0	8.29		1062	0.0	0.0	0.0	0.0
0.0	46.06						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
	Cent	-0.0	0.0
	1061	0.0	0.0
	712	0.0	0.0
	715	-0.0	0.0
	1062	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g1	Cent	24.3	-191.1	225.8	166.7
-333.5	32.25		1061	77.6	-124.8	258.2	253.7
-300.9	34.30		712	43.4	-238.8	232.4	174.2
-369.6	29.37		715	-29.0	-257.4	193.3	81.3
-367.8	29.72		1062	5.2	-143.4	219.1	162.2
-300.5	35.63						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-18.67	1061	-0.0	-0.0	-0.0	-0.0
-0.0	-9.04	712	-0.0	-0.1	-0.0	-0.0
-0.1	-7.27	715	-0.0	0.0	-0.0	0.0
-0.0	-80.38	1062	-0.0	-0.0	-0.0	-0.0
-0.0	-27.69					

	NODE	Vxx	Vyy
	Cent	0.0	-0.1
	1061	-0.0	-0.1
	712	-0.0	-0.1
	715	0.0	-0.1
	1062	0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g2	Cent	13.0	-100.8	113.3	82.9
-170.6	31.66		1061	38.4	-67.3	129.2	125.2
-154.1	33.88		712	20.9	-125.9	117.4	86.0
-191.0	29.00		715	-12.3	-134.2	97.3	41.5
-188.1	28.97		1062	5.2	-75.7	109.1	81.1
-151.6	34.83						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-14.68	Cent	0.0	-0.0	-0.0	0.0
-0.0	-18.56	1061	-0.0	-0.0	-0.0	-0.0
-0.0	-10.39	712	0.0	-0.0	-0.0	0.0
0.0	-7.67	715	0.0	0.0	-0.0	0.0
-0.0	-31.36	1062	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.1	-0.0
1061	-0.0	-0.0
712	-0.0	-0.0
715	-0.1	-0.0
1062	-0.1	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-6.4	32.46	q3	Cent	0.7	-3.6	4.5	3.5
-5.8	34.73		1061	1.7	-2.2	5.2	5.3
-7.3	29.72		712	0.9	-4.6	4.7	3.6
-7.1	29.67		715	-0.3	-4.9	3.9	1.9
-5.6	35.74		1062	0.4	-2.5	4.3	3.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-14.83	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-8.45	1061	-0.0	-0.0	-0.0	-0.0
-0.0	-5.60	712	-0.0	-0.0	-0.0	-0.0
0.0	-76.62	715	0.0	0.0	-0.0	0.0
-0.0	-32.33	1062	-0.0	-0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
1061	-0.0	-0.0
712	-0.0	-0.0
715	0.0	-0.0
1062	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-39.8	-4.94	q5_pc	Cent	4.3	-39.4	-3.8	4.6



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-22.1	5.32	1061	12.1	-21.8	3.2	12.4
-56.4	1.19	712	1.8	-56.3	1.2	1.8
-59.1	-11.00	715	-3.6	-57.0	-10.8	-1.5
-25.0	-15.52	1062	6.8	-22.5	-8.8	9.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

-0.0	77.69	Cent	-0.0	0.0	0.0	0.0
-0.0	62.09	1061	0.0	0.0	0.0	0.0
-0.0	2.61	712	-0.0	-0.0	0.0	-0.0
-0.0	87.32	715	-0.0	0.0	0.0	0.0
0.0	15.44	1062	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.1	-0.0
1061	0.0	0.0
712	0.0	-0.1
715	0.1	-0.1
1062	0.1	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

-33.1	-6.72	q5_ps	Cent	3.9	-32.6	-4.4	4.4
-17.9	2.98		1061	10.3	-17.8	1.5	10.4
-46.9	-0.07		712	1.6	-46.9	-0.1	1.6
-49.6	-12.22		715	-2.5	-47.4	-10.2	-0.3
-21.0	-17.64		1062	6.2	-18.3	-8.7	9.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

-0.0	78.55	Cent	-0.0	-0.0	0.0	-0.0
-0.0	61.56	1061	0.0	0.0	0.0	0.0
-0.0	-0.11	712	-0.0	-0.0	-0.0	-0.0
-0.0	87.62	715	-0.0	0.0	0.0	0.0
0.0	13.27	1062	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

1061 0.0 0.0  
 712 0.0 -0.1  
 715 0.1 -0.1  
 1062 0.1 0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-723.3	42.72	INVSLU Max	Cent	2.3	-148.7	961.8	882.9
-683.5	39.37		1061	232.0	-146.2	1059.3	1101.2
-626.2	40.96		712	188.4	-62.1	913.1	976.0
-780.5	45.07		715	-164.2	-146.3	872.8	710.9
-842.4	44.29		1062	-168.3	-225.7	1017.0	811.8
-1075.5	25.11	Min	Cent	-127.9	-764.9	387.1	61.2
-1059.0	28.81		1061	52.9	-585.3	475.5	318.8
-980.4	19.66		712	20.3	-852.2	356.6	151.7
-1093.6	21.68		715	-357.4	-977.2	292.7	-241.0
-1222.9	31.26		1062	-283.6	-703.4	415.2	-19.4
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	86.52	Max	Cent	0.1	0.1	0.0	0.1
0.0	77.25		1061	0.0	0.1	0.0	0.1
-0.0	0.63		712	0.0	-0.0	0.0	0.0
0.3	88.39		715	0.3	0.6	0.0	0.6
0.1	79.04		1062	0.1	0.2	0.0	0.2
-0.1	-73.75	Min	Cent	-0.1	0.0	-0.0	0.0
-0.1	-50.59		1061	-0.0	-0.0	-0.0	0.0
-0.4	-11.15		712	-0.2	-0.4	-0.0	-0.2
-0.2	-84.06		715	-0.2	0.2	-0.0	0.2
-0.0	-70.37		1062	-0.0	0.1	-0.0	0.1
			NODE	Vxx	Vyy		
		Max	Cent	0.5	-0.3		
			1061	0.2	-0.1		
			712	0.2	-0.4		
			715	0.7	-0.4		
			1062	0.7	-0.1		
		Min	Cent	-0.2	-1.0		
			1061	-0.1	-0.2		
			712	-0.1	-2.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

				715	-0.3	-2.0		
				1062	-0.3	-0.3		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-434.5	36.50	INVSLV	Max Cent	7.6	-209.1	354.5	252.9	
-392.6	36.64		1061	98.3	-131.4	404.1	388.8	
-461.0	33.31		712	43.8	-254.8	358.5	265.0	
-476.8	35.27		715	-80.5	-286.7	307.2	129.7	
-404.7	39.95		1062	-28.3	-163.3	350.7	245.8	
-502.2	33.16		Min Cent	-7.8	-271.1	299.2	204.5	
-455.0	36.16		1061	69.5	-163.3	345.1	331.8	
-545.4	29.53		712	32.3	-345.8	304.2	218.4	
-551.6	30.41		715	-87.6	-378.9	251.1	66.8	
-473.6	37.46		1062	-48.1	-196.5	294.1	196.8	
Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
-0.0	16.04		Max Cent		0.0	-0.0	0.0	0.1
-0.0	-43.46		1061		0.0	0.0	0.0	0.1
0.0	2.66		712		0.2	0.0	0.0	0.2
0.0	14.04		715		0.1	0.0	0.0	0.1
-0.0	-42.13		1062		0.0	0.0	0.0	0.1
-0.1	-41.32		Min Cent		-0.1	-0.0	-0.0	-0.0
-0.1	17.49		1061		-0.1	-0.1	-0.0	-0.1
-0.2	-76.06		712		-0.2	-0.1	-0.0	-0.1
-0.1	-74.13		715		-0.1	-0.0	-0.0	-0.0
-0.1	38.90		1062		-0.0	-0.0	-0.0	-0.0
				NODE	Vxx	Vyy		
				Max	Cent	0.3	-0.1	
					1061	0.4	0.0	
					712	0.4	-0.1	
					715	0.3	-0.1	
					1062	0.3	0.0	
				Min	Cent	-0.3	-0.1	
					1061	-0.4	-0.2	
					712	-0.4	-0.2	
					715	-0.3	-0.2	
					1062	-0.3	-0.2	

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
1132	2	8	Q1-1-2	Max	Cent	92.1	12.9	415.3	469.6
-364.7		42.27			1046	246.2	7.8	538.7	678.7
-424.7		38.76			640	99.1	20.7	484.2	545.7
-425.9		42.69			712	14.5	17.9	294.2	310.4
-278.0		45.16			1061	103.0	5.0	348.4	405.9
-297.8		40.99		Min	Cent	-13.4	-593.3	-31.1	-11.7
-595.0		-3.06			1046	-1.1	-271.4	-7.3	-0.9
-271.6		-1.54			640	-23.1	-895.5	-11.3	-22.9
-895.6		-0.74			712	-123.7	-921.4	-80.2	-115.7
-929.3		-5.68			1061	-6.2	-296.8	-60.6	5.9
-309.0		-11.32							
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
				Max	Cent	0.0	0.0	0.0	0.0
-0.0		45.52			1046	0.0	0.0	0.0	0.0
-0.0		47.50			640	0.0	0.0	0.0	0.0
0.0		42.80			712	0.1	0.2	0.0	0.2
0.1		79.87			1061	0.0	0.0	0.0	0.0
-0.0		47.14		Min	Cent	-0.1	-0.1	-0.0	-0.1
-0.1		-19.85			1046	-0.1	-0.1	-0.0	-0.1
-0.1		-7.15			640	-0.1	-0.3	-0.0	-0.1
-0.3		-3.24			712	-0.1	-0.1	-0.0	-0.1
-0.1		-66.48			1061	-0.0	-0.1	-0.0	-0.0
-0.1		-23.27							
				NODE	Vxx	Vyy			
				Max	Cent	0.1	0.1		
					1046	0.1	0.0		
					640	0.1	0.1		
					712	0.1	0.1		
					1061	0.1	0.0		
				Min	Cent	-0.0	-0.5		
					1046	-0.1	-0.2		
					640	-0.1	-0.9		
					712	-0.1	-0.9		
					1061	-0.1	-0.2		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-216.4	41.99	Q2a-1-2	Max Cent	57.7	5.7	246.8	279.9
-251.1	38.61		1046	148.1	3.4	318.8	402.6
-253.3	42.58		640	57.5	9.2	285.6	320.0
-168.2	45.03		712	7.7	8.1	176.1	184.0
-179.2	40.93		1061	62.1	2.3	209.3	243.6
-356.2	-3.80		Min Cent	-9.9	-354.7	-23.0	-8.4
-164.4	-1.84		1046	-0.7	-164.2	-5.3	-0.5
-534.0	-0.89		640	-16.3	-533.9	-8.1	-16.2
-557.1	-7.03		712	-77.8	-549.8	-59.1	-70.5
-190.5	-13.55		1061	-4.6	-179.8	-44.8	6.2
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	47.03		Max Cent	0.0	0.0	0.0	0.0
-0.0	48.14		1046	0.0	0.0	0.0	0.0
0.0	41.52		640	0.0	0.0	0.0	0.0
0.0	81.13		712	0.0	0.1	0.0	0.1
-0.0	47.12		1061	0.0	0.0	0.0	0.0
-0.1	-24.18		Min Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-7.46		1046	-0.0	-0.1	-0.0	-0.0
-0.2	-3.07		640	-0.1	-0.2	-0.0	-0.1
-0.1	-72.77		712	-0.1	-0.0	-0.0	-0.0
-0.0	-25.15		1061	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Max Cent	0.1	0.0		
			1046	0.0	0.0		
			640	0.0	0.1		
			712	0.1	0.1		
			1061	0.1	0.0		
			Min Cent	-0.0	-0.3		
			1046	-0.0	-0.1		
			640	-0.0	-0.6		
			712	-0.0	-0.6		
			1061	-0.0	-0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-9.5	-57.58		Cent	5.3	27.4	-23.5	42.3	
-34.1	-56.32		1046	-13.9	11.3	-30.2	31.4	
-9.6	-62.06		640	4.9	41.9	-27.3	56.3	
-2.5	-70.04		712	3.6	43.5	-16.7	49.5	
-18.2	-57.76		1061	-5.8	12.9	-19.6	25.3	
Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
0.0	86.76		Cent	0.0	0.0	0.0	0.0	
0.0	86.22		1046	0.0	0.0	0.0	0.0	
0.0	86.31		640	0.0	0.0	0.0	0.0	
-0.0	-2.91		712	0.0	-0.0	-0.0	0.0	
0.0	87.43		1061	0.0	0.0	0.0	0.0	
			NODE	Vxx	Vyy			
			Cent	0.0	0.0			
			1046	0.0	0.0			
			640	0.0	0.0			
			712	0.0	0.0			
			1061	0.0	0.0			
Fmin		ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
			SLVy (RS)	Cent	13.1	-26.4	-15.0	18.2
-31.5	-18.61			1046	23.1	-10.9	10.6	26.1
-14.0	15.97			640	15.3	-39.3	-13.8	18.6
-42.6	-13.38			712	4.0	-42.0	-20.9	12.1
-50.0	-21.12			1061	11.0	-13.6	-16.7	19.4
-22.0	-26.82							
Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-0.1	80.00		Cent	-0.1	0.0	0.0	0.0	
0.0	52.47		1046	0.0	0.0	0.0	0.1	
-0.1	77.78		640	-0.1	-0.1	0.0	-0.1	
-0.2	-89.18		712	-0.2	-0.0	-0.0	-0.0	
0.0	81.42		1061	0.0	0.1	0.0	0.1	

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

NODE	Vxx	Vyy
Cent	0.3	-0.1
1046	0.3	-0.0
640	0.3	-0.1
712	0.4	-0.1
1061	0.4	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-4.8	-57.58	SLDx (RS)	Cent	2.7	13.7	-11.7	21.1
-17.0	-56.31		1046	-7.0	5.6	-15.1	15.7
-4.8	-62.06		640	2.4	20.9	-13.6	28.2
-1.2	-70.04		712	1.8	21.7	-8.3	24.8
-9.1	-57.76		1061	-2.9	6.4	-9.8	12.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	86.76	Cent	0.0	0.0	0.0	0.0
0.0	86.22	1046	0.0	0.0	0.0	0.0
0.0	86.31	640	0.0	0.0	0.0	0.0
-0.0	2.91	712	0.0	-0.0	0.0	0.0
0.0	87.43	1061	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
1046	0.0	0.0
640	0.0	0.0
712	0.0	0.0
1061	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-15.7	-18.61	SLDy (RS)	Cent	6.5	-13.2	-7.5	9.1
-7.0	16.00		1046	11.5	-5.5	5.3	13.1
-21.3	-13.39		640	7.7	-19.7	-6.9	9.3
-25.0	-21.10		712	2.0	-21.0	-10.4	6.0
-11.0	-26.82		1061	5.5	-6.8	-8.3	9.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----							
-0.0	80.00		Cent	-0.0	0.0	0.0	0.0
0.0	52.46		1046	0.0	0.0	0.0	0.0
-0.1	77.78		640	-0.1	-0.0	0.0	-0.0
-0.1	-89.17		712	-0.1	-0.0	-0.0	-0.0
0.0	81.40		1061	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.2	-0.0		
			1046	0.2	-0.0		
			640	0.2	-0.0		
			712	0.2	-0.0		
			1061	0.2	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVz (RS)	Cent	-2.2	12.1	-10.5	17.6
-7.7	-62.20		1046	-6.0	5.0	-13.5	14.0
-15.0	-56.12		640	-2.0	18.5	-12.2	24.2
-7.6	-65.05		712	1.6	19.2	-7.5	22.0
-1.1	-69.82		1061	-2.5	5.7	-8.8	11.3
-8.1	-57.49						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	0.0	0.0	0.0	0.0
0.0	84.95		1046	0.0	0.0	-0.0	0.0
0.0	-83.08		640	0.0	0.0	0.0	0.0
0.0	82.45		712	0.0	0.0	0.0	0.0
0.0	9.39		1061	0.0	0.0	0.0	0.0
0.0	86.55						
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			1046	0.0	0.0		
			640	0.0	0.0		
			712	0.0	0.0		
			1061	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g1	Cent	60.1	-332.5	267.2	195.3



MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-467.7	26.84	1046	162.4	-141.2	347.5	389.8
-368.6	33.20	640	53.2	-505.0	313.0	193.5
-645.3	24.14	712	-42.1	-523.8	186.8	21.8
-587.8	18.90	1061	67.0	-160.0	221.3	202.2
-295.2	31.42					

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

		Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-1.66	1046	-0.0	-0.1	0.0	-0.0
-0.1	0.59	640	-0.0	-0.1	-0.0	-0.0
-0.1	-1.58	712	-0.0	-0.0	-0.0	-0.0
-0.0	-7.71	1061	-0.0	-0.0	-0.0	-0.0
-0.0	-1.32					

NODE	Vxx	Vyy
------	-----	-----

Cent	-0.0	-0.1
1046	-0.0	-0.1
640	-0.0	-0.1
712	-0.0	-0.1
1061	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

		g2	Cent	30.0	-166.1	133.9	98.0
-234.0	26.89		1046	79.3	-72.9	172.9	192.1
-185.7	33.13		640	26.0	-250.5	156.6	96.6
-321.1	24.28		712	-19.2	-259.3	94.9	13.8
-292.3	19.17		1061	34.1	-81.7	111.3	101.7
-149.2	31.26						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-9.16	1046	-0.0	-0.0	-0.0	-0.0
-0.0	-9.41	640	0.0	-0.0	-0.0	0.0
-0.0	-6.11	712	0.0	-0.0	-0.0	0.0
-0.0	-9.17	1061	-0.0	-0.0	-0.0	-0.0
-0.0	-17.22					

NODE	Vxx	Vyy
------	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Cent	-0.0	-0.0
1046	-0.0	-0.0
640	-0.0	-0.0
712	-0.0	-0.0
1061	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-9.0	26.69	q3	Cent	1.2	-6.4	5.1	3.8
-7.0	33.24		1046	3.2	-2.6	6.7	7.6
-12.5	24.08		640	1.0	-9.8	6.1	3.8
-11.4	18.57		712	-0.7	-10.2	3.6	0.5
-5.5	31.17		1061	1.4	-3.0	4.2	4.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----						
-0.0	-0.90	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	0.51	1046	-0.0	-0.0	0.0	-0.0
-0.0	-0.77	640	-0.0	-0.0	-0.0	-0.0
-0.0	-4.07	712	-0.0	-0.0	-0.0	-0.0
-0.0	-1.20	1061	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
1046	-0.0	-0.0
640	-0.0	-0.0
712	-0.0	-0.0
1061	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-53.0	5.76	q5_pc	Cent	8.3	-52.4	6.2	9.0
-29.3	19.31		1046	22.6	-22.9	18.2	28.9
-82.2	9.09		640	5.5	-80.0	14.0	7.7
-82.3	-4.34		712	-5.9	-81.8	-5.8	-5.4
-24.9	-2.61		1061	11.2	-24.8	-1.6	11.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----						
-0.0	-0.90	Cent	-0.0	-0.0	0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	4.64		1046	-0.0	-0.0	0.0	-0.0
-0.0	12.04		640	-0.0	-0.0	-0.0	-0.0
-0.0	-1.23		712	-0.0	0.0	0.0	0.0
-0.0	87.96		1061	-0.0	-0.0	0.0	-0.0
-0.0	18.81						

NODE	Vxx	Vyy
Cent	0.0	-0.0
1046	0.0	-0.0
640	0.0	-0.1
712	0.0	-0.1
1061	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_ps	Cent	7.5	-42.3	3.5	7.8
-42.5	3.97		1046	19.2	-18.5	13.2	23.4
-22.6	17.51		640	5.4	-64.4	9.7	6.8
-65.7	7.76		712	-4.1	-66.0	-6.3	-3.5
-66.7	-5.71		1061	9.6	-20.1	-2.8	9.9
-20.4	-5.24						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-4.81	1046	-0.0	-0.0	0.0	-0.0
-0.0	8.18	640	-0.0	-0.0	-0.0	-0.0
-0.0	-2.50	712	-0.0	0.0	0.0	0.0
-0.0	89.23	1061	-0.0	-0.0	0.0	-0.0
-0.0	14.25					

NODE	Vxx	Vyy
Cent	0.0	-0.0
1046	0.0	-0.0
640	0.0	-0.1
712	0.0	-0.1
1061	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		INVSLU Max	Cent	223.4	-440.4	1211.3	1122.8
-1100.1	37.31		1046	656.7	-183.1	1527.5	1804.3
-870.4	36.92						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-1287.7	35.43		640	283.5	-631.9	1355.5	1220.1
-1174.3	35.57		712	-96.1	-697.8	908.7	553.7
-818.3	39.43		1061	187.5	-248.9	1072.9	1049.6
-1587.1	20.90	Min	Cent	66.0	-1364.9	597.6	294.2
-1376.4	30.40		1046	274.1	-605.7	756.7	726.9
-2231.0	16.77		640	108.7	-2030.4	661.4	308.1
-2212.8	11.57		712	-293.2	-2132.4	392.9	-212.8
-1153.5	28.38		1061	17.5	-707.2	517.8	301.2

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	17.73	Max	Cent	0.0	-0.0	0.0	0.0
-0.1	29.43		1046	-0.0	-0.1	0.0	-0.0
-0.1	2.77		640	0.1	-0.1	0.0	0.1
0.1	86.40		712	0.1	0.3	0.0	0.3
-0.0	42.93		1061	0.0	0.0	0.0	0.0
-0.2	-14.01	Min	Cent	-0.1	-0.2	-0.0	-0.1
-0.3	-4.66		1046	-0.1	-0.3	-0.0	-0.1
-0.6	-3.24		640	-0.1	-0.6	-0.0	-0.1
-0.1	-72.60		712	-0.1	0.0	-0.0	0.0
-0.1	-18.00		1061	-0.0	-0.1	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	-0.3
	1046	-0.1	-0.1
	640	-0.1	-0.4
	712	0.2	-0.4
	1061	0.2	-0.1
Min	Cent	-0.2	-1.1
	1046	-0.3	-0.4
	640	-0.3	-2.0
	712	-0.1	-2.0
	1061	-0.1	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-620.4	30.63	INVSLV	Max	Cent	84.9	-399.9	443.4	314.5
-501.6	34.37			1046	249.9	-162.0	562.3	628.0
-824.1	26.36			640	91.8	-606.8	503.7	315.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-759.0	24.03		712	-76.2	-637.9	327.8	58.8
-423.9	34.63		1061	78.1	-192.6	383.2	332.5
-717.7	28.53	Min	Cent	54.1	-477.8	381.2	285.4
-578.8	34.86		1046	191.7	-194.1	487.5	537.7
-962.0	25.27		640	57.0	-725.2	433.6	288.0
-883.6	20.01		712	-87.4	-761.5	271.6	22.7
-487.0	34.11		1061	51.1	-231.0	328.7	283.9

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-0.1	-4.63	Max	Cent	0.0	-0.1	0.0	0.0
-0.1	21.50		1046	-0.0	-0.1	0.0	0.0
-0.0	-5.66		640	0.1	-0.0	0.0	0.1
-0.0	-0.37		712	0.2	-0.0	-0.0	0.2
0.0	36.98		1061	0.0	0.0	0.0	0.0
-0.1	39.93	Min	Cent	-0.1	-0.1	-0.0	-0.1
-0.2	-12.04		1046	-0.1	-0.2	-0.0	-0.1
-0.2	21.64		640	-0.1	-0.2	-0.0	-0.1
-0.2	-86.57		712	-0.2	-0.1	-0.0	-0.1
-0.1	-2.52		1061	-0.1	-0.1	-0.0	-0.1

	NODE	Vxx	Vyy
Max	Cent	0.3	-0.1
	1046	0.2	-0.1
	640	0.2	-0.0
	712	0.4	-0.0
	1061	0.4	-0.1
Min	Cent	-0.4	-0.2
	1046	-0.4	-0.2
	640	-0.4	-0.2
	712	-0.4	-0.2
	1061	-0.4	-0.2

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
	Fmin	ANGLE						
1141	2	8	Q1-1-2	Max	Cent	28.7	49.7	340.2
-301.1		45.88			1062	41.6	0.6	343.8
-323.3		43.30			715	71.2	117.0	323.2
-229.9		47.03			118	52.8	114.2	343.5
-261.3		47.55						428.4

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
-355.4	44.14		1070	23.9	1.9	368.1	381.2	
		Min	Cent	-71.8	-221.9	-63.7	-48.4	
-245.3	-20.16		1062	-58.7	-266.8	-52.3	-46.3	
-279.2	-13.34		715	-65.6	-217.2	-61.9	-43.6	
-239.3	-19.62		118	-109.1	-237.3	-75.3	-74.3	
-272.1	-24.80		1070	-115.1	-290.7	-65.8	-93.2	
		Max	Cent	0.1	0.2	0.0	0.2	
0.1	84.88		1062	0.1	0.2	0.0	0.2	
0.1	82.75		715	0.1	0.0	0.0	0.1	
0.0	13.96		118	0.2	0.4	0.0	0.4	
0.2	87.44		1070	0.2	0.3	0.0	0.3	
0.2	86.44	Min	Cent	-0.0	-0.0	-0.0	-0.0	
-0.1	-53.14		1062	-0.0	-0.0	-0.0	-0.0	
-0.1	-44.23		715	-0.2	-0.1	-0.0	-0.1	
-0.2	-79.97		118	-0.2	-0.0	-0.0	-0.0	
-0.2	-81.06		1070	-0.1	-0.1	-0.0	-0.1	
-0.1	-50.10							
			NODE	Vxx	Vyy			
		Max	Cent	0.6	0.2			
			1062	0.5	0.2			
			715	0.5	0.2			
			118	0.8	0.2			
			1070	0.8	0.2			
		Min	Cent	-0.3	-0.7			
			1062	-0.2	-0.5			
			715	-0.2	-1.2			
			118	-0.4	-1.2			
			1070	-0.4	-0.5			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
		Q2a-1-2	Max	Cent	16.7	30.3	205.4	228.9
-182.0	45.95			1062	24.1	0.3	205.3	217.9
-193.4	43.34			715	47.9	71.9	194.4	254.7
-134.9	46.76			118	30.7	69.3	210.6	261.5
-161.4	47.62			1070	13.3	0.8	224.4	231.6
-217.4	44.20							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		Min	Cent	-51.9	-141.4	-47.0	-31.8
-161.6	-23.22		1062	-43.1	-181.8	-38.6	-33.0
-191.8	-14.56		715	-48.5	-132.2	-45.6	-28.4
-152.3	-23.74		118	-72.6	-144.4	-55.5	-42.4
-174.6	-28.56		1070	-80.7	-196.6	-48.5	-63.0
-214.2	-19.98						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	85.24	Max	Cent	0.0	0.1	0.0	0.1
0.0	84.03		1062	0.0	0.1	0.0	0.1
0.0	11.49		715	0.0	0.0	0.0	0.1
0.1	87.79		118	0.1	0.2	0.0	0.2
0.1	87.03		1070	0.1	0.2	0.0	0.2
-0.0	-56.96	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-45.21		1062	-0.0	-0.0	-0.0	-0.0
-0.1	-80.64		715	-0.1	-0.1	-0.0	-0.1
-0.1	-81.05		118	-0.1	-0.0	-0.0	-0.0
-0.1	-50.90		1070	-0.1	-0.1	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.4	0.1
	1062	0.3	0.1
	715	0.3	0.1
	118	0.5	0.1
	1070	0.5	0.1
Min	Cent	-0.2	-0.4
	1062	-0.1	-0.3
	715	-0.1	-0.8
	118	-0.3	-0.8
	1070	-0.3	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-16.7	-47.42	SLVx (RS)	Cent	1.9	5.3	-20.3	24.0
-17.1	-46.50		1062	2.6	4.8	-20.8	24.5
-16.0	-46.99		715	2.5	5.3	-19.9	23.8
-16.0	-47.95		118	1.8	5.9	-19.7	23.7
-17.3	-47.56		1070	1.7	5.4	-20.7	24.3
			NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE						
			Cent	0.0	-0.0	0.0	0.0
-0.0	13.58		1062	0.0	-0.0	-0.0	0.0
-0.0	-28.33		715	0.0	-0.0	0.0	0.0
-0.0	6.88		118	0.0	-0.0	0.0	0.0
-0.0	3.39		1070	-0.0	-0.0	-0.0	-0.0
-0.0	-13.80						
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			1062	-0.0	0.0		
			715	-0.0	0.0		
			118	-0.0	0.0		
			1070	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	4.9	-30.7	-21.3	14.8
-40.6	-25.04		1062	12.3	-2.2	-14.2	21.0
-10.9	-31.45		715	-5.6	-61.4	-12.9	-2.7
-64.2	-12.36		118	-3.8	-59.4	-28.5	8.2
-71.4	-22.86		1070	15.2	-1.9	-29.7	37.6
-24.2	-36.97						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	-0.0	0.0
-0.1	-50.99		1062	0.0	0.0	-0.0	0.1
-0.0	-44.52		715	-0.1	-0.0	-0.0	-0.0
-0.1	-71.32		118	-0.1	-0.0	-0.0	0.0
-0.1	-68.38		1070	0.0	-0.0	-0.0	0.0
-0.1	-25.34						
			NODE	Vxx	Vyy		
			Cent	0.2	0.1		
			1062	0.3	0.2		
			715	0.3	-0.1		
			118	0.2	-0.1		
			1070	0.2	0.2		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLDx (RS)	Cent	0.9	2.7	-10.1	12.0
-8.4	-47.42		1062	1.3	2.4	-10.4	12.3
-8.6	-46.50		715	1.3	2.6	-9.9	11.9
-8.0	-47.00		118	0.9	3.0	-9.9	11.9
-8.0	-47.95		1070	0.8	2.7	-10.3	12.2
-8.6	-47.56						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	-0.0	0.0	0.0
-0.0	13.59		1062	0.0	-0.0	-0.0	0.0
-0.0	-28.34		715	0.0	-0.0	0.0	0.0
-0.0	6.88		118	0.0	-0.0	0.0	0.0
-0.0	3.39		1070	-0.0	-0.0	-0.0	-0.0
-0.0	-13.80						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	0.0		
			1062	0.0	0.0		
			715	0.0	0.0		
			118	-0.0	0.0		
			1070	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLDy (RS)	Cent	2.4	-15.3	-10.6	7.4
-20.3	-25.04		1062	6.1	-1.1	-7.1	10.5
-5.4	-31.44		715	-2.8	-30.7	-6.4	-1.4
-32.1	-12.37		118	-1.9	-29.7	-14.2	4.1
-35.7	-22.86		1070	7.6	-0.9	-14.8	18.8
-12.1	-36.96						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	-0.0	0.0
-0.0	-50.99		1062	0.0	0.0	-0.0	0.0
-0.0	-44.52		715	-0.1	-0.0	-0.0	-0.0
-0.1	-71.32		118	-0.0	-0.0	-0.0	0.0
-0.0	-68.37		1070	0.0	-0.0	-0.0	0.0
-0.0	-25.33						
			NODE	Vxx	Vyy		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

				Cent	0.1	0.0		
				1062	0.1	0.1		
				715	0.1	-0.0		
				118	0.1	-0.0		
				1070	0.1	0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-8.3	-49.52	SLVz (RS)	Cent	-0.6	2.3	-9.1	10.0	
-8.9	-49.78		1062	-1.0	2.1	-9.3	10.0	
-8.4	-50.16		715	-1.0	2.2	-8.9	9.6	
-7.9	-49.67		118	-0.4	2.5	-8.8	10.0	
-8.5	-49.37		1070	-0.5	2.4	-9.3	10.4	
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
-0.0	18.90		Cent	0.0	-0.0	0.0	0.0	
-0.0	47.17		1062	-0.0	-0.0	0.0	0.0	
0.0	26.34		715	0.0	0.0	0.0	0.0	
-0.0	10.43		118	-0.0	-0.0	0.0	-0.0	
-0.0	19.20		1070	-0.0	-0.0	0.0	-0.0	
			NODE	Vxx	Vyy			
			Cent	-0.0	0.0			
			1062	-0.0	0.0			
			715	-0.0	0.0			
			118	-0.0	0.0			
			1070	-0.0	0.0			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-264.2	39.10	g1	Cent	12.3	-81.6	224.7	194.9	
-261.3	38.84		1062	25.6	-75.3	231.0	211.6	
-253.6	38.31		715	24.1	-80.3	219.4	197.4	
-267.0	39.39		118	-1.1	-87.8	218.3	178.2	
-274.9	39.87		1070	0.4	-82.8	230.0	192.5	
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-78.39	Cent	-0.0	0.0	-0.0	0.0
-0.0	-62.81	1062	0.0	0.0	-0.0	0.0
-0.0	-18.69	715	-0.0	-0.0	-0.0	-0.0
0.0	-86.88	118	0.0	0.0	-0.0	0.0
0.0	-81.95	1070	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.1
1062	0.0	-0.1
715	0.0	-0.2
118	0.0	-0.2
1070	0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-136.3	37.50	g2	Cent	7.5	-51.6	110.4	92.3
-132.7	37.83		1062	14.8	-43.8	114.5	103.7
-137.4	36.44		715	11.0	-56.5	109.5	91.9
-140.0	37.15		118	0.3	-59.4	106.3	80.8
-135.4	38.57		1070	4.1	-46.7	111.3	92.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	1.09	Cent	0.0	-0.0	0.0	0.0
-0.0	-13.29	1062	-0.0	-0.0	-0.0	-0.0
-0.0	-5.53	715	0.0	-0.0	-0.0	0.0
0.0	7.57	118	0.0	0.0	0.0	0.0
-0.0	21.86	1070	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.1	0.0
1062	-0.1	0.1
715	-0.1	-0.0
118	-0.1	-0.0
1070	-0.1	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-5.2	39.48	q3	Cent	0.6	-1.3	4.8	4.5
			1062	0.8	-1.1	4.9	4.8

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-5.1	39.49		715	0.7	-1.4	4.7	4.5
-5.1	38.69		118	0.3	-1.5	4.6	4.1
-5.3	39.48		1070	0.4	-1.2	4.8	4.5
-5.3	40.26						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	-74.72		Cent	0.0	0.0	-0.0	0.0
			1062	0.0	0.0	-0.0	0.0
-0.0	-61.04		715	-0.0	-0.0	-0.0	-0.0
-0.0	-15.19		118	0.0	0.0	-0.0	0.0
0.0	-85.60		1070	0.0	0.0	-0.0	0.0
0.0	-81.31						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.0		
			1062	0.0	-0.0		
			715	0.0	-0.0		
			118	0.0	-0.0		
			1070	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-39.0	-16.67	q5_pc	Cent	-0.3	-35.5	-11.6	3.1
			1062	11.9	-5.3	-2.1	12.2
-5.6	-6.77		715	-6.0	-65.0	-5.3	-5.5
-65.5	-5.10		118	-12.6	-65.8	-21.1	-5.2
-73.1	-19.21		1070	5.3	-6.1	-17.9	18.4
-19.1	-36.15						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	85.24		Cent	-0.0	0.0	0.0	0.0
			1062	0.0	0.0	0.0	0.0
0.0	29.64		715	-0.0	-0.0	0.0	-0.0
-0.0	75.60		118	-0.1	0.0	-0.0	0.0
-0.1	-89.36		1070	0.1	0.1	-0.0	0.1
0.1	-31.49						
			NODE	Vxx	Vyy		
-----							
			Cent	0.1	-0.1		
			1062	0.1	-0.1		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

715 0.1 -0.1  
 118 0.2 -0.1  
 1070 0.2 -0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-34.0	-17.68	q5_ps	Cent	0.4	-30.5	-11.0	3.9
-4.9	-11.02		1062	10.4	-4.4	-3.0	11.0
-56.9	-5.71		715	-5.2	-56.4	-5.2	-4.7
-63.3	-19.42		118	-9.6	-56.6	-18.9	-2.9
-16.9	-36.21		1070	6.0	-4.6	-16.8	18.3
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	85.21		Cent	-0.0	0.0	0.0	0.0
0.0	24.06		1062	0.0	0.0	0.0	0.0
-0.0	75.54		715	-0.0	-0.0	0.0	-0.0
-0.0	-89.29		118	-0.0	0.0	-0.0	0.0
0.0	-25.65		1070	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.1	-0.1		
			1062	0.1	-0.1		
			715	0.1	-0.1		
			118	0.2	-0.1		
			1070	0.2	-0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-487.0	48.96	INVSLU Max	Cent	-127.0	101.0	819.5	814.4
-557.7	44.05		1062	-84.7	-126.5	801.3	686.9
-254.6	51.89		715	44.3	397.4	720.4	962.6
-458.0	52.42		118	-98.0	350.8	847.0	1002.6
-717.1	46.20		1070	-238.0	-168.4	933.3	725.7
-848.1	41.27	Min	Cent	-263.3	-329.7	253.4	-41.0
-918.5	32.55		1062	-241.6	-498.7	262.9	-71.4
-564.6	43.52		715	-151.2	-170.9	191.0	30.3
-772.1	50.64		118	-339.3	-242.2	243.6	-42.4

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
-1142.5	38.33		1070	-435.2	-575.1	315.3	-176.4	
-----								
		Max	Cent	0.1	0.4	0.0	0.4	
0.1	89.94		1062	0.2	0.4	0.0	0.4	
0.2	88.36		715	0.1	0.0	0.0	0.1	
0.0	7.82		118	0.5	0.9	0.0	0.9	
0.5	88.77		1070	0.3	0.6	-0.0	0.6	
0.3	-89.19	Min	Cent	-0.0	0.1	-0.0	0.1	
-0.0	-68.91		1062	-0.0	0.1	-0.0	0.1	
-0.0	-70.88		715	-0.3	-0.2	-0.0	-0.2	
-0.3	-80.00		118	-0.1	0.3	-0.0	0.3	
-0.1	-83.64		1070	-0.2	-0.0	-0.1	0.0	
-0.2	-73.25							
-----								
			NODE	Vxx	Vyy			
		Max	Cent	0.8	-0.2			
			1062	0.7	0.3			
			715	0.7	-0.5			
			118	0.9	-0.5			
			1070	0.9	0.3			
		Min	Cent	-0.7	-1.5			
			1062	-0.3	-0.8			
			715	-0.3	-2.7			
			118	-1.1	-2.7			
			1070	-1.1	-0.8			
-----								
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-----								
		INVSLV	Max	Cent	-15.2	-62.6	314.5	268.5
-316.4	43.13			1062	2.9	-81.4	317.7	265.6
-308.5	41.60			715	-7.2	-34.9	308.2	279.6
-307.2	43.55			118	-26.7	-41.7	316.1	279.0
-320.1	44.14			1070	-12.0	-85.8	325.8	258.5
-303.7	42.83		Min	Cent	-26.5	-128.5	254.4	190.4
-373.8	38.99			1062	-23.9	-93.5	262.0	221.3
-374.3	40.75			715	-20.4	-162.3	255.4	181.1
-377.6	37.53			118	-35.7	-165.5	241.9	152.5
-377.7	37.71			1070	-43.7	-99.1	248.4	199.4
-394.9	40.44							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	41.52	Max	Cent	0.0	0.0	0.0	0.1
-0.0	-44.33		1062	0.0	0.0	0.0	0.1
0.0	15.57		715	0.1	0.0	0.0	0.1
0.0	33.08		118	0.1	0.1	0.0	0.1
-0.0	68.07		1070	0.0	0.1	0.0	0.1
-0.1	-56.64	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.1	43.97		1062	-0.0	-0.0	-0.0	-0.0
-0.1	-67.53		715	-0.1	-0.1	-0.0	-0.0
-0.0	-80.99		118	-0.0	0.0	-0.0	0.0
-0.1	-40.10		1070	-0.0	-0.0	-0.0	0.0

	NODE	Vxx	Vyy
Max	Cent	0.2	-0.0
	1062	0.3	0.1
	715	0.3	-0.1
	118	0.1	-0.1
	1070	0.1	0.1
Min	Cent	-0.2	-0.2
	1062	-0.3	-0.2
	715	-0.3	-0.2
	118	-0.2	-0.2
	1070	-0.2	-0.2

ELEM	MAT	SEC	LC		NODE	Fxx	Fyy	Fxy	Fmax
Fmin		ANGLE							
1150	2	8	Q1-1-2	Max	Cent	106.7	282.3	360.9	565.9
-177.0		51.84			1070	51.7	75.5	328.7	392.5
-265.3		46.04			118	175.2	601.9	367.9	813.8
-36.7		60.06			49	214.4	607.0	405.1	860.8
-39.4		57.93			1078	60.7	79.6	365.2	435.4
-295.2		45.74		Min	Cent	-51.8	-199.0	-23.0	-48.3
-202.5		-8.67			1070	-117.2	-319.1	-49.6	-105.6
-330.6		-13.08			118	-105.0	-370.2	-16.2	-104.0
-371.2		-3.48			49	-104.3	-374.3	-15.8	-103.3
-375.2		-3.34			1078	-84.5	-321.2	-47.1	-75.5
-330.2		-10.86							

NODE	Mxx	Myy	Mxy	Mmax
------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE							
			Max	Cent	0.1	0.3	0.1	0.3
0.1	74.69			1070	0.3	0.7	0.1	0.7
0.3	81.13			118	0.5	1.3	0.1	1.3
0.5	86.13			49	0.5	1.8	0.0	1.8
0.5	88.55			1078	0.2	0.4	0.1	0.5
0.2	74.18		Min	Cent	-0.0	-0.1	-0.1	0.1
-0.2	-35.13			1070	-0.2	-0.4	-0.1	-0.1
-0.5	-23.71			118	-0.6	-1.4	-0.1	-0.6
-1.4	-3.98			49	-0.4	-1.4	-0.0	-0.4
-1.4	-2.47			1078	-0.1	-0.2	-0.1	0.0
-0.3	-39.08							
				NODE	Vxx	Vyy		
			Max	Cent	0.6	8.6		
				1070	0.8	5.4		
				118	0.8	22.1		
				49	0.5	22.1		
				1078	0.5	5.4		
			Min	Cent	-0.3	-10.6		
				1070	-0.4	-4.9		
				118	-0.4	-26.5		
				49	-0.3	-26.5		
				1078	-0.3	-4.9		
		LC		NODE	Fxx	Fyy	Fxy	Fmax
		Q2a-1-2	Max	Cent	63.8	167.1	215.6	337.2
-106.3	51.74			1070	29.9	43.2	197.7	234.4
-161.3	45.96			118	102.0	355.6	221.7	484.1
-26.6	59.88			49	126.7	358.5	242.2	511.1
-25.9	57.79			1078	38.2	46.3	217.9	260.2
-175.7	45.54		Min	Cent	-36.3	-120.6	-16.6	-33.2
-123.8	-10.74			1070	-83.8	-225.0	-36.7	-74.8
-234.0	-13.73			118	-60.9	-218.1	-11.4	-60.1
-219.0	-4.13			49	-61.5	-220.6	-10.8	-60.8
-221.3	-3.85			1078	-60.8	-226.6	-34.7	-53.8
-233.6	-11.36							
				NODE	Mxx	Myy	Mxy	Mmax



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		Max	Cent	0.1	0.2	0.0	0.2
0.0	75.24		1070	0.2	0.4	0.0	0.4
0.2	80.97		118	0.3	0.7	0.0	0.7
0.3	86.03		49	0.3	1.0	0.0	1.0
0.3	88.49		1078	0.1	0.3	0.0	0.3
0.1	74.41	Min	Cent	-0.0	-0.1	-0.1	0.0
-0.1	-35.71		1070	-0.1	-0.2	-0.1	-0.1
-0.3	-25.15		118	-0.3	-0.8	-0.0	-0.3
-0.8	-3.95		49	-0.2	-0.8	-0.0	-0.2
-0.8	-2.59		1078	-0.1	-0.1	-0.1	0.0
-0.2	-41.30						

-----		NODE	Vxx	Vyy
Max	Cent		0.4	4.9
	1070		0.5	3.1
	118		0.5	12.6
	49		0.3	12.6
	1078		0.3	3.1
Min	Cent		-0.2	-6.1
	1070		-0.3	-2.8
	118		-0.3	-15.3
	49		-0.2	-15.3
	1078		-0.2	-2.8

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVx (RS)	Cent	3.4	4.4	-20.3	24.1
-16.4	-45.73		1070	3.1	-1.9	-20.3	21.1
-19.9	-41.45		118	4.5	7.1	-19.8	25.7
-14.0	-46.87		49	3.8	6.9	-20.2	25.6
-14.9	-47.24		1078	2.2	-1.8	-20.8	21.1
-20.6	-42.24						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----						
		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-12.26	1070	-0.0	-0.0	0.0	-0.0
-0.0	16.28	118	0.0	0.0	-0.0	0.0
0.0	-83.72	49	-0.0	-0.0	-0.0	-0.0
-0.0	-4.55	1078	-0.0	-0.0	0.0	-0.0
-0.0	8.75					

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
	Cent	-0.0	0.0
	1070	-0.0	-0.0
	118	-0.0	0.1
	49	0.0	0.1
	1078	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	32.5	73.4	-26.0	86.0
19.9	-64.08		1070	10.4	-16.2	-26.3	26.6
-32.4	-31.57		118	65.0	167.2	-40.7	181.4
50.8	-70.72		49	55.0	163.0	-25.8	168.9
49.1	-77.21		1078	-0.7	-20.4	-11.6	4.7
-25.7	-24.88						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	-0.0	0.0
-0.1	-44.39		1070	0.1	0.1	-0.0	0.2
0.0	-60.44		118	-0.2	-0.6	-0.0	-0.2
-0.6	-6.02		49	0.2	0.7	-0.0	0.7
0.2	-87.69		1078	-0.1	-0.2	-0.0	-0.0
-0.2	-14.72						

	NODE	Vxx	Vyy
	Cent	0.1	-4.0
	1070	0.2	2.7
	118	0.2	-10.7
	49	0.0	-10.7
	1078	0.0	2.7

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDx (RS)	Cent	1.7	2.2	-10.1	12.1
-8.2	-45.73		1070	1.6	-1.0	-10.2	10.5
-9.9	-41.45		118	2.3	3.6	-9.9	12.8
-7.0	-46.87		49	1.9	3.5	-10.1	12.8
-7.5	-47.24		1078	1.1	-0.9	-10.4	10.5
-10.3	-42.24						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----							
-0.0	-12.26		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	16.28		1070	-0.0	-0.0	0.0	-0.0
0.0	-83.71		118	0.0	0.0	-0.0	0.0
-0.0	-4.56		49	-0.0	-0.0	-0.0	-0.0
-0.0	8.74		1078	-0.0	-0.0	0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			1070	-0.0	-0.0		
			118	-0.0	0.1		
			49	0.0	0.1		
			1078	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDy (RS)	Cent	16.2	36.7	-13.0	43.0
9.9	-64.08		1070	5.2	-8.1	-13.1	13.3
-16.2	-31.57		118	32.5	83.5	-20.3	90.6
25.4	-70.72		49	27.5	81.4	-12.9	84.3
24.5	-77.21		1078	-0.4	-10.2	-5.8	2.3
-12.9	-24.89						
			NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	-0.0	0.0
-0.0	-44.37		1070	0.0	0.1	-0.0	0.1
0.0	-60.44		118	-0.1	-0.3	-0.0	-0.1
-0.3	-6.02		49	0.1	0.3	-0.0	0.3
0.1	-87.69		1078	-0.0	-0.1	-0.0	-0.0
-0.1	-14.71						
			NODE	Vxx	Vyy		
			Cent	0.1	-2.0		
			1070	0.1	1.3		
			118	0.1	-5.3		
			49	0.0	-5.3		
			1078	0.0	1.3		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVz (RS)	Cent	-1.3	-1.8	-9.2	7.6
-10.7	-44.23						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-10.1	-45.33	1070	-1.1	-0.9	-9.1	8.1	
-11.4	-43.14	118	-1.7	-2.9	-9.1	6.8	
-11.4	-42.97	49	-1.5	-2.8	-9.2	7.0	
-10.2	-45.10	1078	-0.9	-0.9	-9.3	8.4	
-----							
-0.0	-20.89	Cent	-0.0	-0.0	-0.0	-0.0	
-0.0	27.41	1070	-0.0	-0.0	0.0	-0.0	
-0.0	-3.23	118	0.0	-0.0	-0.0	0.0	
-0.0	-4.19	49	-0.0	-0.0	-0.0	-0.0	
-0.0	10.46	1078	-0.0	-0.0	0.0	-0.0	
-----							
		NODE	Vxx	Vyy			
		Cent	-0.0	0.0			
		1070	-0.0	0.0			
		118	-0.0	0.1			
		49	-0.0	0.1			
		1078	-0.0	0.0			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-188.2	45.24	g1	Cent	33.3	37.1	223.4	258.7
-215.7	43.17		1070	23.8	-5.0	224.7	234.5
-149.7	47.13		118	49.8	81.8	214.9	281.2
-161.9	47.33		49	42.9	79.2	222.2	284.0
-227.7	43.49		1078	16.9	-7.6	232.0	237.0
Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-----							
0.0	-87.28	Cent	0.0	0.0	-0.0	0.0	
0.0	-81.40	1070	0.0	0.0	-0.0	0.0	
-0.0	85.80	118	-0.0	-0.0	0.0	-0.0	
0.0	88.13	49	0.0	0.1	0.0	0.1	
0.0	-80.24	1078	0.0	0.0	-0.0	0.0	
-----							
		NODE	Vxx	Vyy			
		Cent	0.0	-0.3			

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

1070	0.0	0.0
118	0.0	-0.6
49	0.0	-0.6
1078	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-99.3	42.86	g2	Cent	11.8	-3.7	103.0	107.4
-107.5	41.97		1070	15.8	-7.8	110.9	115.5
-82.7	42.68		118	19.3	4.0	94.1	106.0
-91.1	43.91		49	7.8	0.5	95.2	99.4
-115.8	43.01		1078	4.2	-11.3	112.0	108.7
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	29.43		Cent	-0.0	-0.0	0.0	0.0
-0.1	32.44		1070	-0.0	-0.1	0.0	-0.0
0.0	52.60		118	0.1	0.1	0.0	0.1
-0.0	14.56		49	0.0	-0.0	0.0	0.0
-0.1	31.15		1078	-0.0	-0.1	0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.1	0.3		
			1070	-0.1	0.1		
			118	-0.1	0.6		
			49	-0.1	0.6		
			1078	-0.1	0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-4.0	44.73	q3	Cent	1.2	1.1	5.1	6.3
-4.4	43.24		1070	0.8	0.2	4.9	5.4
-3.6	46.57		118	1.3	1.9	5.2	6.8
-3.6	46.10		49	1.5	2.0	5.3	7.1
-4.4	42.84		1078	1.0	0.3	5.0	5.7
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-82.81		Cent	0.0	0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-83.74	1070	0.0	0.0	-0.0	0.0
-0.0	-8.78	118	-0.0	-0.0	-0.0	-0.0
0.0	-89.21	49	0.0	0.0	-0.0	0.0
0.0	-76.47	1078	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
1070	0.0	0.0
118	0.0	-0.0
49	0.0	-0.0
1078	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
32.9	-82.56	q5_pc	Cent	33.9	92.1	-7.7	93.2
-33.5	-26.26		1070	-0.5	-25.5	-16.3	7.5
68.2	-82.42		118	70.8	212.0	-19.1	214.6
68.3	89.66		49	68.3	209.8	0.8	209.8
-28.3	8.23		1078	-2.9	-27.7	3.7	-2.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-60.22	Cent	0.0	0.1	-0.0	0.1
0.1	-76.64	1070	0.1	0.3	-0.0	0.3
-0.8	-4.04	118	-0.3	-0.8	-0.0	-0.3
0.2	-88.23	49	0.2	0.9	-0.0	0.9
-0.1	-23.79	1078	-0.0	-0.1	-0.0	-0.0

NODE	Vxx	Vyy
Cent	0.1	-5.2
1070	0.2	2.9
118	0.2	-13.4
49	0.0	-13.3
1078	0.0	2.9

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
27.4	-79.63	q5_ps	Cent	29.0	76.6	-9.0	78.3
-28.6	-26.91		1070	1.1	-21.0	-15.1	8.8
			118	60.4	176.5	-19.5	179.7

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

				NODE	Mxx	Myy	Mxy	Mmax
57.2	-80.71			49	56.9	174.2	-2.9	174.3
56.8	-88.57			1078	-2.4	-23.3	1.5	-2.2
-23.4	4.11							
Mmin	ANGLE							
-----								
				Cent	0.0	0.1	-0.0	0.1
-0.0	-59.85			1070	0.1	0.2	-0.0	0.2
0.1	-76.65			118	-0.2	-0.6	-0.0	-0.2
-0.6	-4.05			49	0.2	0.7	-0.0	0.7
0.2	-88.21			1078	-0.0	-0.1	-0.0	-0.0
-0.1	-23.16							
				NODE	Vxx	Vyy		
-----								
				Cent	0.1	-4.4		
				1070	0.2	2.4		
				118	0.2	-11.2		
				49	0.0	-11.2		
				1078	0.0	2.4		
Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
-----								
		INVSLU	Max	Cent	-105.7	728.1	580.1	1014.3
-277.0	63.18			1070	-150.1	129.9	737.7	740.8
-504.1	50.37			118	263.7	1621.6	351.8	1692.1
205.9	77.47			49	10.8	1531.2	440.2	1649.5
-97.2	74.96			1078	-439.5	42.5	830.2	659.6
-768.6	53.15							
			Min	Cent	-380.7	-87.5	48.0	-75.0
-487.4	78.56			1070	-379.0	-448.6	197.7	-213.0
-761.0	40.01			118	-241.9	-72.5	-207.7	29.7
-344.1	-58.48			49	-542.3	-171.0	-129.5	-130.3
-583.0	-72.55			1078	-640.8	-548.5	266.9	-317.2
-1084.6	49.79							
				NODE	Mxx	Myy	Mxy	Mmax
-----								
			Max	Cent	0.2	0.7	0.2	0.7
0.2	78.90			1070	0.5	1.1	0.2	1.1
0.4	81.85			118	1.3	3.5	0.1	3.5
1.3	86.41			49	0.8	2.6	0.1	2.6

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.8	88.56		1078	0.4	1.1	0.2	1.1
0.3	75.90						
-0.1	-24.66	Min	Cent	0.0	0.0	-0.1	0.0
-0.9	-11.53		1070	-0.4	-0.8	-0.2	-0.4
-1.5	-4.83		118	-0.6	-1.5	-0.1	-0.6
-3.3	-0.54		49	-0.9	-3.3	-0.1	-0.9
-0.2	-59.70		1078	-0.1	0.1	-0.2	0.2

	NODE	Vxx	Vyy
Max	Cent	0.6	21.6
	1070	0.9	6.5
	118	0.9	55.7
	49	0.3	55.7
	1078	0.3	6.5
Min	Cent	-0.9	-13.8
	1070	-1.1	-12.5
	118	-1.1	-34.0
	49	-0.8	-34.0
	1078	-0.8	-12.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-140.1	49.58	INVSLV	Max	Cent	23.9	92.9	264.2	270.9
-232.5	45.68			1070	5.3	-3.9	285.0	274.5
-8.6	56.86			118	86.8	236.9	250.4	343.0
-64.5	57.40			49	42.9	222.0	243.4	340.5
-269.6	46.51			1078	-37.3	-10.4	284.6	253.5
-314.1	44.24		Min	Cent	-44.0	-57.7	194.5	198.1
-295.8	42.17			1070	-18.1	-38.0	214.7	199.1
-325.8	41.64			118	-47.0	-103.4	151.7	163.0
-332.9	42.62			49	-70.3	-109.8	174.1	139.7
-317.4	44.25			1078	-42.8	-52.7	230.6	190.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
0.0	49.50	Max	Cent	0.0	0.0	0.1	0.1
0.0	-59.56		1070	0.0	0.1	0.1	0.1
0.3	84.27		118	0.3	0.8	0.1	0.8
0.1	-88.74		49	0.1	0.5	0.0	0.5
			1078	0.1	0.3	0.1	0.3



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.1	75.28	Min	Cent	-0.0	0.0	-0.0	0.0
-0.0	-84.96		1070	-0.1	-0.2	-0.0	-0.1
-0.2	28.87		118	-0.2	-0.4	-0.0	-0.2
-0.4	-6.53		49	-0.2	-0.8	-0.0	-0.2
-0.8	2.93		1078	-0.0	-0.2	-0.0	-0.0
-0.2	-14.18						

	NODE	Vxx	Vyy
Max	Cent	0.1	5.1
	1070	0.1	2.0
	118	0.1	13.7
	49	0.0	13.7
	1078	0.0	2.0
Min	Cent	-0.1	-2.9
	1070	-0.2	-3.4
	118	-0.2	-7.8
	49	-0.0	-7.8
	1078	-0.0	-3.4

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
2923	2	8	Q1-1-2	Max	Cent	149.8	24.7	182.1	279.8
-105.3		35.52			2213	430.0	52.9	378.6	664.4
-181.5		31.76			2214	57.5	19.7	396.4	435.4
-358.3		43.63			59	30.2	31.9	75.0	106.1
-44.0		45.31			58	392.2	126.8	2.7	392.2
126.7		0.58		Min	Cent	-25.1	-858.4	-0.5	-25.1
-858.4		-0.04			2213	-80.3	-88.4	-5.2	-77.8
-91.0		-26.01			2214	-226.5	-1702.8	-1.4	-226.5
-1702.8		-0.05			59	-130.4	-1675.6	-96.3	-124.4
-1681.6		-3.55			58	-1.7	-113.8	-48.8	16.6
-132.0		-20.51							

	Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax		
			Max	Cent	0.1	0.3	0.1	0.3	
0.1		73.20		2213	0.0	0.2	0.1	0.3	
-0.0		75.88		2214	0.2	0.5	0.1	0.5	
0.2		77.95		59	0.1	0.1	0.0	0.2	
0.1		57.23		58	0.0	0.3	0.0	0.3	
0.0		80.41		Min	Cent	-0.0	-0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-30.87		2213	-0.0	-0.0	-0.0	-0.0
-0.0	-88.86		2214	-0.0	-0.0	-0.0	0.0
-0.0	-25.95		59	-0.0	-0.1	-0.0	-0.0
-0.1	-5.46		58	-0.0	-0.0	-0.0	-0.0
-0.0	-3.06						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.7
	2213	0.0	0.1
	2214	0.0	1.6
	59	0.0	1.6
	58	0.0	0.1
Min	Cent	-0.4	-0.1
	2213	-0.5	-0.3
	2214	-0.5	-0.2
	59	-0.3	-0.2
	58	-0.3	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-72.0	35.98	Q2a-1-2	Max Cent	85.2	10.9	114.1	168.1
-112.0	32.23		2213	245.2	30.0	225.2	387.2
-228.1	43.67		2214	32.6	9.4	248.8	270.1
-28.9	44.33		59	16.5	14.4	44.4	59.9
74.4	0.48		58	239.9	74.4	1.4	239.9
-502.5	-0.04		Min Cent	-13.4	-502.5	-0.4	-13.4
-50.8	-17.69		2213	-43.2	-50.0	-2.4	-42.4
-1010.9	-0.06		2214	-139.6	-1010.9	-0.9	-139.6
-991.9	-3.45		59	-74.8	-988.6	-55.3	-71.4
-78.3	-22.77		58	-1.0	-64.7	-32.4	12.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	72.66	Max Cent	0.0	0.2	0.0	0.2
-0.0	75.35	2213	0.0	0.1	0.0	0.2
0.1	78.42	2214	0.2	0.3	0.0	0.3
0.0	56.82	59	0.1	0.1	0.0	0.1
0.0	80.38	58	0.0	0.2	0.0	0.2
-0.0	-29.33	Min Cent	-0.0	-0.0	-0.0	0.0
		2213	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-89.15		2214	-0.0	-0.0	-0.0	0.0
-0.0	-28.95		59	-0.0	-0.1	-0.0	-0.0
-0.1	-4.16		58	-0.0	-0.0	-0.0	-0.0
-0.0	-4.14						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.4
	2213	0.0	0.1
	2214	0.0	1.0
	59	0.0	1.0
	58	0.0	0.1
Min	Cent	-0.2	-0.0
	2213	-0.3	-0.2
	2214	-0.3	-0.1
	59	-0.2	-0.1
	58	-0.2	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	18.7	-52.4	13.6	21.2
-54.9	10.50		2213	24.2	-64.6	19.4	28.2
-68.7	11.82		2214	39.3	84.8	-19.6	92.1
32.0	-69.59		59	19.1	82.0	14.9	85.4
15.8	77.35		58	-20.2	-72.1	24.7	-10.4
-81.9	21.80						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-32.65		2213	0.0	0.0	-0.0	0.0
0.0	-68.45		2214	-0.0	-0.0	-0.0	-0.0
-0.0	-77.54		59	-0.0	-0.0	-0.0	-0.0
-0.0	-60.89		58	-0.0	-0.0	-0.0	0.0
-0.0	-19.97						

	NODE	Vxx	Vyy
	Cent	0.0	0.0
	2213	0.1	0.0
	2214	0.1	0.0
	59	0.0	0.0
	58	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	36.0	-153.1	-0.7	36.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-153.1	-0.20		2213	117.3	-45.8	49.2	131.0
-59.5	15.55		2214	61.6	-231.8	-4.7	61.6
-231.8	-0.91		59	-45.3	-260.3	-49.2	-34.6
-271.0	-12.30		58	10.6	-74.4	4.5	10.8
-74.6	3.04						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

		Cent	0.1	0.1	0.1	0.2
0.0	60.45	2213	0.0	0.1	0.1	0.1
-0.0	48.55	2214	0.2	0.2	0.0	0.3
0.1	68.95	59	0.0	0.0	0.0	0.1
-0.0	42.38	58	0.0	0.2	0.1	0.2
-0.0	70.60					

NODE	Vxx	Vyy
------	-----	-----

Cent	-0.2	0.1
2213	-0.1	-0.5
2214	-0.1	0.6
59	-0.2	0.6
58	-0.2	-0.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

		SLDx (RS)	Cent	9.3	-26.2	6.8	10.6
-27.4	10.50		2213	12.1	-32.3	9.7	14.1
-34.3	11.81		2214	19.7	42.4	-9.8	46.0
16.0	-69.59		59	9.6	41.0	7.4	42.7
7.9	77.35		58	-10.1	-36.0	12.3	-5.2
-40.9	21.80						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-32.65	2213	0.0	0.0	-0.0	0.0
0.0	-68.44	2214	-0.0	-0.0	-0.0	-0.0
-0.0	-77.54	59	-0.0	-0.0	-0.0	-0.0
-0.0	-60.88	58	-0.0	-0.0	-0.0	0.0
-0.0	-19.97					

NODE	Vxx	Vyy
------	-----	-----

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Cent 0.0 0.0  
 2213 0.0 0.0  
 2214 0.0 0.0  
 59 0.0 0.0  
 58 0.0 0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-76.4	-0.21	SLDy (RS)	Cent	18.0	-76.4	-0.3	18.0
-29.7	15.55		2213	58.6	-22.9	24.6	65.4
-115.8	-0.91		2214	30.7	-115.7	-2.3	30.8
-135.3	-12.30		59	-22.6	-130.0	-24.6	-17.3
-37.3	3.04		58	5.3	-37.1	2.3	5.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	60.44	Cent	0.0	0.1	0.0	0.1
-0.0	48.55	2213	0.0	0.0	0.0	0.1
0.1	68.95	2214	0.1	0.1	0.0	0.1
-0.0	42.37	59	0.0	0.0	0.0	0.0
-0.0	70.60	58	0.0	0.1	0.0	0.1

NODE Vxx Vyy  
 Cent -0.1 0.0  
 2213 -0.1 -0.2  
 2214 -0.1 0.3  
 59 -0.1 0.3  
 58 -0.1 -0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-5.0	-80.25	SLVz (RS)	Cent	-4.3	17.4	-3.8	18.1
-9.8	-73.02		2213	-7.5	15.2	-7.6	17.5
-12.4	-79.89		2214	-10.9	36.9	-8.8	38.5
-5.4	-85.25		59	-5.1	35.3	-3.4	35.6
-10.4	-77.57		58	-9.0	17.4	-6.1	18.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-19.67		2213	-0.0	-0.0	-0.0	-0.0
-0.0	-15.80		2214	-0.0	-0.0	-0.0	-0.0
-0.0	-55.00		59	-0.0	-0.0	-0.0	-0.0
-0.0	-31.89		58	0.0	-0.0	-0.0	0.0
-0.0	-13.24						

NODE	Vxx	Vyy
Cent	0.0	-0.0
2213	-0.0	-0.0
2214	-0.0	-0.0
59	0.0	-0.0
58	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g1	Cent	78.6	-506.9	105.0	96.8
-525.2	9.87		2213	216.1	-25.6	223.1	349.0
-158.5	30.77		2214	-80.1	-1013.2	230.5	-26.3
-1067.0	13.15		59	-59.0	-988.1	-13.0	-58.8
-988.3	-0.80		58	237.3	-0.6	-20.5	239.0
-2.3	-4.88						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	0.2	0.0	0.2
0.0	76.19	2213	-0.0	0.2	0.0	0.2
-0.0	78.97	2214	0.1	0.2	0.0	0.2
0.1	72.80	59	0.1	0.1	0.0	0.1
0.1	69.79	58	0.0	0.1	0.0	0.1
-0.0	79.61					

NODE	Vxx	Vyy
Cent	-0.2	0.2
2213	-0.3	0.1
2214	-0.3	0.3
59	-0.2	0.3
58	-0.2	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g2	Cent	39.4	-250.0	52.9	48.8
-259.4	10.04		2213	105.1	-19.9	109.3	168.5
-83.3	30.12						

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-518.7	13.18	2214	-36.6	-492.2	112.9	-10.1	
-480.2	-0.45	59	-26.3	-480.1	-3.5	-26.3	
-8.3	-3.32	58	115.4	-7.9	-7.2	115.8	
-----							
0.0	78.30	Cent	0.0	0.1	0.0	0.1	
-0.0	80.57	2213	0.0	0.1	0.0	0.1	
0.1	73.02	2214	0.1	0.1	0.0	0.1	
0.0	76.59	59	0.0	0.1	0.0	0.1	
-0.0	80.58	58	-0.0	0.1	0.0	0.1	
-----							
		NODE	Vxx	Vyy			
		Cent	-0.1	0.1			
		2213	-0.1	0.1			
		2214	-0.1	0.1			
		59	-0.1	0.1			
		58	-0.1	0.1			
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-36.4	12.09	q3	Cent	20.2	-33.8	12.1	22.8
-76.7	3.58		2213	17.3	-76.3	5.9	17.7
16.3	-9.54		2214	45.4	17.2	-4.9	46.2
-3.8	34.29		59	23.1	8.7	18.4	35.7
-94.3	18.06		58	-4.9	-84.8	29.1	4.6
-----							
Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-----							
-0.0	-65.06	Cent	-0.0	-0.0	-0.0	-0.0	
-0.0	-40.32	2213	0.0	0.0	-0.0	0.0	
-0.0	-86.88	2214	-0.0	-0.0	-0.0	-0.0	
-0.0	-83.44	59	-0.0	-0.0	-0.0	-0.0	
-0.0	-31.83	58	-0.0	-0.0	-0.0	0.0	
-----							
		NODE	Vxx	Vyy			
		Cent	0.1	0.0			
		2213	0.1	0.0			
		2214	0.1	0.0			

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		59	58	0.0	0.0	0.0	0.0
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-59.7	-1.95	q5_pc	Cent	11.9	-59.6	-2.4	12.0
-24.4	13.65		2213	44.0	-20.4	16.6	48.0
-87.1	-2.87		2214	24.1	-86.9	-5.6	24.3
-104.3	-14.32		59	-20.2	-98.9	-21.5	-14.7
-32.4	1.24		58	-0.2	-32.4	0.7	-0.2
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	60.06		Cent	0.0	0.1	0.1	0.1
-0.0	43.63		2213	0.0	0.0	0.1	0.1
0.1	67.95		2214	0.1	0.2	0.0	0.2
-0.1	71.02		59	-0.1	-0.0	0.0	0.0
-0.0	66.90		58	0.0	0.1	0.1	0.2
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			2213	-0.1	-0.5		
			2214	-0.1	0.4		
			59	0.1	0.4		
			58	0.1	-0.5		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-60.4	-1.07	q5_ps	Cent	12.4	-60.4	-1.4	12.5
-24.7	14.37		2213	44.1	-20.2	17.6	48.7
-89.2	-1.94		2214	23.5	-89.1	-3.8	23.6
-105.4	-13.30		59	-19.3	-100.6	-20.4	-14.5
-31.7	1.92		58	1.4	-31.7	1.1	1.4
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	60.67		Cent	0.0	0.1	0.0	0.1
-0.0	43.93		2213	0.0	0.0	0.1	0.1



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.1	68.72	2214	0.1	0.1	0.0	0.1
-0.1	73.29	59	-0.1	-0.0	0.0	-0.0
-0.0	66.72	58	0.0	0.1	0.1	0.2

NODE	Vxx	Vyy
Cent	0.0	-0.0
2213	-0.0	-0.4
2214	-0.0	0.3
59	0.1	0.3
58	0.1	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-813.7	14.59	INVS LU	Max Cent	367.1	-737.7	350.8	457.3
-186.7	30.73		2213	1075.2	162.6	872.4	1593.7
-1829.3	21.34		2214	19.2	-1642.8	861.2	324.0
-1597.1	-1.32		59	-75.1	-1596.3	-20.2	-74.2
278.0	-9.56		58	945.7	297.0	-73.7	964.7
-2070.3	2.88	Min	Cent	109.6	-2065.8	99.9	114.8
-392.6	31.33		2213	307.1	-116.0	314.6	504.6
-4206.2	5.12		2214	-435.2	-4180.3	308.3	-406.1
-4152.5	-4.35		59	-341.0	-4130.4	-290.2	-318.9
-159.2	-11.88		58	407.9	-134.1	-182.0	433.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
0.2	70.93	Max	Cent	0.2	0.7	0.2	0.8
-0.0	71.91		2213	0.0	0.6	0.2	0.7
0.7	75.65		2214	0.7	1.3	0.2	1.3
0.2	36.21		59	0.3	0.3	0.1	0.4
0.0	77.77		58	0.1	0.8	0.2	0.9
0.1	-78.25	Min	Cent	0.1	0.2	-0.0	0.2
-0.1	-83.20		2213	-0.1	0.2	-0.0	0.2
0.1	82.64		2214	0.1	0.3	0.0	0.3
-0.1	41.07		59	-0.0	-0.0	-0.0	0.1
-0.0	-64.45		58	0.0	0.1	-0.1	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
Max	Cent	-0.4	1.5
	2213	-0.4	0.7
	2214	-0.4	3.7
	59	-0.3	3.7
	58	-0.3	0.7
Min	Cent	-1.0	0.5
	2213	-1.3	-0.9
	2214	-1.3	0.5
	59	-0.9	0.5
	58	-0.9	-1.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax		
-533.3 -122.2 -1181.9 -1043.8 94.7 -872.8 -276.6 -1690.5 -1639.6 -97.2	7.46 26.60 10.10 1.07 -10.76 11.77 37.14 15.94 -3.48 -2.58	INVSLV	Max	Cent	153.3	-507.2	144.7	170.9	
				2213	433.7	59.5	352.2	610.1	
				2214	-19.8	-1099.4	319.6	31.5	
				59	-33.4	-1043.5	19.3	-33.0	
				58	343.4	106.4	-8.5	354.4	
				Min	Cent	67.5	-855.2	114.7	93.6
					2213	180.0	-106.4	237.6	359.9
					2214	-173.0	-1635.9	272.2	-86.3
					59	-138.6	-1634.5	-90.1	-133.1
					58	291.2	-96.0	-64.3	291.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax		
0.1 -0.0 0.3 0.1 -0.0 0.0 -0.0 0.0 0.1 -0.0	68.12 67.61 68.46 57.11 74.05 -76.02 -83.29 85.95 -87.51 -43.75	Max	Cent	0.1	0.3	0.1	0.4	
			2213	0.0	0.3	0.1	0.3	
			2214	0.3	0.5	0.1	0.5	
			59	0.1	0.2	0.1	0.2	
			58	0.0	0.4	0.1	0.4	
			Min	Cent	0.0	0.1	-0.0	0.1
				2213	-0.0	0.2	-0.0	0.2
				2214	0.0	0.0	0.0	0.0
				59	0.1	0.1	-0.0	0.1
				58	-0.0	-0.0	-0.0	0.0

NODE	Vxx	Vyy
------	-----	-----

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Max	Cent	-0.1	0.3
	2213	-0.2	0.6
	2214	-0.2	0.9
	59	-0.1	0.9
	58	-0.1	0.6
Min	Cent	-0.5	0.1
	2213	-0.6	-0.3
	2214	-0.6	-0.4
	59	-0.5	-0.4
	58	-0.5	-0.3

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
2924	2	8	Q1-1-2	Max	Cent	127.8	18.5	11.8	129.1
	17.3	6.09			2214	190.4	50.6	33.1	197.8
	43.2	12.66			2215	290.6	15.6	5.5	290.7
	15.5	1.14			151	294.1	58.5	8.4	294.4
	58.2	2.05			59	37.1	33.5	25.3	60.7
	9.9	42.95		Min	Cent	-138.7	-845.7	-645.1	243.4
	-1227.8	-30.64			2214	-503.9	-1713.0	-883.0	-38.3
	-2178.6	-27.80			2215	-96.2	-16.5	-767.1	711.7
	-824.5	-46.49			151	-1.3	-43.0	-417.9	396.3
	-440.6	-43.57			59	-237.5	-1682.9	-529.2	-64.5
	-1856.0	-18.11							
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
	0.1	77.22		Max	Cent	0.1	0.2	0.0	0.2
	0.2	81.63			2214	0.2	0.5	0.0	0.5
	0.0	75.40			2215	0.1	0.2	0.0	0.2
	0.1	75.74			151	0.1	0.2	0.0	0.2
	0.0	71.33			59	0.0	0.1	0.0	0.1
	-0.0	-73.47		Min	Cent	-0.0	-0.0	-0.0	-0.0
	-0.1	-83.07			2214	-0.1	-0.0	-0.0	-0.0
	-0.0	-48.46			2215	-0.0	-0.0	-0.0	0.0
	-0.0	-30.75			151	-0.0	-0.0	-0.0	-0.0
	-0.1	-9.75			59	-0.0	-0.1	-0.0	-0.0
				NODE	Vxx	Vyy			
				Max	Cent	0.1	0.8		
					2214	0.2	1.6		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	2215	0.2	0.2
	151	0.0	0.2
	59	0.0	1.6
Min	Cent	-0.2	-0.1
	2214	-0.2	-0.2
	2215	-0.2	-0.1
	151	-0.1	-0.1
	59	-0.1	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
7.8	4.81	Q2a-1-2	Max Cent	72.5	8.3	5.4	73.0
19.8	9.42		2214	106.6	22.2	14.4	109.0
9.0	1.03		2215	174.2	9.0	3.0	174.3
33.3	2.50		151	175.6	33.6	6.2	175.9
5.7	39.30		59	19.8	15.1	11.5	29.2
-720.9	-30.39		Min Cent	-79.1	-500.2	-376.4	141.6
-1271.4	-27.37		2214	-286.2	-1007.3	-510.1	-22.1
-484.4	-46.40		2215	-54.6	-10.4	-451.4	419.4
-263.1	-43.59		151	-0.8	-25.4	-249.7	236.9
-1093.0	-17.76		59	-139.2	-995.2	-305.4	-41.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	76.43	Max Cent	0.0	0.1	0.0	0.1
0.1	82.14	2214	0.1	0.3	0.0	0.3
0.0	74.26	2215	0.0	0.1	0.0	0.1
0.0	75.40	151	0.0	0.1	0.0	0.1
0.0	70.59	59	0.0	0.1	0.0	0.1
-0.0	-72.66	Min Cent	-0.0	-0.0	-0.0	-0.0
-0.1	-84.03	2214	-0.1	-0.0	-0.0	-0.0
-0.0	-50.16	2215	-0.0	-0.0	-0.0	0.0
-0.0	-36.42	151	-0.0	-0.0	-0.0	-0.0
-0.1	-7.59	59	-0.0	-0.1	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.1	0.5
	2214	0.1	1.0
	2215	0.1	0.1
	151	0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Min	59	0.0	1.0
Cent	2214	-0.1	-0.0
	2215	-0.1	-0.1
	151	-0.1	-0.0
	59	-0.1	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.4	42.72	SLVx (RS)	Cent	48.6	41.4	45.3	90.5
15.5	48.30		2214	69.2	83.1	60.3	136.9
-12.7	29.64		2215	67.6	13.3	45.7	93.6
-16.1	31.32		151	33.7	2.4	30.3	52.1
2.1	58.63		59	31.6	81.3	48.3	110.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-53.63	Cent	0.0	0.0	-0.0	0.0
0.0	-9.20	2214	0.0	0.0	-0.0	0.0
-0.0	-30.02	2215	-0.0	-0.0	-0.0	-0.0
0.0	-73.30	151	0.0	0.0	-0.0	0.0
0.0	-8.74	59	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
2214	0.1	0.0
2215	0.1	-0.0
151	0.0	-0.0
59	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-182.6	-36.20	SLVy (RS)	Cent	-81.9	-128.6	-73.7	-27.9
-394.4	-34.69		2214	-189.8	-296.4	-141.6	-91.8
-135.0	-63.21		2215	-98.8	7.1	-71.7	43.3
23.0	-66.28		151	26.1	39.2	-7.2	42.4
-289.6	-18.62		59	-64.9	-264.1	-75.7	-39.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-65.50	Cent	0.0	0.1	-0.0	0.2
0.2	-51.21	2214	0.3	0.3	-0.0	0.3
-0.1	-74.10	2215	-0.1	0.0	-0.1	0.1
0.0	-72.34	151	0.0	0.2	-0.0	0.2
-0.0	-66.90	59	-0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.3	0.2
2214	0.7	0.6
2215	0.7	-0.3
151	-0.1	-0.3
59	-0.1	0.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.2	42.72	SLDx (RS)	Cent	24.3	20.7	22.7	45.2
7.7	48.30		2214	34.6	41.6	30.2	68.4
-6.3	29.65		2215	33.8	6.7	22.8	46.8
-8.0	31.34		151	16.8	1.2	15.1	26.1
1.1	58.62		59	15.8	40.6	24.1	55.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-53.60	Cent	0.0	0.0	-0.0	0.0
0.0	-9.20	2214	0.0	0.0	-0.0	0.0
-0.0	-30.05	2215	-0.0	-0.0	-0.0	-0.0
0.0	-73.28	151	0.0	0.0	-0.0	0.0
0.0	-8.75	59	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
2214	0.0	0.0
2215	0.0	-0.0
151	0.0	-0.0
59	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-91.2	-36.20	SLDy (RS)	Cent	-40.9	-64.2	-36.8	-13.9
			2214	-94.8	-148.0	-70.7	-45.8

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-197.0	-34.69		2215	-49.3	3.5	-35.8	21.6
-67.4	-63.21		151	13.0	19.6	-3.6	21.2
11.5	-66.24		59	-32.4	-131.9	-37.8	-19.7
-144.6	-18.62						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

0.0	-65.49	Cent	0.0	0.1	-0.0	0.1
0.1	-51.21	2214	0.1	0.1	-0.0	0.1
-0.1	-74.09	2215	-0.1	0.0	-0.0	0.0
0.0	-72.33	151	0.0	0.1	-0.0	0.1
-0.0	-66.95	59	-0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
------	-----	-----

Cent	0.2	0.1
2214	0.3	0.3
2215	0.3	-0.2
151	-0.0	-0.1
59	-0.0	0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

-19.7	64.35	SLVz (RS)	Cent	-11.0	18.0	18.1	26.7
-27.1	69.32		2214	-18.1	36.1	23.8	45.1
-29.4	53.03		2215	-14.5	-3.2	19.8	11.7
-17.4	53.35		151	-8.2	-0.7	12.4	8.5
-14.6	71.13		59	-8.8	35.0	17.0	40.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

-0.0	24.69	Cent	-0.0	-0.0	0.0	-0.0
-0.0	-69.48	2214	-0.0	-0.0	-0.0	-0.0
-0.0	-6.94	2215	0.0	-0.0	-0.0	0.0
-0.0	20.28	151	-0.0	-0.0	0.0	-0.0
-0.0	-51.02	59	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
------	-----	-----

Cent	-0.0	-0.0
2214	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

2215      -0.0      -0.0  
 151       -0.0      -0.0  
 59        -0.0      -0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-716.5	-29.46	g1	Cent	-4.1	-489.1	-402.5	223.3
-1258.6	-26.75		2214	-194.3	-988.3	-536.4	76.0
-437.5	-42.05		2215	102.8	2.0	-487.3	542.3
-184.5	-35.93		151	186.1	10.1	-268.5	380.7
-1083.9	-18.08		59	-111.0	-980.2	-317.6	-7.3
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	84.61		Cent	0.0	0.1	0.0	0.1
0.0	83.31		2214	0.0	0.2	0.0	0.2
0.0	83.00		2215	0.0	0.1	0.0	0.1
0.0	85.69		151	0.0	0.1	0.0	0.1
-0.0	85.09		59	-0.0	0.1	0.0	0.1
			NODE	Vxx	Vyy		
			Cent	-0.0	0.2		
			2214	-0.0	0.3		
			2215	-0.0	0.2		
			151	-0.1	0.2		
			59	-0.1	0.3		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-348.3	-29.29	g2	Cent	2.3	-238.0	-196.7	112.6
-609.3	-26.58		2214	-88.3	-478.9	-260.7	42.1
-212.5	-41.68		2215	55.3	-0.2	-238.4	267.6
-92.2	-35.63		151	92.9	2.9	-132.7	188.0
-526.3	-18.04		59	-50.7	-475.8	-154.9	-0.3
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	89.29		Cent	0.0	0.1	0.0	0.1
			2214	0.0	0.1	0.0	0.1



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	85.58		2215	0.0	0.1	0.0	0.1
0.0	88.71		151	0.0	0.0	-0.0	0.0
0.0	-83.13		59	-0.0	0.1	0.0	0.1
-0.0	89.04						

NODE	Vxx	Vyy
Cent	-0.0	0.1
2214	-0.0	0.1
2215	-0.0	0.1
151	-0.1	0.1
59	-0.1	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-7.7	29.06	q3	Cent	60.9	13.5	38.1	82.1
-4.8	29.80		2214	85.8	24.9	51.9	115.5
7.2	18.79		2215	83.1	16.0	25.8	91.9
-10.7	27.57		151	36.0	2.0	24.4	48.7
-27.6	37.31		59	38.6	10.9	50.4	77.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-15.89	Cent	0.0	0.0	-0.0	0.0
0.0	-3.59	2214	0.0	0.0	-0.0	0.0
-0.0	-71.35	2215	-0.0	-0.0	-0.0	-0.0
0.0	-65.13	151	0.0	0.0	-0.0	0.0
0.0	-3.21	59	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.1	-0.0
2214	0.1	0.0
2215	0.1	-0.0
151	0.0	-0.0
59	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-56.4	-33.19	q5_pc	Cent	-34.1	-46.8	-14.6	-24.6
-141.4	-32.99		2214	-77.2	-114.4	-41.7	-50.1
-44.3	-74.99		2215	-40.5	7.9	-14.0	11.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.9	57.47		151	9.0	20.7	12.6	28.7
-104.6	-11.12		59	-27.7	-101.6	-15.1	-24.8
-----							
-0.1	-60.48		Cent	-0.0	0.1	-0.1	0.1
0.1	-56.60		2214	0.1	0.2	-0.1	0.2
-0.1	-58.57		2215	-0.1	0.0	-0.1	0.1
0.0	-60.90		151	0.1	0.2	-0.1	0.2
-0.2	-72.64		59	-0.2	-0.0	-0.1	-0.0
-----							
			NODE	Vxx	Vyy		
			Cent	-0.1	-0.0		
			2214	0.3	0.4		
			2215	0.3	-0.4		
			151	-0.4	-0.4		
			59	-0.4	0.4		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-60.8	-33.99	q5_ps	Cent	-33.2	-48.2	-18.6	-20.6
-145.5	-33.25		2214	-76.0	-115.6	-45.6	-46.1
-45.7	-70.78		2215	-39.3	6.6	-18.2	12.9
4.7	59.85		151	9.6	19.1	8.4	24.0
-107.5	-13.29		59	-27.1	-103.0	-19.0	-22.6
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	-60.32		Cent	-0.0	0.1	-0.1	0.1
0.0	-57.10		2214	0.1	0.1	-0.1	0.2
-0.1	-57.46		2215	-0.1	0.0	-0.1	0.1
0.0	-59.97		151	0.1	0.2	-0.1	0.2
-0.2	-73.35		59	-0.2	-0.0	-0.0	-0.0
-----							
			NODE	Vxx	Vyy		
			Cent	-0.1	-0.0		
			2214	0.2	0.3		
			2215	0.2	-0.4		
			151	-0.4	-0.4		
			59	-0.4	0.3		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1243.3	-31.38	INVSLU	Max Cent	215.4	-766.4	-826.6	919.4
-2030.7	-26.49		2214	2.6	-1532.1	-998.2	524.0
-718.4	-44.19		2215	637.6	68.7	-1001.5	2138.6
-272.5	-40.95		151	740.9	132.9	-611.0	1397.7
-1813.4	-21.80		59	-95.8	-1560.7	-642.1	152.6
-3133.0	-30.22	Min	Cent	-213.3	-2044.5	-1782.6	603.9
-5449.4	-28.54		2214	-1076.4	-4172.2	-2363.3	189.3
-2078.8	-40.33		2215	42.4	-1.8	-2106.2	1307.0
-1110.5	-34.55		151	320.0	-41.4	-1239.2	979.9
-4638.5	-19.72		59	-545.2	-4112.5	-1467.4	-19.2
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	-87.09	Max	Cent	0.1	0.6	0.2	0.6
0.4	87.34		2214	0.4	1.2	0.2	1.2
0.1	64.27		2215	0.2	0.5	0.2	0.5
0.2	-75.07		151	0.2	0.6	0.2	0.6
0.1	41.36		59	0.2	0.2	0.1	0.3
-0.1	59.04	Min	Cent	-0.0	0.1	-0.1	0.2
-0.2	70.39		2214	-0.1	0.2	-0.1	0.2
-0.1	54.84		2215	-0.0	0.2	-0.1	0.3
-0.2	37.59		151	-0.1	-0.1	-0.1	0.0
-0.4	-78.15		59	-0.4	-0.1	-0.1	-0.1
			NODE	Vxx	Vyy		
		Max	Cent	0.1	1.9		
			2214	0.5	3.7		
			2215	0.5	1.1		
			151	0.5	1.0		
			59	0.5	3.7		
		Min	Cent	-0.5	0.6		
			2214	-0.7	0.5		
			2215	-0.7	-0.4		
			151	-1.1	-0.3		
			59	-1.1	0.5		

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-801.3	-29.61	INVSLV	Max Cent	96.0	-511.4	-508.2	391.1	
-1300.9	-25.97		2214	-40.3	-1000.4	-612.7	265.1	
-507.2	-43.14		2215	269.7	25.5	-627.3	835.9	
-251.5	-38.27		151	292.9	57.2	-386.1	616.3	
-1164.6	-19.69		59	-76.6	-1025.7	-387.9	65.8	
-1229.2	-31.60	Min	Cent	-103.4	-804.2	-693.7	316.6	
-2184.6	-28.93		2214	-472.3	-1664.8	-946.4	43.0	
-787.8	-41.27		2215	22.8	-7.3	-810.1	764.1	
-359.3	-36.30		151	204.9	-23.2	-458.4	525.9	
-1832.0	-19.82		59	-230.6	-1623.8	-578.4	-25.9	
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
0.1	-81.38	Max	Cent	0.1	0.3	0.1	0.3	
0.3	-89.30		2214	0.3	0.5	0.1	0.5	
0.1	-84.12		2215	0.2	0.2	0.1	0.2	
0.1	-78.89		151	0.1	0.3	0.1	0.3	
0.0	-87.36		59	0.0	0.2	0.0	0.2	
-0.1	54.37	Min	Cent	-0.0	0.0	-0.0	0.1	
-0.2	73.10		2214	-0.2	-0.1	-0.0	-0.0	
-0.1	69.92		2215	-0.1	0.1	-0.0	0.2	
-0.1	28.48		151	-0.0	-0.1	-0.0	0.0	
-0.0	80.81		59	-0.0	0.1	-0.0	0.1	
			NODE	Vxx	Vyy			
		Max	Cent	0.3	0.4			
			2214	0.7	0.8			
			2215	0.7	0.6			
			151	-0.1	0.6			
			59	-0.1	0.9			
		Min	Cent	-0.4	0.1			
			2214	-0.8	-0.4			
			2215	-0.8	-0.1			
			151	-0.2	-0.0			
			59	-0.2	-0.4			
ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
	Fmin	ANGLE						

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
2928	2	4	Q1-1-2	Max	Cent	855.2	4.3	341.3	975.2
-115.7		19.37			2222	932.8	11.9	404.1	1085.0
-140.3		20.64			2223	948.6	48.2	270.1	1023.4
-26.6		15.48			466	777.7	2.5	279.5	867.9
-87.8		17.90			67	764.3	0.5	413.5	945.3
-180.5		23.64		Min	Cent	-15.7	-28.3	-25.6	4.4
-48.4		-38.11			2222	-17.1	-27.2	-2.8	-16.4
-27.9		-14.57			2223	-17.2	-9.3	-51.1	38.0
-64.5		-47.21			466	-14.3	-36.1	-51.2	27.2
-77.6		-39.01			67	-14.3	-75.4	-2.4	-14.2
-75.5		-2.23							
				Max	Cent	0.0	0.1	0.0	0.1
0.0		75.72			2222	0.0	0.1	0.0	0.1
0.0		80.88			2223	0.0	0.1	0.0	0.1
0.0		81.34			466	0.0	0.0	0.0	0.0
0.0		55.85			67	0.0	0.0	0.0	0.0
-0.0		59.53		Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0		-36.57			2222	-0.0	-0.0	-0.0	0.0
-0.0		-32.93			2223	-0.0	-0.0	-0.0	-0.0
-0.0		-32.33			466	-0.0	-0.0	-0.0	0.0
-0.0		-41.86			67	-0.0	-0.0	-0.0	0.0
-0.0		-40.56							
				Max	Cent	0.0	0.2		
					2222	0.0	0.2		
					2223	0.0	0.2		
					466	0.0	0.2		
					67	0.0	0.2		
				Min	Cent	-0.0	-0.0		
					2222	-0.0	-0.0		
					2223	-0.0	-0.0		
					466	-0.0	-0.0		
					67	-0.0	-0.0		
				LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin		ANGLE							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		Q2a-1-2	Max	Cent	515.2	2.7	209.0	589.7
-71.7	19.60			2222	561.7	7.7	247.6	656.2
-86.8	20.90			2223	571.7	29.6	165.0	618.0
-16.7	15.67			466	468.8	1.5	170.9	524.6
-54.4	18.09			67	460.6	0.4	253.5	572.8
-111.9	23.88		Min	Cent	-11.7	-20.1	-17.9	2.5
-34.3	-38.41			2222	-12.7	-19.4	-1.9	-12.2
-19.9	-14.63			2223	-12.8	-6.7	-35.6	26.0
-45.4	-47.45			466	-10.6	-25.3	-35.7	18.5
-54.4	-39.21			67	-10.6	-49.1	-1.6	-10.6
-49.2	-2.32							

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-----		-----						
		Max	Cent	0.0	0.0	0.0	0.0	
0.0	76.09		2222	0.0	0.1	0.0	0.1	
0.0	81.10		2223	0.0	0.1	0.0	0.1	
0.0	81.75		466	0.0	0.0	0.0	0.0	
0.0	55.21		67	0.0	0.0	0.0	0.0	
-0.0	58.78		Min	Cent	-0.0	-0.0	-0.0	
-0.0	-37.14			2222	-0.0	-0.0	-0.0	
-0.0	-34.63			2223	-0.0	-0.0	-0.0	
-0.0	-33.38			466	-0.0	-0.0	-0.0	
-0.0	-41.95			67	-0.0	-0.0	-0.0	
-0.0	-41.43							

		NODE	Vxx	Vyy
	Max	Cent	0.0	0.2
		2222	0.0	0.2
		2223	0.0	0.2
		466	0.0	0.2
		67	0.0	0.2
	Min	Cent	-0.0	-0.0
		2222	-0.0	-0.0
		2223	-0.0	-0.0
		466	-0.0	-0.0
		67	-0.0	-0.0

Fmin ANGLE LC NODE Fxx Fyy Fxy Fmax

-----		-----						
		SLVx (RS)	Cent	-61.8	-0.9	-23.1	6.9	
-69.6	-71.40							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-77.7	-69.95	2222	-67.6	-1.4	-27.8	8.7
-73.0	-75.46	2223	-68.4	-4.1	-17.9	0.5
-61.6	-73.28	466	-56.1	-0.4	-18.4	5.1
-66.9	-67.71	67	-55.3	2.3	-28.4	14.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

-0.0	-86.85	Cent	-0.0	0.0	-0.0	0.0
-0.0	-1.43	2222	-0.0	-0.0	-0.0	-0.0
-0.0	-5.26	2223	-0.0	-0.0	-0.0	-0.0
-0.0	-10.03	466	-0.0	-0.0	-0.0	-0.0
-0.0	-3.84	67	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
------	-----	-----

Cent	-0.0	-0.0
2222	0.0	0.0
2223	0.0	-0.0
466	-0.0	-0.0
67	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

-32.5	71.16	SLVy (RS)	Cent	-28.7	0.3	11.2	4.2
-32.1	68.90		2222	-27.3	0.3	12.5	5.1
-30.0	72.80		2223	-27.0	1.4	9.7	4.4
-33.0	73.48		466	-30.1	0.4	9.9	3.4
-35.1	69.69		67	-30.4	-0.8	12.7	3.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

0.0	-64.20	Cent	0.0	0.0	-0.0	0.0
-0.1	-2.99	2222	-0.0	-0.1	-0.0	-0.0
-0.1	9.71	2223	-0.0	-0.1	0.0	-0.0
0.0	81.89	466	0.0	0.1	0.0	0.1
0.0	-86.23	67	0.0	0.1	-0.0	0.1

NODE	Vxx	Vyy
------	-----	-----

Cent	0.0	-0.5
------	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

2222	0.0	-0.6
2223	0.0	-0.5
466	-0.0	-0.5
67	-0.0	-0.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-34.8	-71.40	SLDx (RS)	Cent	-30.9	-0.5	-11.6	3.4
-38.8	-69.95		2222	-33.8	-0.7	-13.9	4.4
-36.5	-75.46		2223	-34.2	-2.1	-8.9	0.3
-30.8	-73.27		466	-28.0	-0.2	-9.2	2.6
-33.4	-67.71		67	-27.6	1.2	-14.2	7.0

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-86.83		Cent	-0.0	0.0	-0.0	0.0
-0.0	-1.43		2222	-0.0	-0.0	-0.0	-0.0
-0.0	-5.28		2223	-0.0	-0.0	-0.0	-0.0
-0.0	-10.06		466	-0.0	-0.0	-0.0	-0.0
-0.0	-3.85		67	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
2222	0.0	0.0
2223	0.0	-0.0
466	-0.0	-0.0
67	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-16.2	71.16	SLDy (RS)	Cent	-14.3	0.2	5.6	2.1
-16.0	68.90		2222	-13.6	0.1	6.2	2.5
-15.0	72.80		2223	-13.5	0.7	4.9	2.2
-16.5	73.47		466	-15.0	0.2	5.0	1.7
-17.5	69.68		67	-15.2	-0.4	6.3	2.0

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-64.13		Cent	0.0	0.0	-0.0	0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-3.01	2222	-0.0	-0.0	-0.0	-0.0
-0.0	9.74	2223	-0.0	-0.0	0.0	-0.0
0.0	81.87	466	0.0	0.1	0.0	0.1
0.0	-86.21	67	0.0	0.1	-0.0	0.1

NODE	Vxx	Vyy
Cent	0.0	-0.3
2222	0.0	-0.3
2223	0.0	-0.2
466	-0.0	-0.2
67	-0.0	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-30.6	-71.33	SLVz (RS)	Cent	-27.1	-0.4	-10.2	3.1
-34.2	-69.88		2222	-29.7	-0.6	-12.3	3.9
-32.1	-75.41		2223	-30.0	-1.8	-7.9	0.2
-27.0	-73.21		466	-24.6	-0.2	-8.1	2.3
-29.4	-67.62		67	-24.2	1.0	-12.5	6.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	18.59	Cent	-0.0	-0.0	0.0	-0.0
-0.0	3.60	2222	-0.0	-0.0	0.0	-0.0
-0.0	9.02	2223	-0.0	-0.0	0.0	-0.0
-0.0	11.66	466	-0.0	-0.0	0.0	-0.0
-0.0	7.17	67	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
2222	0.0	0.0
2223	0.0	0.0
466	0.0	0.0
67	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-62.3	17.05	g1	Cent	611.6	1.1	206.7	675.0
-79.7	18.73		2222	668.9	6.3	253.9	755.0
			2223	676.9	32.9	154.3	711.9

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-2.2	12.80		466	554.3	-4.2	159.6	596.7
-46.5	14.87		67	546.4	-30.7	259.1	645.7
-130.0	20.96						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-88.14		Cent	0.0	0.0	-0.0	0.0
0.0	89.76		2222	0.0	0.0	0.0	0.0
0.0	-88.32		2223	0.0	0.0	-0.0	0.0
0.0	-84.17		466	0.0	0.0	-0.0	0.0
0.0	-87.54		67	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
2222	-0.0	0.0
2223	-0.0	0.0
466	-0.0	0.0
67	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-30.9	16.87	g2	Cent	297.2	-0.7	99.5	327.4
-39.4	18.59		2222	325.3	1.9	122.7	366.6
-1.5	12.57		2223	329.3	15.0	73.8	345.7
-23.2	14.64		466	269.1	-3.3	76.4	289.0
-64.0	20.84		67	265.1	-16.3	125.3	312.8

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-74.95		Cent	0.0	0.0	-0.0	0.0
-0.0	-7.30		2222	-0.0	-0.0	-0.0	-0.0
-0.0	4.15		2223	-0.0	-0.0	0.0	-0.0
0.0	84.88		466	0.0	0.0	0.0	0.0
0.0	-85.36		67	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
2222	0.0	-0.0
2223	0.0	-0.0
466	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE						
-2.0	19.36	q3	Cent	14.7	0.1	5.9	16.8
-2.4	20.15		2222	15.6	0.0	6.6	18.0
-0.8	16.81		2223	15.8	0.7	5.0	17.3
-1.6	18.41		466	13.9	0.1	5.1	15.6
-3.2	21.72		67	13.7	-0.6	6.7	16.3
		NODE	Mxx	Myy	Mxy	Mmax	
Mmin	ANGLE						
0.0	89.71		Cent	0.0	0.0	0.0	0.0
0.0	88.33		2222	0.0	0.0	0.0	0.0
0.0	89.55		2223	0.0	0.0	0.0	0.0
0.0	-87.61		466	0.0	0.0	-0.0	0.0
0.0	-89.86		67	0.0	0.0	-0.0	0.0
		NODE	Vxx	Vyy			
		Cent	-0.0	0.0			
		2222	-0.0	0.0			
		2223	-0.0	0.0			
		466	-0.0	0.0			
		67	-0.0	0.0			
		LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE						
-30.8	-85.54	q5_pc	Cent	-30.7	0.0	-2.4	0.2
-31.1	-85.27		2222	-30.8	0.1	-2.6	0.3
-31.1	-85.96		2223	-31.0	-0.2	-2.2	-0.1
-30.6	-85.80		466	-30.5	-0.1	-2.2	0.1
-30.6	-85.11		67	-30.4	0.3	-2.6	0.5
		NODE	Mxx	Myy	Mxy	Mmax	
Mmin	ANGLE						
0.0	67.37		Cent	0.0	0.0	0.0	0.0
-0.1	0.75		2222	-0.0	-0.1	0.0	-0.0
			2223	-0.0	-0.1	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	13.60		466	0.1	0.2	0.0	0.2
0.1	80.99		67	0.1	0.2	0.0	0.2
0.1	85.95						

NODE	Vxx	Vyy
Cent	0.0	-0.9
2222	0.0	-1.0
2223	0.0	-0.8
466	0.0	-0.8
67	0.0	-1.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_ps	Cent	-25.7	0.0	-1.0	0.1
-25.7	-87.75		2222	-25.6	0.1	-1.0	0.2
-25.6	-87.86		2223	-25.7	-0.1	-1.0	-0.0
-25.7	-87.71		466	-25.7	-0.1	-1.1	-0.0
-25.8	-87.65		67	-25.7	0.1	-1.0	0.2
-25.7	-87.80						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	0.0	0.0	0.0
0.0	67.01	2222	-0.0	-0.1	0.0	-0.0
-0.1	0.66	2223	-0.0	-0.1	0.0	-0.0
-0.1	13.31	466	0.1	0.2	0.0	0.2
0.1	81.00	67	0.1	0.2	0.0	0.2
0.1	85.99					

NODE	Vxx	Vyy
Cent	0.0	-0.9
2222	0.0	-1.0
2223	0.0	-0.8
466	0.0	-0.8
67	0.0	-1.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		INVSLU Max	Cent	2324.7	5.1	879.1	2620.3
-144.8	18.58		2222	2746.7	81.9	1221.5	3221.9
-222.2	21.26		2223	2787.3	194.7	509.1	2883.6
114.4	10.72		466	1902.8	-63.9	538.2	2040.4
-109.8	14.35						

MIDAS

PROJECT TITLE :

<b>MIDAS</b>	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-532.9	25.70	67	1865.5	-130.0	1250.6	2467.5	
-293.5	16.91	Min	Cent	1088.1	-39.0	379.5	1209.1
-397.5	22.22		2222	1403.9	29.0	667.5	1677.3
97.4	3.90		2223	1422.9	116.7	71.6	1429.0
-203.1	6.77		466	772.3	-116.1	87.7	784.8
-738.8	27.03		67	753.4	-233.0	684.4	1108.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
		Max	Cent	0.0	0.1	0.0	0.1
0.0	71.27		2222	0.1	0.3	0.0	0.3
0.1	88.24		2223	0.1	0.2	0.0	0.2
0.1	-84.58		466	0.1	0.3	0.0	0.3
0.1	78.63		67	0.1	0.3	0.0	0.3
0.1	83.25	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-24.96		2222	-0.0	-0.2	-0.0	-0.0
-0.2	-3.41		2223	-0.1	-0.1	-0.0	-0.1
-0.1	3.13		466	-0.1	-0.3	-0.0	-0.1
-0.3	-12.69		67	-0.1	-0.3	-0.0	-0.1
-0.3	-7.97						

	NODE	Vxx	Vyy
Max	Cent	0.0	1.6
	2222	0.1	1.8
	2223	0.1	1.5
	466	0.0	1.5
	67	0.0	1.8
Min	Cent	-0.0	-1.3
	2222	-0.1	-1.4
	2223	-0.1	-1.2
	466	-0.0	-1.2
	67	-0.0	-1.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-86.9	17.75	INVSLV	Max	Cent	920.3	1.5	334.5	1025.3
-124.7	20.94			2222	1107.2	37.4	487.3	1290.8
57.7	8.82			2223	1120.7	83.0	170.9	1146.3
-62.4	12.30			466	733.5	-34.3	181.8	771.8
-279.8	25.41			67	720.0	-74.2	498.2	953.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-110.8	18.23	Min	Cent	763.2	-0.7	275.4	856.1
-155.8	21.60		2222	937.9	34.0	416.7	1105.8
53.3	8.29		2223	949.8	72.8	124.6	968.8
-76.6	12.10		466	588.4	-35.5	134.2	618.5
-324.5	26.56		67	576.6	-79.9	426.3	793.5

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-66.66	Max	Cent	0.0	0.0	0.0	0.0
0.0	88.57		2222	0.0	0.1	0.0	0.1
0.0	-79.04		2223	0.0	0.1	0.0	0.1
0.0	84.19		466	0.0	0.1	0.0	0.1
0.0	-84.77		67	0.0	0.1	0.0	0.1
-0.0	33.22	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.1	-4.84		2222	-0.0	-0.1	-0.0	-0.0
-0.0	7.74		2223	-0.0	-0.0	-0.0	-0.0
-0.1	-10.44		466	-0.0	-0.1	-0.0	-0.0
-0.1	2.04		67	-0.0	-0.1	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.6
	2222	0.0	0.6
	2223	0.0	0.5
	466	0.0	0.5
	67	0.0	0.6
Min	Cent	-0.0	-0.5
	2222	-0.0	-0.6
	2223	-0.0	-0.5
	466	-0.0	-0.5
	67	-0.0	-0.6

ELEM	MAT	SEC	LC		NODE	Fxx	Fyy	Fxy	Fmax
Fmin		ANGLE							
2930	2	8	Q1-1-2	Max	Cent	138.8	26.1	0.7	138.8
26.1		0.36			2224	60.7	19.4	1.5	60.8
19.3		2.10			2225	406.5	59.3	6.8	406.7
59.2		1.12			70	358.0	104.5	31.7	361.9
100.6		7.01			69	25.3	32.0	55.7	84.5
-27.2		46.74		Min	Cent	-29.5	-851.4	-218.9	25.2
-906.0		-14.02							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-1733.3	-15.75	2224	-229.1	-1613.7	-424.1	-109.5
-491.4	-44.59	2225	-84.3	-95.8	-401.3	311.3
-168.4	-10.50	70	-1.6	-162.7	-30.9	4.2
-1654.1	-3.44	69	-129.0	-1648.6	-91.8	-123.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Max Cent	0.1	0.3	0.0	0.3
0.1	89.54	2224	0.2	0.5	0.0	0.5
0.2	88.87	2225	0.0	0.3	0.0	0.3
0.0	89.92	70	0.0	0.3	0.0	0.3
0.0	89.79	69	0.1	0.1	0.0	0.1
0.1	81.94	Min Cent	-0.0	-0.0	-0.0	0.0
-0.1	-44.32	2224	-0.0	-0.0	-0.0	0.0
-0.1	-41.04	2225	-0.0	-0.0	-0.1	0.0
-0.1	-51.59	70	-0.0	-0.0	-0.0	0.0
-0.0	-42.57	69	-0.0	-0.1	-0.0	-0.0
-0.1	-24.76					

	NODE	Vxx	Vyy
Max	Cent	0.4	0.7
	2224	0.5	1.6
	2225	0.5	0.2
	70	0.3	0.2
	69	0.3	1.6
Min	Cent	-0.0	-0.1
	2224	-0.0	-0.3
	2225	-0.0	-0.2
	70	-0.0	-0.2
	69	-0.0	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
11.5	0.40	Q2a-1-2	Max Cent	78.9	11.5	0.5	78.9
9.2	2.21		2224	34.4	9.2	1.0	34.5
33.5	0.90		2225	231.7	33.5	3.1	231.8
56.6	6.63		70	219.2	58.8	18.9	221.4
-18.0	45.39		69	13.6	14.5	32.1	46.2
-535.2	-14.70		Min Cent	-16.0	-499.5	-136.2	19.7
-1038.0	-16.48		2224	-141.1	-959.5	-265.4	-62.6

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-289.0	-44.49	2225	-45.6	-54.1	-239.1	189.2
-95.4	-10.78	70	-0.9	-92.0	-18.0	2.5
-977.8	-3.58	69	-74.0	-974.3	-56.6	-70.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	89.65	Max Cent	0.0	0.2	0.0	0.2
0.2	89.06	2224	0.2	0.3	0.0	0.3
0.0	89.93	2225	0.0	0.1	0.0	0.1
0.0	89.75	70	0.0	0.2	0.0	0.2
0.0	82.22	69	0.0	0.1	0.0	0.1
-0.0	-44.47	Min Cent	-0.0	-0.0	-0.0	0.0
-0.0	-42.16	2224	-0.0	-0.0	-0.0	0.0
-0.0	-52.49	2225	-0.0	-0.0	-0.0	0.0
-0.0	-43.37	70	-0.0	-0.0	-0.0	0.0
-0.1	-22.07	69	-0.0	-0.1	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.2	0.4
	2224	0.3	1.0
	2225	0.3	0.1
	70	0.2	0.1
	69	0.2	1.0
Min	Cent	-0.0	-0.0
	2224	-0.0	-0.1
	2225	-0.0	-0.2
	70	-0.0	-0.2
	69	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-7.7	78.17	SLVx (RS)	Cent	-5.6	40.6	10.1	42.7
1.7	75.31		2224	6.9	78.0	20.0	83.3
-27.9	58.16		2225	-16.2	2.5	18.9	14.3
-17.9	88.63		70	-17.9	3.7	0.5	3.7
4.9	88.76		69	4.9	78.9	1.6	79.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	0.0	0.0	-0.0	0.0



# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-78.73		2224	0.0	0.0	-0.0	0.0
0.0	-74.62		2225	0.0	-0.0	-0.0	0.0
-0.0	-8.27		70	-0.0	0.0	-0.0	0.0
-0.0	-80.91		69	0.0	-0.0	-0.0	0.0
-0.0	-5.27						

NODE	Vxx	Vyy
Cent	0.0	-0.0
2224	0.0	0.0
2225	0.0	-0.0
70	0.0	-0.0
69	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	33.6	-147.9	-6.7	33.9
-148.2	-2.10		2224	54.0	-224.7	-6.4	54.1
-224.8	-1.32		2225	109.7	-38.7	-53.7	127.1
-56.1	-17.95		70	13.3	-71.2	-6.9	13.9
-71.8	-4.67		69	-42.5	-257.1	40.5	-35.1
-264.5	10.33						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.1	0.1	-0.1	0.2
0.0	-62.00	2224	0.2	0.2	-0.0	0.3
0.2	-69.18	2225	0.0	0.1	-0.1	0.1
-0.0	-51.40	70	0.0	0.2	-0.1	0.2
-0.0	-72.26	69	0.0	0.0	-0.0	0.1
-0.0	-44.54					

NODE	Vxx	Vyy
Cent	0.2	0.1
2224	0.2	0.6
2225	0.2	-0.5
70	0.2	-0.5
69	0.2	0.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDx (RS)	Cent	-2.8	20.3	5.1	21.4
-3.9	78.17		2224	3.5	39.0	10.0	41.6
0.8	75.31						

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-14.0	58.16	2225	-8.1	1.3	9.4	7.1	
-8.9	88.63	70	-8.9	1.8	0.3	1.8	
2.5	88.76	69	2.5	39.4	0.8	39.5	
-----							
0.0	-78.73	Cent	0.0	0.0	-0.0	0.0	
0.0	-74.62	2224	0.0	0.0	-0.0	0.0	
-0.0	-8.26	2225	0.0	-0.0	-0.0	0.0	
-0.0	-80.91	70	-0.0	0.0	-0.0	0.0	
-0.0	-5.27	69	0.0	-0.0	-0.0	0.0	
-----							
		NODE	Vxx	Vyy			
-----							
		Cent	0.0	-0.0			
		2224	0.0	0.0			
		2225	0.0	-0.0			
		70	0.0	-0.0			
		69	0.0	0.0			
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-74.0	-2.10	SLDy (RS)	Cent	16.8	-73.9	-3.3	16.9
-112.3	-1.32		2224	26.9	-112.2	-3.2	27.0
-28.0	-17.95		2225	54.8	-19.3	-26.8	63.5
-35.8	-4.67		70	6.7	-35.5	-3.5	6.9
-132.1	10.33		69	-21.2	-128.4	20.2	-17.5
-----							
Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-----							
0.0	-62.00	Cent	0.0	0.1	-0.0	0.1	
0.1	-69.18	2224	0.1	0.1	-0.0	0.1	
-0.0	-51.40	2225	0.0	0.0	-0.0	0.1	
-0.0	-72.26	70	0.0	0.1	-0.0	0.1	
-0.0	-44.53	69	0.0	0.0	-0.0	0.0	
-----							
		NODE	Vxx	Vyy			
-----							
		Cent	0.1	0.0			
		2224	0.1	0.3			
		2225	0.1	-0.3			

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

70 0.1 -0.3  
69 0.1 0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-3.4	78.01	SLVz (RS)	Cent	-2.4	17.7	4.5	18.7
0.7	75.17		2224	3.1	34.2	8.9	36.5
-12.2	57.81		2225	-7.0	1.0	8.3	6.2
-7.9	89.15		70	-7.9	1.4	0.1	1.4
2.1	88.65		69	2.1	34.5	0.8	34.5

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	11.44		Cent	-0.0	-0.0	0.0	-0.0
-0.0	15.27		2224	-0.0	-0.0	0.0	-0.0
-0.0	8.23		2225	0.0	-0.0	0.0	0.0
-0.0	10.28		70	-0.0	-0.0	0.0	0.0
-0.0	12.45		69	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
2224	-0.0	-0.0
2225	-0.0	-0.0
70	-0.0	-0.0
69	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-521.8	-11.85	g1	Cent	68.6	-495.8	-123.8	94.5
-1016.4	-14.57		2224	-79.0	-953.1	-243.6	-15.7
-171.6	-32.07		2225	199.1	-26.1	-232.2	344.6
-38.6	-0.90		70	216.2	-38.6	-4.0	216.2
-965.8	-0.98		69	-61.9	-965.5	-15.4	-61.7

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-78.30		Cent	0.0	0.2	-0.0	0.2
0.1	-74.62		2224	0.1	0.2	-0.0	0.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-81.21	2225	-0.0	0.2	-0.0	0.2
-0.0	-80.90	70	0.0	0.1	-0.0	0.1
0.0	-74.97	69	0.1	0.1	-0.0	0.1

NODE	Vxx	Vyy
Cent	0.2	0.2
2224	0.3	0.2
2225	0.3	0.1
70	0.1	0.1
69	0.1	0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-255.8	-11.99	g2	Cent	33.2	-242.7	-61.4	46.2
-495.6	-14.68		2224	-38.9	-464.2	-119.7	-7.5
-86.3	-31.95		2225	95.7	-15.6	-113.5	166.5
-21.3	-1.39		70	105.3	-21.2	-3.1	105.4
-470.1	-1.20		69	-29.3	-469.9	-9.2	-29.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-80.13	Cent	0.0	0.1	-0.0	0.1
0.1	-74.17	2224	0.1	0.1	-0.0	0.1
-0.0	-82.55	2225	-0.0	0.1	-0.0	0.1
-0.0	-81.65	70	-0.0	0.1	-0.0	0.1
0.0	-80.54	69	0.0	0.1	-0.0	0.1

NODE	Vxx	Vyy
Cent	0.1	0.1
2224	0.1	0.0
2225	0.1	0.1
70	0.1	0.1
69	0.1	0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-10.2	-12.04	q3	Cent	1.3	-9.7	-2.5	1.8
-19.7	-14.67		2224	-1.5	-18.4	-4.8	-0.3
-3.5	-31.71		2225	3.8	-0.7	-4.5	6.6
			70	4.2	-1.0	-0.2	4.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-1.0	-1.89	69	-1.2	-18.6	-0.4	-1.1	
-18.7	-1.30						
-----							
0.0	-78.52	Cent	0.0	0.0	-0.0	0.0	
0.0	-75.24	2224	0.0	0.0	-0.0	0.0	
-0.0	-81.29	2225	-0.0	0.0	-0.0	0.0	
-0.0	-80.65	70	0.0	0.0	-0.0	0.0	
0.0	-76.20	69	0.0	0.0	-0.0	0.0	
-----							
		NODE	Vxx	Vyy			
		Cent	0.0	0.0			
		2224	0.0	0.0			
		2225	0.0	0.0			
		70	0.0	0.0			
		69	0.0	0.0			
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-56.2	0.02	q5_pc	Cent	10.4	-56.2	0.0	10.4
-86.3	-0.06		2224	17.9	-86.3	-0.1	17.9
-19.3	-17.07		2225	39.6	-13.7	-18.1	45.2
-26.1	0.32		70	3.0	-26.1	0.2	3.0
-102.6	12.22		69	-18.8	-98.7	18.2	-14.9
-----							
Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-0.0	-61.62	Cent	0.0	0.1	-0.1	0.1	
0.1	-67.39	2224	0.1	0.2	-0.0	0.2	
-0.1	-46.88	2225	0.0	0.0	-0.1	0.1	
-0.0	-68.47	70	0.0	0.2	-0.1	0.2	
-0.1	-72.98	69	-0.1	-0.0	-0.0	0.0	
-----							
		NODE	Vxx	Vyy			
		Cent	0.0	-0.0			
		2224	0.1	0.4			
		2225	0.1	-0.5			
		70	-0.1	-0.4			
		69	-0.1	0.4			

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-57.3	-0.94	q5_ps	Cent	11.0	-57.3	-1.1	11.1
-88.0	-0.82		2224	18.0	-88.0	-1.5	18.1
-20.5	-17.59		2225	40.1	-14.4	-19.2	46.2
-26.7	-1.36		70	4.0	-26.7	-0.7	4.1
-103.6	11.23		69	-18.0	-100.2	17.0	-14.7
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-62.25		Cent	0.0	0.1	-0.0	0.1
0.1	-68.32		2224	0.1	0.1	-0.0	0.1
-0.1	-47.24		2225	0.0	0.0	-0.1	0.1
-0.0	-68.26		70	0.0	0.1	-0.1	0.2
-0.1	-75.30		69	-0.1	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			2224	0.1	0.3		
			2225	0.1	-0.4		
			70	-0.1	-0.4		
			69	-0.1	0.3		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-723.5	-5.93	INVSLU Max	Cent	338.0	-708.5	-121.8	350.8
-1614.5	-10.54		2224	-7.0	-1542.7	-333.1	55.3
69.5	-20.18		2225	1017.8	192.6	-318.4	1150.5
191.5	10.24		70	873.6	216.9	131.4	897.3
-1572.0	6.15		69	-98.1	-1559.3	197.3	-82.0
-2100.6	-10.57	Min	Cent	92.0	-2020.9	-419.8	158.9
-4169.8	-14.20		2224	-430.4	-3950.5	-909.6	-200.3
-776.7	-27.53		2225	283.8	-41.6	-912.2	781.8
-194.6	5.02		70	379.9	-190.8	46.6	386.9
-4056.5	-0.03		69	-341.9	-4056.5	-34.6	-341.9
			NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE							
			Max	Cent	0.2	0.7	0.0	0.7
0.2	-79.54			2224	0.7	1.3	-0.0	1.3
0.7	-83.83			2225	0.0	0.6	0.0	0.7
-0.0	-79.88			70	0.1	0.8	0.1	0.8
0.1	-82.92			69	0.3	0.3	0.0	0.3
0.3	3.11		Min	Cent	0.1	0.2	-0.2	0.2
0.0	-85.02			2224	0.2	0.3	-0.1	0.3
0.1	-70.93			2225	-0.1	0.2	-0.2	0.2
-0.1	-89.30			70	0.0	0.1	-0.2	0.1
-0.0	72.85			69	-0.0	-0.1	-0.1	0.1
-0.1	-45.90							
				NODE	Vxx	Vyy		
			Max	Cent	1.0	1.6		
				2224	1.4	3.6		
				2225	1.4	0.8		
				70	0.8	0.8		
				69	0.8	3.6		
			Min	Cent	0.5	0.5		
				2224	0.5	0.4		
				2225	0.5	-0.8		
				70	0.2	-0.8		
				69	0.2	0.4		
Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
		INVSLV	Max	Cent	132.3	-496.2	-139.0	159.4
-530.1	-9.41			2224	-40.2	-1027.6	-287.8	23.9
-1118.7	-11.68			2225	400.9	25.0	-243.9	605.6
-157.8	-29.11			70	313.9	35.5	14.6	313.9
34.6	0.73			69	-47.1	-1017.3	41.9	-45.5
-1018.8	-2.30		Min	Cent	60.2	-827.0	-166.0	94.1
-854.1	-13.48			2224	-154.1	-1544.3	-337.0	-58.6
-1612.8	-16.89			2225	167.5	-54.5	-367.6	350.3
-259.2	-36.86			70	265.5	-109.9	0.3	265.8
-109.9	2.08			69	-136.3	-1599.6	-40.4	-135.2
-1600.8	1.58							
				NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		Max	Cent	0.1	0.3	0.0	0.4
0.1	-70.02		2224	0.3	0.5	0.0	0.5
0.3	-69.71		2225	0.0	0.3	0.0	0.3
-0.0	-70.19		70	0.0	0.4	0.0	0.4
-0.0	-75.46		69	0.1	0.2	0.0	0.2
0.1	-61.89	Min	Cent	0.0	0.1	-0.1	0.1
0.0	73.28		2224	-0.0	-0.0	-0.1	0.0
-0.0	54.17		2225	-0.0	0.2	-0.1	0.2
-0.0	81.37		70	-0.0	-0.0	-0.1	0.0
-0.1	37.47		69	0.1	0.1	-0.1	0.1
0.1	84.73						

-----		NODE	Vxx	Vyy
Max	Cent		0.5	0.3
	2224		0.6	0.8
	2225		0.6	0.7
	70		0.4	0.7
	69		0.4	0.8
Min	Cent		0.1	0.1
	2224		0.2	-0.4
	2225		0.2	-0.3
	70		0.0	-0.3
	69		0.0	-0.4

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-----		ANGLE	-----						
Fmin	-----								
2938	2	10	Q1-1-2	Max	Cent	853.9	22.0	200.6	899.8
-23.9		12.87			2232	985.7	84.4	274.5	1062.7
7.4		15.68			2233	991.2	62.2	126.8	1008.2
45.2		7.64			349	726.2	18.2	130.7	749.5
-5.1		10.14			64	721.0	1.6	278.4	816.1
-93.5		18.87		Min	Cent	-6.3	-17.3	-152.5	140.8
-164.4		-43.96			2232	-7.7	-16.8	-131.1	118.9
-143.4		-44.00			2233	-7.6	-3.0	-194.3	189.0
-199.6		-45.33			349	-4.9	-53.4	-193.7	166.0
-224.4		-41.44			64	-5.0	-57.5	-128.4	99.8
-162.3		-39.23							
Mmin	ANGLE		-----						
-----				NODE	Mxx	Myy	Mxy	Mmax	
Max	Cent				0.0	0.0	0.0	0.0	



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	62.82		2232	0.1	0.1	0.0	0.1
0.1	83.98		2233	0.0	0.0	0.0	0.0
0.0	67.98		349	0.0	0.0	0.0	0.1
0.0	70.58		64	0.0	0.0	0.0	0.0
0.0	34.28	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-55.32		2232	-0.0	-0.0	-0.0	-0.0
-0.0	-74.49		2233	-0.0	-0.0	-0.0	0.0
-0.0	-69.11		349	-0.0	-0.0	-0.0	0.0
-0.0	-47.40		64	-0.0	-0.1	-0.0	-0.0
-0.1	-7.43						

	NODE	Vxx	Vyy
Max	Cent	0.1	0.3
	2232	0.1	0.7
	2233	0.1	0.0
	349	0.1	0.0
	64	0.1	0.7
Min	Cent	-0.1	-0.0
	2232	-0.1	-0.0
	2233	-0.1	-0.1
	349	-0.0	-0.1
	64	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-17.8	13.64	Q2a-1-2	Max	Cent	514.2	13.5	129.1	545.5
1.5	16.42			2232	593.6	52.9	174.5	645.1
26.7	8.22			2233	598.0	38.6	82.5	609.9
-4.9	10.93			349	437.8	11.6	85.5	454.3
-62.5	19.68			64	433.6	1.0	177.5	497.1
-105.6	-43.86		Min	Cent	-4.6	-12.3	-97.1	88.7
-89.9	-44.11			2232	-5.6	-10.7	-81.7	73.6
-129.9	-45.41			2233	-5.6	-1.9	-126.2	122.5
-145.8	-41.55			349	-3.7	-34.1	-126.0	108.0
-103.9	-38.65			64	-3.7	-39.8	-80.1	60.3
Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
0.0	61.51		Max	Cent	0.0	0.0	0.0	0.0
				2232	0.0	0.1	0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	84.17		2233	0.0	0.0	0.0	0.0
0.0	68.15		349	0.0	0.0	0.0	0.0
0.0	70.36		64	0.0	0.0	0.0	0.0
0.0	30.99	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-55.06		2232	-0.0	-0.0	-0.0	-0.0
-0.0	-75.38		2233	-0.0	-0.0	-0.0	0.0
-0.0	-69.62		349	-0.0	-0.0	-0.0	0.0
-0.0	-48.01		64	-0.0	-0.1	-0.0	-0.0
-0.1	-7.31						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.2
	2232	0.1	0.5
	2233	0.1	0.0
	349	0.0	0.0
	64	0.0	0.5
Min	Cent	-0.0	-0.0
	2232	-0.1	-0.0
	2233	-0.1	-0.1
	349	-0.0	-0.1
	64	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-72.9	87.81	SLVx (RS)	Cent	-72.8	4.1	2.9	4.2
-84.4	84.86		2232	-83.7	9.2	8.4	10.0
-83.3	86.57		2233	-83.0	-5.3	4.7	-5.1
-62.4	85.47		349	-62.0	-1.1	4.9	-0.7
-63.8	82.17		64	-62.6	-5.2	8.1	-4.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	22.31	Cent	-0.0	-0.0	0.0	-0.0
-0.0	2.64	2232	0.0	-0.0	0.0	0.0
-0.0	-18.68	2233	-0.0	-0.0	-0.0	-0.0
-0.0	-77.07	349	-0.0	0.0	-0.0	0.0
0.0	12.69	64	0.0	0.0	0.0	0.0

	NODE	Vxx	Vyy
	Cent	0.0	-0.0
	2232	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

2233	0.0	-0.0
349	0.0	-0.0
64	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-23.2	86.85	SLVy (RS)	Cent	-23.1	6.2	1.6	6.3
-19.0	81.46		2232	-18.2	14.4	5.0	15.2
-22.4	86.29		2233	-22.3	-0.9	1.4	-0.8
-28.4	-86.03		349	-28.2	-2.2	-1.8	-2.1
-24.1	87.05		64	-24.0	12.7	1.9	12.8
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	-51.18		Cent	-0.0	-0.0	-0.0	0.0
-0.0	-55.94		2232	-0.0	-0.0	-0.0	-0.0
-0.1	-29.86		2233	-0.0	-0.1	-0.0	0.0
-0.0	-44.65		349	0.0	0.0	-0.0	0.1
-0.1	-78.04		64	-0.1	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.2	-0.1		
			2232	-0.1	-0.1		
			2233	-0.1	-0.2		
			349	-0.3	-0.2		
			64	-0.3	-0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-36.4	87.81	SLDx (RS)	Cent	-36.4	2.0	1.5	2.1
-42.2	84.86		2232	-41.8	4.6	4.2	5.0
-41.6	86.56		2233	-41.5	-2.7	2.3	-2.5
-31.2	85.47		349	-31.0	-0.6	2.4	-0.4
-31.9	82.17		64	-31.3	-2.6	4.0	-2.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	22.31		Cent	-0.0	-0.0	0.0	-0.0
			2232	0.0	-0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	2.64		2233	-0.0	-0.0	-0.0	-0.0
-0.0	-18.68		349	-0.0	0.0	-0.0	0.0
-0.0	-77.07		64	0.0	0.0	0.0	0.0
0.0	12.70						

NODE	Vxx	Vyy
Cent	0.0	-0.0
2232	0.0	-0.0
2233	0.0	-0.0
349	0.0	-0.0
64	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-11.6	86.85	SLDy (RS)	Cent	-11.6	3.1	0.8	3.1
-9.5	81.46		2232	-9.1	7.2	2.5	7.6
-11.2	86.29		2233	-11.2	-0.5	0.7	-0.4
-14.2	-86.03		349	-14.1	-1.1	-0.9	-1.0
-12.0	87.05		64	-12.0	6.4	0.9	6.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-51.18	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-55.94	2232	-0.0	-0.0	-0.0	-0.0
-0.0	-29.86	2233	-0.0	-0.0	-0.0	0.0
-0.0	-44.65	349	0.0	0.0	-0.0	0.0
-0.1	-78.04	64	-0.1	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.1	-0.1
2232	-0.0	-0.0
2233	-0.0	-0.1
349	-0.1	-0.1
64	-0.1	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-30.9	-87.80	SLVz (RS)	Cent	-30.9	-1.9	-1.1	-1.9
-36.2	-83.48		2232	-35.8	-4.3	-3.6	-3.9
-35.4	86.44		2233	-35.3	-2.3	2.1	-2.2

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-26.2	85.37	349	-26.0	0.5	2.2	0.7
-27.0	-82.46	64	-26.5	-2.1	-3.3	-1.7

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-----						
-0.0	34.14	Cent	-0.0	-0.0	0.0	-0.0
-0.0	15.37	2232	-0.0	-0.0	0.0	-0.0
-0.0	24.03	2233	-0.0	-0.0	0.0	-0.0
-0.0	36.87	349	-0.0	-0.0	0.0	0.0
0.0	12.66	64	0.0	0.0	0.0	0.0

NODE Vxx Vyy

-----		
Cent	-0.0	-0.0
2232	-0.0	-0.0
2233	-0.0	0.0
349	0.0	0.0
64	0.0	-0.0

Fmin ANGLE LC NODE Fxx Fyy Fxy Fmax

-----							
15.9	1.12	g1	Cent	635.2	16.1	12.1	635.4
47.7	5.56		2232	732.7	54.2	66.7	739.2
32.1	-3.32		2233	726.8	34.5	-40.2	729.1
-25.2	-4.32		349	537.6	-22.0	-42.6	540.8
-9.7	6.64		64	543.5	-2.2	64.4	551.0

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-----							
0.0	-87.92		Cent	0.0	0.0	-0.0	0.0
0.0	-89.90		2232	0.0	0.0	-0.0	0.0
0.0	-89.39		2233	0.0	0.0	-0.0	0.0
0.0	-89.90		349	0.0	0.0	-0.0	0.0
0.0	-35.13		64	0.0	0.0	-0.0	0.0

NODE Vxx Vyy

-----		
Cent	0.0	0.0
2232	0.0	0.1
2233	0.0	0.0
349	0.0	0.0
64	0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
4.9	0.07	g2	Cent	307.0	4.9	0.4	307.0
22.3	4.60		2232	353.8	24.5	26.7	356.0
10.3	-4.07		2233	350.1	12.0	-24.2	351.8
-17.2	-5.34		349	260.1	-14.8	-25.9	262.6
-4.6	5.31		64	263.9	-2.3	24.9	266.2
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	-85.19		Cent	0.0	0.0	-0.0	0.0
-0.0	-2.89		2232	0.0	-0.0	-0.0	0.0
0.0	-83.16		2233	0.0	0.0	-0.0	0.0
-0.0	-70.54		349	-0.0	0.0	-0.0	0.0
0.0	-87.71		64	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.0		
			2232	0.0	-0.1		
			2233	0.0	0.0		
			349	0.0	0.0		
			64	0.0	-0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-0.6	12.17	q3	Cent	25.5	0.6	5.6	26.7
-0.1	14.43		2232	28.6	1.8	7.4	30.5
0.5	8.16		2233	28.4	1.1	4.0	28.9
-1.3	9.33		349	22.4	-0.7	3.9	23.0
-2.1	16.42		64	22.6	0.1	7.3	24.8
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	-76.18		Cent	0.0	0.0	-0.0	0.0
0.0	-53.35		2232	0.0	0.0	-0.0	0.0
-0.0	89.99		2233	-0.0	0.0	0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	89.28	349	0.0	0.0	0.0	0.0
0.0	-12.44	64	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
2232	0.0	0.0
2233	0.0	-0.0
349	0.0	-0.0
64	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-25.7	89.78	q5_pc	Cent	-25.7	-3.8	0.1	-3.8
-26.5	-88.38		2232	-26.5	-7.4	-0.5	-7.4
-24.2	-87.85		2233	-24.2	0.1	-0.9	0.1
-24.9	88.35		349	-24.9	-0.2	0.7	-0.2
-27.2	86.83		64	-27.1	-7.7	1.1	-7.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.1	-51.87	Cent	-0.1	-0.0	-0.1	0.0
-0.1	-58.18	2232	-0.0	-0.0	-0.0	0.0
-0.1	-31.86	2233	-0.0	-0.1	-0.1	0.0
-0.0	-46.42	349	0.1	0.1	-0.1	0.1
-0.2	-76.64	64	-0.2	-0.1	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.3	-0.2
2232	-0.1	0.0
2233	-0.1	-0.4
349	-0.4	-0.4
64	-0.4	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-21.6	-86.49	q5_ps	Cent	-21.5	-3.8	-1.1	-3.7
-22.2	-84.24		2232	-22.1	-6.7	-1.6	-6.5
-20.4	-84.44		2233	-20.3	-0.6	-1.9	-0.4
-21.0	-88.26		349	-20.9	-0.9	-0.6	-0.9
			64	-22.8	-7.0	-0.2	-7.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-22.8      -89.10

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	-51.89		Cent	-0.1	-0.0	-0.1	0.0
-0.1	-57.38		2232	-0.0	-0.0	-0.0	0.0
-0.1	-31.87		2233	-0.0	-0.1	-0.1	0.0
-0.0	-46.34		349	0.0	0.1	-0.1	0.1
-0.2	-76.86		64	-0.2	-0.1	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.3	-0.2
2232	-0.1	-0.0
2233	-0.1	-0.4
349	-0.4	-0.4
64	-0.4	0.0

Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
29.7	7.82	INVSLU	Max	Cent	2243.3	61.3	305.4	2285.1
132.3	13.15			2232	2830.3	272.5	632.2	2978.0
233.1	-0.62			2233	2834.9	233.4	-28.0	2835.2
-70.8	-0.54			349	1661.6	-70.7	-15.0	1661.8
-163.5	18.24			64	1657.4	-80.8	645.7	1869.6
-26.2	-6.68		Min	Cent	1028.7	1.4	-171.5	1043.0
98.0	3.61			2232	1434.9	122.5	83.6	1446.9
-3.0	-13.17			2233	1437.0	145.2	-463.2	1544.2
-372.5	-19.57			349	622.5	-167.8	-454.3	759.0
-314.5	6.74			64	620.4	-177.5	94.7	639.8

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	42.37	Max	Cent	0.1	0.1	0.1	0.2
0.1	75.65		2232	0.2	0.3	0.1	0.3
0.0	61.30		2233	0.1	0.2	0.1	0.2
0.0	-52.78		349	0.1	0.2	0.1	0.2
0.0	12.34		64	0.3	0.0	0.1	0.3
		Min	Cent	-0.1	-0.0	-0.1	0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	-54.95	2232	-0.1	0.1	-0.1	0.1
-0.1	-74.46	2233	-0.0	-0.1	-0.1	0.0
-0.2	-39.62	349	-0.1	-0.1	-0.1	0.0
-0.2	47.80	64	-0.3	-0.2	-0.1	-0.2
-0.4	-65.35					

	NODE	Vxx	Vyy
Max	Cent	0.5	0.9
	2232	0.2	1.5
	2233	0.2	0.6
	349	0.7	0.6
	64	0.7	1.5
Min	Cent	-0.4	-0.1
	2232	-0.2	0.5
	2233	-0.2	-0.7
	349	-0.7	-0.7
	64	-0.7	0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
27.2	0.36	INVSLV	Max Cent	903.6	27.4	12.4	903.6
97.5	7.35		2232	1167.7	124.2	160.7	1185.8
71.2	-7.23		2233	1161.0	88.7	-126.8	1178.6
-89.3	-10.64		349	639.7	-64.3	-126.3	665.5
-63.5	11.23		64	646.2	-28.7	159.5	674.4
11.4	0.96		Min Cent	725.5	11.4	4.9	725.7
68.0	10.23		2232	967.8	87.3	138.7	996.5
58.3	-8.00		2233	960.4	76.1	-138.2	978.2
-98.4	-12.39		349	483.1	-69.7	-138.4	511.1
-94.1	15.21		64	490.6	-58.6	140.2	533.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	43.95	Max Cent	0.0	0.0	0.0	0.1
0.0	46.69	2232	0.0	0.0	0.0	0.1
0.0	64.12	2233	0.0	0.1	0.0	0.1
0.0	-47.61	349	0.0	0.0	0.0	0.1
0.0	12.83	64	0.1	0.0	0.0	0.1
-0.0	-64.13	Min Cent	-0.0	-0.0	-0.0	0.0
		2232	-0.0	0.0	-0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-64.06	2233	-0.0	-0.0	-0.0	0.0
-0.1	-45.72	349	-0.0	-0.0	-0.0	0.0
-0.1	52.03	64	-0.1	-0.0	-0.0	-0.0
-0.1	-78.78					

	NODE	Vxx	Vyy
Max	Cent	0.2	0.2
	2232	0.1	0.1
	2233	0.1	0.3
	349	0.3	0.3
	64	0.3	0.1
Min	Cent	-0.2	-0.1
	2232	-0.1	-0.0
	2233	-0.1	-0.2
	349	-0.3	-0.2
	64	-0.3	-0.0

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
2956	2	8	Q1-1-2	Max	Cent	949.6	20.6	18.3	949.9
20.3		1.13			2249	1116.9	75.1	39.0	1118.4
73.7		2.14			2250	1112.5	58.8	1.9	1112.5
58.8		0.10			205	782.3	0.6	2.0	782.3
0.6		0.15			204	786.7	0.7	41.7	788.9
-1.5		3.03		Min	Cent	-19.2	-20.0	-354.3	334.7
-373.8		-44.97			2249	-22.4	-3.7	-291.7	278.8
-304.9		-45.92			2250	-22.4	-4.4	-415.1	401.8
-428.6		-45.62			205	-16.0	-65.8	-417.9	377.7
-459.5		-43.29			204	-15.9	-56.6	-294.7	259.1
-331.7		-43.03							
Mmin		ANGLE			NODE	Mxx	Myy	Mxy	Mmax
0.0		70.57		Max	Cent	0.0	0.1	0.0	0.1
0.0		75.24			2249	0.0	0.1	0.0	0.1
0.0		77.88			2250	0.0	0.1	0.0	0.1
-0.0		54.02			205	0.0	0.0	0.0	0.0
-0.0		54.68			204	0.0	0.0	0.0	0.0
-0.0		-31.20		Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0		-28.94			2249	-0.0	-0.0	-0.0	0.0
					2250	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-26.57		205	-0.0	-0.0	-0.0	-0.0
-0.0	-38.74		204	-0.0	-0.0	-0.0	-0.0
-0.0	-48.45						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.3
	2249	0.0	0.2
	2250	0.0	0.3
	205	0.0	0.3
	204	0.0	0.2
Min	Cent	-0.0	-0.0
	2249	-0.0	-0.0
	2250	-0.0	-0.0
	205	-0.0	-0.0
	204	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
12.4	1.32	Q2a-1-2	Max	Cent	573.9	12.7	12.9	574.2
44.7	2.48		2249	674.8	45.9	27.3	676.0	
35.7	0.12		2250	672.1	35.7	1.3	672.1	
0.4	0.17		205	473.0	0.4	1.4	473.0	
-1.2	3.50		204	475.7	0.5	29.2	477.5	
-231.0	-45.00		Min	Cent	-14.2	-14.2	-216.7	202.5
-188.0	-46.12		2249	-16.6	-2.7	-178.2	168.8	
-263.8	-45.76		2250	-16.6	-3.2	-253.8	244.0	
-283.6	-43.25		205	-11.9	-43.1	-255.6	228.6	
-205.7	-42.90		204	-11.8	-38.3	-180.2	155.6	

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	71.11	Max	Cent	0.0	0.0	0.0
0.0	75.89	2249	0.0	0.1	0.0	0.1
0.0	78.42	2250	0.0	0.1	0.0	0.1
-0.0	53.43	205	0.0	0.0	0.0	0.0
-0.0	54.30	204	0.0	0.0	0.0	0.0
-0.0	-31.88	Min	Cent	-0.0	-0.0	-0.0
-0.0	-30.00	2249	-0.0	-0.0	-0.0	0.0
-0.0	-27.92	2250	-0.0	-0.0	-0.0	-0.0
		205	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0      -39.28  
 -0.0      -51.15

	NODE	Vxx	Vyy
Max	Cent	0.0	0.2
	2249	0.0	0.2
	2250	0.0	0.2
	205	0.0	0.2
	204	0.0	0.2
Min	Cent	-0.0	-0.0
	2249	-0.0	-0.0
	2250	-0.0	-0.0
	205	-0.0	-0.0
	204	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-3.6	13.89	SLVx (RS)	Cent	92.4	2.2	23.7	98.3
3.3	10.53		2249	107.0	6.9	19.3	110.5
-1.3	14.84		2250	106.8	6.3	28.6	114.4
-11.6	17.73		205	78.0	-2.4	28.6	87.1
-6.4	12.87		204	78.1	-2.0	19.3	82.5

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-83.99		Cent	-0.0	0.0	-0.0	0.0
0.0	-81.62		2249	0.0	0.0	-0.0	0.0
-0.0	-7.27		2250	-0.0	-0.0	-0.0	-0.0
-0.0	-8.46		205	-0.0	-0.0	-0.0	-0.0
-0.0	-9.83		204	-0.0	-0.0	-0.0	-0.0

	NODE	Vxx	Vyy
	Cent	-0.0	-0.0
	2249	-0.0	-0.0
	2250	-0.0	-0.0
	205	-0.0	-0.0
	204	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-38.6	-74.36	SLVy (RS)	Cent	-35.6	-0.4	-10.7	2.6
-40.3	-74.22		2249	-37.2	-0.9	-11.1	2.2
			2250	-37.2	-0.9	-10.3	1.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-39.9	-75.28		205	-34.1	0.1	-10.3	3.0
-37.0	-74.50		204	-34.1	0.2	-11.2	3.5
-37.4	-73.45						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
------	-------	--	------	-----	-----	-----	------

-----							
			Cent	0.0	0.0	-0.0	0.1
0.0	-61.92		2249	0.0	-0.0	-0.0	0.0
-0.1	-16.96		2250	-0.0	-0.1	-0.0	-0.0
-0.1	-16.18		205	0.0	0.1	-0.0	0.1
0.0	-81.49		204	0.1	0.1	-0.0	0.1
0.1	-79.32						

	NODE	Vxx	Vyy
-----			
	Cent	0.0	-0.6
	2249	0.0	-0.6
	2250	0.0	-0.7
	205	0.1	-0.7
	204	0.1	-0.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

-----							
		SLDx (RS)	Cent	46.2	1.1	11.9	49.1
-1.8	13.90		2249	53.4	3.4	9.6	55.2
1.6	10.54		2250	53.3	3.2	14.3	57.1
-0.6	14.85		205	38.9	-1.2	14.3	43.5
-5.8	17.74		204	39.0	-1.0	9.7	41.2
-3.2	12.88						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
------	-------	--	------	-----	-----	-----	------

-----							
			Cent	-0.0	0.0	-0.0	0.0
-0.0	-83.97		2249	0.0	0.0	-0.0	0.0
0.0	-81.60		2250	-0.0	-0.0	-0.0	-0.0
-0.0	-7.29		205	-0.0	-0.0	-0.0	-0.0
-0.0	-8.48		204	-0.0	-0.0	-0.0	-0.0
-0.0	-9.85						

	NODE	Vxx	Vyy
-----			
	Cent	-0.0	-0.0
	2249	-0.0	-0.0
	2250	-0.0	-0.0
	205	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE						
-19.3	-74.35	SLDy (RS)	Cent	-17.8	-0.2	-5.4	1.3
-20.2	-74.21		2249	-18.6	-0.5	-5.6	1.1
-19.9	-75.27		2250	-18.6	-0.4	-5.1	0.9
-18.5	-74.49		205	-17.0	0.1	-5.1	1.5
-18.7	-73.44		204	-17.0	0.1	-5.6	1.8
			NODE	Mxx	Myy	Mxy	Mmax
Mmin	ANGLE						
0.0	-61.89		Cent	0.0	0.0	-0.0	0.0
-0.0	-16.98		2249	0.0	-0.0	-0.0	0.0
-0.0	-16.19		2250	-0.0	-0.0	-0.0	-0.0
0.0	-81.47		205	0.0	0.1	-0.0	0.1
0.0	-79.30		204	0.0	0.1	-0.0	0.1
			NODE	Vxx	Vyy		
			Cent	0.0	-0.3		
			2249	0.0	-0.3		
			2250	0.0	-0.3		
			205	0.0	-0.3		
			204	0.0	-0.3		
		LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE						
-32.3	71.81	SLVz (RS)	Cent	-28.9	-0.8	10.3	2.6
-36.0	75.70		2249	-33.9	-2.5	8.6	-0.3
-37.9	71.24		2250	-33.8	-2.1	12.1	2.0
-28.9	67.75		205	-23.9	0.8	12.2	5.8
-26.7	72.53		204	-24.0	0.5	8.6	3.2
			NODE	Mxx	Myy	Mxy	Mmax
Mmin	ANGLE						
-0.0	-22.00		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-16.09		2249	-0.0	-0.0	-0.0	-0.0
			2250	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-13.96		205	-0.0	-0.0	-0.0	-0.0
-0.0	-10.03		204	-0.0	-0.0	-0.0	-0.0
-0.0	-12.08						

NODE	Vxx	Vyy
Cent	-0.0	0.0
2249	-0.0	0.0
2250	-0.0	0.0
205	-0.0	0.0
204	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g1	Cent	677.7	13.6	-215.0	741.3
-50.0	-16.46		2249	797.9	53.2	-168.8	834.4
16.7	-12.19		2250	795.5	45.1	-261.2	877.4
-36.8	-17.42		205	557.6	-26.1	-261.3	657.4
-125.9	-20.92		204	560.0	-18.0	-168.9	605.7
-63.7	-15.15						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	0.0	0.0	0.0
0.0	84.07	2249	0.0	0.0	0.0	0.0
0.0	84.47	2250	0.0	0.0	0.0	0.0
0.0	85.97	205	0.0	0.0	0.0	0.0
0.0	83.29	204	0.0	0.0	0.0	0.0
0.0	82.08					

NODE	Vxx	Vyy
Cent	0.0	0.0
2249	0.0	0.0
2250	0.0	0.0
205	0.0	0.0
204	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g2	Cent	333.5	5.4	-103.2	363.2
-24.3	-16.08		2249	392.9	24.9	-80.3	409.7
8.1	-11.79		2250	391.8	21.1	-126.0	430.6
-17.7	-17.11		205	274.1	-14.1	-126.0	321.4
-61.4	-20.58						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-31.3	-14.68		204	275.2	-10.3	-80.3	296.3
-----							
0.0	-62.16		Cent	0.0	0.0	-0.0	0.0
-0.0	-28.07		2249	0.0	-0.0	-0.0	0.0
-0.0	-19.80		2250	-0.0	-0.0	-0.0	-0.0
0.0	-80.48		205	0.0	0.0	-0.0	0.0
0.0	-74.79		204	0.0	0.0	-0.0	0.0
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			2249	0.0	-0.0		
			2250	0.0	-0.0		
			205	0.0	-0.0		
			204	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
1.1	-0.51	q3	Cent	79.2	1.1	-0.7	79.2
4.1	2.24		2249	90.0	4.3	3.4	90.2
4.2	-3.36		2250	90.1	4.5	-5.0	90.4
-2.3	-3.84		205	68.4	-2.0	-4.8	68.7
-2.4	2.95		204	68.4	-2.2	3.7	68.6
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	88.83		Cent	0.0	0.0	0.0	0.0
0.0	88.12		2249	0.0	0.0	0.0	0.0
0.0	89.44		2250	0.0	0.0	0.0	0.0
0.0	89.79		205	0.0	0.0	0.0	0.0
0.0	88.23		204	0.0	0.0	0.0	0.0
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			2249	0.0	0.0		
			2250	0.0	0.0		
			205	-0.0	0.0		
			204	-0.0	0.0		



# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-34.3	85.24	q5_pc	Cent	-34.1	-0.4	2.8	-0.2
-37.3	87.42		2249	-37.2	-1.5	1.6	-1.4
-37.6	83.66		2250	-37.1	-1.3	4.0	-0.9
-31.4	82.84		205	-30.9	0.6	4.0	1.1
-31.0	87.09		204	-31.0	0.4	1.6	0.5
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-63.99		Cent	0.0	0.1	-0.0	0.1
-0.1	-22.45		2249	0.0	-0.1	-0.0	0.0
-0.1	-21.05		2250	-0.0	-0.1	-0.0	-0.0
0.1	-80.95		205	0.1	0.3	-0.0	0.3
0.1	-79.08		204	0.1	0.2	-0.0	0.2
			NODE	Vxx	Vyy		
			Cent	0.1	-1.0		
			2249	0.1	-0.9		
			2250	0.1	-1.1		
			205	0.1	-1.1		
			204	0.1	-0.9		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-28.8	87.19	q5_ps	Cent	-28.8	-0.4	1.4	-0.3
-31.2	89.10		2249	-31.2	-1.2	0.5	-1.2
-31.3	85.64		2250	-31.1	-1.0	2.3	-0.8
-26.6	85.09		205	-26.4	0.4	2.3	0.6
-26.4	88.97		204	-26.4	0.2	0.5	0.2
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-63.70		Cent	0.0	0.1	-0.0	0.1
-0.1	-22.22		2249	-0.0	-0.1	-0.0	0.0
-0.1	-20.77		2250	-0.0	-0.1	-0.0	-0.0
0.1	-80.91		205	0.1	0.3	-0.0	0.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
0.1	-79.01		204	0.1	0.2	-0.0	0.2	
			NODE	Vxx	Vyy			
			Cent	0.1	-1.0			
			2249	0.1	-0.9			
			2250	0.1	-1.1			
			205	0.1	-1.1			
			204	0.1	-0.9			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-7.8	-8.93	INVSLU	Max	Cent	2648.1	57.8	-412.3	2713.7
254.5	-3.94			2249	3343.7	269.1	-209.9	3358.3
131.1	-11.08			2250	3339.8	254.1	-621.1	3462.8
-276.6	-15.45			205	1952.6	-106.0	-608.9	2122.8
-131.7	-5.39			204	1956.4	-113.1	-194.4	1975.0
-475.4	-22.21		Min	Cent	1272.9	2.2	-920.4	1626.6
-77.2	-17.70			2249	1732.9	160.1	-659.3	1911.2
-468.2	-23.44			2250	1735.1	166.4	-1191.2	2216.2
-968.8	-29.66			205	812.9	-196.7	-1183.0	1384.9
-507.9	-19.81			204	810.8	-191.3	-651.4	1039.1
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
0.1	-79.10		Max	Cent	0.1	0.2	0.1	0.2
0.0	69.89			2249	0.0	0.2	0.1	0.2
0.1	71.70			2250	0.1	0.3	0.1	0.3
0.1	-85.56			205	0.1	0.4	0.1	0.4
0.1	-84.83			204	0.1	0.4	0.1	0.4
-0.2	20.74		Min	Cent	-0.1	-0.1	-0.1	-0.0
-0.1	-22.52			2249	-0.0	-0.1	-0.1	0.0
-0.2	-20.14			2250	-0.1	-0.2	-0.1	-0.0
-0.4	7.16			205	-0.1	-0.4	-0.1	-0.1
-0.4	8.86			204	-0.2	-0.4	-0.1	-0.1
			NODE	Vxx	Vyy			
			Max	Cent	0.1	1.9		
				2249	0.1	1.7		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	2250	0.1	2.1
	205	0.1	2.1
	204	0.1	1.7
Min	Cent	-0.1	-1.5
	2249	-0.1	-1.4
	2250	-0.1	-1.7
	205	-0.1	-1.7
	204	-0.1	-1.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-53.2	-14.61	INVS LV	Max Cent	1079.6	22.4	-289.4	1156.6
83.0	-8.48		2249	1377.7	111.8	-188.0	1406.5
-4.8	-16.27		2250	1377.8	111.9	-396.6	1495.7
-220.9	-21.58		205	781.5	-61.7	-390.5	938.8
-105.0	-11.89		204	781.4	-62.9	-181.8	820.8
-107.0	-19.65		Min Cent	856.0	17.2	-349.6	978.6
45.5	-12.23		2249	1121.2	96.0	-238.4	1171.7
-79.9	-20.97		2250	1121.6	97.5	-467.3	1297.9
-297.8	-27.15		205	590.7	-67.1	-461.2	823.4
-136.1	-17.41		204	590.3	-67.4	-232.3	661.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-70.25	Max Cent	0.0	0.1	0.0	0.1
0.0	72.71		2249	0.0	0.1	0.1
0.0	73.62		2250	0.0	0.1	0.1
0.0	-83.80		205	0.0	0.2	0.2
0.1	-82.41		204	0.1	0.1	0.2
-0.0	35.05		Min Cent	-0.0	-0.0	-0.0
-0.0	-6.55		2249	0.0	-0.0	0.0
-0.1	-15.64		2250	-0.0	-0.1	-0.0
-0.1	10.78		205	-0.0	-0.1	-0.0
-0.1	13.73		204	-0.1	-0.1	-0.0

NODE	Vxx	Vyy
Max Cent	0.1	0.7
2249	0.1	0.6
2250	0.1	0.7
205	0.1	0.7

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	204	0.1	0.6
Min	Cent	-0.0	-0.6
	2249	-0.0	-0.6
	2250	-0.0	-0.7
	205	-0.0	-0.7
	204	-0.0	-0.6

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
2957	2	4	Q1-1-2	Max	Cent	842.2	3.9	24.6	842.9
3.2		1.68			2250	927.7	34.9	47.7	930.3
32.4		3.05			2216	924.0	21.5	2.1	924.1
21.5		0.13			61	757.8	0.3	3.0	757.8
0.3		0.23			205	760.4	0.7	50.7	763.7
-2.6		3.80		Min	Cent	-15.8	-29.7	-342.3	319.7
-365.1		-44.42			2250	-17.1	-21.0	-276.3	257.2
-295.4		-44.80			2216	-17.3	-15.7	-407.5	391.0
-424.0		-45.05			61	-14.4	-56.8	-409.2	374.2
-445.3		-43.52			205	-14.2	-54.5	-278.3	244.7
-313.5		-42.93							
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
				Max	Cent	0.0	0.1	0.0	0.1
0.0		74.98			2250	0.0	0.1	0.0	0.1
0.0		79.66			2216	0.0	0.1	0.0	0.1
0.0		82.35			61	0.0	0.0	0.0	0.0
-0.0		60.94			205	0.0	0.0	0.0	0.0
-0.0		53.27		Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0		-37.31			2250	-0.0	-0.0	-0.0	-0.0
-0.0		-30.53			2216	-0.0	-0.0	-0.0	0.0
-0.0		-37.10			61	-0.0	-0.0	-0.0	0.0
-0.0		-38.98			205	-0.0	-0.0	-0.0	-0.0
-0.0		-48.98							
				NODE	Vxx	Vyy			
				Max	Cent	0.0	0.2		
					2250	0.0	0.2		
					2216	0.0	0.2		
					61	0.0	0.2		
					205	0.0	0.2		
				Min	Cent	-0.0	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

2250 -0.0 -0.0  
 2216 -0.0 -0.0  
 61 -0.0 -0.0  
 205 -0.0 -0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
1.9	1.95	Q2a-1-2	Max Cent	507.7	2.5	17.3	508.3
19.5	3.53		2250	559.2	21.6	33.3	561.2
13.5	0.15		2216	557.0	13.5	1.4	557.0
0.2	0.25		61	457.1	0.2	2.0	457.1
-2.2	4.39		205	458.5	0.5	35.3	461.2
-226.1	-44.36		Min Cent	-11.7	-21.0	-209.6	193.3
-182.7	-44.81		2250	-12.7	-15.0	-168.9	155.0
-261.6	-45.09		2216	-12.8	-11.2	-249.5	237.5
-275.0	-43.49		61	-10.7	-37.2	-250.7	227.2
-194.7	-42.75		205	-10.6	-37.4	-170.2	146.8
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	75.79		Max Cent	0.0	0.0	0.0	0.0
0.0	80.27		2250	0.0	0.1	0.0	0.1
0.0	82.96		2216	0.0	0.1	0.0	0.1
-0.0	60.80		61	0.0	0.0	0.0	0.0
-0.0	52.91		205	0.0	0.0	0.0	0.0
-0.0	-38.30		Min Cent	-0.0	-0.0	-0.0	0.0
-0.0	-32.20		2250	-0.0	-0.0	-0.0	-0.0
-0.0	-39.13		2216	-0.0	-0.0	-0.0	0.0
-0.0	-39.46		61	-0.0	-0.0	-0.0	0.0
-0.0	-49.70		205	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Max Cent	0.0	0.2		
			2250	0.0	0.1		
			2216	0.0	0.2		
			61	0.0	0.2		
			205	0.0	0.2		
			Min Cent	-0.0	-0.0		
			2250	-0.0	-0.0		
			2216	-0.0	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		61	205	-0.0	-0.0	-0.0	-0.0
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-7.0	14.94	SLVx (RS)	Cent	80.1	-0.8	23.2	86.3
-6.7	11.18		2250	86.7	-3.0	18.4	90.3
-6.1	16.95		2216	86.7	2.5	28.3	95.3
-11.0	18.48		61	73.6	-1.6	28.3	83.0
-6.0	13.07		205	73.6	-1.7	18.5	77.8
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-84.86		Cent	0.0	0.0	-0.0	0.0
0.0	-84.92		2250	0.0	0.0	-0.0	0.0
-0.0	-2.34		2216	-0.0	-0.0	-0.0	-0.0
-0.0	-3.94		61	-0.0	-0.0	-0.0	-0.0
-0.0	-7.74		205	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			2250	-0.0	-0.0		
			2216	-0.0	-0.0		
			61	0.0	-0.0		
			205	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-32.0	-71.44	SLVy (RS)	Cent	-28.4	0.5	-10.9	4.1
-29.7	-72.92		2250	-26.7	1.4	-9.6	4.3
-31.6	-69.26		2216	-27.0	0.4	-12.1	5.0
-34.4	-70.11		61	-30.0	-0.5	-12.2	3.9
-32.5	-73.67		205	-29.7	0.5	-9.7	3.3
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-64.21		Cent	0.0	0.0	-0.0	0.0
-0.1	-10.08		2250	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	3.13	2216	-0.0	-0.1	0.0	-0.0
0.0	87.07	61	0.0	0.1	0.0	0.1
0.0	-81.96	205	0.0	0.1	-0.0	0.1

NODE	Vxx	Vyy
Cent	0.0	-0.5
2250	0.0	-0.5
2216	0.0	-0.6
61	0.0	-0.6
205	0.0	-0.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-3.5	14.95	SLDx (RS)	Cent	40.0	-0.4	11.6	43.1
-3.3	11.19		2250	43.3	-1.5	9.2	45.1
-3.1	16.96		2216	43.3	1.3	14.1	47.6
-5.5	18.49		61	36.7	-0.8	14.1	41.5
-3.0	13.08		205	36.7	-0.9	9.2	38.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-84.84	Cent	0.0	0.0	-0.0	0.0
0.0	-84.90	2250	0.0	0.0	-0.0	0.0
-0.0	-2.34	2216	-0.0	-0.0	-0.0	-0.0
-0.0	-3.95	61	-0.0	-0.0	-0.0	-0.0
-0.0	-7.76	205	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
2250	-0.0	-0.0
2216	-0.0	-0.0
61	0.0	-0.0
205	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-16.0	-71.43	SLDy (RS)	Cent	-14.2	0.2	-5.4	2.1
-14.8	-72.91		2250	-13.4	0.7	-4.8	2.2
-15.8	-69.26		2216	-13.5	0.2	-6.1	2.5
			61	-15.0	-0.3	-6.1	1.9

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-17.2	-70.10	205	-14.8	0.2	-4.8	1.6	
-16.2	-73.67						
-----							
0.0	-64.15	Cent	0.0	0.0	-0.0	0.0	
-0.0	-10.10	2250	-0.0	-0.0	-0.0	-0.0	
-0.0	3.15	2216	-0.0	-0.0	0.0	-0.0	
0.0	87.04	61	0.0	0.1	0.0	0.1	
0.0	-81.94	205	0.0	0.1	-0.0	0.1	
-----							
		NODE	Vxx	Vyy			
-----							
		Cent	0.0	-0.3			
		2250	0.0	-0.2			
		2216	0.0	-0.3			
		61	0.0	-0.3			
		205	0.0	-0.2			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-29.4	70.69	SLVz (RS)	Cent	-25.8	-0.4	10.2	3.2
-30.6	74.39		2250	-28.3	-1.3	8.2	1.0
-32.9	69.19		2216	-28.2	-0.9	12.2	3.7
-28.4	67.25		61	-23.3	0.6	12.2	5.7
-25.9	72.68		205	-23.4	0.4	8.2	3.0
-----							
Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-----							
-0.0	16.45	Cent	-0.0	-0.0	0.0	-0.0	
-0.0	10.43	2250	-0.0	-0.0	0.0	-0.0	
-0.0	4.74	2216	-0.0	-0.0	0.0	-0.0	
-0.0	5.79	61	-0.0	-0.0	0.0	-0.0	
-0.0	10.40	205	-0.0	-0.0	0.0	-0.0	
-----							
		NODE	Vxx	Vyy			
-----							
		Cent	-0.0	0.0			
		2250	-0.0	0.0			
		2216	-0.0	0.0			
		61	-0.0	0.0			
		205	-0.0	0.0			



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		g1	Cent	603.0	0.3	-207.0	667.2
-63.9	-17.24		2250	664.4	21.6	-158.3	701.2
-15.3	-13.11		2216	662.4	15.1	-255.8	751.3
-73.8	-19.16		61	541.7	-21.1	-255.6	640.4
-119.8	-21.12		205	543.7	-14.5	-158.1	585.3
-56.2	-14.76						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	88.07		Cent	0.0	0.0	0.0	0.0
0.0	87.91		2250	0.0	0.0	0.0	0.0
0.0	89.85		2216	0.0	0.0	0.0	0.0
0.0	87.94		61	0.0	0.0	0.0	0.0
0.0	84.91		205	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	0.0		
			2250	0.0	0.0		
			2216	0.0	0.0		
			61	-0.0	0.0		
			205	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		g2	Cent	296.1	-1.1	-99.3	326.3
-31.2	-16.88		2250	326.4	9.4	-75.3	343.4
-7.5	-12.70		2216	325.5	6.3	-123.5	367.7
-35.9	-18.87		61	265.8	-11.6	-123.3	312.7
-58.5	-20.82		205	266.8	-8.4	-75.1	285.9
-27.6	-14.31						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	87.15		Cent	0.0	0.0	0.0	0.0
-0.0	-7.99		2250	-0.0	-0.0	-0.0	-0.0
-0.0	7.93		2216	-0.0	-0.0	0.0	-0.0
			61	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0 85.53  
 0.0 -85.37

NODE	Vxx	Vyy
Cent	0.0	-0.0
2250	0.0	-0.0
2216	0.0	-0.0
61	0.0	-0.0
205	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.3	0.11	q3	Cent	65.7	-0.3	0.1	65.7
0.1	2.60		2250	69.4	0.2	3.2	69.6
1.4	-2.65		2216	69.8	1.5	-3.2	70.0
-1.0	-2.63		61	62.0	-0.9	-2.9	62.1
-2.3	3.07		205	61.6	-2.2	3.4	61.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-86.96	Cent	0.0	0.0	-0.0	0.0
0.0	-88.41	2250	0.0	0.0	-0.0	0.0
0.0	-86.72	2216	0.0	0.0	-0.0	0.0
0.0	-85.24	61	0.0	0.0	-0.0	0.0
0.0	-87.75	205	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
2250	0.0	0.0
2216	0.0	0.0
61	-0.0	0.0
205	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-29.6	84.88	q5_pc	Cent	-29.4	0.1	2.7	0.3
-29.9	85.29		2250	-29.7	-0.1	2.5	0.1
-29.9	84.57		2216	-29.6	0.1	2.9	0.4
-29.4	84.47		61	-29.1	0.2	2.9	0.5
-29.4	85.20		205	-29.2	0.1	2.5	0.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-66.90		Cent	0.0	0.0	-0.0	0.0
-0.1	-13.57		2250	-0.0	-0.1	-0.0	-0.0
-0.1	-2.75		2216	-0.0	-0.1	-0.0	-0.0
0.1	-87.65		61	0.1	0.2	-0.0	0.2
0.1	-81.09		205	0.1	0.2	-0.0	0.2
			NODE	Vxx	Vyy		
			Cent	0.0	-0.9		
			2250	0.0	-0.8		
			2216	0.0	-1.0		
			61	0.0	-1.0		
			205	0.0	-0.8		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-24.7	87.14	q5_ps	Cent	-24.7	0.1	1.2	0.2
-24.7	87.09		2250	-24.6	0.1	1.3	0.1
-24.7	87.22		2216	-24.6	0.1	1.2	0.2
-24.8	87.20		61	-24.7	0.1	1.2	0.2
-24.8	87.07		205	-24.7	0.1	1.3	0.1
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-66.57		Cent	0.0	0.0	-0.0	0.0
-0.1	-13.34		2250	-0.0	-0.1	-0.0	-0.0
-0.1	-2.63		2216	-0.0	-0.1	-0.0	-0.0
0.1	-87.70		61	0.1	0.2	-0.0	0.2
0.1	-81.09		205	0.1	0.2	-0.0	0.2
			NODE	Vxx	Vyy		
			Cent	0.0	-0.9		
			2250	0.0	-0.8		
			2216	0.0	-1.0		
			61	0.0	-1.0		
			205	0.0	-0.8		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-61.1	-9.29		INVS LU Max Cent	2293.9	1.8	-380.6	2356.9	
121.7	-2.12			2250 2730.6	125.1	-92.2	2734.2	
-29.8	-13.92			2216 2735.5	140.1	-680.0	2905.3	
-294.6	-17.34			61 1858.7	-84.4	-667.0	2068.6	
-120.1	-2.35			205 1852.3	-117.0	-76.4	1855.6	
-521.8	-23.44		Min Cent	1077.5	-43.7	-880.7	1419.8	
-133.2	-16.54			2250 1397.2	49.5	-534.1	1526.9	
-648.2	-26.84			2216 1407.0	89.7	-1238.0	1957.6	
-1006.8	-31.48			61 757.9	-161.8	-1228.6	1393.0	
-422.0	-16.43			205 748.0	-191.7	-525.0	906.7	
Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
0.0	-88.32		Max Cent	0.0	0.1	0.0	0.1	
0.0	76.92			2250 0.0	0.2	0.0	0.2	
0.1	84.91			2216 0.1	0.3	0.0	0.3	
0.1	87.91			61 0.1	0.3	0.0	0.3	
0.1	-86.74			205 0.1	0.3	0.0	0.3	
-0.1	10.55		Min Cent	-0.0	-0.1	-0.0	-0.0	
-0.1	-14.63			2250 -0.0	-0.1	-0.0	-0.0	
-0.2	-5.87			2216 -0.1	-0.2	-0.0	-0.1	
-0.3	-0.52			61 -0.1	-0.3	-0.0	-0.1	
-0.3	6.25			205 -0.1	-0.3	-0.0	-0.1	
Fmin		ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
				Max Cent	0.0	1.6		
				2250	0.0	1.5		
				2216	0.0	1.8		
				61	0.0	1.8		
				205	0.0	1.5		
			Min Cent	-0.1	-1.3			
				2250	-0.1	-1.2		
				2216	-0.1	-1.4		
				61	-0.1	-1.4		
				205	-0.1	-1.2		

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		INVS LV	Max	Cent				
-78.7	-15.56				929.3	-0.4	-275.1	1007.6
				2250	1120.6	51.5	-133.2	1138.0
27.3	-7.20			2216	1124.8	64.6	-422.7	1277.3
-85.9	-19.52							
				61	738.1	-48.5	-416.7	922.6
-233.0	-23.51			205	733.8	-62.4	-127.1	755.1
-86.2	-9.13		Min	Cent	736.6	-2.4	-334.2	861.5
-127.3	-20.84			2250	914.2	43.8	-180.7	948.6
	15.8			2216	918.3	58.7	-493.8	1137.8
-162.6	-24.28							
				61	559.0	-52.3	-487.9	823.7
-316.7	-28.85			205	554.9	-66.4	-174.8	598.5
-107.8	-14.41							

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
		Max	Cent	0.0	0.0	0.0	0.0
0.0	-78.22		2250	0.0	0.1	0.0	0.1
0.0	79.32		2216	0.0	0.1	0.0	0.1
0.0	-88.72		61	0.0	0.1	0.0	0.1
0.0	85.78		205	0.1	0.1	0.0	0.1
0.1	-84.62	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	40.76		2250	-0.0	-0.0	-0.0	-0.0
-0.0	-8.77		2216	-0.0	-0.1	-0.0	-0.0
-0.1	5.55		61	-0.0	-0.1	-0.0	-0.0
-0.1	-1.36		205	-0.0	-0.1	-0.0	-0.0
-0.1	10.89						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.6
	2250	0.0	0.5
	2216	0.0	0.6
	61	0.0	0.6
	205	0.0	0.5
Min	Cent	-0.0	-0.5
	2250	-0.0	-0.5
	2216	-0.0	-0.6
	61	-0.0	-0.6
	205	-0.0	-0.5

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
2967	2	4	Q1-1-2	Max	Cent	847.2	0.3	86.0
	Fmin	ANGLE						855.8
	-8.3	5.74						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

9.6	7.52		2258	965.1	26.3	126.1	981.8
			2259	966.8	29.0	51.3	969.6
26.2	3.12		256	729.4	0.5	55.1	733.5
-3.7	4.30		255	727.6	0.5	130.8	750.4
-22.3	9.89	Min	Cent	-8.3	-41.2	-247.8	223.6
-273.1	-43.10		2258	-9.5	-22.7	-191.7	175.7
-207.9	-44.01		2259	-9.5	-15.2	-306.8	294.5
-319.1	-44.74		256	-7.2	-72.0	-304.8	266.9
-346.1	-41.96		255	-7.1	-83.0	-189.9	148.6
-238.8	-39.35						

Mmin ANGLE NODE Mxx Myy Mxy Mmax

0.0	84.13	Max	Cent	0.0	0.1	0.0	0.1
0.0	86.31		2258	0.0	0.1	0.0	0.1
0.0	86.07		2259	0.0	0.1	0.0	0.1
0.0	77.26		256	0.0	0.0	0.0	0.0
0.0	79.93		255	0.0	0.0	0.0	0.0
-0.0	-43.09	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-40.51		2258	-0.0	-0.0	-0.0	0.0
-0.0	-42.00		2259	-0.0	-0.0	-0.0	0.0
-0.0	-46.56		256	-0.0	-0.0	-0.0	0.0
-0.0	-45.34		255	-0.0	-0.0	-0.0	0.0

NODE Vxx Vyy

Max	Cent	0.0	0.2
	2258	0.0	0.2
	2259	0.0	0.2
	256	0.0	0.2
	255	0.0	0.2
Min	Cent	-0.0	-0.0
	2258	-0.0	-0.0
	2259	-0.0	-0.0
	256	-0.0	-0.0
	255	-0.0	-0.0

Fmin ANGLE LC NODE Fxx Fyy Fxy Fmax

-6.2	6.36	Q2a-1-2	Max	Cent	509.6	0.2	57.5	516.0
4.1	8.35			2258	580.3	16.5	84.6	592.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

16.0	3.49		2259	581.4	18.1	34.5	583.5
-2.8	4.79		256	439.0	0.3	37.0	442.1
-16.5	10.93		255	437.9	0.4	87.7	454.8
-173.7	-42.98	Min	Cent	-6.2	-28.3	-156.1	139.3
-132.3	-43.90		2258	-7.0	-16.3	-120.6	109.1
-202.2	-44.72		2259	-7.0	-10.8	-193.2	184.3
-218.9	-41.94		256	-5.3	-46.5	-191.9	167.2
-151.5	-39.24		255	-5.3	-54.0	-119.5	92.3

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	84.87	Max	Cent	0.0	0.0	0.0	0.0
0.0	86.74		2258	0.0	0.1	0.0	0.1
0.0	86.62		2259	0.0	0.1	0.0	0.1
0.0	78.66		256	0.0	0.0	0.0	0.0
0.0	81.05		255	0.0	0.0	0.0	0.0
-0.0	-43.74	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-42.08		2258	-0.0	-0.0	-0.0	0.0
-0.0	-43.01		2259	-0.0	-0.0	-0.0	0.0
-0.0	-47.09		256	-0.0	-0.0	-0.0	0.0
-0.0	-45.79		255	-0.0	-0.0	-0.0	0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.1
	2258	0.0	0.2
	2259	0.0	0.1
	256	0.0	0.1
	255	0.0	0.2
Min	Cent	-0.0	-0.0
	2258	-0.0	-0.0
	2259	-0.0	-0.0
	256	-0.0	-0.0
	255	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-3.4	10.69	SLVx (RS)	Cent	72.9	-0.7	14.4	75.6
-4.4	6.30		2258	82.9	-3.4	9.6	83.9
-7.7	12.28		2259	82.9	-3.5	19.7	87.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-8.1	15.37		256	63.0	-2.7	19.5	68.3
-4.2	8.05		255	62.9	-2.8	9.5	64.3
-----							
-0.0	4.08		Cent	0.0	-0.0	0.0	0.0
-0.0	3.17		2258	-0.0	-0.0	0.0	-0.0
-0.0	5.12		2259	-0.0	-0.0	0.0	-0.0
-0.0	12.25		256	-0.0	-0.0	0.0	-0.0
-0.0	8.40		255	-0.0	-0.0	0.0	-0.0
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			2258	0.0	-0.0		
			2259	0.0	-0.0		
			256	-0.0	-0.0		
			255	-0.0	-0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-23.7	-74.75	SLVy (RS)	Cent	-22.0	-0.4	-6.4	1.3
-21.3	-76.90		2258	-20.1	1.1	-5.2	2.3
-22.6	-72.28		2259	-20.2	0.8	-7.5	3.2
-26.1	-73.57		256	-23.9	-0.6	-7.5	1.6
-24.9	-77.96		255	-23.8	-0.3	-5.2	0.8
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	17.43		Cent	0.0	-0.0	0.0	0.0
-0.2	4.01		2258	-0.0	-0.2	0.0	-0.0
-0.1	7.62		2259	-0.0	-0.1	0.0	-0.0
0.0	67.18		256	0.0	0.1	0.0	0.1
0.0	75.71		255	0.0	0.1	0.0	0.1
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	-0.7		
			2258	0.0	-0.7		
			2259	0.0	-0.6		
			256	-0.0	-0.6		
			255	-0.0	-0.7		



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.7	10.69	SLDx (RS)	Cent	36.4	-0.3	7.2	37.8
-2.2	6.31		2258	41.4	-1.7	4.8	41.9
-3.9	12.29		2259	41.4	-1.7	9.9	43.6
-4.0	15.38		256	31.5	-1.4	9.8	34.1
-2.1	8.06		255	31.4	-1.4	4.7	32.1
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	4.08		Cent	0.0	-0.0	0.0	0.0
-0.0	3.17		2258	-0.0	-0.0	0.0	-0.0
-0.0	5.13		2259	-0.0	-0.0	0.0	-0.0
-0.0	12.27		256	-0.0	-0.0	0.0	-0.0
-0.0	8.41		255	-0.0	-0.0	0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			2258	0.0	-0.0		
			2259	0.0	-0.0		
			256	-0.0	-0.0		
			255	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-11.9	-74.75	SLDy (RS)	Cent	-11.0	-0.2	-3.2	0.7
-10.7	-76.90		2258	-10.1	0.5	-2.6	1.1
-11.3	-72.28		2259	-10.1	0.4	-3.7	1.6
-13.0	-73.57		256	-11.9	-0.3	-3.8	0.8
-12.4	-77.95		255	-11.9	-0.2	-2.6	0.4
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	17.44		Cent	0.0	-0.0	0.0	0.0
-0.1	4.02		2258	-0.0	-0.1	0.0	-0.0
-0.1	7.62		2259	-0.0	-0.1	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	67.18	256	0.0	0.0	0.0	0.0
0.0	75.70	255	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.3
2258	0.0	-0.4
2259	0.0	-0.3
256	-0.0	-0.3
255	-0.0	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-30.3	77.92	SLVz (RS)	Cent	-28.9	0.3	6.5	1.7
-33.6	82.34		2258	-33.0	-1.5	4.3	-0.9
-35.4	75.34		2259	-33.0	-1.4	8.9	0.9
-27.4	72.88		256	-24.7	1.1	8.8	3.8
-25.4	80.89		255	-24.7	1.1	4.2	1.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-14.48	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-6.38	2258	-0.0	-0.0	-0.0	-0.0
-0.0	-7.50	2259	-0.0	-0.0	-0.0	-0.0
-0.0	-26.63	256	-0.0	-0.0	-0.0	-0.0
-0.0	-21.18	255	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
2258	-0.0	0.0
2259	-0.0	-0.0
256	-0.0	-0.0
255	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-28.0	-9.56	g1	Cent	620.5	-9.7	-109.2	638.9
11.8	-4.96		2258	710.2	17.0	-60.6	715.4
-17.5	-12.38		2259	710.3	17.5	-159.8	745.4
-77.3	-14.55		256	530.8	-36.3	-157.8	571.8
			255	530.6	-36.9	-58.6	536.6

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-42.8      -5.84

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-88.07	Cent	0.0	0.0	-0.0	0.0
0.0	-88.66	2258	0.0	0.0	-0.0	0.0
0.0	-87.98	2259	0.0	0.0	-0.0	0.0
0.0	-87.16	256	0.0	0.0	-0.0	0.0
0.0	-88.19	255	0.0	0.0	-0.0	0.0
		NODE	Vxx	Vyy		
		Cent	0.0	0.0		
		2258	0.0	0.0		
		2259	0.0	0.0		
		256	0.0	0.0		
		255	0.0	0.0		

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-15.9	-9.22	g2	Cent	300.6	-7.5	-51.4	308.9
3.7	-4.63		2258	344.4	6.0	-27.6	346.6
-11.1	-12.05		2259	344.1	5.1	-75.8	360.3
-40.1	-14.20		256	256.8	-21.1	-75.1	275.8
-22.8	-5.49		255	257.1	-20.2	-26.9	259.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	61.88	Cent	0.0	0.0	0.0	0.0
-0.0	30.89	2258	0.0	-0.0	0.0	0.0
-0.0	52.05	2259	0.0	0.0	0.0	0.0
0.0	71.93	256	0.0	0.0	0.0	0.0
0.0	67.90	255	0.0	0.0	0.0	0.0
		NODE	Vxx	Vyy		
		Cent	0.0	-0.0		
		2258	0.0	-0.0		
		2259	0.0	-0.0		
		256	0.0	-0.0		
		255	0.0	-0.0		

LC	NODE	Fxx	Fyy	Fxy	Fmax
----	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE						
-1.0	5.84	q3	Cent	36.0	-0.6	3.8	36.4
-0.5	8.10		2258	39.5	0.4	5.7	40.3
0.4	2.62		2259	39.6	0.5	1.8	39.7
-1.7	3.17		256	32.5	-1.6	1.9	32.6
-2.7	9.34		255	32.5	-1.8	5.8	33.4
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-87.15		Cent	0.0	0.0	-0.0	0.0
0.0	-87.58		2258	0.0	0.0	-0.0	0.0
0.0	-87.81		2259	0.0	0.0	-0.0	0.0
0.0	-86.55		256	0.0	0.0	-0.0	0.0
0.0	-86.60		255	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			2258	0.0	0.0		
			2259	0.0	0.0		
			256	0.0	0.0		
			255	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-26.3	87.41	q5_pc	Cent	-26.2	0.5	1.2	0.6
-26.1	87.15		2258	-26.0	0.4	1.3	0.5
-25.9	87.82		2259	-25.9	0.8	1.0	0.9
-26.5	87.66		256	-26.4	0.6	1.1	0.7
-26.6	87.00		255	-26.5	0.3	1.4	0.3
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	14.26		Cent	-0.0	-0.0	0.0	0.0
-0.2	2.43		2258	-0.1	-0.2	0.0	-0.1
-0.2	5.55		2259	-0.1	-0.2	0.0	-0.1
0.1	72.80		256	0.1	0.1	0.0	0.1
			255	0.1	0.1	0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0 81.09

NODE	Vxx	Vyy
Cent	-0.0	-1.1
2258	0.0	-1.1
2259	0.0	-1.1
256	-0.0	-1.1
255	-0.0	-1.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-21.9	88.51	q5_ps	Cent	-21.9	0.2	0.6	0.3
-21.5	87.84		2258	-21.5	0.4	0.8	0.4
-21.5	89.20		2259	-21.5	0.4	0.3	0.4
-22.4	89.16		256	-22.4	0.1	0.3	0.1
-22.4	87.84		255	-22.4	0.1	0.8	0.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.1	14.36	Cent	-0.0	-0.0	0.0	0.0
-0.2	2.50	2258	-0.1	-0.2	0.0	-0.1
-0.2	5.62	2259	-0.1	-0.2	0.0	-0.1
0.1	72.48	256	0.1	0.1	0.0	0.1
0.0	80.79	255	0.0	0.1	0.0	0.1

NODE	Vxx	Vyy
Cent	-0.0	-1.1
2258	0.0	-1.1
2259	0.0	-1.1
256	-0.0	-1.1
255	-0.0	-1.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-21.8	-1.97	INVSLU Max	Cent	2221.1	-19.2	-74.9	2223.8
104.5	4.12		2258	2780.1	119.0	195.1	2794.0
112.8	-7.56		2259	2793.5	160.5	-354.2	2840.7
-183.6	-10.26		256	1662.4	-122.2	-332.3	1722.9
-175.8	6.70		255	1648.8	-159.9	218.1	1674.2
-286.7	-16.06	Min	Cent	1012.5	-76.2	-527.7	1150.6

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

13.6	-7.03	2258	1412.0	52.0	-236.3	1432.9
-304.1	-21.18	2259	1423.2	99.3	-839.5	1705.1
-719.6	-27.82	256	613.1	-221.3	-820.2	964.3
-322.2	-9.80	255	601.9	-273.2	-217.3	627.9

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
		Max	Cent	0.0	0.2	0.0	0.2
0.0	-86.02		2258	0.1	0.5	0.0	0.5
0.1	-89.70		2259	0.1	0.5	0.0	0.5
0.1	-87.74		256	0.1	0.2	0.0	0.2
0.1	69.98		255	0.1	0.2	0.0	0.2
0.1	78.18	Min	Cent	0.0	-0.1	-0.0	0.0
-0.1	-4.32		2258	-0.1	-0.3	-0.0	-0.1
-0.3	0.62		2259	-0.1	-0.3	-0.0	-0.1
-0.3	3.66		256	-0.1	-0.2	-0.0	-0.1
-0.2	-13.72		255	-0.1	-0.2	-0.0	-0.1
-0.2	-11.01						

	NODE	Vxx	Vyy
Max	Cent	0.0	2.0
	2258	0.0	2.0
	2259	0.0	1.9
	256	0.1	1.9
	255	0.1	2.0
Min	Cent	-0.0	-1.5
	2258	-0.0	-1.6
	2259	-0.0	-1.5
	256	-0.1	-1.5
	255	-0.1	-1.6

Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
		INVSLV	Max	Cent	888.6	-16.6	-127.1	907.1
-35.8	-8.06			2258	1144.0	52.7	-0.7	1144.0
52.0	-0.17			2259	1149.0	69.1	-261.7	1211.1
0.2	-13.08			256	633.1	-80.4	-253.2	716.3
-167.4	-17.85			255	628.1	-96.9	7.9	628.2
-97.1	0.42		Min	Cent	712.2	-18.5	-163.7	745.7
-51.4	-11.83			2258	946.4	44.4	-25.7	947.0
44.4	-1.48							

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-27.7	-17.35	2259	951.3	60.9	-311.0	1046.8
-211.1	-23.36	256	478.0	-86.9	-302.0	606.2
-103.4	-1.42	255	473.2	-103.3	-16.7	473.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-77.04	Max Cent	0.0	0.1	0.0	0.1
0.0	-86.67	2258	0.0	0.2	0.0	0.2
0.0	-83.59	2259	0.0	0.2	0.0	0.2
0.0	70.99	256	0.0	0.1	0.0	0.1
0.0	77.48	255	0.0	0.1	0.0	0.1
-0.0	48.03	Min Cent	0.0	-0.0	-0.0	0.0
-0.1	4.80	2258	-0.0	-0.1	-0.0	-0.0
-0.1	9.08	2259	-0.0	-0.1	-0.0	-0.0
-0.1	-27.66	256	-0.0	-0.1	-0.0	-0.0
-0.1	-16.50	255	-0.0	-0.1	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.7
	2258	0.0	0.8
	2259	0.0	0.7
	256	0.0	0.7
	255	0.0	0.8
Min	Cent	-0.0	-0.7
	2258	-0.0	-0.7
	2259	-0.0	-0.6
	256	-0.0	-0.6
	255	-0.0	-0.7

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
	Fmin	ANGLE						
2968	2	10	Q1-1-2	Max Cent	823.4	21.7	91.8	833.8
	11.3	6.45		2259	932.0	46.3	127.7	950.0
	28.2	8.04		2260	930.9	71.0	56.8	934.7
	67.2	3.76		257	714.8	20.8	62.3	720.4
	15.3	5.09		256	716.0	1.2	134.2	740.4
	-23.2	10.29		Min Cent	-7.8	-26.8	-242.4	225.2
	-259.9	-43.88		2259	-8.8	-10.5	-189.8	180.2
	-199.5	-44.87		2260	-8.8	-27.2	-292.5	274.6
	-310.7	-44.10						

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-329.9	-42.46		257	-6.8	-59.4	-295.6	263.6
-224.9	-41.52		256	-6.8	-53.9	-193.1	164.2

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
------	-------	--	------	-----	-----	-----	------

0.0	83.42	Max	Cent	0.0	0.0	0.0	0.0
0.0	85.72		2259	0.0	0.1	0.0	0.1
0.0	82.77		2260	0.0	0.0	0.0	0.0
0.0	83.56		257	0.0	0.0	0.0	0.0
0.0	75.86		256	0.0	0.0	0.0	0.0
-0.0	-44.18	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-43.18		2259	-0.0	-0.0	-0.0	0.0
-0.0	-52.67		2260	-0.0	-0.0	-0.0	0.0
-0.0	-44.44		257	-0.0	-0.0	-0.0	0.0
-0.0	-48.69		256	-0.0	-0.0	-0.0	0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.1
	2259	0.0	0.2
	2260	0.0	0.0
	257	0.0	0.0
	256	0.0	0.2
Min	Cent	-0.0	-0.0
	2259	-0.0	-0.0
	2260	-0.0	-0.1
	257	-0.0	-0.1
	256	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
5.3	7.13	Q2a-1-2	Max	Cent	494.7	13.0	61.2	502.4
15.5	8.91			2259	560.1	28.9	85.4	573.4
39.9	4.18			2260	560.2	42.7	38.0	563.0
8.3	5.64			257	429.5	12.4	41.6	433.6
-17.3	11.36			256	429.4	0.7	89.7	447.4
-165.4	-43.92		Min	Cent	-5.8	-17.4	-153.7	142.2
-127.4	-44.89			2259	-6.5	-7.5	-120.4	113.4
-197.3	-44.27			2260	-6.6	-16.1	-185.9	174.6
-208.6	-42.62			257	-5.0	-36.2	-187.3	167.3



MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-143.5	-41.35		256	-5.0	-36.2	-121.9	102.2
		Max	Cent	0.0	0.0	0.0	0.0
0.0	84.60		2259	0.0	0.0	0.0	0.0
0.0	86.47		2260	0.0	0.0	0.0	0.0
0.0	84.52		257	0.0	0.0	0.0	0.0
0.0	84.57		256	0.0	0.0	0.0	0.0
0.0	77.81	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-44.45		2259	-0.0	-0.0	-0.0	0.0
-0.0	-43.83		2260	-0.0	-0.0	-0.0	0.0
-0.0	-52.25		257	-0.0	-0.0	-0.0	0.0
-0.0	-44.60		256	-0.0	-0.0	-0.0	0.0
-0.0	-49.19						
			NODE	Vxx	Vyy		
		Max	Cent	0.0	0.0		
			2259	0.0	0.1		
			2260	0.0	0.0		
			257	0.0	0.0		
			256	0.0	0.1		
		Min	Cent	-0.0	-0.0		
			2259	-0.0	-0.0		
			2260	-0.0	-0.1		
			257	-0.0	-0.1		
			256	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	70.9	-1.8	13.2	73.2
-4.1	9.98		2259	79.9	-4.5	8.9	80.9
-5.5	5.97		2260	79.9	-4.4	18.0	83.6
-8.1	11.55		257	61.9	-1.2	17.8	66.6
-5.9	14.72		256	62.0	-1.1	8.8	63.2
-2.3	7.80						
			NODE	Mxx	Myy	Mxy	Mmax
			Cent	0.0	-0.0	0.0	0.0
-0.0	10.75		2259	-0.0	-0.0	0.0	-0.0
-0.0	11.05		2260	0.0	-0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	12.02		257	-0.0	0.0	-0.0	0.0
-0.0	-79.89		256	-0.0	-0.0	0.0	-0.0
-0.0	23.81						

NODE	Vxx	Vyy
Cent	-0.0	0.0
2259	-0.0	-0.0
2260	-0.0	0.0
257	0.0	0.0
256	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	-19.1	-5.1	-4.6	-3.7
-20.5	-73.26		2259	-17.3	-0.8	-3.2	-0.2
-17.9	-79.44		2260	-20.3	-10.8	-3.6	-9.6
-21.5	-71.41		257	-20.9	-10.8	-6.1	-8.0
-23.8	-64.94		256	-17.9	-0.8	-5.6	0.9
-19.6	-73.30						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	-0.0	0.0	0.0
-0.0	32.27	2259	-0.0	-0.1	0.0	-0.0
-0.1	15.26	2260	-0.0	-0.0	0.0	0.0
-0.1	27.50	257	0.0	0.0	0.0	0.1
-0.0	43.92	256	0.0	0.1	0.0	0.1
0.0	50.07					

NODE	Vxx	Vyy
Cent	-0.0	-0.3
2259	-0.0	-0.4
2260	-0.0	-0.2
257	0.0	-0.2
256	0.0	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDx (RS)	Cent	35.4	-0.9	6.6	36.6
-2.0	9.98		2259	39.9	-2.3	4.5	40.4
-2.7	5.97		2260	39.9	-2.2	9.0	41.7
-4.0	11.55		257	30.9	-0.6	8.9	33.3
-3.0	14.73						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-1.1	7.81		256	31.0	-0.5	4.4	31.6
-----							
			Cent	0.0	-0.0	0.0	0.0
-0.0	10.75		2259	-0.0	-0.0	0.0	-0.0
-0.0	11.05		2260	0.0	-0.0	0.0	0.0
-0.0	12.02		257	-0.0	0.0	-0.0	0.0
-0.0	-79.89		256	-0.0	-0.0	0.0	-0.0
-0.0	23.83						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	0.0		
			2259	-0.0	-0.0		
			2260	-0.0	0.0		
			257	0.0	0.0		
			256	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLDy (RS)	Cent	-9.5	-2.6	-2.3	-1.9
-10.2	-73.26		2259	-8.6	-0.4	-1.6	-0.1
-8.9	-79.44		2260	-10.1	-5.4	-1.8	-4.8
-10.7	-71.42		257	-10.5	-5.4	-3.0	-4.0
-11.9	-64.94		256	-8.9	-0.4	-2.8	0.4
-9.8	-73.29						
			NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	-0.0	0.0	0.0
-0.0	32.27		2259	-0.0	-0.0	0.0	-0.0
-0.0	15.26		2260	-0.0	-0.0	0.0	0.0
-0.0	27.50		257	0.0	0.0	0.0	0.0
-0.0	43.92		256	0.0	0.0	0.0	0.0
0.0	50.07						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	-0.2		
			2259	-0.0	-0.2		
			2260	-0.0	-0.1		
			257	0.0	-0.1		
			256	0.0	-0.2		


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-29.6	78.19	SLVz (RS)	Cent	-28.3	-0.8	6.0	0.5
-32.7	82.61		2259	-32.1	-1.9	4.0	-1.4
-34.2	75.83		2260	-32.1	-1.9	8.1	0.2
-26.9	73.57		257	-24.5	0.5	8.1	2.9
-25.1	81.29		256	-24.5	0.4	3.9	1.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-27.72		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	13.89		2259	-0.0	-0.0	0.0	-0.0
-0.0	-22.88		2260	-0.0	-0.0	-0.0	0.0
-0.0	-33.42		257	-0.0	-0.0	-0.0	-0.0
-0.0	-41.40		256	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			2259	-0.0	-0.0		
			2260	-0.0	0.0		
			257	0.0	0.0		
			256	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-12.2	-9.01	g1	Cent	604.6	3.3	-97.8	620.1
23.6	-4.63		2259	686.0	28.0	-53.6	690.3
-2.6	-11.78		2260	685.8	27.4	-143.5	715.7
-56.2	-13.77		257	523.1	-21.4	-142.0	557.9
-25.7	-5.42		256	523.3	-20.8	-52.1	528.3
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-84.96		Cent	0.0	0.0	-0.0	0.0
0.0	-84.18		2259	0.0	0.0	-0.0	0.0
0.0	-85.54		2260	0.0	0.0	-0.0	0.0
0.0	-88.01		257	0.0	0.0	-0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

256      0.0      0.0      -0.0      0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
2259	0.0	0.0
2260	0.0	-0.0
257	-0.0	-0.0
256	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-8.6	-8.29	g2	Cent	293.1	-2.2	-44.0	299.5
8.9	-3.99		2259	332.5	10.5	-22.6	334.1
-4.4	-11.06		2260	331.9	8.5	-65.7	344.7
-30.0	-12.98		257	253.8	-14.9	-65.4	268.8
-14.7	-4.72		256	254.4	-12.9	-22.2	256.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	66.92	Cent	0.0	0.0	0.0	0.0
-0.0	47.58	2259	0.0	0.0	0.0	0.0
0.0	76.43	2260	0.0	0.0	0.0	0.0
-0.0	68.80	257	0.0	0.0	0.0	0.0
0.0	64.91	256	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
2259	0.0	-0.0
2260	0.0	0.0
257	0.0	0.0
256	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.3	6.85	q3	Cent	33.8	0.2	4.1	34.3
-0.1	8.73		2259	36.8	0.7	5.7	37.6
1.3	3.71		2260	37.0	1.5	2.3	37.1
-0.6	4.61		257	30.9	-0.3	2.5	31.1
-2.1	10.17		256	30.7	-1.1	5.9	31.7

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-86.94		Cent	0.0	0.0	-0.0	0.0
0.0	-88.07		2259	0.0	0.0	-0.0	0.0
0.0	-87.96		2260	0.0	0.0	-0.0	0.0
0.0	-85.75		257	0.0	0.0	-0.0	0.0
0.0	-85.76		256	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
2259	0.0	0.0
2260	0.0	0.0
257	-0.0	0.0
256	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-25.9	87.38	q5_pc	Cent	-25.8	-1.0	1.1	-0.9
-25.5	86.84		2259	-25.4	-0.2	1.4	-0.1
-26.0	87.08		2260	-25.9	-1.8	1.2	-1.7
-26.2	87.94		257	-26.2	-1.8	0.9	-1.8
-25.8	87.66		256	-25.7	-0.2	1.0	-0.2

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	32.47		Cent	0.0	-0.0	0.0	0.0
-0.2	12.84		2259	-0.0	-0.1	0.0	-0.0
-0.1	27.92		2260	-0.0	-0.1	0.0	0.0
0.0	45.37		257	0.1	0.1	0.1	0.1
0.1	52.21		256	0.1	0.1	0.0	0.1

NODE	Vxx	Vyy
Cent	-0.0	-0.6
2259	-0.0	-0.7
2260	-0.0	-0.4
257	0.0	-0.4
256	0.0	-0.7

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		q5_ps	Cent	-21.4	-1.7	1.1	-1.6
-21.5	86.96		2259	-21.0	-0.4	1.4	-0.3
-21.1	86.16		2260	-21.7	-2.9	1.3	-2.8
-21.8	86.13		257	-21.9	-2.9	0.7	-2.9
-21.9	87.85		256	-21.2	-0.4	0.8	-0.4
-21.2	87.72						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	32.46		Cent	0.0	-0.0	0.0	0.0
-0.2	12.90		2259	-0.0	-0.1	0.0	-0.0
-0.1	27.97		2260	-0.0	-0.1	0.0	0.0
0.0	45.25		257	0.1	0.1	0.1	0.1
0.1	52.07		256	0.1	0.1	0.0	0.1
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	-0.5		
			2259	-0.0	-0.7		
			2260	-0.0	-0.4		
			257	0.0	-0.4		
			256	0.0	-0.7		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
36.8	-1.35	INVSLU Max	Cent	2146.5	38.0	-47.5	2147.7
153.3	4.62		2259	2672.5	169.8	206.0	2688.9
196.8	-7.27		2260	2681.3	237.3	-314.8	2721.8
-111.6	-9.63		257	1620.6	-61.7	-292.5	1670.5
-140.3	7.36		256	1611.9	-122.3	229.8	1641.4
-234.4	-16.15	Min	Cent	971.6	-29.3	-500.7	1101.3
54.8	-7.05		2259	1351.1	92.8	-225.1	1370.6
-275.2	-21.02		2260	1359.7	101.5	-788.5	1621.0
-653.5	-28.03		257	592.2	-173.4	-777.1	925.2
-250.7	-10.51		256	583.6	-197.1	-214.0	610.8
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
		Max	Cent	0.0	0.1	0.1	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	40.90			2259	0.1	0.3	0.0	0.3
0.1	-81.63			2260	0.0	0.1	0.1	0.2
0.0	-67.04			257	0.1	0.2	0.1	0.2
0.0	52.68			256	0.1	0.1	0.1	0.2
0.1	53.17	Min	Cent		-0.0	-0.0	-0.1	0.0
-0.1	28.78			2259	-0.1	-0.2	-0.0	-0.0
-0.2	10.46			2260	-0.0	-0.1	-0.1	-0.0
-0.1	29.51			257	-0.1	-0.1	-0.1	0.0
-0.2	-47.65			256	-0.1	-0.1	-0.1	-0.1
-0.2	-38.13							

	NODE	Vxx	Vyy
Max	Cent	0.0	0.9
	2259	0.1	1.3
	2260	0.1	0.6
	257	0.0	0.6
	256	0.0	1.3
Min	Cent	-0.0	-0.8
	2259	-0.0	-1.0
	2260	-0.0	-0.7
	257	-0.0	-0.7
	256	-0.0	-1.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-12.6	-7.34	INVSLV	Max	Cent	858.4	5.1	-108.9	872.9
68.1	0.43			2259	1098.1	68.3	10.1	1098.2
24.4	-12.54			2260	1102.5	87.5	-235.6	1156.0
-132.5	-17.15			257	618.8	-53.2	-227.6	690.5
-74.9	1.31			256	614.3	-74.9	18.2	614.7
-29.0	-10.92		Min	Cent	688.1	-6.7	-141.7	714.8
57.5	-0.66			2259	908.6	57.6	-12.0	908.7
-7.7	-16.61			2260	911.3	62.2	-278.6	993.0
-178.4	-22.50			257	467.6	-75.8	-271.8	578.2
-78.1	-0.30			256	464.9	-77.8	-5.2	465.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
0.0	-61.73		Max	Cent	0.0	0.0	0.0	0.0
				2259	0.0	0.1	0.0	0.1



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-76.17		2260	0.0	0.1	0.0	0.1
0.0	-66.46		257	0.0	0.0	0.0	0.1
0.0	48.06		256	0.0	0.1	0.0	0.1
0.0	54.18	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	46.70		2259	-0.0	-0.1	-0.0	-0.0
-0.1	17.00		2260	0.0	-0.0	-0.0	0.0
-0.0	44.46		257	-0.0	-0.0	-0.0	0.0
-0.1	-55.81		256	-0.0	-0.0	-0.0	-0.0
-0.1	-44.03						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.3
	2259	0.0	0.5
	2260	0.0	0.2
	257	0.0	0.2
	256	0.0	0.5
Min	Cent	-0.0	-0.3
	2259	-0.0	-0.4
	2260	-0.0	-0.2
	257	-0.0	-0.2
	256	-0.0	-0.4

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
2977	2	10	Q1-1-2	Max	Cent	851.3	25.1	154.5	879.2
		10.25			2266	984.6	52.9	193.2	1023.1
		11.26			2232	989.7	98.5	131.4	1008.7
		8.22			64	722.4	8.7	132.1	746.1
		10.16			313	715.9	13.3	199.7	768.7
		14.81		Min	Cent	-6.2	-16.1	-202.5	191.4
		-44.30			2266	-7.5	-7.5	-133.1	125.6
		-44.99			2232	-7.6	-10.6	-283.0	273.9
		-44.85			64	-5.1	-38.4	-275.2	254.0
		-43.27			313	-5.0	-66.6	-126.8	94.7
		-38.17							
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
				Max	Cent	0.0	0.0	0.0	0.0
		64.70			2266	0.0	0.0	0.0	0.0
		75.39			2232	0.1	0.1	0.0	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.1	83.02		64	0.0	0.0	0.0	0.0
0.0	30.95		313	0.0	0.0	0.0	0.0
0.0	83.09						
-0.0	-55.28	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-60.48		2266	-0.0	-0.0	-0.0	0.0
-0.0	-76.79		2232	-0.0	-0.0	-0.0	-0.0
-0.1	-10.21		64	-0.0	-0.1	-0.0	-0.0
-0.0	-45.68		313	-0.0	-0.0	-0.0	0.0

	NODE	Vxx	Vyy
Max	Cent	0.1	0.3
	2266	0.1	0.0
	2232	0.1	0.7
	64	0.0	0.7
	313	0.0	0.0
Min	Cent	-0.1	-0.0
	2266	-0.1	-0.1
	2232	-0.1	-0.0
	64	-0.1	-0.0
	313	-0.1	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-3.2	10.80	Q2a-1-2	Max	Cent	512.4	15.6	98.4	531.1
6.3	12.06			2266	593.6	33.1	125.5	620.5
49.1	8.53			2232	595.9	61.4	82.0	608.2
-10.0	10.52			64	434.4	5.3	82.6	449.8
-28.4	15.81			313	431.0	8.5	130.1	467.9
-138.3	-44.24		Min	Cent	-4.6	-11.5	-130.1	122.1
-91.7	-45.07			2266	-5.5	-5.1	-86.5	81.2
-185.8	-44.93			2232	-5.6	-6.5	-179.7	173.7
-191.1	-43.11			64	-3.7	-26.9	-175.4	160.5
-108.4	-38.37			313	-3.7	-42.7	-82.9	62.0

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
0.0	63.95		Max	Cent	0.0	0.0	0.0	0.0
0.0	76.32			2266	0.0	0.0	0.0	0.0
0.0	83.28			2232	0.0	0.1	0.0	0.1
				64	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	26.07		313	0.0	0.0	0.0	0.0
0.0	83.89						
-0.0	-54.88	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-60.37		2266	-0.0	-0.0	-0.0	0.0
-0.0	-77.79		2232	-0.0	-0.0	-0.0	-0.0
-0.1	-10.26		64	-0.0	-0.1	-0.0	-0.0
-0.0	-45.84		313	-0.0	-0.0	-0.0	0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.2
	2266	0.1	0.0
	2232	0.1	0.5
	64	0.0	0.5
	313	0.0	0.0
Min	Cent	-0.0	-0.0
	2266	-0.1	-0.1
	2232	-0.1	-0.0
	64	-0.0	-0.0
	313	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-73.3	87.46	SLVx (RS)	Cent	-73.1	4.2	3.4	4.4
-83.5	85.80		2266	-83.1	-4.3	5.8	-3.9
9.5	-6.42		2232	84.5	10.5	-8.4	85.4
4.9	6.81		64	63.1	5.7	7.0	64.0
-62.5	83.85		313	-61.8	-2.3	6.5	-1.6

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-21.61		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-10.72		2266	0.0	-0.0	-0.0	0.0
-0.0	-10.80		2232	-0.0	-0.0	-0.0	-0.0
-0.0	72.50		64	-0.0	-0.0	0.0	-0.0
-0.0	-75.84		313	-0.0	0.0	-0.0	0.0

	NODE	Vxx	Vyy
	Cent	0.0	-0.0
	2266	0.0	0.0
	2232	0.0	-0.0
	64	0.0	-0.0
	313	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-23.7	-87.76	SLVy (RS)	Cent	-23.7	6.3	-1.2	6.3
-23.7	-86.27		2266	-23.6	-1.0	-1.5	-0.9
-19.9	-83.07		2232	-19.4	14.8	-4.2	15.3
-23.8	-88.53		64	-23.7	13.0	-0.9	13.0
-28.3	85.77		313	-28.1	-2.3	1.9	-2.2
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.1	49.73		Cent	-0.0	-0.0	0.0	0.0
-0.1	27.98		2266	-0.0	-0.1	0.0	0.0
-0.1	55.03		2232	-0.0	-0.0	0.0	-0.0
-0.1	75.95		64	-0.1	-0.0	0.0	-0.0
-0.0	44.08		313	0.0	0.0	0.0	0.1
			NODE	Vxx	Vyy		
			Cent	0.2	-0.2		
			2266	0.1	-0.3		
			2232	0.1	-0.1		
			64	0.3	-0.1		
			313	0.3	-0.3		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-36.6	87.46	SLDx (RS)	Cent	-36.5	2.1	1.7	2.2
-41.7	85.80		2266	-41.5	-2.2	2.9	-1.9
4.8	-6.42		2232	42.2	5.2	-4.2	42.7
2.4	6.81		64	31.5	2.8	3.5	32.0
-31.2	83.86		313	-30.9	-1.2	3.2	-0.8
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-21.61		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-10.72		2266	0.0	-0.0	-0.0	0.0
-0.0	-10.81		2232	-0.0	-0.0	-0.0	-0.0
			64	-0.0	-0.0	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0      72.51  
 -0.0      -75.84

NODE	Vxx	Vyy
Cent	0.0	-0.0
2266	0.0	0.0
2232	0.0	-0.0
64	0.0	-0.0
313	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-11.9	-87.76	SLDy (RS)	Cent	-11.8	3.1	-0.6	3.2
-11.9	-86.27		2266	-11.8	-0.5	-0.7	-0.4
-9.9	-83.07		2232	-9.7	7.4	-2.1	7.6
-11.9	-88.52		64	-11.9	6.5	-0.5	6.5
-14.1	85.77		313	-14.0	-1.2	1.0	-1.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	49.73	Cent	-0.0	-0.0	0.0	0.0
-0.0	27.98	2266	-0.0	-0.0	0.0	0.0
-0.0	55.03	2232	-0.0	-0.0	0.0	-0.0
-0.1	75.95	64	-0.1	-0.0	0.0	-0.0
-0.0	44.08	313	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.1	-0.1
2266	0.0	-0.1
2232	0.0	-0.0
64	0.1	-0.0
313	0.1	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-30.8	87.84	SLVz (RS)	Cent	-30.8	-2.0	1.1	-2.0
-35.0	-87.85		2266	-34.9	-1.9	-1.2	-1.8
-36.3	82.69		2232	-35.8	-5.0	4.0	-4.5
-27.0	82.37		64	-26.6	-2.5	3.3	-2.1
-25.9	-85.87		313	-25.8	1.0	-1.9	1.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-36.01		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-22.24		2266	-0.0	-0.0	-0.0	-0.0
-0.0	-5.54		2232	0.0	-0.0	-0.0	0.0
0.0	-14.09		64	0.0	0.0	-0.0	0.0
-0.0	-37.84		313	-0.0	-0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			2266	-0.0	-0.0		
			2232	-0.0	-0.0		
			64	-0.0	-0.0		
			313	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
16.8	-1.17	g1	Cent	634.8	17.0	-12.7	635.1
24.1	2.91		2266	723.6	25.9	35.5	725.4
58.2	-6.02		2232	735.5	65.7	-71.4	743.1
1.4	-6.37		64	546.0	8.2	-60.8	552.8
-35.4	4.63		313	534.1	-31.7	46.1	537.8
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	88.50		Cent	0.0	0.0	0.0	0.0
0.0	89.63		2266	0.0	0.0	0.0	0.0
0.0	89.25		2232	0.0	0.0	0.0	0.0
0.0	-84.90		64	0.0	0.0	-0.0	0.0
0.0	-89.82		313	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			2266	-0.0	0.0		
			2232	-0.0	0.1		
			64	-0.0	0.1		
			313	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax
4.8	-0.04		g2 Cent	307.3	4.8	-0.2	307.3
6.2	3.73		2266	348.9	7.6	22.3	350.4
26.7	-4.92		2232	355.4	29.2	-28.3	357.8
-0.0	-4.88		64	265.7	1.9	-22.7	267.6
-22.4	5.66		313	259.2	-19.6	27.9	262.0
Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	84.59		Cent	0.0	0.0	0.0	0.0
0.0	81.41		2266	0.0	0.0	0.0	0.0
-0.0	-76.06		2232	-0.0	-0.0	-0.0	-0.0
0.0	86.45		64	0.0	0.0	0.0	0.0
-0.0	67.68		313	-0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			2266	0.0	0.0		
			2232	0.0	-0.1		
			64	0.0	-0.1		
			313	0.0	0.0		
Fmin		ANGLE	LC	Fxx	Fyy	Fxy	Fmax
-0.5	11.46		q3 Cent	25.2	0.5	5.2	26.3
-0.8	12.66		2266	27.3	0.6	6.3	28.7
1.3	8.24		2232	27.6	1.8	3.8	28.2
-0.3	9.99		64	23.2	0.5	4.1	23.9
-2.5	14.66		313	22.8	-0.8	6.6	24.6
Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-85.42		Cent	-0.0	0.0	-0.0	0.0
0.0	-85.69		2266	0.0	0.0	-0.0	0.0
-0.0	-85.66		2232	-0.0	0.0	-0.0	0.0
-0.0	-84.54		64	-0.0	0.0	-0.0	0.0
0.0	-84.27		313	0.0	0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
	Cent	0.0	0.0
	2266	0.0	0.0
	2232	0.0	0.0
	64	0.0	0.0
	313	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_pc	Cent	-26.2	-3.9	0.2	-3.9
-26.2	89.55		2266	-25.2	-0.1	1.0	-0.1
-25.2	87.79		2232	-27.5	-7.8	1.0	-7.7
-27.5	86.96		64	-27.3	-7.6	-0.6	-7.6
-27.3	-88.20		313	-25.0	0.1	-0.7	0.1
-25.0	-88.40						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	0.1	0.0
-0.1	50.36		2266	-0.0	-0.1	0.1	0.0
-0.1	29.70		2232	-0.0	-0.0	0.0	0.0
-0.1	57.24		64	-0.2	-0.1	0.0	-0.1
-0.2	74.57		313	0.1	0.1	0.1	0.1
-0.0	45.64						

	NODE	Vxx	Vyy
	Cent	0.3	-0.2
	2266	0.1	-0.5
	2232	0.1	0.0
	64	0.5	-0.0
	313	0.5	-0.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_ps	Cent	-21.9	-3.9	1.3	-3.8
-22.0	85.98		2266	-21.0	-0.8	1.9	-0.6
-21.2	84.63		2232	-23.0	-7.2	2.0	-6.9
-23.2	82.86		64	-22.8	-7.0	0.6	-7.0
-22.8	87.73		313	-20.8	-0.7	0.5	-0.6
-20.9	88.49						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----				-----		-----	
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.1	50.38		Cent	-0.0	-0.0	0.1	0.0
-0.1	29.71		2266	-0.0	-0.1	0.1	0.0
-0.1	56.53		2232	-0.0	-0.0	0.0	0.0
-0.2	74.78		64	-0.2	-0.1	0.0	-0.0
-0.0	45.56		313	0.1	0.1	0.1	0.1
			NODE	Vxx	Vyy		
			Cent	0.3	-0.2		
			2266	0.1	-0.5		
			2232	0.1	-0.0		
			64	0.5	-0.0		
			313	0.5	-0.5		
			NODE	Mxx	Myy	Mxy	Mmax
			Max	Cent	0.1	0.1	0.2
			2266	0.0	0.2	0.1	0.2
			2232	0.2	0.3	0.1	0.3
			64	0.3	0.0	0.1	0.3
			313	0.1	0.2	0.1	0.3
			Min	Cent	-0.1	-0.0	0.0
			2266	-0.0	-0.1	-0.1	0.0
			2232	-0.1	0.1	-0.1	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt


-0.1	73.01		64	-0.4	-0.3	-0.1	-0.2
-0.4	67.72		313	-0.1	-0.1	-0.1	0.0
-0.2	-47.82						

	NODE	Vxx	Vyy
Max	Cent	0.5	1.0
	2266	0.2	0.7
	2232	0.2	1.5
	64	0.7	1.5
	313	0.7	0.7
Min	Cent	-0.5	-0.1
	2266	-0.3	-0.8
	2232	-0.3	0.5
	64	-0.7	0.4
	313	-0.7	-0.8

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax		
		INVSLV	Max	Cent	904.3	28.0	-5.0	904.5	
27.9	-0.81				2266	1154.1	63.8	127.9	1166.4
51.5	6.02				2232	1176.5	151.4	-149.6	1203.3
122.2	-9.02				64	654.6	-3.5	-131.2	680.0
-35.1	-10.83				313	632.2	-89.0	150.0	657.0
-113.9	10.31			Min	Cent	725.5	11.7	-13.2	725.5
11.6	-0.46				2266	952.9	53.4	114.6	970.2
36.1	7.84				2232	974.5	112.6	-171.4	1000.9
88.6	-9.85				64	498.1	-34.5	-147.7	536.1
-65.8	-14.64				313	476.3	-95.7	134.7	512.8
-131.7	13.76								

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax		
		Max	Cent	0.0	0.0	0.0	0.1	
0.0	-45.49			2266	0.0	0.1	0.0	0.1
0.0	-65.69			2232	0.0	0.0	0.0	0.1
0.0	-48.06			64	0.1	0.0	0.0	0.1
0.0	-15.22			313	0.0	0.0	0.0	0.1
0.0	46.57		Min	Cent	-0.0	-0.0	-0.0	0.0
-0.1	63.39			2266	-0.0	-0.0	-0.0	0.0
-0.1	41.62			2232	-0.0	-0.0	-0.0	0.0
-0.0	64.16			64	-0.1	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1 76.92  
 -0.1 -52.86  
 313 -0.0 -0.0 -0.0 0.0

	NODE	Vxx	Vyy
Max	Cent	0.2	0.2
	2266	0.1	0.3
	2232	0.1	0.1
	64	0.3	0.1
	313	0.3	0.3
Min	Cent	-0.2	-0.1
	2266	-0.1	-0.2
	2232	-0.1	-0.0
	64	-0.3	-0.0
	313	-0.3	-0.2

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
2986	2	10	Q1-1-2	Max	Cent	827.0	21.7	242.4	894.3
-45.6		15.52			2235	931.0	62.9	288.9	1018.3
-24.5		16.82			2273	939.5	53.9	185.8	976.8
16.5		11.38			400	723.0	1.6	196.5	773.0
-48.5		14.29			399	714.5	17.2	299.7	825.6
-93.9		20.34		Min	Cent	-7.8	-26.9	-91.8	74.9
-109.7		-42.02			2235	-8.8	-31.2	-59.2	40.3
-80.3		-39.64			2273	-8.8	-5.3	-130.5	123.5
-137.6		-45.39			400	-6.8	-41.1	-130.9	108.1
-155.9		-41.27			399	-6.7	-72.1	-60.1	29.0
-107.9		-30.73							

	NODE	Mxx	Myy	Mxy	Mmax
Max	Cent	0.0	0.0	0.0	0.0
	2235	0.0	0.0	0.0	0.0
	2273	0.0	0.1	0.0	0.1
	400	0.0	0.0	0.0	0.0
	399	0.0	0.0	0.0	0.1
Min	Cent	-0.0	-0.0	-0.0	0.0
	2235	-0.0	-0.0	-0.0	-0.0
	2273	-0.0	-0.0	-0.0	0.0
	400	-0.0	-0.0	-0.0	0.0
	399	-0.0	-0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

- 0.0      -42.90

	NODE	Vxx	Vyy
Max	Cent	0.0	0.1
	2235	0.0	0.0
	2273	0.0	0.1
	400	0.0	0.1
	399	0.0	0.0
Min	Cent	-0.0	-0.0
	2235	-0.0	-0.1
	2273	-0.0	-0.0
	400	-0.0	-0.0
	399	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-31.7	16.22	Q2a-1-2	Max Cent	496.9	13.1	153.8	541.7
-20.2	17.57		2235	560.1	37.9	183.7	618.3
8.3	11.96		2273	564.6	33.3	117.9	589.6
-32.2	14.92		400	433.8	0.9	124.1	466.8
-63.1	21.10		399	429.3	10.3	190.0	502.6
-73.0	-42.30		Min Cent	-5.8	-17.3	-61.2	49.9
-52.5	-40.74		2235	-6.5	-18.4	-39.6	27.6
-92.3	-45.46		2273	-6.5	-3.7	-87.2	82.1
-104.5	-41.28		400	-5.0	-27.8	-87.4	71.7
-69.3	-31.97		399	-5.0	-44.3	-40.2	20.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	66.08	Max Cent	0.0	0.0	0.0	0.0
0.0	62.85	2235	0.0	0.0	0.0	0.0
0.0	74.84	2273	0.0	0.0	0.0	0.0
-0.0	57.97	400	0.0	0.0	0.0	0.0
0.0	67.60	399	0.0	0.0	0.0	0.0
-0.0	-42.93	Min Cent	-0.0	-0.0	-0.0	0.0
-0.0	-75.18	2235	-0.0	-0.0	-0.0	-0.0
-0.0	-41.09	2273	-0.0	-0.0	-0.0	0.0
-0.0	-55.26	400	-0.0	-0.0	-0.0	0.0
-0.0	-43.17	399	-0.0	-0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	2235	0.0	0.0
	2273	0.0	0.1
	400	0.0	0.1
	399	0.0	0.0
Min	Cent	-0.0	-0.0
	2235	-0.0	-0.1
	2273	-0.0	-0.0
	400	-0.0	-0.0
	399	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	-67.2	-1.5	-12.9	0.9
-69.6	-79.30		2235	-75.8	-3.3	-17.5	0.7
-79.8	-77.14		2273	-76.3	-5.2	7.7	-4.4
-77.2	83.92		400	-58.6	-0.4	-8.3	0.8
-59.7	-82.07		399	-58.0	2.1	-18.1	7.1
-63.0	-74.51						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	0.0	-0.0	-0.0	0.0
-0.0	-13.09		2235	-0.0	-0.0	-0.0	-0.0
-0.0	-19.04		2273	-0.0	-0.0	-0.0	-0.0
-0.0	-13.45		400	-0.0	-0.0	-0.0	-0.0
-0.0	-25.49		399	-0.0	0.0	-0.0	0.0
-0.0	-77.86						

	NODE	Vxx	Vyy
	Cent	0.0	0.0
	2235	0.0	0.0
	2273	0.0	-0.0
	400	0.0	-0.0
	399	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	-19.1	-5.5	4.6	-4.1
-20.5	73.05		2235	-20.4	-11.4	3.5	-10.2
-21.5	71.14		2273	-17.1	1.1	3.0	1.6
-17.6	80.84		400	-17.9	-0.7	5.7	1.0
-19.6	73.24		399	-21.2	-11.8	6.2	-8.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-24.2      63.57

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-33.83	Cent	0.0	-0.0	-0.0	0.0
-0.1	-27.34	2235	0.0	-0.0	-0.0	0.0
-0.1	-18.32	2273	-0.0	-0.1	-0.0	-0.0
0.0	-52.22	400	0.0	0.1	-0.0	0.1
-0.0	-43.25	399	0.0	0.0	-0.0	0.1
		NODE	Vxx	Vyy		
		Cent	0.0	-0.3		
		2235	0.1	-0.2		
		2273	0.1	-0.4		
		400	-0.0	-0.4		
		399	-0.0	-0.2		

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-34.8	-79.30	SLDx (RS)	Cent	-33.6	-0.8	-6.4	0.4
-39.9	-77.14		2235	-37.9	-1.6	-8.7	0.4
-38.6	83.92		2273	-38.1	-2.6	3.8	-2.2
-29.9	-82.07		400	-29.3	-0.2	-4.1	0.4
-31.5	-74.51		399	-29.0	1.1	-9.0	3.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-13.09	Cent	0.0	-0.0	-0.0	0.0
-0.0	-19.03	2235	-0.0	-0.0	-0.0	-0.0
-0.0	-13.45	2273	-0.0	-0.0	-0.0	-0.0
-0.0	-25.50	400	-0.0	-0.0	-0.0	-0.0
-0.0	-77.86	399	-0.0	0.0	-0.0	0.0
		NODE	Vxx	Vyy		
		Cent	0.0	0.0		
		2235	0.0	0.0		
		2273	0.0	-0.0		
		400	0.0	-0.0		
		399	0.0	0.0		

LC	NODE	Fxx	Fyy	Fxy	Fmax
----	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE						
		SLDy (RS)	Cent	-9.6	-2.7	2.3	-2.0
-10.2	73.06		2235	-10.2	-5.7	1.7	-5.1
-10.8	71.15		2273	-8.5	0.5	1.5	0.8
-8.8	80.84		400	-8.9	-0.4	2.8	0.5
-9.8	73.24		399	-10.6	-5.9	3.1	-4.4
-12.1	63.58						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	0.0	-0.0	-0.0	0.0
-0.0	-33.83		2235	0.0	-0.0	-0.0	0.0
-0.0	-27.33		2273	-0.0	-0.0	-0.0	-0.0
-0.1	-18.32		400	0.0	0.0	-0.0	0.0
0.0	-52.21		399	0.0	0.0	-0.0	0.0
-0.0	-43.25						
			NODE	Vxx	Vyy		
			Cent	0.0	-0.2		
			2235	0.0	-0.1		
			2273	0.0	-0.2		
			400	-0.0	-0.2		
			399	-0.0	-0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVz (RS)	Cent	-29.1	-0.7	-5.6	0.4
-30.2	-79.29		2235	-32.9	-1.5	-7.6	0.3
-34.6	-77.10		2273	-33.1	-2.2	-3.3	-1.9
-33.5	-83.96		400	-25.3	0.2	-3.6	0.7
-25.8	-82.22		399	-25.1	0.9	-7.8	3.1
-27.3	-74.44						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	0.0	0.0
-0.0	26.99		2235	-0.0	-0.0	0.0	0.0
-0.0	23.32		2273	-0.0	-0.0	-0.0	-0.0
-0.0	-14.81		400	-0.0	-0.0	0.0	-0.0
-0.0	40.12		399	-0.0	-0.0	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

- 0.0      34.66

NODE	Vxx	Vyy
Cent	0.0	0.0
2235	0.0	0.0
2273	0.0	0.0
400	0.0	0.0
399	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-13.0	8.90	g1	Cent	606.8	2.2	97.0	622.0
-9.4	11.34		2235	685.9	18.6	139.4	713.9
31.3	4.28		2273	690.9	35.0	49.3	694.6
-19.6	5.70		400	527.7	-14.2	54.7	533.2
-66.2	13.81		399	522.8	-30.6	144.8	558.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	84.61	Cent	0.0	0.0	0.0	0.0
0.0	84.72	2235	0.0	0.0	0.0	0.0
0.0	83.54	2273	0.0	0.0	0.0	0.0
0.0	86.05	400	0.0	0.0	0.0	0.0
0.0	87.57	399	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
2235	-0.0	-0.0
2273	-0.0	0.0
400	-0.0	0.0
399	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-9.0	8.27	g2	Cent	293.2	-2.6	43.9	299.6
-7.8	10.71		2235	330.9	4.3	64.1	343.0
12.8	3.71		2273	333.9	14.2	20.8	335.2
-11.6	5.09		400	255.5	-9.5	23.8	257.6
-35.0	13.13		399	252.5	-19.4	67.1	268.2

NODE	Mxx	Myy	Mxy	Mmax
------	-----	-----	-----	------



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE						
			Cent	0.0	0.0	-0.0	0.0
0.0	-67.94		2235	0.0	0.0	-0.0	0.0
0.0	-78.00		2273	0.0	0.0	-0.0	0.0
-0.0	-48.26		400	0.0	0.0	-0.0	0.0
0.0	-65.26		399	0.0	0.0	-0.0	0.0
-0.0	-69.99						
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			2235	-0.0	0.0		
			2273	-0.0	-0.0		
			400	-0.0	-0.0		
			399	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q3	Cent	18.9	0.0	5.7	20.5
-1.5	15.52		2235	20.4	0.2	6.5	22.3
-1.7	16.30		2273	20.6	0.9	4.7	21.7
-0.1	12.66		400	17.4	-0.1	4.9	18.6
-1.4	14.58		399	17.1	-0.8	6.7	19.4
-3.0	18.31						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	0.0	0.0	0.0	0.0
0.0	79.79		2235	-0.0	0.0	0.0	0.0
-0.0	79.94		2273	0.0	0.0	0.0	0.0
0.0	77.10		400	0.0	0.0	0.0	0.0
0.0	80.84		399	0.0	0.0	0.0	0.0
0.0	83.81						
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			2235	-0.0	-0.0		
			2273	-0.0	0.0		
			400	-0.0	0.0		
			399	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		q5_pc	Cent	-26.0	-1.1	-0.9	-1.1
-26.0	-87.87		2235	-26.1	-2.0	-1.1	-2.0
-26.2	-87.43		2273	-25.5	-0.1	-1.2	0.0
-25.6	-87.27		400	-25.8	-0.2	-0.8	-0.1
-25.8	-88.28		399	-26.4	-2.2	-0.6	-2.1
-26.4	-88.49						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	-0.0	-0.0	0.0
-0.0	-34.17		2235	0.0	-0.1	-0.1	0.0
-0.1	-28.23		2273	-0.1	-0.1	-0.0	-0.0
-0.2	-16.04		400	0.1	0.1	-0.0	0.1
0.0	-54.49		399	0.1	0.1	-0.1	0.1
0.0	-44.77						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.5		
			2235	0.1	-0.4		
			2273	0.1	-0.7		
			400	-0.0	-0.7		
			399	-0.0	-0.4		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		q5_ps	Cent	-21.6	-1.8	-0.9	-1.7
-21.6	-87.35		2235	-21.9	-3.2	-1.2	-3.1
-22.0	-86.35		2273	-21.0	-0.2	-1.3	-0.2
-21.1	-86.43		400	-21.2	-0.3	-0.6	-0.3
-21.3	-88.24		399	-22.1	-3.3	-0.5	-3.3
-22.1	-88.36						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	-0.0	-0.0	0.0
-0.0	-34.16		2235	0.0	-0.1	-0.1	0.0
-0.1	-28.29		2273	-0.1	-0.1	-0.0	-0.0
-0.2	-16.08		400	0.1	0.1	-0.0	0.1
0.0	-54.36		399	0.1	0.1	-0.1	0.1
0.0	-44.66						
			NODE	Vxx	Vyy		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

				Cent	0.0	-0.5		
				2235	0.1	-0.4		
				2273	0.1	-0.7		
				400	-0.0	-0.7		
				399	-0.0	-0.4		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-21.7	12.65	INVSLU	Max	Cent	2153.9	36.3	500.4	2266.2
6.2	15.86			2235	2673.4	189.4	767.6	2891.5
196.7	4.66			2273	2695.6	213.3	203.6	2712.2
-97.7	7.60			400	1634.4	-88.6	234.1	1665.6
-302.6	21.47			399	1612.1	-103.5	798.2	1926.0
-79.5	4.45		Min	Cent	973.9	-31.4	47.6	979.9
-34.6	12.24			2235	1351.3	58.8	295.7	1421.8
93.5	-8.26			2273	1363.9	133.4	-225.5	1390.4
-200.9	-12.20			400	596.4	-146.4	-209.3	632.2
-426.4	18.62			399	583.8	-228.0	311.3	695.9
Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
0.0	60.12		Max	Cent	0.0	0.1	0.1	0.1
-0.0	64.07			2235	0.0	0.1	0.1	0.2
0.1	75.39			2273	0.1	0.3	0.1	0.3
0.1	-51.72			400	0.1	0.1	0.1	0.2
0.1	-54.47			399	0.1	0.2	0.1	0.2
-0.1	61.79		Min	Cent	-0.0	-0.0	-0.1	0.0
-0.1	-36.22			2235	-0.0	-0.1	-0.1	0.0
-0.2	-18.93			2273	-0.1	-0.2	-0.0	-0.1
-0.2	31.88			400	-0.1	-0.1	-0.1	-0.1
-0.2	49.33			399	-0.1	-0.1	-0.1	-0.0
				NODE	Vxx	Vyy		
			Max	Cent	0.0	0.9		
				2235	0.1	0.5		
				2273	0.1	1.3		
				400	0.0	1.3		
				399	0.0	0.5		
			Min	Cent	-0.1	-0.8		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

2235 -0.2 -0.6  
 2273 -0.2 -1.0  
 400 -0.0 -1.0  
 399 -0.0 -0.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-14.2	8.93	INVSLV Max	Cent	856.6	4.0	140.6	878.3
5.3	13.59		2235	1094.0	64.6	267.7	1158.2
89.5	-0.96		2273	1103.2	89.7	0.2	1103.5
-55.3	0.85		400	619.2	-55.3	13.5	619.3
-161.4	19.26		399	610.0	-75.2	281.1	706.9
-29.3	8.85	Min	Cent	693.3	-8.3	108.8	710.7
-22.3	13.90		2235	910.5	39.1	226.2	967.0
77.4	-0.12		2273	920.4	77.4	-19.0	920.4
-57.2	-0.56		400	476.1	-57.1	-8.6	476.1
-200.8	20.43		399	466.2	-100.7	236.5	555.7
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	60.36	Max	Cent	0.0	0.0	0.0	0.0
-0.0	66.47		2235	0.0	0.1	0.0	0.1
0.0	73.53		2273	0.0	0.1	0.0	0.1
0.0	-55.79		400	0.0	0.1	0.0	0.1
0.0	-47.87		399	0.0	0.0	0.0	0.1
-0.0	-48.78	Min	Cent	-0.0	0.0	-0.0	0.0
-0.0	-45.18		2235	-0.0	-0.0	-0.0	0.0
-0.1	-20.56		2273	-0.0	-0.1	-0.0	-0.0
-0.1	41.48		400	-0.0	-0.0	-0.0	-0.0
-0.1	57.21		399	-0.0	-0.0	-0.0	0.0
			NODE	Vxx	Vyy		
		Max	Cent	0.0	0.3		
			2235	0.1	0.2		
			2273	0.1	0.5		
			400	0.0	0.5		
			399	0.0	0.2		
		Min	Cent	-0.0	-0.3		
			2235	-0.1	-0.2		
			2273	-0.1	-0.4		

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

400 -0.0 -0.4  
399 -0.0 -0.2

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
Fmin		ANGLE						
2987	2	4	Q1-1-2	Max Cent	851.8	0.6	248.0	918.8
-66.4		15.12		2273	967.6	20.9	303.2	1056.4
-67.8		16.32		2274	974.5	37.9	187.1	1010.4
1.9		10.89		401	735.9	0.4	193.8	783.9
-47.5		13.89		400	729.1	0.6	310.0	843.1
-113.4		20.20		Min Cent	-8.3	-39.8	-86.8	64.1
-112.3		-39.85		2273	-9.4	-22.6	-55.0	39.4
-71.4		-41.59		2274	-9.5	-13.8	-130.2	118.6
-141.9		-44.52		401	-7.1	-67.1	-128.0	94.3
-168.6		-38.41		400	-7.1	-85.9	-53.6	20.1
-113.0		-26.85						
Mmin		ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0		74.28		Max Cent	0.0	0.1	0.0	0.1
0.0		78.50		2273	0.0	0.1	0.0	0.1
0.0		80.21		2274	0.0	0.1	0.0	0.1
0.0		67.05		401	0.0	0.0	0.0	0.0
-0.0		61.51		400	0.0	0.0	0.0	0.0
-0.0		-40.42		Min Cent	-0.0	-0.0	-0.0	0.0
-0.0		-36.99		2273	-0.0	-0.0	-0.0	0.0
-0.0		-35.40		2274	-0.0	-0.0	-0.0	0.0
-0.0		-43.09		401	-0.0	-0.0	-0.0	0.0
-0.0		-52.04		400	-0.0	-0.0	-0.0	0.0
				NODE	Vxx	Vyy		
				Max Cent	0.0	0.2		
				2273	0.0	0.2		
				2274	0.0	0.2		
				401	0.0	0.2		
				400	0.0	0.2		
				Min Cent	-0.0	-0.0		
				2273	-0.0	-0.0		
				2274	-0.0	-0.0		
				401	-0.0	-0.0		
				400	-0.0	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-43.6	15.71	Q2a-1-2	Max Cent	512.4	0.3	156.3	556.3
-44.9	16.96		2273	581.7	13.3	191.1	640.0
-0.2	11.36		2274	586.0	23.5	117.8	609.7
-31.1	14.43		401	443.0	0.3	122.0	474.4
-74.0	20.85		400	438.8	0.4	195.3	513.2
-75.7	-39.81		Min Cent	-6.1	-27.4	-57.9	42.1
-48.8	-41.45		2273	-7.0	-16.2	-36.9	25.6
-95.7	-44.52		2274	-7.0	-9.9	-87.2	78.8
-112.5	-38.65		401	-5.3	-44.0	-85.8	63.3
-74.0	-27.64		400	-5.3	-55.2	-36.0	13.6
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	74.45		Max Cent	0.0	0.0	0.0	0.0
0.0	78.73		2273	0.0	0.1	0.0	0.1
0.0	80.32		2274	0.0	0.1	0.0	0.1
0.0	67.09		401	0.0	0.0	0.0	0.0
-0.0	61.47		400	0.0	0.0	0.0	0.0
-0.0	-41.53		Min Cent	-0.0	-0.0	-0.0	0.0
-0.0	-38.87		2273	-0.0	-0.0	-0.0	0.0
-0.0	-37.92		2274	-0.0	-0.0	-0.0	0.0
-0.0	-44.04		401	-0.0	-0.0	-0.0	0.0
-0.0	-54.57		400	-0.0	-0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Max Cent	0.0	0.1		
			2273	0.0	0.1		
			2274	0.0	0.1		
			401	0.0	0.1		
			400	0.0	0.1		
			Min Cent	-0.0	-0.0		
			2273	-0.0	-0.0		
			2274	-0.0	-0.0		
			401	-0.0	-0.0		
			400	-0.0	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-71.5	-78.66	SLVx (RS)	Cent	-68.7	-0.5	-14.2	2.3
-82.9	-76.47		2273	-78.2	-2.4	-19.3	2.2
-79.7	-83.56		2274	-78.8	-4.3	-8.5	-3.4
-60.6	-81.18		401	-59.2	-1.6	-9.1	-0.2
-65.1	-72.00		400	-58.6	-3.6	-20.0	2.9
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-7.73		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-6.14		2273	-0.0	-0.0	-0.0	-0.0
-0.0	-4.36		2274	-0.0	-0.0	-0.0	-0.0
-0.0	-8.43		401	-0.0	-0.0	-0.0	-0.0
-0.0	-13.98		400	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			2273	0.0	-0.0		
			2274	0.0	-0.0		
			401	0.0	-0.0		
			400	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-23.8	74.42	SLVy (RS)	Cent	-22.0	-0.4	6.5	1.4
-22.8	71.22		2273	-20.2	-0.5	7.6	2.0
-21.1	77.01		2274	-19.9	1.4	5.2	2.6
-25.0	77.49		401	-23.8	-0.3	5.5	0.9
-26.5	72.88		400	-24.0	-1.0	7.8	1.4
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-20.13		Cent	-0.0	-0.0	-0.0	0.0
-0.1	-8.63		2273	-0.0	-0.1	-0.0	-0.0
-0.2	-6.23		2274	-0.1	-0.2	-0.0	-0.1
0.0	-78.20		401	0.0	0.1	-0.0	0.1





PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-20.14		Cent	-0.0	-0.0	-0.0	0.0
-0.1	-8.63		2273	-0.0	-0.1	-0.0	-0.0
-0.1	-6.23		2274	-0.0	-0.1	-0.0	-0.0
0.0	-78.19		401	0.0	0.0	-0.0	0.0
0.0	-65.00		400	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.3
2273	0.0	-0.3
2274	0.0	-0.4
401	0.0	-0.4
400	0.0	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-31.0	-78.86	SLVz (RS)	Cent	-29.8	0.2	-6.1	1.4
-36.0	-76.50		2273	-33.9	-1.1	-8.4	1.0
-34.6	-83.66		2274	-34.2	-1.9	-3.6	-1.5
-26.2	-81.72		401	-25.6	0.7	-3.9	1.3
-27.9	-73.63		400	-25.4	1.6	-8.7	4.1

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	14.23		Cent	-0.0	-0.0	0.0	-0.0
-0.0	7.43		2273	-0.0	-0.0	0.0	-0.0
-0.0	7.32		2274	-0.0	-0.0	0.0	-0.0
-0.0	20.41		401	-0.0	-0.0	0.0	-0.0
-0.0	30.61		400	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
2273	0.0	0.0
2274	0.0	0.0
401	0.0	0.0
400	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----				-----			
Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-----				-----			
-27.7	9.50	g1	Cent	623.5	-9.5	108.9	641.7
			2273	711.1	8.9	155.9	744.1
-24.2	11.97		2274	716.4	26.6	56.2	721.0
22.1	4.63		401	535.9	-27.9	62.0	542.6
-34.6	6.20		400	530.6	-45.6	161.7	572.8
-87.9	14.65						
-----				-----			
0.0	88.28		Cent	0.0	0.0	0.0	0.0
0.0	87.80		2273	0.0	0.0	0.0	0.0
0.0	88.51		2274	0.0	0.0	0.0	0.0
0.0	88.99		401	0.0	0.0	0.0	0.0
0.0	87.88		400	0.0	0.0	0.0	0.0
-----				-----			
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			2273	-0.0	0.0		
			2274	-0.0	0.0		
			401	-0.0	0.0		
			400	-0.0	0.0		
-----				-----			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----				-----			
-15.8	9.25	g2	Cent	301.0	-7.4	51.6	309.4
			2273	343.3	0.9	74.2	358.7
-14.5	11.72		2274	346.3	10.8	25.8	348.3
8.8	4.38		401	258.6	-15.7	28.9	261.7
-18.7	5.96		400	255.7	-25.6	77.3	275.5
-45.5	14.40						
-----				-----			
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----				-----			
0.0	-59.35		Cent	0.0	0.0	-0.0	0.0
-0.0	-48.35		2273	0.0	0.0	-0.0	0.0
-0.0	-33.08		2274	-0.0	-0.0	-0.0	0.0
0.0	-66.37		401	0.0	0.0	-0.0	0.0
0.0	-70.40		400	0.0	0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
	Cent	-0.0	-0.0
	2273	0.0	-0.0
	2274	0.0	-0.0
	401	-0.0	-0.0
	400	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q3	Cent	19.0	-0.2	5.8	20.6
-1.9	15.66		2273	20.8	0.1	6.8	22.8
-1.9	16.67		2274	20.9	0.6	4.7	22.0
-0.4	12.46		401	17.2	-0.5	4.9	18.4
-1.8	14.43		400	17.0	-1.1	7.0	19.4
-3.4	18.81						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	0.0	0.0	0.0	0.0
0.0	85.37		2273	0.0	0.0	0.0	0.0
0.0	84.55		2274	0.0	0.0	0.0	0.0
0.0	86.79		401	0.0	0.0	0.0	0.0
0.0	86.09		400	0.0	0.0	0.0	0.0
0.0	84.22						

	NODE	Vxx	Vyy
	Cent	-0.0	0.0
	2273	-0.0	0.0
	2274	-0.0	0.0
	401	-0.0	0.0
	400	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_pc	Cent	-26.5	0.6	-1.0	0.6
-26.5	-87.90		2273	-26.2	0.8	-0.8	0.8
-26.2	-88.26		2274	-26.3	0.5	-1.1	0.5
-26.3	-87.67		401	-26.8	0.3	-1.2	0.4
-26.8	-87.55		400	-26.7	0.7	-0.9	0.7
-26.7	-88.13						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	-16.48	Cent	0.0	-0.0	-0.0	0.0
-0.2	-6.83	2273	-0.0	-0.2	-0.0	-0.0
-0.2	-4.64	2274	-0.1	-0.2	-0.0	-0.1
0.0	-83.24	401	0.0	0.1	-0.0	0.1
0.1	-71.07	400	0.1	0.1	-0.0	0.1

NODE	Vxx	Vyy
Cent	0.1	-1.1
2273	0.1	-1.0
2274	0.1	-1.1
401	0.1	-1.1
400	0.1	-1.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-22.1	-88.97	q5_ps	Cent	-22.1	0.2	-0.4	0.2
-21.7	-89.57		2273	-21.7	0.3	-0.2	0.3
-21.7	-88.28		2274	-21.7	0.4	-0.7	0.4
-22.6	-88.39		401	-22.6	0.1	-0.6	0.1
-22.6	-89.64		400	-22.6	0.1	-0.1	0.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.1	-16.57	Cent	0.0	-0.0	-0.0	0.0
-0.2	-6.90	2273	-0.0	-0.2	-0.0	-0.0
-0.2	-4.71	2274	-0.1	-0.2	-0.0	-0.1
0.0	-82.97	401	0.0	0.1	-0.0	0.1
0.1	-70.72	400	0.1	0.1	-0.0	0.1

NODE	Vxx	Vyy
Cent	0.1	-1.1
2273	0.1	-1.0
2274	0.1	-1.1
401	0.1	-1.1
400	0.1	-1.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-64.9	12.58	INVSLU Max	Cent	2231.0	-18.5	528.4	2348.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-25.3	15.71		2273	2786.5	109.6	817.8	3016.5
			2274	2809.0	175.8	212.9	2826.1
158.7	4.59		401	1675.5	-119.2	240.1	1707.0
-129.1	7.49		400	1653.0	-162.4	845.2	1985.4
-369.3	21.47	Min	Cent	1015.7	-74.0	74.6	1025.7
-137.9	5.48		2273	1414.6	49.3	332.8	1497.0
-123.2	12.96		2274	1427.7	105.2	-217.4	1450.2
71.3	-7.38		401	616.7	-211.0	-196.4	644.9
-254.3	-10.42		400	603.7	-280.3	352.7	734.0
-500.4	19.20						

Mmin ANGLE NODE Mxx Myy Mxy Mmax

0.0	76.15	Max	Cent	0.0	0.1	0.0	0.2
			2273	0.1	0.4	0.0	0.4
0.1	83.37		2274	0.2	0.5	0.0	0.5
0.2	84.91		401	0.1	0.2	0.0	0.2
0.1	-87.91		400	0.1	0.2	0.0	0.2
0.1	-78.75	Min	Cent	0.0	-0.1	-0.0	0.0
-0.1	-25.11		2273	-0.0	-0.3	-0.0	-0.0
-0.3	-9.40		2274	-0.1	-0.3	-0.0	-0.1
-0.3	-7.24		401	-0.1	-0.2	-0.0	-0.1
-0.2	0.98		400	-0.1	-0.2	-0.0	-0.1
-0.2	10.11						

NODE Vxx Vyy

Max	Cent	0.1	1.9
	2273	0.1	1.9
	2274	0.1	2.0
	401	0.1	2.0
	400	0.1	1.9
Min	Cent	-0.2	-1.5
	2273	-0.2	-1.4
	2274	-0.2	-1.6
	401	-0.1	-1.6
	400	-0.1	-1.4

Fmin ANGLE LC NODE Fxx Fyy Fxy Fmax

-38.3	9.73	INVSLV	Max	Cent	887.2	-16.7	163.6	914.6
				2273	1140.1	43.2	300.2	1214.7
-24.3	14.16							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

			2274	1150.8	79.3	13.6	1150.9
79.2	0.56		401	634.3	-73.3	27.0	635.1
-73.9	1.91		400	623.6	-104.6	313.6	736.9
-206.6	20.14	Min	Cent	718.8	-18.2	127.5	741.5
-47.0	9.81		2273	951.2	37.4	251.9	1018.3
-37.0	14.65		2274	960.7	68.7	-8.8	960.8
68.6	-0.36		401	486.3	-77.1	3.0	486.4
-77.3	0.64		400	476.8	-113.3	263.7	580.8
-228.7	21.17						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----	-----						
		Max	Cent	0.0	0.1	0.0	0.1
0.0	75.02		2273	0.0	0.2	0.0	0.2
0.0	82.71		2274	0.1	0.2	0.0	0.2
0.1	84.83		401	0.0	0.1	0.0	0.1
0.0	-78.85		400	0.0	0.1	0.0	0.1
0.0	-69.06	Min	Cent	0.0	-0.0	-0.0	0.0
-0.0	-47.82		2273	-0.0	-0.1	-0.0	-0.0
-0.1	-10.23		2274	-0.0	-0.1	-0.0	-0.0
-0.1	-7.48		401	-0.0	-0.1	-0.0	-0.0
-0.1	12.49		400	-0.0	-0.1	-0.0	-0.0
-0.1	30.47						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.7
	2273	0.1	0.7
	2274	0.1	0.8
	401	0.0	0.8
	400	0.0	0.7
Min	Cent	-0.1	-0.6
	2273	-0.1	-0.6
	2274	-0.1	-0.7
	401	-0.0	-0.7
	400	-0.0	-0.6

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
-----	-----	-----	-----	-----	-----	-----	-----	-----	
2998	2	8	Q1-1-2	Max	Cent	967.3	25.4	354.3	1085.7
-93.0		18.48			2223	1131.9	59.0	412.0	1271.8
-81.0		18.76			2283	1142.7	89.0	283.7	1214.2
17.5		14.15							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-97.9	18.29		467	803.0	0.5	297.7	901.4
-185.1	23.55		466	793.0	0.7	426.3	978.8
-37.6	-46.03	Min	Cent	-19.2	-17.8	-19.1	0.6
-22.6	-83.22		2223	-22.4	-6.2	-2.0	-5.9
-56.2	-51.84		2283	-22.4	-1.5	-43.0	32.3
-73.7	-35.71		467	-16.0	-43.9	-41.5	13.8
-73.1	-1.94		466	-15.9	-73.1	-1.9	-15.9

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
		Max	Cent	0.0	0.1	0.0	0.1
0.0	79.75		2223	0.0	0.1	0.0	0.1
0.0	83.20		2283	0.0	0.1	0.0	0.1
0.0	81.81		467	0.0	0.0	0.0	0.0
0.0	65.68		466	0.0	0.0	0.0	0.0
0.0	62.28	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-37.30		2223	-0.0	-0.0	-0.0	0.0
-0.0	-32.76		2283	-0.0	-0.0	-0.0	0.0
-0.0	-36.03		467	-0.0	-0.0	-0.0	0.0
-0.0	-42.93		466	-0.0	-0.0	-0.0	0.0
-0.0	-42.20						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.3
	2223	0.0	0.3
	2283	0.0	0.2
	467	0.0	0.2
	466	0.0	0.3
Min	Cent	-0.0	-0.0
	2223	-0.0	-0.1
	2283	-0.0	-0.0
	467	-0.0	-0.0
	466	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-57.6	18.67	Q2a-1-2	Max	Cent	584.2	15.6	216.8	657.4
-50.6	18.95			2223	683.3	35.9	252.0	769.8
10.1	14.30			2283	690.1	54.3	173.3	734.3
-60.4	18.45			467	485.3	0.4	182.1	546.1

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-114.2	23.74		466	479.1	0.5	260.9	593.8
		Min	Cent	-14.2	-12.7	-13.4	-0.1
-26.9	-46.63		2223	-16.6	-4.4	-1.3	-4.3
-16.8	-83.79		2283	-16.7	-1.1	-30.1	22.2
-40.0	-52.25		467	-11.9	-30.3	-29.1	9.4
-51.6	-36.20		466	-11.8	-47.9	-1.4	-11.8
-47.9	-2.15						
-----							
		Max	Cent	0.0	0.0	0.0	0.0
0.0	80.50		2223	0.0	0.1	0.0	0.1
0.0	83.70		2283	0.0	0.1	0.0	0.1
0.0	82.54		467	0.0	0.0	0.0	0.0
0.0	65.98		466	0.0	0.0	0.0	0.0
0.0	61.82	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-37.90		2223	-0.0	-0.0	-0.0	0.0
-0.0	-33.93		2283	-0.0	-0.0	-0.0	0.0
-0.0	-36.89		467	-0.0	-0.0	-0.0	0.0
-0.0	-43.68		466	-0.0	-0.0	-0.0	0.0
-0.0	-42.54						
-----							
			NODE	Vxx	Vyy		
		Max	Cent	0.0	0.2		
			2223	0.0	0.2		
			2283	0.0	0.2		
			467	0.0	0.2		
			466	0.0	0.2		
		Min	Cent	-0.0	-0.0		
			2223	-0.0	-0.0		
			2283	-0.0	-0.0		
			467	-0.0	-0.0		
			466	-0.0	-0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	-68.9	-2.4	-23.7	5.1
-76.5	-72.26		2223	-80.7	-5.2	-28.0	4.1
-90.0	-71.72		2283	-81.3	-7.0	-18.5	-2.6
-85.6	-76.74		467	-57.1	-0.3	-19.4	5.7
-63.1	-72.87		466	-56.6	2.1	-28.8	13.9
-68.4	-67.76						



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----	-----	-----	-----	-----	-----	-----
-0.0	-15.53	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-7.02	2223	-0.0	-0.0	-0.0	-0.0
-0.0	-9.72	2283	-0.0	-0.0	-0.0	-0.0
-0.0	-13.93	467	-0.0	-0.0	-0.0	-0.0
-0.0	-12.36	466	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
-----	-----	-----
Cent	-0.0	-0.0
2223	0.0	-0.0
2283	0.0	-0.0
467	0.0	-0.0
466	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----	-----	-----	-----	-----	-----	-----	-----
-39.3	74.15	SLVy (RS)	Cent	-36.1	-0.5	11.0	2.7
-40.5	74.99		2223	-37.6	-0.9	10.6	2.0
-41.0	73.98		2283	-37.7	-1.0	11.5	2.3
-38.1	73.22		467	-34.7	-0.2	11.4	3.3
-37.6	74.32		466	-34.6	0.1	10.6	3.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----	-----	-----	-----	-----	-----	-----
0.0	61.89	Cent	0.0	0.0	0.0	0.1
-0.1	11.07	2223	-0.0	-0.1	0.0	-0.0
-0.1	17.67	2283	-0.0	-0.0	0.0	-0.0
0.1	79.07	467	0.1	0.1	0.0	0.1
0.0	79.98	466	0.0	0.1	0.0	0.1

NODE	Vxx	Vyy
-----	-----	-----
Cent	0.0	-0.6
2223	0.0	-0.7
2283	0.0	-0.6
467	-0.0	-0.6
466	-0.0	-0.7

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----	-----	-----	-----	-----	-----	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-38.2	-72.26	SLDx (RS)	Cent	-34.4	-1.2	-11.8	2.6	
-45.0	-71.72		2223	-40.3	-2.6	-14.0	2.1	
-42.8	-76.74		2283	-40.6	-3.5	-9.3	-1.3	
-31.5	-72.87		467	-28.6	-0.2	-9.7	2.8	
-34.2	-67.75		466	-28.3	1.1	-14.4	7.0	
Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-0.0	-15.58		Cent	-0.0	-0.0	-0.0	-0.0	
-0.0	-7.04		2223	-0.0	-0.0	-0.0	-0.0	
-0.0	-9.74		2283	-0.0	-0.0	-0.0	-0.0	
-0.0	-13.96		467	-0.0	-0.0	-0.0	-0.0	
-0.0	-12.39		466	-0.0	-0.0	-0.0	-0.0	
			NODE	Vxx	Vyy			
			Cent	-0.0	-0.0			
			2223	0.0	-0.0			
			2283	0.0	-0.0			
			467	0.0	-0.0			
			466	0.0	-0.0			
Fmin		ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-19.6	74.14	SLDy (RS)	Cent		-18.1	-0.2	5.5	1.3
-20.2	74.99		2223		-18.8	-0.4	5.3	1.0
-20.5	73.98		2283		-18.8	-0.5	5.7	1.1
-19.0	73.21		467		-17.3	-0.1	5.7	1.6
-18.8	74.31		466		-17.3	0.1	5.3	1.6
Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
0.0	61.86		Cent	0.0	0.0	0.0	0.0	
-0.0	11.09		2223	-0.0	-0.0	0.0	-0.0	
-0.0	17.70		2283	-0.0	-0.0	0.0	-0.0	
0.0	79.05		467	0.0	0.1	0.0	0.1	
0.0	79.96		466	0.0	0.1	0.0	0.1	

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
	Cent	0.0	-0.3
	2223	0.0	-0.3
	2283	0.0	-0.3
	467	-0.0	-0.3
	466	-0.0	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVz (RS)	Cent	-30.3	-1.1	-10.4	2.3
-33.6	-72.21		2223	-35.5	-2.3	-12.4	1.8
-39.6	-71.67		2283	-35.7	-3.1	-8.2	-1.1
-37.7	-76.70		467	-25.1	0.1	-8.5	2.8
-27.7	-72.95		466	-24.8	0.9	-12.7	6.2
-30.1	-67.69						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	27.74		2223	-0.0	-0.0	0.0	-0.0
-0.0	9.77		2283	-0.0	-0.0	0.0	-0.0
-0.0	13.76		467	-0.0	-0.0	0.0	-0.0
-0.0	14.69		466	-0.0	-0.0	0.0	-0.0
-0.0	13.31						

	NODE	Vxx	Vyy
	Cent	0.0	0.0
	2223	0.0	0.0
	2283	0.0	0.0
	467	0.0	0.0
	466	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g1	Cent	689.2	17.2	215.4	752.3
-45.9	16.33		2223	808.2	44.4	259.1	887.8
-35.2	17.08		2283	813.9	63.5	163.3	847.9
29.6	11.76		467	570.2	-10.0	171.7	617.3
-57.0	15.31		466	564.5	-29.2	267.6	667.3
-132.0	21.02						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-84.70	Cent	0.0	0.0	-0.0	0.0
0.0	-87.04	2223	0.0	0.0	-0.0	0.0
0.0	-85.38	2283	0.0	0.0	-0.0	0.0
0.0	-81.87	467	0.0	0.0	-0.0	0.0
0.0	-83.36	466	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
2223	-0.0	0.0
2283	-0.0	0.0
467	-0.0	0.0
466	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-22.9	16.14	g2	Cent	335.3	7.1	103.6	365.2
-17.5	16.92		2223	393.6	20.5	125.0	431.6
13.9	11.54		2283	396.4	29.8	78.1	412.3
-28.4	15.07		467	277.0	-6.2	82.2	299.1
-64.8	20.86		466	274.2	-15.5	129.2	323.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	53.45	Cent	0.0	0.0	0.0	0.0
-0.0	9.68	2223	-0.0	-0.0	0.0	-0.0
-0.0	20.48	2283	-0.0	-0.0	0.0	0.0
0.0	73.74	467	0.0	0.0	0.0	0.0
0.0	78.54	466	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
2223	0.0	-0.0
2283	0.0	-0.0
467	-0.0	-0.0
466	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q3	Cent	16.2	0.5	5.9	18.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-1.5	18.39	2223	18.5	0.9	6.7	20.7	
-1.3	18.70	2283	18.6	1.4	4.9	19.9	
0.1	14.75	467	13.9	-0.0	5.1	15.6	
-1.7	17.99	466	13.8	-0.5	6.9	16.6	
-3.3	22.02						
-----							
0.0	-87.29	Cent	0.0	0.0	-0.0	0.0	
0.0	-89.31	2223	0.0	0.0	-0.0	0.0	
0.0	-88.18	2283	0.0	0.0	-0.0	0.0	
0.0	-84.84	467	0.0	0.0	-0.0	0.0	
0.0	-86.10	466	0.0	0.0	-0.0	0.0	
-----							
		NODE	Vxx	Vyy			
-----							
		Cent	-0.0	0.0			
		2223	-0.0	0.0			
		2283	-0.0	0.0			
		467	-0.0	0.0			
		466	-0.0	0.0			
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-35.9	-85.81	q5_pc	Cent	-35.7	-0.6	-2.6	-0.4
-39.3	-84.30		2223	-38.9	-1.4	-3.8	-1.0
-39.0	-88.16		2283	-39.0	-1.8	-1.2	-1.7
-32.5	-87.57		467	-32.5	0.2	-1.4	0.3
-32.8	-83.22		466	-32.3	0.6	-4.0	1.1
-----							
Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-----							
0.0	64.04	Cent	0.0	0.1	0.0	0.1	
-0.1	14.67	2223	-0.0	-0.1	0.0	0.0	
-0.1	24.03	2283	-0.0	-0.1	0.0	-0.0	
0.1	78.76	467	0.1	0.2	0.0	0.2	
0.1	79.42	466	0.1	0.3	0.0	0.3	
-----							
		NODE	Vxx	Vyy			
-----							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Cent	0.0	-1.0
2223	0.1	-1.1
2283	0.1	-1.0
467	-0.0	-0.9
466	-0.0	-1.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-30.1	-87.71	q5_ps	Cent	-30.1	-0.5	-1.2	-0.4
-32.7	-86.22		2223	-32.5	-1.1	-2.1	-0.9
-32.6	-89.77		2283	-32.6	-1.4	-0.1	-1.4
-27.6	-89.42		467	-27.6	0.1	-0.3	0.1
-27.7	-85.44		466	-27.5	0.4	-2.2	0.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----						
0.0	63.74	Cent	0.0	0.1	0.0	0.1
-0.1	14.46	2223	-0.0	-0.1	0.0	0.0
-0.1	23.70	2283	-0.0	-0.1	0.0	-0.0
0.1	78.70	467	0.1	0.2	0.0	0.2
0.1	79.38	466	0.1	0.3	0.0	0.3

NODE	Vxx	Vyy
Cent	0.0	-1.0
2223	0.1	-1.1
2283	0.1	-0.9
467	-0.0	-0.9
466	-0.0	-1.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-99.9	17.56	INVSLU Max	Cent	2690.4	72.4	920.8	2981.9
-47.3	18.37		2223	3380.7	237.6	1173.5	3770.5
202.1	11.05		2283	3409.2	324.5	626.5	3531.6
-166.2	16.38		467	2000.6	-80.8	669.7	2197.4
-477.3	24.60		466	1973.2	-126.1	1217.0	2530.5
-223.3	16.72	Min	Cent	1287.9	13.0	412.1	1413.8
-157.3	18.66		2223	1746.2	147.2	607.8	1951.8
171.8	7.14		2283	1759.8	199.1	183.3	1784.7

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-281.0	11.59	467	829.6	-141.1	209.3	879.4
-688.3	25.60	466	816.1	-226.8	631.7	1119.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Max	Cent	0.1	0.2	0.2
0.0	67.98	2223	0.0	0.3	0.0	0.3
0.0	-82.22	2283	0.1	0.2	0.0	0.2
0.1	-77.75	467	0.1	0.3	0.1	0.4
0.1	76.94	466	0.1	0.4	0.1	0.4
0.1	77.70	Min	Cent	-0.1	-0.2	-0.0
-0.2	-26.65	2223	-0.0	-0.2	-0.1	-0.0
-0.2	-2.20	2283	-0.0	-0.1	-0.1	-0.0
-0.1	9.64	467	-0.1	-0.4	-0.1	-0.1
-0.4	-13.40	466	-0.1	-0.4	-0.1	-0.1
-0.4	-13.69					

	NODE	Vxx	Vyy
Max	Cent	0.0	1.9
	2223	0.1	2.1
	2283	0.1	1.7
	467	0.0	1.7
	466	0.0	2.1
Min	Cent	-0.1	-1.5
	2223	-0.2	-1.7
	2283	-0.2	-1.4
	467	-0.1	-1.4
	466	-0.1	-1.7

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		INVSLV	Max	Cent	1068.9	28.4	1172.1
-60.4	16.72		2223	1363.0	102.5	459.4	1509.0
-29.8	17.85		2283	1372.7	134.6	224.9	1409.9
99.2	9.70		467	774.7	-44.9	241.0	836.9
-93.0	14.87		466	765.1	-72.8	475.6	974.4
-255.6	24.04		Min	Cent	891.2	22.7	982.8
-84.0	17.17		2223	1157.7	90.3	389.6	1288.6
-54.7	18.29		2283	1166.1	118.1	176.0	1197.1
84.9	9.62		467	624.6	-45.7	190.3	678.3
-114.4	15.24						

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax		
-295.5	24.99		466	616.3	-77.7	403.9	807.5		
		Max	Cent	0.0	0.1	0.0	0.1		
0.0	68.93		2223	0.0	0.1	0.0	0.1		
0.0	-77.89		2283	0.0	0.1	0.0	0.1		
0.0	-71.51		467	0.1	0.1	0.0	0.1		
0.1	81.56		466	0.0	0.2	0.0	0.2		
0.0	82.09	Min	Cent	-0.0	-0.0	-0.0	-0.0		
-0.0	-34.03		2223	-0.0	-0.1	-0.0	-0.0		
-0.1	9.44		2283	-0.0	-0.0	-0.0	-0.0		
-0.0	15.89		467	-0.1	-0.1	-0.0	-0.0		
-0.1	-13.40		466	-0.0	-0.1	-0.0	-0.0		
-0.1	-12.14								
			NODE	Vxx	Vyy				
		Max	Cent	0.0	0.7				
			2223	0.0	0.7				
			2283	0.0	0.6				
			467	0.0	0.6				
			466	0.0	0.7				
		Min	Cent	-0.0	-0.6				
			2223	-0.0	-0.7				
			2283	-0.0	-0.6				
			467	-0.0	-0.6				
			466	-0.0	-0.7				
ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
	Fmin	ANGLE							
3010	2	8	Q1-1-2	Max	Cent	133.1	19.0	631.9	710.5
-558.4		42.42			2293	296.5	7.7	762.8	928.5
-624.3		39.64			2224	187.7	52.3	872.6	995.2
-755.2		42.78			69	38.5	33.9	505.4	541.7
-469.2		44.87			503	328.8	72.1	401.7	622.2
-221.2		36.14		Min	Cent	-115.6	-879.0	-9.8	-115.5
-879.1		-0.73			2293	-75.3	-58.4	-5.0	-57.0
-76.7		-74.74			2224	-485.8	-1794.0	-30.7	-485.1
-1794.7		-1.34			69	-224.0	-1704.5	-24.5	-223.6
-1704.9		-0.95			503	-1.6	-39.8	-10.3	1.1
-42.4		-14.17							



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.1	88.08	Max	Cent	0.1	0.2	0.0	0.2
0.1	88.69		2293	0.1	0.2	0.0	0.2
0.2	88.57		2224	0.2	0.5	0.0	0.5
0.1	81.25		69	0.1	0.1	0.0	0.1
0.1	88.47		503	0.1	0.2	0.0	0.2
-0.0	-50.65	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-45.50		2293	-0.0	-0.0	-0.0	0.0
-0.1	-61.42		2224	-0.1	-0.1	-0.0	-0.0
-0.1	-22.18		69	-0.0	-0.1	-0.0	-0.0
-0.0	-43.01		503	-0.0	-0.0	-0.0	0.0

	NODE	Vxx	Vyy
Max	Cent	0.2	0.8
	2293	0.3	0.2
	2224	0.3	1.6
	69	0.1	1.6
	503	0.1	0.2
Min	Cent	-0.2	-0.1
	2293	-0.3	-0.1
	2224	-0.3	-0.3
	69	-0.1	-0.3
	503	-0.1	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-328.6	42.38	Q2a-1-2	Max	Cent	76.3	8.5	369.5	413.4
-366.5	39.52			2293	178.2	4.1	449.3	548.8
-442.2	42.67			2224	105.2	23.0	504.6	570.4
-274.5	44.73			69	20.8	15.3	292.6	310.7
-134.6	36.15			503	195.2	41.5	240.9	371.3
-519.2	-0.58		Min	Cent	-66.3	-519.1	-4.6	-66.2
-43.5	-71.62			2293	-42.5	-35.1	-2.8	-34.2
-1053.7	-0.99			2224	-276.1	-1053.5	-13.4	-275.8
-1006.8	-0.80			69	-133.3	-1006.6	-12.2	-133.1
-25.3	-17.32			503	-1.0	-22.9	-7.6	1.4
			NODE	Mxx	Myy	Mxy	Mmax	

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE						
		Max	Cent	0.0	0.1	0.0	0.1
0.0	87.87		2293	0.0	0.1	0.0	0.1
0.0	88.49		2224	0.1	0.3	0.0	0.3
0.1	88.80		69	0.0	0.1	0.0	0.1
0.0	81.51		503	0.0	0.1	0.0	0.1
0.0	88.46	Min	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-50.42		2293	-0.0	-0.0	-0.0	0.0
-0.0	-45.68		2224	-0.1	-0.0	-0.0	-0.0
-0.1	-61.57		69	-0.0	-0.1	-0.0	-0.0
-0.1	-19.50		503	-0.0	-0.0	-0.0	0.0
-0.0	-43.76						

	NODE	Vxx	Vyy
Max	Cent	0.1	0.5
	2293	0.1	0.1
	2224	0.1	1.0
	69	0.0	1.0
	503	0.0	0.1
Min	Cent	-0.1	-0.1
	2293	-0.2	-0.0
	2224	-0.2	-0.1
	69	-0.0	-0.1
	503	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	3.0	41.9	-33.4	61.1
-16.2	-60.11		2293	-11.2	2.0	-40.8	36.8
-46.0	-49.60		2224	14.9	85.3	-44.4	106.8
-6.6	-64.19		69	7.5	81.8	-25.9	89.9
-0.6	-72.54		503	-17.6	1.6	-22.3	16.3
-32.3	-56.67						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	0.0	0.0	0.0	0.0
0.0	82.78		2293	-0.0	-0.0	0.0	-0.0
-0.0	9.52		2224	-0.0	0.0	0.0	0.0
-0.0	86.70		69	-0.0	-0.0	0.0	-0.0
-0.0	4.12		503	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0      79.80

NODE	Vxx	Vyy
Cent	-0.0	0.0
2293	-0.0	-0.0
2224	-0.0	0.0
69	0.0	0.0
503	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-181.9	34.51	SLVy (RS)	Cent	-80.1	-133.8	70.0	-32.0
-133.6	61.44		2293	-94.6	-1.9	71.7	37.1
-397.2	33.10		2224	-186.4	-307.7	137.4	-96.9
-287.3	17.14		69	-65.7	-266.2	68.3	-44.6
24.8	-73.04		503	26.2	40.1	-4.7	41.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	64.35	Cent	0.0	0.1	0.0	0.2
-0.1	72.38	2293	-0.1	0.0	0.1	0.1
0.2	52.76	2224	0.3	0.3	0.0	0.3
-0.0	66.75	69	-0.0	0.0	0.0	0.0
0.0	71.23	503	0.1	0.2	0.0	0.2

NODE	Vxx	Vyy
Cent	-0.3	0.2
2293	-0.6	-0.3
2224	-0.6	0.6
69	0.1	0.6
503	0.1	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-8.1	-60.11	SLDx (RS)	Cent	1.5	20.9	-16.7	30.5
-23.0	-49.60		2293	-5.6	1.0	-20.4	18.4
-3.3	-64.19		2224	7.4	42.6	-22.2	53.4
-0.3	-72.54		69	3.8	40.9	-13.0	44.9
-16.2	-56.67		503	-8.8	0.8	-11.2	8.2

NODE	Mxx	Myy	Mxy	Mmax
------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE						
0.0	82.78		Cent	0.0	0.0	0.0	0.0
-0.0	9.53		2293	-0.0	-0.0	0.0	-0.0
-0.0	86.69		2224	-0.0	0.0	0.0	0.0
-0.0	4.12		69	-0.0	-0.0	0.0	-0.0
0.0	79.79		503	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			2293	-0.0	-0.0		
			2224	-0.0	0.0		
			69	0.0	0.0		
			503	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-90.9	34.51	SLDy (RS)	Cent	-40.0	-66.8	35.0	-16.0
-66.3	61.97		2293	-47.2	0.9	35.8	20.0
-198.4	33.10		2224	-93.1	-153.6	68.6	-48.4
-143.5	17.14		69	-32.8	-132.9	34.1	-22.3
12.4	-72.97		503	13.1	20.0	-2.3	20.7
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	64.34		Cent	0.0	0.1	0.0	0.1
-0.1	72.38		2293	-0.1	0.0	0.0	0.0
0.1	52.75		2224	0.1	0.1	0.0	0.1
-0.0	66.82		69	-0.0	0.0	0.0	0.0
0.0	71.22		503	0.0	0.1	0.0	0.1
			NODE	Vxx	Vyy		
			Cent	-0.2	0.1		
			2293	-0.3	-0.1		
			2224	-0.3	0.3		
			69	0.0	0.3		
			503	0.0	-0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLVz (RS)	Cent				
-9.0	-61.68			-1.0	18.3	-14.7	26.3
			2293	-4.9	0.9	-18.0	16.3
-20.3	-49.60		2224	6.2	37.3	-19.5	46.7
-3.2	-64.29		69	3.2	35.8	-11.4	39.4
-0.4	-72.49		503	-7.7	-0.6	-9.9	6.4
-14.7	-54.80						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	11.43		2293	-0.0	-0.0	0.0	-0.0
-0.0	15.31		2224	-0.0	-0.0	0.0	-0.0
-0.0	9.66		69	-0.0	-0.0	0.0	-0.0
-0.0	6.36		503	-0.0	-0.0	0.0	-0.0
-0.0	16.60						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	-0.0		
			2293	-0.0	-0.0		
			2224	-0.0	-0.0		
			69	-0.0	-0.0		
			503	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		g1	Cent	13.1	-513.2	395.6	225.1
-725.1	28.18		2293	121.2	-26.2	485.8	538.9
-443.8	40.69		2224	-184.2	-1044.3	531.9	69.8
-1298.3	25.52		69	-95.0	-1000.1	305.3	-1.6
-1093.5	17.00		503	210.5	18.0	259.2	390.7
-162.3	34.81						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	0.1	-0.0	0.1
0.0	-85.66		2293	0.0	0.1	-0.0	0.1
0.0	-83.80		2224	0.0	0.2	-0.0	0.2
0.0	-85.20		69	0.0	0.1	-0.0	0.1
0.0	-86.80		503	0.0	0.1	-0.0	0.1
0.0	-85.44						
			NODE	Vxx	Vyy		
-----							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

```

-----
                Cent      0.0      0.2
                2293     0.0      0.2
                2224     0.0      0.2
                 69      0.0      0.2
                 503     0.0      0.2
    
```

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-356.5	28.30	g2	Cent	7.3	-251.0	195.9	112.8
-220.2	40.58		2293	59.6	-15.0	239.6	264.8
-634.3	25.65		2224	-88.5	-508.5	262.1	37.4
-534.4	17.28		69	-45.0	-487.0	152.3	2.4
-83.6	34.79		503	103.1	6.5	129.7	193.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	89.24	Cent	0.0	0.1	0.0	0.1
0.0	-89.65	2293	0.0	0.1	-0.0	0.1
0.0	-87.81	2224	0.0	0.1	-0.0	0.1
-0.0	88.65	69	-0.0	0.1	0.0	0.1
0.0	83.03	503	0.0	0.0	0.0	0.0

```

-----
                NODE      Vxx      Vyy
                Cent      0.0      0.1
                2293     0.0      0.1
                2224     0.0      0.1
                 69      0.0      0.1
                 503     0.0      0.1
    
```

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-13.9	28.05	q3	Cent	0.2	-9.9	7.6	4.3
-8.5	40.73		2293	2.3	-0.5	9.3	10.3
-25.1	25.47		2224	-3.6	-20.2	10.2	1.2
-21.1	16.83		69	-1.8	-19.3	5.8	-0.0
-3.0	34.59		503	4.1	0.4	4.9	7.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-85.45	Cent	0.0	0.0	-0.0	0.0
0.0	-83.75	2293	0.0	0.0	-0.0	0.0
0.0	-84.96	2224	0.0	0.0	-0.0	0.0
0.0	-86.63	69	0.0	0.0	-0.0	0.0
0.0	-85.24	503	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
2293	-0.0	0.0
2224	-0.0	0.0
69	0.0	0.0
503	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-57.2	31.79	q5_pc	Cent	-35.1	-48.7	13.7	-26.6
-44.5	73.13		2293	-40.0	4.3	14.8	8.8
-142.2	31.45		2224	-76.6	-117.7	40.1	-52.1
-103.8	9.70		69	-30.1	-101.7	12.6	-28.0
-1.1	-59.28		503	6.5	20.3	-12.7	27.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.1	59.24	Cent	-0.0	0.1	0.1	0.1
-0.1	56.06	2293	-0.1	0.0	0.1	0.1
0.0	56.58	2224	0.1	0.1	0.1	0.2
-0.2	71.17	69	-0.2	-0.0	0.1	-0.0
0.0	59.89	503	0.1	0.2	0.1	0.3

NODE	Vxx	Vyy
Cent	0.1	-0.0
2293	-0.2	-0.4
2224	-0.2	0.4
69	0.5	0.4
503	0.5	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-61.4	32.45	q5_ps	Cent	-33.7	-50.2	17.6	-22.5
			2293	-38.5	3.0	18.8	10.2

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-45.8	68.91			2224	-75.2	-119.4	44.0	-48.1
-146.6	31.68			69	-28.9	-103.4	16.4	-25.5
-106.9	11.89			503	7.8	19.0	-8.8	23.8
2.9	-61.19							
Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
-----								
				Cent	-0.0	0.1	0.1	0.1
-0.1	59.06			2293	-0.0	0.0	0.1	0.1
-0.1	54.97			2224	0.1	0.1	0.1	0.2
0.0	56.93			69	-0.2	-0.0	0.1	-0.0
-0.2	71.82			503	0.1	0.2	0.1	0.2
0.0	59.01							
				NODE	Vxx	Vyy		
-----								
				Cent	0.1	-0.0		
				2293	-0.2	-0.4		
				2224	-0.2	0.3		
				69	0.5	0.3		
				503	0.5	-0.4		
Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
-----								
		INVSLU	Max	Cent	248.2	-816.9	1762.6	1524.5
-1685.4	36.29			2293	678.8	-13.3	2109.0	2440.4
-961.3	40.23			2224	12.3	-1637.3	2352.4	1594.1
-2672.5	34.75			69	-86.1	-1605.9	1422.3	730.8
-2141.6	30.37			503	833.8	162.1	1209.9	1732.8
-437.8	36.97							
			Min	Cent	-150.6	-2141.9	861.0	193.4
-2486.0	21.00			2293	104.7	-110.3	1032.6	1078.5
-1834.9	42.24			2224	-1034.9	-4397.2	1041.3	-688.7
-4743.3	16.99			69	-498.0	-4187.9	679.2	-367.2
-4318.7	10.48			503	370.8	-25.7	630.7	857.7
-785.2	36.68							
Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
-----								
			Max	Cent	0.2	0.6	0.1	0.6
0.1	79.70			2293	0.2	0.5	0.1	0.5
0.2	79.23			2224	0.5	1.2	0.1	1.2



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.5	86.28		69	0.3	0.2	0.1	0.3
0.2	-33.35		503	0.3	0.6	0.1	0.7
0.2	70.87						
-0.1	-55.56	Min	Cent	-0.0	0.1	-0.2	0.2
-0.1	83.56		2293	-0.0	0.2	-0.2	0.3
-0.2	-66.50		2224	-0.1	0.2	-0.2	0.2
-0.4	-89.28		69	-0.4	-0.1	-0.1	-0.1
-0.3	-39.71		503	-0.1	-0.1	-0.2	0.1

	NODE	Vxx	Vyy
Max	Cent	0.5	1.8
	2293	0.6	1.1
	2224	0.6	3.7
	69	1.0	3.6
	503	1.0	1.1
Min	Cent	-0.2	0.6
	2293	-0.6	-0.4
	2224	-0.6	0.4
	69	-0.6	0.4
	503	-0.6	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-824.4	28.97	INVSLV	Max	Cent	99.4	-541.9	679.5	396.3
-531.2	41.62			2293	267.9	-27.8	809.0	852.6
-1365.2	25.40			2224	-53.9	-1070.3	935.0	246.9
-1190.9	19.03			69	-63.6	-1055.4	550.0	72.6
-229.7	36.31			503	316.6	68.0	438.4	630.6
-1238.4	30.05		Min	Cent	-63.3	-845.7	510.6	315.0
-788.3	40.38			2293	69.1	-33.6	630.3	738.7
-2243.7	27.47			2224	-439.4	-1759.2	621.9	39.3
-1842.7	18.57			69	-201.4	-1658.3	391.0	-17.7
-322.6	36.46			503	248.9	-13.6	385.0	541.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
0.1	80.34	Max	Cent	0.1	0.3	0.0	0.3
0.1	82.91		2293	0.2	0.2	0.0	0.2
0.3	87.24		2224	0.3	0.5	0.0	0.5
			69	0.0	0.2	0.0	0.2

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	85.52						
0.1	78.47		503	0.1	0.3	0.0	0.3
-0.1	-54.72	Min	Cent	-0.0	0.0	-0.1	0.1
-0.1	-70.39		2293	-0.0	0.1	-0.1	0.2
-0.2	-73.37		2224	-0.2	-0.1	-0.0	-0.0
-0.0	-81.88		69	-0.0	0.1	-0.0	0.1
-0.1	-30.26		503	-0.0	-0.1	-0.1	0.0

	NODE	Vxx	Vyy
Max	Cent	0.4	0.4
	2293	0.7	0.5
	2224	0.7	0.8
	69	0.2	0.8
	503	0.2	0.5
Min	Cent	-0.2	0.0
	2293	-0.6	-0.0
	2224	-0.6	-0.4
	69	0.0	-0.4
	503	0.0	-0.0

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
3012	2	8	Q1-1-2	Max	Cent	150.0	25.3	182.2	280.2
-104.8		35.56			2294	430.7	53.0	378.9	665.2
-181.5		31.75			2295	57.3	20.3	396.4	435.7
-358.1		43.66			622	30.6	32.8	75.2	106.9
-43.5		45.43			623	392.3	126.8	2.7	392.3
126.8		0.58		Min	Cent	-25.3	-859.3	-0.6	-25.3
-859.3		-0.04			2294	-81.0	-88.6	-5.4	-78.3
-91.4		-27.34			2295	-226.4	-1704.2	-1.4	-226.4
-1704.2		-0.05			622	-130.7	-1677.1	-96.5	-124.7
-1683.1		-3.56			623	-1.7	-113.9	-48.7	16.5
-132.1		-20.48							

	Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
				Max	Cent	0.0	0.0	0.0	0.0
	-0.0	59.60			2294	0.0	0.0	0.0	0.0
	0.0	1.13			2295	0.0	0.0	0.0	0.0
	-0.0	64.61			622	0.0	0.1	0.0	0.1
	0.0	84.34			623	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	86.99						
-0.3	-16.81	Min	Cent	-0.1	-0.3	-0.1	-0.1
-0.3	-14.16		2294	-0.0	-0.2	-0.1	0.0
-0.5	-12.07		2295	-0.2	-0.5	-0.1	-0.2
-0.2	-32.85		622	-0.1	-0.1	-0.0	-0.1
-0.3	-9.59		623	-0.0	-0.3	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.4	0.1
	2294	0.5	0.3
	2295	0.5	0.2
	622	0.3	0.3
	623	0.3	0.3
Min	Cent	-0.0	-0.7
	2294	-0.0	-0.1
	2295	-0.0	-1.6
	622	-0.0	-1.6
	623	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-71.8	35.99	Q2a-1-2	Max Cent	85.4	11.1	114.1	168.3
-112.0	32.22		2294	245.6	30.0	225.3	387.6
-228.0	43.69		2295	32.5	9.7	248.8	270.1
-28.8	44.40		622	16.7	14.8	44.5	60.3
74.4	0.48		623	239.9	74.4	1.4	239.9
-502.8	-0.04		Min Cent	-13.5	-502.8	-0.4	-13.5
-50.9	-18.69		2294	-43.6	-50.1	-2.5	-42.7
-1011.5	-0.06		2295	-139.5	-1011.5	-0.9	-139.5
-992.5	-3.45		622	-74.9	-989.2	-55.3	-71.6
-78.3	-22.74		623	-1.0	-64.8	-32.4	12.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	60.98	Max Cent	0.0	0.0	0.0	0.0
0.0	0.89	2294	0.0	0.0	0.0	0.0
-0.0	61.57	2295	0.0	0.0	0.0	0.0
0.0	85.68	622	0.0	0.1	0.0	0.1
0.0	86.03	623	0.0	0.0	0.0	0.0
		Min Cent	-0.0	-0.2	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.2	-17.33		2294	-0.0	-0.1	-0.0	0.0
-0.2	-14.67		2295	-0.2	-0.3	-0.0	-0.1
-0.3	-11.60		622	-0.1	-0.1	-0.0	-0.0
-0.1	-33.22		623	-0.0	-0.2	-0.0	-0.0
-0.2	-9.61						

	NODE	Vxx	Vyy
Max	Cent	0.2	0.0
	2294	0.3	0.2
	2295	0.3	0.1
	622	0.2	0.1
	623	0.2	0.2
Min	Cent	-0.0	-0.4
	2294	-0.0	-0.1
	2295	-0.0	-1.0
	622	-0.0	-1.0
	623	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	18.7	-52.4	13.5	21.1
-54.9	10.36		2294	24.5	-64.7	19.4	28.5
-68.7	11.73		2295	39.4	84.7	-19.3	91.8
32.3	-69.82		622	19.2	82.2	14.8	85.5
15.8	77.40		623	-20.0	-72.2	24.7	-10.1
-82.0	21.70						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	0.0	0.0	0.0	0.0
0.0	58.15		2294	-0.0	0.0	0.0	0.0
-0.0	74.01		2295	0.0	0.0	0.0	0.0
0.0	13.36		622	0.0	0.0	0.0	0.0
0.0	28.40		623	0.0	0.0	0.0	0.0
-0.0	70.83						

	NODE	Vxx	Vyy
	Cent	-0.0	-0.0
	2294	-0.1	-0.0
	2295	-0.1	-0.0
	622	-0.0	-0.0
	623	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		SLV <sub>y</sub> (RS)	Cent	-14.9	-24.5	23.4	4.2
-43.6	39.23		2294	-40.5	30.2	19.2	35.1
-45.3	75.74		2295	-74.7	-95.5	59.5	-24.7
-145.5	40.03		622	10.7	-70.9	29.2	20.1
-80.3	17.79		623	46.2	57.9	-12.7	66.0
38.1	-57.35						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----			Cent	-0.0	-0.0	0.0	-0.0
-0.0	70.35		2294	0.0	-0.0	0.0	0.0
-0.0	13.90		2295	-0.1	-0.0	-0.0	-0.0
-0.1	-81.32		622	-0.1	-0.0	0.0	-0.0
-0.1	85.71		623	-0.0	-0.0	0.0	-0.0
-0.0	22.82						
			NODE	Vxx	Vyy		
			Cent	0.1	-0.1		
			2294	0.2	0.0		
			2295	0.2	-0.1		
			622	0.1	-0.1		
			623	0.1	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----		SLD <sub>x</sub> (RS)	Cent	9.3	-26.2	6.7	10.6
-27.4	10.36		2294	12.2	-32.3	9.7	14.2
-34.3	11.73		2295	19.7	42.3	-9.6	45.9
16.1	-69.82		622	9.6	41.1	7.4	42.7
7.9	77.40		623	-10.0	-36.1	12.3	-5.1
-41.0	21.71						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----			Cent	0.0	0.0	0.0	0.0
0.0	58.15		2294	-0.0	0.0	0.0	0.0
-0.0	74.00		2295	0.0	0.0	0.0	0.0
0.0	13.36		622	0.0	0.0	0.0	0.0
0.0	28.43		623	0.0	0.0	0.0	0.0
-0.0	70.83						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
	Cent	-0.0	-0.0
	2294	-0.0	-0.0
	2295	-0.0	-0.0
	622	-0.0	-0.0
	623	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDy (RS)	Cent	-7.4	-12.3	11.7	2.1
-21.8	39.18		2294	-20.2	15.1	9.6	17.5
-22.7	75.74		2295	-37.3	-47.7	29.7	-12.3
-72.7	40.01		622	5.4	-35.5	14.6	10.0
-40.1	17.77		623	23.1	28.9	-6.3	33.0
19.0	-57.35						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.0	0.0	-0.0
-0.0	70.29	2294	0.0	-0.0	0.0	0.0
-0.0	13.93	2295	-0.0	-0.0	-0.0	-0.0
-0.0	-81.26	622	-0.0	-0.0	0.0	-0.0
-0.0	85.70	623	-0.0	-0.0	0.0	-0.0
-0.0	22.83					

	NODE	Vxx	Vyy
	Cent	0.1	-0.0
	2294	0.1	0.0
	2295	0.1	-0.1
	622	0.1	-0.1
	623	0.1	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVz (RS)	Cent	-4.3	17.8	-3.8	18.5
-4.9	-80.45		2294	-7.9	14.8	-7.8	17.2
-10.3	-72.77		2295	-10.0	37.5	-8.4	39.0
-11.4	-80.26		622	-5.5	36.2	-3.8	36.5
-5.8	-84.78		623	-8.8	16.6	-6.0	18.0
-10.1	-77.35						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	68.29	Cent	0.0	0.0	0.0	0.0
0.0	72.52	2294	0.0	0.0	0.0	0.0
0.0	39.85	2295	0.0	0.0	0.0	0.0
0.0	58.69	622	0.0	0.0	0.0	0.0
-0.0	74.98	623	-0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
2294	0.0	0.0
2295	0.0	0.0
622	-0.0	0.0
623	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-525.8	9.87	g1	Cent	78.7	-507.5	105.2	97.0
-158.6	30.78		2294	216.5	-25.5	223.4	349.6
-1068.5	13.15		2295	-80.2	-1014.6	230.9	-26.3
-989.6	-0.80		622	-59.0	-989.4	-13.0	-58.9
-2.1	-4.88		623	237.7	-0.4	-20.5	239.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.2	-13.80	Cent	-0.0	-0.2	-0.0	-0.0
-0.2	-11.03	2294	0.0	-0.2	-0.0	0.0
-0.2	-17.22	2295	-0.1	-0.2	-0.0	-0.1
-0.1	-20.17	622	-0.1	-0.1	-0.0	-0.1
-0.1	-10.39	623	-0.0	-0.1	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.2	-0.2
2294	0.3	-0.1
2295	0.3	-0.3
622	0.2	-0.3
623	0.2	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-259.4	10.04	g2	Cent	39.4	-250.0	52.9	48.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-83.3	30.12	2294	105.1	-19.9	109.3	168.5
-518.7	13.19	2295	-36.6	-492.2	112.9	-10.1
-480.2	-0.44	622	-26.3	-480.1	-3.5	-26.3
-8.3	-3.32	623	115.4	-7.9	-7.2	115.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

-0.1	-11.70	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-9.43	2294	-0.0	-0.1	-0.0	0.0
-0.1	-16.98	2295	-0.1	-0.1	-0.0	-0.1
-0.1	-13.40	622	-0.0	-0.1	-0.0	-0.0
-0.1	-9.42	623	0.0	-0.1	-0.0	0.0

NODE	Vxx	Vyy
------	-----	-----

Cent	0.1	-0.1
2294	0.1	-0.1
2295	0.1	-0.1
622	0.1	-0.1
623	0.1	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

-36.4	12.09	q3	Cent	20.2	-33.8	12.1	22.8
-76.6	3.58		2294	17.3	-76.3	5.9	17.7
16.3	-9.53		2295	45.3	17.1	-4.9	46.1
-3.8	34.29		622	23.1	8.7	18.4	35.7
-94.2	18.06		623	-4.9	-84.7	29.1	4.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

0.0	24.94	Cent	0.0	0.0	0.0	0.0
-0.0	49.68	2294	-0.0	-0.0	0.0	0.0
0.0	3.12	2295	0.0	0.0	0.0	0.0
0.0	6.57	622	0.0	0.0	0.0	0.0
-0.0	58.17	623	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
------	-----	-----

Cent	-0.1	-0.0
------	------	------



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

2294 -0.1 -0.0  
 2295 -0.1 -0.0  
 622 -0.0 -0.0  
 623 -0.0 -0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-73.6	14.75	q5_pc	Cent	4.4	-68.2	20.5	9.8
-22.8	42.31		2294	14.5	8.1	34.0	45.4
-173.0	19.14		2295	-34.8	-156.4	48.0	-18.2
-144.8	2.93		622	-5.6	-144.5	7.1	-5.3
18.2	-15.04		623	43.7	20.0	-6.9	45.5

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-17.76		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-15.67		2294	0.0	-0.0	-0.0	0.0
-0.1	-11.62		2295	-0.0	-0.1	-0.0	-0.0
-0.0	-81.44		622	-0.0	0.0	-0.0	0.0
-0.0	-9.55		623	-0.0	-0.0	-0.0	-0.0

NODE Vxx Vyy  
 Cent 0.0 -0.1  
 2294 0.1 0.0  
 2295 0.1 -0.2  
 622 0.0 -0.2  
 623 0.0 0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-58.7	16.41	q5_ps	Cent	2.1	-53.4	17.9	7.4
-19.5	45.63		2294	7.4	8.6	27.5	35.5
-143.1	20.94		2295	-33.3	-127.0	42.0	-17.2
-116.0	4.20		622	-3.2	-115.4	8.3	-2.6
18.2	-17.91		623	37.4	20.2	-6.2	39.4

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-17.85		Cent	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-15.64	2294	0.0	-0.0	-0.0	0.0
-0.0	-11.88	2295	-0.0	-0.0	-0.0	-0.0
-0.0	-84.88	622	-0.0	0.0	-0.0	0.0
-0.0	-9.70	623	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	-0.1
2294	0.1	0.0
2295	0.1	-0.1
622	0.0	-0.1
623	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-809.4	15.30	INVSLU Max	Cent	360.9	-748.4	367.4	461.5
-192.1	31.60		2294	1050.1	151.8	888.9	1596.9
-1733.2	22.41		2295	28.6	-1587.5	899.9	336.4
-1578.9	-2.32		622	-87.9	-1574.9	-32.8	-85.4
266.7	-9.33		623	985.5	286.1	-68.1	1004.9
-2082.1	2.32	Min	Cent	116.3	-2075.5	75.6	119.7
-394.9	28.97		2294	333.2	-104.9	300.1	504.3
-4280.9	5.40		2295	-444.7	-4246.6	252.7	-410.4
-4193.4	-3.92		622	-328.3	-4175.3	-277.4	-310.2
-147.9	-13.25		623	354.5	-122.9	-187.5	380.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.3	-14.90	Max	Cent	-0.1	-0.2	-0.0
-0.3	-11.53		2294	0.1	-0.2	-0.1
-0.4	-13.89		2295	-0.2	-0.4	-0.0
-0.1	-79.36		622	-0.1	0.0	-0.0
-0.3	-9.35		623	-0.0	-0.3	-0.0
-0.7	-16.70	Min	Cent	-0.2	-0.6	-0.1
-0.6	-12.39		2294	0.0	-0.6	-0.2
-1.2	-13.43		2295	-0.6	-1.2	-0.1
-0.4	-42.45		622	-0.3	-0.3	-0.1
			623	-0.1	-0.7	-0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

- 0.8            - 9.46

	NODE	Vxx	Vyy
Max	Cent	1.1	-0.4
	2294	1.3	0.4
	2295	1.3	-0.7
	622	0.9	-0.7
	623	0.9	0.5
Min	Cent	0.4	-1.6
	2294	0.4	-0.2
	2295	0.4	-3.5
	622	0.4	-3.5
	623	0.4	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-632.8	8.80	INVSLV	Max Cent	135.0	-616.7	158.5	156.3
-132.1	27.13		2294	357.4	54.9	322.7	505.7
-1278.0	10.22		2295	-7.0	-1236.8	364.1	35.1
-1226.8	-0.50		622	-62.0	-1226.0	-0.6	-61.9
83.1	-10.25		623	372.5	99.9	-6.1	382.4
-772.5	9.42		Min Cent	86.2	-746.9	101.3	106.5
-261.8	34.55		2294	257.0	-101.6	267.8	460.5
-1594.9	14.53		2295	-185.9	-1501.2	228.4	-92.9
-1455.8	-2.68		622	-110.0	-1454.6	-70.2	-107.2
-89.3	-3.11		623	262.8	-89.2	-66.7	263.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.2	-15.39	Max Cent	-0.0	-0.2	-0.0	-0.0
-0.2	-10.04	2294	0.0	-0.2	-0.0	0.0
-0.2	-16.82	2295	-0.1	-0.2	-0.0	-0.1
-0.2	-15.22	622	-0.0	-0.2	-0.0	-0.0
-0.2	-14.51	623	0.0	-0.2	-0.0	0.0
-0.2	-15.31	Min Cent	-0.1	-0.2	-0.0	-0.1
-0.3	-14.04	2294	-0.0	-0.2	-0.1	0.0
-0.3	-26.30	2295	-0.2	-0.3	-0.0	-0.2
-0.2	-37.59	622	-0.2	-0.2	-0.0	-0.1
-0.2	-9.25	623	-0.0	-0.2	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
Max	Cent	0.5	-0.1
	2294	0.6	-0.1
	2295	0.6	-0.1
	622	0.4	-0.1
	623	0.4	-0.1
Min	Cent	0.2	-0.3
	2294	0.2	-0.2
	2295	0.2	-0.4
	622	0.1	-0.4
	623	0.1	-0.2

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
3013	2	8	Q1-1-2	Max	Cent	128.2	19.0	11.9	129.5
					2295	191.4	51.7	33.4	199.0
					2296	290.9	15.6	5.5	291.0
					625	294.3	58.7	8.4	294.6
					622	37.6	34.5	25.5	61.6
				Min	Cent	-138.9	-846.4	-645.3	243.3
					2295	-504.9	-1714.6	-883.6	-38.9
					2296	-96.3	-16.5	-767.4	712.0
					625	-1.4	-43.2	-417.9	396.1
					622	-237.7	-1684.4	-529.4	-64.7

	NODE	Mxx	Myy	Mxy	Mmax	
Mmin	Max	Cent	0.0	0.0	0.0	
		2295	0.1	0.0	0.1	
		2296	0.0	0.0	0.0	
		625	0.0	0.0	0.0	
		622	0.0	0.1	0.0	
	Min	Cent	-0.1	-0.2	-0.0	-0.1
		2295	-0.2	-0.5	-0.0	-0.2
		2296	-0.1	-0.2	-0.0	-0.0
		625	-0.1	-0.2	-0.0	-0.1
		622	-0.0	-0.1	-0.0	-0.0

NODE	Vxx	Vyy
------	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Max	Cent	0.2	0.1
	2295	0.2	0.2
	2296	0.2	0.1
	625	0.1	0.1
	622	0.1	0.3
Min	Cent	-0.1	-0.8
	2295	-0.3	-1.6
	2296	-0.3	-0.2
	625	-0.0	-0.2
	622	-0.0	-1.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
8.0	4.81	Q2a-1-2	Max Cent	72.8	8.5	5.4	73.2
20.2	9.46		2295	107.2	22.6	14.5	109.6
9.0	1.03		2296	174.4	9.1	3.0	174.4
33.5	2.50		625	175.7	33.7	6.2	175.9
6.0	39.51		622	20.0	15.5	11.6	29.6
-721.2	-30.39		Min Cent	-79.3	-500.5	-376.5	141.5
-1272.2	-27.38		2295	-286.7	-1008.0	-510.3	-22.4
-484.5	-46.40		2296	-54.6	-10.4	-451.5	419.5
-263.1	-43.59		625	-0.9	-25.5	-249.6	236.8
-1093.6	-17.75		622	-139.2	-995.8	-305.5	-41.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	16.99	Max Cent	0.0	0.0	0.0	0.0
0.0	5.94	2295	0.1	0.0	0.0	0.1
-0.0	39.58	2296	0.0	0.0	0.0	0.0
0.0	56.50	625	0.0	0.0	0.0	0.0
0.0	82.46	622	0.0	0.1	0.0	0.1
-0.1	-13.55	Min Cent	-0.0	-0.1	-0.0	-0.0
-0.3	-7.90	2295	-0.1	-0.3	-0.0	-0.1
-0.1	-15.74	2296	-0.0	-0.1	-0.0	-0.0
-0.1	-14.55	625	-0.0	-0.1	-0.0	-0.0
-0.1	-19.37	622	-0.0	-0.1	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.1	0.0
	2295	0.1	0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	2296	0.1	0.0
	625	0.1	0.0
	622	0.1	0.1
Min	Cent	-0.1	-0.5
	2295	-0.1	-1.0
	2296	-0.1	-0.1
	625	-0.0	-0.1
	622	-0.0	-1.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.6	42.80	SLVx (RS)	Cent	48.5	41.5	45.5	90.6
15.3	48.36		2295	69.2	83.5	60.7	137.5
-12.8	29.75		2296	67.2	13.3	45.7	93.4
-16.0	31.43		625	33.6	2.5	30.3	52.1
2.0	58.60		622	31.6	81.5	48.5	111.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	33.69	Cent	-0.0	-0.0	0.0	-0.0
-0.0	80.36	2295	-0.0	-0.0	0.0	-0.0
0.0	60.38	2296	0.0	0.0	0.0	0.0
-0.0	17.63	625	-0.0	-0.0	0.0	-0.0
-0.0	80.30	622	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
2295	-0.1	-0.0
2296	-0.1	0.0
625	-0.0	0.0
622	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-38.7	-11.10	SLVy (RS)	Cent	47.2	-35.4	-16.9	50.5
-63.6	12.63		2295	74.8	-56.6	31.0	81.8
-1.5	-11.13		2296	86.5	1.9	-17.3	89.9
-19.3	-7.17		625	21.3	-18.7	-5.1	21.9
-86.3	21.01		622	9.8	-72.1	36.9	23.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		-----					
-0.1	-53.56		Cent	-0.0	-0.0	-0.0	0.0
			2295	-0.0	-0.0	-0.0	-0.0
-0.1	-42.76		2296	0.0	-0.0	-0.1	0.0
-0.1	-41.59		625	0.0	0.0	-0.0	0.1
-0.0	-48.30		622	-0.1	-0.0	-0.0	-0.0
-0.1	-78.95						
			NODE	Vxx	Vyy		
			Cent	-0.2	-0.1		
			2295	-0.1	-0.1		
			2296	-0.1	-0.1		
			625	-0.3	-0.1		
			622	-0.3	-0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.3	42.81	SLDx (RS)	Cent	24.2	20.7	22.7	45.3
			2295	34.6	41.8	30.3	68.7
7.6	48.36		2296	33.6	6.7	22.9	46.7
-6.4	29.76		625	16.8	1.2	15.2	26.0
-8.0	31.45		622	15.8	40.7	24.2	55.5
1.0	58.59						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	33.69		Cent	-0.0	-0.0	0.0	-0.0
			2295	-0.0	-0.0	0.0	-0.0
-0.0	80.37		2296	0.0	0.0	0.0	0.0
0.0	60.39		625	-0.0	-0.0	0.0	-0.0
-0.0	17.63		622	-0.0	-0.0	0.0	-0.0
-0.0	80.31						
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			2295	-0.0	-0.0		
			2296	-0.0	0.0		
			625	-0.0	0.0		
			622	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDy (RS)	Cent	23.6	-17.7	-8.5	25.3

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-19.4	-11.13	2295	37.4	-28.4	15.5	40.9	
-31.8	12.65	2296	43.2	1.0	-8.7	44.9	
-0.8	-11.16	625	10.6	-9.3	-2.6	10.9	
-9.7	-7.21	622	4.9	-36.1	18.4	12.0	
-43.1	21.00						
-----							
		Cent	-0.0	-0.0	-0.0	0.0	
-0.0	-53.56	2295	-0.0	-0.0	-0.0	-0.0	
-0.0	-42.78	2296	0.0	-0.0	-0.0	0.0	
-0.0	-41.57	625	0.0	0.0	-0.0	0.0	
-0.0	-48.29	622	-0.1	-0.0	-0.0	-0.0	
-0.1	-78.94						
-----							
		NODE	Vxx	Vyy			
-----							
		Cent	-0.1	-0.1			
		2295	-0.0	-0.1			
		2296	-0.0	-0.1			
		625	-0.1	-0.1			
		622	-0.1	-0.1			
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVz (RS)	Cent	-11.7	18.5	18.6	27.3
-20.5	64.56		2295	-19.7	37.3	24.8	46.5
-28.9	69.51		2296	-15.4	-3.1	20.0	11.7
-30.2	53.54		625	-8.2	-0.6	12.4	8.6
-17.4	53.61		622	-9.2	36.0	17.6	42.0
-15.3	71.03						
-----							
Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-----							
		Cent	0.0	0.0	0.0	0.0	
0.0	78.57	2295	0.0	0.0	0.0	0.0	
0.0	38.74	2296	0.0	0.0	0.0	0.0	
0.0	78.67	625	0.0	0.0	-0.0	0.0	
0.0	-79.44	622	0.0	0.0	0.0	0.0	
0.0	14.50						
-----							
		NODE	Vxx	Vyy			
-----							



MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Cent	0.0	0.0
2295	0.0	0.0
2296	0.0	0.0
625	0.0	0.0
622	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-717.2	-29.45	g1	Cent	-4.1	-489.8	-402.7	223.3
-1260.0	-26.74		2295	-194.5	-989.6	-536.7	75.9
-437.8	-42.04		2296	103.0	1.9	-487.6	542.7
-184.6	-35.91		625	186.3	9.9	-268.6	380.9
-1085.2	-18.07		622	-111.1	-981.5	-317.8	-7.5

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.1	-5.38		Cent	-0.0	-0.1	-0.0	-0.0
-0.2	-6.66		2295	-0.0	-0.2	-0.0	-0.0
-0.1	-6.97		2296	-0.0	-0.1	-0.0	-0.0
-0.1	-4.31		625	-0.0	-0.1	-0.0	-0.0
-0.1	-4.91		622	0.0	-0.1	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.2
2295	0.0	-0.3
2296	0.0	-0.2
625	0.1	-0.2
622	0.1	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-348.3	-29.29	g2	Cent	2.3	-238.0	-196.7	112.6
-609.3	-26.58		2295	-88.2	-478.9	-260.6	42.2
-212.5	-41.68		2296	55.4	-0.2	-238.4	267.6
-92.2	-35.63		625	92.9	2.9	-132.7	188.0
-526.2	-18.04		622	-50.7	-475.8	-154.9	-0.3

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.1	-0.0	-0.0

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	-0.71		2295	-0.0	-0.1	-0.0	-0.0
-0.1	-4.42		2296	-0.0	-0.1	-0.0	-0.0
-0.1	-1.29		625	-0.0	-0.0	0.0	-0.0
-0.0	6.87		622	0.0	-0.1	-0.0	0.0
-0.1	-0.95						

NODE	Vxx	Vyy
Cent	0.0	-0.1
2295	0.0	-0.1
2296	0.0	-0.1
625	0.1	-0.1
622	0.1	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q3	Cent	60.9	13.4	38.1	82.0
-7.7	29.06		2295	85.8	24.9	51.9	115.5
-4.8	29.80		2296	83.1	16.0	25.8	91.9
7.2	18.79		625	36.0	2.0	24.3	48.7
-10.7	27.56		622	38.6	10.9	50.4	77.0
-27.5	37.31						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.0	0.0	-0.0
-0.0	74.12	2295	-0.0	-0.0	0.0	-0.0
-0.0	86.41	2296	0.0	0.0	0.0	0.0
0.0	18.66	625	-0.0	-0.0	0.0	-0.0
-0.0	24.88	622	-0.0	-0.0	0.0	-0.0
-0.0	86.79					

NODE	Vxx	Vyy
Cent	-0.1	0.0
2295	-0.1	-0.0
2296	-0.1	0.0
625	-0.0	0.0
622	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_pc	Cent	8.8	-73.2	-30.1	18.6
-83.1	-18.13		2295	-9.1	-141.6	-44.2	4.2
-155.0	-16.86						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-33.9	-35.19	2296	33.2	-0.6	-47.3	66.5
-11.6	-22.63	625	26.7	-4.9	-16.0	33.4
-147.2	-5.58	622	-15.6	-145.9	-12.9	-14.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

-0.0	-6.10	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-2.44	2295	-0.0	-0.0	-0.0	-0.0
-0.0	-14.74	2296	-0.0	-0.0	-0.0	-0.0
-0.0	-11.53	625	-0.0	-0.0	-0.0	-0.0
0.0	-83.18	622	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
------	-----	-----

Cent	0.0	-0.1
2295	0.0	-0.2
2296	0.0	-0.0
625	0.0	-0.0
622	0.0	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

-64.8	-16.09	q5_ps	Cent	11.0	-58.5	-21.9	17.3
-119.7	-14.73		2295	-0.2	-111.4	-31.4	8.0
-24.3	-32.86		2296	33.1	-0.4	-37.1	57.0
-10.2	-20.80		625	22.2	-5.5	-12.3	26.9
-117.0	-3.60		622	-11.1	-116.6	-6.7	-10.7

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

-0.0	-5.07	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-1.62	2295	-0.0	-0.0	-0.0	-0.0
-0.0	-15.42	2296	-0.0	-0.0	-0.0	-0.0
-0.0	-10.88	625	-0.0	-0.0	-0.0	-0.0
0.0	87.67	622	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
------	-----	-----

Cent	0.0	-0.1
2295	0.0	-0.1
2296	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

625 0.0 -0.0  
622 0.0 -0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1234.5	-31.10	INVSLU	Max Cent	192.9	-751.8	-813.1	909.1
-2069.1	-27.21		2295	-58.1	-1539.1	-1004.8	479.4
-710.0	-44.30		2296	631.5	61.9	-973.7	2194.4
-289.0	-40.59		625	757.4	118.7	-608.1	1422.5
-1812.5	-22.62		622	-106.6	-1541.1	-644.2	148.1
-3154.4	-30.99		Min Cent	-190.8	-2070.3	-1797.2	617.1
-5461.0	-28.04		2295	-1016.7	-4200.6	-2366.8	243.8
-2080.8	-39.67		2296	49.1	4.8	-2137.0	1227.6
-1091.9	-35.20		625	301.3	-27.6	-1242.3	950.4
-4675.1	-19.49		622	-534.7	-4156.2	-1465.7	-15.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.2	-2.29	Max Cent	-0.0	-0.2	-0.0	-0.0
-0.3	-3.86	2295	0.0	-0.3	-0.0	0.0
-0.2	-3.44	2296	-0.0	-0.2	-0.0	-0.0
-0.1	1.43	625	-0.0	-0.1	0.0	-0.0
0.1	-8.21	622	0.2	0.1	-0.0	0.2
-0.5	-8.71	Min Cent	-0.1	-0.5	-0.1	-0.1
-1.1	-6.96	2295	-0.4	-1.1	-0.1	-0.3
-0.5	-11.13	2296	-0.1	-0.5	-0.1	-0.1
-0.4	-10.28	625	-0.2	-0.4	-0.0	-0.1
-0.2	-13.75	622	0.0	-0.2	-0.1	0.1

NODE	Vxx	Vyy
Max Cent	0.4	-0.6
2295	0.4	-0.7
2296	0.4	-0.2
625	0.4	-0.2
622	0.4	-0.7
Min Cent	-0.0	-1.9
2295	-0.3	-3.5
2296	-0.3	-0.6
625	0.2	-0.6
622	0.2	-3.5

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-915.9	-29.23	INVSLV	Max Cent	62.5	-600.9	-545.0	402.9	
-1598.4	-26.52		2295		-155.0	-1222.3	-702.6	194.2
-552.4	-41.06		2296		257.7	23.8	-662.1	875.9
-257.0	-37.38		625		291.5	36.5	-386.8	593.9
-1368.6	-21.59		622		-116.5	-1212.2	-418.4	50.9
-1115.7	-32.33		Min Cent		-69.9	-716.2	-657.3	305.9
-1888.0	-28.91		2295		-358.0	-1445.7	-857.4	112.8
-739.3	-43.63		2296		35.1	-5.9	-776.0	725.6
-353.7	-37.24		625		206.7	-2.7	-457.9	548.1
-1630.6	-17.99		622		-191.1	-1440.0	-548.1	-8.3
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
-0.1	8.11	Max	Cent	-0.0	-0.1	0.0	0.0	
-0.2	0.15		2295	-0.0	-0.2	0.0	-0.0	
-0.2	-22.39		2296	-0.0	-0.2	0.0	-0.0	
-0.1	-32.21		625	-0.0	-0.1	0.0	0.0	
-0.1	0.89		622	0.1	-0.1	0.0	0.1	
-0.2	-11.18	Min	Cent	-0.1	-0.2	-0.1	-0.0	
-0.3	-10.92		2295	-0.1	-0.3	-0.1	-0.1	
-0.2	-2.62		2296	-0.1	-0.2	-0.1	-0.1	
-0.2	22.63		625	-0.1	-0.2	-0.1	-0.1	
-0.2	-26.82		622	-0.1	-0.2	-0.0	-0.1	
			NODE	Vxx	Vyy			
		Max	Cent	0.3	-0.1			
			2295	0.1	-0.1			
			2296	0.1	-0.1			
			625	0.4	-0.2			
			622	0.4	-0.1			
		Min	Cent	-0.1	-0.4			
			2295	-0.0	-0.4			
			2296	-0.0	-0.4			
			625	-0.2	-0.4			
			622	-0.2	-0.4			

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
	Fmin	ANGLE							
3017	2	4	Q1-1-2	Max	Cent	855.2	4.3	341.3	975.2
	-115.7	19.37			2303	932.8	11.9	404.1	1085.0
	-140.3	20.64			2304	948.6	48.2	270.1	1023.4
	-26.6	15.48			636	777.7	2.5	279.5	867.9
	-87.8	17.90			637	764.3	0.5	413.5	945.3
	-180.5	23.64		Min	Cent	-15.7	-28.3	-25.6	4.4
	-48.4	-38.12			2303	-17.2	-27.2	-2.8	-16.4
	-27.9	-14.58			2304	-17.2	-9.3	-51.1	38.0
	-64.5	-47.21			636	-14.3	-36.1	-51.2	27.2
	-77.6	-39.01			637	-14.3	-75.4	-2.4	-14.2
	-75.5	-2.23							
	Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
				Max	Cent	0.0	0.0	0.0	0.0
	-0.0	53.43			2303	0.0	0.0	0.0	0.0
	-0.0	57.08			2304	0.0	0.0	0.0	0.0
	0.0	57.68			636	0.0	0.0	0.0	0.0
	-0.0	48.14			637	0.0	0.0	0.0	0.0
	-0.0	49.45		Min	Cent	-0.0	-0.1	-0.0	-0.0
	-0.1	-14.28			2303	-0.0	-0.1	-0.0	-0.0
	-0.1	-9.12			2304	-0.0	-0.1	-0.0	-0.0
	-0.1	-8.66			636	-0.0	-0.0	-0.0	-0.0
	-0.0	-34.15			637	-0.0	-0.0	-0.0	0.0
	-0.0	-30.47							
					NODE	Vxx	Vyy		
				Max	Cent	0.0	0.0		
					2303	0.0	0.0		
					2304	0.0	0.0		
					636	0.0	0.0		
					637	0.0	0.0		
				Min	Cent	-0.0	-0.2		
					2303	-0.0	-0.2		
					2304	-0.0	-0.2		
					636	-0.0	-0.2		
					637	-0.0	-0.2		
	Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		-----						
		Q2a-1-2	Max	Cent				
-71.7	19.60				515.2	2.7	209.0	589.7
				2303	561.7	7.7	247.6	656.2
-86.8	20.90			2304	571.7	29.6	165.0	618.0
-16.7	15.67			636	468.8	1.5	170.9	524.6
-54.4	18.09			637	460.6	0.4	253.5	572.8
-111.9	23.88		Min	Cent	-11.7	-20.1	-17.9	2.5
-34.3	-38.41			2303	-12.7	-19.4	-1.9	-12.2
-19.9	-14.64			2304	-12.8	-6.7	-35.6	26.0
-45.4	-47.45			636	-10.6	-25.3	-35.7	18.5
-54.4	-39.21			637	-10.6	-49.1	-1.6	-10.6
-49.2	-2.32							
Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
-----		-----						
			Max	Cent	0.0	0.0	0.0	0.0
-0.0	52.86			2303	0.0	0.0	0.0	0.0
-0.0	55.37			2304	0.0	0.0	0.0	0.0
0.0	56.62			636	0.0	0.0	0.0	0.0
-0.0	48.05			637	0.0	0.0	0.0	0.0
-0.0	48.58		Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-13.91			2303	-0.0	-0.1	-0.0	-0.0
-0.1	-8.90			2304	-0.0	-0.1	-0.0	-0.0
-0.1	-8.25			636	-0.0	-0.0	-0.0	-0.0
-0.0	-34.79			637	-0.0	-0.0	-0.0	0.0
-0.0	-31.22							
				NODE	Vxx	Vyy		
-----		-----						
			Max	Cent	0.0	0.0		
				2303	0.0	0.0		
				2304	0.0	0.0		
				636	0.0	0.0		
				637	0.0	0.0		
			Min	Cent	-0.0	-0.2		
				2303	-0.0	-0.2		
				2304	-0.0	-0.2		
				636	-0.0	-0.2		
				637	-0.0	-0.2		
Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
-----		-----						

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		SLVx (RS)	Cent	-61.8	-0.9	-23.2	7.0
-69.6	-71.31		2303	-67.5	-1.4	-28.0	8.8
-77.8	-69.86		2304	-68.3	-4.1	-18.0	0.5
-73.0	-75.39		636	-56.0	-0.4	-18.5	5.2
-61.6	-73.18		637	-55.2	2.3	-28.5	14.1
-66.9	-67.61						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	84.07		Cent	0.0	0.0	0.0	0.0
-0.0	2.00		2303	-0.0	-0.0	0.0	-0.0
-0.0	9.12		2304	-0.0	-0.0	0.0	-0.0
0.0	83.77		636	0.0	0.0	0.0	0.0
0.0	87.73		637	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.0		
			2303	0.0	-0.0		
			2304	0.0	-0.0		
			636	0.0	-0.0		
			637	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVy (RS)	Cent	30.3	0.3	-11.0	33.9
-3.3	-18.14		2303	29.0	0.2	-12.2	33.5
-4.2	-20.10		2304	28.8	-1.3	-9.7	31.6
-4.1	-16.36		636	31.6	0.4	-9.8	34.4
-2.5	-16.14		637	31.9	0.7	-12.4	36.2
-3.6	-19.23						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	-63.08		Cent	0.0	0.0	-0.0	0.0
-0.1	-3.08		2303	-0.0	-0.1	-0.0	-0.0
-0.1	9.32		2304	-0.0	-0.1	0.0	-0.0
0.0	82.03		636	0.0	0.1	0.0	0.1
0.0	-86.30		637	0.0	0.1	-0.0	0.1
			NODE	Vxx	Vyy		



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

```

-----
          Cent      0.0      -0.5
          2303      0.0      -0.6
          2304      0.0      -0.5
           636     -0.0      -0.5
           637     -0.0     -0.6
    
```

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-34.8	-71.31	SLDx (RS)	Cent	-30.9	-0.5	-11.6	3.5
-38.9	-69.86		2303	-33.7	-0.7	-14.0	4.4
-36.5	-75.39		2304	-34.1	-2.1	-9.0	0.3
-30.8	-73.18		636	-28.0	-0.2	-9.2	2.6
-33.5	-67.61		637	-27.6	1.2	-14.3	7.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	84.04	Cent	0.0	0.0	0.0	0.0
-0.0	2.01	2303	-0.0	-0.0	0.0	-0.0
-0.0	9.16	2304	-0.0	-0.0	0.0	-0.0
0.0	83.75	636	0.0	0.0	0.0	0.0
0.0	87.72	637	0.0	0.0	0.0	0.0

```

-----
          NODE      Vxx      Vyy
          Cent      0.0     -0.0
          2303      0.0     -0.0
          2304      0.0     -0.0
           636      0.0     -0.0
           637      0.0     -0.0
    
```

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.6	-18.15	SLDy (RS)	Cent	15.1	0.2	-5.5	16.9
-2.1	-20.11		2303	14.5	0.1	-6.1	16.7
-2.1	-16.37		2304	14.4	-0.6	-4.8	15.8
-1.2	-16.15		636	15.8	0.2	-4.9	17.2
-1.8	-19.24		637	15.9	0.4	-6.2	18.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-63.01	Cent	0.0	0.0	-0.0	0.0
		2303	-0.0	-0.0	-0.0	-0.0
-0.0	-3.10	2304	-0.0	-0.0	0.0	-0.0
-0.0	9.36	636	0.0	0.1	0.0	0.1
0.0	82.01	637	0.0	0.1	-0.0	0.1
0.0	-86.27					

NODE	Vxx	Vyy
Cent	0.0	-0.3
2303	0.0	-0.3
2304	0.0	-0.2
636	-0.0	-0.2
637	-0.0	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVz (RS)	Cent	-26.8	-0.4	-10.3	3.2
-30.4	-71.00		2303	-29.4	-0.6	-12.4	4.0
-34.0	-69.58		2304	-29.7	-1.8	-8.0	0.3
-31.9	-75.12		636	-24.3	-0.2	-8.2	2.4
-26.8	-72.86		637	-23.9	1.0	-12.7	6.3
-29.2	-67.29						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	0.0	-0.0	0.0
0.0	-76.92	2303	0.0	0.0	-0.0	0.0
0.0	-84.94	2304	0.0	0.0	-0.0	0.0
0.0	-76.69	636	0.0	0.0	-0.0	0.0
0.0	-82.24	637	0.0	0.0	-0.0	0.0
0.0	-85.63					

NODE	Vxx	Vyy
Cent	-0.0	0.0
2303	-0.0	0.0
2304	-0.0	0.0
636	-0.0	0.0
637	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g1	Cent	611.6	1.1	206.8	675.0
-62.3	17.06		2303	668.9	6.3	253.9	755.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-79.8	18.73		2304	676.8	32.9	154.3	711.9
-2.2	12.81		636	554.3	-4.2	159.6	596.7
-46.6	14.88		637	546.3	-30.7	259.2	645.7
-130.0	20.97						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
------	-------	--	------	-----	-----	-----	------

-0.0	1.90		Cent	-0.0	-0.0	0.0	-0.0
-0.0	-0.21		2303	-0.0	-0.0	-0.0	-0.0
-0.0	1.72		2304	-0.0	-0.0	0.0	-0.0
-0.0	5.89		636	-0.0	-0.0	0.0	-0.0
-0.0	2.50		637	-0.0	-0.0	0.0	-0.0

	NODE	Vxx	Vyy
--	------	-----	-----

Cent	0.0	-0.0
2303	0.0	-0.0
2304	0.0	-0.0
636	0.0	-0.0
637	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

-30.9	16.88	g2	Cent	297.2	-0.7	99.5	327.4
-39.4	18.59		2303	325.3	1.9	122.7	366.6
-1.5	12.57		2304	329.3	15.0	73.8	345.7
-23.2	14.64		636	269.1	-3.3	76.4	289.0
-64.0	20.84		637	265.1	-16.3	125.3	312.8

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
------	-------	--	------	-----	-----	-----	------

-0.0	15.04		Cent	-0.0	-0.0	0.0	-0.0
0.0	82.71		2303	0.0	0.0	0.0	0.0
0.0	-85.85		2304	0.0	0.0	-0.0	0.0
-0.0	-5.12		636	-0.0	-0.0	-0.0	-0.0
-0.0	4.64		637	-0.0	-0.0	0.0	-0.0

	NODE	Vxx	Vyy
--	------	-----	-----

Cent	-0.0	0.0
2303	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

2304      -0.0      0.0  
 636        0.0      0.0  
 637        0.0      0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.0	19.36	q3	Cent	14.7	0.1	5.9	16.8
-2.4	20.15		2303	15.6	0.0	6.6	18.0
-0.8	16.81		2304	15.8	0.7	5.0	17.3
-1.6	18.41		636	13.9	0.1	5.1	15.6
-3.2	21.72		637	13.7	-0.6	6.7	16.3
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-0.31		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-1.68		2303	-0.0	-0.0	-0.0	-0.0
-0.0	-0.46		2304	-0.0	-0.0	-0.0	-0.0
-0.0	2.38		636	-0.0	-0.0	0.0	-0.0
-0.0	0.13		637	-0.0	-0.0	0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			2303	0.0	-0.0		
			2304	0.0	-0.0		
			636	0.0	-0.0		
			637	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.2	4.31	q5_pc	Cent	31.5	0.0	2.4	31.6
-0.3	4.45		2303	31.6	-0.1	2.5	31.7
0.1	4.02		2304	31.7	0.3	2.2	31.8
0.0	4.17		636	31.3	0.2	2.3	31.5
-0.4	4.60		637	31.2	-0.2	2.5	31.4
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-17.33		Cent	-0.0	-0.0	-0.0	-0.0
			2303	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-13.58		2304	-0.0	-0.0	-0.0	-0.0
-0.0	-11.62		636	-0.0	-0.0	-0.0	0.0
-0.0	-24.28		637	0.0	-0.0	-0.0	0.0
-0.0	-24.89						

NODE	Vxx	Vyy
Cent	0.0	-0.0
2303	0.0	-0.0
2304	0.0	-0.0
636	0.0	-0.0
637	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.0	2.18	q5_ps	Cent	26.6	0.0	1.0	26.7
-0.1	2.15		2303	26.6	-0.1	1.0	26.6
0.1	2.15		2304	26.7	0.2	1.0	26.7
0.1	2.22		636	26.7	0.1	1.0	26.7
-0.1	2.21		637	26.6	-0.1	1.0	26.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-21.14	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-17.52	2303	-0.0	-0.0	-0.0	0.0
-0.0	-15.62	2304	-0.0	-0.0	-0.0	-0.0
-0.0	-27.35	636	-0.0	-0.0	-0.0	0.0
-0.0	-26.31	637	0.0	-0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
2303	0.0	-0.0
2304	0.0	-0.0
636	0.0	-0.0
637	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-144.6	18.58	INVSLU Max	Cent	2325.4	5.1	879.2	2620.9
-222.0	21.25		2303	2747.3	81.9	1221.4	3222.4
114.6	10.72		2304	2787.9	194.7	509.2	2884.3

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-109.7	14.34		636	1903.5	-63.8	538.3	2041.2
-532.7	25.70		637	1866.2	-130.1	1250.6	2468.1
-293.7	16.92	Min	Cent	1086.7	-39.0	379.5	1208.5
-397.6	22.23		2303	1402.4	29.0	667.7	1676.0
97.3	3.91		2304	1421.4	116.7	71.6	1427.5
-203.3	6.78		636	770.9	-116.1	87.7	783.5
-739.1	27.04		637	752.0	-233.0	684.5	1108.4

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	59.18	Max	Cent	0.0	0.0	0.0	0.0
-0.0	58.03		2303	0.0	0.0	0.0	0.0
0.0	60.73		2304	0.0	0.0	0.0	0.0
0.0	57.42		636	0.0	0.0	0.0	0.1
0.0	58.92		637	0.0	0.0	0.0	0.0
-0.1	-13.95	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-7.85		2303	-0.0	-0.1	-0.0	-0.0
-0.1	-7.56		2304	-0.0	-0.1	-0.0	-0.0
-0.0	-51.54		636	-0.0	0.0	-0.0	0.0
-0.0	-51.36		637	0.0	-0.0	-0.0	0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	-0.0
	2303	0.0	-0.0
	2304	0.0	0.0
	636	0.0	0.0
	637	0.0	-0.0
Min	Cent	-0.0	-0.4
	2303	-0.0	-0.4
	2304	-0.0	-0.4
	636	-0.0	-0.4
	637	-0.0	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-86.2	17.76	INVSLV	Max	Cent	920.6	1.5	334.7
-124.2	20.95			2303	1107.6	37.4	487.4
57.8	8.82			2304	1121.1	83.0	171.0
-61.6	12.31			636	733.7	-34.3	181.9
							772.1

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-279.8	25.42		637	720.2	-74.2	498.3	953.5
-111.5	18.22	Min	Cent	762.8	-0.7	275.4	855.7
-156.4	21.59		2303	937.5	34.0	416.6	1105.3
53.1	8.29		2304	949.3	72.8	124.5	968.3
-77.4	12.09		636	588.2	-35.5	134.1	618.2
-324.6	26.55		637	576.4	-79.9	426.2	793.1

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-56.63	Max	Cent	0.0	0.0	0.0	0.0
0.0	85.07		2303	0.0	0.1	0.0	0.1
0.0	-82.56		2304	0.0	0.1	0.0	0.1
0.0	79.70		636	0.0	0.1	0.0	0.1
0.0	-88.08		637	0.0	0.1	0.0	0.1
-0.0	24.06	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.1	-1.51		2303	-0.0	-0.1	-0.0	-0.0
-0.1	10.74		2304	-0.0	-0.1	-0.0	-0.0
-0.1	-5.62		636	-0.0	-0.1	-0.0	-0.0
-0.1	5.18		637	-0.0	-0.1	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.5
	2303	0.0	0.6
	2304	0.0	0.5
	636	0.0	0.5
	637	0.0	0.6
Min	Cent	-0.0	-0.6
	2303	-0.0	-0.6
	2304	-0.0	-0.5
	636	-0.0	-0.5
	637	-0.0	-0.6

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
	Fmin	ANGLE							
3019	2	8	Q1-1-2	Max	Cent	138.7	25.5	0.7	138.7
	25.5	0.36			2305	60.9	18.7	1.5	61.0
	18.7	2.06			2306	406.1	59.2	6.6	406.2
	59.1	1.08			639	357.9	104.3	31.7	361.8
	100.4	7.01			640	25.0	30.9	55.7	83.7
	-27.8	46.51							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
-905.2	-14.03	Min	Cent	-29.4	-850.6	-218.8	25.3	
-1731.9	-15.75		2305	-229.2	-1612.3	-423.9	-109.6	
-490.8	-44.57		2306	-83.7	-95.7	-401.0	311.3	
-168.3	-10.52		639	-1.5	-162.5	-30.9	4.2	
-1652.6	-3.44		640	-128.9	-1647.1	-91.7	-123.3	
		Max	Cent	0.0	0.0	0.0	0.0	
-0.0	45.59		2305	0.0	0.0	0.0	0.1	
-0.0	48.64		2306	0.0	0.0	0.1	0.1	
-0.0	38.37		639	0.0	0.0	0.0	0.0	
-0.0	47.18		640	0.0	0.1	0.0	0.1	
0.0	65.31	Min	Cent	-0.1	-0.3	-0.0	-0.1	
-0.3	-0.40		2305	-0.2	-0.5	-0.0	-0.2	
-0.5	-1.07		2306	-0.0	-0.3	-0.0	-0.0	
-0.3	-0.07		639	-0.0	-0.3	-0.0	-0.0	
-0.3	-0.21		640	-0.1	-0.1	-0.0	-0.1	
-0.1	-7.79							
			NODE	Vxx	Vyy			
		Max	Cent	0.0	0.1			
			2305	0.0	0.3			
			2306	0.0	0.2			
			639	0.0	0.2			
			640	0.0	0.3			
		Min	Cent	-0.4	-0.7			
			2305	-0.5	-1.6			
			2306	-0.5	-0.2			
			639	-0.3	-0.2			
			640	-0.3	-1.6			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
		Q2a-1-2	Max	Cent	78.9	11.2	0.5	78.9
11.2	0.40			2305	34.5	9.0	1.0	34.6
8.9	2.18			2306	231.5	33.5	3.0	231.6
33.4	0.87			639	219.2	58.7	18.9	221.4
56.5	6.63			640	13.5	14.0	32.1	45.8
-18.3	45.22		Min	Cent	-15.9	-499.1	-136.2	19.8
-534.9	-14.71							



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-1037.4	-16.49	2305	-141.2	-958.9	-265.3	-62.6
-288.7	-44.48	2306	-45.4	-54.1	-238.9	189.2
-95.3	-10.79	639	-0.9	-91.9	-18.0	2.5
-977.2	-3.58	640	-73.9	-973.6	-56.5	-70.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Max Cent	0.0	0.0	0.0	0.0
-0.0	45.47	2305	0.0	0.0	0.0	0.0
-0.0	47.59	2306	0.0	0.0	0.0	0.0
-0.0	37.49	639	0.0	0.0	0.0	0.0
-0.0	46.45	640	0.0	0.1	0.0	0.1
0.0	67.97	Min Cent	-0.0	-0.2	-0.0	-0.0
-0.2	-0.30	2305	-0.2	-0.3	-0.0	-0.2
-0.3	-0.89	2306	-0.0	-0.1	-0.0	-0.0
-0.1	-0.07	639	-0.0	-0.2	-0.0	-0.0
-0.2	-0.24	640	-0.0	-0.1	-0.0	-0.0
-0.1	-7.54					

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	2305	0.0	0.1
	2306	0.0	0.2
	639	0.0	0.2
	640	0.0	0.1
Min	Cent	-0.2	-0.4
	2305	-0.3	-1.0
	2306	-0.3	-0.1
	639	-0.2	-0.1
	640	-0.2	-1.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	-5.9	41.6	10.1	43.7
-8.0	78.47		2305	-6.2	79.4	19.9	83.8
-10.6	77.53		2306	-17.1	2.8	19.3	14.5
-28.8	58.64		639	-17.8	4.2	0.5	4.2
-17.9	88.59		640	5.2	80.6	-1.2	80.6
5.2	-89.10						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-82.95	Cent	-0.0	0.0	-0.0	0.0
-0.0	-85.85	2305	-0.0	0.0	-0.0	0.0
0.0	-80.53	2306	0.0	0.0	-0.0	0.0
-0.0	-80.60	639	-0.0	0.0	-0.0	0.0
-0.0	-84.26	640	-0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
2305	-0.0	0.0
2306	-0.0	0.0
639	-0.0	0.0
640	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-46.4	-39.20	SLVy (RS)	Cent	-15.5	-25.8	-25.2	5.1
-139.6	-40.89		2305	-72.0	-88.9	-58.6	-21.3
-46.3	-74.85		2306	-41.1	24.9	-19.3	30.1
36.1	53.68		639	42.2	47.4	8.3	53.5
-81.2	-19.67		640	10.2	-69.5	-32.7	21.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-70.98	Cent	-0.0	-0.0	-0.0	-0.0
-0.1	81.21	2305	-0.1	-0.0	0.0	-0.0
-0.0	-17.25	2306	0.0	-0.0	-0.0	0.0
-0.0	-23.55	639	-0.0	-0.0	-0.0	-0.0
-0.1	86.73	640	-0.1	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.1	-0.1
2305	-0.1	-0.1
2306	-0.1	0.0
639	-0.1	0.0
640	-0.1	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-4.0	78.47	SLDx (RS)	Cent	-3.0	20.8	5.1	21.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-5.3	77.53		2305	-3.1	39.7	10.0	41.9
-14.4	58.65		2306	-8.5	1.4	9.6	7.3
-8.9	88.59		639	-8.9	2.1	0.3	2.1
2.6	-89.10		640	2.6	40.3	-0.6	40.3
-----							
			Cent	-0.0	0.0	-0.0	0.0
-0.0	-82.95		2305	-0.0	0.0	-0.0	0.0
-0.0	-85.85		2306	0.0	0.0	-0.0	0.0
0.0	-80.53		639	-0.0	0.0	-0.0	0.0
-0.0	-80.60		640	-0.0	0.0	-0.0	0.0
-0.0	-84.26						
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	0.0		
			2305	-0.0	0.0		
			2306	-0.0	0.0		
			639	-0.0	0.0		
			640	-0.0	0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDy (RS)	Cent	-7.7	-12.9	-12.6	2.5
-23.2	-39.16		2305	-35.9	-44.4	-29.2	-10.6
-69.7	-40.88		2306	-20.5	12.4	-9.6	15.0
-23.1	-74.84		639	21.1	23.7	4.1	26.7
18.0	53.69		640	5.1	-34.8	-16.3	10.9
-40.6	-19.65						
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-70.92		2305	-0.0	-0.0	0.0	-0.0
-0.0	81.14		2306	0.0	-0.0	-0.0	0.0
-0.0	-17.27		639	-0.0	-0.0	-0.0	-0.0
-0.0	-23.56		640	-0.0	-0.0	0.0	-0.0
-0.0	86.71						
-----							
			NODE	Vxx	Vyy		
			Cent	-0.1	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

2305      -0.1      -0.1  
 2306      -0.1      0.0  
 639       -0.1      0.0  
 640       -0.1      -0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-3.6	78.70	SLVz (RS)	Cent	-2.7	18.5	4.4	19.3
0.4	76.02		2305	2.5	35.0	8.6	37.1
-12.9	59.14		2306	-7.8	1.4	8.5	6.5
-7.7	88.49		639	-7.7	2.1	0.3	2.1
2.4	89.14		640	2.4	35.6	0.5	35.6

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-78.35		Cent	0.0	0.0	-0.0	0.0
0.0	-75.02		2305	0.0	0.0	-0.0	0.0
-0.0	-80.96		2306	-0.0	0.0	-0.0	0.0
-0.0	-80.21		639	0.0	0.0	-0.0	0.0
0.0	-76.69		640	0.0	0.0	-0.0	0.0

NODE      Vxx      Vyy  
 Cent      0.0      0.0  
 2305      0.0      0.0  
 2306      0.0      0.0  
 639       0.0      0.0  
 640       0.0      0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-521.1	-11.83	g1	Cent	68.5	-495.3	-123.5	94.4
-1014.8	-14.56		2305	-78.7	-951.7	-243.1	-15.6
-171.4	-32.05		2306	198.9	-26.3	-231.8	344.1
-38.9	-0.90		639	215.7	-38.8	-4.0	215.7
-964.5	-0.97		640	-62.0	-964.2	-15.2	-61.7

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.2	11.70		Cent	-0.0	-0.2	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.2	15.36	2305	-0.1	-0.2	0.0	-0.1
-0.2	8.78	2306	0.0	-0.2	0.0	0.0
-0.1	9.09	639	-0.0	-0.1	0.0	0.0
-0.1	15.07	640	-0.1	-0.1	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.2	-0.2
2305	-0.3	-0.2
2306	-0.3	-0.1
639	-0.1	-0.1
640	-0.1	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-255.8	-11.99	g2	Cent	33.2	-242.7	-61.4	46.2
-495.6	-14.68		2305	-38.9	-464.2	-119.7	-7.5
-86.3	-31.94		2306	95.7	-15.6	-113.5	166.5
-21.3	-1.39		639	105.3	-21.2	-3.1	105.3
-470.1	-1.20		640	-29.3	-469.9	-9.2	-29.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.1	9.87	Cent	-0.0	-0.1	0.0	-0.0
-0.1	15.83	2305	-0.1	-0.1	0.0	-0.1
-0.1	7.45	2306	0.0	-0.1	0.0	0.0
-0.1	8.35	639	0.0	-0.1	0.0	0.0
-0.1	9.47	640	-0.0	-0.1	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.1	-0.1
2305	-0.1	-0.0
2306	-0.1	-0.1
639	-0.1	-0.1
640	-0.1	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-10.2	-12.04	q3	Cent	1.3	-9.7	-2.5	1.8
-19.6	-14.67		2305	-1.5	-18.4	-4.7	-0.3
			2306	3.8	-0.7	-4.5	6.6

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-3.5	-31.71		639	4.2	-1.0	-0.2	4.2
-1.0	-1.89		640	-1.2	-18.6	-0.4	-1.1
-18.6	-1.30						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
------	-------	--	------	-----	-----	-----	------

-----							
-0.0	11.50		Cent	-0.0	-0.0	0.0	-0.0
-0.0	14.78		2305	-0.0	-0.0	0.0	-0.0
-0.0	8.73		2306	0.0	-0.0	0.0	0.0
-0.0	9.36		639	-0.0	-0.0	0.0	0.0
-0.0	13.83		640	-0.0	-0.0	0.0	-0.0

	NODE	Vxx	Vyy
-----			
	Cent	-0.0	-0.0
	2305	-0.0	-0.0
	2306	-0.0	-0.0
	639	-0.0	-0.0
	640	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
------	-------	----	------	-----	-----	-----	------

-----							
-75.9	-16.98	q5_pc	Cent	3.4	-68.5	-24.2	10.8
-164.3	-20.58		2305	-32.6	-145.8	-49.5	-14.0
-28.0	-41.45		2306	12.2	3.3	-35.5	43.5
8.6	1.85		639	39.4	8.7	1.0	39.5
-141.6	-5.45		640	-5.3	-140.4	-13.0	-4.1

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
------	-------	--	------	-----	-----	-----	------

-----							
-0.0	14.35		Cent	-0.0	-0.0	0.0	-0.0
-0.1	7.96		2305	-0.0	-0.1	0.0	-0.0
-0.0	12.45		2306	0.0	-0.0	0.0	0.0
-0.0	7.25		639	-0.0	-0.0	0.0	-0.0
-0.0	81.56		640	-0.0	0.0	0.0	0.0

	NODE	Vxx	Vyy
-----			
	Cent	-0.0	-0.1
	2305	-0.1	-0.2
	2306	-0.1	0.0
	639	-0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		640	-0.0	-0.2			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-60.8	-18.57	q5_ps	Cent	1.2	-53.8	-20.9	8.2
-136.0	-22.36		2305	-31.3	-118.3	-43.1	-13.6
-23.6	-44.50		2306	5.5	4.5	-28.6	33.6
10.6	3.33		639	33.8	10.7	1.4	33.9
-113.7	-6.74		640	-3.1	-112.2	-13.1	-1.5
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	14.41		Cent	-0.0	-0.0	0.0	-0.0
-0.0	7.87		2305	-0.0	-0.0	0.0	-0.0
-0.0	12.48		2306	0.0	-0.0	0.0	0.0
-0.0	7.40		639	-0.0	-0.0	0.0	-0.0
-0.0	85.89		640	-0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.1		
			2305	-0.1	-0.1		
			2306	-0.1	0.0		
			639	-0.0	0.0		
			640	-0.0	-0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-722.0	-6.89	INVSLU Max	Cent	331.5	-713.6	-91.8	349.0
-1543.0	-10.29		2305	7.0	-1495.9	-270.0	59.5
68.4	-21.47		2306	992.3	182.8	-303.9	1140.4
176.5	10.28		639	905.5	200.5	132.2	929.4
-1563.7	7.40		640	-112.3	-1540.7	192.9	-87.2
-2117.7	-9.33	Min	Cent	98.4	-2030.2	-441.0	162.8
-4239.4	-14.09		2305	-443.2	-4000.2	-952.9	-204.0
-791.5	-36.39		2306	309.2	-32.3	-926.8	793.4
-179.2	6.70		639	334.6	-175.2	45.9	341.1
-4090.4	-0.45		640	-329.5	-4090.2	-29.6	-329.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.3	26.52	Max	Cent	-0.1	-0.3	0.1	-0.0
-0.4	25.30		2305	-0.2	-0.4	0.1	-0.2
-0.3	17.76		2306	0.1	-0.3	0.1	0.1
-0.3	17.59		639	-0.0	-0.2	0.1	0.0
-0.1	63.01		640	-0.1	0.1	0.1	0.1
-0.7	6.48	Min	Cent	-0.2	-0.6	0.0	-0.2
-1.2	4.46		2305	-0.6	-1.2	0.0	-0.6
-0.6	4.99		2306	0.0	-0.6	0.0	0.0
-0.7	3.28		639	-0.1	-0.7	0.0	-0.1
-0.3	20.40		640	-0.2	-0.3	0.0	-0.2

	NODE	Vxx	Vyy
Max	Cent	-0.4	-0.4
	2305	-0.5	-0.7
	2306	-0.5	0.3
	639	-0.3	0.3
	640	-0.3	-0.7
Min	Cent	-1.0	-1.6
	2305	-1.4	-3.4
	2306	-1.4	-0.2
	639	-0.7	-0.3
	640	-0.7	-3.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-630.6	-10.56	INVSLV	Max	Cent	114.2	-606.1	-122.6	136.6
-1211.9	-11.69			2305	-22.2	-1161.4	-244.7	30.9
-185.8	-31.01			2306	332.6	11.2	-277.7	509.0
11.0	2.68			639	339.0	11.8	16.0	339.7
-1195.1	-1.45			640	-79.3	-1195.0	34.1	-78.5
-750.5	-11.39		Min	Cent	78.1	-715.9	-181.8	114.7
-1514.4	-15.85			2305	-171.4	-1407.8	-378.9	-67.3
-225.3	-33.04			2306	235.5	-41.0	-332.9	440.5
-86.7	-0.11			639	239.3	-86.7	-1.1	239.3
-1419.3	1.66			640	-104.2	-1419.3	-32.2	-103.2



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE						
		Max	Cent	-0.0	-0.2	0.0	-0.0
-0.2	13.64		2305	-0.1	-0.2	0.0	-0.1
-0.2	15.80		2306	0.0	-0.2	0.0	0.0
-0.2	7.89		639	0.0	-0.2	0.0	0.0
-0.2	13.35		640	-0.0	-0.2	0.0	-0.0
-0.2	10.17	Min	Cent	-0.1	-0.2	0.0	-0.1
-0.2	13.18		2305	-0.2	-0.3	0.0	-0.2
-0.3	25.15		2306	-0.0	-0.2	0.0	0.0
-0.3	11.72		639	-0.0	-0.2	0.0	-0.0
-0.2	8.11		640	-0.1	-0.2	0.0	-0.1
-0.2	33.92						

	NODE	Vxx	Vyy
Max	Cent	-0.2	-0.1
	2305	-0.3	-0.1
	2306	-0.3	-0.2
	639	-0.1	-0.2
	640	-0.1	-0.1
Min	Cent	-0.5	-0.3
	2305	-0.6	-0.3
	2306	-0.6	-0.2
	639	-0.4	-0.2
	640	-0.4	-0.3

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
3027	2	10	Q1-1-2	Max	Cent	853.9	22.0	200.6	899.8
-23.9		12.87			2313	985.7	84.4	274.5	1062.7
7.4		15.68			2314	991.2	62.2	126.8	1008.2
45.2		7.64			671	726.2	18.2	130.7	749.5
-5.1		10.14			672	721.0	1.6	278.4	816.1
-93.5		18.87		Min	Cent	-6.3	-17.3	-152.5	140.8
-164.4		-43.96			2313	-7.7	-16.8	-131.1	118.9
-143.4		-44.00			2314	-7.5	-3.0	-194.3	189.0
-199.6		-45.33			671	-5.0	-53.4	-193.7	166.0
-224.4		-41.44			672	-5.0	-57.5	-128.4	99.8
-162.3		-39.23							

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
------	-------	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		Max	Cent	0.0	0.0	0.0	0.0
-0.0	34.68		2313	0.0	0.0	0.0	0.0
0.0	15.51		2314	0.0	0.0	0.0	0.0
-0.0	20.89		671	0.0	0.0	0.0	0.0
-0.0	42.60		672	0.0	0.1	0.0	0.1
0.0	82.57	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-27.18		2313	-0.1	-0.1	-0.0	-0.1
-0.1	-6.02		2314	-0.0	-0.0	-0.0	-0.0
-0.0	-22.02		671	-0.0	-0.0	-0.0	-0.0
-0.1	-19.42		672	-0.0	-0.0	-0.0	-0.0
-0.0	-55.73						

-----		NODE	Vxx	Vyy
Max	Cent		0.1	0.0
	2313		0.1	0.0
	2314		0.1	0.1
	671		0.0	0.1
	672		0.0	0.0
Min	Cent		-0.1	-0.3
	2313		-0.1	-0.7
	2314		-0.1	-0.0
	671		-0.1	-0.0
	672		-0.1	-0.7

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-17.8	13.64	Q2a-1-2	Max	Cent	514.2	13.5	129.1	545.5
				2313	593.7	52.9	174.5	645.1
1.5	16.42			2314	598.0	38.6	82.5	609.9
26.7	8.22			671	437.8	11.6	85.5	454.3
-4.9	10.93			672	433.6	1.0	177.5	497.1
-62.5	19.68		Min	Cent	-4.6	-12.3	-97.1	88.7
-105.6	-43.86			2313	-5.6	-10.7	-81.7	73.6
-89.9	-44.11			2314	-5.6	-1.9	-126.2	122.5
-129.9	-45.41			671	-3.7	-34.1	-126.0	108.0
-145.8	-41.56			672	-3.7	-39.8	-80.1	60.3
-103.9	-38.65							

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Max	Cent	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	34.94		2313	0.0	0.0	0.0	0.0
0.0	14.62		2314	0.0	0.0	0.0	0.0
-0.0	20.38		671	0.0	0.0	0.0	0.0
-0.0	41.99		672	0.0	0.1	0.0	0.1
0.0	82.69	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-28.49		2313	-0.0	-0.1	-0.0	-0.0
-0.1	-5.83		2314	-0.0	-0.0	-0.0	-0.0
-0.0	-21.85		671	-0.0	-0.0	-0.0	-0.0
-0.0	-19.64		672	-0.0	-0.0	-0.0	-0.0
-0.0	-59.01						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	2313	0.1	0.0
	2314	0.1	0.1
	671	0.0	0.1
	672	0.0	0.0
Min	Cent	-0.0	-0.2
	2313	-0.1	-0.5
	2314	-0.1	-0.0
	671	-0.0	-0.0
	672	-0.0	-0.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-72.5	87.78	SLVx (RS)	Cent	-72.4	4.0	3.0	4.2
-83.8	84.91		2313	-83.1	9.2	8.3	10.0
-82.7	86.41		2314	-82.4	-5.3	4.9	-5.0
-62.1	85.34		671	-61.7	-1.1	5.0	-0.7
-5.9	6.53		672	62.4	-5.0	7.8	63.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-12.24	Cent	0.0	-0.0	-0.0	0.0
-0.0	-12.00	2313	-0.0	-0.0	-0.0	-0.0
-0.0	-73.97	2314	-0.0	0.0	-0.0	0.0
0.0	-65.85	671	0.0	0.0	-0.0	0.0
-0.0	-74.34	672	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
------	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Cent	-0.0	0.0
2313	-0.0	0.0
2314	-0.0	-0.0
671	-0.0	-0.0
672	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-6.2	-3.28	SLVy (RS)	Cent	23.7	-6.1	-1.7	23.8
-15.0	-8.47		2313	18.9	-14.2	-5.0	19.6
0.9	-3.94		2314	23.0	1.0	-1.5	23.1
2.1	3.56		671	28.7	2.2	1.7	28.8
-12.7	-2.99		672	24.4	-12.6	-1.9	24.5

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.1	-51.17		Cent	-0.0	-0.0	-0.0	0.0
-0.0	-55.88		2313	-0.0	-0.0	-0.0	-0.0
-0.1	-29.87		2314	-0.0	-0.1	-0.0	0.0
-0.0	-44.67		671	0.0	0.0	-0.0	0.1
-0.1	-78.03		672	-0.1	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.2	-0.1
2313	-0.1	-0.1
2314	-0.1	-0.2
671	-0.3	-0.2
672	-0.3	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-36.2	87.78	SLDx (RS)	Cent	-36.2	2.0	1.5	2.1
-41.9	84.91		2313	-41.5	4.6	4.1	5.0
-41.3	86.40		2314	-41.2	-2.7	2.4	-2.5
-31.0	85.33		671	-30.8	-0.6	2.5	-0.4
-2.9	6.53		672	31.2	-2.5	3.9	31.6

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	-0.0	-0.0	0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-12.24		2313	-0.0	-0.0	-0.0	-0.0
-0.0	-12.00		2314	-0.0	0.0	-0.0	0.0
-0.0	-73.96		671	0.0	0.0	-0.0	0.0
0.0	-65.84		672	-0.0	-0.0	-0.0	-0.0
-0.0	-74.36						

NODE	Vxx	Vyy
Cent	-0.0	0.0
2313	-0.0	0.0
2314	-0.0	-0.0
671	-0.0	-0.0
672	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDy (RS)	Cent	11.8	-3.0	-0.9	11.9
-3.1	-3.28		2313	9.4	-7.1	-2.5	9.8
-7.5	-8.47		2314	11.5	0.5	-0.8	11.5
0.4	-3.94		671	14.3	1.1	0.8	14.4
1.1	3.56		672	12.2	-6.3	-1.0	12.3
-6.4	-2.99						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.0	-0.0	0.0
-0.0	-51.17	2313	-0.0	-0.0	-0.0	-0.0
-0.0	-55.88	2314	-0.0	-0.0	-0.0	0.0
-0.0	-29.87	671	0.0	0.0	-0.0	0.0
-0.0	-44.67	672	-0.1	-0.0	-0.0	-0.0
-0.1	-78.02					

NODE	Vxx	Vyy
Cent	-0.1	-0.1
2313	-0.0	-0.0
2314	-0.0	-0.1
671	-0.1	-0.1
672	-0.1	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVz (RS)	Cent	-30.7	-2.0	-1.3	-1.9
-30.8	-87.46		2313	-35.7	-4.4	-3.8	-4.0
-36.2	-83.18						

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-35.3	86.37	2314	-35.1	-2.3	2.1	-2.1	
-25.9	85.23	671	-25.7	0.5	2.2	0.7	
-26.8	-82.18	672	-26.3	-2.1	-3.4	-1.6	
-----							
0.0	-50.54	Cent	0.0	0.0	-0.0	0.0	
0.0	-70.27	2313	0.0	0.0	-0.0	0.0	
-0.0	-58.71	2314	0.0	0.0	-0.0	0.0	
0.0	-55.51	671	0.0	0.0	-0.0	0.0	
-0.0	-7.62	672	0.0	-0.0	-0.0	0.0	
-----							
		NODE	Vxx	Vyy			
-----							
		Cent	0.0	0.0			
		2313	0.0	0.0			
		2314	0.0	0.0			
		671	-0.0	0.0			
		672	-0.0	0.0			
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
15.9	1.12	g1	Cent	635.2	16.1	12.2	635.4
47.7	5.57		2313	732.8	54.2	66.8	739.3
32.2	-3.31		2314	726.9	34.5	-40.2	729.2
-25.2	-4.32		671	537.6	-22.0	-42.5	540.8
-9.7	6.65		672	543.5	-2.2	64.5	551.1
-----							
Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-----							
-0.0	2.09	Cent	-0.0	-0.0	0.0	-0.0	
-0.0	0.10	2313	-0.0	-0.0	0.0	-0.0	
-0.0	0.62	2314	-0.0	-0.0	0.0	-0.0	
-0.0	0.11	671	-0.0	-0.0	0.0	-0.0	
-0.0	55.13	672	-0.0	-0.0	0.0	-0.0	
-----							
		NODE	Vxx	Vyy			
-----							
		Cent	-0.0	-0.0			
		2313	-0.0	-0.1			
		2314	-0.0	-0.0			

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		671	-0.0	-0.0			
		672	-0.0	-0.1			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		g2	Cent	307.0	4.9	0.4	307.0
4.9	0.07		2313	353.8	24.5	26.7	356.0
22.3	4.60		2314	350.1	12.0	-24.2	351.8
10.3	-4.07		671	260.1	-14.8	-25.9	262.6
-17.2	-5.34		672	263.9	-2.3	24.9	266.2
-4.6	5.31						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	4.81		2313	-0.0	0.0	0.0	0.0
-0.0	87.11		2314	-0.0	-0.0	0.0	-0.0
-0.0	6.84		671	0.0	-0.0	0.0	0.0
-0.0	19.47		672	-0.0	-0.0	0.0	-0.0
-0.0	2.29						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	0.0		
			2313	-0.0	0.1		
			2314	-0.0	-0.0		
			671	-0.0	-0.0		
			672	-0.0	0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		q3	Cent	25.5	0.6	5.6	26.7
-0.6	12.17		2313	28.6	1.8	7.4	30.5
-0.1	14.43		2314	28.4	1.1	4.0	28.9
0.5	8.16		671	22.4	-0.7	3.9	23.0
-1.3	9.33		672	22.6	0.1	7.3	24.7
-2.1	16.42						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	13.82		2313	-0.0	-0.0	0.0	-0.0
-0.0	36.72						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	-0.01	2314	0.0	-0.0	-0.0	0.0
-0.0	-0.72	671	-0.0	-0.0	-0.0	-0.0
-0.0	77.57	672	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
2313	-0.0	-0.0
2314	-0.0	0.0
671	-0.0	0.0
672	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.6	1.43	q5_pc	Cent	25.7	0.6	0.6	25.7
0.7	1.07		2313	25.4	0.7	0.5	25.4
0.3	2.05		2314	25.3	0.3	0.9	25.3
0.5	1.78		671	26.0	0.6	0.8	26.1
1.0	0.82		672	26.2	1.0	0.4	26.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-5.41	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-1.12	2313	-0.0	-0.0	-0.0	-0.0
-0.0	-7.10	2314	0.0	-0.0	-0.0	0.0
-0.0	-10.97	671	-0.0	-0.0	-0.0	-0.0
0.0	-85.12	672	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
2313	-0.0	-0.0
2314	-0.0	0.0
671	-0.0	0.0
672	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.6	0.75	q5_ps	Cent	21.9	0.6	0.3	21.9
0.7	0.15		2313	21.4	0.7	0.1	21.4
0.0	1.78		2314	21.2	0.1	0.7	21.3
			671	22.3	0.4	0.5	22.3



# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.4	1.32			672	22.5	1.0	22.5
1.0	-0.26					-0.1	
-----							
-0.0	-2.63		Cent	0.0	-0.0	-0.0	0.0
-0.0	-1.55		2313	-0.0	-0.0	-0.0	-0.0
-0.0	-3.89		2314	0.0	-0.0	-0.0	0.0
-0.0	-5.57		671	0.0	-0.0	-0.0	0.0
0.0	-68.10		672	0.0	0.0	-0.0	0.0
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			2313	-0.0	-0.0		
			2314	-0.0	0.0		
			671	-0.0	0.0		
			672	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
25.2	7.82	INVSLU Max	Cent	2243.4	58.5	306.0	2285.4
124.6	13.13		2313	2829.5	266.5	632.3	2977.0
233.4	-0.62		2314	2836.0	233.7	-28.0	2836.3
-70.5	-0.49		671	1662.7	-70.4	-14.9	1662.8
-172.0	18.23		672	1656.6	-89.7	645.2	1869.1
-23.6	-6.64	Min	Cent	1028.3	4.3	-171.9	1042.3
105.6	3.64		2313	1436.1	128.5	83.9	1448.1
-3.3	-13.11		2314	1435.7	145.0	-463.1	1542.1
-373.9	-19.61		671	620.4	-168.1	-454.3	757.1
-308.3	6.70		672	620.8	-171.4	95.4	640.6
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	26.08	Max	Cent	0.0	-0.0	0.0	0.0
-0.1	6.37		2313	0.0	-0.1	0.0	0.0
-0.0	16.57		2314	0.0	-0.0	0.0	0.0
-0.0	23.49		671	-0.0	-0.0	0.0	0.0
			672	0.1	0.2	0.0	0.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.1	84.18						
-0.1	-9.39	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.3	-3.21		2313	-0.1	-0.3	-0.0	-0.1
-0.1	-8.80		2314	-0.0	-0.1	-0.0	-0.0
-0.1	-11.46		671	-0.0	-0.1	-0.0	-0.0
-0.0	-78.40		672	-0.0	0.0	-0.0	0.1

	NODE	Vxx	Vyy
Max	Cent	0.1	-0.2
	2313	0.1	-0.5
	2314	0.1	0.1
	671	0.1	0.1
	672	0.1	-0.5
Min	Cent	-0.1	-0.7
	2313	-0.2	-1.5
	2314	-0.2	-0.0
	671	-0.1	-0.0
	672	-0.1	-1.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
27.1	0.37	INVSLV	Max	Cent	903.3	27.3	12.6	903.4
97.3	7.37			2313	1167.3	124.1	160.8	1185.6
71.2	-7.24			2314	1160.7	88.7	-126.5	1178.3
-89.3	-10.65			671	639.4	-64.3	-126.2	665.3
-66.7	12.19			672	646.0	-28.9	159.4	680.2
11.5	0.97		Min	Cent	725.9	11.5	4.9	726.1
68.2	10.22			2313	968.4	87.5	138.9	997.0
58.4	-7.98			2314	961.0	76.2	-138.4	978.7
-98.3	-12.37			671	483.4	-69.7	-138.4	511.3
-90.5	14.15			672	490.8	-58.4	140.5	526.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-0.0	34.52	Max	Cent	0.0	0.0	0.0	0.0
-0.0	25.51		2313	0.0	-0.0	0.0	0.0
-0.0	55.85		2314	0.0	0.0	0.0	0.1
-0.0	-42.02		671	0.0	0.0	0.0	0.1
0.0	11.16		672	0.1	0.0	0.0	0.1
		Min	Cent	-0.0	-0.0	-0.0	-0.0

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	-34.61					
-0.1	-44.19	2313	-0.0	-0.0	-0.0	-0.0
-0.1	-18.25	2314	-0.0	-0.1	-0.0	-0.0
-0.1	35.98	671	-0.0	-0.0	-0.0	-0.0
-0.1	-77.04	672	-0.1	-0.0	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.2	0.1
	2313	0.1	0.0
	2314	0.1	0.2
	671	0.3	0.2
	672	0.3	0.0
Min	Cent	-0.2	-0.2
	2313	-0.1	-0.1
	2314	-0.1	-0.3
	671	-0.3	-0.3
	672	-0.3	-0.1

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
	Fmin	ANGLE							
3045	2	8	Q1-1-2	Max	Cent	949.6	20.6	18.4	950.0
	20.3	1.13			2330	1117.0	75.1	39.0	1118.4
	73.6	2.14			2331	1112.5	58.8	1.9	1112.5
	58.8	0.10			808	782.3	0.6	2.0	782.3
	0.6	0.15			806	786.7	0.7	41.7	788.9
	-1.5	3.03		Min	Cent	-19.1	-20.0	-354.2	334.7
	-373.8	-44.97			2330	-22.3	-3.7	-291.7	278.8
	-304.9	-45.91			2331	-22.4	-4.4	-415.1	401.8
	-428.6	-45.62			808	-15.9	-65.8	-417.8	377.7
	-459.4	-43.29			806	-15.9	-56.6	-294.7	259.1
	-331.7	-43.02							

	Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
			Max	Cent	0.0	0.0	0.0
	-0.0	58.73		2330	0.0	0.0	0.0
	-0.0	60.99		2331	0.0	0.0	0.0
	0.0	63.37		808	0.0	0.0	0.0
	0.0	51.18		806	0.0	0.0	0.0
	0.0	41.43	Min	Cent	-0.0	-0.1	-0.0
	-0.1	-19.41		2330	-0.0	-0.1	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	-14.75		2331	-0.0	-0.1	-0.0	-0.0
-0.1	-12.11		808	-0.0	-0.0	-0.0	0.0
-0.0	-35.97		806	-0.0	-0.0	-0.0	0.0
-0.0	-35.31						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	2330	0.0	0.0
	2331	0.0	0.0
	808	0.0	0.0
	806	0.0	0.0
Min	Cent	-0.0	-0.3
	2330	-0.0	-0.2
	2331	-0.0	-0.3
	808	-0.0	-0.3
	806	-0.0	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
12.4	1.32	Q2a-1-2	Max Cent	573.9	12.7	12.9	574.2
44.7	2.48		2330	674.8	45.9	27.3	676.0
35.7	0.12		2331	672.1	35.7	1.3	672.1
0.4	0.17		808	473.0	0.4	1.4	473.0
-1.2	3.50		806	475.7	0.5	29.2	477.5
-230.9	-45.00		Min Cent	-14.2	-14.3	-216.7	202.5
-188.0	-46.12		2330	-16.6	-2.7	-178.2	168.8
-263.8	-45.76		2331	-16.6	-3.2	-253.8	244.0
-283.6	-43.25		808	-11.8	-43.1	-255.6	228.6
-205.7	-42.90		806	-11.8	-38.3	-180.2	155.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	58.04	Max Cent	0.0	0.0	0.0	0.0
-0.0	59.92	2330	0.0	0.0	0.0	0.0
0.0	62.01	2331	0.0	0.0	0.0	0.0
0.0	50.64	808	0.0	0.0	0.0	0.0
0.0	38.73	806	0.0	0.0	0.0	0.0
-0.0	-18.87	Min Cent	-0.0	-0.0	-0.0	-0.0
-0.1	-14.10	2330	-0.0	-0.1	-0.0	-0.0
		2331	-0.0	-0.1	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	-11.57		808	-0.0	-0.0	-0.0	0.0
-0.0	-36.56		806	-0.0	-0.0	-0.0	0.0
-0.0	-35.69						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	2330	0.0	0.0
	2331	0.0	0.0
	808	0.0	0.0
Min	806	0.0	0.0
	Cent	-0.0	-0.2
	2330	-0.0	-0.2
	2331	-0.0	-0.2
	808	-0.0	-0.2
	806	-0.0	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-3.8	14.02	SLVx (RS)	Cent	91.7	2.2	23.8	97.7
3.2	10.64		2330	106.2	6.8	19.4	109.8
-1.4	14.96		2331	106.0	6.2	28.7	113.7
-11.7	17.86		808	77.3	-2.5	28.7	86.6
-6.5	13.01		806	77.4	-2.1	19.4	81.9

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-7.89		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-10.15		2330	-0.0	-0.0	-0.0	-0.0
-0.0	-9.14		2331	-0.0	-0.0	-0.0	-0.0
0.0	-84.67		808	0.0	0.0	-0.0	0.0
0.0	-84.15		806	0.0	0.0	-0.0	0.0

	NODE	Vxx	Vyy
	Cent	0.0	0.0
	2330	0.0	0.0
	2331	0.0	0.0
	808	0.0	0.0
	806	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.4	15.34	SLVy (RS)	Cent	36.4	0.5	10.7	39.3
			2330	38.2	1.1	11.2	41.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-2.0	15.56		2331	38.2	1.0	10.1	40.7
-1.6	14.29		808	34.6	-0.2	10.1	37.4
-2.9	15.12		806	34.7	0.1	11.2	38.0
-3.2	16.47						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	-61.47		Cent	0.0	0.0	-0.0	0.0
			2330	-0.0	-0.0	-0.0	0.0
-0.1	-16.87		2331	-0.0	-0.1	-0.0	-0.0
-0.1	-15.61		808	0.0	0.1	-0.0	0.1
0.0	-81.57		806	0.1	0.1	-0.0	0.1
0.1	-79.42						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.6		
			2330	0.0	-0.6		
			2331	0.0	-0.7		
			808	0.0	-0.7		
			806	0.0	-0.6		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-1.9	14.03	SLDx (RS)	Cent	45.8	1.1	11.9	48.8
			2330	53.0	3.4	9.7	54.8
1.6	10.65		2331	52.9	3.1	14.3	56.8
-0.7	14.96		808	38.6	-1.2	14.3	43.2
-5.9	17.87		806	38.7	-1.0	9.7	40.9
-3.3	13.02						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	-7.92		Cent	-0.0	-0.0	-0.0	-0.0
			2330	-0.0	-0.0	-0.0	-0.0
-0.0	-10.19		2331	-0.0	-0.0	-0.0	-0.0
-0.0	-9.17		808	0.0	0.0	-0.0	0.0
0.0	-84.65		806	0.0	0.0	-0.0	0.0
0.0	-84.13						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	0.0		
			2330	0.0	0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

2331 0.0 0.0  
 808 0.0 0.0  
 806 0.0 0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.2	15.35	SLDy (RS)	Cent	18.2	0.3	5.3	19.6
-1.0	15.57		2330	19.1	0.6	5.6	20.6
-0.8	14.31		2331	19.1	0.5	5.1	20.4
-1.4	15.13		808	17.3	-0.1	5.1	18.7
-1.6	16.48		806	17.3	0.1	5.6	19.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-61.44		Cent	0.0	0.0	-0.0	0.0
-0.0	-16.89		2330	-0.0	-0.0	-0.0	0.0
-0.0	-15.63		2331	-0.0	-0.0	-0.0	-0.0
0.0	-81.55		808	0.0	0.1	-0.0	0.1
0.0	-79.40		806	0.0	0.1	-0.0	0.1
			NODE	Vxx	Vyy		
			Cent	0.0	-0.3		
			2330	0.0	-0.3		
			2331	0.0	-0.3		
			808	0.0	-0.3		
			806	0.0	-0.3		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-32.3	71.51	SLVz (RS)	Cent	-28.7	-0.8	10.5	2.7
-36.0	75.39		2330	-33.7	-2.4	8.7	-0.2
-37.8	71.00		2331	-33.6	-2.1	12.3	2.2
-28.9	67.50		808	-23.8	0.9	12.3	6.0
-26.7	72.18		806	-23.9	0.6	8.8	3.4
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-75.74		Cent	0.0	0.0	-0.0	0.0
			2330	0.0	0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-75.28	2331	0.0	0.0	-0.0	0.0
0.0	-77.49	808	0.0	0.0	-0.0	0.0
0.0	-82.58	806	0.0	0.0	0.0	0.0
0.0	81.10					

NODE	Vxx	Vyy
Cent	0.0	0.0
2330	0.0	0.0
2331	0.0	0.0
808	0.0	0.0
806	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-49.9	-16.47	g1	Cent	677.8	13.7	-215.1	741.4
16.8	-12.20		2330	797.9	53.3	-168.9	834.4
-36.8	-17.43		2331	795.5	45.2	-261.3	877.5
-125.9	-20.93		808	557.6	-25.9	-261.3	657.6
-63.6	-15.16		806	560.1	-17.8	-169.0	605.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-6.37	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-6.04	2330	-0.0	-0.0	-0.0	-0.0
-0.0	-4.50	2331	-0.0	-0.0	-0.0	-0.0
-0.0	-7.11	808	-0.0	-0.0	-0.0	-0.0
-0.0	-8.31	806	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
2330	-0.0	-0.0
2331	-0.0	-0.0
808	-0.0	-0.0
806	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-24.3	-16.08	g2	Cent	333.5	5.4	-103.2	363.2
8.1	-11.79		2330	392.9	24.9	-80.3	409.7
-17.7	-17.11		2331	391.8	21.1	-126.0	430.6



MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-61.4	-20.58	808	274.1	-14.1	-126.0	321.4
-31.3	-14.68	806	275.2	-10.3	-80.3	296.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----						
-0.0	27.81	Cent	-0.0	-0.0	0.0	-0.0
-0.0	61.89	2330	-0.0	0.0	0.0	0.0
0.0	70.16	2331	0.0	0.0	0.0	0.0
-0.0	9.51	808	-0.0	-0.0	0.0	-0.0
-0.0	15.20	806	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
-----		
Cent	-0.0	0.0
2330	-0.0	0.0
2331	-0.0	0.0
808	-0.0	0.0
806	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
1.1	-0.51	q3	Cent	79.2	1.1	-0.7	79.2
4.1	2.24		2330	90.0	4.3	3.4	90.1
4.2	-3.36		2331	90.1	4.5	-5.0	90.4
-2.3	-3.84		808	68.4	-2.0	-4.8	68.7
-2.4	2.95		806	68.3	-2.2	3.7	68.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----						
-0.0	-1.16	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-1.87	2330	-0.0	-0.0	-0.0	-0.0
-0.0	-0.55	2331	-0.0	-0.0	-0.0	-0.0
-0.0	-0.20	808	-0.0	-0.0	-0.0	-0.0
-0.0	-1.76	806	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
-----		
Cent	-0.0	-0.0
2330	-0.0	-0.0
2331	-0.0	-0.0
808	0.0	-0.0
806	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
0.4	-4.70	q5_pc	Cent	34.9	0.6	-2.8	35.1
1.6	-2.52		2330	38.1	1.7	-1.6	38.1
0.9	-6.19		2331	38.0	1.3	-4.0	38.4
-1.0	-7.09		808	31.7	-0.5	-4.1	32.3
-0.2	-2.96		806	31.9	-0.2	-1.7	31.9
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	10.62		Cent	-0.0	-0.0	0.0	-0.0
-0.0	8.89		2330	-0.0	-0.0	0.0	-0.0
-0.0	9.07		2331	-0.0	-0.0	0.0	-0.0
-0.0	17.77		808	0.0	-0.0	0.0	0.0
-0.0	12.25		806	0.0	-0.0	0.0	0.0
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.0		
			2330	0.0	-0.0		
			2331	0.0	-0.0		
			808	0.0	-0.0		
			806	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
0.5	-2.62	q5_ps	Cent	29.8	0.5	-1.3	29.9
1.4	-0.63		2330	32.4	1.4	-0.3	32.4
1.0	-4.22		2331	32.3	1.1	-2.3	32.5
-0.6	-4.82		808	27.3	-0.4	-2.3	27.5
-0.1	-0.79		806	27.3	-0.1	-0.4	27.4
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	16.61		Cent	-0.0	-0.0	0.0	-0.0
-0.0	14.72		2330	-0.0	-0.0	0.0	0.0
-0.0	14.30		2331	-0.0	-0.0	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	22.84	808	-0.0	-0.0	0.0	0.0
-0.0	18.67	806	0.0	-0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
2330	0.0	-0.0
2331	0.0	-0.0
808	0.0	-0.0
806	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-7.5	-8.93	INVSLU Max	Cent	2648.7	58.1	-412.4	2714.4
254.8	-3.94		2330	3344.2	269.5	-210.0	3358.9
131.3	-11.08		2331	3340.3	254.3	-621.1	3463.3
-276.5	-15.45		808	1953.3	-105.8	-608.9	2123.6
-131.7	-5.40		806	1957.2	-113.1	-194.4	1975.9
-475.5	-22.23		Min	Cent	1271.2	2.2	-920.5
-77.4	-17.73	2330		1730.9	160.0	-659.4	1909.5
-468.3	-23.46	2331		1733.1	166.6	-1191.2	2214.5
-968.8	-29.68	808		811.6	-196.5	-1183.0	1383.9
-508.1	-19.83	806		809.4	-190.8	-651.5	1038.0

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	74.01	Max	Cent	0.0	0.0	0.0
0.0	71.23		2330	0.0	0.0	0.0
0.0	74.57		2331	0.0	0.0	0.0
0.0	73.39		808	0.0	0.0	0.0
0.0	67.16		806	0.0	0.0	0.0
-0.1	-22.58		Min	Cent	-0.0	-0.1
-0.1	-15.82	2330		-0.0	-0.1	-0.0
-0.2	-13.57	2331		-0.0	-0.2	-0.0
-0.0	-54.11	808		-0.0	-0.0	-0.0
-0.0	-49.27	806		-0.0	-0.0	-0.0

NODE	Vxx	Vyy
------	-----	-----

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Max	Cent	0.0	-0.0
	2330	0.0	-0.0
	2331	0.0	0.0
	808	0.0	0.0
	806	0.0	-0.0
Min	Cent	-0.0	-0.5
	2330	-0.0	-0.4
	2331	-0.0	-0.5
	808	-0.0	-0.5
	806	-0.0	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-53.1	-14.62	INVSLV	Max Cent	1078.9	22.5	-289.4	1156.1
83.1	-8.49		2330	1377.0	111.9	-188.0	1405.9
-4.7	-16.28		2331	1377.1	112.0	-396.5	1495.1
-220.8	-21.59		808	780.9	-61.4	-390.5	938.4
-104.8	-11.90		806	780.8	-62.7	-181.8	820.3
-106.9	-19.65		Min Cent	856.4	17.4	-349.8	979.1
45.6	-12.24		2330	1121.5	96.2	-238.6	1172.2
-79.8	-20.97		2331	1122.0	97.7	-467.4	1298.3
-297.6	-27.14		808	591.2	-67.0	-461.3	824.0
-136.2	-17.41		806	590.8	-67.3	-232.6	662.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-54.64	Max Cent	0.0	0.0	0.0	0.0
-0.0	74.43	2330	-0.0	0.0	0.0	0.0
0.0	75.46	2331	0.0	0.1	0.0	0.1
0.0	-79.19	808	0.0	0.1	0.0	0.1
0.0	-76.34	806	0.1	0.1	0.0	0.1
-0.1	20.08	Min Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-18.03	2330	-0.0	-0.1	-0.0	-0.0
-0.1	-16.09	2331	-0.0	-0.1	-0.0	-0.0
-0.2	6.19	808	-0.0	-0.2	-0.0	-0.0
-0.1	7.52	806	-0.1	-0.1	-0.0	-0.1

	NODE	Vxx	Vyy
Max	Cent	0.0	0.6
	2330	0.0	0.6

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	2331	0.0	0.7
	808	0.0	0.7
	806	0.0	0.6
Min	Cent	-0.0	-0.7
	2330	-0.0	-0.6
	2331	-0.0	-0.7
	808	-0.0	-0.7
	806	-0.0	-0.6

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin	ANGLE								
3046	2	4	Q1-1-2	Max	Cent	842.2	3.9	24.6	842.9
3.2	1.68				2331	927.7	34.9	47.7	930.3
32.4	3.05				2297	924.0	21.5	2.1	924.0
21.5	0.13				628	757.8	0.3	3.0	757.8
0.3	0.23				808	760.3	0.7	50.7	763.7
-2.7	3.80			Min	Cent	-15.7	-29.7	-342.3	319.6
-365.0	-44.41				2331	-17.1	-21.0	-276.3	257.2
-295.3	-44.80				2297	-17.2	-15.7	-407.4	391.0
-423.9	-45.05				628	-14.3	-56.8	-409.2	374.1
-445.3	-43.51				808	-14.2	-54.6	-278.3	244.7
-313.4	-42.93								
Mmin	ANGLE				NODE	Mxx	Myy	Mxy	Mmax
				Max	Cent	0.0	0.0	0.0	0.0
-0.0	52.64				2331	0.0	0.0	0.0	0.0
0.0	59.41				2297	0.0	0.0	0.0	0.0
-0.0	52.85				628	0.0	0.0	0.0	0.0
-0.0	50.97				808	0.0	0.0	0.0	0.0
0.0	40.97			Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-14.99				2331	-0.0	-0.1	-0.0	-0.0
-0.1	-10.32				2297	-0.0	-0.1	-0.0	-0.0
-0.1	-7.63				628	-0.0	-0.0	-0.0	0.0
-0.0	-29.01				808	-0.0	-0.0	-0.0	0.0
-0.0	-36.71								
					NODE	Vxx	Vyy		
				Max	Cent	0.0	0.0		
					2331	0.0	0.0		
					2297	0.0	0.0		
					628	0.0	0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	808	0.0	0.0
Min	Cent	-0.0	-0.2
	2331	-0.0	-0.2
	2297	-0.0	-0.2
	628	-0.0	-0.2
	808	-0.0	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
1.9	1.95	Q2a-1-2	Max Cent	507.7	2.5	17.3	508.3
19.5	3.53		2331	559.2	21.6	33.3	561.2
13.5	0.15		2297	557.0	13.5	1.4	557.0
0.2	0.25		628	457.1	0.2	2.0	457.1
-2.2	4.39		808	458.5	0.5	35.3	461.2
-226.0	-44.36		Min Cent	-11.7	-21.1	-209.6	193.3
-182.7	-44.80		2331	-12.7	-15.0	-168.9	155.0
-261.5	-45.09		2297	-12.8	-11.2	-249.5	237.5
-275.0	-43.48		628	-10.6	-37.2	-250.7	227.2
-194.7	-42.75		808	-10.5	-37.4	-170.2	146.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	51.65	Max Cent	0.0	0.0	0.0	0.0
0.0	57.73	2331	0.0	0.0	0.0	0.0
-0.0	50.82	2297	0.0	0.0	0.0	0.0
-0.0	50.48	628	0.0	0.0	0.0	0.0
0.0	40.25	808	0.0	0.0	0.0	0.0
-0.0	-14.19	Min Cent	-0.0	-0.0	-0.0	-0.0
-0.1	-9.72	2331	-0.0	-0.1	-0.0	-0.0
-0.1	-7.03	2297	-0.0	-0.1	-0.0	-0.0
-0.0	-29.15	628	-0.0	-0.0	-0.0	0.0
-0.0	-37.07	808	-0.0	-0.0	-0.0	0.0

NODE	Vxx	Vyy
Max Cent	0.0	0.0
2331	0.0	0.0
2297	0.0	0.0
628	0.0	0.0
808	0.0	0.0
Min Cent	-0.0	-0.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

2331	-0.0	-0.1
2297	-0.0	-0.2
628	-0.0	-0.2
808	-0.0	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-7.0	15.10	SLVx (RS)	Cent	79.5	-0.8	23.3	85.8
-6.7	11.29		2331	86.0	-3.0	18.5	89.7
-6.3	17.08		2297	86.0	2.4	28.4	94.7
-11.3	18.62		628	72.9	-1.7	28.4	82.5
-6.1	13.21		808	72.9	-1.8	18.6	77.3

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-5.43		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-8.22		2331	-0.0	-0.0	-0.0	-0.0
-0.0	-4.03		2297	-0.0	-0.0	-0.0	-0.0
0.0	-87.29		628	0.0	0.0	-0.0	0.0
0.0	-84.58		808	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
2331	0.0	0.0
2297	0.0	-0.0
628	-0.0	-0.0
808	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-3.9	18.09	SLVy (RS)	Cent	29.0	-0.4	10.8	32.6
-4.2	16.69		2331	27.5	-1.3	9.5	30.4
-4.8	20.13		2297	27.8	-0.4	11.9	32.2
-3.7	19.37		628	30.6	0.5	12.0	34.8
-3.2	16.01		808	30.3	-0.4	9.6	33.1

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-63.36		Cent	0.0	0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	-9.67	2331	-0.0	-0.1	-0.0	-0.0
-0.1	3.14	2297	-0.0	-0.1	0.0	-0.0
0.0	87.01	628	0.0	0.1	0.0	0.1
0.0	-82.14	808	0.0	0.1	-0.0	0.1

NODE	Vxx	Vyy
Cent	0.0	-0.5
2331	0.0	-0.5
2297	0.0	-0.6
628	0.0	-0.6
808	0.0	-0.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-3.5	15.11	SLDx (RS)	Cent	39.7	-0.4	11.7	42.8
-3.3	11.30		2331	43.0	-1.5	9.3	44.8
-3.2	17.09		2297	43.0	1.2	14.2	47.3
-5.6	18.63		628	36.4	-0.9	14.2	41.2
-3.1	13.22		808	36.4	-0.9	9.3	38.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-5.45	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-8.24	2331	-0.0	-0.0	-0.0	-0.0
-0.0	-4.03	2297	-0.0	-0.0	-0.0	-0.0
0.0	-87.28	628	0.0	0.0	-0.0	0.0
0.0	-84.56	808	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
2331	0.0	0.0
2297	0.0	-0.0
628	-0.0	-0.0
808	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-2.0	18.10	SLDy (RS)	Cent	14.5	-0.2	5.4	16.3
-2.1	16.70		2331	13.8	-0.7	4.8	15.2
			2297	13.9	-0.2	6.0	16.1



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-2.4	20.14		628	15.3	0.3	6.0	17.4
-1.9	19.38		808	15.1	-0.2	4.8	16.5
-1.6	16.02						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	-63.29		Cent	0.0	0.0	-0.0	0.0
-0.0	-9.69		2331	-0.0	-0.0	-0.0	-0.0
-0.0	3.17		2297	-0.0	-0.0	0.0	-0.0
0.0	86.98		628	0.0	0.1	0.0	0.1
0.0	-82.12		808	0.0	0.1	-0.0	0.1
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.3		
			2331	0.0	-0.2		
			2297	0.0	-0.3		
			628	0.0	-0.3		
			808	0.0	-0.2		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-29.3	70.33	SLVz (RS)	Cent	-25.6	-0.4	10.4	3.3
-30.6	74.08		2331	-28.2	-1.3	8.4	1.1
-32.8	68.91		2297	-28.1	-0.8	12.4	4.0
-28.3	67.00		628	-23.1	0.8	12.4	6.1
-25.9	72.34		808	-23.2	0.5	8.4	3.2
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	-79.23		Cent	0.0	0.0	-0.0	0.0
0.0	-79.12		2331	0.0	0.0	-0.0	0.0
0.0	-83.59		2297	0.0	0.0	-0.0	0.0
0.0	-85.01		628	0.0	0.0	-0.0	0.0
0.0	-81.94		808	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	0.0		
			2331	0.0	0.0		
			2297	0.0	0.0		
			628	0.0	0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

				808	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-----								
		g1	Cent	603.2	0.5	-207.0	667.5	
-63.8	-17.25		2331	664.5	21.8	-158.4	701.4	
-15.2	-13.12		2297	662.5	15.4	-255.9	751.5	
-73.6	-19.17		628	541.9	-20.8	-255.6	640.7	
-119.5	-21.13		808	543.8	-14.3	-158.2	585.5	
-56.0	-14.77							
Mmin	ANGLE	NODE		Mxx	Myy	Mxy	Mmax	
-----								
			Cent	-0.0	-0.0	-0.0	-0.0	
-0.0	-2.36		2331	-0.0	-0.0	-0.0	-0.0	
-0.0	-2.52		2297	-0.0	-0.0	-0.0	-0.0	
-0.0	-0.44		628	-0.0	-0.0	-0.0	-0.0	
-0.0	-2.48		808	-0.0	-0.0	-0.0	-0.0	
-0.0	-5.61							
		NODE		Vxx	Vyy			
-----								
			Cent	-0.0	-0.0			
			2331	-0.0	-0.0			
			2297	-0.0	-0.0			
			628	0.0	-0.0			
			808	0.0	-0.0			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-----								
		g2	Cent	296.1	-1.1	-99.3	326.3	
-31.2	-16.88		2331	326.4	9.4	-75.3	343.4	
-7.5	-12.70		2297	325.5	6.3	-123.5	367.7	
-35.9	-18.86		628	265.8	-11.6	-123.3	312.7	
-58.5	-20.82		808	266.8	-8.4	-75.1	285.9	
-27.6	-14.31							
Mmin	ANGLE	NODE		Mxx	Myy	Mxy	Mmax	
-----								
			Cent	-0.0	-0.0	-0.0	-0.0	
-0.0	-2.81		2331	0.0	0.0	0.0	0.0	
0.0	81.98		2297	0.0	0.0	-0.0	0.0	

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-82.06		628	-0.0	-0.0	-0.0	-0.0
-0.0	-4.46		808	-0.0	-0.0	0.0	-0.0
-0.0	4.63						

NODE	Vxx	Vyy
Cent	-0.0	0.0
2331	-0.0	0.0
2297	-0.0	0.0
628	-0.0	0.0
808	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.3	0.11	q3	Cent	65.7	-0.3	0.1	65.7
0.1	2.60		2331	69.4	0.2	3.2	69.5
1.4	-2.65		2297	69.8	1.5	-3.2	69.9
-1.0	-2.63		628	62.0	-0.9	-2.9	62.1
-2.3	3.07		808	61.6	-2.2	3.4	61.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	3.05	Cent	-0.0	-0.0	0.0	-0.0
-0.0	1.60	2331	-0.0	-0.0	0.0	-0.0
-0.0	3.29	2297	-0.0	-0.0	0.0	-0.0
-0.0	4.77	628	-0.0	-0.0	0.0	-0.0
-0.0	2.27	808	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
2331	-0.0	-0.0
2297	-0.0	-0.0
628	0.0	-0.0
808	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.3	-5.01	q5_pc	Cent	30.2	-0.0	-2.7	30.4
-0.1	-4.74		2331	30.4	0.1	-2.5	30.6
-0.3	-5.19		2297	30.3	-0.1	-2.8	30.6
-0.4	-5.28		628	30.0	-0.2	-2.8	30.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.2	-4.82		808	30.1	0.0	-2.6	30.3
-----							
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	16.59		2331	-0.0	-0.0	0.0	-0.0
-0.0	10.29		2297	-0.0	-0.0	0.0	-0.0
-0.0	13.17		628	0.0	-0.0	0.0	0.0
-0.0	25.66		808	0.0	-0.0	0.0	0.0
-0.0	22.22						
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	-0.0		
			2331	-0.0	-0.0		
			2297	-0.0	-0.0		
			628	0.0	-0.0		
			808	0.0	-0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		q5_ps	Cent	25.6	-0.0	-1.3	25.7
-0.1	-2.80		2331	25.6	0.0	-1.2	25.7
-0.0	-2.78		2297	25.6	-0.0	-1.3	25.7
-0.1	-2.79		628	25.6	-0.0	-1.3	25.7
-0.1	-2.82		808	25.6	0.0	-1.3	25.7
-0.0	-2.80						
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	20.43		2331	-0.0	-0.0	0.0	-0.0
-0.0	14.48		2297	-0.0	-0.0	0.0	-0.0
-0.0	17.08		628	-0.0	-0.0	0.0	0.0
-0.0	26.44		808	-0.0	-0.0	0.0	0.0
-0.0	25.93						
-----							
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	-0.0		
			2331	-0.0	-0.0		
			2297	-0.0	-0.0		
			628	-0.0	-0.0		
			808	-0.0	-0.0		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-60.8	-9.29	INVSLU	Max Cent	2294.7	2.1	-380.6	2357.8
121.9	-2.12		2331	2731.2	125.4	-92.2	2734.8
-29.3	-13.91		2297	2736.2	140.5	-680.1	2905.9
-294.0	-17.33		628	1859.7	-83.9	-667.0	2069.5
-119.9	-2.35		808	1853.2	-116.8	-76.5	1856.5
-521.7	-23.46		Min Cent	1076.2	-43.3	-880.8	1418.7
-133.2	-16.56		2331	1395.7	49.7	-534.2	1525.6
-648.1	-26.86		2297	1405.6	90.1	-1238.0	1956.5
-1006.7	-31.50		628	756.8	-161.3	-1228.5	1392.2
-422.0	-16.45		808	746.9	-191.4	-525.2	905.7
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	64.44		Max Cent	0.0	0.0	0.0	0.0
0.0	68.64		2331	0.0	0.0	0.0	0.0
-0.0	58.26		2297	0.0	0.0	0.0	0.0
0.0	65.50		628	0.0	0.0	0.0	0.0
0.0	60.07		808	0.0	0.0	0.0	0.0
-0.1	-18.32		Min Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-11.58		2331	-0.0	-0.1	-0.0	-0.0
-0.1	-8.75		2297	-0.0	-0.1	-0.0	-0.0
-0.0	-50.41		628	-0.0	-0.0	-0.0	0.0
-0.0	-53.19		808	-0.0	-0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Max Cent	0.0	-0.0		
			2331	0.0	0.0		
			2297	0.0	-0.0		
			628	0.0	-0.0		
			808	0.0	0.0		
			Min Cent	-0.0	-0.4		
			2331	-0.0	-0.4		
			2297	-0.0	-0.4		
			628	-0.0	-0.4		
			808	-0.0	-0.4		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-78.3	-15.57		INVS LV Max Cent	928.9	-0.1	-275.0	1007.3	
27.6	-7.21			2331 1120.2	51.6	-133.2	1137.6	
-85.6	-19.53			2297 1124.4	64.8	-422.6	1277.0	
-232.7	-23.52			628 737.8	-47.9	-416.6	922.3	
-86.0	-9.14			808 733.5	-62.2	-127.1	754.7	
-127.2	-20.83		Min Cent	737.2	-2.1	-334.4	862.1	
15.8	-11.08			2331 914.6	44.1	-181.0	949.1	
-162.2	-24.28			2297 918.9	59.3	-494.0	1138.3	
-316.3	-28.84			628 559.7	-52.1	-488.0	824.4	
-107.7	-14.42			808 555.5	-66.3	-175.0	599.2	
0.0	-49.07		Max Cent	0.0	0.0	0.0	0.0	
0.0	81.79			2331 0.0	0.0	0.0	0.0	
0.0	-84.41			2297 0.0	0.1	0.0	0.1	
0.0	88.71			628 0.0	0.1	0.0	0.1	
0.0	-79.23			808 0.0	0.1	0.0	0.1	
-0.0	11.54		Min Cent	-0.0	-0.0	-0.0	-0.0	
-0.1	-10.59			2331 -0.0	-0.1	-0.0	-0.0	
-0.1	1.25			2297 -0.0	-0.1	-0.0	-0.0	
-0.1	-4.31			628 -0.0	-0.1	-0.0	-0.0	
-0.1	5.20			808 -0.0	-0.1	-0.0	-0.0	
			NODE	Vxx	Vyy			
			Max Cent	0.0	0.5			
				2331 0.0	0.5			
				2297 0.0	0.6			
				628 0.0	0.6			
				808 0.0	0.5			
			Min Cent	-0.0	-0.6			
				2331 -0.0	-0.5			
				2297 -0.0	-0.6			
				628 -0.0	-0.6			
				808 -0.0	-0.5			
ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
	Fmin	ANGLE						

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

3056	2	4	Q1-1-2	Max	Cent	847.2	0.3	86.0	855.8
-8.3		5.74			2339	965.1	26.3	126.1	981.8
9.6		7.52			2340	966.8	29.0	51.3	969.6
26.2		3.12			846	729.4	0.5	55.1	733.5
-3.7		4.30			844	727.6	0.5	130.7	750.4
-22.3		9.89		Min	Cent	-8.3	-41.2	-247.8	223.6
-273.1		-43.10			2339	-9.5	-22.7	-191.7	175.7
-207.9		-44.01			2340	-9.5	-15.2	-306.8	294.5
-319.1		-44.73			846	-7.1	-72.0	-304.8	266.9
-346.1		-41.96			844	-7.1	-83.0	-189.9	148.6
-238.7		-39.35							

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-0.0	46.91	Max	Cent	0.0	0.0	0.0	0.0
-0.0	49.49		2339	0.0	0.0	0.0	0.0
-0.0	48.00		2340	0.0	0.0	0.0	0.0
-0.0	43.44		846	0.0	0.0	0.0	0.0
-0.0	44.66		844	0.0	0.0	0.0	0.0
-0.1	-5.87	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-3.69		2339	-0.0	-0.1	-0.0	-0.0
-0.1	-3.93		2340	-0.0	-0.1	-0.0	-0.0
-0.0	-12.74		846	-0.0	-0.0	-0.0	-0.0
-0.0	-10.07		844	-0.0	-0.0	-0.0	-0.0

NODE Vxx Vyy

Max	Cent	0.0	0.0
	2339	0.0	0.0
	2340	0.0	0.0
	846	0.0	0.0
	844	0.0	0.0
Min	Cent	-0.0	-0.2
	2339	-0.0	-0.2
	2340	-0.0	-0.2
	846	-0.0	-0.2
	844	-0.0	-0.2

Fmin ANGLE LC NODE Fxx Fyy Fxy Fmax

-6.2	6.36	Q2a-1-2	Max	Cent	509.6	0.2	57.5	516.0
------	------	---------	-----	------	-------	-----	------	-------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

4.1	8.35		2339	580.3	16.5	84.6	592.8
16.0	3.49		2340	581.4	18.1	34.4	583.5
-2.8	4.79		846	439.0	0.3	37.0	442.1
-16.5	10.92		844	437.9	0.4	87.7	454.8
-173.7	-42.98	Min	Cent	-6.2	-28.3	-156.1	139.3
-132.3	-43.90		2339	-7.0	-16.3	-120.6	109.1
-202.1	-44.72		2340	-7.0	-10.8	-193.2	184.3
-218.9	-41.94		846	-5.3	-46.5	-192.0	167.2
-151.5	-39.24		844	-5.3	-54.0	-119.5	92.3

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	46.26	Max	Cent	0.0	0.0	0.0	0.0
-0.0	47.92		2339	0.0	0.0	0.0	0.0
-0.0	46.99		2340	0.0	0.0	0.0	0.0
-0.0	42.91		846	0.0	0.0	0.0	0.0
-0.0	44.21		844	0.0	0.0	0.0	0.0
-0.0	-5.13	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.1	-3.26		2339	-0.0	-0.1	-0.0	-0.0
-0.1	-3.38		2340	-0.0	-0.1	-0.0	-0.0
-0.0	-11.34		846	-0.0	-0.0	-0.0	-0.0
-0.0	-8.95		844	-0.0	-0.0	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	2339	0.0	0.0
	2340	0.0	0.0
	846	0.0	0.0
	844	0.0	0.0
Min	Cent	-0.0	-0.1
	2339	-0.0	-0.2
	2340	-0.0	-0.1
	846	-0.0	-0.1
	844	-0.0	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-3.4	10.72	SLVx (RS)	Cent	72.5	-0.7	14.4	75.3
-4.5	6.31		2339	82.5	-3.4	9.6	83.6



MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-7.8	12.32	2340	82.5	-3.5	19.7	86.8	
-8.1	15.44	846	62.6	-2.7	19.5	68.0	
-4.1	8.07	844	62.6	-2.8	9.5	63.9	
-----							
-0.0	-6.94	Cent	-0.0	-0.0	-0.0	-0.0	
0.0	-85.93	2339	0.0	0.0	-0.0	0.0	
0.0	-83.65	2340	0.0	0.0	-0.0	0.0	
0.0	-82.80	846	0.0	0.0	-0.0	0.0	
0.0	-85.02	844	0.0	0.0	-0.0	0.0	
-----							
		NODE	Vxx	Vyy			
		Cent	-0.0	-0.0			
		2339	0.0	-0.0			
		2340	0.0	-0.0			
		846	0.0	-0.0			
		844	0.0	-0.0			
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-1.2	14.63	SLVy (RS)	Cent	22.3	0.4	6.1	23.9
-2.1	12.53		2339	20.5	-1.0	5.0	21.6
-1.6	17.98		2340	20.6	0.7	7.2	23.0
-1.4	15.84		846	24.1	0.7	7.2	26.2
-0.7	11.58		844	24.0	0.3	5.1	25.1
-----							
Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-----							
-0.0	17.54	Cent	0.0	-0.0	0.0	0.0	
-0.2	4.02	2339	-0.0	-0.2	0.0	-0.0	
-0.1	7.64	2340	-0.0	-0.1	0.0	-0.0	
0.0	67.22	846	0.0	0.1	0.0	0.1	
0.0	75.78	844	0.0	0.1	0.0	0.1	
-----							
		NODE	Vxx	Vyy			
		Cent	0.0	-0.7			
		2339	0.0	-0.7			
		2340	0.0	-0.6			

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		846	-0.0	-0.6			
		844	-0.0	-0.7			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.7	10.73	SLDx (RS)	Cent	36.2	-0.4	7.2	37.6
-2.2	6.32		2339	41.2	-1.7	4.8	41.7
-3.9	12.32		2340	41.2	-1.7	9.9	43.4
-4.0	15.45		846	31.3	-1.3	9.8	34.0
-2.1	8.08		844	31.3	-1.4	4.7	31.9
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-6.95		Cent	-0.0	-0.0	-0.0	-0.0
0.0	-85.92		2339	0.0	0.0	-0.0	0.0
0.0	-83.64		2340	0.0	0.0	-0.0	0.0
0.0	-82.79		846	0.0	0.0	-0.0	0.0
0.0	-85.01		844	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			2339	0.0	-0.0		
			2340	0.0	-0.0		
			846	0.0	-0.0		
			844	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.6	14.64	SLDy (RS)	Cent	11.1	0.2	3.1	11.9
-1.1	12.53		2339	10.2	-0.5	2.5	10.8
-0.8	17.99		2340	10.3	0.4	3.6	11.5
-0.7	15.85		846	12.1	0.3	3.6	13.1
-0.4	11.59		844	12.0	0.2	2.5	12.5
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	17.54		Cent	0.0	-0.0	0.0	0.0
-0.1	4.03		2339	-0.0	-0.1	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	7.65	2340	-0.0	-0.1	0.0	-0.0
0.0	67.21	846	0.0	0.0	0.0	0.0
0.0	75.77	844	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.3
2339	0.0	-0.4
2340	0.0	-0.3
846	-0.0	-0.3
844	-0.0	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-30.2	77.57	SLVz (RS)	Cent	-28.7	-0.3	6.6	1.1
-33.5	82.24		2339	-32.9	-1.5	4.4	-0.9
-35.3	75.23		2340	-32.9	-1.5	8.9	0.9
-27.3	72.73		846	-24.6	1.1	8.8	3.8
-25.3	80.75		844	-24.6	1.1	4.3	1.8

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	70.74	Cent	0.0	0.0	0.0	0.0
0.0	81.89	2339	0.0	0.0	0.0	0.0
0.0	80.90	2340	0.0	0.0	0.0	0.0
0.0	74.57	846	0.0	0.0	0.0	0.0
0.0	76.64	844	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	0.0
2339	0.0	0.0
2340	0.0	0.0
846	0.0	0.0
844	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-28.2	-9.58	g1	Cent	620.6	-9.7	-109.5	639.1
11.7	-4.98		2339	710.3	17.0	-60.8	715.6
-17.7	-12.40		2340	710.5	17.5	-160.1	745.7
			846	530.9	-36.4	-158.1	572.0

# MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-77.5	-14.57	844	530.7	-36.9	-58.9	536.8	
-43.0	-5.86						
-----							
-0.0	1.97	Cent	-0.0	-0.0	0.0	-0.0	
-0.0	1.41	2339	-0.0	-0.0	0.0	-0.0	
-0.0	2.08	2340	-0.0	-0.0	0.0	-0.0	
-0.0	2.86	846	-0.0	-0.0	0.0	-0.0	
-0.0	1.84	844	-0.0	-0.0	0.0	-0.0	
-----							
		NODE	Vxx	Vyy			
		Cent	-0.0	-0.0			
		2339	-0.0	-0.0			
		2340	-0.0	-0.0			
		846	-0.0	-0.0			
		844	-0.0	-0.0			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-15.9	-9.22	g2	Cent	300.6	-7.5	-51.4	308.9
3.7	-4.63		2339	344.4	6.0	-27.6	346.6
-11.1	-12.05		2340	344.1	5.1	-75.8	360.3
-40.1	-14.20		846	256.8	-21.1	-75.1	275.8
-22.8	-5.49		844	257.1	-20.2	-26.9	259.7
-----							
Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-----							
-0.0	-28.11	Cent	-0.0	-0.0	-0.0	-0.0	
-0.0	-59.10	2339	-0.0	0.0	-0.0	0.0	
-0.0	-37.94	2340	-0.0	-0.0	-0.0	0.0	
-0.0	-18.07	846	-0.0	-0.0	-0.0	-0.0	
-0.0	-22.09	844	-0.0	-0.0	-0.0	-0.0	
-----							
		NODE	Vxx	Vyy			
		Cent	-0.0	0.0			
		2339	-0.0	0.0			
		2340	-0.0	0.0			
		846	-0.0	0.0			
		844	-0.0	0.0			

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.0	5.84	q3	Cent	36.0	-0.6	3.8	36.4
-0.5	8.10		2339	39.5	0.4	5.7	40.3
0.4	2.62		2340	39.6	0.5	1.8	39.7
-1.7	3.16		846	32.5	-1.6	1.9	32.6
-2.7	9.34		844	32.5	-1.8	5.8	33.4
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	2.85		Cent	-0.0	-0.0	0.0	-0.0
-0.0	2.42		2339	-0.0	-0.0	0.0	-0.0
-0.0	2.19		2340	-0.0	-0.0	0.0	-0.0
-0.0	3.45		846	-0.0	-0.0	0.0	-0.0
-0.0	3.40		844	-0.0	-0.0	0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			2339	-0.0	-0.0		
			2340	-0.0	-0.0		
			846	-0.0	-0.0		
			844	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.4	-3.08	q5_pc	Cent	26.1	-0.3	-1.4	26.1
-0.3	-3.24		2339	25.9	-0.2	-1.5	26.0
-0.5	-2.82		2340	25.8	-0.5	-1.3	25.9
-0.4	-2.92		846	26.2	-0.4	-1.4	26.3
-0.2	-3.34		844	26.3	-0.1	-1.5	26.4
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	9.56		Cent	0.0	-0.0	0.0	0.0
-0.0	5.77		2339	-0.0	-0.0	0.0	-0.0
-0.0	8.84		2340	-0.0	-0.0	0.0	-0.0
			846	0.0	-0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0      14.90  
 -0.0      11.25

NODE	Vxx	Vyy
Cent	0.0	-0.0
2339	0.0	-0.0
2340	0.0	-0.0
846	0.0	-0.0
844	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.3	-2.02	q5_ps	Cent	21.9	-0.3	-0.8	21.9
-0.3	-2.36		2339	21.7	-0.2	-0.9	21.7
-0.5	-1.53		2340	21.6	-0.5	-0.6	21.6
-0.3	-1.68		846	22.1	-0.3	-0.7	22.2
-0.1	-2.50		844	22.2	-0.0	-1.0	22.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	9.17	Cent	0.0	-0.0	0.0	0.0
-0.0	6.90	2339	0.0	-0.0	0.0	0.0
-0.0	10.14	2340	0.0	-0.0	0.0	0.0
-0.0	11.21	846	0.0	-0.0	0.0	0.0
-0.0	9.42	844	0.0	-0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
2339	0.0	-0.0
2340	0.0	-0.0
846	-0.0	-0.0
844	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-22.1	-1.99	INVSLU Max	Cent	2221.1	-19.5	-75.2	2223.8
104.5	4.11		2339	2780.3	118.7	194.7	2794.0
112.3	-7.58		2340	2793.6	160.0	-354.6	2841.1
-184.1	-10.29		846	1662.2	-122.6	-332.7	1723.1
-175.8	6.68		844	1648.6	-160.2	217.7	1673.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
-287.2	-16.07	Min	Cent	1012.7	-76.1	-528.4	1150.9	
13.4	-7.04		2339	1411.9	52.1	-237.0	1432.9	
-304.7	-21.18		2340	1423.2	99.5	-840.4	1705.2	
-720.2	-27.82		846	613.5	-221.2	-821.0	964.8	
-322.6	-9.81		844	602.2	-273.2	-217.9	628.3	
		Max	Cent	-0.0	-0.0	0.0	0.0	
-0.0	46.12		2339	-0.0	-0.0	0.0	0.0	
-0.0	41.22		2340	-0.0	-0.0	0.0	0.0	
-0.0	31.16		846	0.0	0.0	0.0	0.0	
0.0	51.92		844	0.0	0.0	0.0	0.0	
-0.0	52.82	Min	Cent	-0.0	-0.1	-0.0	-0.0	
-0.1	-8.93		2339	-0.0	-0.2	-0.0	-0.0	
-0.2	-5.03		2340	-0.0	-0.2	-0.0	-0.0	
-0.2	-5.42		846	-0.0	-0.0	-0.0	0.0	
-0.0	-24.41		844	-0.0	-0.0	-0.0	-0.0	
-0.0	-17.35							
			NODE	Vxx	Vyy			
		Max	Cent	0.0	-0.1			
			2339	0.0	-0.1			
			2340	0.0	-0.1			
			846	0.0	-0.1			
			844	0.0	-0.1			
		Min	Cent	-0.0	-0.4			
			2339	-0.0	-0.4			
			2340	-0.0	-0.4			
			846	-0.0	-0.4			
			844	-0.0	-0.4			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-36.3	-8.09	INVSLV	Max	Cent	888.3	-16.7	-127.6	907.0
51.9	-0.19			2339	1143.9	52.6	-1.1	1143.9
0.3	-13.11			2340	1148.9	69.1	-262.2	1211.2
-167.8	-17.88			846	632.8	-80.6	-253.7	716.4
-97.2	0.39			844	627.8	-97.0	7.5	627.9
-51.4	-11.84		Min	Cent	712.6	-18.6	-164.0	746.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

44.3	-1.49	2339	946.8	44.3	-25.9	947.4
-28.3	-17.35	2340	951.7	60.8	-311.4	1047.3
-211.4	-23.36	846	478.4	-87.0	-302.4	606.7
-103.4	-1.45	844	473.5	-103.4	-17.0	473.9

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Max Cent	-0.0	0.0	0.0	0.0
-0.0	-66.21	2339	0.0	0.1	0.0	0.1
0.0	-85.24	2340	0.0	0.1	0.0	0.1
0.0	-80.94	846	0.0	0.1	0.0	0.1
0.0	62.45	844	0.0	0.1	0.0	0.1
0.0	73.55	Min Cent	-0.0	-0.1	-0.0	-0.0
-0.1	7.40	2339	-0.0	-0.2	-0.0	-0.0
-0.2	3.40	2340	-0.0	-0.2	-0.0	-0.0
-0.2	6.51	846	-0.0	-0.1	-0.0	-0.0
-0.1	-18.82	844	-0.0	-0.1	-0.0	-0.0
-0.1	-12.31					

	NODE	Vxx	Vyy
Max	Cent	0.0	0.7
	2339	0.0	0.7
	2340	0.0	0.6
	846	0.0	0.6
	844	0.0	0.7
Min	Cent	-0.0	-0.7
	2339	-0.0	-0.8
	2340	-0.0	-0.7
	846	-0.0	-0.7
	844	-0.0	-0.8

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
	Fmin	ANGLE						
3057	2	10	Q1-1-2	Max Cent	823.4	21.7	91.8	833.8
	11.3	6.45		2340	932.0	46.3	127.7	950.0
	28.3	8.04		2341	930.9	71.0	56.7	934.7
	67.2	3.76		848	714.8	20.8	62.2	720.4
	15.3	5.08		846	716.0	1.2	134.2	740.4
	-23.2	10.29		Min Cent	-7.8	-26.8	-242.4	225.3
	-259.9	-43.88		2340	-8.8	-10.5	-189.8	180.2
	-199.5	-44.87						



MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-310.7	-44.10	2341	-8.8	-27.2	-292.5	274.6
-329.9	-42.45	848	-6.8	-59.4	-295.6	263.6
-224.9	-41.52	846	-6.7	-53.9	-193.1	164.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----	-----	-----	-----	-----	-----	-----
		Max Cent	0.0	0.0	0.0	0.0
-0.0	45.82	2340	0.0	0.0	0.0	0.0
-0.0	46.82	2341	0.0	0.0	0.0	0.0
-0.0	37.33	848	0.0	0.0	0.0	0.0
-0.0	45.56	846	0.0	0.0	0.0	0.0
-0.0	41.31	Min Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-6.58	2340	-0.0	-0.1	-0.0	-0.0
-0.1	-4.28	2341	-0.0	-0.0	-0.0	-0.0
-0.0	-7.24	848	-0.0	-0.0	-0.0	-0.0
-0.0	-6.44	846	-0.0	-0.0	-0.0	-0.0
-0.0	-14.14					

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	2340	0.0	0.0
	2341	0.0	0.1
	848	0.0	0.1
	846	0.0	0.0
Min	Cent	-0.0	-0.1
	2340	-0.0	-0.2
	2341	-0.0	-0.0
	848	-0.0	-0.0
	846	-0.0	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----	-----	-----	-----	-----	-----	-----	-----
5.3	7.13	Q2a-1-2	Max Cent	494.8	13.0	61.2	502.4
15.5	8.91		2340	560.1	28.9	85.4	573.4
39.9	4.18		2341	560.2	42.7	38.0	563.0
8.3	5.64		848	429.5	12.4	41.6	433.6
-17.3	11.35		846	429.4	0.7	89.7	447.4
-165.4	-43.92		Min Cent	-5.8	-17.4	-153.7	142.2
-127.4	-44.89		2340	-6.5	-7.5	-120.4	113.4
-197.3	-44.27		2341	-6.5	-16.1	-185.9	174.6

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-208.6	-42.62	848	-5.0	-36.2	-187.3	167.3
-143.5	-41.35	846	-5.0	-36.2	-121.9	102.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	45.55	Max Cent	0.0	0.0	0.0	0.0
-0.0	46.17	2340	0.0	0.0	0.0	0.0
-0.0	37.75	2341	0.0	0.0	0.0	0.0
-0.0	45.40	848	0.0	0.0	0.0	0.0
-0.0	40.81	846	0.0	0.0	0.0	0.0
-0.0	-5.40	Min Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-3.53	2340	-0.0	-0.0	-0.0	-0.0
-0.0	-5.48	2341	-0.0	-0.0	-0.0	-0.0
-0.0	-5.43	848	-0.0	-0.0	-0.0	-0.0
-0.0	-12.19	846	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Max Cent	0.0	0.0
2340	0.0	0.0
2341	0.0	0.1
848	0.0	0.1
846	0.0	0.0
Min Cent	-0.0	-0.0
2340	-0.0	-0.1
2341	-0.0	-0.0
848	-0.0	-0.0
846	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-4.0	10.00	SLVx (RS)	Cent	70.6	-1.7	13.2	72.9
-5.5	5.96		2340	79.6	-4.5	8.9	80.5
-7.9	11.58		2341	79.5	-4.3	17.9	83.2
-6.0	14.75		848	61.6	-1.3	17.8	66.3
-2.3	7.81		846	61.7	-1.1	8.8	62.9
Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-0.0	10.04	Cent	0.0	-0.0	0.0	0.0	
		2340	0.0	0.0	-0.0	0.0	

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-76.06		2341	-0.0	-0.0	0.0	-0.0
-0.0	23.27		848	0.0	0.0	0.0	0.0
0.0	70.20		846	0.0	0.0	0.0	0.0
0.0	73.13						

NODE	Vxx	Vyy
Cent	0.0	-0.0
2340	0.0	-0.0
2341	0.0	-0.0
848	-0.0	-0.0
846	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVy (RS)	Cent	19.4	5.1	4.5	20.7
3.8	16.01		2340	17.6	0.8	3.1	18.1
0.3	10.00		2341	20.6	10.7	3.4	21.7
9.6	17.43		848	21.2	10.7	5.9	23.8
8.1	24.16		846	18.2	0.8	5.5	19.8
-0.8	16.16						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	-0.0	0.0	0.0
-0.0	32.27	2340	-0.0	-0.1	0.0	-0.0
-0.1	15.35	2341	-0.0	-0.0	0.0	0.0
-0.1	27.57	848	0.0	0.0	0.0	0.1
-0.0	43.84	846	0.0	0.1	0.0	0.1
0.0	50.07					

NODE	Vxx	Vyy
Cent	-0.0	-0.3
2340	-0.0	-0.4
2341	-0.0	-0.2
848	0.0	-0.2
846	0.0	-0.4

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDx (RS)	Cent	35.3	-0.9	6.6	36.4
-2.0	10.01		2340	39.8	-2.3	4.4	40.2
-2.7	5.96		2341	39.7	-2.1	9.0	41.5
-4.0	11.58						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-3.0	14.75		848	30.8	-0.7	8.9	33.1
-1.1	7.82		846	30.8	-0.5	4.4	31.4
-----							
-0.0	10.04		Cent	0.0	-0.0	0.0	0.0
0.0	-76.06		2340	0.0	0.0	-0.0	0.0
-0.0	23.29		2341	-0.0	-0.0	0.0	-0.0
0.0	70.19		848	0.0	0.0	0.0	0.0
0.0	73.12		846	0.0	0.0	0.0	0.0
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			2340	0.0	-0.0		
			2341	0.0	-0.0		
			848	-0.0	-0.0		
			846	-0.0	-0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
1.9	16.02	SLDy (RS)	Cent	9.7	2.5	2.2	10.3
0.1	10.01		2340	8.8	0.4	1.5	9.1
4.8	17.44		2341	10.3	5.3	1.7	10.8
4.0	24.16		848	10.6	5.3	2.9	11.9
-0.4	16.16		846	9.1	0.4	2.7	9.9
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	32.27		Cent	0.0	-0.0	0.0	0.0
-0.0	15.35		2340	-0.0	-0.0	0.0	-0.0
-0.0	27.57		2341	-0.0	-0.0	0.0	0.0
-0.0	43.84		848	0.0	0.0	0.0	0.0
0.0	50.07		846	0.0	0.0	0.0	0.0
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.2		
			2340	-0.0	-0.2		
			2341	-0.0	-0.1		
			848	0.0	-0.1		
			846	0.0	-0.2		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-29.5	78.13	SLVz (RS)	Cent	-28.2	-0.7	6.0	0.5
-32.6	82.56		2340	-32.0	-2.0	4.0	-1.4
-34.1	75.80		2341	-32.0	-1.8	8.2	0.2
-26.8	73.44		848	-24.4	0.5	8.1	2.9
-25.0	81.16		846	-24.4	0.4	4.0	1.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	55.97		Cent	0.0	0.0	0.0	0.0
0.0	-75.12		2340	0.0	0.0	-0.0	0.0
-0.0	62.67		2341	0.0	0.0	0.0	0.0
0.0	58.23		848	0.0	0.0	0.0	0.0
0.0	60.49		846	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			2340	0.0	0.0		
			2341	0.0	-0.0		
			848	-0.0	-0.0		
			846	-0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-12.4	-9.02	g1	Cent	604.7	3.2	-98.0	620.3
23.6	-4.64		2340	686.2	28.0	-53.8	690.6
-2.8	-11.79		2341	686.0	27.2	-143.7	716.0
-56.5	-13.78		848	523.3	-21.6	-142.2	558.2
-25.8	-5.44		846	523.5	-20.8	-52.3	528.5
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	5.07		Cent	-0.0	-0.0	0.0	-0.0
-0.0	5.89		2340	-0.0	-0.0	0.0	-0.0
-0.0	4.51		2341	-0.0	-0.0	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	1.97	848	-0.0	-0.0	0.0	-0.0
-0.0	4.55	846	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
2340	-0.0	-0.0
2341	-0.0	0.0
848	0.0	0.0
846	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-8.6	-8.29	g2	Cent	293.1	-2.2	-44.0	299.5
8.9	-3.99		2340	332.5	10.5	-22.6	334.1
-4.4	-11.06		2341	331.9	8.5	-65.7	344.7
-30.0	-12.98		848	253.8	-14.9	-65.4	268.8
-14.7	-4.72		846	254.4	-12.9	-22.2	256.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-23.08	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-42.42	2340	-0.0	-0.0	-0.0	0.0
-0.0	-13.57	2341	-0.0	-0.0	-0.0	-0.0
-0.0	-21.20	848	-0.0	-0.0	-0.0	0.0
-0.0	-25.09	846	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
2340	-0.0	0.0
2341	-0.0	-0.0
848	-0.0	-0.0
846	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.3	6.85	q3	Cent	33.8	0.2	4.1	34.3
-0.1	8.73		2340	36.7	0.7	5.7	37.6
1.3	3.71		2341	37.0	1.5	2.3	37.1
-0.6	4.61		848	30.9	-0.3	2.5	31.1
			846	30.7	-1.1	5.9	31.7

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-2.1	10.17						
-----							
			Cent	-0.0	-0.0	0.0	-0.0
-0.0	3.06		2340	-0.0	-0.0	0.0	-0.0
-0.0	1.93		2341	-0.0	-0.0	0.0	-0.0
-0.0	2.04		848	-0.0	-0.0	0.0	-0.0
-0.0	4.26		846	-0.0	-0.0	0.0	-0.0
-0.0	4.25						
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			2340	-0.0	-0.0		
			2341	-0.0	-0.0		
			848	0.0	-0.0		
			846	0.0	-0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		q5_pc	Cent	25.1	0.9	-1.6	25.2
0.8	-3.71		2340	24.7	0.3	-1.8	24.8
0.1	-4.19		2341	25.1	1.4	-1.6	25.2
1.3	-3.86		848	25.4	1.5	-1.3	25.5
1.4	-3.21		846	25.1	0.3	-1.5	25.2
0.2	-3.56						
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	-0.0	0.0	0.0
-0.0	15.91		2340	-0.0	-0.0	0.0	-0.0
-0.0	14.42		2341	0.0	-0.0	0.0	0.0
-0.0	13.25		848	-0.0	-0.0	0.0	-0.0
-0.0	13.51		846	0.0	-0.0	0.0	0.0
-0.0	17.39						
-----							
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			2340	-0.0	-0.0		
			2341	-0.0	0.0		
			848	0.0	0.0		
			846	0.0	-0.0		
-----							
		LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
0.9	-2.73	q5_ps	Cent	21.0	1.0	-1.0	21.0	
0.0	-3.45		2340	20.5	0.1	-1.2	20.6	
1.7	-3.04		2341	21.0	1.7	-1.0	21.1	
1.8	-1.98		848	21.4	1.8	-0.7	21.4	
0.2	-2.45		846	20.9	0.2	-0.9	20.9	
			NODE	Mxx	Myy	Mxy	Mmax	
-0.0	12.27		Cent	0.0	-0.0	0.0	0.0	
-0.0	17.50		2340	-0.0	-0.0	0.0	0.0	
-0.0	7.71		2341	0.0	-0.0	0.0	0.0	
-0.0	7.12		848	-0.0	-0.0	0.0	0.0	
-0.0	12.94		846	0.0	-0.0	0.0	0.0	
			NODE	Vxx	Vyy			
			Cent	-0.0	0.0			
			2340	-0.0	-0.0			
			2341	-0.0	0.0			
			848	0.0	0.0			
			846	0.0	-0.0			
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
36.5	-1.37	INVSLU Max	Cent	2146.1	37.7	-47.6	2147.3	
153.5	4.60		2340	2672.2	169.8	205.9	2688.5	
196.0	-7.29		2341	2680.8	236.7	-315.0	2721.5	
-112.5	-9.66		848	1620.0	-62.3	-292.6	1670.3	
-140.6	7.34		846	1611.5	-122.3	229.8	1640.7	
-234.3	-16.17	Min	Cent	972.6	-29.3	-501.5	1102.5	
54.6	-7.08		2340	1352.0	92.7	-225.9	1371.7	
-275.1	-21.04		2341	1361.0	101.5	-789.3	1622.9	
-653.3	-28.05		848	593.2	-173.3	-778.0	926.7	
-250.8	-10.53		846	584.2	-197.3	-214.9	611.5	
			NODE	Mxx	Myy	Mxy	Mmax	



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		Max	Cent	-0.0	-0.0	0.0	0.0
-0.0	37.43		2340	-0.0	-0.0	0.0	0.0
-0.0	35.87		2341	0.0	-0.0	0.0	0.0
-0.0	24.86		848	-0.0	-0.0	0.0	0.0
-0.0	31.24		846	0.0	0.0	0.0	0.0
0.0	45.30						
-----		Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-8.68		2340	-0.0	-0.1	-0.0	-0.0
-0.1	-5.05		2341	-0.0	-0.1	-0.0	-0.0
-0.1	-8.82		848	-0.0	-0.1	-0.0	-0.0
-0.1	-9.48		846	-0.0	-0.0	-0.0	0.0
-0.0	-26.68						

-----		NODE	Vxx	Vyy
Max	Cent		-0.0	-0.0
	2340		0.0	-0.1
	2341		0.0	0.1
	848		0.0	0.1
	846		0.0	-0.1
Min	Cent		-0.0	-0.1
	2340		-0.1	-0.3
	2341		-0.1	0.0
	848		-0.0	0.0
	846		-0.0	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-12.9	-7.37	INVSLV	Max Cent	858.3	4.9	-109.3	872.9
			2340	1098.0	68.2	9.8	1098.1
68.1	0.41		2341	1102.4	87.2	-236.1	1156.0
24.0	-12.56		848	618.6	-53.5	-228.1	690.6
-133.1	-17.18		846	614.2	-75.1	17.8	614.6
-75.1	1.28		Min Cent	688.6	-6.8	-142.0	715.3
-29.2	-10.93		2340	909.1	57.5	-12.2	909.2
57.4	-0.67		2341	911.8	62.1	-278.9	993.5
-7.9	-16.61		848	468.0	-76.0	-272.0	578.7
-178.7	-22.50		846	465.3	-77.9	-5.4	465.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-----						
		Max Cent	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	28.48			2340	0.0	0.1	0.0	0.1
0.0	-72.94			2341	-0.0	0.0	0.0	0.0
-0.0	-57.91			848	0.0	0.0	0.0	0.1
-0.0	40.25			846	0.0	0.0	0.0	0.1
0.0	46.08							
-0.0	-38.20	Min	Cent		-0.0	-0.0	-0.0	-0.0
-0.0				2340	-0.0	-0.1	-0.0	-0.0
-0.1	13.98			2341	-0.0	-0.1	-0.0	0.0
-0.1	17.11			848	-0.0	-0.0	-0.0	-0.0
-0.1	-33.41			846	-0.0	-0.1	-0.0	-0.0
-0.1	-35.79							

	NODE	Vxx	Vyy
Max	Cent	0.0	0.3
	2340	0.0	0.4
	2341	0.0	0.2
	848	0.0	0.2
	846	0.0	0.4
Min	Cent	-0.0	-0.3
	2340	-0.0	-0.5
	2341	-0.0	-0.2
	848	-0.0	-0.2
	846	-0.0	-0.5

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
3066	2	10	Q1-1-2	Max	Cent	851.3	25.1	154.5	879.2
-2.9		10.25			2347	984.6	52.9	193.2	1023.1
14.4		11.26			2313	989.7	98.5	131.4	1008.7
79.5		8.22			672	722.4	8.7	132.1	746.1
-15.0		10.16			892	715.9	13.3	199.7	768.7
-39.5		14.81		Min	Cent	-6.2	-16.1	-202.5	191.4
-213.7		-44.30			2347	-7.5	-7.5	-133.1	125.6
-140.6		-44.99			2313	-7.6	-10.6	-283.0	273.9
-292.2		-44.85			672	-5.0	-38.4	-275.2	254.0
-297.4		-43.27			892	-4.9	-66.6	-126.8	94.8
-166.3		-38.17							
Mmin		ANGLE			NODE	Mxx	Myy	Mxy	Mmax
-0.0		34.73		Max	Cent	0.0	0.0	0.0	0.0
					2347	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	29.52		2313	0.0	0.0	0.0	0.0
0.0	13.22		672	0.0	0.1	0.0	0.1
0.0	79.79		892	0.0	0.0	0.0	0.0
-0.0	44.32	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-25.30		2347	-0.0	-0.0	-0.0	-0.0
-0.0	-14.61		2313	-0.1	-0.1	-0.0	-0.1
-0.1	-6.98		672	-0.0	-0.0	-0.0	-0.0
-0.0	-59.05		892	-0.0	-0.0	-0.0	-0.0
-0.0	-6.91						

	NODE	Vxx	Vyy
Max	Cent	0.1	0.0
	2347	0.1	0.1
	2313	0.1	0.0
	672	0.1	0.0
	892	0.1	0.1
Min	Cent	-0.1	-0.3
	2347	-0.1	-0.0
	2313	-0.1	-0.7
	672	-0.0	-0.7
	892	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-3.2	10.80	Q2a-1-2	Max Cent	512.4	15.6	98.4	531.1
6.3	12.06		2347	593.6	33.1	125.5	620.5
49.1	8.53		2313	595.9	61.4	82.0	608.2
-10.0	10.52		672	434.4	5.3	82.5	449.8
-28.4	15.81		892	431.0	8.5	130.1	467.9
-138.3	-44.24		Min Cent	-4.6	-11.5	-130.1	122.1
-91.7	-45.07		2347	-5.5	-5.1	-86.5	81.2
-185.8	-44.93		2313	-5.6	-6.5	-179.7	173.7
-191.1	-43.11		672	-3.7	-26.9	-175.4	160.5
-108.4	-38.37		892	-3.7	-42.7	-82.9	62.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	35.13		Max Cent	0.0	0.0	0.0	0.0
-0.0	29.63		2347	0.0	0.0	0.0	0.0
			2313	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	12.21		672	0.0	0.1	0.0	0.1
0.0	79.74		892	0.0	0.0	0.0	0.0
-0.0	44.16	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-26.05		2347	-0.0	-0.0	-0.0	-0.0
-0.0	-13.67		2313	-0.0	-0.1	-0.0	-0.0
-0.1	-6.72		672	-0.0	-0.0	-0.0	-0.0
-0.0	-63.93		892	-0.0	-0.0	-0.0	-0.0
-0.0	-6.11						

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	2347	0.1	0.1
	2313	0.1	0.0
	672	0.0	0.0
	892	0.0	0.1
Min	Cent	-0.0	-0.2
	2347	-0.1	-0.0
	2313	-0.1	-0.5
	672	-0.0	-0.5
	892	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	73.0	4.2	3.1	73.2
4.0	2.61		2347	-83.2	-4.3	5.6	-4.0
-83.6	85.98		2313	84.6	10.3	8.5	85.6
9.4	6.41		672	62.9	5.5	7.1	63.7
4.6	6.93		892	-61.5	-2.4	6.3	-1.7
-62.1	83.94						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	0.0	-0.0	0.0	0.0
-0.0	14.33	2347	-0.0	0.0	0.0	0.0
-0.0	76.10	2313	0.0	0.0	0.0	0.0
0.0	77.70	672	-0.0	0.0	0.0	0.0
-0.0	80.88	892	0.0	0.0	0.0	0.0
0.0	64.47					

	NODE	Vxx	Vyy
	Cent	-0.0	0.0
	2347	-0.0	-0.0
	2313	-0.0	0.0
	672	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		892	0.0				-0.0
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLV <sub>y</sub> (RS)	Cent	24.2	-6.2	1.0	24.2
-6.2	1.97		2347	24.2	1.0	1.4	24.3
0.9	3.41		2313	20.0	-14.6	4.0	20.5
-15.0	6.53		672	24.2	-12.9	-0.8	24.2
-12.9	-1.24		892	28.5	2.3	-2.0	28.7
2.2	-4.30						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	0.0	0.0
-0.1	49.72		2347	-0.0	-0.1	0.0	0.0
-0.1	27.98		2313	-0.0	-0.0	0.0	-0.0
-0.1	55.00		672	-0.1	-0.0	0.0	-0.0
-0.1	75.94		892	0.0	0.0	0.0	0.1
-0.0	44.09						
			NODE	Vxx	Vyy		
-----							
			Cent	0.2	-0.2		
			2347	0.1	-0.3		
			2313	0.1	-0.1		
			672	0.3	-0.1		
			892	0.3	-0.3		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLD <sub>x</sub> (RS)	Cent	-36.5	2.1	1.6	2.2
-36.6	87.67		2347	-41.6	-2.2	2.8	-2.0
-41.8	85.99		2313	42.3	5.2	4.2	42.7
4.7	6.41		672	31.4	2.7	3.5	31.8
2.3	6.93		892	-30.7	-1.2	3.2	-0.8
-31.0	83.94						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	-0.0	0.0	0.0
-0.0	14.35		2347	-0.0	0.0	0.0	0.0
-0.0	76.08		2313	0.0	0.0	0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	77.70		672	-0.0	0.0	0.0	0.0
-0.0	80.88		892	0.0	0.0	0.0	0.0
0.0	64.46						

NODE	Vxx	Vyy
Cent	-0.0	0.0
2347	-0.0	-0.0
2313	-0.0	0.0
672	0.0	0.0
892	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLDy (RS)	Cent	12.1	-3.1	0.5	12.1
-3.1	1.98		2347	12.1	0.5	0.7	12.1
0.4	3.41		2313	10.0	-7.3	2.0	10.2
-7.5	6.54		672	12.1	-6.4	-0.4	12.1
-6.4	-1.25		892	14.3	1.2	-1.0	14.3
1.1	-4.30						

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
		Cent	-0.0	-0.0	0.0	0.0
-0.0	49.72	2347	-0.0	-0.0	0.0	0.0
-0.0	27.98	2313	-0.0	-0.0	0.0	-0.0
-0.0	55.00	672	-0.1	-0.0	0.0	-0.0
-0.1	75.94	892	0.0	0.0	0.0	0.0
-0.0	44.09					

NODE	Vxx	Vyy
Cent	0.1	-0.1
2347	0.0	-0.1
2313	0.0	-0.0
672	0.1	-0.0
892	0.1	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVz (RS)	Cent	-30.5	-2.0	1.0	-2.0
-30.6	87.90		2347	-34.6	-1.9	-1.2	-1.8
-34.7	-87.85		2313	-35.5	-5.0	4.0	-4.5
-36.0	82.74		672	-26.4	-2.5	3.2	-2.1
-26.8	82.40						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-25.7	-85.75		892	-25.5	1.0	-2.0	1.1
-----							
			Cent	0.0	0.0	0.0	0.0
-0.0	52.20		2347	0.0	0.0	0.0	0.0
-0.0	58.85		2313	0.0	0.0	0.0	0.0
0.0	71.85		672	-0.0	-0.0	-0.0	-0.0
-0.0	-75.63		892	0.0	0.0	0.0	0.0
0.0	54.23						
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			2347	0.0	0.0		
			2313	0.0	0.0		
			672	0.0	0.0		
			892	0.0	0.0		
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		g1	Cent	634.8	17.0	-12.6	635.1
16.8	-1.17		2347	723.6	25.9	35.6	725.4
24.1	2.91		2313	735.6	65.7	-71.4	743.1
58.2	-6.01		672	546.1	8.2	-60.8	552.8
1.4	-6.37		892	534.1	-31.6	46.2	537.8
-35.4	4.64						
-----							
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-1.53		2347	-0.0	-0.0	-0.0	-0.0
-0.0	-0.40		2313	-0.0	-0.0	-0.0	-0.0
-0.0	-0.76		672	-0.0	-0.0	0.0	-0.0
-0.0	4.91		892	-0.0	-0.0	0.0	-0.0
-0.0	0.14						
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			2347	0.0	-0.0		
			2313	0.0	-0.1		
			672	-0.0	-0.1		
			892	-0.0	-0.0		


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		g2	Cent	307.3	4.8	-0.2	307.3
4.8	-0.04		2347	348.9	7.6	22.3	350.4
6.2	3.73		2313	355.4	29.2	-28.3	357.8
26.7	-4.92		672	265.7	1.9	-22.7	267.6
-0.0	-4.88		892	259.2	-19.6	27.9	262.0
-22.4	5.66						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-5.41		2347	-0.0	-0.0	-0.0	-0.0
-0.0	-8.59		2313	0.0	0.0	0.0	0.0
0.0	13.95		672	-0.0	-0.0	-0.0	-0.0
-0.0	-3.55		892	0.0	-0.0	-0.0	0.0
-0.0	-22.32						
			NODE	Vxx	Vyy		
-----							
			Cent	-0.0	0.0		
			2347	-0.0	-0.0		
			2313	-0.0	0.1		
			672	-0.0	0.1		
			892	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		q3	Cent	25.2	0.5	5.2	26.3
-0.5	11.46		2347	27.3	0.6	6.3	28.7
-0.8	12.66		2313	27.6	1.8	3.8	28.2
1.3	8.23		672	23.2	0.5	4.1	23.9
-0.3	9.98		892	22.8	-0.8	6.6	24.6
-2.5	14.66						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	-0.0	0.0	0.0
-0.0	4.59		2347	-0.0	-0.0	0.0	-0.0
-0.0	4.31		2313	0.0	-0.0	0.0	0.0
-0.0	4.34		672	0.0	-0.0	0.0	0.0
-0.0	5.45						



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0	5.73		892	-0.0	-0.0	0.0	-0.0
------	------	--	-----	------	------	-----	------

NODE	Vxx	Vyy
-----	-----	-----
Cent	-0.0	-0.0
2347	-0.0	-0.0
2313	-0.0	-0.0
672	-0.0	-0.0
892	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----	-----	-----	-----	-----	-----	-----	-----
		q5_pc	Cent	26.1	0.8	-1.0	26.1
0.7	-2.24		2347	26.0	0.4	-1.0	26.1
0.4	-2.32		2313	26.2	1.1	-1.1	26.3
1.1	-2.48		672	26.1	1.1	-0.9	26.2
1.0	-2.16		892	25.9	0.4	-0.9	26.0
0.4	-2.00						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----	-----		-----	-----	-----	-----	-----
			Cent	0.0	-0.0	0.0	0.0
-0.0	6.55		2347	0.0	-0.0	0.0	0.0
-0.0	9.63		2313	-0.0	-0.0	-0.0	-0.0
-0.0	-0.42		672	0.0	0.0	0.0	0.0
0.0	82.61		892	-0.0	-0.0	0.0	-0.0
-0.0	11.98						

NODE	Vxx	Vyy
-----	-----	-----
Cent	0.0	-0.0
2347	-0.0	0.0
2313	-0.0	-0.0
672	0.0	-0.0
892	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----	-----	-----	-----	-----	-----	-----	-----
		q5_ps	Cent	22.2	0.6	-0.6	22.2
0.6	-1.59		2347	21.9	0.2	-0.8	21.9
0.2	-2.06		2313	22.1	1.0	-0.6	22.2
1.0	-1.58		672	22.5	1.1	-0.4	22.5
1.1	-1.12		892	22.3	0.3	-0.6	22.3
0.3	-1.60						

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	2.90		Cent	0.0	-0.0	0.0	0.0
-0.0	5.91		2347	0.0	-0.0	0.0	0.0
-0.0	-0.34		2313	0.0	-0.0	-0.0	0.0
0.0	46.31		672	0.0	0.0	0.0	0.0
-0.0	6.30		892	0.0	-0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			2347	-0.0	0.0		
			2313	-0.0	-0.0		
			672	0.0	-0.0		
			892	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
51.6	4.53	INVSLU Max	Cent	2238.6	65.4	175.2	2252.3
110.6	9.30		2347	2814.6	183.2	444.8	2887.2
326.8	-2.32		2313	2847.4	331.0	-100.3	2851.5
-40.3	-2.48		672	1668.7	-37.1	-72.4	1671.9
-198.4	14.34		892	1633.9	-117.1	480.5	1756.4
-76.3	-8.58	Min	Cent	1026.3	8.4	-308.5	1077.6
93.8	2.15		2347	1421.5	100.8	2.5	1423.4
-98.7	-17.67		2313	1446.7	181.7	-661.7	1622.0
-456.0	-24.58		672	631.0	-102.5	-624.0	850.0
-243.9	5.77		892	605.8	-225.7	38.1	614.1
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	12.32	Max	Cent	0.0	-0.0	0.0	0.0
-0.0	12.22		2347	0.0	-0.0	0.0	0.0
-0.1	3.02		2313	0.0	-0.1	0.0	0.0
0.1	83.81		672	0.1	0.2	0.0	0.2
-0.0	27.64		892	-0.0	-0.0	0.0	0.0
-0.1	-21.39	Min	Cent	-0.0	-0.1	-0.0	-0.0
			2347	-0.0	-0.1	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	-14.06						
		2313	-0.1	-0.3	-0.0	-0.1	
-0.3	-5.23						
		672	-0.0	0.0	-0.0	0.1	
-0.0	-79.17						
		892	-0.0	-0.1	-0.0	-0.0	
-0.1	-8.47						

	NODE	Vxx	Vyy
Max	Cent	0.1	-0.2
	2347	0.1	0.1
	2313	0.1	-0.5
	672	0.1	-0.5
	892	0.1	0.1
Min	Cent	-0.1	-0.7
	2347	-0.1	-0.0
	2313	-0.1	-1.5
	672	-0.1	-1.5
	892	-0.1	-0.0

Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
		INVS LV	Max	Cent	904.4	27.9	-5.2	904.4
27.8	-0.38			2347	1154.4	63.8	127.7	1166.7
51.5	6.04			2313	1176.9	151.2	-149.6	1198.7
125.3	-8.17			672	654.4	-3.7	-131.1	680.0
-34.5	-10.85			892	632.0	-89.0	150.0	656.8
-113.9	10.33		Min	Cent	725.5	11.8	-12.8	725.7
11.7	-0.98			2347	952.7	53.4	115.0	970.1
36.1	7.84			2313	974.3	112.8	-171.3	1006.7
85.0	-10.84			672	498.3	-34.3	-147.7	536.1
-65.8	-14.60			892	476.6	-95.7	134.9	513.1
-131.8	13.75							

Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
			Max	Cent	0.0	0.0	0.0	0.1
-0.0	-35.74			2347	0.0	0.0	0.0	0.1
-0.0	-58.30			2313	0.0	0.0	0.0	0.0
-0.0	-25.63			672	0.1	0.0	0.0	0.1
0.0	-12.97			892	0.0	0.0	0.0	0.1
-0.0	41.56		Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.1	33.08			2347	-0.0	-0.1	-0.0	-0.0
-0.1	18.54			2313	-0.0	-0.0	-0.0	-0.0

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.1	42.24		672	-0.1	-0.0	-0.0	-0.0
-0.1	74.81		892	-0.0	-0.0	-0.0	-0.0
-0.1	-36.68						

	NODE	Vxx	Vyy
Max	Cent	0.2	0.1
	2347	0.1	0.2
	2313	0.1	0.0
	672	0.3	0.0
	892	0.3	0.2
Min	Cent	-0.2	-0.2
	2347	-0.1	-0.3
	2313	-0.1	-0.1
	672	-0.3	-0.1
	892	-0.3	-0.3

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
3075	2	10	Q1-1-2	Max	Cent	827.0	21.7	242.4	894.3
-45.6		15.52			2316	931.0	62.9	288.9	1018.3
-24.5		16.82			2354	939.5	53.9	185.8	976.8
16.5		11.38			954	723.0	1.6	196.5	773.0
-48.5		14.29			682	714.5	17.2	299.7	825.6
-93.9		20.34		Min	Cent	-7.8	-26.9	-91.8	74.9
-109.7		-42.02			2316	-8.8	-31.2	-59.2	40.3
-80.3		-39.64			2354	-8.8	-5.3	-130.5	123.5
-137.6		-45.39			954	-6.8	-41.1	-130.9	108.1
-155.9		-41.27			682	-6.7	-72.1	-60.1	29.0
-107.9		-30.73							

				NODE	Mxx	Myy	Mxy	Mmax
				Max	Cent	0.0	0.0	0.0
-0.0		47.52			2316	0.0	0.0	0.0
0.0		16.71			2354	0.0	0.0	0.0
-0.0		50.32			954	0.0	0.0	0.0
-0.0		37.46			682	0.0	0.0	0.0
-0.0		47.10		Min	Cent	-0.0	-0.0	-0.0
-0.0		-24.16			2316	-0.0	-0.0	-0.0
-0.0		-27.79			2354	-0.0	-0.1	-0.0
-0.1		-15.73			954	-0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0      -32.17  
 -0.1      -22.36

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	2316	0.0	0.1
	2354	0.0	0.0
	954	0.0	0.0
	682	0.0	0.1
Min	Cent	-0.0	-0.1
	2316	-0.0	-0.0
	2354	-0.0	-0.1
	954	-0.0	-0.1
	682	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-31.7	16.22	Q2a-1-2	Max Cent	496.9	13.1	153.8	541.7
-20.2	17.57		2316	560.1	37.9	183.7	618.3
8.3	11.96		2354	564.6	33.3	117.9	589.6
-32.2	14.92		954	433.8	0.9	124.1	466.8
-63.1	21.10		682	429.3	10.3	190.0	502.6
-73.0	-42.30		Min Cent	-5.8	-17.3	-61.2	49.9
-52.5	-40.74		2316	-6.5	-18.4	-39.6	27.6
-92.3	-45.46		2354	-6.5	-3.7	-87.2	82.1
-104.5	-41.28		954	-5.0	-27.8	-87.4	71.7
-69.3	-31.98		682	-5.0	-44.3	-40.2	20.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	47.07	Max Cent	0.0	0.0	0.0	0.0
0.0	14.82	2316	0.0	0.0	0.0	0.0
-0.0	48.91	2354	0.0	0.0	0.0	0.0
-0.0	34.74	954	0.0	0.0	0.0	0.0
-0.0	46.83	682	0.0	0.0	0.0	0.0
-0.0	-23.92	Min Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-27.15	2316	-0.0	-0.0	-0.0	-0.0
-0.0	-15.16	2354	-0.0	-0.0	-0.0	-0.0
-0.0	-32.03	954	-0.0	-0.0	-0.0	0.0
		682	-0.0	-0.0	-0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

- 0.0      - 22.40

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	2316	0.0	0.1
	2354	0.0	0.0
	954	0.0	0.0
	682	0.0	0.1
Min	Cent	-0.0	-0.0
	2316	-0.0	-0.0
	2354	-0.0	-0.1
	954	-0.0	-0.1
	682	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-69.5	-79.31	SLVx (RS)	Cent	-67.1	-1.5	-12.8	0.9
-79.6	-77.14		2316	-75.7	-3.2	-17.4	0.7
-77.1	83.95		2354	-76.2	-5.2	7.6	-4.4
-59.6	-82.09		954	-58.4	-0.4	-8.2	0.8
-62.9	-74.49		682	-57.9	2.2	-18.1	7.2

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-12.06		Cent	0.0	-0.0	-0.0	0.0
-0.0	-17.92		2316	0.0	-0.0	-0.0	0.0
0.0	-72.74		2354	0.0	0.0	-0.0	0.0
0.0	-71.97		954	0.0	0.0	-0.0	0.0
0.0	-70.72		682	0.0	0.0	-0.0	0.0

	NODE	Vxx	Vyy
	Cent	-0.0	-0.0
	2316	-0.0	-0.0
	2354	-0.0	-0.0
	954	-0.0	-0.0
	682	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
4.1	-16.26	SLVy (RS)	Cent	19.8	5.5	-4.6	21.1
10.2	-17.52		2316	21.1	11.3	-3.4	22.2
0.5	-9.99		2354	17.8	1.0	-3.1	18.4
			954	18.5	0.7	-5.7	20.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-1.0	-16.36	682	21.8	11.7	-6.1	24.6	
8.9	-25.27						
-----							
-0.0	-33.83	Cent	0.0	-0.0	-0.0	0.0	
-0.1	-27.31	2316	0.0	-0.0	-0.0	0.0	
-0.1	-18.42	2354	-0.0	-0.1	-0.0	-0.0	
0.0	-52.22	954	0.0	0.1	-0.0	0.1	
-0.0	-43.17	682	0.0	0.0	-0.0	0.1	
-----							
		NODE	Vxx	Vyy			
		Cent	0.0	-0.3			
		2316	0.1	-0.2			
		2354	0.1	-0.4			
		954	-0.0	-0.4			
		682	-0.0	-0.2			
-----							
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-34.7	-79.31	SLDx (RS)	Cent	-33.5	-0.8	-6.4	0.4
-39.8	-77.14		2316	-37.8	-1.6	-8.7	0.4
-38.5	83.95		2354	-38.1	-2.6	3.8	-2.2
-29.8	-82.09		954	-29.2	-0.2	-4.1	0.4
-31.4	-74.49		682	-28.9	1.1	-9.0	3.6
-----							
Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-0.0	-12.07	Cent	0.0	-0.0	-0.0	0.0	
-0.0	-17.93	2316	0.0	-0.0	-0.0	0.0	
0.0	-72.72	2354	0.0	0.0	-0.0	0.0	
0.0	-71.95	954	0.0	0.0	-0.0	0.0	
0.0	-70.70	682	0.0	0.0	-0.0	0.0	
-----							
		NODE	Vxx	Vyy			
		Cent	-0.0	-0.0			
		2316	-0.0	-0.0			
		2354	-0.0	-0.0			
		954	-0.0	-0.0			
		682	-0.0	-0.0			

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLDy (RS)	Cent	9.9	2.7	-2.3	10.5
2.1	-16.26		2316	10.5	5.6	-1.7	11.1
5.1	-17.53		2354	8.9	0.5	-1.5	9.2
0.3	-9.99		954	9.2	0.4	-2.9	10.1
-0.5	-16.37		682	10.9	5.9	-3.0	12.3
4.4	-25.27						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	-0.0	-0.0	0.0
-0.0	-33.83		2316	0.0	-0.0	-0.0	0.0
-0.0	-27.31		2354	-0.0	-0.0	-0.0	-0.0
-0.1	-18.42		954	0.0	0.0	-0.0	0.0
0.0	-52.21		682	0.0	0.0	-0.0	0.0
-0.0	-43.17						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.2		
			2316	0.0	-0.1		
			2354	0.0	-0.2		
			954	-0.0	-0.2		
			682	-0.0	-0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
		SLVz (RS)	Cent	-28.9	-0.6	-5.6	0.5
-30.0	-79.17		2316	-32.7	-1.3	-7.6	0.4
-34.5	-77.02		2354	-33.0	-2.3	-3.3	-1.9
-33.3	-83.87		954	-25.2	0.2	-3.6	0.7
-25.7	-82.03		682	-24.9	1.0	-7.9	3.3
-27.1	-74.30						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
			Cent	0.0	0.0	0.0	0.0
0.0	55.01		2316	0.0	0.0	0.0	0.0
-0.0	57.71		2354	0.0	0.0	0.0	0.0
0.0	70.64		954	0.0	0.0	0.0	0.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0      61.73  
 0.0      58.45

NODE	Vxx	Vyy
Cent	-0.0	0.0
2316	-0.0	-0.0
2354	-0.0	0.0
954	-0.0	0.0
682	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-13.0	8.90	g1	Cent	606.9	2.2	97.1	622.1
-9.4	11.34		2316	685.9	18.5	139.4	713.9
31.3	4.28		2354	690.9	35.0	49.3	694.6
-19.6	5.71		954	527.8	-14.2	54.7	533.2
-66.3	13.81		682	522.8	-30.7	144.8	558.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-5.37	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-5.27	2316	-0.0	-0.0	-0.0	-0.0
-0.0	-6.44	2354	-0.0	-0.0	-0.0	-0.0
-0.0	-3.92	954	-0.0	-0.0	-0.0	-0.0
-0.0	-2.41	682	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
2316	0.0	0.0
2354	0.0	-0.0
954	0.0	-0.0
682	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-9.0	8.27	g2	Cent	293.2	-2.6	43.9	299.6
-7.8	10.71		2316	330.9	4.3	64.1	343.0
12.8	3.71		2354	333.9	14.2	20.8	335.2
-11.6	5.09		954	255.5	-9.5	23.8	257.6
-35.0	13.13		682	252.5	-19.4	67.1	268.2

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	22.06		Cent	-0.0	-0.0	0.0	-0.0
-0.0	12.00		2316	-0.0	-0.0	0.0	-0.0
-0.0	41.74		2354	-0.0	-0.0	0.0	0.0
-0.0	24.74		954	-0.0	-0.0	0.0	-0.0
-0.0	20.01		682	-0.0	-0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			2316	0.0	-0.0		
			2354	0.0	0.0		
			954	0.0	0.0		
			682	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.5	15.52	q3	Cent	18.9	0.0	5.7	20.5
-1.7	16.30		2316	20.4	0.2	6.5	22.3
-0.1	12.66		2354	20.6	0.9	4.7	21.7
-1.4	14.58		954	17.4	-0.1	4.9	18.6
-3.0	18.31		682	17.1	-0.8	6.7	19.3
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-10.22		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-10.06		2316	0.0	-0.0	-0.0	0.0
-0.0	-12.91		2354	-0.0	-0.0	-0.0	-0.0
-0.0	-9.17		954	-0.0	-0.0	-0.0	-0.0
-0.0	-6.20		682	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			2316	0.0	0.0		
			2354	0.0	-0.0		
			954	0.0	-0.0		
			682	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----		-----					
Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax	
-----		-----					
0.9	3.27	q5_pc	Cent	25.3	1.0	1.4	25.4
1.6	3.52		2316	25.3	1.6	1.5	25.4
0.1	3.79		2354	24.9	0.2	1.6	25.0
0.2	3.02		954	25.2	0.3	1.3	25.3
1.7	2.72		682	25.7	1.8	1.1	25.7
-----		-----					
-0.0	-17.13		Cent	0.0	-0.0	-0.0	0.0
-0.0	-14.40		2316	0.0	-0.0	-0.0	0.0
-0.0	-16.35		2354	-0.0	-0.0	-0.0	-0.0
-0.0	-18.76		954	0.0	-0.0	-0.0	0.0
-0.0	-13.73		682	-0.0	-0.0	-0.0	-0.0
-----		-----					
		NODE	Vxx	Vyy			
-----		-----					
		Cent	0.0	-0.0			
		2316	0.0	0.0			
		2354	0.0	-0.0			
		954	-0.0	-0.0			
		682	-0.0	0.0			
-----		-----					
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----		-----					
1.0	2.28	q5_ps	Cent	21.1	1.1	0.8	21.2
1.9	2.69		2316	21.2	1.9	0.9	21.3
-0.0	3.06		2354	20.7	0.0	1.1	20.7
0.2	1.89		954	21.0	0.2	0.7	21.1
2.0	1.44		682	21.6	2.1	0.5	21.6
-----		-----					
Mmin	ANGLE	NODE		Mxx	Myy	Mxy	Mmax
-----		-----					
-0.0	-13.73	Cent		0.0	-0.0	-0.0	0.0
-0.0	-9.39	2316		0.0	-0.0	-0.0	0.0
-0.0	-19.55	2354		-0.0	-0.0	-0.0	0.0
-0.0	-14.42	954		0.0	-0.0	-0.0	0.0
-0.0	-7.95	682		0.0	-0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

				NODE	Vxx	Vyy		
				Cent	0.0	0.0		
				2316	0.0	0.0		
				2354	0.0	-0.0		
				954	-0.0	-0.0		
				682	-0.0	0.0		
Fmin	ANGLE	LC		NODE	Fxx	Fyy	Fxy	Fmax
-22.8	12.66	INVSLU	Max	Cent	2153.3	36.1	500.9	2265.8
4.4	15.87		2316	2672.7	189.0	768.0	2891.0	
196.8	4.67		2354	2695.1	213.4	204.1	2711.8	
-97.9	7.62		954	1633.9	-88.4	234.7	1665.3	
-304.4	21.48		682	1611.5	-103.9	798.7	1925.8	
-79.2	4.46		Min	Cent	974.5	-31.3	47.3	980.7
-34.1	12.23			2316	1352.3	59.1	295.5	1422.5
93.3	-8.25			2354	1364.5	133.3	-225.9	1390.9
-201.2	-12.19			954	596.8	-146.6	-209.7	632.5
-425.8	18.60			682	584.6	-227.7	310.9	696.3
Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax
-0.0	30.51	Max	Cent	-0.0	-0.0	0.0	0.0	0.0
-0.0	10.24			2316	0.0	-0.0	0.0	0.0
-0.0	28.15			2354	-0.0	-0.0	0.0	-0.0
-0.0	50.38			954	0.0	0.0	0.0	0.0
-0.0	23.39			682	-0.0	-0.0	0.0	0.0
-0.1	-17.62	Min	Cent	-0.0	-0.1	-0.0	-0.0	-0.0
-0.1	-17.76			2316	-0.0	-0.0	-0.0	-0.0
-0.1	-11.67			2354	-0.0	-0.1	-0.0	-0.0
-0.0	-38.74			954	-0.0	-0.0	-0.0	0.0
-0.1	-12.87			682	-0.0	-0.1	-0.0	-0.0
				NODE	Vxx	Vyy		
		Max		Cent	0.0	-0.0		
				2316	0.1	0.1		
				2354	0.1	-0.1		
				954	0.0	-0.1		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Min	682	0.0	0.1
Cent	2316	0.0	-0.1
	2354	0.0	0.0
	954	0.0	-0.3
	682	-0.0	-0.3
		-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-14.2	8.93	INVSLV	Max Cent	856.6	3.9	140.6	878.3
5.2	13.59		2316	1094.1	64.5	267.7	1158.3
89.5	-0.96		2354	1103.3	89.7	0.2	1103.6
-55.4	0.86		954	619.2	-55.3	13.5	619.3
-161.4	19.26		682	610.0	-75.3	281.1	706.9
-29.4	8.85	Min	Cent	693.3	-8.3	108.8	710.7
-22.3	13.90		2316	910.5	39.1	226.2	967.0
77.4	-0.13		2354	920.3	77.4	-18.9	920.3
-57.2	-0.55		954	476.1	-57.1	-8.5	476.2
-200.9	20.43		682	466.3	-100.7	236.6	555.8
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-29.72	Max	Cent	0.0	-0.0	0.0	0.0
-0.0	58.11		2316	0.0	0.0	0.0	0.0
0.0	69.38		2354	0.0	0.1	0.0	0.1
0.0	-48.63		954	0.0	0.0	0.0	0.1
-0.0	-39.03		682	0.0	0.0	0.0	0.1
-0.0	38.30	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.1	41.26		2316	-0.0	-0.1	-0.0	0.0
-0.1	-16.49		2354	-0.0	-0.1	-0.0	-0.0
-0.1	34.14		954	-0.0	-0.1	-0.0	-0.0
-0.1	32.11		682	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
		Max	Cent	0.0	0.3		
			2316	0.1	0.2		
			2354	0.1	0.4		
			954	0.0	0.4		
			682	0.0	0.2		
		Min	Cent	-0.0	-0.3		

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

2316 -0.1 -0.2  
 2354 -0.1 -0.5  
 954 -0.0 -0.5  
 682 -0.0 -0.2

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax	
Fmin		ANGLE							
3076	2	4	Q1-1-2	Max	Cent	851.8	0.6	248.0	918.8
-66.4		15.12			2354	967.6	20.9	303.2	1056.4
-67.8		16.32			2355	974.5	37.9	187.1	1010.5
1.9		10.89			956	735.9	0.4	193.8	783.9
-47.5		13.89			954	729.1	0.6	310.0	843.1
-113.4		20.20		Min	Cent	-8.3	-39.8	-86.8	64.1
-112.3		-39.85			2354	-9.4	-22.6	-55.0	39.4
-71.4		-41.59			2355	-9.5	-13.8	-130.2	118.6
-141.9		-44.52			956	-7.2	-67.1	-128.0	94.3
-168.6		-38.41			954	-7.1	-85.9	-53.6	20.1
-113.0		-26.86							
Mmin		ANGLE			NODE	Mxx	Myy	Mxy	Mmax
				Max	Cent	0.0	0.0	0.0	0.0
-0.0		49.58			2354	0.0	0.0	0.0	0.0
-0.0		53.01			2355	0.0	0.0	0.0	0.0
-0.0		54.60			956	0.0	0.0	0.0	0.0
-0.0		46.90			954	0.0	0.0	0.0	0.0
-0.0		37.96		Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1		-15.72			2354	-0.0	-0.1	-0.0	-0.0
-0.1		-11.50			2355	-0.0	-0.1	-0.0	-0.0
-0.1		-9.79			956	-0.0	-0.0	-0.0	-0.0
-0.0		-22.95			954	-0.0	-0.0	-0.0	0.0
-0.0		-28.49							
					NODE	Vxx	Vyy		
				Max	Cent	0.0	0.0		
					2354	0.0	0.0		
					2355	0.0	0.0		
					956	0.0	0.0		
					954	0.0	0.0		
				Min	Cent	-0.0	-0.2		
					2354	-0.0	-0.2		
					2355	-0.0	-0.2		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

956 -0.0 -0.2  
 954 -0.0 -0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-43.6	15.71	Q2a-1-2	Max Cent	512.4	0.3	156.3	556.3
-44.9	16.96		2354	581.7	13.3	191.1	640.0
-0.2	11.36		2355	586.0	23.5	117.8	609.7
-31.1	14.43		956	443.0	0.3	122.0	474.4
-74.0	20.85		954	438.8	0.4	195.3	513.2
-75.7	-39.81		Min Cent	-6.1	-27.4	-57.9	42.1
-48.8	-41.46		2354	-7.0	-16.2	-36.9	25.6
-95.7	-44.52		2355	-7.0	-9.9	-87.2	78.8
-112.5	-38.65		956	-5.3	-44.0	-85.8	63.3
-74.0	-27.64		954	-5.3	-55.2	-36.0	13.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	48.47	Max Cent	0.0	0.0	0.0	0.0
-0.0	51.13	2354	0.0	0.0	0.0	0.0
-0.0	52.08	2355	0.0	0.0	0.0	0.0
-0.0	45.96	956	0.0	0.0	0.0	0.0
-0.0	35.43	954	0.0	0.0	0.0	0.0
-0.0	-15.55	Min Cent	-0.0	-0.0	-0.0	-0.0
-0.1	-11.27	2354	-0.0	-0.1	-0.0	-0.0
-0.1	-9.68	2355	-0.0	-0.1	-0.0	-0.0
-0.0	-22.92	956	-0.0	-0.0	-0.0	-0.0
-0.0	-28.53	954	-0.0	-0.0	-0.0	0.0

NODE	Vxx	Vyy
Max Cent	0.0	0.0
2354	0.0	0.0
2355	0.0	0.0
956	0.0	0.0
954	0.0	0.0
Min Cent	-0.0	-0.1
2354	-0.0	-0.1
2355	-0.0	-0.1
956	-0.0	-0.1
954	-0.0	-0.1

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-71.4	-78.65	SLVx (RS)	Cent	-68.5	-0.5	-14.2	2.3
-82.8	-76.46		2354	-78.1	-2.4	-19.3	2.2
-79.6	-83.58		2355	-78.7	-4.4	-8.5	-3.4
-60.4	-81.19		956	-59.0	-1.6	-9.1	-0.2
-64.9	-71.95		954	-58.4	-3.6	-20.0	2.9
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-5.41		Cent	0.0	-0.0	-0.0	0.0
0.0	-81.14		2354	0.0	0.0	-0.0	0.0
0.0	-83.48		2355	0.0	0.0	-0.0	0.0
0.0	-84.53		956	0.0	0.0	-0.0	0.0
0.0	-81.56		954	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			2354	-0.0	-0.0		
			2355	-0.0	-0.0		
			956	-0.0	-0.0		
			954	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.3	-15.01	SLVy (RS)	Cent	22.7	0.4	-6.4	24.4
-1.9	-17.93		2354	21.1	0.5	-7.4	23.5
-2.5	-12.57		2355	20.8	-1.4	-5.2	21.9
-0.9	-12.20		956	24.4	0.3	-5.5	25.5
-1.3	-16.50		954	24.7	1.0	-7.7	26.9
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-20.28		Cent	-0.0	-0.0	-0.0	0.0
-0.1	-8.66		2354	-0.0	-0.1	-0.0	-0.0
-0.2	-6.25		2355	-0.1	-0.2	-0.0	-0.1



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0	-78.25	956	0.0	0.1	-0.0	0.1
0.0	-65.04	954	0.0	0.1	-0.0	0.1

NODE	Vxx	Vyy
Cent	0.0	-0.7
2354	0.1	-0.6
2355	0.1	-0.7
956	0.0	-0.7
954	0.0	-0.6

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-35.7	-78.65	SLDx (RS)	Cent	-34.2	-0.3	-7.1	1.2
-41.4	-76.46		2354	-39.0	-1.2	-9.7	1.1
-39.8	-83.58		2355	-39.3	-2.2	-4.2	-1.7
-30.2	-81.19		956	-29.5	-0.8	-4.5	-0.1
-32.4	-71.95		954	-29.2	-1.8	-10.0	1.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-5.43	Cent	0.0	-0.0	-0.0	0.0
0.0	-81.12	2354	0.0	0.0	-0.0	0.0
0.0	-83.47	2355	0.0	0.0	-0.0	0.0
0.0	-84.52	956	0.0	0.0	-0.0	0.0
0.0	-81.55	954	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
2354	-0.0	-0.0
2355	-0.0	-0.0
956	-0.0	-0.0
954	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.7	-15.02	SLDy (RS)	Cent	11.3	0.2	-3.2	12.2
-0.9	-17.94		2354	10.5	0.3	-3.7	11.7
-1.3	-12.57		2355	10.4	-0.7	-2.6	11.0
-0.4	-12.21		956	12.2	0.2	-2.7	12.8
			954	12.3	0.5	-3.8	13.5

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.6      -16.50

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-20.29	Cent	-0.0	-0.0	-0.0	0.0
-0.1	-8.66	2354	-0.0	-0.1	-0.0	-0.0
-0.1	-6.25	2355	-0.0	-0.1	-0.0	-0.0
0.0	-78.24	956	0.0	0.0	-0.0	0.0
0.0	-65.04	954	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	0.0	-0.3
2354	0.0	-0.3
2355	0.0	-0.4
956	0.0	-0.4
954	0.0	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-30.8	-78.50	SLVz (RS)	Cent	-29.6	-0.2	-6.2	1.0
-35.8	-76.31		2354	-33.8	-1.1	-8.5	1.0
-34.4	-83.51		2355	-34.0	-1.9	-3.7	-1.5
-26.0	-81.52		956	-25.4	0.7	-4.0	1.3
-27.7	-73.38		954	-25.1	1.6	-8.7	4.2

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	67.21	Cent	0.0	0.0	0.0	0.0
0.0	79.64	2354	0.0	0.0	0.0	0.0
0.0	79.79	2355	0.0	0.0	0.0	0.0
0.0	77.45	956	0.0	0.0	0.0	0.0
0.0	73.46	954	0.0	0.0	0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
2354	-0.0	0.0
2355	-0.0	0.0
956	-0.0	0.0
954	-0.0	0.0

LC	NODE	Fxx	Fyy	Fxy	Fmax
----	------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE						
-27.7	9.50	g1	Cent	623.5	-9.5	109.0	641.7
-24.2	11.97		2354	711.1	8.9	155.9	744.2
22.1	4.63		2355	716.4	26.6	56.2	721.0
-34.6	6.21		956	535.9	-27.9	62.0	542.6
-87.9	14.66		954	530.6	-45.6	161.7	572.8
			NODE	Mxx	Myy	Mxy	Mmax
-0.0	-1.70		Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-2.19		2354	-0.0	-0.0	-0.0	-0.0
-0.0	-1.48		2355	-0.0	-0.0	-0.0	-0.0
-0.0	-0.98		956	-0.0	-0.0	-0.0	-0.0
-0.0	-2.10		954	-0.0	-0.0	-0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			2354	0.0	-0.0		
			2355	0.0	-0.0		
			956	0.0	-0.0		
			954	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-15.8	9.25	g2	Cent	301.0	-7.4	51.6	309.4
-14.5	11.72		2354	343.3	0.9	74.2	358.7
8.8	4.38		2355	346.3	10.8	25.8	348.3
-18.7	5.96		956	258.6	-15.7	28.9	261.7
-45.5	14.40		954	255.7	-25.6	77.3	275.5
			NODE	Mxx	Myy	Mxy	Mmax
-0.0	30.65		Cent	-0.0	-0.0	0.0	-0.0
-0.0	41.66		2354	-0.0	-0.0	0.0	0.0
-0.0	56.92		2355	0.0	0.0	0.0	0.0
-0.0	23.63		956	-0.0	-0.0	0.0	-0.0
			954	-0.0	-0.0	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.0      19.60

NODE	Vxx	Vyy
Cent	0.0	0.0
2354	-0.0	0.0
2355	-0.0	0.0
956	0.0	0.0
954	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.9	15.66	q3	Cent	19.0	-0.2	5.8	20.6
-1.9	16.67		2354	20.8	0.1	6.8	22.8
-0.4	12.46		2355	20.9	0.6	4.7	22.0
-1.8	14.43		956	17.2	-0.5	4.9	18.4
-3.4	18.81		954	17.0	-1.1	7.0	19.4

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-4.64	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-5.45	2354	-0.0	-0.0	-0.0	-0.0
-0.0	-3.22	2355	-0.0	-0.0	-0.0	-0.0
-0.0	-3.92	956	-0.0	-0.0	-0.0	-0.0
-0.0	-5.79	954	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
2354	0.0	-0.0
2355	0.0	-0.0
956	0.0	-0.0
954	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.3	2.53	q5_pc	Cent	26.3	-0.3	1.2	26.4
-0.5	2.30		2354	26.1	-0.4	1.1	26.2
-0.3	2.72		2355	26.2	-0.3	1.3	26.2
-0.2	2.76		956	26.5	-0.2	1.3	26.6
-0.3	2.34		954	26.5	-0.3	1.1	26.5

NODE	Mxx	Myy	Mxy	Mmax
------	-----	-----	-----	------

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE						
-0.0	-10.94	Cent	0.0	-0.0	-0.0	0.0	
-0.0	-10.19	2354	-0.0	-0.0	-0.0	-0.0	
-0.0	-7.20	2355	-0.0	-0.0	-0.0	-0.0	
-0.0	-12.62	956	0.0	-0.0	-0.0	0.0	
-0.0	-15.87	954	0.0	-0.0	-0.0	0.0	

NODE	Vxx	Vyy
Cent	0.0	-0.0
2354	-0.0	-0.0
2355	-0.0	-0.0
956	0.0	-0.0
954	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.3	1.47	q5_ps	Cent	22.1	-0.3	0.6	22.1
-0.4	1.02		2354	21.8	-0.4	0.4	21.8
-0.3	1.86		2355	21.9	-0.3	0.7	21.9
-0.1	1.91		956	22.4	-0.1	0.8	22.5
-0.3	1.08		954	22.4	-0.3	0.4	22.4

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-10.49		Cent	0.0	-0.0	-0.0	0.0
-0.0	-11.51		2354	0.0	-0.0	-0.0	0.0
-0.0	-8.16		2355	0.0	-0.0	-0.0	0.0
-0.0	-10.66		956	0.0	-0.0	-0.0	0.0
-0.0	-12.57		954	0.0	-0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
2354	-0.0	-0.0
2355	-0.0	-0.0
956	0.0	-0.0
954	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

		INVS LU	Max	Cent				
-64.9	12.58				2230.9	-18.7	528.6	2348.9
					2354	2786.5	109.2	818.1
-25.3	15.71				2355	2808.9	175.6	213.1
158.5	4.60				956	1675.3	-119.4	240.2
-129.2	7.49				954	1652.9	-162.7	845.4
-369.9	21.48							
			Min	Cent	1015.7	-73.8	74.5	1025.7
-138.1	5.47				2354	1414.5	49.7	332.6
-123.5	12.95				2355	1427.5	105.3	-217.5
71.1	-7.38				956	617.0	-210.8	-196.5
-254.5	-10.42				954	604.0	-280.0	352.6
-500.6	19.18							

Mmin ANGLE NODE Mxx Myy Mxy Mmax

			Max	Cent	-0.0	-0.0	0.0	0.0
-0.0	45.52				2354	-0.0	-0.0	-0.0
-0.0	26.94				2355	-0.0	-0.0	0.0
-0.0	41.42				956	0.0	0.0	0.0
-0.0	56.41				954	0.0	0.0	0.0
-0.0	50.69							
			Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-11.33				2354	-0.0	-0.2	-0.0
-0.2	-7.13				2355	-0.1	-0.2	-0.0
-0.2	-6.95				956	-0.0	-0.0	-0.0
-0.0	-22.45				954	-0.0	-0.0	-0.0
-0.0	-29.89							

		NODE	Vxx	Vyy
		Max	Cent	0.0
			2354	-0.1
			2355	-0.1
			956	-0.1
			954	-0.1
		Min	Cent	0.0
			2354	-0.4
			2355	-0.4
			956	-0.4
			954	-0.4

Fmin ANGLE LC NODE Fxx Fyy Fxy Fmax

			Max	Cent	887.2	-16.7	163.6	914.6
-38.5	9.73	INVS LV						

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-24.3	14.17		2354	1140.2	43.2	300.2	1214.9
79.2	0.56		2355	1150.9	79.4	13.6	1151.0
-73.9	1.92		956	634.2	-73.3	27.0	635.0
-206.6	20.14		954	623.5	-104.6	313.6	736.9
-46.8	9.81	Min	Cent	718.8	-18.2	127.6	741.5
-37.0	14.65		2354	951.1	37.4	252.0	1018.2
68.6	-0.36		2355	960.7	68.7	-8.7	960.7
-77.3	0.65		956	486.4	-77.1	3.1	486.5
-228.7	21.17		954	476.9	-113.3	263.8	580.8

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-0.0	62.60	Max	Cent	-0.0	0.0	0.0	0.0
0.0	79.70		2354	0.0	0.1	0.0	0.1
0.0	82.46		2355	0.0	0.1	0.0	0.1
0.0	-77.69		956	0.0	0.1	0.0	0.1
0.0	-59.79		954	0.0	0.1	0.0	0.1
-0.1	-9.17	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.2	-7.33		2354	-0.0	-0.2	-0.0	-0.0
-0.2	-5.20		2355	-0.1	-0.2	-0.0	-0.1
-0.1	11.04		956	-0.0	-0.1	-0.0	-0.0
-0.1	20.82		954	-0.1	-0.1	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.1	0.6
	2354	0.1	0.6
	2355	0.1	0.7
	956	0.0	0.7
	954	0.0	0.6
Min	Cent	-0.0	-0.7
	2354	-0.0	-0.7
	2355	-0.0	-0.8
	956	-0.0	-0.8
	954	-0.0	-0.7

ELEM	MAT	SEC	LC	NODE	Fxx	Fyy	Fxy	Fmax
	Fmin	ANGLE						
3087	2	8	Q1-1-2	Max	Cent	967.3	25.4	354.3
-93.0		18.48			2304	1131.8	59.0	412.0
-81.0		18.76						1271.8

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

17.5	14.15		2364	1142.7	89.0	283.7	1214.2
-97.9	18.29		1014	803.0	0.5	297.7	901.4
-185.1	23.55		636	793.0	0.7	426.3	978.8
-37.6	-46.04	Min	Cent	-19.2	-17.8	-19.1	0.6
-22.6	-83.24		2304	-22.4	-6.2	-2.0	-5.9
-56.3	-51.84		2364	-22.4	-1.5	-43.0	32.3
-73.7	-35.71		1014	-16.0	-43.9	-41.5	13.8
-73.1	-1.94		636	-16.0	-73.1	-1.9	-15.9

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	52.71	Max	Cent	0.0	0.0	0.0	0.0
-0.0	57.25		2304	0.0	0.0	0.0	0.0
-0.0	53.98		2364	0.0	0.0	0.0	0.0
-0.0	47.07		1014	0.0	0.0	0.0	0.0
-0.0	47.80		636	0.0	0.0	0.0	0.0
-0.1	-10.25	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-6.80		2304	-0.0	-0.1	-0.0	-0.0
-0.1	-8.19		2364	-0.0	-0.1	-0.0	-0.0
-0.0	-24.33		1014	-0.0	-0.0	-0.0	-0.0
-0.0	-27.72		636	-0.0	-0.0	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.0
	2304	0.0	0.1
	2364	0.0	0.0
	1014	0.0	0.0
	636	0.0	0.1
Min	Cent	-0.0	-0.3
	2304	-0.0	-0.3
	2364	-0.0	-0.2
	1014	-0.0	-0.2
	636	-0.0	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-57.6	18.67	Q2a-1-2	Max	Cent	584.2	15.6	216.8	657.4
-50.6	18.95			2304	683.3	35.9	252.0	769.8
10.1	14.30			2364	690.1	54.3	173.3	734.3



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-60.4	18.45		1014	485.3	0.4	182.1	546.1
			636	479.1	0.5	260.9	593.8
-114.2	23.74	Min	Cent	-14.3	-12.7	-13.4	-0.1
-26.9	-46.64		2304	-16.6	-4.4	-1.3	-4.3
-16.8	-83.80		2364	-16.7	-1.1	-30.1	22.2
-40.0	-52.26		1014	-11.9	-30.3	-29.1	9.4
-51.6	-36.21		636	-11.8	-47.9	-1.3	-11.8
-47.9	-2.14						
			NODE	Mxx	Myy	Mxy	Mmax
		Max	Cent	0.0	0.0	0.0	0.0
-0.0	52.10		2304	0.0	0.0	0.0	0.0
-0.0	56.07		2364	0.0	0.0	0.0	0.0
-0.0	53.12		1014	0.0	0.0	0.0	0.0
-0.0	46.32		636	0.0	0.0	0.0	0.0
-0.0	47.46	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.0	-9.50		2304	-0.0	-0.1	-0.0	-0.0
-0.1	-6.30		2364	-0.0	-0.1	-0.0	-0.0
-0.1	-7.46		1014	-0.0	-0.0	-0.0	-0.0
-0.0	-24.03		636	-0.0	-0.0	-0.0	-0.0
-0.0	-28.18						
			NODE	Vxx	Vyy		
		Max	Cent	0.0	0.0		
			2304	0.0	0.0		
			2364	0.0	0.0		
			1014	0.0	0.0		
			636	0.0	0.0		
		Min	Cent	-0.0	-0.2		
			2304	-0.0	-0.2		
			2364	-0.0	-0.2		
			1014	-0.0	-0.2		
			636	-0.0	-0.2		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		SLVx (RS)	Cent	-68.8	-2.4	-23.8	5.2
-76.5	-72.17		2304	-80.6	-5.2	-28.2	4.2
-90.0	-71.63		2364	-81.2	-7.0	-18.6	-2.6
-85.6	-76.65		1014	-57.0	-0.3	-19.5	5.7
-63.0	-72.76						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-68.4	-67.66		636	-56.5	2.1	-29.0	14.1
-----							
0.0	77.89		Cent	0.0	0.0	0.0	0.0
-0.0	11.80		2304	-0.0	-0.0	0.0	-0.0
-0.0	14.12		2364	-0.0	-0.0	0.0	-0.0
0.0	81.89		1014	0.0	0.0	0.0	0.0
0.0	82.47		636	0.0	0.0	0.0	0.0
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			2304	0.0	-0.0		
			2364	0.0	-0.0		
			1014	-0.0	-0.0		
			636	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
-2.4	-15.08	SLVy (RS)	Cent	38.0	0.6	-10.9	40.9
-1.5	-14.03		2304	39.9	1.0	-10.3	42.5
-1.9	-15.38		2364	40.0	1.3	-11.5	43.1
-3.2	-16.20		1014	36.2	0.2	-11.4	39.5
-2.9	-14.77		636	36.1	-0.2	-10.3	38.8
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
0.0	61.34		Cent	0.0	0.0	0.0	0.0
-0.1	10.64		2304	-0.0	-0.1	0.0	-0.0
-0.1	17.03		2364	-0.0	-0.1	0.0	-0.0
0.0	79.14		1014	0.1	0.1	0.0	0.1
0.0	80.02		636	0.0	0.1	0.0	0.1
-----							
			NODE	Vxx	Vyy		
			Cent	0.0	-0.6		
			2304	0.0	-0.7		
			2364	0.0	-0.6		
			1014	-0.0	-0.6		
			636	-0.0	-0.7		

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-38.2	-72.17	SLDx (RS)	Cent	-34.4	-1.2	-11.9	2.6
-45.0	-71.63		2304	-40.3	-2.6	-14.1	2.1
-42.8	-76.65		2364	-40.6	-3.5	-9.3	-1.3
-31.5	-72.76		1014	-28.5	-0.2	-9.7	2.9
-34.2	-67.66		636	-28.2	1.1	-14.5	7.0
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	77.85		Cent	0.0	0.0	0.0	0.0
-0.0	11.83		2304	-0.0	-0.0	0.0	-0.0
-0.0	14.17		2364	-0.0	-0.0	0.0	-0.0
0.0	81.87		1014	0.0	0.0	0.0	0.0
0.0	82.46		636	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	-0.0		
			2304	0.0	-0.0		
			2364	0.0	-0.0		
			1014	-0.0	-0.0		
			636	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-1.2	-15.09	SLDy (RS)	Cent	19.0	0.3	-5.4	20.4
-0.8	-14.04		2304	19.9	0.5	-5.2	21.2
-0.9	-15.39		2364	20.0	0.6	-5.7	21.5
-1.6	-16.21		1014	18.1	0.1	-5.7	19.7
-1.4	-14.79		636	18.0	-0.1	-5.1	19.4
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	61.31		Cent	0.0	0.0	0.0	0.0
-0.0	10.67		2304	-0.0	-0.0	0.0	-0.0
-0.0	17.06		2364	-0.0	-0.0	0.0	-0.0
0.0	79.12		1014	0.0	0.1	0.0	0.1

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0      80.00      636      0.0      0.1      0.0      0.1

NODE	Vxx	Vyy
Cent	0.0	-0.3
2304	0.0	-0.3
2364	0.0	-0.3
1014	-0.0	-0.3
636	-0.0	-0.3

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-33.4	-71.88	SLVz (RS)	Cent	-29.9	-1.1	-10.6	2.4
-39.3	-71.38		2304	-35.1	-2.3	-12.5	1.9
-37.3	-76.39		2364	-35.3	-3.1	-8.3	-1.1
-27.4	-72.56		1014	-24.7	0.1	-8.7	2.9
-29.8	-67.35		636	-24.5	0.9	-12.8	6.3

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-72.06	Cent	0.0	0.0	-0.0	0.0
0.0	-75.68	2304	0.0	0.0	-0.0	0.0
0.0	-70.63	2364	0.0	0.0	-0.0	0.0
0.0	-80.57	1014	0.0	0.0	-0.0	0.0
0.0	-81.14	636	0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
2304	-0.0	0.0
2364	-0.0	0.0
1014	-0.0	0.0
636	-0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-46.0	16.33	g1	Cent	689.2	17.2	215.4	752.3
-35.2	17.08		2304	808.1	44.4	259.1	887.7
29.5	11.76		2364	813.9	63.5	163.3	847.9
-57.1	15.32		1014	570.2	-10.0	171.8	617.2
-132.0	21.02		636	564.5	-29.2	267.6	667.3

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	5.34		Cent	-0.0	-0.0	0.0	-0.0
-0.0	2.99		2304	-0.0	-0.0	0.0	-0.0
-0.0	4.66		2364	-0.0	-0.0	0.0	-0.0
-0.0	8.18		1014	-0.0	-0.0	0.0	-0.0
-0.0	6.68		636	-0.0	-0.0	0.0	-0.0

NODE	Vxx	Vyy
Cent	0.0	-0.0
2304	0.0	-0.0
2364	0.0	-0.0
1014	0.0	-0.0
636	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-22.9	16.14	g2	Cent	335.3	7.1	103.6	365.2
-17.5	16.92		2304	393.6	20.5	125.0	431.6
13.9	11.54		2364	396.4	29.8	78.1	412.3
-28.4	15.07		1014	276.9	-6.2	82.2	299.1
-64.8	20.86		636	274.2	-15.5	129.2	323.4

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	-36.55		Cent	-0.0	-0.0	-0.0	-0.0
0.0	-80.32		2304	0.0	0.0	-0.0	0.0
-0.0	-69.52		2364	0.0	0.0	-0.0	0.0
-0.0	-16.26		1014	-0.0	-0.0	-0.0	-0.0
-0.0	-11.46		636	-0.0	-0.0	-0.0	-0.0

NODE	Vxx	Vyy
Cent	-0.0	0.0
2304	-0.0	0.0
2364	-0.0	0.0
1014	0.0	0.0
636	0.0	0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----							
-1.5	18.39	q3	Cent	16.2	0.5	5.9	18.1
			2304	18.5	0.9	6.7	20.7
-1.3	18.70		2364	18.6	1.4	4.9	19.9
0.1	14.75		1014	13.9	-0.0	5.1	15.6
-1.7	17.99		636	13.8	-0.5	6.9	16.6
-3.3	22.02						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	2.69		Cent	-0.0	-0.0	0.0	-0.0
			2304	-0.0	-0.0	0.0	-0.0
-0.0	0.67		2364	-0.0	-0.0	0.0	-0.0
-0.0	1.80		1014	-0.0	-0.0	0.0	-0.0
-0.0	5.14		636	-0.0	-0.0	0.0	-0.0
-0.0	3.89						
			NODE	Vxx	Vyy		
-----							
			Cent	0.0	-0.0		
			2304	0.0	-0.0		
			2364	0.0	-0.0		
			1014	0.0	-0.0		
			636	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-----							
0.5	4.10	q5_pc	Cent	36.5	0.7	2.6	36.7
			2304	39.7	1.4	3.7	40.1
1.1	5.54		2364	39.9	2.0	1.2	39.9
2.0	1.76		1014	33.3	0.0	1.4	33.4
-0.0	2.43		636	33.2	-0.5	4.0	33.6
-1.0	6.67						
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-----							
-0.0	-12.46		Cent	-0.0	-0.0	-0.0	-0.0
			2304	-0.0	-0.0	-0.0	-0.0
-0.0	-10.42		2364	-0.0	-0.0	-0.0	-0.0
-0.0	-11.20		1014	0.0	-0.0	-0.0	0.0
-0.0	-14.75		636	0.0	-0.0	-0.0	0.0
-0.0	-18.55						

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

NODE	Vxx	Vyy
Cent	-0.0	-0.0
2304	-0.0	-0.0
2364	-0.0	-0.0
1014	-0.0	-0.0
636	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
0.6	2.11	q5_ps	Cent	31.2	0.6	1.1	31.2
1.1	3.64		2304	33.8	1.2	2.1	33.9
1.7	-0.04		2364	33.9	1.7	-0.0	33.9
0.0	0.34		1014	28.6	0.1	0.2	28.6
-0.6	4.48		636	28.4	-0.4	2.3	28.6

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	-17.99	Cent	-0.0	-0.0	-0.0	0.0
-0.0	-15.32	2304	-0.0	-0.0	-0.0	-0.0
-0.0	-16.64	2364	-0.0	-0.0	-0.0	0.0
-0.0	-20.45	1014	0.0	-0.0	-0.0	0.0
-0.0	-23.43	636	-0.0	-0.0	-0.0	0.0

NODE	Vxx	Vyy
Cent	-0.0	-0.0
2304	-0.0	-0.0
2364	-0.0	-0.0
1014	-0.0	-0.0
636	-0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-99.6	17.56	INVSLU Max	Cent	2691.1	72.5	920.9	2982.5
-47.0	18.37		2304	3381.4	237.7	1173.5	3771.1
202.3	11.05		2364	3410.0	324.7	626.5	3532.4
-165.8	16.38		1014	2001.3	-80.9	669.8	2198.2
-477.1	24.60		636	1973.9	-126.1	1217.1	2531.1
-223.5	16.74	Min	Cent	1286.3	12.9	412.2	1412.4
-157.5	18.67		2304	1744.3	147.2	607.9	1950.1

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

171.3	7.16	2364	1757.9	198.7	183.4	1782.9
-281.3	12.59	1014	828.2	-140.9	209.3	878.3
-688.5	25.62	636	814.7	-226.7	631.8	1118.1

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.0	59.01	Max Cent	0.0	0.0	0.0	0.1
0.0	60.08	2304	0.0	0.1	0.0	0.1
-0.0	57.52	2364	0.0	0.0	0.0	0.1
0.0	56.74	1014	0.0	0.0	0.0	0.1
0.0	57.85	636	0.0	0.1	0.0	0.1
-0.1	-10.27	Min Cent	-0.0	-0.1	-0.0	-0.0
-0.2	-5.67	2304	-0.0	-0.2	-0.0	-0.0
-0.1	-7.32	2364	-0.0	-0.1	-0.0	-0.0
-0.0	-43.02	1014	-0.0	-0.0	-0.0	0.0
-0.0	-50.65	636	-0.0	0.0	-0.0	0.0

NODE	Vxx	Vyy
Max Cent	0.0	0.0
2304	0.0	0.0
2364	0.0	-0.0
1014	0.0	-0.0
636	0.0	0.0
Min Cent	-0.0	-0.5
2304	-0.0	-0.5
2364	-0.0	-0.4
1014	-0.0	-0.4
636	-0.0	-0.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-60.2	16.73	INVSLV	Max Cent	1069.2	28.5	350.4	1172.5
-29.6	17.86		2304	1363.5	102.5	459.6	1509.5
99.5	9.70		2364	1373.1	134.7	225.1	1410.4
-92.9	14.88		1014	774.9	-44.9	241.2	837.2
-255.5	24.04		636	765.3	-72.8	475.7	974.7
-84.3	17.16		Min Cent	890.8	22.6	289.9	982.3
-55.0	18.28		2304	1157.2	90.2	389.5	1288.0
84.6	9.62		2364	1165.6	118.0	175.9	1196.5



MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-114.5	15.23	1014	624.4	-45.7	190.2	678.0
-295.6	24.99	636	616.0	-77.7	403.9	807.1

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	55.41	Max	Cent	0.0	0.0	0.0	0.0
0.0	-80.89		2304	0.0	0.1	0.0	0.1
0.0	-74.67		2364	0.0	0.0	0.0	0.0
0.0	76.68		1014	0.0	0.1	0.0	0.1
0.0	77.90		636	0.0	0.1	0.0	0.1
-0.1	-21.30	Min	Cent	-0.0	-0.0	-0.0	-0.0
-0.1	11.86		2304	-0.0	-0.1	-0.0	-0.0
-0.1	18.14		2364	-0.0	-0.1	-0.0	-0.0
-0.1	-8.31		1014	-0.1	-0.1	-0.0	-0.1
-0.2	-7.80		636	-0.0	-0.2	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.0	0.6
	2304	0.1	0.7
	2364	0.1	0.6
	1014	0.0	0.6
	636	0.0	0.7
Min	Cent	-0.0	-0.7
	2304	-0.0	-0.7
	2364	-0.0	-0.6
	1014	-0.0	-0.6
	636	-0.0	-0.7

ELEM	MAT	SEC	LC		NODE	Fxx	Fyy	Fxy	Fmax
Fmin	ANGLE								
3099	2	8	Q1-1-2	Max	Cent	132.8	18.4	631.6	709.8
-558.6	42.41				2374	296.4	7.7	762.5	928.1
-624.0	39.64				2305	186.8	51.0	872.1	993.6
-755.8	42.77				640	38.1	32.7	505.3	540.7
-469.9	44.85				1046	328.7	72.0	401.7	622.0
-221.4	36.14			Min	Cent	-115.4	-878.2	-9.6	-115.3
-878.3	-0.72				2374	-75.3	-58.4	-4.9	-57.1
-76.7	-74.94				2305	-485.1	-1792.4	-30.3	-484.4
-1793.1	-1.33				640	-223.7	-1702.9	-24.4	-223.3
-1703.3	-0.94								

MIDAS

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax	
-42.3	-14.22		1046	-1.5	-39.7	-10.3	1.1	
			Max	Cent	0.0	0.0	0.0	0.0
-0.0	39.40			2374	0.0	0.0	0.0	0.0
-0.0	44.54			2305	0.1	0.1	0.0	0.1
0.0	28.55			640	0.0	0.1	0.0	0.1
0.0	67.92			1046	0.0	0.0	0.0	0.0
-0.0	46.54		Min	Cent	-0.1	-0.2	-0.0	-0.1
-0.2	-1.94			2374	-0.1	-0.2	-0.0	-0.1
-0.2	-1.31			2305	-0.2	-0.5	-0.0	-0.2
-0.5	-1.43			640	-0.1	-0.1	-0.0	-0.1
-0.1	-8.70			1046	-0.1	-0.2	-0.0	-0.1
-0.2	-1.54							
				NODE	Vxx	Vyy		
			Max	Cent	0.1	0.1		
				2374	0.3	0.1		
				2305	0.3	0.3		
				640	0.1	0.3		
				1046	0.1	0.1		
			Min	Cent	-0.2	-0.8		
				2374	-0.2	-0.2		
				2305	-0.2	-1.6		
				640	-0.1	-1.6		
				1046	-0.1	-0.2		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax	
-328.8	42.38	Q2a-1-2	Max	Cent	76.1	8.3	369.4	413.1
				2374	178.1	4.1	449.1	548.6
-366.4	39.52			2305	104.8	22.4	504.4	569.7
-442.5	42.67			640	20.6	14.8	292.5	310.2
-274.9	44.72			1046	195.2	41.4	240.9	371.2
-134.6	36.15							
-518.8	-0.57		Min	Cent	-66.2	-518.8	-4.5	-66.1
				2374	-42.5	-35.1	-2.7	-34.2
-43.4	-71.78			2305	-275.7	-1052.8	-13.2	-275.5
-1053.0	-0.98			640	-133.2	-1006.0	-12.1	-133.0
-1006.1	-0.80			1046	-0.9	-22.8	-7.6	1.4
-25.2	-17.38							

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	39.65	Max	Cent	0.0	0.0	0.0	0.0
-0.0	44.37		2374	0.0	0.0	0.0	0.0
0.0	28.38		2305	0.1	0.0	0.0	0.1
0.0	70.56		640	0.0	0.1	0.0	0.1
-0.0	45.83		1046	0.0	0.0	0.0	0.0
-0.1	-2.14	Min	Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-1.48		2374	-0.0	-0.1	-0.0	-0.0
-0.3	-1.20		2305	-0.1	-0.3	-0.0	-0.1
-0.1	-8.45		640	-0.0	-0.1	-0.0	-0.0
-0.1	-1.55		1046	-0.0	-0.1	-0.0	-0.0

	NODE	Vxx	Vyy
Max	Cent	0.1	0.1
	2374	0.2	0.0
	2305	0.2	0.1
	640	0.0	0.1
	1046	0.0	0.0
Min	Cent	-0.1	-0.5
	2374	-0.1	-0.1
	2305	-0.1	-1.0
	640	-0.0	-1.0
	1046	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-17.0	-60.34	SLVx (RS)	Cent	2.4	42.8	-34.1	62.2
-35.5	-42.20		2374	10.2	2.1	-41.5	47.8
-6.1	-63.98		2305	16.2	87.4	-45.7	109.7
-0.5	-72.40		640	7.9	83.5	-26.7	92.0
-33.7	-54.76		1046	-17.8	-1.9	-22.5	14.0

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-85.76		Cent	0.0	0.0	-0.0	0.0
0.0	-84.18		2374	0.0	0.0	-0.0	0.0
0.0	85.67		2305	0.0	0.0	0.0	0.0
			640	0.0	0.0	-0.0	0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

0.0      -87.03  
 0.0      -82.97

NODE	Vxx	Vyy
Cent	0.0	0.0
2374	-0.0	-0.0
2305	-0.0	0.0
640	0.0	0.0
1046	0.0	-0.0

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-39.1	-12.55	SLVy (RS)	Cent	48.0	-34.8	-19.4	52.3
-0.2	9.18		2374	88.1	2.1	14.3	90.4
-65.2	-13.92		2305	76.7	-56.4	-35.1	85.4
-87.1	-22.68		640	9.4	-70.2	-40.3	26.3
-18.6	6.36		1046	21.0	-18.1	4.4	21.5

Mmin	ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.1	53.05	Cent	-0.0	-0.0	0.0	0.0
-0.1	41.37	2374	0.0	-0.0	0.1	0.1
-0.1	43.07	2305	-0.0	-0.0	0.0	-0.0
-0.1	77.39	640	-0.1	-0.0	0.0	-0.0
-0.0	47.77	1046	0.0	0.0	0.0	0.1

NODE	Vxx	Vyy
Cent	0.2	-0.1
2374	0.1	-0.1
2305	0.1	-0.1
640	0.3	-0.1
1046	0.3	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-8.5	-60.34	SLDx (RS)	Cent	1.2	21.4	-17.0	31.1
-17.8	-42.20		2374	5.1	1.0	-20.7	23.9
-3.1	-63.97		2305	8.1	43.7	-22.8	54.8
-0.3	-72.39		640	4.0	41.7	-13.3	46.0
-16.8	-54.76		1046	-8.9	-0.9	-11.2	7.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
0.0	-85.77		Cent	0.0	0.0	-0.0	0.0
0.0	-84.18		2374	0.0	0.0	-0.0	0.0
0.0	85.67		2305	0.0	0.0	0.0	0.0
0.0	-87.03		640	0.0	0.0	-0.0	0.0
0.0	-82.96		1046	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			2374	-0.0	-0.0		
			2305	-0.0	0.0		
			640	0.0	0.0		
			1046	0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-19.6	-12.56	SLDy (RS)	Cent	24.0	-17.4	-9.7	26.1
-0.1	9.22		2374	44.0	1.0	7.2	45.2
-32.6	-13.92		2305	38.3	-28.3	-17.6	42.7
-43.5	-22.67		640	4.7	-35.1	-20.1	13.1
-9.3	6.40		1046	10.5	-9.1	2.2	10.8
Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
-0.0	53.04		Cent	-0.0	-0.0	0.0	0.0
-0.0	41.35		2374	0.0	-0.0	0.0	0.0
-0.0	43.09		2305	-0.0	-0.0	0.0	-0.0
-0.1	77.39		640	-0.1	-0.0	0.0	-0.0
-0.0	47.77		1046	0.0	0.0	0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.1	-0.1		
			2374	0.0	-0.1		
			2305	0.0	-0.1		
			640	0.2	-0.1		
			1046	0.2	-0.1		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-9.1	-61.53	SLVz (RS)	Cent	-0.9	18.9	-15.2	27.2
-20.1	-48.88		2374	-4.1	0.9	-18.4	17.0
-2.5	-63.65		2305	7.6	38.8	-20.4	48.9
-0.3	-72.10		640	3.6	36.9	-12.0	40.8
-14.9	-54.47		1046	-7.8	-0.9	-10.0	6.2
Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax
0.0	-83.72		Cent	0.0	0.0	-0.0	0.0
0.0	-82.10		2374	0.0	0.0	-0.0	0.0
0.0	-85.69		2305	0.0	0.0	-0.0	0.0
0.0	-84.92		640	0.0	0.0	-0.0	0.0
0.0	-77.64		1046	0.0	0.0	-0.0	0.0
			NODE	Vxx	Vyy		
			Cent	0.0	0.0		
			2374	0.0	0.0		
			2305	0.0	0.0		
			640	0.0	0.0		
			1046	0.0	0.0		
Fmin		ANGLE	LC	Fxx	Fyy	Fxy	Fmax
-724.5	28.20	g1	Cent	12.9	-512.4	395.4	224.9
-443.6	40.70		2374	120.7	-26.1	485.4	538.3
-1297.1	25.54		2305	-184.4	-1043.0	531.7	69.7
-1092.3	17.02		640	-94.9	-998.8	305.4	-1.4
-162.1	34.83		1046	210.2	18.2	259.1	390.5
Mmin		ANGLE	NODE	Mxx	Myy	Mxy	Mmax
-0.1	4.36		Cent	-0.0	-0.1	0.0	-0.0
-0.1	6.23		2374	-0.0	-0.1	0.0	-0.0
-0.2	4.82		2305	-0.0	-0.2	0.0	-0.0
-0.1	3.20		640	-0.0	-0.1	0.0	-0.0
-0.1	4.55		1046	-0.0	-0.1	0.0	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

	NODE	Vxx	Vyy
	Cent	-0.0	-0.2
	2374	-0.0	-0.2
	2305	-0.0	-0.2
	640	-0.0	-0.2
	1046	-0.0	-0.2

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		g2	Cent	7.3	-251.0	195.9	112.8
-356.5	28.31		2374	59.5	-15.0	239.6	264.7
-220.2	40.58		2305	-88.5	-508.5	262.1	37.3
-634.4	25.65		640	-45.0	-487.0	152.3	2.4
-534.4	17.28		1046	103.1	6.5	129.7	193.2
-83.6	34.79						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax
			Cent	-0.0	-0.1	-0.0	-0.0
-0.1	-0.76		2374	-0.0	-0.1	0.0	-0.0
-0.1	0.35		2305	-0.0	-0.1	0.0	-0.0
-0.1	2.19		640	0.0	-0.1	-0.0	0.0
-0.1	-1.35		1046	-0.0	-0.0	-0.0	-0.0
-0.0	-6.97						

	NODE	Vxx	Vyy
	Cent	-0.0	-0.1
	2374	-0.0	-0.1
	2305	-0.0	-0.1
	640	-0.0	-0.1
	1046	-0.0	-0.1

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q3	Cent	0.2	-9.9	7.5	4.3
-13.9	28.05		2374	2.3	-0.5	9.3	10.3
-8.5	40.74		2305	-3.6	-20.2	10.2	1.2
-25.1	25.48		640	-1.8	-19.3	5.8	-0.0
-21.1	16.83		1046	4.1	0.4	4.9	7.5
-3.0	34.59						

Mmin	ANGLE		NODE	Mxx	Myy	Mxy	Mmax

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-----				-----		-----	
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-0.0	4.54		Cent	-0.0	-0.0	0.0	-0.0
-0.0	6.24		2374	-0.0	-0.0	0.0	-0.0
-0.0	5.04		2305	-0.0	-0.0	0.0	-0.0
-0.0	3.36		640	-0.0	-0.0	0.0	-0.0
-0.0	4.74		1046	-0.0	-0.0	0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.0		
			2374	0.0	-0.0		
			2305	0.0	-0.0		
			640	-0.0	-0.0		
			1046	-0.0	-0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
-80.7	15.13	q5_pc	Cent	11.3	-74.0	24.9	18.0
-30.8	32.53		2374	36.5	-3.4	42.9	63.9
-154.2	14.37		2305	-5.8	-144.5	38.0	3.9
-144.9	2.99		640	-13.9	-144.5	6.8	-13.5
-7.3	18.20		1046	28.4	-3.4	11.7	32.3
			NODE	Mxx	Myy	Mxy	Mmax
-0.0	4.95		Cent	-0.0	-0.0	0.0	-0.0
-0.0	13.43		2374	-0.0	-0.0	0.0	-0.0
-0.0	0.41		2305	-0.0	-0.0	0.0	-0.0
-0.0	86.47		640	-0.0	0.0	0.0	0.0
-0.0	10.48		1046	-0.0	-0.0	0.0	-0.0
			NODE	Vxx	Vyy		
			Cent	-0.0	-0.1		
			2374	-0.0	0.0		
			2305	-0.0	-0.2		
			640	0.0	-0.2		
			1046	0.0	0.0		
Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax
		q5_ps	Cent	13.0	-59.0	17.5	17.0



PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-63.0	12.98		2374	35.8	-2.6	33.3	55.1
-21.8	30.05		2305	2.5	-113.6	26.2	8.1
-119.2	12.14		640	-9.8	-115.4	1.7	-9.8
-115.4	0.92		1046	23.5	-4.4	8.9	26.0
-6.9	16.24						

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-0.0	3.72		Cent	-0.0	-0.0	0.0	-0.0
-0.0	14.02		2374	-0.0	-0.0	0.0	-0.0
-0.0	-0.47		2305	-0.0	-0.0	-0.0	-0.0
0.0	-88.46		640	0.0	0.0	-0.0	0.0
-0.0	9.76		1046	-0.0	-0.0	0.0	-0.0

NODE Vxx Vyy

Cent	-0.0	-0.1
2374	-0.0	0.0
2305	-0.0	-0.1
640	0.0	-0.1
1046	0.0	0.0

Fmin ANGLE LC NODE Fxx Fyy Fxy Fmax

-1698.5	35.81	INVSLU	Max	Cent	226.1	-803.4	1772.2	1504.5
-983.4	40.38			2374	674.6	-13.9	2133.4	2488.8
-2735.0	35.25			2305	-53.0	-1645.6	2349.6	1559.2
-2149.8	30.83			640	-104.5	-1587.4	1417.1	734.1
-468.8	36.79			1046	852.9	146.9	1208.9	1757.0
-2505.5	21.10		Min	Cent	-129.3	-2162.6	861.1	203.3
-1834.3	42.06			2374	107.1	-109.3	1010.4	1027.5
-4755.5	16.81			2305	-970.5	-4417.3	1063.0	-638.9
-4350.0	10.29			640	-482.9	-4222.6	689.7	-355.5
-763.4	37.05			1046	346.9	-10.0	631.5	832.7

Mmin ANGLE NODE Mxx Myy Mxy Mmax

-0.2	14.63		Max	Cent	-0.0	-0.2	0.0	0.0
				2374	-0.1	-0.2	0.1	-0.0

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.2	20.15		2305	0.0	-0.3	0.1	0.1
-0.3	10.56		640	0.1	0.1	0.1	0.2
0.0	45.81		1046	-0.0	-0.1	0.0	-0.0
-0.1	24.93	Min	Cent	-0.2	-0.5	0.0	-0.2
-0.5	0.40		2374	-0.1	-0.5	0.0	-0.1
-0.5	1.86		2305	-0.4	-1.1	0.0	-0.4
-1.1	0.78		640	-0.0	-0.2	-0.0	-0.0
-0.2	-0.95		1046	-0.2	-0.4	-0.0	-0.2
-0.4	0.11						

	NODE	Vxx	Vyy
Max	Cent	0.1	-0.5
	2374	0.3	-0.2
	2305	0.3	-0.7
	640	-0.1	-0.7
	1046	-0.1	-0.2
Min	Cent	-0.3	-1.9
	2374	-0.4	-0.5
	2305	-0.4	-3.5
	640	-0.3	-3.5
	1046	-0.3	-0.5

Fmin	ANGLE	LC	NODE	Fxx	Fyy	Fxy	Fmax		
-959.8	29.04	INVSLV	Max	Cent	66.7	-634.1	639.4	378.6	
-598.5	39.66		2374	260.4	-27.6	770.6	877.2		
-1678.2	24.46		2305	-163.1	-1297.5	840.6	169.7		
-1400.4	20.81		640	-119.6	-1239.8	522.5	53.3		
-257.6	36.00		1046	311.1	46.3	438.4	627.4		
-1101.7	30.18		Min	Cent	-31.2	-751.9	550.5	332.4	
-717.1	42.64		2374	75.5	-33.6	668.0	714.4		
-1927.8	28.86		2305	-330.7	-1529.4	715.9	120.9		
-1631.2	16.70		640	-145.3	-1471.2	418.6	6.0		
-294.5	36.84		1046	253.7	8.4	384.8	544.3		
Mmin	ANGLE			NODE	Mxx	Myy	Mxy	Mmax	
-0.1	-10.37			Max	Cent	-0.0	-0.1	0.1	-0.0
-0.2	22.21			2374	-0.0	-0.2	0.1	-0.0	
				2305	-0.0	-0.2	0.0	-0.0	


PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt

-0.2	-2.92			640	0.1	-0.1	0.0	0.1
-0.1	-3.32			1046	-0.0	-0.1	0.1	0.0
-0.1	31.50							
-0.2	22.63	Min	Cent		-0.1	-0.2	-0.0	-0.0
-0.2	0.98			2374	-0.1	-0.2	-0.0	-0.1
-0.2	14.06			2305	-0.1	-0.3	-0.0	-0.1
-0.3	29.32			640	-0.1	-0.2	-0.0	-0.1
-0.2	-22.47			1046	-0.1	-0.2	-0.0	-0.1

	NODE	Vxx	Vyy
Max	Cent	0.1	-0.1
	2374	0.0	-0.1
	2305	0.0	-0.1
	640	0.2	-0.1
	1046	0.2	-0.1
Min	Cent	-0.3	-0.4
	2374	-0.1	-0.4
	2305	-0.1	-0.4
	640	-0.4	-0.4
	1046	-0.4	-0.4

PROJECT TITLE :

	Company		Client	
	Author		File Name	PD2_C3A_MUS_1147_A_AP_NOT_OUTPUT.mgt